VITAL STATISTICS OF THE UNITED STATES

1984

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS
Hyattsville, Maryland: 1987

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*
PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GEORGE A. SCHNACK, *Associate Director for Data Processing and Services*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
SANDRA S. SMITH, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1984,* Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 87-1114. Public Health Service, Washington. U.S. Government Printing Office, 1987.

DHHS Publication No. (PHS) 87-1114

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1984

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1984.* Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1984. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	170	196	485	490	528
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1] Deaths by place of occurrence and place of residence.
[2] Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29
Geographic area:													
Guam	1	2	3			6	7	8		[1]10	11	12	13
Puerto Rico	1	2		4			7	8	[1]9		11	12	13
Municipios									[1]9				
Virgin Islands	1	2	3		5		7	8		[1]10	11	12	13
Islands										[1]10			
Specified urban place										[1]10			
Years:													
1940–84	1												
1984 only		2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:													
Death rates	1												
Number of deaths	1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths									9	10			
Number of infant deaths			3	4	5	6			9	10	11	12	13
Number of neonatal deaths									9	10	11	12	13
Number of postneonatal deaths													13
Characteristics:													
Age:													
10-year age groups			3	4	5	6							
Detailed age groups (under 1 day–11 months)												12	
Cause of death:													
61 selected causes of infant mortality													13
72 selected causes				4	5	6							
Motor vehicle accidents							7						
Nontransport accidents								8					
Person injured							7						
Month		2									11		
Place of accident								8					
Race[2]		2	3		5	6	7	8		10	11	12	13
Sex		2	3	4	5	6	7	8				12	

[1] Deaths by place of occurrence and place of residence.
[2] Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1984	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1984	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1984	100
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States: 1984	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1984	170
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1984	196
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1984	485
8–8.	Deaths from 72 selected causes for standard metropolitan statistical areas of the United States: 1984	490
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1984	528

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	2,042,304	2,039,369	39,580	25,691	30,099
White	1,784,409	1,781,897	27,608	18,058	21,497
All other	257,895	257,472	11,972	7,633	8,602
Black	235,984	235,884	10,881	7,002	7,653
Alabama	36,334	36,536	766	518	595
White	26,339	26,497	370	265	309
All other	9,995	10,039	396	253	286
Black	9,980	10,026	394	251	283
Autauga	148	292	8	7	6
White	107	210	4	4	4
All other	41	82	4	3	2
Black	41	82	4	3	2
Prattville, part	---	159	4	3	-
White	---	130	2	2	-
All other	---	29	2	1	-
Black	---	29	2	1	-
Prattville, total	---	159	4	3	-
White	---	130	2	2	-
All other	---	29	2	1	-
Black	---	29	2	1	-
Balance of county	---	133	4	4	6
White	---	80	2	2	4
All other	---	53	2	2	2
Black	---	53	2	2	2
Baldwin	765	819	16	11	11
White	668	707	6	4	8
All other	97	112	10	7	3
Black	97	112	10	7	3
Barbour	216	256	5	1	9
White	109	139	1	-	2
All other	107	117	4	1	7
Black	107	117	4	1	7
Eufaula	---	101	1	-	7
White	---	59	-	-	2
All other	---	42	1	-	5
Black	---	42	1	-	5
Balance of county	---	155	4	1	2
White	---	80	1	-	-
All other	---	75	3	1	2
Black	---	75	3	1	2
Bibb	106	170	5	4	3
White	69	113	2	2	-
All other	37	57	3	2	3
Black	37	57	3	2	3
Blount	204	318	2	1	5
Bullock	62	118	3	2	2
White	25	41	-	-	1
All other	37	77	3	2	1
Black	37	77	3	2	1
Butler	203	225	5	3	1
White	138	146	-	-	-
All other	65	79	5	3	1
Black	65	79	5	3	1
Calhoun	1,003	1,046	14	9	11
White	803	838	9	7	7
All other	200	208	5	2	4
Black	200	208	5	2	4
Anniston	---	437	7	5	6
White	---	297	3	3	3
All other	---	140	4	2	3
Black	---	140	4	2	3
Balance of county	---	609	7	4	5
White	---	541	6	4	4
All other	---	68	1	-	1
Black	---	68	1	-	1
Chambers	349	405	4	1	7
White	248	284	2	1	3
All other	101	121	2	-	4
Black	101	121	2	-	4
Cherokee	138	199	7	3	4
Chilton	213	329	10	5	3
White	183	292	8	5	1
All other	30	37	2	-	2
Black	30	37	2	-	2
Choctaw	94	151	-	-	2
White	61	97	-	-	1
All other	33	54	-	-	1
Black	33	54	-	-	1
Clarke	221	283	1	1	5
White	127	164	-	-	-
All other	94	119	1	1	5
Black	94	119	1	1	5
Clay	142	159	7	2	-
White	127	143	4	1	-
All other	15	16	3	1	-
Black	15	16	3	1	-
Alabama-Con.					
Cleburne	54	106	1	1	3
Coffee	268	346	7	5	3
White	207	264	5	5	2
All other	61	82	2	-	1
Black	61	82	2	-	1
Enterprise, part	---	150	3	3	2
White	---	103	3	3	1
All other	---	47	-	-	1
Black	---	47	-	-	1
Enterprise, total	---	152	3	3	2
White	---	105	3	3	1
All other	---	47	-	-	1
Black	---	47	-	-	1
Balance of county	---	196	4	2	1
White	---	161	2	2	1
All other	---	35	2	-	-
Black	---	35	2	-	-
Colbert	450	466	5	1	10
White	360	384	3	1	8
All other	90	82	2	-	2
Black	90	82	2	-	2
Sheffield	---	140	3	-	1
White	---	111	2	-	1
All other	---	29	1	-	-
Black	---	29	1	-	-
Balance of county	---	326	2	1	9
White	---	273	1	1	7
All other	---	53	1	-	2
Black	---	53	1	-	2
Conecuh	92	151	7	4	3
White	59	95	2	1	2
All other	33	56	5	3	1
Black	33	56	5	3	1
Coosa	49	113	1	1	-
White	31	71	-	-	-
All other	18	42	1	1	-
Black	18	42	1	1	-
Covington	372	423	2	2	5
White	321	373	1	1	2
All other	51	50	1	1	3
Black	51	50	1	1	3
Andalusia	---	107	-	-	1
White	---	92	-	-	-
All other	---	15	-	-	1
Black	---	15	-	-	1
Balance of county	---	316	2	2	4
White	---	281	1	1	2
All other	---	35	1	1	2
Black	---	35	1	1	2
Crenshaw	107	157	2	-	1
White	79	115	1	-	1
All other	28	42	1	-	-
Black	28	42	1	-	-
Cullman	557	631	13	11	8
Cullman	---	182	2	1	1
Balance of county	---	449	11	10	7
Dale	228	301	10	7	10
White	185	231	4	2	6
All other	43	70	6	5	4
Black	43	70	6	5	4
Dothan, part	---	-	-	-	-
Enterprise, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	133	4	3	4
White	---	90	2	1	2
All other	---	43	2	2	2
Black	---	43	2	2	2
Balance of county	---	166	6	4	6
White	---	139	2	1	4
All other	---	27	4	3	2
Black	---	27	4	3	2
Dallas	619	565	21	14	9
White	264	236	3	3	3
All other	355	329	18	11	6
Black	355	329	18	11	6
Selma	---	349	15	11	6
White	---	148	2	2	1
All other	---	201	13	9	5
Black	---	201	13	9	5
Balance of county	---	216	6	3	3
White	---	88	1	1	2
All other	---	128	5	2	1
Black	---	128	5	2	1
De Kalb	426	556	12	11	5
Fort Payne	---	125	3	3	2
Balance of county	---	431	9	8	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Elmore	296	383	8	3	8
White	226	304	4	2	4
All other	70	79	4	1	4
Black	70	79	4	1	4
Prattville, part	---	–	–	–	–
White	---	–	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	383	8	3	8
White	---	304	4	2	4
All other	---	79	4	1	4
Black	---	79	4	1	4
Escambia	313	340	4	2	5
White	217	230	1	–	2
All other	96	110	3	2	3
Black	96	110	3	2	3
Etowah	1,030	1,057	13	9	10
White	875	890	9	6	5
All other	155	167	4	3	5
Black	155	167	4	3	5
Gadsden	---	663	10	7	9
White	---	524	6	4	4
All other	---	139	4	3	5
Black	---	139	4	3	5
Balance of county	---	394	3	2	1
Fayette	130	216	7	5	5
White	116	193	6	5	5
All other	14	23	1	–	–
Black	14	23	1	–	–
Franklin	302	343	6	4	4
Geneva	167	281	2	2	2
White	141	245	2	2	1
All other	26	36	–	–	1
Black	26	36	–	–	1
Greene	86	120	9	6	2
White	20	37	–	–	–
All other	66	83	9	6	2
Black	66	83	9	6	2
Hale	111	190	3	2	4
White	47	76	–	–	–
All other	64	114	3	2	4
Black	64	114	3	2	4
Henry	83	161	2	1	3
White	58	116	2	1	1
All other	25	45	–	–	2
Black	25	45	–	–	2
Houston	933	649	21	16	14
White	716	482	14	10	9
All other	217	167	7	6	5
Black	217	167	7	6	5
Dothan, part	---	438	15	13	9
White	---	302	9	8	5
All other	---	136	6	5	4
Black	---	136	6	5	4
Dothan, total	---	438	15	13	9
White	---	302	9	8	5
All other	---	136	6	5	4
Black	---	136	6	5	4
Balance of county	---	211	6	3	5
White	---	180	5	2	4
All other	---	31	1	1	1
Black	---	31	1	1	1
Jackson	337	449	10	4	14
Scottsboro	---	126	3	1	5
Balance of county	---	323	7	3	9
Jefferson	8,403	6,731	139	101	91
White	5,666	4,234	57	42	40
All other	2,737	2,497	82	59	51
Black	2,733	2,495	82	59	50
Bessemer	---	414	17	12	4
White	---	186	5	4	–
All other	---	228	12	8	4
Black	---	228	12	8	4
Birmingham	---	3,360	77	59	53
White	---	1,612	17	13	13
All other	---	1,748	60	46	40
Black	---	1,748	60	46	39
Fairfield	---	149	1	–	3
White	---	63	–	–	1
All other	---	86	1	–	2
Black	---	86	1	–	2
Homewood	---	184	1	1	5
Hoover, part	---	84	–	–	1
Hoover, total	---	84	–	–	1
Hueytown	---	126	4	4	1
Mountain Brook	---	138	–	–	–
Vestavia Hills	---	129	1	1	–
Balance of county	---	2,147	38	24	24
White	---	1,751	29	19	20
All other	---	396	9	5	4
Black	---	395	9	5	4
Lamar	121	160	–	–	–
White	103	141	–	–	–
All other	18	19	–	–	–
Black	18	19	–	–	–
Lauderdale	688	655	11	9	13
White	611	573	7	6	11
All other	77	82	4	3	2
Black	77	82	4	3	1
Florence	---	363	4	3	5
White	---	287	–	–	4
All other	---	76	4	3	1
Black	---	76	4	3	1
Balance of county	---	292	7	6	8
Lawrence	198	288	6	4	5
White	173	237	5	4	5
All other	25	51	1	–	–
Black	25	51	1	–	–
Lee	515	535	17	11	6
White	319	348	7	6	1
All other	196	187	10	5	5
Black	196	187	10	5	5
Auburn	---	134	2	1	1
White	---	88	–	–	–
All other	---	46	2	1	1
Black	---	46	2	1	1
Opelika	---	203	11	6	4
White	---	114	3	2	–
All other	---	89	8	4	4
Black	---	89	8	4	4
Phenix City, part	---	1	–	–	–
Balance of county	---	197	4	4	1
White	---	145	4	4	1
All other	---	52	–	–	–
Black	---	52	–	–	–
Limestone	290	382	4	3	7
White	250	324	2	1	7
All other	40	58	2	2	–
Black	40	58	2	2	–
Athens	---	159	–	–	1
White	---	130	–	–	1
All other	---	29	–	–	–
Black	---	29	–	–	–
Balance of county	---	223	4	3	6
White	---	194	2	1	6
All other	---	29	2	2	–
Black	---	29	2	2	–
Lowndes	43	112	2	1	4
White	12	30	–	–	–
All other	31	82	2	1	4
Black	31	82	2	1	4
Macon	460	280	9	8	8
White	140	48	1	1	–
All other	320	232	8	7	8
Black	320	232	8	7	8
Tuskegee	---	127	3	3	5
White	---	11	–	–	–
All other	---	116	3	3	5
Black	---	116	3	3	5
Balance of county	---	153	6	5	3
White	---	37	1	1	–
All other	---	116	5	4	3
Black	---	116	5	4	3
Madison	1,829	1,479	33	28	28
White	1,513	1,181	21	19	21
All other	316	298	12	9	7
Black	313	294	12	9	7
Huntsville	---	1,143	24	20	25
White	---	900	15	13	18
All other	---	243	9	7	7
Black	---	240	9	7	7
Balance of county	---	336	9	8	3
White	---	281	6	6	3
All other	---	55	3	2	–
Black	---	54	3	2	–
Marengo	220	272	11	7	3
White	82	114	1	1	3
All other	138	158	10	6	–
Black	138	158	10	6	–
Marion	220	259	6	5	2
Marshall	652	698	11	3	9
Albertville	---	122	2	–	5
Balance of county	---	576	9	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Mobile	3,381	3,178	75	49	63
White	2,224	2,118	33	21	28
All other	1,157	1,060	42	28	35
Black	1,153	1,056	42	28	34
Mobile	---	1,949	37	27	34
White	---	1,254	12	7	12
All other	---	695	25	20	22
Black	---	691	25	20	21
Prichard	---	375	10	3	9
White	---	130	1	1	-
All other	---	245	9	2	9
Black	---	245	9	2	9
Balance of county	---	854	28	19	20
White	---	734	20	13	16
All other	---	120	8	6	4
Black	---	120	8	6	4
Monroe	175	214	10	4	6
White	119	134	3	2	2
All other	56	80	7	2	4
Black	56	80	7	2	4
Montgomery	2,355	1,756	49	35	40
White	1,410	1,020	16	13	12
All other	945	736	33	22	28
Black	943	734	32	21	28
Montgomery	---	1,604	43	31	34
White	---	946	16	13	10
All other	---	658	27	18	24
Black	---	657	27	18	24
Balance of county	---	152	6	4	6
White	---	74	-	-	2
All other	---	78	6	4	4
Black	---	77	5	3	4
Morgan	716	792	12	9	10
White	622	694	7	5	7
All other	94	98	5	4	3
Black	92	98	5	4	3
Decatur	---	380	8	5	5
White	---	300	4	2	3
All other	---	80	4	3	2
Black	---	80	4	3	2
Balance of county	---	412	4	4	5
Perry	92	156	3	3	6
White	40	69	-	-	1
All other	52	87	3	3	5
Black	52	87	3	3	5
Pickens	201	264	7	6	3
White	101	145	2	2	1
All other	100	119	5	4	2
Black	100	119	5	4	2
Pike	230	301	6	4	10
White	150	192	3	2	3
All other	80	109	3	2	7
Black	80	109	3	2	7
Troy	---	123	1	-	3
White	---	77	1	-	1
All other	---	46	-	-	2
Black	---	46	-	-	2
Balance of county	---	178	5	4	7
White	---	115	2	2	2
All other	---	63	3	2	5
Black	---	63	3	2	5
Randolph	171	236	3	1	3
White	131	192	-	-	1
All other	40	44	3	1	2
Black	40	44	3	1	2
Russell	525	550	10	9	4
White	318	322	4	4	2
All other	207	228	6	5	2
Black	207	228	6	5	2
Phenix City, part	---	382	8	7	2
White	---	242	4	4	1
All other	---	140	4	3	1
Black	---	140	4	3	1
Phenix City, total	---	383	8	7	2
White	---	243	4	4	1
All other	---	140	4	3	1
Black	---	140	4	3	1
Balance of county	---	168	2	2	2
White	---	80	-	-	1
All other	---	88	2	2	1
Black	---	88	2	2	1
St. Clair	207	322	6	4	5
White	168	280	4	4	4
All other	39	42	1	-	1
Black	39	42	1	-	1
Shelby	420	496	13	9	11
White	373	440	12	9	10
All other	47	56	1	-	1
Black	47	56	1	-	1
Alabama-Con.					
Hoover, part	---	-	-	-	-
Balance of county	---	496	13	9	11
White	---	440	12	9	10
All other	---	56	1	-	1
Black	---	56	1	-	1
Sumter	109	179	5	1	9
White	26	53	-	-	2
All other	83	126	5	1	7
Black	83	126	5	1	7
Talladega	589	705	18	11	10
White	446	527	9	7	4
All other	143	178	9	4	6
Black	143	178	9	4	6
Sylacauga	---	185	6	5	1
White	---	138	3	2	-
All other	---	47	3	3	1
Black	---	47	3	3	1
Talladega	---	215	5	2	2
White	---	156	1	1	-
All other	---	59	4	1	2
Black	---	59	4	1	2
Balance of county	---	305	7	4	7
White	---	233	5	4	4
All other	---	72	2	-	3
Black	---	72	2	-	3
Tallapoosa	410	467	6	5	4
White	295	337	2	2	1
All other	115	130	4	3	3
Black	115	130	4	3	3
Alexander City	---	177	2	2	2
White	---	131	1	1	1
All other	---	46	1	1	1
Black	---	46	1	1	1
Balance of county	---	290	4	3	2
White	---	206	1	1	-
All other	---	84	3	2	2
Black	---	84	3	2	2
Tuscaloosa	1,339	1,068	27	18	19
White	891	728	8	5	3
All other	448	340	19	13	16
Black	448	340	19	13	16
Northport	---	136	-	-	-
White	---	105	-	-	-
All other	---	31	-	-	-
Black	---	31	-	-	-
Tuscaloosa	---	618	21	14	15
White	---	378	7	5	2
All other	---	240	14	9	13
Black	---	240	14	9	13
Balance of county	---	314	6	4	4
White	---	245	1	-	1
All other	---	69	5	4	3
Black	---	69	5	4	3
Walker	545	716	8	3	7
Jasper	---	123	3	2	2
White	---	102	-	-	-
All other	---	21	3	2	2
Black	---	20	2	1	2
Balance of county	---	593	5	1	5
Washington	92	160	2	2	5
White	75	122	1	1	2
All other	17	38	1	1	3
Black	17	38	1	1	3
Wilcox	100	149	3	2	3
White	35	43	-	-	-
All other	65	106	3	2	3
Black	65	106	3	2	3
Winston	164	202	2	2	4
Alaska [1]	1,964	1,929	140	71	74
White	1,353	1,325	83	42	55
All other	611	604	57	29	19
Black	51	54	8	5	6
Aleutian Islands	43	28	2	2	2
White	13	9	2	2	1
All other	30	19	-	-	1
Black	-	-	-	-	1
Anchorage, coext. with Anchorage city	832	704	55	29	30
White	640	587	42	22	26
All other	192	117	13	7	4
Black	37	35	5	4	2
Bethel	86	95	14	7	-
White	7	7	-	-	-
All other	79	88	14	7	-
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Bristol Bay borough	1	5	–	–	–
White	–	2	–	–	–
All other	1	3	–	–	–
Black	–	–	–	–	–
Dillingham	27	23	4	1	–
White	7	2	–	–	–
All other	20	21	4	1	–
Black	2	1	–	–	–
Fairbanks North Star borough	247	239	20	9	19
White	187	192	12	5	11
All other	60	47	8	4	8
Black	7	11	3	1	3
Fairbanks	---	215	19	9	9
White	---	170	12	5	3
All other	---	45	7	4	6
Black	---	10	2	1	2
Balance of area	---	24	1	–	10
White	---	22	–	–	8
All other	---	2	1	–	2
Black	---	1	1	–	1
Haines borough	8	9	–	–	–
White	6	7	–	–	–
All other	2	2	–	–	–
Black	–	–	–	–	–
Juneau, coext. with Juneau city	79	88	3	2	2
White	64	69	1	–	2
All other	15	19	2	2	–
Black	–	–	–	–	–
Kenai Peninsula borough	119	127	8	3	4
Ketchikan Gateway borough	74	74	4	1	2
White	61	62	3	1	1
All other	13	12	1	–	1
Black	1	1	–	–	–
Kobuk	16	28	2	2	–
White	–	1	–	–	–
All other	16	27	2	2	–
Black	–	–	–	–	–
Kodiak Island borough	42	52	3	–	1
White	27	34	3	–	1
All other	15	18	–	–	–
Black	–	–	–	–	–
Matanuska-Susitna borough	97	113	7	5	5
Nome	42	48	3	2	1
White	5	5	–	–	–
All other	37	43	3	2	1
Black	–	–	–	–	–
North Slope borough	22	24	2	–	2
White	7	2	–	–	1
All other	15	22	2	–	1
Black	2	1	–	–	–
Prince of Wales-Outer Ketchikan	12	15	–	–	1
White	1	3	–	–	–
All other	11	12	–	–	1
Black	–	–	–	–	–
Sitka borough	60	50	2	1	1
White	41	33	1	1	1
All other	19	17	1	–	–
Black	1	1	–	–	–
Skagway-Yakutat-Angoon	11	16	1	1	–
White	5	7	–	–	–
All other	6	9	1	1	–
Black	–	–	–	–	–
Southeast Fairbanks	18	25	2	1	1
White	13	17	2	1	1
All other	5	8	–	–	–
Black	–	1	–	–	–
Valdez-Cordova	40	43	2	2	1
White	30	28	2	2	1
All other	10	15	–	–	–
Black	–	1	–	–	–
Wade Hampton	19	38	4	2	–
White	–	–	–	–	–
All other	19	38	4	2	–
Black	–	–	–	–	–
Wrangell-Petersburg	25	29	1	1	–
White	16	20	1	1	–
All other	9	9	–	–	–
Black	–	–	–	–	–
Yukon-Koyukuk	44	56	1	–	2
White	21	18	–	–	1
All other	23	38	1	–	1
Black	–	–	–	–	–
Arizona	24,614	23,972	525	312	343
White	23,069	22,331	485	259	284
All other	1,545	1,641	120	53	59
Black	573	568	43	21	14
Apache	218	319	24	10	16
White	54	75	6	3	7
All other	164	244	18	7	9
Black	–	–	–	–	–
Cochise	557	669	23	13	11
Douglas	---	104	2	1	–
White	---	103	2	1	–
All other	---	1	–	–	–
Black	---	1	–	–	–
Sierra Vista	---	117	5	3	4
White	---	110	3	2	4
All other	---	7	2	1	–
Black	---	5	2	1	–
Balance of county	---	448	16	9	7
White	---	424	10	6	6
All other	---	24	6	3	1
Black	---	15	5	2	1
Coconino	437	343	16	6	10
White	304	236	6	5	5
All other	133	107	10	1	5
Black	12	12	1	–	–
Flagstaff	---	132	6	2	2
White	---	116	3	2	2
All other	---	16	3	–	–
Black	---	10	1	–	–
Balance of county	---	211	10	4	8
White	---	120	3	3	3
All other	---	91	7	1	5
Black	---	2	–	–	–
Gila	308	395	2	1	4
White	277	354	1	–	3
All other	31	41	1	1	1
Black	4	3	–	–	–
Graham	143	178	7	4	5
White	134	159	3	3	5
All other	9	19	4	1	–
Black	2	2	–	–	–
Greenlee	43	66	2	2	–
Maricopa	14,618	13,462	271	171	179
White	13,952	12,918	233	153	157
All other	666	544	38	18	22
Black	350	345	28	14	9
Chandler	---	256	16	8	5
White	---	239	14	8	4
All other	---	17	2	–	1
Black	---	14	1	–	1
Glendale	---	810	18	11	15
White	---	796	15	11	15
All other	---	14	3	–	–
Black	---	6	3	–	–
Mesa	---	1,495	22	14	35
White	---	1,476	21	13	33
All other	---	19	1	1	2
Black	---	7	–	–	1
Paradise Valley	---	33	–	–	1
Peoria	---	223	8	3	4
White	---	223	8	3	3
All other	---	–	–	–	1
Black	---	–	–	–	–
Phoenix	---	6,384	155	104	82
White	---	6,021	129	88	72
All other	---	363	26	16	10
Black	---	287	20	13	6
Scottsdale	---	963	7	5	6
Tempe	---	506	14	6	12
Balance of county	---	2,792	31	20	19
White	---	2,693	27	19	12
All other	---	99	4	1	7
Black	---	21	2	1	–
Mohave	567	674	9	8	6
Lake Havasu City	---	136	3	3	1
Balance of county	---	538	6	5	5
Navajo	298	433	18	8	20
White	202	248	5	2	8
All other	96	185	13	6	12
Black	8	7	1	1	–
Pima	5,236	4,758	99	65	64
White	4,960	4,495	82	54	57
All other	276	263	17	11	7
Black	129	124	5	3	4
Tucson	---	3,371	74	52	48
White	---	3,219	66	46	42
All other	---	152	8	6	6
Black	---	109	5	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Balance of county	---	1,387	25	13	16
White	---	1,276	16	8	15
All other	---	111	9	5	1
Black	---	15	-	-	1
Pinal	432	804	27	11	11
White	364	691	19	7	10
All other	68	113	8	4	1
Black	21	23	-	-	-
Casa Grande	---	124	6	3	1
White	---	120	5	3	1
All other	---	4	1	-	-
Black	---	2	-	-	-
Balance of county	---	680	21	8	10
White	---	571	14	4	9
All other	---	109	7	4	1
Black	---	21	-	-	-
Santa Cruz	111	150	4	2	8
Nogales	---	97	4	2	6
White	---	97	4	2	6
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	53	-	-	2
White	---	53	-	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Yavapai	874	971	10	4	5
Prescott	---	342	4	2	3
Balance of county	---	629	6	2	2
Yuma [2]	772	750	13	7	4
Yuma	---	402	9	4	2
White	---	381	8	4	2
All other	---	21	1	-	-
Black	---	17	1	-	-
Balance of county	---	348	4	3	2
White	---	310	4	3	2
All other	---	38	-	-	-
Black	---	11	-	-	-
Arkansas	23,459	23,595	380	239	258
White	19,595	19,633	240	149	169
All other	3,864	3,962	140	90	89
Black	3,804	3,939	140	90	86
Arkansas	302	296	3	3	2
White	231	230	2	2	1
All other	71	66	1	1	1
Black	71	66	1	1	1
Stuttgart	---	123	-	-	1
White	---	89	-	-	1
All other	---	34	-	-	-
Black	---	34	-	-	-
Balance of county	---	173	3	3	1
White	---	141	2	2	-
All other	---	32	1	1	1
Black	---	32	1	1	1
Ashley	179	268	9	3	3
White	123	191	5	1	3
All other	56	77	4	2	-
Black	56	77	4	2	-
Baxter	370	439	3	2	4
Benton	801	848	12	6	10
Rogers	---	224	4	1	2
Springdale, part	---	3	-	-	-
Balance of county	---	621	8	5	8
Boone	380	316	3	2	2
Bradley	190	208	2	2	2
White	134	147	1	1	1
All other	56	61	1	1	1
Black	56	61	1	1	1
Calhoun	49	65	-	-	1
White	34	44	-	-	-
All other	15	21	-	-	1
Black	15	21	-	-	1
Carroll	155	183	5	3	1
Chicot	209	219	7	3	4
White	83	88	2	1	3
All other	126	131	5	2	1
Black	126	131	5	2	1
Clark	187	250	-	-	1
White	133	184	-	-	1
All other	54	66	-	-	-
Black	54	66	-	-	-
Arkadelphia	---	99	-	-	-
White	---	78	-	-	-
All other	---	21	-	-	-
Black	---	21	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Balance of county	---	151	-	-	1
White	---	106	-	-	1
All other	---	45	-	-	-
Black	---	45	-	-	-
Clay	179	255	2	2	1
Cleburne	161	214	1	1	1
Cleveland	29	83	-	-	1
White	23	69	-	-	-
All other	6	14	-	-	1
Black	6	14	-	-	1
Columbia	227	269	7	4	5
White	149	174	2	1	-
All other	78	95	5	3	5
Black	78	95	5	3	5
Magnolia	---	110	2	2	3
White	---	80	1	1	-
All other	---	30	1	1	3
Black	---	30	1	1	3
Balance of county	---	159	5	2	2
White	---	94	1	-	-
All other	---	65	4	2	2
Black	---	65	4	2	2
Conway	187	210	-	-	1
White	156	171	-	-	1
All other	31	39	-	-	-
Black	31	39	-	-	-
Craighead	722	546	7	6	1
Jonesboro	---	295	4	4	-
Balance of county	---	251	3	2	1
Crawford	283	361	5	3	7
Van Buren	---	149	1	1	1
Balance of county	---	212	4	2	6
Crittenden	382	409	13	10	6
White	207	209	2	1	3
All other	175	200	11	9	3
Black	175	200	11	9	3
West Memphis	---	220	6	5	4
White	---	120	2	1	2
All other	---	100	4	4	2
Black	---	100	4	4	2
Balance of county	---	189	7	5	2
White	---	89	-	-	1
All other	---	100	7	5	1
Black	---	100	7	5	1
Cross	168	203	3	3	5
White	117	141	2	2	2
All other	51	62	1	1	3
Black	51	62	1	1	3
Dallas	97	151	4	2	3
White	65	106	-	-	-
All other	32	45	4	2	3
Black	32	45	4	2	3
Desha	207	200	5	3	1
White	108	113	5	3	1
All other	99	87	-	-	-
Black	99	87	-	-	-
Drew	121	160	-	-	2
White	89	113	-	-	-
All other	32	47	-	-	2
Black	32	47	-	-	2
Faulkner	298	390	11	9	2
Conway	---	191	4	3	-
Balance of county	---	199	7	6	2
Franklin	124	163	2	1	4
Fulton	124	131	-	-	1
Garland	1,019	970	11	5	6
Hot Springs	---	698	8	4	3
White	---	626	3	-	1
All other	---	72	5	4	2
Black	---	72	5	4	2
Balance of county	---	272	3	1	3
Grant	65	141	2	1	1
Greene	315	310	7	5	6
Paragould	---	199	5	4	3
Balance of county	---	111	2	1	3
Hempstead	214	296	5	4	-
White	151	202	1	1	-
All other	63	94	4	3	-
Black	63	94	4	3	-
Hope	---	168	4	3	-
White	---	120	1	1	-
All other	---	48	3	2	-
Black	---	48	3	2	-
Balance of county	---	128	1	1	-
White	---	82	-	-	-
All other	---	46	1	1	-
Black	---	46	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Hot Spring	218	280	7	3	3
White	188	240	7	3	3
All other	30	40	–	–	–
Black	30	40	–	–	–
Malvern	---	155	2	1	–
White	---	121	2	1	–
All other	---	34	–	–	–
Black	---	34	–	–	–
Balance of county	---	125	5	2	3
Howard	171	171	1	–	–
White	134	137	1	–	–
All other	37	34	–	–	–
Black	37	34	–	–	–
Independence	314	306	5	2	2
Izard	108	147	1	1	–
Jackson	197	233	1	1	3
White	165	194	1	1	3
All other	32	39	–	–	–
Black	32	39	–	–	–
Jefferson	845	853	20	11	12
White	483	477	8	5	3
All other	362	376	12	6	9
Black	362	376	12	6	9
Pine Bluff	---	671	13	7	8
White	---	368	3	2	1
All other	---	303	10	5	7
Black	---	303	10	5	7
Balance of county	---	182	7	4	4
White	---	109	5	3	2
All other	---	73	2	1	2
Black	---	73	2	1	2
Johnson	156	210	6	5	2
Lafayette	111	147	3	2	1
White	70	97	–	–	–
All other	41	50	3	2	1
Black	41	50	3	2	1
Lawrence	160	229	3	2	1
Lee	116	168	4	3	3
White	47	79	1	1	1
All other	69	89	3	2	2
Black	69	89	3	2	2
Lincoln	44	106	2	1	–
White	25	64	1	–	–
All other	19	42	1	1	–
Black	19	42	1	1	–
Little River	96	138	4	3	–
White	79	101	–	–	–
All other	17	37	4	3	–
Black	17	37	4	3	–
Logan	176	239	4	2	3
Lonoke	164	344	6	4	1
White	136	297	4	2	1
All other	28	47	2	2	–
Black	28	47	2	2	–
Madison	106	136	–	–	2
Marion	129	132	–	–	2
Miller	540	412	1	1	6
White	425	318	1	1	4
All other	115	94	–	–	2
Black	114	94	–	–	2
Texarkana [3]	---	307	–	–	3
White	---	222	–	–	1
All other	---	85	–	–	2
Black	---	85	–	–	2
Balance of county	---	105	1	1	3
White	---	96	1	1	3
All other	---	9	–	–	–
Black	---	9	–	–	–
Mississippi	475	579	10	3	2
White	353	436	6	2	2
All other	122	143	4	1	–
Black	122	143	4	1	–
Blytheville	---	238	5	2	–
White	---	162	2	2	–
All other	---	76	3	–	–
Black	---	76	3	–	–
Balance of county	---	341	5	1	2
White	---	274	4	–	2
All other	---	67	1	1	–
Black	---	67	1	1	–
Monroe	111	171	6	5	1
White	56	98	3	2	–
All other	55	73	3	3	1
Black	55	73	3	3	1
Montgomery	36	99	1	–	–
Nevada	132	146	3	3	2
White	90	108	1	1	–
All other	42	38	2	2	2
Black	42	38	2	2	2
Newton	30	72	1	–	1
Ouachita	336	384	5	4	4
White	217	243	3	2	1
All other	119	141	2	2	3
Black	119	141	2	2	3
Camden	---	205	3	2	3
White	---	135	2	1	1
All other	---	70	1	1	2
Black	---	70	1	1	2
Balance of county	---	179	2	2	1
White	---	108	1	1	–
All other	---	71	1	1	1
Black	---	71	1	1	1
Perry	41	86	3	3	2
Phillips	314	395	10	8	6
White	132	161	–	–	–
All other	182	234	10	8	6
Black	182	234	10	8	6
West Helena	---	117	2	1	–
White	---	56	–	–	–
All other	---	61	2	1	–
Black	---	61	2	1	–
Balance of county	---	278	8	7	6
White	---	105	–	–	–
All other	---	173	8	7	6
Black	---	173	8	7	6
Pike	104	127	–	–	1
Poinsett	109	308	4	3	5
Polk	156	195	1	–	1
Pope	316	334	7	3	2
Russellville	---	136	3	1	1
Balance of county	---	198	4	2	1
Prairie	42	109	–	–	1
White	36	93	–	–	1
All other	6	16	–	–	–
Black	6	16	–	–	–
Pulaski	4,710	2,931	69	42	39
White	3,693	2,211	31	20	23
All other	1,017	720	38	22	16
Black	1,012	717	38	22	16
Jacksonville	---	163	8	5	4
White	---	151	2	1	2
All other	---	12	6	4	2
Black	---	12	6	4	2
Little Rock	---	1,718	38	27	17
White	---	1,235	17	14	7
All other	---	483	21	13	10
Black	---	480	21	13	10
North Little Rock	---	727	14	5	5
White	---	583	5	1	4
All other	---	144	9	4	1
Black	---	144	9	4	1
Sherwood	---	42	1	–	4
Balance of county	---	281	8	5	9
White	---	200	6	4	7
All other	---	81	2	1	2
Black	---	81	2	1	2
Randolph	125	173	3	2	2
St. Francis	232	274	6	4	5
White	137	159	3	2	–
All other	95	115	3	2	5
Black	94	113	3	2	5
Forrest City	---	126	3	2	2
White	---	73	2	1	–
All other	---	53	1	1	2
Black	---	53	1	1	2
Balance of county	---	148	3	2	3
White	---	86	1	1	–
All other	---	62	2	1	3
Black	---	60	2	1	3
Saline	307	375	3	2	5
Benton	---	212	1	1	2
Balance of county	---	163	2	1	3
Scott	92	120	–	–	1
Searcy	43	102	1	1	–
Sebastian	1,445	942	20	13	5
Fort Smith	---	752	18	11	4
Balance of county	---	190	2	2	1
Sevier	196	159	4	3	2
Sharp	116	174	–	–	–
Stone	80	95	–	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	576	551	6	3	14
White	417	397	2	1	7
All other	159	154	4	2	7
Black	159	154	4	2	7
El Dorado	---	343	1	1	8
White	---	258	-	-	3
All other	---	85	1	1	5
Black	---	85	1	1	5
Balance of county	---	208	5	2	6
White	---	139	2	1	4
All other	---	69	3	1	2
Black	---	69	3	1	2
Van Buren	116	157	-	-	-
Washington	1,045	868	9	6	16
Fayetteville	---	313	2	2	5
Springdale, part	---	254	4	2	2
Springdale, total	---	257	4	2	2
Balance of county	---	301	3	2	9
White	539	532	9	6	11
Searcy	---	145	7	5	2
Balance of county	---	387	2	1	9
Woodruff	88	142	-	-	1
White	56	84	-	-	1
All other	32	58	-	-	-
Black	32	58	-	-	-
Yell	152	190	2	1	2
California	196,361	195,531	4,224	2,673	3,066
White	175,241	174,473	3,197	2,037	2,343
All other	21,120	21,058	1,027	636	723
Black	14,632	14,620	736	456	483
Alameda	9,674	9,489	197	104	119
White	7,460	7,279	101	58	65
All other	2,214	2,210	96	46	54
Black	1,822	1,819	82	40	34
Alameda	---	607	9	6	5
White	---	559	7	4	4
All other	---	48	2	2	1
Black	---	17	2	2	-
Albany	---	128	1	1	2
White	---	117	1	1	-
All other	---	11	-	-	2
Black	---	7	-	-	1
Berkeley	---	739	10	5	6
White	---	503	2	1	3
All other	---	236	8	4	3
Black	---	192	5	3	3
Fremont	---	745	12	2	21
White	---	697	10	1	16
All other	---	48	2	1	5
Black	---	18	-	-	1
Hayward	---	1,069	22	12	12
White	---	979	18	10	11
All other	---	90	4	2	1
Black	---	55	1	1	-
Livermore	---	266	10	10	7
Newark	---	134	4	1	4
White	---	116	2	-	4
All other	---	18	2	1	-
Black	---	7	2	1	-
Oakland	---	3,710	95	40	44
White	---	2,072	20	6	10
All other	---	1,638	75	34	34
Black	---	1,467	70	31	27
Piedmont	---	88	-	-	-
Pleasanton	---	177	2	2	5
San Leandro	---	929	6	4	4
White	---	892	6	4	2
All other	---	37	-	-	2
Black	---	12	-	-	-
Union City	---	190	8	6	7
White	---	156	6	5	3
All other	---	34	2	1	4
Black	---	12	1	1	1
Balance of county	---	707	18	15	2
White	---	674	17	14	1
All other	---	33	1	1	1
Black	---	22	1	1	1
Alpine	12	14	-	-	1
White	10	9	-	-	-
All other	2	5	-	-	1
Black	-	1	-	-	1
Amador	192	208	1	1	2
Butte	1,636	1,623	12	6	21
Chico	---	450	4	2	6
Paradise	---	402	2	1	-
Balance of county	---	771	6	3	15

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Calaveras	181	242	2	1	2
Colusa	98	119	3	3	1
Contra Costa	5,067	5,112	75	37	66
White	4,514	4,548	54	30	49
All other	553	564	21	7	17
Black	445	442	16	4	15
Antioch	---	312	6	4	11
White	---	302	6	4	11
All other	---	10	-	-	-
Black	---	4	-	-	-
Concord	---	678	10	4	5
El Cerrito	---	237	-	-	-
White	---	202	-	-	-
All other	---	35	-	-	-
Black	---	20	-	-	-
Lafayette	---	153	2	2	-
Martinez	---	246	4	3	5
Moraga Town	---	74	1	1	1
Pinole	---	72	3	1	1
White	---	67	3	1	1
All other	---	5	-	-	-
Black	---	1	-	-	-
Pittsburg	---	364	3	1	7
White	---	288	1	-	7
All other	---	76	2	1	-
Black	---	65	1	-	-
Pleasant Hill	---	197	2	1	2
Richmond	---	766	17	6	22
White	---	454	6	3	7
All other	---	312	11	3	15
Black	---	292	10	3	15
San Pablo	---	281	11	4	2
White	---	255	6	2	2
All other	---	26	5	2	-
Black	---	21	3	1	-
Walnut Creek	---	802	6	4	2
Balance of county	---	930	10	6	8
White	---	881	8	5	8
All other	---	49	2	1	-
Black	---	25	1	-	-
Del Norte	167	179	3	1	3
El Dorado	569	654	11	7	9
South Lake Tahoe	---	115	3	1	3
Balance of county	---	539	8	6	6
Fresno	4,622	4,119	87	55	92
White	4,192	3,738	59	38	76
All other	430	381	28	17	16
Black	265	235	16	10	9
Clovis	---	275	5	3	3
White	---	266	4	2	3
All other	---	9	1	1	-
Black	---	3	-	-	-
Fresno	---	2,766	59	37	45
White	---	2,475	33	21	33
All other	---	311	26	16	12
Black	---	215	16	10	8
Reedley	---	140	2	1	5
White	---	133	2	1	5
All other	---	7	-	-	-
Black	---	-	-	-	-
Sanger	---	167	6	5	6
White	---	157	6	5	6
All other	---	10	-	-	-
Black	---	-	-	-	-
Selma	---	149	1	-	5
White	---	135	-	-	5
All other	---	14	1	-	-
Black	---	6	-	-	-
Balance of county	---	602	14	9	28
White	---	572	14	9	24
All other	---	30	-	-	4
Black	---	11	-	-	1
Glenn	150	231	2	2	-
Humboldt	957	974	11	6	16
Arcata	---	113	1	-	2
Eureka	---	426	2	1	9
Balance of county	---	435	8	5	5
Imperial	733	794	15	9	11
Brawley	---	154	3	3	4
White	---	143	3	3	4
All other	---	11	-	-	-
Black	---	7	-	-	-
Calexico	---	96	6	4	1
White	---	92	6	4	1
All other	---	4	-	-	-
Black	---	1	-	-	-
El Centro	---	215	5	1	1
White	---	188	5	1	1
All other	---	27	-	-	-
Black	---	18	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	329	1	1	5
White	---	307	1	1	3
All other	---	22	-	-	2
Black	---	7	-	-	2
Inyo	215	224	-	-	2
Kern	3,358	3,517	126	81	71
White	3,088	3,238	102	63	63
All other	270	279	24	18	8
Black	215	229	22	17	5
Bakersfield	---	2,053	77	51	42
White	---	1,847	57	35	36
All other	---	206	20	16	6
Black	---	190	20	16	5
Delano	---	143	13	6	3
White	---	104	10	5	3
All other	---	39	3	1	-
Black	---	10	1	-	-
Ridgecrest	---	129	1	1	4
Balance of county	---	1,192	35	23	22
White	---	1,160	34	22	21
All other	---	32	1	1	1
Black	---	27	1	1	-
Kings	518	576	21	12	11
Hanford	---	309	10	7	3
White	---	284	8	6	3
All other	---	25	2	1	-
Black	---	21	2	1	-
Balance of county	---	267	11	5	8
White	---	248	10	5	7
All other	---	19	1	-	1
Black	---	17	1	-	-
Lake	414	605	7	4	3
Lassen	131	189	8	5	2
Los Angeles	62,334	60,847	1,455	967	1,068
White	52,426	50,998	993	664	759
All other	9,908	9,849	462	303	309
Black	7,818	7,821	381	251	239
Alhambra	---	673	6	5	4
White	---	632	6	5	4
All other	---	41	-	-	-
Black	---	5	-	-	-
Arcadia	---	569	4	4	3
Artesia	---	128	1	1	3
White	---	126	1	1	3
All other	---	2	-	-	-
Black	---	-	-	-	-
Azusa	---	227	9	4	6
White	---	218	7	3	6
All other	---	9	2	1	-
Black	---	5	2	1	-
Baldwin Park	---	334	17	12	6
White	---	318	15	11	6
All other	---	16	2	1	-
Black	---	4	2	1	-
Bell	---	186	4	3	9
White	---	185	4	3	9
All other	---	1	-	-	-
Black	---	1	-	-	-
Bellflower	---	542	14	11	8
White	---	531	12	10	6
All other	---	11	2	1	2
Black	---	5	2	1	-
Bell Gardens	---	200	12	8	4
White	---	197	12	8	4
All other	---	3	-	-	-
Black	---	2	-	-	-
Beverly Hills	---	407	3	2	4
Burbank	---	945	9	8	4
White	---	933	9	8	3
All other	---	12	-	-	1
Black	---	4	-	-	1
Carson	---	435	13	10	11
White	---	302	10	7	4
All other	---	133	3	3	7
Black	---	86	2	2	4
Cerritos	---	158	5	5	4
White	---	129	2	2	2
All other	---	29	3	3	2
Black	---	4	1	1	-
Claremont	---	227	4	2	3
White	---	217	3	1	2
All other	---	10	1	1	1
Black	---	7	1	1	1
Commerce	---	50	3	1	1
White	---	47	2	1	1
All other	---	3	1	-	-
Black	---	1	-	-	-
Compton	---	729	45	28	23
White	---	202	16	9	14
All other	---	527	29	19	9
Black	---	515	28	18	9
Covina	---	480	10	5	6
Cudahy	---	91	3	-	4
White	---	88	3	-	4
All other	---	3	-	-	-
Black	---	1	-	-	-
Culver City	---	341	6	-	3
White	---	304	3	-	3
All other	---	37	3	-	-
Black	---	20	2	-	-
Downey	---	733	20	14	8
White	---	718	19	13	8
All other	---	15	1	1	-
Black	---	4	-	-	-
Duarte	---	184	7	4	5
White	---	154	5	2	5
All other	---	30	2	2	-
Black	---	23	1	1	-
El Monte	---	620	27	16	17
White	---	595	22	14	16
All other	---	25	5	2	1
Black	---	5	1	-	-
El Segundo	---	91	1	-	-
Gardena	---	570	10	6	4
White	---	394	7	5	2
All other	---	176	3	1	2
Black	---	62	3	1	2
Glendale	---	1,398	15	10	15
White	---	1,362	13	9	12
All other	---	36	2	1	3
Black	---	12	-	-	1
Glendora	---	364	4	3	3
Hawaiian Gardens	---	46	3	3	1
White	---	43	3	3	1
All other	---	3	-	-	-
Black	---	-	-	-	-
Hawthorne	---	470	12	8	7
White	---	418	9	6	6
All other	---	52	3	2	1
Black	---	28	1	1	-
Hermosa Beach	---	108	2	2	1
Huntington Park	---	416	12	7	18
White	---	403	11	5	16
All other	---	13	1	1	2
Black	---	5	1	1	2
Inglewood	---	795	35	29	33
White	---	522	15	12	13
All other	---	273	20	17	20
Black	---	261	20	17	18
La Canada Flintridge	---	116	-	-	1
Lakewood	---	534	9	5	5
White	---	524	7	4	5
All other	---	10	2	1	-
Black	---	5	2	1	-
La Mirada	---	249	3	2	1
White	---	246	3	2	1
All other	---	3	-	-	-
Black	---	-	-	-	-
Lancaster	---	568	7	5	7
La Puente	---	389	16	11	17
White	---	367	14	10	16
All other	---	22	2	1	1
Black	---	13	1	1	-
La Verne	---	224	1	1	5
White	---	216	1	1	5
All other	---	8	-	-	-
Black	---	4	-	-	-
Lawndale	---	156	3	1	6
White	---	146	3	1	6
All other	---	10	-	-	-
Black	---	4	-	-	-
Lomita	---	175	5	3	6
White	---	164	5	3	5
All other	---	11	-	-	1
Black	---	3	-	-	-
Long Beach	---	3,833	78	47	64
White	---	3,497	49	29	42
All other	---	336	29	18	22
Black	---	233	21	13	17
Los Angeles	---	27,090	694	474	484
White	---	20,343	416	293	301
All other	---	6,747	278	181	183
Black	---	5,787	245	159	153
Lynwood	---	326	20	11	10
White	---	243	11	6	5
All other	---	83	9	5	5
Black	---	76	9	5	5
Manhattan Beach	---	193	4	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Maywood	---	136	8	8	5
White	---	131	8	8	5
All other	---	5	-	-	-
Black	---	1	-	-	-
Monrovia	---	330	5	4	2
White	---	292	3	2	1
All other	---	38	2	2	1
Black	---	35	2	2	1
Montebello	---	405	8	6	5
White	---	367	7	5	2
All other	---	38	1	1	3
Black	---	1	-	-	2
Monterey Park	---	347	4	2	7
White	---	250	3	2	6
All other	---	97	1	-	1
Black	---	3	-	-	-
Norwalk	---	540	14	8	15
White	---	519	13	7	12
All other	---	21	1	1	3
Black	---	4	-	-	-
Palmdale	---	253	9	6	5
White	---	243	9	6	5
All other	---	10	-	-	-
Black	---	9	-	-	-
Palos Verdes Estates	---	113	-	-	2
Paramount	---	246	7	3	12
White	---	235	5	1	10
All other	---	11	2	2	2
Black	---	7	2	2	2
Pasadena	---	1,415	26	16	21
White	---	1,170	13	8	11
All other	---	245	13	8	10
Black	---	202	11	8	10
Pico Rivera	---	349	10	8	13
White	---	344	10	8	13
All other	---	5	-	-	-
Black	---	1	-	-	-
Pomona	---	779	22	11	18
White	---	675	13	7	16
All other	---	104	9	4	2
Black	---	92	8	3	2
Rancho Palos Verdes	---	186	5	4	1
White	---	176	5	4	1
All other	---	10	-	-	-
Black	---	2	-	-	-
Redondo Beach	---	400	4	2	5
White	---	391	4	2	3
All other	---	9	-	-	2
Black	---	3	-	-	-
Rosemead	---	330	10	8	4
White	---	304	8	6	2
All other	---	26	2	2	2
Black	---	1	-	-	-
San Dimas	---	183	3	2	2
White	---	177	2	1	1
All other	---	6	1	1	1
Black	---	3	1	1	-
San Fernando	---	181	8	5	3
White	---	169	8	5	3
All other	---	12	-	-	-
Black	---	10	-	-	-
San Gabriel	---	454	6	3	5
White	---	435	5	2	4
All other	---	19	1	1	1
Black	---	1	-	-	-
San Marino	---	100	2	1	-
Santa Fe Springs	---	81	1	1	-
White	---	80	1	1	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Santa Monica	---	1,002	7	7	8
White	---	963	6	6	7
All other	---	39	1	1	1
Black	---	25	-	-	1
Sierra Madre	---	96	-	-	2
South El Monte	---	87	3	3	2
White	---	85	2	2	2
All other	---	2	1	1	-
Black	---	-	-	-	-
South Gate	---	524	15	10	15
White	---	511	14	9	14
All other	---	13	1	1	1
Black	---	8	1	1	-
South Pasadena	---	224	2	1	-
White	---	211	2	1	-
All other	---	13	-	-	-
Black	---	-	-	-	-
Temple City	---	304	2	-	2
White	---	296	-	-	2
All other	---	8	2	-	-
Black	---	2	-	-	-
Torrance	---	1,058	25	20	15
White	---	997	22	18	12
All other	---	61	3	2	3
Black	---	8	-	-	-
West Covina	---	496	15	9	10
White	---	456	12	6	8
All other	---	40	3	3	2
Black	---	18	2	2	1
Whittier	---	1,168	16	5	17
White	---	1,145	14	4	16
All other	---	23	2	1	1
Black	---	2	-	-	-
Balance of county	---	2,688	62	41	47
White	---	2,445	51	32	39
All other	---	243	11	9	8
Black	---	178	8	6	6
Madera	385	594	8	5	5
Madera	---	338	6	3	5
White	---	294	6	3	5
All other	---	44	-	-	-
Black	---	38	-	-	-
Balance of county	---	256	2	2	-
White	---	247	2	2	-
All other	---	9	-	-	-
Black	---	5	-	-	-
Marin	1,675	1,708	33	19	11
White	1,613	1,636	28	18	10
All other	62	72	5	1	1
Black	42	45	3	1	-
Larkspur	---	37	1	1	-
Mill Valley	---	211	2	2	1
Novato	---	301	11	7	4
San Anselmo	---	89	2	2	-
San Rafael	---	563	8	2	3
Balance of county	---	507	9	5	3
Mariposa	90	125	3	2	3
Mendocino	669	685	12	8	9
Ukiah	---	232	5	3	-
Balance of county	---	453	7	5	9
Merced	828	980	35	23	38
White	759	892	31	20	32
All other	69	88	4	3	6
Black	49	64	3	2	3
Atwater	---	119	5	3	6
White	---	103	2	1	5
All other	---	16	3	2	1
Black	---	14	3	2	-
Los Banos	---	104	1	1	2
White	---	94	1	1	2
All other	---	10	-	-	-
Black	---	10	-	-	-
Merced	---	401	13	4	20
White	---	360	13	4	15
All other	---	41	-	-	5
Black	---	31	-	-	3
Balance of county	---	356	16	15	10
White	---	335	15	14	10
All other	---	21	1	1	-
Black	---	9	-	-	-
Modoc	58	90	2	1	2
Mono	41	34	2	1	1
Monterey	2,043	2,129	66	38	49
White	1,862	1,928	49	28	37
All other	181	201	17	10	12
Black	84	97	12	7	5
Marina	---	74	2	1	1
White	---	56	1	1	-
All other	---	18	1	-	1
Black	---	6	1	-	1
Monterey	---	238	2	1	2
White	---	221	2	1	2
All other	---	17	-	-	-
Black	---	5	-	-	-
Pacific Grove	---	200	1	1	5
Salinas	---	766	21	10	17
White	---	710	19	9	15
All other	---	56	2	1	2
Black	---	12	1	1	1
Seaside	---	205	22	12	12
White	---	122	12	6	5
All other	---	83	10	6	7
Black	---	66	8	4	3
Balance of county	---	646	18	13	12
White	---	625	14	10	11
All other	---	21	4	3	1
Black	---	6	2	2	-
Napa	1,122	945	11	7	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Napa	---	658	8	5	6
Balance of county	---	287	3	2	3
White	---	279	1	-	3
All other	---	8	2	2	-
Black	---	3	-	-	-
Nevada	539	574	8	4	5
Orange	12,630	13,172	272	183	216
White	12,215	12,748	236	163	176
All other	415	424	36	20	40
Black	118	116	11	8	16
Anaheim	---	1,589	28	19	30
White	---	1,546	28	19	26
All other	---	43	-	-	4
Black	---	15	-	-	3
Brea	---	193	8	4	2
Buena Park	---	386	3	1	9
White	---	371	3	1	5
All other	---	15	-	-	4
Black	---	-	-	-	-
Costa Mesa	---	542	9	7	6
White	---	533	9	7	5
All other	---	9	-	-	1
Black	---	3	-	-	1
Cypress	---	206	1	-	1
White	---	194	1	-	1
All other	---	12	-	-	-
Black	---	3	-	-	-
Fountain Valley	---	239	6	2	4
White	---	224	3	1	3
All other	---	15	3	1	1
Black	---	1	1	1	-
Fullerton	---	700	15	12	17
White	---	673	14	11	16
All other	---	27	1	1	1
Black	---	7	-	-	-
Garden Grove	---	954	21	12	14
White	---	920	17	11	11
All other	---	34	4	1	3
Black	---	3	-	-	2
Huntington Beach	---	901	14	7	13
White	---	875	11	6	11
All other	---	26	3	1	2
Black	---	1	-	-	1
Irvine	---	254	7	3	5
White	---	234	7	3	3
All other	---	20	-	-	2
Black	---	4	-	-	-
Laguna Beach	---	188	1	1	-
La Habra	---	353	7	5	5
White	---	347	7	5	4
All other	---	6	-	-	1
Black	---	1	-	-	-
La Palma	---	62	4	4	-
White	---	57	4	4	-
All other	---	5	-	-	-
Black	---	1	-	-	-
Los Alamitos	---	148	2	2	2
White	---	147	2	2	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Newport Beach	---	464	2	2	2
Orange	---	676	13	9	12
White	---	662	12	9	11
All other	---	14	1	-	1
Black	---	3	-	-	1
Placentia	---	163	4	3	1
White	---	160	4	3	1
All other	---	3	-	-	-
Black	---	1	-	-	-
San Clemente	---	222	6	4	2
San Juan Capistrano	---	160	5	3	1
Santa Ana	---	1,473	65	48	46
White	---	1,376	53	39	36
All other	---	97	12	9	10
Black	---	52	5	4	4
Seal Beach	---	558	1	-	1
Stanton	---	170	3	-	2
White	---	167	3	-	2
All other	---	3	-	-	-
Black	---	1	-	-	-
Tustin	---	274	10	6	4
White	---	264	7	5	2
All other	---	10	3	1	2
Black	---	5	2	1	-
Westminster	---	474	8	6	6
White	---	439	4	4	5
All other	---	35	4	2	1
Black	---	3	1	-	1
Yorba Linda	---	119	4	4	4
California-Con.					
Balance of county	---	1,704	25	19	27
White	---	1,674	21	16	22
All other	---	30	4	3	5
Black	---	6	1	1	3
Placer	1,144	1,064	20	15	12
Roseville	---	299	6	6	2
Balance of county	---	765	14	9	10
Plumas	143	167	2	1	4
Riverside	6,588	7,231	153	97	110
White	6,302	6,903	138	89	93
All other	286	328	15	8	17
Black	241	281	13	7	12
Banning	---	237	4	3	2
White	---	208	4	3	1
All other	---	29	-	-	1
Black	---	17	-	-	1
Corona	---	338	13	6	9
White	---	330	12	6	7
All other	---	8	1	-	2
Black	---	7	1	-	1
Hemet	---	1,125	7	5	5
Indio	---	201	7	4	9
White	---	183	7	4	7
All other	---	18	-	-	2
Black	---	13	-	-	2
Norco	---	107	-	-	5
White	---	104	-	-	5
All other	---	3	-	-	-
Black	---	1	-	-	-
Palm Desert	---	193	2	1	2
Palm Springs	---	461	5	4	2
White	---	441	5	4	1
All other	---	20	-	-	1
Black	---	17	-	-	1
Riverside	---	1,611	54	39	28
White	---	1,511	45	32	22
All other	---	100	9	7	6
Black	---	94	8	6	4
Balance of county	---	2,958	61	35	48
White	---	2,813	56	34	44
All other	---	145	5	1	4
Black	---	131	4	1	3
Sacramento	6,979	6,673	131	71	89
White	6,322	5,999	102	53	63
All other	657	674	29	18	26
Black	376	407	20	10	16
Folsom	---	147	3	2	1
White	---	145	3	2	1
All other	---	2	-	-	-
Black	---	1	-	-	-
Sacramento	---	4,569	83	44	56
White	---	3,974	57	27	35
All other	---	595	26	17	21
Black	---	370	17	9	13
Balance of county	---	1,957	45	25	32
White	---	1,880	42	24	27
All other	---	77	3	1	5
Black	---	36	3	1	3
San Benito	171	202	6	3	6
Hollister	---	162	5	3	5
White	---	161	5	3	4
All other	---	1	-	-	1
Black	---	-	-	-	1
Balance of county	---	40	1	-	1
White	---	36	1	-	1
All other	---	4	-	-	-
Black	---	-	-	-	-
San Bernardino	8,451	7,813	221	136	143
White	7,965	7,401	192	117	124
All other	486	412	29	19	19
Black	398	334	24	17	18
Barstow	---	206	10	6	5
White	---	188	9	5	4
All other	---	18	1	1	1
Black	---	16	1	1	1
Chino	---	266	7	6	11
White	---	254	6	5	11
All other	---	12	1	1	-
Black	---	3	1	1	-
Colton	---	233	7	4	7
White	---	227	6	4	6
All other	---	6	1	-	1
Black	---	2	-	-	-
Fontana	---	484	8	2	4
White	---	455	8	2	4
All other	---	29	-	-	-
Black	---	26	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Loma Linda	---	113	4	3	-
White	---	105	4	3	-
All other	---	8	-	-	-
Black	---	2	-	-	-
Montclair	---	164	5	2	4
White	---	151	5	2	4
All other	---	13	-	-	-
Black	---	12	-	-	-
Ontario	---	632	30	23	16
White	---	599	28	21	16
All other	---	33	2	2	-
Black	---	26	2	2	-
Rancho Cucamonga	---	164	10	6	5
White	---	156	8	5	5
All other	---	8	2	1	-
Black	---	4	1	1	-
Redlands	---	420	9	4	3
White	---	397	7	4	3
All other	---	23	2	-	-
Black	---	13	1	-	-
Rialto	---	320	14	6	7
White	---	296	10	5	6
All other	---	24	4	1	1
Black	---	20	4	1	1
San Bernardino	---	1,413	48	26	37
White	---	1,258	40	21	25
All other	---	155	8	5	12
Black	---	151	7	4	12
Upland	---	390	4	4	1
White	---	382	4	4	1
All other	---	8	-	-	-
Black	---	3	-	-	-
Victorville	---	217	7	6	5
White	---	201	4	3	5
All other	---	16	3	3	-
Black	---	14	2	2	-
Balance of county	---	2,791	58	38	38
White	---	2,732	53	33	34
All other	---	59	5	5	4
Black	---	42	5	5	4
San Diego	15,315	14,896	340	232	242
White	14,427	14,022	251	169	176
All other	888	874	89	63	66
Black	565	550	62	39	47
Carlsbad	---	239	6	3	3
White	---	235	6	3	3
All other	---	4	-	-	-
Black	---	1	-	-	-
Chula Vista	---	900	17	11	15
White	---	871	13	8	9
All other	---	29	4	3	6
Black	---	5	2	1	4
Coronado	---	172	-	-	-
El Cajon	---	1,023	13	11	18
Escondido	---	874	16	10	17
White	---	869	15	10	17
All other	---	5	1	-	-
Black	---	1	-	-	-
Imperial Beach	---	127	14	7	4
White	---	123	14	7	3
All other	---	4	-	-	1
Black	---	2	-	-	1
La Mesa	---	577	8	6	5
Lemon Grove	---	218	7	5	7
White	---	214	7	5	3
All other	---	4	-	-	4
Black	---	3	-	-	4
National City	---	343	17	11	9
White	---	307	13	7	5
All other	---	36	4	4	4
Black	---	13	4	4	4
Oceanside	---	707	25	18	20
White	---	667	14	12	14
All other	---	40	11	6	6
Black	---	32	11	6	5
San Diego	---	6,622	155	109	101
White	---	5,964	97	67	62
All other	---	658	58	42	39
Black	---	460	40	25	26
San Marcos	---	277	3	1	2
Vista	---	536	13	11	9
White	---	525	11	10	8
All other	---	11	2	1	1
Black	---	3	1	-	-
Balance of county	---	2,281	46	29	32
White	---	2,221	40	24	29
All other	---	60	6	5	3
Black	---	19	3	3	2
San Francisco, coext. with San Francisco city	8,282	7,984	85	50	36
White	6,248	6,021	38	23	23
All other	2,034	1,963	47	27	13
Black	926	891	15	10	7
San Joaquin	3,194	3,340	69	33	53
White	2,805	2,928	48	28	31
All other	389	412	21	5	22
Black	194	208	11	3	12
Lodi	---	485	6	3	5
Manteca	---	244	5	5	5
White	---	240	5	5	5
All other	---	4	-	-	-
Black	---	3	-	-	-
Stockton	---	2,014	47	19	37
White	---	1,648	27	14	17
All other	---	366	20	5	20
Black	---	192	11	3	11
Tracy	---	245	6	4	5
White	---	237	6	4	3
All other	---	8	-	-	2
Black	---	8	-	-	1
Balance of county	---	352	5	2	1
White	---	336	4	2	1
All other	---	16	1	-	-
Black	---	3	-	-	-
San Luis Obispo	1,462	1,515	20	10	9
Arroyo Grande	---	172	3	1	1
Atascadero	---	155	2	1	-
San Luis Obispo	---	290	4	2	3
Balance of county	---	898	11	6	5
White	---	884	9	4	4
All other	---	14	2	2	1
Black	---	6	-	-	1
San Mateo	4,480	4,656	72	43	47
White	4,120	4,209	57	32	32
All other	360	447	15	11	15
Black	163	236	6	5	10
Belmont	---	182	4	4	2
Burlingame	---	294	3	1	4
Daly City	---	521	8	3	8
White	---	393	6	1	2
All other	---	128	2	2	6
Black	---	43	-	-	2
Foster City	---	104	-	-	1
White	---	97	-	-	1
All other	---	7	-	-	-
Black	---	3	-	-	-
Hillsborough	---	76	-	-	-
White	---	74	-	-	-
All other	---	2	-	-	-
Black	---	-	-	-	-
Menlo Park	---	391	4	4	-
White	---	335	3	3	-
All other	---	56	1	1	-
Black	---	53	1	1	-
Millbrae	---	181	1	-	1
White	---	175	1	-	1
All other	---	6	-	-	-
Black	---	1	-	-	-
Pacifica	---	218	5	3	5
White	---	201	4	2	5
All other	---	17	1	1	-
Black	---	8	1	1	-
Redwood City	---	578	9	6	9
White	---	559	9	6	7
All other	---	19	-	-	2
Black	---	13	-	-	2
San Bruno	---	232	5	3	1
White	---	214	4	2	1
All other	---	18	1	1	-
Black	---	2	-	-	-
San Carlos	---	229	1	-	1
San Mateo	---	798	15	8	4
White	---	743	12	6	3
All other	---	55	3	2	1
Black	---	21	1	1	-
South San Francisco	---	359	6	3	2
White	---	335	4	2	2
All other	---	24	2	1	-
Black	---	3	-	-	-
Balance of county	---	493	11	8	9
White	---	394	7	5	3
All other	---	99	4	3	6
Black	---	86	3	2	6
Santa Barbara	2,534	2,478	45	28	31
White	2,433	2,379	38	26	30
All other	101	99	7	2	1
Black	49	47	4	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Carpinteria	---	99	3	3	-
White	---	97	3	3	-
All other	---	2	-	-	-
Black	---	-	-	-	-
Lompoc	---	225	7	3	7
White	---	206	4	2	7
All other	---	19	3	1	-
Black	---	11	3	1	-
Santa Barbara	---	1,236	12	9	11
White	---	1,206	12	9	10
All other	---	30	-	-	1
Black	---	24	-	-	1
Santa Maria	---	539	9	7	9
White	---	511	7	6	9
All other	---	28	2	1	-
Black	---	9	1	1	-
Balance of county	---	379	14	6	4
White	---	359	12	6	4
All other	---	20	2	-	-
Black	---	3	-	-	-
Santa Clara	---	8,685	8,051	196	130	141
White	---	7,992	7,452	158	101	105
All other	---	693	599	38	29	36
Black	---	275	202	13	9	12
Campbell	---	253	5	2	2
White	---	247	5	2	2
All other	---	6	-	-	-
Black	---	1	-	-	-
Cupertino	---	257	3	2	1
White	---	244	3	2	1
All other	---	13	-	-	-
Black	---	2	-	-	-
Gilroy	---	183	4	3	5
White	---	179	4	3	5
All other	---	4	-	-	-
Black	---	-	-	-	-
Los Altos	---	277	3	3	-
Los Gatos	---	330	3	3	3
Milpitas	---	154	9	7	3
White	---	128	6	4	2
All other	---	26	3	3	1
Black	---	10	1	1	-
Morgan Hill	---	133	8	4	1
White	---	126	8	4	1
All other	---	7	-	-	-
Black	---	3	-	-	-
Mountain View	---	428	9	7	6
White	---	389	7	5	4
All other	---	39	2	2	2
Black	---	11	-	-	1
Palo Alto	---	504	6	2	3
White	---	477	5	1	3
All other	---	27	1	1	-
Black	---	15	-	-	-
San Jose	---	3,865	115	74	89
White	---	3,501	90	55	62
All other	---	364	25	19	27
Black	---	129	9	6	10
Santa Clara	---	604	12	8	11
White	---	564	8	6	8
All other	---	40	4	2	3
Black	---	6	1	1	-
Saratoga	---	213	-	-	2
Sunnyvale	---	694	14	11	12
White	---	654	12	9	10
All other	---	40	2	2	2
Black	---	9	1	1	1
Balance of county	---	156	5	4	3
White	---	139	4	4	3
All other	---	17	1	-	-
Black	---	15	1	-	-
Santa Cruz	1,668	1,731	24	18	21
Santa Cruz	---	723	9	6	8
Watsonville	---	375	6	3	6
White	---	356	6	3	6
All other	---	19	-	-	-
Black	---	1	-	-	-
Balance of county	---	633	9	7	7
White	---	626	9	7	7
All other	---	7	-	-	-
Black	---	1	-	-	-
Shasta	1,178	1,114	24	15	13
Redding	---	594	14	8	9
Balance of county	---	520	10	7	4
Sierra	32	34	1	-	-
Siskiyou	333	394	10	5	5
Solano	1,669	1,761	48	33	31
White	1,400	1,467	37	25	18
All other	269	294	11	8	13
Black	183	199	9	6	8
Benicia	---	103	3	3	4
White	---	92	3	3	3
All other	---	11	-	-	1
Black	---	5	-	-	-
Fairfield	---	358	14	10	5
White	---	298	10	6	2
All other	---	60	4	4	3
Black	---	39	2	2	1
Suisun City	---	66	6	5	2
White	---	59	5	4	1
All other	---	7	1	1	1
Black	---	5	1	1	-
Vacaville	---	250	7	5	5
White	---	232	7	5	3
All other	---	18	-	-	2
Black	---	11	-	-	2
Vallejo	---	840	14	8	12
White	---	648	8	5	6
All other	---	192	6	3	6
Black	---	136	6	3	5
Balance of county	---	144	4	2	3
White	---	138	4	2	3
All other	---	6	-	-	-
Black	---	3	-	-	-
Sonoma	2,839	2,910	41	22	27
White	2,775	2,853	37	19	25
All other	64	57	4	3	2
Black	26	24	3	3	1
Petaluma	---	371	7	4	4
Rohnert Park	---	133	2	-	-
Santa Rosa	---	1,258	12	9	9
Balance of county	---	1,148	20	9	14
White	---	1,129	19	8	12
All other	---	19	1	1	2
Black	---	6	1	1	1
Stanislaus	2,540	2,408	56	36	35
White	2,481	2,353	55	35	35
All other	59	55	1	1	-
Black	27	27	-	-	-
Ceres	---	185	5	2	1
White	---	185	5	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Modesto	---	1,330	29	21	18
White	---	1,285	28	20	18
All other	---	45	1	1	-
Black	---	24	-	-	-
Turlock	---	338	6	3	5
White	---	331	6	3	5
All other	---	7	-	-	-
Black	---	2	-	-	-
Balance of county	---	555	16	10	11
White	---	552	16	10	11
All other	---	3	-	-	-
Black	---	1	-	-	-
Sutter	367	476	6	4	5
Yuba City	---	362	4	2	3
White	---	340	4	2	2
All other	---	22	-	-	1
Black	---	3	-	-	-
Balance of county	---	114	2	2	2
White	---	112	2	2	2
All other	---	2	-	-	-
Black	---	1	-	-	-
Tehama	378	440	6	4	5
Trinity	92	115	2	-	2
Tulare	1,981	2,206	60	34	42
White	1,912	2,116	57	33	41
All other	69	90	3	1	1
Black	35	41	1	-	-
Porterville	---	448	8	3	8
White	---	435	8	3	8
All other	---	13	-	-	-
Black	---	2	-	-	-
Tulare	---	336	11	7	5
White	---	310	10	7	5
All other	---	26	1	-	-
Black	---	22	1	-	-
Visalia	---	532	10	4	9
White	---	521	9	3	9
All other	---	11	1	1	-
Black	---	6	-	-	-
Balance of county	---	890	31	20	20
White	---	850	30	20	19
All other	---	40	1	-	1
Black	---	11	-	-	-
Tuolumne	319	356	3	1	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Ventura	3,191	3,538	76	51	88
White	3,077	3,412	69	46	78
All other	114	126	7	5	10
Black	63	66	4	3	6
Camarillo	---	364	4	2	6
White	---	358	4	2	6
All other	---	6	-	-	-
Black	---	2	-	-	-
Oxnard	---	731	34	21	27
White	---	660	30	18	20
All other	---	71	4	3	7
Black	---	39	4	3	6
Port Hueneme	---	119	2	2	6
White	---	116	2	2	5
All other	---	3	-	-	1
Black	---	2	-	-	-
San Buenaventura (Ventura)	---	796	8	2	15
White	---	782	6	1	15
All other	---	14	2	1	-
Black	---	10	-	-	-
Santa Paula	---	225	5	4	2
White	---	222	4	3	2
All other	---	3	1	1	-
Black	---	1	-	-	-
Simi Valley	---	339	11	10	15
Thousand Oaks	---	310	2	2	5
Balance of county	---	654	10	8	12
White	---	649	10	8	12
All other	---	5	-	-	-
Black	---	4	-	-	-
Yolo	814	833	11	6	8
Davis	---	146	4	1	1
White	---	137	2	-	1
All other	---	9	2	1	-
Black	---	3	-	-	-
Woodland	---	287	3	2	5
White	---	284	3	2	5
All other	---	3	-	-	-
Black	---	1	-	-	-
Balance of county	---	400	4	3	2
White	---	375	4	3	2
All other	---	25	-	-	-
Black	---	8	-	-	-
Yuba	426	393	8	3	8
Colorado	20,885	20,394	552	316	507
White	20,062	19,594	496	280	452
All other	823	800	56	36	55
Black	618	616	46	28	42
Adams	1,193	1,399	51	30	56
White	1,127	1,352	49	29	50
All other	66	47	2	1	6
Black	37	27	2	1	4
Arvada, part	---	9	1	1	-
White	---	9	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Aurora, part	---	184	11	5	8
White	---	169	9	4	4
All other	---	15	2	1	4
Black	---	15	2	1	3
Brighton, part	---	113	4	2	2
White	---	107	4	2	2
All other	---	6	-	-	-
Black	---	3	-	-	-
Brighton, total	---	113	4	2	3
White	---	107	4	2	3
All other	---	6	-	-	-
Black	---	3	-	-	-
Broomfield, part	---	10	-	-	-
Commerce City	---	162	7	6	11
White	---	157	7	6	11
All other	---	5	-	-	-
Black	---	2	-	-	-
Northglenn	---	137	-	-	7
Thornton	---	184	10	5	2
Westminster, part	---	185	8	4	8
Westminster, total	---	198	10	5	9
Balance of county	---	415	10	7	18
White	---	406	10	7	18
All other	---	9	-	-	-
Black	---	4	-	-	-
Alamosa	100	98	1	1	3
Arapahoe	1,301	1,527	54	24	46
White	1,268	1,490	49	22	44
All other	33	37	5	2	2
Black	24	27	4	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Aurora, part	---	664	31	15	27
White	---	637	29	15	25
All other	---	27	2	-	2
Black	---	20	2	-	2
Aurora, total	---	848	42	20	35
White	---	806	38	19	29
All other	---	42	4	1	6
Black	---	35	4	1	5
Englewood	---	338	10	3	-
Littleton, part	---	259	5	3	12
Littleton, total	---	259	5	3	12
Balance of county	---	266	8	3	7
Archuleta	14	21	1	1	1
Baca	37	51	1	1	1
Bent	76	60	1	-	1
Boulder	947	1,049	24	14	24
Boulder	---	432	3	3	4
Broomfield, part	---	53	2	2	3
Broomfield, total	---	69	3	2	4
Longmont	---	322	10	4	5
Balance of county	---	242	9	5	12
Chaffee	106	123	3	2	-
Cheyenne	24	22	-	-	1
Clear Creek	18	34	1	1	2
Conejos	40	54	-	-	-
Costilla	12	26	1	-	1
Crowley	16	40	1	-	1
Custer	9	15	-	-	-
Delta	236	282	3	1	1
Denver, coext. with Denver city	6,208	4,629	106	63	96
White	5,699	4,131	80	48	72
All other	509	498	26	15	24
Black	423	430	24	14	21
Dolores	6	13	-	-	1
Douglas	69	127	10	6	3
Littleton, part	---	-	-	-	-
Balance of county	---	127	10	6	3
Eagle	39	39	-	-	1
Elbert	28	52	2	1	-
El Paso	1,889	1,840	72	39	84
White	1,809	1,747	58	28	68
All other	80	93	14	11	16
Black	71	83	13	10	11
Colorado Springs	---	1,565	62	35	67
White	---	1,485	50	25	54
All other	---	80	12	10	13
Black	---	72	11	9	8
Balance of county	---	275	10	4	17
White	---	262	8	3	14
All other	---	13	2	1	3
Black	---	11	2	1	3
Fremont	403	426	5	2	7
Canon City	---	266	-	-	4
Balance of county	---	160	5	2	3
Garfield	142	158	3	3	3
Gilpin	7	11	-	-	-
Grand	32	39	2	-	3
Gunnison	40	32	-	-	2
Hinsdale	3	1	-	-	1
Huerfano	52	73	3	1	-
Jackson	6	12	-	-	-
Jefferson	1,881	2,062	61	37	53
Arvada, part	---	387	10	8	13
Arvada, total	---	396	11	9	13
Broomfield, part	---	6	1	-	1
Golden	---	169	2	-	4
Lakewood	---	815	12	7	15
Westminster, part	---	13	2	1	1
Wheat Ridge	---	290	6	4	-
Balance of county	---	382	28	17	19
Kiowa	15	14	-	-	1
Kit Carson	82	101	3	3	1
Lake	22	33	2	2	2
La Plata	215	180	9	6	5
Durango	---	90	5	4	3
White	---	88	5	4	3
All other	---	2	-	-	-
Black	---	-	-	-	-
Balance of county	---	90	4	2	2
White	---	85	4	2	2
All other	---	5	-	-	-
Black	---	-	-	-	-
Larimer	946	960	32	21	20
Fort Collins	---	424	14	8	7
Loveland	---	285	5	3	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Balance of county	---	251	13	10	4
Las Animas	163	197	-	-	4
Lincoln	67	56	-	-	-
Logan	188	176	-	-	2
Sterling	---	135	-	-	2
Balance of county	---	41	-	-	-
Mesa	823	725	13	6	11
Grand Junction	---	409	10	5	5
Balance of county	---	316	3	1	6
Mineral	8	5	-	-	-
Moffat	68	67	1	1	4
Montezuma	110	122	3	2	3
White	94	106	2	1	3
All other	16	16	1	1	-
Black	-	-	-	-	-
Montrose	213	225	3	2	3
Morgan	215	219	10	6	5
Otero	228	239	5	2	3
Ouray	7	21	-	-	1
Park	24	22	-	-	2
Phillips	39	51	-	-	1
Pitkin	34	29	1	1	-
Prowers	91	120	2	-	3
Pueblo	1,175	1,121	22	12	9
Pueblo	---	995	17	10	7
White	---	988	16	9	6
All other	---	27	1	1	1
Black	---	24	1	1	1
Balance of county	---	126	5	2	2
White	---	124	5	2	2
All other	---	2	-	-	-
Black	---	1	-	-	-
Rio Blanco	30	33	-	-	2
Rio Grande	114	109	1	1	2
Routt	65	63	1	-	4
Saguache	14	28	1	-	-
San Juan	5	5	-	-	-
San Miguel	11	16	1	1	1
Sedgwick	24	41	1	-	-
Summit	18	20	5	4	1
Teller	37	62	2	1	2
Washington	38	59	1	-	-
Weld	757	847	24	16	21
Brighton, part	---	-	-	-	1
Greeley	---	458	6	5	9
White	---	456	6	5	9
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	389	18	11	11
White	---	385	18	11	10
All other	---	4	-	-	1
Black	---	1	-	-	1
Yuma	105	113	3	2	2
Connecticut	28,036	27,851	438	315	310
White	26,368	26,176	334	238	250
All other	1,668	1,675	104	77	60
Black	1,603	1,612	103	76	56
Fairfield	6,627	7,011	120	84	82
White	6,102	6,446	85	57	62
All other	525	565	35	27	20
Black	506	543	34	26	19
Bridgeport	---	1,585	45	33	25
White	---	1,307	23	15	16
All other	---	278	22	18	9
Black	---	274	22	18	9
Danbury	---	489	10	7	3
Darien town#	---	139	3	2	2
Fairfield town#	---	557	6	4	4
Greenwich town#	---	566	3	3	5
Norwalk	---	643	16	11	10
White	---	569	8	5	7
All other	---	74	8	6	3
Black	---	72	7	5	3
Shelton	---	242	3	2	4
Stamford	---	873	13	6	13
White	---	732	10	4	7
All other	---	141	3	2	6
Black	---	135	3	2	6
Stratford town#	---	546	8	7	-
Trumbull town#	---	227	-	-	1
Westport town#	---	192	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Balance of county	---	952	12	8	14
White	---	939	12	8	13
All other	---	13	-	-	1
Black	---	11	-	-	1
Hartford	7,604	7,244	120	86	83
White	7,123	6,772	88	62	63
All other	481	472	32	24	20
Black	461	454	32	24	19
Bristol	---	479	5	5	8
East Hartford town#	---	488	2	1	9
Enfield town#	---	301	9	7	1
Hartford	---	1,352	55	39	14
White	---	1,000	26	18	5
All other	---	352	29	21	9
Black	---	350	29	21	9
Manchester town#	---	451	2	1	8
New Britain	---	777	14	9	9
White	---	752	14	9	7
All other	---	25	-	-	2
Black	---	24	-	-	2
Newington town#	---	238	-	-	4
Plainville town#	---	137	3	1	1
Rocky Hill town#	---	118	-	-	-
Southington town#	---	258	3	3	3
West Hartford town#	---	726	5	3	2
Wethersfield town#	---	286	-	-	4
Windsor town#	---	257	9	5	1
White	---	242	7	3	-
All other	---	15	2	2	1
Black	---	15	2	2	-
Windsor Locks town#	---	106	3	3	-
Balance of county	---	1,270	10	9	19
White	---	1,231	9	8	15
All other	---	39	1	1	4
Black	---	32	1	1	4
Litchfield	1,259	1,465	15	8	13
Torrington	---	356	5	2	3
Balance of county	---	1,109	10	6	10
Middlesex	1,113	1,126	13	10	17
Middletown	---	338	5	3	4
White	---	326	4	2	3
All other	---	12	1	1	1
Black	---	10	1	1	-
Balance of county	---	788	8	7	13
New Haven	8,258	7,470	114	88	62
White	7,695	6,926	85	65	49
All other	563	544	29	23	13
Black	550	535	29	23	13
Ansonia	---	227	6	6	3
Branford town#	---	189	1	1	-
Derby	---	145	5	3	1
East Haven town#	---	208	1	-	2
Hamden town#	---	555	4	4	6
Meriden	---	524	12	9	2
Milford	---	441	2	2	2
Naugatuck	---	205	7	6	3
New Haven	---	1,393	38	32	11
White	---	1,055	18	15	6
All other	---	338	20	17	5
Black	---	334	20	17	5
North Haven town#	---	186	2	1	2
Orange town#	---	114	-	-	-
Wallingford town#	---	382	2	-	2
Waterbury	---	1,210	16	12	13
White	---	1,109	12	9	9
All other	---	101	4	3	4
Black	---	101	4	3	4
West Haven	---	545	10	6	3
White	---	515	8	5	2
All other	---	30	2	1	1
Black	---	30	2	1	1
Balance of county	---	1,146	8	6	12
New London	1,842	1,994	33	25	30
White	1,788	1,936	29	23	26
All other	54	58	4	2	4
Black	44	48	4	2	3
Groton	---	280	8	5	6
New London	---	309	7	5	2
White	---	282	5	4	1
All other	---	27	2	1	1
Black	---	25	2	1	1
Norwich	---	386	6	5	4
Balance of county	---	1,019	12	10	18
Tolland	500	705	9	6	14
Vernon town#	---	239	1	1	1
Balance of county	---	466	8	5	13
White	---	463	8	5	12
All other	---	3	-	-	1
Black	---	2	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windham	833	836	14	8	9
Willimantic	---	2	-	-	-
Balance of county	---	834	14	8	9
Delaware	5,144	5,098	100	70	78
White	4,269	4,247	59	43	58
All other	875	851	41	27	20
Black	865	830	41	27	20
Kent	678	735	16	9	10
White	552	617	13	7	6
All other	126	118	3	2	4
Black	124	117	3	2	4
Dover	---	206	7	5	2
White	---	158	5	3	-
All other	---	48	2	2	2
Black	---	48	2	2	2
Balance of county	---	529	9	4	8
White	---	459	8	4	6
All other	---	70	1	-	2
Black	---	69	1	-	2
New Castle	3,421	3,256	65	47	57
White	2,848	2,720	38	29	45
All other	573	536	27	18	12
Black	565	529	27	18	12
Newark	---	188	12	9	3
Wilmington	---	1,130	26	18	10
White	---	721	4	4	3
All other	---	409	22	14	7
Black	---	406	22	14	7
Balance of county	---	1,938	27	20	44
White	---	1,836	26	19	40
All other	---	102	1	1	4
Black	---	98	1	1	4
Sussex	1,045	1,107	19	14	11
White	869	910	8	7	7
All other	176	197	11	7	4
Black	166	184	11	7	4
District of Columbia	8,500	6,762	203	155	145
White	3,191	1,852	13	9	22
All other	5,309	4,910	190	146	123
Black	5,242	4,873	188	145	122
Florida	116,394	115,227	1,684	1,074	1,469
White	103,853	102,783	987	661	891
All other	12,541	12,444	697	413	578
Black	12,355	12,276	690	410	557
Alachua	2,204	1,015	33	19	18
White	1,768	745	18	13	13
All other	436	270	15	6	5
Black	432	267	15	6	5
Gainesville	---	535	26	14	11
White	---	371	12	9	7
All other	---	164	14	5	4
Black	---	162	14	5	4
Balance of county	---	480	7	5	7
White	---	374	6	4	6
All other	---	106	1	1	1
Black	---	105	1	1	1
Baker	75	101	3	1	6
White	61	86	2	-	6
All other	14	15	1	1	-
Black	14	15	1	1	-
Bay	997	855	17	9	17
White	852	740	14	8	15
All other	145	115	3	1	2
Black	145	115	3	1	1
Panama City	---	471	7	3	11
White	---	381	5	3	10
All other	---	90	2	-	1
Black	---	90	2	-	1
Balance of county	---	384	10	6	6
Bradford	124	195	5	4	2
White	91	152	5	4	1
All other	33	43	-	-	1
Black	33	43	-	-	1
Brevard	2,688	2,848	29	19	36
White	2,518	2,669	19	11	30
All other	170	179	10	8	6
Black	161	172	10	8	6
Cocoa	---	187	2	1	3
White	---	139	2	1	1
All other	---	48	-	-	2
Black	---	48	-	-	2
Cocoa Beach	---	152	2	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Melbourne	---	563	9	7	7
White	---	517	6	4	5
All other	---	46	3	3	2
Black	---	43	3	3	2
Palm Bay	---	234	2	2	1
Rockledge	---	112	-	-	1
White	---	106	-	-	-
All other	---	6	-	-	1
Black	---	6	-	-	1
Titusville	---	342	1	1	3
White	---	325	1	1	3
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	1,258	13	8	21
White	---	1,205	6	3	20
All other	---	53	7	5	1
Black	---	50	7	5	1
Broward	11,762	12,590	131	89	106
White	10,915	11,726	67	46	63
All other	847	864	64	43	43
Black	827	849	64	43	39
Cooper City	---	71	-	-	3
Coral Springs	---	212	4	3	6
Dania	---	179	1	1	4
White	---	147	-	-	2
All other	---	32	1	1	2
Black	---	32	1	1	2
Davie	---	163	6	3	2
Deerfield Beach	---	692	8	5	4
White	---	628	-	-	2
All other	---	64	8	5	2
Black	---	64	8	5	2
Fort Lauderdale	---	2,260	33	25	20
White	---	1,999	11	7	7
All other	---	261	22	18	13
Black	---	259	22	18	11
Hallandale, part	---	742	-	-	1
White	---	697	-	-	-
All other	---	45	-	-	1
Black	---	44	-	-	1
Hallandale, total	---	744	-	-	1
White	---	699	-	-	-
All other	---	45	-	-	1
Black	---	44	-	-	1
Hollywood	---	1,810	12	9	8
Lauderdale Lakes	---	393	4	2	1
White	---	379	4	2	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Lauderhill	---	377	6	4	10
White	---	355	3	2	6
All other	---	22	3	2	4
Black	---	22	3	2	3
Lighthouse Point	---	154	-	-	1
Margate	---	529	4	2	-
Miramar	---	270	5	3	5
North Lauderdale	---	89	1	-	2
Oakland Park	---	173	1	1	-
Pembroke Pines	---	296	-	-	6
Plantation	---	405	5	5	2
Pompano Beach	---	1,030	13	5	12
White	---	893	4	2	5
All other	---	137	9	3	7
Black	---	137	9	3	7
Sunrise	---	572	4	4	2
Tamarac	---	607	1	1	-
Wilton Manors	---	157	2	2	-
Balance of county	---	1,409	21	14	17
White	---	1,218	9	6	8
All other	---	191	12	8	9
Black	---	188	12	8	9
Calhoun	96	115	1	1	1
White	83	104	-	-	1
All other	13	11	1	1	-
Black	13	11	1	1	-
Charlotte	1,163	1,124	2	2	4
Citrus	938	1,043	8	8	10
Clay	506	551	9	8	9
Collier	1,184	1,098	14	5	12
Naples	---	361	1	1	1
Balance of county	---	737	13	4	11
White	---	693	10	4	8
All other	---	44	3	-	3
Black	---	41	2	-	3
Columbia	567	351	4	2	8
White	423	277	4	2	6
All other	144	74	-	-	2
Black	143	73	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Dade	18,323	16,940	282	183	336
White	15,861	14,562	126	87	149
All other	2,462	2,378	156	96	187
Black	2,429	2,349	156	96	186
Coral Gables	---	423	5	4	3
Hallandale, part	---	2	-	-	-
Hialeah	---	1,249	10	9	25
White	---	1,233	10	9	25
All other	---	16	-	-	-
Black	---	12	-	-	-
Homestead	---	196	7	4	10
White	---	149	5	3	7
All other	---	47	2	1	3
Black	---	47	2	1	3
Miami	---	4,882	97	55	146
White	---	3,844	34	22	47
All other	---	1,038	63	33	99
Black	---	1,033	63	33	99
Miami Beach	---	2,346	7	4	7
Miami Springs	---	135	1	1	2
North Miami	---	695	3	1	7
North Miami Beach	---	1,109	4	3	3
Opa-locka	---	141	10	8	5
White	---	75	4	3	1
All other	---	66	6	5	4
Black	---	66	6	5	4
South Miami	---	70	3	3	1
White	---	34	-	-	-
All other	---	36	3	3	1
Black	---	36	3	3	1
Balance of county	---	5,692	135	91	127
White	---	4,587	59	41	50
All other	---	1,105	76	50	77
Black	---	1,086	76	50	76
De Soto	236	260	5	5	8
White	202	218	1	1	6
All other	34	42	4	4	2
Black	34	42	4	4	2
Dixie	24	77	2	2	2
White	22	72	2	2	1
All other	2	5	-	-	1
Black	2	5	-	-	1
Duval	5,501	5,256	128	71	112
White	4,044	3,792	68	38	62
All other	1,457	1,464	60	33	50
Black	1,445	1,452	60	33	49
Jacksonville	---	4,912	125	71	106
White	---	3,485	65	38	56
All other	---	1,427	60	33	50
Black	---	1,416	60	33	49
Jacksonville Beach	---	165	-	-	-
Balance of county	---	179	3	-	6
White	---	155	3	-	6
All other	---	24	-	-	-
Black	---	23	-	-	-
Escambia	2,319	1,934	54	29	36
White	1,869	1,515	30	19	23
All other	450	419	24	10	13
Black	440	411	23	9	12
Pensacola	---	653	14	7	8
White	---	424	5	1	6
All other	---	229	9	6	2
Black	---	226	8	5	2
Balance of county	---	1,281	40	22	28
White	---	1,091	25	18	17
All other	---	190	15	4	11
Black	---	185	15	4	10
Flagler	107	161	1	1	4
White	97	146	1	1	2
All other	10	15	-	-	2
Black	10	15	-	-	2
Franklin	65	111	1	-	1
White	52	90	-	-	1
All other	13	21	1	-	-
Black	13	21	1	-	-
Gadsden	202	381	12	7	9
White	92	160	2	1	-
All other	110	221	10	6	9
Black	110	220	10	6	9
Gilchrist	40	78	1	1	1
Glades	29	72	2	2	2
White	28	59	1	1	1
All other	1	13	1	1	1
Black	-	9	1	1	1
Gulf	104	115	-	-	-
White	81	93	-	-	-
All other	23	22	-	-	-
Black	23	22	-	-	-
Hamilton	77	102	3	1	3
White	57	70	3	1	1
All other	20	32	-	-	2
Black	20	32	-	-	2
Hardee	99	139	2	2	5
Hendry	155	183	10	7	8
White	120	148	6	4	3
All other	35	35	4	3	5
Black	34	33	4	3	5
Hernando	738	929	7	3	5
Highlands	754	790	11	8	5
White	691	716	7	5	3
All other	63	74	4	3	2
Black	59	69	4	3	1
Hillsborough	6,887	6,207	126	82	101
White	5,979	5,339	75	51	70
All other	908	868	51	31	31
Black	898	857	50	31	29
Plant City	---	201	1	-	1
White	---	147	1	-	-
All other	---	54	-	-	1
Black	---	54	-	-	1
Tampa	---	3,355	68	42	52
White	---	2,667	29	20	31
All other	---	688	39	22	21
Black	---	682	39	22	20
Temple Terrace	---	62	-	-	3
Balance of county	---	2,589	57	40	45
White	---	2,463	45	31	36
All other	---	126	12	9	9
Black	---	121	11	9	8
Holmes	94	165	-	-	1
Indian River	886	872	10	5	7
White	828	813	9	5	7
All other	58	59	1	-	-
Black	58	59	1	-	-
Vero Beach	---	344	3	1	2
Balance of county	---	528	7	4	5
White	---	474	6	4	5
All other	---	54	1	-	-
Black	---	54	1	-	-
Jackson	317	447	4	3	10
White	238	327	2	2	6
All other	79	120	2	1	4
Black	78	118	2	1	4
Jefferson	43	118	4	4	3
White	19	59	1	1	-
All other	24	59	3	3	3
Black	24	59	3	3	3
Lafayette	17	40	2	2	-
Lake	1,690	1,660	18	9	20
White	1,533	1,510	16	8	13
All other	157	150	2	1	7
Black	156	148	1	1	7
Leesburg	---	224	2	1	4
White	---	186	1	-	2
All other	---	38	1	1	2
Black	---	38	1	1	2
Balance of county	---	1,436	16	8	16
White	---	1,324	15	8	11
All other	---	112	1	-	5
Black	---	110	-	-	5
Lee	2,863	2,858	28	20	17
White	2,731	2,724	20	16	11
All other	132	134	8	4	6
Black	129	131	8	4	6
Cape Coral	---	496	4	2	-
Fort Myers	---	545	13	8	10
White	---	449	7	5	4
All other	---	96	6	3	6
Black	---	96	6	3	6
Balance of county	---	1,817	11	10	7
Leon	1,386	947	30	22	19
White	962	691	20	15	6
All other	424	256	10	7	13
Black	421	255	10	7	13
Tallahassee	---	693	20	15	16
White	---	477	11	9	5
All other	---	216	9	6	11
Black	---	215	9	6	11
Balance of county	---	254	10	7	3
White	---	214	9	6	1
All other	---	40	1	1	2
Black	---	40	1	1	2
Levy	188	266	5	2	2
White	157	228	4	2	1
All other	31	38	1	-	1
Black	31	38	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Liberty	9	36	–	–	–
White	8	33	–	–	–
All other	1	3	–	–	–
Black	1	3	–	–	–
Madison	88	156	6	4	4
White	44	85	1	1	–
All other	44	71	5	3	4
Black	44	71	5	3	4
Manatee	2,337	2,387	23	16	20
White	2,213	2,250	14	12	12
All other	124	137	9	4	8
Black	124	136	9	4	8
Bradenton	---	754	7	5	9
White	---	677	4	3	4
All other	---	77	3	2	5
Black	---	77	3	2	5
Balance of county	---	1,633	16	11	11
Marion	1,519	1,679	32	18	19
White	1,337	1,454	21	14	11
All other	182	225	11	4	8
Black	180	223	11	4	8
Ocala	---	562	17	11	8
White	---	436	11	8	4
All other	---	126	6	3	4
Black	---	124	6	3	4
Balance of county	---	1,117	15	7	11
White	---	1,018	10	6	7
All other	---	99	5	1	4
Black	---	99	5	1	4
Martin	955	960	10	2	3
Monroe	530	608	3	1	12
Key West	---	235	1	–	2
White	---	202	1	–	1
All other	---	33	–	–	1
Black	---	32	–	–	1
Balance of county	---	373	2	1	10
Nassau	155	249	11	5	6
White	120	202	8	4	4
All other	35	47	3	1	2
Black	35	47	3	1	2
Okaloosa	699	743	15	11	13
White	657	696	13	9	6
All other	42	47	2	2	7
Black	40	44	2	2	4
Fort Walton Beach	---	189	2	2	7
White	---	174	2	2	3
All other	---	15	–	–	4
Black	---	15	–	–	2
Balance of county	---	554	13	9	6
White	---	522	11	7	3
All other	---	32	2	2	3
Black	---	29	2	2	2
Okeechobee	227	261	3	3	5
Orange	4,888	4,206	114	67	89
White	4,279	3,636	73	44	58
All other	609	570	41	23	31
Black	587	553	39	21	30
Orlando	---	1,579	53	30	38
White	---	1,239	20	11	23
All other	---	340	33	19	15
Black	---	333	33	19	15
Winter Park	---	393	3	3	4
White	---	340	2	2	3
All other	---	53	1	1	1
Black	---	52	–	–	1
Balance of county	---	2,234	58	34	47
White	---	2,057	51	31	32
All other	---	177	7	3	15
Black	---	168	6	2	14
Osceola	712	674	17	9	12
Kissimmee	---	212	12	6	9
White	---	188	7	4	9
All other	---	24	5	2	–
Black	---	24	5	2	–
Balance of county	---	462	5	3	3
Palm Beach	7,915	8,170	111	71	85
White	7,150	7,391	54	36	50
All other	765	779	57	35	35
Black	762	777	57	35	34
Belle Glade	---	161	12	7	9
White	---	48	1	1	–
All other	---	113	11	6	9
Black	---	113	11	6	9
Boca Raton	---	706	9	5	3
Boynton Beach	---	614	3	1	9
White	---	576	1	–	3
All other	---	38	2	1	6
Black	---	38	2	1	6
Delray Beach	---	657	11	6	6
White	---	561	3	2	3
All other	---	96	8	4	3
Black	---	96	8	4	3
Lake Worth	---	598	2	2	4
North Palm Beach	---	160	–	–	1
Palm Beach Gardens	---	119	1	1	6
Riviera Beach	---	270	8	7	6
White	---	116	–	–	–
All other	---	154	8	7	6
Black	---	154	8	7	6
West Palm Beach	---	1,133	27	19	17
White	---	919	11	8	6
All other	---	214	16	11	11
Black	---	213	16	11	10
Balance of county	---	3,752	38	23	24
White	---	3,608	29	18	24
All other	---	144	9	5	–
Black	---	143	9	5	–
Pasco	2,995	3,501	25	20	17
New Port Richey	---	340	1	1	1
Balance of county	---	3,161	24	19	16
Pinellas	12,475	12,005	85	64	63
White	11,934	11,478	52	40	46
All other	541	527	33	24	17
Black	532	518	33	24	14
Clearwater	---	1,587	14	10	12
Dunedin	---	552	–	–	2
Gulfport	---	244	1	–	–
Largo	---	918	8	6	7
Pinellas Park	---	489	2	1	7
St. Petersburg	---	4,357	45	34	22
White	---	3,968	20	15	11
All other	---	389	25	19	11
Black	---	384	25	19	10
Tarpon Springs	---	208	3	2	1
White	---	193	2	1	–
All other	---	15	1	1	1
Black	---	15	1	1	1
Balance of county	---	3,650	12	11	12
Polk	3,470	3,445	63	42	46
White	3,050	3,018	45	33	33
All other	420	427	18	9	13
Black	418	427	18	9	13
Bartow	---	143	2	–	7
White	---	92	2	–	–
All other	---	51	–	–	7
Black	---	51	–	–	7
Haines City	---	115	2	2	4
White	---	73	2	2	4
All other	---	42	–	–	–
Black	---	42	–	–	–
Lakeland	---	677	12	9	8
White	---	557	8	6	4
All other	---	120	4	3	4
Black	---	120	4	3	4
Winter Haven	---	337	4	2	1
White	---	290	2	2	1
All other	---	47	2	–	–
Black	---	47	2	–	–
Balance of county	---	2,173	43	29	26
White	---	2,006	31	23	24
All other	---	167	12	6	2
Black	---	167	12	6	2
Putnam	432	641	6	2	14
White	363	532	4	1	9
All other	69	109	2	1	5
Black	68	108	2	1	5
Palatka	---	144	2	1	4
White	---	101	1	–	2
All other	---	43	1	1	2
Black	---	43	1	1	2
Balance of county	---	497	4	1	10
White	---	431	3	1	7
All other	---	66	1	–	3
Black	---	65	1	–	3
St. Johns	542	627	6	4	8
White	448	530	2	2	8
All other	94	97	4	2	–
Black	94	97	4	2	–
St. Augustine	---	209	3	2	1
White	---	153	1	1	1
All other	---	56	2	1	–
Black	---	56	2	1	–
Balance of county	---	418	3	2	7
White	---	377	1	1	7
All other	---	41	2	1	–
Black	---	41	2	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
St. Lucie	1,122	1,196	26	18	22
White	936	994	11	8	6
All other	186	202	15	10	16
Black	184	201	15	10	16
Fort Pierce	---	542	17	11	15
White	---	367	5	3	2
All other	---	175	12	8	13
Black	---	175	12	8	13
Port St. Lucie	---	252	5	3	3
Balance of county	---	402	4	4	4
White	---	379	2	2	1
All other	---	23	2	2	3
Black	---	22	2	2	3
Santa Rosa	265	421	14	9	9
Sarasota	3,547	3,495	23	17	16
White	3,439	3,398	13	11	14
All other	108	97	10	6	2
Black	106	96	10	6	2
Sarasota	---	898	12	8	6
White	---	818	4	4	5
All other	---	80	8	4	1
Black	---	80	8	4	1
Venice	---	364	1	1	-
Balance of county	---	2,233	10	8	10
Seminole	1,341	1,467	30	17	12
White	1,164	1,263	24	17	7
All other	177	204	6	-	5
Black	176	202	6	-	5
Altamonte Springs	---	180	2	2	-
Casselberry	---	124	2	1	1
Longwood	---	99	1	1	1
Sanford	---	319	5	-	4
White	---	205	-	-	2
All other	---	114	5	-	2
Black	---	113	5	-	2
Winter Springs	---	66	2	1	-
Balance of county	---	679	18	12	6
Sumter	156	322	7	4	3
White	144	285	6	4	-
All other	12	37	1	-	3
Black	12	37	1	-	3
Suwannee	232	270	4	1	5
White	187	225	1	1	4
All other	45	45	3	-	1
Black	45	45	3	-	1
Taylor	124	184	4	2	3
White	102	141	1	-	3
All other	22	43	3	2	-
Black	22	43	3	2	-
Union	34	81	1	-	1
White	17	59	-	-	1
All other	17	22	1	-	-
Black	17	22	1	-	-
Volusia	3,824	3,957	33	24	29
White	3,510	3,657	20	14	23
All other	314	300	13	10	6
Black	311	299	13	10	5
Daytona Beach	---	877	8	7	5
White	---	709	2	1	4
All other	---	168	6	6	1
Black	---	168	6	6	1
De Land	---	318	9	6	-
White	---	275	4	3	-
All other	---	43	5	3	-
Black	---	43	5	3	-
New Smyrna Beach	---	287	-	-	-
White	---	272	-	-	-
All other	---	15	-	-	-
Black	---	15	-	-	-
Ormond Beach	---	488	3	2	4
Port Orange	---	248	1	1	3
South Daytona	---	159	1	-	1
Balance of county	---	1,580	11	8	16
Wakulla	42	90	2	2	1
White	32	77	2	2	-
All other	10	13	-	-	1
Black	10	13	-	-	1
Walton	161	229	4	1	4
White	142	205	4	1	4
All other	19	23	-	-	-
Black	18	21	-	-	-
Washington	150	173	2	2	2
White	128	147	1	1	2
All other	22	26	1	1	-
Black	22	26	1	1	-
Georgia	47,389	46,595	1,189	803	1,054
White	34,132	33,519	589	392	563
All other	13,257	13,076	600	411	491
Black	13,194	13,016	591	404	482
Appling	106	148	4	2	3
White	88	125	4	2	3
All other	18	23	-	-	-
Black	18	23	-	-	-
Atkinson	13	72	3	3	2
White	11	57	1	1	-
All other	2	15	2	2	2
Black	2	15	2	2	2
Bacon	79	101	2	-	5
White	68	88	2	-	5
All other	11	13	-	-	-
Black	11	13	-	-	-
Baker	16	52	1	-	1
White	8	35	1	-	1
All other	8	17	-	-	-
Black	8	17	-	-	-
Baldwin	431	290	13	8	7
White	277	194	6	5	5
All other	154	96	7	3	2
Black	154	96	7	3	2
Milledgeville	---	135	7	5	4
White	---	77	2	2	2
All other	---	58	5	3	2
Black	---	58	5	3	2
Balance of county	---	155	6	3	3
White	---	117	4	3	3
All other	---	38	2	-	-
Black	---	38	2	-	-
Banks	8	67	1	1	1
Barrow	152	217	2	1	4
White	133	190	1	1	4
All other	19	27	1	-	-
Black	19	26	1	-	-
Bartow	260	379	7	3	9
White	233	331	7	3	8
All other	27	48	-	-	1
Black	26	47	-	-	1
Ben Hill	182	179	3	2	3
White	128	135	1	-	3
All other	54	44	2	2	-
Black	54	44	2	2	-
Fitzgerald, part	---	109	2	1	1
White	---	76	1	-	1
All other	---	33	1	1	-
Black	---	33	1	1	-
Fitzgerald, total	---	109	2	1	1
White	---	76	1	-	1
All other	---	33	1	1	-
Black	---	33	1	1	-
Balance of county	---	70	1	1	2
White	---	59	-	-	2
All other	---	11	1	1	-
Black	---	11	1	1	-
Berrien	72	129	-	-	1
White	59	110	-	-	1
All other	13	19	-	-	-
Black	13	19	-	-	-
Bibb	1,766	1,428	32	26	24
White	1,102	866	14	12	9
All other	664	562	18	14	15
Black	664	562	18	14	15
Macon, part	---	1,244	28	23	20
White	---	708	11	9	6
All other	---	536	17	14	14
Black	---	536	17	14	14
Macon, total	---	1,246	28	23	20
White	---	709	11	9	6
All other	---	537	17	14	14
Black	---	537	17	14	14
Balance of county	---	184	4	3	4
White	---	158	3	3	3
All other	---	26	1	-	1
Black	---	26	1	-	1
Bleckley	76	84	1	1	3
White	60	65	1	1	1
All other	16	19	-	-	2
Black	16	19	-	-	2
Brantley	22	82	1	1	4
Brooks	157	210	8	6	3
White	114	136	1	-	1
All other	43	74	7	6	2
Black	43	74	7	6	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Bryan	8	76	2	–	2
White	5	60	2	–	1
All other	3	16	–	–	1
Black	3	16	–	–	1
Bulloch	314	310	6	4	8
White	211	215	1	–	4
All other	103	95	5	4	4
Black	102	95	5	4	4
Statesboro	---	175	5	3	4
White	---	114	1	–	2
All other	---	61	4	3	2
Black	---	61	4	3	2
Balance of county	---	135	1	1	4
White	---	101	–	–	2
All other	---	34	1	1	2
Black	---	34	1	1	2
Burke	141	191	4	2	6
White	61	77	–	–	2
All other	80	114	4	2	4
Black	80	114	4	2	4
Butts	102	134	6	5	2
White	72	92	1	1	2
All other	30	42	5	4	–
Black	30	42	5	4	–
Calhoun	81	83	1	–	2
White	41	40	–	–	1
All other	40	43	1	–	1
Black	40	43	1	–	1
Camden	61	97	5	3	3
White	41	64	4	2	2
All other	20	33	1	1	1
Black	20	33	1	1	1
Candler	153	97	–	–	–
White	100	72	–	–	–
All other	53	25	–	–	–
Black	52	25	–	–	–
Carroll	474	526	9	7	9
White	406	442	5	4	7
All other	68	84	4	3	2
Black	68	84	4	3	2
Carrollton	---	126	2	1	2
White	---	94	–	–	1
All other	---	32	2	1	1
Black	---	32	2	1	1
Balance of county	---	400	7	6	7
White	---	346	5	4	6
All other	---	52	2	2	1
Black	---	52	2	2	1
Catoosa	548	284	1	1	5
Charlton	60	58	3	2	4
White	47	44	1	–	2
All other	13	14	2	2	2
Black	13	14	2	2	2
Chatham	2,275	1,919	63	43	61
White	1,435	1,174	27	19	17
All other	840	745	36	24	44
Black	837	742	36	24	44
Savannah	---	1,599	53	37	51
White	---	885	19	14	11
All other	---	714	34	23	40
Black	---	711	34	23	40
Balance of county	---	320	10	6	10
White	---	289	8	5	6
All other	---	31	2	1	4
Black	---	31	2	1	4
Chattahoochee	149	38	5	3	1
White	108	22	1	1	1
All other	41	16	4	2	–
Black	39	15	4	2	–
Chattooga	127	203	1	1	5
Cherokee	228	342	7	4	5
Clarke	924	482	5	5	8
White	702	339	1	1	5
All other	222	143	4	4	3
Black	219	140	4	4	2
Athens	---	346	2	2	4
White	---	234	–	–	1
All other	---	112	2	2	3
Black	---	110	2	2	2
Balance of county	---	136	3	3	4
White	---	105	1	1	4
All other	---	31	2	2	–
Black	---	30	2	2	–
Clay	66	57	–	–	1
White	31	24	–	–	1
All other	35	33	–	–	–
Black	35	33	–	–	–
Clayton	686	774	26	14	24
White	631	717	22	11	17
All other	55	57	4	3	7
Black	53	54	4	3	6
College Park, part	---	22	1	–	3
White	---	17	1	–	2
All other	---	5	–	–	1
Black	---	5	–	–	1
Forest Park	---	124	4	1	6
Balance of county	---	628	21	13	15
Clinch	38	64	3	2	1
White	25	46	1	1	–
All other	13	18	2	1	1
Black	13	18	2	1	1
Cobb	1,749	1,772	44	29	53
White	1,631	1,655	37	27	44
All other	118	117	7	2	9
Black	115	114	7	2	8
Marietta	---	392	11	6	12
White	---	336	8	6	9
All other	---	56	3	–	3
Black	---	56	3	–	3
Smyrna	---	190	6	4	7
Balance of county	---	1,190	27	19	34
Coffee	217	236	3	2	5
White	169	182	3	2	2
All other	48	54	–	–	3
Black	48	54	–	–	3
Douglas	---	108	–	–	1
White	---	75	–	–	–
All other	---	33	–	–	1
Black	---	33	–	–	1
Balance of county	---	128	3	2	4
White	---	107	3	2	2
All other	---	21	–	–	2
Black	---	21	–	–	2
Colquitt	303	347	9	5	7
White	235	279	5	3	3
All other	68	68	4	2	4
Black	68	68	4	2	4
Moultrie	---	177	4	3	4
White	---	121	1	1	1
All other	---	56	3	2	3
Black	---	56	3	2	3
Balance of county	---	170	5	2	3
White	---	158	4	2	2
All other	---	12	1	–	1
Black	---	12	1	–	1
Columbia	51	257	10	7	6
White	39	209	6	4	3
All other	12	48	4	3	3
Black	12	46	4	3	3
Cook	143	129	1	1	5
White	108	100	1	1	4
All other	35	29	–	–	1
Black	35	29	–	–	1
Coweta	412	427	10	9	8
White	306	308	7	7	3
All other	106	119	3	2	5
Black	106	118	2	1	4
Newnan	---	166	3	3	5
White	---	108	3	3	1
All other	---	58	–	–	4
Black	---	58	–	–	3
Balance of county	---	261	7	6	3
White	---	200	4	4	2
All other	---	61	3	2	1
Black	---	60	2	1	1
Crawford	24	45	1	–	–
White	13	30	1	–	–
All other	11	15	–	–	–
Black	11	15	–	–	–
Crisp	198	217	7	6	8
White	137	146	5	4	2
All other	61	71	2	2	6
Black	61	71	2	2	6
Cordele	---	141	3	3	7
White	---	74	2	2	1
All other	---	67	1	1	6
Black	---	67	1	1	6
Balance of county	---	76	4	3	1
White	---	72	3	2	1
All other	---	4	1	1	–
Black	---	4	1	1	–
Dade	40	86	4	2	1
Dawson	19	64	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Decatur	210	263	7	5	9
White	127	145	3	2	1
All other	83	118	4	3	8
Black	83	118	4	3	8
Bainbridge	---	146	4	3	3
White	---	75	2	2	1
All other	---	71	2	1	2
Black	---	71	2	1	2
Balance of county	---	117	3	2	6
White	---	70	1	-	-
All other	---	47	2	2	6
Black	---	47	2	2	6
De Kalb	3,150	3,056	90	70	78
White	2,644	2,274	44	33	27
All other	506	782	46	37	51
Black	495	771	44	36	49
Atlanta, part	---	525	23	18	17
White	---	221	5	4	3
All other	---	304	18	14	14
Black	---	304	18	14	14
Decatur	---	531	20	19	21
White	---	234	7	7	4
All other	---	297	13	12	17
Black	---	295	13	12	17
Balance of county	---	2,000	47	33	40
White	---	1,819	32	22	20
All other	---	181	15	11	20
Black	---	172	13	10	18
Dodge	168	192	2	1	1
White	116	144	-	-	1
All other	52	48	2	1	-
Black	52	48	2	1	-
Dooly	112	121	2	1	4
White	62	70	1	1	2
All other	50	51	1	-	2
Black	50	51	1	-	2
Dougherty	984	777	33	25	31
White	554	416	7	5	13
All other	430	361	26	20	18
Black	430	361	26	20	18
Albany	---	697	28	22	28
White	---	346	4	3	11
All other	---	351	24	19	17
Black	---	351	24	19	17
Balance of county	---	80	5	3	3
White	---	70	3	2	2
All other	---	10	2	1	1
Black	---	10	2	1	1
Douglas	353	351	11	7	9
Early	129	161	8	6	3
White	63	87	2	2	1
All other	66	74	6	4	2
Black	66	74	6	4	2
Echols	3	10	2	-	-
White	2	8	-	-	-
All other	1	2	2	-	-
Black	1	2	2	-	-
Effingham	68	142	7	5	1
White	56	107	5	3	-
All other	12	35	2	2	1
Black	11	34	1	1	1
Elbert	144	192	3	1	8
White	106	141	1	1	5
All other	38	51	2	-	3
Black	38	51	2	-	3
Emanuel	171	224	7	6	2
White	117	157	4	4	1
All other	54	67	3	2	1
Black	54	67	3	2	1
Evans	108	91	3	3	4
White	85	63	2	2	1
All other	23	28	1	1	3
Black	23	27	1	1	3
Fannin	109	149	2	2	-
Fayette	57	204	3	-	4
Floyd	1,041	776	8	6	20
White	891	671	6	5	15
All other	150	105	2	1	5
Black	148	104	2	1	5
Rome	---	412	3	3	8
White	---	328	3	3	4
All other	---	84	-	-	4
Black	---	83	-	-	4
Balance of county	---	364	5	3	12
Forsyth	175	222	5	4	4
Franklin	144	179	2	2	4
White	125	164	2	2	2
All other	19	15	-	-	2
Black	18	14	-	-	2
Fulton	7,500	5,714	175	117	126
White	4,309	2,974	40	24	37
All other	3,191	2,740	135	93	89
Black	3,177	2,728	134	92	87
Atlanta, part	---	4,196	125	80	82
White	---	1,675	17	9	17
All other	---	2,521	108	71	65
Black	---	2,513	108	71	65
Atlanta, total	---	4,721	148	98	99
White	---	1,896	22	13	20
All other	---	2,825	126	85	79
Black	---	2,817	126	85	79
College Park, part	---	205	14	10	12
White	---	123	3	2	2
All other	---	82	11	8	10
Black	---	80	10	7	8
College Park, total	---	227	15	10	15
White	---	140	4	2	4
All other	---	87	11	8	11
Black	---	85	10	7	9
East Point	---	320	13	10	8
White	---	244	7	4	1
All other	---	76	6	6	7
Black	---	76	6	6	7
Roswell	---	137	2	2	5
Balance of county	---	856	21	15	19
White	---	798	11	7	12
All other	---	58	10	8	7
Black	---	56	10	8	7
Gilmer	62	103	3	1	-
Glascock	11	36	1	1	1
White	10	34	1	1	1
All other	1	2	-	-	-
Black	1	2	-	-	-
Glynn	592	526	14	6	10
White	406	350	5	1	2
All other	186	176	9	5	8
Black	186	176	9	5	8
Brunswick	---	264	8	3	8
White	---	132	2	-	2
All other	---	132	6	3	6
Black	---	132	6	3	6
Balance of county	---	262	6	3	2
White	---	218	3	1	-
All other	---	44	3	2	2
Black	---	44	3	2	2
Gordon	220	278	3	1	4
Grady	154	213	7	5	-
White	96	143	3	1	-
All other	58	70	4	4	-
Black	58	70	4	4	-
Greene	92	131	6	1	2
White	57	77	1	-	-
All other	35	54	5	1	2
Black	35	54	5	1	2
Gwinnett	745	976	28	21	28
Habersham	192	221	4	4	8
Hall	790	606	11	5	12
Gainesville	---	207	5	2	6
White	---	167	3	1	6
All other	---	40	2	1	-
Black	---	40	2	1	-
Balance of county	---	399	6	3	6
Hancock	49	94	5	5	1
White	11	33	-	-	-
All other	38	61	5	5	1
Black	38	61	5	5	1
Haralson	142	195	4	3	3
Harris	48	162	2	2	2
White	24	99	2	2	1
All other	24	63	-	-	1
Black	24	63	-	-	1
Hart	148	198	4	2	3
White	124	173	2	1	1
All other	24	25	2	1	2
Black	24	25	2	1	2
Heard	42	67	-	-	2
White	38	60	-	-	2
All other	4	7	-	-	-
Black	4	7	-	-	-
Henry	251	311	6	5	2
White	202	247	4	4	-
All other	49	64	2	1	2
Black	49	64	2	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Houston	419	496	12	10	23
White	338	400	6	5	14
All other	81	96	6	5	9
Black	81	95	6	5	9
Warner Robins	---	296	8	8	13
White	---	255	4	4	8
All other	---	41	4	4	5
Black	---	40	4	4	5
Balance of county	---	200	4	2	10
White	---	145	2	1	6
All other	---	55	2	1	4
Black	---	55	2	1	4
Irwin	69	103	3	2	1
White	49	79	1	1	-
All other	20	24	2	1	1
Black	20	24	2	1	1
Fitzgerald, part	---	-	-	-	-
Balance of county	---	103	3	2	1
White	---	79	1	1	-
All other	---	24	2	1	1
Black	---	24	2	1	1
Jackson	147	242	7	5	1
White	140	224	4	3	1
All other	7	18	3	2	-
Black	7	17	2	1	-
Jasper	63	85	4	4	3
White	39	45	1	1	3
All other	24	40	3	3	-
Black	24	40	3	3	-
Jeff Davis	102	101	-	-	3
White	87	92	-	-	2
All other	15	9	-	-	1
Black	15	9	-	-	1
Jefferson	133	191	7	4	-
White	70	103	-	-	-
All other	63	88	7	4	-
Black	63	88	7	4	-
Jenkins	63	86	1	-	-
White	33	49	-	-	-
All other	30	37	1	-	-
Black	30	37	1	-	-
Johnson	29	86	3	2	-
White	21	68	2	2	-
All other	8	18	1	-	-
Black	8	18	1	-	-
Jones	66	129	4	2	4
White	42	87	4	2	3
All other	24	42	-	-	1
Black	24	42	-	-	1
Macon, part	---	2	-	-	-
White	---	1	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	127	4	2	4
White	---	86	4	2	3
All other	---	41	-	-	1
Black	---	41	-	-	1
Lamar	70	112	2	1	-
White	50	78	1	-	-
All other	20	34	1	1	-
Black	20	34	1	1	-
Lanier	45	50	1	1	2
White	31	38	1	1	1
All other	14	12	-	-	1
Black	14	12	-	-	1
Laurens	621	435	7	2	3
White	439	307	3	1	3
All other	182	128	4	1	-
Black	182	128	4	1	-
Dublin	---	213	4	-	2
White	---	131	1	-	2
All other	---	82	3	-	-
Black	---	82	3	-	-
Balance of county	---	222	3	2	1
White	---	176	2	1	1
All other	---	46	1	1	-
Black	---	46	1	1	-
Lee	11	86	2	1	1
White	6	56	2	1	1
All other	5	30	-	-	-
Black	5	30	-	-	-
Liberty	165	161	14	9	16
White	95	82	7	6	7
All other	70	79	7	3	9
Black	70	79	7	3	9
Hinesville	---	52	7	5	7
White	---	34	3	3	4
All other	---	18	4	2	3
Black	---	18	4	2	3
Balance of county	---	109	7	4	9
White	---	48	4	3	3
All other	---	61	3	1	6
Black	---	61	3	1	6
Lincoln	20	53	1	-	1
White	15	35	1	-	-
All other	5	18	-	-	1
Black	5	18	-	-	1
Long	3	37	4	3	1
White	3	30	4	3	1
All other	-	7	-	-	-
Black	-	7	-	-	-
Lowndes	650	607	14	8	13
White	440	397	7	2	7
All other	210	210	7	6	6
Black	210	210	7	6	6
Valdosta	---	412	8	6	7
White	---	233	3	2	2
All other	---	179	5	4	5
Black	---	179	5	4	5
Balance of county	---	195	6	2	6
White	---	164	4	-	5
All other	---	31	2	2	1
Black	---	31	2	2	1
Lumpkin	78	86	4	2	3
McDuffie	156	168	3	2	1
White	94	105	1	1	-
All other	62	63	2	1	1
Black	62	63	2	1	1
McIntosh	35	80	3	2	1
White	22	52	1	1	1
All other	13	28	2	1	-
Black	13	28	2	1	-
Macon	141	141	2	2	3
White	72	71	-	-	-
All other	69	70	2	2	3
Black	69	70	2	2	3
Madison	23	101	1	1	2
White	18	86	-	-	2
All other	5	15	1	1	-
Black	5	15	1	1	-
Marion	31	62	2	2	1
White	14	32	1	1	-
All other	17	30	1	1	1
Black	17	30	1	1	1
Meriwether	137	225	5	4	1
White	89	123	3	2	-
All other	48	102	2	2	1
Black	48	102	2	2	1
Miller	92	77	4	1	-
White	76	64	1	-	-
All other	16	13	3	1	-
Black	16	13	3	1	-
Mitchell	125	173	5	3	4
White	81	107	1	-	-
All other	44	66	4	3	4
Black	44	66	4	3	4
Monroe	155	127	-	-	-
White	120	89	-	-	-
All other	35	38	-	-	-
Black	35	38	-	-	-
Montgomery	8	69	-	-	3
White	6	53	-	-	3
All other	2	16	-	-	-
Black	2	16	-	-	-
Vidalia, part	---	6	-	-	-
Balance of county	---	63	-	-	3
White	---	49	-	-	3
All other	---	14	-	-	-
Black	---	14	-	-	-
Morgan	58	114	2	2	2
White	35	68	2	2	1
All other	23	46	-	-	1
Black	23	46	-	-	1
Murray	82	130	3	2	3
Muscogee	1,761	1,610	49	35	37
White	1,135	1,065	26	15	18
All other	626	545	23	20	19
Black	624	542	23	20	19
Columbus	---	1,573	44	34	34
White	---	1,039	22	15	17
All other	---	534	22	19	17
Black	---	532	22	19	17
Balance of county	---	37	5	1	3
Newton	228	277	8	4	14
White	168	209	5	3	8
All other	60	68	3	1	6
Black	60	68	3	1	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Covington	---	118	4	1	4
White	---	75	1	-	1
All other	---	43	3	1	3
Black	---	43	3	1	3
Balance of county	---	159	4	3	10
White	---	134	4	3	7
All other	---	25	-	-	3
Black	---	25	-	-	3
Oconee	23	87	1	-	4
White	22	80	-	-	3
All other	1	7	1	-	1
Black	1	7	1	-	1
Oglethorpe	6	64	3	3	-
White	6	46	1	1	-
All other	-	18	2	2	-
Black	-	18	2	2	-
Paulding	158	231	7	7	1
Peach	177	208	6	5	3
White	92	103	1	1	-
All other	85	105	5	4	3
Black	85	105	5	4	3
Pickens	95	120	4	3	3
Pierce	68	108	2	1	1
White	54	85	-	-	1
All other	14	23	2	1	-
Black	14	23	2	1	-
Pike	29	87	-	-	3
White	25	69	-	-	1
All other	4	18	-	-	2
Black	4	18	-	-	2
Polk	228	360	5	5	11
White	185	303	3	3	7
All other	43	57	2	2	4
Black	43	57	2	2	4
Pulaski	130	114	1	1	-
White	89	75	1	1	-
All other	41	39	-	-	-
Black	41	39	-	-	-
Putnam	109	104	4	3	1
White	66	65	1	1	-
All other	43	39	3	2	1
Black	43	39	3	2	1
Quitman	11	32	-	-	1
White	4	15	-	-	-
All other	7	17	-	-	1
Black	7	17	-	-	1
Rabun	108	101	1	1	-
Randolph	89	113	2	1	4
White	37	48	-	-	1
All other	52	65	2	1	3
Black	52	65	2	1	3
Richmond	3,141	1,559	45	28	50
White	2,056	972	18	10	19
All other	1,085	587	27	18	31
Black	1,074	581	26	18	30
Augusta	---	773	20	15	17
White	---	391	4	3	2
All other	---	382	16	12	15
Black	---	381	16	12	15
Balance of county	---	786	25	13	33
White	---	581	14	7	17
All other	---	205	11	6	16
Black	---	200	10	6	15
Rockdale	253	260	6	3	12
Schley	5	24	2	1	1
White	3	11	-	-	-
All other	2	13	2	1	1
Black	2	13	2	1	1
Screven	113	149	4	3	-
White	62	84	1	1	-
All other	51	65	3	2	-
Black	51	65	3	2	-
Seminole	72	88	2	1	1
White	38	59	-	-	-
All other	34	29	2	1	1
Black	34	29	2	1	1
Spalding	454	456	10	10	10
White	332	331	2	2	9
All other	122	125	8	8	1
Black	121	124	7	7	1
Griffin	---	287	5	5	5
White	---	196	-	-	5
All other	---	91	5	5	-
Black	---	90	4	4	-
Balance of county	---	169	5	5	5
White	---	135	2	2	4
All other	---	34	3	3	1
Black	---	34	3	3	1
Stephens	217	217	6	4	5
White	190	190	5	4	5
All other	27	27	1	-	-
Black	27	27	1	-	-
Stewart	39	58	2	2	-
White	13	15	-	-	-
All other	26	43	2	2	-
Black	26	43	2	2	-
Sumter	346	330	6	4	4
White	210	193	4	2	1
All other	136	137	2	2	3
Black	136	137	2	2	3
Americus	---	201	4	3	1
White	---	117	2	1	-
All other	---	84	2	2	1
Black	---	84	2	2	1
Balance of county	---	129	2	1	3
White	---	76	2	1	1
All other	---	53	-	-	2
Black	---	53	-	-	2
Talbot	32	84	2	1	-
White	11	36	1	-	-
All other	21	48	1	1	-
Black	21	48	1	1	-
Taliaferro	3	34	-	-	-
White	2	12	-	-	-
All other	1	22	-	-	-
Black	1	22	-	-	-
Tattnall	100	179	4	3	1
White	69	134	3	2	-
All other	31	45	1	1	1
Black	31	45	1	1	1
Taylor	27	76	4	2	2
White	14	42	1	1	-
All other	13	34	3	1	2
Black	13	34	3	1	2
Telfair	116	162	3	2	-
White	96	130	2	2	-
All other	20	32	1	-	-
Black	20	32	1	-	-
Terrell	87	119	4	1	4
White	35	57	-	-	1
All other	52	62	4	1	3
Black	52	62	4	1	3
Thomas	447	361	11	6	7
White	276	224	4	3	2
All other	171	137	7	3	5
Black	171	137	7	3	5
Thomasville	---	195	6	3	3
White	---	100	3	2	-
All other	---	95	3	1	3
Black	---	95	3	1	3
Balance of county	---	166	5	3	4
White	---	124	1	1	2
All other	---	42	4	2	2
Black	---	42	4	2	2
Tift	312	232	4	2	2
White	238	162	1	-	2
All other	74	70	3	2	-
Black	74	70	3	2	-
Tifton	---	113	-	-	-
White	---	91	-	-	-
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	119	4	2	2
White	---	71	1	-	2
All other	---	48	3	2	-
Black	---	48	3	2	-
Toombs	209	220	4	2	11
White	165	160	2	-	8
All other	44	60	2	2	3
Black	44	60	2	2	3
Vidalia, part	---	107	2	1	3
White	---	70	1	-	1
All other	---	37	1	1	2
Black	---	37	1	1	2
Vidalia, total	---	113	2	1	3
White	---	74	1	-	1
All other	---	39	1	1	2
Black	---	39	1	1	2
Balance of county	---	113	2	1	8
White	---	90	1	-	7
All other	---	23	1	1	1
Black	---	23	1	1	1
Towns	58	57	1	1	1
Treutlen	16	67	1	-	1
White	11	52	-	-	-
All other	5	15	1	-	1
Black	5	15	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Troup	603	553	11	9	13
White	396	372	7	5	8
All other	207	181	4	4	5
Black	207	181	4	4	5
La Grange	---	337	8	7	7
White	---	200	4	3	4
All other	---	137	4	4	3
Black	---	137	4	4	3
Balance of county	---	216	3	2	6
White	---	172	3	2	4
All other	---	44	-	-	2
Black	---	44	-	-	2
Turner	77	113	1	-	2
White	50	83	-	-	1
All other	27	30	1	-	1
Black	27	30	1	-	1
Twiggs	40	86	2	1	1
White	17	48	-	-	-
All other	23	38	2	1	1
Black	23	38	2	1	1
Union	114	115	2	2	1
Upson	349	299	6	3	4
White	234	210	2	1	1
All other	115	89	4	2	3
Black	115	89	4	2	3
Walker	116	498	7	4	8
Walton	179	271	4	2	8
White	140	210	1	1	7
All other	39	61	3	1	1
Black	39	61	3	1	1
Ware	397	332	10	8	8
White	311	245	6	5	6
All other	86	87	4	3	2
Black	86	87	4	3	2
Waycross	---	211	7	6	5
White	---	132	4	4	3
All other	---	79	3	2	2
Black	---	79	3	2	2
Balance of county	---	121	3	2	3
Warren	14	81	3	2	2
White	8	39	-	-	-
All other	6	42	3	2	2
Black	6	42	3	2	2
Washington	165	204	2	2	3
White	101	117	1	1	-
All other	64	87	1	1	3
Black	64	87	1	1	3
Wayne	236	229	1	1	2
White	178	185	1	1	1
All other	58	44	-	-	1
Black	57	44	-	-	1
Webster	8	30	1	1	-
White	3	14	-	-	-
All other	5	16	1	1	-
Black	5	16	1	1	-
Wheeler	62	57	-	-	1
White	39	41	-	-	-
All other	23	16	-	-	1
Black	23	16	-	-	1
White	22	92	3	2	-
Whitfield	554	518	13	5	7
Dalton	---	228	7	4	4
White	---	205	6	3	3
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	290	6	1	3
Wilcox	44	91	2	2	1
White	29	58	-	-	1
All other	15	33	2	2	-
Black	15	33	2	2	-
Wilkes	131	132	1	1	-
White	74	77	-	-	-
All other	57	55	1	1	-
Black	57	55	1	1	-
Wilkinson	28	95	1	-	3
White	18	59	-	-	1
All other	10	36	1	-	2
Black	10	36	1	-	2
Worth	91	144	2	1	2
White	55	87	-	-	1
All other	36	57	2	1	1
Black	36	57	2	1	1
Hawaii	5,942	5,640	185	122	147
White	1,990	1,777	36	24	32
All other	3,952	3,863	149	98	115
Black	65	53	15	7	10

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Hawaii-Con.					
Hawaii	636	717	22	13	23
White	231	243	4	4	4
All other	405	474	18	9	19
Black	5	5	-	-	-
Hilo#	---	285	8	3	12
White	---	83	-	-	2
All other	---	202	8	3	10
Black	---	-	-	-	-
Balance of county	---	432	14	10	11
White	---	160	4	4	2
All other	---	272	10	6	9
Black	---	5	-	-	-
Honolulu	4,586	4,168	141	90	96
White	1,517	1,315	28	16	20
All other	3,069	2,853	113	74	76
Black	57	45	15	7	10
Aiea#	---	149	12	8	4
White	---	44	4	2	1
All other	---	105	8	6	3
Black	---	4	2	1	-
Ewa Beach#	---	101	7	5	9
White	---	29	1	-	1
All other	---	72	6	5	8
Black	---	2	-	-	2
Honolulu#	---	2,468	60	36	42
White	---	789	10	6	11
All other	---	1,679	50	30	31
Black	---	23	7	2	-
Kailua#	---	208	9	6	1
White	---	116	-	-	1
All other	---	92	9	6	-
Black	---	2	1	1	-
Kaneohe#	---	252	2	1	5
White	---	100	-	-	2
All other	---	152	2	1	3
Black	---	1	-	-	-
Mililani Town#	---	50	6	4	2
White	---	18	1	-	1
All other	---	32	5	4	1
Black	---	1	-	-	-
Mokapu# [5]	---	-	-	-	1
White	---	-	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Pearl City#	---	143	3	1	5
White	---	25	-	-	-
All other	---	118	3	1	5
Black	---	-	-	-	-
Schofield Barracks#	---	14	3	2	2
White	---	12	3	2	-
All other	---	2	-	-	2
Black	---	1	-	-	2
Wahiawa#	---	140	7	3	3
White	---	26	3	1	1
All other	---	114	4	2	2
Black	---	3	2	1	2
Waipahu#	---	137	3	2	4
White	---	25	1	1	-
All other	---	112	2	1	4
Black	---	1	-	-	1
Balance of county [5]	---	506	29	22	18
White	---	131	5	4	1
All other	---	375	24	18	17
Black	---	7	3	2	3
Kalawao	6	7	-	-	-
White	-	1	-	-	-
All other	6	6	-	-	-
Black	-	-	-	-	-
Kauai	266	278	7	5	7
White	83	75	-	-	-
All other	183	203	7	5	7
Black	1	1	-	-	-
Maui	448	470	15	14	21
White	159	143	4	4	8
All other	289	327	11	10	13
Black	2	2	-	-	-
Kahului#	---	88	2	2	3
White	---	17	-	-	1
All other	---	71	2	2	2
Black	---	-	-	-	-
Wailuku#	---	84	3	3	1
White	---	23	-	-	-
All other	---	61	3	3	1
Black	---	-	-	-	-
Balance of county	---	298	10	9	17
White	---	103	4	4	7
All other	---	195	6	5	10
Black	---	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho	6,898	7,251	176	91	139
White	6,792	7,141	171	87	128
All other	106	110	5	4	11
Black	17	16	1	1	1
Ada	1,418	1,177	31	14	25
Boise City	---	909	19	7	22
Balance of county	---	268	12	7	3
Adams	25	32	-	-	-
Bannock	467	441	13	6	9
Pocatello	---	347	11	5	8
Balance of county	---	94	2	1	1
Bear Lake	38	51	1	1	2
Benewah	63	85	2	-	1
Bingham	140	220	5	3	4
Blackfoot	---	79	2	-	1
Balance of county	---	141	3	3	3
White	---	124	3	3	3
All other	---	17	-	-	-
Black	---	-	-	-	-
Blaine	43	38	2	2	-
Boise	13	21	-	-	-
Bonner	168	212	4	3	4
Bonneville	545	427	17	10	14
Idaho Falls	---	345	12	6	9
Balance of county	---	82	5	4	5
Boundary	48	65	3	1	2
Butte	23	18	-	-	-
Camas	6	7	-	-	-
Canyon	719	769	23	8	6
Caldwell	---	196	9	2	1
White	---	196	9	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Nampa	---	319	10	5	3
Balance of county	---	254	4	1	2
Caribou	44	46	6	1	3
Cassia	160	148	2	1	3
Clark	3	7	-	-	-
Clearwater	62	81	1	1	-
Custer	24	39	1	-	1
Elmore	80	100	3	1	5
Franklin	60	82	3	1	1
Fremont	72	95	1	1	-
Gem	96	120	-	-	1
Gooding	69	105	1	-	4
Idaho	109	118	1	-	1
Jefferson	46	107	8	6	3
Jerome	93	117	1	1	3
Kootenai	489	534	9	6	10
Coeur d'Alene	---	289	5	3	3
Balance of county	---	245	4	3	7
Latah	163	180	4	2	3
Moscow	---	93	2	1	1
Balance of county	---	87	2	1	2
Lemhi	58	66	-	-	1
Lewis	12	38	1	1	-
Lincoln	26	42	-	-	-
Madison	71	76	7	5	8
Rexburg	---	38	4	4	4
Balance of county	---	38	3	1	4
Minidoka	90	136	6	4	3
Nez Perce	358	329	5	4	5
Lewiston	---	280	5	4	3
Balance of county	---	49	-	-	2
White	---	37	-	-	2
All other	---	12	-	-	-
Black	---	-	-	-	-
Oneida	24	27	-	-	-
Owyhee	42	74	1	1	2
Payette	82	156	2	1	2
Power	35	43	2	2	1
Shoshone	149	169	-	-	1
Teton	22	29	2	2	-
Twin Falls	497	472	5	1	10
Twin Falls	---	261	2	-	4
Balance of county	---	211	3	1	6
Valley	71	56	3	1	1
Washington	75	96	-	-	-
Illinois	98,197	100,911	2,161	1,447	1,482
White	84,438	86,933	1,297	906	960
All other	13,759	13,978	864	541	522
Black	13,391	13,603	847	532	498

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Adams	932	840	11	4	8
Quincy	---	616	10	4	6
Balance of county	---	224	1	-	2
Alexander	97	164	2	2	-
White	60	118	-	-	-
All other	37	46	2	2	-
Black	37	46	2	2	-
Bond	144	173	1	-	2
Boone	221	253	5	4	3
Belvidere	---	170	3	3	3
Balance of county	---	83	2	1	-
Brown	22	75	-	-	-
Bureau	426	408	5	2	4
Calhoun	27	78	-	-	1
Carroll	128	205	3	2	-
Cass	107	152	-	-	3
Champaign	1,188	913	27	19	19
White	1,105	829	16	11	13
All other	83	84	11	8	6
Black	81	83	11	8	6
Champaign	---	340	11	7	8
White	---	278	5	3	5
All other	---	62	6	4	3
Black	---	61	6	4	3
Rantoul	---	64	4	4	1
White	---	59	2	2	1
All other	---	5	2	2	-
Black	---	5	2	2	-
Urbana	---	232	5	4	4
White	---	218	3	3	2
All other	---	14	2	1	2
Black	---	14	2	1	2
Balance of county	---	277	7	4	6
Christian	329	412	4	4	3
Taylorville	---	167	2	2	1
Balance of county	---	245	2	2	2
Clark	103	212	2	1	3
Clay	165	217	3	2	2
Clinton	186	288	1	1	1
Centralia, part	---	44	-	-	-
Balance of county	---	244	1	1	1
Coles	490	475	10	7	2
Charleston	---	142	5	3	-
Mattoon	---	247	3	2	2
Balance of county	---	86	2	2	-
Cook	46,940	47,506	1,192	784	764
White	35,482	36,007	513	361	357
All other	11,458	11,499	679	423	407
Black	11,178	11,213	671	418	394
Alsip	---	85	2	2	-
Arlington Heights, part	---	510	9	6	8
Arlington Heights, total	---	510	9	6	8
Bartlett, part	---	27	1	-	-
Bellwood	---	143	3	3	-
White	---	112	1	1	-
All other	---	31	2	2	-
Black	---	31	2	2	-
Bensenville, part	---	6	-	-	-
Berwyn	---	626	3	2	4
Blue Island	---	234	5	2	2
White	---	223	4	2	1
All other	---	11	1	-	1
Black	---	11	1	-	1
Bridgeview	---	153	3	1	1
Brookfield	---	176	2	1	1
Buffalo Grove, part	---	79	5	5	1
Buffalo Grove, total	---	93	6	6	1
Burbank	---	229	3	3	1
Calumet City	---	361	5	3	3
Chicago, part	---	28,834	887	559	551
White	---	18,368	289	198	191
All other	---	10,466	598	361	360
Black	---	10,234	591	357	352
Chicago, total	---	28,834	887	559	551
White	---	18,368	289	198	191
All other	---	10,466	598	361	360
Black	---	10,234	591	357	352
Chicago Heights	---	325	12	8	6
White	---	241	2	2	4
All other	---	84	10	6	2
Black	---	83	10	6	2
Chicago Ridge	---	124	1	-	1
Cicero	---	749	9	5	2
Country Club Hills	---	57	1	1	1
White	---	48	-	-	1
All other	---	9	1	1	-
Black	---	9	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Crestwood	---	115	3	3	-
Deerfield, part	---	2	-	-	-
Des Plaines	---	658	5	4	10
Dolton	---	215	-	-	-
Elgin, part	---	52	4	3	-
White	---	50	4	3	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Elk Grove Village, part	---	118	5	5	3
Elk Grove Village, total	---	118	5	5	3
Elmwood Park	---	307	4	4	4
Evanston	---	698	17	14	4
White	---	582	8	7	2
All other	---	116	9	7	2
Black	---	114	9	7	2
Evergreen Park	---	304	1	-	3
Forest Park	---	186	1	1	1
White	---	185	1	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Franklin Park	---	173	4	1	1
Glenview	---	343	4	3	3
Glenwood	---	99	3	3	1
White	---	93	3	3	-
All other	---	6	-	-	1
Black	---	6	-	-	1
Hanover Park, part	---	76	4	3	5
Hanover Park, total	---	93	5	4	6
Harvey	---	307	12	8	8
White	---	130	1	1	2
All other	---	177	11	7	6
Black	---	177	11	7	6
Hazel Crest	---	118	5	5	3
White	---	108	-	-	2
All other	---	10	5	5	1
Black	---	10	5	5	1
Hickory Hills	---	97	3	2	2
Hinsdale, part	---	18	-	-	-
Hoffman Estates	---	135	1	1	3
Homewood	---	203	3	3	3
Justice	---	78	1	1	1
White	---	73	-	-	1
All other	---	5	1	1	-
Black	---	5	1	1	-
La Grange	---	169	3	2	-
La Grange Park	---	142	1	1	2
Lansing	---	207	5	5	2
Lincolnwood	---	100	-	-	2
Markham	---	90	4	4	5
White	---	26	1	1	2
All other	---	64	3	3	3
Black	---	64	3	3	3
Matteson	---	80	2	-	-
White	---	76	2	-	-
All other	---	4	-	-	-
Black	---	4	-	-	-
Maywood	---	188	9	7	2
White	---	74	1	1	-
All other	---	114	8	6	2
Black	---	114	8	6	2
Melrose Park	---	208	4	3	1
Midlothian	---	118	2	2	1
Morton Grove	---	176	-	-	-
Mount Prospect	---	334	-	-	8
Niles	---	418	4	-	1
Norridge	---	211	1	-	-
Northbrook	---	296	4	3	3
Northlake	---	159	3	1	-
Oak Forest	---	134	1	1	1
Oak Lawn	---	637	1	1	10
Oak Park	---	464	7	6	5
White	---	453	4	3	1
All other	---	11	3	3	4
Black	---	10	3	3	4
Orland Park	---	152	6	6	1
Palatine	---	224	4	3	6
Palos Heights	---	128	1	1	-
Palos Hills	---	138	2	2	1
Park Forest, part	---	150	10	8	3
White	---	135	8	7	1
All other	---	15	2	1	2
Black	---	15	2	1	2
Park Forest, total	---	160	10	8	3
White	---	144	8	7	1
All other	---	16	2	1	2
Black	---	16	2	1	2
Park Ridge	---	360	1	-	1
Prospect Heights	---	48	1	-	-
Riverdale	---	154	1	1	2
River Forest	---	103	2	-	1
River Grove	---	102	3	1	-
Rolling Meadows	---	85	-	-	2
Roselle, part	---	12	-	-	-
Sauk Village	---	44	4	3	2
Schaumburg, part	---	262	10	7	6
Schaumburg, total	---	267	10	7	6
Schiller Park	---	73	2	1	3
Skokie	---	597	6	5	6
South Holland	---	214	-	-	2
Streamwood	---	78	4	3	2
Summit	---	76	-	-	-
White	---	60	-	-	-
All other	---	16	-	-	-
Black	---	16	-	-	-
Tinley Park, part	---	184	2	-	3
Tinley Park, total	---	184	2	-	3
Westchester	---	156	1	1	-
Western Springs	---	83	-	-	-
Wheeling, part	---	141	2	2	2
Wheeling, total	---	141	2	2	2
Wilmette	---	233	1	1	-
Winnetka	---	75	-	-	-
Worth	---	108	-	-	3
Balance of county	---	2,375	47	38	38
White	---	2,166	30	22	27
All other	---	209	17	16	11
Black	---	204	17	16	11
Crawford	174	233	1	-	5
Cumberland	49	112	-	-	-
De Kalb	527	539	13	9	9
De Kalb	---	153	5	3	3
Balance of county	---	386	8	6	6
De Witt	120	185	5	2	2
Douglas	146	213	2	2	-
Du Page	4,081	4,103	90	66	81
White	4,015	4,042	85	62	74
All other	66	61	5	4	7
Black	44	29	-	-	2
Addison	---	116	3	2	5
Aurora, part	---	8	1	1	-
Bartlett, part	---	21	-	-	-
Bartlett, total	---	48	1	-	-
Batavia, part	---	-	-	-	-
Bensenville, part	---	161	1	1	3
Bensenville, total	---	167	1	1	3
Bloomingdale	---	98	1	1	4
Bolingbrook, part	---	4	-	-	-
White	---	3	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Carol Stream	---	70	6	4	8
Chicago, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Darien	---	75	1	1	3
Downers Grove	---	357	11	9	7
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	379	3	2	5
Glendale Heights	---	70	1	-	1
White	---	68	1	-	1
All other	---	2	-	-	-
Black	---	-	-	-	-
Glen Ellyn	---	155	2	1	2
Hanover Park, part	---	17	1	1	1
Hinsdale, part	---	130	-	-	-
Hinsdale, total	---	148	-	-	-
Lisle	---	103	4	3	1
Lombard	---	251	3	2	3
Naperville, part	---	313	2	2	3
Naperville, total	---	315	2	2	4
Roselle, part	---	62	3	2	2
Roselle, total	---	74	3	2	2
St. Charles, part	---	-	-	-	-
Schaumburg, part	---	5	-	-	-
Villa Park	---	172	4	4	4
West Chicago	---	109	5	3	1
White	---	109	5	3	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Westmont	---	173	5	4	2
Wheaton	---	306	7	4	3
Wood Dale	---	90	3	3	-
Woodridge	---	70	6	4	8
Balance of county	---	788	17	12	15
Edgar	230	267	1	1	2
Edwards	20	79	-	-	2
Effingham	350	295	6	6	2
Effingham	---	158	3	3	2
Balance of county	---	137	3	3	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Fayette	205	262	1	–	3
Ford	172	176	1	1	–
Franklin	437	566	7	6	2
Fulton	359	452	5	2	5
Canton	---	178	2	–	2
Balance of county	---	274	3	2	3
Gallatin	32	95	–	–	–
Greene	155	222	–	–	1
Grundy	213	240	7	5	4
Hamilton	67	94	1	–	1
Hancock	196	271	4	3	2
Hardin	54	67	–	–	1
Henderson	26	88	–	–	–
Henry	448	561	10	5	9
Kewanee	---	215	4	3	2
Balance of county	---	346	6	2	7
Iroquois	264	365	2	1	3
Jackson	541	499	9	6	9
White	481	443	6	4	6
All other	60	56	3	2	3
Black	58	55	3	2	3
Carbondale	---	152	3	2	4
White	---	112	1	1	2
All other	---	40	2	1	2
Black	---	39	2	1	2
Balance of county	---	347	6	4	5
Jasper	40	114	2	2	–
Jefferson	413	399	9	7	4
Mount Vernon	---	233	5	4	1
Balance of county	---	166	4	3	3
Jersey	185	180	2	1	3
Jo Daviess	120	218	1	1	1
Johnson	35	100	–	–	2
Kane	2,492	2,142	65	47	33
White	2,409	2,055	59	45	29
All other	83	87	6	2	4
Black	74	80	6	2	3
Aurora, part	---	757	28	20	11
White	---	702	22	18	10
All other	---	55	6	2	1
Black	---	52	6	2	1
Aurora, total	---	765	29	21	11
White	---	709	23	19	10
All other	---	56	6	2	1
Black	---	53	6	2	1
Batavia, part	---	146	3	2	1
Batavia, total	---	146	3	2	1
Carpentersville	---	129	8	6	3
Elgin, part	---	501	16	13	9
White	---	483	16	13	6
All other	---	18	–	–	3
Black	---	17	–	–	2
Elgin, total	---	553	20	16	9
White	---	533	20	16	6
All other	---	20	–	–	3
Black	---	19	–	–	2
St. Charles, part	---	124	2	1	1
St. Charles, total	---	124	2	1	1
Balance of county	---	485	8	5	8
Kankakee	912	904	21	13	15
White	791	778	9	6	7
All other	121	126	12	7	8
Black	119	124	12	7	8
Bourbonnais	---	83	1	–	3
Bradley	---	98	–	–	2
Kankakee	---	337	13	9	6
White	---	286	4	3	2
All other	---	51	9	6	4
Black	---	50	9	6	4
Balance of county	---	386	7	4	4
White	---	317	4	3	1
All other	---	69	3	1	3
Black	---	69	3	1	3
Kendall	118	230	6	5	5
Knox	722	656	2	–	7
Galesburg	---	400	2	–	4
Balance of county	---	256	–	–	3
Lake	3,101	2,874	68	48	44
White	2,909	2,683	54	42	35
All other	192	191	14	6	9
Black	181	184	13	6	9
Arlington Heights, part	---	–	–	–	–
Buffalo Grove, part	---	14	1	1	–
Deerfield, part	---	115	2	2	–
Deerfield, total	---	117	2	2	–
Highland Park	---	188	3	3	1
Lake Forest	---	121	3	2	1
Libertyville	---	154	–	–	–
Mundelein	---	78	4	4	2
North Chicago	---	130	6	3	3
White	---	70	2	1	–
All other	---	60	4	2	3
Black	---	60	4	2	3
Round Lake Beach	---	65	3	–	3
Waukegan	---	550	21	13	9
White	---	461	11	9	5
All other	---	89	10	4	4
Black	---	85	9	4	4
Wheeling, part	---	–	–	–	–
Zion	---	187	7	5	3
White	---	163	7	5	2
All other	---	24	–	–	1
Black	---	24	–	–	1
Balance of county	---	1,272	18	15	22
La Salle	1,080	1,154	13	12	12
La Salle	---	142	2	1	2
Ottawa	---	215	3	3	1
Peru	---	129	2	2	1
Streator, part	---	203	1	1	–
Streator, total	---	203	1	1	–
Balance of county	---	465	5	5	8
Lawrence	200	252	1	1	1
Lee	302	346	4	2	2
Dixon	---	168	2	–	–
Balance of county	---	178	2	2	2
Livingston	331	391	3	3	10
Pontiac	---	115	3	3	3
White	---	114	3	3	3
All other	---	1	–	–	–
Black	---	1	–	–	–
Streator, part	---	–	–	–	–
Balance of county	---	276	–	–	7
Logan	324	359	2	2	4
Lincoln	---	194	2	2	2
Balance of county	---	165	–	–	2
McDonough	321	324	3	2	2
Macomb	---	156	1	1	1
Balance of county	---	168	2	1	1
McHenry	886	1,148	22	14	27
Crystal Lake	---	175	3	3	4
McHenry	---	169	–	–	2
Woodstock	---	133	5	3	4
Balance of county	---	671	14	8	17
McLean	883	928	17	12	11
Bloomington	---	474	8	6	7
Normal	---	164	5	2	2
Balance of county	---	290	4	4	2
Macon	1,304	1,154	25	16	12
White	1,226	1,068	18	10	8
All other	78	86	7	6	4
Black	77	85	7	6	4
Decatur	---	979	19	13	8
White	---	893	12	7	4
All other	---	88	7	6	4
Black	---	85	7	6	4
Balance of county	---	175	6	3	4
Macoupin	323	558	9	8	7
Madison	2,070	2,290	29	23	28
White	1,953	2,168	20	15	26
All other	117	122	9	8	2
Black	113	119	9	8	2
Alton	---	395	8	7	2
White	---	338	2	2	1
All other	---	57	6	5	1
Black	---	56	6	5	1
Collinsville, part	---	229	–	–	2
Collinsville, total	---	242	–	–	2
Edwardsville	---	163	–	–	1
Granite City	---	352	5	5	2
Wood River	---	115	3	1	1
Balance of county	---	1,036	13	10	20
Marion	505	511	14	10	4
Centralia, part	---	223	7	6	1
White	---	194	6	5	1
All other	---	29	1	1	–
Black	---	27	1	1	–
Centralia, total	---	267	7	6	1
White	---	235	6	5	1
All other	---	32	1	1	–
Black	---	30	1	1	–
Balance of county	---	288	7	4	3
Marshall	61	130	1	–	–
Mason	94	167	1	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Massac	159	195	–	–	1
Menard	78	134	3	3	2
Mercer	120	182	3	3	–
Monroe	99	209	1	1	3
Montgomery	413	390	6	4	5
Morgan	466	416	5	2	5
Jacksonville	– – –	296	4	2	3
Balance of county	– – –	120	1	–	2
Moultrie	94	147	2	1	2
Ogle	263	408	9	6	4
Peoria	2,373	1,763	28	21	19
White	2,271	1,660	19	13	11
All other	102	103	9	8	8
Black	102	103	9	8	8
Pekin, part	– – –	–	–	–	–
Peoria	– – –	1,146	21	17	15
White	– – –	1,044	12	9	8
All other	– – –	102	9	8	7
Black	– – –	102	9	8	7
Balance of county	– – –	617	7	4	4
Perry	222	257	1	1	6
Piatt	74	137	2	1	1
Pike	170	232	3	2	1
Pope	13	54	1	1	–
Pulaski	15	114	4	4	2
White	8	74	3	3	2
All other	7	40	1	1	–
Black	7	40	1	1	–
Putnam	11	60	–	–	1
Randolph	402	363	5	3	1
Richland	276	196	2	–	–
Rock Island	1,532	1,451	23	19	14
White	1,484	1,397	22	13	12
All other	48	54	1	–	2
Black	47	53	1	–	2
East Moline	– – –	191	6	5	1
White	– – –	178	6	5	1
All other	– – –	13	–	–	–
Black	– – –	13	–	–	–
Moline	– – –	423	–	–	2
Rock Island	– – –	493	5	3	4
White	– – –	453	4	3	2
All other	– – –	40	1	–	2
Black	– – –	39	1	–	2
Balance of county	– – –	344	12	5	7
St. Clair	2,437	2,521	79	47	59
White	1,853	1,815	34	20	28
All other	584	706	45	27	31
Black	579	703	45	27	30
Belleville	– – –	582	12	7	6
Cahokia	– – –	148	3	–	2
Collinsville, part	– – –	13	–	–	–
East St. Louis	– – –	602	34	19	27
White	– – –	65	–	–	–
All other	– – –	537	34	19	27
Black	– – –	537	34	19	27
Fairview Heights	– – –	98	1	1	2
O'Fallon	– – –	107	1	1	3
Balance of county	– – –	971	28	19	19
White	– – –	821	18	12	15
All other	– – –	150	10	7	4
Black	– – –	148	10	7	3
Saline	472	462	7	3	3
Harrisburg	– – –	184	2	1	1
Balance of county	– – –	278	5	2	2
Sangamon	2,267	1,668	34	24	23
White	2,154	1,565	27	20	19
All other	113	103	7	4	4
Black	110	102	6	4	4
Springfield	– – –	1,213	27	18	15
White	– – –	1,110	20	14	11
All other	– – –	103	7	4	4
Black	– – –	102	6	4	4
Balance of county	– – –	455	7	6	8
Schuyler	111	80	–	–	–
Scott	24	72	–	–	–
Shelby	154	262	4	3	2
Stark	51	96	4	4	1
Stephenson	440	466	5	3	3
Freeport	– – –	297	3	1	3
White	– – –	283	2	1	2
All other	– – –	14	1	–	1
Black	– – –	14	1	–	1
Balance of county	– – –	169	2	2	–
Tazewell	688	1,024	30	21	13
East Peoria	– – –	192	6	5	1
Morton	– – –	120	2	2	3
Pekin, part	– – –	347	9	6	2
Pekin, total	– – –	347	9	6	2
Washington	– – –	83	7	3	–
Balance of county	– – –	282	6	5	7
Union	182	179	1	1	2
Vermilion	1,170	911	13	8	12
Danville	– – –	467	11	7	6
White	– – –	422	6	3	4
All other	– – –	45	5	4	2
Black	– – –	45	5	4	2
Balance of county	– – –	444	2	1	6
Wabash	158	143	1	–	–
Warren	192	226	2	1	3
Monmouth	– – –	128	2	1	2
Balance of county	– – –	98	–	–	1
Washington	136	176	2	2	3
Wayne	147	223	3	2	–
White	184	244	3	1	4
Whiteside	459	638	12	8	8
Rock Falls	– – –	88	2	1	3
Sterling	– – –	160	7	5	1
Balance of county	– – –	290	3	2	4
Will	1,795	2,124	66	44	54
White	1,666	1,967	43	31	41
All other	129	157	23	13	13
Black	123	153	22	13	11
Bolingbrook, part	– – –	113	8	6	11
White	– – –	105	7	5	8
All other	– – –	8	1	1	3
Black	– – –	7	1	1	1
Bolingbrook, total	– – –	117	8	6	11
White	– – –	108	7	5	8
All other	– – –	9	1	1	3
Black	– – –	8	1	1	1
Joliet	– – –	836	30	17	19
White	– – –	734	13	9	11
All other	– – –	102	17	8	8
Black	– – –	100	16	8	8
Naperville, part	– – –	2	–	–	1
Park Forest, part	– – –	10	–	–	–
White	– – –	9	–	–	–
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Romeoville	– – –	54	3	2	1
Tinley Park, part	– – –	–	–	–	–
Balance of county	– – –	1,109	25	19	22
White	– – –	1,063	20	15	20
All other	– – –	46	5	4	2
Black	– – –	45	5	4	2
Williamson	711	625	7	5	10
Herrin	– – –	138	1	1	2
Marion	– – –	168	1	1	2
Balance of county	– – –	319	5	3	6
Winnebago	2,264	1,982	36	26	20
White	2,140	1,858	23	15	18
All other	124	124	13	11	2
Black	116	119	13	11	2
Loves Park	– – –	76	1	1	1
Rockford	– – –	1,360	23	18	11
White	– – –	1,253	12	9	9
All other	– – –	107	11	9	2
Black	– – –	104	11	9	2
Balance of county	– – –	546	12	7	8
Woodford	182	297	3	1	3
Indiana	47,714	47,449	890	571	601
White	44,258	43,991	723	465	500
All other	3,456	3,458	167	106	101
Black	3,421	3,426	165	106	97
Adams	157	236	5	3	4
Allen	2,684	2,145	49	34	48
White	2,529	1,994	42	30	45
All other	155	151	7	4	3
Black	153	150	7	4	2
Fort Wayne	– – –	1,669	41	29	38
White	– – –	1,523	34	25	35
All other	– – –	146	7	4	3
Black	– – –	145	7	4	2
Balance of county	– – –	476	8	5	10
Bartholomew	506	480	7	6	11
Columbus	– – –	295	4	4	6
Balance of county	– – –	185	3	2	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Benton	38	90	2	–	1
Blackford	115	162	2	1	3
Boone	269	354	4	3	4
Lebanon	---	162	2	1	1
Balance of county	---	192	2	2	3
Brown	41	95	1	1	2
Carroll	53	151	2	1	2
Cass	308	391	6	5	6
Logansport	---	247	3	3	3
Balance of county	---	144	3	2	3
Clark	660	725	16	12	7
Clarksville	---	161	1	1	–
Jeffersonville	---	286	9	5	4
White	---	262	7	4	3
All other	---	24	2	1	1
Black	---	23	2	1	1
Balance of county	---	278	6	6	3
Clay	236	295	4	3	–
Clinton	256	321	6	4	2
Frankfort	---	181	2	2	2
Balance of county	---	140	4	2	–
Crawford	36	118	3	3	3
Daviess	288	312	2	1	6
Washington	---	167	–	–	3
Balance of county	---	145	2	1	3
Dearborn	285	274	6	2	1
Decatur	166	204	4	3	1
De Kalb	249	265	6	4	4
Delaware	1,115	1,009	21	15	10
Muncie	---	715	18	12	8
White	---	663	13	9	6
All other	---	52	5	3	2
Black	---	52	5	3	2
Balance of county	---	294	3	3	2
Dubois	331	291	4	3	4
Elkhart	1,123	1,122	23	13	18
Elkhart	---	454	7	3	4
White	---	433	7	3	2
All other	---	21	–	–	2
Black	---	20	–	–	2
Goshen	---	218	4	2	5
Balance of county	---	450	12	8	9
Fayette	217	256	2	2	–
Connersville	---	189	1	1	–
Balance of county	---	67	1	1	–
Floyd	532	527	4	2	7
New Albany	---	412	3	1	5
Balance of county	---	115	1	1	2
Fountain	90	218	2	1	1
Franklin	47	149	1	1	1
Fulton	139	189	2	–	1
Gibson	274	372	4	2	3
Grant	796	745	12	9	8
Marion	---	470	8	7	3
White	---	438	7	6	3
All other	---	32	1	1	–
Black	---	32	1	1	–
Balance of county	---	275	4	2	5
Greene	255	315	3	2	4
Hamilton	391	543	7	4	9
Carmel	---	129	1	–	3
Noblesville	---	138	1	1	1
Balance of county	---	276	5	3	5
Hancock	340	334	5	5	5
Greenfield	---	139	1	1	1
Balance of county	---	195	4	4	4
Harrison	180	216	7	7	1
Hendricks	365	435	12	7	3
Henry	420	534	5	2	3
New Castle	---	272	3	2	–
Balance of county	---	262	2	–	3
Howard	729	711	9	6	13
Kokomo	---	553	9	6	10
Balance of county	---	158	–	–	3
Huntington	305	408	8	4	7
Huntington	---	219	7	3	4
Balance of county	---	189	1	1	3
Jackson	283	340	8	6	–
Seymour	---	159	3	3	–
Balance of county	---	181	5	3	–
Jasper	150	195	2	–	3
Jay	168	217	–	–	7
Jefferson	345	259	3	2	2
Madison	---	144	2	1	–
Balance of county	---	115	1	1	2
Jennings	130	202	11	5	3
Johnson	471	554	12	6	4
Franklin	---	165	2	1	1
Greenwood	---	186	5	2	2
Balance of county	---	203	5	3	1
Knox	610	492	5	4	5
Vincennes	---	274	5	4	3
Balance of county	---	218	–	–	2
Kosciusko	369	506	18	12	10
Warsaw	---	118	2	–	–
Balance of county	---	388	16	12	10
Lagrange	157	180	6	–	5
Lake	4,734	4,333	99	66	86
White	3,702	3,249	56	38	36
All other	1,032	1,084	43	28	50
Black	1,026	1,079	43	28	50
Crown Point	---	185	3	3	6
East Chicago	---	358	9	8	1
White	---	232	2	1	–
All other	---	126	7	7	1
Black	---	126	7	7	1
Gary	---	1,341	37	22	41
White	---	439	8	5	6
All other	---	902	29	17	35
Black	---	902	29	17	35
Griffith	---	139	3	2	3
Hammond	---	849	20	13	14
White	---	801	13	9	7
All other	---	48	7	4	7
Black	---	46	7	4	7
Highland	---	170	3	2	3
Hobart	---	195	4	2	1
Lake Station	---	101	2	1	–
Merrillville	---	250	6	5	3
Munster	---	151	1	1	1
Schererville	---	41	1	–	–
Balance of county	---	553	10	7	13
La Porte	976	997	11	9	11
La Porte	---	288	5	5	3
Michigan City	---	386	4	4	3
White	---	336	2	2	3
All other	---	50	2	2	–
Black	---	50	2	2	–
Balance of county	---	323	2	–	5
Lawrence	454	469	7	4	2
Bedford	---	220	3	1	1
Balance of county	---	249	4	3	1
Madison	1,101	1,249	30	19	7
White	1,051	1,195	27	16	6
All other	50	54	3	3	1
Black	50	54	3	3	1
Anderson	---	688	19	11	5
White	---	635	16	8	4
All other	---	53	3	3	1
Black	---	53	3	3	1
Elwood, part	---	131	3	3	2
Elwood, total	---	131	3	3	2
Balance of county	---	430	8	5	–
Marion	8,594	6,719	180	112	89
White	7,143	5,293	98	62	59
All other	1,451	1,426	82	50	30
Black	1,441	1,416	82	50	30
Beech Grove	---	158	6	6	1
Indianapolis	---	6,390	170	104	83
White	---	4,969	88	54	54
All other	---	1,421	82	50	29
Black	---	1,412	82	50	29
Lawrence	---	40	1	1	–
White	---	39	1	1	–
All other	---	1	–	–	–
Black	---	–	–	–	–
Speedway	---	47	–	–	–
Balance of county	---	84	1	1	5
Marshall	342	395	1	1	9
Martin	31	102	–	–	3
Miami	235	347	7	4	5
Peru	---	176	4	2	4
Balance of county	---	171	3	2	1
Monroe	643	520	7	3	7
Bloomington	---	322	4	2	5
Balance of county	---	198	3	1	2
Montgomery	295	337	4	4	2
Crawfordsville	---	193	2	2	1
Balance of county	---	144	2	2	1
Morgan	290	428	7	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Martinsville	---	146	4	1	-
Balance of county	---	282	3	3	3
Newton	78	122	2	2	2
Noble	182	281	12	8	2
Ohio	14	55	-	-	-
Orange	163	212	3	1	2
Owen	55	132	3	3	1
Parke	72	171	1	1	3
Perry	159	194	1	-	1
Pike	67	152	-	-	1
Porter	722	770	11	8	11
Portage	---	189	5	4	2
Valparaiso	---	248	2	2	4
Balance of county	---	333	4	2	5
Posey	86	225	-	-	-
Pulaski	119	144	2	1	1
Putnam	222	281	6	4	-
Randolph	176	250	3	1	1
Ripley	146	213	4	3	5
Rush	138	215	5	3	1
St. Joseph	2,514	2,232	39	24	23
White	2,329	2,062	28	15	23
All other	185	170	11	9	-
Black	183	169	10	9	-
Mishawaka	---	419	8	5	6
South Bend	---	1,261	24	15	8
White	---	1,095	14	6	8
All other	---	166	10	9	-
Black	---	166	10	9	-
Balance of county	---	552	7	4	9
Scott	139	172	3	3	5
Shelby	225	298	9	6	2
Shelbyville	---	154	5	4	1
Balance of county	---	144	4	2	1
Spencer	68	194	6	4	-
Starke	173	212	2	1	4
Steuben	161	223	4	1	1
Sullivan	179	261	3	3	3
Switzerland	28	69	-	-	1
Tippecanoe	1,176	834	18	15	15
Lafayette	---	505	11	9	7
West Lafayette	---	125	3	2	-
Balance of county	---	204	4	4	8
Tipton	135	136	-	-	3
Elwood, part	---	-	-	-	-
Balance of county	---	136	-	-	3
Union	38	70	1	-	-
Vanderburgh	2,473	1,798	22	10	11
White	2,358	1,690	19	9	9
All other	115	108	3	1	2
Black	113	106	2	1	2
Evansville	---	1,678	21	10	9
White	---	1,572	18	9	7
All other	---	106	3	1	2
Black	---	104	2	1	2
Balance of county	---	120	1	-	2
Vermillion	191	224	-	-	1
Vigo	1,369	1,178	13	7	8
Terre Haute	---	814	9	6	5
Balance of county	---	364	4	1	3
Wabash	301	349	4	3	3
Wabash	---	133	2	2	-
Balance of county	---	216	2	1	3
Warren	84	83	3	3	1
Warrick	174	297	8	6	8
Washington	170	195	-	-	1
Wayne	731	716	18	11	6
Richmond	---	471	9	4	5
Balance of county	---	245	9	7	1
Wells	281	188	2	1	3
White	151	247	3	2	3
Whitley	180	223	5	4	2
Iowa	26,549	27,020	374	250	328
White	26,189	26,687	356	238	313
All other	360	333	18	12	15
Black	295	267	16	11	14
Adair	80	115	-	-	1
Adams	69	79	2	1	-
Allamakee	166	171	-	-	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Appanoose	148	182	3	3	1
Audubon	41	74	3	2	1
Benton	124	213	2	2	3
Black Hawk	1,153	998	18	12	16
Cedar Falls	---	223	4	4	-
Waterloo	---	644	13	8	13
White	---	611	11	6	10
All other	---	33	2	2	3
Black	---	33	2	2	3
Balance of county	---	131	1	-	3
Boone	226	269	4	4	3
Boone	---	174	2	2	2
Balance of county	---	95	2	2	1
Bremer	176	206	4	3	2
Buchanan	128	211	4	3	4
Buena Vista	209	214	3	2	1
Butler	111	183	2	2	3
Calhoun	151	179	3	2	2
Carroll	226	239	3	2	2
Cass	225	220	4	3	3
Cedar	102	175	2	-	2
Cerro Gordo	640	519	11	9	5
Mason City	---	334	9	8	4
Balance of county	---	185	2	1	1
Cherokee	161	168	1	1	-
Chickasaw	107	158	1	1	2
Clarke	79	103	2	2	2
Clay	167	180	3	2	4
Spencer	---	119	2	2	3
Balance of county	---	61	1	-	1
Clayton	178	240	3	2	1
Clinton	582	548	2	-	3
Clinton	---	361	2	-	1
Balance of county	---	187	-	-	2
Crawford	147	188	1	-	3
Dallas	163	267	5	2	3
Davis	66	86	-	-	1
Decatur	111	91	-	-	1
Delaware	149	184	1	-	-
Des Moines	521	441	11	10	6
Burlington	---	333	7	6	4
Balance of county	---	108	4	4	2
Dickinson	153	169	2	2	3
Dubuque	942	823	11	8	4
Dubuque	---	656	8	6	1
Balance of county	---	167	3	2	3
Emmet	147	154	-	-	3
Fayette	199	277	1	1	1
Floyd	167	184	5	3	1
Franklin	123	152	1	1	2
Fremont	122	131	-	-	2
Greene	146	155	1	1	-
Grundy	90	112	1	1	1
Guthrie	94	153	2	2	-
Hamilton	117	170	2	1	2
Hancock	90	133	-	-	1
Hardin	175	247	4	2	2
Harrison	125	189	1	-	2
Henry	174	197	-	-	2
Howard	126	146	1	-	3
Humboldt	95	133	4	3	1
Ida	96	101	1	1	-
Iowa	120	166	1	1	-
Jackson	172	219	2	-	1
Jasper	210	335	5	5	4
Newton	---	155	1	1	1
Balance of county	---	180	4	4	3
Jefferson	132	171	5	4	1
Johnson	1,411	445	10	7	9
Iowa City	---	283	5	5	5
Balance of county	---	162	5	2	4
Jones	115	174	1	1	1
Keokuk	104	170	4	4	1
Kossuth	140	199	1	-	1
Lee	360	387	5	2	5
Fort Madison	---	134	2	1	1
Keokuk	---	141	2	-	2
Balance of county	---	112	1	1	2
Linn	1,281	1,183	17	11	20

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Cedar Rapids	---	827	11	6	16
Marion	---	130	1	1	2
Balance of county	---	226	5	4	2
Louisa	69	104	2	1	1
Lucas	107	119	1	1	1
Lyon	86	119	1	1	2
Madison	103	142	1	-	1
Mahaska	239	261	3	1	5
Oskaloosa	---	182	3	1	2
Balance of county	---	79	-	-	3
Marion	312	308	1	1	2
Marshall	481	417	2	1	6
Marshalltown	---	293	1	1	3
Balance of county	---	124	1	-	3
Mills	74	127	2	1	1
Mitchell	170	162	1	1	3
Monona	165	171	2	2	-
Monroe	77	108	-	-	-
Montgomery	169	195	1	1	1
Muscatine	316	391	3	1	5
Muscatine	---	252	2	1	3
Balance of county	---	139	1	-	2
O'Brien	172	199	-	-	2
Osceola	81	89	-	-	1
Page	206	234	2	-	1
Palo Alto	106	136	3	2	2
Plymouth	159	245	6	2	2
Pocahontas	112	145	1	-	2
Polk	3,240	2,435	49	31	44
White	3,100	2,299	43	27	39
All other	140	136	6	4	5
Black	127	125	5	3	5
Ankeny	---	52	3	3	3
Des Moines	---	1,884	39	22	34
White	---	1,749	33	18	29
All other	---	135	6	4	5
Black	---	125	5	3	5
Urbandale	---	49	-	-	1
West Des Moines	---	174	2	2	1
Balance of county	---	276	5	4	5
Pottawattamie	637	797	12	9	11
Council Bluffs	---	565	11	8	8
Balance of county	---	232	1	1	3
Poweshiek	187	209	1	-	1
Ringgold	69	70	1	1	-
Sac	98	167	1	1	1
Scott	1,181	1,216	25	16	21
Bettendorf	---	159	1	1	1
Davenport	---	902	22	13	18
Balance of county	---	155	2	2	2
Shelby	133	139	-	-	3
Sioux	196	235	4	3	9
Story	389	358	8	2	4
Ames	---	145	4	2	3
Balance of county	---	213	4	-	1
Tama	118	210	1	1	2
Taylor	53	106	-	-	-
Union	161	167	-	-	1
Van Buren	56	84	2	1	3
Wapello	501	511	7	4	4
Ottumwa	---	393	4	3	2
Balance of county	---	118	3	1	2
Warren	127	261	5	5	4
Indianola	---	105	2	2	2
Balance of county	---	156	3	3	2
Washington	192	225	5	3	-
Wayne	80	112	1	1	1
Webster	471	472	9	8	8
Fort Dodge	---	334	5	4	7
Balance of county	---	138	4	4	1
Winnebago	102	154	1	-	-
Winneshiek	180	207	5	4	3
Woodbury	1,305	949	17	12	18
Sioux City	---	776	15	10	14
Balance of county	---	173	2	2	4
Worth	61	105	1	-	-
Wright	156	189	1	1	1
Kansas	21,776	22,307	404	260	280
White	20,651	21,172	333	214	233
All other	1,125	1,135	71	46	47
Black	1,038	1,052	61	39	38
Kansas-Con.					
Allen	190	186	2	1	2
Anderson	78	116	2	2	3
Atchison	180	213	2	1	4
Atchison	---	158	2	1	2
White	---	142	2	1	2
All other	---	16	-	-	-
Black	---	16	-	-	-
Balance of county	---	55	-	-	2
Barber	67	88	-	-	2
Barton	341	343	11	5	3
Great Bend	---	166	5	2	2
Balance of county	---	177	6	3	1
Bourbon	275	230	2	1	2
Brown	136	169	1	1	4
Butler	313	389	2	2	5
El Dorado	---	156	-	-	2
Balance of county	---	233	2	2	3
Chase	17	42	1	1	-
Chautauqua	85	76	-	-	-
Cherokee	184	289	4	2	3
Cheyenne	43	55	1	1	-
Clark	37	38	-	-	-
Clay	119	142	2	2	1
Cloud	199	191	1	-	2
Coffey	63	100	-	-	1
Comanche	23	30	-	-	-
Cowley	411	456	4	2	3
Arkansas City	---	198	3	1	-
Winfield	---	151	-	-	1
Balance of county	---	107	1	1	2
Crawford	471	544	6	4	5
Pittsburg	---	267	2	1	2
Balance of county	---	277	4	3	3
Decatur	56	57	-	-	-
Dickinson	204	226	2	-	3
Doniphan	33	106	-	-	-
Douglas	357	385	13	9	5
Lawrence	---	267	9	8	3
White	---	246	7	6	2
All other	---	21	2	2	1
Black	---	19	2	2	-
Balance of county	---	118	4	1	2
Edwards	36	54	-	-	-
Elk	30	68	-	-	1
Ellis	255	191	6	4	2
Hays	---	135	4	2	2
Balance of county	---	56	2	2	-
Ellsworth	101	90	2	-	1
Finney	199	170	10	8	3
Garden City	---	148	8	6	2
White	---	145	7	5	1
All other	---	3	1	1	1
Black	---	-	-	-	-
Balance of county	---	22	2	2	1
Ford	260	248	8	6	3
Dodge City	---	174	5	5	2
Balance of county	---	74	3	1	1
Franklin	196	253	2	1	3
Ottawa	---	167	2	1	2
Balance of county	---	86	-	-	1
Geary	186	203	19	11	4
White	160	168	12	6	1
All other	26	35	7	5	3
Black	25	34	7	5	3
Junction City	---	155	10	7	3
White	---	127	5	3	-
All other	---	28	5	4	3
Black	---	28	5	4	3
Balance of county	---	48	9	4	1
White	---	41	7	3	1
All other	---	7	2	1	-
Black	---	6	2	1	-
Gove	19	32	1	-	1
Graham	29	38	-	-	-
Grant	37	38	2	2	3
Gray	20	43	1	-	-
Greeley	32	28	-	-	1
Greenwood	118	141	-	-	1
Hamilton	24	32	1	1	-
Harper	128	144	-	-	1
Harvey	375	293	3	3	4
Newton	---	163	1	1	3
Balance of county	---	130	2	2	1
Haskell	14	23	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Hodgeman	30	35	3	3	1
Jackson	73	125	–	–	–
Jefferson	127	157	1	–	4
Jewell	40	82	1	1	–
Johnson	1,519	1,659	38	27	17
Leawood	– – –	60	–	–	1
Lenexa	– – –	109	3	3	–
Merriam	– – –	77	–	–	–
Olathe	– – –	208	13	10	4
Overland Park	– – –	446	9	7	4
Prairie Village	– – –	177	3	2	3
Shawnee	– – –	134	4	4	2
Balance of county	– – –	448	6	1	3
Kearny	18	24	–	–	1
Kingman	89	109	–	–	1
Kiowa	48	52	1	1	1
Labette	273	288	5	5	1
Parsons	– – –	143	4	4	1
White	– – –	138	4	4	1
All other	– – –	5	–	–	–
Black	– – –	5	–	–	–
Balance of county	– – –	145	1	1	–
Lane	14	36	–	–	–
Leavenworth	538	463	1	–	3
White	492	433	1	–	3
All other	46	30	–	–	–
Black	45	29	–	–	–
Leavenworth	– – –	305	1	–	1
White	– – –	277	1	–	1
All other	– – –	28	–	–	–
Black	– – –	27	–	–	–
Balance of county	– – –	158	–	–	2
Lincoln	50	66	–	–	–
Linn	52	105	2	1	–
Logan	38	38	–	–	–
Lyon	257	255	6	5	6
Emporia	– – –	172	2	2	2
Balance of county	– – –	83	4	3	4
McPherson	282	258	1	–	–
McPherson	– – –	107	–	–	–
Balance of county	– – –	151	1	–	–
Marion	154	173	1	1	2
Marshall	128	172	–	–	4
Meade	45	50	1	–	1
Miami	186	227	3	1	–
Mitchell	105	85	–	–	–
Montgomery	436	473	7	4	5
Coffeyville	– – –	196	2	1	2
White	– – –	167	2	1	2
All other	– – –	29	–	–	–
Black	– – –	29	–	–	–
Independence	– – –	118	3	2	3
White	– – –	108	2	2	2
All other	– – –	10	1	–	1
Black	– – –	9	1	–	1
Balance of county	– – –	159	2	1	–
Morris	78	100	1	1	2
Morton	25	26	–	–	1
Nemaha	144	157	–	–	3
Neosho	207	226	4	1	1
Chanute	– – –	132	2	–	–
Balance of county	– – –	94	2	1	1
Ness	50	59	1	–	–
Norton	70	90	–	–	1
Osage	130	176	3	2	–
Osborne	82	96	2	–	–
Ottawa	76	76	–	–	–
Pawnee	75	86	1	1	–
Phillips	100	109	–	–	–
Pottawatomie	146	160	–	–	2
Manhattan, part	– – –	2	–	–	–
Balance of county	– – –	158	–	–	2
Pratt	118	117	1	–	1
Rawlins	31	47	–	–	1
Reno	568	637	8	6	11
Hutchinson	– – –	425	3	3	10
Balance of county	– – –	212	5	3	1
Republic	105	113	–	–	1
Rice	124	156	4	3	1
Riley	224	233	8	3	6
White	212	217	6	3	5
All other	12	16	2	–	1
Black	11	14	2	–	1
Kansas-Con.					
Manhattan, part	– – –	174	6	3	6
Manhattan, total	– – –	176	6	3	6
Balance of county	– – –	59	2	–	–
White	– – –	56	1	–	–
All other	– – –	3	1	–	–
Black	– – –	3	1	–	–
Rooks	68	94	1	1	–
Rush	30	49	2	2	2
Russell	99	122	1	1	–
Saline	439	421	10	8	5
Salina	– – –	371	10	8	3
Balance of county	– – –	50	–	–	2
Scott	46	42	1	1	1
Sedgwick	3,551	2,931	83	54	51
White	3,282	2,673	57	37	43
All other	269	258	26	17	8
Black	240	235	20	13	6
Wichita	– – –	2,583	74	46	39
White	– – –	2,327	48	29	31
All other	– – –	256	26	17	8
Black	– – –	233	20	13	6
Balance of county	– – –	348	9	8	12
Seward	140	139	5	2	2
Liberal	– – –	125	4	2	2
White	– – –	117	4	2	1
All other	– – –	8	–	–	1
Black	– – –	8	–	–	1
Balance of county	– – –	14	1	–	–
Shawnee	1,790	1,404	23	17	17
White	1,650	1,274	18	14	14
All other	140	130	5	3	3
Black	126	121	4	3	3
Topeka	– – –	1,217	21	16	14
White	– – –	1,087	16	13	11
All other	– – –	130	5	3	3
Black	– – –	121	4	3	3
Balance of county	– – –	187	2	1	3
Sheridan	34	39	–	–	–
Sherman	66	69	–	–	–
Smith	71	86	–	–	2
Stafford	64	76	1	–	–
Stanton	10	13	–	–	–
Stevens	60	54	–	–	–
Sumner	226	289	3	3	6
Thomas	92	92	–	–	4
Trego	50	61	1	1	–
Wabaunsee	32	89	2	2	–
Wallace	7	25	–	–	–
Washington	96	124	1	1	–
Wichita	14	19	–	–	1
Wilson	153	170	1	1	2
Woodson	20	65	1	–	–
Wyandotte	1,822	1,660	52	30	32
White	1,442	1,279	30	16	13
All other	380	401	22	14	19
Black	374	393	21	13	17
Kansas City	– – –	1,586	51	30	30
White	– – –	1,193	29	16	11
All other	– – –	393	22	14	19
Black	– – –	385	21	13	17
Balance of county	– – –	94	1	–	2
Kentucky	33,108	33,631	615	393	420
White	30,525	31,015	524	331	354
All other	2,583	2,616	91	62	66
Black	2,553	2,591	90	61	64
Adair	157	178	2	2	3
Allen	103	177	2	–	–
Anderson	34	97	1	1	1
Ballard	36	109	2	1	–
Barren	472	348	2	1	3
Glasgow	– – –	145	–	–	1
Balance of county	– – –	203	2	1	2
Bath	34	95	2	2	1
Bell	307	333	5	1	4
Middlesborough	– – –	159	2	–	2
Balance of county	– – –	174	3	1	2
Boone	367	325	2	1	4
Florence	– – –	158	1	–	2
Balance of county	– – –	167	1	1	2
Bourbon	119	192	2	1	2
White	106	165	2	1	1
All other	13	27	–	–	1
Black	13	27	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Boyd	499	545	7	3	4
Ashland	---	371	4	2	2
Balance of county	---	174	3	1	2
Boyle	290	247	5	4	6
Danville	---	147	2	2	5
White	---	126	1	1	3
All other	---	21	1	1	2
Black	---	21	1	1	2
Balance of county	---	100	3	2	1
Bracken	39	95	2	1	-
Breathitt	69	137	2	2	4
Breckinridge	134	182	3	2	2
Bullitt	82	238	6	3	2
Butler	80	144	4	1	1
Caldwell	154	178	1	1	-
Calloway	310	316	1	-	2
Murray	---	125	1	-	1
Balance of county	---	191	-	-	1
Campbell	858	877	12	9	12
Fort Thomas	---	166	1	1	-
Newport	---	281	4	2	7
Balance of county	---	430	7	6	5
Carlisle	17	84	1	1	1
Carroll	96	104	1	-	4
Carter	78	234	4	3	3
Casey	68	136	4	2	-
Christian	567	532	23	15	11
White	453	406	10	7	6
All other	114	126	13	8	5
Black	114	126	13	8	4
Hopkinsville	---	359	9	4	7
White	---	267	3	2	4
All other	---	92	6	2	3
Black	---	92	6	2	3
Balance of county	---	173	14	11	4
White	---	139	7	5	2
All other	---	34	7	6	2
Black	---	34	7	6	1
Clark	189	219	7	5	5
Winchester	---	161	5	3	4
White	---	133	4	3	4
All other	---	28	1	-	-
Black	---	28	1	-	-
Balance of county	---	58	2	2	1
Clay	166	184	9	6	6
Clinton	64	105	1	1	1
Crittenden	58	120	1	-	-
Cumberland	68	90	2	1	-
Daviess	850	763	10	8	9
Owensboro	---	583	5	4	6
Balance of county	---	180	5	4	3
Edmonson	32	90	2	2	1
Elliott	14	38	-	-	1
Estill	95	149	2	2	-
Fayette, coext. with Lexington-Fayette	3,263	1,517	38	28	27
White	2,902	1,241	21	15	18
All other	361	276	17	13	9
Black	356	271	17	13	9
Fleming	109	138	-	-	2
Floyd	401	403	12	9	4
Franklin	398	396	1	1	4
Frankfort	---	277	-	-	2
White	---	260	-	-	1
All other	---	17	-	-	1
Black	---	17	-	-	1
Balance of county	---	119	1	1	2
Fulton	92	122	1	1	-
White	74	99	1	1	-
All other	18	23	-	-	-
Black	18	23	-	-	-
Gallatin	19	55	-	-	-
Garrard	77	112	3	2	-
Grant	70	130	2	2	-
Graves	327	448	6	4	1
Mayfield	---	192	1	-	1
White	---	166	1	-	-
All other	---	26	-	-	1
Black	---	26	-	-	1
Balance of county	---	256	5	4	-
Grayson	185	195	4	4	1
Green	103	115	-	-	2
Greenup	266	296	5	3	2
Hancock	22	61	-	-	-
Hardin	548	475	24	13	20
White	517	442	19	10	18
All other	31	33	5	3	2
Black	26	27	5	3	2
Elizabethtown	---	125	4	2	4
Radcliff	---	71	6	4	3
White	---	66	5	4	3
All other	---	5	1	-	-
Black	---	4	1	-	-
Balance of county	---	279	14	7	13
White	---	263	10	4	12
All other	---	16	4	3	1
Black	---	11	4	3	1
Harlan	385	422	13	7	5
Harrison	185	178	2	2	3
Hart	84	159	1	-	1
Henderson	385	359	4	1	2
Henderson	---	248	1	-	2
White	---	225	1	-	2
All other	---	23	-	-	-
Black	---	23	-	-	-
Balance of county	---	111	3	1	-
Henry	53	144	1	-	1
Hickman	49	70	1	1	-
White	44	63	1	1	-
All other	5	7	-	-	-
Black	5	7	-	-	-
Hopkins	597	480	11	7	2
Madisonville	---	203	3	2	2
White	---	179	2	1	2
All other	---	24	1	1	-
Black	---	24	1	1	-
Balance of county	---	277	8	5	-
Jackson	31	103	1	1	-
Jefferson	7,515	6,458	108	67	78
White	6,391	5,366	76	47	52
All other	1,124	1,092	32	20	26
Black	1,113	1,085	32	20	26
Jeffersontown	---	105	1	1	-
Louisville	---	3,690	51	26	39
White	---	2,746	30	14	20
All other	---	944	21	12	19
Black	---	942	21	12	19
St. Matthews	---	163	1	1	3
Shively	---	172	1	1	1
Balance of county	---	2,328	54	38	35
White	---	2,190	43	30	28
All other	---	138	11	8	7
Black	---	133	11	8	7
Jessamine	61	181	3	3	2
Nicholasville	---	95	2	2	1
Balance of county	---	86	1	1	1
Johnson	164	252	4	2	2
Kenton	1,174	1,280	33	22	12
Covington	---	613	14	6	6
Erlanger	---	87	6	5	1
Balance of county	---	580	13	11	5
Knott	59	134	5	2	5
Knox	202	339	11	8	5
Larue	59	138	3	2	1
Laurel	308	364	14	4	6
Lawrence	274	190	2	1	2
Lee	37	80	-	-	3
Leslie	73	101	4	3	2
Letcher	179	241	4	4	2
Lewis	48	137	1	-	2
Lincoln	194	224	3	3	2
Livingston	103	91	1	1	1
Logan	202	266	3	2	2
Lyon	50	81	1	-	-
McCracken	1,107	646	9	7	5
White	1,021	572	8	7	4
All other	86	74	1	-	1
Black	86	74	1	-	1
Paducah	---	426	6	4	3
White	---	359	5	4	2
All other	---	67	1	-	1
Black	---	67	1	-	1
Balance of county	---	220	3	3	2
McCreary	48	146	1	-	4
McLean	59	94	-	-	-
Madison	381	365	4	2	4
Richmond	---	153	1	-	2
White	---	139	1	-	1
All other	---	14	-	-	1
Black	---	14	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	212	3	2	2
Magoffin	40	109	1	1	2
Marion	139	161	5	5	1
Marshall	217	281	4	3	-
Martin	41	115	3	1	5
Mason	230	195	2	2	4
Meade	44	112	2	2	2
Menifee	27	66	2	1	-
Mercer	132	188	3	2	5
Metcalfe	28	84	2	1	4
Monroe	122	148	1	1	-
Montgomery	188	170	2	2	2
Morgan	99	114	4	4	1
Muhlenberg	293	326	4	2	2
Nelson	196	258	5	3	5
Nicholas	73	76	2	1	2
Ohio	161	214	1	1	1
Oldham	72	143	6	3	-
Owen	66	95	1	-	-
Owsley	30	69	1	1	2
Pendleton	34	113	2	1	3
Perry	329	297	10	5	9
Pike	630	607	19	10	9
Powell	37	108	4	4	2
Pulaski	544	465	10	5	4
Somerset	---	143	3	1	1
Balance of county	---	322	7	4	3
Robertson	10	27	-	-	-
Rockcastle	120	143	2	1	1
Rowan	266	131	1	-	2
Russell	111	141	1	1	1
Scott	136	182	2	1	4
Georgetown	---	97	2	1	1
White	---	88	2	1	1
All other	---	9	-	-	-
Black	---	9	-	-	-
Balance of county	---	85	-	-	3
Shelby	207	212	1	-	4
White	192	194	1	-	3
All other	15	18	-	-	1
Black	15	18	-	-	1
Simpson	96	146	4	4	3
White	88	129	4	4	2
All other	8	17	-	-	1
Black	8	17	-	-	1
Spencer	18	50	-	-	-
Taylor	159	169	4	4	2
Todd	39	138	-	-	-
White	35	116	-	-	-
All other	4	22	-	-	-
Black	4	22	-	-	-
Trigg	74	114	1	1	1
White	63	103	1	1	-
All other	11	11	-	-	1
Black	9	11	-	-	1
Trimble	24	74	1	-	1
Union	93	169	2	2	2
White	83	151	2	2	2
All other	10	18	-	-	-
Black	10	18	-	-	-
Warren	805	576	13	8	7
Bowling Green	---	357	9	6	5
White	---	310	6	3	3
All other	---	47	3	3	2
Black	---	47	3	3	2
Balance of county	---	219	4	2	2
Washington	61	107	1	1	4
White	58	101	1	1	1
All other	3	6	-	-	3
Black	3	6	-	-	3
Wayne	102	162	1	-	4
Webster	65	178	-	-	3
Whitley	347	360	9	7	1
Wolfe	33	65	-	-	3
Woodford	118	126	2	1	2
Louisiana [6]	36,119	35,741	982	654	735
White	24,764	24,420	438	292	350
All other	11,349	11,321	544	362	385
Black	11,298	11,222	537	357	381
Louisiana-Con.					
Acadia	421	567	15	9	9
White	350	468	12	7	8
All other	71	99	3	2	1
Black	71	99	3	2	1
Crowley	---	199	5	4	2
White	---	142	3	3	2
All other	---	57	2	1	-
Black	---	57	2	1	-
Eunice, part	---	2	1	-	-
Balance of parish	---	366	9	5	7
White	---	324	8	4	6
All other	---	42	1	1	1
Black	---	42	1	1	1
Allen	188	229	6	5	3
White	146	173	3	3	1
All other	42	56	3	2	2
Black	42	53	2	1	2
Ascension	263	350	17	13	6
White	174	257	9	8	4
All other	89	93	8	5	2
Black	89	93	8	5	2
Assumption	102	164	6	4	6
White	68	101	2	1	3
All other	34	63	4	3	3
Black	34	63	4	3	3
Avoyelles	347	434	6	2	10
White	269	334	3	2	3
All other	78	100	3	-	7
Black	78	100	3	-	7
Beauregard	244	278	7	4	6
White	210	232	4	2	6
All other	34	46	3	2	-
Black	34	46	3	2	-
De Ridder, part	---	132	6	3	3
White	---	93	4	2	3
All other	---	39	2	1	-
Black	---	39	2	1	-
De Ridder, total	---	133	6	3	3
White	---	94	4	2	3
All other	---	39	2	1	-
Black	---	39	2	1	-
Balance of parish	---	146	1	1	3
Bienville	95	190	2	2	3
White	58	121	-	-	1
All other	37	69	2	2	2
Black	37	69	2	2	2
Bossier	463	525	20	13	13
White	375	404	11	6	9
All other	88	122	9	7	4
Black	87	121	9	7	4
Bossier City	---	305	12	8	9
White	---	260	7	4	7
All other	---	45	5	4	2
Black	---	44	5	4	2
Shreveport, part	---	1	-	-	-
Balance of parish	---	220	8	5	4
White	---	143	4	2	2
All other	---	77	4	3	2
Black	---	77	4	3	2
Caddo	3,424	2,495	68	51	39
White	2,171	1,564	27	20	14
All other	1,253	931	41	31	25
Black	1,251	930	41	31	25
Shreveport, part	---	2,111	57	46	34
White	---	1,298	20	15	10
All other	---	813	37	31	24
Black	---	812	37	31	24
Shreveport, total	---	2,112	57	46	34
White	---	1,299	20	15	10
All other	---	813	37	31	24
Black	---	812	37	31	24
Balance of parish	---	384	11	5	5
White	---	266	7	5	4
All other	---	118	4	-	1
Black	---	118	4	-	1
Calcasieu	1,487	1,350	34	22	31
White	1,164	1,039	18	12	17
All other	323	311	16	10	14
Black	320	309	16	10	14
Lake Charles	---	711	21	15	13
White	---	463	7	6	3
All other	---	248	14	9	10
Black	---	247	14	9	10
Sulphur	---	195	2	1	4
Balance of parish	---	444	11	6	14
White	---	393	10	6	10
All other	---	51	1	-	4
Black	---	50	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Caldwell	91	110	1	–	–
White	75	95	1	–	–
All other	16	15	–	–	–
Black	16	14	–	–	–
Cameron	41	71	4	2	3
Catahoula	104	117	4	–	2
White	62	78	–	–	1
All other	42	39	4	–	1
Black	42	39	4	–	1
Claiborne	131	210	4	4	4
White	78	119	2	2	2
All other	53	91	2	2	2
Black	53	91	2	2	2
Concordia	149	217	5	3	6
White	82	126	3	2	3
All other	67	91	2	1	3
Black	67	91	2	1	3
De Soto	200	311	3	2	6
White	122	164	1	1	2
All other	78	147	2	1	4
Black	78	147	2	1	4
East Baton Rouge	2,713	2,220	81	65	62
White	1,765	1,410	22	19	25
All other	948	810	59	46	37
Black	941	804	59	46	37
Baker	– – –	57	2	2	–
White	– – –	42	–	–	–
All other	– – –	15	2	2	–
Black	– – –	15	2	2	–
Baton Rouge	– – –	1,916	71	55	54
White	– – –	1,168	17	14	18
All other	– – –	748	54	41	36
Black	– – –	742	54	41	36
Balance of parish	– – –	247	8	8	8
White	– – –	200	5	5	7
All other	– – –	47	3	3	1
Black	– – –	47	3	3	1
East Carroll	98	119	4	1	5
White	22	30	–	–	2
All other	76	89	4	1	3
Black	75	88	4	1	3
East Feliciana	128	64	–	–	–
White	70	41	–	–	–
All other	58	23	–	–	–
Black	58	23	–	–	–
Evangeline	311	364	6	2	4
White	256	304	2	–	2
All other	55	60	4	2	2
Black	55	60	4	2	2
Franklin	174	267	3	1	5
White	135	201	2	1	3
All other	39	66	1	–	2
Black	39	66	1	–	2
Grant	80	185	1	1	4
White	62	155	–	–	3
All other	18	30	1	1	1
Black	18	30	1	1	1
Iberia	477	551	18	12	13
White	329	366	12	8	6
All other	148	185	6	4	7
Black	146	185	6	4	7
New Iberia	– – –	316	11	6	9
White	– – –	215	6	3	4
All other	– – –	101	5	3	5
Black	– – –	101	5	3	5
Balance of parish	– – –	235	7	6	4
White	– – –	151	6	5	2
All other	– – –	84	1	1	2
Black	– – –	84	1	1	2
Iberville	206	306	10	6	3
White	109	167	5	4	1
All other	97	139	5	2	2
Black	97	139	5	2	2
Jackson	142	178	4	1	3
White	90	126	2	–	3
All other	52	52	2	1	–
Black	52	52	2	1	–
Jefferson	3,137	3,208	72	49	68
White	2,635	2,712	41	30	40
All other	502	496	31	19	28
Black	480	472	29	19	27
Gretna	– – –	369	11	5	13
White	– – –	291	8	3	7
All other	– – –	78	3	2	6
Black	– – –	74	3	2	6
Harahan	– – –	77	1	1	–
Kenner	– – –	329	7	4	11
White	– – –	257	4	3	9
All other	– – –	72	3	1	2
Black	– – –	72	3	1	2
Westwego	– – –	147	2	2	5
White	– – –	121	2	2	5
All other	– – –	26	–	–	–
Black	– – –	26	–	–	–
Balance of parish	– – –	2,286	51	37	39
White	– – –	1,966	26	21	19
All other	– – –	320	25	16	20
Black	– – –	300	23	16	19
Jefferson Davis	252	321	4	3	6
White	214	267	–	–	3
All other	38	54	4	3	3
Black	35	53	3	2	3
Jennings	– – –	131	3	2	2
White	– – –	104	–	–	1
All other	– – –	27	3	2	1
Black	– – –	26	2	1	1
Balance of parish	– – –	190	1	1	4
White	– – –	163	–	–	2
All other	– – –	27	1	1	2
Black	– – –	27	1	1	2
Lafayette	1,482	926	36	24	30
White	1,091	704	22	13	15
All other	391	222	14	11	15
Black	390	221	14	11	15
Lafayette	– – –	616	17	13	18
White	– – –	444	9	6	5
All other	– – –	172	8	7	13
Black	– – –	172	8	7	13
Balance of parish	– – –	310	19	11	12
White	– – –	260	13	7	10
All other	– – –	50	6	4	2
Black	– – –	49	6	4	2
Lafourche	521	592	20	14	6
White	453	505	15	10	6
All other	68	87	5	4	–
Black	68	87	5	4	–
Thibodaux	– – –	148	4	3	4
White	– – –	103	1	1	4
All other	– – –	45	3	2	–
Black	– – –	45	3	2	–
Balance of parish	– – –	444	16	11	2
La Salle	148	191	3	3	3
White	128	166	3	3	2
All other	20	25	–	–	1
Black	20	25	–	–	1
Lincoln	337	324	11	6	5
White	222	194	5	4	1
All other	115	130	6	2	4
Black	115	130	6	2	4
Ruston	– – –	148	3	2	2
White	– – –	95	–	–	–
All other	– – –	53	3	2	2
Black	– – –	53	3	2	2
Balance of parish	– – –	176	8	4	3
White	– – –	99	5	4	1
All other	– – –	77	3	–	2
Black	– – –	77	3	–	2
Livingston	270	416	15	11	11
Madison	123	172	3	1	4
White	39	58	–	–	1
All other	84	114	3	1	3
Black	83	114	3	1	3
Tallulah	– – –	136	3	1	4
White	– – –	36	–	–	1
All other	– – –	100	3	1	3
Black	– – –	100	3	1	3
Balance of parish	– – –	36	–	–	–
White	– – –	22	–	–	–
All other	– – –	14	–	–	–
Black	– – –	14	–	–	–
Morehouse	310	347	12	7	9
White	195	192	7	4	3
All other	115	155	5	3	6
Black	115	155	5	3	6
Bastrop	– – –	181	4	1	2
White	– – –	94	2	–	–
All other	– – –	87	2	1	2
Black	– – –	87	2	1	2
Balance of parish	– – –	166	8	6	7
White	– – –	98	5	4	3
All other	– – –	68	3	2	4
Black	– – –	68	3	2	4
Natchitoches	239	338	9	5	8
White	147	219	3	1	5
All other	92	119	6	4	3
Black	92	119	6	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Natchitoches	---	117	6	4	3
White	---	49	-	-	1
All other	---	68	6	4	2
Black	---	68	6	4	2
Balance of parish	---	221	3	1	5
White	---	170	3	1	4
All other	---	51	-	-	1
Black	---	51	-	-	1
Orleans, coext. with New Orleans city	6,694	5,798	167	125	115
White	3,556	2,898	30	22	23
All other	3,138	2,900	137	103	92
Black	3,108	2,876	135	101	91
Ouachita	1,382	1,148	29	14	15
White	923	777	12	5	12
All other	459	371	17	9	3
Black	459	371	17	9	3
Monroe	---	615	18	10	9
White	---	311	4	2	6
All other	---	304	14	8	3
Black	---	304	14	8	3
West Monroe	---	226	1	1	2
White	---	204	1	1	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of parish	---	307	10	3	4
White	---	262	7	2	4
All other	---	45	3	1	-
Black	---	45	3	1	-
Plaquemines	109	194	9	7	8
White	77	139	5	3	5
All other	32	55	4	4	3
Black	30	51	4	4	3
Pointe Coupee	183	230	8	5	3
White	109	135	4	2	-
All other	74	95	4	3	3
Black	74	95	4	3	3
Rapides	1,716	1,245	32	23	22
White	1,194	854	11	9	7
All other	522	391	21	14	15
Black	520	389	21	14	15
Alexandria	---	596	16	12	15
White	---	336	3	3	2
All other	---	260	13	9	13
Black	---	260	13	9	13
Pineville	---	184	5	3	1
White	---	146	3	1	1
All other	---	38	2	2	-
Black	---	37	2	2	-
Balance of parish	---	465	11	8	6
White	---	372	5	5	4
All other	---	93	6	3	2
Black	---	92	6	3	2
Red River	142	121	1	-	3
White	94	79	1	-	1
All other	48	42	-	-	2
Black	48	42	-	-	2
Richland	273	234	4	3	2
White	176	144	1	1	2
All other	97	90	3	2	-
Black	97	90	3	2	-
Sabine	226	268	2	1	-
White	168	214	2	1	-
All other	58	54	-	-	-
Black	58	54	-	-	-
St. Bernard	441	543	9	7	5
St. Charles	154	223	11	8	4
White	109	155	10	8	3
All other	45	68	1	-	1
Black	42	68	1	-	1
St. Helena	50	69	2	1	1
White	28	40	-	-	1
All other	22	28	2	1	-
Black	22	28	2	1	-
St. James	102	164	4	3	10
White	59	77	1	1	2
All other	43	87	3	2	8
Black	43	87	3	2	8
St. John the Baptist	199	247	7	2	7
White	142	147	2	1	1
All other	57	100	5	1	6
Black	57	100	5	1	6
St. Landry	674	817	18	6	28
White	456	515	11	4	17
All other	218	302	7	2	11
Black	217	300	7	2	11
Eunice, part	---	144	1	1	2
White	---	118	1	1	2
All other	---	26	-	-	-
Black	---	26	-	-	-
Eunice, total	---	146	2	1	2
White	---	120	2	1	2
All other	---	26	-	-	-
Black	---	26	-	-	-
Opelousas	---	221	5	3	8
White	---	107	1	1	5
All other	---	114	4	2	3
Black	---	112	4	2	3
Balance of parish	---	452	12	2	18
White	---	290	9	2	10
All other	---	162	3	-	8
Black	---	162	3	-	8
St. Martin	190	333	7	2	7
White	146	235	-	-	3
All other	44	98	7	2	4
Black	44	98	7	2	4
St. Mary	373	476	12	6	13
White	248	302	3	-	7
All other	125	174	9	6	6
Black	122	169	9	6	6
Morgan City	---	141	7	2	6
White	---	112	3	-	4
All other	---	29	4	2	2
Black	---	29	4	2	2
Balance of parish	---	335	5	4	7
White	---	190	-	-	3
All other	---	145	5	4	4
Black	---	140	5	4	4
St. Tammany	812	866	29	20	15
White	703	745	24	16	12
All other	109	121	5	4	3
Black	109	121	5	4	3
Slidell	---	215	9	8	6
Balance of parish	---	651	20	12	9
White	---	552	17	10	6
All other	---	99	3	2	3
Black	---	99	3	2	3
Tangipahoa	743	763	25	13	13
White	512	506	9	5	7
All other	231	257	16	8	6
Black	231	257	16	8	6
Hammond	---	126	5	3	3
White	---	69	-	-	1
All other	---	57	5	3	2
Black	---	57	5	3	2
Balance of parish	---	637	20	10	10
White	---	437	9	5	6
All other	---	200	11	5	4
Black	---	200	11	5	4
Tensas	95	115	1	1	2
White	33	45	1	1	1
All other	62	70	-	-	1
Black	62	70	-	-	1
Terrebonne	737	663	12	10	16
White	552	520	9	8	7
All other	185	143	3	2	9
Black	166	124	2	1	8
Houma	---	303	4	3	8
White	---	225	1	1	5
All other	---	78	3	2	3
Black	---	72	2	1	3
Balance of parish	---	360	8	7	8
White	---	295	8	7	2
All other	---	65	-	-	6
Black	---	52	-	-	5
Union	173	257	6	3	3
White	128	191	2	1	1
All other	45	66	4	2	2
Black	45	66	4	2	2
Vermilion	364	438	12	8	8
White	312	371	6	4	6
All other	52	67	6	4	2
Black	51	67	6	4	2
Abbeville	---	134	5	4	1
White	---	97	1	-	1
All other	---	37	4	4	-
Black	---	37	4	4	-
Balance of parish	---	304	7	4	7
Vernon	224	325	30	19	18
White	200	290	19	10	9
All other	24	35	11	9	9
Black	23	34	11	9	8
De Ridder, part	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Balance of parish	---	324	30	19	18
White	---	289	19	10	9
All other	---	35	11	9	9
Black	---	34	11	9	8
Washington	404	469	8	5	8
White	274	309	2	1	3
All other	130	160	6	4	5
Black	130	160	6	4	5
Bogalusa	---	210	4	2	-
White	---	129	1	-	-
All other	---	81	3	2	-
Black	---	81	3	2	-
Balance of parish	---	259	4	3	8
White	---	180	1	1	3
All other	---	79	3	2	5
Black	---	79	3	2	5
Webster	420	536	12	5	4
White	289	371	7	4	2
All other	131	165	5	1	2
Black	131	165	5	1	2
Minden	---	209	7	3	-
White	---	115	4	2	-
All other	---	94	3	1	-
Black	---	94	3	1	-
Balance of parish	---	327	5	2	4
White	---	256	3	2	2
All other	---	71	2	-	2
Black	---	71	2	-	2
West Baton Rouge	82	143	5	4	4
White	46	66	1	1	1
All other	36	77	4	3	3
Black	36	76	4	3	3
West Carroll	70	125	2	1	1
White	60	104	1	1	1
All other	10	21	1	-	-
Black	10	21	1	-	-
West Feliciana	47	46	-	-	-
White	25	15	-	-	-
All other	22	31	-	-	-
Black	22	31	-	-	-
Winn	136	178	4	4	4
White	97	120	1	1	2
All other	39	58	3	3	2
Black	39	58	3	3	2
Maine	10,821	10,873	141	85	119
White	10,778	10,829	138	82	115
All other	43	44	3	3	4
Black	17	18	1	1	1
Androscoggin	1,019	978	15	9	7
Auburn	---	253	8	7	2
Lewiston	---	461	5	2	4
Balance of county	---	264	2	-	1
Aroostook	697	748	12	9	12
Presque Isle	---	81	3	2	2
Balance of county	---	667	9	7	10
Cumberland	2,560	2,113	28	19	27
Portland	---	763	11	6	7
South Portland	---	243	2	2	1
Westbrook	---	150	-	-	-
Balance of county	---	957	15	11	19
Franklin	236	252	4	3	4
Hancock	448	484	4	3	2
Kennebec	1,330	1,009	12	7	17
Augusta	---	260	3	1	4
Waterville	---	177	-	-	1
Balance of county	---	572	9	6	12
Knox	400	378	3	1	2
Lincoln	217	319	1	-	-
Oxford	430	542	3	2	7
Penobscot	1,246	1,142	12	5	10
Bangor	---	295	5	1	2
Balance of county	---	847	7	4	8
Piscataquis	170	191	6	5	-
Sagadahoc	210	265	4	1	2
Bath	---	103	1	1	2
Balance of county	---	162	3	-	-
Somerset	386	470	7	1	4
Waldo	163	258	4	3	5
Washington	303	379	2	1	4
York	1,006	1,345	24	16	16
Biddeford	---	246	4	4	-
Saco	---	110	-	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine-Con.					
Balance of county	---	989	20	12	14
Maryland	34,923	35,466	773	532	602
White	27,552	27,795	430	295	330
All other	7,371	7,671	343	237	272
Black	7,207	7,493	336	233	263
Allegany	1,105	991	5	2	11
Cumberland	---	453	4	2	5
Balance of county	---	538	1	-	6
Anne Arundel	1,911	2,472	49	28	34
White	1,681	2,191	40	23	22
All other	230	281	9	5	12
Black	220	269	9	5	12
Annapolis	---	360	8	6	9
White	---	249	4	4	5
All other	---	111	4	2	4
Black	---	111	4	2	4
Balance of county	---	2,112	41	22	25
White	---	1,942	36	19	17
All other	---	170	5	3	8
Black	---	158	5	3	8
Baltimore	4,744	5,612	88	67	60
White	4,450	5,295	71	56	49
All other	294	317	17	11	11
Black	283	295	17	11	11
Baltimore city	11,480	9,624	217	143	143
White	6,987	5,284	56	34	35
All other	4,493	4,340	161	109	108
Black	4,456	4,326	160	108	108
Calvert	204	242	8	2	4
White	161	188	4	1	3
All other	43	54	4	1	1
Black	42	53	4	1	1
Caroline	105	272	5	3	1
White	88	226	5	3	-
All other	17	46	-	-	1
Black	17	46	-	-	1
Carroll	619	763	18	15	8
Cecil	475	449	10	8	9
Charles	341	469	22	14	13
White	271	364	13	8	9
All other	70	105	9	6	4
Black	70	104	9	6	4
Dorchester	326	385	8	5	7
White	222	258	3	2	2
All other	104	127	5	3	5
Black	104	127	5	3	5
Cambridge	---	175	3	2	5
White	---	103	1	-	1
All other	---	72	2	2	4
Black	---	72	2	2	4
Balance of county	---	210	5	3	2
White	---	155	2	2	1
All other	---	55	3	1	1
Black	---	55	3	1	1
Frederick	825	945	20	13	16
Frederick	---	368	11	7	5
White	---	334	5	3	5
All other	---	34	6	4	-
Black	---	34	6	4	-
Balance of county	---	577	9	6	11
White	---	552	9	6	11
All other	---	25	-	-	-
Black	---	25	-	-	-
Garrett	234	228	12	11	5
Harford	836	926	23	15	15
White	763	837	18	13	11
All other	73	89	5	2	4
Black	71	86	5	2	4
Aberdeen	---	115	7	3	6
White	---	90	4	3	4
All other	---	25	3	-	2
Black	---	25	3	-	2
Balance of county	---	811	16	12	9
White	---	747	14	10	7
All other	---	64	2	2	2
Black	---	61	2	2	2
Howard	498	622	10	8	14
White	431	542	9	8	11
All other	67	80	1	-	3
Black	65	75	1	-	2
Kent	175	205	3	3	5
White	142	155	2	2	3
All other	33	50	1	1	2
Black	33	49	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Montgomery	4,186	3,982	71	49	94
White	3,748	3,600	56	36	60
All other	438	382	15	13	34
Black	380	326	13	12	29
Gaithersburg	---	274	5	4	13
White	---	226	4	3	8
All other	---	48	1	1	5
Black	---	44	1	1	3
Rockville	---	598	6	2	4
White	---	538	4	1	1
All other	---	60	2	1	3
Black	---	47	2	1	3
Takoma Park, part	---	97	4	3	6
White	---	77	4	3	3
All other	---	20	-	-	3
Black	---	19	-	-	3
Takoma Park, total	---	130	5	4	6
White	---	100	5	4	3
All other	---	30	-	-	3
Black	---	29	-	-	3
Balance of county	---	3,013	56	40	71
White	---	2,759	44	29	48
All other	---	254	12	11	23
Black	---	216	10	10	20
Prince George's	3,169	3,910	157	110	114
White	2,373	2,763	64	41	46
All other	796	1,147	93	69	68
Black	758	1,090	89	67	65
Bowie	---	155	3	1	1
College Park	---	134	1	1	-
White	---	126	1	1	-
All other	---	8	-	-	-
Black	---	8	-	-	-
Greenbelt	---	95	6	6	4
White	---	85	3	3	3
All other	---	10	3	3	1
Black	---	9	3	3	1
Hyattsville	---	440	17	14	12
White	---	354	6	4	6
All other	---	86	11	10	6
Black	---	80	10	9	5
Laurel	---	142	6	3	3
White	---	120	4	1	1
All other	---	22	2	2	2
Black	---	21	2	2	2
New Carrollton	---	50	1	1	1
White	---	45	-	-	1
All other	---	5	1	1	-
Black	---	5	1	1	-
Takoma Park, part	---	33	1	1	-
White	---	23	1	1	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	2,861	122	83	93
White	---	1,868	47	30	34
All other	---	993	75	53	59
Black	---	945	72	52	57
Queen Anne's	102	251	5	5	1
White	90	210	4	4	1
All other	12	41	1	1	-
Black	12	41	1	1	-
St. Mary's	299	348	9	6	13
White	226	270	6	4	8
All other	73	78	3	2	5
Black	72	77	3	2	5
Somerset	92	228	4	4	2
White	61	157	3	3	1
All other	31	71	1	1	1
Black	30	70	1	1	1
Talbot	589	378	6	4	2
White	477	316	6	4	-
All other	112	62	-	-	2
Black	112	62	-	-	2
Washington	1,173	1,083	7	6	15
Hagerstown	---	526	3	3	7
Balance of county	---	557	4	3	8
White	---	551	4	3	7
All other	---	6	-	-	1
Black	---	4	-	-	1
Wicomico	1,265	723	12	8	12
White	989	560	6	3	7
All other	276	163	6	5	5
Black	276	163	6	5	5
Salisbury	---	340	8	6	8
White	---	269	3	2	6
All other	---	71	5	4	2
Black	---	71	5	4	2
Maryland-Con.					
Balance of county	---	383	4	2	4
White	---	291	3	1	1
All other	---	92	1	1	3
Black	---	92	1	1	3
Worcester	170	358	4	3	4
White	131	268	1	1	1
All other	39	90	3	2	3
Black	39	90	3	2	3
Massachusetts	55,941	55,332	701	477	556
White	54,084	53,493	606	418	472
All other	1,857	1,839	95	59	84
Black	1,665	1,647	81	50	76
Barnstable	1,880	2,020	14	9	17
Barnstable town#	---	442	2	1	-
Balance of county	---	1,578	12	8	17
White	---	1,548	10	7	17
All other	---	30	2	1	-
Black	---	28	2	1	-
Berkshire	1,627	1,564	12	5	11
North Adams	---	252	5	1	-
Pittsfield	---	540	5	3	6
Balance of county	---	772	2	1	5
Bristol	4,251	4,696	51	34	49
White	4,185	4,622	50	33	48
All other	66	74	1	1	1
Black	61	68	-	-	1
Attleboro	---	303	4	3	5
Fairhaven town#	---	228	4	2	-
Fall River	---	1,064	7	4	9
New Bedford	---	1,153	12	6	9
White	---	1,102	12	6	8
All other	---	51	-	-	1
Black	---	50	-	-	1
North Attleborough town#	---	160	7	6	3
Somerset town#	---	182	3	3	3
Taunton	---	411	7	4	6
Balance of county	---	1,195	7	6	14
Dukes	100	117	2	2	1
Essex	6,242	6,577	83	57	66
White	6,190	6,514	78	55	63
All other	52	63	5	2	3
Black	42	50	3	1	3
Amesbury town#	---	158	2	2	1
Andover town#	---	199	4	1	1
Beverly	---	398	4	3	6
Danvers town#	---	277	2	2	3
Gloucester	---	279	3	2	5
Haverhill	---	570	8	7	2
Lawrence	---	759	21	12	7
White	---	753	19	12	6
All other	---	6	2	-	1
Black	---	4	1	-	1
Lynn	---	996	11	7	8
Lynnfield town#	---	87	-	-	2
Marblehead town#	---	187	-	-	-
Methuen town#	---	418	9	6	4
Newburyport	---	170	-	-	1
Peabody	---	404	6	6	6
Salem	---	416	4	2	2
Saugus town#	---	211	-	-	1
Swampscott town#	---	168	-	-	-
Balance of county	---	880	9	7	17
Franklin	479	586	7	4	5
Hampden	4,690	4,498	77	52	39
White	4,489	4,292	64	42	32
All other	201	206	13	10	7
Black	197	201	13	10	6
Agawam town#	---	214	3	1	1
Chicopee	---	565	7	4	2
Holyoke	---	654	10	7	2
White	---	648	10	7	2
All other	---	6	-	-	-
Black	---	6	-	-	-
Longmeadow town#	---	177	1	1	-
Springfield	---	1,592	35	26	25
White	---	1,405	23	17	18
All other	---	187	12	9	7
Black	---	185	12	9	6
Westfield	---	302	6	2	1
West Springfield town#	---	269	4	4	2
Balance of county	---	725	11	7	6
Hampshire	904	1,056	8	7	5
Amherst town#	---	97	-	-	-
Easthampton town#	---	137	-	-	-
Northampton	---	292	1	1	1
Balance of county	---	530	7	6	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Middlesex	11,396	11,968	142	99	105
White	11,220	11,766	132	92	94
All other	176	202	10	7	11
Black	139	161	8	5	10
Arlington town#	---	550	4	1	3
Belmont town#	---	321	1	1	2
Billerica town#	---	209	7	5	5
Burlington town#	---	116	1	1	-
Cambridge	---	803	10	6	10
White	---	731	6	4	7
All other	---	72	4	2	3
Black	---	62	4	2	3
Chelmsford town#	---	207	3	3	4
Dracut town#	---	172	4	4	-
Everett	---	391	1	-	1
Framingham town#	---	548	7	4	1
Hudson town#	---	107	1	1	1
Lexington town#	---	250	4	2	3
Lowell	---	1,045	20	12	10
Malden	---	560	5	4	6
Marlborough	---	272	1	1	3
Medford	---	622	7	7	3
Melrose	---	312	2	2	3
Natick town#	---	262	2	2	3
Newton	---	744	3	1	4
Reading town#	---	168	2	1	3
Somerville	---	842	4	2	6
Stoneham town#	---	208	4	2	2
Tewksbury town#	---	151	3	3	2
Wakefield town#	---	243	2	1	1
Waltham	---	514	5	4	5
Watertown town#	---	374	-	-	2
Wilmington town#	---	107	1	1	-
Winchester town#	---	190	3	3	-
Woburn	---	287	8	7	1
Balance of county	---	1,393	27	18	21
White	---	1,381	27	18	18
All other	---	12	-	-	3
Black	---	7	-	-	3
Nantucket	55	59	-	-	-
Norfolk	4,730	5,606	64	49	49
White	4,680	5,554	62	49	47
All other	50	52	2	-	2
Black	39	32	-	-	2
Braintree town#	---	347	-	-	3
Brookline town#	---	586	2	2	5
Dedham town#	---	236	2	2	1
Holbrook town#	---	94	2	2	-
Milton town#	---	280	1	1	3
Needham town#	---	234	-	-	-
Norwood town#	---	317	5	5	3
Quincy	---	1,027	14	9	7
Randolph town#	---	267	2	2	4
Stoughton town#	---	237	5	3	5
Wellesley town#	---	207	4	2	1
Westwood town#	---	90	-	-	-
Weymouth town#	---	542	9	5	3
Balance of county	---	1,142	18	16	14
White	---	1,137	18	16	14
All other	---	5	-	-	-
Black	---	4	-	-	-
Plymouth	3,073	3,512	58	40	54
White	3,007	3,429	52	35	48
All other	66	83	6	5	6
Black	65	79	5	4	4
Abington town#	---	127	2	1	2
Brockton	---	962	24	17	20
Plymouth town#	---	340	3	2	4
Rockland town#	---	116	1	1	-
Scituate town#	---	149	5	4	2
Whitman town#	---	89	-	-	1
Balance of county	---	1,729	23	15	25
Suffolk	10,143	6,759	107	71	105
White	9,027	5,739	57	40	53
All other	1,116	1,020	50	31	52
Black	1,006	931	46	28	49
Boston	---	5,734	100	66	95
White	---	4,722	50	35	43
All other	---	1,012	50	31	52
Black	---	927	46	28	49
Chelsea	---	362	4	3	5
Revere	---	458	2	2	3
Winthrop town#	---	205	1	-	2
Worcester	6,371	6,314	76	48	50
White	6,311	6,252	70	46	49
All other	60	62	6	2	1
Black	52	54	4	1	-
Clinton town#	---	114	3	3	1
Fitchburg	---	429	4	1	1
Gardner	---	220	2	-	3
Leominster	---	309	3	2	5
Milford town#	---	242	3	-	-
Shrewsbury town#	---	190	1	1	-
Webster town#	---	187	-	-	-
Worcester	---	1,926	27	19	14
Balance of county	---	2,697	33	22	26
Michigan	75,444	76,588	1,597	1,099	815
White	64,844	65,958	1,041	705	605
All other	10,600	10,630	556	394	210
Black	10,351	10,377	541	388	190
Alcona	57	141	2	1	-
Alger	82	85	1	-	-
Allegan	467	657	16	10	10
Holland, part	---	30	1	1	-
Balance of county	---	627	15	9	10
Alpena	298	229	3	2	1
Alpena	---	123	2	1	-
Balance of county	---	106	1	1	1
Antrim	106	191	1	1	3
Arenac	154	163	-	-	1
Baraga	107	97	-	-	-
Barry	292	364	10	5	3
Bay	849	951	11	5	7
Bangor twp#	---	92	-	-	-
Bay City	---	433	5	1	5
Midland, part	---	-	-	-	-
Balance of county	---	426	6	4	2
Benzie	123	142	1	1	-
Berrien	1,374	1,519	38	29	19
White	1,168	1,324	26	21	7
All other	206	195	12	8	12
Black	203	193	12	8	11
Benton Harbor	---	141	8	5	9
White	---	37	1	-	-
All other	---	104	7	5	9
Black	---	103	7	5	9
Niles	---	153	3	3	1
White	---	144	3	3	-
All other	---	9	-	-	1
Black	---	9	-	-	1
Balance of county	---	1,225	27	21	9
White	---	1,143	22	18	7
All other	---	82	5	3	2
Black	---	81	5	3	1
Branch	388	401	7	6	1
Calhoun	1,238	1,187	19	9	20
White	1,135	1,073	13	6	17
All other	103	114	6	3	3
Black	103	112	6	3	3
Albion	---	93	2	1	1
White	---	70	2	1	1
All other	---	23	-	-	-
Black	---	22	-	-	-
Battle Creek	---	558	10	4	12
White	---	472	4	1	9
All other	---	86	6	3	3
Black	---	86	6	3	3
Balance of county	---	536	7	4	7
Cass	271	436	4	4	5
Charlevoix	142	194	5	-	2
Cheboygan	168	218	4	3	-
Chippewa	236	279	-	-	-
Sault Ste. Marie	---	172	-	-	-
Balance of county	---	107	-	-	-
White	---	98	-	-	-
All other	---	9	-	-	-
Black	---	-	-	-	-
Clare	221	293	5	5	1
Clinton	186	329	4	1	3
Lansing, part	---	-	-	-	-
Balance of county	---	329	4	1	3
White	---	327	4	1	3
All other	---	2	-	-	-
Black	---	-	-	-	-
Crawford	205	119	-	-	-
Delta	259	323	4	-	4
Escanaba	---	154	2	-	1
Balance of county	---	169	2	-	3
Dickinson	424	304	2	2	3
Eaton	402	615	12	8	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Lansing, part	---	12	-	-	2
White	---	10	-	-	2
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	603	12	8	8
Emmet	502	228	3	-	4
Genesee	3,555	3,406	86	60	41
White	3,021	2,852	43	28	25
All other	534	554	43	32	16
Black	523	543	43	32	15
Burton	---	233	5	4	2
Flint	---	1,539	58	41	20
White	---	1,023	19	10	7
All other	---	516	39	31	13
Black	---	510	39	31	12
Flint twp#	---	273	2	2	-
Genesee twp#	---	117	1	1	-
Mount Morris twp#	---	141	2	1	3
White	---	138	2	1	3
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	1,103	18	11	16
White	---	1,076	14	10	14
All other	---	27	4	1	2
Black	---	26	4	1	2
Gladwin	128	204	3	1	1
Gogebic	243	271	2	1	2
Grand Traverse	705	433	10	9	7
Traverse City	---	146	2	2	3
Balance of county	---	287	8	7	4
Gratiot	415	364	10	6	8
Hillsdale	250	374	7	5	8
Houghton	389	445	4	3	3
Huron	292	401	6	5	5
Ingham	2,161	1,727	45	33	37
White	2,029	1,595	33	25	24
All other	132	132	12	8	13
Black	118	119	9	8	9
East Lansing	---	135	1	1	-
Lansing, part	---	966	36	25	26
White	---	847	24	17	15
All other	---	119	12	8	11
Black	---	109	9	8	8
Lansing, total	---	978	36	25	28
White	---	857	24	17	17
All other	---	121	12	8	11
Black	---	111	9	8	8
Meridian twp#	---	208	1	1	2
Balance of county	---	418	7	6	9
Ionia	263	405	7	2	6
Iosco	281	289	6	6	1
Iron	158	206	-	-	2
Isabella	296	323	6	3	2
Mount Pleasant	---	126	2	2	-
Balance of county	---	197	4	1	2
Jackson	1,200	1,262	18	12	18
White	1,137	1,193	15	9	17
All other	63	69	3	3	1
Black	62	68	3	3	1
Jackson	---	484	10	6	10
White	---	424	7	3	9
All other	---	60	3	3	1
Black	---	60	3	3	1
Balance of county	---	778	8	6	8
Kalamazoo	1,897	1,501	46	35	27
White	1,761	1,402	33	27	23
All other	136	99	13	8	4
Black	133	97	13	8	3
Kalamazoo	---	638	29	21	12
White	---	556	17	14	9
All other	---	82	12	7	3
Black	---	82	12	7	2
Kalamazoo twp#	---	171	2	2	2
Portage	---	227	6	5	4
Balance of county	---	465	9	7	9
Kalkaska	58	106	3	1	1
Kent	4,076	3,534	80	44	42
White	3,866	3,327	64	36	30
All other	210	207	16	8	12
Black	195	193	15	8	11
East Grand Rapids	---	56	-	-	1
Grand Rapids	---	1,944	50	27	25
White	---	1,754	35	19	16
All other	---	190	15	8	9
Black	---	179	15	8	9
Grandville	---	76	-	-	-
Kentwood	---	126	3	1	1
Walker	---	104	-	-	-
Wyoming	---	374	7	4	2
Balance of county	---	854	20	12	13
Keweenaw	4	33	-	-	-
Lake	53	108	1	-	3
White	40	72	-	-	3
All other	13	36	1	-	-
Black	12	35	1	-	-
Lapeer	382	484	10	5	-
Leelanau	74	152	-	-	4
Lenawee	561	693	6	2	9
Adrian	---	214	1	1	2
Balance of county	---	479	5	1	7
Livingston	405	602	9	7	8
Luce	97	91	1	-	1
Mackinac	73	117	2	1	1
Macomb	3,780	5,097	103	72	45
White	3,685	5,008	94	65	40
All other	95	89	9	7	5
Black	80	71	6	5	4
Clinton twp#	---	302	5	4	4
East Detroit	---	388	7	7	2
Fraser	---	117	3	2	-
Harrison twp#	---	105	-	-	-
Mount Clemens	---	338	14	11	8
White	---	296	13	10	7
All other	---	42	1	1	1
Black	---	41	1	1	-
Roseville	---	468	10	8	1
St. Clair Shores	---	728	6	4	4
Shelby twp#	---	158	5	3	1
Sterling Heights	---	563	17	10	3
Warren	---	1,288	21	14	10
Balance of county	---	642	15	9	12
Manistee	214	254	1	1	-
Marquette	587	486	15	11	12
Marquette	---	168	9	7	3
Balance of county	---	318	6	4	9
Mason	231	247	3	1	1
Mecosta	196	252	3	1	5
Big Rapids	---	81	1	-	-
Balance of county	---	171	2	1	5
Menominee	254	277	1	1	1
Menominee	---	124	-	-	-
Balance of county	---	153	1	1	1
Midland	534	416	11	5	5
Midland, part	---	235	2	1	2
Midland, total	---	235	2	1	2
Balance of county	---	181	9	4	3
Missaukee	20	101	2	1	2
Monroe	598	904	14	12	11
Monroe	---	270	2	1	4
Balance of county	---	634	12	11	7
Montcalm	357	451	7	4	8
Montmorency	48	104	-	-	1
Muskegon	1,377	1,353	28	21	6
White	1,224	1,195	21	17	5
All other	153	158	7	4	1
Black	151	156	7	4	1
Muskegon	---	460	7	5	6
White	---	395	4	4	5
All other	---	65	3	1	1
Black	---	65	3	1	1
Muskegon Heights	---	151	5	4	-
White	---	72	1	1	-
All other	---	79	4	3	-
Black	---	78	4	3	-
Norton Shores	---	150	2	1	-
Balance of county	---	592	14	11	-
Newaygo	243	305	5	2	2
Oakland	8,179	7,516	138	102	72
White	7,701	7,180	118	85	57
All other	478	336	20	17	15
Black	460	310	18	16	10
Avon twp#	---	210	2	1	2
Berkley	---	137	2	1	-
Beverly Hills	---	74	2	1	-
Birmingham	---	239	3	2	2
Bloomfield twp#	---	239	4	2	1
Clawson	---	126	1	1	2
Farmington	---	152	-	-	-
Farmington Hills	---	411	5	3	4
Ferndale	---	315	5	3	4
Hazel Park	---	204	7	6	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Madison Heights	---	267	9	7	6
Novi	---	124	1	1	1
Oak Park	---	258	6	4	-
White	---	246	5	3	-
All other	---	12	1	1	-
Black	---	11	1	1	-
Pontiac	---	653	27	23	13
White	---	462	14	11	6
All other	---	191	13	12	7
Black	---	190	13	12	6
Royal Oak	---	639	11	9	4
Southfield	---	829	4	4	5
White	---	792	2	2	2
All other	---	37	2	2	3
Black	---	33	1	1	3
Troy	---	320	6	4	3
West Bloomfield twp#	---	196	-	-	1
Balance of county	---	2,123	43	30	22
White	---	2,093	42	29	20
All other	---	30	1	1	2
Black	---	27	1	1	1
Oceana	149	220	3	1	2
Ogemaw	256	201	1	1	3
Ontonagon	88	109	1	1	-
Osceola	172	188	1	-	4
Oscoda	60	118	-	-	-
Otsego	127	119	2	2	-
Ottawa	884	986	16	12	12
Georgetown twp#	---	91	4	2	2
Grand Haven	---	129	-	-	1
Holland, part	---	184	5	4	3
Holland, total	---	214	6	5	3
Balance of county	---	582	7	6	6
Presque Isle	103	149	5	2	1
Roscommon	57	257	2	2	2
Saginaw	1,980	1,724	60	47	21
White	1,724	1,462	32	25	12
All other	256	262	28	22	9
Black	249	257	26	21	9
Saginaw	---	745	32	25	11
White	---	522	12	10	4
All other	---	223	20	15	7
Black	---	221	19	15	7
Saginaw twp#	---	300	6	5	2
Balance of county	---	679	22	17	8
White	---	645	15	11	6
All other	---	34	7	6	2
Black	---	33	7	6	2
St. Clair	1,129	1,281	23	17	15
Port Huron	---	374	9	6	8
Balance of county	---	907	14	11	7
St. Joseph	451	546	6	2	9
Sanilac	281	398	6	2	4
Schoolcraft	85	89	-	-	-
Shiawassee	413	537	10	6	9
Owosso	---	171	4	3	3
Balance of county	---	366	6	3	6
Tuscola	292	432	5	5	3
Van Buren	462	666	11	6	2
Washtenaw	2,854	1,457	38	34	26
White	2,556	1,288	28	24	19
All other	298	169	10	10	7
Black	282	157	10	10	7
Ann Arbor	---	489	11	11	16
White	---	428	8	8	12
All other	---	61	3	3	4
Black	---	53	3	3	4
Ypsilanti	---	215	9	8	4
White	---	149	3	2	3
All other	---	66	6	6	1
Black	---	63	6	6	1
Ypsilanti twp#	---	194	9	7	3
White	---	174	9	7	1
All other	---	20	-	-	2
Black	---	20	-	-	2
Balance of county	---	559	9	8	3
White	---	537	8	7	3
All other	---	22	1	1	-
Black	---	21	1	1	-
Wayne	22,096	22,092	550	388	194
White	14,504	14,259	189	135	90
All other	7,592	7,833	361	253	104
Black	7,531	7,782	360	252	101
Allen Park	---	344	4	4	3
Canton twp#	---	183	7	5	3
Dearborn	---	1,024	14	12	7
Dearborn Heights	---	573	7	6	3
Detroit	---	12,907	387	273	114
White	---	5,732	66	47	23
All other	---	7,175	321	226	91
Black	---	7,141	321	226	90
Ecorse	---	135	5	4	1
White	---	80	-	-	1
All other	---	55	5	4	-
Black	---	55	5	4	-
Garden City	---	223	5	3	1
Grosse Pointe Farms	---	106	1	1	-
Grosse Pointe Park	---	107	2	2	-
Grosse Pointe Woods	---	159	-	-	1
Hamtramck	---	283	4	2	1
White	---	252	1	-	1
All other	---	31	3	2	-
Black	---	31	3	2	-
Harper Woods	---	208	-	-	-
Highland Park	---	337	13	7	1
White	---	93	-	-	-
All other	---	244	13	7	1
Black	---	244	13	7	1
Inkster	---	302	11	8	1
White	---	141	-	-	1
All other	---	161	11	8	-
Black	---	160	10	7	-
Lincoln Park	---	373	5	3	3
Livonia	---	781	4	4	4
Melvindale	---	94	2	-	-
Plymouth twp#	---	109	2	-	-
Redford twp#	---	524	8	7	3
River Rouge	---	131	4	3	3
White	---	84	1	1	2
All other	---	47	3	2	1
Black	---	47	3	2	1
Riverview	---	126	1	1	2
Romulus	---	177	3	1	3
White	---	139	2	1	2
All other	---	38	1	-	1
Black	---	38	1	-	1
Southgate	---	232	5	4	1
Taylor	---	429	17	10	6
Trenton	---	178	2	2	1
Wayne	---	207	3	1	6
Westland	---	620	13	10	4
Woodhaven	---	56	-	-	1
Wyandotte	---	307	4	3	2
Balance of county	---	857	17	12	19
Wexford	320	260	6	4	3
Cadillac	---	123	3	2	2
Balance of county	---	137	3	2	1
Minnesota	34,004	33,766	596	370	465
White	33,370	33,150	555	344	414
All other	634	616	41	26	51
Black	328	321	22	17	22
Aitkin	136	189	-	-	1
Anoka	861	830	37	27	19
Anoka	---	128	1	1	2
Blaine, part	---	71	5	5	3
Blaine, total	---	71	5	5	3
Columbia Heights	---	150	-	-	-
Coon Rapids	---	142	10	6	4
Fridley	---	140	8	5	3
Ramsey	---	17	3	1	-
Balance of county	---	182	10	9	7
Becker	247	290	2	-	4
Beltrami	265	267	4	1	2
White	228	227	4	1	1
All other	37	40	-	-	1
Black	-	-	-	-	-
Bemidji	---	112	1	-	-
Balance of county	---	155	3	1	2
White	---	116	3	1	1
All other	---	39	-	-	1
Black	---	-	-	-	-
Benton	155	235	3	1	2
St. Cloud, part	---	44	2	-	-
Balance of county	---	191	1	1	2
Big Stone	103	100	1	1	1
Blue Earth	458	390	10	7	6
Mankato, part	---	198	3	2	3
Mankato, total	---	198	3	2	3
Balance of county	---	192	7	5	3
Brown	277	263	6	2	3
New Ulm	---	123	3	1	-
Balance of county	---	140	3	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Carlton	241	287	2	1	-
Cloquet	---	135	2	1	-
Balance of county	---	152	-	-	-
Carver	203	225	9	5	6
Cass	187	288	3	1	3
Chippewa	124	166	1	-	2
Chisago	181	227	6	6	2
Clay	250	360	6	5	7
Moorhead	---	222	4	4	3
Balance of county	---	138	2	1	4
Clearwater	94	116	2	-	2
Cook	39	43	1	-	-
Cottonwood	139	157	2	1	1
Crow Wing	436	416	9	4	2
Brainerd	---	163	3	1	-
Balance of county	---	253	6	3	2
Dakota	717	993	30	11	23
Apple Valley	---	50	3	2	1
Burnsville	---	99	2	1	3
Eagan	---	48	5	2	3
Hastings, part	---	108	1	-	1
Hastings, total	---	108	1	-	1
Inver Grove Heights	---	80	4	2	7
Lakeville	---	42	6	1	1
Northfield, part	---	-	-	-	-
South St. Paul	---	171	2	1	2
West St. Paul	---	215	2	-	4
Balance of county	---	180	5	2	1
Dodge	44	105	1	-	3
Douglas	303	281	5	2	3
Faribault	215	261	2	2	2
Fillmore	199	271	2	1	6
Freeborn	381	394	1	1	4
Albert Lea	---	264	-	-	2
Balance of county	---	130	1	1	2
Goodhue	397	451	11	6	1
Red Wing	---	182	3	3	1
Balance of county	---	269	8	3	-
Grant	86	99	1	-	1
Hennepin	8,634	7,604	138	82	101
White	8,317	7,323	118	69	75
All other	317	281	20	13	26
Black	212	200	14	10	10
Bloomington	---	452	7	2	3
Brooklyn Center	---	176	1	1	1
Brooklyn Park	---	145	11	6	6
Crystal	---	172	2	1	2
Eden Prairie	---	66	3	3	1
Edina	---	419	4	3	2
Golden Valley	---	180	1	1	1
Hopkins	---	168	1	-	-
Maple Grove	---	52	6	4	4
Minneapolis	---	3,935	60	34	52
White	---	3,688	40	21	29
All other	---	247	20	13	23
Black	---	187	14	10	9
Minnetonka	---	186	8	7	4
New Hope	---	210	6	4	4
Plymouth	---	114	4	3	3
Richfield	---	270	3	3	2
Robbinsdale	---	140	2	2	2
St. Louis Park	---	429	7	5	2
Balance of county	---	490	12	3	12
Houston	119	164	3	-	2
Hubbard	149	132	3	2	2
Isanti	176	190	8	6	2
Itasca	365	383	10	9	1
Jackson	99	126	2	1	-
Kanabec	132	122	2	1	1
Kandiyohi	377	313	7	5	5
Willmar	---	156	3	3	2
Balance of county	---	157	4	2	3
Kittson	90	87	-	-	-
Koochiching	129	152	-	-	-
Lac qui Parle	104	126	1	-	-
Lake	88	108	1	1	-
Lake of the Woods	49	58	4	4	2
Le Sueur	130	202	1	1	6
Lincoln	99	80	-	-	-
Lyon	201	226	3	-	3
Marshall	---	87	2	-	1
Balance of county	---	139	1	-	2
McLeod	288	271	6	4	4
Mahnomen	34	53	-	-	-
White	30	45	-	-	-
All other	4	8	-	-	-
Black	-	-	-	-	-
Marshall	70	119	1	1	3
Martin	233	260	2	1	2
Fairmont	---	153	-	-	1
Balance of county	---	107	2	1	1
Meeker	193	201	4	3	3
Mille Lacs	196	225	3	1	6
Morrison	261	277	3	3	6
Mower	335	407	2	2	4
Austin	---	278	2	2	3
Balance of county	---	129	-	-	1
Murray	65	101	4	3	1
Nicollet	116	175	4	3	2
Mankato, part	---	-	-	-	-
Balance of county	---	175	4	3	2
Nobles	170	187	2	2	1
Worthington	---	102	-	-	-
Balance of county	---	85	2	2	1
Norman	102	135	-	-	-
Olmsted	1,521	613	21	14	16
Rochester	---	480	17	12	12
Balance of county	---	133	4	2	4
Otter Tail	458	554	6	3	5
Fergus Falls	---	177	2	-	-
Balance of county	---	377	4	3	5
Pennington	168	149	-	-	2
Pine	118	196	3	-	4
Pipestone	116	144	-	-	2
Polk	310	374	3	2	2
Pope	146	144	1	1	1
Ramsey	4,213	3,866	78	56	66
White	4,093	3,736	66	47	55
All other	120	130	12	9	11
Black	94	101	7	6	8
Blaine, part	---	-	-	-	-
Maplewood	---	225	8	3	5
Mounds View	---	35	1	1	-
New Brighton	---	118	4	3	6
North St. Paul	---	88	4	4	1
Roseville	---	269	2	2	1
St. Paul	---	2,663	53	37	44
White	---	2,546	42	29	33
All other	---	117	11	8	11
Black	---	93	6	5	8
Shoreview	---	84	1	1	2
White Bear Lake, part	---	141	2	2	2
White Bear Lake, total	---	141	2	2	2
Balance of county	---	243	3	3	5
Red Lake	26	50	-	-	1
Redwood	168	228	1	1	2
Renville	165	208	1	1	2
Rice	362	388	8	6	2
Faribault	---	183	3	1	2
Northfield, part	---	122	3	3	-
Northfield, total	---	122	3	3	-
Balance of county	---	83	2	2	-
Rock	92	83	2	2	-
Roseau	111	134	1	1	1
St. Louis	2,331	2,059	27	20	18
Duluth	---	1,025	14	11	10
Hibbing	---	214	3	2	1
Virginia	---	141	-	-	1
Balance of county	---	679	10	7	6
Scott	305	271	5	2	9
Sherburne	134	187	4	3	8
St. Cloud, part	---	53	1	-	-
Balance of county	---	134	3	3	8
Sibley	105	167	-	-	3
Stearns	883	707	11	7	11
St. Cloud, part	---	218	2	1	1
St. Cloud, total	---	315	5	1	1
Balance of county	---	489	9	6	10
Steele	203	236	3	1	9
Owatonna	---	158	2	1	6
Balance of county	---	78	1	-	3
Stevens	85	103	3	1	1
Swift	130	159	1	1	2
Todd	148	250	5	1	6
Traverse	58	66	2	2	-
Wabasha	199	204	3	-	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Wadena	199	156	2	2	2
Waseca	105	156	5	4	1
Washington	367	548	12	8	11
Cottage Grove	---	42	5	5	1
Hastings, part	---	-	-	-	-
Oakdale	---	45	2	1	-
Stillwater	---	138	1	-	4
White Bear Lake, part	---	-	-	-	-
Woodbury	---	58	-	-	1
Balance of county	---	265	4	2	5
Watonwan	112	126	3	2	2
Wilkin	123	74	-	-	-
Winona	356	401	2	2	4
Winona	---	282	-	-	2
Balance of county	---	119	2	2	2
Wright	305	417	10	6	5
Yellow Medicine	140	160	2	1	1
Mississippi	23,243	23,939	632	396	549
White	14,832	15,355	227	159	201
All other	8,411	8,584	405	237	348
Black	8,348	8,516	402	236	344
Adams	461	438	8	4	4
White	224	196	2	1	-
All other	237	242	6	3	4
Black	237	242	6	3	4
Natchez	---	314	7	3	2
White	---	134	1	-	-
All other	---	180	6	3	2
Black	---	180	6	3	2
Balance of county	---	124	1	1	2
White	---	62	1	1	-
All other	---	62	-	-	2
Black	---	62	-	-	2
Alcorn	289	341	5	3	2
White	244	289	5	3	2
All other	45	52	-	-	-
Black	45	52	-	-	-
Corinth	---	161	2	1	1
White	---	126	2	1	1
All other	---	35	-	-	-
Black	---	35	-	-	-
Balance of county	---	180	3	2	1
Amite	46	137	5	3	-
White	20	69	3	2	-
All other	26	68	2	1	-
Black	26	68	2	1	-
Attala	191	238	4	2	4
White	133	159	1	1	3
All other	58	79	3	1	1
Black	58	79	3	1	1
Benton	16	65	-	-	3
White	12	47	-	-	3
All other	4	18	-	-	-
Black	4	18	-	-	-
Bolivar	474	524	19	9	13
White	165	182	2	2	1
All other	309	342	17	7	12
Black	307	340	17	7	12
Cleveland	---	151	7	3	6
White	---	76	-	-	1
All other	---	75	7	3	5
Black	---	74	7	3	5
Balance of county	---	373	12	6	7
White	---	106	2	2	-
All other	---	267	10	4	7
Black	---	266	10	4	7
Calhoun	107	155	4	1	2
White	81	124	2	1	1
All other	26	31	2	-	1
Black	26	31	2	-	1
Carroll	27	74	1	1	3
White	15	47	-	-	-
All other	12	27	1	1	3
Black	12	27	1	1	3
Chickasaw	144	203	7	3	5
White	100	133	3	2	2
All other	44	70	4	1	3
Black	44	70	4	1	3
Choctaw	65	98	3	3	2
White	47	75	-	-	-
All other	18	23	3	3	2
Black	18	23	3	3	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Claiborne	66	96	2	2	4
White	19	26	-	-	-
All other	47	70	2	2	4
Black	47	70	2	2	4
Clarke	126	195	4	2	4
White	84	130	2	2	1
All other	42	65	2	-	3
Black	42	65	2	-	3
Clay	165	222	10	5	5
White	94	119	3	1	1
All other	71	103	7	4	4
Black	71	103	7	4	4
Coahoma	358	370	11	7	12
White	147	147	2	2	4
All other	211	223	9	5	8
Black	210	222	9	5	8
Clarksdale	---	266	6	3	10
White	---	107	-	-	2
All other	---	159	6	3	8
Black	---	158	6	3	8
Balance of county	---	104	5	4	2
White	---	40	2	2	2
All other	---	64	3	2	-
Black	---	64	3	2	-
Copiah	195	314	11	9	11
White	112	183	3	2	4
All other	83	131	8	7	7
Black	83	131	8	7	7
Covington	98	136	2	1	2
White	75	94	1	1	-
All other	23	42	1	-	2
Black	23	42	1	-	2
De Soto	128	366	7	4	10
White	84	282	6	3	8
All other	44	84	1	1	2
Black	43	84	1	1	2
Forrest	761	638	14	11	9
White	549	461	11	9	3
All other	212	177	3	2	6
Black	212	177	3	2	6
Hattiesburg, part	---	443	6	5	7
White	---	287	3	3	1
All other	---	156	3	2	6
Black	---	156	3	2	6
Hattiesburg, total	---	449	6	5	7
White	---	290	3	3	1
All other	---	159	3	2	6
Black	---	159	3	2	6
Balance of county	---	195	8	6	2
White	---	174	8	6	2
All other	---	21	-	-	-
Black	---	21	-	-	-
Franklin	79	99	4	4	-
White	49	61	2	2	-
All other	30	38	2	2	-
Black	30	38	2	2	-
George	93	147	5	3	1
Greene	36	79	1	-	-
White	31	69	1	-	-
All other	5	10	-	-	-
Black	5	10	-	-	-
Grenada	225	253	4	4	6
White	122	136	-	-	2
All other	103	117	4	4	4
Black	103	117	4	4	4
Grenada	---	171	3	3	2
White	---	88	-	-	-
All other	---	83	3	3	2
Black	---	83	3	3	2
Balance of county	---	82	1	1	4
White	---	48	-	-	2
All other	---	34	1	1	2
Black	---	34	1	1	2
Hancock	193	236	4	2	2
White	171	209	3	1	1
All other	22	27	1	1	1
Black	22	27	1	1	1
Harrison	1,571	1,294	30	18	33
White	1,282	1,054	17	11	20
All other	289	240	13	7	13
Black	280	229	13	7	12
Biloxi	---	366	17	8	9
White	---	299	9	5	4
All other	---	67	8	3	5
Black	---	58	8	3	5
Gulfport	---	450	6	5	8
White	---	351	2	1	3
All other	---	99	4	4	5
Black	---	98	4	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Balance of county	---	478	7	5	16
White	---	404	6	5	13
All other	---	74	1	-	3
Black	---	73	1	-	2
Hinds	3,628	1,977	50	31	64
White	2,091	1,142	11	9	12
All other	1,537	835	39	22	52
Black	1,529	833	39	22	52
Clinton	---	106	3	3	-
Jackson, part	---	1,622	43	26	56
White	---	944	8	7	10
All other	---	678	35	19	46
Black	---	676	35	19	46
Jackson, total	---	1,622	43	26	56
White	---	944	8	7	10
All other	---	678	35	19	46
Black	---	676	35	19	46
Balance of county	---	249	4	2	8
White	---	108	1	-	2
All other	---	141	3	2	6
Black	---	141	3	2	6
Holmes	169	230	10	8	13
White	44	64	1	1	2
All other	125	166	9	7	11
Black	125	165	9	7	11
Humphreys	119	167	11	9	3
White	37	57	1	1	-
All other	82	110	10	8	3
Black	82	110	10	8	3
Issaquena	5	10	-	-	1
White	-	1	-	-	-
All other	5	9	-	-	1
Black	5	9	-	-	1
Itawamba	112	188	3	2	3
Jackson	671	755	17	14	19
White	550	630	10	8	11
All other	121	125	7	6	8
Black	121	124	7	6	8
Moss Point	---	120	5	4	5
White	---	58	-	-	-
All other	---	62	5	4	5
Black	---	62	5	4	5
Ocean Springs	---	127	-	-	2
Pascagoula	---	232	4	3	4
White	---	203	3	2	4
All other	---	29	1	1	-
Black	---	29	1	1	-
Balance of county	---	276	8	7	8
Jasper	118	189	5	3	3
White	68	103	1	1	-
All other	50	86	4	2	3
Black	50	86	4	2	3
Jefferson	47	87	5	2	9
White	8	16	-	-	1
All other	39	71	5	2	8
Black	39	71	5	2	8
Jefferson Davis	95	160	5	4	4
White	52	79	-	-	-
All other	43	81	5	4	4
Black	43	81	5	4	4
Jones	646	651	13	8	12
White	452	470	5	3	5
All other	194	181	8	5	7
Black	192	178	8	5	7
Laurel	---	325	8	5	7
White	---	202	1	1	2
All other	---	123	7	4	5
Black	---	122	7	4	5
Balance of county	---	326	5	3	5
White	---	268	4	2	3
All other	---	58	1	1	2
Black	---	56	1	1	2
Kemper	77	121	-	-	1
White	43	72	-	-	1
All other	34	49	-	-	-
Black	34	49	-	-	-
Lafayette	218	214	1	1	4
White	158	152	1	1	2
All other	60	62	-	-	2
Black	60	62	-	-	2
Lamar	304	206	4	3	5
White	249	177	2	1	4
All other	55	29	2	2	1
Black	55	29	2	2	1
Hattiesburg, part	---	6	-	-	-
Mississippi-Con.					
Balance of county	---	200	4	3	5
White	---	174	2	1	4
All other	---	26	2	2	1
Black	---	26	2	2	1
Lauderdale	1,096	827	17	13	28
White	755	552	8	7	14
All other	341	275	9	6	14
Black	332	273	9	6	14
Meridian	---	570	9	6	14
White	---	362	3	3	4
All other	---	208	6	3	10
Black	---	206	6	3	10
Balance of county	---	257	8	7	14
White	---	190	5	4	10
All other	---	67	3	3	4
Black	---	67	3	3	4
Lawrence	99	125	3	1	1
White	65	87	1	-	-
All other	34	38	2	1	1
Black	34	38	2	1	1
Leake	161	218	4	2	4
White	114	148	1	1	-
All other	47	70	3	1	4
Black	43	62	2	-	2
Lee	968	536	18	12	8
White	747	413	7	7	2
All other	221	123	11	5	6
Black	221	123	11	5	6
Tupelo	---	249	6	6	2
White	---	201	3	3	1
All other	---	48	3	3	1
Black	---	48	3	3	1
Balance of county	---	287	12	6	6
White	---	212	4	4	1
All other	---	75	8	2	5
Black	---	75	8	2	5
Leflore	491	467	20	12	10
White	224	222	2	2	2
All other	267	245	18	10	8
Black	266	245	18	10	8
Greenwood	---	294	12	9	6
White	---	157	2	2	1
All other	---	137	10	7	5
Black	---	137	10	7	5
Balance of county	---	173	8	3	4
White	---	65	-	-	1
All other	---	108	8	3	3
Black	---	108	8	3	3
Lincoln	281	323	6	4	3
White	211	249	4	3	2
All other	70	74	2	1	1
Black	70	74	2	1	1
Brookhaven	---	193	2	2	1
White	---	141	1	1	-
All other	---	52	1	1	1
Black	---	52	1	1	1
Balance of county	---	130	4	2	2
White	---	108	3	2	2
All other	---	22	1	-	-
Black	---	22	1	-	-
Lowndes	472	464	8	4	11
White	291	264	-	-	7
All other	181	200	8	4	4
Black	181	200	8	4	4
Columbus	---	290	2	2	4
White	---	163	-	-	1
All other	---	127	2	2	3
Black	---	127	2	2	3
Balance of county	---	174	6	2	7
White	---	101	-	-	6
All other	---	73	6	2	1
Black	---	73	6	2	1
Madison	213	318	10	5	8
White	80	124	1	-	-
All other	133	194	9	5	8
Black	133	194	9	5	8
Canton	---	136	7	4	6
White	---	44	-	-	-
All other	---	92	7	4	6
Black	---	92	7	4	6
Balance of county	---	182	3	1	2
White	---	80	1	-	-
All other	---	102	2	1	2
Black	---	102	2	1	2
Marion	186	252	5	2	10
White	130	169	3	2	7
All other	56	83	2	-	3
Black	56	82	2	-	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Marshall	184	280	8	7	3
White	94	147	1	1	1
All other	90	133	7	6	2
Black	90	133	7	6	2
Monroe	287	349	7	4	9
White	216	262	4	2	1
All other	71	87	3	2	8
Black	71	87	3	2	8
Montgomery	155	176	3	3	3
White	94	113	1	1	2
All other	61	63	2	2	1
Black	61	63	2	2	1
Neshoba	132	223	7	3	4
White	84	157	3	2	2
All other	48	66	4	1	2
Black	30	45	2	1	1
Newton	181	255	3	3	5
White	126	184	1	1	2
All other	55	71	2	2	3
Black	54	65	2	2	3
Noxubee	102	134	3	2	2
White	32	48	–	–	–
All other	70	86	3	2	2
Black	70	86	3	2	2
Oktibbeha	240	242	9	6	4
White	138	132	3	2	–
All other	102	110	6	4	4
Black	100	108	6	4	4
Starkville	– – –	118	5	4	3
White	– – –	71	1	1	–
All other	– – –	47	4	3	3
Black	– – –	46	4	3	3
Balance of county	– – –	124	4	2	1
White	– – –	61	2	1	–
All other	– – –	63	2	1	1
Black	– – –	62	2	1	1
Panola	223	299	8	6	10
White	121	168	–	–	3
All other	102	131	8	6	7
Black	102	131	8	6	7
Pearl River	253	325	12	8	4
White	208	263	7	7	4
All other	45	62	5	1	–
Black	45	62	5	1	–
Picayune	– – –	120	4	2	1
White	– – –	81	2	2	1
All other	– – –	39	2	–	–
Black	– – –	39	2	–	–
Balance of county	– – –	205	8	6	3
Perry	59	93	1	–	4
White	50	78	–	–	3
All other	9	15	1	–	1
Black	9	15	1	–	1
Pike	439	426	11	9	8
White	278	262	2	1	2
All other	161	164	9	8	6
Black	161	164	9	8	6
McComb	– – –	191	5	4	1
White	– – –	136	1	1	–
All other	– – –	55	4	3	1
Black	– – –	55	4	3	1
Balance of county	– – –	235	6	5	7
White	– – –	126	1	–	2
All other	– – –	109	5	5	5
Black	– – –	109	5	5	5
Pontotoc	127	212	4	3	3
White	122	190	3	2	3
All other	5	22	1	1	–
Black	5	22	1	1	–
Prentiss	124	213	3	1	3
White	115	197	2	1	2
All other	9	16	1	–	1
Black	9	16	1	–	1
Quitman	101	131	6	4	9
White	27	56	1	1	4
All other	74	75	5	3	5
Black	74	75	5	3	5
Rankin	405	548	18	9	8
White	284	413	13	6	7
All other	121	135	5	3	1
Black	121	135	5	3	1
Jackson, part	– – –	–	–	–	–
Pearl	– – –	106	2	–	2
White	– – –	95	2	–	2
All other	– – –	11	–	–	–
Black	– – –	11	–	–	–
Balance of county	– – –	442	16	9	6
White	– – –	318	11	6	5
All other	– – –	124	5	3	1
Black	– – –	124	5	3	1
Scott	209	270	9	3	6
White	142	183	5	2	2
All other	67	87	4	1	4
Black	67	87	4	1	4
Sharkey	47	55	–	–	3
White	16	25	–	–	–
All other	31	30	–	–	3
Black	31	30	–	–	3
Simpson	191	251	9	5	6
White	136	180	5	3	4
All other	55	71	4	2	2
Black	55	71	4	2	2
Smith	69	120	2	2	4
White	58	101	1	1	1
All other	11	19	1	1	3
Black	11	19	1	1	3
Stone	80	97	–	–	2
White	65	81	–	–	2
All other	15	16	–	–	–
Black	15	16	–	–	–
Sunflower	279	356	11	5	10
White	127	153	1	1	2
All other	152	203	10	4	8
Black	151	201	10	4	8
Tallahatchie	131	187	8	7	5
White	62	89	–	–	1
All other	69	98	8	7	4
Black	69	98	8	7	4
Tate	128	185	4	2	6
White	59	103	1	1	–
All other	69	82	3	1	6
Black	69	82	3	1	6
Tippah	181	256	7	6	–
White	157	226	4	3	–
All other	24	30	3	3	–
Black	24	30	3	3	–
Tishomingo	149	206	6	2	3
Tunica	61	111	8	1	–
White	15	37	1	–	–
All other	46	74	7	1	–
Black	46	74	7	1	–
Union	269	257	4	3	5
White	229	218	1	1	4
All other	40	39	3	2	1
Black	40	39	3	2	1
Walthall	120	148	3	2	3
White	85	102	1	1	–
All other	35	46	2	1	3
Black	35	46	2	1	3
Warren	525	490	24	18	9
White	274	264	15	13	5
All other	251	226	9	5	4
Black	249	224	9	5	4
Vicksburg	– – –	320	17	12	5
White	– – –	146	8	7	2
All other	– – –	174	9	5	3
Black	– – –	172	9	5	3
Balance of county	– – –	170	7	6	4
White	– – –	118	7	6	3
All other	– – –	52	–	–	1
Black	– – –	52	–	–	1
Washington	783	719	25	13	21
White	294	260	4	2	2
All other	489	459	21	11	19
Black	489	458	21	11	19
Greenville	– – –	489	16	7	16
White	– – –	189	1	–	1
All other	– – –	300	15	7	15
Black	– – –	299	15	7	15
Balance of county	– – –	230	9	6	5
White	– – –	71	3	2	1
All other	– – –	159	6	4	4
Black	– – –	159	6	4	4
Wayne	135	160	4	3	5
White	91	107	1	1	2
All other	44	53	3	2	3
Black	44	53	3	2	3
Webster	100	125	2	1	3
White	80	104	2	1	1
All other	20	21	–	–	2
Black	20	21	–	–	2
Wilkinson	156	140	4	3	5
White	65	54	1	1	1
All other	91	86	3	2	4
Black	91	86	3	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Winston	190	233	4	3	5
White	125	146	–	–	–
All other	65	87	4	3	5
Black	64	86	4	3	5
Yalobusha	102	160	2	1	2
White	75	112	1	1	1
All other	27	48	1	–	1
Black	27	48	1	–	1
Yazoo	236	304	13	7	6
White	127	150	3	1	2
All other	109	154	10	6	4
Black	109	154	10	6	4
Yazoo City	---	180	7	4	3
White	---	83	2	1	1
All other	---	97	5	3	2
Black	---	97	5	3	2
Balance of county	---	124	6	3	3
White	---	67	1	–	1
All other	---	57	5	3	2
Black	---	57	5	3	2
Missouri	50,232	49,131	777	479	544
White	45,067	44,169	564	344	413
All other	5,165	4,962	213	135	131
Black	5,093	4,899	210	132	127
Adair	313	217	2	1	5
Kirksville	---	148	1	1	5
Balance of county	---	69	1	–	–
Andrew	75	148	–	–	1
Atchison	140	111	1	–	–
Audrain	267	244	–	–	3
Mexico	---	125	–	–	2
Balance of county	---	119	–	–	1
Barry	193	303	4	3	4
Barton	97	159	–	–	1
Bates	144	228	3	2	3
Benton	72	155	–	–	–
Bollinger	39	107	2	2	2
Boone	1,551	645	13	6	10
Columbia	---	421	10	6	9
White	---	378	7	4	5
All other	---	43	3	2	4
Black	---	42	3	2	3
Balance of county	---	224	3	–	1
Buchanan	1,095	935	18	15	7
St. Joseph	---	867	14	12	7
Balance of county	---	68	4	3	–
Butler	743	449	4	2	2
Poplar Bluff	---	254	3	1	2
Balance of county	---	195	1	1	–
Caldwell	59	133	2	1	–
Callaway	180	266	7	6	1
Fulton	---	132	3	2	1
White	---	124	2	1	–
All other	---	8	1	1	1
Black	---	7	–	–	1
Jefferson City, part	---	–	–	–	–
Balance of county	---	134	4	4	–
Camden	235	235	3	2	3
Cape Girardeau	785	500	8	4	7
Cape Girardeau	---	319	6	2	3
Balance of county	---	181	2	2	4
Carroll	80	171	3	2	2
Carter	20	61	–	–	–
Cass	230	454	13	8	1
Belton	---	98	5	3	1
Lee's Summit, part	---	1	–	–	–
Balance of county	---	355	8	5	–
Cedar	143	180	2	–	1
Chariton	68	136	1	–	1
Christian	86	180	5	4	2
Clark	35	76	–	–	–
Clay	1,090	981	20	13	10
Excelsior Springs, part	---	124	5	3	–
Excelsior Springs, total	---	126	5	3	–
Gladstone	---	136	4	3	2
Independence, part	---	–	–	–	–
Kansas City, part	---	389	9	6	4
Liberty	---	119	2	1	1
Balance of county	---	213	–	–	3
Clinton	197	183	3	1	–
Cole	693	442	10	7	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Jefferson City, part	---	329	8	7	1
White	---	305	8	7	1
All other	---	24	–	–	–
Black	---	23	–	–	–
Jefferson City, total	---	329	8	7	1
White	---	305	8	7	1
All other	---	24	–	–	–
Black	---	23	–	–	–
Balance of county	---	113	2	–	2
Cooper	117	150	–	–	2
Crawford	144	215	4	4	–
Dade	86	98	–	–	–
Dallas	69	171	5	4	1
Daviess	56	127	–	–	–
De Kalb	60	105	2	1	–
Dent	133	169	–	–	3
Douglas	57	110	–	–	3
Dunklin	284	446	7	2	2
Kennett	---	152	4	1	–
Balance of county	---	294	3	1	2
Franklin	532	655	11	6	11
Gasconade	136	175	2	1	3
Gentry	128	149	–	–	1
Greene	2,699	1,705	30	15	20
Springfield	---	1,387	21	13	13
Balance of county	---	318	9	2	7
Grundy	162	172	2	–	2
Harrison	105	156	2	2	–
Henry	307	270	1	1	2
Hickory	31	91	–	–	–
Holt	44	97	1	1	–
Howard	80	124	3	2	2
Howell	382	330	2	1	6
Iron	91	95	–	–	1
Jackson	7,232	5,995	123	67	84
White	6,090	4,864	67	35	49
All other	1,142	1,131	56	32	35
Black	1,126	1,115	56	32	34
Blue Springs	---	131	3	2	2
Grandview	---	104	4	4	2
Independence, part	---	952	15	7	15
Independence, total	---	952	15	7	15
Kansas City, part	---	3,984	91	49	54
White	---	2,880	37	17	19
All other	---	1,104	54	32	35
Black	---	1,094	54	32	34
Kansas City, total	---	4,454	101	56	58
White	---	3,348	47	24	23
All other	---	1,106	54	32	35
Black	---	1,094	54	32	34
Lee's Summit, part	---	340	4	1	4
Lee's Summit, total	---	341	4	1	4
Raytown	---	271	3	3	2
Balance of county	---	213	3	1	5
Jasper	1,059	1,007	15	8	12
Carthage	---	153	3	3	2
Joplin, part	---	477	8	3	4
Joplin, total	---	503	8	3	4
Balance of county	---	377	4	2	6
Jefferson	637	976	29	19	11
Arnold	---	111	4	4	1
Balance of county	---	865	25	15	10
Johnson	248	280	4	1	5
Warrensburg	---	109	1	–	2
Balance of county	---	171	3	1	3
Knox	34	77	–	–	1
Laclede	205	240	2	1	3
Lafayette	302	356	5	4	5
Lawrence	383	342	2	–	4
Lewis	58	110	1	1	1
Lincoln	243	288	3	3	3
Linn	220	225	2	2	–
Livingston	194	193	2	2	–
McDonald	66	163	–	–	–
Macon	172	226	1	1	–
Madison	119	143	3	3	–
Maries	26	91	2	–	1
Marion	382	345	4	–	1
Hannibal, part	---	256	2	–	–
Hannibal, total	---	258	3	1	–
Balance of county	---	89	2	–	1
Mercer	31	73	–	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Miller	93	204	1	1	1
Mississippi	73	195	6	4	–
White	55	164	2	1	–
All other	18	31	4	3	–
Black	18	31	4	3	–
Moniteau	76	162	1	1	3
Monroe	50	98	1	1	1
Montgomery	83	154	–	–	1
Morgan	117	184	2	–	1
New Madrid	120	235	6	3	2
White	96	192	2	1	2
All other	24	43	4	2	–
Black	24	43	4	2	–
Sikeston, part	– – –	6	–	–	–
Balance of county	– – –	229	6	3	2
White	– – –	186	2	1	2
All other	– – –	43	4	2	–
Black	– – –	43	4	2	–
Newton	522	389	5	2	6
Joplin, part	– – –	26	–	–	–
Balance of county	– – –	363	5	2	6
Nodaway	177	219	3	1	1
Oregon	46	128	–	–	2
Osage	38	129	–	–	1
Ozark	36	98	2	1	1
Pemiscot	232	309	4	1	2
White	159	231	1	–	1
All other	73	78	3	1	1
Black	73	78	3	1	1
Perry	178	208	2	1	3
Pettis	452	412	4	2	8
Sedalia	– – –	283	2	1	4
Balance of county	– – –	129	2	1	4
Phelps	417	331	3	2	2
Rolla	– – –	116	2	2	1
Balance of county	– – –	215	1	–	1
Pike	175	207	5	5	1
Platte	90	279	2	1	3
Kansas City, part	– – –	81	1	1	–
Balance of county	– – –	198	1	–	3
Polk	187	235	4	2	2
Pulaski	165	230	11	8	7
White	155	220	10	7	5
All other	10	10	1	1	2
Black	6	6	1	1	2
Putnam	63	86	–	–	1
Ralls	23	74	2	2	–
Hannibal, part	– – –	2	1	1	–
Balance of county	– – –	72	1	1	–
Randolph	264	298	3	2	1
Moberly	– – –	207	2	1	1
Balance of county	– – –	91	1	1	–
Ray	164	236	4	2	1
Excelsior Springs, part	– – –	2	–	–	–
Balance of county	– – –	234	4	2	1
Reynolds	50	83	1	–	1
Ripley	105	168	1	1	–
St. Charles	819	835	22	16	21
St. Charles	– – –	278	8	7	9
St. Peters	– – –	77	4	2	1
Balance of county	– – –	480	10	7	11
St. Clair	93	125	1	1	3
Ste. Genevieve	99	131	2	2	–
St. Francois	485	500	3	2	5
St. Louis	8,461	8,187	121	78	75
White	7,824	7,484	80	51	55
All other	637	703	41	27	20
Black	623	685	39	25	20
Ballwin	– – –	69	2	1	3
Bellefontaine Neighbors	– – –	184	2	1	–
Berkeley	– – –	106	4	2	2
White	– – –	65	1	–	–
All other	– – –	41	3	2	2
Black	– – –	41	3	2	2
Bridgeton	– – –	146	3	2	–
Clayton	– – –	129	1	–	–
Crestwood	– – –	104	–	–	–
Creve Coeur	– – –	121	1	1	1
Ferguson	– – –	241	5	4	3
White	– – –	230	4	3	3
All other	– – –	11	1	1	–
Black	– – –	10	1	1	–
Florissant	– – –	406	8	6	5
Hazelwood	– – –	81	4	2	–
Jennings	– – –	218	2	2	6
White	– – –	199	–	–	3
All other	– – –	19	2	2	3
Black	– – –	19	2	2	3
Kirkwood	– – –	275	1	1	4
Maplewood	– – –	125	1	–	1
Overland	– – –	201	6	4	2
Richmond Heights	– – –	115	1	1	–
White	– – –	98	–	–	–
All other	– – –	17	1	1	–
Black	– – –	16	1	1	–
St. Ann	– – –	126	2	1	1
University City	– – –	404	9	4	3
White	– – –	292	1	–	2
All other	– – –	112	8	4	1
Black	– – –	111	8	4	1
Webster Groves	– – –	250	4	2	2
Balance of county	– – –	4,886	65	44	42
White	– – –	4,459	45	31	34
All other	– – –	427	20	13	8
Black	– – –	419	19	12	8
St. Louis city	7,827	6,225	119	82	88
White	5,222	3,845	34	22	30
All other	2,605	2,380	85	60	58
Black	2,594	2,377	85	60	58
Saline	287	321	7	4	2
Marshall	– – –	140	3	1	2
Balance of county	– – –	181	4	3	–
White	– – –	172	4	3	–
All other	– – –	9	–	–	–
Black	– – –	9	–	–	–
Schuyler	26	64	1	1	1
Scotland	69	77	2	–	–
Scott	449	375	7	5	5
Sikeston, part	– – –	200	2	2	2
White	– – –	181	2	2	1
All other	– – –	19	–	–	1
Black	– – –	19	–	–	1
Sikeston, total	– – –	206	2	2	2
White	– – –	187	2	2	1
All other	– – –	19	–	–	1
Black	– – –	19	–	–	1
Balance of county	– – –	175	5	3	3
White	– – –	170	4	2	3
All other	– – –	5	1	1	–
Black	– – –	5	1	1	–
Shannon	34	75	1	–	1
Shelby	69	103	–	–	2
Stoddard	244	320	4	2	3
Stone	49	170	–	–	2
Sullivan	76	101	–	–	1
Taney	282	313	1	–	1
Texas	183	240	1	1	2
Vernon	220	217	1	1	4
Warren	76	165	3	1	2
Washington	131	184	4	2	8
Wayne	67	162	3	3	2
Webster	87	208	1	1	1
Worth	26	50	–	–	–
Wright	133	193	6	3	2
Montana	6,659	6,711	125	83	112
White	6,359	6,404	111	57	99
All other	300	307	14	6	13
Black	8	8	2	–	1
Beaverhead	65	78	3	2	1
Big Horn	66	87	2	1	3
White	41	49	–	–	2
All other	25	38	2	1	1
Black	1	2	1	–	–
Blaine	38	67	–	–	3
White	26	50	–	–	2
All other	12	17	–	–	1
Black	–	–	–	–	–
Broadwater	23	27	–	–	1
Carbon	93	109	3	2	1
Carter	12	17	–	–	1
Cascade	716	619	13	6	15
Great Falls	– – –	529	12	6	13
Balance of county	– – –	90	1	–	2
Chouteau	35	56	–	–	–
Custer	171	136	1	–	–
Daniels	18	30	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Dawson	55	64	1	1	–
Deer Lodge, coext. with Anaconda-Deer Lodge	115	151	2	1	–
Fallon	19	20	–	–	1
Fergus	154	154	2	1	2
Flathead	499	481	10	5	14
Kalispell	– – –	172	4	3	1
Balance of county	– – –	309	6	2	13
Gallatin	241	243	3	–	5
Bozeman	– – –	146	–	–	3
Balance of county	– – –	97	3	–	2
Garfield	7	8	1	1	–
Glacier	71	100	4	1	2
White	38	44	–	–	1
All other	33	56	4	1	1
Black	–	–	–	–	–
Golden Valley	2	11	1	–	–
Granite	25	33	–	–	–
Hill	135	131	2	1	1
White	114	115	2	1	–
All other	21	16	–	–	1
Black	–	–	–	–	–
Havre	– – –	93	1	–	–
Balance of county	– – –	38	1	1	1
White	– – –	27	1	1	–
All other	– – –	11	–	–	1
Black	– – –	–	–	–	–
Jefferson	42	64	–	–	–
Judith Basin	7	18	1	1	–
Lake	157	204	6	2	1
White	136	174	5	2	1
All other	21	30	1	–	–
Black	–	–	–	–	–
Lewis and Clark	367	329	7	6	9
Helena	– – –	222	4	4	4
Balance of county	– – –	107	3	2	5
Liberty	39	28	1	–	1
Lincoln	101	127	6	2	–
McCone	19	19	–	–	1
Madison	61	71	–	–	–
Meagher	14	24	–	–	–
Mineral	26	33	1	–	–
Missoula	620	485	11	5	5
Missoula	– – –	351	7	3	2
Balance of county	– – –	134	4	2	3
Musselshell	34	51	–	–	3
Park	130	143	1	1	1
Petroleum	1	5	–	–	–
Phillips	50	59	1	1	–
Pondera	51	69	3	1	2
Powder River	16	18	1	–	–
Powell	73	70	–	–	2
Prairie	9	17	–	–	–
Ravalli	169	226	4	–	4
Richland	94	107	2	1	1
Roosevelt	102	115	2	1	1
White	60	62	–	–	–
All other	42	53	2	1	1
Black	–	–	–	–	–
Rosebud	42	72	1	1	–
White	35	47	–	–	–
All other	7	25	1	1	–
Black	–	–	–	–	–
Sanders	74	84	–	–	2
Sheridan	45	52	1	–	–
Silver Bow	471	442	5	2	4
Butte-Silver Bow	– – –	434	5	2	2
Balance of county	– – –	8	–	–	2
Stillwater	65	69	–	–	1
Sweet Grass	30	38	–	–	–
Teton	46	58	1	1	2
Toole	50	62	3	2	2
Treasure	2	8	–	–	–
Valley	75	90	3	2	2
Wheatland	35	33	–	–	1
Wibaux	20	29	–	–	–
Yellowstone	962	770	16	12	15
Billings	– – –	541	10	8	9
Balance of county	– – –	229	6	4	6
Montana-Con.					
Yellowstone National Park	–	–	–	–	1
Nebraska	14,851	14,673	252	161	189
White	14,409	14,221	223	142	167
All other	442	452	29	19	22
Black	362	367	21	16	16
Adams	361	311	8	5	2
Hastings	– – –	253	7	5	1
Balance of county	– – –	58	1	–	1
Antelope	86	81	–	–	3
Arthur	4	11	1	1	–
Banner	2	5	–	–	–
Blaine	3	11	–	–	–
Boone	70	91	1	1	–
Box Butte	124	143	2	1	2
Boyd	47	54	–	–	–
Brown	33	44	–	–	1
Buffalo	374	300	4	2	5
Kearney	– – –	158	3	1	3
Balance of county	– – –	142	1	1	2
Burt	93	120	–	–	1
Butler	99	119	–	–	2
Cass	83	172	1	1	2
Cedar	69	124	2	2	1
Chase	66	65	–	–	–
Cherry	61	60	2	–	2
Cheyenne	81	97	2	1	2
Clay	46	97	–	–	–
Colfax	85	115	–	–	–
Cuming	108	111	–	–	–
Custer	171	186	2	2	2
Dakota	46	121	2	1	1
Dawes	107	110	–	–	1
Dawson	196	212	3	–	8
Deuel	12	30	–	–	–
Dixon	39	64	–	–	1
Dodge	344	381	4	3	2
Fremont	– – –	236	2	1	1
Balance of county	– – –	145	2	2	1
Douglas	4,523	3,429	90	57	53
White	4,171	3,079	68	41	40
All other	352	350	22	16	13
Black	331	331	20	15	12
Omaha	– – –	3,247	84	53	47
White	– – –	2,900	63	38	35
All other	– – –	347	21	15	12
Black	– – –	328	19	14	11
Balance of county	– – –	182	6	4	6
Dundy	31	24	1	1	–
Fillmore	110	122	–	–	1
Franklin	37	52	1	–	1
Frontier	14	38	–	–	1
Furnas	97	103	2	1	–
Gage	267	283	–	–	1
Beatrice	– – –	170	–	–	1
Balance of county	– – –	113	–	–	–
Garden	43	42	–	–	–
Garfield	44	48	1	–	–
Gosper	5	24	–	–	–
Grant	1	8	1	1	–
Greeley	19	47	2	1	1
Hall	583	466	11	9	4
Grand Island	– – –	382	9	7	4
Balance of county	– – –	84	2	2	–
Hamilton	102	91	2	2	1
Harlan	43	54	–	–	–
Hayes	–	6	–	–	–
Hitchcock	16	50	1	–	1
Holt	100	132	3	3	2
Hooker	15	13	–	–	–
Howard	99	100	2	1	1
Jefferson	80	120	–	–	–
Johnson	58	50	–	–	1
Kearney	44	64	–	–	–
Keith	99	95	–	–	1
Keya Paha	2	8	–	–	–
Kimball	58	65	2	–	–
Knox	101	153	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Lancaster	1,652	1,367	32	19	25
Lincoln	---	1,244	31	18	25
Balance of county	---	123	1	1	-
Lincoln	290	310	6	5	4
North Platte	---	232	5	5	3
Balance of county	---	78	1	-	1
Logan	2	8	-	-	-
Loup	1	8	1	1	-
McPherson	1	4	1	-	-
Madison	366	335	4	3	3
Norfolk	---	203	4	3	2
Balance of county	---	132	-	-	1
Merrick	75	111	2	-	1
Morrill	50	72	-	-	2
Nance	59	69	1	-	1
Nemaha	74	101	-	-	1
Nuckolls	70	81	-	-	2
Otoe	158	187	3	2	-
Pawnee	52	67	-	-	-
Perkins	35	39	-	-	3
Phelps	142	140	1	-	2
Pierce	97	94	1	1	1
Platte	189	221	6	4	3
Columbus	---	165	3	2	2
Balance of county	---	56	3	2	1
Polk	56	72	1	-	-
Red Willow	123	138	2	2	1
Richardson	148	178	-	-	1
Rock	22	21	-	-	-
Saline	162	153	1	1	1
Sarpy	214	313	12	12	13
Bellevue	---	114	1	1	2
Balance of county	---	199	11	11	11
Saunders	110	202	1	1	1
Scotts Bluff	452	376	6	6	3
Scottsbluff	---	167	2	2	1
Balance of county	---	209	4	4	2
Seward	109	136	2	1	1
Sheridan	85	99	2	1	2
Sherman	46	64	1	1	-
Sioux	6	17	1	-	-
Stanton	18	48	1	1	-
Thayer	68	111	-	-	-
Thomas	-	5	-	-	-
Thurston	69	84	5	2	4
White	55	54	2	1	-
All other	14	30	3	1	4
Black	-	-	-	-	-
Valley	95	89	1	-	-
Washington	114	127	2	-	1
Wayne	67	77	2	1	1
Webster	55	92	-	-	1
Wheeler	3	9	-	-	-
York	115	126	-	-	3
Nevada	7,284	6,755	156	89	102
White	6,792	6,315	129	75	71
All other	492	440	27	14	31
Black	331	302	22	11	29
Carson City city	333	309	3	2	2
Churchill	139	141	1	1	2
Clark	4,145	3,816	87	49	70
White	3,816	3,514	64	36	42
All other	329	302	23	13	28
Black	279	264	20	11	27
Henderson	---	208	4	1	2
Las Vegas	---	1,812	31	16	31
White	---	1,649	21	11	21
All other	---	163	10	5	10
Black	---	147	9	4	10
North Las Vegas	---	274	15	10	14
White	---	177	5	3	2
All other	---	97	10	7	12
Black	---	94	10	7	12
Balance of county	---	1,522	37	22	23
White	---	1,486	34	21	17
All other	---	36	3	1	6
Black	---	17	1	-	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nevada-Con.					
Douglas	51	139	1	-	4
Elko	153	151	4	3	2
Esmeralda	8	14	-	-	-
Eureka	6	11	-	-	-
Humboldt	73	87	4	4	2
Lander	21	26	4	4	1
Lincoln	33	37	-	-	-
Lyon	67	136	1	1	1
Mineral	46	59	4	1	1
White	34	52	4	1	1
All other	12	7	-	-	-
Black	-	-	-	-	-
Nye	58	96	3	3	3
Pershing	28	33	2	-	-
Storey	4	14	1	1	-
Washoe	2,023	1,590	39	18	14
White	1,931	1,522	35	17	12
All other	92	68	4	1	2
Black	38	29	2	-	1
Reno	---	1,057	22	11	8
Sparks	---	338	10	4	4
Balance of county	---	195	7	3	2
White	---	180	7	3	2
All other	---	15	-	-	-
Black	---	2	-	-	-
White Pine	96	96	2	2	-
New Hampshire	7,775	8,039	145	101	89
White	7,759	8,021	143	99	89
All other	16	18	2	2	-
Black	13	15	2	2	-
Belknap	419	481	6	4	4
Laconia	---	198	3	1	2
Balance of county	---	283	3	3	2
Carroll	246	300	7	6	4
Cheshire	438	550	12	7	6
Keene	---	211	1	-	1
Balance of county	---	339	11	7	5
Coos	351	380	8	5	2
Berlin	---	170	3	3	1
Balance of county	---	210	5	2	1
Grafton	936	590	4	3	7
Lebanon	---	100	-	-	4
Balance of county	---	490	4	3	3
Hillsborough	2,402	2,287	45	29	32
Manchester	---	996	17	11	9
Nashua	---	538	13	8	8
Balance of county	---	753	15	10	15
Merrimack	959	951	12	10	5
Concord	---	372	4	3	-
Balance of county	---	579	8	7	5
Rockingham	1,063	1,433	29	21	17
Portsmouth	---	197	4	3	1
Balance of county	---	1,236	25	18	16
Strafford	707	714	16	12	8
Dover	---	210	4	2	2
Rochester	---	213	6	4	2
Somersworth	---	97	4	4	-
Balance of county	---	194	2	2	4
Sullivan	254	353	6	4	4
Claremont	---	154	-	-	-
Balance of county	---	199	6	4	4
New Jersey	67,815	69,437	1,109	763	859
White	59,977	61,440	730	532	568
All other	7,838	7,997	379	231	291
Black	7,594	7,747	364	218	275
Atlantic	2,686	2,418	38	22	33
White	2,219	1,961	18	8	20
All other	467	457	20	14	13
Black	461	452	19	13	13
Atlantic City	---	772	16	11	9
White	---	467	2	2	4
All other	---	305	14	9	5
Black	---	304	14	9	5
Hammonton	---	119	-	-	2
Pleasantville	---	209	3	3	8
White	---	131	-	-	2
All other	---	78	3	3	6
Black	---	78	3	3	6
Somers Point	---	119	2	2	1
Ventnor City	---	189	4	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,010	13	4	11
Bergen	6,414	7,715	54	36	64
White	6,137	7,417	48	30	55
All other	277	298	6	6	9
Black	250	266	5	5	6
Bergenfield	---	243	1	1	2
Cliffside Park	---	238	1	1	2
Dumont	---	188	1	-	-
Elmwood Park	---	179	-	-	2
Englewood	---	257	2	2	4
White	---	152	-	-	3
All other	---	105	2	2	1
Black	---	101	2	2	1
Fair Lawn	---	342	3	2	1
Fairview	---	117	-	-	3
Fort Lee	---	321	4	-	-
White	---	317	4	-	-
All other	---	4	-	-	-
Black	---	1	-	-	-
Garfield	---	355	2	2	2
Glen Rock	---	102	1	1	2
Hackensack	---	399	6	1	2
White	---	325	5	-	1
All other	---	74	1	1	1
Black	---	74	1	1	1
Hasbrouck Heights	---	127	1	-	-
Hillsdale	---	68	2	1	1
Lodi	---	225	-	-	2
Lyndhurst twp#	---	209	1	1	-
New Milford	---	156	-	-	1
North Arlington	---	192	1	1	3
Oakland	---	77	-	-	-
Palisades Park	---	144	1	1	2
Paramus	---	215	1	1	2
Ramsey	---	81	-	-	-
Ridgefield	---	94	-	-	1
Ridgefield Park	---	143	1	1	1
Ridgewood	---	181	1	1	4
River Edge	---	106	1	1	1
Rutherford	---	194	1	1	2
Saddle Brook twp#	---	133	-	-	-
Teaneck twp#	---	316	4	4	2
White	---	261	2	2	1
All other	---	55	2	2	1
Black	---	55	2	2	-
Tenafly	---	128	-	-	-
Waldwick	---	61	-	-	-
Wallington	---	111	1	-	-
Westwood	---	98	1	1	2
Wyckoff twp#	---	100	-	-	-
Balance of county	---	1,815	16	12	20
White	---	1,791	15	11	18
All other	---	24	1	1	2
Black	---	14	-	-	2
Burlington	2,710	2,707	51	34	38
White	2,481	2,458	41	25	25
All other	229	249	10	9	13
Black	221	240	10	9	11
Burlington	---	159	2	1	1
White	---	135	2	1	1
All other	---	24	-	-	-
Black	---	24	-	-	-
Cinnaminson twp#	---	101	1	1	2
Delran twp#	---	84	-	-	-
Maple Shade twp#	---	206	3	1	3
Moorestown twp#	---	150	1	-	3
Mount Holly twp#	---	159	5	3	1
White	---	143	5	3	1
All other	---	16	-	-	-
Black	---	16	-	-	-
Pemberton twp#	---	160	11	9	4
White	---	137	8	6	2
All other	---	23	3	3	2
Black	---	21	3	3	1
Willingboro twp#	---	200	7	5	5
White	---	130	1	-	1
All other	---	70	6	5	4
Black	---	68	6	5	4
Balance of county	---	1,488	21	14	19
White	---	1,410	20	13	14
All other	---	78	1	1	5
Black	---	74	1	1	5
Camden	4,290	4,367	96	73	54
White	3,664	3,785	64	53	39
All other	626	582	32	20	15
Black	611	565	31	20	14
Bellmawr	---	130	1	1	1
Camden	---	863	47	33	22
White	---	444	17	14	10
All other	---	419	30	19	12
Black	---	416	29	19	11
Cherry Hill twp#	---	550	7	7	1
Collingswood	---	223	3	2	2
Gloucester twp#	---	257	2	1	5
Gloucester City	---	165	4	3	2
Haddon twp#	---	157	2	2	2
Haddonfield	---	130	1	1	-
Lindenwold	---	93	1	1	7
White	---	87	-	-	6
All other	---	6	1	1	1
Black	---	5	1	1	1
Pennsauken twp#	---	344	2	1	3
Voorhees twp#	---	66	-	-	1
White	---	64	-	-	1
All other	---	2	-	-	-
Black	---	1	-	-	-
Balance of county	---	1,389	26	21	8
White	---	1,288	25	21	8
All other	---	101	1	-	-
Black	---	98	1	-	-
Cape May	914	1,122	15	11	8
Ocean City	---	217	1	1	1
Balance of county	---	905	14	10	7
Cumberland	1,252	1,271	29	25	24
White	1,076	1,094	17	15	18
All other	176	177	12	10	6
Black	166	169	12	10	6
Bridgeton	---	223	7	7	2
White	---	144	2	2	1
All other	---	79	5	5	1
Black	---	74	5	5	1
Millville	---	314	5	3	9
Vineland	---	462	9	8	7
White	---	436	9	8	5
All other	---	26	-	-	2
Black	---	26	-	-	2
Balance of county	---	272	8	7	6
White	---	215	2	2	4
All other	---	57	6	5	2
Black	---	55	6	5	2
Essex	9,227	8,184	187	115	128
White	6,371	5,406	67	47	47
All other	2,856	2,778	120	68	81
Black	2,820	2,749	120	68	81
Belleville	---	346	4	2	2
Bloomfield	---	546	3	2	6
Cedar Grove twp#	---	108	1	1	-
East Orange	---	774	27	17	20
White	---	250	1	1	2
All other	---	524	26	16	18
Black	---	521	26	16	18
Irvington	---	662	18	9	11
White	---	506	4	2	3
All other	---	156	14	7	8
Black	---	152	14	7	8
Livingston twp#	---	217	4	4	1
Maplewood twp#	---	212	-	-	3
Millburn twp#	---	180	1	-	1
Montclair	---	443	7	5	2
White	---	296	4	2	1
All other	---	147	3	3	1
Black	---	145	3	3	1
Newark	---	2,936	103	63	67
White	---	1,210	31	22	17
All other	---	1,726	72	41	50
Black	---	1,717	72	41	50
Nutley	---	281	2	2	1
Orange	---	342	6	3	3
White	---	197	2	2	1
All other	---	145	4	1	2
Black	---	144	4	1	2
South Orange Village twp#	---	163	3	1	-
White	---	148	2	1	-
All other	---	15	1	-	-
Black	---	15	1	-	-
Verona	---	152	2	1	1
West Caldwell	---	82	1	1	-
West Orange	---	439	3	3	4
Balance of county	---	301	2	1	6
Gloucester	1,490	1,671	32	24	24
White	1,343	1,489	26	23	20
All other	147	182	4	1	4
Black	145	180	4	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Deptford twp#	---	114	1	1	1
White	---	107	1	1	1
All other	---	7	-	-	-
Black	---	7	-	-	-
Glassboro	---	110	7	5	3
White	---	79	6	5	2
All other	---	31	1	-	1
Black	---	31	1	-	1
Washington twp#	---	97	5	4	3
West Deptford twp#	---	103	-	-	1
Woodbury	---	165	4	3	1
White	---	142	2	2	1
All other	---	23	2	1	-
Black	---	23	2	1	-
Balance of county	---	1,082	15	11	15
White	---	967	14	11	13
All other	---	115	1	-	2
Black	---	114	1	-	2
Hudson	5,279	5,848	109	75	89
White	4,684	5,199	78	57	44
All other	595	649	31	18	45
Black	557	606	27	15	43
Bayonne	---	869	3	2	3
Harrison	---	130	-	-	4
Hoboken	---	360	3	2	5
White	---	342	3	2	4
All other	---	18	-	-	1
Black	---	14	-	-	1
Jersey City	---	2,436	67	47	51
White	---	1,868	36	29	15
All other	---	568	31	18	36
Black	---	538	27	15	35
Kearny	---	362	4	3	2
North Bergen twp#	---	541	3	1	7
Secaucus	---	152	2	1	1
Union City	---	443	14	9	8
White	---	438	14	9	6
All other	---	5	-	-	2
Black	---	4	-	-	2
Weehawken twp#	---	122	1	1	-
West New York	---	341	9	6	1
White	---	333	9	6	1
All other	---	8	-	-	-
Black	---	6	-	-	-
Balance of county	---	92	3	3	7
Hunterdon	480	624	8	6	9
Mercer	3,135	2,516	46	34	40
White	2,679	2,082	22	17	23
All other	456	434	24	17	17
Black	445	431	24	17	15
East Windsor twp#	---	89	1	1	1
Ewing twp#	---	18	-	-	2
White	---	17	-	-	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Hamilton twp#	---	712	8	7	6
Princeton	---	121	-	-	2
White	---	109	-	-	-
All other	---	12	-	-	2
Black	---	11	-	-	1
Trenton	---	1,109	33	23	25
White	---	738	11	8	11
All other	---	371	22	15	14
Black	---	370	22	15	13
Balance of county	---	467	4	3	4
White	---	437	4	3	3
All other	---	30	-	-	1
Black	---	29	-	-	1
Middlesex	4,216	5,018	75	56	56
White	3,951	4,742	57	42	43
All other	265	276	18	14	13
Black	246	258	17	13	11
Carteret	---	221	8	6	3
East Brunswick twp#	---	480	3	3	2
Edison twp#	---	555	8	7	7
Highland Park	---	106	2	2	2
White	---	103	2	2	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Metuchen	---	152	1	-	2
Middlesex	---	113	3	2	2
New Brunswick	---	302	8	7	6
White	---	228	2	2	1
All other	---	74	6	5	5
Black	---	72	6	5	5
North Brunswick twp#	---	159	4	2	2
Old Bridge twp#	---	303	3	2	3
Perth Amboy	---	408	7	6	6
White	---	383	6	5	5
All other	---	25	1	1	1
Black	---	25	1	1	1
Piscataway twp#	---	190	4	4	4
White	---	154	2	2	3
All other	---	36	2	2	1
Black	---	33	2	2	1
Sayreville	---	272	2	2	2
South Plainfield	---	118	2	2	1
South River	---	162	3	2	-
Woodbridge twp#	---	737	8	5	5
Balance of county	---	740	9	4	9
White	---	719	8	4	9
All other	---	21	1	-	-
Black	---	17	1	-	-
Monmouth	5,007	5,054	76	55	48
White	4,564	4,598	54	45	31
All other	443	456	22	10	17
Black	429	440	21	9	14
Aberdeen twp#	---	123	3	1	2
White	---	106	3	1	2
All other	---	17	-	-	-
Black	---	16	-	-	-
Asbury Park	---	324	11	5	6
White	---	215	2	2	2
All other	---	109	9	3	4
Black	---	108	9	3	4
Eatontown	---	109	3	2	4
White	---	104	3	2	1
All other	---	5	-	-	3
Black	---	5	-	-	2
Freehold	---	156	3	2	-
White	---	131	1	1	-
All other	---	25	2	1	-
Black	---	24	2	1	-
Hazlet twp#	---	174	4	4	-
Howell twp#	---	181	6	3	1
Keansburg	---	124	1	1	1
Long Branch	---	326	5	4	3
White	---	267	2	2	2
All other	---	59	3	2	1
Black	---	59	3	2	1
Middletown twp#	---	499	10	8	3
Neptune twp#	---	367	2	1	2
White	---	287	-	-	-
All other	---	80	2	1	2
Black	---	79	2	1	2
Ocean twp#	---	175	4	4	2
Red Bank	---	217	3	2	3
White	---	186	2	2	3
All other	---	31	1	-	-
Black	---	31	1	-	-
Balance of county	---	2,279	21	18	21
White	---	2,179	18	16	15
All other	---	100	3	2	6
Black	---	94	3	2	4
Morris	3,390	2,955	41	30	36
White	3,294	2,872	33	23	35
All other	96	83	8	7	1
Black	79	64	6	5	1
Denville twp#	---	113	1	1	1
Dover	---	155	3	2	3
Hanover twp#	---	81	-	-	2
Madison	---	127	2	2	1
Morris twp#	---	102	1	1	1
Morristown	---	223	3	2	1
White	---	190	-	-	1
All other	---	33	3	2	-
Black	---	31	3	2	-
Parsippany-Troy Hills twp#	---	246	5	4	1
Pequannock twp#	---	100	2	2	3
Balance of county	---	1,808	24	16	23
White	---	1,782	21	13	23
All other	---	26	3	3	-
Black	---	15	2	2	-
Ocean	4,593	4,931	46	32	34
White	4,514	4,853	42	29	31
All other	79	78	4	3	3
Black	72	72	4	3	3
Brick twp#	---	574	7	3	4
Dover twp#	---	903	8	6	2
Jackson twp#	---	218	2	1	2
Lakewood twp#	---	648	6	4	7
White	---	604	5	3	4
All other	---	44	1	1	3
Black	---	43	1	1	3
Manchester twp#	---	587	2	2	-
Point Pleasant	---	238	3	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,763	18	14	18
White	---	1,743	16	12	18
All other	---	20	2	2	-
Black	---	18	2	2	-
Passaic	4,223	4,194	74	48	62
White	3,841	3,775	47	35	42
All other	382	419	27	13	20
Black	368	406	24	10	19
Clifton	---	857	4	3	5
Hawthorne	---	191	1	-	2
Little Falls twp#	---	111	1	1	-
Passaic	---	560	20	15	15
White	---	497	15	13	9
All other	---	63	5	2	6
Black	---	60	3	-	6
Paterson	---	1,234	40	22	25
White	---	899	18	11	11
All other	---	335	22	11	14
Black	---	332	21	10	13
Pompton Lakes	---	93	-	-	-
Ringwood	---	74	-	-	3
Totowa	---	130	1	1	-
Wanaque	---	83	2	2	1
Wayne twp#	---	338	4	4	4
West Paterson	---	84	-	-	2
Balance of county	---	439	1	-	5
Salem	619	614	18	13	9
White	531	518	11	9	4
All other	88	96	7	4	5
Black	88	93	7	4	5
Somerset	1,377	1,527	21	16	25
White	1,337	1,466	16	12	19
All other	40	61	5	4	6
Black	38	55	5	4	6
Bridgewater twp#	---	173	-	-	4
Franklin twp#	---	204	7	6	6
White	---	168	2	2	-
All other	---	36	5	4	6
Black	---	34	5	4	6
Manville	---	105	1	1	1
North Plainfield	---	186	3	1	1
Somerville	---	127	3	2	3
White	---	112	3	2	3
All other	---	15	-	-	-
Black	---	15	-	-	-
Balance of county	---	732	7	6	10
White	---	724	7	6	10
All other	---	8	-	-	-
Black	---	5	-	-	-
Sussex	744	813	14	11	8
Hopatcong	---	78	-	-	-
Balance of county	---	735	14	11	8
Union	5,004	5,015	68	39	54
White	4,447	4,372	43	28	36
All other	557	643	25	11	18
Black	546	629	25	11	18
Berkeley Heights twp#	---	82	1	-	2
Clark twp#	---	146	1	1	-
Cranford twp#	---	221	4	3	7
Elizabeth	---	1,133	26	15	12
White	---	966	19	13	7
All other	---	167	7	2	5
Black	---	163	7	2	5
Hillside twp#	---	188	2	1	2
White	---	157	-	-	-
All other	---	31	2	1	2
Black	---	31	2	1	2
Linden	---	404	2	2	3
White	---	363	2	2	3
All other	---	41	-	-	-
Black	---	41	-	-	-
New Providence	---	96	1	-	-
Plainfield	---	370	11	7	10
White	---	184	1	-	5
All other	---	186	10	7	5
Black	---	185	10	7	5
Rahway	---	290	4	3	4
White	---	255	3	2	4
All other	---	35	1	1	-
Black	---	35	1	1	-
Roselle	---	225	4	1	3
White	---	172	2	1	1
All other	---	53	2	-	2
Black	---	53	2	-	2
Roselle Park	---	112	-	-	-
Scotch Plains twp#	---	165	4	2	1
White	---	137	2	2	1
All other	---	28	2	-	-
Black	---	27	2	-	-
Springfield twp#	---	184	-	-	1
Summit	---	218	3	1	3
Union twp#	---	655	3	1	-
Westfield	---	245	1	1	2
Balance of county	---	281	1	1	4
White	---	272	1	1	3
All other	---	9	-	-	1
Black	---	7	-	-	1
Warren	765	873	11	8	16
Phillipsburg	---	235	3	2	4
Balance of county	---	638	8	6	12
New Mexico [7]	9,555	9,562	263	164	186
White	8,613	8,720	214	142	161
All other	942	842	49	22	25
Black	163	162	5	1	3
Bernalillo	3,604	2,874	76	57	59
White	3,379	2,758	71	55	54
All other	225	116	5	2	5
Black	72	56	-	-	1
Albuquerque	---	2,674	64	48	57
White	---	2,580	61	47	53
All other	---	94	3	1	4
Black	---	55	-	-	1
Balance of county	---	200	12	9	2
White	---	178	10	8	1
All other	---	22	2	1	1
Black	---	1	-	-	-
Catron	14	26	1	1	-
Chaves	505	509	12	9	7
Roswell	---	427	11	8	6
White	---	415	11	8	6
All other	---	12	-	-	-
Black	---	12	-	-	-
Balance of county	---	82	1	1	1
Cibola	115	127	5	4	4
White	72	76	2	1	2
All other	43	51	3	3	2
Black	2	1	-	-	-
Colfax	94	103	3	2	1
Curry	290	311	7	2	4
Clovis	---	278	5	1	3
White	---	258	5	1	3
All other	---	20	-	-	-
Black	---	17	-	-	-
Balance of county	---	33	2	1	1
White	---	33	2	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
De Baca	31	36	-	-	-
Dona Ana	534	610	15	10	14
Las Cruces	---	383	11	7	9
White	---	373	11	7	9
All other	---	10	-	-	-
Black	---	7	-	-	-
Balance of county	---	227	4	3	5
White	---	224	3	2	5
All other	---	3	1	1	-
Black	---	3	1	1	-
Eddy	420	466	11	8	8
Artesia	---	110	6	5	-
White	---	108	6	5	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Carlsbad	---	284	4	3	3
White	---	272	4	3	3
All other	---	12	-	-	-
Black	---	12	-	-	-
Balance of county	---	72	1	-	5
White	---	72	1	-	5
All other	---	-	-	-	-
Black	---	-	-	-	-
Grant	240	215	3	1	10
Guadalupe	26	32	3	2	-
Harding	4	9	-	-	-
Hidalgo	31	47	3	3	1
Lea	358	413	14	6	4
Hobbs	---	251	8	3	2
White	---	233	6	3	2
All other	---	18	2	-	-
Black	---	17	2	-	-
Balance of county	---	162	6	3	2
White	---	157	5	3	2
All other	---	5	1	-	-
Black	---	3	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Lincoln	110	113	2	–	5
Los Alamos	62	59	1	–	1
Luna	146	185	–	–	4
McKinley	384	358	18	7	10
White	121	128	3	2	3
All other	263	230	15	5	7
Black	4	5	–	–	–
Gallup	---	132	4	2	2
White	---	101	3	2	1
All other	---	31	1	–	1
Black	---	5	–	–	–
Balance of county	---	226	14	5	8
White	---	27	–	–	2
All other	---	199	14	5	6
Black	---	–	–	–	–
Mora	21	40	1	–	–
Otero	229	275	13	7	6
White	208	239	10	5	5
All other	21	36	3	2	1
Black	7	8	–	–	–
Alamogordo	---	176	5	3	2
White	---	166	5	3	2
All other	---	10	–	–	–
Black	---	8	–	–	–
Balance of county	---	99	8	4	4
White	---	73	5	2	3
All other	---	26	3	2	1
Black	---	–	–	–	–
Quay	106	118	2	–	2
Rio Arriba	181	233	9	6	6
White	167	209	9	6	5
All other	14	24	–	–	1
Black	–	–	–	–	–
Roosevelt	121	155	2	2	3
Sandoval	153	300	12	5	10
White	109	216	4	3	8
All other	44	84	8	2	2
Black	1	3	1	–	–
San Juan	459	463	16	11	10
White	278	306	7	4	7
All other	181	157	9	7	3
Black	1	1	–	–	–
Farmington	---	167	4	2	7
White	---	154	3	1	7
All other	---	13	1	1	–
Black	---	1	–	–	–
Balance of county	---	296	12	9	3
White	---	152	4	3	–
All other	---	144	8	6	3
Black	---	–	–	–	–
San Miguel	200	183	2	1	2
Las Vegas	---	113	2	1	1
White	---	112	2	1	1
All other	---	1	–	–	–
Black	---	1	–	–	–
Balance of county	---	70	–	–	1
White	---	70	–	–	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Santa Fe	557	503	13	9	8
Santa Fe	---	392	6	6	7
White	---	390	6	6	6
All other	---	2	–	–	1
Black	---	–	–	–	–
Balance of county	---	111	7	3	1
White	---	106	7	3	1
All other	---	5	–	–	–
Black	---	–	–	–	–
Sierra	148	164	5	4	–
Socorro	69	92	5	2	1
White	63	85	5	2	1
All other	6	7	–	–	–
Black	1	1	–	–	–
Taos	130	161	4	3	2
Torrance	34	64	–	–	1
Union	55	52	–	–	–
Valencia	124	266	5	2	3
White	124	256	5	2	2
All other	–	10	–	–	1
Black	–	2	–	–	1
New York	170,205	170,762	2,765	1,875	2,431
White	147,601	148,177	1,843	1,307	1,647
All other	22,604	22,585	922	568	784
Black	21,189	21,192	877	541	732
New York-Con.					
Albany	3,798	2,974	38	21	24
White	3,643	2,861	31	18	20
All other	155	113	7	3	4
Black	144	108	7	3	4
Albany	---	1,279	20	11	11
White	---	1,177	13	8	8
All other	---	102	7	3	3
Black	---	100	7	3	3
Cohoes	---	248	4	1	3
Watervliet	---	162	2	1	–
Balance of county	---	1,285	12	8	10
Allegany	325	418	5	2	9
Broome	2,201	2,027	33	25	16
Binghamton	---	747	9	5	6
Endicott	---	158	2	2	2
Johnson City	---	242	6	6	3
Vestal town#	---	188	3	3	1
Balance of county	---	692	13	9	4
Cattaraugus	863	913	9	4	15
Olean	---	230	–	–	3
Balance of county	---	683	9	4	12
Cayuga	735	785	15	9	9
Auburn	---	389	6	3	3
Balance of county	---	396	9	6	6
Chautauqua	1,561	1,587	16	9	26
Dunkirk	---	171	5	3	2
Fredonia	---	81	–	–	2
Jamestown	---	513	7	3	14
Balance of county	---	822	4	3	8
Chemung	1,037	953	16	12	11
Elmira	---	423	7	4	2
White	---	400	7	4	2
All other	---	23	–	–	–
Black	---	23	–	–	–
Balance of county	---	530	9	8	9
Chenango	361	463	6	4	8
Clinton	659	582	9	7	6
Plattsburgh	---	187	2	2	3
Balance of county	---	395	7	5	3
Columbia	600	629	8	3	6
Cortland	477	430	3	2	6
Cortland	---	214	1	1	2
Balance of county	---	216	2	1	4
Delaware	522	559	7	5	4
Dutchess	2,163	2,159	30	23	22
White	2,062	2,046	27	21	21
All other	101	113	3	2	1
Black	94	106	3	2	–
Beacon	---	171	5	3	1
White	---	157	4	2	1
All other	---	14	1	1	–
Black	---	14	1	1	–
Poughkeepsie	---	431	7	5	5
White	---	381	5	4	5
All other	---	50	2	1	–
Black	---	49	2	1	–
Balance of county	---	1,557	18	15	16
White	---	1,508	18	15	15
All other	---	49	–	–	1
Black	---	43	–	–	–
Erie	10,630	10,252	141	95	129
White	9,683	9,319	102	70	95
All other	947	933	39	25	34
Black	908	886	39	25	31
Buffalo	---	4,574	80	55	68
White	---	3,722	42	31	38
All other	---	852	38	24	30
Black	---	839	38	24	29
Depew	---	164	2	1	3
Hamburg	---	81	1	1	–
Kenmore	---	220	2	1	2
Lackawanna	---	286	7	4	3
White	---	265	6	3	1
All other	---	21	1	1	2
Black	---	21	1	1	2
Lancaster	---	124	2	1	3
Tonawanda	---	187	2	2	1
West Seneca town#	---	409	2	–	4
Balance of county	---	4,207	43	30	45
White	---	4,154	43	30	43
All other	---	53	–	–	2
Black	---	20	–	–	–
Essex	240	374	3	2	2
Franklin	443	472	6	6	4
Fulton	479	581	7	4	11
Gloversville	---	252	4	3	3
Balance of county	---	329	3	1	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Genesee	623	543	6	2	12
Batavia	---	208	3	1	6
Balance of county	---	335	3	1	6
Greene	374	508	3	1	5
Hamilton	18	44	–	–	1
Herkimer	641	756	9	7	9
Jefferson	977	946	17	9	13
Watertown	---	375	7	4	7
Balance of county	---	571	10	5	6
Lewis	167	208	2	–	7
Livingston	340	472	5	3	9
Madison	445	542	9	4	7
Oneida	---	131	3	1	2
Balance of county	---	411	6	3	5
Monroe	6,314	5,929	105	78	102
White	5,894	5,503	70	52	77
All other	420	426	35	26	25
Black	408	415	35	26	24
Brighton town#	---	312	7	5	2
Gates town#	---	238	2	2	5
Greece town#	---	603	7	7	13
Henrietta town#	---	120	1	1	1
Irondequoit town#	---	580	2	2	4
Penfield town#	---	194	2	2	1
Rochester	---	2,741	68	47	59
White	---	2,339	34	22	36
All other	---	402	34	25	23
Black	---	395	34	25	22
Balance of county	---	1,141	16	12	17
White	---	1,129	16	12	16
All other	---	12	–	–	1
Black	---	11	–	–	1
Montgomery	600	699	2	2	5
Amsterdam	---	370	–	–	2
Balance of county	---	329	2	2	3
Nassau	11,816	11,847	132	100	142
White	11,058	11,119	87	65	113
All other	758	728	45	35	29
Black	713	689	41	33	28
East Rockaway	---	99	–	–	1
Floral Park	---	160	1	1	2
Freeport	---	336	6	4	11
White	---	275	4	2	5
All other	---	61	2	2	6
Black	---	60	2	2	6
Garden City	---	217	1	1	–
Glen Cove	---	252	3	3	3
White	---	230	–	–	3
All other	---	22	3	3	–
Black	---	20	2	2	–
Hempstead	---	441	13	11	9
White	---	251	1	1	3
All other	---	190	12	10	6
Black	---	189	12	10	6
Long Beach	---	616	6	4	4
White	---	596	6	4	2
All other	---	20	–	–	2
Black	---	19	–	–	2
Lynbrook	---	235	2	1	2
Massapequa Park	---	169	1	1	6
Mineola	---	187	4	3	2
Rockville Centre	---	266	3	3	6
Valley Stream	---	399	–	–	2
Westbury	---	151	2	2	7
White	---	127	–	–	5
All other	---	24	2	2	2
Black	---	23	1	1	2
Balance of county	---	8,319	90	66	87
White	---	7,926	65	49	74
All other	---	393	25	17	13
Black	---	363	23	17	12
New York city	74,225	74,762	1,420	923	1,185
White	56,506	57,003	741	516	601
All other	17,719	17,759	679	407	584
Black	16,591	16,641	642	383	547
Bronx borough, Bronx county	---	12,758	313	191	232
White	---	9,500	188	124	114
All other	---	3,258	125	67	118
Black	---	3,193	123	65	112
Brooklyn borough, Kings county	---	22,455	590	396	442
White	---	16,572	277	201	190
All other	---	5,883	313	195	252
Black	---	5,689	309	193	243
Manhattan borough, New York county	---	16,499	231	136	192
White	---	11,346	115	73	96
All other	---	5,153	116	63	96
Black	---	4,678	103	56	83
Queens borough, Queens county	---	19,963	240	166	270
White	---	16,710	124	90	162
All other	---	3,253	116	76	108
Black	---	2,912	98	63	100
Staten Island borough, Richmond county	---	3,087	46	34	49
White	---	2,875	37	28	39
All other	---	212	9	6	10
Black	---	169	9	6	9
Niagara	2,106	2,186	25	21	24
White	2,017	2,085	22	18	19
All other	89	101	3	3	5
Black	79	88	3	3	4
Lockport	---	305	2	2	5
Niagara Falls	---	804	10	8	7
White	---	723	8	6	4
All other	---	81	2	2	3
Black	---	77	2	2	2
North Tonawanda	---	353	3	2	4
Balance of county	---	724	10	9	8
White	---	707	9	8	8
All other	---	17	1	1	–
Black	---	8	1	1	–
Oneida	2,574	2,581	31	24	27
Rome	---	383	8	7	10
Utica	---	1,106	11	8	9
Balance of county	---	1,092	12	9	8
White	---	1,088	12	9	8
All other	---	4	–	–	–
Black	---	2	–	–	–
Onondaga	4,651	4,027	80	52	60
White	4,433	3,812	65	46	46
All other	218	215	15	6	14
Black	198	198	14	6	13
Syracuse	---	1,943	39	23	29
White	---	1,745	25	17	16
All other	---	198	14	6	13
Black	---	185	14	6	13
Balance of county	---	2,084	41	29	31
White	---	2,067	40	29	30
All other	---	17	1	–	1
Black	---	13	–	–	–
Ontario	901	794	6	6	14
Canandaigua	---	136	–	–	2
Geneva, part	---	185	1	1	3
Geneva, total	---	185	1	1	3
Balance of county	---	473	5	5	9
White	---	471	5	5	9
All other	---	2	–	–	–
Black	---	1	–	–	–
Orange	2,448	2,329	35	29	27
White	2,331	2,213	27	23	19
All other	117	116	8	6	8
Black	109	110	8	6	8
Middletown	---	253	1	–	2
White	---	233	1	–	–
All other	---	20	–	–	2
Black	---	19	–	–	2
Newburgh	---	298	8	5	9
White	---	237	2	1	4
All other	---	61	6	4	5
Black	---	61	6	4	5
Balance of county	---	1,778	26	24	16
White	---	1,743	24	22	15
All other	---	35	2	2	1
Black	---	30	2	2	1
Orleans	319	397	2	2	4
Oswego	670	928	17	8	11
Fulton	---	151	2	2	2
Oswego	---	230	1	–	–
Balance of county	---	547	14	6	9
White	---	547	14	6	9
All other	---	–	–	–	–
Black	---	–	–	–	–
Otsego	720	598	7	6	10
Oneonta	---	136	1	1	–
Balance of county	---	462	6	5	10
White	---	455	6	5	10
All other	---	7	–	–	–
Black	---	7	–	–	–
Putnam	449	558	4	3	9
Carmel town#	---	200	1	1	4
Balance of county	---	358	3	2	5
White	---	355	3	2	5
All other	---	3	–	–	–
Black	---	1	–	–	–
Rensselaer	1,243	1,464	24	17	22
Troy	---	676	13	10	14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Balance of county	---	788	11	7	8
White	---	782	10	7	8
All other	---	6	1	-	-
Black	---	6	1	-	-
Rockland	1,988	1,967	34	27	37
White	1,873	1,853	28	22	27
All other	115	114	6	5	10
Black	106	103	6	5	10
Spring Valley	---	191	5	5	11
White	---	150	2	2	5
All other	---	41	3	3	6
Black	---	40	3	3	6
Suffern	---	101	3	2	-
Balance of county	---	1,675	26	20	26
White	---	1,603	23	18	22
All other	---	72	3	2	4
Black	---	62	3	2	4
St. Lawrence	963	1,019	9	5	15
Massena	---	175	-	-	1
Ogdensburg	---	159	3	2	-
Potsdam	---	81	-	-	1
Balance of county	---	624	6	3	13
Saratoga	673	1,220	25	18	15
Saratoga Springs	---	266	4	2	5
Balance of county	---	954	21	16	10
Schenectady	1,756	1,572	28	22	22
Niskayuna town#	---	118	4	3	-
Rotterdam town#	---	230	3	2	1
Schenectady	---	877	17	14	16
Balance of county	---	347	4	3	5
Schoharie	237	306	3	2	4
Schuyler	113	169	2	2	3
Seneca	174	264	6	5	4
Geneva, part	---	-	-	-	-
Balance of county	---	264	6	5	4
White	---	263	6	5	3
All other	---	1	-	-	1
Black	---	1	-	-	1
Steuben	911	972	17	12	10
Corning	---	165	5	2	1
Hornell	---	147	2	2	-
Balance of county	---	660	10	8	9
Suffolk	10,411	10,203	147	107	155
White	9,838	9,637	116	87	135
All other	573	566	31	20	20
Black	549	546	29	20	19
Babylon	---	136	2	2	-
Lindenhurst	---	262	3	3	9
Patchogue	---	104	2	1	-
Balance of county	---	9,701	140	101	146
White	---	9,143	110	82	127
All other	---	558	30	19	19
Black	---	538	28	19	19
Sullivan	691	792	8	4	6
Tioga	196	368	9	5	2
Tompkins	535	585	14	13	6
Ithaca	---	186	1	1	-
White	---	174	-	-	-
All other	---	12	1	1	-
Black	---	10	1	1	-
Balance of county	---	399	13	12	6
Ulster	1,250	1,575	28	20	31
Kingston	---	364	6	4	7
Balance of county	---	1,211	22	16	24
Warren	845	546	9	8	1
Glens Falls	---	187	5	5	-
Balance of county	---	359	4	3	1
Washington	294	514	5	2	3
Wayne	525	720	16	9	14
Newark	---	115	-	-	1
Balance of county	---	605	16	9	13
Westchester	8,535	8,110	104	78	84
White	7,650	7,240	74	59	58
All other	885	870	30	19	26
Black	857	840	30	19	24
Dobbs Ferry	---	102	-	-	1
Harrison	---	143	-	-	1
Mamaroneck	---	172	1	1	-
Mount Vernon	---	685	12	9	12
White	---	435	3	3	3
All other	---	250	9	6	9
Black	---	249	9	6	9
New Rochelle	---	810	5	2	16
White	---	683	5	2	14
All other	---	127	-	-	2
Black	---	124	-	-	2
Ossining	---	207	8	6	3
White	---	176	6	5	3
All other	---	31	2	1	-
Black	---	31	2	1	-
Peekskill	---	231	4	3	4
White	---	208	3	3	4
All other	---	23	1	-	-
Black	---	23	1	-	-
Port Chester	---	273	3	3	4
White	---	249	3	3	1
All other	---	24	-	-	3
Black	---	23	-	-	2
Rye	---	140	-	-	-
Scarsdale	---	171	2	1	2
Tarrytown	---	89	1	1	1
White	---	81	1	1	1
All other	---	8	-	-	-
Black	---	8	-	-	-
White Plains	---	506	5	4	5
White	---	421	4	3	4
All other	---	85	1	1	1
Black	---	85	1	1	1
Yonkers	---	1,999	36	30	16
White	---	1,833	22	20	10
All other	---	166	14	10	6
Black	---	160	14	10	6
Yorktown town#	---	211	2	2	4
Balance of county	---	2,371	25	16	15
White	---	2,247	22	15	11
All other	---	124	3	1	4
Black	---	114	3	1	4
Wyoming	302	396	5	3	5
Yates	151	188	3	3	1
North Carolina	51,402	51,046	1,066	698	764
White	38,948	38,630	591	400	467
All other	12,454	12,416	475	298	297
Black	12,054	12,019	457	286	280
Alamance	803	953	16	8	6
White	674	781	9	4	3
All other	129	172	7	4	3
Black	129	172	7	4	3
Burlington	---	390	7	4	4
White	---	321	4	2	1
All other	---	69	3	2	3
Black	---	69	3	2	3
Balance of county	---	563	9	4	2
White	---	460	5	2	2
All other	---	103	4	2	-
Black	---	103	4	2	-
Alexander	85	190	4	4	2
Alleghany	82	95	-	-	3
Anson	175	278	6	3	8
White	99	159	2	2	1
All other	76	119	4	1	7
Black	76	119	4	1	7
Ashe	177	236	3	3	3
Avery	128	114	-	-	-
Beaufort	409	420	9	7	8
White	260	264	2	2	4
All other	149	156	7	5	4
Black	149	156	7	5	4
Bertie	148	246	4	1	3
White	56	102	-	-	-
All other	92	144	4	1	3
Black	91	143	4	1	3
Bladen	172	279	6	5	5
White	118	175	2	2	2
All other	54	104	4	3	3
Black	54	104	4	3	3
Brunswick	188	360	8	5	3
White	149	281	4	2	-
All other	39	79	4	3	3
Black	38	78	4	3	3
Buncombe	2,415	1,706	21	16	20
White	2,178	1,525	17	12	14
All other	237	181	4	4	6
Black	231	180	4	4	4
Asheville	---	845	6	6	6
White	---	684	3	3	1
All other	---	161	3	3	5
Black	---	161	3	3	3
Balance of county	---	861	15	10	14
Burke	505	541	8	4	2
Hickory, part	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Morganton	---	156	2	1	-
White	---	132	1	1	-
All other	---	24	1	-	-
Black	---	24	1	-	-
Balance of county	---	385	6	3	2
Cabarrus	829	832	13	6	10
White	708	700	11	5	8
All other	121	132	2	1	2
Black	120	131	2	1	2
Concord	---	253	2	1	1
White	---	196	-	-	1
All other	---	57	2	1	-
Black	---	57	2	1	-
Balance of county	---	579	11	5	9
White	---	504	11	5	7
All other	---	75	-	-	2
Black	---	74	-	-	2
Caldwell	369	531	8	7	8
Lenoir	---	180	-	-	1
White	---	154	-	-	-
All other	---	26	-	-	1
Black	---	25	-	-	1
Balance of county	---	351	8	7	7
Camden	16	56	1	1	1
White	13	48	1	1	1
All other	3	8	-	-	-
Black	3	8	-	-	-
Elizabeth City, part	---	-	-	-	-
Balance of county	---	56	1	1	1
White	---	48	1	1	1
All other	---	8	-	-	-
Black	---	8	-	-	-
Carteret	363	385	7	5	4
White	326	349	6	5	4
All other	37	36	1	-	-
Black	37	36	1	-	-
Caswell	78	174	-	-	2
White	52	108	-	-	1
All other	26	66	-	-	1
Black	26	66	-	-	1
Catawba	931	873	15	7	14
White	861	794	12	5	12
All other	70	79	3	2	2
Black	69	78	3	2	2
Hickory, part	---	312	2	2	5
White	---	269	1	1	5
All other	---	43	1	1	-
Black	---	42	1	1	-
Hickory, total	---	312	2	2	5
White	---	269	1	1	5
All other	---	43	1	1	-
Black	---	42	1	1	-
Balance of county	---	561	13	5	9
Chatham	243	313	9	6	5
White	178	228	5	5	3
All other	65	85	4	1	2
Black	65	84	4	1	2
Cherokee	189	189	1	1	2
Chowan	200	143	5	4	2
White	125	92	2	2	-
All other	75	51	3	2	2
Black	75	51	3	2	2
Clay	12	66	-	-	1
Cleveland	784	768	25	15	11
White	635	611	12	8	7
All other	149	157	13	7	4
Black	146	154	12	6	4
Shelby	---	218	6	2	1
White	---	155	2	-	-
All other	---	63	4	2	1
Black	---	63	4	2	1
Balance of county	---	550	19	13	10
White	---	456	10	8	7
All other	---	94	9	5	3
Black	---	91	8	4	3
Columbus	359	475	13	6	10
White	239	317	1	1	4
All other	120	158	12	5	6
Black	115	148	12	5	6
Craven	606	517	16	12	9
White	433	368	10	9	7
All other	173	149	6	3	2
Black	173	149	6	3	-
Havelock	---	44	7	6	7
White	---	38	4	4	5
All other	---	6	3	2	2
Black	---	6	3	2	-
New Bern	---	183	3	2	-
White	---	117	2	2	-
All other	---	66	1	-	-
Black	---	66	1	-	-
Balance of county	---	290	6	4	2
White	---	213	4	3	2
All other	---	77	2	1	-
Black	---	77	2	1	-
Cumberland	1,704	1,400	74	53	36
White	1,088	920	44	32	19
All other	616	480	30	21	17
Black	585	458	28	20	14
Fayetteville	---	638	32	21	7
White	---	358	16	11	4
All other	---	280	16	10	3
Black	---	271	14	9	3
Balance of county	---	762	42	32	29
White	---	562	28	21	15
All other	---	200	14	11	14
Black	---	187	14	11	11
Currituck	32	124	2	-	4
White	28	107	1	-	3
All other	4	17	1	-	1
Black	4	17	1	-	1
Dare	96	146	2	2	5
Davidson	690	955	18	11	17
White	621	844	14	8	13
All other	69	111	4	3	4
Black	69	111	4	3	4
High Point, part	---	4	-	-	-
Lexington	---	186	5	3	2
White	---	147	2	1	-
All other	---	39	3	2	2
Black	---	39	3	2	2
Thomasville	---	202	1	1	5
White	---	153	1	1	3
All other	---	49	-	-	2
Black	---	49	-	-	2
Balance of county	---	563	12	7	10
Davie	155	217	6	4	1
White	138	186	4	2	-
All other	17	31	2	2	1
Black	17	31	2	2	1
Duplin	248	414	7	5	4
White	140	241	3	2	-
All other	108	173	4	3	4
Black	108	173	4	3	4
Durham	2,597	1,416	33	20	24
White	1,756	885	12	9	9
All other	841	531	21	11	15
Black	823	527	20	10	15
Chapel Hill, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	1,110	29	16	17
White	---	641	10	7	5
All other	---	469	19	9	12
Black	---	466	18	8	12
Balance of county	---	305	4	4	7
White	---	243	2	2	4
All other	---	62	2	2	3
Black	---	61	2	2	3
Edgecombe	381	565	8	5	12
White	194	293	1	1	2
All other	187	272	7	4	10
Black	187	272	7	4	10
Rocky Mount, part	---	200	4	3	1
White	---	72	1	1	-
All other	---	128	3	2	1
Black	---	128	3	2	1
Balance of county	---	365	4	2	11
White	---	221	-	-	2
All other	---	144	4	2	9
Black	---	144	4	2	9
Forsyth	3,105	2,105	37	29	7
White	2,403	1,529	20	16	4
All other	702	576	17	13	3
Black	701	575	17	13	3
Winston-Salem	---	1,406	23	19	4
White	---	862	7	6	1
All other	---	544	16	13	3
Black	---	543	16	13	3
Balance of county	---	699	14	10	3
Franklin	212	314	5	2	5
White	132	190	-	-	2
All other	80	124	5	2	3
Black	79	123	5	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Gaston	1,092	1,392	45	28	22
White	945	1,206	29	19	14
All other	147	186	16	9	8
Black	145	185	16	9	8
Gastonia	---	586	23	17	10
White	---	484	11	10	4
All other	---	102	12	7	6
Black	---	102	12	7	6
Balance of county	---	806	22	11	12
White	---	722	18	9	10
All other	---	84	4	2	2
Black	---	83	4	2	2
Gates	35	108	2	2	1
White	19	58	-	-	1
All other	16	50	2	2	-
Black	16	50	2	2	-
Graham	25	66	1	1	1
Granville	283	345	5	3	5
White	150	202	2	2	1
All other	133	143	3	1	4
Black	132	143	3	1	4
Greene	48	161	2	-	4
White	30	110	-	-	2
All other	18	51	2	-	2
Black	18	51	2	-	2
Guilford	2,953	2,714	57	39	23
White	2,296	2,066	30	18	15
All other	657	648	27	21	8
Black	653	644	27	21	8
Greensboro	---	1,358	28	18	11
White	---	933	11	5	6
All other	---	425	17	13	5
Black	---	421	17	13	5
High Point, part	---	732	17	12	6
White	---	569	9	6	4
All other	---	163	8	6	2
Black	---	163	8	6	2
High Point, total	---	737	17	12	6
White	---	573	9	6	4
All other	---	164	8	6	2
Black	---	164	8	6	2
Balance of county	---	624	12	9	6
White	---	564	10	7	5
All other	---	60	2	2	1
Black	---	60	2	2	1
Halifax	580	594	7	3	9
White	316	325	2	1	6
All other	264	269	5	2	3
Black	258	259	5	2	3
Roanoke Rapids	---	180	2	1	2
White	---	156	2	1	2
All other	---	24	-	-	-
Black	---	23	-	-	-
Balance of county	---	414	5	2	7
White	---	169	-	-	4
All other	---	245	5	2	3
Black	---	236	5	2	3
Harnett	402	567	12	7	4
White	311	439	8	5	4
All other	91	128	4	2	-
Black	89	127	4	2	-
Haywood	446	483	3	1	2
Henderson	590	609	4	3	11
Hertford	266	237	4	4	3
White	126	105	2	2	-
All other	140	132	2	2	3
Black	140	132	2	2	3
Hoke	52	143	8	5	2
White	27	68	3	1	1
All other	25	75	5	4	1
Black	19	63	5	4	1
Hyde	25	51	2	2	3
White	14	32	-	-	1
All other	11	19	2	2	2
Black	11	19	2	2	2
Iredell	719	756	11	7	12
White	624	637	7	4	8
All other	95	119	4	3	4
Black	95	119	4	3	4
Statesville	---	226	4	3	6
White	---	178	1	1	2
All other	---	48	3	2	4
Black	---	48	3	2	4
Balance of county	---	530	7	4	6
White	---	459	6	3	6
All other	---	71	1	1	-
Black	---	71	1	1	-
Jackson	164	206	2	-	3
White	156	186	1	-	3
All other	8	20	1	-	-
Black	2	2	-	-	-
Johnston	463	685	11	5	1
White	348	545	9	4	1
All other	115	140	2	1	-
Black	115	140	2	1	-
Jones	24	94	1	-	1
White	11	53	1	-	-
All other	13	41	-	-	1
Black	13	41	-	-	1
Lee	332	334	7	3	2
White	246	238	6	2	1
All other	86	96	1	1	1
Black	85	96	1	1	1
Sanford	---	141	1	1	-
White	---	86	1	1	-
All other	---	55	-	-	-
Black	---	55	-	-	-
Balance of county	---	193	6	2	2
White	---	152	5	1	1
All other	---	41	1	1	1
Black	---	41	1	1	1
Lenoir	540	567	11	5	7
White	352	343	4	2	3
All other	188	224	7	3	4
Black	188	224	7	3	4
Kinston	---	308	8	3	2
White	---	157	1	-	-
All other	---	151	7	3	2
Black	---	151	7	3	2
Balance of county	---	259	3	2	5
White	---	186	3	2	3
All other	---	73	-	-	2
Black	---	73	-	-	2
Lincoln	241	309	6	5	7
McDowell	218	282	9	4	3
Macon	182	222	2	2	3
Madison	90	174	2	2	2
Martin	192	271	7	5	6
White	95	160	1	1	1
All other	97	111	6	4	5
Black	96	110	6	4	5
Mecklenburg	3,935	3,036	63	45	67
White	2,895	2,151	27	20	30
All other	1,040	885	36	25	37
Black	1,027	873	35	24	35
Charlotte	---	2,549	53	37	59
White	---	1,727	17	12	24
All other	---	822	36	25	35
Black	---	811	35	24	34
Balance of county	---	487	10	8	8
White	---	424	10	8	6
All other	---	63	-	-	2
Black	---	62	-	-	1
Mitchell	118	156	1	-	2
Montgomery	211	243	4	3	4
White	164	184	2	2	3
All other	47	59	2	1	1
Black	47	59	2	1	1
Moore	706	560	8	6	3
White	543	452	6	5	3
All other	163	108	2	1	-
Black	155	107	2	1	-
Nash	687	639	9	6	10
White	413	430	4	4	7
All other	274	209	5	2	3
Black	268	208	5	2	3
Rocky Mount, part	---	264	4	4	4
White	---	193	2	2	4
All other	---	71	2	2	-
Black	---	71	2	2	-
Rocky Mount, total	---	464	8	7	5
White	---	265	3	3	4
All other	---	199	5	4	1
Black	---	199	5	4	1
Balance of county	---	375	5	2	6
White	---	237	2	2	3
All other	---	138	3	-	3
Black	---	137	3	-	3
New Hanover	1,211	920	15	10	16
White	893	686	12	7	8
All other	318	234	3	3	8
Black	315	234	3	3	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Wilmington	---	532	7	6	7
White	---	342	5	4	–
All other	---	190	2	2	7
Black	---	190	2	2	7
Balance of county	---	388	8	4	9
Northampton	76	231	2	2	3
White	37	106	–	–	1
All other	39	125	2	2	2
Black	39	125	2	2	2
Onslow	493	517	36	26	25
White	389	417	26	20	24
All other	104	100	10	6	1
Black	102	99	10	6	1
Jacksonville	---	161	12	9	10
White	---	115	8	6	9
All other	---	46	4	3	1
Black	---	45	4	3	1
Balance of county	---	356	24	17	15
White	---	302	18	14	15
All other	---	54	6	3	–
Black	---	54	6	3	–
Orange	972	457	13	9	5
White	638	345	6	3	4
All other	334	112	7	6	1
Black	325	112	7	6	1
Chapel Hill, part	---	164	7	3	–
White	---	130	4	1	–
All other	---	34	3	2	–
Black	---	34	3	2	–
Chapel Hill, total	---	165	7	3	–
White	---	131	4	1	–
All other	---	34	3	2	–
Black	---	34	3	2	–
Balance of county	---	293	6	6	5
White	---	215	2	2	4
All other	---	78	4	4	1
Black	---	78	4	4	1
Pamlico	44	114	2	1	1
White	35	89	1	1	1
All other	9	25	1	–	–
Black	9	25	1	–	–
Pasquotank	387	260	9	8	6
White	267	161	5	5	2
All other	120	99	4	3	4
Black	120	98	4	3	4
Elizabeth City, part	---	169	5	5	5
White	---	99	3	3	2
All other	---	70	2	2	3
Black	---	70	2	2	3
Elizabeth City, total	---	169	5	5	5
White	---	99	3	3	2
All other	---	70	2	2	3
Black	---	70	2	2	3
Balance of county	---	91	4	3	1
White	---	62	2	2	–
All other	---	29	2	1	1
Black	---	28	2	1	1
Pender	155	237	8	4	5
White	86	138	2	2	4
All other	69	99	6	2	1
Black	69	99	6	2	1
Perquimans	24	89	1	1	1
White	13	49	–	–	–
All other	11	40	1	1	1
Black	11	40	1	1	1
Person	204	267	6	4	1
White	150	192	4	3	1
All other	54	75	2	1	–
Black	53	74	2	1	–
Pitt	1,081	746	19	16	11
White	640	444	5	5	3
All other	441	302	14	11	8
Black	441	302	14	11	8
Greenville	---	261	11	10	4
White	---	144	2	2	2
All other	---	117	9	8	2
Black	---	117	9	8	2
Balance of county	---	485	8	6	7
White	---	300	3	3	1
All other	---	185	5	3	6
Black	---	185	5	3	6
Polk	204	189	1	–	–
Randolph	471	693	12	7	11
Asheboro	---	178	2	2	2
White	---	159	2	2	2
All other	---	19	–	–	–
Black	---	19	–	–	–
High Point, part	---	1	–	–	–
Balance of county	---	514	10	5	9
Richmond	309	423	12	4	9
White	214	287	3	–	5
All other	95	136	9	4	4
Black	91	132	9	4	4
Robeson	842	902	17	11	17
White	421	428	3	2	5
All other	421	474	14	9	12
Black	245	264	6	3	8
Lumberton	---	229	1	–	3
White	---	152	–	–	–
All other	---	77	1	–	3
Black	---	68	1	–	2
Balance of county	---	673	16	11	14
White	---	276	3	2	5
All other	---	397	13	9	9
Black	---	196	5	3	6
Rockingham	569	763	13	10	19
White	424	605	3	2	14
All other	145	178	10	8	5
Black	145	178	10	8	5
Eden	---	175	4	4	2
White	---	155	–	–	2
All other	---	20	4	4	–
Black	---	20	4	4	–
Reidsville	---	161	2	1	2
White	---	91	–	–	1
All other	---	70	2	1	1
Black	---	70	2	1	1
Balance of county	---	447	7	5	15
White	---	359	3	2	11
All other	---	88	4	3	4
Black	---	88	4	3	4
Rowan	1,091	992	11	7	12
White	914	859	5	2	9
All other	177	133	6	5	3
Black	176	132	6	5	3
Salisbury	---	334	4	3	1
White	---	261	1	1	–
All other	---	73	3	2	1
Black	---	72	3	2	1
Balance of county	---	658	7	4	11
White	---	598	4	1	9
All other	---	60	3	3	2
Black	---	60	3	3	2
Rutherford	443	553	7	7	16
White	376	482	5	5	14
All other	67	71	2	2	2
Black	67	71	2	2	2
Sampson	390	516	7	5	4
White	264	355	4	4	2
All other	126	161	3	1	2
Black	121	153	3	1	2
Scotland	304	306	7	4	9
White	157	172	2	2	3
All other	147	134	5	2	6
Black	120	119	3	1	6
Laurinburg	---	151	1	–	6
White	---	77	–	–	1
All other	---	74	1	–	5
Black	---	70	1	–	5
Balance of county	---	155	6	4	3
White	---	95	2	2	2
All other	---	60	4	2	1
Black	---	49	2	1	1
Stanly	350	448	4	2	4
White	309	401	3	2	2
All other	41	47	1	–	2
Black	41	47	1	–	2
Albemarle	---	159	2	1	1
White	---	136	2	1	–
All other	---	23	–	–	1
Black	---	23	–	–	1
Balance of county	---	289	2	1	3
White	---	265	1	1	2
All other	---	24	1	–	1
Black	---	24	1	–	1
Stokes	172	264	4	3	1
Surry	532	578	13	9	4
Swain	187	150	2	–	1
White	153	125	1	–	1
All other	34	25	1	–	–
Black	3	2	–	–	–
Transylvania	171	210	7	4	2
Tyrrell	19	51	3	1	1
White	13	35	3	1	1
All other	6	16	–	–	–
Black	6	16	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Union	350	508	18	11	8
White	287	419	14	9	6
All other	63	89	4	2	2
Black	62	88	4	2	2
Monroe	---	143	1	-	5
White	---	105	-	-	3
All other	---	38	1	-	2
Black	---	38	1	-	2
Balance of county	---	365	17	11	3
White	---	314	14	9	3
All other	---	51	3	2	-
Black	---	50	3	2	-
Vance	342	405	11	5	5
White	192	231	4	2	3
All other	150	174	7	3	2
Black	150	174	7	3	2
Henderson	---	225	2	-	2
White	---	129	-	-	1
All other	---	96	2	-	1
Black	---	96	2	-	1
Balance of county	---	180	9	5	3
White	---	102	4	2	2
All other	---	78	5	3	1
Black	---	78	5	3	1
Wake	2,400	2,072	62	41	44
White	1,762	1,519	31	21	30
All other	638	553	31	20	14
Black	633	549	30	19	12
Cary	---	116	7	3	3
Garner	---	71	2	1	1
Raleigh	---	1,158	34	23	27
White	---	796	12	7	15
All other	---	362	22	16	12
Black	---	358	21	15	10
Balance of county	---	727	19	14	13
White	---	558	11	10	12
All other	---	169	8	4	1
Black	---	169	8	4	1
Warren	136	209	1	1	3
White	63	89	-	-	-
All other	73	120	1	1	3
Black	72	114	1	1	1
Washington	96	125	4	4	1
White	61	76	1	1	-
All other	35	49	3	3	1
Black	35	49	3	3	1
Watauga	230	200	5	3	-
Boone	---	43	-	-	-
Balance of county	---	157	5	3	-
Wayne	790	802	17	12	22
White	493	503	6	5	12
All other	297	299	11	7	10
Black	296	298	11	7	10
Goldsboro	---	350	8	6	8
White	---	180	2	2	3
All other	---	170	6	4	5
Black	---	170	6	4	5
Balance of county	---	452	9	6	14
White	---	323	4	3	9
All other	---	129	5	3	5
Black	---	128	5	3	5
Wilkes	367	477	7	4	7
Wilson	699	591	9	6	8
White	467	368	4	4	5
All other	232	223	5	2	3
Black	232	223	5	2	3
Wilson	---	358	5	2	5
White	---	198	1	1	2
All other	---	160	4	1	3
Black	---	160	4	1	3
Balance of county	---	233	4	4	3
White	---	170	3	3	3
All other	---	63	1	1	-
Black	---	63	1	1	-
Yadkin	121	223	4	2	-
Yancey	65	136	1	1	2
North Dakota	5,895	5,546	96	53	78
White	5,729	5,401	83	49	69
All other	166	145	13	4	9
Black	5	5	1	1	1
Adams	60	34	1	-	-
Barnes	132	136	1	-	1
Benson	10	72	5	3	3
White	4	52	2	2	1
All other	6	20	3	1	2
Black	-	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Dakota-Con.					
Billings	1	5	-	-	-
Bottineau	81	115	1	1	-
Bowman	46	45	1	1	1
Burke	9	38	-	-	-
Burleigh	647	334	11	5	5
Bismarck	---	297	10	4	5
Balance of county	---	37	1	1	-
Cass	1,259	654	10	7	11
Fargo	---	472	5	3	10
West Fargo	---	44	2	1	1
Balance of county	---	138	3	3	-
Cavalier	58	72	1	1	1
Dickey	103	80	1	1	-
Divide	37	38	-	-	-
Dunn	3	24	2	1	-
Eddy	43	57	1	1	1
Emmons	45	47	-	-	1
Foster	62	50	-	-	-
Golden Valley	11	19	-	-	-
Grand Forks	555	384	7	2	10
Grand Forks	---	260	6	2	5
Balance of county	---	124	1	-	5
Grant	24	33	1	1	1
Griggs	40	58	1	1	-
Hettinger	17	43	-	-	1
Kidder	8	26	1	-	1
La Moure	11	58	1	1	-
Logan	2	23	1	1	-
McHenry	17	88	-	-	-
McIntosh	70	76	-	-	1
McKenzie	50	69	6	3	2
White	45	62	5	3	2
All other	5	7	1	-	-
Black	-	-	-	-	-
McLean	94	119	2	-	1
Mercer	45	75	1	1	1
Morton	98	202	6	4	3
Mandan	---	106	3	2	3
Balance of county	---	96	3	2	-
Mountrail	79	99	2	1	-
White	69	88	2	1	-
All other	10	11	-	-	-
Black	-	-	-	-	-
Nelson	60	88	-	-	-
Oliver	2	11	-	-	1
Pembina	114	132	2	-	1
Pierce	117	69	-	-	-
Ramsey	145	143	1	-	1
Ransom	77	91	2	1	1
Renville	24	30	-	-	-
Richland	83	165	1	1	2
Rolette	84	108	3	2	3
White	44	57	1	1	-
All other	40	51	2	1	3
Black	-	-	-	-	-
Sargent	17	58	1	1	1
Sheridan	2	27	-	-	-
Sioux	14	27	2	1	-
White	3	8	1	1	-
All other	11	19	1	-	-
Black	-	-	-	-	-
Slope	1	6	-	-	-
Stark	174	162	7	4	1
Dickinson	---	122	5	3	1
Balance of county	---	40	2	1	-
Steele	14	56	-	-	-
Stutsman	200	210	1	-	5
Jamestown	---	162	1	-	3
Balance of county	---	48	-	-	2
Towner	41	47	-	-	-
Traill	122	115	2	2	1
Walsh	145	181	2	2	3
Ward	516	406	5	2	8
Minot	---	305	3	1	4
Balance of county	---	101	2	1	4
Wells	63	79	-	-	1
Williams	163	162	3	1	4
Williston	---	106	2	1	2
Balance of county	---	56	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	96,788	96,996	1,653	1,071	1,189
White	87,042	87,218	1,245	814	903
All other	9,746	9,778	408	257	286
Black	9,584	9,618	398	250	268
Adams	220	273	4	4	1
Allen	1,220	1,000	18	9	12
White	1,123	900	13	6	11
All other	97	100	5	3	1
Black	95	98	5	3	1
Lima	---	594	13	6	7
White	---	500	8	3	6
All other	---	94	5	3	1
Black	---	93	5	3	1
Balance of county	---	406	5	3	5
Ashland	311	373	7	3	5
Ashland	---	176	4	1	1
Balance of county	---	197	3	2	4
Ashtabula	835	940	14	11	14
Ashtabula	---	265	4	3	6
Conneaut	---	145	1	1	1
Balance of county	---	530	9	7	7
Athens	377	433	6	2	6
Athens	---	92	3	-	2
White	---	89	3	-	2
All other	---	3	-	-	-
Black	---	1	-	-	-
Balance of county	---	341	3	2	4
Auglaize	332	378	7	4	3
Belmont	731	894	8	6	8
Brown	226	311	9	7	6
Butler	1,929	1,828	38	21	29
White	1,827	1,718	36	20	25
All other	102	110	2	1	4
Black	100	108	2	1	4
Fairfield	---	150	3	1	-
Hamilton	---	643	11	5	10
Middletown	---	388	12	7	6
White	---	337	12	7	5
All other	---	51	-	-	1
Black	---	51	-	-	1
Oxford	---	58	2	2	1
Balance of county	---	589	10	6	12
Carroll	80	209	3	2	-
Champaign	217	292	4	2	1
Urbana	---	135	3	1	-
Balance of county	---	157	1	1	1
Clark	1,356	1,429	23	15	18
White	1,233	1,294	17	12	13
All other	123	135	6	3	5
Black	119	129	6	3	5
Springfield	---	826	14	9	8
White	---	701	8	6	4
All other	---	125	6	3	4
Black	---	122	6	3	4
Balance of county	---	603	9	6	10
Clermont	472	880	20	11	19
Clinton	344	330	10	5	8
Wilmington	---	113	6	2	2
Balance of county	---	217	4	3	6
Columbiana	1,108	1,140	16	9	10
East Liverpool	---	255	6	3	1
Salem	---	141	1	1	1
Balance of county	---	744	9	5	8
Coshocton	325	369	4	4	2
Coshocton	---	164	1	1	-
Balance of county	---	205	3	3	2
Crawford	425	506	5	5	6
Bucyrus	---	149	1	1	3
Galion	---	150	1	1	1
Balance of county	---	207	3	3	2
Cuyahoga	16,638	15,721	275	193	219
White	13,256	12,407	126	92	115
All other	3,382	3,314	149	101	104
Black	3,340	3,277	146	98	100
Bay Village	---	148	2	1	1
Bedford	---	164	6	6	2
Bedford Heights	---	111	3	3	1
White	---	83	1	1	-
All other	---	28	2	2	1
Black	---	25	2	2	1
Berea	---	149	1	1	5
Brecksville	---	87	-	-	-
Broadview Heights	---	76	1	1	2
Brooklyn	---	134	2	1	-
Brook Park	---	171	2	1	39
Cleveland	---	6,826	171	108	108
White	---	4,143	50	31	36
All other	---	2,683	121	77	72
Black	---	2,667	120	76	71
Ohio-Con.					
Cleveland Heights	---	533	8	5	7
White	---	460	3	2	2
All other	---	73	5	3	5
Black	---	72	5	3	5
East Cleveland	---	322	12	10	2
White	---	98	-	-	-
All other	---	224	12	10	2
Black	---	224	12	10	2
Euclid	---	700	6	5	6
Fairview Park	---	208	2	1	1
Garfield Heights	---	372	6	5	5
White	---	339	5	4	3
All other	---	33	1	1	2
Black	---	32	1	1	2
Lakewood	---	626	8	6	7
Lyndhurst	---	161	4	4	2
Maple Heights	---	326	4	3	2
Mayfield Heights	---	294	3	3	1
Middleburg Heights	---	115	-	-	-
North Olmsted	---	260	7	5	1
North Royalton	---	139	1	1	2
Parma	---	888	7	7	10
Parma Heights	---	288	1	-	2
Richmond Heights	---	75	-	-	-
Rocky River	---	273	1	1	-
Seven Hills	---	110	1	-	1
Shaker Heights	---	306	2	2	-
White	---	242	2	2	-
All other	---	64	-	-	-
Black	---	64	-	-	-
Solon	---	88	-	-	-
South Euclid	---	288	3	3	3
Strongsville	---	154	4	4	2
University Heights	---	131	1	1	1
White	---	124	-	-	-
All other	---	7	1	1	1
Black	---	7	1	1	1
Warrensville Heights	---	125	1	1	1
White	---	47	-	-	-
All other	---	78	1	1	1
Black	---	78	1	1	1
Westlake	---	200	2	2	1
Balance of county	---	873	3	2	4
Darke	411	531	8	3	7
Greenville	---	240	2	1	1
Balance of county	---	291	6	2	6
Defiance	270	283	7	3	4
Defiance	---	132	3	1	2
Balance of county	---	151	4	2	2
Delaware	356	399	8	3	5
Delaware	---	170	5	2	2
Westerville, part	---	22	-	-	-
Balance of county	---	207	3	1	3
Erie	700	660	4	4	16
Sandusky	---	348	2	2	9
White	---	318	2	2	6
All other	---	30	-	-	3
Black	---	30	-	-	3
Vermilion, part	---	40	-	-	-
Vermilion, total	---	82	-	-	1
Balance of county	---	272	2	2	7
Fairfield	701	776	17	10	11
Columbus, part	---	-	-	-	-
Lancaster	---	358	8	4	2
Reynoldsburg, part	---	-	-	-	-
Balance of county	---	418	9	6	9
Fayette	284	275	6	3	-
Washington	---	175	3	2	-
Balance of county	---	100	3	1	-
Franklin	7,785	6,752	136	81	112
White	6,764	5,705	97	55	76
All other	1,021	1,047	39	26	37
Black	1,002	1,033	37	24	36
Bexley	---	98	1	-	-
Columbus, part	---	4,588	100	55	82
White	---	3,569	61	29	48
All other	---	1,019	39	26	34
Black	---	1,005	37	24	33
Columbus, total	---	4,588	100	55	82
White	---	3,569	61	29	48
All other	---	1,019	39	26	34
Black	---	1,005	37	24	33
Gahanna	---	92	1	1	2
Grove City	---	149	3	3	2
Reynoldsburg, part	---	68	2	1	4
Reynoldsburg, total	---	93	2	1	4
Upper Arlington	---	318	3	3	2
Westerville, part	---	159	1	1	-
Westerville, total	---	181	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Whitehall	---	174	3	2	3
Worthington	---	126	-	-	3
Balance of county	---	960	22	15	14
Fulton	209	286	6	2	3
Gallia	429	307	2	2	3
Geauga	363	468	5	4	6
Greene	800	834	13	11	13
White	743	781	13	11	11
All other	57	53	-	-	2
Black	56	50	-	-	1
Beavercreek	---	157	3	3	3
Dayton, part	---	2	-	-	-
Fairborn	---	178	3	2	4
Xenia	---	194	3	2	3
White	---	169	3	2	2
All other	---	25	-	-	1
Black	---	25	-	-	1
Balance of county	---	303	4	4	3
White	---	278	4	4	3
All other	---	25	-	-	-
Black	---	24	-	-	-
Guernsey	458	463	10	8	7
Cambridge	---	211	5	3	2
Balance of county	---	252	5	5	5
Hamilton	9,668	8,572	144	100	43
White	8,080	7,002	79	58	33
All other	1,588	1,570	65	42	10
Black	1,569	1,551	64	41	10
Cincinnati	---	4,562	94	63	18
White	---	3,239	42	30	11
All other	---	1,323	52	33	7
Black	---	1,310	51	32	7
Forest Park	---	73	-	-	-
White	---	56	-	-	-
All other	---	17	-	-	-
Black	---	17	-	-	-
Montgomery	---	59	-	-	1
North College Hill	---	135	1	1	-
Norwood	---	323	3	1	-
Reading	---	109	3	3	-
Sharonville	---	84	-	-	1
Springdale	---	82	1	-	-
Balance of county	---	3,145	42	32	23
White	---	2,920	30	23	20
All other	---	225	12	9	3
Black	---	219	12	9	3
Hancock	607	543	12	7	9
Findlay	---	328	7	5	6
Fostoria, part	---	26	-	-	-
Balance of county	---	189	5	2	3
Hardin	225	287	3	2	3
Harrison	158	204	4	3	4
Henry	179	247	4	1	3
Highland	265	342	2	2	3
Hocking	216	238	3	1	5
Holmes	249	216	4	3	2
Huron	347	435	5	3	6
Norwalk	---	120	3	1	2
Balance of county	---	315	2	2	4
Jackson	205	353	5	4	7
Jefferson	867	952	10	9	12
Steubenville	---	368	3	2	8
White	---	326	1	1	3
All other	---	42	2	1	5
Black	---	42	2	1	5
Balance of county	---	584	7	7	4
Knox	486	467	7	4	5
Mount Vernon	---	207	7	4	2
Balance of county	---	260	-	-	3
Lake	1,440	1,559	29	25	21
Eastlake	---	140	4	3	5
Mentor	---	278	8	7	4
Painesville	---	177	3	3	3
White	---	157	3	3	2
All other	---	20	-	-	1
Black	---	20	-	-	1
Wickliffe	---	123	-	-	1
Willoughby	---	188	3	2	1
Willowick	---	143	3	3	4
Balance of county	---	510	8	7	3
Lawrence	367	621	11	9	8
Ironton	---	197	3	2	-
Balance of county	---	424	8	7	8
Licking	931	1,093	10	5	6
Newark	---	514	4	1	5
Reynoldsburg, part	---	5	-	-	-
Balance of county	---	574	6	4	1
Logan	342	428	4	3	8
Bellefontaine	---	111	-	-	4
Balance of county	---	317	4	3	4
Lorain	1,969	2,049	40	23	31
White	1,859	1,929	37	20	20
All other	110	120	3	3	11
Black	109	118	3	3	11
Amherst	---	109	-	-	-
Avon Lake	---	82	2	-	2
Elyria	---	463	12	7	7
White	---	431	12	7	2
All other	---	32	-	-	5
Black	---	32	-	-	5
Lorain	---	645	13	7	12
White	---	580	11	5	6
All other	---	65	2	2	6
Black	---	64	2	2	6
North Ridgeville	---	78	4	3	-
Sheffield Lake	---	41	1	1	-
Vermilion, part	---	42	-	-	1
Balance of county	---	589	8	5	9
Lucas	5,101	4,363	64	39	49
White	4,570	3,824	45	27	32
All other	531	539	19	12	17
Black	524	534	19	12	15
Maumee	---	124	3	1	-
Oregon	---	175	2	1	3
Sylvania	---	106	-	-	1
Toledo	---	3,548	51	31	39
White	---	3,021	33	19	23
All other	---	527	18	12	16
Black	---	522	18	12	15
Balance of county	---	410	8	6	6
Madison	203	285	6	2	5
Mahoning	2,875	3,086	44	30	29
White	2,511	2,635	17	12	18
All other	364	451	27	18	11
Black	363	447	26	17	10
Alliance, part	---	1	-	-	-
Campbell	---	111	2	2	1
White	---	97	2	2	-
All other	---	14	-	-	1
Black	---	14	-	-	1
Struthers	---	151	-	-	3
Youngstown, part	---	1,461	31	21	18
White	---	1,044	4	3	9
All other	---	417	27	18	9
Black	---	414	26	17	9
Youngstown, total	---	1,463	31	21	18
White	---	1,046	4	3	9
All other	---	417	27	18	9
Black	---	414	26	17	9
Balance of county	---	1,362	11	7	7
Marion	629	585	12	7	5
Marion	---	365	9	6	3
Balance of county	---	220	3	1	2
Medina	713	758	12	6	10
Brunswick	---	138	2	-	5
Medina	---	134	5	2	-
Wadsworth	---	140	1	1	2
Balance of county	---	346	4	3	3
Meigs	166	241	5	2	2
Mercer	249	299	10	8	4
Miami	695	760	13	11	9
Piqua	---	203	5	4	-
Troy	---	169	2	2	5
Balance of county	---	388	6	5	4
Monroe	58	139	1	-	2
Montgomery	5,691	4,863	102	68	68
White	4,856	4,073	60	45	40
All other	835	790	42	23	28
Black	821	782	42	23	28
Centerville	---	111	1	-	1
Dayton, part	---	2,081	55	34	44
White	---	1,407	17	13	17
All other	---	674	38	21	27
Black	---	671	38	21	27
Dayton, total	---	2,083	55	34	44
White	---	1,409	17	13	17
All other	---	674	38	21	27
Black	---	671	38	21	27
Englewood	---	75	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Huber Heights	---	165	10	9	3
Kettering	---	512	6	6	4
Miamisburg	---	122	2	-	2
Vandalia	---	76	-	-	1
West Carrollton	---	98	2	2	1
Balance of county	---	1,623	25	16	12
White	---	1,516	22	15	11
All other	---	107	3	1	1
Black	---	104	3	1	1
Morgan	87	170	5	3	1
Morrow	143	180	4	2	2
Muskingum	1,106	866	8	5	8
Zanesville	---	443	5	3	5
White	---	398	3	2	3
All other	---	45	2	1	2
Black	---	45	2	1	2
Balance of county	---	423	3	2	3
Noble	43	122	3	2	-
Ottawa	228	362	2	2	-
Paulding	97	165	7	5	2
Perry	95	304	3	2	2
Pickaway	264	370	8	3	5
Circleville	---	153	1	-	3
Balance of county	---	217	7	3	2
Pike	167	243	7	7	5
Portage	697	846	19	10	9
Kent	---	122	1	1	2
Ravenna	---	136	3	-	1
Balance of county	---	588	15	9	6
Preble	131	321	7	5	8
Putnam	145	250	2	2	4
Richland	1,123	1,106	21	10	14
Mansfield	---	606	10	6	9
White	---	527	9	6	6
All other	---	79	1	-	3
Black	---	73	1	-	3
Balance of county	---	500	11	4	5
Ross	767	604	14	7	11
Chillicothe	---	303	4	2	5
Balance of county	---	301	10	5	6
Sandusky	506	547	8	4	4
Fremont	---	201	1	1	1
White	---	192	1	1	1
All other	---	9	-	-	-
Black	---	9	-	-	-
Balance of county	---	346	7	3	3
Scioto	1,028	989	11	7	8
Portsmouth	---	383	2	1	3
Balance of county	---	606	9	6	5
Seneca	357	504	10	8	4
Fostoria, part	---	122	2	-	1
White	---	113	2	-	1
All other	---	9	-	-	-
Black	---	8	-	-	-
Fostoria, total	---	158	2	-	1
White	---	149	2	-	1
All other	---	9	-	-	-
Black	---	8	-	-	-
Tiffin	---	172	3	3	1
Balance of county	---	210	5	5	2
Shelby	272	360	8	4	7
Sidney	---	191	3	-	2
Balance of county	---	169	5	4	5
Stark	3,686	3,372	44	31	39
White	3,513	3,192	34	23	34
All other	173	180	10	8	5
Black	173	180	10	8	5
Alliance, part	---	260	5	3	4
White	---	228	3	1	3
All other	---	32	2	2	1
Black	---	32	2	2	1
Alliance, total	---	261	5	3	4
White	---	229	3	1	3
All other	---	32	2	2	1
Black	---	32	2	2	1
Canton	---	1,061	17	11	11
White	---	955	11	7	7
All other	---	106	6	4	4
Black	---	106	6	4	4
Massillon	---	375	4	4	3
White	---	343	3	3	3
All other	---	32	1	1	-
Black	---	32	1	1	-
North Canton	---	124	2	2	2
Balance of county	---	1,552	16	11	19
Summit	4,989	5,028	77	45	53
White	4,524	4,550	60	38	38
All other	465	478	17	7	15
Black	459	472	17	7	14
Akron	---	2,633	45	25	31
White	---	2,206	30	19	17
All other	---	427	15	6	14
Black	---	424	15	6	13
Barberton	---	332	8	4	2
Cuyahoga Falls	---	349	4	3	7
Norton	---	71	1	1	1
Stow	---	131	5	2	-
Tallmadge	---	126	-	-	3
Balance of county	---	1,386	14	10	9
Trumbull	2,240	2,121	23	18	26
White	2,025	1,962	19	15	20
All other	215	159	4	3	6
Black	208	155	4	3	6
Girard	---	138	2	2	-
Niles	---	204	8	6	2
Warren	---	663	6	5	8
White	---	558	2	2	5
All other	---	105	4	3	3
Black	---	104	4	3	3
Youngstown, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	1,114	7	5	16
Tuscarawas	814	914	15	11	11
Dover	---	179	2	2	1
New Philadelphia	---	165	2	1	3
Balance of county	---	570	11	8	7
Union	211	220	1	1	4
Van Wert	271	301	7	6	4
Van Wert	---	143	4	3	1
Balance of county	---	158	3	3	3
Vinton	41	108	5	3	3
Warren	295	658	17	7	12
Franklin	---	100	1	1	2
Balance of county	---	558	16	6	10
Washington	569	617	7	6	4
Marietta	---	209	2	1	-
Balance of county	---	408	5	5	4
Wayne	634	786	22	15	11
Wooster	---	218	3	1	4
Balance of county	---	568	19	14	7
Williams	277	294	5	2	2
Wood	495	718	18	11	8
Bowling Green	---	98	1	1	-
Fostoria, part	---	10	-	-	-
Perrysburg	---	90	6	5	-
Balance of county	---	520	11	5	8
Wyandot	177	225	6	3	5
Oklahoma	28,461	29,343	598	384	460
White	25,607	26,409	479	311	353
All other	2,854	2,934	119	73	107
Black	1,917	1,943	79	49	63
Adair	118	196	5	1	5
White	90	132	2	-	2
All other	28	64	3	1	3
Black	-	-	-	-	-
Alfalfa	68	91	-	-	2
Atoka	121	152	1	1	1
White	108	137	1	1	1
All other	13	15	-	-	-
Black	6	7	-	-	-
Beaver	56	61	1	1	2
Beckham	250	262	4	1	5
Blaine	165	200	4	-	5
White	153	178	3	-	4
All other	12	22	1	-	1
Black	7	8	-	-	-
Bryan	282	375	3	3	7
Durant	---	199	1	1	4
White	---	189	1	1	4
All other	---	10	-	-	-
Black	---	-	-	-	-
Balance of county	---	176	2	2	3
Caddo	225	352	6	1	3
White	195	298	2	-	-
All other	30	54	4	1	3
Black	5	10	-	-	-
Canadian	221	386	16	12	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
El Reno	---	169	9	7	-
White	---	152	6	5	-
All other	---	17	3	2	-
Black	---	11	-	-	-
Oklahoma City, part	---	3	-	-	-
Yukon	---	120	4	4	6
Balance of county	---	94	3	1	3
Carter	497	510	6	3	2
White	447	451	5	3	1
All other	50	59	1	-	1
Black	40	48	-	-	1
Ardmore	---	339	-	-	1
White	---	300	-	-	-
All other	---	39	-	-	1
Black	---	34	-	-	1
Balance of county	---	171	6	3	1
White	---	151	5	3	1
All other	---	20	1	-	-
Black	---	14	-	-	-
Cherokee	270	299	5	4	3
White	180	230	3	3	3
All other	90	69	2	1	-
Black	3	4	-	-	-
Choctaw	159	218	2	1	4
White	136	185	1	1	4
All other	23	33	1	-	-
Black	20	27	-	-	-
Cimarron	33	37	2	2	2
Cleveland	647	719	17	12	28
Moore	---	157	5	3	5
Norman	---	418	11	8	14
Oklahoma City, part	---	35	-	-	2
Balance of county	---	109	1	1	7
Coal	68	88	5	4	1
White	65	84	5	4	1
All other	3	4	-	-	-
Black	-	-	-	-	-
Comanche	791	739	30	21	25
White	688	644	22	16	16
All other	103	95	8	5	9
Black	58	66	6	3	8
Lawton	---	586	28	21	24
White	---	518	20	16	16
All other	---	78	8	5	8
Black	---	63	6	3	7
Balance of county	---	143	2	-	1
White	---	126	2	-	-
All other	---	17	-	-	1
Black	---	3	-	-	1
Cotton	48	107	-	-	1
Craig	163	193	3	2	2
White	150	178	3	2	2
All other	13	15	-	-	-
Black	7	4	-	-	-
Creek	451	585	14	10	6
Sapulpa	---	219	2	2	3
White	---	197	1	1	3
All other	---	22	1	1	-
Black	---	12	-	-	-
Balance of county	---	366	12	8	3
Custer	246	264	9	7	4
Delaware	228	301	4	4	4
White	203	264	3	3	2
All other	25	37	1	1	2
Black	-	-	-	-	-
Dewey	66	78	-	-	-
Ellis	86	71	-	-	-
Garfield	701	599	16	6	4
Enid	---	483	14	4	4
Balance of county	---	116	2	2	-
Garvin	277	333	3	1	4
Grady	342	406	10	8	5
Chickasha	---	230	5	4	2
White	---	212	4	3	2
All other	---	18	1	1	-
Black	---	16	1	1	-
Balance of county	---	176	5	4	3
Grant	54	98	-	-	-
Greer	84	102	-	-	1
Harmon	52	64	1	1	1
Harper	39	59	-	-	-
Haskell	101	167	6	4	1
Hughes	182	220	3	1	2
White	163	188	1	-	1
All other	19	32	2	1	1
Black	8	10	1	1	-
Jackson	258	255	6	4	3
White	248	240	4	2	3
All other	10	15	2	2	-
Black	8	13	2	2	-
Altus	---	195	4	3	2
White	---	180	2	1	2
All other	---	15	2	2	-
Black	---	13	2	2	-
Balance of county	---	60	2	1	1
Jefferson	78	117	1	1	-
Johnston	87	118	3	1	3
White	78	107	3	1	2
All other	9	11	-	-	1
Black	5	3	-	-	1
Kay	516	532	9	6	7
Ponca City	---	281	6	4	1
Balance of county	---	251	3	2	6
Kingfisher	86	129	4	4	1
Kiowa	122	197	3	2	1
Latimer	109	110	-	-	1
White	90	104	-	-	1
All other	19	6	-	-	-
Black	2	1	-	-	-
Le Flore	274	470	5	4	8
White	268	444	4	3	7
All other	6	26	1	1	1
Black	4	12	-	-	1
Lincoln	206	293	4	2	3
Logan	216	284	2	2	6
White	191	242	2	2	5
All other	25	42	-	-	1
Black	25	41	-	-	1
Guthrie	---	180	-	-	4
White	---	154	-	-	3
All other	---	26	-	-	1
Black	---	25	-	-	1
Balance of county	---	104	2	2	2
White	---	88	2	2	2
All other	---	16	-	-	-
Black	---	16	-	-	-
Love	75	93	2	-	3
McClain	148	189	5	3	1
Oklahoma City, part	---	-	-	-	-
Balance of county	---	189	5	3	1
McCurtain	265	383	6	4	1
White	213	311	5	4	1
All other	52	72	1	-	-
Black	42	54	1	-	-
McIntosh	119	200	5	3	2
White	99	162	3	2	1
All other	20	38	2	1	1
Black	14	20	1	1	1
Major	78	99	-	-	-
Marshall	126	144	1	1	-
Mayes	291	368	5	4	7
White	280	349	4	3	4
All other	11	19	1	1	3
Black	1	1	-	-	-
Murray	118	139	-	-	1
Muskogee	1,051	800	13	6	16
White	879	650	9	3	13
All other	172	150	4	3	3
Black	147	133	4	3	1
Muskogee	---	559	6	3	8
White	---	447	3	1	7
All other	---	112	3	2	1
Black	---	103	3	2	-
Balance of county	---	241	7	3	8
White	---	203	6	2	6
All other	---	38	1	1	2
Black	---	30	1	1	1
Noble	117	140	3	2	1
Nowata	92	134	-	-	1
White	83	123	-	-	1
All other	9	11	-	-	-
Black	7	8	-	-	-
Okfuskee	85	144	1	1	2
White	48	102	-	-	-
All other	37	42	1	1	2
Black	8	21	-	-	-
Oklahoma	6,568	5,088	132	77	103
White	5,761	4,426	101	59	73
All other	807	662	31	18	30
Black	677	603	30	17	24
Bethany	---	198	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Del City	---	162	2	-	5
White	---	154	1	-	4
All other	---	8	1	-	1
Black	---	4	1	-	1
Edmond	---	228	10	6	10
Midwest City	---	310	16	8	8
White	---	298	13	6	4
All other	---	12	3	2	4
Black	---	9	3	2	3
Oklahoma City, part	---	3,858	96	59	67
White	---	3,291	69	43	47
All other	---	567	27	16	20
Black	---	520	26	15	17
Oklahoma City, total	---	3,897	96	59	69
White	---	3,330	69	43	48
All other	---	567	27	16	21
Black	---	520	26	15	18
The Village	---	5	-	-	-
Balance of county	---	327	7	4	9
White	---	258	7	4	6
All other	---	69	-	-	3
Black	---	66	-	-	2
Okmulgee	422	519	2	1	5
White	347	418	2	1	2
All other	75	101	-	-	3
Black	56	75	-	-	2
Okmulgee	---	247	-	-	-
White	---	185	-	-	-
All other	---	62	-	-	-
Black	---	49	-	-	-
Balance of county	---	272	2	1	5
White	---	233	2	1	2
All other	---	39	-	-	3
Black	---	26	-	-	2
Osage	209	330	7	6	7
White	176	285	5	4	6
All other	33	45	2	2	1
Black	12	13	-	-	-
Bartlesville, part	---	-	-	-	-
Sand Springs, part	---	3	1	1	-
Tulsa, part	---	3	-	-	-
White	---	2	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	324	6	5	7
White	---	280	4	3	6
All other	---	44	2	2	1
Black	---	12	-	-	-
Ottawa	283	371	7	5	3
White	267	353	7	5	2
All other	16	18	-	-	1
Black	-	-	-	-	-
Miami	---	175	-	-	1
White	---	165	-	-	1
All other	---	10	-	-	-
Black	---	-	-	-	-
Balance of county	---	196	7	5	2
White	---	188	7	5	1
All other	---	8	-	-	1
Black	---	-	-	-	-
Pawnee	104	165	-	-	-
Payne	424	448	9	5	4
Stillwater	---	205	5	3	2
Balance of county	---	243	4	2	2
Pittsburg	480	490	8	3	3
White	449	453	8	3	3
All other	31	37	-	-	-
Black	23	22	-	-	-
McAlester	---	274	3	1	1
White	---	248	3	1	1
All other	---	26	-	-	-
Black	---	18	-	-	-
Balance of county	---	216	5	2	2
White	---	205	5	2	2
All other	---	11	-	-	-
Black	---	4	-	-	-
Pontotoc	395	382	6	5	5
White	351	357	6	5	5
All other	44	25	-	-	-
Black	9	8	-	-	-
Ada	---	234	3	3	3
White	---	217	3	3	3
All other	---	17	-	-	-
Black	---	8	-	-	-
Balance of county	---	148	3	2	2
Pottawatomie	581	647	10	7	6
Oklahoma City, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	364	5	3	3
White	---	357	5	3	3
All other	---	27	-	-	-
Black	---	8	-	-	-
Balance of county	---	262	5	4	3
Pushmataha	132	149	1	-	-
White	126	140	1	-	-
All other	6	9	-	-	-
Black	3	3	-	-	-
Roger Mills	26	63	2	-	-
Rogers	281	342	9	6	15
White	243	311	7	5	9
All other	38	31	2	1	6
Black	1	6	1	-	1
Claremore	---	147	7	4	6
White	---	128	5	3	3
All other	---	19	2	1	3
Black	---	5	1	-	1
Balance of county	---	195	2	2	9
Seminole	218	338	6	5	4
White	176	268	2	2	4
All other	42	70	4	3	-
Black	22	32	3	2	-
Sequoyah	187	317	7	6	2
White	164	280	5	4	1
All other	23	37	2	2	1
Black	6	8	-	-	1
Stephens	401	457	10	7	3
Duncan	---	242	5	4	2
Balance of county	---	215	5	3	1
Texas	106	157	5	4	6
Tillman	125	162	3	2	4
White	105	140	3	2	2
All other	20	22	-	-	2
Black	17	19	-	-	2
Tulsa	4,849	4,027	89	64	64
White	4,305	3,546	68	50	47
All other	544	481	21	14	17
Black	452	427	19	13	16
Broken Arrow, part	---	232	8	6	6
Broken Arrow, total	---	247	8	6	7
Sand Springs, part	---	156	2	1	1
Sand Springs, total	---	159	3	2	1
Tulsa, part	---	3,243	69	51	50
White	---	2,782	48	37	35
All other	---	461	21	14	15
Black	---	421	19	13	14
Tulsa, total	---	3,246	69	51	50
White	---	2,784	48	37	35
All other	---	462	21	14	15
Black	---	422	19	13	14
Balance of county	---	396	10	6	7
White	---	385	10	6	6
All other	---	11	-	-	1
Black	---	2	-	-	1
Wagoner	155	254	4	1	5
White	130	222	4	1	4
All other	25	32	-	-	1
Black	20	22	-	-	-
Broken Arrow, part	---	15	-	-	1
Balance of county	---	239	4	1	4
White	---	208	4	1	3
All other	---	31	-	-	1
Black	---	22	-	-	-
Washington	511	484	15	10	4
Bartlesville, part	---	345	12	9	2
Bartlesville, total	---	345	12	9	2
Balance of county	---	139	3	1	2
White	---	132	2	1	2
All other	---	7	1	-	-
Black	---	2	-	-	-
Washita	112	157	2	-	6
Woods	116	145	4	4	2
Woodward	168	181	6	5	2
Woodward	---	128	6	5	1
Balance of county	---	53	-	-	1
Oregon	23,213	23,162	390	190	260
White	22,672	22,636	366	181	241
All other	541	526	24	9	19
Black	291	287	11	5	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Baker	163	164	2	1	5
Benton	404	356	5	1	7
Albany, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Corvallis	---	214	3	1	3
Balance of county	---	141	2	-	4
Clackamas	1,854	1,866	37	16	17
Lake Oswego, part	---	141	2	1	2
Lake Oswego, total	---	145	2	1	2
Milwaukie, part	---	255	4	1	3
Milwaukie, total	---	257	4	1	3
Oregon City	---	165	5	1	-
Portland, part	---	20	1	1	-
West Linn	---	79	2	2	1
Balance of county	---	1,206	23	10	11
Clatsop	275	327	3	-	4
Columbia	161	320	4	2	1
Coos	585	625	4	1	9
Coos Bay	---	179	-	-	4
Balance of county	---	446	4	1	5
Crook	108	135	4	1	4
Curry	117	180	3	2	2
Deschutes	533	491	13	7	8
Bend	---	165	3	1	3
Balance of county	---	326	10	6	5
Douglas	897	857	15	9	7
Roseburg	---	246	4	2	1
Balance of county	---	611	11	7	6
Gilliam	11	18	-	-	-
Grant	81	83	-	-	2
Harney	52	55	1	-	1
Hood River	139	144	1	-	2
Jackson	1,196	1,173	14	6	7
Ashland	---	108	-	-	1
Medford	---	427	5	3	1
Balance of county	---	640	9	3	5
Jefferson	73	87	2	1	-
White	63	72	-	-	-
All other	10	15	2	1	-
Black		-	-	-	-
Josephine	662	667	8	3	9
Grants Pass	---	240	5	3	2
Balance of county	---	427	3	-	7
Klamath	510	484	6	3	3
Klamath Falls	---	199	2	-	1
Balance of county	---	285	4	3	2
Lake	59	67	2	1	1
Lane	2,079	2,074	29	15	29
Eugene	---	807	10	6	16
Springfield	---	327	5	1	5
Balance of county	---	940	14	8	8
Lincoln	356	429	5	2	-
Linn	642	762	16	6	11
Albany, part	---	260	7	1	6
Albany, total	---	261	7	1	6
Lebanon	---	127	2	2	-
Balance of county	---	375	7	3	5
Malheur	283	236	12	3	6
Marion	1,890	1,877	39	23	23
Salem, part	---	919	25	14	9
Salem, total	---	1,027	26	14	9
Woodburn	---	180	2	1	1
White	---	179	2	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	778	12	8	13
Morrow	36	64	-	-	3
Multnomah	6,556	5,760	99	54	35
White	6,217	5,416	84	46	28
All other	339	344	15	8	7
Black	238	249	10	5	6
Gresham	---	248	8	-	2
Lake Oswego, part	---	1	-	-	-
Milwaukie, part	---	2	-	-	-
Portland, part	---	4,229	67	40	26
White	---	3,909	53	32	19
All other	---	320	14	8	7
Black	---	245	10	5	6
Portland, total	---	4,318	73	42	28
White	---	3,996	59	34	21
All other	---	322	14	8	7
Black	---	245	10	5	6
Balance of county	---	1,280	24	14	7
Polk	263	440	6	2	3
Salem, part	---	108	1	-	-
Balance of county	---	332	5	2	3
Sherman	10	19	1	1	1
Tillamook	214	239	1	1	-
Umatilla	407	508	10	6	13
Pendleton	---	121	4	2	1
Balance of county	---	387	6	4	12
Union	198	211	3	2	5
La Grande	---	121	1	1	2
Balance of county	---	90	2	1	3
Wallowa	50	66	-	-	-
Wasco	271	256	5	4	1
City of the Dalles	---	167	3	2	-
Balance of county	---	89	2	2	1
Washington	1,640	1,601	32	13	27
Beaverton	---	248	7	4	4
Forest Grove	---	152	2	1	4
Hillsboro	---	206	8	2	5
Lake Oswego, part	---	3	-	-	-
Portland, part	---	69	5	1	2
Tigard	---	167	2	-	-
Balance of county	---	756	8	5	12
Wheeler	7	14	1	1	-
Yamhill	431	507	7	3	14
McMinnville	---	158	5	2	3
Newberg	---	127	-	-	5
Balance of county	---	222	2	1	6
Pennsylvania	122,166	122,009	1,638	1,131	1,510
White	111,102	110,992	1,189	823	1,166
All other	11,064	11,017	449	308	344
Black	10,861	10,821	433	298	327
Adams	483	612	4	2	12
Allegheny	17,346	15,634	191	149	159
White	15,603	13,946	121	95	102
All other	1,743	1,688	70	54	57
Black	1,724	1,673	70	54	55
Baldwin	---	210	2	1	2
Bellevue	---	112	1	1	1
Bethel Park	---	233	3	2	1
Brentwood	---	148	1	1	1
Carnegie	---	157	1	1	1
Castle Shannon	---	109	1	1	1
Clairton	---	159	-	-	-
White	---	126	-	-	-
All other	---	33	-	-	-
Black	---	33	-	-	-
Dormont	---	126	2	2	1
Duquesne	---	129	4	3	1
White	---	97	-	-	1
All other	---	32	4	3	-
Black	---	31	4	3	-
Elizabeth twp#	---	145	-	-	1
Harrison twp#	---	150	3	1	5
McCandless twp#	---	182	1	1	3
McKeesport	---	481	6	3	5
White	---	422	4	2	1
All other	---	59	2	1	4
Black	---	59	2	1	4
Monroeville	---	249	5	4	-
Mount Lebanon twp#	---	399	-	-	2
Munhall	---	217	-	-	3
North Versailles twp#	---	121	4	3	1
Penn Hills twp#	---	440	5	4	-
White	---	401	3	2	-
All other	---	39	2	2	-
Black	---	39	2	2	-
Pittsburgh	---	5,457	83	65	71
White	---	4,238	35	28	34
All other	---	1,219	48	37	37
Black	---	1,212	48	37	35
Plum	---	138	2	2	-
Ross twp#	---	322	1	1	3
Scott twp#	---	175	-	-	-
Shaler twp#	---	285	4	4	5
South Park twp#	---	78	3	3	1
Swissvale	---	191	1	1	2
Upper St. Clair twp#	---	97	1	1	2
West Mifflin	---	293	4	4	1
Whitehall	---	144	1	1	1
Wilkinsburg	---	276	8	4	1
White	---	213	4	1	-
All other	---	63	4	3	1
Black	---	63	4	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	4,471	44	35	43
White	---	4,309	37	30	32
All other	---	162	7	5	11
Black	---	161	7	5	11
Armstrong	623	831	4	3	11
Beaver	1,575	1,984	35	23	20
White	1,474	1,858	23	13	18
All other	101	126	12	10	2
Black	101	126	12	10	2
Aliquippa	---	225	4	3	2
White	---	165	1	-	1
All other	---	60	3	3	1
Black	---	60	3	3	1
Beaver Falls	---	143	5	4	3
White	---	120	1	1	3
All other	---	23	4	3	-
Black	---	23	4	3	-
Balance of county	---	1,616	26	16	15
Bedford	333	447	5	5	8
Berks	3,004	3,123	39	32	35
Muhlenberg twp#	---	120	1	-	3
Reading	---	1,012	20	17	14
White	---	965	17	15	11
All other	---	47	3	2	3
Black	---	47	3	2	3
Balance of county	---	1,991	18	15	18
Blair	1,833	1,574	14	11	8
Altoona	---	702	8	6	4
Balance of county	---	872	6	5	4
Bradford	812	645	6	2	7
Bucks	3,635	3,691	45	30	52
White	3,552	3,609	42	27	44
All other	83	82	3	3	8
Black	77	74	3	3	7
Bensalem twp#	---	326	7	6	5
Bristol	---	135	3	2	6
Bristol twp#	---	398	9	7	7
Falls twp#	---	222	2	2	2
Lower Southampton twp#	---	131	1	1	2
Middletown twp#	---	213	7	5	7
Northampton twp#	---	163	1	1	-
Upper Southampton twp#	---	133	1	-	-
Warminster twp#	---	242	2	-	2
Balance of county	---	1,728	12	6	21
White	---	1,701	12	6	17
All other	---	27	-	-	4
Black	---	24	-	-	3
Butler	1,107	1,344	17	12	10
Butler	---	217	1	-	1
Balance of county	---	1,127	16	12	9
Cambria	1,905	1,988	13	9	18
Johnstown	---	526	2	1	8
Balance of county	---	1,462	11	8	10
Cameron	43	97	-	-	-
Carbon	460	626	4	4	2
Centre	777	692	11	7	16
State College	---	118	2	1	2
Balance of county	---	574	9	6	14
Chester	2,386	2,519	56	43	45
White	2,183	2,312	49	37	37
All other	203	207	7	6	8
Black	199	202	7	6	7
Coatesville	---	225	8	8	4
White	---	163	3	3	-
All other	---	62	5	5	4
Black	---	62	5	5	4
Phoenixville	---	183	7	4	1
Tredyffrin twp#	---	158	4	3	2
West Chester	---	220	3	1	4
White	---	186	2	1	2
All other	---	34	1	-	2
Black	---	34	1	-	2
West Goshen twp#	---	114	1	1	-
Balance of county	---	1,619	33	26	34
White	---	1,521	32	25	33
All other	---	98	1	1	1
Black	---	96	1	1	1
Clarion	343	411	4	1	4
Clearfield	800	883	14	8	11
Clinton	351	393	8	6	5
Columbia	621	636	10	4	7
Berwick	---	153	5	2	-
Bloomsburg	---	143	2	1	1
Balance of county	---	340	3	1	6
Crawford	828	928	16	10	9
Meadville	---	222	4	3	2
Balance of county	---	706	12	7	7
Cumberland	1,525	1,573	23	16	18
Carlisle	---	225	6	4	3
East Pennsboro twp#	---	149	2	2	-
Lower Allen twp#	---	125	2	1	-
Balance of county	---	1,074	13	9	15
Dauphin	2,866	2,257	31	22	27
White	2,629	2,015	24	17	19
All other	237	242	7	5	8
Black	230	238	7	5	7
Harrisburg	---	634	16	13	10
White	---	436	9	8	4
All other	---	196	7	5	6
Black	---	193	7	5	6
Lower Paxton twp#	---	275	1	1	4
Middletown	---	1	-	-	5
Susquehanna twp#	---	154	-	-	1
White	---	152	-	-	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Swatara twp#	---	221	-	-	-
Balance of county	---	972	14	8	7
Delaware	5,566	5,722	82	62	66
White	5,025	5,229	65	43	59
All other	541	493	27	19	7
Black	529	482	26	18	7
Aston twp#	---	120	1	1	2
Chester	---	569	18	13	12
White	---	288	5	5	8
All other	---	281	13	8	4
Black	---	279	13	8	4
Darby	---	162	4	2	4
White	---	142	3	2	4
All other	---	20	1	-	-
Black	---	19	1	-	-
Darby twp#	---	59	4	3	-
White	---	34	-	-	-
All other	---	25	4	3	-
Black	---	25	4	3	-
Haverford twp#	---	482	1	1	3
Lansdowne	---	148	2	2	3
Marple twp#	---	287	3	2	1
Middletown twp#	---	187	-	-	1
Nether Providence twp#	---	126	1	1	1
Newtown twp#	---	139	-	-	-
Radnor twp#	---	261	4	4	2
Ridley twp#	---	218	3	3	4
Springfield twp#	---	260	4	3	3
Upper Chichester twp#	---	126	2	2	1
Upper Darby twp#	---	860	10	7	8
Yeadon	---	142	4	3	1
White	---	109	1	1	1
All other	---	33	3	2	-
Black	---	33	3	2	-
Balance of county	---	1,576	21	15	20
White	---	1,502	19	13	18
All other	---	74	2	2	2
Black	---	73	2	2	2
Elk	345	375	7	5	4
Erie	2,851	2,601	49	34	36
White	2,779	2,525	44	31	30
All other	72	76	5	3	6
Black	70	74	4	2	6
Erie	---	1,299	22	16	19
White	---	1,234	18	14	13
All other	---	65	4	2	6
Black	---	65	4	2	6
Millcreek twp#	---	333	5	5	4
Balance of county	---	969	22	13	13
Fayette	1,368	1,743	22	12	29
Connellsville	---	143	1	1	3
Uniontown	---	225	6	4	4
Balance of county	---	1,375	15	7	22
Forest	24	52	-	-	-
Franklin	1,055	1,061	14	10	15
Chambersburg	---	246	1	1	3
Balance of county	---	815	13	9	12
Fulton	89	98	1	1	3
Greene	306	439	4	3	8
Huntingdon	307	403	1	1	6
Indiana	588	771	8	6	12
Indiana	---	98	3	3	1
Balance of county	---	673	5	3	11
Jefferson	378	514	4	3	8
Juniata	118	216	3	1	4
Lackawanna	2,967	2,822	25	21	19
Carbondale	---	153	2	1	-
Dunmore	---	182	-	-	1
Scranton	---	1,368	15	14	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	1,119	8	6	9
Lancaster	3,260	3,258	46	30	42
Columbia	---	147	2	1	3
Ephrata	---	118	1	-	-
Lancaster	---	607	12	10	10
White	---	573	9	7	6
All other	---	34	3	3	4
Black	---	31	2	2	4
Lancaster twp#	---	161	-	-	-
Manheim twp#	---	345	1	1	-
Balance of county	---	1,880	30	18	29
Lawrence	1,043	1,105	14	10	8
New Castle	---	474	9	7	2
Balance of county	---	631	5	3	6
Lebanon	1,161	1,070	15	8	20
Lebanon	---	315	7	4	8
Balance of county	---	755	8	4	12
Lehigh	3,613	2,706	29	19	26
Allentown	---	1,213	16	10	10
Bethlehem, part	---	286	2	2	-
Emmaus	---	119	1	1	2
Salisbury twp#	---	64	1	1	1
Whitehall twp#	---	182	2	1	1
Balance of county	---	842	7	4	12
Luzerne	4,481	4,371	34	21	50
Hazleton	---	432	7	5	3
Kingston	---	233	1	1	4
Nanticoke	---	168	1	1	4
Wilkes-Barre	---	833	2	1	13
Balance of county	---	2,705	23	13	26
Lycoming	1,277	1,156	12	5	16
Williamsport	---	356	4	2	6
Balance of county	---	800	8	3	10
McKean	436	541	6	4	5
Bradford	---	150	1	1	2
Balance of county	---	391	5	3	3
Mercer	1,348	1,290	12	9	15
Sharon	---	202	3	3	3
Balance of county	---	1,088	9	6	12
Mifflin	498	433	3	1	9
Monroe	662	687	8	6	8
Montgomery	6,911	6,090	74	44	82
White	6,433	5,836	63	39	64
All other	478	254	11	5	18
Black	458	232	10	5	12
Abington twp#	---	606	4	1	5
Cheltenham twp#	---	400	4	3	2
East Norriton twp#	---	96	-	-	1
Hatfield twp#	---	78	3	3	1
Lansdale	---	199	4	4	2
Lower Merion twp#	---	661	5	4	7
Lower Moreland twp#	---	77	1	1	-
Lower Providence twp#	---	102	2	1	6
Norristown	---	422	11	8	8
White	---	358	5	4	4
All other	---	64	6	4	4
Black	---	62	6	4	4
Plymouth twp#	---	123	2	-	-
Pottstown	---	299	5	2	4
White	---	283	3	2	3
All other	---	16	2	-	1
Black	---	16	2	-	1
Springfield twp#	---	307	1	-	1
Towamencin twp#	---	49	3	1	-
Upper Dublin twp#	---	124	1	-	1
Upper Merion twp#	---	179	-	-	1
Upper Moreland twp#	---	207	5	5	4
West Norriton twp#	---	91	3	2	1
Whitemarsh twp#	---	125	1	-	-
Balance of county	---	1,945	19	9	38
White	---	1,884	18	9	32
All other	---	61	1	-	6
Black	---	52	-	-	3
Montour	861	238	1	1	1
Northampton	1,364	2,154	15	10	19
Bethlehem, part	---	480	5	5	6
Bethlehem, total	---	766	7	7	6
Easton	---	325	2	-	2
White	---	311	2	-	2
All other	---	14	-	-	-
Black	---	14	-	-	-
Palmer twp#	---	99	2	2	1
Balance of county	---	1,250	6	3	10
Northumberland	947	1,280	6	2	8
Shamokin	---	181	3	1	-
Sunbury	---	180	1	1	1
Pennsylvania-Con.					
Balance of county	---	919	2	-	7
Perry	127	302	4	3	5
Philadelphia, coext. with Philadelphia city	20,352	20,090	388	257	321
White	13,556	13,042	115	77	132
All other	6,796	7,048	273	180	189
Black	6,706	6,965	264	176	187
Pike	111	228	2	2	3
Potter	202	195	4	2	1
Schuylkill	1,911	2,180	16	9	21
Pottsville	---	249	1	1	5
Balance of county	---	1,931	15	8	16
Snyder	115	286	2	1	4
Somerset	743	845	21	15	14
Sullivan	38	73	-	-	-
Susquehanna	289	396	5	4	7
Tioga	340	384	1	1	7
Union	377	305	4	3	4
Venango	635	640	11	9	10
Oil City	---	193	5	4	2
Balance of county	---	447	6	5	8
Warren	428	482	3	1	6
Warren	---	137	-	-	1
Balance of county	---	345	3	1	5
Washington	2,163	2,271	39	28	13
Canonsburg	---	139	-	-	1
Washington	---	233	9	6	3
White	---	206	6	3	2
All other	---	27	3	3	1
Black	---	27	3	3	1
Balance of county	---	1,899	30	22	9
Wayne	358	420	7	2	3
Westmoreland	3,655	3,880	44	36	44
Greensburg	---	249	6	6	7
Hempfield twp#	---	391	5	4	4
Jeannette	---	167	1	-	3
Latrobe	---	140	-	-	-
Lower Burrell	---	144	3	3	-
Monessen	---	135	1	1	1
White	---	125	-	-	1
All other	---	10	1	1	-
Black	---	9	1	1	-
Municipality of Murrysville	---	97	2	2	-
New Kensington	---	228	4	4	4
North Huntingdon twp#	---	240	1	1	3
Balance of county	---	2,089	21	15	22
Wyoming	192	236	3	3	-
York	2,650	2,712	39	27	44
White	2,579	2,635	33	24	36
All other	71	77	6	3	8
Black	69	75	6	3	8
Hanover	---	208	2	2	-
Springettsbury twp#	---	270	-	-	2
Spring Garden twp#	---	132	-	-	2
York	---	538	12	7	14
White	---	476	6	4	7
All other	---	62	6	3	7
Black	---	62	6	3	7
Balance of county	---	1,564	25	18	26
Rhode Island	9,605	9,435	125	88	93
White	9,336	9,166	107	76	91
All other	269	269	18	12	2
Black	225	225	14	9	2
Bristol	282	454	4	4	7
Barrington town#	---	117	2	2	2
Bristol town#	---	198	-	-	2
Warren town#	---	138	2	2	3
Balance of county	---	1	-	-	-
Kent	1,253	1,415	17	14	17
Coventry town#	---	221	4	3	4
Warwick	---	840	7	6	7
West Warwick town#	---	236	5	4	5
Balance of county	---	118	1	1	1
Newport	567	721	14	7	4
Middletown town#	---	143	3	2	2
Newport	---	291	7	3	1
White	---	271	5	2	1
All other	---	20	2	1	-
Black	---	20	2	1	-
Balance of county	---	287	4	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Rhode Island-Con.					
Providence	6,866	6,116	76	54	45
White	6,634	5,898	62	43	44
All other	232	218	14	11	1
Black	201	194	11	8	1
Central Falls	- - -	227	1	-	-
Cranston	- - -	734	5	1	7
Cumberland town#	- - -	239	4	4	-
East Providence	- - -	585	3	2	7
Johnston town#	- - -	226	2	1	-
North Providence town#	- - -	265	1	-	-
Pawtucket	- - -	806	7	3	8
Providence	- - -	1,850	30	24	13
White	- - -	1,674	17	14	12
All other	- - -	176	13	10	1
Black	- - -	162	11	8	1
Woonsocket	- - -	511	16	14	6
Balance of county	- - -	673	7	6	4
Washington	657	729	14	9	20
South Carolina	25,390	26,374	743	495	612
White	17,133	17,827	339	239	284
All other	8,257	8,547	404	256	328
Black	8,239	8,527	404	256	326
Abbeville	154	204	3	3	6
White	102	140	2	2	3
All other	52	64	1	1	3
Black	52	64	1	1	3
Aiken	587	945	25	14	20
White	401	676	12	8	8
All other	186	269	13	6	12
Black	186	267	13	6	12
Aiken	- - -	253	5	2	7
White	- - -	161	2	1	2
All other	- - -	92	3	1	5
Black	- - -	92	3	1	5
North Augusta	- - -	151	4	4	2
White	- - -	119	1	1	-
All other	- - -	32	3	3	2
Black	- - -	31	3	3	2
Balance of county	- - -	541	16	8	11
White	- - -	396	9	6	6
All other	- - -	145	7	2	5
Black	- - -	144	7	2	5
Allendale	95	114	4	1	1
White	44	51	1	-	-
All other	51	63	3	1	1
Black	51	63	3	1	1
Anderson	1,105	1,132	21	12	24
White	904	919	9	4	16
All other	201	213	12	8	8
Black	201	213	12	8	8
Anderson	- - -	384	10	7	5
White	- - -	281	-	-	3
All other	- - -	103	10	7	2
Black	- - -	103	10	7	2
Balance of county	- - -	748	11	5	19
White	- - -	638	9	4	13
All other	- - -	110	2	1	6
Black	- - -	110	2	1	6
Bamberg	190	195	7	4	4
White	86	93	2	1	2
All other	104	102	5	3	2
Black	104	102	5	3	2
Barnwell	130	191	2	1	7
White	69	104	-	-	2
All other	61	87	2	1	5
Black	61	87	2	1	5
Beaufort	392	427	24	17	16
White	247	268	13	10	8
All other	145	159	11	7	8
Black	145	159	11	7	8
Berkeley	221	563	22	14	14
White	129	345	13	8	8
All other	92	218	9	6	6
Black	92	216	9	6	6
Goose Creek	- - -	73	3	2	3
White	- - -	64	3	2	3
All other	- - -	9	-	-	-
Black	- - -	9	-	-	-
Hanahan	- - -	33	2	1	-
North Charleston, part	- - -	-	-	-	-
Balance of county	- - -	457	17	11	11
White	- - -	249	9	5	5
All other	- - -	208	8	6	6
Black	- - -	206	8	6	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Calhoun	55	120	3	1	5
White	24	49	1	-	1
All other	31	71	2	1	4
Black	31	71	2	1	4
Charleston	2,996	2,049	79	49	69
White	1,817	1,218	26	14	28
All other	1,179	831	53	35	41
Black	1,174	831	53	35	41
Charleston	- - -	910	35	27	22
White	- - -	493	9	7	3
All other	- - -	417	26	20	19
Black	- - -	417	26	20	19
Mount Pleasant	- - -	156	2	1	4
North Charleston, part	- - -	206	16	7	10
White	- - -	143	5	2	5
All other	- - -	63	11	5	5
Black	- - -	63	11	5	5
North Charleston, total	- - -	206	16	7	10
White	- - -	143	5	2	5
All other	- - -	63	11	5	5
Black	- - -	63	11	5	5
Balance of county	- - -	777	26	14	33
White	- - -	456	11	5	17
All other	- - -	321	15	9	16
Black	- - -	321	15	9	16
Cherokee	259	334	5	2	3
White	214	276	4	2	2
All other	45	58	1	-	1
Black	45	58	1	-	1
Gaffney	- - -	170	2	1	2
White	- - -	137	1	1	2
All other	- - -	33	1	-	-
Black	- - -	33	1	-	-
Balance of county	- - -	164	3	1	1
White	- - -	139	3	1	-
All other	- - -	25	-	-	1
Black	- - -	25	-	-	1
Chester	188	283	10	6	6
White	116	183	5	2	1
All other	72	100	5	4	5
Black	72	100	5	4	5
Chesterfield	252	376	15	12	4
White	150	258	10	7	3
All other	102	118	5	5	1
Black	102	118	5	5	1
Clarendon	162	244	5	4	9
White	70	107	-	-	1
All other	92	137	5	4	8
Black	92	137	5	4	8
Colleton	359	408	8	6	14
White	198	225	4	3	5
All other	161	183	4	3	9
Black	161	183	4	3	9
Darlington	436	522	5	3	8
White	290	339	2	2	4
All other	146	183	3	1	4
Black	146	183	3	1	4
Dillon	219	320	3	2	10
White	133	202	-	-	6
All other	86	118	3	2	4
Black	83	116	3	2	4
Dorchester	168	399	19	11	15
White	102	265	15	9	8
All other	66	134	4	2	7
Black	66	134	4	2	7
Edgefield	99	165	6	2	3
White	49	82	2	1	2
All other	50	83	4	1	1
Black	50	83	4	1	1
Fairfield	150	225	11	6	2
White	75	112	4	3	1
All other	75	113	7	3	1
Black	75	113	7	3	1
Florence	1,286	1,014	40	29	20
White	735	580	14	9	8
All other	551	434	26	20	12
Black	551	434	26	20	12
Florence	- - -	353	12	9	10
White	- - -	134	1	-	3
All other	- - -	219	11	9	7
Black	- - -	219	11	9	7
Balance of county	- - -	661	28	20	10
White	- - -	446	13	9	5
All other	- - -	215	15	11	5
Black	- - -	215	15	11	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Georgetown	336	355	13	11	9
White	185	194	2	2	1
All other	151	161	11	9	8
Black	151	160	11	9	8
Georgetown	---	135	5	3	5
White	---	76	-	-	-
All other	---	59	5	3	5
Black	---	58	5	3	5
Balance of county	---	220	9	8	4
White	---	118	2	2	1
All other	---	102	6	6	3
Black	---	102	6	6	3
Greenville	2,572	2,347	67	53	50
White	2,093	1,900	46	36	33
All other	479	447	21	17	17
Black	479	447	21	17	17
Greenville	---	669	15	12	13
White	---	426	7	6	4
All other	---	243	8	6	9
Black	---	243	8	6	9
Greer, part	---	173	3	3	1
White	---	153	3	3	1
All other	---	20	-	-	-
Black	---	20	-	-	-
Greer, total	---	208	3	3	3
White	---	176	3	3	3
All other	---	32	-	-	-
Black	---	32	-	-	-
Balance of county	---	1,505	49	38	36
White	---	1,321	36	27	28
All other	---	184	13	11	8
Black	---	184	13	11	8
Greenwood	638	528	8	5	8
White	425	356	2	2	6
All other	213	172	6	3	2
Black	213	172	6	3	2
Greenwood	---	268	5	2	3
White	---	176	1	1	2
All other	---	92	4	1	1
Black	---	92	4	1	1
Balance of county	---	260	3	3	5
White	---	180	1	1	4
All other	---	80	2	2	1
Black	---	80	2	2	1
Hampton	130	175	8	3	1
White	50	78	3	2	-
All other	80	97	5	1	1
Black	80	97	5	1	1
Horry	903	909	20	14	19
White	739	738	14	12	12
All other	164	171	6	2	7
Black	162	169	6	2	7
Conway	---	115	3	1	3
White	---	77	1	1	1
All other	---	38	2	-	2
Black	---	37	2	-	2
Myrtle Beach	---	154	4	3	2
White	---	136	4	3	2
All other	---	18	-	-	-
Black	---	17	-	-	-
Balance of county	---	640	13	10	14
White	---	525	9	8	9
All other	---	115	4	2	5
Black	---	115	4	2	5
Jasper	115	151	3	2	6
White	46	60	1	1	1
All other	69	91	2	1	5
Black	69	91	2	1	5
Kershaw	242	312	8	7	10
White	160	212	5	4	5
All other	82	100	3	3	5
Black	82	100	3	3	5
Lancaster	375	435	8	6	10
White	281	324	4	4	6
All other	94	111	4	2	4
Black	94	111	4	2	4
Laurens	389	519	10	7	5
White	280	376	6	4	1
All other	109	143	4	3	4
Black	109	143	4	3	4
Laurens	---	168	2	1	2
White	---	113	1	-	-
All other	---	55	1	1	2
Black	---	55	1	1	2
Balance of county	---	351	8	6	3
White	---	263	5	4	1
All other	---	88	3	2	2
Black	---	88	3	2	2
Lee	86	155	8	6	8
White	28	62	-	-	-
All other	58	93	8	6	8
Black	58	93	8	6	8
Lexington	735	914	23	18	16
White	642	814	19	14	12
All other	93	100	4	4	4
Black	93	100	4	4	4
Cayce	---	80	3	2	-
White	---	72	3	2	-
All other	---	8	-	-	-
Black	---	8	-	-	-
West Columbia	---	153	6	4	4
White	---	142	5	3	2
All other	---	11	1	1	2
Black	---	11	1	1	2
Balance of county	---	681	14	12	12
White	---	600	11	9	10
All other	---	81	3	3	2
Black	---	81	3	3	2
McCormick	30	81	4	1	1
White	14	40	-	-	-
All other	16	41	4	1	1
Black	16	41	4	1	1
Marion	345	328	17	10	10
White	185	150	2	2	1
All other	160	178	15	8	9
Black	160	178	15	8	9
Marlboro	251	310	6	4	12
White	143	176	3	2	2
All other	108	134	3	2	10
Black	107	131	3	2	10
Newberry	265	344	2	1	1
White	167	228	-	-	-
All other	98	116	2	1	1
Black	98	116	2	1	1
Oconee	374	415	9	7	16
White	323	365	8	6	14
All other	51	50	1	1	2
Black	51	50	1	1	2
Orangeburg	714	750	16	11	29
White	359	376	5	4	5
All other	355	374	11	7	24
Black	355	374	11	7	24
Orangeburg	---	164	1	1	6
White	---	105	1	1	1
All other	---	59	-	-	5
Black	---	59	-	-	5
Balance of county	---	586	15	10	23
White	---	271	4	3	4
All other	---	315	11	7	19
Black	---	315	11	7	19
Pickens	428	559	12	10	15
Easley	---	124	-	-	4
White	---	117	-	-	3
All other	---	7	-	-	1
Black	---	7	-	-	1
Balance of county	---	435	12	10	11
Richland	3,220	2,264	66	39	33
White	2,039	1,390	14	9	9
All other	1,181	874	52	30	24
Black	1,174	868	52	30	24
Columbia	---	1,300	38	24	15
White	---	818	8	6	3
All other	---	482	30	18	12
Black	---	478	30	18	12
Balance of county	---	964	28	15	18
White	---	572	6	3	6
All other	---	392	22	12	12
Black	---	390	22	12	12
Saluda	103	171	2	2	2
White	68	113	1	1	-
All other	35	58	1	1	2
Black	35	58	1	1	2
Spartanburg	1,868	1,908	45	29	33
White	1,471	1,505	28	19	22
All other	397	403	17	10	11
Black	397	403	17	10	11
Greer, part	---	35	-	-	2
White	---	23	-	-	2
All other	---	12	-	-	-
Black	---	12	-	-	-
Spartanburg	---	525	15	11	6
White	---	346	8	5	1
All other	---	179	7	6	5
Black	---	179	7	6	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	1,348	30	18	25
White	---	1,136	20	14	19
All other	---	212	10	4	6
Black	---	212	10	4	6
Sumter	575	641	32	27	19
White	287	317	10	9	6
All other	288	324	22	18	13
Black	288	323	22	18	11
Sumter	---	289	13	10	5
White	---	168	2	2	3
All other	---	121	11	8	2
Black	---	120	11	8	2
Balance of county	---	352	19	17	14
White	---	149	8	7	3
All other	---	203	11	10	11
Black	---	203	11	10	9
Union	246	317	4	2	3
White	184	237	1	1	1
All other	62	80	3	1	2
Black	62	80	3	1	2
Union	---	131	1	-	-
White	---	92	-	-	-
All other	---	39	1	-	-
Black	---	39	1	-	-
Balance of county	---	186	3	2	3
White	---	145	1	1	1
All other	---	41	2	1	2
Black	---	41	2	1	2
Williamsburg	237	374	11	6	12
White	88	154	-	-	2
All other	149	220	11	6	10
Black	149	220	11	6	10
York	710	882	24	15	24
White	532	663	15	11	14
All other	178	219	9	4	10
Black	178	218	9	4	10
Rock Hill	---	364	8	3	12
White	---	241	3	1	5
All other	---	123	5	2	7
Black	---	123	5	2	7
Balance of county	---	518	16	12	12
White	---	422	12	10	9
All other	---	96	4	2	3
Black	---	95	4	2	3
South Dakota [1]	6,452	6,533	124	66	96
White	6,090	6,137	93	53	75
All other	362	396	31	15	21
Black	2	4	1	1	1
Aurora	23	43	1	-	-
Beadle	194	205	3	1	3
Huron	---	162	1	1	-
Balance of county	---	43	2	-	3
Bennett	39	41	1	1	-
White	20	22	1	1	-
All other	19	19	-	-	-
Black	-	-	-	-	-
Bon Homme	79	91	1	1	-
Brookings	142	172	1	-	1
Brookings	---	99	1	-	-
Balance of county	---	73	-	-	1
Brown	359	325	5	3	3
Aberdeen	---	241	4	2	3
Balance of county	---	84	1	1	-
Brule	41	48	2	1	2
Buffalo	9	16	1	1	-
White	3	3	-	-	-
All other	6	13	1	1	-
Black	-	-	-	-	-
Butte	82	98	3	2	-
Campbell	6	17	-	-	1
Charles Mix	103	108	-	-	1
White	85	86	-	-	1
All other	18	22	-	-	-
Black	-	-	-	-	-
Clark	24	56	2	1	1
Clay	49	68	-	-	2
Vermillion	---	29	-	-	2
Balance of county	---	39	-	-	-
Codington	266	220	4	2	3
Watertown	---	185	2	-	2
Balance of county	---	35	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Corson	11	30	1	1	3
White	6	14	-	-	1
All other	5	16	1	1	2
Black	-	-	-	-	-
Custer	47	66	2	2	3
Davison	206	184	4	2	1
Mitchell	---	155	4	2	1
Balance of county	---	29	-	-	-
Day	72	103	1	1	-
Deuel	40	70	-	-	-
Dewey	18	47	5	4	4
White	4	15	1	1	1
All other	14	32	4	3	3
Black	-	-	-	-	-
Douglas	34	42	1	1	-
Edmunds	69	72	-	-	-
Fall River	128	127	1	1	-
Faulk	30	41	1	1	-
Grant	87	100	-	-	1
Gregory	64	79	1	1	2
Haakon	21	22	-	-	1
Hamlin	53	78	-	-	1
Hand	54	58	-	-	1
Hanson	5	16	-	-	1
Harding	5	10	-	-	-
Hughes	117	104	1	-	2
Pierre	---	95	1	-	2
Balance of county	---	9	-	-	-
Hutchinson	132	137	1	1	-
Hyde	11	29	-	-	-
Jackson	14	26	1	1	-
White	13	19	1	1	-
All other	1	7	-	-	-
Black	-	-	-	-	-
Jerauld	40	29	-	-	-
Jones	1	9	-	-	-
Kingsbury	82	86	-	-	-
Lake	107	108	3	3	-
Lawrence	94	127	1	1	1
Lincoln	80	123	-	-	-
Sioux Falls, part	---	-	-	-	-
Balance of county	---	123	-	-	-
Lyman	13	33	1	1	1
White	11	27	1	1	1
All other	2	6	-	-	-
Black	-	-	-	-	-
McCook	69	103	1	1	1
McPherson	26	52	2	1	-
Marshall	41	74	-	-	-
Meade	187	128	3	1	2
Mellette	13	27	-	-	3
White	7	14	-	-	1
All other	6	13	-	-	2
Black	-	-	-	-	-
Miner	41	80	-	-	-
Minnehaha	1,477	889	11	6	18
Sioux Falls, part	---	722	8	4	11
Sioux Falls, total	---	722	8	4	11
Balance of county	---	167	3	2	7
Moody	51	77	1	-	3
Pennington	598	522	20	12	13
Rapid City	---	404	12	8	6
Balance of county	---	118	8	4	7
Perkins	25	41	2	1	1
Potter	52	48	1	1	-
Roberts	96	126	1	-	1
White	79	109	-	-	1
All other	17	19	1	-	-
Black	-	-	-	-	-
Sanborn	16	41	1	-	-
Shannon	54	90	9	3	3
White	2	6	-	-	-
All other	52	84	9	3	3
Black	1	1	-	-	-
Spink	78	107	2	1	2
Stanley	7	9	-	-	-
Sully	2	15	1	1	2
Todd	44	75	10	3	5
White	1	7	-	-	-
All other	43	68	10	3	5
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Tripp	71	79	3	1	2
Turner	83	119	–	–	1
Union	34	101	3	1	–
Walworth	102	89	1	1	–
Yankton	221	159	3	–	–
Yankton	– – –	107	2	–	–
Balance of county	– – –	52	1	–	–
Ziebach	11	16	–	–	–
White	4	7	–	–	–
All other	7	9	–	–	–
Black	–	–	–	–	–
Tennessee [7]	45,093	42,334	769	517	496
White	37,478	35,138	492	320	362
All other	7,615	7,196	277	197	134
Black	7,562	7,146	274	196	130
Anderson	615	577	6	2	7
Oak Ridge, part	– – –	212	2	1	3
Oak Ridge, total	– – –	221	2	1	3
Balance of county	– – –	365	4	1	4
Bedford	235	285	7	4	2
White	204	242	5	4	2
All other	31	43	2	–	–
Black	31	43	2	–	–
Shelbyville	– – –	169	6	3	1
White	– – –	134	4	3	1
All other	– – –	35	2	–	–
Black	– – –	35	2	–	–
Balance of county	– – –	116	1	1	1
Benton	150	172	1	–	–
Bledsoe	50	76	2	2	–
Blount	649	708	12	9	3
Maryville	– – –	227	2	2	–
Balance of county	– – –	481	10	7	3
Bradley	489	501	13	9	7
Cleveland	– – –	290	4	3	5
Balance of county	– – –	211	9	6	2
Campbell	314	359	3	2	4
Cannon	97	126	1	1	–
Carroll	240	320	5	3	7
White	217	282	4	3	6
All other	23	38	1	–	1
Black	23	38	1	–	1
Carter	361	496	6	4	4
Elizabethton	– – –	169	1	–	2
Johnson City, part	– – –	2	–	–	–
Balance of county	– – –	325	5	4	2
Cheatham	69	157	10	4	2
Chester	49	116	1	1	–
White	39	97	–	–	–
All other	10	19	1	1	–
Black	10	19	1	1	–
Claiborne	259	246	6	4	3
Clay	54	82	1	1	–
Cocke	240	314	5	3	1
Coffee	346	370	8	6	4
Tullahoma, part	– – –	147	5	4	2
Tullahoma, total	– – –	150	6	4	2
Balance of county	– – –	223	3	2	2
Crockett	45	168	5	4	1
White	36	133	4	3	–
All other	9	35	1	1	1
Black	9	35	1	1	1
Cumberland	313	289	3	2	5
Davidson	6,134	4,276	90	61	48
White	4,923	3,255	48	35	30
All other	1,211	1,021	42	26	18
Black	1,199	1,009	42	26	18
Nashville-Davidson	– – –	4,213	90	61	36
White	– – –	3,194	48	35	18
All other	– – –	1,019	42	26	18
Black	– – –	1,007	42	26	18
Balance of county	– – –	63	–	–	12
Decatur	80	112	5	3	2
De Kalb	138	143	1	–	2
Dickson	292	299	–	–	4
Dyer	371	387	9	9	3
White	306	327	6	6	2
All other	65	60	3	3	1
Black	65	60	3	3	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Dyersburg	– – –	192	3	3	2
White	– – –	144	–	–	2
All other	– – –	48	3	3	–
Black	– – –	48	3	3	–
Balance of county	– – –	195	6	6	1
Fayette	180	241	5	4	1
White	100	130	2	2	–
All other	80	111	3	2	1
Black	80	111	3	2	1
Fentress	126	154	2	–	2
Franklin	276	295	4	2	1
Tullahoma, part	– – –	3	1	–	–
Balance of county	– – –	292	3	2	1
Gibson	463	557	5	5	6
White	370	453	4	4	4
All other	93	104	1	1	2
Black	93	104	1	1	2
Humboldt	– – –	109	–	–	1
White	– – –	70	–	–	–
All other	– – –	39	–	–	1
Black	– – –	39	–	–	1
Balance of county	– – –	448	5	5	5
White	– – –	383	4	4	4
All other	– – –	65	1	1	1
Black	– – –	65	1	1	1
Giles	225	297	1	1	3
White	198	258	1	1	3
All other	27	39	–	–	–
Black	27	39	–	–	–
Grainger	73	159	–	–	2
Greene	545	535	5	–	10
Greeneville	– – –	163	–	–	4
Balance of county	– – –	372	5	–	6
Grundy	69	136	–	–	–
Hamblen	422	434	10	3	3
Morristown	– – –	238	–	–	–
Balance of county	– – –	196	10	3	3
Hamilton	3,045	2,658	53	38	32
White	2,463	2,061	29	19	16
All other	582	597	24	19	16
Black	581	596	24	19	14
Chattanooga	– – –	1,709	40	31	28
White	– – –	1,127	16	12	12
All other	– – –	582	24	19	16
Black	– – –	581	24	19	14
East Ridge	– – –	177	–	–	–
Red Bank	– – –	81	–	–	–
Balance of county	– – –	691	13	7	4
Hancock	51	77	1	–	1
Hardeman	158	239	3	3	4
White	108	163	1	1	2
All other	50	76	2	2	2
Black	50	76	2	2	2
Hardin	177	244	3	3	6
Hawkins	213	383	3	1	4
Kingsport, part	– – –	5	–	–	–
White	– – –	5	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	378	3	1	4
Haywood	175	223	4	2	2
White	94	114	1	–	2
All other	81	109	3	2	–
Black	81	108	3	2	–
Henderson	171	230	6	6	4
Henry	316	375	4	2	2
White	280	330	4	2	2
All other	36	45	–	–	–
Black	36	45	–	–	–
Paris	– – –	183	1	–	2
White	– – –	148	1	–	2
All other	– – –	35	–	–	–
Black	– – –	35	–	–	–
Balance of county	– – –	192	3	2	–
Hickman	86	145	1	1	–
Houston	77	67	2	–	–
Humphreys	89	152	4	3	3
Jackson	85	115	–	–	2
Jefferson	220	270	2	2	2
Johnson	115	140	1	1	1
Knox	3,783	2,845	43	29	27
White	3,489	2,554	37	24	21
All other	294	291	6	5	6
Black	293	290	6	5	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Knoxville	---	1,922	27	16	18
White	---	1,644	21	11	12
All other	---	278	6	5	6
Black	---	277	6	5	6
Balance of county	---	923	16	13	9
Lake	13	91	-	-	1
White	8	74	-	-	1
All other	5	17	-	-	-
Black	5	17	-	-	-
Lauderdale	195	264	5	4	4
White	138	176	2	1	1
All other	57	88	3	3	3
Black	57	88	3	3	3
Lawrence	299	330	3	1	4
Lawrenceburg	---	127	1	1	3
Balance of county	---	203	2	-	1
Lewis	60	67	3	2	-
Lincoln	218	305	6	5	2
White	195	274	5	5	1
All other	23	31	1	-	1
Black	23	31	1	-	1
Loudon	203	289	4	2	1
McMinn	369	380	7	5	3
Athens	---	117	4	3	-
Balance of county	---	263	3	2	3
McNairy	160	216	1	1	2
Macon	100	162	1	-	1
Madison	1,224	748	12	8	12
White	950	529	7	4	7
All other	274	219	5	4	5
Black	274	219	5	4	5
Jackson	---	547	9	7	8
White	---	383	4	3	4
All other	---	164	5	4	4
Black	---	164	5	4	4
Balance of county	---	201	3	1	4
White	---	146	3	1	3
All other	---	55	-	-	1
Black	---	55	-	-	1
Marion	177	233	-	-	5
Marshall	175	225	2	2	-
White	152	198	2	2	-
All other	23	27	-	-	-
Black	23	27	-	-	-
Maury	556	575	5	3	4
White	468	479	4	3	4
All other	88	96	1	-	-
Black	88	96	1	-	-
Columbia	---	312	2	-	2
White	---	252	1	-	2
All other	---	60	1	-	-
Black	---	60	1	-	-
Balance of county	---	263	3	3	2
White	---	227	3	3	2
All other	---	36	-	-	-
Black	---	36	-	-	-
Meigs	8	45	3	2	-
Monroe	210	274	7	2	3
Montgomery	541	544	18	12	7
White	436	433	16	10	4
All other	105	111	2	2	3
Black	104	110	2	2	3
Clarksville	---	356	15	11	5
White	---	257	13	9	3
All other	---	99	2	2	2
Black	---	98	2	2	2
Balance of county	---	188	3	1	2
White	---	176	3	1	1
All other	---	12	-	-	1
Black	---	12	-	-	1
Moore	1	37	2	-	-
Morgan	52	158	1	1	-
Obion	353	348	-	-	6
Union City	---	117	-	-	2
White	---	99	-	-	1
All other	---	18	-	-	1
Black	---	18	-	-	1
Balance of county	---	231	-	-	4
Overton	181	181	2	2	3
Perry	73	84	-	-	1
Pickett	5	47	-	-	-
Polk	96	124	2	1	4
Putnam	439	441	7	7	5
Cookeville	---	153	3	3	1
Balance of county	---	288	4	4	4
Rhea	179	242	4	3	4
Roane	352	416	2	1	3
Oak Ridge, part	---	9	-	-	-
Balance of county	---	407	2	1	3
Robertson	287	346	5	3	7
White	240	286	3	2	7
All other	47	60	2	1	-
Black	46	59	2	1	-
Springfield	---	137	3	1	1
White	---	89	1	-	1
All other	---	48	2	1	-
Black	---	48	2	1	-
Balance of county	---	209	2	2	6
Rutherford	650	636	22	13	9
White	573	542	15	7	8
All other	77	94	7	6	1
Black	74	92	7	6	1
Murfreesboro	---	305	14	8	4
White	---	247	10	4	3
All other	---	58	4	4	1
Black	---	56	4	4	1
Balance of county	---	331	8	5	5
Scott	172	186	7	6	3
Sequatchie	70	79	-	-	-
Sevier	285	410	5	3	7
Shelby	8,928	6,788	181	133	99
White	5,366	3,724	43	30	35
All other	3,562	3,064	138	103	64
Black	3,540	3,046	137	103	64
Bartlett	---	37	1	1	1
Germantown	---	85	4	4	3
Memphis	---	6,317	169	123	85
White	---	3,380	34	23	25
All other	---	2,937	135	100	60
Black	---	2,921	134	100	60
Millington	---	80	4	2	1
White	---	56	2	-	1
All other	---	24	2	2	-
Black	---	24	2	2	-
Balance of county	---	269	3	3	9
White	---	175	2	2	5
All other	---	94	1	1	4
Black	---	93	1	1	4
Smith	106	141	3	-	-
Stewart	42	101	2	1	-
Sullivan	1,690	1,241	20	14	17
Bristol [6]	---	266	2	2	2
Kingsport, part	---	387	3	2	6
Kingsport, total	---	392	3	2	6
Balance of county	---	588	15	10	9
Sumner	523	671	14	8	11
Gallatin	---	194	6	3	4
White	---	155	3	1	4
All other	---	39	3	2	-
Black	---	39	3	2	-
Hendersonville	---	128	2	1	6
Balance of county	---	349	6	4	1
Tipton	216	297	6	4	2
White	126	207	2	1	2
All other	90	90	4	3	-
Black	90	90	4	3	-
Trousdale	57	65	1	1	-
White	48	54	-	-	-
All other	9	11	1	1	-
Black	9	11	1	1	-
Unicoi	115	199	5	3	-
Union	34	87	1	1	1
Van Buren	5	33	-	-	-
Warren	259	284	7	4	4
McMinnville	---	138	3	1	2
Balance of county	---	146	4	3	2
Washington	1,431	834	13	10	14
Johnson City, part	---	473	6	4	8
Johnson City, total	---	475	6	4	8
Balance of county	---	361	7	6	6
Wayne	87	136	1	1	2
Weakley	277	345	2	1	3
White	152	185	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Williamson	334	402	4	3	8
Franklin	---	177	2	2	4
White	---	139	1	1	3
All other	---	38	1	1	1
Black	---	38	1	1	1
Balance of county	---	225	2	1	4
Wilson	404	472	11	4	6
Lebanon	---	172	5	3	3
White	---	146	3	3	2
All other	---	26	2	-	1
Black	---	25	2	-	1
Balance of county	---	300	6	1	3
Texas	118,729	117,021	3,127	1,960	2,453
White	102,927	101,311	2,455	1,553	1,937
All other	15,802	15,710	672	407	516
Black	15,378	15,317	639	391	479
Anderson	398	450	9	5	11
White	303	349	7	5	6
All other	95	101	2	-	5
Black	95	101	2	-	5
Palestine	---	250	5	3	6
White	---	182	3	3	2
All other	---	68	2	-	4
Black	---	68	2	-	4
Balance of county	---	200	4	2	5
White	---	167	4	2	4
All other	---	33	-	-	1
Black	---	33	-	-	1
Andrews	115	98	5	4	3
Andrews	---	83	4	3	2
White	---	82	4	3	1
All other	---	1	-	-	1
Black	---	1	-	-	1
Balance of county	---	15	1	1	1
Angelina	614	591	16	10	14
White	516	497	13	9	13
All other	98	94	3	1	1
Black	93	89	3	1	1
Lufkin	---	309	10	6	6
White	---	236	7	5	5
All other	---	73	3	1	1
Black	---	69	3	1	1
Balance of county	---	282	6	4	8
White	---	261	6	4	8
All other	---	21	-	-	-
Black	---	20	-	-	-
Aransas	52	148	2	2	2
Archer	43	70	1	-	3
Wichita Falls, part	---	-	-	-	-
Balance of county	---	70	1	-	3
White	---	70	1	-	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Armstrong	17	20	-	-	-
Atascosa	171	257	5	3	2
Austin	229	261	5	2	3
White	199	220	3	2	2
All other	30	41	2	-	1
Black	30	41	2	-	1
Bailey	57	74	-	-	2
Bandera	48	95	1	1	1
Bastrop	203	310	3	2	3
White	164	245	3	2	2
All other	39	65	-	-	1
Black	39	65	-	-	1
Baylor	65	68	-	-	1
Bee	167	206	7	6	4
Beeville	---	124	5	4	2
White	---	116	5	4	2
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	82	2	2	2
White	---	82	2	2	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Bell	1,805	1,137	55	32	34
White	1,585	1,012	34	18	24
All other	220	125	21	14	10
Black	217	122	20	13	9
Belton	---	123	2	1	2
White	---	116	2	1	2
All other	---	7	-	-	-
Black	---	7	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Killeen	---	235	27	16	17
White	---	194	13	7	10
All other	---	41	14	9	7
Black	---	40	14	9	7
Temple	---	476	8	4	8
White	---	418	7	3	7
All other	---	58	1	1	1
Black	---	58	1	1	1
Balance of county	---	303	18	11	7
White	---	284	12	7	5
All other	---	19	6	4	2
Black	---	17	5	3	1
Bexar	9,023	7,606	254	155	153
White	8,273	6,929	223	136	129
All other	750	677	31	19	24
Black	719	648	29	18	22
San Antonio	---	6,408	216	131	115
White	---	5,795	193	118	97
All other	---	613	23	13	18
Black	---	595	21	12	16
Universal City	---	52	1	-	4
White	---	51	-	-	2
All other	---	1	1	-	2
Black	---	1	1	-	2
Balance of county	---	1,146	37	24	34
White	---	1,083	30	18	30
All other	---	63	7	6	4
Black	---	52	7	6	4
Blanco	56	60	1	-	1
Borden	3	6	-	-	-
Bosque	210	208	-	-	4
Bowie	799	817	15	8	14
White	625	650	6	5	10
All other	174	167	9	3	4
Black	173	167	9	3	4
Texarkana *	---	450	13	6	8
White	---	332	4	3	4
All other	---	118	9	3	4
Black	---	118	9	3	4
Balance of county	---	367	2	2	6
White	---	318	2	2	6
All other	---	49	-	-	-
Black	---	49	-	-	-
Brazoria	749	1,043	24	17	24
White	668	948	21	15	21
All other	81	95	3	2	3
Black	81	93	3	2	3
Alvin	---	118	1	-	1
Angleton	---	110	1	1	5
White	---	96	1	1	5
All other	---	14	-	-	-
Black	---	14	-	-	-
Freeport	---	99	1	1	4
White	---	76	1	1	4
All other	---	23	-	-	-
Black	---	23	-	-	-
Lake Jackson	---	82	4	3	2
Pearland, part	---	102	3	2	2
Pearland, total	---	102	3	2	2
Balance of county	---	532	14	10	10
White	---	481	12	9	7
All other	---	51	2	1	3
Black	---	49	2	1	3
Brazos	578	553	11	6	11
White	463	434	8	5	11
All other	115	119	3	1	-
Black	112	116	3	1	-
Bryan	---	416	9	6	3
White	---	314	7	5	3
All other	---	102	2	1	-
Black	---	101	2	1	-
College Station	---	83	2	-	5
Balance of county	---	54	-	-	3
White	---	47	-	-	3
All other	---	7	-	-	-
Black	---	7	-	-	-
Brewster	91	79	-	-	2
Briscoe	4	31	-	-	-
Brooks	88	98	2	2	3
Brown	410	422	8	7	4
Brownwood	---	285	4	4	2
White	---	277	4	4	1
All other	---	8	-	-	1
Black	---	8	-	-	1
Balance of county	---	137	4	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Burleson	122	180	–	–	1
White	95	133	–	–	–
All other	27	47	–	–	1
Black	27	47	–	–	1
Burnet	220	271	6	1	4
Caldwell	196	252	5	1	3
White	166	223	4	1	3
All other	30	29	1	–	–
Black	30	29	1	–	–
Calhoun	101	139	1	1	1
Port Lavaca	– – –	81	–	–	1
White	– – –	73	–	–	1
All other	– – –	8	–	–	–
Black	– – –	8	–	–	–
Balance of county	– – –	58	1	1	–
Callahan	61	154	2	1	1
Cameron	1,585	1,459	40	24	45
Brownsville	– – –	515	19	12	15
White	– – –	512	19	12	15
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Harlingen	– – –	399	8	5	11
White	– – –	393	8	5	9
All other	– – –	6	–	–	2
Black	– – –	5	–	–	1
San Benito	– – –	145	2	–	2
White	– – –	144	2	–	2
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Balance of county	– – –	400	11	7	17
White	– – –	400	11	7	17
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Camp	102	117	–	–	–
White	66	77	–	–	–
All other	36	40	–	–	–
Black	36	40	–	–	–
Carson	22	48	1	–	–
Cass	310	356	4	1	9
White	231	269	3	1	6
All other	79	87	1	–	3
Black	79	87	1	–	3
Castro	56	70	4	1	2
Chambers	103	128	7	1	4
White	82	106	5	1	1
All other	21	22	2	–	3
Black	20	22	2	–	3
Baytown, part	– – –	2	–	–	–
Balance of county	– – –	126	7	1	4
White	– – –	104	5	1	1
All other	– – –	22	2	–	3
Black	– – –	22	2	–	3
Cherokee	460	519	6	5	2
White	368	411	1	1	1
All other	92	108	5	4	1
Black	92	107	4	3	1
Jacksonville	– – –	190	3	3	1
White	– – –	142	–	–	1
All other	– – –	48	3	3	–
Black	– – –	47	2	2	–
Balance of county	– – –	329	3	2	1
White	– – –	269	1	1	–
All other	– – –	60	2	1	1
Black	– – –	60	2	1	1
Childress	97	104	1	–	–
Clay	88	114	2	–	–
Cochran	15	24	–	–	2
Coke	25	44	1	1	3
Coleman	138	199	1	–	–
Collin	870	968	18	13	24
Carrollton, part	– – –	–	–	–	–
Dallas, part	– – –	4	–	–	–
Garland, part	– – –	–	–	–	1
McKinney	– – –	194	3	2	4
White	– – –	169	3	2	3
All other	– – –	25	–	–	1
Black	– – –	25	–	–	1
Plano, part	– – –	313	9	8	11
Plano, total	– – –	314	9	8	11
Richardson, part	– – –	16	1	–	–
Balance of county	– – –	441	5	3	8
Collingsworth	43	58	2	2	–
Colorado	230	253	6	4	2
White	195	209	5	4	1
All other	35	44	1	–	1
Black	35	44	1	–	1
Comal	387	413	2	–	4
New Braunfels, part	– – –	289	1	–	3
White	– – –	285	1	–	3
All other	– – –	4	–	–	–
Black	– – –	4	–	–	–
New Braunfels, total	– – –	290	1	–	3
White	– – –	286	1	–	3
All other	– – –	4	–	–	–
Black	– – –	4	–	–	–
Balance of county	– – –	124	1	–	1
Comanche	171	198	5	4	2
Concho	30	33	–	–	–
Cooke	245	280	9	4	4
Gainesville	– – –	194	4	3	3
White	– – –	179	3	3	2
All other	– – –	15	1	–	1
Black	– – –	15	1	–	1
Balance of county	– – –	86	5	1	1
Coryell	172	265	14	9	7
White	168	254	12	8	6
All other	4	11	2	1	1
Black	4	11	2	1	1
Copperas Cove	– – –	87	10	8	5
White	– – –	79	8	7	4
All other	– – –	8	2	1	1
Black	– – –	8	2	1	1
Balance of county	– – –	178	4	1	2
White	– – –	175	4	1	2
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Cottle	32	44	–	–	–
Crane	43	41	–	–	–
Crockett	31	37	–	–	1
Crosby	74	91	3	–	1
Culberson	32	28	2	–	–
Dallam	10	62	1	1	4
Dallas	12,904	11,606	346	225	291
White	10,432	9,288	229	155	199
All other	2,472	2,318	117	70	92
Black	2,410	2,262	109	67	85
Balch Springs	– – –	108	6	4	3
Carrollton, part	– – –	178	12	6	10
Carrollton, total	– – –	198	12	6	11
Dallas, part	– – –	7,817	225	147	171
White	– – –	5,671	117	82	91
All other	– – –	2,146	108	65	80
Black	– – –	2,114	103	63	75
Dallas, total	– – –	7,823	226	147	172
White	– – –	5,677	118	82	92
All other	– – –	2,146	108	65	80
Black	– – –	2,114	103	63	75
De Soto	– – –	121	2	1	5
Duncanville	– – –	155	5	2	3
Farmers Branch	– – –	130	3	1	5
Garland, part	– – –	653	19	15	31
White	– – –	616	17	13	28
All other	– – –	37	2	2	3
Black	– – –	34	2	2	2
Garland, total	– – –	653	19	15	32
White	– – –	616	17	13	29
All other	– – –	37	2	2	3
Black	– – –	34	2	2	2
Grand Prairie, part	– – –	395	14	9	12
White	– – –	359	13	9	11
All other	– – –	36	1	–	1
Black	– – –	32	–	–	1
Grand Prairie, total	– – –	448	18	11	13
White	– – –	404	16	11	11
All other	– – –	44	2	–	2
Black	– – –	40	1	–	2
Grapevine, part	– – –	2	–	–	–
Irving	– – –	690	25	15	21
Lancaster	– – –	143	1	–	1
White	– – –	134	1	–	–
All other	– – –	9	–	–	1
Black	– – –	9	–	–	1
Mesquite	– – –	386	15	11	14
Richardson, part	– – –	287	4	4	8
Richardson, total	– – –	303	5	4	8
University Park	– – –	155	1	1	2
Balance of county	– – –	386	14	9	5
White	– – –	356	14	9	4
All other	– – –	30	–	–	1
Black	– – –	30	–	–	1
Dawson	88	122	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Lamesa	---	102	-	-	1
White	---	96	-	-	1
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	20	2	2	-
White	---	18	1	1	-
All other	---	2	1	1	-
Black	---	2	1	1	-
Deaf Smith	113	147	7	3	6
Hereford	---	121	7	3	5
White	---	119	7	3	5
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	26	-	-	1
White	---	26	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Delta	38	105	1	-	1
Denton	791	890	24	15	19
Carrollton, part	---	20	-	-	1
Dallas, part	---	2	1	-	1
Denton	---	359	4	2	5
White	---	329	2	-	4
All other	---	30	2	2	1
Black	---	30	2	2	1
Lewisville	---	153	5	4	4
Plano, part	---	1	-	-	-
The Colony	---	34	9	7	4
Balance of county	---	321	5	2	4
De Witt	199	272	4	3	-
White	168	227	4	3	-
All other	31	45	-	-	-
Black	31	45	-	-	-
Dickens	18	50	-	-	-
Dimmit	101	85	2	1	1
Donley	19	57	-	-	-
Duval	32	113	-	-	2
Eastland	250	309	5	3	6
Ector	848	779	34	19	27
Odessa	---	623	28	17	21
White	---	587	24	15	18
All other	---	36	2	2	3
Black	---	34	2	2	2
Balance of county	---	156	8	2	6
Edwards	18	25	-	-	1
Ellis	460	630	8	6	9
White	385	528	7	5	6
All other	75	102	1	1	3
Black	74	101	1	1	3
Ennis	---	160	4	3	1
White	---	124	3	2	1
All other	---	36	1	1	-
Black	---	35	1	1	-
Grand Prairie, part	---	-	-	-	-
Waxahachie	---	168	1	1	4
White	---	130	1	1	1
All other	---	38	-	-	3
Black	---	38	-	-	3
Balance of county	---	302	3	2	4
White	---	274	3	2	4
All other	---	28	-	-	-
Black	---	28	-	-	-
El Paso	3,095	2,808	107	72	66
White	2,988	2,712	100	70	56
All other	107	96	7	2	10
Black	93	86	7	2	8
El Paso	---	2,650	100	68	59
White	---	2,563	95	66	50
All other	---	87	5	2	9
Black	---	78	5	2	7
Balance of county	---	158	7	4	7
White	---	149	5	4	6
All other	---	9	2	-	1
Black	---	8	2	-	1
Erath	303	331	2	1	4
Stephenville	---	214	2	1	1
Balance of county	---	117	-	-	3
Falls	317	260	4	1	3
White	244	199	3	1	3
All other	73	61	1	-	-
Black	72	60	1	-	-
Fannin	315	357	5	3	2
Fayette	168	283	4	1	2
Fisher	73	87	1	1	4
Floyd	75	84	-	-	2
Foard	43	46	-	-	1
Fort Bend	527	703	24	17	28
White	450	580	18	13	22
All other	77	123	6	4	6
Black	70	112	5	4	5
Houston, part	---	8	-	-	2
White	---	3	-	-	1
All other	---	5	-	-	1
Black	---	5	-	-	1
Missouri City, part	---	73	1	1	4
White	---	58	-	-	3
All other	---	15	1	1	1
Black	---	10	1	1	1
Missouri City, total	---	82	2	2	4
White	---	62	-	-	3
All other	---	20	2	2	1
Black	---	15	2	2	1
Rosenberg	---	147	3	3	2
White	---	135	3	3	2
All other	---	12	-	-	-
Black	---	12	-	-	-
Balance of county	---	475	20	13	20
White	---	384	15	10	16
All other	---	91	5	3	4
Black	---	85	4	3	3
Franklin	78	94	-	-	-
Freestone	184	195	2	2	3
White	143	146	2	2	1
All other	41	49	-	-	2
Black	41	49	-	-	1
Frio	93	111	2	1	3
Gaines	57	107	8	4	3
Galveston	1,932	1,643	35	22	42
White	1,458	1,274	21	17	30
All other	474	369	14	5	12
Black	463	366	14	5	12
Friendswood, part	---	46	4	4	-
Friendswood, total	---	60	4	4	-
Galveston	---	663	11	5	14
White	---	448	4	4	9
All other	---	215	7	1	5
Black	---	214	7	1	5
La Marque	---	129	1	-	4
White	---	103	-	-	2
All other	---	26	1	-	2
Black	---	26	1	-	2
League City	---	97	2	2	3
Texas City	---	335	6	3	4
White	---	252	5	3	3
All other	---	83	1	-	1
Black	---	82	1	-	1
Balance of county	---	373	11	8	17
White	---	339	10	8	13
All other	---	34	1	-	4
Black	---	34	1	-	4
Garza	41	59	2	1	1
Gillespie	177	192	1	1	2
Glasscock	4	9	1	1	-
Goliad	39	53	-	-	-
Gonzales	173	212	3	1	3
White	138	176	2	1	2
All other	35	36	1	-	1
Black	34	36	1	-	1
Gray	233	266	7	5	5
Pampa	---	227	7	5	5
Balance of county	---	39	-	-	-
Grayson	1,272	1,140	18	8	10
Denison	---	350	8	4	4
White	---	314	6	4	3
All other	---	36	2	-	1
Black	---	35	2	-	1
Sherman	---	356	3	2	4
White	---	318	3	2	3
All other	---	38	-	-	1
Black	---	37	-	-	1
Balance of county	---	434	7	2	2
Gregg	1,092	987	22	14	16
White	876	775	17	11	10
All other	216	212	5	3	6
Black	213	207	5	3	6
Kilgore, part	---	133	2	2	3
White	---	109	2	2	2
All other	---	24	-	-	1
Black	---	23	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Kilgore, total	---	162	2	2	3
White	---	136	2	2	2
All other	---	26	-	-	1
Black	---	25	-	-	1
Longview, part	---	593	14	8	10
White	---	462	10	6	6
All other	---	131	4	2	4
Black	---	127	4	2	4
Longview, total	---	600	14	8	10
White	---	469	10	6	6
All other	---	131	4	2	4
Black	---	127	4	2	4
Balance of county	---	261	6	4	3
White	---	204	5	3	2
All other	---	57	1	1	1
Black	---	57	1	1	1
Grimes	165	200	2	2	1
White	103	134	2	2	-
All other	62	66	-	-	1
Black	62	66	-	-	1
Guadalupe	300	471	10	2	10
New Braunfels, part	---	1	-	-	-
Seguin	---	215	6	-	5
White	---	183	6	-	2
All other	---	32	-	-	3
Black	---	32	-	-	3
Balance of county	---	255	4	2	5
Hale	311	325	2	-	11
Plainview	---	229	2	-	7
White	---	221	2	-	7
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	96	-	-	4
White	---	94	-	-	4
All other	---	2	-	-	-
Black	---	2	-	-	-
Hall	73	85	2	1	-
Hamilton	149	169	-	-	-
Hansford	30	50	1	-	-
Hardeman	93	98	5	3	1
Hardin	215	333	7	6	7
White	188	295	7	6	7
All other	27	38	-	-	-
Black	27	38	-	-	-
Harris	17,959	15,377	588	377	460
White	13,908	11,673	392	249	328
All other	4,051	3,704	196	128	132
Black	3,881	3,556	185	121	122
Baytown, part	---	397	9	6	8
White	---	365	8	5	6
All other	---	32	1	1	2
Black	---	32	1	1	2
Baytown, total	---	399	9	6	8
White	---	367	8	5	6
All other	---	32	1	1	2
Black	---	32	1	1	2
Bellaire	---	124	1	-	1
Deer Park	---	80	1	1	4
Friendswood, part	---	14	-	-	-
Houston, part	---	11,706	449	307	349
White	---	8,217	269	187	223
All other	---	3,489	180	120	126
Black	---	3,372	174	115	116
Houston, total	---	11,714	449	307	351
White	---	8,220	269	187	224
All other	---	3,494	180	120	127
Black	---	3,377	174	115	117
La Porte	---	144	9	4	3
White	---	132	8	4	3
All other	---	12	1	-	-
Black	---	12	1	-	-
Missouri City, part	---	9	1	1	-
White	---	4	-	-	-
All other	---	5	1	1	-
Black	---	5	1	1	-
Pasadena	---	631	22	11	29
White	---	626	22	11	29
All other	---	5	-	-	-
Black	---	2	-	-	-
Pearland, part	---	-	-	-	-
South Houston	---	69	5	2	3
White	---	69	5	2	3
All other	---	-	-	-	-
Black	---	-	-	-	-
West University Place	---	15	-	-	-
Balance of county	---	2,178	91	45	63
White	---	2,019	78	39	59
All other	---	159	13	6	4
Black	---	132	8	4	4
Harrison	455	565	12	5	6
White	270	339	3	2	3
All other	185	226	9	3	5
Black	185	226	9	3	5
Longview, part	---	7	-	-	-
Marshall	---	340	8	3	4
White	---	195	2	1	1
All other	---	145	6	2	3
Black	---	145	6	2	3
Balance of county	---	218	4	2	4
White	---	137	1	1	2
All other	---	81	3	1	2
Black	---	81	3	1	2
Hartley	67	32	-	-	-
Haskell	89	106	-	-	2
Hays	217	268	5	4	5
San Marcos	---	146	2	2	2
White	---	135	2	2	2
All other	---	11	-	-	-
Black	---	11	-	-	-
Balance of county	---	122	3	2	3
White	---	119	3	2	3
All other	---	3	-	-	-
Black	---	3	-	-	-
Hemphill	27	30	-	-	-
Henderson	379	565	8	7	7
White	336	513	6	5	5
All other	43	52	2	2	2
Black	43	52	2	2	2
Athens	---	147	2	1	4
White	---	120	1	-	3
All other	---	27	1	1	1
Black	---	27	1	1	1
Balance of county	---	418	6	6	3
Hidalgo	1,800	1,781	77	55	67
Edinburg	---	168	5	3	4
White	---	166	5	3	4
All other	---	2	-	-	-
Black	---	2	-	-	-
McAllen	---	463	25	18	9
White	---	461	25	18	9
All other	---	2	-	-	-
Black	---	1	-	-	-
Mercedes	---	77	-	-	4
White	---	77	-	-	4
All other	---	-	-	-	-
Black	---	-	-	-	-
Mission	---	183	8	4	6
Pharr	---	141	10	9	5
White	---	140	10	9	5
All other	---	1	-	-	-
Black	---	1	-	-	-
Weslaco	---	192	2	2	5
White	---	190	2	2	5
All other	---	2	-	-	-
Black	---	1	-	-	-
Balance of county	---	557	27	19	34
White	---	556	27	19	34
All other	---	1	-	-	-
Black	---	-	-	-	-
Hill	347	404	7	3	-
White	307	364	5	2	-
All other	40	40	2	1	-
Black	40	40	2	1	-
Hockley	101	196	7	3	2
Levelland	---	131	5	2	-
White	---	121	5	2	-
All other	---	10	-	-	-
Black	---	9	-	-	-
Balance of county	---	65	2	1	2
White	---	65	2	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Hood	168	222	4	2	3
Hopkins	281	318	4	4	6
White	249	283	4	4	5
All other	32	35	-	-	-
Black	32	35	-	-	-
Sulphur Springs	---	189	1	1	2
White	---	161	1	1	2
All other	---	28	-	-	-
Black	---	28	-	-	-
Balance of county	---	129	3	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Houston	225	265	3	1	3
White	170	198	2	1	1
All other	55	67	1	–	2
Black	55	67	1	–	2
Howard	501	360	11	6	7
Big Spring	---	265	6	3	4
White	---	248	5	2	3
All other	---	17	1	1	1
Black	---	17	1	1	1
Balance of county	---	95	5	3	3
White	---	95	5	3	3
All other	---	–	–	–	–
Black	---	–	–	–	–
Hudspeth	13	16	–	–	–
Hunt	536	624	6	3	9
White	475	550	5	3	5
All other	61	74	1	–	4
Black	60	73	1	–	4
Greenville	---	265	4	1	4
White	---	220	3	1	2
All other	---	45	1	–	2
Black	---	44	1	–	2
Balance of county	---	359	2	2	5
Hutchinson	165	237	5	3	6
Borger	---	160	1	1	2
Balance of county	---	77	4	2	4
Irion	6	20	1	1	2
Jack	94	119	–	–	2
Jackson	92	132	4	3	6
White	78	106	3	2	6
All other	14	26	1	1	–
Black	14	26	1	1	–
Jasper	295	344	4	3	3
White	228	272	3	2	3
All other	67	72	1	1	–
Black	67	72	1	1	–
Jeff Davis	4	9	–	–	–
Jefferson	2,595	2,310	52	34	43
White	1,972	1,653	26	15	20
All other	623	657	26	19	23
Black	615	646	26	19	22
Beaumont	---	1,142	37	21	23
White	---	747	18	8	8
All other	---	395	19	13	15
Black	---	391	19	13	15
Groves	---	138	–	–	2
Nederland	---	101	1	1	1
Port Arthur	---	725	11	9	13
White	---	478	4	3	6
All other	---	247	7	6	7
Black	---	240	7	6	6
Port Neches	---	84	2	2	1
Balance of county	---	120	1	1	3
White	---	109	1	1	2
All other	---	11	–	–	1
Black	---	11	–	–	1
Jim Hogg	11	39	–	–	–
Jim Wells	295	314	5	1	9
Alice	---	196	3	–	5
White	---	194	3	–	5
All other	---	2	–	–	–
Black	---	1	–	–	–
Balance of county	---	118	2	1	4
White	---	118	2	1	4
All other	---	–	–	–	–
Black	---	–	–	–	–
Johnson	537	746	22	12	15
Burleson, part	---	108	1	–	–
Burleson, total	---	116	2	–	–
Cleburne	---	265	6	5	6
Balance of county	---	373	15	7	9
Jones	166	202	1	1	1
Abilene, part	---	3	–	–	–
Balance of county	---	199	1	1	1
White	---	193	1	1	1
All other	---	6	–	–	–
Black	---	6	–	–	–
Karnes	134	165	1	1	1
Kaufman	467	521	14	10	10
White	409	437	9	7	7
All other	58	84	5	3	3
Black	57	81	5	3	3
Dallas, part	---	–	–	–	–
Terrell	---	193	3	1	1
White	---	135	–	–	–
All other	---	58	3	1	1
Black	---	55	3	1	1
Balance of county	---	328	11	9	9
White	---	302	9	7	7
All other	---	26	2	2	2
Black	---	26	2	2	2
Kendall	71	148	4	3	3
Kenedy	6	5	–	–	–
Kent	7	21	–	–	–
Kerr	556	455	7	6	1
Kerrville	---	338	7	6	1
White	---	323	7	6	1
All other	---	15	–	–	–
Black	---	15	–	–	–
Balance of county	---	117	–	–	–
Kimble	48	44	–	–	1
King	2	1	–	–	–
Kinney	17	33	–	–	–
Kleberg	175	195	5	3	8
Corpus Christi, part	---	–	–	–	–
Kingsville	---	172	4	3	8
White	---	163	3	2	7
All other	---	9	1	1	1
Black	---	9	1	1	–
Balance of county	---	23	1	–	–
White	---	23	1	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Knox	57	89	2	–	–
Lamar	626	533	4	–	4
White	539	462	3	–	3
All other	87	71	1	–	1
Black	87	71	1	–	1
Paris	---	352	3	–	1
White	---	292	2	–	–
All other	---	60	1	–	1
Black	---	60	1	–	1
Balance of county	---	181	1	–	3
Lamb	99	173	1	–	2
Lampasas	103	135	3	2	–
La Salle	13	57	–	–	2
Lavaca	261	271	4	4	4
Lee	102	152	4	2	3
White	85	128	4	2	3
All other	17	24	–	–	–
Black	17	24	–	–	–
Leon	123	178	4	3	1
White	103	147	3	2	1
All other	20	31	1	1	–
Black	20	31	1	1	–
Liberty	355	484	7	5	7
White	298	408	5	3	5
All other	57	76	2	2	2
Black	57	76	2	2	2
Limestone	226	306	3	2	6
White	187	242	1	1	4
All other	39	64	2	1	2
Black	38	63	2	1	2
Lipscomb	10	38	1	1	–
Live Oak	42	94	1	1	–
Llano	150	209	1	1	–
Loving	1	1	–	–	–
Lubbock	1,953	1,426	52	27	33
White	1,794	1,303	43	23	30
All other	159	123	9	4	3
Black	157	121	9	4	3
Lubbock	---	1,179	44	22	27
White	---	1,071	36	18	25
All other	---	108	8	4	2
Black	---	107	8	4	2
Balance of county	---	247	8	5	6
White	---	232	7	5	5
All other	---	15	1	–	1
Black	---	14	1	–	1
Lynn	45	74	3	1	1
McCulloch	128	132	2	2	–
McLennan	1,752	1,752	31	24	43
White	1,457	1,444	24	19	28
All other	295	308	7	5	15
Black	295	307	7	5	14
Waco	---	1,214	23	18	37
White	---	942	16	13	23
All other	---	272	7	5	14
Black	---	271	7	5	14
Balance of county	---	538	8	6	6
White	---	502	8	6	5
All other	---	36	–	–	1
Black	---	36	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
McMullen	2	5	–	–	1
Madison	102	97	2	–	2
White	79	81	1	–	2
All other	23	16	1	–	–
Black	23	16	1	–	–
Marion	82	133	–	–	2
White	58	90	–	–	2
All other	24	43	–	–	–
Black	24	43	–	–	–
Martin	39	50	2	2	–
Mason	29	50	–	–	1
Matagorda	298	331	11	6	7
White	228	255	10	6	4
All other	70	76	1	–	3
Black	69	74	1	–	2
Bay City	– – –	162	4	3	3
White	– – –	119	4	3	1
All other	– – –	43	–	–	2
Black	– – –	43	–	–	2
Balance of county	– – –	169	7	3	4
White	– – –	136	6	3	3
All other	– – –	33	1	–	1
Black	– – –	31	1	–	–
Maverick	136	151	3	3	6
Eagle Pass	– – –	124	3	3	3
White	– – –	122	2	2	2
All other	– – –	2	1	1	1
Black	– – –	1	1	1	1
Balance of county	– – –	27	–	–	3
White	– – –	27	–	–	3
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Medina	147	227	3	3	8
Menard	24	40	–	–	–
Midland	566	618	20	12	20
Midland	– – –	558	16	10	19
White	– – –	471	14	10	15
All other	– – –	87	2	–	4
Black	– – –	87	2	–	4
Balance of county	– – –	60	4	2	1
Milam	210	291	4	4	2
White	184	253	2	2	2
All other	26	38	2	2	–
Black	26	38	2	2	–
Mills	88	91	–	–	1
Mitchell	96	107	2	1	1
Montague	232	278	1	–	2
Montgomery	640	950	31	19	27
Conroe	– – –	203	7	5	5
White	– – –	168	5	3	3
All other	– – –	35	2	2	2
Black	– – –	35	2	2	2
Houston, part	– – –	–	–	–	–
Balance of county	– – –	747	24	14	22
Moore	72	85	2	1	3
Dumas	– – –	63	2	1	3
Balance of county	– – –	22	–	–	–
Morris	121	148	4	4	–
White	89	114	1	1	–
All other	32	34	3	3	–
Black	32	34	3	3	–
Motley	11	27	–	–	–
Nacogdoches	515	445	3	3	10
White	406	353	3	3	7
All other	109	92	–	–	3
Black	109	92	–	–	3
Nacogdoches	– – –	230	2	2	3
White	– – –	164	2	2	1
All other	– – –	66	–	–	2
Black	– – –	66	–	–	2
Balance of county	– – –	215	1	1	7
White	– – –	189	1	1	6
All other	– – –	26	–	–	1
Black	– – –	26	–	–	1
Navarro	473	455	4	3	4
White	387	371	–	–	2
All other	86	84	4	3	2
Black	86	84	4	3	2
Corsicana	– – –	293	4	3	3
White	– – –	223	–	–	1
All other	– – –	70	4	3	2
Black	– – –	70	4	3	2
Balance of county	– – –	162	–	–	1
White	– – –	148	–	–	1
All other	– – –	14	–	–	–
Black	– – –	14	–	–	–
Newton	90	139	2	1	–
White	69	107	1	1	–
All other	21	32	1	–	–
Black	21	32	1	–	–
Nolan	156	186	1	–	5
Sweetwater	– – –	125	1	–	4
White	– – –	117	1	–	4
All other	– – –	8	–	–	–
Black	– – –	8	–	–	–
Balance of county	– – –	61	–	–	1
White	– – –	60	–	–	1
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Nueces	2,353	2,023	65	43	37
White	2,232	1,899	62	43	37
All other	121	124	3	–	–
Black	121	123	3	–	–
Corpus Christi, part	– – –	1,788	59	40	31
White	– – –	1,665	56	40	31
All other	– – –	123	3	–	–
Black	– – –	122	3	–	–
Corpus Christi, total	– – –	1,788	59	40	31
White	– – –	1,665	56	40	31
All other	– – –	123	3	–	–
Black	– – –	122	3	–	–
Portland, part	– – –	2	–	–	–
Robstown	– – –	102	2	1	3
White	– – –	102	2	1	3
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	131	4	2	3
White	– – –	130	4	2	3
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Ochiltree	63	67	4	2	1
Oldham	6	9	1	–	–
Orange	377	634	17	15	21
Orange	– – –	237	9	8	12
White	– – –	177	5	5	4
All other	– – –	60	4	3	8
Black	– – –	60	4	3	7
Vidor	– – –	131	4	4	5
Balance of county	– – –	266	4	3	4
Palo Pinto	285	317	4	2	1
Mineral Wells, part	– – –	189	3	2	1
White	– – –	182	3	2	–
All other	– – –	7	–	–	1
Black	– – –	6	–	–	1
Mineral Wells, total	– – –	189	3	2	1
White	– – –	182	3	2	–
All other	– – –	7	–	–	1
Black	– – –	6	–	–	1
Balance of county	– – –	128	1	–	–
Panola	207	258	3	2	2
White	154	199	2	1	2
All other	53	59	1	1	–
Black	53	59	1	1	–
Parker	276	430	6	4	8
Mineral Wells, part	– – –	–	–	–	–
White	– – –	–	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Weatherford	– – –	182	2	1	1
Balance of county	– – –	248	4	3	7
Parmer	73	81	4	4	2
Pecos	82	102	8	5	1
Polk	224	329	6	2	5
White	198	280	4	2	3
All other	26	49	2	–	2
Black	25	44	1	–	2
Potter	1,704	970	25	15	16
White	1,606	878	21	12	14
All other	98	92	4	3	2
Black	88	83	3	2	1
Amarillo, part	– – –	933	24	15	13
White	– – –	842	20	12	11
All other	– – –	91	4	3	2
Black	– – –	82	3	2	1
Amarillo, total	– – –	1,294	36	24	22
White	– – –	1,200	32	21	20
All other	– – –	94	4	3	2
Black	– – –	84	3	2	1
Balance of county	– – –	37	1	–	3
Presidio	17	41	–	–	–
Rains	25	70	–	–	1
Randall	160	479	17	14	13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Amarillo, part	---	361	12	9	9
Canyon	---	71	3	3	2
Balance of county	---	47	2	2	2
Reagan	14	25	-	-	-
Real	7	28	1	1	2
Red River	175	235	2	1	3
White	145	190	2	1	1
All other	30	45	-	-	2
Black	30	45	-	-	2
Reeves	77	103	5	5	2
Pecos	---	90	3	3	2
White	---	87	3	3	2
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	13	2	2	-
White	---	13	2	2	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	54	90	-	-	3
Roberts	-	13	1	1	-
Robertson	161	227	2	1	3
White	108	154	1	1	1
All other	53	73	1	-	2
Black	51	72	-	-	2
Rockwall	54	121	3	2	5
Dallas, part	---	-	-	-	-
Garland, part	---	-	-	-	-
Balance of county	---	121	3	2	5
White	---	115	3	2	5
All other	---	6	-	-	-
Black	---	5	-	-	-
Runnels	129	166	1	1	2
Rusk	383	537	8	5	3
White	301	415	6	4	2
All other	82	122	2	1	1
Black	82	122	2	1	1
Henderson	---	180	3	1	1
White	---	136	2	1	1
All other	---	44	1	-	-
Black	---	44	1	-	-
Kilgore, part	---	29	-	-	-
Balance of county	---	328	5	4	2
White	---	252	4	3	1
All other	---	76	1	1	1
Black	---	76	1	1	1
Sabine	98	161	6	2	2
White	90	139	3	-	1
All other	8	22	3	2	1
Black	8	22	3	2	1
San Augustine	82	99	-	-	2
White	58	70	-	-	-
All other	24	29	-	-	2
Black	24	29	-	-	2
San Jacinto	57	148	4	3	-
White	44	113	4	3	-
All other	13	35	-	-	-
Black	13	35	-	-	-
San Patricio	306	449	12	5	6
Corpus Christi, part	---	-	-	-	-
Portland, part	---	37	-	-	-
Portland, total	---	39	-	-	-
Balance of county	---	412	12	5	6
White	---	398	11	4	5
All other	---	14	1	1	1
Black	---	14	1	1	1
San Saba	58	84	1	-	-
Schleicher	20	33	-	-	-
Scurry	126	165	2	1	4
Snyder	---	128	2	1	3
White	---	123	1	1	3
All other	---	5	1	-	-
Black	---	5	1	-	-
Balance of county	---	37	-	-	1
White	---	37	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Shackelford	49	57	-	-	1
Shelby	188	289	4	2	2
White	158	243	3	1	2
All other	30	46	1	1	-
Black	30	46	1	1	-
Sherman	16	31	-	-	-
Smith	1,829	1,291	35	24	15
White	1,484	997	18	9	10
All other	345	294	17	15	5
Black	341	294	17	15	5
Tyler	---	753	21	15	9
White	---	572	8	4	5
All other	---	181	13	11	4
Black	---	181	13	11	4
Balance of county	---	538	14	9	6
White	---	425	10	5	5
All other	---	113	4	4	1
Black	---	113	4	4	1
Somervell	40	46	1	-	-
Starr	92	170	5	5	3
Stephens	114	133	1	1	2
Sterling	11	14	-	-	1
Stonewall	37	49	3	3	-
Sutton	39	41	1	1	2
Swisher	43	78	2	1	2
Tarrant	7,778	7,126	227	148	157
White	6,796	6,170	176	120	133
All other	982	956	51	28	24
Black	965	941	49	28	22
Arlington	---	873	29	21	27
White	---	847	28	20	27
All other	---	26	1	1	-
Black	---	22	1	1	-
Bedford	---	123	2	2	7
Benbrook	---	66	-	-	-
Burleson, part	---	8	1	-	-
Euless	---	144	8	6	6
Forest Hill	---	53	6	3	2
White	---	38	3	2	1
All other	---	15	3	1	1
Black	---	15	3	1	1
Fort Worth	---	4,154	129	81	83
White	---	3,276	87	57	63
All other	---	878	42	24	20
Black	---	871	41	24	19
Grand Prairie, part	---	53	4	2	1
White	---	45	3	2	-
All other	---	8	1	-	1
Black	---	8	1	-	1
Grapevine, part	---	110	4	3	1
Grapevine, total	---	112	4	3	1
Haltom City	---	209	3	1	2
Hurst	---	177	5	4	4
North Richland Hills	---	141	4	1	4
Watauga	---	44	3	3	1
White Settlement	---	98	1	1	3
Balance of county	---	873	28	20	16
Taylor	1,178	966	29	17	24
Abilene, part	---	831	24	14	18
White	---	790	24	14	13
All other	---	41	-	-	5
Black	---	40	-	-	3
Abilene, total	---	834	24	14	18
White	---	793	24	14	13
All other	---	41	-	-	5
Black	---	40	-	-	3
Balance of county	---	135	5	3	6
Terrell	5	12	-	-	-
Terry	131	139	3	1	1
Brownfield	---	114	2	1	1
White	---	109	2	1	1
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	25	1	-	-
White	---	25	1	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Throckmorton	21	29	-	-	1
Titus	239	241	3	2	1
White	199	200	3	2	-
All other	40	41	-	-	1
Black	40	41	-	-	1
Mount Pleasant	---	147	1	1	1
White	---	115	1	1	-
All other	---	32	-	-	1
Black	---	32	-	-	1
Balance of county	---	94	2	1	-
Tom Green	902	792	14	10	12
San Angelo	---	720	13	9	10
White	---	679	11	8	10
All other	---	41	2	1	-
Black	---	41	2	1	-
Balance of county	---	72	1	1	2
Travis	3,061	2,754	87	51	47
White	2,636	2,342	71	39	41
All other	425	412	16	12	6
Black	409	396	15	12	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Austin, part	---	2,368	73	41	36
White	---	1,976	57	29	30
All other	---	392	16	12	6
Black	---	379	15	12	6
Austin, total	---	2,377	73	41	36
White	---	1,985	57	29	30
All other	---	392	16	12	6
Black	---	379	15	12	6
Round Rock, part	---	2	-	-	-
Balance of county	---	384	14	10	11
White	---	364	14	10	11
All other	---	20	-	-	-
Black	---	17	-	-	-
Trinity	72	143	1	-	1
White	57	115	-	-	1
All other	15	28	1	-	-
Black	15	28	1	-	-
Tyler	170	222	3	2	6
White	143	193	3	2	3
All other	27	29	-	-	3
Black	24	29	-	-	3
Upshur	166	343	5	4	3
White	146	307	3	2	2
All other	20	36	2	2	1
Black	20	36	2	2	1
Upton	27	51	2	1	1
Uvalde	165	190	1	1	1
Uvalde	---	130	1	1	1
White	---	129	1	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	60	-	-	-
White	---	59	-	-	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Val Verde	251	258	9	6	8
Del Rio	---	231	9	6	8
White	---	223	8	5	7
All other	---	8	1	1	1
Black	---	8	1	1	1
Balance of county	---	27	-	-	-
White	---	27	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Van Zandt	260	474	6	3	4
Victoria	672	490	4	2	4
Victoria	---	393	4	2	4
White	---	359	4	2	4
All other	---	34	-	-	-
Black	---	34	-	-	-
Balance of county	---	97	-	-	-
White	---	87	-	-	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Walker	292	268	3	2	5
White	216	190	3	2	5
All other	76	78	-	-	-
Black	76	78	-	-	-
Huntsville	---	134	-	-	4
White	---	91	-	-	4
All other	---	43	-	-	-
Black	---	43	-	-	-
Balance of county	---	134	3	2	1
White	---	99	3	2	1
All other	---	35	-	-	-
Black	---	35	-	-	-
Waller	110	160	5	3	4
White	76	107	4	2	2
All other	34	53	1	1	2
Black	34	53	1	1	2
Ward	70	98	3	-	4
Washington	296	257	2	1	2
White	234	196	2	1	2
All other	62	61	-	-	-
Black	61	60	-	-	-
Brenham	---	136	1	-	-
White	---	107	1	-	-
All other	---	29	-	-	-
Black	---	28	-	-	-
Balance of county	---	121	1	1	2
White	---	89	1	1	2
All other	---	32	-	-	-
Black	---	32	-	-	-
Webb	668	615	25	17	24
Laredo	---	586	23	15	21
Balance of county	---	29	2	2	3
Wharton	342	387	7	4	2
White	271	296	6	3	1
All other	71	91	1	1	1
Black	71	91	1	1	1
El Campo	---	114	4	2	-
White	---	103	3	1	-
All other	---	11	1	1	-
Black	---	11	1	1	-
Balance of county	---	273	3	2	2
White	---	193	3	2	1
All other	---	80	-	-	1
Black	---	80	-	-	1
Wheeler	68	77	1	-	1
Wichita	1,284	1,156	34	19	17
White	1,170	1,049	23	13	15
All other	114	107	11	6	2
Black	112	105	10	5	2
Burkburnett	---	99	2	-	-
Wichita Falls, part	---	920	30	18	13
White	---	818	19	12	11
All other	---	102	11	6	2
Black	---	100	10	5	2
Wichita Falls, total	---	920	30	18	13
White	---	818	19	12	11
All other	---	102	11	6	2
Black	---	100	10	5	2
Balance of county	---	137	2	1	4
Wilbarger	162	178	6	3	-
Vernon	---	156	5	3	-
White	---	143	4	2	-
All other	---	13	1	1	-
Black	---	13	1	1	-
Balance of county	---	22	1	-	-
Willacy	90	130	5	3	7
Williamson	511	613	12	9	12
Austin, part	---	9	-	-	-
Round Rock, part	---	104	6	3	4
White	---	98	6	3	4
All other	---	6	-	-	-
Black	---	5	-	-	-
Round Rock, total	---	106	6	3	4
White	---	100	6	3	4
All other	---	6	-	-	-
Black	---	5	-	-	-
Taylor	---	129	-	-	1
White	---	115	-	-	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	371	6	6	7
White	---	352	6	6	7
All other	---	19	-	-	-
Black	---	18	-	-	-
Wilson	86	139	3	-	1
Winkler	56	75	3	2	3
Wise	203	255	4	3	5
Wood	287	369	1	1	1
White	261	339	1	1	1
All other	26	30	-	-	-
Black	26	30	-	-	-
Yoakum	48	71	3	-	2
Young	244	268	1	-	2
Zapata	29	76	1	1	-
Zavala	19	104	2	-	1
Utah	9,319	8,997	350	213	255
White	9,085	8,782	329	198	242
All other	234	215	21	15	13
Black	78	70	4	4	-
Beaver	44	53	-	-	2
Box Elder	211	230	9	6	6
Brigham City	---	116	6	4	1
White	---	112	6	4	1
All other	---	4	-	-	-
Black	---	-	-	-	-
Balance of county	---	114	3	2	5
Cache	327	340	17	10	16
Logan	---	164	7	4	9
Balance of county	---	176	10	6	7
Carbon	151	180	8	4	3
Daggett	9	6	-	-	-
Davis	521	621	28	14	22
Bountiful	---	192	5	3	5
Clearfield	---	80	5	1	5
White	---	78	5	1	5
All other	---	2	-	-	-
Black	---	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah-Con.					
Layton	---	103	11	6	5
Balance of county	---	246	7	4	7
Duchesne	82	84	4	3	2
Emery	60	78	3	2	1
Garfield	29	29	–	–	1
Grand	54	55	2	–	1
Iron	101	97	4	3	1
Cedar City	---	65	2	2	1
Balance of county	---	32	2	1	–
Juab	34	49	–	–	2
Kane	34	24	1	–	1
Millard	71	73	2	1	3
Morgan	12	26	–	–	1
Piute	7	12	–	–	–
Rich	6	17	–	–	–
Salt Lake	4,394	3,797	147	92	102
White	4,279	3,704	134	81	99
All other	115	93	13	11	3
Black	42	39	4	4	–
Midvale	---	71	4	3	1
Murray	---	160	1	–	5
Salt Lake City	---	1,685	43	24	36
White	---	1,626	38	20	36
All other	---	59	5	4	–
Black	---	31	2	2	–
Sandy City	---	116	8	5	17
South Salt Lake	---	118	1	1	2
West Jordan	---	78	13	8	8
Balance of county	---	1,569	77	51	33
White	---	1,541	73	47	31
All other	---	28	4	4	2
Black	---	8	2	2	–
San Juan	46	50	3	3	4
White	34	34	2	2	2
All other	12	16	1	1	2
Black	–	–	–	–	–
Sanpete	84	138	3	3	5
Sevier	116	130	8	7	2
Summit	38	61	1	1	1
Tooele	124	153	4	2	2
Tooele	---	105	1	1	2
Balance of county	---	48	3	1	–
Uintah	94	137	5	2	4
Utah	1,156	1,098	61	38	33
American Fork	---	78	3	2	8
Orem	---	207	18	14	5
Pleasant Grove	---	58	1	1	1
Provo	---	352	23	12	10
Springville	---	83	5	2	1
Balance of county	---	320	11	7	8
Wasatch	71	58	–	–	2
Washington	231	229	3	2	7
St. George	---	124	2	1	3
Balance of county	---	105	1	1	4
Wayne	8	15	–	–	–
Weber	1,204	1,157	37	20	31
Ogden	---	706	23	12	19
White	---	670	23	12	18
All other	---	36	–	–	1
Black	---	29	–	–	–
Roy	---	82	5	4	6
South Ogden	---	84	2	–	1
Balance of county	---	285	7	4	5
Vermont	4,637	4,532	70	44	64
White	4,619	4,524	70	44	62
All other	18	8	–	–	2
Black	15	6	–	–	–
Addison	186	243	2	1	2
Bennington	377	328	7	7	3
Caledonia	197	236	2	1	3
Chittenden	1,098	783	19	14	14
Burlington	---	330	7	4	5
South Burlington	---	65	3	3	–
Balance of county	---	388	9	7	9
Essex	22	72	–	–	1
Franklin	259	316	6	3	7
Grand Isle	12	38	–	–	1
Lamoille	131	126	1	–	6
Orange	114	182	3	1	–
Orleans	200	211	2	–	1
Rutland	626	623	8	5	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Vermont-Con.					
Rutland	---	271	3	1	5
Balance of county	---	352	5	4	1
Washington	511	503	10	6	8
Windham	332	358	4	1	4
Windsor	570	513	6	5	8
Virginia	43,755	44,310	1,005	716	879
White	33,991	34,557	603	435	546
All other	9,764	9,753	402	281	333
Black	9,593	9,580	388	269	327
Accomack	174	444	3	1	5
White	128	294	1	–	2
All other	46	150	2	1	3
Black	46	150	2	1	3
Albemarle	959	353	7	5	7
White	731	293	6	4	6
All other	228	60	1	1	1
Black	227	60	1	1	1
Alexandria city	849	813	35	27	20
White	724	652	20	17	13
All other	125	161	15	10	7
Black	117	154	15	10	7
Alleghany	248	106	1	1	–
Amelia	34	80	1	1	–
White	21	40	1	1	–
All other	13	40	–	–	–
Black	13	39	–	–	–
Amherst	90	226	2	2	5
White	75	171	1	1	4
All other	15	55	1	1	1
Black	15	55	1	1	1
Appomattox	40	117	4	4	2
White	28	84	2	2	1
All other	12	33	2	2	1
Black	12	33	2	2	1
Arlington#	1,486	1,164	21	15	13
White	1,315	1,042	11	8	11
All other	171	122	10	7	2
Black	148	105	9	6	2
Augusta	169	470	8	7	13
Bath	34	58	–	–	1
Bedford	95	313	5	3	3
White	84	264	4	3	2
All other	11	49	1	–	1
Black	11	49	1	–	1
Bedford city [10]	205	125	–	–	3
White	172	105	–	–	–
All other	33	20	–	–	3
Black	33	19	–	–	3
Bland	12	61	–	–	–
Botetourt	62	197	3	1	5
Bristol city [11]	194	239	–	–	–
Brunswick	50	169	1	–	2
White	23	76	–	–	–
All other	27	93	1	–	2
Black	27	93	1	–	2
Buchanan	194	233	2	2	8
Buckingham	56	130	3	3	2
White	35	88	–	–	2
All other	21	42	3	3	–
Black	21	42	3	3	–
Buena Vista city [10]	14	64	–	–	3
Campbell	115	340	13	7	12
White	96	284	9	4	6
All other	19	56	4	3	6
Black	18	55	4	3	6
Caroline	63	156	5	1	1
White	37	89	2	1	–
All other	26	67	3	–	1
Black	26	67	3	–	1
Carroll	80	289	1	–	2
Charles City	19	66	2	2	1
White	4	14	1	1	1
All other	15	52	1	1	–
Black	14	50	1	1	–
Charlotte	51	140	4	3	2
White	36	105	2	1	–
All other	15	35	2	2	2
Black	15	35	2	2	2
Charlottesville city	475	391	7	5	6
White	426	304	4	3	4
All other	49	87	3	2	2
Black	48	85	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Chesapeake city	620	886	21	11	24
White	470	643	11	6	14
All other	150	243	10	5	10
Black	147	243	10	5	10
Chesterfield	484	737	31	21	24
White	415	632	22	16	20
All other	69	105	9	5	4
Black	69	101	7	4	4
Clarke	56	91	–	–	2
White	54	79	–	–	1
All other	2	12	–	–	1
Black	2	12	–	–	1
Clifton Forge city [10]	63	80	1	–	1
White	56	72	–	–	1
All other	7	8	1	–	–
Black	7	8	1	–	–
Colonial Heights city	49	156	–	–	5
Covington city [10]	25	114	2	2	1
White	20	95	1	1	1
All other	5	19	1	1	–
Black	5	19	1	1	–
Craig	14	47	–	–	–
Culpeper	182	201	8	7	6
White	149	160	5	4	6
All other	33	41	3	3	–
Black	33	41	3	3	–
Cumberland	20	90	1	–	3
White	13	58	1	–	–
All other	7	32	–	–	3
Black	7	32	–	–	3
Danville city	945	577	9	8	12
White	685	434	2	1	6
All other	260	143	7	7	6
Black	258	141	7	7	6
Dickenson	76	177	1	1	2
Dinwiddie	117	189	1	1	3
White	58	108	1	1	–
All other	59	81	–	–	3
Black	59	81	–	–	3
Emporia city [10]	207	85	1	1	–
White	98	58	1	1	–
All other	109	27	–	–	–
Black	109	27	–	–	–
Essex	131	97	1	1	1
White	90	60	1	1	–
All other	41	37	–	–	1
Black	41	37	–	–	1
Fairfax	2,104	2,779	74	52	63
White	1,937	2,578	55	40	49
All other	167	201	19	12	14
Black	123	143	14	8	11
Herndon	– – –	40	1	1	2
White	– – –	34	1	1	1
All other	– – –	6	–	–	1
Black	– – –	5	–	–	–
Vienna	– – –	85	2	2	2
Balance of county	– – –	2,654	71	49	59
White	– – –	2,468	52	37	47
All other	– – –	186	19	12	12
Black	– – –	130	14	8	10
Fairfax city	266	121	2	2	–
Falls Church city [10]	26	114	2	1	5
Fauquier	294	321	1	–	7
White	244	265	1	–	7
All other	50	56	–	–	–
Black	49	56	–	–	–
Floyd	33	105	1	1	2
Fluvanna	29	86	3	1	–
White	19	65	2	–	–
All other	10	21	1	1	–
Black	10	21	1	1	–
Franklin	204	281	5	2	10
White	172	246	3	1	8
All other	32	35	2	1	2
Black	32	35	2	1	2
Franklin city [10]	169	93	4	3	1
White	88	41	2	2	1
All other	81	52	2	1	–
Black	81	52	2	1	–
Frederick	57	247	3	–	3
Fredericksburg city	513	156	4	2	3
White	420	128	3	2	3
All other	93	28	1	–	–
Black	93	28	1	–	–
Galax city [10]	323	91	2	1	3
Giles	121	165	–	–	1
Gloucester	255	220	7	6	5
White	199	172	7	6	3
All other	56	48	–	–	2
Black	56	48	–	–	2
Goochland	35	97	1	1	–
White	26	65	–	–	–
All other	9	32	1	1	–
Black	9	32	1	1	–
Grayson	37	175	4	4	1
Greene	21	69	3	2	2
Greensville	36	114	5	4	2
White	14	45	–	–	–
All other	22	69	5	4	2
Black	21	68	5	4	2
Halifax	110	314	4	3	5
White	71	199	1	1	3
All other	39	115	3	2	2
Black	39	115	3	2	2
Hampton city	988	869	30	20	19
White	560	582	18	10	11
All other	428	287	12	10	8
Black	426	285	12	10	8
Hanover	155	432	10	9	12
White	123	361	8	8	10
All other	32	71	2	1	2
Black	32	71	2	1	2
Harrisonburg city	559	179	2	1	7
Henrico	1,979	1,636	35	29	19
White	1,641	1,436	24	18	12
All other	338	200	11	11	7
Black	331	194	10	10	7
Henry	64	464	8	5	9
White	50	365	2	1	6
All other	14	99	6	4	3
Black	14	99	6	4	3
Highland	14	41	–	–	–
Hopewell city	289	232	3	3	2
White	219	194	3	3	1
All other	70	38	–	–	1
Black	68	37	–	–	1
Isle of Wight	69	225	5	3	4
White	37	124	2	2	1
All other	32	101	3	1	3
Black	32	101	3	1	3
James City	101	159	5	3	6
White	59	110	2	2	1
All other	42	49	3	1	5
Black	42	49	3	1	5
King and Queen	20	69	1	–	1
White	11	32	1	–	1
All other	9	37	–	–	–
Black	9	37	–	–	–
King George	57	78	1	1	2
White	42	63	1	1	1
All other	15	15	–	–	1
Black	15	15	–	–	1
King William	35	105	1	1	2
White	24	62	–	–	2
All other	11	43	1	1	–
Black	11	39	1	1	–
Lancaster	229	174	–	–	2
White	174	127	–	–	2
All other	55	47	–	–	–
Black	54	47	–	–	–
Lee	196	280	4	2	2
Lexington city [10]	161	74	1	1	–
White	150	66	1	1	–
All other	11	8	–	–	–
Black	11	8	–	–	–
Loudoun	295	369	8	7	9
Louisa	84	192	4	2	4
White	55	124	1	–	–
All other	29	68	3	2	4
Black	28	67	3	2	4
Lunenburg	45	138	5	4	3
White	27	91	2	2	1
All other	18	47	3	2	2
Black	18	47	3	2	2
Lynchburg city	1,300	734	13	11	12
White	972	531	6	5	4
All other	328	203	7	6	8
Black	328	203	7	6	8
Madison	60	117	1	1	1
White	48	95	–	–	1
All other	12	22	1	1	–
Black	12	22	1	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Manassas city	307	115	4	1	6
White	273	102	3	–	5
All other	34	13	1	1	1
Black	32	12	1	1	–
Manassas Park city [10]	3	13	–	–	1
Martinsville city	507	196	3	2	2
White	406	142	1	–	1
All other	101	54	2	2	1
Black	101	54	2	2	1
Mathews	32	120	–	–	2
White	26	105	–	–	2
All other	6	15	–	–	–
Black	6	15	–	–	–
Mecklenburg	318	332	10	5	6
White	192	199	6	3	1
All other	126	133	4	2	5
Black	125	132	4	2	5
Middlesex	71	103	–	–	–
White	54	75	–	–	–
All other	17	28	–	–	–
Black	17	28	–	–	–
Montgomery	295	346	6	6	1
Blacksburg	– – –	83	3	3	–
Christiansburg	– – –	79	–	–	1
Balance of county	– – –	184	3	3	–
White	– – –	177	3	3	–
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Nelson	59	148	1	1	3
White	42	110	1	1	2
All other	17	38	–	–	1
Black	17	37	–	–	1
New Kent	22	74	3	2	1
White	14	51	2	1	–
All other	8	23	1	1	1
Black	8	23	1	1	1
Newport News city	1,396	1,153	37	29	22
White	951	690	21	16	11
All other	445	463	16	13	11
Black	439	459	16	13	11
Norfolk city	2,967	2,279	87	63	79
White	1,813	1,318	34	26	40
All other	1,154	961	53	37	39
Black	1,135	942	50	34	38
Northampton	382	209	5	4	2
White	217	108	2	2	1
All other	165	101	3	2	1
Black	165	101	3	2	1
Northumberland	50	148	–	–	–
White	38	114	–	–	–
All other	12	34	–	–	–
Black	12	34	–	–	–
Norton city [10]	162	51	1	1	1
Nottoway	117	178	5	3	3
White	72	121	–	–	–
All other	45	57	5	3	3
Black	44	57	5	3	3
Orange	85	189	2	2	3
White	70	152	2	2	3
All other	15	37	–	–	–
Black	15	37	–	–	–
Page	139	199	1	–	5
Patrick	95	131	2	1	–
Petersburg city	677	490	19	15	16
White	391	216	2	2	1
All other	286	274	17	13	15
Black	285	273	17	13	15
Pittsylvania	194	595	16	13	9
White	137	435	11	10	4
All other	57	160	5	3	5
Black	57	160	5	3	5
Poquoson city [10]	13	66	1	1	–
Portsmouth city	1,454	1,118	39	28	20
White	890	638	18	14	7
All other	564	480	21	14	13
Black	552	478	21	14	12
Powhatan	15	72	3	1	1
White	10	56	3	1	1
All other	5	16	–	–	–
Black	5	16	–	–	–
Prince Edward	257	156	2	2	3
White	170	97	1	1	3
All other	87	59	1	1	–
Black	87	59	1	1	–
Virginia-Con.					
Prince George	60	105	9	8	4
White	38	66	4	3	1
All other	22	39	5	5	3
Black	22	38	5	5	3
Prince William	331	561	23	12	24
White	285	492	14	7	17
All other	46	69	9	5	7
Black	44	65	9	5	7
Pulaski	249	196	2	1	3
Pulaski [12]	– – –	3	–	–	1
Balance of county	– – –	193	2	1	2
White	– – –	187	2	1	2
All other	– – –	6	–	–	–
Black	– – –	6	–	–	–
Radford city	186	95	1	1	1
Rappahannock	20	58	–	–	–
White	17	47	–	–	–
All other	3	11	–	–	–
Black	3	11	–	–	–
Richmond	37	90	2	1	2
White	30	63	1	1	–
All other	7	27	1	–	2
Black	7	27	1	–	2
Richmond city	4,044	2,685	84	44	59
White	2,410	1,402	13	9	11
All other	1,634	1,283	51	35	48
Black	1,624	1,282	51	35	48
Roanoke	341	640	5	3	4
Roanoke city	1,583	1,148	20	8	26
White	1,377	934	15	7	18
All other	206	214	5	1	8
Black	205	213	5	1	8
Rockbridge	63	172	1	1	1
Rockingham	162	428	10	9	11
Russell	161	268	4	4	5
Salem city [12]	969	394	2	1	1
Scott	96	252	3	2	2
Shenandoah	260	323	4	3	2
Smyth	336	319	2	2	4
Southampton	38	195	1	1	2
White	15	100	1	1	–
All other	23	95	–	–	2
Black	23	95	–	–	2
South Boston city [10]	281	86	1	–	5
White	177	49	–	–	4
All other	104	37	1	–	1
Black	104	37	1	–	1
Spotsylvania	91	210	1	1	3
White	78	181	–	–	2
All other	13	29	1	1	1
Black	13	29	1	1	1
Stafford	79	215	1	–	13
Staunton city	408	265	2	2	5
White	385	237	1	1	4
All other	23	28	1	1	1
Black	23	28	1	1	1
Suffolk city	410	493	6	4	10
White	199	221	1	1	6
All other	211	272	5	3	4
Black	210	272	5	3	4
Surry	15	65	2	2	–
White	5	24	–	–	–
All other	10	41	2	2	–
Black	10	41	2	2	–
Sussex	31	123	1	1	2
White	11	50	–	–	1
All other	20	73	1	1	1
Black	20	73	1	1	1
Tazewell	356	465	12	9	7
Virginia Beach city	1,096	1,400	73	55	30
White	938	1,202	57	43	19
All other	158	198	16	12	11
Black	154	186	15	11	11
Warren	200	223	5	4	4
Front Royal	– – –	121	3	3	3
Balance of county	– – –	102	2	1	1
White	– – –	95	2	1	1
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Washington	348	395	4	4	10
Waynesboro city	246	174	5	4	2
Westmoreland	71	172	1	1	4
White	54	124	1	1	2
All other	17	48	–	–	2
Black	17	47	–	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Williamsburg city [16]	259	118	1	–	2
White	179	100	1	–	1
All other	80	18	–	–	1
Black	80	18	–	–	1
Winchester city	628	262	1	1	5
Wise	302	410	12	9	5
Wythe	249	276	2	1	5
York	42	162	8	6	1
White	29	122	8	6	1
All other	13	40	–	–	–
Black	13	40	–	–	–
Washington	34,001	33,814	703	373	450
White	32,402	32,246	600	320	390
All other	1,599	1,568	103	53	60
Black	767	768	66	39	25
Adams	83	89	5	2	–
Asotin	127	155	2	–	–
Benton	587	615	23	15	14
Kennewick	– – –	214	12	9	8
Richland	– – –	214	4	2	3
Balance of county	– – –	187	7	4	3
Chelan	635	524	11	3	7
Wenatchee	– – –	262	7	1	–
Balance of county	– – –	262	4	2	7
Clallam	491	547	11	10	8
Port Angeles	– – –	208	5	5	3
Balance of county	– – –	339	6	5	5
Clark	1,389	1,458	25	14	17
Vancouver	– – –	661	8	4	7
Balance of county	– – –	797	17	10	10
Columbia	48	48	–	–	1
Cowlitz	661	633	15	7	6
Kelso	– – –	130	8	4	2
Longview	– – –	298	6	3	2
Balance of county	– – –	205	1	–	2
Douglas	81	186	3	2	4
Ferry	30	47	3	1	1
White	25	38	1	–	1
All other	5	9	2	1	–
Black	–	–	–	–	–
Franklin	180	210	4	–	8
Pasco	– – –	149	2	–	6
White	– – –	134	1	–	4
All other	– – –	15	1	–	2
Black	– – –	15	1	–	2
Balance of county	– – –	61	2	–	2
Garfield	30	34	1	1	1
Grant	300	358	8	6	1
Moses Lake	– – –	78	4	3	1
White	– – –	75	3	2	1
All other	– – –	3	1	1	–
Black	– – –	2	–	–	–
Balance of county	– – –	280	4	3	–
Grays Harbor	558	646	13	3	6
Aberdeen	– – –	190	3	–	3
Balance of county	– – –	456	10	3	3
Island	239	349	9	5	6
Oak Harbor	– – –	64	3	1	2
White	– – –	61	1	–	2
All other	– – –	3	2	1	–
Black	– – –	2	1	–	–
Balance of county	– – –	285	6	4	4
Jefferson	134	170	2	1	1
King	10,769	10,042	197	100	120
White	9,889	9,193	152	77	100
All other	880	849	45	23	20
Black	482	480	32	17	7
Auburn	– – –	207	11	8	6
Bellevue	– – –	491	6	5	8
Kent	– – –	154	5	1	8
Kirkland	– – –	153	8	6	2
Mercer Island	– – –	132	4	3	–
Redmond	– – –	128	5	1	3
Renton	– – –	253	6	5	5
Seattle	– – –	5,225	81	39	45
White	– – –	4,520	47	22	33
All other	– – –	705	34	17	12
Black	– – –	431	26	13	5
Balance of county	– – –	3,299	71	32	43
White	– – –	3,206	68	30	39
All other	– – –	93	3	2	4
Black	– – –	31	1	1	1
Kitsap	1,053	1,091	28	16	25

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Washington-Con.					
Bremerton	– – –	397	11	7	9
White	– – –	384	7	4	7
All other	– – –	13	4	3	2
Black	– – –	9	4	3	1
Balance of county	– – –	694	17	9	16
Kittitas	212	229	2	1	–
Ellensburg	– – –	110	–	–	–
Balance of county	– – –	119	2	1	–
Klickitat	99	118	1	–	2
Lewis	492	561	8	3	8
Centralia	– – –	180	4	1	3
Balance of county	– – –	381	4	2	5
Lincoln	74	108	1	–	1
Mason	205	305	9	4	2
Okanogan	290	325	3	1	5
White	260	287	1	1	1
All other	30	38	2	–	4
Black	–	–	–	–	–
Pacific	191	227	1	–	2
Pend Oreille	80	91	2	2	3
Pierce	4,026	3,852	94	56	57
White	3,770	3,607	69	42	45
All other	256	245	25	14	12
Black	160	161	20	13	9
Puyallup	– – –	204	2	2	4
Tacoma	– – –	1,799	38	22	23
White	– – –	1,642	21	12	18
All other	– – –	157	17	10	5
Black	– – –	120	14	10	3
Balance of county	– – –	1,849	54	32	30
White	– – –	1,763	46	28	24
All other	– – –	86	8	4	6
Black	– – –	41	6	3	5
San Juan	48	74	–	–	1
Skagit	724	668	10	8	6
Mount Vernon	– – –	154	3	2	2
Balance of county	– – –	514	7	6	4
Skamania	23	57	1	1	1
Snohomish	2,206	2,489	70	36	45
White	2,165	2,451	70	36	44
All other	41	38	–	–	1
Black	15	15	–	–	–
Edmonds	– – –	280	3	3	7
Everett	– – –	650	15	7	3
Lynnwood	– – –	173	9	5	6
Mountlake Terrace	– – –	77	2	1	3
Balance of county	– – –	1,309	41	20	26
Spokane	3,581	3,105	51	31	36
White	3,496	3,038	41	25	32
All other	85	67	10	6	4
Black	31	31	7	5	1
Spokane	– – –	2,080	34	20	18
Balance of county	– – –	1,025	17	11	18
Stevens	190	257	3	1	4
Thurston	1,012	1,006	24	13	14
Lacey	– – –	169	5	2	3
Olympia	– – –	358	8	4	8
Balance of county	– – –	479	11	7	3
Wahkiakum	28	35	–	–	–
Walla Walla	612	506	12	7	4
Walla Walla	– – –	347	8	5	3
Balance of county	– – –	159	4	2	1
Whatcom	860	853	18	5	11
Bellingham	– – –	431	5	–	4
Balance of county	– – –	422	13	5	7
Whitman	141	188	3	2	1
Pullman	– – –	42	1	1	–
Balance of county	– – –	146	2	1	1
Yakima	1,512	1,558	30	16	21
Yakima	– – –	593	6	5	4
White	– – –	572	6	5	4
All other	– – –	21	–	–	–
Black	– – –	13	–	–	–
Balance of county	– – –	965	24	11	17
White	– – –	889	23	11	11
All other	– – –	76	1	–	6
Black	– – –	4	–	–	–
West Virginia	19,316	19,207	270	175	209
White	18,500	18,405	254	164	198
All other	816	802	16	11	11
Black	801	799	15	10	11
Barbour	119	172	3	3	4
Berkeley	723	521	11	6	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia-Con.					
Martinsburg	---	263	3	1	2
Balance of county	---	258	8	5	1
Boone	274	310	4	–	3
Braxton	119	186	–	–	1
Brooke	323	284	2	1	1
Weirton, part	---	54	1	–	–
Balance of county	---	230	1	1	1
Cabell	1,739	1,170	15	11	8
Huntington, part	---	822	8	5	4
Huntington, total	---	879	8	5	4
Balance of county	---	348	7	6	4
Calhoun	57	87	1	1	–
Clay	38	99	2	1	–
Doddridge	26	63	1	1	–
Fayette	488	605	5	3	2
Gilmer	42	65	3	1	1
Grant	94	85	2	2	3
Greenbrier	389	442	4	2	3
Hampshire	84	146	1	–	2
Hancock	93	372	3	2	4
Weirton, part	---	200	2	1	3
Weirton, total	---	254	3	1	3
Balance of county	---	172	1	1	1
Hardy	43	104	–	–	1
Harrison	1,065	884	22	18	5
Clarksburg	---	367	9	6	–
Balance of county	---	517	13	12	5
Jackson	180	202	2	1	–
Jefferson	219	293	7	4	8
Kanawha	2,601	2,248	23	14	30
White	2,465	2,103	21	13	27
All other	136	145	2	1	3
Black	134	143	2	1	3
Charleston	---	802	7	4	11
White	---	707	6	4	9
All other	---	95	1	–	2
Black	---	93	1	–	2
St. Albans	---	143	3	3	–
South Charleston	---	170	–	–	5
Balance of county	---	1,133	13	7	14
Lewis	190	229	5	3	4
Lincoln	76	235	6	3	–
Logan	412	469	7	3	5
McDowell	261	456	9	6	8
White	222	363	7	5	6
All other	39	93	2	1	2
Black	39	93	2	1	2
Marion	531	692	10	7	7
Fairmont	---	319	2	1	1
Balance of county	---	373	8	6	6
Marshall	296	386	7	5	4
Moundsville	---	148	2	2	1
Wheeling, part	---	1	–	–	–
Balance of county	---	237	5	3	3
Mason	223	272	9	3	2
Mercer	1,007	795	17	10	9
Bluefield [12]	---	231	3	2	3
White	---	176	3	2	2
All other	---	55	–	–	1
Black	---	55	–	–	1
Balance of county	---	564	14	8	6
Mineral	166	274	5	4	4
Mingo	197	355	4	2	7
Monongalia	1,105	511	3	2	10
Morgantown	---	242	2	2	3
Balance of county	---	269	1	–	7
Monroe	45	141	4	4	3
Morgan	105	123	–	–	–
Nicholas	216	262	3	2	2
Ohio	1,136	718	9	7	7
Wheeling, part	---	592	7	5	5
Wheeling, total	---	593	7	5	5
Balance of county	---	126	2	2	2
Pendleton	36	76	–	–	2
Pleasants	21	70	4	4	1
Pocahontas	94	119	2	1	3
Preston	194	292	8	5	3
Putnam	198	269	6	4	5
Raleigh	1,186	871	7	5	9
Beckley	---	343	4	3	4
White	---	269	2	1	2
All other	---	74	2	2	2
Black	---	74	2	2	2
Balance of county	---	528	3	2	5
Randolph	376	299	5	3	4
Ritchie	56	127	1	1	–
Roane	149	153	2	1	–
Summers	147	153	–	–	3
Taylor	143	192	3	2	–
Tucker	70	112	–	–	1
Tyler	65	102	1	1	–
Upshur	165	191	–	–	4
Wayne	289	391	3	3	1
Huntington, part	---	57	–	–	–
Balance of county	---	334	3	3	1
Webster	60	108	2	2	3
Wetzel	181	230	–	–	3
Wirt	20	49	–	–	–
Wood	1,083	860	9	5	13
Parkersburg	---	533	8	5	8
Vienna	---	95	–	–	–
Balance of county	---	232	1	–	5
Wyoming	99	287	8	6	3
Wisconsin	40,954	41,047	725	458	511
White	39,697	39,790	604	380	426
All other	1,257	1,257	121	78	85
Black	1,002	995	98	64	71
Adams	136	156	2	1	–
Ashland	229	209	3	3	4
Barron	403	424	2	2	5
Bayfield	84	134	2	1	–
Brown	1,551	1,250	28	19	14
Allouez town#	---	89	2	1	–
Ashwaubenon	---	97	–	–	1
De Pere	---	97	2	2	2
Green Bay	---	761	19	13	10
Balance of county	---	206	5	3	1
Buffalo	82	149	2	2	1
Burnett	115	156	2	2	1
Calumet	175	213	–	–	–
Appleton, part	---	12	–	–	–
Balance of county	---	201	–	–	–
Chippewa	405	431	11	4	5
Chippewa Falls	---	115	4	–	–
Eau Claire, part	---	7	–	–	1
Balance of county	---	309	7	4	4
Clark	235	335	7	2	5
Columbia	390	435	5	4	2
Crawford	148	166	1	1	1
Dane	2,724	2,071	44	33	33
White	2,679	2,034	38	27	32
All other	45	37	6	6	1
Black	34	27	5	5	–
Madison	---	1,227	27	21	17
Middleton	---	48	–	–	1
Sun Prairie	---	81	2	1	–
Balance of county	---	717	15	11	15
Dodge	753	737	10	6	7
Beaver Dam	---	182	1	1	–
Watertown, part	---	81	–	–	–
Balance of county	---	474	9	5	7
Door	238	276	4	3	4
Douglas	342	479	7	5	6
Superior	---	350	7	5	5
Balance of county	---	129	–	–	1
Dunn	189	250	1	1	1
Menomonie	---	108	1	1	–
Balance of county	---	142	–	–	1
Eau Claire	789	606	6	4	6
Eau Claire, part	---	432	5	4	5
Eau Claire, total	---	439	5	4	6
Balance of county	---	174	1	–	1
Florence	41	48	–	–	–
Fond du Lac	765	752	10	5	8
Fond du Lac	---	397	2	–	4
Balance of county	---	355	8	5	4
Forest	68	116	1	1	1
Grant	423	479	4	3	12
Green	366	318	3	1	4
Monroe	---	126	2	1	1
Balance of county	---	192	1	–	3
Green Lake	203	212	5	2	1
Iowa	155	193	4	3	2
Iron	41	94	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Jackson	150	189	6	4	3
Jefferson	385	563	12	4	4
Watertown, part	---	129	3	1	-
Watertown, total	---	210	3	1	-
Whitewater, part	---	2	-	-	-
Balance of county	---	432	9	3	4
Juneau	145	232	9	6	6
Kenosha	943	1,066	15	10	16
Kenosha	---	744	10	7	13
Balance of county	---	322	5	3	3
Kewaunee	128	175	3	2	-
La Crosse	1,201	799	8	5	8
La Crosse	---	533	3	2	4
Balance of county	---	266	5	3	4
Lafayette	90	143	2	1	2
Langlade	190	207	2	1	1
Lincoln	267	304	2	1	6
Manitowoc	720	801	13	9	7
Manitowoc	---	435	7	6	2
Two Rivers	---	136	2	1	2
Balance of county	---	230	4	2	3
Marathon	790	851	13	8	6
Marshfield, part	---	2	-	-	-
Wausau	---	370	7	5	1
Balance of county	---	479	6	3	5
Marinette	304	415	4	2	3
Marinette	---	138	2	1	1
Balance of county	---	277	2	1	2
Marquette	50	134	2	1	-
Menominee	13	40	4	2	1
White	2	7	-	-	-
All other	11	33	4	2	1
Black	-	-	-	-	-
Milwaukee	9,756	9,080	198	120	143
White	8,877	8,211	113	68	78
All other	879	869	85	52	65
Black	830	824	80	50	63
Brown Deer	---	74	-	-	-
Cudahy	---	156	4	3	2
Franklin	---	82	2	1	3
Glendale	---	241	1	-	-
Greendale	---	108	1	-	1
Greenfield	---	305	2	1	1
Milwaukee, part	---	5,999	168	104	124
White	---	5,152	83	52	59
All other	---	847	85	52	65
Black	---	814	80	50	63
Milwaukee, total	---	6,000	168	104	124
White	---	5,153	83	52	59
All other	---	847	85	52	65
Black	---	814	80	50	63
Oak Creek	---	94	1	-	-
St. Francis	---	70	1	1	-
Shorewood	---	181	-	-	1
South Milwaukee	---	201	2	1	3
Wauwatosa	---	571	4	3	2
West Allis	---	685	7	3	3
Whitefish Bay	---	98	4	2	2
Balance of county	---	215	1	1	1
Monroe	343	367	6	6	5
Oconto	261	318	5	2	3
Oneida	452	356	4	1	6
Outagamie	969	880	15	9	5
Appleton, part	---	416	9	5	3
Appleton, total	---	429	9	5	3
Kaukauna	---	95	1	1	-
Balance of county	---	369	5	3	2
Ozaukee	301	450	9	2	8
Mequon	---	119	-	-	1
Balance of county	---	331	9	2	7
Pepin	90	93	-	-	1
Pierce	120	218	8	7	3
Polk	327	336	4	3	1
Portage	403	422	16	12	4
Stevens Point	---	189	4	4	-
Balance of county	---	233	12	8	4
Price	159	192	3	1	3
Racine	1,255	1,306	35	25	22
White	1,190	1,233	26	20	18
All other	65	73	9	5	4
Black	64	71	9	5	3
Racine	---	748	19	15	18
White	---	679	10	10	14
All other	---	69	9	5	4
Black	---	68	9	5	3
Balance of county	---	558	16	10	4
Richland	149	174	-	-	1
Rock	1,122	1,166	18	14	13
Beloit	---	304	7	5	6
White	---	278	4	2	5
All other	---	26	3	3	1
Black	---	26	3	3	1
Janesville	---	374	9	7	4
Balance of county	---	488	2	2	3
Rusk	128	152	1	-	-
St. Croix	365	365	12	8	6
Sauk	445	436	7	5	2
Sawyer	139	167	3	3	5
White	129	152	2	2	3
All other	10	15	1	1	2
Black	-	-	-	-	-
Shawano	314	369	3	2	7
Sheboygan	909	954	17	14	7
Sheboygan	---	550	10	9	3
Balance of county	---	404	7	5	4
Taylor	154	172	-	-	3
Trempealeau	263	323	5	-	2
Vernon	296	336	6	3	4
Vilas	138	204	3	1	2
Walworth	512	636	5	3	8
Whitewater, part	---	70	-	-	-
Whitewater, total	---	72	-	-	-
Balance of county	---	566	5	3	8
Washburn	157	149	6	5	1
Washington	516	603	11	7	7
Germantown	---	46	1	1	1
Milwaukee, part	---	1	-	-	-
West Bend	---	195	4	1	3
Balance of county	---	361	6	5	3
Waukesha	1,777	1,788	35	23	23
Brookfield	---	230	-	-	1
Menomonee Falls	---	159	-	-	1
Muskego	---	92	2	1	2
New Berlin	---	134	2	1	1
Waukesha	---	356	9	7	8
Balance of county	---	817	22	14	10
Waupaca	520	621	2	-	4
Waushara	127	191	2	-	5
Winnebago	1,066	1,026	16	10	13
Appleton, part	---	1	-	-	-
Menasha	---	90	1	-	1
Neenah	---	150	2	1	1
Oshkosh	---	465	10	8	5
Balance of county	---	320	3	1	6
Wood	995	589	11	8	8
Marshfield, part	---	177	6	4	2
Marshfield, total	---	179	6	4	2
Wisconsin Rapids	---	163	1	1	3
Balance of county	---	249	4	3	3
Wyoming	2,999	3,189	108	69	71
White	2,935	3,115	104	65	67
All other	64	74	4	4	4
Black	16	20	1	1	1
Albany	126	127	3	1	1
Laramie	---	102	1	1	-
Balance of county	---	25	2	-	1
Big Horn	114	146	5	3	1
Campbell	96	118	12	9	6
Gillette	---	79	5	4	4
Balance of county	---	39	7	5	2
Carbon	127	146	6	4	5
Rawlins	---	93	3	1	5
White	---	90	3	1	5
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	53	3	3	-
Converse	62	91	-	-	-
Crook	21	36	-	-	1
Fremont	215	254	10	6	5
White	188	219	8	4	3
All other	27	35	2	2	2
Black	-	-	-	-	-
Goshen	88	114	2	1	3
Hot Springs	51	62	1	-	1
Johnson	65	72	-	-	2
Laramie	555	503	13	8	13
Cheyenne	---	447	12	8	13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1984—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days				Total deaths	Under 1 year	Under 28 days	
Wyoming-Con.						Wyoming-Con.					
Balance of county	---	56	1	--	-	Balance of county	---	61	1	1	-
Lincoln	54	85	2	2	2	Sublette	29	32	1	-	1
Natrona	428	415	16	10	10	Sweetwater	185	181	13	8	4
Casper	---	346	11	7	6	Green River	---	32	5	2	3
Balance of county	---	69	5	3	4	Rock Springs	---	126	7	5	1
Niobrara	41	41	-	-	1	Balance of county	---	23	1	1	-
Park	168	179	1	-	4	Teton	59	35	3	3	3
Platte	63	86	1	-	1	Uinta	91	100	10	8	4
Sheridan	257	240	6	3	1	Washakie	49	56	--	--	2
Sheridan	---	179	5	2	1	Weston	55	70	3	3	-

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for La Paz which became a new county on January 1, 1983.
[3] Includes data for Texarkana, Ark., only.
[4] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[5] There are 14 deaths to residents of Mokapu included in balance of Honolulu County.
[6] Areas shown are parishes, the equivalent of counties.
[7] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[8] Includes data for Bristol, Tenn., only.
[9] Includes data for Texarkana, Tex., only.
[10] Independent city having population of less than 10,000 according to the 1980 census.
[11] Includes data for Bristol, Va., only.
[12] There are 122 deaths to residents of Pulaski included in Salem city.
[13] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	2,039,369	39,560	10.8	25,691	7.0	30,099	8.2
White	1,781,897	27,606	9.4	18,058	6.2	21,497	7.4
All other	257,472	11,972	16.1	7,633	10.2	8,602	11.5
Black	235,884	10,881	18.4	7,002	11.8	7,653	12.9
Urban places	1,166,867	24,345	11.5	15,947	7.5	17,531	8.3
White	976,606	15,271	9.8	10,069	6.4	11,265	7.2
All other	190,061	9,074	16.2	5,878	10.5	6,266	11.2
Black	176,247	8,404	18.5	5,458	12.0	5,653	12.4
Balance of area	872,502	15,235	9.9	9,744	6.3	12,568	8.1
White	805,091	12,337	9.1	7,989	5.9	10,232	7.5
All other	67,411	2,898	15.5	1,755	9.4	2,336	12.5
Black	59,637	2,477	17.9	1,544	11.1	2,000	14.4
Metropolitan counties	1,483,786	30,166	10.8	19,867	7.1	22,472	8.0
White	1,282,480	20,396	9.3	13,517	6.2	15,597	7.1
All other	201,306	9,770	16.0	6,350	10.4	6,875	11.3
Black	185,884	9,008	18.4	5,892	12.0	6,165	12.6
Urban places	1,047,555	22,188	11.5	14,613	7.6	15,972	8.3
White	871,186	13,679	9.7	9,086	6.4	10,133	7.2
All other	176,369	8,509	16.2	5,527	10.6	5,839	11.1
Black	163,436	7,887	18.5	5,138	12.1	5,273	12.4
Balance of area	436,231	7,976	9.3	5,254	6.1	6,500	7.6
White	411,294	6,717	8.7	4,431	5.7	5,464	7.1
All other	24,937	1,261	14.8	823	9.7	1,036	12.2
Black	22,428	1,121	17.7	744	11.8	892	14.1
Nonmetropolitan counties	555,583	9,414	10.7	5,824	6.6	7,627	8.7
White	499,417	7,212	9.7	4,541	6.1	5,900	8.0
All other	56,166	2,202	16.1	1,283	9.4	1,727	12.6
Black	50,020	1,873	18.1	1,120	10.8	1,488	14.4
Urban places [1]	119,312	2,157	11.4	1,334	7.1	1,559	8.2
White	105,620	1,592	10.3	983	6.4	1,132	7.3
All other	13,692	565	16.2	351	10.1	427	12.2
Black	12,811	517	16.3	320	11.3	380	13.5
Balance of area	436,271	7,257	10.5	4,490	6.5	6,068	8.8
White	393,797	5,620	9.6	3,558	6.1	4,768	8.1
All other	42,474	1,637	16.1	932	9.2	1,300	12.8
Black	37,209	1,356	18.0	800	10.6	1,108	14.7
Alabama	36,536	768	12.9	518	8.7	595	10.0
White	26,497	370	9.7	265	6.9	309	8.1
All other	10,039	396	18.9	253	12.1	286	13.7
Black	10,026	394	19.2	251	12.2	283	13.8
Urban places	16,215	361	13.7	258	9.8	275	10.5
White	10,368	135	9.8	102	7.4	103	7.5
All other	5,847	226	18.1	156	12.5	172	13.8
Black	5,837	225	18.4	155	12.7	170	13.9
Balance of area	20,321	405	12.3	260	7.9	320	9.7
White	16,129	235	8.6	163	6.7	206	8.4
All other	4,192	170	20.1	97	11.5	114	13.5
Black	4,189	169	20.3	96	11.5	113	13.6
Metropolitan counties	22,094	449	12.1	311	8.3	353	9.5
White	15,907	215	8.9	152	6.3	188	7.8
All other	6,187	234	17.9	159	12.2	165	12.7
Black	6,174	232	18.2	157	12.3	162	12.7
Urban places	12,957	277	13.2	199	9.5	215	10.3
White	8,136	98	9.3	75	7.1	81	7.7
All other	4,821	179	17.2	124	11.9	134	12.9
Black	4,811	178	17.5	123	12.1	132	13.0
Balance of area	9,137	172	10.6	112	6.9	138	8.5
White	7,771	117	8.6	77	5.7	107	7.9
All other	1,366	55	20.7	35	13.1	31	11.6
Black	1,363	54	20.9	34	13.2	30	11.6
Nonmetropolitan counties	14,442	317	14.4	207	9.4	242	11.0
White	10,590	155	11.0	113	8.0	121	8.6
All other	3,852	162	20.6	94	11.9	121	15.3
Black	3,852	162	20.6	94	12.1	121	15.5
Urban places	3,258	84	15.8	59	11.1	60	11.3
White	2,232	37	11.5	27	8.4	22	6.8
All other	1,026	47	22.4	32	15.2	38	18.1
Black	1,026	47	23.0	32	15.6	38	18.6
Balance of area	11,184	233	14.0	148	8.9	182	10.9
White	8,358	118	10.9	86	7.9	98	9.1
All other	2,826	115	19.9	62	10.7	83	14.4
Black	2,826	115	20.1	62	10.8	83	14.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Alaska	1,929	140	11.2	71	5.7	74	5.9
White	1,325	83	9.3	42	4.7	55	6.2
All other	604	57	16.1	29	8.2	19	5.4
Black	54	8	15.6	5	9.8	6	11.7
Urban places	1,007	77	10.7	40	5.6	41	5.7
White	826	55	9.6	27	4.7	31	5.4
All other	181	22	15.6	13	9.2	10	7.1
Black	45	7	15.7	5	11.2	4	8.9
Balance of area	922	63	11.9	31	5.8	33	6.2
White	499	28	8.8	15	4.7	24	7.6
All other	423	35	16.5	16	7.5	9	4.2
Black	9	1	15.4	–	–	2	30.8
Metropolitan census areas [2]	704	55	10.6	29	5.6	30	5.8
White	587	42	10.2	22	5.3	26	6.3
All other	117	13	12.3	7	6.8	4	3.8
Black	35	5	14.0	4	11.2	2	5.6
Urban places	704	55	10.6	29	5.6	30	5.8
White	587	42	10.2	22	5.3	26	6.3
All other	117	13	12.3	7	6.6	4	3.8
Black	35	5	14.0	4	11.2	2	5.6
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,225	85	11.7	42	5.8	44	6.1
White	738	41	8.6	20	4.2	29	6.1
All other	487	44	17.8	22	8.8	15	6.1
Black	19	3	19.4	1	6.5	4	25.8
Urban places	303	22	11.2	11	5.6	11	5.6
White	239	13	8.0	5	3.1	5	3.1
All other	64	9	25.7	6	17.1	6	17.1
Black	10	2	22.2	1	11.1	2	22.2
Balance of area	922	63	11.9	31	5.9	33	6.2
White	499	28	8.8	15	4.7	24	7.6
All other	423	35	16.5	16	7.5	9	4.2
Black	9	1	15.4	–	–	2	30.8
Arizona	23,972	525	9.5	312	5.7	343	6.2
White	22,331	405	8.8	259	5.6	284	6.2
All other	1,641	120	13.2	53	5.8	59	6.5
Black	568	43	16.9	21	8.3	14	5.5
Urban places	15,495	353	9.2	223	5.8	227	5.9
White	14,844	303	8.8	199	5.8	206	6.0
All other	651	50	12.8	24	6.2	21	5.4
Black	471	35	16.2	17	7.9	12	5.5
Balance of area	8,477	172	10.3	89	5.3	116	7.0
White	7,487	102	8.9	60	5.2	78	6.8
All other	990	70	13.5	29	5.6	38	7.3
Black	97	8	21.4	4	10.7	2	5.3
Metropolitan counties	18,220	370	9.2	236	5.9	243	6.0
White	17,413	315	8.7	207	5.7	214	5.9
All other	807	55	12.8	29	6.7	29	6.7
Black	469	33	15.3	17	7.9	13	6.0
Urban places	14,041	314	9.1	203	5.9	208	6.0
White	13,444	272	8.8	180	5.8	187	6.0
All other	597	42	11.9	23	6.5	21	5.9
Black	433	31	15.4	16	8.0	12	6.0
Balance of area	4,179	56	9.7	33	5.7	35	6.0
White	3,969	43	8.5	27	5.4	27	5.4
All other	210	13	17.1	6	7.9	8	10.5
Black	36	2	13.5	1	6.8	1	6.8
Nonmetropolitan counties	5,752	155	10.6	76	5.2	100	6.8
White	4,918	90	9.1	52	5.3	70	7.1
All other	834	65	13.6	24	5.0	30	6.3
Black	89	10	26.4	4	10.6	1	2.6
Urban places	1,454	39	10.3	20	5.3	19	5.0
White	1,400	31	9.0	19	5.5	19	5.5
All other	54	8	22.3	1	2.8	–	–
Black	38	4	26.1	1	6.5	–	–
Balance of area	4,298	116	10.7	56	5.1	81	7.4
White	3,518	59	9.1	33	5.1	51	7.9
All other	780	57	12.9	23	5.2	30	6.8
Black	61	6	28.5	3	13.3	1	4.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Arkansas	23,595	380	10.9	239	6.9	258	7.4
White	19,633	240	9.2	149	5.7	169	6.5
All other	3,962	140	16.0	90	10.3	89	10.2
Black	3,939	140	16.7	90	10.8	86	10.3
Urban places	9,103	163	11.2	102	7.0	87	6.0
White	7,270	92	9.3	59	6.0	44	4.5
All other	1,833	71	15.3	43	9.3	43	9.3
Black	1,828	71	16.1	43	9.7	42	9.5
Balance of area	14,492	217	10.7	137	6.7	171	8.4
White	12,363	148	9.1	90	5.6	125	7.7
All other	2,129	69	16.8	47	11.4	46	11.2
Black	2,111	69	17.5	47	11.9	44	11.2
Metropolitan counties	8,137	156	10.6	97	6.6	106	7.2
White	6,624	88	8.3	56	5.3	71	6.7
All other	1,513	68	16.8	41	10.1	35	8.6
Black	1,505	68	17.9	41	10.8	33	8.7
Urban places	5,755	110	11.1	67	6.7	61	6.1
White	4,554	57	8.5	36	5.4	32	4.8
All other	1,201	53	16.5	31	9.6	29	9.0
Black	1,196	53	17.4	31	10.2	28	9.2
Balance of area	2,382	46	9.6	30	6.3	45	9.4
White	2,070	31	7.9	20	5.1	39	9.9
All other	312	15	17.9	10	11.9	6	7.2
Black	309	15	19.9	10	13.3	5	6.6
Nonmetropolitan counties	15,458	224	11.1	142	7.1	152	7.6
White	13,009	152	9.9	93	6.0	98	6.4
All other	2,449	72	15.3	49	10.4	54	11.5
Black	2,434	72	15.8	49	10.7	53	11.6
Urban places	3,348	53	11.8	35	7.7	26	5.7
White	2,716	35	11.1	23	7.3	12	3.8
All other	632	18	12.7	12	8.5	14	9.9
Black	632	18	13.1	12	8.7	14	10.2
Balance of area	12,110	171	11.0	107	6.9	126	8.1
White	10,293	117	8.5	70	5.7	86	7.0
All other	1,817	54	16.5	37	11.3	40	12.2
Black	1,802	54	16.9	37	11.6	39	12.2
California	195,531	4,224	9.4	2,673	6.0	3,066	6.8
White	174,473	3,197	9.1	2,037	5.8	2,343	6.7
All other	21,058	1,027	10.6	636	6.5	723	7.4
Black	14,620	736	15.6	456	9.7	483	10.3
Urban places	160,001	3,521	9.4	2,229	6.0	2,542	6.8
White	140,320	2,561	9.0	1,636	5.8	1,878	6.6
All other	19,681	960	10.8	593	6.7	664	7.5
Black	13,830	699	15.9	431	9.9	447	10.1
Balance of area	35,530	703	9.4	444	5.9	524	7.0
White	34,153	636	9.6	401	6.0	465	7.0
All other	1,377	67	8.0	43	5.1	59	7.0
Black	790	37	12.4	25	8.4	36	12.0
Metropolitan counties	184,217	4,020	9.5	2,554	6.0	2,904	6.8
White	163,602	3,008	9.1	1,927	5.8	2,197	6.7
All other	20,615	1,012	10.6	627	6.6	707	7.4
Black	14,390	730	15.7	453	9.7	475	10.2
Urban places	156,600	3,447	9.5	2,191	6.0	2,477	6.8
White	137,133	2,493	9.0	1,602	5.8	1,821	6.6
All other	19,467	954	10.9	589	6.7	656	7.5
Black	13,679	694	15.9	428	9.8	443	10.1
Balance of area	27,617	573	9.4	383	5.9	427	7.0
White	26,469	515	9.5	325	6.0	376	7.0
All other	1,148	58	8.1	38	5.3	51	7.1
Black	711	36	13.0	25	9.0	32	11.5
Nonmetropolitan counties	11,314	204	8.9	119	5.2	162	7.0
White	10,671	189	9.1	110	5.3	146	7.0
All other	443	15	7.0	9	4.2	16	7.5
Black	230	6	10.5	3	5.3	8	14.0
Urban places	3,401	74	8.0	38	4.1	65	7.0
White	3,187	68	8.2	34	4.1	57	6.9
All other	214	6	6.4	4	4.3	8	8.6
Black	151	5	14.0	3	8.4	4	11.2
Balance of area	7,913	130	9.4	81	5.9	97	7.0
White	7,684	121	9.6	76	6.1	89	7.1
All other	229	9	7.4	5	4.1	8	6.6
Black	79	1	4.7	–	–	4	18.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	20,384	552	10.2	316	5.8	507	9.3
White	19,594	496	9.9	280	5.6	452	9.1
All other	800	56	12.5	36	8.1	55	12.3
Black	616	46	17.0	28	10.3	42	15.5
Urban places	13,888	360	10.4	206	5.9	333	9.6
White	13,265	311	10.0	175	5.6	284	9.2
All other	723	49	13.1	31	8.3	49	13.1
Black	588	43	17.7	26	10.7	37	15.2
Balance of area	6,496	192	9.8	110	5.6	174	8.9
White	6,329	185	9.8	105	5.6	168	8.9
All other	77	7	9.8	5	7.0	6	8.4
Black	28	3	10.9	2	7.2	5	18.1
Metropolitan counties	15,634	458	10.3	263	5.9	414	9.3
White	14,876	404	10.0	229	5.7	361	9.0
All other	758	54	12.8	34	8.0	53	12.5
Black	611	46	17.2	28	10.5	41	15.4
Urban places	13,088	345	10.2	197	5.8	319	9.5
White	12,371	296	9.9	166	5.5	270	9.0
All other	717	49	13.2	31	8.3	49	13.2
Black	588	43	17.8	28	10.7	37	15.3
Balance of area	2,546	113	10.5	66	6.1	95	8.8
White	2,505	108	10.5	63	6.1	91	8.9
All other	41	5	10.0	3	6.0	4	8.0
Black	23	3	12.0	2	8.0	4	16.1
Nonmetropolitan counties	4,760	94	9.5	53	6.3	93	9.4
White	4,718	92	9.5	51	5.3	91	9.4
All other	42	2	8.3	2	8.3	2	8.3
Black	5	–	–	–	–	1	24.4
Urban places	900	15	13.8	9	8.3	14	12.9
White	894	15	14.2	9	8.5	14	13.2
All other	6	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,860	79	9.0	44	5.0	79	9.0
White	3,824	77	8.9	42	4.9	77	8.9
All other	36	2	9.4	2	9.4	2	9.4
Black	5	–	–	–	–	1	37.0
Connecticut	27,851	438	10.4	315	7.5	310	7.3
White	26,176	334	9.2	238	6.6	250	6.9
All other	1,675	104	17.2	77	12.7	60	9.9
Black	1,612	103	19.3	78	14.2	56	10.5
Urban places	20,267	356	11.9	256	8.6	202	6.8
White	18,692	255	10.5	180	7.4	151	6.2
All other	1,575	101	17.8	76	13.4	51	9.0
Black	1,526	100	19.5	75	14.6	47	9.2
Balance of area	7,584	82	8.6	59	4.8	108	8.8
White	7,484	79	8.6	58	4.8	99	8.3
All other	100	3	8.0	1	2.7	9	24.0
Black	86	3	13.4	1	4.5	9	40.2
Metropolitan counties	25,550	409	10.5	299	7.7	288	7.4
White	23,888	308	9.3	222	6.7	229	7.0
All other	1,662	101	16.9	77	12.9	59	9.9
Black	1,599	100	16.9	76	14.3	55	10.4
Urban places	19,909	351	11.9	254	8.6	199	6.8
White	18,337	251	10.5	178	7.5	148	6.2
All other	1,572	100	17.7	76	13.4	51	9.0
Black	1,523	99	19.3	75	14.7	47	9.2
Balance of area	5,641	58	6.1	45	4.8	89	9.4
White	5,551	57	6.2	44	4.8	81	8.9
All other	90	1	9.2	1	9.2	8	25.2
Black	78	1	5.4	1	5.4	8	43.0
Nonmetropolitan counties	2,301	29	8.8	16	4.8	22	6.7
White	2,288	28	8.0	16	5.0	21	6.5
All other	13	3	42.9	–	–	1	14.3
Black	13	3	68.2	–	–	1	22.7
Urban places	358	5	12.0	2	4.8	3	7.2
White	355	4	9.9	2	4.9	3	7.4
All other	3	1	83.3	–	–	–	–
Black	3	1	166.7	–	–	–	–
Balance of area	1,943	24	9.3	14	4.9	19	6.6
White	1,933	22	7.8	14	5.0	18	6.4
All other	10	2	34.5	–	–	1	17.2
Black	10	2	52.6	–	–	1	26.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Delaware	5,088	100	10.8	70	7.8	78	8.4
White	4,247	59	8.4	43	6.1	58	8.2
All other	851	41	18.6	27	12.2	20	9.0
Black	830	41	18.4	27	12.8	20	9.5
Urban places	1,524	45	19.0	32	13.5	15	6.3
White	1,042	17	13.0	13	9.9	5	3.8
All other	482	28	26.4	19	17.9	10	9.4
Black	479	28	26.8	19	18.2	10	9.6
Balance of area	3,574	55	8.0	38	5.5	63	9.1
White	3,205	42	7.3	30	5.2	53	9.2
All other	369	13	11.3	8	7.0	10	8.7
Black	351	13	12.2	8	7.5	10	9.4
Metropolitan counties	3,256	65	10.8	47	7.8	57	9.4
White	2,720	38	8.1	29	6.2	45	9.6
All other	536	27	19.8	18	13.2	12	9.8
Black	529	27	21.0	18	14.0	12	9.3
Urban places	1,318	36	19.4	27	13.8	13	6.6
White	884	12	11.5	10	9.6	5	4.8
All other	434	26	28.4	17	18.6	8	8.7
Black	431	26	28.9	17	18.9	8	8.9
Balance of area	1,938	27	6.6	20	4.9	44	10.8
White	1,836	26	7.2	19	5.2	40	11.0
All other	102	1	2.2	1	2.2	4	8.9
Black	98	1	2.6	1	2.6	4	10.4
Nonmetropolitan counties	1,842	35	10.8	23	7.1	21	6.5
White	1,527	21	6.8	14	5.9	13	5.5
All other	315	14	16.5	9	10.6	8	9.5
Black	301	14	16.8	9	10.9	8	9.7
Urban places	206	7	17.1	5	12.2	2	4.9
White	158	5	18.9	3	11.4	–	–
All other	48	2	13.8	2	13.8	2	13.8
Black	48	2	13.9	2	13.9	2	13.9
Balance of area	1,636	28	9.9	18	6.4	19	6.7
White	1,369	16	7.6	11	5.2	13	6.1
All other	267	12	17.1	7	10.0	6	8.6
Black	253	12	17.8	7	10.3	6	8.8
District of Columbia	6,762	203	21.0	155	16.0	145	15.0
White	1,852	13	7.2	9	5.0	22	12.3
All other	4,910	190	24.1	146	18.5	123	15.6
Black	4,873	188	24.3	145	18.7	122	15.7
Urban places	6,762	203	21.0	155	16.0	145	15.0
White	1,852	13	7.2	9	5.0	22	12.3
All other	4,910	190	24.1	146	18.5	123	15.6
Black	4,873	188	24.3	145	18.7	122	15.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	6,762	203	21.0	155	16.0	145	15.0
White	1,852	13	7.2	9	5.0	22	12.3
All other	4,910	190	24.1	146	18.5	123	15.6
Black	4,873	188	24.3	145	18.7	122	15.7
Urban places	6,762	203	21.0	155	16.0	145	15.0
White	1,852	13	7.2	9	5.0	22	12.3
All other	4,910	190	24.1	146	18.5	123	15.6
Black	4,873	188	24.3	145	18.7	122	15.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Florida	115,227	1,684	10.8	1,074	6.9	1,468	9.5
White	102,783	987	8.5	661	5.7	891	7.7
All other	12,444	697	17.7	413	10.5	578	14.7
Black	12,276	680	18.4	410	10.9	557	14.9
Urban places	60,919	883	10.3	582	6.5	796	9.2
White	53,025	445	7.7	297	5.2	435	7.6
All other	7,894	448	15.5	285	9.2	361	12.5
Black	7,823	446	16.1	263	9.5	349	12.6
Balance of area	54,308	791	11.5	512	7.4	673	9.8
White	49,758	542	9.3	364	6.2	456	7.8
All other	4,550	249	23.6	148	14.0	217	20.6
Black	4,453	244	25.0	147	15.0	208	21.3
Metropolitan counties	99,218	1,474	10.8	948	6.9	1,258	9.2
White	88,644	853	8.4	580	5.7	761	7.5
All other	10,574	621	17.7	368	10.5	497	14.2
Black	10,441	617	18.5	365	11.0	477	14.3
Urban places	58,817	862	10.3	544	6.5	765	9.1
White	51,231	429	7.7	289	5.2	422	7.5
All other	7,586	433	15.5	255	9.1	343	12.3
Black	7,516	431	16.0	253	9.4	331	12.3
Balance of area	40,401	612	11.6	404	7.7	493	9.4
White	37,413	424	9.3	291	6.4	339	7.4
All other	2,988	188	26.6	113	16.0	154	21.8
Black	2,925	186	28.1	112	17.5	146	22.8
Nonmetropolitan counties	16,009	210	11.2	126	6.7	211	11.3
White	14,139	134	9.3	81	5.6	130	9.0
All other	1,870	76	17.6	45	10.4	81	18.8
Black	1,835	73	17.5	45	10.8	80	19.1
Urban places	2,102	31	12.6	18	7.3	31	12.6
White	1,704	16	9.8	8	4.9	13	8.0
All other	398	15	18.1	10	12.0	18	21.7
Black	397	15	18.6	10	12.4	18	22.4
Balance of area	13,907	179	11.0	108	6.6	180	11.1
White	12,345	118	9.2	73	5.7	117	9.1
All other	1,562	61	17.5	35	10.1	63	18.1
Black	1,528	58	17.2	35	10.4	62	18.4
Georgia	46,585	1,189	12.9	803	8.7	1,054	11.5
White	33,519	589	10.0	392	6.6	563	9.5
All other	13,076	600	18.2	411	12.5	491	14.9
Black	13,016	591	18.5	404	12.7	482	15.1
Urban places	17,818	510	16.0	362	11.4	441	13.9
White	10,162	169	12.6	118	8.8	157	11.7
All other	7,656	341	18.6	244	13.3	284	15.5
Black	7,633	339	18.9	242	13.5	280	15.6
Balance of area	28,777	679	11.3	441	7.3	613	10.2
White	23,357	420	9.2	274	6.0	406	8.9
All other	5,420	259	17.8	167	11.5	207	14.2
Black	5,383	252	18.1	162	11.6	202	14.5
Metropolitan counties	25,241	713	12.7	495	8.8	638	11.4
White	17,858	349	9.7	235	6.5	321	8.9
All other	7,383	364	18.1	260	12.9	317	15.8
Black	7,332	358	18.6	256	13.3	309	16.0
Urban places	13,290	406	16.4	292	11.8	344	13.9
White	7,208	122	12.4	86	8.8	111	11.3
All other	6,082	284	19.0	206	13.8	233	15.6
Black	6,061	283	19.4	205	14.0	230	15.8
Balance of area	11,951	307	9.8	203	6.5	294	9.4
White	10,650	227	8.7	149	5.7	210	8.0
All other	1,301	80	15.6	54	10.5	84	16.4
Black	1,271	75	16.0	51	10.9	79	16.9
Nonmetropolitan counties	21,354	476	13.3	308	8.6	416	11.6
White	15,661	240	10.4	157	6.8	242	10.5
All other	5,693	236	18.4	151	11.8	174	13.6
Black	5,684	233	18.5	148	11.7	173	13.7
Urban places	4,528	104	14.8	70	9.9	97	13.8
White	2,954	47	13.0	32	8.8	46	12.7
All other	1,574	57	16.7	38	11.1	51	14.9
Black	1,572	56	16.7	37	11.0	50	14.9
Balance of area	16,826	372	12.9	238	8.3	319	11.1
White	12,707	193	9.9	125	6.4	196	10.1
All other	4,119	179	19.0	113	12.0	123	13.1
Black	4,112	177	19.1	111	12.0	123	13.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	5,640	185	9.9	122	6.5	147	7.9
White	1,777	36	7.7	24	5.2	32	6.9
All other	3,863	149	10.6	98	7.0	115	8.2
Black	53	15	17.7	7	8.3	10	11.8
Urban places	4,119	125	9.8	78	6.0	94	7.4
White	1,307	23	7.6	12	3.9	22	7.2
All other	2,812	102	10.5	64	6.6	72	7.4
Black	38	12	17.8	5	7.4	7	10.4
Balance of area	1,521	60	10.1	46	7.7	53	8.9
White	470	13	8.0	12	7.4	10	6.2
All other	1,051	47	10.8	34	7.8	43	9.9
Black	15	3	17.3	2	11.6	3	17.3
Metropolitan counties	4,168	141	9.8	90	6.2	96	6.7
White	1,315	28	7.5	16	4.3	20	5.4
All other	2,853	113	10.6	74	6.9	76	7.1
Black	45	15	18.2	7	8.5	10	12.2
Urban places	3,682	112	9.7	68	5.9	78	6.7
White	1,184	23	7.8	12	4.1	19	6.5
All other	2,478	89	10.3	56	6.5	59	6.8
Black	38	12	17.9	5	7.5	7	10.5
Balance of area	506	29	10.2	22	7.7	18	6.3
White	131	5	6.4	4	5.1	1	1.3
All other	375	24	11.7	18	8.7	17	8.3
Black	7	3	19.6	2	13.1	3	19.6
Nonmetropolitan counties	1,472	44	10.2	32	7.4	51	11.9
White	462	8	8.5	8	8.5	12	12.8
All other	1,010	36	10.7	24	7.1	39	11.6
Black	8	0	.0	0	.0	0	.0
Urban places	457	13	11.1	8	6.8	16	13.7
White	123	–	–	–	–	3	29.1
All other	334	13	12.2	8	7.5	13	12.2
Black	–	–	–	–	–	–	–
Balance of area	1,015	31	9.9	24	7.7	35	11.2
White	339	8	9.6	8	9.6	9	10.8
All other	676	23	10.0	16	7.0	26	11.3
Black	6	–	–	–	–	–	–
Idaho	7,251	176	9.8	91	5.0	139	7.7
White	7,141	171	9.8	87	5.0	128	7.4
All other	110	5	7.8	4	6.2	11	17.1
Black	16	1	11.2	1	11.2	1	11.2
Urban places	3,156	81	11.5	37	5.3	59	8.4
White	3,123	77	11.4	34	5.0	51	7.6
All other	33	4	14.2	3	10.7	8	28.5
Black	13	–	–	–	–	1	18.5
Balance of area	4,095	95	8.6	54	4.9	80	7.3
White	4,018	94	8.8	53	5.0	77	7.2
All other	77	1	2.7	1	2.7	3	8.2
Black	3	1	28.6	1	28.6	–	–
Metropolitan counties	1,177	31	9.6	14	4.3	25	7.7
White	1,167	30	9.6	13	4.2	20	6.4
All other	10	1	8.1	1	8.1	5	40.7
Black	4	–	–	–	–	1	34.5
Urban places	909	19	8.9	7	3.3	22	10.3
White	902	18	8.8	6	2.9	17	8.4
All other	7	1	9.8	1	9.8	5	49.0
Black	4	–	–	–	–	1	37.0
Balance of area	268	12	10.9	7	6.4	3	2.7
White	265	12	11.2	7	6.5	3	2.8
All other	3	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	6,074	145	9.8	77	5.2	114	7.7
White	5,974	141	9.9	74	5.2	108	7.6
All other	100	4	7.7	3	5.7	6	11.5
Black	12	1	16.7	1	16.7	–	–
Urban places	2,247	62	12.7	30	6.1	37	7.6
White	2,221	59	12.5	28	5.9	34	7.2
All other	26	3	16.8	2	11.2	3	16.8
Black	9	–	–	–	–	–	–
Balance of area	3,827	83	8.4	47	4.7	77	7.8
White	3,753	82	8.6	46	4.8	74	7.7
All other	74	1	2.9	1	2.9	3	8.7
Black	3	1	30.3	1	30.3	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Illinois	100,911	2,161	12.1	1,447	8.1	1,482	8.3
White	86,933	1,297	9.5	906	6.6	960	7.0
All other	13,978	864	20.5	541	12.8	522	12.4
Black	13,603	847	22.0	532	13.8	498	13.0
Urban places	70,762	1,717	13.3	1,138	8.8	1,069	8.4
White	57,550	903	10.1	639	7.1	597	6.6
All other	13,212	814	20.6	499	12.6	492	12.4
Black	12,870	801	22.1	493	13.8	472	13.0
Balance of area	30,149	444	8.9	309	6.2	393	7.9
White	29,383	384	8.3	267	5.8	363	7.7
All other	766	50	19.0	42	15.9	30	11.4
Black	733	46	20.6	39	17.5	26	11.7
Metropolitan counties	78,237	1,875	12.5	1,253	8.4	1,257	8.4
White	64,698	1,031	9.5	724	6.6	747	6.8
All other	13,539	844	20.6	529	12.9	510	12.5
Black	13,181	828	22.1	520	13.9	487	13.0
Urban places	64,845	1,621	13.3	1,076	8.8	1,090	8.4
White	51,886	821	9.8	594	7.0	545	6.5
All other	12,959	800	20.6	492	12.7	485	12.5
Black	12,622	787	22.1	486	13.7	465	13.1
Balance of area	13,392	254	9.1	177	6.4	227	8.2
White	12,812	210	8.2	140	5.5	202	7.9
All other	580	44	20.2	37	17.0	25	11.5
Black	559	41	22.0	34	18.3	22	11.8
Nonmetropolitan counties	22,674	266	9.8	194	6.6	225	7.7
White	22,235	266	9.5	182	6.5	213	7.6
All other	439	20	16.1	12	9.6	12	9.6
Black	422	19	18.7	12	11.8	11	10.8
Urban places	5,917	96	13.5	62	8.7	59	8.3
White	5,664	82	13.0	55	8.7	52	8.2
All other	253	14	17.8	7	8.9	7	8.9
Black	248	14	21.6	7	10.8	7	10.8
Balance of area	16,757	190	8.6	132	6.0	166	7.5
White	16,571	184	8.5	127	5.9	161	7.4
All other	186	6	13.1	5	10.9	5	10.9
Black	174	5	13.5	5	13.5	4	10.8
Indiana	47,449	890	11.1	571	7.1	601	7.5
White	43,991	723	10.2	465	6.6	500	7.1
All other	3,458	167	17.8	106	11.3	101	10.8
Black	3,426	165	19.1	106	12.3	97	11.2
Urban places	27,084	559	12.9	359	8.3	335	7.7
White	23,716	394	11.4	253	7.3	239	6.9
All other	3,368	165	18.5	106	11.9	96	10.7
Black	3,344	164	19.5	106	12.6	94	11.2
Balance of area	20,365	331	9.0	212	5.8	266	7.3
White	20,275	329	9.1	212	5.9	261	7.2
All other	90	2	4.7	–	–	5	11.8
Black	82	1	4.2	–	–	3	12.6
Metropolitan counties	31,966	636	11.1	406	7.1	429	7.5
White	28,723	474	9.8	303	6.3	333	6.9
All other	3,269	162	18.5	103	11.8	96	11.0
Black	3,235	160	19.6	103	12.6	94	11.5
Urban places	22,482	490	12.9	309	8.1	294	7.7
White	19,271	329	11.1	206	7.0	200	6.8
All other	3,211	161	19.0	103	12.1	94	11.1
Black	3,187	160	20.0	103	12.9	93	11.6
Balance of area	9,504	146	7.7	97	5.1	135	7.1
White	9,452	145	7.7	97	5.2	133	7.1
All other	52	1	3.7	–	–	2	7.3
Black	48	–	–	–	–	1	6.1
Nonmetropolitan counties	15,483	254	11.0	165	7.2	172	7.5
White	15,268	249	11.1	162	7.2	167	7.4
All other	195	5	8.3	3	5.0	5	8.3
Black	191	5	10.4	3	6.2	3	8.2
Urban places	4,602	89	12.6	50	9.1	41	7.5
White	4,445	65	12.9	47	9.3	39	7.8
All other	157	4	8.8	3	6.6	2	4.4
Black	157	4	9.8	3	7.4	1	2.5
Balance of area	10,881	165	10.5	115	6.8	131	7.5
White	10,823	164	10.6	115	6.6	128	7.4
All other	58	1	6.6	–	–	3	19.9
Black	34	1	13.9	–	–	2	26.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Iowa	27,020	374	8.8	250	5.9	328	7.7
White	26,687	356	8.8	238	5.9	313	7.7
All other	333	18	10.6	12	7.0	15	8.8
Black	287	18	15.1	11	10.4	14	13.2
Urban places	10,779	183	9.7	123	6.5	157	8.3
White	10,478	166	9.5	112	6.4	142	8.1
All other	301	17	11.4	11	7.4	15	10.0
Black	270	15	14.9	10	9.9	14	13.3
Balance of area	16,241	191	8.2	127	5.4	171	7.3
White	16,209	190	8.2	126	5.4	171	7.4
All other	32	1	4.8	1	4.8	–	–
Black	17	1	19.6	1	19.6	–	–
Metropolitan counties	9,107	164	9.0	111	6.1	147	8.0
White	8,843	152	8.9	103	6.1	134	7.9
All other	264	12	9.3	8	6.2	13	10.0
Black	235	11	12.3	7	7.8	12	13.4
Urban places	7,429	137	9.5	91	6.3	119	8.3
White	7,168	125	9.5	83	6.3	106	8.1
All other	261	12	9.6	8	6.4	13	10.4
Black	233	11	12.6	7	8.0	12	13.8
Balance of area	1,678	27	6.8	20	5.1	28	7.2
White	1,675	27	7.0	20	5.2	28	7.2
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	17,913	210	8.7	139	5.8	181	7.5
White	17,844	204	8.6	135	5.7	179	7.6
All other	69	6	14.7	4	9.8	2	4.9
Black	52	5	30.7	4	24.5	2	12.3
Urban places	3,350	46	10.1	32	7.0	38	8.3
White	3,310	41	9.5	29	6.7	36	8.3
All other	40	5	20.4	3	12.2	2	8.2
Black	37	4	29.2	3	21.9	2	14.6
Balance of area	14,563	164	8.4	107	5.5	143	7.3
White	14,534	163	8.4	106	5.5	143	7.4
All other	29	1	6.1	1	6.1	–	–
Black	15	1	38.5	1	38.5	–	–
Kansas	22,307	404	10.1	260	6.5	280	7.0
White	21,172	333	9.4	214	6.0	233	6.6
All other	1,135	71	15.6	46	10.3	47	10.5
Black	1,052	61	18.5	39	11.6	38	11.5
Urban places	11,172	268	11.3	178	7.5	153	6.5
White	10,155	199	10.1	133	6.7	112	5.7
All other	1,017	67	17.3	45	11.7	41	10.6
Black	857	57	19.3	38	12.8	34	11.5
Balance of area	11,135	136	8.4	82	5.0	127	7.7
White	11,017	134	8.5	81	5.1	121	7.7
All other	118	4	8.5	1	1.6	6	9.7
Black	95	4	11.5	1	2.9	4	11.5
Metropolitan counties	8,781	215	11.1	141	7.3	131	6.8
White	7,942	156	9.5	101	6.2	98	6.0
All other	839	59	20.1	40	13.6	33	11.3
Black	790	50	21.4	34	14.8	26	11.1
Urban places	7,020	187	11.9	126	8.0	102	6.5
White	6,194	128	10.0	86	6.7	71	5.5
All other	826	59	20.7	40	14.1	31	10.9
Black	778	50	21.9	34	14.9	26	11.4
Balance of area	1,761	28	7.7	15	4.1	29	8.0
White	1,748	28	7.9	15	4.2	27	7.6
All other	13	–	–	–	–	2	22.5
Black	12	–	–	–	–	–	–
Nonmetropolitan counties	13,526	189	9.1	119	5.7	149	7.2
White	13,230	177	9.2	113	5.9	135	7.0
All other	296	12	7.7	6	3.9	14	9.0
Black	262	11	11.3	5	5.1	12	12.3
Urban places	4,152	79	10.0	52	6.6	51	6.4
White	3,961	71	10.3	47	6.8	41	5.9
All other	191	8	7.9	5	4.9	10	9.8
Black	179	7	10.4	4	6.0	8	11.9
Balance of area	9,374	110	8.6	67	5.2	98	7.7
White	9,269	106	8.7	66	5.4	94	7.7
All other	105	4	7.5	1	1.9	4	7.5
Black	83	4	13.2	1	3.3	4	13.2

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	33,831	615	11.5	393	7.4	420	7.9
White	31,015	524	10.9	331	6.9	354	7.4
All other	2,816	91	17.3	62	11.8	66	12.5
Black	2,591	90	18.4	61	12.5	64	13.1
Urban places	11,389	184	11.2	108	6.6	141	8.6
White	9,641	128	9.8	74	5.7	100	7.6
All other	1,748	56	16.9	34	10.3	41	12.4
Black	1,737	55	17.5	33	10.5	41	13.0
Balance of area	22,242	431	11.7	285	7.7	279	7.6
White	21,374	396	11.3	257	7.4	254	7.3
All other	868	35	17.9	28	14.3	25	12.8
Black	854	35	20.1	28	16.1	23	13.2
Metropolitan counties	14,233	270	11.1	174	7.2	178	7.3
White	12,508	203	9.9	131	6.4	137	6.7
All other	1,725	67	18.2	43	11.7	41	11.2
Black	1,711	66	19.1	42	12.1	40	11.6
Urban places	8,868	146	11.3	87	6.7	109	8.4
White	7,380	97	9.5	58	5.7	78	7.7
All other	1,488	49	18.0	29	10.8	31	11.4
Black	1,477	48	18.3	28	10.7	31	11.8
Balance of area	5,367	124	10.8	87	7.7	69	6.1
White	5,128	106	10.2	73	7.0	59	5.7
All other	239	18	19.1	14	14.8	10	10.8
Black	234	18	21.4	14	16.6	9	10.7
Nonmetropolitan counties	19,598	345	11.9	219	7.5	242	8.3
White	16,507	321	11.7	200	7.3	217	7.9
All other	891	24	15.1	19	12.0	25	15.8
Black	880	24	16.9	19	13.4	24	16.9
Urban places	2,523	38	10.9	21	8.0	32	9.2
White	2,261	31	10.7	16	6.5	22	7.6
All other	262	7	12.1	5	8.7	10	17.3
Black	260	7	13.3	5	9.5	10	19.0
Balance of area	16,875	307	12.0	198	7.7	210	8.2
White	16,246	290	11.8	184	7.5	195	7.9
All other	629	17	16.8	14	13.9	15	14.9
Black	620	17	19.0	14	15.6	14	15.6
Louisiana	35,741	982	12.1	654	8.0	735	9.0
White	24,420	438	8.9	292	5.9	350	7.1
All other	11,321	544	16.9	362	11.2	385	11.9
Black	11,222	537	17.4	357	11.6	381	12.4
Urban places	17,467	503	13.9	358	9.9	368	10.2
White	10,599	153	9.2	103	6.2	142	8.5
All other	6,868	350	17.9	255	13.1	226	11.6
Black	6,821	346	18.4	251	13.4	225	12.0
Balance of area	18,274	479	10.6	296	6.5	367	8.1
White	13,821	285	8.8	189	5.8	208	6.4
All other	4,453	194	15.2	107	8.4	159	12.5
Black	4,401	191	15.8	106	8.8	156	12.9
Metropolitan parishes [2]	21,955	627	12.3	447	8.8	444	8.7
White	14,855	257	8.6	182	6.1	200	6.7
All other	7,100	370	17.8	265	12.7	244	11.7
Black	7,038	366	18.4	263	13.2	242	12.2
Urban places	14,677	426	14.0	314	10.3	309	10.1
White	8,808	129	9.3	91	6.6	108	7.9
All other	5,869	298	17.8	223	13.3	201	12.0
Black	5,831	296	18.3	221	13.7	200	12.4
Balance of area	7,278	201	9.8	133	6.5	135	6.6
White	6,047	129	7.9	91	5.6	92	5.6
All other	1,231	72	17.8	42	10.4	43	10.6
Black	1,207	70	18.8	42	11.3	42	11.3
Nonmetropolitan parishes [2]	13,786	355	11.6	207	6.8	291	9.5
White	9,585	181	9.5	110	5.7	150	7.8
All other	4,221	174	15.2	97	8.5	141	12.3
Black	4,184	171	15.6	94	8.6	139	12.7
Urban places	2,790	77	13.4	44	7.6	59	10.2
White	1,781	25	8.3	12	4.0	34	11.3
All other	999	52	19.0	32	11.7	25	9.1
Black	990	50	19.2	30	11.5	25	9.6
Balance of area	10,996	278	11.2	163	6.6	232	9.4
White	7,774	156	9.7	98	6.1	116	7.2
All other	3,222	122	14.0	65	7.5	116	13.3
Black	3,194	121	14.5	64	7.7	114	13.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maine	10,873	141	8.4	85	5.1	119	7.1
White	10,829	138	8.4	82	5.0	115	7.0
All other	44	3	9.0	3	9.0	4	12.0
Black	18	1	9.7	1	9.7	1	9.7
Urban places	3,142	42	9.9	26	6.1	27	8.3
White	3,128	40	9.6	24	5.8	25	6.0
All other	14	2	18.7	2	18.7	2	18.7
Black	11	1	23.8	1	23.8	–	–
Balance of area	7,731	99	7.9	59	4.7	92	7.4
White	7,701	98	8.0	58	4.7	90	7.3
All other	30	1	4.4	1	4.4	2	8.9
Black	7	–	–	–	–	1	16.4
Metropolitan counties	5,843	83	8.8	50	5.3	62	6.6
White	5,822	81	8.8	48	5.2	61	6.6
All other	21	2	10.4	2	10.4	1	5.2
Black	13	1	14.5	1	14.5	–	–
Urban places	2,624	36	10.1	23	6.4	20	5.6
White	2,611	35	10.1	22	6.3	19	5.5
All other	13	1	10.1	1	10.1	1	10.1
Black	11	1	24.4	1	24.4	–	–
Balance of area	3,219	47	8.0	27	4.6	42	7.2
White	3,211	46	8.0	26	4.5	42	7.3
All other	8	1	10.8	1	10.8	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	5,030	58	7.9	35	4.8	57	7.6
White	5,007	57	7.9	34	4.7	54	7.5
All other	23	1	7.1	1	7.1	3	21.4
Black	5	–	–	–	–	1	29.4
Urban places	518	6	8.7	3	4.4	7	10.2
White	517	5	7.4	2	2.9	6	8.8
All other	1	1	125.0	1	125.0	1	125.0
Black	–	–	–	–	–	–	–
Balance of area	4,512	52	7.8	32	4.8	50	7.5
White	4,490	52	8.0	32	4.9	48	7.4
All other	22	–	–	–	–	2	15.2
Black	5	–	–	–	–	1	30.3
Maryland	35,466	773	11.8	532	8.1	602	9.2
White	27,795	430	9.8	295	6.7	330	7.5
All other	7,671	343	15.9	237	11.0	272	12.6
Black	7,483	336	17.0	233	11.8	263	13.3
Urban places	13,979	311	14.3	208	9.5	232	10.6
White	9,010	108	10.3	68	6.5	92	8.7
All other	4,969	203	18.0	140	12.4	140	12.4
Black	4,928	201	18.9	138	13.0	137	12.9
Balance of area	21,487	462	10.6	324	7.4	370	8.5
White	18,785	322	9.7	227	6.8	238	7.1
All other	2,702	140	13.6	97	9.4	132	12.8
Black	2,565	135	14.9	95	10.5	126	13.9
Metropolitan counties	30,903	677	11.7	465	8.0	530	9.1
White	24,073	364	9.6	248	6.5	283	7.5
All other	6,830	313	15.6	217	10.8	247	12.3
Black	6,656	306	16.7	213	11.7	238	13.0
Urban places	13,096	289	14.0	193	9.4	214	10.4
White	8,304	99	10.2	63	6.5	80	8.3
All other	4,792	190	17.3	130	11.9	134	12.2
Black	4,751	188	18.2	128	12.4	131	12.7
Balance of area	17,807	388	10.4	272	7.3	316	8.5
White	15,769	265	8.4	185	6.6	203	7.2
All other	2,038	123	13.5	87	9.6	113	12.4
Black	1,905	118	14.9	85	10.7	107	13.5
Nonmetropolitan counties	4,563	96	12.9	67	9.0	72	9.7
White	3,722	66	11.2	47	8.0	47	8.0
All other	841	30	19.6	20	13.1	25	16.4
Black	837	30	20.7	20	13.8	25	17.3
Urban places	883	22	18.6	15	12.7	18	15.2
White	706	9	10.7	5	6.0	12	14.3
All other	177	13	37.9	10	29.2	6	17.5
Black	177	13	40.2	10	31.0	6	18.6
Balance of area	3,680	74	11.9	52	8.3	54	8.7
White	3,016	57	11.3	42	8.3	35	6.9
All other	664	17	14.3	10	8.4	19	16.0
Black	660	17	15.1	10	8.9	19	16.9
Massachusetts	55,332	701	9.0	477	6.1	556	7.1
White	53,493	606	8.6	418	5.9	472	8.7
All other	1,839	95	12.3	59	7.6	84	10.9
Black	1,647	81	14.2	50	8.8	76	13.3
Urban places	41,929	543	9.5	365	6.4	401	7.0
White	40,213	458	9.2	313	6.3	322	6.5
All other	1,716	85	11.9	52	7.3	79	11.0
Black	1,541	74	13.7	45	8.3	72	13.3
Balance of area	13,403	158	7.4	112	5.3	155	7.3
White	13,280	148	7.1	105	5.1	150	7.2
All other	123	10	18.1	7	12.6	5	9.0
Black	106	7	23.8	5	17.0	4	13.6
Metropolitan counties	52,550	678	9.0	462	6.1	533	7.1
White	50,768	585	8.7	404	6.0	449	6.8
All other	1,782	93	12.3	58	7.6	84	11.1
Black	1,595	79	14.1	49	8.7	76	13.5
Urban places	41,487	541	9.6	364	6.4	401	7.1
White	39,783	456	9.2	312	6.3	322	6.5
All other	1,704	85	11.9	52	7.3	79	11.1
Black	1,529	74	13.7	45	8.4	72	13.4
Balance of area	11,063	137	7.3	98	5.3	132	7.1
White	10,985	129	7.1	92	5.1	127	7.0
All other	78	8	17.7	6	13.3	5	11.1
Black	66	5	22.4	4	17.9	4	17.9
Nonmetropolitan counties	2,782	23	7.4	15	4.0	23	7.4
White	2,725	21	7.0	14	4.7	23	7.7
All other	57	2	15.3	1	7.6	–	–
Black	52	2	21.7	1	10.9	–	–
Urban places	442	2	4.4	1	2.2	–	–
White	430	2	4.7	1	2.4	–	–
All other	12	–	–	–	–	–	–
Black	12	–	–	–	–	–	–
Balance of area	2,340	21	7.9	14	5.2	23	8.6
White	2,295	19	7.4	13	5.1	23	9.0
All other	45	2	19.4	1	9.7	–	–
Black	40	2	28.2	1	14.1	–	–
Michigan	76,588	1,597	11.7	1,099	8.1	815	6.0
White	65,958	1,041	9.4	705	6.4	605	5.5
All other	10,630	556	22.0	394	15.6	210	8.3
Black	10,377	541	23.5	388	16.9	190	8.3
Urban places	45,996	1,087	13.7	766	9.7	474	6.0
White	35,996	562	10.1	392	7.0	291	5.2
All other	10,000	525	22.4	374	15.9	183	7.8
Black	9,838	512	23.4	368	16.8	171	7.8
Balance of area	30,592	510	9.0	333	5.8	341	6.0
White	29,962	479	8.7	313	5.7	314	5.7
All other	630	31	16.7	20	10.8	27	14.5
Black	539	29	25.9	20	17.9	19	17.0
Metropolitan counties	61,719	1,389	12.4	979	8.7	656	5.8
White	51,346	844	9.6	586	6.7	451	5.1
All other	10,373	545	22.2	387	15.8	205	8.4
Black	10,200	533	23.4	382	16.8	186	8.2
Urban places	44,300	1,062	13.9	749	9.8	461	6.0
White	34,321	539	10.1	377	7.1	279	5.2
All other	9,979	523	22.5	372	16.0	182	7.8
Black	9,828	511	23.4	367	16.8	170	7.8
Balance of area	17,419	327	9.1	224	6.3	195	5.5
White	17,025	305	8.8	209	6.1	172	5.0
All other	394	22	17.6	15	12.0	23	18.4
Black	372	22	24.7	15	16.8	16	18.0
Nonmetropolitan counties	14,869	208	8.7	126	5.3	159	6.7
White	14,612	197	8.6	119	5.2	154	6.7
All other	257	11	13.8	7	8.8	5	6.3
Black	177	8	29.6	6	22.2	4	14.8
Urban places	1,696	25	9.6	17	6.5	13	5.0
White	1,675	23	9.5	15	6.2	12	5.0
All other	21	2	10.8	2	10.8	1	5.4
Black	10	1	24.4	1	24.4	1	24.4
Balance of area	13,173	183	8.6	109	5.1	146	6.9
White	12,937	174	8.5	104	5.1	142	6.9
All other	236	9	14.7	5	8.2	4	6.5
Black	167	7	30.6	5	21.8	3	13.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Minnesota	33,768	598	8.9	370	5.5	465	7.0	Missouri	49,131	777	10.4	479	6.4	544	7.3
White	33,150	555	8.9	344	5.5	414	6.7	White	44,169	564	9.0	344	5.5	413	6.6
All other	618	41	8.7	26	5.5	51	10.9	All other	4,962	213	17.3	135	11.0	131	10.6
Black	321	22	12.4	17	9.6	22	12.4	Black	4,899	210	18.3	132	11.5	127	11.1
Urban places	17,753	338	9.3	213	5.9	241	6.7	Urban places	22,833	433	12.5	271	7.8	280	8.1
White	17,299	301	9.3	189	5.8	196	6.1	White	18,728	259	10.3	160	6.4	164	6.5
All other	454	35	9.2	24	6.3	45	11.8	All other	4,105	174	18.1	111	11.5	116	12.0
Black	315	21	12.2	16	9.3	22	12.6	Black	4,063	172	18.9	109	12.0	113	12.4
Balance of area	16,013	260	8.5	157	5.1	224	7.3	Balance of area	26,298	344	8.6	208	5.2	264	6.6
White	15,651	254	8.6	155	5.2	218	7.3	White	25,441	305	8.2	184	4.9	249	6.7
All other	162	6	6.8	2	2.3	6	6.8	All other	857	39	14.5	24	8.9	15	5.6
Black	6	1	23.3	1	23.3	–	–	Black	836	38	16.3	23	9.9	14	6.0
Metropolitan counties	19,516	400	9.0	255	5.7	306	6.9	Metropolitan counties	29,832	550	10.9	342	6.8	369	7.2
White	19,050	365	9.0	231	5.7	258	6.3	White	25,434	363	9.2	221	5.6	244	6.2
All other	466	35	9.0	24	6.2	48	12.4	All other	4,398	187	17.1	121	11.1	119	10.9
Black	319	21	12.1	16	9.2	22	12.7	Black	4,351	185	18.1	119	11.6	116	11.3
Urban places	14,878	304	9.4	195	6.1	218	6.8	Urban places	20,055	393	12.6	249	8.0	254	8.1
White	14,439	269	9.4	171	6.0	173	6.1	White	16,128	226	10.2	141	6.4	144	6.5
All other	439	35	9.5	24	6.5	45	12.2	All other	3,927	167	18.1	108	11.7	110	12.0
Black	314	21	12.3	16	9.4	22	12.9	Black	3,889	166	19.0	107	12.2	107	12.2
Balance of area	4,638	96	7.7	60	4.8	88	7.1	Balance of area	9,777	157	8.2	93	4.8	109	5.7
White	4,611	96	7.9	60	4.9	85	7.0	White	9,306	137	7.8	80	4.6	100	5.7
All other	27	–	–	–	–	3	15.0	All other	471	20	11.7	13	7.6	9	5.3
Black	5	–	–	–	–	–	–	Black	462	19	12.6	12	8.0	9	6.0
Nonmetropolitan counties	14,250	198	8.9	115	5.2	159	7.2	Nonmetropolitan counties	19,299	227	9.4	137	5.7	181	7.5
White	14,100	190	8.9	113	5.3	156	7.3	White	18,735	201	8.8	123	5.4	169	7.4
All other	150	8	7.3	2	2.4	3	3.6	All other	564	26	18.6	14	10.0	12	8.6
Black	2	1	34.5	1	34.5	–	–	Black	548	25	20.6	13	10.7	11	9.1
Urban places	2,875	32	8.1	18	4.5	23	5.8	Urban places	2,778	40	11.8	22	6.4	26	7.6
White	2,660	32	8.3	18	4.7	23	6.0	White	2,600	33	11.0	19	6.3	20	6.7
All other	15	–	–	–	–	–	–	All other	178	7	16.3	3	7.0	6	14.0
Black	1	–	–	–	–	–	–	Black	174	6	15.6	2	5.2	6	15.6
Balance of area	11,375	164	9.0	97	5.4	136	7.5	Balance of area	16,521	187	9.0	115	5.5	155	7.5
White	11,240	159	9.1	95	5.4	133	7.6	White	16,135	168	8.5	104	5.3	149	7.5
All other	135	6	8.8	2	2.9	3	4.4	All other	386	19	19.8	11	11.3	6	6.2
Black	1	1	71.4	1	71.4	–	–	Black	374	19	23.0	11	13.3	5	6.0
Mississippi	23,939	632	14.4	396	9.0	549	12.5	Montana	6,711	125	8.8	63	4.5	112	7.9
White	15,355	227	10.0	159	7.0	201	8.8	White	6,404	111	8.9	57	4.6	99	8.0
All other	8,584	405	19.2	237	11.2	348	16.5	All other	307	14	8.3	6	3.6	13	7.7
Black	8,516	402	19.5	236	11.4	344	16.7	Black	8	2	29.0	–	–	1	14.5
Urban places	8,116	211	14.3	134	9.1	183	12.4	Urban places	2,639	45	9.7	27	5.8	34	7.3
White	4,948	57	8.6	43	6.5	42	6.3	White	2,602	44	10.2	27	6.3	29	6.7
All other	3,168	154	19.0	91	11.3	141	17.4	All other	37	1	3.1	–	–	5	15.5
Black	3,147	154	19.5	91	11.5	141	17.8	Black	5	1	32.3	–	–	1	32.3
Balance of area	15,823	421	14.5	262	9.0	366	12.6	Balance of area	4,072	80	8.4	36	3.8	78	8.2
White	10,407	170	10.6	116	7.2	159	9.9	White	3,802	67	8.2	30	3.7	70	8.6
All other	5,416	251	19.3	146	11.2	207	15.9	All other	270	13	9.5	6	4.4	8	5.9
Black	5,389	248	19.5	145	11.4	203	15.9	Black	3	1	26.3	–	–	–	–
Metropolitan counties	5,273	126	10.6	78	6.6	138	11.6	Metropolitan counties	1,389	29	8.3	18	5.2	30	8.6
White	3,811	60	8.2	38	5.2	61	8.4	White	1,367	27	8.4	18	5.6	25	7.7
All other	1,462	66	14.3	40	8.7	77	16.7	All other	22	2	8.0	–	–	5	20.1
Black	1,448	66	14.9	40	9.0	76	17.2	Black	2	1	17.9	–	–	1	17.9
Urban places	3,129	80	11.1	49	6.8	86	11.9	Urban places	1,070	22	9.6	14	6.1	22	9.6
White	2,151	26	7.0	17	4.6	23	6.2	White	1,053	21	10.0	14	6.6	18	8.5
All other	978	54	15.4	32	9.1	63	18.0	All other	17	1	5.8	–	–	4	23.1
Black	966	54	16.0	32	9.5	63	18.7	Black	2	1	35.7	–	–	1	35.7
Balance of area	2,144	46	9.9	29	6.2	52	11.1	Balance of area	319	7	5.8	4	3.3	8	6.7
White	1,660	34	9.5	21	5.9	38	10.7	White	314	6	5.9	4	3.6	7	6.2
All other	484	12	10.9	8	7.3	14	12.7	All other	5	1	13.2	–	–	1	13.2
Black	482	12	11.4	8	7.6	13	12.4	Black	–	–	–	–	–	–	–
Nonmetropolitan counties	18,666	506	15.8	318	10.0	411	12.9	Nonmetropolitan counties	5,322	96	9.0	45	4.2	82	7.7
White	11,544	167	10.8	121	7.8	140	9.1	White	5,037	84	9.1	39	4.2	74	8.0
All other	7,122	339	20.6	197	12.0	271	16.4	All other	285	12	8.3	6	4.2	8	5.6
Black	7,068	336	20.7	196	12.1	268	16.5	Black	6	1	76.9	–	–	–	–
Urban places	4,987	131	17.5	85	11.3	97	12.9	Urban places	1,569	23	9.8	13	5.5	12	5.1
White	2,797	31	10.6	26	8.9	19	6.5	White	1,549	23	10.5	13	5.9	11	5.0
All other	2,190	100	21.8	59	12.9	78	17.0	All other	20	–	–	–	–	1	6.7
Black	2,181	100	22.0	59	13.0	78	17.2	Black	3	–	–	–	–	–	–
Balance of area	13,679	375	15.3	233	8.5	314	12.8	Balance of area	3,753	73	8.8	32	3.9	70	8.4
White	8,747	136	10.8	95	7.6	121	9.6	White	3,488	61	8.7	26	3.7	63	9.0
All other	4,932	239	20.1	138	11.6	193	16.2	All other	265	12	9.3	6	4.6	7	5.4
Black	4,887	236	20.2	137	11.7	190	16.3	Black	3	1	100.0	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Nebraska	14,673	252	9.6	161	6.2	169	7.2
White	14,221	223	9.2	142	5.9	167	6.9
All other	452	29	14.4	19	9.4	22	10.9
Black	387	21	15.4	16	11.8	16	11.8
Urban places	6,571	151	12.1	98	7.8	92	7.4
White	6,189	128	11.7	82	7.5	76	7.0
All other	382	23	14.7	16	10.2	16	10.2
Black	357	20	16.0	15	12.0	14	11.2
Balance of area	8,102	101	7.4	63	4.6	97	7.1
White	8,032	95	7.2	60	4.6	91	6.9
All other	70	6	13.3	3	6.7	6	13.3
Black	10	1	8.8	1	8.8	2	17.5
Metropolitan counties	5,230	138	10.9	89	7.1	92	7.4
White	4,849	112	10.4	72	6.7	74	6.9
All other	381	24	14.5	17	10.3	18	10.8
Black	355	21	15.7	16	12.0	16	12.0
Urban places	4,605	116	12.7	72	7.9	74	8.1
White	4,233	93	12.1	58	7.3	59	7.5
All other	372	23	15.6	16	10.8	16	10.8
Black	350	20	16.2	15	12.1	14	11.3
Balance of area	625	20	8.1	17	5.2	18	5.5
White	616	19	8.1	16	5.1	16	5.1
All other	9	1	5.7	1	5.7	2	11.5
Black	5	1	10.2	1	10.2	2	20.4
Nonmetropolitan counties	9,443	116	8.5	72	5.3	97	7.1
White	9,372	111	8.3	70	5.3	93	7.0
All other	71	5	13.9	2	5.5	4	11.1
Black	12	–	–	–	–	–	–
Urban places	1,968	35	10.5	26	7.8	18	5.4
White	1,958	35	10.8	26	8.0	18	5.5
All other	10	–	–	–	–	–	–
Black	7	–	–	–	–	–	–
Balance of area	7,477	81	7.8	46	4.4	79	7.6
White	7,416	76	7.6	44	4.4	75	7.5
All other	61	5	18.1	2	7.2	4	14.4
Black	5	–	–	–	–	–	–
Nevada	6,755	156	10.5	89	6.0	102	6.9
White	6,315	129	10.5	75	6.1	71	5.8
All other	440	27	10.6	14	5.5	31	12.2
Black	302	22	15.2	11	7.6	29	20.0
Urban places	3,998	85	8.5	44	4.4	61	6.1
White	3,672	61	7.6	31	3.9	37	4.6
All other	326	24	11.7	13	6.4	24	11.7
Black	276	21	15.5	11	8.1	23	17.0
Balance of area	2,757	71	14.9	45	9.4	41	8.6
White	2,643	68	16.0	44	10.3	34	8.0
All other	114	3	5.9	1	2.0	7	13.8
Black	26	1	10.2	–	–	6	61.2
Metropolitan counties	5,406	126	10.4	67	5.5	84	6.9
White	5,036	99	10.0	53	5.4	54	5.5
All other	370	27	12.1	14	6.3	30	13.4
Black	293	22	15.5	11	7.7	28	19.7
Urban places	3,689	82	8.6	42	4.4	59	6.2
White	3,370	58	7.7	29	3.8	35	4.6
All other	319	24	12.1	13	6.6	24	12.1
Black	274	21	15.6	11	8.2	23	17.1
Balance of area	1,717	44	17.2	25	9.8	25	9.8
White	1,666	41	17.8	24	10.4	19	8.2
All other	51	3	11.6	1	3.9	6	23.3
Black	19	1	13.5	–	–	5	67.6
Nonmetropolitan counties	1,349	30	11.1	22	8.1	18	6.6
White	1,279	30	12.5	22	9.2	17	7.1
All other	70	–	–	–	–	1	3.2
Black	9	–	–	–	–	1	34.5
Urban places	309	3	5.9	2	3.9	2	3.9
White	302	3	6.7	2	4.5	2	4.5
All other	7	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Balance of area	1,040	27	12.3	20	9.1	16	7.3
White	977	27	13.8	20	10.2	15	7.7
All other	63	–	–	–	–	1	4.0
Black	7	–	–	–	–	1	41.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	8,039	145	10.2	101	7.1	89	6.2
White	8,021	143	10.2	99	7.1	89	6.4
All other	18	2	7.4	2	7.4	–	–
Black	15	2	18.9	2	18.9	–	–
Urban places	3,456	59	10.9	39	7.2	30	5.5
White	3,447	59	11.2	39	7.4	30	5.7
All other	9	–	–	–	–	–	–
Black	8	–	–	–	–	–	–
Balance of area	4,583	86	9.8	62	7.0	59	6.7
White	4,574	84	9.6	60	6.9	59	6.8
All other	9	2	18.9	2	18.9	–	–
Black	7	2	74.1	2	74.1	–	–
Metropolitan counties	4,434	90	9.9	62	6.9	57	6.3
White	4,419	88	10.0	60	6.8	57	6.5
All other	15	2	9.0	2	9.0	–	–
Black	15	2	20.6	2	20.6	–	–
Urban places	2,251	48	12.2	32	8.1	22	5.8
White	2,243	48	12.6	32	8.4	22	5.8
All other	8	–	–	–	–	–	–
Black	8	–	–	–	–	–	–
Balance of area	2,183	42	8.2	30	5.9	35	6.9
White	2,176	40	8.0	28	5.6	35	7.0
All other	7	2	25.0	2	25.0	–	–
Black	7	2	83.3	2	83.3	–	–
Nonmetropolitan counties	3,605	55	10.6	39	7.5	32	6.2
White	3,602	55	10.7	39	7.6	32	6.2
All other	3	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Urban places	1,205	11	7.4	7	4.7	8	5.4
White	1,204	11	7.5	7	4.8	8	5.5
All other	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	2,400	44	11.8	32	8.6	24	6.5
White	2,398	44	11.9	32	8.7	24	6.5
All other	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
New Jersey	69,437	1,109	10.9	763	7.5	859	8.5
White	61,440	730	9.3	532	6.8	568	7.2
All other	7,997	379	16.7	231	10.2	291	12.8
Black	7,747	364	18.4	218	11.0	275	13.9
Urban places	49,983	858	11.9	582	8.1	628	8.7
White	42,788	511	9.8	372	7.2	370	7.1
All other	7,195	347	17.2	210	10.4	258	12.8
Black	6,981	336	18.7	201	11.2	245	13.6
Balance of area	19,474	251	8.6	181	6.2	231	7.9
White	18,642	219	8.2	160	6.0	198	7.4
All other	832	32	12.8	21	8.4	33	13.2
Black	766	28	15.4	17	9.4	30	16.5
Metropolitan counties	61,947	1,028	11.1	703	7.6	800	8.7
White	54,098	654	9.3	477	6.8	517	7.4
All other	7,849	372	16.7	226	10.2	283	12.7
Black	7,612	358	18.4	214	11.0	267	13.8
Urban places	46,500	829	12.1	563	8.2	611	8.9
White	39,408	485	10.0	355	7.3	358	7.3
All other	7,092	344	17.3	208	10.4	255	12.8
Black	6,913	333	18.8	199	11.2	242	13.6
Balance of area	15,447	197	8.2	140	5.9	189	7.9
White	14,690	169	7.8	122	5.7	161	7.5
All other	757	28	12.2	18	7.9	28	12.2
Black	699	25	15.1	15	9.0	25	15.1
Nonmetropolitan counties	7,490	83	9.2	60	6.6	59	6.5
White	7,342	76	8.9	55	6.4	51	6.0
All other	148	7	15.4	5	11.0	8	17.5
Black	135	6	16.2	4	10.8	8	21.6
Urban places [1]	3,463	29	7.9	19	5.2	17	4.6
White	3,390	26	7.6	17	5.0	14	4.1
All other	73	3	12.0	2	8.0	3	12.0
Black	66	3	14.1	2	9.4	3	14.1
Balance of area	4,027	54	10.1	41	7.6	42	7.8
White	3,952	50	9.7	38	7.4	37	7.2
All other	75	4	19.4	3	14.6	5	24.3
Black	67	3	19.1	2	12.7	5	31.8

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Mexico [3]	9,562	283	9.6	184	6.0	188	6.8
White	8,720	214	9.4	142	6.2	161	7.1
All other	842	49	10.6	22	4.8	25	5.4
Black	162	5	7.8	1	1.6	3	4.7
Urban places	5,387	130	8.7	89	6.0	99	6.6
White	5,162	123	9.2	87	6.5	93	6.9
All other	225	7	4.7	2	1.3	6	4.0
Black	137	2	3.8	–	–	1	1.9
Balance of area	4,175	133	10.7	75	6.0	87	7.0
White	3,558	91	9.8	55	5.9	68	7.3
All other	617	42	13.4	20	6.4	19	6.0
Black	25	3	24.0	1	8.0	2	16.0
Metropolitan counties	3,784	109	9.4	72	6.6	83	7.6
White	3,571	89	9.1	67	6.8	76	7.8
All other	213	14	12.0	5	4.3	7	6.0
Black	69	2	6.9	1	3.5	1	3.5
Urban places	3,057	75	6.8	55	6.5	68	7.8
White	2,953	72	9.2	54	6.9	62	8.0
All other	104	3	4.3	1	1.4	4	5.7
Black	62	–	–	–	–	1	4.0
Balance of area	727	28	11.3	17	6.9	17	6.9
White	618	17	6.5	13	6.5	14	7.0
All other	109	11	23.7	4	8.6	3	6.5
Black	7	2	55.6	1	27.8	–	–
Nonmetropolitan counties	5,778	160	9.8	92	5.6	103	6.3
White	5,149	125	9.7	75	5.8	85	6.6
All other	629	35	10.1	17	4.9	18	5.2
Black	93	3	8.4	–	–	2	5.6
Urban places	2,330	55	8.6	34	5.3	33	5.1
White	2,209	51	9.1	33	5.9	31	5.5
All other	121	4	5.1	1	1.3	2	2.5
Black	75	2	7.5	–	–	–	–
Balance of area	3,448	105	10.5	58	5.8	70	7.0
White	2,940	74	10.1	42	5.7	54	7.4
All other	508	31	11.6	16	6.0	16	6.0
Black	18	1	11.2	–	–	2	22.5
New York	170,762	2,765	11.0	1,875	7.5	2,431	9.7
White	148,177	1,843	9.8	1,307	6.9	1,647	8.7
All other	22,585	922	14.8	568	9.1	784	12.6
Black	21,192	877	16.2	541	10.0	732	13.5
Urban places	113,035	1,997	12.3	1,332	8.2	1,714	10.6
White	92,065	1,147	11.0	808	7.7	983	9.4
All other	20,970	850	14.8	524	9.2	731	12.8
Black	19,763	811	16.0	498	9.8	687	13.5
Balance of area	57,727	768	8.6	543	6.1	717	8.0
White	56,112	696	8.3	499	5.9	664	7.9
All other	1,615	72	14.8	44	9.0	53	10.9
Black	1,429	66	19.0	43	12.4	45	13.0
Metropolitan counties	153,856	2,541	11.2	1,731	7.6	2,192	9.7
White	131,543	1,624	9.8	1,167	7.1	1,416	8.6
All other	22,313	917	15.0	564	9.2	774	12.6
Black	20,972	873	16.3	538	10.0	725	13.5
Urban places	109,022	1,844	12.4	1,300	8.3	1,659	10.6
White	88,132	1,098	11.0	779	7.8	933	9.4
All other	20,890	848	14.9	521	9.2	726	12.8
Black	19,690	807	16.0	485	9.8	683	13.5
Balance of area	44,834	697	8.5	431	6.2	533	7.6
White	43,411	526	8.0	388	5.9	485	7.4
All other	1,423	71	16.4	43	9.9	48	11.1
Black	1,282	66	20.9	43	13.6	42	13.3
Nonmetropolitan counties	16,906	224	9.1	144	5.9	239	9.8
White	16,634	219	9.3	140	5.9	229	9.7
All other	272	5	5.8	4	4.6	10	11.5
Black	220	4	7.2	3	5.4	7	12.6
Urban places	4,013	63	10.2	32	6.1	55	10.8
White	3,933	49	10.0	29	5.9	50	10.2
All other	80	4	12.3	3	9.2	5	15.4
Black	73	4	15.7	3	11.8	4	15.7
Balance of area	12,893	171	8.9	112	5.8	184	9.5
White	12,701	170	9.1	111	5.9	179	9.5
All other	192	1	1.8	1	1.8	5	9.2
Black	147	–	–	–	–	3	10.0

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
North Carolina	51,046	1,066	12.4	698	8.1	764	8.9
White	38,630	591	9.9	400	6.7	467	7.9
All other	12,416	475	17.9	298	11.2	297	11.2
Black	12,018	457	18.8	286	11.8	280	11.5
Urban places	17,811	386	13.7	262	9.3	255	9.1
White	12,262	159	9.9	112	6.9	118	7.3
All other	5,549	227	18.9	150	12.5	137	11.4
Black	5,499	222	19.6	146	12.9	129	11.4
Balance of area	33,235	680	11.7	436	7.5	509	8.8
White	26,368	432	10.0	288	6.7	349	8.1
All other	6,867	248	17.0	148	10.1	160	11.0
Black	6,520	235	18.2	140	10.8	151	11.7
Metropolitan counties	24,876	583	12.4	389	8.3	379	8.1
White	19,483	348	10.9	229	6.8	238	7.0
All other	5,393	235	18.0	160	12.2	141	10.8
Black	5,335	230	19.0	156	12.9	132	10.9
Urban places	13,430	304	14.1	207	9.6	193	9.0
White	9,422	132	10.4	90	7.1	91	7.2
All other	4,008	172	19.3	117	13.1	102	11.4
Black	3,973	167	19.9	113	13.4	97	11.5
Balance of area	11,446	279	11.0	182	7.2	186	7.4
White	10,061	216	10.2	139	6.6	147	7.0
All other	1,385	63	15.1	43	10.3	39	9.3
Black	1,362	63	16.9	43	11.5	35	9.4
Nonmetropolitan counties	26,170	483	12.3	309	7.9	385	9.8
White	19,147	243	9.5	171	6.7	229	8.9
All other	7,023	240	17.8	138	10.2	156	11.5
Black	6,684	227	16.7	130	10.7	148	12.2
Urban places	4,381	82	12.5	55	8.4	62	9.4
White	2,840	27	7.7	22	6.3	27	7.7
All other	1,541	55	17.8	33	10.7	35	11.3
Black	1,526	55	18.8	33	11.3	32	11.0
Balance of area	21,789	401	12.3	254	7.8	323	9.9
White	16,307	216	9.7	149	6.7	202	9.1
All other	5,482	185	17.7	105	10.1	121	11.6
Black	5,158	172	18.7	97	10.5	116	12.6
North Dakota	5,546	96	8.1	53	4.5	78	6.6
White	5,401	83	7.7	49	4.5	69	6.4
All other	145	13	12.5	4	3.9	9	8.7
Black	5	1	7.6	1	7.6	1	7.8
Urban places	1,874	37	7.4	17	3.4	34	6.8
White	1,854	33	6.8	16	3.4	32	6.7
All other	20	4	18.3	1	4.6	2	9.1
Black	3	1	25.0	1	25.0	–	–
Balance of area	3,672	59	8.6	36	5.3	44	6.4
White	3,547	50	8.3	33	5.5	37	6.1
All other	125	9	11.0	3	3.7	7	8.5
Black	2	–	–	–	–	1	11.0
Metropolitan counties	1,574	34	7.6	18	4.0	29	6.5
White	1,565	30	7.0	17	4.0	28	6.6
All other	9	4	20.5	1	5.1	1	5.1
Black	2	1	16.4	1	16.4	1	16.4
Urban places	1,179	26	7.9	12	3.6	24	7.3
White	1,171	22	6.9	11	3.5	24	7.6
All other	8	4	31.5	1	7.9	–	–
Black	1	1	58.8	1	58.8	–	–
Balance of area	395	8	6.9	6	5.2	5	4.3
White	394	8	7.3	6	5.5	4	3.6
All other	1	–	–	–	–	1	14.7
Black	1	–	–	–	–	1	22.7
Nonmetropolitan counties	3,972	62	8.4	35	4.8	49	6.7
White	3,838	53	8.1	32	4.9	41	6.3
All other	136	9	10.7	3	3.8	8	9.5
Black	3	–	–	–	–	–	–
Urban places	695	11	6.5	5	3.0	10	5.9
White	683	11	6.9	5	3.1	8	5.0
All other	12	–	–	–	–	2	21.7
Black	2	–	–	–	–	–	–
Balance of area	3,277	51	9.0	30	5.3	39	6.9
White	3,153	42	8.5	27	5.5	33	6.7
All other	124	9	12.0	3	4.0	6	8.0
Black	1	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	96,996	1,653	10.4	1,071	6.8	1,189	7.5
White	87,218	1,245	9.3	814	6.1	903	6.7
All other	9,778	408	16.9	257	10.7	286	11.9
Black	9,618	388	17.7	250	11.1	268	11.9
Urban places	57,702	1,044	11.5	666	7.4	732	8.1
White	48,764	660	9.6	424	6.2	468	6.8
All other	8,938	384	17.6	242	11.1	264	12.1
Black	8,826	375	18.1	235	11.4	252	12.2
Balance of area	39,294	609	9.0	405	6.0	457	6.7
White	38,454	585	8.9	390	5.9	435	6.6
All other	840	24	10.7	15	6.7	22	9.8
Black	792	23	13.3	15	8.7	16	9.2
Metropolitan counties	77,177	1,318	10.4	857	6.8	936	7.4
White	67,744	921	8.9	605	5.9	664	6.4
All other	9,433	397	17.2	252	10.9	272	11.8
Black	9,291	387	17.9	245	11.3	258	11.9
Urban places	51,372	948	11.6	613	7.5	657	8.0
White	42,644	571	9.4	374	6.2	402	6.6
All other	8,728	377	17.8	239	11.3	255	12.0
Black	8,622	368	18.3	232	11.5	245	12.2
Balance of area	25,805	370	8.3	244	5.5	279	6.3
White	25,100	350	8.2	231	5.4	262	6.1
All other	705	20	10.8	13	7.0	17	9.2
Black	669	19	12.7	13	8.7	13	8.7
Nonmetropolitan counties	19,819	335	10.4	214	6.6	253	7.9
White	19,474	324	10.4	209	6.7	239	7.7
All other	345	11	10.5	5	4.8	14	13.4
Black	327	11	14.2	5	6.5	10	12.9
Urban places	6,330	96	10.9	53	6.0	75	8.5
White	6,120	89	10.9	50	6.1	66	8.1
All other	210	7	10.7	3	4.6	9	13.7
Black	204	7	13.0	3	5.6	7	13.0
Balance of area	13,489	239	10.2	161	6.9	178	7.6
White	13,354	235	10.2	159	6.9	173	7.5
All other	135	4	10.2	2	5.1	5	12.8
Black	123	4	17.0	2	8.5	3	12.8
Oklahoma	29,343	568	11.0	384	7.0	460	8.4
White	26,409	479	11.1	311	7.2	353	8.2
All other	2,934	119	10.6	73	6.5	107	9.5
Black	1,943	79	14.8	49	9.2	63	11.8
Urban places	14,978	346	11.1	228	7.3	253	8.1
White	13,318	266	10.9	177	7.3	188	7.7
All other	1,660	80	11.7	51	7.5	65	9.5
Black	1,385	67	15.9	41	9.3	50	11.4
Balance of area	14,365	252	10.8	156	6.7	207	8.9
White	13,091	213	11.3	134	7.1	165	8.7
All other	1,274	39	8.9	22	5.0	42	9.6
Black	558	12	12.8	8	8.5	13	13.8
Metropolitan counties	15,060	366	10.8	239	7.0	290	8.5
White	13,475	287	10.7	187	7.0	213	8.0
All other	1,585	79	10.8	52	7.1	77	10.6
Black	1,235	60	14.4	35	8.4	54	13.0
Urban places	11,145	290	11.3	188	7.4	218	8.6
White	9,879	219	11.1	144	7.3	157	7.9
All other	1,266	71	12.3	44	7.6	62	10.8
Black	1,084	59	15.5	34	8.9	48	12.6
Balance of area	3,915	76	9.0	51	6.0	71	8.4
White	3,596	68	9.8	43	6.2	56	8.1
All other	319	8	5.2	8	5.2	15	9.7
Black	151	1	2.8	1	2.8	6	16.9
Nonmetropolitan counties	14,283	232	11.3	145	7.1	170	8.3
White	12,934	192	11.6	124	7.5	140	8.5
All other	1,349	40	10.2	21	5.4	30	7.7
Black	708	19	16.3	14	12.0	9	7.7
Urban places	3,833	56	10.0	40	7.1	34	6.1
White	3,439	47	10.3	33	7.3	31	6.8
All other	394	9	8.4	7	6.5	3	2.8
Black	301	8	13.8	7	12.1	2	3.4
Balance of area	10,450	176	11.9	105	7.1	136	9.2
White	9,495	145	12.1	91	7.6	109	9.1
All other	955	31	10.9	14	4.9	27	9.5
Black	407	11	18.8	7	11.9	7	11.9

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Oregon	23,162	390	9.9	190	4.8	260	6.6
White	22,636	366	10.0	181	4.9	241	6.6
All other	526	24	8.4	9	3.2	19	6.7
Black	297	11	12.1	5	5.5	8	8.8
Urban places	11,184	200	10.6	96	5.1	113	6.0
White	10,791	181	10.6	88	5.2	98	5.8
All other	393	19	9.9	8	4.2	15	7.8
Black	272	11	13.8	5	6.3	8	10.0
Balance of area	11,978	190	9.2	94	4.6	147	7.1
White	11,845	185	9.4	93	4.7	143	7.3
All other	133	5	5.3	1	1.1	4	4.3
Black	15	–	–	–	–	–	–
Metropolitan counties	14,791	256	10.0	129	5.0	141	5.5
White	14,367	237	10.1	121	5.2	127	5.4
All other	424	19	8.8	8	3.7	14	6.5
Black	274	11	12.9	5	5.9	8	9.4
Urban places	8,859	161	10.7	79	5.3	82	5.5
White	8,489	143	10.7	71	5.3	69	5.2
All other	370	18	10.7	8	4.7	13	7.7
Black	264	11	14.3	5	6.5	8	10.4
Balance of area	5,932	95	9.0	50	4.7	59	5.6
White	5,878	94	9.3	50	4.9	58	5.7
All other	54	1	2.1	–	–	1	2.1
Black	10	–	–	–	–	–	–
Nonmetropolitan counties	8,371	134	9.6	61	4.4	119	8.5
White	8,269	129	9.7	60	4.5	114	8.6
All other	102	5	7.3	1	1.5	5	7.3
Black	13	–	–	–	–	–	–
Urban places	2,325	39	10.0	17	4.3	31	7.9
White	2,302	38	10.3	17	4.6	29	7.9
All other	23	1	4.4	–	–	2	8.8
Black	8	–	–	–	–	–	–
Balance of area	6,046	95	9.4	44	4.4	88	8.7
White	5,967	91	9.5	43	4.5	85	8.9
All other	79	4	8.6	1	2.2	3	6.5
Black	5	–	–	–	–	–	–
Pennsylvania	122,009	1,638	10.4	1,131	7.2	1,510	9.6
White	110,992	1,169	8.6	823	6.1	1,166	8.7
All other	11,017	449	20.0	308	13.7	344	15.3
Black	10,821	433	21.3	298	14.6	327	16.1
Urban places	63,378	981	12.7	700	9.1	810	10.5
White	53,211	555	9.8	407	7.2	509	9.0
All other	10,168	426	20.9	293	14.4	301	14.8
Black	10,021	413	21.9	285	15.1	291	15.4
Balance of area	58,630	657	8.2	431	5.4	700	8.8
White	57,781	634	8.1	416	5.3	657	8.4
All other	849	23	10.9	15	7.1	43	20.4
Black	800	20	13.2	13	8.6	36	23.8
Metropolitan counties	98,626	1,392	10.8	979	7.6	1,239	9.6
White	88,818	947	8.8	673	6.3	899	8.4
All other	10,808	445	20.2	306	13.9	340	15.5
Black	10,625	430	21.5	297	14.8	324	16.2
Urban places	60,053	931	12.6	666	9.0	774	10.5
White	49,962	507	9.4	374	7.0	474	8.8
All other	10,091	424	21.0	292	14.5	300	14.9
Black	9,945	411	22.0	284	15.2	290	15.5
Balance of area	38,573	461	8.3	313	5.6	465	8.4
White	38,856	440	8.2	299	5.6	425	7.9
All other	717	21	11.7	14	7.8	40	22.3
Black	680	19	14.5	13	9.9	34	25.9
Nonmetropolitan counties	22,383	246	8.9	152	5.5	271	9.8
White	22,174	242	8.9	150	5.5	267	9.8
All other	209	4	8.3	2	4.1	4	8.3
Black	196	3	8.6	1	2.9	3	8.6
Urban places	3,326	50	15.4	34	10.5	36	11.1
White	3,249	48	15.6	33	10.7	35	11.4
All other	77	2	11.9	1	6.0	1	6.0
Black	76	2	13.5	1	6.8	1	6.8
Balance of area	19,057	196	8.0	118	4.8	235	9.6
White	18,925	194	8.0	117	4.8	232	9.6
All other	132	2	6.4	1	3.2	3	9.6
Black	120	1	5.0	–	–	2	10.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Rhode Island	9,435	125	9.9	88	7.0	93	7.3	South Dakota [3]	6,533	124	10.0	68	5.5	96	7.7
White	9,166	107	9.4	76	6.7	91	8.0	White	6,137	93	8.8	53	5.0	75	7.1
All other	269	18	13.6	12	9.1	2	1.5	All other	396	31	16.1	15	7.8	21	10.9
Black	225	14	16.1	9	10.3	2	2.3	Black	4	1	9.9	1	9.9	1	9.9
Urban places	7,627	99	10.1	71	7.3	67	6.9	Urban places	2,100	35	7.9	17	3.8	27	6.1
White	7,383	83	9.7	59	6.9	65	7.6	White	2,164	34	8.4	16	3.9	23	5.7
All other	244	16	13.0	12	9.7	2	1.6	All other	35	1	2.5	1	2.5	4	10.1
Black	217	13	15.4	9	10.6	2	2.4	Black	–	–	–	–	–	1	21.7
Balance of area	1,808	26	9.0	17	5.9	26	9.0	Balance of area	4,334	89	11.1	51	6.4	69	8.6
White	1,783	24	8.6	17	6.1	26	9.3	White	3,973	59	9.1	37	5.7	52	8.0
All other	25	2	23.5	–	–	–	–	All other	361	30	19.6	14	9.2	17	11.1
Black	8	1	36.5	–	–	–	–	Black	4	1	18.2	1	18.2	–	–
Metropolitan counties	8,714	111	9.7	81	7.1	89	7.8	Metropolitan counties	889	11	5.4	6	2.9	18	8.8
White	8,467	96	9.4	70	6.8	88	8.6	White	879	10	5.1	5	2.6	18	9.2
All other	247	15	12.2	11	8.9	1	.8	All other	10	1	11.0	1	11.0	–	–
Black	204	11	13.6	8	9.9	1	1.2	Black	–	–	–	–	–	–	–
Urban places	7,193	89	9.8	66	7.3	64	7.1	Urban places	722	8	5.1	4	2.5	11	7.0
White	6,970	75	9.5	55	7.0	63	8.0	White	712	7	4.7	3	2.0	11	7.4
All other	223	14	12.2	11	9.6	1	.9	All other	10	1	11.8	1	11.8	–	–
Black	197	11	14.1	8	10.2	1	1.3	Black	–	–	–	–	–	–	–
Balance of area	1,521	22	9.1	15	6.2	25	10.3	Balance of area	167	3	6.5	2	4.3	7	15.1
White	1,497	21	9.0	15	6.4	25	10.7	White	167	3	6.6	2	4.4	7	15.3
All other	24	1	12.5	–	–	–	–	All other	–	–	–	–	–	–	–
Black	7	–	–	–	–	–	–	Black	–	–	–	–	–	–	–
Nonmetropolitan counties	721	14	11.8	7	5.9	4	3.4	Nonmetropolitan counties	5,644	113	10.9	62	6.0	78	7.5
White	699	11	10.0	6	5.5	3	2.7	White	5,258	83	9.7	48	5.6	57	6.6
All other	22	3	33.3	1	11.1	1	11.1	All other	386	30	16.4	14	7.6	21	11.5
Black	21	3	45.5	1	15.2	1	15.2	Black	4	1	10.9	1	10.9	1	10.9
Urban places	434	10	13.9	5	7.0	3	4.2	Urban places	1,477	27	9.4	13	4.5	16	5.6
White	413	8	12.6	4	6.3	2	3.2	White	1,452	27	10.5	13	5.1	12	4.7
All other	21	2	23.5	1	11.8	1	11.8	All other	25	–	–	–	–	4	12.9
Black	20	2	30.8	1	15.4	1	15.4	Black	–	–	–	–	–	1	27.0
Balance of area	287	4	8.5	2	4.3	1	2.1	Balance of area	4,167	86	11.4	49	6.5	62	8.2
White	286	3	6.5	2	4.3	1	2.2	White	3,806	56	9.3	35	5.8	45	7.5
All other	1	1	200.0	–	–	–	–	All other	361	30	19.7	14	9.2	17	11.2
Black	1	1	1000.0	–	–	–	–	Black	4	1	18.2	1	18.2	–	–
South Carolina	26,374	743	14.7	495	9.8	612	12.1	Tennessee [3]	42,334	769	11.6	517	8.0	496	7.6
White	17,827	339	11.0	239	7.8	284	9.3	White	35,138	492	9.8	320	6.4	362	7.2
All other	8,547	404	20.2	256	12.8	328	16.4	All other	7,196	277	18.5	197	13.1	134	8.9
Black	8,527	404	20.7	256	13.1	328	16.7	Black	7,146	274	18.9	196	13.5	130	9.0
Urban places	7,536	213	16.4	141	10.9	148	11.4	Urban places	20,845	440	13.4	308	9.3	255	7.7
White	4,971	71	10.4	49	7.2	54	7.9	White	15,127	201	9.8	135	6.6	142	6.9
All other	2,565	142	23.1	92	15.0	94	15.3	All other	5,718	239	19.1	171	13.7	113	9.0
Black	2,556	142	23.7	92	15.3	94	15.7	Black	5,677	237	19.6	171	14.1	111	9.2
Balance of area	18,838	530	14.1	354	9.4	464	12.3	Balance of area	21,489	329	10.3	211	6.6	241	7.5
White	12,856	268	11.2	190	8.0	230	9.6	White	20,011	291	9.8	185	6.3	220	7.4
All other	5,982	262	18.9	164	11.8	234	16.9	All other	1,478	38	15.3	26	10.4	21	8.4
Black	5,971	262	19.3	164	12.1	232	17.1	Black	1,469	37	15.6	25	10.5	19	8.0
Metropolitan counties	14,976	443	14.6	293	9.7	333	11.0	Metropolitan counties	25,228	523	12.1	356	8.2	317	7.3
White	10,782	222	11.0	150	7.4	180	8.9	White	19,571	287	9.3	186	6.1	205	6.7
All other	4,194	221	21.8	143	14.1	153	15.1	All other	5,657	236	19.0	170	13.7	112	9.0
Black	4,183	221	22.4	143	14.5	153	15.5	Black	5,614	234	19.5	170	14.2	109	9.1
Urban places	5,942	177	16.8	119	11.3	120	11.4	Urban places	17,831	398	13.6	278	9.5	220	7.5
White	3,891	60	10.7	40	7.1	43	7.6	White	12,588	173	9.8	116	6.6	114	6.5
All other	2,051	117	23.8	79	16.1	77	15.7	All other	5,243	225	19.4	162	13.9	106	9.1
Black	2,046	117	24.4	79	16.5	77	16.1	Black	5,204	223	19.8	162	14.4	104	9.3
Balance of area	9,034	266	13.4	174	8.8	213	10.8	Balance of area	7,397	125	9.0	78	5.6	97	7.0
White	6,891	162	11.1	110	7.5	137	9.4	White	6,983	114	8.7	70	5.3	91	6.9
All other	2,143	104	19.9	64	12.2	76	14.5	All other	414	11	13.3	8	9.7	6	7.3
Black	2,137	104	20.5	64	12.6	76	15.0	Black	410	11	14.5	8	10.5	5	6.6
Nonmetropolitan counties	11,398	300	14.7	202	9.9	279	13.7	Nonmetropolitan counties	17,106	248	11.3	161	7.4	179	8.2
White	7,045	117	11.1	89	8.5	104	9.9	White	15,567	205	10.6	134	6.9	157	8.1
All other	4,353	183	18.6	113	11.5	175	17.8	All other	1,539	41	16.1	27	10.6	22	8.7
Black	4,344	183	18.8	113	11.6	173	17.8	Black	1,532	40	16.2	26	10.5	21	8.5
Urban places	1,594	36	14.7	22	9.0	28	11.4	Urban places	3,014	42	11.4	28	7.6	35	9.5
White	1,080	11	9.0	9	7.4	11	9.0	White	2,539	28	9.9	19	6.7	28	9.9
All other	514	25	20.2	13	10.5	17	13.8	All other	475	14	16.0	9	10.3	7	8.0
Black	510	25	20.8	13	10.7	17	14.0	Black	473	14	16.4	9	10.5	7	8.2
Balance of area	9,804	264	14.8	180	10.1	251	14.0	Balance of area	14,092	204	11.3	133	7.3	144	7.9
White	5,965	106	11.4	80	8.6	93	10.0	White	13,028	177	10.8	115	7.0	129	7.8
All other	3,839	158	18.4	100	11.6	158	18.4	All other	1,064	27	16.2	18	10.8	15	9.0
Black	3,834	158	18.6	100	11.8	156	18.3	Black	1,059	26	16.2	17	10.6	14	8.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Texas	117,021	3,127	10.5	1,960	6.6	2,453	8.2	Vermont	4,532	70	8.7	44	5.5	64	8.0
White	101,311	2,455	9.7	1,553	6.2	1,937	7.7	White	4,524	70	8.8	44	5.5	62	7.8
All other	15,710	672	14.4	407	8.7	516	11.0	All other	8	–	–	–	–	2	26.0
Black	15,317	639	15.8	391	9.7	479	11.9	Black	6	–	–	–	–	–	–
Urban places	74,493	2,241	10.8	1,437	6.9	1,691	8.1	Urban places	666	13	15.1	8	9.3	10	11.6
White	62,448	1,672	9.9	1,087	6.4	1,274	7.5	White	664	13	15.2	8	9.4	9	10.6
All other	12,045	569	14.7	350	9.0	417	10.8	All other	2	–	–	–	–	1	100.0
Black	11,739	548	16.3	337	10.1	386	11.5	Black	1	–	–	–	–	–	–
Balance of area	42,528	886	9.7	523	5.7	762	8.4	Balance of area	3,866	57	8.0	36	5.0	54	7.5
White	38,863	783	9.4	466	5.6	663	8.0	White	3,860	57	8.0	36	5.1	53	7.5
All other	3,665	103	12.8	57	7.1	99	12.3	All other	6	–	–	–	–	1	14.9
Black	3,578	93	13.5	54	7.8	93	13.5	Black	5	–	–	–	–	–	–
Metropolitan counties	85,065	2,609	10.5	1,659	6.7	2,011	8.1	Metropolitan counties	783	19	10.3	14	7.6	14	7.6
White	72,858	2,009	9.7	1,290	6.2	1,574	7.6	White	781	19	10.4	14	7.7	13	7.1
All other	12,407	600	14.5	369	8.9	437	10.5	All other	2	–	–	–	–	1	38.5
Black	12,047	570	16.1	354	10.0	403	11.4	Black	2	–	–	–	–	–	–
Urban places	67,092	2,102	10.8	1,351	7.0	1,577	8.1	Urban places	395	10	16.3	7	11.4	5	8.1
White	55,922	1,558	9.9	1,016	6.5	1,185	7.6	White	394	10	16.5	7	11.6	4	6.6
All other	11,170	544	14.7	335	9.1	392	10.6	All other	1	–	–	–	–	1	111.1
Black	10,876	522	16.4	323	10.1	362	11.4	Black	1	–	–	–	–	–	–
Balance of area	17,973	507	9.1	308	5.6	434	7.8	Balance of area	388	9	7.3	7	5.7	9	7.3
White	16,936	451	8.9	274	5.4	389	7.6	White	387	9	7.4	7	5.7	9	7.4
All other	1,237	56	12.3	34	7.5	45	9.9	All other	1	–	–	–	–	–	–
Black	1,171	48	13.4	31	8.7	41	11.5	Black	1	–	–	–	–	–	–
Nonmetropolitan counties	31,956	518	10.4	301	6.1	442	8.9	Nonmetropolitan counties	3,749	51	8.3	30	4.9	50	8.1
White	28,453	446	10.0	263	5.9	363	8.2	White	3,743	51	8.3	30	4.9	49	8.0
All other	3,503	72	13.6	38	7.2	78	14.9	All other	6	–	–	–	–	1	19.6
Black	3,270	69	14.0	37	7.5	76	15.4	Black	4	–	–	–	–	–	–
Urban places	7,401	139	9.9	86	6.1	114	8.1	Urban places	271	3	12.0	1	4.0	5	20.1
White	6,526	114	9.3	71	5.8	89	7.3	White	270	3	12.1	1	4.0	5	20.2
All other	875	25	13.9	15	8.3	25	13.9	All other	1	–	–	–	–	–	–
Black	863	24	14.7	14	8.6	24	14.7	Black	–	–	–	–	–	–	–
Balance of area	24,555	379	10.6	215	6.0	328	9.2	Balance of area	3,478	48	8.1	29	4.9	45	7.6
White	22,127	332	10.3	192	6.0	274	8.5	White	3,473	48	8.2	29	4.9	44	7.5
All other	2,428	47	13.4	23	6.6	54	15.4	All other	5	–	–	–	–	1	20.0
Black	2,407	45	13.6	23	7.0	52	15.8	Black	4	–	–	–	–	–	–
Utah	8,097	350	9.1	213	5.6	255	6.7	Virginia	44,310	1,005	12.1	716	8.7	879	10.6
White	8,782	329	9.0	198	5.4	242	6.7	White	34,557	603	9.9	435	7.2	546	9.0
All other	215	21	10.9	15	7.8	13	6.8	All other	9,753	402	18.3	281	12.8	333	15.2
Black	70	4	14.9	4	14.9	–	–	Black	9,580	388	19.6	269	13.6	327	16.6
Urban places	4,827	189	10.0	110	5.8	151	8.0	Urban places	19,195	519	13.8	372	9.9	416	11.1
White	4,701	174	9.8	100	5.6	148	8.2	White	13,514	261	10.9	189	7.9	211	8.8
All other	126	15	14.2	10	9.4	5	4.7	All other	5,681	258	19.1	183	13.5	205	15.2
Black	58	2	10.5	2	10.5	–	–	Black	5,601	253	20.4	178	14.4	201	16.2
Balance of area	4,170	161	8.3	103	5.3	104	5.3	Balance of area	25,115	486	10.8	344	7.6	463	10.3
White	4,081	155	8.3	98	5.3	96	5.2	White	21,043	342	9.3	246	6.7	335	9.1
All other	89	6	7.0	5	5.8	8	9.3	All other	4,072	144	17.1	98	11.6	128	15.2
Black	12	2	26.0	2	26.0	–	–	Black	3,979	135	18.3	91	12.4	126	17.1
Metropolitan counties	6,826	277	9.3	166	5.6	190	6.4	Metropolitan counties	28,743	779	12.6	556	9.0	621	10.0
White	6,662	258	9.1	152	5.3	181	6.4	White	21,698	453	10.3	324	7.4	356	8.1
All other	164	19	13.6	14	10.0	9	6.4	All other	7,045	326	18.3	232	13.0	265	14.9
Black	70	4	15.7	4	15.7	–	–	Black	6,887	312	19.8	220	14.0	259	16.5
Urban places	4,358	172	10.1	99	5.8	137	8.1	Urban places	17,582	485	14.0	353	10.0	386	10.9
White	4,239	157	9.8	89	5.6	132	8.3	White	12,072	246	11.1	177	8.0	187	8.4
All other	119	15	15.2	10	10.2	5	5.1	All other	5,510	249	19.0	176	13.4	199	15.2
Black	58	2	10.9	2	10.9	–	–	Black	5,431	244	20.3	171	14.2	195	16.2
Balance of area	2,468	105	8.2	67	5.2	53	4.1	Balance of area	11,161	294	10.7	203	7.6	235	8.8
White	2,423	101	8.1	63	5.1	48	3.9	White	9,626	207	9.5	147	6.7	169	7.7
All other	45	4	9.6	4	9.6	4	9.6	All other	1,535	77	16.4	56	11.9	66	14.0
Black	12	2	28.2	2	28.2	–	–	Black	1,456	68	16.3	49	13.2	64	17.2
Nonmetropolitan counties	2,171	73	8.6	47	5.6	65	7.7	Nonmetropolitan counties	15,567	226	10.6	160	7.7	258	12.4
White	2,120	71	8.9	46	5.8	61	7.7	White	12,859	150	9.0	111	6.8	190	11.4
All other	51	2	3.9	1	1.9	4	7.7	All other	2,708	76	18.4	49	11.8	68	16.4
Black	–	–	–	–	–	–	–	Black	2,693	76	18.9	49	12.2	68	16.9
Urban places	469	17	9.1	11	5.9	14	7.5	Urban places	1,613	24	10.6	19	8.4	30	13.2
White	462	17	9.5	11	6.1	14	7.8	White	1,442	15	8.1	12	6.5	24	13.0
All other	7	–	–	–	–	–	–	All other	171	9	21.4	7	16.6	6	14.3
Black	–	–	–	–	–	–	–	Black	170	9	23.5	7	18.3	6	15.7
Balance of area	1,702	56	8.5	36	5.5	51	7.7	Balance of area	13,954	202	10.9	141	7.8	228	12.3
White	1,658	54	8.8	35	5.7	47	7.6	White	11,417	135	9.1	99	6.7	166	11.2
All other	44	2	4.5	1	2.3	4	9.0	All other	2,537	67	18.0	42	11.3	62	16.7
Black	–	–	–	–	–	–	–	Black	2,523	67	18.4	42	11.5	62	17.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Washington	33,814	703	10.2	373	5.4	450	6.5	Wisconsin	41,047	725	9.9	458	6.3	511	7.0
White	32,246	600	9.9	320	5.3	390	6.4	White	39,790	604	9.2	380	5.8	426	6.5
All other	1,568	103	12.4	53	6.4	60	7.2	All other	1,257	121	16.7	78	10.8	85	11.8
Black	788	68	21.3	39	12.6	25	8.1	Black	995	88	18.7	64	12.2	71	13.5
Urban places	17,255	342	11.9	187	6.5	214	7.4	Urban places	20,666	402	10.8	263	7.1	276	7.4
White	16,161	262	10.9	143	5.9	180	7.5	White	19,621	290	9.4	189	6.1	200	6.5
All other	1,094	80	17.0	44	9.4	34	7.2	All other	1,065	112	17.4	74	11.5	76	11.8
Black	664	57	28.1	33	16.2	17	8.4	Black	967	88	19.0	64	12.4	70	13.6
Balance of area	16,559	361	9.0	186	4.6	236	5.9	Balance of area	20,381	323	9.0	195	5.4	235	6.5
White	16,085	338	9.2	177	4.8	210	5.7	White	20,169	314	8.9	191	5.4	226	6.4
All other	474	23	6.4	9	2.5	26	7.2	All other	192	9	11.3	4	5.0	9	11.3
Black	104	9	8.4	6	5.6	8	7.5	Black	28	–	–	–	–	1	10.8
Metropolitan counties	26,279	564	10.1	302	5.4	368	6.6	Metropolitan counties	25,384	498	10.1	320	6.5	341	6.9
White	24,882	476	9.8	255	5.3	318	6.5	White	24,285	386	9.1	247	5.8	265	6.2
All other	1,397	88	11.9	47	6.3	55	7.3	All other	1,099	112	17.1	73	11.1	76	11.8
Black	747	64	21.2	38	12.6	24	7.9	Black	978	97	18.7	63	12.1	70	13.5
Urban places	15,192	290	11.5	161	6.4	193	7.6	Urban places	16,353	371	10.9	242	7.1	261	7.7
White	14,130	216	10.4	121	5.8	159	7.6	White	17,301	261	9.5	170	6.2	185	6.7
All other	1,062	74	16.5	40	8.9	34	7.6	All other	1,052	110	17.4	72	11.4	76	12.0
Black	651	58	28.2	33	16.6	17	8.6	Black	964	97	18.9	63	12.3	70	13.6
Balance of area	11,087	274	9.0	141	4.6	175	5.7	Balance of area	7,031	127	8.3	78	5.1	80	5.3
White	10,752	259	9.4	134	4.9	154	5.6	White	6,984	125	8.3	77	5.1	80	5.3
All other	335	15	5.0	7	2.3	21	7.0	All other	47	2	9.0	1	4.5	–	–
Black	98	8	7.7	5	4.8	7	6.8	Black	14	–	–	–	–	–	–
Nonmetropolitan counties	7,535	139	10.7	71	5.5	82	6.3	Nonmetropolitan counties	15,683	227	9.4	138	5.7	170	7.1
White	7,364	125	10.3	65	5.3	77	6.3	White	15,505	218	9.3	133	5.7	161	6.9
All other	171	14	17.2	6	7.4	5	6.2	All other	158	9	13.4	5	7.4	9	13.4
Black	21	2	25.3	1	12.7	1	12.7	Black	17	1	19.6	1	19.6	1	19.6
Urban places	2,063	52	15.1	26	7.5	21	6.1	Urban places	2,333	31	9.5	21	6.4	15	4.6
White	2,031	46	14.3	22	6.8	21	6.5	White	2,320	29	9.2	19	6.0	15	4.7
All other	32	6	26.0	4	17.3	–	–	All other	13	2	20.4	2	20.4	–	–
Black	13	1	23.3	–	–	–	–	Black	3	1	43.5	1	43.5	–	–
Balance of area	5,472	87	9.1	45	4.7	61	6.4	Balance of area	13,330	196	9.4	117	5.6	155	7.5
White	5,333	79	8.8	43	4.8	56	6.2	White	13,185	189	9.4	114	5.6	146	7.2
All other	139	8	13.8	2	3.4	5	8.6	All other	145	7	12.2	3	5.2	9	15.7
Black	8	1	27.8	1	27.8	1	27.8	Black	14	–	–	–	–	1	35.7
West Virginia	19,207	270	11.0	175	7.1	209	8.5	Wyoming	3,189	108	11.1	69	7.1	71	7.3
White	18,405	254	10.8	164	7.0	198	8.4	White	3,115	104	11.2	65	7.0	67	7.2
All other	802	16	15.2	11	10.4	11	10.4	All other	74	4	8.4	4	8.4	4	8.4
Black	789	15	16.1	10	10.7	11	11.8	Black	20	1	9.4	1	9.4	1	9.4
Urban places	5,382	61	11.6	40	7.8	50	9.5	Urban places	1,404	49	11.5	30	7.0	33	7.7
White	4,987	52	11.0	32	6.8	45	9.5	White	1,373	47	11.5	28	6.9	32	7.9
All other	395	9	17.1	8	15.2	5	9.5	All other	31	2	10.7	2	10.7	1	5.3
Black	389	9	19.3	8	17.1	5	10.7	Black	19	1	11.6	1	11.6	1	11.6
Balance of area	13,825	209	10.8	135	7.0	159	8.2	Balance of area	1,785	59	10.7	39	7.1	38	6.9
White	13,418	202	10.7	132	7.0	153	8.1	White	1,742	57	11.0	37	7.1	35	6.7
All other	407	7	13.3	3	5.7	6	11.4	All other	43	2	6.9	2	6.9	3	10.4
Black	400	6	12.9	2	4.3	6	12.9	Black	1	–	–	–	–	–	–
Metropolitan counties	7,021	82	8.5	58	6.5	77	9.0	Metropolitan counties	415	16	11.3	10	7.0	10	7.0
White	6,746	76	9.2	51	6.2	74	9.0	White	408	16	11.7	10	7.3	9	6.6
All other	275	6	15.8	5	13.2	3	7.9	All other	7	–	–	–	–	1	20.8
Black	267	6	18.2	5	15.2	3	9.1	Black	6	–	–	–	–	1	52.6
Urban places	3,617	39	10.8	25	7.1	37	10.5	Urban places	346	11	8.9	7	6.3	6	5.4
White	3,402	32	9.8	20	6.1	35	10.7	White	339	11	10.3	7	6.8	5	4.7
All other	215	6	22.8	5	19.0	2	7.6	All other	7	–	–	–	–	1	22.7
Black	210	6	25.1	5	20.9	2	8.4	Black	6	–	–	–	–	1	55.6
Balance of area	3,404	44	8.7	31	6.1	40	7.9	Balance of area	69	5	16.2	3	9.7	4	12.9
White	3,344	44	8.9	31	6.3	39	7.8	White	69	5	16.4	3	9.8	4	13.1
All other	60	–	–	–	–	1	8.5	All other	–	–	–	–	–	–	–
Black	57	–	–	–	–	1	11.0	Black	–	–	–	–	–	–	–
Nonmetropolitan counties	12,186	188	11.8	119	7.4	132	8.3	Nonmetropolitan counties	2,774	92	11.0	59	7.1	61	7.3
White	11,859	178	11.6	113	7.4	124	8.1	White	2,707	88	11.1	55	7.0	58	7.3
All other	327	10	14.8	6	8.9	8	11.9	All other	67	4	9.3	4	9.3	3	7.0
Black	322	9	14.9	5	8.3	8	13.3	Black	14	1	11.5	1	11.5	–	–
Urban places	1,765	23	13.3	15	8.7	13	7.5	Urban places	1,058	38	12.1	23	7.3	27	8.6
White	1,585	20	13.7	12	8.2	10	6.8	White	1,034	38	12.0	21	7.0	27	9.0
All other	180	3	11.4	3	11.4	3	11.4	All other	24	2	14.0	2	14.0	–	–
Black	179	3	13.2	3	13.2	3	13.2	Black	13	1	14.7	1	14.7	–	–
Balance of area	10,421	165	11.6	104	7.3	119	8.3	Balance of area	1,716	54	10.4	36	6.9	34	6.6
White	10,074	158	11.4	101	7.3	114	8.2	White	1,673	52	10.6	34	6.9	31	6.3
All other	347	7	17.0	3	7.3	5	12.2	All other	43	2	7.0	2	7.0	3	10.5
Black	343	6	16.0	2	5.3	5	13.3	Black	1	–	–	–	–	–	–

1 Includes data for Brick Township and Dover Township (Ocean County), New Jersey, which had 1980 populations of 53,629 and 64,455, respectively. Ocean county is not designated as metropolitan.
2 County equivalents.
3 Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,039,369	39,580	7,372	9,076	38,817	49,928	62,556	117,213	287,355	476,570	550,912	399,466	524
Male	1,076,514	22,359	4,142	5,585	28,660	35,767	40,587	73,831	178,618	279,378	270,437	136,799	353
Female	962,855	17,221	3,230	3,491	10,157	14,161	21,969	43,382	108,739	197,192	280,475	262,667	171
White	1,781,897	27,608	5,413	7,011	31,515	37,400	47,310	93,177	242,627	416,494	498,618	372,354	372
Male	934,529	15,805	3,070	4,327	23,374	27,104	30,846	59,125	152,066	247,154	245,060	126,344	254
Female	847,368	11,803	2,343	2,684	8,141	10,296	16,464	34,052	90,561	171,340	253,556	246,010	118
All other	257,472	11,972	1,959	2,065	7,302	12,528	15,246	24,036	44,728	58,076	52,296	27,112	152
Male	141,985	6,554	1,072	1,258	5,286	8,663	9,741	14,706	26,550	32,224	25,377	10,455	99
Female	115,487	5,418	887	807	2,016	3,865	5,505	9,330	18,178	25,852	26,919	16,657	53
Black	235,884	10,881	1,679	1,829	6,331	11,380	13,885	22,098	41,490	53,856	47,879	24,439	137
Male	129,147	5,961	919	1,115	4,556	7,897	8,920	13,537	24,642	29,637	22,648	9,225	90
Female	106,737	4,920	760	714	1,775	3,483	4,965	8,561	16,848	24,219	25,231	15,214	47
Metropolitan counties	1,483,786	30,166	5,306	6,437	28,320	38,705	47,632	88,578	215,149	344,325	393,630	284,953	385
Male	774,829	16,952	2,949	3,893	20,777	27,651	30,952	55,353	132,730	198,885	189,122	95,311	254
Female	708,957	13,214	2,357	2,544	7,543	11,054	16,680	33,225	82,419	145,440	204,508	189,642	131
White	1,282,480	20,396	3,800	4,853	22,587	28,343	35,172	68,834	178,944	298,613	354,532	265,129	277
Male	663,906	11,578	2,123	2,940	16,653	20,489	22,879	43,303	111,271	174,249	170,379	87,860	184
Female	618,574	8,820	1,677	1,913	5,934	7,854	12,293	25,531	67,673	125,364	184,153	177,269	93
All other	201,306	9,770	1,506	1,584	5,733	10,362	12,460	19,744	36,205	44,712	39,098	19,824	108
Male	110,923	5,376	826	953	4,124	7,162	8,073	12,050	21,459	24,636	18,743	7,451	70
Female	90,383	4,394	680	631	1,609	3,200	4,587	7,694	14,746	20,076	20,355	12,373	38
Black	185,884	9,008	1,342	1,412	5,189	9,635	11,690	18,352	33,838	41,567	35,832	17,893	97
Male	101,799	4,967	738	850	3,723	6,705	7,511	11,230	20,061	22,685	16,712	6,556	63
Female	84,085	4,041	606	562	1,466	2,930	4,188	7,122	13,777	18,882	19,120	11,337	34
Nonmetropolitan counties	555,583	9,414	2,066	2,639	10,497	11,223	14,724	28,635	72,206	132,245	157,282	114,513	139
Male	301,685	5,407	1,193	1,692	7,883	8,116	9,635	18,478	45,888	80,493	81,315	41,488	99
Female	253,898	4,007	873	947	2,614	3,107	5,089	10,157	26,320	51,752	75,967	73,025	40
White	499,417	7,212	1,613	2,158	8,928	9,057	12,138	24,343	63,683	118,881	144,086	107,225	95
Male	270,623	4,229	947	1,387	6,721	6,615	7,967	15,822	40,795	72,905	74,681	38,484	70
Female	228,794	2,983	666	771	2,207	2,442	4,171	8,521	22,888	45,976	69,403	68,741	25
All other	56,166	2,202	453	481	1,569	2,166	2,586	4,292	8,523	13,364	13,196	7,288	44
Male	31,062	1,178	246	305	1,162	1,501	1,868	2,656	5,091	7,588	6,634	3,004	29
Female	25,104	1,024	207	176	407	665	918	1,636	3,432	5,776	6,564	4,284	15
Black	50,020	1,873	337	417	1,142	1,745	2,186	3,746	7,652	12,289	12,047	6,546	40
Male	27,348	994	183	265	833	1,192	1,409	2,307	4,581	6,952	5,936	2,669	27
Female	22,672	879	154	152	309	553	777	1,439	3,071	5,337	6,111	3,877	13
Alabama	36,536	766	143	203	704	916	1,248	2,415	5,470	8,802	9,829	6,040	2
Male	19,593	427	80	129	515	647	811	1,518	3,467	5,193	4,830	1,975	1
Female	16,943	339	63	74	189	269	435	897	2,003	3,609	4,999	4,065	1
White	26,497	370	78	135	501	552	824	1,679	3,954	6,340	7,380	4,704	-
Male	14,246	212	47	90	363	401	541	1,073	2,587	3,853	3,600	1,479	-
Female	12,251	158	31	45	138	151	283	606	1,367	2,487	3,780	3,225	-
All other	10,039	396	65	68	203	364	422	736	1,516	2,462	2,449	1,336	2
Male	5,347	215	33	39	152	248	270	445	880	1,340	1,230	496	1
Female	4,692	181	32	29	51	116	152	291	636	1,122	1,219	840	1
Black	10,026	394	65	67	202	364	420	734	1,513	2,460	2,449	1,336	2
Male	5,339	214	33	38	152	248	269	444	878	1,338	1,230	496	1
Female	4,687	180	32	29	50	116	151	290	635	1,122	1,219	840	1
Metropolitan counties	22,094	449	85	120	425	560	783	1,521	3,447	5,341	5,836	3,526	1
Male	11,722	256	48	75	301	394	495	957	2,131	3,139	2,791	1,134	1
Female	10,372	193	37	45	124	166	288	564	1,316	2,202	3,045	2,392	-
White	15,907	215	49	75	299	335	501	1,043	2,471	3,793	4,354	2,772	-
Male	8,457	120	29	51	211	245	317	667	1,564	2,314	2,078	861	-
Female	7,450	95	20	24	88	90	184	376	907	1,479	2,276	1,911	-
All other	6,187	234	36	45	126	225	282	478	976	1,548	1,482	754	1
Male	3,265	136	19	24	90	149	178	290	567	825	713	273	1
Female	2,922	98	17	21	36	76	104	188	409	723	769	481	-
Black	6,174	232	36	44	125	225	280	478	973	1,548	1,482	754	1
Male	3,257	135	19	23	90	149	177	289	565	823	713	273	1
Female	2,917	97	17	21	35	76	103	167	408	723	769	481	-
Nonmetropolitan counties	14,442	317	58	83	279	356	483	894	2,023	3,461	3,993	2,514	1
Male	7,871	171	32	54	214	253	318	561	1,336	2,054	2,039	841	-
Female	6,571	146	26	29	65	103	147	333	687	1,407	1,954	1,673	1
White	10,590	155	29	60	202	217	323	636	1,483	2,547	3,006	1,932	-
Male	5,789	92	18	39	152	158	224	406	1,023	1,539	1,522	618	-
Female	4,801	63	11	21	50	61	99	230	460	1,008	1,484	1,314	-
All other	3,852	162	29	23	77	139	160	258	540	914	987	582	1
Male	2,082	79	14	15	62	97	92	155	313	515	517	223	-
Female	1,770	83	15	8	15	42	48	103	227	399	470	359	1
Black	3,852	162	29	23	77	139	140	258	540	914	987	582	1
Male	2,082	79	14	15	62	97	92	155	313	515	517	223	-
Female	1,770	83	15	8	15	42	48	103	227	399	470	359	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	1,928	140	33	24	159	187	171	218	313	314	260	107	3
Male	1,250	86	22	12	119	143	114	148	208	195	156	44	3
Female	678	54	11	12	40	44	57	70	105	119	104	63	–
White	1,325	83	20	16	98	119	129	158	230	226	171	73	2
Male	870	55	15	8	74	100	90	102	156	138	100	30	2
Female	455	28	5	8	24	19	39	56	74	88	71	43	–
All other	604	57	13	8	61	68	42	60	83	88	89	34	1
Male	380	31	7	4	45	43	24	46	52	57	56	14	1
Female	224	26	6	4	16	25	18	14	31	31	33	20	–
Black	54	8	1	–	6	6	3	5	9	6	8	2	–
Male	40	7	–	–	6	4	3	5	7	4	4	–	–
Female	14	1	1	–	–	2	–	–	2	2	4	2	–
Metropolitan census areas [1]	704	55	9	11	59	77	88	88	111	104	80	24	–
Male	453	37	6	4	41	59	56	61	70	63	47	9	–
Female	251	18	3	7	18	18	30	27	41	41	33	15	–
White	587	42	8	9	52	59	70	75	93	91	70	20	–
Male	387	28	5	4	36	48	49	51	60	56	42	8	–
Female	200	14	1	5	16	11	21	24	33	35	28	12	–
All other	117	13	3	2	7	18	18	13	18	13	10	4	–
Male	66	9	1	–	5	11	7	10	10	7	5	1	–
Female	51	4	2	2	2	7	9	3	8	6	5	3	–
Black	35	5	1	–	4	5	2	5	5	5	3	–	–
Male	29	4	–	–	4	4	2	5	4	4	2	–	–
Female	6	1	1	–	–	1	–	–	1	1	1	–	–
Nonmetropolitan census areas [1]	1,225	85	24	13	100	110	85	130	202	210	180	83	3
Male	797	49	16	8	78	84	58	87	138	132	109	35	3
Female	428	36	8	5	22	26	27	43	64	78	71	48	–
White	738	41	14	7	46	60	59	83	137	135	101	53	2
Male	463	27	10	4	38	52	41	51	96	82	58	22	2
Female	255	14	4	3	8	8	18	32	41	53	43	31	–
All other	487	44	10	6	54	50	26	47	65	75	79	30	1
Male	314	22	6	4	40	32	17	36	42	50	51	13	1
Female	173	22	4	2	14	18	9	11	23	25	28	17	–
Black	19	3	–	–	2	1	1	–	4	1	5	2	–
Male	11	3	–	–	2	–	1	–	3	–	2	–	–
Female	8	–	–	–	–	1	–	–	1	1	3	2	–
Arizona	23,972	525	156	156	643	685	772	1,345	3,448	6,018	6,372	3,807	35
Male	13,651	258	78	101	493	517	500	840	2,130	3,654	3,532	1,521	27
Female	10,321	267	78	55	150	178	272	505	1,318	2,364	2,840	2,286	8
White	22,331	405	110	135	534	584	630	1,177	3,224	5,753	6,116	3,655	28
Male	12,639	195	55	87	407	409	416	744	1,992	3,494	3,372	1,444	24
Female	9,692	210	55	48	127	155	214	433	1,232	2,259	2,744	2,211	4
All other	1,641	120	46	21	109	131	142	168	224	265	256	152	7
Male	1,012	63	23	14	86	108	84	96	138	160	160	77	3
Female	629	57	23	7	23	23	58	72	86	105	96	75	4
Black	568	43	10	5	16	28	38	53	91	131	102	47	4
Male	334	20	3	1	13	20	24	34	53	62	61	21	2
Female	234	23	7	4	3	8	14	19	38	49	41	26	2
Metropolitan counties	18,220	370	100	106	449	506	555	982	2,509	4,552	4,996	3,077	18
Male	10,179	179	49	64	338	365	362	623	1,529	2,727	2,709	1,222	12
Female	8,041	191	51	42	111	141	193	359	980	1,825	2,287	1,855	6
White	17,413	315	83	102	413	451	485	894	2,380	4,392	4,869	3,015	14
Male	9,698	153	43	63	309	325	317	568	1,454	2,632	2,632	1,191	11
Female	7,715	162	40	39	104	126	168	326	926	1,760	2,237	1,824	3
All other	807	55	17	4	36	55	70	88	129	160	127	62	4
Male	481	28	6	1	29	40	45	55	75	95	77	31	1
Female	326	29	11	3	7	15	25	33	54	65	50	31	3
Black	469	33	9	3	12	19	30	47	80	110	85	38	3
Male	274	15	3	1	10	11	18	31	46	70	51	17	1
Female	195	18	6	2	2	8	12	16	34	40	34	21	2
Nonmetropolitan counties	5,752	155	56	50	194	189	217	363	939	1,466	1,376	730	17
Male	3,472	79	29	37	155	152	138	217	601	927	823	299	15
Female	2,280	76	27	13	39	37	79	146	338	539	553	431	2
White	4,918	90	27	33	121	113	145	283	844	1,361	1,247	640	14
Male	2,941	42	12	24	98	84	99	176	538	862	740	253	13
Female	1,977	48	15	9	23	29	46	107	306	499	507	387	1
All other	834	65	29	17	73	76	72	80	95	105	129	90	3
Male	531	37	17	13	57	68	39	41	63	65	83	46	2
Female	303	28	12	4	16	8	33	39	32	40	46	44	1
Black	99	10	1	2	4	9	8	6	11	21	17	9	1
Male	60	5	–	–	3	9	6	3	7	12	10	4	1
Female	39	5	1	2	1	–	2	3	4	9	7	5	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	23,595	380	86	116	419	460	651	1,240	3,155	5,639	6,937	4,509	3
Male	13,012	217	48	78	308	332	432	813	2,037	3,476	3,568	1,703	2
Female	10,583	163	40	38	111	128	219	427	1,118	2,163	3,369	2,806	1
White	19,633	240	61	77	330	329	498	990	2,604	4,713	5,899	3,890	2
Male	10,852	144	38	57	242	244	338	680	1,706	2,943	3,058	1,421	1
Female	8,781	96	23	20	88	85	160	330	898	1,770	2,841	2,469	1
All other	3,962	140	25	39	89	131	153	250	551	926	1,038	619	1
Male	2,160	73	8	21	66	88	94	153	331	533	510	282	1
Female	1,802	67	17	18	23	43	59	97	220	393	528	337	-
Black	3,939	140	25	39	86	131	152	248	547	923	1,032	615	1
Male	2,146	73	8	21	63	88	94	151	329	531	505	282	1
Female	1,793	67	17	18	23	43	58	97	218	392	527	333	-
Metropolitan counties	8,137	156	33	44	147	166	257	466	1,160	1,947	2,283	1,476	2
Male	4,407	88	17	25	106	118	169	316	739	1,161	1,127	540	1
Female	3,730	68	16	19	41	48	88	150	421	786	1,156	936	1
White	6,624	88	24	29	109	113	195	360	906	1,598	1,929	1,269	2
Male	3,566	55	15	19	76	83	128	248	592	952	958	441	1
Female	3,058	33	9	10	33	30	67	114	316	646	971	828	1
All other	1,513	68	9	15	38	53	62	106	252	349	354	207	-
Male	841	33	2	6	30	35	41	70	147	209	169	99	-
Female	672	35	7	9	8	18	21	36	105	140	185	108	-
Black	1,505	68	9	15	36	53	62	105	250	346	354	207	-
Male	835	33	2	6	28	35	41	69	146	207	169	99	-
Female	670	35	7	9	8	18	21	36	104	139	185	108	-
Nonmetropolitan counties	15,458	224	53	72	272	294	394	774	1,995	3,692	4,654	3,033	1
Male	8,605	129	29	53	202	214	263	497	1,298	2,315	2,441	1,163	1
Female	6,853	95	24	19	70	80	131	277	697	1,377	2,213	1,870	-
White	13,009	152	37	48	221	216	303	630	1,696	3,115	3,970	2,621	-
Male	7,286	89	23	38	166	161	210	414	1,114	1,991	2,100	980	-
Female	5,723	63	14	10	55	55	93	216	582	1,124	1,870	1,641	-
All other	2,449	72	16	24	51	78	91	144	299	577	684	412	1
Male	1,319	40	6	15	36	53	53	83	184	324	341	183	1
Female	1,130	32	10	9	15	25	38	61	115	253	343	229	-
Black	2,434	72	16	24	50	78	90	143	297	577	678	408	1
Male	1,311	40	6	15	35	53	53	82	183	324	336	183	1
Female	1,123	32	10	9	15	25	37	61	114	253	342	225	-
California	195,531	4,224	882	959	4,515	6,351	7,147	11,505	27,293	43,421	50,426	38,649	159
Male	103,093	2,360	488	578	3,390	4,697	4,781	7,134	16,483	25,161	24,924	12,990	107
Female	92,438	1,864	394	381	1,125	1,654	2,366	4,371	10,810	18,260	25,502	25,659	52
White	174,473	3,197	703	775	3,789	5,155	5,775	9,524	23,735	38,987	46,294	38,391	136
Male	91,095	1,829	393	477	2,855	3,836	3,891	5,906	14,357	22,611	22,734	12,112	94
Female	83,378	1,368	310	298	934	1,319	1,884	3,618	9,378	16,376	23,560	24,279	44
All other	21,058	1,027	179	184	726	1,196	1,372	1,981	3,558	4,424	4,132	2,258	21
Male	11,998	531	95	101	535	861	890	1,228	2,126	2,550	2,190	878	13
Female	9,060	496	84	83	191	335	482	753	1,432	1,874	1,942	1,380	8
Black	14,620	736	116	126	549	926	1,019	1,446	2,624	3,071	2,602	1,391	14
Male	8,232	389	57	71	411	687	685	916	1,575	1,702	1,223	508	8
Female	6,388	347	59	55	138	239	334	530	1,049	1,369	1,379	883	6
Metropolitan counties	184,217	4,020	845	883	4,227	5,986	6,776	10,941	25,781	40,535	47,469	38,609	133
Male	96,748	2,231	469	537	3,172	4,424	4,526	6,781	15,599	23,399	23,295	12,229	84
Female	87,469	1,789	376	356	1,055	1,564	2,248	4,160	10,182	17,136	24,174	24,380	49
White	163,602	3,008	668	710	3,513	4,809	5,426	8,999	22,288	36,211	43,446	34,409	113
Male	85,016	1,713	375	436	2,647	3,574	3,652	5,580	13,511	20,918	21,168	11,372	72
Female	78,584	1,295	293	274	866	1,235	1,774	3,419	8,777	15,293	22,280	23,037	41
All other	20,615	1,012	177	173	714	1,179	1,350	1,942	3,493	4,324	4,021	2,200	20
Male	11,730	518	94	101	525	850	876	1,201	2,088	2,481	2,127	857	12
Female	8,885	494	83	82	189	329	474	741	1,405	1,843	1,894	1,343	8
Black	14,390	730	116	126	545	920	1,006	1,425	2,579	3,015	2,548	1,367	13
Male	8,106	384	57	71	406	685	677	900	1,550	1,666	1,200	501	7
Female	6,284	346	59	55	137	235	329	525	1,029	1,349	1,348	866	6
Nonmetropolitan counties	11,314	204	37	66	288	363	371	564	1,512	2,886	2,957	2,040	26
Male	6,345	129	19	41	218	273	253	353	884	1,762	1,629	761	23
Female	4,969	75	18	25	70	90	118	211	628	1,124	1,328	1,279	3
White	10,871	169	35	65	276	346	349	525	1,447	2,786	2,848	1,982	25
Male	6,077	116	18	41	208	262	239	326	848	1,693	1,566	740	22
Female	4,794	73	17	24	68	84	110	199	601	1,093	1,280	1,242	3
All other	443	15	2	1	12	17	22	39	65	100	111	58	1
Male	268	13	1	-	10	11	14	27	38	69	63	21	1
Female	175	2	1	1	2	6	8	12	27	31	48	37	-
Black	230	6	-	-	4	6	13	21	45	56	54	24	1
Male	126	5	-	-	3	2	8	16	25	36	23	7	1
Female	104	1	-	-	1	4	5	5	20	20	31	17	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	20,384	552	109	111	561	675	784	1,163	2,617	4,236	5,092	4,494	-
Male	10,539	308	61	61	409	481	501	732	1,562	2,462	2,496	1,466	-
Female	9,855	244	48	50	152	194	283	431	1,055	1,774	2,596	3,028	-
White	19,584	496	94	101	515	633	721	1,089	2,485	4,099	4,964	4,397	-
Male	10,121	278	53	58	377	453	464	681	1,481	2,397	2,442	1,437	-
Female	9,473	218	41	43	138	180	257	408	1,004	1,702	2,522	2,960	-
All other	800	56	15	10	46	42	63	74	132	137	128	97	-
Male	418	30	8	3	32	28	37	51	81	65	54	29	-
Female	382	26	7	7	14	14	26	23	51	72	74	68	-
Black	616	45	14	6	34	33	41	60	105	99	111	67	-
Male	325	27	8	1	22	25	23	42	66	48	44	21	-
Female	291	19	6	5	12	8	18	18	39	53	67	46	-
Metropolitan counties	15,634	458	77	82	426	538	621	931	2,102	3,244	3,800	3,355	-
Male	7,979	254	42	43	310	384	389	572	1,235	1,882	1,832	1,056	-
Female	7,655	204	35	39	116	154	232	359	867	1,362	1,968	2,299	-
White	14,876	404	62	72	382	496	568	864	1,977	3,113	3,676	3,264	-
Male	7,588	224	34	40	280	356	357	527	1,159	1,801	1,782	1,028	-
Female	7,288	180	28	32	102	140	209	337	818	1,312	1,894	2,236	-
All other	758	54	15	10	44	42	55	67	125	131	124	91	-
Male	391	30	6	3	30	28	32	45	76	61	50	28	-
Female	367	24	7	7	14	14	23	22	49	70	74	63	-
Black	611	46	14	6	34	33	41	59	104	98	110	66	-
Male	321	27	8	1	22	25	23	41	65	45	43	21	-
Female	290	19	6	5	12	8	18	18	39	53	67	45	-
Nonmetropolitan counties	4,760	94	32	29	135	137	163	232	515	992	1,292	1,139	-
Male	2,560	54	19	18	99	97	112	160	327	600	664	410	-
Female	2,200	40	13	11	36	40	51	72	188	392	628	729	-
White	4,718	92	32	29	133	137	155	225	508	986	1,288	1,133	-
Male	2,533	54	19	18	97	97	107	154	322	596	660	409	-
Female	2,185	38	13	11	38	40	48	71	186	390	628	724	-
All other	42	2	-	-	2	-	8	7	7	6	4	6	-
Male	27	-	-	-	2	-	5	6	5	4	4	1	-
Female	15	2	-	-	-	-	3	1	2	2	-	5	-
Black	5	-	-	-	-	-	-	1	1	1	1	1	-
Male	4	-	-	-	-	-	-	1	1	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Connecticut	27,851	438	50	76	452	552	778	1,386	3,755	6,566	7,415	6,382	1
Male	14,107	249	24	46	323	390	489	837	2,357	3,823	3,521	2,047	1
Female	13,744	189	26	30	129	162	289	549	1,398	2,743	3,894	4,335	-
White	26,176	334	39	62	404	452	636	1,180	3,439	6,235	7,147	6,247	1
Male	13,204	204	17	37	295	324	401	703	2,150	3,650	3,414	2,008	1
Female	12,972	130	22	25	109	128	235	477	1,289	2,585	3,733	4,239	-
All other	1,675	104	11	14	48	100	142	206	316	331	268	135	-
Male	903	45	7	9	28	66	88	134	207	173	107	39	-
Female	772	59	4	5	20	34	54	72	109	158	161	96	-
Black	1,612	103	10	13	45	96	140	198	308	323	249	127	-
Male	867	44	6	8	26	63	87	128	203	170	96	36	-
Female	745	59	4	5	19	33	53	70	105	153	153	91	-
Metropolitan counties	25,550	409	42	67	402	519	718	1,286	3,492	5,982	6,762	5,870	1
Male	12,935	230	21	39	282	388	452	769	2,205	3,477	3,192	1,899	1
Female	12,615	179	21	28	120	131	266	517	1,287	2,505	3,570	3,971	-
White	23,888	308	32	54	354	419	576	1,082	3,176	5,654	6,495	5,737	1
Male	12,044	188	14	31	254	302	364	637	1,998	3,307	3,086	1,862	1
Female	11,844	120	18	23	100	117	212	445	1,178	2,347	3,409	3,875	-
All other	1,662	101	10	13	48	100	142	204	316	328	267	133	-
Male	891	42	7	8	28	66	88	132	207	170	108	37	-
Female	771	59	3	5	20	34	54	72	109	158	161	96	-
Black	1,589	100	9	12	45	96	140	196	308	320	248	125	-
Male	855	41	6	7	26	63	87	126	203	167	95	34	-
Female	744	59	3	5	19	33	53	70	105	153	153	91	-
Nonmetropolitan counties	2,301	29	8	9	50	33	60	100	263	564	653	512	-
Male	1,172	19	3	7	41	22	37	68	152	346	328	148	-
Female	1,129	10	5	2	9	11	23	32	111	238	324	364	-
White	2,288	26	7	8	50	33	60	98	263	581	652	510	-
Male	1,160	16	3	6	41	22	37	68	152	343	328	146	-
Female	1,128	10	4	2	9	11	23	32	111	238	324	364	-
All other	13	3	1	1	-	-	-	2	-	3	1	2	-
Male	12	3	-	1	-	-	-	2	-	3	1	2	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black	13	3	1	1	-	-	-	2	-	3	1	2	-
Male	12	3	-	1	-	-	-	2	-	3	1	2	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,098	100	18	27	86	119	166	322	816	1,241	1,263	939	1
Male	2,634	61	6	13	62	83	103	201	499	720	589	296	1
Female	2,464	39	12	14	24	36	63	121	317	521	674	643	-
White	4,247	59	13	16	70	88	112	239	657	1,039	1,110	845	1
Male	2,189	37	4	7	52	58	71	150	406	618	513	272	1
Female	2,058	22	9	9	18	28	41	89	251	421	597	573	-
All other	851	41	5	11	16	33	54	83	159	202	153	94	-
Male	445	24	2	6	10	25	32	51	93	102	76	24	-
Female	406	17	3	5	6	8	22	32	66	100	77	70	-
Black	830	41	5	11	16	32	52	81	155	198	148	91	-
Male	436	24	2	6	10	25	30	50	91	100	75	23	-
Female	394	17	3	5	6	7	22	31	64	98	73	68	-
Metropolitan counties	3,256	65	9	17	41	77	100	226	521	795	809	595	1
Male	1,655	38	2	8	33	57	61	137	312	443	362	201	1
Female	1,601	27	7	9	8	20	39	89	209	352	447	394	-
White	2,720	38	6	11	35	57	84	165	424	664	711	544	1
Male	1,373	23	1	4	27	43	42	99	254	379	314	186	1
Female	1,347	15	5	7	8	14	22	66	170	285	397	358	-
All other	536	27	3	6	6	20	36	61	97	131	98	51	-
Male	282	15	1	4	6	14	19	38	58	64	48	15	-
Female	254	12	2	2	-	6	17	23	39	67	50	36	-
Black	529	27	3	6	6	19	34	60	97	129	98	50	-
Male	279	15	1	4	6	14	17	38	58	63	48	15	-
Female	250	12	2	2	-	5	17	22	39	66	50	35	-
Nonmetropolitan counties	1,842	35	9	10	45	42	66	96	295	446	454	344	-
Male	979	23	4	5	28	26	42	64	187	277	227	95	-
Female	863	12	5	5	16	16	24	32	108	169	227	249	-
White	1,527	21	7	5	35	29	48	74	233	375	399	301	-
Male	816	14	3	3	25	15	29	51	152	239	199	86	-
Female	711	7	4	2	10	14	19	23	81	136	200	215	-
All other	315	14	2	5	10	13	18	22	62	71	55	43	-
Male	163	9	1	2	4	11	13	13	35	38	28	9	-
Female	152	5	1	3	6	2	5	9	27	33	27	34	-
Black	301	14	2	5	10	13	18	21	58	69	50	41	-
Male	157	9	1	2	4	11	13	12	33	37	27	8	-
Female	144	5	1	3	6	2	5	9	25	32	23	33	-
District of Columbia	6,762	203	20	29	124	296	390	561	1,127	1,482	1,481	1,034	15
Male	3,584	127	11	13	93	211	256	361	704	799	678	317	14
Female	3,178	76	9	16	31	85	134	200	423	683	803	717	1
White	1,852	13	2	4	10	41	54	70	162	367	578	547	6
Male	834	8	1	4	7	28	38	50	96	195	251	150	6
Female	1,018	5	1	-	3	13	16	20	66	172	325	397	-
All other	4,910	190	18	25	114	255	336	491	965	1,115	905	487	9
Male	2,750	119	10	9	86	183	218	311	608	604	427	167	8
Female	2,160	71	8	16	28	72	118	180	357	511	478	320	1
Black	4,873	188	17	24	113	255	336	487	963	1,109	893	479	9
Male	2,726	117	10	8	86	183	218	309	607	601	418	161	8
Female	2,147	71	7	16	27	72	118	178	356	508	475	318	1
Metropolitan counties	6,762	203	20	29	124	296	390	561	1,127	1,482	1,481	1,034	15
Male	3,584	127	11	13	93	211	256	361	704	799	678	317	14
Female	3,178	76	9	16	31	85	134	200	423	683	803	717	1
White	1,852	13	2	4	10	41	54	70	162	367	578	547	6
Male	834	8	1	4	7	28	38	50	96	195	251	150	6
Female	1,018	5	1	-	3	13	16	20	66	172	325	397	-
All other	4,910	190	18	25	114	255	336	491	965	1,115	905	487	9
Male	2,750	119	10	9	86	183	218	311	608	604	427	167	8
Female	2,160	71	8	16	28	72	118	180	357	511	478	320	1
Black	4,873	188	17	24	113	255	336	487	963	1,109	893	479	9
Male	2,726	117	10	8	86	183	218	309	607	601	418	161	8
Female	2,147	71	7	16	27	72	118	178	356	508	475	318	1
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	115,227	1,684	374	377	1,868	2,562	3,031	5,735	15,273	28,719	34,552	21,015	37
Male	63,872	968	224	231	1,340	1,834	2,010	3,671	9,557	17,304	18,317	8,389	27
Female	51,355	716	150	146	528	728	1,021	2,064	5,716	11,415	16,235	12,626	10
White	102,783	987	258	260	1,486	1,888	2,228	4,490	13,092	25,830	32,128	20,104	32
Male	56,880	574	157	153	1,072	1,389	1,608	2,895	8,273	15,631	17,167	8,037	24
Female	45,903	413	101	107	414	499	720	1,595	4,819	10,199	14,961	12,067	8
All other	12,444	697	116	117	382	674	803	1,245	2,181	2,889	2,424	911	5
Male	6,992	394	67	78	268	445	502	776	1,284	1,673	1,150	352	3
Female	5,452	303	49	39	114	229	301	469	897	1,216	1,274	559	2
Black	12,276	690	115	114	371	664	784	1,224	2,160	2,861	2,392	897	4
Male	6,896	388	66	76	262	440	493	767	1,271	1,659	1,126	344	3
Female	5,380	301	49	38	109	224	291	457	889	1,202	1,266	553	1
Metropolitan counties	99,218	1,474	316	325	1,598	2,241	2,824	4,967	12,964	24,204	29,989	18,489	27
Male	54,615	842	190	195	1,145	1,595	1,740	3,161	8,093	14,429	15,813	7,392	20
Female	44,603	632	126	130	453	646	884	1,806	4,871	9,775	14,176	11,097	7
White	88,844	853	213	224	1,269	1,630	1,924	3,880	11,078	21,784	28,007	17,758	24
Male	48,689	489	132	129	914	1,193	1,304	2,489	6,998	13,033	14,867	7,122	18
Female	39,955	364	81	95	355	437	620	1,391	4,079	8,751	13,140	10,636	6
All other	10,574	621	103	101	329	611	700	1,087	1,886	2,420	1,982	731	3
Male	5,926	353	58	66	231	402	436	672	1,094	1,396	946	270	2
Female	4,648	268	45	35	98	209	264	415	792	1,024	1,036	461	1
Black	10,441	617	103	99	320	604	684	1,068	1,872	2,398	1,953	720	3
Male	5,853	350	58	65	225	399	428	665	1,087	1,387	924	263	2
Female	4,588	267	45	34	95	205	256	403	785	1,011	1,029	457	1
Nonmetropolitan counties	16,009	210	58	52	270	321	407	768	2,309	4,515	4,563	2,526	10
Male	9,257	126	34	36	195	239	270	510	1,464	2,875	2,504	997	7
Female	6,752	84	24	16	75	82	137	258	845	1,640	2,059	1,529	3
White	14,139	134	45	36	217	258	304	610	2,014	4,048	4,121	2,346	8
Male	8,191	85	25	24	158	196	204	406	1,274	2,598	2,300	915	6
Female	5,948	49	20	12	59	62	100	204	740	1,448	1,821	1,431	2
All other	1,870	76	13	16	53	63	103	158	295	469	442	180	2
Male	1,066	41	9	12	37	43	66	104	190	277	204	82	1
Female	804	35	4	4	16	20	37	54	105	192	238	98	1
Black	1,835	73	12	15	51	60	100	156	288	463	439	177	1
Male	1,043	39	8	11	37	41	65	102	184	272	202	81	1
Female	792	34	4	4	14	19	35	54	104	191	237	96	-
Georgia	46,595	1,189	221	269	1,085	1,468	1,893	3,541	7,314	11,522	11,308	6,770	15
Male	24,891	650	134	167	790	1,006	1,188	2,217	4,613	6,604	5,254	2,059	9
Female	21,904	539	87	102	295	462	705	1,324	2,701	4,918	6,054	4,711	6
White	33,519	589	118	161	762	868	1,119	2,220	5,124	8,216	8,690	5,644	8
Male	17,897	334	72	102	559	617	732	1,412	3,357	4,904	4,132	1,673	3
Female	15,622	255	46	59	203	251	387	808	1,767	3,312	4,558	3,971	5
All other	13,076	600	103	108	323	600	774	1,321	2,190	3,306	2,618	1,126	7
Male	6,794	316	62	65	231	389	456	805	1,256	1,700	1,122	386	6
Female	6,282	284	41	43	92	211	318	516	934	1,606	1,496	740	1
Black	13,016	591	101	108	323	583	770	1,310	2,177	3,299	2,611	1,126	7
Male	6,756	310	61	65	231	385	453	800	1,247	1,695	1,117	386	6
Female	6,260	281	40	43	92	208	317	510	930	1,604	1,494	740	1
Metropolitan counties	25,241	713	125	150	620	889	1,144	2,079	4,142	8,053	5,786	3,528	12
Male	13,165	403	73	89	458	599	711	1,274	2,552	3,384	2,599	1,016	7
Female	12,076	310	52	61	162	290	433	805	1,590	2,669	3,187	2,512	5
White	17,658	349	58	88	438	591	665	1,256	2,845	4,246	4,432	2,931	7
Male	9,337	200	32	60	324	373	431	776	1,816	2,485	2,022	815	3
Female	8,521	149	26	38	114	156	234	482	1,029	1,761	2,410	2,116	4
All other	7,383	364	67	52	182	358	479	821	1,297	1,807	1,354	597	5
Male	3,828	203	41	29	134	226	280	498	736	899	577	201	4
Female	3,555	161	26	23	48	132	199	323	561	908	777	396	1
Black	7,332	356	65	52	182	353	476	811	1,286	1,800	1,347	597	5
Male	3,793	196	40	29	134	222	278	493	728	894	572	201	4
Female	3,539	160	25	23	48	131	198	318	558	906	775	396	1
Nonmetropolitan counties	21,354	476	96	119	465	579	749	1,462	3,172	5,469	5,522	3,242	3
Male	11,526	247	61	78	332	407	477	943	2,061	3,220	2,655	1,049	2
Female	9,828	229	35	41	133	172	272	519	1,111	2,249	2,867	2,193	1
White	15,661	240	60	63	324	337	454	962	2,279	3,970	4,258	2,713	1
Male	8,560	134	40	42	235	244	301	636	1,541	2,419	2,110	858	-
Female	7,101	106	20	21	89	93	153	326	738	1,551	2,148	1,855	1
All other	5,693	236	36	56	141	242	295	500	893	1,499	1,264	529	2
Male	2,966	113	21	36	97	163	176	307	520	801	545	185	2
Female	2,727	123	15	20	44	79	119	193	373	698	719	344	-
Black	5,684	233	38	56	141	240	294	499	891	1,499	1,264	529	2
Male	2,963	112	21	36	97	163	175	307	519	801	545	185	2
Female	2,721	121	15	20	44	77	119	192	372	698	719	344	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	5,640	185	26	30	137	157	203	372	914	1,305	1,314	994	3
Male	3,361	102	12	17	106	113	143	229	578	840	779	440	2
Female	2,279	83	14	13	31	44	60	143	336	465	535	554	1
White	1,777	36	4	4	47	52	84	117	275	442	428	286	2
Male	1,050	18	2	2	36	42	67	79	192	284	227	99	2
Female	727	18	2	2	11	10	17	38	83	158	201	187	-
All other	3,863	149	22	26	90	105	119	255	639	863	886	708	1
Male	2,311	84	10	15	70	71	76	150	386	556	552	341	-
Female	1,552	65	12	11	20	34	43	105	253	307	334	367	1
Black	53	15	1	2	4	6	2	5	7	7	3	1	-
Male	38	11	-	2	3	4	2	5	6	3	2	-	-
Female	15	4	1	-	1	2	-	-	1	4	1	1	-
Metropolitan counties	4,168	141	18	20	103	109	155	290	689	962	953	727	1
Male	2,443	77	9	12	82	77	107	182	437	613	542	305	-
Female	1,725	64	9	8	21	32	48	108	252	349	411	422	1
White	1,315	28	2	3	38	34	62	95	200	316	313	224	-
Male	763	14	-	2	32	29	46	66	138	200	161	73	-
Female	552	14	2	1	6	5	14	29	62	116	152	151	-
All other	2,853	113	16	17	65	75	93	195	489	646	640	503	1
Male	1,680	63	9	10	50	48	59	116	299	413	381	232	-
Female	1,173	50	7	7	15	27	34	79	190	233	259	271	1
Black	45	15	-	2	4	6	1	5	4	5	2	1	-
Male	32	11	-	2	3	4	1	5	3	2	1	-	-
Female	13	4	-	-	1	2	-	-	1	3	1	1	-
Nonmetropolitan counties	1,472	44	8	10	34	48	48	82	225	343	361	287	2
Male	918	25	3	5	24	36	36	47	141	227	237	135	2
Female	554	19	5	5	10	12	12	35	84	116	124	132	-
White	462	8	2	1	9	18	22	22	75	126	115	62	2
Male	287	4	2	-	4	13	19	13	54	84	66	26	2
Female	175	4	-	1	5	5	3	9	21	42	49	36	-
All other	1,010	36	6	9	25	30	26	60	150	217	246	205	-
Male	631	21	1	5	20	23	17	34	87	143	171	109	-
Female	379	15	5	4	5	7	9	26	63	74	75	96	-
Black	8	-	1	-	-	-	1	-	3	2	1	-	-
Male	6	-	-	-	-	-	1	-	3	1	1	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Idaho	7,251	176	47	61	179	175	218	375	873	1,704	1,977	1,466	-
Male	4,024	110	26	38	128	126	137	236	559	1,022	1,072	570	-
Female	3,227	66	21	23	51	49	81	139	314	682	905	896	-
White	7,141	171	46	61	171	165	202	364	863	1,688	1,957	1,453	-
Male	3,957	108	26	38	121	118	127	229	554	1,012	1,060	564	-
Female	3,184	63	20	23	50	47	75	135	309	676	897	889	-
All other	110	5	1	-	8	10	16	11	10	16	20	13	-
Male	67	2	-	-	7	8	10	7	5	10	12	6	-
Female	43	3	1	-	1	2	6	4	5	6	8	7	-
Black	16	1	-	-	-	1	1	1	1	3	5	3	-
Male	10	1	-	-	-	1	-	1	-	1	4	2	-
Female	6	-	-	-	-	-	1	-	1	2	1	1	-
Metropolitan counties	1,177	31	7	10	35	36	40	63	141	258	316	236	-
Male	652	21	2	9	25	24	25	44	95	157	185	91	-
Female	525	10	5	7	10	12	15	19	46	101	153	147	-
White	1,167	30	7	10	34	35	39	62	140	256	316	238	-
Male	645	20	2	3	24	24	24	43	95	156	183	91	-
Female	522	10	5	7	10	11	15	19	45	100	153	147	-
All other	10	1	-	-	1	1	1	1	1	2	2	-	-
Male	7	1	-	-	1	-	1	1	-	1	2	-	-
Female	3	-	-	-	-	1	-	-	1	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	-
Male	3	-	-	-	-	-	-	1	-	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Nonmetropolitan counties	6,074	145	40	51	144	139	178	312	732	1,446	1,659	1,228	-
Male	3,372	89	24	35	103	102	112	192	464	865	907	479	-
Female	2,702	56	16	16	41	37	66	120	268	581	752	749	-
White	5,974	141	39	51	137	130	163	302	723	1,432	1,641	1,215	-
Male	3,312	88	24	35	97	94	103	166	459	856	897	473	-
Female	2,662	53	15	16	40	36	60	116	264	576	744	742	-
All other	100	4	1	-	7	9	15	10	9	14	18	13	-
Male	60	1	-	-	6	8	9	6	5	9	10	6	-
Female	40	3	1	-	1	1	6	4	4	5	8	7	-
Black	12	1	-	-	-	1	1	-	1	2	3	3	-
Male	7	1	-	-	-	1	-	-	-	1	2	2	-
Female	5	-	-	-	-	-	1	-	1	1	1	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	100,911	2,161	358	437	1,640	2,293	2,978	5,794	14,406	23,209	27,203	20,428	4
Male	52,220	1,196	199	269	1,184	1,641	1,868	3,645	8,911	13,550	13,002	6,753	2
Female	48,691	965	159	168	456	652	1,110	2,149	5,495	9,659	14,201	13,675	2
White	86,933	1,297	228	313	1,237	1,567	2,052	4,841	11,775	20,301	24,655	19,165	2
Male	44,394	718	127	187	888	1,130	1,269	2,735	7,363	11,914	11,784	6,278	1
Female	42,539	579	101	126	349	437	783	1,606	4,412	8,387	12,871	12,887	1
All other	13,978	864	130	124	403	726	926	1,453	2,631	2,908	2,548	1,263	2
Male	7,826	478	72	82	296	511	599	910	1,548	1,638	1,218	475	1
Female	6,152	386	58	42	107	215	327	543	1,083	1,272	1,330	788	1
Black	13,603	847	126	122	397	705	895	1,403	2,558	2,835	2,486	1,227	2
Male	7,616	472	70	60	292	505	579	882	1,509	1,588	1,175	483	1
Female	5,987	375	56	42	105	200	316	521	1,049	1,247	1,311	764	1
Metropolitan counties	78,237	1,675	294	341	1,321	1,984	2,533	4,841	11,848	18,095	20,286	14,816	3
Male	40,554	1,023	164	206	956	1,428	1,596	3,070	7,306	10,450	9,510	4,844	1
Female	37,683	652	130	135	365	556	937	1,771	4,542	7,645	10,776	9,972	2
White	64,696	1,031	166	221	924	1,275	1,619	3,413	9,291	15,267	17,858	13,629	2
Male	32,961	560	96	127	663	930	1,003	2,177	5,801	8,884	8,348	4,391	1
Female	31,737	471	72	94	261	345	616	1,236	3,490	6,403	9,510	9,238	1
All other	13,539	644	128	120	397	709	914	1,428	2,557	2,828	2,428	1,187	1
Male	7,593	463	68	79	293	498	593	893	1,505	1,586	1,162	453	-
Female	5,946	381	58	41	104	211	321	535	1,052	1,242	1,266	734	1
Black	13,181	828	123	118	391	689	864	1,370	2,401	2,758	2,369	1,152	1
Male	7,390	457	67	77	289	493	573	865	1,468	1,539	1,121	441	-
Female	5,791	371	56	41	102	196	311	514	1,023	1,217	1,248	711	1
Nonmetropolitan counties	22,674	486	64	96	319	309	445	953	2,558	5,114	6,917	5,612	1
Male	11,666	173	35	63	228	213	272	575	1,605	3,100	3,492	1,909	1
Female	11,008	113	29	33	91	96	173	378	953	2,014	3,425	3,703	-
White	22,235	266	60	92	313	292	433	928	2,484	5,034	6,797	5,536	-
Male	11,433	158	31	60	225	200	266	558	1,562	3,050	3,436	1,887	-
Female	10,802	108	29	32	88	92	167	370	922	1,984	3,361	3,649	-
All other	439	20	4	4	6	17	12	25	74	80	120	76	1
Male	233	15	4	3	3	13	6	17	43	50	56	22	1
Female	206	5	-	1	3	4	6	8	31	30	64	54	-
Black	422	19	3	4	6	16	11	24	67	79	117	75	1
Male	226	15	3	3	3	12	6	17	41	49	54	22	1
Female	196	4	-	1	3	4	5	7	26	30	63	53	-
Indiana	47,449	890	167	220	806	896	1,273	2,625	6,826	11,113	12,935	9,693	5
Male	24,778	522	84	131	573	640	779	1,671	4,355	6,548	6,262	3,211	2
Female	22,671	368	83	89	233	256	494	954	2,471	4,565	6,673	6,482	3
White	43,991	723	133	184	710	752	1,087	2,330	6,205	10,313	12,245	9,306	3
Male	22,865	415	67	111	509	543	662	1,496	3,964	6,106	5,931	3,060	1
Female	21,126	308	66	73	201	209	425	834	2,241	4,207	6,314	6,246	2
All other	3,458	167	34	36	96	144	186	295	621	800	690	387	2
Male	1,913	107	17	20	64	97	117	175	391	442	331	151	1
Female	1,545	60	17	16	32	47	69	120	230	358	359	236	1
Black	3,426	165	32	36	93	142	184	294	616	795	683	384	2
Male	1,893	106	17	20	62	96	116	175	388	438	326	148	1
Female	1,533	59	15	16	31	46	68	119	228	357	357	236	1
Metropolitan counties	31,986	636	122	154	563	659	904	1,808	4,752	7,572	8,575	6,237	4
Male	16,643	383	60	88	394	485	560	1,151	3,030	4,421	4,096	1,993	2
Female	15,343	253	62	66	169	194	344	657	1,722	3,151	4,479	4,244	2
White	28,723	474	89	119	470	519	728	1,524	4,173	6,815	7,932	5,878	2
Male	14,838	279	43	68	333	370	452	983	2,666	4,003	3,787	1,851	1
Female	13,887	195	46	51	137	149	276	541	1,507	2,812	4,145	4,027	1
All other	3,263	162	33	35	93	140	176	284	579	757	643	359	2
Male	1,807	104	17	20	61	95	108	168	364	418	309	142	1
Female	1,456	58	16	15	32	45	68	116	215	339	334	217	1
Black	3,235	160	31	35	90	138	175	283	575	754	636	356	2
Male	1,789	103	17	20	59	94	107	168	361	416	304	139	1
Female	1,446	57	14	15	31	44	68	115	214	338	332	217	1
Nonmetropolitan counties	15,463	254	45	66	243	237	369	817	2,074	3,541	4,360	3,456	1
Male	8,135	139	24	43	179	175	219	520	1,325	2,127	2,166	1,218	-
Female	7,328	115	21	23	64	62	150	297	749	1,414	2,194	2,238	1
White	15,268	249	44	65	240	233	359	806	2,032	3,498	4,313	3,428	1
Male	8,029	136	24	43	176	173	210	513	1,298	2,103	2,144	1,209	-
Female	7,239	113	20	22	64	60	149	293	734	1,395	2,169	2,219	1
All other	195	5	1	1	3	4	10	11	42	43	47	28	-
Male	106	3	-	-	3	2	9	7	27	24	22	9	-
Female	89	2	1	1	-	2	1	4	15	19	25	19	-
Black	191	5	1	1	3	4	9	11	41	41	47	28	-
Male	104	3	-	-	3	2	9	7	27	22	22	9	-
Female	87	2	1	1	-	2	-	4	14	19	25	19	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,020	374	75	98	414	361	500	1,067	2,976	5,716	7,838	7,598	3
Male	13,796	209	44	66	310	251	323	674	1,922	3,481	3,934	2,580	2
Female	13,224	165	31	32	104	110	177	393	1,054	2,235	3,904	5,018	1
White	26,687	356	73	90	402	346	484	1,029	2,931	5,659	7,764	7,550	3
Male	13,626	199	44	62	303	244	312	652	1,892	3,452	3,899	2,565	2
Female	13,061	157	29	28	99	102	172	377	1,039	2,207	3,865	4,985	1
All other	333	18	2	8	12	15	16	38	45	57	74	48	-
Male	170	10	-	4	7	7	11	22	30	29	35	15	-
Female	163	8	2	4	5	8	5	16	15	28	39	33	-
Black	287	16	-	3	9	12	12	35	40	50	65	45	-
Male	154	10	-	1	5	6	9	22	28	27	32	14	-
Female	133	6	-	2	4	6	3	13	12	23	33	31	-
Metropolitan counties	9,107	164	35	43	176	155	238	459	1,199	1,926	2,477	2,232	3
Male	4,608	90	20	29	124	105	145	284	779	1,133	1,194	703	2
Female	4,499	74	15	14	52	50	93	175	420	793	1,283	1,529	1
White	8,843	152	34	37	170	140	227	428	1,160	1,879	2,421	2,194	3
Male	4,465	82	20	26	122	98	137	264	751	1,108	1,166	889	2
Female	4,378	70	14	11	48	42	90	162	409	771	1,255	1,505	1
All other	264	12	1	6	6	15	11	33	39	47	56	38	-
Male	143	8	-	3	2	7	6	20	28	25	28	14	-
Female	121	4	1	3	4	8	3	13	11	22	28	24	-
Black	235	11	-	3	6	12	9	32	35	41	50	36	-
Male	133	8	-	1	2	6	7	20	27	23	26	13	-
Female	102	3	-	2	4	6	2	12	8	18	24	23	-
Nonmetropolitan counties	17,913	210	40	55	238	206	262	608	1,777	3,790	5,361	5,366	-
Male	9,188	119	24	37	186	146	178	390	1,143	2,348	2,740	1,877	-
Female	8,725	91	16	18	52	60	84	218	634	1,442	2,621	3,489	-
White	17,844	204	39	53	232	206	257	603	1,771	3,780	5,343	5,356	-
Male	9,161	117	24	36	181	146	175	388	1,141	2,344	2,733	1,876	-
Female	8,683	87	15	17	51	60	82	215	630	1,436	2,610	3,480	-
All other	69	6	1	2	6	-	5	5	6	10	18	10	-
Male	27	2	-	1	5	-	3	2	2	4	7	1	-
Female	42	4	1	1	1	-	2	3	4	6	11	9	-
Black	52	5	-	-	3	-	3	3	5	9	15	9	-
Male	21	2	-	-	3	-	2	2	1	4	6	1	-
Female	31	3	-	-	-	-	1	1	4	5	9	8	-
Kansas	22,307	404	84	100	389	433	515	963	2,581	4,729	6,424	5,684	1
Male	11,516	231	48	70	288	319	320	598	1,617	2,821	3,231	1,972	1
Female	10,791	173	36	30	101	114	195	365	964	1,908	3,193	3,712	-
White	21,172	333	75	93	355	383	462	875	2,418	4,484	6,174	5,509	1
Male	10,926	196	45	66	283	286	292	548	1,540	2,679	3,107	1,906	1
Female	10,246	137	30	27	92	95	170	332	878	1,815	3,067	3,603	-
All other	1,135	71	9	7	34	50	53	88	163	235	250	175	-
Male	590	35	3	4	25	31	28	55	77	142	124	68	-
Female	545	36	6	3	9	19	25	33	86	93	126	109	-
Black	1,052	61	8	6	27	42	49	81	154	218	235	171	-
Male	540	28	3	3	18	27	25	49	73	134	115	65	-
Female	512	33	5	3	9	15	24	32	81	84	120	106	-
Metropolitan counties	8,781	215	40	42	176	203	251	448	1,218	1,955	2,318	1,914	1
Male	4,467	123	20	32	124	150	147	282	735	1,149	1,117	607	1
Female	4,314	92	20	10	52	53	104	166	483	806	1,201	1,307	-
White	7,942	156	33	36	153	168	210	387	1,092	1,779	2,139	1,788	1
Male	4,049	93	17	28	108	126	126	225	681	1,044	1,036	564	1
Female	3,893	63	16	8	45	42	84	162	411	735	1,103	1,224	-
All other	839	59	7	6	23	35	41	61	126	176	179	126	-
Male	418	30	3	4	16	24	21	37	54	105	81	43	-
Female	421	29	4	2	7	11	20	24	72	71	98	83	-
Black	790	50	6	5	19	33	39	56	121	166	171	124	-
Male	389	24	3	3	12	22	20	32	52	101	77	43	-
Female	401	26	3	2	7	11	19	24	69	65	94	81	-
Nonmetropolitan counties	13,526	189	44	58	213	230	264	515	1,363	2,774	4,106	3,770	-
Male	7,049	108	28	38	164	169	173	396	882	1,672	2,114	1,365	-
Female	6,477	81	16	20	49	61	91	179	481	1,102	1,992	2,405	-
White	13,230	177	42	57	202	215	252	488	1,326	2,715	4,035	3,721	-
Male	6,877	103	28	38	155	182	166	318	859	1,635	2,071	1,342	-
Female	6,353	74	14	19	47	53	86	170	467	1,080	1,964	2,379	-
All other	296	12	2	1	11	15	12	27	37	59	71	49	-
Male	172	5	-	-	9	7	7	18	23	37	43	23	-
Female	124	7	2	1	2	8	5	9	14	22	28	26	-
Black	262	11	2	1	8	9	10	25	33	52	64	47	-
Male	151	4	-	-	6	5	5	17	21	33	38	22	-
Female	111	7	2	1	2	4	5	8	12	19	26	25	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	33,631	615	113	133	635	686	974	2,121	4,936	8,066	9,123	6,223	1
Male	16,300	376	71	85	488	507	625	1,379	3,149	4,765	4,645	2,209	1
Female	15,331	239	42	53	147	179	349	742	1,787	3,301	4,478	4,014	–
White	31,015	524	100	131	592	615	891	1,902	4,476	7,428	8,515	5,840	1
Male	16,908	325	61	80	457	481	581	1,249	2,896	4,419	4,316	2,050	1
Female	14,109	199	39	51	135	154	310	653	1,580	3,009	4,199	3,790	–
All other	2,616	91	13	7	43	71	83	219	460	638	608	383	–
Male	1,394	51	10	5	31	46	44	130	253	346	329	149	–
Female	1,222	40	3	2	12	25	39	89	207	292	279	234	–
Black	2,591	90	13	7	40	68	79	214	454	637	606	382	–
Male	1,379	50	10	5	28	45	40	128	249	346	329	148	–
Female	1,212	40	3	2	12	24	39	85	205	291	277	234	–
Metropolitan counties	14,233	270	47	41	228	279	378	945	2,261	3,478	3,709	2,597	–
Male	7,376	164	31	21	167	189	226	592	1,403	1,970	1,786	817	–
Female	6,857	106	16	20	61	90	152	353	858	1,508	1,913	1,780	–
White	12,508	203	37	38	201	235	322	792	1,941	3,052	3,320	2,367	–
Male	6,492	129	23	20	149	169	198	503	1,234	1,755	1,593	725	–
Female	6,016	74	14	18	52	72	124	289	707	1,297	1,727	1,642	–
All other	1,725	67	10	3	27	44	56	153	320	426	389	230	–
Male	884	35	8	1	18	26	28	88	169	215	203	92	–
Female	841	32	2	2	9	18	28	64	151	211	186	138	–
Black	1,711	66	10	3	27	43	53	151	317	425	387	229	–
Male	878	34	8	1	18	28	25	89	168	215	203	91	–
Female	833	32	2	2	9	17	28	62	149	210	184	138	–
Nonmetropolitan counties	19,398	345	66	97	407	407	596	1,176	2,675	4,588	5,414	3,626	1
Male	10,924	212	40	64	321	318	399	787	1,746	2,795	2,849	1,392	1
Female	8,474	133	26	33	86	89	197	389	929	1,793	2,565	2,234	–
White	18,507	321	63	93	391	380	569	1,110	2,535	4,376	5,195	3,473	1
Male	10,414	196	38	60	308	298	383	746	1,662	2,664	2,723	1,335	1
Female	8,093	125	25	33	83	82	186	364	873	1,712	2,472	2,138	–
All other	891	24	3	4	16	27	27	66	140	212	219	153	–
Male	510	16	2	4	13	20	16	41	84	131	126	57	–
Female	381	8	1	–	3	7	11	25	56	81	93	96	–
Black	880	24	3	4	13	26	26	63	137	212	219	153	–
Male	501	16	2	4	10	19	15	40	81	131	126	57	–
Female	379	8	1	–	3	7	11	23	56	81	93	96	–
Louisiana	35,741	982	212	190	952	1,149	1,374	2,468	5,586	8,495	9,128	5,200	6
Male	19,243	549	125	123	685	827	849	1,570	3,434	4,970	4,346	1,751	4
Female	16,498	433	87	67	257	321	525	898	2,152	3,525	4,782	3,449	2
White	24,420	438	100	99	625	671	813	1,513	3,734	5,944	6,625	3,855	3
Male	13,136	259	58	60	467	502	511	1,002	2,357	3,571	3,135	1,217	3
Female	11,284	185	42	39	158	169	302	511	1,377	2,373	3,490	2,638	–
All other	11,321	544	112	91	327	477	561	955	1,852	2,551	2,503	1,345	3
Male	6,107	296	67	63	226	325	336	568	1,077	1,399	1,211	534	1
Female	5,214	248	45	28	99	152	223	387	775	1,152	1,292	811	2
Black	11,222	537	111	89	316	473	552	945	1,838	2,534	2,488	1,336	3
Male	6,039	291	66	61	219	322	332	561	1,068	1,390	1,201	527	1
Female	5,183	246	45	28	99	151	220	384	770	1,144	1,285	809	2
Metropolitan parishes [1]	21,955	627	127	116	583	754	905	1,528	3,517	5,239	5,447	3,107	5
Male	11,597	345	76	72	423	559	557	943	2,160	2,985	2,482	992	3
Female	10,358	282	51	44	160	195	348	585	1,357	2,254	2,965	2,115	2
White	14,855	257	57	57	371	432	520	902	2,290	3,631	3,994	2,341	3
Male	7,825	143	33	34	273	328	325	581	1,436	2,155	1,809	705	3
Female	7,030	114	24	23	98	104	195	321	854	1,476	2,185	1,636	–
All other	7,100	370	70	59	212	322	385	626	1,227	1,608	1,453	766	2
Male	3,772	202	43	38	150	231	232	362	724	890	673	287	–
Female	3,328	168	27	21	62	91	153	264	503	778	780	479	2
Black	7,038	366	69	57	206	318	380	620	1,219	1,599	1,443	759	2
Male	3,725	199	42	36	144	228	228	357	718	825	667	281	–
Female	3,313	167	27	21	62	90	152	263	501	774	776	478	2
Nonmetropolitan parishes [1]	13,786	355	85	74	369	394	469	940	2,069	3,256	3,681	2,093	1
Male	7,646	204	49	51	272	268	292	627	1,274	1,985	1,864	759	1
Female	6,140	151	36	23	97	126	177	313	795	1,271	1,817	1,334	–
White	9,565	181	43	42	254	239	293	611	1,444	2,313	2,631	1,514	–
Male	5,311	110	25	26	194	174	188	421	921	1,416	1,326	512	–
Female	4,254	71	18	16	60	65	107	190	523	897	1,305	1,002	–
All other	4,221	174	42	32	115	155	176	329	625	943	1,050	579	1
Male	2,335	94	24	25	78	94	106	206	353	569	538	247	1
Female	1,886	80	18	7	37	61	70	123	272	374	512	332	–
Black	4,184	171	42	32	112	155	172	325	619	935	1,043	577	1
Male	2,314	92	24	25	75	94	104	204	350	585	534	248	1
Female	1,870	79	18	7	37	61	68	121	269	370	509	331	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	10,873	141	23	38	172	188	230	492	1,345	2,469	3,235	2,540	-
Male	5,501	74	12	23	131	127	153	320	816	1,450	1,565	830	-
Female	5,372	67	11	15	41	61	77	172	529	1,019	1,670	1,710	-
White	10,829	138	23	38	169	184	225	487	1,342	2,466	3,225	2,532	-
Male	5,485	73	12	23	129	126	151	317	815	1,449	1,563	827	-
Female	5,344	65	11	15	40	58	74	170	527	1,017	1,662	1,705	-
All other	44	3	-	-	3	4	5	5	3	3	10	8	-
Male	16	1	-	-	2	1	2	3	1	1	2	3	-
Female	28	2	-	-	1	3	3	2	2	2	8	5	-
Black	18	1	-	-	1	-	2	1	2	1	5	5	-
Male	6	1	-	-	1	-	2	-	-	-	-	2	-
Female	12	-	-	-	-	-	-	1	2	1	5	3	-
Metropolitan counties	5,843	83	12	22	85	100	132	265	734	1,333	1,712	1,365	-
Male	2,965	42	7	14	66	61	90	179	444	798	811	453	-
Female	2,878	41	5	8	19	39	42	86	290	535	901	912	-
White	5,822	81	12	22	84	98	129	262	732	1,333	1,709	1,360	-
Male	2,958	41	7	14	66	60	88	178	444	798	811	451	-
Female	2,864	40	5	8	18	38	41	84	288	535	898	909	-
All other	21	2	-	-	1	2	3	3	2	-	3	5	-
Male	7	1	-	-	-	1	2	1	-	-	-	2	-
Female	14	1	-	-	1	1	1	2	2	-	3	3	-
Black	13	1	-	-	-	-	2	1	2	-	3	4	-
Male	5	1	-	-	-	-	2	-	-	-	-	2	-
Female	8	-	-	-	-	-	-	1	2	-	3	2	-
Nonmetropolitan counties	5,030	58	11	16	87	88	98	227	611	1,136	1,523	1,175	-
Male	2,536	32	5	9	65	66	63	141	372	652	754	377	-
Female	2,494	26	6	7	22	22	35	86	239	484	769	798	-
White	5,007	57	11	16	85	86	96	225	610	1,133	1,516	1,172	-
Male	2,527	32	5	9	63	66	63	139	371	651	752	376	-
Female	2,480	25	6	7	22	20	33	86	239	482	764	796	-
All other	23	1	-	-	2	2	2	2	1	3	7	3	-
Male	9	-	-	-	2	-	-	2	1	1	2	1	-
Female	14	1	-	-	-	2	2	-	-	2	5	2	-
Black	5	-	-	-	1	-	-	-	-	1	2	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	1	2	1	-
Maryland	35,466	773	106	144	684	944	1,245	2,301	5,684	8,481	8,924	6,171	9
Male	18,527	445	59	88	504	671	798	1,423	3,480	4,906	4,164	1,988	3
Female	16,939	328	47	56	180	273	449	878	2,204	3,575	4,760	4,183	6
White	27,795	430	65	89	432	576	730	1,525	4,247	6,744	7,494	5,459	4
Male	14,242	255	38	59	314	414	474	947	2,616	3,944	3,461	1,719	1
Female	13,553	175	27	30	118	162	256	578	1,631	2,800	4,033	3,740	3
All other	7,671	343	41	55	252	368	515	776	1,437	1,737	1,430	712	5
Male	4,285	190	21	29	190	257	322	476	864	962	703	269	2
Female	3,386	153	20	26	62	111	193	300	573	775	727	443	3
Black	7,493	336	41	50	250	357	505	746	1,415	1,894	1,394	700	5
Male	4,185	186	21	26	188	253	314	459	851	943	679	263	2
Female	3,308	150	20	24	62	104	191	287	564	751	715	437	3
Metropolitan counties	30,903	677	93	127	602	860	1,111	2,051	5,032	7,386	7,710	5,266	8
Male	16,095	396	52	77	443	605	711	1,278	3,065	4,241	3,582	1,643	2
Female	14,808	281	41	50	159	255	400	773	1,967	3,125	4,128	3,623	6
White	24,073	364	57	80	369	508	630	1,341	3,737	5,830	6,491	4,662	4
Male	12,270	220	34	52	267	360	406	832	2,283	3,398	2,989	1,428	1
Female	11,803	144	23	28	102	148	224	509	1,454	2,432	3,502	3,234	3
All other	6,830	313	36	47	233	352	481	710	1,295	1,556	1,219	604	4
Male	3,825	176	16	25	176	245	305	446	782	843	583	215	1
Female	3,005	137	16	22	57	107	176	264	513	693	626	389	3
Black	6,656	306	36	42	232	341	471	681	1,273	1,494	1,184	592	4
Male	3,726	172	16	22	175	241	297	429	789	824	569	209	1
Female	2,930	134	16	20	57	100	174	252	504	670	615	383	3
Nonmetropolitan counties	4,563	96	13	17	82	84	134	250	652	1,115	1,214	905	1
Male	2,432	49	7	11	61	56	85	145	415	685	592	345	1
Female	2,131	47	6	6	21	18	49	105	237	450	622	560	-
White	3,722	66	8	9	63	58	100	184	510	914	1,003	797	-
Male	1,972	35	4	7	47	54	68	115	333	548	472	291	-
Female	1,750	31	4	2	16	14	32	69	177	366	531	506	-
All other	841	30	5	8	19	16	34	66	142	201	211	108	1
Male	460	14	3	4	14	12	17	30	82	119	110	54	1
Female	381	16	2	4	5	4	17	36	60	82	101	54	-
Black	837	30	5	8	18	16	34	65	142	200	210	108	1
Male	459	14	3	4	13	12	17	30	82	119	110	54	1
Female	378	16	2	4	5	4	17	35	60	81	100	54	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	55,332	701	97	155	770	902	1,288	2,757	7,208	12,790	15,463	13,197	4
Male	27,333	403	53	90	574	629	830	1,728	4,474	7,252	7,158	4,140	2
Female	27,999	298	44	65	196	273	458	1,029	2,734	5,538	8,305	9,057	2
White	53,493	606	82	144	709	790	1,182	2,532	6,686	12,454	15,154	12,948	4
Male	26,304	353	47	84	528	564	755	1,586	4,280	7,071	6,990	4,044	2
Female	27,189	253	35	60	181	226	427	946	2,606	5,383	8,164	8,904	2
All other	1,839	95	15	11	61	112	106	225	320	336	309	249	-
Male	1,029	50	6	6	46	65	75	142	194	181	168	96	-
Female	810	45	9	5	15	47	31	83	126	155	141	153	-
Black	1,647	81	12	10	52	106	91	205	296	308	270	216	-
Male	907	43	4	6	41	61	61	130	178	165	141	77	-
Female	740	38	8	4	11	45	30	75	118	143	129	139	-
Metropolitan counties	52,550	678	95	143	736	868	1,232	2,658	6,884	12,105	14,600	12,547	4
Male	25,932	391	52	83	546	606	790	1,663	4,284	6,864	6,734	3,917	2
Female	26,618	287	43	60	190	262	442	995	2,600	5,241	7,866	8,630	2
White	50,768	585	80	132	675	758	1,127	2,433	6,572	11,780	14,312	12,310	4
Male	24,935	342	46	77	500	542	716	1,521	4,084	6,688	6,578	3,828	2
Female	25,833	243	34	55	175	216	411	912	2,478	5,091	7,734	8,482	2
All other	1,782	93	15	11	61	110	105	225	312	325	288	237	-
Male	997	49	6	6	46	64	74	142	190	175	158	89	-
Female	785	44	9	5	15	46	31	83	122	150	132	148	-
Black	1,595	79	12	10	52	104	91	205	288	297	252	205	-
Male	876	42	4	6	41	60	61	130	174	159	129	70	-
Female	719	37	8	4	11	44	30	75	114	138	123	135	-
Nonmetropolitan counties	2,782	23	2	12	34	34	56	99	324	685	863	650	-
Male	1,401	12	1	7	28	23	40	65	190	388	424	223	-
Female	1,381	11	1	5	6	11	16	34	134	297	439	427	-
White	2,725	21	2	12	34	32	55	99	316	674	842	638	-
Male	1,389	11	1	7	28	22	39	65	186	382	412	216	-
Female	1,356	10	1	5	6	10	16	34	130	292	430	422	-
All other	57	2	-	-	-	2	1	-	8	11	21	12	-
Male	32	1	-	-	-	1	1	-	4	6	12	7	-
Female	25	1	-	-	-	1	-	-	4	5	9	5	-
Black	52	2	-	-	-	2	-	-	8	11	18	11	-
Male	31	1	-	-	-	1	-	-	4	6	12	7	-
Female	21	1	-	-	-	1	-	-	4	5	6	4	-
Michigan	76,588	1,597	258	391	1,497	2,008	2,420	4,528	11,302	17,801	20,162	14,621	3
Male	40,549	890	155	243	1,083	1,401	1,549	2,778	6,938	10,400	9,969	5,140	3
Female	36,039	707	103	148	414	607	871	1,750	4,364	7,401	10,193	9,481	-
White	65,958	1,041	185	285	1,150	1,336	1,695	3,559	9,415	15,483	18,199	13,628	2
Male	34,526	595	107	176	840	945	1,091	2,175	5,787	9,044	9,003	4,761	2
Female	31,432	446	78	109	310	391	604	1,384	3,628	6,419	9,196	8,867	-
All other	10,630	556	73	106	347	672	725	969	1,887	2,318	1,963	993	1
Male	5,023	295	48	67	243	456	458	603	1,151	1,358	966	379	1
Female	4,607	261	25	39	104	216	267	366	736	982	997	614	-
Black	10,377	541	70	103	339	662	702	947	1,630	2,287	1,916	979	1
Male	5,874	288	48	65	238	449	444	591	1,117	1,327	937	371	1
Female	4,503	253	24	38	101	213	258	356	713	960	979	608	-
Metropolitan counties	61,719	1,389	207	311	1,238	1,756	2,098	3,871	9,358	14,179	15,822	11,489	3
Male	32,480	782	125	188	886	1,233	1,343	2,364	5,735	8,233	7,614	3,984	3
Female	29,239	607	82	113	352	523	755	1,507	3,621	5,946	8,208	7,505	-
White	51,346	844	135	208	901	1,088	1,386	2,908	7,511	11,910	13,832	10,521	2
Male	26,611	475	78	132	649	780	895	1,765	4,613	6,918	6,688	3,616	2
Female	24,735	369	57	76	252	308	491	1,143	2,898	4,992	7,244	6,905	-
All other	10,373	545	72	103	337	668	712	963	1,845	2,269	1,990	968	1
Male	5,869	287	47	66	237	453	448	599	1,122	1,315	926	368	1
Female	4,504	258	25	37	100	215	264	364	723	954	964	600	-
Black	10,200	533	70	100	335	661	695	942	1,807	2,237	1,861	958	1
Male	5,770	283	46	64	235	448	438	588	1,101	1,296	908	362	1
Female	4,430	250	24	36	100	213	257	354	706	941	953	596	-
Nonmetropolitan counties	14,869	208	51	80	259	252	322	657	1,946	3,622	4,340	3,132	-
Male	8,069	128	30	45	197	166	206	414	1,203	2,167	2,355	1,156	-
Female	6,800	80	21	35	62	84	116	243	743	1,455	1,985	1,976	-
White	14,612	197	50	77	249	248	309	651	1,904	3,553	4,267	3,107	-
Male	7,915	120	29	44	191	165	196	410	1,174	2,126	2,315	1,145	-
Female	6,697	77	21	33	58	83	113	241	730	1,427	1,952	1,962	-
All other	257	11	1	3	10	4	13	6	42	69	73	25	-
Male	154	8	1	1	6	3	10	4	29	41	40	11	-
Female	103	3	-	2	4	1	3	2	13	28	33	14	-
Black	177	8	-	3	4	1	7	5	23	50	55	21	-
Male	104	5	-	1	3	1	6	3	16	31	29	9	-
Female	73	3	-	2	1	-	1	2	7	19	26	12	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	33,766	596	100	127	586	578	735	1,443	3,788	7,275	9,502	9,035	3
Male	17,755	337	58	80	441	387	473	874	2,420	4,420	4,933	3,329	3
Female	16,011	259	42	47	145	191	262	569	1,366	2,855	4,569	5,706	-
White	33,150	555	94	120	541	537	680	1,387	3,689	7,148	9,419	8,978	2
Male	17,393	319	53	74	405	360	439	897	2,369	4,338	4,894	3,903	2
Female	15,757	236	41	46	136	177	241	550	1,320	2,810	4,525	5,675	-
All other	616	41	6	7	45	41	55	56	97	127	83	57	1
Male	362	18	5	6	36	27	34	37	51	82	39	26	1
Female	254	23	1	1	9	14	21	19	46	45	44	31	-
Black	321	22	2	5	14	26	32	29	53	63	48	27	-
Male	186	9	1	5	11	17	19	20	27	42	19	16	-
Female	135	13	1	-	3	9	13	9	26	21	29	11	-
Metropolitan counties	19,516	400	63	74	356	412	482	913	2,436	4,253	5,240	4,885	2
Male	9,977	219	33	46	257	289	299	540	1,558	2,516	2,568	1,670	2
Female	9,539	181	30	28	99	143	183	373	878	1,737	2,672	3,215	-
White	19,050	365	59	67	328	378	437	873	2,357	4,160	5,177	4,848	1
Male	9,709	202	30	40	238	248	271	516	1,518	2,455	2,542	1,650	1
Female	9,341	163	29	27	92	130	166	357	839	1,705	2,635	3,198	-
All other	466	35	4	7	28	34	45	40	79	93	63	37	1
Male	268	17	3	6	21	21	28	24	40	61	26	20	1
Female	198	18	1	1	7	13	17	16	39	32	37	17	-
Black	319	21	2	5	14	26	32	29	52	63	48	27	-
Male	185	9	1	5	11	17	19	20	26	42	19	16	-
Female	134	12	1	-	3	9	13	9	26	21	29	11	-
Nonmetropolitan counties	14,250	196	37	53	230	166	253	530	1,350	3,022	4,262	4,150	1
Male	7,778	118	25	34	184	118	174	334	862	1,904	2,365	1,659	1
Female	6,472	78	12	19	46	48	79	196	488	1,118	1,897	2,491	-
White	14,100	190	35	53	213	159	249	514	1,332	2,988	4,242	4,130	1
Male	7,684	117	23	34	168	112	168	321	851	1,883	2,352	1,653	1
Female	6,416	73	12	19	44	47	75	193	481	1,105	1,890	2,477	-
All other	150	6	2	-	17	7	10	16	18	34	20	20	-
Male	94	1	2	-	15	6	6	13	11	21	13	6	-
Female	56	5	-	-	2	1	4	3	7	13	7	14	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Mississippi	23,939	632	112	162	519	694	822	1,480	3,328	5,625	6,512	4,072	41
Male	13,079	329	64	99	382	450	560	867	2,116	3,375	3,277	1,439	21
Female	10,860	303	48	63	137	184	262	513	1,212	2,250	3,235	2,633	20
White	15,355	227	44	72	304	316	448	914	2,158	3,709	4,388	2,764	11
Male	8,415	121	23	43	220	232	310	626	1,430	2,308	2,197	900	5
Female	6,940	106	21	29	84	84	138	288	728	1,401	2,191	1,864	6
All other	8,584	405	68	90	215	378	374	566	1,170	1,916	2,124	1,308	30
Male	4,664	208	41	56	162	218	250	341	686	1,067	1,080	539	16
Female	3,920	197	27	34	53	100	124	225	484	849	1,044	769	14
Black	8,516	402	68	89	210	312	385	557	1,155	1,911	2,118	1,299	30
Male	4,628	208	41	55	157	214	244	338	678	1,065	1,077	535	16
Female	3,888	194	27	34	53	98	121	219	477	846	1,041	764	14
Metropolitan counties	5,273	126	19	40	136	163	206	392	850	1,241	1,302	789	9
Male	2,931	72	11	29	105	116	138	251	533	753	656	263	4
Female	2,342	54	8	11	31	47	68	141	317	488	646	526	5
White	3,811	60	13	25	84	94	119	289	610	915	1,000	590	2
Male	2,118	33	6	17	74	71	81	191	394	566	499	185	1
Female	1,693	27	7	8	20	23	38	98	216	349	501	405	1
All other	1,462	66	6	15	42	69	87	103	240	326	302	199	7
Male	813	39	5	12	31	45	57	60	139	187	157	78	3
Female	649	27	1	3	11	24	30	43	101	139	145	121	4
Black	1,449	66	6	14	38	69	84	102	238	325	301	198	7
Male	802	39	5	11	27	45	55	60	137	188	157	77	3
Female	646	27	1	3	11	24	29	42	101	139	144	121	4
Nonmetropolitan counties	18,666	506	93	122	383	471	616	1,088	2,478	4,384	5,210	3,283	32
Male	10,148	257	53	70	277	334	422	716	1,583	2,622	2,621	1,176	17
Female	8,518	249	40	52	106	137	194	372	895	1,762	2,589	2,107	15
White	11,544	157	31	47	210	222	329	625	1,548	2,794	3,388	2,174	9
Male	6,297	88	17	26	148	161	229	435	1,038	1,742	1,698	715	4
Female	5,247	79	14	21	64	61	100	190	512	1,052	1,690	1,459	5
All other	7,122	349	62	75	173	249	287	463	930	1,590	1,822	1,109	23
Male	3,851	169	36	44	131	173	193	281	547	880	823	461	13
Female	3,271	170	26	31	42	76	94	182	383	710	899	648	10
Black	7,068	336	62	75	172	243	281	455	917	1,588	1,817	1,101	23
Male	3,826	169	36	44	130	169	189	278	541	879	920	458	13
Female	3,242	167	26	31	42	74	92	177	376	707	897	643	10

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	49,131	777	157	209	843	885	1,188	2,566	6,235	11,143	14,248	10,861	19
Male	25,570	440	84	139	628	614	740	1,646	3,874	6,610	7,044	3,728	13
Female	23,561	337	63	70	215	271	448	920	2,361	4,533	7,204	7,133	6
White	44,169	564	115	160	697	676	958	2,125	5,448	10,044	13,149	10,224	9
Male	22,908	332	71	107	507	485	594	1,372	3,422	6,027	6,514	3,489	8
Female	21,261	232	44	53	190	211	364	753	2,026	4,017	6,635	6,735	1
All other	4,962	213	42	49	146	209	230	441	787	1,099	1,099	637	10
Male	2,662	108	23	32	121	149	146	274	452	583	530	239	5
Female	2,300	105	19	17	25	60	84	167	335	516	569	398	5
Black	4,899	210	40	48	143	205	226	430	782	1,085	1,089	830	10
Male	2,626	106	22	32	119	146	145	268	449	577	523	234	5
Female	2,273	104	18	17	24	59	81	162	333	508	566	396	5
Metropolitan counties	29,832	550	96	134	541	615	800	1,724	4,018	6,754	8,372	6,214	14
Male	15,150	310	53	95	403	422	500	1,093	2,483	3,885	3,895	2,001	10
Female	14,682	240	43	39	138	193	300	631	1,535	2,869	4,477	4,213	4
White	25,434	363	61	88	412	425	590	1,314	3,296	5,787	7,420	5,672	6
Male	12,777	212	37	64	295	284	386	838	2,066	3,372	3,438	1,799	6
Female	12,657	151	24	24	117	141	224	476	1,230	2,415	3,982	3,873	-
All other	4,398	187	35	46	129	190	210	410	722	967	952	542	8
Male	2,373	98	16	31	108	138	134	255	417	513	457	202	4
Female	2,025	89	19	15	21	52	76	155	305	454	495	340	4
Black	4,351	185	33	46	127	188	208	403	719	958	943	535	8
Male	2,344	97	15	31	107	135	133	250	415	508	451	197	4
Female	2,007	88	18	15	20	51	75	153	304	449	492	338	4
Nonmetropolitan counties	19,299	227	61	75	302	270	388	842	2,217	4,389	5,876	4,647	5
Male	10,420	130	41	44	225	192	240	553	1,391	2,725	3,149	1,727	3
Female	8,879	97	20	31	77	78	148	289	826	1,664	2,727	2,920	2
White	18,735	201	54	72	285	251	388	811	2,152	4,257	5,729	4,552	3
Male	10,131	120	34	43	212	181	228	534	1,356	2,655	3,076	1,690	2
Female	8,604	81	20	29	73	70	140	277	796	1,602	2,653	2,862	1
All other	564	26	7	3	17	19	20	31	65	132	147	95	2
Male	289	10	7	1	13	11	12	19	35	70	73	37	1
Female	275	16	-	2	4	8	8	12	30	62	74	58	1
Black	548	25	7	3	16	19	18	27	63	127	146	95	2
Male	282	9	7	1	12	11	12	18	34	68	72	37	1
Female	266	16	-	2	4	8	6	9	29	59	74	58	1
Montana	6,711	125	35	29	172	173	211	362	850	1,560	1,773	1,420	1
Male	3,708	72	23	13	118	127	132	230	542	949	983	525	-
Female	3,003	53	12	16	54	46	79	132	308	611	790	895	1
White	6,404	111	30	24	149	146	185	327	801	1,504	1,734	1,392	1
Male	3,535	63	20	11	103	108	114	213	514	916	963	512	-
Female	2,869	48	10	13	46	40	71	114	287	588	771	880	1
All other	307	14	5	5	23	27	26	35	49	56	39	28	-
Male	173	9	3	2	15	21	18	17	28	27	20	13	-
Female	134	5	2	3	8	6	8	18	21	29	19	15	-
Black	8	2	1	-	-	1	-	-	-	3	-	1	-
Male	4	1	1	-	-	1	-	-	-	-	-	1	-
Female	4	1	-	-	-	-	-	-	-	3	-	-	-
Metropolitan counties	1,389	29	11	7	43	34	46	73	197	320	357	272	-
Male	774	13	9	2	30	24	29	46	121	200	205	95	-
Female	615	16	2	5	13	10	17	27	76	120	152	177	-
White	1,367	27	10	7	43	31	44	70	193	315	355	272	-
Male	763	12	8	2	30	21	29	45	118	198	204	95	-
Female	604	15	2	5	13	10	15	25	74	117	151	177	-
All other	22	2	1	-	-	3	2	3	4	5	2	-	-
Male	11	1	1	-	-	3	-	1	2	2	1	-	-
Female	11	1	-	-	-	-	2	2	2	3	1	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,322	96	24	22	129	139	165	289	653	1,240	1,416	1,148	1
Male	2,934	59	14	11	68	103	109	184	421	743	778	430	-
Female	2,388	37	10	11	41	36	62	105	232	497	638	718	1
White	5,037	84	20	17	106	115	141	257	608	1,189	1,379	1,120	1
Male	2,772	51	12	9	73	85	85	168	395	718	759	417	-
Female	2,265	33	8	8	33	30	56	89	213	471	620	703	1
All other	285	12	4	5	23	24	24	32	45	51	37	28	-
Male	162	8	2	2	15	18	18	16	26	25	19	13	-
Female	123	4	2	3	8	6	6	16	19	26	18	15	-
Black	6	1	-	-	-	1	-	-	-	3	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	4	1	-	-	-	-	-	-	-	3	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,673	252	49	61	228	228	284	564	1,624	3,112	4,288	3,980	3
Male	7,648	145	35	43	163	154	182	364	1,053	1,901	2,213	1,393	2
Female	7,025	107	14	18	65	74	102	200	571	1,211	2,075	2,587	1
White	14,221	223	45	56	216	210	282	512	1,532	3,037	4,199	3,926	3
Male	7,409	132	33	39	155	143	171	332	1,003	1,855	2,173	1,371	2
Female	6,812	91	12	17	61	67	91	180	529	1,182	2,026	2,555	1
All other	452	29	4	5	12	18	22	52	92	75	89	54	-
Male	239	13	2	4	8	11	11	32	50	46	40	22	-
Female	213	16	2	1	4	7	11	20	42	29	49	32	-
Black	367	21	4	3	9	14	18	39	75	63	74	47	-
Male	185	10	2	2	6	8	9	22	39	38	30	19	-
Female	182	11	2	1	3	6	9	17	36	25	44	28	-
Metropolitan counties	5,230	136	22	22	90	102	135	276	724	1,186	1,354	1,181	2
Male	2,668	74	16	15	64	65	85	178	459	708	641	362	1
Female	2,562	62	6	7	26	37	50	98	265	478	713	819	1
White	4,849	112	18	17	80	88	116	233	642	1,122	1,282	1,137	2
Male	2,478	63	14	11	58	57	75	154	417	670	613	345	1
Female	2,371	49	4	6	22	31	41	79	225	452	669	792	1
All other	381	24	4	5	10	14	19	43	82	64	72	44	-
Male	190	11	2	4	6	8	10	24	42	38	28	17	-
Female	191	13	2	1	4	6	9	19	40	26	44	27	-
Black	355	21	4	3	8	14	17	39	74	60	72	43	-
Male	177	10	2	2	5	8	9	22	38	36	28	17	-
Female	178	11	2	1	3	6	8	17	36	24	44	26	-
Nonmetropolitan counties	9,443	116	27	39	138	126	149	288	900	1,926	2,934	2,799	1
Male	4,980	71	19	28	99	89	97	186	594	1,193	1,572	1,031	1
Female	4,463	45	8	11	39	37	52	102	306	733	1,362	1,768	-
White	9,372	111	27	39	136	122	146	279	880	1,915	2,917	2,789	1
Male	4,931	69	19	28	97	86	96	178	586	1,185	1,560	1,026	1
Female	4,441	42	8	11	39	36	50	101	294	730	1,357	1,763	-
All other	71	5	-	-	2	4	3	9	10	11	17	10	-
Male	49	2	-	-	2	3	1	6	8	8	12	5	-
Female	22	3	-	-	-	1	2	1	2	3	5	5	-
Black	12	-	-	-	1	-	1	-	1	3	2	4	-
Male	8	-	-	-	1	-	-	-	1	2	2	2	-
Female	4	-	-	-	-	-	1	-	-	1	-	2	-
Nevada	6,755	156	38	28	194	265	239	529	1,225	1,803	1,478	794	6
Male	3,823	99	23	18	144	181	148	336	769	1,114	782	305	5
Female	2,932	57	15	10	50	84	93	193	456	689	696	489	-
White	6,315	129	32	28	165	233	204	475	1,143	1,715	1,420	766	5
Male	3,661	82	20	18	124	161	122	306	723	1,058	747	295	5
Female	2,654	47	12	10	41	72	82	169	420	657	673	471	-
All other	440	27	6	-	29	32	35	54	82	88	58	28	1
Male	262	17	3	-	20	20	24	30	46	56	35	10	1
Female	178	10	3	-	9	12	11	24	36	32	23	18	-
Black	302	22	3	-	16	22	23	31	53	69	40	20	1
Male	189	13	1	-	13	14	18	18	31	45	27	8	1
Female	113	9	2	-	5	8	5	13	22	24	13	12	-
Metropolitan counties	5,406	126	30	25	155	221	196	443	975	1,453	1,159	620	3
Male	3,149	81	17	16	114	146	120	285	624	891	613	239	3
Female	2,257	45	13	9	41	75	76	158	351	562	546	381	-
White	5,036	99	26	25	134	195	166	388	806	1,373	1,114	597	3
Male	2,925	64	16	16	99	131	98	260	585	840	583	290	3
Female	2,111	35	10	9	35	64	68	136	321	533	531	307	-
All other	370	27	4	-	21	26	30	45	69	80	45	23	-
Male	224	17	1	-	15	15	22	25	39	51	30	9	-
Female	146	10	3	-	6	11	8	20	30	29	15	14	-
Black	293	22	3	-	18	22	22	30	51	67	39	19	-
Male	182	13	1	-	13	14	17	18	29	43	26	8	-
Female	111	9	2	-	5	8	5	12	22	24	13	11	-
Nonmetropolitan counties	1,349	30	8	3	39	44	43	86	250	350	319	174	3
Male	774	18	6	2	30	35	26	51	145	223	169	66	3
Female	575	12	2	1	9	9	17	35	105	127	150	108	-
White	1,279	30	6	3	31	38	38	77	237	342	306	169	2
Male	736	18	4	2	25	30	24	46	138	218	164	85	2
Female	543	12	2	1	6	8	14	31	99	124	142	104	-
All other	70	-	2	-	8	6	5	9	13	8	13	5	1
Male	38	-	2	-	5	5	2	5	7	5	5	1	1
Female	32	-	-	-	3	1	3	4	6	3	8	4	-
Black	9	-	-	-	-	-	1	1	2	2	1	1	1
Male	7	-	-	-	-	-	1	-	2	2	1	-	1
Female	2	-	-	-	-	-	-	1	-	-	-	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	8,039	145	20	23	130	145	194	424	1,082	1,908	2,248	1,720	–
Male	4,151	91	12	16	100	102	125	265	699	1,140	1,068	535	–
Female	3,988	54	8	7	30	43	69	159	383	768	1,182	1,185	–
White	8,021	143	20	23	130	145	191	422	1,081	1,904	2,245	1,717	–
Male	4,139	91	12	16	100	102	122	263	698	1,137	1,065	533	–
Female	3,882	52	8	7	30	43	69	159	383	767	1,180	1,184	–
All other	18	2	–	–	–	–	3	2	1	4	3	3	–
Male	12	–	–	–	–	–	3	2	1	3	1	2	–
Female	6	2	–	–	–	–	–	–	–	1	2	1	–
Black	15	2	–	–	–	–	3	1	1	4	1	3	–
Male	10	–	–	–	–	–	3	1	1	3	–	2	–
Female	5	2	–	–	–	–	–	–	–	1	1	1	–
Metropolitan counties	4,434	90	13	13	80	80	116	243	637	1,034	1,214	914	–
Male	2,289	50	7	9	65	63	75	152	409	613	568	278	–
Female	2,145	40	6	4	15	17	41	91	228	421	646	636	–
White	4,419	88	13	13	80	80	113	242	636	1,030	1,213	911	–
Male	2,279	50	7	9	65	63	72	151	408	610	568	276	–
Female	2,140	38	6	4	15	17	41	91	228	420	645	635	–
All other	15	2	–	–	–	–	3	1	1	4	1	3	–
Male	10	–	–	–	–	–	3	1	1	3	–	2	–
Female	5	2	–	–	–	–	–	–	–	1	1	1	–
Black	15	2	–	–	–	–	3	1	1	4	1	3	–
Male	10	–	–	–	–	–	3	1	1	3	–	2	–
Female	5	2	–	–	–	–	–	–	–	1	1	1	–
Nonmetropolitan counties	3,605	55	7	10	50	65	78	181	445	874	1,034	806	–
Male	1,862	41	5	7	35	39	50	113	290	527	498	257	–
Female	1,743	14	2	3	15	26	28	68	155	347	536	549	–
White	3,602	55	7	10	50	65	78	180	445	874	1,032	806	–
Male	1,860	41	5	7	35	39	50	112	290	527	497	257	–
Female	1,742	14	2	3	15	26	28	68	155	347	535	549	–
All other	3	–	–	–	–	–	–	1	–	–	2	–	–
Male	2	–	–	–	–	–	–	1	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
New Jersey	69,437	1,109	171	250	937	1,457	2,017	4,014	10,192	16,989	18,729	13,538	36
Male	35,611	637	95	142	677	1,017	1,310	2,497	6,260	9,621	8,800	4,527	28
Female	33,826	472	76	108	260	440	707	1,517	3,932	7,368	9,929	9,009	8
White	61,440	730	113	173	710	943	1,423	3,107	8,698	15,321	17,317	12,885	20
Male	31,203	428	59	85	513	685	917	1,936	5,371	8,750	8,146	4,309	14
Female	30,237	302	54	78	197	278	506	1,171	3,327	6,571	9,171	8,576	6
All other	7,997	379	58	77	227	514	594	907	1,494	1,668	1,412	651	16
Male	4,408	209	36	47	164	352	393	561	889	871	654	218	14
Female	3,589	170	22	30	63	162	201	346	605	797	758	433	2
Black	7,747	364	56	72	217	494	570	888	1,451	1,616	1,370	634	15
Male	4,261	200	35	42	159	341	379	549	864	841	631	207	13
Female	3,486	164	21	30	58	153	191	339	587	775	739	427	2
Metropolitan counties	61,947	1,026	157	226	864	1,350	1,865	3,718	9,357	14,936	16,275	12,139	34
Male	31,604	592	85	128	619	943	1,220	2,309	5,744	8,415	7,528	3,994	27
Female	30,343	434	72	98	245	407	645	1,409	3,613	6,521	8,747	8,145	7
White	54,098	654	101	154	640	841	1,282	2,824	7,892	13,297	14,890	11,505	18
Male	27,278	387	50	83	458	592	832	1,754	4,877	7,561	6,887	3,784	13
Female	26,820	267	51	71	182	249	450	1,070	3,015	5,736	8,003	7,721	5
All other	7,849	372	56	72	224	509	583	894	1,465	1,639	1,385	634	16
Male	4,326	205	35	45	161	351	388	555	867	854	641	210	14
Female	3,523	167	21	27	63	158	195	339	598	785	744	424	2
Black	7,612	358	54	67	214	489	560	878	1,424	1,592	1,344	619	15
Male	4,188	197	34	40	156	340	375	543	844	828	619	199	13
Female	3,424	161	20	27	58	149	185	333	580	764	725	420	2
Nonmetropolitan counties	7,490	83	14	24	73	107	152	296	835	2,053	2,454	1,397	2
Male	4,007	45	10	14	58	74	90	168	516	1,206	1,272	533	1
Female	3,483	38	4	10	15	33	62	108	319	847	1,182	864	1
White	7,342	76	12	19	70	102	141	283	806	2,024	2,427	1,380	2
Male	3,925	41	9	12	55	73	85	182	494	1,189	1,259	525	1
Female	3,417	35	3	7	15	29	56	101	312	835	1,168	855	1
All other	148	7	2	5	3	5	11	13	29	29	27	17	–
Male	82	4	1	2	3	1	5	6	22	17	13	8	–
Female	66	3	1	3	–	4	6	7	7	12	14	9	–
Black	135	6	2	5	3	5	10	12	27	24	26	15	–
Male	73	3	1	2	3	1	4	6	20	13	12	8	–
Female	62	3	1	3	–	4	6	6	7	11	14	7	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	9,562	263	73	67	343	434	393	595	1,020	2,085	2,330	1,856	3
Male	5,376	163	35	41	288	330	250	392	801	1,212	1,256	625	3
Female	4,186	100	38	26	75	104	143	203	519	873	1,074	1,031	-
White	8,720	214	45	61	262	342	310	517	1,239	1,963	2,192	1,572	3
Male	4,835	136	22	38	199	262	190	338	756	1,138	1,169	584	3
Female	3,885	78	23	23	63	80	120	179	483	825	1,023	988	-
All other	842	49	28	6	81	92	83	78	81	122	138	84	-
Male	541	27	13	3	69	68	60	54	45	74	87	41	-
Female	301	22	15	3	12	24	23	24	36	48	51	43	-
Black	162	5	4	1	3	5	6	19	29	41	31	18	-
Male	96	3	3	1	3	4	3	12	20	27	14	6	-
Female	66	2	1	-	-	1	3	7	9	14	17	12	-
Metropolitan counties	3,784	103	19	25	106	165	153	255	550	833	913	660	2
Male	2,066	65	11	15	81	127	93	169	332	467	482	222	2
Female	1,718	38	8	10	25	38	60	86	218	366	431	438	-
White	3,571	89	14	22	93	144	130	228	528	804	871	646	2
Male	1,930	56	7	13	69	112	80	148	316	455	459	213	2
Female	1,641	33	7	9	24	32	50	80	212	349	412	433	-
All other	213	14	5	3	13	21	23	27	22	29	42	14	-
Male	136	9	4	2	12	15	13	21	16	12	23	9	-
Female	77	5	1	1	1	6	10	6	6	17	19	5	-
Black	69	2	3	1	-	4	4	11	8	15	17	4	-
Male	37	2	2	1	-	3	1	8	5	6	7	2	-
Female	32	-	1	-	-	1	3	3	3	9	10	2	-
Nonmetropolitan counties	5,778	160	54	42	237	269	240	340	770	1,252	1,417	896	1
Male	3,310	98	24	26	187	203	157	229	469	745	774	403	1
Female	2,468	62	30	16	50	66	83	117	301	507	643	593	-
White	5,149	125	31	39	169	198	180	289	711	1,159	1,321	926	1
Male	2,905	80	15	25	130	150	110	160	440	683	710	371	1
Female	2,244	45	16	14	39	48	70	99	271	476	611	555	-
All other	629	35	23	3	68	71	60	51	59	93	96	70	-
Male	405	18	9	1	57	53	47	33	29	62	64	32	-
Female	224	17	14	2	11	18	13	18	30	31	32	38	-
Black	93	3	1	-	3	1	2	8	21	26	14	14	-
Male	59	1	1	-	3	1	2	4	15	21	7	4	-
Female	34	2	-	-	-	-	-	4	6	5	7	10	-
New York	170,762	2,765	431	582	2,617	4,363	5,784	10,137	23,783	38,350	46,658	35,292	20
Male	86,435	1,540	237	331	1,922	3,105	3,927	6,259	14,299	21,354	21,798	11,652	11
Female	84,327	1,225	194	231	695	1,258	1,857	3,878	9,484	16,996	24,880	23,640	9
White	148,177	1,843	298	428	1,967	2,928	3,926	7,564	19,474	33,666	42,711	33,356	18
Male	74,060	1,012	161	253	1,457	2,094	2,632	4,671	11,815	18,892	20,068	10,995	10
Female	74,117	831	137	175	510	832	1,294	2,893	7,659	14,774	22,643	22,361	8
All other	22,585	922	133	154	650	1,437	1,858	2,573	4,309	4,684	3,947	1,936	2
Male	12,375	528	76	78	465	1,011	1,295	1,588	2,484	2,462	1,730	657	1
Female	10,210	394	57	56	185	426	563	985	1,825	2,222	2,217	1,279	1
Black	21,192	877	121	122	609	1,390	1,777	2,444	4,068	4,402	3,623	1,757	2
Male	11,460	497	70	71	434	972	1,246	1,500	2,330	2,265	1,510	564	1
Female	9,732	380	51	51	175	418	531	944	1,738	2,137	2,113	1,193	1
Metropolitan counties	153,856	2,541	382	493	2,334	4,093	5,410	9,351	21,675	34,339	41,811	31,410	17
Male	77,707	1,407	211	290	1,702	2,914	3,684	5,779	13,029	18,965	19,334	10,383	9
Female	76,149	1,134	171	203	632	1,179	1,726	3,572	8,646	15,374	22,477	21,027	8
White	131,543	1,624	252	362	1,691	2,669	3,571	6,807	17,416	29,711	37,821	29,504	15
Male	65,494	883	136	213	1,243	1,913	2,402	4,207	10,580	16,538	17,634	9,737	8
Female	66,049	741	116	149	448	756	1,169	2,600	6,836	13,173	20,287	19,767	7
All other	22,313	917	130	131	643	1,424	1,839	2,544	4,259	4,628	3,990	1,906	2
Male	12,213	524	75	77	459	1,001	1,282	1,572	2,449	2,427	1,700	648	1
Female	10,100	393	55	54	184	423	557	972	1,810	2,201	2,190	1,260	1
Black	20,972	873	119	119	604	1,378	1,780	2,418	4,029	4,356	3,576	1,738	2
Male	11,327	494	69	70	429	969	1,235	1,485	2,301	2,236	1,487	557	1
Female	9,645	379	50	49	175	415	525	933	1,728	2,120	2,089	1,181	1
Nonmetropolitan counties	16,906	224	49	89	283	270	374	786	2,108	4,011	4,847	3,882	3
Male	8,728	133	26	41	220	191	243	460	1,270	2,389	2,464	1,269	2
Female	8,178	91	23	28	63	79	131	306	838	1,622	2,383	2,613	1
White	16,634	219	46	66	276	257	355	757	2,058	3,955	4,790	3,852	3
Male	8,568	129	25	40	214	181	230	464	1,235	2,354	2,434	1,258	2
Female	8,068	90	21	26	62	76	125	293	823	1,601	2,356	2,594	1
All other	272	5	3	3	7	13	19	29	50	56	57	30	-
Male	162	4	1	1	6	10	13	18	35	35	30	11	-
Female	110	1	2	2	1	3	6	13	15	21	27	19	-
Black	220	4	2	3	5	12	17	26	39	46	47	19	-
Male	133	3	1	1	5	9	11	15	29	29	23	7	-
Female	87	1	1	2	-	3	6	11	10	17	24	12	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	51,046	1,086	180	282	1,049	1,287	1,824	3,520	8,248	12,709	12,998	7,903	-
Male	27,834	588	94	165	775	933	1,177	2,288	5,335	7,583	6,295	2,591	-
Female	23,212	478	86	97	274	354	647	1,222	2,913	5,126	6,703	5,312	-
White	38,630	891	112	187	757	897	1,131	2,480	6,058	9,537	10,329	6,651	-
Male	20,952	324	61	103	564	595	736	1,673	3,981	5,777	5,014	2,124	-
Female	17,678	267	51	84	193	212	395	817	2,077	3,760	5,315	4,527	-
All other	12,416	475	68	95	292	480	693	1,030	2,190	3,172	2,669	1,252	-
Male	6,882	264	33	62	211	338	441	625	1,354	1,806	1,281	467	-
Female	5,534	211	35	33	81	142	252	405	836	1,366	1,388	785	-
Black	12,019	457	66	89	270	453	664	994	2,127	3,089	2,588	1,224	-
Male	6,639	253	31	58	192	318	419	598	1,319	1,765	1,236	452	-
Female	5,380	204	35	31	78	135	245	396	808	1,324	1,350	772	-
Metropolitan counties	24,876	583	98	126	552	662	917	1,746	4,022	5,940	6,279	3,951	-
Male	13,285	316	55	78	400	478	573	1,129	2,597	3,466	2,978	1,221	-
Female	11,591	267	43	48	152	184	344	623	1,425	2,474	3,301	2,730	-
White	19,483	348	65	91	418	425	591	1,280	3,077	4,611	5,137	3,442	-
Male	10,340	188	38	61	306	308	372	851	2,007	2,733	2,431	1,045	-
Female	9,143	160	27	30	110	117	219	429	1,070	1,878	2,706	2,397	-
All other	5,393	235	33	35	136	237	326	466	945	1,329	1,142	509	-
Male	2,945	128	17	17	94	170	201	272	590	739	547	176	-
Female	2,448	107	16	18	42	67	125	194	355	596	595	333	-
Black	5,335	230	33	33	131	230	320	461	941	1,313	1,134	509	-
Male	2,910	125	17	17	90	165	198	268	587	725	542	176	-
Female	2,425	105	16	16	41	65	122	193	354	588	592	333	-
Nonmetropolitan counties	26,170	483	82	136	497	625	907	1,774	4,226	6,769	6,719	3,952	-
Male	14,549	272	39	87	375	455	604	1,175	2,738	4,117	3,317	1,370	-
Female	11,621	211	43	49	122	170	303	599	1,488	2,652	3,402	2,582	-
White	19,147	243	47	76	341	382	540	1,210	2,981	4,926	5,192	3,209	-
Male	10,612	136	23	42	258	287	364	822	1,974	3,044	2,583	1,079	-
Female	8,535	107	24	34	83	95	176	388	1,007	1,882	2,609	2,130	-
All other	7,023	240	35	60	156	243	367	564	1,245	1,843	1,527	743	-
Male	3,937	136	16	45	117	168	240	353	764	1,073	734	291	-
Female	3,086	104	19	15	39	75	127	211	481	770	793	452	-
Black	6,684	227	33	56	139	223	344	533	1,166	1,776	1,452	715	-
Male	3,728	128	14	41	102	153	221	328	732	1,040	694	276	-
Female	2,955	99	19	15	37	70	123	205	454	736	758	439	-
North Dakota	5,546	96	26	35	101	113	120	238	607	1,178	1,646	1,386	-
Male	3,153	59	15	24	78	82	73	148	417	790	901	566	-
Female	2,393	37	11	11	23	31	47	90	190	388	745	820	-
White	5,401	83	23	31	89	103	112	225	581	1,153	1,624	1,377	-
Male	3,070	50	13	22	70	76	67	137	401	776	894	564	-
Female	2,331	33	10	9	19	27	45	88	180	377	730	813	-
All other	145	13	3	4	12	10	8	13	26	25	22	9	-
Male	83	9	2	2	8	6	6	11	16	14	7	2	-
Female	62	4	1	2	4	4	2	2	10	11	15	7	-
Black	5	1	-	-	-	1	-	1	-	1	1	-	-
Male	3	-	-	-	-	1	-	1	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Metropolitan counties	1,574	34	8	12	24	46	41	84	172	344	422	387	-
Male	864	21	5	9	17	37	24	52	109	225	216	149	-
Female	710	13	3	3	7	9	17	32	63	119	206	238	-
White	1,565	30	8	12	24	46	41	82	171	343	422	386	-
Male	858	18	5	9	17	37	24	51	108	224	216	149	-
Female	707	12	3	3	7	9	17	31	63	119	206	237	-
All other	9	4	-	-	-	-	-	2	1	1	-	1	-
Male	6	3	-	-	-	-	-	1	1	1	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	3,972	62	18	23	77	67	79	154	435	834	1,224	999	-
Male	2,289	38	10	15	61	45	49	96	308	565	685	417	-
Female	1,683	24	8	8	16	22	30	58	127	269	539	582	-
White	3,836	53	15	19	65	57	71	143	410	810	1,202	991	-
Male	2,212	32	8	13	53	39	43	86	293	552	678	415	-
Female	1,624	21	7	6	12	18	28	57	117	258	524	576	-
All other	136	9	3	4	12	10	8	11	25	24	22	8	-
Male	77	6	2	2	8	6	6	10	15	13	7	2	-
Female	59	3	1	2	4	4	2	1	10	11	15	6	-
Black	3	-	-	-	-	1	-	1	-	-	1	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	96,996	1,653	287	384	1,576	1,962	2,525	5,497	14,603	23,285	26,026	19,197	1
Male	50,208	958	149	239	1,136	1,352	1,576	3,411	8,958	13,549	12,430	6,450	-
Female	46,788	695	138	145	440	610	949	2,086	5,645	9,736	13,596	12,747	1
White	87,218	1,245	239	308	1,366	1,564	2,018	4,600	12,630	21,057	24,000	18,196	1
Male	44,863	721	120	196	994	1,086	1,261	2,883	7,803	12,305	11,412	6,062	-
Female	42,355	524	113	112	372	478	757	1,717	4,827	8,752	12,588	12,134	1
All other	9,778	408	54	76	210	398	507	897	1,973	2,228	2,026	1,001	-
Male	5,345	237	29	43	142	266	295	528	1,155	1,244	1,018	388	-
Female	4,433	171	25	33	68	132	212	369	818	984	1,008	613	-
Black	9,618	398	52	74	202	398	490	884	1,944	2,195	2,003	998	-
Male	5,259	232	27	42	137	260	288	517	1,146	1,225	1,007	380	-
Female	4,359	166	25	32	65	128	204	367	798	970	996	606	-
Metropolitan counties	77,177	1,318	221	302	1,215	1,602	2,069	4,458	11,932	18,651	20,435	14,974	-
Male	39,840	772	111	186	856	1,095	1,295	2,759	7,304	10,776	9,672	5,014	-
Female	37,337	546	110	116	359	507	774	1,699	4,628	7,875	10,763	9,960	-
White	67,744	921	169	226	1,011	1,218	1,576	3,585	10,020	16,509	18,490	14,019	-
Male	34,692	541	82	143	718	841	1,010	2,247	6,188	9,583	8,892	4,646	-
Female	33,052	380	87	83	292	377	566	1,338	3,832	6,926	9,598	9,373	-
All other	9,433	397	52	76	204	384	493	873	1,912	2,142	1,945	955	-
Male	5,148	231	29	43	137	254	285	512	1,116	1,193	980	368	-
Female	4,285	166	23	33	67	130	208	361	796	949	965	587	-
Black	9,291	387	50	74	198	377	477	861	1,888	2,114	1,923	946	-
Male	5,070	226	27	42	132	250	277	502	1,108	1,176	969	361	-
Female	4,221	161	23	32	64	127	200	359	778	938	954	585	-
Nonmetropolitan counties	19,819	335	66	82	361	360	456	1,039	2,671	4,634	5,591	4,223	1
Male	10,368	186	38	53	280	257	281	652	1,654	2,773	2,758	1,436	-
Female	9,451	149	28	29	81	103	175	387	1,017	1,861	2,833	2,787	1
White	19,474	324	64	82	355	346	442	1,015	2,610	4,548	5,510	4,177	1
Male	10,171	180	38	53	275	245	271	636	1,615	2,722	2,720	1,416	-
Female	9,303	144	26	29	80	101	171	379	995	1,826	2,790	2,761	1
All other	345	11	2	-	6	14	14	24	61	86	81	46	-
Male	197	6	-	-	5	12	10	16	39	51	38	20	-
Female	148	5	2	-	1	2	4	8	22	35	43	26	-
Black	327	11	2	-	6	11	13	23	58	81	80	42	-
Male	189	6	-	-	5	10	9	15	38	49	38	19	-
Female	138	5	2	-	1	1	4	8	20	32	42	23	-
Oklahoma	29,343	598	127	165	584	796	883	1,584	3,847	6,482	8,254	6,009	14
Male	15,588	356	71	103	429	577	589	1,025	2,437	3,899	4,046	2,075	11
Female	13,745	242	56	62	155	219	314	559	1,410	2,583	4,208	3,934	3
White	26,409	479	103	141	494	653	749	1,383	3,407	5,857	7,571	5,583	9
Male	14,009	289	61	88	367	471	485	888	2,168	3,554	3,725	1,906	7
Female	12,400	190	42	53	127	182	264	475	1,239	2,303	3,846	3,677	2
All other	2,934	119	24	24	90	143	134	221	440	625	683	426	5
Male	1,589	67	10	15	62	106	84	137	269	345	321	169	4
Female	1,345	52	14	9	28	37	50	84	171	280	362	257	1
Black	1,943	79	18	13	49	101	85	139	291	408	443	312	5
Male	1,045	43	8	10	32	77	56	78	182	227	200	128	4
Female	898	36	10	3	17	24	29	61	109	181	243	184	1
Metropolitan counties	15,060	368	82	95	338	507	529	893	2,138	3,305	3,983	2,816	8
Male	7,974	216	45	60	252	362	325	577	1,383	1,952	1,885	931	6
Female	7,086	150	37	35	86	145	204	316	775	1,353	2,098	1,885	2
White	13,475	287	66	81	282	410	442	772	1,890	2,969	3,653	2,619	4
Male	7,111	173	39	50	216	290	274	506	1,206	1,759	1,741	652	3
Female	6,364	114	27	31	66	120	168	264	684	1,210	1,912	1,767	1
All other	1,585	79	16	14	56	97	87	121	248	336	330	197	4
Male	863	43	6	10	36	72	51	69	157	193	144	79	3
Female	722	36	10	4	20	25	36	52	91	143	186	118	1
Black	1,235	60	13	8	38	80	59	90	203	258	253	169	4
Male	673	33	6	7	24	60	36	48	130	147	110	66	3
Female	562	27	7	1	14	20	21	41	73	111	143	103	1
Nonmetropolitan counties	14,283	232	45	70	246	289	354	691	1,709	3,177	4,271	3,193	6
Male	7,624	140	28	43	177	215	244	448	1,074	1,947	2,161	1,144	5
Female	6,659	92	19	27	69	74	110	243	635	1,230	2,110	2,049	1
White	12,934	192	37	60	212	243	307	591	1,517	2,888	3,918	2,964	5
Male	6,898	116	22	36	151	181	211	380	962	1,795	1,984	1,054	4
Female	6,036	76	15	22	61	62	96	211	555	1,093	1,934	1,910	1
All other	1,349	40	8	10	34	46	47	100	192	289	353	229	1
Male	726	24	4	5	26	34	33	68	112	152	177	90	1
Female	623	16	4	5	8	12	14	32	80	137	176	139	-
Black	708	19	5	5	11	21	26	49	88	150	190	143	1
Male	372	10	2	3	6	17	18	29	52	80	90	82	1
Female	336	9	3	2	3	4	8	20	36	70	100	61	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	29,162	390	74	109	460	544	612	1,105	2,970	5,481	6,348	5,069	–
Male	12,350	217	45	77	348	395	385	705	1,802	3,268	3,308	1,780	–
Female	10,812	173	29	32	112	149	227	400	1,168	2,193	3,040	3,289	–
White	22,636	366	70	102	441	503	590	1,055	2,864	5,375	6,233	5,017	–
Male	12,050	205	42	74	337	371	371	674	1,747	3,220	3,253	1,756	–
Female	10,588	161	28	28	104	132	219	381	1,137	2,155	2,980	3,261	–
All other	526	24	4	7	19	41	22	50	86	106	115	52	–
Male	300	12	3	3	11	24	14	31	55	68	55	24	–
Female	226	12	1	4	8	17	8	19	31	38	60	28	–
Black	287	11	3	2	8	17	11	27	53	69	65	21	–
Male	161	6	2	1	3	9	8	20	31	43	27	11	–
Female	126	5	1	1	5	8	3	7	22	26	38	10	–
Metropolitan counties	14,791	256	47	74	289	360	413	728	1,828	3,371	4,060	3,365	–
Male	7,685	143	29	50	219	259	252	473	1,104	1,979	2,037	1,140	–
Female	7,106	113	18	24	70	101	161	255	724	1,392	2,023	2,225	–
White	14,367	237	45	69	273	329	392	688	1,760	3,284	3,964	3,326	–
Male	7,445	134	28	47	210	242	239	447	1,082	1,924	1,993	1,119	–
Female	6,922	103	17	22	63	87	153	241	698	1,360	1,971	2,207	–
All other	424	19	2	5	16	31	21	40	68	87	96	39	–
Male	240	9	1	3	9	17	13	26	42	55	44	21	–
Female	184	10	1	2	7	14	8	14	26	32	52	18	–
Black	274	11	2	2	8	17	10	26	52	62	63	21	–
Male	153	6	1	1	3	9	7	19	30	40	26	11	–
Female	121	5	1	1	5	8	3	7	22	22	37	10	–
Nonmetropolitan counties	8,371	134	27	35	171	184	199	377	1,142	2,110	2,288	1,704	–
Male	4,665	74	16	27	129	136	133	232	698	1,309	1,271	640	–
Female	3,706	60	11	8	42	48	66	145	444	801	1,017	1,064	–
White	8,269	129	25	33	168	174	198	367	1,124	2,091	2,269	1,691	–
Male	4,605	71	14	27	127	129	132	227	685	1,286	1,260	637	–
Female	3,664	58	11	6	41	45	66	140	438	795	1,009	1,054	–
All other	102	5	2	2	3	10	1	10	18	19	19	13	–
Male	60	3	2	–	2	7	1	5	13	13	11	3	–
Female	42	2	–	2	1	3	–	5	5	6	8	10	–
Black	13	–	1	–	–	–	1	1	1	7	2	–	–
Male	8	–	1	–	–	–	1	1	1	3	1	–	–
Female	5	–	–	–	–	–	–	–	–	4	1	–	–
Pennsylvania	122,009	1,838	276	386	1,577	1,943	2,776	6,203	17,635	31,010	34,731	23,810	24
Male	62,926	909	154	229	1,171	1,372	1,790	3,898	10,671	17,979	16,442	8,101	10
Female	59,083	729	122	157	406	571	986	2,305	6,764	13,031	18,289	15,709	14
White	110,992	1,189	223	328	1,354	1,520	2,212	5,193	15,538	28,396	32,400	22,620	19
Male	57,078	674	132	195	1,014	1,085	1,448	3,285	9,852	16,563	15,360	7,654	6
Female	53,914	515	91	133	340	435	764	1,888	5,686	11,833	17,040	14,966	13
All other	11,017	449	53	58	223	423	564	1,010	2,097	2,614	2,331	1,190	5
Male	5,848	235	22	34	157	287	342	603	1,219	1,416	1,082	447	4
Female	5,169	214	31	24	66	136	222	407	878	1,198	1,249	743	1
Black	10,821	433	44	58	212	415	552	996	2,073	2,577	2,286	1,172	5
Male	5,739	224	19	33	148	283	334	596	1,207	1,396	1,058	437	4
Female	5,082	209	25	23	64	132	218	400	866	1,181	1,228	735	1
Metropolitan counties	99,626	1,392	211	293	1,283	1,643	2,278	5,156	14,577	25,280	28,183	19,308	22
Male	51,140	769	117	169	940	1,162	1,458	3,216	8,940	14,642	13,243	6,474	10
Female	48,488	623	94	124	343	481	820	1,940	5,637	10,638	14,940	12,834	12
White	88,818	947	161	238	1,063	1,223	1,723	4,161	12,514	22,714	25,910	18,149	17
Male	45,413	536	97	136	786	877	1,122	2,624	7,742	13,252	12,190	6,045	6
Female	43,405	411	64	100	277	346	601	1,537	4,772	9,462	13,720	12,104	11
All other	10,808	445	50	57	220	420	555	995	2,063	2,566	2,273	1,159	5
Male	5,727	233	20	33	154	285	336	592	1,198	1,380	1,053	429	4
Female	5,081	212	30	24	66	135	219	403	865	1,176	1,220	730	1
Black	10,625	430	44	55	210	412	544	981	2,040	2,533	2,228	1,143	5
Male	5,625	223	19	32	146	281	329	585	1,188	1,370	1,029	421	4
Female	5,000	207	25	23	64	131	215	396	854	1,163	1,199	722	1
Nonmetropolitan counties	22,383	246	65	93	294	300	498	1,047	3,058	5,730	6,548	4,502	2
Male	11,786	140	37	60	231	210	332	682	1,931	3,337	3,199	1,627	–
Female	10,597	106	28	33	63	90	166	365	1,127	2,393	3,349	2,875	2
White	22,174	242	62	92	291	297	489	1,032	3,024	5,682	6,490	4,471	2
Male	11,665	138	35	59	228	208	328	671	1,910	3,311	3,170	1,609	–
Female	10,509	104	27	33	63	89	163	361	1,114	2,371	3,320	2,862	2
All other	209	4	3	1	3	3	9	15	34	48	58	31	–
Male	121	2	2	1	3	2	6	11	21	26	29	18	–
Female	88	2	1	–	–	1	3	4	13	22	29	13	–
Black	198	3	–	1	2	3	8	15	33	44	58	29	–
Male	114	1	–	1	2	2	5	11	21	26	29	16	–
Female	82	2	–	–	–	1	3	4	12	18	29	13	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	8,435	125	16	20	122	130	194	440	1,301	2,197	2,692	2,198	-
Male	4,789	71	6	10	90	95	116	268	816	1,301	1,314	702	-
Female	4,646	54	10	10	32	35	78	172	485	896	1,378	1,496	-
White	9,166	107	14	19	115	118	171	414	1,250	2,139	2,652	2,167	-
Male	4,652	61	6	10	87	89	103	253	786	1,269	1,297	691	-
Female	4,514	46	8	9	28	29	68	161	464	870	1,355	1,476	-
All other	269	18	2	1	7	12	23	26	51	58	40	31	-
Male	137	10	-	-	3	6	13	15	30	32	17	11	-
Female	132	8	2	1	4	6	10	11	21	26	23	20	-
Black	225	14	1	-	6	12	20	23	43	53	29	24	-
Male	111	6	-	-	2	6	11	13	26	29	11	7	-
Female	114	8	1	-	4	6	9	10	17	24	18	17	-
Metropolitan counties	8,714	111	16	19	115	121	174	399	1,212	2,030	2,477	2,040	-
Male	4,430	61	6	9	83	90	104	245	765	1,201	1,210	656	-
Female	4,284	50	10	10	32	31	70	154	447	829	1,267	1,384	-
White	8,467	96	14	18	108	111	152	375	1,163	1,977	2,443	2,010	-
Male	4,302	52	6	9	80	85	91	231	737	1,170	1,196	645	-
Female	4,165	44	8	9	28	26	61	144	426	807	1,247	1,365	-
All other	247	15	2	1	7	10	22	24	49	53	34	30	-
Male	128	9	-	-	3	5	13	14	28	31	14	11	-
Female	119	6	2	1	4	5	9	10	21	22	20	19	-
Black	204	11	1	-	6	10	19	21	41	48	24	23	-
Male	103	5	-	-	2	5	11	12	24	28	9	7	-
Female	101	6	1	-	4	5	8	9	17	20	15	16	-
Nonmetropolitan counties	721	14	-	1	7	9	20	41	89	167	215	158	-
Male	359	10	-	1	7	5	12	23	51	100	104	46	-
Female	362	4	-	-	-	4	8	18	38	67	111	112	-
White	699	11	-	1	7	7	19	39	87	162	209	157	-
Male	350	9	-	1	7	4	12	22	49	89	101	46	-
Female	349	2	-	-	-	3	7	17	38	63	108	111	-
All other	22	3	-	-	-	2	1	2	2	5	6	1	-
Male	9	1	-	-	-	1	-	1	2	1	3	-	-
Female	13	2	-	-	-	1	1	1	-	4	3	1	-
Black	21	3	-	-	-	2	1	2	2	5	5	1	-
Male	8	1	-	-	-	1	-	1	2	1	2	-	-
Female	13	2	-	-	-	1	1	1	-	4	3	1	-
South Carolina	26,374	743	119	188	598	827	1,069	1,984	4,451	6,888	6,139	3,385	3
Male	14,262	406	60	106	445	587	719	1,269	2,811	3,816	2,848	1,092	3
Female	12,112	337	59	82	153	240	350	715	1,640	2,972	3,291	2,293	-
White	17,827	339	65	96	400	456	563	1,193	2,910	4,532	4,562	2,709	2
Male	9,643	184	34	58	298	327	385	775	1,904	2,701	2,141	834	2
Female	8,184	155	31	38	102	129	178	418	1,006	1,831	2,421	1,875	-
All other	8,547	404	54	72	198	371	506	791	1,541	2,356	1,577	676	1
Male	4,619	222	26	48	147	260	334	494	907	1,215	707	258	1
Female	3,928	182	28	24	51	111	172	297	634	1,141	870	418	-
Black	8,527	404	54	72	197	370	503	789	1,539	2,352	1,570	676	1
Male	4,608	222	26	48	147	259	333	493	906	1,213	702	258	1
Female	3,919	182	28	24	50	111	170	296	633	1,139	868	418	-
Metropolitan counties	14,976	443	58	85	347	478	588	1,105	2,495	3,845	3,570	1,961	1
Male	8,057	246	24	53	263	343	391	693	1,672	2,174	1,671	626	1
Female	6,919	197	34	32	84	135	197	412	823	1,671	1,899	1,335	-
White	10,782	222	38	59	248	288	333	718	1,750	2,708	2,775	1,642	1
Male	5,788	121	15	35	188	207	224	460	1,125	1,585	1,321	506	1
Female	4,994	101	23	24	60	81	109	258	625	1,123	1,454	1,136	-
All other	4,194	221	20	26	99	190	255	387	745	1,137	795	319	-
Male	2,269	125	9	18	75	136	167	233	447	589	350	120	-
Female	1,925	96	11	8	24	54	88	154	298	548	445	199	-
Black	4,183	221	20	26	98	190	253	387	744	1,135	790	319	-
Male	2,264	125	9	18	75	136	167	233	447	588	346	120	-
Female	1,919	96	11	8	23	54	86	154	297	547	444	199	-
Nonmetropolitan counties	11,398	300	61	83	251	349	481	879	1,956	3,043	2,569	1,424	2
Male	6,205	160	38	53	182	244	328	576	1,239	1,742	1,177	466	2
Female	5,193	140	25	30	69	105	153	303	717	1,301	1,392	958	-
White	7,045	117	27	37	152	168	230	475	1,160	1,824	1,787	1,067	1
Male	3,855	63	19	23	110	120	161	315	778	1,116	820	328	1
Female	3,190	54	8	14	42	48	69	160	381	708	967	739	-
All other	4,353	183	34	46	99	181	251	404	796	1,219	782	357	1
Male	2,350	97	17	30	72	124	167	261	460	626	357	138	1
Female	2,003	86	17	16	27	57	84	143	336	593	425	219	-
Black	4,344	183	34	46	99	180	250	402	795	1,217	780	357	1
Male	2,344	97	17	30	72	123	166	260	459	625	358	138	1
Female	2,000	86	17	16	27	57	84	142	336	592	424	219	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,533	124	33	30	117	119	151	301	706	1,308	1,972	1,770	2
Male	3,606	83	18	22	84	91	94	203	468	833	1,032	677	1
Female	2,927	41	15	8	33	28	57	98	238	475	940	1,093	1
White	6,137	93	24	28	83	95	114	265	638	1,241	1,818	1,737	1
Male	3,379	63	14	22	61	75	71	178	424	801	1,012	658	–
Female	2,758	30	10	6	22	20	43	87	214	440	806	1,079	1
All other	396	31	9	2	34	24	37	36	68	67	54	33	1
Male	227	20	4	–	23	16	23	25	44	32	20	19	1
Female	169	11	5	2	11	8	14	11	24	35	34	14	–
Black	4	1	–	–	1	–	–	–	–	1	–	–	1
Male	4	1	–	–	1	–	–	–	–	1	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Metropolitan counties	889	11	4	6	13	26	29	47	119	174	239	221	–
Male	474	7	2	4	9	21	19	34	87	106	110	75	–
Female	415	4	2	2	4	5	10	13	32	68	129	146	–
White	879	10	4	5	12	25	28	46	116	173	239	221	–
Male	469	7	2	4	8	21	18	33	86	105	110	75	–
Female	410	3	2	1	4	4	10	13	30	68	129	146	–
All other	10	1	–	1	1	1	1	1	3	1	–	–	–
Male	5	–	–	–	1	–	1	1	1	1	–	–	–
Female	5	1	–	1	–	1	–	–	2	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,644	113	29	24	104	93	122	254	587	1,134	1,733	1,549	2
Male	3,132	76	16	18	75	70	75	169	381	727	922	602	1
Female	2,512	37	13	6	29	23	47	85	206	407	711	947	1
White	5,258	83	20	23	71	70	86	219	522	1,068	1,579	1,516	1
Male	2,910	56	12	18	53	54	53	145	338	696	902	583	–
Female	2,348	27	8	5	18	16	33	74	184	372	677	933	1
All other	388	30	9	1	33	23	36	35	65	66	54	33	1
Male	222	20	4	–	22	16	22	24	43	31	20	19	1
Female	164	10	5	1	11	7	14	11	22	35	34	14	–
Black	4	1	–	–	1	–	–	–	–	1	–	–	1
Male	4	1	–	–	1	–	–	–	–	1	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tennessee	42,334	769	136	204	841	1,086	1,482	2,736	6,245	9,992	11,477	7,356	10
Male	22,964	438	70	123	616	757	960	1,748	4,052	6,078	5,597	2,515	10
Female	19,370	331	66	81	225	329	522	988	2,193	3,914	5,880	4,841	–
White	35,138	492	97	165	701	816	1,144	2,124	5,112	8,282	9,735	6,462	6
Male	19,129	284	49	94	513	572	756	1,410	3,388	5,121	4,776	2,160	6
Female	16,009	208	48	71	188	246	388	714	1,724	3,161	4,959	4,302	–
All other	7,196	277	39	39	140	268	338	612	1,133	1,710	1,742	894	4
Male	3,835	154	21	29	103	185	204	338	664	957	821	355	4
Female	3,361	123	18	10	37	83	134	274	469	753	921	539	–
Black	7,146	274	37	38	139	264	331	607	1,125	1,702	1,737	888	4
Male	3,808	152	20	28	102	184	202	334	661	952	817	352	4
Female	3,338	122	17	10	37	80	129	273	464	750	920	536	–
Metropolitan counties	25,228	523	89	117	460	683	930	1,755	3,843	5,902	6,688	4,208	10
Male	13,478	297	45	73	350	479	591	1,086	2,500	3,498	3,157	1,392	10
Female	11,750	226	44	44	130	204	339	669	1,343	2,404	3,531	2,816	–
White	18,571	267	55	92	360	472	647	1,246	2,938	4,540	5,336	3,661	6
Male	10,483	164	26	54	277	332	423	813	1,964	2,738	2,632	1,138	6
Female	8,108	123	29	38	103	140	224	435	974	1,813	2,804	2,425	–
All other	5,657	236	34	25	100	211	283	507	905	1,353	1,352	847	4
Male	3,015	133	19	19	73	147	169	273	536	762	625	256	4
Female	2,642	103	15	6	27	64	115	234	369	591	727	391	–
Black	5,614	234	32	24	99	208	277	502	899	1,345	1,347	643	4
Male	2,988	131	18	18	72	146	168	289	533	757	621	253	4
Female	2,626	103	14	6	27	62	111	233	366	588	726	390	–
Nonmetropolitan counties	17,106	246	47	87	361	403	552	981	2,402	4,090	4,789	3,148	–
Male	9,486	141	25	50	266	278	369	682	1,552	2,580	2,440	1,123	–
Female	7,620	105	22	37	95	125	183	319	850	1,510	2,349	2,025	–
White	15,567	205	42	73	321	346	497	876	2,174	3,733	4,399	2,901	–
Male	8,666	120	23	40	238	240	333	597	1,424	2,385	2,244	1,024	–
Female	6,901	85	19	33	85	106	164	279	750	1,348	2,155	1,877	–
All other	1,539	41	5	14	40	57	55	105	228	357	390	247	–
Male	820	21	2	10	30	38	36	65	128	195	196	99	–
Female	719	20	3	4	10	19	19	40	100	162	194	148	–
Black	1,532	40	5	14	40	56	54	105	226	357	390	245	–
Male	820	21	2	10	30	38	36	65	128	195	196	99	–
Female	712	19	3	4	10	18	18	40	98	162	194	146	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	117,021	3,127	694	738	3,302	4,084	4,357	7,653	16,686	25,800	30,428	20,131	11
Male	63,657	1,758	408	451	2,532	3,074	2,906	4,919	10,481	15,282	15,071	6,767	8
Female	53,364	1,369	286	287	770	1,020	1,451	2,734	6,205	10,518	15,357	13,364	3
White	101,311	2,455	551	611	2,840	3,333	3,504	6,177	14,129	22,442	26,899	18,362	8
Male	54,860	1,375	323	374	2,194	2,511	2,355	4,001	8,934	13,387	13,357	6,043	6
Female	46,451	1,080	228	237	646	822	1,149	2,176	5,195	9,055	13,542	12,319	2
All other	15,710	672	143	127	462	751	853	1,476	2,557	3,358	3,529	1,769	3
Male	8,797	383	85	77	338	563	551	916	1,547	1,895	1,714	724	2
Female	6,913	289	58	50	124	188	302	558	1,010	1,463	1,815	1,045	1
Black	15,317	639	131	115	429	716	819	1,427	2,515	3,294	3,480	1,747	3
Male	8,557	363	76	68	314	533	530	893	1,527	1,856	1,685	710	2
Female	6,760	276	55	47	115	185	289	534	988	1,438	1,795	1,037	1
Metropolitan counties	85,065	2,609	554	567	2,684	3,452	3,536	6,080	12,736	18,477	20,863	13,517	10
Male	46,056	1,448	321	340	2,041	2,583	2,340	3,894	7,951	10,712	10,011	4,408	7
Female	39,009	1,161	233	227	623	869	1,196	2,186	4,785	7,765	10,852	9,109	3
White	72,658	2,009	431	457	2,268	2,775	2,793	4,846	10,627	15,880	18,294	12,271	7
Male	39,086	1,112	248	272	1,756	2,079	1,869	3,121	6,670	9,258	8,781	3,915	5
Female	33,572	897	183	185	512	696	924	1,725	3,957	6,622	9,513	8,356	2
All other	12,407	600	123	110	396	677	743	1,234	2,109	2,597	2,569	1,246	3
Male	6,970	336	73	68	285	504	471	773	1,291	1,454	1,230	493	2
Female	5,437	264	50	42	111	173	272	461	828	1,143	1,339	753	1
Black	12,047	570	114	98	384	637	711	1,190	2,089	2,539	2,524	1,228	3
Male	6,747	317	66	59	261	477	451	752	1,282	1,417	1,202	481	2
Female	5,300	253	48	39	103	160	260	438	807	1,122	1,322	747	1
Nonmetropolitan counties	31,956	518	140	171	618	642	821	1,573	3,950	7,323	9,565	6,614	1
Male	17,601	310	87	111	491	491	568	1,025	2,530	4,570	5,060	2,359	1
Female	14,355	208	53	60	147	151	255	548	1,420	2,753	4,505	4,255	-
White	28,653	446	120	154	572	558	711	1,331	3,502	6,562	8,605	6,091	1
Male	15,774	263	75	102	438	432	486	880	2,284	4,129	4,576	2,128	1
Female	12,879	183	45	52	134	126	225	451	1,238	2,433	4,029	3,963	-
All other	3,303	72	20	17	66	84	110	242	448	761	960	523	-
Male	1,827	47	12	9	53	59	80	145	268	441	484	231	-
Female	1,476	25	8	8	13	25	30	97	182	320	476	292	-
Black	3,270	69	17	17	65	81	108	237	446	755	958	519	-
Male	1,810	46	10	9	53	56	79	141	285	439	483	229	-
Female	1,460	23	7	8	12	25	29	96	161	316	473	290	-
Utah	6,997	350	57	88	248	279	279	459	1,072	1,979	2,455	1,731	-
Male	4,923	200	38	54	190	202	181	294	698	1,209	1,226	631	-
Female	4,074	150	19	34	58	77	98	165	374	770	1,229	1,100	-
White	6,782	329	57	86	234	264	266	437	1,042	1,938	2,420	1,709	-
Male	4,788	189	38	53	176	190	170	281	680	1,185	1,205	621	-
Female	3,994	140	19	33	58	74	96	156	362	753	1,215	1,088	-
All other	215	21	-	2	14	15	13	22	30	41	35	22	-
Male	135	11	-	1	14	12	11	13	18	24	21	10	-
Female	80	10	-	1	-	3	2	9	12	17	14	12	-
Black	70	4	-	-	3	5	6	6	10	19	12	5	-
Male	38	-	-	-	3	4	5	4	5	12	4	1	-
Female	32	4	-	-	-	1	1	2	5	7	8	4	-
Metropolitan counties	6,825	277	38	69	192	196	221	358	839	1,493	1,860	1,283	-
Male	3,688	157	21	42	140	138	149	231	544	900	910	456	-
Female	3,138	120	17	27	52	58	72	127	295	593	950	827	-
White	6,662	258	38	68	163	185	210	344	815	1,463	1,832	1,266	-
Male	3,589	148	21	42	131	130	140	222	530	861	895	449	-
Female	3,073	110	17	26	52	55	70	122	285	582	937	817	-
All other	164	19	-	1	9	11	11	14	24	30	28	17	-
Male	99	9	-	-	9	8	9	9	14	19	15	7	-
Female	65	10	-	1	-	3	2	5	10	11	13	10	-
Black	70	4	-	-	3	5	6	6	10	19	12	5	-
Male	38	-	-	-	3	4	5	4	5	12	4	1	-
Female	32	4	-	-	-	1	1	2	5	7	8	4	-
Nonmetropolitan counties	2,171	73	19	19	56	83	58	101	233	486	595	448	-
Male	1,235	43	17	12	50	64	32	63	154	309	316	175	-
Female	936	30	2	7	6	19	26	38	79	177	279	273	-
White	2,120	71	19	18	51	79	56	93	227	475	588	443	-
Male	1,199	41	17	11	45	60	30	58	150	304	310	172	-
Female	921	30	2	7	6	19	26	34	77	171	278	271	-
All other	51	2	-	1	5	4	2	8	6	11	7	5	-
Male	36	2	-	1	5	4	2	4	4	5	6	3	-
Female	15	-	-	-	-	-	-	4	2	6	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,532	70	11	13	74	77	124	217	538	1,095	1,286	1,028	1
Male	2,293	33	7	11	62	52	84	143	335	632	607	327	–
Female	2,239	37	4	2	12	25	40	74	201	463	679	701	1
White	4,524	70	11	13	74	75	123	217	536	1,094	1,283	1,027	1
Male	2,291	33	7	11	62	52	83	143	335	632	606	327	–
Female	2,233	37	4	2	12	23	40	74	201	462	677	700	1
All other	8	–	–	–	–	2	1	–	–	1	3	1	–
Male	2	–	–	–	–	–	1	–	–	–	1	–	–
Female	6	–	–	–	–	2	–	–	–	1	2	1	–
Black	6	–	–	–	–	1	1	–	–	1	2	1	–
Male	2	–	–	–	–	–	1	–	–	–	1	–	–
Female	4	–	–	–	–	1	–	–	–	1	1	1	–
Metropolitan counties	783	19	1	2	16	15	22	42	104	179	210	173	–
Male	360	5	1	2	15	12	15	21	58	88	94	49	–
Female	423	14	–	–	1	3	7	21	46	91	116	124	–
White	781	19	1	2	16	15	21	42	104	179	209	173	–
Male	359	5	1	2	15	12	14	21	58	88	94	49	–
Female	422	14	–	–	1	3	7	21	46	91	115	124	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Nonmetropolitan counties	3,749	51	10	11	58	62	102	175	432	916	1,076	855	1
Male	1,933	28	6	9	47	40	69	122	277	544	513	278	–
Female	1,816	23	4	2	11	22	33	53	155	372	563	577	1
White	3,743	51	10	11	58	60	102	175	432	915	1,074	854	1
Male	1,932	28	6	9	47	40	69	122	277	544	512	278	–
Female	1,811	23	4	2	11	20	33	53	155	371	562	576	1
All other	6	–	–	–	–	2	–	–	–	1	2	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	5	–	–	–	–	2	–	–	–	1	1	1	–
Black	4	–	–	–	–	1	–	–	–	1	1	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	3	–	–	–	–	1	–	–	–	1	–	1	–
Virginia	44,310	1,005	147	196	914	1,060	1,496	2,964	7,120	10,824	11,190	7,384	10
Male	23,666	557	84	124	674	738	949	1,847	4,520	6,391	5,369	2,408	5
Female	20,644	448	63	72	240	322	547	1,117	2,600	4,433	5,821	4,976	5
White	34,557	603	91	129	682	712	1,066	2,119	5,305	8,364	9,141	6,341	4
Male	18,222	336	50	82	521	502	674	1,360	3,390	4,960	4,357	1,988	2
Female	16,335	267	41	47	161	210	392	759	1,915	3,404	4,784	4,353	2
All other	9,753	402	56	67	232	348	430	845	1,815	2,460	2,049	1,043	6
Male	5,444	221	34	42	153	238	275	487	1,130	1,431	1,012	420	3
Female	4,309	181	22	25	79	112	155	358	685	1,029	1,037	623	3
Black	9,580	388	53	64	225	340	414	820	1,789	2,427	2,021	1,033	6
Male	5,340	210	31	40	149	231	267	473	1,115	1,414	992	415	3
Female	4,240	178	22	24	76	109	147	347	674	1,013	1,029	618	3
Metropolitan counties	28,743	779	94	143	629	734	1,030	1,952	4,822	6,853	7,032	4,669	6
Male	14,986	429	53	88	482	502	648	1,188	2,986	3,842	3,259	1,428	3
Female	13,757	350	41	57	167	232	382	764	1,836	2,911	3,773	3,241	3
White	21,698	453	50	88	456	478	691	1,304	3,469	5,123	5,609	3,976	1
Male	11,084	251	28	50	344	330	431	819	2,155	2,950	2,568	1,158	–
Female	10,614	202	22	38	112	148	260	485	1,314	2,173	3,041	2,818	1
All other	7,045	326	44	55	173	256	339	648	1,353	1,730	1,423	693	5
Male	3,902	178	25	38	118	172	217	369	831	992	691	270	3
Female	3,143	148	19	19	55	84	122	279	522	738	732	423	2
Black	6,887	312	41	52	166	248	324	625	1,339	1,702	1,396	686	5
Male	3,804	167	22	34	114	167	209	356	816	978	672	266	3
Female	3,083	145	19	18	52	81	115	269	514	724	724	420	2
Nonmetropolitan counties	15,567	226	53	53	285	326	466	1,012	2,298	3,971	4,158	2,715	4
Male	8,680	128	31	36	212	236	301	659	1,534	2,449	2,110	980	2
Female	6,887	98	22	15	73	90	165	353	764	1,522	2,048	1,735	2
White	12,859	150	41	41	226	234	375	815	1,836	3,241	3,532	2,365	3
Male	7,138	85	22	32	177	172	243	541	1,235	2,010	1,789	830	2
Female	5,721	65	19	9	49	62	132	274	601	1,231	1,743	1,535	1
All other	2,708	76	12	12	59	92	91	197	462	730	626	350	1
Male	1,542	43	6	6	35	64	58	118	299	439	321	150	–
Female	1,166	33	6	6	24	28	33	79	163	291	305	200	1
Black	2,693	76	12	12	59	92	90	195	459	725	625	347	1
Male	1,536	43	6	6	35	64	58	117	299	436	320	149	–
Female	1,157	33	6	6	24	28	32	78	160	289	305	198	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	33,814	703	142	169	683	787	998	1,702	4,540	7,833	8,943	7,315	2
Male	17,953	420	82	105	490	557	636	1,090	2,791	4,621	4,616	2,544	1
Female	15,861	283	60	63	193	230	360	612	1,749	3,212	4,327	4,771	1
White	32,246	600	116	143	607	690	894	1,548	4,271	7,498	8,704	7,173	2
Male	17,012	363	69	87	433	497	580	988	2,625	4,403	4,471	2,484	1
Female	15,234	237	47	56	174	193	314	549	1,646	3,095	4,233	4,689	1
All other	1,568	103	26	25	76	97	102	154	269	335	239	142	-
Male	941	57	13	18	57	60	58	91	166	218	145	60	-
Female	627	46	13	7	19	37	46	63	103	117	94	82	-
Black	768	66	13	10	27	46	43	73	151	169	103	67	-
Male	459	37	5	6	14	30	31	47	98	108	52	31	-
Female	309	29	8	4	13	16	12	26	53	61	51	36	-
Metropolitan counties	26,279	564	119	125	529	660	790	1,373	3,567	5,933	6,905	5,712	2
Male	13,862	338	66	77	374	483	502	873	2,216	3,491	3,523	1,938	1
Female	12,417	226	53	48	155	197	288	500	1,351	2,442	3,382	3,774	1
White	24,882	475	98	105	483	572	699	1,235	3,321	5,631	6,698	5,583	2
Male	13,021	288	56	63	326	407	452	790	2,064	3,293	3,399	1,882	1
Female	11,861	187	42	42	157	165	247	445	1,257	2,338	3,299	3,701	1
All other	1,397	89	21	20	46	88	91	138	246	302	207	129	-
Male	841	50	10	14	48	56	50	83	152	198	124	56	-
Female	556	39	11	6	18	32	41	55	94	104	83	73	-
Black	747	64	13	10	27	46	42	71	146	163	99	66	-
Male	442	36	5	6	14	30	30	45	93	103	50	30	-
Female	305	28	8	4	13	16	12	26	53	60	49	36	-
Nonmetropolitan counties	7,535	139	23	43	154	127	206	329	973	1,900	2,038	1,603	-
Male	4,091	82	16	28	116	94	134	217	575	1,130	1,093	806	-
Female	3,444	57	7	15	38	33	72	112	398	770	945	997	-
White	7,364	125	18	38	144	118	195	313	950	1,867	2,006	1,590	-
Male	3,981	75	13	24	107	90	128	209	561	1,110	1,072	602	-
Female	3,373	50	5	14	37	28	67	104	389	757	934	988	-
All other	171	14	5	5	10	9	11	16	23	33	32	13	-
Male	100	7	3	4	9	4	9	8	14	20	21	4	-
Female	71	7	2	1	1	5	5	8	9	13	11	9	-
Black	21	2	-	-	-	-	1	2	5	8	4	1	-
Male	17	1	-	-	-	-	1	2	5	5	2	1	-
Female	4	1	-	-	-	-	-	-	-	1	2	-	-
West Virginia	19,207	270	54	56	298	346	516	1,099	2,932	4,945	5,324	3,367	-
Male	10,289	158	26	33	211	250	330	686	1,820	2,900	2,636	1,241	-
Female	8,918	114	28	23	87	96	186	413	1,112	2,045	2,688	2,126	-
White	18,405	254	49	53	285	323	491	1,060	2,822	4,725	5,107	3,236	-
Male	9,868	147	23	32	199	233	310	685	1,755	2,796	2,525	1,183	-
Female	8,537	107	26	21	86	90	181	395	1,067	1,929	2,582	2,053	-
All other	802	16	5	3	13	23	25	39	110	220	217	131	-
Male	421	9	3	1	12	17	20	21	65	104	111	58	-
Female	381	7	2	2	1	6	5	18	45	116	106	73	-
Black	789	15	4	3	13	23	24	38	109	214	216	130	-
Male	415	9	2	1	12	17	20	21	65	99	111	58	-
Female	374	6	2	2	1	6	4	17	44	115	105	72	-
Metropolitan counties	7,021	82	16	22	93	115	169	393	1,102	1,804	1,954	1,271	-
Male	3,645	48	7	15	65	81	111	244	670	1,014	934	456	-
Female	3,376	34	9	7	28	34	58	149	432	790	1,020	815	-
White	6,746	76	12	20	91	109	163	374	1,059	1,730	1,889	1,223	-
Male	3,519	44	5	14	63	76	106	235	647	984	908	437	-
Female	3,227	32	7	6	28	33	57	139	412	746	981	786	-
All other	275	6	4	2	2	6	6	19	43	74	65	48	-
Male	126	4	2	1	2	5	5	9	23	30	26	19	-
Female	149	2	2	1	-	1	1	10	20	44	39	29	-
Black	267	6	4	2	2	6	5	18	42	71	64	47	-
Male	124	4	2	1	2	5	5	9	23	28	26	19	-
Female	143	2	2	1	-	1	-	9	19	43	38	28	-
Nonmetropolitan counties	12,186	188	38	34	205	231	347	706	1,830	3,141	3,370	2,096	-
Male	6,644	108	19	18	146	169	219	442	1,150	1,886	1,702	785	-
Female	5,542	80	19	16	59	62	128	264	680	1,255	1,668	1,311	-
White	11,659	178	37	33	194	214	328	686	1,763	2,995	3,218	2,013	-
Male	6,349	103	18	18	138	157	204	430	1,108	1,812	1,617	746	-
Female	5,310	75	19	15	56	57	124	256	655	1,183	1,601	1,267	-
All other	527	10	1	1	11	17	19	20	67	146	152	83	-
Male	295	5	1	-	10	12	15	12	42	74	85	39	-
Female	232	5	-	1	1	5	4	8	25	72	67	44	-
Black	522	9	-	1	11	17	19	20	67	143	152	83	-
Male	291	5	-	-	10	12	15	12	42	71	85	39	-
Female	231	4	-	1	1	5	4	8	25	72	67	44	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1984—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	41,047	725	133	162	703	720	910	1,923	4,800	9,233	11,854	9,881	3
Male	21,806	418	68	99	501	505	555	1,203	3,047	5,650	6,114	3,846	2
Female	19,241	308	65	63	202	215	355	720	1,753	3,583	5,740	6,235	1
White	39,790	604	113	148	656	649	824	1,782	4,573	9,004	11,682	9,772	3
Male	21,097	351	60	88	473	460	499	1,110	2,905	5,518	6,026	3,605	2
Female	18,693	253	53	60	183	189	325	672	1,668	3,486	5,636	6,167	1
All other	1,257	121	20	14	47	71	86	141	227	229	192	109	-
Male	709	65	8	11	28	45	56	93	142	132	88	41	-
Female	548	56	12	3	19	26	30	48	85	97	104	68	-
Black	995	98	11	11	35	54	71	109	180	177	156	83	-
Male	565	55	5	8	21	33	47	70	121	102	71	32	-
Female	430	43	6	3	14	21	24	39	59	75	85	51	-
Metropolitan counties	25,384	498	79	104	455	526	634	1,319	3,169	5,615	7,158	5,827	1
Male	13,208	284	42	65	325	362	381	803	1,988	3,368	3,586	2,003	1
Female	12,176	214	37	39	130	164	253	516	1,180	2,247	3,572	3,824	-
White	24,285	386	69	90	417	462	557	1,195	2,966	5,423	6,988	5,737	1
Male	12,591	223	35	54	302	324	332	724	1,861	3,259	3,508	1,968	1
Female	11,694	163	28	36	115	138	225	471	1,105	2,164	3,480	3,769	-
All other	1,099	112	16	14	38	64	77	124	202	192	170	90	-
Male	617	61	7	11	23	38	49	79	127	109	78	35	-
Female	482	51	9	3	15	26	28	45	75	83	92	55	-
Black	978	97	11	11	34	54	69	108	190	172	152	80	-
Male	554	54	5	8	20	33	45	69	121	98	70	31	-
Female	424	43	6	3	14	21	24	39	69	74	82	49	-
Nonmetropolitan counties	15,663	227	54	58	248	194	276	604	1,632	3,618	4,696	4,054	2
Male	8,598	132	26	34	176	143	174	400	1,059	2,282	2,528	1,843	1
Female	7,065	95	28	24	72	51	102	204	573	1,336	2,168	2,211	1
White	15,505	218	50	58	239	187	267	587	1,607	3,581	4,674	4,035	2
Male	8,506	128	25	34	171	136	167	386	1,044	2,259	2,518	1,637	1
Female	6,999	90	25	24	68	51	100	201	563	1,322	2,156	2,398	1
All other	158	9	4	-	9	7	9	17	25	37	22	19	-
Male	92	4	1	-	5	7	7	14	15	23	10	6	-
Female	66	5	3	-	4	-	2	3	10	14	12	13	-
Black	17	1	-	-	1	-	2	1	-	5	4	3	-
Male	11	1	-	-	1	-	2	1	-	4	1	1	-
Female	6	-	-	-	-	-	-	-	-	1	3	2	-
Wyoming	3,189	108	16	25	110	124	128	180	413	649	822	619	1
Male	1,807	63	9	16	79	88	85	123	274	391	441	237	1
Female	1,382	45	7	9	31	36	43	57	139	252	381	382	-
White	3,115	104	15	25	88	119	118	175	403	638	812	607	1
Male	1,764	62	8	16	70	88	79	120	270	388	434	230	1
Female	1,351	42	7	9	28	33	39	55	133	250	378	377	-
All other	74	4	1	-	12	5	10	5	10	5	10	12	-
Male	43	1	1	-	9	2	6	3	4	3	7	7	-
Female	31	3	-	-	3	3	4	2	6	2	3	5	-
Black	20	1	-	-	1	-	2	4	1	2	4	5	-
Male	11	-	-	-	-	-	1	3	-	1	3	3	-
Female	9	1	-	-	1	-	1	1	1	1	1	2	-
Metropolitan counties	415	16	1	3	17	24	22	27	67	73	97	68	-
Male	228	10	-	3	11	19	15	15	42	41	48	24	-
Female	187	6	1	-	6	5	7	12	25	32	49	44	-
White	408	16	1	3	17	24	20	26	67	72	97	65	-
Male	224	10	-	3	11	19	15	14	42	40	48	22	-
Female	184	6	1	-	6	5	5	12	25	32	49	43	-
All other	7	-	-	-	-	-	2	1	-	1	-	3	-
Male	4	-	-	-	-	-	-	1	-	1	-	2	-
Female	3	-	-	-	-	-	2	-	-	-	-	1	-
Black	6	-	-	-	-	-	1	1	-	1	-	3	-
Male	4	-	-	-	-	-	-	1	-	1	-	2	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Nonmetropolitan counties	2,774	92	15	22	83	100	106	153	346	570	725	551	1
Male	1,579	53	9	13	68	69	70	108	232	350	393	213	1
Female	1,195	39	6	9	25	31	36	45	114	220	332	338	-
White	2,707	88	14	22	81	95	98	149	336	566	715	542	1
Male	1,540	52	8	13	59	67	64	106	228	348	386	208	1
Female	1,167	36	6	9	22	28	34	43	108	218	329	334	-
All other	67	4	1	-	12	5	8	4	10	4	10	9	-
Male	39	1	1	-	9	2	6	2	4	2	7	5	-
Female	28	3	-	-	3	3	2	2	6	2	3	4	-
Black	14	1	-	-	1	-	1	3	1	1	4	2	-
Male	7	-	-	-	-	-	1	2	-	-	3	1	-
Female	7	1	-	-	1	-	-	1	1	1	1	1	-

1 County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,483,786	30,166	5,305	6,437	28,320	38,705	47,832	88,578	215,149	344,325	393,630	284,953	385
Male	774,829	16,952	2,849	3,893	20,777	27,651	30,952	55,353	132,730	198,885	189,122	95,311	254
Female	708,957	13,214	2,357	2,544	7,543	11,054	16,880	33,225	82,419	145,440	204,508	189,642	131
White	1,282,480	20,396	3,800	4,853	22,587	28,343	35,172	68,834	178,944	299,613	354,532	265,129	277
Male	663,906	11,576	2,123	2,940	16,653	20,489	22,679	43,303	111,271	174,249	170,379	87,660	184
Female	618,574	8,820	1,677	1,913	5,934	7,854	12,293	25,531	67,673	125,364	184,153	177,269	93
All other	201,306	9,770	1,505	1,584	5,733	10,362	12,660	19,744	36,205	44,712	39,098	19,824	108
Male	110,923	5,376	828	853	4,124	7,162	8,073	12,050	21,459	24,636	18,743	7,451	70
Female	90,383	4,394	680	631	1,609	3,200	4,587	7,694	14,746	20,076	20,355	12,373	38
Black	185,864	9,008	1,342	1,412	5,199	9,635	11,699	18,352	33,838	41,567	35,832	17,893	97
Male	101,799	4,967	738	850	3,723	6,705	7,511	11,230	20,061	22,685	16,712	6,556	63
Female	84,065	4,041	606	562	1,466	2,930	4,188	7,122	13,777	18,882	19,120	11,337	34
Abilene, Tex	1,322	32	7	9	24	31	34	73	149	298	396	269	1
Male	716	24	5	5	16	21	23	45	107	184	195	90	1
Female	606	8	2	4	8	10	11	28	42	114	201	178	-
White	1,273	31	7	9	22	31	31	70	145	288	380	258	1
Male	689	23	5	5	15	21	21	44	104	177	187	88	1
Female	584	8	2	4	7	10	10	26	41	111	193	172	-
All other	49	1	-	-	2	-	3	3	4	10	16	10	-
Male	27	1	-	-	1	-	2	1	3	7	8	4	-
Female	22	-	-	-	1	-	1	2	1	3	8	6	-
Black	47	-	-	-	2	-	3	3	4	9	16	10	-
Male	25	-	-	-	1	-	2	1	3	6	8	4	-
Female	22	-	-	-	1	-	1	2	1	3	8	6	-
Akron, Ohio	5,874	96	18	24	102	108	147	318	930	1,419	1,564	1,148	-
Male	3,009	53	9	12	73	76	99	200	572	785	718	412	-
Female	2,865	43	9	12	29	32	48	118	358	634	846	736	-
White	5,368	79	14	17	90	89	122	282	819	1,298	1,467	1,092	-
Male	2,714	43	5	9	62	62	79	178	501	721	667	387	-
Female	2,655	36	9	8	28	27	43	104	318	577	800	705	-
All other	505	17	4	7	12	19	25	36	111	121	97	56	-
Male	295	10	4	3	11	14	20	22	71	64	51	25	-
Female	210	7	-	4	1	5	5	14	40	57	46	31	-
Black	494	17	3	7	11	18	24	35	109	119	95	56	-
Male	289	10	3	3	10	13	19	21	70	64	51	25	-
Female	205	7	-	4	1	5	5	14	39	55	44	31	-
Albany, Ga	883	35	6	6	24	32	39	76	155	214	177	100	-
Male	480	24	5	3	21	19	25	51	101	122	78	31	-
Female	383	11	1	3	3	13	14	24	54	92	99	69	-
White	472	9	2	5	15	13	13	40	88	116	106	65	-
Male	268	7	1	3	12	8	8	30	57	74	50	18	-
Female	204	2	1	2	3	5	5	10	31	42	56	47	-
All other	391	26	4	1	9	19	26	35	67	98	71	35	-
Male	212	17	4	-	9	11	17	21	44	48	28	13	-
Female	179	9	-	1	-	8	9	14	23	50	43	22	-
Black	391	26	4	1	9	19	26	35	67	98	71	35	-
Male	212	17	4	-	9	11	17	21	44	48	28	13	-
Female	179	9	-	1	-	8	9	14	23	50	43	22	-
Albany-Schenectady-Troy, N.Y	7,929	117	17	24	86	107	160	380	1,077	1,954	2,263	1,744	-
Male	3,875	57	7	11	54	71	94	230	659	1,074	1,064	554	-
Female	4,054	60	10	13	32	36	66	150	418	880	1,199	1,190	-
White	7,731	105	15	23	81	103	151	362	1,045	1,900	2,227	1,719	-
Male	3,771	55	6	11	50	69	88	218	637	1,045	1,051	543	-
Female	3,960	50	9	12	31	34	65	144	408	855	1,176	1,176	-
All other	198	12	2	1	5	4	9	18	32	54	36	25	-
Male	104	2	1	-	4	2	8	12	22	29	13	11	-
Female	94	10	1	1	1	2	1	6	10	25	23	14	-
Black	188	12	1	1	5	4	9	17	28	52	35	24	-
Male	99	2	1	-	4	2	8	11	20	27	13	11	-
Female	89	10	-	1	1	2	1	6	8	25	22	13	-
Albuquerque, N. Mex	3,174	88	13	21	92	141	136	207	469	689	761	555	2
Male	1,740	56	9	13	68	108	83	141	277	390	404	189	2
Female	1,434	32	4	8	24	33	53	66	192	299	357	366	-
White	2,974	75	8	18	79	120	114	186	448	661	722	541	2
Male	1,614	48	5	11	56	93	71	125	262	378	383	180	2
Female	1,360	27	3	7	23	27	43	61	186	283	339	361	-
All other	200	13	5	3	13	21	22	21	21	28	39	14	-
Male	126	8	4	2	12	15	12	16	15	12	21	9	-
Female	74	5	1	1	1	6	10	5	6	16	18	5	-
Black	59	1	3	1	-	4	3	7	7	14	15	4	-
Male	28	1	2	1	-	3	-	4	4	6	5	2	-
Female	31	-	1	-	-	1	3	3	3	8	10	2	-
Alexandria, La	1,430	33	8	10	39	51	61	92	207	331	370	228	-
Male	773	17	4	7	28	37	39	71	118	208	170	74	-
Female	657	16	4	3	11	14	22	21	89	123	200	154	-
White	1,009	11	3	7	28	36	36	62	141	229	281	175	-
Male	559	6	2	4	23	25	25	51	85	156	130	52	-
Female	450	5	1	3	5	11	11	11	56	73	151	123	-
All other	421	22	5	3	11	15	25	30	66	102	89	53	-
Male	214	11	2	3	5	12	14	20	33	52	40	22	-
Female	207	11	3	-	6	3	11	10	33	50	49	31	-
Black	419	22	5	3	11	15	25	30	65	102	89	52	-
Male	213	11	2	3	5	12	14	20	33	52	40	21	-
Female	206	11	3	-	6	3	11	10	32	50	49	31	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Allentown-Bethlehem-Easton, Pa.-N.J	6,359	59	8	13	76	78	132	285	897	1,677	1,841	1,292	1
Male	3,304	31	5	6	54	58	87	195	547	998	909	414	–
Female	3,055	28	3	7	22	20	45	90	350	679	932	878	1
White	6,286	53	7	13	74	75	123	282	882	1,657	1,833	1,286	1
Male	3,258	27	4	6	52	57	79	192	539	986	903	413	–
Female	3,028	26	3	7	22	18	44	90	343	671	930	873	1
All other	73	6	1	–	2	3	9	3	15	20	8	6	–
Male	46	4	1	–	2	1	8	3	8	12	6	1	–
Female	27	2	–	–	–	2	1	–	7	8	2	5	–
Black	69	6	1	–	2	2	9	3	14	19	7	6	–
Male	43	4	1	–	2	–	8	3	8	11	5	1	–
Female	26	2	–	–	–	2	1	–	6	8	2	5	–
Altoona, Pa	1,574	14	5	6	17	20	30	63	209	409	469	332	–
Male	797	10	3	3	11	14	21	46	140	238	204	107	–
Female	777	4	2	3	6	6	9	17	69	171	265	225	–
White	1,563	14	5	6	17	20	28	61	208	407	467	330	–
Male	789	10	3	3	11	14	19	45	139	237	202	106	–
Female	774	4	2	3	6	6	9	16	69	170	265	224	–
All other	11	–	–	–	–	–	2	2	1	2	2	2	–
Male	8	–	–	–	–	–	2	1	1	1	2	1	–
Female	3	–	–	–	–	–	–	1	–	1	–	1	–
Black	11	–	–	–	–	–	2	2	1	2	2	2	–
Male	8	–	–	–	–	–	2	1	1	1	2	1	–
Female	3	–	–	–	–	–	–	1	–	1	–	1	–
Amarillo, Tex	1,449	42	16	8	35	41	48	99	235	364	331	230	–
Male	778	23	9	5	25	30	26	59	147	219	161	74	–
Female	671	19	7	3	10	11	22	40	88	145	170	156	–
White	1,354	38	13	8	29	38	43	88	216	345	316	220	–
Male	722	19	8	5	21	28	24	51	136	209	153	68	–
Female	632	19	5	3	8	10	19	37	80	136	163	152	–
All other	95	4	3	–	6	3	5	11	19	19	15	10	–
Male	56	4	1	–	4	2	2	8	11	10	8	6	–
Female	39	–	2	–	2	1	3	3	8	9	7	4	–
Black	85	3	2	–	3	2	5	10	19	18	14	9	–
Male	48	3	–	–	3	1	2	7	11	9	7	5	–
Female	37	–	2	–	–	1	3	3	8	9	7	4	–
Anaheim-Santa Ana-Garden Grove, Calif	13,172	272	60	73	329	406	451	805	1,948	2,661	3,419	2,743	5
Male	6,685	150	31	39	249	316	298	486	1,183	1,536	1,542	852	3
Female	6,487	122	29	34	80	90	153	319	765	1,125	1,877	1,891	2
White	12,748	236	53	65	303	370	413	758	1,892	2,591	3,348	2,715	4
Male	6,445	136	26	37	228	291	275	454	1,152	1,495	1,509	840	2
Female	6,303	100	27	28	75	79	138	304	740	1,096	1,839	1,875	2
All other	424	36	7	8	26	36	38	47	56	70	71	28	1
Male	240	14	5	2	21	25	23	32	31	41	33	12	1
Female	184	22	2	6	5	11	15	15	25	29	38	16	–
Black	116	11	1	1	7	15	9	20	21	13	11	7	–
Male	73	6	1	–	6	12	7	13	12	7	4	5	–
Female	43	5	–	1	1	3	2	7	9	6	7	2	–
Anchorage, Alaska	704	55	9	11	59	77	86	88	111	104	80	24	–
Male	453	37	6	4	41	59	56	61	70	63	47	9	–
Female	251	18	3	7	18	18	30	27	41	41	33	15	–
White	587	42	6	9	52	59	70	75	93	91	70	20	–
Male	387	28	5	4	36	48	49	51	60	56	42	8	–
Female	200	14	1	5	16	11	21	24	33	35	28	12	–
All other	117	13	3	2	7	18	16	13	18	13	10	4	–
Male	66	9	1	–	5	11	7	10	10	7	5	1	–
Female	51	4	2	2	2	7	9	3	8	6	5	3	–
Black	35	5	1	–	4	5	2	5	5	5	3	–	–
Male	29	4	–	–	4	4	2	5	4	4	2	–	–
Female	6	1	1	–	–	1	–	–	1	1	1	–	–
Anderson, Ind	1,249	30	4	7	22	21	29	78	164	303	348	243	–
Male	670	18	3	4	18	16	18	52	106	183	179	73	–
Female	579	12	1	3	4	5	11	26	58	120	169	170	–
White	1,195	27	4	5	21	20	24	71	159	294	335	235	–
Male	641	15	3	2	17	16	15	49	104	179	171	70	–
Female	554	12	1	3	4	4	9	22	55	115	164	165	–
All other	54	3	–	2	1	1	5	7	5	9	13	8	–
Male	29	3	–	2	1	–	3	3	2	4	8	3	–
Female	25	–	–	–	–	1	2	4	3	5	5	5	–
Black	54	3	–	2	1	1	5	7	5	9	13	8	–
Male	29	3	–	2	1	–	3	3	2	4	8	3	–
Female	25	–	–	–	–	1	2	4	3	5	5	5	–
Anderson, S.C	1,132	21	1	9	26	35	54	75	160	289	302	150	–
Male	645	15	–	4	18	26	35	50	106	178	159	54	–
Female	487	6	1	5	8	9	19	25	54	121	143	96	–
White	919	9	–	6	21	26	36	55	134	245	258	129	–
Male	523	6	–	1	14	19	23	35	91	149	139	46	–
Female	396	3	–	5	7	7	13	20	43	96	119	83	–
All other	213	12	1	3	5	9	18	20	26	44	44	21	–
Male	122	9	–	3	4	7	12	15	15	29	20	8	–
Female	91	3	1	–	1	2	6	5	11	25	24	13	–
Black	213	12	1	3	5	9	18	20	26	54	44	21	–
Male	122	9	–	3	4	7	12	15	15	29	20	8	–
Female	91	3	1	–	1	2	6	5	11	25	24	13	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ann Arbor, Mich	1,457	38	9	6	34	40	64	84	207	309	363	309	-
Male	726	19	1	4	23	27	43	46	116	179	177	91	-
Female	731	19	2	2	11	13	21	38	91	130	186	218	-
White	1,288	28	-	5	31	29	48	74	180	276	326	291	-
Male	622	15	-	3	22	16	33	38	98	156	155	84	-
Female	666	13	-	2	9	11	15	36	82	120	171	207	-
All other	169	10	3	1	3	11	16	10	27	33	37	18	-
Male	104	4	1	1	1	9	10	8	18	23	22	7	-
Female	65	6	2	-	2	2	6	2	9	10	15	11	-
Black	157	10	2	1	3	9	14	10	23	33	35	17	-
Male	96	4	-	1	1	7	10	8	15	23	20	7	-
Female	61	6	2	-	2	2	4	2	8	10	15	10	-
Anniston, Ala	1,045	14	2	5	13	22	36	70	195	252	285	152	-
Male	592	7	1	3	7	12	25	45	128	167	152	45	-
Female	454	7	1	2	6	10	11	25	67	85	133	107	-
White	838	9	2	2	10	15	23	54	157	195	239	132	-
Male	473	3	1	2	4	9	19	35	102	135	124	39	-
Female	365	6	1	-	6	6	4	19	55	60	115	93	-
All other	208	5	-	3	3	7	13	16	38	57	46	20	-
Male	119	4	-	1	3	3	6	10	26	32	28	6	-
Female	89	1	-	2	-	4	7	6	12	25	18	14	-
Black	208	5	-	3	3	7	13	16	38	57	46	20	-
Male	119	4	-	1	3	3	6	10	26	32	28	6	-
Female	89	1	-	2	-	4	7	6	12	25	18	14	-
Appleton-Oshkosh, Wis	2,119	31	7	7	43	40	43	103	242	467	640	496	-
Male	1,093	20	2	4	34	31	31	67	144	289	311	160	-
Female	1,026	11	5	3	9	9	12	36	98	178	329	336	-
White	2,095	29	7	7	43	39	41	100	240	462	637	490	-
Male	1,080	18	2	4	34	30	30	65	144	287	309	157	-
Female	1,015	11	5	3	9	9	11	35	96	175	328	333	-
All other	24	2	-	-	-	1	2	3	2	5	3	6	-
Male	13	2	-	-	-	1	1	2	-	2	2	3	-
Female	11	-	-	-	-	-	1	1	2	3	1	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, N.C	1,880	23	4	6	26	31	40	96	260	432	548	414	-
Male	942	13	4	4	19	18	28	66	156	241	265	130	-
Female	938	10	-	2	7	13	14	30	104	191	283	284	-
White	1,695	19	3	5	24	27	36	88	225	376	500	392	-
Male	857	12	3	4	18	16	23	61	137	220	241	122	-
Female	838	7	-	1	6	11	13	27	88	156	259	270	-
All other	185	4	1	1	2	4	4	8	35	56	48	22	-
Male	85	1	1	-	1	2	3	5	19	21	24	8	-
Female	100	3	-	1	1	2	1	3	16	35	24	14	-
Black	184	4	1	1	2	4	4	8	35	55	48	22	-
Male	85	1	1	-	1	2	3	5	19	21	24	8	-
Female	99	3	-	1	1	2	1	3	16	34	24	14	-
Athens, Ga	912	14	3	6	16	25	24	59	136	217	259	153	-
Male	476	9	1	5	11	22	14	37	88	121	128	42	-
Female	434	5	2	1	5	3	10	22	48	96	131	111	-
White	729	5	-	6	15	21	16	42	101	167	215	141	-
Male	377	3	-	5	10	19	10	25	69	91	109	36	-
Female	352	2	-	1	5	2	6	17	32	76	106	105	-
All other	183	9	3	-	1	4	8	17	35	50	44	12	-
Male	101	6	1	-	1	3	4	12	19	30	19	6	-
Female	82	3	2	-	-	1	4	5	16	20	25	6	-
Black	179	8	3	-	1	4	7	17	35	49	43	12	-
Male	97	5	1	-	1	3	3	12	19	29	18	6	-
Female	82	3	2	-	-	1	4	5	16	20	25	6	-
Atlanta, Ga	14,895	426	83	85	390	546	730	1,266	2,357	3,439	3,395	2,175	3
Male	7,749	245	48	47	286	373	453	791	1,450	1,912	1,526	616	2
Female	7,146	181	35	38	104	173	277	475	907	1,527	1,869	1,559	1
White	10,835	218	43	52	264	343	459	761	1,672	2,495	2,687	1,859	2
Male	5,651	119	25	31	194	240	304	478	1,064	1,444	1,226	525	1
Female	5,184	99	18	21	70	103	155	283	608	1,051	1,461	1,334	1
All other	4,060	208	40	33	126	203	271	505	685	944	728	316	1
Male	2,098	126	23	16	92	133	149	313	386	468	300	91	1
Female	1,962	82	17	17	34	70	122	192	299	476	428	225	-
Black	4,029	205	38	33	126	198	269	500	678	941	724	316	1
Male	2,077	124	22	16	92	129	148	310	380	466	298	91	1
Female	1,952	81	16	17	34	69	121	190	298	475	426	225	-
Atlantic City, N.J	2,418	38	3	9	36	44	69	113	333	534	737	501	1
Male	1,208	24	1	6	28	35	45	67	189	298	329	185	1
Female	1,210	14	2	3	8	9	24	46	144	236	408	316	-
White	1,961	18	2	7	23	23	44	82	252	441	624	444	1
Male	964	13	1	5	18	18	34	53	148	242	271	160	1
Female	997	5	1	2	5	5	10	29	104	199	353	284	-
All other	457	20	1	2	13	21	25	31	81	93	113	57	-
Male	244	11	-	1	10	17	11	14	41	56	58	25	-
Female	213	9	1	1	3	4	14	17	40	37	55	32	-
Black	452	19	1	2	13	21	24	31	79	93	112	57	-
Male	243	11	-	1	10	17	11	14	41	56	57	25	-
Female	209	8	1	1	3	4	13	17	38	37	55	32	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Augusta, Ga.-S.C	2,761	80	5	17	55	91	117	234	495	720	593	350	4
Male	1,447	40	1	10	44	58	74	145	291	401	268	113	2
Female	1,314	40	4	7	11	33	43	89	204	319	325	237	2
White	1,857	36	1	10	39	45	65	148	341	471	429	270	2
Male	984	21	-	6	32	28	40	93	213	279	192	79	1
Female	873	15	1	4	7	17	25	55	128	192	237	191	1
All other	904	44	4	7	16	46	52	86	154	249	164	80	2
Male	463	19	1	4	12	30	34	52	78	122	76	34	1
Female	441	25	3	3	4	16	18	34	76	127	88	46	1
Black	894	43	4	7	16	46	52	83	151	247	163	80	2
Male	460	18	1	4	12	30	34	52	77	121	76	34	1
Female	434	25	3	3	4	16	18	31	74	126	87	46	1
Austin, Tex	3,635	104	25	27	135	181	154	214	456	798	874	665	2
Male	1,973	51	18	14	104	141	103	152	285	455	433	216	1
Female	1,662	53	7	13	31	40	51	62	171	343	441	449	1
White	3,170	88	20	25	113	150	124	178	376	710	781	605	-
Male	1,714	43	14	12	85	114	83	126	240	409	386	202	-
Female	1,456	45	6	13	28	36	41	52	136	301	395	403	-
All other	465	16	5	2	22	31	30	36	80	88	93	60	2
Male	259	8	4	2	19	27	20	26	45	46	47	14	1
Female	206	8	1	-	3	4	10	10	35	42	46	46	1
Black	447	15	5	2	18	28	27	35	77	85	93	60	2
Male	247	8	4	2	15	24	18	25	44	45	47	14	1
Female	200	7	1	-	3	4	9	10	33	40	46	46	1
Bakersfield, Calif	3,517	126	28	20	110	127	125	224	532	809	875	540	1
Male	1,963	76	16	12	80	103	75	144	320	490	448	198	1
Female	1,554	50	12	8	30	24	50	80	212	319	427	342	-
White	3,238	102	27	18	100	119	115	203	485	761	807	502	1
Male	1,808	68	15	8	76	96	69	129	293	468	405	180	1
Female	1,430	34	12	8	24	23	46	74	192	293	402	322	-
All other	279	24	1	4	10	8	10	21	47	48	68	38	-
Male	155	8	1	4	4	7	6	15	27	22	43	18	-
Female	124	16	-	-	6	1	4	6	20	26	25	20	-
Black	229	22	1	4	10	7	8	19	41	42	48	27	-
Male	116	8	1	4	4	7	4	14	21	18	25	10	-
Female	113	14	-	-	6	-	4	5	20	24	23	17	-
Baltimore, Md	20,019	405	53	75	361	554	691	1,345	3,271	4,868	5,043	3,349	4
Male	10,510	237	28	45	271	383	459	849	1,990	2,818	2,388	1,045	1
Female	9,509	168	25	30	90	171	232	496	1,281	2,052	2,657	2,304	3
White	14,889	212	30	48	212	317	377	837	2,275	3,642	4,067	2,870	2
Male	7,636	130	18	33	156	219	246	522	1,390	2,134	1,915	873	-
Female	7,253	82	12	15	56	98	131	315	885	1,508	2,152	1,997	2
All other	5,130	193	23	27	149	237	314	508	996	1,226	976	479	2
Male	2,874	107	10	12	115	164	213	327	600	682	471	172	1
Female	2,256	86	13	15	34	73	101	181	396	544	505	307	1
Black	5,072	192	23	25	149	231	311	494	990	1,213	965	477	2
Male	2,839	106	10	11	115	161	210	318	598	676	469	170	1
Female	2,233	86	13	14	34	70	101	176	392	537	502	307	1
Bangor, Maine	1,142	12	-	4	20	22	22	56	144	289	325	248	-
Male	617	5	-	3	18	10	16	40	90	180	157	98	-
Female	525	7	-	1	2	12	6	16	54	109	168	150	-
White	1,135	11	-	4	19	21	21	54	143	289	325	248	-
Male	616	5	-	3	18	10	16	39	90	180	157	98	-
Female	519	6	-	1	1	11	5	15	53	109	168	150	-
All other	7	1	-	-	1	1	1	2	1	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	6	1	-	-	1	1	1	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Baton Rouge, La	3,129	118	24	24	102	116	131	213	509	764	691	437	-
Male	1,683	64	19	14	68	92	69	128	330	428	327	144	-
Female	1,446	54	5	10	34	24	62	85	179	336	364	293	-
White	2,117	46	12	13	57	69	78	128	343	525	505	341	-
Male	1,140	25	9	6	37	57	44	76	227	305	251	103	-
Female	977	21	3	7	20	12	34	52	116	220	254	238	-
All other	1,012	72	12	11	45	47	53	85	166	239	186	96	-
Male	543	39	10	8	31	35	25	52	103	123	76	41	-
Female	469	33	2	3	14	12	28	33	63	116	110	55	-
Black	1,005	72	12	10	44	46	53	85	164	237	186	96	-
Male	538	39	10	7	30	34	25	52	101	123	76	41	-
Female	467	33	2	3	14	12	28	33	63	114	110	55	-
Battle Creek, Mich	1,551	29	3	6	27	28	44	91	253	327	396	347	-
Male	824	13	2	4	21	20	34	59	153	196	203	119	-
Female	727	16	1	2	6	8	10	32	100	131	193	228	-
White	1,436	23	3	6	24	24	40	80	227	301	374	334	-
Male	762	11	2	4	19	17	32	52	138	181	194	112	-
Female	674	12	1	2	5	7	8	28	89	120	180	222	-
All other	115	6	-	-	3	4	4	11	26	26	22	13	-
Male	62	2	-	-	2	3	2	7	15	15	9	7	-
Female	53	4	-	-	1	1	2	4	11	11	13	6	-
Black	113	6	-	-	3	4	4	10	25	26	22	13	-
Male	60	2	-	-	2	3	2	6	14	15	9	7	-
Female	53	4	-	-	1	1	2	4	11	11	13	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bay City, Mich	951	11	4	7	16	11	15	73	120	255	259	180	-
Male	512	4	4	4	12	8	12	47	68	154	127	72	-
Female	439	7	-	3	4	3	3	26	52	101	132	108	-
White	941	11	4	7	16	11	15	71	117	251	259	179	-
Male	505	4	4	4	12	8	12	45	66	152	127	71	-
Female	436	7	-	3	4	3	3	26	51	99	132	108	-
All other	10	-	-	-	-	-	-	2	3	4	-	1	-
Male	7	-	-	-	-	-	-	2	2	2	-	1	-
Female	3	-	-	-	-	-	-	-	1	2	-	-	-
Black	7	-	-	-	-	-	-	1	3	2	-	1	-
Male	6	-	-	-	-	-	-	1	2	2	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Beaumont-Port Arthur-Orange, Tex	3,277	76	16	23	68	97	104	221	497	811	871	493	-
Male	1,794	40	11	10	50	70	69	137	318	470	458	161	-
Female	1,483	36	5	13	18	27	35	84	179	341	413	332	-
White	2,521	46	10	9	54	60	68	157	368	626	707	416	-
Male	1,353	19	7	4	41	43	45	99	239	362	363	131	-
Female	1,168	27	3	5	13	17	23	58	129	264	344	285	-
All other	756	30	6	14	14	37	36	64	129	185	164	77	-
Male	441	21	4	6	9	27	24	38	79	108	95	30	-
Female	315	9	2	8	5	10	12	26	50	77	69	47	-
Black	745	30	5	14	12	36	35	62	129	184	162	76	-
Male	433	21	3	6	7	26	24	37	79	107	94	29	-
Female	312	9	2	8	5	10	11	25	50	77	68	47	-
Bellingham, Wash	853	18	7	2	19	13	13	39	97	162	260	223	-
Male	432	14	4	1	15	9	6	29	55	103	132	64	-
Female	421	4	3	1	4	4	7	10	42	59	128	159	-
White	835	17	6	2	18	13	12	36	91	158	259	223	-
Male	421	13	3	1	14	9	5	27	54	100	131	64	-
Female	414	4	3	1	4	4	7	9	37	58	128	159	-
All other	18	1	1	-	1	-	1	3	6	4	1	-	-
Male	11	1	1	-	1	-	1	2	1	3	1	-	-
Female	7	-	-	-	-	-	-	1	5	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton Harbor, Mich	1,519	38	9	6	25	34	43	72	204	364	402	322	-
Male	787	25	5	3	16	25	25	44	124	222	191	107	-
Female	732	13	4	3	9	9	18	28	80	142	211	215	-
White	1,324	26	3	4	19	23	32	53	170	326	356	312	-
Male	675	18	3	2	13	16	18	34	102	200	167	102	-
Female	649	8	-	2	6	7	14	19	68	126	189	210	-
All other	195	12	6	2	6	11	11	19	34	38	46	10	-
Male	112	7	2	1	3	9	7	10	22	22	24	5	-
Female	83	5	4	1	3	2	4	9	12	16	22	5	-
Black	193	12	6	2	6	11	11	19	33	38	45	10	-
Male	111	7	2	1	3	9	7	10	21	22	24	5	-
Female	82	5	4	1	3	2	4	9	12	16	21	5	-
Billings, Mont	770	16	5	6	30	23	21	44	110	178	195	144	-
Male	426	9	5	1	21	17	14	28	67	108	106	50	-
Female	344	7	-	5	9	6	7	16	43	68	89	94	-
White	759	15	4	6	30	22	20	42	107	175	194	144	-
Male	421	9	4	1	21	16	14	28	65	108	105	50	-
Female	338	6	-	5	9	6	6	14	42	67	89	94	-
All other	11	1	1	-	-	1	1	2	3	1	1	-	-
Male	5	-	1	-	-	1	-	-	2	-	1	-	-
Female	6	1	-	-	-	-	1	2	1	1	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, Miss	1,627	34	9	13	38	56	65	111	293	393	390	224	1
Male	940	18	4	11	29	45	46	65	190	251	203	78	-
Female	687	16	5	2	9	11	19	46	103	142	187	146	1
White	1,344	20	7	9	28	37	44	91	234	345	340	189	-
Male	792	9	3	8	22	31	31	59	157	225	185	82	-
Female	552	11	4	1	6	6	13	32	77	120	155	127	-
All other	283	14	2	4	10	19	21	20	59	48	50	35	1
Male	148	9	1	3	7	14	15	6	33	26	18	16	-
Female	135	5	1	1	3	5	6	14	26	22	32	19	1
Black	272	14	2	3	7	19	19	19	58	47	49	34	1
Male	139	9	1	2	4	14	13	6	32	25	18	15	-
Female	133	5	1	1	3	5	6	13	26	22	31	19	1
Binghamton, N.Y.-Pa	2,791	47	5	9	45	41	53	130	355	625	820	661	-
Male	1,401	25	1	5	36	30	35	78	221	344	423	203	-
Female	1,390	22	4	4	9	11	18	52	134	281	397	458	-
White	2,777	47	4	9	45	41	53	128	352	621	818	659	-
Male	1,394	25	1	5	36	30	35	77	219	341	423	202	-
Female	1,383	22	3	4	9	11	18	51	133	280	395	457	-
All other	14	-	1	-	-	-	-	2	3	4	2	2	-
Male	7	-	-	-	-	-	-	1	2	3	-	1	-
Female	7	-	1	-	-	-	-	1	1	1	2	1	-
Black	13	-	-	-	-	-	-	2	3	4	2	2	-
Male	7	-	-	-	-	-	-	1	2	3	-	1	-
Female	6	-	-	-	-	-	-	1	1	1	2	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Birmingham, Ala	8,265	165	29	37	134	199	272	521	1,228	1,984	2,265	1,431	-
Male	4,229	93	13	23	90	147	153	322	722	1,137	1,071	458	-
Female	4,036	72	16	14	44	52	119	199	506	847	1,194	973	-
White	5,621	76	14	22	89	101	162	337	840	1,311	1,595	1,072	-
Male	2,878	40	8	15	59	78	85	207	502	787	769	328	-
Female	2,743	36	6	7	30	23	77	130	338	524	826	744	-
All other	2,644	87	15	15	45	98	110	184	388	673	670	359	-
Male	1,351	53	5	8	31	69	68	115	220	350	302	130	-
Female	1,293	34	10	7	14	29	42	69	168	323	368	229	-
Black	2,641	86	15	15	45	98	110	184	387	672	670	359	-
Male	1,348	52	5	8	31	69	68	115	219	349	302	130	-
Female	1,293	34	10	7	14	29	42	69	168	323	368	229	-
Bismarck, N.Dak	536	17	3	2	9	14	11	29	71	115	139	126	-
Male	291	15	3	1	6	11	9	17	43	68	87	51	-
Female	245	2	-	1	3	3	2	12	28	47	72	75	-
White	530	14	3	2	9	14	11	28	70	115	139	125	-
Male	287	12	3	1	6	11	9	17	42	68	67	51	-
Female	243	2	-	1	3	3	2	11	28	47	72	74	-
All other	6	3	-	-	-	-	-	1	1	-	-	1	-
Male	4	3	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	520	7	2	4	9	17	13	42	57	100	153	116	-
Male	266	2	1	2	9	13	11	27	41	55	71	34	-
Female	254	5	1	2	-	4	2	15	16	45	82	82	-
White	512	7	2	4	9	17	13	41	57	99	148	115	-
Male	263	2	1	2	9	13	11	26	41	54	70	34	-
Female	249	5	1	2	-	4	2	15	16	45	78	81	-
All other	8	-	-	-	-	-	-	1	-	1	5	1	-
Male	3	-	-	-	-	-	-	1	-	1	1	-	-
Female	5	-	-	-	-	-	-	-	-	-	4	1	-
Black	6	-	-	-	-	-	-	1	-	1	3	1	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	3	1	-
Bloomington-Normal, Ill	928	17	5	2	16	11	23	50	110	211	237	246	-
Male	451	7	3	2	12	7	16	32	70	120	100	82	-
Female	477	10	2	-	4	4	7	18	40	91	137	164	-
White	912	16	4	2	16	11	21	48	109	210	233	242	-
Male	443	7	2	2	12	7	14	32	69	120	97	81	-
Female	469	9	2	-	4	4	7	16	40	90	136	161	-
All other	16	1	1	-	-	-	2	2	1	1	4	4	-
Male	8	-	1	-	-	-	2	-	1	-	3	1	-
Female	8	1	-	-	-	-	-	2	-	1	1	3	-
Black	14	1	1	-	-	-	1	2	1	1	3	4	-
Male	6	-	1	-	-	-	1	-	1	-	2	1	-
Female	8	1	-	-	-	-	-	2	-	1	1	3	-
Boise City, Idaho	1,177	31	7	10	35	38	40	63	141	258	318	238	-
Male	652	21	2	3	25	24	25	44	95	157	165	91	-
Female	525	10	5	7	10	12	15	19	46	101	153	147	-
White	1,167	30	7	10	34	35	39	62	140	256	316	238	-
Male	645	20	2	3	24	24	24	43	95	156	163	91	-
Female	522	10	5	7	10	11	15	19	45	100	153	147	-
All other	10	1	-	-	1	1	1	1	1	2	2	-	-
Male	7	1	-	-	1	-	1	1	-	1	2	-	-
Female	3	-	-	-	-	1	-	-	1	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	-
Male	3	-	-	-	-	-	-	1	-	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	34,422	454	68	94	456	592	882	1,794	4,572	7,744	9,496	8,267	3
Male	16,853	260	37	56	355	415	582	1,112	2,826	4,331	4,314	2,563	2
Female	17,569	194	31	38	101	177	300	682	1,746	3,413	5,182	5,704	1
White	33,002	381	56	86	407	508	796	1,620	4,322	7,476	9,273	8,074	3
Male	16,053	220	33	51	315	366	521	1,005	2,670	4,188	4,193	2,489	2
Female	16,949	161	23	35	92	142	275	615	1,652	3,288	5,080	5,585	1
All other	1,420	73	12	8	49	84	88	174	250	268	223	193	-
Male	800	40	4	5	40	49	61	107	156	143	121	74	-
Female	620	33	8	3	9	35	25	67	94	125	102	119	-
Black	1,253	62	9	7	42	78	74	158	228	241	190	164	-
Male	691	35	2	5	36	45	50	97	141	127	96	57	-
Female	562	27	7	2	6	33	24	61	87	114	94	107	-
Bradenton, Fla	2,387	23	7	5	21	36	37	62	231	595	841	509	-
Male	1,295	8	5	5	18	25	24	46	142	350	461	211	-
Female	1,092	15	2	-	3	11	13	36	89	245	380	298	-
White	2,250	14	5	1	20	32	33	75	209	553	810	498	-
Male	1,225	3	4	1	18	22	21	42	128	329	448	209	-
Female	1,025	11	1	-	2	10	12	33	81	224	362	289	-
All other	137	9	2	4	1	4	4	7	22	42	31	11	-
Male	70	5	1	4	-	3	3	4	14	21	13	2	-
Female	67	4	1	-	1	1	1	3	8	21	18	9	-
Black	136	9	2	4	1	4	4	7	22	41	31	11	-
Male	70	5	1	4	-	3	3	4	14	21	13	2	-
Female	66	4	1	-	1	1	1	3	8	20	18	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bremerton, Wash	1,091	28	4	5	19	18	41	44	148	245	290	249	-
Male	570	16	2	2	13	12	22	22	90	143	149	99	-
Female	521	12	2	3	6	6	19	22	58	102	141	150	-
White	1,063	23	4	5	17	17	39	42	143	239	287	247	-
Male	551	13	2	2	11	11	21	22	87	138	146	98	-
Female	512	10	2	3	6	6	18	20	56	101	141	149	-
All other	28	5	-	-	2	1	2	2	5	6	3	2	-
Male	19	3	-	-	2	1	1	-	3	5	3	1	-
Female	9	2	-	-	-	-	1	2	2	1	-	1	-
Black	13	4	-	-	1	-	1	1	2	3	1	-	-
Male	8	2	-	-	1	-	1	-	1	2	1	-	-
Female	5	2	-	-	-	-	-	1	1	1	-	-	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	7,011	120	7	14	129	144	184	373	956	1,610	1,867	1,607	-
Male	3,540	63	4	9	95	106	115	223	607	930	878	510	-
Female	3,471	57	3	5	34	38	69	150	349	680	989	1,097	-
White	6,446	85	5	12	106	97	138	300	853	1,504	1,778	1,568	-
Male	3,225	47	3	8	80	74	88	173	538	876	841	497	-
Female	3,221	38	2	4	26	23	50	127	315	628	937	1,071	-
All other	565	35	2	2	23	47	46	73	103	106	89	39	-
Male	315	16	1	1	15	32	27	50	69	54	37	13	-
Female	250	19	1	1	8	15	19	23	34	52	52	26	-
Black	543	34	2	2	22	45	45	71	100	102	84	36	-
Male	299	15	1	1	14	30	26	48	68	52	33	11	-
Female	244	19	1	1	8	15	19	23	32	50	51	25	-
Brownsville-Harlingen-San Benito, Tex	1,459	40	8	13	40	53	39	90	186	348	388	242	2
Male	842	20	6	7	34	47	30	59	125	205	208	99	2
Female	617	20	2	6	6	6	9	31	71	143	180	143	-
White	1,449	40	8	13	40	52	39	88	184	347	386	242	2
Male	835	20	6	7	34	46	30	55	124	205	207	99	2
Female	614	20	2	6	6	6	9	31	70	142	179	143	-
All other	10	-	-	-	-	1	-	4	2	1	2	-	-
Male	7	-	-	-	-	1	-	4	1	-	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	1	-	-
Black	9	-	-	-	-	1	-	4	1	1	2	-	-
Male	7	-	-	-	-	1	-	4	1	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Bryan-College Station, Tex	553	11	4	3	21	22	27	38	75	114	160	78	-
Male	299	5	2	3	14	18	21	22	49	70	66	29	-
Female	254	6	2	-	7	4	6	16	26	44	94	49	-
White	434	8	3	2	20	17	20	24	58	89	127	66	-
Male	235	4	1	2	14	15	17	14	35	57	53	23	-
Female	199	4	2	-	6	2	3	10	23	32	74	43	-
All other	119	3	1	1	1	5	7	14	17	25	33	12	-
Male	64	1	1	1	-	3	4	6	14	13	13	6	-
Female	55	2	-	-	1	2	3	6	3	12	20	6	-
Black	116	3	1	1	1	5	7	13	17	24	32	12	-
Male	64	1	1	1	-	3	4	8	14	13	13	6	-
Female	52	2	-	-	1	2	3	5	3	11	19	6	-
Buffalo, N.Y	12,498	166	27	34	153	197	257	661	1,660	3,156	3,336	2,567	4
Male	6,359	88	15	18	105	148	158	395	1,160	1,802	1,629	837	4
Female	6,079	78	12	16	48	49	99	266	720	1,354	1,707	1,730	-
White	11,404	124	22	29	131	159	200	526	1,660	2,931	3,143	2,476	3
Male	5,760	70	10	14	93	114	124	306	1,020	1,684	1,522	800	3
Female	5,644	54	12	15	38	45	76	220	640	1,247	1,621	1,676	-
All other	1,094	42	5	5	22	38	57	135	220	225	193	91	1
Male	599	18	5	4	12	34	34	89	140	118	107	37	1
Female	495	24	-	1	10	4	23	46	80	107	86	54	-
Black	974	42	5	5	17	37	53	129	208	208	186	83	1
Male	561	18	5	4	8	33	32	87	131	108	102	32	1
Female	413	24	-	1	9	4	21	42	77	100	84	51	-
Burlington, N.C	953	16	2	4	13	17	26	49	156	264	251	155	-
Male	511	11	1	3	10	12	17	28	102	152	128	47	-
Female	442	5	1	1	3	5	9	21	54	112	123	108	-
White	781	9	1	4	10	10	17	37	117	213	220	143	-
Male	406	5	1	3	7	8	9	21	72	128	110	42	-
Female	375	4	-	1	3	2	8	16	45	85	110	101	-
All other	172	7	1	-	3	7	9	12	39	51	31	12	-
Male	105	6	-	-	3	4	8	7	30	24	18	5	-
Female	67	1	1	-	-	3	1	5	9	27	13	7	-
Black	172	7	1	-	3	7	9	12	39	51	31	12	-
Male	105	6	-	-	3	4	8	7	30	24	18	5	-
Female	67	1	1	-	-	3	1	5	9	27	13	7	-
Burlington, Vt	783	19	1	2	16	16	22	42	104	179	210	173	-
Male	360	5	1	2	15	12	15	21	58	88	94	49	-
Female	423	14	-	-	1	3	7	21	46	91	116	124	-
White	781	19	1	2	16	15	21	42	104	179	209	173	-
Male	359	5	1	2	15	12	14	21	58	88	94	49	-
Female	422	14	-	-	1	3	7	21	46	91	115	124	-
All other	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Canton, Ohio	3,581	47	5	9	55	60	75	174	485	874	1,019	778	–
Male	1,823	21	3	3	39	46	41	102	312	514	492	250	–
Female	1,758	26	2	6	16	14	34	72	173	360	527	528	–
White	3,399	37	4	8	49	57	75	152	442	827	987	761	–
Male	1,738	19	2	3	35	43	41	91	283	497	478	246	–
Female	1,661	18	2	5	14	14	34	61	159	330	509	515	–
All other	182	10	1	1	6	3	–	22	43	47	32	17	–
Male	85	2	1	–	4	3	–	11	29	17	14	4	–
Female	97	8	–	1	2	–	–	11	14	30	18	13	–
Black	181	10	1	1	6	3	–	21	43	47	32	17	–
Male	84	2	1	–	4	3	–	10	29	17	14	4	–
Female	97	8	–	1	2	–	–	11	14	30	18	13	–
Casper, Wyo	415	16	1	3	17	24	22	27	67	73	97	68	–
Male	228	10	–	3	11	19	15	15	42	41	48	24	–
Female	187	6	1	–	6	5	7	12	25	32	49	44	–
White	408	16	1	3	17	24	20	26	67	72	97	65	–
Male	224	10	–	3	11	19	15	14	42	40	48	22	–
Female	184	6	1	–	6	5	5	12	25	32	49	43	–
All other	7	–	–	–	–	–	2	1	–	1	–	3	–
Male	4	–	–	–	–	–	–	1	–	1	–	2	–
Female	3	–	–	–	–	–	2	–	–	–	–	1	–
Black	6	–	–	–	–	–	1	1	–	1	–	3	–
Male	4	–	–	–	–	–	–	1	–	1	–	2	–
Female	2	–	–	–	–	–	1	–	–	–	–	1	–
Cedar Rapids, Iowa	1,183	17	7	7	22	20	31	46	118	259	330	326	–
Male	588	9	3	5	16	14	23	31	76	145	168	98	–
Female	595	8	4	2	6	6	8	15	42	114	162	228	–
White	1,166	15	7	7	21	18	29	46	118	253	328	324	–
Male	582	8	3	5	15	14	21	31	76	143	168	98	–
Female	584	7	4	2	6	4	8	15	42	110	160	226	–
All other	17	2	–	–	1	2	2	–	–	6	2	2	–
Male	6	1	–	–	1	–	2	–	–	2	–	–	–
Female	11	1	–	–	–	2	–	–	–	4	2	2	–
Black	16	2	–	–	1	2	2	–	–	5	2	2	–
Male	5	1	–	–	1	–	2	–	–	1	–	–	–
Female	11	1	–	–	–	2	–	–	–	4	2	2	–
Champaign-Urbana-Rantoul, Ill	913	27	6	2	17	33	25	50	117	179	251	206	–
Male	452	14	5	2	12	21	15	27	71	103	122	60	–
Female	461	13	1	–	5	12	10	23	46	76	129	146	–
White	829	16	4	1	13	26	22	44	101	167	235	200	–
Male	394	8	3	1	9	16	13	22	60	93	112	57	–
Female	435	8	1	–	4	10	9	22	41	74	123	143	–
All other	84	11	2	1	4	7	3	6	16	12	16	6	–
Male	58	6	2	1	3	5	2	5	11	10	10	3	–
Female	26	5	–	–	1	2	1	1	5	2	6	3	–
Black	83	11	2	1	4	7	3	5	16	12	16	6	–
Male	57	6	2	1	3	5	2	4	11	10	10	3	–
Female	26	5	–	–	1	2	1	1	5	2	6	3	–
Charleston-North Charleston, S.C	3,011	120	18	22	94	113	131	234	558	756	637	328	–
Male	1,643	63	9	12	70	89	84	154	348	417	304	93	–
Female	1,368	57	9	10	24	24	47	80	210	339	333	235	–
White	1,928	54	15	15	65	60	69	130	330	430	413	247	–
Male	964	28	7	8	47	45	40	90	200	243	190	66	–
Female	864	26	8	7	18	15	29	40	130	187	223	181	–
All other	1,183	66	3	7	29	53	62	104	228	326	224	81	–
Male	679	35	2	4	23	44	44	64	148	174	114	27	–
Female	504	31	1	3	6	9	18	40	80	152	110	54	–
Black	1,181	66	3	7	29	53	62	104	228	326	222	81	–
Male	677	35	2	4	23	44	44	64	148	174	112	27	–
Female	504	31	1	3	6	9	18	40	80	152	110	54	–
Charleston, W. Va	2,517	29	7	7	34	49	72	159	423	645	677	415	–
Male	1,309	17	3	4	22	34	48	94	255	349	318	165	–
Female	1,208	12	4	3	12	15	24	65	168	296	359	250	–
White	2,372	27	3	5	33	45	68	148	402	603	647	391	–
Male	1,246	16	1	3	21	31	44	89	244	332	308	157	–
Female	1,126	11	2	2	12	14	24	59	158	271	339	234	–
All other	145	2	4	2	1	4	4	11	21	42	30	24	–
Male	63	1	2	1	1	3	4	5	11	17	10	8	–
Female	82	1	2	1	–	1	–	6	10	25	20	16	–
Black	143	2	4	2	1	4	4	10	21	42	30	23	–
Male	63	1	2	1	1	3	4	5	11	17	10	8	–
Female	80	1	2	1	–	1	–	5	10	25	20	15	–
Charlotte-Gastonia, N.C	4,936	126	16	28	118	146	215	389	813	1,144	1,267	694	–
Male	2,632	76	7	20	88	108	131	245	495	662	604	196	–
Female	2,304	50	9	8	30	38	84	124	318	482	663	498	–
White	3,776	70	8	15	89	88	128	254	618	861	1,034	611	–
Male	1,981	39	4	11	68	62	76	175	374	508	492	172	–
Female	1,795	31	4	4	21	26	52	79	244	353	542	439	–
All other	1,160	56	8	13	29	58	87	116	195	283	233	83	–
Male	651	37	3	9	20	46	55	70	121	164	112	24	–
Female	509	19	5	4	9	12	32	45	74	129	121	59	–
Black	1,146	55	8	13	27	56	85	114	195	279	231	83	–
Male	640	37	3	9	18	44	54	69	121	151	110	24	–
Female	506	18	5	4	9	12	31	45	74	128	121	59	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlottesville, Va	889	20	3	1	18	21	30	35	137	209	249	176	-
Male	452	9	1	-	9	17	19	23	87	109	121	57	-
Female	447	11	2	1	9	4	11	12	50	100	128	119	-
White	726	15	3	1	13	16	22	23	109	165	207	152	-
Male	351	8	1	-	7	13	13	14	65	86	96	48	-
Female	375	7	2	1	6	3	9	9	44	79	111	104	-
All other	173	5	-	-	5	5	8	12	28	44	42	24	-
Male	101	1	-	-	2	4	6	9	22	23	25	9	-
Female	72	4	-	-	3	1	2	3	6	21	17	15	-
Black	171	5	-	-	5	5	7	12	27	44	42	24	-
Male	99	1	-	-	2	4	5	9	21	23	25	9	-
Female	72	4	-	-	3	1	2	3	6	21	17	15	-
Chattanooga, Tenn.-Ga	3,838	65	8	24	72	112	123	257	640	954	1,016	565	2
Male	2,020	42	3	14	58	68	78	163	405	554	458	177	-
Female	1,818	23	5	10	14	44	45	94	235	400	558	388	2
White	3,201	41	6	21	65	90	90	192	531	780	874	509	2
Male	1,718	26	3	12	54	58	60	132	350	456	407	160	-
Female	1,483	15	3	9	11	32	30	60	181	324	467	349	2
All other	637	24	2	3	7	22	33	65	109	174	142	56	-
Male	302	16	-	2	4	10	18	31	55	98	51	17	-
Female	335	8	2	1	3	12	15	34	54	76	91	39	-
Black	636	24	2	2	7	22	33	65	109	174	142	56	-
Male	301	16	-	1	4	10	18	31	55	98	51	17	-
Female	335	8	2	1	3	12	15	34	54	76	91	39	-
Chicago, Ill	59,897	1,503	221	266	1,023	1,613	2,061	3,908	9,376	13,944	15,143	10,837	2
Male	31,091	832	115	154	728	1,172	1,297	2,492	5,761	7,980	7,055	3,505	-
Female	28,806	671	106	112	295	441	764	1,416	3,615	5,964	8,088	7,332	2
White	47,899	776	120	160	674	988	1,240	2,608	7,074	11,439	13,026	9,793	1
Male	24,400	429	64	84	475	732	765	1,673	4,403	6,584	6,071	3,120	-
Female	23,499	347	56	76	199	256	475	935	2,671	4,855	6,955	6,673	1
All other	11,998	727	101	106	349	625	821	1,300	2,302	2,505	2,117	1,044	1
Male	6,691	403	51	70	253	440	532	819	1,358	1,396	984	385	-
Female	5,307	324	50	36	96	185	289	481	944	1,109	1,133	659	1
Black	11,660	712	98	104	343	606	793	1,255	2,239	2,438	2,060	1,011	1
Male	6,497	397	50	68	249	435	513	792	1,321	1,353	945	374	-
Female	5,163	315	48	36	94	171	280	463	918	1,085	1,115	637	1
Chico, Calif	1,623	12	5	5	31	38	30	70	172	426	480	353	1
Male	904	6	3	4	19	30	24	48	108	265	274	122	1
Female	719	6	2	1	12	8	6	22	64	161	206	231	-
White	1,604	12	4	5	31	38	27	67	169	422	478	349	1
Male	890	6	2	4	19	30	21	46	107	261	274	119	1
Female	714	6	2	1	12	8	6	21	62	161	205	230	-
All other	19	-	1	-	-	-	3	3	3	4	1	4	-
Male	14	-	1	-	-	-	3	2	1	4	-	3	-
Female	5	-	-	-	-	-	-	1	2	-	1	1	-
Black	10	-	-	-	-	-	3	-	2	2	1	2	-
Male	7	-	-	-	-	-	3	-	1	2	-	1	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-
Cincinnati, Ohio-Ky.-Ind	12,866	234	40	47	180	244	346	744	1,945	3,003	3,560	2,523	-
Male	6,503	151	21	34	126	177	213	457	1,159	1,650	1,711	804	-
Female	6,363	83	19	13	54	67	133	287	786	1,353	1,849	1,719	-
White	11,226	165	32	36	162	200	265	605	1,636	2,610	3,151	2,364	-
Male	5,643	105	17	26	117	150	166	380	976	1,447	1,511	748	-
Female	5,583	60	15	10	45	50	99	225	660	1,163	1,640	1,616	-
All other	1,640	69	8	11	18	44	81	139	309	393	409	159	-
Male	860	46	4	8	9	27	47	77	183	203	200	56	-
Female	780	23	4	3	9	17	34	62	126	190	209	103	-
Black	1,618	67	8	11	18	44	79	139	303	386	406	157	-
Male	848	44	4	8	9	27	45	77	181	200	198	55	-
Female	770	23	4	3	9	17	34	62	122	186	208	102	-
Clarksville-Hopkinsville, Tenn.-Ky	1,076	41	7	4	37	28	50	64	144	258	258	185	-
Male	563	21	6	2	25	20	29	42	91	149	121	57	-
Female	513	20	1	2	12	8	21	22	53	109	137	128	-
White	839	26	6	4	33	22	34	45	109	200	203	157	-
Male	445	14	5	2	21	14	23	35	74	121	93	43	-
Female	394	12	1	2	12	8	11	10	35	79	110	114	-
All other	237	15	1	-	4	6	16	19	35	58	55	28	-
Male	118	7	1	-	4	6	6	7	17	28	28	14	-
Female	119	8	-	-	-	-	10	12	18	30	27	14	-
Black	236	15	1	-	4	6	15	19	35	58	55	28	-
Male	118	7	1	-	4	6	6	7	17	28	28	14	-
Female	118	8	-	-	-	-	9	12	18	30	27	14	-
Cleveland, Ohio	18,506	321	43	68	300	411	519	1,062	2,947	4,647	4,604	3,584	-
Male	9,564	189	22	42	213	283	329	680	1,780	2,692	2,121	1,213	-
Female	8,942	132	21	26	87	128	190	382	1,167	1,955	2,483	2,371	-
White	15,132	169	29	42	227	275	321	738	2,242	3,892	3,944	3,253	-
Male	7,699	99	17	27	163	191	212	472	1,381	2,253	1,798	1,086	-
Female	7,433	70	12	15	'64	84	109	266	861	1,639	2,146	2,167	-
All other	3,374	152	14	26	73	136	198	324	705	755	660	331	-
Male	1,865	90	5	15	50	92	117	208	399	439	323	127	-
Female	1,509	62	9	11	23	44	81	116	306	316	337	204	-
Black	3,332	148	14	24	71	135	190	322	698	751	654	325	-
Male	1,841	88	5	14	49	91	113	206	398	435	320	122	-
Female	1,491	60	9	10	22	44	77	116	300	316	334	203	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado Springs, Colo	1,902	74	14	12	60	64	73	126	269	391	445	374	-
Male	990	44	7	7	42	47	44	72	162	234	208	123	-
Female	912	30	7	5	18	17	29	54	107	157	237	251	-
White	1,809	60	11	11	51	58	64	118	258	377	435	366	-
Male	939	35	6	6	36	43	39	65	154	228	206	121	-
Female	870	25	5	5	15	15	25	53	104	149	229	245	-
All other	93	14	3	1	9	6	9	8	11	14	10	8	-
Male	51	9	1	1	6	4	5	7	8	6	2	2	-
Female	42	5	2	-	3	2	4	1	3	8	8	6	-
Black	83	13	3	-	9	5	6	8	11	12	9	7	-
Male	47	9	1	-	6	4	3	7	8	5	2	2	-
Female	36	4	2	-	3	1	3	1	3	7	7	5	-
Columbia, Mo	645	13	5	1	17	27	20	36	82	127	165	152	-
Male	350	7	2	1	13	17	13	24	47	71	86	69	-
Female	295	6	3	-	4	10	7	12	35	56	79	83	-
White	599	10	5	1	15	27	17	30	76	116	155	147	-
Male	323	6	2	1	11	17	11	20	43	67	78	67	-
Female	276	4	3	-	4	10	6	10	33	49	77	80	-
All other	46	3	-	-	2	-	3	6	6	11	10	5	-
Male	27	1	-	-	2	-	2	4	4	4	8	2	-
Female	19	2	-	-	-	-	1	2	2	7	2	3	-
Black	45	3	-	-	2	-	3	6	6	10	10	5	-
Male	26	1	-	-	2	-	2	4	4	3	8	2	-
Female	19	2	-	-	-	-	1	2	2	7	2	3	-
Columbia, S.C	3,178	89	13	14	73	109	118	201	526	831	780	424	-
Male	1,645	48	8	12	53	73	73	117	316	467	348	130	-
Female	1,533	41	5	2	20	36	45	84	210	364	432	294	-
White	2,204	33	6	10	48	54	57	132	369	571	592	332	-
Male	1,147	18	2	9	36	37	39	76	235	327	277	91	-
Female	1,057	15	4	1	12	17	18	56	134	244	315	241	-
All other	974	56	7	4	25	55	61	69	157	260	188	92	-
Male	498	30	6	3	17	36	34	41	81	140	71	39	-
Female	476	26	1	1	8	19	27	28	76	120	117	53	-
Black	968	56	7	4	24	55	59	69	157	259	186	92	-
Male	496	30	6	3	17	36	34	41	81	140	69	39	-
Female	472	26	1	1	7	19	25	28	76	119	117	53	-
Columbus, Ga.-Ala	2,161	59	9	17	36	66	97	180	422	551	468	256	-
Male	1,079	27	3	12	25	33	51	114	260	296	184	64	-
Female	1,082	32	6	5	11	33	36	66	162	255	284	192	-
White	1,383	27	3	11	27	31	45	89	265	358	335	192	-
Male	694	17	2	7	18	19	27	58	169	201	130	46	-
Female	689	10	1	4	9	12	18	31	96	157	205	146	-
All other	778	32	6	6	9	35	52	91	157	193	133	64	-
Male	385	10	1	5	7	14	34	56	91	95	54	18	-
Female	393	22	5	1	2	21	18	35	66	98	79	46	-
Black	775	32	6	6	9	35	52	90	155	193	133	64	-
Male	383	10	1	5	7	14	34	55	90	95	54	18	-
Female	392	22	5	1	2	21	18	35	65	98	79	46	-
Columbus, Ohio	8,582	175	36	39	156	221	284	543	1,321	1,963	2,264	1,580	-
Male	4,404	105	15	27	109	145	165	319	822	1,134	1,043	520	-
Female	4,178	70	21	12	47	76	119	224	499	829	1,221	1,060	-
White	7,502	136	29	31	126	159	218	454	1,115	1,718	2,055	1,461	-
Male	3,800	83	10	23	85	107	130	264	700	991	941	466	-
Female	3,702	53	19	8	41	52	88	190	415	727	1,114	995	-
All other	1,080	39	7	8	30	62	66	89	206	245	209	119	-
Male	604	22	5	4	24	38	35	55	122	143	102	54	-
Female	476	17	2	4	6	24	31	34	84	102	107	65	-
Black	1,065	37	7	8	29	60	64	87	205	243	207	118	-
Male	597	22	5	4	23	37	34	54	122	141	102	53	-
Female	468	15	2	4	6	23	30	33	83	102	105	65	-
Corpus Christi, Tex	2,472	77	11	16	72	102	82	167	381	596	620	347	1
Male	1,393	40	4	7	59	69	54	106	252	359	325	117	1
Female	1,079	37	7	9	13	33	28	61	129	237	295	230	-
White	2,334	73	11	15	69	97	79	156	355	560	587	331	1
Male	1,318	37	4	7	57	65	51	101	232	342	310	111	1
Female	1,016	36	7	8	12	32	28	55	123	218	277	220	-
All other	138	4	-	1	3	5	3	11	26	36	33	16	-
Male	75	3	-	-	2	4	3	5	20	17	15	6	-
Female	63	1	-	1	1	1	-	6	6	19	18	10	-
Black	137	4	-	1	3	5	3	11	25	36	33	16	-
Male	74	3	-	-	2	4	3	5	19	17	15	6	-
Female	63	1	-	1	1	1	-	6	6	19	18	10	-
Cumberland, Md.-W. Va	1,265	10	1	3	11	16	25	57	182	335	393	232	-
Male	646	4	1	1	8	14	14	31	107	199	186	81	-
Female	619	6	-	2	3	2	11	26	75	136	207	151	-
White	1,243	10	1	3	11	15	25	56	176	332	386	228	-
Male	638	4	1	1	8	14	14	31	104	198	182	81	-
Female	605	6	-	2	3	1	11	25	72	134	204	147	-
All other	22	-	-	-	-	1	-	1	6	3	7	4	-
Male	8	-	-	-	-	-	-	-	3	1	4	-	-
Female	14	-	-	-	-	1	-	1	3	2	3	4	-
Black	22	-	-	-	-	1	-	1	6	3	7	4	-
Male	8	-	-	-	-	-	-	-	3	1	4	-	-
Female	14	-	-	-	-	1	-	1	3	2	3	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	23,515	676	148	145	737	955	1,051	1,764	3,460	4,932	5,743	3,902	2
Male	12,513	388	90	90	554	717	705	1,139	2,175	2,843	2,633	1,178	1
Female	11,002	288	58	55	183	238	346	625	1,285	2,089	3,110	2,724	1
White	19,932	498	111	113	605	740	794	1,363	2,861	4,207	5,064	3,575	1
Male	10,505	287	69	70	456	560	540	888	1,817	2,454	2,321	1,043	-
Female	9,427	211	42	43	149	180	254	475	1,044	1,753	2,743	2,532	1
All other	3,583	178	37	32	132	215	257	401	599	725	679	327	1
Male	2,008	101	21	20	98	157	165	251	358	389	312	135	1
Female	1,575	77	16	12	34	58	92	150	241	336	367	192	-
Black	3,498	167	34	29	125	208	247	384	591	714	672	324	1
Male	1,947	91	19	18	92	153	160	241	352	382	305	133	1
Female	1,549	76	15	11	33	55	87	143	239	332	367	191	-
Danville, Va	1,172	25	2	6	27	19	39	75	192	301	314	171	1
Male	640	13	1	3	20	13	23	48	127	186	148	57	1
Female	532	12	1	3	7	6	16	27	65	115	166	114	-
White	869	13	1	3	19	8	24	44	130	232	249	146	-
Male	479	6	1	3	15	4	14	30	90	145	122	49	-
Female	390	7	-	-	4	4	10	14	40	87	127	97	-
All other	303	12	1	3	8	11	15	31	62	69	65	25	1
Male	161	7	-	-	5	9	9	18	37	41	26	8	1
Female	142	5	1	3	3	2	6	13	25	28	39	17	-
Black	301	12	1	3	8	11	15	30	62	69	64	25	1
Male	160	7	-	-	5	9	9	17	37	41	26	8	1
Female	141	5	1	3	3	2	6	13	25	28	38	17	-
Davenport-Rock Island-Moline, Iowa-Ill	3,228	58	12	10	51	66	82	163	425	778	911	671	1
Male	1,722	29	5	8	34	48	49	102	282	483	463	219	-
Female	1,506	29	7	2	17	18	33	61	143	295	448	452	1
White	3,127	55	11	9	46	57	77	154	406	757	898	658	1
Male	1,660	27	5	8	33	43	46	99	266	467	456	210	-
Female	1,467	28	6	1	13	14	31	55	140	290	442	448	1
All other	101	3	1	1	5	9	5	9	19	21	13	15	-
Male	62	2	-	-	1	5	3	3	16	16	7	9	-
Female	39	1	1	1	4	4	2	6	3	5	6	6	-
Black	97	3	1	1	5	9	5	9	18	20	11	15	-
Male	61	2	-	-	1	5	3	3	16	16	6	9	-
Female	36	1	1	1	4	4	2	6	2	4	5	6	-
Dayton, Ohio	6,776	135	25	25	119	155	199	448	1,120	1,583	1,720	1,249	-
Male	3,540	79	11	14	86	93	125	274	707	951	794	406	-
Female	3,238	56	14	11	33	62	74	174	413	632	926	843	-
White	5,915	93	16	16	98	114	153	349	940	1,406	1,571	1,159	-
Male	3,079	61	7	9	73	69	103	215	598	850	715	379	-
Female	2,836	32	9	7	25	45	50	134	342	556	856	780	-
All other	863	42	9	9	21	41	46	99	180	177	149	90	-
Male	461	18	4	5	13	24	22	59	109	101	79	27	-
Female	402	24	5	4	8	17	24	40	71	76	70	63	-
Black	852	42	8	9	21	39	45	97	177	175	149	90	-
Male	456	18	3	5	13	23	22	57	109	100	79	27	-
Female	396	24	5	4	8	16	23	40	68	75	70	63	-
Daytona Beach, Fla	3,957	33	8	6	51	61	62	158	467	1,047	1,235	827	2
Male	2,172	21	6	4	35	45	38	101	283	635	672	330	2
Female	1,785	12	2	2	16	16	24	57	184	412	563	497	-
White	3,657	20	6	4	45	49	53	128	419	967	1,164	801	1
Male	2,004	13	5	3	30	36	29	84	254	586	639	324	1
Female	1,653	7	1	1	15	13	24	44	165	381	525	477	-
All other	300	13	2	2	6	12	9	30	48	80	71	26	1
Male	168	8	1	1	5	9	9	17	28	49	33	6	1
Female	132	5	1	1	1	3	-	13	19	31	38	20	-
Black	299	13	2	2	6	12	9	30	48	79	71	26	1
Male	167	8	1	1	5	9	9	17	29	48	33	6	1
Female	132	5	1	1	1	3	-	13	19	31	38	20	-
Decatur, Ill	1,154	25	7	7	18	28	32	44	143	266	335	249	-
Male	566	9	6	3	15	21	22	33	83	155	128	91	-
Female	588	16	1	4	3	7	10	11	60	111	207	158	-
White	1,068	18	3	3	14	22	29	38	133	242	322	244	-
Male	520	9	3	2	12	18	19	29	78	141	121	88	-
Female	548	9	-	1	2	4	10	9	55	101	201	156	-
All other	86	7	4	4	4	6	3	6	10	24	13	5	-
Male	46	-	3	1	3	3	3	4	5	14	7	3	-
Female	40	7	1	3	1	3	-	2	5	10	6	2	-
Black	85	7	4	4	4	5	3	6	10	24	13	5	-
Male	46	-	3	1	3	3	3	4	5	14	7	3	-
Female	39	7	1	3	1	2	-	2	5	10	6	2	-
Denver-Boulder, Colo	10,804	306	54	55	279	381	438	684	1,514	2,246	2,546	2,301	-
Male	5,432	177	28	29	203	269	275	425	885	1,252	1,203	686	-
Female	5,372	129	26	26	76	112	163	259	629	994	1,343	1,615	-
White	10,161	269	42	46	248	347	395	629	1,405	2,137	2,438	2,225	-
Male	5,112	157	21	27	182	245	249	388	820	1,202	1,159	662	-
Female	5,069	112	21	19	66	102	146	241	585	935	1,279	1,563	-
All other	623	37	12	9	31	34	43	55	109	109	108	76	-
Male	320	20	7	2	21	24	26	37	65	50	44	24	-
Female	303	17	5	7	10	10	17	18	44	59	64	52	-
Black	496	30	11	6	21	28	33	48	88	80	95	56	-
Male	258	17	7	1	13	21	19	34	54	37	37	18	-
Female	238	13	4	5	8	7	14	14	34	43	58	38	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, Iowa	2,896	54	12	21	55	51	84	170	375	554	684	634	2
Male	1,370	28	7	15	42	33	50	102	243	312	319	217	2
Female	1,326	26	5	6	13	18	34	68	132	242	365	417	-
White	2,560	48	11	18	54	44	79	150	352	535	655	612	2
Male	1,298	24	7	14	42	28	47	90	227	302	306	210	2
Female	1,262	24	4	4	12	16	32	60	125	233	350	402	-
All other	136	6	1	3	1	7	5	20	23	19	29	22	-
Male	72	4	-	1	-	5	3	12	16	10	14	7	-
Female	64	2	1	2	1	2	2	8	7	9	15	15	-
Black	125	5	-	2	1	6	3	19	22	18	28	21	-
Male	69	4	-	1	-	4	2	12	16	9	14	7	-
Female	56	1	-	1	1	2	1	7	6	9	14	14	-
Detroit, Mich	37,072	833	110	179	733	1,143	1,350	2,483	5,800	8,641	9,216	6,481	3
Male	19,691	471	64	117	527	811	863	1,514	3,644	4,985	4,400	2,292	3
Female	17,381	362	46	62	206	332	487	969	2,256	3,656	4,816	4,189	-
White	28,760	442	66	103	459	606	764	1,722	4,411	6,803	7,702	5,696	2
Male	15,006	259	35	68	330	445	495	1,048	2,737	3,925	3,664	1,998	2
Female	13,774	183	31	35	129	163	269	674	1,674	2,878	4,038	3,700	-
All other	8,292	391	44	76	274	535	586	761	1,489	1,838	1,514	783	1
Male	4,685	212	29	49	197	366	368	486	907	1,060	736	294	1
Female	3,607	179	15	27	77	169	218	295	582	778	778	489	-
Black	8,196	395	43	74	273	535	576	746	1,470	1,820	1,497	776	1
Male	4,628	210	29	47	196	365	360	460	896	1,049	725	289	1
Female	3,568	175	14	27	77	169	216	286	574	771	772	487	-
Dubuque, Iowa	823	11	2	2	14	12	23	22	114	151	231	241	-
Male	371	6	1	1	10	9	18	10	69	89	95	63	-
Female	452	5	1	1	4	3	5	12	45	62	136	178	-
White	822	11	2	2	14	12	23	22	113	151	231	241	-
Male	371	6	1	1	10	9	18	10	69	89	95	63	-
Female	451	5	1	1	4	3	5	12	44	62	136	178	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Duluth-Superior, Minn.-Wis	2,538	34	9	4	33	40	56	99	326	666	726	545	-
Male	1,355	18	4	3	27	27	42	65	203	408	350	208	-
Female	1,183	16	5	1	6	13	14	34	123	258	376	337	-
White	2,511	33	9	4	31	39	55	98	318	660	723	543	-
Male	1,339	18	4	3	25	26	41	64	188	405	348	207	-
Female	1,172	15	5	1	6	13	14	32	120	255	375	336	-
All other	27	1	-	-	2	1	1	3	8	6	3	2	-
Male	16	-	-	-	2	1	1	1	5	3	2	1	-
Female	11	1	-	-	-	-	-	2	3	3	1	1	-
Black	5	-	-	-	-	-	1	-	1	1	1	1	-
Male	5	-	-	-	-	-	1	-	1	1	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Eau Claire, Wis	1,037	17	4	3	12	17	20	34	109	240	313	268	-
Male	537	8	3	2	11	12	11	21	63	148	153	105	-
Female	500	9	1	1	1	5	9	13	46	92	160	163	-
White	1,036	17	4	3	12	17	20	33	109	240	313	268	-
Male	536	8	3	2	11	12	11	20	63	148	153	105	-
Female	500	9	1	1	1	5	9	13	46	92	160	163	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, Tex	2,808	107	23	23	88	94	112	189	409	634	686	443	-
Male	1,496	56	14	14	74	66	71	111	241	376	333	140	-
Female	1,312	51	9	9	14	28	41	78	168	258	353	303	-
White	2,712	100	23	23	86	89	101	179	393	614	664	440	-
Male	1,434	54	14	14	72	63	63	103	230	362	321	138	-
Female	1,278	46	9	9	14	26	38	76	163	252	343	302	-
All other	96	7	-	-	2	5	11	10	16	20	22	3	-
Male	62	2	-	-	2	3	8	8	11	14	12	2	-
Female	34	5	-	-	-	2	3	2	5	6	10	1	-
Black	88	7	-	-	2	4	10	10	14	18	18	3	-
Male	55	2	-	-	2	3	7	8	10	12	9	2	-
Female	31	5	-	-	-	1	3	2	4	6	9	1	-
Elkhart, Ind	1,122	23	6	9	20	13	21	70	153	251	304	252	-
Male	566	15	4	7	13	9	11	40	100	145	141	81	-
Female	556	8	2	2	7	4	10	30	53	106	163	171	-
White	1,098	22	4	9	20	12	20	66	148	248	298	251	-
Male	553	14	3	7	13	8	11	38	97	144	137	81	-
Female	545	8	1	2	7	4	9	28	51	104	161	170	-
All other	24	1	2	-	-	1	1	4	5	3	6	1	-
Male	13	1	1	-	-	1	-	2	3	1	4	-	-
Female	11	-	1	-	-	-	1	2	2	2	2	1	-
Black	23	1	2	-	-	1	1	4	5	3	5	1	-
Male	12	1	1	-	-	1	-	2	3	1	3	-	-
Female	11	-	1	-	-	-	1	2	2	2	2	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elmira, N.Y	953	16	3	5	10	12	21	38	123	231	264	230	-
Male	461	8	1	3	9	8	16	19	78	127	117	75	-
Female	492	8	2	2	1	4	5	19	45	104	147	155	-
White	924	16	3	5	9	11	18	36	118	225	260	223	-
Male	449	8	1	3	8	8	13	19	76	124	116	73	-
Female	475	8	2	2	1	3	5	17	42	101	144	150	-
All other	29	-	-	-	1	1	3	2	5	6	4	7	-
Male	12	-	-	-	1	-	3	-	2	3	1	2	-
Female	17	-	-	-	-	1	-	2	3	3	3	5	-
Black	29	-	-	-	1	1	3	2	5	6	4	7	-
Male	12	-	-	-	1	-	3	-	2	3	1	2	-
Female	17	-	-	-	-	1	-	2	3	3	3	5	-
Enid, Okla	599	16	5	6	13	18	16	27	71	122	175	130	-
Male	336	9	4	3	9	14	12	22	43	76	96	48	-
Female	263	7	1	3	4	4	4	5	28	46	79	82	-
White	576	13	5	5	9	18	16	25	70	118	170	127	-
Male	325	9	4	2	8	14	12	22	43	73	92	46	-
Female	251	4	1	3	1	4	4	3	27	45	78	81	-
All other	23	3	-	1	4	-	-	2	1	4	5	3	-
Male	11	-	-	1	1	-	-	-	-	3	4	2	-
Female	12	3	-	-	3	-	-	2	1	1	1	1	-
Black	19	3	-	1	2	-	-	2	-	4	5	2	-
Male	10	-	-	1	-	-	-	-	-	3	4	2	-
Female	9	3	-	-	2	-	-	2	-	1	1	-	-
Erie, Pa	2,601	49	4	16	34	50	52	116	371	684	696	529	-
Male	1,357	27	4	7	26	36	36	70	226	421	325	179	-
Female	1,244	22	-	9	8	14	16	46	145	263	371	350	-
White	2,525	44	4	15	32	41	50	114	360	663	678	524	-
Male	1,309	25	4	7	25	28	34	68	219	407	316	176	-
Female	1,216	19	-	8	7	13	16	46	141	256	362	348	-
All other	76	5	-	1	2	9	2	2	11	21	18	5	-
Male	48	2	-	-	1	8	2	2	7	14	9	3	-
Female	28	3	-	1	1	1	-	-	4	7	9	2	-
Black	74	4	-	1	2	9	2	2	10	21	18	5	-
Male	47	2	-	-	1	8	2	2	6	14	9	3	-
Female	27	2	-	1	1	1	-	-	4	7	9	2	-
Eugene-Springfield, Oreg	2,074	29	10	16	33	53	52	92	292	485	561	451	-
Male	1,097	22	8	10	25	40	34	51	175	283	290	159	-
Female	977	7	2	6	8	13	18	41	117	202	271	292	-
White	2,060	28	9	16	32	50	50	92	288	483	561	450	-
Male	1,088	22	7	10	25	37	33	51	174	281	290	158	-
Female	972	7	2	6	7	13	17	41	114	202	271	292	-
All other	14	-	1	-	1	3	2	-	4	2	-	1	-
Male	9	-	1	-	-	3	1	-	1	2	-	1	-
Female	5	-	-	-	1	-	1	-	3	-	-	-	-
Black	6	-	1	-	1	1	1	-	1	1	-	-	-
Male	4	-	1	-	-	1	1	-	-	1	-	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
Evansville, Ind.-Ky	3,051	38	10	17	42	43	77	144	382	730	895	673	-
Male	1,567	25	3	11	30	30	51	90	245	435	434	213	-
Female	1,484	13	7	6	12	13	26	54	137	295	461	460	-
White	2,906	35	8	16	42	41	71	133	365	684	861	650	-
Male	1,490	23	3	11	30	28	48	83	234	409	418	203	-
Female	1,416	12	5	5	12	13	23	50	131	275	443	447	-
All other	145	3	2	1	-	2	6	11	17	46	34	23	-
Male	77	2	-	-	-	2	3	7	11	26	16	10	-
Female	68	1	2	1	-	-	3	4	6	20	18	13	-
Black	142	2	1	1	-	2	6	11	17	46	34	22	-
Male	75	1	-	-	-	2	3	7	11	28	16	9	-
Female	67	1	1	1	-	-	3	4	6	20	18	13	-
Fargo-Moorhead, N.Dak.-Minn	1,014	16	3	8	11	24	26	51	110	231	275	259	-
Male	546	8	1	6	9	18	15	31	70	156	141	91	-
Female	468	8	2	2	2	6	11	20	40	75	134	168	-
White	1,011	15	3	8	11	24	26	50	109	231	275	259	-
Male	544	8	1	6	9	18	15	30	69	156	141	91	-
Female	467	7	2	2	2	6	11	20	40	75	134	168	-
All other	3	1	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Fayetteville, N.C	1,400	74	16	13	79	59	66	128	255	322	258	130	-
Male	801	40	12	5	57	47	42	79	171	196	118	34	-
Female	599	34	4	8	22	12	24	49	84	126	140	96	-
White	920	44	12	8	52	29	35	82	171	220	168	99	-
Male	530	26	9	3	40	25	25	55	115	129	78	25	-
Female	390	18	3	5	12	4	10	27	56	91	90	74	-
All other	480	30	4	5	27	30	31	46	84	102	90	31	-
Male	271	14	3	2	17	22	17	24	56	67	40	9	-
Female	209	16	1	3	10	8	14	22	28	35	50	22	-
Black	458	28	4	4	25	26	29	44	83	96	88	31	-
Male	261	13	3	2	16	19	16	23	56	65	39	9	-
Female	197	15	1	2	9	7	13	21	27	31	49	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville-Springdale, Ark	1,716	21	3	8	37	28	42	96	194	412	515	360	-
Male	957	12	3	7	26	23	32	67	118	267	280	122	-
Female	759	9	-	1	11	5	10	29	76	145	235	238	-
White	1,701	21	3	8	36	27	42	94	193	410	509	358	-
Male	949	12	3	7	25	23	32	65	117	266	277	122	-
Female	752	9	-	1	11	4	10	29	76	144	232	236	-
All other	15	-	-	-	1	1	-	2	1	2	6	2	-
Male	8	-	-	-	1	-	-	2	1	1	3	-	-
Female	7	-	-	-	-	1	-	-	-	1	3	2	-
Black	12	-	-	-	-	1	-	1	1	1	6	2	-
Male	5	-	-	-	-	-	-	1	1	-	3	-	-
Female	7	-	-	-	-	1	-	-	-	1	3	2	-
Flint, Mich	3,943	96	16	26	107	118	130	287	630	856	1,014	663	-
Male	2,008	50	13	15	76	81	81	175	374	457	468	220	-
Female	1,935	46	3	11	31	37	49	112	256	399	548	443	-
White	3,367	53	9	18	79	79	93	223	536	752	923	622	-
Male	1,689	33	6	11	56	58	57	130	317	396	421	202	-
Female	1,698	20	1	7	23	21	36	93	219	356	502	420	-
All other	556	43	7	8	28	39	37	64	94	104	91	41	-
Male	319	17	5	4	20	23	24	45	57	61	45	18	-
Female	237	26	2	4	8	16	13	19	37	43	46	23	-
Black	544	43	7	7	26	37	37	63	91	101	89	41	-
Male	316	17	5	4	20	22	24	44	56	60	45	18	-
Female	229	26	2	3	6	15	13	19	35	41	44	23	-
Florence, Ala	1,121	16	5	7	17	31	48	77	154	263	300	203	-
Male	602	9	2	4	13	21	27	50	103	158	139	77	-
Female	519	7	3	3	4	10	21	27	51	105	162	126	-
White	957	10	5	6	17	24	38	67	132	229	258	171	-
Male	511	6	2	4	13	16	22	45	88	136	116	63	-
Female	446	4	3	2	4	8	16	22	44	93	142	108	-
All other	164	6	-	1	-	7	10	10	22	34	42	32	-
Male	91	3	-	-	-	5	5	5	15	22	22	14	-
Female	73	3	-	1	-	2	5	5	7	12	20	18	-
Black	164	6	-	1	-	7	10	10	22	34	42	32	-
Male	91	3	-	-	-	5	5	5	15	22	22	14	-
Female	73	3	-	1	-	2	5	5	7	12	20	18	-
Florence, S.C	1,014	40	1	8	19	32	38	89	186	266	222	113	-
Male	537	21	-	5	17	26	26	63	116	132	93	38	-
Female	477	19	1	3	2	6	12	26	70	134	129	75	-
White	560	14	-	6	10	15	16	49	97	145	144	84	-
Male	302	3	-	4	8	14	12	35	63	77	60	26	-
Female	278	11	-	2	2	1	4	14	34	68	84	58	-
All other	434	26	1	2	9	17	22	40	89	121	78	29	-
Male	235	18	-	1	9	12	14	28	53	55	33	12	-
Female	199	8	1	1	-	5	8	12	36	66	45	17	-
Black	434	26	1	2	9	17	22	40	89	121	78	29	-
Male	235	18	-	1	9	12	14	28	53	55	33	12	-
Female	199	8	1	1	-	5	8	12	36	66	45	17	-
Fort Collins, Colo	960	32	3	6	25	36	34	39	80	184	266	255	-
Male	493	11	2	4	17	28	19	25	51	115	129	92	-
Female	467	21	1	2	8	8	15	14	29	69	137	163	-
White	953	30	3	6	24	35	34	38	80	183	266	254	-
Male	489	10	2	4	16	28	19	24	51	114	129	92	-
Female	464	20	1	2	8	7	15	14	29	69	137	162	-
All other	7	2	-	-	1	1	-	1	-	1	-	1	-
Male	4	1	-	-	1	-	-	1	-	1	-	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	1	-
Black	4	2	-	-	1	-	-	-	-	-	-	1	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Fort Lauderdale-Hollywood, Fla	12,590	131	44	36	157	235	283	484	1,407	3,326	4,280	2,201	6
Male	7,026	73	28	23	117	173	197	311	861	1,943	2,372	923	5
Female	5,564	58	16	13	40	62	86	173	546	1,383	1,908	1,278	1
White	11,726	67	27	21	120	181	216	399	1,251	3,136	4,145	2,157	6
Male	6,524	40	20	11	94	134	156	258	772	1,822	2,304	908	5
Female	5,202	27	7	10	26	47	60	141	479	1,314	1,841	1,249	1
All other	864	64	17	15	37	54	67	85	156	190	135	44	-
Male	502	33	8	12	23	39	41	53	89	121	68	15	-
Female	362	31	9	3	14	15	26	32	67	69	67	29	-
Black	849	64	17	15	38	54	64	84	156	186	131	42	-
Male	495	33	8	12	23	39	39	53	89	118	66	15	-
Female	354	31	9	3	13	15	25	31	67	68	65	27	-
Fort Myers-Cape Coral, Fla	2,858	28	9	14	38	47	60	122	396	822	854	461	7
Male	1,705	18	5	12	33	31	40	84	247	502	524	203	6
Female	1,153	10	4	2	5	16	20	38	149	320	330	258	1
White	2,724	20	8	13	32	37	51	101	375	789	836	456	6
Male	1,610	14	5	11	27	25	33	70	232	481	509	198	5
Female	1,114	6	3	2	5	12	18	31	143	308	327	258	1
All other	134	8	1	1	6	10	9	21	21	33	18	5	1
Male	95	4	-	1	6	6	7	14	15	21	15	5	1
Female	39	4	1	-	-	4	2	7	6	12	3	-	-
Black	131	8	1	1	6	10	9	20	21	32	17	5	1
Male	93	4	-	1	6	6	7	13	15	21	14	5	1
Female	38	4	1	-	-	4	2	7	6	11	3	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla	2,090	37	8	11	29	45	61	104	285	490	627	394	-
Male	1,124	22	4	7	23	28	35	69	183	303	304	146	-
Female	966	15	4	4	5	17	26	35	102	187	323	248	-
White	1,964	31	8	11	25	31	59	94	270	465	596	374	-
Male	1,061	19	4	7	20	18	34	63	175	292	290	139	-
Female	903	12	4	4	5	13	25	31	95	173	306	235	-
All other	126	6	-	-	3	14	2	10	15	25	31	20	-
Male	63	3	-	-	3	10	1	6	8	11	14	7	-
Female	63	3	-	-	-	4	1	4	7	14	17	13	-
Black	81	3	-	-	1	10	2	8	10	17	15	15	-
Male	42	2	-	-	1	6	1	4	6	9	8	5	-
Female	39	1	-	-	-	4	1	4	4	8	7	10	-
Fort Walton Beach, Fla	743	15	5	7	23	22	27	86	139	179	152	88	-
Male	410	9	3	5	19	19	20	55	76	99	78	27	-
Female	333	6	2	2	4	3	7	31	63	80	74	61	-
White	696	13	3	7	19	21	23	78	127	173	147	85	-
Male	385	7	2	5	15	18	16	53	70	96	77	26	-
Female	311	6	1	2	4	3	7	25	57	77	70	59	-
All other	47	2	2	-	4	1	4	8	12	6	5	3	-
Male	25	2	1	-	4	1	4	2	6	3	1	1	-
Female	22	-	1	-	-	-	-	6	6	3	4	2	-
Black	44	2	2	-	3	1	4	8	12	6	5	3	-
Male	24	2	1	-	3	1	4	2	6	3	1	1	-
Female	20	-	1	-	-	-	-	4	6	3	4	2	-
Fort Wayne, Ind	2,834	62	14	7	63	56	57	140	389	620	786	640	-
Male	1,423	37	7	2	43	39	33	87	242	367	378	188	-
Female	1,411	25	7	5	20	17	24	53	147	253	408	452	-
White	2,682	55	13	6	55	52	48	122	359	585	760	626	-
Male	1,342	31	7	1	39	36	30	79	225	346	365	183	-
Female	1,340	24	6	5	16	16	18	43	134	240	395	443	-
All other	152	7	1	1	8	4	9	18	30	34	26	14	-
Male	81	6	-	1	4	3	3	8	17	21	13	5	-
Female	71	1	1	-	4	1	6	10	13	13	13	9	-
Black	151	7	1	1	8	4	8	18	30	34	26	14	-
Male	80	6	-	1	4	3	2	8	17	21	13	5	-
Female	71	1	1	-	4	1	6	10	13	13	13	9	-
Fresno, Calif	4,119	87	28	31	134	136	167	218	553	872	1,071	816	6
Male	2,253	53	12	23	102	101	113	128	341	531	553	291	5
Female	1,866	34	16	8	32	35	54	90	212	341	518	525	1
White	3,738	59	22	28	119	122	148	183	496	794	994	767	6
Male	2,037	32	9	20	95	91	100	112	308	486	507	272	5
Female	1,701	27	13	8	24	31	48	71	188	308	487	495	1
All other	381	28	6	3	15	14	19	35	57	78	77	49	-
Male	216	21	3	3	7	10	13	16	33	45	46	19	-
Female	165	7	3	-	8	4	6	19	24	33	31	30	-
Black	235	16	4	2	12	10	11	24	35	54	42	25	-
Male	132	14	2	2	4	6	6	12	20	34	22	10	-
Female	103	2	2	-	8	4	5	12	15	20	20	15	-
Gadsden, Ala	1,057	13	5	4	17	22	35	70	158	278	282	173	-
Male	551	9	3	2	15	15	26	42	89	172	131	47	-
Female	506	4	2	2	2	7	9	28	69	106	151	126	-
White	890	9	3	3	14	17	30	55	121	235	242	161	-
Male	465	8	2	1	12	12	24	34	70	150	109	43	-
Female	425	1	1	2	2	5	6	21	51	85	133	118	-
All other	167	4	2	1	3	5	5	15	37	43	40	12	-
Male	86	1	1	1	3	3	2	8	19	22	22	4	-
Female	81	3	1	-	-	2	3	7	18	21	18	8	-
Black	167	4	2	1	3	5	5	15	37	43	40	12	-
Male	86	1	1	1	3	3	2	8	19	22	22	4	-
Female	81	3	1	-	-	2	3	7	18	21	18	8	-
Gainesville, Fla	1,015	33	5	6	29	32	41	69	172	250	238	140	-
Male	587	19	2	3	21	21	32	41	123	160	119	46	-
Female	428	14	3	3	8	11	9	28	49	90	119	94	-
White	745	18	3	5	20	23	28	44	132	177	186	109	-
Male	434	10	1	2	16	15	23	26	96	120	92	33	-
Female	311	8	2	3	4	8	5	18	36	57	94	76	-
All other	270	15	2	1	9	9	13	25	40	73	52	31	-
Male	153	9	1	1	5	6	9	15	27	40	27	13	-
Female	117	6	1	-	4	3	4	10	13	33	25	18	-
Black	267	15	2	1	9	9	12	25	39	73	51	31	-
Male	150	9	1	1	5	6	8	15	26	40	26	13	-
Female	117	6	1	-	4	3	4	10	13	33	25	18	-
Galveston-Texas City, Tex	1,643	35	9	10	38	55	57	140	318	371	391	219	-
Male	897	22	7	5	26	44	32	98	200	199	183	81	-
Female	746	13	2	5	12	11	25	42	118	172	208	138	-
White	1,274	21	5	8	26	45	52	112	233	286	306	180	-
Male	690	12	3	4	19	36	30	79	145	158	142	62	-
Female	584	9	2	4	7	9	22	33	88	128	164	118	-
All other	369	14	4	2	12	10	5	28	85	85	85	39	-
Male	207	10	4	1	7	8	2	19	55	41	41	19	-
Female	162	4	-	1	5	2	3	9	30	44	44	20	-
Black	366	14	4	2	10	10	5	28	85	84	85	39	-
Male	204	10	4	1	5	8	2	19	55	40	41	19	-
Female	162	4	-	1	5	2	3	9	30	44	44	20	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gary-Hammond-East Chicago, Ind	5,103	110	24	32	112	148	203	328	813	1,298	1,201	731	2
Male	2,881	58	12	23	78	102	132	210	612	770	613	270	1
Female	2,222	52	12	9	34	47	71	118	301	528	588	461	1
White	4,018	67	14	18	73	91	134	219	698	1,052	1,001	651	-
Male	2,261	31	6	15	55	62	83	146	481	627	511	244	-
Female	1,757	36	8	3	18	29	51	73	217	425	490	407	-
All other	1,085	43	10	14	39	58	69	109	215	246	200	80	2
Male	620	27	6	8	23	40	49	64	131	143	102	26	1
Female	465	16	4	6	16	18	20	45	84	103	98	54	1
Black	1,079	43	10	14	38	58	69	109	213	245	198	80	2
Male	617	27	6	8	23	40	49	64	129	143	101	26	1
Female	462	16	4	6	15	18	20	45	84	102	97	54	1
Glens Falls, N.Y	1,060	14	2	-	16	23	16	46	135	266	298	244	-
Male	523	8	1	-	13	18	14	23	87	159	132	68	-
Female	537	6	1	-	3	5	2	23	48	107	166	176	-
White	1,059	14	2	-	16	23	16	46	135	266	298	243	-
Male	523	8	1	-	13	18	14	23	87	159	132	68	-
Female	536	6	1	-	3	5	2	23	48	107	166	175	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Grand Forks, N.Dak.-Minn	758	10	4	4	15	19	15	31	73	166	213	208	-
Male	418	5	1	3	10	12	6	20	53	112	122	74	-
Female	340	5	3	1	5	7	9	11	20	54	91	134	-
White	753	10	4	4	15	18	14	31	73	165	212	207	-
Male	417	5	1	3	10	12	6	20	53	111	122	74	-
Female	336	5	3	1	5	6	8	11	20	54	90	133	-
All other	5	-	-	-	-	1	1	-	-	1	1	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	4	-	-	-	-	1	1	-	-	-	1	1	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Grand Rapids, Mich	4,520	96	17	18	73	105	113	194	591	977	1,299	1,037	-
Male	2,342	54	11	11	46	71	64	130	379	610	622	344	-
Female	2,178	42	6	7	27	34	49	64	212	367	677	693	-
White	4,313	80	14	16	70	92	99	174	551	939	1,265	1,013	-
Male	2,234	45	10	9	46	64	56	117	359	587	604	337	-
Female	2,079	35	4	7	24	28	43	57	192	352	661	676	-
All other	207	16	3	2	3	13	14	20	40	38	34	24	-
Male	108	9	1	2	-	7	8	13	20	23	18	7	-
Female	99	7	2	-	3	6	6	7	20	15	16	17	-
Black	193	15	3	2	3	13	12	20	35	34	32	24	-
Male	98	8	1	2	-	7	8	13	17	19	16	7	-
Female	95	7	2	-	3	6	4	7	18	15	16	17	-
Great Falls, Mont	619	13	6	1	13	11	25	29	67	144	162	128	-
Male	348	4	4	1	9	7	15	18	54	92	99	45	-
Female	271	9	2	-	4	4	10	11	33	52	63	83	-
White	608	12	6	1	13	9	24	28	66	140	161	128	-
Male	342	3	4	1	9	5	15	17	54	90	99	45	-
Female	266	9	2	-	4	4	9	11	32	50	62	83	-
All other	11	1	-	-	-	2	1	1	1	4	1	-	-
Male	6	1	-	-	-	2	-	1	-	2	-	-	-
Female	5	-	-	-	-	-	1	-	1	2	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley, Colo	847	24	4	3	35	29	39	35	86	172	228	192	-
Male	452	11	4	2	26	18	25	23	50	106	127	60	-
Female	395	13	-	1	9	11	14	12	36	66	101	132	-
White	841	24	4	3	34	28	39	35	86	172	226	190	-
Male	449	11	4	2	25	18	25	23	50	106	125	60	-
Female	392	13	-	1	9	10	14	12	36	66	101	130	-
All other	6	-	-	-	1	1	-	-	-	-	2	2	-
Male	3	-	-	-	1	-	-	-	-	-	2	-	-
Female	3	-	-	-	-	1	-	-	-	-	-	2	-
Black	3	-	-	-	1	-	-	-	-	-	2	-	-
Male	3	-	-	-	1	-	-	-	-	-	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Green Bay, Wis	1,250	28	4	8	34	27	33	75	138	288	355	262	-
Male	682	18	3	4	29	17	23	44	88	181	183	92	-
Female	568	10	1	4	5	10	10	31	50	105	172	170	-
White	1,235	22	4	8	34	25	32	75	137	283	354	261	-
Male	674	14	3	4	29	16	23	44	87	179	183	92	-
Female	561	8	1	4	5	9	9	31	50	104	171	169	-
All other	15	6	-	-	-	2	1	-	1	3	1	1	-
Male	8	4	-	-	-	1	-	-	1	2	-	-	-
Female	7	2	-	-	-	1	1	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro--Winston-Salem--High Point, N.C	6,954	132	23	33	127	152	248	469	1,134	1,639	1,807	1,190	-
Male	3,697	66	11	18	86	104	154	296	741	975	850	396	-
Female	3,257	66	12	15	41	48	94	173	393	664	957	794	-
White	5,536	82	13	26	95	100	158	349	880	1,301	1,500	1,032	-
Male	2,944	39	6	15	65	71	102	225	590	791	698	342	-
Female	2,592	43	7	11	30	29	56	124	290	510	802	690	-
All other	1,418	50	10	7	32	52	90	120	254	338	307	158	-
Male	753	27	5	3	21	33	52	71	151	184	152	54	-
Female	665	23	5	4	11	19	38	49	103	154	155	104	-
Black	1,410	50	10	7	31	51	89	119	252	338	305	158	-
Male	746	27	5	3	20	33	51	70	149	184	150	54	-
Female	664	23	5	4	11	18	38	49	103	154	155	104	-
Greenville-Spartanburg, S.C	4,814	124	14	19	98	141	168	364	759	1,191	1,227	708	1
Male	2,609	72	3	14	77	93	114	218	491	705	579	242	1
Female	2,205	52	11	5	21	48	54	146	268	486	648	466	-
White	3,912	85	11	13	78	102	108	261	595	959	1,052	647	1
Male	2,105	49	3	9	62	66	74	162	384	578	501	216	1
Female	1,807	36	8	4	16	36	34	99	211	381	551	431	-
All other	902	39	3	6	20	39	60	103	164	232	175	61	-
Male	504	23	-	5	15	27	40	56	107	127	78	26	-
Female	398	16	3	1	5	12	20	47	57	105	97	35	-
Black	902	39	3	6	20	39	60	103	164	232	175	61	-
Male	504	23	-	5	15	27	40	56	107	127	78	26	-
Female	398	16	3	1	5	12	20	47	57	105	97	35	-
Hagerstown, Md	1,063	7	3	5	15	21	19	45	148	296	309	215	-
Male	558	2	2	4	10	15	12	24	90	177	151	71	-
Female	525	5	1	1	5	6	7	21	58	119	158	144	-
White	1,052	6	3	4	15	18	18	43	140	289	303	213	-
Male	539	2	2	3	10	13	11	23	87	171	148	69	-
Female	513	4	1	1	5	5	7	20	53	118	155	144	-
All other	31	1	-	1	-	3	1	2	8	7	6	2	-
Male	19	-	-	1	-	2	1	1	3	6	3	2	-
Female	12	1	-	-	-	1	-	1	5	1	3	-	-
Black	29	1	-	1	-	3	1	1	7	7	6	2	-
Male	19	-	-	1	-	2	1	1	3	6	3	2	-
Female	10	1	-	-	-	1	-	-	4	1	3	-	-
Hamilton-Middletown, Ohio	1,828	38	2	9	30	36	48	135	318	411	470	339	-
Male	986	20	-	4	25	20	27	67	187	262	238	116	-
Female	842	18	2	5	5	16	21	48	129	149	232	217	-
White	1,718	36	2	9	28	30	42	124	294	386	445	322	-
Male	924	19	-	4	23	16	24	80	175	246	224	113	-
Female	794	17	2	5	5	14	18	44	119	140	221	209	-
All other	110	2	-	-	2	6	6	11	22	25	25	11	-
Male	62	1	-	-	2	4	3	7	12	16	14	3	-
Female	48	1	-	-	-	2	3	4	10	9	11	8	-
Black	108	2	-	-	2	6	6	10	22	25	24	11	-
Male	60	1	-	-	2	4	3	6	12	16	13	3	-
Female	48	1	-	-	-	2	3	4	10	9	11	8	-
Harrisburg, Pa	4,132	58	15	10	58	73	79	205	608	998	1,157	868	3
Male	2,089	30	11	6	41	54	44	127	370	583	558	264	1
Female	2,043	28	4	4	17	19	35	78	238	415	599	604	2
White	3,867	51	11	8	55	65	68	182	541	935	1,103	847	1
Male	1,948	25	9	5	40	47	37	115	328	551	537	254	-
Female	1,919	26	2	3	15	18	31	67	213	384	566	593	1
All other	265	7	4	2	3	8	11	23	67	63	54	21	2
Male	141	5	2	1	1	7	7	12	42	32	21	10	1
Female	124	2	2	1	2	1	4	11	25	31	33	11	1
Black	259	7	4	2	3	8	9	21	67	62	53	21	2
Male	137	5	2	1	1	7	6	10	42	31	21	10	1
Female	122	2	2	1	2	1	3	11	25	31	32	11	1
Hartford-New Britain-Bristol, Conn	9,075	142	14	22	129	177	265	453	1,267	2,162	2,342	2,081	1
Male	4,606	82	7	13	90	124	179	262	798	1,280	1,103	667	1
Female	4,469	60	7	9	39	53	106	191	469	882	1,239	1,414	-
White	8,580	109	12	17	118	159	238	398	1,185	2,065	2,263	2,035	1
Male	4,363	66	6	11	83	112	161	232	740	1,230	1,075	656	1
Female	4,217	43	6	6	35	47	87	166	425	835	1,188	1,379	-
All other	495	33	2	5	11	18	47	55	102	97	79	46	-
Male	243	16	1	2	7	12	28	30	58	50	28	11	-
Female	252	17	1	3	4	6	19	25	44	47	51	35	-
Black	473	33	1	5	10	17	46	50	101	93	74	43	-
Male	235	16	-	2	7	12	28	27	57	49	27	10	-
Female	238	17	1	3	3	5	18	23	44	44	47	33	-
Hickory, N.C	1,063	19	7	3	26	36	38	86	179	242	243	184	-
Male	553	10	6	2	20	25	26	50	115	130	108	61	-
Female	510	9	1	1	6	11	12	36	64	112	135	123	-
White	976	16	5	2	24	30	34	75	165	220	227	178	-
Male	511	7	4	2	18	20	24	45	107	123	101	60	-
Female	465	9	1	-	6	10	10	30	58	97	126	118	-
All other	87	3	2	1	2	6	4	11	14	22	16	6	-
Male	42	3	2	-	2	5	2	5	8	7	7	1	-
Female	45	-	-	1	-	1	2	6	6	15	9	5	-
Black	86	3	2	1	2	6	4	11	14	22	15	6	-
Male	42	3	2	-	2	5	2	5	8	7	7	1	-
Female	44	-	-	1	-	1	2	6	6	15	8	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Honolulu, Hawaii	4,168	141	18	20	103	109	155	290	689	962	953	727	1
Male	2,443	77	9	12	82	77	107	182	437	613	542	305	-
Female	1,725	64	9	8	21	32	48	108	252	349	411	422	1
White	1,315	26	2	3	38	34	62	95	200	316	313	224	-
Male	763	14	-	2	32	29	48	66	138	200	161	73	-
Female	552	14	2	1	6	5	14	29	62	116	152	151	-
All other	2,853	113	16	17	65	75	93	195	489	646	640	503	1
Male	1,680	63	9	10	50	48	59	116	299	413	381	232	-
Female	1,173	50	7	7	15	27	34	79	190	233	259	271	1
Black	45	15	-	2	4	6	1	5	4	5	2	1	-
Male	32	11	-	2	3	4	1	5	3	2	1	-	-
Female	13	4	-	-	1	2	-	-	1	3	1	1	-
Houston, Tex	18,717	679	148	150	746	1,051	1,027	1,589	3,142	3,917	3,924	2,346	-
Male	10,323	371	73	94	560	792	671	1,027	1,918	2,265	1,829	723	-
Female	8,394	308	73	56	186	259	356	562	1,224	1,652	2,095	1,623	-
White	14,594	467	105	119	603	797	757	1,140	2,424	3,100	3,111	1,971	-
Male	7,878	250	52	71	465	603	497	746	1,483	1,774	1,454	583	-
Female	6,616	217	53	48	138	194	260	394	941	1,326	1,657	1,388	-
All other	4,123	212	41	31	143	254	270	449	718	817	813	375	-
Male	2,345	121	21	23	95	189	174	281	435	481	375	140	-
Female	1,778	91	20	8	48	65	96	168	283	326	438	235	-
Black	3,960	200	38	23	132	234	259	432	701	784	792	365	-
Male	2,246	116	19	17	88	175	165	273	428	470	362	133	-
Female	1,714	84	19	6	44	59	94	159	273	314	430	232	-
Huntington-Ashland, W. Va.-Ky.-Ohio	3,023	41	4	7	29	58	81	189	479	797	816	522	-
Male	1,623	24	3	4	21	38	49	121	299	481	417	186	-
Female	1,400	17	1	3	8	20	32	68	180	336	399	336	-
White	2,931	39	4	7	29	57	79	185	460	772	794	505	-
Male	1,583	22	3	4	21	37	49	119	289	449	411	179	-
Female	1,348	17	1	3	8	20	30	66	171	323	383	326	-
All other	92	2	-	-	-	1	2	4	19	25	22	17	-
Male	40	2	-	-	-	1	-	2	10	12	6	7	-
Female	52	-	-	-	-	-	2	2	9	13	16	10	-
Black	86	2	-	-	-	1	1	4	18	23	21	16	-
Male	37	2	-	-	-	1	-	2	10	10	6	6	-
Female	49	-	-	-	-	-	1	2	8	13	15	10	-
Huntsville, Ala	2,559	48	8	23	59	81	124	206	406	591	608	404	1
Male	1,402	30	5	15	40	63	83	124	257	343	286	145	1
Female	1,157	18	3	8	19	18	41	82	149	248	312	259	-
White	2,192	34	6	18	47	70	101	177	351	501	536	351	-
Male	1,208	19	4	13	33	53	70	109	229	300	257	121	-
Female	984	15	2	5	14	17	31	68	122	201	279	230	-
All other	367	14	2	5	12	11	23	29	55	90	72	53	1
Male	194	11	1	2	7	10	13	15	28	43	39	24	1
Female	173	3	1	3	5	1	10	14	27	47	33	29	-
Black	363	14	2	4	11	11	21	29	55	90	72	53	1
Male	192	11	1	1	7	10	12	15	28	43	39	24	1
Female	171	3	1	3	4	1	9	14	27	47	33	29	-
Indianapolis, Ind	9,665	236	35	50	176	213	287	582	1,470	2,263	2,525	1,826	2
Male	4,984	150	16	25	115	155	172	376	935	1,304	1,174	561	1
Female	4,681	86	19	25	61	58	115	206	535	959	1,351	1,265	1
White	8,222	154	21	38	142	156	218	471	1,221	1,924	2,236	1,639	2
Male	4,182	100	8	18	90	115	130	309	772	1,120	1,038	481	1
Female	4,040	54	13	20	52	41	88	162	449	804	1,198	1,158	1
All other	1,443	82	14	12	34	57	69	111	249	339	289	187	-
Male	802	50	8	7	25	40	42	67	163	184	136	80	-
Female	641	32	6	5	9	17	27	44	86	155	153	107	-
Black	1,432	82	14	12	32	57	69	110	247	337	287	185	-
Male	793	50	8	7	23	40	42	67	162	182	134	78	-
Female	639	32	6	5	9	17	27	43	85	155	153	107	-
Iowa City, Iowa	445	10	1	1	11	10	11	22	51	77	130	121	-
Male	211	5	1	-	7	6	8	15	35	42	57	35	-
Female	234	5	-	1	4	4	3	7	16	35	73	86	-
White	441	10	1	1	11	10	10	22	49	77	129	121	-
Male	209	5	1	-	7	6	7	15	35	42	56	35	-
Female	232	5	-	1	4	4	3	7	14	35	73	86	-
All other	4	-	-	-	-	-	1	-	2	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson, Mich	1,262	18	3	4	20	24	34	67	184	282	353	263	-
Male	655	3	2	3	14	16	20	36	111	194	163	93	-
Female	607	15	1	1	6	8	14	31	73	88	190	170	-
White	1,193	15	3	4	20	20	31	59	171	277	336	257	-
Male	616	2	2	3	14	13	19	32	103	182	155	91	-
Female	577	13	1	1	6	7	12	27	68	95	181	166	-
All other	69	3	-	-	-	4	3	8	13	15	17	6	-
Male	39	1	-	-	-	3	1	4	8	12	8	2	-
Female	30	2	-	-	-	1	2	4	5	3	9	4	-
Black	68	3	-	-	-	4	3	7	13	15	17	6	-
Male	39	1	-	-	-	3	1	4	8	12	8	2	-
Female	29	2	-	-	-	1	2	3	5	3	9	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Miss	2,525	68	7	12	60	71	90	183	374	562	676	416	6
Male	1,346	39	6	6	44	41	62	125	237	337	322	125	2
Female	1,179	29	1	6	16	30	28	58	137	225	354	291	4
White	1,555	24	3	5	35	34	42	111	221	343	458	278	1
Male	805	14	2	1	26	21	30	78	145	208	204	76	-
Female	750	10	1	4	9	13	12	33	76	135	254	202	1
All other	970	44	4	7	25	37	48	72	153	219	218	138	5
Male	541	25	4	5	18	20	32	47	92	129	118	49	2
Female	429	19	-	2	7	17	16	25	61	90	100	89	3
Black	968	44	4	7	24	37	47	72	153	219	218	138	5
Male	540	25	4	5	17	20	32	47	92	129	118	49	2
Female	428	19	-	2	7	17	15	25	61	90	100	89	3
Jacksonville, Fla	6,784	157	27	26	168	186	268	497	1,155	1,623	1,878	999	-
Male	3,567	87	16	11	121	128	161	315	725	905	784	314	-
Female	3,217	70	11	15	47	58	107	182	430	718	894	685	-
White	5,127	88	17	17	124	121	171	336	830	1,231	1,333	857	-
Male	2,715	48	12	7	90	93	108	223	548	700	628	260	-
Female	2,412	40	5	10	34	28	65	115	282	531	705	597	-
All other	1,657	69	10	9	44	65	97	159	325	392	345	142	-
Male	852	39	4	4	31	35	55	92	177	205	156	54	-
Female	805	30	6	5	13	30	42	67	148	187	189	88	-
Black	1,644	69	10	7	44	64	95	158	324	390	343	140	-
Male	845	39	4	3	31	35	54	92	177	203	155	52	-
Female	799	30	6	4	13	29	41	66	147	187	188	88	-
Jacksonville, N.C	517	36	7	3	26	34	22	55	86	112	86	50	-
Male	307	15	2	1	22	27	15	37	59	67	44	18	-
Female	210	21	5	2	4	7	7	18	27	45	42	32	-
White	417	26	7	2	17	25	18	48	69	87	74	44	-
Male	246	11	2	1	14	18	13	34	46	51	40	16	-
Female	171	15	5	1	3	7	5	14	23	36	34	28	-
All other	100	10	-	1	9	9	4	7	17	25	12	6	-
Male	61	4	-	-	8	9	2	3	13	16	4	2	-
Female	39	6	-	1	1	-	2	4	4	9	8	4	-
Black	99	10	-	1	9	9	3	7	17	25	12	6	-
Male	61	4	-	-	8	9	2	3	13	16	4	2	-
Female	38	6	-	1	1	-	1	4	4	9	8	4	-
Janesville-Beloit, Wis	1,166	18	2	6	21	25	18	68	149	257	333	269	-
Male	602	12	1	4	16	16	12	39	97	148	188	91	-
Female	564	6	1	2	5	9	6	29	52	111	185	178	-
White	1,134	15	2	6	20	24	17	67	143	255	321	264	-
Male	584	10	1	4	15	15	11	38	95	145	160	90	-
Female	550	5	1	2	5	9	6	29	48	110	161	174	-
All other	32	3	-	-	1	1	1	1	6	2	12	5	-
Male	18	2	-	-	1	1	1	1	2	1	8	1	-
Female	14	1	-	-	-	-	-	-	4	1	4	4	-
Black	31	3	-	-	1	1	1	-	6	2	12	5	-
Male	17	2	-	-	1	1	1	-	2	1	8	1	-
Female	14	1	-	-	-	-	-	-	4	1	4	4	-
Jersey City, N.J	5,848	109	11	16	77	188	213	349	927	1,463	1,531	959	5
Male	3,017	63	4	12	61	138	150	217	567	769	698	335	3
Female	2,831	46	7	4	16	50	63	132	360	694	833	624	2
White	5,199	78	9	10	59	103	149	285	799	1,350	1,423	929	5
Male	2,650	46	2	7	45	79	101	178	492	714	652	331	3
Female	2,549	32	7	3	14	24	48	107	307	636	771	598	2
All other	649	31	2	6	18	85	64	64	128	113	108	30	-
Male	367	17	2	5	16	59	49	39	75	55	46	4	-
Female	282	14	-	1	2	26	15	25	53	58	62	26	-
Black	606	27	2	5	17	78	60	83	122	105	98	29	-
Male	343	15	2	4	15	55	47	38	71	51	41	4	-
Female	263	12	-	1	2	23	13	25	51	54	57	25	-
Johnson City-Kingsport-Bristol, Tenn.-Va	4,039	54	10	18	64	70	112	270	588	986	1,136	730	1
Male	2,228	30	7	10	42	53	70	178	401	602	584	251	-
Female	1,811	24	3	8	22	17	42	92	187	384	552	479	1
White	3,918	51	8	18	64	67	111	260	564	949	1,114	711	1
Male	2,167	29	6	10	42	52	69	171	384	566	576	242	-
Female	1,751	22	2	8	22	15	42	89	180	383	538	469	1
All other	121	3	2	-	-	3	1	10	24	37	22	19	-
Male	61	1	1	-	-	1	1	7	17	16	8	9	-
Female	60	2	1	-	-	2	-	3	7	21	14	10	-
Black	117	3	1	-	-	2	1	9	24	37	22	18	-
Male	59	1	1	-	-	1	1	6	17	16	8	8	-
Female	58	2	-	-	-	1	-	3	7	21	14	10	-
Johnstown, Pa	2,833	34	2	10	39	36	47	134	391	789	787	564	-
Male	1,519	21	2	6	26	29	33	85	243	480	399	195	-
Female	1,314	13	-	4	13	7	14	49	148	309	388	369	-
White	2,796	34	2	10	37	34	45	133	385	777	780	559	-
Male	1,502	21	2	6	25	28	32	85	239	476	394	194	-
Female	1,294	13	-	4	12	6	13	48	146	301	386	365	-
All other	37	-	-	-	2	2	2	1	6	12	7	5	-
Male	17	-	-	-	1	1	1	-	4	4	5	1	-
Female	20	-	-	-	1	1	1	1	2	8	2	4	-
Black	37	-	-	-	2	2	2	1	6	12	7	5	-
Male	17	-	-	-	1	1	1	-	4	4	5	1	-
Female	20	-	-	-	1	1	1	1	2	8	2	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, Mo	1,396	20	4	4	28	16	34	75	174	325	387	329	-
Male	734	14	2	1	20	13	22	57	107	202	179	117	-
Female	662	6	2	3	8	3	12	18	67	123	208	212	-
White	1,379	20	4	4	27	16	33	74	171	322	384	324	-
Male	724	14	2	1	19	13	21	56	105	200	178	115	-
Female	655	6	2	3	8	3	12	18	66	122	206	209	-
All other	17	-	-	-	1	-	1	1	3	3	3	5	-
Male	10	-	-	-	1	-	1	1	2	2	1	2	-
Female	7	-	-	-	-	-	-	-	1	1	2	3	-
Black	13	-	-	-	1	-	1	1	3	3	2	2	-
Male	7	-	-	-	1	-	1	1	2	2	-	-	-
Female	6	-	-	-	-	-	-	-	1	1	2	2	-
Kalamazoo-Portage, Mich	2,167	57	9	14	46	58	81	114	249	455	594	490	-
Male	1,074	32	5	7	36	41	45	66	153	254	276	159	-
Female	1,093	25	4	7	10	17	36	48	96	201	318	331	-
White	1,989	42	7	12	42	53	71	95	229	421	556	461	-
Male	972	22	3	6	32	36	41	55	136	233	256	150	-
Female	1,017	20	4	6	10	17	30	40	91	188	300	311	-
All other	178	15	2	2	4	5	10	19	20	34	38	29	-
Male	102	10	2	1	4	5	4	11	15	21	20	9	-
Female	76	5	-	1	-	-	6	8	5	13	18	20	-
Black	174	15	2	2	4	5	8	18	19	34	38	29	-
Male	100	10	2	1	4	5	3	10	15	21	20	9	-
Female	74	5	-	1	-	-	5	8	4	13	18	20	-
Kankakee, Ill	904	21	2	6	13	22	22	46	132	236	225	179	-
Male	502	14	2	3	11	16	14	23	85	142	126	66	-
Female	402	7	-	3	2	6	8	23	47	94	99	113	-
White	778	9	1	4	11	15	15	41	108	204	202	168	-
Male	426	6	1	3	9	11	10	20	72	125	110	59	-
Female	352	3	-	1	2	4	5	21	36	79	92	109	-
All other	126	12	1	2	2	7	7	5	24	32	23	11	-
Male	76	8	1	-	2	5	4	3	13	17	16	7	-
Female	50	4	-	2	-	2	3	2	11	15	7	4	-
Black	124	12	1	2	2	7	7	5	24	31	23	10	-
Male	74	8	1	-	2	5	4	3	13	16	16	6	-
Female	50	4	-	2	-	2	3	2	11	15	7	4	-
Kansas City, Mo.-Kans	11,284	252	33	49	224	261	357	634	1,586	2,517	3,012	2,356	3
Male	5,756	138	17	39	157	182	216	374	1,014	1,448	1,399	769	3
Female	5,528	114	16	10	67	79	141	260	572	1,069	1,613	1,587	-
White	9,703	170	24	40	173	185	271	504	1,329	2,185	2,684	2,136	2
Male	4,908	92	12	32	120	130	162	294	857	1,264	1,254	689	2
Female	4,795	78	12	8	53	55	109	210	472	921	1,430	1,447	-
All other	1,581	82	9	9	51	76	86	130	257	332	328	220	1
Male	848	46	5	7	37	52	54	80	157	184	145	80	1
Female	733	36	4	2	14	24	32	50	100	148	183	140	-
Black	1,548	80	8	9	49	70	84	126	253	326	323	219	1
Male	828	45	4	7	35	47	53	76	155	182	144	79	1
Female	720	35	4	2	14	23	31	50	98	144	179	140	-
Kenosha, Wis	1,066	15	2	9	11	32	23	52	160	259	288	215	-
Male	579	9	2	5	9	22	15	35	111	152	132	87	-
Female	487	6	-	4	2	10	8	17	49	107	156	128	-
White	1,047	15	1	8	11	30	22	47	156	258	284	215	-
Male	571	9	1	5	9	21	14	33	108	152	132	87	-
Female	476	6	-	3	2	9	8	14	48	106	152	128	-
All other	19	-	1	1	-	2	1	5	4	1	4	-	-
Male	8	-	1	-	-	1	1	2	3	-	-	-	-
Female	11	-	-	1	-	1	-	3	1	1	4	-	-
Black	19	-	1	1	-	2	1	5	4	1	4	-	-
Male	8	-	1	-	-	1	1	2	3	-	-	-	-
Female	11	-	-	1	-	1	-	3	1	1	4	-	-
Killeen-Temple, Tex	1,402	69	10	10	53	46	42	92	193	267	360	260	-
Male	814	42	4	8	37	34	28	64	134	177	183	109	-
Female	588	27	6	2	16	12	14	28	59	90	177	157	-
White	1,266	46	10	6	49	35	32	77	182	246	336	247	-
Male	738	32	4	5	33	23	24	54	128	167	170	98	-
Female	528	14	6	1	16	12	8	23	54	79	166	149	-
All other	136	23	-	4	4	11	10	15	11	21	24	13	-
Male	76	10	-	3	4	11	4	10	6	10	13	5	-
Female	60	13	-	1	-	-	6	5	5	11	11	8	-
Black	133	22	-	3	4	11	10	15	11	20	24	13	-
Male	75	10	-	2	4	11	4	10	6	10	13	5	-
Female	58	12	-	1	-	-	6	5	5	10	11	8	-
Knoxville, Tenn	4,217	62	14	10	81	98	119	290	637	983	1,137	786	-
Male	2,278	35	6	7	59	62	68	175	413	617	578	258	-
Female	1,939	27	8	3	22	36	51	115	224	366	559	528	-
White	3,868	55	13	10	76	81	101	257	582	900	1,044	749	-
Male	2,087	30	5	7	54	54	58	157	381	566	532	243	-
Female	1,781	25	8	3	22	27	43	100	201	334	512	506	-
All other	349	7	1	-	5	17	18	33	55	83	93	37	-
Male	191	5	1	-	5	8	10	18	32	51	46	15	-
Female	158	2	-	-	-	9	8	15	23	32	47	22	-
Black	346	7	1	-	5	17	17	33	55	81	93	37	-
Male	190	5	1	-	5	8	10	18	32	50	46	15	-
Female	156	2	-	-	-	9	7	15	23	31	47	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	847	9	1	4	7	17	28	48	135	204	208	186	-
Male	426	8	1	2	7	10	16	30	81	119	97	55	-
Female	421	1	-	2	-	7	12	18	54	85	111	131	-
White	817	7	-	3	7	13	27	47	129	199	204	181	-
Male	408	6	-	2	7	7	16	30	75	115	96	54	-
Female	409	1	-	1	-	6	11	17	54	84	108	127	-
All other	30	2	1	1	-	4	1	1	6	5	4	5	-
Male	18	2	1	-	-	3	-	-	6	4	1	1	-
Female	12	-	-	1	-	1	1	1	-	1	3	4	-
Black	29	2	1	1	-	3	1	1	6	5	4	5	-
Male	18	2	1	-	-	3	-	-	6	4	1	1	-
Female	11	-	-	1	-	-	1	1	-	1	3	4	-
La Crosse, Wis	799	8	3	2	10	17	15	33	94	149	241	227	-
Male	388	5	2	2	9	14	9	23	58	85	109	72	-
Female	411	3	1	-	1	3	6	10	36	64	132	155	-
White	785	8	2	2	9	17	15	32	94	148	241	227	-
Male	385	5	1	2	8	14	9	23	58	84	109	72	-
Female	410	3	1	-	1	3	6	9	36	64	132	155	-
All other	4	-	1	-	1	-	-	1	-	1	-	-	-
Male	3	-	1	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	926	36	4	6	33	31	48	72	142	216	198	140	-
Male	514	22	3	5	25	23	32	41	96	133	96	38	-
Female	412	14	1	1	8	8	16	31	46	83	102	102	-
White	704	22	2	3	30	23	32	56	106	164	155	111	-
Male	383	13	1	2	23	16	19	32	73	102	75	27	-
Female	321	9	1	1	7	7	13	24	33	62	80	84	-
All other	222	14	2	3	3	8	16	16	36	52	43	29	-
Male	131	9	2	3	2	7	13	9	23	31	21	11	-
Female	91	5	-	-	1	1	3	7	13	21	22	18	-
Black	221	14	2	3	3	7	16	16	36	52	43	29	-
Male	130	9	2	3	2	6	13	9	23	31	21	11	-
Female	91	5	-	-	1	1	3	7	13	21	22	18	-
Lafayette-West Lafayette, Ind	834	18	3	3	12	14	28	39	124	186	223	184	-
Male	419	10	2	1	10	10	17	23	74	109	106	57	-
Female	415	8	1	2	2	4	11	16	50	77	117	127	-
White	826	18	3	3	12	13	28	39	123	184	221	182	-
Male	415	10	2	1	10	9	17	23	73	108	105	57	-
Female	411	8	1	2	2	4	11	16	50	76	116	125	-
All other	8	-	-	-	-	1	-	-	1	2	2	2	-
Male	4	-	-	-	-	1	-	-	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	-	1	1	2	-
Black	7	-	-	-	-	-	-	-	1	2	2	2	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	-	1	1	2	-
Lake Charles, La	1,350	34	5	9	33	39	44	92	210	385	340	178	1
Male	734	15	2	5	25	29	28	60	126	219	160	64	1
Female	616	19	3	4	8	10	16	32	84	146	180	114	-
White	1,039	18	2	7	22	31	26	64	161	283	280	144	1
Male	569	6	1	5	17	22	16	44	100	175	133	49	1
Female	470	12	1	2	5	9	10	20	61	108	147	95	-
All other	311	16	3	2	11	8	18	28	49	82	60	34	-
Male	165	9	1	-	8	7	12	16	26	44	27	15	-
Female	146	7	2	2	3	1	6	12	23	38	33	19	-
Black	309	16	3	2	11	8	18	27	48	82	60	34	-
Male	163	9	1	-	8	7	12	15	25	44	27	15	-
Female	146	7	2	2	3	1	6	12	23	38	33	19	-
Lakeland-Winter Haven, Fla	3,445	63	22	13	73	89	100	176	538	833	956	582	-
Male	1,957	35	12	9	54	61	65	119	349	513	516	224	-
Female	1,488	28	10	4	19	28	35	57	189	320	440	358	-
White	3,018	45	16	11	65	70	75	132	450	735	871	548	-
Male	1,727	25	9	7	49	49	52	89	298	453	481	215	-
Female	1,291	20	7	4	16	21	23	43	152	282	390	333	-
All other	427	18	6	2	8	19	25	44	88	98	85	34	-
Male	230	10	3	2	5	12	13	30	51	80	35	9	-
Female	197	8	3	-	3	7	12	14	37	38	50	25	-
Black	427	18	6	2	8	19	25	44	88	98	85	34	-
Male	230	10	3	2	5	12	13	30	51	80	35	9	-
Female	197	8	3	-	3	7	12	14	37	38	50	25	-
Lancaster, Pa	3,258	46	12	18	33	50	69	137	403	688	949	853	-
Male	1,627	27	7	8	28	40	45	93	243	396	451	289	-
Female	1,631	19	5	10	5	10	24	44	160	292	498	564	-
White	3,207	43	10	18	32	48	68	136	397	672	936	847	-
Male	1,601	25	5	8	27	38	45	92	241	390	443	287	-
Female	1,606	18	5	10	5	10	23	44	156	282	493	560	-
All other	51	3	2	-	1	2	1	1	6	16	13	6	-
Male	26	2	2	-	1	2	-	1	2	8	8	2	-
Female	25	1	-	-	-	-	1	-	4	10	5	4	-
Black	42	2	1	-	1	2	1	1	5	13	12	4	-
Male	23	1	1	-	1	2	-	1	2	6	7	2	-
Female	19	1	-	-	-	-	1	-	3	7	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing-East Lansing, Mich	3,076	68	18	18	75	98	94	172	424	673	793	643	-
Male	1,595	33	12	10	58	65	65	107	263	385	383	214	-
Female	1,481	35	6	8	17	33	29	65	161	288	410	429	-
White	2,935	56	14	16	73	81	83	161	405	639	774	633	-
Male	1,512	28	8	9	56	53	58	98	251	368	372	211	-
Female	1,423	28	6	7	17	28	25	63	154	271	402	422	-
All other	141	12	4	2	2	17	11	11	19	34	19	10	-
Male	83	5	4	1	2	12	7	9	12	17	11	3	-
Female	58	7	-	1	-	5	4	2	7	17	8	7	-
Black	123	9	4	2	1	14	10	10	17	31	16	9	-
Male	74	5	4	1	1	10	6	6	12	15	9	3	-
Female	49	4	-	1	-	4	4	2	5	16	7	6	-
Laredo, Tex	615	25	6	3	27	19	14	43	73	125	169	111	-
Male	349	17	3	3	24	16	12	30	48	70	88	40	-
Female	266	8	3	-	3	3	2	13	25	55	83	71	-
White	612	25	6	3	26	19	14	43	73	125	168	110	-
Male	348	17	3	3	23	16	12	30	48	70	86	40	-
Female	264	8	3	-	3	3	2	13	25	55	82	70	-
All other	3	-	-	-	1	-	-	-	-	-	1	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Las Cruces, N.Mex	610	15	6	4	14	24	17	48	81	144	152	105	-
Male	326	9	2	2	13	19	10	28	55	77	78	33	-
Female	284	6	4	2	1	5	7	20	26	67	74	72	-
White	597	14	6	4	14	24	16	42	80	143	149	105	-
Male	316	8	2	2	13	19	9	23	54	77	76	33	-
Female	281	6	4	2	1	5	7	19	26	66	73	72	-
All other	13	1	-	-	-	-	1	6	1	1	3	-	-
Male	10	1	-	-	-	-	1	5	1	-	2	-	-
Female	3	-	-	-	-	-	-	1	-	1	1	-	-
Black	10	1	-	-	-	-	1	4	1	1	2	-	-
Male	9	1	-	-	-	-	1	4	1	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Las Vegas, Nev	3,818	87	21	17	120	160	141	325	700	1,028	819	395	3
Male	2,229	56	11	11	89	104	84	214	439	626	440	152	3
Female	1,587	31	10	6	31	56	57	111	261	402	379	243	-
White	3,514	64	18	17	103	137	117	290	645	961	782	377	3
Male	2,041	41	10	11	76	90	67	195	409	582	413	144	3
Female	1,473	23	8	6	27	47	50	95	236	379	369	233	-
All other	302	23	3	-	17	23	24	35	55	67	37	18	-
Male	188	15	1	-	13	14	17	19	30	44	27	8	-
Female	114	8	2	-	4	9	7	16	25	23	10	10	-
Black	264	20	3	-	16	21	19	28	47	61	34	15	-
Male	168	13	1	-	12	13	14	17	27	39	25	7	-
Female	96	7	2	-	4	8	5	11	20	22	9	8	-
Lawrence, Kans	385	13	2	3	6	11	10	16	50	84	98	92	-
Male	218	8	1	2	6	8	9	10	34	58	52	30	-
Female	167	5	1	1	-	3	1	6	16	26	46	62	-
White	364	11	1	3	6	9	10	16	46	78	95	89	-
Male	207	6	-	2	6	7	9	10	34	53	51	29	-
Female	157	5	1	1	-	2	1	6	12	25	44	60	-
All other	21	2	1	-	-	2	-	-	4	6	3	3	-
Male	11	2	1	-	-	1	-	-	-	5	1	1	-
Female	10	-	-	-	-	1	-	-	4	1	2	2	-
Black	19	2	1	-	-	2	-	-	3	5	3	3	-
Male	10	2	1	-	-	1	-	-	-	4	1	1	-
Female	9	-	-	-	-	1	-	-	3	1	2	2	-
Lawton, Okla	739	30	6	1	24	29	23	63	117	171	161	114	-
Male	399	13	4	1	21	23	15	41	76	97	77	31	-
Female	340	17	2	-	3	6	8	22	41	74	84	83	-
White	644	22	5	-	21	21	17	50	103	148	150	107	-
Male	343	10	4	-	19	17	10	31	66	85	73	28	-
Female	301	12	1	-	2	4	7	19	37	63	77	79	-
All other	95	8	1	1	3	8	6	13	14	23	11	7	-
Male	56	3	-	1	2	6	5	10	10	12	4	3	-
Female	39	5	1	-	1	2	1	3	4	11	7	4	-
Black	66	6	-	1	2	8	5	9	10	12	8	5	-
Male	42	3	-	1	1	6	4	7	7	7	4	2	-
Female	24	3	-	-	1	2	1	2	3	5	4	3	-
Lewiston-Auburn, Maine	978	15	3	6	9	9	22	52	117	207	289	249	-
Male	499	13	1	5	4	6	15	34	70	129	127	95	-
Female	479	2	2	1	5	3	7	18	47	78	162	154	-
White	974	15	3	6	9	8	21	52	117	207	289	247	-
Male	497	13	1	5	4	5	14	34	70	129	127	95	-
Female	477	2	2	1	5	3	7	18	47	78	162	152	-
All other	4	-	-	-	-	1	1	-	-	-	-	2	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lexington-Fayette, Ky	2,417	54	7	8	60	51	77	175	387	549	586	455	-
Male	1,283	32	5	5	46	38	49	110	233	329	285	153	-
Female	1,134	22	2	1	14	15	28	65	154	220	311	302	-
White	2,046	36	4	6	53	45	66	138	323	474	512	389	-
Male	1,103	20	3	5	41	33	45	90	201	291	246	128	-
Female	943	16	1	1	12	12	21	48	122	183	266	261	-
All other	371	18	3	-	7	6	11	37	64	75	84	66	-
Male	180	12	2	-	5	3	4	20	32	38	39	25	-
Female	191	6	1	-	2	3	7	17	32	37	45	41	-
Black	366	18	3	-	7	5	10	37	61	75	84	66	-
Male	178	12	2	-	5	3	3	20	31	38	39	25	-
Female	188	6	1	-	2	2	7	17	30	37	45	41	-
Lima, Ohio	1,929	34	7	7	29	28	42	76	264	465	524	453	-
Male	993	20	4	4	22	17	21	49	164	271	264	157	-
Female	936	14	3	3	7	11	21	27	100	194	260	296	-
White	1,827	28	4	7	27	24	39	64	242	444	502	446	-
Male	932	15	1	4	21	15	19	42	150	258	254	153	-
Female	895	13	3	3	6	9	20	22	92	186	248	293	-
All other	102	6	3	-	2	4	3	12	22	21	22	7	-
Male	61	5	3	-	1	2	2	7	14	13	10	4	-
Female	41	1	-	-	1	2	1	5	8	8	12	3	-
Black	100	6	3	-	2	4	3	12	22	20	21	7	-
Male	59	5	3	-	1	2	2	7	14	12	9	4	-
Female	41	1	-	-	1	2	1	5	8	8	12	3	-
Lincoln, Nebr	1,367	32	5	5	19	26	27	64	162	284	367	375	1
Male	665	18	4	3	10	17	20	42	106	167	170	108	-
Female	702	14	1	2	9	9	7	22	56	117	197	267	1
White	1,346	31	5	5	19	26	25	61	157	280	364	372	1
Male	655	17	4	3	10	17	19	40	104	165	168	108	-
Female	691	14	1	2	9	9	6	21	53	115	196	264	1
All other	21	1	-	-	-	-	2	3	5	4	3	3	-
Male	10	1	-	-	-	-	1	2	2	2	2	-	-
Female	11	-	-	-	-	-	1	1	3	2	1	3	-
Black	19	-	-	-	-	-	2	3	4	4	3	3	-
Male	8	-	-	-	-	-	1	2	2	2	2	-	-
Female	10	-	-	-	-	-	1	1	2	2	1	3	-
Little Rock-North Little Rock, Ark	3,306	72	15	17	69	79	118	201	490	780	886	577	2
Male	1,792	43	4	9	48	57	78	141	326	451	430	204	1
Female	1,514	29	11	8	21	22	40	60	164	329	456	373	1
White	2,578	34	9	9	45	55	83	151	369	609	720	492	2
Male	1,383	24	4	6	31	40	55	106	252	354	349	161	1
Female	1,195	10	5	3	14	15	28	45	117	255	371	331	1
All other	728	38	6	8	24	24	35	50	121	171	166	85	-
Male	409	19	-	3	17	17	23	35	74	97	81	43	-
Female	319	19	6	5	7	7	12	15	47	74	85	42	-
Black	725	38	6	8	24	24	35	50	120	169	166	85	-
Male	408	19	-	3	17	17	23	35	74	96	81	43	-
Female	317	19	6	5	7	7	12	15	46	73	85	42	-
Long Branch-Asbury Park, N.J	5,054	76	10	17	70	64	140	297	695	1,238	1,387	1,059	1
Male	2,523	41	4	9	51	40	85	197	434	683	632	346	1
Female	2,531	35	6	8	19	24	55	100	261	555	755	713	-
White	4,598	54	5	9	58	43	118	257	614	1,140	1,301	998	1
Male	2,290	32	2	3	42	27	72	169	381	636	600	325	1
Female	2,308	22	3	6	16	16	46	88	233	504	701	673	-
All other	456	22	5	8	12	21	22	40	81	98	86	61	-
Male	233	9	2	6	9	13	13	28	53	47	32	21	-
Female	223	13	3	2	3	8	9	12	28	51	54	40	-
Black	440	21	5	7	11	20	20	38	79	98	83	60	-
Male	220	8	2	5	8	13	11	26	51	45	30	21	-
Female	220	13	3	2	3	7	9	12	28	51	53	39	-
Longview-Marshall, Tex	1,552	34	11	12	34	45	53	95	216	353	441	256	-
Male	847	15	6	11	26	32	37	67	141	194	225	93	-
Female	705	19	5	1	8	13	16	28	75	159	216	165	-
White	1,114	20	7	9	26	30	40	64	158	236	321	203	-
Male	600	8	3	8	20	19	31	47	100	132	160	72	-
Female	514	12	4	1	6	11	9	17	58	104	161	131	-
All other	438	14	4	3	8	15	13	31	58	117	120	55	-
Male	247	7	3	3	6	13	8	20	41	62	65	21	-
Female	191	7	1	-	2	2	7	11	17	55	55	34	-
Black	433	14	4	3	8	14	11	31	57	117	119	55	-
Male	245	7	3	3	6	13	5	20	41	62	64	21	-
Female	188	7	1	-	2	1	6	11	16	55	55	34	-
Lorain-Elyria, Ohio	2,049	40	3	16	29	34	62	139	382	473	482	389	-
Male	1,092	22	3	10	19	25	42	86	233	279	258	115	-
Female	957	18	-	6	10	9	20	53	149	194	224	274	-
White	1,929	37	3	13	26	29	53	128	356	444	461	379	-
Male	1,016	19	3	9	17	21	36	79	216	261	244	111	-
Female	913	18	-	4	9	8	17	49	140	183	217	268	-
All other	120	3	-	3	3	5	9	11	26	29	21	10	-
Male	76	3	-	1	2	4	6	7	17	18	14	4	-
Female	44	-	-	2	1	1	3	4	9	11	7	6	-
Black	118	3	-	3	3	5	9	11	26	27	21	10	-
Male	75	3	-	1	2	4	6	7	17	17	14	4	-
Female	43	-	-	2	1	1	3	4	9	10	7	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, Calif	60,847	1,455	288	269	1,465	2,191	2,409	3,851	6,808	12,989	15,080	12,002	20
Male	31,406	783	168	177	1,113	1,640	1,634	2,392	5,307	7,330	7,013	3,840	9
Female	29,441	672	120	112	352	551	775	1,459	3,501	5,659	8,067	8,162	11
White	50,998	993	208	205	1,103	1,592	1,755	2,860	7,125	10,917	13,286	10,938	16
Male	25,978	558	122	131	843	1,198	1,199	1,775	4,318	6,199	6,188	3,460	7
Female	25,020	435	86	74	260	394	556	1,085	2,807	4,718	7,118	7,478	9
All other	8,848	462	80	64	362	599	654	991	1,683	2,072	1,794	1,064	4
Male	5,428	225	46	46	270	442	435	617	989	1,131	845	380	2
Female	4,421	237	34	38	92	157	219	374	694	941	949	684	2
Black	7,821	381	59	63	306	512	539	820	1,373	1,633	1,367	768	2
Male	4,309	190	32	33	235	389	369	513	810	864	607	268	1
Female	3,512	191	27	30	71	123	170	307	563	769	760	500	1
Louisville, Ky.-Ind	8,091	140	25	20	105	164	202	528	1,363	2,007	2,086	1,451	–
Male	4,143	80	16	8	69	104	122	337	861	1,120	991	435	–
Female	3,948	60	9	12	36	60	80	191	502	887	1,095	1,016	–
White	6,936	104	17	18	89	127	167	434	1,131	1,716	1,827	1,308	–
Male	3,546	64	10	7	59	84	103	275	735	983	849	377	–
Female	3,390	40	7	11	30	43	64	159	396	733	978	929	–
All other	1,155	36	8	2	16	37	35	94	232	291	259	145	–
Male	597	16	6	1	10	20	19	62	126	137	142	58	–
Female	558	20	2	1	6	17	16	32	106	154	117	87	–
Black	1,147	36	7	2	16	37	33	92	232	290	257	145	–
Male	595	16	6	1	10	20	17	62	126	137	142	58	–
Female	552	20	1	1	6	17	16	30	106	153	115	87	–
Lubbock, Tex	1,426	52	9	14	41	53	60	78	210	337	353	219	–
Male	762	33	5	9	33	33	41	44	118	195	172	79	–
Female	664	19	4	5	8	20	19	34	92	142	181	140	–
White	1,303	43	8	12	40	40	54	71	186	307	339	203	–
Male	693	29	5	8	32	24	36	39	100	182	166	72	–
Female	610	14	3	4	8	16	18	32	86	125	173	131	–
All other	123	9	1	2	1	13	6	7	24	30	14	16	–
Male	69	4	–	1	1	9	5	5	18	13	6	7	–
Female	54	5	1	1	–	4	1	2	6	17	8	9	–
Black	121	9	1	2	1	12	6	7	24	30	14	15	–
Male	67	4	–	1	1	8	5	5	18	13	6	6	–
Female	54	5	1	1	–	4	1	2	6	17	8	9	–
Lynchburg, Va	1,417	32	1	9	28	18	39	94	218	342	394	248	–
Male	771	20	–	7	25	11	20	61	138	212	201	76	–
Female	646	12	1	2	3	7	19	33	80	130	193	172	–
White	1,070	18	–	5	22	13	25	58	162	261	305	201	–
Male	571	8	–	4	20	7	16	37	102	163	154	80	–
Female	499	10	–	1	2	6	9	21	60	98	151	141	–
All other	347	14	1	4	6	5	8	36	56	81	89	47	–
Male	200	12	–	3	5	4	4	24	38	49	47	16	–
Female	147	2	1	1	1	1	4	12	20	32	42	31	–
Black	346	14	1	3	6	5	8	36	56	81	89	47	–
Male	200	12	–	3	5	4	4	24	36	49	47	16	–
Female	146	2	1	–	1	1	4	12	20	32	42	31	–
Macon, Ga	2,139	50	12	11	49	61	88	183	365	542	500	276	2
Male	1,152	30	7	6	31	42	62	100	229	328	229	86	2
Female	987	20	5	5	18	19	26	83	136	214	271	190	–
White	1,401	24	6	8	35	35	38	112	221	346	366	209	1
Male	761	15	1	4	24	27	29	63	144	225	166	62	1
Female	640	9	5	4	11	8	9	49	77	121	200	147	–
All other	738	26	6	3	14	26	50	71	144	196	134	67	1
Male	391	15	6	2	7	15	33	37	85	103	63	24	1
Female	347	11	–	1	7	11	17	34	59	93	71	43	–
Black	737	26	6	3	14	26	50	70	144	196	134	67	1
Male	390	15	6	2	7	15	33	36	85	103	63	24	1
Female	347	11	–	1	7	11	17	34	59	93	71	43	–
Madison, Wis	2,071	44	6	13	46	67	73	118	237	386	525	556	–
Male	1,031	22	2	8	32	43	43	72	135	231	261	182	–
Female	1,040	22	4	5	14	24	30	46	102	155	264	374	–
White	2,034	38	4	12	46	62	70	116	231	382	525	548	–
Male	1,007	19	1	7	32	40	40	70	131	228	261	178	–
Female	1,027	19	3	5	14	22	30	46	100	154	264	370	–
All other	37	6	2	1	–	5	3	2	6	4	–	8	–
Male	24	3	1	1	–	3	3	2	4	3	–	4	–
Female	13	3	1	–	–	2	–	–	2	1	–	4	–
Black	27	5	1	–	–	3	2	1	3	4	–	8	–
Male	17	3	–	–	–	2	2	1	2	3	–	4	–
Female	10	2	1	–	–	1	–	–	1	1	–	4	–
Manchester-Nashua, N.H	2,287	45	6	6	53	35	53	137	305	533	621	493	–
Male	1,136	23	5	5	42	28	32	80	191	309	269	152	–
Female	1,151	22	1	1	11	7	21	57	114	224	352	341	–
White	2,283	44	6	6	53	35	51	137	305	533	621	492	–
Male	1,133	23	5	6	42	28	30	80	191	309	269	151	–
Female	1,150	21	1	1	11	7	21	57	114	224	352	341	–
All other	4	1	–	–	–	–	2	–	–	–	–	1	–
Male	3	–	–	–	–	–	2	–	–	–	–	1	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Black	4	1	–	–	–	–	2	–	–	–	–	1	–
Male	3	–	–	–	–	–	2	–	–	–	–	1	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, Ohio	1,106	21	7	6	13	25	25	65	154	256	318	216	-
Male	600	12	5	5	12	16	20	46	96	151	162	75	-
Female	506	9	2	1	1	9	5	19	58	105	156	141	-
White	1,026	20	6	6	11	20	19	58	139	240	299	210	-
Male	553	11	4	5	10	13	16	41	90	140	150	73	-
Female	473	9	2	1	1	7	3	15	49	100	149	137	-
All other	80	1	1	-	2	5	6	9	15	16	19	6	-
Male	47	1	1	-	2	3	4	5	6	11	12	2	-
Female	33	-	-	-	-	2	2	4	9	5	7	4	-
Black	74	1	1	-	2	4	6	8	15	14	17	6	-
Male	42	1	1	-	2	3	4	4	6	9	10	2	-
Female	32	-	-	-	-	1	2	4	9	5	7	4	-
McAllen-Pharr-Edinburg, Tex	1,781	77	14	10	45	54	49	95	243	402	517	274	1
Male	1,008	44	10	7	39	38	30	59	146	241	285	109	-
Female	773	33	4	3	6	16	19	36	97	161	232	165	1
White	1,773	77	14	10	45	53	49	95	243	398	514	274	1
Male	1,003	44	10	7	39	37	30	59	146	239	283	109	-
Female	770	33	4	3	6	16	19	36	97	159	231	165	1
All other	8	-	-	-	-	1	-	-	-	4	3	-	-
Male	5	-	-	-	-	1	-	-	-	2	2	-	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	-
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Medford, Oreg	1,173	14	3	3	29	32	37	51	141	291	340	232	-
Male	672	10	2	2	22	23	27	32	85	191	190	88	-
Female	501	4	1	1	7	9	10	19	56	100	150	144	-
White	1,165	13	3	3	27	30	37	50	141	290	339	232	-
Male	668	10	2	2	22	21	27	31	85	191	189	88	-
Female	497	3	1	1	5	9	10	19	56	99	150	144	-
All other	8	1	-	-	2	2	-	1	-	1	1	-	-
Male	4	-	-	-	-	2	-	1	-	-	1	-	-
Female	4	1	-	-	2	-	-	-	-	1	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	2,848	29	5	13	62	61	73	195	449	788	757	416	-
Male	1,610	18	3	6	41	49	43	132	293	486	403	136	-
Female	1,238	11	2	7	21	12	30	63	156	302	354	280	-
White	2,669	19	2	11	56	54	62	167	420	753	722	403	-
Male	1,511	10	2	4	38	45	35	117	272	464	390	134	-
Female	1,158	9	-	7	18	9	27	50	148	289	332	269	-
All other	179	10	3	2	6	7	11	28	29	35	35	13	-
Male	99	8	1	2	3	4	8	15	21	22	13	2	-
Female	80	2	2	-	3	3	3	13	8	13	22	11	-
Black	172	10	3	2	6	5	11	25	29	34	34	13	-
Male	97	8	1	2	3	3	8	15	21	22	12	2	-
Female	75	2	2	-	3	2	3	10	8	12	22	11	-
Memphis, Tenn.-Ark.-Miss	7,660	207	33	42	146	255	353	564	1,190	1,823	2,049	1,189	9
Male	4,178	113	19	29	109	182	222	338	769	1,024	970	394	9
Female	3,682	94	14	13	37	73	131	226	421	799	1,079	795	-
White	4,422	53	10	19	79	114	178	268	656	1,030	1,207	803	5
Male	2,295	30	4	12	61	81	115	173	447	578	548	241	5
Female	2,127	23	6	7	18	33	63	95	209	452	659	562	-
All other	3,438	154	23	23	67	141	175	296	534	793	842	386	4
Male	1,883	83	15	17	48	101	107	165	322	446	422	153	4
Female	1,555	71	8	6	19	40	68	131	212	347	420	233	-
Black	3,420	153	23	23	67	138	173	293	533	789	840	384	4
Male	1,871	82	15	17	48	100	107	163	321	443	420	151	4
Female	1,549	71	8	6	19	38	66	130	212	346	420	233	-
Miami, Fla	16,940	262	50	62	268	557	587	966	2,174	3,428	5,250	3,311	5
Male	9,184	156	36	34	193	396	404	621	1,357	1,992	2,595	1,395	5
Female	7,756	126	14	28	75	161	183	345	817	1,436	2,655	1,916	-
White	14,562	126	26	35	185	331	391	685	1,747	2,971	4,875	3,185	5
Male	7,779	73	14	18	131	240	280	433	1,107	1,723	2,409	1,346	5
Female	6,783	53	12	17	54	91	111	252	640	1,248	2,466	1,839	-
All other	2,378	136	24	27	83	226	196	281	427	457	375	126	-
Male	1,405	83	22	16	62	156	124	188	250	269	186	49	-
Female	973	73	2	11	21	70	72	93	177	188	189	77	-
Black	2,349	156	24	27	82	224	193	278	424	453	363	125	-
Male	1,388	83	22	16	61	156	123	186	248	269	175	49	-
Female	961	73	2	11	21	68	70	92	176	184	188	76	-
Midland, Tex	618	20	4	3	24	20	29	62	111	117	147	81	-
Male	337	12	2	1	18	16	19	39	79	64	63	24	-
Female	281	8	2	2	6	4	10	23	32	53	84	57	-
White	530	17	3	1	22	18	22	52	92	99	130	74	-
Male	287	9	2	1	17	14	16	32	64	56	54	22	-
Female	243	8	1	-	5	4	6	20	28	43	76	52	-
All other	88	3	1	2	2	2	7	10	19	18	17	7	-
Male	50	3	-	-	1	2	3	7	15	8	9	2	-
Female	38	-	1	2	1	-	4	3	4	10	8	5	-
Black	88	3	1	2	2	2	7	10	19	18	17	7	-
Male	50	3	-	-	1	2	3	7	15	8	9	2	-
Female	38	-	1	2	1	-	4	3	4	10	8	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee, Wis	11,921	253	35	38	193	212	322	661	1,564	2,709	3,390	2,543	1
Male	6,184	136	20	24	125	140	193	401	995	1,619	1,680	850	1
Female	5,737	117	15	14	68	72	129	260	569	1,090	1,710	1,693	–
White	11,042	168	26	26	160	188	259	557	1,400	2,549	3,251	2,477	1
Male	5,686	90	17	14	106	115	151	335	889	1,527	1,617	824	1
Female	5,356	78	9	12	54	53	108	222	511	1,022	1,634	1,653	–
All other	879	85	9	12	33	44	63	104	164	160	139	66	–
Male	498	46	3	10	19	25	42	66	108	92	63	26	–
Female	381	39	6	2	14	19	21	38	56	68	76	40	–
Black	829	80	8	10	32	42	60	94	161	153	126	63	–
Male	474	45	3	8	18	25	41	60	104	88	57	25	–
Female	355	35	5	2	14	17	19	34	57	65	69	38	–
Minneapolis-St. Paul, Minn.-Wis	15,346	337	46	61	286	346	398	739	1,928	3,264	4,041	3,898	2
Male	7,745	187	25	39	210	228	237	427	1,228	1,892	1,967	1,303	2
Female	7,601	150	21	22	76	118	161	312	700	1,372	2,074	2,595	–
White	14,908	303	42	54	261	313	355	702	1,857	3,173	3,983	3,864	1
Male	7,491	170	22	33	191	206	210	404	1,194	1,832	1,944	1,284	1
Female	7,417	133	20	21	70	107	145	298	663	1,341	2,039	2,580	–
All other	438	34	4	7	25	33	43	37	71	91	58	34	1
Male	254	17	3	6	19	22	27	23	34	60	23	19	1
Female	184	17	1	1	6	11	16	14	37	31	35	15	–
Black	312	21	2	5	14	24	31	29	51	62	47	26	–
Male	180	9	1	5	11	17	18	20	25	41	18	15	–
Female	132	12	1	–	3	7	13	9	26	21	29	11	–
Mobile, Ala	3,997	91	25	26	95	97	123	287	657	965	1,068	563	–
Male	2,180	52	16	18	67	67	82	187	424	566	528	173	–
Female	1,817	39	9	8	28	30	41	100	233	399	540	390	–
White	2,825	39	13	17	67	52	70	192	456	680	794	445	–
Male	1,538	25	8	12	50	36	48	128	303	409	385	134	–
Female	1,287	14	5	5	17	16	22	64	153	271	409	311	–
All other	1,172	52	12	9	28	45	53	95	201	285	274	118	–
Male	642	27	6	6	17	31	34	59	121	157	143	39	–
Female	530	25	4	3	11	14	19	36	80	128	131	79	–
Black	1,168	52	12	9	28	45	53	94	199	284	274	118	–
Male	639	27	8	6	17	31	34	58	120	156	143	39	–
Female	529	25	4	3	11	14	19	36	79	128	131	79	–
Modesto, Calif	2,408	56	13	11	51	62	70	138	324	556	641	486	–
Male	1,286	36	5	8	35	45	40	91	191	339	336	161	–
Female	1,122	20	8	3	16	17	30	47	133	218	305	325	–
White	2,353	55	11	11	47	57	67	134	319	543	626	483	–
Male	1,254	36	4	8	32	42	36	87	189	330	328	160	–
Female	1,099	19	7	3	15	15	29	47	130	213	298	323	–
All other	55	1	2	–	4	5	3	4	5	13	15	3	–
Male	32	–	1	–	3	3	2	4	2	8	8	1	–
Female	23	1	1	–	1	2	1	–	3	5	7	2	–
Black	27	–	–	–	2	5	2	2	4	5	7	–	–
Male	14	–	–	–	2	3	1	2	1	3	2	–	–
Female	13	–	–	–	–	2	1	–	3	2	5	–	–
Monroe, La	1,148	29	9	7	23	23	32	78	174	282	311	180	–
Male	588	18	5	5	18	20	20	39	92	152	157	62	–
Female	560	11	4	2	5	3	12	39	82	130	154	118	–
White	777	12	8	4	18	13	24	42	122	185	221	128	–
Male	414	10	4	3	14	11	16	21	74	107	111	43	–
Female	363	2	4	1	4	2	8	21	48	78	110	85	–
All other	371	17	1	3	5	10	8	36	52	97	90	52	–
Male	174	8	1	2	4	9	4	18	18	45	46	19	–
Female	197	9	–	1	1	1	4	18	34	52	44	33	–
Black	371	17	1	3	5	10	8	36	52	97	90	52	–
Male	174	8	1	2	4	9	4	18	18	45	46	19	–
Female	197	9	–	1	1	1	4	18	34	52	44	33	–
Montgomery, Ala	2,431	65	8	12	57	67	82	171	382	591	631	365	–
Male	1,278	33	7	5	43	42	54	107	235	345	284	113	–
Female	1,153	32	1	7	14	25	28	64	147	246	337	252	–
White	1,534	24	4	4	33	30	44	102	239	380	408	266	–
Male	799	11	3	1	25	20	28	68	149	230	185	79	–
Female	735	13	1	3	8	10	16	34	90	150	223	187	–
All other	897	41	4	8	24	37	38	69	143	211	223	99	–
Male	479	22	4	4	18	22	26	39	86	115	109	34	–
Female	418	19	–	4	6	15	12	30	57	96	114	65	–
Black	895	40	4	8	24	37	38	68	143	211	223	99	–
Male	479	22	4	4	18	22	26	39	86	115	109	34	–
Female	416	18	–	4	6	15	12	29	57	96	114	65	–
Muncie, Ind	1,009	21	7	4	17	24	22	62	150	239	258	205	–
Male	529	17	3	4	10	17	17	42	100	132	123	64	–
Female	480	4	4	–	7	7	5	20	50	107	135	141	–
White	955	16	7	4	16	22	22	61	140	229	240	198	–
Male	500	12	3	4	10	15	17	41	93	129	113	63	–
Female	455	4	4	–	6	7	5	20	47	100	127	135	–
All other	54	5	–	–	1	2	–	1	10	10	18	7	–
Male	29	5	–	–	–	2	–	1	7	3	10	1	–
Female	25	–	–	–	1	–	–	–	3	7	8	6	–
Black	54	5	–	–	1	2	–	1	10	10	18	7	–
Male	29	5	–	–	–	2	–	1	7	3	10	1	–
Female	25	–	–	–	1	–	–	–	3	7	8	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Muskegon-Norton Shores-Muskegon Heights, Mich	1,573	31	7	6	22	23	44	90	232	379	445	294	-
Male	848	13	1	5	17	16	34	52	129	234	241	106	-
Female	725	18	6	1	5	7	10	38	103	145	204	188	-
White	1,415	24	7	6	19	15	41	79	198	331	415	280	-
Male	765	10	1	5	14	12	32	43	112	208	228	100	-
Female	650	14	6	1	5	3	9	36	86	123	187	180	-
All other	158	7	-	-	3	8	3	11	34	48	30	14	-
Male	83	3	-	-	3	4	2	9	17	26	13	6	-
Female	75	4	-	-	-	4	1	2	17	22	17	8	-
Black	156	7	-	-	3	8	3	11	34	47	30	13	-
Male	81	3	-	-	3	4	2	9	17	25	13	5	-
Female	75	4	-	-	-	4	1	2	17	22	17	8	-
Nashville-Davidson, Tenn	7,259	156	27	37	161	189	275	493	1,112	1,658	1,885	1,265	1
Male	3,857	92	12	25	123	143	180	297	723	1,000	837	424	1
Female	3,402	64	15	12	38	46	95	196	389	658	1,048	841	-
White	5,910	97	19	32	135	149	214	378	878	1,338	1,580	1,089	1
Male	3,152	59	8	21	102	110	143	240	589	815	711	353	1
Female	2,758	38	11	11	33	39	71	138	289	523	869	736	-
All other	1,349	59	8	5	26	40	81	115	234	320	305	176	-
Male	705	33	4	4	21	33	37	57	134	185	126	71	-
Female	644	26	4	1	5	7	24	58	100	135	179	105	-
Black	1,332	58	7	5	25	40	59	114	229	318	302	175	-
Male	694	32	3	4	20	33	35	56	132	184	124	71	-
Female	638	26	4	1	5	7	24	58	97	134	178	104	-
Nassau-Suffolk, N.Y	22,050	279	42	74	337	429	597	1,367	3,454	5,071	5,790	4,605	5
Male	10,912	162	18	40	239	308	372	796	2,069	2,852	2,590	1,464	2
Female	11,138	117	24	34	98	121	225	571	1,385	2,219	3,200	3,141	3
White	20,756	203	34	64	297	351	504	1,213	3,200	4,803	5,582	4,501	4
Male	10,192	118	14	33	210	253	309	702	1,818	2,696	2,504	1,433	2
Female	10,564	85	20	31	87	98	195	511	1,382	2,107	3,078	3,068	2
All other	1,294	76	8	10	40	78	93	154	254	268	208	104	1
Male	720	44	4	7	29	55	63	94	151	156	86	31	-
Female	574	32	4	3	11	23	30	60	103	112	122	73	1
Black	1,235	70	8	8	40	76	90	148	241	259	197	99	1
Male	681	39	4	5	29	54	61	91	142	148	79	29	-
Female	554	31	4	3	11	22	29	55	99	111	118	70	1
New Bedford-Fall River, Mass	4,696	51	11	12	65	76	105	226	645	1,143	1,331	1,031	-
Male	2,390	34	6	6	40	56	66	144	415	661	631	331	-
Female	2,306	17	5	6	25	20	39	82	230	482	700	700	-
White	4,622	50	11	12	62	71	102	216	637	1,133	1,313	1,015	-
Male	2,347	33	6	6	39	53	65	136	409	656	622	322	-
Female	2,275	17	5	6	23	18	37	80	228	477	691	693	-
All other	74	1	-	-	3	5	3	10	8	10	18	16	-
Male	43	1	-	-	1	3	1	8	6	5	9	9	-
Female	31	-	-	-	2	2	2	2	2	5	9	7	-
Black	68	-	-	-	3	5	3	10	7	10	16	14	-
Male	39	-	-	-	1	3	1	8	6	5	7	8	-
Female	29	-	-	-	2	2	2	2	1	5	9	6	-
New Brunswick-Perth Amboy-Sayreville, N.J	5,018	75	11	15	65	105	132	367	831	1,287	1,239	890	1
Male	2,626	41	6	10	44	72	83	226	502	772	581	289	-
Female	2,392	34	5	5	21	33	49	141	329	515	658	601	1
White	4,742	57	10	11	57	88	113	322	777	1,238	1,197	871	1
Male	2,473	32	5	6	40	58	72	199	473	746	563	279	-
Female	2,269	25	5	5	17	30	41	123	304	492	634	592	1
All other	276	18	1	4	8	17	19	45	54	49	42	19	-
Male	153	9	1	4	4	14	11	27	29	26	18	10	-
Female	123	9	-	-	4	3	8	18	25	23	24	9	-
Black	258	17	1	4	8	15	17	42	51	45	39	19	-
Male	145	8	1	4	4	12	10	26	28	24	18	10	-
Female	113	9	-	-	4	3	7	16	23	21	21	9	-
New Haven-Waterbury-Meriden, Conn	7,470	114	19	22	94	153	193	360	1,000	1,735	2,053	1,727	-
Male	3,772	61	10	10	61	104	128	229	632	984	969	583	-
Female	3,698	53	9	12	33	49	64	131	368	751	1,084	1,144	-
White	6,926	85	13	17	81	122	148	287	904	1,617	1,964	1,688	-
Male	3,472	51	5	6	56	65	99	180	561	923	934	572	-
Female	3,454	34	8	11	25	37	49	107	343	694	1,030	1,116	-
All other	544	29	6	5	13	31	45	73	96	118	89	39	-
Male	300	10	5	4	5	19	30	49	71	61	35	11	-
Female	244	19	1	1	8	12	15	24	25	57	54	28	-
Black	535	29	6	5	13	30	45	72	94	118	84	39	-
Male	294	10	5	4	5	18	30	48	70	61	32	11	-
Female	241	19	1	1	8	12	15	24	24	57	52	28	-
New London-Norwich, Conn	1,994	33	2	9	50	45	56	100	269	475	500	455	-
Male	1,017	24	-	7	36	34	29	55	168	283	242	139	-
Female	977	9	2	2	14	11	27	45	101	192	258	316	-
White	1,936	29	2	8	49	41	52	97	254	468	490	446	-
Male	984	24	-	6	35	31	26	52	159	278	236	137	-
Female	952	5	2	2	14	10	26	45	95	190	254	309	-
All other	58	4	-	1	1	4	4	3	15	7	10	9	-
Male	33	-	-	1	1	3	3	3	9	5	6	2	-
Female	25	4	-	-	-	1	1	-	6	2	4	7	-
Black	48	4	-	-	-	4	4	3	13	7	6	7	-
Male	27	-	-	-	-	3	3	3	8	5	3	2	-
Female	21	4	-	-	-	1	1	-	5	2	3	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Orleans, La	10,415	277	49	50	282	385	474	758	1,756	2,463	2,552	1,365	4
Male	5,449	158	26	30	209	287	301	470	1,088	1,388	1,078	412	2
Female	4,966	119	23	20	73	98	173	288	668	1,075	1,474	953	2
White	6,870	103	14	16	165	202	267	429	1,081	1,688	1,862	1,041	2
Male	3,541	57	7	10	125	155	170	286	670	976	778	305	2
Female	3,329	46	7	6	40	47	97	143	411	712	1,084	736	-
All other	3,545	174	35	34	117	183	207	329	675	775	690	324	2
Male	1,908	101	19	20	84	132	131	184	418	412	300	107	-
Female	1,637	73	16	14	33	51	76	145	257	363	390	217	2
Black	3,497	170	34	33	112	181	202	325	671	768	681	318	2
Male	1,672	98	18	19	79	131	127	181	415	407	295	102	-
Female	1,625	72	16	14	33	50	75	144	256	361	386	216	2
New York, N.Y.-N.J	93,112	1,616	241	270	1,447	3,059	3,971	5,967	12,917	19,915	25,372	18,328	9
Male	47,137	869	141	163	1,074	2,182	2,797	3,739	7,646	10,758	11,595	6,149	4
Female	45,975	727	100	107	373	877	1,174	2,228	5,271	9,157	13,777	12,179	5
White	74,067	895	136	168	891	1,793	2,352	3,849	9,292	15,976	22,028	16,680	7
Male	36,779	469	80	103	675	1,295	1,659	2,438	5,595	8,712	10,142	5,607	4
Female	37,288	426	56	65	216	498	693	1,411	3,697	7,264	11,886	11,073	3
All other	19,045	721	105	102	556	1,266	1,619	2,118	3,625	3,939	3,344	1,648	2
Male	10,358	420	61	60	398	887	1,138	1,301	2,051	2,046	1,453	542	-
Female	8,687	301	44	42	157	379	481	817	1,574	1,893	1,891	1,106	2
Black	17,852	683	95	94	521	1,223	1,549	2,010	3,424	3,699	3,054	1,498	2
Male	9,561	396	54	55	372	851	1,095	1,224	1,921	1,878	1,255	460	-
Female	8,291	287	41	39	149	372	454	786	1,503	1,821	1,799	1,038	2
Newark, N.J	17,681	317	50	75	248	454	587	1,152	2,665	4,006	4,623	3,483	21
Male	9,032	185	28	36	181	317	397	710	1,606	2,258	2,152	1,141	21
Female	8,649	132	22	39	67	137	190	442	1,059	1,748	2,471	2,342	-
White	14,116	159	23	46	156	215	303	690	2,032	3,265	4,004	3,214	7
Male	7,072	99	12	21	112	156	202	428	1,238	1,874	1,868	1,057	7
Female	7,044	60	11	27	44	59	101	262	794	1,391	2,136	2,157	-
All other	3,565	158	27	27	92	239	284	462	633	741	619	269	14
Male	1,960	86	16	15	69	161	195	282	368	384	286	84	14
Female	1,605	72	11	12	23	78	89	180	265	357	333	185	-
Black	3,497	156	26	24	90	236	278	458	628	726	602	262	13
Male	1,923	85	16	12	69	161	193	279	366	375	275	79	13
Female	1,574	71	10	12	21	75	85	179	260	351	327	183	-
Newark, Ohio	1,093	10	2	5	19	18	21	65	165	278	316	194	-
Male	568	6	2	3	11	12	16	36	97	170	154	61	-
Female	525	4	-	2	8	6	5	29	68	108	162	133	-
White	1,076	9	2	5	19	18	21	63	164	274	310	191	-
Male	557	5	2	3	11	12	16	35	96	167	150	80	-
Female	519	4	-	2	8	6	5	28	68	107	160	131	-
All other	17	1	-	-	-	-	-	2	1	4	6	3	-
Male	11	1	-	-	-	-	-	1	1	3	4	1	-
Female	6	-	-	-	-	-	-	1	-	1	2	2	-
Black	16	-	-	-	-	-	-	2	1	4	6	3	-
Male	10	-	-	-	-	-	-	1	1	3	4	1	-
Female	6	-	-	-	-	-	-	1	-	1	2	2	-
Newburgh-Middletown, N.Y	2,329	35	7	12	40	42	59	118	364	533	644	474	1
Male	1,214	21	4	6	30	29	37	77	245	303	292	170	-
Female	1,115	14	3	6	10	13	22	41	119	230	352	304	1
White	2,213	27	6	9	36	40	49	110	340	510	619	466	1
Male	1,146	15	4	6	26	28	30	71	229	289	282	166	-
Female	1,067	12	2	3	10	12	19	39	111	221	337	300	1
All other	116	8	1	3	4	2	10	8	24	23	25	8	-
Male	68	6	-	-	4	1	7	6	16	14	10	4	-
Female	48	2	1	3	-	1	3	2	8	9	15	4	-
Black	110	8	1	2	4	2	9	8	23	23	23	7	-
Male	67	6	-	-	4	1	7	6	16	14	9	4	-
Female	43	2	1	2	-	1	2	2	7	9	14	3	-
Newport News-Hampton, Va	2,747	89	9	10	77	71	109	201	497	669	610	403	2
Male	1,489	51	3	2	59	46	63	121	318	402	303	119	2
Female	1,258	38	6	8	18	25	46	80	179	267	307	284	-
White	1,841	58	5	5	42	35	66	114	312	456	434	314	-
Male	977	33	-	1	33	22	40	68	203	277	210	90	-
Female	864	25	5	4	9	13	26	46	109	179	224	224	-
All other	906	31	4	5	35	36	43	87	185	213	176	89	2
Male	512	18	3	1	26	24	23	53	115	125	93	29	2
Female	394	13	1	4	9	12	20	34	70	88	83	60	-
Black	899	31	4	5	35	36	41	88	183	212	176	88	2
Male	509	18	3	1	26	24	23	53	114	124	93	28	2
Female	390	13	1	4	9	12	18	33	69	88	83	60	-
Norfolk-Virginia Beach-Portsmouth, Va.-N.C	6,300	228	28	42	134	168	242	449	1,173	1,524	1,425	887	-
Male	3,274	117	17	28	95	114	160	250	701	878	634	280	-
Female	3,026	111	11	14	39	54	82	199	472	646	791	607	-
White	4,129	122	12	20	86	102	133	262	717	966	999	710	-
Male	2,078	62	9	13	67	73	88	145	434	554	437	196	-
Female	2,051	60	3	7	19	29	45	117	283	412	562	514	-
All other	2,171	106	16	22	48	66	109	187	456	558	426	177	-
Male	1,196	55	8	15	28	41	72	105	267	324	197	84	-
Female	975	51	8	7	20	25	37	82	189	234	229	93	-
Black	2,138	102	16	22	45	65	106	184	452	551	421	174	-
Male	1,176	52	8	15	26	40	71	103	266	320	193	82	-
Female	962	50	8	7	19	25	35	81	186	231	228	92	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Northeast Pennsylvania	7,880	67	14	20	80	82	136	360	1,096	2,266	2,400	1,359	–
Male	4,065	39	8	12	63	62	97	226	679	1,341	1,131	407	–
Female	3,815	28	6	8	17	20	39	134	417	925	1,269	952	–
White	7,841	66	13	20	79	80	134	358	1,087	2,258	2,393	1,355	–
Male	4,045	38	8	12	63	60	97	224	673	1,336	1,127	407	–
Female	3,796	28	5	8	16	20	37	132	414	922	1,266	948	–
All other	39	1	1	–	1	2	2	4	9	8	7	4	–
Male	20	1	–	–	–	2	–	2	6	5	4	–	–
Female	19	–	1	–	1	–	2	2	3	3	3	4	–
Black	32	–	–	–	1	2	1	3	8	8	5	4	–
Male	17	–	–	–	–	2	–	1	6	5	3	–	–
Female	15	–	–	–	1	–	1	2	2	3	2	4	–
Ocala, Fla	1,679	32	6	8	35	34	41	98	259	513	429	223	1
Male	1,004	23	4	6	21	21	24	59	161	350	248	87	–
Female	675	9	2	2	14	13	17	39	98	163	181	136	1
White	1,454	21	2	6	31	28	34	80	221	442	387	202	–
Male	880	16	1	4	17	18	21	52	140	304	229	78	–
Female	574	5	1	2	14	10	13	28	81	138	158	124	–
All other	225	11	4	2	4	6	7	18	38	71	42	21	1
Male	124	7	3	2	4	3	3	7	21	48	19	9	–
Female	101	4	1	–	–	3	4	11	17	25	23	12	1
Black	223	11	4	2	4	6	7	17	38	70	42	21	1
Male	124	7	3	2	4	3	3	7	21	46	19	9	–
Female	99	4	1	–	–	3	4	10	17	24	23	12	1
Odessa, Tex	779	34	5	6	34	36	45	65	150	156	178	70	–
Male	454	23	3	3	28	23	28	41	87	106	90	22	–
Female	325	11	2	3	6	13	17	24	63	50	88	48	–
White	743	32	4	6	34	36	44	56	138	152	173	68	–
Male	428	22	2	3	28	23	28	34	78	103	86	21	–
Female	315	10	2	3	6	13	16	22	60	49	87	47	–
All other	36	2	1	–	–	–	1	9	12	4	5	2	–
Male	26	1	1	–	–	–	–	7	9	3	4	1	–
Female	10	1	–	–	–	–	1	2	3	1	1	1	–
Black	34	2	–	–	–	–	1	9	11	4	5	2	–
Male	25	1	–	–	–	–	–	7	9	3	4	1	–
Female	9	1	–	–	–	–	1	2	2	1	1	1	–
Oklahoma City, Okla	7,029	160	33	40	153	248	263	424	977	1,559	1,859	1,288	7
Male	3,702	117	16	21	113	173	165	283	622	900	851	436	5
Female	3,327	63	17	19	40	75	98	141	355	659	1,008	850	2
White	6,284	142	27	33	128	205	217	373	851	1,400	1,708	1,197	3
Male	3,294	90	14	17	94	138	142	256	545	814	784	398	2
Female	2,990	52	13	16	34	67	75	117	306	586	924	799	1
All other	745	38	6	7	25	43	46	51	126	159	151	89	4
Male	408	27	2	4	19	35	23	27	77	86	67	38	3
Female	337	11	4	3	6	8	23	24	49	73	84	51	1
Black	692	31	6	4	21	38	32	38	109	138	128	83	4
Male	340	22	2	3	16	31	18	21	65	70	56	33	3
Female	292	9	4	1	5	7	14	17	44	68	72	50	1
Olympia, Wash	1,006	24	3	5	20	19	26	50	125	220	263	250	1
Male	521	17	2	4	12	13	16	26	73	123	142	92	1
Female	485	7	1	1	8	6	10	24	52	97	121	158	–
White	992	23	3	4	18	19	23	50	122	218	262	249	1
Male	512	16	2	3	10	13	16	26	71	121	142	91	1
Female	480	7	1	1	8	6	7	24	51	97	120	158	–
All other	14	1	–	1	2	–	3	–	3	2	1	1	–
Male	9	1	–	1	2	–	–	–	2	2	–	1	–
Female	5	–	–	–	–	–	3	–	1	–	1	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Omaha, Nebr.-Iowa	4,539	114	19	18	84	87	132	256	662	1,037	1,173	956	1
Male	2,357	62	12	12	61	57	77	168	420	627	563	299	1
Female	2,182	52	7	6	23	30	55	90	242	410	610	657	–
White	4,178	91	15	13	74	73	114	216	586	976	1,102	915	1
Male	2,174	52	10	8	55	49	67	144	380	591	536	281	1
Female	2,004	39	5	5	19	24	47	72	206	387	566	634	–
All other	361	23	4	5	10	14	18	40	76	59	71	41	–
Male	183	10	2	4	6	8	10	22	40	36	27	18	–
Female	178	13	2	1	4	6	8	18	36	23	44	23	–
Black	340	21	4	3	8	14	18	36	70	56	71	41	–
Male	171	10	3	2	5	8	9	20	36	34	27	18	–
Female	169	11	2	1	3	6	7	16	34	22	44	23	–
Orlando, Fla	6,347	161	28	24	133	167	214	404	974	1,513	1,601	1,128	–
Male	3,436	92	19	15	91	108	145	246	621	926	768	404	–
Female	2,911	69	9	9	42	59	68	158	353	587	833	724	–
White	5,542	109	22	20	112	137	152	326	845	1,308	1,433	1,078	–
Male	2,972	61	15	13	76	90	106	203	548	795	680	385	–
Female	2,570	48	7	7	36	47	46	123	297	513	753	693	–
All other	805	52	6	4	21	30	62	78	129	205	168	50	–
Male	464	31	4	2	15	18	40	43	73	131	88	19	–
Female	341	21	2	2	6	12	22	35	56	74	80	31	–
Black	786	50	6	4	19	29	58	76	127	203	167	47	–
Male	452	29	4	2	13	17	38	41	72	131	88	17	–
Female	334	21	2	2	6	12	20	35	55	72	79	30	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Owensboro, Ky	763	10	1	2	15	11	17	43	110	185	215	154	-
Male	396	7	1	-	14	8	9	25	65	110	110	47	-
Female	367	3	-	2	1	3	8	18	45	75	105	107	-
White	728	10	1	2	14	11	17	40	102	172	208	151	-
Male	376	7	1	-	14	8	9	24	61	100	107	45	-
Female	352	3	-	2	-	3	8	16	41	72	101	106	-
All other	35	-	-	-	1	-	-	3	8	13	7	3	-
Male	20	-	-	-	-	-	-	1	4	10	3	2	-
Female	15	-	-	-	1	-	-	2	4	3	4	1	-
Black	35	-	-	-	1	-	-	3	8	13	7	3	-
Male	20	-	-	-	-	-	-	1	4	10	3	2	-
Female	15	-	-	-	1	-	-	2	4	3	4	1	-
Oxnard-Simi Valley-Ventura, Calif	3,538	76	21	19	96	105	134	201	460	767	970	686	3
Male	1,843	45	11	8	73	82	89	130	285	408	492	208	2
Female	1,695	31	10	11	23	23	45	71	185	359	478	478	1
White	3,412	69	19	19	92	96	124	188	442	746	943	671	3
Male	1,762	39	9	8	70	75	81	123	281	396	477	201	2
Female	1,650	30	10	11	22	21	43	65	161	350	466	470	1
All other	126	7	2	-	4	9	10	13	18	21	27	15	-
Male	81	6	2	-	3	7	8	7	14	12	15	7	-
Female	45	1	-	-	1	2	2	6	4	9	12	8	-
Black	68	4	1	-	3	4	5	5	11	10	14	9	-
Male	47	3	1	-	3	3	4	4	9	5	8	6	-
Female	19	1	-	-	-	1	1	1	2	5	5	3	-
Panama City, Fla	855	17	3	5	22	25	21	70	153	208	195	136	-
Male	456	7	1	4	15	21	16	42	92	125	89	44	-
Female	399	10	2	1	7	4	5	28	61	83	106	92	-
White	740	14	3	4	15	16	14	62	135	180	174	123	-
Male	396	7	1	3	8	14	11	38	84	113	78	39	-
Female	344	7	2	1	7	2	3	24	51	67	96	84	-
All other	115	3	-	1	7	9	7	8	18	28	21	13	-
Male	60	-	-	1	7	7	5	4	8	12	11	5	-
Female	55	3	-	-	-	2	2	4	10	16	10	8	-
Black	115	3	-	1	7	9	7	8	18	28	21	13	-
Male	60	-	-	1	7	7	5	4	8	12	11	5	-
Female	55	3	-	-	-	2	2	4	10	16	10	8	-
Parkersburg-Marietta, W. Va.-Ohio	1,526	16	5	5	27	23	38	74	216	382	420	320	-
Male	792	11	3	2	15	19	24	46	132	216	213	111	-
Female	734	5	2	3	12	4	14	28	84	166	207	209	-
White	1,508	16	5	5	26	22	37	72	215	377	419	314	-
Male	783	11	3	2	14	18	24	45	131	214	212	109	-
Female	725	5	2	3	12	4	13	27	84	163	207	205	-
All other	18	-	-	-	1	1	1	2	1	5	1	6	-
Male	9	-	-	-	1	1	-	1	1	2	1	2	-
Female	9	-	-	-	-	-	1	1	-	3	-	4	-
Black	17	-	-	-	1	1	1	2	1	4	1	6	-
Male	8	-	-	-	1	1	-	1	1	1	1	2	-
Female	9	-	-	-	-	-	1	1	-	3	-	4	-
Pascagoula-Moss Point, Miss	755	17	2	11	26	22	30	69	134	205	151	87	2
Male	439	10	1	8	22	19	18	43	77	121	83	35	2
Female	316	7	1	3	4	3	12	25	57	84	68	52	-
White	630	10	2	10	21	15	17	61	117	167	133	76	1
Male	363	5	1	7	18	13	11	37	67	100	72	31	1
Female	267	5	1	3	3	2	6	24	50	67	61	45	-
All other	125	7	-	1	5	7	13	7	17	38	18	11	1
Male	76	5	-	1	4	6	7	6	10	21	11	4	1
Female	49	2	-	-	1	1	6	1	7	17	7	7	-
Black	124	7	-	1	5	7	13	7	16	38	18	11	1
Male	75	5	-	1	4	6	7	6	9	21	11	4	1
Female	49	2	-	-	1	1	6	1	7	17	7	7	-
Paterson-Clifton-Passaic, N.J	4,194	74	8	13	63	88	145	252	565	939	1,143	903	1
Male	2,161	45	6	8	38	62	98	155	361	552	526	310	-
Female	2,033	29	2	5	25	26	47	97	204	387	617	593	1
White	3,775	47	8	9	51	53	97	186	473	876	1,096	880	1
Male	1,913	26	4	7	34	39	64	114	304	518	502	301	-
Female	1,862	21	2	2	17	14	33	72	169	358	594	579	1
All other	419	27	2	4	12	35	48	66	92	63	47	23	-
Male	248	19	2	1	4	23	34	41	57	34	24	9	-
Female	171	8	-	3	8	12	14	25	35	29	23	14	-
Black	406	24	2	4	11	33	47	65	92	60	47	21	-
Male	240	16	2	1	4	22	33	40	57	34	24	7	-
Female	166	8	-	3	7	11	14	25	35	26	23	14	-
Pensacola, Fla	2,355	68	10	11	45	63	79	172	463	561	548	335	-
Male	1,259	36	3	7	34	43	42	120	294	324	258	98	-
Female	1,096	32	7	4	11	20	37	52	169	237	290	237	-
White	1,911	41	6	8	37	51	58	132	372	459	445	302	-
Male	1,027	19	3	5	28	38	31	91	241	271	211	89	-
Female	884	22	3	3	9	13	27	41	131	188	234	213	-
All other	444	27	4	3	8	12	21	40	91	102	103	33	-
Male	232	17	-	2	6	5	11	29	53	53	47	9	-
Female	212	10	4	1	2	7	10	11	38	49	56	24	-
Black	435	26	4	3	8	12	20	37	90	101	101	33	-
Male	228	17	-	2	6	5	10	26	53	53	45	9	-
Female	207	9	4	1	2	7	10	9	37	48	56	24	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	3,084	61	11	12	47	52	71	159	397	673	881	720	-
Male	1,571	30	10	8	37	38	45	99	254	389	405	256	-
Female	1,513	31	1	4	10	14	26	60	143	284	476	464	-
White	2,979	52	8	11	44	47	68	148	383	647	862	709	-
Male	1,509	24	7	7	34	35	42	93	246	374	394	253	-
Female	1,470	28	1	4	10	12	26	55	137	273	468	456	-
All other	105	9	3	1	3	5	3	11	14	26	19	11	-
Male	62	6	3	1	3	3	3	6	8	15	11	3	-
Female	43	3	-	-	-	2	-	5	6	11	8	8	-
Black	105	9	3	1	3	5	3	11	14	26	19	11	-
Male	62	6	3	1	3	3	3	6	8	15	11	3	-
Female	43	3	-	-	-	2	-	5	6	11	8	8	-
Petersburg-Colonial Heights-Hopewell, Va	1,172	32	5	5	18	29	47	79	221	302	282	152	-
Male	619	15	3	4	12	23	36	48	142	176	121	39	-
Female	553	17	2	1	6	6	11	31	79	126	161	113	-
White	737	10	3	3	11	18	18	40	136	182	207	109	-
Male	369	4	2	3	8	14	11	26	85	105	84	27	-
Female	368	6	1	-	3	4	7	14	51	77	123	82	-
All other	435	22	2	2	7	11	29	39	85	120	75	43	-
Male	250	11	1	1	4	9	25	22	57	71	37	12	-
Female	185	11	1	1	3	2	4	17	28	49	38	31	-
Black	431	22	2	2	6	11	28	39	85	119	74	43	-
Male	248	11	1	1	4	9	24	22	57	70	37	12	-
Female	183	11	1	1	2	2	4	17	28	49	37	31	-
Philadelphia, Pa.-N.J	48,857	824	131	168	677	957	1,310	2,714	7,133	11,477	12,670	8,779	17
Male	23,718	469	66	103	475	665	839	1,672	4,396	6,457	5,745	2,824	7
Female	23,139	355	65	65	202	292	471	1,042	2,737	5,020	6,925	5,955	10
White	37,760	457	90	115	474	595	818	1,836	5,362	9,331	10,826	7,842	14
Male	18,888	272	48	70	334	414	542	1,134	3,353	5,281	4,934	2,502	4
Female	18,872	185	42	45	140	181	276	702	2,009	4,050	5,892	5,340	10
All other	9,097	367	41	53	203	362	492	878	1,771	2,146	1,844	937	3
Male	4,830	197	18	33	141	251	297	538	1,043	1,176	811	322	3
Female	4,267	170	23	20	62	111	195	340	728	970	1,033	615	-
Black	8,940	355	38	52	193	355	483	865	1,750	2,114	1,810	922	3
Male	4,736	189	18	32	133	245	291	531	1,030	1,155	795	313	3
Female	4,204	166	20	20	60	109	192	334	720	959	1,015	609	-
Phoenix, Ariz	13,462	271	78	87	349	380	410	733	1,833	3,372	3,677	2,255	17
Male	7,510	127	38	54	257	275	252	458	1,121	2,020	2,006	890	12
Female	5,952	144	40	33	92	105	158	275	712	1,352	1,671	1,365	5
White	12,918	233	65	83	327	346	363	671	1,740	3,262	3,600	2,214	14
Male	7,180	108	34	53	241	251	224	419	1,061	1,949	1,961	868	11
Female	5,738	125	31	30	86	95	139	252	679	1,313	1,639	1,346	3
All other	544	38	13	4	22	34	47	62	93	110	77	41	3
Male	330	19	4	1	16	24	28	39	60	71	45	22	1
Female	214	19	9	3	6	10	19	23	33	39	32	19	2
Black	345	28	9	3	9	15	23	38	60	77	56	25	2
Male	202	11	3	1	7	8	12	25	36	54	32	12	1
Female	143	17	6	2	2	7	11	13	24	23	24	13	1
Pine Bluff, Ark	853	20	4	10	12	20	24	42	132	209	227	153	-
Male	460	11	3	4	8	15	16	28	77	129	106	63	-
Female	393	9	1	6	4	5	8	14	55	80	121	90	-
White	477	8	3	6	6	5	12	15	78	111	148	85	-
Male	245	5	3	2	3	4	7	9	43	67	74	28	-
Female	232	3	-	4	3	1	5	6	35	44	74	57	-
All other	376	12	1	4	6	15	12	27	54	98	79	68	-
Male	215	6	-	2	5	11	9	19	34	62	32	35	-
Female	161	6	1	2	1	4	3	8	20	36	47	33	-
Black	376	12	1	4	6	15	12	27	54	98	79	68	-
Male	215	6	-	2	5	11	9	19	34	62	32	35	-
Female	161	6	1	2	1	4	3	8	20	36	47	33	-
Pittsburgh, Pa	23,769	309	31	57	266	344	514	1,237	3,663	6,385	6,638	4,344	1
Male	12,370	168	17	30	200	236	316	775	2,215	3,700	3,127	1,585	1
Female	11,399	141	14	27	66	108	198	462	1,448	2,685	3,511	2,759	-
White	21,796	215	24	45	235	275	431	1,077	3,317	5,901	6,174	4,101	1
Male	11,333	125	15	24	177	197	267	681	2,020	3,462	2,888	1,476	1
Female	10,463	90	9	21	58	78	164	396	1,297	2,439	3,286	2,625	-
All other	1,973	94	7	12	31	69	83	160	346	484	464	243	-
Male	1,037	43	2	6	23	39	49	94	195	238	239	109	-
Female	936	51	5	6	8	30	34	66	151	226	225	134	-
Black	1,951	93	6	11	29	66	82	157	344	460	460	243	-
Male	1,026	43	2	6	22	38	48	93	194	235	236	109	-
Female	925	50	4	5	7	28	34	64	150	225	224	134	-
Pittsfield, Mass	1,564	12	3	1	28	16	21	62	181	374	480	386	-
Male	759	7	1	1	22	13	7	37	115	219	213	124	-
Female	805	5	2	-	6	3	14	25	66	155	267	262	-
White	1,552	12	3	1	28	16	21	62	177	370	479	383	-
Male	752	7	1	1	22	13	7	37	113	216	212	123	-
Female	800	5	2	-	6	3	14	25	64	154	267	260	-
All other	12	-	-	-	-	-	-	-	4	4	1	3	-
Male	7	-	-	-	-	-	-	-	2	3	1	1	-
Female	5	-	-	-	-	-	-	-	2	1	-	2	-
Black	12	-	-	-	-	-	-	-	4	4	1	3	-
Male	7	-	-	-	-	-	-	-	2	3	1	1	-
Female	5	-	-	-	-	-	-	-	2	1	-	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, Maine	2,378	32	5	8	35	44	55	101	277	550	691	580	-
Male	1,163	15	3	3	27	28	38	69	162	322	326	170	-
Female	1,215	17	2	5	8	16	17	32	115	228	365	410	-
White	2,369	31	5	8	35	44	54	101	276	550	688	577	-
Male	1,159	14	3	3	27	28	37	69	162	322	326	168	-
Female	1,210	17	2	5	8	16	17	32	114	228	362	409	-
All other	9	1	-	-	-	-	1	-	1	-	3	3	-
Male	4	1	-	-	-	-	1	-	-	-	-	2	-
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
Black	9	1	-	-	-	-	1	-	1	-	3	3	-
Male	4	1	-	-	-	-	1	-	-	-	-	2	-
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
Portland, Oreg.-Wash	10,685	193	34	49	203	268	318	561	1,341	2,426	2,852	2,440	-
Male	5,503	107	18	34	150	188	200	386	806	1,401	1,411	802	-
Female	5,182	86	16	15	53	80	118	175	535	1,025	1,441	1,638	-
White	10,278	176	33	44	188	242	298	524	1,277	2,337	2,756	2,403	-
Male	5,273	99	18	31	139	176	189	361	765	1,344	1,368	783	-
Female	5,005	77	15	13	49	66	109	163	512	993	1,388	1,620	-
All other	407	17	1	5	15	26	20	37	64	89	96	37	-
Male	230	8	-	3	11	12	11	25	41	57	43	19	-
Female	177	9	1	2	4	14	9	12	23	32	53	18	-
Black	269	11	1	2	6	15	9	25	52	62	65	21	-
Male	152	6	-	1	3	7	5	19	31	41	27	11	-
Female	117	5	1	1	3	8	3	6	21	21	38	10	-
Portsmouth-Dover-Rochester, N.H.-Maine	3,492	69	11	11	48	70	96	162	528	788	1,000	709	-
Male	1,839	36	5	7	40	52	64	108	340	471	500	216	-
Female	1,653	33	6	4	8	18	32	54	188	317	500	493	-
White	3,480	68	11	11	48	70	95	160	527	784	999	707	-
Male	1,832	36	5	7	40	52	63	107	339	468	500	215	-
Female	1,648	32	6	4	8	18	32	53	188	316	499	492	-
All other	12	1	-	-	-	-	1	2	1	4	1	2	-
Male	7	-	-	-	-	-	1	1	1	3	-	1	-
Female	5	1	-	-	-	-	-	1	-	1	1	1	-
Black	12	1	-	-	-	-	1	2	1	4	1	2	-
Male	7	-	-	-	-	-	1	1	1	3	-	1	-
Female	5	1	-	-	-	-	-	1	-	1	1	1	-
Poughkeepsie, N.Y	2,159	30	6	13	40	40	78	121	301	499	595	436	-
Male	1,125	15	4	9	30	26	48	80	192	288	302	131	-
Female	1,034	15	2	4	10	14	30	41	109	211	293	305	-
White	2,046	27	5	11	34	32	69	108	285	473	576	426	-
Male	1,059	14	4	7	27	20	41	71	181	274	294	126	-
Female	987	13	1	4	7	12	28	37	104	199	282	300	-
All other	113	3	1	2	6	8	9	13	16	26	19	10	-
Male	66	1	-	2	3	6	7	9	11	14	8	5	-
Female	47	2	1	-	3	2	2	4	5	12	11	5	-
Black	106	3	1	2	6	8	9	12	15	23	18	9	-
Male	62	1	-	2	3	6	7	9	10	11	8	5	-
Female	44	2	1	-	3	2	2	3	5	12	10	4	-
Providence-Warwick-Pawtucket, R.I	8,714	111	16	19	115	121	174	399	1,212	2,030	2,477	2,040	-
Male	4,430	61	6	9	83	90	104	245	765	1,201	1,210	656	-
Female	4,284	50	10	10	32	31	70	154	447	829	1,267	1,384	-
White	8,457	96	14	18	108	111	152	375	1,163	1,977	2,443	2,010	-
Male	4,302	52	6	9	80	85	91	231	737	1,170	1,196	645	-
Female	4,155	44	8	9	28	26	61	144	426	807	1,247	1,365	-
All other	247	15	2	1	7	10	22	24	49	53	34	30	-
Male	128	9	-	-	3	5	13	14	28	31	14	11	-
Female	119	6	2	1	4	5	9	10	21	22	20	19	-
Black	204	11	1	-	6	10	19	21	41	48	24	23	-
Male	103	5	-	-	2	5	11	12	24	28	9	7	-
Female	101	6	1	-	4	5	8	9	17	20	15	16	-
Provo-Orem, Utah	1,098	61	7	18	28	26	30	51	112	216	336	213	-
Male	578	40	5	14	19	19	17	31	67	129	156	81	-
Female	520	21	2	4	9	7	13	20	45	87	180	132	-
White	1,088	55	7	18	27	25	29	50	112	216	336	213	-
Male	572	36	5	14	18	18	17	31	67	129	156	81	-
Female	516	19	2	4	9	7	12	19	45	87	180	132	-
All other	10	6	-	-	1	1	1	1	-	-	-	-	-
Male	6	4	-	-	1	1	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,121	22	2	6	27	28	37	47	153	251	315	233	-
Male	612	11	1	1	22	22	26	27	87	155	165	95	-
Female	509	11	1	5	5	6	11	20	66	96	150	138	-
White	1,092	21	2	6	25	28	34	44	148	244	311	229	-
Male	599	11	1	1	21	22	25	27	84	151	163	93	-
Female	493	10	1	5	4	6	9	17	64	93	148	136	-
All other	29	1	-	-	2	-	3	3	5	7	4	4	-
Male	13	-	-	-	1	-	1	-	3	4	2	2	-
Female	16	1	-	-	1	-	2	3	2	3	2	2	-
Black	25	1	-	-	2	-	2	3	5	6	4	2	-
Male	11	-	-	-	1	-	1	-	3	3	2	1	-
Female	14	1	-	-	1	-	1	3	2	3	2	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, Wis	1,306	35	7	6	22	34	32	70	163	207	337	313	-
Male	660	22	3	3	18	26	13	37	93	162	185	98	-
Female	646	13	4	3	4	8	19	33	70	125	152	215	-
White	1,233	26	6	6	21	28	27	63	145	275	327	309	-
Male	622	18	2	3	17	22	13	32	82	156	180	97	-
Female	611	8	4	3	4	6	14	31	63	119	147	212	-
All other	73	9	1	-	1	6	5	7	18	12	10	4	-
Male	38	4	1	-	1	4	-	5	11	6	5	1	-
Female	35	5	-	-	-	2	5	2	7	6	5	3	-
Black	71	9	1	-	1	6	5	7	16	12	10	4	-
Male	37	4	1	-	1	4	-	5	10	6	5	1	-
Female	34	5	-	-	-	2	5	2	6	6	5	3	-
Raleigh-Durham, N.C	3,945	108	16	21	74	112	144	273	608	916	1,023	650	-
Male	2,046	55	8	13	53	75	88	174	400	525	459	196	-
Female	1,899	53	8	8	21	37	56	99	208	391	564	454	-
White	2,749	49	11	14	52	66	78	176	408	639	743	513	-
Male	1,405	27	6	10	35	46	47	119	274	370	330	141	-
Female	1,344	22	5	4	17	20	31	57	134	269	413	372	-
All other	1,196	59	5	7	22	46	66	97	200	277	280	137	-
Male	641	28	2	3	18	29	41	55	126	155	129	55	-
Female	555	31	3	4	4	17	25	42	74	122	151	82	-
Black	1,188	57	5	6	22	46	66	97	199	274	279	137	-
Male	636	26	2	3	18	29	41	55	125	153	129	55	-
Female	552	31	3	3	4	17	25	42	74	121	150	82	-
Reading, Pa	3,123	39	8	4	45	49	48	152	401	765	970	641	1
Male	1,600	21	3	-	35	32	33	108	242	429	471	225	1
Female	1,523	18	5	4	10	17	15	44	159	336	499	416	-
White	3,063	36	8	4	45	48	47	143	388	749	959	635	1
Male	1,565	19	3	-	35	32	32	101	235	421	465	221	1
Female	1,498	17	5	4	10	16	15	42	153	328	494	414	-
All other	60	3	-	-	-	1	1	9	13	16	11	6	-
Male	35	2	-	-	-	-	1	7	7	8	6	4	-
Female	25	1	-	-	-	1	-	2	6	8	5	2	-
Black	59	3	-	-	-	1	1	9	12	16	11	6	-
Male	34	2	-	-	-	-	1	7	6	8	6	4	-
Female	25	1	-	-	-	1	-	2	6	8	5	2	-
Redding, Calif	1,114	24	7	14	17	27	45	67	166	294	264	187	2
Male	640	19	4	10	12	18	27	46	101	186	150	65	2
Female	474	5	3	4	5	9	18	21	65	108	114	122	-
White	1,088	23	7	13	17	26	42	63	164	290	256	183	2
Male	622	18	4	9	12	17	25	42	99	184	146	64	2
Female	464	5	3	4	5	9	17	21	65	106	110	119	-
All other	26	1	-	1	-	1	3	4	2	4	8	4	-
Male	18	1	-	1	-	1	2	4	2	2	4	1	-
Female	10	-	-	-	-	-	1	-	-	2	4	3	-
Black	12	-	-	-	-	1	2	1	1	2	2	3	-
Male	7	-	-	-	-	1	1	1	1	1	1	1	-
Female	5	-	-	-	-	-	1	-	-	1	1	2	-
Reno, Nev	1,690	39	9	8	35	61	55	118	275	425	340	225	-
Male	920	25	6	5	25	42	36	71	185	265	173	87	-
Female	670	14	3	3	10	19	19	47	90	160	167	138	-
White	1,522	35	8	8	31	58	49	108	261	412	332	220	-
Male	864	23	6	5	23	41	31	65	176	258	170	88	-
Female	638	12	2	3	8	17	18	43	85	154	162	134	-
All other	68	4	1	-	4	3	6	10	14	13	8	5	-
Male	36	2	-	-	2	1	5	6	9	7	3	1	-
Female	32	2	1	-	2	2	1	4	5	6	5	4	-
Black	29	2	-	-	2	1	3	2	4	6	5	4	-
Male	14	-	-	-	1	1	3	1	2	4	1	1	-
Female	15	2	-	-	1	-	-	1	2	2	4	3	-
Richland-Kennewick-Pasco, Wash	825	27	4	6	29	24	25	51	125	221	197	116	-
Male	487	14	3	2	25	16	16	33	88	140	104	46	-
Female	338	13	1	4	4	8	9	18	37	81	93	70	-
White	802	26	4	5	27	22	24	50	123	215	193	113	-
Male	472	13	3	2	23	15	16	32	87	135	102	44	-
Female	330	13	1	3	4	7	8	18	36	80	91	69	-
All other	23	1	-	1	2	2	1	1	2	6	4	3	-
Male	15	1	-	-	2	1	-	1	1	5	2	2	-
Female	8	-	-	1	-	1	1	-	1	1	2	1	-
Black	18	1	-	1	1	1	1	1	2	3	4	3	-
Male	12	1	-	-	1	1	-	1	1	3	2	2	-
Female	6	-	-	1	-	-	1	-	1	-	2	1	-
Richmond, Va	5,799	149	19	16	109	160	198	366	878	1,395	1,518	989	2
Male	2,971	86	12	10	81	112	126	217	553	784	682	308	-
Female	2,828	63	7	6	28	48	72	149	325	611	836	681	2
White	4,017	73	5	10	66	83	113	205	569	949	1,140	804	-
Male	2,013	46	4	5	44	60	75	129	366	536	505	243	-
Female	2,004	27	1	5	22	23	38	76	203	413	635	561	-
All other	1,782	76	14	6	43	77	85	161	309	446	378	185	2
Male	958	40	8	5	37	52	51	88	187	248	177	65	-
Female	824	36	6	1	6	25	34	73	122	198	201	120	2
Black	1,769	73	12	6	43	77	85	159	307	445	376	184	2
Male	949	38	6	5	37	52	51	87	186	247	175	65	-
Female	820	35	6	1	6	25	34	72	121	198	201	119	2

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Riverside-San Bernardino-Ontario, Calif	16,044	374	75	75	392	442	476	793	2,015	3,566	4,059	2,763	14
Male	8,212	197	43	42	295	323	319	491	1,223	2,139	2,093	1,036	11
Female	6,832	177	32	33	97	119	157	302	792	1,427	1,966	1,727	3
White	14,304	330	64	66	354	392	428	723	1,883	3,428	3,936	2,689	11
Male	7,818	177	36	39	267	294	296	453	1,141	2,057	2,036	1,014	8
Female	6,486	153	28	27	87	98	132	270	742	1,371	1,900	1,675	3
All other	740	44	11	9	38	50	48	70	132	138	123	74	3
Male	394	20	7	3	28	29	23	38	82	82	57	22	3
Female	346	24	4	6	10	21	25	32	50	56	66	52	–
Black	615	37	7	9	30	41	40	55	113	112	105	69	3
Male	341	18	5	3	20	25	19	31	75	71	49	22	3
Female	274	19	2	6	10	16	21	24	38	41	56	41	–
Roanoke, Va	2,426	30	1	10	46	49	62	145	371	564	650	498	–
Male	1,261	20	1	6	37	31	43	102	236	321	303	161	–
Female	1,165	10	–	4	9	18	19	43	135	243	347	337	–
White	2,149	25	1	9	39	45	53	121	319	498	583	456	–
Male	1,109	16	1	5	34	29	36	87	204	286	269	142	–
Female	1,040	9	–	4	5	16	17	34	115	212	314	314	–
All other	277	5	–	1	7	4	9	24	52	66	67	42	–
Male	152	4	–	1	3	2	7	15	32	35	34	19	–
Female	125	1	–	–	4	2	2	9	20	31	33	23	–
Black	275	5	–	1	6	4	8	24	52	66	67	42	–
Male	150	4	–	1	2	2	6	15	32	35	34	19	–
Female	125	1	–	–	4	2	2	9	20	31	33	23	–
Rochester, Minn	613	21	2	4	13	10	14	28	72	104	176	169	–
Male	287	10	1	2	7	7	6	17	51	56	83	47	–
Female	326	11	1	2	6	3	8	11	21	48	93	122	–
White	611	21	2	4	12	9	14	28	72	104	176	169	–
Male	287	10	1	2	7	7	6	17	51	56	83	47	–
Female	324	11	1	2	5	2	8	11	21	48	93	122	–
All other	2	–	–	–	1	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	1	1	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Rochester, N.Y	8,312	134	23	41	117	147	192	456	1,033	1,872	2,284	2,012	1
Male	4,185	71	14	28	90	99	108	273	642	1,079	1,100	681	–
Female	4,127	63	9	13	27	48	84	183	391	793	1,184	1,331	1
White	7,828	94	21	37	100	114	156	373	949	1,777	2,222	1,984	1
Male	3,912	50	12	26	77	77	87	222	567	1,029	1,077	668	–
Female	3,916	44	9	11	23	37	69	151	382	748	1,145	1,316	1
All other	484	40	2	4	17	33	36	83	84	95	62	28	–
Male	273	21	2	2	13	22	21	51	55	50	23	13	–
Female	211	19	–	2	4	11	15	32	29	45	39	15	–
Black	470	40	2	4	16	32	35	81	82	93	59	26	–
Male	264	21	2	2	12	21	21	49	54	48	22	12	–
Female	206	19	–	2	4	11	14	32	28	45	37	14	–
Rockford, Ill	2,235	41	9	8	35	37	48	121	301	492	614	529	–
Male	1,174	23	8	5	26	24	26	73	205	304	315	165	–
Female	1,061	18	1	3	9	13	22	48	96	188	299	364	–
White	2,110	28	7	6	31	30	40	108	284	469	591	516	–
Male	1,091	16	6	3	22	18	22	65	195	287	299	158	–
Female	1,019	12	1	3	9	12	18	43	89	182	292	358	–
All other	125	13	2	2	4	7	8	13	17	23	23	13	–
Male	83	7	2	2	4	6	4	8	10	17	16	7	–
Female	42	6	–	–	–	1	4	5	7	6	7	6	–
Black	120	13	2	2	4	7	7	12	16	21	23	13	–
Male	82	7	2	2	4	6	4	8	10	16	16	7	–
Female	38	6	–	–	–	1	3	4	6	5	7	6	–
Rock Hill, S.C	882	24	9	8	19	31	39	56	150	233	195	118	–
Male	489	13	3	4	14	24	30	37	110	128	88	38	–
Female	393	11	6	4	5	7	9	19	40	105	107	80	–
White	663	15	6	6	14	22	26	34	115	167	154	104	–
Male	386	10	3	2	11	19	20	25	85	100	76	35	–
Female	277	5	3	4	3	3	6	9	30	67	78	69	–
All other	219	9	3	2	5	9	13	22	35	66	41	14	–
Male	103	3	–	2	3	5	10	12	25	28	12	3	–
Female	116	6	3	–	2	4	3	10	10	38	29	11	–
Black	218	9	3	2	5	9	13	22	35	65	41	14	–
Male	102	3	–	2	3	5	10	12	25	27	12	3	–
Female	116	6	3	–	2	4	3	10	10	38	29	11	–
Sacramento, Calif	8,570	162	48	49	180	266	269	536	1,272	2,059	2,061	1,661	7
Male	4,604	91	26	30	135	198	172	320	764	1,223	1,044	596	5
Female	3,966	71	22	19	45	68	97	216	508	836	1,017	1,065	2
White	7,840	131	39	43	144	231	223	471	1,142	1,918	1,914	1,578	6
Male	4,168	76	23	29	108	170	141	282	685	1,143	956	551	4
Female	3,672	55	16	14	36	61	82	189	457	775	958	1,027	2
All other	730	31	9	6	36	35	46	65	130	141	147	83	1
Male	436	15	3	1	27	28	31	38	79	80	88	45	1
Female	294	16	6	5	9	7	15	27	51	61	59	38	–
Black	422	20	7	4	25	30	31	34	86	87	65	32	1
Male	259	7	2	–	21	24	23	27	54	48	33	19	1
Female	163	13	5	4	4	6	8	7	32	39	32	13	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw, Mich	1,724	60	6	17	43	51	55	97	233	408	455	299	-
Male	918	37	5	11	29	36	36	58	142	219	244	101	-
Female	806	23	1	6	14	15	19	39	91	189	211	198	-
White	1,462	32	3	8	32	31	40	71	188	358	418	281	-
Male	767	22	2	5	24	24	23	44	114	188	228	93	-
Female	695	10	1	3	8	7	17	27	74	170	190	188	-
All other	262	28	3	9	11	20	15	26	45	50	37	18	-
Male	151	15	3	6	5	12	13	14	28	31	16	8	-
Female	111	13	-	3	6	8	2	12	17	19	21	10	-
Black	257	26	3	9	11	20	15	26	43	49	37	18	-
Male	149	14	3	6	5	12	13	14	27	31	16	8	-
Female	108	12	-	3	6	8	2	12	16	18	21	10	-
St. Cloud, Minn	1,129	18	6	5	31	23	21	50	121	242	323	289	-
Male	664	10	4	2	20	17	17	32	84	162	188	128	-
Female	465	8	2	3	11	6	4	18	37	80	135	161	-
White	1,128	18	6	5	31	23	21	50	121	242	322	289	-
Male	663	10	4	2	20	17	17	32	84	162	187	128	-
Female	465	8	2	3	11	6	4	18	37	80	135	161	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Joseph, Mo	1,083	18	3	4	19	7	21	51	127	258	312	263	-
Male	549	10	3	2	14	5	16	35	70	166	150	78	-
Female	534	8	-	2	5	2	5	16	57	92	162	185	-
White	1,058	18	2	3	18	6	21	49	122	252	308	259	-
Male	534	10	2	1	13	4	16	35	66	162	149	76	-
Female	524	8	-	2	5	2	5	14	56	90	159	183	-
All other	25	-	1	1	1	1	-	2	5	6	4	4	-
Male	15	-	1	1	1	1	-	-	4	4	1	2	-
Female	10	-	-	-	-	-	-	2	1	2	3	2	-
Black	25	-	1	1	1	1	-	2	5	6	4	4	-
Male	15	-	1	1	1	1	-	-	4	4	1	2	-
Female	10	-	-	-	-	-	-	2	1	2	3	2	-
St. Louis, Mo.-Ill	22,186	412	82	102	404	460	589	1,302	3,099	5,042	6,306	4,376	12
Male	11,298	233	45	69	315	311	373	817	1,859	2,902	2,971	1,395	8
Female	10,888	179	37	33	89	149	216	485	1,240	2,140	3,335	2,981	4
White	18,234	231	46	62	288	291	387	929	2,450	4,184	5,424	3,937	5
Male	9,152	142	28	41	216	186	244	584	1,503	2,446	2,528	1,229	5
Female	9,082	89	18	21	72	105	143	345	947	1,738	2,896	2,708	-
All other	3,952	181	36	40	116	169	202	373	649	858	882	439	7
Male	2,146	91	17	28	89	125	129	233	356	458	443	166	3
Female	1,806	90	19	12	17	44	73	140	293	402	439	273	4
Black	3,924	179	35	40	114	169	202	366	647	854	876	435	7
Male	2,131	90	17	28	98	125	129	230	356	453	438	164	3
Female	1,793	89	18	12	16	44	73	136	291	401	438	271	4
Salem, Oreg	2,317	45	9	15	51	48	64	102	252	527	663	541	-
Male	1,217	24	5	12	41	37	33	68	160	308	341	192	-
Female	1,100	21	4	3	10	11	31	36	92	221	322	349	-
White	2,304	44	9	15	50	48	63	100	249	524	662	540	-
Male	1,209	23	5	12	40	37	32	66	158	305	340	191	-
Female	1,095	21	4	3	10	11	31	34	91	219	322	349	-
All other	13	1	-	-	1	-	1	2	3	3	1	1	-
Male	8	1	-	-	1	-	1	-	2	1	1	1	-
Female	5	-	-	-	-	-	-	2	1	2	-	-	-
Black	6	-	-	-	-	-	-	1	2	3	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	4	-	-	-	-	-	-	1	1	2	-	-	-
Salinas-Seaside-Monterey, Calif	2,129	68	18	11	51	77	84	125	285	482	516	414	-
Male	1,169	35	12	6	42	48	61	84	176	282	276	147	-
Female	960	31	6	5	9	29	23	41	109	200	240	267	-
White	1,928	49	16	10	42	64	72	106	248	442	479	400	-
Male	1,033	25	10	5	34	37	52	70	151	257	252	140	-
Female	895	24	6	5	8	27	20	36	97	185	227	260	-
All other	201	17	2	1	9	13	12	19	37	40	37	14	-
Male	136	10	2	1	8	11	9	14	25	25	24	7	-
Female	65	7	-	-	1	2	3	5	12	15	13	7	-
Black	97	12	2	1	7	9	9	13	18	12	12	2	-
Male	68	8	2	1	6	8	6	10	13	7	5	-	-
Female	31	4	-	-	1	1	3	3	5	5	7	2	-
Salisbury-Concord, N.C	1,824	24	6	9	38	43	71	115	285	481	468	284	-
Male	1,004	15	3	8	28	36	45	72	201	287	227	82	-
Female	820	9	3	1	10	7	26	43	84	194	241	202	-
White	1,559	16	5	9	33	34	52	92	235	411	414	258	-
Male	856	12	3	8	26	30	33	57	170	245	200	72	-
Female	703	4	2	1	7	4	19	35	65	166	214	186	-
All other	265	8	1	-	5	9	19	23	50	70	54	26	-
Male	148	3	-	-	2	6	12	15	31	42	27	10	-
Female	117	5	1	-	3	3	7	8	19	28	27	16	-
Black	263	8	1	-	5	9	19	22	50	69	54	26	-
Male	147	3	-	-	2	6	12	14	31	42	27	10	-
Female	116	5	1	-	3	3	7	8	19	27	27	16	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City-Ogden, Utah	5,728	216	31	51	164	170	191	307	727	1,277	1,524	1,070	-
Male	3,110	117	16	28	121	119	132	200	477	771	754	375	-
Female	2,618	99	15	23	43	51	59	107	250	506	770	695	-
White	5,574	203	31	50	156	160	181	294	703	1,247	1,496	1,053	-
Male	3,017	112	16	28	113	112	123	191	463	752	739	368	-
Female	2,557	91	15	22	43	48	58	103	240	495	757	685	-
All other	154	13	-	1	8	10	10	13	24	30	28	17	-
Male	93	5	-	-	8	7	9	9	14	19	15	7	-
Female	61	8	-	1	-	3	1	4	10	11	13	10	-
Black	70	4	-	-	3	5	6	6	10	19	12	5	-
Male	38	-	-	-	3	4	5	4	5	12	4	1	-
Female	32	4	-	-	-	1	1	2	5	7	8	4	-
San Angelo, Tex	792	14	1	5	24	30	17	50	95	170	238	148	-
Male	430	8	1	3	20	26	12	35	59	100	115	51	-
Female	362	6	-	2	4	4	5	15	36	70	123	97	-
White	749	12	1	5	23	28	17	47	90	163	223	140	-
Male	410	8	1	3	19	24	12	33	56	96	109	49	-
Female	339	4	-	2	4	4	5	14	34	67	114	91	-
All other	43	2	-	-	1	2	-	3	5	7	15	8	-
Male	20	-	-	-	1	2	-	2	3	4	6	2	-
Female	23	2	-	-	-	-	-	1	2	3	9	6	-
Black	43	2	-	-	1	2	-	3	5	7	15	8	-
Male	20	-	-	-	1	2	-	2	3	4	6	2	-
Female	23	2	-	-	-	-	-	1	2	3	9	6	-
San Antonio, Tex	8,490	286	43	44	245	313	304	513	1,205	1,811	2,192	1,553	1
Male	4,512	140	23	24	198	235	200	310	741	1,026	1,072	542	1
Female	3,978	126	20	20	47	78	104	203	464	785	1,120	1,011	-
White	7,763	234	34	38	218	274	271	461	1,085	1,669	2,007	1,471	1
Male	4,108	125	18	20	174	207	161	276	674	937	984	510	1
Female	3,655	109	15	18	44	67	90	185	411	732	1,023	961	-
All other	727	32	9	6	27	39	33	52	120	142	185	82	-
Male	404	15	4	4	24	28	19	34	67	89	88	32	-
Female	323	17	5	2	3	11	14	18	53	53	97	50	-
Black	698	30	9	8	25	36	30	48	114	141	178	81	-
Male	393	13	4	4	23	27	18	34	64	88	86	32	-
Female	305	17	5	2	2	9	12	14	50	53	92	49	-
San Diego, Calif	14,896	340	69	63	330	454	457	802	1,998	3,336	4,011	3,015	21
Male	7,774	194	39	37	250	318	279	497	1,195	1,926	2,020	1,003	16
Female	7,122	146	30	26	80	136	178	305	803	1,410	1,991	2,012	5
White	14,022	251	56	54	295	381	399	708	1,868	3,172	3,866	2,842	20
Male	7,281	145	33	31	225	275	247	442	1,112	1,834	1,950	972	15
Female	6,741	106	23	23	70	116	152	266	756	1,338	1,916	1,870	5
All other	874	89	13	9	35	63	58	94	130	164	145	73	1
Male	493	49	6	6	25	43	32	55	83	92	70	31	1
Female	381	40	7	3	10	20	26	39	47	72	75	42	-
Black	550	62	10	4	26	43	30	56	77	114	87	41	-
Male	318	38	4	3	19	32	19	37	53	61	36	16	-
Female	232	24	6	1	7	11	11	19	24	53	51	25	-
San Francisco-Oakland, Calif	28,949	462	73	98	513	882	1,225	1,685	4,047	5,325	7,613	6,010	38
Male	15,099	246	40	58	386	644	848	1,045	2,475	3,577	3,807	1,954	19
Female	13,850	216	33	38	127	238	377	620	1,572	2,748	3,806	4,056	19
White	23,693	278	46	57	394	632	888	1,243	3,107	5,104	6,467	5,448	29
Male	12,019	146	29	32	284	471	623	779	1,990	2,853	3,146	1,730	16
Female	11,674	132	17	25	100	161	265	464	1,207	2,251	3,321	3,718	13
All other	5,256	184	27	39	119	250	337	422	940	1,221	1,146	562	9
Male	3,080	100	11	26	92	173	225	266	575	724	681	224	3
Female	2,176	84	16	13	27	77	112	156	365	497	485	338	6
Black	3,433	122	16	31	95	187	259	298	666	781	657	314	7
Male	1,993	68	4	21	73	133	180	188	412	454	345	113	2
Female	1,440	54	12	10	22	54	79	110	254	327	312	201	5
San Jose, Calif	8,051	196	37	45	182	299	313	551	1,128	1,742	1,959	1,594	5
Male	4,158	111	16	31	127	215	202	341	674	996	919	522	4
Female	3,893	85	21	14	55	84	111	210	454	746	1,040	1,072	1
White	7,452	158	28	38	161	257	268	485	1,033	1,641	1,848	1,531	4
Male	3,807	94	14	28	110	185	177	298	619	924	855	500	3
Female	3,645	64	14	10	51	72	91	187	414	717	993	1,031	1
All other	599	38	9	7	21	42	45	66	95	101	111	63	1
Male	351	17	2	3	17	30	25	43	55	72	64	22	1
Female	248	21	7	4	4	12	20	23	40	29	47	41	-
Black	202	13	4	2	6	19	24	21	36	31	28	18	-
Male	116	8	1	1	5	15	16	15	15	21	12	7	-
Female	86	5	3	1	1	4	8	6	21	10	16	11	-
Santa Barbara-Santa Maria-Lompoc, Calif	2,478	45	6	8	58	56	71	123	284	510	742	571	4
Male	1,277	28	5	4	43	46	48	71	178	282	379	191	2
Female	1,201	17	1	4	15	10	23	52	106	228	363	380	2
White	2,379	38	6	7	55	54	67	115	271	491	713	558	4
Male	1,211	23	5	4	41	44	45	67	168	269	358	185	2
Female	1,168	15	1	3	14	10	22	48	103	222	355	373	2
All other	99	7	-	1	3	2	4	8	13	19	29	13	-
Male	66	5	-	-	2	2	3	4	10	13	21	6	-
Female	33	2	-	1	1	-	1	4	3	6	8	7	-
Black	47	4	-	-	2	1	2	4	8	8	11	7	-
Male	31	3	-	-	2	1	1	3	6	6	6	3	-
Female	16	1	-	-	-	-	1	1	2	2	5	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Cruz, Calif	1,731	24	7	7	32	44	48	71	177	360	519	444	-
Male	864	13	5	5	19	32	35	35	106	206	258	152	-
Female	867	11	2	2	13	12	11	36	71	154	263	292	-
White	1,689	24	7	7	31	39	45	69	170	354	503	440	-
Male	833	13	5	5	19	28	34	34	100	203	243	149	-
Female	856	11	2	2	12	11	11	35	70	151	260	291	-
All other	42	-	-	-	1	5	1	2	7	6	16	4	-
Male	31	-	-	-	-	4	1	1	6	3	13	3	-
Female	11	-	-	-	1	1	-	1	1	3	3	1	-
Black	9	-	-	-	-	3	1	1	1	1	2	-	-
Male	6	-	-	-	-	3	1	-	1	-	1	-	-
Female	3	-	-	-	-	-	-	1	-	1	1	-	-
Santa Rosa, Calif	2,910	41	14	17	44	88	90	121	349	656	836	652	2
Male	1,516	26	6	9	28	65	57	75	200	377	442	231	-
Female	1,394	15	8	8	16	23	33	46	149	279	394	421	2
White	2,853	37	14	14	37	84	87	116	342	646	828	646	2
Male	1,484	24	6	8	26	63	56	70	196	370	434	231	-
Female	1,369	13	8	6	11	21	31	46	146	276	394	415	2
All other	57	4	-	3	7	4	3	5	7	10	8	6	-
Male	32	2	-	1	2	2	1	5	4	7	8	-	-
Female	25	2	-	2	5	2	2	-	3	3	-	6	-
Black	24	3	-	2	1	2	1	2	3	5	2	3	-
Male	12	1	-	1	-	1	1	2	2	2	2	-	-
Female	12	2	-	1	1	1	-	-	1	3	-	3	-
Sarasota, Fla	3,495	23	6	4	33	41	40	101	364	907	1,215	759	2
Male	1,894	13	2	1	26	31	26	57	227	536	657	317	1
Female	1,601	10	4	3	7	10	14	44	137	371	558	442	1
White	3,398	13	6	4	30	37	35	86	350	884	1,194	757	2
Male	1,853	7	2	1	26	29	25	47	220	529	649	317	1
Female	1,545	6	4	3	4	8	10	39	130	355	545	440	1
All other	97	10	-	-	3	4	5	15	14	23	21	2	-
Male	41	6	-	-	-	2	1	10	7	7	8	-	-
Female	56	4	-	-	3	2	4	5	7	16	13	2	-
Black	96	10	-	-	3	4	5	15	14	23	20	2	-
Male	41	6	-	-	-	2	1	10	7	7	8	-	-
Female	55	4	-	-	3	2	4	5	7	16	12	2	-
Savannah, Ga	2,137	72	9	10	52	74	90	157	333	565	497	277	1
Male	1,085	39	8	6	41	54	60	89	190	299	221	77	1
Female	1,052	33	1	4	11	20	30	68	143	266	276	200	-
White	1,341	34	2	5	37	36	41	90	195	356	331	214	-
Male	673	21	2	3	29	27	27	51	118	200	148	47	-
Female	668	13	-	2	8	9	14	39	77	156	183	167	-
All other	796	38	7	5	15	38	49	67	138	209	166	63	1
Male	412	18	6	3	12	27	33	38	72	99	73	30	1
Female	384	20	1	2	3	11	16	29	66	110	93	33	-
Black	792	37	7	5	15	38	49	67	138	208	164	63	1
Male	408	17	6	3	12	27	33	38	72	98	71	30	1
Female	384	20	1	2	3	11	16	29	66	110	93	33	-
Seattle-Everett, Wash	12,531	267	46	51	225	336	400	673	1,731	2,790	3,244	2,768	-
Male	6,458	156	23	30	152	235	255	424	1,075	1,628	1,588	892	-
Female	6,073	111	23	21	73	101	145	249	656	1,162	1,656	1,876	-
White	11,644	222	36	44	199	279	344	583	1,578	2,594	3,088	2,677	-
Male	5,913	128	18	26	136	201	221	364	971	1,499	1,494	855	-
Female	5,731	94	18	18	63	78	123	219	607	1,095	1,594	1,822	-
All other	887	45	10	7	26	57	56	90	153	196	156	91	-
Male	545	28	5	4	16	34	34	60	104	129	94	37	-
Female	342	17	5	3	10	23	22	30	49	67	62	54	-
Black	495	32	8	4	15	33	27	51	99	109	72	45	-
Male	285	19	3	1	7	19	20	35	64	67	33	17	-
Female	210	13	5	3	8	14	7	16	35	42	39	28	-
Sharon, Pa	1,290	12	2	1	13	18	26	61	187	335	386	249	-
Male	688	7	-	-	8	12	15	30	122	204	196	94	-
Female	602	5	2	1	5	6	11	31	65	131	190	155	-
White	1,242	12	2	1	13	15	24	54	180	324	372	245	-
Male	662	7	-	-	8	11	14	26	119	199	188	82	-
Female	580	5	2	1	5	4	10	28	61	125	186	153	-
All other	48	-	-	-	-	3	2	7	7	11	14	4	-
Male	26	-	-	-	-	1	1	4	3	5	10	2	-
Female	22	-	-	-	-	2	1	3	4	6	4	2	-
Black	48	-	-	-	-	3	2	7	7	11	14	4	-
Male	26	-	-	-	-	1	1	4	3	5	10	2	-
Female	22	-	-	-	-	2	1	3	4	6	4	2	-
Sheboygan, Wis	954	17	5	4	25	17	18	34	117	194	276	247	-
Male	493	11	2	4	13	12	8	20	68	118	143	94	-
Female	461	6	3	-	12	5	10	14	49	76	133	153	-
White	948	16	3	4	24	16	18	34	117	194	275	247	-
Male	493	11	2	4	13	12	8	20	68	118	143	94	-
Female	455	5	1	-	11	4	10	14	49	76	132	153	-
All other	6	1	2	-	1	1	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	1	2	-	1	1	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sherman-Denison, Tex	1,140	18	4	4	22	15	21	52	129	264	344	267	-
Male	602	12	3	2	17	12	14	31	80	163	175	93	-
Female	538	6	1	2	5	3	7	21	49	101	169	174	-
White	1,059	16	3	3	21	12	18	45	119	248	325	249	-
Male	562	11	2	2	16	11	11	27	77	155	167	83	-
Female	497	5	1	1	5	1	7	18	42	93	158	166	-
All other	81	2	1	1	1	3	3	7	10	16	19	18	-
Male	40	1	1	-	1	1	3	4	3	8	6	10	-
Female	41	1	-	1	-	2	-	3	7	8	11	8	-
Black	79	2	1	1	1	3	2	7	10	15	19	18	-
Male	39	1	1	-	1	1	2	4	3	8	8	10	-
Female	40	1	-	1	-	2	-	3	7	7	11	8	-
Shreveport, La	3,557	100	28	10	71	109	115	223	519	818	985	579	-
Male	1,856	51	17	6	50	71	68	134	310	457	494	198	-
Female	1,701	49	11	4	21	38	47	89	209	361	491	381	-
White	2,339	45	16	7	51	58	57	121	336	557	690	401	-
Male	1,219	26	9	4	34	42	35	71	207	334	331	126	-
Female	1,120	19	7	3	17	16	22	50	129	223	359	275	-
All other	1,218	55	12	3	20	51	58	102	183	261	295	178	-
Male	637	25	8	2	16	29	33	63	103	123	163	72	-
Female	581	30	4	1	4	22	25	39	80	138	132	106	-
Black	1,216	55	12	3	20	51	58	101	183	261	294	178	-
Male	635	25	8	2	16	29	33	62	103	123	162	72	-
Female	581	30	4	1	4	22	25	39	80	138	132	106	-
Sioux City, Iowa-Nebr	1,070	19	3	3	14	18	15	40	142	226	313	277	-
Male	556	13	1	2	10	11	11	23	87	131	167	100	-
Female	514	6	2	1	4	7	4	17	55	95	146	177	-
White	1,041	18	3	2	14	15	15	38	137	218	306	275	-
Male	541	12	1	1	10	11	11	22	83	128	163	99	-
Female	500	6	2	1	4	4	4	16	54	90	143	176	-
All other	29	1	-	1	-	3	-	2	5	8	7	2	-
Male	15	1	-	1	-	-	-	1	4	3	4	1	-
Female	14	-	-	-	-	3	-	1	1	5	3	1	-
Black	15	1	-	-	-	1	-	2	3	4	4	-	-
Male	11	1	-	-	-	-	-	1	3	3	3	-	-
Female	4	-	-	-	-	1	-	1	-	1	1	-	-
Sioux Falls, S. Dak	889	11	4	6	13	26	29	47	119	174	239	221	-
Male	474	7	2	4	9	21	19	34	67	106	110	75	-
Female	415	4	2	2	4	5	10	13	32	68	129	146	-
White	879	10	4	5	12	25	28	46	116	173	239	221	-
Male	469	7	2	4	8	21	18	33	86	105	110	75	-
Female	410	3	2	1	4	4	10	13	30	68	129	146	-
All other	10	1	-	1	1	1	1	1	3	1	-	-	-
Male	5	-	-	-	1	-	1	1	1	1	-	-	-
Female	5	1	-	1	-	1	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend, Ind	2,627	40	4	11	34	42	64	132	343	614	809	534	-
Male	1,313	22	1	6	24	32	36	90	201	358	356	187	-
Female	1,314	18	3	5	10	10	28	42	142	256	453	347	-
White	2,455	29	4	8	28	38	50	115	317	568	784	516	-
Male	1,217	18	1	5	19	29	28	78	185	330	349	175	-
Female	1,238	11	3	3	9	7	22	37	132	238	435	341	-
All other	172	11	-	3	6	6	14	17	26	46	25	18	-
Male	96	4	-	1	5	3	8	12	16	28	7	12	-
Female	76	7	-	2	1	3	6	5	10	18	18	6	-
Black	171	10	-	3	6	6	14	17	26	46	25	18	-
Male	96	4	-	1	5	3	8	12	16	28	7	12	-
Female	75	6	-	2	1	3	6	5	10	18	18	6	-
Spokane, Wash	3,105	51	14	15	53	69	69	134	391	690	865	753	1
Male	1,664	34	10	8	34	50	48	83	250	412	463	272	-
Female	1,441	17	4	7	19	19	21	51	141	278	402	481	1
White	3,038	41	13	15	49	65	64	127	381	679	855	748	1
Male	1,621	29	9	8	31	48	44	80	242	404	454	272	-
Female	1,417	12	4	7	18	17	20	47	139	275	401	476	1
All other	67	10	1	-	4	4	5	7	10	11	10	5	-
Male	43	5	1	-	3	2	4	3	8	8	9	-	-
Female	24	5	-	-	1	2	1	4	2	3	1	5	-
Black	31	7	1	-	-	-	3	3	4	6	5	2	-
Male	22	5	1	-	-	-	3	1	4	4	4	-	-
Female	9	2	-	-	-	-	-	2	-	2	1	2	-
Springfield, Ill	1,802	37	3	11	19	36	39	77	224	408	544	404	-
Male	865	13	2	10	13	23	21	49	144	231	245	114	-
Female	937	24	1	1	6	13	18	28	80	177	299	290	-
White	1,699	30	2	11	18	29	35	69	205	386	520	394	-
Male	817	11	2	10	12	20	19	44	134	221	236	108	-
Female	882	19	-	1	6	9	16	25	71	165	284	286	-
All other	103	7	1	1	1	7	4	8	19	22	24	10	-
Male	48	2	-	1	1	3	2	5	10	10	9	6	-
Female	55	5	1	-	-	4	2	3	9	12	15	4	-
Black	102	6	1	-	1	7	4	8	19	22	24	10	-
Male	48	2	-	-	1	3	2	5	10	10	9	6	-
Female	54	4	1	-	-	4	2	3	9	12	15	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, Mo	1,885	35	8	7	26	36	52	94	231	413	554	428	1
Male	952	23	5	6	17	25	33	67	139	237	249	150	1
Female	933	12	3	1	9	11	19	27	92	176	305	278	-
White	1,848	34	6	6	25	35	50	92	226	400	549	424	1
Male	936	23	5	6	16	24	31	66	137	232	247	148	1
Female	912	11	1	-	9	11	19	26	89	168	302	276	-
All other	37	1	2	1	1	1	2	2	5	13	5	4	-
Male	16	-	-	-	1	1	2	1	2	5	2	2	-
Female	21	1	2	1	-	-	-	1	3	8	3	2	-
Black	35	1	2	1	1	1	2	2	5	11	5	4	-
Male	15	-	-	-	1	1	2	1	2	4	2	2	-
Female	20	1	2	1	-	-	-	1	3	7	3	2	-
Springfield, Ohio	1,721	27	6	7	17	22	45	70	237	438	493	359	-
Male	852	14	3	4	13	16	28	41	145	232	225	131	-
Female	869	13	3	3	4	6	17	29	92	206	268	228	-
White	1,567	20	5	7	13	22	40	59	209	399	456	337	-
Male	781	12	2	4	10	16	24	38	128	218	205	124	-
Female	786	8	3	3	3	6	16	21	81	181	251	213	-
All other	154	7	1	-	4	-	5	11	28	39	37	22	-
Male	71	2	1	-	3	-	4	3	17	14	20	7	-
Female	83	5	-	-	1	-	1	8	11	25	17	15	-
Black	147	6	1	-	3	-	5	10	26	36	36	22	-
Male	69	2	1	-	2	-	4	3	16	14	20	7	-
Female	78	4	-	-	1	-	1	7	10	24	16	15	-
Springfield-Chicopee-Holyoke, Mass	5,554	86	6	18	83	89	109	262	703	1,345	1,507	1,347	-
Male	2,718	46	3	11	56	58	68	188	434	779	697	398	-
Female	2,836	39	3	7	27	31	41	94	269	566	810	949	-
White	5,340	72	4	16	77	74	94	233	663	1,314	1,468	1,325	-
Male	2,603	41	2	10	54	50	57	146	413	761	676	393	-
Female	2,737	31	2	6	23	24	37	87	250	553	792	932	-
All other	214	13	2	2	6	15	15	29	40	31	39	22	-
Male	115	5	1	1	2	8	11	22	21	18	21	5	-
Female	99	8	1	1	4	7	4	7	19	13	18	17	-
Black	208	13	2	2	5	15	14	27	40	31	38	21	-
Male	111	5	1	1	2	8	10	20	21	18	21	4	-
Female	97	8	1	1	3	7	4	7	19	13	17	17	-
State College, Pa	692	11	-	3	13	10	12	30	102	193	185	133	-
Male	353	5	-	2	10	5	5	18	65	107	93	43	-
Female	339	6	-	1	3	5	7	12	37	86	92	90	-
White	691	11	-	3	13	10	12	30	102	193	184	133	-
Male	352	5	-	2	10	5	5	18	65	107	92	43	-
Female	339	6	-	1	3	5	7	12	37	86	92	90	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Steubenville-Weirton, Ohio-W. Va	1,808	15	4	5	25	19	40	83	254	432	451	280	-
Male	871	8	-	4	18	14	23	52	170	253	216	113	-
Female	737	7	4	1	7	5	17	31	84	179	235	167	-
White	1,535	13	4	5	22	17	38	77	242	421	424	272	-
Male	828	7	-	4	16	12	21	51	163	247	198	109	-
Female	707	6	4	1	6	5	17	26	79	174	226	163	-
All other	73	2	-	-	3	2	2	6	12	11	27	8	-
Male	43	1	-	-	2	2	2	1	7	6	18	4	-
Female	30	1	-	-	1	-	-	5	5	5	9	4	-
Black	70	2	-	-	3	2	2	5	12	9	27	8	-
Male	40	1	-	-	2	2	2	-	7	4	18	4	-
Female	30	1	-	-	1	-	-	5	5	5	9	4	-
Stockton, Calif	3,340	89	16	22	77	112	127	204	471	786	857	599	-
Male	1,916	44	7	13	62	84	89	129	283	490	483	232	-
Female	1,424	25	9	9	15	28	38	75	188	296	374	367	-
White	2,928	48	11	19	65	85	101	175	420	705	750	549	-
Male	1,653	31	4	10	53	62	75	112	257	430	412	207	-
Female	1,275	17	7	9	12	23	26	63	163	275	338	342	-
All other	412	21	5	3	12	27	26	29	51	81	107	50	-
Male	263	13	3	3	9	22	14	17	26	60	71	25	-
Female	149	8	2	-	3	5	12	12	25	21	36	25	-
Black	268	11	2	1	9	18	13	18	35	43	37	21	-
Male	112	5	1	1	6	14	6	9	18	29	16	7	-
Female	96	6	1	-	3	4	7	9	17	14	21	14	-
Syracuse, N.Y	5,497	106	13	14	77	82	128	307	785	1,304	1,457	1,224	-
Male	2,837	66	6	10	54	52	77	198	497	759	717	401	-
Female	2,660	40	7	4	23	30	51	109	288	545	740	823	-
White	5,277	91	7	10	73	76	107	278	746	1,257	1,421	1,211	-
Male	2,709	54	3	7	52	47	65	178	473	740	696	394	-
Female	2,568	37	4	3	21	29	42	100	273	517	725	817	-
All other	220	15	6	4	4	6	21	29	39	47	36	13	-
Male	128	12	3	3	2	5	12	20	24	19	21	7	-
Female	92	3	3	1	2	1	9	9	15	28	15	6	-
Black	200	14	6	4	3	6	19	28	33	43	32	12	-
Male	117	11	3	3	2	5	10	19	22	18	18	6	-
Female	83	3	3	1	1	1	9	9	11	25	14	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, Wash	3,852	94	27	28	90	102	114	217	555	880	1,023	722	-
Male	2,049	53	15	18	64	70	72	140	340	511	518	247	-
Female	1,803	41	12	9	26	32	42	77	215	369	505	475	-
White	3,607	69	18	19	73	85	99	195	509	831	1,004	705	-
Male	1,915	42	12	12	53	57	64	131	315	484	509	236	-
Female	1,692	27	6	7	20	28	35	64	194	347	495	469	-
All other	245	25	9	9	17	17	15	22	46	49	19	17	-
Male	134	11	3	7	11	13	8	9	25	27	9	11	-
Female	111	14	6	2	6	4	7	13	21	22	10	6	-
Black	161	20	4	5	10	12	10	14	31	33	12	10	-
Male	96	9	1	5	5	10	6	7	19	20	7	7	-
Female	65	11	3	-	5	2	4	7	12	13	5	3	-
Tallahassee, Fla	1,037	32	3	6	32	34	52	61	166	257	253	141	-
Male	576	20	1	4	18	25	35	40	100	142	137	54	-
Female	461	12	2	2	14	9	17	21	66	115	116	87	-
White	768	23	1	4	28	26	41	42	116	189	184	115	-
Male	437	13	1	3	16	22	30	27	73	108	103	41	-
Female	331	9	-	1	12	4	11	15	43	81	81	74	-
All other	269	10	2	2	4	8	11	19	50	68	69	26	-
Male	139	7	-	1	2	3	5	13	27	34	34	13	-
Female	130	3	2	1	2	5	6	6	23	34	35	13	-
Black	268	10	2	2	4	8	11	19	50	67	69	26	-
Male	138	7	-	1	2	3	5	13	27	33	34	13	-
Female	130	3	2	1	2	5	6	6	23	34	35	13	-
Tampa-St. Petersburg, Fla	21,713	236	55	55	289	368	456	916	2,561	5,249	6,848	4,676	4
Male	11,843	147	31	32	206	260	299	578	1,606	3,208	3,609	1,866	1
Female	9,870	89	24	23	83	108	157	338	955	2,041	3,239	2,810	3
White	20,268	149	46	40	247	299	362	763	2,314	4,912	6,555	4,575	4
Male	11,032	93	27	26	181	216	245	485	1,455	3,007	3,472	1,824	1
Female	9,234	56	19	14	66	83	117	278	859	1,905	3,083	2,751	3
All other	1,447	87	9	15	42	69	94	153	247	337	293	101	-
Male	811	54	4	6	25	44	54	93	151	201	137	42	-
Female	636	33	5	9	17	25	40	60	96	136	156	59	-
Black	1,423	86	9	15	38	69	92	151	241	334	290	98	-
Male	797	53	4	6	23	44	54	92	148	199	135	39	-
Female	626	33	5	9	15	25	38	59	93	135	155	59	-
Terre Haute, Ind	1,958	20	6	7	27	24	38	86	255	478	579	438	-
Male	973	11	4	1	20	14	25	52	157	282	268	139	-
Female	985	9	2	6	7	10	13	34	98	196	311	299	-
White	1,901	19	5	5	24	23	37	83	248	462	564	431	-
Male	949	10	4	-	18	14	25	51	154	275	262	136	-
Female	952	9	1	5	6	9	12	32	94	187	302	295	-
All other	57	1	1	2	3	1	1	3	7	16	15	7	-
Male	24	1	-	1	2	-	-	1	3	7	6	3	-
Female	33	-	1	1	1	1	1	2	4	9	9	4	-
Black	57	1	1	2	3	1	1	3	7	16	15	7	-
Male	24	1	-	1	2	-	-	1	3	7	6	3	-
Female	33	-	1	1	1	1	1	2	4	9	9	4	-
Texarkana, Tex.-Texarkana, Ark	1,367	20	6	6	21	26	49	84	193	339	411	212	-
Male	712	10	4	2	17	19	30	54	118	185	183	90	-
Female	655	10	2	4	4	7	19	30	75	154	228	122	-
White	1,069	7	2	4	17	22	32	67	141	272	335	170	-
Male	565	4	1	2	14	16	20	46	95	149	146	72	-
Female	504	3	1	2	3	6	12	21	46	123	189	98	-
All other	298	13	4	2	4	4	17	17	52	67	76	42	-
Male	147	6	3	-	3	3	10	8	23	36	37	18	-
Female	151	7	1	2	1	1	7	9	29	31	39	24	-
Black	298	13	4	2	4	4	17	17	52	67	76	42	-
Male	147	6	3	-	3	3	10	8	23	36	37	18	-
Female	151	7	1	2	1	1	7	9	29	31	39	24	-
Toledo, Ohio-Mich	6,633	104	20	31	114	182	156	387	938	1,607	1,793	1,321	-
Male	3,428	60	13	22	77	112	102	241	580	925	872	424	-
Female	3,205	44	7	9	37	50	54	146	358	682	921	897	-
White	6,068	83	19	26	97	135	136	330	833	1,471	1,669	1,269	-
Male	3,115	46	12	18	68	95	90	213	525	844	801	403	-
Female	2,953	37	7	8	29	40	46	117	308	627	868	866	-
All other	565	21	1	5	17	27	20	57	105	136	124	52	-
Male	313	14	1	4	9	17	12	28	55	81	71	21	-
Female	252	7	-	1	8	10	8	29	50	55	53	31	-
Black	556	21	1	5	14	27	20	57	104	136	119	52	-
Male	308	14	1	4	8	17	12	28	54	81	68	21	-
Female	248	7	-	1	6	10	8	29	50	55	51	31	-
Topeka, Kans	1,737	27	5	6	38	39	40	78	216	375	455	458	-
Male	908	15	1	3	29	31	22	51	135	224	226	171	-
Female	829	12	4	3	9	8	18	27	81	151	229	287	-
White	1,606	22	4	5	34	34	35	70	199	343	430	430	-
Male	836	14	1	3	25	26	20	47	132	200	209	159	-
Female	770	8	3	2	9	8	15	23	67	143	221	271	-
All other	131	5	1	1	4	5	5	8	17	32	25	28	-
Male	72	1	-	-	4	5	2	4	3	24	17	12	-
Female	59	4	1	1	-	-	3	4	14	8	8	16	-
Black	122	4	1	1	2	5	5	6	17	30	24	27	-
Male	65	-	-	-	2	5	2	2	3	23	16	12	-
Female	57	4	1	1	-	-	3	4	14	7	8	15	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,516	46	13	7	54	58	83	149	392	633	806	475	-
Male	1,299	28	8	5	39	42	52	96	238	358	279	154	-
Female	1,217	18	5	2	15	16	31	53	154	275	327	321	-
White	2,082	22	5	3	33	34	52	113	301	529	538	452	-
Male	1,056	15	4	2	24	25	32	77	185	304	243	145	-
Female	1,026	7	1	1	9	9	20	36	116	225	295	307	-
All other	434	24	8	4	21	24	31	36	91	104	68	23	-
Male	243	13	4	3	15	17	20	19	53	54	36	9	-
Female	191	11	4	1	6	7	11	17	38	50	32	14	-
Black	431	24	8	4	21	24	31	36	90	104	67	22	-
Male	240	13	4	3	15	17	20	19	52	54	35	8	-
Female	191	11	4	1	6	7	11	17	38	50	32	14	-
Tucson, Ariz	4,758	99	22	19	100	126	145	249	676	1,180	1,319	822	1
Male	2,669	52	11	10	81	90	110	165	408	707	703	332	-
Female	2,089	47	11	9	19	36	35	84	268	473	616	490	1
White	4,495	82	18	19	86	105	122	223	640	1,130	1,269	801	-
Male	2,518	45	9	10	68	74	93	149	393	683	671	323	-
Female	1,977	37	9	9	18	31	29	74	247	447	598	478	-
All other	263	17	4	-	14	21	23	26	36	50	50	21	1
Male	151	7	2	-	13	16	17	16	15	24	32	9	-
Female	112	10	2	-	1	5	6	10	21	26	18	12	1
Black	124	5	-	-	3	4	7	9	20	33	29	13	1
Male	72	4	-	-	3	3	6	6	10	16	19	5	-
Female	52	1	-	-	-	1	1	3	10	17	10	8	1
Tulsa, Okla	5,906	128	38	43	133	188	204	340	875	1,276	1,543	1,137	1
Male	3,097	70	21	32	95	135	119	202	560	761	740	361	1
Female	2,809	58	17	11	38	53	85	138	315	515	803	776	-
White	5,247	101	29	38	110	150	170	289	773	1,137	1,401	1,048	1
Male	2,738	58	17	28	82	111	97	173	492	672	679	328	1
Female	2,509	43	12	10	28	39	73	116	281	465	722	720	-
All other	659	27	9	5	23	38	34	51	102	139	142	89	-
Male	359	12	4	4	13	24	22	29	68	89	61	33	-
Female	300	15	5	1	10	14	12	22	34	50	81	56	-
Black	498	20	7	2	13	30	21	39	83	101	107	75	-
Male	271	8	4	2	7	20	15	20	57	66	44	28	-
Female	227	12	3	-	6	10	6	19	26	35	63	47	-
Tuscaloosa, Ala	1,068	27	2	4	26	28	41	77	159	281	273	170	-
Male	594	19	1	3	22	21	25	53	101	159	136	54	-
Female	474	8	1	1	4	7	16	24	58	102	137	116	-
White	728	8	2	2	17	20	23	42	107	172	204	131	-
Male	411	5	1	2	13	17	12	30	72	113	104	42	-
Female	317	3	1	-	4	3	11	12	35	59	100	89	-
All other	340	19	-	2	9	8	18	35	52	89	69	39	-
Male	183	14	-	1	9	4	13	23	29	46	32	12	-
Female	157	5	-	1	-	4	5	12	23	43	37	27	-
Black	340	19	-	2	9	8	18	35	52	89	69	39	-
Male	183	14	-	1	9	4	13	23	29	46	32	12	-
Female	157	5	-	1	-	4	5	12	23	43	37	27	-
Tyler, Tex	1,291	35	9	11	32	38	35	72	179	293	358	229	-
Male	694	19	6	7	24	31	22	45	114	166	176	84	-
Female	597	16	3	4	8	7	13	27	65	127	182	145	-
White	997	18	8	7	28	28	24	48	134	225	286	191	-
Male	525	9	5	4	23	23	17	32	88	131	133	60	-
Female	472	9	3	3	5	5	7	16	46	94	153	131	-
All other	294	17	1	4	4	10	11	24	45	68	72	38	-
Male	169	10	1	3	1	6	5	13	26	35	43	24	-
Female	125	7	-	1	3	2	6	11	19	33	29	14	-
Black	294	17	1	4	4	10	11	24	45	68	72	38	-
Male	169	10	1	3	1	6	5	13	26	35	43	24	-
Female	125	7	-	1	3	2	6	11	19	33	29	14	-
Utica-Rome, N.Y	3,337	40	5	12	41	37	71	151	431	839	895	815	-
Male	1,698	27	4	6	25	27	46	97	261	518	425	262	-
Female	1,639	13	1	6	16	10	25	54	170	321	470	553	-
White	3,274	34	5	11	41	36	69	143	417	827	880	811	-
Male	1,667	24	4	6	25	27	46	92	252	509	420	262	-
Female	1,607	10	1	5	16	9	23	51	165	318	460	549	-
All other	63	6	-	1	-	1	2	8	14	12	15	4	-
Male	31	3	-	-	-	-	-	5	9	9	5	-	-
Female	32	3	-	1	-	1	2	3	5	3	10	4	-
Black	60	6	-	-	-	1	2	7	14	12	15	3	-
Male	30	3	-	-	-	-	-	4	9	9	5	-	-
Female	30	3	-	-	-	1	2	3	5	3	10	3	-
Vallejo-Fairfield-Napa, Calif	2,706	59	12	19	49	75	104	168	377	616	694	532	1
Male	1,446	33	9	8	34	50	66	104	222	360	343	216	1
Female	1,260	26	3	11	15	25	38	64	155	256	351	316	-
White	2,399	46	11	16	43	64	81	133	317	550	637	500	1
Male	1,275	24	8	7	30	43	52	87	191	322	310	200	1
Female	1,124	22	3	9	13	21	29	46	126	228	327	300	-
All other	307	13	1	3	6	11	23	35	60	66	57	32	-
Male	171	9	1	1	4	7	14	17	31	38	33	16	-
Female	136	4	-	2	2	4	9	18	29	28	24	16	-
Black	203	9	1	2	3	10	13	26	38	49	34	18	-
Male	107	5	1	1	2	6	7	15	20	26	18	8	-
Female	96	4	-	1	1	4	6	11	18	23	16	10	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Victoria, Tex	490	4	2	1	10	12	29	27	83	115	117	90	-
Male	251	2	-	1	9	11	25	22	49	65	52	25	-
Female	229	2	2	-	1	1	4	5	34	50	65	65	-
White	446	4	2	1	9	11	25	27	72	97	111	87	-
Male	230	2	-	1	8	10	21	22	44	50	49	23	-
Female	216	2	2	-	1	1	4	5	28	47	62	64	-
All other	44	-	-	-	1	1	4	-	11	18	6	3	-
Male	31	-	-	-	1	1	4	-	5	15	3	2	-
Female	13	-	-	-	-	-	-	-	6	3	3	1	-
Black	44	-	-	-	1	1	4	-	11	18	6	3	-
Male	31	-	-	-	1	1	4	-	5	15	3	2	-
Female	13	-	-	-	-	-	-	-	6	3	3	1	-
Vineland-Millville-Bridgeton, N.J	1,271	29	6	7	22	22	25	78	181	356	327	218	-
Male	663	12	3	4	19	16	12	48	117	198	168	66	-
Female	608	17	3	3	3	6	13	30	64	158	159	152	-
White	1,094	17	3	4	18	16	22	59	151	309	293	202	-
Male	561	6	1	4	15	12	10	35	96	172	150	60	-
Female	533	11	2	-	3	4	12	24	55	137	143	142	-
All other	177	12	3	3	4	6	3	19	30	47	34	16	-
Male	102	6	2	-	4	4	2	13	21	26	18	6	-
Female	75	6	1	3	-	2	1	6	9	21	16	10	-
Black	169	12	3	3	4	5	3	19	26	45	33	16	-
Male	99	6	2	-	4	4	2	13	18	26	18	6	-
Female	70	6	1	3	-	1	1	6	8	19	15	10	-
Visalia-Tulare-Porterville, Calif	2,206	60	17	13	70	74	64	147	298	516	563	384	2
Male	1,233	36	9	9	57	52	40	85	178	315	301	149	2
Female	973	24	8	4	13	22	24	62	118	201	262	235	-
White	2,116	57	16	11	67	70	58	141	287	499	540	368	2
Male	1,171	35	9	9	56	49	35	81	173	302	283	137	2
Female	945	22	7	2	11	21	23	60	114	197	257	231	-
All other	90	3	1	2	3	4	6	6	9	17	23	16	-
Male	62	1	-	-	1	3	5	4	5	13	18	12	-
Female	28	2	1	2	2	1	1	2	4	4	5	4	-
Black	41	1	1	-	-	2	3	5	4	5	11	9	-
Male	25	-	-	-	-	1	2	3	2	3	7	7	-
Female	16	1	1	-	-	1	1	2	2	2	4	2	-
Waco, Tex	1,752	31	14	7	30	40	44	102	253	410	474	347	-
Male	891	19	10	4	25	21	30	59	165	238	216	104	-
Female	861	12	4	3	5	19	14	43	88	172	258	243	-
White	1,444	24	10	5	26	30	28	76	200	339	398	308	-
Male	743	16	6	3	21	18	18	47	132	204	188	90	-
Female	701	8	4	2	5	12	10	29	68	135	210	218	-
All other	308	7	4	2	4	10	16	26	53	71	76	39	-
Male	148	3	4	1	4	3	12	12	33	34	28	14	-
Female	160	4	-	1	-	7	4	14	20	37	48	25	-
Black	307	7	4	2	4	10	16	25	53	71	76	39	-
Male	148	3	4	1	4	3	12	12	33	34	28	14	-
Female	159	4	-	1	-	7	4	13	20	37	48	25	-
Washington, D.C.-Md.-Va	21,172	622	80	112	494	750	1,006	1,628	3,548	4,645	4,800	3,469	18
Male	10,972	375	46	62	357	530	624	1,019	2,173	2,571	2,173	1,027	15
Female	10,200	247	34	50	137	220	382	609	1,375	2,074	2,627	2,442	3
White	13,994	260	43	56	283	344	469	867	2,190	3,106	3,563	2,806	7
Male	6,934	158	23	31	203	241	293	554	1,318	1,740	1,574	794	7
Female	7,060	104	20	25	80	103	176	313	872	1,366	1,989	2,012	-
All other	7,178	362	37	56	211	406	537	761	1,358	1,539	1,237	663	11
Male	4,038	219	23	31	154	289	331	465	855	831	599	233	8
Female	3,140	143	14	25	57	117	206	296	503	708	638	430	3
Black	6,934	347	35	50	207	395	523	727	1,327	1,466	1,183	643	11
Male	3,891	208	22	26	152	284	322	446	832	808	561	222	8
Female	3,043	139	13	24	55	111	201	281	495	678	622	421	3
Waterloo-Cedar Falls, Iowa	998	18	3	4	15	10	20	45	129	242	271	241	-
Male	499	10	2	3	10	6	10	28	82	153	124	71	-
Female	499	8	1	1	5	4	10	17	47	89	147	170	-
White	962	15	3	3	15	10	20	40	125	235	263	233	-
Male	478	8	2	2	10	6	10	24	79	148	120	69	-
Female	484	7	1	1	5	4	10	16	46	87	143	164	-
All other	36	3	-	1	-	-	-	5	4	7	8	8	-
Male	21	2	-	1	-	-	-	4	3	5	4	2	-
Female	15	1	-	-	-	-	-	1	1	2	4	6	-
Black	35	3	-	-	-	-	-	5	4	7	8	8	-
Male	20	2	-	-	-	-	-	4	3	5	4	2	-
Female	15	1	-	-	-	-	-	1	1	2	4	6	-
Wausau, Wis	851	13	2	6	20	20	19	41	102	190	229	209	-
Male	494	8	1	4	14	15	14	27	71	124	127	89	-
Female	357	5	1	2	6	5	5	14	31	66	102	120	-
White	849	13	2	6	19	20	18	41	102	190	229	209	-
Male	492	8	1	4	13	15	13	27	71	124	127	89	-
Female	357	5	1	2	6	5	5	14	31	66	102	120	-
All other	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach-Boca Raton, Fla	8,170	111	23	24	119	183	183	310	896	2,105	2,659	1,557	-
Male	4,634	60	13	14	82	138	128	194	536	1,233	1,523	713	-
Female	3,536	51	10	10	37	45	55	116	360	872	1,136	844	-
White	7,391	54	14	13	83	117	125	242	765	1,925	2,546	1,507	-
Male	4,178	30	8	5	54	89	84	151	461	1,132	1,468	696	-
Female	3,213	24	6	8	29	28	41	91	304	793	1,078	811	-
All other	779	57	9	11	36	66	58	68	131	180	113	50	-
Male	456	30	5	9	28	49	44	43	75	101	55	17	-
Female	323	27	4	2	8	17	14	25	56	79	58	33	-
Black	777	57	9	11	36	65	58	68	131	180	112	50	-
Male	454	30	5	9	28	48	44	43	75	101	54	17	-
Female	323	27	4	2	8	17	14	25	56	79	58	33	-
Wheeling, W. Va.-Ohio	1,998	24	3	8	27	25	32	98	283	501	616	381	-
Male	1,023	14	2	6	20	17	22	59	173	289	290	131	-
Female	975	10	1	2	7	8	10	39	110	212	326	250	-
White	1,939	22	3	8	27	24	29	94	275	488	598	371	-
Male	995	13	2	6	20	16	21	57	169	284	281	126	-
Female	944	9	1	2	7	8	8	37	106	204	317	245	-
All other	59	2	-	-	-	1	3	4	8	13	18	10	-
Male	28	1	-	-	-	1	1	2	4	5	9	5	-
Female	31	1	-	-	-	-	2	2	4	8	9	5	-
Black	56	2	-	-	-	1	2	4	8	12	17	10	-
Male	28	1	-	-	-	1	1	2	4	5	9	6	-
Female	28	1	-	-	-	-	1	2	4	7	8	5	-
Wichita, Kans	3,320	85	17	21	69	70	88	179	484	758	878	691	-
Male	1,671	50	10	18	46	55	47	105	284	444	423	189	-
Female	1,649	35	7	3	23	15	41	74	180	314	455	502	-
White	3,058	59	15	17	64	60	76	158	422	706	824	659	-
Male	1,542	34	10	15	43	48	43	93	263	414	400	179	-
Female	1,516	25	5	2	21	12	33	63	159	292	424	480	-
All other	262	26	2	4	5	10	12	23	42	52	54	32	-
Male	129	16	-	3	3	7	4	12	21	30	23	10	-
Female	133	10	2	1	2	3	8	11	21	22	31	22	-
Black	238	20	1	3	5	10	10	22	40	47	49	31	-
Male	116	12	-	2	3	7	3	11	19	29	20	10	-
Female	122	8	1	1	2	3	7	11	21	18	29	21	-
Wichita Falls, Tex	1,270	38	4	4	24	35	29	100	159	276	358	248	-
Male	654	13	3	1	16	29	20	64	102	154	172	80	-
Female	616	23	1	3	8	6	9	36	57	121	186	168	-
White	1,162	25	4	3	22	33	26	91	143	250	334	231	-
Male	598	8	3	1	15	27	19	58	92	140	158	77	-
Female	564	17	1	2	7	6	7	33	51	110	176	154	-
All other	108	11	-	1	2	2	3	9	16	25	24	15	-
Male	56	5	-	-	1	2	1	6	10	14	14	3	-
Female	52	6	-	1	1	-	2	3	6	11	10	12	-
Black	106	10	-	1	2	1	3	9	16	25	24	15	-
Male	55	5	-	-	1	1	1	6	10	14	14	3	-
Female	51	5	-	1	1	-	2	3	6	11	10	12	-
Williamsport, Pa	1,156	12	2	8	17	11	16	46	159	293	344	248	-
Male	620	7	1	5	13	9	10	30	92	186	164	103	-
Female	536	5	1	3	4	2	6	16	67	107	180	145	-
White	1,140	12	2	8	16	11	16	46	156	287	342	244	-
Male	612	7	1	5	12	9	10	30	90	182	164	102	-
Female	528	5	1	3	4	2	6	16	66	105	178	142	-
All other	16	-	-	-	1	-	-	-	3	6	2	4	-
Male	8	-	-	-	1	-	-	-	2	4	-	1	-
Female	8	-	-	-	-	-	-	-	1	2	2	3	-
Black	16	-	-	-	1	-	-	-	3	6	2	4	-
Male	8	-	-	-	1	-	-	-	2	4	-	1	-
Female	8	-	-	-	-	-	-	-	1	2	2	3	-
Wilmington, Del.-N.J.-Md	4,319	93	12	21	62	97	138	280	689	1,067	1,067	791	2
Male	2,216	51	3	11	49	68	87	171	416	598	490	271	1
Female	2,103	42	9	10	13	29	51	109	273	469	577	520	1
White	3,665	57	9	14	52	73	93	214	577	909	939	728	2
Male	1,864	31	2	6	39	52	62	131	351	516	423	250	1
Female	1,801	26	7	8	13	21	31	83	226	393	516	476	1
All other	654	36	3	7	10	24	45	66	112	158	128	65	-
Male	352	20	1	5	10	16	25	40	65	82	67	21	-
Female	302	16	2	2	-	8	20	26	47	76	61	44	-
Black	644	36	3	7	10	23	40	65	112	156	128	64	-
Male	347	20	1	5	10	16	21	40	65	81	67	21	-
Female	297	16	2	2	-	7	19	25	47	75	61	43	-
Wilmington, N.C	1,280	23	1	6	23	29	40	97	221	359	298	183	-
Male	719	13	1	4	15	25	23	69	139	215	158	57	-
Female	561	10	-	2	8	4	17	28	82	144	140	126	-
White	967	16	-	6	18	14	30	71	186	258	232	156	-
Male	545	9	-	4	13	12	16	53	105	158	128	49	-
Female	422	7	-	2	5	2	14	18	81	102	104	107	-
All other	313	7	1	-	5	15	10	26	55	101	66	27	-
Male	174	4	1	-	2	13	7	16	34	59	30	8	-
Female	139	3	-	-	3	2	3	10	21	42	36	19	-
Black	312	7	1	-	5	15	10	26	55	100	66	27	-
Male	173	4	1	-	2	13	7	16	34	58	30	8	-
Female	139	3	-	-	3	2	3	10	21	42	36	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Worcester-Fitchburg-Leominster, Mass	6,314	76	7	18	104	95	115	314	783	1,499	1,786	1,516	1
Male	3,212	44	5	9	73	64	67	202	494	874	879	501	-
Female	3,102	32	2	9	31	31	48	112	289	625	907	1,015	1
White	6,252	70	6	17	101	89	114	302	773	1,487	1,779	1,513	1
Male	3,180	41	4	9	70	60	66	197	489	868	875	501	-
Female	3,072	29	2	8	31	29	48	105	284	619	904	1,012	1
All other	62	6	1	1	3	6	1	12	10	12	7	3	-
Male	32	3	1	-	3	4	1	5	5	6	4	-	-
Female	30	3	-	1	-	2	-	7	5	6	3	3	-
Black	54	4	1	1	2	6	-	10	9	11	7	3	-
Male	28	2	1	-	2	4	-	5	4	6	4	-	-
Female	26	2	-	1	-	2	-	5	5	5	3	3	-
Yakima, Wash	1,558	30	5	4	47	38	44	87	197	367	407	332	-
Male	877	14	3	3	40	29	25	54	123	229	232	125	-
Female	681	16	2	1	7	9	19	33	74	138	175	207	-
White	1,481	29	5	2	38	31	38	74	179	347	396	322	-
Male	823	14	3	1	32	24	23	46	117	215	227	121	-
Female	638	15	2	1	6	7	15	28	62	132	169	201	-
All other	97	1	-	2	9	7	6	13	18	20	11	10	-
Male	54	-	-	2	8	5	2	8	6	14	5	4	-
Female	43	1	-	-	1	2	4	5	12	6	6	6	-
Black	17	-	-	-	-	-	-	-	4	5	3	5	-
Male	11	-	-	-	-	-	-	-	2	4	2	3	-
Female	6	-	-	-	-	-	-	-	2	1	1	2	-
York, Pa	3,324	43	11	9	55	58	66	158	459	743	1,001	723	-
Male	1,784	21	9	8	41	42	45	92	311	450	501	264	-
Female	1,540	22	2	1	14	16	21	64	148	293	500	459	-
White	3,241	37	11	8	52	55	60	150	442	725	984	717	-
Male	1,736	17	9	7	39	39	41	90	301	441	491	261	-
Female	1,505	20	2	1	13	16	19	60	141	284	493	456	-
All other	83	6	-	1	3	3	6	8	17	18	17	6	-
Male	48	4	-	1	2	3	4	2	10	9	10	3	-
Female	35	2	-	-	1	-	2	4	7	9	7	3	-
Black	81	6	-	1	3	3	6	8	16	18	16	6	-
Male	47	4	-	1	2	3	4	2	10	9	9	3	-
Female	34	2	-	-	1	-	2	4	6	9	7	3	-
Youngstown-Warren, Ohio	5,207	67	17	12	68	104	130	283	817	1,351	1,401	959	-
Male	2,760	40	4	7	46	77	84	172	485	808	683	354	-
Female	2,447	27	13	5	20	27	46	111	332	543	718	605	-
White	4,597	36	14	5	54	73	103	229	691	1,218	1,282	897	-
Male	2,435	20	4	3	40	54	70	145	410	737	628	324	-
Female	2,162	16	10	2	14	19	33	84	281	476	654	573	-
All other	610	31	3	7	12	31	27	54	126	133	119	62	-
Male	325	20	-	4	6	23	14	27	75	71	55	30	-
Female	285	11	3	3	6	8	13	27	51	67	64	32	-
Black	602	30	3	7	12	31	26	54	122	136	119	62	-
Male	322	19	-	4	6	23	14	27	73	71	55	30	-
Female	280	11	3	3	6	8	12	27	49	65	64	32	-
Yuba City, Calif	869	14	3	6	16	27	19	61	119	207	239	157	1
Male	500	9	2	4	11	14	12	39	79	142	124	63	1
Female	369	5	1	2	5	13	7	22	40	65	115	94	-
White	822	12	3	6	13	26	18	58	108	197	228	152	1
Male	469	7	2	4	9	13	11	37	71	135	119	60	1
Female	353	5	1	2	4	13	7	21	37	62	109	92	-
All other	47	2	-	-	3	1	1	3	11	10	11	5	-
Male	31	2	-	-	2	1	1	2	8	7	5	3	-
Female	16	-	-	-	1	-	-	1	3	3	6	2	-
Black	23	2	-	-	1	1	1	1	6	6	5	-	-
Male	15	2	-	-	-	1	1	1	4	4	2	-	-
Female	8	-	-	-	1	-	-	-	2	2	3	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,039,369	38,580	2,918	1,935	1,398	1,121	46,952	4,140	4,936	15,219	23,604	24,242	25,686	28,247
Male	1,076,514	22,359	1,605	1,109	784	644	26,501	2,480	3,105	10,928	17,732	17,760	18,017	18,694
Female	962,855	17,221	1,313	826	614	477	20,451	1,660	1,831	4,295	5,872	6,492	7,669	9,553
White	1,781,697	27,808	2,128	1,414	1,034	837	33,021	3,121	3,890	12,625	18,890	18,433	18,967	21,185
Male	934,529	15,805	1,186	826	581	477	18,875	1,869	2,458	9,075	14,299	13,657	13,447	14,049
Female	847,368	11,803	942	588	453	360	14,148	1,252	1,432	3,550	4,591	4,776	5,520	7,136
All other	257,472	11,972	790	521	364	284	13,931	1,019	1,046	2,588	4,714	5,809	6,719	7,062
Male	141,985	6,554	419	283	203	167	7,626	611	647	1,853	3,433	4,093	4,570	4,645
Female	115,487	5,418	371	238	161	117	6,305	408	399	735	1,281	1,716	2,149	2,417
Black	235,884	10,681	664	462	313	240	12,560	910	919	2,192	4,139	5,252	6,128	6,439
Male	129,147	5,861	352	250	177	140	6,880	538	577	1,585	2,991	3,697	4,200	4,269
Female	106,737	4,820	312	212	136	100	5,680	372	342	627	1,148	1,555	1,928	2,170
Shigellosis and amebiasis (004,006)	18	–	–	–	–	–	–	3	–	–	1	–	–	–
Male	11	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	7	–	–	–	–	–	–	3	–	–	–	–	–	–
White	16	–	–	–	–	–	–	3	–	–	1	–	–	–
Male	11	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	5	–	–	–	–	–	–	3	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	331	138	7	4	2	–	151	3	1	3	–	3	5	3
Male	156	83	4	1	1	–	89	2	1	1	–	2	2	3
Female	175	55	3	3	1	–	62	1	–	2	–	1	3	–
White	245	72	6	4	1	–	83	2	1	3	–	1	4	3
Male	102	37	4	1	1	–	43	1	1	1	–	1	2	3
Female	143	35	2	3	–	–	40	1	–	2	–	–	2	–
All other	86	66	1	–	1	–	68	1	–	–	–	2	1	–
Male	54	46	–	–	–	–	46	1	–	–	–	1	–	–
Female	32	20	1	–	1	–	22	–	–	–	–	1	1	–
Black	80	62	1	–	1	–	64	1	–	–	–	2	1	–
Male	51	43	–	–	–	–	43	1	–	–	–	1	–	–
Female	29	19	1	–	1	–	21	–	–	–	–	1	1	–
Tuberculosis (010-018)	1,729	2	1	1	–	–	4	1	1	5	23	49	45	61
Male	1,149	1	–	1	–	–	2	1	1	3	10	28	31	51
Female	580	1	1	–	–	–	2	–	–	2	13	15	14	10
White	1,047	–	–	1	–	–	1	1	–	1	8	12	19	20
Male	689	–	–	1	–	–	1	1	–	1	3	9	12	17
Female	358	–	–	–	–	–	–	–	–	–	5	3	7	3
All other	682	2	1	–	–	–	3	–	1	4	15	31	26	41
Male	460	1	–	–	–	–	1	–	1	2	7	19	19	34
Female	222	1	1	–	–	–	2	–	–	2	8	12	7	7
Black	619	1	1	–	–	–	2	–	1	4	15	31	24	39
Male	425	–	–	–	–	–	–	–	1	2	7	19	19	33
Female	194	1	1	–	–	–	2	–	–	2	8	12	5	6
Tuberculosis of respiratory system (010-012)	1,342	–	–	1	–	–	1	–	–	1	12	27	27	48
Male	932	–	–	1	–	–	1	–	–	1	6	18	18	37
Female	410	–	–	–	–	–	–	–	–	–	6	9	9	6
White	828	–	–	1	–	–	1	–	–	1	4	7	13	11
Male	575	–	–	1	–	–	1	–	–	1	3	5	10	10
Female	253	–	–	–	–	–	–	–	–	–	1	2	3	1
All other	514	–	–	–	–	–	–	–	–	–	8	20	14	32
Male	357	–	–	–	–	–	–	–	–	–	3	13	8	27
Female	157	–	–	–	–	–	–	–	–	–	5	7	6	5
Black	483	–	–	–	–	–	–	–	–	–	8	20	13	31
Male	328	–	–	–	–	–	–	–	–	–	3	13	8	27
Female	135	–	–	–	–	–	–	–	–	–	5	7	5	4
Other tuberculosis (013-018)	387	2	1	–	–	–	3	1	1	4	11	16	18	18
Male	217	1	–	–	–	–	1	1	1	2	4	10	13	14
Female	170	1	1	–	–	–	2	–	–	2	7	6	5	4
White	219	–	–	–	–	–	–	1	–	–	4	5	6	9
Male	114	–	–	–	–	–	–	1	–	–	–	4	2	7
Female	105	–	–	–	–	–	–	–	–	–	4	1	4	2
All other	168	2	1	–	–	–	3	–	1	4	7	11	12	9
Male	103	1	–	–	–	–	1	–	1	2	4	6	11	7
Female	65	1	1	–	–	–	2	–	–	2	3	5	1	2
Black	156	1	1	–	–	–	2	–	1	4	7	11	11	8
Male	97	–	–	–	–	–	–	–	1	2	4	6	11	6
Female	59	1	1	–	–	–	2	–	–	2	3	5	–	2
Whooping cough (033)	7	7	–	–	–	–	7	–	–	–	–	–	–	–
Male	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Female	5	5	–	–	–	–	5	–	–	–	–	–	–	–
White	6	6	–	–	–	–	6	–	–	–	–	–	–	–
Male	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Female	4	4	–	–	–	–	4	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	34,309	45,723	71,490	116,875	170,380	214,732	261,838	281,892	269,020	217,311	129,787	43,913	8,455	524
Male	21,893	28,805	45,026	73,197	105,419	129,211	150,167	148,140	122,297	82,089	41,024	11,762	1,904	353
Female	12,416	16,918	26,464	43,778	64,961	85,521	111,671	133,752	146,723	135,222	88,763	32,131	6,551	171
White	26,125	35,526	57,651	97,365	145,262	187,563	230,931	253,910	244,706	202,905	121,679	40,841	7,129	372
Male	16,787	22,517	36,608	61,493	90,573	113,733	133,421	133,916	111,144	75,959	38,125	10,753	1,507	254
Female	9,328	13,009	21,043	35,872	54,689	73,830	97,510	119,994	133,562	126,946	83,554	29,888	5,622	118
All other	8,184	10,197	13,839	19,510	25,118	27,169	30,907	27,982	24,314	14,406	8,108	3,272	1,326	152
Male	5,096	6,288	8,418	11,704	14,846	15,478	16,746	14,224	11,153	6,130	2,899	1,029	397	99
Female	3,088	3,909	5,421	7,806	10,272	11,691	14,161	13,758	13,161	8,276	5,209	2,243	929	53
Black	7,446	9,352	12,748	16,144	23,346	25,207	28,649	25,681	22,188	12,971	7,290	2,942	1,236	137
Male	4,651	5,781	7,756	10,857	13,785	14,315	15,322	12,739	9,909	5,408	2,574	869	354	90
Female	2,795	3,571	4,990	7,287	9,561	10,892	13,327	12,942	12,289	7,563	4,716	2,053	882	47
Shigellosis and amebiasis (004,006)	1	–	–	2	1	2	3	–	1	2	1	1	–	–
Male	1	–	–	2	1	2	2	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	1	–	–	2	–	1	–	–
White	1	–	–	2	1	2	2	–	1	1	1	1	–	–
Male	1	–	–	2	1	2	2	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	1	–	1	–	–
All other	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Certain other intestinal infections (007-009)	4	3	5	6	15	9	19	23	26	18	22	6	5	1
Male	3	2	2	1	5	5	4	7	12	3	8	2	2	–
Female	1	1	3	5	10	4	15	16	14	15	14	4	3	1
White	4	3	3	5	13	9	17	21	22	18	22	6	5	–
Male	3	2	1	1	3	5	4	5	11	3	8	2	2	–
Female	1	1	2	4	10	4	13	16	11	15	14	4	3	–
All other	–	–	2	1	2	–	2	2	4	–	–	–	–	1
Male	–	–	1	–	2	–	–	2	1	–	–	–	–	–
Female	–	–	1	1	–	–	2	–	3	–	–	–	–	1
Black	–	–	2	–	2	–	1	2	4	–	–	–	–	1
Male	–	–	1	–	2	–	–	2	1	–	–	–	–	–
Female	–	–	1	–	–	–	1	–	3	–	–	–	–	1
Tuberculosis (010-018)	79	78	99	147	155	192	214	205	200	109	54	19	3	1
Male	57	59	79	110	108	128	142	124	113	69	25	5	2	1
Female	22	19	20	37	47	64	72	81	87	40	29	5	1	–
White	22	33	45	84	93	124	145	154	150	85	40	9	1	–
Male	17	27	34	62	69	83	98	91	86	54	19	4	1	–
Female	5	6	11	22	24	41	47	63	64	31	21	5	–	–
All other	57	45	54	63	62	68	69	51	50	24	14	1	2	1
Male	40	32	45	48	39	45	44	33	27	15	6	1	1	1
Female	17	13	9	15	23	23	25	18	23	9	8	–	1	–
Black	53	42	52	59	55	62	62	43	42	17	13	1	1	1
Male	39	30	44	45	36	42	40	27	23	10	6	1	–	1
Female	14	12	8	14	19	20	22	16	19	7	7	–	1	–
Tuberculosis of respiratory system (010-012)	51	65	77	119	124	157	164	168	158	94	43	9	3	–
Male	37	52	65	90	89	110	120	107	98	59	18	4	2	–
Female	14	13	12	29	35	47	44	61	60	35	25	4	1	–
White	16	28	31	66	76	99	114	129	115	75	34	7	1	–
Male	14	24	26	47	58	71	84	81	74	47	15	3	1	–
Female	2	4	5	19	18	28	30	48	41	28	18	4	–	–
All other	35	37	46	53	48	58	50	39	43	19	9	1	2	–
Male	23	28	39	43	31	39	36	26	24	12	3	1	1	–
Female	12	9	7	10	17	19	14	13	19	7	6	–	1	–
Black	33	34	45	49	41	52	45	33	35	13	9	1	1	–
Male	23	26	38	40	28	36	32	22	20	8	3	1	–	–
Female	10	8	7	9	13	16	13	11	15	5	6	–	1	–
Other tuberculosis (013-016)	28	13	22	28	31	35	50	37	42	15	11	2	–	1
Male	20	7	14	20	19	18	22	17	15	10	7	1	–	1
Female	8	6	8	8	12	17	28	20	27	5	4	1	–	–
White	6	5	14	18	17	25	31	25	35	10	6	2	–	–
Male	3	3	8	15	11	12	14	10	12	7	4	1	–	–
Female	3	2	6	3	6	13	17	15	23	3	2	1	–	–
All other	22	8	8	10	14	10	19	12	7	5	5	–	–	1
Male	17	4	6	5	8	6	8	7	3	3	3	–	–	1
Female	5	4	2	5	6	4	11	5	4	2	2	–	–	–
Black	20	8	7	10	14	10	17	10	7	4	4	–	–	1
Male	16	4	6	5	8	6	8	5	3	2	3	–	–	1
Female	4	4	1	5	6	4	9	5	4	2	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	11	–	–	–	–	–	–	–	–	–	–	–	1	2
Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2
Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–
White	8	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	–	–	–	–	–	1	1
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	1	1
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Meningococcal infection (036)	300	66	45	13	7	5	136	15	7	28	16	9	7	5
Male	146	36	26	6	3	3	74	10	2	15	9	6	3	4
Female	154	30	19	7	4	2	62	5	5	13	7	3	4	1
White	226	58	32	11	3	3	107	8	5	21	9	5	6	2
Male	107	31	20	6	1	1	59	7	2	10	5	4	2	2
Female	119	27	12	5	2	2	48	1	3	11	4	1	4	–
All other	74	8	13	2	4	2	29	7	2	7	7	4	1	3
Male	39	5	6	–	2	2	15	3	–	5	4	2	1	2
Female	35	3	7	2	2	–	14	4	2	2	3	2	–	1
Black	70	7	12	2	3	2	26	7	1	7	7	4	1	3
Male	37	4	5	–	2	2	13	3	–	5	4	2	1	2
Female	33	3	7	2	1	–	13	4	1	2	3	2	–	1
Septicemia (038)	15,028	296	32	23	14	7	372	27	16	22	76	91	122	163
Male	7,068	172	16	9	4	6	207	16	7	12	36	58	73	94
Female	7,960	124	16	14	10	1	165	11	9	10	40	35	49	69
White	11,976	182	21	15	10	4	232	15	12	17	59	61	86	107
Male	5,602	107	9	6	4	3	129	10	6	8	29	40	38	62
Female	6,374	75	12	9	6	1	103	5	6	9	30	21	28	45
All other	3,052	114	11	8	4	3	140	12	4	5	17	30	56	56
Male	1,466	65	7	3	–	3	78	6	1	4	7	16	35	32
Female	1,586	49	4	5	4	–	62	6	3	1	10	14	21	24
Black	2,897	100	10	8	3	3	124	11	3	4	16	26	54	53
Male	1,383	60	6	3	–	3	72	6	1	3	7	15	33	30
Female	1,514	40	4	5	3	–	52	5	2	1	9	11	21	23
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	889	8	4	2	–	–	14	4	3	18	54	60	50	54
Male	484	3	2	1	–	–	6	1	1	9	25	31	32	32
Female	385	5	2	1	–	–	8	3	2	9	29	29	18	22
White	699	4	3	2	–	–	9	4	2	11	41	41	34	36
Male	396	1	2	1	–	–	4	1	–	5	19	22	22	27
Female	303	3	1	1	–	–	5	3	2	6	22	19	12	9
All other	170	4	1	–	–	–	5	–	1	7	13	19	16	18
Male	88	2	–	–	–	–	2	–	1	4	6	9	10	5
Female	82	2	1	–	–	–	3	–	–	3	7	10	6	13
Black	119	4	1	–	–	–	5	–	1	6	12	17	14	15
Male	55	2	–	–	–	–	2	–	1	4	6	8	9	3
Female	64	2	1	–	–	–	3	–	–	2	6	9	5	12
Syphilis (090-097)	105	6	–	–	–	–	6	–	–	–	2	–	1	–
Male	67	3	–	–	–	–	3	–	–	–	1	–	1	–
Female	38	3	–	–	–	–	3	–	–	–	1	–	–	–
White	55	3	–	–	–	–	3	–	–	–	2	–	1	–
Male	33	2	–	–	–	–	2	–	–	–	1	–	1	–
Female	22	1	–	–	–	–	1	–	–	–	1	–	–	–
All other	50	3	–	–	–	–	3	–	–	–	–	–	–	–
Male	34	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	16	2	–	–	–	–	2	–	–	–	–	–	–	–
Black	46	3	–	–	–	–	3	–	–	–	–	–	–	–
Male	31	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	15	2	–	–	–	–	2	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	2	1	–	1	1	1	1	–	–	–	–	–
Male	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Female	–	1	2	–	–	–	1	1	–	–	–	–	–	–
White	–	1	2	1	–	1	1	–	1	–	–	–	–	–
Male	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Female	–	1	2	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Meningococcal infection (036)	5	8	8	12	12	7	9	4	6	5	1	–	–	–
Male	3	3	1	2	4	5	2	1	1	1	–	–	–	–
Female	2	5	7	10	8	2	7	3	5	4	1	–	–	–
White	3	6	5	11	11	7	7	4	5	3	1	–	–	–
Male	1	2	–	2	3	5	1	1	1	–	–	–	–	–
Female	2	4	5	9	8	2	6	3	4	3	1	–	–	–
All other	2	2	3	1	1	–	2	–	1	2	–	–	–	–
Male	2	1	1	–	1	–	1	–	–	1	–	–	–	–
Female	–	1	2	1	–	–	1	–	1	1	–	–	–	–
Black	2	2	3	1	1	–	2	–	1	2	–	–	–	–
Male	2	1	1	–	1	–	1	–	–	1	–	–	–	–
Female	–	1	2	1	–	–	1	–	1	1	–	–	–	–
Septicemia (038)	198	268	398	673	1,117	1,377	1,830	2,120	2,327	2,075	1,204	384	67	1
Male	108	146	223	384	636	774	1,007	1,033	953	763	402	120	17	1
Female	90	122	175	289	481	603	823	1,087	1,374	1,312	802	264	50	–
White	112	162	266	480	852	1,074	1,520	1,752	1,950	1,816	1,048	323	51	1
Male	59	87	153	281	510	620	800	855	803	649	349	103	10	1
Female	53	75	113	199	342	454	720	897	1,147	1,167	699	220	41	–
All other	86	106	132	193	265	303	410	368	377	259	156	61	16	–
Male	49	59	70	103	126	154	207	178	150	114	53	17	7	–
Female	37	47	62	90	139	149	203	190	227	145	103	44	9	–
Black	78	102	124	186	257	285	391	357	353	248	153	57	15	–
Male	46	57	64	98	124	144	198	171	135	108	50	15	6	–
Female	32	45	60	88	133	141	193	186	218	140	103	42	9	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	41	42	55	75	90	92	82	53	40	28	12	2	–	–
Male	32	28	38	48	52	49	44	25	17	11	3	–	–	–
Female	9	14	17	27	38	43	38	28	23	17	9	2	–	–
White	29	29	45	61	77	66	71	46	37	26	12	2	–	–
Male	24	20	31	40	43	48	39	21	17	10	3	–	–	–
Female	5	9	14	21	34	38	32	25	20	16	9	2	–	–
All other	12	13	10	14	13	6	11	7	3	2	–	–	–	–
Male	8	8	7	8	9	1	5	4	–	1	–	–	–	–
Female	4	5	3	6	4	5	6	3	3	1	–	–	–	–
Black	4	8	3	10	5	4	7	4	2	2	–	–	–	–
Male	2	3	2	6	3	–	3	2	–	1	–	–	–	–
Female	2	5	1	4	2	4	4	2	2	1	–	–	–	–
Syphilis (090-097)	2	1	1	5	7	14	17	19	15	10	5	–	–	–
Male	1	1	–	3	6	12	6	15	9	6	3	–	–	–
Female	1	–	1	2	1	2	11	4	6	4	2	–	–	–
White	2	1	1	4	2	8	7	5	12	4	3	–	–	–
Male	1	1	–	2	2	6	3	4	7	2	1	–	–	–
Female	1	–	1	2	–	2	4	1	5	2	2	–	–	–
All other	–	–	–	1	5	6	10	14	9	6	2	–	–	–
Male	–	–	–	1	4	6	3	11	2	4	2	–	–	–
Female	–	–	–	–	1	–	7	3	1	2	–	–	–	–
Black	–	–	–	1	5	4	10	13	2	6	2	–	–	–
Male	–	–	–	1	4	4	3	11	1	4	2	–	–	–
Female	–	–	–	–	1	–	7	2	1	2	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	6,101	199	33	20	19	12	283	54	52	66	137	310	444	404
Male	3,633	121	15	8	7	8	159	30	27	39	92	220	355	313
Female	2,468	78	18	12	12	4	124	24	25	27	45	90	89	91
White	4,801	131	23	13	17	11	195	41	40	55	97	212	285	274
Male	2,850	80	8	6	7	8	109	23	20	31	67	155	241	226
Female	1,951	51	15	7	10	3	86	18	20	24	30	57	44	48
All other	1,300	68	10	7	2	1	88	13	12	11	40	98	159	130
Male	783	41	7	2	–	–	50	7	7	8	25	65	114	87
Female	517	27	3	5	2	1	38	6	5	3	15	33	45	43
Black	1,177	62	10	7	1	1	81	13	9	6	37	91	153	127
Male	701	38	7	2	–	–	47	7	6	6	23	58	111	84
Female	476	24	3	5	1	1	34	6	3	2	14	33	42	43
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	453,492	114	122	155	136	150	677	592	615	911	1,283	2,017	3,334	5,484
Male	242,790	60	69	93	78	71	371	350	352	558	794	1,064	1,574	2,337
Female	210,702	54	53	62	58	79	306	242	263	353	489	953	1,760	3,157
White	398,631	83	108	128	113	124	556	485	500	761	1,085	1,672	2,741	4,513
Male	211,369	41	59	76	62	61	299	296	291	464	679	899	1,305	1,909
Female	187,262	42	49	52	51	63	257	189	209	297	406	773	1,436	2,604
All other	54,861	31	14	27	23	26	121	97	115	150	198	345	593	981
Male	31,421	19	10	17	16	10	72	54	61	94	115	165	269	428
Female	23,440	12	4	10	7	16	49	43	54	56	83	180	324	553
Black	50,266	16	9	23	19	20	87	83	99	126	177	302	511	865
Male	28,851	9	6	14	13	5	47	45	51	79	99	141	231	376
Female	21,415	7	3	9	6	15	40	38	48	47	78	161	280	489
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,462	–	–	–	–	–	–	–	8	10	14	29	39	90
Male	5,765	–	–	–	–	–	–	–	5	5	10	17	27	69
Female	2,697	–	–	–	–	–	–	–	3	5	4	12	12	21
White	7,078	–	–	–	–	–	–	–	6	8	9	18	29	53
Male	4,688	–	–	–	–	–	–	–	4	4	6	12	19	39
Female	2,390	–	–	–	–	–	–	–	2	4	3	6	10	14
All other	1,384	–	–	–	–	–	–	–	2	2	5	11	10	37
Male	1,077	–	–	–	–	–	–	–	1	1	4	5	8	30
Female	307	–	–	–	–	–	–	–	1	1	1	6	2	7
Black	1,248	–	–	–	–	–	–	–	2	1	3	7	4	34
Male	985	–	–	–	–	–	–	–	1	1	3	4	3	29
Female	263	–	–	–	–	–	–	–	1	–	–	3	1	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,616	16	9	6	9	4	44	12	12	37	74	238	449	846
Male	60,824	8	5	4	4	2	23	8	6	21	45	137	283	492
Female	55,792	8	4	2	5	2	21	4	6	16	29	101	165	354
White	101,250	10	6	5	8	3	32	8	9	27	50	169	328	633
Male	52,314	7	4	3	3	2	19	6	3	15	32	98	208	360
Female	48,936	3	2	2	5	1	13	2	6	12	18	71	120	273
All other	15,366	6	3	1	1	1	12	4	3	10	24	69	120	213
Male	8,510	1	1	1	1	–	4	2	3	6	13	39	75	132
Female	6,856	5	2	–	–	1	8	2	–	4	11	30	45	81
Black	13,745	1	1	1	1	1	5	3	2	9	22	52	95	178
Male	7,561	–	–	1	1	–	2	1	2	5	12	29	59	111
Female	6,184	1	1	–	–	1	3	2	–	4	10	23	36	67
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	123,699	10	2	1	3	2	18	15	10	17	34	94	208	707
Male	86,336	9	1	1	1	–	12	14	5	11	26	64	118	420
Female	37,363	1	1	–	2	2	6	1	5	6	8	30	90	287
White	109,199	5	1	1	3	1	11	14	8	13	30	72	166	568
Male	75,437	4	–	1	1	–	6	13	4	8	23	52	88	325
Female	33,762	1	1	–	2	1	5	1	4	5	7	20	78	243
All other	14,500	5	1	–	–	1	7	1	2	4	4	22	42	139
Male	10,899	5	1	–	–	–	6	1	1	3	3	12	30	95
Female	3,601	–	–	–	–	1	1	–	1	1	1	10	12	44
Black	13,481	3	–	–	–	1	4	1	1	3	4	18	36	131
Male	10,181	3	–	–	–	–	3	1	–	2	3	9	28	88
Female	3,260	–	–	–	–	1	1	–	1	1	1	9	8	43
Malignant neoplasm of breast (174-175)	39,722	1	–	–	–	–	1	1	–	3	14	148	537	1,198
Male	250	–	–	–	–	–	–	–	–	–	1	–	3	3
Female	39,472	1	–	–	–	–	1	1	–	3	13	148	534	1,195
White	35,469	1	–	–	–	–	1	1	–	3	11	108	434	984
Male	213	–	–	–	–	–	–	–	–	–	1	–	3	3
Female	35,256	1	–	–	–	–	1	1	–	3	10	108	431	981
All other	4,253	–	–	–	–	–	–	–	–	–	3	42	103	214
Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4,216	–	–	–	–	–	–	–	–	–	3	42	103	214
Black	3,981	–	–	–	–	–	–	–	–	–	3	41	92	199
Male	36	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3,945	–	–	–	–	–	–	–	–	–	3	41	92	199
Malignant neoplasms of genital organs (179-187)	48,955	1	1	–	4	3	9	3	14	32	113	220	376	504
Male	26,060	–	–	–	2	2	4	2	2	16	67	73	79	49
Female	22,895	1	1	–	2	1	5	1	12	16	46	147	297	455
White	41,510	1	1	–	3	3	9	3	12	29	100	191	301	412
Male	21,684	–	–	–	1	2	3	2	2	15	65	73	69	40
Female	19,826	1	1	–	2	1	5	1	10	14	35	118	232	372
All other	7,445	–	–	–	1	–	1	–	2	3	13	29	75	92
Male	4,376	–	–	–	1	–	1	–	–	1	2	–	10	9
Female	3,069	–	–	–	–	–	–	–	2	2	11	29	65	83
Black	7,012	–	–	–	1	–	1	–	2	3	11	27	66	75
Male	4,192	–	–	–	1	–	1	–	–	1	–	–	8	7
Female	2,820	–	–	–	–	–	–	–	2	2	11	27	58	68

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-136)	337	333	289	404	471	537	547	518	413	286	154	48	14	1
Male	253	229	187	255	285	282	299	251	180	110	52	12	3	-
Female	84	104	101	149	186	255	248	267	233	176	102	36	11	1
White	224	237	199	321	390	458	474	464	365	270	144	43	12	1
Male	180	169	135	213	243	243	260	224	151	102	47	10	1	-
Female	44	68	64	108	147	215	214	240	214	168	97	33	11	1
All other	113	96	89	83	81	79	73	54	48	16	10	5	2	-
Male	73	60	52	42	42	39	39	27	29	6	5	2	2	-
Female	40	36	37	41	39	40	34	27	19	8	5	3	-	-
Black	103	90	78	71	72	72	62	43	40	13	8	4	2	-
Male	66	57	46	34	36	34	30	21	22	6	3	2	2	-
Female	37	33	32	37	36	38	32	22	18	7	5	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,752	13,859	24,499	41,870	58,185	68,105	71,636	63,064	46,468	27,685	11,400	2,701	303	42
Male	3,922	6,647	12,671	22,967	32,621	38,779	40,942	34,798	23,691	12,647	4,595	974	109	27
Female	4,830	7,212	11,828	18,903	25,564	29,326	30,694	28,266	22,777	15,038	6,805	1,727	194	15
White	7,069	11,233	20,394	35,586	50,361	60,267	63,787	56,843	42,078	25,549	10,472	2,416	235	24
Male	3,148	5,275	10,416	19,278	27,922	34,048	36,170	31,092	21,254	11,520	4,156	853	78	17
Female	3,915	5,958	9,978	16,308	22,439	26,219	27,617	25,751	20,824	14,029	6,316	1,563	157	7
All other	1,669	2,626	4,105	6,284	7,824	7,838	7,849	6,221	4,390	2,136	928	285	68	18
Male	774	1,372	2,255	3,689	4,699	4,731	4,772	3,706	2,437	1,127	439	121	31	10
Female	915	1,254	1,850	2,595	3,125	3,107	3,077	2,515	1,953	1,008	489	164	37	8
Black	1,503	2,407	3,743	5,801	7,230	7,260	7,238	5,720	4,004	1,926	846	257	64	17
Male	701	1,266	2,073	3,431	4,372	4,408	4,377	3,373	2,215	1,016	407	106	28	9
Female	802	1,141	1,670	2,370	2,858	2,852	2,861	2,347	1,789	910	439	151	36	8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	208	357	668	1,076	1,397	1,347	1,188	848	602	350	165	40	5	1
Male	147	265	522	803	978	914	830	531	370	182	71	16	2	1
Female	61	92	166	273	419	433	358	317	232	168	94	24	3	-
White	123	220	502	846	1,161	1,197	1,044	778	555	330	158	39	4	-
Male	82	157	375	621	792	794	715	479	332	171	68	16	2	-
Female	41	63	127	225	369	403	329	297	223	159	90	23	2	-
All other	85	137	166	230	236	150	144	72	47	20	7	1	1	1
Male	65	108	147	182	186	120	115	52	38	11	3	-	-	1
Female	20	29	39	48	50	30	29	20	9	9	4	1	1	-
Black	78	127	169	215	211	140	127	64	42	18	5	1	1	1
Male	61	103	133	170	169	112	102	47	34	10	2	-	-	1
Female	15	24	36	45	42	28	25	17	8	8	3	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,482	2,567	5,050	9,090	13,599	16,978	18,969	18,154	14,504	9,404	4,036	940	107	5
Male	879	1,547	3,032	5,530	8,037	9,787	10,364	9,102	6,400	3,514	1,313	265	35	4
Female	603	1,040	2,018	3,560	5,562	7,191	8,605	9,052	8,104	5,890	2,723	675	72	1
White	1,155	1,948	4,024	7,406	11,500	14,734	16,589	16,270	13,048	8,664	3,730	840	89	3
Male	663	1,144	2,393	4,514	6,788	8,486	9,064	8,132	5,706	3,207	1,193	235	25	3
Female	472	804	1,631	2,892	4,712	6,248	7,525	8,138	7,342	5,457	2,537	605	58	-
All other	327	619	1,026	1,684	2,099	2,244	2,380	1,884	1,456	740	306	100	24	2
Male	198	403	639	1,016	1,249	1,301	1,300	970	694	307	120	30	10	1
Female	131	238	387	668	850	943	1,080	914	762	433	186	70	14	1
Black	278	557	922	1,514	1,890	2,042	2,148	1,724	1,288	636	264	89	23	2
Male	170	349	581	913	1,110	1,184	1,159	867	604	264	105	24	9	1
Female	108	208	341	601	780	858	989	857	684	374	159	65	14	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,784	4,074	8,044	14,705	20,131	22,607	21,355	15,784	8,859	3,766	1,180	258	26	13
Male	1,143	2,594	5,375	10,129	14,089	15,692	15,362	11,449	6,282	2,514	679	135	15	8
Female	641	1,480	2,669	4,576	6,042	6,715	5,993	4,345	2,577	1,252	501	123	11	5
White	1,411	3,331	6,701	12,555	17,442	20,178	19,357	14,400	8,128	3,477	1,089	220	18	9
Male	874	2,070	4,419	8,526	12,058	14,008	13,791	10,383	5,740	2,299	622	113	9	6
Female	537	1,261	2,282	4,029	5,384	6,170	5,566	4,017	2,389	1,178	467	107	9	3
All other	373	743	1,343	2,150	2,689	2,429	1,998	1,384	730	289	91	38	8	4
Male	269	524	956	1,603	2,031	1,884	1,571	1,066	542	215	57	22	6	2
Female	104	219	387	547	658	545	427	328	188	74	34	16	2	2
Black	344	704	1,251	2,035	2,538	2,265	1,837	1,259	646	280	83	32	7	4
Male	254	501	900	1,528	1,932	1,772	1,446	960	487	191	52	19	5	2
Female	90	203	351	509	604	493	391	299	159	89	31	13	2	2
Malignant neoplasm of breast (174-175)	1,682	2,136	3,186	4,521	5,243	5,277	4,960	4,266	3,159	2,069	972	314	33	2
Male	7	12	12	25	28	40	38	35	25	17	5	1	-	-
Female	1,675	2,124	3,174	4,496	5,217	5,237	4,922	4,231	3,134	2,052	967	313	33	2
White	1,343	1,782	2,752	3,992	4,660	4,790	4,556	3,964	2,911	1,959	913	280	26	1
Male	5	8	12	23	20	32	31	30	23	16	5	1	-	-
Female	1,338	1,774	2,740	3,969	4,640	4,758	4,525	3,934	2,888	1,943	908	279	26	1
All other	339	354	434	529	583	487	404	302	248	110	59	34	7	1
Male	2	4	-	2	6	8	7	5	2	1	-	-	-	-
Female	337	350	434	527	577	479	397	297	246	109	59	34	7	1
Black	306	328	401	489	542	461	388	287	243	102	57	34	7	1
Male	2	4	-	2	5	8	7	5	2	1	-	-	-	-
Female	304	324	401	487	537	453	381	282	241	101	57	34	7	1
Malignant neoplasms of genital organs (179-187)	751	1,085	1,649	2,966	4,723	6,479	8,021	8,265	6,905	4,532	1,685	414	41	8
Male	50	83	243	774	1,792	3,172	4,682	5,425	4,686	3,232	1,305	289	27	8
Female	701	982	1,406	2,192	2,931	3,307	3,339	2,840	2,219	1,300	380	125	14	-
White	590	851	1,341	2,487	3,972	5,458	6,730	7,060	5,940	4,015	1,618	381	27	4
Male	42	62	190	609	1,418	2,586	3,786	4,530	3,963	2,836	1,127	245	17	4
Female	548	789	1,151	1,878	2,554	2,872	2,944	2,530	1,977	1,179	491	116	10	-
All other	161	234	308	479	751	1,021	1,291	1,205	965	517	247	53	14	4
Male	8	21	53	165	374	586	896	895	723	396	178	44	10	4
Female	153	193	255	314	377	435	395	310	242	121	69	9	4	-
Black	142	199	277	442	704	977	1,231	1,138	917	493	238	52	13	4
Male	8	21	52	157	367	572	861	847	685	374	174	43	10	4
Female	134	178	225	285	337	405	370	291	232	119	64	9	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	18,600	2	4	4	7	7	24	19	10	7	19	31	49	102
Male	12,050	1	2	2	5	3	13	8	3	4	10	15	27	65
Female	6,550	1	2	2	2	4	11	11	7	3	9	16	22	37
White	16,922	2	4	3	6	7	22	12	8	5	12	21	38	84
Male	11,061	1	2	2	4	3	12	5	3	3	5	9	22	56
Female	5,861	1	2	1	2	4	10	7	5	2	7	12	16	28
All other	1,678	–	–	1	1	–	2	7	2	2	7	10	11	18
Male	989	–	–	–	1	–	1	3	–	1	5	6	5	9
Female	689	–	–	1	–	–	1	4	2	1	2	4	6	9
Black	1,537	–	–	1	1	–	2	6	2	2	5	10	10	17
Male	888	–	–	–	1	–	1	2	–	1	4	6	4	5
Female	649	–	–	1	–	–	1	4	2	1	1	4	6	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	56,236	47	62	74	80	85	348	279	259	367	450	655	847	1,182
Male	29,838	24	36	49	47	40	196	152	145	225	286	383	586	710
Female	26,398	23	26	25	33	45	152	127	114	142	164	272	361	472
White	50,049	36	57	62	67	70	292	230	209	313	393	565	831	1,038
Male	26,488	16	32	39	40	34	161	127	120	191	251	344	510	690
Female	23,563	20	25	23	27	36	131	103	89	122	142	241	321	408
All other	6,187	11	5	12	13	15	56	49	50	54	57	70	116	144
Male	3,352	8	4	10	7	6	35	25	25	34	35	39	76	80
Female	2,835	3	1	2	6	9	21	24	25	20	22	31	40	64
Black	5,639	6	4	11	11	11	43	43	43	41	55	59	103	127
Male	3,055	4	3	9	6	3	25	22	20	27	33	32	66	70
Female	2,584	2	1	2	5	8	18	21	23	14	22	27	38	57
Leukemia (204-208)	17,080	32	41	61	29	44	207	233	245	269	322	291	320	404
Male	9,276	17	25	31	17	21	111	136	152	163	188	167	184	237
Female	7,804	15	16	30	12	23	96	95	93	106	134	124	136	167
White	15,479	26	36	51	23	35	171	196	200	243	266	249	278	334
Male	8,409	13	21	27	12	17	90	116	128	154	153	141	163	197
Female	7,070	13	15	24	11	18	81	82	72	89	113	108	115	137
All other	1,601	6	5	10	6	9	36	35	45	46	56	42	42	70
Male	867	4	4	4	5	4	21	22	24	29	35	26	21	40
Female	734	2	1	6	1	5	15	13	21	17	21	16	21	30
Black	1,407	4	4	8	5	7	28	29	40	41	46	39	36	55
Male	754	2	3	3	4	2	14	18	22	24	27	23	18	34
Female	653	2	1	5	1	5	14	11	18	17	19	16	18	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24,122	5	3	9	4	5	26	30	57	149	243	311	410	461
Male	12,991	1	–	6	2	3	12	26	34	93	161	208	267	292
Female	11,731	4	3	3	2	2	14	2	23	56	82	103	143	169
White	21,675	2	3	6	3	5	19	29	48	120	214	261	336	407
Male	11,077	–	–	4	1	3	8	27	27	74	143	170	223	259
Female	10,598	2	3	2	2	2	11	2	21	46	71	91	113	148
All other	2,447	3	–	3	1	–	7	1	9	29	29	50	74	54
Male	1,314	1	–	2	1	–	4	1	7	19	18	38	44	33
Female	1,133	2	–	1	–	–	3	–	2	10	11	12	30	21
Black	2,236	2	–	2	–	–	4	1	7	28	28	49	69	48
Male	1,199	–	–	1	–	–	1	1	6	18	17	38	43	29
Female	1,037	2	–	1	–	–	3	–	1	8	11	11	26	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,436	78	14	14	15	6	127	44	38	47	52	82	104	124
Male	2,920	34	9	6	6	2	57	18	16	25	25	53	54	68
Female	3,516	44	5	8	9	4	70	26	20	22	27	29	50	56
White	5,656	61	10	14	13	5	103	34	29	37	45	69	87	101
Male	2,568	27	8	6	6	1	48	14	14	19	22	44	46	56
Female	3,088	34	2	8	7	4	55	20	15	18	23	25	41	45
All other	780	17	4	–	2	1	24	10	7	10	7	13	17	23
Male	352	7	1	–	–	1	9	4	2	6	3	9	8	12
Female	428	10	3	–	2	–	15	6	5	4	4	4	9	11
Black	697	12	3	–	2	1	18	9	6	10	5	11	13	23
Male	308	5	1	–	–	1	7	4	2	6	1	7	7	12
Female	389	7	2	–	2	–	11	5	4	4	4	4	6	11
Diabetes mellitus (250)	35,787	4	2	2	1	–	9	10	17	28	91	225	353	501
Male	14,859	–	1	1	1	–	3	4	9	15	45	117	201	256
Female	20,928	4	1	1	–	–	6	6	8	13	46	108	152	245
White	29,456	3	2	2	–	–	7	9	12	19	74	184	257	386
Male	12,450	–	1	1	–	–	2	3	4	12	38	96	145	234
Female	17,016	3	1	1	–	–	5	6	8	7	36	86	112	152
All other	6,321	1	–	–	1	–	2	1	5	9	17	41	96	115
Male	2,409	–	–	–	1	–	1	1	5	3	7	19	56	62
Female	3,912	1	–	–	–	–	1	–	–	6	10	22	40	53
Black	5,810	1	–	–	1	–	2	1	4	8	16	39	92	112
Male	2,160	–	–	–	1	–	1	1	4	3	6	19	54	59
Female	3,650	1	–	–	–	–	1	–	–	5	10	20	38	53
Nutritional deficiencies (260-269)	2,600	18	4	2	1	–	25	2	2	–	2	8	11	5
Male	977	13	2	2	1	–	18	2	1	–	2	2	6	1
Female	1,623	5	2	–	–	–	7	–	1	–	–	6	3	4
White	2,231	12	3	1	1	–	17	2	1	–	2	7	9	4
Male	799	8	2	1	1	–	12	2	–	–	2	2	6	1
Female	1,432	4	1	–	–	–	5	–	1	–	–	5	3	3
All other	369	6	1	1	–	–	8	–	1	–	–	1	2	1
Male	178	5	–	1	–	–	6	–	1	–	–	–	2	–
Female	191	1	1	–	–	–	2	–	–	–	–	1	–	1
Black	338	6	–	1	–	–	7	–	1	–	–	1	2	1
Male	161	5	–	1	–	–	6	–	1	–	–	–	2	–
Female	177	1	–	–	–	–	1	–	–	–	–	1	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	223	399	786	1,320	1,958	2,500	3,074	3,039	2,472	1,618	732	191	25	2
Male	154	291	543	921	1,363	1,722	2,097	1,932	1,503	918	351	102	7	1
Female	69	108	243	399	595	778	977	1,107	969	700	381	89	18	1
White	181	339	695	1,186	1,726	2,271	2,813	2,792	2,307	1,525	683	180	20	2
Male	130	257	489	835	1,216	1,572	1,941	1,778	1,417	871	334	97	6	1
Female	51	82	206	351	508	699	872	1,014	890	654	349	83	14	1
All other	42	60	91	134	232	229	261	247	165	93	49	11	5	-
Male	24	34	54	86	145	150	156	154	86	47	17	5	1	-
Female	18	26	37	48	87	79	105	93	79	46	32	6	4	-
Black	36	53	78	125	215	208	244	223	155	86	45	11	4	-
Male	18	31	43	80	132	137	143	137	80	41	15	5	-	-
Female	18	22	35	45	83	71	101	86	75	45	30	6	4	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,629	2,039	3,259	5,216	6,834	7,613	8,023	6,930	5,251	3,164	1,414	329	38	10
Male	944	1,147	1,902	3,080	3,902	4,349	4,317	3,486	2,292	1,147	471	101	13	4
Female	685	892	1,357	2,136	2,932	3,264	3,706	3,444	2,959	2,017	943	228	25	6
White	1,419	1,740	2,791	4,504	6,057	6,807	7,195	6,274	4,791	2,938	1,308	299	31	4
Male	820	979	1,627	2,644	3,450	3,914	3,871	3,167	2,092	1,055	433	89	10	2
Female	599	761	1,164	1,860	2,607	2,893	3,324	3,107	2,699	1,883	875	211	21	2
All other	210	299	468	712	777	806	828	656	460	226	106	30	7	6
Male	124	168	275	436	452	435	446	319	200	92	38	13	3	2
Female	86	131	193	276	325	371	382	337	260	134	68	17	4	4
Black	180	280	433	648	717	738	774	607	415	203	96	24	7	5
Male	108	159	252	403	423	398	415	289	177	84	35	11	3	1
Female	72	121	181	245	294	338	359	318	238	119	61	13	4	4
Leukemia (204-208)	426	481	707	1,084	1,537	1,988	2,287	2,298	1,973	1,291	549	130	19	-
Male	241	257	392	623	904	1,167	1,304	1,225	979	560	219	40	5	-
Female	185	224	315	461	633	821	983	1,073	994	731	329	90	14	-
White	381	422	604	968	1,394	1,820	2,086	2,142	1,854	1,231	525	118	17	-
Male	214	221	341	565	821	1,072	1,197	1,130	924	534	209	35	4	-
Female	147	201	263	401	573	748	889	1,012	930	697	316	83	13	-
All other	65	59	103	118	143	168	201	156	119	60	23	12	2	-
Male	27	36	51	58	83	95	107	95	55	28	10	5	1	-
Female	38	23	52	60	60	73	94	61	64	34	13	7	1	-
Black	59	49	81	103	126	151	184	141	110	58	21	9	2	-
Male	26	32	38	50	74	84	93	87	53	25	8	3	1	-
Female	33	17	43	53	52	67	91	54	57	31	13	6	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	567	721	1,130	1,692	2,763	3,316	3,759	3,470	2,743	1,491	488	85	9	1
Male	357	451	650	1,082	1,530	1,736	1,948	1,613	1,154	563	181	25	5	1
Female	210	270	480	610	1,233	1,580	1,811	1,857	1,589	928	307	60	4	-
White	480	600	984	1,644	2,448	3,012	3,417	3,165	2,543	1,410	448	79	9	1
Male	298	377	570	941	1,357	1,584	1,774	1,463	1,057	531	165	23	5	1
Female	182	223	414	703	1,092	1,428	1,643	1,702	1,486	879	283	56	4	-
All other	87	121	146	248	314	304	342	305	200	81	40	6	-	-
Male	59	74	80	141	173	152	174	150	97	32	16	2	-	-
Female	28	47	66	107	141	152	168	155	103	49	24	4	-	-
Black	82	110	131	230	288	280	305	277	188	70	37	5	-	-
Male	54	66	74	130	160	141	151	134	93	26	16	1	-	-
Female	28	44	57	100	129	139	154	143	95	44	21	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	134	167	198	387	546	723	898	972	844	647	220	74	10	-
Male	77	84	108	197	285	345	429	495	329	216	72	23	4	-
Female	57	83	90	190	261	378	469	537	515	431	148	51	6	-
White	112	131	158	337	469	638	785	882	766	593	204	69	7	-
Male	63	70	83	178	239	304	381	394	306	196	69	20	2	-
Female	49	61	75	159	230	334	404	488	460	397	135	49	5	-
All other	22	36	40	50	77	85	113	90	78	54	18	5	3	-
Male	14	14	25	19	46	41	48	41	23	20	3	3	2	-
Female	8	22	15	31	31	44	65	49	55	34	13	2	1	-
Black	21	34	39	47	67	79	98	78	70	48	16	3	2	-
Male	13	12	25	18	40	38	40	32	20	17	3	3	1	-
Female	8	22	14	29	27	41	58	46	50	31	13	-	1	-
Diabetes mellitus (250)	571	746	1,259	2,045	3,450	4,423	5,511	5,801	5,056	3,575	1,624	438	53	1
Male	338	441	687	1,017	1,594	2,028	2,308	2,335	1,808	1,048	459	97	9	-
Female	233	305	572	1,028	1,856	2,395	3,203	3,466	3,248	2,527	1,165	341	44	1
White	407	545	896	1,528	2,632	3,496	4,503	4,948	4,416	3,251	1,467	382	45	-
Male	252	332	505	808	1,259	1,655	1,983	2,032	1,618	950	424	89	7	-
Female	155	213	391	720	1,373	1,841	2,520	2,916	2,800	2,301	1,043	293	38	-
All other	164	201	363	517	818	927	1,008	853	638	324	157	56	8	1
Male	86	109	182	209	335	373	325	303	190	98	35	8	2	-
Female	78	92	181	308	483	554	683	550	448	226	122	48	6	1
Black	157	190	330	471	749	850	930	782	595	290	135	49	7	1
Male	83	102	162	187	296	332	289	269	174	83	28	4	2	-
Female	74	88	168	284	451	518	641	513	421	207	107	45	5	1
Nutritional deficiencies (260-269)	15	12	27	47	78	132	234	323	455	539	432	190	61	-
Male	5	5	16	27	41	78	120	136	163	166	130	48	8	-
Female	10	7	11	20	37	54	114	187	292	373	302	142	53	-
White	9	11	22	35	52	107	184	254	398	485	410	166	56	-
Male	2	4	13	19	26	68	96	101	138	141	122	38	6	-
Female	7	7	9	16	26	39	88	153	260	344	288	128	50	-
All other	6	1	5	12	26	25	50	69	57	54	22	24	5	-
Male	3	1	3	8	15	10	24	35	25	25	8	10	2	-
Female	3	-	2	4	11	15	26	34	32	29	14	14	3	-
Black	6	1	5	12	25	24	48	62	55	49	17	20	4	-
Male	3	1	3	8	14	10	22	30	23	23	5	9	1	-
Female	3	-	2	4	11	14	24	32	32	26	12	11	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,527	33	24	19	9	13	98	36	36	49	73	69	59	65
Male	1,545	16	15	9	3	7	50	14	15	27	41	41	29	33
Female	1,982	17	9	10	6	6	48	22	21	22	32	28	30	32
White	2,844	17	8	7	2	6	40	21	21	19	27	23	13	25
Male	1,203	9	3	2	1	3	18	9	7	10	12	11	7	11
Female	1,641	8	5	5	1	3	22	12	14	9	15	12	6	14
All other	683	16	16	12	7	7	58	15	15	30	46	46	46	40
Male	342	7	12	7	2	4	32	5	8	17	29	30	22	22
Female	341	9	4	5	5	3	26	10	7	13	17	16	24	18
Black	640	11	14	11	7	7	50	12	15	30	45	45	44	40
Male	315	5	10	6	2	4	27	5	8	17	28	29	20	22
Female	325	6	4	5	5	3	23	7	7	13	17	16	24	18
Meningitis (320-322)	1,194	288	88	40	32	16	442	24	22	16	20	19	38	22
Male	650	155	58	23	17	7	260	9	11	6	13	15	27	14
Female	544	113	28	17	15	9	182	15	11	10	7	4	11	8
White	846	172	63	27	22	12	296	18	14	11	13	12	27	16
Male	472	107	45	18	11	6	187	8	9	3	9	9	20	11
Female	374	65	18	9	11	6	109	10	5	8	4	3	7	5
All other	348	96	23	13	10	4	146	6	8	5	7	7	11	6
Male	178	48	13	5	6	1	73	1	2	3	4	6	7	3
Female	170	48	10	8	4	3	73	5	6	2	3	1	4	3
Black	319	79	21	11	10	4	125	5	8	5	7	6	11	6
Male	164	39	13	4	6	1	63	1	2	3	4	6	7	3
Female	155	40	8	7	4	3	62	4	6	2	3	-	4	3
Major cardiovascular diseases (390-448)	973,418	1,084	217	83	51	50	1,495	224	246	509	998	1,615	2,850	5,234
Male	485,019	598	119	50	26	24	817	121	124	295	599	994	1,919	3,697
Female	488,399	486	98	43	25	26	678	103	122	214	399	621	931	1,537
White	867,397	759	151	63	37	34	1,044	172	176	372	688	1,062	1,933	3,774
Male	431,917	421	80	34	21	17	573	88	89	219	416	682	1,345	2,781
Female	435,480	338	71	29	16	17	471	84	87	153	272	400	588	993
All other	106,021	325	66	30	14	16	451	52	70	137	310	533	917	1,460
Male	53,102	177	39	16	5	7	244	33	35	76	183	312	574	916
Female	52,919	148	27	14	9	9	207	19	35	61	127	221	343	544
Black	98,158	287	55	26	13	11	404	47	61	131	277	499	847	1,366
Male	48,491	161	32	16	5	4	218	29	30	72	158	291	527	862
Female	49,668	126	23	12	8	7	186	18	31	59	119	208	320	504
Diseases of heart (390-398,402,404-429)	765,114	953	197	71	41	37	1,299	168	172	370	729	1,150	2,164	4,142
Male	397,097	524	107	38	20	18	707	92	86	225	450	752	1,565	3,115
Female	368,017	429	90	33	21	19	592	76	86	145	279	398	599	1,027
White	684,511	688	137	46	33	26	910	130	126	261	502	759	1,496	3,054
Male	355,454	375	74	25	18	13	505	70	64	157	311	499	1,113	2,400
Female	329,057	293	63	21	15	13	405	60	62	104	191	260	385	654
All other	80,603	265	60	25	8	11	369	38	46	109	227	391	666	1,088
Male	41,643	149	33	13	2	5	202	22	22	68	139	253	452	715
Female	38,960	136	27	12	6	6	187	16	24	41	88	138	214	373
Black	74,698	259	52	25	8	7	351	35	42	104	208	366	615	1,026
Male	38,034	135	29	13	2	3	182	20	20	64	123	236	411	677
Female	36,664	124	23	12	6	4	169	15	22	40	83	130	204	349
Rheumatic fever and rheumatic heart disease (390-398)	6,912	5	4	-	3	2	14	4	8	23	48	51	90	99
Male	2,279	3	1	-	2	-	6	-	5	12	20	15	48	50
Female	4,633	2	3	-	1	2	8	4	3	11	28	36	42	49
White	6,355	3	4	-	3	1	11	4	5	16	34	22	62	67
Male	2,087	3	1	-	2	-	6	-	3	7	17	5	33	34
Female	4,268	-	3	-	1	1	5	4	2	9	17	17	29	33
All other	557	2	-	-	-	1	3	-	3	7	14	29	28	32
Male	192	-	-	-	-	-	-	-	2	5	3	10	15	16
Female	365	2	-	-	-	1	3	-	1	2	11	19	13	16
Black	458	2	-	-	-	-	2	-	2	7	11	26	25	26
Male	157	-	-	-	-	-	-	-	1	5	2	9	15	14
Female	301	2	-	-	-	-	2	-	1	2	9	17	10	12
Hypertensive heart disease (402)	20,712	-	1	-	-	-	1	1	-	5	11	33	80	170
Male	8,892	-	1	-	-	-	1	1	-	4	8	25	61	115
Female	11,820	-	-	-	-	-	-	-	-	1	3	8	19	55
White	15,237	-	1	-	-	-	1	1	-	-	7	20	38	68
Male	6,302	-	1	-	-	-	1	1	-	-	6	17	33	47
Female	8,935	-	-	-	-	-	-	-	-	-	1	3	5	16
All other	5,475	-	-	-	-	-	-	-	-	5	4	13	42	107
Male	2,590	-	-	-	-	-	-	-	-	4	2	8	28	68
Female	2,885	-	-	-	-	-	-	-	-	1	2	5	14	39
Black	5,276	-	-	-	-	-	-	-	-	4	4	13	41	107
Male	2,474	-	-	-	-	-	-	-	-	3	2	8	27	68
Female	2,802	-	-	-	-	-	-	-	-	1	2	5	14	39
Hypertensive heart and renal disease (404)	2,855	-	-	-	-	-	-	1	-	-	-	8	6	11
Male	1,151	-	-	-	-	-	-	-	-	-	-	5	5	8
Female	1,704	-	-	-	-	-	-	1	-	-	-	3	1	3
White	2,165	-	-	-	-	-	-	-	-	-	-	5	3	6
Male	853	-	-	-	-	-	-	-	-	-	-	4	2	4
Female	1,312	-	-	-	-	-	-	-	-	-	-	1	1	2
All other	690	-	-	-	-	-	-	1	-	-	-	3	3	5
Male	298	-	-	-	-	-	-	-	-	-	-	1	3	4
Female	392	-	-	-	-	-	-	1	-	-	-	2	-	1
Black	665	-	-	-	-	-	-	1	-	-	-	3	3	5
Male	287	-	-	-	-	-	-	-	-	-	-	1	3	4
Female	378	-	-	-	-	-	-	1	-	-	-	2	-	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	49	55	70	96	164	268	342	475	535	503	357	113	16	1
Male	19	22	42	44	88	140	164	222	230	177	112	31	3	1
Female	30	33	28	52	76	128	178	253	305	326	245	82	13	–
White	27	24	52	75	132	221	292	424	494	461	339	102	11	1
Male	7	10	31	37	70	114	140	200	211	162	103	29	3	1
Female	20	14	21	38	62	107	152	224	283	299	236	73	8	–
All other	22	31	18	21	32	45	50	51	41	42	18	11	5	–
Male	12	12	11	7	16	26	24	22	19	15	9	2	–	–
Female	10	19	7	14	14	19	26	29	22	27	9	9	5	–
Black	22	30	17	20	28	39	45	46	40	39	18	10	5	–
Male	12	11	11	7	15	22	22	18	18	13	9	1	–	–
Female	10	19	6	13	13	17	23	28	22	26	9	9	5	–
Meningitis (320-322)	21	27	49	72	73	62	73	92	74	46	14	3	–	1
Male	14	13	27	41	39	38	35	48	27	11	4	–	–	–
Female	7	14	18	31	34	28	38	34	47	35	10	3	–	1
White	12	18	24	48	51	43	63	65	61	41	12	1	–	–
Male	9	10	14	26	29	24	29	39	21	11	4	–	–	–
Female	3	8	10	22	22	19	34	26	40	30	8	1	–	–
All other	9	9	19	24	22	19	10	17	13	5	2	2	–	1
Male	5	3	13	15	10	12	6	9	6	–	–	–	–	–
Female	4	6	6	9	12	7	4	8	7	5	2	2	–	1
Black	9	9	19	22	21	18	10	16	13	5	2	2	–	–
Male	5	3	13	13	10	11	6	8	6	–	–	–	–	–
Female	4	6	6	9	11	7	4	8	7	5	2	2	–	–
Major cardiovascular diseases (390-449)	9,355	15,145	26,367	45,579	72,088	97,015	128,482	150,494	157,217	135,805	86,277	30,279	5,997	147
Male	6,762	11,057	18,939	31,790	48,280	61,079	73,633	76,379	67,223	47,147	25,132	7,509	1,248	81
Female	2,593	4,088	7,428	13,789	23,808	35,936	54,849	74,115	89,994	88,658	61,145	22,770	4,749	66
White	7,040	11,684	21,106	37,709	61,250	84,393	113,123	135,872	143,696	127,471	81,364	28,250	5,105	93
Male	5,300	8,854	15,697	27,116	41,989	54,187	66,014	69,577	61,517	43,948	23,556	6,917	1,001	51
Female	1,740	2,830	5,409	10,593	19,261	30,206	47,109	66,295	82,179	83,523	57,808	21,333	4,104	42
All other	2,315	3,461	5,261	7,870	10,838	12,622	15,359	14,622	13,521	8,334	4,913	2,029	892	54
Male	1,462	2,203	3,242	4,674	6,291	6,892	7,819	6,802	5,706	3,199	1,576	586	247	30
Female	853	1,258	2,019	3,196	4,547	5,730	7,540	7,820	7,815	5,135	3,337	1,443	645	24
Black	2,164	3,217	4,914	7,319	10,172	11,774	14,339	13,478	12,411	7,580	4,440	1,828	841	49
Male	1,354	2,038	3,011	4,335	5,670	6,376	7,181	6,079	5,047	2,840	1,411	510	224	28
Female	810	1,179	1,903	2,984	4,502	5,398	7,158	7,400	7,364	4,740	3,029	1,318	617	21
Diseases of heart (390-398,402,404-429)	7,685	12,754	22,482	39,200	61,291	80,756	103,788	117,810	119,018	100,391	63,122	22,382	4,401	112
Male	5,648	9,726	16,814	28,183	42,089	51,822	60,809	61,139	52,058	35,916	18,825	5,765	963	68
Female	1,617	3,028	5,668	11,037	19,202	28,934	42,957	56,471	66,960	64,465	44,197	16,597	3,438	44
White	6,901	10,083	18,328	32,801	52,675	70,958	92,186	106,734	109,088	94,215	59,522	20,875	3,732	73
Male	4,680	7,965	14,158	24,359	38,961	46,361	54,800	55,926	47,765	33,488	17,727	5,330	771	44
Female	1,221	2,118	4,170	8,542	15,714	24,597	37,386	50,808	61,323	60,727	41,795	15,545	2,961	29
All other	1,764	2,671	4,154	6,299	8,616	9,798	11,580	10,976	9,930	6,176	3,600	1,487	669	39
Male	1,168	1,761	2,656	3,804	5,128	5,461	6,009	5,213	4,293	2,428	1,199	435	192	24
Female	596	910	1,498	2,495	3,488	4,337	5,571	5,663	5,637	3,738	2,402	1,052	477	15
Black	1,645	2,473	3,891	5,886	8,090	9,133	10,803	10,046	9,112	5,623	3,257	1,348	633	35
Male	1,076	1,620	2,468	3,828	4,777	5,036	5,511	4,680	3,793	2,163	1,065	384	178	22
Female	569	853	1,423	2,338	3,313	4,097	5,292	5,366	5,319	3,460	2,192	962	455	13
Rheumatic fever and rheumatic heart disease (390-398)	179	221	311	527	796	941	1,133	1,061	754	413	186	45	8	–
Male	75	79	140	197	318	303	379	306	190	96	28	10	1	–
Female	104	142	171	330	477	638	754	755	564	317	158	35	7	–
White	134	179	261	469	743	871	1,064	1,032	734	399	180	42	6	–
Male	58	64	127	183	300	283	359	297	182	93	26	9	1	–
Female	76	115	134	286	443	588	705	735	552	306	154	33	5	–
All other	45	42	50	58	53	70	69	29	20	14	6	3	2	–
Male	17	15	13	14	19	20	20	9	8	3	2	1	–	–
Female	28	27	17	44	34	50	49	20	12	11	4	2	2	–
Black	34	32	28	49	41	61	60	21	12	11	6	2	2	–
Male	13	11	13	13	13	17	17	5	4	2	2	1	–	–
Female	21	21	15	36	28	44	43	16	8	9	4	1	2	–
Hypertensive heart disease (402)	338	513	852	1,332	1,898	2,376	2,842	2,979	3,017	2,425	1,348	408	82	5
Male	229	332	541	836	1,120	1,239	1,354	1,190	917	574	258	73	12	2
Female	107	181	311	496	778	1,137	1,488	1,789	2,100	1,851	1,088	335	70	3
White	195	239	443	753	1,222	1,659	2,085	2,350	2,491	2,137	1,190	351	56	2
Male	101	171	307	508	749	904	997	944	740	492	217	60	7	–
Female	94	68	136	245	473	755	1,088	1,406	1,751	1,645	973	291	49	2
All other	201	280	409	579	676	717	757	629	526	288	158	57	26	3
Male	128	161	234	328	371	335	357	246	177	82	41	13	5	2
Female	73	119	175	251	305	382	400	383	349	206	115	44	21	1
Black	192	272	396	561	660	692	726	599	502	277	148	53	28	3
Male	124	155	226	317	358	322	335	228	163	80	40	13	5	2
Female	68	117	170	244	302	370	391	373	339	197	108	40	21	1
Hypertensive heart and renal disease (404)	16	25	45	83	123	266	347	463	554	458	328	99	22	–
Male	9	12	30	51	57	143	160	200	222	128	90	26	5	–
Female	7	13	15	32	66	123	187	263	332	330	238	73	17	–
White	5	12	18	45	65	174	223	346	456	399	299	89	20	–
Male	3	6	12	29	34	103	108	152	181	110	78	23	4	–
Female	2	6	6	16	31	71	115	194	275	289	221	66	16	–
All other	11	13	27	38	58	92	124	117	98	58	29	10	2	–
Male	6	6	18	22	23	40	52	48	41	18	12	3	1	–
Female	5	7	9	16	35	52	72	69	57	41	17	7	1	–
Black	11	11	26	38	58	87	120	116	94	55	25	10	2	–
Male	6	5	17	22	23	38	50	48	39	17	10	3	1	–
Female	5	6	9	16	35	49	70	68	55	38	15	7	1	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	541,288	33	9	1	1	4	48	36	5	32	114	308	859	2,372
Male	289,461	16	5	1	–	3	25	27	3	20	77	237	699	1,941
Female	251,827	17	4	–	1	1	23	9	2	12	37	71	160	431
White	485,457	20	8	1	1	3	33	32	5	26	87	229	657	1,936
Male	265,597	10	5	1	–	3	19	23	3	15	58	173	545	1,634
Female	229,860	10	3	–	1	–	14	9	2	11	29	56	112	302
All other	45,831	13	1	–	–	1	15	4	–	6	27	79	202	436
Male	23,864	6	–	–	–	–	6	4	–	5	19	64	154	307
Female	21,967	7	1	–	–	1	9	–	–	1	8	15	48	129
Black	41,862	9	1	–	–	1	11	3	–	6	27	74	184	409
Male	21,374	4	–	–	–	–	4	3	–	5	19	60	137	287
Female	20,488	5	1	–	–	1	7	–	–	1	8	14	47	122
Acute myocardial infarction (410)	279,122	21	2	1	–	2	26	17	3	19	68	178	539	1,420
Male	159,934	11	1	1	–	2	15	13	2	13	43	139	431	1,170
Female	119,188	10	1	–	–	–	11	4	1	6	25	39	108	250
White	255,496	14	2	1	–	2	19	15	3	16	48	125	416	1,184
Male	147,255	8	1	1	–	2	12	11	2	10	28	93	338	1,004
Female	108,241	6	1	–	–	–	7	4	1	6	20	32	78	180
All other	23,626	7	–	–	–	–	7	2	–	3	20	53	123	236
Male	12,679	3	–	–	–	–	3	2	–	3	15	46	93	166
Female	10,947	4	–	–	–	–	4	–	–	–	5	7	30	70
Black	21,498	5	–	–	–	–	5	2	–	3	20	51	111	220
Male	11,321	2	–	–	–	–	2	2	–	3	15	44	82	154
Female	10,177	3	–	–	–	–	3	–	–	–	5	7	29	66
Other acute and subacute forms of ischemic heart disease (411)	4,034	1	1	–	–	–	2	1	–	1	3	6	15	44
Male	2,459	1	1	–	–	–	2	1	–	1	2	4	14	33
Female	1,575	–	–	–	–	–	–	–	–	–	1	2	1	11
White	3,387	1	1	–	–	–	2	1	–	1	3	5	9	28
Male	2,081	1	1	–	–	–	2	1	–	1	2	4	8	23
Female	1,306	–	–	–	–	–	–	–	–	–	1	1	1	5
All other	647	–	–	–	–	–	–	–	–	–	–	1	6	16
Male	378	–	–	–	–	–	–	–	–	–	–	–	6	10
Female	269	–	–	–	–	–	–	–	–	–	–	1	–	6
Black	615	–	–	–	–	–	–	–	–	–	–	1	4	15
Male	354	–	–	–	–	–	–	–	–	–	–	–	4	10
Female	261	–	–	–	–	–	–	–	–	–	–	1	–	5
Angina pectoris (413)	841	1	–	–	–	–	1	–	–	–	–	1	–	3
Male	438	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	403	1	–	–	–	–	1	–	–	–	–	1	–	–
White	763	1	–	–	–	–	1	–	–	–	–	1	–	3
Male	398	–	–	–	–	–	–	–	–	–	–	1	–	3
Female	365	1	–	–	–	–	1	–	–	–	–	1	–	–
All other	78	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	40	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	38	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	73	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	36	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,291	10	6	–	1	2	19	18	2	12	43	123	305	905
Male	126,630	4	3	–	–	1	8	13	1	6	32	94	254	735
Female	130,661	6	3	–	1	1	11	5	1	6	11	29	51	170
White	235,811	4	5	–	1	1	11	16	2	9	36	98	232	721
Male	115,863	1	3	–	–	1	5	11	1	4	28	76	199	604
Female	119,948	3	2	–	1	–	6	5	1	5	8	22	33	117
All other	21,480	6	1	–	–	1	8	2	–	3	7	25	73	184
Male	10,767	3	–	–	–	–	3	2	–	2	4	18	55	131
Female	10,713	3	1	–	–	1	5	–	–	1	3	7	18	53
Black	19,676	4	1	–	–	1	6	1	–	3	7	22	69	174
Male	9,662	2	–	–	–	–	2	1	–	2	4	16	51	123
Female	10,014	2	1	–	–	1	4	–	–	1	3	6	18	51
Other diseases of endocardium (424)	8,722	17	3	3	1	–	24	4	11	20	22	46	62	78
Male	4,118	13	1	2	–	–	16	3	6	13	13	34	44	56
Female	4,604	4	2	1	1	–	8	1	5	7	9	12	18	20
White	7,918	11	3	3	1	–	18	3	9	17	17	34	52	56
Male	3,725	7	1	2	–	–	10	2	6	12	11	28	40	41
Female	4,193	4	2	1	1	–	8	1	3	5	6	8	12	15
All other	804	6	–	–	–	–	6	1	2	3	5	12	10	20
Male	393	6	–	–	–	–	6	1	–	1	2	8	4	15
Female	411	–	–	–	–	–	–	–	2	2	3	4	6	5
Black	717	5	–	–	–	–	5	1	2	3	5	11	9	20
Male	353	5	–	–	–	–	5	1	–	1	2	7	4	15
Female	364	–	–	–	–	–	–	–	2	2	3	4	5	5
All other forms of heart disease (415-423,425-429)	184,625	888	180	67	36	31	1,212	122	148	290	534	704	1,067	1,414
Male	91,196	492	99	35	18	15	659	61	72	176	332	436	706	945
Female	93,429	406	81	32	18	16	553	61	76	114	202	268	359	469
White	157,379	634	121	42	28	22	847	90	107	202	357	449	686	928
Male	76,890	355	66	22	16	10	469	44	52	123	219	274	460	640
Female	80,489	279	55	20	12	12	378	46	55	79	138	175	226	286
All other	27,246	254	59	25	8	9	365	32	41	88	177	255	381	488
Male	14,306	137	33	13	2	5	190	17	20	53	113	162	248	305
Female	12,940	127	26	12	6	4	175	15	21	35	64	93	133	183
Black	25,720	243	51	25	8	6	333	30	38	84	159	239	353	459
Male	13,389	126	29	13	2	3	173	16	19	50	98	151	225	289
Female	12,331	117	22	12	6	3	160	14	19	34	61	88	128	170

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,946	8,813	15,812	27,994	44,122	58,827	76,789	85,748	84,813	69,988	43,062	14,900	2,853	68
Male	4,024	7,048	12,372	20,787	31,155	38,510	45,409	45,654	38,173	25,639	13,140	3,853	625	43
Female	922	1,765	3,440	7,207	12,967	20,117	30,380	40,095	46,640	44,347	29,922	11,047	2,228	25
White	4,104	7,403	13,498	24,442	39,150	52,915	68,919	78,202	78,953	66,357	40,934	14,053	2,478	44
Male	3,431	6,080	10,939	18,605	28,162	35,299	41,941	42,464	35,626	24,210	12,417	3,605	521	27
Female	673	1,323	2,559	5,837	10,988	17,616	27,078	35,738	43,327	42,147	28,517	10,448	1,957	17
All other	842	1,410	2,314	3,552	4,972	5,712	6,850	6,547	5,860	3,629	2,128	847	375	24
Male	593	968	1,533	2,182	2,993	3,211	3,588	3,190	2,547	1,429	723	248	104	18
Female	249	442	781	1,370	1,979	2,501	3,282	3,357	3,313	2,200	1,405	599	271	6
Black	773	1,284	2,147	3,263	4,607	5,243	6,300	5,958	5,290	3,252	1,899	753	358	21
Male	532	879	1,407	1,986	2,746	2,698	3,209	2,807	2,182	1,244	642	211	98	14
Female	241	411	740	1,277	1,861	2,345	3,091	3,151	3,098	2,008	1,257	542	260	7
Acute myocardial infarction (410)	3,187	5,658	10,201	17,687	27,574	35,463	44,042	46,435	40,498	27,623	13,601	3,964	672	27
Male	2,600	4,530	8,005	13,246	19,468	23,332	26,422	25,097	18,805	10,721	4,543	1,160	161	18
Female	587	1,128	2,196	4,441	8,106	12,131	17,620	21,338	21,693	16,902	9,058	2,804	511	9
White	2,688	4,843	8,850	15,845	24,730	32,261	40,414	43,141	37,745	26,056	12,931	3,686	562	20
Male	2,239	3,981	7,117	12,032	17,758	21,520	24,557	23,439	17,572	10,057	4,274	1,065	133	13
Female	447	862	1,733	3,813	6,972	10,741	15,857	19,702	20,173	15,999	8,657	2,621	429	7
All other	501	815	1,351	2,042	2,844	3,222	3,628	3,294	2,753	1,567	770	278	110	7
Male	361	549	888	1,214	1,710	1,812	1,865	1,658	1,233	664	269	85	28	5
Female	140	266	463	828	1,134	1,410	1,763	1,636	1,520	903	501	193	82	2
Black	449	737	1,240	1,878	2,823	2,953	3,323	2,981	2,485	1,400	687	243	105	4
Male	316	495	808	1,099	1,556	1,632	1,670	1,458	1,059	575	241	80	27	3
Female	133	242	432	777	1,067	1,321	1,653	1,523	1,406	825	446	163	78	1
Other acute and subacute forms of ischemic heart disease (411)	81	108	228	334	461	528	537	530	482	348	239	73	11	2
Male	70	89	176	253	336	380	338	279	230	134	81	22	4	2
Female	11	19	52	81	125	138	201	251	252	214	158	51	7	–
White	62	81	177	272	378	441	442	465	412	316	218	64	10	–
Male	56	69	141	215	276	334	281	253	205	119	70	18	3	–
Female	6	12	36	57	102	107	161	212	207	197	148	46	7	–
All other	19	27	51	62	83	87	95	65	70	32	21	9	1	2
Male	14	20	35	38	60	56	55	26	25	15	11	4	1	2
Female	5	7	16	24	23	31	40	39	45	17	10	5	–	–
Black	18	27	50	56	82	82	87	63	68	30	20	9	1	2
Male	13	20	34	32	59	51	50	25	24	14	11	4	1	2
Female	5	7	16	24	23	31	37	38	44	16	9	5	–	–
Angina pectoris (413)	11	23	25	35	71	94	128	130	142	105	57	13	2	–
Male	8	15	14	27	48	48	81	71	65	42	12	3	1	–
Female	3	8	11	8	23	46	47	59	77	63	45	10	1	–
White	8	18	20	31	67	79	118	120	129	101	54	11	2	–
Male	5	14	12	24	47	39	76	65	58	39	12	3	1	–
Female	3	4	8	7	20	40	42	55	71	62	42	8	1	–
All other	3	5	5	4	4	15	10	10	13	4	3	2	–	–
Male	3	1	2	3	1	9	5	6	7	3	–	–	–	–
Female	–	4	3	1	3	6	5	4	6	1	3	2	–	–
Black	3	5	5	4	2	14	9	10	12	4	3	2	–	–
Male	3	1	2	3	–	8	4	6	7	3	–	–	–	–
Female	–	4	3	1	2	6	5	4	5	1	3	2	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,667	3,024	5,358	9,738	16,016	22,522	31,062	38,654	43,691	41,910	29,165	10,850	2,168	39
Male	1,348	2,414	4,177	7,261	11,303	14,740	18,570	20,207	19,073	14,742	8,504	2,668	459	23
Female	321	610	1,181	2,477	4,713	7,782	12,492	18,447	24,618	27,168	20,661	8,182	1,709	16
White	1,348	2,461	4,451	8,294	13,975	20,134	27,945	35,476	40,667	39,884	27,831	10,292	1,904	24
Male	1,131	2,016	3,569	6,334	10,081	13,406	16,927	18,707	17,791	13,995	8,061	2,519	384	14
Female	217	445	882	1,960	3,894	6,728	11,018	16,769	22,876	25,889	19,770	7,773	1,520	10
All other	319	563	907	1,444	2,041	2,388	3,117	3,178	3,024	2,026	1,334	558	264	15
Male	215	398	608	927	1,222	1,334	1,643	1,500	1,282	747	443	149	75	9
Female	104	165	299	517	819	1,054	1,474	1,678	1,742	1,279	891	409	189	6
Black	303	515	852	1,327	1,900	2,194	2,881	2,904	2,745	1,818	1,189	499	252	15
Male	200	357	563	852	1,131	1,207	1,485	1,318	1,102	652	390	127	70	9
Female	103	158	289	475	769	987	1,396	1,586	1,643	1,166	799	372	182	6
Other diseases of endocardium (424)	83	110	209	349	570	819	1,167	1,439	1,655	1,223	632	174	28	1
Male	55	78	142	226	343	472	618	706	669	411	171	36	5	1
Female	28	32	67	123	227	347	549	733	986	812	461	138	21	–
White	57	81	163	299	500	716	1,045	1,325	1,562	1,164	606	164	19	1
Male	39	67	117	196	304	411	559	657	635	392	163	33	3	1
Female	18	24	46	103	196	305	486	668	927	772	443	131	16	–
All other	26	19	46	50	70	103	122	114	93	59	26	10	7	–
Male	16	11	25	30	39	61	59	49	34	19	8	3	2	–
Female	10	8	21	20	31	42	63	65	59	40	18	7	5	–
Black	24	16	39	45	67	83	106	102	84	46	25	8	6	–
Male	14	10	23	27	37	57	50	45	29	15	8	1	2	–
Female	10	6	16	18	30	26	56	57	55	31	17	7	4	–
All other forms of heart disease (415-423,425-429)	2,105	3,072	5,253	8,915	13,782	17,727	22,508	25,919	28,225	25,876	17,568	6,736	1,410	38
Male	1,456	2,177	3,589	6,066	9,095	11,155	12,889	13,083	11,887	9,068	5,238	1,767	315	22
Female	649	895	1,664	2,849	4,687	6,572	9,619	12,836	16,338	16,808	12,330	4,969	1,095	16
White	1,466	2,165	3,925	6,893	10,995	14,623	18,850	22,479	24,892	23,759	16,313	6,176	1,183	28
Male	1,048	1,577	2,756	4,838	7,412	9,361	10,936	11,412	10,401	8,191	4,826	1,600	235	16
Female	418	588	1,169	2,055	3,583	5,262	7,914	11,067	14,491	15,568	11,487	4,576	948	10
All other	639	907	1,328	2,022	2,787	3,104	3,658	3,440	3,333	2,117	1,255	560	227	12
Male	408	600	833	1,228	1,683	1,794	1,953	1,671	1,486	877	412	167	80	6
Female	231	307	495	794	1,104	1,310	1,705	1,769	1,847	1,240	843	393	177	6
Black	611	858	1,255	1,910	2,657	2,957	3,491	3,250	3,130	1,982	1,154	520	239	11
Male	387	566	782	1,163	1,600	1,704	1,850	1,549	1,366	805	363	155	72	6
Female	224	292	473	747	1,057	1,253	1,641	1,701	1,764	1,177	791	365	167	5

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,774	1	–	1	–	–	2	2	1	3	3	16	32	42
Male	3,435	1	–	1	–	–	2	2	1	1	3	10	25	27
Female	4,339	–	–	–	–	–	–	–	–	2	–	6	7	15
White	5,998	–	–	1	–	–	1	1	–	3	2	7	10	14
Male	2,651	–	–	1	–	–	1	1	–	1	2	3	9	10
Female	3,347	–	–	–	–	–	–	–	–	2	–	4	1	4
All other	1,776	1	–	–	–	–	1	1	1	–	1	9	22	28
Male	784	1	–	–	–	–	1	1	1	–	1	7	16	17
Female	992	–	–	–	–	–	–	–	–	–	–	2	6	11
Black	1,711	1	–	–	–	–	1	1	1	–	1	9	22	28
Male	750	1	–	–	–	–	1	1	1	–	1	7	16	17
Female	961	–	–	–	–	–	–	–	–	–	–	2	6	11
Cerebrovascular diseases (430-438)	154,327	111	16	18	9	10	164	47	59	113	216	361	562	902
Male	61,697	65	10	8	6	3	92	24	31	57	118	186	280	467
Female	92,630	46	6	10	3	7	72	23	28	56	98	175	282	435
White	134,404	77	11	14	4	6	112	35	38	90	146	246	354	594
Male	52,833	40	5	6	3	2	56	14	19	51	91	139	182	303
Female	81,571	37	6	8	1	4	56	21	19	39	55	107	172	291
All other	19,923	34	5	4	5	4	52	12	21	23	70	115	208	308
Male	8,864	25	5	2	3	1	36	10	12	6	37	47	98	164
Female	11,059	9	–	2	2	3	16	2	9	17	33	68	110	144
Black	18,369	32	3	2	5	4	46	10	17	23	60	106	191	280
Male	8,093	23	3	2	3	1	32	8	9	6	28	43	92	151
Female	10,276	9	–	–	2	3	14	2	8	17	32	63	99	129
Intracerebral and other intracranial hemorrhage (431-432)	20,192	67	4	6	3	4	86	18	34	35	82	109	203	323
Male	9,018	38	3	4	2	2	49	7	14	18	45	59	106	191
Female	11,174	29	1	4	1	2	37	11	20	17	37	50	97	132
White	16,682	43	3	7	1	3	57	14	25	25	55	89	120	177
Male	7,269	21	2	4	1	1	29	4	11	17	30	40	64	99
Female	9,413	22	1	3	–	2	28	10	14	8	25	29	56	78
All other	3,510	24	1	1	2	1	29	4	9	10	27	40	83	146
Male	1,749	17	1	–	1	1	20	3	3	1	15	19	42	92
Female	1,761	7	–	1	1	–	9	1	6	9	12	21	41	54
Black	3,155	23	1	–	2	1	27	4	7	10	24	35	77	136
Male	1,584	16	1	–	1	1	19	3	2	1	12	16	39	86
Female	1,591	7	–	–	1	–	8	1	5	9	12	19	38	50
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25,284	16	4	3	–	2	25	6	6	14	8	14	34	56
Male	10,082	8	2	–	–	–	10	4	6	4	3	10	17	34
Female	15,202	8	2	3	–	2	15	2	–	10	5	4	17	19
White	22,609	14	2	3	–	1	20	3	2	12	7	8	26	43
Male	8,867	6	–	–	–	–	6	2	2	4	2	5	12	26
Female	13,742	8	2	3	–	1	14	1	–	8	5	3	14	17
All other	2,675	2	2	–	–	1	5	3	4	2	1	6	8	10
Male	1,215	2	2	–	–	–	4	2	4	–	1	5	5	8
Female	1,460	–	–	–	–	1	1	1	–	2	–	1	3	2
Black	2,501	1	–	–	–	1	2	2	4	2	1	6	7	10
Male	1,115	1	–	–	–	–	1	1	4	–	1	5	5	8
Female	1,386	–	–	–	–	1	1	1	–	2	–	1	2	2
Cerebral embolism (434.1)	774	–	–	–	–	1	1	–	1	1	2	–	3	4
Male	316	–	–	–	–	–	–	–	1	–	1	–	1	3
Female	458	–	–	–	–	1	1	–	–	1	1	–	2	1
White	705	–	–	–	–	–	–	–	–	1	1	–	2	3
Male	291	–	–	–	–	–	–	–	–	–	1	–	–	2
Female	414	–	–	–	–	–	–	–	–	1	–	–	2	1
All other	69	–	–	–	–	1	1	–	1	–	1	–	1	1
Male	25	–	–	–	–	–	–	–	1	–	–	–	1	1
Female	44	–	–	–	–	1	1	–	–	–	1	–	–	–
Black	66	–	–	–	–	1	1	–	1	–	1	–	1	1
Male	24	–	–	–	–	–	–	–	1	–	–	–	1	1
Female	42	–	–	–	–	1	1	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	108,077	28	8	7	6	3	52	23	18	63	124	238	322	522
Male	42,281	19	5	4	4	1	33	13	10	35	69	117	156	239
Female	65,796	9	3	3	2	2	19	10	8	28	55	121	166	283
White	94,408	20	6	4	3	2	35	18	11	52	83	169	206	371
Male	38,406	13	3	2	2	1	21	8	6	30	48	94	106	176
Female	56,002	7	3	2	1	1	14	10	5	22	35	75	100	195
All other	13,669	8	2	3	3	1	17	5	7	11	41	69	116	151
Male	5,875	6	2	2	2	–	12	5	4	5	21	23	50	63
Female	7,794	2	–	1	1	1	5	–	3	6	20	46	66	88
Black	12,647	8	2	2	3	1	16	4	5	11	34	65	106	133
Male	5,390	6	2	2	2	–	12	4	2	5	15	22	47	56
Female	7,257	2	–	–	1	1	4	–	3	6	19	43	59	77
Atherosclerosis (440)	24,462	–	1	1	–	1	3	3	–	–	3	–	5	10
Male	9,240	–	–	1	–	1	2	1	–	–	3	–	4	6
Female	15,222	–	1	–	–	–	1	2	–	–	–	–	1	4
White	22,645	–	1	–	–	–	1	3	–	–	2	–	5	9
Male	8,447	–	–	–	–	–	–	1	–	–	2	–	4	6
Female	14,198	–	1	–	–	–	1	2	–	–	–	–	1	3
All other	1,817	–	–	1	–	1	2	–	–	–	1	–	–	1
Male	793	–	–	1	–	1	2	–	–	–	1	–	–	–
Female	1,024	–	–	–	–	–	–	–	–	–	–	–	–	1
Black	1,684	–	–	1	–	–	1	–	–	–	1	–	–	1
Male	720	–	–	1	–	–	1	–	–	–	1	–	–	–
Female	964	–	–	–	–	–	–	–	–	–	–	–	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	82	133	191	368	589	738	1,138	1,240	1,209	1,083	669	213	39	1
Male	50	87	109	188	306	392	567	539	453	394	202	67	8	–
Female	32	46	82	180	281	346	571	701	756	689	467	146	31	1
White	39	61	112	230	370	542	836	969	1,005	972	607	190	27	–
Male	26	41	72	120	210	307	423	442	382	352	182	61	6	–
Female	13	20	40	110	160	235	413	527	623	620	425	129	21	–
All other	43	72	79	138	199	196	302	271	204	111	62	23	12	1
Male	24	46	37	68	96	85	144	97	71	42	20	6	2	–
Female	19	26	42	70	101	111	158	174	133	69	42	17	10	1
Black	41	67	78	138	194	194	293	256	191	106	57	21	11	1
Male	23	43	36	68	96	84	140	86	64	40	19	5	2	–
Female	18	24	42	70	98	110	153	170	127	66	38	16	9	1
Cerebrovascular diseases (430-438)	1,392	1,965	3,117	4,752	7,690	11,534	18,089	24,685	29,225	26,600	16,643	5,286	903	21
Male	713	1,046	1,631	2,573	4,091	6,116	8,934	10,790	10,973	8,037	4,274	1,088	168	8
Female	679	919	1,486	2,179	3,599	5,418	9,155	13,898	18,252	18,563	12,369	4,198	735	13
White	934	1,326	2,213	3,505	5,974	9,294	15,147	21,717	26,379	24,952	15,868	4,905	784	11
Male	475	700	1,147	1,880	3,203	4,997	7,566	9,558	9,864	7,457	3,999	984	134	4
Female	459	626	1,066	1,625	2,771	4,297	7,581	12,159	16,495	17,495	11,869	3,921	630	7
All other	458	639	904	1,247	1,716	2,240	2,942	2,968	2,846	1,648	975	381	119	10
Male	238	346	484	693	888	1,119	1,368	1,232	1,089	580	275	104	34	4
Female	220	293	420	554	828	1,121	1,574	1,737	1,757	1,068	700	277	105	6
Black	431	602	831	1,148	1,599	2,086	2,760	2,715	2,620	1,496	873	335	131	9
Male	226	328	447	640	834	1,045	1,264	1,083	974	512	252	87	28	4
Female	205	274	384	508	765	1,041	1,496	1,632	1,646	984	621	248	103	5
Intracerebral and other intracranial hemorrhage (431-432)	517	749	1,007	1,382	1,820	2,229	2,873	3,058	2,712	1,881	874	210	33	3
Male	312	419	509	716	925	1,122	1,338	1,291	998	582	250	64	5	2
Female	205	330	498	644	895	1,101	1,535	1,767	1,714	1,279	624	146	28	1
White	325	475	669	982	1,413	1,808	2,484	2,748	2,472	1,733	813	192	25	1
Male	195	252	323	514	713	918	1,180	1,163	884	533	231	58	2	1
Female	130	223	346	468	700	890	1,304	1,585	1,578	1,200	582	136	23	–
All other	192	274	338	380	407	415	389	310	240	128	61	18	8	2
Male	117	161	186	204	212	204	158	128	104	49	19	8	3	1
Female	75	113	152	176	195	211	231	182	136	78	42	10	5	1
Black	189	258	304	344	368	365	348	264	212	110	54	14	7	2
Male	115	154	167	189	192	180	136	100	84	44	16	6	2	1
Female	74	104	137	155	174	185	210	164	128	66	38	8	5	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	111	154	319	610	1,123	1,728	2,806	4,146	5,042	4,799	3,108	1,021	150	7
Male	59	97	201	374	667	974	1,417	1,883	1,876	1,437	786	190	29	2
Female	52	57	118	236	456	754	1,389	2,263	3,164	3,362	2,322	831	121	5
White	72	104	237	450	879	1,409	2,398	3,705	4,647	4,545	2,948	957	134	3
Male	37	63	151	282	526	812	1,222	1,691	1,725	1,359	736	178	25	1
Female	35	41	86	168	353	597	1,176	2,014	2,922	3,186	2,212	779	109	2
All other	39	50	82	160	244	319	408	441	395	254	160	64	16	4
Male	22	34	50	92	141	162	195	192	153	78	50	12	4	1
Female	17	16	32	68	103	157	213	249	242	176	110	52	12	3
Black	38	49	78	149	232	305	388	413	377	222	142	56	14	4
Male	22	33	46	84	134	154	181	172	142	64	46	9	2	1
Female	16	16	32	65	98	151	207	241	235	158	96	47	12	3
Cerebral embolism (434.1)	8	7	15	25	55	76	129	131	155	80	57	20	4	–
Male	2	3	4	14	26	42	71	51	58	19	17	3	–	–
Female	6	4	11	11	29	34	58	80	97	61	40	17	4	–
White	7	6	13	22	48	62	117	124	148	75	54	18	4	–
Male	2	3	3	13	22	38	69	50	56	16	15	1	–	–
Female	5	3	10	9	26	24	48	74	92	59	39	17	4	–
All other	1	1	2	3	7	14	12	7	7	5	3	2	–	–
Male	–	–	1	1	4	4	2	1	2	3	2	2	–	–
Female	1	1	1	2	3	10	10	6	5	2	1	–	–	–
Black	1	1	2	3	7	14	12	7	6	3	3	2	–	–
Male	–	–	1	1	4	4	2	1	2	2	2	2	–	–
Female	1	1	1	2	3	10	10	6	4	1	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	758	1,055	1,776	2,755	4,692	7,507	12,281	17,351	21,316	19,860	12,604	4,035	716	11
Male	340	533	917	1,467	2,473	3,978	6,108	7,585	8,039	5,999	3,221	831	134	4
Female	418	522	859	1,288	2,219	3,529	6,173	9,766	13,277	13,861	9,383	3,204	582	7
White	530	741	1,284	2,051	3,634	6,015	10,148	15,140	19,112	18,599	11,853	3,738	601	7
Male	241	382	670	1,071	1,942	3,229	5,095	6,654	7,209	5,549	3,017	749	107	2
Female	289	359	624	980	1,692	2,786	5,053	8,486	11,903	13,050	8,836	2,989	494	5
All other	226	314	492	704	1,058	1,492	2,133	2,211	2,204	1,261	751	297	115	4
Male	99	151	247	396	531	749	1,013	911	830	450	204	82	27	2
Female	127	163	235	308	527	743	1,120	1,300	1,374	811	547	215	88	2
Black	203	294	447	652	984	1,402	2,014	2,031	2,025	1,161	674	263	110	3
Male	89	141	233	366	504	707	945	810	746	402	188	70	24	2
Female	114	153	214	288	480	695	1,069	1,221	1,279	759	486	193	86	1
Atherosclerosis (440)	34	47	106	280	630	1,053	1,858	3,103	4,507	5,461	4,671	2,077	606	5
Male	25	39	67	171	371	626	1,005	1,476	1,638	1,740	1,285	478	101	2
Female	9	8	39	109	259	427	853	1,627	2,869	3,721	3,386	1,599	505	3
White	26	39	88	233	542	901	1,625	2,836	4,176	5,184	4,466	1,965	541	3
Male	21	32	60	144	325	537	884	1,344	1,689	1,641	1,228	443	85	1
Female	5	7	28	89	217	364	741	1,492	2,487	3,543	3,238	1,522	456	2
All other	8	8	18	47	88	152	233	267	331	277	205	112	65	2
Male	4	7	7	27	46	89	121	132	149	99	57	35	16	1
Female	4	1	11	20	42	63	112	135	182	178	148	77	49	1
Black	7	7	17	45	84	145	219	255	302	247	198	104	59	2
Male	3	6	5	27	42	85	116	124	131	87	50	28	13	1
Female	4	1	11	18	42	60	104	131	171	160	138	76	46	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	21,741	19	3	2	1	2	27	4	14	23	47	88	87	138
Male	13,550	8	2	2	–	2	14	2	6	12	25	46	45	82
Female	8,191	11	1	–	1	–	13	2	8	11	22	42	42	56
White	19,839	14	2	2	–	2	20	3	12	18	36	70	66	109
Male	12,532	6	1	2	–	2	11	2	6	10	20	41	37	62
Female	7,307	8	1	–	–	–	9	1	6	8	16	29	29	41
All other	1,902	5	1	–	1	–	7	1	2	5	11	18	21	35
Male	1,018	2	1	–	–	–	3	–	–	2	5	5	8	20
Female	884	3	–	–	1	–	4	1	2	3	6	13	13	15
Black	1,697	5	–	–	–	–	5	1	1	4	9	18	19	31
Male	694	2	–	–	–	–	2	–	–	2	5	5	8	17
Female	803	3	–	–	–	–	3	1	1	2	4	13	11	14
Acute bronchitis and bronchiolitis (466)	544	57	14	4	3	3	81	2	2	5	3	3	5	5
Male	260	35	6	1	2	1	45	1	2	4	2	3	3	4
Female	284	22	8	3	1	2	36	1	–	1	1	–	2	1
White	482	35	10	3	2	3	53	2	2	4	2	3	3	4
Male	230	25	5	1	1	1	33	1	2	4	1	3	2	4
Female	252	10	5	2	1	2	20	1	–	–	1	–	1	–
All other	62	22	4	1	1	–	28	–	–	1	1	–	2	1
Male	30	10	1	–	1	–	12	–	–	–	1	–	1	–
Female	32	12	3	1	–	–	16	–	–	1	–	–	1	1
Black	56	22	3	1	1	–	27	–	–	–	1	–	2	1
Male	28	10	1	–	1	–	12	–	–	–	1	–	1	–
Female	28	12	2	1	–	–	15	–	–	–	–	–	1	1
Pneumonia and influenza (480-487)	58,894	685	108	57	24	22	896	94	77	104	147	257	393	424
Male	29,440	400	46	31	14	14	505	48	37	65	80	150	255	278
Female	29,454	285	62	26	10	8	391	46	40	39	67	107	138	146
White	52,514	441	71	33	15	16	576	78	68	74	108	157	231	254
Male	25,677	254	33	18	10	11	326	40	31	51	61	98	157	158
Female	26,837	187	38	15	5	5	250	38	37	23	47	61	74	96
All other	6,380	244	37	24	9	6	320	16	9	30	39	100	162	170
Male	3,763	146	13	13	4	3	179	8	6	14	19	54	98	120
Female	2,617	98	24	11	5	3	141	10	3	16	20	46	64	50
Black	5,689	220	35	20	8	5	288	17	6	28	36	98	155	162
Male	3,336	131	13	11	4	3	162	8	4	12	18	54	93	116
Female	2,333	89	22	9	4	2	126	9	2	14	18	44	62	46
Pneumonia (480-486)	57,798	680	105	56	24	21	886	90	70	99	141	251	385	419
Male	29,024	398	45	31	14	13	502	48	31	61	76	147	249	274
Female	28,774	281	60	25	10	8	384	42	39	38	65	104	136	145
White	51,473	439	69	32	15	16	571	73	62	69	102	151	223	250
Male	25,289	253	32	18	10	11	324	40	26	47	57	93	151	154
Female	26,184	186	37	14	5	5	247	33	36	22	45	58	72	96
All other	6,325	241	36	24	9	5	315	17	8	30	39	100	162	169
Male	3,735	146	13	13	4	2	178	8	5	14	19	54	98	120
Female	2,590	95	23	11	5	3	137	9	3	16	20	46	64	49
Black	5,628	218	34	20	8	4	284	16	6	26	36	98	155	162
Male	3,314	131	13	11	4	2	161	8	4	12	18	54	93	116
Female	2,312	87	21	9	4	2	123	8	2	14	18	44	62	46
Influenza (487)	1,096	5	3	1	–	1	10	4	7	5	6	6	8	5
Male	416	1	1	–	–	1	3	–	6	4	4	3	6	4
Female	680	4	2	1	–	–	7	4	1	1	2	3	2	1
White	1,041	2	2	1	–	–	5	3	6	5	6	6	8	4
Male	388	1	1	–	–	–	2	–	5	4	4	3	6	4
Female	653	1	1	1	–	–	3	3	1	1	2	3	2	–
All other	55	3	1	–	–	1	5	1	1	–	–	–	–	1
Male	28	–	–	–	–	1	1	–	1	–	–	–	–	–
Female	27	3	1	–	–	–	4	1	–	–	–	–	–	1
Black	43	2	1	–	–	1	4	1	–	–	–	–	–	–
Male	22	–	–	–	–	1	1	–	–	–	–	–	–	–
Female	21	2	1	–	–	–	3	1	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	69,100	56	20	11	12	3	102	36	58	64	96	196	121	180
Male	44,013	35	9	5	5	–	54	17	43	35	55	54	51	92
Female	25,087	21	11	6	7	3	48	19	15	29	41	52	70	88
White	64,276	31	12	9	9	3	64	26	31	32	58	63	76	113
Male	40,728	20	5	3	3	–	31	12	23	18	39	32	37	60
Female	23,548	11	7	6	6	3	33	14	8	14	29	31	39	53
All other	4,824	25	8	2	3	–	38	10	27	32	28	43	45	67
Male	3,285	15	4	2	2	–	23	5	20	17	16	22	14	32
Female	1,539	10	4	–	1	–	15	5	7	15	12	21	31	35
Black	4,293	23	7	2	3	–	35	9	25	31	27	37	44	60
Male	2,922	15	4	2	2	–	23	5	19	16	15	19	14	31
Female	1,371	8	3	–	1	–	12	4	6	15	12	18	30	29
Bronchitis, chronic and unspecified (490-491)	3,545	38	7	4	5	1	55	2	4	4	7	8	9	15
Male	2,029	25	1	1	2	–	29	1	3	3	6	3	5	8
Female	1,516	13	6	3	3	1	26	1	1	1	1	5	4	7
White	3,359	21	6	3	5	1	36	2	2	3	7	6	7	13
Male	1,912	14	1	–	2	–	17	1	1	2	6	2	3	6
Female	1,447	7	5	3	3	1	19	1	1	1	1	4	4	7
All other	186	17	1	1	–	–	19	–	2	1	–	2	2	2
Male	117	11	–	1	–	–	12	–	2	1	–	1	2	2
Female	69	6	1	–	–	–	7	–	–	–	–	1	–	–
Black	166	16	1	1	–	–	18	–	2	1	–	2	2	2
Male	105	11	–	1	–	–	12	–	2	1	–	1	2	2
Female	61	5	1	–	–	–	6	–	–	–	–	1	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	192	246	471	979	1,908	2,934	3,631	3,855	3,258	2,280	1,172	341	48	8
Male	126	159	318	695	1,421	2,123	2,518	2,435	1,901	1,060	446	105	8	3
Female	56	87	153	284	487	811	1,113	1,420	1,357	1,220	726	236	40	5
White	140	175	365	840	1,689	2,698	3,329	3,616	3,046	2,148	1,101	315	41	6
Male	98	116	260	613	1,290	1,985	2,341	2,307	1,797	1,010	420	89	5	2
Female	42	59	105	227	399	713	988	1,309	1,251	1,138	681	216	36	4
All other	42	71	106	139	219	236	302	239	210	132	71	26	7	2
Male	28	43	58	82	131	138	177	128	104	50	26	6	3	1
Female	14	28	48	57	88	98	125	111	106	82	45	20	4	1
Black	40	68	97	122	205	216	264	207	186	108	65	22	7	2
Male	26	41	54	72	121	126	151	106	85	38	25	6	3	1
Female	14	27	43	50	84	90	113	101	101	70	40	16	4	1
Acute bronchitis and bronchiolitis (466)	8	9	6	14	29	41	42	51	76	73	60	21	7	1
Male	3	3	4	10	17	21	28	30	31	28	17	4	2	–
Female	5	6	2	4	12	20	16	21	45	45	43	17	5	1
White	6	9	6	10	28	38	36	48	71	71	58	20	7	1
Male	2	3	4	7	17	20	22	28	28	27	16	4	2	–
Female	4	6	2	3	11	18	14	20	43	44	42	16	5	1
All other	2	–	–	4	1	3	6	3	5	2	2	1	–	–
Male	1	–	–	3	–	1	4	2	3	1	1	–	–	–
Female	1	–	–	1	1	2	2	1	2	1	1	1	–	–
Black	2	–	–	4	1	3	4	3	4	2	1	1	–	–
Male	1	–	–	3	–	1	4	2	2	1	–	–	–	–
Female	1	–	–	1	1	2	–	1	2	1	1	1	–	–
Pneumonia and influenza (480-487)	499	599	890	1,428	2,323	3,362	5,616	8,141	10,454	11,111	8,120	3,266	679	14
Male	316	366	596	939	1,548	2,124	3,458	4,633	5,182	4,778	2,869	1,026	176	11
Female	183	233	294	489	775	1,238	2,158	3,508	5,272	6,333	5,251	2,240	503	3
White	307	400	615	1,111	1,894	2,838	4,917	7,334	9,641	10,499	7,712	3,080	611	11
Male	193	225	394	722	1,242	1,787	3,016	4,134	4,759	4,468	2,702	955	153	9
Female	114	175	221	389	652	1,051	1,901	3,200	4,882	6,033	5,010	2,125	458	2
All other	192	199	275	317	429	524	699	807	813	612	408	186	68	3
Male	123	141	202	217	306	337	442	499	423	312	167	71	23	2
Female	69	58	73	100	123	187	257	308	390	300	241	115	45	1
Black	178	186	259	300	386	477	628	712	697	505	343	153	53	3
Male	112	135	190	207	273	305	395	429	353	260	136	56	16	2
Female	66	51	69	93	113	172	234	283	344	245	207	97	37	1
Pneumonia (480-486)	492	590	883	1,404	2,296	3,319	5,533	7,982	10,270	10,873	7,942	3,200	658	13
Male	312	363	592	928	1,531	2,104	3,429	4,555	5,111	4,696	2,821	1,012	171	11
Female	180	227	291	476	767	1,215	2,104	3,427	5,159	6,177	5,121	2,188	487	2
White	303	391	608	1,091	1,871	2,798	4,837	7,188	9,464	10,267	7,539	3,015	590	10
Male	190	222	390	712	1,227	1,770	2,987	4,063	4,692	4,387	2,658	942	148	9
Female	113	169	218	379	644	1,028	1,850	3,125	4,772	5,880	4,881	2,073	442	1
All other	189	199	275	313	427	521	696	794	806	606	403	185	68	3
Male	122	141	202	216	304	334	442	492	419	309	163	70	23	2
Female	67	58	73	97	123	187	254	302	387	297	240	115	45	1
Black	175	186	259	296	384	474	627	701	692	501	339	153	53	3
Male	111	135	190	206	271	302	395	423	350	258	133	56	16	2
Female	64	51	69	90	113	172	232	278	342	243	208	97	37	1
Influenza (487)	7	9	7	24	25	43	83	159	184	238	178	66	21	1
Male	4	3	4	11	17	20	29	78	71	82	48	14	5	–
Female	3	6	3	13	8	23	54	81	113	156	130	52	16	1
White	4	9	7	20	23	40	80	146	177	232	173	65	21	1
Male	3	3	4	10	15	17	29	71	67	79	44	13	5	–
Female	1	6	3	10	8	23	51	75	110	153	129	52	16	1
All other	3	–	–	4	2	3	3	13	7	6	5	1	–	–
Male	1	–	–	1	2	3	–	7	4	3	4	1	–	–
Female	2	–	–	3	–	–	3	6	3	3	1	–	–	–
Black	3	–	–	4	2	3	2	11	5	4	4	–	–	–
Male	1	–	–	1	2	3	–	6	3	2	3	–	–	–
Female	2	–	–	3	–	–	2	5	2	2	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	313	618	1,507	3,606	6,665	10,165	13,513	13,421	9,845	5,687	2,338	594	67	8
Male	161	325	874	2,145	4,168	6,397	8,874	8,927	6,513	3,562	1,324	309	29	4
Female	152	293	633	1,461	2,497	3,758	4,639	4,494	3,332	2,125	1,014	285	38	4
White	217	474	1,278	3,224	6,072	9,462	12,695	12,784	9,307	5,432	2,222	565	57	4
Male	114	239	723	1,897	3,779	5,897	8,273	8,455	6,129	3,401	1,251	284	23	1
Female	103	235	555	1,327	2,293	3,585	4,412	4,329	3,178	2,031	971	271	34	3
All other	96	144	229	382	593	673	828	637	538	255	116	29	10	4
Male	47	86	151	248	389	500	601	472	384	161	73	15	6	3
Female	49	58	78	134	204	173	227	165	154	94	43	14	4	1
Black	90	135	213	349	549	613	738	558	453	191	100	25	8	3
Male	42	82	138	228	361	456	533	414	325	119	63	12	5	2
Female	48	53	75	121	188	157	205	144	128	72	37	13	3	1
Bronchitis, chronic and unspecified (490-491)	21	32	64	150	308	395	642	623	524	366	215	86	15	–
Male	10	19	37	89	180	243	404	390	286	194	90	28	1	–
Female	11	13	27	61	128	152	238	233	238	172	125	58	14	–
White	14	25	61	142	278	377	614	602	507	355	210	83	15	–
Male	6	15	35	84	166	232	382	374	277	188	87	27	1	–
Female	8	10	26	58	112	145	232	228	230	167	123	56	14	–
All other	7	7	3	8	30	18	28	21	17	11	5	3	–	–
Male	4	4	2	5	14	11	22	16	9	6	3	1	–	–
Female	3	3	1	3	16	7	6	5	8	5	2	2	–	–
Black	6	7	3	6	27	14	26	18	16	9	5	2	–	–
Male	3	4	2	3	12	10	20	15	8	5	3	–	–	–
Female	3	3	1	3	15	4	6	3	8	4	2	2	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	13,263	6	1	–	–	–	7	1	–	–	4	9	8	15
Male	8,926	3	–	–	–	–	3	1	–	–	3	5	3	12
Female	4,337	3	1	–	–	–	4	–	–	–	1	4	5	3
White	12,547	5	–	–	–	–	5	1	–	–	2	4	8	11
Male	8,369	2	–	–	–	–	2	1	–	–	2	3	3	9
Female	4,178	3	–	–	–	–	3	–	–	–	–	1	5	2
All other	716	1	1	–	–	–	2	–	–	–	2	5	–	4
Male	557	1	–	–	–	–	1	–	–	–	1	2	–	3
Female	159	–	1	–	–	–	1	–	–	–	1	3	–	1
Black	627	1	1	–	–	–	2	–	–	–	2	4	–	4
Male	480	1	–	–	–	–	1	–	–	–	1	2	–	3
Female	147	–	1	–	–	–	1	–	–	–	1	2	–	1
Asthma (493)	3,564	10	7	4	5	1	27	25	54	54	78	73	86	101
Male	1,467	5	4	3	2	–	14	13	40	30	41	35	31	43
Female	2,097	5	3	1	3	1	13	12	14	24	37	38	55	58
White	2,779	4	3	3	3	1	14	15	29	25	53	43	48	54
Male	1,106	3	1	2	1	–	7	8	22	15	27	19	20	23
Female	1,673	1	2	1	2	1	7	7	7	10	26	24	28	31
All other	785	6	4	1	2	–	13	10	25	29	25	30	38	47
Male	361	2	3	1	1	–	7	5	18	15	14	16	11	20
Female	424	4	1	–	1	–	6	5	7	14	11	14	27	27
Black	701	5	3	1	2	–	11	9	23	28	25	27	37	42
Male	312	2	3	1	1	–	7	5	17	14	14	13	11	19
Female	389	3	–	–	1	–	4	4	6	14	11	14	26	23
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48,728	2	5	3	2	1	13	8	–	6	7	16	18	49
Male	31,591	2	4	1	1	–	8	2	–	2	5	11	12	29
Female	17,137	–	1	2	1	1	5	6	–	4	2	5	6	20
White	45,591	1	3	3	1	1	9	8	–	4	6	10	13	35
Male	29,341	1	3	1	–	–	5	2	–	1	4	8	11	22
Female	16,250	–	–	2	1	1	4	6	–	3	2	2	2	13
All other	3,137	1	2	–	1	–	4	–	–	2	1	6	5	14
Male	2,250	1	1	–	1	–	3	–	–	1	1	3	1	7
Female	887	–	1	–	–	–	1	–	–	1	–	3	4	7
Black	2,799	1	2	–	1	–	4	–	–	2	–	4	5	12
Male	2,025	1	1	–	1	–	3	–	–	1	–	3	1	7
Female	774	–	1	–	–	–	1	–	–	1	–	1	4	5
Ulcer of stomach and duodenum (531-533)	6,570	11	1	–	–	1	13	1	3	6	9	14	35	50
Male	3,227	5	–	–	–	–	5	1	1	4	6	7	26	36
Female	3,343	6	1	–	–	1	8	–	2	2	3	7	9	14
White	5,933	6	–	–	–	1	7	1	2	6	6	10	21	32
Male	2,865	3	–	–	–	–	3	1	–	4	4	4	15	21
Female	3,068	3	–	–	–	1	4	–	2	2	2	6	6	11
All other	637	5	1	–	–	–	6	–	1	–	3	4	14	18
Male	362	2	–	–	–	–	2	–	1	–	2	3	11	15
Female	275	3	1	–	–	–	4	–	–	–	1	1	3	3
Black	562	5	–	–	–	–	5	–	1	–	1	4	14	17
Male	313	2	–	–	–	–	2	–	1	–	1	3	11	14
Female	249	3	–	–	–	–	3	–	–	–	–	1	3	3
Appendicitis (540-543)	493	3	2	2	1	3	11	8	10	2	8	8	7	6
Male	265	2	–	–	–	2	4	3	7	2	6	3	3	4
Female	228	1	2	2	1	1	7	5	3	–	2	5	4	2
White	403	2	2	1	1	3	9	6	6	1	7	6	4	3
Male	220	1	–	–	–	2	3	3	4	1	5	2	2	2
Female	183	1	2	1	1	1	6	3	2	–	2	4	2	1
All other	90	1	–	1	–	–	2	2	4	1	1	2	3	3
Male	45	1	–	–	–	–	1	–	3	1	1	1	1	2
Female	45	–	–	1	–	–	1	2	1	–	–	1	2	1
Black	84	1	–	1	–	–	2	2	3	1	1	2	3	2
Male	40	1	–	–	–	–	1	–	2	1	1	1	1	1
Female	44	–	–	1	–	–	1	2	1	–	–	1	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,300	105	14	5	1	1	126	8	9	13	20	18	25	37
Male	2,029	72	8	2	1	1	82	5	3	9	7	11	14	20
Female	3,271	33	6	3	–	–	44	3	6	4	13	7	11	17
White	4,659	79	8	3	1	1	92	5	5	10	14	13	21	25
Male	1,731	55	4	1	1	1	62	4	2	8	7	7	11	14
Female	2,928	24	4	2	–	–	30	1	3	2	7	6	10	11
All other	641	26	6	2	–	–	34	3	4	3	6	5	4	12
Male	298	17	2	1	–	–	20	1	1	1	–	4	3	6
Female	343	9	4	1	–	–	14	2	3	2	6	1	1	6
Black	602	24	5	2	–	–	31	3	4	3	6	3	4	12
Male	274	15	2	1	–	–	18	1	1	1	–	3	3	6
Female	328	9	3	1	–	–	13	2	3	2	6	–	1	6
Chronic liver disease and cirrhosis (571)	27,317	23	5	3	2	2	35	11	11	13	53	303	859	1,291
Male	17,558	15	1	2	1	–	19	9	6	9	31	190	604	939
Female	9,759	8	4	1	1	2	16	2	5	4	22	113	255	352
White	22,909	11	4	3	2	2	22	10	7	8	36	172	531	852
Male	14,783	6	1	2	1	–	10	8	3	7	24	118	402	644
Female	8,126	5	3	1	1	2	12	2	4	1	12	54	129	208
All other	4,408	12	1	–	–	–	13	1	4	5	17	131	328	439
Male	2,775	9	–	–	–	–	9	1	3	2	7	72	202	295
Female	1,633	3	1	–	–	–	4	–	1	3	10	59	126	144
Black	3,801	11	1	–	–	–	12	1	4	5	15	119	289	389
Male	2,458	8	–	–	–	–	8	1	3	2	5	62	179	265
Female	1,443	3	1	–	–	–	4	–	1	3	10	57	110	124

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	52	108	287	781	1,423	2,189	2,753	2,552	1,796	854	333	74	7	–
Male	35	66	175	488	938	1,405	1,882	1,790	1,291	585	188	44	2	–
Female	17	42	112	303	485	784	871	762	505	269	135	30	5	–
White	41	86	246	746	1,334	2,068	2,621	2,446	1,715	821	314	71	7	–
Male	25	51	141	455	875	1,310	1,772	1,703	1,228	558	188	43	2	–
Female	16	35	105	291	459	758	849	743	489	263	126	28	5	–
All other	11	22	41	45	88	121	132	106	81	33	19	3	–	–
Male	10	15	34	33	63	95	110	87	65	27	10	1	–	–
Female	1	7	7	12	26	26	22	19	16	6	9	2	–	–
Black	10	22	39	40	84	110	112	85	69	25	16	3	–	–
Male	9	15	32	30	59	85	90	69	55	20	8	1	–	–
Female	1	7	7	10	25	25	22	16	14	5	8	2	–	–
Asthma (493)	126	162	193	288	376	462	443	390	312	188	85	19	1	1
Male	53	63	86	113	165	196	169	161	126	59	28	6	–	1
Female	73	99	107	185	211	266	280	229	186	129	57	13	1	–
White	74	101	138	227	289	401	372	352	266	177	84	16	1	–
Male	37	37	61	84	118	159	139	143	108	54	21	4	–	–
Female	37	64	77	143	171	242	233	209	158	123	63	12	1	–
All other	52	61	55	71	87	61	71	38	46	11	11	3	–	1
Male	16	26	25	29	47	37	24	18	18	5	7	2	–	1
Female	36	35	30	42	40	24	47	20	28	6	4	1	–	–
Black	49	54	50	65	80	55	60	34	33	7	9	2	–	1
Male	14	23	21	26	40	31	18	15	14	2	6	1	–	1
Female	35	31	29	39	40	24	42	19	19	5	3	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	114	318	963	2,367	4,558	7,109	9,675	9,856	7,213	4,279	1,695	415	44	7
Male	63	177	576	1,455	2,885	4,553	6,425	6,586	4,810	2,724	1,008	231	26	3
Female	51	139	387	912	1,673	2,556	3,250	3,270	2,403	1,555	687	184	18	4
White	88	262	833	2,108	4,171	6,636	9,078	9,384	6,819	4,079	1,614	395	34	4
Male	46	136	486	1,274	2,620	4,196	5,960	6,235	4,518	2,601	955	220	20	1
Female	42	126	347	835	1,551	2,440	3,098	3,149	2,301	1,478	659	175	14	3
All other	26	54	130	258	387	473	597	472	394	200	81	20	10	3
Male	17	41	90	181	265	357	445	351	292	123	53	11	6	2
Female	9	13	40	77	122	116	152	121	102	77	28	9	4	1
Black	25	52	121	238	358	434	540	421	335	150	70	18	8	2
Male	16	40	83	169	250	330	405	315	248	92	46	10	5	1
Female	9	12	38	68	108	104	135	106	87	58	24	8	3	1
Ulcer of stomach and duodenum (531-533)	78	99	173	328	500	686	837	1,032	1,071	948	508	156	22	1
Male	43	52	120	217	327	414	440	519	465	339	158	41	6	–
Female	35	47	53	111	173	272	397	513	606	609	350	115	16	1
White	56	69	130	280	436	613	768	951	992	901	492	142	17	1
Male	30	36	86	183	283	376	398	479	432	318	154	35	3	–
Female	26	33	44	97	153	237	370	472	560	583	338	107	14	1
All other	22	30	43	48	64	73	69	81	79	47	16	14	5	–
Male	13	16	34	34	44	38	42	40	33	21	4	6	3	–
Female	9	14	9	14	20	35	27	41	46	28	12	8	2	–
Black	21	30	40	43	55	66	56	70	71	41	11	11	5	–
Male	12	16	31	30	36	34	34	30	30	18	3	4	3	–
Female	9	14	9	13	19	32	22	40	41	23	8	7	2	–
Appendicitis (540-543)	11	10	10	28	44	47	64	64	75	51	23	4	2	–
Male	5	6	3	14	33	27	37	33	39	25	10	1	–	–
Female	6	4	7	14	11	20	27	31	36	26	13	3	2	–
White	8	6	7	22	32	41	50	53	69	46	22	4	1	–
Male	3	5	3	11	23	24	30	30	37	21	10	1	–	–
Female	5	1	4	11	9	17	20	23	32	25	12	3	1	–
All other	3	4	3	6	12	6	14	11	6	5	1	–	1	–
Male	2	1	–	3	10	3	7	3	2	4	–	–	–	–
Female	1	3	3	3	2	3	7	8	4	1	1	–	1	–
Black	3	4	3	6	12	6	13	11	3	5	1	–	1	–
Male	2	1	–	3	10	3	6	3	–	4	–	–	–	–
Female	1	3	3	3	2	3	7	8	3	1	1	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	53	89	134	254	408	489	826	940	969	580	221	37	–
Male	23	24	44	71	126	174	232	363	371	282	118	45	5	–
Female	11	29	45	63	128	234	257	463	569	687	462	176	32	–
White	26	38	68	106	209	341	424	730	849	908	543	201	31	–
Male	20	14	32	52	106	143	197	317	329	259	104	40	3	–
Female	6	24	36	54	103	198	227	413	520	649	439	161	28	–
All other	8	15	21	28	45	67	75	96	91	61	37	20	6	–
Male	3	10	12	19	20	31	35	46	42	23	14	5	2	–
Female	5	5	9	9	25	36	40	50	49	38	23	15	4	–
Black	7	15	20	23	41	63	72	90	85	59	38	19	6	–
Male	3	10	12	16	17	27	32	43	39	22	13	5	2	–
Female	4	5	8	7	24	36	40	47	46	37	23	14	4	–
Chronic liver disease and cirrhosis (571)	1,781	2,231	2,983	3,784	4,035	3,773	2,806	1,869	981	358	114	17	2	7
Male	1,233	1,564	1,982	2,524	2,645	2,398	1,671	1,051	454	169	51	5	–	6
Female	548	667	1,001	1,260	1,390	1,377	1,135	818	527	189	63	12	2	1
White	1,270	1,717	2,426	3,188	3,559	3,408	2,579	1,733	919	346	105	17	1	3
Male	904	1,212	1,613	2,147	2,365	2,164	1,545	971	427	163	47	5	–	3
Female	366	505	813	1,041	1,194	1,244	1,033	762	492	183	58	12	1	–
All other	511	514	557	596	476	365	227	136	62	12	9	–	1	4
Male	329	352	369	377	280	232	125	80	27	6	4	–	–	3
Female	182	162	188	219	196	133	102	56	35	6	5	–	1	1
Black	449	450	492	538	429	319	201	115	51	11	7	–	1	4
Male	296	311	324	341	253	201	109	63	23	5	4	–	–	3
Female	153	139	168	197	176	118	92	52	28	6	3	–	1	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	3,023	4	–	–	–	–	4	–	–	1	6	5	15	18
Male	1,387	4	–	–	–	–	4	–	–	–	–	1	3	11
Female	1,636	–	–	–	–	–	–	–	–	1	6	4	12	7
White	2,752	3	–	–	–	–	3	–	–	1	6	4	12	13
Male	1,272	3	–	–	–	–	3	–	–	–	–	1	3	8
Female	1,480	–	–	–	–	–	–	–	–	1	6	3	9	5
All other	271	1	–	–	–	–	1	–	–	–	–	1	3	5
Male	115	1	–	–	–	–	1	–	–	–	–	–	–	3
Female	156	–	–	–	–	–	–	–	–	–	–	1	3	2
Black	228	–	–	–	–	–	–	–	–	–	–	1	2	5
Male	89	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	139	–	–	–	–	–	–	–	–	–	–	1	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20,126	273	8	6	4	4	295	21	19	29	54	115	132	188
Male	10,051	163	4	1	4	2	174	11	7	11	35	65	83	114
Female	10,075	110	4	5	–	2	121	10	12	18	19	50	49	74
White	16,198	178	7	3	4	3	195	15	11	21	38	80	80	113
Male	8,174	107	3	1	4	2	117	8	3	8	26	42	52	71
Female	8,024	71	4	2	–	1	78	7	8	13	12	38	28	42
All other	3,928	95	1	3	–	1	100	6	8	8	16	35	52	75
Male	1,877	56	1	–	–	–	57	3	4	3	9	23	31	43
Female	2,051	39	–	3	–	1	43	3	4	5	7	12	21	32
Black	3,666	91	1	2	–	1	95	5	7	8	14	32	49	68
Male	1,731	54	1	–	–	–	55	2	4	3	7	22	31	41
Female	1,935	37	–	2	–	1	40	3	3	5	7	10	18	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	316	5	2	1	1	2	11	2	–	–	2	5	4	3
Male	147	4	–	–	1	1	6	1	–	–	–	2	4	1
Female	169	1	2	1	–	1	5	1	–	–	2	3	–	2
White	262	4	2	–	1	2	9	1	–	–	2	4	2	1
Male	125	4	–	–	1	1	6	1	–	–	–	2	2	1
Female	137	–	2	–	–	1	3	–	–	–	2	2	–	–
All other	54	1	–	1	–	–	2	1	–	–	–	1	2	2
Male	22	–	–	–	–	–	–	–	–	–	–	–	2	–
Female	32	1	–	1	–	–	2	1	–	–	–	1	–	2
Black	51	1	–	–	–	–	1	1	–	–	–	1	2	2
Male	21	–	–	–	–	–	–	–	–	–	–	–	2	–
Female	30	1	–	–	–	–	1	1	–	–	–	1	–	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,824	3	–	–	–	–	3	5	2	1	17	31	20	35
Male	911	2	–	–	–	–	2	4	–	1	10	22	11	25
Female	913	1	–	–	–	–	1	1	2	–	7	9	9	10
White	1,472	2	–	–	–	–	2	4	1	1	10	18	13	23
Male	741	1	–	–	–	–	1	3	–	1	6	13	6	17
Female	731	1	–	–	–	–	1	1	1	–	4	5	7	6
All other	352	1	–	–	–	–	1	1	1	–	7	13	7	12
Male	170	1	–	–	–	–	1	1	–	–	4	9	5	6
Female	182	–	–	–	–	–	–	–	1	–	3	4	2	4
Black	324	1	–	–	–	–	1	1	–	–	6	12	7	12
Male	155	1	–	–	–	–	1	1	–	–	3	8	5	8
Female	169	–	–	–	–	–	–	–	–	–	3	4	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17,988	265	6	5	3	2	281	14	17	28	35	79	108	150
Male	8,993	157	4	1	3	1	166	6	7	10	25	41	68	88
Female	8,993	108	2	4	–	1	115	8	10	18	10	38	40	62
White	14,464	172	5	3	3	1	184	10	10	20	28	58	85	89
Male	7,308	102	3	1	3	1	110	4	3	7	20	27	44	53
Female	7,156	70	2	2	–	–	74	6	7	13	8	31	21	36
All other	3,522	93	1	2	–	1	97	4	7	8	9	21	43	61
Male	1,685	55	1	–	–	–	56	2	4	3	5	14	24	35
Female	1,837	38	–	2	–	1	41	2	3	5	4	7	19	26
Black	3,291	89	1	2	–	1	93	3	7	8	8	19	40	54
Male	1,555	53	1	–	–	–	54	1	4	3	4	14	24	33
Female	1,736	36	–	2	–	1	39	2	3	5	4	5	16	21
Infections of kidney (590)	2,077	5	1	–	–	–	6	–	1	4	9	10	11	14
Male	713	3	–	–	–	–	3	–	1	2	1	3	6	8
Female	1,364	2	1	–	–	–	3	–	–	2	8	7	5	6
White	1,805	5	1	–	–	–	6	–	1	3	8	7	7	8
Male	597	3	–	–	–	–	3	–	1	2	1	3	4	4
Female	1,208	2	1	–	–	–	3	–	–	1	7	4	3	4
All other	272	–	–	–	–	–	–	–	–	1	1	3	4	6
Male	116	–	–	–	–	–	–	–	–	–	–	–	2	2
Female	156	–	–	–	–	–	–	–	–	1	1	3	2	4
Black	248	–	–	–	–	–	–	–	–	1	1	3	4	6
Male	107	–	–	–	–	–	–	–	–	–	–	–	2	2
Female	141	–	–	–	–	–	–	–	–	1	1	3	2	4
Hyperplasia of prostate (600)	536	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	536	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
White	474	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	474	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
All other	62	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	62	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
Black	61	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	61	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	28	28	67	95	174	252	414	498	521	485	293	97	19	2
Male	14	14	34	59	96	130	241	258	222	172	103	21	4	2
Female	14	14	33	36	78	122	173	243	299	313	190	76	15	–
White	22	20	56	72	153	225	381	462	475	458	282	89	17	1
Male	11	9	30	46	87	117	230	240	186	164	99	21	4	1
Female	11	11	26	26	66	109	151	222	277	294	183	68	13	–
All other	6	8	11	23	21	27	33	37	46	27	11	8	2	1
Male	3	5	4	13	9	13	11	16	24	8	4	–	–	1
Female	3	3	7	10	12	14	22	21	22	19	7	8	2	–
Black	6	7	10	20	17	23	28	29	38	20	11	6	2	1
Male	3	4	4	11	6	11	9	11	19	3	4	–	–	1
Female	3	3	6	9	11	12	19	18	19	17	7	6	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	204	287	413	756	1,308	1,851	2,626	3,223	3,330	2,880	1,735	548	110	2
Male	124	152	218	391	739	1,002	1,400	1,667	1,615	1,269	723	212	36	1
Female	80	135	195	365	569	849	1,226	1,556	1,715	1,611	1,012	336	72	1
White	126	175	262	505	943	1,423	2,080	2,697	2,796	2,557	1,552	475	74	–
Male	77	95	140	271	538	802	1,141	1,428	1,376	1,121	650	184	24	–
Female	49	80	122	234	405	621	919	1,269	1,420	1,436	902	291	50	–
All other	78	112	151	251	365	428	566	526	534	323	183	73	36	2
Male	47	57	78	120	201	200	259	239	239	148	73	28	14	1
Female	31	55	73	131	164	228	307	287	295	175	110	45	22	1
Black	73	98	139	239	340	406	536	480	503	298	170	70	36	2
Male	45	51	70	116	184	187	241	209	223	134	66	25	14	1
Female	28	47	69	123	156	219	295	271	280	162	104	45	22	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	11	11	12	17	24	37	58	54	41	14	5	–	–
Male	1	2	4	8	12	11	15	37	20	16	5	2	–	–
Female	4	9	7	4	5	13	22	21	34	25	9	3	–	–
White	–	6	7	8	15	20	33	52	48	37	13	4	–	–
Male	–	2	1	5	10	9	14	33	18	15	5	1	–	–
Female	–	4	6	3	5	11	19	19	30	22	8	3	–	–
All other	5	5	4	4	2	4	4	6	6	4	1	1	–	–
Male	1	–	3	3	2	2	1	4	2	1	–	1	–	–
Female	4	5	1	1	–	2	3	2	4	3	1	–	–	–
Black	5	4	4	4	2	4	4	6	5	4	1	1	–	–
Male	1	–	3	3	2	2	1	4	1	1	–	1	–	–
Female	4	4	1	1	–	2	3	2	4	3	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	36	33	45	70	110	165	219	273	289	262	146	43	9	–
Male	17	18	23	34	66	93	129	142	126	110	57	17	4	–
Female	19	15	22	36	44	72	90	131	173	152	89	26	5	–
White	24	22	26	48	83	141	176	239	252	225	129	32	3	–
Male	13	13	14	27	51	83	107	125	106	90	50	14	1	–
Female	11	9	12	21	32	58	69	114	146	135	79	18	2	–
All other	12	11	19	22	27	24	43	34	47	37	17	11	6	–
Male	4	5	9	7	15	10	22	17	20	20	7	3	3	–
Female	8	6	10	15	12	14	21	17	27	17	10	8	3	–
Black	9	10	18	20	23	23	42	33	46	31	13	11	6	–
Male	4	5	8	6	12	9	21	16	19	18	5	3	3	–
Female	5	5	10	14	11	14	21	17	27	13	8	8	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	163	243	357	674	1,181	1,662	2,370	2,892	2,977	2,577	1,575	500	101	2
Male	106	132	191	349	661	898	1,256	1,488	1,469	1,143	661	193	34	1
Female	57	111	166	325	520	764	1,114	1,404	1,508	1,434	914	307	67	1
White	102	147	229	449	845	1,262	1,851	2,406	2,496	2,295	1,410	439	71	–
Male	64	80	125	239	477	710	1,020	1,270	1,252	1,016	595	169	23	–
Female	38	67	104	210	368	552	831	1,136	1,244	1,279	815	270	48	–
All other	61	96	128	225	336	400	519	486	481	282	165	61	30	2
Male	42	52	66	110	184	188	236	218	217	127	66	24	11	1
Female	19	44	62	115	152	212	283	268	264	155	99	37	19	1
Black	59	84	117	215	315	379	490	441	452	261	156	58	30	2
Male	40	46	59	107	170	176	219	189	203	115	61	21	11	1
Female	19	38	58	108	145	203	271	252	249	146	95	37	19	1
Infections of kidney (590)	23	20	38	56	101	127	234	286	417	369	257	84	10	–
Male	7	6	15	24	34	54	95	118	137	110	69	21	1	–
Female	16	14	23	32	67	73	139	168	280	259	188	63	9	–
White	12	16	29	40	76	103	199	252	374	341	237	78	8	–
Male	3	5	10	17	21	45	79	103	122	97	59	17	1	–
Female	9	11	19	23	55	58	120	149	252	244	178	61	7	–
All other	11	4	9	16	25	24	35	34	43	28	20	6	2	–
Male	4	1	5	7	13	9	16	15	15	13	10	4	–	–
Female	7	3	4	9	12	15	19	19	28	15	10	2	2	–
Black	11	4	9	15	24	22	32	30	38	24	18	6	2	–
Male	4	1	5	7	12	8	15	12	14	12	9	4	–	–
Female	7	3	4	8	12	14	17	18	22	12	9	2	2	–
Hyperplasia of prostate (600)	–	1	3	5	18	21	56	92	121	113	76	27	3	–
Male	–	1	3	5	18	21	56	92	121	113	76	27	3	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	–	1	2	2	17	17	47	80	107	100	73	25	3	–
Male	–	1	2	2	17	17	47	80	107	100	73	25	3	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	1	3	1	4	9	12	14	13	3	2	–	–
Male	–	–	1	3	1	4	9	12	14	13	3	2	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	1	3	1	4	9	12	14	12	3	2	–	–
Male	–	–	1	3	1	4	9	12	14	12	3	2	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	285	...	...	...	...	...	...	...	1	29	49	81	76	39
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	285	...	...	...	...	...	...	...	1	29	49	81	76	39
White	159	...	...	...	...	...	...	...	–	14	18	55	43	24
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	159	...	...	...	...	...	...	...	–	14	18	55	43	24
All other	126	...	...	...	...	...	...	...	1	15	31	26	33	15
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	126	...	...	...	...	...	...	...	1	15	31	26	33	15
Black	117	...	...	...	...	...	...	...	1	15	31	23	28	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	117	...	...	...	...	...	...	...	1	15	31	23	28	14
Pregnancy with abortive outcome (630-638)	57	...	...	...	...	...	...	...	1	7	14	13	9	8
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	57	...	...	...	...	...	...	...	1	7	14	13	9	8
White	25	...	...	...	...	...	...	...	–	2	5	7	5	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	25	...	...	...	...	...	...	...	–	2	5	7	5	3
All other	32	...	...	...	...	...	...	...	1	5	9	6	4	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	32	...	...	...	...	...	...	...	1	5	9	6	4	5
Black	30	...	...	...	...	...	...	...	1	5	9	6	3	4
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	30	...	...	...	...	...	...	...	1	5	9	6	3	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	228	...	...	...	...	...	...	...	–	22	35	68	67	31
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	228	...	...	...	...	...	...	...	–	22	35	68	67	31
White	134	...	...	...	...	...	...	...	–	12	13	48	38	21
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	134	...	...	...	...	...	...	...	–	12	13	48	38	21
All other	94	...	...	...	...	...	...	...	–	10	22	20	29	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	94	...	...	...	...	...	...	...	–	10	22	20	29	10
Black	87	...	...	...	...	...	...	...	–	10	22	17	25	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	87	...	...	...	...	...	...	...	–	10	22	17	25	10
Congenital anomalies (740-759)	13,039	8,548	474	239	139	94	9,494	242	242	239	277	232	213	178
Male	6,925	4,576	249	131	58	51	5,065	131	125	141	172	140	122	97
Female	6,114	3,972	225	108	81	43	4,429	111	117	98	105	92	91	81
White	10,662	6,875	392	185	117	77	7,646	187	205	193	229	175	169	155
Male	5,703	3,727	204	106	49	44	4,130	105	112	109	137	106	95	83
Female	4,959	3,148	188	79	68	33	3,516	82	93	84	92	69	74	72
All other	2,377	1,673	82	54	22	17	1,848	55	37	46	48	57	44	23
Male	1,222	849	45	25	9	7	935	28	13	32	35	34	27	14
Female	1,155	824	37	29	13	10	913	28	24	14	13	23	17	9
Black	1,983	1,389	62	44	18	16	1,529	45	32	41	41	47	39	20
Male	1,023	705	38	18	7	7	775	20	11	30	32	28	23	14
Female	960	684	24	26	11	9	754	25	21	11	9	19	16	6
Certain conditions originating in the perinatal period (760-779)	18,881	18,682	112	20	7	5	18,826	21	5	7	2	4	1	1
Male	10,659	10,547	62	15	5	2	10,631	12	2	3	–	3	1	1
Female	8,222	8,135	50	5	2	3	8,195	9	3	4	2	1	–	–
White	12,471	12,331	75	10	4	5	12,425	17	3	5	2	4	1	1
Male	7,135	7,055	42	9	2	2	7,110	10	2	2	–	3	1	1
Female	5,336	5,276	33	1	2	3	5,315	7	1	3	2	1	–	–
All other	6,410	6,351	37	10	3	–	6,401	4	2	2	–	–	–	–
Male	3,524	3,492	20	6	3	–	3,521	2	–	1	–	–	–	–
Female	2,886	2,859	17	4	–	–	2,880	2	2	1	–	–	–	–
Black	6,002	5,950	33	9	2	–	5,994	4	2	1	–	–	–	–
Male	3,290	3,263	16	6	2	–	3,287	2	–	1	–	–	–	–
Female	2,712	2,687	17	3	–	–	2,707	2	2	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,163	5,103	28	6	1	1	5,139	14	4	3	–	1	–	–
Male	3,071	3,039	15	4	–	1	3,059	8	1	1	–	1	–	–
Female	2,092	2,064	13	2	1	–	2,080	6	3	2	–	–	–	–
White	3,700	3,656	20	4	1	1	3,682	11	2	2	–	1	–	–
Male	2,234	2,210	10	3	–	1	2,224	6	1	1	–	1	–	–
Female	1,466	1,446	10	1	1	–	1,458	5	1	1	–	–	–	–
All other	1,463	1,447	8	2	–	–	1,457	3	2	1	–	–	–	–
Male	837	829	5	1	–	–	835	2	–	–	–	–	–	–
Female	626	618	3	1	–	–	622	1	2	1	–	–	–	–
Black	1,346	1,332	7	2	–	–	1,341	3	2	–	–	–	–	–
Male	767	760	4	1	–	–	765	2	–	–	–	–	–	–
Female	579	572	3	1	–	–	576	1	2	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	13,718	13,579	84	14	6	4	13,687	7	1	4	2	3	1	1
Male	7,588	7,508	47	11	5	1	7,572	4	1	2	–	2	1	1
Female	6,130	6,071	37	3	1	3	6,115	3	–	2	2	1	–	–
White	8,771	8,675	55	6	3	4	8,743	6	1	3	2	3	1	1
Male	4,901	4,845	32	6	2	1	4,886	4	1	1	–	2	1	1
Female	3,870	3,830	23	–	1	3	3,857	2	–	2	2	1	–	–
All other	4,947	4,904	29	8	3	–	4,944	1	–	1	–	–	–	–
Male	2,687	2,683	15	5	3	–	2,686	–	–	1	–	–	–	–
Female	2,260	2,241	14	3	–	–	2,258	1	–	–	–	–	–	–
Black	4,656	4,618	26	7	2	–	4,653	1	–	1	–	–	–	–
Male	2,523	2,503	12	5	2	–	2,522	–	–	1	–	–	–	–
Female	2,133	2,115	14	2	–	–	2,131	1	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	2	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	2	–	...	...	...	...	...	...	...	...	...	...	–
White	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	–	...	...	...	...	...	...	...	...	...	...	–
All other	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Black	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	–	...	...	...	...	...	...	...	...	...	...	–
White	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
All other	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Black	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	–	...	...	...	...	...	...	...	...	...	...	–
White	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Black	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Congenital anomalies (740-759)	170	180	170	228	269	179	247	191	132	98	39	10	5	4
Male	94	97	80	108	130	95	127	85	59	37	15	2	1	2
Female	76	83	90	120	139	84	120	106	73	61	24	8	4	2
White	149	150	146	198	241	158	225	173	120	92	36	9	3	2
Male	79	86	68	98	121	81	114	75	54	34	15	1	–	–
Female	70	64	78	101	120	77	111	98	66	58	21	8	3	2
All other	21	30	24	29	28	21	22	18	12	6	3	1	2	2
Male	15	11	12	10	9	14	13	10	5	3	–	1	1	2
Female	6	19	12	19	19	7	9	8	7	3	3	–	1	–
Black	17	24	23	23	25	18	21	17	9	5	3	1	2	1
Male	11	7	11	10	9	11	12	9	4	3	–	1	1	1
Female	6	17	12	13	16	7	9	8	5	2	3	–	1	–
Certain conditions originating in the perinatal period (760-779)	1	1	2	1	1	–	–	–	–	–	–	–	–	8
Male	–	–	1	1	–	–	–	–	–	–	–	–	–	4
Female	1	1	1	–	1	–	–	–	–	–	–	–	–	4
White	1	1	2	1	1	–	–	–	–	–	–	–	–	7
Male	–	–	1	1	–	–	–	–	–	–	–	–	–	4
Female	1	1	1	–	1	–	–	–	–	–	–	–	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
White	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	1	1	1	–	1	–	–	–	–	–	–	–	–	8
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	4
Female	1	1	–	–	1	–	–	–	–	–	–	–	–	4
White	1	1	1	–	1	–	–	–	–	–	–	–	–	7
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	4
Female	1	1	–	–	1	–	–	–	–	–	–	–	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	29,721	5,874	154	56	25	24	6,133	47	55	246	477	634	809	666
Male	16,711	3,554	84	29	13	12	3,692	25	36	151	312	449	545	460
Female	13,010	2,320	70	27	12	12	2,441	22	19	95	165	185	264	206
White	22,796	4,053	102	39	17	15	4,226	33	38	185	350	449	567	429
Male	12,682	2,541	55	19	10	4	2,629	19	26	114	237	322	392	295
Female	10,114	1,512	47	20	7	11	1,597	14	12	71	113	127	175	134
All other	6,925	1,821	52	17	8	9	1,907	14	17	61	127	185	242	237
Male	4,029	1,013	29	10	3	8	1,063	6	10	37	75	127	153	165
Female	2,896	808	23	7	5	1	844	8	7	24	52	58	89	72
Black	6,511	1,657	45	15	6	7	1,730	13	15	54	121	164	226	224
Male	3,784	925	24	9	2	6	966	5	10	32	72	111	141	159
Female	2,727	732	21	6	4	1	764	8	5	22	49	53	85	65
All other diseases (Residual)	137,497	1,798	397	231	184	128	2,738	508	557	873	1,300	1,814	2,457	2,778
Male	67,304	1,032	230	123	93	66	1,544	273	306	509	792	1,107	1,631	1,786
Female	70,193	766	167	108	91	62	1,194	235	251	364	508	707	826	992
White	117,626	1,240	288	173	132	108	1,939	397	451	704	984	1,232	1,527	1,799
Male	56,773	726	172	91	65	53	1,107	211	250	431	617	782	1,043	1,155
Female	60,853	514	114	82	67	55	832	186	201	273	367	450	484	644
All other	19,871	558	111	58	52	20	799	111	106	169	316	582	930	979
Male	10,531	306	58	32	28	13	437	62	56	78	175	325	588	631
Female	9,340	252	53	26	24	7	362	49	50	91	161	257	342	348
Black	18,312	480	96	54	45	18	693	103	89	149	308	541	876	913
Male	9,677	266	52	30	25	12	385	56	49	68	158	307	556	596
Female	8,635	214	44	24	20	6	308	47	40	81	150	234	320	317
Accidents and adverse effects (E800-E949)	92,911	838	867	769	637	521	3,652	1,915	2,283	8,466	11,335	8,884	7,083	5,346
Male	64,053	449	489	494	412	342	2,186	1,275	1,603	6,315	9,014	7,145	5,584	4,144
Female	28,858	389	378	295	225	179	1,466	640	680	2,151	2,321	1,739	1,499	1,202
White	79,222	588	631	597	467	371	2,654	1,420	1,844	7,556	9,897	7,579	5,852	4,393
Male	54,227	310	383	381	302	242	1,598	933	1,283	5,605	7,873	6,113	4,636	3,390
Female	24,995	278	268	216	165	129	1,056	487	561	1,951	2,024	1,466	1,216	1,003
All other	13,689	250	236	192	170	150	998	495	439	910	1,438	1,305	1,231	953
Male	9,826	139	126	113	110	100	588	342	320	710	1,141	1,032	948	754
Female	3,863	111	110	79	60	50	410	153	119	200	297	273	283	199
Black	11,687	222	189	165	145	126	847	441	394	689	1,155	1,097	1,083	814
Male	8,399	124	97	97	97	86	501	302	291	539	920	871	827	646
Female	3,288	98	92	68	48	40	346	139	103	150	235	226	256	168
Motor vehicle accidents (E810-E825)	46,263	161	257	273	236	211	1,138	1,016	1,247	6,495	8,243	5,693	4,122	2,966
Male	32,949	79	144	158	147	129	657	645	801	4,684	6,423	4,473	3,139	2,155
Female	13,314	82	113	115	89	82	481	371	446	1,811	1,820	1,220	983	811
White	40,429	124	198	216	180	153	871	794	1,077	5,939	7,331	4,939	3,518	2,535
Male	28,614	60	115	124	112	93	504	492	694	4,266	5,698	3,883	2,677	1,834
Female	11,815	64	83	92	68	60	367	302	383	1,673	1,633	1,056	841	701
All other	5,834	37	59	57	56	58	267	222	170	556	912	754	604	431
Male	4,335	19	29	34	35	36	153	153	107	418	725	580	462	321
Female	1,499	18	30	23	21	22	114	69	63	138	187	164	142	110
Black	4,721	30	41	45	45	48	209	193	149	397	733	611	496	350
Male	3,556	16	19	27	30	30	122	130	98	299	588	481	388	262
Female	1,165	14	22	18	15	18	87	63	51	98	145	130	110	88
All other accidents and adverse effects (E800-E807,E826-E949)	46,648	677	610	516	401	310	2,514	899	1,036	1,971	3,092	3,191	2,961	2,380
Male	31,104	370	345	336	265	213	1,529	630	802	1,631	2,591	2,672	2,445	1,989
Female	15,544	307	265	180	136	97	985	269	234	340	501	519	516	391
White	38,793	464	433	381	287	218	1,783	626	767	1,617	2,566	2,640	2,334	1,858
Male	25,613	250	248	257	190	149	1,094	441	589	1,339	2,175	2,230	1,959	1,556
Female	13,180	214	185	124	97	69	689	185	178	278	391	410	375	302
All other	7,855	213	177	135	114	92	731	273	269	354	526	551	627	522
Male	5,491	120	97	79	75	64	435	189	213	292	416	442	486	433
Female	2,364	93	80	56	39	28	296	84	56	62	110	109	141	89
Black	6,966	192	148	120	100	78	638	248	245	292	422	486	567	484
Male	4,843	108	78	70	67	56	379	172	199	240	332	390	441	384
Female	2,123	84	70	50	33	22	259	76	52	52	90	96	126	80
Suicide (E950-E959)	29,286	...	...	...	...	...	...	7	225	1,692	3,334	3,380	3,012	2,560
Male	22,689	...	...	...	...	...	...	6	171	1,365	2,784	2,767	2,358	1,931
Female	6,597	...	...	...	...	...	...	1	54	327	550	613	654	629
White	27,002	...	...	...	...	...	...	7	197	1,529	2,961	2,979	2,702	2,395
Male	20,882	...	...	...	...	...	...	6	152	1,240	2,473	2,429	2,108	1,753
Female	6,120	...	...	...	...	...	...	1	45	288	488	550	594	582
All other	2,284	...	...	...	...	...	...	–	28	164	373	401	310	225
Male	1,807	...	...	...	...	...	...	–	19	125	311	338	250	178
Female	477	...	...	...	...	...	...	–	9	39	62	63	60	47
Black	1,760	...	...	...	...	...	...	–	19	107	273	322	259	179
Male	1,432	...	...	...	...	...	...	–	14	83	228	273	215	146
Female	328	...	...	...	...	...	...	–	5	24	45	49	44	33
Homicide and legal intervention (E960-E978)	19,786	237	123	110	80	48	578	155	274	1,564	3,255	3,414	2,640	2,027
Male	15,038	134	67	60	23	23	307	71	149	1,172	2,490	2,706	2,124	1,613
Female	4,758	103	56	50	37	25	271	84	125	392	765	708	516	414
White	11,127	133	81	59	38	30	341	80	170	829	1,751	1,770	1,382	1,153
Male	8,171	75	52	33	15	15	190	35	90	587	1,287	1,388	1,091	893
Female	2,956	58	29	26	23	15	151	45	80	242	464	382	291	260
All other	8,669	104	42	51	22	18	237	75	104	735	1,504	1,644	1,258	874
Male	6,867	59	15	27	8	8	117	36	59	585	1,203	1,318	1,033	720
Female	1,802	45	27	24	14	10	120	39	45	150	301	326	225	154
Black	8,240	101	39	50	21	15	226	69	96	696	1,441	1,583	1,197	823
Male	6,563	56	14	27	7	6	110	31	54	554	1,156	1,271	993	684
Female	1,677	45	25	23	14	9	116	38	42	142	285	312	204	139

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	639	662	965	1,446	1,908	2,238	2,619	2,697	2,629	2,176	1,684	699	250	62
Male	430	438	677	990	1,293	1,433	1,510	1,452	1,185	798	545	179	71	40
Female	209	224	288	456	615	805	1,109	1,245	1,444	1,378	1,119	520	179	22
White	439	464	708	1,104	1,446	1,827	2,052	2,161	2,141	1,897	1,446	600	184	50
Male	295	310	488	743	984	1,185	1,185	1,168	948	671	487	145	51	28
Female	144	154	220	361	462	662	867	993	1,193	1,226	979	455	133	22
All other	200	198	257	342	462	411	567	536	488	279	218	99	66	12
Male	135	128	189	247	309	268	325	284	237	127	78	34	20	12
Female	65	70	68	95	153	143	242	252	251	152	140	65	46	-
Black	189	187	251	326	445	401	550	514	467	266	199	95	62	12
Male	127	122	184	234	299	262	314	289	226	122	67	32	18	12
Female	62	65	67	92	146	139	236	245	241	144	132	63	44	-
All other diseases (Residual)	3,070	3,436	4,448	6,828	9,666	12,457	15,966	19,150	19,326	16,432	9,888	3,191	588	26
Male	1,934	2,067	2,649	3,885	5,535	6,956	8,570	9,421	8,281	6,068	3,051	808	117	14
Female	1,136	1,369	1,799	2,943	4,131	5,501	7,396	9,729	11,045	10,364	6,837	2,383	471	12
White	2,105	2,382	3,355	5,490	8,046	10,738	14,013	17,142	17,454	15,294	9,186	2,904	488	16
Male	1,314	1,443	1,988	3,135	4,599	6,020	7,560	8,467	7,453	5,566	2,767	716	95	9
Female	791	939	1,357	2,355	3,453	4,718	6,453	8,675	10,001	9,706	6,399	2,188	393	8
All other	965	1,054	1,093	1,338	1,620	1,719	1,953	2,008	1,872	1,138	702	287	100	10
Male	620	624	651	750	942	936	1,010	954	828	480	284	92	22	6
Female	345	430	442	588	678	783	943	1,054	1,044	658	438	195	78	4
Black	902	992	1,026	1,258	1,517	1,584	1,816	1,838	1,702	1,012	616	263	94	10
Male	582	592	611	712	885	970	926	856	723	414	224	80	21	6
Female	320	400	415	546	632	724	890	982	979	598	392	183	73	4
Accidents and adverse effects (E800-E949)	4,185	3,646	3,604	3,921	4,102	4,090	4,344	4,763	4,463	3,769	2,159	692	120	99
Male	3,157	2,686	2,630	2,789	2,773	2,659	2,578	2,588	2,138	1,632	785	240	41	90
Female	1,028	960	974	1,132	1,329	1,421	1,765	2,175	2,325	2,137	1,374	452	79	9
White	3,418	2,995	3,000	3,239	3,520	3,505	3,750	4,267	4,035	3,470	2,030	630	96	82
Male	2,565	2,182	2,198	2,291	2,355	2,269	2,196	2,298	1,918	1,473	725	220	31	75
Female	853	803	802	948	1,165	1,236	1,554	1,969	2,117	1,997	1,305	410	65	7
All other	767	651	604	682	582	575	594	496	428	299	129	62	24	17
Male	592	504	432	498	418	390	383	290	220	159	60	20	10	15
Female	175	157	172	184	164	185	211	206	208	140	69	42	14	2
Black	644	561	514	611	514	519	530	446	382	265	111	59	23	14
Male	499	435	371	451	375	358	338	258	193	135	51	17	10	13
Female	145	126	143	160	139	161	192	190	189	130	60	36	13	1
Motor vehicle accidents (E810-E825)	2,255	1,811	1,649	1,760	1,734	1,537	1,483	1,435	993	487	142	22	4	31
Male	1,636	1,280	1,166	1,168	1,125	964	858	801	544	311	74	15	3	27
Female	619	531	483	592	609	573	625	634	449	176	68	7	1	4
White	1,901	1,535	1,423	1,508	1,525	1,359	1,324	1,307	923	442	131	19	3	25
Male	1,359	1,070	1,002	991	988	837	747	712	500	277	68	13	2	22
Female	542	465	421	517	537	522	577	595	423	165	65	6	1	3
All other	354	276	226	252	209	178	159	128	70	45	11	3	1	6
Male	277	210	164	177	157	127	111	88	44	34	8	2	1	5
Female	77	66	62	75	52	51	48	39	26	11	3	1	-	1
Black	289	216	171	213	175	161	136	107	62	37	8	3	1	4
Male	227	174	129	152	140	119	97	73	40	27	6	2	1	3
Female	62	42	42	61	35	42	39	34	22	10	2	1	-	1
All other accidents and adverse effects (E800-E807,E826-E949)	1,930	1,835	1,955	2,161	2,368	2,543	2,861	3,328	3,470	3,282	2,017	670	116	68
Male	1,521	1,406	1,464	1,621	1,648	1,695	1,721	1,787	1,594	1,321	711	225	38	63
Female	409	429	491	540	720	848	1,140	1,541	1,876	1,961	1,306	445	78	5
White	1,517	1,450	1,577	1,731	1,985	2,146	2,426	2,960	3,112	3,028	1,899	611	93	57
Male	1,206	1,112	1,196	1,300	1,387	1,432	1,449	1,586	1,418	1,196	659	207	29	53
Female	311	338	381	431	598	714	977	1,374	1,694	1,832	1,240	404	64	4
All other	413	385	378	430	373	397	435	368	358	254	118	59	23	11
Male	315	294	268	321	261	269	272	201	176	125	52	18	9	10
Female	98	91	110	109	112	134	163	167	182	129	66	41	14	1
Black	355	345	343	398	339	358	394	339	320	228	103	50	22	10
Male	272	261	242	299	235	239	241	183	153	108	45	15	9	10
Female	83	84	101	99	104	119	153	156	167	120	58	35	13	-
Suicide (E950-E959)	2,042	1,862	1,788	2,041	1,809	1,599	1,542	1,147	747	341	114	24	3	19
Male	1,470	1,313	1,269	1,489	1,355	1,212	1,239	939	614	274	92	21	3	17
Female	572	549	517	552	454	387	303	208	133	67	22	3	-	2
White	1,885	1,734	1,687	1,931	1,719	1,531	1,478	1,110	730	330	111	24	2	13
Male	1,357	1,225	1,200	1,407	1,288	1,162	1,188	905	600	268	89	21	2	11
Female	528	509	487	524	431	369	290	205	130	62	22	3	-	2
All other	147	128	99	110	90	68	66	37	17	11	3	-	1	6
Male	113	88	69	82	67	50	53	34	14	6	3	-	1	6
Female	34	40	30	28	23	18	13	3	3	5	-	-	-	-
Black	116	93	76	85	74	49	56	29	11	6	2	-	-	4
Male	93	64	59	66	58	37	47	28	10	5	2	-	-	4
Female	23	29	17	19	16	12	9	1	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	1,436	1,070	846	700	588	377	318	220	163	84	23	4	2	58
Male	1,126	848	688	541	439	262	212	120	79	38	14	1	2	36
Female	310	222	158	159	149	115	106	100	84	46	9	3	-	22
White	840	636	528	435	379	235	206	142	125	62	16	2	1	44
Male	654	483	417	318	270	152	128	68	55	25	9	1	1	29
Female	186	153	111	117	109	83	78	74	70	37	7	1	-	15
All other	596	434	318	265	209	142	112	78	38	22	7	2	1	14
Male	472	365	271	223	169	110	84	52	24	13	5	-	1	7
Female	124	69	47	42	40	32	28	26	14	9	2	2	-	7
Black	559	403	302	250	202	137	104	75	36	19	7	2	-	13
Male	447	346	261	213	163	107	77	49	22	13	5	-	-	7
Female	112	57	41	37	39	30	27	26	14	6	2	2	-	6

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,019	60	27	14	12	3	116	25	50	154	342	409	368	301
Male	2,174	36	16	5	6	–	63	14	39	126	252	317	295	212
Female	845	24	11	9	6	3	53	11	11	28	90	92	73	89
White	2,276	34	16	8	6	–	64	14	36	124	274	284	256	216
Male	1,630	21	6	2	3	–	32	10	31	101	204	230	204	151
Female	646	13	10	6	3	–	32	4	5	23	70	54	52	65
All other	743	26	11	6	6	3	52	11	14	30	68	115	112	85
Male	544	15	10	3	3	–	31	4	8	25	48	87	91	61
Female	199	11	1	3	3	3	21	7	6	5	20	28	21	24
Black	661	24	11	6	4	3	48	9	12	26	53	102	106	79
Male	488	14	10	3	1	–	28	3	7	23	34	76	89	58
Female	175	10	1	3	3	3	20	6	5	3	19	26	17	21

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	215	164	171	155	134	122	97	68	51	34	19	9	-	17
Male	158	106	119	106	98	91	63	37	33	20	6	4	-	15
Female	57	58	52	49	36	31	34	29	18	14	13	5	-	2
White	157	130	128	119	105	106	82	57	47	27	17	6	-	17
Male	109	81	88	79	76	79	53	34	29	15	6	3	-	15
Female	48	49	40	40	29	27	29	23	18	12	11	3	-	2
All other	58	34	43	36	29	16	15	9	4	7	2	3	-	-
Male	49	25	31	27	22	12	10	3	4	5	-	1	-	-
Female	9	9	12	9	7	4	5	6	-	2	2	2	-	-
Black	53	30	39	31	25	16	13	6	4	6	1	2	-	-
Male	46	23	28	23	18	12	9	1	4	4	-	-	-	-
Female	7	7	11	8	7	4	4	5	-	2	1	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	19,593	427	80	129	515	647	811	1,518	3,467	5,193	4,830	1,975	16,943	339	63	74	169	269	435	897	2,003	3,609	4,999	4,085
White	14,246	212	47	90	363	401	541	1,073	2,587	3,853	3,600	1,479	12,251	158	31	45	138	151	283	606	1,367	2,487	3,760	3,225
All other	5,347	215	33	39	152	246	270	445	880	1,340	1,230	496	4,692	181	32	29	51	118	152	291	636	1,122	1,239	840
Black	5,339	214	33	38	152	246	269	444	878	1,338	1,230	496	4,687	180	32	29	50	118	151	290	635	1,122	1,239	840
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	41	-	-	-	-	1	2	4	12	11	9	2	21	-	-	-	1	-	1	3	2	3	11	-
White	22	-	-	-	-	-	-	1	6	6	8	1	10	-	-	-	-	-	1	-	1	1	8	-
All other	19	-	-	-	-	1	2	3	6	5	1	1	11	-	-	-	1	-	-	3	1	3	3	-
Black	19	-	-	-	-	1	2	3	6	5	1	1	11	-	-	-	1	-	-	3	1	3	3	-
Tuberculosis of respiratory system (010-012)	36	-	-	-	-	1	2	4	9	10	8	2	13	-	-	-	-	-	-	2	1	2	6	-
White	20	-	-	-	-	-	-	1	5	6	7	1	5	-	-	-	-	-	-	-	-	-	5	-
All other	16	-	-	-	-	1	2	3	4	4	1	1	8	-	-	-	-	-	-	2	1	2	3	-
Black	16	-	-	-	-	1	2	3	4	4	1	1	8	-	-	-	-	-	-	2	1	2	3	-
Other tuberculosis (013-018)	5	-	-	-	-	-	-	-	3	1	1	-	8	-	-	-	1	-	1	1	1	1	3	-
White	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	1	-	1	-	3	-
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	1	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	1	-	-	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	-	1	-	-	1	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	123	5	-	1	2	1	2	6	16	35	31	24	113	-	-	-	1	3	-	13	9	25	29	33
White	79	3	-	1	2	1	-	3	10	21	23	15	75	-	-	-	1	2	-	4	4	16	19	29
All other	44	2	-	-	-	-	2	3	6	14	8	9	38	-	-	-	-	1	-	9	5	9	10	4
Black	44	2	-	-	-	-	2	3	6	14	8	9	38	-	-	-	-	1	-	9	5	9	10	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	-	2	3	1	4	3	1	-	6	-	-	-	1	1	-	-	1	2	-	1
White	11	-	-	-	-	-	2	1	4	3	1	-	5	-	-	-	1	1	-	-	1	1	-	1
All other	3	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	53	1	1	1	1	3	4	8	9	15	8	2	49	1	2	1	-	5	4	8	6	9	10	5
White	36	-	-	-	1	2	1	7	7	11	7	-	31	1	2	1	-	1	1	3	5	6	6	5
All other	17	1	1	1	-	1	3	1	2	4	1	2	18	-	-	-	-	4	3	5	1	3	4	-
Black	16	1	1	1	-	1	3	1	2	3	1	2	18	-	-	-	-	4	3	3	1	3	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,410	1	5	13	26	41	134	406	1,053	1,423	1,048	260	3,430	-	4	17	10	41	153	358	734	959	794	360
White	3,251	1	3	12	19	24	102	288	800	1,060	755	187	2,576	-	2	12	9	29	114	268	567	692	609	274
All other	1,159	-	2	1	7	17	32	118	253	363	293	73	854	-	2	5	1	12	39	90	167	267	185	86
Black	1,156	-	2	1	7	17	32	117	252	362	293	73	853	-	2	5	1	12	39	89	167	267	185	86

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	79	–	–	–	–	–	4	16	28	21	11	1	48	–	–	1	–	–	1	4	13	10	11	8
White	54	–	–	–	–	–	2	10	19	16	6	1	43	–	–	1	–	–	–	4	10	9	11	8
All other	25	–	–	–	–	–	2	6	7	5	5	–	5	–	–	–	–	–	1	–	3	1	–	–
Black	25	–	–	–	–	–	2	6	7	5	5	–	5	–	–	–	–	–	1	–	3	1	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	856	–	–	–	1	10	24	91	221	317	240	52	892	–	–	–	1	6	17	59	145	247	234	123
White	647	–	–	–	1	5	14	61	142	216	171	37	611	–	–	–	1	4	10	41	106	176	181	92
All other	309	–	–	–	–	5	10	30	79	101	69	15	221	–	–	–	–	2	7	18	39	71	53	31
Black	306	–	–	–	–	5	10	29	78	100	69	15	221	–	–	–	–	2	7	18	39	71	53	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,693	–	–	1	–	4	40	184	490	587	348	39	557	–	–	–	–	3	11	71	180	165	95	32
White	1,342	–	–	1	–	2	29	137	391	469	280	33	449	–	–	–	–	2	8	54	150	132	77	26
All other	351	–	–	–	–	2	11	47	99	118	68	6	108	–	–	–	–	1	3	17	30	33	18	6
Black	351	–	–	–	–	2	11	47	99	118	68	6	107	–	–	–	–	1	3	16	30	33	18	6
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	1	–	–	620	–	–	–	–	9	57	108	144	163	100	39
White	1	–	–	–	–	–	–	–	–	1	–	–	469	–	–	–	–	7	45	81	107	124	75	30
All other	–	–	–	–	–	–	–	–	–	–	–	–	151	–	–	–	–	2	12	27	37	39	25	9
Black	–	–	–	–	–	–	–	–	–	–	–	–	151	–	–	–	–	2	12	27	37	39	25	9
Malignant neoplasms of genital organs (179-187)	524	–	–	1	2	2	2	5	58	156	204	96	415	–	–	2	–	6	30	34	76	128	97	40
White	295	–	–	1	1	1	2	2	37	91	105	55	287	–	–	1	–	4	24	26	59	76	72	25
All other	229	–	–	–	1	1	–	3	19	65	99	41	128	–	–	1	–	4	6	8	17	52	25	15
Black	229	–	–	–	1	1	–	3	19	65	99	41	128	–	–	1	–	4	6	8	17	52	25	15
Malignant neoplasms of urinary organs (188-189)	174	–	–	–	–	1	4	14	39	47	57	12	105	–	–	1	–	1	2	6	22	23	27	23
White	138	–	–	–	–	–	3	11	33	38	44	9	69	–	–	1	–	–	–	4	12	16	20	16
All other	36	–	–	–	–	1	1	3	6	9	13	3	36	–	–	–	–	1	2	2	10	7	7	7
Black	36	–	–	–	–	1	1	3	6	9	13	3	36	–	–	–	–	1	2	2	10	7	7	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	612	1	3	7	13	11	44	66	142	180	106	39	513	–	2	8	3	8	22	55	92	127	141	55
White	476	1	2	6	9	8	40	44	114	132	86	34	382	–	1	6	3	6	18	42	74	89	98	45
All other	136	–	1	1	4	3	4	22	28	48	20	5	131	–	1	2	–	2	4	13	18	38	43	10
Black	136	–	1	1	4	3	4	22	28	48	20	5	131	–	1	2	–	2	4	13	18	38	43	10
Leukemia (204-208)	161	–	2	4	4	6	6	11	34	46	37	11	150	–	2	5	3	5	4	9	25	38	42	19
White	137	–	1	4	4	4	5	8	29	41	31	10	116	–	1	3	2	5	3	8	21	25	32	16
All other	24	–	1	–	–	2	1	3	5	5	6	1	34	–	1	2	1	–	1	1	4	11	10	3
Black	24	–	1	–	–	2	1	3	5	5	6	1	34	–	1	2	1	–	1	1	4	11	10	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	210	–	–	–	6	7	10	19	45	68	45	10	180	–	–	–	3	1	9	12	37	60	47	21
White	161	–	–	–	4	4	7	15	35	56	32	8	150	–	–	–	3	1	6	8	28	45	43	16
All other	49	–	–	–	2	3	3	4	10	12	13	2	40	–	–	–	–	–	3	4	9	15	4	5
Black	49	–	–	–	2	3	3	4	10	12	13	2	40	–	–	–	–	–	3	4	9	15	4	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	–	–	–	–	1	5	4	6	11	7	3	46	2	–	2	1	–	1	3	7	12	15	3
White	30	–	–	–	–	1	4	4	5	9	6	1	33	–	–	2	1	–	1	1	5	9	11	3
All other	7	–	–	–	–	–	1	–	1	2	1	2	13	2	–	–	–	–	–	2	2	3	4	–
Black	7	–	–	–	–	–	1	–	1	2	1	2	13	2	–	–	–	–	–	2	2	3	4	–
Diabetes mellitus (250)	265	–	1	1	2	6	11	20	53	79	76	16	398	–	–	–	1	4	5	13	61	125	122	67
White	161	–	1	–	2	3	5	13	34	46	45	12	226	–	–	–	1	1	3	4	27	65	74	51
All other	104	–	–	1	–	3	6	7	19	33	31	4	172	–	–	–	–	3	2	9	34	60	48	16
Black	104	–	–	1	–	3	6	7	19	33	31	4	172	–	–	–	–	3	2	9	34	60	48	16
Nutritional deficiencies (260-269)	27	–	–	–	–	–	–	–	1	6	10	10	25	–	–	–	–	–	–	–	2	3	9	11
White	8	–	–	–	–	–	–	–	–	4	1	3	14	–	–	–	–	–	–	–	1	1	4	8
All other	19	–	–	–	–	–	–	–	1	2	9	7	11	–	–	–	–	–	–	–	1	2	5	3
Black	19	–	–	–	–	–	–	–	1	2	9	7	11	–	–	–	–	–	–	–	1	2	5	3
Anemias (280-285)	37	1	1	1	5	2	–	1	3	7	11	5	43	–	–	3	4	–	1	–	1	6	15	13
White	19	–	–	–	1	–	–	–	1	4	9	4	25	–	–	1	–	–	1	–	–	4	12	7
All other	18	1	1	1	4	2	–	1	2	3	2	1	18	–	–	2	4	–	–	–	1	2	3	6
Black	18	1	1	1	4	2	–	1	2	3	2	1	18	–	–	2	4	–	–	–	1	2	3	6
Meningitis (320-322)	8	2	4	–	–	1	–	–	–	1	–	–	11	3	2	–	2	–	–	1	2	–	–	1
White	2	–	2	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–	1	1	–	–	–
All other	6	2	2	–	–	1	–	–	–	1	–	–	7	2	1	–	2	–	–	–	1	–	–	1
Black	6	2	2	–	–	1	–	–	–	1	–	–	7	2	1	–	2	–	–	–	1	–	–	1
Major cardiovascular diseases (390-448)	8,320	11	6	4	17	84	223	599	1,480	2,380	2,396	1,120	8,468	8	4	3	13	40	94	242	727	1,717	2,953	2,664
White	6,197	2	2	2	7	39	153	416	1,104	1,779	1,834	859	6,188	5	3	1	9	17	48	151	428	1,146	2,244	2,136
All other	2,123	9	4	2	10	45	70	183	376	601	562	261	2,278	3	1	2	4	23	46	91	299	571	709	528
Black	2,122	9	4	2	10	45	70	183	375	601	562	261	2,277	3	1	2	4	23	46	91	298	571	709	528

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,587	11	6	2	12	70	183	514	1,261	1,910	1,795	823	6,106	7	4	1	9	29	62	172	545	1,324	2,120	1,836
White	5,008	2	2	1	6	34	130	382	961	1,474	1,387	629	4,555	5	3	–	5	12	36	118	335	925	1,642	1,472
All other	1,579	9	4	1	6	36	53	132	300	436	408	194	1,551	2	1	1	1	17	24	54	210	399	478	364
Black	1,576	9	4	1	6	36	53	132	299	436	408	194	1,550	2	1	1	1	17	24	54	209	399	478	364
Rheumatic fever and rheumatic heart disease (390-398)	23	–	–	–	–	–	1	1	7	6	5	3	35	–	–	–	–	2	3	6	6	7	7	2
White	21	–	–	–	–	–	–	1	7	6	5	2	28	–	–	–	–	1	2	7	4	6	6	2
All other	2	–	–	–	–	–	1	–	–	–	–	1	7	–	–	–	–	1	1	1	2	1	1	–
Black	2	–	–	–	–	–	1	–	–	–	–	1	7	–	–	–	–	1	1	1	2	1	1	–
Hypertensive heart disease (402)	177	–	–	–	–	–	11	11	22	47	55	31	232	–	–	–	–	1	3	6	24	65	84	49
White	93	–	–	–	–	–	4	1	9	25	33	21	119	–	–	–	–	1	1	1	5	27	48	36
All other	84	–	–	–	–	–	7	10	13	22	22	10	113	–	–	–	–	–	2	5	19	38	36	13
Black	84	–	–	–	–	–	7	10	13	22	22	10	113	–	–	–	–	–	2	5	19	38	36	13
Hypertensive heart and renal disease (404)	23	–	–	–	–	–	1	2	2	7	7	4	38	–	–	–	–	–	1	1	3	10	17	7
White	13	–	–	–	–	–	–	1	2	3	5	2	15	–	–	–	–	–	–	–	–	3	7	5
All other	10	–	–	–	–	–	1	1	–	4	2	2	24	–	–	–	–	–	1	1	3	7	10	2
Black	10	–	–	–	–	–	1	1	–	4	2	2	24	–	–	–	–	–	1	1	3	7	10	2
Ischemic heart disease (410-414)	4,485	–	–	–	1	35	116	368	908	1,339	1,223	495	3,777	–	–	–	–	6	28	105	347	858	1,342	1,091
White	3,629	–	–	–	–	20	90	295	732	1,100	994	398	2,980	–	–	–	–	3	20	73	227	655	1,100	902
All other	856	–	–	–	1	15	26	73	176	239	229	97	797	–	–	–	–	3	8	32	120	203	242	189
Black	855	–	–	–	1	15	26	73	175	239	229	97	796	–	–	–	–	3	8	32	119	203	242	189
Acute myocardial infarction (410)	3,111	–	–	–	1	24	94	287	691	962	787	265	2,360	–	–	–	–	4	23	80	265	611	851	526
White	2,533	–	–	–	–	15	71	229	564	804	637	213	1,838	–	–	–	–	2	17	55	177	482	686	420
All other	578	–	–	–	1	9	23	58	127	158	150	52	521	–	–	–	–	2	6	25	88	129	165	106
Black	577	–	–	–	1	9	23	58	126	158	150	52	520	–	–	–	–	2	6	25	87	129	165	106
Other acute and subacute forms of ischemic heart disease (411)	19	–	–	–	–	1	3	1	3	8	2	1	12	–	–	–	–	–	1	–	2	4	4	1
White	11	–	–	–	–	–	2	–	2	6	–	1	9	–	–	–	–	–	1	–	–	4	3	1
All other	8	–	–	–	–	1	1	1	1	2	2	–	3	–	–	–	–	–	–	–	2	–	1	–
Black	8	–	–	–	–	1	1	1	1	2	2	–	3	–	–	–	–	–	–	–	2	–	1	–
Angina pectoris (413)	5	–	–	–	–	–	1	–	–	1	2	1	9	–	–	–	–	–	–	–	–	3	2	4
White	5	–	–	–	–	–	1	–	–	1	2	1	5	–	–	–	–	–	–	–	–	–	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	3	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	3	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,350	–	–	–	–	10	18	80	214	368	432	228	1,396	–	–	–	–	2	4	25	80	240	485	560
White	1,080	–	–	–	–	5	16	66	168	289	355	183	1,127	–	–	–	–	1	2	18	50	168	409	478
All other	270	–	–	–	–	5	2	14	48	79	77	45	269	–	–	–	–	1	2	7	30	71	76	82
Black	270	–	–	–	–	5	2	14	48	79	77	45	269	–	–	–	–	1	2	7	30	71	76	82
Other diseases of endocardium (424)	44	–	–	–	1	–	3	4	8	14	8	6	70	–	–	–	–	1	–	2	6	17	22	22
White	33	–	–	–	1	–	2	2	6	11	6	5	59	–	–	–	–	1	–	2	4	15	19	18
All other	11	–	–	–	–	–	1	2	2	3	2	1	11	–	–	–	–	–	–	–	2	2	3	4
Black	11	–	–	–	–	–	1	2	2	3	2	1	11	–	–	–	–	–	–	–	2	2	3	4
All other forms of heart disease (415-423,425-429)	1,835	11	6	2	10	35	51	128	314	497	497	284	1,953	7	4	1	6	19	27	50	159	367	648	665
White	1,219	2	2	1	5	14	34	82	205	329	344	201	1,354	5	3	–	5	6	15	35	95	219	462	509
All other	616	9	4	1	5	21	17	46	109	168	153	83	599	2	1	1	1	13	12	15	64	148	186	156
Black	616	9	4	1	5	21	17	46	109	168	153	83	599	2	1	1	1	13	12	15	64	148	186	156
Hypertension with or without renal disease (401,403)	93	–	–	–	–	3	4	13	14	24	24	11	120	–	–	–	–	–	4	3	25	28	36	24
White	34	–	–	–	–	1	1	1	6	11	9	5	51	–	–	–	–	–	2	–	11	9	14	15
All other	59	–	–	–	–	2	3	12	8	13	15	6	69	–	–	–	–	–	2	3	14	19	22	9
Black	59	–	–	–	–	2	3	12	8	13	15	6	69	–	–	–	–	–	2	3	14	19	22	9
Cerebrovascular diseases (430-438)	1,313	–	–	1	4	9	27	64	147	352	478	233	1,910	–	–	2	6	10	26	61	140	324	687	653
White	894	–	–	–	–	2	14	28	85	229	362	180	1,327	–	–	1	3	4	7	29	75	185	498	525
All other	419	–	–	1	4	7	13	36	62	129	114	53	583	–	–	1	3	6	19	32	65	139	189	128
Black	419	–	–	1	4	7	13	36	62	129	114	53	583	–	–	1	3	6	19	32	65	139	189	128
Intracerebral and other intracranial hemorrhage (431-432)	172	–	–	–	–	4	9	18	29	48	49	15	234	–	–	1	4	5	4	19	41	59	70	31
White	109	–	–	–	–	1	6	6	18	29	38	11	147	–	–	–	2	2	–	5	23	33	55	27
All other	63	–	–	–	–	3	3	12	11	19	11	4	87	–	–	1	2	3	4	14	18	26	15	4
Black	63	–	–	–	–	3	3	12	11	19	11	4	87	–	–	1	2	3	4	14	18	26	15	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	232	–	–	–	–	–	3	4	32	55	86	52	285	–	–	–	–	1	1	2	16	44	94	137
White	173	–	–	–	–	–	2	1	20	40	70	40	230	–	–	–	–	–	1	1	11	27	73	117
All other	59	–	–	–	–	–	1	3	12	15	16	12	65	–	–	–	–	1	–	1	5	17	21	20
Black	59	–	–	–	–	–	1	3	12	15	16	12	65	–	–	–	–	1	–	1	5	17	21	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	6	-	-	-	-	-	-	1	1	2	1	1	7	-	-	-	-	-	-	1	1	2	3	-
White	6	-	-	-	-	-	-	1	1	2	1	1	6	-	-	-	-	-	-	1	1	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	903	-	-	1	4	5	15	41	85	247	340	165	1,374	-	-	1	2	4	21	39	82	219	520	485
White	606	-	-	-	-	1	6	20	46	152	253	128	944	-	-	1	1	2	6	22	40	124	367	381
All other	297	-	-	1	4	4	9	21	39	95	87	37	430	-	-	-	1	2	15	17	42	95	153	104
Black	297	-	-	1	4	4	9	21	39	95	87	37	430	-	-	-	1	2	15	17	42	95	153	104
Atherosclerosis (440)	122	-	-	-	-	-	-	1	5	26	50	40	200	-	-	-	-	-	-	1	5	16	63	115
White	90	-	-	-	-	-	-	-	4	15	38	33	156	-	-	-	-	-	-	1	1	8	49	97
All other	32	-	-	-	-	-	-	1	1	11	12	7	44	-	-	-	-	-	-	-	4	8	14	18
Black	32	-	-	-	-	-	-	1	1	11	12	7	44	-	-	-	-	-	-	-	4	8	14	18
Other diseases of arteries, arterioles, and capillaries (441-448)	205	-	-	1	1	2	9	7	53	68	51	13	130	1	-	-	1	1	2	5	12	25	47	36
White	171	-	-	1	1	2	8	5	48	56	38	12	99	-	-	-	1	1	1	3	6	19	41	27
All other	34	-	-	-	-	-	1	2	5	12	13	1	31	1	-	-	-	-	1	2	6	6	6	9
Black	34	-	-	-	-	-	1	2	5	12	13	1	31	1	-	-	-	-	1	2	6	6	6	9
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	-	1	4	-	3	1	-	-	-	-	-	-	1	-	1	-
White	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	412	11	-	2	3	2	3	19	49	95	131	97	376	2	1	2	1	4	3	9	15	48	129	162
White	313	3	-	1	2	1	-	10	36	75	105	80	310	2	-	1	1	2	1	7	10	38	107	143
All other	99	8	-	1	1	1	3	9	13	20	26	17	66	2	1	1	-	2	2	2	5	10	22	19
Black	99	8	-	1	1	1	3	9	13	20	26	17	66	2	1	1	-	2	2	2	5	10	22	19
Pneumonia (480-486)	410	11	-	2	3	2	3	19	49	95	129	97	370	2	1	2	-	4	2	9	14	48	129	159
White	311	3	-	1	2	1	-	10	36	75	103	80	305	2	-	1	-	2	1	7	9	38	107	140
All other	99	8	-	1	1	1	3	9	13	20	26	17	65	2	1	1	-	2	1	2	5	10	22	19
Black	99	8	-	1	1	1	3	9	13	20	26	17	65	2	1	1	-	2	1	2	5	10	22	19
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	1	-	1	-	1	-	-	3
White	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	1	-	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	826	1	-	1	1	1	3	23	145	284	309	58	388	-	-	-	2	2	1	23	77	133	116	44
White	704	1	-	1	1	1	1	19	128	243	264	48	360	-	-	-	2	1	1	21	69	120	106	40
All other	122	1	-	1	1	-	2	4	17	41	45	10	38	-	-	-	-	1	-	2	8	13	10	4
Black	122	1	-	1	1	-	2	4	17	41	45	10	38	-	-	-	-	1	-	2	8	13	10	4
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	-	4	10	10	3	21	-	-	-	-	-	-	1	3	7	7	3
White	25	-	-	-	-	-	-	-	4	8	10	3	20	-	-	-	-	-	-	1	3	7	6	3
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	165	-	-	-	-	-	2	4	34	60	60	5	50	-	-	-	-	-	-	4	7	19	15	5
White	148	-	-	-	-	-	1	3	33	55	53	3	45	-	-	-	-	-	-	4	7	17	13	4
All other	17	-	-	-	-	-	1	1	1	5	7	2	5	-	-	-	-	-	-	-	-	2	2	1
Black	17	-	-	-	-	-	1	1	1	5	7	2	5	-	-	-	-	-	-	-	-	2	2	1
Asthma (493)	15	1	-	1	1	-	1	1	2	5	3	-	35	-	-	-	2	1	-	7	7	9	6	3
White	7	-	-	-	-	-	1	-	2	3	3	-	26	-	-	-	2	-	-	6	3	8	4	3
All other	8	1	-	1	1	-	1	-	2	2	-	-	9	-	-	-	-	1	-	1	4	1	2	-
Black	8	1	-	1	1	-	1	-	2	2	-	-	9	-	-	-	-	1	-	1	4	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	619	-	-	-	-	1	-	18	105	209	236	50	292	-	-	-	-	1	1	11	60	88	88	33
White	524	-	-	-	-	1	-	15	91	177	198	42	269	-	-	-	-	1	1	10	56	88	83	30
All other	95	-	-	-	-	-	-	3	14	32	38	8	23	-	-	-	-	-	-	1	4	10	5	3
Black	95	-	-	-	-	-	-	3	14	32	38	8	23	-	-	-	-	-	-	1	4	10	5	3
Ulcer of stomach and duodenum (531-533)	68	-	-	-	-	-	2	7	10	21	18	10	37	-	-	-	-	-	1	3	3	6	14	10
White	54	-	-	-	-	-	2	4	8	18	17	5	27	-	-	-	-	-	1	1	3	4	10	8
All other	14	-	-	-	-	-	-	3	2	3	1	5	10	-	-	-	-	-	-	2	-	2	4	2
Black	14	-	-	-	-	-	-	3	2	3	1	5	10	-	-	-	-	-	-	2	-	2	4	2
Appendicitis (540-543)	3	-	-	-	-	1	-	-	-	1	-	1	8	-	-	-	-	-	-	1	-	2	2	3
White	3	-	-	-	-	1	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	1	-	-	-	1	1	2	1	6	13	5	58	-	-	-	-	-	-	2	3	19	13	21
White	22	1	-	-	-	-	1	1	1	6	9	3	46	-	-	-	-	-	-	2	2	17	11	14
All other	8	-	-	-	-	1	-	1	-	-	4	2	12	-	-	-	-	-	-	-	1	2	2	7
Black	8	-	-	-	-	1	-	1	-	-	4	2	12	-	-	-	-	-	-	-	1	2	2	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	235	–	–	–	2	10	21	56	68	53	23	2	144	–	–	–	2	2	14	28	35	35	24	3
White	177	–	–	–	2	5	15	42	50	40	21	2	109	–	–	–	1	–	11	20	26	26	22	3
All other	58	–	–	–	–	5	6	14	18	13	2	–	35	–	–	–	1	2	3	8	9	9	2	–
Black	58	–	–	–	–	5	6	14	18	13	2	–	35	–	–	–	1	2	3	9	9	9	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	27	–	–	–	–	–	–	1	4	7	12	3	34	–	–	–	–	–	3	1	5	8	7	10
White	24	–	–	–	–	–	–	1	3	7	10	3	28	–	–	–	–	–	3	1	3	8	6	7
All other	3	–	–	–	–	–	–	–	1	–	2	–	6	–	–	–	–	–	–	–	2	–	1	3
Black	3	–	–	–	–	–	–	–	1	–	2	–	6	–	–	–	–	–	–	–	2	–	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	211	2	1	–	–	2	5	6	26	64	67	38	197	1	–	–	–	1	2	8	17	44	65	59
White	137	1	–	–	–	1	3	5	16	39	46	26	116	–	–	–	–	1	2	2	9	22	38	42
All other	74	1	1	–	–	1	2	1	10	25	21	12	81	1	–	–	–	–	–	6	8	22	27	17
Black	74	1	1	–	–	1	2	1	10	25	21	12	81	1	–	–	–	–	–	6	8	22	27	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	1	1	–
White	4	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	–	–	–	–	–	1	–	1	4	4	4	20	–	–	–	–	–	1	–	1	4	6	8
White	8	–	–	–	–	–	1	–	1	1	4	1	12	–	–	–	–	–	1	–	–	2	2	7
All other	6	–	–	–	–	–	–	–	–	3	–	3	8	–	–	–	–	–	–	–	1	2	4	1
Black	6	–	–	–	–	–	–	–	–	3	–	3	8	–	–	–	–	–	–	–	1	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	193	2	1	–	–	2	4	8	25	59	60	34	175	1	–	–	–	1	1	8	16	39	58	51
White	125	1	–	–	–	1	2	5	15	37	39	25	103	–	–	–	–	1	1	2	9	20	35	35
All other	68	1	1	–	–	1	2	1	10	22	21	9	72	1	–	–	–	–	–	6	7	19	23	16
Black	68	1	1	–	–	1	2	1	10	22	21	9	72	1	–	–	–	–	–	6	7	19	23	16
Infections of kidney (590)	28	–	–	–	–	–	–	–	2	8	11	7	49	–	–	–	1	–	–	2	7	9	11	19
White	15	–	–	–	–	–	–	–	1	4	7	3	41	–	–	–	1	–	–	1	6	8	10	15
All other	13	–	–	–	–	–	–	–	1	4	4	4	8	–	–	–	–	–	–	1	1	1	1	4
Black	13	–	–	–	–	–	–	–	1	4	4	4	8	–	–	–	–	–	–	1	1	1	1	4
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	1	3	6	4	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	1	3	5	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	3	5	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	5	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...
Congenital anomalies (740-759)	112	75	7	4	8	2	2	5	3	6	–	–	115	81	7	6	4	4	2	3	3	2	2	1
White	80	53	6	4	5	1	2	5	1	3	–	–	79	56	3	4	4	2	2	2	2	2	1	1
All other	32	22	1	–	3	1	–	–	2	3	–	–	36	25	4	2	–	2	–	1	1	–	1	–
Black	32	22	1	–	3	1	–	–	2	3	–	–	36	25	4	2	–	2	–	1	1	–	1	–
Certain conditions originating in the perinatal period (760-779)	233	233	–	–	–	–	–	–	–	–	–	–	164	162	2	–	–	–	–	–	–	–	–	–
White	111	111	–	–	–	–	–	–	–	–	–	–	65	65	–	–	–	–	–	–	–	–	–	–
All other	122	122	–	–	–	–	–	–	–	–	–	–	99	97	2	–	–	–	–	–	–	–	–	–
Black	121	121	–	–	–	–	–	–	–	–	–	–	98	96	2	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	60	60	–	–	–	–	–	–	–	–	–	–	50	50	–	–	–	–	–	–	–	–	–	–
White	31	31	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
All other	29	29	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	28	28	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	173	173	-	-	-	-	-	-	-	-	-	-	114	112	2	-	-	-	-	-	-	-	-	-
White	80	80	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	93	93	-	-	-	-	-	-	-	-	-	-	73	71	2	-	-	-	-	-	-	-	-	-
Black	93	93	-	-	-	-	-	-	-	-	-	-	73	71	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	717	53	4	3	3	6	30	50	142	170	164	90	577	50	3	2	4	10	13	24	62	117	142	150
White	423	25	2	2	2	5	17	32	92	109	97	56	309	16	1	-	2	7	3	18	35	71	73	83
All other	294	28	2	1	1	3	13	18	50	67	77	34	268	34	2	2	2	3	10	6	27	46	69	67
Black	294	28	2	1	1	3	13	18	50	67	77	34	268	34	2	2	2	3	10	6	27	46	69	67
All other diseases (Residual)	1,226	20	6	20	15	37	61	92	162	317	340	156	1,801	15	15	9	17	24	38	74	126	228	410	345
White	855	7	4	12	9	19	36	62	114	231	240	121	831	5	8	6	9	6	19	40	84	156	310	290
All other	371	13	2	8	6	18	25	30	48	86	100	35	370	10	9	3	8	18	19	34	42	72	100	55
Black	370	13	2	8	6	18	24	30	48	86	100	35	370	10	9	3	8	18	19	34	42	72	100	55
Accidents and adverse effects (E800-E949)	1,352	6	42	73	303	280	165	120	122	114	96	50	643	6	20	19	91	84	58	54	64	75	93	79
White	1,003	4	26	52	240	198	123	91	93	74	65	37	483	5	12	13	75	59	44	39	50	57	68	61
All other	349	2	16	21	63	82	42	29	29	40	31	13	160	1	8	6	16	25	14	15	14	18	25	18
Black	348	2	16	20	63	62	42	29	29	40	31	13	158	1	8	6	15	25	13	15	14	18	25	18
Motor vehicle accidents (E810-E825)	715	1	18	32	213	174	96	54	52	42	27	6	320	3	11	16	69	63	42	31	33	31	18	3
White	564	1	11	27	173	137	75	43	42	30	20	5	259	3	8	11	60	45	36	25	28	26	14	3
All other	151	-	7	5	40	37	21	11	10	12	7	1	61	-	3	5	9	18	6	6	5	5	4	-
Black	151	-	7	5	40	37	21	11	10	12	7	1	61	-	3	5	9	18	6	6	5	5	4	-
All other accidents and adverse effects (E800-E807, E826-E949)	637	5	24	41	90	86	69	66	70	72	69	44	323	3	9	3	22	21	16	23	31	44	75	76
White	439	3	15	25	67	61	48	49	51	44	45	32	224	2	4	2	15	14	8	14	22	31	54	58
All other	198	2	9	16	23	25	21	18	19	28	24	12	99	1	5	1	7	7	8	9	9	13	21	18
Black	197	2	9	15	23	25	21	18	19	28	24	12	97	1	5	1	6	7	7	9	9	13	21	18
Suicide (E950-E959)	366	...	...	1	51	73	50	47	58	47	30	9	100	...	...	3	13	18	15	16	19	15	5	1
White	323	...	...	1	46	59	42	41	54	45	27	8	92	...	...	3	12	11	15	14	18	13	5	1
All other	43	...	...	-	5	14	8	6	4	2	3	1	8	...	...	-	1	2	-	2	1	2	-	-
Black	43	...	...	-	5	14	8	6	4	2	3	1	8	...	...	-	1	2	-	2	1	2	-	-
Homicide and legal intervention (E960-E976)	329	1	1	9	69	94	74	35	27	17	8	2	98	2	1	6	13	24	24	8	11	5	1	-
White	122	1	1	2	21	31	24	21	10	9	2	-	40	1	-	-	5	8	10	5	7	2	2	-
All other	207	-	-	1	48	63	50	14	17	8	4	2	58	1	1	6	8	16	14	3	4	3	2	-
Black	207	-	-	1	48	63	50	14	17	8	4	2	58	1	1	6	8	16	14	3	4	3	2	-
All other external causes (E980-E999)	57	1	1	1	7	13	10	6	8	8	2	-	17	2	1	1	4	2	1	-	3	1	2	-
White	45	-	-	1	4	8	8	6	8	8	2	-	15	2	1	1	3	1	1	-	3	1	2	-
All other	12	1	1	-	3	5	2	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	12	1	1	-	3	5	2	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
ALASKA																								
All causes	1,250	86	22	12	119	143	114	148	208	195	156	44	679	54	11	12	40	44	57	70	105	119	104	63
White	870	55	15	8	74	100	90	102	156	138	100	30	455	28	5	8	24	19	39	56	74	88	71	43
All other	380	31	7	4	45	43	24	46	52	57	56	14	224	26	6	4	16	25	18	14	31	31	33	20
Black	40	7	-	-	6	4	3	5	7	4	4	-	14	1	1	-	-	2	-	-	2	2	4	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	3	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	217	1	2	-	5	3	14	31	58	53	42	7	173	-	1	2	-	5	24	29	49	32	27	4
White	160	-	2	-	4	2	12	24	43	35	31	7	133	-	1	1	-	2	19	27	39	28	15	2
All other	57	1	-	-	1	1	2	7	15	18	11	-	40	-	-	1	-	3	5	2	11	4	12	2
Black	8	1	-	-	-	-	-	1	3	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	52	-	-	-	1	1	-	7	18	7	14	4	27	-	-	-	-	2	-	3	7	7	6	2
White	42	-	-	-	1	1	-	7	12	7	10	4	16	-	-	-	-	1	-	2	5	5	2	1
All other	10	-	-	-	-	-	-	-	6	-	4	-	11	-	-	-	-	1	-	1	2	2	4	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	80	-	-	-	-	-	4	13	31	19	13	-	42	-	-	-	-	1	6	3	18	7	7	-
White	61	-	-	-	-	-	4	8	24	14	11	-	32	-	-	-	-	-	5	3	14	7	3	-
All other	19	-	-	-	-	-	-	5	7	5	2	-	10	-	-	-	-	1	1	-	4	-	4	-
Black	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	30	-	-	-	-	1	6	11	8	5	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	1	6	10	5	4	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of genital organs (179-187)	11	-	-	-	1	1	-	1	1	4	2	1	22	-	-	-	-	1	3	3	5	4	5	1
White	8	-	-	-	1	-	-	1	-	3	2	1	18	-	-	-	-	-	3	3	4	3	4	1
All other	3	-	-	-	-	1	-	-	1	1	-	-	4	-	-	-	-	1	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	8	–	–	–	–	–	–	2	2	2	1	1	3	–	–	–	–	–	1	1	1	–	–	–
White	7	–	–	–	–	–	–	1	2	2	1	1	3	–	–	–	–	–	1	1	1	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48	1	1	–	2	1	9	7	4	14	7	1	31	–	–	1	–	–	7	4	9	4	5	1
White	31	–	1	–	2	1	7	6	4	8	3	1	22	–	–	1	–	–	4	4	6	4	3	–
All other	17	1	–	–	–	–	2	1	–	6	4	–	9	–	–	–	–	–	3	–	3	–	2	1
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	6	–	1	–	–	–	1	1	1	1	1	–	9	–	1	1	–	–	1	2	1	1	2	–
White	5	–	1	–	–	–	1	1	1	–	1	–	7	–	1	–	–	–	–	2	1	1	2	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	6	–	–	–	1	–	–	–	–	3	2	–	9	–	–	–	–	–	–	2	2	4	1	–
White	3	–	–	–	–	–	–	–	–	2	1	–	9	–	–	–	–	–	–	2	2	4	1	–
All other	3	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	1	1	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
White	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	12	–	–	–	1	1	–	3	–	6	1	–	11	–	–	–	–	–	1	1	1	3	5	–
White	11	–	–	–	1	1	–	2	–	6	1	–	8	–	–	–	–	–	1	1	1	3	2	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	3	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Nutritional deficiencies (260-269)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	3	–	1	–	–	–	–	1	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
White	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	327	2	1	–	2	6	21	43	86	81	66	19	176	1	–	–	–	2	7	15	22	46	48	35
White	243	1	1	–	1	1	15	32	71	59	47	15	121	1	–	–	–	1	4	9	14	29	37	26
All other	84	1	–	–	1	5	6	11	15	22	19	4	55	–	–	–	–	1	3	6	8	17	11	9
Black	7	–	–	–	–	1	–	1	2	1	2	–	5	–	–	–	–	–	–	–	1	1	2	1
Diseases of heart (390-398,402,404-429)	273	2	1	–	1	4	19	39	75	69	50	13	111	1	–	–	–	–	4	9	15	32	30	20
White	201	1	1	–	1	1	14	29	61	49	34	10	81	1	–	–	–	–	3	6	11	22	22	16
All other	72	1	–	–	–	3	5	10	14	20	16	3	30	–	–	–	–	–	1	3	4	10	8	4
Black	6	–	–	–	–	1	–	1	2	1	1	–	4	–	–	–	–	–	–	–	–	1	2	1
Rheumatic fever and rheumatic heart disease (390-398)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	3	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	1	–	–	–	2
White	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	201	–	1	–	–	2	13	31	57	58	33	6	65	–	–	–	–	–	2	4	10	24	15	10
White	153	–	1	–	–	1	11	24	45	43	24	4	50	–	–	–	–	–	2	4	8	16	12	8
All other	48	–	–	–	–	1	2	7	12	15	9	2	15	–	–	–	–	–	–	–	2	8	3	2
Black	5	–	–	–	–	1	–	1	2	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Acute myocardial infarction (410)	103	–	1	–	–	–	5	14	34	30	16	3	32	–	–	–	–	–	2	1	5	14	7	3
White	69	–	1	–	–	–	4	10	22	20	10	2	21	–	–	–	–	–	2	1	3	8	5	2
All other	34	–	–	–	–	–	1	4	12	10	6	1	11	–	–	–	–	–	–	–	2	6	2	1
Black	3	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	97	-	-	-	-	2	8	17	23	28	16	3	33	-	-	-	-	-	-	3	5	10	8	7
White	83	-	-	-	-	1	7	14	23	23	13	2	29	-	-	-	-	-	-	3	5	8	7	6
All other	14	-	-	-	-	1	1	3	-	5	3	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	2	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	68	1	-	-	1	2	6	8	18	9	16	7	39	1	-	-	-	-	2	4	5	6	13	8
White	45	1	-	-	1	-	3	5	14	5	10	6	26	1	-	-	-	-	1	1	3	4	9	7
All other	21	-	-	-	-	2	3	3	2	4	6	1	13	-	-	-	-	-	1	3	2	2	4	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
White	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	36	-	-	-	1	2	2	3	7	8	10	3	48	-	-	-	-	2	3	6	4	12	14	8
White	26	-	-	-	-	-	1	2	6	7	8	2	26	-	-	-	-	1	1	3	1	5	11	4
All other	10	-	-	-	1	2	1	1	1	1	2	1	23	-	-	-	-	1	2	3	3	7	3	4
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	3	-	-	-	-	-	-	1	-	2	-	-	11	-	-	-	-	1	1	1	2	3	-	3
White	3	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	1	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	1	-	1	2	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	-	-	-	-	-	-	-	-	1	2	1	8	-	-	-	-	-	-	-	-	1	4	3
White	4	-	-	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	29	-	-	-	1	2	2	2	7	5	8	2	30	-	-	-	-	1	2	5	2	8	10	2
White	19	-	-	-	-	-	1	1	6	4	6	1	18	-	-	-	-	1	-	3	1	4	8	1
All other	10	-	-	-	1	2	1	1	1	1	2	1	12	-	-	-	-	-	2	2	1	4	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	5	-	-	-	-	-	-	-	-	2	1	2	4	-	-	-	-	-	-	-	-	-	-	4
White	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	11	-	-	-	-	-	-	1	2	2	5	1	9	-	-	-	-	-	-	-	3	2	1	3
White	10	-	-	-	-	-	-	1	2	2	4	1	8	-	-	-	-	-	-	-	2	2	1	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	20	-	1	1	-	1	1	2	2	5	6	1	26	3	1	-	1	2	1	-	-	5	2	11
White	10	-	-	1	-	-	-	1	1	3	3	1	15	1	-	-	1	-	1	-	-	4	2	6
All other	10	-	1	-	-	1	1	1	1	2	3	-	11	2	1	-	-	2	-	-	-	1	-	5
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	19	–	1	–	–	1	1	2	2	5	6	1	24	2	1	–	1	2	1	–	–	4	2	11
White	9	–	–	–	–	–	–	1	1	3	3	1	14	1	–	–	1	–	1	–	–	3	2	6
All other	10	–	1	–	–	1	1	1	1	2	3	–	10	1	1	–	–	2	–	–	–	1	–	5
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza (487)	1	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	–	–	–	–	–	2	–	10	11	7	5	16	1	–	–	–	–	–	1	5	8	1	–
White	26	–	–	–	–	–	1	–	9	10	4	2	15	1	–	–	–	–	–	1	5	7	1	–
All other	9	–	–	–	–	–	1	–	1	1	3	3	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	6	–	–	–	–	–	–	–	2	4	–	–	2	1	–	–	–	–	–	–	–	1	–	–
White	6	–	–	–	–	–	–	–	2	4	–	–	2	1	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	3	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	25	–	–	–	–	–	–	–	6	7	7	5	13	–	–	–	–	–	–	1	5	6	1	–
White	18	–	–	–	–	–	–	–	6	6	4	2	12	–	–	–	–	–	–	1	5	5	1	–
All other	7	–	–	–	–	–	–	–	–	1	3	3	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	19	–	–	–	–	1	1	7	8	2	–	–	21	–	–	–	–	3	3	6	6	3	–	–
White	14	–	–	–	–	–	–	7	6	1	–	–	12	–	–	–	–	–	1	4	5	2	–	–
All other	5	–	–	–	–	1	1	–	2	1	–	–	9	–	–	–	–	3	2	2	1	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	2	–	–	–	–	1	2	2	2	6	–	6	1	–	–	–	–	–	–	1	3	1	–
White	7	2	–	–	–	–	–	1	–	1	3	–	6	1	–	–	–	–	–	–	1	3	1	–
All other	8	–	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	13	2	–	–	–	–	1	2	1	2	5	–	5	1	–	–	–	–	–	–	1	3	–	–
White	6	2	–	–	–	–	–	1	–	1	2	–	5	1	–	–	–	–	–	–	1	3	–	–
All other	7	–	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	***	***	***	***	***	***	***	***	***	***	***	***
White	1	–	–	–	–	–	–	–	–	–	–	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	24	16	3	–	2	1	1	1	–	–	–	–	19	14	–	1	1	–	1	–	2	–	–	–
White	20	13	3	–	2	1	1	–	–	–	–	–	8	6	–	1	–	–	1	–	1	–	–	–
All other	4	3	–	–	–	–	–	1	–	–	–	–	11	8	–	–	1	–	–	–	1	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	31	31	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
White	17	17	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	16	16	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	7	7	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	46	25	1	–	1	5	1	3	3	2	3	2	19	11	1	–	1	1	–	–	2	–	2	1
White	25	18	–	–	1	3	1	1	2	1	–	–	12	7	1	–	1	1	–	–	1	–	–	1
All other	21	9	1	–	–	2	–	2	1	1	3	2	7	4	–	–	–	–	–	–	1	–	2	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	66	5	2	2	1	4	4	10	13	8	11	6	65	2	3	1	2	4	7	4	9	14	9	10
White	45	4	2	1	1	4	3	7	7	7	5	4	38	–	–	1	2	1	2	2	6	9	7	6
All other	21	1	–	1	–	–	1	3	6	1	6	2	27	2	3	–	–	3	5	2	3	5	2	2
Black	2	–	–	–	–	–	–	2	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Accidents and adverse effects (E800-E949)	311	2	6	8	75	90	48	32	20	19	7	2	80	1	3	7	21	20	7	9	6	4	2	–
White	211	1	3	5	48	66	40	19	14	12	3	–	48	1	3	4	13	9	6	7	1	3	1	–
All other	100	1	3	3	28	24	8	13	6	7	4	2	32	–	–	3	8	11	1	2	5	1	1	–
Black	7	–	–	–	5	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	86	–	1	1	30	21	15	9	6	2	1	–	31	–	–	4	11	6	4	4	2	–	–	–
White	70	–	–	1	25	19	13	4	5	2	1	–	25	–	–	3	9	5	3	4	1	–	–	–
All other	16	–	1	–	5	2	2	5	1	–	–	–	6	–	–	1	2	1	1	–	1	–	–	–
Black	3	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	225	2	5	7	45	69	33	23	14	17	6	2	49	1	3	3	10	14	3	5	4	4	2	–
White	141	1	3	4	21	47	27	15	9	10	2	–	23	1	3	1	4	4	3	3	–	3	1	–
All other	84	1	2	3	24	22	6	8	5	7	4	2	26	–	–	2	6	10	–	2	4	1	1	–
Black	4	–	–	–	3	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suicide (E950-E959)	44	…	…	–	18	16	5	4	–	1	–	–	16	…	…	–	6	3	4	3	–	–	–	–
White	34	…	…	–	12	13	5	3	–	1	–	–	12	…	…	–	3	3	3	3	–	–	–	–
All other	10	…	…	–	6	3	–	1	–	–	–	–	4	…	…	–	3	–	1	–	–	–	–	–
Black	1	…	…	–	–	1	–	–	–	–	–	–	–	…	…	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	36	–	2	–	7	11	10	2	2	2	–	–	13	–	1	1	6	3	1	–	1	–	–	–
White	23	–	1	–	5	5	8	1	2	1	–	–	6	–	–	1	2	2	1	–	–	–	–	–
All other	13	–	1	–	2	6	2	1	–	1	–	–	7	–	1	–	4	1	–	–	1	–	–	–
Black	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	21	–	1	–	7	2	3	5	2	–	1	–	4	–	–	–	1	–	1	1	1	–	–	–
White	10	–	–	–	1	2	2	3	1	–	1	–	4	–	–	–	1	–	1	1	1	–	–	–
All other	11	–	1	–	6	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ARIZONA																								
All causes	13,651	258	78	101	493	517	500	840	2,130	3,654	3,532	1,621	10,321	267	78	55	150	178	272	505	1,318	2,384	2,840	2,286
White	12,639	195	55	87	407	409	416	744	1,992	3,494	3,372	1,444	9,692	210	55	48	127	155	214	433	1,232	2,259	2,744	2,211
All other	1,012	63	23	14	86	108	84	96	138	160	160	77	628	57	23	7	23	23	58	72	86	105	96	75
Black	334	20	3	1	13	20	24	34	53	82	61	21	234	23	7	4	3	8	14	19	38	49	41	26
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	20	–	–	–	1	1	2	6	3	5	2	11	–	–	–	–	–	–	2	3	4	1	1	
White	17	–	–	–	1	1	1	6	3	4	1	9	–	–	–	–	–	–	2	3	3	–	1	
All other	3	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	
Black	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	
Tuberculosis of respiratory system (010-012)	19	–	–	–	1	1	2	5	3	5	2	8	–	–	–	–	–	–	1	3	2	1	1	
White	16	–	–	–	1	1	1	5	3	4	1	6	–	–	–	–	–	–	1	3	1	–	1	
All other	3	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	
Black	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	2	–	–	
White	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	2	–	–	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Meningococcal infection (036)	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	
White	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Septicemia (038)	69	–	1	–	–	1	3	5	14	19	13	13	72	5	1	–	2	1	3	2	8	22	17	11
White	58	–	1	–	–	1	1	4	12	17	11	11	64	2	–	–	2	1	2	2	8	20	16	11
All other	11	–	–	–	–	–	2	1	2	2	2	2	8	3	1	–	–	–	1	–	–	2	1	–
Black	5	–	–	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	14	-	-	-	2	1	2	3	2	2	-	2	7	-	1	-	-	1	-	-	4	1	-	-
White	13	-	-	-	2	-	2	3	2	2	-	2	7	-	1	-	-	1	-	-	4	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	46	3	-	-	1	5	1	6	8	11	9	2	51	1	1	1	2	2	-	5	8	19	11	1
White	38	2	-	-	1	3	1	5	6	10	8	2	47	1	1	1	2	2	-	3	7	18	11	1
All other	8	1	-	-	-	2	-	1	2	1	1	-	4	-	-	-	-	-	-	2	1	1	-	-
Black	2	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,801	1	8	10	19	24	60	179	592	1,021	772	214	2,349	2	2	4	13	29	89	218	510	734	536	212
White	2,762	-	8	8	15	21	57	170	565	986	749	202	2,235	1	2	3	12	27	78	198	484	709	517	204
All other	119	1	-	2	4	3	3	9	27	35	23	12	114	1	-	1	1	2	11	20	26	25	19	8
Black	63	-	-	-	-	-	2	2	17	24	13	5	55	-	-	-	-	2	5	10	11	14	11	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	50	-	-	-	1	1	1	7	12	18	8	2	28	-	-	-	-	-	1	4	1	13	6	3
White	46	-	-	-	-	1	1	6	12	16	8	2	23	-	-	-	-	-	-	2	1	12	6	2
All other	4	-	-	-	1	-	-	1	-	2	-	-	5	-	-	-	-	-	1	2	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	2	-	-	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	695	-	1	-	-	3	9	41	151	243	188	49	570	2	-	1	3	2	12	30	100	185	159	76
White	657	-	1	-	-	3	8	37	146	234	180	48	533	1	-	1	3	2	9	28	88	176	153	74
All other	28	-	-	-	-	-	1	4	5	9	8	1	37	1	-	-	-	-	3	4	12	9	6	2
Black	14	-	-	-	-	-	1	1	2	5	4	1	14	-	-	-	-	-	1	1	4	5	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	995	-	1	-	1	1	11	62	241	408	232	40	457	-	-	-	-	1	8	51	118	164	91	23
White	963	-	1	-	1	1	10	61	230	395	228	36	451	-	-	-	-	1	8	50	117	162	90	23
All other	32	-	-	-	-	-	1	1	11	11	4	4	6	-	-	-	-	-	1	1	1	2	1	-
Black	24	-	-	-	-	-	1	-	10	7	4	2	4	-	-	-	-	-	1	-	1	1	1	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	1	1	1	457	-	-	-	-	4	30	58	115	131	69	30
White	3	-	-	-	-	-	-	-	-	1	1	1	434	-	-	-	-	3	28	52	108	126	66	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	2	6	7	5	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	1	1	3	3	4	1	1
Malignant neoplasms of genital organs (179-187)	322	-	-	-	2	3	2	4	26	104	130	51	228	-	-	-	-	4	15	18	60	71	42	18
White	305	-	-	-	2	2	2	4	26	96	126	47	210	-	-	-	-	4	11	15	59	67	37	17
All other	17	-	-	-	-	1	-	-	-	8	4	4	18	-	-	-	-	-	4	3	1	4	5	1
Black	10	-	-	-	-	-	-	-	-	7	1	2	8	-	-	-	-	-	2	1	1	2	2	-
Malignant neoplasms of urinary organs (188-189)	147	-	-	-	-	-	3	6	22	44	50	22	64	-	-	-	2	1	1	2	12	22	16	8
White	143	-	-	-	-	-	3	6	20	43	50	21	61	-	-	-	1	1	1	2	12	21	16	7
All other	4	-	-	-	-	-	-	-	2	1	-	1	3	-	-	-	1	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	401	1	4	7	6	10	24	39	90	114	88	17	314	-	2	2	4	8	14	31	55	92	73	32
White	374	-	4	5	4	8	23	36	82	112	83	16	298	-	2	2	4	9	14	27	53	89	68	30
All other	27	1	-	2	2	2	1	3	8	2	5	1	16	-	-	-	-	-	-	4	2	3	5	2
Black	9	-	-	-	-	-	-	1	4	1	3	-	8	-	-	-	-	-	-	3	1	1	3	-
Leukemia (204-208)	124	-	2	2	7	1	4	10	21	28	30	19	77	-	-	1	2	4	4	8	14	18	18	8
White	119	-	2	2	6	1	4	10	20	28	28	18	74	-	-	-	2	4	4	8	12	18	18	8
All other	5	-	-	-	1	-	-	-	1	-	2	1	3	-	-	1	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	174	-	-	1	2	5	6	10	29	63	45	13	154	-	-	-	2	4	3	16	35	38	42	14
White	172	-	-	1	2	5	6	10	29	61	45	13	151	-	-	-	2	3	3	16	34	38	41	14
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	1	1	1	1	1	2	2	8	10	17	4	53	1	1	1	-	1	1	2	11	13	15	7
White	47	1	1	1	1	1	2	2	8	10	16	4	52	1	1	1	-	1	1	2	11	13	14	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	206	-	-	-	2	4	9	16	33	60	59	23	224	-	-	-	-	3	3	10	39	60	62	47
White	182	-	-	-	2	3	6	10	27	56	55	23	189	-	-	-	-	3	3	9	32	49	59	44
All other	24	-	-	-	-	1	3	6	6	4	4	-	25	-	-	-	-	-	-	1	7	11	3	3
Black	3	-	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	1	1	3	2	-
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	1	5	6	3	28	-	-	-	-	1	-	-	1	3	9	14
White	16	-	-	-	-	-	-	-	1	5	7	3	27	-	-	-	-	1	-	-	1	3	9	13
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	19	-	-	-	2	-	-	1	1	4	7	4	26	-	-	-	-	1	1	1	2	7	6	8
White	17	-	-	-	1	-	-	1	1	4	7	3	24	-	-	-	-	1	1	-	2	6	6	8
All other	2	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis (320-322)	6	1	-	-	-	-	-	-	2	1	2	-	10	3	1	-	-	-	-	-	3	-	2	1
White	5	-	-	-	-	-	-	-	2	1	2	-	6	2	-	-	-	-	-	-	1	-	2	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	5,478	4	5	6	6	30	83	304	892	1,613	1,711	818	4,498	4	3	6	5	14	44	111	388	936	1,538	1,445
White	5,219	3	1	4	5	22	75	282	845	1,541	1,646	781	4,327	2	2	5	5	10	35	101	365	899	1,491	1,411
All other	259	1	4	2	1	8	8	22	47	72	65	27	169	2	1	1	-	4	9	10	21	37	47	34
Black	121	-	-	-	1	4	3	12	22	43	24	10	81	1	-	1	-	1	3	1	14	21	19	19
Diseases of heart (390-398,402,404-429)	4,470	4	4	5	6	23	72	274	790	1,334	1,343	611	3,354	4	3	4	3	9	31	79	316	722	1,122	1,059
White	4,256	3	1	4	5	19	64	256	751	1,273	1,291	587	3,227	2	2	3	3	7	25	72	297	694	1,088	1,034
All other	214	1	3	1	1	4	8	18	39	61	52	24	127	2	1	1	-	2	6	7	19	28	34	25
Black	103	-	-	-	1	2	3	11	19	36	20	9	61	1	-	1	-	-	2	1	13	15	12	15
Rheumatic fever and rheumatic heart disease (390-398)	31	-	-	-	2	1	1	1	5	14	7	-	59	-	-	-	-	1	4	2	15	13	16	8
White	29	-	-	-	2	1	-	1	5	13	7	-	55	-	-	-	-	-	3	2	14	12	16	8
All other	2	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	1	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hypertensive heart disease (402)	58	-	-	-	-	-	1	2	12	24	17	2	84	-	-	-	-	-	1	2	11	22	21	27
White	51	-	-	-	-	-	1	2	10	22	15	1	80	-	-	-	-	-	-	2	8	22	21	27
All other	7	-	-	-	-	-	-	-	2	2	2	1	4	-	-	-	-	-	1	-	3	-	-	-
Black	5	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	-	3	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	-	-	2	5	2
White	3	-	-	-	-	-	-	-	-	-	2	1	8	-	-	-	-	-	-	-	-	1	5	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,438	1	-	3	-	8	52	228	643	1,049	1,010	440	2,373	-	-	3	-	1	17	57	230	546	811	707
White	3,302	1	-	2	-	8	48	218	612	1,003	979	429	2,298	-	-	3	-	1	15	53	216	529	789	692
All other	136	-	-	1	-	-	4	10	31	46	31	11	75	-	-	-	-	-	2	4	14	17	22	15
Black	75	-	-	-	-	-	3	8	15	30	12	5	39	-	-	-	-	-	2	1	8	11	6	10
Acute myocardial infarction (410)	1,583	1	-	-	-	5	31	123	294	498	475	156	1,003	-	-	2	-	-	14	30	113	282	353	229
White	1,525	1	-	-	-	5	27	116	281	478	464	153	968	-	-	2	-	-	14	28	103	257	341	225
All other	58	-	-	-	-	-	4	7	13	20	11	3	35	-	-	-	-	-	-	4	10	5	12	4
Black	30	-	-	-	-	-	3	5	5	10	6	1	15	-	-	-	-	-	-	1	5	3	3	3
Other acute and subacute forms of ischemic heart disease (411)	256	-	-	1	-	1	9	35	88	88	28	6	72	-	-	-	-	-	1	5	13	30	17	6
White	244	-	-	1	-	1	9	33	84	83	27	6	71	-	-	-	-	-	1	5	13	30	16	6
All other	12	-	-	-	-	-	-	2	4	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	7	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,597	-	-	2	-	2	12	70	260	463	507	277	1,297	-	-	1	-	1	2	22	104	254	441	471
White	1,531	-	-	1	-	2	12	69	248	442	488	269	1,258	-	-	1	-	1	-	22	100	242	432	460
All other	66	-	-	1	-	-	-	1	14	21	19	8	39	-	-	-	-	-	2	-	4	12	9	11
Black	38	-	-	-	-	-	-	1	9	17	5	4	24	-	-	-	-	-	2	-	3	8	3	7
Other diseases of endocardium (424)	60	-	-	-	1	-	2	6	4	14	22	11	50	-	-	-	1	-	1	-	7	9	19	13
White	59	-	-	-	1	-	2	6	4	14	22	10	50	-	-	-	1	-	1	-	7	9	19	13
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	879	3	4	2	3	14	16	37	126	232	285	157	779	4	3	1	2	7	8	18	53	130	250	302
White	812	2	1	2	2	10	13	29	120	221	266	146	736	2	2	–	2	6	6	15	52	121	238	292
All other	67	1	3	–	1	4	3	8	6	11	19	11	43	2	1	1	–	1	2	3	1	9	12	10
Black	21	–	–	–	1	2	–	3	3	3	7	2	17	1	–	1	–	–	–	–	1	3	6	5
Hypertension with or without renal disease (401,403)	34	–	–	–	–	–	1	1	1	8	14	9	29	–	–	–	–	–	–	–	2	3	14	10
White	32	–	–	–	–	–	1	1	1	8	13	8	29	–	–	–	–	–	–	–	2	3	14	10
All other	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	705	–	–	1	–	5	7	26	70	184	268	143	849	–	–	2	2	5	12	27	56	160	314	269
White	667	–	–	–	–	1	7	22	62	174	258	142	815	–	–	2	2	3	9	24	55	153	304	262
All other	38	–	–	1	–	4	–	4	8	10	10	1	34	–	–	–	–	2	3	3	1	7	10	7
Black	15	–	–	–	–	2	–	1	3	6	3	–	12	–	–	–	–	1	1	–	–	4	4	2
Intracerebral and other intracranial hemorrhage (431-432)	97	–	–	–	–	1	2	7	18	35	23	10	117	–	–	1	–	–	3	8	16	31	43	15
White	90	–	–	–	–	–	2	5	15	34	23	10	112	–	–	1	–	–	3	6	16	29	42	15
All other	7	–	–	–	–	1	–	2	3	1	–	–	5	–	–	–	–	–	–	2	–	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	95	–	–	–	–	–	–	1	12	24	35	23	115	–	–	–	1	1	–	3	5	18	48	39
White	92	–	–	–	–	–	–	1	11	23	34	23	112	–	–	–	1	1	–	3	5	16	47	39
All other	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Cerebral embolism (434.1)	3	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	3	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	510	–	–	1	–	4	5	18	40	122	210	110	615	–	–	1	1	4	9	16	35	110	223	214
White	482	–	–	–	–	1	5	16	38	114	201	109	590	–	–	1	1	2	6	15	34	107	215	208
All other	28	–	–	1	–	3	–	2	4	8	9	1	25	–	–	–	–	2	3	1	1	3	8	6
Black	13	–	–	–	–	2	–	1	3	5	2	–	8	–	–	–	–	1	1	–	–	2	3	1
Atherosclerosis (440)	113	–	–	–	–	–	2	1	11	29	35	35	183	–	–	–	–	–	–	–	4	23	60	96
White	110	–	–	–	–	–	2	1	11	28	34	34	178	–	–	–	–	–	–	–	4	23	57	94
All other	3	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	–	–	3	2
Black	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	3	2
Other diseases of arteries, arterioles, and capillaries (441-448)	156	–	1	–	–	2	1	2	20	58	51	20	81	–	–	–	–	–	1	5	8	28	28	11
White	154	–	–	–	–	2	1	2	20	58	50	20	78	–	–	–	–	–	1	5	7	26	28	11
All other	2	–	1	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	2	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	2	–	–
Acute bronchitis and bronchiolitis (466)	4	–	–	–	–	–	–	–	–	–	3	1	2	1	–	–	–	–	–	–	–	1	–	–
White	4	–	–	–	–	–	–	–	–	–	3	1	2	1	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	431	11	–	–	3	7	8	15	37	82	140	128	348	4	4	–	–	7	1	9	26	46	95	156
White	387	5	–	–	3	5	5	12	31	78	131	117	329	3	2	–	–	7	1	8	24	42	95	147
All other	44	6	–	–	–	2	3	3	6	4	9	11	19	1	2	–	–	–	–	1	2	4	–	9
Black	9	–	–	–	–	–	1	1	1	1	4	1	5	1	–	–	–	–	–	1	1	–	–	2
Pneumonia (480-486)	429	11	–	–	3	7	8	15	37	82	138	128	342	4	4	–	–	6	1	9	26	46	94	152
White	385	5	–	–	3	5	5	12	31	78	129	117	323	3	2	–	–	6	1	8	24	42	94	149
All other	44	6	–	–	–	2	3	3	6	4	9	11	19	1	2	–	–	–	–	1	2	4	–	9
Black	9	–	–	–	–	–	1	1	1	1	4	1	5	1	–	–	–	–	–	1	1	–	–	2
Influenza (487)	2	–	–	–	–	–	–	–	–	–	2	–	6	–	–	–	–	1	–	–	–	–	1	4
White	2	–	–	–	–	–	–	–	–	–	2	–	6	–	–	–	–	1	–	–	–	–	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	803	–	1	2	1	1	5	28	112	313	274	66	456	–	1	3	1	2	8	4	68	182	132	54
White	784	–	1	2	1	1	4	26	108	307	270	64	444	–	1	3	1	2	8	4	65	178	129	52
All other	19	–	–	–	–	–	1	2	4	6	4	2	12	–	–	–	–	–	–	–	3	4	3	2
Black	10	–	–	–	–	–	1	2	2	2	2	1	4	–	–	–	–	–	–	–	1	1	2	–
Bronchitis, chronic and unspecified (490-491)	28	–	–	–	–	–	–	–	4	8	14	2	12	–	–	1	–	–	1	–	1	5	4	–
White	28	–	–	–	–	–	–	–	4	8	14	2	12	–	–	1	–	–	1	–	1	5	4	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	182	–	–	–	–	–	–	9	27	77	69	10	81	–	–	–	–	–	–	–	16	36	23	6
White	189	–	–	–	–	–	–	8	26	77	68	10	81	–	–	–	–	–	–	–	16	36	23	6
All other	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	39	-	-	2	1	1	1	6	4	12	11	1	45	-	-	-	1	2	5	2	10	11	7	7
White	38	-	-	2	1	1	1	5	4	12	11	1	43	-	-	-	1	2	5	2	10	11	5	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	544	-	1	-	-	-	4	13	77	216	180	53	318	-	1	2	-	-	2	2	41	130	98	41
White	529	-	1	-	-	-	3	13	74	210	177	51	308	-	1	2	-	-	2	2	38	126	97	39
All other	15	-	-	-	-	-	1	-	3	6	3	2	10	-	-	-	-	-	-	-	3	4	1	2
Black	6	-	-	-	-	-	1	-	1	2	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Ulcer of stomach and duodenum (531-533)	26	-	-	-	-	-	-	-	5	11	8	1	35	2	-	-	-	-	-	2	3	8	10	10
White	25	-	-	-	-	-	-	-	5	11	8	1	33	2	-	-	-	-	-	2	3	8	9	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Appendicitis (540-543)	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
White	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	2	-	-	-	-	-	-	5	3	10	3	28	-	1	1	-	2	-	1	4	2	4	13
White	23	2	-	-	-	-	-	-	5	3	10	3	24	-	-	1	-	1	-	-	4	2	3	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	1	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	237	-	-	1	1	15	30	53	70	44	18	5	163	-	-	-	-	4	21	31	40	38	25	4
White	200	-	-	1	-	7	21	44	65	39	18	5	130	-	-	-	-	2	8	20	37	37	24	4
All other	37	-	-	-	1	8	9	9	5	5	-	-	33	-	-	-	-	2	15	11	3	1	1	-
Black	4	-	-	-	-	-	1	2	1	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	23	1	-	-	-	1	1	-	3	6	7	4	22	-	-	-	-	-	1	3	3	2	7	6
White	18	-	-	-	-	1	1	-	2	6	5	3	19	-	-	-	-	-	-	3	2	2	6	6
All other	5	1	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	132	3	-	2	-	2	5	6	21	23	46	24	96	3	1	-	1	1	-	10	13	21	25	21
White	115	2	-	1	-	2	3	5	20	22	37	23	85	3	1	-	1	1	-	6	9	20	23	21
All other	17	1	-	1	-	-	2	1	1	1	9	1	11	-	-	-	-	-	-	4	4	1	2	-
Black	7	-	-	-	-	-	1	-	1	-	5	-	4	-	-	-	-	-	-	1	1	1	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	1	1	1	1	2	2	4	7	-	-	-	-	1	-	-	-	3	2	1
White	12	-	-	-	-	1	1	1	1	2	2	4	7	-	-	-	-	1	-	-	-	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	117	2	-	2	-	1	4	5	20	21	42	20	88	3	1	-	1	-	-	10	13	18	22	20
White	100	1	-	1	-	1	2	4	19	20	33	19	77	3	1	-	1	-	-	6	9	17	20	20
All other	17	1	-	1	-	-	2	1	1	1	9	1	11	-	-	-	-	-	-	4	4	1	2	-
Black	7	-	-	-	-	-	1	-	1	-	5	-	4	-	-	-	-	-	-	1	1	1	1	-
Infections of kidney (590)	10	-	-	-	-	-	-	-	-	3	5	2	15	-	-	-	1	1	1	1	2	2	4	3
White	9	-	-	-	-	-	-	-	-	3	5	1	15	-	-	-	1	1	1	1	2	2	4	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	4	2		...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	4	2		...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-		...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-		...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	4	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	4	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	4	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	89	55	12	6	6	3	2	2	–	3	–	–	111	75	11	4	4	2	2	2	5	3	2	1
White	72	45	7	6	5	2	2	2	–	3	–	–	103	70	9	4	3	2	2	2	5	3	2	1
All other	17	10	5	–	1	1	–	–	–	–	–	–	8	5	2	–	1	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	113	110	2	–	–	–	–	–	–	–	–	–	103	99	3	–	–	–	–	1	–	–	–	–
White	91	88	2	–	–	–	–	–	–	–	–	–	84	81	2	–	–	–	–	1	–	–	–	–
All other	22	22	–	–	–	–	–	–	–	–	–	–	19	18	1	–	–	–	–	–	–	–	–	–
Black	9	9	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	29	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
White	25	25	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	84	81	2	–	–	–	–	–	–	–	–	–	75	71	3	–	–	–	–	1	–	–	–	–
White	66	63	2	–	–	–	–	–	–	–	–	–	62	59	2	–	–	–	–	1	–	–	–	–
All other	18	18	–	–	–	–	–	–	–	–	–	–	13	12	1	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	185	48	5	1	6	16	9	13	20	31	19	15	140	38	2	2	5	9	6	4	13	12	19	28
White	140	36	4	1	5	14	9	12	13	24	11	9	108	25	–	1	5	7	4	4	12	9	16	21
All other	45	12	1	–	1	2	–	1	7	7	8	6	34	13	2	1	–	2	2	–	1	3	3	7
Black	10	7	–	–	1	–	–	–	–	1	1	–	18	8	2	1	–	2	2	–	–	1	–	–
All other diseases (Residual)	1,008	10	8	12	17	35	57	75	154	236	262	141	856	20	3	6	9	17	29	33	117	186	241	194
White	904	5	6	12	12	26	42	58	142	223	242	135	788	11	2	6	8	15	25	22	107	174	232	186
All other	104	5	2	–	5	9	15	17	12	13	20	6	68	9	1	–	1	2	4	11	10	12	9	8
Black	32	1	1	–	–	1	4	6	5	6	6	2	20	–	–	–	1	–	2	2	4	5	3	2
Accidents and adverse effects (E800-E949)	1,094	6	31	43	298	215	120	67	88	87	88	40	433	8	36	21	69	49	35	28	31	46	63	46
White	911	5	20	37	250	176	93	52	72	78	81	35	369	4	26	20	58	40	23	22	27	46	60	43
All other	183	1	11	6	48	39	27	15	14	9	7	5	64	4	10	1	11	9	12	6	4	2	3	2
Black	28	1	2	1	7	3	5	3	3	2	–	1	8	1	2	–	1	2	1	1	–	–	–	–
Motor vehicle accidents (E810-E825)	643	1	15	24	231	136	70	38	48	33	33	9	232	–	14	14	57	36	28	23	21	16	20	5
White	527	1	7	24	191	111	55	28	39	30	29	8	199	–	10	13	49	31	19	19	18	15	20	5
All other	116	–	8	–	40	25	15	10	9	3	4	1	33	–	4	1	8	5	7	4	3	1	–	–
Black	15	–	2	–	5	1	2	2	2	1	–	–	4	–	–	–	1	1	1	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	451	5	16	19	67	79	50	29	38	54	55	31	201	8	22	7	12	13	9	5	10	32	43	40
White	384	4	13	13	59	65	38	24	33	48	52	27	170	4	16	7	9	9	4	3	9	31	40	36
All other	67	1	3	6	8	14	12	5	5	6	3	4	31	4	6	–	3	4	5	2	1	1	3	2
Black	13	1	–	1	2	2	3	1	1	1	–	1	4	1	2	–	–	1	–	–	–	–	–	–
Suicide (E950-E959)	414	...	...	5	80	91	63	39	41	54	38	2	101	...	...	1	14	16	15	19	13	9	10	2
White	377	...	...	5	68	77	58	34	41	54	37	2	94	...	...	–	10	16	15	17	13	9	10	2
All other	37	...	...	–	12	14	5	5	–	–	1	–	7	...	...	1	4	–	–	2	–	–	–	–
Black	12	...	...	–	2	3	3	3	–	–	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	200	1	3	10	45	59	35	22	12	7	3	1	66	1	6	3	21	8	10	3	3	4	6	1
White	156	–	3	8	34	43	29	19	9	6	2	1	54	1	5	1	17	7	8	2	2	4	6	1
All other	44	1	–	2	11	16	6	3	3	1	1	–	12	–	1	2	4	1	2	1	1	–	–	–
Black	12	–	–	–	1	7	2	2	–	–	–	–	6	–	1	2	1	1	–	–	1	–	–	–
All other external causes (E980-E999)	23	–	–	2	3	5	4	1	5	1	1	1	8	–	–	–	3	1	1	2	1	–	–	–
White	17	–	–	1	2	3	4	1	4	1	1	–	5	–	–	–	2	1	–	1	1	–	–	–
All other	6	–	–	1	1	2	–	–	1	–	–	1	3	–	–	–	1	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	13,012	217	48	78	308	332	432	813	2,037	3,476	3,568	1,703	10,583	163	40	38	111	128	219	427	1,118	2,163	3,369	2,806
White	10,852	144	38	57	242	244	338	660	1,706	2,943	3,058	1,421	8,781	96	23	20	88	85	160	330	898	1,770	2,841	2,469
All other	2,160	73	8	21	66	88	94	153	331	533	510	282	1,802	67	17	18	23	43	59	97	220	393	528	337
Black	2,146	73	8	21	63	88	94	151	329	531	505	282	1,793	67	17	18	23	43	58	97	218	392	527	333
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	19	–	–	–	–	–	1	1	3	5	6	3	7	–	–	–	–	–	–	–	–	1	4	2
White	13	–	–	–	–	–	–	–	3	3	5	2	6	–	–	–	–	–	–	–	–	1	4	1
All other	6	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	6	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Tuberculosis of respiratory system (010-012)	14	–	–	–	–	–	1	–	2	4	4	3	4	–	–	–	–	–	–	–	–	–	2	2
White	11	–	–	–	–	–	–	–	2	3	4	2	3	–	–	–	–	–	–	–	–	–	2	1
All other	3	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Other tuberculosis (013-018)	5	–	–	–	–	–	–	1	1	1	2	–	3	–	–	–	–	–	–	–	–	1	2	–
White	2	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–	–	–	1	2	–
All other	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	–	2	1	1	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
White	4	–	2	1	1	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	105	2	–	–	2	1	2	3	10	32	34	19	111	1	–	–	4	–	6	4	12	16	34	34
White	84	1	–	–	2	–	1	2	10	22	28	18	88	–	–	–	3	–	3	3	9	11	30	29
All other	21	1	–	–	–	1	1	1	–	10	6	1	23	1	–	–	1	–	3	1	3	5	4	5
Black	21	1	–	–	–	1	1	1	–	10	6	1	23	1	–	–	1	–	3	1	3	5	4	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	–	–	–	1	–	–	2	–	–	4	–	–	–	1	–	–	1	–	–	2	–
White	3	–	–	–	–	–	1	–	–	2	–	–	4	–	–	–	1	–	–	1	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	24	2	1	–	2	–	–	2	4	7	5	1	25	1	–	–	–	–	2	1	7	6	7	1
White	20	2	1	–	1	–	–	2	3	6	4	1	19	1	–	–	–	–	1	1	3	6	6	1
All other	4	–	–	–	1	–	–	–	1	1	1	–	6	–	–	–	–	–	1	–	4	–	1	–
Black	4	–	–	–	1	–	–	–	1	1	1	–	6	–	–	–	–	–	1	–	4	–	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,857	–	1	9	13	26	65	207	608	974	734	220	2,022	–	1	2	11	27	69	183	390	585	536	238
White	2,402	–	–	6	12	18	53	177	506	831	628	171	1,718	–	1	–	8	23	55	130	325	506	464	206
All other	455	–	1	3	1	8	12	30	102	143	106	49	304	–	–	2	3	4	14	33	65	79	72	32
Black	454	–	1	3	1	8	12	30	102	142	106	49	301	–	–	2	3	4	14	33	64	78	72	31

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	39	–	–	–	–	–	4	5	9	14	6	1	18	–	–	–	–	–	–	2	2	6	5	3
White	30	–	–	–	–	–	1	5	8	11	6	1	17	–	–	–	–	–	–	1	2	6	5	3
All other	9	–	–	–	–	–	3	–	3	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	9	–	–	–	–	–	3	–	3	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	633	–	–	–	–	3	13	39	128	206	189	57	545	–	–	–	2	1	9	33	68	152	187	93
White	517	–	–	–	–	2	10	29	101	166	162	47	463	–	–	–	2	1	7	26	54	129	161	83
All other	116	–	–	–	–	1	3	10	25	40	27	10	82	–	–	–	–	–	2	7	14	23	26	10
Black	116	–	–	–	–	1	3	10	25	40	27	10	81	–	–	–	–	–	2	7	14	22	26	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,103	–	–	–	–	2	13	102	308	420	217	41	346	–	–	–	–	1	10	38	87	119	67	24
White	964	–	–	–	–	1	12	90	259	375	195	32	310	–	–	–	–	1	10	33	76	108	64	18
All other	139	–	–	–	–	1	1	12	49	45	22	9	36	–	–	–	–	–	–	5	11	11	3	6
Black	138	–	–	–	–	1	1	12	49	44	22	9	36	–	–	–	–	–	–	5	11	11	3	6
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	1	–	294	–	–	–	–	10	20	36	73	72	63	20
White	–	–	–	–	–	–	–	–	–	–	–	–	241	–	–	–	–	9	15	27	59	61	54	16
All other	1	–	–	–	–	–	–	–	–	–	1	–	53	–	–	–	–	1	5	9	14	11	9	4
Black	1	–	–	–	–	–	–	–	–	–	1	–	52	–	–	–	–	1	5	9	14	11	9	3
Malignant neoplasms of genital organs (179-187)	261	–	–	–	–	–	1	1	18	85	111	45	193	–	–	–	–	5	10	21	47	47	43	20
White	188	–	–	–	–	–	1	1	14	60	82	30	165	–	–	–	–	4	7	17	41	39	38	19
All other	73	–	–	–	–	–	–	–	4	25	29	15	28	–	–	–	–	1	3	4	6	8	5	1
Black	73	–	–	–	–	–	–	–	4	25	29	15	28	–	–	–	–	1	3	4	6	8	5	1
Malignant neoplasms of urinary organs (188-189)	125	–	–	–	–	–	3	10	19	49	28	16	56	–	–	1	–	–	–	–	10	12	16	17
White	106	–	–	–	–	–	2	8	19	42	23	12	51	–	–	–	–	–	–	–	9	12	15	15
All other	19	–	–	–	–	–	1	2	–	7	5	4	5	–	–	1	–	–	–	–	1	–	1	2
Black	19	–	–	–	–	–	1	2	–	7	5	4	5	–	–	1	–	–	–	–	1	–	1	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	439	–	–	6	4	11	19	35	91	122	117	34	362	–	–	1	4	5	13	31	70	104	96	38
White	378	–	–	3	4	8	17	30	78	106	106	26	291	–	–	–	3	4	13	25	58	83	74	31
All other	61	–	–	3	–	3	2	5	13	16	11	8	71	–	–	1	1	1	–	6	12	21	22	7
Black	61	–	–	3	–	3	2	5	13	16	11	8	70	–	–	1	1	1	–	6	11	21	22	7
Leukemia (204-208)	119	–	1	3	4	6	3	7	12	35	30	18	84	–	1	–	4	3	2	–	12	23	27	12
White	105	–	–	3	4	5	2	7	10	30	26	18	72	–	1	–	2	2	–	–	11	21	23	12
All other	14	–	1	–	–	1	1	–	2	5	4	–	12	–	–	–	2	1	2	–	1	2	4	–
Black	14	–	1	–	–	1	1	–	2	5	4	–	12	–	–	–	2	1	2	–	1	2	4	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	137	–	–	–	5	4	9	8	25	43	35	8	124	–	–	–	1	2	5	2	21	50	32	11
White	114	–	–	–	4	2	8	7	19	41	28	5	108	–	–	–	1	2	3	1	15	47	30	9
All other	23	–	–	–	1	2	1	1	6	2	7	3	16	–	–	–	–	–	2	1	6	3	2	2
Black	23	–	–	–	1	2	1	1	6	2	7	3	16	–	–	–	–	–	2	1	6	3	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	38	–	1	–	–	2	2	2	6	11	10	4	35	1	–	1	–	–	2	2	5	6	13	5
White	31	–	1	–	–	2	1	2	4	8	10	3	29	1	–	1	–	–	2	–	4	4	12	5
All other	7	–	–	–	–	–	1	–	2	3	–	1	6	–	–	–	–	–	–	2	1	2	1	–
Black	7	–	–	–	–	–	1	–	2	3	–	1	6	–	–	–	–	–	–	2	1	2	1	–
Diabetes mellitus (250)	122	–	–	1	–	2	7	12	21	31	31	17	201	–	–	–	–	–	3	10	30	41	73	44
White	93	–	–	1	–	2	5	7	14	23	25	16	141	–	–	–	–	–	1	6	18	27	54	35
All other	29	–	–	–	–	–	2	5	7	8	6	1	60	–	–	–	–	–	2	4	12	14	19	9
Black	29	–	–	–	–	–	2	5	7	8	6	1	60	–	–	–	–	–	2	4	12	14	19	9
Nutritional deficiencies (260-269)	13	1	–	–	–	–	–	1	1	1	4	5	17	–	–	–	–	–	–	–	–	3	8	8
White	7	–	–	–	–	–	–	1	1	1	1	3	14	–	–	–	–	–	–	–	–	2	5	7
All other	6	1	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–	–	–	–	–	1	1	1
Black	6	1	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–	–	–	–	–	1	1	1
Anemias (280-285)	19	–	–	1	1	1	1	1	2	5	2	5	22	1	–	–	–	–	–	2	2	2	6	9
White	15	–	–	1	–	–	–	1	2	5	2	4	19	1	–	–	–	–	–	1	2	1	6	8
All other	4	–	–	–	1	1	1	–	–	–	–	1	3	–	–	–	–	–	–	1	–	1	–	1
Black	4	–	–	–	1	1	1	–	–	–	–	1	3	–	–	–	–	–	–	1	–	1	–	1
Meningitis (320-322)	2	–	1	–	–	–	–	–	–	–	1	–	8	2	–	1	–	1	–	–	–	1	1	2
White	1	–	1	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	1	–	–	–	–	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	1	–	–	–	–	1	1
Major cardiovascular diseases (390-448)	6,007	5	1	2	12	43	142	369	911	1,633	1,914	975	5,507	6	3	2	9	25	49	118	465	1,067	1,995	1,770
White	5,006	2	1	1	9	31	105	289	753	1,368	1,639	808	4,561	4	3	1	7	13	28	82	356	839	1,667	1,561
All other	1,001	3	–	1	4	12	37	80	158	264	275	167	946	2	–	1	2	12	21	34	109	228	328	209
Black	993	3	–	1	4	12	37	79	156	264	270	167	941	2	–	1	2	12	20	34	108	228	327	207

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,766	5	1	2	11	36	123	320	788	1,298	1,475	707	3,948	6	3	2	6	14	37	89	361	812	1,411	1,207
White	4,035	2	1	1	7	28	92	258	670	1,115	1,276	587	3,292	4	3	1	5	7	21	60	278	652	1,196	1,065
All other	731	3	–	1	4	8	31	64	118	183	199	120	656	2	–	1	1	7	16	29	83	160	215	142
Black	728	3	–	1	4	8	31	63	116	183	197	120	652	2	–	1	1	7	15	29	82	160	214	141
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	2	–	–	1	6	3	6	2	20	–	–	–	–	1	1	2	4	6	3	3
White	17	–	–	–	–	–	–	1	5	3	6	2	16	–	–	–	–	1	1	–	4	5	2	3
All other	3	–	–	–	2	–	–	–	1	–	–	–	4	–	–	–	–	–	–	2	–	1	1	–
Black	3	–	–	–	2	–	–	–	1	–	–	–	4	–	–	–	–	–	–	2	–	1	1	–
Hypertensive heart disease (402)	46	–	–	–	–	–	1	2	7	14	15	7	63	–	–	–	–	–	–	–	7	9	25	22
White	23	–	–	–	–	–	–	1	3	8	7	4	48	–	–	–	–	–	–	–	6	5	18	19
All other	23	–	–	–	–	–	1	1	4	6	8	3	15	–	–	–	–	–	–	–	1	4	7	3
Black	23	–	–	–	–	–	1	1	4	6	8	3	15	–	–	–	–	–	–	–	1	4	7	3
Hypertensive heart and renal disease (404)	7	–	–	–	–	–	–	–	1	2	3	1	8	–	–	–	–	–	–	–	2	1	5	–
White	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	–	1	1	4	–
All other	5	–	–	–	–	–	–	–	1	2	2	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	5	–	–	–	–	–	–	–	1	2	2	–	2	–	–	–	–	–	–	–	1	–	1	–
Ischemic heart disease (410-414)	3,071	–	–	–	–	13	71	211	516	886	948	426	2,398	–	–	–	–	7	17	44	219	517	878	706
White	2,678	–	–	–	–	10	59	180	459	785	832	353	2,042	–	–	–	–	4	11	29	166	429	770	633
All other	393	–	–	–	–	3	12	31	57	101	116	73	346	–	–	–	–	3	6	15	53	88	108	73
Black	390	–	–	–	–	3	12	31	56	101	114	73	343	–	–	–	–	3	6	15	52	88	107	72
Acute myocardial infarction (410)	2,089	–	–	–	–	8	62	172	417	621	597	212	1,408	–	–	–	–	7	11	36	164	366	515	309
White	1,635	–	–	–	–	6	51	149	367	557	526	179	1,198	–	–	–	–	4	6	24	124	309	452	279
All other	254	–	–	–	–	2	11	23	50	64	71	33	210	–	–	–	–	3	5	12	40	57	63	30
Black	252	–	–	–	–	2	11	23	49	64	70	33	208	–	–	–	–	3	5	12	40	57	62	29
Other acute and subacute forms of ischemic heart disease (411)	6	–	–	–	–	–	–	–	1	3	1	1	8	–	–	–	–	–	1	–	1	2	2	2
White	5	–	–	–	–	–	–	–	–	3	1	1	8	–	–	–	–	–	1	–	1	2	2	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	975	–	–	–	–	5	9	39	98	261	350	213	969	–	–	–	–	–	5	8	54	149	359	394
White	837	–	–	–	–	4	8	31	82	224	305	173	833	–	–	–	–	–	4	5	41	118	314	351
All other	138	–	–	–	–	1	1	8	6	37	45	40	136	–	–	–	–	–	1	3	13	31	45	43
Black	137	–	–	–	–	1	1	8	6	37	44	40	135	–	–	–	–	–	1	3	12	31	45	43
Other diseases of endocardium (424)	33	–	–	–	–	–	2	2	4	7	13	5	30	–	–	–	–	–	–	1	3	6	14	6
White	31	–	–	–	–	–	2	2	3	6	13	5	25	–	–	–	–	–	–	1	3	4	11	6
All other	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	2	3	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	2	3	–
All other forms of heart disease (415-423,425-429)	1,589	5	1	2	9	23	49	104	254	386	490	266	1,439	6	3	2	6	6	19	42	126	273	486	470
White	1,284	2	1	1	7	18	31	72	200	313	417	222	1,155	4	3	1	5	2	9	30	98	208	391	404
All other	305	3	–	1	2	5	18	32	54	73	73	44	284	2	–	1	1	4	10	12	28	65	95	66
Black	303	3	–	1	2	5	18	31	53	73	73	44	283	2	–	1	1	4	9	12	28	65	95	66
Hypertension with or without renal disease (401,403)	35	–	–	–	–	1	2	1	3	12	9	7	38	–	–	–	–	1	–	2	3	8	12	12
White	25	–	–	–	–	–	2	1	3	7	6	6	25	–	–	–	–	–	–	1	3	6	6	9
All other	10	–	–	–	–	1	–	–	–	5	3	1	13	–	–	–	–	1	–	1	–	2	6	3
Black	10	–	–	–	–	1	–	–	–	5	3	1	13	–	–	–	–	1	–	1	–	2	6	3
Cerebrovascular diseases (430-438)	947	–	–	–	1	5	15	43	88	256	332	197	1,260	–	–	–	3	9	11	25	85	216	486	425
White	710	–	–	–	1	3	9	27	59	188	266	157	1,013	–	–	–	2	5	7	21	61	154	388	375
All other	237	–	–	–	–	2	6	16	29	68	66	40	247	–	–	–	1	4	4	4	24	62	98	50
Black	234	–	–	–	–	2	6	16	29	68	63	40	247	–	–	–	1	4	4	4	24	62	98	50
Intracerebral and other intracranial hemorrhage (431-432)	104	–	–	–	1	–	6	11	13	33	25	15	126	–	–	–	–	2	1	5	18	29	41	30
White	72	–	–	–	1	–	3	7	7	23	20	11	100	–	–	–	–	1	–	4	12	21	33	29
All other	32	–	–	–	–	–	3	4	6	10	5	4	26	–	–	–	–	1	1	1	6	8	8	1
Black	30	–	–	–	–	–	3	4	6	10	3	4	26	–	–	–	–	1	1	1	6	8	8	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	120	–	–	–	–	–	–	9	13	26	47	25	157	–	–	–	–	–	1	–	7	22	62	65
White	89	–	–	–	–	–	–	5	7	19	39	19	122	–	–	–	–	–	–	–	4	13	50	55
All other	31	–	–	–	–	–	–	4	6	7	8	6	35	–	–	–	–	–	1	–	3	9	12	10
Black	31	–	–	–	–	–	–	4	6	7	8	6	35	–	–	–	–	–	1	–	3	8	12	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–	–	1	–	–	–	3	–	1
White	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–	1	–	–	–	2	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	719	–	–	–	–	5	9	23	72	197	258	155	972	–	–	–	3	6	9	20	60	182	383	329
White	546	–	–	–	–	3	6	15	45	146	205	126	788	–	–	–	2	3	7	17	45	118	305	291
All other	173	–	–	–	–	2	3	8	27	51	53	29	184	–	–	–	1	3	2	3	15	44	78	38
Black	172	–	–	–	–	2	3	8	27	51	52	29	184	–	–	–	1	3	2	3	15	44	78	38
Atherosclerosis (440)	119	–	–	–	–	–	–	1	1	24	45	42	176	–	–	–	–	–	1	–	3	14	57	101
White	99	–	–	–	–	–	–	1	1	19	40	38	153	–	–	–	–	–	–	–	2	12	52	87
All other	14	–	–	–	–	–	–	–	–	5	5	4	23	–	–	–	–	–	1	–	1	2	5	14
Black	14	–	–	–	–	–	–	–	–	5	5	4	22	–	–	–	–	–	1	–	1	2	5	13
Other diseases of arteries, arterioles, and capillaries (441-448)	146	–	–	–	–	1	2	4	21	43	53	22	85	–	–	–	–	1	–	–	13	17	29	25
White	137	–	–	–	–	–	2	4	20	40	51	20	78	–	–	–	–	1	–	–	12	15	25	25
All other	9	–	–	–	–	1	–	–	1	3	2	2	7	–	–	–	–	–	–	–	1	2	4	–
Black	9	–	–	–	–	1	–	–	1	3	2	2	7	–	–	–	–	–	–	–	1	2	4	–
Acute bronchitis and bronchiolitis (466)	1	1	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	1	2
White	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	1	2
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	314	3	–	–	2	2	6	7	24	69	101	100	318	5	1	–	2	3	8	4	11	30	103	151
White	274	3	–	–	2	2	4	4	20	57	86	96	288	4	1	–	1	1	5	3	7	26	95	145
All other	40	–	–	–	–	–	2	3	4	12	15	4	30	1	–	–	1	2	3	1	4	4	8	6
Black	40	–	–	–	–	–	2	3	4	12	15	4	30	1	–	–	1	2	3	1	4	4	8	6
Pneumonia (480-486)	298	3	–	–	–	2	4	7	22	68	94	98	303	5	1	–	2	3	8	4	10	28	99	143
White	261	3	–	–	–	2	2	4	18	56	81	95	274	4	1	–	1	1	5	3	6	24	92	137
All other	37	–	–	–	–	–	2	3	4	12	13	3	29	1	–	–	1	2	3	1	4	4	7	6
Black	37	–	–	–	–	–	2	3	4	12	13	3	29	1	–	–	1	2	3	1	4	4	7	6
Influenza (487)	16	–	–	–	2	–	2	–	2	1	7	2	15	–	–	–	–	–	–	–	1	2	4	8
White	13	–	–	–	2	–	2	–	2	1	5	1	14	–	–	–	–	–	–	–	1	2	3	8
All other	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	531	1	–	1	–	–	2	10	81	208	173	55	221	–	–	–	1	1	1	8	37	79	73	21
White	505	1	–	1	–	–	2	10	77	195	168	51	207	–	–	–	1	1	–	8	34	74	69	20
All other	26	–	–	–	–	–	–	–	4	13	5	4	14	–	–	–	–	–	1	–	3	5	4	1
Black	26	–	–	–	–	–	–	–	4	13	5	4	14	–	–	–	–	–	1	–	3	5	4	1
Bronchitis, chronic and unspecified (490-491)	23	–	–	–	–	–	–	–	2	9	9	3	22	–	–	–	–	–	–	–	2	8	7	5
White	22	–	–	–	–	–	–	–	2	8	9	3	22	–	–	–	–	–	–	–	2	8	7	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	120	–	–	–	–	–	–	4	13	57	35	11	31	–	–	–	–	–	–	3	6	14	7	1
White	113	–	–	–	–	–	–	4	11	53	35	10	28	–	–	–	–	–	–	3	6	12	6	1
All other	7	–	–	–	–	–	–	–	2	4	–	1	3	–	–	–	–	–	–	–	–	2	1	–
Black	7	–	–	–	–	–	–	–	2	4	–	1	3	–	–	–	–	–	–	–	–	2	1	–
Asthma (493)	15	–	–	1	–	–	2	–	3	7	2	–	17	–	–	–	1	1	1	–	5	4	4	1
White	14	–	–	1	–	–	2	–	3	6	2	–	11	–	–	–	1	1	–	–	2	3	3	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	1	–	3	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	1	–	3	1	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	373	1	–	–	–	–	–	6	63	135	127	41	151	–	–	–	–	–	–	5	24	53	55	14
White	356	1	–	–	–	–	–	6	61	128	122	38	146	–	–	–	–	–	–	5	24	51	53	13
All other	17	–	–	–	–	–	–	–	2	7	5	3	5	–	–	–	–	–	–	–	–	2	2	1
Black	17	–	–	–	–	–	–	–	2	7	5	3	5	–	–	–	–	–	–	–	–	2	2	1
Ulcer of stomach and duodenum (531-533)	26	–	–	–	–	–	–	1	4	13	7	1	30	–	–	–	–	–	–	1	3	6	10	10
White	25	–	–	–	–	–	–	1	4	12	7	1	28	–	–	–	–	–	–	–	3	6	9	10
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	27	1	–	–	–	–	–	2	2	1	16	5	36	–	–	–	–	–	–	–	1	6	10	19
White	19	1	–	–	–	–	–	1	1	1	12	3	27	–	–	–	–	–	–	–	1	4	6	16
All other	8	–	–	–	–	–	–	1	1	–	4	2	9	–	–	–	–	–	–	–	–	2	4	3
Black	8	–	–	–	–	–	–	1	1	–	4	2	9	–	–	–	–	–	–	–	–	2	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	117	-	-	-	-	1	12	21	45	24	11	3	70	-	-	-	1	1	5	13	18	16	14	2
White	113	-	-	-	-	1	10	20	44	24	11	3	60	-	-	-	1	-	2	11	17	13	14	2
All other	4	-	-	-	-	-	2	1	1	-	-	-	10	-	-	-	-	1	3	2	1	3	-	-
Black	3	-	-	-	-	-	2	-	1	-	-	-	10	-	-	-	-	1	3	2	1	3	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	-	1	2	3	7	5	28	-	-	-	-	-	1	1	1	3	7	13
White	18	-	-	-	-	-	-	1	2	3	7	5	22	-	-	-	-	-	1	1	1	2	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	140	5	-	-	-	1	3	3	14	37	46	31	165	2	-	-	-	1	2	4	8	34	56	58
White	107	-	-	-	-	1	3	2	13	30	33	25	124	2	-	-	-	-	2	2	6	24	41	47
All other	33	5	-	-	-	-	-	1	1	7	13	6	41	-	-	-	-	1	-	2	2	10	15	11
Black	33	5	-	-	-	-	-	1	1	7	13	6	41	-	-	-	-	1	-	2	2	10	15	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	1	2	-	1	2	4	2	9	-	-	-	-	-	-	1	-	2	4	2
White	9	-	-	-	-	1	2	-	1	1	2	2	4	-	-	-	-	-	-	-	-	1	2	1
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	1	-	1	2	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	1	-	1	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	127	5	-	-	-	-	1	3	13	34	42	29	154	2	-	-	-	1	2	3	8	32	50	56
White	97	-	-	-	-	-	1	2	12	28	31	23	119	2	-	-	-	-	2	2	6	23	38	46
All other	30	5	-	-	-	-	-	1	1	6	11	6	35	-	-	-	-	1	-	1	2	9	12	10
Black	30	5	-	-	-	-	-	1	1	6	11	6	35	-	-	-	-	1	-	1	2	9	12	10
Infections of kidney (590)	14	-	-	-	-	-	-	-	2	2	4	6	20	-	-	-	-	-	1	-	1	3	6	7
White	11	-	-	-	-	-	-	-	1	2	4	4	18	-	-	-	-	-	1	-	-	2	6	7
All other	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	1	1	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	-	1	...	...	...	...
Congenital anomalies (740-759)	68	47	2	-	2	5	1	4	2	3	1	1	51	33	-	1	4	1	1	3	4	-	3	1
White	52	34	2	-	1	3	1	4	2	3	1	1	38	22	-	-	4	1	1	3	4	-	3	1
All other	16	13	-	-	1	2	-	-	-	-	-	-	12	11	-	1	-	-	-	-	-	-	-	-
Black	16	13	-	-	1	2	-	-	-	-	-	-	12	11	-	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	93	90	3	-	-	-	-	-	-	-	-	-	73	72	1	-	-	-	-	-	-	-	-	-
White	64	62	2	-	-	-	-	-	-	-	-	-	37	36	1	-	-	-	-	-	-	-	-	-
All other	29	28	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
Black	29	28	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	24	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	18	17	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	68	66	2	–	–	–	–	–	–	–	–	–	51	50	1	–	–	–	–	–	–	–	–	–
White	46	45	1	–	–	–	–	–	–	–	–	–	26	25	1	–	–	–	–	–	–	–	–	–
All other	22	21	1	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
Black	22	21	1	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	414	37	2	1	4	4	7	18	64	99	110	67	428	23	2	1	2	2	2	14	23	85	126	148
White	318	24	1	–	4	3	6	16	47	79	83	54	339	15	2	–	2	2	2	11	19	69	101	116
All other	96	13	1	1	–	1	1	2	17	20	27	13	89	8	–	1	–	–	–	3	4	16	25	32
Black	96	13	1	1	–	1	1	2	17	20	27	13	88	8	–	1	–	–	–	3	4	16	25	31
All other diseases (Residual)	789	16	7	3	10	16	24	35	101	185	252	124	735	8	7	3	6	15	18	31	70	149	214	213
White	666	12	4	3	8	12	16	31	86	163	224	107	628	3	3	3	3	6	13	24	60	132	185	195
All other	117	4	3	–	2	4	8	4	15	32	28	17	107	5	4	–	3	9	5	7	10	17	29	18
Black	117	4	3	–	2	4	8	4	15	32	28	17	107	5	4	–	3	9	5	7	10	17	29	18
Accidents and adverse effects (E800-E949)	830	5	19	55	192	134	84	74	81	74	63	48	332	5	22	25	54	28	22	30	17	22	62	45
White	679	2	17	41	161	108	70	59	66	63	53	39	269	4	10	12	45	23	19	27	16	18	50	39
All other	151	3	2	14	31	26	14	15	15	11	10	9	69	1	12	13	9	5	3	3	1	4	12	6
Black	150	3	2	14	30	26	14	15	15	11	10	9	69	1	12	13	9	5	3	3	1	4	12	6
Motor vehicle accidents (E810-E825)	422	–	5	19	141	78	46	42	33	26	23	8	150	–	9	14	44	22	16	12	9	14	9	1
White	355	–	4	18	121	67	37	35	27	21	19	6	127	–	5	9	38	18	15	12	9	13	8	–
All other	67	–	1	1	20	11	9	7	6	5	4	2	23	–	4	5	6	4	1	–	–	1	1	1
Black	67	–	1	1	20	11	9	7	6	5	4	2	23	–	4	5	6	4	1	–	–	1	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	408	5	14	36	51	56	38	32	48	48	40	40	182	5	13	11	10	6	6	18	8	8	53	44
White	324	2	13	23	40	41	33	24	39	42	34	33	136	4	5	3	7	5	4	15	7	5	42	39
All other	84	3	1	13	11	15	5	8	9	6	6	7	46	1	8	8	3	1	2	3	1	3	11	5
Black	83	3	1	13	10	15	5	8	9	6	6	7	46	1	8	8	3	1	2	3	1	3	11	5
Suicide (E950-E959)	255	...	...	3	41	47	44	16	33	38	28	5	53	...	...	–	8	11	13	11	5	2	1	2
White	235	...	...	2	35	42	43	16	33	35	24	5	47	...	...	–	6	10	12	9	5	2	1	2
All other	20	...	...	1	6	5	1	–	–	3	4	–	6	...	...	–	2	1	1	2	–	–	–	–
Black	18	...	...	1	4	5	1	–	–	3	4	–	6	...	...	–	2	1	1	2	–	–	–	–
Homicide and legal intervention (E960-E978)	155	1	6	1	26	45	26	21	13	8	6	2	46	3	1	2	8	10	11	5	4	–	1	1
White	78	–	6	–	7	18	16	12	11	6	2	–	34	2	–	2	6	4	10	5	4	–	–	1
All other	77	1	–	1	19	27	10	9	2	2	4	2	12	1	1	–	2	6	1	–	–	–	1	–
Black	77	1	–	1	19	27	10	9	2	2	4	2	12	1	1	–	2	6	1	–	–	–	1	–
All other external causes (E980-E999)	11	–	–	–	–	2	2	2	2	1	2	–	8	–	–	–	–	1	3	1	1	–	2	–
White	7	–	–	–	–	1	1	2	2	–	1	–	7	–	–	–	–	1	2	1	1	–	2	–
All other	4	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	4	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–
CALIFORNIA																								
All causes	103,093	2,360	488	578	3,390	4,697	4,781	7,134	16,483	25,161	24,924	12,990	92,438	1,864	394	381	1,125	1,654	2,366	4,371	10,810	18,260	25,502	25,859
White	91,095	1,829	393	477	2,855	3,836	3,891	5,906	14,357	22,611	22,734	12,112	83,378	1,368	310	298	934	1,319	1,884	3,618	9,378	16,388	23,560	24,279
All other	11,998	531	95	101	535	861	890	1,228	2,126	2,550	2,190	878	9,060	496	84	83	191	335	482	753	1,432	1,874	1,942	1,380
Black	8,232	389	57	71	411	687	685	916	1,575	1,702	1,223	508	6,388	347	59	55	138	239	334	530	1,049	1,369	1,379	889
Shigellosis and amebiasis (004,006)	3	–	–	–	1	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	3	–	–	–	1	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	24	10	3	–	–	2	2	–	–	2	2	3	23	11	–	–	–	–	1	–	3	3	2	9
White	21	7	3	–	–	2	2	–	–	2	2	3	21	9	–	–	–	–	1	–	3	3	2	9
All other	3	3	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	114	1	1	2	1	4	13	8	14	28	30	12	47	–	–	–	1	3	2	3	7	13	10	8
White	83	–	1	1	1	2	7	8	10	22	21	10	29	–	–	–	–	–	–	2	4	7	9	7
All other	31	1	–	1	–	2	6	–	4	6	9	2	18	–	–	–	1	3	2	1	3	6	1	1
Black	20	–	–	1	–	2	5	–	4	4	4	–	8	–	–	–	1	1	1	1	2	2	–	–
Tuberculosis of respiratory system (010-012)	82	–	1	–	1	3	9	6	9	20	26	7	33	–	–	–	1	2	–	2	5	9	8	6
White	61	–	1	–	1	2	5	6	7	15	19	5	21	–	–	–	–	–	–	2	3	4	7	5
All other	21	–	–	–	–	1	4	–	2	5	7	2	12	–	–	–	1	2	–	–	2	5	1	1
Black	12	–	–	–	–	1	4	–	2	3	2	–	5	–	–	–	1	1	–	–	1	2	–	–
Other tuberculosis (013-018)	32	1	–	2	–	1	4	2	5	8	4	5	14	–	–	–	–	1	2	1	2	4	2	2
White	22	–	–	1	–	–	2	2	3	7	2	5	8	–	–	–	–	–	–	–	1	3	2	2
All other	10	1	–	1	–	1	2	–	2	1	2	–	6	–	–	–	–	1	2	1	1	1	–	–
Black	8	–	–	1	–	1	1	–	2	1	2	–	3	–	–	–	–	1	1	1	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	11	6	2	-	1	1	-	-	-	1	-	-	10	2	4	-	-	-	-	-	3	-	1	-
White	7	3	2	-	1	-	-	-	-	1	-	-	8	2	2	-	-	-	-	-	3	-	1	-
All other	4	3	-	-	-	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	371	15	3	2	5	13	19	19	52	88	95	80	358	11	4	2	4	3	5	20	29	60	109	111
White	320	11	2	1	4	9	14	14	48	76	83	58	321	9	2	1	2	2	4	16	28	56	101	102
All other	51	4	1	1	1	4	5	5	4	12	12	2	37	2	2	1	2	1	1	4	3	4	8	9
Black	31	4	-	1	1	2	4	4	3	7	5	-	20	1	2	-	2	1	1	2	2	1	4	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	88	-	-	-	4	16	11	14	24	10	7	2	74	1	-	-	8	11	8	5	10	17	11	3
White	70	-	-	-	3	15	6	10	18	9	7	2	61	1	-	-	6	10	4	4	8	17	9	2
All other	18	-	-	-	1	1	5	4	6	1	-	-	13	-	-	-	2	1	4	1	2	-	2	1
Black	4	-	-	-	1	-	1	1	1	-	-	-	4	-	-	-	1	-	2	-	-	-	-	1
Syphilis (090-097)	4	-	-	-	-	-	-	-	1	-	3	-	3	1	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-088,071-088, 098-139)	602	10	6	4	23	118	139	74	71	77	58	22	273	7	6	5	10	22	13	27	31	61	50	40
White	514	8	6	3	19	99	123	61	61	66	49	19	226	6	6	3	7	17	8	20	25	50	45	38
All other	88	2	-	1	4	19	16	13	10	11	9	3	47	1	-	2	3	5	5	7	6	11	5	2
Black	61	1	-	1	4	15	11	11	6	5	6	1	36	1	-	2	1	5	4	4	5	9	3	2
Malignant neoplasms, *including neoplasms of* lymphatic and hematopoietic tissues (140-208)	23,450	7	40	100	148	380	726	1,836	5,397	7,583	5,483	1,764	21,402	9	30	52	95	287	874	1,971	4,779	6,058	4,968	2,264
White	20,658	2	34	89	121	327	598	1,501	4,647	6,741	4,970	1,622	19,273	4	29	44	80	245	732	1,678	4,253	5,492	4,569	2,122
All other	2,792	5	6	11	27	53	128	335	750	822	513	142	2,129	5	1	8	15	52	142	292	526	566	379	142
Black	1,926	-	2	7	21	30	85	242	555	578	323	65	1,486	1	-	5	8	26	77	190	356	389	252	101
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	585	-	-	2	3	10	27	69	175	187	87	25	308	-	-	-	1	1	12	35	80	102	59	18
White	503	-	-	2	3	6	21	50	149	167	80	25	271	-	-	-	1	1	7	25	68	99	53	17
All other	82	-	-	-	-	4	6	19	26	20	7	-	37	-	-	-	-	-	5	10	12	3	6	1
Black	50	-	-	-	-	-	4	11	16	14	5	-	24	-	-	-	-	-	3	7	7	1	5	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,958	-	3	7	5	60	141	479	1,420	1,869	1,481	490	5,363	4	4	-	7	34	111	313	929	1,518	1,600	843
White	5,126	-	2	4	2	44	106	375	1,196	1,637	1,326	433	4,721	-	4	-	5	25	84	254	784	1,322	1,461	782
All other	830	-	1	3	3	16	35	104	224	232	155	57	642	4	-	-	2	9	27	59	145	196	139	61
Black	495	-	-	2	2	6	18	67	137	145	91	27	400	1	-	-	2	4	10	34	101	121	88	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,812	-	1	7	6	30	158	667	2,132	2,831	1,669	309	4,405	-	-	1	-	9	100	467	1,259	1,500	826	240
White	6,880	-	-	7	4	24	121	540	1,832	2,531	1,527	292	4,048	-	-	1	-	7	82	398	1,151	1,401	773	233
All other	932	-	1	-	2	6	37	127	300	300	142	17	357	-	-	-	-	2	18	69	108	99	53	7
Black	668	-	-	-	1	3	28	101	243	221	61	10	253	-	-	-	-	1	13	52	83	66	32	5
Malignant neoplasm of breast (174-175)	26	-	-	-	-	-	3	2	4	9	6	2	3,896	-	-	1	2	59	288	552	1,035	945	715	298
White	23	-	-	-	-	-	2	2	4	7	6	2	3,542	-	-	1	1	46	251	476	940	865	677	285
All other	3	-	-	-	-	-	1	-	-	2	-	-	354	-	-	-	1	13	38	76	95	80	38	13
Black	3	-	-	-	-	-	1	-	-	2	-	-	249	-	-	-	1	8	22	53	55	68	31	11
Malignant neoplasms of genital organs (179-187)	2,524	-	2	3	18	23	11	34	285	759	910	467	2,263	1	-	-	4	52	123	221	531	681	470	180
White	2,192	-	2	3	16	23	9	29	243	641	795	427	2,024	1	-	-	2	41	100	197	475	613	427	168
All other	332	-	-	-	-	-	2	5	52	118	115	40	239	-	-	-	2	11	23	24	56	68	43	12
Black	279	-	-	-	-	-	2	5	49	102	88	33	156	-	-	-	2	7	12	12	35	51	28	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,220	1	1	2	4	4	29	84	232	395	328	139	593	–	–	–	3	4	9	27	106	165	178	100
White	1,119	1	1	1	2	4	25	74	209	360	310	131	532	–	–	–	3	3	9	22	92	158	157	89
All other	101	–	–	1	2	–	4	10	23	35	18	8	61	–	–	–	–	1	–	5	14	9	21	11
Black	68	–	–	–	2	–	3	5	18	25	10	5	45	–	–	–	–	1	–	1	11	7	15	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,085	3	20	38	54	143	215	313	716	912	508	163	2,669	3	14	25	32	75	139	227	557	658	607	331
White	2,802	–	19	33	45	131	194	266	641	846	470	157	2,411	2	13	20	27	65	120	189	497	593	567	307
All other	283	3	1	5	9	12	21	47	75	66	38	6	258	1	1	5	5	10	19	28	60	65	40	24
Black	195	–	–	3	6	10	11	36	56	46	23	4	163	–	–	3	1	3	10	21	40	41	27	17
Leukemia (204-208)	991	2	13	34	35	57	58	77	171	246	213	85	747	1	9	22	29	38	41	51	103	179	159	115
White	898	1	10	33	27	50	48	61	157	227	203	81	676	1	9	20	27	35	33	42	92	163	144	110
All other	93	1	3	1	8	7	10	16	14	19	10	4	71	–	–	2	2	3	8	9	11	16	15	5
Black	58	–	2	1	7	4	8	11	9	6	8	2	45	–	–	2	1	1	4	3	7	13	10	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,251	1	–	7	23	53	84	111	252	355	281	84	1,158	–	3	3	17	25	50	78	179	310	354	139
White	1,115	–	–	6	20	45	72	104	216	325	253	74	1,048	–	3	2	14	22	46	66	154	280	330	131
All other	136	1	–	1	3	8	12	7	36	30	28	10	110	–	–	1	3	3	4	12	25	30	24	8
Black	92	–	–	1	3	7	10	6	27	17	17	4	71	–	–	–	1	1	3	7	17	21	16	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	308	3	1	9	7	19	12	19	50	75	73	40	333	5	3	6	2	9	13	15	44	84	92	60
White	274	2	–	8	6	18	10	19	46	66	69	36	305	3	2	5	2	8	11	15	40	76	85	58
All other	34	1	1	1	1	1	2	–	4	9	10	4	28	2	1	1	–	1	2	–	4	8	7	2
Black	19	–	1	1	–	–	1	–	4	5	5	2	19	1	1	–	–	–	2	–	2	6	5	2
Diabetes mellitus (250)	1,222	–	–	1	4	29	54	102	219	369	318	126	1,670	–	2	3	2	30	43	78	254	413	531	314
White	1,033	–	–	–	4	25	45	83	180	307	277	112	1,396	–	2	3	1	26	34	64	200	332	447	287
All other	189	–	–	1	–	4	9	19	39	62	41	14	274	–	–	–	1	4	9	14	54	81	84	27
Black	126	–	–	1	–	4	9	14	25	42	25	6	219	–	–	–	1	4	9	13	42	70	63	17
Nutritional deficiencies (260-269)	66	1	–	–	–	–	1	–	2	14	24	24	107	–	1	–	–	–	–	–	2	12	29	63
White	59	1	–	–	–	–	1	–	2	14	17	24	99	–	1	–	–	–	–	–	2	11	27	58
All other	7	–	–	–	–	–	–	–	–	–	7	–	8	–	–	–	–	–	–	–	–	1	2	5
Black	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	1	1	2
Anemias (280-285)	135	3	5	–	6	12	3	7	8	29	39	22	124	3	2	5	2	5	1	2	11	22	25	46
White	99	2	2	–	2	2	–	6	6	20	38	20	110	1	1	4	2	3	1	2	10	18	23	45
All other	36	1	3	–	4	10	3	1	2	9	1	2	14	2	1	1	–	2	–	–	1	4	2	1
Black	28	1	2	–	4	8	3	–	2	6	1	1	10	–	1	1	–	2	–	–	1	3	2	–
Meningitis (320-322)	70	23	10	4	1	10	3	2	6	5	6	–	61	19	10	3	2	1	1	4	5	6	5	5
White	55	20	9	3	1	7	3	–	4	4	4	–	48	17	6	1	1	–	–	4	4	5	5	5
All other	15	3	1	1	–	3	–	2	2	1	2	–	13	2	4	2	1	1	1	–	1	1	–	–
Black	12	1	1	1	–	3	–	2	1	1	2	–	10	2	3	1	1	–	1	–	1	1	–	–
Major cardiovascular diseases (390-448)	43,670	85	25	38	95	312	969	2,646	7,027	11,676	13,026	7,775	44,918	47	26	28	51	156	353	967	3,201	7,684	14,584	17,803
White	39,210	47	19	30	73	236	772	2,169	6,152	10,514	11,900	7,285	40,987	36	19	22	41	106	242	739	2,644	6,805	13,462	16,858
All other	4,460	18	7	8	22	76	197	477	875	1,162	1,126	490	3,931	11	7	6	10	50	111	228	557	879	1,122	945
Black	2,922	13	4	6	12	55	153	359	647	770	609	293	2,866	9	4	2	6	39	86	178	442	661	828	607
Diseases of heart (390-398,402,404-429)	35,155	62	19	28	70	258	815	2,300	6,125	9,665	10,082	5,717	32,546	42	19	20	35	67	220	686	2,484	5,901	10,617	12,424
White	31,705	45	14	25	51	194	662	1,917	5,405	8,758	9,254	5,388	29,766	31	14	16	29	58	158	523	2,069	5,268	9,838	11,753
All other	3,450	17	5	3	19	64	153	383	720	907	828	329	2,780	11	5	4	6	29	62	163	415	633	779	671
Black	2,289	12	4	2	11	44	124	289	544	586	449	207	2,073	9	3	2	4	24	50	132	345	481	580	442
Rheumatic fever and rheumatic heart disease (390-398)	304	–	–	–	3	9	19	29	65	83	67	29	549	–	–	2	3	8	18	31	71	168	159	89
White	270	–	–	–	3	8	12	23	63	74	59	28	501	–	–	2	3	6	14	25	62	153	150	86
All other	34	–	–	–	–	1	7	6	2	9	8	1	48	–	–	–	–	2	4	6	9	15	9	3
Black	18	–	–	–	–	1	5	4	–	5	3	–	16	–	–	–	–	1	1	2	3	6	3	–
Hypertensive heart disease (402)	1,302	–	1	1	2	18	39	147	316	365	281	131	1,535	–	–	–	–	3	17	70	163	337	488	455
White	994	–	1	1	1	15	23	98	229	287	228	113	1,263	–	–	–	–	2	7	37	111	275	429	401
All other	308	–	–	–	1	3	16	51	87	78	53	18	272	–	–	–	–	1	10	33	52	62	59	54
Black	263	–	–	–	–	2	16	46	77	62	41	18	242	–	–	–	–	1	10	31	49	53	55	42
Hypertensive heart and renal disease (404)	98	–	–	–	–	3	2	6	14	29	28	16	124	–	–	–	–	1	2	2	4	29	43	43
White	76	–	–	–	–	3	2	2	12	23	24	10	102	–	–	–	–	1	1	1	3	22	37	37
All other	22	–	–	–	–	–	–	4	2	6	4	6	22	–	–	–	–	–	1	1	1	7	6	6
Black	18	–	–	–	–	–	–	2	2	5	3	6	16	–	–	–	–	–	1	1	1	7	4	2
Ischemic heart disease (410-414)	25,180	4	1	14	8	83	555	1,606	4,251	7,013	7,525	4,111	22,553	3	1	5	1	14	100	383	1,572	4,095	7,532	8,840
White	23,034	3	1	13	5	60	475	1,389	3,828	6,427	6,955	3,876	20,812	2	–	5	1	8	77	306	1,333	3,695	6,988	8,391
All other	2,146	1	–	1	3	23	80	223	423	586	570	235	1,741	1	1	–	–	6	23	77	239	400	544	449
Black	1,302	–	–	1	3	14	62	159	294	357	274	138	1,267	–	1	–	–	6	20	61	193	297	397	292
Acute myocardial infarction (410)	12,179	3	–	5	6	41	274	867	2,311	3,638	3,571	1,459	9,378	1	–	1	1	6	46	218	914	2,200	3,269	2,719
White	11,191	2	–	5	3	27	233	761	2,122	3,352	3,311	1,372	8,600	1	–	1	1	4	38	175	785	1,998	3,032	2,567
All other	988	1	–	–	3	14	41	106	189	286	260	87	778	–	–	–	–	2	10	43	129	204	237	152
Black	568	–	–	–	3	7	31	71	130	167	113	46	552	–	–	–	–	2	9	31	109	146	165	90

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	149	–	–	–	–	3	11	21	30	38	31	15	96	–	–	–	–	–	1	4	9	22	33	27
White	129	–	–	–	–	2	10	15	24	32	31	15	88	–	–	–	–	–	–	4	9	19	29	27
All other	20	–	–	–	–	1	1	6	6	6	–	–	8	–	–	–	–	–	1	–	–	3	4	–
Black	15	–	–	–	–	–	1	6	4	4	–	–	8	–	–	–	–	–	1	–	–	3	4	–
Angina pectoris (413)	19	–	–	–	–	–	1	–	2	5	5	6	15	–	–	–	–	–	–	–	1	2	6	4
White	18	–	–	–	–	–	1	–	1	5	5	6	14	–	–	–	–	–	–	–	1	2	6	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	12,833	1	1	9	2	39	269	718	1,908	3,332	3,918	2,631	13,064	2	1	4	–	8	53	160	647	1,671	4,224	6,090
White	11,696	1	1	8	2	31	231	607	1,681	3,038	3,608	2,483	12,110	1	–	4	–	4	41	126	537	1,679	3,921	5,783
All other	1,137	–	–	1	–	8	38	111	227	294	310	148	954	1	1	–	–	4	12	34	110	192	303	297
Black	719	–	–	1	–	7	30	82	160	188	161	92	706	–	1	–	–	4	10	30	84	147	228	202
Other diseases of endocardium (424)	490	1	–	–	2	10	3	28	57	120	177	92	502	–	2	1	2	2	7	9	29	88	184	178
White	457	–	–	–	2	7	3	24	51	112	170	88	454	–	2	–	2	2	5	6	26	77	167	167
All other	33	1	–	–	–	3	–	4	6	8	7	4	48	–	–	1	–	–	2	3	3	11	17	11
Black	22	1	–	–	–	3	–	1	5	5	5	2	33	–	–	1	–	–	2	1	3	7	14	5
All other forms of heart disease (415-423,425-429)	7,761	57	17	13	55	135	197	484	1,422	2,055	2,004	1,338	7,283	39	16	12	29	59	76	191	645	1,184	2,211	2,819
White	6,874	42	12	11	40	101	147	389	1,222	1,835	1,818	1,253	6,634	29	12	9	23	39	54	148	534	1,046	2,067	2,671
All other	907	15	5	2	15	34	50	95	200	220	186	85	649	10	4	3	6	20	22	43	111	138	144	148
Black	660	11	4	1	8	24	41	77	166	182	123	43	499	9	2	1	4	16	16	36	96	111	107	101
Hypertension with or without renal disease (401,403)	337	–	–	1	–	4	8	19	33	75	115	82	452	–	–	–	1	1	4	7	42	82	158	159
White	278	–	–	–	–	2	5	9	23	63	102	74	390	–	–	–	1	1	–	5	32	68	134	149
All other	59	–	–	1	–	2	3	10	10	12	13	8	62	–	–	–	–	–	4	2	10	14	22	10
Black	48	–	–	1	–	2	2	8	8	11	10	6	51	–	–	–	–	–	4	1	9	12	20	5
Cerebrovascular diseases (430-438)	5,864	3	4	8	21	39	121	270	595	1,301	2,108	1,394	9,409	3	6	6	11	57	116	238	545	1,352	3,035	4,034
White	5,108	2	3	4	18	30	91	195	466	1,112	1,871	1,294	8,492	3	4	5	8	38	74	186	428	1,151	2,750	3,831
All other	756	1	1	4	3	9	30	75	109	189	235	100	917	–	2	1	3	19	42	52	117	201	275	203
Black	470	1	–	3	1	8	19	56	69	130	128	55	612	–	1	–	2	13	29	35	76	145	193	116
Intracerebral and other intracranial hemorrhage (431-432)	844	1	1	3	9	9	49	97	149	221	219	86	1,114	1	1	2	3	21	25	60	134	269	375	202
White	700	–	1	2	7	7	34	67	117	184	193	78	944	1	1	1	2	14	11	60	97	226	342	189
All other	144	1	–	1	2	2	15	30	32	37	26	8	170	–	–	1	1	7	14	20	37	43	33	13
Black	87	1	–	1	1	1	10	21	20	15	11	6	109	–	–	–	1	5	13	15	19	24	23	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,056	1	1	3	–	4	10	35	103	219	412	268	1,695	1	2	1	2	1	10	18	80	198	548	833
White	931	1	–	1	–	1	7	30	86	187	371	247	1,566	1	1	1	2	1	9	15	66	178	502	788
All other	125	–	1	2	–	3	3	5	17	32	41	21	129	–	1	–	–	–	1	1	14	20	46	45
Black	71	–	–	1	–	3	3	4	10	23	21	6	94	–	1	–	–	–	–	1	11	18	39	23
Cerebral embolism (434.1)	27	–	–	1	–	–	–	1	3	8	11	3	51	–	–	–	–	–	–	2	8	7	20	14
White	24	–	–	–	–	–	–	1	2	8	11	2	48	–	–	–	–	–	–	1	8	7	19	13
All other	3	–	–	1	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	1	–	–	1	1
Black	2	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,937	1	2	1	12	26	62	137	340	853	1,464	1,037	6,549	1	3	3	6	35	81	140	323	878	2,092	2,985
White	3,453	1	2	1	11	22	50	97	281	723	1,296	967	5,934	1	2	3	4	23	54	110	257	740	1,897	2,841
All other	484	–	–	–	1	4	12	40	59	130	168	70	615	–	1	–	2	12	27	30	66	138	195	144
Black	310	–	–	–	–	4	6	31	38	92	96	43	407	–	–	–	1	8	16	18	46	103	130	85
Atherosclerosis (440)	945	–	1	1	–	–	3	9	61	158	288	414	1,650	–	1	1	–	1	–	5	45	149	464	983
White	875	–	–	1	–	–	–	8	53	146	278	389	1,561	–	1	1	–	1	–	5	40	136	434	943
All other	70	–	1	–	–	–	3	1	8	12	20	25	89	–	–	–	–	–	–	–	5	13	30	40
Black	52	–	–	–	–	–	2	–	7	12	11	20	74	–	–	–	–	–	–	–	5	11	24	33
Other diseases of arteries, arterioles, and capillaries (441-448)	1,389	–	1	–	4	11	22	48	213	477	425	188	861	2	–	1	4	10	13	31	85	200	312	203
White	1,244	–	1	–	4	10	14	40	185	435	395	160	778	2	–	–	3	8	10	20	75	182	296	182
All other	125	–	–	–	–	1	8	8	28	42	30	8	83	–	–	1	1	2	3	11	10	18	16	21
Black	69	–	–	–	–	1	6	6	19	21	11	5	58	–	–	–	–	2	3	10	7	12	11	11
Acute bronchitis and bronchiolitis (466)	44	6	3	1	2	–	2	1	6	8	14	3	31	3	3	–	–	–	–	2	2	7	6	8
White	39	5	3	1	1	–	2	1	6	6	11	3	28	2	3	–	–	–	–	2	2	5	6	8
All other	5	1	–	–	1	–	–	–	–	–	3	–	3	1	–	–	–	–	–	–	–	2	–	–
Black	4	1	–	–	1	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	3,159	37	10	16	12	28	70	89	250	555	1,057	1,027	3,468	35	10	8	9	24	32	45	153	415	1,010	1,725
White	2,839	29	10	15	12	22	53	71	201	504	957	963	3,230	26	6	7	6	22	26	36	132	367	948	1,652
All other	314	8	–	1	–	6	17	18	49	51	100	64	238	9	4	1	3	2	6	9	21	48	62	73
Black	192	4	–	–	–	6	15	14	38	30	51	34	155	5	3	1	2	1	4	8	17	35	40	39

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	3,116	37	10	14	11	27	69	87	249	548	1,043	1,019	3,396	35	10	7	8	23	30	45	152	408	983	1,693
White	2,805	29	10	13	11	21	52	69	200	488	943	957	3,162	26	6	7	6	21	26	38	132	360	921	1,620
All other	311	8	-	1	-	6	17	18	49	60	100	62	234	9	4	-	3	2	4	9	20	48	62	73
Black	191	4	-	-	-	6	15	14	38	29	51	34	152	5	3	-	2	1	3	8	16	35	40	39
Influenza (487)	37	-	-	2	1	1	1	2	1	7	14	8	72	-	-	1	-	1	2	-	1	7	27	32
White	34	-	-	2	1	1	1	2	1	6	14	6	68	-	-	-	-	1	-	-	-	7	27	32
All other	3	-	-	-	-	-	-	-	-	1	-	2	4	-	-	1	-	-	2	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	1	-	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,614	3	6	6	11	8	28	121	592	1,585	1,685	568	3,282	2	7	3	2	10	27	103	459	1,112	1,063	493
White	4,252	1	4	5	10	7	19	96	522	1,478	1,575	535	3,091	-	5	2	2	7	19	93	425	1,058	1,015	464
All other	362	2	2	1	1	1	9	25	70	107	110	33	191	2	2	1	-	3	8	10	34	54	48	29
Black	227	2	2	1	1	1	7	18	54	67	58	16	130	-	2	1	-	2	5	9	25	42	27	17
Bronchitis, chronic and unspecified (490-491)	270	2	2	-	1	1	2	6	25	98	94	39	226	1	2	-	-	1	1	8	28	63	69	55
White	259	1	2	-	1	1	1	6	23	96	89	39	215	-	2	-	-	1	1	6	24	59	67	53
All other	11	1	-	-	-	-	1	-	2	2	5	-	11	1	-	-	-	-	-	2	4	2	2	2
Black	8	1	-	-	-	-	1	-	-	1	3	-	7	-	-	-	-	-	-	2	2	1	1	2
Emphysema (492)	1,154	-	-	1	1	-	6	31	180	401	427	107	752	-	1	-	-	1	3	28	139	279	218	83
White	1,064	-	-	1	1	-	6	24	163	389	398	102	721	-	-	-	-	1	3	24	132	270	211	80
All other	90	-	-	-	-	-	-	7	17	32	29	5	31	-	1	-	-	-	-	4	7	9	7	3
Black	54	-	-	-	-	-	-	7	14	18	13	2	23	-	1	-	-	-	-	4	4	9	4	1
Asthma (493)	176	1	2	4	9	4	14	17	38	45	30	14	254	1	3	1	2	8	18	17	46	75	53	30
White	134	-	1	3	8	3	6	10	28	37	26	12	209	-	2	-	2	5	11	14	38	65	46	26
All other	42	1	1	1	1	1	8	7	8	8	4	2	45	1	1	1	-	3	7	3	8	10	7	4
Black	22	1	1	1	1	1	6	4	3	1	2	1	33	-	1	1	-	2	4	3	7	8	4	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,014	-	2	1	-	3	8	67	351	1,041	1,134	408	2,050	-	1	2	-	-	5	50	248	695	723	325
White	2,795	-	1	1	-	3	8	56	308	976	1,062	382	1,946	-	1	2	-	-	4	47	231	664	691	305
All other	219	-	1	-	-	-	-	11	43	65	72	26	104	-	-	-	-	-	1	3	17	31	32	20
Black	145	-	1	-	-	-	-	7	37	47	40	13	67	-	-	-	-	-	1	2	12	23	18	11
Ulcer of stomach and duodenum (531-533)	393	1	-	1	3	2	8	21	69	111	101	76	415	-	1	-	-	1	11	13	42	92	128	129
White	347	-	-	1	2	2	4	15	61	104	88	70	385	-	-	-	-	1	9	10	38	86	119	122
All other	46	1	-	-	1	-	4	6	8	7	13	6	30	-	1	-	-	-	2	3	4	6	7	7
Black	31	1	-	-	1	-	3	4	5	4	8	5	16	-	-	-	-	-	2	3	3	2	3	3
Appendicitis (540-543)	26	-	1	2	-	1	2	-	4	4	9	3	22	-	1	1	-	-	1	1	3	4	8	3
White	17	-	1	-	-	1	-	-	3	3	8	1	22	-	1	1	-	-	1	1	3	4	8	3
All other	9	-	-	2	-	-	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	198	8	1	-	-	1	5	8	18	44	72	41	310	4	1	1	2	1	4	10	17	47	93	130
White	175	7	1	-	-	1	3	7	15	40	62	39	298	3	1	1	1	1	4	8	14	43	86	126
All other	23	1	-	-	-	-	2	1	3	4	10	2	22	1	-	-	1	-	-	2	3	4	7	4
Black	14	-	-	-	-	-	2	1	3	1	7	-	20	1	-	-	1	-	-	2	2	4	6	4
Chronic liver disease and cirrhosis (571)	2,711	3	-	5	7	139	390	587	772	593	191	22	1,411	2	1	-	2	54	156	266	410	334	147	39
White	2,396	1	-	5	4	122	320	518	686	539	177	20	1,242	1	1	-	1	40	121	229	364	309	138	38
All other	315	2	-	-	3	17	70	69	84	54	14	2	169	1	-	-	1	14	35	37	46	25	9	1
Black	238	1	-	-	2	12	56	57	68	35	5	2	130	1	-	-	1	12	28	28	33	20	6	1
Cholelithiasis and other disorders of gallbladder (574-575)	117	-	-	-	-	3	4	5	14	32	31	28	127	-	-	-	1	2	4	5	6	25	37	47
White	110	-	-	-	-	3	3	5	14	28	31	26	117	-	-	-	1	2	4	4	6	21	35	44
All other	7	-	-	-	-	-	1	-	-	4	-	2	10	-	-	-	-	-	-	1	-	4	2	3
Black	6	-	-	-	-	-	1	-	-	4	-	1	7	-	-	-	-	-	-	1	-	3	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	679	11	2	1	5	10	18	20	71	164	245	132	682	10	1	1	4	5	13	21	72	144	223	188
White	595	6	2	-	3	6	10	14	65	141	227	121	579	6	-	1	2	4	7	16	53	126	197	157
All other	84	5	-	1	2	4	8	6	6	23	18	11	103	4	1	-	2	1	6	5	19	18	26	21
Black	61	5	-	1	2	4	7	2	4	14	13	9	78	4	1	-	2	-	3	4	17	12	19	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	1	-	-	-	-	-	1	-	5	1	12	-	-	-	1	-	-	1	-	3	4	3
White	7	-	1	-	-	-	-	-	1	-	4	1	12	-	-	-	1	-	-	1	-	3	4	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	90	–	–	1	3	–	2	2	14	20	33	15	89	–	–	–	–	–	5	2	13	15	24	30
White	80	–	–	–	2	–	1	1	13	18	31	14	75	–	–	–	–	–	3	2	9	14	22	25
All other	10	–	–	1	1	–	1	1	1	2	2	1	14	–	–	–	–	–	2	–	4	1	2	5
Black	9	–	–	1	1	–	1	–	1	2	2	1	8	–	–	–	–	–	–	–	2	1	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	581	11	1	–	2	10	16	18	56	144	207	116	581	10	1	1	3	5	8	18	59	126	195	155
White	508	6	1	–	1	6	9	13	51	123	192	106	492	6	–	1	1	4	4	13	44	109	171	139
All other	73	5	–	–	1	4	7	5	5	21	15	10	89	4	1	–	2	1	4	5	15	17	24	16
Black	52	5	–	–	1	4	6	2	3	12	11	8	70	4	1	–	2	–	3	4	15	11	17	13
Infections of kidney (590)	80	–	–	–	–	1	1	2	6	17	32	21	157	–	1	–	2	1	2	3	14	29	47	58
White	68	–	–	–	–	1	1	–	5	14	28	19	144	–	1	–	2	1	2	2	13	27	42	54
All other	12	–	–	–	–	–	–	2	1	3	4	2	13	–	–	–	–	–	–	1	1	2	5	4
Black	8	–	–	–	–	–	–	2	1	2	2	1	11	–	–	–	–	–	–	1	1	2	4	3
Hyperplasia of prostate (600)	75	–	–	–	–	–	–	–	4	15	29	27	...	...	...	...	...	...	...	...	...	...	...	...
White	70	–	–	–	–	–	–	–	4	12	28	26	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	–	–	–	–	–	–	–	–	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	–	–	–	–	–	–	–	–	3	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	32	...	...	–	9	16	7	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	4	9	5	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	–	5	7	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	5	4	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	2	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	27	...	...	–	8	14	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	–	3	7	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	5	7	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	5	4	1	–	...	...	...	...
Congenital anomalies (740-759)	814	521	69	21	39	35	29	17	28	24	21	8	723	463	62	24	26	18	19	25	34	22	16	13
White	677	432	52	18	36	29	24	13	28	20	17	8	573	366	49	19	22	14	17	19	21	19	14	12
All other	137	89	17	3	3	6	5	4	–	4	4	–	150	97	13	5	4	4	2	6	13	3	2	1
Black	80	49	10	2	3	6	3	2	–	2	2	–	80	47	9	2	2	1	–	6	7	3	2	1
Certain conditions originating in the perinatal period (760-779)	1,065	1,044	16	3	–	–	1	1	–	–	–	–	838	828	6	–	1	–	–	–	–	–	–	–
White	796	782	9	3	–	–	1	1	–	–	–	–	594	586	5	–	–	–	–	–	–	–	–	–
All other	269	262	7	–	–	–	–	–	–	–	–	–	244	242	1	–	1	–	–	–	–	–	–	–
Black	215	211	4	–	–	–	–	–	–	–	–	–	185	184	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	321	318	1	2	–	–	–	–	–	–	–	–	216	213	2	–	1	–	–	–	–	–	–	–
White	258	253	1	2	–	–	–	–	–	–	–	–	152	151	1	–	–	–	–	–	–	–	–	–
All other	65	65	–	–	–	–	–	–	–	–	–	–	64	62	1	–	1	–	–	–	–	–	–	–
Black	49	49	–	–	–	–	–	–	–	–	–	–	49	48	1	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	744	728	15	1	–	–	1	1	–	–	–	–	622	615	4	–	–	–	–	–	–	–	–	–
White	540	529	8	1	–	–	1	1	–	–	–	–	442	435	4	–	–	–	–	–	–	–	–	–
All other	204	197	7	–	–	–	–	–	–	–	–	–	180	180	–	–	–	–	–	–	–	–	–	–
Black	168	162	4	–	–	–	–	–	–	–	–	–	138	136	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	709	403	8	3	38	71	44	26	35	24	20	25	445	247	13	5	14	27	17	15	17	24	24	35
White	588	320	7	2	37	59	35	21	33	24	16	21	342	180	9	4	11	22	8	13	13	21	23	31
All other	123	83	1	1	1	12	9	5	2	–	4	4	103	67	4	1	3	5	9	2	4	3	1	4
Black	91	67	1	1	1	8	6	3	2	–	3	–	81	55	3	–	2	3	5	2	4	3	1	3
All other diseases (Residual)	5,984	109	52	58	113	323	380	434	790	1,227	1,618	879	6,345	99	45	63	103	142	238	317	661	1,129	1,807	1,738
White	5,331	86	40	47	94	265	309	361	697	1,123	1,497	811	5,750	70	39	54	83	115	184	257	584	1,023	1,684	1,654
All other	653	23	12	11	19	58	71	73	93	104	121	68	595	29	6	9	20	27	54	60	77	106	123	84
Black	441	13	7	8	12	49	58	60	73	65	56	40	432	19	5	7	14	20	42	45	58	82	88	51
Accidents and adverse effects (E800-E949)	7,236	47	211	252	1,773	1,743	959	578	519	497	388	231	3,106	40	127	142	509	456	256	232	320	314	404	302
White	6,329	41	178	209	1,584	1,518	811	498	455	439	348	210	2,732	26	103	108	442	380	224	196	295	289	374	293
All other	907	6	33	43	189	225	148	80	64	58	38	21	374	14	24	34	67	76	32	36	25	25	30	9
Black	528	4	20	28	126	167	113	58	42	38	22	10	247	12	14	24	49	59	27	14	10	15	18	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	3,859	9	90	145	1,313	979	453	270	241	193	104	53	1,465	13	57	103	384	262	138	91	156	131	100	29
White	3,467	8	78	119	1,199	888	388	239	217	175	93	44	1,292	11	47	76	344	234	125	75	139	118	94	29
All other	392	1	12	26	114	91	55	31	24	18	11	9	173	2	10	27	40	28	13	16	17	13	6	-
Black	233	1	7	17	64	55	36	18	11	14	7	3	95	1	6	19	26	17	10	-	5	7	3	-
All other accidents and adverse effects (E800-E807, E826-E949)	3,377	38	121	107	460	784	506	308	278	304	282	178	1,641	27	70	39	125	194	118	141	164	183	304	273
White	2,862	33	100	90	385	630	413	258	238	264	255	166	1,440	15	58	32	98	148	99	121	156	171	280	264
All other	515	5	21	17	75	134	93	49	40	40	27	12	201	12	14	7	27	48	19	20	8	12	24	9
Black	395	3	19	11	62	112	77	38	31	24	15	7	152	11	8	5	23	42	17	14	5	8	15	4
Suicide (E950-E959)	2,745	...	...	15	467	641	483	305	320	258	209	43	951	...	...	4	105	187	160	182	171	100	48	13
White	2,486	...	...	13	411	551	438	284	300	242	202	42	858	...	...	3	97	162	146	141	156	93	45	12
All other	259	...	...	2	56	90	45	21	20	14	7	1	95	...	...	1	8	25	14	21	15	7	3	1
Black	162	...	...	2	32	65	32	11	11	8	2	-	45	...	...	1	4	15	7	9	7	1	1	-
Homicide and legal intervention (E960-E978)	2,173	21	12	34	598	741	375	181	104	54	34	5	629	12	26	25	153	159	94	51	41	24	23	15
White	1,456	15	8	23	402	481	252	119	76	38	25	5	451	10	16	15	112	112	59	39	32	19	20	11
All other	717	6	4	11	196	260	123	62	28	16	9	-	178	2	10	10	41	47	35	12	9	5	3	4
Black	651	6	3	8	185	245	105	53	24	12	8	-	149	2	9	8	35	42	27	10	8	2	3	3
All other external causes (E980-E999)	139	2	1	-	26	34	30	11	10	14	6	1	59	3	1	-	6	14	11	8	9	5	1	1
White	117	1	1	-	23	26	25	11	9	12	4	1	49	3	1	-	6	10	11	7	5	4	1	1
All other	22	1	-	-	3	8	5	-	1	2	2	-	10	-	-	-	-	4	-	1	4	1	-	-
Black	16	1	-	-	2	6	4	-	1	1	1	-	6	-	-	-	-	2	-	-	4	-	-	-
COLORADO																								
All causes	10,539	308	61	61	409	481	501	732	1,562	2,462	2,496	1,466	9,855	244	48	50	152	194	283	431	1,055	1,774	2,596	3,028
White	10,121	278	53	58	377	453	484	681	1,481	2,397	2,442	1,437	9,473	218	41	43	138	180	257	408	1,004	1,702	2,522	2,960
All other	418	30	8	3	32	28	37	51	81	65	54	29	382	26	7	7	14	14	26	23	51	72	74	68
Black	325	27	8	1	22	25	23	42	66	46	44	21	291	19	6	5	12	8	18	18	39	53	67	48
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	1	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	1	-	-	1	1	-
White	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	64	2	-	-	-	1	2	3	12	18	15	11	89	4	2	-	1	5	3	1	5	20	19	29
White	58	2	-	-	-	1	2	2	9	16	15	9	85	3	2	-	1	4	2	1	5	19	18	29
All other	6	-	-	-	-	-	-	1	3	-	-	2	4	1	-	-	-	1	1	-	-	1	-	-
Black	5	-	-	-	-	-	-	1	3	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	4	–	–	–	2	–	1	–	–	–	1	–	3	–	–	–	1	–	–	–	1	–	1	–
White	3	–	–	–	2	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	1	–	1	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	38	2	1	–	2	2	7	4	5	4	5	6	29	1	1	–	–	3	2	3	5	2	7	5
White	37	1	1	–	2	2	7	4	5	4	5	6	26	1	1	–	–	2	2	3	5	1	6	5
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,113	1	6	6	23	41	70	159	465	650	505	187	2,045	1	5	9	8	39	107	178	420	528	507	243
White	2,024	1	6	5	21	40	65	150	432	631	490	183	1,975	1	3	9	7	38	102	171	405	512	493	234
All other	89	–	–	1	2	1	5	9	33	19	15	4	70	–	2	–	1	1	5	7	15	16	14	9
Black	68	–	–	1	1	–	4	8	26	14	10	4	55	–	1	–	1	–	5	6	13	12	12	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	37	–	–	–	–	1	–	6	12	5	11	2	23	–	–	–	–	–	–	–	8	10	4	1
White	36	–	–	–	–	1	–	6	11	5	11	2	23	–	–	–	–	–	–	–	8	10	4	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	504	–	–	–	2	6	13	27	111	162	131	52	569	–	1	–	1	5	11	45	101	147	152	106
White	472	–	–	–	2	5	12	24	102	155	122	50	542	–	–	–	1	5	11	42	95	140	147	101
All other	32	–	–	–	–	1	1	3	9	7	9	2	27	–	1	–	–	–	–	3	6	7	5	5
Black	23	–	–	–	–	–	1	2	8	5	5	2	19	–	–	–	–	–	–	3	6	6	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	671	–	–	–	2	2	13	54	191	237	141	31	309	–	–	–	–	1	9	25	93	90	77	14
White	643	–	–	–	2	2	11	50	178	232	137	31	299	–	–	–	–	1	7	24	90	87	76	14
All other	28	–	–	–	–	–	2	4	13	5	4	–	10	–	–	–	–	–	2	1	3	3	1	–
Black	20	–	–	–	–	–	1	4	10	2	3	–	8	–	–	–	–	–	2	1	3	1	1	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	–	1	381	–	–	–	–	11	43	49	83	84	79	32
White	1	–	–	–	–	–	–	–	–	–	–	1	376	–	–	–	–	10	41	47	79	82	76	31
All other	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	1	2	2	4	2	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	2	1	3	2	3	1
Malignant neoplasms of genital organs (179-187)	250	–	–	–	1	1	2	4	26	67	96	54	194	–	–	–	–	4	12	18	41	52	49	18
White	242	–	–	–	1	1	2	4	24	63	95	52	185	–	–	–	–	4	11	18	40	50	46	16
All other	8	–	–	–	–	–	–	–	2	4	–	2	9	–	–	–	–	–	1	–	1	2	3	2
Black	7	–	–	–	–	–	–	–	1	4	–	2	8	–	–	–	–	–	1	–	–	2	3	2
Malignant neoplasms of urinary organs (188-189)	113	–	–	–	–	1	2	6	23	35	27	19	53	–	–	–	–	–	2	1	10	17	15	6
White	110	–	–	–	–	1	2	6	21	34	27	19	53	–	–	–	–	–	2	1	10	17	15	6
All other	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	312	1	3	5	11	18	25	41	58	90	51	9	275	1	3	4	4	12	17	26	47	61	64	36
White	303	1	3	4	10	18	25	39	55	89	50	9	268	1	2	4	4	12	17	26	46	60	62	35
All other	9	–	–	1	1	–	–	2	3	1	1	–	6	–	1	–	–	–	–	–	1	1	2	1
Black	8	–	–	1	1	–	–	2	2	1	1	–	6	–	1	–	–	–	–	–	1	1	2	1
Leukemia (204-208)	109	–	3	1	5	3	6	12	21	29	20	9	99	–	1	5	2	2	9	5	15	25	24	11
White	104	–	3	1	4	3	4	12	20	29	19	9	98	–	1	5	2	2	9	5	15	24	24	11
All other	5	–	–	–	1	–	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	4	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	116	–	–	–	2	9	9	9	23	25	29	10	132	–	–	–	1	4	4	9	22	32	43	17
White	113	–	–	–	2	9	9	9	21	24	29	10	130	–	–	–	–	4	4	8	22	32	43	17
All other	3	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	1	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	1	–	–	1	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	1	–	–	–	1	3	6	2	2	9	3	40	–	–	1	3	2	1	3	2	9	10	9
White	26	1	–	–	–	1	2	6	2	2	9	3	38	–	–	1	3	2	1	3	2	9	8	9
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	124	–	–	–	–	7	7	16	20	33	27	14	173	–	–	–	1	1	1	7	19	41	61	42
White	119	–	–	–	–	7	7	13	20	32	26	14	156	–	–	–	1	1	–	4	16	37	58	41
All other	5	–	–	–	–	–	–	3	–	1	1	–	17	–	–	–	–	–	1	3	3	4	5	1
Black	3	–	–	–	–	–	–	2	–	1	–	–	12	–	–	–	–	–	–	1	2	3	5	1
Nutritional deficiencies (260-269)	16	–	–	–	–	–	–	–	1	3	2	10	38	–	–	–	–	–	–	1	–	2	8	27
White	14	–	–	–	–	–	–	–	1	3	2	8	37	–	–	–	–	–	–	1	–	2	8	26
All other	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Anemias (280-285)	18	–	1	–	2	–	–	–	2	3	6	4	15	–	–	–	–	1	1	–	–	1	6	6
White	15	–	–	–	1	–	–	–	2	2	6	4	14	–	–	–	–	–	1	–	–	1	6	6
All other	3	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	3	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis (320-322)	7	1	2	–	–	1	1	–	–	–	2	–	6	3	1	–	–	–	–	–	–	2	–	–
White	6	1	2	–	–	1	1	–	–	–	1	–	6	3	1	–	–	–	–	–	–	2	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	4,096	12	4	–	9	26	94	289	851	1,052	1,173	786	4,426	21	3	4	2	8	37	86	289	705	1,320	1,941
White	3,966	11	3	–	6	24	90	277	821	1,018	1,143	773	4,280	19	3	3	–	7	35	80	281	676	1,278	1,898
All other	130	1	1	–	3	2	4	12	30	34	30	13	146	2	–	1	2	1	2	6	18	29	42	43
Black	104	1	1	–	3	2	2	10	26	23	26	10	119	2	–	1	2	1	2	6	12	22	39	32
Diseases of heart (390-398,402,404-429)	3,375	10	4	–	7	23	83	267	578	878	915	609	3,270	21	3	3	2	7	21	66	228	549	981	1,389
White	3,274	9	3	–	5	21	79	257	553	856	890	601	3,166	19	3	2	–	7	19	62	217	528	950	1,361
All other	101	1	1	–	2	2	4	10	25	23	25	8	104	2	–	1	2	–	2	4	11	23	31	28
Black	79	1	1	–	2	2	2	9	21	14	21	6	85	2	–	1	2	–	2	4	8	16	29	21
Rheumatic fever and rheumatic heart disease (390-398)	21	–	–	–	–	1	–	4	7	3	5	1	75	–	–	–	–	2	2	2	14	27	16	12
White	21	–	–	–	–	1	–	4	7	3	5	1	73	–	–	–	–	2	2	2	14	26	15	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Hypertensive heart disease (402)	44	–	–	–	–	–	2	3	12	11	14	2	72	–	–	–	–	–	–	3	6	6	22	35
White	38	–	–	–	–	–	2	2	9	10	13	2	65	–	–	–	–	–	–	2	3	6	21	33
All other	6	–	–	–	–	–	–	1	3	1	1	–	7	–	–	–	–	–	–	1	3	–	1	2
Black	6	–	–	–	–	–	–	1	3	1	1	–	7	–	–	–	–	–	–	1	3	–	1	2
Hypertensive heart and renal disease (404)	5	–	–	–	–	–	–	–	–	–	3	2	14	–	–	–	–	–	–	–	–	2	9	3
White	5	–	–	–	–	–	–	–	–	–	3	2	11	–	–	–	–	–	–	–	–	1	7	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Ischemic heart disease (410-414)	2,534	–	–	–	3	10	59	218	467	687	672	418	2,046	–	–	–	–	–	9	45	138	374	635	845
White	2,471	–	–	–	2	10	57	212	451	669	657	413	1,990	–	–	–	–	–	7	43	133	360	620	827
All other	63	–	–	–	1	–	2	6	16	18	15	5	56	–	–	–	–	–	2	2	5	14	15	18
Black	44	–	–	–	1	–	1	6	12	9	12	3	44	–	–	–	–	–	2	2	3	10	14	13
Acute myocardial infarction (410)	1,431	–	–	–	–	6	40	148	313	412	346	166	916	–	–	–	–	–	4	29	91	211	308	273
White	1,399	–	–	–	–	6	39	143	303	403	341	164	896	–	–	–	–	–	4	28	86	207	304	267
All other	32	–	–	–	–	–	1	5	10	9	5	2	20	–	–	–	–	–	–	1	5	4	4	6
Black	20	–	–	–	–	–	1	5	7	3	3	1	14	–	–	–	–	–	–	1	3	3	4	3
Other acute and subacute forms of ischemic heart disease (411)	35	–	–	–	–	–	–	1	12	12	9	1	15	–	–	–	–	–	–	1	2	5	3	4
White	35	–	–	–	–	–	–	1	12	12	9	1	15	–	–	–	–	–	–	1	2	5	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
White	4	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,064	–	–	–	3	4	19	68	141	263	315	251	1,113	–	–	–	–	–	5	15	45	158	324	568
White	1,033	–	–	–	2	4	18	67	135	254	305	248	1,077	–	–	–	–	–	3	14	45	148	313	554
All other	31	–	–	–	1	–	1	1	6	9	10	3	36	–	–	–	–	–	2	1	–	10	11	12
Black	24	–	–	–	1	–	–	1	5	6	9	2	30	–	–	–	–	–	2	1	–	7	10	10
Other diseases of endocardium (424)	45	–	–	–	–	2	3	6	3	12	11	8	64	–	–	–	–	–	–	–	3	12	25	24
White	44	–	–	–	–	2	3	6	3	12	10	8	62	–	–	–	–	–	–	–	3	10	25	24
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-428)	728	10	4	-	4	10	19	36	68	166	210	176	899	21	3	3	2	5	10	16	67	128	274	470
White	695	9	3	-	3	8	17	33	63	162	202	175	865	19	3	2	-	5	10	15	64	123	262	462
All other	31	1	1	-	1	2	2	3	6	4	8	3	34	2	-	1	2	-	-	1	3	5	12	8
Black	28	1	1	-	1	2	1	2	6	4	7	3	29	2	-	1	2	-	-	1	2	4	11	6
Hypertension with or without renal disease (401,403)	31	-	-	-	-	-	-	-	9	8	10	4	39	-	-	-	-	-	-	2	3	6	9	19
White	29	-	-	-	-	-	-	-	8	7	10	4	32	-	-	-	-	-	-	-	2	6	8	16
All other	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	2	1	-	1	3
Black	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	-	2	1	-	1	2
Cerebrovascular diseases (430-438)	453	2	-	-	1	2	10	17	49	104	158	119	819	-	-	1	-	-	15	18	53	124	251	357
White	431	2	-	-	1	2	10	15	38	98	153	116	792	-	-	1	-	-	15	18	48	120	242	348
All other	22	-	-	-	-	-	-	2	4	6	5	3	27	-	-	-	-	-	-	-	5	4	9	9
Black	18	-	-	-	-	-	-	1	4	6	5	2	21	-	-	-	-	-	-	-	2	4	8	7
Intracerebral and other intracranial hemorrhage (431-432)	58	1	-	-	-	-	4	7	10	15	17	5	99	-	-	1	-	-	3	6	22	19	25	23
White	55	1	-	-	-	-	4	7	8	13	17	5	98	-	-	1	-	-	3	6	22	18	25	23
All other	4	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	55	-	-	-	-	-	1	-	5	8	24	17	99	-	-	-	-	-	-	1	4	17	33	44
White	54	-	-	-	-	-	1	-	5	8	23	17	98	-	-	-	-	-	-	1	3	17	33	44
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	1	3	4	3
White	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	1	3	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	339	1	-	-	1	2	5	10	25	81	117	97	610	-	-	-	-	-	12	11	26	85	189	287
White	322	1	-	-	1	2	5	8	23	75	113	94	585	-	-	-	-	-	12	11	22	82	180	278
All other	17	-	-	-	-	-	-	2	2	6	4	3	25	-	-	-	-	-	-	-	4	3	9	9
Black	13	-	-	-	-	-	1	2	4	4	2	19	-	-	-	-	-	-	-	-	1	3	8	7
Atherosclerosis (440)	93	-	-	-	-	-	1	-	2	14	39	37	218	-	-	-	-	-	-	-	6	10	52	150
White	90	-	-	-	-	-	1	-	2	13	39	35	213	-	-	-	-	-	-	-	6	8	51	148
All other	3	-	-	-	-	-	-	-	-	1	-	2	5	-	-	-	-	-	-	-	-	2	1	2
Black	3	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	-	-	-	-	2	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	144	-	-	-	1	1	-	5	22	47	51	17	80	-	-	-	-	1	1	-	9	16	27	26
White	142	-	-	-	1	1	-	5	22	46	51	17	77	-	-	-	-	1	1	-	8	16	27	25
All other	2	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-	1	-	-	1
Black	2	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-	1	-	-	1
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-	-	-	-	-	1	2
White	2	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	362	6	1	1	1	1	5	9	27	69	114	128	417	5	1	-	-	1	2	6	21	53	100	228
White	351	4	1	1	1	1	4	6	25	68	112	128	403	4	-	-	-	1	1	6	20	48	99	224
All other	11	2	-	-	-	-	1	3	2	1	2	-	14	1	1	-	-	-	1	-	1	5	1	4
Black	10	2	-	-	-	-	-	3	2	1	2	-	8	1	1	-	-	-	1	-	1	2	-	2
Pneumonia (480-486)	359	6	1	1	1	1	5	9	27	69	112	127	403	5	1	-	-	1	2	6	20	49	98	221
White	348	4	1	1	1	1	4	6	25	68	110	127	389	4	-	-	-	1	1	6	19	44	97	217
All other	11	2	-	-	-	-	1	3	2	1	2	-	14	1	1	-	-	-	1	-	1	5	1	4
Black	10	2	-	-	-	-	-	3	2	1	2	-	8	1	1	-	-	-	1	-	1	2	-	2
Influenza (487)	3	-	-	-	-	-	-	-	-	-	2	1	14	-	-	-	-	-	-	-	1	4	2	7
White	3	-	-	-	-	-	-	-	-	-	2	1	14	-	-	-	-	-	-	-	1	4	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	669	-	-	-	-	3	6	11	79	232	258	80	415	1	-	-	2	2	4	13	82	138	116	57
White	659	-	-	-	-	2	6	11	76	231	256	77	406	1	-	-	2	2	4	12	79	135	116	55
All other	10	-	-	-	-	1	-	-	3	1	2	3	9	-	-	-	-	-	-	1	3	3	-	2
Black	8	-	-	-	-	1	-	-	2	1	2	2	7	-	-	-	-	-	-	1	3	2	-	1
Bronchitis, chronic and unspecified (490-491)	21	-	-	-	-	-	-	-	2	11	5	3	18	1	-	-	-	-	-	1	2	1	7	6
White	21	-	-	-	-	-	-	-	2	11	5	3	17	1	-	-	-	-	-	-	2	1	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Emphysema (492)	115	-	-	-	-	-	1	1	14	40	53	6	68	-	-	-	-	-	1	2	16	30	13	6
White	114	-	-	-	-	-	1	1	14	40	53	5	67	-	-	-	-	-	1	2	16	29	13	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	18	–	–	–	–	3	2	–	3	6	4	–	46	–	–	–	2	2	–	2	11	8	11	10
White	17	–	–	–	–	2	2	–	3	6	4	–	44	–	–	–	2	2	–	2	10	7	11	10
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	515	–	–	–	–	–	3	10	60	175	196	71	283	–	–	–	–	–	3	8	53	99	85	35
White	507	–	–	–	–	–	3	10	57	174	194	69	276	–	–	–	–	–	3	8	51	98	85	33
All other	8	–	–	–	–	–	–	–	3	1	2	2	5	–	–	–	–	–	–	–	2	1	–	2
Black	6	–	–	–	–	–	–	–	2	1	2	1	4	–	–	–	–	–	–	–	2	1	–	1
Ulcer of stomach and duodenum (531-533)	39	–	–	–	–	–	–	1	7	9	10	12	52	–	–	–	–	–	–	1	2	11	16	22
White	38	–	–	–	–	–	–	1	7	9	9	12	51	–	–	–	–	–	–	1	2	11	16	21
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis (540-543)	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	–	–	–	–	–	–	–	1	5	11	2	40	2	–	1	–	1	–	1	2	6	20	7
White	18	–	–	–	–	–	–	–	1	4	11	2	37	2	–	1	–	1	–	1	–	6	19	7
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Chronic liver disease and cirrhosis (571)	171	1	–	–	–	10	31	28	42	35	19	5	127	–	–	–	–	3	13	28	40	28	14	1
White	158	–	–	–	–	9	26	26	40	33	19	5	115	–	–	–	–	2	11	25	35	27	14	1
All other	13	1	–	–	–	1	5	2	2	2	–	–	12	–	–	–	–	1	2	3	5	1	–	–
Black	8	1	–	–	–	1	2	1	1	2	–	–	6	–	–	–	–	–	1	2	2	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	22	–	–	–	–	–	–	1	–	8	7	6	17	–	–	–	–	1	–	–	1	3	5	7
White	21	–	–	–	–	–	–	1	–	8	7	5	17	–	–	–	–	1	–	–	1	3	5	7
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	94	–	–	–	–	1	4	6	9	30	27	17	103	2	–	–	2	1	1	3	9	15	39	31
White	90	–	–	–	–	1	4	4	8	30	27	16	101	2	–	–	2	1	1	3	9	14	38	31
All other	4	–	–	–	–	–	–	2	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	–	1	3	1	–	6	–	–	–	–	–	–	–	–	1	4	1
White	5	–	–	–	–	–	–	–	1	3	1	–	6	–	–	–	–	–	–	–	–	1	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	89	–	–	–	–	1	4	6	8	27	26	17	96	2	–	–	2	1	1	3	9	14	34	30
White	85	–	–	–	–	1	4	4	7	27	26	16	94	2	–	–	2	1	1	3	9	13	33	30
All other	4	–	–	–	–	–	–	2	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Infections of kidney (590)	5	–	–	–	–	–	1	1	–	–	2	1	11	–	–	–	1	–	–	1	1	1	3	4
White	3	–	–	–	–	–	–	–	–	–	2	1	10	–	–	–	1	–	–	1	1	1	3	4
All other	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	–	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
White	5	–	–	–	–	–	–	–	–	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	102	71	12	4	6	3	2	2	–	1	1	–	82	58	8	–	7	–	3	3	–	1	–	2
White	93	66	10	4	5	2	2	2	–	1	1	–	74	52	7	–	7	–	2	3	–	1	–	2
All other	9	5	2	–	1	1	–	–	–	–	–	–	8	6	1	–	–	–	1	–	–	–	–	–
Black	8	4	2	–	1	1	–	–	–	–	–	–	6	4	1	–	–	–	1	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	123	120	2	–	–	1	–	–	–	–	–	–	90	88	1	1	–	–	–	–	–	–	–	–
White	110	108	1	–	–	1	–	–	–	–	–	–	78	77	1	–	–	–	–	–	–	–	–	–
All other	13	12	1	–	–	–	–	–	–	–	–	–	12	11	–	1	–	–	–	–	–	–	–	–
Black	11	10	1	–	–	–	–	–	–	–	–	–	9	8	–	1	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	26	25	–	–	–	1	–	–	–	–	–	–	23	22	–	1	–	–	–	–	–	–	–	–
White	25	24	–	–	–	1	–	–	–	–	–	–	20	20	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	97	95	2	–	–	–	–	–	–	–	–	–	87	86	1	–	–	–	–	–	–	–	–	–
White	85	84	1	–	–	–	–	–	–	–	–	–	58	57	1	–	–	–	–	–	–	–	–	–
All other	12	11	1	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	10	9	1	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	185	65	4	2	10	10	12	9	7	16	20	10	130	45	–	1	3	11	2	5	8	7	18	30
White	151	60	2	2	10	9	10	6	7	15	20	10	122	41	–	–	2	11	2	5	8	6	18	29
All other	14	5	2	–	–	1	2	3	–	1	–	–	8	4	–	1	1	–	–	–	–	1	–	1
Black	12	5	2	–	–	1	1	2	–	1	–	–	5	3	–	–	1	–	–	–	–	1	–	–
All other diseases (Residual)	787	15	4	3	17	26	43	52	107	185	194	141	916	6	6	4	10	21	38	43	98	152	266	274
White	763	14	4	3	15	22	40	47	104	183	192	139	881	6	6	4	9	18	29	41	94	145	259	270
All other	24	1	–	–	2	4	3	5	3	2	2	2	35	–	–	–	1	3	7	2	4	7	7	4
Black	18	1	–	–	2	4	1	4	3	1	2	1	27	–	–	–	1	2	5	2	4	4	6	3
Accidents and adverse effects (E800-E949)	877	5	21	34	232	209	102	69	63	53	55	34	394	3	14	22	87	54	30	18	22	35	51	58
White	839	4	21	33	218	203	95	64	61	52	55	33	380	3	13	21	82	52	28	18	22	34	51	56
All other	38	1	–	1	14	6	7	5	2	1	–	1	14	–	1	1	5	2	2	–	–	1	–	2
Black	26	1	–	–	6	6	5	5	1	1	–	1	9	–	1	1	3	1	2	–	–	1	–	–
Motor vehicle accidents (E810-E825)	462	1	11	13	168	121	51	30	31	21	14	1	183	–	4	14	70	34	19	9	11	9	11	2
White	439	1	11	12	157	117	47	28	31	20	14	1	179	–	4	14	68	32	19	9	11	9	11	2
All other	23	–	–	1	11	4	4	2	–	1	–	–	4	–	–	–	2	2	–	–	–	–	–	–
Black	16	–	–	–	6	4	3	2	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	415	4	10	21	64	88	51	39	32	32	41	33	211	3	10	8	17	20	11	9	11	26	40	56
White	400	3	10	21	61	86	48	36	30	32	41	32	201	3	9	7	14	20	9	9	11	25	40	54
All other	15	1	–	–	3	2	3	3	2	–	–	1	10	–	1	1	3	–	2	–	–	1	–	2
Black	10	1	–	–	–	2	2	3	1	–	–	1	8	–	1	1	3	–	2	–	–	1	–	–
Suicide (E950-E959)	410	...	...	4	73	86	81	48	45	43	27	2	112	...	...	2	11	23	27	21	14	9	5	–
White	389	...	...	3	70	84	80	47	44	42	27	2	109	...	...	2	11	23	26	21	14	7	5	–
All other	11	...	...	1	3	2	1	2	1	1	–	–	3	...	...	–	–	–	1	–	–	2	–	–
Black	6	...	...	–	2	2	–	1	1	–	–	–	3	...	...	–	–	–	1	–	–	2	–	–
Homicide and legal intervention (E960-E978)	137	3	1	4	26	46	24	13	13	3	4	–	50	1	5	5	10	10	9	8	2	1	1	–
White	113	2	1	4	20	37	18	12	12	3	4	–	39	1	3	2	8	8	7	6	2	1	1	–
All other	24	1	–	–	6	9	6	1	1	–	–	–	11	–	2	3	2	2	2	–	–	–	–	–
Black	22	1	–	–	6	7	6	1	1	–	–	–	7	–	2	2	2	1	–	–	–	–	–	–
All other external causes (E980-E999)	35	3	2	3	6	6	5	3	3	2	1	1	19	–	–	–	3	6	3	2	1	3	–	1
White	32	3	1	3	6	6	5	1	3	2	1	1	17	–	–	–	2	6	3	1	1	3	–	1
All other	3	–	1	–	–	–	–	2	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
Black	3	–	1	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	14,107	249	24	46	323	390	489	837	2,357	3,823	3,521	2,047	13,744	199	26	30	129	162	289	549	1,398	2,743	3,894	4,335
White	13,204	204	17	37	295	324	401	703	2,150	3,650	3,414	2,008	12,972	130	22	25	109	128	235	477	1,289	2,585	3,733	4,239
All other	903	45	7	9	28	66	88	134	207	173	107	39	772	59	4	5	20	34	54	72	109	158	161	96
Black	867	44	6	8	26	63	87	128	203	170	96	36	745	59	4	5	19	33	53	70	105	153	153	91
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-016)	12	-	-	-	-	-	-	-	1	4	4	3	3	-	-	-	-	-	-	-	1	-	2	-
White	9	-	-	-	-	-	-	-	1	3	2	3	3	-	-	-	-	-	-	-	1	-	2	-
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	-	1	4	2	3	3	-	-	-	-	-	-	-	1	-	2	-
White	8	-	-	-	-	-	-	-	1	3	1	3	3	-	-	-	-	-	-	-	1	-	2	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	106	-	-	1	-	2	1	7	16	26	34	19	145	3	-	-	-	1	3	5	16	25	44	48
White	94	-	-	1	-	1	-	4	14	26	30	18	132	2	-	-	-	1	2	4	14	21	41	47
All other	12	-	-	-	-	1	1	3	2	-	4	1	13	1	-	-	-	-	1	1	2	4	3	1
Black	12	-	-	-	-	1	1	3	2	-	4	1	13	1	-	-	-	-	1	1	2	4	3	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	2	-	1	3	-	-	-	9	-	-	-	2	2	-	-	-	1	3	1
White	5	-	-	-	-	1	-	1	3	-	-	-	9	-	-	-	2	2	-	-	-	1	3	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	40	1	-	-	-	7	6	4	5	11	6	-	26	1	1	-	1	-	1	-	1	12	7	2
White	31	1	-	-	-	3	3	3	5	11	5	-	24	1	1	-	-	-	1	-	1	12	7	2
All other	9	-	-	-	-	4	3	1	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	8	-	-	-	-	4	3	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,389	2	4	8	19	34	79	197	775	1,174	826	271	3,265	1	2	7	11	29	113	267	650	960	788	437
White	3,164	2	4	8	17	29	63	161	705	1,117	798	260	3,102	1	2	5	9	27	104	247	616	907	754	430
All other	225	-	-	-	2	5	16	36	70	57	28	11	163	-	-	2	2	2	9	20	34	53	34	7
Black	217	-	-	-	2	4	15	35	70	56	25	10	153	-	-	2	2	2	8	19	32	52	29	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	94	–	–	–	1	1	1	11	35	27	13	5	56	–	–	–	–	–	2	6	10	19	11	6
White	79	–	–	–	1	–	–	7	28	25	13	5	54	–	–	–	–	–	1	5	10	19	11	6
All other	15	–	–	–	–	1	1	4	7	2	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	14	–	–	–	–	–	1	4	7	2	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	942	1	1	–	1	5	23	40	201	361	239	71	914	–	–	1	1	2	8	49	136	265	271	179
White	881	1	1	–	–	3	18	30	185	343	232	68	862	–	–	1	–	1	7	47	129	248	254	175
All other	61	–	–	–	1	2	5	10	16	18	6	3	52	–	–	–	1	1	1	2	9	17	17	4
Black	58	–	–	–	1	2	4	10	16	17	6	2	49	–	–	–	1	1	1	2	9	17	14	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,056	–	–	–	–	–	16	74	289	394	242	43	536	–	–	–	–	–	16	49	133	197	112	29
White	989	–	–	–	–	–	13	57	263	381	234	41	516	–	–	–	–	–	14	47	129	190	107	29
All other	69	–	–	–	–	–	3	17	26	13	8	2	20	–	–	–	–	–	2	2	4	7	5	–
Black	67	–	–	–	–	–	3	16	26	13	7	2	19	–	–	–	–	–	2	2	4	6	5	–
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	–	–	1	4	–	–	631	–	–	–	–	6	49	68	186	152	115	55
White	5	–	–	–	–	–	–	–	1	4	–	–	599	–	–	–	–	5	45	63	177	141	113	55
All other	–	–	–	–	–	–	–	–	–	–	–	–	32	–	–	–	–	1	4	5	9	11	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	32	–	–	–	–	1	4	5	9	11	2	–
Malignant neoplasms of genital organs (179-187)	354	–	–	–	–	1	–	3	41	120	116	73	321	–	–	–	–	7	10	41	56	80	78	41
White	327	–	–	–	–	1	–	2	36	108	111	69	306	–	–	–	–	7	9	37	52	87	74	40
All other	27	–	–	–	–	–	–	1	5	12	5	4	15	–	–	–	–	–	1	4	4	3	2	1
Black	25	–	–	–	–	–	–	1	5	12	3	4	12	–	–	–	–	–	–	3	3	3	2	1
Malignant neoplasms of urinary organs (188-189)	181	–	–	–	1	2	4	13	31	53	49	28	94	–	–	–	–	–	–	1	12	33	32	16
White	171	–	–	–	1	2	4	13	27	51	48	27	89	–	–	–	–	–	–	1	12	30	30	16
All other	10	–	–	–	–	–	–	–	4	2	3	1	5	–	–	–	–	–	–	–	–	3	2	–
Black	10	–	–	–	–	–	–	–	4	2	3	1	5	–	–	–	–	–	–	–	–	3	2	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	453	1	3	4	6	15	17	43	111	134	87	32	413	–	1	2	5	7	14	37	82	112	85	68
White	429	1	3	4	6	14	14	40	101	128	86	32	392	–	1	1	5	7	14	33	77	105	82	67
All other	24	–	–	–	–	1	3	3	10	6	1	–	21	–	–	1	–	–	–	4	5	7	3	1
Black	24	–	–	–	–	1	3	3	10	6	1	–	19	–	–	1	–	–	–	4	4	7	2	1
Leukemia (204-208)	138	–	–	3	7	4	9	6	19	34	46	10	107	1	1	4	1	4	10	7	11	24	28	16
White	127	–	–	3	6	4	6	6	18	31	44	9	103	1	1	3	–	4	10	6	11	24	28	15
All other	11	–	–	–	1	–	3	–	1	3	2	1	4	–	–	1	1	–	–	1	–	–	–	1
Black	11	–	–	–	1	–	3	–	1	3	2	1	4	–	–	1	1	–	–	1	–	–	–	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	164	–	–	1	3	6	9	7	47	47	35	9	183	–	–	–	4	3	4	9	22	68	58	25
White	156	–	–	1	3	5	8	6	46	46	32	9	181	–	–	–	4	3	4	8	19	63	55	25
All other	8	–	–	–	–	1	1	1	1	1	3	–	12	–	–	–	–	–	–	1	3	5	3	–
Black	8	–	–	–	–	1	1	1	1	1	3	–	11	–	–	–	–	–	–	1	3	5	2	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	51	–	–	–	–	1	2	3	9	19	12	5	59	1	1	–	–	1	1	3	10	11	18	13
White	49	–	–	–	–	1	2	2	9	18	12	5	58	1	1	–	–	1	1	3	10	10	18	13
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Diabetes mellitus (250)	237	–	–	–	2	6	7	18	43	63	59	39	305	–	–	–	–	4	3	14	37	78	93	76
White	209	–	–	–	2	4	5	11	38	58	55	36	286	–	–	–	–	3	2	13	33	72	90	73
All other	28	–	–	–	–	2	2	7	5	5	4	3	19	–	–	–	–	1	1	1	4	6	3	3
Black	28	–	–	–	–	2	2	7	5	5	4	3	19	–	–	–	–	1	1	1	4	6	3	3
Nutritional deficiencies (260-269)	5	–	–	–	–	–	–	–	–	2	3	–	21	–	–	–	–	–	–	–	–	2	6	13
White	4	–	–	–	–	–	–	–	–	2	2	–	21	–	–	–	–	–	–	–	–	2	6	13
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	20	–	1	–	–	1	1	–	–	3	6	8	24	–	–	–	–	1	–	1	–	2	8	12
White	18	–	–	–	–	1	–	–	–	3	6	8	23	–	–	–	–	1	–	1	–	2	7	12
All other	2	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Meningitis (320-322)	7	2	–	–	–	–	–	1	2	1	1	–	8	2	2	1	–	–	–	1	2	–	–	–
White	6	2	–	–	–	–	–	–	2	1	1	–	6	1	1	1	–	–	–	1	2	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	6,392	6	–	2	12	28	147	369	1,047	1,802	1,782	1,187	6,821	9	–	2	8	15	51	124	403	1,163	2,168	2,878
White	6,093	4	–	2	11	24	118	326	970	1,723	1,745	1,170	6,493	6	–	2	4	12	32	99	361	1,084	2,076	2,807
All other	299	2	–	–	1	4	29	43	77	79	47	17	328	3	–	–	4	3	19	25	42	89	92	71
Black	292	2	–	–	1	4	29	43	75	77	45	18	315	3	–	–	4	3	19	25	40	85	89	67

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,265	6	-	1	10	25	130	333	909	1,514	1,411	926	5,253	9	-	2	7	10	34	95	341	946	1,654	2,155
White	5,029	4	-	1	9	21	107	297	851	1,453	1,372	914	4,996	6	-	2	3	8	19	76	305	888	1,585	2,104
All other	236	2	-	-	1	4	23	36	58	61	38	12	257	3	-	-	4	2	15	19	36	58	69	51
Black	232	2	-	-	1	4	23	36	57	60	38	11	247	3	-	-	4	2	15	19	34	56	66	48
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	-	-	2	1	2	9	9	4	2	81	-	-	-	1	-	-	1	13	26	29	11
White	27	-	-	-	-	2	-	2	9	8	4	2	79	-	-	-	1	-	-	1	13	25	29	10
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Hypertensive heart disease (402)	125	-	-	-	-	1	6	12	20	36	36	12	151	-	-	-	-	-	1	5	18	33	42	52
White	110	-	-	-	-	-	5	9	18	33	33	12	128	-	-	-	-	-	-	3	12	29	35	47
All other	15	-	-	-	-	1	3	3	2	3	3	-	25	-	-	-	-	-	1	2	6	4	7	5
Black	15	-	-	-	-	1	3	3	2	3	3	-	25	-	-	-	-	-	1	2	6	4	7	5
Hypertensive heart and renal disease (404)	11	-	-	-	-	-	-	-	3	1	3	4	20	-	-	-	-	-	-	1	1	5	7	6
White	10	-	-	-	-	-	-	-	2	1	3	4	18	-	-	-	-	-	-	-	1	4	7	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Ischemic heart disease (410-414)	3,814	-	-	-	1	12	73	232	659	1,105	1,045	687	3,654	-	-	-	1	1	10	50	213	640	1,185	1,554
White	3,687	-	-	-	1	11	66	216	621	1,069	1,020	681	3,518	-	-	-	1	1	6	41	198	608	1,143	1,522
All other	127	-	-	-	-	1	7	14	38	36	25	6	136	-	-	-	-	-	4	9	15	34	42	32
Black	124	-	-	-	-	1	7	14	37	35	25	5	130	-	-	-	-	-	4	9	13	34	41	29
Acute myocardial infarction (410)	1,817	-	-	-	1	8	33	125	378	566	484	222	1,521	-	-	-	1	1	6	32	117	348	545	471
White	1,763	-	-	-	1	8	32	117	360	553	473	219	1,465	-	-	-	1	1	4	27	115	327	528	462
All other	54	-	-	-	-	-	1	8	18	13	11	3	56	-	-	-	-	-	2	5	2	21	17	9
Black	52	-	-	-	-	-	1	8	17	12	11	3	52	-	-	-	-	-	2	5	1	21	17	6
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	2	2	1	4	1	-	6	-	-	-	-	-	-	-	-	2	2	2
White	9	-	-	-	-	-	2	2	1	3	1	-	6	-	-	-	-	-	-	-	-	2	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	11	-	-	-	-	-	2	-	2	2	3	2	9	-	-	-	-	-	-	-	-	3	1	5
White	11	-	-	-	-	-	2	-	2	2	3	2	8	-	-	-	-	-	-	-	-	2	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,976	-	-	-	-	4	36	105	278	533	557	463	2,118	-	-	-	-	-	4	18	96	287	637	1,076
White	1,904	-	-	-	-	3	30	99	258	511	543	460	2,039	-	-	-	-	-	2	14	83	275	612	1,053
All other	72	-	-	-	-	1	6	6	20	22	14	3	79	-	-	-	-	-	2	4	13	12	25	23
Black	71	-	-	-	-	1	6	6	20	22	14	2	77	-	-	-	-	-	2	4	12	12	24	23
Other diseases of endocardium (424)	67	-	-	-	1	2	4	2	11	18	20	9	67	-	-	-	-	-	2	-	2	11	24	26
White	63	-	-	-	1	2	4	2	10	16	19	9	66	-	-	-	-	-	2	-	2	11	23	26
All other	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	1,219	6	-	1	8	8	44	85	207	345	303	212	1,280	9	-	2	5	9	21	38	94	231	367	504
White	1,132	4	-	1	7	6	32	66	191	326	293	206	1,189	6	-	2	1	7	11	31	79	213	348	491
All other	87	2	-	-	1	2	12	19	16	19	10	6	91	3	-	-	4	2	10	7	15	18	19	13
Black	86	2	-	-	1	2	12	19	16	19	9	6	87	3	-	-	4	2	10	7	15	16	17	13
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	-	8	7	18	21	7	55	-	-	-	-	-	1	2	4	10	20	18
White	53	-	-	-	-	-	-	5	6	17	18	7	50	-	-	-	-	-	1	-	4	10	19	16
All other	8	-	-	-	-	-	-	3	1	1	3	-	5	-	-	-	-	-	-	2	-	-	1	2
Black	8	-	-	-	-	-	-	3	1	1	3	-	5	-	-	-	-	-	-	2	-	-	1	2
Cerebrovascular diseases (430-438)	718	-	-	1	1	3	12	19	87	182	238	175	1,149	-	-	-	1	5	14	23	48	163	391	504
White	674	-	-	1	1	3	8	16	73	169	235	170	1,086	-	-	-	1	4	11	19	42	154	372	493
All other	44	-	-	-	-	-	6	3	14	13	3	5	63	-	-	-	-	1	3	4	6	9	19	11
Black	41	-	-	-	-	-	6	3	13	12	2	5	51	-	-	-	-	1	3	4	6	7	19	11
Intracerebral and other intracranial hemorrhage (431-432)	109	-	-	-	-	1	6	8	24	33	25	12	135	-	-	-	-	2	5	8	16	35	44	25
White	96	-	-	-	-	1	2	5	19	33	25	11	125	-	-	-	-	2	4	7	14	32	41	25
All other	13	-	-	-	-	-	4	3	5	-	-	1	10	-	-	-	-	-	1	1	2	3	3	-
Black	13	-	-	-	-	-	4	3	5	-	-	1	8	-	-	-	-	-	1	1	2	1	3	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	136	-	-	-	-	1	3	2	11	32	54	33	236	-	-	-	-	1	2	1	4	23	101	104
White	128	-	-	-	-	1	2	2	9	29	53	32	229	-	-	-	-	1	2	1	4	23	97	101
All other	8	-	-	-	-	-	1	-	2	3	1	1	7	-	-	-	-	-	-	-	-	-	4	3
Black	7	-	-	-	-	-	1	-	2	3	-	1	7	-	-	-	-	-	-	-	-	-	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	5	–	–	–	–	–	–	–	–	4	–	1	6	–	–	–	–	–	–	1	1	2	2	–
White	5	–	–	–	–	–	–	–	–	4	–	1	6	–	–	–	–	–	–	1	1	2	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-436)	468	–	–	1	1	1	3	9	52	113	159	129	772	–	–	–	1	2	7	13	27	103	244	375
White	445	–	–	1	1	1	2	9	45	103	157	126	736	–	–	–	1	1	5	10	23	97	232	367
All other	23	–	–	–	–	–	1	–	7	10	2	3	36	–	–	–	–	1	2	3	4	6	12	8
Black	21	–	–	–	–	–	1	–	6	9	2	3	36	–	–	–	–	1	2	3	4	6	12	8
Atherosclerosis (440)	127	–	–	–	1	–	2	2	9	29	39	45	244	–	–	–	–	–	–	2	4	15	56	167
White	123	–	–	–	1	–	2	2	9	27	37	45	235	–	–	–	–	–	–	2	4	15	54	160
All other	4	–	–	–	–	–	–	–	–	2	2	–	9	–	–	–	–	–	–	–	–	–	2	7
Black	4	–	–	–	–	–	–	–	–	2	2	–	8	–	–	–	–	–	–	–	–	–	2	6
Other diseases of arteries, arterioles, and capillaries (441-448)	221	–	–	–	–	–	3	7	35	59	83	34	120	–	–	–	–	–	2	2	6	29	47	34
White	214	–	–	–	–	–	3	6	31	57	83	34	116	–	–	–	–	–	1	2	6	27	46	34
All other	7	–	–	–	–	–	–	1	4	2	–	–	4	–	–	–	–	–	1	–	–	2	1	–
Black	7	–	–	–	–	–	–	1	4	2	–	–	4	–	–	–	–	–	1	–	–	2	1	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–	–	1	–	–	1	1	2
White	2	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1
Pneumonia and influenza (480-487)	409	4	1	2	2	3	5	11	27	81	119	154	466	6	2	1	1	3	3	8	12	40	135	255
White	384	2	–	1	2	2	5	8	17	78	116	153	452	5	1	1	–	1	3	6	11	38	133	253
All other	25	2	1	1	–	1	–	3	10	3	3	1	14	1	1	–	1	2	–	2	1	2	2	2
Black	24	2	1	1	–	1	–	3	10	3	2	1	14	1	1	–	1	2	–	2	1	2	2	2
Pneumonia (480-486)	408	4	1	2	2	3	5	11	26	81	119	154	460	6	1	1	1	3	3	7	12	40	134	252
White	383	2	–	1	2	2	5	8	16	78	116	153	446	5	–	1	–	1	3	5	11	38	132	250
All other	25	2	1	1	–	1	–	3	10	3	3	1	14	1	1	–	1	2	–	2	1	2	2	2
Black	24	2	1	1	–	1	–	3	10	3	2	1	14	1	1	–	1	2	–	2	1	2	2	2
Influenza (487)	1	–	–	–	–	–	–	–	1	–	–	–	6	–	1	–	–	–	–	1	–	–	1	3
White	1	–	–	–	–	–	–	–	1	–	–	–	6	–	1	–	–	–	–	1	–	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	501	–	–	1	1	–	2	8	68	172	180	69	336	–	–	–	–	3	4	9	40	105	123	52
White	488	–	–	–	–	–	2	7	62	171	176	68	325	–	–	–	–	3	2	7	38	102	121	52
All other	15	–	–	1	1	–	–	1	6	1	4	1	11	–	–	–	–	–	2	2	2	3	2	–
Black	15	–	–	1	1	–	–	1	6	1	4	1	10	–	–	–	–	–	2	1	2	3	2	–
Bronchitis, chronic and unspecified (490-491)	20	–	–	–	–	–	–	–	3	12	3	2	18	–	–	–	–	–	–	1	1	8	5	3
White	20	–	–	–	–	–	–	–	3	12	3	2	18	–	–	–	–	–	–	1	1	8	5	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	86	–	–	–	1	–	–	1	7	33	29	15	37	–	–	–	–	–	–	–	4	16	16	1
White	84	–	–	–	–	–	–	1	6	33	29	15	37	–	–	–	–	–	–	–	4	16	16	1
All other	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	8	–	–	1	–	–	1	1	1	–	2	2	23	–	–	–	–	9	2	3	2	7	4	2
White	7	–	–	–	–	–	1	1	1	–	2	2	19	–	–	–	–	3	–	2	1	7	4	2
All other	1	–	–	1	–	–	–	–	–	–	–	–	4	–	–	–	–	–	2	1	1	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	–	1	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	387	–	–	–	–	–	1	6	57	127	146	50	258	–	–	–	–	–	2	5	33	74	98	46
White	375	–	–	–	–	–	1	5	52	126	142	49	251	–	–	–	–	–	2	4	32	71	96	46
All other	12	–	–	–	–	–	–	1	5	1	4	1	7	–	–	–	–	–	–	1	1	3	2	–
Black	12	–	–	–	–	–	–	1	5	1	4	1	7	–	–	–	–	–	–	1	1	3	2	–
Ulcer of stomach and duodenum (531-533)	40	–	–	1	–	–	1	–	4	10	13	11	40	–	–	–	–	–	1	–	2	6	15	16
White	37	–	–	–	–	–	1	–	3	9	13	11	38	–	–	–	–	–	1	–	2	6	13	16
All other	3	–	–	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	3	–	–	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Appendicitis (540-543)	4	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
White	4	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	1	–	–	–	–	–	–	2	1	14	4	46	1	–	–	–	–	1	1	–	3	11	29
White	22	1	–	–	–	–	–	–	2	1	14	4	45	1	–	–	–	–	1	1	–	3	10	29
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	227	–	–	–	–	8	24	37	56	63	33	6	143	–	–	–	1	6	8	19	45	36	21	7
White	214	–	–	–	–	7	20	34	54	61	32	6	132	–	–	–	1	3	7	16	44	33	21	7
All other	13	–	–	–	–	1	4	3	2	2	1	–	11	–	–	–	–	3	1	3	1	3	–	–
Black	12	–	–	–	–	1	4	2	2	2	1	–	11	–	–	–	–	3	1	3	1	3	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	19	–	–	–	–	–	–	–	1	10	5	3	21	–	–	–	–	–	–	–	3	1	8	9
White	18	–	–	–	–	–	–	–	–	10	5	3	21	–	–	–	–	–	–	–	3	1	8	9
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	120	4	–	–	1	3	2	6	17	28	36	23	153	1	–	–	1	–	3	5	18	28	44	55
White	108	3	–	–	1	2	1	2	14	27	35	23	133	–	–	–	1	–	1	2	10	24	41	54
All other	12	1	–	–	–	1	1	4	3	1	1	–	20	1	–	–	–	–	2	3	8	2	3	1
Black	12	1	–	–	–	1	1	4	3	1	1	–	20	1	–	–	–	–	2	3	8	2	3	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	–	–	–	–	–	–	–	1	2	3	1	14	–	–	–	–	–	–	1	3	1	3	6
White	7	–	–	–	–	–	–	–	1	2	3	1	11	–	–	–	–	–	–	–	1	1	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	2	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	110	4	–	–	1	3	2	6	16	25	31	22	139	1	–	–	1	–	3	4	15	25	41	49
White	98	3	–	–	1	2	1	2	13	24	30	22	122	–	–	–	1	–	1	2	9	23	38	48
All other	12	1	–	–	–	1	1	4	3	1	1	–	17	1	–	–	–	–	2	2	6	2	3	1
Black	12	1	–	–	–	1	1	4	3	1	1	–	17	1	–	–	–	–	2	2	6	2	3	1
Infections of kidney (590)	6	–	–	–	–	–	–	–	–	1	3	2	7	–	–	–	–	–	1	–	2	2	1	1
White	6	–	–	–	–	–	–	–	–	1	3	2	6	–	–	–	–	–	1	–	2	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	–	1	1	***	***	***	***	***	***	***	***	***	***	***	***
White	2	–	–	–	–	–	–	–	–	–	1	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	2	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	2	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	75	41	2	3	7	3	1	4	3	7	3	1	64	37	2	2	3	1	2	–	4	5	6	2
White	73	41	2	3	7	3	1	4	3	6	3	–	54	28	2	1	3	1	2	–	4	5	6	2
All other	2	–	–	–	–	–	–	–	–	1	–	1	10	9	–	1	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	–	1	10	9	–	1	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	128	128	–	–	–	–	–	–	–	–	–	–	101	101	–	–	–	–	–	–	–	–	–	–
White	103	103	–	–	–	–	–	–	–	–	–	–	64	64	–	–	–	–	–	–	–	–	–	–
All other	25	25	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Black	24	24	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	29	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
White	20	20	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	8	8	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	99	99	–	–	–	–	–	–	–	–	–	–	77	77	–	–	–	–	–	–	–	–	–	–
White	83	83	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
All other	16	16	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	16	16	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	354	44	2	–	25	54	35	26	36	57	51	24	252	14	2	1	15	23	22	12	24	36	44	59
White	307	31	1	–	22	47	28	18	32	55	49	24	228	10	2	1	13	15	17	11	23	36	42	58
All other	47	13	1	–	3	7	7	8	4	2	2	–	24	4	–	–	2	8	5	1	1	–	2	1
Black	41	13	1	–	2	6	7	7	3	2	–	–	24	4	–	–	2	8	5	1	1	–	2	1
All other diseases (Residual)	962	8	4	5	13	39	56	65	145	214	249	163	983	10	4	5	10	19	28	40	90	184	283	310
White	878	7	4	5	13	21	44	51	131	200	241	160	912	8	4	4	7	12	21	34	77	173	270	302
All other	84	1	–	–	–	18	12	14	14	14	8	3	71	2	–	1	3	7	7	6	13	11	13	8
Black	82	1	–	–	–	18	12	13	13	14	8	3	70	2	–	1	3	7	7	6	13	11	13	7
Accidents and adverse effects (E800-E949)	652	5	10	18	172	129	65	43	59	57	58	36	319	2	6	7	48	36	23	23	21	40	57	56
White	607	4	6	12	162	123	61	38	54	53	57	37	296	2	4	6	46	34	19	18	21	37	54	55
All other	45	1	4	4	10	6	4	5	5	4	1	1	23	–	2	1	2	2	4	5	–	3	3	1
Black	40	1	4	3	9	5	4	5	5	4	–	–	23	–	2	1	2	2	4	5	–	3	3	1
Motor vehicle accidents (E810-E825)	353	1	4	5	141	91	36	19	24	14	14	4	128	–	2	2	37	26	13	13	11	11	10	3
White	333	1	3	4	133	89	35	19	21	12	14	3	119	–	1	2	37	24	11	10	11	10	10	3
All other	20	–	1	1	8	2	1	1	3	2	–	1	9	–	1	–	–	2	2	3	–	1	–	–
Black	17	–	1	1	7	1	1	1	3	2	–	–	9	–	1	–	–	2	2	3	–	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	299	4	6	11	31	38	29	24	35	43	44	34	191	2	4	5	11	10	10	10	10	29	47	53
White	274	3	3	8	29	34	26	20	33	41	43	34	177	2	3	4	9	10	8	8	10	27	44	52
All other	25	1	3	3	2	4	3	4	2	2	1	–	14	–	1	1	2	–	2	2	–	2	3	1
Black	23	1	3	2	2	4	3	4	2	2	–	–	14	–	1	1	2	–	2	2	–	2	3	1
Suicide (E950-E959)	214	...	...	2	40	42	36	28	31	14	10	11	62	...	...	–	5	9	12	11	14	3	7	1
White	206	...	...	1	40	40	34	26	30	14	10	11	59	...	...	–	4	8	11	11	14	3	7	1
All other	8	...	...	1	–	2	2	2	1	–	–	–	3	...	...	–	1	1	1	–	–	–	–	–
Black	8	...	...	1	–	2	2	2	1	–	–	–	2	...	...	–	–	1	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	98	2	–	5	28	28	14	8	6	2	1	2	47	–	4	4	20	7	6	3	2	1	–	–
White	58	2	–	4	17	15	9	8	1	1	1	2	38	–	4	4	16	3	6	3	1	1	–	–
All other	38	–	–	1	11	13	5	2	5	1	–	–	9	–	–	–	4	4	–	–	1	–	–	–
Black	37	–	–	1	11	13	5	1	5	1	–	–	9	–	–	–	4	4	–	–	1	–	–	–
All other external causes (E980-E999)	8	–	–	–	1	–	4	1	1	–	–	1	5	–	–	–	2	1	1	1	–	–	–	–
White	6	–	–	–	1	–	3	1	–	–	–	1	4	–	–	–	2	1	1	–	–	–	–	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
DELAWARE																								
All causes	2,634	61	6	13	62	69	100	201	409	720	589	298	2,464	39	12	14	24	36	63	121	317	521	674	643
White	2,189	37	4	7	52	58	71	150	406	618	513	272	2,058	22	9	9	18	28	41	89	251	421	597	573
All other	445	24	2	6	10	25	32	51	93	102	76	24	406	17	3	5	6	8	22	32	66	100	77	70
Black	436	24	2	6	10	25	30	50	91	100	75	23	394	17	3	5	6	7	22	31	64	98	73	68
Shigellosis and amoebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	2	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	15	1	-	-	-	-	1	-	2	4	4	3	19	1	-	-	-	-	1	-	1	2	11	3
White	11	-	-	-	-	-	1	-	1	3	3	3	13	1	-	-	-	-	1	-	1	1	6	3
All other	4	1	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	-	-	-	1	5	-
Black	4	1	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	-	-	-	1	5	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	-	-	-	-	2	1	-	2	-	2	-	5	-	-	-	-	-	2	-	-	1	1	1
White	3	-	-	-	-	1	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	4	-	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-
Black	4	-	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	687	-	-	1	5	11	19	63	189	217	138	43	582	1	2	-	-	8	27	58	145	174	120	49
White	562	-	-	-	2	9	12	53	153	187	111	34	496	1	2	-	-	6	20	44	122	145	110	46
All other	125	-	-	1	3	2	7	10	36	30	27	9	86	-	-	-	-	2	7	12	23	29	10	3
Black	124	-	-	1	3	2	6	10	36	30	27	9	84	-	-	-	-	1	7	12	22	29	10	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	17	-	-	-	-	1	-	1	11	2	2	-	3	-	-	-	-	-	-	-	1	1	1	-
White	11	-	-	-	-	-	-	-	7	2	2	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	6	-	-	-	-	1	-	1	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	-	-	-	-	1	-	1	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	164	-	-	-	-	1	4	17	39	54	34	15	137	-	-	-	-	1	1	15	25	35	37	23
White	136	-	-	-	-	1	3	14	34	47	28	9	117	-	-	-	-	-	-	11	20	30	35	21
All other	28	-	-	-	-	-	1	3	5	7	6	6	20	-	-	-	-	1	1	4	5	5	2	2
Black	28	-	-	-	-	-	1	3	5	7	6	6	19	-	-	-	-	-	1	4	5	5	2	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	271	-	-	-	-	3	5	30	78	96	48	11	125	-	-	-	-	-	2	12	48	43	17	3
White	221	-	-	-	-	2	4	25	59	82	38	11	105	-	-	-	-	-	2	9	42	35	14	3
All other	50	-	-	-	-	1	1	5	19	14	10	-	20	-	-	-	-	-	-	3	6	8	3	-
Black	50	-	-	-	-	1	1	5	19	14	10	-	20	-	-	-	-	-	-	3	6	8	3	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	125	-	-	-	-	2	12	15	33	37	22	4
White	-	-	-	-	-	-	-	-	-	-	-	-	106	-	-	-	-	2	8	12	27	33	20	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	-	4	3	6	4	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	4	3	5	4	2	-
Malignant neoplasms of genital organs (179-187)	58	-	-	-	-	-	-	-	12	16	20	10	61	-	-	-	-	2	5	2	13	21	12	6
White	44	-	-	-	-	-	-	-	10	13	13	8	50	-	-	-	-	1	5	2	10	16	11	5
All other	14	-	-	-	-	-	-	-	2	3	7	2	11	-	-	-	-	1	-	-	3	5	1	1
Black	14	-	-	-	-	-	-	-	2	3	7	2	11	-	-	-	-	1	-	-	3	5	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	33	–	–	–	–	–	2	–	12	9	9	1	13	–	–	–	–	–	1	1	1	6	3	1
White	27	–	–	–	–	–	–	–	10	8	9	–	9	–	–	–	–	–	–	–	1	5	2	1
All other	6	–	–	–	–	–	2	–	2	1	–	1	4	–	–	–	–	–	1	1	–	1	1	–
Black	6	–	–	–	–	–	2	–	2	1	–	1	4	–	–	–	–	–	1	1	–	1	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	81	–	–	–	3	1	6	9	21	27	13	1	68	1	1	–	–	1	5	4	15	17	18	6
White	67	–	–	–	1	1	4	6	18	23	11	1	61	1	1	–	–	1	4	4	13	14	17	6
All other	14	–	–	–	2	–	2	1	3	4	2	–	7	–	–	–	–	–	1	–	2	3	1	–
Black	14	–	–	–	2	–	2	1	3	4	2	–	7	–	–	–	–	–	1	–	2	3	1	–
Leukemia (204-208)	27	–	–	1	1	2	–	1	6	5	6	5	23	–	1	–	–	1	–	6	1	7	4	3
White	23	–	–	–	1	2	–	1	5	4	4	5	21	–	1	–	–	1	–	5	1	6	4	3
All other	4	–	–	1	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	4	–	–	1	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	1	–	1	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	–	–	–	1	3	2	5	10	8	6	–	27	–	–	–	–	1	1	1	8	7	6	3
White	33	–	–	–	–	3	1	5	9	8	6	–	25	–	–	–	–	1	1	1	7	6	6	3
All other	3	–	–	–	1	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	–	–	–	–	1	1	–	1	4	2	2	7	–	–	–	–	–	–	–	1	1	5	–
White	10	–	–	–	–	1	1	–	–	4	2	2	6	–	–	–	–	–	–	–	1	–	5	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Diabetes mellitus (250)	52	–	–	–	–	–	2	3	9	18	17	3	79	–	–	–	–	–	1	1	10	17	28	21
White	42	–	–	–	–	–	1	1	7	13	17	3	58	–	–	–	–	–	1	–	9	10	23	16
All other	10	–	–	–	–	–	1	2	2	5	–	–	20	–	–	–	–	–	–	1	1	7	6	5
Black	10	–	–	–	–	–	1	2	2	5	–	–	18	–	–	–	–	–	–	1	1	5	6	5
Nutritional deficiencies (260-269)	2	–	–	–	–	–	–	–	–	–	2	–	6	–	–	–	–	–	–	–	–	1	4	1
White	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Anemias (280-285)	3	–	–	–	–	–	1	–	–	–	1	1	4	–	1	1	–	–	–	–	1	–	–	1
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–
Meningitis (320-322)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,178	1	–	–	2	9	34	84	217	347	299	185	1,222	4	1	3	4	5	10	38	100	226	381	450
White	1,004	–	–	–	2	6	23	60	173	297	271	172	1,032	3	1	2	2	5	4	27	70	177	338	403
All other	174	1	–	–	–	3	11	24	44	50	28	13	190	1	–	1	2	–	6	11	30	49	43	47
Black	169	1	–	–	–	3	11	23	43	48	28	12	182	1	–	1	2	–	6	10	29	49	39	45
Diseases of heart (390-398,402,404-429)	982	1	–	–	–	9	27	75	186	293	247	144	1,005	4	1	2	3	3	9	25	81	188	311	378
White	840	–	–	–	–	6	18	53	151	254	224	134	852	3	1	1	1	3	3	16	59	153	276	334
All other	142	1	–	–	–	3	9	22	35	39	23	10	153	1	–	1	2	–	6	7	22	35	35	44
Black	139	1	–	–	–	3	9	21	34	38	23	10	145	1	–	1	2	–	6	6	21	35	31	42
Rheumatic fever and rheumatic heart disease (390-398)	4	–	–	–	–	–	1	1	–	1	1	–	12	–	–	–	–	–	–	–	2	4	6	–
White	3	–	–	–	–	–	–	1	–	1	1	–	11	–	–	–	–	–	–	–	1	4	6	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart disease (402)	47	–	–	–	–	–	6	3	12	14	10	2	51	–	–	–	–	1	2	2	6	17	11	12
White	30	–	–	–	–	–	2	–	8	9	9	2	37	–	–	–	–	1	–	1	3	13	9	10
All other	17	–	–	–	–	–	4	3	4	5	1	–	14	–	–	–	–	–	2	1	3	4	2	2
Black	16	–	–	–	–	–	4	3	4	4	1	–	14	–	–	–	–	–	2	1	3	4	2	2
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	583	–	–	–	–	6	12	48	122	192	149	60	463	–	–	–	–	–	1	13	42	98	163	146
White	521	–	–	–	–	4	10	39	105	172	134	57	403	–	–	–	–	–	1	9	30	79	148	136
All other	62	–	–	–	–	2	2	9	17	20	9	3	60	–	–	–	–	–	–	4	12	19	15	10
Black	61	–	–	–	–	2	2	9	16	20	9	3	54	–	–	–	–	–	–	3	11	19	12	9
Acute myocardial infarction (410)	357	–	–	–	–	1	9	31	73	132	87	24	236	–	–	–	–	–	1	8	26	55	89	57
White	317	–	–	–	–	1	7	25	62	120	80	22	201	–	–	–	–	–	1	5	17	44	82	52
All other	40	–	–	–	–	–	2	6	11	12	7	2	35	–	–	–	–	–	–	3	9	11	7	5
Black	40	–	–	–	–	–	2	6	11	12	7	2	30	–	–	–	–	–	–	2	8	11	4	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	2	1	1	3	1	2	-	-	-	-	-	-	-	-	-	2	-
White	7	-	-	-	-	-	-	1	1	1	3	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	215	-	-	-	-	5	3	15	47	59	52	34	223	-	-	-	-	-	-	5	16	43	71	88
White	194	-	-	-	-	3	3	13	41	51	50	33	198	-	-	-	-	-	-	4	13	35	63	83
All other	21	-	-	-	-	2	-	2	6	8	2	1	25	-	-	-	-	-	-	1	3	8	8	5
Black	20	-	-	-	-	2	-	2	5	8	2	1	24	-	-	-	-	-	-	1	3	8	8	4
Other diseases of endocardium (424)	12	-	-	-	-	-	-	-	3	4	4	1	15	-	-	-	-	-	-	-	1	7	4	3
White	11	-	-	-	-	-	-	-	2	4	4	1	11	-	-	-	-	-	-	-	1	5	3	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other forms of heart disease (415-423,425-429)	335	1	-	-	-	3	8	23	49	82	88	81	463	4	1	2	3	2	6	10	30	62	127	216
White	274	-	-	-	-	2	6	13	36	68	75	74	389	3	1	1	1	2	2	8	24	52	110	185
All other	61	1	-	-	-	1	2	10	13	14	13	7	74	1	-	1	2	-	4	2	6	10	17	31
Black	60	1	-	-	-	1	2	9	13	14	13	7	72	1	-	1	2	-	4	2	6	10	16	30
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	2	1	1	2	-	10	-	-	-	-	-	-	1	1	2	4	2
White	5	-	-	-	-	-	-	1	1	1	2	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Cerebrovascular diseases (430-438)	129	-	-	-	2	-	5	5	25	34	31	27	149	-	-	-	1	2	1	12	15	25	46	47
White	103	-	-	-	2	-	4	4	16	27	26	24	121	-	-	-	1	2	1	9	7	16	40	45
All other	26	-	-	-	-	-	1	1	9	7	5	3	28	-	-	-	-	-	-	3	8	9	6	2
Black	25	-	-	-	-	-	1	1	9	7	5	2	28	-	-	-	-	-	-	3	8	9	6	2
Intracerebral and other intracranial hemorrhage (431-432)	23	-	-	-	1	-	1	3	8	4	3	3	30	-	-	-	-	2	1	7	3	5	7	5
White	17	-	-	-	1	-	1	2	4	4	3	2	22	-	-	-	-	2	1	4	-	3	7	5
All other	6	-	-	-	-	-	-	1	4	-	-	1	8	-	-	-	-	-	-	3	3	2	-	-
Black	6	-	-	-	-	-	-	1	4	-	-	1	8	-	-	-	-	-	-	3	3	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	1	3	5	6	4	23	-	-	-	1	-	-	-	2	4	7	9
White	15	-	-	-	-	-	-	1	2	3	5	4	22	-	-	-	1	-	-	-	2	3	7	9
All other	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	87	-	-	-	1	-	4	1	14	25	22	20	95	-	-	-	-	-	-	5	9	16	32	33
White	71	-	-	-	1	-	3	1	10	20	18	18	76	-	-	-	-	-	-	5	4	10	26	31
All other	16	-	-	-	-	-	1	-	4	5	4	2	19	-	-	-	-	-	-	-	5	6	6	2
Black	15	-	-	-	-	-	1	-	4	5	4	1	19	-	-	-	-	-	-	-	5	6	6	2
Atherosclerosis (440)	22	-	-	-	-	-	-	1	-	6	6	9	33	-	-	-	-	-	-	-	-	3	8	22
White	20	-	-	-	-	-	-	1	-	4	6	9	30	-	-	-	-	-	-	-	-	2	7	21
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	39	-	-	-	-	-	2	1	5	13	13	5	25	-	-	1	-	-	-	-	3	8	12	1
White	36	-	-	-	-	-	1	1	5	11	13	5	22	-	-	1	-	-	-	-	3	5	12	1
All other	3	-	-	-	-	-	1	-	-	2	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	53	1	-	-	-	2	-	-	2	16	17	15	44	1	-	-	-	-	-	2	4	4	17	16
White	46	-	-	-	-	1	-	-	1	15	14	15	40	1	-	-	-	-	-	1	3	4	17	14
All other	7	1	-	-	-	1	-	-	1	1	3	-	4	-	-	-	-	-	-	1	1	-	-	2
Black	7	1	-	-	-	1	-	-	1	1	3	-	4	-	-	-	-	-	-	1	1	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	53	1	-	-	-	2	-	-	2	16	17	15	44	1	-	-	-	-	-	2	4	4	17	16
White	46	-	-	-	-	1	-	-	1	15	14	15	40	1	-	-	-	-	-	1	3	4	17	14
All other	7	1	-	-	-	1	-	-	1	1	3	-	4	-	-	-	-	-	-	1	1	-	-	2
Black	7	1	-	-	-	1	-	-	1	1	3	-	4	-	-	-	-	-	-	1	1	-	-	2
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	87	-	-	-	-	-	-	1	10	35	31	10	65	-	-	-	-	-	-	1	14	23	18	9
White	80	-	-	-	-	-	-	1	9	31	29	10	59	-	-	-	-	-	-	1	10	22	17	9
All other	7	-	-	-	-	-	-	-	1	4	2	-	6	-	-	-	-	-	-	-	4	1	1	-
Black	7	-	-	-	-	-	-	-	1	4	2	-	6	-	-	-	-	-	-	-	4	1	1	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	18	-	-	-	-	-	-	-	4	11	2	1	20	-	-	-	-	-	-	-	7	8	3	2
White	16	-	-	-	-	-	-	-	4	10	1	1	18	-	-	-	-	-	-	-	5	8	3	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Asthma (493)	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	3	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	64	-	-	-	-	-	-	1	5	23	26	9	38	-	-	-	-	-	-	1	6	12	14	5
White	59	-	-	-	-	-	-	1	4	20	25	9	35	-	-	-	-	-	-	1	4	12	13	5
All other	5	-	-	-	-	-	-	-	1	3	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	5	-	-	-	-	-	-	-	1	3	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Ulcer of stomach and duodenum (531-533)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	1	2	2	1	12	-	-	-	-	-	-	1	2	2	3	4
White	5	-	-	-	-	-	-	-	1	2	2	-	11	-	-	-	-	-	-	1	2	2	2	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	58	-	-	-	-	-	9	11	17	17	3	1	26	-	-	1	-	-	5	6	7	5	2	-
White	50	-	-	-	-	-	7	7	16	16	3	1	19	-	-	1	-	-	2	3	6	5	2	-
All other	8	-	-	-	-	-	2	4	1	1	-	-	7	-	-	-	-	-	3	3	1	-	-	-
Black	8	-	-	-	-	-	2	4	1	1	-	-	7	-	-	-	-	-	3	3	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	-	1	1	1
White	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	1	-	-	-	-	-	-	5	8	9	6	49	-	-	-	-	-	-	-	5	9	21	14
White	22	1	-	-	-	-	-	-	4	4	7	6	35	-	-	-	-	-	-	-	2	5	16	12
All other	7	-	-	-	-	-	-	-	1	4	2	-	14	-	-	-	-	-	-	-	3	4	5	2
Black	6	-	-	-	-	-	-	-	-	4	2	-	14	-	-	-	-	-	-	-	3	4	5	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	–	–	–	–	–	–	–	3	3	–	2	–	–	–	–	–	–	–	–	–	1	1
White	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	1	–	–	–	–	–	–	4	5	6	6	47	–	–	–	–	–	–	–	5	9	20	13
White	17	1	–	–	–	–	–	–	3	2	5	6	33	–	–	–	–	–	–	–	2	5	15	11
All other	5	–	–	–	–	–	–	–	1	3	1	–	14	–	–	–	–	–	–	–	3	4	5	2
Black	4	–	–	–	–	–	–	–	–	3	1	–	14	–	–	–	–	–	–	–	3	4	5	2
Infections of kidney (590)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	***	***	***	***	***	***	***	***	***	***	***	***
White	1	–	–	–	–	–	–	–	–	–	–	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	29	20	2	1	2	2	–	–	–	1	1	–	13	7	1	–	–	1	1	–	–	2	–	1
White	22	16	1	1	2	–	–	–	–	1	1	–	10	4	1	–	–	1	1	–	–	2	–	1
All other	7	4	1	–	–	2	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	7	4	1	–	–	2	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	23	23	–	–	–	–	–	–	–	–	–	–	22	21	1	–	–	–	–	–	–	–	–	–
White	13	13	–	–	–	–	–	–	–	–	–	–	12	11	1	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
White	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	20	20	–	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	8	7	1	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	22	9	–	–	1	–	2	1	3	2	2	2	19	2	1	–	–	–	–	–	1	6	2	7
White	13	4	–	–	1	–	1	–	3	–	2	2	16	1	1	–	–	–	–	–	1	4	2	7
All other	9	5	–	–	–	–	1	1	–	2	–	–	3	1	–	–	–	–	–	–	–	2	–	–
Black	9	5	–	–	–	–	1	1	–	2	–	–	3	1	–	–	–	–	–	–	–	2	–	–
All other diseases (Residual)	139	3	2	–	4	4	3	17	21	29	40	16	172	1	3	2	3	4	5	10	15	34	43	52
White	117	2	1	–	4	4	2	11	18	26	33	16	149	–	2	2	3	3	4	7	14	31	40	43
All other	22	1	1	–	–	–	1	6	3	3	7	–	23	1	1	–	–	1	1	3	1	3	3	9
Black	21	1	1	–	–	–	1	6	3	3	6	–	23	1	1	–	–	1	1	3	1	3	3	9
Accidents and adverse effects (E800-E949)	148	1	2	10	32	34	20	12	9	13	11	4	74	–	2	5	13	10	9	2	3	6	13	11
White	113	1	2	6	27	23	15	10	7	12	7	3	56	–	1	2	10	7	6	2	3	3	12	10
All other	35	–	–	4	5	11	5	2	2	1	4	1	18	–	1	3	3	3	3	–	–	3	1	1
Black	34	–	–	4	5	11	4	2	2	1	4	1	18	–	1	3	3	3	3	–	–	3	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	89	–	2	5	26	23	12	6	5	5	3	2	43	–	1	3	11	9	6	–	3	4	4	–
White	69	–	2	5	21	16	8	5	4	5	2	1	33	–	1	2	8	7	5	–	3	3	4	–
All other	20	–	–	–	5	7	4	1	1	–	1	1	10	–	–	1	3	2	3	–	–	1	–	–
Black	19	–	–	–	5	7	3	1	1	–	1	1	10	–	–	1	3	2	3	–	–	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	59	1	–	5	6	11	8	6	4	8	8	2	31	–	1	2	2	1	1	2	–	2	9	11
White	44	1	–	1	6	7	7	5	3	7	5	2	29	–	–	–	2	–	1	2	–	–	8	10
All other	15	–	–	4	–	4	1	1	1	1	3	–	8	–	1	2	–	1	–	–	–	2	1	1
Black	15	–	–	4	–	4	1	1	1	1	3	–	9	–	1	2	–	1	–	–	–	2	1	1
Suicide (E950-E959)	53	...	...	–	10	14	7	6	8	3	5	–	18	...	...	–	1	3	1	2	6	4	1	–
White	49	...	...	–	10	11	6	6	8	3	5	–	17	...	...	–	1	2	1	2	6	4	1	–
All other	4	...	...	–	–	3	1	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Black	4	...	...	–	–	3	1	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	15	–	–	1	4	3	3	1	2	1	–	–	12	–	–	2	2	4	1	2	–	1	–	–
White	10	–	–	–	2	2	2	1	2	1	–	–	9	–	–	1	2	3	1	1	–	1	–	–
All other	5	–	–	1	2	1	1	–	–	–	–	–	3	–	–	1	–	1	–	1	–	–	–	–
Black	5	–	–	1	2	1	1	–	–	–	–	–	3	–	–	1	–	1	–	1	–	–	–	–
All other external causes (E980-E999)	3	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISTRICT OF COLUMBIA																								
All causes	3,584	127	11	13	93	211	258	381	704	799	678	317	3,178	76	9	16	31	65	134	200	423	683	803	717
White	834	8	1	4	7	28	38	50	96	195	251	150	1,018	5	1	–	3	13	16	20	66	172	325	397
All other	2,750	119	10	9	86	183	218	311	608	604	427	167	2,160	71	8	16	28	72	118	180	357	511	478	320
Black	2,726	117	10	8	86	183	218	309	607	601	418	161	2,147	71	7	16	27	72	118	178	358	508	475	318
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	15	–	–	–	1	1	–	4	3	3	3	–	8	–	–	–	–	1	1	1	2	–	2	1
White	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	13	–	–	–	1	1	–	4	2	3	2	–	7	–	–	–	–	1	1	1	2	–	2	–
Black	13	–	–	–	1	1	–	4	2	3	2	–	7	–	–	–	–	1	1	1	2	–	2	–
Tuberculosis of respiratory system (010-012)	13	–	–	–	1	1	–	2	3	3	3	–	4	–	–	–	–	1	–	1	1	–	–	1
White	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	11	–	–	–	1	1	–	2	2	3	2	–	3	–	–	–	–	1	–	1	1	–	–	–
Black	11	–	–	–	1	1	–	2	2	3	2	–	3	–	–	–	–	1	–	1	1	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	1	–	1	–	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	1	–	1	–	2	–
Black	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	1	–	1	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	53	1	–	–	–	1	1	2	11	15	19	3	57	–	–	–	–	1	1	4	7	9	18	17
White	12	–	–	–	–	–	–	1	1	4	5	1	15	–	–	–	–	–	–	–	–	–	8	7
All other	41	1	–	–	–	1	1	1	10	11	14	2	42	–	–	–	–	1	1	4	7	9	10	10
Black	41	1	–	–	–	1	1	1	10	11	14	2	42	–	–	–	–	1	1	4	7	9	10	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	31	-	-	-	1	14	5	2	4	2	2	1	10	-	-	1	-	1	1	2	1	3	1	-
White	11	-	-	-	-	9	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	20	-	-	-	1	5	3	2	4	2	2	1	8	-	-	1	-	1	1	2	1	2	-	-
Black	19	-	-	-	1	5	3	2	4	2	2	-	8	-	-	1	-	1	1	2	1	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	851	-	2	2	4	14	36	80	236	250	176	49	699	-	1	2	-	11	41	60	141	209	158	82
White	183	-	-	-	1	3	6	13	24	54	64	17	211	-	-	-	-	5	6	8	25	59	65	43
All other	668	-	2	2	3	11	30	67	212	196	112	32	488	-	1	2	-	6	35	52	116	144	93	39
Black	665	-	2	2	3	11	30	67	212	195	110	32	484	-	-	2	-	6	35	52	116	143	92	38
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	41	-	-	-	1	1	4	5	12	10	6	1	14	-	-	-	-	-	1	3	4	3	3	-
White	9	-	-	-	-	-	1	1	1	1	4	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	32	-	-	-	1	1	3	4	11	9	2	-	11	-	-	-	-	-	1	3	3	2	2	-
Black	32	-	-	-	1	1	3	4	11	9	2	-	11	-	-	-	-	-	1	3	3	2	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	256	-	1	1	-	4	10	30	64	84	51	11	201	-	-	-	-	3	5	11	40	62	57	23
White	55	-	-	-	-	1	1	4	8	20	17	4	52	-	-	-	-	1	-	1	3	14	22	11
All other	201	-	1	1	-	3	9	26	56	64	34	7	149	-	-	-	-	2	5	10	37	48	35	12
Black	199	-	1	1	-	3	9	26	56	63	33	7	148	-	-	-	-	2	5	10	37	47	35	12
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	249	-	-	-	-	1	10	26	86	72	46	8	112	-	-	-	-	-	5	10	32	34	18	13
White	50	-	-	-	-	-	1	5	6	14	20	4	37	-	-	-	-	-	-	-	7	12	9	9
All other	199	-	-	-	-	1	9	21	80	58	26	4	75	-	-	-	-	-	5	10	25	22	9	4
Black	198	-	-	-	-	1	9	21	80	58	25	4	75	-	-	-	-	-	5	10	25	22	9	4
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	129	-	-	-	-	3	16	16	30	33	18	13
White	-	-	-	-	-	-	-	-	-	-	-	-	39	-	-	-	-	2	3	2	8	12	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	90	-	-	-	-	1	13	14	22	21	10	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	90	-	-	-	-	1	13	14	22	21	10	9
Malignant neoplasms of genital organs (179-187)	116	-	-	-	-	-	2	1	13	43	41	17	62	-	-	-	-	2	6	4	9	17	21	3
White	20	-	-	-	-	-	-	-	1	7	9	2	21	-	-	-	-	1	1	1	3	6	6	3
All other	96	-	-	-	-	-	2	1	12	36	32	15	41	-	-	-	-	1	5	3	6	11	15	-
Black	96	-	-	-	-	-	2	1	12	36	32	15	41	-	-	-	-	1	5	3	6	11	15	-
Malignant neoplasms of urinary organs (188-189)	27	-	-	-	-	-	-	1	3	8	8	1	26	-	-	1	-	-	2	-	5	7	5	6
White	12	-	-	-	-	-	-	1	-	4	6	1	8	-	-	-	-	-	-	-	1	2	2	3
All other	15	-	-	-	-	-	-	-	3	4	2	-	18	-	-	1	-	-	2	-	4	5	3	3
Black	15	-	-	-	-	-	-	-	3	4	2	-	18	-	-	1	-	-	2	-	4	5	3	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	104	-	1	1	3	4	7	11	39	17	15	6	85	-	-	-	-	3	3	9	17	26	17	10
White	21	-	-	-	1	1	2	-	5	5	4	3	31	-	-	-	-	1	1	3	1	8	10	7
All other	83	-	1	1	2	3	5	11	34	12	11	3	54	-	-	-	-	2	2	6	16	18	7	3
Black	83	-	1	1	2	3	5	11	34	12	11	3	54	-	-	-	-	2	2	6	16	18	7	3
Leukemia (204-208)	28	-	-	-	-	2	2	1	7	6	6	4	29	-	1	1	-	-	2	3	1	9	4	8
White	11	-	-	-	-	1	1	-	3	2	3	1	9	-	-	-	-	-	1	1	2	2	2	4
All other	17	-	-	-	-	1	1	1	4	4	3	3	20	-	1	1	-	-	2	3	-	7	2	4
Black	17	-	-	-	-	1	1	1	4	4	3	3	19	-	-	1	-	-	2	3	-	7	2	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	-	-	-	-	2	1	5	6	10	3	1	41	-	-	-	-	-	1	4	3	12	15	6
White	5	-	-	-	-	-	-	2	-	1	1	1	11	-	-	-	-	-	1	1	-	2	5	2
All other	23	-	-	-	-	2	1	3	6	9	2	-	30	-	-	-	-	-	-	3	3	10	10	4
Black	23	-	-	-	-	2	1	3	6	9	2	-	28	-	-	-	-	-	-	3	3	10	9	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	-	-	-	5	3	3	1	1	3	16	-	-	1	-	-	-	1	3	6	4	1
White	6	-	-	-	-	-	3	-	-	-	1	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	10	-	-	-	-	-	2	3	3	1	-	1	14	-	-	1	-	-	-	1	3	5	3	1
Black	10	-	-	-	-	-	2	3	3	1	-	1	14	-	-	1	-	-	-	1	3	5	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	31	-	-	-	-	-	2	3	4	11	10	1	73	-	-	-	-	-	1	2	12	23	26	9
White	2	-	-	-	-	-	-	-	1	1	-	-	16	-	-	-	-	-	1	-	1	4	6	4
All other	29	-	-	-	-	-	2	3	4	10	9	1	58	-	-	-	-	-	1	2	11	19	20	5
Black	28	-	-	-	-	-	2	3	4	10	9	-	58	-	-	-	-	-	1	2	11	19	20	5
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	-	-	-	4	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	-	-	2	1
Anemias (280-285)	4	-	-	-	-	-	-	-	-	1	1	2	12	-	-	-	1	1	-	1	1	1	3	4
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	2	3
All other	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	1	1	-	1	1	1	1	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	1	1	-	1	1	1	1	1
Meningitis (320-322)	2	-	1	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	1	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
Black	2	-	1	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
Major cardiovascular diseases (390-448)	1,329	2	-	-	-	20	48	127	276	353	319	180	1,420	-	-	3	3	7	26	58	164	304	414	441
White	360	-	-	-	-	2	5	12	47	83	128	91	534	-	-	-	-	2	2	2	20	75	172	261
All other	949	2	-	-	-	18	43	115	229	260	181	89	886	-	-	3	3	5	24	56	144	229	242	180
Black	939	2	-	-	-	18	43	113	228	260	187	88	879	-	-	3	3	5	24	54	143	228	240	179
Diseases of heart (390-398,402,404-429)	1,085	2	-	-	-	17	39	102	229	306	251	139	1,094	-	-	3	3	5	21	47	141	251	310	313
White	306	-	-	-	-	2	4	11	37	81	104	66	388	-	-	-	-	1	2	2	16	61	127	177
All other	779	2	-	-	-	15	35	91	192	225	147	70	708	-	-	3	3	4	19	45	125	190	183	136
Black	771	2	-	-	-	15	35	90	191	225	143	68	702	-	-	3	3	4	19	43	124	190	181	135
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	-	-	-	1	-	-	-	-	-	10	-	-	1	1	-	2	-	-	3	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	1	1	-	2	-	-	2	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	1	1	-	2	-	-	2	-	-
Hypertensive heart disease (402)	97	-	-	-	-	-	4	18	29	27	16	3	114	-	-	-	-	-	4	17	24	32	22	15
White	16	-	-	-	-	-	-	1	2	7	5	1	20	-	-	-	-	-	1	-	4	1	7	7
All other	81	-	-	-	-	-	4	17	27	20	11	2	94	-	-	-	-	-	3	17	20	31	15	8
Black	81	-	-	-	-	-	4	17	27	20	11	2	94	-	-	-	-	-	3	17	20	31	15	8
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	1	1	3	3	12	-	-	-	-	-	-	-	2	1	3	6
White	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	6	-	-	-	-	-	-	-	-	1	3	2	8	-	-	-	-	-	-	-	2	1	2	3
Black	5	-	-	-	-	-	-	-	-	1	3	1	8	-	-	-	-	-	-	-	2	1	2	3
Ischemic heart disease (410-414)	369	-	-	-	-	3	11	36	74	113	97	55	430	-	-	-	-	1	4	15	41	76	136	157
White	156	-	-	-	-	1	2	6	23	40	50	34	192	-	-	-	-	1	1	1	6	15	68	100
All other	233	-	-	-	-	2	9	30	51	73	47	21	238	-	-	-	-	-	3	14	35	61	68	57
Black	230	-	-	-	-	2	9	30	51	73	44	21	234	-	-	-	-	-	3	13	34	61	67	56
Acute myocardial infarction (410)	214	-	-	-	-	1	7	18	48	66	53	21	219	-	-	-	-	1	3	7	23	45	77	63
White	79	-	-	-	-	-	2	3	10	25	26	13	84	-	-	-	-	1	1	1	1	7	33	40
All other	135	-	-	-	-	1	5	15	38	41	27	8	135	-	-	-	-	-	2	6	22	38	44	23
Black	132	-	-	-	-	1	5	15	38	41	24	8	133	-	-	-	-	-	2	5	22	38	44	22
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	175	-	-	-	-	2	4	18	26	47	44	34	209	-	-	-	-	-	1	8	18	29	59	94
White	77	-	-	-	-	1	-	3	13	15	24	21	106	-	-	-	-	-	-	-	5	6	35	60
All other	98	-	-	-	-	1	4	15	13	32	20	13	103	-	-	-	-	-	1	8	13	23	24	34
Black	98	-	-	-	-	1	4	15	13	32	20	13	101	-	-	-	-	-	1	8	12	23	23	34
Other diseases of endocardium (424)	10	-	-	-	-	1	1	1	2	3	1	1	8	-	-	-	-	-	-	-	1	2	2	3
White	3	-	-	-	-	-	-	1	1	1	-	-	6	-	-	-	-	-	-	-	1	-	2	3
All other	7	-	-	-	-	1	1	-	1	2	1	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	7	-	-	-	-	1	1	-	1	2	1	1	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	580	2	–	–	–	13	22	47	123	162	134	74	520	–	–	2	2	4	11	15	73	137	145	131
White	129	–	–	–	–	1	2	3	10	33	49	30	160	–	–	–	–	–	–	1	5	44	47	63
All other	451	2	–	–	–	12	20	44	113	129	85	44	360	–	–	2	2	4	11	14	68	93	98	68
Black	447	2	–	–	–	12	20	43	112	129	84	43	358	–	–	2	2	4	11	13	68	93	97	68
Hypertension with or without renal disease (401,403)	12	–	–	–	–	–	1	2	5	3	–	1	15	–	–	–	–	–	–	2	2	3	4	4
White	4	–	–	–	–	–	–	–	2	2	–	–	3	–	–	–	–	–	–	–	–	–	–	3
All other	8	–	–	–	–	–	1	2	3	1	–	1	12	–	–	–	–	–	–	2	2	3	4	1
Black	8	–	–	–	–	–	1	2	3	1	–	1	12	–	–	–	–	–	–	2	2	3	4	1
Cerebrovascular diseases (430-438)	176	–	–	–	–	3	7	21	32	31	48	34	242	–	–	–	–	1	5	8	17	43	84	84
White	45	–	–	–	–	–	1	1	4	6	14	19	108	–	–	–	–	–	–	–	4	11	38	55
All other	131	–	–	–	–	3	6	20	28	25	34	15	134	–	–	–	–	1	5	8	13	32	46	29
Black	129	–	–	–	–	3	6	19	28	25	34	14	133	–	–	–	–	1	5	8	13	31	46	29
Intracerebral and other intracranial hemorrhage (431-432)	45	–	–	–	–	2	5	10	12	6	5	5	33	–	–	–	–	1	1	3	6	7	10	5
White	5	–	–	–	–	–	1	1	–	1	1	1	12	–	–	–	–	–	–	–	2	3	4	3
All other	40	–	–	–	–	2	4	9	12	5	4	4	21	–	–	–	–	1	1	3	4	4	6	2
Black	38	–	–	–	–	2	4	8	12	5	4	3	21	–	–	–	–	1	1	3	4	4	6	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	–	–	–	–	–	–	2	7	3	10	6	42	–	–	–	–	–	1	–	2	6	14	19
White	11	–	–	–	–	–	–	–	3	1	4	3	20	–	–	–	–	–	–	–	1	1	5	13
All other	17	–	–	–	–	–	–	2	4	2	6	3	22	–	–	–	–	–	1	–	1	5	9	6
Black	17	–	–	–	–	–	–	2	4	2	6	3	22	–	–	–	–	–	1	–	1	5	9	6
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	102	–	–	–	–	1	2	9	13	22	32	23	167	–	–	–	–	–	3	5	9	30	60	60
White	29	–	–	–	–	–	–	1	4	9	15	78	–	–	–	–	–	–	–	1	7	29	39	
All other	73	–	–	–	–	1	2	9	12	18	23	8	91	–	–	–	–	–	3	5	8	23	31	21
Black	73	–	–	–	–	1	2	9	12	18	23	8	90	–	–	–	–	–	3	5	8	22	31	21
Atherosclerosis (440)	27	–	–	–	–	–	–	–	4	6	11	6	43	–	–	–	–	–	–	–	1	1	8	33
White	13	–	–	–	–	–	–	–	2	2	5	4	27	–	–	–	–	–	–	–	–	–	4	23
All other	14	–	–	–	–	–	–	–	2	4	6	2	16	–	–	–	–	–	–	–	1	1	4	10
Black	14	–	–	–	–	–	–	–	2	4	6	2	16	–	–	–	–	–	–	–	1	1	4	10
Other diseases of arteries, arterioles, and capillaries (441-448)	29	–	–	–	–	–	1	2	6	7	9	3	26	–	–	–	–	1	–	1	3	6	8	7
White	12	–	–	–	–	–	–	–	2	2	5	2	10	–	–	–	–	1	–	–	–	3	3	3
All other	17	–	–	–	–	–	1	2	4	5	4	1	16	–	–	–	–	–	–	1	3	3	5	4
Black	17	–	–	–	–	–	1	2	4	5	4	1	16	–	–	–	–	–	–	1	3	3	5	4
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	100	3	–	–	–	3	8	9	16	22	19	18	92	1	–	2	1	3	8	3	9	12	22	31
White	25	1	–	–	–	2	1	2	1	3	7	6	24	–	–	–	–	–	–	–	1	1	6	16
All other	75	2	–	–	–	1	7	7	15	19	12	12	68	1	–	2	1	3	8	3	8	11	16	15
Black	75	2	–	–	–	1	7	7	15	19	12	12	68	1	–	2	1	3	8	3	8	11	16	15
Pneumonia (480-486)	99	3	–	–	–	3	8	9	16	22	18	18	90	1	–	2	1	3	8	3	8	12	22	30
White	24	1	–	–	–	2	1	2	1	3	6	6	23	–	–	–	–	–	–	–	1	1	6	15
All other	75	2	–	–	–	1	7	7	15	19	12	12	67	1	–	2	1	3	8	3	7	11	16	15
Black	75	2	–	–	–	1	7	7	15	19	12	12	67	1	–	2	1	3	8	3	7	11	16	15
Influenza (487)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	1	–	–	–	1	–	2	13	28	35	8	62	–	–	1	–	1	4	2	5	14	22	13
White	32	–	–	–	–	–	–	–	5	11	14	2	35	–	–	–	–	–	1	1	3	8	14	8
All other	56	1	–	–	–	1	–	2	8	17	21	6	27	–	–	1	–	1	3	1	2	6	8	5
Black	54	1	–	–	–	1	–	2	8	16	20	6	27	–	–	1	–	1	3	1	2	6	8	5
Bronchitis, chronic and unspecified (490-491)	3	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
All other	3	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	18	–	–	–	–	–	–	1	2	6	6	3	13	–	–	–	–	–	–	1	1	3	5	3
White	5	–	–	–	–	–	–	–	–	2	3	–	10	–	–	–	–	–	–	1	1	1	5	2
All other	13	–	–	–	–	–	–	1	2	4	3	3	3	–	–	–	–	–	–	–	–	2	–	1
Black	13	–	–	–	–	–	–	1	2	4	3	3	3	–	–	–	–	–	–	–	–	2	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	2	-	-	-	-	1	-	-	-	-	1	-	11	-	-	1	-	1	3	-	2	2	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	2	-	-	-	-	1	-	-	-	-	1	-	9	-	-	1	-	1	2	-	1	2	2	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	9	-	-	1	-	1	2	-	1	2	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65	-	-	-	-	-	-	1	11	22	26	5	36	-	-	-	-	-	1	1	1	9	15	9
White	27	-	-	-	-	-	-	-	5	9	11	2	21	-	-	-	-	-	-	-	-	7	9	5
All other	38	-	-	-	-	-	-	1	6	13	15	3	15	-	-	-	-	-	1	1	1	2	6	4
Black	36	-	-	-	-	-	-	1	6	12	14	3	15	-	-	-	-	-	1	1	1	2	6	4
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	1	1	2	1	-	1	1	5	-	-	-	-	-	-	-	-	-	2	3
White	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	2	3
All other	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	-	1	1	1	5	2	11	-	-	-	-	1	-	-	-	3	4	3
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	9	-	-	-	-	-	-	1	1	1	4	2	6	-	-	-	-	1	-	-	-	2	2	1
Black	9	-	-	-	-	-	-	1	1	1	4	2	6	-	-	-	-	1	-	-	-	2	2	1
Chronic liver disease and cirrhosis (571)	104	-	-	-	1	3	23	34	23	17	3	-	61	-	-	-	-	1	11	14	14	10	11	-
White	21	-	-	-	-	-	4	7	4	4	2	-	12	-	-	-	-	-	1	3	2	3	3	-
All other	83	-	-	-	1	3	19	27	19	13	1	-	49	-	-	-	-	1	10	11	12	7	8	-
Black	83	-	-	-	1	3	19	27	19	13	1	-	49	-	-	-	-	1	10	11	12	7	8	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	1	-	3	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	2	-	2
All other	3	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	49	1	-	1	-	1	2	6	13	13	8	4	62	1	1	-	-	1	2	3	9	17	15	13
White	5	-	-	-	-	-	-	1	2	1	1	-	9	-	-	-	-	-	1	-	-	-	3	5
All other	44	1	-	1	-	1	2	6	12	11	7	3	53	1	1	-	-	1	1	3	9	17	12	8
Black	43	1	-	1	-	1	2	6	12	11	7	2	53	1	1	-	-	1	1	3	9	17	12	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	1	-	1	2	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	-	-	2	-	1	5	-	-	-	-	-	1	-	1	2	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	1	-	1	2	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	45	1	-	1	-	1	2	6	13	11	7	3	55	1	1	-	-	1	1	3	8	15	14	11
White	5	-	-	-	-	-	-	-	1	2	1	1	8	-	-	-	-	-	1	-	-	-	3	4
All other	40	1	-	1	-	1	2	6	12	9	6	2	47	1	1	-	-	1	-	3	8	15	11	7
Black	40	1	-	1	-	1	2	6	12	9	6	2	47	1	1	-	-	1	-	3	8	15	11	7
Infections of kidney (590)	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	24	17	-	1	-	2	1	-	1	2	-	-	19	12	1	-	-	2	-	-	2	1	-	1
White	2	1	-	1	-	-	-	-	-	-	-	-	5	1	-	-	-	1	-	-	1	1	-	1
All other	22	16	-	-	-	2	1	-	1	2	-	-	14	11	1	-	-	1	-	-	1	-	-	-
Black	22	16	-	-	-	2	1	-	1	2	-	-	14	11	1	-	-	1	-	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	87	68	1	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	82	81	1	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Black	81	80	1	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	31	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	56	55	1	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	55	54	1	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Black	54	53	1	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	65	11	-	-	4	23	10	6	7	1	-	1	48	8	1	-	-	8	5	6	5	6	7	2
White	6	1	-	-	-	1	2	1	1	-	-	-	12	-	-	-	-	-	-	2	2	3	4	1
All other	59	10	-	-	4	22	8	5	6	1	-	1	36	8	1	-	-	8	5	4	3	3	3	1
Black	59	10	-	-	4	22	8	5	6	1	-	1	36	8	1	-	-	8	5	4	3	3	3	1
All other diseases (Residual)	334	1	-	-	4	28	49	45	52	56	61	36	304	2	-	1	2	15	16	28	38	56	70	78
White	75	-	-	-	-	1	8	5	7	14	19	21	82	-	-	-	1	2	3	1	8	9	25	39
All other	259	1	-	-	4	27	41	40	45	42	42	15	222	2	-	1	1	13	13	25	30	47	45	45
Black	256	-	-	-	4	27	41	40	45	42	40	15	221	2	-	1	1	13	13	25	30	46	45	45
Accidents and adverse effects (E800-E949)	150	3	5	8	18	28	24	13	18	17	9	7	65	2	3	2	7	4	5	5	4	4	18	11
White	27	-	1	3	-	4	1	2	2	5	3	6	19	-	1	-	1	-	1	1	1	1	9	4
All other	123	3	4	5	18	24	23	11	16	12	6	1	46	2	2	2	6	4	4	4	3	3	9	7
Black	121	3	4	4	18	24	23	11	16	11	6	1	46	2	2	2	6	4	4	4	3	3	9	7
Motor vehicle accidents (E810-E825)	55	1	-	2	13	13	7	3	3	8	3	2	29	2	2	2	7	2	2	4	2	-	5	1
White	6	-	-	-	-	-	1	-	-	2	1	2	6	-	-	-	1	-	1	1	1	-	2	-
All other	49	1	-	2	13	13	6	3	3	6	2	-	23	2	2	2	6	2	1	3	1	-	3	1
Black	49	1	-	2	13	13	6	3	3	6	2	-	23	2	2	2	6	2	1	3	1	-	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	95	2	5	6	5	15	17	10	15	9	6	5	36	-	1	-	-	2	3	1	2	4	13	10
White	21	-	1	3	-	4	-	2	2	3	2	4	13	-	1	-	-	-	-	-	-	1	7	4
All other	74	2	4	3	5	11	17	8	13	6	4	1	23	-	-	-	-	2	3	1	2	3	6	6
Black	72	2	4	2	5	11	17	8	13	5	4	1	23	-	-	-	-	2	3	1	2	3	6	6
Suicide (E950-E959)	37	---	---	-	9	5	8	4	4	4	2	-	17	---	---	-	3	4	1	2	4	2	-	1
White	14	---	---	-	2	1	3	3	1	2	1	-	8	---	---	-	1	2	-	1	1	2	-	1
All other	23	---	---	-	7	4	5	1	3	2	1	-	9	---	---	-	2	2	1	1	3	-	-	-
Black	23	---	---	-	7	4	5	1	3	2	1	-	8	---	---	-	1	2	1	1	3	-	-	-
Homicide and legal intervention (E960-E978)	131	-	1	-	44	44	17	12	11	2	-	-	36	-	1	1	9	10	7	6	-	1	-	-
White	14	-	-	-	4	4	-	3	1	2	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	117	-	1	-	40	40	17	9	10	-	-	-	34	-	1	1	9	9	6	6	-	1	-	-
Black	117	-	1	-	40	40	17	9	10	-	-	-	34	-	1	1	9	9	6	6	-	1	-	-
All other external causes (E980-E989)	57	-	1	1	6	22	15	6	5	-	1	-	26	-	-	2	5	12	3	2	1	1	-	-
White	6	-	-	-	-	1	3	1	-	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
All other	51	-	1	1	6	21	12	5	5	-	-	-	23	-	-	2	5	12	3	1	-	-	-	-
Black	51	-	1	1	6	21	12	5	5	-	-	-	23	-	-	2	5	12	3	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	63,672	968	224	231	1,340	1,634	2,010	3,671	9,557	17,304	18,317	8,389	51,355	716	150	146	528	728	1,021	2,064	5,716	11,415	16,235	12,626
White	58,680	574	157	153	1,072	1,389	1,508	2,895	8,273	15,631	17,167	8,037	45,903	413	101	107	414	499	720	1,595	4,819	10,199	14,961	12,067
All other	6,992	394	67	78	268	445	502	776	1,284	1,673	1,150	352	5,452	303	49	39	114	229	301	469	897	1,216	1,274	559
Black	6,896	389	66	76	262	440	493	767	1,271	1,659	1,126	344	5,380	301	49	38	109	224	291	457	889	1,202	1,266	553
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	14	9	-	-	-	1	-	1	-	-	1	2	6	1	1	-	-	-	-	-	1	1	2	-
White	4	-	-	-	-	-	-	1	-	-	1	2	6	1	1	-	-	-	-	-	1	1	2	-
All other	10	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	10	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	93	-	-	-	2	7	8	19	20	16	16	5	33	-	1	-	2	2	3	2	11	5	7	-
White	43	-	-	-	-	1	2	9	7	9	10	5	19	-	1	-	-	1	1	1	6	3	7	-
All other	50	-	-	-	2	6	6	10	13	7	6	-	14	-	1	-	2	1	2	1	5	2	-	-
Black	49	-	-	-	2	6	6	9	13	7	6	-	14	-	1	-	2	1	2	1	5	2	-	-
Tuberculosis of respiratory system (010-012)	80	-	-	-	-	4	8	17	18	14	15	4	27	-	-	-	1	1	3	2	9	4	7	-
White	38	-	-	-	-	1	2	8	7	7	9	4	17	-	-	-	-	1	1	1	5	2	7	-
All other	42	-	-	-	-	3	6	9	11	7	6	-	10	-	-	-	1	-	2	1	4	2	-	-
Black	41	-	-	-	-	3	6	8	11	7	6	-	10	-	-	-	1	-	2	1	4	2	-	-
Other tuberculosis (013-018)	13	-	-	-	2	3	-	2	2	2	1	1	6	-	1	-	1	1	-	-	2	1	-	-
White	5	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	1	1	-	-
All other	8	-	-	-	2	3	-	1	2	-	-	-	4	-	1	-	1	1	-	-	1	-	-	-
Black	8	-	-	-	2	3	-	1	2	-	-	-	4	-	1	-	1	1	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	11	1	7	-	-	-	1	-	1	1	-	-	8	1	1	-	1	1	-	1	-	2	1	-
White	9	1	6	-	-	-	-	-	1	1	-	-	7	1	1	-	1	1	-	1	-	2	1	-
All other	2	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	317	17	3	1	-	5	3	13	39	67	105	64	285	6	2	-	4	3	4	10	23	46	83	104
White	266	9	1	-	-	3	2	10	32	58	88	63	229	2	1	-	3	1	2	4	14	33	73	96
All other	51	8	2	1	-	2	1	3	7	9	17	1	56	4	1	-	1	2	2	6	9	13	10	8
Black	51	8	2	1	-	2	1	3	7	9	17	1	54	4	1	-	1	2	1	5	9	13	10	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	30	1	1	-	-	3	2	6	4	6	4	3	34	-	-	1	5	3	2	4	7	5	4	3
White	26	-	1	-	-	1	2	6	3	6	4	3	28	-	-	1	2	2	2	4	7	3	4	3
All other	4	1	-	-	-	2	-	-	1	-	-	-	6	-	-	-	3	1	-	-	-	2	-	-
Black	4	1	-	-	-	2	-	-	1	-	-	-	6	-	-	-	3	1	-	-	-	2	-	-
Syphilis (090-097)	4	-	-	-	-	-	1	-	-	-	2	1	4	-	-	-	-	-	-	-	-	2	1	1
White	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	197	7	2	2	5	34	34	15	22	41	28	7	112	2	3	2	3	13	8	8	15	23	22	13
White	155	4	2	2	5	21	23	9	21	37	25	6	84	-	2	2	1	6	4	4	11	21	20	13
All other	42	3	-	-	-	13	11	6	1	4	3	1	28	2	1	-	2	7	4	4	4	2	2	-
Black	42	3	-	-	-	13	11	6	1	4	3	1	28	2	1	-	2	7	4	4	4	2	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	15,327	2	10	26	62	106	312	986	3,096	5,099	4,399	1,225	12,141	1	11	20	32	118	328	902	2,477	3,851	3,207	1,194
White	13,792	1	8	23	54	91	237	792	2,696	4,614	4,116	1,158	11,148	1	9	15	25	87	255	749	2,224	3,605	3,037	1,139
All other	1,535	1	2	3	8	15	75	196	400	485	283	66	995	-	2	5	7	31	73	153	253	246	170	55
Black	1,516	1	2	3	7	15	74	194	398	480	279	64	976	-	2	5	7	30	71	147	251	242	168	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	387	–	–	–	–	1	10	46	128	127	67	8	197	–	–	–	1	2	3	22	58	52	43	18
White	328	–	–	–	–	1	2	34	104	115	64	8	180	–	–	–	1	–	1	16	51	52	42	17
All other	59	–	–	–	–	–	8	12	24	12	3	–	17	–	–	–	–	2	2	6	5	–	1	1
Black	59	–	–	–	–	–	8	12	24	12	3	–	14	–	–	–	–	1	2	5	5	–	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,813	–	1	–	4	17	66	222	722	1,264	1,161	356	3,247	–	–	–	1	8	44	152	490	1,007	1,070	475
White	3,437	–	1	–	3	10	49	167	624	1,149	1,092	342	2,959	–	–	–	–	4	32	116	425	932	1,001	449
All other	376	–	–	–	1	7	17	55	98	115	69	14	288	–	–	–	1	4	12	36	65	75	69	26
Black	371	–	–	–	1	7	17	54	97	114	68	13	283	–	–	–	1	4	12	34	65	74	68	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,640	–	–	–	1	9	101	428	1,430	2,006	1,394	270	2,524	–	1	–	1	9	36	206	642	975	545	109
White	5,054	–	–	–	1	9	74	339	1,244	1,820	1,311	255	2,403	–	1	–	1	7	33	185	597	942	531	106
All other	586	–	–	–	–	–	27	89	186	186	83	15	121	–	–	–	–	2	3	21	45	33	14	3
Black	578	–	–	–	–	–	27	89	184	183	81	14	120	–	–	–	–	2	3	21	44	33	14	3
Malignant neoplasm of breast (174-175)	21	–	–	–	–	–	1	2	5	6	4	3	2,210	–	–	–	–	29	113	249	545	648	454	172
White	18	–	–	–	–	–	1	2	3	5	4	3	2,029	–	–	–	–	21	89	215	494	612	434	164
All other	3	–	–	–	–	–	–	–	2	1	–	–	181	–	–	–	–	8	24	34	51	36	20	8
Black	3	–	–	–	–	–	–	–	2	1	–	–	179	–	–	–	–	8	23	33	51	36	20	8
Malignant neoplasms of genital organs (179-187)	1,773	–	–	–	3	5	2	18	168	528	758	292	1,262	–	–	–	2	31	53	116	293	377	296	94
White	1,531	–	–	–	3	5	1	14	130	437	674	267	1,087	–	–	–	1	21	37	89	250	333	266	90
All other	242	–	–	–	–	–	1	4	38	91	84	25	175	–	–	–	1	10	16	27	43	44	30	4
Black	242	–	–	–	–	–	1	4	38	91	84	25	174	–	–	–	1	10	16	27	43	43	30	4
Malignant neoplasms of urinary organs (188-189)	819	–	1	–	–	1	8	31	139	261	282	96	380	–	–	1	1	1	5	15	57	104	121	75
White	772	–	1	–	–	1	7	28	127	247	271	90	343	–	–	1	1	1	4	11	49	93	116	67
All other	47	–	–	–	–	–	1	3	12	14	11	6	37	–	–	–	–	–	1	4	8	11	5	8
Black	48	–	–	–	–	–	–	3	12	14	11	6	37	–	–	–	–	–	1	4	8	11	5	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,592	1	4	14	25	38	77	145	320	491	377	100	1,258	–	7	14	10	23	43	84	223	358	351	145
White	1,469	1	2	13	21	35	69	127	294	453	357	97	1,158	–	5	11	9	20	33	69	207	327	336	141
All other	123	–	2	1	4	3	8	18	26	38	20	3	100	–	2	3	1	3	10	15	16	31	15	4
Black	121	–	2	1	4	3	8	18	25	38	19	3	96	–	2	3	1	3	9	14	16	29	15	4
Leukemia (204-208)	534	1	4	9	16	21	27	39	63	153	152	49	398	1	2	4	11	6	11	17	58	109	128	51
White	496	–	4	8	13	18	21	34	61	143	146	48	370	1	2	2	8	6	8	16	50	103	124	50
All other	38	1	–	1	3	3	6	5	2	10	6	1	28	–	–	2	3	–	3	1	8	6	4	1
Black	36	1	–	1	2	3	6	5	2	9	6	1	27	–	–	2	3	–	3	1	7	6	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	748	–	–	3	13	14	20	57	123	263	204	51	665	–	1	1	5	9	20	41	113	221	199	55
White	687	–	–	2	13	12	13	47	109	245	197	49	617	–	1	1	4	7	18	32	101	211	187	55
All other	61	–	–	1	–	2	7	10	14	18	7	2	48	–	–	–	1	2	2	9	12	10	12	–
Black	60	–	–	1	–	2	7	9	14	18	7	2	46	–	–	–	1	2	2	8	12	10	11	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	143	–	–	–	1	3	5	6	18	51	38	20	172	2	1	–	1	2	7	6	28	37	51	37
White	122	–	–	–	1	3	2	4	14	44	38	16	152	2	–	–	1	2	5	4	24	34	45	35
All other	21	–	–	–	–	–	3	2	4	7	1	4	20	–	1	–	–	–	2	2	4	3	6	2
Black	21	–	–	–	–	–	3	2	4	7	1	4	19	–	1	–	–	–	2	2	4	2	6	2
Diabetes mellitus (250)	885	–	–	–	3	14	28	53	136	272	275	104	975	–	–	1	7	16	20	32	125	268	335	171
White	771	–	–	–	2	10	21	40	108	241	255	94	768	–	–	1	5	10	15	18	87	196	278	158
All other	114	–	–	–	1	4	7	13	28	31	20	10	207	–	–	–	2	6	5	14	38	72	57	13
Black	113	–	–	–	1	4	7	13	27	31	20	10	207	–	–	–	2	6	5	14	38	72	57	13
Nutritional deficiencies (260-269)	53	1	–	–	–	–	–	1	4	12	18	17	57	–	–	–	–	–	–	1	3	6	13	34
White	43	–	–	–	–	–	–	1	4	7	15	16	53	–	–	–	–	–	–	1	1	5	13	33
All other	10	1	–	–	–	–	–	–	–	5	3	1	4	–	–	–	–	–	–	–	2	1	–	1
Black	10	1	–	–	–	–	–	–	–	5	3	1	4	–	–	–	–	–	–	–	2	1	–	1
Anemias (280-285)	110	1	4	2	2	2	4	7	8	21	36	23	123	3	3	–	2	4	5	3	5	20	42	36
White	93	1	–	1	1	–	2	4	7	20	34	23	93	–	–	–	2	–	2	–	4	17	38	30
All other	17	–	4	1	1	2	2	3	1	1	2	–	30	3	3	–	–	4	3	3	1	3	4	6
Black	17	–	4	1	1	2	2	3	1	1	2	–	30	3	3	–	–	4	3	3	1	3	4	6
Meningitis (320-322)	45	11	4	2	2	3	5	3	5	6	4	–	22	3	2	2	1	–	–	–	3	2	5	4
White	20	5	1	2	1	1	1	–	3	3	3	–	10	–	1	–	–	–	–	–	2	1	2	4
All other	25	6	3	–	1	2	4	3	2	3	1	–	12	3	1	2	1	–	–	–	1	1	3	–
Black	25	6	3	–	1	2	4	3	2	3	1	–	12	3	1	2	1	–	–	–	1	1	3	–
Major cardiovascular diseases (390-448)	29,087	20	10	9	39	108	456	1,313	4,073	8,352	9,643	5,060	25,577	24	7	10	26	72	179	507	1,837	4,925	9,329	8,661
White	26,619	10	3	6	24	70	348	1,056	3,563	7,589	9,071	4,875	23,010	11	3	6	19	39	96	342	1,418	4,255	8,516	8,305
All other	2,468	10	7	3	15	38	108	257	510	763	572	185	2,567	13	4	4	7	33	83	165	419	670	813	356
Black	2,433	10	7	3	15	36	105	254	507	758	559	179	2,544	13	4	4	7	33	81	163	416	662	809	352

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	23,606	17	9	5	28	91	392	1,188	3,599	6,964	7,590	3,845	19,170	21	5	9	20	44	123	367	1,389	3,831	6,943	6,418
White	21,775	8	3	4	16	62	310	943	3,138	6,399	7,175	3,715	17,376	9	2	5	14	22	64	250	1,101	3,345	6,404	6,160
All other	1,831	9	6	1	12	29	82	195	397	565	405	130	1,794	12	3	3	6	22	59	117	288	486	539	258
Black	1,809	9	6	1	12	28	79	192	395	563	398	128	1,775	12	3	3	6	22	58	116	285	479	536	255
Rheumatic fever and rheumatic heart disease (390-398)	141	-	-	-	1	2	6	12	25	50	40	5	296	-	-	1	3	3	6	13	46	109	88	27
White	134	-	-	-	1	1	4	10	24	49	40	5	276	-	-	1	2	1	3	9	43	106	86	25
All other	7	-	-	-	-	1	2	2	1	1	-	-	20	-	-	-	1	2	3	4	3	3	2	2
Black	6	-	-	-	-	1	1	2	1	1	-	-	20	-	-	-	1	2	3	4	3	3	2	2
Hypertensive heart disease (402)	638	-	-	-	2	3	25	58	141	202	149	58	899	-	-	-	-	2	8	33	91	170	221	174
White	456	-	-	-	1	2	12	32	84	146	127	52	505	-	-	-	-	-	3	12	42	114	177	157
All other	182	-	-	-	1	1	13	26	57	56	22	6	194	-	-	-	-	2	5	21	49	56	44	17
Black	181	-	-	-	1	1	12	26	57	56	22	6	194	-	-	-	-	2	5	21	49	56	44	17
Hypertensive heart and renal disease (404)	68	-	-	-	-	1	-	1	9	23	22	10	64	-	-	-	-	-	-	2	3	9	31	19
White	49	-	-	-	-	1	-	-	4	18	16	10	51	-	-	-	-	-	-	1	1	5	27	17
All other	17	-	-	-	-	-	-	1	5	5	6	-	13	-	-	-	-	-	-	1	2	4	4	2
Black	17	-	-	-	-	-	-	1	5	5	6	-	13	-	-	-	-	-	-	1	2	4	4	2
Ischemic heart disease (410-414)	17,816	1	-	-	2	34	247	820	2,658	5,355	5,883	2,803	13,382	-	-	-	2	6	52	208	939	2,753	5,025	4,397
White	16,799	-	-	-	2	28	209	717	2,447	5,023	5,646	2,726	12,429	-	-	-	2	5	34	158	785	2,477	4,715	4,255
All other	1,017	1	-	-	-	6	38	103	211	332	247	77	953	-	-	-	-	1	18	52	154	276	310	142
Black	1,002	1	-	-	-	6	37	100	209	330	242	75	939	-	-	-	-	1	17	51	154	270	308	138
Acute myocardial infarction (410)	8,865	1	-	-	-	20	135	465	1,433	2,907	2,895	1,007	6,004	-	-	-	-	1	27	116	534	1,589	2,353	1,384
White	8,390	-	-	-	-	13	120	413	1,330	2,750	2,779	983	5,583	-	-	-	-	1	17	87	454	1,452	2,232	1,340
All other	475	1	-	-	-	7	15	52	103	157	116	24	421	-	-	-	-	-	10	29	80	137	121	44
Black	466	1	-	-	-	7	14	50	101	155	115	23	414	-	-	-	-	-	9	28	80	134	120	43
Other acute and subacute forms of ischemic heart disease (411)	153	-	-	-	-	-	4	7	29	44	40	29	137	-	-	-	1	-	1	3	14	20	47	51
White	137	-	-	-	-	-	2	7	25	38	38	27	122	-	-	-	1	-	-	2	10	17	42	50
All other	16	-	-	-	-	-	2	-	4	6	2	2	15	-	-	-	-	-	1	1	4	3	5	1
Black	15	-	-	-	-	-	2	-	4	6	2	1	14	-	-	-	-	-	1	1	4	2	5	1
Angina pectoris (413)	29	-	-	-	-	-	1	1	5	8	11	3	25	-	-	-	-	-	-	1	3	5	11	5
White	28	-	-	-	-	-	-	1	5	8	11	3	23	-	-	-	-	-	-	1	2	4	11	5
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	8,769	-	-	-	2	14	107	347	1,191	2,396	2,947	1,764	7,216	-	-	-	1	5	24	88	388	1,139	2,614	2,957
White	8,244	-	-	-	2	13	87	296	1,087	2,227	2,818	1,713	6,701	-	-	-	1	4	17	66	318	1,004	2,430	2,860
All other	525	-	-	-	-	1	20	51	104	169	129	51	515	-	-	-	-	1	7	22	69	135	184	97
Black	520	-	-	-	-	1	20	50	104	169	125	51	509	-	-	-	-	1	7	22	69	133	183	94
Other diseases of endocardium (424)	269	-	-	-	1	5	8	9	35	66	102	43	261	-	-	-	1	5	3	2	19	53	109	69
White	249	-	-	-	1	4	6	8	31	59	98	42	234	-	-	-	-	2	1	2	17	45	102	65
All other	20	-	-	-	-	1	2	1	4	7	4	1	27	-	-	-	1	3	2	-	2	8	7	4
Black	20	-	-	-	-	1	2	1	4	7	4	1	26	-	-	-	1	3	2	-	2	8	6	4
All other forms of heart disease (415-423,425-429)	4,676	16	9	5	22	48	106	238	665	1,268	1,374	926	4,468	21	5	7	14	28	54	109	291	737	1,469	1,733
White	4,088	8	3	4	11	28	79	176	546	1,104	1,248	880	3,881	9	2	4	10	14	23	70	213	598	1,297	1,641
All other	588	8	6	1	11	18	27	62	119	164	126	46	587	12	3	3	4	14	31	39	78	139	172	92
Black	583	8	6	1	11	17	27	62	119	164	124	44	583	12	3	3	4	14	31	39	75	138	172	92
Hypertension with or without renal disease (401,403)	267	1	-	1	-	3	7	6	49	60	96	44	262	-	-	-	-	2	1	8	23	84	96	68
White	218	1	-	1	-	2	3	3	32	49	67	42	194	-	-	-	-	-	-	3	7	45	76	63
All other	49	1	-	1	-	1	4	3	17	11	9	2	68	-	-	-	-	2	1	5	16	19	20	5
Black	49	1	-	1	-	1	4	3	17	11	9	2	68	-	-	-	-	2	1	5	16	19	20	5
Cerebrovascular diseases (430-438)	3,788	2	-	2	9	11	51	139	343	918	1,438	856	4,997	3	2	2	6	22	52	116	358	833	1,904	1,699
White	3,272	2	-	1	7	3	29	87	258	767	1,304	814	4,392	2	1	1	5	15	30	77	257	693	1,683	1,628
All other	497	-	-	1	2	8	22	52	85	151	134	42	605	1	1	1	1	7	22	39	101	140	221	71
Black	484	-	-	1	2	7	22	52	84	148	128	40	601	1	1	1	1	7	21	38	101	139	220	71
Intracerebral and other intracranial hemorrhage (431-432)	532	-	-	2	5	6	22	55	84	150	155	53	629	3	-	1	2	10	19	40	95	164	201	94
White	425	-	-	1	5	-	8	31	60	128	142	52	534	2	-	1	2	5	9	25	71	144	184	91
All other	107	-	-	1	-	6	14	24	24	24	13	1	95	1	-	-	-	5	10	15	24	20	17	3
Black	105	-	-	1	-	5	14	24	24	23	13	1	91	1	-	-	-	5	9	14	24	19	16	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	751	1	-	-	-	1	4	21	53	176	296	199	1,048	-	-	1	1	2	2	10	61	157	411	403
White	677	1	-	-	-	-	3	12	38	148	281	194	945	-	-	-	1	2	2	6	43	130	374	387
All other	74	-	-	-	-	1	1	9	15	28	15	5	103	-	-	1	-	-	-	4	18	27	37	16
Black	74	-	-	-	-	1	1	9	15	28	15	5	103	-	-	1	-	-	-	4	18	27	37	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	19	–	–	–	–	–	–	–	1	7	7	4	25	–	–	–	–	–	–	1	1	7	10	6
White	17	–	–	–	–	–	–	–	1	6	7	3	24	–	–	–	–	–	–	1	–	7	10	6
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,467	1	–	–	4	4	25	63	205	585	980	600	3,295	–	2	–	3	10	31	85	201	505	1,262	1,196
White	2,153	1	–	–	2	3	18	44	159	487	874	585	2,889	–	1	–	2	8	19	45	143	412	1,115	1,144
All other	314	–	–	–	2	1	7	19	46	98	106	35	406	–	1	–	1	2	12	20	58	93	167	52
Black	303	–	–	–	2	1	7	19	45	96	100	33	406	–	1	–	1	2	12	20	58	93	167	52
Atherosclerosis (440)	495	–	1	–	1	–	–	3	25	86	174	205	704	–	–	–	–	–	–	4	21	74	225	380
White	456	–	–	–	–	–	–	2	23	77	160	194	655	–	–	–	–	–	–	2	17	67	206	363
All other	39	–	1	–	1	–	–	1	2	9	14	11	49	–	–	–	–	–	–	2	4	7	19	17
Black	39	–	1	–	1	–	–	1	2	9	14	11	49	–	–	–	–	–	–	2	4	7	19	17
Other diseases of arteries, arterioles, and capillaries (441-448)	950	–	–	1	1	3	6	27	123	324	355	110	444	–	–	–	–	4	3	12	46	123	161	95
White	898	–	–	1	1	3	6	21	114	297	345	110	393	–	–	–	–	2	2	10	38	105	147	91
All other	52	–	–	–	–	–	–	6	9	27	10	–	51	–	–	–	–	2	1	2	10	18	14	4
Black	52	–	–	–	–	–	–	6	9	27	10	–	51	–	–	–	–	2	1	2	10	18	14	4
Acute bronchitis and bronchiolitis (466)	18	1	1	–	–	1	1	1	1	3	2	7	20	1	1	–	1	–	–	2	2	1	5	7
White	16	1	1	–	–	–	1	1	–	3	2	7	17	1	1	–	1	–	–	2	2	1	4	7
All other	2	–	–	–	–	1	–	–	1	–	–	–	3	1	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Pneumonia and influenza (480-487)	1,351	22	8	1	6	13	24	55	139	287	477	319	1,041	13	6	1	2	11	18	18	53	136	325	458
White	1,172	9	5	1	4	5	11	29	113	244	442	309	945	8	3	1	2	4	11	12	42	119	304	439
All other	179	13	3	–	2	8	13	26	26	43	35	10	96	5	3	–	–	7	7	6	11	17	21	19
Black	177	12	3	–	2	8	13	26	25	43	35	10	95	5	3	–	–	7	7	6	10	17	21	19
Pneumonia (480-486)	1,346	22	8	1	6	13	24	55	137	287	475	318	1,037	13	6	1	2	11	18	18	53	136	323	456
White	1,167	9	5	1	4	5	11	29	111	244	440	308	941	8	3	1	2	4	11	12	42	119	302	437
All other	179	13	3	–	2	8	13	26	26	43	35	10	96	5	3	–	–	7	7	6	11	17	21	19
Black	177	12	3	–	2	8	13	26	25	43	35	10	95	5	3	–	–	7	7	6	10	17	21	19
Influenza (487)	5	–	–	–	–	–	–	–	2	–	2	1	4	–	–	–	–	–	–	–	–	–	2	2
White	5	–	–	–	–	–	–	–	2	–	2	1	4	–	–	–	–	–	–	–	–	–	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,601	1	–	1	1	2	9	67	367	883	946	323	1,573	2	2	3	3	2	16	37	227	546	529	205
White	2,422	1	–	–	1	–	5	47	326	820	903	318	1,507	–	2	3	2	1	8	29	212	531	519	200
All other	179	–	–	1	–	2	4	20	41	63	43	5	66	2	–	–	1	1	8	8	15	15	10	5
Black	178	–	–	1	–	2	4	20	41	63	42	5	64	2	–	–	1	1	8	8	14	15	9	5
Bronchitis, chronic and unspecified (490-491)	108	1	–	–	1	–	1	–	15	32	43	13	92	2	1	–	–	–	3	4	10	28	28	16
White	100	1	–	–	1	–	–	–	14	30	41	13	88	2	1	–	–	–	3	4	10	27	27	16
All other	6	–	–	–	–	–	1	–	1	2	2	–	4	2	–	–	–	–	–	–	–	1	1	–
Black	6	–	–	–	–	–	1	–	1	2	2	–	4	2	–	–	–	–	–	–	–	1	1	–
Emphysema (492)	568	–	–	–	–	–	3	16	77	213	201	58	271	–	–	–	–	1	–	6	48	116	74	26
White	537	–	–	–	–	–	2	8	74	203	193	57	265	–	–	–	–	1	–	5	48	115	72	24
All other	31	–	–	–	–	–	1	8	3	10	8	1	6	–	–	–	–	–	–	1	–	1	2	2
Black	31	–	–	–	–	–	1	8	3	10	8	1	6	–	–	–	–	–	–	1	–	1	2	2
Asthma (493)	46	–	–	1	–	1	2	1	12	11	15	3	111	–	–	2	3	1	6	4	29	37	15	14
White	36	–	–	–	–	–	1	–	8	10	14	3	96	–	–	2	2	–	1	1	26	36	15	13
All other	10	–	–	1	–	1	1	1	4	1	1	–	15	–	–	–	1	1	5	3	3	1	–	1
Black	10	–	–	1	–	1	1	1	4	1	1	–	15	–	–	–	1	1	5	3	3	1	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,881	–	–	–	–	1	3	50	263	627	687	249	1,099	–	1	1	–	–	7	23	140	365	412	149
White	1,749	–	–	–	–	–	2	39	230	577	655	245	1,058	–	1	1	–	–	4	19	128	353	405	147
All other	132	–	–	–	–	1	1	11	33	50	32	4	41	–	–	–	–	–	3	4	12	12	7	2
Black	131	–	–	–	–	1	1	11	33	50	31	4	38	–	–	–	–	–	3	4	11	12	6	2
Ulcer of stomach and duodenum (531-533)	204	–	–	–	–	3	3	13	28	56	71	30	175	–	–	–	–	–	1	6	9	37	79	43
White	174	–	–	–	–	1	1	9	22	49	65	27	163	–	–	–	–	–	1	4	8	33	75	42
All other	30	–	–	–	–	2	2	4	6	7	6	3	12	–	–	–	–	–	–	2	1	4	4	1
Black	30	–	–	–	–	2	2	4	6	7	6	3	12	–	–	–	–	–	–	2	1	4	4	1
Appendicitis (540-543)	14	–	–	–	–	–	1	–	1	3	6	3	11	–	–	–	1	1	–	–	–	2	5	2
White	11	–	–	–	–	–	–	–	–	3	6	2	9	–	–	–	1	1	–	–	–	1	4	2
All other	3	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	3	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	113	3	–	–	1	1	1	2	12	23	44	26	157	–	1	–	1	1	2	3	11	23	56	59
White	96	1	–	–	1	1	1	1	8	17	43	23	146	–	–	–	1	1	2	3	8	21	52	58
All other	17	2	–	–	–	–	–	1	4	6	1	3	11	–	1	–	–	–	–	–	3	2	4	1
Black	16	2	–	–	–	–	–	1	3	6	1	3	11	–	1	–	–	–	–	–	3	2	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,021	1	-	-	1	22	65	161	305	307	137	22	617	1	-	-	2	12	43	82	167	190	86	14
White	926	1	-	-	-	15	49	145	274	288	132	22	535	-	-	-	1	7	32	70	139	180	92	14
All other	95	-	-	-	1	7	16	16	31	19	5	-	82	1	-	-	1	5	11	22	28	10	4	-
Black	91	-	-	-	1	7	16	15	29	18	5	-	82	1	-	-	1	5	11	22	28	10	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	92	-	-	-	-	-	3	-	9	21	39	20	66	-	-	-	-	1	-	-	5	15	30	15
White	85	-	-	-	-	-	2	-	7	20	38	20	62	-	-	-	-	1	-	-	4	14	29	14
All other	7	-	-	-	-	-	1	-	2	1	3	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	7	-	-	-	-	-	1	-	2	1	3	-	4	-	-	-	-	-	-	-	1	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	493	4	-	-	4	6	6	16	36	105	183	133	447	6	1	-	-	4	5	13	21	62	173	142
White	413	2	-	-	3	2	3	10	24	89	161	119	359	5	-	-	-	1	-	8	11	63	142	129
All other	80	2	-	-	1	4	3	6	12	16	22	14	88	1	1	-	-	3	5	5	10	19	31	13
Black	76	2	-	-	1	4	3	6	12	16	20	14	88	1	1	-	-	3	5	5	10	19	31	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	-	-	-	-	1	1	2	2	13	-	-	-	-	1	3	1	-	1	5	2
White	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	1	-	1	5	2
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	1	3	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	1	3	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	66	-	-	-	2	2	1	1	4	13	29	14	56	-	-	-	-	-	1	1	4	10	20	20
White	57	-	-	-	1	1	1	1	2	13	24	14	44	-	-	-	-	-	-	1	2	9	16	17
All other	9	-	-	-	1	1	-	-	2	-	5	-	12	-	-	-	-	-	1	1	2	1	4	3
Black	9	-	-	-	1	1	-	-	2	-	5	-	12	-	-	-	-	-	1	1	2	1	4	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	421	4	-	-	2	4	5	15	31	91	152	117	378	6	1	-	-	3	1	11	17	71	148	120
White	352	2	-	-	2	1	2	9	22	75	135	104	306	5	-	-	-	1	-	7	9	53	121	110
All other	69	2	-	-	-	3	3	6	9	16	17	13	72	1	1	-	-	2	1	4	8	18	27	10
Black	67	2	-	-	-	3	3	6	9	16	15	13	72	1	1	-	-	2	1	4	8	18	27	10
Infections of kidney (590)	33	-	-	-	-	1	-	-	4	10	10	8	65	-	-	-	-	1	-	2	2	13	22	25
White	30	-	-	-	-	1	-	-	2	10	9	8	57	-	-	-	-	-	-	1	2	11	20	23
All other	3	-	-	-	-	-	-	-	2	-	1	-	8	-	-	-	-	1	-	1	-	2	2	2
Black	3	-	-	-	-	-	-	-	2	-	1	-	8	-	-	-	-	1	-	1	-	2	2	2
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	1	3	6	8	...	...	...	...	...	...	...	...	...	...	...	...
White	17	-	-	-	-	-	-	-	1	3	6	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	4	11	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	-	4	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	4	7	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	4	6	-	-	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	4	10	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	4	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	4	6	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	4	5	-	-	...	...	...	...
Congenital anomalies (740-759)	313	186	21	6	16	16	10	11	15	15	12	3	264	163	16	12	2	11	6	12	11	11	16	2
White	245	139	17	5	15	9	9	9	14	14	11	2	200	114	14	8	-	10	6	10	9	11	15	1
All other	68	47	4	2	1	7	1	2	1	1	1	1	64	49	2	4	2	1	-	2	2	-	1	1
Black	66	45	4	2	1	7	1	2	1	1	1	1	64	49	2	4	2	1	-	2	2	-	1	1
Certain conditions originating in the perinatal period (760-779)	471	466	3	2	-	-	-	-	-	-	-	-	330	325	4	-	-	-	-	1	-	-	-	-
White	274	271	2	1	-	-	-	-	-	-	-	-	181	178	2	-	-	-	-	1	-	-	-	-
All other	197	195	1	1	-	-	-	-	-	-	-	-	149	147	2	-	-	-	-	-	-	-	-	-
Black	196	194	1	1	-	-	-	-	-	-	-	-	148	146	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	138	134	2	2	-	-	-	-	-	-	-	-	83	81	1	-	-	-	-	1	-	-	-	-
White	97	95	1	1	-	-	-	-	-	-	-	-	51	49	1	-	-	-	-	1	-	-	-	-
All other	41	39	1	1	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	41	39	1	1	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	333	332	1	–	–	–	–	–	–	–	–	–	247	244	3	–	–	–	–	–	–	–	–	–
White	177	176	1	–	–	–	–	–	–	–	–	–	130	129	1	–	–	–	–	–	–	–	–	–
All other	156	156	–	–	–	–	–	–	–	–	–	–	117	115	2	–	–	–	–	–	–	–	–	–
Black	155	155	–	–	–	–	–	–	–	–	–	–	116	114	2	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	883	133	3	1	17	24	29	56	143	184	162	125	777	97	4	1	15	16	14	21	64	119	172	250
White	710	78	2	–	9	18	17	39	124	154	144	120	666	52	2	1	9	10	9	16	56	107	158	242
All other	173	55	1	1	8	6	12	17	19	30	18	5	111	45	2	–	6	6	5	5	8	12	14	8
Black	172	55	1	1	8	6	12	17	18	30	18	5	109	45	2	–	5	6	4	5	8	12	14	8
All other diseases (Residual)	4,106	48	30	27	73	129	173	265	520	960	1,222	658	3,882	35	20	17	39	78	101	169	389	781	1,295	958
White	3,535	24	20	19	54	80	116	190	423	837	1,146	625	3,408	21	16	14	18	35	56	124	325	685	1,202	912
All other	571	24	10	8	19	49	57	75	97	123	76	33	484	14	4	3	21	43	45	45	64	96	93	56
Black	567	24	10	8	19	49	56	74	97	122	75	33	476	13	4	3	20	43	42	43	64	95	93	56
Accidents and adverse effects (E800-E949)	3,336	20	111	129	691	680	396	302	287	309	278	129	1,522	22	55	61	232	171	122	113	134	195	255	160
White	2,812	10	85	82	606	589	310	244	237	270	252	123	1,340	15	40	43	215	144	101	94	120	177	240	149
All other	524	10	26	47	85	91	86	58	50	38	26	6	182	7	15	18	17	27	21	19	14	18	15	11
Black	506	9	25	45	81	89	83	58	50	36	23	6	175	7	15	17	16	24	20	18	14	18	15	11
Motor vehicle accidents (E810-E825)	1,897	1	29	70	541	432	239	164	140	141	105	31	842	5	16	40	201	129	86	70	84	97	96	16
White	1,655	–	24	59	487	388	191	138	116	130	96	29	765	3	15	32	186	112	74	62	80	91	92	16
All other	242	1	5	17	54	44	48	26	24	11	9	2	77	2	1	8	15	17	12	8	4	6	4	–
Black	232	1	5	16	50	43	47	26	24	9	8	2	71	2	1	8	14	14	11	7	4	6	4	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,439	19	82	59	150	248	157	138	147	167	173	98	680	17	39	21	31	42	36	43	50	98	159	144
White	1,157	10	61	29	119	201	119	106	121	140	156	94	575	12	25	11	29	32	27	32	40	86	148	133
All other	282	9	21	30	31	47	38	32	26	27	17	4	105	5	14	10	2	10	9	11	10	12	11	11
Black	274	8	20	29	31	46	36	32	26	27	15	4	104	5	14	9	2	10	9	11	10	12	11	11
Suicide (E950-E959)	1,377	...	...	6	202	282	200	167	178	160	138	43	443	...	...	1	50	70	67	72	66	50	54	13
White	1,304	...	...	6	181	256	190	158	175	159	138	42	435	...	...	1	48	69	65	71	65	50	53	13
All other	73	...	...	–	21	26	10	9	3	1	2	1	8	...	...	–	2	1	2	1	1	–	1	–
Black	71	...	...	–	20	26	10	8	3	1	2	1	5	...	...	–	1	1	2	1	–	–	–	–
Homicide and legal intervention (E960-E978)	1,031	10	4	11	195	347	219	122	77	28	12	1	355	8	7	13	88	101	56	22	18	17	21	1
White	608	4	3	2	95	192	146	75	56	19	10	1	230	2	4	10	54	60	34	18	15	14	16	1
All other	423	6	1	9	100	155	73	47	21	9	2	–	125	6	3	3	34	41	22	4	3	3	5	–
Black	421	6	1	9	100	154	72	47	21	9	2	–	124	6	3	3	34	41	22	4	3	3	5	–
All other external causes (E980-E999)	81	3	2	3	17	21	11	9	8	4	2	–	33	–	1	–	4	3	10	5	2	4	–	4
White	65	2	–	2	15	19	6	6	8	3	2	–	29	–	–	–	4	2	9	4	2	4	–	4
All other	16	1	2	1	2	2	5	2	–	1	–	–	4	–	1	–	–	1	1	1	–	–	–	–
Black	16	1	2	1	2	2	5	2	–	1	–	–	4	–	1	–	–	1	1	1	–	–	–	–
GEORGIA																								
All causes	24,891	650	134	167	790	1,006	1,188	2,217	4,613	6,604	5,254	2,058	21,904	539	87	102	295	482	705	1,324	2,701	4,918	6,054	4,711
White	17,887	334	72	102	559	617	732	1,412	3,357	4,804	4,132	1,673	15,622	255	46	59	203	251	387	808	1,767	3,312	4,558	3,971
All other	6,794	316	62	65	231	389	456	805	1,256	1,700	1,122	386	6,282	284	41	43	92	211	318	516	934	1,606	1,496	740
Black	6,756	310	61	65	231	385	453	800	1,247	1,695	1,117	386	6,260	281	40	43	92	208	317	510	930	1,604	1,494	740
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	7	5	–	–	–	1	1	–	–	–	–	–	4	2	–	–	–	–	–	1	1	–	–	–
White	5	3	–	–	–	1	1	–	–	–	–	–	3	1	–	–	–	–	–	1	1	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	31	–	–	–	1	–	2	6	3	8	9	2	26	–	–	–	1	–	2	–	3	5	10	5
White	13	–	–	–	–	–	–	2	1	2	6	–	15	–	–	–	–	–	–	–	1	3	7	4
All other	18	–	–	–	1	–	2	4	2	6	1	2	11	–	–	–	1	–	2	–	2	2	3	1
Black	18	–	–	–	1	–	2	4	2	6	1	2	11	–	–	–	1	–	2	–	2	2	3	1
Tuberculosis of respiratory system (010-012)	27	–	–	–	–	–	2	4	3	7	9	2	20	–	–	–	1	–	2	–	3	4	7	3
White	11	–	–	–	–	–	–	–	1	2	6	–	12	–	–	–	–	–	–	–	1	3	5	3
All other	16	–	–	–	–	–	2	4	2	5	1	2	8	–	–	–	1	–	2	–	2	1	2	–
Black	16	–	–	–	–	–	2	4	2	5	1	2	8	–	–	–	1	–	2	–	2	1	2	–
Other tuberculosis (013-018)	4	–	–	–	1	–	–	2	–	1	–	–	6	–	–	–	–	–	–	–	–	1	3	2
White	2	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	2	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	2	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	1	1	-	2	-	2	1	-	1	-	-	5	1	2	1	1	-	-	-	-	-	-	-
White	4	1	-	-	-	-	1	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
All other	4	-	1	-	2	-	1	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-
Black	4	-	1	-	2	-	1	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-
Septicemia (038)	173	4	2	-	1	5	9	14	19	44	49	26	272	3	-	-	1	3	8	7	34	57	91	68
White	93	2	1	-	1	2	2	5	9	23	29	19	149	2	-	-	1	1	1	2	14	29	49	49
All other	80	2	1	-	-	3	7	9	10	21	20	7	124	1	-	-	-	2	7	5	20	28	42	19
Black	80	2	1	-	-	3	7	9	10	21	20	7	124	1	-	-	-	2	7	5	20	28	42	19
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	1	2	-	2	2	-	-	10	-	-	-	-	1	1	-	5	2	1	-
White	6	-	-	-	-	1	2	-	2	1	-	-	5	-	-	-	-	-	-	-	4	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	-	1	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	-	1	2	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	91	7	-	2	4	16	14	12	10	15	7	4	69	2	2	-	2	3	6	8	11	14	10	10
White	69	4	-	1	4	11	12	8	7	12	6	4	44	1	1	-	1	1	3	5	7	8	6	9
All other	22	3	-	1	-	5	2	4	3	3	1	-	25	1	1	-	1	2	3	4	4	6	2	1
Black	22	3	-	1	-	5	2	4	3	3	1	-	25	1	1	-	1	2	3	4	4	6	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,429	2	9	19	31	71	174	542	1,333	1,891	1,128	289	4,264	2	7	9	12	85	215	473	944	1,237	879	400
White	4,030	-	6	12	22	52	135	376	978	1,372	847	230	3,170	2	4	6	9	56	141	342	695	899	676	340
All other	1,399	2	3	7	9	19	39	166	355	459	281	59	1,094	-	3	3	3	29	74	131	249	338	203	60
Black	1,389	-	3	7	9	19	38	165	353	457	279	59	1,090	-	3	3	3	29	73	130	247	338	203	60
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	156	-	-	-	1	1	8	28	45	47	20	5	74	-	-	-	-	1	1	9	21	12	22	8
White	108	-	-	-	1	1	4	12	29	40	17	4	59	-	-	-	-	1	1	5	15	11	19	7
All other	48	-	-	-	-	-	4	17	16	7	3	1	15	-	-	-	-	-	-	4	6	1	3	1
Black	47	-	-	-	-	-	4	17	15	7	3	1	15	-	-	-	-	-	-	4	6	1	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,128	1	-	-	3	15	45	119	267	373	238	65	1,040	1	-	-	-	7	23	76	165	327	278	143
White	795	-	-	-	2	10	32	88	189	264	178	52	733	1	-	-	-	7	18	48	121	221	196	121
All other	331	1	-	-	1	5	13	31	78	109	60	13	307	-	-	-	-	-	5	28	64	106	82	22
Black	325	-	-	-	1	5	12	30	78	108	58	13	305	-	-	-	-	-	4	28	63	106	82	22
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,191	1	-	3	-	8	51	244	672	808	352	52	708	-	-	-	-	5	31	107	229	218	89	29
White	1,684	-	-	2	-	4	39	182	497	638	280	42	583	-	-	-	-	5	24	90	176	188	73	29
All other	507	1	-	1	-	4	12	62	175	170	72	10	125	-	-	-	-	-	7	17	53	32	16	-
Black	504	-	-	1	-	4	12	62	174	169	72	10	124	-	-	-	-	-	7	16	53	32	16	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	4	-	-	749	1	-	-	2	18	83	120	183	202	110	50
White	4	-	-	-	-	-	-	-	-	4	-	-	551	1	-	-	2	8	50	83	122	157	86	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	198	-	-	-	-	10	33	37	41	45	24	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	198	-	-	-	-	10	33	37	41	45	24	8
Malignant neoplasms of genital organs (178-187)	609	-	1	-	-	3	4	10	57	204	235	86	479	-	-	-	2	13	25	58	115	150	86	30
White	372	-	-	-	-	2	4	4	26	115	151	70	321	-	-	-	1	7	15	38	87	90	62	21
All other	237	-	1	-	-	1	-	6	31	89	84	25	158	-	-	-	1	6	10	20	28	60	24	9
Black	237	-	1	-	-	1	-	6	31	89	84	25	158	-	-	-	1	6	10	20	28	60	24	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	219	–	1	–	–	–	7	19	40	72	66	14	117	–	1	2	–	6	2	5	15	27	44	15
White	180	–	1	–	–	–	6	16	30	59	54	14	87	–	1	2	–	1	–	4	10	20	35	14
All other	39	–	–	–	–	–	1	3	10	13	12	–	30	–	–	–	–	5	2	1	5	7	9	1
Black	39	–	–	–	–	–	1	3	10	13	12	–	30	–	–	–	–	5	2	1	5	7	9	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	710	–	5	4	11	26	36	81	186	208	124	29	705	–	1	2	3	22	38	75	140	193	153	77
White	556	–	3	2	7	18	29	62	153	165	93	24	525	–	1	2	2	19	28	55	103	130	119	66
All other	154	–	2	2	4	8	7	19	33	43	31	5	180	–	–	–	1	3	10	20	37	63	34	11
Black	154	–	2	2	4	8	7	19	33	43	31	5	179	–	–	–	1	3	10	20	36	63	34	11
Leukemia (204-208)	177	–	2	9	12	8	6	13	20	52	40	15	147	–	4	5	4	8	7	8	23	31	33	24
White	141	–	2	6	8	8	6	12	17	39	30	13	115	–	2	2	3	5	2	5	21	26	31	18
All other	36	–	–	3	4	–	–	1	3	13	10	2	32	–	2	3	1	3	5	3	2	5	2	6
Black	36	–	–	3	4	–	–	1	3	13	10	2	32	–	2	3	1	3	5	3	2	5	2	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	287	–	–	3	4	10	17	27	46	63	53	14	245	–	1	–	1	5	5	15	53	77	64	24
White	190	–	–	2	4	9	15	20	37	48	44	11	196	–	–	–	1	3	3	14	40	58	55	22
All other	47	–	–	1	–	1	2	7	9	15	9	3	49	–	1	–	–	2	2	1	13	19	9	2
Black	47	–	–	1	–	1	2	7	9	15	9	3	49	–	1	–	–	2	2	1	13	19	9	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	63	1	–	–	3	1	5	4	12	20	15	2	99	–	–	1	–	3	5	11	14	24	25	16
White	51	1	–	–	2	1	3	2	10	17	13	2	70	–	–	–	–	2	3	5	8	19	22	11
All other	12	–	–	–	1	–	2	2	2	3	2	–	29	–	–	1	–	1	2	6	6	5	3	5
Black	12	–	–	–	1	–	2	2	2	3	2	–	29	–	–	1	–	1	2	6	6	5	3	5
Diabetes mellitus (250)	317	–	–	–	1	10	27	30	60	94	71	24	484	–	–	–	2	3	16	27	74	157	145	60
White	210	–	–	–	1	4	17	13	39	61	54	21	289	–	–	–	2	1	4	10	37	95	92	48
All other	107	–	–	–	–	6	10	17	21	33	17	3	195	–	–	–	–	2	12	17	37	62	53	12
Black	106	–	–	–	–	6	10	17	20	33	17	3	195	–	–	–	–	2	12	17	37	62	53	12
Nutritional deficiencies (260-269)	16	1	–	–	–	–	–	1	2	5	2	5	33	–	–	–	–	–	–	1	–	6	11	15
White	10	1	–	–	–	–	–	–	1	4	2	2	20	–	–	–	–	–	–	1	–	–	8	11
All other	6	–	–	–	–	–	–	1	1	1	–	3	13	–	–	–	–	–	–	–	–	6	3	4
Black	6	–	–	–	–	–	–	1	1	1	–	3	13	–	–	–	–	–	–	–	–	8	3	4
Anemias (280-285)	38	–	–	3	2	2	4	2	1	7	13	4	53	–	2	–	5	2	1	1	2	10	18	12
White	20	–	–	2	–	1	–	1	1	5	7	3	30	–	–	–	1	2	–	–	2	6	11	8
All other	18	–	–	1	2	1	4	1	–	2	6	1	23	–	2	–	4	–	1	1	–	4	7	4
Black	18	–	–	1	2	1	4	1	–	2	6	1	23	–	2	–	4	–	1	1	–	4	7	4
Meningitis (320-322)	21	6	7	1	–	2	–	–	4	1	–	–	16	4	2	1	–	–	1	2	–	4	2	–
White	10	3	2	1	–	–	–	–	3	1	–	–	9	2	1	–	–	–	–	1	–	3	2	–
All other	11	3	5	–	–	2	–	–	1	–	–	–	7	2	1	1	–	–	1	1	–	1	–	–
Black	11	3	5	–	–	2	–	–	1	–	–	–	7	2	1	1	–	–	1	1	–	1	–	–
Major cardiovascular diseases (390-448)	10,613	22	8	10	34	86	300	693	2,102	3,207	2,791	1,159	10,861	20	8	12	21	52	148	407	1,024	2,421	3,643	3,103
White	7,933	12	3	4	19	45	180	583	1,545	2,387	2,219	938	7,825	9	2	8	8	24	70	204	599	1,539	2,746	2,613
All other	2,680	10	5	6	15	41	120	310	557	820	572	223	3,036	11	6	4	12	28	78	203	425	882	897	490
Black	2,670	9	5	6	15	40	120	308	555	818	570	223	3,026	9	6	4	12	27	76	200	425	880	895	490
Diseases of heart (390-398,402,404-429)	8,469	19	6	8	25	68	262	752	1,781	2,588	2,116	843	7,710	17	7	6	15	37	109	287	771	1,815	2,573	2,071
White	6,450	11	2	4	15	37	160	511	1,365	1,971	1,684	680	5,578	8	2	2	8	15	52	152	473	1,179	1,955	1,790
All other	2,019	8	4	4	10	31	102	241	416	617	422	163	2,132	9	5	4	7	22	57	135	298	635	618	341
Black	2,012	7	4	4	10	31	102	239	415	615	421	163	2,124	7	5	4	7	21	57	132	298	634	618	341
Rheumatic fever and rheumatic heart disease (390-398)	28	1	–	–	1	3	3	4	7	5	1	3	66	–	–	–	–	4	4	5	15	15	18	5
White	18	1	–	–	–	1	2	2	7	4	1	2	56	–	–	–	–	2	3	4	11	14	17	5
All other	10	–	–	–	1	3	2	2	–	1	–	1	10	–	–	–	–	2	1	1	4	1	1	–
Black	9	–	–	–	1	3	2	1	–	1	–	1	10	–	–	–	–	2	1	1	4	1	1	–
Hypertensive heart disease (402)	257	–	–	–	1	3	17	28	62	68	62	16	367	–	–	–	–	3	10	24	53	83	110	84
White	112	–	–	–	1	1	4	10	25	23	36	12	175	–	–	–	–	1	1	6	18	31	59	61
All other	145	–	–	–	–	2	13	18	37	45	26	4	192	–	–	–	–	2	9	18	37	52	51	23
Black	145	–	–	–	–	2	13	18	37	45	26	4	192	–	–	–	–	2	9	18	37	52	51	23
Hypertensive heart and renal disease (404)	39	–	–	–	–	–	–	4	3	8	18	8	43	–	–	–	–	–	–	–	3	9	12	19
White	20	–	–	–	–	–	–	1	1	2	10	6	28	–	–	–	–	–	–	–	1	4	8	15
All other	19	–	–	–	–	–	–	3	2	4	8	2	15	–	–	–	–	–	–	–	2	5	4	4
Black	19	–	–	–	–	–	–	3	2	4	8	2	15	–	–	–	–	–	–	–	2	5	4	4
Ischemic heart disease (410-414)	5,807	1	–	5	6	18	152	528	1,290	1,851	1,429	526	4,668	4	–	–	1	3	43	154	473	1,161	1,633	1,195
White	4,743	–	–	3	4	15	108	408	1,057	1,509	1,214	427	3,611	2	–	–	1	1	25	93	318	818	1,328	1,024
All other	1,064	1	–	2	2	3	46	120	233	342	215	99	1,057	2	–	–	–	2	18	61	155	343	305	171
Black	1,061	–	–	2	2	3	46	120	233	341	214	99	1,053	1	–	–	–	2	18	60	155	341	305	171
Acute myocardial infarction (410)	3,853	–	–	5	4	15	109	396	928	1,259	885	251	2,673	3	–	–	–	2	33	105	354	820	968	590
White	3,142	–	–	3	2	12	77	311	758	1,025	753	201	2,191	2	–	–	–	–	19	65	239	583	794	489
All other	711	–	–	2	2	3	32	85	170	234	132	50	682	1	–	–	–	2	14	40	115	237	172	101
Black	710	–	–	2	2	3	32	85	170	234	131	50	680	–	–	–	–	2	14	39	115	237	172	101

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	106	–	–	–	1	–	7	13	35	28	15	7	66	–	–	–	–	–	3	6	7	16	27	27
White	66	–	–	–	1	–	2	6	24	18	11	4	60	–	–	–	–	–	1	2	4	10	18	25
All other	40	–	–	–	–	–	5	7	11	10	4	3	26	–	–	–	–	–	2	4	3	6	9	2
Black	40	–	–	–	–	–	5	7	11	10	4	3	26	–	–	–	–	–	2	4	3	6	9	2
Angina pectoris (413)	12	–	–	–	–	–	1	1	4	4	2	–	11	–	–	–	–	–	1	–	–	5	1	4
White	11	–	–	–	–	–	–	1	4	4	2	–	9	–	–	–	–	–	1	–	–	5	1	2
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,836	1	–	–	1	3	35	118	323	560	527	268	1,698	1	–	–	1	1	6	43	112	320	639	574
White	1,524	–	–	–	1	3	27	90	271	462	448	222	1,351	–	–	–	1	1	4	26	75	220	515	508
All other	312	1	–	–	–	–	8	28	52	98	79	46	347	1	–	–	–	–	2	17	37	100	124	66
Black	310	–	–	–	–	–	8	28	52	97	79	46	345	1	–	–	–	–	2	17	37	98	124	66
Other diseases of endocardium (424)	79	–	–	–	2	4	2	4	13	25	20	9	90	–	1	–	–	1	4	–	9	12	40	23
White	55	–	–	–	1	3	–	1	9	15	17	9	70	–	1	–	–	–	1	–	5	8	33	22
All other	24	–	–	–	1	1	2	3	4	10	3	–	20	–	–	–	–	1	3	–	4	4	7	1
Black	24	–	–	–	1	1	2	3	4	10	3	–	20	–	–	–	–	1	3	–	4	4	7	1
All other forms of heart disease (415-423,425-429)	2,259	17	6	3	15	40	88	184	406	633	586	281	2,476	13	6	6	14	26	48	104	218	535	760	745
White	1,502	10	2	1	9	16	49	89	288	418	416	224	1,638	6	1	2	7	11	22	49	122	304	510	603
All other	757	7	4	2	6	22	39	95	140	215	170	57	838	7	5	4	7	15	26	55	96	231	250	142
Black	754	7	4	2	6	22	39	94	139	214	170	57	834	6	5	4	7	14	26	53	96	231	250	142
Hypertension with or without renal disease (401,403)	92	–	–	–	–	1	3	11	17	32	19	9	118	–	–	–	–	–	3	5	20	29	40	19
White	41	–	–	–	–	–	1	5	6	15	9	5	60	–	–	–	–	–	1	2	8	18	18	15
All other	51	–	–	–	–	1	2	6	11	17	10	4	58	–	–	–	–	–	2	3	12	13	22	4
Black	51	–	–	–	–	1	2	6	11	17	10	4	58	–	–	–	–	–	2	3	12	13	22	4
Cerebrovascular diseases (430-438)	1,668	3	2	2	7	16	32	108	242	455	542	257	2,617	3	1	5	6	11	33	99	210	497	894	858
White	1,136	1	1	–	3	7	17	51	127	290	430	209	1,871	1	–	5	1	6	16	43	106	295	665	743
All other	530	2	1	2	4	9	15	57	115	165	112	48	746	2	1	–	5	5	17	56	104	212	229	115
Black	527	2	1	2	4	8	15	57	114	165	111	48	744	2	1	–	5	5	17	56	104	212	227	115
Intracerebral and other intracranial hemorrhage (431-432)	264	1	–	–	1	7	14	46	47	82	58	8	316	2	–	3	3	5	8	30	42	67	88	68
White	148	–	–	–	1	–	5	20	20	52	44	6	218	1	–	3	–	2	4	15	19	46	72	56
All other	116	1	–	–	–	7	9	26	27	30	14	2	98	1	–	–	3	3	4	15	23	21	16	12
Black	115	1	–	–	–	6	9	26	27	30	14	2	98	1	–	–	3	3	4	15	23	21	16	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	252	1	–	2	–	1	1	9	27	61	103	47	418	–	–	–	–	–	2	10	21	59	161	165
White	191	–	–	2	–	1	1	6	16	44	87	36	318	–	–	–	–	–	2	3	10	32	119	152
All other	61	1	–	2	–	–	–	3	11	17	16	11	100	–	–	–	–	–	–	7	11	27	42	13
Black	60	1	–	2	–	–	–	3	11	17	15	11	100	–	–	–	–	–	–	7	11	27	42	13
Cerebral embolism (434.1)	5	–	–	–	–	–	–	–	2	2	1	–	17	–	–	–	–	1	–	–	1	4	8	3
White	3	–	–	–	–	–	–	–	1	1	1	–	13	–	–	–	–	1	–	–	–	2	7	3
All other	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	1	2	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	1	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,145	1	2	–	6	8	17	53	166	310	380	202	1,866	1	1	2	3	5	23	58	146	367	637	622
White	794	1	1	–	2	6	11	25	90	193	298	167	1,322	–	–	2	1	3	10	25	77	205	467	532
All other	351	–	1	–	4	2	6	28	76	117	82	35	544	1	1	–	2	2	13	34	69	162	170	90
Black	350	–	1	–	4	2	6	28	75	117	82	35	542	1	1	–	2	2	13	34	69	162	168	90
Atherosclerosis (440)	123	–	–	–	–	–	–	5	10	32	45	31	232	–	–	–	–	–	–	1	7	31	79	114
White	85	–	–	–	–	–	–	5	5	22	30	23	181	–	–	–	–	–	–	1	4	22	62	92
All other	38	–	–	–	–	–	–	–	5	10	15	8	51	–	–	–	–	–	–	–	3	9	17	22
Black	38	–	–	–	–	–	–	–	5	10	15	8	51	–	–	–	–	–	–	–	3	9	17	22
Other diseases of arteries, arterioles, and capillaries (441-448)	263	–	–	–	2	1	3	17	52	100	69	19	166	–	–	1	–	4	3	15	16	49	57	41
White	221	–	–	–	1	1	2	11	42	89	58	19	135	–	–	1	–	3	1	6	8	37	48	33
All other	42	–	–	–	1	–	1	6	10	11	13	–	51	–	–	–	–	1	2	9	8	12	11	8
Black	42	–	–	–	1	–	1	6	10	11	13	–	51	–	–	–	–	1	2	9	8	12	11	8
Acute bronchitis and bronchiolitis (466)	8	2	1	–	–	–	–	–	–	2	1	–	5	–	–	–	–	–	1	1	–	1	–	2
White	5	2	–	–	–	–	–	–	–	2	1	–	5	–	–	–	–	–	1	1	–	1	–	2
All other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	624	16	5	4	2	12	15	30	72	139	184	145	626	22	4	3	7	6	19	21	30	94	181	242
White	428	6	1	3	1	5	5	11	42	83	148	123	473	4	2	3	5	1	9	9	19	63	141	217
All other	196	10	4	1	1	7	10	19	30	56	36	22	156	18	2	–	2	5	10	12	11	31	40	25
Black	196	10	4	1	1	7	10	19	30	56	36	22	155	17	2	–	2	5	10	12	11	31	40	25

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	622	16	5	4	2	12	15	30	72	139	182	145	619	21	4	3	7	6	19	21	30	92	177	239
White	428	6	1	3	1	5	5	11	42	83	146	123	465	4	2	3	5	1	9	9	19	61	138	214
All other	196	10	4	1	1	7	10	19	30	56	36	22	154	17	2	-	2	5	10	12	11	31	39	25
Black	196	10	4	1	1	7	10	19	30	56	36	22	153	16	2	-	2	5	10	12	11	31	39	25
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	10	1	-	-	-	-	-	-	-	2	4	3
White	2	-	-	-	-	-	-	-	-	-	2	-	8	-	-	-	-	-	-	-	-	2	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	938	1	1	-	4	4	11	31	179	336	300	70	524	-	1	1	2	4	7	29	98	164	135	82
White	806	1	-	-	2	2	6	24	152	289	265	65	468	-	-	1	-	1	6	24	86	146	124	79
All other	132	-	1	-	2	2	5	7	27	47	35	5	56	-	1	-	2	3	1	5	12	18	11	3
Black	131	-	1	-	2	2	5	7	27	46	35	5	55	-	-	-	2	3	1	5	12	18	11	3
Bronchitis, chronic and unspecified (490-491)	51	1	-	-	1	-	1	5	13	16	11	3	41	-	-	-	-	1	1	2	4	10	12	11
White	50	1	-	-	1	-	1	5	13	15	11	3	41	-	-	-	-	1	1	2	4	10	12	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	185	-	-	-	-	1	2	8	40	80	57	7	92	-	-	-	-	1	1	2	14	43	23	8
White	172	-	-	-	-	1	1	7	37	68	51	7	85	-	-	-	-	-	1	2	13	39	22	6
All other	23	-	-	-	-	-	1	1	3	12	6	-	7	-	-	-	-	1	-	-	1	4	1	-
Black	22	-	-	-	-	-	1	1	3	11	6	-	7	-	-	-	-	1	-	-	1	4	1	-
Asthma (493)	38	-	1	-	3	2	4	4	6	8	7	-	38	-	1	-	2	2	2	5	9	12	2	3
White	19	-	-	-	1	1	1	3	5	5	3	-	18	-	-	-	-	-	1	1	5	8	2	2
All other	17	-	1	-	2	1	3	1	1	3	4	-	19	-	1	-	2	2	1	4	4	4	-	1
Black	17	-	1	-	2	1	3	1	1	3	4	-	18	-	-	-	2	2	1	4	4	4	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	658	-	-	-	-	1	4	14	120	232	225	60	353	-	-	1	-	-	3	20	71	99	98	60
White	565	-	-	-	-	-	3	9	97	201	200	55	323	-	-	1	-	-	3	19	64	89	88	58
All other	91	-	-	-	-	1	1	5	23	31	25	5	30	-	-	-	-	-	-	1	7	10	10	2
Black	91	-	-	-	-	1	1	5	23	31	25	5	30	-	-	-	-	-	-	1	7	10	10	2
Ulcer of stomach and duodenum (531-533)	93	-	-	-	-	1	1	10	25	27	21	8	65	-	-	-	-	-	2	4	10	20	19	10
White	72	-	-	-	-	1	1	4	17	21	20	8	55	-	-	-	-	-	2	3	9	16	17	8
All other	21	-	-	-	-	-	-	6	8	6	1	-	10	-	-	-	-	-	-	1	1	4	2	2
Black	21	-	-	-	-	-	-	6	8	6	1	-	10	-	-	-	-	-	-	1	1	4	2	2
Appendicitis (540-543)	11	-	-	-	1	-	-	-	6	2	-	2	5	-	-	-	-	2	-	-	1	1	-	1
White	6	-	-	-	1	-	-	-	2	1	-	2	2	-	-	-	-	1	-	-	-	-	-	1
All other	5	-	-	-	-	-	-	-	4	1	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Black	5	-	-	-	-	-	-	-	4	1	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	51	3	-	-	-	-	3	5	9	9	13	9	83	2	-	-	-	-	3	1	6	17	28	26
White	28	-	-	-	-	-	3	-	5	4	10	6	60	1	-	-	-	-	1	-	5	9	21	23
All other	23	3	-	-	-	-	-	5	4	5	3	3	23	1	-	-	-	-	2	1	1	8	7	3
Black	23	3	-	-	-	-	-	5	4	5	3	3	23	1	-	-	-	-	2	1	1	8	7	3
Chronic liver disease and cirrhosis (571)	383	-	-	-	1	13	59	96	117	79	15	3	238	-	1	1	2	14	36	41	61	48	32	2
White	282	-	-	-	1	6	34	68	95	68	10	2	160	-	1	1	-	3	12	29	44	42	27	1
All other	101	-	-	-	-	7	25	30	22	11	5	1	78	-	-	-	2	11	24	12	17	6	5	1
Black	100	-	-	-	-	7	25	29	22	11	5	1	78	-	-	-	2	11	24	12	17	6	5	1
Cholelithiasis and other disorders of gallbladder (574-575)	43	-	-	-	-	-	1	2	5	16	14	5	53	-	-	-	-	-	-	7	6	10	14	16
White	32	-	-	-	-	-	-	1	2	14	11	4	41	-	-	-	-	-	-	3	2	8	14	14
All other	11	-	-	-	-	-	1	1	3	2	3	1	12	-	-	-	-	-	-	4	4	2	-	2
Black	11	-	-	-	-	-	1	1	3	2	3	1	12	-	-	-	-	-	-	4	4	2	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	255	5	-	-	4	8	3	15	43	64	72	41	293	1	-	1	1	3	6	17	27	97	85	55
White	149	2	-	-	3	4	-	6	23	37	47	27	166	1	-	-	-	1	3	9	9	52	50	41
All other	106	3	-	-	1	4	3	9	20	27	25	14	127	-	-	1	1	2	3	8	18	45	35	14
Black	106	3	-	-	1	4	3	9	20	27	25	14	127	-	-	1	1	2	3	8	18	45	35	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
White	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, *not specified as acute or* chronic, and renal sclerosis, unspecified (582-583,587)	25	–	–	–	–	2	1	1	1	7	6	7	21	–	–	–	–	–	2	1	1	7	3	7
White	16	–	–	–	–	2	–	–	–	6	4	4	12	–	–	–	–	–	1	1	1	3	2	4
All other	9	–	–	–	–	–	1	1	1	1	2	3	9	–	–	–	–	–	1	–	–	4	1	3
Black	9	–	–	–	–	–	1	1	1	1	2	3	9	–	–	–	–	–	1	–	–	4	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	226	5	–	–	4	6	2	13	42	56	65	33	268	1	–	1	1	3	4	16	26	89	81	46
White	130	2	–	–	3	2	–	5	23	30	43	22	151	1	–	–	–	1	2	8	8	49	47	35
All other	96	3	–	–	1	4	2	8	19	26	22	11	117	–	–	1	1	2	2	8	18	40	34	11
Black	96	3	–	–	1	4	2	8	19	26	22	11	117	–	–	1	1	2	2	8	18	40	34	11
Infections of kidney (590)	22	–	–	–	–	–	–	1	4	8	6	4	80	–	–	–	1	–	2	3	5	11	23	15
White	18	–	–	–	–	–	–	1	2	6	5	4	41	–	–	–	1	–	–	2	1	5	17	12
All other	4	–	–	–	–	–	–	–	2	2	–	–	19	–	–	–	–	–	2	1	4	3	6	3
Black	4	–	–	–	–	–	–	–	2	2	–	–	18	–	–	–	–	–	2	1	3	3	6	3
Hyperplasia of prostate (600)	17	–	–	–	–	–	–	1	2	4	7	3	...	...	...	...	...	...	...	...	...	...	...	...
White	15	–	–	–	–	–	–	1	1	3	7	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	1	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	1	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	2	9	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	6	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	6	–	–	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	2	7	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
Congenital anomalies (740-759)	161	108	15	6	12	5	5	1	2	1	4	–	181	113	12	6	2	8	6	4	13	8	5	2
White	103	73	11	4	5	3	4	–	1	–	2	–	114	71	8	5	1	5	5	–	10	6	2	1
All other	58	35	4	4	7	2	1	1	1	1	2	–	67	42	4	3	1	3	1	4	3	2	3	1
Black	58	35	4	4	7	2	1	1	1	1	2	–	67	42	4	3	1	3	1	4	3	2	3	1
Certain conditions originating in the perinatal period (760-779)	335	334	–	–	–	1	–	–	–	–	–	–	263	262	1	–	–	–	–	–	–	–	–	–
White	144	143	–	–	–	1	–	–	–	–	–	–	111	110	1	–	–	–	–	–	–	–	–	–
All other	191	191	–	–	–	–	–	–	–	–	–	–	152	152	–	–	–	–	–	–	–	–	–	–
Black	190	190	–	–	–	–	–	–	–	–	–	–	152	152	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	85	85	–	–	–	–	–	–	–	–	–	–	71	71	–	–	–	–	–	–	–	–	–	–
White	48	48	–	–	–	–	–	–	–	–	–	–	43	43	–	–	–	–	–	–	–	–	–	–
All other	37	37	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Black	37	37	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	250	249	–	–	–	1	–	–	–	–	–	–	192	191	1	–	–	–	–	–	–	–	–	–
White	96	95	–	–	–	1	–	–	–	–	–	–	68	67	1	–	–	–	–	–	–	–	–	–
All other	154	154	–	–	–	–	–	–	–	–	–	–	124	124	–	–	–	–	–	–	–	–	–	–
Black	153	153	–	–	–	–	–	–	–	–	–	–	124	124	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	219	76	4	3	2	8	11	14	24	35	23	16	230	68	1	1	2	2	3	5	11	25	51	60
White	129	50	1	3	1	2	2	3	14	20	18	14	135	33	–	–	1	–	1	1	5	13	35	45
All other	90	26	3	–	1	6	9	11	10	15	5	2	95	35	1	1	1	2	2	4	6	12	16	15
Black	89	25	3	–	1	6	9	11	10	15	5	2	95	35	1	1	1	2	2	4	6	12	16	15
All other diseases (Residual)	1,718	38	14	19	38	71	119	178	277	418	372	173	1,684	22	9	18	21	56	89	143	217	367	533	418
White	1,168	21	6	7	28	37	59	89	181	304	269	139	1,316	10	6	9	9	25	39	68	134	262	398	357
All other	550	17	8	12	10	34	61	89	96	114	74	34	578	12	3	9	12	31	50	75	83	105	137	61
Black	547	16	7	12	10	34	61	89	95	114	74	34	578	12	3	9	12	31	50	75	83	105	137	61
Accidents and adverse effects (E800-E949)	1,674	14	61	94	448	381	227	167	183	141	100	56	834	12	31	38	158	102	82	52	78	99	89	85
White	1,340	7	37	61	357	267	144	111	136	96	73	50	630	5	19	20	135	70	56	43	57	70	61	74
All other	334	7	24	33	91	114	83	56	47	45	27	6	204	7	12	16	23	32	26	9	21	29	18	11
Black	327	7	24	33	91	112	82	55	45	45	26	6	200	7	12	16	23	30	26	8	20	29	18	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	1,019	3	17	53	336	255	111	72	73	52	35	10	429	1	14	25	135	75	50	28	35	32	28	6
White	767	1	12	37	271	188	78	53	53	36	29	8	343	1	10	17	119	53	33	23	30	28	24	5
All other	252	2	5	16	65	67	33	19	20	16	6	2	86	–	4	8	16	22	17	5	5	4	4	1
Black	248	2	5	16	65	65	32	19	18	16	5	2	84	–	4	8	16	21	17	4	5	4	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	855	11	44	41	112	126	116	95	110	89	65	46	405	11	17	11	23	27	32	24	43	67	71	79
White	573	6	25	24	88	79	68	58	83	60	44	42	287	4	9	3	16	17	23	20	27	42	57	69
All other	282	5	19	17	26	47	50	37	27	29	21	4	118	7	8	8	7	10	9	4	16	25	14	10
Black	281	5	19	17	26	47	50	36	27	29	21	4	116	7	8	8	7	9	9	4	15	25	14	10
Suicide (E950-E959)	583	...	...	2	88	134	94	87	83	58	32	7	137	...	...	2	11	33	19	31	18	15	7	1
White	506	...	...	2	69	110	82	80	73	54	29	7	122	...	...	2	8	29	18	31	14	14	7	1
All other	77	...	...	–	17	24	12	7	10	4	3	–	15	...	...	–	3	4	3	–	4	1	–	–
Black	76	...	...	–	17	24	12	7	9	4	3	–	15	...	...	–	3	4	3	–	4	1	–	–
Homicide and legal intervention (E960-E976)	405	2	6	2	106	161	90	70	29	24	3	1	180	2	4	7	39	67	24	20	8	1	5	3
White	182	1	4	2	37	51	37	22	12	13	1	1	74	1	1	4	17	22	13	8	4	–	3	1
All other	313	1	2	–	69	110	53	48	17	11	2	–	106	1	3	3	22	45	11	12	4	1	2	2
Black	311	1	2	–	69	109	52	48	17	11	2	–	105	1	3	3	22	45	11	11	4	1	2	2
All other external causes (E980-E999)	48	2	–	–	7	12	9	4	4	4	3	1	21	1	–	–	2	4	3	6	–	2	2	1
White	29	1	–	–	5	10	3	2	3	2	2	1	15	1	–	–	2	3	1	6	–	1	1	–
All other	17	1	–	–	2	2	6	2	1	2	1	–	6	–	–	–	–	1	2	–	–	1	1	1
Black	17	1	–	–	2	2	6	2	1	2	1	–	6	–	–	–	–	1	2	–	–	1	1	1
HAWAII																								
All causes	3,361	102	12	17	106	113	143	229	578	840	779	440	2,279	83	14	13	31	44	60	143	338	465	535	554
White	1,050	18	2	2	36	42	67	79	192	284	227	99	727	18	2	2	11	10	17	38	83	158	201	187
All other	2,311	84	10	15	70	71	76	150	386	556	552	341	1,552	65	12	11	20	34	43	105	253	307	334	367
Black	38	11	–	2	3	4	2	5	6	3	2	–	15	4	1	–	1	2	–	–	1	4	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	1	2	1	–	–	6	–	–	–	–	–	–	–	1	1	2	2
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	4	–	–	–	–	–	–	1	2	1	–	–	5	–	–	–	–	–	–	–	1	1	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	1	2	1	–	–	5	–	–	–	–	–	–	–	1	–	2	2
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	4	–	–	–	–	–	–	1	2	1	–	–	4	–	–	–	–	–	–	–	1	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	29	1	–	–	1	–	1	3	6	7	5	5	12	1	–	–	–	–	–	–	1	5	3	2
White	7	–	–	–	–	–	–	–	4	2	–	1	4	–	–	–	–	–	–	–	–	2	1	1
All other	22	1	–	–	1	–	1	3	2	5	5	4	8	1	–	–	–	–	–	–	1	3	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	5	–	–	–	–	–	1	1	1	–	2	–	2	–	–	–	–	–	–	–	–	2	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	4	–	–	–	–	–	1	1	1	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	17	–	–	–	2	1	1	3	2	3	5	–	12	–	–	1	1	–	–	2	3	2	2	1
White	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	1	–	–	–	–	1	1	–
All other	16	–	–	–	2	1	–	3	2	3	5	–	9	–	–	1	–	–	–	2	3	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	629	–	2	4	10	7	23	75	210	267	171	60	533	–	–	5	2	4	26	64	128	141	103	60
White	269	–	–	–	2	2	7	26	68	89	59	18	168	–	–	1	–	1	4	21	32	53	42	14
All other	360	–	2	4	8	5	16	49	144	178	112	42	365	–	–	4	2	3	22	43	96	88	61	46
Black	8	–	–	–	–	–	1	2	3	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	31	–	–	–	–	–	1	6	5	11	6	2	12	–	–	–	1	2	–	2	3	3	1	–
White	10	–	–	–	–	–	1	3	1	4	1	–	6	–	–	–	–	–	–	1	2	2	1	–
All other	21	–	–	–	–	–	–	3	4	7	5	2	6	–	–	–	1	2	–	1	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	281	–	–	1	1	4	12	21	77	84	67	14	173	–	–	–	1	–	5	12	36	41	44	34
White	68	–	–	–	–	1	3	3	14	25	20	2	39	–	–	–	–	–	2	1	7	11	14	4
All other	213	–	–	1	1	3	9	18	63	59	47	12	134	–	–	–	1	–	3	11	29	30	30	30
Black	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	265	–	–	1	–	1	3	21	79	101	45	14	105	–	–	–	–	1	2	20	30	28	20	4
White	99	–	–	–	–	1	6	34	33	17	8	1	38	–	–	–	–	–	1	9	9	12	6	1
All other	166	–	–	1	–	1	2	15	45	68	28	6	67	–	–	–	–	1	1	11	21	16	14	3
Black	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	1	–	72	–	–	–	–	–	12	13	14	19	11	3
White	1	–	–	–	–	–	–	–	–	–	1	–	20	–	–	–	–	–	–	3	4	5	7	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	52	–	–	–	–	–	12	10	10	14	4	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (176-187)	68	–	–	–	2	–	–	1	10	18	21	14	62	–	–	–	–	–	2	8	20	20	10	2
White	25	–	–	–	–	–	–	1	6	8	8	2	24	–	–	–	–	–	–	4	3	9	7	1
All other	41	–	–	–	2	–	–	–	4	10	13	12	38	–	–	–	–	–	2	4	17	11	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	32	–	–	–	–	–	2	2	7	10	5	6	15	–	–	–	–	–	–	2	1	5	3	4
White	9	–	–	–	–	–	–	1	2	1	2	3	9	–	–	–	–	–	–	1	1	2	2	3
All other	23	–	–	–	–	–	2	1	5	9	3	3	6	–	–	–	–	–	–	1	–	3	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	87	–	2	1	2	1	3	12	18	24	15	9	49	–	–	2	–	1	2	4	12	11	9	8
White	33	–	–	–	1	–	1	9	5	10	4	3	18	–	–	–	–	1	1	2	3	7	2	2
All other	54	–	2	1	1	1	2	3	13	14	11	6	31	–	–	2	–	–	1	2	9	4	7	6
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Leukemia (204-208)	38	–	–	1	5	–	1	8	8	8	4	1	21	–	–	3	–	–	3	1	4	6	1	3
White	12	–	–	–	1	–	–	1	2	6	2	–	8	–	–	1	–	–	–	–	1	3	1	2
All other	24	–	–	1	4	–	1	7	6	2	2	1	13	–	–	2	–	–	3	1	3	3	–	1
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30	–	–	–	–	1	1	4	6	11	7	–	24	–	–	–	–	–	–	2	8	8	4	2
White	12	–	–	–	–	1	1	2	2	2	4	–	6	–	–	–	–	–	–	–	2	2	2	–
All other	18	–	–	–	–	–	–	2	4	9	3	–	18	–	–	–	–	–	–	2	6	6	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	–	–	–	1	–	–	2	2	2	6	–	14	1	–	–	–	–	–	–	4	2	5	2
White	3	–	–	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	10	–	–	–	1	–	–	–	2	2	5	–	12	1	–	–	–	–	–	–	3	2	4	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	75	-	-	1	-	-	2	5	15	23	19	10	77	-	-	-	1	2	2	4	9	21	18	20
White	21	-	-	-	-	-	1	1	3	6	9	1	19	-	-	-	-	-	1	-	-	5	7	6
All other	54	-	-	1	-	-	1	4	12	17	10	9	58	-	-	-	1	2	1	4	9	16	11	14
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	1	4	5	-	-	-	-	-	-	1	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	1
All other	5	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	-	2	3	6	-	-	2	-	-	-	1	1	1	1	-
White	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	-	2	1	6	-	-	2	-	-	-	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,354	1	-	2	3	11	36	84	245	384	388	220	971	-	1	1	3	5	12	43	124	208	283	311
White	408	-	-	-	1	5	10	30	81	128	107	46	304	-	-	-	-	-	2	10	26	62	94	110
All other	946	1	-	2	2	6	26	54	164	256	281	174	667	-	1	1	3	5	10	33	98	146	189	201
Black	9	1	-	-	-	1	1	1	2	2	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Diseases of heart (390-398,402,404-429)	1,073	1	-	-	2	8	27	67	210	293	297	168	708	-	1	1	2	2	6	29	102	155	182	228
White	344	-	-	-	1	2	8	26	72	108	92	35	226	-	-	-	-	-	2	7	19	50	64	84
All other	729	1	-	-	1	6	19	41	138	185	205	133	482	-	1	1	2	2	4	22	83	105	118	144
Black	9	1	-	-	-	1	1	-	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	1	1	3	1	2	-	10	-	-	-	1	1	1	1	3	3	-	-
White	4	-	-	-	-	-	-	-	3	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
All other	4	-	-	-	-	-	1	1	-	-	2	-	7	-	-	-	1	1	1	-	3	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	1	1	5	9	7	1	29	-	-	-	-	-	1	2	5	7	5	9
White	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	1	2	1	2
All other	23	-	-	-	-	-	1	1	5	8	7	1	23	-	-	-	-	-	1	2	4	5	4	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	720	-	-	-	-	2	15	41	147	193	204	118	415	-	-	-	-	-	2	15	57	89	114	136
White	214	-	-	-	-	1	3	12	50	64	64	20	123	-	-	-	-	-	1	2	12	26	41	41
All other	506	-	-	-	-	1	12	29	97	129	140	98	292	-	-	-	-	-	1	13	45	63	73	97
Black	4	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	406	-	-	-	-	2	12	26	90	120	106	50	217	-	-	-	-	-	1	11	38	54	65	48
White	124	-	-	-	-	1	3	10	25	39	38	8	58	-	-	-	-	-	-	-	9	17	19	13
All other	282	-	-	-	-	1	9	16	65	81	68	42	159	-	-	-	-	-	1	11	29	37	46	35
Black	4	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	312	-	-	-	-	-	3	15	57	73	98	68	194	-	-	-	-	-	1	4	19	33	47	90
White	89	-	-	-	-	-	-	2	25	25	25	12	64	-	-	-	-	-	1	2	3	8	22	28
All other	223	-	-	-	-	-	3	13	32	48	71	56	130	-	-	-	-	-	-	2	16	25	25	62
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	20	-	-	-	-	1	-	-	5	9	3	2	18	-	-	-	-	-	-	3	1	5	5	4
White	7	-	-	-	-	-	-	-	2	4	1	-	7	-	-	-	-	-	-	1	-	1	3	2
All other	13	-	-	-	-	1	-	-	3	5	2	2	11	-	-	-	-	-	-	2	1	4	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	298	1	-	-	2	5	10	24	50	80	80	46	233	-	1	1	1	1	2	8	36	50	57	76
White	118	-	-	-	1	1	5	14	17	38	27	15	87	-	-	-	-	-	1	3	6	19	19	39
All other	180	1	-	-	1	4	5	10	33	42	53	31	146	-	1	1	1	1	1	5	30	31	38	37
Black	4	1	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	2	-	-	2	2	3	-	-	-	-	-	1	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	2	-	-	2	1	3	-	-	-	-	-	1	-	-	1	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	216	-	-	2	1	2	7	13	27	57	72	35	211	-	-	-	-	2	5	14	16	39	72	63
White	48	-	-	-	-	2	2	4	5	16	11	8	62	-	-	-	-	-	-	3	5	8	27	19
All other	168	-	-	2	1	-	5	9	22	41	61	27	149	-	-	-	-	2	5	11	11	31	45	44
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	49	-	-	1	-	1	3	4	10	17	10	3	37	-	-	-	-	-	2	3	6	10	10	6
White	7	-	-	-	-	1	-	2	-	4	-	-	4	-	-	-	-	-	-	-	2	-	2	-
All other	42	-	-	1	-	-	3	2	10	13	10	3	33	-	-	-	-	-	2	3	4	10	8	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	1	2	5	6	5	22	-	-	-	-	-	-	-	1	5	5	11
White	4	-	-	-	-	-	-	1	1	1	-	1	10	-	-	-	-	-	-	-	1	2	4	3
All other	15	-	-	-	-	-	-	-	1	4	6	4	12	-	-	-	-	-	-	-	-	3	1	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	148	-	-	1	1	1	4	8	15	35	56	27	151	-	-	-	-	2	3	11	9	24	56	46
White	37	-	-	-	1	2	1	4	11	11	11	7	48	-	-	-	-	-	3	2	6	21	16	
All other	111	-	-	1	1	-	2	7	11	24	45	20	103	-	-	-	-	2	3	8	7	18	35	30
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	21	-	-	-	-	-	-	-	-	2	7	12	19	-	-	-	-	-	-	-	-	3	4	12
White	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	-	-	1	2	6
All other	17	-	-	-	-	-	-	-	-	1	5	11	10	-	-	-	-	-	-	-	-	2	2	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	38	-	-	-	-	1	2	2	8	12	10	3	30	-	-	-	1	1	-	-	6	10	4	8
White	11	-	-	-	-	1	-	-	4	3	2	1	7	-	-	-	-	-	-	-	2	3	1	1
All other	27	-	-	-	-	-	2	2	4	9	8	2	23	-	-	-	1	1	-	-	4	7	3	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	119	-	1	-	3	1	2	-	9	26	39	38	92	1	1	-	2	1	-	-	2	11	21	53
White	27	-	1	-	1	1	1	-	1	7	7	8	34	-	-	-	-	-	-	-	1	6	6	21
All other	92	-	-	-	2	-	1	-	8	19	32	30	58	1	1	-	2	1	-	-	1	5	15	32
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	118	-	1	-	3	1	2	-	9	26	39	37	92	1	1	-	2	1	-	-	2	11	21	53
White	27	-	1	-	1	1	1	-	1	7	7	8	34	-	-	-	-	-	-	-	1	6	6	21
All other	91	-	-	-	2	-	1	-	8	19	32	29	58	1	1	-	2	1	-	-	1	5	15	32
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	106	-	-	-	2	1	1	2	20	30	33	17	49	-	-	1	-	1	-	2	8	9	19	9
White	39	-	-	-	-	-	-	-	10	11	14	4	19	-	-	1	-	1	-	-	2	5	9	3
All other	67	-	-	-	2	1	1	2	10	19	19	13	30	-	-	1	-	1	-	2	6	4	10	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	1	-	-	3	-	2	4	-	-	-	-	-	-	-	-	1	2	1
White	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	17	-	-	-	-	-	-	-	2	4	7	4	4	-	-	-	-	-	-	-	-	-	4	-
White	7	-	-	-	-	-	-	-	1	-	4	2	3	-	-	-	-	-	-	-	-	-	3	-
All other	10	-	-	-	-	-	-	-	1	4	3	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	18	-	-	-	1	1	-	2	4	3	4	3	11	-	-	1	-	-	-	1	2	2	4	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	17	-	-	-	1	1	-	2	3	3	4	3	9	-	-	1	-	-	-	1	1	1	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65	-	-	-	1	-	-	-	14	20	22	8	30	-	-	-	-	1	-	1	5	6	9	7
White	28	-	-	-	-	-	-	-	8	9	10	1	13	-	-	-	-	-	-	-	1	4	5	3
All other	37	-	-	-	1	-	-	-	6	11	12	7	17	-	-	-	-	1	-	1	5	2	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	-	1	6	3	2	2	8	-	-	-	-	-	-	-	3	2	1	3
White	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
All other	12	-	-	-	-	-	-	-	5	3	2	2	6	-	-	-	-	-	-	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	-	-	-	-	-	3	1	1	-	4	-	-	-	-	-	1	-	-	-	-	3
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	2
All other	4	1	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	52	-	-	-	-	-	4	11	12	18	6	1	14	-	-	-	-	-	-	-	5	5	3	1
White	27	-	-	-	-	-	2	4	9	11	1	-	7	-	-	-	-	-	-	-	3	3	1	-
All other	25	-	-	-	-	-	2	7	3	7	5	1	7	-	-	-	-	-	-	-	2	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-576)	6	-	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-	-	-	1	-	2	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	5	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	33	1	-	-	1	-	2	1	4	7	7	10	32	1	1	-	-	-	-	1	3	6	11	9
White	6	-	-	-	-	-	2	-	1	2	-	1	6	-	-	-	-	-	-	-	-	-	4	2
All other	27	1	-	-	1	-	-	1	3	5	7	9	26	1	1	-	-	-	-	1	3	6	7	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	1	-	-	-	1	1	-	2	6	-	-	-	-	-	-	1	-	-	-	5
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	1	-	-	-	1	-	-	2	5	-	-	-	-	-	-	1	-	-	-	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	1	-	-	-	-	2	1	3	6	7	8	25	1	-	-	-	-	-	-	3	6	11	4
White	5	-	-	-	-	-	2	-	1	1	-	1	5	-	-	-	-	-	-	-	-	-	4	1
All other	23	1	-	-	-	-	-	1	2	5	7	7	20	1	-	-	-	-	-	-	3	6	7	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	4	1
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	1	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
White	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	97	30	1	1	1	9	-	-	-	1	-	-	42	34	3	-	1	-	-	2	-	-	2	-
White	6	5	1	-	-	-	-	-	-	-	-	-	9	8	1	-	-	-	-	-	-	-	1	-
All other	31	25	-	1	1	3	-	-	-	1	-	-	33	26	3	-	1	-	-	2	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	45	43	1	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
White	9	8	1	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	36	35	1	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	13	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	13	12	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	31	30	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	8	7	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	58	16	2	-	-	9	4	3	5	4	6	7	27	9	1	-	1	4	1	3	1	-	2	5
White	15	2	-	-	-	1	2	2	1	-	2	5	11	2	1	-	1	1	1	1	1	-	-	3
All other	41	14	2	-	-	8	2	1	4	4	4	2	16	7	-	-	-	3	-	2	-	-	2	2
Black	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	227	5	1	3	2	6	12	11	20	59	60	46	229	5	3	2	3	10	6	11	29	31	62	61
White	63	2	-	-	1	2	5	4	9	19	15	6	87	1	1	1	2	1	4	4	11	14	27	21
All other	164	3	1	3	1	6	7	7	11	40	45	40	136	4	2	1	1	9	2	7	18	17	35	40
Black	4	-	-	1	-	1	-	1	1	-	-	-	4	-	-	-	-	2	-	-	-	2	-	-
Accidents and adverse effects (E800-E949)	165	-	4	4	47	38	25	14	12	16	14	11	68	-	4	-	9	9	6	7	5	11	10	7
White	61	-	-	1	23	19	15	5	5	5	4	4	21	-	-	-	4	6	2	-	1	3	4	1
All other	104	-	4	3	24	19	10	9	7	11	10	7	47	-	4	-	5	3	4	7	4	8	6	6
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	97	-	2	1	35	28	8	9	3	6	4	1	39	-	2	-	9	7	3	6	4	5	2	1
White	41	-	-	1	15	13	5	3	1	3	-	-	11	-	-	-	4	4	1	-	1	1	-	-
All other	56	-	2	-	20	15	3	6	2	3	4	1	28	-	2	-	5	3	2	6	3	4	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	68	-	2	3	12	10	17	5	9	10	10	10	28	-	2	-	-	2	3	1	1	6	8	6
White	40	-	-	-	8	6	10	2	4	2	4	4	10	-	-	-	-	2	1	-	-	2	4	1
All other	48	-	2	3	4	4	7	3	5	8	6	6	18	-	2	-	-	-	2	1	1	4	4	5
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	93	...	...	1	25	17	23	8	4	5	5	4	23	...	...	1	3	4	3	2	4	5	-	1
White	42	...	...	1	6	5	17	3	1	2	3	3	9	...	...	-	-	1	1	1	2	4	-	-
All other	51	...	...	-	19	12	6	5	3	3	2	1	14	...	...	1	3	3	2	1	2	1	-	1
Black	5	...	...	-	3	2	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	1	-	-	3	8	3	2	-	-	1	-	11	-	-	-	3	3	2	1	2	-	-	-
White	7	-	-	-	-	3	2	1	-	-	1	-	4	-	-	-	2	-	1	1	-	-	-	-
All other	11	1	-	-	3	5	1	1	-	-	-	-	7	-	-	-	1	3	1	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	23	1	-	1	5	9	3	2	-	1	-	1	4	-	-	-	2	-	-	-	1	-	-	1
White	10	1	-	-	2	4	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	13	-	-	1	3	5	1	2	-	-	-	1	3	-	-	-	1	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	4,024	110	26	38	128	126	137	238	559	1,022	1,072	570	3,227	68	21	23	51	49	81	139	314	682	905	896
White	3,957	108	26	38	121	118	127	229	554	1,012	1,060	564	3,184	63	20	23	50	47	75	135	309	676	897	889
All other	67	2	-	-	7	8	10	7	5	10	12	6	43	3	1	-	1	2	6	4	5	6	8	7
Black	10	1	-	-	-	1	-	1	-	1	4	2	6	-	-	-	-	-	1	-	1	2	1	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-008)	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	2	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	12	1	-	-	-	2	-	-	-	2	4	3	16	-	-	-	-	-	3	1	2	1	3	6
White	12	1	-	-	-	2	-	-	-	2	4	3	15	-	-	-	-	-	2	1	2	1	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 090-139)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	1	1	-	-	-	-	1	1	2
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	1	1	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	805	-	2	4	5	10	17	48	151	269	231	70	692	1	1	3	4	12	29	58	134	229	150	77
White	796	-	2	4	5	10	16	45	150	267	228	69	684	1	1	3	4	12	28	57	132	221	148	77
All other	9	-	-	-	-	-	1	1	1	2	3	1	8	-	-	-	-	-	1	1	2	2	2	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	-	-	-	-	1	-	-	5	5	2	-	7	-	-	-	-	-	1	-	-	5	-	1
White	13	-	-	-	-	1	-	-	5	5	2	-	7	-	-	-	-	-	1	-	-	5	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	182	-	-	-	-	-	4	9	29	67	57	16	173	-	-	-	1	-	3	10	28	54	49	28
White	181	-	-	-	-	-	4	9	29	66	57	16	170	-	-	-	1	-	3	9	27	54	49	28
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	258	-	-	-	-	-	-	14	74	92	65	11	95	-	-	-	-	1	2	11	22	43	14	2
White	254	-	-	-	-	-	-	14	74	91	65	10	93	-	-	-	-	1	1	11	22	43	13	2
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	125	-	-	-	-	4	10	18	30	37	19	7
White	-	-	-	-	-	-	-	-	-	-	-	-	125	-	-	-	-	4	10	18	30	37	19	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	95	-	-	-	-	1	-	-	5	33	34	22	78	-	-	-	-	1	8	5	19	22	15	8
White	95	-	-	-	-	1	-	-	5	33	34	22	75	-	-	-	-	1	8	5	18	20	15	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	51	-	-	-	-	-	2	8	5	11	21	4	21	-	-	-	-	-	-	1	3	4	7	6
White	50	-	-	-	-	-	2	8	5	11	20	4	21	-	-	-	-	-	-	1	3	4	7	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	116	-	1	3	1	5	7	8	22	39	22	8	116	1	-	2	2	5	4	8	23	32	26	13
White	113	-	1	3	1	5	7	8	21	39	20	8	116	1	-	2	2	5	4	8	23	32	26	13
All other	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	42	-	1	1	2	2	1	4	3	13	12	3	31	-	1	1	-	-	-	2	3	10	7	7
White	41	-	1	1	2	2	1	3	3	13	12	3	31	-	1	1	-	-	-	2	3	10	7	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	-	-	-	2	1	3	3	8	9	18	6	46	-	-	-	1	1	1	3	6	16	13	5
White	49	-	-	-	2	1	2	3	8	9	18	6	46	-	-	-	1	1	1	3	6	16	13	5
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	-	-	1	-	1	3	1	4	3	1	-	18	-	-	-	-	-	-	1	-	9	6	2
White	14	-	-	1	-	1	3	1	4	3	1	-	18	-	-	-	-	-	-	1	-	9	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	63	-	-	-	1	3	2	-	9	16	19	13	71	-	-	-	-	-	3	2	9	15	26	16
White	59	-	-	-	-	3	2	-	8	14	19	13	68	-	-	-	-	-	3	2	9	14	25	15
All other	4	-	-	-	1	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	1	3	2	7	-	-	-	-	-	-	-	1	-	1	5
White	6	-	-	-	-	-	-	-	-	1	3	2	7	-	-	-	-	-	-	-	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	-	-	-	-	-	1	-	3	9	-	-	-	-	-	-	1	-	1	-	4	3
White	4	-	-	-	-	-	-	-	-	1	-	3	9	-	-	-	-	-	-	1	-	1	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	1	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,770	8	1	2	4	8	30	104	272	471	544	326	1,549	4	2	1	1	9	10	39	92	292	522	577
White	1,757	8	1	2	4	7	30	102	272	469	540	322	1,535	4	1	1	1	9	9	38	92	290	519	571
All other	13	-	-	-	-	1	-	2	-	2	4	4	14	-	1	-	-	-	1	1	-	2	3	6
Black	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,415	8	1	-	3	6	22	93	249	397	409	227	1,128	1	1	1	-	4	8	32	71	232	384	394
White	1,405	8	1	-	3	5	22	92	249	395	407	223	1,117	1	1	1	-	4	7	31	71	231	381	389
All other	10	-	-	-	-	1	-	1	-	2	2	4	11	-	-	-	-	-	1	1	-	1	3	5
Black	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	15	-	-	-	1	-	-	1	4	5	4	-	28	-	-	-	-	-	1	2	1	10	7	5
White	15	-	-	-	1	-	-	1	4	5	4	-	26	-	-	-	-	-	1	2	1	10	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	13	-	-	-	-	-	-	-	1	2	6	4	15	-	-	-	-	-	-	1	2	4	3	5
White	13	-	-	-	-	-	-	-	1	2	6	4	15	-	-	-	-	-	-	1	2	4	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	1	2	2	2	5	-	-	-	-	-	-	1	-	-	2	2
White	7	-	-	-	-	-	-	-	1	2	2	2	5	-	-	-	-	-	-	1	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	983	-	-	-	2	3	17	71	179	291	273	147	735	-	-	-	-	-	2	14	49	154	258	258
White	977	-	-	-	2	3	17	70	179	290	272	144	729	-	-	-	-	-	2	14	49	153	257	254
All other	6	-	-	-	-	-	-	1	-	1	1	3	6	-	-	-	-	-	-	-	-	1	1	4
Black	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	634	-	-	-	1	3	13	50	133	207	158	69	369	-	-	-	-	-	-	10	38	108	140	73
White	630	-	-	-	1	3	13	49	133	206	157	68	366	-	-	-	-	-	-	10	38	107	140	71
All other	4	-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	349	-	-	-	1	-	4	21	46	84	115	78	364	-	-	-	-	-	2	4	11	45	117	185
White	347	-	-	-	1	-	4	21	46	84	115	76	361	-	-	-	-	-	2	4	11	45	116	183
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	2
Black	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	18	-	-	-	-	-	-	-	3	2	10	3	18	-	-	-	-	-	-	1	1	2	9	5
White	18	-	-	-	-	-	-	-	3	2	10	3	17	-	-	-	-	-	-	-	1	2	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	379	8	1	-	-	3	5	21	61	95	114	71	329	1	1	1	-	4	5	13	18	62	105	119
White	375	8	1	-	-	2	5	21	61	94	113	70	325	1	1	1	-	4	4	13	18	62	103	118
All other	4	-	-	-	-	1	-	-	-	1	1	1	4	-	-	-	-	-	1	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	-	-	3	1	2	7	-	-	-	-	-	-	-	-	3	3	1
White	6	-	-	-	-	-	-	-	-	3	1	2	7	-	-	-	-	-	-	-	-	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	240	-	-	2	1	2	7	7	16	41	101	63	329	3	-	-	1	3	2	4	16	44	114	142
White	238	-	-	2	1	2	7	7	16	41	99	63	328	3	-	-	1	3	2	4	16	44	114	141
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	24	-	-	-	1	-	1	1	2	7	7	5	36	3	-	-	-	1	1	1	4	9	8	9
White	24	-	-	-	1	-	1	1	2	7	7	5	36	3	-	-	-	1	1	1	4	9	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	44	-	-	1	-	-	-	3	2	13	17	8	44	-	-	-	-	-	-	1	2	7	14	20
White	44	-	-	1	-	-	-	3	2	13	17	8	44	-	-	-	-	-	-	1	2	7	14	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	171	–	–	1	–	2	6	9	12	21	76	50	248	–	–	–	1	2	1	2	9	28	92	113
White	169	–	–	1	–	2	6	3	12	21	74	50	247	–	–	–	1	2	1	2	9	28	92	112
All other	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	44	–	–	–	–	–	–	–	3	7	11	23	48	–	–	–	–	–	–	1	2	4	10	31
White	44	–	–	–	–	–	–	–	3	7	11	23	48	–	–	–	–	–	–	1	2	4	10	31
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	65	–	–	–	–	–	1	4	4	23	22	11	37	–	1	–	–	2	–	2	3	9	11	9
White	64	–	–	–	–	–	1	3	4	23	22	11	35	–	–	–	–	2	–	2	3	8	11	8
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	111	–	–	–	–	–	1	3	6	17	41	43	105	2	1	1	–	–	–	4	4	8	31	54
White	108	–	–	–	–	–	1	3	5	17	40	42	105	2	1	1	–	–	–	4	4	8	31	54
All other	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	104	–	–	–	–	–	1	3	6	16	40	38	100	2	1	1	–	–	–	4	4	7	28	53
White	101	–	–	–	–	–	1	3	5	16	39	37	100	2	1	1	–	–	–	4	4	7	28	53
All other	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	7	–	–	–	–	–	–	–	–	1	1	5	5	–	–	–	–	–	–	–	–	1	3	1
White	7	–	–	–	–	–	–	–	–	1	1	5	5	–	–	–	–	–	–	–	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	214	–	–	1	–	1	–	8	20	87	74	23	101	1	–	–	1	–	2	1	18	39	29	10
White	214	–	–	1	–	1	–	8	20	87	74	23	101	1	–	–	1	–	2	1	18	39	29	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	8	–	–	1	–	1	–	–	2	3	1	7	1	–	–	–	–	–	–	1	2	2	1	
White	8	–	–	1	–	1	–	–	2	3	1	7	1	–	–	–	–	–	–	1	2	2	1	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	52	–	–	–	–	–	–	4	7	22	16	4	17	–	–	–	–	–	–	–	2	12	3	–
White	52	–	–	–	–	–	–	4	7	22	15	4	17	–	–	–	–	–	–	–	2	12	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	7	–	–	–	–	–	–	1	1	2	2	1	9	–	–	–	1	–	2	–	1	1	3	1
White	7	–	–	–	–	–	–	1	1	2	2	1	9	–	–	–	1	–	2	–	1	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	147	–	–	–	–	–	–	3	12	61	54	17	68	–	–	–	–	–	–	1	14	24	21	8
White	147	–	–	–	–	–	–	3	12	61	54	17	68	–	–	–	–	–	–	1	14	24	21	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	8	–	–	–	–	–	–	–	–	3	4	1	13	–	–	–	–	–	1	–	1	–	2	7	2
White	8	–	–	–	–	–	–	–	–	3	4	1	13	–	–	–	–	–	1	–	1	–	2	7	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	2	–	–	–	–	–	–	–	–	1	1		2	–	1	1	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1		2	–	1	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	–	–	–	–	–	–	–	2	5	5	3	17	–	–	–	–	1	1	–	1	2	4	6
White	15	–	–	–	–	–	–	–	2	5	5	3	17	–	–	–	–	1	1	–	1	2	4	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	50	-	-	-	-	2	8	15	14	9	2	-	24	-	-	-	-	-	2	5	6	9	2	-
White	43	-	-	-	-	1	5	14	13	8	2	-	22	-	-	-	-	-	1	4	6	9	2	-
All other	7	-	-	-	-	1	3	1	1	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	-	5	2	4	-	-	-	-	-	1	-	-	-	3	-
White	7	-	-	-	-	-	-	-	-	-	5	2	4	-	-	-	-	-	1	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	1	-	-	-	-	1	1	8	3	9	6	27	1	-	-	-	1	1	-	2	1	9	12
White	27	1	-	-	-	-	1	1	8	3	7	6	26	1	-	-	-	1	1	-	2	1	8	12
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	1	-	-	-	-	1	-
White	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	1	-	-	-	-	-	1	7	2	7	6	25	1	-	-	-	-	1	-	2	1	8	12
White	23	1	-	-	-	-	-	1	7	2	6	6	24	1	-	-	-	-	1	-	2	1	7	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	1	-	1	1	8	-	-	-	-	-	-	-	-	-	5	3
White	3	-	-	-	-	-	-	-	1	-	1	1	7	-	-	-	-	-	-	-	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	27	16	3	2	-	1	-	1	-	3	1	-	20	14	2	-	-	2	-	-	-	1	-	1
White	26	15	3	2	-	1	-	1	-	3	1	-	20	14	2	-	-	2	-	-	-	1	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	40	40	-	-	-	-	-	-	-	-	-	-	22	21	1	-	-	-	-	-	-	-	-	-
White	39	39	-	-	-	-	-	-	-	-	-	-	20	19	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	30	30	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	28	29	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	73	35	-	-	1	2	2	1	2	9	8	13	54	16	1	-	-	-	-	1	5	5	7	19
White	72	35	-	-	1	2	2	1	2	8	8	13	54	16	1	-	-	-	-	1	5	5	7	19
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	277	2	2	4	7	8	6	16	25	81	77	49	269	3	1	4	2	5	6	8	24	54	75	87
White	273	2	2	4	6	8	6	15	25	80	76	49	264	2	1	4	2	5	6	8	21	53	75	87
All other	4	-	-	-	1	-	-	1	-	1	1	-	5	1	-	-	-	-	-	-	3	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Accidents and adverse effects (E800-E949)	331	3	16	21	80	59	38	24	29	30	21	10	136	3	7	12	29	12	15	12	6	14	16	11
White	316	3	16	21	78	55	34	22	29	29	21	10	132	3	7	12	29	11	13	11	5	14	16	11
All other	15	-	-	-	4	4	4	2	-	1	-	-	4	-	-	-	-	1	2	1	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Motor vehicle accidents (E810-E825)	153	-	4	9	51	31	20	9	8	11	7	3	63	1	2	7	28	11	7	8	4	9	7	1
White	145	-	4	9	47	29	19	9	8	10	7	3	59	1	2	7	26	10	5	7	4	9	7	1
All other	8	-	-	-	4	2	1	-	-	1	-	-	4	-	-	-	-	1	2	1	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	178	3	12	12	29	28	18	15	21	19	14	7	53	2	5	5	3	1	8	4	1	5	9	10
White	171	3	12	12	29	26	16	13	21	19	14	7	53	2	5	5	3	1	8	4	1	5	9	10
All other	7	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	121	...	...	3	28	25	21	13	14	8	9	-	33	...	...	-	10	3	4	4	6	3	1	-
White	117	...	...	3	27	24	20	13	13	8	9	-	32	...	...	-	9	3	4	4	6	3	1	-
All other	4	...	...	-	1	1	1	-	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	20	1	2	-	2	4	6	2	1	-	2	-	12	-	2	-	2	2	3	1	-	1	1	-
White	17	1	2	-	2	3	5	2	1	-	1	-	11	-	2	-	2	1	3	1	-	1	1	-
All other	3	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	6	-	-	-	-	-	2	1	1	1	1	-	2	-	1	-	-	-	-	1	-	-	-	-
White	6	-	-	-	-	-	2	1	1	1	1	-	2	-	1	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	52,220	1,196	199	269	1,184	1,641	1,868	3,645	8,911	13,550	13,002	6,753	48,691	965	159	168	456	652	1,110	2,149	5,495	9,659	14,201	13,675
White	44,394	718	127	187	888	1,130	1,269	2,735	7,363	11,914	11,784	6,278	42,539	579	101	126	349	437	783	1,606	4,412	8,387	12,871	12,887
All other	7,826	478	72	82	296	511	599	910	1,548	1,636	1,218	475	6,152	386	58	42	107	215	327	543	1,083	1,272	1,330	788
Black	7,616	472	70	80	292	505	579	882	1,509	1,568	1,175	463	5,987	375	56	42	105	200	316	521	1,049	1,247	1,311	764
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	9	7	-	-	-	-	-	-	-	1	1	-	9	2	1	-	-	2	-	-	-	-	1	3
White	4	2	-	-	-	-	-	-	-	1	1	-	6	1	-	-	-	1	-	-	-	-	1	3
All other	5	5	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Tuberculosis (010-018)	39	-	-	-	-	2	5	5	9	10	4	4	25	-	-	-	1	-	2	-	3	4	10	5
White	24	-	-	-	-	1	2	2	8	8	2	1	20	-	-	-	1	-	1	-	3	2	10	4
All other	15	-	-	-	-	1	3	3	1	2	2	3	5	-	-	-	1	-	1	-	-	2	-	1
Black	15	-	-	-	-	1	3	3	1	2	2	3	4	-	-	-	1	-	1	-	-	2	-	-
Tuberculosis of respiratory system (010-012)	32	-	-	-	-	1	5	4	7	9	3	3	16	-	-	-	-	-	2	-	2	3	5	4
White	20	-	-	-	-	1	2	2	6	7	1	1	14	-	-	-	-	-	1	-	2	2	5	4
All other	12	-	-	-	-	-	3	2	1	2	2	2	2	-	-	-	-	-	1	-	-	1	-	-
Black	12	-	-	-	-	-	3	2	1	2	2	2	2	-	-	-	-	-	1	-	-	1	-	-
Other tuberculosis (013-018)	7	-	-	-	-	1	-	1	2	1	1	1	9	-	-	-	1	-	-	-	1	1	5	1
White	4	-	-	-	-	-	-	-	2	1	1	-	6	-	-	-	-	-	-	-	1	-	5	-
All other	3	-	-	-	-	1	-	1	-	-	-	1	3	-	-	-	1	-	-	-	-	1	-	1
Black	3	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal infection (036)	7	2	3	–	1	1	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
White	6	2	3	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Septicemia (038)	370	7	2	3	1	7	10	22	59	86	89	74	393	8	4	2	1	6	5	9	39	64	130	125
White	274	4	1	2	–	2	7	14	43	70	57	64	320	6	4	–	–	3	4	5	27	50	109	112
All other	96	3	1	1	1	5	3	8	16	26	22	10	73	2	–	2	1	3	1	4	12	14	21	13
Black	95	3	1	1	1	5	3	8	15	26	22	10	73	2	–	2	1	3	1	4	12	14	21	13
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	14	–	–	–	–	–	2	–	4	7	1	–	11	–	–	–	–	2	3	–	1	1	3	1
White	13	–	–	–	–	–	2	–	3	7	1	–	10	–	–	–	–	2	2	–	1	1	3	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Syphilis (090-097)	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	120	2	1	4	4	12	17	9	24	24	16	7	115	2	–	3	3	5	5	12	22	24	26	13
White	90	2	–	4	3	8	12	6	20	18	13	4	91	1	–	2	2	3	3	6	17	20	26	11
All other	30	–	1	–	1	4	5	3	4	6	3	3	24	1	–	1	1	2	2	6	5	4	–	2
Black	27	–	1	–	1	4	4	3	3	6	2	3	24	1	–	1	1	2	2	6	5	4	–	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,926	2	16	35	55	117	284	968	2,875	3,921	2,759	896	10,631	3	15	23	51	139	436	1,017	2,226	2,971	2,549	1,207
White	10,167	1	14	28	49	97	206	721	2,341	3,432	2,464	814	9,313	3	12	19	46	101	337	823	1,885	2,640	2,328	1,121
All other	1,759	1	2	7	6	20	78	245	534	489	295	82	1,318	–	3	4	5	32	99	194	341	331	223	86
Black	1,708	1	2	7	6	19	71	239	524	470	289	80	1,272	–	3	4	5	29	97	184	327	323	219	81
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	280	–	–	–	–	–	14	37	99	71	43	16	108	–	–	–	–	1	3	12	38	27	19	8
White	217	–	–	–	–	–	5	23	78	59	38	14	98	–	–	–	–	1	3	11	32	25	18	8
All other	63	–	–	–	–	–	9	14	21	12	5	2	10	–	–	–	–	–	–	1	6	2	1	–
Black	61	–	–	–	–	–	8	14	21	11	5	2	8	–	–	–	–	–	–	1	5	2	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,154	–	–	–	3	19	64	236	718	1,092	750	272	2,901	–	2	3	2	18	57	170	474	795	886	494
White	2,685	–	–	–	2	14	42	163	564	868	682	250	2,483	–	2	2	2	13	37	135	376	677	790	459
All other	469	–	–	–	1	5	22	73	154	124	68	22	408	–	–	1	–	5	20	35	98	118	96	35
Black	446	–	–	–	1	5	21	68	149	116	65	21	385	–	–	1	–	3	18	28	93	114	95	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,296	2	–	–	2	7	73	400	1,280	1,500	667	165	1,826	–	–	–	2	3	53	231	524	603	313	97
White	3,631	1	–	–	2	6	46	294	1,041	1,317	773	151	1,616	–	–	–	2	2	47	180	450	554	289	92
All other	665	1	–	–	–	1	27	106	239	183	94	14	210	–	–	–	–	1	6	51	74	49	24	5
Black	655	1	–	–	–	1	25	105	237	180	92	14	206	–	–	–	–	1	6	51	74	47	23	4
Malignant neoplasm of breast (174-175)	20	–	–	–	–	2	–	3	2	3	8	2	2,071	–	–	–	1	37	177	275	486	538	381	176
White	19	–	–	–	–	2	–	3	1	3	8	2	1,833	–	–	–	–	26	136	233	424	489	358	167
All other	1	–	–	–	–	–	–	–	1	–	–	–	238	–	–	–	1	11	41	42	62	49	23	9
Black	1	–	–	–	–	–	–	–	1	–	–	–	234	–	–	–	1	10	41	41	60	48	23	9
Malignant neoplasms of genital organs (179-187)	1,246	–	–	–	4	4	8	16	127	394	456	237	1,174	–	–	–	3	19	57	129	258	348	275	85
White	1,020	–	–	–	4	4	6	13	97	307	382	207	1,010	–	–	–	3	14	42	96	224	306	248	77
All other	226	–	–	–	–	–	2	3	30	87	74	30	164	–	–	–	–	5	15	33	34	42	27	8
Black	223	–	–	–	–	–	2	3	30	85	73	30	160	–	–	–	–	5	15	32	31	42	27	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	608	–	–	1	–	1	16	44	114	200	157	75	334	–	–	–	1	2	2	19	52	81	106	71
White	562	–	–	–	–	1	14	38	104	185	147	73	294	–	–	–	1	2	–	15	47	73	95	61
All other	46	–	–	1	–	–	2	6	10	15	10	2	40	–	–	–	–	–	2	4	5	8	11	10
Black	45	–	–	1	–	–	1	6	10	15	10	2	38	–	–	–	–	–	2	4	4	7	11	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,314	–	10	10	19	43	63	150	330	384	249	56	1,236	1	6	15	17	30	54	117	240	326	285	145
White	1,150	–	10	8	16	40	53	121	284	341	227	50	1,083	1	5	12	14	23	45	99	202	289	259	133
All other	164	–	–	2	3	3	10	29	46	43	22	6	153	–	1	3	3	7	8	18	38	37	26	12
Black	155	–	–	2	3	2	10	29	43	39	22	5	147	–	1	3	3	7	8	18	36	36	25	10
Leukemia (204-208)	464	–	6	17	17	18	23	27	74	124	110	48	382	2	7	4	13	11	18	27	50	84	114	52
White	419	–	4	16	17	15	20	20	66	114	101	46	344	2	5	4	13	9	13	22	40	76	110	50
All other	45	–	2	1	–	3	3	7	8	10	9	2	38	–	2	–	–	2	5	5	10	8	4	2
Black	44	–	2	1	–	3	2	7	8	10	9	2	37	–	2	–	–	2	5	4	10	8	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	544	–	–	7	10	23	23	53	131	153	119	25	589	–	–	1	12	12	15	37	104	169	170	79
White	464	–	–	4	8	15	20	46	106	138	106	21	542	–	–	1	11	11	13	32	90	151	159	74
All other	80	–	–	3	2	8	3	7	25	15	13	4	57	–	–	–	1	1	2	5	14	18	11	5
Black	78	–	–	3	2	8	2	7	25	14	13	4	57	–	–	–	1	1	2	5	14	18	11	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	142	2	–	1	4	8	5	9	25	35	41	14	180	1	1	2	2	2	6	8	24	54	56	24
White	120	1	–	1	4	5	4	5	20	28	40	12	168	1	1	2	2	2	6	6	20	49	55	24
All other	22	1	–	–	–	1	1	4	5	7	1	2	12	–	–	–	–	–	–	2	4	5	1	–
Black	21	1	–	–	–	1	1	4	5	6	1	2	11	–	–	–	–	–	–	2	3	5	1	–
Diabetes mellitus (250)	718	–	–	–	1	20	31	50	136	204	184	82	976	–	–	–	5	17	23	38	145	274	297	176
White	603	–	–	–	1	16	21	34	106	176	174	75	797	–	–	–	4	14	17	25	101	209	269	158
All other	115	–	–	–	–	4	10	16	30	28	20	7	178	–	–	–	1	3	6	13	44	65	28	18
Black	111	–	–	–	–	4	10	15	29	28	19	6	176	–	–	–	1	3	6	12	44	64	28	18
Nutritional deficiencies (260-269)	37	1	–	–	–	–	–	1	1	6	11	15	83	1	–	–	–	3	3	–	2	10	27	37
White	31	1	–	–	–	–	–	1	1	6	9	13	73	1	–	–	–	3	3	–	2	8	22	34
All other	6	–	–	–	–	–	–	–	–	2	2	2	10	–	–	–	–	–	–	–	–	2	5	3
Black	6	–	–	–	–	–	–	–	–	2	2	2	10	–	–	–	–	–	–	–	–	2	5	3
Anemias (280-285)	68	–	2	–	2	1	3	2	8	12	13	25	110	–	3	6	3	3	2	2	4	13	32	42
White	58	–	–	–	1	–	2	2	5	11	13	24	93	–	1	4	1	–	2	2	4	12	30	37
All other	10	–	2	–	1	1	1	–	3	1	–	1	17	–	2	2	2	3	–	–	–	1	2	5
Black	9	–	2	–	1	1	1	–	2	1	–	1	17	–	2	2	2	3	–	–	–	1	2	5
Meningitis (320-322)	29	5	7	3	–	3	–	1	3	3	4	–	22	2	3	1	1	–	1	1	4	1	5	3
White	21	4	5	1	–	2	–	–	3	3	3	–	19	1	3	1	1	–	1	1	3	1	4	3
All other	8	1	2	2	–	1	–	1	–	–	1	–	3	1	–	–	–	–	–	–	1	–	1	–
Black	8	1	2	2	–	1	–	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Major cardiovascular diseases (390-448)	24,540	33	11	9	42	160	558	1,561	4,094	6,704	7,210	4,158	25,632	19	14	12	24	77	233	572	2,014	4,571	8,545	9,550
White	21,707	22	7	7	30	106	392	1,208	3,460	5,971	6,597	3,907	22,894	13	11	11	20	44	139	382	1,525	3,951	7,741	9,058
All other	2,833	11	4	2	12	54	166	353	634	733	613	251	2,738	6	3	1	4	33	94	190	489	620	804	494
Black	2,755	11	4	2	12	53	164	341	619	713	590	248	2,685	6	3	1	4	33	89	186	476	609	795	483
Diseases of heart (390-398,402,404-429)	20,439	28	9	7	29	125	480	1,398	3,605	5,661	5,842	3,255	19,849	14	12	8	13	46	174	425	1,617	3,635	6,576	7,128
White	18,083	20	6	6	20	80	348	1,085	3,075	5,059	5,335	3,051	17,530	8	9	7	10	29	100	286	1,223	3,151	5,953	6,753
All other	2,356	8	3	1	9	45	134	313	530	602	507	204	2,119	6	3	1	3	17	74	139	394	484	623	375
Black	2,293	8	3	1	9	44	132	302	517	584	491	202	2,078	6	3	1	3	17	69	136	382	477	615	367
Rheumatic fever and rheumatic heart disease (390-398)	100	1	–	–	2	5	6	12	25	31	16	2	204	–	1	–	1	6	9	16	43	52	55	21
White	89	1	–	–	2	2	4	12	21	29	16	2	183	–	1	–	1	3	6	14	38	47	55	20
All other	11	–	–	–	–	3	2	–	4	2	–	–	21	–	–	–	–	3	3	2	7	5	–	1
Black	10	–	–	–	–	3	2	–	3	2	–	–	20	–	–	–	–	3	2	2	7	5	–	1
Hypertensive heart disease (402)	612	–	–	–	2	8	33	85	151	162	117	54	664	–	–	–	–	–	11	37	82	156	199	179
White	396	–	–	–	1	2	11	38	86	124	91	45	488	–	–	–	–	–	2	14	42	106	158	166
All other	216	–	–	–	1	6	22	49	65	38	26	9	176	–	–	–	–	–	9	23	40	50	41	13
Black	215	–	–	–	1	6	22	49	65	38	25	9	174	–	–	–	–	–	9	23	39	49	41	13
Hypertensive heart and renal disease (404)	64	–	–	–	–	1	–	3	5	15	23	17	94	–	–	–	–	–	1	3	8	18	35	29
White	51	–	–	–	–	–	–	1	2	12	19	17	77	–	–	–	–	–	1	2	4	13	30	27
All other	13	–	–	–	–	1	–	2	3	3	4	–	17	–	–	–	–	–	–	1	4	5	5	2
Black	13	–	–	–	–	1	–	2	3	3	4	–	17	–	–	–	–	–	–	1	4	5	5	2
Ischemic heart disease (410-414)	14,327	–	–	–	4	47	311	832	2,350	3,992	4,377	2,414	13,653	2	1	–	4	15	80	236	1,000	2,519	4,765	5,231
White	13,303	–	–	–	4	40	257	722	2,151	3,720	4,105	2,304	12,722	–	–	–	3	11	43	180	815	2,263	4,403	5,004
All other	1,024	–	–	–	–	7	54	110	199	272	272	110	1,131	2	1	–	1	4	37	56	185	256	362	227
Black	981	–	–	–	–	7	53	102	192	258	261	108	1,105	2	1	–	1	4	35	55	178	253	354	222
Acute myocardial infarction (410)	7,796	–	–	–	4	25	202	584	1,585	2,401	2,193	822	6,280	1	–	–	3	8	41	154	667	1,433	2,373	1,600
White	7,288	–	–	–	4	21	172	523	1,450	2,269	2,068	781	5,741	–	–	–	2	7	28	125	544	1,316	2,203	1,516
All other	508	–	–	–	–	4	30	61	115	132	125	41	539	1	–	–	1	1	13	29	123	117	170	84
Black	483	–	–	–	–	4	29	56	109	124	121	40	522	1	–	–	1	1	11	28	117	115	167	81

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	147	-	-	-	-	-	7	17	34	46	30	13	82	-	-	-	-	1	4	5	15	19	24	14
White	125	-	-	-	-	-	6	10	30	39	27	13	65	-	-	-	-	-	2	3	12	14	20	14
All other	22	-	-	-	-	-	1	7	4	7	3	-	17	-	-	-	-	1	2	2	3	5	4	-
Black	22	-	-	-	-	-	1	7	4	7	3	-	17	-	-	-	-	1	2	2	3	5	4	-
Angina pectoris (413)	10	-	-	-	-	-	1	-	3	2	2	2	23	-	-	-	-	-	-	3	1	5	3	11
White	8	-	-	-	-	-	1	-	3	1	2	1	17	-	-	-	-	-	-	-	1	3	2	11
All other	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	3	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	3	-	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,374	-	-	-	-	22	101	231	748	1,543	2,152	1,577	7,468	1	1	-	1	6	35	74	317	1,062	2,365	3,606
White	5,882	-	-	-	-	19	78	189	668	1,411	2,008	1,509	6,899	-	-	-	1	4	13	52	258	930	2,178	3,463
All other	492	-	-	-	-	3	23	42	80	132	144	68	569	1	1	-	-	2	22	22	59	132	187	143
Black	474	-	-	-	-	3	23	39	79	126	137	67	560	1	1	-	-	2	22	22	58	131	182	141
Other diseases of endocardium (424)	185	1	1	1	-	3	6	8	28	51	61	25	195	-	-	1	-	-	6	4	22	34	70	58
White	163	1	1	1	-	3	6	8	21	45	55	22	173	-	-	1	-	-	5	1	18	31	61	56
All other	22	-	-	-	-	-	-	-	7	6	6	3	22	-	-	-	-	-	1	3	4	3	9	2
Black	22	-	-	-	-	-	-	-	7	6	6	3	22	-	-	-	-	-	1	3	4	3	9	2
All other forms of heart disease (415-423,425-429)	5,151	28	8	6	21	61	124	458	1,046	1,410	1,248	743	4,639	12	10	7	8	25	67	129	462	856	1,452	1,610
White	4,081	18	5	5	13	33	68	306	794	1,129	1,049	661	3,687	8	8	6	6	15	43	75	308	691	1,246	1,480
All other	1,070	8	3	1	8	28	56	152	252	281	199	82	752	4	2	1	2	10	24	54	154	165	206	130
Black	1,052	8	3	1	8	27	55	149	247	277	195	82	740	4	2	1	2	10	22	54	150	162	206	127
Hypertension with or without renal disease (401,403)	201	-	-	-	1	5	2	10	29	57	46	51	259	-	-	-	-	1	1	5	35	56	84	75
White	163	-	-	-	-	2	-	7	19	45	43	47	209	-	-	-	-	-	-	1	19	47	73	69
All other	38	-	-	-	1	3	2	3	10	12	3	4	50	-	-	-	-	1	1	4	16	11	11	6
Black	37	-	-	-	1	3	2	3	10	12	2	4	50	-	-	-	-	1	1	4	16	11	11	6
Cerebrovascular diseases (430-438)	2,864	4	1	2	11	24	66	127	333	694	984	618	4,512	5	2	4	11	26	51	129	308	723	1,509	1,744
White	2,508	1	-	1	9	19	38	98	256	594	905	587	4,021	5	2	4	10	13	33	87	235	617	1,364	1,651
All other	356	3	1	1	2	5	28	29	77	100	79	31	491	-	-	-	1	13	18	42	73	106	145	93
Black	348	3	1	1	2	5	28	29	76	99	74	31	481	-	-	-	1	13	18	40	72	102	144	91
Intracerebral and other intracranial hemorrhage (431-432)	488	3	1	2	3	7	38	47	97	121	121	50	675	3	-	2	6	4	19	58	103	137	218	125
White	412	1	-	1	3	5	19	34	77	106	117	49	569	3	-	2	6	2	12	33	83	114	193	121
All other	76	2	1	1	-	2	17	13	20	15	4	1	106	-	-	-	-	2	7	25	20	23	25	4
Black	75	2	1	1	-	2	17	13	20	15	3	1	104	-	-	-	-	2	7	23	20	23	25	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	505	-	-	-	-	2	4	17	57	158	220	147	875	-	-	-	-	1	1	8	41	157	280	387
White	545	-	-	-	-	1	2	13	44	139	205	141	790	-	-	-	-	1	-	7	30	130	253	369
All other	60	-	-	-	-	1	2	4	13	19	15	6	85	-	-	-	-	-	1	1	11	27	27	18
Black	59	-	-	-	-	1	2	4	13	19	14	6	84	-	-	-	-	-	1	1	11	27	27	17
Cerebral embolism (434.1)	14	-	-	-	-	-	1	-	2	4	6	1	22	-	-	-	-	-	-	1	1	3	14	3
White	13	-	-	-	-	-	1	-	1	4	6	1	21	-	-	-	-	-	-	1	1	3	13	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,757	1	-	-	8	15	25	63	177	411	637	420	2,940	2	2	2	5	21	31	62	163	428	997	1,229
White	1,538	-	-	-	6	13	16	51	134	345	577	396	2,641	2	2	2	4	10	21	46	121	370	905	1,158
All other	219	1	-	-	2	2	9	12	43	66	60	24	299	-	-	-	1	11	10	16	42	58	92	71
Black	213	1	-	-	2	2	9	12	41	65	57	24	282	-	-	-	1	11	10	16	41	52	91	70
Atherosclerosis (440)	416	-	-	-	-	-	-	4	16	71	149	174	817	-	-	-	-	-	1	2	13	58	246	497
White	389	-	-	-	-	-	-	3	15	67	138	166	779	-	-	-	-	-	1	2	13	50	231	482
All other	27	-	-	-	-	-	-	1	3	4	11	8	38	-	-	-	-	-	-	-	-	8	15	15
Black	24	-	-	-	-	-	-	-	3	4	11	6	37	-	-	-	-	-	-	-	-	8	15	14
Other diseases of arteries, arterioles, and capillaries (441-448)	620	1	1	-	1	6	10	22	109	221	189	60	385	-	-	-	-	4	6	11	41	97	130	106
White	564	1	1	-	1	5	8	15	95	206	178	56	355	-	-	-	-	2	5	8	35	86	120	101
All other	56	-	-	-	-	1	2	7	14	15	13	4	40	-	-	-	-	2	1	5	6	11	10	5
Black	53	-	-	-	-	1	2	7	14	14	12	3	39	-	-	-	-	2	1	4	6	11	10	5
Acute bronchitis and bronchiolitis (466)	11	1	-	-	-	-	-	1	1	3	3	2	7	-	-	-	-	-	-	-	-	-	6	1
White	11	1	-	-	-	-	-	1	1	3	3	2	7	-	-	-	-	-	-	-	-	-	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,492	25	5	6	13	22	31	61	144	281	502	402	1,511	10	9	7	5	10	21	24	70	168	455	732
White	1,235	13	2	5	5	14	14	33	104	230	439	376	1,347	6	-	5	2	5	13	14	57	143	412	690
All other	257	12	3	1	8	8	17	28	40	51	63	26	164	4	9	2	3	5	8	10	13	25	43	42
Black	251	12	3	1	8	8	17	26	39	50	61	26	161	4	8	2	3	5	8	9	13	25	42	42

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,477	25	5	5	13	22	31	61	143	281	496	395	1,482	10	9	7	4	10	20	23	68	167	445	719
White	1,220	13	2	4	5	14	14	33	103	230	433	369	1,318	6	–	5	1	5	12	13	55	142	402	677
All other	257	12	3	1	8	8	17	28	40	51	63	26	164	4	9	2	3	5	8	10	13	25	43	42
Black	251	12	3	1	8	8	17	26	39	50	61	26	161	4	8	2	3	5	8	9	13	25	42	42
Influenza (487)	15	–	–	1	–	–	–	–	1	–	6	7	29	–	–	–	1	–	1	1	2	1	10	13
White	15	–	–	1	–	–	–	–	1	–	6	7	29	–	–	–	1	–	1	1	2	1	10	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,002	1	1	5	5	5	12	53	261	712	692	255	1,099	–	2	–	6	6	15	38	168	329	358	168
White	1,827	–	–	3	2	5	8	38	226	651	654	240	979	–	2	–	3	2	6	26	138	305	339	158
All other	175	1	1	2	3	–	4	15	35	61	38	15	110	–	–	–	3	4	9	10	31	24	19	10
Black	162	1	1	2	3	–	3	14	34	60	36	15	106	–	–	–	3	3	9	10	31	24	17	9
Bronchitis, chronic and unspecified (490-491)	93	1	–	–	–	–	–	1	11	23	35	22	67	–	2	–	–	–	1	1	9	13	23	18
White	89	–	–	–	–	–	–	1	11	22	34	21	64	–	2	–	–	–	1	–	8	13	22	18
All other	4	1	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	1	1	–	1	–
Black	4	1	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	1	1	–	1	–
Emphysema (492)	483	–	–	–	–	1	–	15	75	174	150	48	195	–	–	–	–	–	1	7	32	70	63	22
White	428	–	–	–	–	1	–	11	68	161	139	47	184	–	–	–	–	–	–	7	27	67	62	21
All other	35	–	–	–	–	–	–	4	6	13	11	1	11	–	–	–	–	–	1	–	5	3	1	1
Black	34	–	–	–	–	–	–	4	6	12	11	1	11	–	–	–	–	–	1	–	5	3	1	1
Asthma (493)	63	–	1	5	5	3	5	5	6	18	10	5	124	–	–	–	5	5	10	16	30	19	27	12
White	44	–	–	3	2	3	4	4	–	14	10	4	83	–	–	–	2	2	2	8	17	15	25	12
All other	19	–	1	2	3	–	1	1	6	4	–	1	41	–	–	–	3	3	8	8	13	4	2	–
Black	19	–	1	2	3	–	1	1	6	4	–	1	41	–	–	–	3	3	8	8	13	4	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,383	–	–	–	–	1	7	32	169	497	497	180	703	–	–	–	1	1	3	12	98	227	245	116
White	1,266	–	–	–	–	1	4	22	146	454	471	168	648	–	–	–	1	–	3	11	86	210	230	107
All other	117	–	–	–	–	–	3	10	23	43	26	12	55	–	–	–	–	1	–	1	12	17	15	9
Black	112	–	–	–	–	–	2	9	22	43	24	12	51	–	–	–	–	–	–	1	12	17	13	8
Ulcer of stomach and duodenum (531-533)	165	–	–	–	–	1	2	6	31	47	53	25	189	–	–	–	–	–	2	4	11	31	76	65
White	146	–	–	–	–	1	–	4	28	40	50	23	183	–	–	–	–	–	2	3	10	30	74	64
All other	19	–	–	–	–	–	2	2	3	7	3	2	6	–	–	–	–	–	–	1	1	1	2	1
Black	17	–	–	–	–	–	2	2	2	7	2	2	6	–	–	–	–	–	–	1	1	1	2	1
Appendicitis (540-543)	13	–	–	–	–	–	–	–	2	3	7	1	14	–	1	–	–	1	–	–	3	2	4	3
White	12	–	–	–	–	–	–	–	2	3	6	1	10	–	1	–	–	–	–	–	2	2	3	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	1	–	–	1	–	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	1	–	–	1	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	104	6	1	1	1	–	4	3	13	21	35	19	160	4	–	–	1	–	1	4	15	20	49	66
White	89	5	1	1	1	–	2	2	10	16	34	17	138	3	–	–	1	–	–	4	12	14	46	58
All other	15	1	–	–	–	–	2	1	3	5	1	2	22	1	–	–	–	–	1	–	3	6	3	8
Black	15	1	–	–	–	–	2	1	3	5	1	2	22	1	–	–	–	–	1	–	3	6	3	8
Chronic liver disease and cirrhosis (571)	917	–	–	1	2	70	109	197	229	207	79	23	505	–	1	1	1	26	46	93	145	122	58	12
White	738	–	–	–	2	46	65	154	194	185	70	22	402	–	1	1	–	11	29	67	122	107	54	10
All other	179	–	–	1	–	24	44	43	35	22	9	1	103	–	–	–	1	15	17	26	23	15	4	2
Black	173	–	–	1	–	24	42	40	34	22	9	1	100	–	–	–	1	15	17	25	22	15	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	59	–	–	–	–	–	1	2	4	23	18	11	76	–	–	–	–	1	–	1	3	14	27	32
White	54	–	–	–	–	–	–	2	4	20	17	11	71	–	–	–	–	1	–	1	2	12	25	30
All other	5	–	–	–	–	–	1	–	–	3	1	–	7	–	–	–	–	–	–	–	1	2	2	2
Black	5	–	–	–	–	–	1	–	–	3	1	–	6	–	–	–	–	–	–	–	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	544	6	1	–	4	5	13	22	79	144	153	117	517	10	–	–	1	3	13	14	57	102	170	147
White	421	4	1	–	2	4	6	10	52	111	126	105	400	4	–	–	–	2	6	9	35	75	136	134
All other	123	2	–	–	2	1	7	12	27	33	27	12	117	6	–	–	1	1	7	5	22	27	34	13
Black	118	2	–	–	2	1	7	12	25	32	26	11	113	6	–	–	1	–	7	5	21	26	34	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	–	1	–	–	–	–	–	1	3	5	1	8	–	–	–	–	–	–	2	–	2	2	2
White	10	–	1	–	–	–	–	–	1	2	5	1	8	–	–	–	–	–	–	2	–	2	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	41	–	–	–	–	2	4	4	7	7	6	11	48	–	–	–	–	–	–	1	4	10	19	14
White	37	–	–	–	–	1	4	2	7	7	5	11	40	–	–	–	–	–	–	1	2	10	14	13
All other	4	–	–	–	–	1	–	2	–	–	1	–	8	–	–	–	–	–	–	–	2	–	5	1
Black	4	–	–	–	–	1	–	2	–	–	1	–	8	–	–	–	–	–	–	–	2	–	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	492	6	–	–	4	3	9	18	71	134	142	105	461	10	–	–	1	3	13	11	53	90	149	131
White	374	4	–	–	2	3	2	8	44	102	116	93	352	4	–	–	–	2	6	5	33	63	120	119
All other	118	2	–	–	2	–	7	10	27	32	26	12	109	6	–	–	1	1	7	6	20	27	29	12
Black	113	2	–	–	2	–	7	10	25	31	25	11	105	6	–	–	1	–	7	6	19	26	29	11
Infections of kidney (590)	40	–	–	–	–	–	1	–	2	12	10	15	67	–	–	–	1	3	–	2	3	7	20	31
White	36	–	–	–	–	–	1	–	2	11	10	12	61	–	–	–	1	1	–	2	3	6	18	30
All other	4	–	–	–	–	–	–	–	–	1	–	3	6	–	–	–	–	2	–	–	–	1	2	1
Black	4	–	–	–	–	–	–	–	–	1	–	3	6	–	–	–	–	2	–	–	–	1	2	1
Hyperplasia of prostate (600)	30	–	–	–	–	–	–	–	4	3	17	6	...	...	...	...	...	...	...	...	...	...	...	...
White	25	–	–	–	–	–	–	–	4	3	13	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	–	–	–	–	–	–	–	–	–	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	–	–	–	–	–	–	–	–	–	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	7	11	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	5	7	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	5	7	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	–	6	10	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	4	6	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	4	6	–	–	...	...	...	...
Congenital anomalies (740-759)	327	227	19	12	14	14	3	9	15	8	4	2	297	208	18	10	8	5	6	8	18	8	9	3
White	270	186	15	10	9	12	3	8	15	7	3	2	226	152	11	9	7	2	6	5	16	6	9	3
All other	57	41	4	2	5	2	–	1	–	1	1	–	71	56	7	1	1	3	–	3	2	–	–	–
Black	55	40	3	2	5	2	–	1	–	1	1	–	68	52	6	1	1	3	–	3	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	606	598	8	2	–	–	–	–	–	–	–	–	496	492	4	–	–	–	–	–	–	–	–	–
White	342	337	4	1	–	–	–	–	–	–	–	–	292	291	1	–	–	–	–	–	–	–	–	–
All other	264	259	4	1	–	–	–	–	–	–	–	–	204	201	3	–	–	–	–	–	–	–	–	–
Black	262	257	4	1	–	–	–	–	–	–	–	–	200	197	3	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	189	186	1	2	–	–	–	–	–	–	–	–	128	127	1	–	–	–	–	–	–	–	–	–
White	101	99	1	1	–	–	–	–	–	–	–	–	81	80	1	–	–	–	–	–	–	–	–	–
All other	88	87	–	1	–	–	–	–	–	–	–	–	47	47	–	–	–	–	–	–	–	–	–	–
Black	87	86	–	1	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	417	410	7	–	–	–	–	–	–	–	–	–	368	365	3	–	–	–	–	–	–	–	–	–
White	241	238	3	–	–	–	–	–	–	–	–	–	211	211	–	–	–	–	–	–	–	–	–	–
All other	176	172	4	–	–	–	–	–	–	–	–	–	157	154	3	–	–	–	–	–	–	–	–	–
Black	175	171	4	–	–	–	–	–	–	–	–	–	155	152	3	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	403	196	7	5	12	30	27	16	29	29	33	17	317	141	5	1	12	11	12	3	17	25	35	55
White	251	96	4	2	11	20	13	10	20	26	31	17	201	58	3	–	5	7	6	2	13	22	32	53
All other	152	100	3	3	1	10	14	6	9	3	2	–	116	83	2	1	7	4	6	1	4	3	3	2
Black	151	99	3	3	1	10	14	6	9	3	2	–	114	81	2	1	7	4	6	1	4	3	3	2
All other diseases (Residual)	2,996	42	25	32	47	108	170	214	435	667	797	459	3,432	38	19	23	35	70	101	131	330	657	1,030	998
White	2,476	27	19	25	35	64	105	159	347	566	712	417	2,959	25	15	19	28	47	68	91	272	551	918	927
All other	520	15	6	7	12	44	65	55	88	101	85	42	473	13	4	4	8	23	33	40	58	106	112	71
Black	501	13	6	7	12	44	62	54	86	97	80	40	457	11	4	4	8	20	31	39	56	105	110	69
Accidents and adverse effects (E800-E949)	2,535	23	81	119	538	488	296	236	230	215	195	104	1,205	16	42	59	183	129	89	84	107	135	196	165
White	2,067	8	48	81	481	394	224	175	192	187	181	96	1,021	10	28	46	158	99	66	67	91	121	182	153
All other	468	15	33	38	57	104	72	61	38	28	14	8	184	6	14	13	25	30	23	17	16	14	14	12
Black	453	15	32	37	53	101	70	60	38	27	13	7	174	6	14	13	25	28	22	15	14	13	14	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,205	3	19	62	395	270	123	103	79	79	51	12	521	2	11	38	140	80	49	43	50	53	42	13
White	1,048	-	13	47	358	235	102	83	68	71	49	12	460	1	8	32	129	68	42	35	44	50	40	11
All other	157	3	6	15	37	44	21	20	11	8	2	-	61	1	3	6	11	12	7	8	6	3	2	2
Black	149	3	6	14	25	41	19	20	11	7	2	-	54	1	3	6	11	8	7	6	5	3	2	2
All other accidents and adverse effects (E800-E807, E826-E949)	1,330	20	62	57	143	219	173	133	151	136	144	92	684	14	31	21	43	49	40	41	57	82	154	152
White	1,019	6	35	34	113	159	122	92	124	116	132	84	561	9	20	14	29	31	24	32	47	71	142	142
All other	311	12	27	23	30	60	51	41	27	20	12	8	123	5	11	7	14	18	16	9	10	11	12	10
Black	305	12	26	23	28	60	51	40	27	20	11	7	120	5	11	7	14	18	15	9	9	10	12	10
Suicide (E950-E959)	912	...	...	7	152	226	141	103	119	104	45	15	295	...	...	3	32	55	46	54	43	39	15	8
White	838	...	...	5	138	201	126	98	109	101	45	15	269	...	...	2	29	46	44	50	41	38	14	7
All other	74	...	...	2	14	25	15	5	10	3	-	-	26	...	...	1	3	9	2	4	2	3	1	1
Black	72	...	...	1	14	25	15	5	9	3	-	-	16	...	...	1	2	7	1	4	2	1	-	-
Homicide and legal intervention (E960-E978)	900	10	9	22	262	291	123	78	58	31	12	5	245	7	12	13	61	61	32	23	15	8	10	2
White	338	1	3	9	97	106	42	37	25	11	4	3	114	2	4	3	29	30	15	10	5	7	7	2
All other	562	9	6	13	165	185	81	42	31	20	8	2	131	5	8	10	32	31	17	13	10	1	3	-
Black	559	9	6	13	165	184	79	42	31	20	8	2	128	5	8	10	32	30	17	11	10	1	3	-
All other external causes (E980-E999)	141	2	-	2	24	42	20	17	18	14	2	-	60	3	5	2	6	6	10	6	5	5	4	2
White	99	1	-	2	17	25	12	11	17	12	2	-	48	1	3	2	7	7	9	5	5	5	2	2
All other	42	1	-	-	7	17	8	6	1	2	-	-	12	2	2	-	1	1	1	3	-	-	2	-
Black	41	1	-	-	7	17	8	5	1	2	-	-	12	2	2	-	1	1	1	3	-	-	2	-
INDIANA																								
All causes	24,778	522	84	131	573	640	779	1,671	4,355	6,548	6,282	3,211	22,671	368	83	89	233	256	484	954	2,471	4,565	6,673	6,462
White	22,865	415	67	111	509	543	662	1,496	3,964	6,108	5,931	3,060	21,128	308	66	73	201	209	425	834	2,241	4,207	6,314	6,246
All other	1,913	107	17	20	64	97	117	175	391	442	331	151	1,545	60	17	16	32	47	59	120	230	358	359	236
Black	1,893	106	17	20	62	96	116	175	386	436	326	148	1,533	59	15	16	31	46	58	119	228	357	357	236
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	1	-	-	-	-	1	-	1	-	1	1	6	1	-	-	-	-	-	-	1	1	1	2
White	3	-	-	-	-	-	1	-	-	-	1	1	5	1	-	-	-	-	-	-	1	1	-	2
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	15	-	-	-	-	-	3	-	2	5	3	2	9	-	-	-	-	-	-	1	-	6	1	1
White	11	-	-	-	-	-	1	-	1	4	3	2	9	-	-	-	-	-	-	1	-	6	1	1
All other	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	3	-	2	5	3	2	8	-	-	-	-	-	-	1	-	6	1	-
White	11	-	-	-	-	-	1	-	1	4	3	2	8	-	-	-	-	-	-	1	-	6	1	-
All other	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	171	1	3	2	-	4	3	9	24	37	52	36	219	2	2	1	2	1	4	5	22	33	78	69
White	152	1	2	2	-	2	2	8	23	32	49	31	191	1	-	1	2	1	2	5	19	28	72	62
All other	19	-	1	-	-	2	1	1	1	5	3	5	28	1	2	-	-	-	2	-	3	7	6	7
Black	19	-	1	-	-	2	1	1	1	5	3	5	27	1	2	-	-	-	2	-	3	7	5	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	7	-	-	-	1	1	3	-	-	1	1	-	11	-	-	-	-	2	1	2	2	2	2	-
White	7	-	-	-	1	1	3	-	-	1	1	-	10	-	-	-	-	2	1	1	2	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	1	-	1	2	-
White	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	1	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	70	2	2	2	2	9	8	6	9	16	8	6	60	-	1	-	2	3	4	6	11	9	10	14
White	66	1	2	2	2	7	7	6	9	16	8	6	52	-	1	-	2	2	3	3	9	9	9	14
All other	4	1	-	-	-	2	1	-	-	-	-	-	8	-	-	-	-	1	1	3	2	-	1	-
Black	4	1	-	-	-	2	1	-	-	-	-	-	8	-	-	-	-	1	1	3	2	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,846	3	7	12	28	45	107	490	1,409	1,986	1,364	395	4,952	-	7	18	23	63	178	456	1,011	1,374	1,255	567
White	5,339	3	6	12	26	43	92	436	1,268	1,822	1,269	362	4,596	-	7	16	20	56	162	407	932	1,278	1,175	543
All other	507	-	1	-	2	2	15	54	141	164	95	33	356	-	-	2	3	7	16	49	79	96	80	24
Black	504	-	1	-	2	2	15	54	140	163	95	32	355	-	-	2	3	7	16	49	79	95	80	24
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	121	-	-	-	-	-	2	19	30	46	18	6	50	-	-	-	-	1	-	7	10	13	14	5
White	112	-	-	-	-	-	-	16	28	44	18	5	48	-	-	-	-	1	-	7	9	13	13	5
All other	9	-	-	-	-	-	2	3	1	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	9	-	-	-	-	-	2	3	1	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,415	-	1	-	2	4	21	105	309	478	388	109	1,311	-	1	-	1	3	21	72	208	361	419	225
White	1,286	-	1	-	2	4	18	88	281	431	361	100	1,214	-	1	-	1	2	19	67	191	324	394	215
All other	129	-	-	-	-	-	3	17	28	45	27	9	97	-	-	-	-	1	2	5	17	37	25	10
Black	127	-	-	-	-	-	3	17	28	44	27	8	97	-	-	-	-	1	2	5	17	37	25	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,300	-	-	-	-	2	25	227	677	841	452	76	831	-	-	-	-	2	19	96	214	302	157	41
White	2,072	-	-	-	-	2	21	202	596	762	420	69	767	-	-	-	-	2	16	84	196	288	143	38
All other	228	-	-	-	-	-	4	25	81	79	32	7	64	-	-	-	-	-	3	12	18	14	14	3
Black	228	-	-	-	-	-	4	25	81	79	32	7	64	-	-	-	-	-	3	12	18	14	14	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	1	3	-	916	-	-	-	-	18	60	122	218	229	188	81
White	6	-	-	-	-	-	-	1	1	1	3	-	857	-	-	-	-	15	53	112	202	218	177	80
All other	-	-	-	-	-	-	-	-	-	-	-	-	59	-	-	-	-	3	7	10	16	11	11	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	59	-	-	-	-	3	7	10	16	11	11	1
Malignant neoplasms of genital organs (178-187)	575	-	-	-	4	3	2	9	54	172	218	113	592	-	1	1	-	11	32	56	146	162	128	55
White	507	-	-	-	4	3	2	8	42	154	196	98	536	-	1	1	-	10	29	48	132	144	119	52
All other	68	-	-	-	-	-	-	1	12	18	22	15	56	-	-	-	-	1	3	8	14	18	9	3
Black	67	-	-	-	-	-	-	1	11	18	22	15	55	-	-	-	-	1	3	8	14	17	9	3
Malignant neoplasms of urinary organs (188-189)	285	-	-	-	-	3	6	24	51	87	91	23	177	-	-	1	-	-	2	12	36	36	52	28
White	274	-	-	-	-	3	5	24	49	85	85	23	163	-	-	1	-	-	2	9	35	32	57	27
All other	11	-	-	-	-	-	1	-	2	2	6	-	14	-	-	-	-	-	-	3	1	4	5	1
Black	11	-	-	-	-	-	1	-	2	2	6	-	14	-	-	-	-	-	-	3	1	4	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	648	3	2	6	9	22	34	68	163	200	102	39	583	-	3	12	7	19	29	51	101	138	150	73
White	615	3	1	6	9	22	29	64	152	193	98	38	546	-	3	10	6	18	29	48	93	133	140	68
All other	33	-	1	-	-	-	5	4	11	7	4	1	37	-	-	2	1	1	-	5	8	5	10	5
Black	33	-	1	-	-	-	5	4	11	7	4	1	37	-	-	2	1	1	-	5	8	5	10	5
Leukemia (204-208)	209	-	4	5	6	4	9	15	44	64	44	14	182	-	2	3	6	6	9	12	31	35	43	33
White	199	-	4	5	5	2	9	13	44	61	42	14	173	-	2	3	7	6	8	11	29	35	40	32
All other	10	-	-	-	1	2	-	2	-	3	2	-	9	-	-	-	1	-	1	1	2	-	3	1
Black	10	-	-	-	1	2	-	2	-	3	2	-	9	-	-	-	1	-	1	1	2	-	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	287	-	-	1	7	7	8	22	80	99	48	15	310	-	-	1	7	3	6	28	47	98	94	26
White	269	-	-	1	6	7	8	20	74	91	46	15	292	-	-	1	6	2	6	23	45	91	92	26
All other	19	-	-	-	1	-	-	2	6	8	2	-	18	-	-	-	1	1	-	5	2	7	2	-
Black	19	-	-	-	1	-	-	2	6	8	2	-	18	-	-	-	1	1	-	5	2	7	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	64	1	-	-	1	1	3	5	7	23	19	4	77	1	1	1	1	1	2	6	8	13	23	20
White	59	1	-	-	1	-	3	5	6	21	18	4	75	1	1	1	1	1	2	6	8	13	21	20
All other	5	-	-	-	-	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	5	-	-	-	-	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	419	-	-	-	3	10	18	28	65	127	116	52	567	-	-	-	2	3	10	23	68	147	203	111
White	373	-	-	-	3	7	17	23	59	107	110	47	502	-	-	-	2	3	7	17	58	128	183	104
All other	46	-	-	-	-	3	1	5	6	20	6	5	65	-	-	-	-	-	3	6	10	19	20	7
Black	46	-	-	-	-	3	1	5	6	20	6	5	65	-	-	-	-	-	3	6	10	19	20	7
Nutritional deficiencies (260-269)	34	-	1	-	-	-	-	3	2	6	9	13	46	-	-	-	-	-	-	-	1	2	14	29
White	29	-	1	-	-	-	-	2	1	5	7	13	42	-	-	-	-	-	-	-	1	2	13	26
All other	5	-	-	-	-	-	-	1	1	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3
Black	5	-	-	-	-	-	-	1	1	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3
Anemias (280-285)	28	1	1	-	1	2	1	2	2	7	7	4	53	-	-	-	1	2	1	1	2	6	22	18
White	23	1	-	-	1	1	-	2	2	7	7	3	48	-	-	-	1	1	-	-	2	6	22	17
All other	5	-	1	-	1	1	1	-	-	-	-	1	5	-	-	-	1	1	1	1	-	-	-	1
Black	5	-	1	-	1	1	1	-	-	-	-	1	5	-	-	-	1	1	1	1	-	-	-	1
Meningitis (320-322)	12	2	4	1	1	1	-	1	-	1	1	-	14	2	5	-	-	1	1	-	1	3	-	1
White	10	2	2	1	1	1	-	1	-	1	1	-	11	1	4	-	-	1	1	-	1	3	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1
Black	2	-	2	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	11,608	11	1	3	20	65	254	686	2,000	3,157	3,426	1,982	11,983	7	3	5	11	33	105	228	903	2,186	3,922	4,458
White	10,932	10	1	2	18	56	229	626	1,845	2,981	3,252	1,912	11,162	4	1	4	10	26	84	198	797	1,992	3,732	4,312
All other	676	1	-	1	2	9	25	62	155	176	174	70	701	3	2	1	1	7	21	30	106	194	190	146
Black	669	1	-	1	2	9	25	62	154	175	169	70	698	2	2	1	1	7	21	30	104	194	190	146
Diseases of heart (390-398,402,404-429)	9,355	9	1	2	15	54	218	620	1,758	2,621	2,616	1,440	8,555	5	3	5	6	21	78	166	692	1,669	2,813	3,096
White	8,823	8	1	2	13	46	201	568	1,626	2,472	2,495	1,389	8,068	3	1	4	6	15	64	144	617	1,533	2,690	2,990
All other	532	1	-	-	2	8	17	52	130	149	121	51	487	2	2	1	-	6	14	22	75	136	123	106
Black	526	1	-	-	2	8	17	52	129	148	117	51	485	1	2	1	-	6	14	22	74	136	123	106
Rheumatic fever and rheumatic heart disease (390-398)	51	-	-	-	-	1	3	6	13	13	13	2	109	-	-	-	1	5	6	8	20	27	33	9
White	47	-	-	-	-	-	3	5	11	13	13	2	102	-	-	-	1	3	6	8	18	24	33	9
All other	4	-	-	-	-	1	-	1	2	-	-	-	7	-	-	-	-	2	-	-	2	3	-	-
Black	4	-	-	-	-	1	-	1	2	-	-	-	7	-	-	-	-	2	-	-	2	3	-	-
Hypertensive heart disease (402)	105	-	-	-	-	1	2	7	26	26	32	11	168	-	-	-	-	1	2	8	16	34	62	63
White	80	-	-	-	-	1	-	6	18	19	27	9	151	-	-	-	-	1	-	6	14	21	51	58
All other	25	-	-	-	-	-	2	1	8	7	5	2	35	-	-	-	-	-	2	2	2	13	11	5
Black	25	-	-	-	-	-	2	1	8	7	5	2	35	-	-	-	-	-	2	2	2	13	11	5
Hypertensive heart and renal disease (404)	46	-	-	-	-	-	-	-	3	6	25	12	95	-	-	-	-	-	-	1	4	11	26	53
White	45	-	-	-	-	-	-	-	3	5	25	12	88	-	-	-	-	-	-	1	4	9	22	52
All other	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	-	2	4	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	-	2	4	1
Ischemic heart disease (410-414)	7,347	-	-	-	4	24	165	492	1,427	2,116	2,055	1,063	6,101	-	-	-	-	3	42	104	496	1,255	2,075	2,126
White	6,980	-	-	-	4	20	159	456	1,332	2,013	1,970	1,026	5,808	-	-	-	-	3	35	93	448	1,171	1,998	2,062
All other	367	-	-	-	-	4	6	36	95	103	85	37	293	-	-	-	-	-	7	11	48	84	79	64
Black	364	-	-	-	-	4	6	36	94	103	83	37	293	-	-	-	-	-	7	11	48	84	79	64
Acute myocardial infarction (410)	4,055	-	-	-	2	14	109	324	908	1,245	1,060	393	2,755	-	-	-	-	2	28	65	314	723	974	649
White	3,889	-	-	-	2	12	107	305	861	1,197	1,023	382	2,639	-	-	-	-	2	25	58	290	686	944	634
All other	166	-	-	-	-	2	2	19	47	48	37	11	116	-	-	-	-	-	3	7	24	37	30	15
Black	164	-	-	-	-	2	2	19	46	48	36	11	116	-	-	-	-	-	3	7	24	37	30	15
Other acute and subacute forms of ischemic heart disease (411)	11	-	-	-	-	-	1	-	2	5	2	1	12	-	-	-	-	-	-	-	-	3	7	2
White	11	-	-	-	-	-	1	-	2	5	2	1	12	-	-	-	-	-	-	-	-	3	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	2	1	2	2	1	10	-	-	-	-	-	-	1	1	2	5	1
White	8	-	-	-	-	-	-	2	1	2	2	1	10	-	-	-	-	-	-	1	1	2	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,273	-	-	-	2	10	55	166	516	864	991	668	3,324	-	-	-	-	-	1	14	38	181	527	1,089	1,474
White	3,072	-	-	-	2	8	51	149	488	809	943	642	3,147	-	-	-	-	-	1	10	34	157	480	1,040	1,425
All other	201	-	-	-	-	2	4	17	48	55	48	26	177	-	-	-	-	-	-	4	4	24	47	49	49
Black	200	-	-	-	-	2	4	17	48	55	47	26	177	-	-	-	-	-	-	4	4	24	47	49	49
Other diseases of endocardium (424)	92	1	-	1	-	5	3	3	12	22	29	16	130	-	-	-	-	1	3	2	11	21	53	39
White	88	1	-	1	-	5	3	1	12	21	29	15	123	-	-	-	-	1	2	2	10	20	50	38
All other	4	-	-	-	-	-	-	2	-	1	-	1	7	-	-	-	-	-	1	-	1	1	3	1
Black	4	-	-	-	-	-	-	2	-	1	-	1	7	-	-	-	-	-	1	-	1	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,714	6	1	1	11	23	45	112	277	438	462	336	1,834	5	3	5	5	11	25	43	145	321	564	805
White	1,583	7	1	1	9	20	36	100	252	401	431	325	1,796	3	1	4	5	7	21	34	123	288	538	771
All other	131	1	-	-	2	3	9	12	25	37	31	11	138	2	2	1	-	4	4	9	22	33	26	35
Black	126	1	-	-	2	3	9	12	25	36	29	11	136	1	2	1	-	4	4	9	21	33	26	35
Hypertension with or without renal disease (401,403)	79	-	-	-	-	1	2	2	7	19	32	16	139	-	-	-	-	1	1	7	15	30	49	36
White	72	-	-	-	-	1	1	2	5	17	31	15	119	-	-	-	-	1	1	5	9	23	45	35
All other	7	-	-	-	-	-	1	-	2	2	1	1	20	-	-	-	-	-	-	2	6	7	4	1
Black	7	-	-	-	-	-	1	-	2	2	1	1	20	-	-	-	-	-	-	2	6	7	4	1
Cerebrovascular diseases (430-438)	1,551	2	-	1	4	8	26	55	165	353	581	356	2,456	2	-	-	5	9	23	47	165	399	859	947
White	1,444	2	-	-	4	7	22	47	152	331	538	341	2,287	1	-	-	4	8	17	42	145	354	803	913
All other	107	-	-	1	-	1	4	8	13	22	43	15	169	1	-	-	1	1	6	5	20	45	56	34
Black	106	-	-	1	-	1	4	8	13	22	42	15	168	1	-	-	1	1	6	5	19	45	56	34
Intracerebral and other intracranial hemorrhage (431-432)	201	1	-	-	2	3	14	13	31	51	60	26	290	2	-	-	-	3	6	20	39	68	93	57
White	174	1	-	-	2	3	11	9	27	48	51	22	265	1	-	-	-	3	6	19	31	62	88	55
All other	27	-	-	-	-	-	3	4	4	3	9	4	25	1	-	-	-	-	2	1	8	6	5	2
Black	26	-	-	-	-	-	3	4	4	3	8	4	24	1	-	-	-	-	2	1	7	6	5	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	233	-	-	1	1	-	-	6	27	50	94	54	348	-	-	-	-	1	4	2	19	48	126	148
White	216	-	-	-	1	-	-	6	24	48	84	53	329	-	-	-	-	-	4	1	19	42	118	147
All other	17	-	-	1	-	-	-	-	3	2	10	1	17	-	-	-	-	1	-	1	-	4	10	1
Black	17	-	-	1	-	-	-	-	3	2	10	1	17	-	-	-	-	1	-	1	-	4	10	1
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	1	4	2	-	11	-	-	-	-	-	-	-	-	1	5	5
White	7	-	-	-	-	-	-	-	1	4	2	-	10	-	-	-	-	-	-	-	-	-	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,110	1	-	-	1	5	12	38	106	248	425	276	1,809	-	-	-	5	5	11	25	107	284	635	737
White	1,047	1	-	-	1	4	11	32	100	231	401	266	1,683	-	-	-	4	5	7	22	95	250	594	706
All other	63	-	-	-	-	1	1	6	6	17	24	10	126	-	-	-	1	-	4	3	12	34	41	31
Black	63	-	-	-	-	1	1	4	6	17	24	10	126	-	-	-	1	-	4	3	12	34	41	31
Atherosclerosis (440)	300	-	-	-	-	1	1	2	12	43	111	130	521	-	-	-	-	-	-	-	14	45	136	325
White	291	-	-	-	-	1	1	2	12	41	106	128	507	-	-	-	-	-	-	-	12	41	132	321
All other	9	-	-	-	-	-	-	-	-	2	5	2	14	-	-	-	-	-	-	-	2	4	4	4
Black	9	-	-	-	-	-	-	-	-	2	5	2	14	-	-	-	-	-	-	-	2	4	4	4
Other diseases of arteries, arterioles, and capillaries (441-448)	323	-	-	-	1	1	7	9	58	121	86	40	192	-	-	-	-	2	3	8	17	43	85	54
White	302	-	-	-	1	1	4	7	48	120	82	39	181	-	-	-	-	2	2	7	14	41	82	53
All other	21	-	-	-	-	-	3	2	10	1	4	1	11	-	-	-	-	-	1	1	3	2	3	1
Black	21	-	-	-	-	-	3	2	10	1	4	1	11	-	-	-	-	-	1	1	3	2	3	1
Acute bronchitis and bronchiolitis (466)	5	1	-	1	-	-	-	-	-	1	-	2	5	-	1	-	-	-	-	-	1	2	-	1
White	5	1	-	1	-	-	-	-	-	1	-	2	4	-	1	-	-	-	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	562	16	1	2	3	2	8	16	44	90	217	163	571	5	2	2	2	4	6	12	14	68	168	288
White	525	11	1	1	3	1	7	9	39	85	210	158	541	4	1	1	2	2	4	11	14	63	158	281
All other	37	5	-	1	-	1	1	7	5	5	7	5	30	1	1	1	-	2	2	1	-	5	10	7
Black	37	5	-	1	-	1	1	7	5	5	7	5	30	1	1	1	-	2	2	1	-	5	10	7
Pneumonia (480-486)	552	16	1	2	3	2	7	15	44	89	213	160	557	5	2	2	2	4	6	12	14	66	165	278
White	515	11	1	1	3	1	6	8	39	84	206	155	527	4	1	1	2	2	4	11	14	61	155	272
All other	37	5	-	1	-	1	1	7	5	5	7	5	30	1	1	1	-	2	2	1	-	5	10	7
Black	37	5	-	1	-	1	1	7	5	5	7	5	30	1	1	1	-	2	2	1	-	5	10	7
Influenza (487)	10	-	-	-	-	-	1	1	-	1	4	3	14	-	-	-	-	-	-	-	-	2	3	9
White	10	-	-	-	-	-	1	1	-	1	4	3	14	-	-	-	-	-	-	-	-	2	3	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,081	1	-	3	2	1	10	35	170	361	364	134	595	1	1	1	1	2	-	26	91	167	160	85
White	1,030	1	-	1	1	1	7	31	158	349	352	129	513	1	1	-	1	1	-	23	87	164	155	80
All other	51	-	-	2	1	-	3	4	12	12	12	5	22	-	-	1	-	1	-	3	4	3	5	5
Black	49	-	-	2	1	-	3	4	12	11	12	4	22	-	-	1	-	1	-	3	4	3	5	5
Bronchitis, chronic and unspecified (490-491)	53	1	-	-	-	-	1	2	7	11	17	14	33	1	-	-	-	1	-	1	6	6	11	7
White	52	1	-	-	-	-	1	2	7	10	17	14	33	1	-	-	-	1	-	1	6	6	11	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	239	-	-	-	-	1	2	8	41	89	87	19	77	-	-	-	-	-	-	4	11	27	25	10
White	226	-	-	-	-	1	1	3	39	80	84	18	74	-	-	-	-	-	-	3	9	27	25	10
All other	13	-	-	-	-	-	1	3	2	3	3	1	3	-	-	-	-	-	-	1	2	-	-	-
Black	13	-	-	-	-	-	1	3	2	3	3	1	3	-	-	-	-	-	-	1	2	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	22	–	–	3	2	–	1	3	3	4	3	3	41	–	1	1	1	1	–	6	3	10	12	6
White	15	–	–	1	1	–	1	2	2	4	1	3	33	–	1	–	1	–	–	4	3	9	9	6
All other	7	–	–	2	1	–	–	1	1	–	2	–	8	–	–	1	–	1	–	2	–	1	3	–
Black	7	–	–	2	1	–	–	1	1	–	2	–	8	–	–	1	–	1	–	2	–	1	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	767	–	–	–	–	–	6	24	119	263	257	98	384	–	–	–	–	–	–	15	71	124	112	62
White	737	–	–	–	–	–	4	24	110	255	250	94	373	–	–	–	–	–	–	15	69	122	110	57
All other	30	–	–	–	–	–	2	–	9	8	7	4	11	–	–	–	–	–	–	–	2	2	2	5
Black	28	–	–	–	–	–	2	–	9	7	7	3	11	–	–	–	–	–	–	–	2	2	2	5
Ulcer of stomach and duodenum (531-533)	72	–	–	–	–	–	1	4	15	21	16	15	88	–	1	–	1	1	–	6	7	17	29	26
White	69	–	–	–	–	–	1	3	14	21	15	15	80	–	1	–	1	–	–	6	6	15	26	25
All other	3	–	–	–	–	–	–	1	1	–	1	–	8	–	–	–	–	1	–	–	1	2	3	1
Black	3	–	–	–	–	–	–	1	1	–	1	–	8	–	–	–	–	1	–	–	1	2	3	1
Appendicitis (540-543)	13	–	–	2	–	–	–	–	3	5	2	1	2	–	–	1	–	–	–	–	–	–	1	–
White	12	–	–	2	–	–	–	–	2	5	2	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	56	3	–	–	–	2	2	2	5	11	16	15	85	–	1	–	2	1	1	2	4	17	28	29
White	49	3	–	–	–	1	1	1	4	11	14	14	82	–	1	–	1	1	–	2	4	17	28	28
All other	7	–	–	–	–	1	1	1	1	–	2	1	3	–	–	–	1	–	1	–	–	–	–	1
Black	7	–	–	–	–	1	1	1	1	–	2	1	3	–	–	–	1	–	1	–	–	–	–	1
Chronic liver disease and cirrhosis (571)	272	1	–	2	–	9	25	42	88	81	19	5	149	–	–	–	1	5	6	36	30	31	32	8
White	243	1	–	1	–	6	18	38	77	78	19	5	136	–	–	–	1	4	5	32	25	30	31	8
All other	29	–	–	1	–	3	7	4	11	3	–	–	13	–	–	–	–	1	1	4	5	1	1	–
Black	29	–	–	1	–	3	7	4	11	3	–	–	13	–	–	–	–	1	1	4	5	1	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	31	1	–	–	–	–	–	1	7	5	10	7	31	–	–	–	–	1	1	–	1	4	9	15
White	31	1	–	–	–	–	–	1	7	5	10	7	30	–	–	–	–	1	1	–	1	4	8	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	239	3	–	–	–	2	3	5	22	53	82	53	248	3	–	–	1	3	2	9	21	39	82	86
White	218	1	–	–	–	2	3	5	18	50	88	51	220	1	–	–	1	1	2	7	17	36	76	79
All other	15	2	–	–	–	–	–	–	4	3	4	2	26	2	–	–	–	2	–	2	4	3	6	7
Black	15	2	–	–	–	–	–	–	4	3	4	2	26	2	–	–	–	2	–	2	4	3	6	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	1	–	4
White	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	1	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	–	1	1	–	4	–	5	4	27	–	–	–	–	1	–	1	2	4	11	8
White	15	–	–	–	–	1	1	–	4	–	5	4	26	–	–	–	–	1	–	1	2	4	10	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	217	3	–	–	–	1	2	5	18	53	86	49	213	3	–	–	1	2	2	8	18	34	71	74
White	202	1	–	–	–	1	2	5	14	50	82	47	188	1	–	–	1	–	2	6	14	31	66	67
All other	15	2	–	–	–	–	–	–	4	3	4	2	25	2	–	–	–	2	–	2	4	3	5	7
Black	15	2	–	–	–	–	–	–	4	3	4	2	25	2	–	–	–	2	–	2	4	3	5	7
Infections of kidney (590)	17	–	–	–	–	–	–	–	2	3	4	8	23	–	–	–	–	–	–	–	2	4	7	10
White	16	–	–	–	–	–	–	–	2	3	4	7	23	–	–	–	–	–	–	–	2	4	7	10
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	12	–	–	–	–	–	–	–	1	1	6	4	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	1	1	6	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	4	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	3	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	172	109	11	4	9	6	3	6	10	6	4	4	150	95	14	5	2	2	7	4	8	2	4	7
White	150	93	10	4	7	5	2	6	10	6	4	3	133	83	11	5	2	2	6	4	8	2	4	6
All other	22	16	1	–	2	1	1	–	–	–	–	1	17	12	3	–	–	–	1	–	–	–	–	1
Black	22	16	1	–	2	1	1	–	–	–	–	1	16	12	2	–	–	–	1	–	–	–	–	1
Certain conditions originating in the perinatal period (760-779)	245	244	–	–	1	–	–	–	–	–	–	–	160	157	2	1	–	–	–	–	–	–	–	–
White	190	189	–	–	1	–	–	–	–	–	–	–	134	131	2	1	–	–	–	–	–	–	–	–
All other	55	55	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	55	55	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	73	72	–	–	1	–	–	–	–	–	–	–	35	34	–	1	–	–	–	–	–	–	–	–
White	59	58	–	–	1	–	–	–	–	–	–	–	30	29	–	1	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	14	14	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	172	172	–	–	–	–	–	–	–	–	–	–	125	123	2	–	–	–	–	–	–	–	–	–
White	131	131	–	–	–	–	–	–	–	–	–	–	104	102	2	–	–	–	–	–	–	–	–	–
All other	41	41	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Black	41	41	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	215	68	2	1	2	20	10	13	18	20	21	22	207	53	4	–	4	5	7	6	11	15	33	69
White	183	67	1	1	2	15	10	12	16	19	20	20	189	43	4	–	2	5	6	4	11	14	32	68
All other	32	19	1	–	–	5	–	1	2	1	1	2	18	10	–	–	2	–	1	2	–	1	1	1
Black	31	18	1	–	–	5	–	1	2	1	1	2	17	10	–	–	2	–	1	2	–	1	–	1
All other diseases (Residual)	1,399	21	14	14	22	39	49	87	237	341	351	214	1,630	18	10	12	24	17	52	66	168	318	473	472
White	1,260	18	11	13	21	28	39	84	211	303	334	198	1,517	15	8	12	21	14	45	54	157	294	447	450
All other	139	3	3	1	1	11	10	13	26	38	17	16	113	3	2	–	3	3	7	12	11	24	26	22
Black	138	3	3	1	1	11	10	13	26	37	17	16	112	3	1	–	3	3	7	12	11	24	26	22
Accidents and adverse effects (E800-E949)	1,327	10	36	67	328	231	154	127	110	109	92	63	661	17	20	37	105	56	55	34	60	78	107	92
White	1,217	7	29	57	311	216	133	115	101	102	87	59	612	16	16	28	98	51	49	32	56	75	102	90
All other	110	3	7	10	17	15	21	12	9	7	5	4	49	1	4	9	7	5	7	2	4	3	5	2
Black	106	3	7	10	16	15	20	12	8	7	5	3	47	1	4	9	6	5	6	2	4	3	5	2
Motor vehicle accidents (E810-E825)	698	1	12	31	250	151	82	58	41	40	23	9	294	5	3	18	87	42	37	22	25	28	20	9
White	657	1	10	27	242	141	71	54	40	39	23	9	280	5	3	17	84	38	34	21	24	25	20	9
All other	41	–	2	4	8	10	11	4	1	1	–	–	14	–	–	1	3	4	3	1	1	1	–	–
Black	40	–	2	4	8	10	10	4	1	1	–	–	13	–	–	1	2	4	3	1	1	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	629	9	24	36	78	80	72	69	69	69	69	54	367	12	17	19	18	14	18	12	35	52	87	83
White	560	6	19	30	69	75	62	61	61	63	64	50	332	11	13	11	14	13	14	11	32	50	82	81
All other	69	3	5	6	9	5	10	8	8	6	5	4	35	1	4	8	4	1	4	1	3	2	5	2
Black	66	3	5	6	8	5	10	8	7	6	5	3	34	1	4	8	4	1	3	1	3	2	5	2
Suicide (E950-E959)	517	...	...	4	63	117	66	64	77	65	35	6	137	...	...	–	20	23	36	18	15	16	6	3
White	500	...	...	4	78	112	63	63	75	64	35	6	133	...	...	–	18	22	36	17	15	16	6	3
All other	17	...	...	–	5	5	3	1	2	1	–	–	4	...	...	–	2	1	–	1	–	–	–	–
Black	15	...	...	–	4	4	3	1	2	1	–	–	4	...	...	–	2	1	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	228	3	–	10	54	62	40	23	22	8	5	–	79	2	7	4	23	19	10	4	5	2	1	1
White	117	2	–	6	24	30	17	15	13	5	4	–	47	2	5	3	12	8	7	1	5	2	1	1
All other	111	1	–	4	30	32	23	8	9	3	1	–	32	–	2	1	11	11	3	3	–	–	–	–
Black	111	1	–	4	30	32	23	8	9	3	1	–	32	–	2	1	11	11	3	3	–	–	–	–
All other external causes (E980-E999)	38	1	1	–	11	11	7	4	2	1	–	–	20	–	1	1	4	4	3	2	3	2	–	–
White	31	1	1	–	9	8	6	4	1	1	–	–	16	–	1	1	3	2	2	2	3	2	–	–
All other	7	–	–	–	2	3	1	–	1	–	–	–	4	–	–	–	1	2	1	–	–	–	–	–
Black	7	–	–	–	2	3	1	–	1	–	–	–	3	–	–	–	1	1	1	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	13,799	209	44	66	310	251	323	674	1,922	3,481	3,834	2,580	19,224	165	31	32	104	110	177	393	1,054	2,235	3,904	5,018
White	13,628	199	44	62	303	244	312	652	1,892	3,452	3,809	2,565	13,061	157	29	28	99	102	172	377	1,039	2,207	3,865	4,985
All other	170	10	–	4	7	7	11	22	30	29	35	15	163	8	2	4	5	8	5	16	15	28	39	33
Black	154	10	–	1	5	6	9	22	28	27	32	14	133	6	–	2	4	6	3	13	12	23	33	31
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	1	2	
White	1	–	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	1	2	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	–	2	–	2	6	–	–	–	–	1	–	1	–	2	1	1
White	4	–	–	–	–	–	–	–	–	2	–	2	5	–	–	–	–	1	–	–	–	2	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	–	–	2	–	2	6	–	–	–	–	1	–	1	–	2	1	1
White	4	–	–	–	–	–	–	–	–	2	–	2	5	–	–	–	–	1	–	–	–	2	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	–	1	–	1	–	–	–	1	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
White	3	–	1	–	1	–	–	–	1	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	82	1	–	–	–	1	1	3	13	19	25	19	82	–	–	1	1	2	–	3	11	19	20	25
White	80	1	–	–	–	1	1	2	13	19	24	19	81	–	–	1	1	2	–	2	11	19	20	25
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	–	–	1	–	1	–	–	–	2	–	4	–	–	–	–	–	–	–	1	2	1	–
White	4	–	–	–	1	–	1	–	–	–	2	–	4	–	–	–	–	–	–	–	1	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	24	–	–	1	1	2	–	3	4	5	6	2	20	–	1	–	–	1	–	2	3	6	4	3
White	24	–	–	1	1	2	–	3	4	5	6	2	19	–	–	–	–	1	–	2	3	6	4	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,112	–	3	14	19	28	63	193	607	1,028	828	331	2,723	1	5	2	11	26	89	194	463	740	777	415
White	3,084	–	3	13	19	28	62	192	596	1,019	823	329	2,693	–	5	2	11	26	88	191	457	737	768	408
All other	28	–	–	1	–	–	1	1	11	7	5	2	30	1	–	–	–	–	1	3	6	3	9	7
Black	25	–	–	–	–	–	–	1	11	7	4	2	25	1	–	–	–	–	1	3	4	2	8	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	76	–	–	–	–	–	1	6	22	23	16	8	39	–	–	–	–	–	1	3	9	13	5	8
White	76	–	–	–	–	–	1	6	22	23	16	8	39	–	–	–	–	–	1	3	9	13	5	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	779	–	–	1	2	7	15	44	155	259	196	100	788	–	–	–	–	1	13	34	92	206	289	153
White	772	–	–	1	2	7	14	44	153	258	193	100	780	–	–	–	–	1	13	33	91	205	286	151
All other	7	–	–	–	–	–	1	–	2	1	3	–	8	–	–	–	–	–	–	1	1	1	3	2
Black	6	–	–	–	–	–	–	–	2	1	3	–	8	–	–	–	–	–	–	1	1	1	3	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,080	–	–	–	1	1	15	76	262	422	248	55	407	–	–	–	–	1	8	49	119	124	82	24
White	1,069	–	–	–	1	1	15	75	255	419	248	55	399	–	–	–	–	1	8	47	116	124	80	23
All other	11	–	–	–	–	–	–	1	7	3	–	–	8	–	–	–	–	–	–	2	3	–	2	1
Black	11	–	–	–	–	–	–	1	7	3	–	–	7	–	–	–	–	–	–	2	2	–	2	1
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	–	–	–	4	1	–	515	–	–	–	–	6	32	52	88	133	110	94
White	5	–	–	–	–	–	–	–	–	4	1	–	512	–	–	–	–	6	31	52	88	132	109	94
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Malignant neoplasms of genital organs (179-187)	357	–	–	–	–	1	1	5	19	96	152	83	324	–	–	–	–	1	3	15	18	57	104	92	34
White	351	–	–	–	–	1	1	5	18	94	150	82	319	–	–	–	–	1	3	15	18	56	103	92	31
All other	6	–	–	–	–	–	–	–	1	2	2	1	5	–	–	–	–	–	–	–	–	1	1	–	3
Black	5	–	–	–	–	–	–	–	1	2	1	1	4	–	–	–	–	–	–	–	–	1	–	–	3
Malignant neoplasms of urinary organs (188-189)	213	–	–	–	–	–	2	10	35	65	75	26	107	–	1	–	–	–	–	2	20	27	32	25
White	212	–	–	–	–	–	2	10	35	65	75	25	107	–	1	–	–	–	–	2	20	27	32	25
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	321	–	3	8	7	12	14	27	73	82	61	34	259	–	3	1	6	7	8	22	42	69	74	33
White	318	–	3	7	7	12	14	27	72	81	61	34	259	–	3	1	6	7	8	22	42	69	74	33
All other	3	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	110	–	–	3	6	5	6	10	10	30	30	10	107	–	1	–	3	1	5	6	16	31	25	19
White	110	–	–	3	6	5	6	10	10	30	30	10	105	–	1	–	3	1	5	6	15	31	24	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	171	–	–	2	3	2	9	15	31	45	47	17	177	1	–	1	1	7	7	8	20	39	68	25
White	171	–	–	2	3	2	9	15	31	45	47	17	173	1	–	1	1	7	7	8	20	39	68	24
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–	–	–	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	2	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	–	–	–	–	–	–	1	4	7	6	8	39	1	–	–	–	–	1	–	4	10	10	13
White	25	–	–	–	–	–	–	1	4	6	6	8	39	1	–	–	–	–	1	–	4	10	10	13
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	168	–	–	–	–	4	12	12	23	32	53	32	271	–	–	–	–	1	4	9	18	61	82	96
White	163	–	–	–	–	4	12	9	23	31	52	32	259	–	–	–	–	1	3	7	17	55	82	94
All other	5	–	–	–	–	–	–	3	–	1	1	–	12	–	–	–	–	–	1	2	1	6	–	2
Black	5	–	–	–	–	–	–	3	–	1	1	–	12	–	–	–	–	–	1	2	1	6	–	2
Nutritional deficiencies (260-269)	19	–	–	–	–	–	–	–	2	3	9	5	39	–	–	–	–	–	–	–	2	2	10	25
White	19	–	–	–	–	–	–	–	2	3	9	5	39	–	–	–	–	–	–	–	2	2	10	25
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	31	–	–	–	1	–	–	1	–	6	7	16	25	–	2	–	2	–	–	2	1	1	6	11
White	30	–	–	–	1	–	–	1	–	6	6	16	25	–	2	–	2	–	–	2	1	1	6	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	4	–	2	–	–	–	–	1	–	–	1	–	6	1	–	1	–	–	–	–	–	1	2	1
White	4	–	2	–	–	–	–	1	–	–	1	–	6	1	–	1	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	6,756	4	4	2	9	16	89	277	697	1,716	2,170	1,572	7,232	2	–	1	6	12	31	94	345	1,003	2,275	3,462
White	6,689	4	4	2	8	16	86	269	685	1,704	2,149	1,562	7,166	2	–	1	4	12	31	87	340	989	2,253	3,445
All other	67	–	–	–	1	–	3	8	12	12	21	10	66	–	–	–	2	–	–	7	5	14	22	16
Black	63	–	–	–	1	–	3	8	12	11	19	9	60	–	–	–	2	–	–	6	4	12	20	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,368	3	4	2	8	14	71	253	780	1,427	1,672	1,129	5,221	2	–	–	4	8	22	76	270	794	1,665	2,379
White	5,314	3	4	2	8	14	69	247	778	1,417	1,656	1,116	5,175	2	–	–	3	8	22	69	265	783	1,650	2,372
All other	54	–	–	–	1	–	2	6	12	10	16	7	46	–	–	–	1	–	–	7	5	11	15	7
Black	52	–	–	–	1	–	2	6	12	10	15	6	41	–	–	–	1	–	–	6	4	10	13	7
Rheumatic fever and rheumatic heart disease (390-398)	29	–	–	–	–	1	1	1	5	12	7	2	53	–	–	–	1	2	–	5	7	14	16	8
White	29	–	–	–	–	1	1	1	5	12	7	2	52	–	–	–	–	2	–	5	7	14	16	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hypertensive heart disease (402)	59	–	–	–	–	–	1	1	8	14	23	12	142	–	–	–	–	–	1	2	8	16	48	69
White	59	–	–	–	–	–	1	1	8	14	23	12	140	–	–	–	–	–	1	2	8	15	45	68
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Hypertensive heart and renal disease (404)	24	–	–	–	–	–	–	–	1	4	8	11	48	–	–	–	–	–	–	–	1	2	14	31
White	24	–	–	–	–	–	–	–	1	4	8	11	46	–	–	–	–	–	–	–	1	1	13	31
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Ischemic heart disease (410-414)	4,183	–	1	–	1	4	61	207	653	1,152	1,301	803	3,649	1	–	–	–	1	9	48	201	609	1,203	1,576
White	4,148	–	1	–	1	4	60	202	644	1,148	1,291	800	3,625	1	–	–	–	1	9	42	197	604	1,196	1,574
All other	34	–	–	–	–	–	1	5	9	6	10	3	24	–	–	–	–	–	–	6	4	5	7	2
Black	32	–	–	–	–	–	1	5	9	6	9	2	21	–	–	–	–	–	–	6	3	4	6	2
Acute myocardial infarction (410)	2,555	–	–	–	–	3	50	166	462	777	759	338	1,813	1	–	–	–	–	8	38	135	394	661	577
White	2,539	–	–	–	–	3	49	161	456	772	755	337	1,802	1	–	–	–	–	8	33	134	393	655	577
All other	22	–	–	–	–	–	1	5	6	5	4	1	11	–	–	–	–	–	–	3	1	1	6	–
Black	21	–	–	–	–	–	1	5	6	5	3	1	9	–	–	–	–	–	–	3	1	–	5	–
Other acute and subacute forms of ischemic heart disease (411)	19	–	–	–	–	–	–	3	4	5	4	3	10	–	–	–	–	–	–	–	–	3	3	4
White	19	–	–	–	–	–	–	3	4	5	4	3	10	–	–	–	–	–	–	–	–	3	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	9	–	–	–	–	–	–	–	–	3	2	4	5	–	–	–	–	–	–	–	–	1	1	3
White	9	–	–	–	–	–	–	–	–	3	2	4	5	–	–	–	–	–	–	–	–	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,600	–	1	–	1	1	11	38	167	367	536	458	1,821	–	–	–	–	–	1	1	12	66	211	538	992
White	1,588	–	1	–	1	1	11	38	164	366	530	456	1,808	–	–	–	–	–	1	1	9	63	207	537	990
All other	12	–	–	–	–	–	–	–	3	1	6	2	13	–	–	–	–	–	–	–	3	3	4	1	2
Black	11	–	–	–	–	–	–	–	3	1	6	1	12	–	–	–	–	–	–	–	3	2	4	1	2
Other diseases of endocardium (424)	43	–	–	–	1	2	–	–	5	9	16	10	65	–	–	–	–	–	1	–	1	4	10	22	27
White	43	–	–	–	1	2	–	–	5	9	16	10	65	–	–	–	–	–	1	–	1	4	10	22	27
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	1,030	3	3	2	7	7	8	44	116	236	317	285	1,264	1	–	–	3	4	12	20	49	143	364	668
White	1,010	3	3	2	6	7	7	43	115	232	311	281	1,247	1	–	–	3	4	12	19	48	139	358	663
All other	20	–	–	–	1	–	1	1	3	4	6	4	17	–	–	–	–	–	–	1	1	4	6	5
Black	20	–	–	–	1	–	1	1	3	4	6	4	15	–	–	–	–	–	–	–	1	4	5	5
Hypertension with or without renal disease (401,403)	69	–	–	–	–	–	–	–	4	12	27	26	74	–	–	–	–	–	–	–	3	7	25	39
White	68	–	–	–	–	–	–	–	4	11	27	26	72	–	–	–	–	–	–	–	3	7	25	37
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Cerebrovascular diseases (430-438)	927	–	–	–	–	2	13	20	72	198	330	292	1,488	–	–	1	2	3	9	14	59	162	468	768
White	917	–	–	–	–	2	12	18	72	197	326	290	1,475	–	–	1	1	3	9	14	58	160	463	765
All other	10	–	–	–	–	–	1	2	–	1	4	2	11	–	–	–	1	–	–	–	–	2	5	3
Black	9	–	–	–	–	–	1	2	–	1	3	2	11	–	–	–	1	–	–	–	–	2	5	3
Intracerebral and other intracranial hemorrhage (431-432)	91	–	–	–	–	–	5	1	11	24	33	17	126	–	–	1	1	1	3	6	17	32	31	34
White	88	–	–	–	–	–	4	–	11	24	32	17	124	–	–	1	–	1	3	6	17	31	31	34
All other	3	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–	1	–	–	–	–	1	–	–
Black	3	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–	1	–	–	–	–	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	131	–	–	–	–	–	2	3	7	33	47	39	247	–	–	–	–	–	1	–	1	4	23	80	138
White	130	–	–	–	–	–	2	3	7	33	46	39	246	–	–	–	–	–	1	–	1	4	22	80	138
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	1	-	-	2	2	2	7	-	-	-	-	-	-	-	-	2	3	2
White	7	-	-	-	-	-	1	-	-	2	2	2	7	-	-	-	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	698	-	-	-	-	2	5	16	54	139	248	234	1,106	-	-	-	1	1	6	7	38	105	354	594
White	692	-	-	-	-	2	5	15	54	138	246	232	1,098	-	-	-	1	1	6	7	38	105	349	591
All other	6	-	-	-	-	-	-	1	-	1	2	2	8	-	-	-	-	-	-	-	-	-	5	3
Black	5	-	-	-	-	-	-	1	-	1	1	2	8	-	-	-	-	-	-	-	-	-	5	3
Atherosclerosis (440)	189	-	-	-	-	-	2	2	7	14	80	84	320	-	-	-	-	-	-	-	4	18	75	223
White	188	-	-	-	-	-	2	2	7	14	80	83	313	-	-	-	-	-	-	-	4	17	73	219
All other	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	1	2	4
Black	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	-	2	4
Other diseases of arteries, arterioles, and capillaries (441-448)	203	1	-	-	-	-	3	2	24	65	61	47	131	-	-	-	-	1	-	4	9	22	42	53
White	202	1	-	-	-	-	3	2	24	65	60	47	131	-	-	-	-	1	-	4	9	22	42	53
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	472	2	1	1	1	2	5	9	30	67	152	202	535	2	-	-	2	1	2	4	15	49	147	313
White	463	1	1	1	1	2	5	5	29	66	151	201	532	2	-	-	2	1	2	4	15	49	145	312
All other	9	1	-	-	-	-	-	4	1	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	7	1	-	-	-	-	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (480-486)	456	2	1	1	1	2	4	9	30	67	145	194	517	1	-	-	2	1	2	4	15	47	142	303
White	447	1	1	1	1	2	4	5	29	66	144	193	514	1	-	-	2	1	2	4	15	47	140	302
All other	9	1	-	-	-	-	-	4	1	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	7	1	-	-	-	-	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Influenza (487)	16	-	-	-	-	-	1	-	-	-	7	8	18	1	-	-	-	-	-	-	-	2	5	10
White	16	-	-	-	-	-	1	-	-	-	7	8	18	1	-	-	-	-	-	-	-	2	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	665	-	-	-	-	1	-	14	92	214	253	91	304	-	-	-	-	5	-	10	40	96	107	46
White	664	-	-	-	-	1	-	14	91	214	253	91	301	-	-	-	-	4	-	9	40	95	107	46
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	3	3	8	6	7	14	-	-	-	-	-	-	1	-	3	4	6
White	27	-	-	-	-	-	-	3	3	8	6	7	14	-	-	-	-	-	-	1	-	3	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	123	-	-	-	-	-	-	1	15	42	54	11	46	-	-	-	-	1	-	2	7	11	19	6
White	123	-	-	-	-	-	-	1	15	42	54	11	46	-	-	-	-	1	-	2	7	11	19	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	24	-	-	-	-	1	-	-	7	5	10	1	29	-	-	-	-	2	-	1	5	13	6	2
White	23	-	-	-	-	1	-	-	6	5	10	1	29	-	-	-	-	2	-	1	5	13	6	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	491	-	-	-	-	-	-	10	67	159	183	72	215	-	-	-	-	2	-	6	28	69	78	32
White	491	-	-	-	-	-	-	10	67	159	183	72	212	-	-	-	-	1	-	5	28	68	78	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Ulcer of stomach and duodenum (531-533)	64	-	-	-	1	-	-	1	6	18	16	22	69	-	-	-	-	-	1	1	2	6	22	36
White	64	-	-	-	1	-	-	1	6	18	16	22	67	-	-	-	-	-	1	1	2	5	22	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	-	-	-	-	-	-	1	6	4	12	14	48	-	-	-	-	-	-	-	1	5	20	22
White	37	-	-	-	-	-	-	1	6	4	12	14	47	-	-	-	-	-	-	-	1	5	19	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	135	-	-	-	-	2	11	25	40	39	18	-	71	-	-	-	-	1	2	13	23	15	17	-
White	133	-	-	-	-	1	11	25	40	38	18	-	66	-	-	-	-	-	1	13	21	14	17	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	1	1	-	2	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	-	2	2	4	5	6	26	-	-	-	-	-	-	-	2	4	7	13
White	19	-	-	-	-	-	-	2	2	4	5	6	26	-	-	-	-	-	-	-	2	4	7	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	61	2	-	-	1	1	3	1	3	17	18	15	78	-	-	-	1	1	-	1	4	11	24	34
White	60	2	-	-	1	1	3	1	3	17	17	15	72	-	-	-	1	-	-	1	4	11	23	32
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	1	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	1	-	-	-	1	5	2	1	19	-	-	-	-	1	-	1	1	3	4	9
White	10	-	-	-	1	-	-	-	1	5	2	1	17	-	-	-	-	1	-	1	1	3	3	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	49	2	-	-	-	1	3	1	2	11	15	14	53	-	-	-	1	-	-	-	3	8	18	23
White	49	2	-	-	-	1	3	1	2	11	15	14	51	-	-	-	1	-	-	-	3	8	18	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Infections of kidney (590)	18	-	-	-	-	-	-	-	-	2	7	7	18	-	-	-	-	-	1	-	-	1	8	8
White	16	-	-	-	-	-	-	-	-	2	7	7	16	-	-	-	-	-	-	-	-	1	8	7
All other	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	-	1	5	10	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	1	5	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	84	60	9	5	4	3	-	4	4	2	2	1	74	44	4	7	2	2	4	2	2	2	2	3
White	80	58	9	5	4	2	-	4	3	2	2	1	71	42	4	7	2	1	4	2	2	2	2	3
All other	4	2	-	-	-	1	-	-	1	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
Black	4	2	-	-	-	1	-	-	1	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	90	89	-	-	-	-	-	-	-	-	-	-	84	82	1	1	-	-	-	-	-	-	-	-
White	85	84	-	-	-	-	-	-	-	-	-	-	80	78	1	1	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	24	-	-	-	-	-	-	-	-	-	-	20	19	1	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	20	19	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	66	65	-	-	-	-	-	-	-	-	-	-	64	63	-	1	-	-	-	-	-	-	-	-
White	61	60	-	-	-	-	-	-	-	-	-	-	60	59	-	1	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	70	39	-	-	-	4	2	-	4	5	6	10	79	20	-	-	2	2	1	1	4	4	9	36
White	68	37	-	-	-	4	2	-	4	5	6	10	78	20	-	-	2	1	1	1	4	4	9	36
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	796	8	4	4	14	17	24	40	77	200	235	173	929	2	7	6	7	7	7	22	73	150	282	366
White	761	8	4	2	13	17	24	38	77	196	231	171	915	2	6	4	6	6	7	22	73	149	278	362
All other	15	-	-	2	1	-	-	2	-	4	4	2	14	-	1	2	1	1	-	-	-	1	4	4
Black	12	-	-	-	-	-	-	2	-	4	4	2	10	-	-	1	1	1	-	-	-	1	3	3
Accidents and adverse effects (E800-E949)	684	3	17	35	180	119	60	48	57	62	72	33	337	6	6	12	44	23	16	18	32	34	65	61
White	672	3	17	34	179	117	58	48	54	61	72	33	330	6	6	10	42	22	15	18	31	34	65	61
All other	12	-	-	1	1	2	4	-	3	1	-	-	7	-	-	2	2	1	1	-	1	-	-	-
Black	10	-	-	1	1	2	3	-	2	1	-	-	4	-	-	1	1	1	-	-	1	-	-	-
Motor vehicle accidents (E810-E825)	341	1	8	16	123	82	27	17	23	25	17	2	142	2	3	4	34	16	13	9	19	13	26	3
White	336	1	8	15	123	81	26	17	22	24	17	2	140	2	3	4	33	16	12	9	19	13	26	3
All other	5	-	-	1	-	1	1	-	1	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	5	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	343	2	9	19	57	37	33	29	34	37	55	31	195	4	3	8	10	7	3	9	13	21	39	78
White	336	2	9	19	56	36	30	29	32	37	55	31	190	4	3	8	9	6	3	9	12	21	39	78
All other	7	-	-	-	1	1	3	-	2	-	-	-	5	-	-	2	1	1	-	-	1	-	-	-
Black	5	-	-	-	1	1	2	-	1	-	-	-	4	-	-	1	1	1	-	-	1	-	-	-
Suicide (E950-E959)	274	...	...	2	59	40	40	33	43	29	20	8	73	...	...	1	13	17	13	10	7	6	3	3
White	271	...	...	2	58	40	40	33	42	28	20	8	73	...	...	1	13	17	13	10	7	6	3	3
All other	3	...	...	-	1	-	-	-	1	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	2	...	...	-	-	-	-	-	1	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	43	1	2	1	13	10	6	5	5	-	-	-	31	1	1	-	11	3	5	5	1	2	2	-
White	32	1	2	1	10	7	4	2	5	-	-	-	29	1	1	-	11	2	5	4	1	2	2	-
All other	11	-	-	-	3	3	2	3	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	11	-	-	-	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	21	-	1	1	5	1	5	2	1	-	4	-	7	1	1	-	1	1	-	1	-	2	-	-
White	20	-	1	1	5	1	4	2	1	-	4	-	7	1	1	-	1	1	-	1	-	2	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,516	231	48	70	288	319	320	598	1,617	2,821	3,231	1,972	10,791	173	36	30	101	114	195	365	964	1,908	3,193	3,712
White	10,926	196	45	66	263	288	292	543	1,540	2,679	3,107	1,906	10,248	137	30	27	92	95	170	332	878	1,815	3,087	3,603
All other	590	35	3	4	25	31	28	55	77	142	124	66	545	36	6	3	9	19	25	33	86	93	126	109
Black	540	28	3	3	18	27	25	49	73	134	115	65	512	33	5	3	9	15	24	32	81	84	120	106
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	-	1	2	2	-	5	-	-	-	-	1	-	1	-	-	1	2
White	5	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	1
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	1	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	-	-	1	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	76	2	1	1	1	2	1	3	9	21	19	16	85	-	-	-	-	1	1	4	7	16	28	30
White	67	1	1	1	1	2	1	2	8	20	14	16	77	-	-	-	-	1	1	3	6	13	25	28
All other	9	1	-	-	-	-	-	1	1	1	5	-	8	-	-	-	-	-	-	1	1	3	1	2
Black	9	1	-	-	-	-	-	1	1	1	5	-	7	-	-	-	-	-	-	1	1	2	1	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	1	-	1	1
White	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	31	1	1	1	-	4	-	5	5	7	5	2	38	2	-	1	1	1	3	3	6	8	8	5
White	29	-	1	1	-	4	-	5	4	7	5	2	34	2	-	1	-	1	2	2	6	7	8	5
All other	2	1	-	-	-	-	-	-	1	-	-	-	4	-	-	-	1	-	1	1	-	1	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	4	-	-	-	1	-	1	1	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,438	-	7	8	17	23	52	157	501	768	656	247	2,116	1	2	5	11	19	62	155	422	589	525	325
White	2,304	-	6	8	17	20	51	144	474	723	624	237	2,011	1	2	5	10	16	56	145	393	565	505	313
All other	132	-	1	-	-	3	1	13	27	45	32	10	105	-	-	-	1	3	6	10	29	24	20	12
Black	120	-	1	-	-	2	1	12	25	41	28	10	97	-	-	-	1	3	5	9	29	21	17	12
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	-	1	6	11	20	9	2	28	-	-	-	-	-	2	2	6	8	8	2
White	43	-	-	-	-	-	1	3	10	19	8	2	28	-	-	-	-	-	2	2	6	8	8	2
All other	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	582	-	-	-	-	4	10	37	114	190	155	72	579	-	-	-	-	1	9	25	75	143	184	142
White	551	-	-	-	-	3	10	36	109	178	148	69	543	-	-	-	-	1	9	22	65	138	175	133
All other	31	-	-	-	-	1	-	1	5	12	8	3	36	-	-	-	-	-	-	3	10	5	9	9
Black	27	-	-	-	-	1	-	1	4	10	8	3	33	-	-	-	-	-	-	2	10	4	8	9
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	868	-	-	-	1	2	17	66	225	297	218	42	334	-	-	-	-	2	9	31	100	119	52	21
White	821	-	-	-	1	2	16	60	209	283	209	41	318	-	-	-	-	2	9	30	93	111	52	21
All other	47	-	-	-	-	-	1	6	16	14	9	1	16	-	-	-	-	-	-	1	7	8	-	-
Black	44	-	-	-	-	-	1	6	16	13	7	1	16	-	-	-	-	-	-	1	7	8	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	395	-	-	-	1	3	22	41	97	106	82	43
White	1	-	-	-	-	-	-	-	-	1	-	-	376	-	-	-	1	3	20	37	92	103	77	43
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	-	2	4	5	3	5	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	2	4	5	2	4	-
Malignant neoplasms of genital organs (179-187)	312	-	-	-	1	-	1	5	25	89	127	64	263	-	-	-	1	7	10	26	59	83	49	28
White	293	-	-	-	1	-	1	5	24	82	121	59	246	-	-	-	1	5	8	24	53	80	48	27
All other	19	-	-	-	-	-	-	-	1	7	6	5	17	-	-	-	-	2	2	2	6	3	1	1
Black	19	-	-	-	-	-	-	-	1	7	6	5	17	-	-	-	-	2	2	2	6	3	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	126	-	1	-	-	-	2	11	25	33	36	18	74	-	-	-	-	-	-	4	8	20	29	13
White	123	-	1	-	-	-	2	11	25	31	36	17	70	-	-	-	-	-	-	4	7	19	28	12
All other	3	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	-	-	-	-	1	1	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	231	-	5	5	6	12	10	18	48	60	48	21	223	-	1	3	6	3	6	18	41	49	55	39
White	223	-	4	5	6	11	10	16	44	58	48	21	216	-	1	3	7	3	6	18	41	47	52	38
All other	8	-	1	-	-	1	-	2	2	2	-	-	7	-	-	-	1	-	-	-	-	2	3	1
Black	7	-	1	-	-	1	-	1	2	2	-	-	7	-	-	-	1	-	-	-	-	2	3	1
Leukemia (204-208)	118	-	-	3	7	2	6	5	19	36	24	16	95	-	-	2	-	1	2	4	14	22	33	17
White	111	-	-	3	7	1	6	4	18	34	22	16	90	-	-	2	-	-	-	4	14	21	32	17
All other	7	-	-	-	-	1	-	1	1	2	2	-	5	-	-	-	-	1	2	-	-	1	1	-
Black	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	149	-	1	-	2	3	5	9	38	42	39	12	125	1	1	-	1	2	2	4	22	39	33	20
White	138	-	1	-	2	3	5	9	35	37	34	12	124	1	1	-	1	2	2	4	22	38	33	20
All other	11	-	-	-	-	-	-	-	1	5	5	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	10	-	-	-	-	-	-	-	1	4	5	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	-	-	-	-	3	9	7	3	33	-	-	-	-	2	1	1	1	10	9	9
White	21	-	-	-	-	-	-	-	3	8	7	3	30	-	-	-	-	2	1	1	1	10	8	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Diabetes mellitus (250)	137	-	-	-	1	3	5	5	29	38	40	18	225	-	-	-	1	3	6	9	32	58	81	35
White	124	-	-	-	1	3	5	5	25	30	38	17	211	-	-	-	-	3	6	8	28	56	77	33
All other	13	-	-	-	-	-	-	-	4	8	2	1	14	-	-	-	1	-	-	1	4	2	4	2
Black	11	-	-	-	-	-	-	-	3	6	1	1	13	-	-	-	1	-	-	1	4	1	4	2
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	1	3	7	6	24	-	-	-	-	-	-	1	-	1	5	17
White	17	-	-	-	-	-	-	-	1	3	7	6	24	-	-	-	-	-	-	1	-	1	5	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	20	1	-	1	1	-	-	1	1	2	6	7	27	-	1	1	1	-	-	-	-	3	8	13
White	17	-	-	1	-	-	-	1	1	1	6	7	25	-	-	1	-	-	-	-	-	3	8	13
All other	3	1	-	-	1	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	2	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	3	-	2	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,284	8	-	1	7	32	92	241	731	1,336	1,688	1,148	5,604	9	1	-	3	14	33	88	310	837	1,882	2,447
White	5,071	8	-	1	7	28	83	222	708	1,272	1,631	1,111	5,364	8	1	-	3	11	23	76	273	800	1,792	2,377
All other	213	-	-	-	-	4	9	19	23	64	57	37	240	1	-	-	-	3	10	12	37	37	70	70
Black	203	-	-	-	-	4	8	17	22	62	54	36	234	1	-	-	-	3	10	12	33	37	69	69
Diseases of heart (390-398,402,404-429)	4,277	7	-	-	3	25	78	214	661	1,109	1,329	851	4,160	8	-	-	1	9	24	68	257	664	1,378	1,753
White	4,121	7	-	-	3	22	70	198	642	1,061	1,288	830	3,972	7	-	-	1	8	17	59	225	636	1,317	1,702
All other	156	-	-	-	-	3	8	16	19	48	41	21	188	1	-	-	-	1	7	9	32	28	59	51
Black	149	-	-	-	-	3	7	15	18	47	39	20	182	1	-	-	-	1	7	9	28	28	58	50
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	-	-	-	1	5	5	6	8	1	42	-	-	-	-	1	1	1	8	12	15	4
White	26	-	-	-	-	-	1	5	5	6	8	1	41	-	-	-	-	-	1	1	8	12	15	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	47	-	-	-	-	1	-	1	7	13	15	10	130	-	-	-	-	-	-	2	13	20	39	56
White	42	-	-	-	-	1	-	1	7	11	14	8	115	-	-	-	-	-	-	2	7	19	35	52
All other	5	-	-	-	-	-	-	-	-	2	1	2	15	-	-	-	-	-	-	-	6	1	4	4
Black	5	-	-	-	-	-	-	-	-	2	1	2	15	-	-	-	-	-	-	-	6	1	4	4
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	3	2	2	19	-	-	-	-	-	-	-	-	2	5	12
White	5	-	-	-	-	-	-	-	-	2	1	2	17	-	-	-	-	-	-	-	-	2	4	11
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Ischemic heart disease (410-414)	3,217	-	-	-	-	11	58	171	514	857	1,020	588	2,770	-	-	-	-	1	15	53	179	462	938	1,122
White	3,122	-	-	-	-	10	51	160	505	829	988	579	2,664	-	-	-	-	1	11	49	162	448	899	1,094
All other	95	-	-	-	-	1	6	11	9	28	32	9	106	-	-	-	-	-	4	4	17	14	39	28
Black	90	-	-	-	-	1	4	10	9	27	30	9	101	-	-	-	-	-	4	4	13	14	39	27
Acute myocardial infarction (410)	1,943	-	-	-	-	9	42	123	359	561	595	254	1,417	-	-	-	-	-	13	36	133	302	526	407
White	1,893	-	-	-	-	8	38	114	354	548	580	251	1,375	-	-	-	-	-	9	33	128	295	510	402
All other	50	-	-	-	-	1	4	9	5	13	15	3	42	-	-	-	-	-	4	3	7	7	16	5
Black	48	-	-	-	-	1	3	9	5	12	15	3	40	-	-	-	-	-	4	3	5	7	16	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	-	3	1	2	5	-	-	-	-	-	-	1	2	-	-	2
White	6	-	-	-	-	-	-	-	-	3	1	2	5	-	-	-	-	-	-	1	2	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	-	2	6	-	1	-	-	-	-	-	-	-	-	1	-	-
White	7	-	-	-	-	-	-	-	-	2	5	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,260	-	-	-	-	2	14	48	155	291	418	332	1,347	-	-	-	-	1	2	16	44	159	412	713
White	1,216	-	-	-	-	2	13	46	151	276	402	326	1,283	-	-	-	-	1	2	15	34	152	389	690
All other	44	-	-	-	-	-	1	2	4	15	16	6	64	-	-	-	-	-	-	1	10	7	23	23
Black	41	-	-	-	-	-	1	1	4	15	14	6	61	-	-	-	-	-	-	1	8	7	23	22
Other diseases of endocardium (424)	54	-	-	-	1	-	1	2	9	15	16	10	62	-	-	-	-	-	-	-	2	9	32	19
White	54	-	-	-	1	-	1	2	9	15	16	10	60	-	-	-	-	-	-	-	2	8	31	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other forms of heart disease (415-423,425-429)	926	7	-	-	2	13	20	35	126	215	288	240	1,137	8	-	-	1	7	8	12	55	159	347	540
White	872	7	-	-	2	11	17	30	116	198	261	230	1,075	7	-	-	1	7	5	7	46	147	333	522
All other	54	-	-	-	-	2	3	5	10	17	7	10	62	1	-	-	-	-	3	5	9	12	14	18
Black	52	-	-	-	-	2	3	5	9	17	7	9	61	1	-	-	-	-	3	5	9	12	13	18
Hypertension with or without renal disease (401,403)	28	-	-	-	-	-	1	-	2	7	9	7	43	-	-	-	-	-	-	-	2	8	10	23
White	22	-	-	-	-	-	-	-	1	5	9	7	41	-	-	-	-	-	-	-	1	8	10	22
All other	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Cerebrovascular diseases (430-436)	713	1	-	1	3	5	12	22	48	155	261	207	1,099	1	1	-	1	5	9	18	36	139	384	493
White	667	1	-	1	3	4	12	19	45	141	245	196	1,055	1	1	-	1	3	6	15	36	131	363	478
All other	46	-	-	-	-	1	-	3	1	14	16	11	44	-	-	-	-	2	3	3	2	8	11	15
Black	43	-	-	-	-	1	-	2	1	13	15	11	44	-	-	-	-	2	3	3	2	8	11	15
Intracerebral and other intracranial hemorrhage (431-432)	72	1	-	-	1	1	2	8	9	20	21	9	96	-	-	-	1	2	1	4	11	19	24	34
White	65	1	-	-	1	1	2	6	8	19	17	9	87	-	-	-	1	1	1	3	10	15	22	34
All other	7	-	-	-	-	-	-	2	1	1	4	-	9	-	-	-	-	1	-	1	1	4	2	-
Black	6	-	-	-	-	-	-	1	-	1	4	-	9	-	-	-	-	1	-	1	1	4	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	101	-	-	-	-	-	2	3	6	18	44	28	156	-	1	-	-	-	-	1	3	28	54	71
White	89	-	-	-	-	-	2	3	6	14	41	23	144	-	1	-	-	-	-	1	3	25	49	65
All other	12	-	-	-	-	-	-	-	-	4	3	5	12	-	-	-	-	-	-	-	-	1	5	6
Black	12	-	-	-	-	-	-	-	-	4	3	5	12	-	-	-	-	-	-	-	-	1	5	6
Cerebral embolism (434.1)	8	-	-	-	-	-	1	-	-	2	1	2	2	-	-	-	-	-	-	-	1	1	-	-
White	5	-	-	-	-	-	1	-	-	2	-	2	2	-	-	-	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	534	-	-	1	2	4	7	11	31	115	195	168	845	1	-	-	-	3	8	19	23	83	316	388
White	508	-	-	1	2	3	7	10	30	106	187	162	822	1	-	-	-	2	5	11	22	80	312	379
All other	26	-	-	-	-	1	-	1	1	9	8	6	23	-	-	-	-	1	3	2	1	3	4	9
Black	24	-	-	-	-	1	-	1	1	8	7	6	23	-	-	-	-	1	3	2	1	3	4	9
Atherosclerosis (440)	106	-	-	-	-	-	-	-	3	13	37	53	216	-	-	-	-	-	-	2	2	7	53	154
White	101	-	-	-	-	-	-	-	1	13	37	50	216	-	-	-	-	-	-	2	2	7	53	152
All other	5	-	-	-	-	-	-	-	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-	2
Black	5	-	-	-	-	-	-	-	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	162	-	-	-	1	2	1	5	19	52	52	30	84	-	-	-	1	-	-	-	11	19	29	24
White	160	-	-	-	1	2	1	5	19	52	52	28	80	-	-	-	1	-	-	-	9	18	29	23
All other	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	2	1	-	1
Black	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	2	1	-	1
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	-	-	3	-	8	-	-	-	-	-	-	-	-	-	2	6
White	4	1	-	-	-	-	-	-	-	-	3	-	8	-	-	-	-	-	-	-	-	-	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	383	5	1	-	1	2	5	8	24	64	127	146	389	3	2	1	-	-	2	3	8	39	110	221
White	368	4	1	-	1	2	5	6	21	64	122	140	378	3	-	1	-	-	2	3	6	38	107	216
All other	17	1	-	-	-	-	-	2	3	-	5	6	11	-	2	-	-	-	-	-	2	1	3	3
Black	16	1	-	-	-	-	-	2	3	-	4	6	11	-	2	-	-	-	-	-	2	1	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	370	5	1	–	–	2	5	8	24	61	123	141	372	3	2	1	–	–	2	3	8	37	104	212
White	353	4	1	–	–	2	5	6	21	61	118	135	361	3	–	1	–	–	2	3	6	36	101	209
All other	17	1	–	–	–	–	–	2	3	–	5	6	11	–	2	–	–	–	–	–	2	1	3	3
Black	16	1	–	–	–	–	–	2	3	–	4	6	11	–	2	–	–	–	–	–	2	1	3	3
Influenza (487)	13	–	–	–	1	–	–	–	–	3	4	5	17	–	–	–	–	–	–	–	–	2	6	9
White	13	–	–	–	1	–	–	–	–	3	4	5	17	–	–	–	–	–	–	–	–	2	6	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	641	–	–	2	1	–	4	15	68	227	237	87	298	–	–	–	2	1	2	13	42	101	97	40
White	618	–	–	1	1	–	4	14	60	220	232	86	292	–	–	–	2	1	2	10	42	101	95	39
All other	23	–	–	1	–	–	–	1	8	7	5	1	6	–	–	–	–	–	–	3	–	–	2	1
Black	22	–	–	–	–	–	–	1	8	7	5	1	6	–	–	–	–	–	–	3	–	–	2	1
Bronchitis, chronic and unspecified (490-491)	33	–	–	–	–	–	–	1	3	11	7	11	22	–	–	–	–	–	–	–	–	2	11	9
White	32	–	–	–	–	–	–	1	2	11	7	11	22	–	–	–	–	–	–	–	–	2	11	9
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	90	–	–	–	–	–	1	1	18	23	36	11	36	–	–	–	–	–	–	–	7	14	14	1
White	88	–	–	–	–	–	1	–	18	23	35	11	36	–	–	–	–	–	–	–	7	14	14	1
All other	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	24	–	–	2	1	–	2	2	3	7	6	1	21	–	–	–	2	1	–	3	4	4	5	2
White	20	–	–	1	1	–	2	2	1	6	6	1	19	–	–	–	2	1	–	2	4	4	4	2
All other	4	–	–	1	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Black	3	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	484	–	–	–	–	–	1	11	44	186	188	64	219	–	–	–	–	–	2	10	31	81	67	28
White	478	–	–	–	–	–	1	11	39	180	184	63	215	–	–	–	–	–	2	8	31	81	66	27
All other	16	–	–	–	–	–	–	–	5	6	4	1	4	–	–	–	–	–	–	2	–	–	1	1
Black	16	–	–	–	–	–	–	–	5	6	4	1	4	–	–	–	–	–	–	2	–	–	1	1
Ulcer of stomach and duodenum (531-533)	37	–	–	–	–	–	1	1	7	5	11	12	39	–	–	–	–	1	–	–	2	10	7	19
White	37	–	–	–	–	–	1	1	7	5	11	12	38	–	–	–	–	1	–	–	2	9	7	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Appendicitis (540-543)	3	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	1	–	1
White	3	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	1	–	–	1	1	–	1	4	8	13	8	67	–	–	–	–	–	1	2	3	6	23	32
White	34	1	–	–	1	1	–	1	4	5	13	8	64	–	–	–	–	–	1	2	3	5	21	32
All other	3	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	3	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–	1	2	–
Chronic liver disease and cirrhosis (571)	116	–	–	1	–	4	10	19	40	24	17	1	71	–	–	–	–	–	7	6	17	20	16	5
White	110	–	–	1	–	4	10	16	38	23	17	1	65	–	–	–	–	–	6	6	15	18	15	5
All other	6	–	–	–	–	–	–	3	2	1	–	–	6	–	–	–	–	–	1	–	2	2	1	–
Black	4	–	–	–	–	–	–	1	2	1	–	–	5	–	–	–	–	–	1	–	1	2	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	16	–	–	–	–	–	–	–	1	3	9	3	19	–	–	–	–	–	–	–	1	7	6	5
White	16	–	–	–	–	–	–	–	1	3	9	3	18	–	–	–	–	–	–	–	1	6	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	113	2	–	–	–	1	3	3	6	15	45	38	112	–	–	–	–	–	1	5	7	21	45	33
White	102	1	–	–	–	1	2	3	5	13	42	35	100	–	–	–	–	–	1	4	7	18	39	31
All other	11	1	–	–	–	–	1	–	1	2	3	3	12	–	–	–	–	–	–	1	–	3	6	2
Black	11	1	–	–	–	–	1	–	1	2	3	3	11	–	–	–	–	–	–	1	–	3	5	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	1	–	–	–	–	–	2	1	1	6	3	10	–	–	–	–	–	–	1	1	1	5	2
White	12	–	–	–	–	–	–	2	1	–	6	3	9	–	–	–	–	–	–	1	1	1	4	2
All other	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	98	1	–	–	–	1	3	1	5	14	39	34	100	–	–	–	–	–	1	4	6	18	39	31
White	89	1	–	–	–	1	2	1	4	13	36	31	90	–	–	–	–	–	1	3	6	16	35	29
All other	9	–	–	–	–	–	1	–	1	1	3	3	10	–	–	–	–	–	–	1	–	3	4	2
Black	9	–	–	–	–	–	1	–	1	1	3	3	9	–	–	–	–	–	–	1	–	3	3	2
Infections of kidney (590)	14	–	–	–	–	–	–	–	–	–	4	10	16	–	–	–	–	–	–	–	1	1	5	9
White	13	–	–	–	–	–	–	–	–	–	4	9	15	–	–	–	–	–	–	–	1	1	5	8
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Hyperplasia of prostate (600)	4	–	–	–	–	–	–	–	–	1	–	3	...	...	...	...	...	...	...	...	...	...	...	...
White	4	–	–	–	–	–	–	–	–	1	–	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	95	67	9	2	1	4	1	4	4	1	2	–	67	44	8	2	3	2	2	–	–	3	2	1
White	86	59	9	2	1	4	1	3	4	1	2	–	59	38	8	2	3	1	2	–	–	3	1	1
All other	9	8	–	–	–	–	–	1	–	–	–	–	8	6	–	–	–	1	–	–	–	–	1	–
Black	7	6	–	–	–	–	–	1	–	–	–	–	9	6	–	–	–	1	–	–	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	91	90	1	–	–	–	–	–	–	–	–	–	76	75	1	–	–	–	–	–	–	–	–	–
White	75	74	1	–	–	–	–	–	–	–	–	–	57	56	1	–	–	–	–	–	–	–	–	–
All other	16	16	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Black	14	14	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	21	21	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
White	19	19	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	70	69	1	–	–	–	–	–	–	–	–	–	53	52	1	–	–	–	–	–	–	–	–	–
White	56	55	1	–	–	–	–	–	–	–	–	–	39	38	1	–	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
Black	12	12	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	166	34	–	–	1	1	4	5	21	34	39	27	176	23	3	–	1	1	1	1	18	22	35	73
White	148	31	–	–	1	1	4	2	20	32	33	24	157	18	2	–	1	1	1	1	12	18	32	71
All other	18	3	–	–	–	–	–	3	1	2	6	3	19	5	1	–	–	–	–	–	4	4	3	2
Black	16	1	–	–	–	–	–	3	1	2	6	3	17	5	–	–	–	–	–	–	4	3	3	2
All other diseases (Residual)	681	9	5	2	16	21	20	38	72	156	203	141	843	10	4	2	8	16	20	31	56	117	285	314
White	654	8	5	2	15	20	17	31	69	152	195	140	792	7	3	1	7	12	18	29	49	106	254	306
All other	27	1	–	–	1	1	3	5	3	4	8	1	51	3	1	1	1	4	2	2	7	11	11	8
Black	28	1	–	–	–	1	3	5	3	4	8	1	42	1	1	1	1	3	2	2	7	6	10	6
Accidents and adverse effects (E800-E949)	746	10	17	48	173	148	61	62	48	68	72	40	344	4	12	14	59	32	27	23	26	31	48	68
White	693	8	15	45	159	136	56	57	46	62	71	38	327	3	11	13	55	29	26	22	26	29	47	66
All other	52	2	2	3	14	12	5	5	2	4	1	2	17	1	1	1	4	3	1	1	–	2	1	2
Black	42	2	2	3	10	10	4	4	2	2	1	2	15	1	1	1	4	1	1	1	–	2	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	393	1	7	31	128	97	37	30	18	20	18	6	169	1	4	8	51	27	16	14	16	17	10	3
White	372	1	6	30	118	82	36	28	17	20	18	6	158	1	3	7	47	24	16	14	16	15	10	3
All other	21	–	1	1	10	5	1	2	1	–	–	–	11	–	1	1	4	3	–	–	–	2	–	–
Black	15	–	1	1	6	3	1	2	1	–	–	–	9	–	1	1	4	1	–	–	–	2	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	352	9	10	17	45	51	24	32	30	46	54	34	175	3	8	6	8	5	9	9	10	14	38	65
White	321	7	9	15	41	44	20	29	29	42	53	32	169	2	8	6	8	5	8	8	10	14	37	63
All other	31	2	1	2	4	7	4	3	1	4	1	2	6	1	–	–	–	–	1	1	–	–	1	2
Black	27	2	1	2	4	7	3	2	1	2	1	2	6	1	–	–	–	–	1	1	–	–	1	2
Suicide (E950-E959)	251	...	...	3	48	54	37	26	34	27	16	6	50	...	...	1	3	11	12	13	3	4	2	1
White	241	...	...	3	45	49	37	25	33	27	16	6	48	...	...	1	3	9	12	13	3	4	2	1
All other	10	...	...	–	3	5	–	1	1	–	–	–	2	...	...	–	–	2	–	–	–	–	–	–
Black	9	...	...	–	3	4	–	1	1	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	63	–	4	–	14	13	19	4	3	3	1	1	32	1	–	3	6	5	10	3	1	–	2	1
White	39	–	4	–	8	7	10	3	3	2	1	–	25	–	–	3	5	4	7	3	1	–	2	–
All other	24	–	–	–	6	6	9	1	–	1	–	1	7	1	–	–	1	1	3	–	–	–	–	1
Black	21	–	–	–	4	6	8	1	–	1	–	1	7	1	–	–	1	1	3	–	–	–	–	1
All other external causes (E980-E999)	21	–	–	–	5	5	5	1	3	2	–	–	11	–	1	–	–	2	3	1	2	2	–	–
White	21	–	–	–	5	5	5	1	3	2	–	–	10	–	1	–	–	1	3	1	2	2	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
KENTUCKY																								
All causes	18,300	376	71	85	488	507	625	1,379	3,149	4,765	4,645	2,209	15,331	239	42	53	147	179	349	742	1,787	3,301	4,478	4,014
White	16,906	325	61	80	457	461	581	1,249	2,896	4,419	4,316	2,060	14,109	199	39	51	135	154	310	653	1,580	3,009	4,199	3,780
All other	1,394	51	10	5	31	46	44	130	253	346	329	149	1,222	40	3	2	12	25	39	89	207	292	279	234
Black	1,379	50	10	5	28	45	40	129	249	346	329	148	1,212	40	3	2	12	24	39	85	205	291	277	234
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	1
White	3	2	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	23	–	–	–	–	–	–	2	4	3	9	5	19	–	–	–	–	1	–	–	2	4	7	5
White	17	–	–	–	–	–	–	2	2	2	7	4	17	–	–	–	–	1	–	–	2	4	6	4
All other	6	–	–	–	–	–	–	–	2	1	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	6	–	–	–	–	–	–	–	2	1	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Tuberculosis of respiratory system (010-012)	20	–	–	–	–	–	–	2	4	3	7	4	17	–	–	–	–	1	–	–	2	2	7	5
White	15	–	–	–	–	–	–	2	2	2	5	4	15	–	–	–	–	1	–	–	2	2	6	4
All other	5	–	–	–	–	–	–	–	2	1	2	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	5	–	–	–	–	–	–	–	2	1	2	–	2	–	–	–	–	–	–	–	–	–	1	1
Other tuberculosis (013-018)	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	2	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	2	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	3	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	134	3	–	–	1	2	5	5	18	35	37	28	119	2	–	–	–	–	–	4	9	33	38	33
White	111	1	–	–	1	2	5	5	15	28	33	21	110	1	–	–	–	–	–	3	7	30	37	32
All other	23	2	–	–	–	–	–	–	3	7	4	7	9	1	–	–	–	–	–	1	2	3	1	1
Black	23	2	–	–	–	–	–	–	3	7	4	7	9	1	–	–	–	–	–	1	2	3	1	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	6	–	–	–	–	–	–	–	2	4	–	–	5	–	–	1	1	–	1	–	1	–	1	–
White	6	–	–	–	–	–	–	–	2	4	–	–	4	–	–	1	1	–	1	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	39	1	–	1	2	4	4	5	8	5	8	1	42	–	–	1	1	3	4	6	4	10	8	5
White	34	1	–	1	2	4	3	3	8	4	8	–	35	–	–	1	1	2	2	5	3	9	7	5
All other	5	–	–	–	–	–	1	2	–	1	–	1	7	–	–	–	–	1	2	1	1	1	1	–
Black	5	–	–	–	–	–	1	2	–	1	–	1	7	–	–	–	–	1	2	1	1	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,997	1	3	6	22	42	98	353	951	1,358	899	264	3,395	2	5	6	13	32	138	334	736	964	778	387
White	3,619	1	3	6	20	38	91	323	855	1,237	809	236	3,108	1	5	6	11	28	121	298	673	887	723	355
All other	378	–	–	–	2	4	7	30	96	121	90	28	287	1	–	–	2	4	15	36	65	77	55	32
Black	375	–	–	–	2	4	6	30	95	121	90	27	200	1	–	–	2	4	15	35	65	77	55	32
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	95	–	–	–	–	–	3	11	25	27	22	7	34	–	–	–	–	–	1	2	8	12	6	5
White	82	–	–	–	–	–	3	10	20	24	19	6	30	–	–	–	–	–	–	2	8	9	6	5
All other	13	–	–	–	–	–	–	1	5	3	3	1	4	–	–	–	–	–	1	–	–	3	–	–
Black	13	–	–	–	–	–	–	1	5	3	3	1	4	–	–	–	–	–	1	–	–	3	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	844	–	–	1	2	11	24	74	187	271	212	62	926	–	1	–	–	5	18	61	150	235	287	169
White	762	–	–	1	2	9	22	64	168	251	194	51	850	–	1	–	–	4	16	54	141	215	263	156
All other	82	–	–	–	–	2	2	10	19	20	18	11	76	–	–	–	–	1	2	7	9	20	24	13
Black	79	–	–	–	–	2	1	10	18	20	18	10	76	–	–	–	–	1	2	7	9	20	24	13
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,677	–	–	–	–	1	31	157	499	697	313	45	881	–	–	–	–	3	15	89	195	251	103	25
White	1,533	–	–	–	–	1	29	151	448	575	288	40	812	–	–	–	–	2	13	75	174	231	96	21
All other	144	–	–	–	–	–	2	6	44	62	25	5	69	–	–	–	–	1	2	14	21	20	7	4
Black	144	–	–	–	–	–	2	6	44	62	25	5	68	–	–	–	–	1	2	13	21	20	7	4
Malignant neoplasm of breast (174-175)	4	–	–	–	–	–	–	–	1	1	1	1	591	–	–	–	–	6	51	73	158	151	103	47
White	4	–	–	–	–	–	–	–	1	1	1	1	544	–	–	–	–	7	45	70	145	138	95	44
All other	–	–	–	–	–	–	–	–	–	–	–	–	47	–	–	–	–	1	6	3	13	13	8	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	47	–	–	–	–	1	6	3	13	13	8	3
Malignant neoplasms of genital organs (179-187)	354	–	–	–	–	3	2	2	35	106	139	73	361	–	–	–	9	5	18	42	81	98	75	39
White	308	–	–	–	–	3	2	2	34	92	108	67	326	–	–	–	3	5	16	35	75	91	69	32
All other	46	–	–	–	–	–	–	–	1	14	25	6	35	–	–	–	–	–	2	7	6	7	6	7
Black	46	–	–	–	–	–	–	–	1	14	25	6	35	–	–	–	–	–	2	7	6	7	6	7
Malignant neoplasms of urinary organs (188-189)	205	–	–	–	–	1	3	14	37	64	60	26	99	–	–	1	–	–	6	19	25	31	14	
White	188	–	–	–	–	–	3	14	33	60	53	25	95	–	–	1	–	–	6	17	25	30	14	
All other	17	–	–	–	–	1	–	–	4	4	7	1	3	–	–	–	–	–	–	2	–	1	–	
Black	17	–	–	–	–	1	–	–	4	4	7	1	3	–	–	–	–	–	–	2	–	1	–	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	484	–	2	3	8	19	18	64	117	143	84	26	425	–	1	4	3	5	24	39	82	117	83	57
White	443	–	2	3	7	19	17	55	100	133	83	24	395	–	1	4	2	5	23	36	73	110	88	53
All other	41	–	–	–	1	–	1	9	17	10	1	2	30	–	–	–	1	–	1	3	9	7	5	4
Black	41	–	–	–	1	–	1	9	17	10	1	2	30	–	–	–	1	–	1	3	9	7	5	4
Leukemia (204-208)	154	1	1	2	9	3	12	12	24	44	32	14	118	1	3	–	3	1	3	8	15	35	32	17
White	136	1	1	2	8	2	11	11	20	39	28	13	108	1	3	–	3	1	2	6	13	33	29	17
All other	18	–	–	–	1	1	1	1	4	5	4	1	10	–	–	–	–	–	1	2	2	2	3	–
Black	18	–	–	–	1	1	1	1	4	5	4	1	10	–	–	–	–	–	1	2	2	2	3	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	160	–	–	–	3	4	5	19	32	65	42	10	161	1	–	1	4	5	6	12	30	40	48	14
White	143	–	–	–	3	4	4	16	30	62	35	9	148	–	–	1	3	4	6	12	27	35	47	13
All other	17	–	–	–	–	–	1	3	2	3	7	1	13	1	–	–	1	1	–	–	3	5	1	1
Black	17	–	–	–	–	–	1	3	2	3	7	1	13	1	–	–	1	1	–	–	3	5	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	40	–	–	–	–	2	4	2	8	11	11	2	54	–	–	2	–	–	–	1	9	13	25	4
White	35	–	–	–	–	2	3	2	8	9	10	1	52	–	–	2	–	–	–	1	8	13	24	4
All other	5	–	–	–	–	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	5	–	–	–	–	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	224	-	-	-	-	4	10	21	41	60	73	15	396	-	-	-	-	3	7	17	46	133	131	59
White	196	-	-	-	-	4	10	16	35	54	63	14	349	-	-	-	-	2	7	13	41	112	121	53
All other	28	-	-	-	-	-	-	5	6	6	10	1	47	-	-	-	-	1	-	4	5	21	10	6
Black	28	-	-	-	-	-	-	5	6	6	10	1	47	-	-	-	-	1	-	4	5	21	10	6
Nutritional deficiencies (260-269)	14	1	-	-	-	-	-	-	-	4	5	4	37	2	-	-	-	2	-	-	3	7	7	16
White	13	1	-	-	-	-	-	-	-	4	5	3	31	2	-	-	-	2	-	-	1	5	7	14
All other	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	2	2	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	2	2	-	2
Anemias (280-285)	28	-	-	-	-	-	-	1	3	3	10	9	37	-	-	1	1	-	-	3	4	9	10	9
White	24	-	-	-	-	-	-	1	2	3	9	9	33	-	-	1	-	-	-	1	4	8	10	9
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	1	-	-	2	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	1	-	-	2	-	1	-	-
Meningitis (320-322)	10	1	-	1	2	-	2	-	-	1	2	1	4	-	-	1	-	-	-	-	-	3	-	-
White	9	1	-	1	2	-	1	-	-	1	2	1	3	-	-	-	-	-	-	-	-	3	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,400	12	1	5	13	48	170	594	1,431	2,284	2,525	1,317	7,756	6	4	1	13	24	79	201	631	1,495	2,660	2,642
White	7,847	12	1	5	13	44	155	540	1,341	2,136	2,363	1,237	7,159	6	4	1	10	19	68	172	539	1,358	2,497	2,487
All other	553	-	-	-	-	4	15	54	90	148	162	80	597	-	-	-	3	5	11	29	92	139	163	155
Black	549	-	-	-	-	4	13	53	89	148	162	80	593	-	-	-	3	5	11	28	92	138	161	155
Diseases of heart (390-398,402,404-429)	6,853	10	1	2	10	38	147	539	1,278	1,898	1,960	970	5,728	6	4	1	7	14	54	155	519	1,166	1,966	1,836
White	6,435	10	1	2	10	37	137	485	1,202	1,788	1,845	908	5,288	6	4	1	5	10	46	132	449	1,069	1,848	1,724
All other	418	-	-	-	-	1	10	44	76	110	115	62	440	-	-	-	2	4	8	23	70	97	118	112
Black	415	-	-	-	-	1	8	44	75	110	115	62	437	-	-	-	2	4	8	22	70	97	116	112
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	-	-	1	3	3	6	10	11	1	56	-	-	-	-	2	5	5	10	21	8	5
White	34	-	-	-	-	1	3	3	6	9	11	1	54	-	-	-	-	2	5	5	10	19	8	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Hypertensive heart disease (402)	110	-	-	-	-	-	3	8	20	40	28	11	164	-	-	-	-	-	2	6	11	32	55	58
White	87	-	-	-	-	-	2	4	13	34	24	10	134	-	-	-	-	-	2	3	7	23	52	47
All other	23	-	-	-	-	-	1	4	7	6	4	1	30	-	-	-	-	-	-	3	4	9	3	11
Black	23	-	-	-	-	-	1	4	7	6	4	1	30	-	-	-	-	-	-	3	4	9	3	11
Hypertensive heart and renal disease (404)	11	-	-	-	-	-	-	-	-	2	6	3	16	-	-	-	-	-	-	2	1	2	6	5
White	10	-	-	-	-	-	-	-	-	2	5	3	12	-	-	-	-	-	-	1	-	2	4	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	1	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	1	-	2	-
Ischemic heart disease (410-414)	5,020	-	-	1	1	20	115	437	993	1,431	1,409	613	3,692	-	-	-	1	4	29	99	384	809	1,291	1,075
White	4,762	-	-	1	1	19	109	406	949	1,384	1,335	578	3,434	-	-	-	1	3	24	88	335	750	1,213	1,022
All other	258	-	-	-	-	1	6	31	44	67	74	35	258	-	-	-	-	1	5	13	49	59	78	53
Black	257	-	-	-	-	1	5	31	44	67	74	35	255	-	-	-	-	1	5	12	49	59	76	53
Acute myocardial infarction (410)	3,540	-	-	1	1	16	100	343	776	1,063	925	315	2,276	-	-	-	1	4	23	80	291	599	779	500
White	3,368	-	-	1	1	15	96	320	741	1,013	878	302	2,118	-	-	-	1	3	19	70	256	558	737	474
All other	172	-	-	-	-	1	4	23	35	50	46	13	158	-	-	-	-	1	4	10	35	40	42	26
Black	171	-	-	-	-	1	3	23	35	50	46	13	155	-	-	-	-	1	4	9	35	40	40	26
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	2	2	2	1	4	-	-	-	-	-	-	1	1	-	2	-
White	7	-	-	-	-	-	-	-	2	2	2	1	4	-	-	-	-	-	-	1	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	5	2	3	-	3	-	-	-	-	-	-	-	-	1	2	-
White	10	-	-	-	-	-	-	-	5	2	3	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,463	-	-	-	-	4	15	94	210	364	479	297	1,409	-	-	-	-	-	6	18	92	210	508	575
White	1,377	-	-	-	-	4	13	86	201	347	451	275	1,309	-	-	-	-	-	5	15	78	191	472	548
All other	86	-	-	-	-	-	2	8	9	17	28	22	100	-	-	-	-	-	1	3	14	19	36	27
Black	86	-	-	-	-	-	2	8	9	17	28	22	100	-	-	-	-	-	1	3	14	19	36	27
Other diseases of endocardium (424)	45	1	-	-	4	-	-	5	8	10	11	6	47	-	-	-	1	-	1	3	3	11	17	11
White	43	1	-	-	4	-	-	4	7	10	11	6	43	-	-	-	-	-	1	3	2	11	16	10
All other	2	-	-	-	-	-	-	1	1	-	-	-	4	-	-	-	1	-	-	-	1	-	1	1
Black	2	-	-	-	-	-	-	1	1	-	-	-	4	-	-	-	1	-	-	-	1	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,632	9	1	1	5	17	26	66	251	405	495	336	1,753	6	4	1	5	8	17	40	110	291	589	682
White	1,499	9	1	1	5	17	23	78	227	369	459	310	1,611	6	4	1	4	5	14	34	89	264	555	635
All other	133	–	–	–	–	–	3	8	24	36	36	26	142	–	–	–	1	3	3	6	21	27	34	47
Black	131	–	–	–	–	–	2	8	23	36	36	26	142	–	–	–	1	3	3	6	21	27	34	47
Hypertension with or without renal disease (401,403)	55	–	–	–	–	–	1	2	7	22	12	11	74	–	–	–	–	–	–	2	6	13	31	22
White	48	–	–	–	–	–	1	2	6	19	11	9	61	–	–	–	–	–	–	2	4	10	24	21
All other	7	–	–	–	–	–	–	–	1	3	1	2	13	–	–	–	–	–	–	–	2	3	7	1
Black	7	–	–	–	–	–	–	–	1	3	1	2	13	–	–	–	–	–	–	–	2	3	7	1
Cerebrovascular diseases (430-438)	1,110	1	–	2	3	9	18	45	101	265	420	246	1,605	–	–	–	4	10	22	36	92	274	555	612
White	997	1	–	2	3	6	13	36	91	232	381	232	1,480	–	–	–	3	9	19	31	79	239	525	575
All other	113	–	–	–	–	3	5	9	10	33	39	14	125	–	–	–	1	1	3	5	13	35	30	37
Black	112	–	–	–	–	3	5	8	10	33	39	14	124	–	–	–	1	1	3	5	13	34	30	37
Intracerebral and other intracranial hemorrhage (431-432)	153	1	–	–	1	3	7	20	28	39	47	9	170	–	–	–	–	1	10	12	24	36	55	32
White	130	1	–	–	1	2	5	15	22	33	43	8	153	–	–	–	–	1	8	9	22	32	51	30
All other	23	–	–	–	–	1	2	5	4	6	4	1	17	–	–	–	–	–	2	3	2	4	4	2
Black	22	–	–	–	–	1	2	4	4	6	4	1	16	–	–	–	–	–	2	3	2	3	4	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	152	–	–	2	–	–	3	1	16	29	60	41	234	–	–	–	1	1	1	3	8	32	71	117
White	137	–	–	2	–	–	1	1	14	26	54	39	215	–	–	–	–	1	1	3	8	28	67	109
All other	15	–	–	–	–	–	2	–	2	3	6	2	19	–	–	–	1	–	–	–	–	6	4	8
Black	15	–	–	–	–	–	2	–	2	3	6	2	19	–	–	–	1	–	–	–	–	6	4	8
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	1	–	–	3	1
White	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	1	–	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	803	–	–	–	2	6	8	24	59	197	311	196	1,196	–	–	–	3	8	10	21	60	206	426	462
White	728	–	–	–	2	4	7	20	55	179	282	185	1,107	–	–	–	3	7	9	19	49	181	404	435
All other	75	–	–	–	–	2	1	4	4	24	29	11	89	–	–	–	–	1	1	2	11	25	22	27
Black	75	–	–	–	–	2	1	4	4	24	29	11	89	–	–	–	–	1	1	2	11	25	22	27
Atherosclerosis (440)	158	–	–	–	–	–	1	3	8	20	62	64	223	–	–	–	–	–	–	–	2	17	64	140
White	148	–	–	–	–	–	1	2	8	19	56	62	214	–	–	–	–	–	–	–	2	15	61	138
All other	10	–	–	–	–	–	–	1	–	1	6	2	9	–	–	–	–	–	–	–	–	2	3	4
Black	10	–	–	–	–	–	–	1	–	1	6	2	9	–	–	–	–	–	–	–	–	2	3	4
Other diseases of arteries, arterioles, and capillaries (441-448)	224	1	–	1	–	1	3	5	37	79	71	26	126	–	–	–	2	–	3	8	12	25	44	32
White	219	1	–	1	–	1	3	5	34	76	70	26	116	–	–	–	2	–	3	7	11	23	39	31
All other	5	–	–	–	–	–	–	–	3	1	1	–	10	–	–	–	–	–	–	1	1	2	5	1
Black	5	–	–	–	–	–	–	–	3	1	1	–	10	–	–	–	–	–	–	1	1	2	5	1
Acute bronchitis and bronchiolitis (466)	7	3	1	–	–	–	1	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	1
White	6	2	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	520	5	2	3	3	7	6	9	48	89	178	170	487	6	4	2	4	2	2	7	17	55	154	234
White	494	5	2	3	3	7	4	7	45	86	169	163	465	6	4	2	4	2	2	7	14	50	147	227
All other	26	–	–	–	–	–	2	2	3	3	9	7	22	–	–	–	–	–	–	–	3	5	7	7
Black	26	–	–	–	–	–	2	2	3	3	9	7	22	–	–	–	–	–	–	–	3	5	7	7
Pneumonia (480-486)	508	5	2	3	2	7	6	7	47	88	178	166	477	6	4	2	4	2	2	7	16	53	153	228
White	482	5	2	3	2	7	4	5	44	85	166	159	455	6	4	2	4	2	2	7	13	48	146	221
All other	26	–	–	–	–	–	2	2	3	3	9	7	22	–	–	–	–	–	–	–	3	5	7	7
Black	26	–	–	–	–	–	2	2	3	3	9	7	22	–	–	–	–	–	–	–	3	5	7	7
Influenza (487)	12	–	–	–	1	–	–	2	1	1	3	4	10	–	–	–	–	–	–	–	1	2	1	6
White	12	–	–	–	1	–	–	2	1	1	3	4	10	–	–	–	–	–	–	–	1	2	1	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	872	1	–	–	2	1	7	38	158	296	290	80	434	2	1	–	1	1	7	28	92	144	105	55
White	832	1	–	–	2	1	7	33	151	279	281	77	414	2	1	–	1	1	5	22	88	138	102	54
All other	40	–	–	–	–	–	–	3	8	17	9	3	20	–	–	–	–	–	2	4	4	6	3	1
Black	40	–	–	–	–	–	–	3	8	17	9	3	20	–	–	–	–	–	2	4	4	6	3	1
Bronchitis, chronic and unspecified (490-491)	41	1	–	–	2	–	–	3	6	14	10	5	31	2	1	–	–	–	1	–	9	8	3	7
White	40	1	–	–	2	–	–	3	6	13	10	5	30	2	1	–	–	–	1	–	9	8	3	7
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Emphysema (492)	167	–	–	–	–	–	1	10	37	54	56	9	62	–	–	–	–	–	–	6	19	19	15	3
White	165	–	–	–	–	–	1	10	37	53	55	9	60	–	–	–	–	–	–	5	19	18	15	3
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	19	-	-	-	-	-	2	2	7	3	2	3	25	-	-	-	-	1	1	4	7	9	1	2
White	17	-	-	-	-	-	2	2	6	3	2	2	24	-	-	-	-	1	1	4	6	9	1	2
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	645	-	-	-	-	1	4	21	109	225	222	63	316	-	-	-	1	-	5	16	57	108	88	43
White	610	-	-	-	-	1	4	18	102	210	214	61	300	-	-	-	1	-	4	13	54	103	83	42
All other	35	-	-	-	-	-	-	3	7	15	8	2	16	-	-	-	-	-	1	3	3	5	3	1
Black	35	-	-	-	-	-	-	3	7	15	8	2	16	-	-	-	-	-	1	3	3	5	3	1
Ulcer of stomach and duodenum (531-533)	35	-	-	-	-	1	2	2	5	10	10	5	55	-	-	-	-	-	-	3	5	11	16	20
White	31	-	-	-	-	1	1	2	4	9	9	5	55	-	-	-	-	-	-	3	5	11	16	20
All other	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	1	-	-	-	2	-	1
White	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	1	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	1	-	-	1	1	-	2	5	9	6	8	54	-	-	-	-	-	-	1	5	11	15	22
White	27	1	-	-	1	1	-	2	4	6	5	7	45	-	-	-	-	-	-	-	4	11	11	19
All other	6	-	-	-	-	-	-	-	1	3	1	1	9	-	-	-	-	-	-	1	1	-	4	3
Black	6	-	-	-	-	-	-	-	1	3	1	1	9	-	-	-	-	-	-	1	1	-	4	3
Chronic liver disease and cirrhosis (571)	220	-	-	-	1	5	24	45	83	62	20	-	114	-	-	-	-	2	8	22	29	32	18	3
White	205	-	-	-	1	5	23	41	59	57	19	-	102	-	-	-	-	1	8	19	23	31	17	3
All other	15	-	-	-	-	-	1	4	4	5	1	-	12	-	-	-	-	1	-	3	6	1	1	-
Black	15	-	-	-	-	-	1	4	4	5	1	-	12	-	-	-	-	1	-	3	6	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	28	-	-	-	-	-	1	-	1	13	11	2	47	-	-	-	-	-	-	2	3	10	19	13
White	26	-	-	-	-	-	1	-	1	12	10	2	46	-	-	-	-	-	-	2	3	10	18	13
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	193	2	-	1	-	2	5	8	16	44	77	38	176	5	-	-	-	2	3	6	16	41	58	50
White	171	2	-	1	-	2	5	5	13	41	70	32	150	4	-	-	-	1	2	6	12	35	47	43
All other	22	-	-	-	-	-	-	3	3	3	7	6	26	1	-	-	-	1	1	-	4	6	6	7
Black	22	-	-	-	-	-	-	3	3	3	7	6	26	1	-	-	-	1	1	-	4	6	6	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	-	-	-	-	-	1	1	-	6	7	4	11	-	-	-	-	-	-	2	1	2	5	1
White	17	-	-	-	-	-	1	1	-	6	5	4	11	-	-	-	-	-	-	2	1	2	5	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	2	-	1	-	2	4	7	16	38	70	34	163	5	-	-	-	2	3	4	15	37	48	49
White	154	2	-	1	-	2	4	4	13	35	65	28	137	4	-	-	-	1	2	4	11	31	42	42
All other	20	-	-	-	-	-	-	3	3	3	5	6	26	1	-	-	-	1	1	-	4	6	6	7
Black	20	-	-	-	-	-	-	3	3	3	5	6	26	1	-	-	-	1	1	-	4	6	6	7
Infections of kidney (590)	19	-	-	-	-	-	-	-	1	4	6	8	27	-	-	-	-	1	3	2	1	5	4	11
White	19	-	-	-	-	-	-	-	1	4	6	8	25	-	-	-	-	1	1	2	1	5	4	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	5	-	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	1	5	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	136	89	10	4	8	4	7	2	4	5	3	–	92	61	6	4	3	5	1	1	3	6	1	1
White	127	83	10	4	8	4	5	1	4	5	3	–	86	56	6	4	3	5	1	1	3	5	1	1
All other	9	6	–	–	–	–	2	1	–	–	–	–	6	5	–	–	–	–	–	–	–	1	–	–
Black	8	6	–	–	–	–	1	1	–	–	–	–	6	5	–	–	–	–	–	–	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	173	169	1	2	–	–	–	–	–	–	–	–	111	111	–	–	–	–	–	–	–	–	–	–
White	137	133	1	2	–	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
All other	36	36	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Black	35	35	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	56	55	1	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
White	46	45	1	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	9	9	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	117	114	–	2	–	–	–	–	–	–	–	–	84	84	–	–	–	–	–	–	–	–	–	–
White	91	88	–	2	–	–	–	–	–	–	–	–	65	65	–	–	–	–	–	–	–	–	–	–
All other	26	26	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Black	26	26	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	133	55	1	–	1	6	3	7	13	12	18	17	111	27	2	–	–	2	3	4	2	14	17	40
White	123	53	1	–	1	2	3	6	12	12	17	16	98	23	1	–	–	2	1	3	1	14	15	38
All other	10	2	–	–	–	4	–	1	1	–	1	1	13	4	1	–	–	–	2	1	1	–	2	2
Black	10	2	–	–	–	4	–	1	1	–	1	1	12	4	1	–	–	–	2	–	1	–	2	2
All other diseases (Residual)	1,204	17	11	10	22	30	50	110	191	280	315	168	1,131	11	4	5	9	18	31	41	112	227	335	338
White	1,112	15	9	8	19	27	47	95	172	261	299	160	1,054	7	4	5	9	15	30	38	97	205	319	325
All other	92	2	2	2	3	3	3	15	19	19	16	8	77	4	–	–	–	3	1	3	15	22	16	13
Black	91	2	2	2	2	3	3	15	19	19	16	8	76	4	–	–	–	3	1	3	13	22	16	13
Accidents and adverse effects (E800-E949)	1,189	9	39	48	308	214	122	102	102	94	97	54	459	4	14	28	70	49	34	34	36	54	74	64
White	1,108	8	31	45	289	200	117	98	95	88	86	51	423	4	13	25	67	45	31	31	33	47	67	60
All other	81	1	8	3	19	14	5	4	7	6	11	3	36	–	1	1	3	4	3	3	3	7	7	4
Black	79	1	8	3	17	14	5	4	7	6	11	3	36	–	1	1	3	4	3	3	3	7	7	4
Motor vehicle accidents (E810-E825)	543	1	13	24	198	113	55	48	37	34	17	5	212	1	4	16	58	35	23	21	14	22	19	1
White	513	1	11	23	189	106	52	44	36	31	15	5	201	1	3	15	55	31	22	20	13	22	18	1
All other	30	–	2	1	9	7	3	2	1	3	2	–	11	–	1	1	1	4	1	1	1	–	1	–
Black	29	–	2	1	8	7	3	2	1	3	2	–	11	–	1	1	1	4	1	1	1	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	646	8	26	24	110	101	67	56	65	60	80	49	247	3	10	10	14	14	11	13	22	32	55	63
White	595	7	20	22	100	94	65	54	59	57	71	46	222	3	10	10	12	14	9	11	20	25	49	59
All other	51	1	6	2	10	7	2	2	6	3	9	3	25	–	–	–	2	–	2	2	2	7	6	4
Black	50	1	6	2	9	7	2	2	6	3	9	3	25	–	–	–	2	–	2	2	2	7	6	4
Suicide (E950-E959)	400	...	...	4	60	74	61	48	54	66	24	9	100	...	...	1	17	17	15	19	17	13	1	–
White	391	...	...	4	59	71	60	48	51	65	24	9	97	...	...	1	16	17	15	18	16	13	1	–
All other	9	...	...	–	1	3	1	–	3	1	–	–	3	...	...	–	1	–	–	1	1	–	–	–
Black	8	...	...	–	1	3	1	–	2	1	–	–	2	...	...	–	1	–	–	–	1	–	–	–
Homicide and legal intervention (E960-E978)	191	2	2	–	36	55	41	24	20	8	1	2	53	–	1	1	12	14	13	7	1	3	1	–
White	154	1	2	–	30	41	37	18	16	7	–	2	46	–	1	1	10	9	13	7	1	3	1	–
All other	37	1	–	–	6	14	4	6	4	1	1	–	7	–	–	–	2	5	–	–	–	–	–	–
Black	36	1	–	–	6	13	4	6	4	1	1	–	6	–	–	–	2	4	–	–	–	–	–	–
All other external causes (E980-E999)	17	–	–	–	6	5	1	1	1	2	–	1	3	–	–	–	–	–	–	1	1	1	–	–
White	16	–	–	–	6	5	1	1	–	2	–	1	3	–	–	–	–	–	–	1	1	1	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,243	549	125	123	695	827	849	1,570	3,434	4,970	4,346	1,751	16,498	433	87	67	257	321	525	898	2,152	3,525	4,782	3,449
White	13,136	253	58	60	467	502	511	1,002	2,357	3,571	3,135	1,217	11,284	185	42	39	158	169	302	511	1,377	2,373	3,490	2,636
All other	6,107	296	67	63	228	325	338	568	1,077	1,399	1,211	534	5,214	248	45	28	99	152	223	387	775	1,152	1,292	811
Black	6,039	291	66	61	219	322	332	561	1,068	1,390	1,201	527	5,163	246	45	28	99	151	220	384	770	1,144	1,285	809
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	3	–	1	–	–	–	–	1	–	–	–	3	1	–	–	–	–	–	–	–	–	–	1
White	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	4	2	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Black	4	2	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	40	–	–	–	2	2	2	10	4	11	8	1	13	–	–	–	–	1	–	2	2	6	1	1
White	18	–	–	–	–	–	1	4	1	6	6	–	5	–	–	–	–	1	–	–	1	2	1	–
All other	22	–	–	–	2	2	1	6	3	5	2	1	8	–	–	–	–	–	–	2	1	4	–	1
Black	22	–	–	–	2	2	1	6	3	5	2	1	8	–	–	–	–	–	–	2	1	4	–	1
Tuberculosis of respiratory system (010-012)	32	–	–	–	1	2	–	10	2	10	6	1	8	–	–	–	–	–	–	1	2	4	–	1
White	15	–	–	–	–	–	–	4	–	6	5	–	2	–	–	–	–	–	–	–	1	1	–	–
All other	17	–	–	–	1	2	–	6	2	4	1	1	6	–	–	–	–	–	–	1	1	3	–	1
Black	17	–	–	–	1	2	–	6	2	4	1	1	6	–	–	–	–	–	–	1	1	3	–	1
Other tuberculosis (013-018)	8	–	–	–	1	–	2	–	2	1	2	–	5	–	–	–	–	1	–	1	–	2	1	–
White	3	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–	–	1	–	–	–	1	1	–
All other	5	–	–	–	1	–	1	–	1	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	5	–	–	–	1	–	1	–	1	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	2	–	–	–	–	–	–	–	–	–	6	2	1	–	–	–	–	–	–	2	–	1
White	1	–	1	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	–	2	–	–
All other	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1
Black	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1
Septicemia (038)	192	7	1	3	1	1	7	16	29	46	55	26	239	8	1	–	–	3	7	10	24	42	86	58
White	95	4	–	1	–	–	4	6	13	23	34	10	137	–	1	–	–	1	5	6	12	23	53	36
All other	97	3	1	2	1	1	3	10	16	23	21	16	102	8	–	–	–	2	2	4	12	19	33	22
Black	97	3	1	2	1	1	3	10	16	23	21	16	102	8	–	–	–	2	2	4	12	19	33	22
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	14	–	–	–	2	–	1	3	4	4	–	–	9	–	–	–	–	1	2	–	2	3	–	1
White	8	–	–	–	–	–	–	2	3	3	–	–	6	–	–	–	–	–	–	–	2	3	–	1
All other	6	–	–	–	2	–	1	1	1	1	–	–	3	–	–	–	–	1	2	–	–	–	–	–
Black	6	–	–	–	2	–	1	1	1	1	–	–	3	–	–	–	–	1	2	–	–	–	–	–
Syphilis (090-097)	3	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 089-139)	54	5	1	3	1	6	4	5	10	8	7	4	45	3	3	–	3	1	6	7	2	10	5	5
White	36	1	–	2	1	6	3	2	8	6	3	4	17	2	–	–	1	–	1	2	–	6	3	2
All other	18	4	1	1	–	–	1	3	2	2	4	–	28	1	3	–	2	1	5	5	2	4	2	3
Black	18	4	1	–	–	–	1	3	1	2	4	–	28	1	3	–	2	1	5	5	2	4	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,330	2	9	9	24	48	119	371	1,056	1,427	997	268	3,492	–	5	10	22	50	182	352	757	927	653	324
White	2,998	–	7	5	15	36	72	234	729	1,025	688	177	2,515	–	5	4	12	31	127	230	542	685	643	236
All other	1,332	2	2	4	9	12	47	137	327	402	299	91	977	–	–	6	10	19	55	122	215	242	210	88
Black	1,319	1	2	4	9	12	47	135	326	397	297	89	972	–	–	6	10	19	53	121	215	240	210	88

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	122	-	-	-	1	1	5	13	46	40	16	-	47	-	-	-	-	-	1	3	14	9	11	9
White	72	-	-	-	-	1	1	7	29	24	10	-	40	-	-	-	-	-	1	3	11	8	9	8
All other	50	-	-	-	1	-	4	6	17	16	6	-	7	-	-	-	-	-	-	-	3	1	2	1
Black	50	-	-	-	1	-	4	6	17	16	6	-	7	-	-	-	-	-	-	-	3	1	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,013	-	1	1	1	6	20	83	224	338	257	72	884	-	-	-	-	5	19	57	150	258	284	113
White	665	-	1	1	1	3	10	52	147	215	186	49	619	-	-	-	-	2	15	35	105	173	208	75
All other	348	-	-	-	-	3	10	31	77	123	71	23	271	-	-	-	-	3	4	22	45	83	76	38
Black	345	-	-	-	-	3	10	41	76	121	71	23	270	-	-	-	-	3	4	21	45	83	76	38
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,607	-	1	-	1	1	36	143	476	592	313	44	645	-	-	-	1	2	15	64	203	210	128	22
White	1,160	-	1	-	-	1	22	92	331	453	228	31	508	-	-	-	1	2	12	44	155	168	105	19
All other	447	-	-	-	1	-	14	51	145	139	84	13	139	-	-	-	-	-	3	20	48	42	23	3
Black	441	-	-	-	1	-	14	50	145	136	83	12	139	-	-	-	-	-	3	20	48	42	23	3
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	2	1	1	1	-	599	-	-	-	-	-	9	78	92	147	130	111	32
White	2	-	-	-	-	-	-	1	1	-	-	-	420	-	-	-	-	-	5	49	57	103	104	79	23
All other	3	-	-	-	-	-	-	1	-	1	1	-	179	-	-	-	-	-	4	29	35	44	26	32	9
Black	3	-	-	-	-	-	-	1	-	1	1	-	178	-	-	-	-	-	4	28	35	44	26	32	9
Malignant neoplasms of genital organs (179-187)	449	-	-	-	-	1	3	6	42	129	186	80	381	-	-	-	4	12	36	54	81	88	78	28
White	251	-	-	-	-	1	2	4	27	78	98	41	229	-	-	-	2	6	20	33	52	56	44	16
All other	198	-	-	-	-	-	1	4	15	51	88	39	152	-	-	-	2	6	16	21	29	32	34	12
Black	198	-	-	-	-	-	1	4	15	51	88	39	152	-	-	-	2	6	16	21	29	32	34	12
Malignant neoplasms of urinary organs (188-189)	184	-	-	2	1	2	3	15	24	68	48	23	121	-	1	-	1	4	1	7	14	36	32	25
White	146	-	-	1	-	2	3	13	17	52	38	20	94	-	1	-	-	4	1	3	9	29	27	20
All other	38	-	-	1	1	-	-	2	7	16	8	3	27	-	-	-	1	-	-	4	5	7	5	5
Black	37	-	-	1	1	-	-	1	7	16	8	3	27	-	-	-	1	-	-	4	5	7	5	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	595	1	4	1	10	23	30	69	162	163	104	28	490	-	3	6	6	10	18	52	89	124	120	62
White	425	-	3	-	7	16	19	43	115	123	81	18	354	-	3	2	2	8	12	35	62	88	93	49
All other	170	1	1	1	3	7	11	26	47	40	23	10	136	-	-	4	4	2	6	17	27	36	27	13
Black	169	1	1	1	3	7	11	26	47	40	23	9	134	-	-	4	4	2	6	17	27	34	27	13
Leukemia (204-208)	157	1	2	5	7	6	11	12	27	40	37	9	132	-	1	4	4	4	12	4	22	35	30	16
White	122	-	1	3	5	6	6	8	22	36	28	7	111	-	1	2	2	3	9	4	17	30	30	13
All other	35	1	1	2	2	-	5	4	5	4	9	2	21	-	-	2	2	1	3	-	5	5	-	3
Black	33	-	1	2	2	-	5	4	5	4	8	2	20	-	-	2	2	1	2	-	5	5	-	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	198	-	1	-	3	8	11	16	54	56	37	12	193	-	-	-	6	4	12	19	37	39	59	17
White	155	-	1	-	2	6	9	14	40	44	28	11	148	-	-	-	5	1	8	16	28	29	46	13
All other	43	-	-	-	1	2	2	2	14	12	9	1	45	-	-	-	1	3	4	3	9	10	11	4
Black	43	-	-	-	1	2	2	2	14	12	9	1	45	-	-	-	1	3	4	3	9	10	11	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	51	1	-	-	3	2	3	9	5	15	10	3	68	-	-	-	3	4	1	4	13	12	17	12
White	32	-	-	-	2	1	2	6	3	8	7	3	40	-	-	-	-	1	1	2	7	8	11	10
All other	19	1	-	-	1	1	1	3	2	7	3	-	28	-	-	-	3	3	-	2	6	4	6	2
Black	18	1	-	-	1	1	1	2	2	7	3	-	28	-	-	-	3	3	-	2	6	4	6	2
Diabetes mellitus (250)	259	-	-	1	1	1	13	19	57	77	74	16	499	-	-	1	2	3	13	25	79	160	146	70
White	148	-	-	1	1	-	7	9	30	45	44	11	264	-	-	1	-	3	7	14	38	74	83	46
All other	111	-	-	-	-	1	6	10	27	32	30	5	235	-	-	-	2	-	6	11	43	86	63	24
Black	111	-	-	-	-	1	6	10	27	32	30	5	234	-	-	-	2	-	6	11	42	86	63	24
Nutritional deficiencies (260-269)	18	1	1	-	-	2	-	2	2	1	5	3	35	-	-	-	-	-	-	1	3	5	10	10
White	10	1	-	-	-	-	-	2	1	-	5	1	15	-	-	-	-	-	-	-	1	1	4	3
All other	8	-	1	-	-	2	-	-	1	1	1	2	20	-	-	-	-	-	-	1	2	4	6	7
Black	8	-	1	-	-	2	-	-	1	1	1	2	20	-	-	-	-	-	-	1	2	4	6	7
Anemias (280-285)	32	-	-	3	3	2	-	4	2	5	10	3	44	-	1	2	1	2	2	2	5	11	6	12
White	13	-	-	1	1	-	-	1	1	3	5	1	29	-	-	1	-	1	1	2	5	6	6	7
All other	19	-	-	2	2	2	-	3	1	2	5	2	15	-	1	1	1	1	1	-	-	5	-	5
Black	19	-	-	2	2	2	-	3	1	2	5	2	15	-	1	1	1	1	1	-	-	5	-	5
Meningitis (320-322)	17	5	2	-	2	-	-	1	2	3	1	1	14	5	3	1	-	-	-	1	2	1	1	-
White	7	2	2	-	-	-	-	-	-	1	1	1	5	2	1	-	-	-	-	1	1	-	-	-
All other	10	3	-	-	2	-	-	1	2	2	-	-	9	3	2	1	-	-	-	-	1	1	1	-
Black	10	3	-	-	2	-	-	1	2	2	-	-	9	3	2	1	-	-	-	-	1	1	1	-
Major cardiovascular diseases (390-448)	8,400	20	6	6	32	82	241	685	1,573	2,454	2,284	1,028	8,186	14	2	4	22	52	117	285	846	1,736	2,791	2,317
White	5,845	6	3	-	18	26	145	451	1,108	1,776	1,681	731	5,646	7	-	3	10	25	55	120	466	1,130	2,042	1,788
All other	2,455	14	3	6	14	36	96	234	465	678	613	295	2,540	7	2	1	12	27	62	165	380	606	749	529
Black	2,438	13	3	5	14	36	95	232	460	675	609	293	2,525	7	2	1	12	27	62	164	376	602	745	527

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,922	16	4	4	27	49	200	586	1,368	2,031	1,837	779	6,165	12	2	3	18	33	78	216	694	1,358	2,086	1,865
White	4,971	5	3	–	16	25	123	402	1,004	1,501	1,350	542	4,276	6	–	3	8	20	37	99	385	904	1,539	1,275
All other	1,951	11	1	4	11	24	77	184	364	530	487	237	1,889	6	2	–	10	13	41	117	309	454	547	590
Black	1,938	10	1	4	11	24	76	182	361	529	484	235	1,878	6	2	–	10	13	41	116	305	450	548	389
Rheumatic fever and rheumatic heart disease (390-398)	31	–	–	1	–	1	2	2	8	6	10	1	35	–	–	–	4	2	1	–	11	12	3	2
White	26	–	–	–	–	–	2	2	7	6	9	–	22	–	–	–	3	–	–	–	6	9	3	1
All other	5	–	–	1	–	1	–	–	1	–	1	1	13	–	–	–	1	2	1	–	5	3	–	1
Black	5	–	–	1	–	1	–	–	1	–	1	1	13	–	–	–	1	2	1	–	5	3	–	1
Hypertensive heart disease (402)	236	–	–	–	–	1	6	15	61	77	55	20	329	–	–	–	1	1	1	12	48	84	118	64
White	105	–	–	–	–	–	1	3	25	34	34	8	166	–	–	–	–	–	1	2	13	37	70	43
All other	131	–	–	–	–	1	5	12	36	43	22	12	163	–	–	–	1	1	–	10	35	47	48	21
Black	131	–	–	–	–	1	5	12	36	43	22	12	163	–	–	–	1	1	–	10	35	47	48	21
Hypertensive heart and renal disease (404)	28	–	–	–	–	1	–	1	2	14	7	1	32	–	–	–	–	–	1	–	2	7	15	7
White	14	–	–	–	–	–	–	–	1	8	4	1	17	–	–	–	–	–	–	–	–	1	10	6
All other	12	–	–	–	–	1	–	1	1	6	3	–	15	–	–	–	–	–	1	–	2	6	5	1
Black	12	–	–	–	–	1	–	1	1	6	3	–	15	–	–	–	–	–	1	–	2	6	5	1
Ischemic heart disease (410-414)	4,654	–	–	–	5	17	139	442	990	1,393	1,160	478	3,702	–	–	–	2	4	45	124	417	847	1,315	948
White	3,526	–	–	–	3	10	82	320	759	1,066	908	348	2,721	–	–	–	1	3	21	84	261	609	1,021	741
All other	1,128	–	–	–	2	7	47	122	231	307	252	130	981	–	–	–	1	1	24	60	156	238	294	207
Black	1,120	–	–	–	2	7	46	120	229	306	251	129	973	–	–	–	1	1	24	59	154	235	293	206
Acute myocardial infarction (410)	2,989	–	–	–	4	14	106	340	710	945	669	201	1,942	–	–	–	1	4	31	90	273	529	659	355
White	2,272	–	–	–	3	7	70	248	553	734	510	147	1,423	–	–	–	–	3	18	44	173	382	521	284
All other	717	–	–	–	1	7	36	92	157	211	159	54	519	–	–	–	1	1	13	46	100	147	138	71
Black	711	–	–	–	1	7	35	90	156	210	159	53	514	–	–	–	1	1	13	45	99	146	137	70
Other acute and subacute forms of ischemic heart disease (411)	76	–	–	–	–	–	–	3	14	18	29	12	76	–	–	–	–	–	–	–	11	15	22	28
White	49	–	–	–	–	–	–	2	10	11	19	7	47	–	–	–	–	–	–	–	7	8	13	19
All other	27	–	–	–	–	–	–	1	4	7	10	5	29	–	–	–	–	–	–	–	4	7	9	9
Black	27	–	–	–	–	–	–	1	4	7	10	5	29	–	–	–	–	–	–	–	4	7	9	9
Angina pectoris (413)	16	–	–	–	–	–	–	4	2	6	5	1	10	–	–	–	–	–	–	–	2	1	3	4
White	14	–	–	–	–	–	–	2	2	5	4	1	10	–	–	–	–	–	–	–	2	1	3	4
All other	4	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,571	–	–	–	1	3	33	95	264	424	487	264	1,674	–	–	–	1	–	14	34	131	302	631	561
White	1,191	–	–	–	–	3	22	66	194	336	375	193	1,241	–	–	–	1	–	5	20	79	218	484	434
All other	380	–	–	–	1	–	11	27	70	88	112	71	433	–	–	–	–	–	9	14	52	84	147	127
Black	378	–	–	–	1	–	11	27	69	88	111	71	430	–	–	–	–	–	9	14	51	82	147	127
Other diseases of endocardium (424)	71	1	–	–	–	1	2	12	6	16	24	9	72	–	–	–	–	1	–	4	7	12	36	12
White	56	–	–	–	–	1	2	8	4	12	21	8	59	–	–	–	–	1	–	2	4	10	30	12
All other	15	1	–	–	–	–	–	4	2	4	3	1	13	–	–	–	–	–	–	2	3	2	6	–
Black	15	1	–	–	–	–	–	4	2	4	3	1	13	–	–	–	–	–	–	2	3	2	6	–
All other forms of heart disease (415-423,425-429)	1,904	15	4	3	22	28	51	114	321	525	550	270	1,995	12	2	3	11	25	30	76	209	396	599	632
White	1,244	5	3	–	13	14	26	69	208	355	374	177	1,291	6	–	3	4	16	15	31	101	238	405	472
All other	660	10	1	3	9	14	25	45	113	170	176	93	704	6	2	–	7	9	15	45	108	158	194	160
Black	655	9	1	3	9	14	25	45	112	170	174	92	701	6	2	–	7	9	15	45	106	157	194	160
Hypertension with or without renal disease (401,403)	50	–	–	–	–	3	3	5	7	12	13	7	72	–	–	–	–	1	1	3	9	17	20	21
White	20	–	–	–	–	–	1	3	3	3	6	4	32	–	–	–	–	–	1	1	4	5	10	11
All other	30	–	–	–	–	3	2	2	4	9	7	3	40	–	–	–	–	1	–	2	5	12	10	10
Black	30	–	–	–	–	3	2	2	4	9	7	3	39	–	–	–	–	1	–	2	5	12	9	10
Cerebrovascular diseases (430-438)	1,072	4	2	2	5	10	33	83	137	284	340	172	1,548	–	–	1	3	16	31	80	118	294	563	460
White	672	1	–	–	2	1	17	41	68	174	245	123	1,025	–	–	–	1	5	14	18	59	171	397	360
All other	400	3	2	2	3	9	16	42	69	110	95	49	521	–	–	1	2	11	17	42	59	123	166	100
Black	395	3	2	1	3	9	16	42	68	108	94	49	519	–	–	1	2	11	17	42	59	123	164	100
Intracerebral and other intracranial hemorrhage (431-432)	140	4	–	–	4	3	16	24	25	31	21	12	174	–	–	1	1	3	10	15	29	47	45	23
White	78	1	–	–	1	–	9	12	11	19	17	6	100	–	–	–	–	1	4	5	15	28	33	14
All other	62	3	–	–	3	3	7	12	14	12	4	4	74	–	–	1	1	2	6	10	14	19	12	9
Black	62	3	–	–	3	3	7	12	14	12	4	4	72	–	–	1	1	2	6	10	14	19	10	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	138	–	–	–	–	–	6	12	12	39	49	20	225	–	–	–	–	–	2	5	14	38	86	80
White	96	–	–	–	–	–	3	3	8	25	40	17	160	–	–	–	–	–	–	2	10	20	60	68
All other	42	–	–	–	–	–	3	9	4	14	9	3	65	–	–	–	–	–	2	3	4	18	26	12
Black	41	–	–	–	–	–	3	9	4	13	9	3	65	–	–	–	–	–	2	3	4	18	26	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	1	2	1	–	7	–	–	–	–	–	–	–	2	1	2	2
White	3	–	–	–	–	–	–	–	1	1	1	–	6	–	–	–	–	–	–	–	1	1	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	790	–	2	2	1	7	11	47	99	212	269	140	1,140	–	–	–	2	13	19	40	73	208	430	355
White	495	–	–	–	1	1	5	28	48	129	187	98	759	–	–	–	1	4	10	11	33	122	302	276
All other	295	–	2	2	–	6	6	21	51	83	82	42	381	–	–	–	1	9	9	29	40	86	128	79
Black	291	–	2	1	–	6	6	21	50	82	81	42	381	–	–	–	1	9	9	29	40	86	128	79
Atherosclerosis (440)	174	–	–	–	–	–	1	1	13	35	66	58	274	–	–	–	–	–	5	3	7	30	86	143
White	137	–	–	–	–	–	1	–	10	22	51	53	212	–	–	–	–	–	2	–	6	20	67	117
All other	37	–	–	–	–	–	–	1	3	13	15	5	62	–	–	–	–	–	3	3	1	10	19	26
Black	37	–	–	–	–	–	–	1	3	13	15	5	61	–	–	–	–	–	3	3	1	10	19	25
Other diseases of arteries, arterioles, and capillaries (441-448)	182	–	–	–	–	–	4	10	28	92	38	10	129	2	–	–	1	2	2	3	18	37	38	28
White	145	–	–	–	–	–	3	5	23	76	29	9	101	1	–	–	1	–	1	2	12	30	29	25
All other	37	–	–	–	–	–	1	5	5	16	9	1	28	1	–	–	–	2	1	1	6	7	7	3
Black	36	–	–	–	–	–	1	5	4	16	9	1	28	1	–	–	–	2	1	1	6	7	7	3
Acute bronchitis and bronchiolitis (466)	13	–	–	–	1	–	1	3	2	3	–	3	9	2	2	–	1	–	–	1	1	1	–	1
White	10	–	–	–	1	–	–	3	2	1	–	3	5	–	1	–	1	–	–	1	1	1	–	–
All other	3	–	–	–	–	–	1	–	–	2	–	–	4	2	1	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	1	–	–	2	–	–	4	2	1	–	–	–	–	–	–	–	–	1
Pneumonia and influenza (480-487)	448	15	3	–	1	13	6	15	50	99	140	106	387	7	7	1	2	11	9	9	21	47	130	143
White	299	4	1	–	1	7	5	7	28	65	106	75	295	1	3	1	–	6	4	5	16	33	104	122
All other	149	11	2	–	–	6	1	8	22	34	34	31	92	6	4	–	2	5	5	4	5	14	26	21
Black	148	11	2	–	–	6	1	8	22	34	33	31	91	6	4	–	2	5	5	4	5	14	25	21
Pneumonia (480-486)	442	15	2	–	1	12	6	14	50	99	138	105	378	6	7	1	2	10	9	9	21	44	129	140
White	295	4	1	–	1	6	5	6	28	65	105	74	288	1	3	1	–	5	4	5	16	30	104	119
All other	147	11	1	–	–	6	1	8	22	34	33	31	90	5	4	–	2	5	5	4	5	14	25	21
Black	146	11	1	–	–	6	1	8	22	34	32	31	88	5	4	–	2	5	5	4	5	14	24	21
Influenza (487)	6	–	1	–	–	1	–	1	–	–	2	1	9	1	–	–	–	1	–	–	–	3	1	3
White	4	–	–	–	–	1	–	1	–	–	1	1	7	–	–	–	–	1	–	–	–	3	–	3
All other	2	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–
Black	2	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	626	1	–	–	3	5	4	29	104	200	225	57	303	4	–	1	1	4	9	12	46	105	78	43
White	500	–	–	–	1	2	1	20	81	163	185	47	233	–	–	–	–	–	5	9	35	86	62	36
All other	126	1	–	–	2	3	3	9	23	37	40	10	70	4	–	1	1	4	4	3	11	19	16	7
Black	126	1	–	–	2	3	3	9	23	37	40	10	69	4	–	1	1	3	4	3	11	19	16	7
Bronchitis, chronic and unspecified (490-491)	25	1	–	–	–	–	–	1	5	8	7	3	15	2	–	–	–	–	–	–	–	2	4	7
White	18	–	–	–	–	–	–	1	4	7	5	1	12	–	–	–	–	–	–	–	–	2	3	7
All other	7	1	–	–	–	–	–	–	1	1	2	2	3	2	–	–	–	–	–	–	–	–	1	–
Black	7	1	–	–	–	–	–	–	1	1	2	2	3	2	–	–	–	–	–	–	–	–	1	–
Emphysema (492)	144	–	–	–	–	2	1	7	29	45	52	8	50	–	–	–	–	1	–	2	7	21	14	5
White	116	–	–	–	–	–	–	6	22	36	43	8	41	–	–	–	–	–	–	1	7	18	10	5
All other	29	–	–	–	–	2	1	1	7	9	9	–	9	–	–	–	–	1	–	1	–	3	4	–
Black	28	–	–	–	–	2	1	1	7	9	9	–	8	–	–	–	–	–	–	1	–	3	4	–
Asthma (493)	27	–	–	–	3	3	2	3	7	7	2	–	37	2	–	1	–	2	7	3	4	8	7	2
White	12	–	–	–	1	2	–	3	3	2	1	–	17	–	–	–	–	–	4	2	3	4	3	1
All other	15	–	–	–	2	1	2	–	4	5	1	–	20	2	–	1	–	2	3	1	1	5	4	1
Black	15	–	–	–	2	1	2	–	4	5	1	–	20	2	–	1	–	2	3	1	1	5	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	432	–	–	–	–	–	1	18	63	140	164	46	201	–	–	–	1	1	2	7	35	73	53	29
White	355	–	–	–	–	–	1	10	52	118	138	36	163	–	–	–	–	–	1	6	25	62	46	23
All other	77	–	–	–	–	–	–	8	11	22	26	6	38	–	–	–	1	1	1	1	10	11	7	6
Black	77	–	–	–	–	–	–	8	11	22	26	6	38	–	–	–	1	1	1	1	10	11	7	6
Ulcer of stomach and duodenum (531-533)	33	–	–	–	–	–	2	2	8	8	10	3	50	–	–	–	–	–	1	1	6	12	16	14
White	24	–	–	–	–	–	–	2	6	5	9	2	39	–	–	–	–	–	–	–	4	9	14	12
All other	9	–	–	–	–	–	2	–	2	3	1	1	11	–	–	–	–	–	1	1	2	3	2	2
Black	9	–	–	–	–	–	2	–	2	3	1	1	11	–	–	–	–	–	1	1	2	3	2	2
Appendicitis (540-543)	6	–	–	–	–	–	1	–	–	1	3	1	10	–	–	1	–	–	–	2	–	2	4	1
White	4	–	–	–	–	–	–	–	–	1	3	–	4	–	–	–	–	–	–	1	–	1	1	1
All other	2	–	–	–	–	–	1	–	–	–	–	1	6	–	–	1	–	–	–	1	–	1	3	–
Black	2	–	–	–	–	–	1	–	–	–	–	1	6	–	–	1	–	–	–	1	–	1	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	32	4	1	–	–	2	–	–	1	7	9	8	45	2	–	–	–	1	1	–	4	11	17	9
White	19	2	–	–	–	2	–	–	1	5	5	4	31	–	–	–	–	1	–	–	3	9	13	5
All other	13	2	1	–	–	–	–	–	–	2	4	4	14	2	–	–	–	–	1	–	1	2	4	4
Black	13	2	1	–	–	–	–	–	–	2	4	4	14	2	–	–	–	–	1	–	1	2	4	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	250	2	-	1	1	11	27	51	82	57	17	1	146	1	-	-	-	6	14	30	33	38	21	3
White	179	-	-	-	1	6	12	35	62	49	13	1	112	-	-	-	-	3	9	24	25	30	19	2
All other	71	2	-	1	-	5	15	16	20	8	4	-	34	1	-	-	-	3	5	6	8	8	2	1
Black	69	2	-	1	-	5	13	16	20	8	4	-	33	1	-	-	-	3	4	6	8	8	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	1	1	3	4	11	4	26	-	-	-	-	-	2	1	1	3	13	6
White	23	-	-	-	-	-	1	1	3	4	10	4	18	-	-	-	-	-	1	-	1	3	8	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	1	1	-	-	5	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	1	-	-	4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	237	5	-	-	1	3	7	10	36	64	77	34	258	2	1	-	1	3	4	12	28	64	93	50
White	130	3	-	-	-	1	2	3	16	40	45	20	143	1	1	-	-	1	3	6	15	32	58	26
All other	107	2	-	-	1	2	5	7	20	24	32	14	115	1	-	-	1	2	1	6	13	32	35	24
Black	105	2	-	-	-	2	5	7	20	24	31	14	115	1	-	-	1	2	1	6	13	32	35	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	2	1	1	-	4	-	-	-	-	-	-	2	-	1	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	-	-	-	-	4	6	3	5	28	-	-	-	1	1	-	1	3	4	12	6
White	12	-	-	-	-	-	-	-	2	5	2	3	15	-	-	-	-	-	-	1	1	-	9	4
All other	6	-	-	-	-	-	-	-	2	1	1	2	13	-	-	-	1	1	-	-	2	4	3	2
Black	6	-	-	-	-	-	-	-	2	1	1	2	13	-	-	-	1	1	-	-	2	4	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	215	5	-	-	1	3	7	10	30	57	73	29	226	2	1	-	-	2	4	9	25	59	80	44
White	115	3	-	-	-	1	2	3	13	34	42	17	126	1	1	-	-	1	3	5	14	31	48	22
All other	100	2	-	-	1	2	5	7	17	23	31	12	100	1	-	-	-	1	1	4	11	28	32	22
Black	98	2	-	-	-	2	5	7	17	23	30	12	100	1	-	-	-	1	1	4	11	28	32	22
Infections of kidney (590)	16	-	-	-	-	-	-	-	3	3	6	4	30	-	-	-	-	-	-	1	1	3	13	12
White	11	-	-	-	-	-	-	-	2	3	3	3	26	-	-	-	-	-	-	1	1	3	11	10
All other	5	-	-	-	-	-	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	5	-	-	-	-	-	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	2	2
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	1	-	3	1	***	***	***	***	***	***	***	***	***	***	***	***
White	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
All other	5	-	-	-	-	-	-	-	1	-	3	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	5	-	-	-	-	-	-	-	1	-	3	1	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	3	1	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	1	-	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	1	-	2	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	1	1	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	1	-	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	1	-	1	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	-	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	2	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
Congenital anomalies (740-759)	139	111	5	2	7	2	5	1	1	4	1	-	136	92	9	6	7	6	4	4	3	2	3	-
White	93	74	3	2	4	1	4	1	1	2	1	-	81	51	4	3	4	5	4	3	3	1	3	-
All other	46	37	2	-	3	1	1	-	-	2	-	-	55	41	5	3	3	1	-	1	-	1	-	-
Black	43	35	2	-	3	-	1	-	-	2	-	-	54	40	5	3	3	1	-	1	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	267	266	1	-	-	-	-	-	-	-	-	-	222	219	2	-	-	-	-	-	-	-	-	-
White	104	103	1	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
All other	163	163	-	-	-	-	-	-	-	-	-	-	135	132	2	-	-	-	-	-	-	-	-	-
Black	162	162	-	-	-	-	-	-	-	-	-	-	135	132	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	73	73	-	-	-	-	-	-	-	-	-	-	69	68	1	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	49	49	-	-	-	-	-	-	-	-	-	-	42	41	1	-	-	-	-	-	-	-	-	-
Black	49	49	-	-	-	-	-	-	-	-	-	-	42	41	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	194	193	1	–	–	–	–	–	–	–	–	–	153	151	1	–	–	–	–	–	–	–	–	–
White	80	79	1	–	–	–	–	–	–	–	–	–	60	60	–	–	–	–	–	–	–	–	–	–
All other	114	114	–	–	–	–	–	–	–	–	–	–	93	91	1	–	–	–	–	–	–	–	–	–
Black	113	113	–	–	–	–	–	–	–	–	–	–	93	91	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	161	54	1	–	2	6	6	7	23	32	26	24	124	26	3	–	2	5	3	2	15	21	24	23
White	113	32	1	–	1	2	6	4	10	24	18	15	76	10	1	–	1	2	2	2	12	13	16	17
All other	68	22	–	–	1	4	–	3	13	8	8	9	48	16	2	–	1	3	1	–	3	8	8	6
Black	67	22	–	–	1	4	–	3	13	8	7	9	47	15	2	–	1	3	1	–	3	8	8	6
All other diseases (Residual)	1,138	31	22	13	32	50	73	102	172	277	250	115	1,256	25	13	10	22	32	52	70	168	238	363	263
White	732	12	10	7	16	29	36	56	103	195	185	82	865	15	6	8	10	12	21	32	113	168	264	216
All other	406	19	12	6	16	21	37	46	69	82	65	33	391	10	7	2	12	20	31	38	55	70	99	47
Black	398	19	12	6	16	21	36	45	67	81	65	30	388	10	7	2	12	20	31	38	55	68	98	47
Accidents and adverse effects (E800-E949)	1,480	13	67	74	383	322	167	132	121	97	74	29	556	13	32	22	114	53	45	34	55	48	82	58
White	1,020	7	28	40	288	226	121	92	82	65	42	18	398	5	19	15	87	33	29	25	42	33	65	45
All other	460	6	39	34	85	96	46	40	39	32	32	11	158	8	13	7	27	20	16	9	13	15	17	13
Black	449	6	39	34	79	94	45	39	39	32	31	11	157	8	13	7	27	20	16	8	13	15	17	13
Motor vehicle accidents (E810-E825)	700	3	26	29	244	174	74	53	42	34	17	4	283	3	14	14	89	31	31	15	17	15	23	1
White	520	2	10	15	199	126	58	38	34	23	12	3	201	2	8	8	80	20	20	13	15	12	22	1
All other	180	1	16	14	45	48	16	15	8	11	5	1	82	1	6	6	19	11	11	2	2	3	1	–
Black	175	1	16	14	42	47	16	14	8	11	5	1	81	1	6	6	19	11	11	1	2	3	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	780	10	41	45	139	148	93	79	79	63	57	25	283	10	18	8	15	22	14	19	38	33	59	57
White	500	5	18	25	89	100	63	54	48	42	30	15	197	3	11	7	7	13	9	12	27	21	43	44
All other	280	5	23	20	40	48	30	25	31	21	27	10	86	7	7	1	8	9	5	7	11	12	16	13
Black	274	5	23	20	37	47	29	25	31	21	26	10	86	7	7	1	8	9	5	7	11	12	16	13
Suicide (E950-E959)	460	...	...	–	98	124	65	48	57	40	24	5	130	...	...	1	18	36	20	18	25	6	3	3
White	387	...	...	–	72	101	51	39	50	48	22	4	117	...	...	1	13	30	20	17	25	5	3	3
All other	73	...	...	–	16	23	14	9	7	1	2	1	13	...	...	–	5	6	–	1	–	1	–	–
Black	73	...	...	–	16	23	14	9	7	1	2	1	13	...	...	–	5	6	–	1	–	1	–	–
Homicide and legal intervention (E960-E978)	448	2	1	6	100	160	91	42	23	12	6	4	148	7	2	7	33	45	18	11	10	8	6	1
White	162	1	1	1	29	54	37	20	11	4	3	–	61	1	–	2	17	11	6	7	8	5	3	1
All other	286	1	–	5	71	106	54	22	12	8	3	4	87	6	2	5	16	34	12	4	2	3	3	–
Black	283	1	–	5	69	106	53	22	12	8	3	4	87	6	2	5	16	34	12	4	2	3	3	–
All other external causes (E980-E999)	20	–	2	1	5	3	3	2	1	2	1	–	4	–	–	–	–	1	1	1	–	1	–	–
White	13	–	–	–	5	2	1	2	1	1	1	–	4	–	–	–	–	1	1	1	–	1	–	–
All other	7	–	2	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	6	–	1	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MAINE																								
All causes	5,501	74	12	23	131	127	153	320	816	1,450	1,565	830	5,372	67	11	15	41	61	77	172	529	1,019	1,670	1,710
White	5,485	73	12	23	129	126	151	317	815	1,449	1,563	827	5,344	65	11	15	40	58	74	170	527	1,017	1,662	1,705
All other	16	1	–	–	2	1	2	3	1	1	2	3	28	2	–	–	1	3	3	2	2	2	8	5
Black	6	1	–	–	1	–	2	–	–	–	–	2	12	–	–	–	–	–	–	1	2	1	5	3
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	29	1	-	-	-	1	-	2	4	2	10	9	36	-	-	-	-	-	-	1	2	11	12	10
White	29	1	-	-	-	1	-	2	4	2	10	9	36	-	-	-	-	-	-	1	2	11	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	14	1	1	-	1	-	1	-	4	4	1	1	22	-	-	1	1	-	-	2	2	3	10	3
White	13	1	1	-	1	-	-	-	4	4	1	1	22	-	-	1	1	-	-	2	2	3	10	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,278	-	1	5	6	12	25	67	257	415	348	122	1,152	-	1	-	3	10	28	91	210	350	307	154
White	1,277	-	1	5	6	12	24	67	257	415	348	122	1,149	-	1	-	3	10	28	90	209	349	307	154
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	-	-	-	-	-	1	3	5	12	7	1	17	-	-	-	-	-	-	2	5	5	4	1
White	29	-	-	-	-	-	1	3	5	12	7	1	17	-	-	-	-	-	-	2	5	5	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	348	-	-	-	-	2	7	17	64	118	101	39	314	-	-	-	-	-	2	10	52	87	96	67
White	348	-	-	-	-	2	7	17	64	118	101	39	313	-	-	-	-	-	2	10	51	87	96	67
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	456	-	-	-	-	1	5	45	115	161	110	19	193	-	-	-	-	2	4	22	52	66	36	9
White	456	-	-	-	-	1	5	45	115	161	110	19	193	-	-	-	-	2	4	22	52	66	36	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	-	1	182	-	-	-	-	1	8	20	39	60	42	22
White	2	-	-	-	-	-	-	-	-	1	-	1	181	-	-	-	-	1	8	19	39	60	42	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of genital organs (179-187)	120	-	-	-	-	2	-	-	14	22	51	31	134	-	-	-	-	3	4	16	26	47	26	12
White	120	-	-	-	-	2	-	-	14	22	51	31	133	-	-	-	-	3	4	16	26	46	26	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	75	–	–	–	–	–	–	6	16	17	21	15	39	–	–	–	–	–	1	4	3	7	17	7
White	75	–	–	–	–	–	–	6	16	17	21	15	39	–	–	–	–	–	1	4	3	7	17	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	151	–	1	1	1	4	6	12	27	52	38	9	151	–	1	–	–	3	6	12	15	42	50	22
White	150	–	1	1	1	4	5	12	27	52	38	9	151	–	1	–	–	3	6	12	15	42	50	22
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	41	–	–	4	2	2	2	3	5	9	11	3	46	–	–	–	2	1	–	2	7	15	15	4
White	41	–	–	4	2	2	2	3	5	9	11	3	46	–	–	–	2	1	–	2	7	15	15	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	56	–	–	–	3	1	4	1	11	23	9	4	66	–	–	–	1	–	1	3	11	19	21	10
White	56	–	–	–	3	1	4	1	11	23	9	4	66	–	–	–	1	–	1	3	11	19	21	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	–	–	–	–	–	2	1	1	5	8	4	27	–	–	–	–	–	1	1	6	6	9	4
White	21	–	–	–	–	–	2	1	1	5	8	4	27	–	–	–	–	–	1	1	6	6	9	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	84	–	–	–	–	3	2	4	15	23	30	7	118	–	–	–	–	–	–	1	20	24	49	24
White	84	–	–	–	–	3	2	4	15	23	30	7	118	–	–	–	–	–	–	1	20	24	49	24
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	3	–	–	–	–	–	–	–	–	1	1	1	18	–	–	–	–	–	–	–	–	–	6	10
White	3	–	–	–	–	–	–	–	–	1	1	1	18	–	–	–	–	–	–	–	–	–	6	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	8	1	–	–	–	–	–	–	1	2	2	2	13	–	–	–	–	–	–	–	–	1	4	8
White	8	1	–	–	–	–	–	–	1	2	2	2	13	–	–	–	–	–	–	–	–	1	4	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	2,569	2	–	–	4	12	56	142	348	737	791	477	2,880	1	–	–	3	7	18	42	189	430	974	1,215
White	2,561	2	–	–	4	12	56	140	347	736	790	474	2,866	1	–	–	3	7	17	41	188	429	969	1,211
All other	8	–	–	–	–	–	–	2	1	1	1	3	14	–	–	–	–	–	2	1	1	1	5	4
Black	2	–	–	–	–	–	–	–	–	–	–	2	7	–	–	–	–	–	–	–	1	1	2	3
Diseases of heart (390-398,402,404-429)	2,107	2	–	–	–	8	52	127	313	636	604	365	2,144	1	–	–	2	5	13	33	150	350	752	838
White	2,102	2	–	–	–	8	52	125	312	636	604	363	2,135	1	–	–	2	5	11	32	149	350	749	836
All other	5	–	–	–	–	–	–	2	1	–	–	2	9	–	–	–	–	–	2	1	1	–	3	2
Black	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	1	2
Rheumatic fever and rheumatic heart disease (390-398)	6	–	–	–	–	–	–	2	–	3	2	1	31	–	–	–	–	–	2	1	6	4	12	6
White	6	–	–	–	–	–	–	2	–	3	2	1	31	–	–	–	–	–	2	1	6	4	12	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	27	–	–	–	–	1	–	–	3	10	6	7	44	–	–	–	–	–	1	1	5	6	15	16
White	26	–	–	–	–	1	–	–	3	10	6	6	43	–	–	–	–	–	–	1	5	6	15	16
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	3	–	–	–	–	–	–	–	–	–	2	1	9	–	–	–	–	–	–	–	–	2	3	4
White	3	–	–	–	–	–	–	–	–	–	2	1	9	–	–	–	–	–	–	–	–	2	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,859	–	–	–	–	5	42	109	267	501	465	270	1,578	–	–	–	–	4	8	23	110	276	563	594
White	1,856	–	–	–	–	5	42	107	267	501	465	269	1,571	–	–	–	–	4	7	22	109	276	561	592
All other	3	–	–	–	–	–	–	2	–	–	–	1	7	–	–	–	–	–	1	1	1	–	2	2
Black	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	1	–	–	2
Acute myocardial infarction (410)	826	–	–	–	–	2	27	76	170	303	235	111	756	–	–	–	–	1	4	16	67	171	304	193
White	824	–	–	–	–	2	27	76	170	303	235	111	755	–	–	–	–	1	4	16	67	171	303	193
All other	2	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	1	-	1	4	4	2	17	-	-	-	-	-	-	2	5	1	4	5
White	12	-	-	-	-	-	1	-	1	4	4	2	17	-	-	-	-	-	-	2	5	1	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	-	2	2
White	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	718	-	-	-	-	3	14	31	96	194	224	156	801	-	-	-	-	3	4	5	38	104	253	394
White	717	-	-	-	-	3	14	31	96	194	224	155	795	-	-	-	-	3	3	4	37	104	252	392
All other	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	1	1	1	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	2
Other diseases of endocardium (424)	28	-	-	-	-	-	-	-	1	14	11	2	34	-	-	-	-	-	1	-	1	4	12	16
White	28	-	-	-	-	-	-	-	1	14	11	2	34	-	-	-	-	-	1	-	1	4	12	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	382	2	-	-	-	2	10	16	42	108	118	84	448	1	-	-	2	1	1	8	28	58	147	202
White	381	2	-	-	-	2	10	16	41	108	118	84	447	1	-	-	2	1	1	8	28	58	146	202
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	21	-	-	-	-	-	-	-	4	4	8	5	34	-	-	-	-	-	-	-	1	9	8	16
White	21	-	-	-	-	-	-	-	4	4	8	5	34	-	-	-	-	-	-	-	1	9	8	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	270	-	-	-	2	4	3	12	17	49	117	66	520	-	-	-	1	2	5	8	31	56	165	252
White	269	-	-	-	2	4	3	12	17	49	116	66	516	-	-	-	1	2	5	8	31	55	163	251
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Intracerebral and other intracranial hemorrhage (431-432)	40	-	-	-	-	1	-	3	7	12	9	8	72	-	-	-	-	1	3	2	17	9	19	21
White	40	-	-	-	-	1	-	3	7	12	9	8	72	-	-	-	-	1	3	2	17	9	19	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	-	-	-	1	1	1	1	2	5	18	8	81	-	-	-	1	-	1	-	1	8	26	44
White	37	-	-	-	1	1	1	1	2	5	18	8	81	-	-	-	1	-	1	-	1	8	26	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	1	3	3
White	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	192	-	-	-	1	2	2	8	8	32	89	50	360	-	-	-	-	1	1	6	13	38	117	184
White	191	-	-	-	1	2	2	8	8	32	88	50	356	-	-	-	-	1	1	6	13	37	115	183
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Atherosclerosis (440)	82	-	-	-	1	-	-	1	4	13	30	33	111	-	-	-	-	-	1	-	-	5	24	81
White	81	-	-	-	1	-	-	1	4	12	30	33	110	-	-	-	-	-	1	-	-	5	24	80
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	89	-	-	-	1	-	1	2	10	35	32	8	71	-	-	-	-	-	-	1	7	10	25	28
White	88	-	-	-	1	-	1	2	10	35	32	7	71	-	-	-	-	-	-	1	7	10	25	28
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	143	-	-	-	1	-	3	2	7	16	56	58	143	1	1	-	-	1	1	-	1	16	52	70
White	142	-	-	-	1	-	3	1	7	16	56	58	142	1	1	-	-	1	1	-	1	16	51	70
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	138	-	-	-	1	-	3	2	5	16	54	57	140	1	1	-	-	1	1	-	1	16	51	68
White	137	-	-	-	1	-	3	1	5	16	54	57	139	1	1	-	-	1	1	-	1	16	50	68
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Influenza (487)	5	-	-	-	-	-	-	-	2	-	2	1	3	-	-	-	-	-	-	-	-	-	1	2
White	5	-	-	-	-	-	-	-	2	-	2	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	269	-	-	-	-	1	1	5	38	74	108	42	165	-	-	-	1	-	1	3	23	59	55	23
White	269	-	-	-	-	1	1	5	38	74	108	42	164	-	-	-	1	-	1	3	23	59	54	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	-	-	2	5	4	3	11	-	-	-	-	-	-	-	2	4	2	3
White	14	-	-	-	-	-	-	-	2	5	4	3	11	-	-	-	-	-	-	-	2	4	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	50	-	-	-	-	-	-	1	12	14	17	6	25	-	-	-	-	-	-	1	2	12	9	1
White	50	-	-	-	-	-	-	1	12	14	17	6	25	-	-	-	-	-	-	1	2	12	9	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	7	-	-	-	-	-	-	1	3	1	1	1	14	-	-	-	-	-	-	1	-	1	7	4	1
White	7	-	-	-	-	-	-	1	3	1	1	1	14	-	-	-	-	-	-	1	-	1	7	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	198	-	-	-	-	1	1	3	21	54	66	32	115	-	-	-	1	-	-	2	18	36	40	18
White	198	-	-	-	-	1	1	3	21	54	66	32	114	-	-	-	1	-	-	2	18	36	39	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	22	-	-	-	-	-	1	1	2	3	11	4	12	-	-	1	-	-	-	-	1	4	-	6
White	22	-	-	-	-	-	1	1	2	3	11	4	12	-	-	1	-	-	-	-	1	4	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	1	-	-	-	-	-	-	3	-	1	3	16	1	-	-	-	-	1	-	2	-	4	6
White	8	1	-	-	-	-	-	-	3	-	1	3	16	1	-	-	-	-	1	-	2	-	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	93	-	-	-	-	-	8	13	34	30	7	1	50	-	-	-	-	1	2	5	15	16	11	-
White	92	-	-	-	-	-	8	13	34	30	6	1	50	-	-	-	-	1	2	5	15	16	11	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	-	-	-	-	3	4	2	9	-	-	-	-	-	-	1	-	1	1	5	1
White	9	-	-	-	-	-	-	-	-	3	4	2	9	-	-	-	-	-	-	1	-	1	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	-	-	-	-	1	-	1	3	8	18	13	52	-	-	-	-	-	-	1	-	7	7	19	18
White	44	-	-	-	-	1	-	1	3	8	18	13	52	-	-	-	-	-	-	1	-	7	7	19	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	4	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	-	-	-	-	1	-	-	3	4	18	13	50	-	-	-	-	-	1	-	7	7	19	16
White	39	-	-	-	-	1	-	-	3	4	18	13	50	-	-	-	-	-	1	-	7	7	19	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	6	-	-	-	-	-	-	-	1	3	1	1	7	-	-	-	-	-	-	-	-	3	1	3
White	6	-	-	-	-	-	-	-	1	3	1	1	7	-	-	-	-	-	-	-	-	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	-	3	***	***	***	***	***	***	***	***	***	***	***	***
White	3	-	-	-	-	-	-	-	-	-	-	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Congenital anomalies (740-759)	22	11	4	1	1	-	-	3	1	-	-	1	29	21	1	1	-	-	2	-	-	2	1	1
White	22	11	4	1	1	-	-	3	1	-	-	1	28	20	1	1	-	-	2	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	30	30	-	-	-	-	-	-	-	-	-	-	29	28	1	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	28	27	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	17	17	-	-	-	-	-	-	-	-	-	-	22	21	1	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	21	20	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	37	21	-	-	-	2	-	1	1	3	2	7	37	12	-	-	-	2	1	1	2	4	7	8
White	37	21	-	-	-	2	-	1	1	3	2	7	37	12	-	-	-	2	1	1	2	4	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	363	3	-	1	11	7	8	21	53	78	130	51	355	2	-	2	2	8	8	14	36	64	105	114
White	362	2	-	1	11	7	8	21	53	78	130	51	354	2	-	2	2	8	8	14	36	64	104	114
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Accidents and adverse effects (E800-E949)	298	2	5	14	75	59	29	21	22	29	25	17	147	1	5	7	21	16	10	6	6	12	36	27
White	296	2	5	14	74	58	29	21	22	29	25	17	143	1	5	7	21	14	9	6	6	12	36	26
All other	2	-	-	-	1	1	-	-	-	-	-	-	4	-	-	-	-	2	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	161	–	1	7	59	38	21	9	10	8	6	4	73	–	2	5	18	14	8	4	5	5	9	3
White	159	–	1	7	58	35	21	9	10	8	6	4	70	–	2	5	18	12	7	4	5	5	9	3
All other	2	–	–	–	1	1	–	–	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	137	2	4	7	16	23	8	12	12	21	19	13	74	1	3	2	3	2	2	2	1	7	27	24
White	137	2	4	7	16	23	8	12	12	21	19	13	73	1	3	2	3	2	2	2	1	7	27	23
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	132	...	...	1	30	27	16	15	19	12	9	3	37	...	...	–	7	11	3	4	3	5	3	1
White	131	...	...	1	29	27	16	15	19	12	9	3	36	...	...	–	6	11	3	4	3	5	3	1
All other	1	...	...	–	1	–	–	–	–	–	–	–	1	...	...	–	1	–	–	–	–	–	–	–
Black	1	...	...	–	1	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	4	–	–	–	2	1	–	1	–	–	–	–	16	–	2	2	3	5	–	1	3	–	–	–
White	4	–	–	–	2	1	–	1	–	–	–	–	15	–	2	2	3	4	–	1	3	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MARYLAND																								
All causes	18,527	445	59	85	504	671	796	1,423	3,480	4,906	4,164	1,988	16,039	328	47	56	160	273	449	876	2,204	3,575	4,760	4,183
White	14,242	255	38	58	314	414	474	947	2,616	3,944	3,461	1,719	13,553	175	27	30	118	162	256	578	1,631	2,800	4,033	3,740
All other	4,285	190	21	29	190	257	322	476	864	962	703	269	3,386	153	20	26	62	111	193	300	573	775	727	443
Black	4,195	186	21	28	188	253	314	459	851	943	679	263	3,308	150	20	24	62	104	191	287	584	751	715	437
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	–	–	–	–	–	1	–	–	1	–	5	–	–	–	1	–	–	1	–	–	1	2
White	1	–	–	–	–	–	–	1	–	–	–	–	5	–	–	–	1	–	–	1	–	–	1	2
All other	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	14	–	–	–	–	1	3	2	2	2	2	2	5	–	–	–	–	–	–	–	1	1	3	–
White	2	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–	–	1	3	–
All other	12	–	–	–	–	1	3	2	2	2	1	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	12	–	–	–	–	1	3	2	2	2	1	1	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of respiratory system (010-012)	11	–	–	–	–	–	2	2	2	2	2	1	3	–	–	–	–	–	–	–	1	–	2	–
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	2	–
All other	9	–	–	–	–	–	2	2	2	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	9	–	–	–	–	–	2	2	2	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Other tuberculosis (013-018)	3	–	–	–	–	1	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	233	3	1	1	–	4	4	10	32	59	75	44	251	3	2	1	–	2	7	7	21	51	81	76
White	174	2	–	–	–	2	1	5	24	40	67	33	168	1	1	–	–	1	2	5	11	33	53	61
All other	59	1	1	1	–	2	3	5	8	19	8	11	83	2	1	1	–	1	5	2	10	18	28	15
Black	58	1	1	1	–	2	3	4	8	19	8	11	83	2	1	1	–	1	5	2	10	18	28	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	4	-	-	-	2	2	-	-	-	-	-	-	6	-	-	-	-	-	1	2	1	1	1	-
White	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	3	-	-	-	2	1	-	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	3	-	-	-	2	1	-	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	64	2	1	1	1	10	11	9	7	9	10	3	58	1	-	-	2	7	5	8	10	12	7	6
White	36	2	-	-	1	5	6	4	1	5	9	3	38	1	-	-	1	2	-	4	7	11	6	6
All other	28	-	1	1	-	5	5	5	6	4	1	-	20	-	-	-	1	5	5	4	3	1	1	-
Black	26	-	1	1	-	5	5	5	4	4	1	-	20	-	-	-	1	5	5	4	3	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,605	-	5	10	30	55	140	418	1,157	1,548	961	281	3,983	-	5	8	14	59	183	377	933	1,088	897	415
White	3,545	-	3	8	21	43	96	284	857	1,209	788	236	3,201	-	3	4	11	44	117	271	725	889	774	362
All other	1,060	-	2	2	9	12	44	134	300	339	173	45	782	-	2	4	3	15	66	106	208	199	123	53
Black	1,034	-	2	2	8	12	40	128	297	332	170	43	754	-	2	3	3	14	65	98	205	190	118	53
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	119	-	-	-	-	-	5	25	35	32	19	3	51	-	-	-	-	1	1	6	19	14	5	2
White	75	-	-	-	-	-	4	14	19	22	13	3	38	-	-	-	-	-	1	3	12	14	6	2
All other	44	-	-	-	-	-	1	11	16	10	6	-	13	-	-	-	-	1	-	3	7	-	2	-
Black	44	-	-	-	-	-	1	11	16	10	6	-	13	-	-	-	-	1	-	3	7	-	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,199	-	-	-	1	14	41	109	289	435	216	94	997	-	-	-	-	8	23	53	190	282	277	164
White	900	-	-	-	1	10	24	78	207	339	167	74	804	-	-	-	-	7	17	38	135	228	240	139
All other	299	-	-	-	-	4	17	31	82	96	49	10	193	-	-	-	-	1	6	15	55	54	37	25
Black	285	-	-	-	-	4	15	27	90	94	47	8	182	-	-	-	-	1	6	13	53	48	36	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,608	-	-	-	1	2	36	157	480	562	317	53	753	-	-	-	-	3	23	88	230	244	133	31
White	1,235	-	-	-	-	-	22	102	362	436	270	43	607	-	-	-	-	1	18	64	179	201	118	26
All other	373	-	-	-	1	2	14	55	118	126	47	10	146	-	-	-	-	2	5	24	51	43	15	5
Black	367	-	-	-	1	2	14	53	117	124	46	10	141	-	-	-	-	2	5	22	51	41	14	5
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	2	-	1	2	-	804	-	-	-	1	10	73	128	195	196	139	61
White	4	-	-	-	-	-	-	2	-	1	1	-	638	-	-	-	1	7	39	92	156	166	121	56
All other	1	-	-	-	-	-	-	-	-	-	1	-	166	-	-	-	-	3	34	36	39	30	18	5
Black	1	-	-	-	-	-	-	-	-	-	1	-	162	-	-	-	-	3	33	34	38	30	18	5
Malignant neoplasms of genital organs (179-187)	463	-	-	-	1	3	1	4	59	167	151	77	423	-	-	-	1	12	29	40	104	113	83	41
White	323	-	-	-	1	2	-	3	35	114	111	57	322	-	-	-	1	8	16	28	80	89	68	32
All other	140	-	-	-	-	1	1	1	24	53	40	20	101	-	-	-	-	4	13	12	24	24	15	9
Black	138	-	-	-	-	1	-	1	24	52	40	20	98	-	-	-	-	4	13	11	24	23	14	9
Malignant neoplasms of urinary organs (188-189)	223	-	-	1	-	2	4	17	44	70	65	20	121	-	-	-	-	-	3	10	19	38	33	18
White	186	-	-	1	-	1	2	11	35	62	55	19	102	-	-	-	-	-	3	6	16	30	30	17
All other	37	-	-	-	-	1	2	6	9	8	10	1	19	-	-	-	-	-	-	4	3	8	3	1
Black	37	-	-	-	-	1	2	6	9	8	10	1	19	-	-	-	-	-	-	4	3	8	3	1
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	824	-	4	4	12	19	27	67	156	179	125	31	512	-	4	7	7	18	15	39	121	120	121	60
White	515	-	2	4	9	17	23	49	127	146	110	28	429	-	3	4	5	14	13	32	102	94	105	56
All other	109	-	2	-	3	2	4	18	29	33	15	3	83	-	1	3	2	2	2	7	19	26	16	4
Black	108	-	2	-	3	2	3	18	29	33	15	3	79	-	1	2	2	1	2	6	19	26	15	4
Leukemia (204-208)	157	-	1	4	13	4	12	13	30	41	31	8	124	-	1	1	2	5	5	5	18	29	37	21
White	135	-	1	2	9	4	10	11	26	37	28	7	101	-	-	-	2	3	3	4	16	22	32	19
All other	22	-	-	2	4	-	2	2	4	4	3	1	23	-	1	1	-	2	2	1	2	7	5	2
Black	21	-	-	2	3	-	2	2	4	4	3	1	23	-	1	1	-	2	2	1	2	7	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	207	-	-	1	2	11	14	24	54	61	35	5	198	-	-	-	3	4	11	8	37	52	66	17
White	172	-	-	1	1	9	11	14	46	52	33	5	160	-	-	-	2	4	7	4	29	45	54	15
All other	35	-	-	-	1	2	3	10	8	9	2	-	38	-	-	-	1	-	4	4	8	7	12	2
Black	33	-	-	-	1	2	3	10	8	7	2	-	37	-	-	-	1	-	4	4	8	7	11	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	-	1	-	1	1	3	2	7	16	14	9	94	2	-	-	2	2	3	5	18	26	26	10
White	50	-	1	-	-	-	3	2	7	15	13	9	79	1	-	-	1	2	3	4	17	18	24	9
All other	4	-	-	-	1	1	-	-	-	1	1	-	15	1	-	-	1	-	-	1	1	8	2	1
Black	4	-	-	-	1	1	-	-	-	1	1	-	15	1	-	-	1	-	-	1	1	8	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	254	–	–	–	–	6	9	20	55	85	57	22	415	–	–	–	–	5	8	11	50	110	149	82
White	180	–	–	–	–	3	3	10	31	70	45	18	296	–	–	–	–	3	6	4	28	76	110	69
All other	74	–	–	–	–	3	6	10	24	15	12	4	119	–	–	–	–	2	2	7	22	34	39	13
Black	74	–	–	–	–	3	6	10	24	15	12	4	116	–	–	–	–	2	2	7	22	32	36	13
Nutritional deficiencies (260-269)	23	–	–	–	–	–	1	1	1	4	9	7	19	–	–	–	–	–	–	–	–	4	5	10
White	13	–	–	–	–	–	–	1	–	1	6	5	17	–	–	–	–	–	–	–	–	2	5	10
All other	10	–	–	–	–	–	1	–	1	3	3	2	2	–	–	–	–	–	–	–	–	2	–	–
Black	10	–	–	–	–	–	1	–	1	3	3	2	2	–	–	–	–	–	–	–	–	2	–	–
Anemias (280-285)	25	–	–	–	1	1	–	1	1	4	9	8	32	1	–	–	–	3	1	3	–	4	4	7	9
White	16	–	–	–	–	–	–	–	1	2	6	5	23	–	–	–	–	1	–	1	–	3	4	5	9
All other	9	–	–	–	1	1	–	1	–	2	1	3	9	1	–	–	–	2	1	2	–	1	–	2	–
Black	8	–	–	–	1	1	–	1	–	1	1	3	8	1	–	–	–	2	1	2	–	1	–	2	–
Meningitis (320-322)	10	2	2	–	–	–	1	2	2	1	–	–	10	1	2	–	–	1	–	–	–	–	4	1	1
White	8	1	2	–	–	–	1	2	1	1	–	–	6	–	1	–	–	1	–	–	–	–	3	1	–
All other	2	1	–	–	–	–	–	–	1	–	–	–	4	1	1	–	–	–	–	–	–	–	1	–	1
Black	2	1	–	–	–	–	–	–	1	–	–	–	4	1	1	–	–	–	–	–	–	–	1	–	1
Major cardiovascular diseases (390-448)	7,941	13	4	3	19	51	211	597	1,560	2,281	2,116	1,086	8,116	7	–	5	11	34	81	254	757	1,561	2,649	2,736
White	6,420	9	2	3	9	34	135	409	1,206	1,886	1,778	949	6,677	3	–	2	5	16	40	151	531	1,196	2,264	2,468
All other	1,521	4	2	–	10	17	76	188	354	395	338	137	1,439	4	–	3	6	18	41	103	226	365	385	268
Black	1,460	4	2	–	10	16	75	182	347	366	325	133	1,414	4	–	3	6	17	41	100	222	378	379	264
Diseases of heart (390-398,402,404-429)	6,627	11	3	3	12	36	166	520	1,374	1,816	1,739	929	6,901	6	–	4	9	21	61	191	632	1,283	2,068	2,025
White	5,395	8	1	3	5	24	122	367	1,080	1,604	1,453	728	5,201	2	–	2	5	9	31	110	447	994	1,779	1,821
All other	1,232	3	2	–	7	14	64	153	294	314	286	95	1,100	4	–	2	4	12	30	81	185	289	289	204
Black	1,202	3	2	–	7	13	63	147	288	309	276	94	1,089	4	–	2	4	12	30	78	183	283	286	201
Rheumatic fever and rheumatic heart disease (390-398)	39	–	–	–	1	3	1	5	11	9	5	4	75	–	–	–	1	1	3	6	19	19	20	6
White	35	–	–	–	1	1	1	5	10	8	5	4	62	–	–	–	–	–	3	3	17	16	18	5
All other	4	–	–	–	–	2	–	–	1	1	–	–	13	–	–	–	1	1	–	3	2	3	2	1
Black	4	–	–	–	–	2	–	–	1	1	–	–	12	–	–	–	1	1	–	3	2	3	1	1
Hypertensive heart disease (402)	226	–	–	–	–	1	17	32	54	57	53	12	305	–	–	–	–	–	8	13	36	65	117	66
White	125	–	–	–	–	1	6	12	21	38	37	10	209	–	–	–	–	–	2	3	17	36	93	58
All other	101	–	–	–	–	–	11	20	33	19	16	2	96	–	–	–	–	–	6	10	19	27	24	10
Black	100	–	–	–	–	–	11	19	33	19	16	2	96	–	–	–	–	–	6	10	19	27	24	10
Hypertensive heart and renal disease (404)	20	–	–	–	–	–	–	1	1	6	7	5	36	–	–	–	–	–	–	–	–	6	15	15
White	12	–	–	–	–	–	–	1	–	3	4	4	27	–	–	–	–	–	–	–	–	3	12	12
All other	8	–	–	–	–	–	–	–	1	3	3	1	9	–	–	–	–	–	–	–	–	3	3	3
Black	8	–	–	–	–	–	–	–	1	3	3	1	9	–	–	–	–	–	–	–	–	3	3	3
Ischemic heart disease (410-414)	3,615	–	–	–	–	9	69	251	760	1,144	976	404	3,172	–	–	–	–	3	19	83	328	736	1,087	916
White	3,175	–	–	–	–	6	51	204	662	1,023	866	363	2,711	–	–	–	–	2	10	53	254	605	955	832
All other	440	–	–	–	–	3	18	47	98	121	112	41	461	–	–	–	–	1	9	30	74	131	132	84
Black	428	–	–	–	–	3	18	44	96	119	108	40	450	–	–	–	–	1	9	27	72	128	131	82
Acute myocardial infarction (410)	2,244	–	–	–	–	7	41	180	502	742	581	191	1,833	–	–	–	–	2	11	61	227	492	639	401
White	1,957	–	–	–	–	5	31	144	444	660	508	165	1,540	–	–	–	–	1	4	37	178	401	560	359
All other	287	–	–	–	–	2	10	36	58	82	73	26	293	–	–	–	–	1	7	24	49	91	79	42
Black	277	–	–	–	–	2	10	33	56	81	70	25	285	–	–	–	–	1	7	22	48	88	78	41
Other acute and subacute forms of ischemic heart disease (411)	20	–	–	–	–	–	2	1	7	6	2	2	22	–	–	–	–	–	–	–	2	2	7	11
White	20	–	–	–	–	–	2	1	7	6	2	2	20	–	–	–	–	–	–	–	1	2	6	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Angina pectoris (413)	19	–	–	–	–	–	–	2	4	5	6	2	12	–	–	–	–	–	–	–	2	3	4	3
White	15	–	–	–	–	–	–	1	3	5	4	2	10	–	–	–	–	–	–	–	2	2	3	3
All other	4	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	4	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,332	–	–	–	–	2	26	68	247	391	389	209	1,305	–	–	–	–	1	8	22	97	239	437	501
White	1,183	–	–	–	–	1	16	58	208	352	352	194	1,141	–	–	–	–	1	6	16	73	200	386	459
All other	149	–	–	–	–	1	8	10	39	39	37	15	164	–	–	–	–	–	2	6	24	39	51	42
Black	147	–	–	–	–	1	8	10	39	38	36	15	161	–	–	–	–	–	2	5	23	39	51	41
Other diseases of endocardium (424)	69	1	–	1	–	–	3	6	13	19	19	7	71	–	–	–	–	1	–	1	6	14	29	20
White	54	–	–	1	–	–	1	5	11	15	16	5	61	–	–	–	–	1	–	1	4	13	24	18
All other	15	1	–	–	–	–	2	1	2	4	3	2	10	–	–	–	–	–	–	–	2	1	5	2
Black	15	1	–	–	–	–	2	1	2	4	3	2	10	–	–	–	–	–	–	–	2	1	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,658	10	3	2	11	25	96	225	535	663	677	391	2,642	6	–	4	8	16	31	88	243	443	800	1,002
White	1,994	8	1	2	4	16	63	140	376	517	525	342	2,131	2	–	2	5	6	16	50	155	319	677	898
All other	664	2	2	–	7	9	33	85	159	166	152	49	511	4	–	2	3	10	15	38	88	124	123	104
Black	647	2	2	–	7	8	32	83	155	163	146	49	506	4	–	2	3	10	15	38	88	121	122	103
Hypertension with or without renal disease (401,403)	60	–	–	–	–	1	1	7	15	13	14	9	70	–	–	–	–	–	–	2	5	16	25	22
White	34	–	–	–	–	–	–	4	6	8	9	7	48	–	–	–	–	–	–	1	3	9	16	19
All other	26	–	–	–	–	1	1	3	9	5	5	2	22	–	–	–	–	–	–	1	2	7	9	3
Black	26	–	–	–	–	1	1	3	9	5	5	2	21	–	–	–	–	–	–	1	2	7	8	3
Cerebrovascular diseases (430-438)	947	2	–	–	5	11	21	61	129	257	279	182	1,372	1	–	1	–	9	16	54	101	216	449	521
White	730	1	–	–	3	9	12	32	85	190	242	156	1,107	1	–	–	–	4	8	36	68	140	374	476
All other	217	1	–	–	2	2	9	29	44	67	37	26	265	–	–	1	–	5	10	18	33	76	75	45
Black	209	1	–	–	2	2	9	29	44	63	34	25	259	–	–	1	–	4	10	18	31	77	73	45
Intracerebral and other intracranial hemorrhage (431-432)	163	1	–	–	3	5	6	18	36	40	40	13	182	–	–	–	–	1	5	25	35	46	45	25
White	124	–	–	–	2	4	4	10	23	31	37	13	139	–	–	–	–	–	–	19	25	32	39	24
All other	39	1	–	–	1	1	2	8	13	9	3	–	43	–	–	–	–	1	5	6	10	14	6	1
Black	38	1	–	–	1	1	2	8	13	8	3	–	40	–	–	–	–	–	5	6	9	13	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	125	–	–	–	–	–	1	10	15	31	39	29	167	–	–	–	–	–	–	2	6	19	59	81
White	101	–	–	–	–	–	1	7	10	21	36	26	143	–	–	–	–	–	–	1	1	13	52	76
All other	24	–	–	–	–	–	–	3	5	10	3	3	24	–	–	–	–	–	–	1	5	6	7	5
Black	23	–	–	–	–	–	–	3	5	9	3	3	24	–	–	–	–	–	–	1	5	6	7	5
Cerebral embolism (434.1)	4	–	–	–	–	–	1	–	–	–	2	1	4	–	–	–	–	–	–	–	1	1	2	–
White	3	–	–	–	–	–	–	–	–	–	2	1	4	–	–	–	–	–	–	–	1	1	2	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	655	1	–	–	2	6	13	32	78	186	198	139	1,019	1	–	1	–	8	13	27	59	152	343	415
White	502	1	–	–	1	5	7	16	52	138	167	116	821	1	–	–	–	4	8	16	41	94	281	376
All other	153	–	–	–	1	1	6	17	26	48	31	23	198	–	–	1	–	4	5	11	18	58	62	39
Black	147	–	–	–	1	1	6	17	26	46	28	22	195	–	–	1	–	4	5	11	17	58	60	39
Atherosclerosis (440)	104	–	–	–	–	–	–	4	10	14	34	42	217	–	–	–	–	–	–	–	5	21	61	130
White	87	–	–	–	–	–	–	3	9	12	28	35	193	–	–	–	–	–	–	–	3	16	55	119
All other	17	–	–	–	–	–	–	1	1	2	6	7	24	–	–	–	–	–	–	–	2	5	6	11
Black	16	–	–	–	–	–	–	1	1	2	6	6	23	–	–	–	–	–	–	–	2	5	6	10
Other diseases of arteries, arterioles, and capillaries (441-448)	203	–	1	–	2	1	3	5	32	79	50	30	158	–	–	–	2	4	2	7	14	43	46	38
White	174	–	1	–	1	1	1	3	26	72	46	23	126	–	–	–	–	3	1	4	10	37	40	33
All other	29	–	–	–	1	–	2	2	6	7	4	7	28	–	–	–	2	1	1	3	4	6	6	5
Black	27	–	–	–	1	–	2	2	5	7	4	6	28	–	–	–	2	1	1	3	4	6	6	5
Acute bronchitis and bronchiolitis (466)	3	2	–	–	–	–	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	2	–
White	2	1	–	–	–	–	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	2	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	497	6	2	1	2	7	7	13	34	87	144	134	420	1	–	1	–	5	4	11	21	49	143	185
White	336	2	1	1	2	3	4	8	22	66	112	115	354	1	–	1	–	1	1	7	17	39	117	170
All other	161	4	1	–	–	4	3	5	12	21	32	19	66	–	–	–	–	4	3	4	4	10	26	15
Black	96	4	1	–	–	4	3	5	12	20	28	19	66	–	–	–	–	4	3	4	4	10	26	15
Pneumonia (480-486)	495	6	2	1	2	6	7	13	34	87	144	133	414	1	–	1	–	5	4	11	21	48	141	182
White	335	2	1	1	2	2	4	8	22	66	112	115	349	1	–	1	–	1	1	7	17	38	116	157
All other	160	4	1	–	–	4	3	5	12	21	32	18	65	–	–	–	–	4	3	4	4	10	25	15
Black	95	4	1	–	–	4	3	5	12	20	28	18	65	–	–	–	–	4	3	4	4	10	25	15
Influenza (487)	2	–	–	–	–	1	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	1	2	3
White	1	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	1	3
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	648	1	–	–	5	1	5	15	104	236	205	75	426	–	3	1	2	1	4	20	71	139	128	59
White	549	–	–	–	2	–	2	7	83	202	182	71	386	–	3	–	–	–	1	16	65	125	121	55
All other	99	1	–	–	3	1	3	8	21	34	23	4	40	–	–	1	2	1	3	4	6	14	5	4
Black	97	1	–	–	3	1	3	8	21	34	21	4	39	–	–	1	2	1	3	4	6	13	5	4
Bronchitis, chronic and unspecified (490-491)	27	1	–	–	–	–	–	–	5	10	8	3	24	–	1	–	–	–	–	–	3	6	7	7
White	25	–	–	–	–	–	–	–	5	10	7	3	22	–	1	–	–	–	–	–	2	5	7	7
All other	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Emphysema (492)	97	–	–	–	–	–	1	1	16	40	32	7	68	–	–	–	–	–	–	5	11	24	19	9
White	87	–	–	–	–	–	1	1	12	38	28	7	64	–	–	–	–	–	–	4	10	22	19	9
All other	10	–	–	–	–	–	–	–	4	2	4	–	4	–	–	–	–	–	–	1	1	2	–	–
Black	9	–	–	–	–	–	–	–	4	2	3	–	4	–	–	–	–	–	–	1	1	2	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	21	-	-	-	4	1	2	3	4	6	1	-	31	-	2	1	2	1	2	3	5	10	4	1
White	11	-	-	-	2	-	-	2	2	5	-	-	21	-	2	-	-	-	-	2	4	8	4	1
All other	10	-	-	-	2	1	2	1	2	1	1	-	10	-	-	1	2	1	2	1	1	2	-	-
Black	10	-	-	-	2	1	2	1	2	1	1	-	9	-	-	1	2	1	2	1	1	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (484-496)	503	-	-	-	1	-	2	11	79	180	164	65	303	-	-	-	-	-	2	12	52	99	96	42
White	426	-	-	-	-	-	1	4	64	149	147	61	279	-	-	-	-	-	1	10	49	90	91	38
All other	77	-	-	-	1	-	1	7	15	31	17	4	24	-	-	-	-	-	1	2	3	9	5	4
Black	76	-	-	-	1	-	1	7	15	31	16	4	24	-	-	-	-	-	1	2	3	9	5	4
Ulcer of stomach and duodenum (531-533)	51	1	-	-	-	2	2	1	15	9	12	9	84	-	-	-	-	-	-	2	7	15	20	20
White	44	-	-	-	-	2	1	1	14	8	9	9	52	-	-	-	-	-	-	1	5	11	17	18
All other	7	1	-	-	-	-	1	-	1	1	3	-	12	-	-	-	-	-	-	1	2	4	3	2
Black	7	1	-	-	-	-	1	-	1	1	3	-	12	-	-	-	-	-	-	1	2	4	3	2
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	1	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	35	-	-	-	-	-	1	2	2	6	15	9	62	1	-	1	-	-	1	2	2	8	16	31
White	25	-	-	-	-	-	1	1	1	4	12	6	51	-	-	-	-	-	-	1	2	7	13	28
All other	10	-	-	-	-	-	-	1	1	2	3	3	11	1	-	1	-	-	1	1	-	1	3	3
Black	10	-	-	-	-	-	-	1	1	2	3	3	11	1	-	1	-	-	1	1	-	1	3	3
Chronic liver disease and cirrhosis (571)	315	-	-	-	2	10	50	60	109	61	20	3	164	-	1	-	-	-	9	15	30	43	45	15	6
White	242	-	-	-	1	8	28	41	87	55	19	3	113	-	-	-	-	-	2	8	20	26	38	14	5
All other	73	-	-	-	1	2	22	19	22	6	1	-	51	-	1	-	-	-	7	7	10	17	7	1	1
Black	73	-	-	-	1	2	22	19	22	6	1	-	51	-	1	-	-	-	7	7	10	17	7	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	1	-	6	4	4	4	20	-	-	-	-	-	-	1	1	2	7	9
White	13	-	-	-	-	-	-	-	5	2	2	4	16	-	-	-	-	-	-	1	-	2	6	7
All other	6	-	-	-	-	-	1	-	1	2	2	-	4	-	-	-	-	-	-	-	1	-	1	2
Black	6	-	-	-	-	-	1	-	1	2	2	-	4	-	-	-	-	-	-	-	1	-	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	222	2	1	2	1	5	8	11	26	60	66	40	213	1	2	-	2	7	5	8	24	48	63	57
White	162	1	1	1	1	3	4	6	17	41	50	37	150	1	-	-	2	5	1	2	18	32	45	44
All other	60	1	-	1	-	2	4	5	9	19	16	3	63	-	-	-	-	2	4	4	6	16	18	13
Black	59	1	-	1	-	2	4	5	8	19	16	3	63	-	-	-	-	2	4	4	6	16	18	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	1	-	1	-	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	1	-	1	-	1	3	2	2	3	13	-	-	-	-	-	1	-	1	3	4	4
White	11	-	-	1	-	-	-	1	3	1	2	3	9	-	-	-	-	-	1	-	1	2	3	2
All other	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	206	2	1	1	1	4	6	10	22	58	63	36	197	1	-	-	2	7	3	6	22	45	59	52
White	149	1	1	-	1	3	4	5	14	40	47	33	139	1	-	-	2	5	-	2	16	30	42	41
All other	57	1	-	1	-	1	4	5	8	18	16	3	58	-	-	-	-	2	3	4	6	15	17	11
Black	56	1	-	1	-	1	4	5	7	18	16	3	58	-	-	-	-	2	3	4	6	15	17	11
Infections of kidney (590)	4	-	-	-	-	-	-	-	1	-	1	2	14	-	-	-	-	-	-	-	2	1	4	7
White	3	-	-	-	-	-	-	-	1	-	-	2	13	-	-	-	-	-	-	-	2	-	4	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	3	6	1	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	1	6	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-636)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Congenital anomalies (740-759)	110	72	5	5	6	2	8	–	3	6	2	1	101	71	5	1	3	2	1	6	5	4	3	–
White	78	48	3	5	3	2	7	–	3	5	1	1	73	49	3	–	2	2	1	5	4	4	3	–
All other	32	24	2	–	3	–	1	–	–	1	1	–	28	22	2	1	1	–	–	1	1	–	–	–
Black	29	21	2	–	3	–	1	–	–	1	1	–	26	20	2	1	1	–	–	1	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	245	243	2	–	–	–	–	–	–	–	–	–	164	162	2	–	–	–	–	–	–	–	–	–
White	136	135	1	–	–	–	–	–	–	–	–	–	80	79	1	–	–	–	–	–	–	–	–	–
All other	109	108	1	–	–	–	–	–	–	–	–	–	84	83	1	–	–	–	–	–	–	–	–	–
Black	109	108	1	–	–	–	–	–	–	–	–	–	83	82	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	49	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
White	30	30	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
All other	19	19	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	19	19	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	198	194	2	–	–	–	–	–	–	–	–	–	127	125	2	–	–	–	–	–	–	–	–	–
White	108	105	1	–	–	–	–	–	–	–	–	–	59	58	1	–	–	–	–	–	–	–	–	–
All other	90	89	1	–	–	–	–	–	–	–	–	–	68	67	1	–	–	–	–	–	–	–	–	–
Black	90	89	1	–	–	–	–	–	–	–	–	–	67	66	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	263	79	7	7	21	60	35	16	17	10	8	9	188	51	3	1	13	29	15	12	17	11	20	16
White	152	39	6	4	8	42	11	9	11	8	8	6	114	28	1	1	7	13	9	8	10	10	16	13
All other	111	34	1	3	13	18	24	7	6	2	–	3	74	25	2	–	6	16	6	4	7	1	4	3
Black	109	33	1	2	13	18	24	7	6	2	–	3	74	25	2	–	6	16	6	4	7	1	4	3
All other diseases (Residual)	1,303	11	5	10	22	61	83	111	191	302	324	183	1,412	19	7	9	20	24	45	71	155	284	406	372
White	958	7	5	8	13	32	38	67	141	238	254	157	1,120	9	4	5	10	13	22	41	114	229	343	330
All other	345	4	–	2	9	29	47	44	50	64	70	26	292	10	3	4	10	11	23	30	41	55	63	42
Black	340	4	–	1	9	29	46	43	50	63	69	26	283	10	3	3	10	11	23	29	40	50	63	41
Accidents and adverse effects (E800-E949)	894	7	23	36	205	172	96	80	83	74	69	49	499	5	14	19	69	41	36	32	49	65	97	72
White	664	4	13	25	163	125	67	58	51	54	62	42	389	3	8	13	58	34	24	21	36	52	75	65
All other	230	3	10	11	42	47	29	22	32	20	7	7	110	2	6	6	11	7	12	11	13	13	22	7
Black	228	3	10	11	41	46	28	21	32	20	7	7	106	2	6	6	11	6	11	11	12	13	22	6
Motor vehicle accidents (E810-E825)	462	1	6	20	163	107	52	35	30	24	15	9	204	1	2	10	56	31	24	15	22	19	22	2
White	363	–	4	16	137	81	39	29	19	18	12	8	162	1	1	6	50	25	18	11	16	16	18	2
All other	99	1	2	4	26	26	13	6	11	6	3	1	42	–	1	4	6	6	6	4	6	3	4	–
Black	97	1	2	4	25	25	13	6	11	6	3	1	40	–	1	4	6	5	7	4	6	3	4	–
All other accidents and adverse effects (E800-E807, E826-E949)	432	6	17	16	42	65	44	45	53	50	54	40	295	4	12	9	13	10	12	17	27	46	75	70
White	301	4	9	9	26	44	28	29	32	36	50	34	227	2	7	7	8	9	8	10	20	36	57	63
All other	131	2	8	7	16	21	16	16	21	14	4	6	68	2	5	2	5	1	4	7	7	10	18	7
Black	129	2	8	7	16	21	15	15	21	14	4	6	66	2	5	2	5	1	4	7	6	10	18	6
Suicide (E950-E959)	385	...	...	5	91	100	54	26	47	30	26	5	86	...	...	2	7	20	17	11	8	14	5	2
White	311	...	...	3	72	73	43	20	43	27	26	4	78	...	...	2	5	17	15	10	8	14	5	2
All other	74	...	...	2	19	27	11	6	4	3	–	1	8	...	...	–	2	3	2	1	–	–	–	–
Black	70	...	...	1	19	25	11	5	4	3	–	1	5	...	...	–	2	1	2	–	–	–	–	–
Homicide and legal intervention (E960-E978)	296	4	–	4	90	101	55	21	11	7	3	–	89	2	–	5	28	23	12	7	3	4	5	–
White	83	3	–	1	15	25	22	7	6	3	1	–	35	1	–	2	12	6	4	3	1	2	4	–
All other	213	1	–	3	75	76	33	14	5	4	2	–	54	1	–	3	16	17	8	4	2	2	1	–
Black	211	1	–	3	75	76	32	13	5	4	2	–	52	1	–	3	16	15	8	4	2	2	1	–
All other external causes (E980-E999)	49	1	–	3	4	19	8	4	6	1	1	1	12	–	2	2	1	1	2	1	–	3	–	–
White	28	–	–	–	3	11	3	4	3	1	1	1	6	–	1	–	1	1	1	1	–	1	–	–
All other	21	1	–	3	1	8	5	–	3	–	–	–	6	–	1	2	–	–	1	–	–	2	–	–
Black	21	1	–	3	1	8	5	–	3	–	–	–	6	–	1	2	–	–	1	–	–	2	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	27,333	403	53	90	574	629	830	1,728	4,474	7,252	7,158	4,140	27,999	298	44	85	196	273	458	1,029	2,734	5,538	8,305	9,057
White	26,304	353	47	84	528	564	755	1,586	4,280	7,071	6,990	4,044	27,189	253	35	80	181	226	427	946	2,608	5,383	8,164	8,904
All other	1,029	50	6	6	46	65	75	142	194	181	168	96	810	45	9	5	15	47	31	83	126	155	141	153
Black	907	43	4	6	41	61	61	130	178	165	141	77	740	38	8	4	11	45	30	75	118	143	129	139
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	1	2	4	3	4	-	5	-	-	-	1	-	-	-	1	1	2	-
White	12	-	-	-	-	-	1	-	4	3	4	-	4	-	-	-	1	-	-	-	-	1	2	-
All other	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	1	1	3	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-
White	10	-	-	-	-	-	1	-	3	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	1	-	-	-	1	1	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	1	-	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	1	-	2	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	1	1
White	4	1	1	-	2	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	232	3	4	1	2	3	6	9	34	57	66	47	311	1	2	-	3	2	6	7	27	55	84	124
White	221	3	4	-	2	3	5	9	31	55	65	44	292	1	1	-	3	1	5	6	23	49	84	119
All other	11	-	-	1	-	-	1	-	3	2	1	3	19	-	1	-	-	1	1	1	4	6	-	5
Black	11	-	-	1	-	-	1	-	3	2	1	3	19	-	1	-	-	1	1	1	4	6	-	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	-	-	-	4	2	-	4	2	-	1	8	-	-	-	1	2	-	-	3	1	1	-
White	13	-	-	-	-	4	2	-	4	2	-	1	6	-	-	-	1	2	-	-	3	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	68	-	-	1	2	12	4	7	8	14	10	8	72	2	1	-	1	2	3	6	7	12	26	12
White	58	-	-	1	-	9	4	6	8	13	10	7	68	-	1	-	1	2	3	4	7	12	26	12
All other	8	-	-	-	2	3	-	1	-	1	-	1	4	2	-	-	-	-	-	2	-	-	-	-
Black	7	-	-	-	2	3	-	1	-	1	-	-	3	1	-	-	-	-	-	2	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,482	2	6	13	32	50	156	479	1,420	2,081	1,631	611	6,590	-	6	12	26	64	204	509	1,264	1,857	1,688	962
White	6,250	2	6	13	32	47	148	441	1,356	2,022	1,588	594	6,404	-	5	10	23	58	192	483	1,218	1,817	1,658	942
All other	232	-	-	-	-	3	8	38	64	59	43	17	186	-	1	2	3	6	12	26	46	40	30	20
Black	201	-	-	-	-	3	5	32	54	54	37	16	167	-	1	2	2	4	11	23	42	36	27	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	147	–	–	1	1	–	3	20	41	35	35	11	74	–	–	–	–	–	1	3	28	19	14	9
White	140	–	–	1	1	–	3	15	40	34	35	11	70	–	–	–	–	–	1	2	28	19	14	8
All other	7	–	–	–	–	–	–	5	1	1	–	–	4	–	–	–	–	–	–	1	2	–	–	1
Black	6	–	–	–	–	–	–	5	–	1	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,774	1	–	–	3	6	29	118	371	618	452	175	1,771	–	1	1	–	5	14	72	236	488	583	371
White	1,716	1	–	–	3	5	28	108	355	601	443	170	1,716	–	1	1	–	4	13	68	223	472	572	362
All other	58	–	–	–	–	1	1	9	16	17	9	5	55	–	–	–	–	1	1	4	13	16	11	9
Black	49	–	–	–	–	1	1	9	11	15	7	5	48	–	–	–	–	–	1	3	12	15	9	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,102	–	–	–	–	2	42	191	568	735	462	104	1,097	–	–	–	1	1	34	120	285	385	207	64
White	2,013	–	–	–	–	2	41	178	530	710	453	101	1,072	–	–	–	1	1	33	115	275	378	206	63
All other	89	–	–	–	–	–	1	15	38	25	9	3	25	–	–	–	–	–	1	5	10	7	1	1
Black	75	–	–	–	–	–	–	12	32	22	6	3	19	–	–	–	–	–	1	3	9	4	1	1
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	–	–	3	1	1	–	1,382	–	–	–	–	16	74	152	320	360	294	166
White	5	–	–	–	–	–	–	–	3	1	1	–	1,355	–	–	–	–	14	72	147	312	357	288	165
All other	–	–	–	–	–	–	–	–	–	–	–	–	27	–	–	–	–	2	2	5	8	3	6	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	27	–	–	–	–	2	2	5	8	3	6	1
Malignant neoplasms of genital organs (179-187)	705	–	–	–	–	3	6	5	69	185	273	164	653	–	–	–	1	10	25	67	133	184	154	79
White	677	–	–	–	–	3	6	5	63	182	261	157	631	–	–	–	1	9	23	62	131	179	150	76
All other	28	–	–	–	–	–	–	–	6	3	12	7	22	–	–	–	–	1	2	5	2	5	4	3
Black	28	–	–	–	–	–	–	–	6	3	12	7	21	–	–	–	–	1	1	5	2	5	4	3
Malignant neoplasms of urinary organs (188-189)	325	–	–	–	–	2	4	21	47	111	102	38	235	–	–	–	–	1	1	8	32	64	66	63
White	318	–	–	–	–	1	4	20	46	109	100	38	229	–	–	–	–	1	1	8	32	61	63	63
All other	7	–	–	–	–	1	–	1	1	2	2	–	6	–	–	–	–	–	–	–	–	3	3	–
Black	6	–	–	–	–	1	–	–	1	2	2	–	6	–	–	–	–	–	–	–	–	3	3	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	862	1	4	6	14	23	39	77	189	255	190	74	809	–	3	4	14	20	44	53	152	199	195	125
White	835	1	4	6	14	23	33	73	186	248	174	73	783	–	2	4	12	20	39	49	147	196	192	122
All other	27	–	–	–	–	–	6	4	3	7	6	1	26	–	1	–	2	–	5	4	5	3	3	3
Black	23	–	–	–	–	–	4	4	3	7	5	–	23	–	1	–	1	–	5	4	4	3	2	3
Leukemia (204-208)	210	–	2	5	8	4	12	16	50	47	44	22	204	–	2	4	5	5	3	18	23	55	51	38
White	204	–	2	5	8	4	12	14	50	45	43	21	198	–	2	3	5	5	3	17	21	53	51	38
All other	6	–	–	–	–	–	–	2	–	2	1	1	6	–	–	1	–	–	–	1	2	2	–	–
Black	5	–	–	–	–	–	–	1	–	2	1	1	6	–	–	1	–	–	–	1	2	2	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	352	–	–	1	6	10	21	31	84	94	82	23	365	–	–	3	5	6	8	16	55	103	122	47
White	342	–	–	1	6	9	21	29	83	92	78	23	350	–	–	2	4	4	7	15	51	102	120	45
All other	10	–	–	–	–	1	–	2	1	2	4	–	15	–	–	1	1	2	1	1	4	1	2	2
Black	9	–	–	–	–	1	–	1	1	2	4	–	14	–	–	1	1	1	1	1	4	1	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	98	–	1	–	3	3	5	6	16	28	24	12	124	1	–	4	2	2	2	3	15	20	43	32
White	96	–	1	–	3	3	5	6	16	27	23	12	118	1	–	3	2	2	2	2	14	20	43	29
All other	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	1	–	–	–	1	1	–	–	3
Black	2	–	–	–	–	–	–	–	–	1	1	–	5	–	–	1	–	–	–	1	1	–	–	2
Diabetes mellitus (250)	392	–	1	–	1	4	14	29	66	118	116	43	522	1	–	–	–	6	12	17	56	111	175	144
White	365	–	1	–	1	4	12	25	60	111	108	43	505	–	–	–	–	6	11	17	52	105	173	141
All other	27	–	–	–	–	–	2	4	6	7	8	–	17	1	–	–	–	–	1	–	4	6	2	3
Black	26	–	–	–	–	–	2	3	6	7	8	–	17	1	–	–	–	–	1	–	4	6	2	3
Nutritional deficiencies (260-269)	22	–	1	–	–	1	–	1	2	2	6	9	38	–	–	1	–	–	–	1	1	2	13	20
White	19	–	1	–	–	1	–	–	1	1	6	9	37	–	–	1	–	–	–	1	1	2	12	20
All other	3	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Anemias (280-285)	35	–	–	–	–	–	1	1	3	6	15	9	44	2	1	–	–	2	2	3	3	4	10	17
White	34	–	–	–	–	–	1	1	3	5	15	9	42	2	1	–	–	2	1	2	3	4	10	17
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Meningitis (320-322)	7	–	1	–	–	1	–	–	1	3	1	–	9	–	–	–	–	–	1	1	1	1	4	1
White	7	–	1	–	–	1	–	–	1	3	1	–	7	–	–	–	–	–	–	1	1	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Major cardiovascular diseases (390-448)	12,584	11	4	3	9	43	233	760	2,073	3,540	3,618	2,269	14,221	3	3	4	8	25	78	260	800	2,498	4,807	5,837
White	12,228	8	4	3	7	32	214	717	2,001	3,466	3,552	2,223	13,896	3	3	4	7	18	71	230	852	2,422	4,631	5,755
All other	336	3	–	–	2	11	19	43	72	74	66	46	325	–	–	–	1	7	5	30	48	76	76	82
Black	299	2	–	–	2	8	15	40	69	67	55	41	303	–	–	–	1	7	5	28	45	71	71	75

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,570	9	4	2	6	34	209	688	1,882	3,067	2,920	1,738	10,862	2	3	4	6	14	56	205	745	2,066	3,549	4,212
White	10,288	6	4	2	5	25	191	663	1,820	3,008	2,872	1,701	10,616	2	3	4	6	11	52	182	705	2,000	3,500	4,151
All other	272	3	–	–	1	9	18	35	62	59	48	37	246	–	–	–	–	3	4	23	40	66	49	61
Black	241	2	–	–	1	7	14	32	60	52	40	33	235	–	–	–	–	3	4	21	38	64	48	57
Rheumatic fever and rheumatic heart disease (390-398)	66	–	–	–	–	2	3	6	15	21	15	3	154	–	–	–	1	–	3	6	19	48	62	17
White	62	–	–	–	–	–	2	6	15	21	15	3	150	–	–	–	1	–	2	6	19	43	62	17
All other	3	–	–	–	–	2	1	–	–	–	–	–	4	–	–	–	–	–	1	–	–	3	–	–
Black	3	–	–	–	–	2	1	–	–	–	–	–	4	–	–	–	–	–	1	–	–	3	–	–
Hypertensive heart disease (402)	167	–	–	–	–	–	5	14	42	57	31	18	306	–	–	–	–	–	–	9	24	73	99	101
White	150	–	–	–	–	–	3	10	39	53	29	16	280	–	–	–	–	–	–	6	20	66	99	99
All other	17	–	–	–	–	–	2	4	3	4	2	2	16	–	–	–	–	–	–	3	4	7	–	2
Black	17	–	–	–	–	–	2	4	3	4	2	2	15	–	–	–	–	–	–	2	4	7	–	2
Hypertensive heart and renal disease (404)	13	–	–	–	–	1	–	–	–	3	5	4	35	–	–	–	–	–	–	1	1	4	10	19
White	13	–	–	–	–	1	–	–	–	3	5	4	33	–	–	–	–	–	–	1	–	4	9	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Ischemic heart disease (410-414)	8,353	–	–	–	–	17	148	569	1,534	2,467	2,311	1,306	8,027	–	–	1	–	4	29	130	558	1,544	2,659	3,102
White	8,189	–	–	–	–	15	139	549	1,497	2,427	2,279	1,282	7,877	–	–	1	–	3	26	120	535	1,505	2,624	3,063
All other	164	–	–	–	–	2	9	20	37	40	32	24	150	–	–	–	–	1	3	10	23	39	35	39
Black	142	–	–	–	–	2	5	17	36	35	25	22	144	–	–	–	–	1	3	9	22	37	34	38
Acute myocardial infarction (410)	4,475	–	–	–	–	12	91	365	944	1,418	1,202	442	3,645	–	–	–	–	4	21	87	350	902	1,326	955
White	4,394	–	–	–	–	11	87	357	921	1,386	1,188	435	3,589	–	–	–	–	3	20	81	342	881	1,312	950
All other	*81*	–	–	–	–	*1*	*4*	*8*	*23*	*22*	*16*	*7*	56	–	–	–	–	1	1	6	8	21	14	5
Black	68	–	–	–	–	1	2	7	22	19	11	6	54	–	–	–	–	1	1	5	7	21	14	5
Other acute and subacute forms of ischemic heart disease (411)	12	–	–	–	–	–	–	1	4	1	3	3	15	–	–	–	–	–	1	–	4	3	4	3
White	12	–	–	–	–	–	–	1	4	1	3	3	14	–	–	–	–	–	1	–	4	3	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Angina pectoris (413)	7	–	–	–	–	–	–	1	1	1	3	1	14	–	–	–	–	–	–	–	1	5	5	3
White	7	–	–	–	–	–	–	1	1	1	3	1	14	–	–	–	–	–	–	–	1	5	5	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,859	–	–	–	–	5	57	202	585	1,047	1,103	860	4,353	–	–	1	–	–	7	43	203	634	1,324	2,141
White	3,776	–	–	–	–	4	52	190	571	1,029	1,087	843	4,260	–	–	1	–	–	5	39	188	616	1,304	2,107
All other	83	–	–	–	–	1	5	12	14	18	16	17	93	–	–	–	–	–	2	4	15	18	20	34
Black	74	–	–	–	–	1	3	10	14	16	14	16	89	–	–	–	–	–	2	4	15	16	19	33
Other diseases of endocardium (424)	102	–	–	–	–	1	3	4	17	18	34	25	159	–	–	–	–	–	–	2	5	23	65	63
White	99	–	–	–	–	1	3	3	17	18	33	23	158	–	–	–	–	–	–	2	5	23	65	63
All other	4	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	1,870	9	4	2	6	13	50	105	274	501	524	382	2,182	2	3	3	5	10	24	57	138	376	654	910
White	1,788	6	4	2	5	8	44	95	252	486	511	373	2,108	2	3	3	5	8	24	47	126	358	641	890
All other	84	3	–	–	1	5	6	10	22	15	13	9	74	–	–	–	–	2	–	10	12	17	13	20
Black	75	2	–	–	1	3	6	10	21	13	12	7	70	–	–	–	–	2	–	10	11	17	13	17
Hypertension with or without renal disease (401,403)	69	–	–	–	–	–	–	4	6	19	14	26	109	–	–	–	–	–	–	4	4	14	38	48
White	68	–	–	–	–	–	–	4	6	19	14	25	102	–	–	–	–	–	–	3	4	14	34	47
All other	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	1	–	–	4	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	1	–	–	3	1
Cerebrovascular diseases (430-438)	1,375	2	–	1	1	8	19	47	127	313	497	360	2,486	1	–	–	1	8	18	47	123	331	812	1,145
White	1,324	2	–	1	1	6	18	40	120	301	481	354	2,424	1	–	–	–	6	17	41	117	323	792	1,127
All other	51	–	–	–	–	2	1	7	7	12	16	6	62	–	–	–	1	2	1	6	6	8	20	18
Black	45	–	–	–	–	1	1	7	6	12	13	5	53	–	–	–	1	2	1	6	5	5	18	15
Intracerebral and other intracranial hemorrhage (431-432)	254	1	–	1	1	3	11	21	44	66	66	40	358	1	–	–	1	4	11	22	37	84	109	89
White	236	1	–	1	1	2	10	17	42	59	64	39	344	1	–	–	–	3	10	19	35	81	109	86
All other	18	–	–	–	–	1	1	4	2	7	2	1	14	–	–	–	1	1	1	3	2	3	–	3
Black	16	–	–	–	–	–	1	4	2	7	2	–	11	–	–	–	1	1	1	3	2	2	–	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	242	–	–	–	–	–	1	5	27	48	92	69	485	–	–	–	–	–	1	4	17	54	167	242
White	236	–	–	–	–	–	1	4	25	48	90	68	478	–	–	–	–	–	1	4	15	54	162	242
All other	6	–	–	–	–	–	–	1	2	–	2	1	7	–	–	–	–	–	–	–	2	–	5	–
Black	6	–	–	–	–	–	–	1	2	–	2	1	6	–	–	–	–	–	–	–	1	–	5	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	10	-	-	-	-	-	-	-	-	2	5	3	8	-	-	-	-	-	-	-	1	-	2	5
White	10	-	-	-	-	-	-	-	-	2	5	3	8	-	-	-	-	-	-	-	1	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	859	1	-	-	-	5	7	21	56	197	334	248	1,635	-	-	-	-	4	6	21	66	193	534	809
White	842	1	-	-	-	4	7	19	53	192	322	244	1,594	-	-	-	-	3	6	18	66	188	519	794
All other	27	-	-	-	-	1	-	2	3	5	12	4	41	-	-	-	-	1	-	3	2	5	15	15
Black	23	-	-	-	-	1	-	2	2	5	9	4	36	-	-	-	-	1	-	3	2	3	13	14
Atherosclerosis (440)	184	-	-	-	-	-	-	1	16	24	57	86	463	-	-	-	-	-	-	1	5	30	103	324
White	182	-	-	-	-	-	-	1	16	23	56	86	460	-	-	-	-	-	-	1	5	29	103	322
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	356	-	-	-	2	1	5	10	42	117	130	49	302	-	-	-	1	3	2	3	23	57	105	108
White	346	-	-	-	1	1	5	9	39	115	129	47	294	-	-	-	1	1	2	3	21	56	102	108
All other	10	-	-	-	1	-	-	1	3	2	1	2	8	-	-	-	-	2	-	-	2	1	3	-
Black	10	-	-	-	1	-	-	1	3	2	1	2	7	-	-	-	-	2	-	-	2	1	2	-
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	1	1	-	-	1	10	-	-	-	-	-	-	-	-	1	1	8
White	4	1	-	-	-	-	-	1	1	-	-	1	10	-	-	-	-	-	-	-	-	1	1	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	901	4	1	-	2	7	13	17	58	151	314	334	1,060	4	1	3	1	4	5	14	25	91	307	605
White	870	3	1	-	1	6	9	17	55	146	304	328	1,042	4	1	3	1	4	3	13	23	91	304	595
All other	31	1	-	-	1	1	4	-	3	5	10	6	18	-	-	-	-	-	2	1	2	-	3	10
Black	28	1	-	-	1	1	4	-	2	5	8	4	15	-	-	-	-	-	2	1	2	-	3	7
Pneumonia (480-486)	895	4	1	-	2	7	13	17	58	151	311	331	1,050	4	1	3	1	3	5	14	25	90	305	599
White	864	3	1	-	1	6	9	17	55	146	301	325	1,032	4	1	3	1	3	3	13	23	90	302	589
All other	31	1	-	-	1	1	4	-	3	5	10	6	18	-	-	-	-	-	2	1	2	-	3	10
Black	28	1	-	-	1	1	4	-	2	5	8	4	15	-	-	-	-	-	2	1	2	-	3	7
Influenza (487)	6	-	-	-	-	-	-	-	-	-	3	3	10	-	-	-	-	1	-	-	-	1	2	6
White	6	-	-	-	-	-	-	-	-	-	3	3	10	-	-	-	-	1	-	-	-	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,106	-	-	1	2	4	11	31	146	341	401	169	697	-	-	1	1	3	4	23	84	205	256	121
White	1,075	-	-	-	1	4	10	28	140	335	392	165	688	-	-	1	1	2	4	22	82	205	254	117
All other	31	-	-	1	1	-	1	3	6	6	9	4	9	-	-	-	-	1	-	1	2	-	1	4
Black	25	-	-	1	1	-	1	2	5	5	9	1	8	-	-	-	-	1	-	1	2	-	1	4
Bronchitis, chronic and unspecified (490-491)	42	-	-	1	-	-	-	2	3	11	17	8	35	-	-	-	-	-	-	-	-	8	15	12
White	40	-	-	-	-	-	-	2	3	10	17	8	34	-	-	-	-	-	-	-	-	8	15	11
All other	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	190	-	-	-	-	-	-	8	23	61	72	26	113	-	-	-	-	-	-	10	12	38	41	14
White	183	-	-	-	-	-	-	6	21	59	71	26	113	-	-	-	-	-	-	10	12	38	41	14
All other	7	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	46	-	-	-	2	2	7	5	12	9	5	4	61	-	-	1	1	2	2	4	8	18	15	10
White	43	-	-	-	1	2	6	5	12	9	5	3	59	-	-	1	1	1	2	3	8	18	15	10
All other	3	-	-	-	1	-	1	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-	-
Black	3	-	-	-	1	-	1	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	828	-	-	-	-	2	4	16	108	260	307	131	488	-	-	-	-	1	2	9	64	143	184	85
White	809	-	-	-	-	2	4	15	104	257	299	128	482	-	-	-	-	1	2	9	62	143	183	82
All other	19	-	-	-	-	-	-	1	4	3	8	3	6	-	-	-	-	-	-	-	2	-	1	3
Black	15	-	-	-	-	-	-	1	4	2	8	-	6	-	-	-	-	-	-	-	2	-	1	3
Ulcer of stomach and duodenum (531-533)	74	-	-	-	-	-	-	4	11	22	26	11	67	-	-	-	-	-	2	1	4	16	17	26
White	70	-	-	-	-	-	-	3	10	21	25	11	66	-	-	-	-	-	2	1	4	15	17	26
All other	4	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	9	-	-	-	-	-	-	-	3	2	2	2	8	-	-	1	-	-	-	1	1	3	1	1
White	9	-	-	-	-	-	-	-	3	2	2	2	8	-	-	1	-	-	-	1	1	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	1	-	2	-	1	-	1	2	11	18	10	87	-	-	-	-	-	-	1	6	7	30	43
White	45	1	-	2	-	1	-	1	2	11	17	10	86	-	-	-	-	-	-	1	6	7	30	42
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	532	-	-	-	-	19	43	92	166	146	55	11	302	-	-	-	-	10	17	41	72	97	55	10
White	504	-	-	-	-	16	40	79	158	145	55	11	288	-	-	-	-	7	16	38	67	97	54	10
All other	28	-	-	-	-	3	3	13	8	1	-	-	13	-	-	-	-	3	1	3	5	-	1	-
Black	27	-	-	-	-	3	3	13	7	1	-	-	13	-	-	-	-	3	1	3	5	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	51	-	-	-	-	-	-	1	1	13	17	19	51	-	-	-	-	-	-	-	2	13	13	23
White	49	-	-	-	-	-	-	1	1	12	16	19	51	-	-	-	-	-	-	-	2	13	13	23
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	311	1	-	-	1	4	5	14	27	63	110	86	287	2	1	-	1	2	5	4	14	50	108	100
White	288	1	-	-	1	4	4	10	22	61	105	80	267	2	1	-	1	1	5	4	13	45	100	95
All other	23	-	-	-	-	-	1	4	5	2	5	6	20	-	-	-	-	1	-	-	1	5	8	5
Black	19	-	-	-	-	-	1	4	5	1	3	5	16	-	-	-	-	1	-	-	1	4	6	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	1	-	-	-	-	-	-	2	1	2	1	2	-	1	-	-	-	-	-	-	-	1	-
White	7	1	-	-	-	-	-	-	2	1	2	1	2	-	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	1	-	1	1	4	9	4	19	-	-	-	1	1	-	-	1	2	11	3
White	19	-	-	-	-	1	-	1	1	4	9	3	17	-	-	-	1	-	-	-	1	2	11	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	284	-	-	-	1	3	5	13	24	58	99	81	268	2	-	-	-	1	5	4	13	48	96	97
White	262	-	-	-	1	3	4	9	19	56	94	76	248	2	-	-	-	1	5	4	12	43	88	93
All other	22	-	-	-	-	-	1	4	5	2	5	5	18	-	-	-	-	-	-	-	1	5	8	4
Black	18	-	-	-	-	-	1	4	5	1	3	4	14	-	-	-	-	-	-	-	1	4	6	3
Infections of kidney (590)	11	-	-	-	-	-	-	-	1	2	3	5	23	-	-	-	-	-	-	1	-	2	9	11
White	11	-	-	-	-	-	-	-	1	2	3	5	23	-	-	-	-	-	-	1	-	2	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	13	-	-	-	-	-	-	-	-	-	3	10	...	...	...	...	...	...	...	...	...	...	...	...
White	13	-	-	-	-	-	-	-	-	-	3	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	155	111	9	7	3	4	5	-	8	5	2	1	143	88	9	5	9	6	6	2	2	5	8	5
White	145	101	9	7	3	4	5	-	8	5	2	1	133	81	7	5	9	5	6	1	2	5	8	4
All other	10	10	-	-	-	-	-	-	-	-	-	-	10	5	2	-	-	1	-	1	-	-	-	1
Black	7	7	-	-	-	-	-	-	-	-	-	-	8	3	2	-	-	1	-	1	-	-	-	1
Certain conditions originating in the perinatal period (760-779)	185	184	-	1	-	-	-	-	-	-	-	-	151	147	2	2	-	-	-	-	-	-	-	-
White	160	159	-	1	-	-	-	-	-	-	-	-	123	119	2	2	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	49	-	1	-	-	-	-	-	-	-	-	22	19	2	1	-	-	-	-	-	-	-	-
White	48	47	-	1	-	-	-	-	-	-	-	-	20	17	2	1	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	135	135	–	–	–	–	–	–	–	–	–	–	129	128	–	1	–	–	–	–	–	–	–	–
White	112	112	–	–	–	–	–	–	–	–	–	–	103	102	–	1	–	–	–	–	–	–	–	–
All other	23	23	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	22	22	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	261	61	3	2	23	48	29	15	13	25	23	19	207	33	2	1	14	24	12	5	15	26	35	39
White	230	54	1	2	20	40	23	13	11	24	23	19	195	27	2	1	14	21	11	5	14	25	35	39
All other	31	7	2	–	3	8	6	2	2	1	–	–	12	6	–	–	–	3	1	–	1	1	–	–
Black	28	7	1	–	2	8	5	2	2	1	–	–	12	6	–	–	–	3	1	–	1	1	–	–
All other diseases (Residual)	1,929	14	4	15	30	58	71	119	242	475	539	362	2,084	9	7	13	17	27	37	72	154	364	646	738
White	1,833	11	3	14	29	51	61	99	226	462	523	354	2,000	8	5	11	15	17	34	63	144	352	629	722
All other	96	3	1	1	1	7	10	20	16	13	16	8	84	1	2	2	2	10	3	9	10	12	17	16
Black	85	2	1	1	1	7	8	19	16	12	14	4	77	1	1	1	1	10	3	9	10	11	15	15
Accidents and adverse effects (E800-E949)	1,205	7	15	38	324	194	131	79	101	108	124	84	666	6	6	16	80	52	32	31	47	76	147	173
White	1,147	6	13	35	310	185	121	75	97	105	120	80	635	4	6	16	76	42	32	26	47	70	146	170
All other	58	1	2	3	14	9	10	4	4	3	4	4	31	2	–	–	4	10	–	5	–	6	1	3
Black	48	1	1	3	11	9	8	4	4	3	2	3	28	2	–	–	3	10	–	3	–	6	1	3
Motor vehicle accidents (E810-E825)	553	1	3	23	242	99	64	32	28	29	27	5	219	1	1	7	63	34	20	13	19	22	35	4
White	536	1	3	20	235	96	62	31	28	29	26	5	208	–	1	7	63	28	20	11	19	21	34	4
All other	17	–	–	3	7	3	2	1	–	–	1	–	11	1	–	–	–	6	–	2	–	1	1	–
Black	13	–	–	3	5	3	–	1	–	–	1	–	10	1	–	–	–	6	–	1	–	1	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	652	6	12	15	82	95	67	47	73	79	97	79	447	5	5	9	17	18	12	18	28	54	112	169
White	611	5	10	15	75	89	59	44	69	76	94	75	427	4	5	9	13	14	12	15	28	49	112	166
All other	41	1	2	–	7	6	8	3	4	3	3	4	20	1	–	–	4	4	–	3	–	5	–	3
Black	38	1	1	–	6	6	8	3	4	3	1	3	18	1	–	–	3	4	–	2	–	5	–	3
Suicide (E950-E959)	401	...	...	4	80	101	64	42	53	29	23	5	126	...	...	–	13	25	22	19	25	12	10	–
White	384	...	...	4	77	97	62	40	51	27	22	4	123	...	...	–	12	25	22	19	24	11	10	–
All other	17	...	...	–	3	4	2	2	2	2	1	1	3	...	...	–	1	–	–	–	1	1	–	–
Black	11	...	...	–	3	3	–	2	2	1	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	159	1	2	2	50	46	29	14	7	2	5	1	57	1	2	2	15	8	6	7	3	5	7	1
White	118	1	1	2	32	36	22	11	6	2	4	1	44	1	–	2	11	5	4	5	3	5	7	1
All other	41	–	1	–	18	10	7	3	1	–	1	–	13	–	2	–	4	3	2	2	–	–	–	–
Black	40	–	1	–	17	10	7	3	1	–	1	–	12	–	2	–	4	3	2	1	–	–	–	–
All other external causes (E880-E999)	49	–	–	–	8	22	7	4	3	3	1	1	19	–	1	–	2	6	4	–	2	1	2	1
White	40	–	–	–	7	18	6	3	3	3	1	1	17	–	–	–	2	6	3	–	2	1	2	1
All other	9	–	–	–	1	6	1	1	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–
Black	9	–	–	–	1	6	1	1	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–
MICHIGAN																								
All causes	40,549	890	155	243	1,083	1,401	1,549	2,778	6,938	10,400	9,969	5,140	36,039	707	103	148	414	607	871	1,750	4,364	7,401	10,193	9,481
White	34,526	595	107	176	840	945	1,091	2,175	5,787	9,044	9,003	4,761	31,432	446	78	109	310	391	604	1,384	3,623	6,419	9,196	8,867
All other	6,023	295	48	67	243	456	458	603	1,151	1,356	966	379	4,607	261	25	39	104	216	267	366	738	982	997	614
Black	5,974	288	46	65	238	449	444	591	1,117	1,327	937	371	4,503	253	24	38	101	213	258	356	713	960	979	606
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	2	–	–	–	–	1	–	–	1	1	–	6	1	1	1	–	1	–	1	–	–	–	1
White	3	–	–	–	–	–	1	–	–	1	1	–	4	–	–	1	–	1	–	1	–	–	–	1
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	35	–	–	–	–	1	1	1	9	10	12	1	23	–	–	–	–	2	–	–	4	8	9	–
White	19	–	–	–	–	1	1	1	5	6	5	–	13	–	–	–	–	–	–	–	2	5	6	–
All other	16	–	–	–	–	–	–	–	4	4	7	1	10	–	–	–	–	2	–	–	2	3	3	–
Black	15	–	–	–	–	–	–	–	4	4	6	1	10	–	–	–	–	2	–	–	2	3	3	–
Tuberculosis of respiratory system (010-012)	30	–	–	–	–	–	1	1	8	8	11	1	17	–	–	–	–	2	–	–	4	5	6	–
White	16	–	–	–	–	–	1	1	4	5	5	–	9	–	–	–	–	–	–	–	2	4	3	–
All other	14	–	–	–	–	–	–	–	4	3	6	1	8	–	–	–	–	2	–	–	2	1	3	–
Black	14	–	–	–	–	–	–	–	4	3	6	1	8	–	–	–	–	2	–	–	2	1	3	–
Other tuberculosis (013-018)	5	–	–	–	–	1	–	–	1	2	1	–	6	–	–	–	–	–	–	–	–	3	3	–
White	3	–	–	–	–	1	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	3	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	2	1	1	3	1	-	-	-	-	-	-	6	1	-	-	1	1	-	-	1	1	1	-
White	7	2	1	1	3	-	-	-	-	-	-	-	4	1	-	-	1	1	-	-	1	1	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Septicemia (038)	241	4	2	1	1	4	8	12	35	58	71	45	284	1	1	-	1	4	3	9	31	59	85	90
White	187	3	1	1	1	3	5	6	24	46	60	37	225	1	1	-	-	1	2	7	24	37	69	83
All other	54	1	1	-	-	1	3	6	11	12	11	8	59	-	-	-	1	3	1	2	7	22	16	7
Black	54	1	1	-	-	1	3	6	11	12	11	8	58	-	-	-	1	3	1	2	7	21	16	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	1	1	3	2	3	3	1	-	18	-	-	-	2	3	4	1	4	3	1	-
White	14	-	-	-	1	1	3	2	3	3	1	-	14	-	-	-	2	1	3	1	4	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	1	-	-	-	1	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	83	4	1	2	1	8	7	5	17	19	14	5	78	-	-	-	2	8	1	8	16	16	13	14
White	68	4	1	1	-	5	6	5	13	16	12	5	61	-	-	-	2	5	1	5	13	12	10	13
All other	15	-	-	1	1	3	1	-	4	3	2	-	17	-	-	-	-	3	-	3	3	4	3	1
Black	14	-	-	1	1	3	1	-	4	3	1	-	17	-	-	-	-	3	-	3	3	4	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,147	1	12	29	59	104	251	767	2,160	2,971	2,092	701	7,820	6	9	20	27	112	320	769	1,753	2,204	1,779	821
White	7,836	1	9	26	52	85	201	607	1,814	2,559	1,856	626	6,911	6	6	14	23	96	259	640	1,519	1,959	1,623	767
All other	1,311	-	3	3	7	19	50	160	346	412	236	75	909	-	3	6	4	16	62	129	234	245	156	54
Black	1,283	-	2	3	7	18	49	156	336	406	231	75	890	-	3	6	4	16	59	124	225	244	155	54
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	213	-	-	-	-	1	13	30	61	59	37	12	91	-	-	1	-	-	3	12	23	26	17	9
White	172	-	-	-	-	-	9	19	48	54	30	12	73	-	-	-	-	-	1	8	19	21	16	8
All other	41	-	-	-	-	1	4	11	13	5	7	-	18	-	-	1	-	-	2	4	4	5	1	1
Black	39	-	-	-	-	1	4	11	11	5	7	-	18	-	-	1	-	-	2	4	4	5	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,310	-	1	-	-	22	58	188	515	802	538	188	2,013	-	1	-	4	13	35	115	352	582	593	318
White	1,938	-	1	-	-	19	44	135	416	683	472	168	1,766	-	-	-	3	10	27	89	294	500	539	304
All other	372	-	-	-	-	3	14	51	99	119	66	20	247	-	1	-	1	3	8	26	58	82	54	14
Black	358	-	-	-	-	2	13	48	93	118	64	20	242	-	1	-	1	3	7	24	56	82	54	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,212	-	-	-	1	6	57	306	947	1,117	645	133	1,383	-	-	-	-	6	44	175	413	441	232	72
White	2,732	-	-	-	1	4	40	237	790	961	576	123	1,223	-	-	-	-	6	37	151	354	383	216	66
All other	480	-	-	-	-	2	17	69	157	156	69	10	160	-	-	-	-	-	7	24	59	48	16	6
Black	474	-	-	-	-	2	17	68	156	153	68	10	156	-	-	-	-	-	7	22	58	48	15	6
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	-	2	4	3	-	-	1,534	-	-	-	1	32	103	215	406	383	263	131
White	7	-	-	-	-	-	-	1	4	2	-	-	1,345	-	-	-	1	28	74	178	355	348	242	121
All other	2	-	-	-	-	-	-	1	-	1	-	-	189	-	-	-	-	6	29	37	51	35	21	10
Black	2	-	-	-	-	-	-	1	-	1	-	-	187	-	-	-	-	6	29	37	49	35	21	10
Malignant neoplasms of genital organs (179-187)	959	-	-	-	6	5	5	13	109	393	345	173	779	-	-	1	3	12	41	92	195	211	160	64
White	778	-	-	-	6	4	4	9	88	236	284	148	683	-	-	1	3	11	35	77	167	189	146	54
All other	180	-	-	-	-	1	1	4	21	67	61	25	96	-	-	-	-	1	6	15	28	22	14	10
Black	177	-	-	-	-	1	1	4	20	66	60	25	93	-	-	-	-	1	5	15	27	21	14	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	459	–	–	–	1	1	5	32	91	147	119	57	244	–	–	–	–	2	5	9	33	76	77	42
White	423	–	–	–	1	1	4	28	82	136	115	56	214	–	–	–	–	2	5	8	29	67	62	41
All other	30	–	–	–	–	–	1	4	9	11	4	1	30	–	–	–	–	–	–	1	4	9	15	1
Black	30	–	–	–	–	–	1	4	9	11	4	1	29	–	–	–	–	–	–	1	3	9	15	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,111	1	6	20	25	31	59	121	246	307	222	73	1,002	6	6	9	6	23	52	92	187	291	227	103
White	993	1	4	17	23	26	54	109	219	276	202	62	911	6	4	5	6	22	48	80	166	269	207	98
All other	118	–	2	3	2	5	5	12	27	31	20	11	91	–	2	4	–	1	4	12	21	22	20	5
Black	118	–	2	3	2	5	5	12	27	31	20	11	88	–	2	4	–	1	3	12	19	22	20	5
Leukemia (204-208)	369	–	3	9	13	12	18	35	76	92	77	34	309	–	2	8	9	13	18	21	44	75	78	41
White	335	–	3	9	10	8	17	32	68	84	74	30	269	–	2	7	8	9	12	19	41	63	73	35
All other	34	–	–	–	3	4	1	3	8	8	3	4	40	–	–	1	1	4	6	2	3	12	5	6
Black	33	–	–	–	3	4	1	3	8	8	2	4	39	–	–	1	1	4	6	1	3	12	5	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	511	–	2	–	13	26	36	42	111	141	109	31	465	–	–	1	4	11	19	38	100	119	132	41
White	457	–	1	–	11	23	29	37	99	127	103	27	427	–	–	1	2	10	19	30	94	109	122	40
All other	54	–	1	–	2	3	7	5	12	14	6	4	38	–	–	–	2	1	–	8	6	10	10	1
Black	52	–	–	–	2	3	7	5	12	13	6	4	38	–	–	–	2	1	–	8	6	10	10	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	77	1	1	–	2	4	1	5	15	21	18	9	88	2	1	2	1	1	2	4	12	19	26	18
White	68	1	1	–	2	4	1	3	14	19	15	8	78	1	1	2	1	1	2	4	11	16	24	15
All other	9	–	–	–	–	–	–	2	1	2	3	1	10	1	–	–	–	–	–	–	1	3	2	3
Black	9	–	–	–	–	–	–	2	1	2	3	1	9	–	–	–	–	–	–	–	1	3	2	3
Diabetes mellitus (250)	620	–	–	–	3	12	18	47	115	199	164	62	861	–	–	–	4	15	19	36	133	217	262	175
White	535	–	–	–	2	9	16	38	94	165	152	59	709	–	–	–	3	12	10	24	97	181	225	157
All other	85	–	–	–	1	3	2	9	21	34	12	3	152	–	–	–	1	3	9	12	36	36	37	18
Black	62	–	–	–	1	3	2	8	20	32	12	3	150	–	–	–	1	3	8	12	36	36	36	18
Nutritional deficiencies (260-269)	41	–	–	–	–	1	–	–	4	10	13	13	70	–	–	–	–	–	–	–	4	7	28	31
White	33	–	–	–	–	1	–	–	3	7	10	12	63	–	–	–	–	–	–	–	3	6	25	29
All other	8	–	–	–	–	–	–	–	1	3	3	1	7	–	–	–	–	–	–	–	1	1	3	2
Black	8	–	–	–	–	–	–	–	1	3	3	1	6	–	–	–	–	–	–	–	1	1	3	1
Anemias (280-285)	67	–	2	4	1	3	2	2	5	18	20	10	94	–	1	1	1	3	2	4	3	17	25	37
White	53	–	–	2	1	–	1	–	4	17	18	10	80	–	1	–	1	1	1	1	2	15	22	36
All other	14	–	2	2	–	3	1	2	1	1	2	–	14	–	–	1	–	2	1	3	1	2	3	1
Black	14	–	2	2	–	3	1	2	1	1	2	–	14	–	–	1	–	2	1	3	1	2	3	1
Meningitis (320-322)	11	1	2	1	–	1	–	–	–	2	2	2	17	2	1	–	2	2	–	2	1	4	3	–
White	9	1	2	1	–	1	–	–	–	1	1	2	14	2	1	–	2	2	–	1	1	3	2	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	1	–	1	1	–
Major cardiovascular diseases (390-448)	18,978	20	10	12	24	131	451	1,156	3,234	5,167	5,568	3,205	19,038	18	7	9	37	66	166	514	1,561	3,634	6,316	6,712
White	16,745	13	7	8	18	87	336	948	2,741	4,525	5,072	2,990	16,892	9	4	8	21	37	104	381	1,249	3,105	5,683	6,291
All other	2,233	7	3	4	6	44	115	208	493	642	496	215	2,146	7	3	1	16	29	62	133	312	529	633	421
Black	2,177	7	3	4	6	44	110	206	480	626	482	209	2,101	6	3	1	16	28	61	129	304	514	622	417
Diseases of heart (390-398,402,404-429)	15,605	18	7	10	17	99	393	1,047	2,852	4,290	4,408	2,464	14,563	15	7	7	29	39	123	379	1,277	2,950	4,604	4,939
White	13,777	11	4	8	12	66	298	868	2,430	3,765	4,021	2,295	12,870	9	4	6	14	20	77	280	1,026	2,527	4,300	4,807
All other	1,828	7	3	4	5	33	94	179	422	525	387	169	1,693	6	3	1	9	19	46	99	251	423	304	332
Black	1,789	7	3	4	5	33	89	177	411	511	379	164	1,658	5	3	1	9	18	45	97	247	411	493	328
Rheumatic fever and rheumatic heart disease (390-398)	92	–	–	–	1	2	8	11	14	31	23	2	196	1	–	–	1	3	6	12	33	65	57	18
White	86	–	–	–	1	1	6	9	14	30	23	2	181	–	–	–	1	1	4	10	30	64	53	18
All other	6	–	–	–	–	1	2	2	–	1	–	–	15	1	–	–	–	2	2	2	3	1	4	–
Black	6	–	–	–	–	1	2	2	–	1	–	–	14	1	–	–	–	2	2	2	3	1	3	–
Hypertensive heart disease (402)	283	–	–	–	1	2	15	28	83	75	53	28	389	–	–	–	–	2	10	21	36	91	122	107
White	175	–	–	–	–	2	6	12	44	53	38	20	277	–	–	–	–	–	1	5	16	64	94	97
All other	108	–	–	–	1	–	9	16	39	22	15	6	112	–	–	–	–	2	9	16	20	27	28	10
Black	106	–	–	–	1	–	8	16	39	21	15	6	110	–	–	–	–	2	9	16	20	26	27	10
Hypertensive heart and renal disease (404)	38	–	–	–	–	–	1	4	4	7	7	15	68	–	–	–	–	–	–	–	8	15	16	30
White	29	–	–	–	–	–	–	3	1	6	5	14	55	–	–	–	–	–	–	–	5	9	11	30
All other	9	–	–	–	–	–	1	1	3	1	2	1	13	–	–	–	–	–	–	–	3	6	4	–
Black	9	–	–	–	–	–	1	1	3	1	2	1	13	–	–	–	–	–	–	–	3	6	4	–
Ischemic heart disease (410-414)	11,450	–	1	1	1	39	232	727	2,035	3,258	3,364	1,795	10,291	–	2	–	2	7	51	244	866	2,101	3,469	3,549
White	10,526	–	1	1	1	33	209	655	1,836	2,959	3,129	1,702	9,378	–	2	–	1	5	43	199	743	1,860	3,190	3,335
All other	924	–	–	–	–	5	23	72	199	297	235	93	913	–	–	–	1	2	8	45	123	241	279	214
Black	893	–	–	–	–	5	20	71	192	287	229	89	889	–	–	–	1	2	7	43	122	232	271	211
Acute myocardial infarction (410)	6,432	–	–	1	–	28	159	496	1,359	1,949	1,758	681	4,839	–	1	–	1	5	32	157	575	1,203	1,690	1,175
White	5,916	–	–	1	–	24	143	444	1,237	1,785	1,637	645	4,364	–	1	–	1	4	28	126	501	1,066	1,564	1,093
All other	516	–	–	–	–	4	16	52	122	164	122	36	455	–	–	–	–	1	4	31	74	137	126	82
Black	496	–	–	–	–	4	13	51	118	157	118	35	439	–	–	–	–	1	4	29	73	132	121	79

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	43	–	1	–	–	–	2	5	5	13	11	6	23	–	–	–	–	–	1	2	3	3	6	3
White	40	–	1	–	–	–	2	4	4	12	11	5	18	–	–	–	–	–	–	2	2	2	5	7
All other	3	–	–	–	–	–	–	1	1	1	–	–	5	–	–	–	–	–	1	–	1	1	1	1
Black	3	–	–	–	–	–	–	1	1	1	–	–	4	–	–	–	–	–	–	–	1	1	1	1
Angina pectoris (413)	26	–	–	–	–	–	–	3	5	6	7	5	12	–	–	–	–	–	–	1	1	2	6	2
White	23	–	–	–	–	–	–	3	5	5	6	4	12	–	–	–	–	–	–	1	1	2	6	2
All other	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,949	–	–	–	1	10	71	223	666	1,288	1,587	1,103	5,417	–	1	–	1	2	18	84	287	893	1,767	2,364
White	4,547	–	–	–	1	9	64	204	590	1,167	1,475	1,047	4,964	–	1	–	–	1	15	70	239	790	1,615	2,233
All other	402	–	–	–	–	1	7	19	76	131	112	56	453	–	–	–	1	1	3	14	48	103	152	131
Black	391	–	–	–	–	1	7	19	73	128	110	53	446	–	–	–	1	1	3	14	48	99	149	131
Other diseases of endocardium (424)	152	1	–	–	1	4	5	16	23	38	44	22	146	–	1	–	1	1	2	7	12	31	55	38
White	132	–	–	–	1	2	1	15	18	35	38	22	137	–	1	–	–	1	1	4	11	30	51	36
All other	20	1	–	–	–	2	4	1	5	1	6	–	11	–	–	–	1	–	1	3	1	1	4	–
Black	20	1	–	–	–	2	4	1	5	1	6	–	11	–	–	–	1	–	1	3	1	1	4	–
All other forms of heart disease (415-423,425-429)	3,590	17	6	9	13	53	132	261	693	885	917	604	3,471	14	4	7	19	28	54	95	322	647	1,086	1,197
White	2,829	11	3	5	9	28	77	174	517	682	788	535	2,842	9	1	6	12	13	26	62	221	500	901	1,089
All other	761	6	3	4	4	25	55	87	176	203	129	69	629	5	3	1	7	13	28	33	101	147	185	108
Black	749	6	3	4	4	25	54	86	172	200	127	68	621	4	3	1	7	13	28	33	98	145	184	107
Hypertension with or without renal disease (401,403)	109	–	–	1	–	2	4	6	17	34	24	21	147	–	–	–	–	–	3	5	21	31	44	43
White	85	–	–	1	–	–	2	4	14	25	20	19	110	–	–	–	–	–	1	4	12	20	34	39
All other	24	–	–	–	–	2	2	2	3	9	4	2	37	–	–	–	–	–	2	1	9	11	10	4
Black	24	–	–	–	–	2	2	2	3	9	4	2	36	–	–	–	–	–	2	1	9	10	10	4
Cerebrovascular diseases (430-438)	2,310	2	2	–	2	22	47	90	253	594	809	489	3,323	1	–	1	10	24	36	114	219	528	1,166	1,224
White	2,013	2	2	–	2	13	30	65	201	514	723	461	2,982	–	–	1	4	14	24	88	173	446	1,068	1,166
All other	297	–	–	–	–	9	17	25	52	80	86	28	341	1	–	–	6	10	12	26	46	82	98	58
Black	287	–	–	–	–	9	17	25	50	78	81	27	332	1	–	–	6	9	12	26	42	80	98	58
Intracerebral and other intracranial hemorrhage (431-432)	336	2	–	–	–	5	16	29	60	102	87	33	420	1	–	1	3	6	8	37	63	90	145	66
White	275	2	–	–	–	3	11	16	45	91	77	30	363	–	–	1	2	2	4	27	52	78	136	61
All other	61	–	–	–	–	2	7	13	15	11	10	3	57	1	–	–	1	4	4	10	11	12	9	5
Black	58	–	–	–	–	2	7	13	14	11	6	3	55	1	–	–	1	4	4	9	11	11	9	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	414	–	–	–	–	1	6	11	49	99	145	103	628	–	–	–	1	1	1	6	27	101	223	268
White	365	–	–	–	–	1	3	9	36	85	135	96	569	–	–	–	–	1	–	5	19	82	206	256
All other	49	–	–	–	–	–	3	2	13	14	10	7	59	–	–	–	1	–	1	1	8	19	17	12
Black	48	–	–	–	–	–	3	2	13	13	10	7	57	–	–	–	1	–	1	1	7	18	17	12
Cerebral embolism (434.1)	17	–	–	–	–	–	–	–	3	6	8	–	18	–	–	–	1	–	–	1	2	4	8	2
White	16	–	–	–	–	–	–	–	2	6	8	–	15	–	–	–	–	–	–	1	2	2	8	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,543	–	2	–	2	16	23	50	141	387	569	353	2,257	–	–	–	5	17	27	70	127	333	790	888
White	1,357	–	2	–	2	9	16	40	118	332	503	335	2,035	–	–	–	2	11	20	53	100	284	718	847
All other	186	–	–	–	–	7	7	10	23	55	66	18	222	–	–	–	3	6	7	17	27	49	72	41
Black	182	–	–	–	–	7	7	10	22	54	65	17	217	–	–	–	3	5	7	16	24	49	72	41
Atherosclerosis (440)	448	–	–	–	–	1	2	2	32	80	184	167	696	–	–	1	–	–	–	3	13	57	209	413
White	414	–	–	–	–	1	2	2	27	69	154	159	655	–	–	1	–	–	–	3	9	50	196	396
All other	34	–	–	–	–	–	–	–	5	11	10	8	41	–	–	–	–	–	–	–	4	7	13	17
Black	33	–	–	–	–	–	–	–	5	11	9	8	41	–	–	–	–	–	–	–	4	7	13	17
Other diseases of arteries, arterioles, and capillaries (441-448)	506	–	1	1	5	7	5	11	60	169	163	84	309	–	–	–	4	3	4	13	31	68	93	93
White	456	–	1	1	4	7	3	9	69	152	154	56	275	–	–	–	3	3	2	8	29	62	85	83
All other	50	–	–	–	1	–	2	2	11	17	9	8	34	–	–	–	1	–	2	5	2	6	8	10
Black	50	–	–	–	1	–	2	2	11	17	9	8	34	–	–	–	1	–	2	5	2	6	8	10
Acute bronchitis and bronchiolitis (466)	3	–	–	–	–	1	–	–	–	–	2	–	9	2	–	–	–	–	–	1	–	–	4	2
White	3	–	–	–	–	1	–	–	–	–	2	–	7	–	–	–	–	–	–	1	–	–	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,059	12	1	3	4	16	16	40	96	227	349	295	961	3	3	3	6	10	19	26	61	113	267	450
White	917	12	–	3	2	6	11	22	78	197	310	276	847	2	3	2	5	3	13	23	50	82	234	420
All other	142	–	1	–	2	10	5	18	18	30	39	19	114	1	–	1	1	7	6	3	11	31	33	30
Black	138	–	1	–	2	10	5	18	17	30	37	18	113	1	–	1	1	7	6	3	11	21	32	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	1,045	12	1	3	4	16	16	40	95	226	343	289	944	3	3	3	6	10	19	26	61	111	263	439
White	905	12	–	3	2	6	11	22	77	196	306	270	831	2	3	2	5	3	13	23	50	90	230	410
All other	140	–	1	–	2	10	5	18	18	30	37	19	113	1	–	1	1	7	6	3	11	21	33	29
Black	137	–	1	–	2	10	5	18	17	30	36	18	112	1	–	1	1	7	6	3	11	21	32	29
Influenza (487)	14	–	–	–	–	–	–	–	1	1	6	6	17	–	–	–	–	–	–	–	–	2	4	11
White	12	–	–	–	–	–	–	–	1	1	4	6	16	–	–	–	–	–	–	–	–	2	4	10
All other	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,628	1	1	1	6	5	11	51	224	568	546	214	864	–	–	1	2	8	12	32	142	279	275	113
White	1,486	1	–	1	3	4	8	38	193	527	512	199	803	–	–	–	2	3	7	25	128	267	263	108
All other	142	–	1	–	3	1	3	13	31	41	34	15	61	–	–	1	–	5	5	7	14	12	12	5
Black	136	–	1	–	3	1	3	13	30	40	31	14	58	–	–	1	–	5	4	7	12	11	11	5
Bronchitis, chronic and unspecified (490-491)	80	1	1	–	–	–	–	1	9	31	24	13	53	–	–	–	–	1	1	2	11	8	15	15
White	78	1	–	–	–	–	–	1	9	30	24	13	51	–	–	–	–	1	1	2	11	8	14	14
All other	2	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	2	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Emphysema (492)	381	–	–	–	–	1	4	5	59	126	137	49	184	–	–	–	–	1	1	5	38	75	50	16
White	359	–	–	–	–	1	3	5	55	119	128	48	176	–	–	–	–	1	1	4	33	74	49	14
All other	22	–	–	–	–	–	1	–	4	7	9	1	8	–	–	–	–	–	–	1	3	1	1	2
Black	20	–	–	–	–	–	1	–	3	7	8	1	8	–	–	–	–	–	–	1	3	1	1	2
Asthma (493)	54	–	–	1	6	3	3	9	6	10	12	4	73	–	–	1	2	5	10	9	13	17	12	4
White	38	–	–	1	3	2	3	6	4	8	8	3	53	–	–	–	2	1	5	6	10	14	11	4
All other	16	–	–	–	3	1	–	3	2	2	4	1	20	–	–	1	–	4	5	3	3	3	1	–
Black	15	–	–	–	3	1	–	3	2	2	3	1	19	–	–	1	–	4	4	3	3	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,113	–	–	–	–	1	4	36	150	401	373	148	554	–	–	–	–	1	–	16	82	179	198	78
White	1,011	–	–	–	–	1	2	26	125	370	352	135	523	–	–	–	–	–	–	13	74	171	189	76
All other	102	–	–	–	–	–	2	10	25	31	21	13	31	–	–	–	–	1	–	3	8	8	9	2
Black	99	–	–	–	–	–	2	10	25	30	20	12	27	–	–	–	–	1	–	3	6	7	8	2
Ulcer of stomach and duodenum (531-533)	110	–	–	–	–	–	3	3	20	28	41	15	135	–	–	–	–	1	–	4	11	26	48	45
White	97	–	–	–	–	–	1	3	19	26	34	14	122	–	–	–	–	1	–	3	10	24	43	41
All other	13	–	–	–	–	–	2	–	1	2	7	1	13	–	–	–	–	–	–	1	1	2	5	4
Black	13	–	–	–	–	–	2	–	1	2	7	1	13	–	–	–	–	–	–	1	1	2	5	4
Appendicitis (540-543)	6	–	–	–	–	–	1	–	2	3	–	–	6	–	–	–	–	–	–	–	2	2	1	1
White	5	–	–	–	–	–	1	–	1	3	–	–	6	–	–	–	–	–	–	–	2	2	1	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	75	–	–	–	1	–	3	1	14	13	26	17	121	1	–	–	1	1	–	3	3	30	33	49
White	61	–	–	–	1	–	3	–	9	10	24	14	106	1	–	–	1	–	–	1	1	24	30	48
All other	14	–	–	–	–	–	–	1	5	3	2	3	15	–	–	–	1	–	–	2	2	6	3	1
Black	14	–	–	–	–	–	–	1	5	3	2	3	15	–	–	–	1	–	–	2	2	6	3	1
Chronic liver disease and cirrhosis (571)	774	–	–	–	–	43	82	167	234	163	66	9	427	1	1	–	1	30	44	66	130	104	44	6
White	590	–	–	–	–	25	50	119	186	142	59	9	321	1	1	–	1	6	20	51	99	97	39	6
All other	184	–	–	–	–	18	32	48	48	21	7	–	106	–	–	–	–	24	24	15	31	7	5	–
Black	175	–	–	–	–	17	40	48	45	20	7	–	103	–	–	–	–	24	24	15	29	6	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	44	–	–	–	–	–	–	2	5	9	19	9	55	–	–	–	–	–	–	1	4	8	22	20
White	39	–	–	–	–	–	–	1	5	8	17	8	51	–	–	–	–	–	–	1	4	7	22	17
All other	5	–	–	–	–	–	–	1	–	1	2	1	4	–	–	–	–	–	–	–	–	1	–	3
Black	5	–	–	–	–	–	–	1	–	1	2	1	4	–	–	–	–	–	–	–	–	1	–	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	365	9	–	1	5	2	8	18	42	82	114	74	319	7	1	1	–	7	8	5	29	70	101	90
White	290	5	–	1	4	2	6	13	27	68	98	66	257	4	1	1	–	3	4	2	20	56	87	79
All other	75	4	–	–	1	–	2	5	15	24	16	8	62	3	–	–	–	4	4	3	9	14	14	11
Black	73	4	–	–	1	–	2	5	14	23	15	8	60	3	–	–	–	4	4	3	9	14	12	11
Acute glomerulonephritis and nephratic syndrome (580-581)	4	–	–	–	–	–	–	1	1	1	1	–	8	–	1	–	–	1	–	–	–	3	1	2
White	3	–	–	–	–	–	–	–	1	1	1	–	6	–	1	–	–	1	–	–	–	3	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	–	–	–	1	–	–	2	3	5	6	6	18	–	–	–	–	2	1	–	–	4	8	3
White	19	–	–	–	–	–	–	2	3	3	5	6	14	–	–	–	–	1	–	–	–	3	7	3
All other	4	–	–	–	1	–	–	–	–	2	1	–	4	–	–	–	–	1	1	–	–	1	1	–
Black	3	–	–	–	1	–	–	–	–	1	1	–	4	–	–	–	–	1	1	–	–	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	338	9	–	1	4	2	9	15	38	88	107	68	293	7	–	1	–	4	7	5	29	63	92	85
White	268	5	–	1	4	2	6	11	23	64	92	60	237	4	–	1	–	1	4	2	20	50	79	76
All other	70	4	–	–	–	–	2	4	15	22	15	8	56	3	–	–	–	3	3	3	9	13	13	9
Black	69	4	–	–	–	–	2	4	14	22	15	8	54	3	–	–	–	3	3	3	9	13	11	9
Infections of kidney (590)	22	–	–	–	1	–	1	–	2	4	9	5	49	–	–	–	–	–	1	2	9	4	18	15
White	17	–	–	–	1	–	1	–	1	3	6	5	44	–	–	–	–	–	–	2	7	3	17	15
All other	5	–	–	–	–	–	–	–	1	1	3	–	5	–	–	–	–	–	1	–	2	1	1	–
Black	5	–	–	–	–	–	–	–	1	1	3	–	5	–	–	–	–	–	1	–	2	1	1	–
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	1	2	5	6	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	1	1	5	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	–	1	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	–	1	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	3	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Congenital anomalies (740-759)	244	153	17	20	7	8	7	9	6	8	7	2	217	134	17	8	7	9	6	7	16	1	10	2
White	200	126	15	16	4	6	4	8	5	6	7	1	169	98	15	5	7	7	4	6	14	1	10	2
All other	44	27	2	4	3	2	3	1	1	–	–	1	48	36	2	3	–	2	2	1	2	–	–	–
Black	43	26	2	4	3	2	3	1	1	–	–	1	47	35	2	3	–	2	2	1	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	482	477	4	1	–	–	–	–	–	–	–	–	391	390	1	–	–	–	–	–	–	–	–	–
White	292	289	2	1	–	–	–	–	–	–	–	–	232	231	1	–	–	–	–	–	–	–	–	–
All other	190	188	2	–	–	–	–	–	–	–	–	–	159	159	–	–	–	–	–	–	–	–	–	–
Black	187	185	2	–	–	–	–	–	–	–	–	–	157	157	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	124	123	1	–	–	–	–	–	–	–	–	–	97	97	–	–	–	–	–	–	–	–	–	–
White	79	79	–	–	–	–	–	–	–	–	–	–	71	71	–	–	–	–	–	–	–	–	–	–
All other	45	44	1	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	45	44	1	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	358	354	3	1	–	–	–	–	–	–	–	–	284	283	1	–	–	–	–	–	–	–	–	–
White	213	210	2	1	–	–	–	–	–	–	–	–	161	160	1	–	–	–	–	–	–	–	–	–
All other	145	144	1	–	–	–	–	–	–	–	–	–	133	133	–	–	–	–	–	–	–	–	–	–
Black	142	141	1	–	–	–	–	–	–	–	–	–	131	131	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	205	140	2	1	4	10	5	4	9	12	7	11	172	99	3	–	4	4	2	4	3	9	10	34
White	146	97	2	–	2	4	5	1	7	10	7	11	128	60	3	–	1	3	2	4	3	9	10	33
All other	59	43	–	1	2	6	–	3	2	2	–	–	44	39	–	–	3	1	–	–	–	–	–	1
Black	58	42	–	1	2	6	–	3	2	2	–	–	41	36	–	–	3	1	–	–	–	–	–	1
All other diseases (Residual)	2,432	36	16	27	78	181	153	162	382	519	586	312	2,405	28	17	22	49	91	113	114	282	417	655	617
White	1,962	25	10	22	66	90	75	113	289	450	526	296	2,036	20	15	19	29	37	65	85	233	364	597	572
All other	470	11	6	5	12	91	78	49	73	69	60	16	369	8	2	3	20	54	48	29	49	53	58	45
Black	460	11	6	4	11	91	77	48	70	68	58	16	365	8	2	3	20	52	48	29	48	52	57	45
Accidents and adverse effects (E800-E949)	2,100	22	72	116	509	420	215	156	174	160	155	100	968	10	27	64	150	100	67	71	92	117	135	135
White	1,793	13	52	80	474	355	175	129	145	138	141	92	849	8	19	50	136	87	49	61	78	105	127	129
All other	307	9	20	36	35	65	40	27	29	24	14	8	119	2	8	14	14	13	18	10	14	12	8	6
Black	293	7	19	35	33	62	38	25	29	24	13	8	110	2	7	14	11	13	16	10	13	10	8	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,155	6	15	58	402	278	130	78	76	54	40	18	479	5	10	37	120	74	45	39	51	48	40	10
White	1,022	4	9	44	378	241	112	66	67	47	37	17	435	5	7	33	116	65	37	39	43	42	39	9
All other	133	2	6	14	24	37	18	12	9	7	3	1	44	–	3	4	4	9	8	–	8	6	1	1
Black	126	1	6	14	23	34	17	11	9	7	3	1	40	–	2	4	3	9	7	–	7	6	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	945	16	57	58	107	142	85	78	98	106	115	82	489	5	17	27	30	28	22	32	41	69	95	125
White	771	9	49	36	96	114	63	63	78	89	104	75	414	3	12	17	20	22	12	22	35	53	88	120
All other	174	7	14	22	11	28	22	15	20	17	11	7	75	2	5	10	10	4	10	10	6	6	7	5
Black	167	6	13	21	10	28	21	14	20	17	10	7	70	2	5	10	8	4	9	10	6	4	7	5
Suicide (E950-E959)	885	...	...	10	166	206	148	98	90	82	51	14	279	...	...	5	49	55	47	48	38	21	16	2
White	792	...	...	9	151	185	130	91	85	78	50	13	250	...	...	5	40	47	44	40	37	19	16	2
All other	73	...	...	1	15	21	18	7	5	4	1	1	29	...	...	–	9	8	3	8	1	2	–	–
Black	67	...	...	1	13	19	17	6	5	4	1	1	28	...	...	–	9	8	2	5	–	2	–	–
Homicide and legal intervention (E960-E978)	730	5	11	11	194	219	130	63	55	29	8	4	213	1	12	9	59	64	27	13	14	9	4	1
White	211	2	4	3	44	60	41	24	18	11	1	3	107	1	6	2	29	29	11	10	11	4	4	–
All other	519	3	7	8	150	159	89	39	37	18	7	1	106	–	6	7	30	35	16	3	3	5	–	1
Black	516	3	7	8	150	159	87	39	36	18	7	1	105	–	6	7	30	35	16	3	3	5	–	–
All other external causes (E980-E999)	62	–	–	2	13	19	13	7	5	1	1	–	41	2	–	2	5	9	6	8	5	2	2	–
White	36	–	–	–	8	10	9	3	3	1	1	–	28	–	–	–	4	7	3	5	5	2	2	–
All other	26	–	–	2	5	9	4	4	2	–	–	–	13	2	–	2	1	2	3	3	–	–	–	–
Black	26	–	–	2	5	9	4	4	2	–	–	–	12	2	–	1	1	2	3	3	–	–	–	–
MINNESOTA																								
All causes	17,755	337	58	80	441	387	473	874	2,420	4,420	4,933	3,329	16,011	259	42	47	145	191	262	569	1,366	2,855	4,569	5,706
White	17,383	319	53	74	405	360	439	837	2,368	4,338	4,894	3,303	15,757	236	41	46	136	177	241	550	1,320	2,810	4,525	5,675
All other	382	18	5	6	36	27	34	37	51	82	39	26	254	23	1	1	9	14	21	19	46	45	44	31
Black	186	9	1	5	11	17	19	20	27	42	19	16	135	13	1	–	3	9	13	9	26	21	29	11
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1
White	3	1	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	2	–	–	–	5	–	–	–	–	–	–	–	–	–	4	1
White	2	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	–	–	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	4	1
White	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	2	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	76	3	–	–	1	2	2	–	5	11	26	26	80	–	–	–	–	2	–	5	5	15	19	34
White	75	3	–	–	1	2	2	–	5	10	28	26	78	–	–	–	–	2	–	5	5	15	18	33
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	1	1	-	-	-	-	4	-	-	1	-	-	-	1	1	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	1	-	-	-	1	1	-	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 088-139)	48	1	1	-	-	10	2	-	10	12	9	3	50	1	-	1	2	3	2	3	4	14	10	10
White	46	1	1	-	-	9	1	-	10	12	9	3	49	1	-	1	2	3	1	3	4	14	10	10
All other	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,931	2	4	8	34	37	100	251	755	1,242	1,059	439	3,624	1	8	7	15	35	128	303	606	965	951	605
White	3,866	2	4	8	33	35	94	242	742	1,218	1,052	436	3,567	1	8	7	14	34	122	299	584	953	941	604
All other	65	-	-	-	1	2	6	9	13	24	7	3	57	-	-	-	1	1	6	4	22	12	10	1
Black	43	-	-	-	1	-	3	7	10	16	4	2	35	-	-	-	1	-	5	-	16	6	7	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	86	-	-	-	1	-	1	10	20	35	14	5	46	-	-	-	-	2	3	2	12	11	10	6
White	82	-	-	-	-	-	1	9	19	34	14	5	45	-	-	-	-	2	2	2	12	11	10	6
All other	4	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,074	-	1	-	1	5	32	72	209	340	260	134	980	-	1	1	1	7	13	52	123	278	290	214
White	1,056	-	1	-	1	4	28	71	203	336	278	134	962	-	1	1	1	6	12	51	117	275	284	214
All other	18	-	-	-	-	1	4	1	6	4	2	-	18	-	-	-	-	1	1	1	6	3	6	-
Black	9	-	-	-	-	-	1	-	4	2	2	-	13	-	-	-	-	-	1	-	5	3	4	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,183	-	-	-	4	2	17	93	286	451	273	57	518	-	-	-	-	3	10	51	122	179	102	51
White	1,155	-	-	-	4	2	15	88	282	440	271	55	505	-	-	-	-	3	10	48	118	174	101	51
All other	28	-	-	-	-	-	2	7	4	11	2	2	13	-	-	-	-	-	-	3	4	5	1	-
Black	22	-	-	-	-	-	2	6	3	9	1	1	4	-	-	-	-	-	-	-	1	2	1	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	-	2	1	2	-	685	-	-	-	1	5	48	83	142	153	140	93
White	6	-	-	-	-	-	1	-	2	1	2	-	652	-	-	-	1	5	44	83	137	151	138	93
All other	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	4	-	5	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	4	-	4	1	2	-
Malignant neoplasms of genital organs (179-187)	509	-	-	-	1	4	1	6	48	190	201	118	382	-	-	1	1	-	14	49	73	111	85	48
White	501	-	-	-	1	4	1	6	47	125	200	117	379	-	-	1	1	-	14	48	70	111	85	48
All other	8	-	-	-	-	-	-	-	1	5	1	1	3	-	-	-	-	-	-	-	3	-	-	-
Black	4	-	-	-	-	-	-	-	1	2	-	1	3	-	-	-	-	-	-	-	3	-	-	-
Malignant neoplasms of urinary organs (188-189)	200	-	-	-	1	1	5	8	27	58	56	44	134	-	-	-	-	-	1	6	18	33	46	30
White	200	-	-	-	1	1	5	8	27	58	56	44	133	-	-	-	-	-	1	6	18	32	46	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	469	1	3	6	11	14	25	35	103	115	113	43	477	1	5	4	3	8	28	35	72	104	128	91
White	466	1	3	6	11	13	25	35	103	114	112	43	472	1	5	4	3	8	28	35	69	104	125	90
All other	3	-	-	-	-	1	-	-	-	1	1	-	5	-	-	-	-	-	-	-	3	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	3	-	-	-
Leukemia (204-208)	172	1	-	2	9	7	7	12	22	43	57	12	169	-	1	1	7	5	4	11	16	29	59	36
White	169	1	-	2	9	7	7	12	22	41	56	12	168	-	1	1	6	5	4	11	16	29	59	36
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	232	-	-	-	6	4	11	15	38	69	63	26	253	-	1	-	2	5	7	14	28	67	93	36
White	231	-	-	-	6	4	11	15	37	69	63	26	251	-	1	-	2	5	7	14	27	66	93	36
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	45	-	-	-	1	1	4	-	4	12	13	10	83	1	1	1	-	2	1	2	4	16	19	16
White	45	-	-	-	1	1	4	-	4	12	13	10	82	1	1	1	-	2	1	2	4	16	19	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	242	-	-	-	-	4	9	20	40	58	69	42	319	-	-	2	-	4	6	12	33	68	105	89
White	228	-	-	-	-	2	9	20	37	53	69	38	308	-	-	2	-	4	5	10	30	66	104	87
All other	14	-	-	-	-	2	-	-	3	5	-	4	11	-	-	-	-	-	1	2	3	2	1	2
Black	5	-	-	-	-	1	-	-	-	2	-	2	5	-	-	-	-	-	1	1	2	-	-	1
Nutritional deficiencies (260-269)	15	-	-	-	-	-	1	-	-	-	3	11	33	-	-	-	-	-	-	1	-	2	7	23
White	15	-	-	-	-	-	1	-	-	-	3	11	33	-	-	-	-	-	-	1	-	2	7	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	31	-	-	-	-	2	1	-	1	4	18	5	43	-	1	-	1	-	-	1	3	5	6	26
White	30	-	-	-	-	2	1	-	1	4	17	5	43	-	1	-	1	-	-	1	3	5	6	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	16	6	-	1	1	-	-	-	2	2	1	2	10	1	-	1	-	-	-	-	2	3	1	2
White	16	6	-	1	1	-	-	-	2	2	1	2	10	1	-	1	-	-	-	-	2	3	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,238	12	5	7	15	30	125	357	1,112	2,127	2,591	1,857	7,848	11	3	3	6	17	35	110	426	1,200	2,503	3,534
White	8,133	12	5	7	13	27	119	344	1,088	2,097	2,574	1,847	7,774	11	3	3	4	16	34	103	412	1,183	2,483	3,522
All other	105	-	-	-	2	3	6	13	24	30	17	10	74	-	-	-	2	1	1	7	14	17	20	12
Black	54	-	-	-	1	2	4	6	12	16	7	6	39	-	-	-	1	1	1	5	5	8	14	4
Diseases of heart (390-398,402,404-429)	6,582	11	3	7	11	25	113	320	886	1,759	2,022	1,325	5,558	10	2	2	4	11	22	85	328	955	1,778	2,361
White	6,499	11	3	7	9	22	109	311	866	1,733	2,010	1,318	5,501	10	2	2	2	10	21	80	318	940	1,765	2,351
All other	83	-	-	-	2	3	4	9	20	26	12	7	57	-	-	-	2	1	1	5	10	15	13	10
Black	42	-	-	-	1	2	2	3	11	13	6	4	30	-	-	-	1	1	1	3	5	8	8	3
Rheumatic fever and rheumatic heart disease (390-398)	41	1	-	-	-	2	-	-	6	8	17	7	88	-	-	-	1	3	-	9	9	21	33	12
White	41	1	-	-	-	2	-	-	6	8	17	7	86	-	-	-	-	3	-	9	9	21	32	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	77	-	-	-	-	1	2	6	11	25	23	9	117	-	-	-	-	-	-	2	3	23	36	53
White	74	-	-	-	-	-	2	6	9	25	23	9	115	-	-	-	-	-	-	1	3	23	35	53
All other	3	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	12	-	-	-	-	-	-	-	1	4	4	3	13	-	-	-	-	-	-	1	-	3	2	7
White	12	-	-	-	-	-	-	-	1	4	4	3	13	-	-	-	-	-	-	1	-	3	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	5,047	-	-	-	3	14	83	258	795	1,398	1,541	955	3,820	-	-	-	1	3	15	48	234	698	1,265	1,556
White	4,993	-	-	-	3	14	79	251	782	1,380	1,534	950	3,783	-	-	-	1	3	15	45	225	688	1,257	1,549
All other	54	-	-	-	-	-	4	7	13	18	7	5	37	-	-	-	-	-	-	3	9	10	8	7
Black	25	-	-	-	-	-	2	2	7	8	3	3	17	-	-	-	-	-	-	2	4	4	4	3
Acute myocardial infarction (410)	2,594	-	-	-	1	4	43	152	432	786	805	371	1,768	-	-	-	1	2	9	26	145	416	663	506
White	2,563	-	-	-	1	4	40	147	427	777	799	368	1,748	-	-	-	1	2	9	24	139	411	660	502
All other	31	-	-	-	-	-	3	5	5	9	6	3	20	-	-	-	-	-	-	2	6	5	3	4
Black	11	-	-	-	-	-	1	2	1	4	2	1	7	-	-	-	-	-	-	1	3	1	1	1
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	-	2	5	10	4	7	20	-	-	-	-	-	-	-	-	1	6	13
White	28	-	-	-	-	-	-	2	5	10	4	7	20	-	-	-	-	-	-	-	-	1	6	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	2	2	4	2	11	-	-	-	-	1	-	1	1	2	1	5
White	10	-	-	-	-	-	-	-	2	2	4	2	11	-	-	-	-	1	-	1	1	2	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,415	-	-	-	2	10	40	104	358	600	728	575	2,021	-	-	-	-	-	6	21	88	279	595	1,032
White	2,382	-	-	-	2	10	39	102	348	591	727	573	2,004	-	-	-	-	-	6	20	85	274	590	1,029
All other	23	-	-	-	-	-	1	2	8	9	1	2	17	-	-	-	-	-	-	1	3	5	5	3
Black	14	-	-	-	-	-	1	-	6	4	1	2	10	-	-	-	-	-	-	1	1	3	3	2
Other diseases of endocardium (424)	82	-	-	-	1	1	2	2	11	18	35	12	94	-	-	-	-	-	-	1	10	9	31	43
White	82	-	-	-	1	1	2	2	11	18	35	12	94	-	-	-	-	-	-	1	10	9	31	43
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,323	10	3	7	7	7	26	54	162	306	402	339	1,426	10	2	2	2	5	7	24	72	201	411	690
White	1,297	10	3	7	5	5	26	52	157	298	397	337	1,410	10	2	2	1	4	6	23	71	196	408	687
All other	26	–	–	–	2	2	–	2	5	8	5	2	16	–	–	–	1	1	1	1	1	5	3	3
Black	15	–	–	–	1	1	–	1	3	5	3	1	11	–	–	–	1	1	1	1	1	4	2	–
Hypertension with or without renal disease (401,403)	71	–	–	–	–	–	1	1	10	23	18	20	89	–	–	–	–	–	–	–	4	19	35	31
White	70	–	–	–	–	–	–	1	10	23	16	20	89	–	–	–	–	–	–	–	4	19	35	31
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	1,102	1	2	–	2	5	10	27	74	228	396	357	1,740	1	1	1	2	5	12	21	76	184	555	882
White	1,088	1	2	–	2	5	9	23	71	226	394	355	1,726	1	1	1	2	5	12	19	73	183	549	880
All other	14	–	–	–	–	–	1	4	3	2	2	2	14	–	–	–	–	–	–	2	3	1	6	2
Black	8	–	–	–	–	–	1	3	1	1	–	2	8	–	–	–	–	–	–	2	–	–	5	1
Intracerebral and other intracranial hemorrhage (431-432)	146	–	2	–	1	1	3	8	18	50	43	22	173	–	–	1	2	3	1	6	23	34	59	44
White	145	–	2	–	1	1	3	5	18	50	43	22	171	–	–	1	2	3	1	4	23	34	59	44
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	149	1	–	–	–	–	–	1	10	31	64	42	213	1	1	–	–	–	–	1	6	20	65	119
White	148	1	–	–	–	–	–	1	9	31	64	42	213	1	1	–	–	–	–	1	6	20	65	119
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	1	2	2	2	10	–	–	–	–	–	–	–	1	1	2	6
White	7	–	–	–	–	–	–	–	1	2	2	2	10	–	–	–	–	–	–	–	1	1	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	800	–	–	–	1	4	7	20	45	145	287	291	1,344	–	–	–	–	2	11	14	46	129	429	713
White	788	–	–	–	1	4	6	17	43	143	285	289	1,332	–	–	–	–	2	11	14	43	128	423	711
All other	12	–	–	–	–	–	1	3	2	2	2	2	12	–	–	–	–	–	–	–	3	1	6	2
Black	8	–	–	–	–	–	1	2	–	1	–	2	6	–	–	–	–	–	–	–	–	–	5	1
Atherosclerosis (440)	210	–	–	–	–	–	–	4	8	28	60	110	297	–	–	–	–	–	–	2	4	15	68	208
White	205	–	–	–	–	–	–	4	7	27	58	109	296	–	–	–	–	–	–	2	4	15	67	208
All other	5	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other diseases of arteries, arterioles, and capillaries (441-448)	273	–	–	–	2	–	1	5	34	89	97	45	164	–	–	–	–	1	1	2	14	27	67	52
White	271	–	–	–	2	–	1	5	34	88	96	45	162	–	–	–	–	1	1	2	13	26	67	52
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	597	6	1	–	2	3	4	10	30	95	212	234	627	2	4	2	1	3	3	6	17	39	173	377
White	588	6	1	–	2	3	2	10	28	91	210	234	620	2	4	2	1	2	3	6	17	38	171	374
All other	9	–	–	–	–	–	2	–	1	4	2	–	7	–	–	–	–	1	–	–	–	1	2	3
Black	4	–	–	–	–	–	2	–	–	–	2	–	3	–	–	–	–	1	–	–	–	–	1	1
Pneumonia (480-486)	586	6	–	–	1	3	4	10	30	95	208	231	612	2	4	2	1	3	3	5	17	38	170	367
White	579	6	–	–	1	3	2	10	29	91	206	231	605	2	4	2	1	2	3	5	17	37	168	364
All other	9	–	–	–	–	–	2	–	1	4	2	–	7	–	–	–	–	1	–	–	–	1	2	3
Black	4	–	–	–	–	–	2	–	–	–	2	–	3	–	–	–	–	1	–	–	–	–	1	1
Influenza (487)	9	–	1	–	1	–	–	–	–	–	4	3	15	–	–	–	–	–	–	1	–	1	3	10
White	9	–	1	–	1	–	–	–	–	–	4	3	15	–	–	–	–	–	–	1	–	1	3	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	697	1	–	1	1	1	1	9	61	215	269	119	385	–	1	4	–	1	3	10	46	146	109	66
White	687	1	–	1	1	1	1	8	60	211	265	118	378	–	1	4	–	1	1	9	45	146	107	64
All other	10	–	–	–	–	–	–	1	1	4	3	1	7	–	–	–	–	–	2	1	1	–	1	2
Black	4	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	10	1	–	–	1	–	–	–	2	4	8	3	26	–	1	–	–	–	–	–	3	9	2	11
White	10	1	–	–	1	–	–	–	2	4	8	3	26	–	1	–	–	–	–	–	3	9	2	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	129	–	–	–	–	–	–	2	20	49	43	15	64	–	–	–	–	–	–	1	9	33	16	5
White	127	–	–	–	–	–	–	2	20	48	43	14	63	–	–	–	–	–	–	1	9	33	15	5
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	29	-	-	1	-	1	1	1	2	8	10	5	34	-	-	4	-	1	-	1	-	9	13	6
White	29	-	-	1	-	1	1	1	2	8	10	5	34	-	-	4	-	1	-	1	-	9	13	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	520	-	-	-	-	-	-	6	57	154	207	96	261	-	-	-	-	-	3	8	34	95	77	44
White	512	-	-	-	-	-	-	5	56	151	204	96	255	-	-	-	-	-	1	7	33	95	77	42
All other	8	-	-	-	-	-	-	1	1	3	3	-	6	-	-	-	-	-	2	1	1	-	-	2
Black	3	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Ulcer of stomach and duodenum (531-533)	61	-	-	-	-	2	2	1	3	14	21	18	62	-	-	-	-	-	-	1	4	7	22	28
White	60	-	-	-	-	2	2	-	3	14	21	18	62	-	-	-	-	-	-	1	4	7	22	28
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	1	-	-	-	2	3	-	5	-	-	-	-	1	-	-	1	-	2	1
White	6	-	-	-	-	1	-	-	-	2	3	-	5	-	-	-	-	1	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	50	2	-	-	1	1	-	2	4	10	17	13	57	-	-	-	-	-	1	-	2	6	11	37
White	50	2	-	-	1	1	-	2	4	10	17	13	57	-	-	-	-	-	1	-	2	6	11	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	230	-	-	-	-	3	30	39	60	68	28	4	148	-	-	-	1	5	14	26	39	37	22	4
White	223	-	-	-	-	3	28	36	59	68	25	4	143	-	-	-	1	4	13	25	38	36	22	4
All other	7	-	-	-	-	-	2	3	1	-	1	-	5	-	-	-	-	1	1	1	1	1	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	-	1	3	3	7	11	34	-	-	-	1	1	-	-	2	5	12	13
White	24	-	-	-	-	-	-	-	3	3	7	11	34	-	-	-	1	1	-	-	2	5	12	13
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	137	2	-	-	-	1	2	1	11	20	50	50	143	-	-	-	1	1	2	1	9	18	45	66
White	133	2	-	-	-	1	2	-	11	18	49	50	142	-	-	-	1	1	2	1	9	18	44	66
All other	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	1	-	-	3	2	6	12	-	-	-	1	-	2	-	-	-	7	2
White	12	-	-	-	-	-	1	-	-	3	2	6	12	-	-	-	1	-	2	-	-	-	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	123	2	-	-	-	-	1	1	11	17	47	44	129	-	-	-	-	1	-	1	8	18	37	64
White	118	2	-	-	-	-	1	-	11	15	46	44	128	-	-	-	-	1	-	1	8	18	36	64
All other	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Infections of kidney (590)	11	-	-	-	1	-	-	1	1	2	1	5	21	-	-	-	-	-	-	-	2	1	7	11
White	9	-	-	-	1	-	-	1	1	1	1	4	21	-	-	-	-	-	-	-	2	1	7	11
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	13	-	-	-	-	-	-	-	-	1	8	4	***	***	***	***	***	***	***	***	***	***	***	***
White	13	-	-	-	-	-	-	-	-	1	8	4	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	-	-	3	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	-	3	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	111	69	9	4	6	1	4	3	6	7	2	-	104	71	7	1	1	2	1	5	5	6	3	2
White	106	66	8	3	6	1	4	3	6	7	2	-	102	69	7	1	1	2	1	5	5	6	3	2
All other	5	3	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	149	149	-	-	-	-	-	-	-	-	-	-	108	104	2	1	1	-	-	-	-	-	-	-
White	135	135	-	-	-	-	-	-	-	-	-	-	96	92	2	1	1	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	48	48	-	-	-	-	-	-	-	-	-	-	21	19	1	1	-	-	-	-	-	-	-	-
White	47	47	-	-	-	-	-	-	-	-	-	-	20	18	1	1	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	95	95	-	-	-	-	-	-	-	-	-	-	87	85	1	-	1	-	-	-	-	-	-	-
White	88	88	-	-	-	-	-	-	-	-	-	-	76	74	1	-	1	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	419	62	1	1	-	8	5	11	47	106	94	84	352	49	1	1	2	2	-	4	18	49	85	142
White	406	57	1	1	-	8	5	11	45	104	91	83	341	46	1	1	1	1	-	4	18	47	83	141
All other	13	5	-	-	-	-	-	-	2	2	3	1	11	3	-	-	1	1	-	-	-	2	1	1
Black	7	2	-	-	-	-	-	-	1	2	1	1	6	2	-	-	1	1	-	-	1	-	1	-
All other diseases (Residual)	1,137	19	13	10	21	18	28	52	115	257	317	286	1,253	7	4	5	12	13	23	43	87	198	372	491
White	1,110	17	13	9	20	18	25	49	113	253	313	280	1,225	6	4	5	12	12	20	40	86	187	368	485
All other	27	2	-	1	1	1	3	3	2	4	4	6	28	1	-	-	-	1	3	3	1	9	4	6
Black	19	-	-	1	1	1	2	2	2	3	3	4	12	-	-	-	-	-	1	1	-	4	3	3
Accidents and adverse effects (E800-E949)	1,036	5	18	43	285	149	89	78	92	108	93	95	497	8	8	16	75	54	20	18	37	50	77	124
White	989	5	15	41	244	145	82	75	89	105	93	95	466	5	8	15	71	49	17	18	36	49	76	122
All other	47	-	3	2	21	4	7	3	3	3	-	-	21	3	-	1	4	5	3	-	1	1	1	2
Black	11	-	-	1	4	1	2	1	1	1	-	-	8	-	-	-	-	3	2	-	-	1	1	1
Motor vehicle accidents (E810-E825)	482	1	6	25	185	92	47	35	28	30	19	13	194	2	3	13	58	33	12	8	19	16	20	9
White	454	1	3	24	174	88	42	34	26	30	19	13	188	1	3	12	58	30	10	8	19	16	20	9
All other	28	-	3	1	11	4	5	1	2	-	-	-	6	1	-	1	1	3	2	-	-	-	-	-
Black	5	-	-	-	2	1	1	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807 E826-E949)	554	4	12	18	80	57	42	43	64	78	74	82	293	6	5	3	16	21	8	10	18	34	57	115
White	535	4	12	17	70	57	40	41	63	75	74	82	280	4	5	3	13	19	7	10	17	33	56	113
All other	19	-	-	1	10	-	2	2	1	3	-	-	13	2	-	-	3	2	1	-	1	1	1	2
Black	6	-	-	1	2	-	1	1	-	1	-	-	6	-	-	-	-	2	1	-	-	1	1	1
Suicide (E950-E959)	341	...	...	2	73	82	49	29	37	38	23	8	102	...	...	-	20	33	17	14	9	7	2	-
White	326	...	...	2	68	75	48	29	36	37	23	8	99	...	...	-	19	33	17	14	8	6	2	-
All other	15	...	...	-	5	7	1	-	1	1	-	-	3	...	...	-	1	-	-	-	1	1	-	-
Black	6	...	...	-	-	5	1	-	-	-	-	-	2	...	...	-	-	-	-	-	1	1	-	-
Homicide and legal intervention (E960-E978)	60	3	5	3	8	21	9	7	-	3	-	1	26	3	1	-	5	7	3	2	2	1	1	1
White	39	3	4	1	4	14	4	6	-	2	-	1	17	1	-	-	5	4	1	1	2	1	1	1
All other	21	-	1	2	4	7	5	1	-	1	-	-	9	2	1	-	-	3	2	1	-	-	-	-
Black	17	-	1	2	4	6	3	1	-	-	-	-	8	2	1	-	-	3	2	-	-	-	-	-
All other external causes (E980-E999)	28	-	-	-	11	8	5	1	-	-	-	1	9	-	-	1	1	2	1	1	2	-	-	1
White	25	-	-	-	9	8	5	-	-	-	-	1	9	-	-	1	1	2	1	1	2	-	-	1
All other	3	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	13,079	329	64	99	382	450	560	967	2,116	3,375	3,277	1,439	10,860	303	48	63	137	184	262	513	1,212	2,250	3,235	2,633
White	8,415	121	23	43	220	232	310	626	1,430	2,308	2,197	900	6,940	106	21	29	84	84	138	288	728	1,401	2,191	1,884
All other	4,664	208	41	56	162	218	250	341	686	1,067	1,080	539	3,920	197	27	34	53	100	124	225	484	849	1,044	769
Black	4,628	208	41	55	157	214	244	338	678	1,065	1,077	535	3,868	194	27	34	53	98	121	219	477	846	1,041	764
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	4	-	-	-	-	-	-	1	-	-	-	5	1	-	-	-	-	-	-	-	1	1	2
White	1	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	2
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Tuberculosis (010-018)	18	-	-	-	-	-	1	3	4	6	3	-	10	-	-	-	-	-	-	-	1	3	4	2
White	9	-	-	-	-	-	1	-	4	3	1	-	5	-	-	-	-	-	-	-	1	1	2	1
All other	9	-	-	-	-	-	-	3	-	3	2	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	9	-	-	-	-	-	-	3	-	3	2	-	5	-	-	-	-	-	-	-	-	2	2	1
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	1	3	4	5	2	-	8	-	-	-	-	-	-	-	-	2	4	2
White	9	-	-	-	-	-	1	-	4	3	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	6	-	-	-	-	-	-	3	-	2	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	6	-	-	-	-	-	-	3	-	2	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	1	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	69	3	-	-	2	-	4	1	8	21	22	7	83	7	-	-	-	-	2	5	9	17	22	21
White	45	1	-	-	-	-	3	1	6	13	16	4	49	3	-	-	-	-	2	3	4	8	10	10
All other	24	2	-	-	2	-	1	-	2	8	6	3	34	4	-	-	-	-	-	2	5	9	3	11
Black	23	2	-	-	2	-	-	-	2	8	6	3	33	3	-	-	-	-	-	2	5	9	3	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	5	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	32	2	-	-	2	1	3	4	10	5	3	2	26	-	-	1	1	-	3	-	7	5	6	3
White	18	-	-	-	1	-	-	3	7	3	3	1	20	-	-	-	1	-	2	-	5	4	5	3
All other	14	2	-	-	1	1	3	1	3	2	-	1	6	-	-	1	-	-	1	-	2	1	1	-
Black	14	2	-	-	1	1	3	1	3	2	-	1	6	-	-	1	-	-	1	-	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,680	-	1	9	14	21	80	234	603	914	634	165	1,950	1	2	8	12	38	73	171	384	557	484	218
White	1,807	-	1	3	7	19	50	146	406	656	426	92	1,316	-	1	5	6	18	41	102	260	385	345	152
All other	873	-	-	6	7	2	30	88	197	258	208	73	634	1	1	3	6	20	32	69	124	172	139	66
Black	867	-	-	6	7	2	29	87	194	257	208	73	628	1	1	3	6	19	32	68	121	171	138	65

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	54	–	–	–	–	–	2	10	11	20	9	2	29	–	–	–	–	–	1	2	5	14	5	2
White	39	–	–	–	–	–	2	4	8	17	6	2	25	–	–	–	–	–	1	–	4	13	5	2
All other	15	–	–	–	–	–	–	6	3	3	3	–	4	–	–	–	–	–	–	2	1	1	–	–
Black	14	–	–	–	–	–	–	6	2	3	3	–	4	–	–	–	–	–	–	2	1	1	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	577	–	–	–	1	3	10	54	118	184	152	55	513	–	–	1	1	8	13	26	83	144	145	91
White	348	–	–	–	–	3	4	30	69	121	96	25	337	–	–	–	–	4	8	15	47	93	105	65
All other	229	–	–	–	1	–	6	24	49	63	56	30	176	–	–	1	1	4	5	11	36	51	40	26
Black	226	–	–	–	1	–	6	23	49	62	56	30	174	–	–	1	1	3	5	11	36	50	40	26
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,058	–	–	–	–	3	31	108	298	406	182	29	332	–	–	–	–	3	10	31	94	113	61	20
White	791	–	–	–	–	3	16	72	223	314	142	20	250	–	–	–	–	–	5	23	72	91	44	15
All other	267	–	–	–	–	–	15	36	75	92	40	9	82	–	–	–	–	3	5	8	22	22	17	5
Black	266	–	–	–	–	–	15	36	74	92	40	9	81	–	–	–	–	3	5	8	21	22	17	5
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	2	1	–	–	299	–	–	–	–	12	25	35	62	82	58	24
White	2	–	–	–	–	–	–	–	2	–	–	–	209	–	–	–	–	8	14	24	41	59	44	18
All other	1	–	–	–	–	–	–	–	–	1	–	–	90	–	–	–	–	4	11	11	21	23	14	6
Black	1	–	–	–	–	–	–	–	–	1	–	–	90	–	–	–	–	4	11	11	21	23	14	6
Malignant neoplasms of genital organs (179-187)	306	–	–	–	–	–	1	5	32	97	126	42	214	–	–	–	4	4	11	28	41	70	38	18
White	153	–	–	–	–	–	1	4	15	52	63	18	113	–	–	–	1	2	4	13	22	40	25	6
All other	153	–	–	–	–	–	–	1	17	45	63	24	101	–	–	–	3	2	7	15	19	30	13	12
Black	153	–	–	–	–	–	–	1	17	45	63	24	100	–	–	–	3	2	7	15	18	30	13	12
Malignant neoplasms of urinary organs (188-189)	111	–	–	–	–	–	2	11	24	31	36	5	64	–	1	2	–	–	–	2	9	13	24	13
White	78	–	–	–	–	–	1	6	19	22	27	3	47	–	1	2	–	–	–	–	9	8	19	8
All other	33	–	–	–	–	–	1	5	5	9	11	2	17	–	–	–	–	–	–	2	–	5	5	5
Black	33	–	–	–	–	–	1	5	5	9	11	2	16	–	–	–	–	–	–	2	–	5	4	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	341	–	–	4	4	10	25	37	69	105	73	13	297	–	–	4	2	7	11	33	57	73	83	27
White	232	–	–	2	3	10	19	27	40	72	51	8	197	–	–	2	1	3	8	19	42	50	52	20
All other	109	–	–	2	1	–	6	10	29	33	22	5	100	–	–	2	1	4	3	14	15	23	31	7
Black	109	–	–	2	1	–	6	10	29	33	22	5	97	–	–	2	1	4	3	13	14	23	31	6
Leukemia (204-208)	103	–	1	4	8	1	4	2	18	33	21	11	84	1	1	1	3	2	–	7	15	17	22	15
White	70	–	1	–	3	1	3	1	12	25	16	8	60	–	–	1	2	–	–	5	12	11	18	13
All other	33	–	–	4	5	–	1	1	6	8	5	3	24	1	1	–	1	2	–	2	3	6	6	2
Black	33	–	–	4	5	–	1	1	6	8	5	3	24	1	1	–	1	2	–	2	3	6	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	127	–	–	1	1	4	5	7	31	37	33	8	118	–	–	–	2	2	2	7	18	31	48	8
White	94	–	–	1	1	2	4	2	18	33	25	8	78	–	–	–	2	1	1	3	11	20	35	5
All other	33	–	–	–	–	2	1	5	13	4	8	–	40	–	–	–	–	1	1	4	7	11	13	3
Black	32	–	–	–	–	2	–	5	13	4	8	–	40	–	–	–	–	1	1	4	7	11	13	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	40	1	–	1	–	5	–	4	5	13	9	2	45	–	–	2	–	3	1	3	9	9	11	7
White	22	1	–	–	–	3	–	4	2	5	6	1	22	–	–	–	–	–	1	1	4	5	7	4
All other	18	–	–	1	–	2	–	–	3	8	3	1	23	–	–	2	–	3	–	2	5	4	4	3
Black	18	–	–	1	–	2	–	–	3	8	3	1	22	–	–	2	–	2	–	2	5	4	4	3
Diabetes mellitus (250)	152	–	–	–	2	1	6	13	14	53	46	17	284	–	–	–	–	–	5	12	37	89	82	38
White	89	–	–	–	1	1	4	7	9	30	28	9	128	–	–	–	–	–	1	7	13	41	45	19
All other	63	–	–	–	1	–	2	6	5	23	18	8	138	–	–	–	–	–	4	5	24	48	37	19
Black	62	–	–	–	1	–	2	6	5	23	17	8	136	–	–	–	–	–	4	5	23	47	37	19
Nutritional deficiencies (260-269)	12	1	–	–	–	–	–	–	3	1	2	5	18	–	–	–	–	–	3	–	1	2	3	9
White	5	–	–	–	–	–	–	–	1	1	–	3	9	–	–	–	–	–	2	–	–	–	1	6
All other	7	1	–	–	–	–	–	–	2	–	2	2	9	–	–	–	–	–	1	–	1	2	2	3
Black	7	1	–	–	–	–	–	–	2	–	2	2	9	–	–	–	–	–	1	–	1	2	2	3
Anemias (280-285)	26	–	1	1	2	5	1	–	1	6	7	2	39	–	–	1	–	2	1	4	3	7	9	12
White	10	–	–	–	–	–	1	–	1	4	4	–	22	–	–	–	–	1	–	1	1	6	5	8
All other	16	–	1	1	2	5	–	–	–	2	3	2	17	–	–	1	–	1	1	3	2	1	4	4
Black	16	–	1	1	2	5	–	–	–	2	3	2	17	–	–	1	–	1	1	3	2	1	4	4
Meningitis (320-322)	11	4	2	–	–	–	1	1	1	1	1	–	5	1	–	–	–	–	–	2	–	–	1	1
White	4	–	2	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	7	4	–	–	–	–	–	1	1	–	1	–	3	1	–	–	–	–	–	2	–	–	–	–
Black	7	4	–	–	–	–	–	1	1	–	1	–	3	1	–	–	–	–	–	2	–	–	–	–
Major cardiovascular diseases (390-448)	5,589	17	4	3	17	61	142	383	911	1,531	1,667	625	5,409	10	5	4	12	27	64	167	459	1,045	1,855	1,743
White	3,752	4	2	2	4	23	70	253	648	1,050	1,168	530	3,568	2	3	1	5	11	25	81	241	648	1,269	1,279
All other	1,837	13	2	1	13	38	72	130	265	481	521	295	1,835	8	2	3	7	16	39	86	218	397	586	464
Black	1,831	13	2	1	12	38	72	128	265	481	520	293	1,825	8	2	3	7	16	38	83	217	396	586	460

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,499	14	3	2	14	49	116	332	805	1,268	1,275	620	3,988	9	4	1	8	20	45	130	359	813	1,353	1,236
White	3,108	4	1	1	3	17	60	234	582	901	905	399	2,646	1	3	–	4	8	17	66	197	506	919	921
All other	1,391	10	2	1	11	32	55	98	223	365	370	221	1,342	8	1	1	4	12	28	62	162	307	434	317
Black	1,386	10	2	1	10	32	55	97	223	365	369	219	1,336	8	1	1	4	12	27	61	161	306	434	315
Rheumatic fever and rheumatic heart disease (390-398)	8	–	–	–	1	–	–	–	1	2	3	1	19	–	–	–	–	1	3	1	4	6	3	1
White	8	–	–	–	1	–	–	–	1	2	3	1	12	–	–	–	–	–	1	–	3	5	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	1	2	1	1	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	1	2	1	1	1	1	–
Hypertensive heart disease (402)	96	–	–	–	–	3	2	3	13	28	33	14	156	–	–	–	1	1	1	6	17	28	56	46
White	43	–	–	–	–	1	–	1	4	11	20	6	76	–	–	–	–	–	–	1	5	10	31	29
All other	53	–	–	–	–	2	2	2	9	17	13	8	80	–	–	–	1	1	1	5	12	18	25	17
Black	53	–	–	–	–	2	2	2	9	17	13	8	80	–	–	–	1	1	1	5	12	18	25	17
Hypertensive heart and renal disease (404)	24	–	–	–	–	–	–	1	2	11	7	3	35	–	–	–	–	–	–	2	2	9	11	11
White	8	–	–	–	–	–	–	–	1	3	3	1	18	–	–	–	–	–	–	–	–	4	5	9
All other	16	–	–	–	–	–	–	1	1	8	4	2	17	–	–	–	–	–	–	2	2	5	6	2
Black	16	–	–	–	–	–	–	1	1	8	4	2	17	–	–	–	–	–	–	2	2	5	6	2
Ischemic heart disease (410-414)	3,022	1	–	–	5	29	83	240	575	855	856	377	2,404	–	–	–	1	6	24	85	212	527	836	708
White	2,208	1	–	–	–	11	44	174	438	646	636	258	1,672	–	–	–	–	3	8	56	129	334	595	546
All other	814	–	–	–	5	18	39	66	137	209	220	119	732	–	–	–	1	3	16	29	83	193	241	162
Black	812	–	–	–	5	16	39	65	137	209	220	118	731	–	–	–	1	3	15	29	83	193	241	162
Acute myocardial infarction (410)	2,186	1	–	–	5	27	72	200	482	658	571	191	1,499	–	–	–	1	6	21	78	176	378	520	318
White	1,500	1	–	–	–	10	39	147	345	501	431	126	1,015	–	–	–	–	3	7	51	106	242	371	235
All other	686	–	–	–	5	17	33	53	117	155	140	65	484	–	–	–	1	3	14	27	70	136	149	83
Black	684	–	–	–	5	17	33	52	117	155	140	64	483	–	–	–	1	3	13	27	70	136	149	83
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	–	1	–	1	3	1	2	13	–	–	–	–	–	–	–	2	1	7	3
White	6	–	–	–	–	–	–	–	1	3	1	1	4	–	–	–	–	–	–	–	–	–	3	1
All other	2	–	–	–	–	–	1	–	–	–	–	1	9	–	–	–	–	–	–	–	2	1	4	2
Black	2	–	–	–	–	–	1	–	–	–	–	1	9	–	–	–	–	–	–	–	2	1	4	2
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	1	2	1
White	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	826	–	–	–	–	2	10	40	112	195	283	184	888	–	–	–	–	–	3	7	34	147	307	388
White	600	–	–	–	–	1	5	27	92	141	203	131	649	–	–	–	–	–	1	5	23	91	219	309
All other	226	–	–	–	–	1	5	13	20	54	80	53	239	–	–	–	–	–	2	2	11	56	88	77
Black	226	–	–	–	–	1	5	13	20	54	80	53	239	–	–	–	–	–	2	2	11	56	88	77
Other diseases of endocardium (424)	36	–	–	–	–	–	2	3	8	6	15	4	18	–	–	–	–	–	–	–	1	5	6	4
White	29	–	–	–	–	–	–	1	6	4	14	4	16	–	–	–	–	–	–	–	1	3	8	4
All other	9	–	–	–	–	–	2	2	2	2	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	9	–	–	–	–	–	2	2	2	2	1	–	2	–	–	–	–	–	–	–	–	2	–	–
All other forms of heart disease (415-423,425-429)	1,311	13	3	2	8	17	28	85	206	364	361	221	1,356	9	4	1	6	12	17	36	123	238	439	468
White	812	3	1	1	2	5	16	58	132	235	229	129	852	1	3	–	4	5	8	11	59	150	278	392
All other	499	10	2	1	6	12	12	27	74	129	132	92	504	8	1	1	2	7	9	25	64	88	161	136
Black	496	10	2	1	5	12	12	27	74	129	131	91	499	8	1	1	2	7	9	24	63	87	161	134
Hypertension with or without renal disease (401,403)	46	–	–	–	–	–	1	6	6	15	12	8	55	–	–	–	–	–	1	4	7	4	24	15
White	17	–	–	–	–	–	–	2	6	3	4	24	–	–	–	–	–	–	1	–	1	12	10	
All other	29	–	–	–	–	–	1	6	4	7	9	2	31	–	–	–	–	–	1	3	7	3	12	5
Black	29	–	–	–	–	–	1	6	4	7	9	2	30	–	–	–	–	–	1	2	7	3	12	5
Cerebrovascular diseases (430-438)	851	3	1	1	3	11	23	38	83	199	324	163	1,168	–	1	2	3	5	18	32	82	202	429	393
White	492	–	1	1	1	6	8	16	49	107	201	101	757	–	–	1	–	2	8	12	38	123	298	275
All other	359	3	–	–	2	5	15	22	34	92	123	62	412	–	1	1	3	3	10	20	44	79	131	118
Black	358	3	–	–	2	5	15	21	34	92	123	62	409	–	1	1	3	3	10	19	44	79	131	116
Intracerebral and other intracranial hemorrhage (431-432)	106	1	1	1	1	5	10	7	22	36	16	8	107	–	1	2	1	2	7	11	13	28	27	15
White	62	–	1	1	1	2	4	3	17	21	11	1	66	–	–	1	–	1	2	5	7	20	22	8
All other	44	1	–	–	–	3	6	4	5	15	5	5	41	–	1	1	1	1	5	6	6	8	5	7
Black	43	1	–	–	–	3	6	3	5	15	5	5	41	–	1	1	1	1	5	6	6	8	5	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	126	–	–	–	1	–	2	3	15	31	48	24	160	–	–	–	–	1	3	1	14	30	61	48
White	75	–	–	–	–	–	1	1	9	17	27	19	109	–	–	–	–	–	1	–	4	19	49	36
All other	51	–	–	–	1	–	1	2	6	14	21	5	51	–	–	–	–	1	2	1	10	11	12	12
Black	51	–	–	–	1	–	1	2	6	14	21	5	51	–	–	–	–	1	2	1	10	11	12	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	1	-	-	3	2
White	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	1	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	617	2	-	-	1	6	11	28	45	132	259	133	896	-	-	-	2	2	8	19	55	144	336	328
White	353	-	-	-	-	4	3	12	22	69	162	81	577	-	-	-	-	1	5	6	27	84	225	229
All other	264	2	-	-	1	2	8	16	23	63	97	52	319	-	-	-	2	1	3	13	28	60	113	99
Black	264	2	-	-	1	2	8	16	23	63	97	52	316	-	-	-	2	1	3	12	28	60	113	97
Atherosclerosis (440)	78	-	-	-	-	-	1	-	1	14	40	21	133	-	-	-	-	-	-	-	6	13	30	84
White	51	-	-	-	-	-	1	-	-	6	30	14	100	-	-	-	-	-	-	-	3	8	25	64
All other	27	-	-	-	-	-	-	-	1	8	10	7	33	-	-	-	-	-	-	-	3	5	5	20
Black	27	-	-	-	-	-	-	-	1	8	10	7	33	-	-	-	-	-	-	-	3	5	5	20
Other diseases of arteries, arterioles, and capillaries (441-448)	115	-	-	-	-	1	2	7	16	37	36	15	58	1	-	1	1	2	-	1	5	13	19	13
White	84	-	-	-	-	-	1	3	13	28	27	12	41	1	-	-	1	1	-	-	3	10	15	9
All other	31	-	-	-	-	1	1	4	3	9	9	3	17	-	-	1	-	1	-	1	2	3	4	4
Black	31	-	-	-	-	1	1	4	3	9	9	3	17	-	-	1	-	1	-	1	2	3	4	4
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	-	3	2
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	292	8	2	-	1	5	8	7	22	60	100	69	295	7	2	2	3	5	3	6	20	42	91	114
White	192	6	-	-	-	-	4	4	11	45	71	51	220	1	-	1	3	1	2	4	13	29	75	91
All other	90	2	2	-	1	5	4	3	11	15	29	18	75	6	2	1	-	4	1	2	7	13	16	23
Black	90	2	2	-	1	5	4	3	11	15	29	18	73	6	2	1	-	4	1	2	7	13	14	23
Pneumonia (480-486)	276	8	2	-	1	5	6	7	22	60	97	68	285	7	2	2	3	5	3	6	20	41	87	109
White	186	6	-	-	-	-	3	4	11	45	68	51	210	1	-	1	3	1	2	4	13	28	71	86
All other	88	2	2	-	1	5	3	3	11	15	29	17	75	6	2	1	-	4	1	2	7	13	16	23
Black	88	2	2	-	1	5	3	3	11	15	29	17	73	6	2	1	-	4	1	2	7	13	14	23
Influenza (487)	6	-	-	-	-	-	2	-	-	-	3	1	10	-	-	-	-	-	-	-	-	1	4	5
White	4	-	-	-	-	-	1	-	-	-	3	-	10	-	-	-	-	-	-	-	-	1	4	5
All other	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	479	1	-	1	-	2	3	19	77	185	152	39	243	-	-	-	2	2	6	5	48	74	78	28
White	381	-	-	-	-	1	2	16	68	142	117	35	200	-	-	-	-	-	3	5	37	63	67	25
All other	98	1	-	1	-	1	1	3	9	43	35	4	43	-	-	-	2	2	3	-	11	11	11	3
Black	97	1	-	1	-	1	1	3	9	42	35	4	43	-	-	-	2	2	3	-	11	11	11	3
Bronchitis, chronic and unspecified (490-491)	21	1	-	-	-	1	-	2	1	9	6	1	17	-	-	-	-	-	1	-	-	5	6	5
White	18	-	-	-	-	1	-	2	1	8	5	1	15	-	-	-	-	-	-	-	-	5	6	4
All other	3	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	3	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Emphysema (492)	73	-	-	-	-	-	1	3	11	25	27	6	30	-	-	-	-	-	-	1	6	12	8	3
White	56	-	-	-	-	-	1	3	10	16	21	5	26	-	-	-	-	-	-	1	6	9	7	3
All other	17	-	-	-	-	-	-	-	1	9	6	1	4	-	-	-	-	-	-	-	-	3	1	-
Black	17	-	-	-	-	-	-	-	1	9	6	1	4	-	-	-	-	-	-	-	-	3	1	-
Asthma (493)	18	-	-	1	-	1	1	2	2	2	5	2	28	-	-	-	2	2	1	-	8	5	7	3
White	7	-	-	-	-	-	-	-	2	1	3	1	17	-	-	-	-	-	-	-	6	4	4	3
All other	9	-	-	1	-	1	1	2	-	1	2	1	11	-	-	-	2	2	1	-	2	1	3	-
Black	9	-	-	1	-	1	1	2	-	1	2	1	11	-	-	-	2	2	1	-	2	1	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	369	-	-	-	-	-	1	12	63	149	114	30	168	-	-	-	-	-	4	4	34	62	57	17
White	300	-	-	-	-	-	1	11	55	117	88	28	142	-	-	-	-	-	3	4	25	45	50	15
All other	69	-	-	-	-	-	-	1	8	32	26	2	26	-	-	-	-	-	1	-	9	7	7	2
Black	68	-	-	-	-	-	-	1	8	31	26	2	26	-	-	-	-	-	1	-	9	7	7	2
Ulcer of stomach and duodenum (531-533)	32	-	-	-	-	-	3	2	7	7	7	6	25	-	-	-	-	-	-	1	2	9	9	4
White	23	-	-	-	-	-	1	1	4	7	6	4	18	-	-	-	-	-	-	-	1	8	6	3
All other	9	-	-	-	-	-	2	1	3	-	1	2	7	-	-	-	-	-	-	1	1	1	3	1
Black	9	-	-	-	-	-	2	1	3	-	1	2	7	-	-	-	-	-	-	1	1	1	3	1
Appendicitis (540-543)	8	-	-	-	-	1	-	2	1	2	2	-	4	-	-	1	-	-	1	-	1	-	-	1
White	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	6	-	-	-	-	1	-	1	1	2	1	-	3	-	-	1	-	-	1	-	-	-	-	1
Black	6	-	-	-	-	1	-	1	1	2	1	-	3	-	-	1	-	-	1	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	2	-	1	-	-	1	1	1	5	7	4	30	-	-	-	1	-	-	-	5	7	10	7
White	10	2	-	-	-	-	-	-	1	4	3	-	20	-	-	-	-	-	-	-	5	3	7	5
All other	12	-	-	1	-	-	1	1	-	1	4	4	10	-	-	-	1	-	-	-	-	4	3	2
Black	12	-	-	1	-	-	1	1	-	1	4	4	10	-	-	-	1	-	-	-	-	4	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	126	1	-	-	1	2	13	28	34	29	17	1	75	-	-	-	-	1	6	17	23	17	9	1
White	93	-	-	-	1	2	8	16	26	25	15	-	54	-	-	-	-	-	3	14	19	12	5	1
All other	33	1	-	-	-	-	5	12	8	4	2	1	21	-	-	-	-	1	3	3	4	5	4	-
Black	32	1	-	-	-	-	5	12	7	4	2	1	20	-	-	-	-	1	3	2	4	5	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	1	-	2	5	5	1	11	-	-	-	-	-	-	-	-	5	4	2
White	13	-	-	-	-	-	1	-	2	5	4	1	5	-	-	-	-	-	-	-	-	2	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	3	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	3	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	131	2	-	1	-	1	5	4	13	28	41	35	136	2	-	1	-	3	3	4	8	33	50	32
White	70	-	-	-	-	1	-	3	3	15	28	20	75	1	-	1	-	2	1	3	3	14	29	21
All other	61	2	-	1	-	-	5	1	10	13	13	15	61	1	-	-	-	1	2	1	5	19	21	11
Black	61	2	-	1	-	-	5	1	10	13	13	15	60	1	-	-	-	1	2	1	4	19	21	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	1	1	-	3	-	3	6	10	-	-	-	-	1	-	-	-	4	2	3
White	4	-	-	-	-	1	-	-	-	-	2	1	7	-	-	-	-	1	-	-	-	2	2	2
All other	10	-	-	-	-	-	1	-	3	-	1	5	3	-	-	-	-	-	-	-	-	2	-	1
Black	10	-	-	-	-	-	1	-	3	-	1	5	3	-	-	-	-	-	-	-	-	2	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	117	2	-	1	-	-	4	4	10	28	38	29	124	2	-	1	-	2	3	3	8	29	48	28
White	66	-	-	-	-	-	-	3	3	15	26	19	67	1	-	1	-	1	1	2	3	12	27	19
All other	51	2	-	1	-	-	4	1	7	13	12	10	57	1	-	-	-	1	2	1	5	17	21	9
Black	51	2	-	1	-	-	4	1	7	13	12	10	56	1	-	-	-	1	2	1	4	17	21	9
Infections of kidney (590)	5	-	-	-	-	-	-	1	-	-	4	-	29	-	-	-	1	-	-	-	1	2	15	10
White	2	-	-	-	-	-	-	1	-	-	1	-	19	-	-	-	-	-	-	-	1	2	7	9
All other	3	-	-	-	-	-	-	-	-	-	3	-	10	-	-	-	1	-	-	-	-	-	8	1
Black	3	-	-	-	-	-	-	-	-	-	3	-	10	-	-	-	1	-	-	-	-	-	8	1
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	-	4	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	-	4	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	-	4	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	80	56	6	3	1	1	3	2	3	3	1	1	85	66	3	1	3	3	1	3	2	2	-	1
White	51	36	2	2	1	-	1	2	3	2	1	1	44	32	2	-	3	1	1	2	2	-	-	1
All other	29	20	4	1	-	1	2	-	-	1	-	-	41	34	1	1	-	2	-	1	-	2	-	-
Black	29	20	4	1	-	1	2	-	-	1	-	-	40	33	1	1	-	2	-	1	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	165	164	1	-	-	-	-	-	-	-	-	-	142	140	-	1	1	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	50	49	-	-	1	-	-	-	-	-	-	-
All other	111	110	1	-	-	-	-	-	-	-	-	-	92	91	-	1	-	-	-	-	-	-	-	-
Black	111	110	1	-	-	-	-	-	-	-	-	-	92	91	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	45	45	-	-	-	-	-	-	-	-	-	-	43	41	-	1	1	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	20	19	-	-	1	-	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	23	22	-	1	-	-	-	-	-	-	-	-
Black	26	26	-	-	-	-	-	-	-	-	-	-	23	22	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	120	119	1	–	–	–	–	–	–	–	–	–	99	99	–	–	–	–	–	–	–	–	–	–
White	35	35	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
All other	85	84	1	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Black	85	84	1	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	823	37	9	–	8	15	33	63	147	202	214	91	612	42	1	–	3	8	8	24	68	141	169	148
White	365	11	3	–	2	1	16	37	71	102	84	37	260	11	1	–	2	2	3	9	35	63	74	60
All other	458	26	6	–	6	14	17	26	76	100	130	54	352	31	–	–	1	6	5	15	33	78	95	88
Black	457	26	6	–	6	14	17	26	75	100	130	54	350	30	–	–	1	6	4	15	33	78	95	88
All other diseases (Residual)	764	16	9	5	19	26	38	56	110	169	213	123	750	13	8	5	11	12	25	43	70	128	246	187
White	503	6	5	3	10	18	19	34	68	103	155	82	473	3	4	3	6	3	13	23	37	77	169	134
All other	261	10	4	2	9	8	19	22	42	66	58	41	277	10	4	2	5	9	12	20	33	51	77	53
Black	278	10	4	2	9	8	18	22	42	66	57	40	276	10	4	2	5	9	12	20	32	51	77	53
Accidents and adverse effects (E800-E949)	1,001	8	28	69	224	190	131	74	89	78	70	39	434	11	26	32	65	47	40	31	32	46	65	39
White	623	–	8	32	154	113	86	48	59	50	48	25	275	2	9	17	47	28	25	24	26	27	46	24
All other	378	8	20	37	70	77	45	26	30	28	22	14	159	9	17	15	18	19	15	7	6	19	19	15
Black	368	8	20	36	67	75	44	26	28	28	22	13	158	9	17	15	18	19	14	7	6	19	19	15
Motor vehicle accidents (E810-E825)	496	1	9	24	151	111	70	35	38	24	28	5	207	1	12	17	53	32	24	19	16	17	14	–
White	334	–	4	14	115	69	45	21	28	16	20	3	153	–	6	12	41	21	16	15	16	13	13	–
All other	162	1	5	10	36	43	25	14	10	8	8	2	54	1	6	5	12	11	8	4	2	4	1	–
Black	157	1	5	9	35	42	24	14	9	8	8	2	53	1	6	5	12	11	7	4	2	4	1	–
All other accidents and adverse effects (E800-E807 E826-E949)	505	7	19	45	73	79	61	39	51	54	42	34	227	10	14	15	12	15	16	12	14	29	51	39
White	289	–	4	18	39	45	41	27	31	34	28	22	122	2	3	5	6	7	9	9	10	14	33	24
All other	216	7	15	27	34	34	20	12	20	20	14	12	105	8	11	10	6	8	7	3	4	15	18	15
Black	211	7	15	27	32	33	20	12	19	20	14	11	105	8	11	10	6	8	7	3	4	15	18	15
Suicide (E950-E959)	215	...	...	1	40	39	29	27	27	33	16	3	59	...	...	2	8	15	8	10	15	3	–	–
White	178	...	...	1	27	27	27	26	23	33	11	3	50	...	...	1	6	12	7	8	14	2	–	–
All other	37	...	...	–	13	12	2	1	4	–	5	–	9	...	...	1	–	3	1	2	1	1	–	–
Black	34	...	...	–	13	11	1	1	3	–	5	–	9	...	...	1	–	3	1	2	1	1	–	–
Homicide and legal intervention (E960-E976)	241	–	1	3	43	70	54	32	17	12	8	1	61	–	1	–	14	16	8	4	5	5	6	–
White	72	–	–	–	9	20	15	17	6	4	1	–	22	–	1	–	3	4	5	1	4	–	3	–
All other	169	–	1	3	34	50	39	15	11	8	7	1	39	–	–	–	11	12	3	3	1	5	3	–
Black	166	–	1	3	33	49	38	15	11	8	7	1	38	–	–	–	11	12	3	2	1	5	3	–
All other external causes (E980-E999)	21	1	–	1	6	4	–	4	3	2	–	–	6	–	–	1	–	–	1	1	1	1	–	1
White	14	–	–	–	3	3	–	4	2	2	–	–	3	–	–	–	–	–	1	–	–	1	–	1
All other	7	1	–	1	3	1	–	–	1	–	–	–	3	–	–	1	–	–	–	1	1	–	–	–
Black	7	1	–	1	3	1	–	–	1	–	–	–	3	–	–	1	–	–	–	1	1	–	–	–
MISSOURI																								
All causes	25,570	440	94	139	628	614	740	1,648	3,874	6,610	7,044	3,728	23,561	337	63	70	215	271	448	920	2,381	4,533	7,204	7,133
White	22,908	332	71	107	567	485	594	1,372	3,422	6,027	6,514	3,469	21,261	232	44	53	190	211	364	753	2,026	4,017	6,635	6,735
All other	2,662	108	23	32	121	149	146	274	452	583	530	239	2,300	105	19	17	25	60	84	167	335	516	569	398
Black	2,626	106	22	32	119	146	145	268	449	577	523	234	2,273	104	18	17	24	59	81	162	333	508	566	396
Shigellosis and amobiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	8	3	1	–	–	–	–	–	–	–	3	1	3	–	–	–	–	–	–	–	–	–	2	1
White	6	2	1	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	2	1
All other	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	11	–	–	–	–	–	1	–	1	4	4	1	11	–	–	–	–	–	1	–	2	3	2	3
White	10	–	–	–	–	–	–	–	1	4	4	1	8	–	–	–	–	–	–	–	1	3	1	3
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Tuberculosis of respiratory system (010-012)	9	–	–	–	–	–	1	–	1	3	3	1	7	–	–	–	–	–	1	–	1	1	1	3
White	8	–	–	–	–	–	–	–	1	3	3	1	6	–	–	–	–	–	–	–	1	1	1	3
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	1	2	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	2	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	158	8	-	-	3	2	4	9	25	41	37	29	225	1	2	-	2	2	3	6	24	48	69	68
White	120	3	-	-	2	1	2	5	20	35	27	25	176	1	1	-	1	1	2	2	18	41	46	63
All other	38	5	-	-	1	1	2	4	5	6	10	4	49	-	1	-	1	1	1	4	6	7	23	5
Black	38	5	-	-	1	1	2	4	5	6	10	4	49	-	1	-	1	1	1	4	6	7	23	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	1	-	1	2	1	-	2	-	6	1	-	-	-	1	-	-	1	2	-	1
White	6	-	-	-	1	-	1	1	1	-	2	-	4	-	-	-	-	1	-	-	1	2	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	56	4	1	1	5	3	4	6	7	11	10	4	56	2	-	1	1	1	2	4	11	11	15	8
White	45	-	1	-	3	3	4	4	7	10	9	4	46	-	-	-	1	1	2	3	8	11	14	8
All other	11	4	-	1	2	-	-	2	-	1	1	-	8	2	-	1	-	-	-	1	3	-	1	-
Black	11	4	-	1	2	-	-	2	-	1	1	-	8	2	-	1	-	-	-	1	3	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,589	1	7	17	19	42	128	454	1,190	1,855	1,409	466	4,695	1	8	10	13	52	174	415	979	1,341	1,277	624
White	4,996	1	7	13	16	39	111	393	1,030	1,675	1,264	426	4,375	1	7	9	11	46	147	354	853	1,201	1,171	575
All other	593	-	-	4	3	3	17	61	160	180	125	40	320	-	1	1	2	6	27	61	126	140	106	49
Black	588	-	-	4	3	3	17	58	160	179	124	40	315	-	1	1	2	6	26	59	125	140	106	48
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	108	-	-	1	-	-	2	20	27	29	18	11	66	-	-	-	-	-	4	4	17	24	9	8
White	86	-	-	-	-	-	1	13	21	24	18	9	61	-	-	-	-	-	3	3	14	24	9	8
All other	22	-	-	1	-	-	1	7	6	5	-	2	5	-	-	-	-	-	1	1	3	-	-	-
Black	22	-	-	1	-	-	1	7	6	5	-	2	5	-	-	-	-	-	1	1	3	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,322	1	-	-	2	2	25	117	254	447	359	114	1,324	-	-	-	-	6	26	69	205	347	414	257
White	1,139	1	-	-	2	2	18	91	213	392	316	103	1,167	-	-	-	-	5	22	58	171	297	371	243
All other	183	-	-	-	-	-	7	26	41	55	43	11	157	-	-	-	-	1	4	11	34	50	43	14
Black	180	-	-	-	-	-	7	24	41	54	43	11	155	-	-	-	-	1	4	10	33	50	43	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,079	-	-	1	-	4	30	186	558	768	457	75	825	-	-	-	-	2	20	92	240	279	151	41
White	1,882	-	-	1	-	3	26	165	488	702	428	69	734	-	-	-	-	2	15	78	211	257	137	34
All other	197	-	-	-	-	1	4	21	70	66	29	6	91	-	-	-	-	-	5	14	29	22	14	7
Black	196	-	-	-	-	1	4	20	70	66	29	6	90	-	-	-	-	-	5	14	29	22	14	6
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	1	3	-	860	-	-	-	1	10	62	121	187	229	165	85
White	4	-	-	-	-	-	-	-	-	1	3	-	779	-	-	-	1	9	53	102	166	209	162	77
All other	-	-	-	-	-	-	-	-	-	-	-	-	81	-	-	-	-	1	9	19	21	20	3	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	79	-	-	-	-	1	8	18	21	20	3	8
Malignant neoplasms of genital organs (179-187)	547	-	-	-	2	7	1	6	37	165	202	127	568	-	-	-	-	12	22	49	130	147	152	54
White	477	-	-	-	2	7	-	4	30	140	176	118	495	-	-	-	-	11	20	39	116	125	136	48
All other	70	-	-	-	-	-	1	2	7	25	26	9	71	-	-	-	-	1	2	10	14	22	16	6
Black	69	-	-	-	-	-	1	2	7	25	25	9	71	-	-	-	-	1	2	10	14	22	16	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	282	–	1	1	–	–	4	19	58	89	82	38	174	–	–	1	–	–	1	9	22	46	63	32
White	266	–	1	1	–	–	3	19	50	82	73	37	160	–	–	1	–	–	–	8	20	42	58	31
All other	28	–	–	–	–	–	1	–	8	7	9	1	14	–	–	–	–	–	1	1	2	4	5	1
Black	28	–	–	–	–	–	1	–	8	7	9	1	14	–	–	–	–	–	1	1	2	4	5	1
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	718	–	3	7	3	16	42	77	155	208	157	51	642	–	4	6	2	17	28	45	117	165	176	81
White	658	–	3	7	2	16	40	72	136	191	146	45	577	–	4	5	1	14	25	42	103	149	162	72
All other	61	–	–	–	1	–	2	5	19	17	11	6	65	–	–	1	1	3	3	3	14	16	14	9
Black	61	–	–	–	1	–	2	5	19	17	11	6	65	–	–	1	1	3	3	3	14	16	14	9
Leukemia (204-208)	228	–	2	7	6	7	11	16	41	49	62	27	183	1	4	2	8	2	5	10	22	34	61	34
White	213	–	2	4	5	5	10	16	38	48	59	26	168	1	3	2	7	2	4	10	18	32	57	32
All other	15	–	–	3	1	2	1	–	3	1	3	1	15	–	1	–	1	–	1	–	4	2	4	2
Black	15	–	–	3	1	2	1	–	3	1	3	1	15	–	1	–	1	–	1	–	4	2	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	260	–	1	–	6	6	13	13	60	99	69	23	255	–	–	1	2	3	6	16	39	70	86	32
White	271	–	1	–	5	6	13	13	54	95	65	19	234	–	–	1	2	3	5	14	34	68	79	30
All other	19	–	–	–	1	–	–	–	6	4	4	4	21	–	–	–	–	–	1	2	5	4	7	2
Black	19	–	–	–	1	–	–	–	6	4	4	4	21	–	–	–	–	–	1	2	5	4	7	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	58	–	2	1	–	2	2	5	8	21	12	5	79	–	–	–	1	1	1	5	10	17	24	20
White	58	–	2	1	–	2	2	5	8	19	12	5	74	–	–	–	1	–	1	4	10	15	23	20
All other	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	1	–	1	–	2	1	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	1	–	–	–	2	1	–
Diabetes mellitus (250)	316	–	–	1	2	8	12	25	59	73	98	38	426	–	–	–	1	7	9	25	47	109	148	81
White	265	–	–	–	2	4	9	22	46	64	84	34	367	–	–	–	1	7	8	16	39	91	133	74
All other	51	–	–	1	–	4	3	3	13	9	14	4	59	–	–	–	–	–	2	9	8	18	15	7
Black	49	–	–	1	–	4	3	3	12	9	13	4	58	–	–	–	–	–	2	9	7	18	15	7
Nutritional deficiencies (260-269)	44	1	–	–	–	–	–	–	1	11	15	16	66	–	–	–	–	–	–	3	1	11	21	30
White	40	1	–	–	–	–	–	–	1	10	13	15	61	–	–	–	–	–	–	3	1	9	19	29
All other	4	–	–	–	–	–	–	–	–	1	2	1	5	–	–	–	–	–	–	–	–	2	2	1
Black	4	–	–	–	–	–	–	–	–	1	2	1	4	–	–	–	–	–	–	–	–	1	2	1
Anemias (280-285)	25	1	–	–	1	1	2	1	4	4	4	7	55	1	–	–	1	2	–	–	1	15	16	19
White	20	1	–	–	–	1	–	–	3	4	4	7	51	1	–	–	–	–	–	–	1	14	16	19
All other	5	–	–	–	1	–	2	1	1	–	–	–	4	–	–	–	1	2	–	–	–	1	–	–
Black	5	–	–	–	1	–	2	1	1	–	–	–	4	–	–	–	1	2	–	–	–	1	–	–
Meningitis (320-322)	18	5	2	–	–	–	–	2	1	1	6	1	12	3	1	–	–	1	2	–	–	2	2	1
White	15	4	1	–	–	–	–	2	1	1	5	1	8	1	1	–	–	1	1	–	–	2	1	1
All other	3	1	1	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–	1	–	–	–	1	–
Black	3	1	1	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–	1	–	–	–	1	–
Major cardiovascular diseases (390-448)	11,538	12	8	10	24	54	199	652	1,640	3,041	3,710	2,193	12,048	11	3	2	15	30	87	242	755	1,987	4,178	4,737
White	10,540	11	6	8	16	38	155	542	1,480	2,781	3,457	2,064	11,027	9	2	2	12	21	64	188	634	1,735	3,872	4,488
All other	998	1	2	2	8	16	33	110	160	260	253	129	1,021	2	1	–	3	9	23	54	121	252	306	249
Black	988	1	2	2	7	16	33	110	179	256	252	126	1,012	2	1	–	3	9	23	53	121	247	304	249
Diseases of heart (390-398,402,404-429)	9,256	12	8	9	14	40	168	573	1,422	2,495	2,874	1,637	8,994	11	3	1	11	21	61	187	598	1,574	3,114	3,414
White	8,467	11	6	7	8	30	140	477	1,276	2,294	2,675	1,541	8,248	9	2	1	8	14	42	148	506	1,389	2,884	3,236
All other	789	1	2	2	6	10	28	96	146	201	199	96	745	2	1	–	3	7	19	39	90	185	220	178
Black	780	1	2	2	5	10	28	96	145	198	198	93	737	2	1	–	3	7	19	38	90	180	218	178
Rheumatic fever and rheumatic heart disease (390-398)	40	–	–	–	–	1	1	1	8	16	10	3	97	1	–	–	1	2	–	4	14	23	40	12
White	40	–	–	–	–	1	1	1	8	16	10	3	94	–	–	–	1	1	–	4	13	23	40	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	1	–	–	1	–	–	–
Hypertensive heart disease (402)	183	–	–	–	–	3	5	23	33	51	42	25	266	–	–	–	–	3	6	17	22	61	82	75
White	121	–	–	–	–	3	2	9	14	37	34	22	201	–	–	–	–	–	2	6	15	42	68	68
All other	62	–	–	–	–	–	3	14	19	14	8	3	65	–	–	–	–	3	4	11	7	19	14	7
Black	62	–	–	–	–	–	3	14	19	14	8	3	65	–	–	–	–	3	4	11	7	19	14	7
Hypertensive heart and renal disease (404)	49	–	–	–	–	–	–	2	1	12	22	12	54	–	–	–	–	–	–	–	3	3	20	28
White	41	–	–	–	–	–	–	–	1	10	19	11	46	–	–	–	–	–	–	–	1	2	16	27
All other	8	–	–	–	–	–	–	2	–	2	3	1	8	–	–	–	–	–	–	–	2	1	4	1
Black	8	–	–	–	–	–	–	2	–	2	3	1	8	–	–	–	–	–	–	–	2	1	4	1
Ischemic heart disease (410-414)	6,944	1	–	–	–	11	113	426	1,083	1,922	2,212	1,174	6,397	–	–	–	1	4	35	118	420	1,144	2,269	2,386
White	6,425	1	–	–	–	7	94	374	990	1,778	2,076	1,104	5,926	–	–	–	1	4	30	99	369	1,025	2,135	2,263
All other	519	–	–	–	–	4	19	52	93	144	136	70	471	–	–	–	–	–	5	19	51	119	154	123
Black	512	–	–	–	–	4	19	52	92	142	135	67	463	–	–	–	–	–	5	18	51	114	152	123
Acute myocardial infarction (410)	3,621	1	–	–	–	9	76	281	676	1,172	1,157	468	2,666	–	–	–	–	2	28	78	268	649	1,100	741
White	3,630	1	–	–	–	5	70	247	638	1,115	1,108	447	2,678	–	–	–	–	2	26	67	241	597	1,043	702
All other	191	–	–	–	–	4	6	14	40	57	49	21	188	–	–	–	–	–	2	11	27	52	57	39
Black	188	–	–	–	–	4	6	14	39	56	49	20	181	–	–	–	–	–	2	10	27	47	56	39

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	-	2	2	-	5	5	17	-	-	-	-	-	-	-	1	3	6	7
White	11	-	-	-	-	-	-	2	1	-	4	4	15	-	-	-	-	-	-	-	-	3	6	6
All other	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1
Black	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1
Angina pectoris (413)	6	-	-	-	-	-	-	1	2	2	-	1	12	-	-	-	-	-	-	-	2	1	5	4
White	5	-	-	-	-	-	-	1	2	1	-	1	11	-	-	-	-	-	-	-	1	1	5	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,103	-	-	-	-	2	37	162	403	748	1,050	700	3,502	-	-	-	1	2	7	40	149	491	1,178	1,634
White	2,779	-	-	-	-	2	24	124	351	662	964	652	3,222	-	-	-	1	2	4	32	127	424	1,081	1,551
All other	324	-	-	-	-	-	13	38	52	86	86	48	280	-	-	-	-	-	3	8	22	67	97	83
Black	320	-	-	-	-	-	13	38	52	85	85	46	279	-	-	-	-	-	3	8	22	67	96	83
Other diseases of endocardium (424)	86	-	-	1	1	2	5	2	11	17	31	16	85	-	-	-	-	-	-	2	3	4	18	31	27
White	80	-	-	1	1	2	5	1	11	15	28	16	74	-	-	-	-	-	-	3	3	15	27	26
All other	6	-	-	-	-	-	-	1	-	2	3	-	11	-	-	-	-	-	-	2	-	1	3	4	1
Black	6	-	-	-	-	-	-	1	-	2	3	-	11	-	-	-	-	-	-	2	-	1	3	4	1
All other forms of heart disease (415-423,425-429)	1,954	11	8	8	13	23	44	119	286	477	557	407	2,095	10	3	1	9	12	18	45	133	325	552	886
White	1,760	10	6	6	7	17	38	92	252	438	508	385	1,908	9	2	1	6	9	10	36	105	282	508	840
All other	194	1	2	2	6	6	6	27	34	39	49	22	187	1	1	-	3	3	8	9	28	43	44	46
Black	192	1	2	2	5	6	6	27	34	38	49	22	187	1	1	-	3	3	8	9	28	43	44	46
Hypertension with or without renal disease (401,403)	73	-	-	-	-	2	-	5	12	21	17	16	108	-	-	-	-	-	-	5	4	15	44	40
White	58	-	-	-	-	-	-	4	11	17	14	12	97	-	-	-	-	-	-	5	3	12	38	39
All other	15	-	-	-	-	2	-	1	1	4	3	4	11	-	-	-	-	-	-	-	1	3	6	1
Black	15	-	-	-	-	2	-	1	1	4	3	4	11	-	-	-	-	-	-	-	1	3	6	1
Cerebrovascular diseases (430-438)	1,621	-	-	-	7	11	17	63	144	374	608	397	2,346	-	-	1	2	4	23	43	120	324	841	988
White	1,472	-	-	-	5	7	12	52	115	330	572	379	2,141	-	-	1	2	2	19	32	100	272	774	939
All other	149	-	-	-	2	4	5	11	29	44	36	18	205	-	-	-	-	2	4	11	20	52	67	49
Black	148	-	-	-	2	4	5	11	29	43	36	18	204	-	-	-	-	1	4	11	20	52	67	49
Intracerebral and other intracranial hemorrhage (431-432)	228	-	-	-	2	3	9	19	37	49	82	27	270	-	-	1	1	2	10	12	36	69	77	63
White	203	-	-	-	-	2	5	17	28	46	79	26	233	-	-	1	1	1	7	10	27	57	70	59
All other	25	-	-	-	2	1	4	2	9	3	3	1	37	-	-	-	-	1	3	2	8	12	7	4
Black	25	-	-	-	2	1	4	2	9	3	3	1	37	-	-	-	-	1	3	2	8	12	7	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	262	-	-	-	-	1	-	11	30	55	90	75	406	-	-	-	-	1	-	6	7	41	161	190
White	230	-	-	-	-	-	-	6	20	46	85	73	383	-	-	-	-	1	-	3	6	37	155	181
All other	32	-	-	-	-	1	-	5	10	9	5	2	23	-	-	-	-	-	-	3	1	4	6	9
Black	31	-	-	-	-	1	-	5	10	8	5	2	23	-	-	-	-	-	-	3	1	4	6	9
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	2	2	2	2	13	-	-	-	-	-	-	-	2	4	3	4
White	6	-	-	-	-	-	-	-	2	1	2	1	11	-	-	-	-	-	-	-	2	2	3	4
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,123	-	-	-	5	7	8	33	75	268	434	293	1,657	-	-	-	1	1	13	25	76	210	600	731
White	1,033	-	-	-	5	5	7	29	65	237	406	278	1,514	-	-	-	1	-	12	19	65	176	546	695
All other	90	-	-	-	-	2	1	4	10	31	28	14	143	-	-	-	-	1	1	6	11	34	54	36
Black	90	-	-	-	-	2	1	4	10	31	28	14	142	-	-	-	-	-	1	6	11	34	54	36
Atherosclerosis (440)	231	-	-	-	-	-	-	2	10	41	74	104	393	-	-	-	-	-	-	1	11	25	116	240
White	207	-	-	-	-	-	-	2	9	34	66	96	357	-	-	-	-	-	-	1	9	19	106	222
All other	24	-	-	-	-	-	-	-	1	7	8	8	36	-	-	-	-	-	-	-	2	6	10	18
Black	24	-	-	-	-	-	-	-	1	7	8	8	36	-	-	-	-	-	-	-	2	6	10	18
Other diseases of arteries, arterioles, and capillaries (441-448)	355	-	-	1	3	1	3	9	52	110	137	39	207	-	-	-	2	5	3	6	24	49	63	55
White	336	-	-	1	3	1	3	7	49	106	130	36	183	-	-	-	2	5	3	2	16	43	60	52
All other	19	-	-	-	-	-	-	2	3	4	7	3	24	-	-	-	-	-	-	4	8	6	3	3
Black	19	-	-	-	-	-	-	2	3	4	7	3	24	-	-	-	-	-	-	4	8	6	3	3
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	2	2
White	5	-	-	-	-	-	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	694	4	3	3	3	7	9	31	44	148	219	223	777	9	1	1	2	7	9	7	30	103	200	407
White	631	4	3	2	2	6	7	22	37	134	205	209	720	4	-	1	2	4	8	7	28	90	186	390
All other	63	-	-	1	1	1	2	9	7	14	14	14	57	5	1	-	-	3	1	-	2	13	14	17
Black	61	-	-	1	1	1	2	9	7	14	13	13	57	5	1	-	-	3	1	-	2	13	14	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	683	4	3	3	3	6	9	31	43	147	215	219	759	9	1	1	2	7	9	7	30	100	199	393
White	620	4	3	2	2	5	7	22	36	133	201	205	702	4	–	1	2	4	8	7	28	87	185	376
All other	63	–	–	1	1	1	2	9	7	14	14	14	57	5	1	–	–	3	1	–	2	13	14	17
Black	61	–	–	1	1	1	2	9	7	14	13	13	57	5	1	–	–	3	1	–	2	13	14	17
Influenza (487)	11	–	–	–	–	1	–	–	1	1	4	4	18	–	–	–	–	–	–	–	–	3	1	14
White	11	–	–	–	–	1	–	–	1	1	4	4	18	–	–	–	–	–	–	–	–	3	1	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,180	–	–	–	2	1	2	29	157	394	466	139	841	–	–	–	1	1	2	26	105	208	218	80
White	1,123	–	–	–	2	–	–	25	147	371	443	135	812	–	–	–	1	–	2	21	99	200	212	77
All other	57	–	–	–	–	1	2	4	10	23	23	4	28	–	–	–	–	1	–	5	6	8	6	3
Black	57	–	–	–	–	1	2	4	10	23	23	4	28	–	–	–	–	1	–	5	6	7	6	3
Bronchitis, chronic and unspecified (490-491)	58	–	–	–	–	–	–	1	8	17	24	8	29	–	–	–	–	–	–	2	1	8	11	7
White	57	–	–	–	–	–	–	1	8	16	24	8	28	–	–	–	–	–	–	1	1	8	11	7
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Emphysema (492)	215	–	–	–	–	–	–	2	35	77	78	23	107	–	–	–	–	–	–	7	22	36	32	10
White	207	–	–	–	–	–	–	2	35	73	75	22	105	–	–	–	–	–	–	5	22	36	32	10
All other	8	–	–	–	–	–	–	–	–	4	3	1	2	–	–	–	–	–	–	2	–	–	–	–
Black	8	–	–	–	–	–	–	–	–	4	3	1	2	–	–	–	–	–	–	2	–	–	–	–
Asthma (493)	23	–	–	–	1	1	–	4	4	5	8	–	28	–	–	–	1	1	2	4	7	5	5	3
White	19	–	–	–	1	–	–	4	3	3	8	–	23	–	–	–	1	–	2	3	7	3	5	2
All other	4	–	–	–	–	1	–	–	1	2	–	–	5	–	–	–	–	1	–	1	–	2	–	1
Black	4	–	–	–	–	1	–	–	1	2	–	–	5	–	–	–	–	1	–	1	–	2	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	694	–	–	–	1	–	2	22	110	295	356	108	477	–	–	–	–	–	–	13	75	159	170	60
White	640	–	–	–	1	–	–	18	101	279	336	105	456	–	–	–	–	–	–	12	69	153	164	58
All other	54	–	–	–	–	–	2	4	9	16	20	3	21	–	–	–	–	–	–	1	6	6	6	2
Black	54	–	–	–	–	–	2	4	9	16	20	3	20	–	–	–	–	–	–	1	6	5	6	2
Ulcer of stomach and duodenum (531-533)	78	–	–	–	–	–	1	1	12	16	27	21	71	–	–	1	–	–	–	1	4	15	25	25
White	74	–	–	–	–	–	–	–	12	16	25	21	65	–	–	1	–	–	–	–	3	15	22	24
All other	4	–	–	–	–	–	1	1	–	–	2	–	6	–	–	–	–	–	–	1	1	–	3	1
Black	4	–	–	–	–	–	1	1	–	–	2	–	6	–	–	–	–	–	–	1	1	–	3	1
Appendicitis (540-543)	8	–	–	1	–	–	–	–	–	2	2	3	5	–	–	–	–	–	–	–	–	2	1	2
White	8	–	–	1	–	–	–	–	–	2	2	3	5	–	–	–	–	–	–	–	–	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	1	1	–	–	–	1	2	7	11	18	20	98	–	–	–	1	–	–	1	2	17	36	41
White	54	–	1	–	–	–	1	2	6	10	15	19	88	–	–	–	–	–	–	1	2	14	33	38
All other	7	1	–	–	–	–	–	–	1	1	3	1	10	–	–	–	1	–	–	–	–	3	3	3
Black	6	1	–	–	–	–	–	–	–	1	3	1	10	–	–	–	1	–	–	–	–	3	3	3
Chronic liver disease and cirrhosis (571)	260	–	–	–	2	9	24	47	72	74	27	5	138	–	–	–	–	3	11	15	43	40	21	5
White	222	–	–	–	2	5	18	31	64	72	25	5	116	–	–	–	–	3	6	13	37	33	19	5
All other	38	–	–	–	–	4	6	16	8	2	2	–	22	–	–	–	–	–	5	2	6	7	2	–
Black	37	–	–	–	–	4	6	15	8	2	2	–	21	–	–	–	–	–	4	2	6	7	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	40	–	–	–	–	–	3	1	1	14	12	9	46	–	–	–	–	–	1	–	4	7	14	20
White	37	–	–	–	–	–	3	1	1	14	10	8	39	–	–	–	–	–	–	–	2	7	12	18
All other	3	–	–	–	–	–	–	–	–	–	2	1	7	–	–	–	–	–	1	–	2	–	2	2
Black	2	–	–	–	–	–	–	–	–	–	1	1	7	–	–	–	–	–	1	–	2	–	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	261	5	–	–	–	2	8	13	22	65	73	73	292	3	–	–	1	4	3	8	22	52	85	114
White	220	3	–	–	–	1	6	8	16	52	66	68	250	3	–	–	1	4	2	5	18	40	74	103
All other	41	2	–	–	–	1	2	5	6	13	7	5	42	–	–	–	–	–	1	3	4	12	11	11
Black	41	2	–	–	–	1	2	5	6	13	7	5	41	–	–	–	–	–	1	3	4	12	11	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	1	1	–
White	3	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	1	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	-	-	-	-	1	2	2	-	5	4	5	25	1	-	-	-	-	-	-	3	5	5	8
White	16	-	-	-	-	-	2	1	-	4	4	5	20	1	-	-	-	-	-	-	2	3	7	7
All other	3	-	-	-	-	1	-	1	-	1	-	-	5	-	-	-	-	-	-	-	1	2	1	1
Black	3	-	-	-	-	1	-	1	-	1	-	-	5	-	-	-	-	-	-	-	1	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	238	5	-	-	-	1	6	11	22	58	69	66	265	2	-	-	1	4	3	8	19	48	76	106
White	201	3	-	-	-	1	4	7	16	47	62	61	228	2	-	-	1	4	2	5	18	38	65	95
All other	37	2	-	-	-	-	2	4	6	11	7	5	37	-	-	-	-	-	1	3	3	10	10	10
Black	37	2	-	-	-	-	2	4	6	11	7	5	38	-	-	-	-	-	1	3	3	10	10	9
Infections of kidney (590)	19	-	-	-	-	-	1	-	-	3	5	10	39	-	-	-	-	-	-	-	5	4	11	19
White	17	-	-	-	-	-	1	-	-	3	5	8	36	-	-	-	-	-	-	-	3	3	11	19
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	2	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	2	1	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	1	-	2	3	6	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	2	1	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	1	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	1	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	148	104	5	2	8	5	4	1	6	7	4	-	145	97	12	4	11	1	3	2	2	6	5	2
White	123	90	4	-	5	4	3	1	6	7	3	-	119	78	9	3	10	1	3	2	2	4	5	2
All other	26	14	1	2	3	1	1	-	-	-	1	-	26	19	3	1	1	-	-	-	-	2	-	-
Black	22	13	1	2	3	1	1	-	-	-	1	-	24	18	2	1	1	-	-	-	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	183	182	1	-	-	-	-	-	-	-	-	-	144	144	-	-	-	-	-	-	-	-	-	-
White	127	126	1	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-
All other	56	56	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Black	55	55	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	53	53	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	130	129	1	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
White	87	86	1	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
All other	43	43	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Black	42	42	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,031	70	4	1	13	14	25	82	194	260	232	103	714	44	3	2	4	9	10	16	79	151	196	190
White	954	57	2	1	10	11	22	76	188	269	222	94	641	30	2	1	3	6	10	11	69	151	178	180
All other	77	13	2	-	3	3	3	6	6	21	10	9	73	14	1	1	1	3	-	5	10	10	18	10
Black	76	13	2	-	3	3	3	6	6	20	10	9	71	14	1	1	-	3	-	4	10	10	18	10
All other diseases (Residual)	1,525	28	12	17	31	42	65	99	190	324	440	278	1,593	9	9	14	22	27	28	64	154	272	502	493
White	1,331	21	9	13	25	32	49	71	165	290	399	257	1,410	5	8	10	20	12	17	50	131	240	454	468
All other	194	7	3	4	6	10	16	28	25	34	41	19	183	4	1	4	2	15	9	14	23	32	48	30
Black	190	7	3	4	6	10	16	27	25	34	39	18	181	4	1	4	2	15	9	14	23	31	47	30
Accidents and adverse effects (E800-E949)	1,379	9	41	71	329	213	142	107	123	128	145	71	704	8	18	31	104	69	52	46	46	76	121	133
White	1,225	7	32	57	303	189	126	91	106	118	130	65	638	5	12	24	99	63	49	40	35	72	115	124
All other	154	2	9	14	26	22	16	16	17	10	15	6	66	3	6	7	5	6	3	6	11	4	6	9
Black	151	2	8	14	26	21	16	15	17	10	15	6	65	3	6	7	5	6	2	6	11	4	6	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	685	1	16	33	244	126	89	42	52	38	38	6	299	–	2	17	96	47	37	28	21	21	26	4
White	628	1	13	31	228	115	80	37	48	35	34	6	282	–	2	16	92	44	36	24	18	21	26	3
All other	57	–	3	2	16	11	9	5	4	3	4	–	17	–	–	1	4	3	1	4	3	–	–	1
Black	56	–	3	2	16	11	9	4	4	3	4	–	17	–	–	1	4	3	1	4	3	–	–	1
All other accidents and adverse effects (E800-E807 E826-E849)	694	8	25	38	85	85	53	65	71	90	107	65	405	8	16	14	8	22	15	16	25	55	95	129
White	597	6	19	26	75	74	46	54	58	83	96	59	358	5	10	8	7	19	13	16	17	51	89	121
All other	97	2	6	12	10	11	7	11	13	7	11	6	48	3	6	6	1	3	2	2	8	4	6	8
Black	95	2	5	12	10	10	7	11	13	7	11	6	48	3	6	6	1	3	1	2	8	4	6	8
Suicide (E950-E959)	513	...	...	8	91	103	59	55	88	55	47	6	152	...	...	–	15	28	37	21	24	17	8	2
White	478	...	...	8	80	88	57	54	83	55	46	6	147	...	...	–	15	28	35	21	22	16	8	2
All other	35	...	...	–	11	15	2	1	5	–	1	–	5	...	...	–	–	–	2	–	2	1	–	–
Black	33	...	...	–	11	14	1	1	5	–	1	–	5	...	...	–	–	–	2	–	2	1	–	–
Homicide and legal intervention (E960-E978)	302	1	5	5	86	99	49	19	17	12	7	1	92	2	5	3	17	22	12	7	8	7	4	4
White	119	–	1	2	30	34	13	14	10	6	7	1	54	1	1	1	9	10	5	7	7	6	4	3
All other	183	1	4	3	56	65	36	5	7	6	–	–	38	1	4	2	8	12	7	–	1	1	–	1
Black	182	1	4	3	55	65	36	5	7	6	–	–	38	1	4	2	8	12	7	–	1	1	–	1
All other external causes (E980-E999)	38	1	1	1	8	9	5	2	3	3	3	–	19	–	1	1	2	2	3	5	2	–	1	1
White	31	1	–	1	8	7	4	2	2	3	3	–	18	–	1	1	2	2	3	4	2	–	1	1
All other	5	–	1	–	–	2	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	4	–	1	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
MONTANA																								
All causes	3,708	72	23	19	116	127	132	230	542	943	983	525	3,003	53	12	16	54	46	79	132	308	617	780	905
White	3,535	63	20	11	103	106	114	213	514	916	963	512	2,869	48	10	13	48	40	71	114	287	588	771	880
All other	173	9	3	2	15	21	18	17	28	27	20	13	134	5	2	3	6	6	8	18	21	29	19	15
Black	4	1	1	–	–	1	–	–	–	–	–	1	4	1	–	–	–	–	–	–	–	3	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	5	–	–	–	–	–	–	–	1	2	–	2	3	–	–	–	–	–	–	1	–	2	–	–
White	4	–	–	–	–	–	–	–	1	1	–	2	3	–	–	–	–	–	–	1	–	2	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	–	2	–	–
White	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	2	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	14	–	–	–	–	–	–	2	3	2	3	4	19	1	–	–	–	1	–	1	1	3	6	5
White	14	–	–	–	–	–	–	2	3	2	3	4	16	1	–	–	–	1	–	1	–	3	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	9	–	–	–	–	–	–	–	2	3	2	2	7	–	–	1	1	–	–	–	–	1	2	2
White	9	–	–	–	–	–	–	–	2	3	2	2	7	–	–	1	1	–	–	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	755	1	1	2	5	6	18	51	162	247	196	66	702	–	2	1	4	13	24	61	133	205	172	87
White	731	1	1	2	5	5	17	49	154	243	189	65	673	–	2	1	4	13	22	57	127	192	169	86
All other	24	–	–	–	–	1	1	2	8	4	7	1	29	–	–	–	–	–	2	4	6	13	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	–	–	–	–	–	–	1	3	3	2	1	4	–	–	–	–	–	–	–	2	–	1	1
White	10	–	–	–	–	–	–	1	3	3	2	1	4	–	–	–	–	–	–	–	2	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	201	–	–	–	–	1	5	14	36	77	48	20	178	–	–	–	–	1	–	6	31	42	53	45
White	190	–	–	–	–	–	5	14	30	76	48	19	170	–	–	–	–	1	–	5	29	40	51	44
All other	11	–	–	–	–	1	–	–	6	1	2	1	8	–	–	–	–	–	–	1	2	2	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	241	–	–	–	–	–	4	18	60	90	53	16	133	–	–	–	–	–	3	17	34	50	27	2
White	235	–	–	–	–	–	3	17	58	90	51	16	125	–	–	–	–	–	3	16	32	45	27	2
All other	6	–	–	–	–	–	1	1	2	–	2	–	8	–	–	–	–	–	–	1	2	5	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	–	1	123	–	–	–	–	1	8	13	28	33	29	11
White	1	–	–	–	–	–	–	–	–	–	–	1	122	–	–	–	–	1	8	12	28	33	29	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	87	–	–	–	–	–	–	–	11	27	37	12	82	–	–	–	–	2	4	9	13	33	18	3
White	82	–	–	–	–	–	–	–	11	25	34	12	76	–	–	–	–	2	3	9	11	30	18	3
All other	5	–	–	–	–	–	–	–	–	2	3	–	6	–	–	–	–	–	1	–	2	3	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	39	–	–	–	–	–	–	4	5	6	16	8	28	–	–	–	–	–	–	–	5	4	13	6
White	38	–	–	–	–	–	–	3	5	6	16	8	27	–	–	–	–	–	–	–	5	3	13	6
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	95	–	1	1	4	5	4	8	29	20	20	3	84	–	2	1	2	7	6	8	13	24	20	11
White	95	–	1	1	4	5	4	8	29	20	20	3	81	–	2	1	2	7	6	7	13	23	19	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	41	1	–	1	–	–	2	4	7	14	9	3	25	–	–	–	2	2	1	4	3	6	4	3
White	41	1	–	1	–	–	2	4	7	14	9	3	25	–	–	–	2	2	1	4	3	6	4	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	–	–	–	1	–	3	2	11	10	11	2	35	–	–	–	–	–	2	4	4	13	7	5
White	39	–	–	–	1	–	3	2	11	9	11	2	33	–	–	–	–	–	1	4	4	12	7	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	–	–	–	–	–	–	1	1	1	2	1	9	–	–	–	–	2	1	–	–	1	3	2
White	6	–	–	–	–	–	–	1	1	1	2	1	8	–	–	–	–	1	1	–	–	1	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	55	-	-	-	1	2	6	4	6	14	11	9	59	-	-	-	-	2	4	2	12	7	20	12
White	54	-	-	-	1	2	6	4	6	13	11	9	56	-	-	-	-	2	4	2	11	6	20	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	2	-	4
White	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	2	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	1	-	2	-	7	-	-	-	-	-	1	-	-	1	2	3
White	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	1	-	-	1	2	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,827	3	-	1	5	5	27	87	238	447	511	303	1,401	1	-	-	2	7	14	27	85	255	497	573
White	1,587	3	-	1	3	5	26	84	228	435	504	298	1,358	1	-	-	2	7	14	23	79	243	425	562
All other	40	-	-	-	2	-	1	3	10	12	7	5	45	-	-	-	-	-	-	4	6	12	12	11
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of heart (390-398,402,404-429)	1,281	3	-	1	3	4	23	75	210	379	378	205	999	1	-	-	1	3	9	19	72	199	317	378
White	1,253	3	-	1	2	4	23	72	202	370	373	203	963	1	-	-	1	3	9	16	67	189	309	368
All other	28	-	-	-	1	-	-	3	8	9	5	2	36	-	-	-	-	-	-	3	5	10	8	10
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	1	1	1	3	3	-	34	-	-	-	-	-	-	1	2	14	14	3
White	9	-	-	-	-	-	1	1	1	3	3	-	34	-	-	-	-	-	-	1	2	14	14	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	-	2	1	4	-	25	-	-	-	-	-	-	-	1	5	9	10
White	7	-	-	-	-	-	-	-	2	1	4	-	24	-	-	-	-	-	-	-	1	5	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	-	-	1	2	4
White	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	911	-	-	-	-	3	17	50	147	280	272	142	635	-	-	-	-	1	4	12	50	113	210	245
White	894	-	-	-	-	3	17	48	142	276	266	141	612	-	-	-	-	1	4	11	48	108	205	237
All other	17	-	-	-	-	-	-	2	5	5	4	1	23	-	-	-	-	-	-	1	4	5	5	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	542	-	-	-	-	1	11	34	102	177	162	55	320	-	-	-	-	1	3	8	38	72	115	83
White	528	-	-	-	-	1	11	32	98	173	156	55	304	-	-	-	-	1	3	7	35	68	111	79
All other	14	-	-	-	-	-	-	2	4	4	4	-	16	-	-	-	-	-	-	1	3	4	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	2	-	2	2	4	-	2	-	-	-	-	-	-	-	-	-	-	2
White	10	-	-	-	-	-	2	-	2	2	4	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	358	-	-	-	-	2	4	16	42	101	106	87	312	-	-	-	-	-	1	4	12	41	95	159
White	355	-	-	-	-	2	4	16	41	100	106	86	305	-	-	-	-	-	1	4	11	40	94	155
All other	3	-	-	-	-	-	-	-	1	1	-	1	7	-	-	-	-	-	-	-	1	1	1	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	15	-	-	-	-	-	1	3	4	3	3	1	17	-	-	-	-	-	-	1	-	6	6	4
White	15	-	-	-	-	-	1	3	4	3	3	1	15	-	-	-	-	-	-	-	-	6	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	337	3	-	1	3	1	4	21	55	92	95	62	281	1	-	-	1	2	5	5	19	60	76	112
White	326	3	-	1	2	1	4	20	52	88	94	61	272	1	-	-	1	2	5	4	18	58	75	110
All other	11	-	-	-	1	-	-	1	3	4	1	1	9	-	-	-	-	-	-	1	1	4	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	-	2	3	6	3	6	-	-	-	-	-	-	-	1	1	3	3
White	14	-	-	-	-	-	-	-	2	3	6	3	6	-	-	-	-	-	-	-	1	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	197	-	-	-	2	-	2	6	18	38	77	54	291	-	-	-	1	4	3	8	6	39	94	134
White	185	-	-	-	1	-	1	6	16	35	75	51	285	-	-	-	1	4	3	7	6	38	91	133
All other	12	-	-	-	1	-	1	-	2	3	2	3	6	-	-	-	-	-	-	1	-	1	3	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	17	-	-	-	-	-	-	1	5	4	3	4	30	-	-	-	-	1	-	3	2	12	9	3
White	14	-	-	-	-	-	-	1	5	4	1	3	28	-	-	-	-	1	-	2	2	11	9	3
All other	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	-	-	-	-	-	-	-	4	4	15	11	54	-	-	-	-	-	-	-	2	6	16	30
White	32	-	-	-	-	-	-	-	2	4	15	11	54	-	-	-	-	-	-	-	2	6	16	30
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	3	1
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	145	-	-	-	2	-	2	5	9	29	59	39	203	-	-	-	1	3	3	5	4	21	66	100
White	138	-	-	-	1	-	1	5	9	26	59	37	199	-	-	-	1	3	3	5	4	21	63	99
All other	7	-	-	-	1	-	1	-	-	3	-	2	4	-	-	-	-	-	-	-	-	-	3	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	67	-	-	-	-	-	1	2	1	8	23	32	73	-	-	-	-	-	1	-	-	6	13	53
White	67	-	-	-	-	-	1	2	1	8	23	32	71	-	-	-	-	-	1	-	-	5	12	53
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	68	-	-	-	-	1	1	4	7	19	27	9	30	-	-	-	-	-	1	-	4	10	10	5
White	68	-	-	-	-	1	1	4	7	19	27	9	29	-	-	-	-	-	1	-	3	10	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	111	-	2	-	-	1	1	2	8	20	38	39	116	2	-	-	-	-	2	3	5	17	23	64
White	99	-	2	-	-	1	-	-	6	17	36	37	109	2	-	-	-	-	1	1	3	16	23	62
All other	12	-	-	-	-	-	1	2	2	3	2	2	7	-	-	-	-	-	1	2	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	102	-	2	-	-	1	1	2	8	18	33	37	106	2	-	-	-	-	2	3	5	16	20	56
White	91	-	2	-	-	1	-	-	6	15	32	35	100	2	-	-	-	-	1	1	3	16	20	57
All other	11	-	-	-	-	-	1	2	2	3	1	2	6	-	-	-	-	-	1	2	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	9	-	-	-	-	-	-	-	-	2	5	2	10	-	-	-	-	-	-	-	-	1	3	6
White	8	-	-	-	-	-	-	-	-	2	4	2	9	-	-	-	-	-	-	-	-	-	3	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	205	1	-	-	1	-	2	8	28	67	74	24	102	-	-	-	1	-	2	4	16	45	24	10
White	199	1	-	-	1	-	2	8	28	65	73	21	100	-	-	-	1	-	2	4	15	45	23	10
All other	6	-	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	16	-	-	-	-	-	-	-	1	7	6	2	7	-	-	-	-	-	-	1	-	1	3	2
White	15	-	-	-	-	-	-	-	1	7	6	1	7	-	-	-	-	-	-	1	-	1	3	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	32	1	-	-	-	-	1	3	7	6	11	3	21	-	-	-	-	-	1	-	3	10	6	1
White	32	1	-	-	-	-	1	3	7	6	11	3	21	-	-	-	-	-	1	-	3	10	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	12	-	-	-	1	-	1	3	2	-	4	1	9	-	-	-	1	-	1	1	2	3	1	-
White	11	-	-	-	1	-	1	3	2	-	4	-	8	-	-	-	1	-	1	1	2	3	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	145	-	-	-	-	-	-	2	18	54	53	18	65	-	-	-	-	-	-	2	11	31	14	7
White	141	-	-	-	-	-	-	2	18	52	52	17	64	-	-	-	-	-	-	2	10	31	14	7
All other	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	1	-	1	4	4	3	13	-	-	-	-	-	-	-	1	3	3	6
White	11	-	-	-	-	-	-	-	1	3	4	3	13	-	-	-	-	-	-	-	1	3	3	6
All other	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	-	-	-	2	3	3	12	-	-	1	-	-	-	-	5	2	4	
White	8	-	-	-	-	-	-	-	-	2	3	3	12	-	-	1	-	-	-	-	5	2	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	50	-	-	-	-	4	5	14	8	12	7	-	34	-	-	-	-	1	1	4	9	8	9	2
White	39	-	-	-	-	1	3	9	8	12	6	-	28	-	-	-	-	-	-	3	8	6	9	2
All other	11	-	-	-	-	3	2	5	-	-	1	-	6	-	-	-	-	1	1	1	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	-	1	1	2	7	-	-	-	-	-	-	-	-	2	1	4
White	4	-	-	-	-	-	-	-	-	1	1	2	7	-	-	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	-	-	-	-	-	2	1	1	12	10	9	23	-	-	-	-	-	1	1	1	6	7	7
White	33	-	-	-	-	-	2	1	1	12	9	8	22	-	-	-	-	-	1	-	1	6	7	7
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	1	1	2	1	1	4	-	-	-	-	-	-	-	-	2	-	2
White	6	-	-	-	-	-	-	1	1	2	1	1	4	-	-	-	-	-	-	-	-	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	29	-	-	-	-	-	2	-	-	10	9	8	19	-	-	-	-	-	-	1	1	1	4	7	5
White	27	-	-	-	-	-	2	-	-	10	8	7	18	-	-	-	-	-	-	1	-	1	4	7	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	1	1	1	-	3	
White	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	1	1	1	-	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	30	23	1	-	-	-	-	1	1	2	2	-	17	9	-	-	-	1	1	-	4	-	1	1
White	28	22	1	-	-	-	-	1	1	1	2	-	17	9	-	-	-	1	1	-	4	-	1	1
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	17	16	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	13	12	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	8	1	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	7	6	1	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	52	23	-	-	-	1	-	-	3	9	10	6	51	16	-	-	-	-	2	2	1	4	8	18
White	48	20	-	-	-	-	-	-	3	9	10	6	48	12	-	-	-	-	2	1	1	4	8	18
All other	4	3	-	-	-	1	-	-	-	-	-	-	5	4	-	-	-	-	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	239	1	5	3	4	7	11	11	33	55	73	36	219	2	3	2	3	4	4	12	21	38	59	71
White	227	1	5	3	4	4	8	10	30	54	73	35	212	2	3	1	3	4	3	9	21	38	58	70
All other	12	-	-	-	-	3	3	1	3	1	-	1	7	-	-	1	-	-	1	3	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	323	3	11	7	80	71	38	28	32	20	22	11	119	1	7	11	29	11	11	8	11	4	11	15
White	284	2	8	5	70	63	32	25	28	19	21	11	101	1	5	9	23	10	10	6	8	4	10	15
All other	39	1	3	2	10	8	6	3	4	1	1	-	18	-	2	2	6	1	1	2	3	-	1	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	171	-	5	4	52	48	24	11	17	4	5	1	61	-	1	4	23	9	6	4	9	1	3	1
White	156	-	5	3	47	43	22	10	16	4	5	1	48	-	-	3	18	8	5	3	6	1	3	1
All other	15	-	-	1	5	5	2	1	1	-	-	-	13	-	1	1	5	1	1	1	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	152	3	6	3	28	23	14	17	15	16	17	10	58	1	6	7	6	2	5	4	2	3	8	14
White	128	2	3	2	23	20	10	15	12	15	16	10	53	1	5	6	5	2	5	3	2	3	7	14
All other	24	1	3	1	5	3	4	2	3	1	1	-	5	-	1	1	1	-	-	1	-	-	1	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	99	...	...	-	17	23	14	15	4	15	9	2	38	...	...	-	11	2	7	4	6	5	-	-
White	95	...	...	-	16	21	13	15	4	15	9	2	34	...	...	-	10	2	6	4	6	5	-	-
All other	4	...	...	-	1	2	1	-	-	-	-	-	2	...	...	-	1	-	1	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	28	1	2	-	5	4	6	4	5	1	-	-	10	-	-	-	2	2	2	1	1	2	-	-
White	21	1	2	-	3	1	5	3	5	1	-	-	7	-	-	-	1	-	2	1	1	2	-	-
All other	7	-	-	-	2	3	1	1	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E998)	6	-	-	-	-	2	1	1	1	3	-	-	2	-	-	-	1	-	1	-	-	-	-	-
White	7	-	-	-	-	2	-	1	1	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,648	145	35	43	163	154	182	364	1,053	1,901	2,213	1,393	7,025	107	14	18	65	74	102	200	571	1,211	2,075	2,587
White	7,409	132	33	39	155	143	171	332	1,003	1,855	2,173	1,371	6,812	91	12	17	61	67	91	180	529	1,182	2,026	2,555
All other	239	13	2	4	8	11	11	32	50	46	40	22	213	16	2	1	4	7	11	20	42	29	49	32
Black	185	10	2	2	8	8	9	22	39	38	30	19	182	11	2	1	3	6	9	17	36	25	44	28
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	7	-	-	-	-	-	1	-	-	4	1	1	3	-	-	-	-	-	-	1	-	-	1	1
White	6	-	-	-	-	-	1	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	1	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	29	2	-	-	-	-	-	-	4	12	7	4	30	-	-	-	-	-	1	-	3	7	9	10
White	26	2	-	-	-	-	-	-	3	12	5	4	28	-	-	-	-	-	1	-	2	6	9	10
All other	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	28	2	-	1	1	2	1	1	9	6	3	2	10	-	-	1	-	-	-	-	-	4	2	3
White	27	1	-	1	1	2	1	1	9	6	3	2	10	-	-	1	-	-	-	-	-	4	2	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,672	1	3	4	10	20	35	97	327	513	483	178	1,420	2	1	5	9	11	36	97	237	400	381	241
White	1,629	1	3	4	10	19	33	92	314	502	473	178	1,372	2	1	5	9	10	34	88	221	390	376	236
All other	43	-	-	-	-	1	2	5	13	11	10	1	48	-	-	-	-	1	2	9	16	10	5	5
Black	37	-	-	-	-	1	2	4	11	8	10	1	43	-	-	-	-	1	2	7	14	10	5	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	36	-	-	-	-	1	1	7	7	8	9	3	11	-	-	-	-	-	-	1	3	-	1	6
White	35	-	-	-	-	1	1	6	7	8	9	3	11	-	-	-	-	-	-	1	3	-	1	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	448	-	-	-	-	3	8	24	82	145	134	52	414	-	-	-	-	-	5	17	41	115	143	93
White	436	-	-	-	-	3	8	24	78	143	128	51	400	-	-	-	-	-	4	16	37	111	140	92
All other	12	-	-	-	-	-	-	-	4	2	5	1	14	-	-	-	-	-	1	1	4	4	3	1
Black	12	-	-	-	-	-	-	-	4	2	5	1	14	-	-	-	-	-	1	1	4	4	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	561	-	-	-	-	-	8	37	139	212	130	35	216	-	-	-	-	-	4	21	61	73	37	20
White	541	-	-	-	-	-	7	34	131	206	128	35	206	-	-	-	-	-	4	20	57	70	36	19
All other	20	-	-	-	-	-	1	3	8	6	2	-	10	-	-	-	-	-	-	1	4	3	1	1
Black	16	-	-	-	-	-	1	2	7	4	2	-	10	-	-	-	-	-	-	1	4	3	1	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	-	3	-	257	-	-	-	-	5	14	27	51	73	57	30
White	3	-	-	-	-	-	-	-	-	-	3	-	250	-	-	-	-	4	14	23	49	73	57	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	4	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	3	2	-	-	-
Malignant neoplasms of genital organs (179-187)	193	-	-	-	2	-	1	2	11	45	91	41	155	-	-	-	2	1	3	7	30	52	28	32
White	189	-	-	-	2	-	1	2	11	43	89	41	144	-	-	-	2	1	2	5	28	49	28	31
All other	4	-	-	-	-	-	-	-	-	2	2	-	11	-	-	-	-	-	1	2	4	3	-	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	10	-	-	-	-	-	1	2	3	3	-	1
Malignant neoplasms of urinary organs (188-189)	77	-	-	-	-	-	-	1	3	21	15	28	9	46	-	-	-	-	-	1	4	6	11	18	6
White	76	-	-	-	-	-	-	1	3	20	15	28	9	46	-	-	-	-	-	1	4	6	11	18	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	190	-	2	1	2	12	10	19	37	48	40	19	145	1	1	4	6	1	6	12	22	30	35	26
White	187	-	2	1	2	12	9	18	37	48	39	19	141	1	1	4	6	1	6	11	21	30	35	25
All other	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	3	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Leukemia (204-208)	71	1	-	2	3	1	3	2	9	19	20	11	86	1	-	1	-	3	3	8	8	20	26	16
White	70	1	-	2	3	1	3	2	9	18	20	11	85	1	-	1	-	3	3	8	8	20	26	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	93	-	1	1	3	3	3	3	21	21	28	9	90	-	-	-	1	1	-	-	15	26	35	12
White	92	-	1	1	3	2	3	3	21	21	28	9	89	-	-	-	1	1	-	-	14	26	35	12
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	-	-	-	1	1	2	6	5	1	30	2	-	-	3	-	1	1	2	3	11	7
White	16	-	-	-	-	-	1	1	2	6	5	1	30	2	-	-	3	-	1	1	2	3	11	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	103	-	-	-	1	5	4	7	19	15	35	17	129	-	-	-	-	3	5	1	13	34	51	22
White	96	-	-	-	1	5	4	5	17	13	35	16	119	-	-	-	-	2	4	1	11	31	49	21
All other	7	-	-	-	-	-	-	2	2	2	-	1	10	-	-	-	-	1	1	-	2	3	2	1
Black	6	-	-	-	-	-	-	2	2	1	-	1	7	-	-	-	-	-	1	-	1	3	2	-
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	2	1	6	21	-	-	-	-	-	-	-	-	-	4	17
White	9	-	-	-	-	-	-	-	-	2	1	6	21	-	-	-	-	-	-	-	-	-	4	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	1	-	-	-	-	1	3	3	6	-	-	-	-	-	-	-	-	-	1	2	3
White	8	-	-	1	-	-	-	-	1	3	3	6	-	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,652	4	3	2	5	8	48	149	478	920	1,192	842	3,800	6	1	-	5	10	20	54	202	550	1,226	1,725
White	3,559	4	2	2	5	7	45	137	457	895	1,175	829	3,708	3	1	-	5	8	17	48	185	539	1,195	1,706
All other	93	-	1	-	-	1	3	12	21	25	17	13	92	3	-	-	-	2	3	6	17	11	31	19
Black	74	-	1	-	-	-	2	9	17	22	12	11	80	1	-	-	-	2	3	6	15	9	27	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,801	2	2	1	3	7	42	135	430	770	904	604	2,741	5	1	–	4	7	18	38	167	431	884	1,187
White	2,825	2	2	1	3	6	40	124	414	747	890	595	2,664	2	1	–	4	6	15	32	153	420	857	1,173
All other	76	–	–	–	–	1	2	11	16	23	14	9	77	3	–	–	–	1	3	4	14	11	27	14
Black	60	–	–	–	–	–	1	6	13	20	10	6	65	1	–	–	–	1	3	4	12	9	23	12
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	–	–	–	–	4	9	6	1	45	–	–	–	–	–	–	3	10	11	18	3
White	20	–	–	–	–	–	–	–	4	9	6	1	45	–	–	–	–	–	–	3	10	11	18	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	26	–	–	–	–	–	–	2	2	9	6	7	45	–	–	–	–	–	1	1	4	5	11	23
White	23	–	–	–	–	–	–	2	1	7	6	7	40	–	–	–	–	–	–	–	4	4	10	22
All other	3	–	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	1	1	–	1	1	1
Black	3	–	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	1	1	–	1	1	1
Hypertensive heart and renal disease (404)	7	–	–	–	–	–	–	–	–	1	2	4	23	–	–	–	–	–	–	–	–	1	3	19
White	7	–	–	–	–	–	–	–	–	1	2	4	23	–	–	–	–	–	–	–	–	1	3	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	2,215	–	–	–	–	5	30	117	355	590	699	419	1,898	–	–	–	–	1	10	20	113	317	635	801
White	2,158	–	–	–	–	4	28	108	342	577	686	413	1,852	–	–	–	–	1	10	17	107	310	614	782
All other	57	–	–	–	–	1	2	9	13	13	13	6	46	–	–	–	–	–	–	3	6	7	21	9
Black	44	–	–	–	–	–	1	6	10	12	9	6	39	–	–	–	–	–	–	3	6	5	17	8
Acute myocardial infarction (410)	1,303	–	–	–	–	3	18	75	249	384	400	174	912	–	–	–	–	1	7	9	74	204	337	279
White	1,288	–	–	–	–	2	16	72	245	382	398	173	899	–	–	–	–	1	7	9	71	199	333	278
All other	15	–	–	–	–	1	2	3	4	2	2	1	13	–	–	–	–	–	–	–	3	5	4	1
Black	9	–	–	–	–	–	1	1	4	1	1	1	9	–	–	–	–	–	–	–	3	3	2	1
Other acute and subacute forms of ischemic heart disease (411)	7	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–	–	–	–	–	–	3	1
White	7	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–	–	–	–	–	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	1	–	–	2	1	2	–	–	–	–	–	–	–	–	–	1	1
White	3	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	901	–	–	–	–	2	12	41	106	206	295	239	980	–	–	–	–	–	3	11	39	113	294	520
White	860	–	–	–	–	2	12	35	97	195	285	234	948	–	–	–	–	–	3	8	36	111	278	512
All other	41	–	–	–	–	–	–	6	9	11	10	5	32	–	–	–	–	–	–	3	3	2	16	8
Black	34	–	–	–	–	–	–	5	6	11	7	5	29	–	–	–	–	–	–	3	3	2	14	7
Other diseases of endocardium (424)	28	–	–	–	–	–	–	1	1	8	13	4	29	–	–	–	–	–	–	–	1	7	12	9
White	26	–	–	–	–	–	–	1	1	7	13	3	28	–	–	–	–	–	–	–	–	7	12	9
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other forms of heart disease (415-423,425-429)	605	2	2	1	3	2	12	15	68	153	178	169	701	5	1	–	4	6	7	12	39	80	205	332
White	591	2	2	1	3	2	12	13	66	146	177	167	676	2	1	–	4	5	5	12	32	87	200	328
All other	14	–	–	–	–	–	–	2	2	7	1	2	25	3	–	–	–	1	2	–	7	3	5	4
Black	12	–	–	–	–	–	–	2	2	5	1	2	20	1	–	–	–	1	2	–	5	3	5	3
Hypertension with or without renal disease (401,403)	34	–	–	–	1	–	–	–	2	7	12	12	42	–	–	–	–	–	–	1	3	6	15	17
White	34	–	–	–	1	–	–	–	2	7	12	12	41	–	–	–	–	–	–	–	3	6	15	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cerebrovascular diseases (430-438)	497	2	1	1	1	1	6	11	31	92	192	159	783	1	–	–	–	3	2	16	28	88	269	376
White	488	2	–	1	1	1	5	11	28	90	191	158	772	1	–	–	–	2	2	15	27	88	265	372
All other	9	–	1	–	–	–	1	–	3	2	1	1	11	–	–	–	–	1	–	1	1	–	4	4
Black	7	–	1	–	–	–	1	–	2	2	–	1	11	–	–	–	–	1	–	1	1	–	4	4
Intracerebral and other intracranial hemorrhage (431-432)	46	–	1	–	1	1	2	–	4	11	17	9	74	1	–	–	–	1	–	4	8	11	33	16
White	44	–	–	–	1	1	1	–	4	11	17	9	74	1	–	–	–	1	–	4	8	11	33	16
All other	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	74	–	–	–	–	–	1	2	6	9	19	37	106	–	–	–	–	–	–	–	2	16	37	49
White	73	–	–	–	–	–	1	2	5	9	19	37	105	–	–	–	–	–	–	–	2	16	36	49
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	1	-	1	1	-	7	-	-	-	-	-	-	1	-	1	3	2
White	3	-	-	-	-	-	-	1	-	1	1	-	7	-	-	-	-	-	-	1	-	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	374	2	-	1	-	-	3	8	21	71	155	113	596	-	-	-	-	2	2	11	18	58	196	309
White	368	2	-	1	-	-	3	8	19	69	154	112	586	-	-	-	-	1	2	10	17	58	193	305
All other	6	-	-	-	-	-	-	-	2	2	1	1	10	-	-	-	-	1	-	1	1	-	3	4
Black	4	-	-	-	-	-	-	-	1	2	-	1	10	-	-	-	-	1	-	1	1	-	3	4
Atherosclerosis (440)	105	-	-	-	-	-	-	-	2	14	37	52	178	-	-	-	-	-	-	1	1	12	42	122
White	101	-	-	-	-	-	-	-	1	14	37	49	177	-	-	-	-	-	-	1	1	12	42	121
All other	4	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	115	-	-	-	-	-	-	3	13	37	47	15	56	-	-	-	1	-	-	-	3	13	16	23
White	111	-	-	-	-	-	-	2	12	37	45	15	54	-	-	-	1	-	-	-	1	13	16	23
All other	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	-	-	1	-	1	3	1	1	-	-	-	-	-	-	-	1	-
White	3	-	1	-	-	-	-	-	-	1	-	1	3	1	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	248	1	-	-	-	2	1	3	16	46	87	92	271	3	-	-	-	-	-	4	9	22	75	158
White	232	1	-	-	-	1	-	3	15	42	81	89	264	2	-	-	-	-	-	4	9	21	72	156
All other	16	-	-	-	-	1	1	-	1	4	6	3	7	1	-	-	-	-	-	-	-	1	3	2
Black	13	-	-	-	-	1	1	-	1	4	3	3	7	1	-	-	-	-	-	-	-	1	3	2
Pneumonia (480-486)	245	1	-	-	-	2	1	3	16	46	86	90	262	3	-	-	-	-	-	4	9	21	75	150
White	229	1	-	-	-	1	-	3	15	42	80	87	255	2	-	-	-	-	-	4	9	20	72	148
All other	16	-	-	-	-	1	1	-	1	4	6	3	7	1	-	-	-	-	-	-	-	1	3	2
Black	13	-	-	-	-	1	1	-	1	4	3	3	7	1	-	-	-	-	-	-	-	1	3	2
Influenza (487)	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	-	-	1	-	8
White	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	-	-	1	-	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	319	-	-	-	2	-	-	5	31	118	131	32	133	-	1	-	2	-	2	5	22	49	37	15
White	316	-	-	-	2	-	-	5	31	117	130	31	128	-	1	-	1	-	-	5	21	49	37	14
All other	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	1	-	2	-	1	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	1	-	2	-	1	-	-	1
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	1	-	-	-	2	3	7	1	12	-	1	-	-	-	-	-	1	4	4	2
White	14	-	-	-	1	-	-	-	2	3	7	1	12	-	1	-	-	-	-	-	1	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	63	-	-	-	-	-	-	2	9	24	23	5	16	-	-	-	-	-	-	-	4	7	3	2
White	63	-	-	-	-	-	-	2	9	24	23	5	15	-	-	-	-	-	-	-	3	7	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	14	-	-	-	1	-	-	1	1	4	4	3	15	-	-	-	2	-	2	1	-	6	3	1
White	14	-	-	-	1	-	-	1	1	4	4	3	12	-	-	-	1	-	-	1	-	6	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	228	-	-	-	-	-	-	2	19	87	97	23	90	-	-	-	-	-	-	4	17	32	27	10
White	225	-	-	-	-	-	-	2	19	86	96	22	89	-	-	-	-	-	-	4	17	32	27	9
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	24	-	-	-	-	-	-	-	4	5	8	7	26	-	-	-	-	-	-	-	1	6	7	12
White	22	-	-	-	-	-	-	-	2	5	8	7	26	-	-	-	-	-	-	-	1	6	7	12
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	-	-	-	-	-	1	-	2	7	12	8	35	-	-	-	-	-	-	-	2	-	9	24
White	30	-	-	-	-	-	1	-	2	7	12	8	35	-	-	-	-	-	-	-	2	-	9	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975].

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	74	-	-	-	-	2	7	11	26	16	10	2	42	-	-	-	-	3	3	8	13	10	4	1
White	69	-	-	-	-	1	7	9	24	16	10	2	37	-	-	-	-	3	2	6	12	9	4	1
All other	5	-	-	-	-	1	-	2	2	-	-	-	5	-	-	-	-	-	1	2	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	2	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	1	4	6	-	12	-	-	-	-	-	-	1	1	2	6	2
White	11	-	-	-	-	-	-	-	1	4	6	-	12	-	-	-	-	-	-	1	1	2	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	66	1	-	-	-	1	2	-	2	16	24	20	69	-	-	1	-	-	-	1	4	10	25	28
White	65	1	-	-	-	1	2	-	2	15	23	20	67	-	-	1	-	-	-	1	4	10	23	28
All other	1	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	-	-	-	-	-	2	4	-	2	6	-	-	-	-	-	-	-	-	-	2	4
White	8	-	-	-	-	-	-	-	2	4	-	2	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	56	1	-	-	-	-	2	-	-	12	23	18	63	-	-	1	-	-	-	1	4	10	23	24
White	55	1	-	-	-	-	2	-	-	12	22	18	61	-	-	1	-	-	-	1	4	10	21	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Infections of kidney (590)	6	-	-	-	-	-	-	-	1	2	2	1	13	-	-	-	-	-	1	-	1	2	2	7
White	6	-	-	-	-	-	-	-	1	2	2	1	13	-	-	-	-	-	1	-	1	2	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	1	3	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	1	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	52	33	6	-	1	1	3	-	1	3	4	-	34	31	1	-	-	-	-	-	-	1	1	-
White	49	31	6	-	-	1	3	-	1	3	4	-	30	27	1	-	-	-	-	-	-	1	1	-
All other	3	2	-	-	1	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	67	67	-	-	-	-	-	-	-	-	-	-	34	33	1	-	-	-	-	-	-	-	-	-
White	61	61	-	-	-	-	-	-	-	-	-	-	31	30	1	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	26	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	41	41	-	-	-	-	-	-	-	-	-	-	21	20	1	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	18	17	1	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	128	25	2	-	-	6	3	8	9	23	27	25	134	19	-	1	-	1	-	1	9	9	29	65
White	124	21	2	-	-	6	3	8	9	23	27	25	129	15	-	1	-	1	-	1	9	9	28	65
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-	1	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	456	3	5	6	5	5	13	25	61	111	116	104	495	2	2	4	2	13	8	11	33	68	147	205
White	438	3	4	5	5	5	10	20	57	110	116	103	478	2	-	3	2	13	7	9	31	66	143	202
All other	18	-	1	1	-	-	3	5	4	1	2	1	17	-	2	1	-	-	1	2	2	2	4	3
Black	13	-	1	1	-	-	3	3	2	1	1	1	15	-	2	1	-	-	-	2	2	2	3	3
Accidents and adverse effects (E800-E949)	428	3	12	27	89	67	40	33	41	42	36	37	216	5	5	6	37	18	15	11	15	23	41	40
White	408	3	12	24	86	64	38	30	38	41	35	36	210	4	5	6	37	16	14	11	15	23	40	39
All other	20	-	-	3	3	3	2	3	3	1	1	1	6	1	-	-	-	2	1	-	-	-	1	1
Black	12	-	-	1	3	2	1	1	1	1	1	1	4	-	-	-	-	2	-	-	-	-	1	1
Motor vehicle accidents (E810-E825)	190	1	4	13	59	35	17	14	16	13	13	4	95	1	3	4	33	14	6	5	8	7	12	2
White	181	1	4	11	58	33	16	14	14	13	13	3	93	1	3	4	33	13	5	5	8	7	12	2
All other	9	-	-	2	1	2	1	-	2	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-
Black	4	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	238	2	8	14	30	32	23	19	25	29	23	33	121	4	2	2	4	4	9	6	7	16	29	38
White	227	2	8	13	28	31	22	16	24	28	22	33	117	3	2	2	4	3	9	6	7	16	28	37
All other	11	-	-	1	2	1	1	3	1	1	1	-	4	1	-	-	-	1	-	-	-	-	1	1
Black	8	-	-	1	2	1	-	1	1	1	1	-	3	-	-	-	-	1	-	-	-	-	1	1
Suicide (E950-E959)	142	...	...	-	36	29	14	16	13	24	13	3	25	...	...	-	1	3	7	3	1	6	1	1
White	141	...	...	-	36	23	14	15	13	24	13	3	25	...	...	-	1	3	7	3	1	6	1	1
All other	1	...	...	-	-	-	-	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	35	1	1	-	8	9	5	7	3	1	-	-	19	1	1	-	6	6	1	-	2	2	-	-
White	23	1	1	-	4	5	5	5	2	-	-	-	14	1	1	-	3	5	1	-	1	2	-	-
All other	12	-	-	-	4	4	-	2	1	1	-	-	5	-	-	-	3	1	-	-	1	-	-	-
Black	10	-	-	-	2	4	-	2	1	1	-	-	4	-	-	-	2	1	-	-	1	-	-	-
All other external causes (E980-E999)	17	-	1	1	5	3	1	-	2	1	3	-	5	-	-	-	-	1	2	1	-	-	1	-
White	17	-	1	1	5	3	1	-	2	1	3	-	5	-	-	-	-	1	2	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA																								
All causes	3,923	99	23	18	144	161	146	336	769	1,114	782	305	2,832	57	15	10	50	84	93	193	456	669	686	489
White	3,661	82	20	18	124	161	122	306	723	1,058	747	295	2,654	47	12	10	41	72	82	169	420	657	679	471
All other	262	17	3	-	20	20	24	30	46	56	35	10	178	10	3	-	9	12	11	24	36	32	23	18
Black	189	13	1	-	13	14	18	18	31	45	27	8	113	9	2	-	5	8	5	13	22	24	13	12
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	19	-	-	-	1	1	-	4	4	5	3	1	18	-	-	-	-	1	-	2	-	6	4	5
White	17	-	-	-	1	1	-	4	3	5	2	1	15	-	-	-	-	1	-	1	-	6	3	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,038-041, 046-054,056-066,071-088, 098-139)	6	-	-	-	-	-	1	-	2	2	-	1	5	-	-	-	2	-	-	-	1	2	-	-
White	5	-	-	-	-	-	-	-	2	2	-	1	3	-	-	-	1	-	-	-	-	2	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	919	-	3	2	4	15	15	80	244	326	181	49	714	-	-	4	9	8	25	81	186	232	130	45
White	884	-	3	2	4	13	14	78	227	303	174	48	683	-	-	4	9	7	23	77	174	225	129	41
All other	55	-	-	-	-	2	1	4	17	23	7	1	31	-	-	-	-	1	2	4	12	7	1	4
Black	47	-	-	-	-	2	1	3	14	20	6	1	22	-	-	-	-	1	2	2	9	6	-	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	-	-	-	-	1	-	3	7	6	4	1	13	-	-	-	-	-	1	2	4	4	2	-
White	19	-	-	-	-	1	-	3	6	5	3	1	12	-	-	-	-	-	1	2	3	4	2	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	195	-	-	-	-	1	4	11	54	73	42	10	155	-	-	-	-	1	3	7	35	50	43	16
White	182	-	-	-	-	-	3	11	50	69	40	9	147	-	-	-	-	1	2	7	31	49	43	14
All other	13	-	-	-	-	1	1	-	4	4	2	1	8	-	-	-	-	-	1	-	4	1	-	2
Black	11	-	-	-	-	1	1	-	3	3	2	1	5	-	-	-	-	-	1	-	2	1	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	337	-	-	-	-	-	2	32	104	127	61	11	167	-	-	-	-	-	3	20	63	64	14	3
White	316	-	-	-	-	-	2	32	99	113	59	11	158	-	-	-	-	-	3	19	58	61	14	3
All other	21	-	-	-	-	-	-	-	5	14	2	-	9	-	-	-	-	-	-	1	5	3	-	-
Black	19	-	-	-	-	-	-	-	4	13	2	-	8	-	-	-	-	-	-	1	4	3	-	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	2	1	-	-	131	-	-	-	-	3	7	23	31	42	18	7
White	2	-	-	-	-	-	-	-	1	1	-	-	126	-	-	-	-	2	6	22	30	41	18	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	1	1	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	1	-	1	1	-	-
Malignant neoplasms of genital organs (179-187)	80	-	-	-	-	-	-	1	10	26	30	13	64	-	-	-	-	1	6	10	14	16	15	2
White	77	-	-	-	-	-	-	1	10	25	28	13	64	-	-	-	-	1	6	10	14	16	15	2
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	48	–	1	–	–	–	1	3	7	19	11	6	24	–	–	–	–	–	–	2	7	7	7	1
White	45	–	1	–	–	–	1	2	6	18	11	6	23	–	–	–	–	–	–	2	6	7	7	1
All other	3	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	153	–	2	–	2	7	4	20	41	56	18	3	93	–	–	3	2	1	3	11	19	31	15	8
White	144	–	2	–	2	6	4	18	37	54	18	3	91	–	–	3	2	1	3	10	19	30	15	8
All other	9	–	–	–	–	1	–	2	4	2	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	7	–	–	–	–	1	–	1	4	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Leukemia (204-208)	35	–	–	1	–	1	2	4	11	8	7	1	28	–	–	–	1	2	1	4	3	6	5	6
White	34	–	–	1	–	1	2	4	10	8	7	1	25	–	–	–	1	2	1	3	3	6	4	5
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	46	–	–	1	2	5	2	6	8	10	8	4	39	–	–	1	–	–	1	2	10	12	11	2
White	45	–	–	1	2	5	2	5	8	10	8	4	37	–	–	1	–	–	1	2	10	11	11	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	–	–	–	–	1	–	–	1	3	5	–	12	–	1	–	–	–	–	2	3	2	2	2
White	8	–	–	–	–	1	–	–	–	3	4	–	11	–	1	–	–	–	–	1	3	2	2	2
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Diabetes mellitus (250)	47	–	–	–	–	–	3	3	7	18	14	2	53	–	–	–	–	4	3	3	15	9	13	6
White	42	–	–	–	–	–	3	3	7	15	12	2	43	–	–	–	–	3	2	3	12	7	11	5
All other	5	–	–	–	–	–	–	–	–	3	2	–	10	–	–	–	–	1	1	–	3	2	2	1
Black	3	–	–	–	–	–	–	–	–	2	1	–	6	–	–	–	–	1	1	–	2	1	–	1
Nutritional deficiencies (260-269)	6	–	–	–	–	1	–	–	1	–	2	2	6	–	–	–	–	–	–	–	1	–	1	4
White	5	–	–	–	–	1	–	–	1	–	2	1	6	–	–	–	–	–	–	–	1	–	1	4
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	10	–	–	–	–	1	–	1	2	2	2	2	4	–	1	–	–	–	–	1	1	1	–	–
White	9	–	–	–	–	1	–	–	2	2	2	2	4	–	1	–	–	–	–	1	1	1	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	3	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
White	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,599	4	2	1	5	9	28	143	323	529	384	169	1,183	1	–	1	–	10	13	40	135	278	380	325
White	1,517	2	2	1	4	9	23	132	307	504	369	162	1,118	1	–	1	–	8	11	32	121	262	365	317
All other	82	2	–	–	1	–	5	11	16	25	15	7	65	–	–	–	–	2	2	8	14	16	15	8
Black	63	1	–	–	1	–	5	7	11	20	13	5	46	–	–	–	–	1	1	5	8	14	11	6
Diseases of heart (390-398,402,404-429)	1,339	3	2	1	3	8	24	133	279	446	307	131	918	1	–	1	–	7	6	27	110	218	282	256
White	1,272	2	2	1	3	8	20	122	266	423	297	126	871	1	–	1	–	6	5	22	99	206	261	250
All other	67	1	–	–	–	–	4	11	13	23	10	5	47	–	–	–	–	1	1	5	11	12	11	6
Black	50	–	–	–	–	–	4	7	8	19	9	3	34	–	–	–	–	1	1	3	6	11	8	4
Rheumatic fever and rheumatic heart disease (390-398)	11	–	–	–	–	–	1	–	5	4	1	–	12	–	–	–	–	–	–	1	2	3	4	2
White	10	–	–	–	–	–	1	–	4	4	1	–	12	–	–	–	–	–	–	1	2	3	4	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	83	–	–	–	–	–	2	13	22	33	10	3	65	–	–	–	–	–	–	2	7	20	28	10
White	70	–	–	–	–	–	1	8	18	30	10	3	60	–	–	–	–	–	–	2	7	18	25	8
All other	13	–	–	–	–	–	1	5	4	3	–	–	5	–	–	–	–	–	–	–	–	2	1	2
Black	10	–	–	–	–	–	1	2	4	3	–	–	5	–	–	–	–	–	–	–	–	2	1	2
Hypertensive heart and renal disease (404)	3	–	–	–	–	1	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
White	2	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	799	–	–	–	1	2	12	80	178	261	185	78	534	–	–	–	–	2	4	13	62	136	167	150
White	774	–	–	–	1	2	10	77	172	254	181	75	507	–	–	–	–	1	4	9	54	129	162	148
All other	25	–	–	–	–	–	2	3	6	7	4	3	27	–	–	–	–	1	–	4	8	7	5	2
Black	17	–	–	–	–	–	2	2	3	5	4	1	15	–	–	–	–	1	–	2	3	6	3	–
Acute myocardial infarction (410)	455	–	–	–	1	2	5	51	110	153	104	28	263	–	–	–	–	2	3	7	42	76	83	50
White	443	–	–	–	1	2	5	51	106	149	102	28	245	–	–	–	–	1	3	5	37	72	79	48
All other	12	–	–	–	–	–	–	–	4	4	2	2	18	–	–	–	–	1	–	2	5	4	4	2
Black	6	–	–	–	–	–	–	–	1	3	2	–	11	–	–	–	–	1	–	1	3	4	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	2	-	-	5	-	-	-	-	-	-	-	-	2	1	2
White	3	-	-	-	-	-	-	-	1	2	-	-	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	340	-	-	-	-	-	7	29	67	105	81	50	268	-	-	-	-	-	1	6	20	58	83	98
White	327	-	-	-	-	-	5	26	65	102	79	49	257	-	-	-	-	-	1	4	17	55	82	98
All other	13	-	-	-	-	-	2	3	2	3	2	1	9	-	-	-	-	-	-	2	3	3	1	-
Black	11	-	-	-	-	-	2	2	2	2	2	1	4	-	-	-	-	-	-	1	-	2	1	-
Other diseases of endocardium (424)	18	-	1	-	-	2	-	-	2	6	5	2	13	-	-	1	-	-	-	1	1	3	6	1
White	16	-	1	-	-	2	-	-	2	4	5	2	13	-	-	1	-	-	-	1	1	3	6	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	425	3	1	1	2	3	9	40	72	141	105	48	291	1	-	-	-	5	2	10	38	55	88	92
White	400	2	1	1	2	3	8	37	70	131	99	46	277	1	-	-	-	5	1	9	35	53	83	90
All other	25	1	-	-	-	-	1	3	2	10	6	2	14	-	-	-	-	-	1	1	3	2	5	2
Black	21	-	-	-	-	-	1	3	1	9	5	2	13	-	-	-	-	-	1	1	3	2	4	2
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	1	-	-	4	2	-	4	-	-	-	-	-	-	-	1	-	3	-
White	6	-	-	-	-	-	1	-	-	3	2	-	4	-	-	-	-	-	-	-	1	-	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	166	-	-	-	1	1	2	8	24	48	57	25	219	-	-	-	-	3	6	11	21	49	71	52
White	155	-	-	-	1	1	1	8	21	47	53	24	197	-	-	-	-	2	5	9	18	45	67	51
All other	11	-	-	-	1	-	1	-	3	1	4	1	18	-	-	-	-	1	1	2	3	4	4	1
Black	9	-	-	-	1	-	1	-	3	-	3	1	11	-	-	-	-	-	-	2	2	3	3	1
Intracerebral and other intracranial hemorrhage (431-432)	28	-	-	-	-	1	-	2	7	10	5	3	34	-	-	-	-	-	-	5	6	8	13	2
White	25	-	-	-	-	1	-	2	6	9	5	2	33	-	-	-	-	-	-	5	5	8	13	2
All other	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	1	2	7	7	2	17	-	-	-	-	-	1	1	1	7	3	4
White	18	-	-	-	-	-	-	1	2	7	6	2	16	-	-	-	-	-	1	-	1	7	3	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	118	-	-	-	1	-	2	5	14	31	45	20	161	-	-	-	-	3	6	5	13	34	55	46
White	111	-	-	-	-	-	1	5	12	31	42	20	148	-	-	-	-	2	4	4	12	30	51	45
All other	7	-	-	-	1	-	1	-	2	-	3	-	13	-	-	-	-	1	1	1	1	4	4	1
Black	6	-	-	-	1	-	1	-	2	-	2	-	9	-	-	-	-	-	-	1	1	3	3	1
Atherosclerosis (440)	34	-	-	-	-	-	-	-	3	8	13	10	31	-	-	-	-	-	-	-	-	5	10	16
White	32	-	-	-	-	-	-	-	3	8	12	9	30	-	-	-	-	-	-	-	-	5	10	15
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	53	1	-	-	1	-	1	2	17	23	6	3	17	-	-	-	-	-	1	2	3	6	4	1
White	52	-	-	-	1	-	1	2	17	23	5	3	16	-	-	-	-	-	1	1	3	6	4	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	91	1	-	-	-	2	1	4	12	20	29	22	78	1	-	-	-	1	2	2	6	11	24	31
White	84	-	-	-	-	2	-	3	10	20	27	22	77	1	-	-	-	1	2	2	6	11	24	30
All other	7	1	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	89	1	-	-	-	1	1	4	12	20	28	22	77	1	-	-	-	1	2	2	6	11	24	30
White	82	-	-	-	-	1	-	3	10	20	26	22	76	1	-	-	-	1	2	2	6	11	24	29
All other	7	1	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	155	-	-	-	-	1	1	1	24	65	52	11	121	-	-	-	1	1	-	5	21	41	36	16
White	148	-	-	-	-	1	1	1	23	63	49	10	119	-	-	-	1	1	-	5	21	40	35	16
All other	7	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	1	-	2	3	3	1	6	-	-	-	-	-	-	-	2	2	3	1
White	10	-	-	-	-	-	1	-	2	3	3	1	6	-	-	-	-	-	-	-	2	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	30	-	-	-	-	1	-	-	7	11	9	2	32	-	-	-	-	-	-	1	6	11	11	3
White	28	-	-	-	-	1	-	-	7	11	8	1	32	-	-	-	-	-	-	1	6	11	11	3
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	-	-	1	2	2	1	-	8	-	-	-	1	1	-	1	1	1	1	2
White	6	-	-	-	-	-	-	1	2	2	1	-	8	-	-	-	1	1	-	1	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	109	-	-	-	-	-	-	-	13	49	39	8	73	-	-	-	-	-	-	3	12	27	21	10
White	104	-	-	-	-	-	-	-	12	47	37	8	71	-	-	-	-	-	-	3	12	26	20	10
All other	5	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	1	-	1	5	3	2	10	-	-	-	-	-	-	1	3	3	1	2
White	11	-	-	-	-	-	-	-	1	5	3	2	10	-	-	-	-	-	-	1	3	3	1	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	1	-	-	-	-	1	-	1	2	12	-	-	-	-	-	-	-	3	1	6	2
White	6	1	-	1	-	-	-	-	1	-	1	2	11	-	-	-	-	-	-	-	2	1	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	81	-	-	-	-	5	15	15	23	19	4	-	59	-	-	-	-	-	9	10	15	14	10	1
White	75	-	-	-	-	4	13	14	21	19	4	-	54	-	-	-	-	-	6	8	15	14	10	1
All other	6	-	-	-	-	1	2	1	2	-	-	-	5	-	-	-	-	-	3	2	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	1	-	-	1	-
White	5	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	41	1	-	-	-	-	1	2	5	12	13	7	40	-	-	-	-	1	1	1	8	11	12	6
White	37	1	-	-	-	-	-	1	4	11	13	7	36	-	-	-	-	1	-	1	7	9	12	6
All other	4	-	-	-	-	-	1	1	1	1	-	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	2	–
White	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	1	–	–	–	–	1	2	4	11	11	7	37	–	–	–	–	1	1	1	8	11	10	5
White	33	1	–	–	–	–	–	1	3	10	11	7	33	–	–	–	–	1	–	1	7	9	10	5
All other	4	–	–	–	–	–	1	1	1	1	–	–	4	–	–	–	–	–	1	–	1	2	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Infections of kidney (590)	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	–	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	–	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	35	20	4	2	3	1	2	1	1	–	1	–	29	21	–	2	–	3	–	1	1	–	1	–
White	26	15	3	2	2	1	1	–	1	–	1	–	26	19	–	2	–	2	–	1	1	–	1	–
All other	9	5	1	–	1	–	1	1	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–
Black	4	3	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	38	37	1	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
White	33	32	1	–	–	–	–	–	–	–	–	–	15	14	1	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
White	14	14	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	23	22	1	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
White	19	18	1	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	55	29	–	–	–	1	2	–	3	4	12	4	38	12	–	–	–	1	–	–	1	4	4	16
White	51	27	–	–	–	1	1	–	3	4	11	4	31	7	–	–	–	1	–	–	1	4	4	14
All other	4	2	–	–	–	–	1	–	–	–	1	–	7	5	–	–	–	–	–	–	–	–	–	2
Black	4	2	–	–	–	–	1	–	–	–	1	–	6	4	–	–	–	–	–	–	–	–	–	2
All other diseases (Residual)	228	1	–	2	10	8	12	18	50	66	42	19	214	4	3	1	3	6	9	16	33	55	58	24
White	215	–	–	2	9	6	9	16	48	65	41	19	197	2	2	1	2	7	8	13	31	52	56	23
All other	13	1	–	–	1	2	3	2	2	1	1	–	17	2	1	–	1	1	1	3	2	3	2	1
Black	9	1	–	–	1	2	2	1	1	1	–	–	9	2	1	–	1	–	–	3	1	1	–	–
Accidents and adverse effects (E800-E949)	280	3	13	9	70	68	26	24	25	18	14	10	110	2	5	2	23	18	10	11	11	13	12	3
White	256	2	11	9	66	60	22	22	24	18	12	10	99	2	4	2	20	16	10	10	9	12	11	3
All other	24	1	2	–	4	8	4	2	1	–	2	–	11	–	1	–	3	2	–	1	2	1	1	–
Black	14	1	–	–	3	5	2	1	–	–	2	–	5	–	–	–	–	2	–	–	1	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	146	–	3	7	47	37	18	11	13	5	3	2	65	–	2	–	21	15	7	6	7	6	–	1
White	132	–	2	7	44	33	15	10	13	5	1	2	58	–	1	–	18	14	7	5	7	5	–	1
All other	14	–	1	–	3	4	3	1	–	–	2	–	7	–	1	–	3	1	–	1	–	1	–	–
Black	7	–	–	–	2	1	2	–	–	–	2	–	2	–	–	–	–	1	–	–	–	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	134	3	10	2	23	31	8	13	12	13	11	8	45	2	3	2	2	3	3	5	4	7	12	2
White	124	2	9	2	22	27	7	12	11	13	11	8	41	2	3	2	2	2	3	5	2	7	11	2
All other	10	1	1	–	1	4	1	1	1	–	–	–	4	–	–	–	–	1	–	–	2	–	1	–
Black	7	1	–	–	1	4	–	1	–	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Suicide (E950-E959)	190	...	...	–	31	45	28	31	28	12	13	–	58	...	...	–	6	18	12	9	9	4	–	–
White	175	...	...	–	24	41	27	29	28	12	13	–	55	...	...	–	5	18	12	7	9	4	–	–
All other	15	...	...	–	7	4	1	2	–	–	–	–	3	...	...	–	1	–	–	2	–	–	–	–
Black	6	...	...	–	2	2	1	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	65	1	–	–	14	21	9	6	9	3	1	–	36	–	3	–	10	6	5	7	3	1	1	–
White	51	1	–	–	9	18	7	4	7	3	1	–	27	–	2	–	7	4	4	5	3	1	1	–
All other	14	–	–	–	5	3	2	2	2	–	–	–	9	–	1	–	3	2	1	2	–	–	–	–
Black	14	–	–	–	5	3	2	2	2	–	–	–	8	–	1	–	3	1	1	–	–	–	–	–
All other external causes (E980-E999)	9	–	–	1	6	1	1	–	–	–	–	–	9	–	1	–	1	2	4	–	–	–	–	–
White	8	–	–	1	5	1	1	–	–	–	–	–	7	–	1	–	1	1	4	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
NEW HAMPSHIRE																								
All causes	4,151	91	12	16	100	102	125	265	699	1,140	1,066	535	3,888	54	8	7	30	43	69	159	383	768	1,182	1,185
White	4,139	91	12	16	100	102	122	263	698	1,137	1,065	533	3,882	52	8	7	30	43	69	159	383	767	1,180	1,184
All other	12	–	–	–	–	–	3	2	1	3	1	2	6	2	–	–	–	–	–	–	–	1	2	1
Black	10	–	–	–	–	–	3	1	1	3	–	2	5	2	–	–	–	–	–	–	–	1	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	21	–	–	–	–	–	–	–	5	6	5	5	16	–	–	–	–	–	–	–	1	3	9	3
White	21	–	–	–	–	–	–	–	5	6	5	5	16	–	–	–	–	–	–	–	1	3	9	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	11	-	-	-	-	2	1	1	-	4	3	-	4	-	1	-	-	-	-	-	-	-	3	-
White	11	-	-	-	-	2	1	1	-	4	3	-	4	-	1	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	962	-	1	1	4	7	26	81	211	327	232	72	920	-	-	1	4	12	26	81	194	243	236	123
White	957	-	1	1	4	7	26	80	210	325	232	71	920	-	-	1	4	12	26	81	194	243	236	123
All other	5	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	1	1	-	6	5	4	4	11	-	-	-	-	-	-	2	3	3	2	1
White	19	-	-	-	-	1	1	-	5	5	4	3	11	-	-	-	-	-	-	2	3	3	2	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	238	-	-	-	-	1	3	22	49	87	55	19	206	-	-	-	-	-	4	7	34	58	66	37
White	235	-	-	-	-	1	3	22	49	86	55	19	206	-	-	-	-	-	4	7	34	58	66	37
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	354	-	-	-	-	-	8	36	97	124	72	17	163	-	-	-	-	-	3	17	47	54	34	8
White	352	-	-	-	-	-	8	35	97	123	72	17	163	-	-	-	-	-	3	17	47	54	34	8
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	178	-	-	-	-	4	8	21	46	39	37	23
White	-	-	-	-	-	-	-	-	-	-	-	-	178	-	-	-	-	4	8	21	46	39	37	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	96	-	-	-	-	1	-	1	14	29	38	16	115	-	-	-	-	3	4	14	19	34	33	8
White	96	-	-	-	-	1	-	1	14	29	38	16	115	-	-	-	-	3	4	14	19	34	33	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	44	-	-	-	-	-	1	2	10	16	12	3	33	-	-	-	-	-	-	3	7	9	9	5
White	44	-	-	-	-	-	1	2	10	16	12	3	33	-	-	-	-	-	-	3	7	9	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	121	-	-	-	2	-	11	13	19	35	32	9	138	-	-	-	4	1	5	11	27	32	30	28
White	121	-	-	-	2	-	11	13	19	35	32	9	138	-	-	-	4	1	5	11	27	32	30	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	1	1	2	3	1	4	2	10	10	4	27	-	-	1	-	2	1	2	8	3	6	4
White	38	-	1	1	2	3	1	4	2	10	10	4	27	-	-	1	-	2	1	2	8	3	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	52	-	-	-	-	1	1	3	14	24	9	-	49	-	-	-	-	2	1	4	3	11	19	9
White	52	-	-	-	-	1	1	3	14	24	9	-	49	-	-	-	-	2	1	4	3	11	19	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	-	-	-	1	-	1	3	9	3	-	16	-	-	-	-	-	-	-	3	4	5	4
White	17	-	-	-	-	1	-	1	3	9	3	-	16	-	-	-	-	-	-	-	3	4	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	68	-	-	-	1	1	2	6	12	22	15	9	108	-	-	-	-	-	4	2	10	28	42	24
White	67	-	-	-	1	1	1	6	12	22	15	9	107	-	-	-	-	-	4	2	10	25	42	24
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
White	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	1	-	1	3	9	-	-	-	-	-	-	-	-	2	4	3
White	5	-	-	-	-	-	-	-	1	-	1	3	9	-	-	-	-	-	-	-	-	2	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	2	2	-	1	-	-	-	-	-	-	-	4	-	1	-	-	-	1	-	1	-	-	1
White	5	2	2	-	1	-	-	-	-	-	-	-	4	-	1	-	-	-	1	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,939	1	1	-	1	14	39	103	331	570	564	315	1,958	3	-	-	1	6	12	37	101	332	662	804
White	1,937	1	1	-	1	14	38	103	331	569	564	315	1,956	3	-	-	1	6	12	37	101	332	661	803
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,586	-	1	-	1	13	34	90	297	477	442	231	1,485	2	-	-	1	4	7	30	86	267	502	586
White	1,585	-	1	-	1	13	33	90	297	477	442	231	1,484	2	-	-	1	4	7	30	86	267	502	585
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	1	-	-	1	2	5	3	-	23	-	-	-	-	-	-	-	5	7	9	2
White	12	-	-	-	1	-	-	1	2	5	3	-	23	-	-	-	-	-	-	-	5	7	9	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	18	-	-	-	-	-	-	1	1	7	6	3	34	-	-	-	-	-	-	-	3	7	16	8
White	18	-	-	-	-	-	-	1	1	7	6	3	34	-	-	-	-	-	-	-	3	7	16	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
White	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,213	-	-	-	-	7	23	65	245	377	328	170	1,033	-	-	-	-	3	7	20	49	205	351	398
White	1,213	-	-	-	-	7	23	65	245	377	328	170	1,033	-	-	-	-	3	7	20	49	205	351	398
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	727	-	-	-	-	5	16	49	176	253	173	55	507	-	-	-	-	2	5	15	33	133	194	125
White	727	-	-	-	-	5	16	49	176	253	173	55	507	-	-	-	-	2	5	15	33	133	194	125
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	484	-	-	-	-	2	7	16	68	123	153	115	523	-	-	-	-	1	2	5	16	70	157	272
White	484	-	-	-	-	2	7	16	68	123	153	115	523	-	-	-	-	1	2	5	16	70	157	272
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	17	-	-	-	-	1	2	1	-	7	5	1	24	-	-	-	-	-	-	-	-	4	5	15
White	17	-	-	-	-	1	2	1	-	7	5	1	24	-	-	-	-	-	-	-	-	4	5	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	323	-	1	-	-	5	9	22	49	80	101	56	367	2	-	-	1	1	-	10	29	44	119	161
White	322	-	1	-	-	5	8	22	49	80	101	56	366	2	-	-	1	1	-	10	29	44	119	160
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	1	1	-	4	6	2	20	-	-	-	-	-	-	-	3	4	7	6
White	14	-	-	-	-	-	1	1	-	4	6	2	20	-	-	-	-	-	-	-	3	4	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	223	1	-	-	-	1	3	7	19	57	81	54	341	1	-	-	-	2	4	6	6	47	122	153
White	222	1	-	-	-	1	3	7	19	56	81	54	340	1	-	-	-	2	4	6	6	47	121	153
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other *intracranial* hemorrhage (431-432)	33	1	-	-	-	1	1	2	7	6	13	2	43	-	-	-	-	-	3	2	3	9	10	16
White	33	1	-	-	-	1	1	2	7	6	13	2	43	-	-	-	-	-	3	2	3	9	10	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	44	-	-	-	-	-	-	2	2	11	14	15	62	-	-	-	-	-	1	-	-	7	22	32
White	44	-	-	-	-	-	-	2	2	11	14	15	62	-	-	-	-	-	1	-	-	7	22	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	145	-	-	-	-	-	2	3	10	40	53	37	234	1	-	-	-	2	-	4	3	31	89	104
White	144	-	-	-	-	-	2	3	10	39	53	37	233	1	-	-	-	2	-	4	3	31	88	104
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	51	-	-	-	-	-	1	-	-	10	18	22	78	-	-	-	-	-	-	-	-	11	18	49
White	51	-	-	-	-	-	1	-	-	10	18	22	78	-	-	-	-	-	-	-	-	11	18	49
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	65	-	-	-	-	-	-	5	15	22	17	6	34	-	-	-	-	-	1	1	6	3	13	10
White	65	-	-	-	-	-	-	5	15	22	17	6	34	-	-	-	-	-	1	1	6	3	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and *bronchiolitis* (466)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	103	2	1	-	1	-	1	3	7	17	40	31	111	1	-	2	-	-	2	-	6	11	29	60
White	102	2	1	-	1	-	1	2	7	17	40	31	111	1	-	2	-	-	2	-	6	11	29	60
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	102	2	1	-	1	-	1	3	7	17	39	31	110	1	-	2	-	-	2	-	6	11	29	59
White	101	2	1	-	1	-	1	2	7	17	39	31	110	1	-	2	-	-	2	-	6	11	29	59
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	182	-	-	-	1	2	2	5	25	48	76	23	99	-	-	-	-	-	-	3	10	39	34	13
White	182	-	-	-	1	2	2	5	25	48	76	23	99	-	-	-	-	-	-	3	10	39	34	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	12	-	-	-	-	-	-	-	1	3	5	3	2	-	-	-	-	-	-	-	-	2	-	-
White	12	-	-	-	-	-	-	-	1	3	5	3	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	-	-	6	11	13	7	18	-	-	-	-	-	-	1	1	7	8	1
White	37	-	-	-	-	-	-	-	6	11	13	7	18	-	-	-	-	-	-	1	1	7	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	9	–	–	–	1	2	2	1	1	1	1	–	4	–	–	–	–	–	–	–	1	1	2	–
White	9	–	–	–	1	2	2	1	1	1	1	–	4	–	–	–	–	–	–	–	1	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	124	–	–	–	–	–	–	4	17	33	57	13	75	–	–	–	–	–	–	2	8	29	24	12
White	124	–	–	–	–	–	–	4	17	33	57	13	75	–	–	–	–	–	–	2	8	29	24	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	17	–	–	–	–	–	1	–	2	9	4	1	11	–	–	–	–	–	–	–	–	6	5
White	17	–	–	–	–	–	1	–	2	9	4	1	11	–	–	–	–	–	–	–	–	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	–	–	–	–	–	–	1	1	2	3	3	10	–	–	–	–	–	–	–	–	4	4	2
White	10	–	–	–	–	–	–	1	1	2	3	3	10	–	–	–	–	–	–	–	–	4	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	75	–	–	–	–	1	6	12	31	18	6	1	41	–	–	–	–	1	1	9	12	11	7	–
White	75	–	–	–	–	1	6	12	31	18	6	1	41	–	–	–	–	1	1	9	12	11	7	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	9	–	–	–	–	–	–	1	1	2	4	1	4	–	–	–	–	–	–	–	1	–	1	2
White	9	–	–	–	–	–	–	1	1	2	4	1	4	–	–	–	–	–	–	–	1	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	–	–	–	–	–	–	–	2	9	9	10	41	–	–	–	–	–	–	1	2	4	17	17
White	29	–	–	–	–	–	–	–	2	9	9	9	41	–	–	–	–	–	–	1	2	4	17	17
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	29	–	–	–	–	–	–	–	2	9	8	10	36	–	–	–	–	–	–	1	2	4	14	15
White	28	–	–	–	–	–	–	–	2	9	8	9	36	–	–	–	–	–	–	1	2	4	14	15
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	3	–	–	–	–	–	–	–	–	1	–	2	7	–	–	–	–	–	–	–	–	2	4	1
White	3	–	–	–	–	–	–	–	–	1	–	2	7	–	–	–	–	–	–	–	–	2	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	–	1	1	3	***	***	***	***	***	***	***	***	***	***	***	***
White	5	–	–	–	–	–	–	–	–	1	1	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	25	14	1	2	-	2	1	-	1	3	1	-	27	14	2	-	-	2	2	2	-	3	2	-
White	25	14	1	2	-	2	1	-	1	3	1	-	27	14	2	-	-	2	2	2	-	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	49	49	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	49	49	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	17	17	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	32	32	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	37	16	-	-	1	2	2	2	3	2	5	4	15	3	-	-	1	1	-	-	1	4	2	3
White	37	16	-	-	1	2	2	2	3	2	5	4	13	1	-	-	1	1	-	-	1	4	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	236	7	1	2	3	6	8	17	29	69	64	32	298	1	-	-	-	5	5	12	28	56	91	102
White	237	7	1	2	3	6	8	17	29	69	63	32	297	1	-	-	-	5	5	12	28	56	90	102
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Accidents and adverse effects (E800-E949)	222	-	4	10	66	38	23	18	20	16	15	12	116	-	3	4	22	7	8	8	10	17	22	15
White	221	-	4	10	66	38	22	18	20	16	15	12	116	-	3	4	22	7	8	8	10	17	22	15
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	129	-	2	6	52	27	11	6	8	7	7	3	60	-	1	4	18	6	7	4	5	10	5	-
White	129	-	2	6	52	27	11	6	8	7	7	3	60	-	1	4	18	6	7	4	5	10	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	93	-	2	4	14	11	12	12	12	9	8	9	56	-	2	-	4	1	1	4	5	7	17	15
White	92	-	2	4	14	11	11	12	12	9	8	9	56	-	2	-	4	1	1	4	5	7	17	15
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	98	...	...	-	18	24	11	13	14	10	6	2	25	...	...	-	1	7	7	3	4	3	-	-
White	98	...	...	-	18	24	11	13	14	10	6	2	25	...	...	-	1	7	7	3	4	3	-	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	8	-	1	-	1	3	-	2	1	-	-	-	4	-	1	-	-	2	1	-	-	-	-	-
White	8	-	1	-	1	3	-	2	1	-	-	-	4	-	1	-	-	2	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	1	2	-	1	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
White	4	-	-	1	2	-	1	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	35,611	837	95	142	677	1,017	1,310	2,497	6,260	9,821	8,800	4,527	33,826	472	78	108	260	440	707	1,517	3,932	7,388	9,929	9,009
White	31,203	428	59	95	513	665	917	1,936	5,971	8,750	8,148	4,309	30,237	302	54	78	197	278	506	1,171	3,327	6,571	9,171	8,576
All other	4,408	209	36	47	164	352	393	561	889	871	654	218	3,589	170	22	30	63	162	201	346	605	797	758	433
Black	4,261	200	35	42	159	341	379	549	864	841	631	207	3,486	164	21	30	58	153	191	339	587	775	739	427
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	1	-	-	-	-	6	3	-	-	1	-	-	-	1	-	-	1
White	2	1	-	-	-	-	-	1	-	-	-	-	4	1	-	-	1	-	-	-	1	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	46	-	-	-	-	10	9	6	8	4	9	-	26	-	-	-	1	2	2	3	-	7	7	4
White	21	-	-	-	-	5	2	2	2	2	6	-	16	-	-	-	-	-	1	1	-	5	5	4
All other	25	-	-	-	-	5	7	4	6	2	1	-	10	-	-	-	1	2	1	2	-	2	2	-
Black	25	-	-	-	-	5	7	4	6	2	1	-	10	-	-	-	1	2	1	2	-	2	2	-
Tuberculosis of respiratory system (010-012)	35	-	-	-	-	7	3	6	7	4	8	-	19	-	-	-	-	2	-	3	-	5	6	3
White	16	-	-	-	-	4	-	2	1	2	7	-	11	-	-	-	-	-	-	1	-	3	4	3
All other	19	-	-	-	-	3	3	4	6	2	1	-	8	-	-	-	-	2	-	2	-	2	2	-
Black	19	-	-	-	-	3	3	4	6	2	1	-	8	-	-	-	-	2	-	2	-	2	2	-
Other tuberculosis (013-018)	11	-	-	-	-	3	6	-	1	-	1	-	7	-	-	-	1	-	2	-	-	2	1	1
White	5	-	-	-	-	1	2	-	1	-	1	-	5	-	-	-	-	-	1	-	-	2	1	1
All other	6	-	-	-	-	2	4	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	6	-	-	-	-	2	4	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	10	3	1	2	-	1	2	-	-	1	-	-	6	-	1	-	2	-	1	-	1	-	-	1
White	5	3	-	1	-	-	-	-	-	1	-	-	5	-	1	-	2	-	-	-	1	-	-	1
All other	5	-	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	5	-	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Septicemia (038)	327	6	-	-	2	11	10	18	38	90	95	57	409	2	1	2	1	8	15	12	25	87	116	140
White	258	3	-	-	2	4	2	10	30	73	80	54	348	1	1	1	1	5	9	8	18	69	109	127
All other	69	3	-	-	-	7	8	8	8	17	15	3	60	1	-	1	-	3	6	4	7	18	7	13
Black	68	3	-	-	-	7	8	8	8	16	15	3	60	1	-	1	-	3	6	4	7	18	7	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	20	-	-	-	1	6	1	4	2	2	3	1	11	-	-	-	-	2	1	-	2	3	2	1
White	14	-	-	-	1	3	1	3	2	2	2	-	10	-	-	-	-	1	1	-	2	3	2	1
All other	6	-	-	-	-	3	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	5	-	-	-	-	3	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	163	5	3	2	9	45	25	22	23	17	9	3	98	2	3	2	1	18	11	5	15	18	13	10
White	102	4	3	1	5	18	7	16	21	15	9	3	66	1	3	2	1	7	5	1	11	14	11	10
All other	61	1	-	1	4	27	18	6	2	2	-	-	32	1	-	-	-	11	6	4	4	4	2	-
Black	60	1	-	1	4	27	17	6	2	2	-	-	31	1	-	-	-	10	6	4	4	4	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,783	-	7	19	45	88	216	699	2,039	2,909	2,080	687	7,953	2	7	27	33	85	280	727	1,687	2,406	1,864	835
White	7,711	-	5	14	37	69	165	544	1,722	2,613	1,892	648	7,155	1	7	23	29	67	226	603	1,476	2,194	1,747	760
All other	1,082	-	2	5	8	19	51	155	317	296	188	39	798	1	-	4	4	18	52	124	211	212	117	55
Black	1,047	-	2	4	6	17	46	150	308	289	186	37	770	1	-	4	3	18	48	122	202	204	115	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	238	-	-	-	-	1	11	30	78	68	35	12	98	-	-	-	-	2	2	6	28	29	21	10
White	186	-	-	-	-	1	3	14	67	57	32	12	83	-	-	-	-	1	2	3	21	26	20	10
All other	50	-	-	-	-	-	8	16	11	12	3	-	15	-	-	-	-	1	-	3	7	3	1	-
Black	47	-	-	-	-	-	7	15	10	12	3	-	14	-	-	-	-	1	-	3	6	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,524	-	-	-	3	13	51	168	547	870	668	204	2,194	-	-	-	1	8	33	100	358	684	677	333
White	2,229	-	-	-	3	6	38	119	472	775	620	196	1,948	-	-	-	-	5	24	80	288	609	628	304
All other	295	-	-	-	-	7	13	49	75	95	48	8	246	-	-	-	1	3	9	20	60	75	49	29
Black	284	-	-	-	-	5	12	47	72	93	47	8	235	-	-	-	1	3	8	20	58	71	48	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,971	-	-	-	1	4	59	298	865	1,027	590	128	1,410	-	1	1	-	2	25	143	395	491	282	70
White	2,574	-	-	-	1	2	45	235	709	920	544	117	1,271	-	1	1	-	2	21	118	338	458	269	65
All other	397	-	-	-	-	2	14	61	156	107	46	9	139	-	-	-	-	-	4	25	57	35	13	5
Black	389	-	-	-	-	2	14	61	152	104	46	8	135	-	-	-	-	-	4	25	55	33	13	5
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	-	7	3	-	-	1,609	-	-	-	1	21	108	233	374	437	288	147
White	10	-	-	-	-	-	-	-	7	3	-	-	1,463	-	-	-	-	17	88	206	335	401	274	142
All other	-	-	-	-	-	-	-	-	-	-	-	-	146	-	-	-	1	4	20	27	39	36	14	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	141	-	-	-	1	4	17	27	38	35	14	5
Malignant neoplasms of genital organs (179-187)	908	-	-	-	3	2	2	15	94	267	339	185	886	-	-	-	2	9	47	108	205	257	180	78
White	783	-	-	-	3	2	2	14	78	232	287	164	777	-	-	-	2	6	39	79	188	233	161	71
All other	125	-	-	-	-	-	-	1	16	35	52	21	109	-	-	-	-	3	8	29	19	24	19	7
Black	123	-	-	-	-	-	-	1	16	35	51	20	107	-	-	-	-	3	8	27	19	24	19	7
Malignant neoplasms of urinary organs (188-189)	422	-	-	-	1	1	9	38	77	145	103	48	240	-	-	1	1	-	6	19	40	67	69	37
White	380	-	-	-	-	-	8	30	70	133	92	47	217	-	-	-	1	-	4	16	35	61	66	34
All other	42	-	-	-	1	1	1	8	7	12	11	1	23	-	-	1	-	-	2	3	5	6	3	3
Black	38	-	-	-	-	1	1	7	7	10	11	1	23	-	-	1	-	-	2	3	5	6	3	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	958	-	6	11	18	28	51	90	225	293	178	60	864	1	5	13	9	21	33	63	172	274	186	87
White	859	-	4	8	14	24	42	78	192	273	164	60	808	1	5	12	9	19	28	54	160	255	180	85
All other	99	-	2	3	4	4	9	12	33	20	12	-	56	-	-	1	-	2	5	9	12	19	6	2
Black	98	-	2	3	4	4	9	12	33	20	12	-	55	-	-	1	-	2	5	9	11	19	6	2
Leukemia (204-208)	318	-	1	7	9	12	17	20	48	96	76	32	277	1	1	12	14	8	12	22	40	59	73	35
White	288	-	1	5	7	9	14	18	43	88	71	32	249	-	1	10	12	7	9	18	35	55	68	34
All other	30	-	-	2	2	3	3	2	5	8	5	-	28	1	-	2	2	1	3	4	5	4	5	1
Black	26	-	-	1	1	3	2	2	4	8	5	-	27	1	-	2	1	1	3	4	5	4	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	446	-	-	1	10	27	16	42	98	139	93	20	375	-	-	-	5	14	14	33	75	108	88	38
White	402	-	-	1	9	25	13	36	84	132	82	20	339	-	-	-	5	10	13	29	68	98	81	35
All other	44	-	-	-	1	2	3	6	14	7	11	-	36	-	-	-	-	4	1	4	7	10	7	3
Black	42	-	-	-	1	2	2	5	14	7	11	-	33	-	-	-	-	4	1	4	7	9	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	81	1	-	1	2	4	2	9	14	17	22	9	116	1	2	1	4	1	1	5	15	30	39	17
White	68	1	-	1	1	2	1	5	13	15	20	9	104	-	2	1	3	1	1	5	12	26	36	17
All other	13	-	-	-	1	2	1	4	1	2	2	-	12	1	-	-	1	-	-	-	3	4	3	-
Black	12	-	-	-	1	2	1	4	1	1	2	-	11	1	-	-	1	-	-	-	3	3	3	-
Diabetes mellitus (250)	612	-	-	-	3	8	23	54	125	176	165	58	821	-	-	-	-	5	11	35	101	215	259	195
White	521	-	-	-	3	3	18	37	104	154	147	55	697	-	-	-	-	4	8	24	79	175	230	177
All other	91	-	-	-	-	5	5	17	21	22	18	3	124	-	-	-	-	1	3	11	22	40	29	18
Black	90	-	-	-	-	5	5	17	21	21	18	3	121	-	-	-	-	1	3	11	21	39	28	18
Nutritional deficiencies (260-269)	31	-	-	-	1	2	-	-	1	6	7	14	62	1	-	-	-	-	2	1	2	5	20	31
White	26	-	-	-	1	2	-	-	-	5	7	13	55	1	-	-	-	-	1	1	1	4	18	30
All other	3	-	-	-	-	-	-	-	1	1	-	1	7	1	-	-	-	-	1	-	1	1	2	1
Black	3	-	-	-	-	-	-	-	1	1	-	1	7	1	-	-	-	-	1	-	1	1	2	1
Anemias (280-285)	61	1	1	-	2	5	3	1	13	10	18	7	69	-	-	1	2	1	1	3	5	4	25	26
White	47	-	-	-	-	2	-	1	12	9	17	6	59	-	-	1	1	-	1	2	3	4	22	25
All other	14	1	1	-	2	3	3	-	1	1	1	1	10	-	-	-	1	1	-	1	2	-	4	1
Black	14	1	1	-	2	3	3	-	1	1	1	1	10	-	-	-	1	1	-	1	2	-	4	1
Meningitis (320-322)	12	1	1	1	-	1	-	2	2	3	1	-	15	3	-	3	-	-	-	1	-	1	3	4
White	10	1	1	1	-	-	-	1	2	3	1	-	12	2	-	2	-	-	-	-	-	1	3	4
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	16,602	11	6	7	30	90	362	1,043	2,873	4,796	4,710	2,663	17,354	14	2	7	21	57	129	390	1,365	3,355	5,921	6,088
White	15,164	7	3	5	23	59	277	861	2,539	4,427	4,411	2,544	15,827	9	2	6	16	31	87	279	1,137	2,961	5,467	5,828
All other	1,438	4	3	2	7	31	85	182	334	369	299	119	1,527	5	-	1	5	26	42	111	228	394	454	260
Black	1,384	4	3	2	7	29	80	179	323	357	284	114	1,484	5	-	1	4	24	39	108	222	384	439	257

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	13,929	8	5	4	24	68	303	918	2,552	4,080	3,824	2,134	13,686	10	2	3	14	39	85	275	1,110	2,761	4,636	4,757
White	12,814	6	2	3	18	44	244	784	2,272	3,801	3,568	2,044	12,577	6	2	3	10	21	54	202	943	2,468	4,318	4,549
All other	1,115	2	3	1	6	22	58	134	280	279	236	90	1,121	4	–	–	4	18	31	73	167	295	320	208
Black	1,070	2	3	1	6	20	55	131	270	271	224	85	1,099	4	–	–	4	16	28	72	165	292	312	205
Rheumatic fever and rheumatic heart disease (390-398)	100	–	–	–	2	3	7	7	19	36	23	3	209	–	–	–	–	3	10	8	46	72	51	19
White	92	–	–	–	2	2	5	5	19	34	22	3	188	–	–	–	–	1	4	7	45	64	51	16
All other	8	–	–	–	–	1	2	2	–	2	1	–	21	–	–	–	–	2	6	1	1	8	–	3
Black	6	–	–	–	–	1	2	2	–	2	1	–	18	–	–	–	–	1	4	1	1	8	–	3
Hypertensive heart disease (402)	323	–	–	–	–	3	10	31	83	96	71	29	399	–	–	–	1	1	8	11	41	91	139	107
White	261	–	–	–	–	3	4	21	61	85	59	28	321	–	–	–	1	–	3	5	28	68	119	99
All other	62	–	–	–	–	–	6	10	22	11	12	1	78	–	–	–	–	1	5	6	13	25	20	8
Black	62	–	–	–	–	–	6	10	22	11	12	1	77	–	–	–	–	1	5	6	13	25	20	7
Hypertensive heart and renal disease (404)	39	–	–	–	–	–	2	3	4	11	14	5	64	–	–	–	–	3	–	1	4	11	21	24
White	30	–	–	–	–	–	2	1	1	10	11	5	45	–	–	–	–	1	–	–	3	8	16	19
All other	9	–	–	–	–	–	–	2	3	1	3	–	19	–	–	–	–	2	–	1	1	5	5	5
Black	9	–	–	–	–	–	–	2	3	1	3	–	19	–	–	–	–	2	–	1	1	5	5	5
Ischemic heart disease (410-414)	10,893	–	–	1	5	18	207	742	2,050	3,213	3,022	1,628	10,121	–	–	–	–	5	41	170	814	2,082	3,483	3,528
White	10,162	–	–	1	4	13	181	660	1,861	3,029	2,882	1,567	9,405	–	–	–	–	2	31	126	697	1,890	3,268	3,389
All other	711	–	–	–	1	5	26	82	189	184	140	61	716	–	–	–	–	3	10	44	117	192	215	134
Black	672	–	–	–	1	3	23	80	179	176	151	57	699	–	–	–	–	2	9	43	115	189	206	192
Acute myocardial infarction (410)	5,679	–	–	–	2	8	139	430	1,233	1,812	1,492	561	4,432	–	–	–	–	4	26	89	502	1,158	1,517	1,034
White	5,328	–	–	–	2	7	124	389	1,132	1,715	1,421	536	4,120	–	–	–	–	2	21	71	443	1,068	1,517	1,001
All other	351	–	–	–	–	1	15	41	101	96	71	25	312	–	–	–	–	2	5	18	59	95	100	33
Black	329	–	–	–	–	–	12	40	96	90	67	24	301	–	–	–	–	1	4	18	59	93	94	32
Other acute and subacute forms of ischemic heart disease (411)	96	–	–	–	–	–	5	18	24	28	17	4	46	–	–	–	–	–	–	3	9	12	14	8
White	87	–	–	–	–	–	5	14	20	27	17	4	37	–	–	–	–	–	–	1	5	10	13	8
All other	9	–	–	–	–	–	–	4	4	1	–	–	9	–	–	–	–	–	–	2	4	2	1	–
Black	9	–	–	–	–	–	–	4	4	1	–	–	9	–	–	–	–	–	–	2	4	2	1	–
Angina pectoris (413)	15	–	–	–	–	–	–	2	2	4	5	2	13	–	–	–	–	–	1	2	1	1	5	3
White	12	–	–	–	–	–	–	2	1	3	4	2	13	–	–	–	–	–	1	2	1	1	5	3
All other	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,103	–	–	1	3	10	63	292	791	1,369	1,508	1,061	5,630	–	–	–	–	1	14	76	302	911	1,847	2,478
White	4,755	–	–	1	2	6	52	255	708	1,283	1,420	1,025	5,235	–	–	–	–	–	9	52	248	816	1,733	2,377
All other	348	–	–	–	1	4	11	37	83	86	88	36	395	–	–	–	–	1	5	24	54	95	114	101
Black	331	–	–	–	1	3	11	36	78	84	83	33	369	–	–	–	–	1	5	23	52	94	113	100
Other diseases of endocardium (424)	157	–	–	1	1	4	4	12	21	51	45	18	171	–	–	1	1	2	2	7	18	32	65	43
White	146	–	–	–	1	4	3	12	17	49	43	17	157	–	–	1	1	1	2	6	16	29	60	41
All other	11	–	–	1	–	–	1	–	4	2	2	1	14	–	–	–	–	1	–	1	2	3	5	2
Black	11	–	–	1	–	–	1	–	4	2	2	1	14	–	–	–	–	1	–	1	2	3	5	2
All other forms of heart disease (415-423,425-429)	2,417	8	5	2	16	38	73	123	375	673	649	451	2,734	10	2	2	12	25	24	78	187	473	879	1,041
White	2,103	6	2	2	11	22	49	85	313	594	591	424	2,461	6	2	2	8	16	14	58	154	411	804	985
All other	314	2	3	–	5	16	24	38	62	79	58	27	273	4	–	–	4	9	10	20	33	62	75	56
Black	308	2	3	–	5	16	23	37	62	79	55	26	272	4	–	–	4	9	10	20	33	62	74	55
Hypertension with or without renal disease (401,403)	96	–	–	–	–	1	1	8	7	29	28	22	119	–	–	–	–	–	–	9	17	19	37	37
White	76	–	–	–	–	–	1	4	4	25	22	20	91	–	–	–	–	–	–	4	11	17	28	33
All other	20	–	–	–	–	1	–	4	3	4	6	2	28	–	–	–	–	–	–	5	6	2	11	4
Black	18	–	–	–	–	1	–	4	3	4	5	2	28	–	–	–	–	–	–	5	6	2	11	4
Cerebrovascular diseases (430-438)	1,835	3	1	3	5	19	48	99	214	484	605	356	2,791	3	–	4	5	15	40	98	189	484	994	979
White	1,591	1	1	2	4	11	23	62	168	422	561	338	2,473	2	–	3	5	9	29	68	145	380	868	944
All other	244	2	–	1	1	8	23	37	46	62	44	20	318	1	–	1	–	6	11	30	44	84	106	35
Black	240	2	–	1	1	8	22	37	45	61	43	20	299	1	–	1	–	6	11	28	41	77	99	35
Intracerebral and other intracranial hemorrhage (431-432)	346	1	1	2	3	6	20	34	56	102	91	30	435	3	–	4	2	3	10	32	58	107	143	73
White	284	1	1	1	2	3	10	16	46	92	80	29	375	2	–	3	2	1	5	27	48	88	130	71
All other	62	–	–	1	1	3	10	18	10	10	8	1	60	1	–	1	–	2	5	5	12	19	13	2
Black	61	–	–	1	1	3	10	18	9	10	8	1	55	1	–	1	–	2	5	5	10	17	12	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	383	–	–	–	–	1	3	12	38	102	136	70	515	–	–	–	–	1	3	9	29	78	204	191
White	330	–	–	–	–	–	1	9	29	89	133	69	471	–	–	–	–	1	3	6	25	66	185	185
All other	33	–	–	–	–	1	2	3	10	13	3	1	44	–	–	–	–	–	–	3	4	12	19	6
Black	33	–	–	–	–	1	2	3	10	13	3	1	44	–	–	–	–	–	–	3	4	12	19	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	11	–	–	–	–	–	–	–	1	7	1	2	20	–	–	–	–	–	1	1	2	5	8	3
White	10	–	–	–	–	–	–	–	1	6	1	2	19	–	–	–	–	–	1	1	2	5	7	3
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,115	2	–	1	2	12	23	53	118	273	377	254	1,621	–	–	–	3	11	26	56	100	274	639	712
White	967	–	–	1	2	8	12	37	82	235	344	236	1,608	–	–	–	3	7	20	34	72	221	568	685
All other	148	2	–	–	–	4	11	16	26	38	33	18	213	–	–	–	–	4	6	22	28	53	73	27
Black	145	2	–	–	–	4	10	16	26	37	32	18	199	–	–	–	–	4	6	20	27	48	67	27
Atherosclerosis (440)	295	–	–	–	–	–	–	4	27	58	106	100	475	–	–	–	–	–	–	3	23	46	155	247
White	279	–	–	–	–	–	–	4	26	53	101	95	444	–	–	–	–	–	–	1	19	40	148	237
All other	16	–	–	–	–	–	–	–	1	5	5	5	31	–	–	–	–	–	–	2	4	6	9	10
Black	14	–	–	–	–	–	–	–	1	4	4	5	31	–	–	–	–	–	–	2	4	6	9	10
Other diseases of arteries, arterioles, and capillaries (441-448)	447	–	–	–	1	4	12	14	73	145	147	51	271	1	–	–	2	3	4	5	26	65	97	68
White	404	–	–	–	1	4	9	7	69	128	139	49	242	1	–	–	1	1	4	4	19	58	89	65
All other	43	–	–	–	–	–	3	7	4	18	8	2	29	–	–	–	1	2	–	1	7	7	8	3
Black	41	–	–	–	–	–	3	7	4	17	8	2	27	–	–	–	–	2	–	1	6	7	8	3
Acute bronchitis and bronchiolitis (466)	8	–	–	–	–	–	1	–	1	3	–	3	13	1	–	–	–	–	1	–	–	1	3	7
White	8	–	–	–	–	–	1	–	1	3	–	3	12	1	–	–	–	–	1	–	–	1	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia and influenza (480-487)	964	14	3	–	9	30	26	42	85	175	309	288	956	10	1	2	3	8	11	19	52	123	264	465
White	829	8	2	–	8	17	15	19	70	151	261	257	868	4	1	1	2	3	5	10	44	106	245	447
All other	135	6	1	–	1	13	11	23	15	24	28	11	88	6	–	1	1	3	6	9	8	17	19	18
Black	130	6	–	–	1	12	11	23	15	24	27	9	87	6	–	1	1	3	6	9	7	17	19	18
Pneumonia (480-486)	961	14	3	–	9	30	26	42	85	174	309	266	944	10	–	2	3	6	11	19	51	123	262	457
White	828	8	2	–	8	17	15	19	70	150	261	255	857	4	–	1	2	3	5	10	43	106	243	440
All other	135	6	1	–	1	13	11	23	15	24	28	11	87	6	–	1	1	3	6	9	8	17	19	17
Black	130	6	–	–	1	12	11	23	15	24	27	9	86	6	–	1	1	3	6	9	7	17	19	17
Influenza (487)	3	–	–	–	–	–	–	–	–	1	–	2	12	–	1	–	–	–	–	–	1	–	2	8
White	3	–	–	–	–	–	–	–	–	1	–	2	11	–	1	–	–	–	–	–	1	–	2	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,194	–	1	4	2	3	7	36	168	395	412	166	758	1	–	1	–	5	6	25	88	277	227	128
White	1,089	–	1	1	1	2	3	27	137	369	391	157	706	1	–	1	–	2	2	21	76	262	217	124
All other	105	–	–	3	1	1	4	9	31	26	21	9	52	–	–	–	–	3	4	4	12	15	10	4
Black	98	–	–	3	1	1	4	9	29	24	20	7	51	–	–	–	–	3	4	4	12	14	10	4
Bronchitis, chronic and unspecified (490-491)	58	–	–	–	–	–	–	1	9	21	13	12	58	1	–	1	–	–	–	3	6	18	16	11
White	50	–	–	–	–	–	–	1	7	17	13	12	52	1	–	1	–	–	–	3	3	18	15	11
All other	8	–	–	–	–	–	–	–	2	4	–	–	4	–	–	–	–	–	–	–	3	–	1	–
Black	5	–	–	–	–	–	–	–	1	4	–	–	4	–	–	–	–	–	–	–	3	–	1	–
Emphysema (492)	252	–	–	–	1	–	2	2	38	99	67	23	140	–	–	–	–	1	–	2	21	60	31	25
White	238	–	–	–	1	–	2	2	36	92	64	21	134	–	–	–	–	–	–	2	20	58	30	24
All other	14	–	–	–	–	–	–	–	2	7	3	2	6	–	–	–	–	1	–	–	1	2	1	1
Black	10	–	–	–	–	–	–	–	2	6	2	–	6	–	–	–	–	1	–	–	1	2	1	1
Asthma (493)	30	–	–	4	1	3	1	4	8	3	5	1	59	–	–	–	–	3	5	8	13	19	10	1
White	14	–	–	1	–	2	–	1	4	2	3	1	43	–	–	–	–	2	2	5	8	15	10	1
All other	16	–	–	3	1	1	1	3	4	1	2	–	16	–	–	–	–	1	3	3	5	4	–	–
Black	15	–	–	3	1	1	1	3	4	–	2	–	16	–	–	–	–	1	3	3	5	4	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	956	–	1	–	–	–	4	29	113	272	307	130	503	–	–	–	–	1	1	12	48	180	170	91
White	787	–	1	–	–	–	1	23	90	256	201	123	477	–	–	–	–	–	1	11	45	171	162	88
All other	69	–	–	–	–	–	3	6	23	14	16	7	26	–	–	–	–	1	1	1	3	9	8	3
Black	68	–	–	–	–	–	3	6	22	14	16	7	25	–	–	–	–	1	1	1	3	8	8	3
Ulcer of stomach and duodenum (531-533)	116	–	–	–	–	4	2	5	23	28	39	17	101	1	–	–	–	–	1	4	9	17	38	33
White	102	–	–	–	–	3	1	3	18	23	37	17	91	–	–	–	–	–	–	3	9	14	33	32
All other	14	–	–	–	–	1	1	2	5	3	2	–	10	1	–	–	–	–	1	1	–	3	3	1
Black	12	–	–	–	–	1	1	1	4	3	2	–	10	1	–	–	–	–	1	1	–	3	3	1
Appendicitis (540-543)	7	–	–	–	1	1	–	–	1	2	2	–	12	–	1	–	–	1	–	–	1	1	5	3
White	5	–	–	–	–	–	–	–	1	2	2	–	7	–	–	–	–	1	–	–	–	1	2	3
All other	2	–	–	–	1	1	–	–	–	–	–	–	5	–	1	–	–	–	–	–	1	–	3	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	5	–	1	–	–	–	–	–	1	–	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	77	–	–	2	1	3	3	1	4	16	26	21	123	1	–	–	–	–	–	2	8	20	43	49
White	70	–	–	1	1	2	3	–	4	15	25	19	113	1	–	–	–	–	–	2	6	17	39	48
All other	7	–	–	1	–	1	–	1	–	1	1	2	10	–	–	–	–	–	–	–	2	3	4	1
Black	7	–	–	1	–	1	–	1	–	1	1	2	10	–	–	–	–	–	–	–	2	3	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	674	–	–	–	1	40	82	130	216	133	61	7	391	–	–	–	2	17	43	68	102	107	50	12
White	583	–	–	–	1	22	60	104	191	122	57	5	323	–	–	–	1	7	28	43	81	103	48	12
All other	111	–	–	–	–	18	22	26	25	11	4	2	68	–	–	–	1	10	15	15	21	4	2	–
Black	109	–	–	–	–	18	22	25	25	10	4	2	67	–	–	–	1	9	15	15	21	4	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	45	–	–	–	–	–	1	1	5	15	6	17	53	–	–	–	–	–	1	1	4	8	24	15
White	43	–	–	–	–	–	1	1	4	14	6	17	49	–	–	–	–	–	–	–	4	8	23	14
All other	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	1	1	–	–	1	1
Black	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	1	1	–	–	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	403	7	–	–	1	10	12	13	49	100	128	83	402	3	1	2	–	5	8	17	38	83	136	109
White	330	5	–	–	1	1	7	8	32	83	117	76	313	1	1	–	–	4	2	10	25	66	109	93
All other	73	2	–	–	–	9	5	5	17	17	11	7	89	2	–	2	–	1	6	7	13	15	27	16
Black	71	2	–	–	–	9	5	4	17	16	11	7	66	2	–	2	–	1	5	6	13	15	27	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	–	–	–	–	1	1	1	1	2	3	–	9	–	1	–	–	1	1	1	–	2	2	1
White	5	–	–	–	–	–	–	–	–	2	3	–	6	–	1	–	–	1	–	–	–	1	2	1
All other	4	–	–	–	–	1	1	1	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–
Black	4	–	–	–	–	1	1	1	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	43	–	–	–	–	3	2	1	3	10	18	6	31	–	–	–	–	1	2	–	1	7	11	9
White	31	–	–	–	–	–	1	–	1	8	16	5	24	–	–	–	–	–	–	–	–	6	10	8
All other	12	–	–	–	–	3	1	1	2	2	2	1	7	–	–	–	–	1	2	–	1	1	1	1
Black	12	–	–	–	–	3	1	1	2	2	2	1	7	–	–	–	–	1	2	–	1	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	351	7	–	–	1	6	9	11	45	88	107	77	362	3	–	2	–	3	5	16	37	74	123	99
White	294	5	–	–	1	1	6	8	31	73	98	71	283	1	–	–	–	3	2	10	25	61	97	84
All other	57	2	–	–	–	5	3	3	14	15	9	6	79	2	–	2	–	–	3	6	12	13	26	15
Black	55	2	–	–	–	5	3	2	14	14	9	6	77	2	–	2	–	–	2	6	12	13	26	14
Infections of kidney (590)	4	–	–	–	–	1	–	–	–	–	1	2	35	–	–	–	–	–	1	1	4	3	13	13
White	3	–	–	–	–	–	–	–	–	–	1	2	32	–	–	–	–	–	1	1	2	3	12	13
All other	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	1	–	2	4	7	...	...	...	...	...	...	...	...	...	...	...	...
White	11	–	–	–	–	–	–	1	–	2	2	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	–	–	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	–	–	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	1	1	9	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	–	7	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	2	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	–	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	1	7	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	5	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Congenital anomalies (740-759)	205	141	8	9	6	10	6	7	11	3	3	1	173	101	15	5	5	6	5	10	10	7	8	1
White	173	115	7	8	4	10	5	7	10	3	3	1	140	83	14	3	3	5	3	7	7	7	7	1
All other	32	26	1	1	2	–	1	–	1	–	–	–	33	18	1	2	2	1	2	3	3	–	1	–
Black	28	23	1	–	2	–	1	–	1	–	–	–	30	15	1	2	2	1	2	3	3	–	1	–
Certain conditions originating in the perinatal period (760-779)	343	340	3	–	–	–	–	–	–	–	–	–	246	244	1	1	–	–	–	–	–	–	–	–
White	227	225	2	–	–	–	–	–	–	–	–	–	157	157	–	–	–	–	–	–	–	–	–	–
All other	116	115	1	–	–	–	–	–	–	–	–	–	89	87	1	1	–	–	–	–	–	–	–	–
Black	111	110	1	–	–	–	–	–	–	–	–	–	87	85	1	1	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	115	115	–	–	–	–	–	–	–	–	–	–	78	78	–	–	–	–	–	–	–	–	–	–
White	82	82	–	–	–	–	–	–	–	–	–	–	49	49	–	–	–	–	–	–	–	–	–	–
All other	33	33	–	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
Black	33	33	–	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	228	225	3	–	–	–	–	–	–	–	–	–	168	166	1	1	–	–	–	–	–	–	–	–
White	145	143	2	–	–	–	–	–	–	–	–	–	108	108	–	–	–	–	–	–	–	–	–	–
All other	83	82	1	–	–	–	–	–	–	–	–	–	60	58	1	1	–	–	–	–	–	–	–	–
Black	78	77	1	–	–	–	–	–	–	–	–	–	58	56	1	1	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	266	70	7	2	15	51	40	14	22	13	19	13	205	57	5	3	6	22	15	15	15	17	26	24
White	188	38	5	2	10	31	27	12	21	10	17	13	140	28	3	2	4	10	11	10	11	14	25	22
All other	80	32	2	–	5	20	13	2	1	3	2	–	65	29	2	1	2	12	4	5	4	3	1	2
Black	78	32	2	–	5	18	13	2	1	3	2	–	64	28	2	1	2	12	4	5	4	3	1	2
All other diseases (Residual)	2,256	23	13	15	46	130	176	182	327	504	524	336	2,377	18	12	13	24	67	80	109	262	443	671	678
White	1,852	12	7	12	34	60	94	103	271	456	477	326	2,051	11	8	8	14	30	45	76	214	391	615	638
All other	404	11	6	3	12	70	82	79	56	48	47	10	326	5	4	5	10	37	35	33	48	52	56	40
Black	395	11	6	3	12	69	81	79	55	44	45	10	320	5	4	5	9	36	34	33	47	51	55	40
Accidents and adverse effects (E800-E949)	1,468	10	38	68	327	258	166	131	127	139	125	74	741	8	23	27	102	72	46	41	78	97	131	115
White	1,174	5	21	43	270	206	127	100	95	120	116	69	645	–	11	19	89	56	39	35	68	92	121	114
All other	294	5	17	26	57	52	39	31	32	19	9	5	96	8	12	8	13	16	7	6	10	5	10	1
Black	285	4	17	23	55	50	39	31	31	19	9	5	91	8	11	8	11	14	7	6	10	5	10	1
Motor vehicle accidents (E810-E825)	689	–	8	38	218	134	75	61	58	49	37	10	285	–	5	10	80	40	19	18	40	38	27	8
White	573	–	6	27	185	111	64	49	46	41	35	8	255	–	3	7	71	35	19	16	34	36	26	8
All other	116	–	2	11	33	23	11	12	12	8	2	2	30	–	2	3	9	5	–	2	6	2	1	–
Black	112	–	2	10	32	22	11	12	11	8	2	2	26	–	2	3	7	3	–	2	6	2	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	779	10	30	31	109	124	91	70	69	90	88	64	456	8	18	17	22	32	27	23	38	59	104	107
White	601	5	15	16	85	95	63	51	49	79	81	61	380	–	8	12	18	21	20	19	34	56	95	106
All other	178	5	15	15	24	29	28	19	20	11	7	3	66	8	10	5	4	11	7	4	4	3	9	1
Black	173	4	15	13	23	28	28	19	20	11	7	3	65	8	9	5	4	11	7	4	4	3	9	1
Suicide (E950-E959)	472	...	...	2	93	111	79	52	59	49	18	8	154	...	...	3	17	26	20	23	30	17	16	2
White	423	...	...	2	79	100	70	45	54	48	17	8	140	...	...	3	13	22	17	21	30	16	16	2
All other	49	...	...	–	14	11	9	7	5	1	1	–	14	...	...	–	4	4	3	2	–	1	–	–
Black	46	...	...	–	14	11	7	6	5	1	1	–	12	...	...	–	4	3	2	2	–	1	–	–
Homicide and legal intervention (E960-E978)	305	2	3	7	79	84	50	39	22	12	4	2	118	1	1	7	33	23	11	10	12	13	5	2
White	143	–	2	3	30	37	26	21	13	8	3	–	76	–	–	5	16	13	7	8	9	10	5	2
All other	162	2	1	4	49	47	24	18	9	4	1	2	43	1	1	2	17	10	4	2	3	3	–	–
Black	159	2	1	4	48	46	24	18	9	4	–	2	41	1	1	2	17	9	4	1	3	3	–	–
All other external causes (E980-E999)	25	–	–	–	1	10	5	4	2	2	–	1	11	–	–	–	1	2	4	–	–	3	1	–
White	19	–	–	–	1	7	3	4	2	2	–	–	9	–	–	–	1	2	3	–	–	2	1	–
All other	6	–	–	–	–	3	2	–	–	–	–	1	2	–	–	–	–	–	1	–	–	1	–	–
Black	6	–	–	–	–	3	2	–	–	–	–	1	2	–	–	–	–	–	1	–	–	1	–	–
NEW MEXICO																								
All causes	5,376	163	35	41	258	330	250	392	801	1,212	1,256	625	4,186	100	36	26	75	104	143	203	519	673	1,074	1,031
White	4,635	136	22	38	199	262	190	338	756	1,138	1,189	584	3,885	78	23	23	63	80	120	179	483	625	1,023	988
All other	541	27	13	3	59	68	60	54	45	74	67	41	301	22	13	3	12	24	23	24	36	48	51	43
Black	96	3	3	1	3	4	3	12	20	27	14	6	66	2	1	–	–	1	3	7	9	14	17	12
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–	–	–	1	1	1
White	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	6	–	–	–	–	–	–	1	1	1	2	1	4	–	–	–	–	–	–	–	2	1	1	–
White	5	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	1	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	1	1	1	1	–	4	–	–	–	–	–	–	–	2	1	1	–
White	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	36	4	–	–	1	1	–	1	6	6	10	7	33	–	1	1	1	3	1	–	3	9	5	9
White	30	1	–	–	1	1	–	1	6	4	10	6	29	–	1	1	1	1	1	–	3	8	5	8
All other	6	3	–	–	–	–	–	–	–	2	–	1	4	–	–	–	–	2	–	–	–	1	–	1
Black	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1
White	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	1	1	1	–	–	–	1	2	–	–	12	2	1	–	–	2	1	1	–	–	2	3
White	7	1	1	1	1	–	–	–	1	2	–	–	10	1	1	–	–	1	1	1	–	–	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,025	2	2	4	9	16	24	87	215	331	252	83	920	–	–	6	2	17	48	81	196	272	197	101
White	868	2	2	4	8	14	22	78	205	316	238	79	870	–	–	5	2	15	41	74	192	263	184	94
All other	57	–	–	–	1	2	2	9	10	15	14	4	50	–	–	1	–	2	7	7	4	9	13	7
Black	24	–	–	–	–	–	–	4	6	7	5	2	14	–	–	–	–	–	1	2	1	3	5	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	–	–	–	–	1	1	3	7	5	3	–	6	–	–	–	–	–	1	1	–	3	1	–
White	20	–	–	–	–	1	1	3	7	5	3	–	6	–	–	–	–	–	1	1	–	3	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	274	1	–	–	–	1	7	29	58	84	73	21	260	–	–	–	–	2	7	18	51	70	64	48
White	254	1	–	–	–	1	6	26	56	80	64	20	242	–	–	–	–	2	6	15	50	67	57	45
All other	20	–	–	–	–	–	1	3	2	4	9	1	18	–	–	–	–	–	1	3	1	3	7	3
Black	6	–	–	–	–	–	–	2	1	1	2	–	6	–	–	–	–	–	–	–	–	2	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	296	–	–	–	1	2	4	22	78	115	61	13	145	–	–	–	–	2	3	15	38	50	25	12
White	283	–	–	–	1	1	4	22	73	111	59	12	141	–	–	–	–	1	3	14	38	49	25	11
All other	13	–	–	–	–	1	–	–	5	4	2	1	4	–	–	–	–	1	–	1	–	1	–	1
Black	10	–	–	–	–	–	–	–	3	4	2	1	1	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	1	–	–	172	–	–	–	–	4	14	22	50	49	28	7
White	1	–	–	–	–	–	–	–	–	1	–	–	165	–	–	–	–	4	11	21	50	48	24	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	3	1	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Malignant neoplasms of genital organs (179-187)	118	–	–	–	–	2	1	1	8	38	43	27	89	–	–	–	–	1	7	9	17	38	12	5
White	111	–	–	–	–	2	1	–	7	34	42	25	83	–	–	–	–	1	5	9	16	36	12	4
All other	7	–	–	–	–	–	–	1	1	2	1	2	6	–	–	–	–	–	2	–	1	2	–	1
Black	3	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	1	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	51	-	-	-	-	-	-	8	8	17	12	6	31	-	-	-	-	-	2	2	9	6	7	5
White	49	-	-	-	-	-	-	7	8	16	12	6	30	-	-	-	-	-	2	2	9	6	6	5
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	165	1	1	2	4	5	8	10	43	48	32	11	140	-	-	2	-	6	10	12	19	38	36	17
White	156	1	1	2	4	5	7	7	42	45	31	11	129	-	-	2	-	5	10	10	17	36	34	15
All other	9	-	-	-	-	-	1	3	1	3	1	-	11	-	-	-	-	1	-	2	2	2	2	2
Black	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	41	-	1	1	4	2	1	2	5	9	12	4	31	-	-	4	1	-	1	-	6	7	5	7
White	38	-	1	1	3	1	1	1	5	9	12	4	30	-	-	3	1	-	1	-	6	7	5	7
All other	3	-	-	-	1	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	-	-	1	-	3	2	12	8	16	16	1	46	-	-	-	1	2	3	2	6	11	21	-
White	56	-	-	1	-	3	2	12	7	15	15	1	44	-	-	-	1	2	2	2	6	11	20	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	1	1	2	2	3	8	3	2	21	1	-	-	2	1	1	1	2	7	5	1
White	19	-	-	-	1	-	2	2	3	8	3	-	21	1	-	-	2	1	1	1	2	7	5	1
All other	3	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	95	-	1	-	1	4	3	4	20	19	30	13	128	-	-	1	-	-	3	6	19	36	40	23
White	87	-	-	-	-	4	3	3	19	18	28	12	115	-	-	1	-	-	3	5	15	30	39	22
All other	8	-	1	-	1	-	-	1	1	1	2	1	13	-	-	-	-	-	-	1	4	6	1	1
Black	4	-	1	-	1	-	-	-	1	-	1	-	3	-	-	-	-	-	-	1	1	2	-	-
Nutritional deficiencies (260-269)	10	-	-	-	-	-	-	-	1	3	2	4	11	-	-	-	-	-	1	-	-	2	-	8
White	10	-	-	-	-	-	-	-	1	3	2	4	11	-	-	-	-	-	1	-	-	2	-	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	-	-	1	1	3	3	8	-	-	-	-	-	-	-	-	2	3	3
White	8	-	-	-	-	-	-	-	1	1	3	3	8	-	-	-	-	-	-	-	-	2	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	3	-	-	-	-	-	1	-	-	1	-	4	3	1	-	-	-	-	-	-	-	-	-
White	4	2	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,895	2	3	3	4	14	36	122	316	522	563	307	1,665	2	2	-	2	14	15	50	149	338	519	574
White	1,768	2	-	3	2	11	33	116	304	491	530	295	1,593	2	1	-	2	13	12	43	139	325	499	557
All other	107	-	3	-	2	3	3	6	14	31	33	12	72	-	1	-	-	1	3	7	10	13	20	17
Black	31	-	1	-	-	1	-	-	6	14	7	2	29	-	-	-	-	-	-	4	3	6	8	8
Diseases of heart (390-398,402,404-429)	1,543	1	3	2	3	11	32	114	272	433	427	244	1,205	2	2	-	2	12	10	34	118	250	379	396
White	1,461	1	-	2	2	8	29	108	260	409	406	235	1,149	2	1	-	2	11	7	28	110	241	365	382
All other	82	-	3	-	1	3	3	6	12	24	21	9	56	-	1	-	-	1	3	6	8	9	14	14
Black	21	-	1	-	-	1	-	-	6	9	3	1	23	-	-	-	-	-	-	4	3	3	6	7
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	-	1	6	2	4	-	31	-	-	-	-	-	2	5	8	8	5	3
White	13	-	-	-	-	-	-	1	6	2	4	-	28	-	-	-	-	-	1	4	7	8	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	33	-	-	-	-	1	2	2	8	5	6	9	45	-	-	-	-	-	-	-	3	19	15	14
White	31	-	-	-	-	1	2	1	7	5	6	9	42	-	-	-	-	-	-	-	3	11	15	13
All other	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	1	3	1
White	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	916	-	-	-	-	3	10	59	158	270	270	146	677	-	1	-	1	3	2	17	56	137	236	224
White	879	-	-	-	-	3	9	56	155	257	258	141	653	-	1	-	1	3	2	12	53	132	230	219
All other	37	-	-	-	-	-	1	3	3	13	12	5	24	-	-	-	-	-	-	5	3	5	6	5
Black	11	-	-	-	-	-	-	-	1	6	3	1	14	-	-	-	-	-	-	4	2	2	3	3
Acute myocardial infarction (410)	525	-	-	-	-	2	6	44	109	171	142	51	347	-	-	-	1	-	1	14	35	88	141	67
White	508	-	-	-	-	2	5	42	107	166	136	50	338	-	-	-	1	-	1	10	34	87	137	68
All other	17	-	-	-	-	-	1	2	2	5	6	1	11	-	-	-	-	-	-	4	1	1	4	1
Black	5	-	-	-	-	-	-	-	-	3	2	-	5	-	-	-	-	-	-	3	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	387	-	-	-	-	1	4	15	48	96	127	95	326	-	1	-	-	3	-	3	21	49	93	156
White	367	-	-	-	-	1	4	14	48	88	121	91	313	-	1	-	-	3	-	2	19	45	91	152
All other	20	-	-	-	-	-	-	1	1	8	6	4	13	-	-	-	-	-	-	1	2	4	2	4
Black	6	-	-	-	-	-	-	-	1	3	1	1	9	-	-	-	-	-	-	1	2	2	1	3
Other diseases of endocardium (424)	21	-	-	-	1	-	1	3	1	6	7	2	14	-	-	-	1	-	-	-	2	3	4	4
White	21	-	-	-	1	-	1	3	1	6	7	2	14	-	-	-	1	-	-	-	2	3	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	558	1	3	2	2	7	19	49	99	149	140	86	433	2	1	-	-	9	6	12	49	88	116	150
White	515	1	-	2	1	4	17	47	91	138	131	82	407	2	-	-	-	8	4	12	45	88	108	142
All other	43	-	3	-	1	3	2	2	8	11	9	4	26	-	1	-	-	1	2	-	4	2	8	8
Black	9	-	1	-	-	1	-	-	4	3	-	-	7	-	-	-	-	-	-	-	1	-	3	3
Hypertension with or without renal disease (401,403)	17	-	-	-	-	-	-	1	3	6	5	2	17	-	-	-	-	-	-	-	2	5	5	5
White	15	-	-	-	-	-	-	1	3	6	4	1	14	-	-	-	-	-	-	-	2	3	4	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	236	1	-	1	1	3	3	6	32	59	68	42	353	-	-	-	-	2	5	14	24	66	111	131
White	215	1	-	1	-	3	3	6	30	52	79	40	342	-	-	-	-	2	5	13	22	64	106	130
All other	21	-	-	-	1	-	-	-	2	7	9	2	11	-	-	-	-	-	-	1	2	2	5	1
Black	10	-	-	-	-	-	-	-	-	5	4	1	5	-	-	-	-	-	-	-	-	2	2	1
Intracerebral and other intracranial hemorrhage (431-432)	34	1	-	1	1	-	2	1	10	7	8	3	49	-	-	-	-	-	1	4	9	12	15	8
White	28	1	-	1	-	-	2	1	9	6	7	2	48	-	-	-	-	-	1	4	8	12	15	8
All other	5	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	-	-	-	-	-	-	-	2	2	11	3	30	-	-	-	-	-	-	-	-	3	10	17
White	17	-	-	-	-	-	-	-	1	2	11	3	28	-	-	-	-	-	-	-	-	2	9	17
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	182	-	-	-	-	3	1	5	20	50	67	36	273	-	-	-	-	2	4	9	15	51	86	106
White	167	-	-	-	-	3	1	5	20	44	59	35	265	-	-	-	-	2	4	8	14	50	82	105
All other	15	-	-	-	-	-	-	-	-	6	8	1	8	-	-	-	-	-	-	1	1	1	4	1
Black	9	-	-	-	-	-	-	-	-	4	4	1	3	-	-	-	-	-	-	-	-	1	1	1
Atherosclerosis (440)	39	-	-	-	-	-	-	1	2	4	19	13	58	-	-	-	-	-	-	-	3	5	16	34
White	38	-	-	-	-	-	-	1	2	4	18	13	57	-	-	-	-	-	-	-	3	5	16	33
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	60	-	-	-	-	-	1	-	9	20	24	6	32	-	-	-	-	-	-	2	2	12	8	8
White	59	-	-	-	-	-	1	-	9	20	23	6	31	-	-	-	-	-	-	2	2	12	8	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	155	2	2	1	1	1	3	4	10	21	60	50	159	1	1	-	1	1	2	3	8	19	55	68
White	140	2	2	1	1	1	-	2	9	20	57	45	150	1	1	-	-	1	2	3	7	19	51	65
All other	15	-	-	-	-	-	3	2	1	1	3	5	9	-	-	-	1	-	-	-	1	-	4	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	150	1	2	1	1	1	3	4	9	20	59	49	155	1	1	-	1	1	2	3	8	19	53	66
White	135	1	2	1	1	1	-	2	8	19	56	44	146	1	1	-	-	1	2	3	7	19	49	63
All other	15	-	-	-	-	-	3	2	1	1	3	5	9	-	-	-	1	-	-	-	1	-	4	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Influenza (487)	5	1	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
White	5	1	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	273	-	-	-	-	-	3	7	34	91	98	42	163	-	-	-	-	-	1	-	4	31	49	52	25
White	267	-	-	-	-	-	2	6	34	90	95	40	162	-	-	-	-	-	1	-	4	30	49	52	25
All other	6	-	-	-	-	-	1	1	-	1	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	-	-	1	1	6	2	5	-	-	-	-	-	-	-	1	1	2	1
White	10	-	-	-	-	-	-	-	1	1	6	2	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	64	-	-	-	-	-	-	1	7	26	24	6	47	-	-	-	-	-	-	1	9	15	15	7
White	64	-	-	-	-	-	-	1	7	26	24	6	47	-	-	-	-	-	-	1	9	15	15	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	15	-	-	-	-	-	3	3	2	2	4	1	21	-	-	-	-	1	-	1	8	5	5	1
White	13	-	-	-	-	-	2	2	2	2	4	1	20	-	-	-	-	1	-	1	7	5	5	1
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	184	-	-	-	-	-	-	3	24	62	62	33	90	-	-	-	-	-	-	2	13	28	30	17
White	180	-	-	-	-	-	-	3	24	61	61	31	90	-	-	-	-	-	-	2	13	28	30	17
All other	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	-	3	2	4	1	14	-	-	-	-	-	2	2	2	5	2	1
White	10	-	-	-	-	-	-	-	3	2	4	1	12	-	-	-	-	-	2	2	2	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	-	-	3	7	-	-	15	-	-	-	-	2	-	3	1	2	1	6
White	8	-	-	-	-	-	-	-	2	6	-	-	15	-	-	-	-	2	-	3	1	2	1	6
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	131	-	-	-	-	7	23	28	41	22	9	1	45	-	-	-	-	2	8	10	14	7	3	1
White	110	-	-	-	-	3	16	22	39	21	8	1	36	-	-	-	-	-	6	8	13	5	3	1
All other	21	-	-	-	-	4	7	6	2	1	1	-	9	-	-	-	-	2	2	2	1	2	-	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	-	1	4	7	2	18	-	-	-	-	1	-	1	1	2	3	10
White	10	-	-	-	-	-	-	-	-	3	5	2	16	-	-	-	-	1	-	1	-	1	3	10
All other	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	49	-	-	-	-	-	1	4	6	7	20	11	61	2	1	1	1	-	1	1	8	13	18	15
White	43	-	-	-	-	-	-	4	6	7	16	10	57	2	1	1	1	-	1	-	8	12	16	15
All other	6	-	-	-	-	-	1	-	-	-	4	1	4	-	-	-	-	-	-	1	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	1	–	–	3	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	1	–	–	3	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	48	–	–	–	–	–	1	4	6	6	20	11	56	2	1	1	–	–	–	1	8	10	18	15
White	42	–	–	–	–	–	–	4	6	6	16	10	52	2	1	1	–	–	–	–	8	9	15	15
All other	6	–	–	–	–	–	1	–	–	–	4	1	4	–	–	–	–	–	–	1	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Infections of kidney (590)	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	–	–	1	2	5
White	3	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	–	–	–	2	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	2	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	2	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	45	31	1	1	2	1	–	3	2	1	2	1	41	26	6	1	1	2	1	–	–	2	–	–
White	42	29	1	1	1	1	–	3	2	1	2	1	35	23	6	1	1	1	1	–	–	2	–	–
All other	3	2	–	–	1	–	–	–	–	–	–	–	6	3	2	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	81	80	1	–	–	–	–	–	–	–	–	–	49	47	1	–	1	–	–	–	–	–	–	–
White	70	69	1	–	–	–	–	–	–	–	–	–	39	38	–	–	1	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	10	9	1	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	33	1	–	–	–	–	–	–	–	–	–	15	14	1	–	–	–	–	–	–	–	–	–
White	30	29	1	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	47	47	–	–	–	–	–	–	–	–	–	–	34	33	–	–	1	–	–	–	–	–	–	–
White	40	40	–	–	–	–	–	–	–	–	–	–	29	28	–	–	1	–	–	–	–	–	–	–
All other	7	7	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	90	27	1	–	–	6	3	1	5	14	18	15	70	7	–	–	1	3	–	–	4	9	15	31
White	71	23	–	–	–	5	1	1	4	11	16	10	54	5	–	–	1	2	–	–	2	6	11	27
All other	19	4	1	–	–	1	2	–	1	3	2	5	16	2	–	–	–	1	–	–	2	3	4	4
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	1
All other diseases (Residual)	435	4	4	5	11	29	30	39	61	81	114	56	417	7	4	3	6	10	12	19	52	75	117	112
White	389	2	4	5	9	18	22	30	53	74	100	51	378	4	3	3	4	7	8	16	44	69	113	107
All other	66	2	–	–	2	11	6	9	8	7	14	5	39	3	1	–	2	3	4	3	8	6	4	5
Black	8	–	–	–	–	–	–	2	3	3	–	–	8	1	–	–	–	–	2	1	2	–	1	1
Accidents and adverse effects (E800-E949)	620	4	15	24	152	139	80	57	38	53	37	20	217	1	18	8	38	25	22	10	16	18	31	30
White	475	1	8	21	117	110	51	40	36	45	28	17	175	–	8	6	31	19	19	7	14	16	28	27
All other	145	3	7	3	35	29	29	17	2	8	9	3	42	1	10	2	7	6	3	3	2	2	3	3
Black	11	–	1	1	1	2	1	4	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	348	2	4	11	110	64	47	30	18	19	11	2	120	1	11	6	31	20	19	6	10	9	7	1
White	260	1	3	9	86	73	26	20	18	17	5	2	92	–	5	4	25	15	16	4	9	7	6	1
All other	88	1	1	2	24	21	21	10	–	2	6	–	28	1	6	2	6	5	3	2	1	1	1	–
Black	3	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	272	2	11	13	42	45	33	27	20	34	26	19	97	–	7	2	7	5	3	4	6	10	24	29
White	215	–	5	12	31	37	25	20	18	28	23	15	83	–	3	2	6	4	3	3	5	9	22	26
All other	57	2	6	1	11	8	8	7	2	6	3	3	14	–	4	–	1	1	–	1	1	1	2	3
Black	8	–	1	–	1	2	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Suicide (E950-E959)	208	...	...	1	58	55	22	21	26	15	10	2	46	...	...	1	9	6	14	6	7	2	1	–
White	176	...	...	1	39	47	20	19	24	15	9	2	45	...	...	1	9	6	13	6	7	2	1	–
All other	32	...	...	–	17	8	2	2	2	–	1	–	1	...	...	–	–	–	1	–	–	–	–	–
Black	1	...	...	–	1	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	108	1	4	1	23	42	15	9	7	3	1	–	25	–	–	3	7	5	5	2	1	–	1	1
White	84	–	3	1	16	34	14	9	5	1	1	–	18	–	–	3	6	2	3	2	1	–	1	–
All other	22	1	1	–	7	8	1	–	2	2	–	–	7	–	–	–	1	3	2	–	–	–	–	1
Black	4	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	29	–	–	–	5	14	5	1	1	2	1	–	21	–	–	–	3	6	4	3	3	1	–	1
White	23	–	–	–	2	13	4	1	–	2	1	–	18	–	–	–	2	5	3	3	3	1	–	1
All other	6	–	–	–	3	1	1	–	1	–	–	–	3	–	–	–	1	1	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW YORK																								
All causes	86,435	1,540	237	331	1,922	3,105	3,927	6,259	14,299	21,354	21,798	11,652	84,327	1,225	194	231	695	1,258	1,857	3,678	9,484	16,996	24,660	23,640
White	74,060	1,012	161	253	1,457	2,094	2,632	4,671	11,815	18,892	20,068	10,985	74,117	831	137	175	510	832	1,284	2,883	7,659	14,774	22,643	22,381
All other	12,375	528	76	78	465	1,011	1,295	1,588	2,484	2,462	1,730	657	10,210	394	57	56	185	426	563	985	1,825	2,222	2,217	1,258
Black	11,460	497	70	71	434	972	1,246	1,500	2,330	2,265	1,510	584	9,732	380	51	51	175	418	531	944	1,738	2,137	2,113	1,193
Shigellosis and amebiasis (004,006)	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	9	6	–	–	–	–	–	–	–	2	1	–	12	7	–	–	–	1	–	–	–	2	1	1
White	7	4	–	–	–	–	–	–	–	2	1	–	9	5	–	–	–	–	–	–	–	2	1	1
All other	2	2	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–
Tuberculosis (010-018)	157	–	–	–	5	18	33	23	23	33	12	10	58	–	–	–	2	12	11	6	4	11	9	3
White	70	–	–	–	2	7	6	9	12	18	8	8	26	–	–	–	–	5	3	2	2	7	6	1
All other	87	–	–	–	3	11	27	14	11	15	4	2	32	–	–	–	2	7	8	4	2	4	3	2
Black	82	–	–	–	3	11	27	14	10	13	3	1	31	–	–	–	2	7	7	4	2	4	3	2
Tuberculosis of respiratory system (010-012)	108	–	–	–	3	8	19	16	19	25	9	9	42	–	–	–	2	7	8	5	4	7	7	2
White	53	–	–	–	2	3	4	6	9	15	7	7	16	–	–	–	–	2	1	1	2	5	4	1
All other	55	–	–	–	1	5	15	10	10	10	2	2	26	–	–	–	2	5	7	4	2	2	3	1
Black	50	–	–	–	1	5	15	10	9	8	1	1	25	–	–	–	2	5	6	4	2	2	3	1
Other tuberculosis (013-018)	49	–	–	–	2	10	14	7	4	8	3	1	16	–	–	–	–	5	3	1	–	4	2	1
White	17	–	–	–	–	4	2	3	3	3	1	1	10	–	–	–	–	3	2	1	–	2	2	–
All other	32	–	–	–	2	6	12	4	1	5	2	–	6	–	–	–	–	2	1	–	–	2	–	1
Black	32	–	–	–	2	6	12	4	1	5	2	–	6	–	–	–	–	2	1	–	–	2	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	1	1	1	1	1	–	–	1	–	–	–	16	1	2	1	3	–	1	3	2	–	1	2
White	5	1	–	1	1	1	–	–	1	–	–	–	14	1	1	–	3	–	1	3	2	–	1	2
All other	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Septicemia (038)	515	5	1	–	3	17	26	27	75	130	143	88	618	2	2	1	3	5	13	22	63	106	204	197
White	428	4	–	–	3	5	18	21	58	107	133	81	519	2	1	1	3	3	9	13	43	85	178	181
All other	87	1	1	–	–	12	8	6	19	23	10	7	99	–	1	–	–	2	4	9	20	21	26	16
Black	79	1	1	–	–	11	8	5	19	20	9	5	98	–	1	–	–	2	4	9	20	21	25	16
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	27	–	1	–	4	4	2	3	7	4	2	–	29	–	–	–	6	2	3	1	2	5	5	5
White	22	–	1	–	3	2	2	2	6	4	2	–	24	–	–	–	4	1	2	1	2	5	4	5
All other	5	–	–	–	1	2	–	1	1	–	–	–	5	–	–	–	2	1	1	–	–	–	1	–
Black	4	–	–	–	1	2	–	–	1	–	–	–	4	–	–	–	1	1	1	–	–	–	1	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	546	9	2	3	21	124	151	81	66	50	25	14	225	6	3	5	7	47	33	15	24	26	33	26
White	375	4	1	2	13	75	97	54	53	39	23	14	152	2	1	5	5	23	15	11	18	19	28	25
All other	171	5	1	1	8	49	54	27	13	11	2	–	73	4	2	–	2	24	18	4	6	7	5	1
Black	162	5	1	1	8	46	52	26	12	10	1	–	70	4	2	–	2	23	18	4	5	7	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,138	3	21	37	111	235	520	1,595	4,295	5,950	4,811	1,559	18,532	–	21	25	73	228	644	1,715	3,956	5,194	4,810	2,066
White	16,622	3	14	26	88	180	399	1,256	3,583	5,269	4,381	1,442	16,369	–	19	20	60	188	506	1,378	3,364	4,657	4,230	1,947
All other	2,516	–	7	11	23	55	121	339	712	681	450	117	2,163	–	2	5	13	40	138	337	592	537	580	119
Black	2,287	–	5	8	23	48	115	315	654	625	394	100	2,032	–	2	5	12	36	122	318	559	510	364	104
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	513	–	–	–	1	6	18	73	163	141	85	26	239	–	–	–	1	2	10	29	61	63	50	23
White	404	–	–	–	–	4	8	49	122	122	74	25	197	–	–	–	–	2	4	22	50	51	47	21
All other	109	–	–	–	1	2	10	24	41	19	11	1	42	–	–	–	1	–	6	7	11	12	3	2
Black	98	–	–	–	1	1	10	22	38	15	10	1	33	–	–	–	–	–	3	6	10	11	1	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,627	–	–	–	5	33	134	391	1,288	1,771	1,505	500	5,337	–	–	–	4	20	83	310	904	1,509	1,667	840
White	4,875	–	–	–	3	21	100	300	1,075	1,550	1,365	481	4,698	–	–	–	2	15	53	228	752	1,312	1,540	796
All other	752	–	–	–	2	12	34	91	213	221	140	39	639	–	–	–	2	5	30	84	152	197	127	42
Black	657	–	–	–	2	10	33	75	190	194	120	33	595	–	–	–	2	4	26	81	143	185	121	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,209	1	–	1	6	22	136	654	1,669	2,133	1,318	268	3,068	–	1	–	4	13	79	337	827	1,018	632	157
White	5,387	1	–	1	4	18	102	507	1,386	1,905	1,218	244	2,749	–	1	–	2	12	64	281	722	930	588	149
All other	822	–	–	–	2	4	34	147	283	228	100	24	319	–	–	–	2	1	15	56	105	88	44	8
Black	766	–	–	–	2	4	32	146	266	216	82	18	300	–	–	–	2	1	13	55	98	85	40	6
Malignant neoplasm of breast (174-175)	26	–	–	–	1	–	3	5	3	5	8	1	3,768	–	–	–	–	60	232	525	971	968	704	308
White	20	–	–	–	1	–	2	3	3	3	7	1	3,338	–	–	–	–	47	185	442	847	893	641	283
All other	6	–	–	–	–	–	1	2	–	2	1	–	430	–	–	–	–	13	47	83	124	75	63	25
Black	6	–	–	–	–	–	1	2	–	2	1	–	412	–	–	–	–	12	46	76	117	74	63	24
Malignant neoplasms of genital organs (179-187)	2,090	–	–	–	7	10	4	26	201	604	848	390	2,024	–	2	3	3	33	82	225	453	573	466	184
White	1,766	–	–	–	7	10	3	19	158	497	729	382	1,750	–	2	3	2	26	66	176	372	516	416	171
All other	324	–	–	–	–	–	1	7	42	107	119	28	274	–	–	–	1	7	16	49	81	57	50	13
Black	288	–	–	–	–	–	1	7	40	103	110	27	259	–	–	–	1	6	13	46	79	55	48	11
Malignant neoplasms of urinary organs (188-189)	1,041	–	2	1	1	3	20	74	191	302	316	131	574	–	1	–	–	1	6	38	81	145	181	121
White	954	–	1	1	1	2	14	67	167	281	296	124	515	–	1	–	–	1	4	31	63	132	168	115
All other	87	–	1	–	–	1	6	7	24	21	20	7	59	–	–	–	–	–	2	7	18	13	13	6
Black	74	–	1	–	–	–	5	6	21	20	15	6	57	–	–	–	–	–	2	7	18	12	12	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,949	1	8	10	36	75	120	211	442	549	389	108	1,902	–	8	9	34	49	85	147	375	498	471	226
White	1,691	1	6	5	30	59	97	174	369	499	354	97	1,681	–	6	7	31	42	73	123	318	440	429	212
All other	258	–	2	5	6	16	23	37	73	50	35	11	221	–	2	2	3	7	12	24	57	58	42	14
Black	234	–	1	4	6	14	21	34	67	44	33	10	208	–	2	2	3	7	10	22	54	54	42	13
Leukemia (204-208)	660	1	10	21	28	24	30	57	120	170	139	60	663	–	9	13	15	24	31	47	102	157	160	105
White	602	1	7	16	24	19	26	54	110	158	130	57	605	–	9	10	13	21	28	36	87	148	149	104
All other	58	–	3	5	4	5	4	3	10	12	9	3	58	–	–	3	2	3	3	11	15	9	11	1
Black	52	–	2	4	4	4	4	3	9	11	9	2	52	–	–	3	2	3	2	10	12	9	10	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,023	–	1	4	26	62	55	104	218	275	203	75	957	–	–	–	12	26	36	57	182	263	270	102
White	903	–	–	3	16	47	47	83	192	254	188	71	836	–	–	–	10	22	29	41	153	235	252	94
All other	120	–	1	1	8	15	8	21	26	21	15	4	121	–	–	–	2	4	7	16	29	28	27	8
Black	112	–	1	–	8	15	8	20	23	20	14	3	115	–	–	–	2	3	7	15	28	25	27	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	246	2	1	1	2	10	13	11	45	69	65	27	312	2	1	7	3	5	17	21	38	71	98	49
White	219	2	1	1	2	7	8	8	39	66	60	25	274	2	1	6	2	3	10	19	35	69	90	49
All other	27	–	–	–	–	3	5	3	6	3	5	2	38	–	–	1	1	2	7	2	3	8	8	6
Black	24	–	–	–	–	2	5	3	6	2	4	2	36	–	–	–	1	2	7	2	3	7	8	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,209	–	–	2	3	13	40	80	235	382	335	129	1,689	–	–	1	7	23	33	90	241	404	513	377
White	998	–	–	2	3	11	30	62	180	293	299	118	1,361	–	–	1	5	19	21	58	160	315	435	347
All other	211	–	–	–	–	2	10	28	55	89	36	11	328	–	–	–	2	4	12	32	81	89	78	30
Black	195	–	–	–	–	2	10	28	52	81	31	11	319	–	–	–	2	4	12	30	79	88	75	29
Nutritional deficiencies (260-269)	38	1	–	–	–	–	1	2	2	6	6	18	56	–	–	–	–	3	–	2	4	8	13	26
White	33	–	–	–	–	–	–	2	2	6	7	16	47	–	–	–	–	2	–	1	2	7	10	25
All other	5	1	–	–	–	–	1	–	–	–	1	2	9	–	–	–	–	1	–	1	2	1	3	1
Black	4	1	–	–	–	–	1	–	–	–	–	2	9	–	–	–	–	1	–	1	2	1	3	1
Anemias (280-285)	91	1	4	6	6	5	6	3	5	16	23	16	126	1	3	4	5	5	10	6	5	21	27	39
White	71	1	1	3	4	2	5	2	4	12	22	15	99	–	1	4	3	2	4	3	4	17	23	38
All other	20	–	3	3	2	3	1	1	1	4	1	1	27	1	2	–	2	3	6	3	1	4	4	1
Black	19	–	3	3	2	3	1	1	1	3	1	1	26	–	2	–	2	3	6	3	1	4	4	1
Meningitis (320-322)	59	5	6	2	4	4	5	3	15	7	6	2	54	8	1	1	1	2	–	5	9	7	11	9
White	38	4	3	2	1	3	4	2	7	7	4	2	36	5	1	–	1	1	–	2	4	5	9	8
All other	20	1	3	–	3	1	1	1	8	–	2	–	18	3	–	1	–	1	–	3	5	2	2	1
Black	20	1	3	–	3	1	1	1	8	–	2	–	18	3	–	1	–	1	–	3	5	2	2	1
Major cardiovascular diseases (390-448)	41,432	23	9	21	64	259	888	2,589	6,800	11,143	12,275	7,378	45,972	26	13	16	47	119	344	1,084	3,478	8,441	15,457	16,843
White	36,985	17	5	16	38	172	632	2,009	5,718	9,976	11,377	7,023	41,212	14	10	13	32	69	209	750	2,697	7,236	14,100	16,079
All other	4,447	6	4	5	26	87	256	580	1,082	1,167	898	355	4,760	12	3	3	15	50	135	334	781	1,205	1,357	864
Black	4,069	5	4	5	24	85	236	517	1,020	1,076	779	309	4,553	12	2	3	15	50	130	321	747	1,165	1,293	814
Diseases of heart (390-398,402,404-429)	35,686	21	8	16	48	207	757	2,315	6,080	9,663	10,352	6,217	37,589	23	7	9	34	74	227	867	2,935	7,157	12,628	13,608
White	31,985	17	5	13	27	135	547	1,845	5,188	8,689	9,592	5,915	33,735	12	4	8	25	49	145	596	2,301	6,175	11,532	12,885
All other	3,701	4	3	3	21	72	210	470	892	964	760	302	3,834	11	3	1	9	25	82	271	634	982	1,094	721
Black	3,375	3	3	3	19	70	195	435	841	884	658	264	3,689	11	2	1	9	25	78	262	608	951	1,043	678
Rheumatic fever and rheumatic heart disease (390-398)	221	–	–	1	6	10	15	19	59	62	39	10	424	–	1	1	7	4	11	35	68	103	110	34
White	192	–	–	1	2	6	11	14	52	58	39	9	386	–	1	1	3	1	8	29	78	126	105	34
All other	29	–	–	–	4	4	4	5	7	4	–	1	38	–	–	–	4	3	3	6	10	7	5	–
Black	26	–	–	–	3	4	3	5	6	4	–	1	34	–	–	–	4	3	3	5	8	6	5	–
Hypertensive heart disease (402)	574	–	–	–	1	8	19	49	118	172	147	60	847	–	–	–	–	2	10	35	80	183	281	256
White	445	–	–	–	–	3	9	30	78	142	127	56	676	–	–	–	–	1	3	16	43	143	234	238
All other	129	–	–	–	1	5	10	19	40	30	20	4	171	–	–	–	–	1	7	19	37	40	47	20
Black	122	–	–	–	1	5	10	17	39	30	16	4	168	–	–	–	–	1	6	19	37	40	45	20
Hypertensive heart and renal disease (404)	74	–	–	–	–	1	6	7	9	17	21	13	83	–	–	–	–	–	1	4	7	11	31	29
White	52	–	–	–	–	–	2	2	5	14	19	10	65	–	–	–	–	–	–	1	2	6	27	29
All other	22	–	–	–	–	1	4	5	4	3	2	3	18	–	–	–	–	–	1	3	5	5	4	–
Black	21	–	–	–	–	1	4	5	4	2	2	3	18	–	–	–	–	–	1	3	5	5	4	–
Ischemic heart disease (410-414)	29,938	1	2	2	9	53	538	1,955	5,132	8,164	8,798	5,241	30,910	1	–	–	6	22	143	601	2,328	5,845	10,602	11,360
White	27,058	–	2	2	8	71	419	1,583	4,416	7,388	8,179	4,988	27,916	–	–	–	6	19	97	423	1,847	5,054	9,690	10,777
All other	2,880	1	–	–	1	22	120	372	716	776	619	253	2,994	1	–	–	–	3	46	178	479	791	912	583
Black	2,601	1	–	–	1	20	108	342	672	703	534	220	2,857	1	–	–	–	3	43	171	457	765	887	549
Acute myocardial infarction (410)	13,613	1	2	2	6	52	294	1,038	2,629	4,024	3,802	1,763	12,191	1	–	–	4	12	71	301	1,204	2,854	4,348	3,386
White	12,527	–	2	2	5	43	231	879	2,380	3,740	3,562	1,683	11,168	–	–	–	4	12	54	225	1,013	2,561	4,063	3,234
All other	1,086	1	–	–	1	9	63	159	249	284	240	80	1,025	1	–	–	–	–	17	76	191	293	285	152
Black	961	1	–	–	1	7	55	145	228	258	189	67	968	1	–	–	–	–	14	71	183	281	265	151
Other acute and subacute forms of ischemic heart disease (411)	145	–	–	–	–	–	3	18	39	38	30	17	102	–	–	–	–	–	–	4	10	23	37	28
White	136	–	–	–	–	–	3	16	38	38	29	16	95	–	–	–	–	–	–	4	10	23	31	27
All other	9	–	–	–	–	–	–	2	3	2	1	1	7	–	–	–	–	–	–	–	–	–	6	1
Black	7	–	–	–	–	–	–	2	2	2	–	1	7	–	–	–	–	–	–	–	–	–	6	1
Angina pectoris (413)	21	–	–	–	–	–	1	1	8	7	3	1	20	–	–	–	–	–	–	3	–	6	7	4
White	20	–	–	–	–	–	1	1	8	7	2	1	19	–	–	–	–	–	–	2	–	6	7	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,159	–	–	–	3	41	241	898	2,458	4,095	4,963	3,460	18,597	–	–	–	2	10	72	293	1,112	2,982	6,210	7,932
White	14,375	–	–	–	3	28	184	687	1,992	3,605	4,586	3,288	16,638	–	–	–	2	7	43	192	824	2,464	5,589	7,512
All other	1,784	–	–	–	–	13	57	211	464	490	377	172	1,961	–	–	–	–	3	29	101	288	518	621	420
Black	1,632	–	–	–	–	13	53	195	442	443	334	152	1,883	–	–	–	–	3	29	99	274	484	596	397
Other diseases of endocardium (424)	300	–	–	1	1	6	19	18	41	79	88	47	316	2	–	–	–	2	2	6	22	74	111	97
White	269	–	–	1	–	5	9	11	38	75	84	46	294	2	–	–	–	–	1	5	17	69	106	94
All other	31	–	–	–	1	1	10	7	3	4	4	1	22	–	–	–	–	2	1	1	5	5	5	3
Black	29	–	–	–	1	1	9	7	3	4	3	1	22	–	–	–	–	2	1	1	5	5	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	4,578	20	6	12	31	89	159	267	721	1,169	1,259	846	4,989	20	6	8	21	44	60	166	412	911	1,491	1,830
White	3,969	17	3	9	17	50	97	205	599	1,022	1,144	806	4,398	10	3	7	16	28	38	122	314	777	1,370	1,715
All other	610	3	3	3	14	39	62	62	122	147	115	40	591	10	3	1	5	16	24	64	98	134	121	115
Black	576	2	3	3	13	39	61	59	117	141	103	35	570	10	2	1	5	16	24	63	96	130	117	106
Hypertension with or without renal disease (401,403)	284	-	-	-	1	2	8	14	51	87	71	50	374	-	-	-	-	2	8	11	45	68	114	106
White	197	-	-	-	1	1	1	7	25	60	55	47	265	-	-	-	-	1	2	3	28	49	88	94
All other	87	-	-	-	-	1	7	7	26	27	16	3	109	-	-	-	-	1	6	8	17	39	26	12
Black	85	-	-	-	-	1	7	6	26	27	15	3	106	-	-	-	-	1	6	8	16	39	25	11
Cerebrovascular diseases (430-438)	3,913	2	1	4	14	45	103	194	458	852	1,335	804	6,443	3	5	5	12	42	101	185	426	948	2,243	2,475
White	3,396	-	-	2	9	31	67	124	331	620	1,243	769	5,746	2	5	4	6	18	56	139	312	789	2,042	2,373
All other	517	2	1	2	5	14	36	70	127	132	92	35	697	1	-	1	6	24	45	46	114	157	201	102
Black	477	2	1	2	5	14	33	69	120	123	83	30	665	1	-	1	6	24	44	42	108	151	190	98
Intracerebral and other intracranial hemorrhage (431-432)	708	1	-	2	4	17	50	88	135	182	164	63	880	1	2	2	4	16	33	73	128	172	282	177
White	561	-	-	1	3	10	29	54	101	156	147	60	736	1	2	2	2	5	15	48	91	144	258	168
All other	145	1	-	1	1	7	21	34	34	28	17	3	154	-	-	-	2	11	18	25	37	28	24	9
Black	128	1	-	1	1	7	21	30	30	23	12	2	148	-	-	-	2	11	18	23	35	28	23	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	710	-	-	-	1	5	2	12	72	170	270	178	1,267	1	1	-	-	2	7	19	58	155	468	556
White	646	-	-	-	1	4	2	6	56	152	254	171	1,195	1	1	-	-	2	6	18	44	135	451	537
All other	64	-	-	-	-	1	-	6	16	18	16	7	72	-	-	-	-	-	1	1	14	20	17	19
Black	57	-	-	-	-	1	-	5	15	15	15	6	69	-	-	-	-	-	1	1	13	20	16	18
Cerebral embolism (434.1)	18	-	-	-	-	-	-	-	4	7	5	2	33	-	-	-	-	-	1	1	2	6	15	8
White	18	-	-	-	-	-	-	-	4	7	5	2	30	-	-	-	-	-	1	1	2	6	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,479	1	1	2	9	23	51	94	247	593	896	561	4,253	1	2	3	8	24	60	92	238	613	1,478	1,734
White	2,171	-	-	1	5	17	36	64	170	505	837	536	3,785	-	2	2	4	11	34	72	175	504	1,321	1,660
All other	308	1	1	1	4	6	15	30	77	88	59	25	468	1	-	1	4	13	26	20	63	109	157	74
Black	292	1	1	1	4	6	12	28	75	85	58	22	445	1	-	1	4	13	25	18	60	103	148	72
Atherosclerosis (440)	560	-	-	-	-	1	2	8	45	106	203	195	947	-	-	-	-	-	1	4	26	97	263	556
White	506	-	-	-	-	1	1	4	37	91	187	185	887	-	-	-	-	-	1	1	22	86	242	535
All other	54	-	-	-	-	-	1	4	8	15	16	10	60	-	-	-	-	-	-	3	4	11	21	21
Black	50	-	-	-	-	-	1	4	8	14	14	9	55	-	-	-	-	-	-	3	4	9	20	19
Other diseases of arteries, arterioles, and capillaries (441-448)	989	-	-	1	1	4	18	38	166	335	314	112	639	-	1	2	1	1	7	17	46	153	211	200
White	901	-	-	1	1	4	16	29	137	306	300	107	579	-	1	1	1	1	5	11	34	137	196	192
All other	88	-	-	-	-	-	2	9	29	29	14	5	60	-	-	1	-	-	2	6	12	16	15	8
Black	76	-	-	-	-	-	2	9	25	28	9	3	58	-	-	1	-	-	2	6	11	15	15	8
Acute bronchitis and bronchiolitis (466)	20	3	1	-	1	-	-	-	2	1	7	5	17	-	-	-	-	-	1	-	1	1	6	8
White	20	3	1	-	1	-	-	-	2	1	7	5	17	-	-	-	-	-	1	-	1	1	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2,806	25	5	6	24	93	126	124	256	472	681	769	2,640	22	9	10	23	43	36	61	136	323	833	1,344
White	2,340	14	4	4	19	51	60	63	193	382	802	735	2,525	14	6	8	15	19	22	42	100	271	780	1,268
All other	466	11	1	2	5	42	66	61	63	80	79	54	315	8	3	2	8	24	14	19	36	52	73	76
Black	430	10	1	2	5	42	66	60	60	73	66	45	293	8	3	1	8	24	14	18	34	50	66	67
Pneumonia (480-486)	2,792	25	5	6	24	93	126	124	256	471	672	785	2,801	22	8	10	22	43	36	61	135	319	825	1,320
White	2,326	14	4	4	19	51	60	63	193	391	793	731	2,490	14	6	8	14	19	22	42	99	268	753	1,245
All other	466	11	1	2	5	42	66	61	63	80	79	54	311	8	2	2	8	24	14	19	36	51	72	75
Black	430	10	1	2	5	42	66	60	60	73	66	45	291	8	2	1	8	24	14	18	34	49	66	67
Influenza (487)	14	-	-	-	-	-	-	-	-	1	9	4	39	-	1	-	1	-	-	-	1	4	8	24
White	14	-	-	-	-	-	-	-	-	1	9	4	35	-	-	-	1	-	-	-	1	3	7	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,964	-	2	6	15	21	22	100	405	929	1,048	418	1,863	1	1	4	15	13	13	77	285	603	807	244
White	2,688	-	1	3	10	12	16	69	349	838	991	399	1,710	1	1	2	5	9	9	56	239	565	588	235
All other	276	-	1	3	5	9	6	31	56	91	55	19	153	-	-	2	10	4	4	21	46	38	19	9
Black	251	-	1	3	5	8	6	29	55	82	48	14	141	-	-	2	10	4	4	20	45	35	16	5
Bronchitis, chronic and unspecified (490-491)	149	-	-	1	1	-	2	5	11	50	48	31	109	-	-	-	-	-	-	-	19	29	37	24
White	138	-	-	1	1	-	2	3	9	45	47	30	100	-	-	-	-	-	-	-	13	27	36	24
All other	11	-	-	-	-	-	-	2	2	5	1	1	9	-	-	-	-	-	-	-	6	2	1	-
Black	11	-	-	-	-	-	2	2	5	1	1	1	9	-	-	-	-	-	-	-	6	2	1	-
Emphysema (492)	604	-	-	-	-	1	3	15	91	201	223	70	345	-	-	-	1	-	1	9	48	127	131	30
White	558	-	-	-	-	1	3	10	78	185	214	67	331	-	-	-	-	-	1	9	39	124	128	30
All other	46	-	-	-	-	-	-	5	13	16	9	3	14	-	-	-	1	-	-	-	7	3	3	-
Black	41	-	-	-	-	-	-	4	13	14	8	2	14	-	-	-	1	-	-	-	7	3	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	160	-	1	4	12	15	12	29	34	34	14	5	184	1	1	4	13	13	10	29	40	35	25	13
White	101	-	1	1	7	7	7	15	24	21	13	5	126	1	1	2	4	9	6	14	24	28	24	13
All other	59	-	-	3	5	8	5	14	10	13	1	-	58	-	-	2	9	4	4	15	16	7	1	-
Black	56	-	-	3	5	7	5	13	10	12	1	-	57	-	-	2	9	4	4	15	16	6	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,051	-	1	1	2	5	5	51	289	644	781	312	1,225	-	-	-	1	-	2	39	180	412	414	177
White	1,891	-	-	1	2	4	4	41	238	587	717	297	1,153	-	-	-	1	-	2	33	163	386	400	168
All other	160	-	1	-	-	1	1	10	31	57	44	15	72	-	-	-	-	-	-	6	17	26	14	9
Black	143	-	1	-	-	1	1	10	30	51	38	11	61	-	-	-	-	-	-	5	16	24	11	5
Ulcer of stomach and duodenum (531-533)	313	-	-	-	1	5	13	19	38	68	114	55	303	1	-	-	1	1	9	6	25	48	103	109
White	274	-	-	-	1	2	9	14	31	59	104	54	271	-	-	-	1	-	4	4	20	43	94	105
All other	39	-	-	-	-	3	4	5	7	9	10	1	32	1	-	-	-	1	5	2	5	5	9	4
Black	32	-	-	-	-	3	4	5	7	8	7	-	31	1	-	-	-	1	5	2	5	5	9	3
Appendicitis (540-543)	29	-	-	1	-	-	2	4	7	7	5	3	18	-	-	-	-	-	2	1	1	2	10	2
White	26	-	-	1	-	-	2	4	5	6	5	3	16	-	-	-	-	-	2	-	1	2	9	2
All other	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	145	2	-	-	2	1	4	5	20	28	52	31	229	5	3	-	1	2	3	4	12	32	66	101
White	121	1	-	-	2	1	2	5	15	23	42	30	205	3	1	-	1	2	3	3	8	28	64	92
All other	24	1	-	-	-	-	2	-	5	5	10	1	24	2	2	-	-	-	-	1	4	4	2	9
Black	22	1	-	-	-	-	2	-	4	4	10	1	23	2	2	-	-	-	-	1	4	4	2	8
Chronic liver disease and cirrhosis (571)	1,985	3	1	-	9	174	389	404	498	346	136	25	1,020	2	2	-	6	68	117	177	272	232	119	25
White	1,433	1	1	-	7	87	232	267	396	295	123	24	768	2	2	-	4	30	68	119	212	197	111	25
All other	552	2	-	-	2	87	157	137	102	51	13	1	252	-	-	-	2	38	51	58	60	35	8	-
Black	529	2	-	-	2	85	152	133	93	49	12	1	246	-	-	-	2	38	50	58	58	32	8	-
Cholelithiasis and other disorders of gallbladder (574-575)	98	-	-	-	-	-	2	4	14	23	32	23	131	-	-	-	2	2	-	1	11	28	40	46
White	86	-	-	-	-	-	2	2	9	22	30	21	117	-	-	-	2	1	-	1	10	28	33	42
All other	12	-	-	-	-	-	-	2	5	1	2	2	14	-	-	-	-	1	-	-	1	1	7	4
Black	10	-	-	-	-	-	-	2	4	1	2	1	13	-	-	-	-	1	-	-	1	1	6	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	697	11	-	-	2	18	29	37	76	165	210	149	714	6	-	-	4	9	14	29	73	139	229	211
White	580	7	-	-	2	7	15	20	56	143	190	140	587	3	-	-	2	7	8	19	51	106	193	198
All other	117	4	-	-	-	11	14	17	20	22	20	9	127	3	-	-	2	2	6	10	22	33	36	13
Black	107	4	-	-	-	11	14	16	19	21	17	5	123	3	-	-	2	2	6	10	19	33	36	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	-	1	2	2	2	10	1	-	-	-	-	-	3	1	-	4	1
White	6	-	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	-	-	1	1	-	4	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	2	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	2	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	61	-	-	-	1	6	4	6	5	13	16	10	68	-	-	-	2	3	4	4	5	9	21	20
White	47	-	-	-	1	3	2	2	4	12	14	9	57	-	-	-	1	2	4	1	5	7	18	19
All other	14	-	-	-	-	3	2	4	1	1	2	1	11	-	-	-	1	1	-	3	-	2	3	1
Black	13	-	-	-	-	3	2	4	1	1	2	-	11	-	-	-	1	1	-	3	-	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	629	11	-	-	1	12	25	31	70	150	192	137	636	5	-	-	2	6	10	22	67	130	204	190
White	527	7	-	-	1	4	13	18	51	129	174	130	523	3	-	-	1	5	4	17	45	99	171	178
All other	102	4	-	-	-	8	12	13	19	21	18	7	113	2	-	-	1	1	6	5	22	31	33	12
Black	93	4	-	-	-	8	12	12	18	20	15	4	109	2	-	-	1	1	6	5	19	31	33	11
Infections of kidney (590)	39	1	-	-	-	3	2	5	6	6	10	5	69	-	-	-	1	1	3	-	9	13	22	20
White	26	1	-	-	-	2	-	4	3	5	9	4	62	-	-	-	1	-	2	-	7	12	20	20
All other	10	-	-	-	-	1	2	1	3	1	1	1	7	-	-	-	-	1	1	-	2	1	2	-
Black	10	-	-	-	-	1	2	1	3	1	1	1	7	-	-	-	-	1	1	-	2	1	2	-
Hyperplasia of prostate (600)	51	-	-	-	-	-	-	-	2	6	16	27	...	...	...	...	...	...	...	...	...	...	...	...
White	45	-	-	-	-	-	-	-	2	3	14	26	...	...	...	...	...	...	...	...	...	...	...	...
All other	6	-	-	-	-	-	-	-	-	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	-	-	-	-	-	-	-	-	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	33	...	...	-	10	16	6	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	-	3	11	1	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	7	5	5	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	7	5	5	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	3	3	1	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	–	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	25	...	...	–	7	13	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	2	6	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	5	4	4	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	5	4	4	–	...	...	...	...
Congenital anomalies (740-759)	452	279	31	19	26	26	19	10	16	15	10	1	430	273	35	23	11	11	9	9	25	17	8	9
White	359	219	24	17	20	19	16	7	13	13	10	1	357	227	26	17	9	7	9	9	22	16	8	7
All other	93	60	7	2	6	7	3	3	3	2	–	–	73	46	9	6	2	4	–	–	3	1	–	2
Black	76	48	6	2	5	5	3	2	3	2	–	–	67	43	8	5	2	4	–	–	3	1	–	1
Certain conditions originating in the perinatal period (760-779)	802	796	5	–	–	–	–	–	1	–	–	–	635	633	–	1	1	–	–	–	–	–	–	–
White	522	518	3	–	–	–	–	–	1	–	–	–	423	421	–	1	1	–	–	–	–	–	–	–
All other	280	278	2	–	–	–	–	–	–	–	–	–	212	212	–	–	–	–	–	–	–	–	–	–
Black	268	266	2	–	–	–	–	–	–	–	–	–	207	207	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	236	232	3	–	–	–	–	–	1	–	–	–	152	151	–	1	–	–	–	–	–	–	–	–
White	161	159	1	–	–	–	–	–	1	–	–	–	101	100	–	1	–	–	–	–	–	–	–	–
All other	75	73	2	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
Black	79	71	2	–	–	–	–	–	–	–	–	–	47	47	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	588	584	2	–	–	–	–	–	–	–	–	–	483	482	–	–	1	–	–	–	–	–	–	–
White	381	359	2	–	–	–	–	–	–	–	–	–	322	321	–	–	1	–	–	–	–	–	–	–
All other	205	205	–	–	–	–	–	–	–	–	–	–	161	161	–	–	–	–	–	–	–	–	–	–
Black	195	195	–	–	–	–	–	–	–	–	–	–	160	160	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	839	260	9	2	63	182	135	65	48	40	22	13	563	155	9	1	41	85	75	41	41	44	35	34
White	526	141	9	1	45	127	75	41	30	29	21	13	364	79	5	1	23	54	54	31	36	38	27	34
All other	313	119	6	1	18	55	60	24	18	11	1	–	179	76	4	–	18	31	21	10	5	6	8	–
Black	304	118	5	1	17	52	59	22	18	11	1	–	169	72	2	–	17	30	21	10	4	6	7	–
All other diseases (Residual)	5,273	64	40	45	106	492	583	467	720	984	1,122	640	5,095	40	28	33	88	199	191	294	524	914	1,999	1,985
White	4,143	46	33	38	88	313	339	288	545	849	1,023	585	4,301	29	21	25	57	101	117	201	419	794	1,250	1,287
All other	1,130	18	7	9	18	179	254	181	176	135	99	55	794	11	7	8	31	98	74	93	105	120	749	98
Black	1,097	17	6	9	18	176	253	181	169	126	93	49	767	10	7	7	30	98	68	91	100	116	745	95
Accidents and adverse effects (E800-E949)	3,491	23	75	148	753	598	403	290	352	328	328	192	1,815	23	45	71	189	173	125	117	161	231	349	331
White	2,949	13	52	113	663	497	320	228	298	277	308	178	1,572	17	30	55	174	141	104	98	133	193	316	313
All other	542	10	23	35	90	101	83	61	54	51	20	14	243	6	15	16	15	32	21	21	28	38	33	18
Black	499	8	22	31	77	95	76	57	51	50	19	13	228	6	13	16	12	31	21	19	26	34	32	18
Motor vehicle accidents (E810-E825)	1,548	3	19	75	496	299	184	112	144	99	88	28	643	1	14	38	137	104	71	49	65	68	78	22
White	1,349	2	14	59	457	254	154	94	119	86	82	27	590	1	12	32	131	90	64	44	57	63	75	21
All other	199	1	5	16	39	45	30	18	25	13	6	1	53	–	2	6	6	14	7	5	8	3	1	1
Black	175	–	4	13	33	41	28	16	23	12	6	1	50	–	2	6	6	13	7	3	8	3	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,943	20	56	73	257	299	219	178	208	229	238	164	1,172	22	31	33	52	69	54	68	96	165	273	309
White	1,600	11	38	54	206	243	166	135	179	191	224	151	882	16	18	23	43	51	40	52	76	130	241	292
All other	343	9	18	19	51	56	53	43	29	38	14	13	190	6	13	10	9	18	14	16	20	35	32	17
Black	324	8	18	18	44	54	50	41	28	38	13	12	178	6	11	10	6	18	14	16	18	31	31	17
Suicide (E950-E959)	1,042	...	...	9	210	238	146	119	129	95	74	24	345	...	...	2	38	72	68	44	48	44	18	11
White	958	...	...	9	188	213	127	112	124	91	72	24	324	...	...	1	35	69	62	40	47	42	18	10
All other	84	...	...	–	24	23	19	7	5	4	2	–	21	...	...	1	3	3	6	4	1	2	–	1
Black	74	...	...	–	20	22	17	5	4	4	2	–	16	...	...	–	2	3	5	3	–	2	–	1
Homicide and legal intervention (E960-E978)	1,440	8	16	15	414	446	265	144	87	27	15	2	345	5	8	18	85	89	57	29	17	15	15	5
White	764	3	11	9	196	223	161	85	48	14	11	1	212	1	6	13	45	52	38	16	11	10	14	4
All other	676	6	5	6	218	223	104	59	39	13	4	1	133	4	2	5	40	37	19	13	6	5	1	1
Black	653	6	5	6	207	217	100	58	37	12	4	1	128	4	2	5	38	36	17	13	6	5	1	1
All other external causes (E980-E999)	472	8	6	7	72	120	90	55	51	41	12	9	160	6	8	7	22	22	19	17	17	12	18	11
White	321	5	2	7	57	75	55	36	32	33	10	8	105	3	4	2	14	13	12	14	9	9	16	8
All other	151	3	4	–	15	45	35	19	19	8	2	1	55	3	4	5	8	9	7	3	8	3	2	3
Black	148	3	4	–	14	44	34	19	18	8	1	1	54	3	4	5	8	9	7	3	8	3	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	27,834	588	94	165	775	933	1,177	2,298	5,335	7,583	6,295	2,591	23,212	478	86	97	274	354	647	1,222	2,913	5,126	6,703	5,312
White	20,952	324	61	103	564	595	736	1,673	3,981	5,777	5,014	2,124	17,678	267	51	64	193	212	395	817	2,077	3,760	5,315	4,527
All other	6,882	264	33	62	211	338	441	625	1,354	1,806	1,281	467	5,534	211	35	33	81	142	252	405	836	1,366	1,388	785
Black	6,639	253	31	58	192	318	419	596	1,319	1,765	1,238	452	5,380	204	35	31	78	135	245	398	808	1,324	1,350	772
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-	-	1	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	41	-	-	-	-	4	1	5	10	9	9	3	21	-	-	-	-	-	1	1	2	5	11	1
White	14	-	-	-	-	-	-	-	2	4	6	2	10	-	-	-	-	-	-	-	1	4	4	1
All other	27	-	-	-	-	4	1	5	8	5	3	1	11	-	-	-	-	-	1	1	1	1	7	-
Black	27	-	-	-	-	4	1	5	8	5	3	1	11	-	-	-	-	-	1	1	1	1	7	-
Tuberculosis of respiratory system (010-012)	35	-	-	-	-	2	-	5	9	9	7	3	15	-	-	-	-	-	-	-	2	2	10	1
White	13	-	-	-	-	-	-	-	2	4	5	2	8	-	-	-	-	-	-	-	1	2	4	1
All other	22	-	-	-	-	2	-	5	7	5	2	1	7	-	-	-	-	-	-	-	1	-	6	-
Black	22	-	-	-	-	2	-	5	7	5	2	1	7	-	-	-	-	-	-	-	1	-	6	-
Other tuberculosis (013-018)	6	-	-	-	-	2	1	-	1	-	2	-	6	-	-	-	-	-	1	1	-	3	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	5	-	-	-	-	2	1	-	1	-	1	-	4	-	-	-	-	-	1	1	-	1	1	-
Black	5	-	-	-	-	2	1	-	1	-	1	-	4	-	-	-	-	-	1	1	-	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal infection (036)	12	6	3	-	3	-	-	-	-	-	-	-	4	-	2	-	-	1	-	1	-	-	-	-
White	6	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	6	1	2	-	3	-	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
Black	6	1	2	-	3	-	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
Septicemia (038)	206	3	1	1	3	5	10	12	32	59	55	25	245	4	4	1	2	3	6	10	29	46	82	58
White	136	1	1	1	2	5	6	16	42	39	18	158	2	3	-	2	1	4	4	13	30	54	45
All other	70	2	-	-	1	-	5	6	16	17	16	7	87	2	1	1	-	2	2	6	16	16	28	13
Black	68	2	-	-	1	-	5	6	15	17	15	7	85	2	1	-	-	2	2	6	16	15	28	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	2	1	-	1	-	5	1	-	7	-	-	-	-	-	-	-	2	3	1	1
White	8	-	-	-	1	1	-	1	-	4	1	-	7	-	-	-	-	-	-	-	2	3	1	1
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	52	2	1	1	-	5	13	4	13	6	5	2	73	3	2	1	1	5	5	5	8	13	15	15
White	29	2	-	-	-	2	5	1	7	6	4	2	44	-	-	-	1	3	1	3	5	8	11	12
All other	23	-	1	1	-	3	8	3	6	-	1	-	29	3	2	1	-	2	4	2	3	5	4	3
Black	23	-	1	1	-	3	8	3	6	-	1	-	29	3	2	1	-	2	4	2	3	5	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,901	1	2	15	31	60	175	538	1,519	1,950	1,263	347	4,751	-	6	10	8	63	218	506	1,066	1,314	1,092	468
White	4,442	1	2	11	25	50	125	397	1,153	1,481	924	273	3,749	-	5	7	7	48	160	388	828	1,022	896	390
All other	1,459	-	-	4	6	10	50	141	366	469	339	74	1,002	-	1	3	1	17	58	118	238	292	196	78
Black	1,421	-	-	4	6	10	49	134	356	463	326	73	981	-	1	3	1	17	57	115	231	287	192	77

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	145	–	–	–	2	3	11	29	39	38	15	8	71	–	–	–	1	–	3	8	12	20	12	15
White	97	–	–	–	2	3	2	15	30	27	11	7	60	–	–	–	1	–	3	5	11	15	12	13
All other	48	–	–	–	–	–	9	14	9	11	4	1	11	–	–	–	–	–	–	3	1	5	–	2
Black	46	–	–	–	–	–	9	12	9	11	4	1	10	–	–	–	–	–	–	3	1	4	–	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,288	–	–	–	4	5	36	125	329	403	291	95	1,165	–	–	–	–	9	20	63	213	337	350	173
White	938	–	–	–	4	4	25	88	233	296	211	77	872	–	–	–	–	4	14	42	159	237	276	140
All other	350	–	–	–	–	1	11	37	96	107	80	18	293	–	–	–	–	5	6	21	54	100	74	33
Black	339	–	–	–	–	1	11	36	92	106	76	17	289	–	–	–	–	5	5	21	52	100	79	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,286	–	–	–	–	6	42	230	705	848	408	47	764	–	–	–	–	2	19	105	244	226	134	34
White	1,783	–	–	–	–	4	33	176	538	676	318	38	666	–	–	–	–	2	14	85	214	204	117	30
All other	503	–	–	–	–	2	9	54	167	172	90	9	98	–	–	–	–	–	5	20	30	22	17	4
Black	493	–	–	–	–	2	9	53	163	170	87	9	97	–	–	–	–	–	5	20	30	22	16	4
Malignant neoplasm of breast (174-175)	8	–	–	–	–	–	–	–	4	1	2	1	918	–	–	–	–	12	90	166	226	226	147	51
White	5	–	–	–	–	–	–	–	3	–	1	1	719	–	–	–	–	8	64	132	173	177	124	41
All other	3	–	–	–	–	–	–	–	1	1	1	–	199	–	–	–	–	4	26	34	53	49	23	10
Black	3	–	–	–	–	–	–	–	1	1	1	–	197	–	–	–	–	4	26	33	53	49	23	9
Malignant neoplasms of genital organs (179-187)	681	–	–	–	–	3	2	13	80	217	256	110	552	–	–	–	1	10	36	54	139	162	111	39
White	415	–	–	–	–	2	1	8	52	124	156	72	405	–	–	–	1	8	26	40	95	126	78	31
All other	266	–	–	–	–	1	1	5	28	93	100	38	147	–	–	–	–	2	10	14	44	36	33	8
Black	262	–	–	–	–	1	1	5	28	92	97	38	142	–	–	–	–	2	10	14	41	34	33	8
Malignant neoplasms of urinary organs (188-189)	238	–	–	–	–	2	4	18	50	79	62	23	136	–	–	2	–	2	1	15	25	33	39	19
White	197	–	–	–	–	2	4	14	41	68	47	21	99	–	–	–	–	2	–	9	18	23	32	15
All other	41	–	–	–	–	–	–	4	9	11	15	2	37	–	–	2	–	–	1	6	7	10	7	4
Black	39	–	–	–	–	–	–	4	9	11	13	2	36	–	–	2	–	–	1	5	7	10	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	785	–	1	6	17	27	44	75	214	237	130	34	702	–	1	3	3	13	25	59	128	190	197	83
White	628	–	1	3	15	23	33	57	175	195	98	28	575	–	1	3	3	11	19	48	101	148	170	71
All other	157	–	–	3	2	4	11	18	39	42	32	6	127	–	–	–	–	2	6	11	27	42	27	12
Black	149	–	–	3	2	4	10	15	37	41	31	6	123	–	–	–	–	2	6	11	25	41	26	12
Leukemia (204-208)	209	1	–	6	5	8	16	20	35	50	54	14	180	–	5	3	2	11	11	17	26	35	43	27
White	170	1	–	5	1	7	11	17	30	37	47	14	147	–	4	2	1	7	10	11	21	28	38	25
All other	39	–	–	1	4	1	5	3	5	13	7	–	33	–	1	1	1	4	1	6	5	7	5	2
Black	39	–	–	1	4	1	5	3	5	13	7	–	32	–	1	1	1	4	1	6	5	7	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	261	–	1	3	3	6	20	28	63	77	45	15	263	–	–	2	1	4	13	19	53	85	59	27
White	209	–	1	3	3	5	16	22	51	58	35	15	206	–	–	2	1	4	10	16	36	64	49	24
All other	52	–	–	–	–	1	4	6	12	19	10	–	57	–	–	–	–	–	3	3	17	21	10	3
Black	51	–	–	–	–	1	4	6	12	18	10	–	55	–	–	–	–	–	3	2	17	20	10	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	82	2	1	–	2	8	7	5	19	15	18	5	100	–	1	1	4	2	3	5	16	35	24	9
White	58	1	1	–	1	5	4	3	13	11	15	4	81	–	–	1	3	2	2	3	15	28	20	7
All other	24	1	–	–	1	3	3	2	6	4	3	1	19	–	1	–	1	–	1	2	1	7	4	2
Black	23	1	–	–	1	3	3	2	5	4	3	1	18	–	1	–	1	–	1	2	1	6	4	2
Diabetes mellitus (250)	391	–	–	1	3	11	28	38	80	122	85	23	482	1	–	–	1	9	17	15	67	160	134	58
White	267	–	–	–	1	7	16	26	49	90	62	16	279	1	–	–	1	2	8	6	40	86	92	43
All other	124	–	–	1	2	4	12	12	31	32	23	7	203	–	–	–	–	7	9	9	47	74	42	15
Black	117	–	–	1	2	4	11	11	30	28	23	7	201	–	–	–	–	7	9	9	46	73	42	15
Nutritional deficiencies (260-269)	20	–	–	–	1	–	–	1	1	8	7	2	28	–	–	–	–	–	–	–	2	4	12	10
White	13	–	–	–	1	–	–	1	–	5	4	2	17	–	–	–	–	–	–	–	1	1	8	7
All other	7	–	–	–	–	–	–	–	1	3	3	–	11	–	–	–	–	–	–	–	1	3	4	3
Black	7	–	–	–	–	–	–	–	1	3	3	–	11	–	–	–	–	–	–	–	1	3	4	3
Anemias (280-285)	29	–	–	–	–	2	2	1	3	8	10	3	47	–	1	1	2	2	2	–	3	5	19	12
White	17	–	–	–	–	–	–	–	2	6	8	1	37	–	1	–	2	–	–	–	2	4	17	11
All other	12	–	–	–	–	2	2	1	1	2	2	2	10	–	–	1	–	2	2	–	1	1	2	1
Black	10	–	–	–	–	1	2	1	–	2	2	2	10	–	–	1	–	2	2	–	1	1	2	1
Meningitis (320-322)	24	4	5	–	1	–	1	2	4	6	1	–	15	2	6	2	–	–	–	2	2	–	1	–
White	15	3	4	–	1	–	1	–	3	2	1	–	7	–	3	2	–	–	–	1	–	–	1	–
All other	9	1	1	–	–	–	–	2	1	4	–	–	8	2	3	–	–	–	–	1	2	–	–	–
Black	9	1	1	–	–	–	–	2	1	4	–	–	8	2	3	–	–	–	–	1	2	–	–	–
Major cardiovascular diseases (390-448)	12,780	10	3	4	25	88	290	971	2,509	3,871	3,439	1,570	11,883	15	9	6	16	38	130	338	1,116	2,585	4,082	3,548
White	9,964	8	2	1	11	49	175	731	1,918	2,975	2,792	1,302	9,145	8	7	3	6	15	60	182	751	1,839	3,235	3,039
All other	2,816	2	1	3	14	39	115	240	591	896	647	268	2,738	7	2	3	10	23	70	156	365	746	847	509
Black	2,724	2	1	3	13	36	112	229	574	872	622	260	2,666	7	2	3	10	23	66	155	350	722	825	503

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	10,277	7	2	3	19	59	234	850	2,144	3,203	2,626	1,130	8,593	14	8	5	10	26	79	247	889	1,993	2,943	2,379
White	6,154	6	2	1	7	30	155	657	1,677	2,512	2,172	935	6,653	7	6	2	4	13	36	132	619	1,436	2,359	2,039
All other	2,123	1	–	2	12	29	79	193	467	691	454	195	1,940	7	2	3	6	13	43	115	270	557	584	340
Black	2,045	1	–	2	11	28	76	182	451	670	436	188	1,887	7	2	3	6	13	41	114	259	536	569	337
Rheumatic fever and rheumatic heart disease (390-398)	47	–	–	–	1	4	6	7	11	9	4	5	82	–	–	–	1	4	5	8	13	33	21	7
White	37	–	–	–	1	1	5	5	9	7	4	5	71	–	–	–	–	1	4	7	9	24	20	6
All other	10	–	–	–	–	3	1	2	2	2	–	–	21	–	–	–	1	3	1	1	4	9	1	1
Black	9	–	–	–	–	2	1	2	2	2	–	–	21	–	–	–	1	3	1	1	4	9	1	1
Hypertensive heart disease (402)	297	–	–	–	1	2	10	35	61	92	63	33	372	–	–	–	–	2	4	10	33	93	134	96
White	160	–	–	–	–	–	2	18	34	45	41	19	232	–	–	–	–	–	–	2	16	52	90	72
All other	137	–	–	–	1	2	8	16	27	47	22	14	140	–	–	–	–	2	4	8	17	41	44	24
Black	133	–	–	–	1	2	8	16	25	45	22	14	137	–	–	–	–	2	3	8	16	41	43	24
Hypertensive heart and renal disease (404)	49	–	–	–	–	–	–	–	5	11	26	7	63	–	–	–	–	–	1	1	11	18	22	12
White	25	–	–	–	–	–	–	–	1	5	15	4	30	–	–	–	–	–	–	–	3	6	13	8
All other	24	–	–	–	–	–	–	–	4	6	11	3	33	–	–	–	–	–	1	1	8	10	9	4
Black	24	–	–	–	–	–	–	–	4	6	11	3	33	–	–	–	–	–	1	1	8	10	9	4
Ischemic heart disease (410-414)	7,497	–	–	–	2	22	168	643	1,661	2,366	1,883	734	5,583	–	–	–	1	6	31	153	615	1,393	1,939	1,425
White	6,219	–	–	–	1	14	123	523	1,373	1,948	1,613	624	4,470	–	–	–	1	2	17	98	460	1,059	1,605	1,238
All other	1,278	–	–	–	1	8	43	120	308	418	270	110	1,093	–	–	–	–	4	14	55	155	334	334	187
Black	1,230	–	–	–	1	8	40	112	288	406	261	106	1,080	–	–	–	–	4	13	54	149	319	326	185
Acute myocardial infarction (410)	4,613	–	–	–	1	14	118	461	1,152	1,582	1,152	352	3,240	–	–	–	1	4	22	105	410	992	1,151	615
White	4,039	–	–	–	–	9	88	376	949	1,298	1,016	303	2,804	–	–	–	1	1	12	62	315	713	965	535
All other	774	–	–	–	1	5	31	85	203	284	136	49	636	–	–	–	–	3	10	43	95	279	186	80
Black	738	–	–	–	1	5	29	77	192	256	130	48	616	–	–	–	–	3	9	42	93	268	182	79
Other acute and subacute forms of ischemic heart disease (411)	19	–	–	–	–	–	1	5	3	5	4	1	13	–	–	–	–	–	–	–	3	–	5	5
White	15	–	–	–	–	–	1	4	1	4	4	1	9	–	–	–	–	–	–	–	2	–	3	4
All other	4	–	–	–	–	–	–	1	2	1	–	–	4	–	–	–	–	–	–	–	1	–	2	1
Black	4	–	–	–	–	–	–	1	2	1	–	–	4	–	–	–	–	–	–	–	1	–	2	1
Angina pectoris (413)	18	–	–	–	–	–	–	–	2	7	9	–	10	–	–	–	–	–	–	1	–	3	4	2
White	14	–	–	–	–	–	–	–	2	5	7	–	8	–	–	–	–	–	–	1	–	3	3	2
All other	4	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,647	–	–	–	1	8	46	177	524	792	718	381	2,300	–	–	–	–	2	9	47	202	458	779	803
White	2,151	–	–	–	1	5	34	143	421	641	586	320	1,848	–	–	–	–	1	5	25	143	343	634	697
All other	496	–	–	–	–	3	12	34	103	151	132	61	452	–	–	–	–	1	4	22	59	115	145	106
Black	485	–	–	–	–	3	11	34	102	148	129	58	439	–	–	–	–	1	4	22	55	111	141	105
Other diseases of endocardium (424)	106	–	–	–	1	1	1	9	17	38	32	7	123	–	–	–	2	1	–	6	8	24	37	45
White	81	–	–	–	–	1	1	7	13	27	26	6	87	–	–	–	1	1	–	2	5	15	29	34
All other	25	–	–	–	1	–	–	2	4	11	6	1	36	–	–	–	1	–	–	4	3	9	8	11
Black	21	–	–	–	1	–	–	2	4	9	4	1	33	–	–	–	1	–	–	4	3	8	6	11
All other forms of heart disease (415-423,425-429)	2,281	7	2	3	14	30	51	156	369	667	618	344	2,380	14	8	5	6	13	38	69	209	434	790	794
White	1,632	6	2	1	5	14	24	103	247	480	473	277	1,763	7	6	2	2	9	15	33	126	280	602	681
All other	649	1	–	2	9	16	27	53	122	207	145	67	617	7	2	3	4	4	23	36	83	154	188	113
Black	628	1	–	2	8	16	27	50	120	202	138	64	603	7	2	3	4	4	23	36	79	149	184	112
Hypertension with or without renal disease (401,403)	108	–	–	–	–	–	5	5	21	41	19	17	135	–	–	–	–	1	4	2	15	32	44	37
White	62	–	–	–	–	–	1	5	6	28	10	12	85	–	–	–	–	–	1	1	8	18	28	29
All other	46	–	–	–	–	–	4	–	15	13	9	5	50	–	–	–	–	1	3	1	7	14	16	8
Black	44	–	–	–	–	–	4	–	15	13	7	5	50	–	–	–	–	1	3	1	7	14	16	8
Cerebrovascular diseases (430-438)	1,854	3	1	1	6	19	46	100	260	452	628	338	2,659	1	1	1	6	11	43	80	185	470	933	928
White	1,301	2	–	–	4	11	14	59	166	289	468	288	2,032	1	1	1	2	2	23	43	112	321	726	800
All other	553	1	1	1	2	8	32	41	94	163	160	50	627	–	–	–	4	9	20	37	73	149	207	128
Black	542	1	1	1	2	6	32	41	93	160	155	50	611	–	–	–	4	9	19	37	70	146	201	125
Intracerebral and other intracranial hemorrhage (431-432)	265	2	1	–	2	7	23	34	56	54	64	22	290	1	–	1	4	2	11	25	29	90	82	45
White	168	1	–	–	–	5	7	19	29	38	52	17	204	1	–	1	1	–	4	14	13	66	69	35
All other	97	1	1	–	2	2	16	15	27	16	12	5	86	–	–	–	3	2	7	11	16	24	13	10
Black	94	1	1	–	2	1	16	15	27	14	12	5	84	–	–	–	3	2	6	11	16	24	13	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	301	–	–	–	–	1	3	8	43	77	105	64	414	–	1	–	–	–	3	10	31	66	139	164
White	224	–	–	–	–	–	2	3	32	51	81	55	336	–	1	–	–	–	2	7	19	49	113	145
All other	77	–	–	–	–	1	1	5	11	26	24	9	78	–	–	–	–	–	1	3	12	17	26	19
Black	76	–	–	–	–	1	1	5	11	25	24	9	74	–	–	–	–	–	1	3	12	17	23	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	7	–	–	–	1	–	–	–	1	3	2	–	9	–	–	–	–	–	1	–	1	2	2	2
White	6	–	–	–	1	–	–	–	1	2	2	–	7	–	–	–	–	–	1	–	1	1	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,281	1	–	1	3	11	20	58	160	318	457	252	1,947	–	–	–	2	9	28	45	124	312	710	717
White	903	1	–	–	3	6	5	37	104	198	333	216	1,485	–	–	–	1	2	16	22	79	205	542	618
All other	378	–	–	1	–	5	15	21	56	120	124	36	462	–	–	–	1	7	12	23	45	107	168	99
Black	371	–	–	1	–	4	15	21	55	120	119	36	452	–	–	–	1	7	12	23	42	104	165	98
Atherosclerosis (440)	227	–	–	–	–	1	1	3	20	59	82	61	312	–	–	–	–	–	–	2	11	41	82	166
White	173	–	–	–	–	1	1	2	16	42	64	47	248	–	–	–	–	–	–	1	5	29	71	140
All other	54	–	–	–	–	–	–	1	4	17	18	14	66	–	–	–	–	–	–	1	6	12	21	26
Black	53	–	–	–	–	–	–	1	4	17	18	13	64	–	–	–	–	–	–	1	5	12	20	26
Other diseases of arteries, arterioles, and capillaries (441-448)	314	–	–	–	–	9	4	13	64	116	84	24	184	–	–	–	–	–	4	7	16	49	70	38
White	274	–	–	–	–	7	4	8	53	104	78	20	128	–	–	–	–	–	–	5	7	35	51	31
All other	40	–	–	–	–	2	–	5	11	12	6	4	55	–	–	–	–	–	4	2	9	14	19	7
Black	40	–	–	–	–	2	–	5	11	12	6	4	54	–	–	–	–	–	3	2	9	14	19	7
Acute bronchitis and bronchiolitis (466)	3	–	–	–	–	–	–	–	2	–	–	1	3	–	–	–	–	–	–	–	1	–	–	2
White	3	–	–	–	–	–	–	–	2	–	–	1	3	–	–	–	–	–	–	–	1	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	763	9	6	5	3	7	19	31	86	175	249	173	669	7	1	2	3	3	8	18	31	70	203	323
White	581	5	2	1	2	6	7	17	52	136	206	147	563	2	1	2	1	–	3	10	23	59	169	293
All other	182	4	4	4	1	1	12	14	34	39	43	26	106	5	–	–	2	3	5	8	8	11	34	30
Black	179	4	4	3	1	1	12	14	34	39	42	25	100	4	–	–	2	3	5	7	8	11	31	29
Pneumonia (480-486)	752	9	6	4	2	7	19	31	86	173	245	170	653	7	1	2	3	3	8	16	31	68	199	315
White	572	5	2	1	1	6	7	17	52	134	203	144	547	2	1	2	1	–	3	8	23	57	165	285
All other	180	4	4	3	1	1	12	14	34	39	42	26	106	5	–	–	2	3	5	8	8	11	34	30
Black	178	4	4	3	1	1	12	14	34	39	41	25	100	4	–	–	2	3	5	7	8	11	31	29
Influenza (487)	11	–	–	1	1	–	–	–	–	2	4	3	16	–	–	–	–	–	–	2	–	2	4	8
White	9	–	–	–	1	–	–	–	–	2	3	3	16	–	–	–	–	–	–	2	–	2	4	8
All other	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,019	3	–	2	1	4	3	39	165	411	322	69	477	–	2	1	1	4	9	28	99	150	122	61
White	873	2	–	–	1	1	2	31	136	349	291	60	423	–	1	–	–	1	5	25	88	137	113	53
All other	146	1	–	2	–	3	1	8	29	62	31	9	54	–	1	1	1	3	4	3	11	13	9	8
Black	140	1	–	2	–	3	1	6	28	62	29	8	53	–	1	1	1	3	4	3	11	12	9	8
Bronchitis, chronic and unspecified (490-491)	56	2	–	–	–	–	–	1	9	22	15	7	26	–	2	–	–	–	2	–	4	1	9	8
White	50	2	–	–	–	–	–	1	6	21	14	6	24	–	1	–	–	–	2	–	4	1	8	8
All other	6	–	–	–	–	–	–	–	3	1	1	1	2	–	1	–	–	–	–	–	–	–	1	–
Black	6	–	–	–	–	–	–	–	3	1	1	1	2	–	1	–	–	–	–	–	–	–	1	–
Emphysema (492)	197	1	–	–	–	–	1	9	38	83	51	14	59	–	–	–	–	–	1	4	14	22	12	6
White	166	–	–	–	–	–	1	7	34	67	45	12	54	–	–	–	–	–	1	3	13	21	12	4
All other	31	1	–	–	–	–	–	2	4	16	6	2	5	–	–	–	–	–	–	1	1	1	–	2
Black	29	1	–	–	–	–	–	2	4	16	4	2	5	–	–	–	–	–	–	1	1	1	–	2
Asthma (493)	44	–	–	2	1	2	1	3	8	15	9	3	53	–	–	1	1	4	5	6	6	11	14	5
White	27	–	–	1	1	–	1	–	6	11	6	2	33	–	–	–	–	1	1	4	5	8	9	5
All other	17	–	–	2	–	2	–	3	2	4	3	1	20	–	–	1	1	3	4	2	1	3	5	–
Black	16	–	–	2	–	2	–	2	2	4	3	1	20	–	–	1	1	3	4	2	1	3	5	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	722	–	–	–	–	2	1	26	110	291	247	45	339	–	–	–	–	–	1	18	75	116	87	42
White	630	–	–	–	–	1	–	23	90	250	226	40	312	–	–	–	–	–	1	18	66	107	84	36
All other	92	–	–	–	–	1	1	3	20	41	21	5	27	–	–	–	–	–	–	–	9	9	3	6
Black	89	–	–	–	–	1	1	2	19	41	21	4	26	–	–	–	–	–	–	–	9	8	3	6
Ulcer of stomach and duodenum (531-533)	79	–	–	–	2	2	2	8	14	28	14	9	67	–	–	–	–	1	1	1	6	22	25	11
White	59	–	–	–	1	–	2	5	13	22	10	6	52	–	–	–	–	1	1	–	5	19	17	9
All other	20	–	–	–	1	2	–	3	1	6	4	3	15	–	–	–	–	–	–	1	1	3	8	2
Black	18	–	–	–	–	2	–	3	1	6	4	2	15	–	–	–	–	–	–	1	1	3	8	2
Appendicitis (540-543)	8	–	–	–	1	–	–	–	3	3	1	–	4	–	–	–	–	–	–	1	–	2	1	–
White	6	–	–	–	1	–	–	–	3	1	1	–	3	–	–	–	–	–	–	1	–	1	1	–
All other	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	4	–	–	–	1	2	3	2	6	25	4	86	–	2	1	–	2	1	2	6	10	32	30
White	31	2	–	–	–	1	1	1	2	1	20	3	62	–	1	–	–	2	–	2	4	5	23	25
All other	16	2	–	–	–	–	1	2	–	5	5	1	24	–	1	1	–	–	1	–	2	5	9	5
Black	16	2	–	–	–	–	1	2	–	5	5	1	23	–	1	1	–	–	1	–	2	5	8	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	383	–	–	–	1	14	59	106	117	63	21	2	206	–	–	–	1	7	24	38	60	58	21	1
White	283	–	–	–	1	4	39	79	89	53	17	1	147	–	–	–	–	1	11	25	47	46	16	1
All other	100	–	–	–	–	10	20	27	28	10	4	1	59	–	–	–	1	6	13	11	13	10	5	–
Black	98	–	–	–	–	9	20	27	27	10	4	1	58	–	–	–	1	6	13	11	12	10	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	33	1	–	–	–	–	1	2	6	11	8	4	46	–	–	–	1	–	1	–	2	12	19	11
White	29	1	–	–	–	–	1	1	5	10	7	4	37	–	–	–	1	–	–	–	2	8	17	9
All other	4	–	–	–	–	–	–	1	1	1	1	–	9	–	–	–	–	–	1	–	–	4	2	2
Black	4	–	–	–	–	–	–	1	1	1	1	–	9	–	–	–	–	–	1	–	–	4	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	260	5	–	–	1	3	4	13	36	73	92	33	281	2	–	3	–	5	4	13	28	78	82	66
White	166	1	–	–	–	1	1	9	16	48	68	22	170	2	–	2	–	3	3	9	11	40	55	45
All other	94	4	–	–	1	2	3	4	20	25	24	11	111	–	–	1	–	2	1	4	17	38	27	21
Black	92	4	–	–	1	1	3	4	20	25	24	10	107	–	–	1	–	1	1	4	17	36	27	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	–	–	–	–	–	–	–	2	2	1	–	3	–	–	–	–	–	–	–	1	1	1	–
White	4	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	–	–	–	–	2	–	2	3	7	4	3	21	–	–	–	–	–	2	2	4	2	6	5
White	16	–	–	–	–	1	–	1	2	5	4	3	12	–	–	–	–	–	1	2	1	2	4	2
All other	5	–	–	–	–	1	–	1	1	2	–	–	9	–	–	–	–	–	1	–	3	–	2	3
Black	4	–	–	–	–	–	–	1	1	2	–	–	9	–	–	–	–	–	1	–	3	–	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	234	5	–	–	1	1	4	11	31	64	87	30	257	2	–	3	–	5	2	11	23	75	75	61
White	146	1	–	–	–	–	1	8	13	41	63	19	156	2	–	2	–	3	2	7	10	37	50	43
All other	88	4	–	–	1	1	3	3	18	23	24	11	101	–	–	1	–	2	–	4	13	38	25	18
Black	87	4	–	–	1	1	3	3	18	23	24	10	97	–	–	1	–	1	–	4	13	36	25	17
Infections of kidney (590)	21	1	–	–	–	–	1	–	2	3	10	4	42	–	–	–	–	–	3	1	2	7	16	13
White	17	1	–	–	–	–	–	–	2	2	9	3	31	–	–	–	–	–	1	–	2	4	15	9
All other	4	–	–	–	–	–	1	–	–	1	1	1	11	–	–	–	–	–	2	1	–	3	1	4
Black	4	–	–	–	–	–	1	–	–	1	1	1	8	–	–	–	–	–	2	1	–	1	1	3
Hyperplasia of prostate (600)	9	–	–	–	–	–	–	–	–	4	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	–	1	–	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	–	1	–	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	5	5	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	3	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	2	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	4	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	1	5	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	3	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
Congenital anomalies (740-759)	177	111	13	11	13	5	5	6	6	4	3	–	152	105	8	7	5	5	3	3	3	7	5	1
White	119	72	10	7	7	2	4	6	5	3	3	–	108	74	5	5	3	4	1	3	2	6	4	1
All other	58	39	3	4	6	3	1	–	1	1	–	–	44	31	3	2	2	1	2	–	1	1	1	–
Black	55	37	3	3	6	3	1	–	1	1	–	–	40	27	3	2	2	1	2	–	1	1	1	–
Certain conditions originating in the perinatal period (760-779)	284	281	3	–	–	–	–	–	–	–	–	–	242	242	–	–	–	–	–	–	–	–	–	–
White	140	139	1	–	–	–	–	–	–	–	–	–	126	126	–	–	–	–	–	–	–	–	–	–
All other	144	142	2	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Black	136	135	1	–	–	–	–	–	–	–	–	–	115	115	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	82	–	–	–	–	–	–	–	–	–	–	54	54	–	–	–	–	–	–	–	–	–	–
White	48	48	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
All other	34	34	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	33	33	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	202	199	3	-	-	-	-	-	-	-	-	-	188	188	-	-	-	-	-	-	-	-	-	-
White	92	91	1	-	-	-	-	-	-	-	-	-	94	94	-	-	-	-	-	-	-	-	-	-
All other	110	108	2	-	-	-	-	-	-	-	-	-	94	94	-	-	-	-	-	-	-	-	-	-
Black	103	102	1	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	212	101	3	1	3	11	11	14	17	24	17	10	195	70	3	-	5	5	3	9	12	15	31	42
White	123	53	2	-	1	9	7	8	10	13	11	9	132	38	3	-	3	2	1	7	12	6	23	37
All other	89	48	1	1	2	2	4	6	7	11	6	1	63	32	-	-	2	3	2	2	-	9	8	5
Black	87	46	1	1	2	2	4	6	7	11	6	1	61	31	-	-	2	3	2	2	-	8	8	5
All other diseases (Residual)	1,858	25	8	10	37	50	117	155	318	451	455	232	1,926	12	11	11	26	51	66	102	226	415	544	462
White	1,306	13	6	7	25	22	54	88	215	316	370	190	1,443	8	7	8	15	25	36	52	147	324	426	395
All other	552	12	2	3	12	28	63	67	103	135	85	42	483	4	4	3	11	26	30	50	79	91	118	67
Black	539	12	2	3	11	27	61	66	103	131	83	40	466	4	4	3	11	25	30	50	77	87	110	65
Accidents and adverse effects (E800-E949)	2,070	15	40	106	469	373	255	195	244	174	139	60	817	9	26	39	133	88	65	76	68	91	114	108
White	1,462	11	28	70	356	251	166	149	167	111	102	51	600	4	11	28	104	71	44	55	43	63	86	91
All other	608	4	12	36	113	122	89	46	77	63	37	9	217	5	15	11	29	17	21	21	25	28	28	17
Black	566	4	11	35	100	112	79	44	75	60	37	9	208	5	15	10	26	14	21	21	24	28	28	16
Motor vehicle accidents (E810-E825)	1,093	3	16	65	334	238	138	93	96	62	37	11	396	3	11	29	113	67	42	40	27	29	28	7
White	790	1	12	45	256	184	99	71	65	43	25	9	313	1	8	20	89	55	32	36	21	22	22	7
All other	303	2	4	20	78	74	39	22	31	19	12	2	83	2	3	9	24	12	10	4	6	7	6	-
Black	280	2	4	19	70	67	35	21	30	18	12	2	75	2	3	8	21	9	10	4	5	7	6	-
All other accidents and adverse effects (E800-E807, E826-E949)	977	12	24	41	135	135	117	102	148	112	102	49	421	6	15	10	20	21	23	36	41	62	86	101
White	672	10	16	25	100	87	67	78	102	68	77	42	287	3	3	8	15	16	12	19	22	41	64	84
All other	305	2	8	16	35	48	50	24	46	44	25	7	134	3	12	2	5	5	11	17	19	21	22	17
Black	286	2	7	16	30	45	44	23	45	42	25	7	133	3	12	2	5	5	11	17	19	21	22	16
Suicide (E950-E959)	643	...	...	4	106	152	85	82	92	80	37	5	168	...	...	3	21	26	43	34	23	11	7	-
White	575	...	...	4	94	129	75	77	82	74	36	4	159	...	...	3	21	23	41	31	23	10	7	-
All other	68	...	...	-	12	23	10	5	10	6	1	1	9	...	...	-	-	3	2	3	-	1	-	-
Black	61	...	...	-	10	21	7	5	10	6	1	1	7	...	...	-	-	3	1	2	-	1	-	-
Homicide and legal intervention (E960-E978)	385	3	4	4	62	119	79	63	33	12	4	2	135	2	2	6	37	25	29	13	8	7	4	-
White	182	3	1	1	27	46	42	33	18	7	2	2	62	1	2	3	20	4	12	9	4	5	2	-
All other	203	-	3	3	35	73	37	30	15	5	2	-	73	1	-	5	17	21	17	4	4	2	2	-
Black	182	-	3	2	34	72	35	25	15	5	1	-	69	1	-	5	17	20	16	3	3	2	2	-
All other external causes (E980-E999)	30	1	1	-	5	8	7	3	1	2	2	-	20	1	-	-	2	4	3	2	4	3	1	-
White	21	-	-	-	5	4	4	3	1	2	2	-	12	-	-	-	1	3	-	1	4	2	1	-
All other	9	1	1	-	-	4	3	-	-	-	-	-	8	1	-	-	1	1	3	1	-	1	-	-
Black	9	1	1	-	-	4	3	-	-	-	-	-	7	1	-	-	1	-	3	1	-	1	-	-
NORTH DAKOTA																								
All causes	3,153	59	15	24	78	82	73	148	417	790	901	566	2,393	37	11	11	23	31	47	90	190	388	745	820
White	3,070	50	13	22	70	76	67	137	401	776	894	564	2,331	33	10	9	19	27	45	88	180	377	730	813
All other	83	9	2	2	8	6	6	11	16	14	7	2	62	4	1	2	4	4	2	2	10	11	15	7
Black	3	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	16	-	-	-	-	-	1	1	3	2	3	6	15	1	-	-	-	-	-	2	2	3	2	5
White	16	-	-	-	-	-	1	1	3	2	3	6	14	1	-	-	-	-	-	2	1	3	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	-	-	-	-	-	1	1	3	1	1	-	11	-	-	1	-	1	-	-	-	-	9	-
White	6	-	-	-	-	-	-	1	3	1	1	-	11	-	-	1	-	1	-	-	-	-	9	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	679	-	1	3	2	6	13	34	122	234	178	84	540	-	-	1	-	5	24	53	87	124	165	81
White	671	-	1	3	2	6	13	33	120	231	178	84	527	-	-	1	-	4	23	51	84	122	161	81
All other	8	-	-	-	-	2	-	1	2	3	-	-	13	-	-	-	-	1	1	2	3	2	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	-	-	-	-	-	1	2	3	6	1	2	7	-	-	-	-	-	1	1	2	2	1	-
White	14	-	-	-	-	-	1	1	3	6	1	2	7	-	-	-	-	-	1	1	2	2	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	194	-	-	-	1	4	2	8	34	58	61	26	167	-	-	-	-	1	8	9	20	27	56	46
White	192	-	-	-	1	3	2	8	34	57	61	26	166	-	-	-	-	-	8	9	20	27	56	46
All other	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	202	-	-	-	-	-	2	14	46	83	46	11	76	-	-	-	-	-	1	8	19	27	18	3
White	200	-	-	-	-	-	2	14	45	82	46	11	70	-	-	-	-	-	-	8	17	26	16	3
All other	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	1	-	2	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	101	-	-	-	-	-	8	14	19	19	26	15
White	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-	-	-	8	14	19	19	25	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	92	-	-	-	-	-	-	-	4	33	32	23	60	-	-	-	-	-	3	4	7	14	10	16	6
White	92	-	-	-	-	-	-	-	4	33	32	23	59	-	-	-	-	-	3	4	6	14	10	16	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	29	-	-	-	-	-	-	-	5	12	9	3	23	-	-	-	-	-	-	1	1	8	11	2
White	29	-	-	-	-	-	-	-	5	12	9	3	23	-	-	-	-	-	-	1	1	8	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	76	-	1	1	-	3	6	7	16	19	12	11	53	-	-	-	-	1	1	7	5	17	20	2
White	74	-	1	1	-	2	6	7	16	18	12	11	51	-	-	-	-	1	1	6	5	16	20	2
All other	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	33	-	-	2	1	1	1	1	6	10	9	2	20	-	-	1	-	-	-	4	3	3	5	4
White	32	-	-	2	1	1	1	1	5	10	9	2	19	-	-	1	-	-	-	4	3	3	4	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	-	-	-	-	-	1	2	8	13	8	6	33	-	-	-	-	-	1	2	4	11	12	3
White	38	-	-	-	-	-	1	2	8	13	8	6	32	-	-	-	-	-	1	2	3	11	12	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	-	1	2	6	1	8	-	-	-	-	1	-	-	1	-	-	6
White	10	-	-	-	-	-	-	-	1	2	6	1	8	-	-	-	-	1	-	-	1	-	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	52	-	-	-	-	1	2	4	8	10	17	10	60	-	-	-	-	-	1	1	4	14	27	13
White	49	-	-	-	-	1	2	3	6	10	17	10	52	-	-	-	-	-	1	1	3	11	23	13
All other	3	-	-	-	-	-	-	1	2	-	-	-	8	-	-	-	-	-	-	-	1	3	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	-	1	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	1	3	2		6	-	-	-	-	-	1	-	-	4	-	1
White	6	-	-	-	-	-	-	-	1	3	2		5	-	-	-	-	-	1	-	-	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	-	1	1	-		-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-		-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,494	2	-	-	3	9	14	60	201	383	505	317	1,186	3	2	-	3	4	7	18	58	189	413	509
White	1,473	1	-	-	3	9	14	57	195	378	501	315	1,168	3	2	-	3	3	7	18	54	186	407	505
All other	21	1	-	-	-	-	-	3	6	5	4	2	18	-	-	-	-	1	-	-	4	3	6	4
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of heart (390-398,402,404-429)	1,191	2	-	-	3	8	12	56	169	321	391	229	885	3	1	-	2	2	4	13	42	136	309	373
White	1,173	1	-	-	3	8	12	53	164	317	387	228	874	3	1	-	2	2	4	13	39	135	305	370
All other	18	1	-	-	-	-	-	3	5	4	4	1	11	-	-	-	-	-	-	-	3	1	4	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	1	2	-	2	-	12	-	-	-	-	-	-	1	2	3	4	2
White	5	-	-	-	-	-	-	1	2	-	2	-	12	-	-	-	-	-	-	1	2	3	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	17	-	-	-	-	-	1	-	-	6	6	4	23	-	-	-	-	-	-	-	-	2	9	12
White	17	-	-	-	-	-	1	-	-	6	6	4	23	-	-	-	-	-	-	-	-	2	9	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	1	-	1	-	1
White	6	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	909	-	-	-	1	5	9	46	137	263	294	154	614	1	-	-	-	-	2	8	31	97	222	253
White	899	-	-	-	1	5	9	45	134	260	291	154	607	1	-	-	-	-	2	8	29	96	221	250
All other	10	-	-	-	-	-	-	1	3	3	3	-	7	-	-	-	-	-	-	-	2	1	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	578	-	-	-	-	5	4	34	110	191	163	71	342	-	-	-	-	-	2	7	23	62	135	113
White	570	-	-	-	-	5	4	33	107	188	162	71	337	-	-	-	-	-	2	7	22	61	134	111
All other	8	-	-	-	-	-	-	1	3	3	1	-	5	-	-	-	-	-	-	-	1	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	326	-	-	-	1	-	5	11	26	70	130	83	267	-	-	-	-	-	-	1	7	35	85	139
White	324	-	-	-	1	-	5	11	26	70	128	83	265	-	-	-	-	-	-	1	6	35	85	138
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	-	1	1	4	5	2	20	-	-	-	1	-	-	-	-	3	7	9
White	13	-	-	-	-	-	-	1	1	4	5	2	20	-	-	-	1	-	-	-	-	3	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	241	2	-	-	2	3	2	8	29	46	82	67	213	2	1	-	1	2	2	3	9	30	67	96
White	233	1	-	-	2	3	2	6	27	45	81	66	209	2	1	-	1	2	2	3	8	30	64	95
All other	8	1	-	-	-	-	-	2	2	1	1	1	4	-	-	-	-	-	-	-	1	-	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	1	2	4	-	10	-	-	-	-	-	-	-	1	1	3	5
White	7	-	-	-	-	-	-	-	1	2	4	-	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	213	-	-	-	-	1	1	4	19	41	78	69	217	-	1	-	1	1	2	4	11	27	77	93
White	211	-	-	-	-	1	1	4	18	40	78	69	215	-	1	-	1	1	2	4	11	26	76	93
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	30	-	-	-	-	-	-	1	4	9	10	6	28	-	1	-	-	-	-	-	3	3	15	6
White	29	-	-	-	-	-	-	1	3	9	10	6	28	-	1	-	-	-	-	-	3	3	15	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	-	-	-	-	-	-	-	1	5	7	8	24	-	-	-	-	-	-	-	-	3	8	13
White	21	-	-	-	-	-	-	-	1	5	7	8	24	-	-	-	-	-	-	-	-	3	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	161	-	-	-	-	1	1	3	14	27	60	55	164	-	-	-	1	1	2	4	8	21	53	74
White	160	-	-	-	-	1	1	3	14	26	60	55	162	-	-	-	1	1	2	4	8	20	52	74
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Atherosclerosis (440)	35	-	-	-	-	-	-	1	8	12	14		52	-	-	-	-	-	-	-	3	2	16	31
White	35	-	-	-	-	-	-	1	8	12	14		50	-	-	-	-	-	-	-	3	2	15	30
All other	-	-	-	-	-	-	-	-	-	-	-		2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	48	-	-	-	-	-	1	-	11	11	20	5	22	-	-	-	-	-	1	1	1	3	8	7
White	47	-	-	-	-	-	1	-	11	11	20	4	20	-	-	-	-	-	-	1	1	2	8	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	99	1	-	-	-	1	-	1	4	9	36	47	98	1	1	2	1	-	-	-	2	5	27	59
White	97	1	-	-	-	1	-	-	4	8	36	47	96	1	1	2	1	-	-	-	2	5	27	57
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	98	1	-	-	-	1	-	1	4	9	36	46	95	1	1	2	1	-	-	-	2	5	27	56
White	96	1	-	-	-	1	-	-	4	8	36	46	93	1	1	2	1	-	-	-	2	5	27	54
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	3
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	133	-	-	1	1	-	2	2	13	52	43	19	44	-	-	-	-	-	-	1	9	14	13	7
White	131	-	-	1	1	-	2	2	13	51	42	19	44	-	-	-	-	-	-	1	9	14	13	7
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	20	-	-	-	-	-	-	-	4	10	6	-	7	-	-	-	-	-	-	-	2	3	1	1
White	20	-	-	-	-	-	-	-	4	10	6	-	7	-	-	-	-	-	-	-	2	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	11	-	-	1	1	-	2	-	2	3	2	-	3	-	-	-	-	-	-	1	1	-	1	-
White	11	-	-	1	1	-	2	-	2	3	2	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	100	-	-	-	-	-	-	2	7	38	35	18	33	-	-	-	-	-	-	-	6	11	10	6
White	98	-	-	-	-	-	-	2	7	37	34	18	33	-	-	-	-	-	-	-	6	11	10	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	-	2	2	5	1	11	-	-	-	-	-	-	-	1	2	4	4
White	10	-	-	-	-	-	-	-	2	2	5	1	11	-	-	-	-	-	-	-	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	1	-	-	1	3	-	6	-	-	-	-	-	-	1	1	-	2	2
White	5	-	-	-	-	-	1	-	-	1	3	-	5	-	-	-	-	-	-	1	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	34	-	-	-	-	-	1	10	9	11	3	-	13	-	-	-	-	-	1	1	2	4	4	1
White	31	-	-	-	-	-	1	7	9	11	3	-	12	-	-	-	-	-	1	1	2	3	4	1
All other	3	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	2	2	3	4	-	-	-	-	-	-	-	-	-	3	1
White	7	-	-	-	-	-	-	-	-	2	2	3	4	-	-	-	-	-	-	-	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	31	1	-	-	-	-	1	-	1	5	14	9	27	-	-	-	-	-	-	1	1	2	9	14
White	29	1	-	-	-	-	1	-	-	5	13	9	26	-	-	-	-	-	-	1	1	2	8	14
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, *nephritis and nephropathy*, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	1	–	1	2	1	–	4	–	–	–	–	–	–	1	1	–	–	2
White	4	–	–	–	–	–	1	–	–	2	1	–	4	–	–	–	–	–	–	1	1	–	–	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	–	–	–	–	–	–	–	–	3	12	9	21	–	–	–	–	–	–	–	–	1	9	11
White	23	–	–	–	–	–	–	–	–	3	11	9	20	–	–	–	–	–	–	–	–	1	8	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	4	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	1	1	
White	4	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	1	1	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	20	16	1	1	–	–	–	–	–	–	2	–	7	4	–	1	1	–	–	–	–	1	–	–
White	18	14	1	1	–	–	–	–	–	–	2	–	6	4	–	1	–	–	–	–	–	1	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	23	22	1	–	–	–	–	–	–	–	–	–	17	16	1	–	–	–	–	–	–	–	–	–
White	22	21	1	–	–	–	–	–	–	–	–	–	14	13	1	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine *hypoxia, birth asphyxia*, and respiratory distress syndrome (767-769)	10	10	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–
White	9	9	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	13	12	1	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
White	13	12	1	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and *ill-defined* conditions (780-799)	31	6	–	–	–	1	–	2	3	4	8	7	38	7	1	–	–	–	–	–	–	1	9	20
White	29	4	–	–	–	1	–	2	3	4	8	7	36	6	1	–	–	–	–	–	–	–	9	20
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	189	6	2	3	4	3	6	8	22	43	50	42	160	4	1	1	1	2	4	6	13	28	42	78
White	174	3	1	3	3	2	5	7	19	40	49	42	178	4	1	1	1	2	3	6	13	28	42	77
All other	15	3	1	–	1	1	1	1	3	3	1	–	2	–	–	–	–	–	1	–	–	–	–	1
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	212	3	9	15	51	34	18	16	16	21	16	13	90	–	5	4	14	11	5	3	6	14	13	15
White	193	3	8	13	45	32	14	15	14	20	16	13	83	–	4	2	11	10	5	3	6	14	13	15
All other	19	–	1	2	6	2	4	1	2	1	–	–	7	–	1	2	3	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	86	1	3	5	29	18	5	9	6	6	2	2	36	–	1	3	9	7	4	1	5	5	1	–
White	76	1	3	3	26	17	3	8	5	6	2	2	33	–	1	2	7	7	4	1	5	5	1	–
All other	10	–	–	2	3	1	2	1	1	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	126	2	6	10	22	16	13	7	10	15	14	11	54	–	4	1	5	4	1	2	1	9	12	15
White	117	2	5	10	19	15	11	7	9	14	14	11	50	–	3	–	4	3	1	2	1	9	12	15
All other	9	–	1	–	3	1	2	–	1	1	–	–	4	–	1	1	1	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	66	...	...	–	17	17	10	7	8	2	4	1	12	...	...	–	2	4	2	1	1	2	–	–
White	64	...	...	–	16	16	10	7	8	2	4	1	11	...	...	–	2	3	2	1	1	2	–	–
All other	2	...	...	–	1	1	–	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	8	2	1	1	–	4	–	–	–	–	–	–	8	1	–	1	1	2	2	1	–	–	–	–
White	8	2	1	1	–	4	–	–	–	–	–	–	8	1	–	1	1	2	2	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	10	–	–	–	–	4	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	10	–	–	–	–	4	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OHIO																								
All causes	50,208	958	149	239	1,136	1,352	1,576	3,411	8,958	13,549	12,430	6,450	46,788	695	138	145	440	610	949	2,088	5,645	9,736	13,598	12,747
White	44,663	721	120	196	994	1,086	1,281	2,883	7,803	12,305	11,412	6,062	42,355	524	113	112	372	478	737	1,717	4,827	8,752	12,588	12,134
All other	5,345	237	29	43	142	266	295	528	1,155	1,244	1,018	388	4,433	171	25	33	68	132	212	369	818	984	1,008	613
Black	5,259	232	27	42	137	260	286	517	1,146	1,225	1,007	380	4,359	166	25	32	65	128	204	367	798	970	996	608
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	3	1	1	–	–	–	–	–	1	2	–	3	1	–	–	–	–	–	–	1	–	–	1
White	5	1	1	1	–	–	–	–	–	1	1	–	3	1	–	–	–	–	–	–	1	–	–	1
All other	3	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	29	–	–	–	–	1	2	3	8	3	10	2	15	–	–	–	–	–	1	2	5	5	2	–
White	22	–	–	–	–	1	1	1	7	2	8	2	9	–	–	–	–	–	–	2	2	4	1	–
All other	7	–	–	–	–	–	1	2	1	1	2	–	6	–	–	–	–	–	1	–	3	1	1	–
Black	7	–	–	–	–	–	1	2	1	1	2	–	6	–	–	–	–	–	1	–	3	1	1	–
Tuberculosis of respiratory system (010-012)	25	–	–	–	–	1	2	3	6	2	9	2	11	–	–	–	–	–	1	1	3	4	2	–
White	20	–	–	–	–	1	1	1	6	2	7	2	7	–	–	–	–	–	–	1	1	4	1	–
All other	5	–	–	–	–	–	1	2	–	–	2	–	4	–	–	–	–	–	1	–	2	–	1	–
Black	5	–	–	–	–	–	1	2	–	–	2	–	4	–	–	–	–	–	1	–	2	–	1	–
Other tuberculosis (013-018)	4	–	–	–	–	–	–	–	2	1	1	–	4	–	–	–	–	–	–	1	2	1	–	–
White	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	–	1	–	–	–	1	–	–	–	–	5	1	2	–	–	1	–	1	–	–	–	–
White	2	–	–	1	–	–	–	1	–	–	–	–	4	1	2	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Septicemia (038)	356	7	–	–	–	2	11	18	56	104	95	63	368	5	1	2	4	1	7	13	40	67	103	125
White	299	7	–	–	–	2	6	15	44	89	84	52	310	4	1	1	3	1	6	10	27	55	92	110
All other	57	–	–	–	–	–	5	3	12	15	11	11	58	1	–	1	1	–	1	3	13	12	11	15
Black	56	–	–	–	–	–	4	3	12	15	11	11	58	1	–	1	1	–	1	3	13	12	11	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	19	1	-	-	1	1	2	2	4	6	2	-	16	-	1	-	2	-	2	1	3	4	3	-
White	13	-	-	-	1	1	1	1	2	5	2	-	11	-	1	-	1	-	-	1	1	4	3	-
All other	6	1	-	-	-	-	1	1	2	1	-	-	5	-	-	-	1	-	2	-	2	-	-	-
Black	5	1	-	-	-	-	1	1	2	-	-	-	5	-	-	-	1	-	2	-	2	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	1	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 048-054,056-066,071-088, 098-139)	115	7	-	4	1	15	14	8	19	22	20	5	95	6	-	3	2	3	8	9	14	19	18	13
White	93	3	-	3	1	10	9	7	16	21	19	4	85	4	-	3	2	2	5	9	12	17	18	13
All other	22	4	-	1	-	5	5	1	3	1	1	1	10	2	-	-	-	1	3	-	2	2	-	-
Black	22	4	-	1	-	5	5	1	3	1	1	1	10	2	-	-	-	1	3	-	2	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,823	4	11	30	59	114	260	1,003	2,872	3,844	2,725	901	10,473	2	9	20	41	152	341	917	2,297	3,033	2,458	1,203
White	10,445	2	8	25	55	92	223	849	2,475	3,454	2,435	827	9,451	2	9	17	36	131	284	774	2,018	2,781	2,262	1,137
All other	1,378	2	3	5	4	22	37	154	397	390	290	74	1,022	-	-	3	5	21	57	143	279	252	196	66
Black	1,364	2	2	5	4	21	37	150	395	386	288	74	999	-	-	3	4	20	55	142	269	249	192	65
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	270	-	-	-	-	3	13	35	102	74	29	14	133	-	-	1	-	2	4	5	30	40	32	19
White	220	-	-	-	-	2	11	25	80	65	24	13	122	-	-	1	-	2	3	3	26	37	31	19
All other	50	-	-	-	-	1	2	10	22	9	5	1	11	-	-	-	-	-	1	2	4	3	1	-
Black	50	-	-	-	-	1	2	10	22	9	5	1	11	-	-	-	-	-	1	2	4	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,953	1	-	1	1	19	50	253	710	963	694	261	2,842	-	-	-	1	16	41	140	513	821	832	478
White	2,605	1	-	1	-	16	42	211	610	862	615	247	2,542	-	-	-	1	14	34	108	433	742	758	452
All other	348	-	-	-	1	3	8	42	100	101	79	14	300	-	-	-	-	2	7	32	80	79	74	26
Black	345	-	-	-	1	3	8	41	99	100	79	14	290	-	-	-	-	2	6	31	76	77	72	26
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,364	1	-	-	4	11	59	418	1,263	1,596	864	158	1,865	1	-	1	-	3	44	219	535	659	308	95
White	3,845	-	-	-	4	8	50	346	1,095	1,427	773	142	1,673	1	-	1	-	3	35	189	460	610	285	89
All other	519	1	-	-	-	3	9	72	168	169	91	16	192	-	-	-	-	-	9	30	75	49	23	6
Black	516	1	-	-	-	3	9	71	168	168	90	16	188	-	-	-	-	-	9	30	72	49	22	6
Malignant neoplasm of breast (174-175)	14	-	-	-	-	-	1	1	1	7	-	4	1,926	-	-	-	2	38	118	256	504	473	348	185
White	9	-	-	-	-	-	1	1	-	4	-	3	1,749	-	-	-	2	32	93	217	460	447	323	175
All other	5	-	-	-	-	-	-	-	1	3	-	1	177	-	-	-	-	6	25	41	44	26	25	10
Black	5	-	-	-	-	-	-	-	1	3	-	1	175	-	-	-	-	6	25	41	42	26	25	10
Malignant neoplasms of genital organs (179-187)	1,215	-	-	-	3	11	4	21	108	349	475	244	1,143	-	-	-	3	20	54	110	253	358	282	83
White	1,028	-	-	-	3	11	4	16	82	295	399	218	1,022	-	-	-	3	19	49	93	223	322	239	74
All other	187	-	-	-	-	-	-	5	26	54	76	26	121	-	-	-	-	1	5	17	30	36	23	9
Black	185	-	-	-	-	-	-	5	26	53	75	26	118	-	-	-	-	1	4	17	29	36	23	8
Malignant neoplasms of urinary organs (188-189)	652	-	-	-	-	-	5	43	124	222	176	81	353	-	-	1	-	2	5	11	48	102	121	63
White	607	-	-	-	-	-	5	41	112	204	170	75	325	-	-	1	-	2	4	10	44	89	114	61
All other	45	-	-	-	-	-	1	2	12	18	6	6	28	-	-	-	-	-	1	1	4	13	7	2
Black	45	-	-	-	-	-	1	2	12	18	6	6	27	-	-	-	-	-	1	1	4	13	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,290	1	7	11	22	39	79	144	335	352	229	77	1,271	1	8	9	13	33	68	105	257	332	305	152
White	1,174	-	6	9	21	33	64	132	298	323	217	71	1,158	1	8	6	10	29	49	90	235	306	279	145
All other	116	1	1	2	1	6	9	12	37	29	12	6	113	-	-	3	3	4	7	15	22	26	26	7
Black	114	1	1	2	1	5	9	12	36	29	12	6	111	-	-	3	2	4	7	15	22	25	26	7
Leukemia (204-208)	433	1	4	14	20	13	20	22	83	117	111	28	398	-	1	8	19	17	8	37	59	90	100	59
White	393	1	2	12	18	10	18	19	70	113	102	28	363	-	1	8	17	15	7	33	49	81	95	57
All other	40	-	2	2	2	3	2	3	13	4	9	-	35	-	-	-	2	2	1	4	10	9	5	2
Black	37	-	1	2	2	3	2	2	13	3	9	-	34	-	-	-	2	1	1	4	10	9	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	632	-	-	4	9	18	34	66	146	174	147	34	542	-	-	-	3	21	11	32	98	158	150	69
White	564	-	-	3	9	12	28	58	128	161	135	30	497	-	-	-	3	15	10	31	88	147	138	65
All other	68	-	-	1	-	6	6	8	18	13	12	4	45	-	-	-	-	6	1	1	10	11	12	4
Black	67	-	-	1	-	6	6	7	18	13	12	4	45	-	-	-	-	6	1	1	10	11	12	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	154	1	-	3	4	5	6	5	30	32	48	20	168	2	3	1	1	6	3	7	13	30	62	38
White	144	-	-	3	4	5	6	4	30	30	44	18	145	2	3	1	1	5	2	5	11	25	56	34
All other	10	1	-	-	-	-	-	1	-	2	4	2	21	-	-	-	-	1	1	2	2	5	6	4
Black	9	1	-	-	-	-	-	1	-	1	4	2	21	-	-	-	-	1	1	2	2	5	6	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	824	-	-	2	1	13	32	56	134	255	251	80	1,194	-	-	-	3	14	24	48	163	323	370	249
White	727	-	-	1	1	12	27	46	111	223	229	77	1,041	-	-	-	3	8	14	41	130	284	328	233
All other	97	-	-	1	-	1	5	10	23	32	22	3	153	-	-	-	-	6	10	7	33	39	42	16
Black	95	-	-	1	-	1	5	9	23	32	21	3	152	-	-	-	-	6	10	7	32	39	42	16
Nutritional deficiencies (260-269)	54	-	1	1	-	1	2	1	7	13	10	18	102	-	-	-	-	-	1	1	5	12	29	54
White	50	-	1	1	-	1	1	1	6	13	10	16	90	-	-	-	-	-	1	1	4	9	26	49
All other	4	-	-	-	-	-	1	-	1	-	-	2	12	-	-	-	-	-	-	-	1	3	3	5
Black	4	-	-	-	-	-	1	-	1	-	-	2	11	-	-	-	-	-	-	-	1	3	3	4
Anemias (280-285)	78	-	2	1	3	4	4	2	2	20	22	18	98	1	1	-	4	1	2	1	10	14	31	33
White	67	-	-	1	2	1	1	1	2	19	22	18	81	1	-	-	-	-	1	-	7	12	29	31
All other	11	-	2	-	1	3	3	1	-	1	-	-	17	-	1	-	4	1	1	1	3	2	2	2
Black	11	-	2	-	1	3	3	1	-	1	-	-	17	-	1	-	4	1	1	1	3	2	2	2
Meningitis (320-322)	18	2	1	-	1	2	1	2	5	1	2	1	29	3	3	2	1	-	1	3	7	2	7	-
White	16	2	-	-	1	2	1	2	5	1	1	1	19	1	2	1	1	-	-	1	5	2	6	-
All other	2	-	1	-	-	-	-	-	-	-	1	-	10	2	1	1	-	-	1	2	2	-	1	-
Black	2	-	1	-	-	-	-	-	-	-	1	-	9	1	1	1	-	-	1	2	2	-	1	-
Major cardiovascular diseases (390-448)	23,481	23	8	9	49	130	491	1,457	4,158	6,718	6,601	3,837	24,283	20	8	11	28	63	210	577	2,037	4,545	8,075	8,710
White	21,426	16	7	6	38	101	402	1,260	3,670	6,136	6,147	3,643	22,278	12	5	6	24	46	154	447	1,703	4,042	7,514	8,324
All other	2,055	7	1	3	11	29	89	197	488	582	454	194	2,005	8	1	5	4	17	56	130	334	503	561	386
Black	2,031	7	1	3	11	28	88	193	487	575	449	189	1,981	8	1	5	4	17	55	129	327	496	556	383
Diseases of heart (390-398,402,404-429)	19,315	20	8	7	39	105	426	1,291	3,661	5,590	5,245	2,923	18,570	20	5	7	23	48	149	457	1,678	3,683	6,144	6,356
White	17,621	13	7	5	30	79	357	1,123	3,242	5,114	4,888	2,763	17,023	12	4	4	21	36	107	363	1,398	3,295	5,718	6,065
All other	1,694	7	1	2	9	26	69	168	419	476	357	160	1,547	8	1	3	2	12	42	94	280	388	426	291
Black	1,673	7	1	2	9	25	68	165	418	469	353	158	1,529	8	1	3	2	12	41	94	274	381	424	289
Rheumatic fever and rheumatic heart disease (390-398)	93	-	-	1	-	1	5	11	24	22	22	7	220	-	-	1	1	3	10	17	46	65	58	19
White	87	-	-	1	-	-	4	11	21	21	22	7	206	-	-	1	1	3	9	13	44	59	58	18
All other	6	-	-	-	-	1	1	-	3	1	-	-	14	-	-	-	-	-	1	4	2	6	-	1
Black	6	-	-	-	-	1	1	-	3	1	-	-	14	-	-	-	-	-	1	4	2	6	-	1
Hypertensive heart disease (402)	429	-	-	-	-	4	10	49	92	133	98	43	617	-	-	-	-	3	7	20	67	122	214	184
White	335	-	-	-	-	3	3	33	71	105	82	38	507	-	-	-	-	-	3	11	39	97	192	165
All other	94	-	-	-	-	1	7	16	21	28	16	5	110	-	-	-	-	3	4	9	28	25	22	19
Black	93	-	-	-	-	1	7	15	21	28	16	5	110	-	-	-	-	3	4	9	28	25	22	19
Hypertensive heart and renal disease (404)	78	-	-	-	-	1	2	-	12	13	28	22	131	-	-	1	-	-	2	-	3	19	49	57
White	57	-	-	-	-	-	-	-	5	9	24	19	94	-	-	-	-	-	2	-	1	9	38	44
All other	21	-	-	-	-	1	2	-	7	4	4	3	37	-	-	1	-	-	-	-	2	10	11	13
Black	21	-	-	-	-	1	2	-	7	4	4	3	37	-	-	1	-	-	-	-	2	10	11	13
Ischemic heart disease (410-414)	14,651	1	-	-	4	54	318	971	2,853	4,352	4,001	2,097	13,067	1	-	-	5	15	71	311	1,159	2,720	4,387	4,398
White	13,603	-	-	-	4	48	281	879	2,577	4,048	3,776	1,994	12,103	1	-	-	4	13	52	254	986	2,464	4,115	4,214
All other	1,048	1	-	-	-	6	37	92	276	306	225	103	964	-	-	-	1	2	19	57	173	256	272	184
Black	1,033	1	-	-	-	7	37	91	276	299	221	101	953	-	-	-	1	2	19	57	169	251	271	183
Acute myocardial infarction (410)	7,730	-	-	-	2	34	195	626	1,683	2,481	1,980	729	5,818	-	-	-	2	9	43	204	683	1,524	2,078	1,275
White	7,288	-	-	-	2	31	180	575	1,581	2,359	1,889	691	5,421	-	-	-	2	8	32	175	588	1,414	1,974	1,228
All other	442	-	-	-	-	3	15	51	122	122	91	38	397	-	-	-	-	1	11	29	95	110	104	47
Black	435	-	-	-	-	3	15	51	122	119	88	37	390	-	-	-	-	1	11	29	92	108	103	46
Other acute and subacute forms of ischemic heart disease (411)	54	-	-	-	-	2	2	3	14	14	12	7	42	-	-	-	-	-	-	2	2	8	14	16
White	53	-	-	-	-	2	1	3	14	14	12	7	40	-	-	-	-	-	-	1	1	8	14	16
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Angina pectoris (413)	18	-	-	-	-	-	1	2	2	3	5	5	15	-	-	-	-	-	-	1	1	3	7	3
White	16	-	-	-	-	-	1	2	1	2	5	5	14	-	-	-	-	-	-	1	-	3	7	3
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,849	1	-	-	2	18	120	340	1,154	1,854	2,004	1,356	7,182	1	-	-	3	6	28	104	473	1,185	2,288	3,104
White	6,246	-	-	-	2	13	99	299	1,001	1,671	1,870	1,291	6,628	1	-	-	2	5	20	77	397	1,039	2,120	2,967
All other	603	1	-	-	-	5	21	41	153	183	134	65	554	-	-	-	1	1	8	27	76	146	168	137
Black	595	1	-	-	-	4	21	40	153	179	133	64	560	-	-	-	1	1	8	27	75	143	168	137
Other diseases of endocardium (424)	182	2	-	1	2	2	2	4	29	49	65	26	251	-	-	-	1	1	2	3	25	43	113	63
White	165	1	-	1	2	2	2	3	26	42	60	26	235	-	-	-	1	-	1	3	23	39	108	60
All other	17	1	-	-	-	-	-	1	3	7	5	-	16	-	-	-	-	1	1	-	2	4	5	3
Black	17	1	-	-	-	-	-	1	3	7	5	-	16	-	-	-	-	1	1	-	2	4	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	3,882	17	8	5	33	43	89	256	651	1,021	1,031	728	4,284	19	6	5	16	26	57	106	378	714	1,323	1,635
White	3,374	12	7	3	24	28	67	197	542	891	924	679	3,878	11	4	3	15	20	40	82	305	627	1,207	1,564
All other	508	5	1	2	9	15	22	59	109	130	107	49	406	8	1	2	1	6	17	24	73	87	116	71
Black	503	5	1	2	9	15	21	58	108	130	107	47	399	8	1	2	1	6	16	24	71	85	115	70
Hypertension with or without renal disease (401,403)	162	–	–	–	–	–	2	4	29	52	44	31	193	–	–	–	–	–	4	7	11	45	68	58
White	136	–	–	–	–	–	–	4	22	41	40	29	159	–	–	–	–	–	2	4	7	35	56	55
All other	26	–	–	–	–	–	2	–	7	11	4	2	34	–	–	–	–	–	2	3	4	10	12	3
Black	26	–	–	–	–	–	2	–	7	11	4	2	34	–	–	–	–	–	2	3	4	10	12	3
Cerebrovascular diseases (430-438)	2,811	3	–	2	9	20	45	109	323	730	932	638	4,364	–	1	4	4	10	50	105	286	674	1,520	1,710
White	2,561	3	–	1	7	18	33	86	278	654	870	611	3,995	–	1	2	2	7	40	76	239	583	1,411	1,634
All other	250	–	–	1	2	2	12	23	45	76	62	27	369	–	–	2	2	3	10	29	47	91	109	76
Black	248	–	–	1	2	2	12	22	45	76	61	27	369	–	–	2	2	3	10	28	46	91	106	75
Intracerebral and other intracranial hemorrhage (431-432)	415	2	–	1	4	5	19	35	101	101	105	42	544	–	–	2	1	2	13	38	72	115	184	117
White	358	2	–	1	2	5	12	21	81	91	102	41	485	–	–	1	–	1	10	27	61	104	171	111
All other	57	–	–	–	2	–	7	14	20	10	3	1	58	–	–	1	1	1	3	11	11	11	13	6
Black	56	–	–	–	2	–	7	13	20	10	3	1	56	–	–	1	1	1	3	10	10	11	13	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	521	1	–	–	1	1	5	13	57	136	176	131	738	–	1	–	1	–	2	9	42	115	266	302
White	481	1	–	–	1	1	3	11	51	128	165	122	685	–	1	–	1	–	2	8	38	101	252	284
All other	40	–	–	–	–	–	2	2	6	10	11	9	53	–	–	–	–	–	–	1	6	14	14	18
Black	40	–	–	–	–	–	2	2	6	10	11	9	52	–	–	–	–	–	–	1	6	14	14	17
Cerebral embolism (434.1)	15	–	–	–	–	–	–	2	2	5	4	2	26	–	–	–	–	–	–	1	2	6	9	8
White	11	–	–	–	–	–	–	1	2	5	3	–	22	–	–	–	–	–	–	1	2	3	8	8
All other	4	–	–	–	–	–	–	1	–	–	1	2	4	–	–	–	–	–	–	–	–	3	1	–
Black	4	–	–	–	–	–	–	1	–	–	1	2	4	–	–	–	–	–	–	–	–	3	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,860	–	–	1	4	14	21	59	163	488	647	463	3,056	–	–	2	2	8	35	57	170	438	1,061	1,283
White	1,711	–	–	–	4	12	18	53	144	432	600	448	2,802	–	–	1	1	6	28	40	140	375	980	1,231
All other	149	–	–	1	–	2	3	6	19	56	47	15	254	–	–	1	1	2	7	17	30	63	81	52
Black	148	–	–	1	–	2	3	6	19	56	46	15	251	–	–	1	1	2	7	17	30	63	78	52
Atherosclerosis (440)	459	–	–	–	–	–	1	10	22	76	173	177	746	–	–	–	–	–	1	–	12	55	201	477
White	433	–	–	–	–	–	1	10	20	70	159	173	725	–	–	–	–	–	1	–	12	51	194	467
All other	26	–	–	–	–	–	–	–	2	6	14	4	21	–	–	–	–	–	–	–	–	4	7	10
Black	25	–	–	–	–	–	–	–	2	6	14	3	21	–	–	–	–	–	–	–	–	4	7	10
Other diseases of arteries, arterioles, and capillaries (441-448)	734	–	–	–	1	5	17	43	123	270	207	68	410	–	–	–	1	5	6	8	50	88	142	109
White	675	–	–	–	1	4	11	37	108	257	190	67	376	–	–	–	1	3	4	4	47	78	135	103
All other	59	–	–	–	–	1	6	6	15	13	17	1	34	–	–	–	–	2	2	4	3	10	7	6
Black	59	–	–	–	–	1	6	6	15	13	17	1	34	–	–	–	–	2	2	4	3	10	7	6
Acute bronchitis and bronchiolitis (466)	12	4	1	–	–	–	–	–	1	–	1	5	19	2	2	–	–	–	–	–	3	3	2	7
White	8	2	–	–	–	–	–	–	1	–	–	5	17	1	1	–	–	–	–	–	3	3	2	7
All other	4	2	1	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	4	2	1	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,228	12	4	4	2	13	13	38	95	256	404	385	1,228	15	5	3	1	9	7	23	58	127	356	624
White	1,095	10	4	4	2	6	9	29	74	218	373	366	1,145	13	3	3	1	7	5	20	48	108	334	603
All other	131	2	–	–	–	7	4	9	21	38	31	19	83	2	2	–	–	2	2	3	10	19	22	21
Black	130	2	–	–	–	7	4	9	21	37	31	19	81	2	2	–	–	2	2	3	10	17	22	21
Pneumonia (480-486)	1,202	12	4	4	2	13	13	38	92	250	397	377	1,206	15	5	2	1	9	7	22	58	124	351	612
White	1,071	10	4	4	2	6	9	29	71	212	366	358	1,123	13	3	2	1	7	5	19	48	105	329	591
All other	131	2	–	–	–	7	4	9	21	38	31	19	83	2	2	–	–	2	2	3	10	19	22	21
Black	130	2	–	–	–	7	4	9	21	37	31	19	81	2	2	–	–	2	2	3	10	17	22	21
Influenza (487)	24	–	–	–	–	–	–	–	3	6	7	8	22	–	–	1	–	–	–	1	–	3	5	12
White	24	–	–	–	–	–	–	–	3	6	7	8	22	–	–	1	–	–	–	1	–	3	5	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,109	3	–	4	–	6	9	67	304	757	710	249	1,219	2	1	–	4	9	13	54	219	377	397	143
White	1,966	2	–	2	–	3	3	54	282	716	663	241	1,146	1	1	–	3	7	9	48	206	355	380	136
All other	143	1	–	2	–	3	6	13	22	41	47	8	73	1	–	–	1	2	4	6	13	22	17	7
Black	140	1	–	2	–	3	6	13	22	40	45	8	71	1	–	–	1	2	4	6	13	21	16	7
Bronchitis, chronic and unspecified (490-491)	103	3	–	1	–	1	3	7	17	27	31	13	75	2	1	–	1	3	4	2	9	16	29	8
White	95	2	–	–	–	–	2	6	17	27	29	12	71	1	1	–	1	3	3	2	8	16	28	8
All other	8	1	–	1	–	1	1	1	–	–	2	1	4	1	–	–	–	–	1	–	1	–	1	–
Black	8	1	–	1	–	1	1	1	–	–	2	1	4	1	–	–	–	–	1	–	1	–	1	–
Emphysema (492)	373	–	–	–	–	–	1	15	70	143	111	33	196	–	–	–	–	1	1	10	41	57	63	23
White	360	–	–	–	–	–	–	11	70	140	109	30	192	–	–	–	–	1	1	10	40	56	61	23
All other	13	–	–	–	–	–	1	4	–	3	2	3	4	–	–	–	–	–	–	–	1	1	2	–
Black	12	–	–	–	–	–	1	4	–	2	2	3	4	–	–	–	–	–	–	–	1	1	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	61	-	-	3	-	5	4	6	10	16	11	6	82	-	-	-	3	5	5	13	14	19	14	9
White	49	-	-	2	-	3	1	5	6	16	11	5	69	-	-	-	2	3	3	12	14	15	13	7
All other	12	-	-	1	-	2	3	1	4	-	-	1	13	-	-	-	1	2	2	1	-	4	1	2
Black	12	-	-	1	-	2	3	1	4	-	-	1	13	-	-	-	1	2	2	1	-	4	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,572	-	-	-	-	-	1	39	207	571	557	197	866	-	-	-	-	-	3	29	155	285	291	103
White	1,462	-	-	-	-	-	-	32	189	533	514	194	814	-	-	-	-	-	2	24	144	268	278	98
All other	110	-	-	-	-	-	1	7	18	38	43	3	52	-	-	-	-	-	1	5	11	17	13	5
Black	108	-	-	-	-	-	1	7	18	38	41	3	50	-	-	-	-	-	1	5	11	16	12	5
Ulcer of stomach and duodenum (531-533)	144	-	-	-	1	3	2	10	17	39	47	25	145	1	-	-	-	2	1	6	16	23	42	54
White	131	-	-	-	1	2	1	7	15	37	45	23	131	-	-	-	-	-	1	5	13	23	39	50
All other	13	-	-	-	-	1	1	3	2	2	2	2	14	1	-	-	-	2	-	1	3	-	3	4
Black	13	-	-	-	-	1	1	3	2	2	2	2	14	1	-	-	-	2	-	1	3	-	3	4
Appendicitis (540-543)	15	-	-	2	-	-	-	-	1	4	6	2	9	-	-	-	-	-	1	-	2	3	1	2
White	13	-	-	1	-	-	-	-	1	3	6	2	8	-	-	-	-	-	1	-	2	2	1	2
All other	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	88	3	-	-	-	2	-	1	9	16	30	27	146	2	1	1	1	-	-	4	3	22	55	57
White	76	3	-	-	-	1	-	1	8	13	26	24	136	2	1	-	1	-	-	3	3	20	50	56
All other	12	-	-	-	-	1	-	-	1	3	4	3	10	-	-	1	-	-	-	1	-	2	5	1
Black	11	-	-	-	-	1	-	-	1	2	4	3	10	-	-	1	-	-	-	1	-	2	5	1
Chronic liver disease and cirrhosis (571)	661	-	1	1	1	17	54	120	199	195	63	10	392	-	-	1	1	10	20	51	116	118	62	13
White	583	-	1	-	1	15	38	98	180	163	57	10	336	-	-	-	-	4	12	44	102	103	60	11
All other	78	-	-	1	-	2	16	22	19	12	6	-	56	-	-	1	1	6	8	7	14	15	2	2
Black	76	-	-	1	-	2	14	22	19	12	6	-	55	-	-	1	1	5	8	7	14	15	2	2
Cholelithiasis and other disorders of gallbladder (574-575)	61	-	-	-	-	-	1	3	7	14	25	11	91	-	-	-	-	-	1	3	6	16	26	39
White	59	-	-	-	-	-	-	3	6	14	25	11	85	-	-	-	-	-	1	2	6	15	24	37
All other	2	-	-	-	-	-	1	-	1	-	-	-	6	-	-	-	-	-	-	1	-	1	2	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	-	-	1	-	1	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	489	9	-	-	3	5	12	18	59	110	157	116	495	4	-	-	1	5	6	18	52	103	168	138
White	426	7	-	-	2	4	11	16	46	97	135	108	423	2	-	-	1	5	3	14	40	84	150	124
All other	63	2	-	-	1	1	1	2	13	13	22	8	72	2	-	-	-	-	3	4	12	19	18	14
Black	62	2	-	-	1	1	1	2	13	13	21	8	72	2	-	-	-	-	3	4	12	18	18	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	-	-	-	-	-	-	-	-	3	7	4	12	-	-	-	-	-	1	2	-	3	4	2
White	13	-	-	-	-	-	-	-	-	2	7	4	10	-	-	-	-	-	-	1	-	3	4	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	60	-	-	-	1	4	4	3	5	12	17	14	39	-	-	-	-	-	-	1	5	10	12	11
White	53	-	-	-	1	3	4	3	4	11	14	13	37	-	-	-	-	-	-	1	4	9	12	11
All other	7	-	-	-	-	1	-	-	1	1	3	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	7	-	-	-	-	1	-	-	1	1	3	1	2	-	-	-	-	-	-	-	1	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	415	9	-	-	2	1	8	15	54	95	133	98	444	4	-	-	1	6	5	15	47	90	152	125
White	360	7	-	-	1	1	7	13	42	84	114	91	376	2	-	-	1	6	3	12	36	72	134	111
All other	55	2	-	-	1	-	1	2	12	11	19	7	68	2	-	-	-	-	2	3	11	18	18	14
Black	54	2	-	-	1	-	1	2	12	11	18	7	68	2	-	-	-	-	2	3	11	18	18	14
Infections of kidney (590)	49	-	-	-	-	1	1	2	3	6	20	16	58	-	-	-	-	2	-	2	6	10	23	15
White	41	-	-	-	-	1	1	2	1	5	18	13	56	-	-	-	-	2	-	2	4	10	23	15
All other	8	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-	-	-	-	-	2	-	-	-
Black	8	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-	-	-	-	-	2	-	-	-
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	1	-	3	8	7	***	***	***	***	***	***	***	***	***	***	***	***
White	15	-	-	-	-	-	-	1	-	3	6	5	***	***	***	***	***	***	***	***	***	***	***	***
All other	4	-	-	-	-	-	-	-	-	-	2	2	***	***	***	***	***	***	***	***	***	***	***	***
Black	4	-	-	-	-	-	-	-	-	-	2	2	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	-	3	3	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	1	2	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	2	1	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	2	1	1	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Congenital anomalies (740-759)	296	194	16	10	13	14	9	6	18	8	4	4	272	149	26	11	13	8	7	9	16	15	13	5
White	250	162	14	9	9	11	8	5	18	7	3	4	239	128	24	9	12	6	7	8	14	15	11	5
All other	46	32	2	1	4	3	1	1	–	1	1	–	33	21	2	2	1	2	–	1	2	–	2	–
Black	44	30	2	1	4	3	1	1	–	1	1	–	29	18	2	2	1	2	–	1	1	–	2	–
Certain conditions originating in the perinatal period (760-779)	464	459	3	1	1	–	–	–	–	–	–	–	338	333	4	–	–	1	–	–	–	–	–	–
White	340	336	3	1	–	–	–	–	–	–	–	–	243	240	2	–	–	1	–	–	–	–	–	–
All other	124	123	–	–	1	–	–	–	–	–	–	–	95	93	2	–	–	–	–	–	–	–	–	–
Black	122	121	–	–	1	–	–	–	–	–	–	–	94	92	2	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	145	144	–	1	–	–	–	–	–	–	–	–	99	98	1	–	–	–	–	–	–	–	–	–
White	114	113	–	1	–	–	–	–	–	–	–	–	83	82	1	–	–	–	–	–	–	–	–	–
All other	31	31	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	31	31	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	319	315	3	–	1	–	–	–	–	–	–	–	239	235	3	–	–	1	–	–	–	–	–	–
White	226	223	3	–	–	–	–	–	–	–	–	–	160	158	1	–	–	1	–	–	–	–	–	–
All other	93	92	–	–	1	–	–	–	–	–	–	–	79	77	2	–	–	–	–	–	–	–	–	–
Black	91	90	–	–	1	–	–	–	–	–	–	–	78	76	2	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	877	136	14	12	89	96	91	61	125	96	92	65	601	78	6	6	40	38	44	44	55	84	109	109
White	725	103	9	12	71	72	65	50	105	90	83	65	523	63	5	3	33	30	34	41	47	77	92	98
All other	152	33	5	–	18	24	26	11	20	6	9	–	78	15	1	3	7	8	10	3	8	7	11	5
Black	147	33	4	–	16	24	24	11	20	6	9	–	76	15	1	3	7	8	8	3	8	7	11	5
All other diseases (Residual)	2,941	61	25	22	60	84	118	176	441	712	807	435	3,312	51	26	20	27	53	84	150	348	609	982	962
White	2,548	41	21	17	50	62	97	138	366	640	723	395	2,930	31	22	16	22	38	59	115	287	546	891	903
All other	393	20	4	5	10	22	21	40	75	72	84	40	382	20	4	4	5	15	25	35	61	63	91	59
Black	384	19	4	5	10	21	21	39	71	71	84	39	378	20	4	4	4	15	24	35	61	63	89	59
Accidents and adverse effects (E800-E949)	2,380	24	55	114	577	463	238	205	206	179	195	124	1,142	10	32	49	171	135	89	83	99	136	182	156
White	2,144	20	47	95	541	419	215	177	181	161	177	111	1,043	10	26	43	162	118	82	69	86	122	172	153
All other	236	4	8	19	36	44	23	28	25	18	18	13	99	–	6	6	9	17	7	14	13	14	10	3
Black	228	4	8	18	34	44	21	27	25	17	18	12	93	–	6	5	8	16	5	14	13	13	10	3
Motor vehicle accidents (E810-E825)	1,164	4	12	46	420	278	130	82	69	60	46	17	509	1	13	28	139	89	62	40	40	50	30	7
White	1,071	4	9	38	394	256	120	70	65	56	43	16	473	1	10	26	131	91	58	35	39	47	28	7
All other	93	–	3	8	26	22	10	12	4	4	3	1	36	–	3	2	8	8	4	5	1	3	2	–
Black	89	–	3	8	26	22	8	11	4	3	3	1	34	–	3	2	8	7	4	5	1	2	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,216	20	43	68	157	185	108	123	137	119	149	107	633	9	19	21	32	36	27	43	59	86	152	149
White	1,073	16	38	57	147	163	95	107	116	105	134	95	570	9	16	17	31	27	24	34	47	75	144	148
All other	143	4	5	11	10	22	13	16	21	14	15	12	63	–	3	4	1	9	3	9	12	11	8	3
Black	139	4	5	10	8	22	13	16	21	14	15	11	59	–	3	3	–	9	1	9	12	11	8	3
Suicide (E950-E959)	974	...	...	7	180	213	132	101	137	117	69	18	288	...	...	1	51	44	56	48	39	29	20	–
White	897	...	...	5	167	183	120	98	129	112	67	18	254	...	...	1	43	35	46	46	35	28	20	–
All other	77	...	...	2	13	30	12	5	8	5	2	–	34	...	...	–	8	9	10	2	4	1	–	–
Black	73	...	...	2	13	29	11	5	7	4	2	–	32	...	...	–	8	8	10	2	3	1	–	–
Homicide and legal intervention (E960-E978)	392	4	6	8	84	131	66	35	37	14	4	3	158	6	7	13	39	45	17	10	10	5	5	1
White	198	3	4	6	42	64	32	14	18	10	3	2	93	4	4	7	20	25	8	8	8	5	3	1
All other	194	1	2	2	42	67	34	21	19	4	1	1	65	2	3	6	19	20	9	2	2	–	2	–
Black	190	1	2	2	41	65	34	21	19	4	1	–	65	2	3	6	19	20	9	2	2	–	2	–
All other external causes (E980-E999)	47	1	–	2	6	16	5	9	4	2	–	2	16	–	2	1	1	5	1	1	2	–	1	2
White	38	1	–	2	5	15	3	6	4	1	–	1	13	–	1	1	1	4	1	1	2	–	1	1
All other	9	–	–	–	1	1	2	3	–	1	–	1	3	–	1	–	–	1	–	–	–	–	–	1
Black	9	–	–	–	1	1	2	3	–	1	–	1	3	–	1	–	–	1	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,598	356	71	103	429	577	569	1,025	2,437	3,899	4,046	2,075	13,745	242	56	62	155	219	314	559	1,410	2,583	4,208	3,934
White	14,009	289	61	88	367	471	485	888	2,168	3,554	3,725	1,906	12,400	190	42	53	127	182	264	475	1,239	2,303	3,846	3,677
All other	1,589	67	10	15	62	106	84	137	269	345	321	169	1,345	52	14	9	28	37	50	84	171	280	362	257
Black	1,045	43	8	10	32	77	56	78	182	227	200	128	898	36	10	3	17	24	29	61	109	181	243	184
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	-	2	1	4	1	4	4	5	-	-	-	-	-	-	-	-	2	1	2
White	13	-	-	-	-	-	1	1	3	1	3	4	5	-	-	-	-	-	-	-	-	2	1	2
All other	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	1	1	4	-	4	4	5	-	-	-	-	-	-	-	-	2	1	2
White	11	-	-	-	-	-	-	1	3	-	3	4	5	-	-	-	-	-	-	-	-	2	1	2
All other	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	-	1	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	107	6	-	-	-	1	5	5	15	26	26	23	96	1	1	1	1	-	2	2	13	13	32	30
White	94	5	-	-	-	1	3	3	12	25	23	22	81	1	1	1	1	-	1	-	10	9	29	28
All other	13	1	-	-	-	-	2	2	3	1	3	1	15	-	-	-	-	-	1	2	3	4	3	2
Black	9	-	-	-	-	-	2	2	2	1	1	1	10	-	-	-	-	-	1	1	2	2	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	1	2	-	3	1	-	1	1	3	-	-	-	-	1	-	-	-	1	-	1
White	7	-	-	-	1	2	-	1	1	-	1	1	3	-	-	-	-	1	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	40	3	2	-	-	4	1	3	6	10	8	3	34	1	2	1	2	1	4	1	4	8	7	3
White	36	3	1	-	-	4	1	3	6	8	8	2	28	1	2	1	2	-	2	1	3	7	6	3
All other	4	-	1	-	-	-	-	-	-	2	-	1	6	-	-	-	-	1	2	-	1	1	1	-
Black	3	-	1	-	-	-	-	-	-	1	-	1	4	-	-	-	-	1	2	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,412	2	8	15	21	41	77	283	757	1,103	848	257	2,804	-	4	6	9	39	116	254	569	781	701	325
White	3,100	2	7	11	18	35	72	255	681	1,014	773	232	2,538	-	3	6	6	38	106	226	513	707	637	296
All other	312	-	1	4	3	6	5	28	76	89	75	25	266	-	1	-	3	1	10	28	56	74	64	29
Black	211	-	-	2	1	4	2	16	56	60	49	21	176	-	1	-	3	1	7	21	34	46	42	21

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	67	-	-	-	1	1	1	8	19	20	11	6	37	-	-	-	-	-	-	3	6	8	13	7
White	59	-	-	-	1	1	1	6	16	18	10	6	34	-	-	-	-	-	-	3	6	6	13	6
All other	8	-	-	-	-	-	-	2	3	2	1	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	5	-	-	-	-	-	-	1	1	2	1	-	3	-	-	-	-	-	-	-	-	2	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	732	-	-	-	1	9	20	40	144	240	222	56	731	-	1	-	-	3	17	36	122	191	226	135
White	653	-	-	-	-	6	19	36	128	212	204	48	648	-	-	-	-	3	14	30	106	169	206	120
All other	79	-	-	-	1	3	1	4	16	28	18	8	83	-	1	-	-	-	3	6	16	22	20	15
Black	55	-	-	-	1	2	-	2	12	17	14	7	56	-	1	-	-	-	3	5	9	14	15	9
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,391	-	-	-	-	1	20	151	402	493	263	61	552	-	-	-	-	1	23	71	160	165	107	25
White	1,280	-	-	-	-	1	18	138	364	459	248	52	513	-	-	-	-	1	23	63	146	154	101	25
All other	111	-	-	-	-	-	2	13	38	34	15	9	39	-	-	-	-	-	-	8	14	11	6	-
Black	80	-	-	-	-	-	2	9	31	23	8	7	27	-	-	-	-	-	-	6	11	6	4	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	1	-	-	1	-	-	479	-	-	-	-	11	30	60	109	140	91	38
White	2	-	-	-	-	-	1	-	-	1	-	-	433	-	-	-	-	10	29	58	96	126	81	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	46	-	-	-	-	1	1	2	13	14	10	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	1	1	2	10	10	8	4
Malignant neoplasms of genital organs (179-187)	346	-	-	-	1	-	1	2	30	98	147	67	323	-	-	-	-	9	18	34	72	91	67	32
White	299	-	-	-	1	-	1	1	27	90	120	59	287	-	-	-	-	9	15	29	68	82	53	31
All other	47	-	-	-	-	-	-	1	3	8	27	8	26	-	-	-	-	-	3	5	4	9	4	1
Black	35	-	-	-	-	-	-	1	3	6	18	7	17	-	-	-	-	-	1	4	2	7	2	1
Malignant neoplasms of urinary organs (188-189)	161	-	-	-	-	3	4	11	23	63	43	14	100	-	-	-	-	1	4	4	6	33	40	12
White	144	-	-	-	-	2	4	10	18	58	38	14	88	-	-	-	-	1	4	4	5	28	35	11
All other	17	-	-	-	-	1	-	1	5	5	5	-	12	-	-	-	-	-	-	-	1	5	5	1
Black	10	-	-	-	-	1	-	-	3	3	3	-	5	-	-	-	-	-	-	-	-	1	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	414	1	7	4	9	15	15	53	89	101	94	26	331	-	3	5	5	7	19	30	62	76	75	49
White	379	1	6	3	8	14	14	49	80	92	86	26	292	-	3	5	3	7	16	26	54	69	68	43
All other	35	-	1	1	1	1	1	4	9	9	8	-	39	-	-	-	2	-	3	4	8	7	9	6
Black	18	-	-	-	-	-	-	2	5	7	4	-	22	-	-	-	2	-	2	3	2	4	4	5
Leukemia (204-208)	140	1	1	10	6	2	4	7	20	40	34	15	97	-	-	1	3	5	1	5	10	24	35	13
White	130	1	1	7	5	2	3	6	19	38	33	15	88	-	-	1	2	5	1	3	10	22	31	13
All other	10	-	-	3	1	-	1	1	1	2	1	-	9	-	-	-	1	-	-	2	-	2	4	-
Black	5	-	-	2	-	-	-	-	1	1	1	-	6	-	-	-	1	-	-	1	-	2	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	159	-	-	1	3	10	11	11	30	47	34	12	164	-	-	-	1	2	4	11	22	53	47	14
White	154	-	-	1	3	9	11	9	29	45	34	12	145	-	-	-	1	2	4	10	22	51	41	14
All other	5	-	-	-	-	1	-	2	1	1	-	-	9	-	-	-	-	-	-	1	-	2	6	-
Black	3	-	-	-	-	1	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	-	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	36	-	-	-	-	-	3	2	6	6	14	5	31	-	-	-	1	1	1	3	5	6	10	4
White	34	-	-	-	-	-	3	2	6	5	13	5	26	-	-	-	1	1	1	3	4	5	8	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	1	1	1
Diabetes mellitus (250)	177	-	-	-	-	6	6	15	34	46	52	18	284	1	-	-	2	4	5	7	37	67	89	52
White	131	-	-	-	-	6	3	11	22	32	41	16	201	1	-	-	2	2	3	4	23	46	72	46
All other	46	-	-	-	-	-	3	4	12	14	11	2	83	-	-	-	-	2	2	3	14	21	17	4
Black	25	-	-	-	-	-	3	2	6	7	6	1	34	-	-	-	-	1	1	3	7	10	10	2
Nutritional deficiencies (260-269)	20	-	-	-	-	-	-	1	1	3	8	7	16	-	-	-	-	-	-	-	-	3	2	11
White	16	-	-	-	-	-	-	1	-	2	7	6	14	-	-	-	-	-	-	-	-	2	2	10
All other	4	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	16	1	1	-	-	1	-	1	1	4	6	1	30	-	1	-	-	1	2	-	2	4	7	13
White	14	-	1	-	-	-	-	1	1	4	6	1	25	-	1	-	-	-	2	-	-	3	7	12
All other	2	1	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	1	-	-	2	1	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	1	-	-	1	1	-	1
Meningitis (320-322)	5	2	-	-	-	1	-	-	-	1	1	-	11	3	2	-	-	2	-	-	1	1	2	-
White	4	1	-	-	-	1	-	-	-	1	1	-	7	2	1	-	-	1	-	-	-	1	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	6,981	7	5	2	15	46	160	415	1,089	1,872	2,142	1,224	7,078	4	3	5	7	18	51	147	497	1,213	2,462	2,673
White	6,361	5	4	2	14	37	142	357	984	1,710	1,976	1,129	6,460	4	2	4	7	8	42	118	436	1,078	2,282	2,499
All other	620	2	1	-	1	9	18	58	105	162	166	95	618	-	1	1	-	8	9	29	61	135	200	174
Black	409	2	1	-	1	7	12	39	70	107	99	68	438	-	-	1	-	7	8	22	43	92	137	128

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,684	6	5	1	13	36	139	379	968	1,574	1,644	915	5,202	3	3	5	4	12	38	118	400	979	1,788	1,852
White	5,190	5	4	1	12	28	125	330	879	1,447	1,513	845	4,760	3	2	4	4	6	31	94	353	870	1,651	1,742
All other	494	1	1	–	1	8	14	49	89	127	131	70	442	–	1	1	–	6	7	24	47	109	137	110
Black	323	1	1	–	1	6	10	32	59	84	74	52	308	–	–	1	–	5	6	17	35	71	94	79
Rheumatic fever and rheumatic heart disease (390-398)	13	–	–	–	–	1	–	1	4	6	2	–	46	–	1	–	–	–	2	5	13	14	9	2
White	10	–	–	–	–	1	–	1	2	5	1	–	41	–	–	–	–	–	1	5	12	13	9	1
All other	3	–	–	–	–	–	–	–	2	–	1	–	5	–	1	–	–	–	1	–	1	1	–	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1
Hypertensive heart disease (402)	79	–	–	–	–	1	2	9	18	20	13	16	109	–	–	–	–	–	–	5	9	22	40	33
White	59	–	–	–	–	1	–	7	15	12	9	15	87	–	–	–	–	–	–	1	8	14	34	30
All other	20	–	–	–	–	–	2	2	3	8	4	1	22	–	–	–	–	–	–	4	1	8	6	3
Black	11	–	–	–	–	–	1	2	2	3	2	1	15	–	–	–	–	–	–	4	1	6	2	3
Hypertensive heart and renal disease (404)	11	–	–	–	–	–	–	1	–	1	7	2	13	–	–	–	–	–	–	–	–	6	5	2
White	9	–	–	–	–	–	–	1	–	1	5	2	8	–	–	–	–	–	–	–	–	3	3	2
All other	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	–	3	2	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	2	2	–
Ischemic heart disease (410-414)	4,141	–	–	–	2	14	108	272	713	1,195	1,231	603	3,505	–	–	–	–	3	19	68	276	710	1,247	1,182
White	3,825	–	–	–	2	11	101	240	662	1,107	1,143	559	3,235	–	–	–	–	1	17	57	248	642	1,160	1,110
All other	316	–	–	–	–	3	7	32	51	88	88	44	270	–	–	–	–	2	2	11	28	68	87	72
Black	205	–	–	–	–	2	6	21	31	59	51	32	183	–	–	–	–	1	2	8	20	40	61	51
Acute myocardial infarction (410)	2,472	–	–	–	1	9	67	176	497	753	709	259	1,803	–	–	–	–	1	9	47	179	438	654	475
White	2,299	–	–	–	1	8	65	157	462	702	662	242	1,662	–	–	–	–	–	8	41	162	395	609	447
All other	173	–	–	–	–	1	2	19	35	51	47	17	141	–	–	–	–	1	1	6	17	43	45	28
Black	100	–	–	–	–	1	2	11	18	32	23	12	97	–	–	–	–	1	1	4	12	26	32	21
Other acute and subacute forms of ischemic heart disease (411)	204	–	–	–	–	2	8	24	36	64	49	19	128	–	–	–	–	–	1	4	19	28	41	35
White	182	–	–	–	–	1	6	22	33	56	46	18	116	–	–	–	–	–	–	3	17	25	38	33
All other	22	–	–	–	–	1	2	2	3	8	3	1	12	–	–	–	–	–	1	1	2	3	3	2
Black	14	–	–	–	–	–	1	1	2	4	3	1	11	–	–	–	–	–	1	1	2	2	3	2
Angina pectoris (413)	6	–	–	–	–	–	–	1	–	1	4	–	7	–	–	–	–	–	–	–	1	3	2	1
White	6	–	–	–	–	–	–	1	–	1	4	–	5	–	–	–	–	–	–	–	–	3	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,459	–	–	–	1	3	33	71	180	377	489	325	1,567	–	–	–	–	2	9	17	77	241	550	671
White	1,338	–	–	–	1	2	30	60	167	348	431	299	1,452	–	–	–	–	1	9	13	69	219	511	630
All other	121	–	–	–	–	1	3	11	13	29	58	26	115	–	–	–	–	1	–	4	8	22	39	41
Black	91	–	–	–	–	1	3	9	11	23	25	19	74	–	–	–	–	–	–	3	6	12	28	27
Other diseases of endocardium (424)	47	–	–	1	1	3	1	2	7	15	14	3	58	–	–	–	–	–	–	5	6	12	17	18
White	41	–	–	1	1	3	1	2	4	12	14	3	48	–	–	–	–	–	–	3	6	7	16	16
All other	6	–	–	–	–	–	–	–	3	3	–	–	10	–	–	–	–	–	–	2	–	5	1	2
Black	5	–	–	–	–	–	–	–	2	3	–	–	6	–	–	–	–	–	–	1	–	3	–	2
All other forms of heart disease (415-423,425-429)	1,393	6	5	–	10	17	28	94	226	338	377	291	1,471	3	2	5	4	9	17	35	96	215	470	615
White	1,246	5	4	–	9	12	23	79	196	310	341	266	1,341	3	2	4	4	5	13	28	79	191	429	583
All other	147	1	1	–	1	5	5	15	30	28	36	25	130	–	–	1	–	4	4	7	17	24	41	32
Black	99	1	1	–	1	4	3	9	23	19	19	19	97	–	–	1	–	4	3	4	14	20	29	22
Hypertension with or without renal disease (401,403)	36	–	–	–	–	1	–	2	5	12	11	5	43	–	–	–	–	1	1	2	4	3	15	17
White	29	–	–	–	–	1	–	1	4	10	9	4	38	–	–	–	–	–	1	1	3	2	15	16
All other	7	–	–	–	–	–	–	1	1	2	2	1	5	–	–	–	–	1	–	1	1	1	–	1
Black	5	–	–	–	–	–	–	1	1	1	1	1	5	–	–	–	–	1	–	1	1	1	–	1
Cerebrovascular diseases (430-438)	938	1	–	1	2	8	19	29	77	201	374	226	1,474	1	–	–	3	3	11	26	78	188	547	617
White	843	–	–	1	2	7	15	22	64	175	349	208	1,333	1	–	–	3	2	9	22	67	167	497	565
All other	95	1	–	–	–	1	4	7	13	26	25	18	141	–	–	–	–	1	2	4	11	21	50	52
Black	65	1	–	–	–	1	2	5	10	17	19	10	106	–	–	–	–	1	2	4	5	18	35	41
Intracerebral and other intracranial hemorrhage (431-432)	91	1	–	1	–	4	3	9	14	23	27	9	116	–	–	–	–	1	6	8	14	27	41	19
White	80	–	–	1	–	3	3	8	14	19	23	9	108	–	–	–	–	–	5	7	13	26	39	18
All other	11	1	–	–	–	1	–	1	–	4	4	–	8	–	–	–	–	1	1	1	1	1	2	1
Black	8	1	–	–	–	1	–	1	–	2	3	–	6	–	–	–	–	1	1	1	–	1	1	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	110	–	–	–	–	–	3	3	9	21	43	31	178	1	–	–	1	1	1	2	3	16	72	81
White	104	–	–	–	–	–	3	1	7	19	43	31	159	1	–	–	1	1	1	1	–	14	66	74
All other	6	–	–	–	–	–	–	2	2	2	–	–	19	–	–	–	–	–	–	1	3	2	6	7
Black	5	–	–	–	–	–	–	1	2	2	–	–	15	–	–	–	–	–	–	1	1	1	5	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	1	-	-	-	2	-	3	3
White	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	1	-	-	-	2	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	733	-	-	-	2	4	13	17	54	155	302	186	1,171	-	-	-	1	1	4	16	59	145	431	514
White	655	-	-	-	2	4	9	13	43	135	281	168	1,057	-	-	-	1	1	3	14	52	127	389	470
All other	78	-	-	-	-	-	4	4	11	20	21	18	114	-	-	-	-	-	1	2	7	18	42	44
Black	52	-	-	-	-	-	2	3	8	13	16	10	85	-	-	-	-	-	1	2	4	16	29	33
Atherosclerosis (440)	152	-	-	-	-	-	-	1	13	22	63	53	244	-	-	-	-	-	-	-	6	18	75	145
White	138	-	-	-	-	-	-	1	11	18	58	50	227	-	-	-	-	-	-	-	6	16	68	137
All other	14	-	-	-	-	-	-	-	2	4	5	3	17	-	-	-	-	-	-	-	-	2	7	8
Black	10	-	-	-	-	-	-	-	-	3	4	3	13	-	-	-	-	-	-	-	-	2	5	6
Other diseases of arteries, arterioles, and capillaries (441-448)	171	-	-	-	-	1	2	4	28	63	50	25	115	-	-	-	-	-	1	1	9	25	37	42
White	161	-	-	-	-	1	2	3	26	60	47	22	102	-	-	-	-	-	1	1	7	23	31	39
All other	10	-	-	-	-	-	-	1	-	3	3	3	13	-	-	-	-	-	-	-	2	2	6	3
Black	6	-	-	-	-	-	-	1	-	2	1	2	6	-	-	-	-	-	-	-	2	-	3	1
Acute bronchitis and bronchiolitis (466)	6	-	-	-	1	-	-	-	2	-	1	2	2	-	1	-	-	-	-	-	-	-	1	-
White	6	-	-	-	1	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	474	6	1	-	3	6	8	13	31	103	167	135	474	3	2	2	-	1	8	12	14	49	159	224
White	433	5	1	-	2	4	6	12	26	97	153	126	441	3	2	2	-	1	8	8	13	46	149	211
All other	41	1	-	-	1	2	2	1	5	6	14	9	33	-	-	-	-	-	2	4	1	3	10	13
Black	27	1	-	-	1	1	-	4	3	10	7		13	-	-	-	-	-	-	2	-	2	3	6
Pneumonia (480-486)	467	6	1	-	3	6	7	13	31	100	167	132	456	3	2	2	-	1	8	12	14	45	151	218
White	426	5	1	-	2	4	6	12	26	94	153	123	423	3	2	2	-	1	8	8	13	42	141	205
All other	41	1	-	-	1	2	2	1	5	6	14	9	33	-	-	-	-	-	2	4	1	3	10	13
Black	27	1	-	-	-	1	1	-	4	3	10	7	13	-	-	-	-	-	-	2	-	2	3	6
Influenza (487)	7	-	-	-	-	-	1	-	-	3	-	3	18	-	-	-	-	-	-	-	-	4	8	6
White	7	-	-	-	-	-	1	-	-	3	-	3	18	-	-	-	-	-	-	-	-	4	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	722	2	2	2	2	-	4	11	110	270	242	77	338	-	-	1	-	1	3	14	58	104	126	31
White	686	2	2	1	2	-	2	10	102	255	235	75	319	-	-	-	-	-	2	13	56	100	119	29
All other	36	-	-	1	-	-	2	1	8	15	7	2	19	-	-	1	-	1	1	1	2	4	7	2
Black	21	-	-	1	-	-	1	-	5	10	3	1	13	-	-	-	-	1	-	1	1	3	6	1
Bronchitis, chronic and unspecified (490-491)	24	1	1	-	-	-	1	-	4	8	7	2	11	-	-	-	-	-	-	-	1	2	4	4
White	22	1	1	-	-	-	1	-	3	7	7	2	11	-	-	-	-	-	-	-	1	2	4	4
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	155	1	-	-	-	-	1	3	24	69	51	12	55	-	-	-	-	-	-	3	13	21	16	2
White	148	1	-	-	-	-	-	3	24	68	50	12	54	-	-	-	-	-	-	3	12	21	16	2
All other	7	-	-	-	-	-	1	-	-	5	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	19	-	1	2	1	-	1	-	3	5	6	-	26	-	-	1	-	1	2	4	8	3	7	-
White	15	-	1	1	1	-	-	-	2	4	6	-	22	-	-	-	-	-	1	4	7	3	7	-
All other	4	-	-	1	-	-	1	-	1	1	-	-	4	-	-	1	-	1	1	-	1	-	-	-
Black	4	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	524	-	-	-	1	-	1	8	79	194	178	63	246	-	-	-	-	-	1	7	36	78	99	25
White	501	-	-	-	1	-	1	7	73	186	172	61	232	-	-	-	-	-	1	6	36	74	92	23
All other	23	-	-	-	-	-	-	1	6	8	6	2	14	-	-	-	-	-	-	1	-	4	7	2
Black	14	-	-	-	-	-	-	-	4	6	3	1	11	-	-	-	-	-	-	1	-	3	6	1
Ulcer of stomach and duodenum (531-533)	42	-	-	-	-	-	-	4	7	14	11	6	52	-	-	-	-	-	1	-	2	1	9	22	17
White	40	-	-	-	-	-	-	4	7	14	11	4	48	-	-	-	-	-	1	-	2	1	8	21	15
All other	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	1	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	1	1
Appendicitis (540-543)	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	1	-	1	-	-	-	3	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	1	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	27	1	-	-	-	-	2	1	-	4	14	5	53	1	1	-	1	-	-	2	2	10	14	22
White	25	1	-	-	-	-	2	1	-	4	12	5	51	1	1	-	1	-	-	2	2	10	12	22
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	155	–	–	–	–	7	18	43	40	30	16	1	104	–	–	–	–	3	9	16	21	23	24	8
White	131	–	–	–	–	4	17	32	34	28	15	1	82	–	–	–	–	2	4	11	16	20	22	7
All other	24	–	–	–	–	3	1	11	6	2	1	–	22	–	–	–	–	1	5	5	5	3	2	1
Black	4	–	–	–	–	1	–	–	3	–	–	–	8	–	–	–	–	–	–	3	3	1	–	1
Cholelithiasis and other disorders of gallbladder (574-575)	20	–	–	–	–	–	–	–	5	3	7	5	23	–	–	–	–	–	–	–	2	5	10	6
White	17	–	–	–	–	–	–	–	4	3	6	4	20	–	–	–	–	–	–	–	1	5	8	6
All other	3	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	1	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	215	1	–	–	–	3	7	6	24	43	74	57	208	1	–	–	1	–	3	4	15	34	77	73
White	188	1	–	–	–	3	6	4	17	37	67	53	182	1	–	–	1	–	2	2	10	31	65	70
All other	27	–	–	–	–	–	1	2	7	6	7	4	26	–	–	–	–	–	1	2	5	3	12	3
Black	21	–	–	–	–	–	1	1	4	5	6	4	19	–	–	–	–	–	1	–	2	2	11	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	2	–	–	–	6	–	–	–	–	–	–	–	–	–	3	3
White	2	–	–	–	–	–	–	–	2	–	–	–	6	–	–	–	–	–	–	–	–	–	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	–	–	–	–	1	1	3	3	3	4	7	19	–	–	–	–	–	1	–	–	1	3	14
White	20	–	–	–	–	1	1	3	2	3	4	6	18	–	–	–	–	–	1	–	–	1	3	14
All other	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	191	1	–	–	–	2	6	3	19	40	70	50	183	1	–	–	1	–	2	4	15	33	71	56
White	166	1	–	–	–	2	5	1	13	34	63	47	158	1	–	–	1	–	2	2	10	30	59	53
All other	25	–	–	–	–	–	1	2	6	6	7	3	25	–	–	–	–	–	–	2	5	3	12	3
Black	19	–	–	–	–	–	1	1	3	5	6	3	18	–	–	–	–	–	–	–	2	2	11	3
Infections of kidney (590)	22	–	–	–	–	–	1	–	–	8	9	4	34	–	–	–	–	–	1	1	1	1	10	20
White	18	–	–	–	–	–	1	–	–	6	8	3	33	–	–	–	–	–	1	1	1	–	10	20
All other	4	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	4	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Hyperplasia of prostate (600)	10	–	–	–	–	–	–	–	–	1	3	6	***	***	***	***	***	***	***	***	***	***	***	***
White	10	–	–	–	–	–	–	–	–	1	3	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	1	2	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	2	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	1	2	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	2	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Congenital anomalies (740-759)	106	65	10	6	3	9	3	4	3	2	1	–	99	66	8	6	4	4	4	–	2	2	2	1
White	97	60	10	5	3	8	2	4	3	2	–	–	83	53	7	5	4	4	4	–	2	2	1	1
All other	9	5	–	1	–	1	1	–	–	–	1	–	16	13	1	1	–	–	–	–	–	–	1	–
Black	7	4	–	1	–	–	1	–	–	–	1	–	10	10	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	160	160	–	–	–	–	–	–	–	–	–	–	111	110	1	–	–	–	–	–	–	–	–	–
White	121	121	–	–	–	–	–	–	–	–	–	–	85	85	–	–	–	–	–	–	–	–	–	–
All other	39	39	–	–	–	–	–	–	–	–	–	–	26	25	1	–	–	–	–	–	–	–	–	–
Black	26	26	–	–	–	–	–	–	–	–	–	–	17	16	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	50	–	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
White	36	36	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	110	110	–	–	–	–	–	–	–	–	–	–	82	81	1	–	–	–	–	–	–	–	–	–
White	85	85	–	–	–	–	–	–	–	–	–	–	60	60	–	–	–	–	–	–	–	–	–	–
All other	25	25	–	–	–	–	–	–	–	–	–	–	22	21	1	–	–	–	–	–	–	–	–	–
Black	19	19	–	–	–	–	–	–	–	–	–	–	13	12	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	169	69	1	–	7	12	7	2	19	15	19	18	170	31	1	2	1	9	7	4	9	17	28	60
White	146	58	1	–	7	10	7	2	15	12	18	16	152	23	1	2	1	6	5	4	8	16	27	58
All other	23	11	–	–	–	2	–	–	4	3	1	2	18	8	–	–	–	3	2	–	1	1	1	2
Black	17	6	–	–	–	2	–	–	3	3	1	2	13	6	–	–	–	1	1	–	1	1	1	2
All other diseases (Residual)	937	20	8	14	15	40	43	59	124	199	254	162	898	8	4	9	21	25	27	30	99	166	324	285
White	808	14	5	11	12	31	33	45	105	176	233	142	885	4	3	4	17	22	20	24	84	146	292	269
All other	129	6	1	3	3	9	10	14	19	23	21	20	113	4	1	5	4	3	7	6	15	20	32	16
Black	94	4	1	2	2	7	9	10	14	14	14	17	74	3	–	2	2	–	3	5	10	14	24	11
Accidents and adverse effects (E800-E949)	1,130	8	33	56	250	225	131	94	105	87	92	46	520	11	23	22	76	60	41	42	35	52	87	70
White	987	8	27	51	214	191	113	85	92	75	86	43	461	10	17	21	61	52	35	38	33	47	82	64
All other	143	–	6	5	36	34	18	9	13	12	6	3	59	1	6	1	15	8	6	4	2	5	5	6
Black	90	–	5	4	17	23	10	5	9	8	5	3	35	–	6	–	8	4	4	3	2	2	3	3
Motor vehicle accidents (E810-E825)	628	5	12	31	170	137	81	53	48	40	39	11	259	–	11	13	61	47	27	28	16	25	28	2
White	548	5	10	28	147	115	72	48	42	33	38	9	233	–	9	12	50	42	24	26	16	24	27	2
All other	80	–	2	3	23	22	9	5	6	7	1	2	26	–	2	1	11	5	3	2	–	1	1	–
Black	48	–	1	2	10	13	5	3	6	5	1	2	12	–	2	–	4	2	2	1	–	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	502	3	21	25	80	88	50	41	57	47	53	35	261	11	12	9	15	13	14	14	19	27	59	68
White	439	3	17	23	67	76	41	37	50	42	48	34	228	10	8	9	11	10	11	12	17	23	55	62
All other	63	–	4	2	13	12	9	4	7	5	5	1	33	1	4	–	4	3	3	2	2	4	4	6
Black	42	–	4	2	7	10	5	2	3	3	4	1	23	–	4	–	4	2	2	2	2	2	2	3
Suicide (E950-E959)	356	...	...	3	59	102	52	40	37	36	21	5	92	...	...	2	12	16	22	14	12	5	7	2
White	331	...	...	2	55	94	44	39	36	34	21	5	87	...	...	2	9	16	20	14	12	5	7	2
All other	25	...	...	1	4	8	8	1	1	2	–	–	5	...	...	–	3	–	2	–	–	–	–	–
Black	14	...	...	–	2	5	3	1	1	2	–	–	2	...	...	–	1	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	208	1	2	4	51	67	38	18	13	10	4	1	71	–	1	4	16	29	7	1	7	2	2	1
White	139	1	2	4	37	36	26	12	8	8	3	1	61	–	–	4	14	23	7	1	7	2	2	1
All other	69	–	–	–	14	31	12	4	5	2	1	–	10	–	1	–	2	6	–	–	–	–	–	–
Black	53	–	–	–	9	26	10	2	5	1	–	–	9	–	1	–	2	5	–	–	–	–	–	–
All other external causes (E980-E999)	14	–	–	1	–	4	1	3	2	2	–	1	9	–	–	–	–	1	1	3	2	2	–	–
White	10	–	–	1	–	4	1	3	–	–	–	1	9	–	–	–	–	1	1	3	2	2	–	–
All other	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OREGON																								
All causes	12,350	217	45	77	348	395	385	705	1,802	3,288	3,308	1,780	10,812	173	29	32	112	149	227	400	1,168	2,193	3,040	3,289
White	12,050	205	42	74	337	371	371	674	1,747	3,220	3,253	1,756	10,586	161	28	28	104	132	219	381	1,137	2,155	2,980	3,261
All other	300	12	3	3	11	24	14	31	55	68	55	24	226	12	1	4	8	17	8	19	31	38	60	28
Black	161	6	2	1	3	9	8	20	31	43	27	11	126	5	1	1	5	8	3	7	22	26	38	10
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	12	–	–	–	–	–	1	2	2	2	4	1	3	–	–	–	–	–	1	–	–	1	1	–
White	12	–	–	–	–	–	1	2	2	2	4	1	2	–	–	–	–	–	1	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	10	–	–	–	–	–	1	2	1	1	4	1	2	–	–	–	–	–	–	–	–	1	1	–
White	10	–	–	–	–	–	1	2	1	1	4	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	-	1	1	-	1	-	-	-	-	7	3	-	1	2	-	-	-	1	-	-	-
White	2	-	-	-	1	1	-	-	-	-	-	-	6	3	-	-	2	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	38	1	1	-	-	-	-	1	4	7	12	12	46	1	-	-	-	-	1	1	4	9	14	16
White	37	1	-	-	-	-	-	1	4	7	12	12	45	1	-	-	-	-	1	1	4	9	14	16
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	3	3	1	1	1	-	-	6	1	-	-	1	1	1	-	-	1	1	-
White	8	-	-	-	-	2	3	1	1	1	-	-	5	1	-	-	1	1	-	-	-	1	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	35	1	-	2	2	4	2	4	2	6	9	3	24	-	-	-	1	1	1	1	4	2	8	6
White	35	1	-	2	2	4	2	4	2	6	9	3	24	-	-	-	1	1	1	1	4	2	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,815	-	3	8	28	30	69	195	575	964	699	246	2,559	4	5	6	8	34	99	188	501	737	613	364
White	2,753	-	3	8	24	29	67	189	562	947	684	240	2,515	4	5	5	8	33	97	182	491	726	604	360
All other	62	-	-	-	2	1	2	6	13	17	15	6	44	-	-	1	-	1	2	6	10	11	9	4
Black	37	-	-	-	1	1	1	3	8	11	8	4	31	-	-	1	-	-	1	2	9	6	8	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	-	-	-	-	-	1	8	15	19	10	2	38	-	-	-	-	-	-	4	9	13	9	3
White	54	-	-	-	-	-	1	8	15	19	9	2	38	-	-	-	-	-	-	4	9	13	9	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	639	-	-	-	-	7	9	40	132	232	157	62	640	-	-	1	-	4	15	23	88	180	183	136
White	625	-	-	-	-	7	8	38	129	227	155	61	618	-	-	1	-	3	14	22	82	173	189	134
All other	14	-	-	-	-	-	1	2	3	5	2	1	22	-	-	-	-	1	1	1	6	7	4	2
Black	6	-	-	-	-	-	-	2	2	1	1	-	16	-	-	-	-	-	-	1	6	3	4	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,053	-	-	1	2	3	16	79	264	395	238	55	576	-	1	-	-	1	15	54	153	197	117	38
White	1,026	-	-	1	2	3	16	77	256	391	231	51	569	-	1	-	-	1	15	53	151	195	115	38
All other	25	-	-	-	-	-	-	2	8	4	7	4	7	-	-	-	-	-	-	1	2	2	2	-
Black	14	-	-	-	-	-	-	1	4	3	3	3	3	-	-	-	-	-	-	-	1	1	1	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	2	1	-	-	452	-	-	-	-	13	33	55	99	106	89	57
White	4	-	-	-	-	-	-	1	2	1	-	-	446	-	-	-	-	13	33	54	98	106	88	56
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	1	-	1	1
Malignant neoplasms of genital organs (179-187)	335	-	-	-	3	3	-	3	28	101	130	67	278	-	-	-	2	9	13	22	59	88	59	26
White	329	-	-	-	3	3	-	3	28	97	128	67	275	-	-	-	2	9	12	21	59	87	59	26
All other	6	-	-	-	-	-	-	-	-	4	2	-	3	-	-	-	-	-	1	1	-	1	-	-
Black	6	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-	1	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	142	-	-	-	-	-	5	9	24	45	41	18	79	-	-	-	-	-	1	3	11	20	22	22
White	142	-	-	-	-	-	5	9	24	45	41	18	78	-	-	-	-	-	1	3	11	20	22	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	329	-	2	4	8	8	24	34	76	97	58	20	266	-	3	3	5	5	15	16	44	72	60	43
White	319	-	2	4	7	6	24	33	75	94	55	19	265	-	3	3	5	5	15	16	43	72	60	43
All other	10	-	-	-	1	-	-	1	1	3	3	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	-	-	-	1	-	-	-	1	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	115	-	-	3	5	4	6	9	13	30	31	14	92	3	1	1	1	-	4	6	11	19	26	20
White	113	-	-	3	4	4	6	9	13	29	31	14	89	3	1	-	1	-	4	4	11	18	26	20
All other	2	-	-	-	1	-	-	-	-	1	-	-	3	-	-	1	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	143	-	1	-	8	7	8	12	21	44	34	8	136	1	-	1	-	2	3	5	27	42	38	19
White	139	-	1	-	8	6	7	11	20	44	34	8	137	1	-	1	-	2	3	5	27	41	38	19
All other	4	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	-	-	-	3	2	1	6	5	11	4	31	2	-	-	-	-	2	1	6	6	9	5
White	31	-	-	-	-	3	2	1	5	5	11	4	30	1	-	-	-	-	2	1	6	6	9	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	160	-	-	-	1	4	6	13	18	51	45	22	185	-	-	-	-	3	3	6	19	37	73	44
White	150	-	-	-	1	4	6	9	16	49	43	22	178	-	-	-	-	3	3	4	18	36	70	44
All other	10	-	-	-	-	-	-	4	2	2	2	-	7	-	-	-	-	-	-	2	1	1	3	-
Black	6	-	-	-	-	-	-	3	1	-	2	-	6	-	-	-	-	-	-	2	1	1	2	-
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	1	-	1	1	5	18	-	-	-	-	-	-	-	-	2	5	11
White	8	-	-	-	-	-	-	1	-	1	1	5	18	-	-	-	-	-	-	-	-	2	5	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	12	-	2	-	-	-	-	-	1	3	4	2	12	-	-	1	-	-	-	-	1	-	7	3
White	11	-	1	-	-	-	-	-	1	3	4	2	11	-	-	1	-	-	-	-	1	-	6	3
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	6	2	-	-	-	-	-	1	3	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	5	2	-	-	-	-	-	1	2	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,536	5	2	1	8	25	90	279	777	1,556	1,750	1,045	5,186	3	1	2	4	11	33	85	357	919	1,659	2,112
White	5,439	5	2	1	7	25	86	270	754	1,528	1,725	1,036	5,093	2	1	2	4	10	32	79	346	899	1,624	2,094
All other	99	-	-	-	1	-	4	9	23	28	25	9	93	1	-	-	-	1	1	6	11	20	35	18
Black	54	-	-	-	-	-	3	4	13	19	11	4	55	-	-	-	-	1	1	3	6	15	24	5
Diseases of heart (390-398,402,404-429)	4,388	3	2	1	7	20	84	249	680	1,267	1,330	745	3,719	3	-	2	1	9	22	63	291	699	1,180	1,448
White	4,302	3	2	1	6	20	80	240	657	1,246	1,310	737	3,649	2	-	2	1	8	21	60	282	684	1,156	1,433
All other	86	-	-	-	1	-	4	9	23	21	20	8	69	1	-	-	-	1	1	3	9	15	24	15
Black	49	-	-	-	-	-	3	4	13	15	10	4	44	-	-	-	-	1	1	2	5	11	19	5
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	-	1	-	2	5	5	12	7	3	61	-	-	-	-	1	-	3	7	15	20	15
White	35	-	-	-	1	-	2	5	5	12	7	3	61	-	-	-	-	1	-	3	7	15	20	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	74	-	-	-	-	1	1	3	8	24	21	16	117	-	-	-	-	-	-	1	12	32	39	33
White	71	-	-	-	-	1	1	3	6	23	21	16	114	-	-	-	-	-	-	1	12	32	37	32
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Hypertensive heart and renal disease (404)	20	-	-	-	-	-	-	-	2	5	12	1	23	-	-	-	-	-	-	-	-	4	11	8
White	19	-	-	-	-	-	-	-	2	4	12	1	23	-	-	-	-	-	-	-	-	4	11	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,384	-	1	-	-	11	65	205	549	999	1,023	531	2,651	-	-	-	-	3	11	42	211	504	833	1,047
White	3,326	-	1	-	-	11	63	197	535	984	1,009	526	2,603	-	-	-	-	3	11	39	203	493	815	1,039
All other	58	-	-	-	-	-	2	8	14	15	14	5	48	-	-	-	-	-	-	3	8	11	18	8
Black	32	-	-	-	-	-	1	4	9	10	6	2	28	-	-	-	-	-	-	2	4	8	15	-
Acute myocardial infarction (410)	1,313	-	1	-	-	3	26	81	255	410	386	151	940	-	-	-	-	2	6	15	100	238	305	274
White	1,292	-	1	-	-	3	26	78	249	403	382	150	924	-	-	-	-	2	6	14	97	234	298	273
All other	21	-	-	-	-	-	-	3	6	7	4	1	16	-	-	-	-	-	-	1	3	4	7	1
Black	10	-	-	-	-	-	-	1	3	4	2	-	9	-	-	-	-	-	-	-	1	3	5	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	-	1	1	1	6	1	5	-	-	-	-	-	-	1	-	-	2	2
White	10	-	-	-	-	-	-	1	1	1	6	1	5	-	-	-	-	-	-	1	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	-	-	-	1	1
White	7	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,054	-	-	-	-	8	39	123	292	586	628	378	1,704	-	-	-	-	1	5	25	111	266	525	770
White	2,017	-	-	-	-	8	37	118	284	576	618	374	1,672	-	-	-	-	1	5	24	106	259	514	763
All other	37	-	-	-	-	-	2	5	8	8	10	4	32	-	-	-	-	-	-	2	5	7	11	7
Black	22	-	-	-	-	-	1	3	6	6	4	2	20	-	-	-	-	-	-	2	3	5	10	-
Other diseases of endocardium (424)	71	-	-	-	-	-	1	1	6	22	25	16	86	-	-	-	-	-	1	-	2	7	18	27	31
White	69	-	-	-	-	-	-	1	5	22	25	16	83	-	-	-	-	-	1	-	2	7	16	26	31
All other	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	804	3	1	1	6	8	15	35	110	205	242	178	780	3	-	2	1	4	11	15	54	126	250	314
White	782	3	1	1	5	8	14	34	104	201	236	175	765	2	-	2	1	3	10	15	53	124	247	308
All other	22	-	-	-	1	-	1	1	6	4	6	3	15	1	-	-	-	1	1	-	1	2	3	6
Black	12	-	-	-	-	-	1	-	2	3	4	2	11	-	-	-	-	1	1	-	1	2	2	4
Hypertension with or without renal disease (401,403)	27	-	-	-	-	-	-	1	3	11	11	1	46	-	-	-	-	-	-	-	5	11	16	14
White	25	-	-	-	-	-	-	1	3	10	10	1	43	-	-	-	-	-	-	-	5	11	13	14
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	780	2	-	-	1	4	4	23	71	178	288	209	1,115	-	1	-	3	2	10	20	48	168	392	471
White	772	2	-	-	1	4	4	23	71	174	285	208	1,099	-	1	-	3	2	10	17	46	164	388	470
All other	8	-	-	-	-	-	-	-	-	4	3	1	16	-	-	-	-	-	-	3	2	4	6	1
Black	4	-	-	-	-	-	-	-	-	3	1	-	8	-	-	-	-	-	-	1	1	3	3	-
Intracerebral and other intracranial hemorrhage (431-432)	91	-	-	-	-	3	2	5	16	26	27	12	99	-	1	-	-	1	2	6	16	29	29	15
White	90	-	-	-	-	3	2	5	16	25	27	12	93	-	1	-	-	1	2	4	14	28	28	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	2	2	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	132	1	-	-	-	-	-	2	8	31	56	34	169	-	-	-	1	-	2	1	2	18	68	77
White	130	1	-	-	-	-	-	2	8	31	55	33	168	-	-	-	1	-	2	1	2	18	67	77
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	9	-	-	-	-	-	-	1	-	5	1	2	6	-	-	-	-	-	-	-	1	-	3	2
White	9	-	-	-	-	-	-	1	-	5	1	2	6	-	-	-	-	-	-	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	548	1	-	-	1	1	2	15	47	116	204	161	841	-	-	-	2	1	6	13	29	121	292	377
White	543	1	-	-	1	1	2	15	47	113	202	161	832	-	-	-	2	1	6	12	29	118	288	376
All other	5	-	-	-	-	-	-	-	-	3	2	-	9	-	-	-	-	-	-	1	-	3	4	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	1	-	2	1	-
Atherosclerosis (440)	181	-	-	-	-	-	-	2	10	36	59	74	222	-	-	-	-	-	-	1	5	20	49	147
White	179	-	-	-	-	-	-	2	10	35	58	74	219	-	-	-	-	-	-	1	5	19	48	146
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	162	-	-	-	-	1	2	4	13	64	62	16	85	-	-	-	-	-	1	1	8	21	22	32
White	161	-	-	-	-	1	2	4	13	63	62	16	83	-	-	-	-	-	1	1	8	21	21	31
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	1	1	1
White	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	324	1	-	-	1	7	2	5	16	48	126	118	397	-	-	-	-	4	1	11	13	30	121	217
White	318	1	-	-	1	7	2	5	15	45	124	118	385	-	-	-	-	4	1	10	13	30	120	217
All other	6	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	310	1	-	-	1	5	2	5	15	47	125	109	367	-	-	-	-	4	1	9	13	27	110	203
White	304	1	-	-	1	5	2	5	14	44	123	109	365	-	-	-	-	4	1	8	13	27	109	203
All other	6	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	14	-	-	-	-	2	-	-	1	1	1	9	30	-	-	-	-	-	-	2	-	3	11	14
White	14	-	-	-	-	2	-	-	1	1	1	9	30	-	-	-	-	-	-	2	-	3	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	580	-	-	-	-	1	2	7	78	204	224	64	374	-	-	-	-	1	-	10	76	136	104	47
White	571	-	-	-	-	1	2	7	78	199	221	63	372	-	-	-	-	1	-	10	75	136	104	46
All other	9	-	-	-	-	-	-	-	-	5	3	1	2	-	-	-	-	-	-	-	1	-	-	1
Black	7	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	25	-	-	-	-	1	-	-	3	7	11	3	22	-	-	-	-	-	-	-	2	12	2	6
White	24	-	-	-	-	1	-	-	3	6	11	3	22	-	-	-	-	-	-	-	2	12	2	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	139	-	-	-	-	-	-	1	24	57	50	7	81	-	-	-	-	-	-	1	19	40	16	5
White	139	-	-	-	-	-	-	1	24	57	50	7	81	-	-	-	-	-	-	1	19	40	16	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	15	-	-	-	-	-	-	-	2	6	5	2	28	-	-	-	-	1	-	1	10	8	3	5
White	14	-	-	-	-	-	-	-	2	5	5	2	28	-	-	-	-	1	-	1	10	8	3	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	401	-	-	-	-	-	2	6	49	134	158	52	243	-	-	-	-	-	-	8	45	76	83	31
White	394	-	-	-	-	-	2	6	49	131	155	51	241	-	-	-	-	-	-	8	44	76	83	30
All other	7	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	1	-	-	1
Black	5	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	28	-	-	-	-	-	1	1	8	3	9	6	39	-	-	-	-	-	1	1	6	9	10	12
White	28	-	-	-	-	-	1	1	8	3	9	6	39	-	-	-	-	-	1	1	6	9	10	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	1	-	-	2	3	-	-	1	2	6	6	35	-	-	-	-	-	-	-	1	3	10	21
White	20	1	-	-	2	2	-	-	1	2	6	6	35	-	-	-	-	-	-	-	1	3	10	21
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	200	-	-	-	1	6	11	39	70	55	16	2	114	-	-	-	-	4	8	19	31	34	17	1
White	191	-	-	-	1	4	10	36	68	54	16	2	104	-	-	-	-	2	7	15	29	33	17	1
All other	9	-	-	-	-	2	1	3	2	1	-	-	10	-	-	-	-	2	1	4	2	1	-	-
Black	4	-	-	-	-	1	-	2	1	-	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	1	2	1	2	2	20	-	-	-	-	-	1	-	3	1	7	8
White	8	-	-	-	-	-	-	1	2	1	2	2	19	-	-	-	-	-	1	-	3	-	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	94	2	-	-	-	4	2	2	8	23	28	25	83	2	-	1	1	2	2	3	4	21	22	25
White	90	2	-	-	-	4	2	1	8	22	26	25	78	2	-	1	1	1	2	3	4	20	19	25
All other	4	-	-	-	-	-	-	1	-	1	2	-	5	-	-	-	-	1	-	-	-	1	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	–	–	–	–	1	6	5	3	11	–	–	1	–	1	–	1	–	3	4	1
White	14	–	–	–	–	–	–	–	1	5	5	3	11	–	–	1	–	1	–	1	–	3	4	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	77	2	–	–	4	2	1	7	16	23	22		72	2	–	–	1	1	2	2	4	18	18	24
White	75	2	–	–	4	2	1	7	16	21	22		67	2	–	–	1	–	2	2	4	17	15	24
All other	2	–	–	–	–	–	–	–	–	2	–		5	–	–	–	–	1	–	–	–	1	3	–
Black	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	1	–	–
Infections of kidney (590)	9	–	–	–	–	–	–	–	1	7	1		16	–	–	–	–	–	–	–	1	6	9	
White	9	–	–	–	–	–	–	–	1	7	1		15	–	–	–	–	–	–	–	1	5	9	
All other	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	1	–	
Black	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	1	–	2		***	***	***	***	***	***	***	***	***	***	***	***
White	3	–	–	–	–	–	–	–	1	–	2		***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–		***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–		***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	1	1	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	1	–	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	80	50	7	2	3	1	1	2	3	5	2	4	68	44	7	–	2	2	3	1	1	4	3	1
White	77	48	7	1	3	1	1	2	3	5	2	4	67	44	7	–	1	2	3	1	1	4	3	1
All other	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	73	72	1	–	–	–	–	–	–	–	–	–	59	57	1	–	–	–	1	–	–	–	–	–
White	68	67	1	–	–	–	–	–	–	–	–	–	54	53	1	–	–	–	1	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	25	1	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
White	25	24	1	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	47	47	–	–	–	–	–	–	–	–	–	–	42	40	1	–	–	–	1	–	–	–	–	–
White	43	43	–	–	–	–	–	–	–	–	–	–	37	36	–	–	–	–	1	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	183	67	1	–	5	6	1	5	24	28	26	20	166	47	1	–	1	2	2	8	9	13	30	53
White	173	63	1	–	4	6	1	5	21	26	26	20	155	42	1	–	1	2	2	8	7	13	29	50
All other	10	4	–	–	1	–	–	–	3	2	–	–	11	5	–	–	–	–	–	–	2	–	1	3
Black	4	1	–	–	–	–	–	–	1	2	–	–	4	2	–	–	–	–	–	–	1	–	–	1
All other diseases (Residual)	745	8	7	5	11	14	26	30	83	197	231	133	847	5	2	5	5	9	13	31	81	189	251	276
White	717	7	6	5	11	13	25	28	80	190	226	126	838	5	2	5	4	7	13	31	80	188	247	274
All other	28	1	1	–	–	1	1	2	3	7	5	7	11	–	–	–	1	2	–	–	1	1	4	2
Black	13	1	1	–	–	–	–	2	1	4	3	1	3	–	–	–	–	–	–	–	1	–	2	–
Accidents and adverse effects (E800-E949)	868	4	19	52	218	177	95	54	71	68	64	46	364	3	12	12	61	44	34	12	31	40	62	53
White	849	4	19	50	214	171	92	54	69	67	63	46	347	2	12	11	58	39	32	12	29	39	60	53
All other	19	–	–	2	4	6	3	–	2	1	1	–	17	1	–	1	3	5	2	–	2	1	2	–
Black	9	–	–	1	2	2	1	–	2	1	–	–	5	–	–	–	1	1	–	–	1	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	432	1	8	20	156	101	47	24	29	22	18	6	180	1	2	6	52	27	28	7	22	10	19	6
White	425	1	8	19	154	97	47	24	29	22	18	6	173	–	2	6	50	26	27	7	21	10	18	6
All other	7	–	–	1	2	4	–	–	–	–	–	–	7	1	–	–	2	1	1	–	1	–	1	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	436	3	11	32	62	76	48	30	42	46	46	40	184	2	10	6	9	17	6	5	9	30	43	47
White	424	3	11	31	60	74	45	30	40	45	45	40	174	2	10	5	8	13	5	5	8	29	42	47
All other	12	–	–	1	2	2	3	–	2	1	1	–	10	–	–	1	1	4	1	–	1	1	1	–
Black	7	–	–	1	1	1	1	–	2	1	–	–	4	–	–	–	–	1	–	–	1	1	1	–
Suicide (E950-E959)	339	. . .	. . .	4	47	69	49	43	40	47	31	9	80	. . .	. . .	–	12	13	11	16	13	11	3	1
White	326	. . .	. . .	4	44	65	47	42	38	46	31	9	77	. . .	. . .	–	12	11	11	16	12	11	3	1
All other	13	. . .	. . .	–	3	4	2	1	2	1	–	–	3	. . .	. . .	–	–	2	–	–	1	–	–	–
Black	4	. . .	. . .	–	–	1	2	1	–	–	–	–	3	. . .	. . .	–	–	2	–	–	1	–	–	–
Homicide and legal intervention (E960-E978)	88	3	1	2	18	23	17	14	5	4	–	1	47	–	–	4	10	13	5	6	4	4	1	–
White	76	3	1	2	18	17	16	11	4	4	–	–	42	–	–	3	8	11	5	6	4	4	1	–
All other	12	–	–	–	–	6	1	3	1	–	–	1	5	–	–	1	2	2	–	–	–	–	–	–
Black	8	–	–	–	–	3	1	2	1	–	–	1	4	–	–	–	2	2	–	–	–	–	–	–
All other external causes (E980-E999)	31	–	1	1	3	14	5	3	1	3	–	–	12	–	–	–	3	4	3	–	1	1	–	–
White	28	–	1	1	3	12	5	2	1	3	–	–	11	–	–	–	3	3	3	–	1	1	–	–
All other	3	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	2	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
PENNSYLVANIA																								
All causes	62,926	909	154	229	1,171	1,372	1,790	3,898	10,871	17,979	16,442	8,101	59,083	729	122	157	406	571	986	2,305	6,764	13,031	18,289	15,709
White	57,078	674	132	195	1,014	1,085	1,448	3,295	9,652	16,563	15,360	7,654	53,914	515	91	133	340	435	764	1,898	5,886	11,833	17,040	14,966
All other	5,848	235	22	34	157	287	342	603	1,219	1,416	1,082	447	5,169	214	31	24	56	136	222	407	878	1,198	1,249	743
Black	5,739	224	19	33	148	283	334	596	1,207	1,396	1,058	437	5,082	209	25	23	64	132	218	400	866	1,181	1,228	735
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	7	1	1	–	–	–	–	–	1	–	3	1
White	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	–	–	–	–	1	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	60	–	–	–	–	–	5	5	13	21	10	6	28	–	–	–	1	–	–	4	4	7	7	5
White	42	–	–	–	–	–	3	3	11	14	8	6	19	–	–	–	1	–	–	2	–	5	6	5
All other	18	–	–	–	–	–	5	2	2	7	2	–	9	–	–	–	–	–	–	2	4	2	1	–
Black	18	–	–	–	–	–	5	2	2	7	2	–	9	–	–	–	–	–	–	2	4	2	1	–
Tuberculosis of respiratory system (010-012)	55	–	–	–	–	–	5	4	10	20	10	6	16	–	–	–	–	–	–	2	1	5	3	5
White	40	–	–	–	–	–	2	2	10	14	8	6	11	–	–	–	–	–	–	–	–	3	3	5
All other	15	–	–	–	–	–	5	2	–	6	2	–	5	–	–	–	–	–	–	2	1	2	–	–
Black	15	–	–	–	–	–	5	2	–	6	2	–	5	–	–	–	–	–	–	2	1	2	–	–
Other tuberculosis (013-018)	5	–	–	–	–	–	–	1	3	1	–	–	12	–	–	–	1	–	–	2	3	2	4	–
White	2	–	–	–	–	–	–	1	1	–	–	–	8	–	–	–	1	–	–	2	–	2	3	–
All other	3	–	–	–	–	–	–	–	2	1	–	–	4	–	–	–	–	–	–	–	3	–	1	–
Black	3	–	–	–	–	–	–	–	2	1	–	–	4	–	–	–	–	–	–	–	3	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	1	1	2	1	–	–	–	–	–	–	1	9	2	–	1	2	–	–	1	2	1	–	–
White	4	1	1	1	1	–	–	–	–	–	–	–	8	2	–	1	1	–	–	1	2	1	–	–
All other	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Septicemia (038)	608	5	2	2	–	10	12	31	79	168	172	127	725	4	1	–	3	4	9	26	62	144	255	217
White	505	2	2	2	–	5	7	19	70	145	146	107	582	2	1	–	3	3	7	16	46	118	210	176
All other	103	3	–	–	–	5	5	12	9	23	26	20	143	2	–	–	–	1	2	10	16	26	45	41
Black	102	3	–	–	–	5	5	12	9	23	25	20	142	2	–	–	–	1	2	10	16	26	44	41
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	13	-	-	-	-	2	2	2	1	4	2	-	8	-	1	-	-	-	1	-	1	4	1	-
White	12	-	-	-	-	2	2	2	1	4	1	-	6	-	-	-	-	-	-	-	1	4	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	7	-	-	-	-	-	-	1	1	2	2	1	2	-	-	-	-	-	-	-	-	2	-	-
White	4	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	159	3	-	2	8	25	9	25	26	26	23	12	101	3	-	3	1	2	6	6	17	22	26	15
White	130	2	-	1	7	16	4	18	25	25	20	12	89	2	-	3	1	2	3	4	14	21	24	15
All other	29	1	-	1	1	9	5	7	1	1	3	-	12	1	-	-	-	-	3	2	3	1	2	-
Black	28	1	-	1	-	9	5	7	1	1	3	-	12	1	-	-	-	-	3	2	3	1	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,577	1	8	32	61	125	313	1,025	3,395	4,997	3,531	1,088	13,029	-	7	21	37	118	389	1,047	2,800	3,897	3,248	1,463
White	13,203	1	7	30	56	113	264	867	3,011	4,556	3,282	1,016	11,892	-	6	18	29	97	324	893	2,525	3,585	3,028	1,386
All other	1,374	-	1	2	5	12	49	158	384	441	249	72	1,137	-	1	3	8	21	65	154	275	312	220	77
Black	1,360	-	1	2	5	11	47	156	380	440	245	72	1,113	-	1	3	8	19	63	151	271	305	214	77
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	315	-	-	1	-	-	10	40	114	95	41	14	128	-	-	-	-	-	3	9	35	41	22	18
White	271	-	-	1	-	-	4	31	93	87	41	14	113	-	-	-	-	-	3	6	28	37	21	18
All other	44	-	-	-	-	-	6	9	21	8	-	-	15	-	-	-	-	-	-	3	7	4	1	-
Black	44	-	-	-	-	-	6	9	21	8	-	-	15	-	-	-	-	-	-	3	7	4	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,844	-	-	-	3	15	73	247	846	1,336	1,010	313	3,586	-	-	-	2	6	49	188	571	1,041	1,120	609
White	3,463	-	-	-	2	14	63	202	741	1,205	942	294	3,242	-	-	-	1	2	38	158	493	943	1,028	579
All other	381	-	-	-	1	1	10	45	105	131	68	19	344	-	-	-	1	4	11	30	78	98	92	30
Black	375	-	-	-	1	1	10	44	103	131	65	19	339	-	-	-	1	4	10	30	77	97	90	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,996	-	-	-	-	9	72	493	1,410	1,882	961	209	2,151	-	-	1	1	3	43	190	622	776	417	97
White	4,504	-	-	-	-	7	55	369	1,241	1,725	914	193	1,941	-	-	1	1	3	34	157	554	715	384	91
All other	492	-	-	-	-	2	17	64	169	157	67	16	210	-	-	-	-	-	9	33	68	61	33	6
Black	489	-	-	-	-	2	17	64	167	156	67	16	206	-	-	-	-	-	9	32	67	59	33	6
Malignant neoplasm of breast (174-175)	16	-	-	-	-	-	-	3	3	4	5	1	2,485	-	-	-	-	43	148	285	635	679	489	206
White	15	-	-	-	-	-	-	3	2	4	5	1	2,279	-	-	-	-	37	127	244	582	627	466	196
All other	1	-	-	-	-	-	-	-	1	-	-	-	206	-	-	-	-	6	21	41	53	52	23	10
Black	1	-	-	-	-	-	-	-	1	-	-	-	202	-	-	-	-	5	20	41	52	51	23	10
Malignant neoplasms of genital organs (179-187)	1,486	-	-	-	1	16	3	16	158	419	587	286	1,329	-	-	1	4	14	46	122	314	390	312	124
White	1,311	-	-	-	1	16	3	13	131	362	527	258	1,202	-	-	1	4	8	42	101	292	355	286	113
All other	175	-	-	-	-	-	-	3	27	57	60	28	127	-	-	-	-	6	6	21	22	35	26	11
Black	174	-	-	-	-	-	-	3	27	57	59	28	122	-	-	-	-	5	6	19	22	34	25	11
Malignant neoplasms of urinary organs (188-189)	744	-	-	1	-	4	9	49	155	235	220	71	370	-	3	-	-	-	13	19	60	103	114	58
White	701	-	-	1	-	3	6	46	146	218	211	70	340	-	3	-	-	-	7	14	53	97	111	55
All other	43	-	-	-	-	1	3	3	9	17	9	1	30	-	-	-	-	-	6	5	7	6	3	3
Black	42	-	-	-	-	1	2	3	9	17	9	1	30	-	-	-	-	-	6	5	7	6	3	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,883	1	4	10	24	36	81	147	459	605	395	121	1,801	-	4	7	16	30	56	151	357	528	433	218
White	1,737	1	4	10	22	33	75	125	420	559	372	116	1,667	-	3	6	13	27	49	138	325	492	407	207
All other	146	-	-	-	2	3	6	22	39	46	23	5	134	-	1	1	3	3	7	13	32	36	26	11
Black	144	-	-	-	2	2	6	21	39	46	23	5	131	-	1	1	3	3	7	13	31	35	25	11
Leukemia (204-208)	545	-	4	15	20	18	33	25	95	183	120	32	452	-	-	10	10	11	17	32	75	91	141	65
White	520	-	3	13	20	17	30	23	93	175	115	31	427	-	-	8	8	10	14	29	72	88	135	63
All other	25	-	1	2	-	1	3	2	2	8	5	1	25	-	-	2	2	1	3	3	3	3	6	2
Black	25	-	1	2	-	1	3	2	2	8	5	1	24	-	-	2	2	1	3	3	3	3	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	748	-	-	5	13	27	32	65	155	238	172	41	727	-	-	2	4	11	12	51	131	248	200	68
White	681	-	-	5	11	23	28	55	144	221	155	39	681	-	-	2	2	10	10	46	126	231	190	64
All other	67	-	-	-	2	4	4	10	11	17	17	2	46	-	-	-	2	1	2	5	5	17	10	4
Black	66	-	-	-	2	4	3	10	11	17	17	2	44	-	-	-	2	1	2	5	5	16	9	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	198	2	4	6	3	6	5	12	33	47	56	24	237	3	3	5	5	3	7	11	25	71	67	37
White	181	2	4	5	3	6	5	9	28	45	52	22	207	2	1	3	4	3	6	8	20	64	62	34
All other	17	-	-	1	-	-	-	3	5	2	4	2	30	1	2	2	1	-	1	3	5	7	5	3
Black	17	-	-	1	-	-	-	3	5	2	4	2	29	1	1	2	1	-	1	3	5	7	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	1,020	–	–	–	2	19	30	60	173	329	294	113	1,515	–	–	–	2	15	11	50	200	423	521	293
White	935	–	–	–	2	15	26	55	143	311	272	111	1,383	–	–	–	1	12	10	39	171	384	488	278
All other	85	–	–	–	–	4	4	5	30	18	22	2	132	–	–	–	1	3	1	11	29	39	33	15
Black	84	–	–	–	–	4	4	5	30	18	21	2	129	–	–	–	1	3	1	10	28	38	33	15
Nutritional deficiencies (260-269)	59	–	–	–	–	–	–	–	–	14	25	20	104	–	–	–	–	–	–	1	1	10	32	60
White	49	–	–	–	–	–	–	–	–	12	20	17	98	–	–	–	–	–	–	1	1	7	30	59
All other	10	–	–	–	–	–	–	–	–	2	5	3	6	–	–	–	–	–	–	–	–	3	2	1
Black	10	–	–	–	–	–	–	–	–	2	5	3	6	–	–	–	–	–	–	–	–	3	2	1
Anemias (280-285)	87	1	2	–	3	2	4	5	11	20	20	19	133	1	2	1	2	1	4	3	15	32	36	36
White	69	1	1	–	1	–	–	3	10	18	17	18	123	–	2	1	1	–	2	2	14	31	36	34
All other	18	–	1	–	2	2	4	2	1	2	3	1	10	1	–	–	1	1	2	1	1	1	–	2
Black	18	–	1	–	2	2	4	2	1	2	3	1	10	1	–	–	1	1	2	1	1	1	–	2
Meningitis (320-322)	28	5	3	–	–	1	–	3	3	4	6	3	25	3	2	–	2	–	1	1	5	3	7	1
White	27	4	3	–	–	1	–	3	3	4	6	3	18	2	2	–	1	–	1	1	2	2	7	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	7	1	–	–	1	–	–	–	3	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	7	1	–	–	1	–	–	–	3	1	–	1
Major cardiovascular diseases (390-448)	29,350	26	14	10	40	115	550	1,680	4,894	8,637	8,589	4,790	31,061	16	10	14	24	71	211	635	2,398	6,110	10,873	10,692
White	27,439	20	13	9	35	88	486	1,503	4,469	8,101	8,130	4,583	28,964	15	5	13	19	52	155	529	2,082	5,576	10,232	10,279
All other	1,911	6	1	1	5	27	64	177	425	536	459	207	2,097	1	5	1	5	19	56	106	316	534	641	413
Black	1,869	5	1	1	5	26	62	174	422	524	446	200	2,067	1	4	1	5	18	56	106	310	527	632	407
Diseases of heart (390-398,402,404-429)	24,507	22	9	7	32	90	476	1,510	4,316	7,348	6,945	3,750	24,399	12	9	10	15	45	143	483	1,963	4,987	8,514	8,214
White	22,991	17	8	6	27	67	426	1,371	3,968	6,922	6,587	3,590	22,862	12	5	9	10	34	105	415	1,718	4,589	8,048	7,913
All other	1,516	5	1	1	5	23	50	139	348	424	358	160	1,537	–	4	1	5	11	38	68	245	398	466	301
Black	1,479	5	1	1	5	22	48	136	345	413	346	155	1,521	–	4	1	5	10	38	68	242	395	461	297
Rheumatic fever and rheumatic heart disease (390-398)	166	–	1	–	–	1	6	18	38	59	32	11	366	–	–	–	–	4	10	26	64	122	102	38
White	161	–	1	–	–	1	5	17	37	58	31	11	346	–	–	–	–	4	8	25	60	112	102	35
All other	5	–	–	–	–	–	1	1	1	1	1	–	20	–	–	–	–	–	2	1	4	10	–	3
Black	5	–	–	–	–	–	1	1	1	1	1	–	20	–	–	–	–	–	2	1	4	10	–	3
Hypertensive heart disease (402)	383	–	–	–	–	3	7	22	61	124	111	55	591	–	–	–	–	1	6	8	64	130	196	185
White	336	–	–	–	–	2	3	15	52	111	101	52	523	–	–	–	–	1	2	2	53	110	180	174
All other	47	–	–	–	–	1	4	7	9	13	10	3	68	–	–	–	–	–	4	6	11	20	16	11
Black	45	–	–	–	–	1	4	7	9	12	10	2	68	–	–	–	–	–	4	6	11	20	16	11
Hypertensive heart and renal disease (404)	66	–	–	–	–	–	1	1	3	18	22	20	97	–	–	–	–	–	–	–	9	17	35	36
White	59	–	–	–	–	–	1	1	3	16	18	19	89	–	–	–	–	–	–	–	7	15	32	35
All other	7	–	–	–	–	–	–	–	–	3	3	1	8	–	–	–	–	–	–	–	2	2	3	1
Black	7	–	–	–	–	–	–	–	–	3	3	1	8	–	–	–	–	–	–	–	2	2	3	1
Ischemic heart disease (410-414)	17,143	1	–	1	4	27	307	1,113	3,121	5,305	4,863	2,397	15,728	–	–	–	3	10	70	288	1,270	3,411	5,694	4,980
White	16,320	1	–	1	3	21	286	1,034	2,928	5,073	4,659	2,311	14,933	–	–	–	3	8	52	261	1,138	3,186	5,437	4,846
All other	823	–	–	–	1	6	21	79	192	232	204	86	795	–	–	–	–	2	18	27	132	225	257	134
Black	803	–	–	–	1	6	19	78	190	226	196	85	788	–	–	–	–	2	18	27	130	224	253	134
Acute myocardial infarction (410)	10,140	1	–	–	1	22	205	814	2,174	3,316	2,690	914	7,903	–	–	–	2	9	46	213	896	2,172	2,929	1,635
White	9,664	1	–	–	1	18	193	766	2,038	3,190	2,578	877	7,449	–	–	–	2	8	35	193	807	2,034	2,787	1,582
All other	476	–	–	–	–	4	13	48	136	126	112	37	454	–	–	–	–	1	11	20	89	138	142	53
Black	463	–	–	–	–	4	11	47	134	123	107	37	449	–	–	–	–	1	11	20	87	138	139	53
Other acute and subacute forms of ischemic heart disease (411)	81	–	–	–	1	–	2	5	17	24	21	11	62	–	–	–	–	–	–	1	4	10	27	20
White	74	–	–	–	1	–	2	5	17	20	20	9	60	–	–	–	–	–	–	1	4	9	26	20
All other	7	–	–	–	–	–	–	–	–	4	1	2	2	–	–	–	–	–	–	–	–	1	1	–
Black	7	–	–	–	–	–	–	–	–	4	1	2	2	–	–	–	–	–	–	–	–	1	1	–
Angina pectoris (413)	21	–	–	–	–	–	–	–	7	7	3	4	30	–	–	–	–	–	–	–	1	14	8	7
White	21	–	–	–	–	–	–	–	7	7	3	4	29	–	–	–	–	–	–	–	1	14	8	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,901	–	–	1	2	5	99	294	923	1,958	2,149	1,468	7,733	–	–	–	1	1	24	74	369	1,215	2,730	3,318
White	6,561	–	–	1	1	3	91	263	867	1,856	2,058	1,421	7,395	–	–	–	1	–	17	67	326	1,129	2,616	3,238
All other	340	–	–	–	1	2	8	31	56	102	91	47	338	–	–	–	–	1	7	7	43	86	114	80
Black	333	–	–	–	1	2	8	31	56	99	88	46	336	–	–	–	–	1	7	7	43	85	113	80
Other diseases of endocardium (424)	262	–	1	1	–	3	6	12	47	67	91	34	314	–	–	1	1	2	3	8	20	76	111	92
White	248	–	1	1	–	2	6	11	44	61	89	33	294	–	–	1	–	1	3	4	18	70	107	90
All other	14	–	–	–	–	1	–	1	3	6	2	1	20	–	–	–	1	1	–	4	2	6	4	2
Black	14	–	–	–	–	1	–	1	3	6	2	1	19	–	–	–	1	–	–	4	2	6	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	6,487	21	7	5	28	58	149	344	1,046	1,772	1,825	1,233	7,303	12	9	9	11	28	54	153	536	1,231	2,376	2,883
White	5,867	16	6	4	24	41	125	293	903	1,603	1,688	1,164	6,677	12	5	8	7	20	40	123	442	1,096	2,190	2,733
All other	620	5	1	1	4	15	24	51	143	169	138	69	626	–	4	1	4	8	14	30	94	135	186	150
Black	605	5	1	1	4	14	24	49	142	165	134	66	618	–	4	1	4	8	14	30	93	133	185	146
Hypertension with or without renal disease (401,403)	197	–	–	–	–	–	3	12	34	60	58	32	250	–	–	–	–	–	3	4	26	58	85	73
White	164	–	–	–	–	–	3	9	31	45	46	30	215	–	–	–	–	–	1	3	22	47	75	67
All other	33	–	–	–	–	–	–	3	3	15	10	2	35	–	–	–	–	–	2	1	4	12	10	6
Black	33	–	–	–	–	–	–	3	3	15	10	2	35	–	–	–	–	–	2	1	4	12	10	6
Cerebrovascular diseases (430-438)	3,317	4	5	3	8	20	58	128	378	874	1,115	723	5,065	3	1	2	7	24	55	129	347	893	1,835	1,767
White	3,015	3	5	3	8	17	45	96	312	786	1,047	693	4,623	2	–	2	7	17	39	94	291	785	1,692	1,692
All other	302	1	–	–	–	3	13	32	66	88	68	30	442	1	1	–	–	7	16	35	56	108	143	75
Black	297	–	–	–	–	3	13	32	66	87	67	28	431	1	–	–	–	7	16	35	54	105	140	73
Intracerebral and other intracranial hemorrhage (431-432)	502	1	2	–	2	8	23	39	88	154	118	67	672	2	1	2	2	5	20	46	98	168	203	127
White	448	1	2	–	2	8	15	25	71	145	113	66	580	1	–	2	2	4	13	31	77	145	187	118
All other	54	–	–	–	–	–	8	14	17	9	5	1	92	1	1	–	–	1	7	15	21	21	16	9
Black	52	–	–	–	–	–	8	14	17	8	4	1	87	1	–	–	–	1	7	15	19	21	15	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	601	2	–	–	1	2	4	18	78	176	177	144	852	1	–	–	1	1	2	12	38	134	321	342
White	561	1	–	–	1	2	4	15	68	158	170	142	793	1	–	–	1	1	1	10	28	119	302	330
All other	40	1	–	–	–	–	–	3	10	17	7	2	59	–	–	–	–	–	1	2	10	15	19	12
Black	39	–	–	–	–	–	–	3	10	17	7	2	57	–	–	–	–	–	1	2	10	13	19	12
Cerebral embolism (434.1)	17	–	–	–	–	–	1	–	1	8	6	1	29	–	–	–	–	–	1	–	1	5	13	9
White	16	–	–	–	–	–	1	–	1	8	6	–	28	–	–	–	–	–	1	–	1	4	13	9
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,197	1	3	3	5	10	30	71	211	537	814	511	3,512	–	–	–	4	18	32	71	210	588	1,298	1,289
White	1,990	1	3	3	5	7	25	56	172	475	758	485	3,222	–	–	–	4	12	24	59	185	517	1,190	1,235
All other	207	–	–	–	–	3	5	15	39	62	56	26	290	–	–	–	–	6	8	18	25	71	108	54
Black	205	–	–	–	–	3	5	15	39	62	56	24	286	–	–	–	–	6	8	18	25	70	106	53
Atherosclerosis (440)	476	–	–	–	–	–	2	7	30	76	177	184	853	–	–	–	–	–	–	4	19	65	260	505
White	451	–	–	–	–	–	2	7	27	74	166	175	808	–	–	–	–	–	–	4	16	56	246	486
All other	25	–	–	–	–	–	–	–	3	2	11	9	45	–	–	–	–	–	–	–	3	9	14	19
Black	25	–	–	–	–	–	–	–	3	2	11	9	42	–	–	–	–	–	–	–	2	8	13	19
Other diseases of arteries, arterioles, and capillaries (441-448)	853	–	–	–	–	5	11	23	136	281	296	101	494	1	–	2	2	2	10	15	43	106	179	133
White	818	–	–	–	–	4	10	20	131	274	284	95	456	1	–	2	2	1	10	13	35	99	171	121
All other	35	–	–	–	–	1	1	3	5	7	12	6	38	–	–	–	–	1	–	2	8	7	8	12
Black	35	–	–	–	–	1	1	3	5	7	12	6	38	–	–	–	–	1	–	2	8	7	8	12
Acute bronchitis and bronchiolitis (466)	11	–	–	–	–	1	–	–	1	3	3	3	20	1	–	–	–	–	–	–	–	4	4	11
White	11	–	–	–	–	1	–	–	1	3	3	3	20	1	–	–	–	–	–	–	–	4	4	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,459	14	4	2	7	10	16	40	107	310	507	442	1,445	6	2	4	1	5	7	18	70	185	504	643
White	1,336	9	3	2	6	8	10	30	94	281	476	417	1,337	6	1	4	1	2	5	14	61	164	468	611
All other	123	5	1	–	1	2	6	10	13	29	31	25	108	–	1	–	–	3	2	4	9	21	36	32
Black	120	5	1	–	1	2	6	10	13	29	30	23	107	–	1	–	–	3	2	4	9	21	35	32
Pneumonia (480-486)	1,450	14	4	2	7	10	16	40	106	309	503	439	1,419	6	2	4	1	5	7	18	67	183	492	634
White	1,327	9	3	2	6	8	10	30	93	280	472	414	1,312	6	1	4	1	2	5	14	59	162	456	602
All other	123	5	1	–	1	2	6	10	13	29	31	25	107	–	1	–	–	3	2	4	8	21	36	32
Black	120	5	1	–	1	2	6	10	13	29	30	23	106	–	1	–	–	3	2	4	8	21	35	32
Influenza (487)	9	–	–	–	–	–	–	–	1	1	4	3	26	–	–	–	–	–	–	–	3	2	12	9
White	9	–	–	–	–	–	–	–	1	1	4	3	25	–	–	–	–	–	–	–	2	2	12	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,438	–	–	1	3	2	13	54	344	842	876	303	1,269	–	1	–	4	4	7	41	172	483	386	171
White	2,283	–	–	1	–	1	7	46	321	785	830	292	1,200	–	1	–	3	1	5	37	155	462	371	165
All other	155	–	–	–	3	1	6	8	23	57	46	11	69	–	–	–	1	3	2	4	17	21	15	6
Black	154	–	–	–	3	1	6	8	23	56	46	11	69	–	–	–	1	3	2	4	17	21	15	6
Bronchitis, chronic and unspecified (490-491)	87	–	–	–	–	1	1	–	19	24	27	15	57	–	1	–	–	–	–	2	6	11	22	15
White	80	–	–	–	–	1	–	–	18	23	23	14	56	–	1	–	–	–	–	2	6	11	22	14
All other	7	–	–	–	–	–	1	–	–	1	4	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	7	–	–	–	–	–	1	–	–	1	4	1	1	–	–	–	–	–	–	–	–	–	–	1
Emphysema (492)	421	–	–	–	–	–	3	15	71	171	128	33	181	–	–	–	–	–	2	7	36	72	44	20
White	398	–	–	–	–	–	1	14	67	162	121	31	176	–	–	–	–	–	1	7	35	70	44	19
All other	25	–	–	–	–	–	2	1	4	9	7	2	5	–	–	–	–	–	1	–	1	2	–	1
Black	24	–	–	–	–	–	2	1	4	8	7	2	5	–	–	–	–	–	1	–	1	2	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	60	-	-	1	3	1	3	3	16	14	14	5	94	-	-	-	3	4	4	9	18	21	26	9
White	52	-	-	1	-	-	2	3	15	14	13	4	78	-	-	-	2	1	3	7	14	17	25	9
All other	8	-	-	-	3	1	1	-	1	-	1	1	16	-	-	-	1	3	1	2	4	4	1	-
Black	8	-	-	-	3	1	1	-	1	-	1	1	16	-	-	-	1	3	1	2	4	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,870	-	-	-	-	-	6	36	238	633	707	250	937	-	-	-	1	-	1	23	112	379	294	127
White	1,755	-	-	-	-	-	4	29	220	586	673	243	890	-	-	-	1	-	1	21	100	364	280	123
All other	115	-	-	-	-	-	2	7	18	47	34	7	47	-	-	-	-	-	-	2	12	15	14	4
Black	115	-	-	-	-	-	2	7	18	47	34	7	47	-	-	-	-	-	-	2	12	15	14	4
Ulcer of stomach and duodenum (531-533)	146	-	-	-	-	1	6	7	22	54	39	18	172	-	-	-	1	2	1	5	20	29	68	46
White	133	-	-	-	-	-	4	6	19	51	36	17	164	-	-	-	1	2	1	5	19	26	64	46
All other	13	-	-	-	-	1	1	1	3	3	3	1	8	-	-	-	-	-	-	-	1	3	4	-
Black	13	-	-	-	-	1	1	1	3	3	3	1	8	-	-	-	-	-	-	-	1	3	4	-
Appendicitis (540-543)	9	-	-	-	-	-	-	-	1	3	3	2	7	-	-	-	-	-	-	-	1	2	2	2
White	9	-	-	-	-	-	-	-	1	3	3	2	7	-	-	-	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	107	5	-	-	1	-	-	1	7	26	48	21	205	3	-	-	2	1	1	4	18	34	69	73
White	98	5	-	-	1	-	-	1	6	23	42	20	179	3	-	-	-	1	-	2	15	27	62	69
All other	9	-	-	-	-	-	-	-	1	3	4	1	26	-	-	-	2	-	1	2	3	7	7	4
Black	9	-	-	-	-	-	-	-	1	3	4	1	26	-	-	-	2	-	1	2	3	7	7	4
Chronic liver disease and cirrhosis (571)	870	-	-	-	-	23	71	158	248	257	102	11	436	1	-	-	-	14	28	62	104	137	70	20
White	791	-	-	-	-	17	50	133	231	248	101	11	374	1	-	-	-	9	16	49	84	127	69	19
All other	79	-	-	-	-	6	21	25	17	9	1	-	62	-	-	-	-	5	12	13	20	10	1	1
Black	74	-	-	-	-	6	19	25	14	9	1	-	61	-	-	-	-	5	12	13	19	10	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	62	-	-	-	-	-	-	4	3	24	20	11	89	-	-	-	-	2	-	1	8	20	30	28
White	58	-	-	-	-	-	-	3	3	23	18	11	83	-	-	-	-	2	-	1	8	16	30	26
All other	4	-	-	-	-	-	-	1	-	1	2	-	6	-	-	-	-	-	-	-	-	4	-	2
Black	4	-	-	-	-	-	-	1	-	1	2	-	6	-	-	-	-	-	-	-	-	4	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	718	4	2	3	1	7	7	24	94	179	237	160	686	3	-	1	2	2	5	16	73	157	220	207
White	619	3	2	2	-	4	4	19	74	151	211	149	590	2	-	1	2	-	5	10	56	128	193	193
All other	99	1	-	1	1	3	3	5	20	28	26	11	96	1	-	-	-	2	-	6	17	29	27	14
Black	97	1	-	1	1	3	3	5	20	27	25	11	96	1	-	-	-	2	-	6	17	29	27	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	1	-	-	1	1	2	1	8	-	-	-	-	-	-	-	-	3	5	-
White	5	-	-	-	-	-	-	-	1	1	2	1	7	-	-	-	-	-	-	-	-	2	5	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	1	-	1	-	-	1	1	3	11	11	6	36	-	-	-	-	-	-	1	4	8	13	10
White	29	1	-	1	-	-	-	1	2	11	9	4	34	-	-	-	-	-	-	1	3	7	13	10
All other	6	-	-	-	-	-	1	-	1	-	2	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	6	-	-	-	-	-	1	-	1	-	2	2	2	-	-	-	-	-	-	-	1	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	677	3	2	2	1	6	6	23	90	167	224	153	642	3	-	1	2	2	5	15	69	146	202	197
White	585	2	2	1	-	4	4	18	71	139	200	144	549	2	-	1	2	-	5	9	53	119	175	183
All other	92	1	-	1	1	2	2	5	19	28	24	9	93	1	-	-	-	2	-	6	16	27	27	14
Black	90	1	-	1	1	2	2	5	19	27	23	9	93	1	-	-	-	2	-	5	16	27	27	14
Infections of kidney (590)	20	-	-	-	-	-	-	1	1	6	11	1	45	-	-	-	-	-	1	1	2	12	14	15
White	17	-	-	-	-	-	-	1	-	5	10	1	42	-	-	-	-	-	-	1	1	11	14	15
All other	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Hyperplasia of prostate (600)	26	-	-	-	-	-	-	-	1	3	11	11	...	...	...	...	...	...	...	...	...	...	...	...
White	25	-	-	-	-	-	-	-	1	3	11	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	7	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	5	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	4	6	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	1	4	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	2	–	–	...	...	...	...
Congenital anomalies (740-759)	331	212	26	6	14	15	8	11	8	15	11	5	263	158	24	12	11	8	6	10	9	15	7	3
White	288	180	23	5	11	14	7	9	8	15	11	5	225	133	19	8	11	8	5	9	8	14	7	3
All other	43	32	3	1	3	1	1	2	–	–	–	–	38	25	5	4	–	–	1	1	1	1	–	–
Black	40	29	3	1	3	1	1	2	–	–	–	–	36	24	4	4	–	–	1	1	1	1	–	–
Certain conditions originating in the perinatal period (760-779)	471	469	1	–	1	–	–	–	–	–	–	–	380	385	3	1	–	–	–	–	1	–	–	–
White	337	335	1	–	1	–	–	–	–	–	–	–	255	252	2	–	–	–	–	–	1	–	–	–
All other	134	134	–	–	–	–	–	–	–	–	–	–	125	133	1	1	–	–	–	–	–	–	–	–
Black	129	129	–	–	–	–	–	–	–	–	–	–	133	131	1	1	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	112	111	1	–	–	–	–	–	–	–	–	–	92	90	1	1	–	–	–	–	–	–	–	–
White	92	91	1	–	–	–	–	–	–	–	–	–	70	69	1	–	–	–	–	–	–	–	–	–
All other	20	20	–	–	–	–	–	–	–	–	–	–	22	21	–	1	–	–	–	–	–	–	–	–
Black	19	19	–	–	–	–	–	–	–	–	–	–	22	21	–	1	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	359	358	–	–	1	–	–	–	–	–	–	–	298	295	2	–	–	–	–	–	1	–	–	–
White	245	244	–	–	1	–	–	–	–	–	–	–	185	183	1	–	–	–	–	–	1	–	–	–
All other	114	114	–	–	–	–	–	–	–	–	–	–	113	112	1	–	–	–	–	–	–	–	–	–
Black	110	110	–	–	–	–	–	–	–	–	–	–	111	110	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,525	107	4	2	11	22	68	185	371	399	234	119	1,047	83	8	2	6	7	31	68	132	210	278	222
White	977	71	3	2	8	15	41	96	226	265	162	88	714	50	6	2	4	5	16	26	76	139	199	189
All other	548	36	1	–	3	7	27	90	145	134	72	33	333	33	2	–	2	2	15	40	56	71	79	33
Black	545	36	1	–	3	7	27	90	145	134	70	32	328	31	2	–	2	2	15	39	56	71	77	33
All other diseases (Residual)	4,138	30	25	21	70	99	144	178	548	1,168	1,227	626	4,019	32	9	26	28	58	86	144	405	761	1,286	1,183
White	3,692	25	21	18	59	69	105	137	468	1,082	1,129	579	3,577	25	8	24	20	39	58	114	333	677	1,173	1,105
All other	444	5	4	3	11	30	39	41	80	86	98	47	442	7	1	2	8	19	28	30	72	84	113	78
Black	436	4	3	3	11	30	39	41	79	82	97	47	437	7	1	2	8	19	28	30	72	83	111	76
Accidents and adverse effects (E800-E949)	2,777	17	48	121	620	492	280	211	277	282	291	138	1,448	16	42	58	181	129	92	89	141	194	251	257
White	2,510	11	41	103	574	449	237	192	245	260	272	132	1,300	12	34	51	170	107	74	77	122	181	235	237
All other	267	6	7	18	46	49	43	19	32	22	19	6	148	4	8	5	11	22	18	12	19	13	16	20
Black	255	6	5	17	40	49	43	18	31	21	19	6	141	4	6	4	10	22	17	11	19	12	16	20
Motor vehicle accidents (E810-E825)	1,321	1	18	65	449	297	146	97	92	76	66	14	559	3	9	31	150	83	62	43	59	62	43	14
White	1,232	1	16	58	419	279	131	94	85	74	64	13	524	3	7	30	145	77	56	39	55	59	40	13
All other	89	–	2	9	30	18	15	3	7	2	2	1	35	–	2	1	5	6	6	4	4	3	3	1
Black	82	–	1	8	28	18	15	3	6	2	2	1	30	–	1	–	4	6	6	3	4	2	3	1
All other accidents and adverse effects (E800-E807 E826-E949)	1,456	16	30	56	171	195	134	114	185	206	225	124	889	13	33	25	31	46	30	46	82	132	208	243
White	1,278	10	25	47	155	164	106	98	160	186	208	119	776	9	27	21	25	30	18	38	67	122	195	224
All other	178	6	5	9	16	31	28	16	25	20	17	5	113	4	6	4	6	16	12	8	15	10	13	19
Black	173	6	4	9	14	31	28	15	25	19	17	5	111	4	5	4	6	16	11	8	15	10	13	19
Suicide (E950-E959)	1,102	...	...	14	200	217	152	122	173	125	80	18	318	...	...	4	40	55	54	46	59	45	14	1
White	1,027	...	...	12	184	192	141	116	164	121	79	17	298	...	...	2	36	50	50	45	55	45	14	1
All other	75	...	...	2	16	25	11	6	9	4	1	1	20	...	...	2	4	5	4	1	4	–	–	–
Black	72	...	...	2	15	24	10	6	9	4	1	1	18	...	...	2	3	4	4	1	4	–	–	–
Homicide and legal intervention (E960-E978)	414	5	9	3	97	138	83	40	23	7	5	4	174	7	5	6	41	45	15	12	14	14	8	5
White	174	2	7	1	42	50	39	14	10	3	2	4	102	4	1	2	26	22	9	9	9	7	6	5
All other	240	3	2	2	55	88	44	26	13	4	3	–	72	3	4	4	15	23	6	3	5	7	2	–
Black	236	3	2	2	54	87	43	25	13	4	3	–	69	3	3	4	15	23	5	2	5	7	2	–
All other external causes (E980-E999)	131	2	1	2	28	40	12	12	13	7	3	4	54	1	1	–	6	18	12	5	4	3	2	2
White	92	–	–	1	23	25	8	9	9	5	3	3	43	1	1	–	4	13	11	3	3	3	2	2
All other	39	2	1	1	5	15	4	3	4	2	1	1	11	–	–	–	2	5	1	2	1	–	–	–
Black	39	2	1	1	5	15	4	3	4	2	1	1	11	–	–	–	2	5	1	2	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,769	71	6	10	90	95	116	268	816	1,301	1,314	702	4,848	54	10	10	32	35	78	172	485	898	1,378	1,496
White	4,652	61	6	10	87	89	103	253	786	1,269	1,287	691	4,514	45	8	9	28	29	68	161	464	870	1,355	1,476
All other	137	10	–	–	3	6	13	15	30	32	17	11	132	8	2	1	4	6	10	11	21	28	23	20
Black	111	6	–	–	2	6	11	13	28	29	11	7	114	8	1	–	4	6	9	10	17	24	18	17
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	3	–
White	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	33	–	–	–	1	–	–	2	4	12	10	4	38	–	–	–	–	–	–	–	4	7	11	16
White	33	–	–	–	1	–	–	2	4	12	10	4	37	–	–	–	–	–	–	–	4	7	11	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	1
White	2	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	13	–	–	–	–	–	1	–	3	1	6	2	8	–	2	–	–	–	1	–	–	3	2	–
White	13	–	–	–	–	–	1	–	3	1	6	2	7	–	2	–	–	–	1	–	–	2	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,206	–	1	3	7	10	21	80	275	388	316	103	1,112	1	1	1	3	8	34	94	219	320	289	142
White	1,179	–	1	3	7	10	17	78	266	379	315	103	1,078	1	1	1	3	7	32	91	212	309	281	141
All other	27	–	–	–	–	–	4	2	9	9	3	–	33	–	–	–	–	1	2	3	7	11	8	1
Black	21	–	–	–	–	–	3	1	7	8	2	–	27	–	–	–	–	1	2	3	6	9	5	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	45	-	-	-	-	-	1	1	18	15	6	4	18	-	-	-	-	-	1	2	4	7	3	1
White	41	-	-	-	-	-	1	1	15	14	6	4	18	-	-	-	-	-	1	2	4	7	3	1
All other	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	342	-	-	-	1	-	5	17	76	125	87	31	300	-	-	-	-	2	4	11	45	73	107	58
White	335	-	-	-	1	-	3	17	74	123	88	31	293	-	-	-	-	2	4	11	44	71	104	57
All other	7	-	-	-	-	-	2	-	2	2	1	-	7	-	-	-	-	-	-	-	1	2	3	1
Black	6	-	-	-	-	-	2	-	2	1	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	392	-	-	-	-	1	4	28	96	141	105	17	194	-	-	-	-	1	4	18	50	67	44	10
White	383	-	-	-	-	1	4	26	95	137	103	17	184	-	-	-	-	1	2	17	47	65	42	10
All other	9	-	-	-	-	-	-	2	1	4	2	-	10	-	-	-	-	-	2	1	3	2	2	-
Black	6	-	-	-	-	-	-	1	-	4	1	-	9	-	-	-	-	-	2	1	3	2	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	226	-	-	-	-	2	10	35	54	68	35	22
White	-	-	-	-	-	-	-	-	-	-	-	-	221	-	-	-	-	1	10	33	54	67	34	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	2	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	2	-	1	-	-
Malignant neoplasms of genital organs (179-187)	107	-	-	-	1	1	-	2	6	28	41	26	119	-	-	-	-	-	5	12	24	39	27	12
White	106	-	-	-	1	1	-	2	6	27	41	26	118	-	-	-	-	-	5	12	24	38	27	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	77	-	-	-	-	-	1	5	17	21	27	6	29	-	1	-	-	-	1	1	3	5	12	6
White	76	-	-	-	-	-	1	5	16	21	27	6	28	-	1	-	-	-	1	1	3	5	11	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	137	-	1	2	3	6	4	14	43	28	28	8	118	1	-	1	-	1	7	4	20	31	32	21
White	135	-	1	2	3	6	3	14	42	28	28	8	114	1	-	1	-	1	7	4	19	29	31	21
All other	2	-	-	-	-	-	1	-	1	-	-	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Leukemia (204-208)	43	-	-	1	2	2	3	4	7	11	11	2	42	-	-	-	2	1	2	6	2	11	14	4
White	41	-	-	1	2	2	2	4	6	11	11	2	40	-	-	-	2	1	2	6	2	9	14	4
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	63	-	-	-	-	-	3	9	10	19	13	9	66	-	-	-	1	1	-	5	17	19	15	8
White	62	-	-	-	-	-	3	9	10	18	13	9	63	-	-	-	1	1	-	5	15	18	15	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	-	-	-	-	-	-	2	6	9	-	15	-	-	-	-	-	-	-	-	5	4	6
White	16	-	-	-	-	-	-	-	1	6	9	-	15	-	-	-	-	-	-	-	-	5	4	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	85	-	-	-	1	1	2	5	13	30	18	15	138	-	-	-	1	1	-	5	16	32	42	41
White	81	-	-	-	1	1	2	4	13	28	18	14	132	-	-	-	1	1	-	5	15	31	40	39
All other	4	-	-	-	-	-	-	1	-	2	-	1	6	-	-	-	-	-	-	-	1	1	2	2
Black	4	-	-	-	-	-	-	1	-	2	-	1	5	-	-	-	-	-	-	-	1	1	2	1
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	1	3	2	10	-	-	-	-	-	-	-	-	2	3	5
White	6	-	-	-	-	-	-	-	-	1	3	2	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	1	2	2	10	-	-	-	-	-	-	-	1	-	4	5
White	5	-	-	-	-	-	-	-	-	1	2	2	9	-	-	-	-	-	-	-	-	-	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,219	-	1	1	3	5	40	110	354	616	677	412	2,414	2	-	3	1	-	12	40	166	376	802	1,012
White	2,168	-	1	1	3	5	36	103	342	605	667	405	2,373	2	-	3	1	-	10	34	161	368	794	1,000
All other	51	-	-	-	-	-	4	7	12	11	10	7	41	-	-	-	-	-	2	6	5	8	8	12
Black	41	-	-	-	-	-	3	7	11	10	6	4	38	-	-	-	-	-	2	5	4	6	7	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,832	-	1	1	2	4	38	96	320	524	527	321	1,911	2	-	2	1	-	7	31	141	312	644	771
White	1,790	-	1	1	2	4	33	89	308	515	521	316	1,879	2	-	2	1	-	6	26	138	305	637	762
All other	42	-	-	-	-	-	3	7	12	9	6	5	32	-	-	-	-	-	1	5	3	7	7	9
Black	37	-	-	-	-	-	3	7	11	9	3	4	31	-	-	-	-	-	1	5	3	7	7	8
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	-	-	5	1	-	23	-	-	-	-	-	-	2	4	6	6	5
White	6	-	-	-	-	-	-	-	-	5	1	-	23	-	-	-	-	-	-	2	4	6	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	26	-	-	-	-	-	-	2	8	11	5	-	37	-	-	-	-	-	-	1	5	8	14	11
White	24	-	-	-	-	-	-	1	7	11	5	-	35	-	-	-	-	-	-	1	5	8	14	11
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	1	4	1	5	-	-	-	-	-	-	-	1	2	2	-
White	6	-	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-	-	-	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	1,536	-	-	-	1	-	27	80	270	443	448	269	1,546	-	-	-	-	-	3	22	112	254	520	635
White	1,506	-	-	-	1	-	26	77	261	434	442	265	1,524	-	-	-	-	-	2	18	109	251	515	629
All other	30	-	-	-	-	-	1	3	9	9	4	4	22	-	-	-	-	-	1	4	3	3	5	6
Black	26	-	-	-	-	-	1	3	8	9	2	3	21	-	-	-	-	-	1	4	3	3	5	5
Acute myocardial infarction (410)	827	-	-	-	1	-	16	60	191	286	250	113	767	-	-	-	-	-	1	14	79	163	263	247
White	809	-	-	-	1	-	15	59	184	282	248	112	758	-	-	-	-	-	-	12	79	161	260	246
All other	18	-	-	-	-	-	1	1	7	4	4	1	9	-	-	-	-	-	1	2	-	2	3	1
Black	16	-	-	-	-	-	1	1	7	4	2	1	9	-	-	-	-	-	1	2	-	2	3	1
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	1	-	1	3	5	-	-	-	-	-	-	1	-	-	3	1
White	5	-	-	-	-	-	-	-	1	-	1	3	5	-	-	-	-	-	-	1	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	-	-	-	-	1	2	4
White	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	-	-	-	-	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	601	-	-	-	-	-	11	20	77	145	195	153	767	-	-	-	-	-	2	7	33	90	252	383
White	589	-	-	-	-	-	11	18	75	140	195	150	754	-	-	-	-	-	2	5	30	89	250	378
All other	12	-	-	-	-	-	-	2	2	5	-	3	13	-	-	-	-	-	-	2	3	1	2	5
Black	10	-	-	-	-	-	-	2	1	5	-	2	12	-	-	-	-	-	-	2	3	1	2	4
Other diseases of endocardium (424)	15	-	-	-	-	-	-	-	2	5	5	3	35	-	-	-	1	-	-	-	2	5	17	10
White	15	-	-	-	-	-	-	-	2	5	5	3	35	-	-	-	1	-	-	-	2	5	17	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	243	-	1	1	1	4	9	14	40	59	66	48	265	2	-	2	-	-	4	6	17	39	65	110
White	233	-	1	1	1	4	7	11	38	59	64	47	258	2	-	2	-	-	4	6	17	38	64	107
All other	10	-	-	-	-	-	2	3	2	-	2	1	7	-	-	-	-	-	-	-	-	3	1	3
Black	9	-	-	-	-	-	2	3	2	-	1	1	7	-	-	-	-	-	-	-	-	3	1	3
Hypertension with or without renal disease (401,403)	21	-	-	-	-	-	-	2	3	2	7	7	15	-	-	-	-	-	-	-	2	2	4	7
White	21	-	-	-	-	-	-	2	3	2	7	7	15	-	-	-	-	-	-	-	2	2	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	241	-	-	-	1	1	2	10	19	58	94	56	383	-	-	1	-	-	5	8	17	43	129	180
White	235	-	-	-	1	1	2	10	19	56	91	55	376	-	-	1	-	-	4	7	15	42	128	179
All other	6	-	-	-	-	-	-	-	-	2	3	1	7	-	-	-	-	-	1	1	2	1	1	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	1	-	1	1	-	1
Intracerebral and other intracranial hemorrhage (431-432)	51	-	-	-	1	-	1	2	5	22	12	8	46	-	-	-	-	-	4	4	6	10	10	12
White	50	-	-	-	1	-	1	2	5	21	12	8	45	-	-	-	-	-	4	3	6	10	10	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.6)	37	-	-	-	-	-	-	3	5	7	16	6	71	-	-	-	-	-	-	-	-	10	36	25
White	37	-	-	-	-	-	-	3	5	7	16	6	70	-	-	-	-	-	-	-	-	10	35	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	149	-	-	-	-	1	1	5	9	27	64	42	265	-	-	1	-	-	1	4	11	23	82	143
White	144	-	-	-	-	1	1	5	9	26	61	41	260	-	-	1	-	-	-	4	9	22	82	142
All other	5	-	-	-	-	-	-	-	-	1	3	1	5	-	-	-	-	-	1	-	2	1	-	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	1	-	1	1	-	1
Atherosclerosis (440)	53	-	-	-	-	-	-	1	5	9	23	15	71	-	-	-	-	-	-	-	5	7	18	43
White	53	-	-	-	-	-	-	1	5	9	23	15	70	-	-	-	-	-	-	-	5	7	18	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	72	-	-	-	-	-	2	1	7	23	26	13	34	-	-	-	-	-	-	1	1	12	9	11
White	69	-	-	-	-	-	1	1	7	23	25	12	33	-	-	-	-	-	-	1	1	12	9	10
All other	3	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	96	2	-	1	1	1	3	3	6	18	29	32	96	2	-	-	1	1	-	-	2	12	26	52
White	95	2	-	1	1	1	3	3	6	17	29	32	92	1	-	-	-	1	-	-	2	11	26	51
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	1	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	1	-	-	-	-	1	-	1
Pneumonia (480-486)	95	2	-	1	1	1	3	3	6	18	29	31	96	2	-	-	1	1	-	-	2	12	26	52
White	94	2	-	1	1	1	3	3	6	17	29	31	92	1	-	-	-	1	-	-	2	11	26	51
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	1	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	1	-	-	-	-	1	-	1
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	215	1	-	-	1	-	3	6	23	65	75	41	106	-	-	-	-	-	1	-	2	10	33	34	26
White	211	1	-	-	1	-	3	6	23	64	74	39	105	-	-	-	-	-	1	-	2	10	32	34	26
All other	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	7	1	-	-	-	-	-	-	1	1	3	1	6	-	-	-	-	-	-	1	-	1	3	1
White	7	1	-	-	-	-	-	-	1	1	3	1	6	-	-	-	-	-	-	1	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	39	-	-	-	-	-	1	-	5	13	11	9	12	-	-	-	-	-	-	-	-	5	4	3
White	38	-	-	-	-	-	1	-	5	13	11	8	12	-	-	-	-	-	-	-	-	5	4	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	1	-	1	1	-	-	-	-	5	-	-	-	-	-	1	-	-	1	2	1
White	3	-	-	-	1	-	1	1	-	-	-	-	5	-	-	-	-	-	1	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	166	-	-	-	-	-	1	5	17	51	61	31	83	-	-	-	-	-	-	1	10	28	25	21
White	163	-	-	-	-	-	1	5	17	50	60	30	82	-	-	-	-	-	-	1	10	25	25	21
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	19	-	-	-	-	1	1	1	3	4	6	3	16	-	-	-	-	-	-	-	2	4	5	5
White	19	-	-	-	-	1	1	1	3	4	6	3	15	-	-	-	-	-	-	-	2	4	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	-	-	-	-	4	6	1	17	-	-	-	-	-	-	-	-	2	8	7
White	11	-	-	-	-	-	-	-	-	4	6	1	16	-	-	-	-	-	-	-	-	2	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	83	-	-	-	1	2	5	13	37	13	10	2	46	-	-	-	-	1	3	2	14	12	11	3
White	82	-	-	-	1	2	5	12	37	13	10	2	42	-	-	-	-	-	2	2	13	12	10	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	1	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	1	1	-	1	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	-	-	-	-	6	2	1	10	-	-	-	-	-	-	1	1	1	1	6
White	9	-	-	-	-	-	-	-	-	6	2	1	10	-	-	-	-	-	-	1	1	1	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	51	-	-	-	1	-	-	2	7	14	13	14	41	-	-	-	-	1	-	3	2	1	12	22
White	46	-	-	-	1	-	-	2	5	13	13	14	37	-	-	-	-	1	-	3	-	1	11	21
All other	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Black	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	1	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	1	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	46	-	-	-	1	-	-	2	5	13	11	14	38	-	-	-	-	-	-	3	2	1	11	21
White	43	-	-	-	1	-	-	2	3	12	11	14	34	-	-	-	-	-	-	3	-	1	10	20
All other	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Black	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Infections of kidney (590)	2	-	-	-	-	-	-	-	1	-	-	1	5	-	-	-	-	-	-	-	-	1	-	4
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	-	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	-	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	-	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	30	20	2	-	1	-	1	3	1	1	-	1	19	11	3	-	1	-	1	-	1	-	-	2
White	27	17	2	-	1	-	1	3	1	1	-	1	17	10	3	-	1	-	1	-	-	-	-	2
All other	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	28	28	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	22	22	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	16	5	-	-	3	1	1	2	1	3	-	-	19	8	-	1	-	1	2	-	1	1	-	5
White	15	4	-	-	3	1	1	2	1	3	-	-	18	7	-	1	-	1	2	-	1	1	-	5
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	349	3	-	1	9	8	9	22	65	88	94	50	352	3	-	1	3	6	14	10	35	67	98	115
White	333	3	-	1	9	8	7	20	61	82	92	50	337	3	-	1	2	4	10	9	32	66	96	114
All other	16	-	-	-	-	-	2	2	4	6	2	-	15	-	-	-	1	2	4	1	3	1	2	1
Black	14	-	-	-	-	-	2	1	4	5	2	-	13	-	-	-	1	2	4	1	2	1	1	1
Accidents and adverse effects (E800-E949)	172	2	2	2	40	37	15	8	11	23	25	7	98	2	1	2	15	8	7	8	3	12	21	19
White	165	2	2	2	40	35	14	7	10	22	25	6	93	1	1	2	15	7	6	7	3	11	21	19
All other	7	-	-	-	-	2	1	1	1	1	-	1	5	1	-	-	-	1	1	1	-	1	-	-
Black	6	-	-	-	-	2	1	1	1	1	-	-	4	1	-	-	-	1	-	1	-	1	-	-
Motor vehicle accidents (E810-E825)	72	-	-	2	25	20	10	3	2	4	6	-	37	1	-	2	11	4	2	3	1	5	6	2
White	70	-	-	2	25	19	10	2	2	4	6	-	36	-	-	2	11	4	2	3	1	5	6	2
All other	2	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	100	2	2	-	15	17	5	5	9	19	19	7	61	1	1	-	4	4	5	5	2	7	15	17
White	95	2	2	-	15	16	4	5	8	18	19	6	57	1	1	-	4	3	4	4	2	6	15	17
All other	5	-	-	-	-	1	1	-	1	1	-	1	4	-	-	-	-	1	1	1	-	1	-	-
Black	4	-	-	-	-	1	1	-	1	1	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Suicide (E950-E959)	73	...	...	-	14	19	7	7	9	4	8	5	22	...	...	-	-	3	4	6	6	3	-	-
White	70	...	...	-	12	19	7	7	9	4	7	5	22	...	...	-	-	3	4	6	6	3	-	-
All other	3	...	...	-	2	-	-	-	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	1	-	1	6	9	4	4	1	-	1	-	15	1	3	1	8	1	-	-	1	1	1	-
White	20	1	-	1	5	6	2	3	1	-	1	-	11	1	1	1	4	1	-	-	1	1	1	-
All other	7	-	-	-	1	3	2	1	-	-	-	-	4	-	2	-	2	-	-	-	-	-	-	-
Black	7	-	-	-	1	3	2	1	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	6	1	-	1	-	1	3	-	-	-	-	-	4	-	-	1	-	2	-	1	-	-	-	-
White	5	1	-	1	-	-	3	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	14,262	406	60	106	445	587	719	1,269	2,611	3,916	2,848	1,092	12,112	337	59	62	153	240	350	715	1,640	2,972	3,291	2,293
White	9,643	184	34	58	298	327	385	775	1,904	2,701	2,141	834	8,184	155	31	38	102	129	178	418	1,006	1,831	2,421	1,875
All other	4,619	222	26	48	147	260	334	494	907	1,215	707	258	3,928	182	28	24	51	111	172	297	634	1,141	870	418
Black	4,608	222	26	48	147	259	333	493	906	1,213	702	258	3,919	182	28	24	50	111	170	296	633	1,139	868	418
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	17	-	-	-	-	2	1	3	6	3	1	1	15	1	-	-	-	-	-	2	2	2	3	5
White	5	-	-	-	-	-	1	-	1	2	-	1	4	-	-	-	-	-	-	1	-	-	2	1
All other	12	-	-	-	-	2	-	3	5	1	1	-	11	1	-	-	-	-	-	1	2	2	1	4
Black	12	-	-	-	-	2	-	3	5	1	1	-	11	1	-	-	-	-	-	1	2	2	1	4
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	1	-	3	5	3	1	1	10	-	-	-	-	-	-	1	2	2	-	5
White	4	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	10	-	-	-	-	1	-	3	4	1	1	-	9	-	-	-	-	-	-	1	2	2	-	4
Black	10	-	-	-	-	1	-	3	4	1	1	-	9	-	-	-	-	-	-	1	2	2	-	4
Other tuberculosis (013-018)	3	-	-	-	-	1	1	-	1	-	-	-	5	1	-	-	-	-	-	1	-	-	3	-
White	1	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	-	-	-	1	-	-	2	-
All other	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	2	1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
White	2	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	105	6	-	-	3	-	3	9	14	36	23	11	120	5	-	-	-	1	4	9	11	29	31	30
White	54	1	-	-	1	-	-	2	10	23	12	5	60	-	-	-	-	-	3	5	16	17	19	
All other	51	5	-	-	2	-	3	7	4	13	11	6	60	5	-	-	-	1	4	6	6	13	14	11
Black	51	5	-	-	2	-	3	7	4	13	11	6	59	5	-	-	-	1	3	6	6	13	14	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	1	1	3	-	2	1	1	8	1	-	-	1	1	1	3	1	-	-	1
White	6	-	-	-	-	-	-	3	-	2	-	1	3	-	-	-	-	-	-	1	1	-	-	1
All other	3	-	-	-	-	1	1	-	-	-	1	-	6	1	-	-	1	1	1	2	-	-	-	-
Black	3	-	-	-	-	1	1	-	-	-	1	-	6	1	-	-	1	1	1	2	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	53	4	1	1	1	5	4	10	14	10	1	2	28	3	-	-	1	-	5	4	3	7	5	-
White	29	3	1	1	-	-	1	4	9	7	1	2	14	2	-	-	-	-	1	-	1	6	4	-
All other	24	1	-	-	1	5	3	6	5	3	-	-	14	1	-	-	1	-	4	4	2	1	1	-
Black	24	1	-	-	1	5	3	6	5	3	-	-	14	1	-	-	1	-	4	4	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,098	1	2	14	21	43	85	312	828	1,022	593	176	2,427	2	5	14	7	54	111	272	564	696	519	183
White	2,098	1	2	9	10	28	48	198	562	679	424	138	1,713	1	4	9	6	27	75	194	400	470	379	148
All other	1,000	-	-	5	11	15	37	113	267	343	169	40	714	1	1	5	1	27	36	78	164	226	140	35
Black	997	-	-	5	11	15	37	113	267	342	167	40	713	1	1	5	1	27	36	77	164	226	140	35
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	-	-	-	-	1	4	22	34	22	10	6	28	-	-	-	-	-	4	3	8	5	5	3
White	53	-	-	-	-	-	-	8	18	14	7	6	21	-	-	-	-	-	1	3	7	4	3	3
All other	46	-	-	-	-	1	4	14	16	8	3	-	7	-	-	-	-	-	3	-	1	1	2	-
Black	46	-	-	-	-	1	4	14	16	8	3	-	7	-	-	-	-	-	3	-	1	1	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	742	-	1	-	3	8	24	76	197	248	147	38	617	-	-	-	1	5	8	43	137	188	161	74
White	453	-	1	-	1	4	11	40	118	149	96	33	387	-	-	-	-	1	6	21	89	104	105	61
All other	289	-	-	-	2	4	13	36	79	99	51	5	230	-	-	-	1	4	2	22	48	84	56	13
Black	288	-	-	-	2	4	13	36	79	99	51	5	229	-	-	-	1	4	2	21	48	84	56	13
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,139	-	-	1	-	2	25	126	373	394	184	34	385	-	-	-	-	3	11	55	105	129	62	20
White	846	-	-	1	-	2	14	88	276	299	151	25	315	-	-	-	-	1	10	41	84	110	52	17
All other	293	-	-	-	-	-	11	38	97	105	33	9	70	-	-	-	-	2	1	14	21	19	10	3
Black	292	-	-	-	-	-	11	38	97	105	32	9	70	-	-	-	-	2	1	14	21	19	10	3
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	3	1	-	471	-	-	-	-	15	48	69	116	106	88	31
White	2	-	-	-	-	-	-	-	-	2	-	-	345	-	-	-	-	5	31	56	86	77	68	23
All other	2	-	-	-	-	-	-	-	-	1	1	-	126	-	-	-	-	10	16	13	31	29	20	8
Black	2	-	-	-	-	-	-	-	-	1	1	-	126	-	-	-	-	10	16	13	31	29	20	8
Malignant neoplasms of genital organs (179-187)	377	-	-	-	-	1	2	9	60	134	122	49	305	-	-	-	1	9	14	36	75	97	58	17
White	211	-	-	-	-	1	2	5	33	67	72	31	192	-	-	-	1	5	9	25	45	59	36	12
All other	166	-	-	-	-	-	-	4	27	67	50	18	113	-	-	-	-	4	5	11	30	38	20	5
Black	166	-	-	-	-	-	-	4	27	67	50	18	113	-	-	-	-	4	5	11	30	38	20	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	121	-	-	-	2	-	3	6	27	42	27	12	80	-	-	-	-	1	1	6	18	29	20	5
White	90	-	-	-	-	-	2	7	20	31	20	10	52	-	-	-	-	-	-	3	13	17	15	4
All other	31	-	-	-	2	-	1	1	7	11	7	2	28	-	-	-	-	1	1	3	5	12	5	1
Black	31	-	-	-	2	-	1	1	7	11	7	2	28	-	-	-	-	1	1	3	5	12	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	336	-	-	3	2	15	13	40	92	103	53	15	315	2	2	6	3	10	15	37	69	75	75	21
White	240	-	-	1	1	13	10	28	64	72	41	10	229	1	2	2	3	6	9	27	54	50	57	18
All other	96	-	-	2	1	2	3	12	28	31	12	5	86	1	-	4	-	4	6	10	15	25	18	3
Black	95	-	-	2	1	2	3	12	28	31	11	5	86	1	-	4	-	4	6	10	15	25	18	3
Leukemia (204-208)	106	1	1	8	8	4	6	10	14	26	16	12	96	-	3	8	2	5	3	4	17	25	22	7
White	82	1	1	5	5	2	4	8	12	19	14	11	71	-	2	7	2	5	1	4	11	16	18	5
All other	24	-	-	3	3	2	2	2	2	7	2	1	25	-	1	1	-	-	2	-	6	9	4	2
Black	24	-	-	3	3	2	2	2	2	7	2	1	25	-	1	1	-	-	2	-	6	9	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	174	-	-	2	6	12	8	21	32	50	33	10	130	-	-	-	-	6	9	19	19	42	30	5
White	121	-	-	2	3	6	5	15	21	38	23	10	101	-	-	-	-	4	8	14	12	33	25	5
All other	53	-	-	-	3	6	3	6	11	14	10	-	29	-	-	-	-	2	1	5	7	9	5	-
Black	53	-	-	-	3	6	3	6	11	14	10	-	29	-	-	-	-	2	1	5	7	9	5	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	-	1	-	1	1	2	4	6	10	7	1	37	-	-	-	-	-	2	3	3	13	10	6
White	19	-	-	-	-	-	1	1	4	6	6	1	27	-	-	-	-	-	-	3	3	8	7	6
All other	14	-	1	-	1	1	1	3	2	4	1	-	10	-	-	-	-	-	2	-	-	5	3	-
Black	14	-	1	-	1	1	1	3	2	4	1	-	10	-	-	-	-	-	2	-	-	5	3	-
Diabetes mellitus (250)	169	-	-	1	2	7	13	23	30	45	38	10	312	-	-	1	2	2	5	17	52	122	84	27
White	91	-	-	1	1	3	4	10	18	22	24	8	158	-	-	1	-	2	2	6	17	58	55	15
All other	78	-	-	-	1	4	9	13	12	23	14	2	154	-	-	-	2	-	3	9	35	64	29	12
Black	78	-	-	-	1	4	9	13	12	23	14	2	154	-	-	-	2	-	3	9	35	64	29	12
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	-	6	3	2	3	23	-	-	-	-	-	-	-	2	2	7	12
White	5	-	-	-	-	-	-	-	1	1	1	2	15	-	-	-	-	-	-	-	1	1	3	10
All other	9	-	-	-	-	-	-	-	5	2	1	1	8	-	-	-	-	-	-	-	1	1	4	2
Black	9	-	-	-	-	-	-	-	5	2	1	1	8	-	-	-	-	-	-	-	1	1	4	2
Anemias (280-285)	38	2	-	-	4	2	1	1	7	9	10	2	30	1	1	3	-	4	3	-	2	5	5	6
White	18	-	-	-	-	-	-	-	4	3	10	2	16	-	-	2	-	-	1	-	1	3	4	5
All other	19	2	-	-	4	2	1	1	3	6	-	-	14	1	1	1	-	4	2	-	1	2	1	1
Black	19	2	-	-	4	2	1	1	3	6	-	-	14	1	1	1	-	4	2	-	1	2	1	1
Meningitis (320-322)	14	4	-	-	1	-	1	1	3	2	2	-	9	5	2	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	2	-	1	-	3	2	1	-	-	-	-	-	-	-	-	-
All other	11	4	-	-	1	-	1	1	1	2	1	-	6	3	1	-	-	-	-	-	-	-	1	1
Black	11	4	-	-	1	-	1	1	1	2	1	-	6	3	1	-	-	-	-	-	-	-	1	1
Major cardiovascular diseases (390-448)	6,212	12	6	3	11	49	205	518	1,301	1,953	1,537	616	6,137	7	2	2	8	21	88	222	664	1,570	1,974	1,579
White	4,398	4	3	-	6	19	115	327	899	1,382	1,173	469	4,209	4	-	1	2	7	25	100	357	932	1,456	1,325
All other	1,814	8	2	3	5	30	90	191	402	571	364	147	1,928	3	2	1	6	14	63	122	307	638	518	254
Black	1,812	8	2	3	5	30	90	191	401	571	363	147	1,923	3	2	1	6	14	62	122	306	637	516	254
Diseases of heart (390-398,402,404-429)	4,868	9	5	1	8	39	160	429	1,057	1,545	1,153	461	4,485	7	2	2	5	14	66	158	523	1,185	1,403	1,120
White	3,563	3	3	-	4	16	98	289	762	1,139	902	348	3,115	4	-	1	1	4	21	78	289	738	1,048	931
All other	1,305	6	2	1	4	23	64	140	295	406	251	113	1,370	3	2	1	4	10	45	80	234	447	355	189
Black	1,304	6	2	1	4	23	64	140	294	406	251	113	1,365	3	2	1	4	10	44	80	233	446	353	189
Rheumatic fever and rheumatic heart disease (390-398)	22	-	1	-	-	-	3	3	6	4	3	2	38	-	-	-	-	-	4	5	7	12	7	3
White	17	-	1	-	-	-	2	3	5	3	2	1	32	-	-	-	-	-	3	3	6	11	6	3
All other	5	-	-	-	-	-	1	-	1	1	1	1	6	-	-	-	-	-	1	2	1	1	1	-
Black	5	-	-	-	-	-	1	-	1	1	1	1	6	-	-	-	-	-	1	2	1	1	1	-
Hypertensive heart disease (402)	140	-	-	-	-	1	3	15	32	41	31	17	203	-	-	-	-	-	4	7	22	57	62	51
White	69	-	-	-	-	-	-	4	12	19	23	11	89	-	-	-	-	-	-	1	2	16	35	35
All other	71	-	-	-	-	1	3	11	20	22	8	6	114	-	-	-	-	-	4	6	20	41	27	16
Black	71	-	-	-	-	1	3	11	20	22	8	6	114	-	-	-	-	-	4	6	20	41	27	16
Hypertensive heart and renal disease (404)	19	-	-	-	-	-	-	1	4	8	5	1	38	-	-	-	-	-	-	-	1	10	11	14
White	10	-	-	-	-	-	-	1	1	4	3	1	20	-	-	-	-	-	-	-	-	7	4	9
All other	9	-	-	-	-	-	-	-	3	4	2	-	18	-	-	-	-	-	-	-	1	3	7	5
Black	9	-	-	-	-	-	-	-	3	4	2	-	16	-	-	-	-	-	-	-	1	3	7	5
Ischemic heart disease (410-414)	3,381	-	-	-	3	22	106	301	757	1,086	822	284	2,764	-	-	-	-	6	23	101	326	752	912	664
White	2,631	-	-	-	1	10	71	216	588	851	665	229	2,062	-	-	-	-	2	9	56	196	514	718	567
All other	750	-	-	-	2	12	35	85	169	235	157	55	722	-	-	-	-	4	14	45	130	238	194	97
Black	750	-	-	-	2	12	35	85	169	235	157	55	718	-	-	-	-	4	14	45	129	237	192	97
Acute myocardial infarction (410)	2,245	-	-	-	2	13	78	228	567	737	500	122	1,674	-	-	-	-	3	18	84	238	513	593	285
White	1,747	-	-	-	1	5	50	165	442	582	411	91	1,223	-	-	-	-	1	7	49	147	381	420	238
All other	498	-	-	-	1	8	28	63	125	155	89	31	451	-	-	-	-	2	11	35	91	152	113	47
Black	498	-	-	-	1	8	28	63	125	155	89	31	448	-	-	-	-	2	11	35	90	151	112	47

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	68	-	-	-	-	2	4	7	16	22	12	5	49	-	-	-	-	-	2	3	5	17	12	10
White	36	-	-	-	-	-	2	6	9	12	6	1	27	-	-	-	-	-	-	2	2	8	9	6
All other	32	-	-	-	-	2	2	1	7	10	6	4	22	-	-	-	-	-	2	1	3	9	3	4
Black	32	-	-	-	-	2	2	1	7	10	6	4	22	-	-	-	-	-	2	1	3	9	3	4
Angina pectoris (413)	16	-	-	-	-	-	-	1	3	10	2	-	14	-	-	-	-	-	-	1	1	3	5	4
White	14	-	-	-	-	-	-	1	3	8	2	-	10	-	-	-	-	-	-	-	1	2	4	3
All other	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,052	-	-	-	1	7	26	65	171	317	308	157	1,047	-	-	-	-	3	3	13	62	219	362	365
White	834	-	-	-	-	5	19	44	134	249	246	137	802	-	-	-	-	1	2	5	46	143	285	320
All other	218	-	-	-	1	2	7	21	37	68	62	20	245	-	-	-	-	2	1	8	36	76	77	45
Black	218	-	-	-	1	2	7	21	37	68	62	20	244	-	-	-	-	2	1	8	36	76	76	45
Other diseases of endocardium (424)	54	-	-	-	1	1	2	1	11	15	20	3	49	-	-	1	-	-	1	1	2	13	23	8
White	40	-	-	-	1	1	1	1	8	11	15	1	34	-	-	-	-	-	1	1	1	7	18	6
All other	14	-	-	-	-	-	1	-	2	4	5	2	15	-	-	1	-	-	-	-	1	6	5	2
Black	14	-	-	-	-	-	1	-	2	4	5	2	15	-	-	1	-	-	-	-	1	6	5	2
All other forms of heart disease (415-423,425-429)	1,252	9	4	1	4	15	46	108	247	391	272	154	1,375	7	2	1	5	8	34	44	165	341	398	380
White	796	3	2	-	2	5	22	64	147	251	194	105	878	4	-	1	1	2	8	17	84	183	287	311
All other	456	6	2	1	2	10	24	44	100	140	78	49	497	3	2	-	4	6	26	27	81	158	121	69
Black	455	6	2	1	2	10	24	44	99	140	78	49	496	3	2	-	4	6	25	27	81	158	121	69
Hypertension with or without renal disease (401,403)	63	-	-	-	-	1	4	6	11	18	18	5	66	-	-	-	-	-	2	6	10	22	22	4
White	30	-	-	-	-	-	3	1	4	9	10	3	23	-	-	-	-	-	-	-	-	8	12	3
All other	33	-	-	-	-	1	1	5	7	9	8	2	43	-	-	-	-	-	2	6	10	14	10	1
Black	33	-	-	-	-	1	1	5	7	9	8	2	43	-	-	-	-	-	2	6	10	14	10	1
Cerebrovascular diseases (430-438)	1,041	3	-	2	2	7	35	74	186	313	304	114	1,338	-	-	-	3	6	20	56	113	310	462	368
White	613	1	-	-	2	2	12	32	90	177	208	89	881	-	-	-	1	3	4	22	58	149	327	317
All other	428	2	-	2	-	5	23	42	96	136	96	25	457	-	-	-	2	3	16	34	55	161	135	51
Black	427	2	-	2	-	5	23	42	96	136	95	25	457	-	-	-	2	3	16	34	55	161	135	51
Intracerebral and other intracranial hemorrhage (431-432)	197	3	-	-	1	3	19	30	47	50	32	11	177	-	-	-	-	1	8	20	24	55	47	22
White	99	1	-	-	1	-	4	13	24	28	19	9	110	-	-	-	-	1	2	9	13	27	40	18
All other	98	2	-	-	-	3	15	17	23	22	13	2	67	-	-	-	-	-	6	11	11	28	7	4
Black	98	2	-	-	-	3	15	17	23	22	13	2	67	-	-	-	-	-	6	11	11	28	7	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	135	-	-	1	-	-	1	4	23	46	43	17	183	-	-	-	-	-	5	6	9	36	73	55
White	83	-	-	-	-	-	-	2	12	24	28	17	129	-	-	-	-	-	-	3	5	18	55	48
All other	52	-	-	1	-	-	1	2	11	22	15	-	54	-	-	-	-	-	5	2	4	18	18	7
Black	52	-	-	1	-	-	1	2	11	22	15	-	54	-	-	-	-	-	5	2	4	18	18	7
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	1	1	1
White	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	706	-	-	1	1	4	15	40	116	217	228	88	975	-	-	-	3	5	7	31	80	218	341	290
White	428	-	-	-	1	2	8	17	54	125	159	63	640	-	-	-	1	2	2	10	40	104	231	250
All other	278	-	-	1	-	2	7	23	62	92	68	23	335	-	-	-	2	3	5	21	40	114	110	40
Black	277	-	-	1	-	2	7	23	62	92	67	23	335	-	-	-	2	3	5	21	40	114	110	40
Atherosclerosis (440)	94	-	-	-	-	-	-	2	13	22	35	22	156	-	-	-	-	-	-	1	5	23	58	71
White	73	-	-	-	-	-	-	2	11	12	28	20	128	-	-	-	-	-	-	-	3	14	48	63
All other	21	-	-	-	-	-	-	-	2	10	7	2	28	-	-	-	-	-	-	1	2	9	8	8
Black	21	-	-	-	-	-	-	-	2	10	7	2	28	-	-	-	-	-	-	1	2	9	8	8
Other diseases of arteries, arterioles, and capillaries (441-448)	146	-	-	-	1	2	6	7	34	55	27	14	92	-	-	-	-	1	-	1	13	30	31	16
White	119	-	-	-	-	1	4	3	32	45	25	9	62	-	-	-	-	-	-	-	7	23	21	11
All other	27	-	-	-	1	1	2	4	2	10	2	5	30	-	-	-	-	1	-	1	6	7	10	5
Black	27	-	-	-	1	1	2	4	2	10	2	5	30	-	-	-	-	1	-	1	6	7	10	5
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	2	-	-	1	3	1	1	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	367	10	2	1	2	7	13	21	41	67	109	74	304	4	1	1	-	3	3	4	9	48	126	105
White	246	2	-	1	2	3	4	11	25	61	78	59	230	1	-	1	-	-	1	3	5	33	100	86
All other	121	8	2	-	-	4	9	10	16	26	31	15	74	3	1	-	-	3	2	1	4	15	26	19
Black	121	8	2	-	-	4	9	10	16	26	31	15	74	3	1	-	-	3	2	1	4	15	26	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	385	10	2	1	2	7	13	21	41	87	108	73	301	4	1	1	–	3	3	4	9	47	124	105
White	246	2	–	1	2	3	4	11	25	61	78	59	227	1	–	1	–	–	1	3	5	32	98	86
All other	119	8	2	–	–	4	9	10	16	26	30	14	74	3	1	–	–	3	2	1	4	15	26	19
Black	119	8	2	–	–	4	9	10	16	26	30	14	74	3	1	–	–	3	2	1	4	15	26	19
Influenza (487)	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	1	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–
All other	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	480	2	–	–	1	1	4	13	67	205	140	27	224	–	–	–	1	2	3	14	44	67	72	21
White	408	–	–	–	1	–	2	10	71	166	132	26	202	–	–	–	1	1	2	11	40	58	69	20
All other	72	2	–	–	–	1	2	3	16	39	8	1	22	–	–	–	–	1	1	3	4	9	3	1
Black	70	2	–	–	–	1	2	3	16	38	7	1	21	–	–	–	–	1	1	3	4	8	3	1
Bronchitis, chronic and unspecified (490-491)	20	1	–	–	–	–	–	1	3	10	5	–	17	–	–	–	–	–	–	2	1	7	3	4
White	18	–	–	–	–	–	–	1	3	9	5	–	15	–	–	–	–	–	–	1	1	6	3	4
All other	2	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Emphysema (492)	87	–	–	–	–	–	1	1	18	31	30	6	22	–	–	–	–	–	–	1	6	5	7	3
White	77	–	–	–	–	–	1	1	14	27	28	6	21	–	–	–	–	–	–	–	6	5	7	3
All other	10	–	–	–	–	–	–	–	4	4	2	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	10	–	–	–	–	–	–	–	4	4	2	–	1	–	–	–	–	–	–	1	–	–	–	–
Asthma (493)	18	–	–	–	1	1	–	2	8	5	1	–	25	–	–	–	1	1	2	3	3	8	6	1
White	11	–	–	–	1	–	–	–	5	4	1	–	19	–	–	–	1	1	1	3	2	5	5	1
All other	7	–	–	–	–	1	–	2	3	1	–	–	6	–	–	–	–	–	1	–	1	3	1	–
Black	7	–	–	–	–	1	–	2	3	1	–	–	6	–	–	–	–	–	1	–	1	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	355	1	–	–	–	–	3	9	59	159	104	21	160	–	–	–	–	1	1	6	34	47	56	13
White	302	–	–	–	–	–	1	8	49	126	98	20	147	–	–	–	–	–	1	7	31	42	54	12
All other	53	1	–	–	–	–	2	1	9	33	6	1	13	–	–	–	–	1	–	1	3	5	2	1
Black	52	1	–	–	–	–	2	1	9	33	5	1	12	–	–	–	–	1	–	1	3	4	2	1
Ulcer of stomach and duodenum (531-533)	59	1	–	–	–	1	–	6	15	12	12	6	40	–	–	–	–	1	–	2	7	9	13	8
White	38	1	–	–	–	1	–	3	11	8	11	4	31	–	–	–	–	1	–	1	4	7	12	8
All other	15	–	–	–	–	1	–	3	4	4	1	2	9	–	–	–	–	–	–	1	3	2	1	2
Black	15	–	–	–	–	1	–	3	4	4	1	2	9	–	–	–	–	–	–	1	3	2	1	2
Appendicitis (540-543)	2	–	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–	1	–	1	2	3	1
White	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	3	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	1	–	1	2	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	1	–	1	2	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	2	–	–	1	–	1	1	1	11	5	4	37	–	–	–	1	–	–	–	1	8	17	10
White	19	–	–	–	1	–	1	–	1	8	4	4	26	–	–	–	–	–	–	–	–	4	14	8
All other	7	2	–	–	–	–	–	1	–	3	1	–	11	–	–	–	1	–	–	–	1	4	3	2
Black	7	2	–	–	–	–	–	1	–	3	1	–	11	–	–	–	1	–	–	–	1	4	3	2
Chronic liver disease and cirrhosis (571)	203	–	1	–	–	8	34	36	56	56	9	3	116	–	–	–	1	4	12	22	36	24	16	1
White	146	–	1	–	–	1	21	24	40	49	7	3	78	–	–	–	–	1	2	10	30	21	13	1
All other	57	–	–	–	–	7	13	12	16	7	2	–	38	–	–	–	1	3	10	12	6	3	3	–
Black	57	–	–	–	–	7	13	12	16	7	2	–	38	–	–	–	1	3	10	12	6	3	3	–
Cholelithiasis and other disorders of gallbladder (574-575)	16	–	–	–	–	–	1	1	3	5	4	2	23	–	–	–	–	1	–	2	3	4	8	5
White	12	–	–	–	–	–	1	1	2	4	2	2	20	–	–	–	–	–	–	2	1	4	8	5
All other	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	1	–	–	2	–	–	–
Black	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	1	–	–	2	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	121	–	–	–	2	2	4	9	20	32	31	21	159	2	–	1	1	–	3	6	27	43	39	35
White	61	–	–	–	2	–	–	5	7	15	15	17	70	2	–	–	–	–	2	2	8	15	24	17
All other	60	–	–	–	–	2	4	4	13	17	16	4	89	–	–	1	1	–	1	6	19	28	15	18
Black	60	–	–	–	–	2	4	4	13	17	16	4	89	–	–	1	1	–	1	6	19	28	15	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	1	–	–	–	–	–	2	1	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	1	–	–	–	–	–	1	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	1	–	–	–	–	–	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	–	–	–	–	1	1	2	2	8	5	4	14	–	–	–	–	–	–	2	3	1	4	4
White	11	–	–	–	–	–	–	–	1	4	3	3	6	–	–	–	–	–	–	1	1	–	3	1
All other	10	–	–	–	–	1	1	2	1	2	2	1	8	–	–	–	–	–	–	1	2	1	1	3
Black	10	–	–	–	–	1	1	2	1	2	2	1	8	–	–	–	–	–	–	1	2	1	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	–	–	–	2	1	3	7	19	26	25	17	139	2	–	–	1	–	3	6	24	40	34	29
White	50	–	–	–	2	–	–	5	6	11	12	14	62	2	–	–	–	–	2	1	7	14	21	15
All other	49	–	–	–	–	1	3	2	12	15	13	3	77	–	–	–	1	–	1	5	17	26	13	14
Black	49	–	–	–	–	1	3	2	12	15	13	3	77	–	–	–	1	–	1	5	17	26	13	14
Infections of kidney (590)	9	–	–	–	–	1	1	1	–	3	3	–	17	–	–	–	–	–	–	1	–	5	7	4
White	5	–	–	–	–	1	–	1	–	1	2	–	12	–	–	–	–	–	–	1	–	4	3	4
All other	4	–	–	–	–	–	1	–	–	2	1	–	5	–	–	–	–	–	–	–	–	1	4	–
Black	4	–	–	–	–	–	1	–	–	2	1	–	5	–	–	–	–	–	–	–	–	1	4	–
Hyperplasia of prostate (600)	4	–	–	–	–	–	–	–	1	–	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	–	2	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	1	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	1	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Congenital anomalies (740-759)	103	68	8	5	5	5	3	3	4	1	1	–	83	56	4	4	4	5	4	1	3	1	1	–
White	67	44	4	3	3	4	3	2	2	1	1	–	61	38	3	4	4	4	3	1	3	–	1	–
All other	36	24	4	2	2	1	–	1	2	–	–	–	22	18	1	–	–	1	1	–	–	1	–	–
Black	36	24	4	2	2	1	–	1	2	–	–	–	22	18	1	–	–	1	1	–	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	217	217	–	–	–	–	–	–	–	–	–	–	188	187	1	–	–	–	–	–	–	–	–	–
White	96	96	–	–	–	–	–	–	–	–	–	–	74	74	–	–	–	–	–	–	–	–	–	–
All other	121	121	–	–	–	–	–	–	–	–	–	–	114	113	1	–	–	–	–	–	–	–	–	–
Black	121	121	–	–	–	–	–	–	–	–	–	–	114	113	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	56	56	–	–	–	–	–	–	–	–	–	–	34	33	1	–	–	–	–	–	–	–	–	–
White	29	29	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
All other	27	27	–	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
Black	27	27	–	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	161	161	–	–	–	–	–	–	–	–	–	–	154	154	–	–	–	–	–	–	–	–	–	–
White	67	67	–	–	–	–	–	–	–	–	–	–	56	56	–	–	–	–	–	–	–	–	–	–
All other	94	94	–	–	–	–	–	–	–	–	–	–	98	98	–	–	–	–	–	–	–	–	–	–
Black	94	94	–	–	–	–	–	–	–	–	–	–	98	98	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	150	46	1	–	3	8	13	15	19	20	15	10	124	37	1	1	1	3	1	6	10	21	23	20
White	65	19	–	–	2	4	6	5	6	10	9	4	74	18	–	–	–	2	–	5	7	11	15	16
All other	85	27	1	–	1	4	7	10	13	10	6	6	50	19	1	1	1	1	1	1	3	10	8	4
Black	85	27	1	–	1	4	7	10	13	10	6	6	50	19	1	1	1	1	1	1	3	10	8	4
All other diseases (Residual)	951	14	8	6	15	37	78	95	168	233	206	91	971	18	9	7	12	27	31	68	115	218	269	197
White	594	5	3	5	8	11	33	51	111	147	152	68	630	9	5	3	8	11	12	33	68	134	194	153
All other	357	9	5	1	7	26	45	44	57	86	54	23	341	9	4	4	4	16	19	35	47	84	75	44
Black	356	9	5	1	7	26	45	44	57	86	53	23	341	9	4	4	4	16	19	35	47	84	75	44
Accidents and adverse effects (E800-E949)	1,239	9	28	72	293	285	154	109	119	100	63	26	480	4	28	25	82	71	35	34	57	56	54	34
White	782	5	19	38	210	173	81	66	68	61	46	16	328	4	15	15	69	49	27	23	36	33	37	26
All other	457	4	9	36	83	92	73	43	51	39	17	10	152	–	13	10	13	22	8	11	21	23	17	8
Black	455	4	9	36	83	91	73	42	51	39	17	10	152	–	13	10	13	22	8	11	21	23	17	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	697	2	10	36	211	182	87	59	50	33	22	5	249	2	9	20	67	51	21	18	24	23	12	2
White	466	2	6	25	160	118	48	37	31	17	18	4	179	2	5	13	53	34	17	15	15	16	8	1
All other	231	–	4	11	51	64	39	22	19	16	4	1	70	–	4	7	14	17	4	3	9	7	4	1
Black	230	–	4	11	51	64	39	21	19	16	4	1	70	–	4	7	14	17	4	3	9	7	4	1
All other adverse effects (E800-E807, E826-E949)	542	7	18	38	82	83	67	50	69	67	41	21	231	2	19	5	15	20	14	16	33	33	42	32
White	316	3	13	11	50	55	33	29	37	44	28	12	149	2	10	2	10	15	10	8	21	17	29	25
All other	226	4	5	25	32	28	34	21	32	23	13	9	82	–	9	3	5	5	4	8	12	16	13	7
Black	225	4	5	25	32	27	34	21	32	23	13	9	82	–	9	3	5	5	4	8	12	16	13	7
Suicide (E950-E959)	305	...	...	1	42	73	46	30	43	42	28	2	85	...	...	–	12	17	18	14	13	11	1	1
White	265	...	...	1	34	55	43	29	40	38	25	2	75	...	...	–	10	15	15	12	12	9	1	1
All other	40	...	...	–	8	18	3	1	3	6	1	–	10	...	...	–	2	2	1	2	1	2	–	–
Black	40	...	...	–	8	18	3	1	3	6	1	–	10	...	...	–	2	2	1	2	1	2	–	–
Homicide and legal intervention (E960-E978)	219	1	2	1	31	65	47	42	14	11	5	–	87	2	3	2	16	19	22	5	8	7	2	1
White	90	–	1	–	11	24	19	20	8	4	3	–	37	–	1	2	6	7	10	3	4	3	–	1
All other	129	1	1	1	20	41	28	22	6	7	2	–	50	2	2	–	10	12	12	2	4	4	2	–
Black	128	1	1	1	20	41	27	22	6	7	2	–	49	2	2	–	9	12	12	2	4	4	2	–
All other external causes (E980-E999)	20	–	–	–	6	4	4	3	1	2	–	–	7	1	–	–	1	1	–	2	2	–	–	–
White	12	–	–	–	6	1	1	1	1	2	–	–	4	–	–	–	1	–	–	1	2	–	–	–
All other	8	–	–	–	–	3	3	2	–	–	–	–	3	1	–	–	–	1	–	1	–	–	–	–
Black	8	–	–	–	–	3	3	2	–	–	–	–	3	1	–	–	–	1	–	1	–	–	–	–
SOUTH DAKOTA																								
All causes	3,606	83	18	22	84	91	94	203	468	833	1,032	677	2,927	41	15	8	33	28	57	98	238	475	840	1,093
White	3,379	83	14	22	81	75	71	178	424	801	1,012	658	2,758	30	10	6	22	20	43	87	214	440	808	1,079
All other	227	20	4	–	23	16	23	25	44	32	20	19	169	11	5	2	11	8	14	11	24	35	34	14
Black	4	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	1	–	–	1	1	–	3	–	–	–	–	–	1	1	1	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	2	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	12	1	–	–	–	–	1	1	–	2	3	4	15	1	–	–	1	–	–	–	1	2	3	7
White	11	–	–	–	–	–	1	1	–	2	3	4	12	–	–	–	–	–	–	–	1	2	2	7
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	5	1	–	–	1	–	–	–	–	1	1	1	11	1	–	–	–	1	1	2	1	2	2	1
White	4	1	–	–	–	–	–	–	–	1	1	1	9	–	–	–	–	1	1	1	1	2	2	1
All other	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	758	–	5	3	4	5	13	55	134	235	223	81	584	–	1	1	3	4	18	46	103	144	157	107
White	737	–	5	3	4	5	13	51	127	230	219	80	559	–	–	1	3	4	15	44	96	137	154	104
All other	21	–	–	–	–	–	–	4	7	5	4	1	26	–	1	–	–	–	3	2	7	7	3	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	–	–	–	–	–	–	1	3	3	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	7	–	–	–	–	–	–	1	3	3	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	198	–	1	–	–	2	2	16	38	53	61	23	179	–	–	–	–	–	4	8	29	50	52	36
White	190	–	1	–	–	2	2	14	35	53	60	23	171	–	–	–	–	–	4	7	26	48	52	34
All other	6	–	–	–	–	–	–	2	3	–	1	–	8	–	–	–	–	–	–	1	3	2	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	219	–	–	–	–	3	2	20	51	87	44	12	68	–	–	–	–	–	–	6	24	18	16	4
White	212	–	–	–	–	3	2	18	50	84	43	12	64	–	–	–	–	–	–	6	21	17	16	4
All other	7	–	–	–	–	–	–	2	1	3	1	–	4	–	–	–	–	–	–	–	3	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	–	–	–	–	–	–	–	–	–	–	–	–	95	–	–	–	–	–	1	12	18	21	25	18
White	–	–	–	–	–	–	–	–	–	–	–	–	93	–	–	–	–	–	–	12	18	20	25	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	116	–	–	–	–	–	–	2	6	31	52	27	72	–	–	–	1	–	5	7	14	17	15	13
White	112	–	–	–	–	–	–	2	4	30	50	26	67	–	–	–	1	–	4	6	14	14	15	13
All other	6	–	–	–	–	–	–	–	2	1	2	1	5	–	–	–	–	–	1	1	–	3	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	39	–	–	–	–	–	–	3	5	11	15	5	21	–	–	–	–	–	1	3	1	5	5	6
White	39	–	–	–	–	–	–	3	5	11	15	5	21	–	–	–	–	–	1	3	1	5	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	92	–	4	3	–	–	3	6	22	28	22	4	72	–	1	–	2	2	3	6	10	14	23	11
White	90	–	4	3	–	–	3	6	21	27	22	4	66	–	–	–	2	2	2	6	9	14	21	10
All other	2	–	–	–	–	–	–	–	1	1	–	–	6	–	1	–	–	–	1	–	1	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	42	–	–	–	2	–	3	2	4	15	9	7	26	–	–	–	–	1	1	3	1	5	9	6
White	42	–	–	–	2	–	3	2	4	15	9	7	26	–	–	–	–	1	1	3	1	5	9	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	45	–	–	–	2	–	3	5	5	7	20	3	46	–	–	1	–	1	3	1	6	14	10	12
White	45	–	–	–	2	–	3	5	5	7	20	3	47	–	–	1	–	1	3	1	6	14	9	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	–	–	–	–	–	–	–	2	1	4	2	6	–	1	–	–	–	–	–	–	–	2	3
White	9	–	–	–	–	–	–	–	2	1	4	2	6	–	1	–	–	–	–	–	–	–	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	41	–	–	–	–	1	3	4	7	8	7	11	57	–	–	–	–	–	3	1	7	12	21	13
White	38	–	–	–	–	1	3	4	5	7	7	11	48	–	–	–	–	–	3	1	5	8	18	13
All other	3	–	–	–	–	–	–	–	2	1	–	–	9	–	–	–	–	–	–	–	2	4	3	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	2	–	–	–	–	–	–	–	–	1	–	1	10	–	1	–	–	–	–	1	–	–	2	6
White	1	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	–	1	–	–	2	6
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	1	–	–	–	–	1	–	2	2
White	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	1	–	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,734	4	1	1	2	8	18	87	228	410	575	400	1,572	2	1	–	1	5	10	26	74	221	491	741
White	1,656	2	1	1	2	6	14	78	205	394	564	389	1,523	1	1	–	1	3	8	22	66	211	477	735
All other	78	2	–	–	–	2	4	9	23	16	11	11	49	1	–	–	–	2	4	4	8	10	14	6
Black	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of heart (390-398,402,404-429)	1,402	4	1	1	2	5	16	76	204	352	434	307	1,185	2	1	–	1	3	7	20	65	181	369	536
White	1,337	2	1	1	2	3	13	68	184	341	424	298	1,144	1	1	–	1	2	5	16	58	172	356	532
All other	65	2	–	–	–	2	3	8	20	11	10	9	41	1	–	–	–	1	2	4	7	9	13	4
Black	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever and rheumatic heart disease (390-398)	6	–	–	–	–	–	–	1	1	2	–	2	17	–	1	–	–	1	1	1	1	6	3	3
White	6	–	–	–	–	–	–	1	1	2	–	2	15	–	1	–	–	1	–	–	1	6	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	17	–	–	–	–	–	–	–	2	4	7	4	15	–	–	–	–	–	–	1	–	–	4	10
White	16	–	–	–	–	–	–	–	1	4	7	4	15	–	–	–	–	–	–	1	–	–	4	10
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	3
White	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,030	–	–	–	–	2	11	57	161	273	312	214	619	–	–	–	–	–	2	8	52	133	270	354
White	997	–	–	–	–	2	10	54	147	266	306	210	602	–	–	–	–	–	2	8	50	128	262	352
All other	33	–	–	–	–	–	1	3	14	7	4	4	17	–	–	–	–	–	–	–	2	5	8	2
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute myocardial infarction (410)	688	–	–	–	–	2	9	43	121	199	195	119	448	–	–	–	–	–	2	7	35	99	157	148
White	660	–	–	–	–	2	8	40	108	193	193	116	440	–	–	–	–	–	2	7	35	94	154	148
All other	28	–	–	–	–	–	1	3	13	6	2	3	8	–	–	–	–	–	–	–	–	5	3	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	1	–	–	2	1	5	–	–	–	–	–	–	–	1	–	–	4
White	4	–	–	–	–	–	–	1	–	–	2	1	5	–	–	–	–	–	–	–	1	–	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	335	–	–	–	–	–	2	13	40	74	112	94	366	–	–	–	–	–	–	1	16	34	113	202
White	330	–	–	–	–	–	2	13	39	73	110	93	357	–	–	–	–	–	–	1	14	34	108	200
All other	5	–	–	–	–	–	–	–	1	1	2	1	9	–	–	–	–	–	–	–	2	–	5	2
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	19	–	–	–	1	–	1	3	1	4	7	2	14	–	–	–	–	–	–	–	–	1	2	11
White	18	–	–	–	1	–	1	3	1	3	7	2	13	–	–	–	–	–	–	–	–	1	2	10
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	330	4	1	1	1	3	4	15	39	69	108	85	316	2	-	-	1	2	4	10	12	41	89	155
White	300	2	1	1	1	1	2	10	34	66	102	80	295	1	-	-	1	1	3	7	7	37	84	154
All other	30	2	-	-	-	2	2	5	5	3	6	5	21	1	-	-	-	1	1	3	5	4	5	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	11	-	-	-	-	-	-	-	-	2	3	6	9	-	-	-	-	-	-	-	-	-	4	5
White	11	-	-	-	-	-	-	-	-	2	3	6	8	-	-	-	-	-	-	-	-	-	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	231	-	-	-	-	2	2	5	16	36	102	68	288	-	-	-	-	1	3	6	7	33	93	145
White	219	-	-	-	-	2	1	4	13	32	101	66	281	-	-	-	-	-	1	5	6	32	92	144
All other	12	-	-	-	-	-	1	1	3	4	1	2	7	-	-	-	-	1	2	-	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	26	-	-	-	-	-	1	-	3	9	10	3	26	-	-	-	-	-	-	-	1	8	6	11
White	24	-	-	-	-	-	1	-	2	8	10	3	26	-	-	-	-	-	-	-	1	8	6	11
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	-	-	-	-	1	-	2	1	4	9	6	34	-	-	-	-	1	-	-	-	3	10	20
White	21	-	-	-	-	1	-	1	1	3	9	6	33	-	-	-	-	-	-	-	-	3	10	20
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	160	-	-	-	-	1	1	3	12	22	82	59	228	-	-	-	-	-	3	6	6	22	77	114
White	172	-	-	-	-	1	-	3	10	20	81	57	222	-	-	-	-	-	1	6	5	21	76	113
All other	8	-	-	-	-	-	1	-	2	2	1	2	6	-	-	-	-	-	2	-	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	35	-	-	-	-	-	-	-	1	6	15	13	52	-	-	-	-	-	-	-	-	-	14	38
White	34	-	-	-	-	-	-	-	1	5	15	13	52	-	-	-	-	-	-	-	-	-	14	38
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	55	-	-	-	-	1	-	6	7	14	21	6	38	-	-	-	-	-	1	-	-	2	7	11	17
White	55	-	-	-	-	1	-	6	7	14	21	6	38	-	-	-	-	-	1	-	-	2	7	11	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	124	2	-	-	-	1	1	-	3	18	39	60	140	1	-	-	-	1	1	3	4	12	36	82
White	118	1	-	-	-	1	1	-	3	17	38	57	131	1	-	-	-	-	-	3	3	10	33	81
All other	6	1	-	-	-	-	-	-	-	1	1	3	9	-	-	-	-	1	1	-	1	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	121	2	-	-	-	1	1	-	3	18	38	60	136	1	-	-	-	1	1	3	4	12	34	80
White	115	1	-	-	-	1	1	-	3	15	37	57	128	1	-	-	-	-	-	3	3	10	32	79
All other	6	1	-	-	-	-	-	-	-	1	1	3	8	-	-	-	-	1	1	-	1	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	-	-	2	2
White	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	177	-	-	-	-	4	-	3	24	57	66	23	49	-	-	-	-	-	3	2	7	16	14	7
White	171	-	-	-	-	3	-	3	23	56	65	21	49	-	-	-	-	-	3	2	7	16	13	7
All other	6	-	-	-	-	1	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	5	-	-	-	-	-	-	-	-	3	2	-	5	-	-	-	-	-	-	-	2	-	3	-
White	5	-	-	-	-	-	-	-	-	3	2	-	5	-	-	-	-	-	-	-	2	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	54	-	-	-	-	-	-	1	8	19	20	6	9	-	-	-	-	-	1	-	2	4	2	-
White	54	-	-	-	-	-	-	1	8	19	20	6	9	-	-	-	-	-	1	-	2	4	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (483)	7	-	-	-	-	3	-	-	1	1	2	-	9	-	-	-	-	-	2	1	1	2	1	2
White	6	-	-	-	-	2	-	-	1	1	2	-	9	-	-	-	-	-	2	1	1	2	1	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	111	-	-	-	-	1	-	2	15	34	42	17	26	-	-	-	-	-	-	1	2	10	8	5
White	106	-	-	-	-	1	-	2	14	33	41	15	25	-	-	-	-	-	-	1	2	10	7	5
All other	5	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	-	-	1	1	3	2	2	12	-	-	-	1	-	-	-	-	2	8	1
White	8	-	-	-	-	-	-	1	1	2	2	2	11	-	-	-	1	-	-	-	-	1	8	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	1	-	-	-	-	-	-	-	-	-	3	16	-	-	-	-	-	-	-	-	2	4	10
White	4	1	-	-	-	-	-	-	-	-	-	3	15	-	-	-	-	-	-	-	-	2	3	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	29	-	-	-	-	-	5	5	11	3	5	-	20	-	-	-	-	-	-	3	3	9	5	-
White	24	-	-	-	-	-	3	3	10	3	5	-	14	-	-	-	-	-	-	1	1	6	4	-
All other	5	-	-	-	-	-	2	2	1	-	-	-	6	-	-	-	-	-	-	2	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	-	2	1	10	-	-	-	-	-	-	-	-	3	2	5
White	3	-	-	-	-	-	-	-	-	-	2	1	7	-	-	-	-	-	-	-	-	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	-	-	-	-	-	-	1	2	3	11	5	21	-	-	-	-	1	1	-	2	2	8	7
White	21	-	-	-	-	-	-	-	2	3	11	5	17	-	-	-	-	-	1	-	2	1	6	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	1	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	-	-	-	-	-	-	1	2	3	10	5	19	-	-	-	-	1	1	-	1	2	7	7
White	20	-	-	-	-	-	-	-	2	3	10	5	15	-	-	-	-	-	1	-	1	1	5	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	1	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	-	-	3
White	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	-	-	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	29	20	2	2	–	1	1	–	1	1	–	1	14	10	2	–	–	–	–	1	–	–	–	–
White	25	17	2	2	–	–	1	–	1	1	–	1	10	7	1	–	–	–	–	1	–	–	–	–
All other	4	3	–	–	–	1	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	30	30	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
White	23	23	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	7	7	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-778)	18	18	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
White	13	13	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	42	16	1	–	1	2	1	1	3	5	7	5	31	8	1	–	1	–	1	1	2	–	8	9
White	30	12	1	–	1	1	–	1	1	4	6	5	29	7	1	–	–	–	1	1	2	–	8	9
All other	12	4	1	–	1	1	1	–	2	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	216	6	2	2	–	7	11	12	18	56	52	50	205	3	3	–	1	2	6	8	21	34	61	66
White	202	5	2	2	–	6	8	9	16	53	51	50	187	3	1	–	–	2	5	8	20	29	57	62
All other	14	1	–	–	–	1	3	3	2	3	1	–	18	–	2	–	1	–	1	–	1	5	4	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	236	1	7	13	50	37	24	21	23	18	23	19	109	2	5	5	23	11	10	4	2	13	13	21
White	190	–	4	13	34	31	16	16	18	17	23	18	91	2	5	5	16	8	6	2	2	11	13	21
All other	46	1	3	–	16	6	8	5	5	1	–	1	18	–	–	–	7	3	4	2	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Motor vehicle accidents (E810-E825)	105	–	2	8	34	21	10	9	7	6	7	3	53	1	2	4	16	8	4	1	–	9	6	–
White	78	–	1	6	24	15	6	6	4	6	7	3	43	1	2	4	12	6	2	1	–	9	6	–
All other	27	–	1	–	10	6	4	3	3	–	–	–	10	–	–	–	6	2	2	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	131	1	5	7	16	16	14	12	16	12	16	16	56	1	3	1	5	3	6	3	2	4	7	21
White	112	–	3	7	10	15	10	10	14	11	16	15	48	1	3	1	4	2	4	1	2	2	7	21
All other	19	1	2	–	6	–	4	2	2	1	–	1	8	–	–	–	1	1	2	2	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	60	...	...	–	20	16	12	10	10	6	5	1	11	...	...	1	1	2	2	–	4	1	–	–
White	74	...	...	–	17	15	10	10	10	6	5	1	9	...	...	–	–	2	2	–	4	1	–	–
All other	6	...	...	–	3	1	2	–	–	–	–	–	2	...	...	1	1	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	21	–	–	–	5	7	3	–	1	2	2	–	1	–	–	–	–	1	–	–	–	–	–	–
White	12	–	–	–	3	4	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	9	–	–	–	2	3	2	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E989)	6	–	–	–	1	2	–	1	–	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–
White	6	–	–	–	1	2	–	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	22,964	438	70	123	616	757	960	1,748	4,052	6,078	5,597	2,515	19,370	331	66	81	225	329	522	988	2,193	3,914	5,880	4,841
White	19,129	284	49	94	513	572	756	1,410	3,388	5,121	4,776	2,160	16,009	208	48	71	188	246	388	714	1,724	3,161	4,959	4,302
All other	3,835	154	21	29	103	185	204	338	664	957	821	355	3,361	123	18	10	37	83	134	274	469	753	921	539
Black	3,808	152	20	28	102	184	202	334	661	952	817	352	3,338	122	17	10	37	80	129	273	464	750	920	536
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	29	-	-	-	-	-	1	1	6	8	10	3	17	-	-	-	2	-	-	-	2	5	3	5
White	19	-	-	-	-	-	-	-	4	7	6	2	11	-	-	-	1	-	-	-	2	2	2	4
All other	10	-	-	-	-	-	1	1	2	1	4	1	6	-	-	-	1	-	-	-	-	3	1	1
Black	10	-	-	-	-	-	1	1	2	1	4	1	6	-	-	-	1	-	-	-	-	3	1	1
Tuberculosis of respiratory system (010-012)	24	-	-	-	-	-	-	1	5	6	9	3	15	-	-	-	1	-	-	-	2	4	3	5
White	15	-	-	-	-	-	-	-	3	5	5	2	10	-	-	-	1	-	-	-	2	1	2	4
All other	9	-	-	-	-	-	-	1	2	1	4	1	5	-	-	-	-	-	-	-	-	3	1	1
Black	9	-	-	-	-	-	-	1	2	1	4	1	5	-	-	-	-	-	-	-	-	3	1	1
Other tuberculosis (013-018)	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	1	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	1	-	-	-	-	-	-	5	1	1	-	1	-	-	-	-	1	1	-
White	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	1	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	1	-
Septicemia (038)	98	-	2	-	-	1	2	7	20	20	27	20	108	3	2	1	-	3	6	3	10	21	32	25
White	67	-	1	-	-	1	-	3	13	14	22	13	75	3	2	1	-	1	2	2	7	15	25	17
All other	32	-	1	-	-	-	2	4	7	6	5	7	31	-	-	-	-	2	4	1	3	6	7	8
Black	32	-	1	-	-	-	2	4	7	6	5	7	31	-	-	-	-	2	4	1	3	6	7	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	1	-	-	-	1	1	3	1	2	-	1	6	-	-	-	1	1	-	-	1	2	-	1
White	10	1	-	-	-	1	1	3	1	2	-	1	4	-	-	-	1	1	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	75	3	-	1	3	2	9	6	13	19	13	6	50	3	2	-	2	1	6	6	8	11	5	6
White	59	2	-	-	3	1	6	5	10	17	9	6	41	2	1	-	2	1	4	5	5	10	5	6
All other	16	1	-	1	-	1	3	1	3	2	4	-	9	1	1	-	-	-	2	1	3	1	-	-
Black	16	1	-	1	-	1	3	1	3	2	4	-	9	1	1	-	-	-	2	1	3	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,172	2	5	15	27	55	126	489	1,294	1,669	1,177	313	3,942	-	2	17	22	70	166	360	821	1,054	1,001	409
White	4,289	1	2	12	22	41	101	395	1,059	1,414	983	259	3,304	-	2	16	19	56	137	303	683	900	826	362
All other	883	1	3	3	5	14	25	94	235	255	194	54	638	-	-	1	3	14	29	77	138	154	175	47
Black	875	1	3	3	5	14	25	92	234	254	192	52	634	-	-	1	3	13	28	77	137	154	175	46

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	131	–	–	–	–	1	3	19	43	40	20	5	51	–	–	–	1	–	–	4	11	11	15	9
White	107	–	–	–	–	1	3	13	31	34	20	5	46	–	–	–	1	–	–	1	10	11	15	8
All other	24	–	–	–	–	–	–	6	12	6	–	–	5	–	–	–	–	–	–	3	1	–	–	1
Black	24	–	–	–	–	–	–	6	12	6	–	–	5	–	–	–	–	–	–	3	1	–	–	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,134	1	1	–	3	9	25	108	262	350	302	73	984	–	–	–	–	6	17	53	151	273	348	136
White	902	1	–	–	2	6	20	76	207	287	241	62	781	–	–	–	–	4	15	40	110	218	280	114
All other	232	–	1	–	1	3	5	32	55	63	61	11	203	–	–	–	–	2	2	13	41	55	68	24
Black	227	–	1	–	1	3	5	30	55	62	60	10	200	–	–	–	–	1	2	13	40	55	66	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,044	–	–	–	1	3	36	211	632	732	374	55	674	–	–	–	1	2	25	94	209	196	119	28
White	1,762	–	–	–	1	1	25	172	528	649	338	50	589	–	–	–	1	2	23	81	180	177	101	24
All other	282	–	–	–	–	2	11	39	104	83	36	5	85	–	–	–	–	–	2	13	29	19	18	4
Black	281	–	–	–	–	2	11	39	104	83	36	4	85	–	–	–	–	–	2	13	29	19	18	4
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	–	1	–	1	708	–	–	–	–	18	47	104	173	173	124	69
White	2	–	–	–	–	–	–	–	–	1	–	1	594	–	–	–	–	15	39	80	147	150	101	62
All other	–	–	–	–	–	–	–	–	–	–	–	–	114	–	–	–	–	3	8	24	26	23	23	7
Black	–	–	–	–	–	–	–	–	–	–	–	–	114	–	–	–	–	3	8	24	26	23	23	7
Malignant neoplasms of genital organs (179-187)	554	–	–	–	–	6	7	6	54	190	211	80	492	–	–	1	–	16	30	60	107	128	119	31
White	411	–	–	–	–	5	6	5	35	148	157	55	399	–	–	1	–	12	24	46	88	107	95	26
All other	143	–	–	–	–	1	1	1	19	42	54	25	93	–	–	–	–	4	6	14	19	21	24	5
Black	142	–	–	–	–	1	1	1	19	42	53	25	93	–	–	–	–	4	6	14	19	21	24	5
Malignant neoplasms of urinary organs (188-189)	242	–	–	–	2	1	4	16	55	65	69	30	136	–	–	1	–	–	6	3	19	34	47	26
White	215	–	–	–	2	–	4	14	50	58	59	28	115	–	–	1	–	–	4	3	15	29	39	25
All other	27	–	–	–	–	1	–	2	5	7	10	2	21	–	–	–	–	–	2	–	4	5	8	1
Black	26	–	–	–	–	1	–	2	4	7	10	2	21	–	–	1	–	–	2	–	4	5	8	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	636	–	2	9	14	18	31	89	154	163	116	40	517	–	1	9	11	13	23	40	86	143	128	63
White	525	–	1	7	10	14	30	81	125	128	97	32	442	–	1	9	11	12	16	33	73	124	104	59
All other	111	–	1	2	4	4	1	8	29	35	19	8	75	–	–	–	–	1	7	7	13	19	24	4
Black	111	–	1	2	4	4	1	8	29	35	19	8	74	–	–	–	–	1	6	7	13	19	24	4
Leukemia (204-208)	175	1	2	6	5	8	9	10	34	52	37	11	158	–	1	5	8	8	8	7	25	38	38	20
White	151	–	1	5	5	7	7	9	28	46	33	10	139	–	1	5	6	5	8	6	24	30	35	19
All other	24	1	1	1	–	1	2	1	6	6	4	1	19	–	–	–	2	3	–	1	1	8	3	1
Black	24	1	1	1	–	1	2	1	6	6	4	1	19	–	–	–	2	3	–	1	1	8	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	254	–	–	–	2	9	11	30	60	76	48	18	222	–	–	1	1	7	10	15	40	58	65	25
White	214	–	–	–	2	7	6	25	55	63	40	16	189	–	–	1	–	6	8	13	36	54	56	25
All other	40	–	–	–	–	2	5	5	5	13	8	2	33	–	–	–	1	1	2	2	4	4	9	–
Black	40	–	–	–	–	2	5	5	5	13	8	2	33	–	–	–	1	1	2	2	4	4	9	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	47	–	2	–	1	1	3	1	12	15	11	1	58	–	1	–	1	1	1	1	10	21	17	5
White	40	–	2	–	1	1	3	1	11	12	8	1	47	–	1	–	1	1	1	–	8	17	14	4
All other	7	–	–	–	–	–	–	–	1	3	3	–	11	–	–	–	–	–	–	1	2	4	3	1
Black	7	–	–	–	–	–	–	–	1	3	3	–	11	–	–	–	–	–	–	1	2	4	3	1
Diabetes mellitus (250)	238	–	–	–	–	11	16	23	29	82	57	18	391	–	–	–	–	5	10	26	49	117	122	62
White	185	–	–	–	–	9	12	15	23	66	44	16	291	–	–	–	–	4	4	16	32	88	94	53
All other	51	–	–	–	–	2	4	8	6	16	13	2	100	–	–	–	–	1	6	10	17	29	28	9
Black	51	–	–	–	–	2	4	8	6	16	13	2	100	–	–	–	–	1	6	10	17	29	28	9
Nutritional deficiencies (260-269)	14	–	–	–	–	–	–	–	2	3	5	4	25	–	–	–	–	–	–	–	1	2	11	11
White	12	–	–	–	–	–	–	–	1	2	5	4	23	–	–	–	–	–	–	–	1	2	11	9
All other	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Anemias (280-285)	28	–	–	–	2	2	1	3	2	5	8	3	33	–	1	–	1	1	3	4	1	4	8	10
White	18	–	–	–	–	1	1	1	1	5	7	2	23	–	–	–	–	–	1	3	1	4	5	9
All other	8	–	–	–	2	1	–	2	1	–	1	1	10	–	1	–	1	1	2	1	–	–	3	1
Black	8	–	–	–	2	1	–	2	1	–	1	1	10	–	1	–	1	1	2	1	–	–	3	1
Meningitis (320-322)	12	5	2	–	–	1	–	1	3	–	–	–	6	2	1	–	–	–	1	–	–	–	2	–
White	9	3	2	–	–	1	–	1	2	–	–	–	5	1	1	–	–	–	1	–	–	–	2	–
All other	3	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	10,273	11	4	5	15	62	299	712	1,738	2,940	2,987	1,497	10,070	12	5	4	17	43	121	320	846	1,905	3,508	3,297
White	8,633	9	3	3	10	34	224	568	1,482	2,460	2,543	1,305	8,283	10	3	3	10	27	79	200	621	1,473	2,952	2,915
All other	1,640	2	1	2	5	28	75	144	256	480	444	192	1,777	2	2	1	7	16	42	120	227	432	556	372
Black	1,630	2	1	2	5	28	74	142	255	487	442	191	1,769	2	2	1	7	15	42	120	224	430	556	370

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	8,185	10	3	4	11	54	259	634	1,496	2,377	2,265	1,070	7,272	9	4	3	12	31	89	250	671	1,440	2,544	2,219
White	6,913	8	2	2	6	29	198	518	1,292	1,999	1,930	928	6,015	8	3	2	7	21	56	158	494	1,140	2,157	1,971
All other	1,272	2	1	2	5	25	61	116	204	378	335	142	1,257	1	1	1	5	10	33	94	177	300	387	248
Black	1,263	2	1	2	5	25	60	114	203	376	333	141	1,253	1	1	1	5	9	33	94	176	299	387	247
Rheumatic fever and rheumatic heart disease (390-398)	35	–	–	–	1	–	3	5	6	13	6	1	62	–	–	–	1	3	5	6	12	18	12	5
White	30	–	–	–	1	–	3	5	5	9	6	1	56	–	–	–	1	2	4	5	10	17	12	5
All other	5	–	–	–	–	–	–	–	1	4	–	–	6	–	–	–	–	1	1	1	2	1	–	–
Black	5	–	–	–	–	–	–	–	1	4	–	–	5	–	–	–	–	–	1	1	2	1	–	–
Hypertensive heart disease (402)	214	–	–	–	–	3	19	18	42	62	51	19	245	–	–	–	1	–	8	18	24	56	81	59
White	122	–	–	–	–	2	6	5	19	41	34	15	145	–	–	–	–	–	3	3	14	31	52	42
All other	92	–	–	–	–	1	13	13	23	21	17	4	100	–	–	–	1	–	5	13	10	25	29	17
Black	92	–	–	–	–	1	13	13	23	21	17	4	100	–	–	–	1	–	5	13	10	25	29	17
Hypertensive heart and renal disease (404)	25	–	–	–	–	–	–	2	4	8	6	5	39	–	–	–	–	–	–	–	4	15	10	10
White	13	–	–	–	–	–	–	1	3	3	3	3	21	–	–	–	–	–	–	–	1	7	6	7
All other	12	–	–	–	–	–	–	1	1	5	3	2	18	–	–	–	–	–	–	–	3	8	4	3
Black	12	–	–	–	–	–	–	1	1	5	3	2	18	–	–	–	–	–	–	–	3	8	4	3
Ischemic heart disease (410-414)	5,879	–	–	–	–	29	184	480	1,103	1,749	1,638	696	4,827	–	–	–	2	9	45	140	444	990	1,722	1,475
White	5,218	–	–	–	–	17	158	408	999	1,557	1,458	621	4,208	–	–	–	2	7	31	93	362	836	1,529	1,348
All other	661	–	–	–	–	12	26	72	104	192	180	75	619	–	–	–	–	2	14	47	82	154	193	127
Black	654	–	–	–	–	12	25	70	103	191	179	74	618	–	–	–	–	2	14	47	82	153	193	127
Acute myocardial infarction (410)	3,517	–	–	–	–	15	122	302	725	1,090	954	319	2,582	–	–	–	2	8	29	85	291	609	930	628
White	3,201	–	–	–	–	6	109	273	677	989	865	282	2,271	–	–	–	2	7	22	57	243	515	848	577
All other	316	–	–	–	–	9	13	29	48	91	89	37	311	–	–	–	–	1	7	28	48	94	82	51
Black	311	–	–	–	–	9	12	28	47	91	88	36	311	–	–	–	–	1	7	28	48	94	82	51
Other acute and subacute forms of ischemic heart disease (411)	59	–	–	–	–	1	1	4	16	23	10	4	25	–	–	–	–	–	–	1	5	6	10	3
White	51	–	–	–	–	1	1	4	13	20	9	3	18	–	–	–	–	–	–	1	3	5	6	3
All other	8	–	–	–	–	–	–	–	3	3	1	1	7	–	–	–	–	–	–	–	2	1	4	–
Black	8	–	–	–	–	–	–	–	3	3	1	1	7	–	–	–	–	–	–	–	2	1	4	–
Angina pectoris (413)	11	–	–	–	–	–	1	1	–	4	4	1	7	–	–	–	–	–	–	–	2	1	4	–
White	10	–	–	–	–	–	–	1	–	4	4	1	7	–	–	–	–	–	–	–	2	1	4	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,292	–	–	–	–	13	60	173	362	642	670	372	2,219	–	–	–	–	1	16	54	146	374	778	844
White	1,856	–	–	–	–	10	48	130	309	544	560	335	1,912	–	–	–	–	–	9	35	114	315	671	768
All other	336	–	–	–	–	3	12	43	53	98	90	37	301	–	–	–	–	1	7	19	32	59	107	76
Black	334	–	–	–	–	3	12	42	53	97	90	37	300	–	–	–	–	1	7	19	32	58	107	76
Other diseases of endocardium (424)	55	–	–	–	–	1	–	1	7	12	25	9	61	–	–	–	–	1	1	1	6	17	21	12
White	50	–	–	–	–	1	–	1	7	10	23	8	54	–	–	–	–	1	–	–	6	15	19	11
All other	5	–	–	–	–	–	–	–	–	2	2	1	7	–	–	–	–	–	1	1	–	2	2	1
Black	5	–	–	–	–	–	–	–	–	2	2	1	7	–	–	–	–	–	1	1	–	2	2	1
All other forms of heart disease (415-423,425-429)	1,977	10	3	4	10	21	53	128	334	533	539	340	2,038	8	4	3	8	18	30	87	179	344	698	658
White	1,480	8	2	2	5	9	31	98	259	379	406	280	1,531	6	3	2	4	11	18	55	99	234	539	558
All other	497	2	1	2	5	12	22	30	75	154	133	60	507	1	1	1	4	7	12	32	80	110	159	100
Black	495	2	1	2	5	12	22	30	75	153	132	60	505	1	1	1	4	7	12	32	79	110	159	99
Hypertension with or without renal disease (401,403)	46	–	–	–	–	–	–	2	6	14	20	4	83	–	–	–	–	–	–	4	7	17	30	25
White	33	–	–	–	–	–	–	1	5	10	14	3	55	–	–	–	–	–	–	3	5	9	17	21
All other	13	–	–	–	–	–	–	1	1	4	6	1	28	–	–	–	–	–	–	1	2	8	13	4
Black	13	–	–	–	–	–	–	1	1	4	6	1	28	–	–	–	–	–	–	1	2	8	13	4
Cerebrovascular diseases (430-438)	1,619	–	–	1	4	5	37	60	178	424	569	341	2,275	2	1	–	5	11	26	57	148	398	809	818
White	1,307	–	–	1	4	4	24	34	131	331	482	296	1,842	2	–	–	3	5	19	37	105	284	666	721
All other	312	–	–	–	–	1	13	26	47	93	87	45	433	–	1	–	2	6	7	20	43	114	143	97
Black	311	–	–	–	–	1	13	26	47	92	87	45	429	–	1	–	2	6	7	20	41	113	143	96
Intracerebral and other intracranial hemorrhage (431-432)	198	–	–	1	–	2	11	22	39	57	52	14	206	1	–	–	3	5	11	14	37	46	61	28
White	147	–	–	1	–	1	6	10	27	49	42	11	151	1	–	–	2	2	6	9	24	32	50	25
All other	51	–	–	–	–	1	5	12	12	8	10	3	55	–	–	–	1	3	5	5	13	14	11	3
Black	50	–	–	–	–	1	5	12	12	7	10	3	53	–	–	–	1	3	5	5	11	14	11	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	234	–	–	–	–	–	4	3	20	61	91	55	376	1	–	–	–	–	2	6	14	60	135	158
White	188	–	–	–	–	–	1	3	16	46	72	50	312	1	–	–	–	–	2	3	7	37	117	145
All other	46	–	–	–	–	–	3	–	4	15	19	5	64	–	–	–	–	–	–	3	7	23	18	13
Black	46	–	–	–	–	–	3	–	4	15	19	5	63	–	–	–	–	–	–	3	7	23	18	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	3	4	–	–	10	–	1	–	–	–	–	1	–	3	4	1
White	6	–	–	–	–	–	–	–	2	4	–	–	8	–	–	–	–	–	–	1	–	2	4	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,180	–	–	–	4	3	22	35	116	302	426	272	1,683	–	–	–	2	6	13	36	97	289	609	631
White	966	–	–	–	4	3	17	21	86	232	368	235	1,371	–	–	–	1	3	11	24	74	213	495	550
All other	214	–	–	–	–	–	5	14	30	70	58	37	312	–	–	–	1	3	2	12	23	76	114	81
Black	214	–	–	–	–	–	5	14	30	70	58	37	311	–	–	–	1	3	2	12	23	75	114	81
Atherosclerosis (440)	177	–	–	–	–	–	–	6	15	44	63	48	297	–	–	–	–	–	2	–	10	16	89	180
White	155	–	–	–	–	–	–	5	15	37	51	46	264	–	–	–	–	–	1	–	8	15	79	161
All other	22	–	–	–	–	–	–	1	–	7	12	2	33	–	–	–	–	–	1	–	2	1	10	19
Black	22	–	–	–	–	–	–	1	–	7	12	2	33	–	–	–	–	–	1	–	2	1	10	19
Other diseases of arteries, arterioles, and capillaries (441-448)	246	1	1	–	–	3	3	10	43	81	70	34	143	1	–	1	–	1	4	9	12	34	36	45
White	225	1	1	–	–	1	2	10	39	73	66	32	117	–	–	1	–	1	3	4	9	25	33	41
All other	21	–	–	–	–	2	1	–	4	8	4	2	26	1	–	–	–	–	1	5	3	9	3	4
Black	21	–	–	–	–	2	1	–	4	8	4	2	26	1	–	–	–	–	1	5	3	9	3	4
Acute bronchitis and bronchiolitis (466)	2	1	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	1	1	1	4
White	1	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	1	1	1	4
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	572	4	2	3	5	6	10	15	47	115	211	154	556	7	–	1	2	6	9	15	23	66	184	243
White	496	3	1	2	5	5	7	11	37	97	188	140	485	5	–	1	1	3	6	11	20	57	165	226
All other	76	1	1	1	–	1	3	4	10	18	23	14	61	2	–	–	1	3	3	4	3	9	19	17
Black	76	1	1	1	–	1	3	4	10	18	23	14	61	2	–	–	1	3	3	4	3	9	19	17
Pneumonia (480-486)	561	4	2	3	4	6	10	15	46	113	208	150	544	7	–	1	2	6	9	15	22	64	181	237
White	485	3	1	2	4	5	7	11	36	95	185	136	484	5	–	1	1	3	6	11	19	56	162	220
All other	76	1	1	1	–	1	3	4	10	18	23	14	60	2	–	–	1	3	3	4	3	8	19	17
Black	76	1	1	1	–	1	3	4	10	18	23	14	60	2	–	–	1	3	3	4	3	8	19	17
Influenza (487)	11	–	–	–	1	–	–	–	1	2	3	4	12	–	–	–	–	–	–	–	1	2	3	6
White	11	–	–	–	1	–	–	–	1	2	3	4	11	–	–	–	–	–	–	–	1	1	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	998	–	–	2	1	2	3	37	160	350	319	104	457	–	–	–	–	4	5	29	87	134	138	60
White	913	–	–	1	1	1	2	31	160	311	308	98	415	–	–	–	–	2	2	24	80	120	129	58
All other	85	–	–	1	–	1	1	6	20	39	11	6	42	–	–	–	–	2	3	5	7	14	9	2
Black	84	–	–	1	–	1	1	6	20	38	11	6	41	–	–	–	–	2	3	5	7	14	8	2
Bronchitis, chronic and unspecified (490-491)	49	–	–	–	–	1	–	3	12	12	18	3	38	–	–	–	–	1	–	1	5	7	14	10
White	46	–	–	–	–	–	–	3	10	12	18	3	33	–	–	–	–	–	–	1	4	5	14	9
All other	3	–	–	–	–	1	–	–	2	–	–	–	5	–	–	–	–	1	–	–	1	2	–	1
Black	3	–	–	–	–	1	–	–	2	–	–	–	5	–	–	–	–	1	–	–	1	2	–	1
Emphysema (492)	177	–	–	–	–	–	1	6	28	77	50	15	57	–	–	–	–	–	–	3	14	20	15	5
White	161	–	–	–	–	–	–	5	25	69	48	14	52	–	–	–	–	–	–	3	14	18	13	4
All other	16	–	–	–	–	–	1	1	3	8	2	1	5	–	–	–	–	–	–	–	–	2	2	1
Black	16	–	–	–	–	–	1	1	3	8	2	1	5	–	–	–	–	–	–	–	–	2	2	1
Asthma (493)	25	–	–	2	–	–	1	5	4	5	6	2	32	–	–	–	–	3	–	7	3	10	7	2
White	18	–	–	1	–	–	1	2	2	5	5	2	26	–	–	–	–	2	–	5	3	8	6	2
All other	7	–	–	1	–	–	–	3	2	–	1	–	6	–	–	–	–	1	–	2	–	2	1	–
Black	7	–	–	1	–	–	–	3	2	–	1	–	6	–	–	–	–	1	–	2	–	2	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	747	–	–	–	1	1	1	23	136	256	245	84	330	–	–	–	–	–	5	18	65	97	102	43
White	688	–	–	–	1	1	1	21	123	225	237	79	304	–	–	–	–	–	2	15	59	89	96	43
All other	59	–	–	–	–	–	–	2	13	31	8	5	26	–	–	–	–	–	3	3	6	8	6	–
Black	58	–	–	–	–	–	–	2	13	30	8	5	25	–	–	–	–	–	3	3	6	8	5	–
Ulcer of stomach and duodenum (531-533)	47	–	–	–	–	–	1	3	9	13	16	5	69	–	–	–	–	1	–	3	5	20	16	25
White	44	–	–	–	–	–	1	2	9	12	15	5	59	–	–	–	–	1	–	2	2	19	12	23
All other	3	–	–	–	–	–	–	1	–	1	1	–	10	–	–	–	–	–	–	1	3	1	3	2
Black	3	–	–	–	–	–	–	1	–	1	1	–	10	–	–	–	–	–	–	1	3	1	3	2
Appendicitis (540-543)	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	1	–	1	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	42	2	–	–	–	–	–	5	3	9	15	8	72	–	–	2	–	–	–	3	6	9	26	26
White	35	2	–	–	–	–	–	4	2	7	12	8	64	–	–	–	–	–	–	3	6	7	24	24
All other	7	–	–	–	–	–	–	1	1	2	3	–	8	–	–	2	–	–	–	–	–	2	2	2
Black	7	–	–	–	–	–	–	1	1	2	3	–	8	–	–	2	–	–	–	–	–	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	259	2	-	-	-	13	25	58	88	54	17	6	137	-	-	-	-	2	11	19	38	42	23	2
White	216	1	-	-	-	7	22	47	70	46	17	6	111	-	-	-	-	-	5	15	35	35	19	2
All other	43	1	-	-	-	6	3	9	16	8	-	-	26	-	-	-	-	2	6	4	3	7	4	-
Black	43	1	-	-	-	6	3	9	16	8	-	-	26	-	-	-	-	2	6	4	3	7	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	33	-	-	-	-	-	-	2	5	4	16	6	56	-	-	-	1	2	-	3	3	9	20	18
White	33	-	-	-	-	-	-	2	5	4	16	6	49	-	-	-	1	1	-	3	2	7	18	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	-	1	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	-	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	226	7	-	1	2	5	6	7	22	44	78	56	198	5	-	1	1	1	4	12	17	40	73	44
White	171	5	-	1	2	4	2	4	18	35	60	40	146	2	-	1	-	1	3	3	11	27	59	39
All other	55	2	-	-	-	1	4	3	4	9	16	16	52	3	-	-	1	-	1	9	6	13	14	5
Black	55	2	-	-	-	1	4	3	4	9	16	16	52	3	-	-	1	-	1	9	6	13	14	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	1	-	2	2	5	-	-	-	-	-	-	1	-	3	1	-
White	5	-	-	-	-	-	-	-	1	-	2	2	4	-	-	-	-	-	-	1	-	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	39	-	-	-	1	-	3	1	6	9	11	8	43	-	-	-	1	-	1	7	3	8	17	6
White	27	-	-	-	1	-	1	-	6	8	8	3	29	-	-	-	-	-	1	1	1	6	15	5
All other	12	-	-	-	-	-	2	1	-	1	3	5	14	-	-	-	1	-	-	6	2	2	2	1
Black	12	-	-	-	-	-	2	1	-	1	3	5	14	-	-	-	1	-	-	6	2	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	182	7	-	1	1	5	3	6	15	35	69	40	160	5	-	1	-	1	3	4	14	29	55	38
White	139	5	-	1	1	4	1	4	11	27	50	35	113	2	-	1	-	1	2	1	10	18	44	34
All other	43	2	-	-	-	1	2	2	4	8	13	11	37	3	-	-	-	-	1	3	4	11	11	4
Black	43	2	-	-	-	1	2	2	4	8	13	11	37	3	-	-	-	-	1	3	4	11	11	4
Infections of kidney (590)	19	-	-	-	-	-	-	1	1	4	10	3	27	-	-	-	-	-	1	2	2	9	6	7
White	14	-	-	-	-	-	-	1	-	3	9	1	23	-	-	-	-	-	-	2	2	8	6	7
All other	5	-	-	-	-	-	-	-	1	1	1	2	4	-	-	-	-	-	1	-	-	3	-	-
Black	5	-	-	-	-	-	-	-	1	1	1	2	4	-	-	-	-	-	1	-	-	3	-	-
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	1	4	11	3	***	***	***	***	***	***	***	***	***	***	***	***
White	17	-	-	-	-	-	-	-	1	3	10	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	2	-	-	-	-	-	-	-	-	1	1	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	2	-	-	-	-	-	-	-	-	1	1	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	-	4	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	2	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	-	2	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	-	2	2	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	-	-	4	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	2	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	2	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	2	1	-	***	***	***	***
Congenital anomalies (740-759)	140	97	9	6	4	2	5	4	6	4	2	1	111	72	7	5	6	5	2	2	4	2	5	1
White	105	66	7	6	4	-	5	4	6	4	2	1	92	56	6	5	6	3	2	2	4	2	5	1
All other	35	31	2	-	-	2	-	-	-	-	-	-	19	16	1	-	-	2	-	-	-	-	-	-
Black	35	31	2	-	-	2	-	-	-	-	-	-	17	15	-	-	-	2	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	215	214	1	-	-	-	-	-	-	-	-	-	165	165	-	-	-	-	-	-	-	-	-	-
White	134	133	1	-	-	-	-	-	-	-	-	-	90	90	-	-	-	-	-	-	-	-	-	-
All other	81	81	-	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
Black	81	81	-	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	59	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	48	48	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	8	9	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	156	155	1	–	–	–	–	–	–	–	–	–	132	132	–	–	–	–	–	–	–	–	–	–
White	86	85	1	–	–	–	–	–	–	–	–	–	65	65	–	–	–	–	–	–	–	–	–	–
All other	70	70	–	–	–	–	–	–	–	–	–	–	67	67	–	–	–	–	–	–	–	–	–	–
Black	70	70	–	–	–	–	–	–	–	–	–	–	67	67	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	601	60	3	–	4	9	20	57	122	151	124	51	427	38	4	–	2	11	11	16	58	85	106	96
White	514	38	3	–	3	8	17	53	105	139	105	43	353	24	3	–	2	7	6	13	45	74	90	89
All other	87	22	–	–	1	1	3	4	17	12	19	8	74	14	1	–	–	4	5	3	13	11	16	7
Black	87	22	–	–	1	1	3	4	17	12	19	8	72	14	1	–	–	4	4	3	13	10	16	7
All other diseases (Residual)	1,342	20	8	14	28	40	86	85	206	340	331	184	1,444	11	11	14	15	32	56	55	119	278	447	406
White	1,073	13	5	11	24	26	57	69	157	294	269	148	1,183	5	7	12	12	20	37	36	88	226	385	355
All other	269	7	3	3	4	14	29	16	49	46	62	36	261	6	4	2	3	12	19	19	31	52	62	51
Black	268	7	3	3	4	14	29	16	48	46	62	36	260	6	4	2	3	12	18	19	31	52	62	51
Accidents and adverse effects (E800-E949)	1,523	6	25	65	365	302	187	122	142	134	112	59	684	8	28	36	108	84	64	52	50	56	114	84
White	1,289	5	18	49	325	265	165	98	118	102	99	43	591	8	20	32	97	68	62	40	42	48	99	75
All other	234	1	7	16	40	37	22	24	24	32	13	16	93	–	8	4	11	16	2	12	8	8	15	9
Black	231	1	6	16	39	36	22	24	24	32	13	16	91	–	8	4	11	15	1	12	8	8	15	9
Motor vehicle accidents (E810-E825)	834	2	6	33	288	192	102	65	57	44	36	9	328	2	17	18	86	56	45	35	22	21	21	3
White	730	2	4	28	259	169	90	56	49	36	31	6	289	2	11	17	78	47	43	32	20	19	18	2
All other	104	–	2	5	29	23	12	9	8	8	5	3	37	–	6	1	8	9	2	3	2	2	3	1
Black	102	–	2	5	28	22	12	9	8	8	5	3	35	–	6	1	8	8	1	3	2	2	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	689	4	19	32	77	110	85	57	85	90	76	50	356	6	11	18	22	28	19	17	28	35	93	81
White	559	3	14	21	66	96	75	42	69	66	68	37	302	6	9	15	19	21	19	9	22	29	81	73
All other	130	1	5	11	11	14	10	15	16	24	8	13	56	–	2	3	3	7	–	9	6	6	12	8
Black	129	1	4	11	11	14	10	15	16	24	8	13	56	–	2	3	3	7	–	9	6	6	12	8
Suicide (E950-E959)	517	...	...	4	86	101	81	69	70	68	33	7	144	...	...	–	25	29	23	26	20	13	7	1
White	485	...	...	4	79	91	77	65	67	63	32	7	136	...	...	–	23	28	22	23	19	13	7	1
All other	32	...	...	–	7	10	4	4	3	3	1	–	8	...	...	–	2	1	1	3	1	–	–	–
Black	32	...	...	–	7	10	4	4	3	3	1	–	5	...	...	–	2	1	–	2	–	–	–	–
Homicide and legal intervention (E960-E978)	345	–	4	4	63	128	67	29	28	17	4	2	75	2	1	–	13	19	18	8	6	4	3	1
White	186	–	3	2	24	62	43	16	20	8	2	2	55	2	1	–	8	15	12	6	5	3	3	–
All other	159	–	1	2	39	64	24	11	6	9	2	–	20	–	–	–	5	4	6	2	1	1	–	1
Black	157	–	1	1	39	64	23	11	6	9	2	–	20	–	–	–	5	4	6	2	1	1	–	1
All other external causes (E980-E999)	64	2	2	3	10	14	11	10	6	3	3	–	19	–	–	–	5	4	2	2	3	1	1	1
White	59	2	1	3	10	12	10	9	6	3	3	–	16	–	–	–	4	4	2	2	2	1	–	1
All other	5	–	1	–	–	2	1	1	–	–	–	–	3	–	–	–	1	–	–	–	1	–	1	–
Black	5	–	1	–	–	2	1	1	–	–	–	–	3	–	–	–	1	–	–	–	1	–	1	–
TEXAS																								
All causes	63,657	1,758	408	451	2,532	3,074	2,906	4,919	10,481	15,282	15,071	6,767	53,364	1,369	286	287	770	1,020	1,451	2,734	6,205	10,518	15,357	13,364
White	54,860	1,375	323	374	2,194	2,511	2,355	4,001	9,934	13,397	13,357	6,043	46,451	1,080	228	237	646	822	1,149	2,176	5,195	9,055	13,542	12,319
All other	8,797	383	85	77	338	563	551	918	1,547	1,895	1,714	724	6,913	289	58	50	124	198	302	558	1,010	1,463	1,815	1,045
Black	8,557	383	76	68	314	533	530	893	1,527	1,856	1,685	710	6,760	276	55	47	115	185	269	534	988	1,438	1,795	1,037
Shigellosis and amebiasis (004,006)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	11	9	1	–	–	–	–	–	1	–	–	–	14	9	–	–	–	–	–	–	–	2	1	2
White	8	6	1	–	–	–	–	–	1	–	–	–	11	6	–	–	–	–	–	–	–	2	1	2
All other	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	80	–	–	–	1	2	4	12	21	20	13	7	41	–	–	–	2	3	2	2	5	9	13	5
White	63	–	–	–	1	1	2	8	17	17	13	4	30	–	–	–	2	1	–	1	4	6	11	5
All other	17	–	–	–	–	1	2	4	4	3	–	3	11	–	–	–	–	2	2	1	1	3	2	–
Black	17	–	–	–	–	1	2	4	4	3	–	3	11	–	–	–	–	2	2	1	1	3	2	–
Tuberculosis of respiratory system (010-012)	67	–	–	–	1	2	4	11	16	18	11	4	28	–	–	–	–	1	1	2	3	5	9	4
White	52	–	–	–	1	1	2	7	12	15	11	3	20	–	–	–	–	–	1	1	3	4	8	4
All other	15	–	–	–	–	1	2	4	4	3	–	1	5	–	–	–	–	1	1	1	–	1	1	–
Black	15	–	–	–	–	1	2	4	4	3	–	1	5	–	–	–	–	1	1	1	–	1	1	–
Other tuberculosis (013-018)	13	–	–	–	–	–	–	1	5	2	2	3	16	–	–	–	2	2	1	–	2	4	4	1
White	11	–	–	–	–	–	–	1	5	2	2	1	10	–	–	–	2	1	–	–	1	2	3	1
All other	2	–	–	–	–	–	–	–	–	–	–	2	6	–	–	–	–	1	1	–	1	2	1	–
Black	2	–	–	–	–	–	–	–	–	–	–	2	6	–	–	–	–	1	1	–	1	2	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	10	2	5	-	2	-	-	-	-	1	-	-	9	3	2	-	1	-	1	1	-	1	-	-
White	9	2	5	-	2	-	-	-	-	-	-	-	7	2	2	-	1	-	1	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Septicemia (038)	527	17	3	-	7	11	13	34	82	122	155	83	540	20	5	2	5	4	8	25	62	95	174	140
White	425	14	3	-	6	8	10	28	65	97	131	65	437	19	3	-	3	2	8	16	46	68	153	119
All other	102	3	-	-	1	3	3	6	17	25	24	18	103	1	2	2	2	2	-	9	16	27	21	21
Black	101	3	-	-	1	3	3	6	17	24	24	18	101	1	2	2	2	2	-	9	14	27	21	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	42	-	1	1	5	4	9	4	12	4	1	1	27	-	-	-	1	5	2	7	4	4	3	1
White	34	-	1	-	2	2	8	4	11	4	1	1	19	-	-	-	1	3	-	5	4	3	2	1
All other	8	-	-	1	3	2	1	-	1	-	-	-	8	-	-	-	-	2	2	2	-	1	1	-
Black	7	-	-	1	3	2	-	-	1	-	-	-	8	-	-	-	-	2	2	2	-	1	1	-
Syphilis (090-097)	5	2	-	-	-	1	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	1	-	-
White	4	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	239	17	3	8	10	44	32	28	39	27	25	5	127	12	2	5	3	9	2	5	16	26	36	11
White	208	15	2	7	10	39	29	21	34	25	21	5	115	12	2	4	3	5	2	4	13	24	35	11
All other	30	2	1	1	-	5	3	7	5	2	4	-	12	-	-	1	-	4	-	1	3	2	1	-
Black	28	2	1	1	-	4	3	7	4	2	4	-	11	-	-	-	-	4	-	1	3	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,009	5	30	55	76	174	417	1,184	3,040	4,254	2,962	811	10,732	3	18	42	60	190	477	1,112	2,307	2,889	2,542	1,092
White	11,144	5	27	50	64	148	338	959	2,572	3,693	2,585	702	9,400	3	13	36	48	161	382	926	1,989	2,584	2,242	1,006
All other	1,865	-	3	5	12	26	79	225	468	561	377	109	1,332	-	5	6	12	29	95	186	318	305	300	86
Black	1,816	-	1	4	10	22	72	220	462	545	372	108	1,308	-	5	6	12	27	82	178	313	300	299	86
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	326	-	-	-	-	1	15	45	90	121	41	13	136	-	-	-	2	5	5	11	27	46	27	13
White	274	-	-	-	-	1	8	32	74	107	39	13	120	-	-	-	2	4	4	9	22	40	26	13
All other	52	-	-	-	-	-	7	13	16	14	2	-	16	-	-	-	-	1	1	2	5	6	1	-
Black	51	-	-	-	-	-	6	13	16	14	2	-	16	-	-	-	-	1	1	2	5	6	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,844	1	1	1	2	26	83	240	685	907	691	227	2,685	-	-	1	4	17	62	175	448	700	842	436
White	2,369	1	1	1	1	20	63	193	541	754	598	196	2,327	-	-	1	2	14	51	141	376	614	726	402
All other	475	-	-	-	1	6	20	47	124	153	93	31	358	-	-	-	2	3	11	34	72	86	116	34
Black	459	-	-	-	1	3	19	45	123	145	92	31	351	-	-	-	2	3	10	33	72	82	115	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,896	1	-	2	-	7	120	529	1,382	1,756	952	167	1,938	-	1	1	1	10	52	254	550	638	327	104
White	4,219	1	-	2	-	5	92	425	1,141	1,546	861	146	1,723	-	-	1	1	8	43	219	482	586	294	89
All other	677	-	-	-	-	2	28	104	221	210	91	21	215	-	1	-	-	2	9	35	68	52	33	15
Black	663	-	-	-	-	2	26	101	219	206	89	20	213	-	1	-	-	1	9	35	67	52	33	15
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	2	2	1	2	1,836	-	-	-	1	49	155	263	458	462	330	118
White	7	-	-	-	-	-	-	-	2	2	1	2	1,607	-	-	-	1	39	124	219	393	424	297	110
All other	-	-	-	-	-	-	-	-	-	-	-	-	229	-	-	-	-	10	31	44	65	38	33	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	225	-	-	-	-	9	31	42	64	39	33	8
Malignant neoplasms of genital organs (179-187)	1,248	-	-	-	7	11	4	14	125	403	485	200	1,212	-	1	2	5	38	82	151	252	340	249	92
White	1,014	-	-	-	7	8	3	11	105	325	388	168	1,030	-	1	1	4	34	61	118	214	296	217	84
All other	235	-	-	-	-	2	1	3	20	78	99	32	182	-	-	1	1	4	21	33	38	44	32	8
Black	235	-	-	-	-	2	1	3	20	78	99	32	175	-	-	1	1	4	19	29	37	44	32	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	588	-	3	-	-	3	18	47	130	186	156	47	278	1	1	1	2	5	10	28	36	60	95	39
White	538	-	3	-	-	2	15	40	123	172	142	41	243	1	-	1	1	3	10	24	26	56	85	36
All other	50	-	-	-	-	1	1	7	7	14	14	6	35	-	1	-	1	2	-	4	10	4	10	3
Black	50	-	-	-	-	1	1	7	7	14	14	6	35	-	1	-	1	2	-	4	10	4	10	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,952	1	15	22	34	60	115	224	461	565	375	79	1,597	1	8	12	20	40	62	153	353	395	379	174
White	1,710	1	13	20	31	51	101	184	403	509	328	68	1,409	1	6	9	17	38	56	127	314	348	332	161
All other	242	-	2	2	3	9	14	40	58	56	47	11	188	-	2	3	3	2	6	26	39	47	47	13
Black	232	-	1	2	2	8	12	40	56	53	47	11	185	-	2	3	3	2	6	25	38	46	47	13
Leukemia (204-208)	497	2	9	25	19	32	25	27	73	115	124	46	443	1	4	23	17	14	28	40	58	93	119	46
White	446	2	9	22	15	30	24	22	67	102	112	41	403	1	3	21	12	12	23	36	53	83	113	46
All other	51	-	-	3	4	2	1	5	6	13	12	5	40	-	1	2	5	2	5	4	5	10	6	-
Black	50	-	-	2	4	2	1	5	6	13	12	5	40	-	1	2	5	2	5	4	5	10	6	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	650	-	2	5	14	34	39	58	132	199	137	30	607	-	3	2	9	12	21	37	125	155	174	70
White	567	-	1	5	10	30	32	52	116	176	118	27	536	-	3	2	8	9	20	33	109	137	152	65
All other	83	-	1	-	4	4	7	6	16	23	19	3	69	-	-	-	-	3	1	4	16	18	22	5
Black	76	-	-	-	3	4	6	6	15	22	17	3	68	-	-	-	-	3	1	4	15	18	22	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	173	7	2	1	3	5	11	16	24	46	40	18	180	3	2	-	2	13	9	9	19	40	49	34
White	162	6	2	1	3	5	10	13	22	44	39	17	155	3	2	-	2	13	8	7	17	36	37	30
All other	11	1	-	-	-	-	1	3	2	2	1	1	25	-	-	-	-	-	1	2	2	4	12	4
Black	11	1	-	-	-	-	1	3	2	2	1	1	25	-	-	-	-	-	1	2	2	4	12	4
Diabetes mellitus (250)	820	-	-	-	3	24	42	69	127	220	243	92	1,156	-	-	3	4	18	38	61	162	304	374	192
White	697	-	-	-	2	16	33	56	105	188	215	82	945	-	-	3	2	12	30	45	126	253	310	164
All other	123	-	-	-	1	8	9	13	22	32	28	10	211	-	-	-	2	6	8	16	36	51	64	28
Black	121	-	-	-	1	8	9	13	21	31	28	10	208	-	-	-	2	6	8	15	36	51	63	27
Nutritional deficiencies (260-269)	60	2	1	1	-	1	-	1	9	14	16	15	90	-	-	-	-	-	-	-	6	8	31	45
White	52	1	1	1	-	1	-	1	6	13	13	15	81	-	-	-	-	-	-	-	6	8	23	44
All other	8	1	-	-	-	-	-	-	3	1	3	-	9	-	-	-	-	-	-	-	-	-	8	1
Black	8	1	-	-	-	-	-	-	3	1	3	-	8	-	-	-	-	-	-	-	-	-	7	1
Anemias (280-285)	105	1	2	2	8	5	4	5	11	20	31	16	113	2	-	4	6	5	5	2	9	13	36	31
White	84	1	1	1	3	2	2	5	10	17	29	13	98	2	-	4	3	2	5	2	5	10	35	30
All other	21	-	1	1	5	3	2	-	1	3	2	3	15	-	-	-	3	3	-	-	4	3	1	1
Black	21	-	1	1	5	3	2	-	1	3	2	3	14	-	-	-	3	3	-	-	4	2	1	1
Meningitis (320-322)	71	20	15	2	2	6	2	5	4	4	9	-	35	10	4	1	1	3	1	1	8	2	2	2
White	57	14	13	2	2	6	2	3	3	4	8	-	27	6	2	1	1	2	1	1	8	2	2	1
All other	14	6	2	-	-	2	-	2	1	-	1	-	8	4	2	-	-	1	-	-	-	-	-	1
Black	13	6	1	-	-	2	-	2	1	-	1	-	8	4	2	-	-	1	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	26,164	71	17	15	74	244	748	1,888	4,468	6,958	7,824	3,858	25,417	51	16	15	55	116	261	750	2,221	4,780	8,833	8,519
White	22,821	59	14	11	55	178	597	1,523	3,837	6,125	6,959	3,463	22,137	40	12	14	38	83	191	532	1,760	3,987	7,595	7,885
All other	3,343	13	3	4	19	66	151	365	629	833	865	395	3,280	11	4	1	17	33	70	218	441	793	1,038	654
Black	3,275	13	3	4	17	62	149	358	621	817	847	384	3,235	11	4	1	16	32	70	212	433	780	1,027	649
Diseases of heart (390-398,402,404-429)	21,337	64	14	10	57	184	656	1,852	3,928	5,750	6,129	2,892	18,653	45	15	12	40	69	174	599	1,782	3,708	6,288	5,911
White	18,712	54	13	6	41	133	525	1,352	3,413	5,113	5,481	2,580	16,271	35	11	11	25	49	125	426	1,442	3,135	5,543	5,469
All other	2,625	10	1	4	16	51	131	300	515	637	648	312	2,382	10	4	1	15	20	49	173	350	573	745	442
Black	2,575	10	1	4	16	47	129	294	509	626	635	304	2,349	10	4	1	14	20	49	169	342	564	737	439
Rheumatic fever and rheumatic heart disease (390-398)	90	-	1	-	1	3	4	10	29	23	17	2	135	-	1	1	2	3	7	14	32	30	28	17
White	81	-	1	-	-	2	4	7	28	20	17	2	122	-	1	1	1	2	4	11	28	29	28	17
All other	9	-	-	-	1	1	-	3	1	3	-	-	13	-	-	-	1	1	3	3	4	1	-	-
Black	9	-	-	-	1	1	-	3	1	3	-	-	12	-	-	-	1	1	3	2	4	1	-	-
Hypertensive heart disease (402)	537	-	-	-	2	7	33	65	128	143	116	43	647	-	-	-	-	-	12	37	96	163	213	128
White	376	-	-	-	2	2	20	41	93	87	92	39	465	-	-	-	-	-	5	22	49	120	157	112
All other	161	-	-	-	-	5	13	24	35	56	24	4	182	-	-	-	-	-	7	15	47	43	56	14
Black	157	-	-	-	-	5	13	24	35	55	21	4	181	-	-	-	-	-	7	15	47	43	55	14
Hypertensive heart and renal disease (404)	51	-	-	-	-	-	2	1	5	14	20	9	82	-	-	-	-	-	1	2	4	21	25	29
White	35	-	-	-	-	-	-	1	4	9	15	6	58	-	-	-	-	-	-	1	1	9	19	28
All other	16	-	-	-	-	-	2	-	1	5	5	3	24	-	-	-	-	-	1	1	3	12	6	1
Black	16	-	-	-	-	-	2	-	1	5	5	3	23	-	-	-	-	-	1	-	3	12	6	1
Ischemic heart disease (410-414)	13,188	1	1	-	9	77	379	1,064	2,426	3,605	3,892	1,733	10,917	4	1	1	10	23	63	312	1,027	2,205	3,786	3,465
White	11,924	1	1	-	6	59	317	898	2,191	3,310	3,568	1,572	9,778	3	1	1	7	15	64	229	860	1,933	3,426	3,239
All other	1,264	-	-	-	3	18	62	166	235	295	324	161	1,139	1	-	-	3	8	19	83	167	272	360	226
Black	1,237	-	-	-	3	16	60	162	232	288	319	157	1,126	1	-	-	3	8	19	82	164	267	357	225
Acute myocardial infarction (410)	8,294	-	-	-	4	41	232	706	1,637	2,437	2,404	832	6,070	3	-	1	8	16	51	209	669	1,429	2,249	1,435
White	7,562	-	-	-	1	31	200	619	1,500	2,246	2,215	747	5,437	2	-	1	6	12	40	164	573	1,262	2,043	1,334
All other	732	-	-	-	3	10	32	87	137	189	189	85	633	1	-	-	2	4	11	45	96	167	206	101
Black	715	-	-	-	3	10	31	84	135	186	184	82	623	1	-	-	2	4	11	44	95	163	203	100

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	59	1	–	–	–	1	2	6	15	9	12	9	39	–	–	–	–	1	1	1	4	7	12	13
White	49	1	–	–	–	1	1	6	14	7	12	7	31	–	–	–	–	1	1	1	4	3	9	12
All other	4	–	–	–	–	–	1	–	1	1	–	1	8	–	–	–	–	–	–	–	–	4	3	1
Black	4	–	–	–	–	–	1	–	1	1	–	1	8	–	–	–	–	–	–	–	–	4	3	1
Angina pectoris (413)	28	–	–	–	–	–	–	2	2	9	10	5	15	–	–	–	–	–	–	2	1	3	7	2
White	24	–	–	–	–	–	–	2	2	9	7	4	11	–	–	–	–	–	–	–	1	2	6	2
All other	4	–	–	–	–	–	–	–	–	–	3	1	4	–	–	–	–	–	–	2	–	1	1	–
Black	4	–	–	–	–	–	–	–	–	–	3	1	4	–	–	–	–	–	–	2	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,813	–	1	–	5	35	145	350	772	1,151	1,486	888	4,793	1	1	–	2	6	31	100	353	786	1,518	2,015
White	4,289	–	1	–	5	27	116	271	675	1,046	1,334	814	4,299	1	1	–	1	2	23	84	282	668	1,368	1,891
All other	524	–	–	–	–	8	29	79	97	105	152	74	494	–	–	–	1	4	8	16	71	100	150	124
Black	514	–	–	–	–	6	28	76	96	101	132	73	491	–	–	–	1	4	8	16	69	99	150	124
Other diseases of endocardium (424)	193	1	–	–	–	6	6	12	27	55	60	26	199	1	–	–	1	2	3	6	26	36	70	54
White	169	1	–	–	–	5	3	11	25	44	56	24	179	1	–	–	1	1	3	6	21	32	64	50
All other	24	–	–	–	–	1	3	1	2	11	4	2	20	–	–	–	–	1	–	–	5	4	6	4
Black	23	–	–	–	–	1	3	1	2	11	3	2	19	–	–	–	–	1	–	–	4	4	6	4
All other forms of heart disease (415-423,425-429)	7,278	62	12	10	45	91	232	500	1,313	1,910	2,024	1,079	6,673	40	13	10	27	41	68	228	607	1,253	2,166	2,220
White	6,127	52	11	6	33	65	181	384	1,072	1,643	1,733	937	5,669	31	9	9	16	31	49	157	483	1,012	1,849	2,023
All other	1,151	10	1	4	12	26	51	106	241	267	291	142	1,004	9	4	1	11	10	19	71	124	241	317	197
Black	1,133	10	1	4	12	24	51	104	238	264	287	138	988	9	4	1	10	10	19	70	120	237	313	195
Hypertension with or without renal disease (401,403)	143	–	–	–	1	3	2	10	21	36	42	28	193	–	–	–	–	1	3	1	16	50	64	58
White	102	–	–	–	1	1	–	7	11	25	34	23	124	–	–	–	–	1	2	–	9	26	45	41
All other	41	–	–	–	–	2	2	3	10	11	8	5	69	–	–	–	–	–	1	1	7	24	19	17
Black	40	–	–	–	–	2	2	3	10	11	7	5	68	–	–	–	–	–	1	1	7	23	19	17
Cerebrovascular diseases (430-438)	3,594	5	3	5	14	50	60	186	389	679	1,280	694	5,432	5	1	2	11	36	74	144	357	856	1,915	2,031
White	3,018	3	1	5	12	39	65	134	305	722	1,098	634	4,722	4	1	2	10	26	58	101	281	686	1,682	1,871
All other	576	2	2	–	2	11	15	52	84	158	182	60	710	1	–	–	1	10	16	43	76	170	233	160
Black	560	2	2	–	–	11	15	51	82	151	178	58	699	1	–	–	1	9	16	41	76	167	230	158
Intracerebral and other intracranial hemorrhage (431-432)	532	5	1	3	5	23	38	64	101	149	116	27	609	3	1	–	5	17	19	48	79	145	184	108
White	426	3	1	3	4	17	30	39	74	131	101	23	515	2	1	–	4	13	17	34	61	122	163	98
All other	106	2	–	–	1	6	8	25	27	18	15	4	94	1	–	–	1	4	2	14	18	23	21	10
Black	101	2	–	–	–	6	8	24	27	16	14	4	90	1	–	–	1	3	2	13	18	21	21	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	435	–	–	–	–	2	11	23	46	97	173	83	721	1	–	–	3	1	8	9	40	105	253	301
White	350	–	–	–	–	1	7	19	33	80	143	77	630	1	–	–	3	1	6	5	33	83	223	275
All other	75	–	–	–	–	1	4	4	13	17	30	6	91	–	–	–	–	–	2	4	7	22	30	26
Black	75	–	–	–	–	1	4	4	13	17	30	6	91	–	–	–	–	–	2	4	7	22	30	26
Cerebral embolism (434.1)	21	–	–	–	–	–	–	–	4	3	9	5	22	–	–	–	–	–	1	1	–	6	5	9
White	21	–	–	–	–	–	–	–	4	3	9	5	15	–	–	–	–	–	–	–	–	2	4	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	1	–	4	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	1	–	4	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,606	–	2	2	9	25	31	99	248	629	982	579	4,080	1	–	2	3	18	46	86	238	600	1,473	1,613
White	2,211	–	–	2	8	21	28	76	194	508	845	529	3,562	1	–	2	3	12	35	62	187	479	1,292	1,489
All other	395	–	2	–	1	4	3	23	54	121	137	50	518	–	–	–	–	6	11	24	51	121	181	124
Black	384	–	2	–	–	4	3	23	52	118	134	48	511	–	–	–	–	6	11	23	51	120	178	122
Atherosclerosis (440)	459	–	–	–	–	–	1	5	15	87	176	175	761	–	–	–	–	–	–	1	23	71	230	436
White	406	–	–	–	–	–	1	4	11	72	159	159	693	–	–	–	–	–	–	1	19	60	205	408
All other	53	–	–	–	–	–	–	1	4	15	17	16	68	–	–	–	–	–	–	–	4	11	25	28
Black	52	–	–	–	–	–	–	1	4	15	17	15	68	–	–	–	–	–	–	–	4	11	25	28
Other diseases of arteries, arterioles, and capillaries (441-448)	631	2	–	–	2	7	9	35	103	207	187	69	378	1	–	1	4	10	10	5	33	95	136	83
White	583	1	–	–	1	5	6	26	97	193	187	67	327	1	–	1	3	7	6	4	29	80	120	78
All other	48	1	–	–	1	2	3	9	6	14	10	2	51	–	–	–	1	3	4	1	4	15	16	7
Black	48	1	–	–	1	2	3	9	6	14	10	2	51	–	–	–	1	3	4	1	4	15	16	7
Acute bronchitis and bronchiolitis (466)	14	4	1	–	–	–	–	–	–	6	3	–	21	1	–	–	–	1	–	–	1	6	5	7
White	12	3	1	–	–	–	–	–	–	5	3	–	18	–	–	–	–	–	–	–	1	5	5	7
All other	2	1	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	1	–	–	–	1	–	–
Black	2	1	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	1	–	–	–	1	–	–
Pneumonia and influenza (480-487)	1,748	38	14	8	8	35	44	72	179	313	589	448	1,639	25	9	9	11	21	25	36	69	212	503	719
White	1,518	26	10	8	4	22	29	54	145	270	535	415	1,502	21	8	8	7	13	14	32	58	194	463	686
All other	230	12	4	–	4	13	15	18	34	43	54	33	137	4	1	1	4	8	11	4	13	18	40	33
Black	228	12	4	–	4	13	15	18	33	43	54	32	136	4	1	–	4	8	11	4	13	18	40	33

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,695	38	14	7	8	33	44	71	171	308	571	430	1,567	25	9	7	11	21	25	35	64	201	482	687
White	1,473	26	10	7	4	20	29	53	140	267	519	398	1,492	21	8	6	7	13	14	31	51	183	444	654
All other	222	12	4	–	4	13	15	18	31	41	52	32	135	4	1	1	4	8	11	4	13	18	38	33
Black	220	12	4	–	4	13	15	18	30	41	52	31	134	4	1	–	4	8	11	4	13	18	38	33
Influenza (487)	53	–	–	1	–	2	–	1	8	5	18	18	72	–	–	2	–	–	–	1	5	11	21	32
White	45	–	–	1	–	2	–	1	5	3	16	17	70	–	–	2	–	–	–	1	5	11	19	32
All other	8	–	–	–	–	–	–	–	3	2	2	1	2	–	–	–	–	–	–	–	–	–	2	–
Black	8	–	–	–	–	–	–	–	3	2	2	1	2	–	–	–	–	–	–	–	–	–	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,264	4	1	6	4	2	15	61	385	815	751	240	1,355	2	2	3	1	8	13	61	245	445	393	182
White	2,105	2	1	5	2	2	12	51	327	784	709	230	1,288	2	1	3	–	6	11	53	228	431	374	179
All other	159	2	–	1	2	–	3	10	38	51	42	10	67	–	1	–	1	2	2	8	17	14	19	3
Black	158	2	–	1	2	–	3	10	38	50	42	10	66	–	1	–	1	2	2	7	17	14	19	3
Bronchitis, chronic and unspecified (490-491)	116	3	–	–	–	–	3	3	18	30	45	16	89	–	–	–	–	–	–	1	20	28	22	18
White	108	1	–	–	–	–	3	1	16	28	43	16	85	–	–	–	–	–	–	1	17	27	22	18
All other	10	2	–	–	–	–	–	2	2	2	2	–	4	–	–	–	–	–	–	–	3	1	–	–
Black	10	2	–	–	–	–	–	2	2	2	2	–	4	–	–	–	–	–	–	–	3	1	–	–
Emphysema (492)	475	–	–	–	–	–	4	10	72	170	177	42	233	2	–	–	–	–	4	8	45	81	68	25
White	446	–	–	–	–	–	2	7	68	162	168	41	228	2	–	–	–	–	4	8	44	81	64	25
All other	29	–	–	–	–	–	2	3	6	8	9	1	5	–	–	–	–	–	–	–	1	–	4	–
Black	29	–	–	–	–	–	2	3	6	8	9	1	5	–	–	–	–	–	–	–	1	–	4	–
Asthma (493)	74	1	1	6	4	1	3	5	18	21	11	3	96	–	–	3	1	7	5	13	13	25	20	9
White	59	1	1	5	2	1	2	3	12	19	10	3	81	–	–	3	–	5	3	8	12	24	17	9
All other	15	–	–	1	2	–	1	2	6	2	1	–	15	–	–	–	1	2	2	5	1	1	3	–
Black	15	–	–	1	2	–	1	2	6	2	1	–	14	–	–	–	1	2	2	4	1	1	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,597	–	–	–	–	1	5	43	257	594	518	179	937	–	2	–	–	1	4	39	167	311	283	130
White	1,492	–	–	–	–	1	5	40	233	555	488	170	894	–	1	–	–	1	4	36	155	299	271	127
All other	105	–	–	–	–	–	–	3	24	39	30	9	43	–	1	–	–	–	–	3	12	12	12	3
Black	104	–	–	–	–	–	–	3	24	38	30	9	43	–	1	–	–	–	–	3	12	12	12	3
Ulcer of stomach and duodenum (531-533)	147	–	–	–	1	2	4	11	40	30	44	15	158	1	–	–	–	1	6	4	15	27	54	50
White	128	–	–	–	1	–	3	8	34	26	42	14	142	1	–	–	–	1	4	3	13	22	48	50
All other	19	–	–	–	–	2	1	3	6	4	2	1	16	–	–	–	–	–	2	1	2	5	6	–
Black	18	–	–	–	–	2	1	3	5	4	2	1	15	–	–	–	–	–	2	1	2	5	5	–
Appendicitis (540-543)	12	2	1	–	1	–	–	–	2	3	2	1	16	1	2	1	1	1	1	1	1	2	2	3
White	11	1	1	–	1	–	–	–	2	3	2	1	15	1	2	1	1	1	1	–	1	2	2	3
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	99	2	3	–	2	2	3	9	6	17	33	22	183	–	–	–	–	–	2	6	15	38	50	72
White	84	2	2	–	1	1	3	7	6	15	27	20	163	–	–	–	–	–	–	4	12	34	46	67
All other	15	–	1	–	1	1	–	2	–	2	6	2	20	–	–	–	–	–	2	2	3	4	4	5
Black	15	–	1	–	1	1	–	2	–	2	6	2	20	–	–	–	–	–	2	2	3	4	4	5
Chronic liver disease and cirrhosis (571)	947	–	1	1	3	37	108	212	306	200	75	6	452	–	–	2	–	12	46	93	113	106	60	20
White	826	–	1	1	3	29	77	182	279	180	68	6	410	–	–	2	–	9	37	83	100	103	57	19
All other	121	–	–	–	–	8	29	30	27	20	7	–	42	–	–	–	–	3	9	10	13	3	3	1
Black	115	–	–	–	–	8	28	28	26	19	7	–	38	–	–	–	–	3	8	8	12	3	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	75	1	–	–	–	–	–	4	15	17	25	13	95	–	–	–	–	–	1	8	8	11	28	39
White	72	1	–	–	–	–	–	2	15	17	24	13	84	–	–	–	–	–	1	7	6	9	25	38
All other	3	–	–	–	–	–	–	2	–	–	1	–	11	–	–	–	–	–	–	1	2	2	3	3
Black	3	–	–	–	–	–	–	2	–	–	1	–	10	–	–	–	–	–	–	–	2	2	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	622	16	4	2	3	13	16	19	68	133	212	136	728	9	1	4	2	8	8	21	65	141	213	255
White	503	14	4	2	3	9	13	13	53	103	176	113	587	8	1	3	1	7	4	12	50	104	173	224
All other	119	2	–	–	–	4	3	6	13	30	36	25	141	1	–	1	1	1	4	9	15	37	40	31
Black	116	2	–	–	–	4	3	6	13	29	34	25	140	1	–	1	1	1	3	9	15	37	40	31
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	–	–	–	–	–	1	–	–	1	2	4	14	–	–	–	–	–	–	1	3	1	6	3
White	8	–	–	–	–	–	1	–	–	1	2	4	13	–	–	–	–	–	–	1	3	1	5	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	–	–	–	–	1	4	1	5	9	7	3	53	–	–	–	–	3	1	3	5	8	16	16
White	22	–	–	–	–	–	3	1	5	5	6	2	42	–	–	–	–	3	–	2	5	8	12	14
All other	8	–	–	–	–	1	1	–	–	4	1	1	11	–	–	–	–	–	1	1	1	2	4	2
Black	8	–	–	–	–	1	1	–	–	4	1	1	11	–	–	–	–	–	1	1	1	2	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	584	16	4	2	3	12	11	18	61	123	203	131	661	9	1	4	2	5	7	17	56	132	181	236
White	473	14	4	2	3	9	9	12	48	97	168	107	532	8	1	3	1	4	4	9	42	97	156	207
All other	111	2	–	–	–	3	2	6	13	26	35	24	129	1	–	1	1	1	3	8	14	35	35	29
Black	108	2	–	–	–	3	2	6	13	25	33	24	128	1	–	1	1	1	2	8	14	35	35	29
Infections of kidney (590)	48	1	–	–	1	–	2	–	5	7	23	9	120	2	–	–	1	–	–	1	5	22	39	50
White	45	1	–	–	1	–	1	–	4	7	22	9	106	2	–	–	1	–	–	–	2	17	37	47
All other	3	–	–	–	–	–	1	–	1	–	1	–	14	–	–	–	–	–	–	1	3	5	2	3
Black	3	–	–	–	–	–	1	–	1	–	1	–	14	–	–	–	–	–	–	1	3	5	2	3
Hyperplasia of prostate (600)	24	–	–	–	–	–	–	–	–	3	10	11	...	...	...	...	...	...	...	...	...	...	...	...
White	16	–	–	–	–	–	–	–	–	2	7	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	8	–	–	–	–	–	–	–	–	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
Black	8	–	–	–	–	–	–	–	–	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	5	8	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	–	4	6	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	3	5	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	3	5	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Congenital anomalies (740-759)	487	350	44	16	18	14	9	7	9	14	3	3	424	298	34	15	12	15	10	8	14	8	7	5
White	414	297	37	14	14	12	9	7	7	12	3	2	363	254	28	10	12	12	9	7	13	7	6	5
All other	73	53	7	2	4	2	–	–	2	2	–	1	61	42	6	5	–	3	1	1	1	1	1	–
Black	65	47	7	–	4	2	–	–	2	2	–	1	54	36	5	5	–	3	1	1	1	1	1	–
Certain conditions originating in the perinatal period (760-779)	778	767	10	–	–	1	–	–	–	–	–	–	623	620	3	–	–	–	–	–	–	–	–	–
White	585	578	6	–	–	1	–	–	–	–	–	–	472	470	2	–	–	–	–	–	–	–	–	–
All other	193	189	4	–	–	–	–	–	–	–	–	–	151	150	1	–	–	–	–	–	–	–	–	–
Black	185	181	4	–	–	–	–	–	–	–	–	–	147	146	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	237	234	3	–	–	–	–	–	–	–	–	–	153	153	–	–	–	–	–	–	–	–	–	–
White	194	192	2	–	–	–	–	–	–	–	–	–	123	123	–	–	–	–	–	–	–	–	–	–
All other	43	42	1	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
Black	38	37	1	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	541	533	7	–	–	1	–	–	–	–	–	–	470	467	3	–	–	–	–	–	–	–	–	–
White	391	386	4	–	–	1	–	–	–	–	–	–	349	347	2	–	–	–	–	–	–	–	–	–
All other	150	147	3	–	–	–	–	–	–	–	–	–	121	120	1	–	–	–	–	–	–	–	–	–
Black	147	144	3	–	–	–	–	–	–	–	–	–	117	116	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	2,636	266	12	7	54	103	95	191	407	607	602	289	2,039	170	12	3	25	32	52	96	179	381	551	536
White	2,203	215	10	5	42	86	74	157	338	516	514	244	1,697	124	10	3	20	25	36	80	148	328	466	457
All other	433	51	2	2	12	17	21	34	69	91	88	45	342	46	2	–	5	7	16	16	31	55	85	79
Black	427	48	2	2	11	17	20	33	69	91	88	45	337	45	2	–	5	7	16	16	29	55	85	77
All other diseases (Residual)	3,794	98	37	40	86	138	193	297	570	857	986	481	4,106	68	45	35	53	84	139	178	420	708	1,268	1,109
White	3,242	73	26	36	79	105	159	239	474	752	866	432	3,605	56	37	24	41	66	102	138	357	610	1,136	1,038
All other	552	25	11	4	17	33	34	58	96	105	120	49	501	12	8	11	12	18	38	40	63	98	132	71
Black	543	23	11	3	16	33	34	58	96	105	116	48	483	10	7	10	12	17	35	37	61	95	128	71
Accidents and adverse effects (E800-E949)	5,177	39	173	239	1,355	1,163	589	410	412	354	284	159	2,023	41	117	129	335	258	175	148	152	178	254	236
White	4,492	28	135	189	1,229	1,015	517	349	345	296	244	144	1,795	34	96	109	311	229	151	128	135	157	227	218
All other	685	11	38	50	126	148	72	61	67	58	40	14	228	7	21	20	24	29	24	20	17	21	27	18
Black	637	10	33	46	114	134	68	54	67	57	40	14	212	7	20	20	21	27	21	19	15	18	26	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	2,944	8	63	126	989	737	343	201	204	151	96	26	1,061	9	46	91	284	193	116	86	79	75	64	18
White	2,606	7	51	106	907	649	301	175	172	128	88	22	973	8	41	85	268	173	102	78	74	68	61	17
All other	338	1	12	20	82	88	42	26	32	23	8	4	88	1	5	6	16	20	14	8	5	7	3	1
Black	303	1	9	19	73	77	39	19	32	22	8	4	75	1	5	6	15	18	11	7	3	5	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	2,233	31	110	113	366	426	246	209	208	203	188	132	962	32	71	38	51	65	59	62	73	103	190	216
White	1,888	21	84	83	322	368	218	174	173	168	156	122	822	26	55	24	45	56	49	50	61	89	166	201
All other	347	10	26	30	44	60	30	35	35	35	32	10	140	6	16	14	6	9	10	12	12	14	24	17
Black	334	9	24	27	41	57	29	35	35	35	32	10	137	6	15	14	6	9	10	12	12	13	23	17
Suicide (E950-E959)	1,635	...	...	19	348	421	226	184	153	170	83	21	433	...	...	4	66	90	80	72	56	36	17	2
White	1,536	...	...	18	331	384	209	174	150	159	80	21	405	...	...	4	57	84	83	69	54	35	17	2
All other	99	...	...	1	17	37	17	10	3	11	3	-	28	...	...	-	9	6	7	3	2	1	-	-
Black	93	...	...	1	15	35	16	10	3	10	3	-	20	...	...	-	7	4	4	2	2	1	-	-
Homicide and legal intervention (E960-E978)	1,756	15	26	22	432	599	313	160	103	40	13	2	424	15	12	10	110	114	71	23	28	20	16	3
White	1,227	8	16	17	319	420	210	133	66	27	8	1	301	11	7	8	79	78	52	17	21	13	13	2
All other	529	7	8	5	113	179	103	57	37	13	5	1	123	4	5	2	31	36	19	6	7	7	5	1
Black	511	7	7	4	109	174	98	56	36	13	5	1	115	4	5	2	28	32	18	6	7	7	5	1
All other external causes (E980-E999)	74	-	1	6	15	21	8	6	7	4	3	3	19	1	-	-	8	1	2	3	-	2	1	1
White	69	-	1	6	14	18	8	6	6	4	3	3	19	1	-	-	8	1	2	3	-	2	1	1
All other	5	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UTAH																								
All causes	4,923	200	38	54	190	202	181	294	698	1,209	1,226	631	4,074	150	19	34	58	77	98	165	374	770	1,229	1,100
White	4,788	189	38	53	176	190	170	281	680	1,185	1,205	621	3,994	140	19	33	58	74	96	156	362	759	1,215	1,088
All other	135	11	-	1	14	12	11	13	18	24	21	10	80	10	-	1	-	3	2	9	12	17	14	12
Black	38	-	-	-	3	4	5	4	5	12	4	1	32	4	-	-	-	1	1	2	5	7	8	4
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-016)	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	1	-	-	-	-	-	1	4	6	7	2	27	-	-	-	-	1	1	-	5	13	5	2
White	20	1	-	-	-	-	-	-	4	6	7	2	26	-	-	-	-	1	1	-	5	12	5	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	1	1
White	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 096-139)	18	1	-	-	1	1	1	2	4	4	3	1	18	2	2	-	-	-	2	2	2	4	1	3
White	17	-	-	-	1	1	1	2	4	4	3	1	17	2	2	-	-	-	2	1	2	4	1	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	845	-	2	8	10	9	24	66	168	276	212	70	708	1	2	4	2	9	29	65	140	202	179	75
White	829	-	2	8	10	9	22	65	164	272	208	69	698	1	2	4	2	9	29	64	138	199	177	73
All other	16	-	-	-	-	-	2	1	4	4	4	1	10	-	-	-	-	-	-	1	2	3	2	2
Black	7	-	-	-	-	-	-	-	2	3	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	-	-	-	-	-	1	1	3	4	2	1	6	-	-	-	-	-	-	-	4	2	-	-
White	12	-	-	-	-	-	1	1	3	4	2	1	6	-	-	-	-	-	-	-	4	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	204	-	-	-	-	2	6	17	52	54	57	16	179	1	-	-	-	-	7	11	25	54	52	29
White	195	-	-	-	-	2	5	16	50	54	53	15	174	1	-	-	-	-	7	10	25	53	51	27
All other	9	-	-	-	-	-	1	1	2	-	4	1	5	-	-	-	-	-	-	1	-	1	1	2
Black	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	211	-	-	-	-	-	-	18	53	86	43	11	73	-	-	-	-	-	2	12	23	22	10	4
White	208	-	-	-	-	-	-	18	53	83	43	11	72	-	-	-	-	-	2	12	22	22	10	4
All other	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	142	-	-	-	-	3	7	26	31	39	28	8
White	-	-	-	-	-	-	-	-	-	-	-	-	141	-	-	-	-	3	7	26	31	38	28	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of genital organs (176-187)	130	-	-	-	-	-	1	-	8	42	56	23	103	-	-	-	-	1	7	5	18	30	27	15
White	128	-	-	-	-	-	-	-	8	41	56	23	103	-	-	-	-	1	7	5	18	30	27	15
All other	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	52	-	-	1	-	-	2	4	13	17	12	3	23	-	-	-	-	-	-	1	2	8	7	5
White	52	-	-	1	-	-	2	4	13	17	12	3	23	-	-	-	-	-	-	1	2	8	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	127	-	-	2	5	2	7	15	21	46	23	6	95	-	1	2	-	3	3	5	25	23	28	5
White	127	-	-	2	5	2	7	15	21	46	23	6	92	-	1	2	-	3	3	5	24	22	27	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	56	-	2	4	2	4	3	5	9	11	11	5	35	-	1	2	1	2	2	2	5	6	11	3
White	56	-	2	4	2	4	3	5	9	11	11	5	35	-	1	2	1	2	2	2	5	6	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	1	3	1	4	6	9	16	8	5	52	-	-	-	1	-	1	3	7	18	16	6
White	51	-	-	1	3	1	4	6	7	16	8	5	52	-	-	-	1	-	1	3	7	18	16	6
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	1	1	-	2	3	2	1	7	5	-	23	-	-	-	-	1	1	2	1	2	8	8
White	22	-	1	1	-	2	3	2	1	7	5	-	22	-	-	-	-	1	1	2	1	2	8	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	83	-	-	1	2	2	2	4	10	22	31	9	117	-	-	-	-	1	1	5	21	31	36	20
White	81	-	-	1	2	2	2	4	10	22	30	9	111	-	-	-	-	1	1	3	19	30	36	19
All other	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-	-	2	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	1	2	2	11	-	-	-	-	-	-	-	-	-	6	5
White	5	-	-	-	-	-	-	-	-	1	2	2	11	-	-	-	-	-	-	-	-	-	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	13	-	-	-	1	-	-	1	3	3	2	3	14	-	-	-	-	1	1	2	1	2	5	2
White	11	-	-	-	1	-	-	1	3	3	1	3	13	-	-	-	-	-	1	2	1	2	5	2
All other	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	-	-	-	-	-	-	1	-	-	4	1	1	2	-	-	-	-	-	-	-	-
White	3	1	1	-	-	-	-	-	-	1	-	-	4	1	1	2	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,113	2	1	-	4	9	33	123	316	592	664	369	1,905	4	1	1	2	8	19	40	118	329	694	689
White	2,066	1	1	-	2	9	32	119	308	578	655	361	1,874	4	1	1	2	8	18	38	114	321	684	682
All other	47	1	-	-	2	-	1	4	8	14	9	8	31	-	-	-	-	-	-	2	4	8	10	7
Black	15	-	-	-	-	-	1	3	1	7	2	1	16	-	-	-	-	-	-	1	2	4	6	3
Diseases of heart (390-398,402,404-429)	1,734	1	1	-	3	8	28	107	284	498	529	275	1,400	3	1	1	-	6	14	33	96	272	505	469
White	1,699	1	1	-	2	8	27	105	277	485	524	269	1,380	3	1	1	-	6	14	31	93	266	499	466
All other	35	-	-	-	1	-	1	2	7	13	5	6	20	-	-	-	-	-	-	2	3	6	6	3
Black	19	-	-	-	-	-	1	2	1	7	1	1	10	-	-	-	-	-	-	1	2	3	3	1
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	-	1	1	5	1	14	5	3	64	-	-	-	-	-	2	5	9	20	23	5
White	29	-	-	-	-	1	1	5	-	14	5	3	64	-	-	-	-	-	2	5	9	20	23	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	35	-	-	-	-	-	-	2	10	8	11	4	52	-	-	-	-	-	-	-	2	7	25	17
White	34	-	-	-	-	-	-	2	10	7	11	4	50	-	-	-	-	-	-	-	2	7	24	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	1	-	1	1	2	8	-	-	-	-	-	-	-	-	-	2	4
White	5	-	-	-	-	-	-	1	-	1	1	2	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,095	1	-	-	-	5	20	55	172	317	382	163	749	-	-	-	-	1	7	14	53	163	265	246
White	1,080	1	-	-	-	5	19	55	170	311	359	160	737	-	-	-	-	1	7	13	50	160	262	244
All other	15	-	-	-	-	-	1	-	2	6	3	3	12	-	-	-	-	-	-	1	3	3	3	2
Black	4	-	-	-	-	-	1	-	-	1	1	1	7	-	-	-	-	-	-	-	2	2	2	1
Acute myocardial infarction (410)	644	1	-	-	-	2	11	38	113	215	203	61	352	-	-	-	-	-	2	5	34	100	133	78
White	635	1	-	-	-	2	11	38	111	212	201	59	347	-	-	-	-	-	2	5	32	99	132	77
All other	9	-	-	-	-	-	-	-	2	3	2	2	5	-	-	-	-	-	-	-	2	1	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	1	1	1
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	2	2	3	-	4	-	-	-	-	-	1	-	1	1	-	1	-
White	7	-	-	-	-	-	-	-	2	2	3	-	4	-	-	-	-	-	1	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	441	-	-	-	-	3	9	17	57	99	154	102	391	-	-	-	-	-	5	8	18	62	130	168
White	435	-	-	-	-	3	8	17	57	96	153	101	384	-	-	-	-	-	5	7	17	60	128	167
All other	6	-	-	-	-	-	1	-	-	3	1	1	7	-	-	-	-	-	-	1	1	2	2	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Other diseases of endocardium (424)	16	-	-	-	-	-	-	-	2	3	9	2	13	-	-	-	-	-	-	-	2	3	6	2
White	14	-	-	-	-	-	-	-	2	1	9	2	13	-	-	-	-	-	-	-	2	3	6	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	553	-	1	-	3	2	7	44	99	155	141	101	516	3	1	1	-	5	5	14	30	79	183	195
White	537	-	1	-	2	2	7	42	95	151	139	98	510	3	1	1	-	5	5	13	30	76	182	194
All other	16	-	-	-	1	-	-	2	4	4	2	3	6	-	-	-	-	-	-	1	-	3	1	1
Black	6	-	-	-	-	-	-	2	1	3	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Hypertension with or without renal disease (401,403)	14	-	-	-	-	1	1	1	2	3	3	3	18	-	-	-	-	-	-	-	1	3	7	7
White	13	-	-	-	-	1	1	1	2	3	2	3	17	-	-	-	-	-	-	-	1	3	6	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	273	1	-	-	1	-	1	11	23	64	101	71	402	1	-	-	2	2	3	4	19	49	159	163
White	265	-	-	-	-	-	1	10	23	63	99	69	394	1	-	-	2	2	3	4	18	47	157	160
All other	8	1	-	-	1	-	-	1	-	1	2	2	8	-	-	-	-	-	-	-	1	2	2	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	2	2	1
Intracerebral and other intracranial hemorrhage (431-432)	34	1	-	-	-	-	1	3	5	11	7	6	51	1	-	-	1	1	2	3	7	10	18	8
White	32	-	-	-	-	-	1	3	5	11	6	6	48	1	-	-	1	1	2	3	6	9	17	8
All other	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35	-	-	-	-	-	-	1	4	8	10	12	46	-	-	-	-	-	-	-	-	4	19	23
White	35	-	-	-	-	-	-	1	4	8	10	12	46	-	-	-	-	-	-	-	-	4	19	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	201	-	-	-	1	-	-	7	14	42	84	53	302	-	-	-	1	1	1	1	12	34	120	132
White	195	-	-	-	-	-	-	6	14	41	83	51	297	-	-	-	1	1	1	1	12	33	119	129
All other	6	-	-	-	1	-	-	1	-	1	1	2	5	-	-	-	-	-	-	-	-	1	1	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Atherosclerosis (440)	28	-	-	-	-	-	-	-	-	4	11	13	44	-	-	-	-	-	-	-	-	-	11	33
White	28	-	-	-	-	-	-	-	-	4	11	13	43	-	-	-	-	-	-	-	-	-	11	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	64	-	-	-	-	-	3	4	7	23	20	7	41	-	-	-	-	-	2	3	2	5	12	17
White	61	-	-	-	-	-	3	3	6	23	19	7	40	-	-	-	-	-	2	3	2	5	11	17
All other	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	3	1	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	141	4	-	1	-	-	3	3	14	26	38	52	129	-	1	1	-	-	2	-	4	13	43	65
White	138	3	-	1	-	-	2	3	14	26	37	52	128	-	1	1	-	-	2	-	4	13	43	64
All other	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	139	4	-	1	-	-	3	3	14	26	38	50	127	-	1	1	-	-	2	-	4	13	41	65
White	136	3	-	1	-	-	2	3	14	26	37	50	126	-	1	1	-	-	2	-	4	13	41	64
All other	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	207	-	-	-	-	1	-	3	29	97	65	12	106	-	-	-	-	-	2	1	12	39	33	19
White	205	-	-	-	-	1	-	3	29	96	64	12	104	-	-	-	-	-	1	1	12	39	32	19
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	-	1	-	5	3	1	10	-	-	-	-	-	-	-	-	4	4	2
White	10	-	-	-	-	-	-	1	-	5	3	1	10	-	-	-	-	-	-	-	-	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	41	-	-	-	-	-	-	-	4	23	14	-	11	-	-	-	-	-	-	-	-	7	3	1
White	41	-	-	-	-	-	-	-	4	23	14	-	11	-	-	-	-	-	-	-	-	7	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	8	–	–	–	–	1	–	2	–	3	2	–	15	–	–	–	–	–	2	–	2	1	5	5
White	8	–	–	–	–	1	–	2	–	3	2	–	14	–	–	–	–	–	1	–	2	1	5	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	148	–	–	–	–	–	–	–	25	68	46	11	70	–	–	–	–	–	–	1	10	27	21	11
White	146	–	–	–	–	–	–	–	25	65	45	11	69	–	–	–	–	–	–	1	10	27	20	11
All other	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Ulcer of stomach and duodenum (531-533)	12	–	–	–	–	–	1	–	1	2	6	2	26	–	–	–	–	–	1	–	3	5	5	12
White	12	–	–	–	–	–	1	–	1	2	6	2	26	–	–	–	–	–	1	–	3	5	5	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	1	2	–	–	–	1	–	1	1	4	4	17	1	–	–	–	–	–	2	1	1	3	9
White	13	1	2	–	–	–	1	–	1	–	4	4	17	1	–	–	–	–	–	2	1	1	3	9
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	47	–	–	1	–	1	7	9	12	11	6	–	35	–	1	1	–	2	–	2	8	12	9	–
White	43	–	–	1	–	1	6	9	12	9	5	–	32	–	1	1	–	1	–	2	7	11	9	–
All other	4	–	–	–	–	–	1	–	–	2	1	–	3	–	–	–	–	1	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-576)	12	–	–	–	–	–	–	–	2	3	5	2	3	–	–	–	–	–	–	–	–	–	–	3
White	12	–	–	–	–	–	–	–	2	3	5	2	3	–	–	–	–	–	–	–	–	–	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	–	–	–	–	1	–	–	5	12	10	12	38	–	–	1	–	1	1	1	5	7	14	8
White	38	–	–	–	–	1	–	–	4	11	10	12	38	–	–	1	–	1	1	1	5	7	14	8
All other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	–	–	–	–	–	–	–	–	1	3	1	2	–	–	–	–	–	–	–	1	–	1	–
White	5	–	–	–	–	–	–	–	–	1	3	1	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	–	–	–	–	1	–	–	5	11	7	11	36	–	–	1	–	1	1	1	4	7	13	8
White	33	–	–	–	–	1	–	–	4	10	7	11	36	–	–	1	–	1	1	1	4	7	13	8
All other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	1	–	–	1	1
White	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	1	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	62	50	5	4	1	-	-	-	2	-	-	-	63	42	3	3	2	1	-	2	5	2	2	1
White	62	50	5	4	1	-	-	-	2	-	-	-	62	42	3	2	2	1	-	2	5	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	81	79	2	-	-	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
White	78	76	2	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	23	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	22	22	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	58	56	2	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
White	56	54	2	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	86	46	2	-	-	1	2	1	7	4	10	13	74	27	-	-	-	1	-	1	1	4	16	24
White	70	42	2	-	-	1	1	1	6	4	9	13	74	27	-	-	-	1	-	1	1	4	16	24
All other	7	4	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	394	8	4	8	10	11	14	17	55	93	111	63	414	6	1	8	5	10	7	14	25	79	138	121
White	385	8	4	8	9	10	13	15	53	93	109	63	409	6	1	8	5	10	7	13	24	77	137	121
All other	9	-	-	-	1	1	1	2	2	-	2	-	5	-	-	-	-	-	-	1	1	2	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Accidents and adverse effects (E800-E949)	448	4	18	25	108	98	52	34	38	26	33	12	200	6	4	11	31	27	13	11	16	22	28	31
White	431	4	18	24	102	95	49	31	37	26	33	12	197	6	4	11	31	27	13	10	15	21	28	31
All other	17	-	-	1	6	3	3	3	1	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	5	-	-	-	1	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Motor vehicle accidents (E810-E825)	215	-	6	13	76	43	21	20	19	7	9	1	94	1	3	7	21	17	11	8	6	13	6	1
White	205	-	6	13	72	40	19	19	19	7	9	1	93	1	3	7	21	17	11	7	6	13	6	1
All other	10	-	-	-	4	3	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	233	4	12	12	32	55	31	14	19	19	24	11	106	5	1	4	10	10	2	3	10	9	22	30
White	226	4	12	11	30	55	30	12	18	19	24	11	104	5	1	4	10	10	2	3	9	8	22	30
All other	7	-	-	1	2	-	1	2	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Suicide (E950-E959)	180	...	...	1	36	49	26	23	19	16	8	2	44	...	...	-	11	11	11	7	3	1	-	-
White	171	...	...	1	35	43	26	22	19	15	8	2	43	...	...	-	11	10	11	7	3	1	-	-
All other	9	...	...	-	1	6	-	1	-	1	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	3	...	...	-	-	2	-	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	33	-	-	1	11	8	4	3	4	-	2	-	18	1	3	2	3	1	4	2	2	-	-	-
White	26	-	-	1	8	6	3	2	4	-	2	-	16	1	3	2	3	1	3	1	2	-	-	-
All other	7	-	-	-	3	2	1	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	28	2	-	2	5	9	7	1	-	2	-	-	10	-	-	-	1	2	3	4	-	-	-	-
White	27	1	-	2	5	9	7	1	-	2	-	-	10	-	-	-	1	2	3	4	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,293	33	7	11	62	52	84	143	335	632	607	327	2,239	37	4	2	12	25	40	74	201	463	679	701
White	2,291	33	7	11	62	52	83	143	335	632	606	327	2,233	37	4	2	12	23	40	74	201	462	677	700
All other	2	–	–	–	–	–	1	–	–	–	1	–	6	–	–	–	–	2	–	–	–	1	2	1
Black	2	–	–	–	–	–	1	–	–	–	1	–	4	–	–	–	–	1	–	–	–	1	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	10	1	–	1	–	–	–	–	1	1	4	2	17	–	–	–	–	–	–	–	2	1	7	7
White	10	1	–	1	–	–	–	–	1	1	4	2	17	–	–	–	–	–	–	–	2	1	7	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	–	–	–	1	–	1	–	1	3	–	–	10	1	–	–	–	–	1	–	1	3	1	3
White	6	–	–	–	1	–	1	–	1	3	–	–	10	1	–	–	–	–	1	–	1	3	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	551	–	–	4	6	4	12	48	108	182	146	43	503	1	–	1	1	8	18	34	90	144	143	65
White	551	–	–	4	6	4	12	48	108	182	146	43	500	1	–	1	1	7	18	34	90	143	142	65
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	-	-	4	1	3	1	-	9	-	-	-	-	-	-	1	2	3	3	-
White	9	-	-	-	-	-	-	4	1	3	1	-	9	-	-	-	-	-	-	1	2	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	127	-	-	-	-	-	3	9	23	46	36	10	142	-	-	-	-	-	1	4	24	46	41	26
White	127	-	-	-	-	-	3	9	23	46	36	10	141	-	-	-	-	-	1	4	24	46	40	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	181	-	-	-	-	-	2	17	45	73	38	6	79	-	-	-	-	1	3	7	23	23	19	3
White	181	-	-	-	-	-	2	17	45	73	38	6	79	-	-	-	-	1	3	7	23	23	19	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-	-	2	6	14	21	25	22	10
White	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-	-	2	6	14	21	25	22	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	66	-	-	-	-	-	-	3	-	21	29	13	52	-	-	-	-	1	2	3	9	14	16	7
White	66	-	-	-	-	-	-	3	-	21	29	13	51	-	-	-	-	-	2	3	9	14	16	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	-	-	-	7	17	11	6	17	-	-	-	-	-	-	-	2	3	11	1
White	41	-	-	-	-	-	-	-	7	17	11	6	17	-	-	-	-	-	-	-	2	3	11	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	73	-	-	-	3	2	5	10	21	14	14	4	56	-	-	-	-	2	2	2	4	16	21	9
White	73	-	-	-	3	2	5	10	21	14	14	4	56	-	-	-	-	2	2	2	4	16	21	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	21	-	-	3	-	-	2	2	2	1	8	3	23	1	-	1	1	1	2	1	1	5	5	5
White	21	-	-	3	-	-	2	2	2	1	8	3	23	1	-	1	1	1	2	1	1	5	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	33	-	-	1	3	2	-	1	9	7	9	1	25	-	-	-	-	1	-	2	4	9	5	4
White	33	-	-	1	3	2	-	1	9	7	9	1	24	-	-	-	-	1	-	2	4	8	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	-	-	-	1	1	-	-	-	14	-	-	-	-	-	1	1	3	2	5	2
White	2	-	-	-	-	-	-	1	1	-	-	-	14	-	-	-	-	-	1	1	3	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	41	-	-	-	1	1	3	5	6	12	9	4	41	-	-	-	-	-	1	1	6	12	10	11
White	41	-	-	-	1	1	3	5	6	12	9	4	41	-	-	-	-	-	1	1	6	12	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
White	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1	2	5
White	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	994	1	1	-	1	3	14	57	144	299	299	175	1,095	1	-	-	-	1	9	18	57	210	373	426
White	994	1	1	-	1	3	14	57	144	299	299	175	1,093	1	-	-	-	-	9	18	57	210	372	426
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	838	1	1	–	1	3	14	51	133	246	247	141	858	1	–	–	–	–	7	17	49	175	282	327
White	838	1	1	–	1	3	14	51	133	246	247	141	858	1	–	–	–	–	7	17	49	175	282	327
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever and rheumatic heart disease (390-398)	4	–	–	–	–	–	1	–	2	–	–	1	8	–	–	–	–	–	–	–	1	3	2	2
White	4	–	–	–	–	–	1	–	2	–	–	1	8	–	–	–	–	–	–	–	1	3	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	16	–	–	–	–	–	–	2	3	6	2	3	27	–	–	–	–	–	1	–	1	7	11	7
White	16	–	–	–	–	–	–	2	3	6	2	3	27	–	–	–	–	–	1	–	1	7	11	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	1	2	4
White	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	1	2	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	584	–	–	–	–	2	10	39	91	183	174	85	514	–	–	–	–	–	–	11	30	103	180	190
White	584	–	–	–	–	2	10	39	91	183	174	85	514	–	–	–	–	–	–	11	30	103	180	190
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute myocardial infarction (410)	349	–	–	–	–	2	6	27	54	124	101	35	268	–	–	–	–	–	–	7	17	71	104	69
White	349	–	–	–	–	2	6	27	54	124	101	35	268	–	–	–	–	–	–	7	17	71	104	69
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other acute and subacute forms of ischemic heart disease (411)	6	–	–	–	–	–	–	1	–	4	1	–	3	–	–	–	–	–	–	–	1	1	1	–
White	6	–	–	–	–	–	–	1	–	4	1	–	3	–	–	–	–	–	–	–	1	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1
White	4	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	225	–	–	–	–	–	4	11	36	54	71	49	241	–	–	–	–	–	–	4	12	30	75	120
White	225	–	–	–	–	–	4	11	36	54	71	49	241	–	–	–	–	–	–	4	12	30	75	120
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	19	–	–	–	–	–	–	1	2	5	9	2	13	–	–	–	–	–	–	1	1	3	4	4
White	19	–	–	–	–	–	–	1	2	5	9	2	13	–	–	–	–	–	–	1	1	3	4	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	214	1	1	–	1	1	3	8	35	52	62	49	289	1	–	–	–	–	6	5	16	58	83	120
White	214	1	1	–	1	1	3	9	35	52	62	48	289	1	–	–	–	–	6	5	16	58	83	120
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	4	–	–	–	–	–	–	–	–	1	2	1	8	–	–	–	–	–	–	–	1	3	2	2
White	4	–	–	–	–	–	–	–	–	1	2	1	8	–	–	–	–	–	–	–	1	3	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	98	–	–	–	–	–	–	3	6	34	34	21	191	–	–	–	–	1	1	1	6	24	77	81
White	96	–	–	–	–	–	–	3	6	34	34	21	189	–	–	–	–	–	1	1	5	24	76	81
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Intracerebral and other intracranial hemorrhage (431-432)	5	–	–	–	–	–	–	–	1	3	1	–	17	–	–	–	–	–	–	–	–	5	9	3
White	5	–	–	–	–	–	–	–	1	3	1	–	17	–	–	–	–	–	–	–	–	5	9	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	–	–	–	–	–	–	–	2	3	7	4	36	–	–	–	–	–	–	–	2	5	12	17
White	16	–	–	–	–	–	–	–	2	3	7	4	35	–	–	–	–	–	–	–	2	5	11	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	75	-	-	-	-	-	-	3	3	28	24	17	137	-	-	-	-	1	-	1	4	14	56	61
White	75	-	-	-	-	-	-	3	3	28	24	17	136	-	-	-	-	-	-	1	4	14	56	61
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Atherosclerosis (440)	19	-	-	-	-	-	-	-	2	6	3	8	22	-	-	-	-	-	-	-	-	3	6	13
White	19	-	-	-	-	-	-	-	2	6	3	8	22	-	-	-	-	-	-	-	-	3	6	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	35	-	-	-	-	-	-	3	3	12	13	4	16	-	-	-	-	-	1	-	1	5	6	3
White	35	-	-	-	-	-	-	3	3	12	13	4	16	-	-	-	-	-	1	-	1	5	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	75	1	-	-	-	-	-	2	4	15	25	28	92	1	-	-	-	-	2	-	2	10	20	57
White	75	1	-	-	-	-	-	2	4	15	25	28	92	1	-	-	-	-	2	-	2	10	20	57
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	73	1	-	-	-	-	-	2	4	15	25	26	91	1	-	-	-	-	2	-	2	10	20	56
White	73	1	-	-	-	-	-	2	4	15	25	26	91	1	-	-	-	-	2	-	2	10	20	56
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	114	-	-	-	-	-	-	2	16	43	37	16	73	-	-	-	-	-	1	-	9	25	25	13
White	113	-	-	-	-	-	-	2	16	43	36	16	73	-	-	-	-	-	1	-	9	25	25	13
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	1	1	1	2	2	6	-	-	-	-	-	1	-	1	2	1	1
White	7	-	-	-	-	-	-	1	1	1	2	2	6	-	-	-	-	-	1	-	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	16	-	-	-	-	-	-	-	3	9	2	2	8	-	-	-	-	-	-	-	2	4	1	1
White	16	-	-	-	-	-	-	-	3	9	2	2	8	-	-	-	-	-	-	-	2	4	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	-	2	3
White	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	68	-	-	-	-	-	-	1	11	32	32	12	54	-	-	-	-	-	-	-	6	19	21	8
White	67	-	-	-	-	-	-	1	11	32	31	12	54	-	-	-	-	-	-	-	6	19	21	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	-	1	3	2	1	11	-	-	-	-	-	-	-	1	4	4	2
White	7	-	-	-	-	-	-	-	1	3	2	1	11	-	-	-	-	-	-	-	1	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	-	-	2	12	-	-	-	-	-	-	-	1	-	3	8
White	2	-	-	-	-	-	-	-	-	-	-	2	12	-	-	-	-	-	-	-	1	-	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	37	-	-	-	-	-	6	6	13	10	1	1	17	-	-	-	-	1	1	1	4	7	3	-
White	37	-	-	-	-	-	6	6	13	10	1	1	17	-	-	-	-	1	1	1	4	7	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	-	1	3
White	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	-	-	-	-	-	-	-	-	6	8	5	18	-	-	-	-	-	1	-	2	4	3	8
White	19	-	-	-	-	-	-	-	-	6	8	5	18	-	-	-	-	-	1	-	2	4	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	18	-	-	-	-	-	-	-	-	6	8	5	16	-	-	-	-	-	-	-	1	4	3	8
White	19	-	-	-	-	-	-	-	-	6	8	5	16	-	-	-	-	-	-	-	1	4	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	1	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	1	2	3
White	2	-	-	-	-	1	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	20	12	1	1	1	2	-	1	-	-	1	1	11	8	-	-	-	-	1	2	-	-	-	-
White	20	12	1	1	1	2	-	1	-	-	1	1	11	8	-	-	-	-	1	2	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	12	12	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	10	6	-	-	-	-	1	-	1	-	1	1	16	8	-	-	-	-	-	1	-	-	4	3
White	10	6	-	-	-	-	1	-	1	-	1	1	16	8	-	-	-	-	-	1	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	161	-	2	1	3	4	10	8	12	38	50	35	183	-	-	-	-	3	3	6	12	28	57	74
White	160	-	2	1	3	4	9	8	12	36	50	35	182	-	-	-	-	3	3	6	12	28	57	73
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Accidents and adverse effects (E800-E949)	144	-	3	3	37	18	23	8	17	13	15	7	57	-	3	1	6	8	1	6	4	7	12	8
White	144	-	3	3	37	18	23	8	17	13	15	7	57	-	3	1	6	8	1	6	4	7	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	83	-	1	3	30	14	15	6	9	5	-	-	21	-	2	-	4	5	-	2	2	5	1	-
White	83	-	1	3	30	14	15	6	9	5	-	-	21	-	2	-	4	5	-	2	2	5	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E926-E949)	61	-	2	-	7	4	8	2	8	8	15	7	36	-	1	1	2	3	1	4	2	2	11	8
White	61	-	2	-	7	4	8	2	8	8	15	7	36	-	1	1	2	3	1	4	2	2	11	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	63	...	...	-	10	15	13	7	5	4	5	4	19	...	...	-	4	4	1	3	5	2	-	-
White	63	...	...	-	10	15	13	7	5	4	5	4	19	...	...	-	4	4	1	3	5	2	-	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	-	-	-	2	3	-	-	3	1	-	-	3	-	-	-	1	-	-	1	1	-	-	-
White	9	-	-	-	2	3	-	-	3	1	-	-	3	-	-	-	1	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	23,666	557	84	124	674	738	949	1,847	4,520	6,391	5,369	2,408	20,644	448	63	72	240	322	547	1,117	2,600	4,433	5,821	4,976
White	18,222	336	50	82	521	502	674	1,360	3,390	4,960	4,357	1,988	16,335	267	41	47	161	210	392	759	1,915	3,404	4,784	4,353
All other	5,444	221	34	42	153	236	275	487	1,130	1,431	1,012	420	4,309	181	22	25	79	112	155	358	685	1,029	1,037	623
Black	5,340	210	31	40	149	231	267	473	1,115	1,414	992	415	4,240	178	22	24	78	109	147	347	674	1,013	1,029	618
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	2	-	1	2	3	7	1	14	-	-	-	-	-	-	-	2	4	5	3
White	9	-	-	-	-	1	-	-	-	2	5	1	7	-	-	-	-	-	-	-	1	1	3	2
All other	7	-	-	-	-	1	-	1	2	1	2	-	7	-	-	-	-	-	-	-	1	3	2	1
Black	7	-	-	-	-	1	-	1	2	1	2	-	7	-	-	-	-	-	-	-	1	3	2	1
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	2	-	1	2	3	6	-	10	-	-	-	-	-	-	-	1	3	3	3
White	7	-	-	-	-	1	-	-	-	2	4	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	7	-	-	-	-	1	-	1	2	1	2	-	6	-	-	-	-	-	-	-	1	3	1	1
Black	7	-	-	-	-	1	-	1	2	1	2	-	6	-	-	-	-	-	-	-	1	3	1	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	1	2	-
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	1	-	-	-	6	1	2	1	-	1	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	1	-	-	-
Septicemia (038)	235	5	1	-	2	-	6	12	47	56	60	46	234	3	-	-	1	-	8	12	31	44	71	64
White	155	2	-	-	2	-	4	6	31	36	38	36	150	1	-	-	1	-	4	6	17	28	50	53
All other	80	3	1	-	-	-	2	6	16	20	22	10	74	2	-	-	-	-	4	6	14	16	21	11
Black	79	3	1	-	-	-	2	6	16	20	21	10	73	2	-	-	-	-	4	6	14	15	21	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	1	2	2	-	1	1	2	-	-	3	-	-	1	-	-	-	-	-	2	-	-
White	7	-	-	1	2	1	-	-	1	2	-	-	2	-	-	1	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	1	-	1	-	1	-
White	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,038-041, 046-054,056-066,071-088, 099-139)	72	1	2	1	4	9	7	10	6	11	10	11	64	2	2	1	2	1	7	4	14	15	11	5
White	49	-	1	1	1	4	6	7	5	8	6	10	39	1	2	-	-	-	4	2	7	10	9	4
All other	23	1	1	-	3	5	1	3	1	3	4	1	25	1	-	1	2	1	3	2	7	5	2	1
Black	23	1	1	-	3	5	1	3	1	3	4	1	24	1	-	1	2	1	2	2	7	5	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,536	2	11	21	35	76	157	485	1,431	1,838	1,166	314	4,503	1	7	18	28	70	193	470	1,025	1,296	870	427
White	4,205	2	7	15	29	59	119	352	1,069	1,394	927	232	3,632	-	4	12	17	49	149	381	802	1,069	810	359
All other	1,331	-	4	6	6	17	38	133	362	444	239	82	871	1	3	4	11	21	44	109	223	227	160	68
Black	1,305	-	2	6	6	17	37	125	360	438	239	81	854	1	3	4	11	21	41	105	219	222	159	68
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	142	-	-	-	-	2	4	18	47	45	23	3	59	-	-	-	-	-	1	5	17	22	9	5
White	101	-	-	-	-	1	3	10	29	36	20	2	51	-	-	-	-	-	1	2	15	21	8	4
All other	41	-	-	-	-	1	1	8	18	9	3	1	8	-	-	-	-	-	-	3	2	1	1	1
Black	41	-	-	-	-	1	1	8	18	9	3	1	8	-	-	-	-	-	-	3	2	1	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,270	-	-	-	3	16	39	114	353	416	250	79	1,142	-	-	-	4	9	19	74	206	344	322	164
White	922	-	-	-	2	9	27	74	251	310	190	59	874	-	-	-	3	5	14	59	137	271	257	134
All other	348	-	-	-	1	7	12	40	102	106	60	20	268	-	-	-	1	4	5	21	69	73	65	30
Black	334	-	-	-	1	7	11	37	100	103	58	19	264	-	-	-	1	4	5	20	68	72	64	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,120	1	-	1	-	6	38	197	635	756	414	74	840	-	-	1	-	3	17	106	257	283	135	38
White	1,650	1	-	1	-	6	23	145	485	596	339	54	709	-	-	-	-	2	12	87	218	248	106	36
All other	470	-	-	-	-	-	13	52	150	160	75	20	131	-	-	1	-	1	5	19	39	35	29	2
Black	465	-	-	-	-	-	13	50	150	158	74	20	129	-	-	1	-	1	5	19	38	34	29	2
Malignant neoplasm of breast (174-175)	7	-	-	-	-	1	-	-	1	2	3	-	873	-	-	-	1	21	81	131	231	211	135	62
White	3	-	-	-	-	1	-	-	-	-	2	-	709	-	-	-	1	12	61	102	180	178	122	53
All other	4	-	-	-	-	-	-	-	1	2	1	-	164	-	-	-	-	9	20	29	51	33	13	9
Black	4	-	-	-	-	-	-	-	1	2	1	-	161	-	-	-	-	9	18	29	51	32	13	9
Malignant neoplasms of genital organs (179-187)	556	-	-	-	2	3	2	10	63	190	202	84	438	-	-	1	3	10	25	50	91	120	103	35
White	368	-	-	-	2	3	2	4	44	114	142	57	339	-	-	1	2	8	20	35	70	90	85	28
All other	188	-	-	-	-	-	-	6	19	76	60	27	99	-	-	-	1	2	5	15	21	30	18	7
Black	167	-	-	-	-	-	-	6	19	76	59	27	95	-	-	-	1	2	5	13	20	29	18	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	200	–	–	–	–	1	1	19	45	77	43	14	125	–	–	1	–	–	2	9	25	33	39	16
White	164	–	–	–	–	1	1	16	33	64	37	12	103	–	–	1	–	–	1	9	21	23	35	13
All other	36	–	–	–	–	–	–	3	12	13	6	2	22	–	–	–	–	–	1	–	4	10	4	3
Black	36	–	–	–	–	–	–	3	12	13	6	2	22	–	–	–	–	–	1	–	4	10	4	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	742	–	7	11	8	30	45	75	193	217	127	29	606	1	4	6	11	18	25	74	128	152	131	56
White	577	–	5	8	8	23	36	63	148	162	105	19	497	–	2	4	8	15	21	59	104	127	109	48
All other	165	–	2	3	–	7	9	12	45	55	22	10	109	1	2	2	3	3	4	15	24	25	22	8
Black	163	–	2	3	–	7	9	11	45	54	22	10	107	1	2	2	3	3	4	15	23	24	22	8
Leukemia (204-208)	208	1	4	8	14	10	12	19	37	51	39	13	176	–	3	6	6	6	15	11	24	45	39	21
White	174	1	2	5	12	9	10	14	31	42	36	12	147	–	2	5	3	4	12	8	21	38	36	18
All other	34	–	2	3	2	1	2	5	6	9	3	1	29	–	1	1	3	2	3	3	3	7	3	3
Black	31	–	–	3	2	1	2	4	6	9	3	1	27	–	1	1	3	2	2	2	3	7	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	291	–	–	1	8	7	18	33	57	84	65	18	244	–	–	1	3	3	8	10	46	86	57	30
White	246	–	–	1	5	6	17	26	48	70	56	17	203	–	–	1	–	3	7	6	36	73	52	25
All other	45	–	–	–	3	1	1	7	9	14	9	1	41	–	–	–	3	–	1	4	10	13	5	5
Black	44	–	–	–	3	1	1	6	9	14	9	1	41	–	–	–	3	–	1	4	10	13	5	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	75	1	1	6	1	2	5	7	17	19	11	5	60	2	–	2	–	2	2	4	12	21	24	11
White	54	1	1	3	–	2	5	4	11	16	6	5	63	2	–	1	–	2	2	2	11	16	17	10
All other	21	–	–	3	1	–	–	3	6	3	5	–	17	–	–	1	–	–	–	2	1	5	7	1
Black	20	–	–	3	1	–	–	3	5	3	5	–	17	–	–	1	–	–	–	2	1	5	7	1
Diabetes mellitus (250)	235	–	–	–	1	7	15	17	56	69	49	21	401	–	–	–	1	7	12	26	74	110	116	55
White	150	–	–	–	–	3	8	7	34	49	33	16	254	–	–	–	1	5	9	12	41	61	85	40
All other	85	–	–	–	1	4	7	10	22	20	16	5	147	–	–	–	–	2	3	14	33	49	31	15
Black	84	–	–	–	1	4	7	10	22	20	15	5	146	–	–	–	–	2	3	14	33	49	31	14
Nutritional deficiencies (260-269)	28	–	–	1	–	1	–	1	1	5	9	10	34	–	–	–	–	–	1	–	3	1	14	15
White	20	–	–	1	–	1	–	–	1	4	5	9	28	–	–	–	–	–	–	–	3	1	11	13
All other	8	–	–	1	–	–	–	1	–	1	4	1	6	–	–	–	–	–	1	–	–	–	3	2
Black	7	–	–	1	–	–	–	1	–	–	4	1	6	–	–	–	–	–	1	–	–	–	3	2
Anemias (280-285)	38	–	1	2	3	1	2	3	6	4	12	4	42	–	1	3	2	3	1	3	5	4	11	9
White	27	–	1	2	1	–	1	3	3	1	11	4	25	–	–	–	1	1	–	2	3	3	9	6
All other	11	–	–	–	2	1	1	–	3	3	1	–	17	–	1	3	1	2	1	1	2	1	2	3
Black	11	–	–	–	2	1	1	–	3	3	1	–	17	–	1	3	1	2	1	1	2	1	2	3
Meningitis (320-322)	17	5	2	1	–	–	–	1	2	2	3	1	19	3	2	1	–	1	1	1	2	3	3	2
White	13	3	1	1	–	–	–	1	2	1	3	1	11	1	2	–	–	1	–	–	2	2	2	1
All other	4	2	1	–	–	–	–	–	–	1	–	–	8	2	–	1	–	–	1	1	–	1	1	1
Black	4	2	1	–	–	–	–	–	–	1	–	–	8	2	–	1	–	–	1	1	–	1	1	1
Major cardiovascular diseases (390-448)	10,456	21	6	5	28	60	276	772	2,047	3,031	2,828	1,383	10,214	5	6	5	21	40	118	325	922	2,105	3,415	3,247
White	8,283	14	4	2	20	33	195	595	1,550	2,372	2,332	1,165	8,139	2	4	2	9	19	76	181	630	1,549	2,804	2,881
All other	2,173	7	1	3	8	27	81	177	497	659	494	218	2,075	3	2	3	12	21	42	144	292	556	611	366
Black	2,142	7	1	3	7	25	76	176	490	653	486	215	2,054	3	2	3	12	21	42	141	288	549	608	382
Diseases of heart (390-398,402,404-429)	8,468	20	5	4	26	45	231	679	1,764	2,490	2,193	1,009	7,535	4	6	4	15	23	84	248	741	1,631	2,500	2,276
White	6,778	13	4	1	18	23	169	530	1,372	1,983	1,811	853	6,020	1	4	2	8	9	53	139	519	1,220	2,062	2,002
All other	1,690	7	1	3	8	22	62	149	392	507	382	156	1,515	3	2	2	7	14	31	109	222	411	438	274
Black	1,666	7	1	3	7	20	59	149	387	503	378	153	1,504	3	2	2	7	14	31	108	221	408	435	271
Rheumatic fever and rheumatic heart disease (390-398)	41	–	–	–	2	–	1	7	9	16	6	–	62	–	–	–	2	–	–	7	10	25	12	6
White	35	–	–	–	2	–	1	6	9	13	4	–	52	–	–	–	2	–	–	6	9	19	10	6
All other	6	–	–	–	–	–	–	1	–	3	2	–	10	–	–	–	–	–	–	1	1	6	2	–
Black	6	–	–	–	–	–	–	1	–	3	2	–	10	–	–	–	–	–	–	1	1	6	2	–
Hypertensive heart disease (402)	186	–	–	–	–	3	9	22	38	53	48	15	249	–	–	–	–	–	10	20	34	41	68	56
White	101	–	–	–	–	1	1	9	17	32	30	11	150	–	–	–	–	–	6	5	14	20	61	44
All other	85	–	–	–	–	2	8	13	21	21	16	4	99	–	–	–	–	–	4	15	20	21	27	12
Black	85	–	–	–	–	2	8	13	21	21	16	4	98	–	–	–	–	–	4	15	20	21	26	12
Hypertensive heart and renal disease (404)	25	–	–	–	–	–	–	–	2	12	9	2	43	–	–	–	–	–	–	2	1	10	23	7
White	13	–	–	–	–	–	–	–	1	6	4	2	25	–	–	–	–	–	–	–	1	4	16	4
All other	12	–	–	–	–	–	–	–	1	6	5	–	18	–	–	–	–	–	–	2	–	6	7	3
Black	12	–	–	–	–	–	–	–	1	6	5	–	16	–	–	–	–	–	–	2	–	6	7	3
Ischemic heart disease (410-414)	5,684	–	–	–	6	19	159	511	1,337	1,793	1,492	565	4,591	–	–	–	2	5	41	143	486	1,038	1,595	1,281
White	4,899	–	–	–	6	9	131	423	1,079	1,481	1,283	486	3,774	–	–	–	1	4	28	82	357	814	1,354	1,134
All other	985	–	–	–	–	10	28	88	258	312	209	79	817	–	–	–	1	1	13	61	129	224	241	147
Black	973	–	–	–	–	9	27	88	254	309	206	79	811	–	–	–	1	1	13	61	128	223	240	144
Acute myocardial infarction (410)	3,270	–	–	–	3	10	95	292	805	1,047	773	244	2,358	–	–	–	–	4	21	87	294	641	849	462
White	2,760	–	–	–	3	3	84	242	683	885	673	206	1,939	–	–	–	–	3	13	52	213	515	738	405
All other	510	–	–	–	–	7	11	50	142	162	100	38	419	–	–	–	–	1	8	35	81	126	111	57
Black	506	–	–	–	–	7	10	50	141	162	98	38	418	–	–	–	–	1	8	35	80	126	111	57

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	414	-	-	-	1	3	21	53	110	123	78	25	233	-	-	-	-	-	4	18	43	57	66	45
White	284	-	-	-	1	2	14	35	74	88	64	16	158	-	-	-	-	-	3	7	30	33	47	38
All other	120	-	-	-	-	1	7	18	36	35	14	9	75	-	-	-	-	-	1	11	13	24	19	7
Black	119	-	-	-	-	1	7	18	36	34	14	9	73	-	-	-	-	-	1	11	13	24	19	5
Angina pectoris (413)	6	-	-	-	-	-	-	1	-	3	1	1	19	-	-	-	-	-	-	1	3	2	10	3
White	3	-	-	-	-	-	-	1	-	-	1	1	16	-	-	-	-	-	-	1	3	2	7	3
All other	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,194	-	-	-	2	6	43	165	422	620	640	295	1,981	-	-	-	2	1	18	37	146	338	670	771
White	1,842	-	-	-	2	4	33	145	342	508	545	283	1,681	-	-	-	1	1	12	22	111	264	562	688
All other	352	-	-	-	-	2	10	20	80	112	95	32	320	-	-	-	1	-	4	15	35	74	108	83
Black	345	-	-	-	-	1	10	20	77	110	94	32	317	-	-	-	1	-	4	15	35	73	107	82
Other diseases of endocardium (424)	85	2	-	-	-	-	4	5	9	25	27	13	100	-	-	-	-	-	-	3	7	30	27	33
White	70	2	-	-	-	-	3	4	7	21	21	12	78	-	-	-	-	-	-	3	3	23	23	27
All other	15	-	-	-	-	-	1	1	2	4	6	1	21	-	-	-	-	-	-	-	4	7	4	6
Black	14	-	-	-	-	-	-	1	2	4	6	1	21	-	-	-	-	-	-	-	4	7	4	6
All other forms of heart disease (415-423,425-429)	2,247	18	5	4	18	23	58	134	369	591	613	414	2,490	4	6	4	11	18	33	73	203	487	755	893
White	1,660	11	4	1	10	13	33	88	259	430	469	342	1,940	1	4	2	5	5	19	43	135	340	598	787
All other	587	7	1	3	8	10	25	46	110	161	144	72	550	3	2	2	6	13	14	30	68	147	157	106
Black	576	7	1	3	7	9	24	46	109	160	141	69	546	3	2	2	6	13	14	29	66	145	156	106
Hypertension with or without renal disease (401,403)	64	-	-	-	-	-	2	6	12	23	14	7	92	-	-	-	-	-	-	7	10	22	29	23
White	37	-	-	-	-	-	2	3	7	8	11	6	49	-	-	-	-	-	-	2	3	12	17	15
All other	27	-	-	-	-	-	-	3	5	15	3	1	43	-	-	-	-	-	-	5	7	10	12	8
Black	27	-	-	-	-	-	-	3	5	15	3	1	43	-	-	-	-	-	-	5	7	10	12	8
Cerebrovascular diseases (430-438)	1,450	1	-	1	1	12	35	78	208	389	455	270	2,034	-	-	1	4	14	32	60	138	369	712	704
White	1,077	1	-	1	1	7	19	55	127	274	389	223	1,614	-	-	-	1	8	23	34	84	257	578	629
All other	373	-	-	-	-	5	16	23	81	115	66	47	420	-	-	1	3	6	9	26	54	112	134	75
Black	368	-	-	-	-	5	16	22	79	113	66	47	411	-	-	1	3	6	9	25	51	108	134	74
Intracerebral and other intracranial hemorrhage (431-432)	200	-	-	-	-	7	17	23	47	48	43	15	245	-	-	1	2	4	12	24	35	62	76	29
White	136	-	-	-	-	5	6	15	31	33	38	8	183	-	-	-	-	2	9	10	20	47	67	28
All other	64	-	-	-	-	2	11	8	16	15	5	7	62	-	-	1	2	2	3	14	15	15	9	1
Black	63	-	-	-	-	2	11	8	15	15	5	7	60	-	-	1	2	2	3	13	14	15	9	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	214	-	-	-	1	-	1	11	32	51	80	38	289	-	-	-	-	1	-	2	15	46	116	119
White	169	-	-	-	1	-	1	7	20	40	64	35	246	-	-	-	-	1	-	-	7	36	96	106
All other	46	-	-	-	-	-	-	4	12	11	16	3	53	-	-	-	-	-	-	2	8	10	20	13
Black	44	-	-	-	-	-	-	3	11	11	16	3	53	-	-	-	-	-	-	2	8	10	20	13
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	4	1	-	5	-	-	-	-	-	-	-	-	2	1	2
White	6	-	-	-	-	-	-	-	1	4	1	-	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,030	1	-	1	-	5	17	44	128	266	331	217	1,485	-	-	-	2	9	20	34	86	259	519	554
White	767	1	-	1	-	2	12	33	75	197	266	180	1,180	-	-	-	1	5	14	24	57	172	414	493
All other	263	-	-	-	-	3	5	11	53	69	65	37	305	-	-	-	1	4	6	10	31	87	105	61
Black	261	-	-	-	-	3	5	11	53	67	65	37	298	-	-	-	1	4	6	10	29	83	105	60
Atherosclerosis (440)	211	-	-	-	-	-	1	2	22	44	81	61	354	-	-	-	-	-	-	-	13	30	110	201
White	162	-	-	-	-	-	1	2	13	30	64	52	288	-	-	-	-	-	-	-	6	16	96	177
All other	49	-	-	-	-	-	-	-	9	14	17	9	55	-	-	-	-	-	-	-	5	12	14	24
Black	48	-	-	-	-	-	-	-	9	14	16	9	55	-	-	-	-	-	-	-	5	12	14	24
Other diseases of arteries, arterioles, and capillaries (441-448)	263	-	-	-	1	3	7	7	41	65	83	36	199	1	-	-	2	3	2	10	20	53	64	43
White	229	-	-	-	1	3	4	5	31	77	77	31	157	1	-	-	-	2	-	6	16	42	51	38
All other	34	-	-	-	-	-	3	2	10	8	6	5	42	-	-	-	2	1	2	4	4	11	13	5
Black	33	-	-	-	-	-	3	2	10	8	5	5	41	-	-	-	2	1	2	3	4	11	13	5
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	1	-	1	6	1	-	-	-	-	1	1	-	1	3	1
White	1	-	-	-	-	-	-	-	-	1	-	-	5	1	-	-	-	-	1	1	-	-	3	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	1	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	1	-	-	1	-	-
Pneumonia and influenza (480-487)	635	8	3	3	1	5	16	17	59	143	210	170	664	4	1	1	1	4	5	16	37	92	196	305
White	516	6	2	3	-	4	11	11	52	108	171	150	584	3	1	1	-	1	3	10	30	71	172	272
All other	119	2	1	-	1	1	5	6	7	37	39	20	100	1	-	-	1	3	2	6	7	21	26	33
Black	118	2	1	-	1	1	5	6	7	36	39	20	97	1	-	-	1	3	2	6	6	20	25	33

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	631	8	3	3	1	5	16	17	59	143	208	168	654	4	1	1	1	4	5	16	36	92	197	297
White	513	6	2	3	–	4	11	11	52	106	170	148	556	3	1	1	–	1	3	10	29	71	172	265
All other	118	2	1	–	1	1	5	6	7	37	38	20	98	1	–	–	1	3	2	6	7	21	25	32
Black	117	2	1	–	1	1	5	6	7	36	38	20	95	1	–	–	1	3	2	6	6	20	24	32
Influenza (487)	4	–	–	–	–	–	–	–	–	–	2	2	10	–	–	–	–	–	–	–	1	–	1	8
White	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	–	1	–	–	7
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	923	2	2	1	2	3	8	24	147	341	308	85	538	1	–	–	2	2	10	24	92	168	183	76
White	791	1	–	–	–	2	4	11	125	300	272	76	486	–	–	–	2	1	5	18	80	159	153	68
All other	132	1	2	1	2	1	4	13	22	41	36	9	52	1	–	–	–	1	5	6	12	9	10	8
Black	131	1	2	1	2	1	4	13	21	41	36	9	51	1	–	–	–	1	5	5	12	9	10	8
Bronchitis, chronic and unspecified (490-491)	46	1	–	–	1	1	1	2	5	10	18	7	32	–	–	–	–	–	–	1	2	8	11	10
White	37	–	–	–	–	–	–	1	3	10	17	6	30	–	–	–	–	–	–	1	2	8	10	9
All other	9	1	–	–	1	1	1	1	2	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	9	1	–	–	1	1	1	1	2	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
Emphysema (492)	139	–	–	–	–	–	1	5	22	53	42	16	74	–	–	–	–	–	–	1	2	17	23	21	10
White	130	–	–	–	–	–	1	2	21	50	40	16	70	–	–	–	–	–	–	1	2	16	22	21	8
All other	9	–	–	–	–	–	–	3	1	3	2	–	4	–	–	–	–	–	–	–	–	1	1	–	2
Black	8	–	–	–	–	–	–	3	1	3	2	–	4	–	–	–	–	–	–	–	1	1	–	2
Asthma (493)	33	1	2	1	1	1	3	2	3	13	5	1	63	1	–	–	2	2	8	6	16	16	7	5
White	19	1	–	–	–	1	1	1	1	10	3	1	46	–	–	–	2	1	3	3	11	14	7	5
All other	14	–	2	1	1	–	2	1	2	3	2	–	17	1	–	–	–	1	5	3	5	2	–	–
Black	14	–	2	1	1	–	2	1	2	3	2	–	16	1	–	–	–	1	5	2	5	2	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	705	–	–	–	–	1	3	15	117	265	243	61	369	–	–	–	–	–	1	15	57	121	124	51
White	605	–	–	–	–	1	2	7	100	230	212	53	340	–	–	–	–	–	1	12	51	115	115	46
All other	100	–	–	–	–	–	1	8	17	35	31	8	29	–	–	–	–	–	–	3	6	6	9	5
Black	99	–	–	–	–	–	1	8	16	35	31	8	29	–	–	–	–	–	–	3	6	6	9	5
Ulcer of stomach and duodenum (531-533)	63	–	–	–	–	1	1	3	12	18	18	10	66	–	–	–	–	–	2	5	3	16	24	16
White	56	–	–	–	–	1	1	2	11	15	16	10	57	–	–	–	–	–	1	5	3	14	20	14
All other	7	–	–	–	–	–	–	1	1	3	2	–	9	–	–	–	–	–	1	–	–	2	4	2
Black	7	–	–	–	–	–	–	1	1	3	2	–	9	–	–	–	–	–	1	–	–	2	4	2
Appendicitis (540-543)	2	–	–	–	2	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	2	–	1	1
White	2	–	–	–	2	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	2	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	31	–	–	–	–	1	–	–	4	9	11	6	57	1	–	–	2	1	1	1	1	11	15	24
White	23	–	–	–	–	–	–	–	2	6	9	6	49	1	–	–	2	1	1	1	1	9	12	21
All other	8	–	–	–	–	1	–	–	2	3	2	–	8	–	–	–	–	–	–	–	–	2	3	3
Black	8	–	–	–	–	1	–	–	2	3	2	–	8	–	–	–	–	–	–	–	–	2	3	3
Chronic liver disease and cirrhosis (571)	339	–	–	–	–	5	42	73	114	81	22	2	214	–	–	–	1	6	12	41	64	46	34	10
White	260	–	–	–	–	2	31	53	90	65	17	2	174	–	–	–	–	2	6	32	56	39	29	10
All other	79	–	–	–	–	3	11	20	24	16	5	–	40	–	–	–	1	4	6	9	8	7	5	–
Black	75	–	–	–	–	3	11	20	22	14	5	–	38	–	–	–	1	4	6	8	8	7	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	20	–	–	–	–	–	1	1	2	5	6	5	33	–	–	–	–	–	–	–	1	1	12	19
White	18	–	–	–	–	–	1	1	2	5	4	5	29	–	–	–	–	–	–	–	–	–	11	18
All other	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	1	1	1	1
Black	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	1	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	222	4	–	1	2	2	2	3	28	74	64	42	220	4	–	–	1	2	–	8	23	48	75	59
White	147	2	–	1	2	2	2	2	15	55	41	25	140	2	–	–	1	2	–	5	13	20	51	46
All other	75	2	–	–	–	–	–	1	13	19	23	17	80	2	–	–	–	–	–	3	10	28	24	13
Black	74	2	–	–	–	–	–	1	13	18	23	17	78	2	–	–	–	–	–	3	10	27	23	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	1	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	1	–	1
White	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	-	-	1	-	-	-	1	1	9	6	3	26	-	-	-	-	-	-	-	2	8	8	8
White	15	-	-	1	-	-	-	1	-	8	4	1	16	-	-	-	-	-	-	-	1	4	4	7
All other	6	-	-	-	-	-	-	-	1	1	2	2	10	-	-	-	-	-	-	-	1	4	4	1
Black	6	-	-	-	-	-	-	-	1	1	2	2	10	-	-	-	-	-	-	-	1	4	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	199	4	-	-	2	1	2	2	27	65	57	39	191	4	-	-	1	2	-	7	21	39	67	50
White	131	2	-	-	2	1	2	1	15	47	37	24	121	2	-	-	1	2	-	4	12	15	47	38
All other	68	2	-	-	-	-	-	1	12	18	20	15	70	2	-	-	-	-	-	3	9	24	20	12
Black	67	2	-	-	-	-	-	1	12	17	20	15	68	2	-	-	-	-	-	3	9	23	19	12
Infections of kidney (590)	17	-	-	-	-	-	-	1	2	8	2	4	19	-	-	-	-	1	-	1	1	3	10	3
White	11	-	-	-	-	-	-	1	1	4	2	3	16	-	-	-	-	1	-	-	1	3	8	3
All other	6	-	-	-	-	-	-	-	1	4	-	1	3	-	-	-	-	-	-	1	-	-	2	-
Black	6	-	-	-	-	-	-	-	1	4	-	1	3	-	-	-	-	-	-	1	-	-	2	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	2	4	3	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	2	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	159	109	8	8	6	7	1	6	5	6	3	-	147	104	10	6	2	3	2	6	5	4	2	3
White	114	78	6	5	6	5	1	5	3	4	1	-	107	73	9	4	-	1	2	4	5	4	2	3
All other	45	31	2	3	-	2	-	1	2	2	2	-	40	31	1	2	2	2	-	2	-	-	-	-
Black	40	26	2	3	-	2	-	1	2	2	2	-	37	30	1	1	1	2	-	2	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	291	288	1	1	-	1	-	-	-	-	-	-	245	245	-	-	-	-	-	-	-	-	-	-
White	162	159	1	1	-	1	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
All other	129	129	-	-	-	-	-	-	-	-	-	-	110	110	-	-	-	-	-	-	-	-	-	-
Black	123	123	-	-	-	-	-	-	-	-	-	-	109	109	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	54	53	1	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
White	39	38	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	237	235	-	1	-	1	-	-	-	-	-	-	198	198	-	-	-	-	-	-	-	-	-	-
White	123	121	-	1	-	1	-	-	-	-	-	-	111	111	-	-	-	-	-	-	-	-	-	-
All other	114	114	-	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Black	109	109	-	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	207	65	-	1	2	6	9	12	25	39	21	30	193	36	2	1	2	6	4	3	13	22	45	59
White	129	37	-	-	1	4	3	8	10	25	18	23	161	23	-	-	1	6	3	2	11	19	40	56
All other	78	28	-	1	1	1	5	4	15	13	3	7	32	13	2	1	1	-	1	1	2	3	5	3
Black	77	28	-	1	1	1	5	4	15	13	2	7	31	12	2	1	1	-	1	1	2	3	5	3
All other diseases (Residual)	1,588	28	13	17	32	37	87	142	260	387	390	193	1,658	24	4	10	31	34	45	76	168	315	485	464
White	1,174	20	7	13	23	18	48	97	184	300	308	156	1,267	14	2	8	17	19	30	46	118	241	390	402
All other	414	8	6	4	9	19	39	45	76	87	82	37	389	10	2	2	14	15	15	30	50	74	95	62
Black	409	8	6	4	9	19	39	44	75	87	80	36	366	10	2	2	14	15	14	29	49	74	95	62
Accidents and adverse effects (E800-E949)	1,549	12	32	46	384	282	151	156	152	155	123	55	628	8	23	18	88	63	56	41	55	74	107	95
White	1,191	9	19	30	312	207	119	120	111	121	98	44	499	7	15	12	71	47	47	26	40	58	90	86
All other	358	3	13	16	72	75	32	36	41	34	25	11	129	1	8	6	17	16	9	15	15	16	17	9
Black	349	3	12	16	69	74	30	36	40	34	24	11	124	1	8	6	15	16	9	14	14	16	16	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	744	2	11	18	276	169	75	53	62	39	33	6	283	2	8	10	74	42	35	20	22	18	23	9
White	576	1	6	13	227	123	60	41	44	30	27	4	208	1	5	7	60	33	29	13	15	16	21	8
All other	168	1	5	5	49	46	15	12	18	9	6	2	55	1	3	3	14	9	6	7	7	2	2	1
Black	164	1	4	5	48	46	14	12	17	9	6	2	52	1	3	3	12	9	6	6	7	2	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	805	10	21	28	108	113	76	103	90	116	90	49	365	6	15	8	14	21	21	21	33	56	84	66
White	615	8	13	17	85	84	59	79	67	91	71	40	291	6	10	5	11	14	18	13	25	42	69	78
All other	190	2	8	11	23	29	17	24	23	25	19	9	74	–	5	3	3	7	3	8	8	14	15	8
Black	185	2	8	11	21	29	16	24	23	25	16	9	72	–	5	3	3	7	3	8	7	14	14	8
Suicide (E950-E959)	529	...	...	4	91	118	98	61	63	62	28	4	183	...	...	–	22	35	31	37	34	21	2	1
White	461	...	...	2	83	104	77	52	58	54	27	4	166	...	...	–	18	29	29	35	32	21	1	1
All other	68	...	...	2	8	14	21	9	5	8	1	–	17	...	...	–	4	6	2	2	2	–	1	–
Black	63	...	...	2	8	13	19	7	5	8	1	–	15	...	...	–	4	4	2	2	2	–	1	–
Homicide and legal intervention (E960-E978)	331	4	2	4	74	99	62	37	24	19	5	1	133	1	3	5	27	36	30	11	8	6	4	2
White	158	1	–	2	35	38	34	21	13	10	3	1	79	–	1	5	16	19	18	7	5	5	1	2
All other	173	3	2	2	39	61	28	16	11	9	2	–	54	1	2	–	11	17	12	4	3	1	3	–
Black	169	3	2	–	39	60	28	15	11	8	2	–	50	1	2	–	11	16	9	4	3	1	3	–
All other external causes (E980-E999)	24	–	–	–	2	12	4	1	4	–	1	–	9	–	–	–	3	1	3	1	1	–	–	–
White	22	–	–	–	2	10	4	1	4	–	1	–	7	–	–	–	3	1	1	1	1	–	–	–
All other	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
Black	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
WASHINGTON																								
All causes	17,953	420	82	105	490	557	638	1,090	2,791	4,621	4,616	2,544	15,861	283	60	63	193	230	360	612	1,749	3,212	4,327	4,771
White	17,012	363	69	87	433	497	580	999	2,625	4,403	4,471	2,484	15,234	237	47	56	174	193	314	549	1,646	3,095	4,233	4,689
All other	941	57	13	18	57	60	58	91	166	218	145	60	627	46	13	7	19	37	46	63	103	117	94	82
Black	459	37	5	6	14	30	31	47	96	108	52	31	309	29	8	4	13	16	12	26	53	61	51	36
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	1	–	1	–	–	–	3	–	–	–	–	–	–	–	–	2	1	–
White	2	–	–	–	–	–	1	–	1	–	–	–	3	–	–	–	–	–	–	–	–	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	8	–	–	–	–	–	2	1	–	3	–	2	1	–	–	–	–	–	–	–	1	–	–	–
White	8	–	–	–	–	–	2	1	–	3	–	2	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	6	–	–	–	–	–	1	1	–	3	–	1	1	–	–	–	–	–	–	–	1	–	–	–
White	6	–	–	–	–	–	1	1	–	3	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	1	1	–	–	1	1	–	–	–	–	–	4	–	2	–	–	–	–	–	1	–	1	–
White	3	1	–	–	–	1	1	–	–	–	–	–	3	–	1	–	–	–	–	–	1	–	1	–
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Septicemia (038)	70	2	–	1	–	1	–	2	10	19	19	16	79	–	–	–	–	2	2	3	9	22	20	21
White	62	1	–	1	–	1	–	2	9	15	18	15	76	–	–	–	–	2	1	3	9	21	19	21
All other	8	1	–	–	–	–	–	–	1	4	1	1	3	–	–	–	–	–	1	–	–	1	1	–
Black	5	1	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	12	–	–	–	–	–	2	1	4	3	1	1	1	–	–	–	–	–	–	–	–	–	–	1
White	9	–	–	–	–	–	2	–	3	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	48	1	–	2	2	3	10	6	9	7	6	2	34	–	1	1	2	–	1	3	–	10	9	7
White	46	1	–	2	2	3	10	6	9	7	6	2	32	–	1	–	2	–	1	3	–	9	9	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,048	4	7	11	16	38	119	284	698	1,356	1,012	303	3,618	1	4	8	19	42	148	289	795	1,060	838	416
White	3,867	1	7	10	15	38	113	267	653	1,297	970	296	3,480	1	4	6	17	39	136	265	758	1,029	820	405
All other	181	3	–	1	1	2	6	17	45	59	42	5	138	–	–	–	2	3	12	24	37	31	18	11
Black	93	2	–	–	–	1	2	10	29	35	13	1	65	–	–	–	2	1	2	9	20	18	8	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	89	–	–	–	–	–	2	13	26	28	15	5	49	–	–	–	–	1	3	4	15	18	6	2
White	81	–	–	–	–	–	2	12	23	24	15	5	47	–	–	–	–	–	3	3	15	18	6	2
All other	8	–	–	–	–	–	–	1	3	4	–	–	2	–	–	–	–	1	–	1	–	–	–	–
Black	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	989	–	–	–	–	2	23	70	227	316	252	79	876	–	–	–	–	1	13	47	137	248	272	158
White	928	–	–	–	–	2	21	67	219	298	244	77	839	–	–	–	–	1	13	44	129	237	264	151
All other	41	–	–	–	–	–	2	3	8	18	8	2	37	–	–	–	–	–	–	3	8	11	8	7
Black	20	–	–	–	–	–	–	3	6	9	2	–	20	–	–	–	–	–	–	2	6	6	3	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,444	2	–	–	1	3	21	102	394	555	302	64	741	–	–	–	–	4	21	70	231	261	119	35
White	1,373	–	–	–	1	2	19	94	375	533	286	63	708	–	–	–	–	4	17	61	223	255	115	33
All other	71	2	–	–	1	2	2	8	19	22	16	1	33	–	–	–	–	–	4	9	8	6	4	2
Black	44	1	–	–	1	–	4	15	16	7	–	–	17	–	–	–	–	–	1	5	5	4	1	1
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	–	–	1	1	691	–	–	–	1	13	55	75	186	175	131	55
White	2	–	–	–	–	–	–	–	–	–	1	1	664	–	–	–	1	12	52	73	176	169	127	54
All other	–	–	–	–	–	–	–	–	–	–	–	–	27	–	–	–	–	1	3	2	10	6	4	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	16	–	–	–	–	–	1	–	8	4	3	–
Malignant neoplasms of genital organs (179-187)	459	–	1	–	1	3	4	5	33	131	203	78	411	–	–	–	1	5	16	34	103	120	94	38
White	446	–	1	–	1	3	4	4	32	126	197	77	388	–	–	–	1	4	13	27	96	117	92	38
All other	14	–	–	–	–	–	–	1	1	5	6	1	23	–	–	–	–	1	3	7	7	3	2	–
Black	8	–	–	–	–	–	–	1	1	3	3	–	3	–	–	–	–	–	1	–	–	1	1	–
Malignant neoplasms of urinary organs (188-189)	220	–	1	–	–	–	5	15	55	59	57	28	110	–	–	–	–	2	3	5	9	29	41	21
White	217	–	1	–	–	–	5	15	54	58	55	28	109	–	–	–	–	2	3	5	9	28	41	21
All other	3	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	479	2	3	4	9	18	43	40	83	151	93	23	388	1	3	3	6	9	17	33	69	120	78	49
White	456	1	3	4	8	17	42	40	86	147	86	22	379	1	3	3	5	9	16	32	66	118	78	48
All other	23	1	–	–	1	1	1	–	7	4	7	1	9	–	–	–	1	–	1	1	3	2	–	1
Black	9	1	–	–	–	–	1	–	3	2	1	1	6	–	–	–	1	–	1	1	2	2	–	1
Leukemia (204-208)	156	–	2	5	3	8	7	13	19	50	38	13	125	–	1	2	4	3	11	10	11	22	30	31
White	150	–	2	4	3	8	6	12	19	47	38	13	122	–	1	2	3	3	10	10	10	22	30	31
All other	6	–	–	1	–	–	1	1	–	3	2	–	3	–	–	–	1	–	1	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	228	–	–	2	2	4	14	26	51	66	51	12	227	–	–	1	7	4	9	11	34	67	67	27
White	215	–	–	2	2	4	14	23	45	63	50	12	224	–	–	1	7	4	9	10	34	65	67	27
All other	13	–	–	–	–	–	–	3	6	3	1	–	3	–	–	–	–	–	–	1	–	2	–	–
Black	6	–	–	–	–	–	–	1	3	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	2	1	–	1	–	1	3	7	12	8	2	59	3	1	2	2	1	2	3	3	18	10	14
White	36	2	1	–	1	–	1	3	6	12	8	2	58	3	1	1	2	1	2	3	3	16	10	14
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	–	–	–	2	–	–
Black	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	261	-	-	-	-	6	20	15	33	69	61	37	331	1	-	1	2	6	7	16	42	80	103	73
White	247	-	-	-	-	5	20	15	28	65	60	34	305	1	-	1	2	6	5	13	38	72	95	72
All other	14	-	-	-	-	1	-	-	5	4	1	3	26	-	-	-	-	-	2	3	4	8	8	1
Black	10	-	-	-	-	1	-	-	5	2	1	1	21	-	-	-	-	-	2	2	3	7	6	1
Nutritional deficiencies (260-269)	16	1	-	-	-	-	-	1	1	1	4	8	45	1	-	-	-	-	-	-	1	4	6	33
White	15	1	-	-	-	-	-	1	1	1	3	8	45	1	-	-	-	-	-	-	1	4	6	33
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	30	-	1	-	2	-	-	2	1	6	6	12	24	-	-	-	-	-	-	-	3	4	6	11
White	27	-	1	-	1	-	-	1	1	6	5	12	24	-	-	-	-	-	-	-	3	4	6	11
All other	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	18	4	2	-	-	1	1	1	1	4	1	1	12	1	3	1	-	-	-	1	1	1	4	-
White	11	2	2	-	-	1	1	1	-	2	1	1	10	1	1	1	-	-	-	1	1	1	4	-
All other	5	2	-	-	-	-	-	-	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	4	2	-	-	-	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,051	8	3	3	9	44	138	440	1,238	2,222	2,449	1,498	7,677	7	3	3	8	20	54	151	524	1,299	2,460	3,148
White	7,703	7	3	3	7	39	125	407	1,164	2,111	2,375	1,462	7,459	6	2	3	7	17	49	134	489	1,252	2,409	3,091
All other	348	1	-	-	2	5	13	33	74	111	73	36	218	1	1	-	1	3	5	17	35	47	51	57
Black	186	1	-	-	2	3	8	21	47	53	29	22	111	-	1	-	1	2	2	9	20	22	29	25
Diseases of heart (390-398,402,404-429)	8,439	8	3	2	6	37	120	391	1,072	1,815	1,858	1,127	5,576	7	3	3	6	15	34	119	411	971	1,790	2,217
White	8,169	7	3	2	4	34	108	360	1,016	1,730	1,802	1,103	5,430	6	2	3	6	12	31	103	389	941	1,750	2,187
All other	270	1	-	-	2	3	12	31	56	85	56	24	146	1	1	-	-	3	3	16	22	30	40	30
Black	148	1	-	-	2	1	7	20	31	43	25	18	77	-	1	-	-	2	2	9	12	14	24	13
Rheumatic fever and rheumatic heart disease (390-398)	39	-	-	-	1	-	2	2	15	8	6	5	101	-	-	-	1	1	1	3	9	22	45	19
White	39	-	-	-	1	-	2	2	15	8	6	5	97	-	-	-	1	1	-	3	7	22	45	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Hypertensive heart disease (402)	100	-	-	-	-	-	3	6	14	25	36	16	144	-	-	-	-	-	-	3	10	22	48	61
White	89	-	-	-	-	-	3	4	12	23	32	15	138	-	-	-	-	-	-	1	9	20	47	61
All other	11	-	-	-	-	-	-	2	2	2	4	1	6	-	-	-	-	-	-	2	1	2	1	-
Black	7	-	-	-	-	-	-	2	1	2	1	1	3	-	-	-	-	-	-	1	-	1	1	-
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	-	-	1	9	9	4	18	-	-	-	-	-	-	-	1	1	7	9
White	19	-	-	-	-	-	-	-	1	6	9	3	17	-	-	-	-	-	-	-	1	1	6	9
All other	4	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	4,539	1	1	2	-	17	81	292	776	1,335	1,305	729	3,500	-	-	1	-	5	18	78	265	850	1,135	1,350
White	4,380	-	1	2	-	15	75	273	749	1,281	1,267	717	3,422	-	-	1	-	4	14	73	251	831	1,118	1,330
All other	159	1	-	-	-	2	6	19	27	54	38	12	78	-	-	-	-	1	2	5	14	19	17	20
Black	79	1	-	-	-	1	3	13	12	23	17	9	39	-	-	-	-	1	2	3	8	8	9	8
Acute myocardial infarction (410)	2,322	-	-	1	-	10	40	160	477	738	636	260	1,530	-	-	1	-	2	10	44	159	349	532	433
White	2,237	-	-	1	-	9	38	149	460	707	617	256	1,502	-	-	1	-	2	10	41	155	341	528	424
All other	85	-	-	-	-	1	2	11	17	31	19	4	28	-	-	-	-	-	-	3	4	8	4	9
Black	43	-	-	-	-	-	-	8	8	13	11	3	13	-	-	-	-	-	-	2	2	2	1	6
Other acute and subacute forms of ischemic heart disease (411)	13	-	-	-	-	-	1	-	2	4	5	1	5	-	-	-	-	-	-	-	1	-	2	2
White	12	-	-	-	-	-	1	-	2	3	5	1	5	-	-	-	-	-	-	-	1	-	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	17	-	-	-	-	-	1	1	3	7	4	1	13	-	-	-	-	-	-	-	1	4	3	5
White	16	-	-	-	-	-	1	1	3	6	4	1	13	-	-	-	-	-	-	-	1	4	3	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,187	1	1	1	-	7	39	131	294	588	660	467	1,852	-	-	-	-	3	6	34	104	297	598	910
White	2,115	-	1	1	-	6	35	123	284	565	641	459	1,802	-	-	-	-	2	4	32	94	286	585	899
All other	72	1	-	-	-	1	4	8	10	21	19	8	50	-	-	-	-	1	2	2	10	11	13	11
Black	36	1	-	-	-	1	3	5	4	10	6	6	26	-	-	-	-	1	2	1	6	6	8	2
Other diseases of endocardium (424)	91	-	-	-	-	2	-	-	13	24	29	23	138	-	-	-	-	1	1	2	12	21	43	58
White	89	-	-	-	-	2	-	-	13	23	28	23	133	-	-	-	-	1	1	1	12	21	42	55
All other	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	-	-	1	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,647	7	2	–	5	18	34	91	253	414	473	350	1,675	7	3	2	5	8	16	33	114	255	512	720
White	1,553	7	2	–	3	17	28	81	228	369	460	340	1,623	6	2	2	5	6	16	25	109	246	492	714
All other	94	–	–	–	2	1	6	10	27	25	13	10	52	1	1	–	–	2	–	8	5	9	20	6
Black	59	–	–	–	2	–	4	5	18	15	7	8	29	–	1	–	–	1	–	4	3	5	12	3
Hypertension with or without renal disease (401,403)	48	–	–	–	–	–	2	3	5	13	17	6	75	–	–	–	–	–	–	1	11	19	21	23
White	41	–	–	–	–	–	2	3	3	12	15	6	73	–	–	–	–	–	–	1	11	18	21	22
All other	5	–	–	–	–	–	–	–	2	1	2	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebrovascular diseases (430-438)	1,131	–	–	–	2	7	10	35	114	282	412	269	1,636	–	–	–	2	3	20	27	86	256	529	713
White	1,075	–	–	–	2	5	10	33	102	262	401	260	1,575	–	–	–	1	3	18	27	73	243	519	691
All other	56	–	–	–	–	2	–	2	12	20	11	9	61	–	–	–	1	–	2	–	13	13	10	22
Black	30	–	–	–	–	2	–	1	10	9	4	4	31	–	–	–	1	–	–	–	8	6	5	11
Intracerebral and other intracranial hemorrhage (431-432)	163	–	–	–	1	2	5	11	24	52	47	21	153	–	–	–	–	1	5	7	23	41	46	30
White	152	–	–	–	1	1	5	10	23	47	45	20	143	–	–	–	–	1	5	7	19	37	45	29
All other	11	–	–	–	–	1	–	1	1	5	2	1	10	–	–	–	–	–	–	–	4	4	1	1
Black	3	–	–	–	–	1	–	–	1	1	–	–	6	–	–	–	–	–	–	–	3	2	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	167	–	–	–	–	–	2	3	20	42	57	43	177	–	–	–	–	–	1	2	6	28	57	83
White	160	–	–	–	–	–	2	3	17	39	57	42	173	–	–	–	–	–	1	2	6	27	56	81
All other	7	–	–	–	–	–	–	–	3	3	–	1	4	–	–	–	–	–	–	–	–	1	1	2
Black	5	–	–	–	–	–	–	–	2	3	–	–	3	–	–	–	–	–	–	–	–	1	1	1
Cerebral embolism (434.1)	7	–	–	–	–	1	–	–	–	2	3	1	10	–	–	–	–	–	–	–	1	4	1	4
White	6	–	–	–	–	–	–	–	–	2	3	1	10	–	–	–	–	–	–	–	1	4	1	4
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	794	–	–	–	1	4	3	21	70	188	305	204	1,296	–	–	–	2	2	14	18	56	183	425	596
White	757	–	–	–	1	4	3	20	62	174	298	197	1,249	–	–	–	1	2	12	18	47	175	417	577
All other	37	–	–	–	–	–	–	1	8	12	9	7	47	–	–	–	1	–	2	–	9	8	8	19
Black	21	–	–	–	–	–	–	1	7	5	4	4	22	–	–	–	1	–	–	–	5	3	3	10
Atherosclerosis (440)	188	–	–	–	–	–	1	2	11	35	78	63	261	–	–	–	–	–	–	1	10	24	68	158
White	181	–	–	–	–	–	1	2	9	33	75	61	256	–	–	–	–	–	–	1	10	22	68	155
All other	7	–	–	–	–	–	–	–	2	2	1	2	5	–	–	–	–	–	–	–	–	2	–	3
Black	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	247	–	–	1	1	–	5	9	38	77	85	33	128	–	–	–	–	–	2	–	3	6	29	52	37
White	237	–	–	1	1	–	4	9	34	74	82	32	125	–	–	–	–	–	2	–	2	6	28	51	36
All other	10	–	–	–	–	–	1	–	2	3	3	1	4	–	–	–	–	–	–	1	–	1	1	1
Black	4	–	–	–	–	–	1	–	2	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Acute bronchitis and bronchiolitis (466)	5	–	–	–	–	1	–	–	–	1	1	2	8	1	–	1	–	–	–	–	–	–	1	5
White	3	–	–	–	–	1	–	–	–	–	1	1	8	1	–	1	–	–	–	–	–	–	1	5
All other	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	494	6	5	3	2	2	7	11	36	79	160	181	559	3	–	–	3	2	6	9	19	60	151	306
White	472	7	5	3	2	2	7	10	32	72	155	177	541	3	–	–	2	2	4	7	16	55	149	303
All other	22	1	–	–	–	–	–	1	4	7	5	4	18	–	–	–	1	–	2	2	3	5	2	3
Black	6	1	–	–	–	–	–	–	2	1	2	–	10	–	–	–	1	–	1	1	2	3	2	–
Pneumonia (480-486)	474	6	5	3	2	2	7	11	35	74	154	173	520	3	–	–	3	2	6	9	18	57	139	283
White	452	7	5	3	2	2	7	10	31	67	149	169	502	3	–	–	2	2	4	7	15	52	137	280
All other	22	1	–	–	–	–	–	1	4	7	5	4	18	–	–	–	1	–	2	2	3	5	2	3
Black	6	1	–	–	–	–	–	–	2	1	2	–	10	–	–	–	1	–	1	1	2	3	2	–
Influenza (487)	20	–	–	–	–	–	–	–	1	5	6	8	39	–	–	–	–	–	–	–	1	3	12	23
White	20	–	–	–	–	–	–	–	1	5	6	8	39	–	–	–	–	–	–	–	1	3	12	23
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	893	–	1	1	1	1	5	26	135	301	317	105	578	–	–	2	3	1	2	17	101	236	149	67
White	867	–	1	1	1	1	5	23	126	295	312	102	559	–	–	2	2	1	2	16	96	225	148	67
All other	26	–	–	–	–	–	–	3	9	6	5	3	19	–	–	–	1	–	–	1	5	11	1	–
Black	11	–	–	–	–	–	–	3	5	–	–	3	10	–	–	–	1	–	–	1	1	6	1	–
Bronchitis, chronic and unspecified (490-491)	26	–	–	–	–	–	–	1	3	8	10	4	32	–	–	–	1	–	–	1	4	6	10	10
White	26	–	–	–	–	–	–	1	3	8	10	4	31	–	–	–	1	–	–	1	3	6	10	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	180	–	–	–	–	–	1	6	31	70	59	13	104	–	–	–	–	1	1	–	26	47	23	6
White	176	–	–	–	–	–	1	6	30	69	58	12	103	–	–	–	–	1	1	–	26	46	23	6
All other	4	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	32	–	–	1	1	1	3	1	4	8	11	2	40	–	–	2	2	–	–	2	10	15	8	1
White	31	–	–	1	1	1	3	1	3	8	11	2	38	–	–	2	1	–	–	2	10	14	8	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	655	–	1	–	–	–	1	18	97	215	237	86	402	–	–	–	–	–	1	14	61	168	109	50
White	634	–	1	–	–	–	1	15	80	210	233	84	387	–	–	–	–	–	1	13	57	159	107	50
All other	21	–	–	–	–	–	–	3	7	5	4	2	15	–	–	–	–	–	–	1	4	9	1	–
Black	9	–	–	–	–	–	–	3	4	–	–	2	7	–	–	–	–	–	–	1	1	4	1	–
Ulcer of stomach and duodenum (531-533)	58	1	–	–	–	–	1	3	6	11	23	13	63	–	–	–	1	1	1	1	4	14	14	27
White	57	1	–	–	–	–	1	3	6	11	22	13	62	–	–	–	–	1	1	1	4	14	14	27
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	3	–	–	1	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	1	1	2	2
White	3	–	–	1	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	1	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	9	–	–	1	1	1	2	3	11	11	11	61	1	–	–	–	–	1	1	3	5	22	28
White	42	9	–	–	1	1	1	2	2	11	10	11	60	–	–	–	–	–	1	1	3	5	22	28
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	267	1	–	–	1	8	35	46	79	74	22	2	179	–	–	–	–	8	11	29	47	58	19	1
White	244	1	–	–	1	7	30	38	72	71	22	2	163	–	–	–	–	8	8	26	44	57	19	1
All other	23	–	–	–	–	1	5	7	7	3	–	–	10	–	–	–	–	–	3	3	3	1	–	–
Black	14	–	–	–	–	–	3	5	4	2	–	–	3	–	–	–	–	–	1	1	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	29	–	–	–	–	–	1	–	4	7	9	8	20	–	–	–	–	1	–	–	1	5	7	6
White	26	–	–	–	–	–	1	–	4	6	8	7	18	–	–	–	–	–	–	–	1	4	7	6
All other	3	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	1	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	157	7	–	–	–	3	3	3	17	34	44	46	119	1	–	1	2	1	3	4	12	21	40	34
White	148	6	–	–	–	3	2	2	16	31	42	46	104	–	–	–	1	1	1	2	9	20	37	33
All other	9	1	–	–	–	–	1	1	1	3	2	–	15	1	–	1	1	–	2	2	3	1	3	1
Black	4	1	–	–	–	–	1	1	–	1	–	–	5	–	–	–	1	–	–	–	3	–	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	–	–	–	–	1	1	1	2	2	2	4	15	–	–	1	–	–	2	–	2	1	7	2
White	10	–	–	–	–	1	–	1	1	2	1	4	13	–	–	–	–	–	1	–	2	1	7	2
All other	3	–	–	–	–	–	1	–	1	–	1	–	2	–	–	1	–	–	1	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	144	7	–	–	–	2	2	2	15	32	42	42	102	1	–	–	2	1	1	4	10	20	32	31
White	138	6	–	–	–	2	2	1	15	29	41	42	89	–	–	–	1	1	–	2	7	19	29	30
All other	6	1	–	–	–	–	–	1	–	3	1	–	13	1	–	–	1	–	1	2	3	1	3	1
Black	3	1	–	–	–	–	–	1	–	1	–	–	5	–	–	–	1	–	–	–	3	–	1	–
Infections of kidney (590)	9	–	–	–	–	–	–	1	1	1	1	5	18	–	–	–	–	–	1	1	1	1	5	9
White	9	–	–	–	–	–	–	1	1	1	1	5	18	–	–	–	–	–	1	1	1	1	5	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	9	–	–	–	–	–	–	–	1	2	3	3	***	***	***	***	***	***	***	***	***	***	***	***
White	8	–	–	–	–	–	–	–	–	2	3	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	1	–	–	–	–	–	–	–	1	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	1	–	–	–	–	–	–	–	1	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	–	3	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	–	3	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	128	77	11	8	3	7	6	4	5	2	2	3	92	57	8	4	4	1	–	1	5	4	3	5
White	120	74	8	7	3	7	5	4	5	2	2	3	85	51	8	3	4	1	–	1	5	4	3	5
All other	8	3	3	1	–	–	1	–	–	–	–	–	7	6	–	1	–	–	–	–	–	–	–	–
Black	4	1	2	–	–	–	1	–	–	–	–	–	4	3	–	1	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	160	159	1	–	–	–	–	–	–	–	–	–	104	102	1	1	–	–	–	–	–	–	–	–
White	137	136	1	–	–	–	–	–	–	–	–	–	83	81	1	1	–	–	–	–	–	–	–	–
All other	23	23	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Black	16	16	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	59	–	–	–	–	–	–	–	–	–	–	44	43	–	1	–	–	–	–	–	–	–	–
White	53	53	–	–	–	–	–	–	–	–	–	–	40	39	–	1	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	101	100	1	–	–	–	–	–	–	–	–	–	60	59	1	–	–	–	–	–	–	–	–	–
White	84	83	1	–	–	–	–	–	–	–	–	–	43	42	1	–	–	–	–	–	–	–	–	–
All other	17	17	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	11	11	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	148	106	2	–	2	7	3	4	4	3	12	5	138	84	2	–	3	1	3	2	7	5	11	20
White	126	87	2	–	1	5	3	4	4	3	12	5	121	68	2	–	3	1	3	2	6	5	11	20
All other	22	19	–	–	1	2	–	–	–	–	–	–	17	16	–	–	–	–	–	–	1	–	–	–
Black	11	10	–	–	–	1	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	1,153	29	7	8	20	48	37	67	136	254	330	215	1,284	13	6	9	21	29	30	41	108	225	354	448
White	1,105	27	6	5	19	42	34	61	134	246	320	211	1,239	13	5	9	18	18	26	35	100	221	347	441
All other	48	2	1	3	1	6	3	6	4	8	10	4	51	–	1	–	3	11	4	6	8	4	7	7
Black	21	1	1	2	–	3	1	2	1	5	4	1	25	–	1	–	2	5	2	1	2	3	4	5
Accidents and adverse effects (E900-E949)	1,167	4	35	61	267	222	148	109	96	75	70	50	539	6	25	26	93	65	46	24	39	56	78	81
White	1,051	4	28	49	247	202	131	92	90	70	69	49	501	6	20	23	91	57	40	21	36	52	75	80
All other	116	–	7	12	30	20	17	17	6	5	1	1	38	–	5	3	2	8	6	3	3	4	3	1
Black	36	–	1	3	7	5	9	4	1	4	1	1	8	–	–	1	–	2	1	2	1	1	–	–
Motor vehicle accidents (E810-E825)	572	1	9	30	197	128	70	49	39	25	22	4	263	1	6	16	73	41	33	15	25	23	20	8
White	523	1	9	26	182	114	63	41	37	24	22	4	243	1	7	15	71	36	30	14	22	22	18	7
All other	49	–	–	4	15	12	7	8	2	1	–	–	20	–	1	1	2	5	3	1	3	1	2	1
Black	13	–	–	1	5	2	3	2	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E848)	595	3	28	31	100	96	78	60	57	50	48	46	276	5	17	10	20	24	13	9	14	33	58	73
White	528	3	19	23	85	88	68	51	53	46	47	45	259	5	13	8	20	21	10	7	14	30	57	73
All other	67	–	7	8	15	8	10	9	4	4	1	1	18	–	4	2	–	3	3	2	–	3	1	–
Black	23	–	1	2	2	3	6	2	1	4	1	1	6	–	–	–	–	2	1	2	–	1	–	–
Suicide (E950-E959)	440	...	...	3	89	110	55	47	48	55	23	12	128	...	...	3	13	25	27	9	16	18	11	6
White	412	...	...	3	79	100	53	45	45	52	23	12	116	...	...	3	11	20	23	9	16	18	11	5
All other	28	...	...	–	10	10	2	2	1	3	–	–	12	...	...	–	2	5	4	–	–	–	–	1
Black	7	...	...	–	1	4	1	–	–	1	–	–	4	...	...	–	1	2	1	–	–	–	–	–
Homicide and legal intervention [2] (E960-E978)	142	2	5	3	40	35	31	11	10	5	–	–	65	1	4	2	16	17	8	6	5	3	–	2
White	105	1	4	2	29	24	24	9	7	5	–	–	47	1	1	2	11	13	5	4	4	3	–	2
All other	37	1	1	1	11	11	7	2	3	–	–	–	18	–	3	–	5	4	3	2	1	–	–	–
Black	22	1	1	1	4	10	5	–	–	–	–	–	9	–	3	–	4	2	–	–	–	–	–	–
All other external causes (E980-E999)	43	–	–	–	4	16	8	1	6	4	1	–	14	–	–	–	1	4	6	1	–	–	2	–
White	39	–	–	–	4	16	7	1	5	4	1	–	10	–	–	–	1	2	4	1	–	–	2	–
All other	4	–	–	–	–	–	1	–	1	–	–	–	4	–	–	–	–	2	2	–	–	–	–	–
Black	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,289	156	26	33	211	250	330	686	1,820	2,900	2,636	1,241	8,918	114	28	23	87	86	186	413	1,112	2,045	2,688	2,126
White	9,868	147	23	32	199	233	310	665	1,755	2,786	2,525	1,183	8,537	107	26	21	86	80	181	395	1,067	1,929	2,582	2,053
All other	421	9	3	1	12	17	20	21	65	104	111	58	381	7	2	2	1	6	5	18	45	116	106	73
Black	415	9	2	1	12	17	20	21	65	99	111	58	374	6	2	2	1	6	4	17	44	115	105	72
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	11	-	-	-	-	-	1	1	2	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-
White	9	-	-	-	-	-	-	1	2	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	1	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	9	-	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	51	-	-	-	-	1	1	2	8	13	16	10	69	1	-	-	-	1	-	7	6	12	20	22
White	51	-	-	-	-	1	1	2	8	13	16	10	66	1	-	-	-	1	-	7	6	11	19	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	17	-	-	-	1	-	-	1	3	3	6	3	13	1	-	-	-	-	1	2	2	2	2	3
White	16	-	-	-	1	-	-	1	3	3	6	2	12	-	-	-	-	-	1	2	2	2	2	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,197	-	1	4	13	10	66	167	539	740	518	139	1,827	-	2	1	9	21	77	167	407	520	448	175
White	2,115	-	1	4	13	9	59	161	523	717	495	133	1,747	-	2	1	9	20	72	161	398	494	427	163
All other	82	-	-	-	-	1	7	6	16	23	23	6	80	-	-	-	-	1	5	6	9	26	21	12
Black	82	-	-	-	-	1	7	6	16	23	23	6	76	-	-	-	-	1	4	6	9	25	20	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	-	-	-	-	-	2	1	14	8	8	1	14	-	-	-	-	-	-	1	3	5	4	1
White	32	-	-	-	-	-	2	1	13	7	8	1	14	-	-	-	-	-	-	1	3	5	4	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	493	-	-	-	-	1	10	35	111	173	123	40	463	-	-	-	1	1	11	24	67	129	158	72
White	474	-	-	-	-	1	10	35	109	167	114	38	441	-	-	-	1	1	10	23	65	125	148	68
All other	19	-	-	-	-	-	-	-	2	6	9	2	22	-	-	-	-	-	1	1	2	4	10	4
Black	19	-	-	-	-	-	-	-	2	6	9	2	22	-	-	-	-	-	1	1	2	4	10	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	923	-	-	-	-	1	19	83	274	346	173	27	341	-	-	-	1	-	10	34	108	110	69	9
White	893	-	-	-	-	1	18	79	265	338	165	27	330	-	-	-	1	-	10	34	108	103	67	9
All other	30	-	-	-	-	-	1	4	9	8	8	-	11	-	-	-	-	-	-	-	2	7	2	-
Black	30	-	-	-	-	-	1	4	9	8	8	-	11	-	-	-	-	-	-	-	2	7	2	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	285	-	-	-	-	4	26	41	80	73	42	19
White	1	-	-	-	-	-	-	-	-	-	1	-	274	-	-	-	-	4	24	38	79	70	41	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	2	3	1	3	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	3	1	3	1	1
Malignant neoplasms of genital organs (179-187)	213	-	-	-	1	1	2	2	20	55	91	41	218	-	-	-	1	4	8	26	58	62	41	20
White	203	-	-	-	1	1	1	2	20	53	87	38	206	-	-	-	1	4	7	25	55	57	40	17
All other	10	-	-	-	-	-	1	-	-	2	4	3	12	-	-	-	-	-	1	1	3	5	1	3
Black	10	-	-	-	-	-	1	-	-	2	4	3	12	-	-	-	-	-	1	1	1	5	1	3
Malignant neoplasms of urinary organs (188-189)	78	-	-	-	-	-	1	7	12	24	25	9	61	-	-	-	1	2	-	4	9	20	17	8
White	77	-	-	-	-	-	1	7	12	23	25	9	58	-	-	-	1	2	-	4	7	19	16	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	2	1	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	2	1	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	302	-	1	3	7	6	21	30	77	83	62	12	265	-	2	-	2	7	12	26	54	74	62	27
White	289	-	1	3	7	5	18	29	74	79	61	12	253	-	2	-	2	7	12	24	53	72	57	24
All other	13	-	-	-	-	1	3	1	3	4	1	-	12	-	-	-	-	-	-	1	1	2	5	3
Black	13	-	-	-	-	1	3	1	3	4	1	-	10	-	-	-	-	-	-	1	1	1	5	2
Leukemia (204-208)	64	-	-	-	2	-	5	4	10	22	15	6	71	-	-	1	3	1	5	5	8	18	21	9
White	61	-	-	-	2	-	5	3	10	22	14	5	70	-	-	1	3	1	6	5	8	18	20	9
All other	3	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	89	-	-	1	3	1	6	5	21	29	20	3	109	-	-	-	-	2	5	7	22	29	34	10
White	85	-	-	1	3	1	4	5	20	28	20	3	103	-	-	-	-	1	4	7	22	25	34	10
All other	4	-	-	-	-	-	2	-	1	1	-	-	6	-	-	-	-	1	1	-	-	4	-	-
Black	4	-	-	-	-	-	2	-	1	1	-	-	6	-	-	-	-	1	1	-	-	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	34	1	-	-	-	-	-	6	6	6	9	6	33	-	-	-	1	1	1	2	6	7	7	8
White	33	1	-	-	-	-	-	6	6	6	9	5	33	-	-	-	1	1	1	2	6	7	7	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	130	-	-	-	2	-	3	15	35	35	30	10	224	-	-	-	1	1	2	5	32	71	76	36
White	114	-	-	-	2	-	1	13	31	32	26	9	204	-	-	-	1	1	2	4	26	65	69	35
All other	16	-	-	-	-	-	2	2	4	3	4	1	20	-	-	-	-	-	-	1	6	6	7	-
Black	16	-	-	-	-	-	2	2	4	3	4	1	20	-	-	-	-	-	-	1	6	6	7	-
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	-	-	3	4	8	16	-	-	-	-	-	-	1	-	1	6	8
White	12	-	-	-	-	-	-	-	-	1	4	7	16	-	-	-	-	-	-	1	-	1	6	8
All other	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	12	-	-	-	-	1	-	-	2	3	3	3	20	-	-	1	-	1	-	2	1	4	4	7
White	11	-	-	-	-	-	-	-	2	3	3	3	16	-	-	1	-	-	-	2	1	3	3	6
All other	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Meningitis (320-322)	4	2	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	3	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,005	4	2	5	7	28	91	293	855	1,477	1,476	767	4,641	2	1	1	11	12	35	134	443	1,043	1,885	1,494
White	4,810	4	2	5	7	25	87	287	822	1,422	1,415	734	4,639	1	1	1	11	12	35	127	421	980	1,607	1,443
All other	195	-	-	-	-	3	4	6	33	55	61	33	202	1	-	-	-	-	-	7	22	63	58	51
Black	190	-	-	-	-	3	4	6	33	50	61	33	200	1	-	-	-	-	-	6	21	63	58	51

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,200	2	2	5	6	24	61	273	767	1,263	1,179	598	3,749	2	1	1	6	11	25	99	376	846	1,286	1,094
White	4,037	2	2	5	6	21	79	267	740	1,215	1,129	571	3,597	1	1	1	6	11	25	95	359	798	1,243	1,055
All other	163	–	–	–	–	3	2	6	27	48	50	27	152	1	–	–	–	–	–	4	17	48	43	39
Black	158	–	–	–	–	3	2	6	27	43	50	27	151	1	–	–	–	–	–	4	16	48	43	39
Rheumatic fever and rheumatic heart disease (390-398)	21	–	–	1	–	2	2	3	2	5	4	2	44	–	–	–	1	–	2	5	7	12	12	5
White	21	–	–	1	–	2	2	3	2	5	4	2	42	–	–	–	1	–	2	5	6	11	12	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Hypertensive heart disease (402)	77	–	–	–	–	2	4	4	15	20	23	9	110	–	–	–	–	–	–	3	10	30	43	24
White	71	–	–	–	–	1	4	4	14	18	22	8	99	–	–	–	–	–	–	3	10	24	40	22
All other	6	–	–	–	–	1	–	–	1	2	1	1	11	–	–	–	–	–	–	–	–	6	3	2
Black	6	–	–	–	–	1	–	–	1	2	1	1	11	–	–	–	–	–	–	–	–	6	3	2
Hypertensive heart and renal disease (404)	11	–	–	–	–	–	–	–	1	3	7	–	17	–	–	–	–	–	–	–	2	6	5	4
White	9	–	–	–	–	–	–	–	–	3	6	–	16	–	–	–	–	–	–	–	2	5	5	4
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	2,883	–	–	–	1	3	52	194	555	888	808	382	2,461	–	–	–	1	4	8	64	250	584	869	701
White	2,788	–	–	–	1	3	51	190	539	861	777	367	2,396	–	–	–	1	4	8	63	239	559	844	678
All other	94	–	–	–	–	–	1	4	16	27	31	15	65	–	–	–	–	–	–	1	11	25	25	23
Black	91	–	–	–	–	–	1	4	16	24	31	15	64	–	–	–	–	–	–	1	10	25	25	23
Acute myocardial infarction (410)	1,697	–	–	–	1	2	34	141	391	535	437	156	1,260	–	–	–	–	3	6	50	171	388	435	247
White	1,647	–	–	–	1	2	33	138	381	522	423	147	1,243	–	–	–	–	3	6	49	164	358	424	241
All other	50	–	–	–	–	–	1	3	10	13	14	9	37	–	–	–	–	–	–	1	7	12	11	6
Black	49	–	–	–	–	–	1	3	10	12	14	9	36	–	–	–	–	–	–	1	6	12	11	6
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	1	–	1	1	3	–	2	9	–	–	–	–	–	–	–	2	–	4	3
White	8	–	–	–	–	1	–	1	1	3	–	2	8	–	–	–	–	–	–	–	2	–	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Angina pectoris (413)	4	–	–	–	–	–	–	–	–	2	1	1	6	–	–	–	–	–	–	–	2	1	1	2
White	4	–	–	–	–	–	–	–	–	2	1	1	6	–	–	–	–	–	–	–	2	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,174	–	–	–	–	–	18	52	163	348	370	223	1,186	–	–	–	1	1	2	14	75	215	429	449
White	1,130	–	–	–	–	–	18	51	157	334	353	217	1,139	–	–	–	1	1	2	14	71	202	416	432
All other	44	–	–	–	–	–	–	1	6	14	17	6	47	–	–	–	–	–	–	–	4	13	13	17
Black	42	–	–	–	–	–	–	1	6	12	17	6	47	–	–	–	–	–	–	–	4	13	13	17
Other diseases of endocardium (424)	28	–	–	–	–	–	–	–	6	7	13	2	38	–	–	–	–	1	–	–	2	10	22	3
White	25	–	–	–	–	–	–	–	6	7	11	1	37	–	–	–	–	1	–	–	2	10	21	3
All other	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
All other forms of heart disease (415-423,425-429)	1,180	2	2	4	5	17	23	72	168	340	324	203	1,058	2	1	1	6	6	15	27	105	204	335	357
White	1,122	2	2	4	5	15	22	70	179	321	309	193	1,007	1	1	1	6	6	15	24	100	189	321	343
All other	58	–	–	–	–	2	1	2	9	19	15	10	52	1	–	–	–	–	–	3	5	15	14	14
Black	56	–	–	–	–	2	1	2	9	17	15	10	52	1	–	–	–	–	–	3	5	15	14	14
Hypertension with or without renal disease (401,403)	26	–	–	–	–	–	1	–	5	5	7	8	28	–	–	–	1	1	–	1	4	6	4	11
White	25	–	–	–	–	–	1	–	5	5	6	8	26	–	–	–	1	1	–	1	3	5	4	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Cerebrovascular diseases (430-438)	576	1	–	–	1	3	9	16	65	149	218	115	858	–	–	–	2	–	8	30	53	152	305	308
White	551	1	–	–	1	3	8	16	59	144	209	112	814	–	–	–	2	–	8	29	49	139	290	297
All other	25	–	–	–	–	–	2	–	6	5	9	3	44	–	–	–	–	–	–	1	4	13	15	11
Black	25	–	–	–	–	–	2	–	6	5	9	3	44	–	–	–	–	–	–	1	4	13	15	11
Intracerebral and other intracranial hemorrhage (431-432)	75	1	–	–	–	–	3	6	12	24	20	9	78	–	–	–	1	–	1	14	12	21	20	9
White	69	1	–	–	–	–	1	6	10	23	19	9	73	–	–	–	1	–	1	13	10	20	19	9
All other	6	–	–	–	–	–	2	–	2	1	1	–	5	–	–	–	–	–	–	1	2	1	1	–
Black	6	–	–	–	–	–	2	–	2	1	1	–	5	–	–	–	–	–	–	1	2	1	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	76	–	–	–	–	1	–	–	5	17	35	18	131	–	–	–	–	–	–	2	9	22	47	51
White	71	–	–	–	–	1	–	–	4	15	33	18	122	–	–	–	–	–	–	2	9	19	43	49
All other	5	–	–	–	–	–	–	–	1	2	2	–	9	–	–	–	–	–	–	–	–	3	4	2
Black	5	–	–	–	–	–	–	–	1	2	2	–	9	–	–	–	–	–	–	–	–	3	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	1	1	1	1
White	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	423	–	–	–	1	2	5	10	48	107	162	88	645	–	–	–	1	–	7	14	31	108	237	247
White	409	–	–	–	1	2	5	10	45	105	156	85	616	–	–	–	1	–	7	14	30	99	227	238
All other	14	–	–	–	–	–	–	–	3	2	6	3	29	–	–	–	–	–	–	–	1	9	10	9
Black	14	–	–	–	–	–	–	–	3	2	6	3	28	–	–	–	–	–	–	–	1	9	10	9
Atherosclerosis (440)	83	–	–	–	–	–	1	–	1	19	32	30	130	–	–	–	–	–	–	1	4	20	45	60
White	80	–	–	–	–	–	1	–	1	18	32	28	129	–	–	–	–	–	–	1	4	20	45	59
All other	3	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1
Other diseases of arteries, arterioles, and capillaries (441-448)	120	1	–	–	–	1	–	4	17	41	40	16	76	–	–	–	–	–	2	3	6	19	25	21
White	117	1	–	–	–	1	–	4	17	40	39	15	73	–	–	–	–	–	2	1	6	18	25	21
All other	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	2	–	1	–	–
Black	3	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	1	–	1	–	–
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	222	2	–	–	2	1	1	5	23	44	79	65	223	2	1	1	–	1	5	4	8	39	81	81
White	214	2	–	–	2	1	1	5	22	44	77	60	216	2	1	1	–	1	5	4	7	37	78	80
All other	8	–	–	–	–	–	–	–	1	–	2	5	7	–	–	–	–	–	–	–	1	2	3	1
Black	8	–	–	–	–	–	–	–	1	–	2	5	7	–	–	–	–	–	–	–	1	2	3	1
Pneumonia (480-486)	221	2	–	–	2	1	1	5	23	44	79	64	216	2	1	–	–	–	5	4	8	38	79	79
White	213	2	–	–	2	1	1	5	22	44	77	59	209	2	1	–	–	–	5	4	7	36	76	78
All other	8	–	–	–	–	–	–	–	1	–	2	5	7	–	–	–	–	–	–	–	1	2	3	1
Black	8	–	–	–	–	–	–	–	1	–	2	5	7	–	–	–	–	–	–	–	1	2	3	1
Influenza (487)	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	1	–	1	–	–	–	1	2	2
White	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	1	–	1	–	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	535	1	–	–	–	1	3	11	62	196	175	86	281	–	–	–	1	–	3	16	55	107	67	22
White	518	1	–	–	–	1	3	11	62	190	169	81	283	–	–	–	1	–	3	16	52	105	64	22
All other	17	–	–	–	–	–	–	–	–	6	6	5	8	–	–	–	–	–	–	–	3	2	3	–
Black	17	–	–	–	–	–	–	–	–	6	6	5	8	–	–	–	–	–	–	–	3	2	3	–
Bronchitis, chronic and unspecified (490-491)	38	–	–	–	–	–	–	1	8	15	11	3	17	–	–	–	–	–	–	1	1	5	5	3	2
White	38	–	–	–	–	–	–	1	8	15	11	3	17	–	–	–	–	–	–	1	1	5	5	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	56	–	–	–	–	–	–	2	11	15	19	9	39	–	–	–	–	–	–	1	8	13	15	2
White	56	–	–	–	–	–	–	2	11	15	19	9	37	–	–	–	–	–	–	1	7	13	14	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Asthma (493)	12	1	–	–	–	1	–	1	1	2	5	1	17	–	–	–	1	–	–	–	2	9	4	1
White	11	1	–	–	–	1	–	1	1	2	4	1	17	–	–	–	1	–	–	–	2	9	4	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	429	–	–	–	–	–	3	7	62	164	140	53	218	–	–	–	–	–	2	14	40	80	65	17
White	413	–	–	–	–	–	3	7	62	158	135	48	212	–	–	–	–	–	2	14	38	78	63	17
All other	16	–	–	–	–	–	–	–	–	6	5	5	6	–	–	–	–	–	–	–	2	2	2	–
Black	16	–	–	–	–	–	–	–	–	6	5	5	6	–	–	–	–	–	–	–	2	2	2	–
Ulcer of stomach and duodenum (531-533)	29	–	–	–	–	–	2	1	3	7	12	4	23	–	–	–	–	–	–	–	3	5	12	3
White	28	–	–	–	–	–	2	1	2	7	12	4	23	–	–	–	–	–	–	–	3	5	12	3
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	4	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	3	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	–	–	–	–	–	1	–	3	3	4	–	27	–	–	–	–	–	–	1	3	3	7	13
White	11	–	–	–	–	–	1	–	3	3	4	–	26	–	–	–	–	–	–	1	3	3	7	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	118	-	-	-	-	3	15	19	40	30	11	-	67	-	-	-	-	-	2	12	17	26	9	1
White	115	-	-	-	-	2	15	18	39	30	11	-	65	-	-	-	-	-	2	12	17	24	9	1
All other	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	-	-	-	1	2	3	4	3	17	-	-	-	-	-	1	-	1	3	2	10
White	13	-	-	-	-	-	-	1	2	3	4	3	16	-	-	-	-	-	1	-	1	3	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	104	-	-	-	-	1	1	4	11	38	27	22	100	-	-	-	-	-	2	5	9	25	24	35
White	93	-	-	-	-	1	1	4	9	33	25	20	93	-	-	-	-	-	2	4	9	22	22	34
All other	11	-	-	-	-	-	-	-	2	5	2	2	7	-	-	-	-	-	-	1	-	3	2	1
Black	11	-	-	-	-	-	-	-	2	5	2	2	7	-	-	-	-	-	-	1	-	3	2	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	-	-	1	2	2	2	8	-	-	-	-	-	-	1	-	2	2	4
White	6	-	-	-	-	-	-	-	1	1	2	2	8	-	-	-	-	-	-	-	-	2	2	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	95	-	-	-	-	1	1	4	9	36	24	20	90	-	-	-	-	-	2	4	9	22	22	31
White	85	-	-	-	-	1	1	4	7	32	22	18	84	-	-	-	-	-	2	4	9	19	20	30
All other	10	-	-	-	-	-	-	-	2	4	2	2	6	-	-	-	-	-	-	-	-	3	2	1
Black	10	-	-	-	-	-	-	-	2	4	2	2	6	-	-	-	-	-	-	-	-	3	2	1
Infections of kidney (590)	4	-	-	-	-	-	-	1	-	2	1	-	17	-	-	-	-	-	1	-	2	1	2	4	7
White	4	-	-	-	-	-	-	1	-	2	1	-	12	-	-	-	-	-	-	-	2	1	-	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	2	1	1
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	2	2	---	---	---	---	---	---	---	---	---	---	---	---
White	4	-	-	-	-	-	-	-	-	-	2	2	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	44	29	2	4	3	2	2	-	2	-	-	-	60	37	5	3	1	-	4	3	2	2	2	1
White	42	29	2	4	3	1	2	-	1	-	-	-	57	35	5	2	1	-	4	3	2	2	2	1
All other	2	-	-	-	-	1	-	-	1	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	79	78	1	-	-	-	-	-	-	-	-	-	57	56	1	-	-	-	-	-	-	-	-	-
White	72	71	1	-	-	-	-	-	-	-	-	-	54	53	1	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	21	21	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	21	21	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	58	57	1	-	-	-	-	-	-	-	-	-	42	41	1	-	-	-	-	-	-	-	-	-
White	51	50	1	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	92	25	-	-	1	1	1	4	10	18	15	17	79	10	-	-	1	2	-	1	4	14	19	29
White	91	25	-	-	1	1	1	4	10	18	15	16	77	10	-	-	1	2	-	1	4	14	16	29
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other diseases (Residual)	848	10	9	2	5	16	23	43	91	188	179	85	581	2	7	3	8	10	17	24	73	123	176	136
White	615	9	4	2	5	15	21	40	86	181	168	84	560	2	6	3	8	10	17	22	71	116	170	135
All other	33	1	2	-	-	1	2	3	5	7	11	1	21	-	1	-	-	-	-	2	2	7	6	3
Black	32	1	1	-	-	1	2	3	5	7	11	1	21	-	1	-	-	-	-	2	2	7	6	3
Accidents and adverse effects (E800-E949)	600	9	19	15	129	125	67	66	59	48	48	27	250	2	10	10	45	27	19	13	26	30	37	31
White	576	3	12	14	122	120	63	64	58	48	46	26	243	2	9	9	45	26	19	12	25	29	36	31
All other	24	-	1	1	7	5	4	2	1	-	2	1	7	-	1	1	-	1	-	1	1	1	1	-
Black	24	-	1	1	7	5	4	2	1	-	2	1	7	-	1	1	-	1	-	1	1	1	1	-
Motor vehicle accidents (E810-E825)	319	1	5	5	102	66	27	33	20	19	16	4	118	-	-	6	39	21	14	7	14	8	8	1
White	305	1	5	5	97	62	25	32	19	19	16	4	115	-	-	6	38	20	14	6	13	8	8	1
All other	13	-	-	-	5	4	2	1	1	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-
Black	13	-	-	-	5	4	2	1	1	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	282	2	8	10	27	39	40	33	39	29	32	23	132	2	10	4	6	6	5	6	12	22	28	30
White	271	2	7	9	25	38	38	32	39	29	30	22	128	2	9	3	6	6	5	6	12	21	28	30
All other	11	-	1	1	2	1	2	1	-	-	2	1	4	-	1	1	-	-	-	-	-	1	1	-
Black	11	-	1	1	2	1	2	1	-	-	2	1	4	-	1	1	-	-	-	-	-	1	1	-
Suicide (E950-E958)	199	...	...	1	24	33	31	34	32	28	13	3	39	...	...	-	5	5	11	6	8	4	-	-
White	196	...	...	1	23	32	31	34	32	27	13	3	39	...	...	-	5	5	11	6	8	4	-	-
All other	3	...	...	-	1	1	-	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	3	...	...	-	1	1	-	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	75	1	-	1	18	19	14	8	8	6	-	-	29	-	1	3	3	12	4	3	3	-	-	-
White	67	1	-	1	15	16	14	7	8	5	-	-	25	-	1	3	2	10	4	3	2	-	-	-
All other	8	-	-	-	3	3	-	1	-	1	-	-	4	-	-	-	1	2	-	-	1	-	-	-
Black	8	-	-	-	3	3	-	1	-	1	-	-	4	-	-	-	1	2	-	-	1	-	-	-
All other external causes (E980-E999)	28	-	-	1	5	8	5	4	2	3	-	-	9	-	-	-	1	1	2	3	1	-	1	-
White	28	-	-	1	5	8	5	4	2	3	-	-	9	-	-	-	1	1	2	3	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,806	416	68	98	501	505	555	1,203	3,047	5,850	6,114	3,848	19,241	309	65	63	202	215	355	720	1,753	3,583	5,740	6,235
White	21,097	351	60	88	473	460	499	1,110	2,905	5,518	6,028	3,605	18,693	253	53	60	183	189	325	672	1,668	3,486	5,636	6,167
All other	709	65	8	11	28	45	56	93	142	132	88	41	548	56	12	3	19	26	30	48	85	97	104	68
Black	565	55	5	8	21	33	47	70	121	102	71	32	430	43	6	3	14	21	24	39	69	75	85	51
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	7	-	2	-	-	-	-	-	1	1	2	1
White	1	-	-	-	-	-	-	-	-	1	-	-	7	-	2	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	12	-	-	-	-	-	-	-	2	3	4	3	6	-	-	-	-	-	-	-	3	1	2	-
White	10	-	-	-	-	-	-	-	1	2	4	3	6	-	-	-	-	-	-	-	3	1	2	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	12	-	-	-	-	-	-	-	2	3	4	3	5	-	-	-	-	-	-	-	3	-	2	-
White	10	-	-	-	-	-	-	-	1	2	4	3	5	-	-	-	-	-	-	-	3	-	2	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	101	4	1	1	1	1	1	2	13	16	37	24	106	1	-	1	1	1	-	5	4	22	30	41
White	97	3	1	1	1	1	1	2	11	16	37	23	103	-	-	1	1	1	-	5	4	21	29	41
All other	4	1	-	-	-	-	-	-	2	-	-	1	3	1	-	-	-	-	-	-	-	1	1	-
Black	4	1	-	-	-	-	-	-	2	-	-	1	3	1	-	-	-	-	-	-	-	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	1	-	1	2	2	-	-	3	-	-	-	-	1	-	-	-	-	-	2
White	6	-	-	-	-	1	-	1	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	51	1	1	2	1	2	5	7	9	13	8	2	51	1	1	3	3	2	2	4	7	12	9	7
White	48	1	1	2	1	2	5	6	9	11	8	2	48	1	1	3	3	2	2	3	7	12	7	7
All other	3	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,936	-	4	15	19	53	115	328	960	1,658	1,298	486	4,234	-	2	8	17	48	138	339	779	1,177	1,129	597
White	4,763	-	4	13	18	49	103	302	916	1,607	1,269	482	4,121	-	2	8	16	41	126	324	748	1,154	1,112	590
All other	173	-	-	2	1	4	12	26	44	51	29	4	113	-	-	-	1	7	12	15	31	23	17	7
Black	149	-	-	2	1	4	11	24	40	42	22	3	92	-	-	-	1	4	9	11	26	20	15	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	103	-	-	-	1	-	2	12	28	37	18	5	60	-	-	-	1	1	-	9	13	15	12	9
White	98	-	-	-	1	-	2	11	27	35	18	5	57	-	-	-	1	1	-	8	12	15	12	9
All other	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,337	-	-	-	-	8	26	94	260	437	372	140	1,174	-	-	-	-	2	13	53	175	297	388	246
White	1,292	-	-	-	-	7	24	84	248	425	364	140	1,149	-	-	-	-	2	11	50	169	289	383	245
All other	45	-	-	-	-	1	2	10	12	12	8	-	25	-	-	-	-	-	2	3	6	8	5	1
Black	37	-	-	-	-	1	2	9	9	9	7	-	23	-	-	-	-	-	2	3	6	7	4	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,581	-	-	-	-	3	25	136	403	617	321	76	559	-	-	-	1	3	14	63	142	199	111	26
White	1,516	-	-	-	-	2	21	126	384	598	310	75	540	-	-	-	1	2	13	60	133	195	110	26
All other	65	-	-	-	-	1	4	10	19	19	11	1	19	-	-	-	-	1	1	3	9	4	1	-
Black	57	-	-	-	-	1	4	10	19	15	7	1	14	-	-	-	-	1	-	2	7	3	1	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	843	-	-	-	-	15	57	98	187	224	175	87
White	1	-	-	-	-	-	-	-	-	1	-	-	823	-	-	-	-	13	54	95	179	222	174	86
All other	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	2	3	3	8	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	1	2	2	7	2	-	1
Malignant neoplasms of genital organs (179-187)	591	-	-	-	3	2	1	5	34	176	245	125	460	-	-	-	2	5	18	56	95	126	111	47
White	573	-	-	-	3	2	1	5	30	171	238	123	443	-	-	-	1	4	16	54	92	125	107	44
All other	18	-	-	-	-	-	-	-	4	5	7	2	17	-	-	-	1	1	2	2	3	1	4	3
Black	17	-	-	-	-	-	-	-	4	5	6	2	15	-	-	-	1	-	1	2	3	1	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	239	-	-	1	-	2	4	17	42	83	60	30	163	-	-	-	-	-	1	8	23	52	43	36
White	235	-	-	1	-	1	4	17	42	81	60	29	161	-	-	-	-	-	1	7	22	52	43	36
All other	4	-	-	-	-	1	-	-	-	2	-	1	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	592	-	3	6	8	19	31	40	112	169	142	62	558	-	1	5	4	12	22	30	87	164	152	79
White	573	-	3	5	8	19	28	36	110	162	140	62	543	-	1	5	4	11	19	29	86	158	152	78
All other	19	-	-	1	-	-	3	4	2	7	2	-	13	-	-	-	-	1	3	1	1	6	-	1
Black	18	-	-	1	-	-	3	4	2	7	1	-	12	-	-	-	-	1	3	1	1	5	-	1
Leukemia (204-208)	230	-	1	6	2	7	10	8	32	50	84	28	168	-	1	3	5	5	6	8	24	39	50	27
White	220	-	1	7	1	7	9	8	28	47	84	28	166	-	1	3	5	5	6	8	23	39	49	27
All other	10	-	-	1	1	-	1	-	4	3	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	7	-	-	1	1	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	262	-	-	-	5	12	16	16	49	88	56	20	251	-	-	-	4	5	7	14	33	61	87	40
White	254	-	-	-	5	11	14	15	47	87	55	20	239	-	-	-	4	3	6	13	32	59	82	40
All other	8	-	-	-	-	1	2	1	2	1	1	-	12	-	-	-	-	2	1	1	1	2	5	-
Black	7	-	-	-	-	1	2	-	2	1	1	-	10	-	-	-	-	1	1	-	1	2	5	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	2	-	-	1	-	1	2	12	12	11	7	48	1	-	-	1	-	3	-	3	8	20	12
White	47	2	-	-	1	-	1	2	11	12	11	7	48	1	-	-	1	-	3	-	3	8	20	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	322	-	-	-	1	8	12	20	48	81	108	44	442	-	-	-	4	6	11	10	56	121	127	107
White	308	-	-	-	1	8	10	18	45	77	106	43	422	-	-	-	4	5	10	10	53	112	123	105
All other	14	-	-	-	-	-	2	2	3	4	2	1	20	-	-	-	-	1	1	-	3	9	4	2
Black	10	-	-	-	-	-	1	1	2	4	1	1	17	-	-	-	-	1	1	-	3	6	4	2
Nutritional deficiencies (260-269)	27	-	-	-	-	-	-	1	2	5	7	12	40	-	-	-	-	-	1	-	1	3	14	21
White	25	-	-	-	-	-	-	1	1	5	7	11	36	-	-	-	-	-	1	-	1	3	12	19
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	2	1
Anemias (280-285)	28	-	-	1	1	2	-	-	2	6	7	7	46	-	1	-	-	1	-	1	2	7	15	19
White	23	-	-	-	-	1	-	-	2	6	7	7	46	-	1	-	-	1	-	1	2	7	15	19
All other	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	16	4	7	-	-	-	-	-	3	-	2	-	12	2	2	-	2	1	1	-	1	1	1	1
White	14	4	7	-	-	-	-	-	1	-	2	-	10	2	2	-	2	1	-	-	1	1	-	1
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Major cardiovascular diseases (390-448)	10,683	8	4	6	16	49	159	546	1,390	2,861	3,408	2,236	10,207	13	4	3	12	31	60	191	591	1,660	3,433	4,209
White	10,430	8	3	4	12	45	143	510	1,325	2,808	3,363	2,209	9,978	10	3	3	12	27	52	168	557	1,612	3,372	4,162
All other	253	-	1	2	4	4	16	36	65	53	45	27	229	3	1	-	-	4	8	23	34	48	61	47
Black	197	-	-	-	4	4	14	21	57	39	38	20	184	3	1	-	-	4	8	21	28	36	49	34
Diseases of heart (390-398,402,404-429)	8,615	8	2	5	13	40	133	490	1,233	2,387	2,646	1,658	7,680	12	4	3	11	23	40	147	489	1,301	2,621	3,029
White	8,406	8	2	3	10	36	120	460	1,173	2,339	2,615	1,640	7,505	9	3	3	11	20	32	126	460	1,270	2,579	2,992
All other	209	-	-	2	3	4	13	30	60	48	31	18	175	3	1	-	-	3	8	21	29	31	42	37
Black	181	-	-	-	3	4	11	18	53	34	26	12	138	3	1	-	-	3	6	19	23	24	31	26
Rheumatic fever and rheumatic heart disease (390-398)	47	-	-	1	1	-	2	-	8	15	18	2	100	-	1	-	2	1	-	9	16	24	33	14
White	43	-	-	1	1	-	1	-	7	14	18	2	100	-	1	-	2	1	-	9	16	24	33	14
All other	4	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	139	-	-	-	-	-	3	13	35	42	35	11	176	-	-	-	-	-	1	9	15	35	66	52
White	126	-	-	-	-	-	1	11	32	38	35	11	162	-	-	-	-	-	-	4	10	31	65	52
All other	13	-	-	-	-	-	2	2	3	6	-	-	18	-	-	-	-	-	1	5	5	4	1	-
Black	13	-	-	-	-	-	2	2	3	6	-	-	15	-	-	-	-	-	1	5	5	3	1	-
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	1	3	6	5	30	-	-	-	-	-	-	-	2	2	10	16
White	13	-	-	-	-	-	-	-	1	2	5	5	29	-	-	-	-	-	-	-	2	2	10	15
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	6,582	-	-	-	2	19	98	393	947	1,886	2,026	1,211	5,484	-	-	-	1	6	20	83	332	970	1,907	2,175
White	6,455	-	-	-	1	19	92	373	909	1,854	2,007	1,200	5,386	-	-	-	1	4	18	76	313	948	1,876	2,150
All other	127	-	-	-	1	-	6	20	38	32	19	11	108	-	-	-	-	2	2	7	19	22	31	25
Black	95	-	-	-	1	-	4	12	32	21	16	9	80	-	-	-	-	2	2	5	14	17	22	18
Acute myocardial infarction (410)	3,628	-	-	-	1	7	68	263	630	1,150	1,055	454	2,462	-	-	-	1	2	10	49	219	573	955	653
White	3,559	-	-	-	1	7	64	252	612	1,129	1,046	448	2,411	-	-	-	1	-	10	47	205	562	941	645
All other	69	-	-	-	-	-	4	11	18	21	9	6	51	-	-	-	-	2	-	2	14	11	14	8
Black	48	-	-	-	-	-	2	6	16	12	7	5	36	-	-	-	-	2	-	1	9	9	8	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	37	–	–	–	–	1	1	1	6	12	10	6	28	–	–	–	–	–	–	1	2	8	9	8
White	33	–	–	–	–	1	1	–	4	12	9	6	28	–	–	–	–	–	–	1	2	8	9	8
All other	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	1	–	2	–	11	–	–	–	–	–	–	–	–	1	2	6
White	3	–	–	–	–	–	–	–	1	–	2	–	11	–	–	–	–	–	–	–	–	1	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,914	–	–	–	1	11	29	129	310	724	959	751	2,993	–	–	–	–	4	10	33	111	388	941	1,506
White	2,860	–	–	–	–	11	27	121	292	713	950	746	2,938	–	–	–	–	4	8	28	106	377	924	1,489
All other	54	–	–	–	1	–	2	8	18	11	9	5	57	–	–	–	–	–	2	5	5	11	17	17
Black	43	–	–	–	1	–	2	5	14	9	8	4	44	–	–	–	–	–	2	4	5	8	14	11
Other diseases of endocardium (424)	102	–	–	–	–	1	–	5	10	32	35	19	125	1	–	–	1	2	1	–	6	23	43	48
White	101	–	–	–	–	1	–	5	10	32	35	18	123	1	–	–	1	2	1	–	5	22	43	48
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other forms of heart disease (415-423,425-429)	1,730	8	2	4	10	20	30	79	232	409	526	410	1,753	11	3	3	7	14	18	48	118	247	562	724
White	1,668	8	2	3	8	16	26	71	214	401	515	404	1,705	8	2	3	7	13	13	37	114	249	552	713
All other	62	–	–	1	2	4	4	8	18	8	11	6	48	3	1	–	–	1	5	9	4	4	10	11
Black	49	–	–	–	2	4	4	4	17	6	9	3	41	3	1	–	–	1	5	9	4	3	8	7
Hypertension with or without renal disease (401,403)	75	–	1	–	–	–	2	5	5	21	22	19	67	–	–	–	–	–	1	3	4	19	19	21
White	74	–	1	–	–	–	1	5	5	21	22	19	65	–	–	–	–	–	1	3	4	17	19	21
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Cerebrovascular diseases (430-438)	1,436	–	1	1	2	8	18	43	110	312	554	387	1,917	1	–	–	1	6	16	36	78	278	852	849
White	1,396	–	–	1	1	8	16	37	105	307	541	380	1,875	1	–	–	1	5	16	34	75	265	835	843
All other	40	–	1	–	1	–	2	6	5	5	13	7	42	–	–	–	–	1	–	2	3	13	17	6
Black	33	–	–	–	1	–	2	3	4	5	11	7	36	–	–	–	–	1	–	2	3	9	16	5
Intracerebral and other intracranial hemorrhage (431-432)	180	–	–	–	1	4	2	22	25	49	54	23	225	–	–	–	–	3	5	13	17	64	75	48
White	173	–	–	–	1	4	2	17	24	49	53	23	218	–	–	–	–	2	5	12	17	62	72	48
All other	7	–	–	–	–	–	–	5	1	–	1	–	7	–	–	–	–	1	–	1	–	2	3	–
Black	4	–	–	–	–	–	–	3	1	–	–	–	6	–	–	–	–	1	–	1	–	1	3	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	233	–	1	–	–	1	3	2	17	50	96	63	269	1	–	–	–	–	–	2	16	39	73	138
White	227	–	–	–	–	1	3	2	16	50	93	62	261	1	–	–	–	–	–	1	14	36	72	137
All other	6	–	1	–	–	–	–	–	1	–	3	1	8	–	–	–	–	–	–	1	2	3	1	1
Black	5	–	–	–	–	–	–	–	1	–	3	1	6	–	–	–	–	–	–	1	2	1	1	1
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	4	2	1	–	5	–	–	–	–	–	–	–	–	1	2	2
White	7	–	–	–	–	–	–	–	4	2	1	–	5	–	–	–	–	–	–	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,016	–	–	1	1	3	13	19	64	211	403	301	1,418	–	–	–	1	3	11	21	45	174	502	661
White	989	–	–	1	–	3	11	18	61	206	394	295	1,391	–	–	–	1	3	11	21	44	168	489	658
All other	27	–	–	–	1	–	2	1	3	5	9	6	27	–	–	–	–	–	–	–	1	6	13	5
Black	24	–	–	–	1	–	2	–	2	5	8	6	24	–	–	–	–	–	–	–	1	7	12	4
Atherosclerosis (440)	254	–	–	–	–	–	3	1	7	35	85	123	342	–	–	–	–	–	–	–	3	19	77	243
White	251	–	–	–	–	–	3	1	7	35	84	121	336	–	–	–	–	–	–	–	3	19	75	239
All other	3	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	–	–	–	2	4
Black	2	–	–	–	–	–	–	–	–	–	1	1	5	–	–	–	–	–	–	–	–	–	2	3
Other diseases of arteries, arterioles, and capillaries (441-448)	303	–	–	–	1	1	3	7	35	106	101	49	201	–	–	–	–	2	3	5	17	43	64	67
White	303	–	–	–	1	1	3	7	35	106	101	49	197	–	–	–	–	2	3	5	15	41	64	67
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Acute bronchitis and bronchiolitis (466)	5	–	–	–	1	–	–	–	–	1	2	1	3	–	–	–	–	1	–	–	–	–	1	1
White	5	–	–	–	1	–	–	–	–	1	2	1	3	–	–	–	–	1	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	636	11	1	1	2	5	8	12	49	105	215	227	571	4	3	2	1	5	4	7	16	56	160	313
White	624	10	1	1	2	4	6	12	48	101	213	226	561	4	3	2	1	5	3	5	15	56	158	311
All other	12	1	–	–	–	1	2	–	1	4	2	1	10	–	–	–	–	–	1	2	1	–	4	2
Black	9	1	–	–	–	1	2	–	1	2	1	1	9	–	–	–	–	–	1	1	1	–	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	625	11	1	1	2	5	8	12	49	104	212	220	552	4	3	2	1	5	4	7	16	55	153	302
White	613	10	1	1	2	4	6	12	48	100	210	219	542	4	3	2	1	5	3	5	15	55	149	300
All other	12	1	-	-	-	1	2	-	1	4	2	1	10	-	-	-	-	-	1	2	1	-	4	2
Black	9	1	-	-	-	1	2	-	1	2	1	1	9	-	-	-	-	-	1	1	1	-	4	2
Influenza (487)	11	-	-	-	-	-	-	-	-	1	3	7	19	-	-	-	-	-	-	-	-	1	7	11
White	11	-	-	-	-	-	-	-	-	1	3	7	19	-	-	-	-	-	-	-	-	1	7	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	878	-	-	2	2	-	2	15	109	290	321	137	423	-	-	1	-	2	4	8	50	140	143	75
White	862	-	-	2	2	-	2	11	105	284	319	137	412	-	-	-	-	2	4	7	47	139	139	74
All other	16	-	-	-	-	-	-	4	4	6	2	-	11	-	-	1	-	-	-	1	3	1	4	1
Black	12	-	-	-	-	-	-	3	3	5	1	-	8	-	-	1	-	-	-	-	2	1	3	1
Bronchitis, chronic and unspecified (490-491)	36	-	-	-	-	-	-	1	4	11	9	11	31	-	-	-	-	1	-	-	3	8	7	12
White	36	-	-	-	-	-	-	1	4	11	9	11	31	-	-	-	-	1	-	-	3	8	7	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	201	-	-	-	-	-	1	3	27	78	68	26	68	-	-	-	-	-	-	2	12	23	21	10
White	197	-	-	-	-	-	1	3	26	76	65	26	66	-	-	-	-	-	-	2	11	22	21	10
All other	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Asthma (493)	33	-	-	2	2	-	-	2	8	9	6	4	52	-	-	1	-	1	3	4	4	20	12	7
White	31	-	-	2	2	-	-	1	7	9	6	4	48	-	-	-	-	1	3	3	4	20	10	7
All other	2	-	-	-	-	-	-	1	1	-	-	-	4	-	-	1	-	-	-	1	-	-	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	608	-	-	-	-	-	1	9	70	192	240	96	272	-	-	-	-	-	1	2	31	89	103	46
White	598	-	-	-	-	-	1	8	68	188	239	96	267	-	-	-	-	-	1	2	29	89	101	45
All other	10	-	-	-	-	-	-	3	2	4	1	-	5	-	-	-	-	-	-	-	2	-	2	1
Black	9	-	-	-	-	-	-	2	2	4	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Ulcer of stomach and duodenum (531-533)	66	1	-	-	1	-	4	4	6	20	18	12	84	-	-	-	-	-	1	1	6	16	25	35
White	66	1	-	-	1	-	4	4	6	20	18	12	84	-	-	-	-	-	1	1	6	16	25	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	8	-	-	-	-	-	-	1	2	1	3	1	4	-	-	-	-	-	-	-	-	2	2	-
White	7	-	-	-	-	-	-	1	1	1	3	1	4	-	-	-	-	-	-	-	-	2	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	40	1	1	1	-	-	1	-	5	9	14	8	65	-	-	-	-	-	-	1	2	4	21	37
White	38	-	-	1	-	-	1	-	5	9	14	8	65	-	-	-	-	-	-	1	2	4	21	37
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	216	-	-	1	-	5	8	34	84	54	24	6	154	-	-	-	-	2	18	31	38	33	26	6
White	207	-	-	1	-	5	8	28	82	53	24	6	144	-	-	-	-	2	18	30	34	31	25	6
All other	9	-	-	-	-	-	-	6	2	1	-	-	10	-	-	-	-	-	2	1	4	2	1	-
Black	4	-	-	-	-	-	-	3	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	-	-	-	2	-	7	12	10	25	-	-	-	1	-	-	-	1	7	8	8
White	31	-	-	-	-	-	-	2	-	7	12	10	25	-	-	-	1	-	-	-	1	7	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	194	5	-	2	-	6	4	3	12	32	71	59	154	1	-	-	2	1	1	1	12	26	39	71
White	187	5	-	1	-	6	4	2	11	31	69	58	149	-	-	-	1	1	1	1	11	25	39	70
All other	7	-	-	1	-	-	-	1	1	1	2	1	5	1	-	-	1	-	-	-	1	1	-	1
Black	5	-	-	1	-	-	-	1	-	1	2	-	5	1	-	-	1	-	-	-	1	1	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	1	-	1	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	6	1	-	1	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	–	–	–	–	1	1	–	–	2	8	2	14	–	–	–	1	–	–	–	2	1	6	4
White	14	–	–	–	–	1	1	–	–	2	8	2	14	–	–	–	1	–	–	–	2	1	6	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	4	–	1	–	4	3	2	12	30	61	57	139	1	–	–	1	1	1	1	10	25	33	66
White	167	4	–	–	–	4	3	1	11	29	59	56	134	–	–	–	1	1	1	1	9	24	33	65
All other	7	–	–	1	–	–	–	1	1	1	2	1	5	1	–	–	1	–	–	–	1	1	–	1
Black	5	–	–	1	–	–	–	1	–	1	2	–	5	1	–	–	1	–	–	–	1	1	–	1
Infections of kidney (590)	7	–	–	1	–	–	–	–	1	–	2	3	25	–	–	–	–	–	–	1	1	4	10	9
White	7	–	–	1	–	–	–	–	1	–	2	3	25	–	–	–	–	–	–	1	1	4	10	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	17	–	–	–	–	–	–	–	1	2	7	7	...	...	...	...	...	...	...	...	...	...	...	...
White	17	–	–	–	–	–	–	–	1	2	7	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-636)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Congenital anomalies (740-759)	148	100	5	3	10	2	2	5	7	3	8	3	124	77	9	7	5	5	3	5	4	4	3	2
White	130	85	5	3	10	1	2	4	7	3	7	3	113	67	8	7	5	5	3	5	4	4	3	2
All other	18	15	–	–	–	1	–	1	–	–	1	–	11	10	1	–	–	–	–	–	–	–	–	–
Black	13	11	–	–	–	–	–	1	–	–	1	–	8	8	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	171	170	1	–	–	–	–	–	–	–	–	–	139	138	1	1	1	–	–	–	–	–	–	–
White	136	135	1	–	–	–	–	–	–	–	–	–	117	114	1	1	1	–	–	–	–	–	–	–
All other	35	35	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	31	31	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	48	1	–	–	–	–	–	–	–	–	–	34	33	–	1	–	–	–	–	–	–	–	–
White	44	43	1	–	–	–	–	–	–	–	–	–	30	29	–	1	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	122	122	–	–	–	–	–	–	–	–	–	–	105	103	1	–	1	–	–	–	–	–	–	–
White	92	92	–	–	–	–	–	–	–	–	–	–	87	85	1	–	1	–	–	–	–	–	–	–
All other	30	30	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
Black	27	27	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	123	79	3	2	–	2	2	1	3	9	10	12	110	53	3	–	–	1	2	2	2	4	15	28
White	112	69	3	2	–	2	1	1	3	9	10	12	94	38	3	–	–	1	2	1	2	4	15	28
All other	11	10	–	–	–	–	1	–	–	–	–	–	16	15	–	–	–	–	–	1	–	–	–	–
Black	10	9	–	–	–	–	1	–	–	–	–	–	9	8	–	–	–	–	–	1	–	–	–	–
All other diseases (Residual)	1,367	23	12	9	21	33	49	68	170	301	410	271	1,429	13	8	5	20	17	29	55	115	198	422	546
White	1,318	21	12	9	18	30	40	60	160	295	405	266	1,385	12	6	5	15	16	27	52	110	187	415	540
All other	51	2	–	–	3	3	9	8	10	6	5	5	44	1	3	–	5	1	2	3	5	11	7	6
Black	44	1	–	–	2	3	8	7	8	5	5	5	34	1	1	–	4	1	2	3	4	9	5	4
Accidents and adverse effects (E800-E949)	1,072	5	23	45	290	201	102	88	85	99	80	56	529	6	22	29	88	55	42	31	38	60	76	84
White	1,027	5	19	42	278	188	96	82	84	97	80	56	504	4	16	28	80	51	40	30	35	59	76	84
All other	45	–	4	3	12	13	6	4	1	2	–	–	25	2	6	–	8	4	2	1	3	1	–	–
Black	30	–	2	3	8	8	4	4	–	1	–	–	13	1	3	–	2	2	1	1	3	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	590	3	9	24	224	124	57	41	36	31	35	6	269	1	12	18	79	40	29	17	21	26	19	7
White	572	3	7	23	217	121	54	39	36	31	35	6	257	1	9	18	75	39	27	17	19	26	19	7
All other	18	-	2	1	7	3	3	2	-	-	-	-	12	-	3	-	4	1	2	-	2	-	-	-
Black	9	-	1	1	3	1	1	2	-	-	-	-	4	-	1	-	-	-	1	-	2	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	482	2	14	21	68	77	45	45	49	68	45	50	260	5	10	11	7	15	13	14	17	34	57	77
White	455	2	12	19	61	67	42	43	48	66	45	50	247	3	7	11	5	12	13	13	16	33	57	77
All other	27	-	2	2	5	10	3	2	1	2	-	-	13	2	3	-	2	3	-	1	1	1	-	-
Black	21	-	1	2	5	7	3	2	-	1	-	-	9	1	2	-	2	2	-	1	1	-	-	-
Suicide (E950-E959)	479	...	...	6	112	100	58	53	60	56	24	10	130	...	...	1	30	22	26	20	14	11	3	3
White	465	...	...	5	107	95	57	52	59	56	24	10	126	...	...	1	30	19	25	20	14	11	3	3
All other	14	...	...	1	5	5	1	1	1	-	-	-	4	...	...	-	-	3	1	-	-	-	-	-
Black	8	...	...	-	3	3	-	1	1	-	-	-	4	...	...	-	-	3	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	83	2	4	-	16	25	16	8	6	3	1	1	54	-	5	2	13	10	6	6	4	4	3	-
White	55	2	2	-	14	13	9	5	5	2	1	1	42	-	4	-	9	5	6	6	4	4	3	-
All other	28	-	2	-	2	12	7	3	1	1	-	-	12	-	1	2	4	5	-	-	-	-	-	-
Black	22	-	2	-	2	8	6	3	-	1	-	-	12	-	1	2	4	5	-	-	-	-	-	-
All other external causes (E980-E999)	32	-	1	-	5	10	6	4	4	-	1	-	12	1	1	-	-	3	2	1	2	1	1	-
White	30	-	1	-	5	9	6	4	3	-	1	-	11	-	1	-	-	3	2	1	2	1	1	-
All other	2	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING																								
All causes	1,807	63	9	16	79	88	85	123	274	391	441	237	1,382	45	7	9	31	38	43	57	139	252	381	382
White	1,784	62	8	16	70	86	79	120	270	388	434	230	1,351	42	7	9	29	33	39	55	133	250	378	377
All other	43	1	1	-	9	2	6	3	4	3	7	7	31	3	-	-	3	3	4	2	6	2	3	5
Black	11	-	-	-	-	-	1	3	-	1	3	3	9	1	-	-	1	-	1	1	1	1	1	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	11	1	-	-	-	-	1	1	1	1	4	2	13	-	-	1	-	-	-	-	1	4	4	3
White	11	1	-	-	-	-	1	1	1	1	4	2	13	-	-	1	-	-	-	-	1	4	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	-	1	-	-	-	-	-	2	2	-	2	4	-	-	-	-	1	-	-	1	-	2	-
White	7	-	1	-	-	-	-	-	2	2	-	2	4	-	-	-	-	1	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	339	-	-	-	1	4	11	25	75	105	95	23	275	-	1	-	1	6	14	24	61	68	70	30
White	335	-	-	-	1	4	11	25	74	104	95	21	270	-	1	-	1	6	14	23	58	68	70	29
All other	4	-	-	-	-	-	-	-	1	1	-	2	5	-	-	-	-	-	-	1	3	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	1	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	9	-	-	-	-	1	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	70	-	-	-	-	-	3	7	11	26	19	4	84	-	-	-	-	1	1	7	15	18	34	8
White	70	-	-	-	-	-	3	7	11	26	19	4	84	-	-	-	-	1	1	7	15	18	34	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	115	-	-	-	-	-	1	8	34	38	27	7	39	-	-	-	-	1	1	4	16	11	4	2
White	112	-	-	-	-	-	1	8	33	37	27	6	38	-	-	-	-	1	1	4	15	11	4	2
All other	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	51	-	-	-	-	2	8	6	13	10	9	3
White	-	-	-	-	-	-	-	-	-	-	-	-	49	-	-	-	-	2	8	5	13	10	9	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of genital organs (179-187)	46	-	-	-	-	-	-	1	2	13	23	7	27	-	-	-	1	-	2	2	8	5	5	4
White	45	-	-	-	-	-	-	1	2	13	23	6	26	-	-	-	1	-	2	2	7	5	5	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	16	-	-	-	-	-	-	3	3	5	5	-	8	-	-	-	-	-	-	-	1	2	3	2
White	16	-	-	-	-	-	-	3	3	5	5	-	7	-	-	-	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	-	-	-	-	3	4	3	14	14	12	2	49	-	-	-	-	2	2	5	5	15	10	10
White	52	-	-	-	-	3	4	3	14	14	12	2	49	-	-	-	-	2	2	5	5	15	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	13	-	-	-	-	-	-	-	6	3	3	1	8	-	1	-	-	-	-	-	-	3	3	1
White	13	-	-	-	-	-	-	-	6	3	3	1	8	-	1	-	-	-	-	-	-	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	-	-	-	1	-	3	3	3	3	4	1	9	-	-	-	-	-	-	-	3	4	2	-
White	18	-	-	-	1	-	3	3	3	3	4	1	9	-	-	-	-	-	-	-	3	4	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	-	-	-	-	1	-	1	-	11	-	-	-	-	-	1	-	-	4	4	2
White	2	-	-	-	-	-	-	-	1	-	1	-	11	-	-	-	-	-	1	-	-	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	27	-	-	-	-	1	1	-	7	4	11	3	32	-	-	-	-	1	1	2	2	8	13	5
White	27	-	-	-	-	1	1	-	7	4	11	3	32	-	-	-	-	1	1	2	2	8	13	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	1	-	-	1	-	1
White	3	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	721	1	-	1	-	4	22	55	121	183	200	134	603	2	1	1	-	1	8	7	51	100	200	232
White	711	1	-	1	-	4	21	54	120	183	196	131	597	2	1	1	-	1	8	6	49	100	198	231
All other	10	-	-	-	-	-	1	1	1	-	4	3	6	-	-	-	-	-	-	1	2	-	2	1
Black	6	-	-	-	-	-	1	1	-	-	2	2	2	-	-	-	-	-	-	-	1	-	-	1
Diseases of heart (390-398,402,404-429)	571	1	-	-	-	4	19	46	108	147	153	93	440	2	1	-	-	1	4	7	43	74	145	163
White	565	1	-	-	-	4	18	45	107	147	151	92	434	2	1	-	-	1	4	6	41	74	143	162
All other	6	-	-	-	-	-	1	1	1	-	2	1	6	-	-	-	-	-	-	1	2	-	2	1
Black	4	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	-	-	2	1	-	-	5	-	-	-	-	-	-	2	-	1	2	-
White	3	-	-	-	-	-	-	-	2	1	-	-	5	-	-	-	-	-	-	2	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	3	-	-	-	-	-	-	-	-	2	1	-	11	-	-	-	-	-	-	-	-	2	4	5
White	3	-	-	-	-	-	-	-	-	2	1	-	11	-	-	-	-	-	-	-	-	2	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	411	1	-	-	-	2	17	37	81	110	109	54	264	-	-	-	-	-	2	4	30	53	86	89
White	406	1	-	-	-	2	16	36	80	110	108	53	259	-	-	-	-	-	2	3	28	53	84	89
All other	5	-	-	-	-	-	1	1	1	-	1	1	5	-	-	-	-	-	-	1	2	-	2	-
Black	4	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Acute myocardial infarction (410)	265	1	-	-	-	2	13	28	56	73	68	24	154	-	-	-	-	-	2	2	19	32	52	47
White	264	1	-	-	-	2	13	28	56	73	67	24	151	-	-	-	-	-	2	2	17	32	51	47
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	143	-	-	-	-	-	4	9	25	35	41	29	110	-	-	-	-	-	-	2	11	21	34	42
White	139	-	-	-	-	-	3	8	24	35	41	28	108	-	-	-	-	-	-	1	11	21	33	42
All other	4	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	8	-	-	-	-	1	-	-	2	2	1	2	8	-	-	-	-	-	-	-	2	2	1	3
White	8	-	-	-	-	1	-	-	2	2	1	2	8	-	-	-	-	-	-	-	2	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	146	–	–	–	–	1	2	9	23	32	42	37	150	2	1	–	–	1	2	1	11	16	52	64
White	145	–	–	–	–	1	2	9	23	32	41	37	150	2	1	–	–	1	2	1	11	16	52	64
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	6	–	–	–	–	–	–	–	1	1	5	1	3	–	–	–	–	–	–	–	–	–	1	2
White	7	–	–	–	–	–	–	–	1	1	4	1	3	–	–	–	–	–	–	–	–	–	1	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	82	–	–	–	–	–	3	7	6	19	24	23	117	–	–	1	–	–	4	–	4	20	41	47
White	78	–	–	–	–	–	3	7	6	19	23	21	117	–	–	1	–	–	4	–	4	20	41	47
All other	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	10	–	–	–	–	–	1	3	2	3	1	–	7	–	–	1	–	–	1	–	1	2	1	1
White	10	–	–	–	–	–	1	3	2	3	1	–	7	–	–	1	–	–	1	–	1	2	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	–	–	–	–	–	–	1	–	–	–	2	8	–	–	–	–	–	–	–	1	3	1	3
White	2	–	–	–	–	–	–	1	–	–	–	1	8	–	–	–	–	–	–	–	1	3	1	3
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	67	–	–	–	–	–	2	2	4	16	22	21	102	–	–	–	–	–	3	–	2	15	39	43
White	65	–	–	–	–	–	2	2	4	16	21	20	102	–	–	–	–	–	3	–	2	15	39	43
All other	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	18	–	–	–	–	–	–	–	1	4	4	9	26	–	–	–	–	–	–	–	2	–	7	17
White	18	–	–	–	–	–	–	–	1	4	4	9	26	–	–	–	–	–	–	–	2	–	7	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	42	–	–	1	–	–	–	2	5	12	14	8	17	–	–	–	–	–	–	–	2	6	6	3
White	42	–	–	1	–	–	–	2	5	12	14	8	17	–	–	–	–	–	–	–	2	6	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	58	–	–	–	–	1	–	4	2	10	23	18	54	–	–	–	–	–	–	1	1	3	11	38
White	57	–	–	–	–	1	–	4	2	10	22	18	53	–	–	–	–	–	–	1	1	3	11	37
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	58	–	–	–	–	1	–	4	2	10	23	18	52	–	–	–	–	–	–	1	1	3	11	35
White	57	–	–	–	–	1	–	4	2	10	22	18	51	–	–	–	–	–	–	1	1	3	11	35
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	117	–	–	1	–	–	–	3	10	35	50	18	45	–	–	–	–	–	–	6	3	16	14	6
White	115	–	–	1	–	–	–	3	10	34	49	18	45	–	–	–	–	–	–	6	3	16	14	6
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	7	–	–	–	–	–	–	–	1	3	2	1	7	–	–	–	–	–	–	1	–	4	1	1
White	7	–	–	–	–	–	–	–	1	3	2	1	7	–	–	–	–	–	–	1	–	4	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	4	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (484-496)	104	-	-	-	-	-	-	2	9	30	46	17	38	-	-	-	-	-	-	5	3	12	13	5
White	103	-	-	-	-	-	-	2	9	30	45	17	38	-	-	-	-	-	-	5	3	12	13	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	-	-	-	2	-	5	1	4	-	-	-	-	-	-	-	1	1	2	-
White	8	-	-	-	-	-	-	-	2	-	5	1	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	1	-	-	3	2
White	5	1	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	1	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	15	-	-	-	-	1	-	6	5	2	-	1	12	-	-	-	-	1	3	2	1	5	-	-
White	14	-	-	-	-	1	-	5	5	2	-	1	10	-	-	-	-	1	2	2	1	4	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	1	-	-	-	-	-	-	2	5	4	2	10	-	-	1	-	-	-	1	-	1	4	3
White	13	1	-	-	-	-	-	-	2	4	4	2	10	-	-	1	-	-	-	1	-	1	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	1	-	-	-	-	-	-	2	4	4	1	8	-	-	-	-	-	-	1	-	-	4	3
White	11	1	-	-	-	-	-	-	2	3	4	1	8	-	-	-	-	-	-	1	-	-	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	15	13	-	-	1	-	-	1	-	-	-	-	10	9	-	-	-	1	-	-	-	-	-	-
White	14	13	-	-	1	-	-	-	-	-	-	-	9	8	-	-	-	1	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	25	24	-	1	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	24	23	-	1	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	7	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	7	6	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-778)	17	17	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	21	15	-	-	-	-	-	1	2	-	-	3	25	6	-	-	-	-	-	-	2	3	3	8
White	21	15	-	-	-	-	-	1	2	-	-	3	24	7	-	-	-	-	-	-	2	3	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	106	5	-	2	1	5	7	1	16	23	24	22	143	2	-	3	4	3	6	6	12	30	40	37
White	101	5	-	2	1	5	5	1	16	23	23	20	138	2	-	3	4	3	4	6	11	29	40	36
All other	5	-	-	-	-	-	2	-	-	-	1	2	5	-	-	-	-	-	2	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	208	2	8	9	57	49	30	16	14	12	9	1	73	2	5	3	18	14	6	4	2	3	7	9
White	185	2	7	9	51	47	27	16	13	12	9	1	69	2	5	3	17	12	6	4	2	3	7	8
All other	13	-	1	-	6	2	3	-	1	-	-	-	4	-	-	-	1	2	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Motor vehicle accidents (E810-E825)	106	-	3	2	40	28	16	8	5	3	2	-	42	2	3	1	15	9	5	2	1	2	2	-
White	98	-	3	2	35	27	14	6	5	3	2	-	40	2	3	1	15	7	5	2	1	2	2	-
All other	8	-	-	-	5	1	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	102	2	5	7	17	21	14	10	9	9	7	1	31	-	2	2	3	5	1	2	1	1	5	9
White	97	2	4	7	16	20	13	10	8	9	7	1	29	-	2	2	2	5	1	2	1	1	5	8
All other	5	-	1	-	1	1	1	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide (E950-E959)	80	---	---	1	16	17	10	8	10	5	10	3	20	---	---	-	7	5	2	2	1	3	-	-
White	78	---	---	1	14	17	10	8	10	5	10	3	18	---	---	-	5	5	2	2	1	3	-	-
All other	2	---	---	-	2	-	-	-	-	-	-	-	2	---	---	-	2	-	-	-	-	-	-	-
Black	-	---	---	-	-	-	-	-	-	-	-	-	1	---	---	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	3	5	3	-	2	1	-	-	7	1	-	-	1	2	-	1	-	1	-	1
White	13	-	-	-	2	5	3	-	2	1	-	-	7	1	-	-	1	2	-	1	-	1	-	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	1	-	1	-	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
White	4	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1984

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,042,304	36,334	1,964	24,614	23,459	196,361	20,885	28,036	5,144	8,500
Shigellosis and amebiasis (004,006)	19	–	–	2	–	5	–	–	–	–
Certain other intestinal infections (007-009)	332	6	–	3	1	48	3	2	1	3
Tuberculosis (010-018)	1,733	63	4	31	27	163	4	14	5	24
Tuberculosis of respiratory system (010-012)	1,344	50	4	27	18	117	2	12	3	17
Other tuberculosis (013-018)	389	13	–	4	9	46	2	2	2	7
Whooping cough (033)	7	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	11	1	–	–	–	–	1	–	–	–
Meningococcal infection (036)	301	4	2	3	6	20	2	4	1	2
Septicemia (038)	15,042	228	2	143	210	728	162	261	37	138
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	874	21	3	21	11	161	7	14	4	4
Syphilis (090-097)	105	1	–	–	1	7	2	–	–	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6,122	100	5	100	46	883	73	67	14	67
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	453,928	7,725	363	5,317	4,779	45,048	4,250	6,717	1,285	2,195
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,471	124	6	77	53	905	63	148	24	69
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,702	1,770	75	1,266	1,157	11,375	1,092	1,878	308	592
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	123,776	2,203	114	1,463	1,401	12,254	1,017	1,622	394	509
Malignant neoplasm of breast (174-175)	39,758	617	28	467	283	3,930	403	645	129	185
Malignant neoplasms of genital organs (179-187)	48,685	933	30	556	456	4,809	455	689	124	281
Malignant neoplasms of urinary organs (188-189)	18,611	274	11	212	186	1,822	167	279	48	73
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	56,311	1,114	73	728	791	5,788	592	875	145	295
Leukemia (204-208)	17,153	295	14	205	189	1,752	219	228	53	104
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24,161	395	12	343	253	2,413	252	353	60	107
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,445	80	5	101	76	648	70	114	20	51
Diabetes mellitus (250)	35,819	661	22	440	334	2,894	308	540	138	128
Nutritional deficiencies (260-269)	2,602	52	–	44	30	172	54	28	8	6
Anemias (280-285)	3,532	78	1	46	41	264	34	43	6	17
Meningitis (320-322)	1,199	21	4	16	11	131	14	15	1	8
Major cardiovascular diseases (390-448)	974,733	16,668	546	10,362	11,539	88,969	8,756	13,259	2,396	3,116
Diseases of heart (390-398,402,404-428)	766,201	12,625	424	8,198	9,747	67,858	6,838	10,538	1,901	2,514
Rheumatic fever and rheumatic heart disease (390-398)	6,937	61	1	99	39	863	109	106	12	21
Hypertensive heart disease (402)	20,744	411	5	137	106	2,850	117	282	102	225
Hypertensive heart and renal disease (404)	2,855	64	1	13	16	221	19	30	2	23
Ischemic heart disease (410-414)	542,063	8,212	303	6,174	5,481	47,954	4,723	7,471	1,024	1,026
Acute myocardial infarction (410)	279,544	5,417	154	2,730	3,544	21,686	2,455	3,296	592	552
Other acute and subacute forms of ischemic heart disease (411)	4,047	28	–	401	11	242	48	10	12	2
Angina pectoris (413)	841	14	1	3	3	34	6	20	4	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,631	2,755	148	3,040	1,933	25,892	2,214	4,145	416	471
Other diseases of endocardium (424)	8,749	120	5	111	58	1,004	109	132	23	31
All other forms of heart disease (415-423,425-429)	184,853	3,757	109	1,664	3,037	15,066	1,759	2,517	818	1,188
Hypertension with or without renal disease (401,403)	7,781	212	5	65	72	791	72	114	16	28
Cerebrovascular diseases (430-438)	154,497	3,179	86	1,560	2,196	15,366	1,301	1,881	281	433
Intracerebral and other intracranial hemorrhage (431-432)	20,247	390	16	216	219	1,973	168	248	53	93
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25,310	528	14	209	279	2,768	152	385	44	78
Cerebral embolism (434.1)	774	13	–	5	9	78	10	10	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	108,166	2,248	56	1,130	1,689	10,547	973	1,288	183	262
Atherosclerosis (440)	24,470	319	9	301	291	2,601	312	373	60	60
Other diseases of arteries, arterioles, and capillaries (441-448)	21,784	333	22	238	233	2,253	235	342	58	83
Acute bronchitis and bronchiolitis (466)	545	8	–	7	6	75	7	8	–	–
Pneumonia and influenza (460-487)	58,925	793	46	787	635	6,642	792	897	100	243
Pneumonia (480-486)	57,827	786	43	779	604	6,531	775	890	100	242
Influenza (487)	1,098	7	3	8	31	111	17	7	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	69,132	1,233	51	1,292	753	7,910	1,093	854	152	180
Bronchitis, chronic and unspecified (490-491)	3,548	49	1	40	45	495	38	42	6	7
Emphysema (492)	13,271	216	8	281	157	1,910	185	124	38	32
Asthma (493)	3,571	54	4	69	30	495	66	32	6	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48,742	914	38	898	521	5,070	804	656	103	126
Ulcer of stomach and duodenum (531-533)	6,578	107	4	63	60	818	90	82	5	17
Appendicitis (540-543)	496	12	–	6	1	49	4	4	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,301	87	5	51	61	511	58	70	17	25
Chronic liver disease and cirrhosis (571)	27,362	376	39	408	186	4,136	300	388	63	203
Cholelithiasis and other disorders of gallbladder (574-575)	3,029	62	4	43	45	249	38	42	8	12
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20,140	407	20	225	312	1,378	204	282	80	132
Acute glomerulonephritis and nephrotic syndrome (580-581)	316	6	–	5	3	20	2	3	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,826	35	2	18	22	178	11	21	6	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17,998	366	18	202	287	1,180	191	258	71	120
Infections of kidney (590)	2,078	78	1	28	33	240	16	12	1	6
Hyperplasia of prostate (600)	536	12	1	6	2	77	5	3	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	285	10	–	5	2	32	2	2	–	1
Pregnancy with abortive outcome (630-636)	57	1	–	–	–	5	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	228	9	–	5	2	27	2	2	–	1
Congenital anomalies (740-759)	13,104	244	32	194	114	1,584	199	141	35	130
Certain conditions originating in the perinatal period (760-779)	18,901	398	47	215	146	1,692	227	221	47	250
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,170	107	24	62	42	531	53	52	9	78
Other conditions originating in the perinatal period (760-766,770-779)	13,731	291	23	153	104	1,361	174	169	38	172
Symptoms, signs, and ill-defined conditions (780-799)	29,779	1,304	66	343	634	1,132	294	629	39	138
All other diseases (Residual)	137,681	2,516	123	1,877	1,483	12,371	1,739	1,968	325	756
Accidents and adverse effects (E800-E949)	93,422	2,015	433	1,597	1,148	10,363	1,319	956	231	281
Motor vehicle accidents (E810-E825)	46,517	1,056	119	922	560	5,322	650	458	134	101
All other accidents and adverse effects (E800-E807,E826-E949)	46,905	959	314	675	588	5,041	669	500	97	180
Suicide (E950-E959)	29,327	467	59	529	310	3,722	525	267	72	75
Homicide and legal intervention (E960-E978)	19,870	423	50	279	193	2,859	185	142	27	182
All other external causes (E980-E999)	3,028	73	28	30	23	200	54	11	5	104

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1984—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	116,394	47,389	5,942	6,898	98,197	47,714	26,549	21,776	33,108	36,113
Shigellosis and amebiasis (004,006)	1	–	–	–	1	–	1	–	–	–
Certain other intestinal infections (007-009)	20	11	2	–	18	11	5	2	4	8
Tuberculosis (010-018)	130	56	10	6	63	25	9	8	38	55
Tuberculosis of respiratory system (010-012)	109	45	9	6	47	24	9	4	33	41
Other tuberculosis (013-018)	21	11	1	–	16	1	–	4	5	14
Whooping cough (033)	–	–	–	–	–	–	1	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	1	1	–	–	–	–	1
Meningococcal infection (036)	18	14	–	–	9	6	6	5	4	8
Septicemia (038)	594	447	44	27	753	380	167	144	247	445
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	1	–
Viral hepatitis (070)	64	15	8	5	25	18	7	6	11	23
Syphilis (090-097)	8	5	1	–	3	6	–	–	1	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	312	168	29	6	227	120	42	70	76	98
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	27,105	9,862	1,409	1,406	21,931	10,907	5,760	4,390	7,213	7,260
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	579	235	42	17	360	167	112	80	129	166
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,923	2,205	461	334	5,918	2,758	1,552	1,128	1,747	1,901
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	8,090	2,945	387	325	5,943	3,175	1,466	1,158	2,301	2,283
Malignant neoplasm of breast (174-175)	2,217	758	77	119	2,047	938	509	382	578	601
Malignant neoplasms of genital organs (179-187)	2,985	1,116	131	171	2,375	1,203	678	554	703	834
Malignant neoplasms of urinary organs (188-189)	1,184	346	48	64	922	461	320	198	298	309
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,792	1,432	142	225	2,474	1,225	575	443	880	1,090
Leukemia (204-208)	929	341	64	63	792	385	222	197	255	282
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,406	484	57	88	1,080	597	326	250	322	392
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	310	173	28	31	313	151	63	51	93	118
Diabetes mellitus (250)	1,887	805	154	126	1,650	1,005	425	366	617	761
Nutritional deficiencies (260-269)	110	51	10	12	116	84	57	40	49	52
Anemias (280-285)	232	84	11	13	170	84	58	44	65	78
Meningitis (320-322)	70	34	4	3	48	23	10	4	17	33
Major cardiovascular diseases (390-448)	55,667	21,931	2,476	3,169	49,002	23,692	13,793	10,689	15,959	16,726
Diseases of heart (390-398,402,404-429)	43,705	16,499	1,920	2,436	39,190	18,053	10,437	8,273	12,448	13,175
Rheumatic fever and rheumatic heart disease (390-398)	434	93	24	36	289	159	81	63	91	66
Hypertensive heart disease (402)	1,376	637	54	22	1,265	292	203	163	271	573
Hypertensive heart and renal disease (404)	127	85	6	11	153	143	71	25	29	61
Ischemic heart disease (410-414)	31,946	10,648	1,190	1,662	27,472	13,600	7,720	5,860	8,650	8,423
Acute myocardial infarction (410)	15,241	6,905	657	976	13,681	6,884	4,316	3,317	5,833	4,979
Other acute and subacute forms of ischemic heart disease (411)	292	198	3	3	232	21	22	9	12	152
Angina pectoris (413)	55	25	3	–	32	20	15	8	12	27
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,358	3,520	527	683	13,527	6,675	3,387	2,546	2,793	3,265
Other diseases of endocardium (424)	532	175	40	32	386	222	107	113	83	141
All other forms of heart disease (415-423,425-429)	9,290	4,861	606	673	9,845	3,637	2,255	2,029	3,324	3,911
Hypertension with or without renal disease (401,403)	591	214	10	15	453	224	140	87	125	118
Cerebrovascular diseases (430-438)	8,828	4,404	435	543	7,185	4,081	2,395	1,795	2,662	2,658
Intracerebral and other intracranial hemorrhage (431-432)	1,197	606	67	55	1,114	502	205	165	317	323
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,803	689	44	81	1,448	593	382	249	385	369
Cerebral embolism (434.1)	46	26	1	2	35	17	13	7	6	11
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,782	3,083	303	405	4,588	2,969	1,795	1,374	1,954	1,955
Atherosclerosis (440)	1,190	372	41	91	1,210	828	503	325	381	450
Other diseases of arteries, arterioles, and capillaries (441-448)	1,413	442	70	84	964	506	318	229	343	325
Acute bronchitis and bronchiolitis (466)	40	10	–	–	16	10	6	12	10	22
Pneumonia and influenza (480-487)	2,385	1,261	215	209	2,964	1,120	1,017	778	981	849
Pneumonia (480-486)	2,376	1,248	214	197	2,920	1,096	985	748	959	828
Influenza (487)	9	13	1	12	44	24	32	30	22	15
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,211	1,467	153	303	3,030	1,625	942	920	1,303	941
Bronchitis, chronic and unspecified (490-491)	202	89	10	13	155	88	39	55	70	38
Emphysema (492)	849	291	20	63	648	308	159	124	227	197
Asthma (493)	158	75	28	15	182	67	54	43	46	69
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,004	1,012	95	212	2,047	1,162	690	698	960	649
Ulcer of stomach and duodenum (531-533)	388	160	25	20	341	163	129	74	91	84
Appendicitis (540-543)	25	18	–	4	27	14	2	5	7	17
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	272	138	10	32	281	136	84	98	85	74
Chronic liver disease and cirrhosis (571)	1,665	628	72	55	1,390	420	195	180	330	405
Cholelithiasis and other disorders of gallbladder (574-575)	159	96	10	8	132	68	48	33	74	51
Nephritis, nephrotic syndrome, and nephrosis (580-589)	927	557	63	50	1,014	482	127	225	360	497
Acute glomerulonephritis and nephrotic syndrome (580-581)	19	9	1	–	19	8	6	2	2	8
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	126	45	11	5	89	42	27	22	30	46
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	782	503	51	45	906	432	94	201	328	443
Infections of kidney (590)	101	79	8	11	105	39	34	31	45	47
Hyperplasia of prostate (600)	19	17	–	3	28	14	16	4	5	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	17	11	1	1	18	7	5	4	2	7
Pregnancy with abortive outcome (630-638)	2	2	–	–	2	3	–	1	1	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	15	9	1	1	14	4	5	3	1	3
Congenital anomalies (740-759)	579	338	88	36	580	299	157	133	208	261
Certain conditions originating in the perinatal period (760-779)	811	598	81	49	1,062	409	151	142	240	493
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	223	158	26	7	297	112	31	30	62	145
Other conditions originating in the perinatal period (760-766,770-779)	588	440	55	36	765	297	120	112	178	348
Symptoms, signs, and ill-defined conditions (780-799)	1,760	442	92	127	680	412	136	339	227	301
All other diseases (Residual)	8,025	3,715	463	514	6,217	3,026	1,667	1,499	2,304	2,436
Accidents and adverse effects (E800-E949)	5,115	2,731	289	477	3,481	1,953	966	1,054	1,672	2,122
Motor vehicle accidents (E810-E825)	2,914	1,454	143	242	1,583	973	440	543	778	1,005
All other accidents and adverse effects (E800-E807,E826-E949)	2,201	1,277	146	235	1,898	980	526	511	894	1,117
Suicide (E950-E959)	1,845	719	125	160	1,192	651	347	297	510	580
Homicide and legal intervention (E960-E978)	1,394	677	30	32	1,130	294	65	98	240	615
All other external causes (E980-E999)	130	63	31	6	201	54	30	31	19	22

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1984—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	10,821	34,923	55,941	75,444	34,004	23,243	50,232	6,859	14,851	7,264
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	6	4	11	5	9	11	–	3	–
Tuberculosis (010-018)	2	18	19	57	8	29	25	8	10	3
Tuberculosis of respiratory system (010-012)	2	13	11	46	7	24	19	5	5	3
Other tuberculosis (013-018)	–	5	8	11	1	5	6	3	5	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	1	–	–	–	–	–
Meningococcal infection (036)	2	2	6	13	4	5	5	–	3	–
Septicemia (038)	65	483	553	525	150	142	409	30	56	37
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	9	25	30	9	7	11	1	2	2
Syphilis (090-097)	1	3	1	2	–	1	1	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	33	110	142	154	108	55	120	16	37	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,402	8,421	13,399	16,753	7,631	4,467	10,849	1,423	3,161	1,625
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	47	164	231	300	133	83	182	14	49	32
Malignant neoplasms of digestive organs and peritoneum (150-159)	665	2,150	3,606	4,281	2,077	1,052	2,722	375	882	347
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	636	2,308	3,262	4,538	1,688	1,347	3,004	362	795	502
Malignant neoplasm of breast (174-175)	188	770	1,428	1,531	662	291	900	121	264	140
Malignant neoplasms of genital organs (179-187)	257	849	1,378	1,711	884	499	1,146	170	354	149
Malignant neoplasms of urinary organs (188-189)	116	339	580	688	343	176	471	64	130	69
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	296	1,140	1,718	2,092	958	617	1,399	188	345	239
Leukemia (204-208)	78	280	454	661	373	174	422	58	158	62
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	119	421	742	951	519	228	603	71	186	85
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	46	148	228	161	121	74	143	15	45	24
Diabetes mellitus (250)	197	657	926	1,465	570	408	746	115	239	107
Nutritional deficiencies (260-269)	19	40	58	110	48	32	112	8	32	12
Anemias (280-285)	21	61	78	160	75	64	80	9	14	13
Meningitis (320-322)	2	20	19	27	24	14	33	2	5	4
Major cardiovascular diseases (390-448)	5,457	16,006	26,916	37,433	16,115	10,663	23,911	3,029	7,472	3,117
Diseases of heart (390-398,402,404-429)	4,260	12,827	21,508	29,674	12,140	8,258	18,499	2,274	5,659	2,550
Rheumatic fever and rheumatic heart disease (390-398)	37	116	219	276	145	23	143	42	58	25
Hypertensive heart disease (402)	70	530	474	658	184	244	453	31	67	197
Hypertensive heart and renal disease (404)	11	54	47	105	25	56	107	9	31	6
Ischemic heart disease (410-414)	3,254	6,642	16,441	21,379	8,870	5,254	13,533	1,530	4,130	1,465
Acute myocardial infarction (410)	1,698	3,986	8,175	11,075	4,328	3,612	6,804	859	2,210	810
Other acute and subacute forms of ischemic heart disease (411)	29	40	23	56	39	19	30	11	10	7
Angina pectoris (413)	7	30	24	36	16	7	20	2	6	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,520	2,576	8,219	10,212	4,487	1,616	6,679	658	1,904	647
Other diseases of endocardium (424)	64	136	265	283	183	48	186	32	55	31
All other forms of heart disease (415-423,425-429)	624	5,347	4,062	6,963	2,733	2,633	4,077	630	1,318	826
Hypertension with or without renal disease (401,403)	57	130	177	251	160	97	182	25	74	12
Cerebrovascular diseases (430-438)	780	2,957	3,910	5,578	2,842	1,950	4,022	486	1,275	400
Intracerebral and other intracranial hemorrhage (431-432)	110	345	615	748	318	204	523	46	124	70
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	116	297	743	1,028	349	265	665	66	181	38
Cerebral embolism (434.1)	8	6	19	36	17	7	22	5	10	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	546	1,709	2,533	3,766	2,158	1,474	2,792	349	960	290
Atherosclerosis (440)	193	343	664	1,139	518	202	623	140	285	88
Other diseases of arteries, arterioles, and capillaries (441-448)	167	349	657	791	455	158	585	104	179	87
Acute bronchitis and bronchiolitis (466)	3	7	14	12	2	8	8	2	6	1
Pneumonia and influenza (480-487)	284	840	1,978	2,006	1,231	548	1,466	222	515	176
Pneumonia (480-486)	276	830	1,960	1,974	1,205	534	1,438	203	502	174
Influenza (487)	8	10	18	32	26	14	28	19	13	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	436	1,047	1,804	2,457	1,076	699	1,855	301	465	295
Bronchitis, chronic and unspecified (490-491)	25	52	77	133	45	37	88	23	29	18
Emphysema (492)	77	159	304	563	191	89	312	52	85	65
Asthma (493)	23	48	103	124	68	43	56	21	27	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	311	788	1,320	1,637	774	530	1,389	205	324	199
Ulcer of stomach and duodenum (531-533)	34	116	146	241	125	53	154	23	52	23
Appendicitis (540-543)	–	7	17	12	11	12	13	–	5	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	95	132	181	109	57	163	19	66	19
Chronic liver disease and cirrhosis (571)	140	465	639	1,181	384	200	406	83	120	149
Cholelithiasis and other disorders of gallbladder (574-575)	17	41	102	95	55	19	85	11	25	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	94	420	599	682	278	252	569	53	140	87
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	5	9	12	5	2	6	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	25	35	41	23	21	45	11	15	7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	87	390	555	629	250	229	518	42	124	79
Infections of kidney (590)	13	17	35	72	31	34	59	9	18	2
Hyperplasia of prostate (600)	2	11	12	13	12	8	12	3	3	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	1	4	5	3	1	1	6	3
Pregnancy with abortive outcome (630-638)	–	1	1	1	1	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	3	4	2	1	1	6	3
Congenital anomalies (740-759)	43	178	341	452	267	149	340	38	94	63
Certain conditions originating in the perinatal period (760-779)	52	332	358	886	270	289	395	28	115	58
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	62	70	219	77	85	126	11	47	22
Other conditions originating in the perinatal period (760-766,770-779)	33	270	288	667	193	204	269	17	68	36
Symptoms, signs, and ill-defined conditions (780-799)	70	435	458	946	776	1,453	1,777	105	264	97
All other diseases (Residual)	708	2,726	4,065	4,779	2,440	1,477	3,218	451	974	456
Accidents and adverse effects (E800-E949)	460	1,365	1,669	2,976	1,484	1,410	2,150	468	665	493
Motor vehicle accidents (E810-E825)	243	659	767	1,583	639	707	1,029	254	282	292
All other accidents and adverse effects (E800-E807,E826-E949)	217	706	1,102	1,413	855	703	1,121	214	383	201
Suicide (E950-E959)	168	445	527	1,129	452	280	670	137	161	272
Homicide and legal intervention (E960-E978)	20	383	204	992	80	298	391	40	57	105
All other external causes (E980-E999)	1	46	68	97	37	28	54	9	21	20

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1984—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	7,775	67,815	9,555	170,205	51,402	5,895	96,788	28,461	23,213	122,166	9,605
Shigellosis and amebiasis (004,006)	–	–	–	3	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	2	8	5	22	9	1	12	2	4	7	1
Tuberculosis (010-018)	1	72	9	219	59	3	43	19	14	88	5
Tuberculosis of respiratory system (010-012)	1	55	7	152	48	2	35	18	11	71	3
Other tuberculosis (013-018)	–	17	2	67	11	1	8	1	3	17	2
Whooping cough (033)	–	–	–	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	1	–	–	–	–	–	–
Meningococcal infection (036)	–	16	–	22	16	–	7	5	11	15	1
Septicemia (038)	34	725	69	1,118	459	36	713	192	81	1,346	74
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	31	3	57	17	1	32	11	18	22	4
Syphilis (090-097)	–	3	–	4	2	–	8	2	2	10	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	232	19	779	131	18	214	70	59	262	25
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,786	16,088	1,890	38,038	10,768	1,351	22,324	5,885	5,342	27,721	2,313
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	26	319	27	767	213	25	399	101	89	443	59
Malignant neoplasms of digestive organs and peritoneum (150-159)	428	4,635	518	11,017	2,483	388	5,814	1,423	1,287	7,405	650
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	486	4,262	425	9,330	3,082	313	6,242	1,870	1,594	7,161	589
Malignant neoplasm of breast (174-175)	171	1,538	170	3,826	938	113	1,942	460	456	2,526	221
Malignant neoplasms of genital organs (179-187)	208	1,731	207	4,132	1,235	178	2,356	643	616	2,832	225
Malignant neoplasms of urinary organs (188-189)	70	637	79	1,635	379	53	989	252	222	1,110	96
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	246	1,692	298	3,913	1,501	140	2,566	716	581	3,739	254
Leukemia (204-208)	54	499	70	1,382	402	58	841	220	217	1,020	86
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	97	755	96	2,036	535	83	1,165	300	280	1,485	131
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	169	40	570	188	16	316	61	83	439	34
Diabetes mellitus (250)	171	1,438	223	2,882	883	113	2,024	434	349	2,504	233
Nutritional deficiencies (260-269)	8	91	22	94	48	6	155	33	25	166	15
Anemias (280-285)	15	126	15	221	81	11	175	41	23	218	15
Meningitis (320-322)	7	25	10	112	41	2	43	15	9	54	3
Major cardiovascular diseases (390-448)	3,800	33,583	3,572	86,707	24,789	2,801	47,704	13,688	10,694	60,296	4,732
Diseases of heart (390-398,402,404-429)	2,997	27,340	2,764	72,718	18,995	2,148	37,789	10,616	8,068	48,761	3,820
Rheumatic fever and rheumatic heart disease (390-398)	37	289	42	649	137	19	320	55	95	546	35
Hypertensive heart disease (402)	50	737	83	1,392	672	41	1,036	184	185	952	59
Hypertensive heart and renal disease (404)	6	104	6	159	109	9	207	21	44	185	11
Ischemic heart disease (410-414)	2,173	20,885	1,581	60,592	13,184	1,563	27,632	7,454	6,041	32,651	3,161
Acute myocardial infarction (410)	1,211	10,019	875	25,648	8,121	957	13,428	4,107	2,232	17,940	1,740
Other acute and subacute forms of ischemic heart disease (411)	1	142	–	244	30	4	91	343	13	133	10
Angina pectoris (413)	1	90	6	37	29	3	34	13	8	51	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	960	10,694	700	34,663	5,004	599	14,079	2,991	3,788	14,527	1,401
Other diseases of endocardium (424)	42	304	31	611	240	38	430	97	160	602	48
All other forms of heart disease (415-423,425-429)	689	5,011	1,021	9,315	4,853	478	8,164	2,805	1,543	13,845	506
Hypertension with or without renal disease (401,403)	32	212	33	656	245	17	354	76	71	459	37
Cerebrovascular diseases (430-438)	557	4,592	585	10,231	4,516	482	7,205	2,337	1,897	8,388	634
Intracerebral and other intracranial hemorrhage (431-432)	86	781	85	1,573	558	65	952	194	190	1,178	96
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	683	46	1,959	715	52	1,269	274	306	1,450	106
Cerebral embolism (434.1)	3	31	2	52	14	3	43	13	17	47	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	372	2,897	452	6,647	3,229	342	4,941	1,858	1,384	5,713	426
Atherosclerosis (440)	121	778	95	1,477	531	68	1,213	392	410	1,328	126
Other diseases of arteries, arterioles, and capillaries (441-448)	93	671	95	1,623	502	88	1,143	267	248	1,368	113
Acute bronchitis and bronchiolitis (466)	2	22	1	35	6	2	30	8	7	33	2
Pneumonia and influenza (480-487)	204	1,891	319	5,625	1,428	200	2,488	919	724	2,909	190
Pneumonia (480-486)	202	1,874	311	5,575	1,400	198	2,422	894	680	2,874	189
Influenza (487)	2	17	8	50	28	4	46	25	44	35	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	272	1,930	427	4,778	1,502	193	3,336	1,017	968	3,707	334
Bronchitis, chronic and unspecified (490-491)	15	113	15	252	83	5	181	34	51	143	13
Emphysema (492)	52	388	108	945	261	27	574	201	224	598	54
Asthma (493)	11	88	34	349	102	13	138	46	47	148	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	194	1,341	270	3,232	1,056	148	2,443	736	646	2,818	258
Ulcer of stomach and duodenum (531-533)	24	224	24	607	148	25	277	87	69	314	35
Appendicitis (540-543)	1	17	3	49	12	–	24	9	5	15	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	198	26	365	135	11	238	81	57	313	28
Chronic liver disease and cirrhosis (571)	108	1,031	173	3,016	589	60	1,044	252	322	1,324	129
Cholelithiasis and other disorders of gallbladder (574-575)	13	97	35	226	82	13	152	41	29	151	21
Nephritis, nephrotic syndrome, and nephrosis (580-589)	71	782	109	1,397	546	63	1,000	408	175	1,420	97
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	17	–	17	10	4	28	8	2	14	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	72	4	126	45	10	98	41	26	77	7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	64	683	105	1,254	491	49	676	359	147	1,329	88
Infections of kidney (590)	10	39	10	105	63	7	109	55	24	64	7
Hyperplasia of prostate (600)	8	14	2	50	9	2	18	10	3	27	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	11	5	31	12	1	9	3	3	13	1
Pregnancy with abortive outcome (630-638)	–	3	–	8	4	–	4	–	2	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	8	5	23	8	1	5	3	1	12	–
Congenital anomalies (740-759)	38	302	88	921	338	33	570	192	155	649	49
Certain conditions originating in the perinatal period (760-779)	64	536	118	1,441	539	47	917	266	148	908	80
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	174	41	395	137	19	253	80	50	218	22
Other conditions originating in the perinatal period (760-766,770-779)	42	362	77	1,046	402	28	564	186	98	690	58
Symptoms, signs, and ill-defined conditions (780-799)	52	424	151	1,378	404	67	1,467	320	355	2,609	30
All other diseases (Residual)	512	4,524	835	10,304	3,824	390	6,251	1,877	1,619	8,189	725
Accidents and adverse effects (E800-E949)	363	2,146	912	5,216	2,916	317	3,364	1,623	1,257	4,159	261
Motor vehicle accidents (E810-E825)	199	960	545	2,157	1,514	127	1,579	687	619	1,810	107
All other accidents and adverse effects (E800-E807,E826-E949)	164	1,186	367	3,059	1,402	190	1,785	756	638	2,349	154
Suicide (E950-E959)	122	607	258	1,371	803	79	1,240	441	416	1,430	100
Homicide and legal intervention (E960-E976)	15	398	135	1,611	530	17	549	274	137	582	42
All other external causes (E980-E999)	7	24	53	651	46	9	62	19	46	187	10

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1984—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	25,380	6,452	45,083	118,728	9,319	4,637	43,755	34,001	19,316	40,954	2,899
Shigellosis and amebiasis (004,006)	1	–	–	3	–	–	1	–	–	–	–
Certain other intestinal infections (007-009)	4	3	7	25	3	–	5	5	2	7	–
Tuberculosis (010-018)	30	6	51	122	5	3	28	10	12	16	1
Tuberculosis of respiratory system (010-012)	25	3	45	93	4	2	22	7	10	17	1
Other tuberculosis (013-018)	5	3	6	29	1	1	7	3	2	1	–
Whooping cough (033)	–	–	–	4	–	1	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	2	–	–	–	–	–	–	–
Meningococcal infection (036)	6	1	7	19	2	1	7	8	1	2	–
Septicemia (038)	213	26	239	1,076	54	25	469	156	127	206	21
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	16	2	20	68	7	–	10	12	3	10	–
Syphilis (090-097)	3	–	1	8	–	1	6	1	1	2	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	73	16	146	372	40	18	125	91	28	99	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,187	1,354	9,901	24,133	1,594	1,085	9,798	7,825	4,117	9,153	542
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	117	12	185	467	19	22	195	143	54	167	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,302	373	2,278	5,602	388	280	2,360	1,674	976	2,500	134
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,425	315	2,974	6,816	282	281	2,811	2,231	1,310	2,141	134
Malignant neoplasm of breast (174-175)	445	102	757	1,877	143	97	878	696	294	844	48
Malignant neoplasms of genital organs (179-187)	650	179	1,103	2,483	237	112	981	882	434	1,058	65
Malignant neoplasms of urinary organs (188-189)	190	57	383	879	81	58	327	331	151	398	24
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	609	163	1,260	3,613	236	127	1,295	886	568	1,148	91
Leukemia (204-208)	173	61	416	990	84	49	342	332	129	385	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	276	92	545	1,306	104	59	509	470	201	506	21
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	16	118	360	44	16	141	95	66	91	12
Diabetes mellitus (250)	468	96	668	1,889	206	77	637	597	365	765	50
Nutritional deficiencies (260-269)	38	11	40	152	16	8	63	63	31	68	1
Anemias (280-285)	61	7	69	229	27	9	80	57	28	70	6
Meningitis (320-322)	23	1	23	106	10	3	32	28	6	28	–
Major cardiovascular diseases (390-448)	12,000	3,241	21,413	52,282	4,128	2,132	20,605	15,743	9,812	20,883	1,283
Diseases of heart (390-398,402,404-429)	9,124	2,528	16,228	40,571	3,214	1,731	15,944	12,019	7,957	16,270	995
Rheumatic fever and rheumatic heart disease (390-398)	58	17	106	238	27	12	100	140	57	142	3
Hypertensive heart disease (402)	335	32	470	1,191	91	48	419	241	196	318	15
Hypertensive heart and renal disease (404)	52	4	65	134	11	9	72	44	26	44	2
Ischemic heart disease (410-414)	6,027	1,811	11,265	24,438	1,971	1,112	10,431	8,008	5,371	12,075	672
Acute myocardial infarction (410)	3,661	1,123	6,367	14,579	1,020	603	5,572	3,840	3,013	6,090	418
Other acute and subacute forms of ischemic heart disease (411)	118	8	88	66	5	9	674	11	13	62	2
Angina pectoris (413)	28	3	19	42	5	6	26	31	9	16	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,020	677	4,791	9,731	841	494	4,159	4,124	2,336	5,907	252
Other diseases of endocardium (424)	91	30	142	415	32	28	182	226	57	229	17
All other forms of heart disease (415-423,425-429)	2,561	634	4,180	14,155	1,112	522	4,740	3,362	2,250	3,464	286
Hypertension with or without renal disease (401,403)	123	21	134	341	32	14	158	122	56	148	9
Cerebrovascular diseases (430-438)	2,275	523	4,125	9,112	690	295	3,475	2,777	1,392	3,363	187
Intracerebral and other intracranial hemorrhage (431-432)	351	54	488	1,154	87	21	438	314	143	398	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	305	59	638	1,172	88	58	505	348	198	504	12
Cerebral embolism (434.1)	5	2	15	44	7	2	11	15	6	11	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,614	408	3,003	6,742	508	214	2,521	2,100	1,045	2,450	161
Atherosclerosis (440)	246	83	492	1,216	71	40	567	448	212	597	45
Other diseases of arteries, arterioles, and capillaries (441-448)	232	86	434	1,042	121	52	461	377	195	505	47
Acute bronchitis and bronchiolitis (466)	7	4	9	35	5	2	11	13	2	8	1
Pneumonia and influenza (480-487)	643	259	1,222	3,412	275	170	1,275	1,054	446	1,211	109
Pneumonia (480-486)	638	253	1,198	3,285	271	167	1,261	993	438	1,182	107
Influenza (487)	5	6	24	127	4	3	14	61	8	29	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	662	224	1,554	3,659	317	195	1,438	1,473	624	1,296	156
Bronchitis, chronic and unspecified (490-491)	35	8	91	209	20	12	78	57	55	67	2
Emphysema (492)	104	66	262	725	54	27	203	284	100	269	13
Asthma (493)	48	16	58	175	23	9	96	71	30	79	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	497	134	1,143	2,550	220	147	1,061	1,061	639	881	137
Ulcer of stomach and duodenum (531-533)	88	25	124	312	38	18	122	121	56	144	12
Appendicitis (540-543)	10	2	7	27	1	1	5	10	6	12	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	58	21	120	283	32	13	91	104	39	105	10
Chronic liver disease and cirrhosis (571)	313	49	424	1,405	92	62	535	445	188	364	27
Cholelithiasis and other disorders of gallbladder (574-575)	36	12	100	173	17	6	49	51	27	56	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	285	47	451	1,372	82	31	446	288	205	352	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	–	10	23	–	1	5	3	3	6	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	4	85	85	7	1	45	30	16	28	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	226	43	356	1,264	75	29	396	255	166	316	14
Infections of kidney (590)	26	7	50	167	5	7	36	26	19	31	4
Hyperplasia of prostate (600)	3	5	20	24	1	1	8	9	5	17	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	5	–	8	18	1	–	6	4	–	3	–
Pregnancy with abortive outcome (630-638)	–	–	1	5	1	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	5	–	7	13	–	–	6	3	–	3	–
Congenital anomalies (740-759)	169	39	291	934	199	26	259	215	109	261	15
Certain conditions originating in the perinatal period (760-779)	381	44	446	1,424	162	25	500	268	142	293	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	16	107	395	49	6	92	104	40	77	4
Other conditions originating in the perinatal period (760-766,770-779)	299	28	339	1,029	113	19	408	164	102	216	22
Symptoms, signs, and ill-defined conditions (780-799)	273	70	1,040	4,788	158	27	393	272	175	222	48
All other diseases (Residual)	1,635	407	2,999	9,008	650	353	3,152	2,459	1,212	2,784	221
Accidents and adverse effects (E800-E949)	1,698	341	2,323	7,369	690	220	2,223	1,669	890	1,609	303
Motor vehicle accidents (E810-E825)	946	155	1,239	4,063	339	113	1,048	810	463	868	151
All other accidents and adverse effects (E800-E807,E826-E949)	752	186	1,084	3,306	351	107	1,175	859	427	743	142
Suicide (E950-E959)	398	91	688	2,079	228	85	716	587	235	598	96
Homicide and legal intervention (E960-E978)	306	18	438	2,223	52	14	462	205	105	139	21
All other external causes (E980-E999)	25	7	91	99	99	8	21	57	34	47	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,483,786	1,322	5,874	863	7,929	3,174	1,430
Shigellosis and amebiasis (004,006)	15	–	–	–	–	–	–
Certain other intestinal infections (007-009)	244	–	2	–	1	–	–
Tuberculosis (010-018)	1,302	1	–	3	4	4	2
Tuberculosis of respiratory system (010-012)	1,004	1	–	2	3	3	1
Other tuberculosis (013-018)	298	–	–	1	1	1	1
Whooping cough (033)	4	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	–	–	–	–	–	–
Meningococcal infection (036)	230	1	–	–	1	–	–
Septicemia (038)	11,496	10	58	8	56	18	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–
Viral hepatitis (070)	700	–	2	–	3	3	–
Syphilis (090-097)	80	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4,750	1	13	7	24	8	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	336,907	256	1,342	193	1,885	688	280
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,547	3	27	3	49	5	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	87,335	62	332	41	562	174	53
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	91,723	74	389	64	477	153	75
Malignant neoplasm of breast (174-175)	30,556	13	122	13	178	63	19
Malignant neoplasms of genital organs (179-187)	35,593	28	121	21	210	82	32
Malignant neoplasms of urinary organs (188-189)	13,644	11	58	2	91	23	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41,171	41	154	31	175	117	44
Leukemia (204-208)	12,455	10	51	9	59	29	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17,883	14	88	9	84	42	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,761	5	17	3	30	20	4
Diabetes mellitus (250)	28,079	27	112	19	138	61	15
Nutritional deficiencies (260-269)	1,770	3	7	–	8	9	3
Anemias (280-285)	2,525	2	14	–	9	7	2
Meningitis (320-322)	874	1	4	1	4	1	1
Major cardiovascular diseases (390-448)	700,586	632	2,729	342	4,047	1,170	715
Diseases of heart (390-398,402,404-429)	554,832	493	2,123	254	3,343	888	582
Rheumatic fever and rheumatic heart disease (390-398)	5,353	2	19	–	34	17	4
Hypertensive heart disease (402)	16,627	9	57	10	58	22	40
Hypertensive heart and renal disease (404)	1,911	2	7	3	6	1	8
Ischemic heart disease (410-414)	392,368	302	1,507	168	2,589	538	379
Acute myocardial infarction (410)	191,454	167	791	73	1,046	261	226
Other acute and subacute forms of ischemic heart disease (411)	2,885	1	7	–	25	1	–
Angina pectoris (413)	592	–	4	–	3	2	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	197,437	114	705	95	1,525	274	147
Other diseases of endocardium (424)	6,453	3	28	5	38	11	7
All other forms of heart disease (415-423,425-429)	132,220	175	505	68	608	299	144
Hypertension with or without renal disease (401,403)	5,681	1	34	5	23	13	7
Cerebrovascular diseases (430-436)	107,647	110	424	70	507	198	99
Intracerebral and other intracranial hemorrhage (431-432)	15,162	7	56	12	79	34	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18,656	15	93	19	110	14	16
Cerebral embolism (434.1)	528	–	2	1	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	73,301	88	273	38	317	150	70
Atherosclerosis (440)	16,755	17	76	4	89	33	10
Other diseases of arteries, arterioles, and capillaries (441-448)	15,671	11	72	9	85	38	17
Acute bronchitis and bronchiolitis (466)	397	1	1	–	4	–	1
Pneumonia and influenza (480-487)	42,469	31	145	24	200	97	39
Pneumonia (480-486)	41,853	30	144	24	195	94	38
Influenza (487)	616	1	1	–	5	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49,816	38	199	31	295	147	48
Bronchitis, chronic and unspecified (490-491)	2,601	–	11	1	17	4	–
Emphysema (492)	9,723	6	25	7	64	29	7
Asthma (493)	2,687	2	4	1	15	16	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	34,805	30	159	22	199	98	36
Ulcer of stomach and duodenum (531-533)	4,812	2	13	–	31	10	4
Appendicitis (540-543)	345	–	1	–	2	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,759	3	15	1	24	8	5
Chronic liver disease and cirrhosis (571)	22,010	16	59	10	98	64	21
Cholelithiasis and other disorders of gallbladder (574-575)	2,099	7	7	–	9	11	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14,226	13	47	6	71	43	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	219	–	2	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,290	–	5	–	5	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12,717	13	40	6	66	42	22
Infections of kidney (590)	1,382	3	4	1	3	4	3
Hyperplasia of prostate (600)	375	–	–	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	215	–	–	1	1	2	–
Pregnancy with abortive outcome (630-638)	45	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	170	–	–	1	–	2	–
Congenital anomalies (740-759)	9,781	10	32	5	43	32	10
Certain conditions originating in the perinatal period (760-779)	14,777	11	44	23	64	49	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3,960	4	22	3	15	17	8
Other conditions originating in the perinatal period (760-766,770-779)	10,817	7	22	20	49	32	11
Symptoms, signs, and ill-defined conditions (780-799)	19,479	76	434	31	45	44	8
All other diseases (Residual)	101,441	84	394	52	484	292	109
Accidents and adverse effects (E800-E949)	63,274	63	112	59	253	224	74
Motor vehicle accidents (E810-E825)	30,974	35	53	22	109	126	36
All other accidents and adverse effects (E800-E807,E826-E949)	32,300	28	59	37	144	98	38
Suicide (E950-E959)	21,874	19	58	19	76	92	22
Homicide and legal intervention (E960-E978)	16,487	6	8	22	12	43	20
All other external causes (E980-E999)	2,440	–	–	1	4	23	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas, are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,359	1,574	1,449	13,172	704	1,249	1,132	1,457
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	2	–	–	–	–
Tuberculosis (010-018)	3	2	2	4	–	–	–	1
Tuberculosis of respiratory system (010-012)	2	2	2	2	–	–	–	1
Other tuberculosis (013-018)	1	–	–	2	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	3	–	–	1	–
Septicemia (038)	48	16	5	43	–	6	6	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	4	1	–	–	1
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	14	3	3	40	2	6	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,430	314	321	3,192	138	290	236	325
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	6	5	53	3	6	5	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	402	88	83	779	32	71	57	80
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	339	85	83	863	42	87	70	85
Malignant neoplasm of breast (174-175)	126	27	25	290	12	19	27	34
Malignant neoplasms of genital organs (179-187)	125	33	30	317	12	36	29	25
Malignant neoplasms of urinary organs (188-189)	58	8	12	147	2	14	8	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	220	39	53	418	21	27	23	44
Leukemia (204-208)	48	10	14	128	8	6	10	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	93	17	16	177	6	24	7	21
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	11	10	41	2	2	3	2
Diabetes mellitus (250)	121	38	12	170	8	37	15	31
Nutritional deficiencies (260-269)	15	3	2	6	–	1	–	1
Anemias (280-285)	13	2	–	19	1	1	1	3
Meningitis (320-322)	4	–	6	10	4	–	1	2
Major cardiovascular diseases (390-448)	3,379	854	686	6,020	171	628	538	654
Diseases of heart (390-398,402,404-429)	2,788	700	560	4,683	138	478	406	503
Rheumatic fever and rheumatic heart disease (390-398)	25	9	4	56	1	4	4	3
Hypertensive heart disease (402)	47	13	8	94	2	13	8	7
Hypertensive heart and renal disease (404)	11	–	–	11	–	3	2	1
Ischemic heart disease (410-414)	1,771	554	279	3,612	96	305	293	400
Acute myocardial infarction (410)	942	317	191	1,974	40	182	185	179
Other acute and subacute forms of ischemic heart disease (411)	8	2	4	6	–	–	–	–
Angina pectoris (413)	2	1	–	–	1	–	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	819	234	84	1,632	55	203	105	220
Other diseases of endocardium (424)	23	8	5	59	1	5	3	5
All other forms of heart disease (415-423,425-429)	911	116	264	851	36	68	96	87
Hypertension with or without renal disease (401,403)	33	2	4	45	1	4	13	7
Cerebrovascular diseases (430-438)	394	100	84	976	28	102	106	112
Intracerebral and other intracranial hemorrhage (431-432)	57	9	12	139	8	10	7	20
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	75	19	10	153	4	14	23	3
Cerebral embolism (434.1)	4	1	–	12	–	–	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	258	71	62	672	14	78	75	86
Atherosclerosis (440)	95	20	26	157	–	30	6	21
Other diseases of arteries, arterioles, and capillaries (441-448)	60	32	12	159	8	14	7	11
Acute bronchitis and bronchiolitis (466)	2	2	–	5	–	–	–	–
Pneumonia and influenza (480-487)	159	36	51	512	14	23	29	34
Pneumonia (480-486)	157	32	51	508	14	23	28	34
Influenza (487)	2	4	–	4	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	199	71	61	513	24	36	46	50
Bronchitis, chronic and unspecified (490-491)	10	2	2	29	–	3	1	4
Emphysema (492)	20	7	9	126	1	4	9	7
Asthma (493)	14	1	2	35	2	1	2	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	155	61	48	323	21	28	34	34
Ulcer of stomach and duodenum (531-533)	16	3	5	68	1	3	6	4
Appendicitis (540-543)	1	–	–	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	2	6	28	–	4	3	8
Chronic liver disease and cirrhosis (571)	58	14	15	263	17	10	12	22
Cholelithiasis and other disorders of gallbladder (574-575)	12	2	3	17	2	–	7	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	67	18	9	67	12	12	11	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	1	11	1	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	61	18	8	56	11	12	10	7
Infections of kidney (590)	3	3	1	16	–	1	1	2
Hyperplasia of prostate (600)	1	–	–	7	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	25	6	6	116	18	12	4	10
Certain conditions originating in the perinatal period (760-779)	36	7	20	122	19	16	9	26
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	5	1	8	32	11	6	1	3
Other conditions originating in the perinatal period (760-766,770-779)	31	6	12	90	8	10	8	23
Symptoms, signs, and ill-defined conditions (780-799)	35	7	7	51	20	7	26	4
All other diseases (Residual)	373	96	92	746	57	79	63	125
Accidents and adverse effects (E800-E949)	195	48	79	692	129	47	67	77
Motor vehicle accidents (E810-E825)	94	16	43	356	60	28	43	38
All other accidents and adverse effects (E800-E807,E826-E949)	101	30	36	336	69	19	24	39
Suicide (E950-E959)	88	11	23	260	40	13	28	33
Homicide and legal intervention (E960-E978)	15	2	24	108	20	11	13	17
All other external causes (E980-E999)	2	2	–	5	3	4	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	1,046	2,119	1,880	912	14,895	2,418	2,761	3,635
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	5	–	1	2
Tuberculosis (010-018)	1	2	1	–	13	3	3	3
Tuberculosis of respiratory system (010-012)	1	2	1	–	11	2	3	2
Other tuberculosis (013-018)	–	–	–	–	2	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	5	–	–	1
Septicemia (038)	8	10	9	4	177	31	36	37
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	7	1	1	4
Syphilis (090-097)	–	–	–	–	1	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	5	4	2	66	6	10	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	236	493	379	209	3,142	549	610	753
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	5	9	5	94	12	14	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	29	121	81	49	717	165	134	194
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	64	121	116	50	850	138	203	209
Malignant neoplasm of breast (174-175)	20	54	37	24	279	52	55	53
Malignant neoplasms of genital organs (179-187)	34	60	43	17	321	59	78	67
Malignant neoplasms of urinary organs (188-189)	7	28	12	6	122	33	18	28
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	50	66	49	36	494	55	65	103
Leukemia (204-208)	11	14	11	9	117	12	19	43
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	24	21	13	148	23	28	42
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	8	8	3	55	5	12	15
Diabetes mellitus (250)	20	50	24	20	258	57	35	66
Nutritional deficiencies (260-269)	2	1	3	–	20	5	5	4
Anemias (280-285)	1	2	–	–	33	3	9	11
Meningitis (320-322)	–	3	–	–	11	–	1	5
Major cardiovascular diseases (390-448)	536	1,060	917	427	6,508	1,207	1,192	1,535
Diseases of heart (390-398,402,404-429)	412	828	673	323	4,954	934	897	1,106
Rheumatic fever and rheumatic heart disease (390-398)	2	6	7	3	35	6	7	11
Hypertensive heart disease (402)	9	9	13	6	309	32	41	38
Hypertensive heart and renal disease (404)	1	4	1	1	12	4	3	4
Ischemic heart disease (410-414)	228	645	474	187	3,014	686	600	636
Acute myocardial infarction (410)	155	328	268	106	1,937	288	355	382
Other acute and subacute forms of ischemic heart disease (411)	1	1	2	–	6	2	3	4
Angina pectoris (413)	–	–	–	–	10	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	72	316	204	81	1,061	384	241	250
Other diseases of endocardium (424)	5	9	12	3	59	13	15	11
All other forms of heart disease (415-423,425-429)	167	155	168	123	1,525	183	231	406
Hypertension with or without renal disease (401,403)	2	9	9	5	48	5	15	11
Cerebrovascular diseases (430-438)	96	169	185	88	1,284	198	227	304
Intracerebral and other intracranial hemorrhage (431-432)	10	22	24	12	202	30	47	42
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	24	38	21	190	51	33	30
Cerebral embolism (434.1)	1	2	–	–	5	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	55	121	123	55	887	115	146	232
Atherosclerosis (440)	12	27	20	5	74	45	20	80
Other diseases of arteries, arterioles, and capillaries (441-448)	14	27	30	8	148	25	33	34
Acute bronchitis and bronchiolitis (466)	–	–	–	–	1	–	–	1
Pneumonia and influenza (480-487)	17	51	64	23	371	65	79	99
Pneumonia (480-486)	17	50	79	23	370	65	78	96
Influenza (487)	–	1	5	–	1	–	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	43	64	57	27	442	82	94	127
Bronchitis, chronic and unspecified (490-491)	–	2	1	1	37	4	3	7
Emphysema (492)	4	18	9	9	84	9	16	21
Asthma (493)	1	4	–	1	23	2	2	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	40	47	16	298	67	73	88
Ulcer of stomach and duodenum (531-533)	5	5	2	3	45	4	7	11
Appendicitis (540-543)	–	–	1	–	3	–	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	5	5	42	7	10	15
Chronic liver disease and cirrhosis (571)	6	18	21	12	191	30	42	45
Cholelithiasis and other disorders of gallbladder (574-575)	–	5	3	4	26	3	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	14	10	9	164	25	24	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	2	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	2	1	11	2	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	13	8	8	151	23	20	21
Infections of kidney (590)	6	–	2	–	21	–	1	5
Hyperplasia of prostate (600)	–	–	1	–	9	1	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	4	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	4	–	1	–
Congenital anomalies (740-759)	4	10	8	5	121	9	23	38
Certain conditions originating in the perinatal period (760-779)	8	13	15	6	217	16	40	50
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	4	7	1	53	5	10	9
Other conditions originating in the perinatal period (760-766,770-779)	5	9	8	5	164	11	30	41
Symptoms, signs, and ill-defined conditions (780-799)	8	12	9	4	152	29	25	42
All other diseases (Residual)	60	141	175	66	1,330	151	268	305
Accidents and adverse effects (E800-E949)	42	98	86	57	910	83	158	257
Motor vehicle accidents (E810-E825)	21	61	30	36	491	31	80	163
All other accidents and adverse effects (E800-E807,E826-E949)	21	37	56	21	419	52	78	94
Suicide (E950-E959)	17	42	37	18	283	24	24	76
Homicide and legal intervention (E960-E978)	11	7	17	6	236	21	45	75
All other external causes (E980-E999)	–	–	1	2	16	1	2	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif.	Baltimore, Md.	Bangor, Maine	Baton Rouge, La.	Battle Creek, Mich.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Bellingham, Wash.
All causes	3,517	20,019	1,142	3,129	1,551	951	3,277	853
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	2	4	–	1	–	–	–	–
Tuberculosis (010-018)	5	11	–	3	2	–	3	–
Tuberculosis of respiratory system (010-012)	4	9	–	2	2	–	2	–
Other tuberculosis (013-018)	1	2	–	1	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	1	–	–	1
Septicemia (038)	20	351	3	24	11	5	19	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	7	1	3	–	–	3	–
Syphilis (090-097)	–	2	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	15	55	2	10	4	2	8	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	749	4,833	244	695	356	241	730	186
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	103	1	17	9	2	8	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	171	1,270	67	160	80	41	158	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	218	1,330	69	194	95	84	246	40
Malignant neoplasm of breast (174-175)	54	424	17	72	38	15	53	16
Malignant neoplasms of genital organs (179-187)	82	492	20	65	38	19	58	22
Malignant neoplasms of urinary organs (188-189)	41	194	14	26	14	9	32	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	107	659	37	99	45	50	115	27
Leukemia (204-208)	29	164	10	30	11	11	21	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	197	9	32	26	10	39	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	82	11	9	2	3	9	3
Diabetes mellitus (250)	60	377	18	60	43	14	79	19
Nutritional deficiencies (260-269)	6	24	1	3	1	–	5	1
Anemias (280-285)	4	29	5	3	2	2	4	2
Meningitis (320-322)	5	10	–	2	2	–	2	1
Major cardiovascular diseases (390-448)	1,462	9,038	576	1,444	725	505	1,497	407
Diseases of heart (390-398,402,404-429)	1,169	7,365	455	1,151	564	382	1,126	311
Rheumatic fever and rheumatic heart disease (390-398)	21	68	2	3	5	1	3	5
Hypertensive heart disease (402)	48	319	8	48	5	3	15	9
Hypertensive heart and renal disease (404)	8	22	–	7	4	–	5	–
Ischemic heart disease (410-414)	894	3,623	315	532	426	331	614	232
Acute myocardial infarction (410)	367	2,404	167	305	212	157	314	104
Other acute and subacute forms of ischemic heart disease (411)	4	30	2	1	–	–	5	1
Angina pectoris (413)	1	26	–	6	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	522	1,163	146	220	214	174	295	127
Other diseases of endocardium (424)	21	69	4	14	6	5	15	6
All other forms of heart disease (415-423,425-429)	177	3,266	126	547	118	42	474	59
Hypertension with or without renal disease (401,403)	7	78	6	9	9	3	14	–
Cerebrovascular diseases (430-438)	221	1,283	77	208	100	65	285	72
Intracerebral and other intracranial hemorrhage (431-432)	27	206	7	39	10	8	23	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	44	130	15	26	12	12	42	10
Cerebral embolism (434.1)	1	1	–	–	1	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	149	926	55	143	77	45	219	58
Atherosclerosis (440)	22	122	16	52	37	45	39	12
Other diseases of arteries, arterioles, and capillaries (441-448)	43	210	22	24	15	10	33	12
Acute bronchitis and bronchiolitis (466)	–	3	–	–	–	–	1	–
Pneumonia and influenza (480-487)	143	519	33	74	55	18	76	28
Pneumonia (480-486)	142	516	32	74	54	18	73	22
Influenza (487)	1	3	1	–	1	–	3	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	159	549	44	78	62	28	78	29
Bronchitis, chronic and unspecified (490-491)	7	26	–	–	7	–	5	2
Emphysema (492)	55	84	5	12	12	4	21	5
Asthma (493)	9	24	2	6	1	1	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	88	435	37	60	42	23	50	21
Ulcer of stomach and duodenum (531-533)	11	81	4	4	5	4	9	2
Appendicitis (540-543)	1	2	1	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	58	1	6	5	–	6	1
Chronic liver disease and cirrhosis (571)	59	257	13	31	20	11	37	3
Cholelithiasis and other disorders of gallbladder (574-575)	7	24	3	7	4	–	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	258	16	46	10	16	44	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	–	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	12	3	5	–	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	29	242	13	40	10	15	42	9
Infections of kidney (590)	4	7	1	4	1	–	3	–
Hyperplasia of prostate (600)	1	8	–	–	1	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	29	103	4	39	8	4	17	7
Certain conditions originating in the perinatal period (760-779)	70	214	3	65	13	5	42	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	45	1	16	2	1	24	2
Other conditions originating in the perinatal period (760-766,770-779)	45	169	2	49	11	4	18	2
Symptoms, signs, and ill-defined conditions (780-799)	20	282	14	18	12	3	169	11
All other diseases (Residual)	219	1,601	69	214	91	38	164	78
Accidents and adverse effects (E800-E949)	281	714	48	183	82	41	170	39
Motor vehicle accidents (E810-E825)	173	315	28	96	43	22	84	17
All other accidents and adverse effects (E800-E807,E826-E949)	108	399	20	87	39	19	86	22
Suicide (E950-E959)	75	238	25	44	27	9	42	12
Homicide and legal intervention (E960-E978)	46	272	2	55	8	4	51	–
All other external causes (E980-E999)	5	25	–	3	–	–	3	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,519	770	1,627	2,791	8,265	536	520	928
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	1	2	–	2	–
Tuberculosis (010-018)	–	1	2	2	16	–	–	–
Tuberculosis of respiratory system (010-012)	–	1	2	1	12	–	–	–
Other tuberculosis (013-018)	–	–	–	1	4	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	2	–	1	–
Septicemia (038)	12	3	10	13	58	5	5	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	1	3	–	–	–
Syphilis (090-097)	–	–	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	1	4	4	20	1	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	347	170	342	634	1,868	135	105	210
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	3	3	11	34	3	1	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	88	38	67	185	458	36	21	80
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83	49	125	158	523	35	30	33
Malignant neoplasm of breast (174-175)	31	16	21	53	165	15	9	25
Malignant neoplasms of genital organs (179-187)	42	13	35	74	249	16	14	27
Malignant neoplasms of urinary organs (188-189)	14	9	16	33	74	3	7	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	36	26	44	68	211	17	18	29
Leukemia (204-208)	15	7	9	17	76	4	1	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	9	22	35	98	6	4	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	3	8	10	16	1	1	4
Diabetes mellitus (250)	35	11	36	51	164	12	15	13
Nutritional deficiencies (260-269)	5	–	3	2	14	1	2	1
Anemias (280-285)	4	–	5	2	19	–	1	1
Meningitis (320-322)	–	–	1	2	1	–	–	1
Major cardiovascular diseases (390-448)	704	358	748	1,473	3,551	248	255	483
Diseases of heart (390-398,402,404-429)	538	273	623	1,163	2,667	191	172	335
Rheumatic fever and rheumatic heart disease (390-398)	4	5	2	8	18	4	1	4
Hypertensive heart disease (402)	12	10	12	37	124	8	1	7
Hypertensive heart and renal disease (404)	3	–	2	2	14	–	1	3
Ischemic heart disease (410-414)	402	172	393	933	1,724	130	129	259
Acute myocardial infarction (410)	164	71	290	440	934	75	71	138
Other acute and subacute forms of ischemic heart disease (411)	2	3	–	–	10	–	1	–
Angina pectoris (413)	–	1	2	–	5	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	236	97	101	493	775	55	57	121
Other diseases of endocardium (424)	11	3	10	13	39	7	1	3
All other forms of heart disease (415-423,425-429)	106	83	204	170	748	42	39	59
Hypertension with or without renal disease (401,403)	5	2	3	17	69	–	–	8
Cerebrovascular diseases (430-438)	128	58	85	221	683	40	61	90
Intracerebral and other intracranial hemorrhage (431-432)	12	6	18	33	85	7	3	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	10	11	43	127	11	9	31
Cerebral embolism (434.1)	1	1	3	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	97	41	53	145	470	22	49	49
Atherosclerosis (440)	24	13	10	43	49	10	17	27
Other diseases of arteries, arterioles, and capillaries (441-448)	9	12	17	29	83	7	5	23
Acute bronchitis and bronchiolitis (466)	–	–	–	2	3	–	–	–
Pneumonia and influenza (480-487)	47	17	30	64	225	14	7	23
Pneumonia (480-486)	46	15	28	59	224	14	7	22
Influenza (487)	1	2	2	5	1	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	62	36	60	128	304	19	17	34
Bronchitis, chronic and unspecified (490-491)	3	3	4	4	16	–	1	1
Emphysema (492)	16	5	5	52	53	2	3	4
Asthma (493)	3	2	5	5	15	2	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40	26	46	67	210	15	11	28
Ulcer of stomach and duodenum (531-533)	6	1	6	7	25	1	–	7
Appendicitis (540-543)	–	–	3	2	3	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	3	4	8	23	1	2	1
Chronic liver disease and cirrhosis (571)	16	6	26	25	104	6	4	10
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	4	5	16	–	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	6	17	26	91	3	8	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	–	1	2	6	1	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	6	15	24	85	2	8	4
Infections of kidney (590)	2	1	1	3	27	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-636)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	–	–
Congenital anomalies (740-759)	10	8	15	14	48	7	4	3
Certain conditions originating in the perinatal period (760-779)	25	4	15	28	92	5	2	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	2	4	8	25	3	2	4
Other conditions originating in the perinatal period (760-766,770-779)	12	2	11	18	67	2	–	6
Symptoms, signs, and ill-defined conditions (780-799)	8	14	18	14	271	3	7	7
All other diseases (Residual)	101	50	114	146	655	36	30	50
Accidents and adverse effects (E800-E949)	69	52	101	93	376	27	29	40
Motor vehicle accidents (E810-E825)	33	27	60	47	168	10	12	23
All other accidents and adverse effects (E800-E807,E826-E949)	36	25	41	46	208	17	17	17
Suicide (E950-E959)	17	15	28	29	115	8	14	12
Homicide and legal intervention (E960-E978)	12	5	22	4	116	2	4	3
All other external causes (E980-E999)	–	3	3	–	14	1	2	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,177	34,422	2,387	1,091	7,011	1,459	553	12,438
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	3	1	-	1	-	-	2
Tuberculosis (010-018)	2	10	2	-	6	3	-	10
Tuberculosis of respiratory system (010-012)	2	5	1	-	5	3	-	6
Other tuberculosis (013-018)	-	5	1	-	1	-	-	4
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	4	1	-	1	1	-	2
Septicemia (038)	5	359	9	3	47	15	3	100
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	12	2	-	8	2	-	5
Syphilis (090-097)	-	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,088-139)	2	67	1	5	18	8	1	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	254	8,230	551	259	1,717	266	129	2,847
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	147	9	6	46	2	4	56
Malignant neoplasms of digestive organs and peritoneum (150-159)	77	2,159	141	58	459	67	38	629
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	2,072	164	81	396	58	35	779
Malignant neoplasm of breast (174-175)	10	873	40	24	167	18	13	288
Malignant neoplasms of genital organs (179-187)	25	816	78	25	171	21	9	297
Malignant neoplasms of urinary organs (188-189)	9	365	23	12	86	7	5	119
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	1,093	49	26	224	58	13	217
Leukemia (204-208)	14	263	19	11	66	19	4	118
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	442	28	16	102	16	8	146
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	128	9	4	39	3	-	37
Diabetes mellitus (250)	9	564	48	12	135	32	10	230
Nutritional deficiencies (260-269)	4	36	1	3	5	1	-	15
Anemias (280-285)	3	44	6	1	13	1	-	24
Meningitis (320-322)	1	13	-	1	6	-	-	6
Major cardiovascular diseases (390-448)	550	16,380	1,131	517	3,310	597	213	6,480
Diseases of heart (390-398,402,404-429)	426	13,270	869	412	2,612	466	160	5,013
Rheumatic fever and rheumatic heart disease (390-398)	9	134	8	2	25	4	-	55
Hypertensive heart disease (402)	5	336	16	9	42	4	2	108
Hypertensive heart and renal disease (404)	1	20	4	3	6	1	4	22
Ischemic heart disease (410-414)	298	10,099	632	288	1,946	341	109	4,132
Acute myocardial infarction (410)	173	4,897	305	161	887	221	57	2,164
Other acute and subacute forms of ischemic heart disease (411)	-	18	3	-	3	2	1	7
Angina pectoris (413)	-	14	2	-	2	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	125	5,170	322	127	1,054	118	50	1,861
Other diseases of endocardium (424)	7	159	7	6	39	9	1	35
All other forms of heart disease (415-423,425-429)	106	2,522	202	104	554	107	44	661
Hypertension with or without renal disease (401,403)	1	90	12	2	31	3	-	45
Cerebrovascular diseases (430-438)	89	2,215	208	81	489	99	42	1,127
Intracerebral and other intracranial hemorrhage (431-432)	12	337	20	10	70	12	6	141
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	425	64	10	103	14	1	369
Cerebral embolism (434.1)	-	9	1	-	1	-	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	70	1,444	123	61	315	73	35	614
Atherosclerosis (440)	14	380	21	10	84	20	8	130
Other diseases of arteries, arterioles, and capillaries (441-448)	20	425	21	12	94	9	3	165
Acute bronchitis and bronchiolitis (466)	-	9	-	-	1	-	-	1
Pneumonia and influenza (480-487)	29	1,236	46	35	190	44	22	326
Pneumonia (480-486)	28	1,227	46	34	188	43	19	324
Influenza (487)	-	11	-	1	2	1	3	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	46	1,143	92	41	191	41	15	444
Bronchitis, chronic and unspecified (490-491)	2	52	1	6	11	3	-	32
Emphysema (492)	11	188	25	6	39	4	4	98
Asthma (493)	2	70	-	-	6	2	-	20
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	833	66	29	135	32	11	294
Ulcer of stomach and duodenum (531-533)	4	85	6	5	18	6	1	49
Appendicitis (540-543)	1	6	-	-	1	1	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	77	4	2	21	1	1	31
Chronic liver disease and cirrhosis (571)	9	582	27	11	115	17	5	183
Cholelithiasis and other disorders of gallbladder (574-575)	1	57	3	1	11	2	-	14
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	392	20	7	68	14	6	116
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	7	-	-	2	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	25	-	-	9	1	-	13
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	360	20	7	57	13	5	103
Infections of kidney (590)	1	17	2	2	4	-	-	14
Hyperplasia of prostate (600)	-	6	-	-	1	-	-	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	-	-	2
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	1
Congenital anomalies (740-759)	8	188	6	11	33	8	2	61
Certain conditions originating in the perinatal period (760-779)	9	227	15	13	63	19	3	77
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	43	6	2	18	4	3	21
Other conditions originating in the perinatal period (760-766,770-779)	8	184	9	11	45	15	-	56
Symptoms, signs, and ill-defined conditions (780-799)	17	281	112	10	147	166	46	50
All other diseases (Residual)	88	2,585	161	86	487	79	38	722
Accidents and adverse effects (E800-E949)	74	1,138	77	52	231	100	42	358
Motor vehicle accidents (E810-E825)	36	448	55	21	104	54	21	129
All other accidents and adverse effects (E800-E807,E826-E949)	38	690	22	31	127	46	21	229
Suicide (E950-E959)	37	331	32	10	74	16	8	119
Homicide and legal intervention (E960-E978)	5	147	20	-	43	18	10	50
All other external causes (E880-E999)	2	51	2	1	5	-	-	39

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	953	783	3,561	415	1,183	913	3,011	2,517
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	–	–	–
Tuberculosis (010-018)	1	1	3	–	1	1	3	2
Tuberculosis of respiratory system (010-012)	1	–	2	–	1	–	2	1
Other tuberculosis (013-018)	–	1	1	–	–	1	1	1
Whooping cough (033)	–	1	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	11	2	9	3	11	4	24	13
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	1	–	3	–
Syphilis (090-097)	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	3	12	1	3	1	8	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	202	179	766	90	271	216	644	572
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	5	13	2	5	2	19	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	45	45	185	19	75	60	173	117
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	49	40	223	22	79	60	183	203
Malignant neoplasm of breast (174-175)	12	20	63	8	20	17	53	45
Malignant neoplasms of genital organs (179-187)	31	16	79	11	18	18	82	58
Malignant neoplasms of urinary organs (188-189)	8	9	31	5	16	7	16	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	24	88	17	24	37	74	75
Leukemia (204-208)	11	6	29	1	15	4	22	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	14	45	5	19	11	42	33
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	7	13	3	4	6	11	12
Diabetes mellitus (250)	26	11	84	6	16	17	41	42
Nutritional deficiencies (260-269)	–	2	10	–	4	3	5	1
Anemias (280-285)	1	1	3	1	3	4	6	5
Meningitis (320-322)	–	–	1	–	1	1	3	–
Major cardiovascular diseases (390-448)	465	367	1,809	150	570	431	1,310	1,301
Diseases of heart (390-398,402,404-429)	355	309	1,449	118	411	304	1,005	1,064
Rheumatic fever and rheumatic heart disease (390-398)	2	–	17	1	2	4	13	8
Hypertensive heart disease (402)	16	6	48	2	10	4	36	42
Hypertensive heart and renal disease (404)	1	1	14	1	2	1	4	6
Ischemic heart disease (410-414)	269	183	1,109	73	296	224	668	599
Acute myocardial infarction (410)	150	102	540	43	123	90	367	324
Other acute and subacute forms of ischemic heart disease (411)	–	1	1	–	–	4	81	1
Angina pectoris (413)	–	2	2	–	3	–	5	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	119	78	566	30	170	130	213	267
Other diseases of endocardium (424)	9	6	29	6	4	2	12	13
All other forms of heart disease (415-423,425-429)	58	113	232	35	97	69	274	422
Hypertension with or without renal disease (401,403)	4	1	12	–	8	16	12	5
Cerebrovascular diseases (430-438)	85	38	272	23	111	72	237	173
Intracerebral and other intracranial hemorrhage (431-432)	11	4	36	–	4	12	44	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	3	38	1	6	10	36	20
Cerebral embolism (434.1)	1	–	3	–	–	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	53	31	193	22	99	49	154	134
Atherosclerosis (440)	16	7	37	4	21	25	24	14
Other diseases of arteries, arterioles, and capillaries (441-448)	5	12	39	5	19	14	32	25
Acute bronchitis and bronchiolitis (466)	–	2	–	–	–	1	2	1
Pneumonia and influenza (480-487)	18	22	92	11	36	22	73	60
Pneumonia (480-486)	18	20	91	11	35	22	71	60
Influenza (487)	–	2	1	–	1	–	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33	33	148	23	58	30	81	96
Bronchitis, chronic and unspecified (490-491)	–	3	5	–	1	3	3	5
Emphysema (492)	3	5	29	4	7	8	21	9
Asthma (493)	1	1	6	2	5	6	4	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	29	24	108	17	45	13	53	79
Ulcer of stomach and duodenum (531-533)	6	3	8	2	2	5	13	8
Appendicitis (540-543)	–	–	2	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	3	13	2	5	2	9	4
Chronic liver disease and cirrhosis (571)	15	7	34	6	12	10	33	33
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	4	1	–	1	3	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	5	36	1	5	7	35	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	2	–	1	2	8	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	5	33	1	4	5	26	26
Infections of kidney (590)	2	2	5	–	–	–	5	3
Hyperplasia of prostate (600)	–	–	1	–	3	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	4	5	24	3	8	12	28	14
Certain conditions originating in the perinatal period (760-779)	9	9	22	6	7	12	85	12
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	3	5	3	1	4	13	3
Other conditions originating in the perinatal period (760-766,770-779)	7	6	17	3	6	8	52	9
Symptoms, signs, and ill-defined conditions (780-799)	6	6	30	6	8	8	31	19
All other diseases (Residual)	75	59	247	33	85	62	232	156
Accidents and adverse effects (E800-E949)	38	28	138	41	42	33	238	92
Motor vehicle accidents (E810-E825)	14	12	64	20	19	20	125	47
All other accidents and adverse effects (E800-E807,E826-E949)	24	16	74	21	23	13	113	45
Suicide (E950-E959)	17	20	50	22	19	13	51	29
Homicide and legal intervention (E960-E978)	6	2	15	3	7	9	46	9
All other external causes (E980-E999)	2	1	1	1	1	2	3	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-*Gastonia*, N.C.	Charlottesville, Va.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-*Hopkinsville*, Tenn.-Ky.	Cleveland, Ohio
All causes	4,936	899	3,838	59,897	1,623	12,866	1,076	18,506
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	12	–	1	1	3
Tuberculosis (010-018)	3	–	5	42	2	6	2	8
Tuberculosis of respiratory system (010-012)	3	–	5	33	2	5	2	7
Other tuberculosis (013-018)	–	–	–	9	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	4	1	2	–	2
Septicemia (038)	44	15	21	561	15	89	11	152
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	–	2	19	–	4	2	9
Syphilis (090-097)	1	–	–	3	–	3	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	18	3	9	153	9	34	4	37
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,050	212	826	13,590	385	3,223	235	4,207
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	22	3	11	256	8	67	3	95
Malignant neoplasms of digestive organs and peritoneum (150-159)	263	57	193	3,727	90	833	62	1,100
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	309	46	254	3,704	115	1,016	74	1,150
Malignant neoplasm of breast (174-175)	89	18	89	1,283	39	264	19	398
Malignant neoplasms of genital organs (179-187)	106	27	89	1,431	41	352	22	457
Malignant neoplasms of urinary organs (188-189)	31	6	27	555	19	141	9	181
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	140	33	100	1,510	47	329	19	486
Leukemia (204-208)	35	9	25	485	10	91	11	148
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	55	13	38	639	26	130	16	192
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	2	10	180	8	49	–	66
Diabetes mellitus (250)	93	8	74	1,050	19	234	9	405
Nutritional deficiencies (260-269)	8	3	6	60	2	9	2	32
Anemias (280-285)	10	1	8	110	–	18	2	30
Meningitis (320-322)	3	–	–	28	–	6	–	11
Major cardiovascular diseases (390-448)	2,335	415	1,915	28,922	697	5,942	481	8,868
Diseases of heart (390-398,402,404-429)	1,784	306	1,518	23,685	509	4,781	369	7,258
Rheumatic fever and rheumatic heart disease (390-398)	13	3	13	211	5	32	–	79
Hypertensive heart disease (402)	69	2	26	919	9	252	17	223
Hypertensive heart and renal disease (404)	8	1	8	58	–	22	–	35
Ischemic heart disease (410-414)	1,237	204	1,128	15,590	363	3,402	259	5,522
Acute myocardial infarction (410)	674	100	370	7,482	183	1,361	173	2,101
Other acute and subacute forms of ischemic heart disease (411)	3	3	1	161	6	12	–	14
Angina pectoris (413)	1	–	1	20	–	3	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	559	101	756	7,907	174	2,026	86	3,405
Other diseases of endocardium (424)	31	4	9	226	17	57	3	78
All other forms of heart disease (415-423,425-429)	426	92	332	6,681	115	1,016	90	1,321
Hypertension with or without renal disease (401,403)	20	3	21	222	3	34	1	62
Cerebrovascular diseases (430-438)	432	81	315	3,872	128	839	93	1,299
Intracerebral and other intracranial hemorrhage (431-432)	55	10	36	716	11	113	8	185
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	69	14	24	845	17	152	18	225
Cerebral embolism (434.1)	–	–	1	21	–	4	–	9
All other and late effects of cerebrovascular diseases (430,433,435-438)	308	57	254	2,290	98	570	67	870
Atherosclerosis (440)	31	18	19	575	29	120	8	154
Other diseases of arteries, arterioles, and capillaries (441-448)	68	7	44	568	30	168	10	213
Acute bronchitis and bronchiolitis (466)	1	–	2	8	–	6	1	12
Pneumonia and influenza (480-487)	122	25	105	1,796	67	426	30	479
Pneumonia (480-486)	120	25	104	1,783	62	421	29	472
Influenza (487)	2	–	1	13	5	5	1	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	136	23	114	1,607	106	495	34	546
Bronchitis, chronic and unspecified (490-491)	10	1	9	75	1	37	1	34
Emphysema (492)	24	4	10	310	16	72	6	97
Asthma (493)	7	1	3	109	2	27	2	26
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	95	17	92	1,113	87	359	25	389
Ulcer of stomach and duodenum (531-533)	16	–	7	169	6	44	3	45
Appendicitis (540-543)	1	–	–	12	–	8	–	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	2	14	154	3	36	7	33
Chronic liver disease and cirrhosis (571)	62	8	45	1,051	12	138	7	270
Cholelithiasis and other disorders of gallbladder (574-575)	5	–	9	73	–	26	2	38
Nephritis, nephrotic syndrome, and nephrosis (580-589)	73	14	35	669	22	136	8	192
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	9	–	5	1	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	2	2	50	–	19	1	18
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	66	12	33	610	22	112	6	168
Infections of kidney (590)	6	2	3	42	3	17	–	20
Hyperplasia of prostate (600)	–	–	–	16	–	2	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	14	–	2	–	–
Pregnancy with abortive outcome (630-638)	–	–	1	2	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	12	–	2	–	–
Congenital anomalies (740-759)	43	5	22	379	5	80	9	102
Certain conditions originating in the perinatal period (760-779)	56	12	32	795	4	111	24	181
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	1	7	230	3	33	6	51
Other conditions originating in the perinatal period (760-766,770-779)	45	11	25	565	1	78	18	130
Symptoms, signs, and ill-defined conditions (780-799)	27	5	26	451	9	70	23	140
All other diseases (Residual)	343	86	238	3,910	119	940	80	1,343
Accidents and adverse effects (E800-E949)	267	33	203	2,154	89	429	73	693
Motor vehicle accidents (E810-E825)	138	17	113	822	43	166	42	258
All other accidents and adverse effects (E800-E807,E826-E949)	131	16	90	1,232	46	263	31	434
Suicide (E950-E959)	86	13	55	728	40	196	14	239
Homicide and legal intervention (E960-E978)	65	11	40	946	5	67	8	198
All other external causes (E980-E999)	8	1	9	159	1	17	3	21

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	1,902	645	3,178	2,161	6,582	2,472	1,265	23,515
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	1	–	1	–	5
Tuberculosis (010-018)	–	–	3	6	7	–	–	23
Tuberculosis of respiratory system (010-012)	–	–	3	4	5	–	–	18
Other tuberculosis (013-018)	–	–	–	2	2	–	–	5
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	2	2	1	–	–	5
Septicemia (038)	11	7	39	12	95	26	6	197
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	6	–	3	3	–	13
Syphilis (090-097)	–	–	–	–	–	–	–	3
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,096-139)	4	1	9	5	22	4	2	75
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	396	126	681	468	1,952	540	264	4,893
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	1	17	15	29	11	5	102
Malignant neoplasms of digestive organs and peritoneum (150-159)	105	25	174	108	484	120	70	1,121
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	98	29	199	128	562	177	87	1,448
Malignant neoplasm of breast (174-175)	38	17	56	30	171	42	34	430
Malignant neoplasms of genital organs (179-187)	42	12	71	52	196	49	31	521
Malignant neoplasms of urinary organs (188-189)	14	10	32	16	109	18	8	160
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	46	22	72	78	221	76	28	704
Leukemia (204-208)	19	2	27	13	84	18	4	167
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	8	33	28	98	29	17	240
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	2	11	5	30	8	3	62
Diabetes mellitus (250)	18	13	66	49	163	54	18	367
Nutritional deficiencies (260-269)	4	2	2	2	13	4	2	36
Anemias (280-285)	–	–	7	3	17	1	3	43
Meningitis (320-322)	4	2	1	2	3	1	–	18
Major cardiovascular diseases (390-448)	788	276	1,356	1,018	4,008	1,083	659	10,371
Diseases of heart (390-398,402,404-429)	600	207	1,051	731	3,122	871	531	8,077
Rheumatic fever and rheumatic heart disease (390-398)	13	–	5	4	24	4	6	43
Hypertensive heart disease (402)	13	4	42	20	71	16	15	440
Hypertensive heart and renal disease (404)	1	–	6	3	38	6	2	22
Ischemic heart disease (410-414)	452	126	686	527	1,953	513	337	4,694
Acute myocardial infarction (410)	159	58	451	273	1,063	270	154	2,463
Other acute and subacute forms of ischemic heart disease (411)	24	–	2	105	5	16	3	9
Angina pectoris (413)	1	–	–	1	2	–	–	13
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	268	68	233	148	883	227	180	2,209
Other diseases of endocardium (424)	11	4	9	7	37	12	5	89
All other forms of heart disease (415-423,425-429)	110	73	303	170	999	320	166	2,795
Hypertension with or without renal disease (401,403)	7	–	13	9	41	4	2	70
Cerebrovascular diseases (430-438)	132	50	224	237	649	170	94	1,742
Intracerebral and other intracranial hemorrhage (431-432)	21	12	37	37	70	34	10	214
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	7	18	55	113	13	8	197
Cerebral embolism (434.1)	2	1	–	–	3	2	–	6
All other and late effects of cerebrovascular diseases (430,433,435-436)	85	30	169	145	463	121	76	1,323
Atherosclerosis (440)	31	11	28	26	109	17	14	249
Other diseases of arteries, arterioles, and capillaries (441-448)	18	8	40	15	87	21	18	233
Acute bronchitis and bronchiolitis (466)	1	–	1	–	–	1	–	5
Pneumonia and influenza (480-487)	72	13	143	59	236	62	30	675
Pneumonia (480-486)	72	13	143	59	232	60	29	643
Influenza (487)	–	–	–	–	4	2	1	32
Chronic obstructive pulmonary diseases and allied conditions (490-496)	101	32	102	61	335	88	66	818
Bronchitis, chronic and unspecified (490-491)	3	–	6	–	19	2	5	61
Emphysema (492)	22	4	16	9	77	19	10	117
Asthma (493)	4	1	4	6	11	5	–	43
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	72	27	76	46	228	62	51	597
Ulcer of stomach and duodenum (531-533)	12	6	11	6	23	3	1	70
Appendicitis (540-543)	2	–	–	2	1	1	–	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	13	1	17	8	1	59
Chronic liver disease and cirrhosis (571)	37	6	58	31	84	40	20	278
Cholelithiasis and other disorders of gallbladder (574-575)	8	–	2	1	7	5	1	41
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	11	34	32	87	25	18	238
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	2	1	–	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	6	1	3	2	1	13
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	10	28	31	82	22	17	222
Infections of kidney (590)	2	1	2	5	7	1	1	25
Hyperplasia of prostate (600)	–	–	1	–	1	1	–	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	2	1	–	–	5
Pregnancy with abortive outcome (630-638)	–	–	–	1	1	–	–	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	2	1	–	–	–	3
Congenital anomalies (740-759)	27	2	22	16	62	19	3	196
Certain conditions originating in the perinatal period (760-779)	22	6	45	32	75	39	4	309
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	1	7	10	18	20	1	85
Other conditions originating in the perinatal period (760-766,770-779)	21	5	38	22	57	19	3	224
Symptoms, signs, and ill-defined conditions (780-799)	25	19	26	29	263	38	6	594
All other diseases (Residual)	138	51	260	136	616	185	81	1,639
Accidents and adverse effects (E800-E949)	112	49	185	109	286	133	39	1,421
Motor vehicle accidents (E810-E825)	69	16	83	52	140	83	21	806
All other accidents and adverse effects (E800-E807,E826-E949)	43	33	82	57	146	50	18	615
Suicide (E950-E959)	56	15	56	26	118	49	12	445
Homicide and legal intervention (E960-E978)	16	3	42	36	45	49	2	571
All other external causes (E980-E999)	13	1	10	4	4	–	3	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,172	3,228	6,778	3,957	1,154	10,604	2,696	37,072
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	1	–	1	1	1	4
Tuberculosis (010-018)	1	1	5	1	2	5	1	34
Tuberculosis of respiratory system (010-012)	–	–	5	1	2	3	1	30
Other tuberculosis (013-018)	1	1	–	–	–	2	–	4
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	1	–	–
Meningococcal infection (036)	–	1	–	1	–	1	3	7
Septicemia (038)	4	21	46	30	5	81	21	327
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	2	4	–	1	–	14
Syphilis (090-097)	–	–	–	1	–	2	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	5	20	9	1	40	4	65
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	245	768	1,558	992	230	2,298	634	8,097
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	15	18	18	3	33	17	160
Malignant neoplasms of digestive organs and peritoneum (150-159)	70	200	424	287	60	502	147	2,100
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	74	220	453	244	60	542	192	2,290
Malignant neoplasm of breast (174-175)	21	73	137	80	20	245	57	709
Malignant neoplasms of genital organs (179-187)	20	88	139	125	22	219	67	817
Malignant neoplasms of urinary organs (188-189)	12	23	57	40	9	101	27	334
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	89	192	107	30	322	58	942
Leukemia (204-208)	10	27	50	32	14	117	31	308
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	33	88	49	12	127	40	437
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	10	19	12	5	37	8	79
Diabetes mellitus (250)	27	55	125	48	27	167	38	700
Nutritional deficiencies (260-269)	1	5	7	8	2	31	5	38
Anemias (280-285)	1	6	13	6	1	20	7	78
Meningitis (320-322)	–	1	1	4	2	4	3	12
Major cardiovascular diseases (390-448)	585	1,581	3,388	1,990	606	4,396	1,263	16,444
Diseases of heart (390-398,402,404-429)	455	1,238	2,714	1,547	469	3,417	1,016	15,107
Rheumatic fever and rheumatic heart disease (390-398)	3	13	28	14	2	53	13	147
Hypertensive heart disease (402)	14	36	66	77	19	64	21	412
Hypertensive heart and renal disease (404)	2	3	14	2	4	12	3	41
Ischemic heart disease (410-414)	318	916	1,837	1,115	288	2,312	666	10,481
Acute myocardial infarction (410)	189	521	920	525	112	1,150	511	5,524
Other acute and subacute forms of ischemic heart disease (411)	19	4	4	1	–	15	10	29
Angina pectoris (413)	–	–	1	1	–	2	1	16
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	110	391	912	588	176	1,145	164	4,912
Other diseases of endocardium (424)	4	12	30	17	9	55	8	121
All other forms of heart disease (415-423,425-429)	114	258	739	322	147	821	284	3,905
Hypertension with or without renal disease (401,403)	2	13	33	20	9	39	11	110
Cerebrovascular diseases (430-438)	113	258	460	333	96	653	175	2,501
Intracerebral and other intracranial hemorrhage (431-432)	12	30	77	45	22	89	21	382
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	38	72	81	24	72	28	518
Cerebral embolism (434.1)	–	2	2	–	–	4	1	16
All other and late effects of cerebrovascular diseases (430,433,435-438)	88	188	309	207	50	488	125	1,565
Atherosclerosis (440)	6	46	76	39	15	177	25	371
Other diseases of arteries, arterioles, and capillaries (441-448)	9	36	85	51	17	110	26	355
Acute bronchitis and bronchiolitis (466)	–	–	3	2	–	4	–	8
Pneumonia and influenza (480-487)	33	92	157	76	21	432	107	903
Pneumonia (480-486)	33	91	156	76	21	425	106	901
Influenza (487)	–	1	1	–	–	7	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33	150	221	174	50	562	83	1,093
Bronchitis, chronic and unspecified (490-491)	2	7	9	6	–	19	3	40
Emphysema (492)	8	47	27	33	12	72	16	249
Asthma (493)	–	4	18	5	4	34	5	68
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	92	169	130	34	437	59	736
Ulcer of stomach and duodenum (531-533)	4	15	31	17	3	35	14	104
Appendicitis (540-543)	1	1	1	2	1	2	–	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	4	22	12	3	24	6	80
Chronic liver disease and cirrhosis (571)	10	25	73	62	7	167	36	751
Cholelithiasis and other disorders of gallbladder (574-575)	–	3	12	3	2	19	2	47
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	24	72	31	8	97	13	350
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	3	2	–	–	3	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	5	8	4	1	5	5	21
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	16	61	25	7	92	5	323
Infections of kidney (590)	–	3	4	4	–	4	3	29
Hyperplasia of prostate (600)	–	2	3	–	1	1	1	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	2	–	–	1	–	4
Pregnancy with abortive outcome (630-636)	–	–	1	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	1	–	–	1	–	3
Congenital anomalies (740-759)	5	26	39	16	10	91	24	232
Certain conditions originating in the perinatal period (760-779)	16	20	71	17	12	125	27	470
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	19	3	5	35	3	103
Other conditions originating in the perinatal period (760-766,770-779)	13	18	52	14	7	90	24	367
Symptoms, signs, and ill-defined conditions (780-799)	7	20	160	17	18	173	17	187
All other diseases (Residual)	89	183	392	232	63	938	187	2,361
Accidents and adverse effects (E800-E949)	51	121	221	113	55	604	135	1,196
Motor vehicle accidents (E810-E825)	20	50	132	59	31	294	51	634
All other accidents and adverse effects (E800-E807,E826-E949)	31	71	89	54	24	310	84	562
Suicide (E950-E959)	19	55	84	55	9	293	37	546
Homicide and legal intervention (E960-E978)	15	16	42	21	8	120	19	705
All other external causes (E980-E999)	1	2	3	9	1	27	7	93

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	823	2,536	1,097	2,808	1,122	953	599	2,601
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	4	–	–	–	–
Tuberculosis (010-018)	–	–	–	3	–	1	1	1
Tuberculosis of respiratory system (010-012)	–	–	–	2	–	1	–	1
Other tuberculosis (013-018)	–	–	–	1	–	–	1	–
Whooping cough (033)	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	1	1
Septicemia (038)	2	9	5	35	7	7	1	25
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	2	1	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	5	1	7	2	1	–	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	178	583	227	577	248	221	116	599
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	14	4	5	2	5	1	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	46	173	57	149	59	53	31	161
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	45	139	63	111	81	68	37	169
Malignant neoplasm of breast (174-175)	23	47	22	46	22	23	10	61
Malignant neoplasms of genital organs (179-187)	18	69	20	92	24	27	15	55
Malignant neoplasms of urinary organs (188-189)	11	26	8	21	9	5	3	29
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	20	58	29	88	28	31	7	66
Leukemia (204-208)	4	23	4	27	12	6	3	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	34	20	38	11	5	9	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	6	4	8	2	1	1	16
Diabetes mellitus (250)	19	46	12	67	24	16	11	59
Nutritional deficiencies (260-269)	–	1	–	2	2	–	–	6
Anemias (280-285)	1	5	2	12	–	–	4	9
Meningitis (320-322)	–	2	–	3	–	–	–	1
Major cardiovascular diseases (390-448)	449	1,259	551	1,144	601	490	283	1,288
Diseases of heart (390-398,402,404-429)	335	987	436	872	484	404	199	965
Rheumatic fever and rheumatic heart disease (390-398)	5	12	8	15	8	8	3	7
Hypertensive heart disease (402)	19	26	5	43	7	4	1	20
Hypertensive heart and renal disease (404)	–	1	2	1	1	–	–	2
Ischemic heart disease (410-414)	236	617	312	567	351	315	136	761
Acute myocardial infarction (410)	84	284	148	226	178	118	95	414
Other acute and subacute forms of ischemic heart disease (411)	–	2	–	1	–	–	1	6
Angina pectoris (413)	4	2	–	1	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	148	329	164	339	172	197	40	341
Other diseases of endocardium (424)	2	15	4	15	10	5	3	10
All other forms of heart disease (415-423,425-429)	73	316	105	231	107	72	56	166
Hypertension with or without renal disease (401,403)	6	10	–	14	2	–	2	6
Cerebrovascular diseases (430-438)	88	183	78	215	80	63	61	245
Intracerebral and other intracranial hemorrhage (431-432)	7	17	11	46	18	4	4	32
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	21	13	39	12	11	11	54
Cerebral embolism (434.1)	2	–	–	–	1	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	50	155	54	130	49	48	46	158
Atherosclerosis (440)	13	34	18	25	22	14	12	19
Other diseases of arteries, arterioles, and capillaries (441-448)	7	35	19	18	13	9	9	32
Acute bronchitis and bronchiolitis (466)	–	–	1	–	1	–	–	–
Pneumonia and influenza (480-487)	15	86	28	66	22	30	13	69
Pneumonia (480-486)	15	84	28	65	20	29	12	66
Influenza (487)	–	2	–	1	2	1	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	85	45	97	26	47	29	81
Bronchitis, chronic and unspecified (490-491)	2	2	–	6	2	3	1	2
Emphysema (492)	6	16	16	16	9	11	7	6
Asthma (493)	1	4	4	4	1	3	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	63	25	71	14	30	21	70
Ulcer of stomach and duodenum (531-533)	3	10	5	9	–	4	3	10
Appendicitis (540-543)	–	1	–	1	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	8	1	11	3	3	4	8
Chronic liver disease and cirrhosis (571)	6	40	8	56	8	15	2	32
Cholelithiasis and other disorders of gallbladder (574-575)	4	2	–	7	3	–	–	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	11	8	52	5	5	7	35
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	–	–	2	–	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	–	9	8	51	3	5	5	34
Infections of kidney (590)	1	3	2	4	1	3	3	1
Hyperplasia of prostate (600)	–	1	–	1	1	1	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	–	–	–
Congenital anomalies (740-759)	7	12	5	29	4	6	3	20
Certain conditions originating in the perinatal period (760-779)	5	15	8	55	8	7	7	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	2	17	4	2	3	11
Other conditions originating in the perinatal period (760-766,770-779)	3	14	4	38	4	5	4	14
Symptoms, signs, and ill-defined conditions (780-799)	5	52	7	33	8	6	7	20
All other diseases (Residual)	50	149	76	232	79	53	45	176
Accidents and adverse effects (E800-E949)	33	103	29	184	55	31	42	88
Motor vehicle accidents (E810-E825)	17	33	12	98	31	14	22	39
All other accidents and adverse effects (E800-E807,E826-E949)	16	70	17	86	24	17	20	49
Suicide (E950-E959)	7	34	9	70	10	4	7	30
Homicide and legal intervention (E960-E978)	–	4	3	27	–	1	7	10
All other external causes (E980-E999)	2	5	1	8	1	–	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	2,074	3,051	1,014	1,400	1,716	3,943	1,121	1,014
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	–	–	–
Tuberculosis (010-018)	–	3	1	2	3	6	1	2
Tuberculosis of respiratory system (010-012)	–	2	–	1	2	3	1	–
Other tuberculosis (013-018)	–	1	1	1	1	3	–	2
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	3	1	1	–	–
Septicemia (038)	5	20	6	13	8	17	6	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	3	2	1
Syphilis (080-097)	–	1	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-138)	6	10	–	5	1	9	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	493	670	241	262	355	903	246	190
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	10	3	8	6	13	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	118	150	73	59	95	189	70	52
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	143	222	48	88	105	250	64	42
Malignant neoplasm of breast (174-175)	46	42	20	20	24	85	21	15
Malignant neoplasms of genital organs (179-187)	53	75	32	34	32	91	24	31
Malignant neoplasms of urinary organs (188-189)	14	28	13	9	17	42	4	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	56	79	20	30	49	127	38	27
Leukemia (204-208)	18	24	16	6	8	40	8	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	40	16	10	19	56	14	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	6	–	8	3	10	1	4
Diabetes mellitus (250)	42	59	20	30	21	99	8	29
Nutritional deficiencies (260-269)	1	7	–	1	2	5	1	–
Anemias (280-285)	1	5	1	2	4	6	2	1
Meningitis (320-322)	1	1	–	3	–	1	1	–
Major cardiovascular diseases (390-448)	957	1,556	506	622	809	1,916	520	540
Diseases of heart (390-398,402,404-429)	701	1,237	361	460	604	1,487	400	416
Rheumatic fever and rheumatic heart disease (390-398)	9	7	3	4	6	15	1	2
Hypertensive heart disease (402)	14	23	–	20	1	36	14	28
Hypertensive heart and renal disease (404)	2	16	1	4	–	4	–	4
Ischemic heart disease (410-414)	543	851	283	310	397	1,085	292	220
Acute myocardial infarction (410)	195	548	149	205	272	624	196	118
Other acute and subacute forms of ischemic heart disease (411)	4	1	1	–	–	2	–	4
Angina pectoris (413)	1	2	2	1	–	–	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	343	300	111	104	125	459	96	95
Other diseases of endocardium (424)	12	17	4	2	10	18	1	4
All other forms of heart disease (415-423,425-429)	121	323	90	120	190	329	92	158
Hypertension with or without renal disease (401,403)	8	14	2	11	6	16	2	3
Cerebrovascular diseases (430-438)	177	257	106	131	155	309	95	106
Intracerebral and other intracranial hemorrhage (431-432)	24	32	7	17	10	32	4	45
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	36	53	15	24	23	46	37	14
Cerebral embolism (434.1)	1	–	–	–	1	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	116	172	84	90	121	230	54	46
Atherosclerosis (440)	49	21	19	12	19	71	16	6
Other diseases of arteries, arterioles, and capillaries (441-448)	22	27	18	8	25	33	7	9
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	1	–	–
Pneumonia and influenza (480-487)	70	58	29	18	44	87	19	14
Pneumonia (480-486)	66	58	29	18	39	86	19	14
Influenza (487)	4	–	–	–	5	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	80	99	37	36	70	122	23	19
Bronchitis, chronic and unspecified (490-491)	3	10	1	–	4	6	2	1
Emphysema (492)	35	20	5	11	15	36	4	1
Asthma (493)	3	1	2	3	2	6	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	39	68	29	22	49	74	17	14
Ulcer of stomach and duodenum (531-533)	7	11	5	3	6	12	2	2
Appendicitis (540-543)	–	1	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	11	3	3	3	9	1	1
Chronic liver disease and cirrhosis (571)	24	28	8	18	24	42	15	9
Cholelithiasis and other disorders of gallbladder (574-575)	4	2	3	3	4	4	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	35	6	11	24	44	2	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	1	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	3	1	2	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	34	2	9	22	41	1	8
Infections of kidney (590)	3	7	2	3	4	9	3	2
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	–	–	–
Congenital anomalies (740-759)	16	17	8	14	10	21	6	11
Certain conditions originating in the perinatal period (760-779)	5	10	8	44	12	56	10	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1/2	1	1	6	6	23	4	3
Other conditions originating in the perinatal period (760-766,770-779)	3	9	7	38	6	33	6	22
Symptoms, signs, and ill-defined conditions (780-799)	21	28	17	23	30	23	74	7
All other diseases (Residual)	163	214	57	89	113	218	88	54
Accidents and adverse effects (E800-E949)	96	126	38	132	116	195	63	68
Motor vehicle accidents (E810-E825)	51	43	17	75	59	124	33	36
All other accidents and adverse effects (E800-E807,E826-E949)	45	83	21	57	57	71	30	32
Suicide (E950-E959)	45	44	14	22	37	68	13	6
Homicide and legal intervention (E960-E978)	11	17	3	25	11	57	10	8
All other external causes (E980-E999)	3	1	1	3	1	1	4	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	960	12,590	2,858	2,090	743	2,834	4,119	1,057
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	2	1	–	–	–	–	–
Tuberculosis (010-018)	–	6	1	1	1	–	9	–
Tuberculosis of respiratory system (010-012)	–	6	1	1	1	–	7	–
Other tuberculosis (013-018)	–	–	–	–	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	4	2	2	–	–	2	1
Septicemia (038)	6	60	10	8	4	19	30	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	5	1	1	–	1	2	2
Syphilis (090-097)	–	2	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	34	8	7	2	6	15	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	188	3,133	721	425	196	616	885	211
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	59	15	2	1	5	16	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	44	891	195	113	44	164	219	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	48	900	212	116	72	158	227	66
Malignant neoplasm of breast (174-175)	14	243	51	27	14	61	75	7
Malignant neoplasms of genital organs (179-187)	27	324	74	48	16	70	111	12
Malignant neoplasms of urinary organs (188-189)	5	132	27	24	11	22	25	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	300	75	59	19	88	117	38
Leukemia (204-208)	9	112	30	20	9	16	44	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	172	42	16	10	42	51	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	38	7	7	–	7	17	1
Diabetes mellitus (250)	17	188	55	31	9	52	72	17
Nutritional deficiencies (260-269)	1	8	1	1	1	6	4	1
Anemias (280-285)	–	27	9	4	2	5	5	1
Meningitis (320-322)	–	8	–	2	–	3	2	–
Major cardiovascular diseases (390-448)	430	6,194	1,385	1,038	327	1,494	1,818	582
Diseases of heart (390-398,402,404-429)	338	5,012	1,114	816	279	1,129	1,410	451
Rheumatic fever and rheumatic heart disease (390-398)	1	53	12	6	3	8	16	4
Hypertensive heart disease (402)	3	70	28	4	4	11	70	6
Hypertensive heart and renal disease (404)	–	15	3	–	5	12	7	2
Ischemic heart disease (410-414)	223	3,978	797	531	184	859	1,080	330
Acute myocardial infarction (410)	98	1,855	334	297	74	414	467	205
Other acute and subacute forms of ischemic heart disease (411)	–	64	3	–	–	–	34	1
Angina pectoris (413)	1	6	4	2	1	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	124	2,053	456	232	109	443	578	124
Other diseases of endocardium (424)	10	67	13	9	2	15	19	4
All other forms of heart disease (415-423,425-429)	101	829	261	268	81	224	218	105
Hypertension with or without renal disease (401,403)	1	47	4	7	2	17	21	3
Cerebrovascular diseases (430-438)	69	888	188	173	33	266	278	93
Intracerebral and other intracranial hemorrhage (431-432)	3	146	27	13	6	34	42	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	186	28	17	2	33	56	27
Cerebral embolism (434.1)	–	5	–	1	–	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	54	571	133	142	25	197	178	54
Atherosclerosis (440)	10	87	34	21	7	46	74	6
Other diseases of arteries, arterioles, and capillaries (441-448)	12	160	45	19	6	36	37	9
Acute bronchitis and bronchiolitis (466)	–	3	1	–	–	1	1	1
Pneumonia and influenza (480-487)	31	224	57	70	22	66	102	29
Pneumonia (480-486)	31	222	57	69	22	66	98	29
Influenza (487)	–	2	–	1	–	–	4	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49	429	120	72	21	97	156	37
Bronchitis, chronic and unspecified (490-491)	4	17	5	2	–	4	9	–
Emphysema (492)	17	111	19	17	1	16	29	5
Asthma (493)	2	14	6	2	–	6	8	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	287	90	51	20	71	110	31
Ulcer of stomach and duodenum (531-533)	4	42	9	5	3	8	9	7
Appendicitis (540-543)	–	4	–	–	–	–	7	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	38	7	3	1	3	9	3
Chronic liver disease and cirrhosis (571)	13	149	53	9	7	20	70	14
Cholelithiasis and other disorders of gallbladder (574-575)	2	24	3	4	1	3	6	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	139	16	28	3	23	35	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	–	–	1	2	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	8	6	3	1	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	127	10	25	1	19	32	4
Infections of kidney (590)	–	7	1	1	–	4	2	–
Hyperplasia of prostate (600)	1	3	2	1	–	1	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	1	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	1	–	–	–	–	–
Congenital anomalies (740-759)	11	57	8	11	8	20	43	5
Certain conditions originating in the perinatal period (760-779)	14	64	16	14	7	35	39	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	24	10	4	3	12	15	3
Other conditions originating in the perinatal period (760-766,770-779)	13	40	6	10	4	23	24	4
Symptoms, signs, and ill-defined conditions (780-799)	10	84	23	80	4	13	27	7
All other diseases (Residual)	86	889	157	134	51	152	301	52
Accidents and adverse effects (E800-E949)	52	413	117	88	49	131	310	48
Motor vehicle accidents (E810-E825)	30	228	71	42	26	76	199	22
All other accidents and adverse effects (E800-E807,E826-E949)	22	185	46	46	23	55	111	26
Suicide (E950-E959)	22	213	40	30	14	39	61	8
Homicide and legal intervention (E960-E978)	5	117	20	12	8	7	75	16
All other external causes (E980-E999)	1	1	6	3	2	1	4	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn.	Grand Rapids, Mich.	Great Falls, Mont.	Greeley, Colo.
All causes	1,015	1,643	5,103	1,060	758	4,520	619	847
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	1	–	–
Tuberculosis (010-018)	2	1	6	–	–	3	1	–
Tuberculosis of respiratory system (010-012)	2	1	5	–	–	2	–	–
Other tuberculosis (013-018)	–	–	–	–	–	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	1	–	1	–	–
Septicemia (038)	15	20	34	5	3	30	1	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	1	–	–	2	–	1
Syphilis (090-097)	1	1	3	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	17	2	1	18	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	237	377	1,209	242	184	995	143	152
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	7	26	4	5	16	1	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	55	85	316	69	65	246	27	37
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	79	123	364	78	25	240	34	42
Malignant neoplasm of breast (174-175)	20	30	101	24	14	96	13	16
Malignant neoplasms of genital organs (179-187)	23	35	125	21	19	116	21	12
Malignant neoplasms of urinary organs (188-189)	9	19	45	12	11	43	9	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26	47	137	25	25	132	14	18
Leukemia (204-208)	10	12	36	1	8	35	10	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	19	59	8	12	71	14	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	5	12	2	–	15	3	1
Diabetes mellitus (250)	23	37	150	18	14	67	11	14
Nutritional deficiencies (260-269)	–	1	6	1	1	10	2	–
Anemias (280-285)	3	1	14	4	3	9	–	3
Meningitis (320-322)	–	–	–	–	–	2	1	1
Major cardiovascular diseases (390-448)	403	751	2,398	535	357	2,259	291	368
Diseases of heart (390-398,402,404-429)	285	602	1,916	414	279	1,673	225	295
Rheumatic fever and rheumatic heart disease (390-398)	1	5	19	3	1	12	2	9
Hypertensive heart disease (402)	8	14	44	6	5	36	5	10
Hypertensive heart and renal disease (404)	1	2	5	2	6	31	1	1
Ischemic heart disease (410-414)	188	404	1,451	327	200	1,169	165	217
Acute myocardial infarction (410)	95	182	584	173	120	573	88	132
Other acute and subacute forms of ischemic heart disease (411)	–	–	1	–	–	3	–	1
Angina pectoris (413)	–	–	2	–	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	88	222	864	154	79	583	67	84
Other diseases of endocardium (424)	3	3	13	3	5	23	1	9
All other forms of heart disease (415-423,425-429)	69	174	384	73	62	412	51	49
Hypertension with or without renal disease (401,403)	9	5	22	3	2	16	–	2
Cerebrovascular diseases (430-438)	96	117	380	82	54	382	35	53
Intracerebral and other intracranial hemorrhage (431-432)	10	13	50	11	10	58	4	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	21	54	12	4	70	4	9
Cerebral embolism (434.1)	–	–	2	–	–	2	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	71	83	254	69	40	252	25	40
Atherosclerosis (440)	23	17	53	11	13	119	19	9
Other diseases of arteries, arterioles, and capillaries (441-448)	10	10	47	15	9	69	12	9
Acute bronchitis and bronchiolitis (466)	–	–	1	1	–	–	1	–
Pneumonia and influenza (480-487)	14	32	87	41	26	133	20	37
Pneumonia (480-486)	14	32	87	41	26	131	20	33
Influenza (487)	–	–	–	–	–	2	–	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	37	45	135	38	21	162	27	48
Bronchitis, chronic and unspecified (490-491)	4	3	4	3	1	23	3	3
Emphysema (492)	7	6	40	6	2	26	2	14
Asthma (493)	2	1	4	1	2	8	2	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	35	87	28	16	105	20	25
Ulcer of stomach and duodenum (531-533)	4	5	16	5	4	17	3	2
Appendicitis (540-543)	–	–	1	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	19	2	2	15	–	4
Chronic liver disease and cirrhosis (571)	15	22	67	10	2	62	12	7
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	8	1	–	8	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	22	68	7	11	37	5	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	4	–	1	2	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	22	63	7	10	35	5	7
Infections of kidney (590)	1	–	5	2	1	4	–	4
Hyperplasia of prostate (600)	–	1	–	–	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	19	14	38	5	4	30	3	7
Certain conditions originating in the perinatal period (760-779)	10	16	50	6	3	46	3	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	17	–	3	6	2	1
Other conditions originating in the perinatal period (760-766,770-779)	7	14	33	6	–	40	1	10
Symptoms, signs, and ill-defined conditions (780-799)	18	15	67	5	9	34	6	8
All other diseases (Residual)	94	109	267	63	54	287	44	66
Accidents and adverse effects (E800-E949)	71	98	240	47	35	182	24	70
Motor vehicle accidents (E810-E825)	38	55	108	27	14	91	10	38
All other accidents and adverse effects (E800-E807,E826-E949)	33	41	132	20	21	91	14	32
Suicide (E950-E959)	19	34	65	14	15	60	9	15
Homicide and legal intervention (E960-E978)	14	30	111	3	4	27	6	9
All other external causes (E980-E999)	1	–	7	–	3	2	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro--Winston-Salem--High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,250	6,954	4,814	1,083	1,828	4,132	9,075	1,063
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–
Certain other intestinal infections (007-009)	–	2	1	1	–	–	1	1
Tuberculosis (010-018)	1	9	6	1	2	3	3	–
Tuberculosis of respiratory system (010-012)	1	6	6	1	1	2	3	–
Other tuberculosis (013-018)	–	3	–	–	1	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	1	–	–	–	1	–
Septicemia (038)	6	69	52	10	7	45	94	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	3	–	–	–	3	–
Syphilis (090-097)	–	–	1	–	–	3	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	21	19	1	4	5	18	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	288	1,435	1,022	249	474	906	2,250	210
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	30	18	4	14	11	46	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	75	320	227	54	116	245	625	50
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	380	283	70	147	222	572	52
Malignant neoplasm of breast (174-175)	28	143	91	22	42	99	201	27
Malignant neoplasms of genital organs (179-187)	24	182	144	28	39	91	245	18
Malignant neoplasms of urinary organs (188-189)	18	58	36	16	24	26	87	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	207	128	37	52	115	271	30
Leukemia (204-208)	8	52	29	4	12	36	80	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	63	66	14	28	61	123	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	34	10	5	4	9	35	2
Diabetes mellitus (250)	23	122	87	21	31	83	155	12
Nutritional deficiencies (260-269)	2	5	7	2	1	3	8	–
Anemias (280-285)	1	5	10	1	2	8	14	–
Meningitis (320-322)	1	2	3	–	2	–	4	1
Major cardiovascular diseases (390-448)	629	3,426	2,297	567	827	2,142	4,259	536
Diseases of heart (390-398,402,404-429)	471	2,618	1,762	447	636	1,675	3,393	425
Rheumatic fever and rheumatic heart disease (390-398)	2	18	9	–	8	23	37	3
Hypertensive heart disease (402)	3	81	46	13	28	25	80	13
Hypertensive heart and renal disease (404)	3	11	10	2	3	4	10	–
Ischemic heart disease (410-414)	366	1,888	1,191	301	453	1,068	2,472	304
Acute myocardial infarction (410)	254	1,127	775	185	247	521	1,060	215
Other acute and subacute forms of ischemic heart disease (411)	1	1	5	1	1	12	3	–
Angina pectoris (413)	1	4	4	1	–	–	7	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	112	756	407	114	205	535	1,402	88
Other diseases of endocardium (424)	7	32	23	2	5	25	32	3
All other forms of heart disease (415-423,425-429)	88	588	483	129	139	530	782	102
Hypertension with or without renal disease (401,403)	3	33	25	6	10	31	31	2
Cerebrovascular diseases (430-438)	112	636	422	73	115	333	583	89
Intracerebral and other intracranial hemorrhage (431-432)	11	67	59	9	7	40	73	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	116	51	15	12	33	127	21
Cerebral embolism (434.1)	–	3	–	–	2	4	6	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	81	450	312	49	94	256	377	55
Atherosclerosis (440)	26	71	52	29	44	56	131	6
Other diseases of arteries, arterioles, and capillaries (441-448)	17	68	36	12	22	47	121	14
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	2	2	–
Pneumonia and influenza (480-487)	25	178	132	28	62	115	309	24
Pneumonia (480-486)	24	174	132	27	59	114	306	21
Influenza (487)	1	4	–	1	3	1	3	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	43	211	145	36	73	138	257	28
Bronchitis, chronic and unspecified (490-491)	–	8	8	5	11	4	9	3
Emphysema (492)	16	45	18	5	10	20	45	2
Asthma (493)	2	11	10	–	6	1	12	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	25	147	109	26	46	113	191	15
Ulcer of stomach and duodenum (531-533)	5	34	17	3	5	9	35	4
Appendicitis (540-543)	–	–	1	–	–	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	22	14	3	2	14	28	6
Chronic liver disease and cirrhosis (571)	14	80	53	12	23	27	117	17
Cholelithiasis and other disorders of gallbladder (574-575)	–	12	7	2	1	3	15	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	64	41	7	20	44	74	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	12	3	1	3	4	7	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	51	38	6	17	40	67	6
Infections of kidney (590)	1	8	1	–	5	–	6	–
Hyperplasia of prostate (600)	–	1	1	–	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	1	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	1	1	–
Congenital anomalies (740-759)	12	45	30	4	11	22	49	12
Certain conditions originating in the perinatal period (760-779)	13	69	70	4	16	31	76	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	23	18	2	4	7	16	1
Other conditions originating in the perinatal period (760-766,770-779)	11	46	52	2	12	24	60	5
Symptoms, signs, and ill-defined conditions (780-799)	8	44	41	5	20	24	158	11
All other diseases (Residual)	78	533	341	59	120	279	641	80
Accidents and adverse effects (E800-E949)	68	344	276	40	89	150	324	64
Motor vehicle accidents (E810-E825)	47	171	149	17	30	74	162	44
All other accidents and adverse effects (E800-E807,E826-E949)	21	173	127	23	59	76	162	20
Suicide (E950-E959)	28	102	80	13	36	43	94	17
Homicide and legal intervention (E960-E978)	4	63	50	8	9	21	40	10
All other external causes (E980-E989)	1	9	3	1	2	1	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	4,168	18,717	3,023	2,559	9,665	445	1,262	2,625
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	7	–	1	6	1	–	–
Tuberculosis (010-018)	7	32	2	6	6	–	–	6
Tuberculosis of respiratory system (010-012)	6	29	2	5	6	–	–	4
Other tuberculosis (013-018)	1	3	–	1	–	–	–	2
Whooping cough (033)	–	2	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	4	2	–	2	–	–	1
Septicemia (038)	38	187	22	15	113	4	7	19
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	14	–	3	3	–	1	2
Syphilis (090-097)	1	2	1	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,088-139)	19	93	6	8	24	–	4	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,020	4,018	634	539	2,316	109	307	579
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	91	10	13	35	2	4	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	328	889	154	131	585	24	86	131
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	292	1,237	198	144	743	26	67	182
Malignant neoplasm of breast (174-175)	62	336	34	58	174	11	26	47
Malignant neoplasms of genital organs (179-187)	88	397	74	59	239	12	32	71
Malignant neoplasms of urinary organs (188-189)	34	142	27	20	86	9	11	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	99	544	82	79	249	19	48	79
Leukemia (204-208)	45	160	26	15	89	3	13	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	222	29	20	116	3	20	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	47	13	10	28	–	2	10
Diabetes mellitus (250)	116	309	59	58	192	6	30	41
Nutritional deficiencies (260-269)	9	18	7	3	17	3	3	2
Anemias (280-285)	6	48	4	9	7	–	4	6
Meningitis (320-322)	1	22	–	2	5	–	–	–
Major cardiovascular diseases (390-448)	1,694	7,602	1,580	1,162	4,399	213	639	1,088
Diseases of heart (390-398,402,404-429)	1,304	5,980	1,259	867	3,356	154	502	853
Rheumatic fever and rheumatic heart disease (390-398)	11	49	9	2	24	–	3	5
Hypertensive heart disease (402)	42	208	39	24	68	3	12	53
Hypertensive heart and renal disease (404)	4	22	1	6	18	2	1	7
Ischemic heart disease (410-414)	821	3,499	687	615	2,543	122	334	506
Acute myocardial infarction (410)	438	1,801	541	437	1,088	51	184	370
Other acute and subacute forms of ischemic heart disease (411)	3	9	1	1	5	–	1	1
Angina pectoris (413)	2	7	–	2	6	–	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	380	1,682	345	176	1,444	71	147	135
Other diseases of endocardium (424)	29	68	3	6	46	4	4	8
All other forms of heart disease (415-423,425-429)	397	2,134	320	214	667	23	148	274
Hypertension with or without renal disease (401,403)	6	57	11	12	43	3	4	7
Cerebrovascular diseases (430-438)	309	1,270	239	229	723	39	96	191
Intracerebral and other intracranial hemorrhage (431-432)	68	202	17	28	104	2	15	22
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	191	42	52	96	12	16	26
Cerebral embolism (434.1)	1	5	2	1	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	210	872	178	148	522	25	85	143
Atherosclerosis (440)	29	126	41	27	171	9	29	19
Other diseases of arteries, arterioles, and capillaries (441-448)	46	169	30	27	98	8	8	18
Acute bronchitis and bronchiolitis (466)	–	4	1	1	2	1	–	–
Pneumonia and influenza (480-487)	166	473	71	60	258	15	37	71
Pneumonia (480-486)	165	468	65	57	250	15	37	71
Influenza (487)	1	5	6	3	8	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	122	482	117	78	406	14	45	81
Bronchitis, chronic and unspecified (490-491)	9	22	14	6	13	1	3	6
Emphysema (492)	15	102	25	19	69	3	7	7
Asthma (493)	25	25	4	4	21	2	4	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	333	74	49	303	8	31	64
Ulcer of stomach and duodenum (531-533)	14	48	16	8	46	1	5	1
Appendicitis (540-543)	–	3	1	–	5	1	–	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	35	9	3	27	1	2	9
Chronic liver disease and cirrhosis (571)	47	300	25	25	110	1	8	33
Cholelithiasis and other disorders of gallbladder (574-575)	8	19	5	6	8	2	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	45	185	24	25	88	3	8	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	–	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	13	3	3	4	–	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	169	21	22	83	3	7	21
Infections of kidney (590)	6	29	2	4	4	1	–	2
Hyperplasia of prostate (600)	–	4	1	3	1	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	–	–	2	–	–	–
Pregnancy with abortive outcome (630-638)	–	1	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	–	–	1	–	–	–
Congenital anomalies (740-759)	60	189	17	17	72	5	7	15
Certain conditions originating in the perinatal period (760-779)	54	339	16	20	111	4	9	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	60	5	3	26	1	4	9
Other conditions originating in the perinatal period (760-766,770-779)	41	273	11	17	85	3	5	23
Symptoms, signs, and ill-defined conditions (780-799)	63	346	38	86	68	4	4	57
All other diseases (Residual)	339	1,320	193	165	741	33	74	230
Accidents and adverse effects (E800-E949)	172	1,388	109	180	340	14	46	117
Motor vehicle accidents (E810-E825)	94	767	51	90	174	8	24	56
All other accidents and adverse effects (E800-E807,E826-E949)	78	601	58	90	166	6	22	61
Suicide (E950-E959)	69	501	28	39	153	7	15	36
Homicide and legal intervention (E960-E978)	21	654	16	18	81	1	4	45
All other external causes (E980-E999)	20	23	6	5	24	–	–	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	6,784	517	1,166	5,848	4,039	2,833	1,396	2,167
Shigellosis and amebiasis (004,006)	–	–	–	–	–	1	–	–
Certain other intestinal infections (007-009)	1	–	–	–	1	–	–	1
Tuberculosis (010-018)	7	–	1	14	4	1	3	1
Tuberculosis of respiratory system (010-012)	7	–	1	7	4	1	2	–
Other tuberculosis (013-018)	–	–	–	7	–	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	1	–	–	–	2
Septicemia (038)	82	1	6	88	12	17	4	13
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	1	–	3	–	1	–	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	20	1	2	31	15	7	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,530	103	251	1,324	897	593	270	492
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	47	4	9	34	13	10	5	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	318	24	54	379	191	174	69	115
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	492	28	63	338	256	136	90	128
Malignant neoplasm of breast (174-175)	120	8	20	123	68	56	19	49
Malignant neoplasms of genital organs (179-187)	193	7	35	142	111	63	29	54
Malignant neoplasms of urinary organs (188-189)	65	3	6	60	32	22	13	22
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	150	19	34	139	137	70	27	55
Leukemia (204-208)	68	5	10	50	32	32	12	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	77	5	20	59	57	30	12	39
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	5	3	21	7	8	5	5
Diabetes mellitus (250)	114	4	17	137	71	90	22	35
Nutritional deficiencies (260-269)	6	–	3	10	4	2	19	2
Anemias (280-285)	15	–	2	11	2	5	4	8
Meningitis (320-322)	5	–	1	4	3	–	–	–
Major cardiovascular diseases (390-448)	3,002	206	626	2,755	1,941	1,465	654	1,000
Diseases of heart (390-398,402,404-429)	2,340	158	455	2,315	1,544	1,208	506	786
Rheumatic fever and rheumatic heart disease (390-398)	12	3	6	20	4	20	7	10
Hypertensive heart disease (402)	141	4	6	38	47	26	4	18
Hypertensive heart and renal disease (404)	6	1	1	6	5	7	2	2
Ischemic heart disease (410-414)	1,431	108	372	1,917	1,084	906	386	562
Acute myocardial infarction (410)	617	70	201	790	621	466	234	204
Other acute and subacute forms of ischemic heart disease (411)	10	–	–	1	8	5	–	4
Angina pectoris (413)	2	–	–	4	4	1	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	802	38	171	1,122	451	434	152	352
Other diseases of endocardium (424)	17	–	5	20	10	17	6	14
All other forms of heart disease (415-423,425-429)	733	42	65	314	394	232	101	180
Hypertension with or without renal disease (401,403)	32	7	4	18	11	16	4	11
Cerebrovascular diseases (430-438)	478	34	125	343	284	178	110	151
Intracerebral and other intracranial hemorrhage (431-432)	71	4	14	83	41	35	15	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	87	3	37	64	50	30	22	24
Cerebral embolism (434.1)	1	–	–	2	2	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	319	27	74	194	191	113	72	112
Atherosclerosis (440)	102	4	24	33	58	37	15	29
Other diseases of arteries, arterioles, and capillaries (441-448)	50	3	18	46	44	26	19	23
Acute bronchitis and bronchiolitis (466)	3	–	–	3	1	1	–	–
Pneumonia and influenza (480-487)	177	11	30	138	134	61	44	73
Pneumonia (480-486)	177	10	29	137	134	61	44	72
Influenza (487)	–	1	1	1	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	281	16	45	159	139	91	53	77
Bronchitis, chronic and unspecified (490-491)	15	2	1	7	10	9	1	4
Emphysema (492)	43	3	12	27	14	15	6	18
Asthma (493)	10	2	–	7	6	3	1	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	213	9	32	118	109	64	45	52
Ulcer of stomach and duodenum (531-533)	26	1	5	23	13	6	4	13
Appendicitis (540-543)	–	1	–	1	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	–	–	24	7	4	7	8
Chronic liver disease and cirrhosis (571)	124	9	11	126	40	31	8	32
Cholelithiasis and other disorders of gallbladder (574-575)	8	–	–	7	17	7	3	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	62	7	8	83	23	37	11	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	–	–	5	–	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	50	7	8	88	23	35	9	18
Infections of kidney (590)	9	–	2	1	3	2	2	5
Hyperplasia of prostate (600)	–	–	–	–	1	2	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	1	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	1	–	–	–	–	–	–
Congenital anomalies (740-759)	38	13	4	43	25	15	7	12
Certain conditions originating in the perinatal period (760-779)	64	20	14	56	26	17	8	36
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	8	8	17	6	11	2	15
Other conditions originating in the perinatal period (760-766,770-779)	50	12	6	39	20	6	6	21
Symptoms, signs, and ill-defined conditions (780-799)	68	6	3	51	99	6	96	7
All other diseases (Residual)	537	39	59	446	268	223	67	145
Accidents and adverse effects (E800-E949)	326	53	56	164	184	101	63	105
Motor vehicle accidents (E810-E825)	164	27	34	53	103	39	38	50
All other accidents and adverse effects (E800-E807,E826-E949)	162	26	22	111	81	62	25	55
Suicide (E950-E959)	117	16	14	48	61	33	14	50
Homicide and legal intervention (E960-E978)	125	2	3	55	21	5	2	14
All other external causes (E980-E999)	12	–	–	9	10	1	2	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Killeen-Temple, Tex.	Knoxville, Tenn.	Kokomo, Ind.	La Crosse, Wis.	Lafayette, La.
All causes	904	11,284	1,066	1,402	4,217	847	799	926
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	3	–	–	–	–	1	–
Tuberculosis (010-018)	1	5	1	2	3	–	1	1
Tuberculosis of respiratory system (010-012)	1	3	1	2	2	–	1	1
Other tuberculosis (013-018)	–	2	–	–	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	2	–	–	1
Septicemia (038)	6	141	7	13	10	5	9	19
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	3	–	3	1	–	–	–
Syphilis (090-097)	–	–	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-136)	3	34	3	1	9	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	205	2,348	235	261	921	206	160	218
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	48	3	9	15	4	1	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	63	526	53	51	215	58	47	54
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	47	688	62	69	262	57	39	68
Malignant neoplasm of breast (174-175)	16	215	22	29	76	21	18	17
Malignant neoplasms of genital organs (179-187)	24	277	25	20	91	18	19	17
Malignant neoplasms of urinary organs (188-189)	7	88	14	12	33	7	11	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	289	32	52	100	17	15	27
Leukemia (204-208)	8	89	15	7	46	10	7	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	8	130	9	12	63	14	3	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	33	1	6	16	4	–	4
Diabetes mellitus (250)	23	166	24	14	62	15	13	23
Nutritional deficiencies (260-269)	–	21	1	3	4	3	2	2
Anemias (280-285)	2	18	2	2	7	2	2	6
Meningitis (320-322)	1	3	3	2	2	–	1	3
Major cardiovascular diseases (390-448)	429	5,198	552	586	1,784	390	410	379
Diseases of heart (390-398,402,404-429)	342	4,055	430	479	1,304	302	318	292
Rheumatic fever and rheumatic heart disease (390-398)	1	32	1	2	11	4	3	1
Hypertensive heart disease (402)	8	99	5	3	25	10	6	17
Hypertensive heart and renal disease (404)	–	14	1	–	7	1	2	1
Ischemic heart disease (410-414)	263	2,709	336	285	966	207	242	164
Acute myocardial infarction (410)	119	1,186	139	187	519	93	82	98
Other acute and subacute forms of ischemic heart disease (411)	3	8	2	3	3	–	–	1
Angina pectoris (413)	2	6	–	–	2	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	139	1,509	195	75	442	114	160	65
Other diseases of endocardium (424)	2	55	4	1	16	5	13	7
All other forms of heart disease (415-423,425-429)	68	1,148	83	208	279	75	52	102
Hypertension with or without renal disease (401,403)	11	44	4	1	10	6	3	2
Cerebrovascular diseases (430-438)	53	890	88	84	396	56	70	66
Intracerebral and other intracranial hemorrhage (431-432)	8	115	19	11	32	6	11	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	118	15	7	63	9	9	16
Cerebral embolism (434.1)	–	2	1	–	2	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	38	655	51	66	299	41	49	43
Atherosclerosis (440)	9	100	20	12	38	15	10	9
Other diseases of arteries, arterioles, and capillaries (441-448)	14	109	12	10	36	11	9	10
Acute bronchitis and bronchiolitis (466)	–	5	–	2	1	–	–	2
Pneumonia and influenza (480-487)	30	326	36	42	88	23	27	21
Pneumonia (480-486)	30	314	36	40	86	23	27	21
Influenza (487)	–	12	–	2	2	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	530	27	35	156	21	29	27
Bronchitis, chronic and unspecified (490-491)	1	28	1	5	12	–	3	7
Emphysema (492)	4	85	6	4	33	5	5	8
Asthma (493)	3	19	1	–	7	–	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	10	398	10	26	104	16	18	12
Ulcer of stomach and duodenum (531-533)	2	35	3	3	10	1	3	1
Appendicitis (540-543)	–	3	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	39	2	3	15	2	3	1
Chronic liver disease and cirrhosis (571)	10	112	12	11	43	11	11	5
Cholelithiasis and other disorders of gallbladder (574-575)	2	17	–	5	8	–	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	123	13	14	28	16	–	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	12	2	1	7	2	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	110	11	13	20	14	–	9
Infections of kidney (590)	1	7	1	–	6	1	–	4
Hyperplasia of prostate (600)	–	2	1	1	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	1	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	1	1	–	–
Congenital anomalies (740-759)	8	98	4	15	20	5	2	13
Certain conditions originating in the perinatal period (760-779)	10	95	7	32	27	2	6	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	22	1	6	15	–	3	4
Other conditions originating in the perinatal period (760-766,770-779)	7	73	6	26	12	2	3	11
Symptoms, signs, and ill-defined conditions (780-799)	7	270	3	117	444	27	2	9
All other diseases (Residual)	57	788	55	79	268	63	73	59
Accidents and adverse effects (E800-E949)	32	524	46	110	183	32	28	61
Motor vehicle accidents (E810-E825)	16	260	23	67	104	16	11	32
All other accidents and adverse effects (E800-E807,E826-E949)	16	264	23	43	79	16	17	29
Suicide (E950-E959)	16	194	13	25	61	13	12	25
Homicide and legal intervention (E960-E978)	12	133	12	15	25	–	1	14
All other external causes (E980-E999)	3	11	2	–	11	3	–	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind.	Lake Charles, La.	Lakeland-Winter Haven, Fla.	Lancaster, Pa.	Lansing-East Lansing, Mich.	Laredo, Tex.	Las Cruces, N.Mex.	Las Vegas, Nev.
All causes	834	1,350	3,445	3,258	3,076	615	610	3,816
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	1	2	–	–	–
Tuberculosis (010-018)	–	1	3	1	3	3	–	2
Tuberculosis of respiratory system (010-012)	–	1	2	1	2	2	–	2
Other tuberculosis (013-018)	–	–	1	–	1	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	1	–	–	–	1
Septicemia (038)	3	13	11	31	17	7	2	21
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	1	1	1	–	1
Syphilis (090-097)	–	1	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	–	5	13	4	14	3	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	204	289	819	720	696	100	127	946
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	8	12	6	9	1	1	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	55	64	215	203	171	28	38	203
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	57	76	267	162	156	25	32	316
Malignant neoplasm of breast (174-175)	19	23	59	67	66	9	11	76
Malignant neoplasms of genital organs (179-187)	17	37	97	84	70	11	10	82
Malignant neoplasms of urinary organs (188-189)	10	9	22	23	28	4	4	39
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	22	42	83	114	117	18	15	121
Leukemia (204-208)	6	11	26	27	35	4	6	43
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	19	38	34	44	–	10	45
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	4	9	13	5	2	1	12
Diabetes mellitus (250)	23	32	60	81	57	24	22	67
Nutritional deficiencies (260-269)	–	1	1	2	8	–	2	5
Anemias (280-285)	2	5	5	1	8	2	2	11
Meningitis (320-322)	–	–	4	1	1	–	–	3
Major cardiovascular diseases (390-448)	396	656	1,544	1,729	1,445	245	228	1,561
Diseases of heart (390-398,402,404-429)	294	505	1,173	1,375	1,107	191	171	1,287
Rheumatic fever and rheumatic heart disease (390-398)	3	5	7	15	10	1	3	14
Hypertensive heart disease (402)	–	14	46	34	20	3	8	86
Hypertensive heart and renal disease (404)	–	4	2	6	3	–	2	4
Ischemic heart disease (410-414)	249	361	912	825	781	124	80	716
Acute myocardial infarction (410)	105	218	438	392	412	84	40	368
Other acute and subacute forms of ischemic heart disease (411)	–	1	4	–	5	–	–	6
Angina pectoris (413)	–	1	1	3	3	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	144	141	469	430	361	40	40	341
Other diseases of endocardium (424)	1	11	18	21	12	–	4	17
All other forms of heart disease (415-423,425-429)	41	110	188	474	281	63	74	450
Hypertension with or without renal disease (401,403)	4	1	17	17	9	–	4	6
Cerebrovascular diseases (430-438)	73	114	254	242	254	49	42	196
Intracerebral and other intracranial hemorrhage (431-432)	8	11	39	27	27	14	7	46
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	11	45	25	52	17	5	21
Cerebral embolism (434.1)	–	–	2	1	3	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	50	82	168	189	172	18	30	129
Atherosclerosis (440)	16	22	60	49	48	2	9	31
Other diseases of arteries, arterioles, and capillaries (441-448)	9	14	40	46	27	3	2	41
Acute bronchitis and bronchiolitis (466)	–	2	1	1	–	1	–	–
Pneumonia and influenza (480-487)	16	23	83	97	86	26	14	76
Pneumonia (480-486)	16	22	82	94	84	26	13	76
Influenza (487)	–	1	1	3	2	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	39	40	121	104	109	18	47	146
Bronchitis, chronic and unspecified (490-491)	–	–	2	1	8	–	3	14
Emphysema (492)	9	8	20	15	25	7	15	46
Asthma (493)	2	2	7	4	1	1	5	10
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	28	30	92	84	75	10	24	76
Ulcer of stomach and duodenum (531-533)	4	1	12	7	11	–	1	8
Appendicitis (540-543)	–	2	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	8	9	6	1	1	7
Chronic liver disease and cirrhosis (571)	5	10	41	17	28	14	9	77
Cholelithiasis and other disorders of gallbladder (574-575)	1	1	5	2	2	–	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	11	24	42	28	4	5	56
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	2	2	–	–	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	11	21	39	25	4	4	51
Infections of kidney (590)	–	2	1	3	3	1	–	2
Hyperplasia of prostate (600)	–	–	–	1	–	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	3
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	3
Congenital anomalies (740-759)	6	9	28	24	20	9	7	41
Certain conditions originating in the perinatal period (760-779)	12	21	29	18	31	14	6	30
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	5	6	6	4	11	7	4	11
Other conditions originating in the perinatal period (760-768,770-779)	7	15	23	14	20	7	2	19
Symptoms, signs, and ill-defined conditions (780-799)	6	7	105	17	17	40	5	40
All other diseases (Residual)	52	94	205	188	229	39	61	245
Accidents and adverse effects (E800-E949)	31	72	199	101	152	37	41	227
Motor vehicle accidents (E810-E825)	15	31	121	46	92	12	24	123
All other accidents and adverse effects (E800-E807,E826-E949)	16	41	78	55	60	25	17	104
Suicide (E950-E959)	18	29	65	34	68	8	16	133
Homicide and legal intervention (E960-E978)	4	16	34	4	32	13	9	72
All other external causes (E980-E999)	1	1	12	2	1	3	1	12

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans.	Lawton, Okla.	Lewiston-Auburn, Maine	Lexington-Fayette, Ky.	Lima, Ohio	Lincoln, Nebr.	Little Rock-North Little Rock, Ark.	Long Branch-Asbury Park, N.J.
All causes	385	739	978	2,417	1,929	1,367	3,306	5,054
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	1	–	1
Tuberculosis (010-018)	–	–	–	7	–	–	5	2
Tuberculosis of respiratory system (010-012)	–	–	–	5	–	–	4	1
Other tuberculosis (013-018)	–	–	–	2	–	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	2	–
Septicemia (038)	3	4	6	33	9	6	50	69
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	1	–	3	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,038-041,046-054,056-068,071-088,088-139)	1	3	5	12	3	2	11	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	81	167	166	659	458	314	715	1,249
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	2	5	7	5	1	6	22
Malignant neoplasms of digestive organs and peritoneum (150-159)	25	34	47	132	120	86	157	349
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	13	67	49	164	136	66	237	346
Malignant neoplasm of breast (174-175)	3	8	16	61	35	24	46	116
Malignant neoplasms of genital organs (179-187)	10	16	18	51	44	34	68	126
Malignant neoplasms of urinary organs (188-189)	5	4	9	27	26	11	27	49
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	10	21	26	69	44	50	104	136
Leukemia (204-208)	5	7	5	19	17	20	26	53
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	8	11	29	29	22	44	52
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	5	3	9	11	4	9	18
Diabetes mellitus (250)	2	12	24	34	36	17	53	110
Nutritional deficiencies (260-269)	1	–	2	4	3	1	6	2
Anemias (280-285)	5	–	4	5	5	2	6	10
Meningitis (320-322)	–	1	–	1	–	2	2	1
Major cardiovascular diseases (390-448)	161	309	519	1,075	1,001	674	1,597	2,520
Diseases of heart (390-398,402,404-429)	114	248	405	879	748	504	1,186	1,954
Rheumatic fever and rheumatic heart disease (390-398)	1	1	3	3	5	10	7	30
Hypertensive heart disease (402)	3	2	11	31	17	6	22	41
Hypertensive heart and renal disease (404)	–	2	–	3	3	1	2	4
Ischemic heart disease (410-414)	76	191	314	536	551	352	659	1,587
Acute myocardial infarction (410)	30	99	132	399	234	139	362	797
Other acute and subacute forms of ischemic heart disease (411)	–	14	22	1	1	3	–	3
Angina pectoris (413)	–	–	2	1	1	–	–	8
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	46	78	158	135	315	216	297	779
Other diseases of endocardium (424)	2	1	9	7	8	5	5	25
All other forms of heart disease (415-423,425-429)	32	51	68	299	164	130	491	267
Hypertension with or without renal disease (401,403)	3	8	6	4	6	9	6	21
Cerebrovascular diseases (430-438)	34	43	59	155	169	117	320	392
Intracerebral and other intracranial hemorrhage (431-432)	5	9	8	19	28	8	42	76
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1	1	10	22	17	8	67	80
Cerebral embolism (434.1)	–	–	–	–	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	28	33	41	114	124	100	211	235
Atherosclerosis (440)	4	4	35	12	55	29	50	110
Other diseases of arteries, arterioles, and capillaries (441-448)	6	6	14	25	23	15	35	43
Acute bronchitis and bronchiolitis (466)	–	–	1	2	–	–	–	2
Pneumonia and influenza (480-487)	14	22	24	78	28	40	74	129
Pneumonia (480-486)	14	21	23	76	28	39	73	128
Influenza (487)	–	1	1	2	–	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	17	39	35	75	64	54	110	138
Bronchitis, chronic and unspecified (490-491)	–	–	2	4	5	6	10	14
Emphysema (492)	1	3	9	14	9	16	25	51
Asthma (493)	–	1	–	3	4	5	7	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	16	35	24	54	46	27	68	67
Ulcer of stomach and duodenum (531-533)	1	2	2	11	4	3	9	18
Appendicitis (540-543)	–	–	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	1	2	15	2	4	5	14
Chronic liver disease and cirrhosis (571)	1	12	19	26	14	9	30	65
Cholelithiasis and other disorders of gallbladder (574-575)	–	1	2	5	4	2	2	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	6	9	27	16	13	39	58
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	1	1	2	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	–	2	1	1	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	–	5	8	24	13	12	38	53
Infections of kidney (590)	–	3	1	–	3	–	6	2
Hyperplasia of prostate (600)	–	–	2	–	–	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	–	–	–	–
Congenital anomalies (740-759)	8	9	7	19	10	8	19	28
Certain conditions originating in the perinatal period (760-779)	4	17	6	27	15	14	30	38
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	2	4	5	9	4	6	8	16
Other conditions originating in the perinatal period (760-766,770-779)	2	13	1	18	11	8	22	20
Symptoms, signs, and ill-defined conditions (780-799)	19	9	9	23	16	26	53	12
All other diseases (Residual)	33	43	68	199	124	88	207	346
Accidents and adverse effects (E800-E949)	19	49	30	115	75	57	161	140
Motor vehicle accidents (E810-E825)	13	25	16	57	39	23	85	60
All other accidents and adverse effects (E800-E807,E826-E949)	6	24	14	58	36	34	76	80
Suicide (E950-E959)	7	10	12	37	20	18	50	40
Homicide and legal intervention (E960-E978)	1	14	1	16	7	3	50	21
All other external causes (E980-E999)	1	1	–	3	–	5	2	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,552	2,049	60,847	8,091	1,428	1,417	2,139	2,071
Shigellosis and amebiasis (004,006)	–	–	3	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	19	1	–	–	–	–
Tuberculosis (010-018)	2	2	67	8	1	–	6	–
Tuberculosis of respiratory system (010-012)	1	2	43	8	–	–	5	–
Other tuberculosis (013-018)	1	–	24	–	1	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	5	–	1	–	–	–
Septicemia (038)	6	12	82	68	17	11	18	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	61	6	1	–	1	1
Syphilis (090-097)	–	–	3	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	8	308	18	3	3	5	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	317	527	13,704	2,041	246	328	428	449
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	10	311	53	4	7	14	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	81	143	3,575	485	57	75	94	110
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	74	132	3,577	638	64	94	135	112
Malignant neoplasm of breast (174-175)	19	49	1,258	177	25	31	35	40
Malignant neoplasms of genital organs (176-187)	39	62	1,432	194	33	30	55	57
Malignant neoplasms of urinary organs (188-189)	18	22	541	81	8	9	13	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43	53	1,715	256	32	46	52	63
Leukemia (204-208)	13	21	534	59	10	10	11	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	35	761	98	13	26	19	26
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	8	135	20	7	7	6	7
Diabetes mellitus (250)	22	40	1,013	159	10	11	34	31
Nutritional deficiencies (260-269)	4	5	14	13	1	–	2	1
Anemias (280-285)	2	5	68	8	1	–	8	3
Meningitis (320-322)	3	1	38	2	1	1	1	–
Major cardiovascular diseases (390-448)	662	953	29,100	3,772	707	672	980	984
Diseases of heart (390-398,402,404-429)	467	778	22,716	2,903	580	504	714	746
Rheumatic fever and rheumatic heart disease (390-398)	2	9	240	31	7	2	5	8
Hypertensive heart disease (402)	11	24	1,268	84	8	27	16	10
Hypertensive heart and renal disease (404)	3	2	77	14	–	8	7	2
Ischemic heart disease (410-414)	325	609	14,750	1,933	300	313	467	569
Acute myocardial infarction (410)	198	286	6,512	1,117	163	180	314	263
Other acute and subacute forms of ischemic heart disease (411)	1	7	82	3	–	14	–	–
Angina pectoris (413)	1	–	7	5	–	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	125	306	8,169	808	137	117	152	306
Other diseases of endocardium (424)	2	7	223	20	5	6	12	14
All other forms of heart disease (415-423,425-429)	124	127	6,138	821	260	148	207	143
Hypertension with or without renal disease (401,403)	12	6	298	36	5	6	25	8
Cerebrovascular diseases (430-438)	150	130	4,740	640	101	132	193	161
Intracerebral and other intracranial hemorrhage (431-432)	12	20	700	84	9	14	33	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	26	908	90	6	25	19	42
Cerebral embolism (434.1)	–	–	21	3	–	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	100	84	3,111	463	86	91	140	118
Atherosclerosis (440)	14	17	817	101	14	17	42	21
Other diseases of arteries, arterioles, and capillaries (441-448)	19	22	529	82	7	13	16	28
Acute bronchitis and bronchiolitis (466)	3	–	20	–	1	–	–	–
Pneumonia and influenza (480-487)	45	35	1,967	181	38	36	65	53
Pneumonia (480-486)	44	35	1,938	180	35	35	65	50
Influenza (487)	1	–	29	1	1	1	–	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	45	74	2,102	301	47	62	63	72
Bronchitis, chronic and unspecified (490-491)	1	3	142	15	1	2	3	6
Emphysema (492)	7	8	532	47	8	7	18	15
Asthma (493)	3	4	120	8	2	5	3	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	34	59	1,308	231	36	48	39	45
Ulcer of stomach and duodenum (531-533)	2	7	267	20	2	3	10	8
Appendicitis (540-543)	–	–	12	1	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	4	114	18	3	2	7	4
Chronic liver disease and cirrhosis (571)	16	25	1,434	98	16	23	37	17
Cholelithiasis and other disorders of gallbladder (574-575)	2	3	68	15	4	1	7	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	33	352	75	14	8	36	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	6	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	3	54	2	1	1	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	30	292	72	13	7	34	14
Infections of kidney (590)	2	1	70	9	3	3	8	1
Hyperplasia of prostate (600)	–	–	27	4	1	1	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	20	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	1	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	19	–	–	–	1	–
Congenital anomalies (740-759)	12	17	516	50	13	11	14	24
Certain conditions originating in the perinatal period (760-779)	13	19	736	72	19	15	30	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	8	212	14	6	5	6	6
Other conditions originating in the perinatal period (760-766,770-779)	12	11	524	58	13	10	24	19
Symptoms, signs, and ill-defined conditions (780-799)	111	25	300	69	23	12	9	3
All other diseases (Residual)	104	113	2,939	556	103	116	180	196
Accidents and adverse effects (E800-E949)	93	95	2,774	305	94	67	112	97
Motor vehicle accidents (E810-E825)	48	39	1,375	123	44	28	50	56
All other accidents and adverse effects (E800-E807,E826-E949)	45	56	1,399	182	50	41	62	32
Suicide (E950-E959)	21	29	1,081	127	25	10	23	51
Homicide and legal intervention (E960-E978)	23	8	1,388	69	26	14	30	8
All other external causes (E980-E999)	1	1	42	3	–	–	6	10

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,287	1,106	1,761	1,173	2,848	7,660	16,940	618
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	1	3	7	–
Tuberculosis (010-018)	–	–	3	2	1	12	28	–
Tuberculosis of respiratory system (010-012)	–	–	2	2	1	10	24	–
Other tuberculosis (013-018)	–	–	1	–	–	2	4	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	2	5	–
Septicemia (038)	15	3	30	2	14	73	83	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	1	–	5	10	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	2	5	4	6	23	68	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	513	239	308	275	769	1,733	3,810	136
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	4	7	7	17	42	91	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	133	54	76	65	175	419	1,113	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	134	67	68	95	248	455	973	44
Malignant neoplasm of breast (174-175)	61	26	22	22	80	134	365	9
Malignant neoplasms of genital organs (179-187)	47	26	39	25	76	217	422	11
Malignant neoplasms of urinary organs (188-189)	20	8	14	12	31	70	174	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	70	27	55	29	70	244	352	22
Leukemia (204-208)	18	12	8	13	30	77	118	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	15	19	7	42	75	202	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	5	4	2	9	24	53	2
Diabetes mellitus (250)	44	27	37	11	54	98	331	9
Nutritional deficiencies (260-269)	2	1	3	–	5	2	10	–
Anemias (280-285)	3	2	5	2	10	8	32	1
Meningitis (320-322)	3	1	2	–	1	4	17	1
Major cardiovascular diseases (390-448)	1,149	581	707	542	1,267	3,712	8,066	233
Diseases of heart (390-398,402,404-429)	882	451	533	407	959	2,813	6,484	191
Rheumatic fever and rheumatic heart disease (390-398)	13	2	4	4	18	15	56	3
Hypertensive heart disease (402)	10	9	6	5	29	121	306	2
Hypertensive heart and renal disease (404)	2	3	–	3	3	13	14	1
Ischemic heart disease (410-414)	621	373	366	315	717	1,846	4,704	148
Acute myocardial infarction (410)	346	212	222	112	323	802	2,119	98
Other acute and subacute forms of ischemic heart disease (411)	–	–	1	–	4	2	40	–
Angina pectoris (413)	1	2	–	–	1	4	11	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	274	159	143	203	389	838	2,534	50
Other diseases of endocardium (424)	11	6	3	6	9	18	73	1
All other forms of heart disease (415-423,425-429)	225	58	154	72	183	1,000	1,341	36
Hypertension with or without renal disease (401,403)	6	3	6	5	9	18	92	3
Cerebrovascular diseases (430-438)	178	95	141	104	231	734	1,165	29
Intracerebral and other intracranial hemorrhage (431-432)	22	12	25	12	28	93	170	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	19	26	29	40	109	291	5
Cerebral embolism (434.1)	–	–	–	–	–	3	6	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	116	64	90	63	163	529	698	22
Atherosclerosis (440)	61	16	14	12	35	78	109	3
Other diseases of arteries, arterioles, and capillaries (441-448)	22	16	13	14	33	69	208	7
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	2	9	–
Pneumonia and influenza (480-487)	70	16	52	27	59	208	336	19
Pneumonia (480-486)	70	15	52	25	59	203	335	18
Influenza (487)	–	1	–	2	–	5	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	38	50	45	128	235	499	24
Bronchitis, chronic and unspecified (490-491)	2	2	3	3	6	14	27	–
Emphysema (492)	14	8	5	9	31	37	121	11
Asthma (493)	5	2	4	2	8	13	30	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	49	26	38	31	83	171	321	13
Ulcer of stomach and duodenum (531-533)	13	7	5	2	5	14	54	2
Appendicitis (540-543)	–	–	1	–	–	2	9	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	3	3	2	9	33	4
Chronic liver disease and cirrhosis (571)	37	15	23	19	54	68	250	6
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	3	1	3	19	13	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	10	45	12	19	97	174	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	1	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	–	2	3	1	20	23	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	10	43	9	18	76	149	5
Infections of kidney (590)	4	3	3	1	–	9	18	1
Hyperplasia of prostate (600)	1	3	–	–	1	5	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	–	1	1	4	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	2	–	1	1	3	–
Congenital anomalies (740-759)	16	6	21	10	11	49	101	7
Certain conditions originating in the perinatal period (760-779)	25	10	34	4	13	116	141	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	4	19	–	5	14	39	1
Other conditions originating in the perinatal period (760-766,770-779)	19	6	15	4	8	102	102	8
Symptoms, signs, and ill-defined conditions (780-799)	15	11	186	26	10	154	93	19
All other diseases (Residual)	133	48	96	73	181	554	1,269	46
Accidents and adverse effects (E800-E949)	99	52	116	79	150	358	641	59
Motor vehicle accidents (E810-E825)	59	26	62	39	108	170	326	33
All other accidents and adverse effects (E800-E807,E826-E949)	40	26	54	40	42	188	315	26
Suicide (E950-E959)	37	14	19	22	51	121	306	13
Homicide and legal intervention (E960-E978)	4	10	16	7	20	134	464	11
All other external causes (E980-E999)	1	–	1	1	3	6	3	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	11,921	15,348	3,997	2,408	1,148	2,431	1,009	1,573
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	3	1	–	–	–	–	–
Tuberculosis (010-018)	7	2	7	–	2	7	2	–
Tuberculosis of respiratory system (010-012)	7	2	6	–	2	3	2	–
Other tuberculosis (013-018)	–	–	1	–	–	4	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	1	–	–
Meningococcal infection (036)	2	3	–	–	–	–	–	–
Septicemia (038)	64	69	20	5	25	17	7	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	4	1	1	1	1	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	33	54	10	3	3	8	3	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,815	3,635	957	509	254	524	226	345
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	71	67	15	8	5	6	5	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	770	919	208	132	54	115	54	108
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	697	900	331	141	58	163	57	94
Malignant neoplasm of breast (174-175)	259	346	70	39	20	44	27	40
Malignant neoplasms of genital organs (179-187)	286	404	127	59	23	47	21	45
Malignant neoplasms of urinary organs (188-189)	110	151	40	23	3	19	15	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	330	474	87	52	62	92	28	22
Leukemia (204-208)	130	146	38	26	12	16	10	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	162	228	41	29	17	22	9	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	54	11	20	6	3	4	3
Diabetes mellitus (250)	217	252	69	44	19	46	10	31
Nutritional deficiencies (260-269)	16	24	6	5	–	3	2	1
Anemias (280-285)	18	34	7	4	2	11	3	2
Meningitis (320-322)	11	9	4	1	1	–	2	–
Major cardiovascular diseases (390-448)	5,927	6,782	1,783	1,110	582	1,137	495	790
Diseases of heart (390-398,402,404-429)	4,710	5,153	1,397	837	492	858	369	615
Rheumatic fever and rheumatic heart disease (390-398)	44	74	10	13	2	1	4	4
Hypertensive heart disease (402)	157	87	57	20	4	31	13	15
Hypertensive heart and renal disease (404)	10	12	7	3	–	1	2	–
Ischemic heart disease (410-414)	3,450	3,809	801	618	292	481	288	466
Acute myocardial infarction (410)	1,543	1,587	446	345	132	291	122	186
Other acute and subacute forms of ischemic heart disease (411)	35	17	3	1	125	2	–	3
Angina pectoris (413)	3	8	3	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,869	2,197	349	272	35	188	165	297
Other diseases of endocardium (424)	63	77	22	21	3	7	6	9
All other forms of heart disease (415-423,425-429)	986	1,094	500	162	191	335	57	101
Hypertension with or without renal disease (401,403)	33	86	20	18	2	26	8	8
Cerebrovascular diseases (430-438)	934	1,120	275	188	67	227	88	125
Intracerebral and other intracranial hemorrhage (431-432)	132	149	44	15	6	20	10	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	137	133	39	47	4	13	15	32
Cerebral embolism (434.1)	2	7	4	1	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	663	831	188	125	57	194	63	79
Atherosclerosis (440)	125	219	53	29	8	15	15	20
Other diseases of arteries, arterioles, and capillaries (441-448)	125	204	38	38	13	13	15	22
Acute bronchitis and bronchiolitis (466)	1	1	1	2	–	1	1	1
Pneumonia and influenza (480-487)	371	550	51	103	35	41	21	45
Pneumonia (480-486)	370	540	51	101	33	41	20	44
Influenza (487)	1	10	–	2	2	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	360	502	149	133	21	73	31	59
Bronchitis, chronic and unspecified (490-491)	21	24	1	13	2	3	1	5
Emphysema (492)	57	101	17	39	4	14	2	23
Asthma (493)	19	21	10	7	–	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	263	356	121	74	15	51	27	30
Ulcer of stomach and duodenum (531-533)	42	52	18	9	–	6	1	12
Appendicitis (540-543)	4	4	1	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	52	15	6	1	5	–	4
Chronic liver disease and cirrhosis (571)	119	203	41	32	12	26	13	16
Cholelithiasis and other disorders of gallbladder (574-575)	16	19	5	2	1	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	93	127	39	17	9	21	5	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	2	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	11	3	3	2	6	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	82	114	36	14	7	15	5	15
Infections of kidney (590)	14	16	6	1	–	–	–	3
Hyperplasia of prostate (600)	4	5	1	1	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	2	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	1	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	1	–	–	1	–	–
Congenital anomalies (740-759)	83	108	37	26	10	20	10	11
Certain conditions originating in the perinatal period (760-779)	103	150	42	22	10	35	10	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	40	1	9	2	14	3	3
Other conditions originating in the perinatal period (760-766,770-779)	80	110	41	13	8	21	7	13
Symptoms, signs, and ill-defined conditions (780-799)	92	472	51	8	8	92	14	12
All other diseases (Residual)	835	1,148	304	143	70	158	82	107
Accidents and adverse effects (E800-E949)	364	654	215	142	54	130	41	60
Motor vehicle accidents (E810-E825)	168	269	117	69	28	49	19	40
All other accidents and adverse effects (E800-E807,E826-E949)	196	388	98	73	26	81	22	20
Suicide (E950-E959)	184	275	68	44	13	29	17	21
Homicide and legal intervention (E960-E978)	61	64	62	15	9	31	7	4
All other external causes (E980-E999)	10	16	11	2	–	2	1	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn.	Nassau-Suffolk, N.Y.	New Bedford-Fall River, Mass.	New Brunswick-Perth Amboy-Sayreville, N.J.	New Haven-Waterbury-Meriden, Conn.	New London-Norwich, Conn.	New Orleans, La.	New York, N.Y.-N.J.
All causes	7,259	22,050	4,696	5,018	7,470	1,994	10,415	93,112
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	1
Certain other intestinal infections (007-009)	1	2	1	–	–	–	4	10
Tuberculosis (010-016)	8	16	1	4	3	–	24	169
Tuberculosis of respiratory system (010-012)	8	11	–	4	2	–	18	121
Other tuberculosis (013-016)	–	5	1	–	1	–	6	48
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	4	1	1	2	–	2	11
Septicemia (038)	37	214	33	36	93	6	126	547
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	5	–	4	2	1	11	36
Syphilis (090-097)	–	3	1	–	–	–	2	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	26	63	9	12	16	5	36	590
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,567	5,516	1,127	1,272	1,711	445	2,381	19,787
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	105	18	18	38	12	55	410
Malignant neoplasms of digestive organs and peritoneum (150-159)	334	1,502	354	351	481	134	586	5,923
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	496	1,379	248	348	395	114	721	4,605
Malignant neoplasm of breast (174-175)	126	603	122	116	178	34	187	2,046
Malignant neoplasms of genital organs (179-187)	166	581	118	143	165	46	235	2,151
Malignant neoplasms of urinary organs (188-189)	59	234	55	38	64	12	101	777
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	201	627	119	130	229	67	320	2,112
Leukemia (204-208)	55	164	35	49	67	10	65	721
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	96	301	64	81	94	16	101	1,040
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	81	24	18	20	7	33	289
Diabetes mellitus (250)	111	346	90	102	154	43	274	1,549
Nutritional deficiencies (260-269)	12	8	7	3	8	–	18	40
Anemias (280-285)	10	28	9	11	9	2	24	107
Meningitis (320-322)	5	11	2	3	2	–	9	80
Major cardiovascular diseases (390-448)	3,352	11,099	2,469	2,438	3,677	891	4,504	48,033
Diseases of heart (390-398,402,404-429)	2,573	9,284	1,880	1,972	3,001	688	3,574	41,830
Rheumatic fever and rheumatic heart disease (390-398)	16	107	19	32	28	11	26	311
Hypertensive heart disease (402)	117	218	21	50	124	14	283	751
Hypertensive heart and renal disease (404)	12	16	15	3	10	1	14	72
Ischemic heart disease (410-414)	1,529	7,435	1,584	1,588	1,916	523	2,374	38,267
Acute myocardial infarction (410)	691	2,602	955	688	862	218	1,223	14,831
Other acute and subacute forms of ischemic heart disease (411)	70	10	3	20	4	2	7	52
Angina pectoris (413)	5	4	–	–	9	1	6	16
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	563	4,819	626	880	1,041	302	1,138	21,366
Other diseases of endocardium (424)	25	82	10	26	31	13	43	272
All other forms of heart disease (415-423,425-429)	874	1,436	231	273	882	106	854	4,157
Hypertension with or without renal disease (401,403)	23	59	20	10	28	15	43	387
Cerebrovascular diseases (430-438)	653	1,350	459	282	501	145	720	4,507
Intracerebral and other intracranial hemorrhage (431-432)	77	182	106	46	70	15	100	834
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	125	333	103	34	82	34	108	700
Cerebral embolism (434.1)	–	10	3	2	2	–	2	22
All other and late effects of cerebrovascular diseases (430,433,435-438)	451	825	247	210	347	96	510	2,951
Atherosclerosis (440)	60	171	60	110	71	36	71	646
Other diseases of arteries, arterioles, and capillaries (441-448)	43	225	50	54	76	27	96	663
Acute bronchitis and bronchiolitis (466)	1	5	–	–	4	–	10	7
Pneumonia and influenza (480-487)	184	569	112	171	222	74	214	3,460
Pneumonia (480-486)	181	566	112	171	221	74	213	3,444
Influenza (487)	3	3	–	–	1	–	1	16
Chronic obstructive pulmonary diseases and allied conditions (490-496)	280	657	127	115	221	73	267	1,938
Bronchitis, chronic and unspecified (490-491)	14	34	7	6	9	4	11	99
Emphysema (492)	52	141	20	26	19	8	70	393
Asthma (493)	11	31	5	7	6	1	24	231
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	203	451	95	76	187	60	162	1,215
Ulcer of stomach and duodenum (531-533)	20	72	9	19	14	6	25	351
Appendicitis (540-543)	2	7	2	1	1	–	2	26
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	53	11	13	13	5	21	174
Chronic liver disease and cirrhosis (571)	83	327	58	80	77	32	171	2,038
Cholelithiasis and other disorders of gallbladder (574-575)	17	36	11	9	9	2	14	127
Nephritis, nephrotic syndrome, and nephrosis (580-589)	84	222	45	41	102	11	150	665
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	6	–	1	1	–	1	7
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	18	3	3	3	1	16	67
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	63	198	42	37	98	10	133	591
Infections of kidney (590)	13	7	2	5	1	1	7	46
Hyperplasia of prostate (600)	2	8	–	1	1	–	1	25
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	4	–	2	–	–	3	22
Pregnancy with abortive outcome (630-638)	–	3	–	1	–	–	1	3
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	1	–	–	2	19
Congenital anomalies (740-759)	56	105	19	27	34	12	53	447
Certain conditions originating in the perinatal period (760-779)	70	167	25	45	62	20	163	855
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	47	12	14	16	2	35	244
Other conditions originating in the perinatal period (760-766,770-779)	48	120	13	31	46	18	128	611
Symptoms, signs, and ill-defined conditions (780-799)	76	96	26	39	119	104	80	1,077
All other diseases (Residual)	558	1,203	271	334	559	131	761	5,595
Accidents and adverse effects (E800-E949)	405	742	137	148	223	88	524	2,429
Motor vehicle accidents (E810-E825)	205	372	67	66	104	55	228	803
All other accidents and adverse effects (E800-E807,E826-E949)	200	370	70	82	119	33	296	1,626
Suicide (E950-E959)	137	230	48	48	70	17	203	534
Homicide and legal intervention (E960-E978)	92	94	18	14	36	18	285	1,521
All other external causes (E980-E999)	10	49	3	2	5	–	13	524

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	17,661	1,093	2,329	2,747	6,300	7,880	1,679	779
Shigellosis and amebiasis (004,006)	–	–	–	–	1	–	–	–
Certain other intestinal infections (007-009)	7	–	–	–	–	1	–	–
Tuberculosis (010-018)	27	1	1	1	8	14	3	1
Tuberculosis of respiratory system (010-012)	23	1	1	1	6	11	3	1
Other tuberculosis (013-018)	4	–	–	–	2	3	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	–	–	–	2	3	–	1
Septicemia (038)	218	7	17	36	87	61	3	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	9	–	1	–	3	–	–	–
Syphilis (090-097)	2	–	–	1	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	104	2	7	10	12	12	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,210	290	557	641	1,473	1,678	438	151
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	96	4	10	12	41	34	7	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,224	56	166	148	358	489	89	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,048	68	148	213	458	411	161	47
Malignant neoplasm of breast (174-175)	443	20	50	47	116	160	30	12
Malignant neoplasms of genital organs (179-187)	434	35	59	70	145	185	51	14
Malignant neoplasms of urinary organs (188-189)	154	18	25	22	41	60	23	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	438	42	53	71	190	227	39	27
Leukemia (204-208)	158	11	14	22	62	44	5	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	215	16	32	36	62	66	23	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	1	3	10	16	29	5	3
Diabetes mellitus (250)	373	14	44	42	103	163	32	12
Nutritional deficiencies (260-269)	23	5	–	2	7	8	3	–
Anemias (280-285)	42	1	4	5	15	11	1	–
Meningitis (320-322)	6	–	1	2	11	7	1	–
Major cardiovascular diseases (390-448)	8,279	547	1,171	1,189	2,881	4,206	776	221
Diseases of heart (390-398,402,404-429)	6,740	421	948	960	2,247	3,560	580	162
Rheumatic fever and rheumatic heart disease (390-398)	80	2	7	4	12	44	10	2
Hypertensive heart disease (402)	182	4	22	19	86	84	13	1
Hypertensive heart and renal disease (404)	36	–	2	5	12	12	2	–
Ischemic heart disease (410-414)	5,075	322	772	609	1,451	2,180	469	106
Acute myocardial infarction (410)	2,493	172	388	314	750	1,215	182	77
Other acute and subacute forms of ischemic heart disease (411)	18	1	7	48	125	11	4	–
Angina pectoris (413)	6	2	–	3	3	6	3	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,556	147	377	244	573	948	280	29
Other diseases of endocardium (424)	94	7	13	15	14	53	7	4
All other forms of heart disease (415-423,425-429)	1,273	86	132	308	672	1,187	79	49
Hypertension with or without renal disease (401,403)	56	5	7	11	36	19	6	1
Cerebrovascular diseases (430-438)	1,191	91	158	162	455	482	168	48
Intracerebral and other intracranial hemorrhage (431-432)	202	7	13	26	76	71	19	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	226	22	30	20	74	95	43	5
Cerebral embolism (434.1)	8	–	3	–	–	3	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	753	62	112	116	303	313	103	28
Atherosclerosis (440)	123	16	22	26	61	63	10	5
Other diseases of arteries, arterioles, and capillaries (441-448)	189	14	36	30	62	62	13	5
Acute bronchitis and bronchiolitis (466)	7	1	–	1	2	4	1	1
Pneumonia and influenza (480-487)	605	24	51	95	171	150	19	19
Pneumonia (480-486)	600	24	51	93	169	149	19	19
Influenza (487)	5	–	–	2	2	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	438	42	85	89	197	208	60	33
Bronchitis, chronic and unspecified (490-491)	20	1	3	4	13	9	2	2
Emphysema (492)	94	5	16	9	25	47	4	3
Asthma (493)	35	4	2	3	15	5	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	289	32	64	73	144	147	52	26
Ulcer of stomach and duodenum (531-533)	50	1	6	9	12	15	4	2
Appendicitis (540-543)	8	–	–	–	–	2	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	58	3	7	5	13	22	1	1
Chronic liver disease and cirrhosis (571)	201	9	30	30	71	101	22	9
Cholelithiasis and other disorders of gallbladder (574-575)	23	1	–	1	10	14	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	213	6	24	32	60	93	14	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	–	–	1	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	–	2	4	8	8	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	180	6	22	27	52	83	13	8
Infections of kidney (590)	13	1	1	4	6	5	1	1
Hyperplasia of prostate (600)	5	1	1	–	1	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	–	1	–	2	–	1	–
Pregnancy with abortive outcome (630-638)	2	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	1	–	2	–	1	–
Congenital anomalies (740-759)	88	1	17	23	59	29	9	9
Certain conditions originating in the perinatal period (760-779)	161	2	24	49	125	30	14	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	58	–	7	11	19	11	3	7
Other conditions originating in the perinatal period (760-766,770-779)	105	2	17	38	106	19	11	8
Symptoms, signs, and ill-defined conditions (780-799)	121	14	15	19	60	37	7	105
All other diseases (Residual)	1,370	65	129	225	441	667	111	61
Accidents and adverse effects (E800-E949)	592	32	99	131	280	210	97	62
Motor vehicle accidents (E810-E825)	224	17	52	73	121	98	63	38
All other accidents and adverse effects (E800-E807,E826-E949)	368	15	47	58	159	112	34	24
Suicide (E950-E959)	134	20	24	54	99	82	32	32
Homicide and legal intervention (E960-E978)	144	2	6	37	88	14	19	22
All other external causes (E980-E999)	8	–	3	4	3	3	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Simi Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	7,029	1,006	4,539	6,347	763	3,538	855	1,526
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	1	–	1	–	–
Tuberculosis (010-018)	4	3	2	6	–	4	1	–
Tuberculosis of respiratory system (010-012)	4	1	1	6	–	3	1	–
Other tuberculosis (013-018)	–	2	1	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	–
Septicemia (038)	58	3	24	37	5	11	2	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	3	3	–	7	2	–
Syphilis (090-097)	1	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	20	3	13	10	1	12	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,506	248	1,039	1,485	178	827	178	335
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	31	2	18	30	7	13	5	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	359	70	287	366	45	207	32	81
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	481	62	320	413	46	223	65	103
Malignant neoplasm of breast (174-175)	123	22	83	145	20	59	15	23
Malignant neoplasms of genital organs (179-187)	161	26	110	146	15	102	18	40
Malignant neoplasms of urinary organs (188-189)	61	10	42	57	9	39	8	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	158	32	90	171	22	101	13	43
Leukemia (204-208)	60	9	37	55	8	38	8	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	15	52	80	6	47	14	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	4	15	12	1	15	1	3
Diabetes mellitus (250)	113	17	88	93	16	50	10	38
Nutritional deficiencies (260-269)	8	–	10	15	1	2	1	5
Anemias (280-285)	9	1	7	13	3	8	2	3
Meningitis (320-322)	5	1	–	2	1	5	–	–
Major cardiovascular diseases (390-448)	3,207	484	2,174	2,924	340	1,521	374	759
Diseases of heart (390-398,402,404-429)	2,402	376	1,693	2,331	257	1,158	289	617
Rheumatic fever and rheumatic heart disease (390-398)	12	5	17	17	1	20	5	3
Hypertensive heart disease (402)	45	5	31	49	3	55	4	5
Hypertensive heart and renal disease (404)	5	3	1	4	–	4	–	1
Ischemic heart disease (410-414)	1,523	250	1,341	1,639	190	893	175	461
Acute myocardial infarction (410)	802	110	603	798	119	319	104	291
Other acute and subacute forms of ischemic heart disease (411)	123	–	4	119	–	1	–	–
Angina pectoris (413)	4	2	2	5	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	594	138	732	719	71	373	71	170
Other diseases of endocardium (424)	26	9	13	39	3	18	7	1
All other forms of heart disease (415-423,425-429)	789	104	290	583	60	368	98	146
Hypertension with or without renal disease (401,403)	17	–	25	35	2	7	3	9
Cerebrovascular diseases (430-438)	606	83	313	427	63	273	81	89
Intracerebral and other intracranial hemorrhage (431-432)	62	11	39	63	8	30	10	17
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	98	8	67	74	14	45	15	10
Cerebral embolism (434.1)	4	–	1	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	442	64	206	290	41	198	36	72
Atherosclerosis (440)	110	10	81	53	10	50	11	16
Other diseases of arteries, arterioles, and capillaries (441-448)	72	15	62	78	8	33	10	18
Acute bronchitis and bronchiolitis (466)	2	–	3	4	–	–	–	–
Pneumonia and influenza (480-487)	196	20	155	161	23	127	25	43
Pneumonia (480-486)	187	19	153	161	23	117	25	42
Influenza (487)	9	1	2	–	–	10	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	282	48	187	222	38	158	46	40
Bronchitis, chronic and unspecified (490-491)	13	3	10	14	–	7	2	2
Emphysema (492)	48	10	29	48	10	35	2	8
Asthma (493)	14	–	8	7	3	12	4	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	207	35	120	153	25	104	38	30
Ulcer of stomach and duodenum (531-533)	24	3	12	24	2	12	3	3
Appendicitis (540-543)	3	–	2	1	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	2	14	25	4	13	2	4
Chronic liver disease and cirrhosis (571)	79	9	58	110	12	67	16	15
Cholelithiasis and other disorders of gallbladder (574-575)	5	2	5	9	2	4	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	81	8	27	44	3	30	6	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	1	2	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	1	6	5	1	3	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	74	6	20	37	2	27	6	8
Infections of kidney (590)	15	–	12	12	4	3	3	–
Hyperplasia of prostate (600)	2	–	–	1	–	1	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	2	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	2	1	–	–	–	–
Congenital anomalies (740-759)	55	10	42	46	6	28	4	5
Certain conditions originating in the perinatal period (760-779)	82	9	47	63	8	35	7	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	3	22	20	4	15	2	2
Other conditions originating in the perinatal period (760-766,770-779)	63	6	25	43	4	21	5	8
Symptoms, signs, and ill-defined conditions (780-799)	77	9	55	58	2	24	22	47
All other diseases (Residual)	514	65	280	468	62	248	73	98
Accidents and adverse effects (E800-E949)	384	37	178	326	35	225	57	67
Motor vehicle accidents (E810-E825)	216	18	78	195	13	127	30	39
All other accidents and adverse effects (E800-E807,E826-E949)	168	19	100	131	22	98	27	48
Suicide (E950-E959)	154	17	61	119	16	70	5	10
Homicide and legal intervention (E960-E978)	98	2	34	64	–	28	6	3
All other external causes (E980-E999)	9	1	9	8	–	1	3	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	755	4,194	2,355	3,084	1,172	46,857	13,462	853
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	1	2	1	–
Tuberculosis (010-018)	1	8	5	–	1	42	11	3
Tuberculosis of respiratory system (010-012)	1	6	5	–	1	32	10	2
Other tuberculosis (013-018)	–	–	–	–	–	10	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	1	–	1	–	–
Meningococcal infection (036)	–	3	1	–	1	8	1	–
Septicemia (038)	8	30	19	18	10	745	66	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	5	–	–	7	13	–
Syphilis (090-097)	–	–	–	–	–	2	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	24	10	11	3	130	51	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	189	938	568	720	245	10,969	3,024	180
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	22	22	9	7	206	33	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	42	267	122	183	46	2,913	742	51
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	63	259	208	184	84	3,012	807	37
Malignant neoplasm of breast (174-175)	14	89	48	64	15	1,011	281	9
Malignant neoplasms of genital organs (179-187)	15	95	47	81	23	1,065	307	15
Malignant neoplasms of urinary organs (188-189)	7	44	26	34	7	405	123	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	20	85	56	96	39	1,398	418	36
Leukemia (204-208)	9	34	12	27	10	362	122	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	43	25	42	14	591	191	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	6	5	17	2	156	52	3
Diabetes mellitus (250)	11	107	26	46	26	821	238	9
Nutritional deficiencies (260-269)	–	2	2	10	3	74	17	1
Anemias (280-285)	3	8	6	6	2	91	24	1
Meningitis (320-322)	–	1	2	1	1	23	10	1
Major cardiovascular diseases (390-448)	302	2,058	1,043	1,467	583	21,220	5,742	436
Diseases of heart (390-398,402,404-428)	252	1,693	813	1,110	459	17,007	4,546	326
Rheumatic fever and rheumatic heart disease (390-398)	1	15	10	3	1	199	51	4
Hypertensive heart disease (402)	7	33	23	25	11	435	83	5
Hypertensive heart and renal disease (404)	3	3	3	1	5	57	6	1
Ischemic heart disease (410-414)	190	1,369	570	823	310	10,868	3,502	204
Acute myocardial infarction (410)	114	626	291	513	143	6,390	1,457	94
Other acute and subacute forms of ischemic heart disease (411)	–	4	–	–	36	60	255	–
Angina pectoris (413)	–	–	–	1	–	16	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	76	739	278	309	131	4,202	1,789	110
Other diseases of endocardium (424)	2	19	11	16	4	194	77	1
All other forms of heart disease (415-423,425-429)	49	254	196	242	128	5,454	847	113
Hypertension with or without renal disease (401,403)	1	7	17	7	9	159	38	1
Cerebrovascular diseases (430-438)	40	286	170	289	101	3,108	895	89
Intracerebral and other intracranial hemorrhage (431-432)	6	57	20	26	12	473	124	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	71	27	21	20	475	146	6
Cerebral embolism (434.1)	–	2	1	1	–	16	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	20	158	122	241	69	2,144	623	79
Atherosclerosis (440)	5	35	23	23	11	465	135	14
Other diseases of arteries, arterioles, and capillaries (441-448)	4	37	20	38	9	481	128	4
Acute bronchitis and bronchiolitis (466)	1	1	–	–	1	6	4	–
Pneumonia and influenza (480-487)	11	121	49	114	18	1,168	429	14
Pneumonia (480-486)	11	120	49	110	18	1,158	426	12
Influenza (487)	–	1	–	4	–	10	4	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	30	128	97	110	24	1,379	736	20
Bronchitis, chronic and unspecified (490-491)	5	9	5	6	1	61	23	–
Emphysema (492)	2	26	16	21	2	236	166	4
Asthma (493)	2	6	2	5	4	53	41	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21	87	74	78	17	1,029	506	15
Ulcer of stomach and duodenum (531-533)	3	13	8	15	2	109	30	4
Appendicitis (540-543)	–	–	1	–	1	6	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	10	2	12	2	119	31	4
Chronic liver disease and cirrhosis (571)	14	80	46	41	17	538	192	5
Cholelithiasis and other disorders of gallbladder (574-575)	1	7	4	5	1	40	22	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	53	17	34	25	578	126	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	–	–	1	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	6	2	2	2	25	14	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	46	15	32	23	552	110	9
Infections of kidney (590)	1	6	3	2	2	22	13	–
Hyperplasia of prostate (600)	–	2	1	1	–	4	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	1	–	–	10	3	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	1	–	–	10	3	1
Congenital anomalies (740-759)	7	32	14	13	5	281	103	10
Certain conditions originating in the perinatal period (760-779)	7	32	31	36	25	442	116	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	7	7	9	3	87	29	2
Other conditions originating in the perinatal period (760-766,770-779)	6	25	24	27	22	355	87	4
Symptoms, signs, and ill-defined conditions (780-799)	38	37	14	11	10	2,045	144	13
All other diseases (Residual)	44	288	183	216	84	3,203	1,045	53
Accidents and adverse effects (E800-E949)	51	115	146	112	52	1,594	775	48
Motor vehicle accidents (E810-E825)	25	42	63	48	28	677	442	15
All other accidents and adverse effects (E800-E807,E826-E949)	26	73	63	64	24	917	333	33
Suicide (E950-E959)	11	35	29	50	11	545	284	8
Homicide and legal intervention (E960-E978)	7	45	18	12	13	400	142	12
All other external causes (E980-E999)	1	3	1	3	1	103	12	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y.	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	23,769	1,564	2,378	10,685	3,492	2,159	8,714	1,098
Shigellosis and amebiasis (004,006)	–	–	–	–	–	1	–	–
Certain other intestinal infections (007-009)	–	1	–	1	2	–	–	–
Tuberculosis (010-018)	11	–	2	9	–	1	4	–
Tuberculosis of respiratory system (010-012)	8	–	2	8	–	1	2	–
Other tuberculosis (013-018)	3	–	–	1	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	5	1	1	–	1
Septicemia (038)	230	16	20	42	17	9	70	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	1	–	8	1	1	4	–
Syphilis (090-097)	1	–	–	1	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	40	9	10	28	8	8	18	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,697	344	566	2,467	837	484	2,123	162
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	89	3	10	47	16	7	59	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,501	104	167	611	207	145	596	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,519	63	152	738	226	128	534	24
Malignant neoplasm of breast (174-175)	537	46	36	216	72	39	205	9
Malignant neoplasms of genital organs (179-187)	561	42	50	276	82	55	208	24
Malignant neoplasms of urinary organs (188-189)	257	13	23	101	35	26	96	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	748	42	66	261	129	48	230	28
Leukemia (204-208)	190	7	24	99	31	16	80	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	295	24	38	120	39	20	115	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	79	9	10	27	15	10	31	4
Diabetes mellitus (250)	530	32	31	138	69	37	218	27
Nutritional deficiencies (260-269)	32	2	5	12	3	2	15	2
Anemias (280-285)	40	4	1	13	7	1	15	3
Meningitis (320-322)	8	1	2	3	1	1	2	1
Major cardiovascular diseases (390-448)	11,949	781	1,163	4,968	1,689	1,081	4,268	467
Diseases of heart (390-398,402,404-429)	9,858	619	920	3,796	1,332	888	3,455	376
Rheumatic fever and rheumatic heart disease (390-398)	106	10	11	41	15	7	27	13
Hypertensive heart disease (402)	147	15	14	114	32	11	57	14
Hypertensive heart and renal disease (404)	24	2	2	35	3	1	8	1
Ischemic heart disease (410-414)	7,233	442	721	2,815	974	738	2,845	206
Acute myocardial infarction (410)	3,610	218	399	992	560	418	1,582	112
Other acute and subacute forms of ischemic heart disease (411)	17	–	2	5	2	3	10	3
Angina pectoris (413)	7	1	–	4	1	1	9	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,599	223	380	1,814	411	316	1,244	91
Other diseases of endocardium (424)	102	14	19	83	14	3	49	2
All other forms of heart disease (415-423,425-429)	2,246	136	153	708	294	128	469	140
Hypertension with or without renal disease (401,403)	82	8	12	27	15	5	32	8
Cerebrovascular diseases (430-438)	1,546	108	160	837	245	152	576	78
Intracerebral and other intracranial hemorrhage (431-432)	259	15	17	94	28	25	89	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	304	9	37	122	32	25	97	9
Cerebral embolism (434.1)	9	–	3	12	1	–	5	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	978	84	103	609	186	102	385	61
Atherosclerosis (440)	187	25	35	183	48	12	109	9
Other diseases of arteries, arterioles, and capillaries (441-448)	274	21	38	125	51	24	96	16
Acute bronchitis and bronchiolitis (466)	2	–	1	4	2	3	2	2
Pneumonia and influenza (480-487)	514	53	65	355	67	61	171	39
Pneumonia (480-486)	510	53	62	338	64	61	170	38
Influenza (487)	4	–	3	17	3	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	725	58	99	430	120	87	295	43
Bronchitis, chronic and unspecified (490-491)	17	2	10	14	7	5	12	2
Emphysema (492)	112	5	14	98	32	15	44	7
Asthma (493)	29	2	6	27	5	1	6	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	567	49	69	293	76	66	231	32
Ulcer of stomach and duodenum (531-533)	61	2	4	40	12	7	35	6
Appendicitis (540-543)	3	1	–	3	1	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	8	8	24	7	3	24	4
Chronic liver disease and cirrhosis (571)	319	22	27	168	48	34	119	5
Cholelithiasis and other disorders of gallbladder (574-575)	32	2	6	15	6	4	16	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	267	14	15	78	32	20	90	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	–	2	–	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	1	1	14	1	3	6	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	247	12	14	60	31	17	82	9
Infections of kidney (590)	13	2	–	14	2	2	5	–
Hyperplasia of prostate (600)	6	–	1	1	–	1	5	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	2	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	2	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	–	–	–	–
Congenital anomalies (740-759)	108	5	11	77	16	14	44	24
Certain conditions originating in the perinatal period (760-779)	186	2	13	67	39	16	56	27
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	43	–	3	27	9	5	10	7
Other conditions originating in the perinatal period (760-766,770-779)	143	2	10	40	30	11	46	20
Symptoms, signs, and ill-defined conditions (780-799)	223	16	12	131	17	9	32	22
All other diseases (Residual)	1,445	100	175	745	223	129	654	102
Accidents and adverse effects (E800-E949)	769	57	96	524	140	90	255	74
Motor vehicle accidents (E810-E825)	329	26	48	261	67	48	103	36
All other accidents and adverse effects (E800-E807,E826-E949)	440	31	48	263	53	44	152	38
Suicide (E950-E959)	280	20	33	189	61	35	89	21
Homicide and legal intervention (E960-E978)	89	1	2	69	6	5	41	6
All other external causes (E980-E999)	54	–	–	31	3	2	9	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo.	Racine, Wis.	Raleigh-Durham, N.C.	Reading, Pa.	Redding, Calif.	Reno, Nev.	Richland-Kennewick-Pasco, Wash.	Richmond, Va.
All causes	1,121	1,306	3,845	3,123	1,114	1,590	825	5,799
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	1
Tuberculosis (010-018)	–	1	2	2	1	1	–	3
Tuberculosis of respiratory system (010-012)	–	–	1	1	1	1	–	3
Other tuberculosis (013-018)	–	1	1	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	–	–	2
Septicemia (038)	12	5	43	27	4	9	3	69
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	1	2	1	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	5	6	4	4	4	1	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	212	262	900	721	285	399	177	1,314
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	5	14	12	2	10	2	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	67	65	210	199	51	83	40	322
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	49	75	258	193	93	112	48	418
Malignant neoplasm of breast (174-175)	12	29	97	52	23	34	11	120
Malignant neoplasms of genital organs (179-187)	22	41	82	71	33	41	21	120
Malignant neoplasms of urinary organs (188-189)	10	9	25	25	13	19	6	37
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	36	139	94	46	68	27	169
Leukemia (204-208)	7	11	34	36	11	10	8	46
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	11	41	39	13	22	14	56
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	4	16	11	3	5	1	27
Diabetes mellitus (250)	20	25	65	55	9	10	17	73
Nutritional deficiencies (260-269)	1	4	4	3	2	1	–	13
Anemias (280-285)	1	2	5	7	1	2	1	12
Meningitis (320-322)	2	–	6	–	–	–	1	4
Major cardiovascular diseases (390-448)	471	666	1,725	1,601	442	658	390	2,631
Diseases of heart (390-398,402,404-429)	373	534	1,269	1,289	342	527	304	1,997
Rheumatic fever and rheumatic heart disease (390-398)	8	5	10	16	5	3	2	10
Hypertensive heart disease (402)	9	4	57	37	6	54	6	45
Hypertensive heart and renal disease (404)	2	2	9	8	2	–	1	6
Ischemic heart disease (410-414)	252	397	800	740	213	328	239	1,268
Acute myocardial infarction (410)	121	182	454	419	98	149	116	637
Other acute and subacute forms of ischemic heart disease (411)	2	–	1	2	3	–	–	35
Angina pectoris (413)	–	1	4	1	–	–	2	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	129	214	341	318	112	179	119	594
Other diseases of endocardium (424)	6	4	13	17	8	10	5	33
All other forms of heart disease (415-423,425-429)	96	122	380	471	106	132	51	635
Hypertension with or without renal disease (401,403)	7	11	21	12	6	–	3	16
Cerebrovascular diseases (430-438)	74	85	336	218	70	97	74	460
Intracerebral and other intracranial hemorrhage (431-432)	12	11	52	29	4	12	12	58
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	21	43	40	11	8	14	58
Cerebral embolism (434.1)	–	–	–	1	1	2	–	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	50	53	241	148	54	75	48	344
Atherosclerosis (440)	8	15	56	47	12	18	3	94
Other diseases of arteries, arterioles, and capillaries (441-448)	9	21	43	35	12	18	6	64
Acute bronchitis and bronchiolitis (466)	1	2	2	1	–	1	1	1
Pneumonia and influenza (480-487)	35	31	127	84	36	45	17	175
Pneumonia (480-486)	35	30	126	84	36	43	15	174
Influenza (487)	–	1	1	–	–	2	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	39	102	98	51	77	37	166
Bronchitis, chronic and unspecified (490-491)	1	7	7	5	6	1	2	9
Emphysema (492)	13	11	18	18	13	2	6	23
Asthma (493)	2	4	5	7	3	3	1	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48	17	72	68	29	71	28	122
Ulcer of stomach and duodenum (531-533)	7	3	7	14	6	8	4	18
Appendicitis (540-543)	–	–	2	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	9	14	9	3	8	2	13
Chronic liver disease and cirrhosis (571)	21	17	51	28	36	43	7	90
Cholelithiasis and other disorders of gallbladder (574-575)	–	3	4	3	2	1	–	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	10	30	26	10	7	3	53
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	2	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	1	3	4	1	–	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	9	27	22	6	8	3	48
Infections of kidney (590)	2	1	5	–	2	–	–	1
Hyperplasia of prostate (600)	–	1	1	1	–	1	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	–	–	–
Pregnancy with abortive outcome (630-636)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	–	–	–
Congenital anomalies (740-759)	6	15	32	13	6	9	9	32
Certain conditions originating in the perinatal period (760-779)	8	16	57	24	10	13	13	94
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	5	14	4	1	7	2	17
Other conditions originating in the perinatal period (760-766,770-779)	7	11	43	20	9	6	11	77
Symptoms, signs, and ill-defined conditions (780-799)	34	9	33	19	15	21	3	54
All other diseases (Residual)	101	89	379	191	79	107	53	454
Accidents and adverse effects (E800-E949)	70	36	218	128	66	76	59	275
Motor vehicle accidents (E810-E825)	41	19	112	64	38	45	28	109
All other accidents and adverse effects (E800-E807,E826-E949)	29	19	106	65	29	31	30	166
Suicide (E950-E959)	23	23	71	44	27	66	21	98
Homicide and legal intervention (E960-E978)	7	1	35	7	6	13	5	93
All other external causes (E980-E999)	5	4	2	–	4	3	–	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Berriardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	15,044	2,426	613	8,312	2,295	882	8,570	1,724
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	2	–	1	1	–	–	–
Tuberculosis (010-018)	11	–	–	3	1	–	10	1
Tuberculosis of respiratory system (010-012)	8	–	–	2	–	–	7	1
Other tuberculosis (013-018)	2	–	–	1	1	–	3	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	–	1	–	–	1	–
Septicemia (038)	37	18	1	88	11	6	48	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	11	–	–	2	–	–	12	1
Syphilis (090-097)	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	42	8	2	28	4	1	25	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,203	496	141	1,897	522	196	2,053	387
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	62	10	1	39	7	2	27	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	772	125	33	521	115	54	471	107
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	928	132	33	458	144	51	804	110
Malignant neoplasm of breast (174-175)	268	39	16	195	53	17	182	29
Malignant neoplasms of genital organs (179-187)	358	50	18	201	67	21	224	32
Malignant neoplasms of urinary organs (188-189)	128	19	6	99	20	8	98	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	398	63	15	201	65	27	232	49
Leukemia (204-208)	127	16	6	67	21	7	94	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	162	42	13	116	30	9	121	23
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	46	9	2	25	7	2	25	7
Diabetes mellitus (250)	182	28	10	130	32	14	129	27
Nutritional deficiencies (260-269)	9	3	–	3	4	1	4	1
Anemias (280-285)	20	6	3	13	4	2	13	5
Meningitis (320-322)	12	1	1	5	1	–	7	1
Major cardiovascular diseases (390-448)	6,885	1,238	282	3,925	1,080	407	3,701	854
Diseases of heart (390-398,402,404-429)	5,281	955	213	3,045	810	294	2,792	639
Rheumatic fever and rheumatic heart disease (390-398)	56	5	4	34	8	–	40	8
Hypertensive heart disease (402)	114	14	4	50	15	8	67	8
Hypertensive heart and renal disease (404)	14	1	1	11	2	3	9	2
Ischemic heart disease (410-414)	4,292	638	167	2,205	647	190	2,076	488
Acute myocardial infarction (410)	1,851	304	81	1,259	285	111	1,022	236
Other acute and subacute forms of ischemic heart disease (411)	11	76	1	49	2	5	2	1
Angina pectoris (413)	8	2	1	3	1	2	1	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,422	256	84	894	359	72	1,051	246
Other diseases of endocardium (424)	58	11	5	37	3	2	58	7
All other forms of heart disease (415-423,425-429)	747	286	32	708	135	91	542	126
Hypertension with or without renal disease (401,403)	48	7	4	40	14	1	26	5
Cerebrovascular diseases (430-438)	1,165	218	53	637	188	88	660	154
Intracerebral and other intracranial hemorrhage (431-432)	144	25	10	98	26	17	90	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	259	40	7	81	15	5	83	43
Cerebral embolism (434.1)	2	–	1	3	–	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	760	153	35	455	147	66	496	91
Atherosclerosis (440)	216	36	7	99	36	16	91	36
Other diseases of arteries, arterioles, and capillaries (441-448)	175	22	5	104	32	8	112	20
Acute bronchitis and bronchiolitis (466)	7	–	–	2	1	1	3	–
Pneumonia and influenza (480-487)	638	89	17	306	62	21	285	40
Pneumonia (480-486)	631	87	17	300	60	21	284	38
Influenza (487)	7	2	–	6	2	–	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	660	92	17	303	89	24	439	47
Bronchitis, chronic and unspecified (490-491)	33	6	3	17	8	2	22	–
Emphysema (492)	157	12	–	31	20	5	87	11
Asthma (493)	21	3	1	10	7	4	27	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	449	71	13	245	54	13	303	32
Ulcer of stomach and duodenum (531-533)	73	8	4	25	2	1	26	4
Appendicitis (540-543)	6	1	–	5	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	6	1	23	4	1	30	3
Chronic liver disease and cirrhosis (571)	319	37	5	64	35	9	151	20
Cholelithiasis and other disorders of gallbladder (574-575)	19	1	1	10	2	4	10	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	110	18	2	96	21	10	65	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	1	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	2	–	10	–	1	6	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	91	15	2	85	20	9	57	11
Infections of kidney (590)	22	3	–	5	4	1	9	1
Hyperplasia of prostate (600)	5	–	–	1	1	–	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	–	2	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	–	2	–	–	–	–
Congenital anomalies (740-759)	117	8	8	54	16	12	65	14
Certain conditions originating in the perinatal period (760-779)	178	10	9	69	17	10	53	38
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	3	1	9	6	3	12	7
Other conditions originating in the perinatal period (760-766,770-779)	129	7	8	60	11	7	41	31
Symptoms, signs, and ill-defined conditions (780-799)	101	24	7	29	8	8	92	7
All other diseases (Residual)	911	172	48	694	185	65	608	95
Accidents and adverse effects (E800-E949)	883	95	40	310	72	58	424	101
Motor vehicle accidents (E810-E825)	541	28	20	159	44	28	223	45
All other accidents and adverse effects (E800-E807,E826-E949)	342	67	20	151	28	30	201	56
Suicide (E950-E959)	281	37	11	117	31	19	176	25
Homicide and legal intervention (E960-E978)	195	14	3	54	14	9	92	21
All other external causes (E980-E999)	23	–	–	4	4	–	9	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,129	1,083	22,186	2,317	2,129	1,824	5,728	792
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	2	–	–	1	1	–
Tuberculosis (010-018)	–	–	9	2	–	1	4	–
Tuberculosis of respiratory system (010-012)	–	–	7	1	–	1	2	–
Other tuberculosis (013-018)	–	–	2	1	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	3	2	–	–	–	–
Septicemia (038)	4	7	192	8	5	18	24	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	4	3	2	–	3	–
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	1	44	5	8	–	28	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	240	220	5,123	536	474	384	1,014	130
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	4	97	7	3	6	14	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	57	70	1,355	113	124	93	265	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	60	52	1,407	159	137	113	198	39
Malignant neoplasm of breast (174-175)	17	20	456	50	35	35	96	8
Malignant neoplasms of genital organs (179-187)	27	22	497	67	48	31	139	14
Malignant neoplasms of urinary organs (188-189)	14	8	224	28	17	16	48	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	32	19	655	53	73	64	134	17
Leukemia (204-208)	9	7	189	18	12	12	51	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	18	243	41	25	13	71	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	3	64	9	12	4	22	2
Diabetes mellitus (250)	15	12	383	30	28	32	119	9
Nutritional deficiencies (260-269)	–	2	36	–	3	2	12	2
Anemias (280-285)	1	3	32	2	2	4	17	1
Meningitis (320-322)	1	1	15	–	2	1	5	3
Major cardiovascular diseases (390-448)	592	527	10,764	1,106	924	870	2,559	384
Diseases of heart (390-398,402,404-429)	474	374	8,581	826	666	669	2,029	254
Rheumatic fever and rheumatic heart disease (390-398)	4	3	68	13	9	2	63	2
Hypertensive heart disease (402)	10	7	328	17	13	11	61	1
Hypertensive heart and renal disease (404)	–	3	40	3	2	2	7	–
Ischemic heart disease (410-414)	377	293	6,598	617	502	492	1,167	136
Acute myocardial infarction (410)	174	114	3,069	238	257	337	591	77
Other acute and subacute forms of ischemic heart disease (411)	4	–	15	2	1	–	1	–
Angina pectoris (413)	1	–	5	2	1	2	3	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	198	179	3,509	375	243	153	592	59
Other diseases of endocardium (424)	5	3	62	12	10	7	19	2
All other forms of heart disease (415-423,425-429)	78	65	1,465	164	130	155	692	113
Hypertension with or without renal disease (401,403)	6	3	93	8	5	4	21	4
Cerebrovascular diseases (430-438)	85	101	1,599	215	188	152	394	99
Intracerebral and other intracranial hemorrhage (431-432)	11	11	282	17	17	21	53	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	14	358	42	41	23	47	10
Cerebral embolism (434.1)	–	–	9	2	1	1	3	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	59	76	970	154	129	107	291	82
Atherosclerosis (440)	20	30	258	40	32	28	53	18
Other diseases of arteries, arterioles, and capillaries (441-448)	7	19	233	17	33	19	62	9
Acute bronchitis and bronchiolitis (466)	–	–	2	1	–	–	1	1
Pneumonia and influenza (480-487)	22	21	622	65	66	64	162	22
Pneumonia (480-486)	22	21	618	61	65	64	161	21
Influenza (487)	–	–	4	4	1	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	46	702	85	92	58	199	49
Bronchitis, chronic and unspecified (490-491)	3	1	35	7	6	2	16	4
Emphysema (492)	6	5	126	19	17	11	37	9
Asthma (493)	3	1	25	4	5	2	15	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	39	516	55	64	43	131	35
Ulcer of stomach and duodenum (531-533)	4	3	72	2	12	5	27	1
Appendicitis (540-543)	2	–	8	1	1	3	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	5	68	5	6	3	21	–
Chronic liver disease and cirrhosis (571)	11	8	228	26	45	12	56	11
Cholelithiasis and other disorders of gallbladder (574-575)	8	1	46	2	3	5	8	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	12	239	22	11	13	41	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	4	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	24	3	3	1	5	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	12	211	19	7	12	36	5
Infections of kidney (590)	–	1	25	3	5	1	4	1
Hyperplasia of prostate (600)	1	1	5	1	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	–	–	–	–	–
Congenital anomalies (740-759)	9	8	146	12	20	10	79	6
Certain conditions originating in the perinatal period (760-779)	6	10	192	23	25	9	80	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	4	64	5	5	5	21	1
Other conditions originating in the perinatal period (760-766,770-779)	5	6	128	18	20	4	59	4
Symptoms, signs, and ill-defined conditions (780-799)	11	74	255	30	11	31	101	16
All other diseases (Residual)	73	53	1,498	151	142	146	542	52
Accidents and adverse effects (E800-E949)	60	43	841	126	158	101	382	54
Motor vehicle accidents (E810-E825)	33	17	374	60	76	51	189	28
All other accidents and adverse effects (E800-E807,E826-E949)	27	26	467	66	82	50	193	26
Suicide (E950-E959)	9	18	275	45	43	30	152	20
Homicide and legal intervention (E960-E978)	2	2	268	10	27	12	34	7
All other external causes (E980-E999)	2	1	21	4	2	3	29	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	8,490	14,896	28,949	8,051	2,478	1,731	2,910	3,495
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	4	5	1	–	1	1	–
Tuberculosis (010-018)	10	8	16	9	1	1	1	3
Tuberculosis of respiratory system (010-012)	8	5	13	6	–	1	1	3
Other tuberculosis (013-018)	2	3	3	3	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	2	–	–	–	–	1
Septicemia (038)	135	65	174	34	16	10	8	21
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	8	28	5	2	2	1	1
Syphilis (090-097)	–	–	–	1	–	–	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	31	82	219	19	7	6	15	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,741	3,566	6,783	1,872	580	387	707	854
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	80	151	31	11	5	13	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	458	844	1,841	473	136	103	175	228
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	484	1,050	1,785	466	132	103	197	237
Malignant neoplasm of breast (174-175)	131	356	545	166	60	35	58	63
Malignant neoplasms of genital organs (179-187)	156	375	707	208	57	45	80	107
Malignant neoplasms of urinary organs (188-189)	64	122	260	75	26	10	31	48
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	244	436	864	282	94	47	84	73
Leukemia (204-208)	77	126	246	69	23	17	26	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	102	177	364	102	41	22	33	50
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	53	105	29	12	12	17	11
Diabetes mellitus (250)	172	173	401	134	34	23	36	41
Nutritional deficiencies (260-269)	12	12	41	7	4	4	7	5
Anemias (280-285)	13	15	44	12	6	2	4	6
Meningitis (320-322)	5	8	15	7	–	1	5	1
Major cardiovascular diseases (390-448)	3,527	6,438	12,841	3,572	1,113	780	1,255	1,692
Diseases of heart (390-398,402,404-429)	2,788	4,788	9,561	2,716	813	571	916	1,253
Rheumatic fever and rheumatic heart disease (390-398)	17	84	144	36	11	12	9	17
Hypertensive heart disease (402)	136	153	500	139	25	37	23	16
Hypertensive heart and renal disease (404)	7	15	40	9	1	–	2	4
Ischemic heart disease (410-414)	1,516	3,509	6,917	1,710	495	330	651	989
Acute myocardial infarction (410)	885	1,756	2,783	801	218	155	251	529
Other acute and subacute forms of ischemic heart disease (411)	6	12	28	3	2	1	1	5
Angina pectoris (413)	4	1	6	3	–	–	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	641	1,740	4,100	903	275	174	398	454
Other diseases of endocardium (424)	36	80	178	32	15	14	25	20
All other forms of heart disease (415-423,425-429)	1,066	967	1,782	790	266	178	206	207
Hypertension with or without renal disease (401,403)	23	56	111	37	12	4	10	12
Cerebrovascular diseases (430-438)	594	1,207	2,385	648	231	157	257	331
Intracerebral and other intracranial hemorrhage (431-432)	96	135	311	75	21	17	18	38
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	78	252	405	97	43	26	36	69
Cerebral embolism (434.1)	5	5	15	6	2	1	–	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	415	815	1,654	470	165	113	203	221
Atherosclerosis (440)	48	189	422	71	32	38	30	49
Other diseases of arteries, arterioles, and capillaries (441-448)	64	188	382	100	25	20	42	47
Acute bronchitis and bronchiolitis (466)	1	7	22	–	1	1	1	1
Pneumonia and influenza (480-487)	284	515	932	240	62	57	116	81
Pneumonia (480-486)	279	502	923	238	61	55	115	80
Influenza (487)	5	13	9	2	1	2	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	296	730	1,114	288	109	75	108	129
Bronchitis, chronic and unspecified (490-491)	13	48	85	15	8	3	11	3
Emphysema (492)	71	153	277	61	35	20	44	15
Asthma (493)	15	37	84	19	2	3	6	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	197	492	668	191	64	49	47	108
Ulcer of stomach and duodenum (531-533)	24	66	106	31	6	9	18	10
Appendicitis (540-543)	1	2	6	4	1	2	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	33	87	32	7	9	13	6
Chronic liver disease and cirrhosis (571)	153	249	718	175	46	36	42	46
Cholelithiasis and other disorders of gallbladder (574-575)	14	18	49	6	3	2	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	128	95	242	62	11	11	28	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	6	2	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	9	21	4	1	3	5	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	116	68	215	56	10	8	22	16
Infections of kidney (590)	13	19	44	6	1	2	7	5
Hyperplasia of prostate (600)	4	6	13	3	1	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	3	2	2	1	–	–	1
Pregnancy with abortive outcome (630-638)	1	1	–	1	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	2	2	1	1	–	–	–
Congenital anomalies (740-759)	78	112	174	90	13	13	17	8
Certain conditions originating in the perinatal period (760-779)	98	147	185	77	24	9	18	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	28	46	20	5	2	6	4
Other conditions originating in the perinatal period (760-766,770-779)	75	119	139	57	19	7	12	9
Symptoms, signs, and ill-defined conditions (780-799)	247	85	183	53	18	7	19	92
All other diseases (Residual)	675	1,114	2,182	603	209	129	231	268
Accidents and adverse effects (E800-E949)	419	760	1,301	435	122	80	164	94
Motor vehicle accidents (E810-E825)	260	391	503	223	64	39	91	47
All other accidents and adverse effects (E800-E807,E826-E949)	159	369	798	212	58	41	73	47
Suicide (E950-E959)	145	308	585	155	43	33	35	45
Homicide and legal intervention (E960-E978)	204	154	310	78	24	15	23	20
All other external causes (E980-E999)	2	19	40	11	1	2	6	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga.	Seattle-Everett, Wash.	Sharon, Pa.	Sheboygan, Wis.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.	Sioux Falls, S.Dak.
All causes	2,137	12,531	1,290	954	1,140	3,557	1,070	889
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	1	3	–	1	1	–	–	–
Tuberculosis (010-018)	3	3	–	1	–	4	1	1
Tuberculosis of respiratory system (010-012)	3	3	–	1	–	3	1	–
Other tuberculosis (013-018)	–	–	–	–	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	5	–	–	–	1	–	–
Septicemia (038)	23	68	7	4	5	59	4	4
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	7	–	–	–	2	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,038-041,046-054,056-068,071-088,098-139)	8	29	4	3	1	5	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	514	2,842	305	208	193	809	196	207
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	59	3	3	3	13	5	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	121	683	81	62	43	178	49	57
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	163	798	74	33	51	229	54	44
Malignant neoplasm of breast (174-175)	36	284	28	20	10	77	16	15
Malignant neoplasms of genital organs (179-187)	68	320	36	32	25	101	17	38
Malignant neoplasms of urinary organs (188-189)	18	127	9	13	8	32	9	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61	292	38	26	35	106	24	21
Leukemia (204-208)	11	98	19	11	6	31	10	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	183	19	8	12	42	12	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	34	2	4	4	11	6	4
Diabetes mellitus (250)	34	212	22	28	15	53	24	19
Nutritional deficiencies (260-269)	4	22	–	1	2	4	2	–
Anemias (280-285)	5	20	1	2	5	4	1	1
Meningitis (320-322)	2	14	–	–	1	3	1	–
Major cardiovascular diseases (390-448)	894	5,688	651	480	614	1,660	572	419
Diseases of heart (390-398,402,404-429)	718	4,318	555	372	497	1,368	452	330
Rheumatic fever and rheumatic heart disease (390-398)	2	60	5	5	–	6	2	5
Hypertensive heart disease (402)	30	91	14	16	7	35	13	–
Hypertensive heart and renal disease (404)	10	10	2	2	1	5	4	–
Ischemic heart disease (410-414)	510	2,683	441	251	299	912	330	275
Acute myocardial infarction (410)	342	1,231	244	88	166	516	178	132
Other acute and subacute forms of ischemic heart disease (411)	2	10	1	–	4	5	–	–
Angina pectoris (413)	1	11	1	–	–	3	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	165	1,431	195	163	129	388	152	142
Other diseases of endocardium (424)	12	88	7	9	3	12	5	3
All other forms of heart disease (415-423,425-429)	155	1,388	86	69	187	398	98	47
Hypertension with or without renal disease (401,403)	11	56	2	3	4	22	5	2
Cerebrovascular diseases (430-438)	131	1,041	76	76	82	236	85	65
Intracerebral and other intracranial hemorrhage (431-432)	17	136	7	11	16	32	12	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	137	24	7	10	33	15	4
Cerebral embolism (434.1)	–	11	–	–	1	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	95	757	45	58	55	170	58	54
Atherosclerosis (440)	15	148	9	22	22	8	14	9
Other diseases of arteries, arterioles, and capillaries (441-448)	18	125	9	7	9	28	16	13
Acute bronchitis and bronchiolitis (466)	2	4	–	–	–	2	–	–
Pneumonia and influenza (480-487)	64	434	56	29	38	89	41	41
Pneumonia (480-486)	62	412	56	29	35	86	40	40
Influenza (487)	2	22	–	–	3	3	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	496	43	31	46	98	47	23
Bronchitis, chronic and unspecified (490-491)	5	20	3	1	5	4	3	2
Emphysema (492)	11	82	13	11	3	24	7	5
Asthma (493)	3	28	1	4	1	8	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	51	366	26	15	37	62	36	15
Ulcer of stomach and duodenum (531-533)	6	49	9	6	4	10	3	2
Appendicitis (540-543)	1	4	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	46	7	2	3	7	7	1
Chronic liver disease and cirrhosis (571)	39	184	12	5	8	33	8	8
Cholelithiasis and other disorders of gallbladder (574-575)	7	15	4	1	2	2	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	104	14	8	9	45	8	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	12	–	2	–	3	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	92	14	6	9	42	7	4
Infections of kidney (590)	1	17	2	1	5	5	1	2
Hyperplasia of prostate (600)	–	4	–	1	–	2	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	–	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	–	–	–	1	–
Congenital anomalies (740-759)	23	82	7	6	8	29	6	7
Certain conditions originating in the perinatal period (760-779)	34	86	5	10	5	52	11	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	37	–	1	2	30	3	2
Other conditions originating in the perinatal period (760-766,770-779)	28	49	5	9	3	22	8	1
Symptoms, signs, and ill-defined conditions (780-799)	9	118	3	3	20	45	5	7
All other diseases (Residual)	158	1,024	77	64	73	240	64	68
Accidents and adverse effects (E800-E949)	122	572	42	44	55	161	31	37
Motor vehicle accidents (E810-E825)	61	247	22	31	28	68	16	15
All other accidents and adverse effects (E800-E807,E826-E949)	61	325	20	13	27	93	15	22
Suicide (E950-E959)	25	223	14	10	14	62	20	18
Homicide and legal intervention (E960-E978)	49	90	3	1	9	60	3	3
All other external causes (E980-E999)	–	30	–	–	–	–	3	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass.	State College, Pa.	Steubenville-Weirton, Ohio-W. Va.
All causes	2,627	3,105	1,802	1,885	1,721	5,554	682	1,608
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	1	3	1	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	1	3	1	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	–	–	–	–
Septicemia (038)	16	18	8	9	14	43	3	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	1	2	1	1	–	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	6	4	4	3	15	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	631	685	438	386	388	1,204	169	388
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	8	7	6	5	21	4	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	154	168	131	89	118	332	30	92
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	172	187	103	106	108	305	43	119
Malignant neoplasm of breast (174-175)	61	57	46	40	28	145	12	29
Malignant neoplasms of genital organs (179-187)	79	87	47	51	48	110	25	40
Malignant neoplasms of urinary organs (188-189)	26	27	19	23	20	47	6	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	66	75	41	39	40	134	31	52
Leukemia (204-208)	26	31	16	13	9	40	9	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	45	26	19	12	70	9	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	9	6	9	2	22	5	5
Diabetes mellitus (250)	42	60	22	33	44	87	32	46
Nutritional deficiencies (260-269)	4	11	1	6	4	8	–	1
Anemias (280-285)	6	4	2	2	1	7	3	–
Meningitis (320-322)	3	2	–	1	2	–	–	–
Major cardiovascular diseases (390-448)	1,328	1,457	890	827	880	2,790	348	843
Diseases of heart (390-398,402,404-429)	1,001	1,089	676	597	635	2,218	273	681
Rheumatic fever and rheumatic heart disease (390-398)	11	16	6	6	4	25	6	4
Hypertensive heart disease (402)	15	24	20	7	11	36	2	13
Hypertensive heart and renal disease (404)	2	4	4	1	6	4	–	4
Ischemic heart disease (410-414)	754	731	502	449	468	1,628	178	457
Acute myocardial infarction (410)	393	365	228	237	260	843	107	219
Other acute and subacute forms of ischemic heart disease (411)	2	–	–	1	1	5	–	1
Angina pectoris (413)	–	2	2	1	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	359	364	272	210	207	779	70	237
Other diseases of endocardium (424)	15	28	5	4	6	25	1	7
All other forms of heart disease (415-423,425-429)	204	286	139	130	140	500	86	196
Hypertension with or without renal disease (401,403)	16	12	9	8	6	20	2	5
Cerebrovascular diseases (430-438)	237	248	169	186	183	442	52	126
Intracerebral and other intracranial hemorrhage (431-432)	31	28	28	16	19	60	12	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	29	31	35	71	62	4	13
Cerebral embolism (434.1)	1	1	2	–	–	3	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	190	190	108	135	93	297	36	96
Atherosclerosis (440)	40	74	25	18	31	50	11	12
Other diseases of arteries, arterioles, and capillaries (441-448)	34	34	11	18	25	60	10	19
Acute bronchitis and bronchiolitis (466)	–	–	1	–	–	–	–	–
Pneumonia and influenza (480-487)	53	94	42	58	45	211	10	28
Pneumonia (480-486)	53	90	41	57	45	210	10	28
Influenza (487)	–	4	1	1	–	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	80	166	55	76	57	213	20	57
Bronchitis, chronic and unspecified (490-491)	5	4	5	6	1	7	–	3
Emphysema (492)	18	48	18	11	12	34	3	7
Asthma (493)	4	13	2	2	–	18	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53	101	30	57	44	154	15	46
Ulcer of stomach and duodenum (531-533)	6	10	5	4	10	17	–	2
Appendicitis (540-543)	3	1	1	–	–	6	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	6	1	5	5	16	1	3
Chronic liver disease and cirrhosis (571)	21	49	27	9	16	79	7	17
Cholelithiasis and other disorders of gallbladder (574-575)	6	5	–	2	4	12	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	24	10	18	17	54	6	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	2	2	–	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	23	8	16	17	53	5	12
Infections of kidney (590)	–	1	3	2	4	3	–	2
Hyperplasia of prostate (600)	1	1	3	–	–	2	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-639)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	11	22	16	14	6	31	1	4
Certain conditions originating in the perinatal period (760-779)	16	21	20	15	17	46	6	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	5	5	2	5	7	2	3
Other conditions originating in the perinatal period (760-766,770-779)	12	16	15	13	12	39	4	7
Symptoms, signs, and ill-defined conditions (780-799)	29	24	14	155	9	68	5	16
All other diseases (Residual)	181	217	125	123	99	356	37	78
Accidents and adverse effects (E800-E949)	99	128	61	78	55	183	25	56
Motor vehicle accidents (E810-E825)	47	61	25	45	22	76	16	23
All other accidents and adverse effects (E800-E807,E826-E949)	52	67	36	33	33	107	9	33
Suicide (E950-E959)	32	64	30	33	31	51	9	16
Homicide and legal intervention (E960-E978)	14	17	9	13	4	22	1	5
All other external causes (E980-E999)	2	1	9	1	–	6	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Texarkana, Ark.	Toledo, Ohio-Mich.
All causes	3,340	5,497	3,852	1,037	21,719	1,958	1,367	6,633
Shigellosis and amebiasis (004,006)	1	–	–	–	1	–	–	–
Certain other intestinal infections (007-009)	3	–	1	1	5	–	1	–
Tuberculosis (010-018)	4	2	–	2	20	2	3	1
Tuberculosis of respiratory system (010-012)	4	1	–	1	19	2	1	–
Other tuberculosis (013-018)	–	1	–	1	1	–	2	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	1	–	–	1	–	–
Septicemia (038)	17	41	11	10	97	22	14	36
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	2	1	–	11	2	2	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	10	13	8	6	41	4	4	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	778	1,282	903	247	5,015	427	330	1,538
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	16	25	20	8	103	3	2	33
Malignant neoplasms of digestive organs and peritoneum (150-159)	167	333	202	52	1,280	113	70	408
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	242	330	267	76	1,484	142	97	407
Malignant neoplasm of breast (174-175)	72	128	90	19	405	46	16	127
Malignant neoplasms of genital organs (179-187)	86	136	83	29	525	39	29	170
Malignant neoplasms of urinary organs (188-189)	37	81	39	13	237	16	10	60
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	104	111	118	31	583	39	74	167
Leukemia (204-208)	23	51	30	6	159	15	14	73
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	31	67	54	13	239	20	18	93
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	17	10	1	61	10	5	24
Diabetes mellitus (250)	67	74	68	12	326	37	24	138
Nutritional deficiencies (260-269)	5	9	8	1	22	4	2	12
Anemias (280-285)	3	5	10	1	40	6	–	20
Meningitis (320-322)	4	5	2	–	8	–	2	4
Major cardiovascular diseases (390-448)	1,468	2,705	1,816	431	10,536	1,020	619	3,356
Diseases of heart (390-398,402,404-429)	1,131	2,064	1,394	326	8,132	731	491	2,636
Rheumatic fever and rheumatic heart disease (390-398)	21	25	13	–	89	8	–	14
Hypertensive heart disease (402)	24	51	48	30	230	8	15	78
Hypertensive heart and renal disease (404)	4	6	5	2	26	6	2	19
Ischemic heart disease (410-414)	883	1,480	829	203	5,784	555	316	1,983
Acute myocardial infarction (410)	337	663	388	123	2,693	292	249	1,089
Other acute and subacute forms of ischemic heart disease (411)	9	1	2	–	18	1	–	5
Angina pectoris (413)	–	3	2	1	5	–	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	537	813	437	79	3,068	262	67	886
Other diseases of endocardium (424)	22	38	21	14	90	9	1	35
All other forms of heart disease (415-423,425-429)	177	464	478	77	1,913	145	157	509
Hypertension with or without renal disease (401,403)	11	22	18	8	93	9	5	25
Cerebrovascular diseases (430-438)	233	433	322	72	1,759	188	103	549
Intracerebral and other intracranial hemorrhage (431-432)	32	62	39	6	186	24	10	56
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	71	30	6	370	35	16	134
Cerebral embolism (434.1)	–	5	–	2	15	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	169	295	253	58	1,188	129	77	358
Atherosclerosis (440)	53	91	53	7	292	68	8	76
Other diseases of arteries, arterioles, and capillaries (441-448)	40	95	29	18	260	24	12	70
Acute bronchitis and bronchiolitis (466)	–	2	2	–	8	–	–	2
Pneumonia and influenza (480-487)	87	168	85	15	477	41	30	148
Pneumonia (480-486)	87	161	82	15	475	40	29	146
Influenza (487)	–	7	3	–	2	1	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	153	184	186	44	834	74	29	259
Bronchitis, chronic and unspecified (490-491)	11	12	7	5	40	4	4	11
Emphysema (492)	28	24	34	9	154	15	10	48
Asthma (493)	6	9	7	2	25	1	2	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	108	139	138	28	615	54	13	197
Ulcer of stomach and duodenum (531-533)	13	19	13	3	72	2	5	21
Appendicitis (540-543)	1	2	1	1	–	–	1	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	11	13	3	53	7	2	19
Chronic liver disease and cirrhosis (571)	64	71	65	12	273	13	20	62
Cholelithiasis and other disorders of gallbladder (574-575)	4	5	5	3	36	3	2	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	69	30	6	164	17	19	53
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	3	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	4	2	1	23	4	2	9
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	65	28	5	138	13	16	44
Infections of kidney (590)	–	10	–	–	16	–	2	6
Hyperplasia of prostate (600)	–	2	1	–	3	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	23	35	28	11	81	9	3	42
Certain conditions originating in the perinatal period (760-779)	21	44	46	16	137	10	10	47
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	24	3	34	2	3	26
Other conditions originating in the perinatal period (760-766,770-779)	15	38	22	13	103	8	7	*21
Symptoms, signs, and ill-defined conditions (780-799)	32	40	27	28	872	14	76	39
All other diseases (Residual)	222	413	211	73	1,500	129	77	376
Accidents and adverse effects (E800-E949)	205	201	183	78	760	73	53	286
Motor vehicle accidents (E810-E825)	114	100	98	47	423	30	24	150
All other accidents and adverse effects (E800-E807,E826-E949)	91	101	84	31	337	43	29	106
Suicide (E950-E959)	52	64	64	23	275	25	17	93
Homicide and legal intervention (E960-E978)	51	18	40	8	153	5	15	41
All other external causes (E980-E999)	3	3	13	1	16	1	–	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,737	2,516	4,758	5,806	1,068	1,291	3,337	2,706	490
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	–	1	3	–
Tuberculosis (010-018)	2	–	7	3	4	–	–	1	2
Tuberculosis of respiratory system (010-012)	1	–	6	3	4	–	–	1	2
Other tuberculosis (013-018)	1	–	1	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	2	2	–	1	–	–	–
Septicemia (038)	9	20	36	35	14	6	14	17	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	2	5	2	–	1	–	1	–
Syphilis (090-097)	–	–	–	1	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	8	8	18	13	3	1	4	5	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	362	575	1,031	1,329	225	279	744	653	109
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	12	23	16	1	3	13	9	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	87	151	231	294	53	53	251	170	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	105	140	289	450	62	75	168	172	29
Malignant neoplasm of breast (174-175)	24	51	82	108	17	22	66	60	7
Malignant neoplasms of genital organs (179-187)	45	78	119	133	27	31	79	72	12
Malignant neoplasms of urinary organs (188-189)	15	23	43	49	2	7	38	30	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39	77	133	179	38	56	81	84	14
Leukemia (204-208)	12	23	36	39	9	17	19	28	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	20	65	61	16	15	29	28	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	7	30	16	2	4	9	9	1
Diabetes mellitus (250)	25	62	72	60	29	18	64	48	5
Nutritional deficiencies (260-269)	1	3	19	6	–	1	5	4	–
Anemias (280-285)	3	8	14	7	3	2	5	3	1
Meningitis (320-322)	–	–	2	1	1	2	1	–	2
Major cardiovascular diseases (390-448)	835	1,211	1,926	2,749	477	633	1,799	1,174	228
Diseases of heart (390-398,402,404-429)	630	1,009	1,464	2,113	362	502	1,417	885	178
Rheumatic fever and rheumatic heart disease (390-398)	5	6	20	13	1	5	12	10	–
Hypertensive heart disease (402)	25	53	45	47	9	13	25	22	5
Hypertensive heart and renal disease (404)	3	7	3	3	3	1	9	2	–
Ischemic heart disease (410-414)	493	693	1,048	1,574	220	309	1,101	654	127
Acute myocardial infarction (410)	188	283	485	787	147	206	546	310	75
Other acute and subacute forms of ischemic heart disease (411)	–	52	5	22	1	–	10	3	1
Angina pectoris (413)	3	1	2	1	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	242	297	576	784	72	103	545	341	51
Other diseases of endocardium (424)	12	9	13	19	3	15	18	17	1
All other forms of heart disease (415-423,425-429)	152	299	335	457	126	159	252	180	45
Hypertension with or without renal disease (401,403)	3	8	8	16	7	4	15	8	2
Cerebrovascular diseases (430-438)	144	145	281	504	92	104	275	214	38
Intracerebral and other intracranial hemorrhage (431-432)	21	22	34	53	20	10	38	21	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	23	30	60	15	18	51	29	5
Cerebral embolism (434.1)	2	–	3	3	–	1	–	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	102	100	224	388	57	75	186	162	29
Atherosclerosis (440)	38	14	108	49	12	14	47	22	6
Other diseases of arteries, arterioles, and capillaries (441-448)	20	35	56	67	4	9	45	45	4
Acute bronchitis and bronchiolitis (466)	–	–	2	2	–	–	2	–	–
Pneumonia and influenza (480-487)	56	66	189	165	24	26	83	96	14
Pneumonia (480-486)	55	65	187	164	24	26	82	94	14
Influenza (487)	1	–	2	1	–	–	1	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78	96	276	222	35	31	139	108	20
Bronchitis, chronic and unspecified (490-491)	8	2	8	5	1	–	5	6	1
Emphysema (492)	6	22	53	63	5	6	33	27	2
Asthma (493)	1	1	29	12	4	2	4	5	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65	71	186	142	25	23	97	70	15
Ulcer of stomach and duodenum (531-533)	9	9	15	24	4	1	11	10	2
Appendicitis (540-543)	1	–	2	1	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	11	8	14	4	5	11	12	2
Chronic liver disease and cirrhosis (571)	16	44	80	51	11	9	39	57	2
Cholelithiasis and other disorders of gallbladder (574-575)	3	8	7	16	2	–	8	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	20	43	64	15	10	16	24	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	–	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	2	1	8	–	1	–	6	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	18	42	55	15	9	14	18	1
Infections of kidney (590)	4	–	8	7	2	1	7	2	–
Hyperplasia of prostate (600)	–	–	3	1	–	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	1	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	2	1	–	–	–	–	–
Congenital anomalies (740-759)	6	11	36	47	7	13	17	16	4
Certain conditions originating in the perinatal period (760-779)	15	28	46	67	16	19	23	31	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	5	16	22	4	5	5	9	–
Other conditions originating in the perinatal period (760-766,770-779)	8	23	30	45	12	14	18	22	1
Symptoms, signs, and ill-defined conditions (780-799)	24	17	62	71	28	27	10	6	3
All other diseases (Residual)	133	167	386	389	65	76	163	205	37
Accidents and adverse effects (E800-E949)	81	100	266	360	68	86	125	137	35
Motor vehicle accidents (E810-E825)	33	49	159	189	38	46	62	81	17
All other accidents and adverse effects (E800-E807,E826-E949)	48	51	107	171	30	40	63	56	18
Suicide (E950-E959)	26	22	110	98	15	16	32	46	11
Homicide and legal intervention (E960-E978)	7	19	42	58	12	22	8	25	6
All other external causes (E980-E999)	3	1	5	4	2	–	1	7	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Porterville, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,271	2,206	1,752	21,172	998	851	6,170	1,998	3,320
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	5	–	–	–	–	–
Tuberculosis (010-018)	1	2	4	27	–	–	7	1	3
Tuberculosis of respiratory system (010-012)	1	2	2	19	–	–	4	1	1
Other tuberculosis (013-018)	–	–	2	8	–	–	3	–	2
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	2	–	–	2	–	1
Septicemia (038)	8	12	11	245	3	3	41	19	26
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	3	10	–	–	4	–	1
Syphilis (090-097)	–	–	–	2	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	7	4	117	2	3	21	1	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	254	479	377	5,285	234	205	2,036	458	717
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	7	7	128	3	4	40	3	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	72	126	85	1,380	65	55	535	120	184
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	73	147	107	1,310	56	37	591	140	204
Malignant neoplasm of breast (174-175)	23	35	28	559	31	17	163	41	64
Malignant neoplasms of genital organs (179-187)	30	47	38	514	24	31	232	48	82
Malignant neoplasms of urinary organs (188-189)	8	20	14	190	16	8	76	14	24
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	43	75	716	16	23	207	51	66
Leukemia (204-208)	7	19	6	200	9	19	82	18	38
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	35	17	266	14	11	108	23	47
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	11	5	98	3	4	24	6	7
Diabetes mellitus (250)	21	37	31	343	16	17	107	37	60
Nutritional deficiencies (260-269)	4	7	2	20	2	–	6	1	6
Anemias (280-285)	1	4	3	40	1	2	19	–	6
Meningitis (320-322)	–	1	5	15	1	–	6	1	3
Major cardiovascular diseases (390-448)	651	952	851	8,768	493	428	4,070	1,052	1,552
Diseases of heart (390-398,402,404-429)	535	721	671	6,880	358	342	3,182	844	1,219
Rheumatic fever and rheumatic heart disease (390-398)	2	9	–	57	3	2	51	9	10
Hypertensive heart disease (402)	16	23	11	382	2	5	83	12	30
Hypertensive heart and renal disease (404)	6	2	–	43	2	–	13	–	–
Ischemic heart disease (410-414)	320	560	484	3,506	284	267	2,313	659	882
Acute myocardial infarction (410)	191	245	338	1,662	145	124	1,107	343	495
Other acute and subacute forms of ischemic heart disease (411)	2	4	3	45	–	–	7	2	2
Angina pectoris (413)	1	–	1	3	–	–	2	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	126	311	152	1,796	139	143	1,197	313	384
Other diseases of endocardium (424)	7	9	9	73	5	10	38	10	20
All other forms of heart disease (415-423,425-429)	182	118	163	2,819	60	58	674	154	277
Hypertension with or without renal disease (401,403)	8	13	4	65	8	3	36	4	13
Cerebrovascular diseases (430-438)	77	175	148	1,357	95	65	671	161	249
Intracerebral and other intracranial hemorrhage (431-432)	7	23	6	209	7	6	83	23	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	24	22	205	11	12	177	18	63
Cerebral embolism (434.1)	1	–	1	7	–	–	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	54	128	117	936	77	47	401	119	161
Atherosclerosis (440)	10	22	15	262	20	9	81	20	42
Other diseases of arteries, arterioles, and capillaries (441-448)	21	21	13	204	14	9	100	23	29
Acute bronchitis and bronchiolitis (466)	2	1	1	5	–	–	2	–	1
Pneumonia and influenza (480-487)	31	85	57	517	28	20	156	42	79
Pneumonia (480-486)	30	84	55	511	25	20	156	40	76
Influenza (487)	1	1	2	6	1	–	–	2	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	101	50	641	44	28	254	63	148
Bronchitis, chronic and unspecified (490-491)	2	1	2	27	4	1	16	10	6
Emphysema (492)	2	22	7	137	10	8	53	9	27
Asthma (493)	1	2	6	52	4	1	14	1	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	76	35	425	26	18	171	43	106
Ulcer of stomach and duodenum (531-533)	4	10	10	61	5	3	24	11	11
Appendicitis (540-543)	–	–	–	5	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	12	4	55	5	2	15	5	14
Chronic liver disease and cirrhosis (571)	19	43	20	408	5	11	108	17	31
Cholelithiasis and other disorders of gallbladder (574-575)	–	3	5	24	2	–	9	8	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	20	19	260	9	7	59	22	51
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	1	4	–	–	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	5	5	18	–	1	13	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	15	13	238	9	6	46	17	47
Infections of kidney (590)	–	4	–	16	2	–	2	3	5
Hyperplasia of prostate (600)	–	–	–	2	1	1	2	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	3	–	–	–	1	2
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	3	–	–	–	1	1
Congenital anomalies (740-759)	7	27	4	188	8	9	34	7	34
Certain conditions originating in the perinatal period (760-779)	21	17	17	345	10	5	52	13	36
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	9	4	87	2	1	12	3	6
Other conditions originating in the perinatal period (760-766,770-779)	14	8	13	258	8	4	40	10	30
Symptoms, signs, and ill-defined conditions (780-799)	8	18	22	293	7	3	49	16	34
All other diseases (Residual)	104	138	122	1,715	70	44	503	119	240
Accidents and adverse effects (E800-E949)	58	146	92	937	29	39	303	63	162
Motor vehicle accidents (E810-E825)	37	79	55	450	13	21	170	23	89
All other accidents and adverse effects (E800-E807,E826-E949)	21	67	37	487	16	18	133	40	73
Suicide (E950-E959)	14	32	19	330	17	11	143	21	41
Homicide and legal intervention (E960-E978)	8	33	14	297	2	5	110	6	18
All other external causes (E980-E999)	–	1	–	113	1	1	3	5	15

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex.	Williamsport, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester-Fitchburg-Leominster, Mass.	Yakima, Wash.	York, Pa.	Youngstown-Warren, Ohio	Yuba City, Calif.
All causes	1,270	1,156	4,319	1,280	6,314	1,558	3,324	5,207	869
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	6	1	4	1	3	1	1
Tuberculosis of respiratory system (010-012)	3	–	4	1	3	1	2	1	1
Other tuberculosis (013-018)	–	–	2	–	1	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	1	–	–	–	–
Septicemia (038)	12	10	32	11	74	4	23	52	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	2	–	6	–	2	1	–
Syphilis (090-097)	–	–	–	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	1	12	–	13	4	7	8	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	273	267	1,098	329	1,498	317	792	1,172	187
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	4	19	7	18	7	20	15	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	65	69	273	77	419	68	219	337	50
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	82	74	339	107	360	94	181	279	55
Malignant neoplasm of breast (174-175)	23	21	94	24	137	30	68	108	12
Malignant neoplasms of genital organs (179-187)	27	26	112	23	168	46	86	128	15
Malignant neoplasms of urinary organs (188-189)	5	10	39	12	54	11	30	59	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	49	36	119	48	197	38	95	142	25
Leukemia (204-208)	10	12	45	15	53	8	46	45	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	15	64	16	82	15	47	59	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	4	20	7	25	5	9	15	5
Diabetes mellitus (250)	23	27	118	15	85	24	74	147	17
Nutritional deficiencies (260-269)	1	2	4	–	4	5	5	16	2
Anemias (280-285)	3	4	6	5	12	4	5	13	1
Meningitis (320-322)	1	–	1	–	–	3	2	2	–
Major cardiovascular diseases (390-448)	610	601	2,031	597	3,055	732	1,677	2,744	390
Diseases of heart (390-398,402,404-429)	483	480	1,672	455	2,485	551	1,367	2,156	275
Rheumatic fever and rheumatic heart disease (390-398)	1	6	18	2	22	9	9	19	4
Hypertensive heart disease (402)	9	12	91	7	31	7	33	44	4
Hypertensive heart and renal disease (404)	3	6	6	3	3	–	6	11	–
Ischemic heart disease (410-414)	278	286	890	305	1,896	423	867	1,608	194
Acute myocardial infarction (410)	158	179	498	196	867	203	596	972	109
Other acute and subacute forms of ischemic heart disease (411)	1	–	14	–	–	1	7	16	–
Angina pectoris (413)	1	–	3	–	3	–	1	3	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	107	385	109	1,026	219	263	617	85
Other diseases of endocardium (424)	3	9	19	4	31	6	16	22	7
All other forms of heart disease (415-423,425-429)	189	161	648	134	492	106	436	452	68
Hypertension with or without renal disease (401,403)	3	3	13	4	31	6	9	26	3
Cerebrovascular diseases (430-438)	109	92	237	117	406	141	218	406	86
Intracerebral and other intracranial hemorrhage (431-432)	16	7	48	14	56	13	32	56	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	18	32	29	70	27	48	59	20
Cerebral embolism (434.1)	–	–	3	–	2	–	1	6	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	75	69	154	74	278	101	137	283	53
Atherosclerosis (440)	8	13	50	11	87	20	38	87	8
Other diseases of arteries, arterioles, and capillaries (441-448)	7	13	59	10	66	14	45	69	20
Acute bronchitis and bronchiolitis (466)	1	1	–	–	4	4	4	–	1
Pneumonia and influenza (480-487)	27	16	89	21	248	57	71	113	28
Pneumonia (480-486)	22	16	88	21	245	53	69	111	26
Influenza (487)	5	–	–	–	3	4	2	2	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	37	48	137	37	178	85	108	135	48
Bronchitis, chronic and unspecified (490-491)	5	4	8	3	9	4	11	5	2
Emphysema (492)	11	7	36	8	28	18	17	25	10
Asthma (493)	1	6	4	2	12	3	3	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	20	31	89	24	127	60	77	102	35
Ulcer of stomach and duodenum (531-533)	2	1	5	1	21	1	10	11	5
Appendicitis (540-543)	1	–	2	–	2	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	2	8	4	14	7	14	13	2
Chronic liver disease and cirrhosis (571)	10	8	65	15	75	22	23	68	14
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	5	1	15	3	3	7	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	11	65	17	70	17	36	68	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	1	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	5	2	4	1	3	10	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	11	59	15	66	15	33	57	5
Infections of kidney (590)	2	1	–	3	7	1	2	5	–
Hyperplasia of prostate (600)	–	–	–	–	3	1	2	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-639)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–	–
Congenital anomalies (740-759)	14	6	34	6	34	7	13	21	4
Certain conditions originating in the perinatal period (760-779)	12	4	44	10	28	12	24	40	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	8	1	8	8	7	8	1
Other conditions originating in the perinatal period (760-766,770-779)	9	2	36	9	20	4	17	32	5
Symptoms, signs, and ill-defined conditions (780-799)	23	8	29	9	51	9	16	26	3
All other diseases (Residual)	76	59	249	90	470	93	205	281	80
Accidents and adverse effects (E800-E949)	67	53	162	70	251	92	131	142	45
Motor vehicle accidents (E810-E825)	33	28	93	33	115	51	70	67	28
All other accidents and adverse effects (E800-E807,E826-E949)	34	25	69	37	136	41	61	75	17
Suicide (E950-E959)	24	18	68	18	48	32	47	63	11
Homicide and legal intervention (E960-E978)	17	3	22	13	23	13	12	43	6
All other external causes (E980-E999)	4	–	4	–	7	–	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	2,039,369	1,729	105	22,666	453,492	118,616	123,699	39,722	48,955	18,600	17,080	88,820	35,787	973,418	765,114	6,912	23,587	541,288	193,347
Urban places	1,166,667	1,137	61	14,125	259,679	67,893	70,598	23,377	27,661	10,460	9,460	50,210	20,704	553,929	436,903	4,111	15,226	308,163	109,403
Balance of area	872,502	592	44	8,541	193,813	49,723	53,101	16,345	21,294	8,120	7,620	38,610	15,083	419,489	328,211	2,801	8,341	233,125	83,944
Metropolitan counties	1,483,786	1,302	80	17,444	338,907	87,335	91,723	30,556	35,583	13,644	12,455	65,601	26,079	700,586	554,832	5,353	18,438	392,368	138,673
Urban places	1,047,555	1,044	59	12,980	234,530	61,552	63,650	21,251	24,774	8,432	8,498	45,373	18,581	494,941	392,367	3,759	14,026	276,563	98,019
Balance of area	436,231	258	21	4,464	102,377	25,783	28,073	9,305	10,819	4,212	3,957	20,228	7,498	205,645	162,465	1,594	4,412	115,805	40,654
Nonmetropolitan counties	555,583	427	25	5,222	116,585	29,281	31,976	9,166	13,382	4,956	4,625	23,219	9,708	272,832	210,282	1,559	5,129	148,920	54,674
Urban places	119,312	93	2	1,145	25,149	6,341	6,948	2,126	2,887	1,048	962	4,837	2,123	58,988	44,536	352	1,200	31,800	11,384
Balance of area	436,271	334	23	4,077	91,436	22,940	25,028	7,040	10,475	3,908	3,663	18,382	7,585	213,844	165,746	1,207	3,929	117,320	43,290
Alabama	36,536	62	1	371	7,840	1,788	2,250	621	939	279	311	1,652	663	16,786	12,693	58	471	8,282	3,902
Urban places	16,215	32	–	178	3,591	844	1,034	294	428	132	121	738	337	7,402	5,457	25	250	3,417	1,765
Balance of area	20,321	30	1	193	4,249	944	1,216	327	511	147	190	914	326	9,384	7,236	33	221	4,845	2,137
Metropolitan counties	22,094	43	1	230	4,935	1,143	1,448	407	590	177	187	983	419	10,022	7,820	38	314	4,856	2,411
Urban places	12,957	29	–	138	2,908	696	840	248	351	111	80	572	282	5,684	4,371	21	210	2,708	1,432
Balance of area	9,137	14	1	92	2,027	447	608	159	239	66	97	411	137	4,138	3,249	18	104	2,148	979
Nonmetropolitan counties	14,442	19	–	141	2,905	645	802	214	349	102	124	669	244	6,764	5,073	19	157	3,406	1,491
Urban places	3,258	3	–	40	683	149	194	46	77	21	31	166	55	1,519	1,088	4	40	709	333
Balance of area	11,184	16	–	101	2,222	497	608	168	272	81	93	503	189	5,246	3,987	15	117	2,697	1,158
Autauga	282	2	–	7	59	13	19	4	2	2	1	18	4	142	100	–	6	70	24
Prattville, part	159	–	–	1	28	5	9	2	–	2	1	9	–	84	61	–	4	43	14
Prattville, total	159	–	–	1	28	5	9	2	–	2	1	9	–	84	61	–	4	43	14
Balance of county	123	2	–	6	31	8	10	2	2	–	–	9	4	58	39	–	2	27	10
Baldwin	819	1	–	9	184	44	71	11	23	10	6	19	14	387	324	2	9	204	109
Barbour	258	–	–	3	49	10	15	4	6	2	1	11	4	100	85	1	3	34	27
Eufaula	101	–	–	2	18	1	8	1	2	1	1	4	3	41	27	–	–	12	15
Balance of county	155	–	–	1	31	9	7	3	4	1	–	7	1	59	38	1	3	22	12
Bibb	170	–	–	–	31	8	7	1	3	–	1	11	5	83	76	1	2	60	13
Blount	318	1	–	1	63	15	18	6	6	3	1	14	7	145	103	–	1	80	22
Bullock	118	–	–	–	25	7	6	1	2	–	–	9	1	71	52	–	3	37	12
Butler	225	1	–	–	43	11	8	4	2	–	3	15	2	111	85	–	2	34	49
Calhoun	1,046	1	–	10	236	29	64	20	34	7	11	71	20	536	412	2	10	228	172
Anniston	437	1	–	3	88	16	23	6	9	2	3	27	13	226	168	1	5	88	74
Balance of county	609	–	–	7	150	13	41	14	25	5	8	44	7	310	244	1	5	140	98
Chambers	405	–	–	7	81	12	23	6	16	4	2	18	8	182	132	1	4	92	35
Cherokee	189	–	–	2	30	5	14	4	–	1	1	5	1	109	85	1	–	65	19
Chilton	329	–	–	4	81	26	21	5	7	1	2	19	3	163	123	–	3	88	34
Choctaw	151	–	–	1	32	7	6	3	1	3	4	8	3	80	69	–	4	35	30
Clarke	283	–	–	4	65	13	15	5	10	1	5	16	10	122	103	1	3	75	24
Clay	159	2	–	1	26	8	9	2	1	2	–	6	3	49	39	1	2	28	8
Cleburne	106	–	–	2	18	1	6	1	4	–	–	6	–	53	41	–	4	19	18
Coffee	348	–	–	6	71	16	23	2	11	4	2	13	7	170	137	1	6	90	40
Enterprise, part	150	–	–	9	41	9	14	2	5	3	1	7	4	67	51	–	4	31	16
Enterprise, total	152	–	–	3	42	10	14	2	5	3	1	7	4	68	51	–	4	31	16
Balance of county	196	–	–	3	30	7	9	–	6	1	1	6	3	103	86	1	2	59	24
Colbert	466	1	–	4	102	20	29	9	15	2	3	24	2	205	155	1	3	129	22
Sheffield	140	–	–	1	38	9	10	3	5	1	1	7	–	60	46	–	1	34	11
Balance of county	326	1	–	3	66	11	19	6	10	1	2	17	2	145	109	1	2	95	11
Conecuh	151	1	–	1	20	2	5	2	3	1	2	5	3	79	62	–	1	50	11
Coosa	113	–	–	–	20	1	6	3	1	1	–	8	1	43	30	–	–	23	7
Covington	423	1	–	9	86	25	26	7	6	4	3	15	5	188	113	–	–	73	40
Andalusia	107	–	–	2	24	9	7	2	–	1	1	4	1	43	29	–	–	22	7
Balance of county	316	1	–	7	62	16	19	5	6	3	2	11	4	125	84	–	–	51	33
Crenshaw	157	–	–	2	34	10	6	–	9	2	–	7	4	72	52	–	–	37	15
Cullman	631	1	–	5	156	34	47	14	19	4	2	36	10	276	206	1	–	145	60
Cullman	182	1	–	3	48	12	14	3	7	–	–	12	3	83	59	1	–	41	17
Balance of county	449	–	–	2	108	22	33	11	12	4	2	24	7	193	147	–	–	104	43
Dale	301	–	–	2	56	13	18	2	4	3	5	11	5	153	117	–	2	70	45
Dothan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enterprise, part	2	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Ozark	133	–	–	–	25	5	11	1	2	–	3	3	1	88	48	–	1	27	20
Balance of county	166	–	–	2	30	7	7	1	2	3	2	8	4	84	69	–	1	43	25
Dallas	565	4	–	12	122	29	26	12	13	4	2	36	2	246	157	–	10	85	62
Selma	349	1	–	9	72	20	12	5	9	2	–	24	2	149	94	–	8	53	33
Balance of county	216	3	–	3	50	9	14	7	4	2	2	12	–	97	63	–	2	32	29
De Kalb	556	–	–	5	103	20	35	5	14	1	6	22	9	269	203	1	5	135	62
Fort Payne	125	–	–	2	22	3	9	1	2	1	1	5	3	63	42	1	–	32	9
Balance of county	431	–	–	3	81	17	26	4	12	–	5	17	6	206	161	–	5	103	53
Elmore	383	–	–	2	75	15	25	7	11	–	9	8	3	206	157	–	4	106	47
Prattville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	383	–	–	2	75	15	25	7	11	–	9	8	3	206	157	–	4	106	47
Escambia	340	1	–	1	68	21	25	4	6	1	2	9	15	155	116	2	2	70	42
Etowah	1,057	–	–	16	211	55	66	7	12	7	8	56	17	562	451	4	8	330	109
Gadsden	663	–	–	13	127	34	45	3	6	3	5	29	14	356	293	1	4	214	74
Balance of county	394	–	–	3	84	21	21	4	4	4	3	27	3	206	158	3	4	116	35
Fayette	216	–	–	2	50	14	11	5	9	1	1	9	2	111	70	1	3	48	18
Franklin	343	–	–	–	62	15	15	5	4	4	2	17	4	183	139	1	3	108	27
Geneva	281	–	–	3	58	8	16	6	7	2	6	13	9	135	104	–	5	66	33
Greene	120	–	–	2	21	3	5	3	3	1	3	3	3	48	33	–	5	12	16
Hale	190	–	–	3	39	9	11	2	5	1	4	7	–	100	70	–	–	42	28
Henry	161	–	–	–	36	11	9	2	7	1	–	6	5	69	45	–	1	31	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
United States	7,774	154,327	24,462	21,741	58,884	68,100	6,570	27,317	20,126	285	13,039	18,881	29,721	163,227	46,263	46,848	29,286	19,796	3,019
Urban places	4,693	86,682	13,489	12,162	34,772	38,817	3,901	17,978	11,400	191	7,526	12,004	16,042	95,982	20,673	25,319	16,204	14,394	2,029
Balance of area	3,081	67,645	10,973	9,579	24,122	30,283	2,669	9,339	8,726	94	5,513	6,877	13,679	67,245	25,590	21,329	13,082	5,402	990
Metropolitan counties	5,681	107,647	16,755	15,671	42,469	49,816	4,812	22,010	14,226	215	9,781	14,777	19,479	119,728	30,874	32,300	21,874	16,487	2,440
Urban places	4,153	75,899	11,745	10,777	31,101	34,546	3,522	16,866	10,218	173	6,843	11,039	13,899	86,041	18,417	22,629	14,727	13,687	1,912
Balance of area	1,528	31,748	5,010	4,894	11,388	15,270	1,290	5,344	4,008	42	2,938	3,738	5,580	33,687	12,557	9,671	7,147	2,800	528
Nonmetropolitan counties	2,093	46,680	7,707	6,070	16,425	19,284	1,758	5,307	5,900	70	3,258	4,104	10,242	43,499	15,289	14,348	7,412	3,309	579
Urban places	540	10,783	1,744	1,385	3,671	4,271	379	1,312	1,182	18	683	965	2,143	9,941	2,256	2,690	1,477	707	117
Balance of area	1,553	35,897	5,963	4,685	12,754	15,013	1,379	3,995	4,718	52	2,575	3,139	8,099	33,558	13,033	11,658	5,935	2,602	462
Alabama	213	3,223	322	335	788	1,224	105	378	408	9	227	397	1,294	3,020	1,035	960	466	427	74
Urban places	134	1,510	153	148	331	524	59	198	165	6	104	198	507	1,418	314	399	194	231	27
Balance of area	79	1,713	169	187	457	700	46	181	243	3	123	199	787	1,602	721	561	272	196	47
Metropolitan counties	143	1,864	198	197	476	753	75	250	216	4	147	236	635	1,871	551	595	308	284	43
Urban places	108	1,160	129	116	280	412	55	160	130	4	78	159	349	1,152	256	321	161	197	22
Balance of area	35	704	69	81	216	341	20	90	86	-	69	77	286	719	295	274	147	87	21
Nonmetropolitan counties	70	1,359	124	138	312	471	30	128	192	5	80	161	659	1,149	484	365	158	143	31
Urban places	26	350	24	32	71	112	4	38	35	2	26	39	158	266	58	78	33	34	5
Balance of area	44	1,009	100	106	241	359	26	91	157	3	54	122	501	883	426	287	125	109	26
Autauga	1	36	3	2	5	10	1	4	2	-	5	6	2	21	8	6	6	2	-
Prattville, part	1	19	2	1	2	5	1	4	2	-	4	3	1	12	5	4	3	-	-
Prattville, total	1	19	2	1	2	5	1	4	2	-	4	3	1	12	5	4	3	-	-
Balance of county	-	17	1	1	3	5	-	-	-	-	1	3	1	9	3	2	3	2	-
Baldwin	3	47	5	8	8	24	4	10	7	-	11	6	7	72	29	22	15	7	2
Barbour	2	28	1	6	7	7	-	3	3	-	2	1	30	24	6	5	8	3	1
Eufaula	2	9	-	3	4	3	-	3	1	-	2	-	11	6	1	1	4	1	-
Balance of county	-	17	1	3	3	4	-	-	2	-	-	1	19	18	5	4	4	2	1
Bibb	-	5	1	1	2	6	-	2	7	-	1	3	5	13	8	3	-	1	-
Blount	1	35	3	3	8	20	-	4	2	-	1	1	5	30	13	12	2	2	1
Bullock	1	14	-	4	-	1	-	-	-	-	-	2	3	6	-	5	-	4	-
Butler	-	25	-	1	10	6	-	-	-	-	-	2	6	22	5	10	3	3	1
Calhoun	2	96	12	14	17	43	5	6	10	-	4	8	8	72	21	21	17	11	-
Anniston	2	44	5	7	8	21	2	3	6	-	-	5	4	29	8	11	7	4	-
Balance of county	-	52	7	7	9	22	3	3	4	-	4	3	4	43	13	10	10	7	-
Chambers	3	39	3	5	7	13	3	2	4	-	1	1	37	38	5	8	6	2	-
Cherokee	-	24	-	-	4	3	1	-	1	-	3	3	6	18	11	5	1	1	-
Chilton	-	35	-	5	7	9	1	5	4	-	1	4	8	17	9	5	6	2	-
Choctaw	1	9	-	1	6	2	-	1	1	-	1	-	-	9	9	4	-	1	1
Clarke	-	16	3	-	2	5	1	3	8	-	1	1	3	31	16	4	5	1	1
Clay	-	9	1	-	1	11	-	4	3	-	3	1	20	21	10	2	1	1	-
Cleburne	3	8	-	1	1	4	-	1	1	-	1	-	2	9	4	-	3	5	2
Coffee	3	25	2	3	5	17	-	1	6	-	4	2	3	29	7	8	4	2	4
Enterprise, part	2	12	2	-	2	8	-	-	1	-	4	-	2	6	3	5	1	2	1
Enterprise, total	2	13	2	-	2	8	-	-	1	-	4	-	2	6	3	5	1	2	1
Balance of county	1	13	-	3	3	9	-	1	5	-	-	2	1	23	4	3	3	-	3
Colbert	1	38	8	3	8	4	-	5	1	-	2	2	63	31	11	15	6	3	1
Sheffield	-	8	5	1	1	1	-	3	-	-	-	2	20	10	1	2	2	-	1
Balance of county	1	30	3	2	7	3	-	2	1	-	2	-	43	21	10	13	4	3	-
Conecuh	2	13	1	1	6	6	1	2	2	-	3	3	-	13	5	4	-	1	1
Coosa	-	11	1	1	4	3	-	1	2	-	-	1	17	7	7	5	-	2	-
Covington	1	46	4	4	9	21	2	5	7	-	-	2	44	34	8	13	5	2	2
Andalusia	1	11	1	1	2	4	1	1	-	-	-	-	12	11	2	3	1	-	-
Balance of county	-	35	3	3	7	17	1	4	7	-	-	2	32	23	6	10	4	2	2
Crenshaw	-	15	4	1	1	7	-	1	6	-	-	-	2	16	3	3	3	2	1
Cullman	2	50	10	8	5	31	-	1	6	-	4	7	14	58	27	14	9	3	4
Cullman	2	20	1	1	1	11	-	-	2	-	-	1	2	17	5	3	1	1	-
Balance of county	-	30	9	7	4	20	-	1	4	-	4	6	12	41	22	11	8	2	4
Dale	5	22	7	2	9	16	1	3	1	-	3	4	8	17	6	9	6	4	-
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	3	11	4	2	3	13	-	3	-	-	2	1	-	7	1	3	4	2	-
Balance of county	2	10	3	-	6	3	1	-	1	-	1	3	6	10	5	6	2	2	-
Dallas	6	71	7	5	11	20	-	3	15	-	4	10	21	59	14	11	4	7	-
Selma	3	43	6	3	6	15	-	3	12	-	3	7	9	43	6	7	2	3	-
Balance of county	3	28	1	2	5	5	-	-	3	-	1	3	12	16	8	4	2	4	-
De Kalb	-	57	6	3	5	11	-	7	8	-	2	9	35	43	19	19	8	6	-
Fort Payne	-	19	1	1	1	4	-	2	1	-	-	3	10	8	2	2	-	2	-
Balance of county	-	38	5	2	4	7	-	5	7	-	2	6	25	35	17	17	6	4	-
Elmore	5	38	4	2	9	10	-	5	4	-	4	2	12	17	9	15	5	4	1
Prattville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	5	38	4	2	9	10	-	5	4	-	4	2	12	17	9	15	5	4	1
Escambia	3	29	3	4	7	9	-	7	5	-	1	2	11	40	5	8	4	1	-
Etowah	3	93	6	9	29	37	7	14	6	-	5	7	7	61	22	26	8	18	4
Gadsden	2	50	4	7	17	21	6	11	3	-	3	5	5	39	11	13	5	13	1
Balance of county	1	43	2	2	12	16	1	3	3	-	2	2	2	22	11	13	3	5	3
Fayette	-	34	2	5	2	2	1	1	4	-	2	3	8	13	7	5	2	1	-
Franklin	2	31	6	5	11	14	2	2	2	-	2	4	11	19	11	7	5	1	3
Geneva	-	24	6	1	3	14	1	1	3	-	2	1	4	23	11	7	4	2	-
Greene	-	14	-	1	4	1	-	2	-	-	1	6	11	6	5	6	-	3	1
Hale	2	16	12	-	2	3	-	3	2	-	1	1	10	9	3	8	1	5	-
Henry	1	20	2	1	3	9	-	2	5	-	-	1	7	13	3	3	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	649	–	–	5	130	22	47	9	16	3	7	26	13	236	181	–	9	124	48
Dothan, part	438	–	–	3	90	18	31	4	11	3	7	16	9	158	124	–	7	82	35
Dothan, total	438	–	–	3	90	18	31	4	11	3	7	16	9	158	124	–	7	82	35
Balance of county	211	–	–	2	40	4	16	5	5	–	–	10	4	78	57	–	2	42	13
Jackson	449	1	–	6	93	27	24	5	10	3	5	19	9	222	179	1	1	142	29
Scottsboro	126	1	–	–	26	6	6	2	2	1	2	7	1	71	54	1	–	45	8
Balance of county	323	–	–	6	67	21	18	3	8	2	3	12	8	151	119	–	1	97	21
Jefferson	6,731	14	1	65	1,577	387	432	145	220	67	81	265	145	2,896	2,136	17	127	1,352	640
Bessemer	414	1	–	4	106	27	23	15	18	6	4	13	13	154	116	1	15	65	35
Birmingham	3,360	10	–	41	738	188	192	67	100	34	22	135	94	1,460	1,044	8	62	656	318
Fairfield	149	1	–	1	37	7	11	2	8	1	3	5	1	60	42	–	5	22	15
Homewood	184	–	–	–	48	10	19	2	6	4	1	6	–	91	63	–	3	49	11
Hoover, part	84	–	–	–	22	5	5	2	5	2	3	–	–	42	35	–	–	25	10
Hoover, total	84	–	–	–	22	5	5	2	5	2	3	–	–	42	35	–	–	25	10
Hueytown	126	–	–	1	36	10	10	2	5	–	–	9	2	55	45	1	4	32	8
Mountain Brook	138	–	–	1	44	13	8	2	9	–	3	9	2	59	43	–	3	32	8
Vestavia Hills	129	–	–	–	33	8	11	4	4	1	–	5	1	62	42	–	1	27	14
Balance of county	2,147	2	1	17	513	119	153	49	65	19	25	83	32	913	708	7	34	444	221
Lamar	160	–	–	1	33	10	7	3	4	–	–	9	–	80	62	–	–	48	14
Lauderdale	655	–	–	8	144	50	35	12	9	2	5	31	6	315	245	–	11	163	71
Florence	393	–	–	5	74	25	16	8	5	1	2	17	5	181	145	–	9	98	38
Balance of county	292	–	–	3	70	25	19	4	4	1	3	14	1	134	100	–	2	65	33
Lawrence	288	–	–	3	47	11	11	7	9	–	2	7	8	139	107	–	3	66	18
Lee	535	1	–	4	113	26	38	6	13	8	2	20	8	260	199	–	8	111	82
Auburn	134	–	–	1	32	10	3	3	2	2	1	11	1	62	44	–	1	24	19
Opelika	203	–	–	–	41	6	18	2	5	4	1	5	6	99	79	–	2	41	30
Phenix City, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	197	1	–	3	39	10	16	1	6	2	–	4	1	99	82	–	3	46	33
Limestone	382	1	–	2	68	15	21	9	10	2	4	7	7	202	148	–	2	100	46
Athens	159	–	–	1	28	5	7	3	4	2	1	6	3	86	55	–	1	36	18
Balance of county	223	1	–	1	40	10	14	6	6	–	3	1	4	116	93	–	1	64	28
Lowndes	112	–	–	1	17	5	3	1	–	1	–	7	3	40	28	1	1	17	7
Macon	280	–	–	2	47	6	16	3	11	–	2	9	3	148	106	1	13	63	29
Tuskegee	127	–	–	1	26	3	8	3	6	–	2	4	2	67	45	–	4	31	10
Balance of county	153	–	–	1	21	3	8	–	5	–	–	5	1	81	61	1	9	32	19
Madison	1,479	4	–	19	333	82	90	39	37	13	6	66	35	608	447	2	20	322	103
Huntsville	1,143	3	–	17	268	70	71	33	29	13	5	47	29	474	350	1	19	250	80
Balance of county	336	1	–	2	65	12	19	6	8	–	1	19	6	134	97	1	1	72	23
Marengo	272	–	–	3	53	9	14	4	10	3	3	10	7	130	95	1	6	58	30
Marion	259	–	–	7	46	11	8	4	3	4	–	16	7	130	104	1	3	71	29
Marshall	698	1	–	6	138	34	33	10	12	5	5	39	16	352	272	–	8	193	71
Albertville	122	–	–	1	22	7	5	1	2	–	–	7	1	69	50	–	1	35	14
Balance of county	576	1	–	5	116	27	28	9	10	5	5	32	15	283	222	–	7	158	57
Mobile	3,178	6	–	23	773	164	260	59	104	30	32	124	55	1,396	1,073	6	55	597	413
Mobile	1,949	4	–	14	462	105	158	40	54	19	17	75	34	875	670	6	38	382	244
Prichard	375	1	–	1	90	15	32	4	21	4	2	12	10	161	122	–	9	52	61
Balance of county	854	1	–	8	221	44	70	15	29	13	13	37	11	360	281	2	8	163	108
Monroe	214	1	–	–	44	11	10	3	7	3	4	6	5	101	89	–	2	61	26
Montgomery	1,756	5	–	18	390	87	119	33	34	17	6	94	39	789	599	1	22	305	271
Montgomery	1,604	4	–	18	385	80	112	32	32	17	5	87	34	721	547	1	17	280	249
Balance of county	152	1	–	–	25	7	7	1	2	–	1	7	5	68	52	–	5	25	22
Morgan	792	–	–	8	188	38	48	16	20	4	11	53	10	372	293	–	3	222	68
Decatur	380	–	–	5	88	16	21	8	8	2	8	25	7	187	141	–	3	104	34
Balance of county	412	–	–	3	100	20	27	8	12	2	3	28	3	185	152	–	–	118	34
Perry	156	–	–	1	34	7	10	4	2	1	5	5	1	67	51	–	2	40	9
Pickens	264	–	–	3	49	17	11	1	5	3	2	10	4	127	88	–	1	51	36
Pike	301	–	–	1	61	12	18	6	6	1	2	16	6	159	113	–	5	86	22
Troy	123	–	–	–	27	7	5	3	4	–	–	8	3	65	42	–	3	28	11
Balance of county	178	–	–	1	34	5	13	3	2	1	2	8	3	94	71	–	2	58	11
Randolph	236	–	–	2	47	7	12	4	9	1	3	11	2	106	76	–	–	67	9
Russell	550	1	–	4	109	24	31	5	11	4	6	28	8	294	208	–	6	165	37
Phenix City, part	382	1	–	2	77	16	25	5	5	2	5	19	7	212	143	–	2	113	28
Phenix City, total	383	1	–	2	78	16	26	5	5	2	5	19	7	212	143	–	2	113	28
Balance of county	168	–	–	2	32	8	6	–	6	2	1	9	1	82	65	–	4	52	9
St. Clair	322	–	–	4	73	10	20	4	8	–	3	28	5	150	130	–	–	94	36
Shelby	496	1	–	6	98	19	32	7	12	2	3	23	3	203	162	1	3	117	41
Hoover, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	496	1	–	6	98	19	32	7	12	2	3	23	3	203	162	1	3	117	41
Sumter	179	–	–	–	39	8	8	1	8	–	1	13	4	69	54	–	–	33	21
Talladega	705	–	–	6	143	28	45	5	18	8	5	34	12	302	213	1	6	131	75
Sylacauga	185	–	–	2	28	5	3	1	4	1	1	11	4	95	66	1	2	52	11
Talladega	215	–	–	5	46	9	14	2	5	–	2	14	3	88	59	–	1	25	33
Balance of county	305	–	–	1	71	14	28	2	9	7	2	9	5	121	88	–	3	54	31
Tallapoosa	467	–	–	4	88	19	24	5	10	4	2	24	8	271	223	–	9	146	68
Alexander City	177	–	–	2	29	6	9	3	3	–	–	6	2	113	88	–	4	59	25
Balance of county	290	–	–	2	59	11	15	2	7	4	2	18	6	158	135	–	5	87	43
Tuscaloosa	1,068	4	–	17	225	53	62	17	27	2	9	55	29	477	362	1	12	220	129
Northport	136	–	–	2	24	3	7	–	5	–	–	9	3	64	48	1	1	36	10
Tuscaloosa	618	3	–	9	137	33	38	11	16	2	6	33	14	279	202	–	6	113	83
Balance of county	314	1	–	6	64	17	19	6	6	–	3	13	12	134	112	–	5	71	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Alabama—Con.																			
Houston	2	46	3	4	13	16	1	7	5	1	4	14	96	58	22	16	5	7	-
Dothan, part	2	27	2	3	9	13	1	6	1	1	3	10	69	42	12	11	1	5	-
Dothan, total	2	27	2	3	9	13	1	6	1	1	3	10	63	42	12	11	1	5	-
Balance of county	-	19	1	1	4	3	-	1	4	-	1	4	33	16	10	5	4	2	-
Jackson	1	41	6	1	13	14	1	4	7	-	4	4	6	29	11	14	8	2	1
Scottsboro	-	15	1	1	2	5	-	1	2	-	2	-	1	5	2	4	2	-	1
Balance of county	1	26	5	-	11	9	1	3	5	-	2	4	5	24	9	10	6	2	-
Jefferson	65	581	42	72	184	230	22	90	75	1	38	80	180	641	122	164	96	103	7
Bessemer	3	30	2	3	13	15	3	4	5	-	2	10	7	46	4	10	9	7	1
Birmingham	47	310	24	35	87	91	13	54	38	1	22	49	108	325	52	69	34	71	3
Fairfield	3	13	-	2	7	9	1	1	3	-	-	-	5	16	1	3	3	4	-
Homewood	1	23	2	2	3	8	-	1	1	-	1	-	1	16	3	3	4	1	1
Hoover, part	-	6	-	1	1	-	-	-	2	-	-	-	1	12	3	1	-	-	-
Hoover, total	-	6	-	1	1	-	-	-	2	-	-	-	1	12	3	1	-	-	-
Hueytown	2	7	-	1	4	3	-	1	1	-	-	4	2	9	2	5	1	-	-
Mountain Brook	-	14	1	1	-	5	-	-	2	-	-	-	3	13	2	3	3	1	-
Vestavia Hills	1	16	2	1	2	9	2	2	-	-	1	-	3	7	1	3	1	2	-
Balance of county	8	162	11	26	67	96	3	27	23	-	12	17	50	193	54	67	41	17	2
Lamar	1	12	3	2	9	4	1	4	3	-	-	-	2	9	11	1	2	-	-
Lauderdale	1	57	8	4	11	19	2	10	1	-	4	8	11	82	22	15	7	7	3
Florence	1	30	4	1	7	6	1	7	-	-	2	3	9	36	10	7	3	5	2
Balance of county	-	27	4	3	4	13	1	3	1	-	2	5	2	26	12	8	4	2	1
Lawrence	-	29	-	3	11	9	1	2	4	1	3	1	10	18	20	7	-	6	-
Lee	4	54	-	3	16	15	1	3	2	1	3	9	12	39	15	13	10	9	1
Auburn	1	16	-	1	10	1	1	-	-	-	1	-	2	9	2	4	5	2	1
Opelika	3	21	-	2	2	4	-	2	2	1	1	6	5	19	6	3	2	4	-
Phenix City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	17	-	-	4	10	-	1	-	-	1	3	5	11	7	6	3	3	-
Limestone	-	43	8	3	9	8	1	3	5	-	1	3	2	34	13	14	6	2	1
Athens	-	24	5	2	3	2	1	-	2	-	-	-	1	19	7	5	1	1	-
Balance of county	-	19	3	1	6	6	-	3	3	-	1	3	1	16	6	9	5	1	1
Lowndes	2	12	-	-	1	2	-	-	1	-	-	1	27	8	6	4	-	1	-
Macon	6	31	4	1	8	4	-	5	4	-	1	7	3	20	8	6	2	10	-
Tuskegee	3	16	3	-	4	2	-	2	3	-	1	2	1	9	1	1	1	4	-
Balance of county	3	15	1	1	4	2	-	3	1	-	-	5	2	11	7	7	1	6	-
Madison	11	125	8	17	28	59	5	15	13	-	14	16	77	122	50	55	17	13	2
Huntsville	6	97	5	16	18	45	4	12	9	-	10	11	52	94	33	37	16	9	2
Balance of county	5	28	3	1	10	8	1	3	4	-	4	5	25	28	17	18	1	4	-
Marengo	2	28	2	3	5	7	2	4	7	-	3	7	6	16	11	9	2	-	-
Marion	1	18	2	5	8	7	-	1	4	-	1	4	2	23	9	6	3	1	-
Marshall	1	61	11	7	23	17	2	7	7	-	2	1	7	50	27	21	16	3	2
Albertville	-	14	2	3	4	1	2	3	-	-	-	-	1	5	4	4	3	1	1
Balance of county	1	47	9	4	19	16	-	4	7	-	2	1	6	45	23	17	13	2	1
Mobile	17	228	48	30	43	125	14	31	32	2	26	36	44	291	88	76	53	55	9
Mobile	12	143	33	17	23	78	10	19	20	2	11	22	20	200	40	47	33	31	4
Prichard	2	28	9	2	5	16	1	4	5	-	3	3	7	32	13	7	4	12	-
Balance of county	3	59	6	11	15	31	3	8	7	-	12	11	17	59	35	22	16	12	5
Monroe	1	10	1	-	5	4	1	-	4	-	2	4	8	23	7	2	1	2	-
Montgomery	20	153	8	9	27	53	5	17	15	1	11	27	78	145	32	60	18	25	1
Montgomery	17	140	8	9	26	48	5	15	15	1	10	23	66	129	27	57	17	22	1
Balance of county	3	13	-	-	1	5	-	2	-	-	1	4	12	16	5	3	1	3	-
Morgan	1	66	3	9	16	39	2	8	11	-	6	5	11	44	20	28	15	6	3
Decatur	1	41	1	3	6	13	1	5	4	-	4	3	5	23	8	12	5	2	2
Balance of county	-	25	2	6	10	26	1	3	7	-	2	2	6	21	12	16	10	4	1
Perry	2	10	2	2	6	6	-	1	4	-	-	3	9	13	2	5	-	4	-
Pickens	-	35	2	2	9	3	1	-	6	-	1	4	25	15	11	2	2	1	1
Pike	-	38	2	6	3	9	-	4	2	-	2	4	1	22	10	10	2	5	-
Troy	-	19	-	4	3	1	-	2	1	-	1	-	-	14	-	5	-	1	-
Balance of county	-	19	2	2	-	8	-	2	1	-	1	4	1	8	10	5	2	4	-
Randolph	-	25	2	3	8	6	-	4	4	-	-	2	6	20	13	8	3	5	-
Russell	2	74	8	2	10	11	-	8	7	-	3	6	18	38	13	11	4	6	1
Phenix City, part	1	60	6	2	7	6	-	5	5	-	3	6	7	22	8	8	1	4	1
Phenix City, total	1	60	6	2	7	6	-	5	5	-	3	6	7	22	8	8	1	4	1
Balance of county	1	14	2	-	3	5	-	3	2	-	-	-	11	14	5	3	3	2	-
St. Clair	-	14	4	2	9	14	-	3	4	-	-	4	4	25	5	11	5	6	-
Shelby	1	36	2	2	13	26	-	6	4	-	7	6	40	41	13	17	6	6	-
Hoover, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	36	2	2	13	26	-	6	4	-	7	6	40	41	13	17	6	6	-
Sumter	-	13	1	1	2	6	-	-	4	-	1	1	18	25	6	1	2	1	-
Talladega	2	76	2	9	14	23	-	10	3	-	3	8	68	58	22	18	7	8	-
Sylacauga	2	25	-	2	4	5	-	-	-	-	1	3	22	12	1	4	3	3	-
Talladega	-	24	1	2	7	6	-	5	3	-	1	2	13	24	4	7	1	2	-
Balance of county	-	27	1	5	3	12	-	5	-	-	1	3	31	22	17	7	3	3	-
Tallapoosa	1	43	1	3	14	11	2	3	3	1	1	3	4	32	12	6	1	3	-
Alexander City	1	20	1	3	5	4	-	3	2	-	-	1	-	11	2	3	-	-	-
Balance of county	-	23	-	-	9	7	2	-	1	1	1	2	4	21	10	3	1	3	-
Tuscaloosa	7	92	12	4	24	35	4	11	15	-	7	18	28	79	38	30	15	12	2
Northport	2	11	3	-	3	5	1	2	1	-	-	-	5	16	4	4	1	1	-
Tuscaloosa	4	64	7	2	14	18	1	6	10	-	6	12	11	47	17	17	8	8	1
Balance of county	1	17	2	2	7	12	2	3	4	-	1	4	12	16	17	9	6	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	716	1	–	10	140	42	39	9	9	5	9	27	11	302	239	–	8	161	70
Jasper	123	–	–	2	20	5	5	1	1	1	1	6	2	53	41	–	–	28	15
Balance of county	593	1	–	8	120	37	34	8	8	4	8	21	9	249	198	–	8	135	55
Washington	160	1	–	3	20	6	4	2	2	–	2	4	2	92	69	–	1	54	14
Wilcox	149	2	–	–	22	6	3	3	5	1	–	4	–	66	44	–	2	28	16
Winston	202	1	–	1	45	9	9	6	2	2	6	11	3	102	80	–	10	39	31
Alaska	1,929	4	–	13	390	79	122	30	33	11	15	100	23	503	384	1	7	266	110
Urban places	1,007	–	–	6	213	46	72	20	16	3	10	46	11	263	203	1	4	139	59
Balance of area	922	4	–	7	177	33	50	10	17	8	5	54	12	240	181	–	3	127	51
Metropolitan census areas [1]	704	–	–	3	138	32	42	12	12	2	8	30	8	171	136	1	2	96	37
Urban places	704	–	–	3	138	32	42	12	12	2	8	30	8	171	136	1	2	96	37
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1,225	4	–	10	252	47	80	18	21	9	7	70	15	332	248	–	5	170	73
Urban places	303	–	–	3	75	14	30	8	4	1	2	18	3	92	67	–	2	43	22
Balance of area	922	4	–	7	177	33	50	10	17	8	5	54	12	240	181	–	3	127	51
Aleutian Islands	28	–	–	–	4	1	2	–	–	–	–	1	1	8	7	–	–	5	2
Anchorage, coext. with Anchorage city	704	–	–	3	138	32	42	12	12	2	8	30	8	171	136	1	2	96	37
Bethel	95	1	–	1	14	2	4	2	–	–	–	6	–	16	12	–	1	7	4
Bristol Bay borough	5	–	–	–	1	–	–	–	–	–	–	1	–	3	1	–	–	–	1
Dillingham	23	–	–	–	5	2	2	–	–	–	–	1	–	3	3	–	–	3	–
Fairbanks North Star borough	239	–	–	3	57	8	23	7	4	1	1	13	2	70	54	–	1	34	19
Fairbanks	215	–	–	2	53	8	21	7	4	–	1	12	2	61	46	–	1	28	17
Balance of area	24	–	–	1	4	–	2	–	–	1	–	1	–	9	8	–	–	6	2
Haines borough	9	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Juneau, coext. with Juneau city	88	–	–	1	22	6	9	1	–	1	1	4	1	31	21	–	1	15	5
Kenai Peninsula borough	127	–	–	–	33	4	8	3	6	2	2	8	1	42	31	–	–	25	6
Ketchikan Gateway borough	74	–	–	–	16	4	4	2	3	–	–	3	3	29	19	–	–	13	6
Kobuk	28	–	–	1	9	2	2	–	–	–	–	5	–	4	3	–	–	2	1
Kodiak Island borough	52	–	–	1	7	1	2	–	–	–	–	4	1	10	8	–	–	6	–
Matanuska-Susitna borough	113	1	–	2	30	6	11	–	4	1	2	6	4	30	24	–	1	16	5
Nome	48	–	–	1	8	–	3	–	–	–	–	5	–	9	8	–	–	5	3
North Slope borough	24	–	–	–	6	2	1	2	–	–	–	1	–	5	2	–	–	1	1
Prince of Wales-Outer Ketchikan	15	–	–	–	2	–	1	–	–	–	–	1	–	1	1	–	–	–	1
Sitka borough	50	–	–	–	10	1	3	1	3	–	–	2	–	18	14	–	1	9	4
Skagway-Yakutat-Angoon	16	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	4	2
Southeast Fairbanks	25	–	–	–	2	–	–	–	–	2	–	–	–	7	6	–	–	3	3
Valdez-Cordova	43	–	–	–	8	2	1	–	–	1	1	3	–	18	12	–	–	7	5
Wade Hampton	38	1	–	–	5	2	2	–	–	–	–	1	1	5	3	–	–	2	1
Wrangell-Petersburg	29	1	–	–	5	2	–	–	–	1	–	2	1	3	2	–	–	–	2
Yukon-Koyukuk	56	–	–	–	7	2	2	–	1	–	–	2	–	14	11	–	–	9	2
Arizona	23,972	31	–	268	5,250	1,255	1,452	460	550	211	201	1,121	430	9,974	7,824	90	155	5,811	1,768
Urban places	15,495	18	–	171	3,447	813	956	312	361	141	133	731	273	6,445	4,989	60	104	3,743	1,082
Balance of area	8,477	13	–	95	1,803	442	496	148	189	70	68	390	157	3,529	2,835	30	51	2,068	686
Metropolitan counties	18,220	18	–	193	4,055	973	1,096	373	426	166	158	863	310	7,688	6,010	71	117	4,550	1,272
Urban places	14,041	16	–	152	3,116	735	849	295	312	129	125	671	247	5,930	4,530	53	93	3,426	958
Balance of area	4,179	2	–	41	939	238	247	78	114	37	33	192	63	1,838	1,480	18	34	1,124	304
Nonmetropolitan counties	5,752	13	–	73	1,195	282	356	87	124	45	43	258	120	2,306	1,814	19	38	1,261	496
Urban places	1,454	2	–	19	331	78	107	17	49	12	8	60	26	615	459	7	21	317	114
Balance of area	4,298	11	–	54	864	204	249	70	75	33	35	198	94	1,691	1,355	12	17	944	382
Apache	319	–	–	8	49	15	4	4	8	1	–	17	9	71	58	1	–	29	28
Cochise	669	5	–	7	147	33	46	8	10	3	9	38	22	290	237	5	–	167	85
Douglas	104	1	–	2	16	5	3	2	–	–	1	5	6	42	33	–	–	29	4
Sierra Vista	117	–	–	1	29	8	11	2	2	–	–	6	1	46	32	1	–	22	9
Balance of county	448	4	–	4	102	26	32	4	8	3	8	27	15	202	172	4	–	116	52
Coconino	343	1	–	6	60	21	13	8	6	1	–	11	11	111	86	3	–	48	35
Flagstaff	132	–	–	3	27	11	5	1	5	–	–	5	7	46	38	2	–	20	14
Balance of county	211	1	–	3	33	10	8	7	1	1	–	6	4	65	50	1	–	28	21
Gila	395	–	–	7	85	32	21	8	6	1	–	17	8	172	137	–	1	89	37
Graham	178	–	–	3	41	6	9	4	6	3	2	11	5	64	46	–	2	37	7
Greenlee	66	–	–	–	15	4	3	2	–	1	2	3	3	17	9	–	1	5	3
Maricopa	13,462	11	–	132	3,024	742	807	281	307	123	122	642	238	5,742	4,546	51	69	3,502	924
Chandler	256	–	–	4	45	6	12	1	5	4	4	13	5	110	86	1	1	61	23
Glendale	810	2	–	9	199	48	54	13	17	3	12	52	16	322	263	3	5	200	55
Mesa	1,495	–	–	21	320	71	75	30	36	15	13	80	21	672	515	4	5	407	99
Paradise Valley	33	–	–	–	11	1	5	–	1	2	–	2	–	10	8	–	–	7	1
Peoria	223	–	–	4	52	16	16	5	4	3	1	7	3	95	76	–	1	53	22
Phoenix	6,384	7	–	63	1,397	354	392	130	123	64	53	281	118	2,607	2,049	25	31	1,584	409
Scottsdale	963	–	–	4	252	51	66	34	33	7	11	50	22	427	328	6	5	242	75
Tempe	506	–	–	7	119	21	38	16	8	5	7	26	7	199	154	1	3	114	36
Balance of county	2,792	2	–	20	629	174	151	52	80	20	21	131	46	1,300	1,067	11	18	834	204
Mohave	674	–	–	5	168	27	66	6	17	9	7	36	5	284	231	2	1	154	74
Lake Havasu City	136	–	–	2	46	10	17	1	5	3	1	9	1	50	35	2	–	21	12
Balance of county	538	–	–	3	122	17	49	5	12	6	6	27	4	244	196	–	1	133	62
Navajo	433	–	–	2	72	18	21	3	10	3	3	14	11	141	116	2	2	65	47
Pima	4,758	7	–	61	1,031	231	289	82	119	43	36	221	72	1,926	1,464	20	48	1,048	348
Tucson	3,371	7	–	40	721	167	183	66	85	26	24	160	55	1,388	1,051	13	32	758	248
Balance of county	1,387	–	–	21	310	64	96	26	34	17	12	61	17	538	413	7	16	290	100

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	3	52	1	7	19	34	3	5	8	–	3	2	47	71	28	16	8	1	7
Jasper	1	11	–	–	5	5	1	3	–	–	–	1	10	15	–	1	2	–	3
Balance of county	2	41	1	7	14	29	2	2	8	–	3	1	37	56	28	15	6	1	4
Washington	1	14	2	6	4	4	1	–	4	–	–	2	2	6	11	5	1	2	–
Wilcox	5	16	–	1	3	8	1	1	–	1	1	1	15	15	5	7	1	–	2
Winston	–	19	1	2	2	5	1	1	2	–	–	2	1	19	15	2	–	–	–
Alaska	5	65	9	20	46	51	3	40	21	–	43	49	65	153	117	274	60	49	25
Urban places	3	40	4	13	20	31	1	23	14	–	25	27	29	91	74	99	43	25	12
Balance of area	2	45	5	7	26	20	2	17	7	–	18	22	36	62	43	175	17	24	13
Metropolitan census areas [1]	1	26	–	8	14	24	1	17	12	–	18	19	20	67	60	69	40	20	3
Urban places	1	26	–	8	14	24	1	17	12	–	18	19	20	67	60	69	40	20	3
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	4	59	9	12	32	27	2	23	9	–	25	30	45	86	57	205	20	29	22
Urban places	2	14	4	5	6	7	–	6	2	–	7	8	9	24	14	30	3	5	9
Balance of area	2	45	5	7	26	20	2	17	7	–	18	22	36	62	43	175	17	24	13
Aleutian Islands	–	1	–	–	–	–	–	2	–	–	–	2	–	1	–	7	1	1	1
Anchorage, coext. with Anchorage city	1	26	–	8	14	24	1	17	12	–	18	19	20	67	60	69	40	20	3
Bethel	–	4	–	–	5	1	–	1	1	–	3	4	7	11	1	25	–	4	–
Bristol Bay borough	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dillingham	–	–	–	–	2	–	–	–	–	–	1	1	–	2	3	4	–	–	2
Fairbanks North Star borough	1	8	3	6	6	4	–	5	2	–	7	6	9	20	9	24	1	4	10
Fairbanks	1	8	3	5	6	4	–	5	2	–	7	6	8	18	7	21	–	4	9
Balance of area	–	–	–	1	–	–	–	–	–	–	–	–	1	2	2	3	1	–	1
Haines borough	–	–	–	–	–	1	–	–	–	–	–	–	1	2	2	3	–	–	–
Juneau, coext. with Juneau city	1	8	1	–	–	3	–	1	–	–	–	2	1	6	7	9	3	1	–
Kenai Peninsula borough	1	7	3	–	1	3	–	1	1	–	2	2	3	8	4	25	–	1	–
Ketchikan Gateway borough	1	5	1	3	–	2	–	4	1	–	1	1	3	3	3	8	–	–	–
Kobuk	–	1	–	–	1	–	–	–	–	–	1	2	1	3	–	5	1	–	–
Kodiak Island borough	–	2	–	–	–	1	–	1	1	–	1	–	1	1	4	22	1	–	–
Matanuska-Susitna borough	–	3	1	2	5	4	–	3	1	–	1	3	2	3	14	3	6	1	–
Nome	–	1	–	–	1	2	–	1	–	–	1	2	1	4	–	13	2	3	–
North Slope borough	–	3	–	–	–	–	–	–	–	–	–	–	2	2	1	5	1	–	2
Prince of Wales-Outer Ketchikan	–	–	–	–	2	–	1	–	1	–	–	–	1	1	–	5	1	–	–
Sitka borough	–	4	–	–	2	–	–	1	–	–	–	1	3	5	–	7	1	1	1
Skagway-Yakutat-Angoon	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	3	1	1	–
Southeast Fairbanks	–	1	–	–	1	1	1	–	–	–	–	–	2	1	–	5	–	2	3
Valdez-Cordova	–	5	–	1	1	–	–	1	–	–	2	1	–	1	3	7	–	–	1
Wade Hampton	–	2	–	–	–	1	–	–	–	–	1	2	4	2	–	13	–	3	–
Wrangell-Petersburg	–	1	–	–	3	4	–	1	–	–	3	–	–	5	–	2	1	–	–
Yukon-Koyukuk	–	3	–	–	1	–	–	1	1	–	1	–	4	4	5	10	–	7	1
Arizona	63	1,554	296	237	779	1,259	61	400	228	5	200	216	325	2,209	875	652	515	266	31
Urban places	45	1,031	217	163	515	837	32	231	141	5	132	148	186	1,450	534	390	341	183	16
Balance of area	18	523	79	74	264	422	29	169	87	–	68	68	139	759	341	262	174	83	15
Metropolitan counties	46	1,166	243	183	628	1,012	45	272	169	5	139	162	206	1,702	601	440	394	184	17
Urban places	38	921	195	146	469	768	32	207	131	5	117	140	169	1,317	488	348	314	164	13
Balance of area	8	245	48	37	159	244	13	65	38	–	22	22	37	385	115	92	80	20	4
Nonmetropolitan counties	17	368	53	54	151	247	16	128	59	–	61	54	119	507	274	212	121	82	14
Urban places	7	110	22	17	46	69	–	24	10	–	15	8	17	133	48	42	27	19	3
Balance of area	10	258	31	37	105	178	16	104	49	–	46	46	102	374	226	170	94	63	11
Apache	–	13	–	–	14	4	–	5	4	–	10	5	16	36	49	21	5	8	3
Cochise	2	44	4	3	19	25	4	8	6	–	7	10	8	62	18	8	14	12	3
Douglas	–	5	1	3	2	5	–	2	1	–	–	1	2	17	3	2	1	1	–
Sierra Vista	2	11	1	–	3	4	–	2	1	–	3	1	3	9	2	2	5	3	2
Balance of county	–	28	2	–	8	16	4	4	4	–	4	8	3	36	13	4	8	8	1
Coconino	–	19	3	3	16	17	1	11	2	–	2	7	10	34	22	14	8	8	2
Flagstaff	–	8	2	–	3	8	–	6	–	–	1	2	2	9	8	4	3	3	–
Balance of county	–	11	1	3	13	9	1	5	2	–	1	5	8	25	14	10	5	5	2
Gila	–	27	3	5	13	10	–	14	8	–	–	1	3	35	10	14	8	9	–
Graham	2	13	3	–	6	8	2	6	4	–	2	3	4	7	9	8	5	1	–
Greenlee	1	3	1	3	1	4	–	2	1	–	–	2	2	9	5	2	1	2	–
Maricopa	38	895	135	128	429	736	30	192	126	3	103	116	144	1,223	442	333	284	142	12
Chandler	–	19	2	3	8	11	1	6	5	–	5	6	4	21	8	6	9	2	–
Glendale	2	48	6	3	22	36	2	7	6	–	7	10	11	83	36	21	14	7	–
Mesa	4	121	21	11	49	89	1	15	9	–	6	11	16	138	46	39	34	8	–
Paradise Valley	–	2	–	–	1	3	–	–	–	–	–	–	–	3	2	1	2	–	–
Peoria	2	12	2	3	6	10	1	5	1	–	3	1	4	20	9	3	5	–	1
Phoenix	19	384	76	69	206	353	16	97	57	3	63	64	78	604	225	172	147	99	8
Scottsdale	3	74	11	11	22	41	1	16	10	–	4	4	7	78	24	22	22	6	1
Tempe	1	35	3	6	15	28	3	8	8	–	6	4	6	43	28	9	8	8	–
Balance of county	7	160	14	22	100	165	5	38	30	–	9	16	18	233	64	60	43	12	2
Mohave	3	46	9	5	10	31	1	16	6	–	6	5	6	53	32	13	18	5	–
Lake Havasu City	1	10	4	–	2	5	–	3	1	–	2	1	–	9	5	2	3	4	–
Balance of county	2	36	5	5	8	26	1	13	5	–	4	4	6	44	27	11	15	1	–
Navajo	–	22	2	1	13	10	3	14	7	–	8	8	17	52	31	28	10	5	1
Pima	8	291	108	55	199	276	15	80	43	2	36	46	62	479	159	107	110	42	5
Tucson	7	216	74	40	140	197	7	53	35	2	23	40	43	327	108	75	73	34	3
Balance of county	1	75	34	15	59	79	8	27	8	–	13	6	19	152	51	32	37	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	804	4	–	17	156	31	43	13	13	6	4	46	22	328	262	1	5	182	74
Casa Grande	124	–	–	1	33	4	9	1	5	2	2	10	1	41	31	–	2	18	11
Balance of county	680	4	–	16	123	27	34	12	8	4	2	36	21	287	231	1	3	164	63
Santa Cruz	150	–	–	1	25	6	5	1	6	2	1	4	–	72	54	1	4	37	12
Nogales	97	–	–	1	12	2	1	1	3	2	1	2	–	51	39	–	4	27	8
Balance of county	53	–	–	–	13	4	4	–	3	–	–	2	–	21	15	1	–	10	4
Yavapai	971	2	–	10	216	51	64	20	26	11	8	36	12	458	357	4	8	292	53
Prescott	342	–	–	5	79	21	25	4	17	3	–	9	4	165	118	2	4	91	21
Balance of county	629	2	–	5	137	30	39	16	9	8	8	27	8	293	239	2	4	201	32
Yuma [3]	750	1	–	7	161	38	61	10	16	4	7	25	12	288	221	–	14	146	61
Yuma	402	1	–	4	89	17	36	5	12	2	3	14	6	174	135	–	11	89	35
Balance of county	348	–	–	3	72	21	25	5	4	2	4	11	6	114	86	–	3	57	26
Arkansas	23,595	26	1	278	4,879	1,178	1,449	295	454	161	203	1,119	323	11,514	8,714	40	124	5,459	3,091
Urban places	9,103	14	–	114	1,886	451	559	129	186	76	87	398	132	4,453	3,310	22	57	1,999	1,232
Balance of area	14,492	12	1	164	3,013	727	890	166	268	105	136	721	191	7,061	5,404	18	67	3,460	1,859
Metropolitan counties	8,137	12	–	108	1,725	419	521	111	161	70	84	379	112	3,911	2,941	21	44	1,600	1,076
Urban places	5,755	8	–	82	1,207	275	372	87	117	57	40	259	90	2,759	2,050	15	34	1,253	748
Balance of area	2,382	4	–	26	518	144	149	24	44	13	24	120	22	1,152	891	6	10	547	328
Nonmetropolitan counties	15,458	14	1	170	3,154	759	928	184	293	111	139	740	211	7,603	5,773	19	80	3,659	2,015
Urban places	3,348	6	–	32	659	176	187	42	69	19	27	139	42	1,684	1,260	7	23	748	484
Balance of area	12,110	8	1	138	2,495	583	741	142	224	92	112	601	169	5,909	4,513	12	57	2,913	1,531
Arkansas	296	–	–	–	51	15	12	3	7	1	1	12	4	141	84	–	–	52	32
Stuttgart	123	–	–	–	13	2	5	1	3	1	–	1	2	54	37	–	–	22	15
Balance of county	173	–	–	–	38	13	7	2	4	–	1	11	2	87	47	–	–	30	17
Ashley	266	1	–	2	59	13	20	3	8	2	1	12	2	114	84	–	–	54	30
Baxter	439	–	–	2	111	27	37	5	9	7	2	24	11	207	146	–	2	112	32
Benton	848	–	–	2	195	56	62	11	13	8	5	40	9	396	290	3	–	195	92
Rogers	224	–	–	2	54	12	23	3	4	5	–	7	2	95	73	2	–	37	34
Springdale, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1
Balance of county	621	–	–	–	141	44	39	8	9	3	5	33	7	299	215	1	–	157	57
Boone	316	–	–	8	81	15	29	4	5	6	3	25	8	147	122	–	1	92	29
Bradley	208	–	–	2	41	14	8	1	6	3	1	8	4	127	100	–	–	87	13
Calhoun	65	–	–	–	16	3	8	2	–	–	–	3	–	37	27	–	1	16	10
Carroll	183	–	–	–	31	9	8	1	4	1	2	6	4	87	69	1	–	48	20
Chicot	219	–	–	4	42	17	7	2	7	1	1	7	4	84	60	–	–	42	18
Clark	250	–	–	4	41	9	7	3	6	1	2	13	2	114	80	–	–	58	22
Arkadelphia	99	–	–	1	16	3	5	1	2	–	1	4	–	48	28	–	–	23	5
Balance of county	151	–	–	3	25	6	2	2	4	1	1	9	2	66	52	–	–	35	17
Clay	255	–	–	4	53	16	14	1	4	2	4	12	2	124	105	–	–	69	36
Cleburne	214	–	–	3	39	14	13	3	1	1	1	5	1	95	73	–	–	48	25
Cleveland	83	–	–	1	22	3	7	2	2	1	1	6	1	35	25	–	–	15	10
Columbia	269	–	–	1	54	13	11	4	7	2	3	14	2	142	102	–	–	45	57
Magnolia	110	–	–	1	21	6	2	–	4	1	2	6	1	61	39	–	–	22	17
Balance of county	159	–	–	–	33	7	9	4	3	1	1	8	1	81	63	–	–	23	40
Conway	210	–	–	1	41	7	12	1	5	1	4	11	3	113	101	–	–	50	51
Craighead	546	–	–	6	114	27	35	7	4	8	7	26	6	269	199	–	4	143	52
Jonesboro	295	–	–	4	57	18	19	3	3	3	4	7	5	141	99	–	3	67	29
Balance of county	251	–	–	2	57	9	16	4	1	5	3	19	1	128	100	–	1	76	23
Crawford	361	–	–	2	71	21	22	4	4	3	2	15	5	201	162	2	1	88	91
Van Buren	149	–	–	–	29	6	12	1	3	–	–	7	3	81	62	–	1	25	36
Balance of county	212	–	–	2	42	15	10	3	1	3	2	8	2	120	100	2	–	43	55
Crittenden	409	–	–	4	91	15	24	8	8	1	8	27	1	155	114	–	1	88	27
West Memphis	220	–	–	1	43	11	9	5	3	1	3	11	–	81	57	–	–	48	9
Balance of county	189	–	–	3	48	4	15	3	5	–	5	16	1	74	57	–	1	38	18
Cross	203	–	–	6	38	9	14	–	3	1	3	8	2	99	78	–	–	54	24
Dallas	151	1	–	1	34	10	11	2	3	–	1	7	1	63	51	–	1	28	22
Desha	200	–	–	2	49	12	13	1	5	3	1	13	2	79	57	–	3	39	15
Drew	160	–	–	1	31	9	6	–	6	3	2	5	5	70	55	1	–	37	17
Faulkner	390	1	–	6	86	22	23	5	9	5	3	19	4	155	123	1	1	91	30
Conway	191	1	–	5	53	15	13	2	6	4	–	13	–	69	53	–	–	39	14
Balance of county	199	–	–	1	33	7	10	3	3	1	3	6	4	86	70	1	1	52	16
Franklin	163	1	–	2	25	6	2	5	2	2	3	5	–	88	67	–	1	47	19
Fulton	131	–	–	–	29	9	9	2	4	–	1	4	3	70	54	–	–	36	18
Garland	970	2	–	8	207	49	57	12	18	7	8	56	7	533	445	3	5	181	256
Hot Springs	698	2	–	6	134	34	39	8	12	3	6	32	7	384	325	3	4	131	187
Balance of county	272	–	–	2	73	15	18	4	6	4	2	24	–	149	120	–	1	50	69
Grant	141	–	–	2	28	8	9	–	5	–	–	6	1	82	73	–	–	59	14
Greene	310	–	–	2	70	20	19	3	5	1	2	20	2	163	138	–	1	75	62
Paragould	199	–	–	2	46	13	13	1	4	1	1	13	1	104	89	–	–	48	41
Balance of county	111	–	–	–	24	7	6	2	1	–	1	7	1	59	49	–	1	27	21
Hempstead	296	1	–	5	55	12	19	2	4	1	2	15	7	154	113	–	7	76	30
Hope	168	1	–	1	32	6	12	2	2	–	2	8	3	87	73	–	4	49	20
Balance of county	128	–	–	4	23	6	7	–	2	1	–	7	4	57	40	–	3	27	10
Hot Spring	280	–	–	5	56	9	22	2	5	3	–	15	5	127	86	1	1	58	26
Malvern	155	–	–	2	28	4	9	1	5	2	–	7	4	79	53	1	1	38	13
Balance of county	125	–	–	3	28	5	13	1	–	1	–	8	1	48	33	–	–	20	13
Howard	171	–	–	2	34	9	8	7	2	1	1	6	3	83	58	1	3	41	13
Independence	306	–	–	7	64	10	27	4	3	2	–	18	3	167	125	–	–	58	69

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	3	51	4	8	11	28	1	20	10	–	13	6	16	76	40	27	11	17	1
Casa Grande	–	9	–	1	2	5	–	1	2	–	1	1	2	13	9	4	3	5	–
Balance of county	3	42	4	7	9	23	1	19	8	–	12	5	14	63	31	23	8	12	1
Santa Cruz	2	13	–	3	4	9	1	4	–	–	2	1	5	11	2	4	6	3	–
Nogales	2	7	–	3	3	3	–	2	–	–	2	1	4	10	2	2	3	1	–
Balance of county	–	6	–	–	1	6	1	2	–	–	–	–	1	1	–	2	3	2	–
Yavapai	2	68	19	12	28	60	3	14	7	–	7	2	7	71	25	24	17	5	2
Prescott	–	29	13	5	15	19	–	2	2	–	2	–	1	29	7	7	5	–	–
Balance of county	2	39	6	7	14	41	3	12	5	–	5	2	6	42	18	17	12	5	2
Yuma [3]	2	49	5	11	21	41	–	14	4	–	4	4	23	61	31	49	20	7	2
Yuma	2	31	1	5	16	20	–	6	3	–	4	1	3	37	12	19	4	2	1
Balance of county	–	18	4	6	5	21	–	8	1	–	–	3	20	24	19	30	16	5	1
Arkansas	73	2,207	289	231	632	752	56	187	305	2	119	166	842	1,823	572	590	308	201	19
Urban places	18	915	108	102	244	286	28	100	118	1	66	63	262	738	187	210	120	93	8
Balance of area	55	1,292	181	129	388	466	28	87	187	1	53	103	580	1,085	385	380	188	108	11
Metropolitan counties	24	769	99	78	193	265	24	78	105	1	52	69	239	615	199	217	123	91	7
Urban places	12	568	72	59	136	184	20	60	79	1	40	44	155	451	130	149	83	71	6
Balance of area	12	203	27	19	57	81	4	18	26	–	12	25	76	164	69	68	40	20	1
Nonmetropolitan counties	49	1,438	190	153	439	487	32	109	200	1	67	97	612	1,208	373	373	185	110	12
Urban places	6	349	36	43	108	102	8	40	39	–	26	19	107	287	57	61	37	22	2
Balance of area	43	1,089	154	110	331	385	24	69	161	1	41	78	505	921	316	312	148	88	10
Arkansas	1	36	17	3	10	8	–	5	2	–	2	2	26	21	6	12	3	3	–
Stuttgart	–	16	–	1	5	4	–	4	1	–	1	–	16	12	2	7	1	1	–
Balance of county	1	20	17	2	5	4	–	1	1	–	1	2	10	9	4	5	2	2	–
Ashley	–	28	–	2	10	8	–	2	5	–	2	1	22	22	2	9	3	4	–
Baxter	–	46	6	7	9	14	–	5	3	–	3	–	12	36	10	4	9	3	–
Benton	5	97	6	8	27	34	1	10	16	–	6	5	15	59	26	27	14	5	1
Rogers	–	19	–	3	6	11	–	2	4	–	1	1	6	17	7	8	3	3	–
Springdale, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	5	68	6	5	21	23	1	7	12	–	5	4	7	42	19	19	11	2	1
Boone	–	22	3	–	21	7	–	1	3	–	1	1	2	20	7	5	3	1	–
Bradley	3	19	5	–	9	5	–	1	–	–	2	1	–	10	2	2	2	1	–
Calhoun	–	10	–	–	–	2	–	–	–	–	–	–	1	5	1	2	1	–	–
Carroll	–	13	2	3	10	7	–	1	1	–	1	2	5	19	7	4	4	–	–
Chicot	3	17	–	4	5	4	–	–	4	–	–	3	33	11	9	9	1	6	–
Clark	–	26	4	4	9	10	–	2	5	–	1	–	28	19	8	4	2	1	–
Arkadelphia	–	13	3	4	4	6	–	2	3	–	–	–	11	5	2	1	–	–	–
Balance of county	–	13	1	–	5	4	–	–	2	–	1	–	17	14	6	3	2	1	–
Clay	–	17	–	2	5	13	–	3	5	–	–	1	6	25	5	6	3	–	–
Cleburne	–	16	3	3	3	4	–	2	1	–	1	–	38	16	–	6	6	–	–
Cleveland	–	7	1	2	3	4	–	1	1	–	–	–	7	4	1	2	–	1	–
Columbia	–	39	–	1	9	6	–	–	6	–	3	2	1	18	8	13	1	3	–
Magnolia	–	22	–	–	2	5	–	–	3	–	1	1	–	7	4	1	1	1	–
Balance of county	–	17	–	1	7	1	–	–	3	–	2	1	1	11	4	12	–	2	–
Conway	1	10	–	1	5	8	2	–	4	–	–	–	5	6	11	6	2	3	–
Craighead	1	57	4	8	16	21	1	9	6	–	5	2	9	57	9	9	5	1	1
Jonesboro	–	35	3	4	7	17	1	5	3	–	5	1	2	33	7	5	2	–	–
Balance of county	1	22	1	4	9	4	–	4	3	–	–	1	7	24	2	4	3	1	1
Crawford	2	30	4	3	7	11	–	–	6	–	–	3	6	29	3	5	8	4	–
Van Buren	1	13	2	3	2	7	–	–	4	–	–	1	–	17	1	2	1	1	–
Balance of county	1	17	2	–	6	4	–	–	2	–	–	2	6	12	2	3	7	3	–
Crittenden	1	38	1	1	11	9	–	4	4	–	4	6	52	36	9	13	3	7	–
West Memphis	–	22	1	1	6	7	–	4	2	–	3	3	33	22	6	4	2	3	–
Balance of county	1	16	–	–	5	2	–	–	2	–	1	3	19	14	3	9	1	4	–
Cross	–	20	–	1	3	5	–	1	3	–	–	3	16	14	5	2	3	2	1
Dallas	–	9	2	1	7	4	–	–	6	–	1	1	14	7	4	6	1	–	–
Desha	–	21	–	1	6	4	2	3	4	–	1	2	12	14	9	5	6	1	–
Drew	–	11	2	2	5	7	–	1	4	–	–	–	4	17	4	8	3	–	–
Faulkner	1	27	2	2	9	9	–	2	3	–	5	5	38	35	13	10	5	4	–
Conway	–	12	2	2	4	1	–	1	2	–	3	1	19	20	4	4	2	2	–
Balance of county	1	15	–	–	5	8	–	1	1	–	2	4	19	15	9	6	3	2	–
Franklin	2	15	–	4	5	1	–	–	2	–	–	1	15	12	4	4	1	2	–
Fulton	–	8	8	–	3	4	–	–	1	–	–	–	4	10	5	2	–	–	–
Garland	2	64	14	8	28	28	2	9	12	–	3	4	8	78	13	13	11	5	1
Hot Springs	2	43	6	8	23	20	1	8	9	–	3	3	5	65	6	9	8	4	1
Balance of county	–	21	8	–	5	8	1	1	3	–	–	1	3	13	7	4	3	1	–
Grant	–	9	–	–	5	1	1	1	2	–	–	1	3	4	6	3	1	–	–
Greene	–	19	2	4	8	9	1	4	2	–	3	1	3	28	5	3	5	3	–
Paragould	–	9	2	4	5	5	1	4	2	–	2	1	2	15	2	3	3	1	–
Balance of county	–	10	–	–	3	4	–	–	–	–	1	–	1	11	3	–	2	2	–
Hempstead	1	35	5	–	12	6	–	1	4	–	1	3	5	16	13	4	8	1	–
Hope	–	22	2	–	5	2	–	1	2	–	1	2	3	9	6	2	1	–	–
Balance of county	1	13	3	–	7	4	–	–	2	–	–	1	2	7	7	2	7	1	–
Hot Spring	–	32	7	2	3	13	3	4	2	–	1	4	8	28	8	8	5	2	–
Malvern	–	21	3	2	3	4	2	1	2	–	1	1	4	13	3	4	4	–	–
Balance of county	–	11	4	–	–	9	1	3	–	–	–	3	4	13	5	4	1	2	–
Howard	1	19	1	4	9	5	1	–	2	–	–	1	4	15	2	6	2	2	–
Independence	1	30	10	1	4	5	–	2	3	–	–	3	12	23	2	4	4	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	147	–	–	2	32	9	9	–	4	–	1	9	–	79	53	–	–	38	15
Jackson	233	–	–	3	52	14	15	1	4	2	2	14	5	105	80	1	4	45	30
Jefferson	853	3	–	10	180	51	37	9	15	11	8	49	9	436	328	4	6	204	114
Pine Bluff	671	2	–	8	139	37	30	6	14	9	7	36	8	359	266	2	6	168	90
Balance of county	182	1	–	2	41	14	7	3	1	2	1	13	1	83	62	2	–	36	24
Johnson	210	–	–	1	46	14	11	2	6	–	3	10	3	103	88	2	–	61	25
Lafayette	147	–	–	4	28	6	5	2	1	–	3	11	3	70	43	–	1	29	13
Lawrence	229	–	–	3	50	16	10	1	3	2	2	16	4	115	93	1	–	63	29
Lee	168	–	–	2	26	8	7	4	2	–	3	2	9	72	47	–	1	28	18
Lincoln	106	–	–	1	28	9	6	3	3	1	2	4	2	54	47	–	1	28	18
Little River	138	–	–	1	32	6	12	–	6	1	3	4	1	65	59	–	1	39	19
Logan	239	–	–	4	38	8	13	4	2	1	8	8	3	124	105	–	1	61	43
Lonoke	344	–	–	5	67	16	25	7	2	5	4	8	3	177	112	–	1	78	33
Madison	136	–	–	–	29	10	11	3	3	–	1	1	1	60	47	–	1	27	19
Marion	132	–	–	2	39	7	10	1	4	3	4	10	2	60	53	1	1	24	27
Miller	412	1	–	6	91	28	24	4	7	1	1	28	12	202	145	–	9	94	42
Texarkana [3]	307	–	–	3	73	20	20	3	5	1	1	23	11	143	104	–	6	66	32
Balance of county	105	1	–	3	18	8	4	1	2	–	–	3	1	59	41	–	3	28	10
Mississippi	579	1	–	7	121	21	45	12	7	2	6	28	7	291	242	3	5	164	70
Blytheville	238	–	–	3	47	14	18	5	2	–	1	7	3	124	96	2	3	67	24
Balance of county	341	1	–	4	74	7	27	7	5	2	5	21	4	167	146	1	2	97	46
Monroe	171	–	–	3	39	7	14	4	5	–	1	8	4	82	59	–	5	38	18
Montgomery	99	–	–	4	17	4	1	3	1	–	3	5	1	54	35	1	–	23	11
Nevada	146	–	–	1	25	7	5	–	1	2	1	9	1	90	64	–	–	33	31
Newton	72	–	–	–	18	3	4	–	3	–	1	7	1	35	32	–	1	8	23
Ouachita	384	3	–	1	67	15	12	7	8	1	2	22	4	216	143	–	4	96	43
Camden	205	1	–	–	33	9	5	4	6	–	2	7	3	116	71	–	1	45	25
Balance of county	179	2	–	1	34	6	7	3	2	1	–	15	1	100	72	–	3	51	18
Perry	86	–	–	1	12	2	3	1	–	2	–	4	1	46	34	–	–	28	6
Phillips	395	–	–	2	69	13	28	5	5	4	3	13	2	195	127	–	3	85	39
West Helena	117	–	–	–	19	5	5	1	1	2	2	3	–	62	38	–	1	27	10
Balance of county	278	–	–	2	50	8	21	4	4	2	1	10	2	133	89	–	2	58	29
Pike	127	–	–	–	21	2	6	1	4	1	2	5	3	68	50	–	2	28	20
Poinsett	308	1	1	2	54	10	18	2	3	3	2	16	8	143	110	–	2	82	26
Polk	195	–	–	–	44	9	10	2	7	2	5	9	7	91	74	–	1	34	39
Pope	334	–	–	2	71	14	21	5	7	2	4	18	8	156	103	–	2	74	27
Russellville	136	–	–	–	27	5	7	2	5	–	1	7	5	62	42	–	1	32	9
Balance of county	198	–	–	2	44	9	14	3	2	2	3	11	3	94	61	–	1	42	18
Prairie	109	–	–	2	27	6	9	3	1	–	1	7	–	48	30	–	1	18	11
Pulaski	2,991	5	–	62	635	139	212	42	57	26	23	136	47	1,396	1,014	7	20	564	423
Jacksonville	163	–	–	3	34	7	14	–	–	2	–	11	5	71	47	–	–	22	25
Little Rock	1,718	4	–	38	357	80	120	24	33	18	16	66	31	842	614	6	14	367	227
North Little Rock	727	–	–	13	170	31	58	17	16	5	3	40	6	335	245	–	4	124	117
Sherwood	42	–	–	–	11	5	2	–	1	–	2	1	1	16	12	–	–	7	5
Balance of county	281	1	–	8	63	16	18	1	7	1	2	18	4	132	96	1	2	44	49
Randolph	173	–	–	–	36	7	12	–	5	–	2	10	2	83	74	–	–	56	18
St. Francis	274	1	–	7	53	16	10	3	4	1	3	16	5	129	103	–	–	65	38
Forrest City	126	–	–	4	23	5	4	3	1	1	2	7	3	62	55	–	–	33	22
Balance of county	148	1	–	3	30	11	6	–	3	–	1	9	2	67	48	–	–	32	16
Saline	375	–	–	4	80	18	25	4	11	1	3	18	6	201	172	–	4	95	79
Benton	212	–	–	1	42	10	11	2	6	1	1	11	4	112	95	–	2	49	44
Balance of county	163	–	–	3	38	8	14	2	5	–	2	7	2	89	77	–	2	46	29
Scott	120	–	–	2	24	6	10	1	2	–	2	3	2	63	54	–	–	45	9
Searcy	102	–	–	1	16	2	6	1	2	1	–	4	1	37	29	–	–	22	7
Sebastian	942	–	–	9	190	46	60	16	21	9	8	30	10	446	343	2	1	253	87
Fort Smith	752	–	–	9	150	34	46	15	20	6	6	23	9	359	276	2	–	207	67
Balance of county	190	–	–	–	40	12	14	1	1	3	2	7	1	87	67	–	1	46	20
Sevier	159	–	–	2	22	2	8	1	2	2	–	7	2	79	70	–	–	43	27
Sharp	174	–	–	1	41	6	12	2	6	2	2	11	4	84	73	–	1	30	42
Stone	95	–	–	1	11	3	4	1	1	–	–	2	–	62	53	–	–	24	29
Union	551	1	–	7	121	33	43	8	15	2	1	19	7	259	190	1	6	126	57
El Dorado	343	1	–	2	75	23	23	7	9	1	1	11	5	171	123	1	3	81	38
Balance of county	208	–	–	5	46	10	20	1	6	1	–	8	2	88	67	–	3	45	19
Van Buren	157	–	–	–	27	9	6	1	4	1	1	5	2	89	61	–	–	43	18
Washington	868	3	–	8	160	39	43	13	19	9	3	34	12	413	314	3	1	202	108
Fayetteville	313	1	–	4	65	12	12	7	9	7	1	17	6	146	98	2	1	59	36
Springdale, part	254	1	–	–	40	10	15	4	3	2	–	6	4	123	99	1	–	73	25
Springdale, total	257	1	–	–	40	10	15	4	3	2	–	6	4	125	101	1	–	74	26
Balance of county	301	1	–	4	55	17	16	2	7	–	2	11	2	144	117	–	–	70	47
White	532	–	–	5	113	28	38	5	8	1	7	26	4	234	186	1	4	103	58
Searcy	145	–	–	1	35	14	8	1	4	–	2	6	–	60	39	–	2	22	15
Balance of county	387	–	–	4	78	14	30	4	4	1	5	20	4	174	127	1	2	81	43
Woodruff	142	–	–	4	29	9	12	–	3	1	–	4	1	66	50	–	1	31	18
Yell	190	–	–	1	41	12	10	1	6	–	4	8	–	104	79	–	–	67	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	2	23	–	1	4	4	–	4	1	–	1	1	2	12	–	1	3	1	–
Jackson	–	22	2	1	4	11	–	1	3	–	1	–	4	23	5	9	5	1	1
Jefferson	1	89	14	4	14	20	4	5	9	1	10	6	13	63	15	33	8	12	2
Pine Bluff	1	71	11	4	10	16	3	4	7	1	8	3	9	51	9	24	6	8	2
Balance of county	–	18	3	–	4	4	1	1	2	–	2	3	4	12	6	9	2	4	–
Johnson	–	7	3	5	7	9	1	2	6	–	1	4	4	10	7	5	1	–	–
Lafayette	–	18	8	1	5	6	–	1	2	–	1	2	–	16	2	3	1	3	–
Lawrence	1	16	–	5	3	7	1	2	3	–	–	1	11	15	5	6	–	1	–
Lee	3	18	2	2	1	7	–	–	2	–	1	2	5	26	5	7	2	1	–
Lincoln	–	6	–	1	3	6	–	–	1	–	–	–	2	7	–	–	2	–	–
Little River	–	6	–	–	2	3	–	2	5	–	1	3	4	9	5	3	1	1	–
Logan	2	13	1	3	4	11	1	1	1	–	–	2	6	22	10	7	2	2	1
Lonoke	1	57	4	3	8	12	1	2	3	–	2	2	22	19	8	7	3	3	–
Madison	–	6	7	–	3	7	–	1	3	–	3	–	4	18	4	–	1	2	–
Marion	–	5	1	1	1	4	–	1	1	–	1	–	7	6	4	1	3	–	–
Miller	4	45	4	4	13	8	2	8	5	–	–	2	7	37	4	8	5	3	–
Texarkana [a]	2	33	2	2	10	4	2	8	5	–	–	1	6	28	2	4	4	3	–
Balance of county	2	12	2	2	3	4	–	–	–	–	–	1	1	9	2	2	1	–	–
Mississippi	2	39	4	4	16	17	–	9	3	–	3	2	14	42	17	10	6	6	1
Blytheville	1	23	2	2	9	7	–	5	2	–	3	1	3	21	3	3	1	2	1
Balance of county	1	16	2	2	9	10	–	4	1	–	–	1	11	21	14	7	7	6	–
Monroe	–	19	2	2	3	2	–	1	6	–	–	4	1	17	2	6	1	–	–
Montgomery	–	13	5	1	3	4	1	1	–	–	–	–	1	8	2	–	1	1	1
Nevada	1	21	1	3	2	3	1	–	1	–	–	3	8	3	3	3	2	–	–
Newton	–	2	–	1	4	2	–	–	1	–	–	–	1	8	2	–	–	–	–
Ouachita	5	58	6	6	13	7	–	1	5	–	2	2	11	22	12	12	3	3	–
Camden	2	34	3	6	10	4	–	1	3	–	1	1	7	11	4	6	2	2	–
Balance of county	3	22	3	–	3	3	–	–	2	–	1	1	4	11	8	6	1	1	–
Perry	–	11	–	1	5	4	1	–	1	–	–	3	–	7	3	1	1	–	–
Phillips	7	57	2	2	4	13	2	–	9	1	1	5	20	38	8	17	4	5	–
West Helena	1	20	1	2	1	4	–	–	2	–	1	–	7	10	5	2	3	1	–
Balance of county	6	37	1	–	3	9	2	–	7	1	–	5	13	28	3	15	1	4	–
Pike	1	14	4	–	4	3	–	2	5	–	–	–	3	12	2	1	1	1	–
Poinsett	1	27	4	1	11	12	2	1	6	–	1	2	6	33	6	11	5	2	1
Polk	1	13	1	2	7	6	–	–	1	–	2	–	2	19	6	7	3	–	–
Pope	1	41	7	4	15	19	1	2	1	–	3	3	8	22	6	11	6	–	–
Russellville	–	15	3	2	7	5	1	2	–	–	1	1	5	14	1	3	2	–	–
Balance of county	1	26	4	2	8	14	–	–	1	–	2	2	3	8	5	8	4	–	–
Prairie	–	16	–	2	3	1	–	–	1	–	–	–	17	6	2	1	–	1	–
Pulaski	6	284	46	34	69	99	9	27	36	–	18	29	46	216	74	70	45	46	2
Jacksonville	–	21	1	2	7	6	–	–	1	–	1	4	3	10	5	6	3	2	–
Little Rock	3	164	41	20	44	57	6	17	22	–	9	20	19	124	34	36	22	34	2
North Little Rock	2	79	3	6	12	24	2	8	13	–	6	1	15	63	20	19	12	8	–
Sherwood	–	3	–	1	1	1	1	1	–	–	–	–	1	3	2	1	3	–	–
Balance of county	1	27	3	5	5	11	–	1	–	–	2	4	9	16	13	6	5	2	–
Randolph	–	17	1	1	7	11	–	–	–	–	–	2	1	13	3	2	3	–	–
St. Francis	–	21	1	4	11	11	2	2	4	–	2	2	3	22	3	9	3	5	–
Forrest City	–	6	–	1	5	2	1	–	1	–	–	2	3	10	1	5	1	3	–
Balance of county	–	15	1	3	6	9	1	2	3	–	2	–	–	12	2	4	2	2	–
Saline	–	28	2	1	5	11	–	3	3	–	1	1	7	27	11	6	5	4	–
Benton	–	16	1	–	4	6	–	2	3	–	1	–	6	18	7	1	3	1	–
Balance of county	–	10	1	1	1	5	–	1	–	–	–	1	1	8	4	5	2	3	–
Scott	–	7	1	1	3	2	–	–	1	–	–	–	4	9	3	5	–	2	–
Searcy	–	7	–	1	3	4	–	1	–	–	1	1	17	8	7	2	2	1	–
Sebastian	4	86	7	6	28	34	3	5	13	–	8	7	65	65	19	24	11	3	2
Fort Smith	2	72	3	6	23	24	2	5	11	–	7	6	49	50	15	19	9	3	2
Balance of county	2	14	4	–	5	10	1	–	2	–	1	1	16	15	4	5	2	–	–
Sevier	1	8	–	–	5	8	–	–	5	–	–	3	2	18	7	5	2	1	–
Sharp	1	7	1	2	3	8	–	–	3	–	–	–	–	15	6	5	3	1	–
Stone	–	6	–	3	1	3	–	1	3	–	–	–	1	8	2	1	1	–	–
Union	1	57	7	4	22	17	1	6	8	–	1	2	3	59	16	14	4	5	–
El Dorado	–	40	5	3	16	10	1	6	4	–	–	1	2	30	6	6	4	3	–
Balance of county	1	17	2	1	6	7	–	–	2	–	1	1	1	29	10	8	–	2	–
Van Buren	–	23	2	3	1	5	1	4	1	–	–	–	6	9	5	4	2	1	–
Washington	1	68	13	17	17	36	5	14	8	–	4	7	15	74	33	30	23	6	–
Fayetteville	–	39	5	4	5	8	3	4	2	–	3	1	–	30	11	12	8	4	–
Springdale, part	1	14	2	7	6	13	1	4	5	–	1	3	6	17	11	11	7	1	–
Springdale, total	1	14	2	7	6	13	1	5	5	–	1	3	6	17	11	11	7	1	–
Balance of county	–	15	6	6	6	15	1	6	1	–	–	3	9	27	11	7	8	1	–
White	1	53	6	6	10	16	2	1	5	–	3	4	66	34	14	7	6	4	2
Searcy	–	16	1	2	2	6	–	–	–	–	3	3	16	12	1	–	2	2	–
Balance of county	1	35	7	4	8	10	2	1	5	–	–	1	50	22	13	7	4	2	2
Woodruff	–	12	3	1	4	1	1	1	7	–	–	–	4	10	–	11	–	2	1
Yell	–	16	4	5	4	4	–	1	3	–	1	1	3	8	7	9	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	195,531	161	7	1,839	44,852	11,319	12,217	3,922	4,787	1,813	1,738	9,056	2,892	88,588	67,701	853	3,059	47,733	16,056
Urban places	160,001	137	6	1,529	36,404	9,212	9,937	3,214	3,892	1,467	1,397	7,385	2,428	73,199	55,982	695	2,676	39,127	13,484
Balance of area	35,530	24	1	310	8,448	2,107	2,280	708	895	346	341	1,671	464	15,389	11,719	158	383	8,606	2,572
Metropolitan counties	184,217	157	7	1,730	42,258	10,666	11,495	3,721	4,499	1,710	1,637	8,530	2,746	83,673	63,940	801	2,946	44,996	15,197
Urban places	156,600	136	6	1,501	35,652	9,014	9,634	3,144	3,807	1,437	1,375	7,241	2,374	71,660	54,877	685	2,641	38,308	13,243
Balance of area	27,617	21	1	229	6,606	1,652	1,861	577	692	273	262	1,289	372	11,993	9,063	116	305	6,688	1,954
Nonmetropolitan counties	11,314	4	–	109	2,594	653	722	201	288	103	101	526	146	4,915	3,761	52	113	2,737	859
Urban places	3,401	1	–	28	752	198	209	70	85	30	22	144	54	1,519	1,105	10	35	819	241
Balance of area	7,913	3	–	81	1,842	455	519	131	203	73	79	382	92	3,396	2,656	42	78	1,918	618
Alameda	9,489	6	–	106	2,115	552	609	159	212	84	85	414	126	4,409	3,240	38	301	2,171	790
Alameda	607	1	–	5	146	35	38	12	16	12	6	25	3	293	207	3	15	159	30
Albany	128	–	–	–	22	8	6	3	2	1	1	1	2	64	49	–	6	32	11
Berkeley	739	2	–	9	151	41	38	17	12	4	6	33	13	352	258	4	23	166	85
Fremont	745	–	–	4	178	35	58	17	16	6	9	37	12	337	258	6	12	181	57
Hayward	1,069	1	–	11	248	62	83	20	17	6	8	52	19	478	365	1	34	249	81
Livermore	266	–	–	3	73	18	20	8	9	4	2	12	5	113	76	–	3	64	9
Newark	134	–	–	2	29	4	7	5	2	1	2	7	3	50	36	–	2	26	8
Oakland	3,710	2	–	45	796	217	226	41	94	32	32	154	41	1,710	1,223	17	151	752	303
Piedmont	88	–	–	–	19	7	4	2	3	–	1	2	–	51	32	–	3	16	13
Pleasanton	177	–	–	1	41	11	8	3	4	2	3	10	5	79	63	–	3	48	12
San Leandro	929	–	–	15	216	57	66	18	20	11	5	39	14	458	343	5	21	247	70
Union City	190	–	–	3	36	9	12	–	5	–	3	7	2	86	59	–	3	46	10
Balance of county	707	–	–	8	160	48	43	12	10	5	7	35	7	338	273	2	25	185	61
Alpine	14	–	–	1	5	1	1	–	2	1	–	–	–	2	2	–	–	1	1
Amador	208	–	–	3	54	15	12	6	6	3	2	10	1	81	60	2	1	38	19
Butte	1,823	2	–	19	385	80	115	39	41	19	10	81	19	897	509	5	9	363	132
Chico	450	–	–	8	115	22	31	15	15	5	4	23	4	184	144	2	5	100	37
Paradise	402	2	–	5	95	17	31	8	10	3	3	23	6	183	128	3	1	97	27
Balance of county	771	–	–	6	175	41	53	16	16	11	3	35	7	330	237	–	3	166	68
Calaveras	242	–	–	2	55	10	18	3	6	2	3	13	4	104	90	1	1	72	16
Colusa	119	–	–	1	22	7	7	2	1	–	1	4	1	57	47	–	1	41	5
Contra Costa	5,112	4	–	56	1,265	356	312	106	137	53	41	260	82	2,168	1,586	29	80	1,146	331
Antioch	312	–	–	4	69	15	17	7	10	2	1	17	5	137	111	1	3	89	18
Concord	678	–	–	7	177	51	44	14	18	6	6	38	10	281	214	3	7	150	54
El Cerrito	237	–	–	1	62	16	12	7	5	7	2	13	6	96	70	1	2	51	18
Lafayette	153	–	–	1	39	7	9	3	8	3	–	9	2	63	37	1	3	24	9
Martinez	246	–	–	3	63	15	11	5	6	5	2	19	5	104	75	3	2	52	18
Moraga Town	74	–	–	1	26	7	5	3	3	–	3	5	–	31	20	1	–	14	5
Pinole	72	–	–	1	19	4	5	1	2	1	–	6	1	30	25	1	1	18	5
Pittsburg	364	1	–	6	84	29	23	4	3	2	4	19	9	148	111	–	5	86	20
Pleasant Hill	197	–	–	3	47	11	12	2	7	2	3	10	–	96	66	–	3	47	16
Richmond	766	–	–	10	179	45	48	16	25	9	2	34	18	304	228	5	14	161	48
San Pablo	281	1	–	1	68	19	20	6	6	2	2	13	3	113	86	–	3	68	15
Walnut Creek	802	1	–	9	195	60	38	17	29	7	9	35	13	365	263	6	17	189	51
Balance of county	930	1	–	9	237	77	68	21	15	7	7	42	10	400	280	7	20	197	56
Del Norte	179	–	–	–	37	12	16	1	3	1	1	3	5	82	64	1	2	41	20
El Dorado	654	–	–	6	168	49	37	12	21	11	9	27	7	278	223	3	5	153	62
South Lake Tahoe	115	–	–	–	23	9	–	1	5	3	3	2	–	49	43	1	4	26	12
Balance of county	539	–	–	6	143	40	37	11	16	8	6	25	7	229	180	2	1	127	50
Fresno	4,119	9	–	49	885	219	227	75	111	25	44	184	72	1,818	1,410	16	77	1,080	237
Clovis	275	1	–	3	59	14	14	6	9	1	2	13	5	120	93	2	8	71	12
Fresno	2,786	6	–	33	619	153	150	58	78	20	31	131	47	1,251	969	12	53	743	161
Reedley	140	1	–	–	23	8	6	2	2	–	2	3	3	85	68	–	4	50	14
Sanger	167	–	–	2	33	11	5	1	4	2	3	7	2	73	52	1	1	45	5
Selma	149	–	–	1	28	8	10	2	2	–	1	5	3	85	53	–	3	39	11
Balance of county	602	1	–	10	123	25	42	6	18	2	5	25	12	224	175	1	8	132	34
Glenn	231	–	–	2	47	13	11	2	6	1	3	11	2	105	85	2	1	65	17
Humboldt	974	–	–	8	235	59	66	20	21	10	7	52	15	428	332	5	17	233	77
Arcata	113	–	–	–	29	9	6	2	4	2	–	6	3	40	32	1	–	24	7
Eureka	426	–	–	3	100	26	27	9	11	7	1	19	7	209	160	1	8	118	33
Balance of county	435	–	–	5	106	24	33	9	6	1	6	27	5	179	140	3	9	91	37
Imperial	794	2	–	12	181	48	56	11	16	5	8	37	14	303	238	4	7	168	59
Brawley	154	–	–	2	38	14	12	–	–	–	2	10	4	56	41	–	–	30	11
Calexico	96	–	–	–	21	6	1	3	3	1	2	5	4	41	28	1	–	21	6
El Centro	215	1	–	4	51	16	15	3	7	1	1	8	1	73	59	1	3	42	13
Balance of county	329	1	–	6	71	12	28	5	6	3	3	14	5	133	110	2	4	75	29
Inyo	224	–	–	2	60	21	13	5	6	1	–	14	6	91	66	–	1	47	18
Kern	3,517	5	–	41	749	171	218	54	82	41	29	154	60	1,462	1,169	21	56	894	198
Bakersfield	2,053	3	–	25	429	93	126	29	48	25	19	89	32	838	655	12	39	486	118
Delano	143	1	–	3	24	10	7	2	3	–	–	2	5	64	55	1	1	44	9
Ridgecrest	129	–	–	2	32	7	5	6	2	4	–	8	5	47	38	1	–	30	7
Balance of county	1,192	1	–	11	264	61	80	17	29	12	10	55	18	515	421	7	16	334	84
Kings	576	–	–	7	105	26	33	3	14	2	3	24	10	272	176	1	10	125	40
Hanford	309	–	–	2	56	14	16	2	9	1	3	11	6	152	91	–	5	63	23
Balance of county	267	–	–	5	49	12	17	1	5	1	–	13	4	120	85	1	5	62	17
Lake	605	1	–	6	142	30	50	10	13	3	5	31	5	268	205	2	5	159	39
Lassen	189	–	–	2	39	7	8	3	7	2	3	9	1	81	68	1	2	51	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
California	789	15,273	2,595	2,230	6,621	7,898	808	4,122	1,361	32	1,537	1,903	1,154	14,720	5,324	5,018	3,696	2,602	198
Urban places	656	12,688	2,126	1,767	5,482	6,304	674	3,503	1,102	31	1,278	1,614	902	11,895	3,920	4,040	2,968	2,429	156
Balance of area	133	2,605	469	463	1,139	1,592	134	619	259	1	259	289	252	2,825	1,404	978	728	373	42
Metropolitan counties	749	14,496	2,424	2,084	6,284	7,401	773	3,932	1,275	32	1,460	1,830	1,082	13,788	4,834	4,827	3,458	2,704	188
Urban places	641	12,393	2,056	1,713	5,390	6,165	665	3,431	1,078	31	1,250	1,588	880	11,608	3,793	3,919	2,898	2,402	153
Balance of area	108	2,103	368	351	874	1,238	108	501	197	1	210	242	202	2,178	1,041	708	560	302	35
Nonmetropolitan counties	40	777	171	166	357	495	35	190	66	–	77	73	72	934	490	391	238	98	10
Urban places	15	275	70	54	92	139	9	72	24	–	28	26	22	287	127	121	70	27	3
Balance of area	25	502	101	112	265	356	26	118	62	–	49	47	50	647	363	270	168	71	7
Alameda	31	800	219	119	267	354	23	180	89	–	80	75	70	851	168	287	173	119	11
Alameda	4	63	8	11	20	20	2	13	6	–	3	5	4	39	9	22	14	2	–
Albany	–	10	3	2	7	8	1	2	1	–	1	–	–	12	1	4	2	1	–
Berkeley	1	64	20	9	14	31	1	12	7	–	3	4	5	85	5	23	16	6	–
Fremont	1	59	12	9	19	32	1	11	8	–	6	–	9	65	25	17	16	2	3
Hayward	5	71	24	13	25	41	3	20	14	–	6	11	8	92	22	27	21	20	2
Livermore	1	26	7	3	4	12	1	1	–	–	6	4	–	23	7	3	8	2	1
Newark	–	11	2	1	4	5	1	2	1	–	5	–	1	18	6	3	4	–	–
Oakland	11	348	88	40	112	128	8	78	36	–	16	35	39	348	43	140	55	73	5
Piedmont	–	15	3	1	3	3	–	–	–	–	–	–	–	7	1	–	3	1	–
Pleasanton	1	10	2	3	3	10	–	3	–	–	–	2	1	12	8	1	3	2	–
San Leandro	2	63	31	19	27	34	3	9	7	–	2	2	1	80	16	23	17	5	–
Union City	1	19	6	2	5	6	2	6	3	–	4	4	1	16	5	9	1	1	–
Balance of county	4	41	14	6	18	24	–	23	6	–	8	8	1	54	20	15	13	4	–
Alpine	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	–	–	–
Amador	–	16	4	1	14	12	1	4	–	–	1	1	1	14	12	4	3	2	–
Butte	3	128	29	30	67	106	6	12	22	–	5	4	9	135	43	46	40	5	1
Chico	–	25	10	5	13	23	2	1	8	–	1	2	3	40	15	14	13	4	–
Paradise	2	40	5	8	19	22	1	3	6	–	1	1	1	39	4	5	7	–	–
Balance of county	1	61	14	17	35	61	3	8	8	–	3	1	5	56	24	27	20	1	1
Calaveras	1	10	1	2	5	16	1	4	–	–	2	–	2	20	10	7	7	3	–
Colusa	–	6	2	2	2	3	1	–	–	–	1	2	1	14	9	2	3	–	–
Contra Costa	31	433	54	64	176	206	13	123	46	–	30	29	36	454	137	117	94	72	4
Antioch	1	21	3	1	5	19	–	2	2	–	4	1	2	24	15	9	8	6	–
Concord	5	50	4	8	18	17	2	17	13	–	6	2	7	64	20	19	13	5	–
El Cerrito	3	17	3	3	8	9	2	4	1	–	1	–	–	25	5	7	7	3	–
Lafayette	–	23	1	2	7	7	–	6	1	–	1	1	–	14	4	4	3	–	–
Martinez	–	19	4	6	6	9	–	3	2	–	1	3	–	21	6	7	11	1	1
Moraga Town	–	8	–	3	1	2	–	–	1	–	–	1	–	7	3	1	–	–	–
Pinole	–	4	–	1	1	2	1	1	1	–	2	–	1	4	1	2	2	3	–
Pittsburg	1	25	11	–	7	12	–	16	5	–	–	2	2	36	8	12	3	12	1
Pleasant Hill	4	19	3	4	9	10	1	4	1	–	2	–	–	13	4	1	6	–	–
Richmond	4	56	2	14	24	38	2	30	7	–	5	5	12	71	19	15	5	22	–
San Pablo	–	21	2	4	11	11	1	3	1	–	3	5	4	28	4	8	9	6	1
Walnut Creek	8	79	8	7	42	32	1	16	8	–	2	3	2	73	11	17	11	1	–
Balance of county	5	91	13	11	37	38	3	21	3	–	3	6	6	74	37	15	16	13	1
Del Norte	–	10	4	4	4	7	1	3	2	–	–	1	4	9	5	11	6	2	–
El Dorado	1	36	6	12	21	24	2	13	1	–	4	3	5	53	32	21	8	10	–
South Lake Tahoe	–	4	1	1	2	4	–	1	–	–	1	–	2	10	6	10	3	4	–
Balance of county	1	32	5	11	19	20	2	12	1	–	3	3	3	43	26	11	5	6	–
Fresno	21	276	74	37	102	156	9	70	35	–	43	39	27	355	199	111	61	75	4
Clovis	3	13	6	5	5	12	–	4	3	–	3	2	1	24	22	4	6	1	–
Fresno	11	195	52	24	72	104	7	50	17	–	26	29	18	248	89	73	45	48	4
Reedley	1	13	3	–	2	2	–	1	2	–	2	–	–	11	5	1	–	2	–
Sanger	1	14	4	2	4	2	–	3	4	–	3	3	1	11	16	6	1	3	–
Selma	–	7	2	3	11	8	–	–	2	–	2	–	2	10	10	3	1	3	–
Balance of county	5	34	7	3	8	28	2	12	7	–	7	5	5	51	57	24	8	18	–
Glenn	–	14	4	2	11	11	–	3	2	–	1	2	–	16	12	10	5	2	–
Humboldt	6	70	10	10	20	47	4	16	1	–	8	3	4	95	28	30	22	6	3
Arcata	–	7	–	1	2	4	1	1	–	–	1	–	–	14	7	4	6	1	–
Eureka	5	30	7	7	8	23	–	7	–	–	4	–	1	36	7	12	7	2	–
Balance of county	1	33	3	2	10	20	3	8	1	–	3	3	3	45	15	14	9	3	3
Imperial	4	47	6	8	25	36	2	27	4	–	4	5	4	69	38	50	13	5	–
Brawley	1	12	–	2	2	5	1	6	3	–	1	2	–	16	7	5	4	2	–
Calexico	1	9	2	1	4	2	–	2	–	–	2	2	–	11	3	4	–	–	–
El Centro	1	11	1	1	6	14	1	15	–	–	–	–	1	19	15	10	2	2	–
Balance of county	1	15	3	4	13	15	–	4	1	–	1	1	3	23	13	31	7	1	–
Inyo	2	16	2	5	10	9	1	2	4	–	–	–	–	13	7	10	7	2	–
Kern	7	221	22	43	143	159	11	59	32	1	29	70	20	289	173	108	75	46	5
Bakersfield	3	138	13	27	94	91	9	36	23	1	19	45	11	163	97	65	41	28	3
Delano	1	6	–	2	8	5	–	3	1	–	2	5	4	4	4	6	2	1	1
Ridgecrest	–	6	2	1	3	8	1	2	–	–	–	1	–	5	13	7	3	–	–
Balance of county	3	71	7	13	38	55	1	16	8	–	8	19	5	97	58	30	29	17	1
Kings	5	60	19	12	14	19	1	9	9	–	8	8	4	45	38	16	7	1	–
Hanford	2	38	15	6	6	10	1	5	4	–	3	6	1	30	14	9	4	–	–
Balance of county	3	22	4	6	8	9	–	4	5	–	5	2	3	15	25	9	3	1	–
Lake	4	46	6	7	14	25	1	12	6	–	1	5	2	59	22	14	16	4	2
Lassen	1	9	1	2	8	10	1	4	1	–	1	5	2	15	8	5	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	60,847	67	3	478	13,704	3,575	3,577	1,258	1,432	541	534	2,787	1,013	29,100	22,716	240	1,365	14,750	6,361
Alhambra	673	1	–	2	138	45	31	9	18	7	8	20	11	379	303	1	14	214	74
Arcadia	569	1	–	3	127	27	31	18	13	7	5	26	3	327	234	3	10	172	49
Artesia	128	–	–	1	21	4	9	1	1	1	–	5	1	68	60	2	3	37	18
Azusa	227	1	–	1	46	16	13	4	6	–	–	7	2	109	95	1	2	63	29
Baldwin Park	334	1	–	7	47	13	14	3	3	1	4	9	6	143	116	2	2	84	28
Bell	186	–	–	4	39	7	13	1	5	3	1	9	3	91	73	1	7	53	12
Bellflower	542	–	–	4	126	35	36	10	8	3	5	29	6	256	214	2	5	155	52
Bell Gardens	200	–	–	1	43	12	11	5	5	2	1	7	5	78	66	–	5	38	23
Beverly Hills	407	–	–	–	109	29	16	11	14	5	3	29	4	215	155	–	3	123	29
Burbank	945	2	–	9	239	63	72	23	19	6	9	47	13	470	358	4	10	232	112
Carson	435	3	–	5	115	21	39	11	11	2	2	29	10	182	126	3	11	79	33
Cerritos	158	–	–	2	49	15	11	3	4	1	4	11	2	61	39	–	4	22	13
Claremont	227	–	–	2	40	8	8	7	6	3	3	5	4	132	103	–	12	59	32
Commerce	50	–	–	1	10	2	–	–	4	–	2	2	–	20	17	–	1	12	4
Compton	729	6	–	10	154	45	44	10	15	8	4	28	20	284	218	1	29	120	68
Covina	480	–	–	4	112	16	35	13	11	6	3	28	6	243	202	2	18	138	44
Cudahy	91	–	–	1	16	3	6	2	3	1	–	1	1	47	42	1	–	25	16
Culver City	341	–	–	6	85	24	19	12	7	3	2	18	10	168	126	1	8	79	38
Downey	733	–	–	3	186	48	52	26	14	8	6	32	8	358	286	5	17	192	72
Duarte	184	–	–	1	34	17	5	2	1	–	1	8	–	103	82	–	9	49	24
El Monte	620	–	–	2	114	26	32	8	14	4	4	26	13	301	252	1	17	159	75
El Segundo	91	–	–	–	26	6	7	2	2	2	–	7	1	36	32	1	3	21	7
Gardena	570	–	–	1	135	44	40	9	14	3	3	22	10	273	219	–	14	134	71
Glendale	1,398	–	–	6	290	83	72	27	31	7	11	59	20	766	564	7	36	371	150
Glendora	364	–	–	2	77	13	24	4	8	4	7	17	7	185	145	–	9	100	36
Hawaiian Gardens	46	–	–	–	7	4	–	–	1	1	–	1	1	25	19	1	–	15	3
Hawthorne	470	–	–	4	99	19	38	6	6	4	2	24	8	225	177	1	7	112	57
Hermosa Beach	108	–	–	1	30	9	10	3	–	2	2	4	–	47	37	–	–	22	15
Huntington Park	416	1	–	4	96	22	22	13	19	–	4	16	8	188	148	2	10	91	45
Inglewood	795	1	–	9	145	41	39	12	10	4	8	31	8	387	309	3	20	196	90
La Canada Flintridge	116	–	–	1	28	3	5	2	6	3	3	6	–	60	50	1	2	28	19
Lakewood	534	–	–	–	138	37	34	13	16	5	2	31	8	258	209	5	12	142	50
La Mirada	249	–	–	1	65	12	20	3	7	3	6	14	4	125	108	1	7	70	30
Lancaster	568	1	–	2	144	29	51	14	17	6	9	18	9	274	218	2	9	161	48
La Puente	389	–	–	6	79	21	18	7	6	3	6	18	9	164	131	–	13	79	39
La Verne	224	–	–	1	46	9	11	4	7	4	3	8	6	125	98	3	5	63	25
Lawndale	156	–	–	1	39	11	13	4	2	–	2	7	5	65	50	1	2	34	13
Lomita	175	–	–	1	40	7	12	3	4	4	2	8	2	76	57	–	3	36	18
Long Beach	3,833	1	1	25	847	212	260	61	90	29	24	171	37	1,804	1,472	14	71	942	445
Los Angeles	27,090	41	2	254	6,001	1,619	1,516	527	640	239	222	1,238	495	12,697	9,917	117	658	6,321	2,821
Lynwood	326	–	–	7	69	24	20	6	3	2	1	13	7	137	108	–	9	67	32
Manhattan Beach	193	–	–	1	66	15	13	6	8	2	4	18	4	78	60	1	3	34	22
Maywood	136	–	–	2	27	5	10	1	3	3	–	5	3	57	45	1	4	34	6
Monrovia	330	–	–	3	74	19	20	9	11	3	3	9	3	159	132	1	7	100	24
Montebello	405	1	–	–	86	24	13	10	19	2	4	14	7	206	159	1	4	108	46
Monterey Park	347	–	–	4	85	38	16	7	7	3	3	13	3	178	144	1	7	103	33
Norwalk	540	–	–	4	122	19	41	9	15	10	4	24	9	258	213	1	17	150	45
Palmdale	253	–	–	–	63	11	13	11	8	1	3	16	4	112	90	2	1	65	22
Palos Verdes Estates	113	–	–	–	30	7	4	7	1	2	3	6	2	48	33	1	–	27	5
Paramount	246	–	–	3	43	7	14	6	2	1	2	11	2	106	89	1	5	61	22
Pasadena	1,415	–	–	6	308	84	63	30	35	19	17	60	22	761	545	4	36	366	139
Pico Rivera	349	–	–	1	76	17	15	9	11	4	6	14	6	157	129	1	5	89	34
Pomona	779	–	–	5	141	39	31	15	17	4	9	26	12	390	293	2	19	199	73
Rancho Palos Verdes	188	–	–	2	58	14	15	7	7	1	4	10	6	75	63	1	2	42	18
Redondo Beach	400	1	–	4	107	24	38	9	3	4	–	31	3	183	144	–	14	90	40
Rosemead	330	–	–	2	73	15	23	4	13	1	4	13	8	157	114	–	6	79	29
San Dimas	183	–	–	–	47	12	13	9	–	1	1	11	4	97	76	1	4	57	14
San Fernando	181	–	–	1	35	6	9	2	6	3	–	9	2	81	62	–	4	38	20
San Gabriel	454	1	–	1	115	32	32	9	12	5	2	23	12	218	173	1	6	116	50
San Marino	100	–	–	–	25	9	7	4	3	–	2	–	1	54	38	–	2	25	9
Santa Fe Springs	81	–	–	–	20	5	6	2	1	2	1	3	2	37	32	–	–	27	5
Santa Monica	1,002	–	–	4	236	66	54	25	25	8	13	45	14	529	388	4	21	240	123
Sierra Madre	96	–	–	1	20	7	4	–	2	3	–	4	–	53	36	–	2	26	8
South El Monte	87	–	–	–	20	4	6	2	3	1	2	2	3	29	26	–	2	13	11
South Gate	524	1	–	2	119	27	38	10	17	5	2	20	11	254	197	1	11	128	57
South Pasadena	224	–	–	–	53	18	5	2	11	1	1	15	3	107	89	1	2	63	23
Temple City	304	–	–	2	79	16	22	6	7	2	2	24	2	170	132	2	7	88	35
Torrance	1,058	–	–	9	253	64	71	33	15	9	12	49	10	502	369	8	17	246	98
West Covina	496	–	–	1	125	32	33	15	10	4	4	27	10	223	178	–	12	104	62
Whittier	1,168	1	–	4	253	58	62	31	24	14	10	58	23	590	482	9	22	304	147
Balance of county	2,688	2	–	21	684	184	177	69	65	27	32	140	47	1,201	954	6	46	619	284
Madera	594	–	–	7	133	30	42	9	11	4	6	31	8	272	201	2	8	163	28
Madera	338	–	–	4	77	16	25	7	9	3	2	15	5	144	104	–	4	81	19
Balance of county	256	–	–	3	56	14	17	2	2	1	4	16	3	128	97	2	4	82	9
Marin	1,708	1	–	19	430	121	109	38	45	14	11	92	17	731	514	10	13	382	109
Larkspur	37	–	–	–	11	3	3	–	–	–	1	4	–	17	14	–	1	11	2
Mill Valley	211	–	–	3	56	16	7	6	10	1	3	13	5	80	61	1	2	48	10
Novato	301	1	–	1	80	24	19	8	8	4	1	16	3	124	87	3	2	58	24
San Anselmo	89	–	–	1	19	5	4	1	3	–	–	6	1	43	28	–	1	17	10
San Rafael	583	–	–	8	130	37	37	10	12	6	4	24	5	242	186	3	6	141	36
Balance of county	507	–	–	6	134	36	39	13	12	3	2	29	3	225	138	3	1	107	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	298	4,740	817	529	1,867	2,102	267	1,434	352	20	516	736	300	3,503	1,375	1,399	1,081	1,388	42
Alhambra	3	57	10	6	23	22	4	16	3	–	4	2	–	32	8	12	7	6	1
Arcadia	3	77	8	5	13	27	3	9	2	–	2	3	–	25	5	7	11	1	–
Artesia	1	6	–	1	5	9	–	6	–	–	1	1	1	5	2	3	2	–	–
Azusa	2	11	1	–	5	10	2	4	–	–	4	3	3	15	10	5	4	3	–
Baldwin Park	–	22	5	–	12	21	2	9	4	–	6	6	4	22	9	15	5	15	–
Bell	2	14	1	1	4	8	1	4	3	–	1	3	–	14	2	4	3	1	1
Bellflower	1	26	7	8	21	20	1	9	3	1	3	7	4	35	13	18	7	6	–
Bell Gardens	–	8	2	2	5	9	1	7	–	–	5	6	2	11	4	13	3	7	–
Beverly Hills	2	41	10	7	12	12	5	7	2	–	1	2	–	21	4	5	7	–	1
Burbank	5	77	23	7	31	30	5	22	5	–	3	7	1	46	14	20	20	8	–
Carson	–	28	7	1	11	31	2	8	–	–	5	8	2	27	11	12	10	13	–
Cerritos	–	17	2	3	8	5	1	4	1	1	3	2	–	7	6	2	3	1	–
Claremont	–	22	6	1	12	7	–	2	–	–	1	2	2	11	6	6	–	–	–
Commerce	1	2	–	–	–	2	2	2	–	–	1	1	1	4	1	3	1	1	–
Compton	6	51	4	5	14	16	3	20	9	1	13	28	4	38	24	27	10	48	–
Covina	3	31	4	3	14	20	4	16	1	–	6	4	1	27	7	3	6	5	1
Cudahy	–	4	1	–	3	2	1	–	–	–	2	1	–	4	2	4	3	4	–
Culver City	1	33	4	4	10	18	–	5	2	–	3	–	1	15	2	8	6	4	–
Downey	1	58	8	5	25	29	1	18	7	1	10	6	2	30	18	15	12	4	–
Duarte	1	13	2	5	7	4	1	4	2	–	3	3	2	10	5	2	3	–	–
El Monte	2	34	6	7	19	27	2	20	3	–	12	9	9	37	21	9	9	13	–
El Segundo	1	2	1	–	4	3	1	5	–	–	–	–	1	9	1	1	3	–	–
Gardena	5	35	8	6	22	27	4	9	2	–	2	6	2	33	11	14	5	12	2
Glendale	10	150	31	11	64	55	12	21	2	–	7	9	3	78	22	18	19	6	–
Glendora	3	32	2	3	12	12	3	6	4	–	1	3	2	24	4	9	12	1	–
Hawaiian Gardens	–	3	2	1	1	–	–	–	–	1	3	2	–	2	–	1	2	1	–
Hawthorne	2	36	6	4	10	24	3	16	1	–	8	3	2	28	7	12	9	11	–
Hermosa Beach	2	7	–	1	6	8	1	2	1	–	–	2	–	1	1	4	3	1	–
Huntington Park	–	32	3	3	7	13	3	16	4	1	3	5	2	18	13	14	6	15	1
Inglewood	5	61	7	5	23	22	2	8	2	2	10	27	5	41	24	25	14	40	–
La Canada Flintridge	–	8	1	1	4	6	–	2	1	–	–	–	–	5	2	3	4	–	–
Lakewood	2	34	5	8	18	27	1	10	2	–	2	3	2	26	14	8	11	6	–
La Mirada	2	14	–	1	5	8	1	3	1	–	1	1	1	20	8	3	1	–	1
Lancaster	1	41	10	4	11	30	1	14	4	1	1	4	–	30	20	8	12	2	–
La Puente	2	23	2	6	8	16	3	20	2	–	6	10	5	22	15	11	3	10	–
La Verne	3	25	1	–	8	5	3	2	1	–	–	1	–	9	10	3	3	–	1
Lawndale	–	14	1	–	5	7	1	3	–	–	1	–	1	8	5	5	6	4	–
Lomita	–	10	9	–	7	11	–	5	1	–	–	4	1	13	6	2	3	3	–
Long Beach	19	303	66	44	150	166	14	73	25	–	19	31	20	246	65	83	80	45	1
Los Angeles	140	2,115	308	219	855	822	113	668	163	9	225	366	154	1,604	615	654	488	841	23
Lynwood	–	26	3	–	9	11	2	7	4	–	8	8	1	19	7	8	3	19	–
Manhattan Beach	–	12	4	2	9	5	–	6	3	–	1	1	–	7	4	2	3	2	1
Maywood	–	8	2	2	3	1	–	3	1	–	1	6	1	12	6	4	1	8	–
Monrovia	–	20	5	2	11	15	2	10	–	–	3	2	–	23	3	8	5	9	–
Montebello	1	40	5	1	13	17	–	20	4	–	3	4	1	16	10	6	8	3	–
Monterey Park	–	20	6	8	9	9	2	7	1	–	3	1	1	19	8	8	7	4	–
Norwalk	3	32	3	7	23	20	4	15	4	–	3	6	4	37	12	8	4	7	–
Palmdale	1	16	2	3	5	11	–	2	4	–	4	4	1	15	16	5	5	2	–
Palos Verdes Estates	2	10	3	–	5	7	–	2	–	–	–	–	–	11	3	2	2	1	–
Paramount	–	12	3	2	15	8	1	11	1	–	4	3	3	14	7	9	5	11	–
Pasadena	8	161	28	18	51	32	3	30	8	–	13	10	4	69	31	24	19	24	–
Pico Rivera	2	18	5	3	12	14	–	12	3	–	6	3	2	27	4	9	7	10	–
Pomona	5	64	18	10	25	29	4	18	3	–	10	12	6	59	23	13	8	21	–
Rancho Palos Verdes	–	8	4	–	6	6	–	3	3	–	2	2	–	7	2	6	9	1	–
Redondo Beach	–	26	7	6	7	11	–	12	2	–	4	2	–	18	13	16	10	7	–
Rosemead	2	34	2	5	12	13	1	7	1	1	8	4	1	12	8	12	5	5	–
San Dimas	1	17	2	1	3	4	–	3	1	–	1	1	–	10	4	2	4	1	1
San Fernando	1	17	1	–	11	8	–	2	1	1	1	4	2	12	2	7	4	7	–
San Gabriel	5	30	6	4	21	15	3	5	1	–	3	1	2	32	6	8	6	4	–
San Marino	–	13	1	4	3	3	1	1	1	–	–	2	–	4	2	1	2	–	–
Santa Fe Springs	–	5	–	–	4	2	–	2	1	–	–	1	–	4	3	3	1	–	1
Santa Monica	7	108	21	5	33	32	9	20	5	–	1	8	–	57	15	15	15	9	–
Sierra Madre	–	16	1	–	2	7	1	3	–	–	1	1	–	2	–	4	1	–	–
South El Monte	–	3	–	–	–	3	2	4	–	–	1	2	1	4	9	3	1	5	–
South Gate	2	46	10	5	14	19	2	21	4	–	2	8	–	27	6	14	4	14	–
South Pasadena	1	13	3	1	11	17	1	2	4	–	1	1	–	14	1	5	4	–	–
Temple City	2	28	2	6	5	7	1	6	–	–	3	–	1	18	2	2	6	–	–
Torrance	6	85	33	9	60	42	5	22	6	–	12	13	–	56	14	19	20	15	–
West Covina	1	36	3	5	23	19	3	10	2	–	3	7	4	28	14	12	8	4	–
Whittier	2	73	18	15	26	49	6	38	8	–	12	3	5	66	29	25	20	12	–
Balance of county	15	172	43	17	62	77	7	53	13	–	24	35	20	151	94	68	68	45	6
Madera	–	45	9	17	15	19	–	9	5	–	2	3	1	50	30	20	12	8	–
Madera	–	24	6	10	5	8	–	8	5	–	2	2	1	29	18	16	8	6	–
Balance of county	–	21	3	7	10	11	–	1	–	–	–	1	–	21	12	4	4	2	–
Marin	5	157	34	21	51	64	10	36	9	–	18	13	9	152	33	47	42	16	10
Larkspur	–	3	–	–	1	–	–	1	–	–	–	1	–	3	–	2	–	1	–
Mill Valley	–	15	2	2	10	5	2	2	2	–	4	1	1	21	8	4	5	1	1
Novato	–	27	7	3	4	15	3	8	2	–	8	3	2	19	5	10	10	1	2
San Anselmo	1	9	5	–	5	1	1	5	1	–	1	2	–	4	–	3	1	–	1
San Rafael	3	42	5	6	23	28	3	11	4	–	4	2	4	63	10	12	9	3	2
Balance of county	1	61	15	10	8	15	1	9	–	–	1	4	2	42	10	16	17	10	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	125	–	–	–	34	6	8	6	4	–	2	8	2	51	42	2	1	29	10
Mendocino	685	1	–	7	152	33	46	14	18	8	6	27	10	294	227	4	12	159	52
Ukiah	232	–	–	1	53	10	20	6	3	3	–	11	3	105	80	1	2	55	22
Balance of county	453	1	–	6	99	23	26	8	15	5	6	16	7	189	147	3	10	104	30
Merced	980	–	–	7	221	50	60	24	31	8	7	41	18	408	301	1	6	221	73
Atwater	119	–	–	1	41	10	14	3	5	3	1	5	2	51	35	–	–	25	10
Los Banos	104	–	–	1	23	4	6	3	5	–	–	5	4	44	31	–	–	28	5
Merced	401	–	–	3	77	19	20	10	10	2	2	14	9	177	129	1	3	95	30
Balance of county	356	–	–	2	80	17	20	8	11	3	4	17	3	136	106	–	3	75	28
Modoc	90	–	–	1	15	6	2	1	2	4	–	–	1	43	34	1	–	24	9
Mono	34	–	–	–	5	3	–	–	1	–	–	1	–	11	8	–	–	5	3
Monterey	2,129	–	–	15	474	124	137	35	48	17	12	101	28	924	666	9	15	502	140
Marina	74	–	–	–	22	2	8	2	2	2	1	5	1	29	23	–	1	18	4
Monterey	238	–	–	2	51	13	12	1	8	–	1	16	2	108	77	–	–	63	14
Pacific Grove	200	–	–	1	40	16	10	3	3	3	–	5	2	109	80	2	1	66	11
Salinas	766	–	–	4	168	45	61	10	15	2	2	33	10	335	229	4	7	163	55
Seaside	205	–	–	2	35	9	9	3	1	1	–	12	5	78	56	2	2	40	12
Balance of county	646	–	–	6	158	39	37	16	19	9	8	30	8	273	201	1	4	152	44
Napa	945	–	–	10	232	63	58	23	25	14	8	40	17	427	319	5	12	237	65
Napa	658	–	–	7	163	39	41	17	19	12	5	30	12	313	229	4	8	177	40
Balance of county	287	–	–	3	69	24	18	6	6	2	3	10	5	114	90	1	4	60	25
Nevada	574	–	–	5	151	36	44	12	14	9	4	32	3	232	171	2	4	120	45
Orange	13,172	4	1	92	3,192	779	883	290	317	147	128	648	170	6,020	4,683	56	105	3,612	910
Anaheim	1,589	1	–	10	383	74	125	34	36	8	12	74	24	747	595	4	13	462	116
Brea	193	–	–	2	40	11	13	1	3	3	2	7	3	87	72	–	–	59	13
Buena Park	388	–	–	1	86	22	22	10	9	4	2	17	8	172	136	1	7	96	32
Costa Mesa	542	–	–	4	138	38	41	14	16	7	6	16	7	219	174	3	3	140	28
Cypress	206	–	–	2	53	8	19	3	7	4	1	11	4	84	65	–	1	55	9
Fountain Valley	239	1	–	–	66	10	19	6	2	6	4	19	3	98	77	–	1	57	19
Fullerton	700	–	–	4	160	34	45	11	18	8	2	42	5	323	260	2	4	211	43
Garden Grove	954	–	–	6	228	52	69	23	12	14	11	47	7	434	350	8	7	261	74
Huntington Beach	901	–	1	8	236	56	64	16	13	14	16	57	16	388	291	4	6	220	61
Irvine	254	–	–	5	85	27	16	7	6	2	4	23	4	96	81	1	–	60	20
Laguna Beach	188	–	–	2	44	12	7	7	9	1	1	7	1	91	71	–	3	50	18
La Habra	353	–	–	4	80	17	24	12	6	1	6	14	8	170	138	2	5	100	31
La Palma	62	–	–	1	15	4	8	1	–	–	–	2	1	33	29	1	2	21	5
Los Alamitos	148	–	–	2	42	8	9	6	4	1	3	11	–	70	57	–	3	41	13
Newport Beach	464	–	–	2	124	29	37	13	16	3	6	20	2	206	154	1	3	129	21
Orange	676	–	–	3	172	51	36	15	18	7	9	36	8	309	227	1	11	175	40
Placentia	163	–	–	1	41	14	7	3	4	2	1	10	3	76	57	2	1	48	6
San Clemente	222	–	–	4	58	13	20	9	5	1	2	8	3	103	80	–	1	67	12
San Juan Capistrano	160	–	–	–	48	16	11	4	6	–	2	9	1	71	42	1	1	32	8
Santa Ana	1,473	1	–	5	300	72	96	28	33	12	11	48	15	648	480	6	8	366	100
Seal Beach	558	–	–	1	127	38	23	8	17	6	4	31	8	310	247	5	1	197	44
Stanton	170	–	–	3	37	8	12	3	5	2	2	5	–	96	64	1	2	48	13
Tustin	274	–	–	3	64	12	13	9	10	5	2	13	6	129	107	1	2	69	15
Westminster	474	–	–	4	133	32	44	9	7	10	5	26	11	190	158	1	1	112	42
Yorba Linda	119	–	–	2	42	12	7	2	6	2	1	12	–	41	33	1	–	20	12
Balance of county	1,704	1	–	13	410	109	96	36	49	24	13	83	24	629	640	10	19	496	115
Placer	1,064	1	–	7	281	68	68	24	32	20	16	55	19	463	347	4	3	272	68
Roseville	299	1	–	2	73	17	20	5	10	3	5	13	3	144	120	3	2	94	21
Balance of county	765	–	–	5	208	49	48	19	22	17	11	42	16	319	227	1	1	178	47
Plumas	167	–	–	1	36	4	15	2	4	–	2	9	–	74	58	1	2	48	7
Riverside	7,231	5	–	47	1,534	368	444	127	160	57	66	292	74	3,411	2,618	25	56	2,135	402
Banning	237	–	–	1	45	14	13	3	5	2	2	6	1	122	94	2	3	77	12
Corona	338	–	–	5	87	29	23	8	12	2	1	12	3	136	97	2	4	80	11
Hemet	1,125	–	–	5	209	62	56	19	25	4	14	29	10	631	479	3	7	405	64
Indio	201	1	–	1	36	10	9	3	2	1	1	10	3	78	58	–	2	41	15
Norco	107	–	–	–	30	7	15	1	1	1	2	3	1	45	37	1	2	23	11
Palm Desert	193	–	–	1	52	6	22	3	5	1	5	10	1	90	62	1	–	52	9
Palm Springs	461	–	–	1	113	28	29	7	12	10	5	22	4	208	157	–	2	119	36
Riverside	1,611	–	–	14	317	68	96	20	37	11	13	72	18	720	565	6	10	480	69
Balance of county	2,958	4	–	19	645	144	181	63	81	25	23	128	33	1,361	1,069	10	26	678	155
Sacramento	6,673	7	1	73	1,577	370	470	141	174	69	71	282	105	2,675	2,172	32	69	1,603	469
Folsom	147	–	–	3	35	18	7	1	3	–	–	8	2	65	50	1	2	36	11
Sacramento	4,569	3	1	51	1,048	239	315	88	120	49	50	187	73	2,004	1,551	21	49	1,143	338
Balance of county	1,957	4	–	19	494	115	149	52	51	20	21	87	30	806	571	10	17	424	120
San Benito	202	–	–	2	46	14	8	6	7	3	1	7	3	85	55	–	2	45	8
Hollister	162	–	–	2	36	11	4	6	5	3	1	6	2	68	42	–	1	35	6
Balance of county	40	–	–	–	10	3	4	–	2	–	–	1	1	17	13	–	1	10	2
San Bernardino	7,813	6	–	46	1,669	404	484	141	178	71	61	330	108	3,474	2,663	31	72	2,157	403
Barstow	206	–	–	2	51	14	16	4	5	1	2	9	4	74	58	2	6	39	9
Chino	266	–	–	–	67	20	11	6	10	4	3	13	3	116	90	1	1	70	18
Colton	233	–	–	2	49	13	17	3	6	1	2	7	4	98	80	–	1	61	18
Fontana	484	–	–	5	103	27	32	5	3	6	2	28	8	204	168	–	4	136	28
Loma Linda	113	–	–	–	14	4	4	–	2	–	–	4	4	57	38	1	–	34	3
Montclair	164	–	–	1	31	2	14	5	1	1	1	7	1	75	58	1	2	45	8
Ontario	632	2	–	2	118	37	28	12	13	3	3	22	8	279	213	–	9	174	30
Rancho Cucamonga	164	–	–	–	35	5	7	5	3	2	2	11	1	73	60	–	2	52	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-776)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	–	8	–	1	3	1	–	1	–	–	1	1	1	9	10	7	3	1	–
Mendocino	1	50	5	11	34	34	2	11	5	–	1	8	4	47	24	19	22	9	1
Ukiah	–	18	3	4	15	12	–	4	1	–	–	3	2	16	4	4	5	3	1
Balance of county	1	32	2	7	19	22	2	7	4	–	1	5	2	31	20	15	17	6	–
Merced	3	74	14	16	30	41	5	15	12	–	18	13	13	72	43	37	16	9	2
Atwater	1	9	2	4	3	–	–	3	–	–	1	3	1	5	2	5	–	1	–
Los Banos	1	10	2	–	3	6	1	–	1	–	–	1	1	11	3	2	2	–	1
Merced	–	34	7	7	13	13	3	5	5	–	8	2	8	29	16	16	10	4	1
Balance of county	1	21	3	5	11	22	1	7	6	–	9	7	3	27	22	12	4	4	–
Modoc	–	6	2	1	4	3	–	–	–	–	–	1	1	9	5	5	1	1	–
Mono	1	1	1	–	1	1	–	1	1	–	1	–	1	3	3	3	3	–	–
Monterey	5	188	32	33	86	92	12	45	11	–	20	25	11	176	76	82	43	27	2
Marina	–	4	1	1	1	6	–	1	–	–	1	–	1	3	2	3	4	–	–
Monterey	–	25	4	2	6	10	–	5	–	–	–	1	–	30	3	10	5	5	–
Pacific Grove	–	18	2	3	6	11	2	4	2	–	–	1	1	14	4	6	2	1	–
Salinas	2	74	15	15	24	34	3	19	4	–	10	5	3	60	29	34	13	10	1
Seaside	1	16	–	3	7	8	3	8	1	–	3	10	2	16	12	7	7	3	–
Balance of county	2	51	10	9	22	23	4	8	4	–	6	8	4	53	26	22	12	8	1
Napa	3	77	10	18	40	33	4	18	9	–	2	5	3	72	27	17	23	6	–
Napa	2	59	8	15	25	20	2	13	6	–	–	5	2	44	18	9	15	4	–
Balance of county	1	18	2	3	15	13	2	5	3	–	2	–	1	28	9	8	8	2	–
Nevada	1	42	5	13	27	23	2	6	3	–	5	1	4	63	19	15	8	7	–
Orange	45	976	157	159	512	513	68	263	67	1	116	122	51	895	356	336	280	108	5
Anaheim	7	103	20	22	58	56	10	30	13	–	13	12	9	104	49	43	35	10	2
Brea	1	12	–	2	5	9	1	4	2	–	2	3	2	17	6	8	1	1	–
Buena Park	3	25	5	3	11	14	1	10	1	–	5	1	1	31	16	17	8	3	–
Costa Mesa	1	30	6	8	30	19	2	19	1	–	7	6	2	30	14	17	20	7	–
Cypress	1	16	–	2	5	11	1	11	2	–	4	–	–	16	5	5	3	–	–
Fountain Valley	–	15	3	3	11	13	2	4	–	–	3	3	–	16	8	3	5	3	–
Fullerton	2	46	6	9	28	17	6	14	3	–	5	11	2	50	25	18	24	5	–
Garden Grove	2	55	11	16	36	61	5	19	3	1	5	8	2	73	21	20	15	10	–
Huntington Beach	1	71	7	18	41	49	2	15	2	–	11	2	5	49	19	23	27	6	1
Irvine	1	11	1	2	6	9	1	2	2	–	2	1	2	19	7	10	3	–	–
Laguna Beach	–	14	2	4	7	6	1	3	1	–	–	2	–	18	6	3	3	–	–
La Habra	–	24	4	4	8	17	2	9	–	–	2	4	2	23	11	7	5	1	–
La Palma	–	4	–	–	1	1	–	1	–	–	1	2	–	3	1	1	1	–	–
Los Alamitos	–	11	2	–	3	8	2	3	–	–	1	1	–	8	1	2	4	1	–
Newport Beach	2	35	6	9	24	19	2	11	2	–	–	2	1	28	9	14	16	2	–
Orange	4	61	11	6	29	21	5	15	4	–	4	10	5	44	16	13	12	5	1
Placentia	–	16	1	2	3	6	–	3	1	–	3	–	–	9	4	6	7	–	–
San Clemente	1	21	–	1	6	9	1	2	2	–	1	3	1	15	3	6	5	–	–
San Juan Capistrano	1	26	1	1	5	3	–	5	1	–	–	2	1	5	10	5	3	–	–
Santa Ana	5	133	21	9	65	59	9	36	7	–	25	27	11	99	50	48	26	42	–
Seal Beach	–	48	9	6	34	15	1	7	1	–	1	–	–	37	4	8	6	–	–
Stanton	–	13	18	1	2	5	1	2	1	–	–	–	2	7	5	5	3	1	–
Tustin	2	15	1	4	5	5	3	2	3	–	2	5	–	20	9	8	8	1	–
Westminster	1	24	3	6	24	20	1	8	4	–	5	4	1	29	16	10	10	3	1
Yorba Linda	–	6	2	–	6	6	1	4	–	–	2	3	–	2	5	3	2	–	–
Balance of county	10	141	17	21	59	55	8	24	11	–	12	10	2	143	37	33	26	7	–
Placer	5	82	16	13	29	54	5	15	5	–	9	6	19	80	28	28	15	6	–
Roseville	1	21	–	2	6	18	2	5	1	–	2	3	2	15	8	4	5	3	–
Balance of county	4	61	16	11	21	36	3	10	4	–	7	3	11	65	20	24	10	3	–
Plumas	2	6	5	3	3	6	–	1	2	–	2	1	–	12	15	2	8	4	–
Riverside	15	582	100	96	315	320	42	127	45	1	45	77	47	515	256	150	128	67	5
Banning	–	23	2	3	9	12	2	3	–	–	1	3	–	20	7	1	3	7	–
Corona	–	24	10	5	8	6	2	6	2	–	6	5	3	23	17	13	8	5	1
Hemet	2	113	19	18	41	56	8	20	9	–	3	4	2	79	20	9	17	2	–
Indio	2	14	3	1	4	13	1	9	4	1	–	4	1	18	8	11	3	5	–
Norco	–	4	2	2	6	6	1	3	–	–	–	–	–	6	4	–	3	2	–
Palm Desert	–	25	–	3	7	7	1	3	1	–	–	2	–	16	7	1	4	–	–
Palm Springs	1	34	8	8	25	18	2	9	2	–	1	5	1	36	9	14	8	5	–
Riverside	4	106	28	17	107	66	10	33	10	–	16	28	11	115	59	28	34	21	4
Balance of county	6	239	28	39	108	134	15	41	17	–	18	28	29	202	125	73	48	40	–
Sacramento	21	531	64	87	221	347	16	119	50	–	50	44	74	574	160	147	143	81	9
Folsom	1	13	–	1	6	12	–	2	1	–	1	2	1	12	2	–	2	1	–
Sacramento	16	336	41	60	155	228	15	91	36	–	36	23	50	394	98	97	93	67	6
Balance of county	4	182	23	26	60	107	1	26	13	–	13	19	23	168	60	50	48	13	3
San Benito	–	21	8	1	8	14	–	1	4	–	1	1	2	15	7	9	1	3	–
Hollister	–	18	7	1	5	10	–	1	3	–	1	1	2	13	7	9	1	1	–
Balance of county	–	3	1	–	3	4	–	–	1	–	–	–	–	2	–	–	–	2	–
San Bernardino	33	583	116	79	323	340	31	192	65	–	72	101	54	578	285	192	153	108	18
Barstow	–	16	–	2	5	5	4	7	2	–	3	3	2	18	16	4	2	2	2
Chino	2	16	1	7	8	10	1	6	4	–	2	5	–	19	14	3	9	–	1
Colton	1	15	1	1	12	8	3	7	3	–	4	2	–	15	10	8	5	3	–
Fontana	–	24	9	3	17	30	2	11	5	–	1	2	6	43	16	13	11	5	2
Loma Linda	1	12	8	–	8	2	–	2	1	–	2	2	1	11	4	2	2	–	1
Montclair	–	15	4	–	8	8	2	2	2	–	1	1	2	12	4	5	2	8	–
Ontario	2	52	8	4	20	29	1	14	4	–	11	18	4	41	32	16	16	15	1
Rancho Cucamonga	–	13	–	–	8	8	–	4	3	–	2	5	4	9	5	4	3	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	420	–	–	1	99	15	24	13	13	5	1	28	3	204	158	1	3	117	37
Rialto	320	–	–	2	74	15	26	7	7	5	2	12	9	133	102	2	2	78	20
San Bernardino	1,413	–	–	11	267	68	82	18	26	12	11	50	23	644	492	7	14	406	85
Upland	390	–	–	3	77	16	19	7	12	4	4	15	1	205	157	1	2	128	26
Victorville	217	–	–	5	31	9	10	–	5	2	–	5	4	88	69	–	1	59	9
Balance of county	2,781	4	–	12	653	159	194	56	72	25	28	119	35	1,224	924	15	25	758	126
San Diego	14,896	8	–	161	3,566	844	1,050	358	375	122	126	693	173	6,436	4,788	64	168	3,509	1,047
Carlsbad	239	–	–	3	63	15	23	4	8	4	3	6	3	107	75	1	5	50	19
Chula Vista	900	1	–	12	223	46	71	25	22	12	4	43	16	400	302	1	8	225	68
Coronado	172	1	–	1	52	8	15	4	11	1	1	12	–	72	54	1	2	43	8
El Cajon	1,023	–	–	9	247	51	86	31	26	9	5	39	15	482	359	5	20	280	74
Escondido	874	–	–	8	210	52	54	20	25	4	8	47	10	399	284	3	7	211	63
Imperial Beach	127	–	–	–	32	5	10	2	5	–	2	8	1	42	32	2	2	25	3
La Mesa	577	–	–	4	128	30	35	22	9	3	3	26	5	269	201	2	7	154	38
Lemon Grove	218	–	–	1	38	11	11	1	6	3	1	5	2	112	86	–	–	68	18
National City	343	–	–	3	57	13	22	5	5	2	–	10	7	158	119	1	5	95	18
Oceanside	707	1	–	10	186	42	58	14	17	5	10	40	9	277	204	3	12	142	47
San Diego	6,622	4	–	76	1,502	371	413	141	165	52	64	296	81	2,882	2,156	34	76	1,563	463
San Marcos	277	–	–	4	67	18	26	12	9	2	3	17	2	114	82	–	3	55	24
Vista	536	1	–	7	149	40	44	13	15	4	6	27	4	220	153	2	4	115	32
Balance of county	2,281	–	–	23	592	142	182	62	52	21	16	117	18	904	681	9	17	503	152
San Francisco, coext. with San Francisco city	7,884	4	–	207	1,809	530	453	132	174	67	64	389	121	3,472	2,693	37	81	2,088	509
San Joaquin	3,340	4	–	38	778	167	242	72	86	37	23	151	67	1,468	1,131	21	28	883	199
Lodi	485	1	–	3	114	27	26	11	16	3	7	24	10	227	158	5	3	113	37
Manteca	244	–	–	–	58	11	15	4	5	5	1	17	3	111	85	1	8	60	18
Stockton	2,014	3	–	32	476	109	158	46	51	21	11	80	43	888	699	12	12	567	108
Tracy	245	–	–	1	57	6	20	5	6	3	2	15	4	91	71	2	–	63	6
Balance of county	352	–	–	2	73	14	23	6	8	5	2	15	7	151	118	1	7	80	30
San Luis Obispo	1,515	–	–	15	340	83	95	32	40	7	11	72	7	713	547	9	15	417	106
Arroyo Grande	172	–	–	1	38	9	12	6	4	–	1	6	–	96	71	–	2	59	10
Atascadero	155	–	–	1	29	9	7	3	2	1	1	6	–	80	64	–	1	51	12
San Luis Obispo	290	–	–	3	60	16	18	6	3	–	2	15	4	134	95	3	2	66	22
Balance of county	898	–	–	10	213	49	58	17	31	6	7	45	3	403	317	6	10	239	62
San Mateo	4,656	1	–	40	1,164	282	302	110	139	42	45	244	55	2,061	1,528	30	65	1,152	281
Belmont	182	–	–	1	47	14	11	4	4	3	1	10	1	73	52	–	–	44	8
Burlingame	294	–	–	2	59	15	8	6	8	2	4	16	1	151	112	–	6	87	19
Daly City	521	–	–	2	118	24	39	5	16	5	5	24	8	240	197	4	6	154	33
Foster City	104	–	–	1	38	14	8	3	1	1	4	7	1	35	28	2	–	23	3
Hillsborough	76	–	–	–	26	8	3	5	1	–	1	8	2	32	24	–	1	19	4
Menlo Park	391	–	–	3	95	23	19	10	12	5	4	22	6	191	128	1	15	81	31
Millbrae	181	–	–	2	64	17	17	9	7	–	3	11	–	75	52	–	1	43	8
Pacifica	218	–	–	2	57	11	18	5	9	–	3	11	3	100	72	3	–	57	12
Redwood City	578	–	–	6	137	34	44	19	13	4	2	21	6	241	182	7	7	142	26
San Bruno	232	–	–	3	61	14	14	2	12	4	1	14	4	97	69	–	2	52	15
San Carlos	229	–	–	1	57	9	13	7	7	3	3	15	2	109	83	1	3	66	13
San Mateo	798	–	–	5	203	48	53	22	22	8	5	45	10	348	247	4	11	188	44
South San Francisco	359	1	–	2	85	24	20	5	12	4	5	15	7	156	119	2	–	97	20
Balance of county	493	–	–	10	117	27	35	8	15	3	4	25	4	211	163	6	13	99	45
Santa Barbara	2,478	1	–	25	580	136	132	60	57	26	23	146	34	1,113	813	11	26	495	281
Carpinteria	99	–	–	1	24	5	2	2	1	2	1	11	–	39	29	–	4	13	12
Lompoc	225	–	–	1	53	10	22	3	5	2	1	10	2	91	64	1	3	40	20
Santa Barbara	1,236	1	–	16	292	73	54	33	27	15	11	79	14	557	389	2	8	239	140
Santa Maria	539	–	–	3	114	28	24	12	13	4	6	26	11	255	208	6	7	126	69
Balance of county	379	–	–	2	97	19	30	10	11	3	4	20	7	171	123	2	4	77	40
Santa Clara	8,051	9	1	59	1,872	473	466	166	208	75	69	415	134	3,572	2,716	36	148	1,710	622
Campbell	259	–	–	3	56	16	18	4	1	2	2	13	7	115	91	1	4	61	25
Cupertino	257	–	–	2	60	15	14	5	6	3	3	14	5	112	84	1	–	59	24
Gilroy	183	–	–	1	36	5	11	4	3	2	1	10	3	77	60	1	–	43	16
Los Altos	277	–	–	3	70	18	13	4	11	–	6	18	4	120	76	1	1	44	30
Los Gatos	330	–	–	4	75	20	22	5	9	2	4	13	5	175	134	1	12	82	39
Milpitas	154	–	–	3	36	11	11	–	5	1	1	7	8	59	45	1	6	25	13
Morgan Hill	133	–	–	2	32	5	6	5	3	1	–	12	1	54	41	–	1	32	6
Mountain View	428	1	–	5	88	21	21	5	10	6	3	22	8	184	140	–	11	85	44
Palo Alto	504	–	–	4	115	28	21	15	21	5	4	21	7	258	181	5	5	100	71
San Jose	3,865	6	–	29	868	230	225	83	90	32	33	195	59	1,639	1,266	17	61	788	380
Santa Clara	604	1	1	1	155	41	40	14	12	8	5	35	9	281	231	2	8	169	52
Saratoga	213	–	–	–	48	13	9	4	6	4	–	12	4	109	87	2	1	41	43
Sunnyvale	694	1	–	1	180	41	49	15	24	9	5	37	12	310	224	4	16	141	63
Balance of county	156	–	–	1	33	9	6	3	7	–	2	6	2	69	56	–	2	40	14
Santa Cruz	1,731	1	–	19	387	103	103	35	45	10	17	74	23	790	571	12	37	330	192
Santa Cruz	723	–	–	13	149	43	41	14	15	–	10	26	7	331	240	8	14	144	76
Watsonville	375	1	–	3	77	14	23	9	12	5	–	14	10	179	134	1	13	81	39
Balance of county	633	–	–	3	161	46	39	12	18	6	7	34	6	280	197	5	10	105	77
Shasta	1,114	1	–	10	285	51	83	23	33	13	11	61	9	442	342	5	8	213	116
Redding	594	–	–	4	148	25	52	14	19	7	2	29	2	252	194	2	4	118	70
Balance of county	520	1	–	6	137	26	41	9	14	6	9	32	7	190	148	3	4	95	46
Sierra	34	–	–	–	12	3	4	–	1	1	–	3	–	13	10	–	1	6	3
Siskiyou	394	–	–	4	91	25	22	5	10	6	5	16	4	180	143	1	1	97	44

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
California—Con.																			
Redlands	2	33	7	4	27	11	4	6	3	-	6	2	1	21	14	9	5	2	-
Rialto	2	25	2	2	14	16	2	4	2	-	5	3	6	22	10	9	4	5	-
San Bernardino	9	105	26	12	66	46	6	36	13	-	15	23	8	117	34	38	29	33	4
Upland	2	35	9	2	14	18	1	10	3	-	1	4	1	19	6	16	8	3	-
Victorville	-	17	1	1	13	12	-	4	1	-	3	4	1	19	17	5	4	5	1
Balance of county	12	205	42	41	107	138	5	77	19	-	16	27	18	210	103	60	53	24	6
San Diego	56	1,207	199	188	515	730	66	249	95	3	112	147	85	1,287	391	389	308	154	19
Carlsbad	3	21	4	4	5	11	2	5	4	-	2	1	1	16	5	6	3	2	-
Chula Vista	4	76	6	12	38	49	3	11	5	-	7	7	3	70	17	18	15	5	-
Coronado	1	15	1	1	7	7	2	1	1	-	-	-	-	17	2	4	5	-	-
El Cajon	4	87	19	13	31	56	3	21	4	-	6	8	2	74	23	19	15	6	-
Escondido	5	86	14	10	39	37	4	10	8	-	5	5	3	73	24	14	19	6	-
Imperial Beach	-	5	1	4	2	4	-	6	1	1	1	5	3	13	4	5	3	3	1
La Mesa	2	55	6	5	23	28	2	8	6	-	4	4	-	58	11	14	10	4	1
Lemon Grove	-	20	3	3	4	16	1	-	2	-	1	4	1	18	6	5	6	1	-
National City	1	31	4	3	16	17	1	9	2	-	4	8	3	32	7	11	4	3	1
Oceanside	4	46	7	16	35	30	5	6	3	1	8	11	5	67	17	17	12	6	1
San Diego	23	539	88	76	216	317	29	126	43	1	49	71	49	563	167	201	144	91	10
San Marcos	3	16	6	7	7	12	2	4	1	-	1	2	-	21	7	5	4	4	-
Vista	-	48	10	9	23	26	1	6	3	-	6	6	3	50	14	8	8	1	-
Balance of county	6	162	30	25	89	120	11	38	12	-	18	15	12	217	87	62	60	20	5
San Francisco, coext. with San Francisco city	28	595	75	81	266	285	36	250	66	2	42	31	48	754	89	224	165	75	10
San Joaquin	11	233	53	40	87	153	13	64	25	-	23	21	32	256	114	91	52	51	3
Lodi	-	46	21	2	8	28	2	9	3	-	6	1	4	36	13	12	3	5	-
Manteca	-	24	1	1	6	9	1	6	4	-	-	3	3	22	8	3	4	3	-
Stockton	10	127	25	27	52	96	9	40	12	-	12	13	19	144	54	52	34	34	1
Tracy	1	13	3	3	5	10	1	4	1	-	3	3	1	32	16	7	4	5	-
Balance of county	-	23	3	7	16	10	-	5	5	-	2	1	5	22	23	17	7	4	2
San Luis Obispo	5	105	35	21	46	84	2	28	9	-	8	5	4	118	41	48	39	6	2
Arroyo Grande	1	15	5	4	3	11	-	2	-	-	-	2	-	11	3	2	3	-	-
Atascadero	1	11	2	2	7	3	-	3	1	-	1	-	1	9	7	6	7	-	-
San Luis Obispo	1	25	10	3	8	14	1	9	1	-	3	2	1	28	8	5	8	1	-
Balance of county	2	54	18	12	28	56	1	14	7	-	4	1	2	70	23	35	21	5	2
San Mateo	16	400	40	77	142	205	24	129	32	-	24	37	22	397	78	123	91	28	5
Belmont	2	16	-	3	5	10	1	4	1	-	-	4	2	13	2	7	9	2	-
Burlingame	1	27	4	7	15	13	3	6	5	-	-	1	1	26	4	5	2	-	-
Daly City	-	34	-	9	11	29	2	20	3	-	1	4	4	48	6	15	7	2	1
Foster City	1	6	-	-	4	2	-	8	1	-	-	-	-	5	2	4	2	3	-
Hillsborough	1	6	-	1	1	2	1	2	-	-	-	-	-	7	1	1	1	-	-
Menlo Park	2	42	7	12	11	14	1	5	5	-	2	2	1	39	2	10	3	1	-
Millbrae	1	22	-	-	4	3	-	3	-	-	1	-	-	18	2	3	5	1	-
Pacifica	2	23	1	2	5	10	2	4	1	-	-	3	2	14	5	7	2	1	-
Redwood City	2	42	7	8	24	19	3	23	5	-	5	5	3	53	10	18	17	3	-
San Bruno	-	16	3	9	8	16	1	5	1	-	-	4	2	18	3	3	8	-	-
San Carlos	1	17	4	4	7	9	-	4	1	-	1	1	-	20	4	8	4	1	-
San Mateo	3	82	6	10	23	45	3	23	5	-	4	6	3	69	14	19	13	2	3
South San Francisco	-	29	5	5	14	19	3	8	2	-	6	1	1	26	9	9	7	1	-
Balance of county	-	38	3	7	10	14	4	16	2	-	4	6	3	41	12	14	13	11	1
Santa Barbara	12	231	32	25	62	109	6	46	11	1	13	24	18	245	64	58	49	24	1
Carpinteria	-	9	1	-	1	2	1	3	-	-	1	3	1	11	3	3	6	-	-
Lompoc	1	18	7	1	8	12	-	5	2	-	1	2	3	19	8	8	5	5	-
Santa Barbara	6	132	18	12	36	54	3	22	7	-	2	10	5	135	19	33	20	7	1
Santa Maria	2	40	3	2	13	27	-	8	1	1	3	5	3	53	19	8	7	8	-
Balance of county	3	32	3	10	4	14	2	8	1	-	6	4	6	27	15	6	5	4	-
Santa Clara	37	648	71	100	240	286	31	175	62	2	90	77	53	709	223	212	155	78	11
Campbell	1	16	1	6	6	12	1	4	2	-	2	1	2	20	5	6	9	3	-
Cupertino	1	20	2	5	14	8	-	3	1	-	2	-	2	29	4	7	5	2	1
Gilroy	-	14	3	-	3	10	-	8	-	-	4	-	2	15	16	5	4	1	-
Los Altos	3	31	6	4	11	15	-	4	-	-	3	1	2	27	3	10	4	-	-
Los Gatos	3	33	3	2	9	7	-	7	3	-	2	2	-	29	4	3	2	3	-
Milpitas	-	11	-	3	1	2	1	8	2	-	6	4	1	9	5	-	6	3	-
Morgan Hill	-	13	-	-	3	10	-	1	1	-	5	1	3	11	6	1	-	2	-
Mountain View	2	38	6	8	14	23	2	6	3	-	2	6	3	40	10	15	4	3	1
Palo Alto	5	55	9	8	18	13	4	13	4	-	3	1	-	37	6	12	8	1	-
San Jose	15	287	27	44	115	130	16	84	30	1	46	50	31	360	121	112	78	53	7
Santa Clara	3	34	2	11	11	15	4	8	4	-	5	3	3	50	22	18	12	3	-
Saratoga	-	18	3	1	6	8	-	5	3	-	-	-	-	15	4	4	6	1	-
Sunnyvale	3	70	7	6	25	31	3	14	7	1	6	6	3	54	9	15	13	1	2
Balance of county	1	8	2	2	5	2	-	2	2	-	4	2	1	13	8	6	4	2	-
Santa Cruz	4	157	38	20	57	76	9	38	11	-	13	9	7	164	39	41	33	15	2
Santa Cruz	1	66	16	8	24	34	6	17	3	-	5	4	2	71	13	19	19	4	2
Watsonville	-	30	10	5	15	14	1	7	1	-	2	2	2	40	7	8	2	4	-
Balance of county	3	61	12	7	18	27	2	12	7	-	6	3	3	53	19	14	12	7	-
Shasta	6	70	12	12	36	51	6	38	10	-	6	10	15	92	39	29	27	8	4
Redding	3	39	9	7	17	23	2	23	5	-	2	6	6	52	15	15	16	3	3
Balance of county	3	31	3	5	19	28	4	13	5	-	4	4	9	40	24	14	11	3	1
Sierra	1	1	-	1	2	2	-	1	-	-	-	-	-	1	3	-	-	-	-
Siskiyou	-	25	6	6	10	11	2	4	4	-	3	2	4	32	15	17	9	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	1,761	1	–	16	421	107	113	37	47	16	20	81	31	747	566	5	12	417	132
Benicia	103	1	–	1	26	11	5	1	–	1	1	7	2	43	30	1	–	25	4
Fairfield	358	–	–	3	85	24	20	11	11	4	6	19	6	137	103	1	2	73	27
Suisun City	66	–	–	–	7	1	3	2	1	–	–	–	3	26	22	–	1	11	10
Vacaville	250	–	–	2	71	13	20	4	9	3	7	15	1	100	65	1	1	46	17
Vallejo	640	–	–	10	191	48	58	15	24	8	3	37	16	377	297	1	8	223	65
Balance of county	144	–	–	–	31	10	7	4	2	2	3	3	3	64	49	1	–	39	9
Sonoma	2,910	1	1	25	707	175	197	58	80	31	26	140	36	1,255	916	9	25	651	231
Petaluma	371	1	–	1	88	15	29	2	11	5	2	24	4	175	133	1	3	96	33
Rohnert Park	133	–	–	1	36	8	11	2	3	1	2	9	3	53	40	2	3	21	14
Santa Rosa	1,258	–	–	11	306	71	86	31	33	15	11	59	16	544	395	3	11	275	106
Balance of county	1,148	–	1	12	277	81	71	23	33	10	11	48	13	483	348	3	8	259	78
Stanislaus	2,408	–	–	9	509	132	141	39	58	23	26	89	44	1,110	837	13	23	618	183
Ceres	185	–	–	1	41	8	8	4	6	1	4	10	1	85	72	–	2	59	11
Modesto	1,330	–	–	3	285	77	83	23	27	13	13	49	25	601	443	5	9	327	102
Turlock	338	–	–	1	77	20	18	5	15	3	3	13	4	164	126	3	5	92	26
Balance of county	555	–	–	4	106	27	32	7	11	6	6	17	14	260	196	5	7	140	44
Sutter	476	1	–	2	103	27	30	7	7	4	5	23	11	215	142	3	3	104	32
Yuba City	362	1	–	2	75	19	19	7	6	4	4	16	8	165	106	3	3	77	23
Balance of county	114	–	–	–	28	8	11	–	1	–	1	7	3	50	36	–	–	27	9
Tehama	440	–	–	7	96	26	20	5	10	7	7	21	10	189	153	3	6	105	39
Trinity	115	–	–	–	25	7	6	–	3	–	3	4	5	49	35	1	–	25	9
Tulare	2,206	2	–	21	479	126	147	35	47	20	19	85	37	952	721	9	25	560	127
Portervillo	448	–	–	4	99	22	39	9	10	2	6	11	4	189	143	1	4	107	31
Tulare	338	–	–	5	72	16	28	8	7	3	2	8	7	155	128	2	14	90	20
Visalia	532	2	–	6	127	35	30	10	13	6	5	28	10	226	162	3	5	124	30
Balance of county	890	–	–	7	181	53	50	8	17	9	6	38	16	382	290	3	2	239	46
Tuolumne	358	–	–	1	89	29	20	7	10	4	2	17	4	149	120	3	2	79	36
Ventura	3,538	4	–	31	827	207	223	59	102	39	36	161	50	1,521	1,158	20	59	693	386
Camarillo	364	–	–	2	81	15	24	7	14	2	1	18	5	172	133	1	6	72	54
Oxnard	731	1	–	7	145	35	35	6	16	12	7	32	17	294	218	4	14	140	60
Port Hueneme	119	–	–	1	27	4	1	3	7	4	2	6	1	53	37	2	1	19	15
San Buenaventura (Ventura)	786	2	–	7	186	42	48	19	18	9	10	40	12	373	278	7	15	154	102
Santa Paula	225	–	–	4	53	19	10	3	9	1	4	7	3	97	71	–	2	42	27
Simi Valley	339	–	–	1	86	22	28	6	5	3	2	20	4	134	109	2	3	70	34
Thousand Oaks	310	–	–	6	83	28	24	7	11	1	2	10	1	132	107	2	8	73	24
Balance of county	654	1	–	3	166	42	53	8	20	7	8	28	7	286	205	2	10	123	70
Yolo	833	2	–	6	195	35	66	17	18	9	7	43	5	363	273	4	5	201	63
Davis	148	–	–	1	27	7	6	3	3	1	–	7	–	59	42	2	–	31	9
Woodland	287	1	–	–	69	14	28	4	5	5	1	12	1	146	111	1	–	83	27
Balance of county	400	1	–	5	99	14	32	10	10	3	6	24	4	158	120	1	5	87	27
Yuba	393	–	–	3	84	23	25	5	8	4	4	15	6	175	133	1	1	90	41
Colorado	20,394	5	2	234	4,158	1,073	980	382	444	166	208	895	297	8,522	6,645	96	135	4,580	1,834
Urban places	13,988	5	2	165	2,843	736	666	291	288	122	135	595	205	5,880	4,554	73	106	3,126	1,249
Balance of area	6,406	–	–	69	1,315	337	314	101	148	44	73	300	92	2,642	2,091	23	29	1,454	585
Metropolitan counties	15,634	5	2	181	3,246	845	777	325	322	135	158	684	236	6,453	5,023	64	115	3,456	1,368
Urban places	13,088	5	2	152	2,685	695	695	278	269	117	128	563	198	5,499	4,247	73	102	2,923	1,149
Balance of area	2,546	–	–	29	561	150	142	47	53	18	30	121	38	954	776	11	13	533	219
Nonmetropolitan counties	4,760	–	–	53	912	228	203	67	122	31	50	211	61	2,069	1,622	12	20	1,124	466
Urban places	900	–	–	13	158	41	31	13	29	5	7	32	7	391	307	–	4	203	100
Balance of area	3,860	–	–	40	754	187	172	54	93	26	43	179	54	1,678	1,315	12	16	921	366
Adams	1,399	1	–	16	297	72	84	22	30	10	17	62	29	504	399	10	9	279	107
Arvada, part	9	–	–	2	1	–	–	–	1	–	–	–	–	2	2	–	–	–	2
Aurora, part	184	–	–	2	43	14	13	–	2	1	2	11	3	62	48	1	–	37	8
Brighton, part	113	–	–	–	16	2	5	1	3	–	–	5	3	49	38	–	–	25	11
Brighton, total	113	–	–	–	16	2	5	1	3	–	–	5	3	49	38	–	–	25	11
Broomfield, part	10	–	–	–	4	3	–	–	–	1	–	–	–	4	3	–	–	3	–
Commerce City	162	–	–	2	25	5	8	3	1	1	2	5	5	54	45	1	1	34	9
Northglenn	137	–	–	–	30	6	7	4	4	1	3	5	2	51	41	2	2	30	7
Thornton	184	–	–	3	38	8	7	4	6	–	2	11	5	63	50	2	–	31	17
Westminster, part	185	1	–	3	45	12	14	4	4	2	3	6	4	63	47	2	–	23	22
Westminster, total	198	1	–	3	47	12	14	6	4	2	3	6	4	68	52	2	–	25	25
Balance of county	415	–	–	4	95	22	30	6	9	4	5	19	7	156	129	2	–	96	31
Alamosa	98	–	–	1	19	7	4	1	–	–	2	5	2	49	41	–	1	21	19
Arapahoe	1,527	–	–	19	337	75	74	51	23	14	21	79	18	589	453	7	–	324	122
Aurora, part	664	–	–	8	137	25	36	21	7	4	9	35	7	247	197	4	–	128	65
Aurora, total	848	–	–	10	180	39	49	21	9	5	11	46	10	309	243	5	–	165	73
Englewood	338	–	–	5	61	15	12	11	5	2	4	12	5	143	109	1	–	83	25
Littleton, part	259	–	–	4	71	18	10	12	7	5	6	13	2	98	66	1	–	53	12
Littleton, total	259	–	–	4	71	18	10	12	7	5	6	13	2	98	66	1	–	53	12
Balance of county	266	–	–	2	68	17	16	7	4	3	2	19	4	101	81	1	–	60	20
Archuleta	21	–	–	–	6	3	–	–	1	1	–	1	–	6	4	–	–	2	2
Baca	51	–	–	–	9	2	1	–	2	–	1	3	–	19	16	–	–	13	3
Bent	60	–	–	1	9	2	3	–	–	–	1	3	–	25	20	–	–	13	7
Boulder	1,049	–	–	13	248	72	42	27	29	11	7	60	12	443	331	4	8	180	139
Boulder	432	–	–	7	106	31	20	11	9	4	3	28	5	179	121	–	4	70	47
Broomfield, part	53	–	–	1	12	4	3	1	2	1	–	1	–	26	23	–	–	15	8
Broomfield, total	69	–	–	1	18	7	3	2	2	2	–	2	–	30	26	–	–	18	8
Longmont	322	–	–	2	61	18	5	7	10	2	–	19	3	156	121	4	3	60	54
Balance of county	242	–	–	3	69	19	14	8	8	4	4	12	4	82	66	–	1	35	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	5	137	12	27	56	75	6	39	15	–	14	26	5	167	54	39	23	19	7
Benicia	1	9	2	1	2	7	–	3	1	–	1	2	–	8	1	2	3	–	–
Fairfield	–	29	1	4	14	19	1	6	4	–	1	10	2	30	12	5	7	5	1
Suisun City	–	3	–	1	–	1	–	3	–	–	–	4	1	12	4	5	–	–	–
Vacaville	2	25	1	7	4	10	1	6	2	–	2	3	1	21	12	7	3	2	2
Vallejo	2	59	8	11	31	33	4	18	6	–	7	6	–	87	20	16	5	9	4
Balance of county	–	12	–	3	5	5	–	3	2	–	3	1	1	9	5	4	5	3	–
Sonoma	10	257	30	42	116	108	18	42	28	–	17	18	19	291	91	73	35	23	6
Petaluma	1	29	3	9	20	17	1	8	1	–	1	3	3	24	13	4	3	2	2
Rohnert Park	–	9	2	2	4	7	1	–	1	–	2	–	1	10	7	4	2	1	–
Santa Rosa	5	118	11	15	57	39	4	21	8	–	6	7	7	139	31	36	14	11	1
Balance of county	4	101	14	16	35	45	12	13	18	–	8	8	8	116	40	29	16	9	3
Stanislaus	18	188	29	38	103	133	9	32	17	–	26	22	6	185	69	73	44	15	2
Ceres	2	8	2	1	7	11	–	4	1	–	1	1	1	18	3	3	3	4	–
Modesto	10	116	12	18	57	78	4	15	12	–	18	12	2	102	33	48	27	7	1
Turlock	2	27	4	5	17	14	2	4	1	–	2	2	1	22	14	7	4	1	1
Balance of county	4	35	11	14	22	30	3	9	3	–	5	7	2	43	19	15	10	3	–
Sutter	3	58	2	10	19	24	3	5	3	–	4	3	1	52	12	7	9	2	–
Yuba City	2	46	1	10	19	17	2	3	2	–	3	1	1	42	7	6	7	1	–
Balance of county	1	12	1	–	–	7	1	2	1	–	1	2	–	10	5	1	2	1	–
Tehama	–	20	13	3	11	18	–	7	5	–	3	1	2	41	29	10	6	5	–
Trinity	–	11	1	2	1	5	1	4	1	–	1	–	2	9	6	1	3	2	–
Tulare	13	175	22	21	85	101	10	43	20	1	27	17	18	181	79	67	32	33	1
Porterville	1	37	2	6	28	20	3	11	1	–	5	1	3	38	22	13	3	6	–
Tulare	2	28	1	–	7	13	1	8	4	–	4	3	3	35	4	8	5	2	–
Visalia	1	48	9	6	25	19	1	9	9	–	4	3	3	45	15	14	8	6	1
Balance of county	9	64	10	9	27	49	5	15	6	1	14	10	9	63	38	32	16	19	–
Tuolumne	2	22	2	3	13	14	5	4	5	–	–	1	3	29	17	14	5	3	–
Ventura	7	273	50	33	127	158	12	57	30	–	28	36	24	299	127	98	70	28	1
Camarillo	1	32	–	6	15	16	1	1	2	–	1	2	2	38	8	11	7	–	–
Oxnard	2	51	13	10	27	35	1	18	6	–	9	14	10	61	31	28	16	11	–
Port Hueneme	–	14	2	–	1	4	1	2	3	–	2	1	–	7	4	8	3	3	–
San Buenaventura (Ventura)	3	82	5	5	36	29	3	18	4	–	6	3	3	63	17	17	15	2	–
Santa Paula	–	18	2	5	10	10	–	4	1	–	2	2	–	22	7	7	1	2	–
Simi Valley	–	14	3	2	11	14	2	6	2	–	2	6	2	18	21	11	10	6	1
Thousand Oaks	–	20	4	1	6	13	–	8	4	–	2	2	1	29	7	10	6	–	–
Balance of county	1	41	15	4	21	37	4	10	8	–	4	4	6	61	32	8	12	4	–
Yolo	–	67	11	12	35	38	5	17	10	–	6	3	5	59	35	26	18	5	–
Davis	–	12	1	4	13	5	–	1	3	–	1	1	1	12	8	7	5	2	–
Woodland	–	28	4	3	6	13	2	1	1	–	2	1	1	21	10	8	4	–	–
Balance of county	–	27	6	5	16	20	3	15	6	–	3	1	3	28	17	11	9	3	–
Yuba	–	28	4	10	9	24	2	9	3	–	–	3	2	41	16	10	2	4	–
Colorado	70	1,272	311	224	779	1,084	91	288	197	1	184	213	285	2,000	845	626	522	187	54
Urban places	51	885	241	149	591	768	60	219	126	1	112	143	224	1,418	351	357	343	139	36
Balance of area	19	387	70	75	188	316	31	79	71	–	72	70	71	582	294	269	179	48	18
Metropolitan counties	56	981	235	158	607	824	60	245	141	1	142	180	250	1,540	472	436	409	157	47
Urban places	49	837	220	138	550	696	48	209	117	1	103	141	211	1,312	337	332	330	134	36
Balance of area	7	144	15	22	57	128	12	36	24	–	39	39	39	228	135	104	79	23	11
Nonmetropolitan counties	14	291	75	68	172	260	31	53	56	–	42	33	45	460	173	190	113	30	7
Urban places	2	48	21	13	41	72	12	10	9	–	9	2	13	106	14	25	13	5	–
Balance of area	12	243	55	55	131	188	19	43	47	–	33	31	32	354	159	165	100	25	7
Adams	7	70	19	9	58	82	2	21	22	1	12	19	14	136	71	47	47	18	2
Arvada, part	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Aurora, part	4	9	3	–	7	7	–	3	1	1	3	4	4	18	1	7	11	7	–
Brighton, part	–	9	2	2	7	4	–	–	5	–	–	1	1	14	9	2	2	–	–
Brighton, total	–	9	2	2	7	4	–	–	5	–	–	1	1	14	9	2	2	–	–
Broomfield, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Commerce City	1	4	3	1	12	12	–	5	5	–	3	3	–	15	11	6	4	–	–
Northglenn	–	6	3	1	5	4	–	3	1	–	1	–	1	20	8	7	4	–	–
Thornton	1	9	1	2	7	12	–	4	2	–	2	2	4	17	6	6	8	4	1
Westminster, part	–	7	6	3	9	12	–	1	3	–	1	4	1	18	9	4	6	1	–
Westminster, total	–	7	6	3	9	12	–	1	3	–	1	5	3	19	10	5	6	1	–
Balance of county	1	25	1	–	11	31	2	5	5	–	2	4	3	32	26	14	11	6	1
Alamosa	1	6	–	1	2	3	–	3	1	–	1	1	1	8	2	1	3	1	–
Arapahoe	5	90	28	13	52	71	5	27	12	–	17	17	29	167	47	48	52	13	9
Aurora, part	1	33	12	4	26	34	3	9	6	–	10	10	16	73	19	15	31	8	5
Aurora, total	5	42	15	4	33	41	3	12	7	1	13	14	20	91	20	22	42	15	5
Englewood	1	19	8	6	14	16	–	6	6	–	2	3	7	32	16	13	8	1	–
Littleton, part	3	19	8	2	8	12	–	8	–	–	2	1	1	28	9	8	5	2	–
Littleton, total	3	19	8	2	8	12	–	8	–	–	2	1	1	28	9	8	5	2	–
Balance of county	–	19	–	1	4	9	2	4	–	–	3	3	5	34	3	10	8	2	4
Archuleta	–	2	–	–	1	1	–	–	–	–	–	–	–	1	2	4	–	–	–
Baca	–	3	–	–	2	5	–	–	1	–	–	1	–	6	5	2	1	–	–
Bent	–	4	–	1	2	2	–	1	1	–	–	–	–	13	–	3	2	1	–
Boulder	3	78	18	13	33	48	3	12	12	–	8	9	11	85	44	38	28	3	1
Boulder	2	39	10	7	17	20	2	5	5	–	1	1	5	40	8	19	10	2	–
Broomfield, part	–	2	–	1	1	1	–	1	–	–	–	2	–	2	3	2	2	–	–
Broomfield, total	–	3	–	1	1	1	–	2	–	–	–	2	1	5	3	3	2	–	–
Longmont	1	24	7	3	8	20	–	3	4	–	5	3	4	23	14	10	6	–	–
Balance of county	–	13	1	2	7	7	1	3	3	–	2	3	2	20	19	7	8	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	123	–	–	1	23	5	7	–	4	–	1	6	5	49	40	1	–	31	8
Cheyenne	22	–	–	–	5	1	2	–	1	–	1	–	–	13	10	–	–	8	2
Clear Creek	34	–	–	–	9	1	1	2	–	1	–	4	–	12	11	–	–	5	6
Conejos	54	–	–	1	4	1	–	–	1	–	–	2	3	26	25	–	–	15	10
Costilla	26	–	–	–	10	3	2	1	1	–	1	2	–	9	7	–	–	4	3
Crowley	40	–	–	1	3	–	1	–	1	1	–	–	–	20	13	–	–	9	4
Custer	15	–	–	–	4	–	1	–	1	–	–	2	–	7	7	–	–	4	3
Delta	282	–	–	3	60	12	12	5	11	1	4	15	6	131	90	–	1	61	28
Denver, coext. with Denver city	4,629	3	2	53	931	266	218	95	88	46	45	173	69	1,945	1,497	20	50	1,032	395
Dolores	13	–	–	–	4	3	1	–	–	–	–	–	–	2	2	–	–	–	2
Douglas	127	–	–	–	23	5	6	3	–	1	2	6	2	50	37	–	–	26	11
Littleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	127	–	–	–	23	5	6	3	–	1	2	6	2	50	37	–	–	26	11
Eagle	39	–	–	2	4	–	–	–	–	–	1	3	–	13	11	–	–	8	3
Elbert	52	–	–	–	14	5	4	–	1	–	1	3	1	19	18	–	–	14	4
El Paso	1,840	–	–	16	378	101	92	35	41	13	19	78	15	770	587	12	14	440	121
Colorado Springs	1,565	–	–	13	322	81	80	31	33	12	15	70	14	672	507	10	12	381	104
Balance of county	275	–	–	3	57	20	12	4	8	1	4	8	1	98	80	2	2	59	17
Fremont	426	–	–	3	76	14	15	7	15	5	3	17	2	199	152	–	1	110	41
Canon City	266	–	–	2	39	7	8	3	9	2	2	8	2	134	98	–	1	62	35
Balance of county	160	–	–	1	37	7	7	4	6	3	1	9	–	65	54	–	–	48	6
Garfield	158	–	–	1	31	7	8	1	6	–	2	7	1	61	51	–	–	32	19
Gilpin	11	–	–	1	2	–	1	1	–	–	–	–	–	3	3	1	–	2	–
Grand	39	–	–	–	9	1	5	1	–	–	1	1	–	20	15	–	–	12	3
Gunnison	32	–	–	–	5	–	–	–	1	–	1	3	1	15	12	–	–	2	10
Hinsdale	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Huerfano	73	–	–	1	14	5	4	–	1	–	2	2	1	25	23	–	–	19	4
Jackson	12	–	–	2	2	–	1	1	–	–	–	–	–	2	2	–	–	2	–
Jefferson	2,062	1	–	23	460	102	117	46	49	19	25	102	37	[illegible]2	897	11	15	489	202
Arvada, part	387	–	–	3	95	16	25	14	13	2	6	19	2	157	134	3	4	93	34
Arvada, total	396	–	–	5	98	16	25	14	14	2	6	19	2	158	136	3	4	93	36
Broomfield, part	6	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Golden	169	1	–	2	41	10	9	1	4	4	3	10	3	70	58	2	–	38	18
Lakewood	815	–	–	12	164	36	49	16	15	6	6	36	20	[illegible]11	287	4	2	191	90
Westminster, part	13	–	–	–	2	–	–	2	–	–	–	–	–	5	5	–	–	2	3
Wheat Ridge	290	–	–	2	61	17	12	5	6	3	3	15	9	128	110	1	6	73	30
Balance of county	382	–	–	4	95	23	22	7	11	4	7	21	3	139	103	1	3	72	27
Kiowa	14	–	–	–	1	1	–	–	–	–	–	–	–	10	9	–	–	7	2
Kit Carson	101	–	–	–	21	5	5	1	2	2	2	4	2	53	41	–	–	30	11
Lake	33	–	–	1	8	1	1	1	–	1	–	2	–	10	8	2	–	5	1
La Plata	180	–	–	3	34	9	7	6	5	–	1	6	2	60	45	–	–	25	20
Durango	90	–	–	3	10	3	1	1	2	–	1	2	1	33	26	–	–	14	12
Balance of county	90	–	–	–	24	6	6	5	3	–	–	4	1	27	19	–	–	11	8
Larimer	960	–	–	9	188	44	46	14	27	5	9	43	17	430	338	1	3	223	111
Fort Collins	424	–	–	7	78	22	15	7	14	3	4	14	5	189	138	1	1	96	40
Loveland	285	–	–	2	55	7	19	4	5	2	3	15	6	138	117	–	1	82	34
Balance of county	251	–	–	–	54	15	12	3	8	–	2	14	6	103	83	–	1	45	37
Las Animas	197	–	–	1	37	10	7	3	7	1	–	9	4	85	76	–	2	53	21
Lincoln	56	–	–	–	12	4	1	–	2	1	–	4	2	33	31	–	–	18	13
Logan	178	–	–	1	30	9	8	1	4	–	1	7	2	89	72	–	1	56	15
Sterling	135	–	–	1	23	6	7	1	3	–	1	5	2	64	52	–	1	38	13
Balance of county	41	–	–	–	7	3	1	–	1	–	–	2	–	25	20	–	–	18	2
Mesa	725	–	–	9	166	45	33	14	23	5	10	36	4	285	221	2	4	148	67
Grand Junction	409	–	–	7	86	25	15	8	15	3	3	17	2	160	131	–	2	89	40
Balance of county	316	–	–	2	80	20	18	6	8	2	7	19	2	125	90	2	2	59	27
Mineral	5	–	–	–	2	–	1	–	–	–	–	1	–	2	1	–	–	1	–
Moffat	67	–	–	1	22	5	5	2	3	–	2	5	–	20	16	1	–	11	4
Montezuma	122	–	–	–	17	4	3	3	1	2	–	4	1	55	42	3	–	30	9
Montrose	225	–	–	4	47	10	14	4	8	1	1	8	3	91	70	2	–	44	24
Morgan	219	–	–	2	33	8	8	3	1	2	2	9	6	106	88	1	2	72	11
Otero	239	–	–	4	31	3	15	1	4	1	–	7	4	109	96	–	2	80	14
Ouray	21	–	–	1	3	1	–	–	1	1	–	–	1	8	8	–	–	6	2
Park	22	–	–	–	4	2	1	–	1	–	–	–	1	5	5	–	–	2	3
Phillips	51	–	–	–	6	1	–	–	–	–	1	4	2	37	29	–	1	13	15
Pitkin	29	–	–	1	4	–	1	2	–	–	3	2	2	49	36	–	–	27	9
Prowers	120	–	–	3	23	9	6	1	–	2	3	7	2	49	36	–	–	27	9
Pueblo	1,121	–	–	17	212	67	49	12	22	10	7	45	20	471	373	8	11	252	102
Pueblo	895	–	–	14	191	59	45	11	20	10	6	40	18	425	335	8	9	229	89
Balance of county	126	–	–	3	21	8	4	1	2	–	1	5	2	46	38	–	2	23	13
Rio Blanco	33	–	–	–	6	2	1	–	–	–	1	2	–	17	8	–	–	6	2
Rio Grande	109	–	–	1	16	6	1	–	7	–	–	2	–	64	43	–	1	29	19
Routt	63	–	–	–	17	5	3	1	1	1	1	5	–	17	12	–	–	9	3
Saguache	28	–	–	–	7	1	2	1	–	–	–	3	1	14	14	–	–	10	4
San Juan	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
San Miguel	16	–	–	1	3	–	1	1	1	–	–	–	1	2	1	–	–	1	–
Sedgwick	41	–	–	–	10	3	2	1	–	1	2	1	–	20	6	–	–	7	1
Summit	20	–	–	–	3	–	–	1	1	–	–	1	–	5	5	–	–	2	3
Teller	62	–	–	3	17	4	6	3	1	1	–	2	3	18	13	1	–	12	–
Washington	59	–	–	2	9	3	3	–	–	–	–	3	–	29	24	–	–	15	9
Weld	847	–	–	11	152	37	42	16	12	5	6	34	14	368	295	9	11	217	58
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greeley	458	–	–	5	92	20	23	12	10	5	3	19	6	194	152	6	7	114	25
Balance of county	389	–	–	6	60	17	19	4	2	–	3	15	6	174	143	3	4	103	33
Yuma	113	–	–	1	22	9	2	1	3	1	1	5	1	50	36	–	4	26	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	–	4	2	3	3	7	1	–	1	–	1	1	1	12	5	5	7	1	–
Cheyenne	–	2	1	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Clear Creek	–	–	1	–	1	1	–	–	–	–	1	–	–	2	3	3	2	–	–
Conejos	–	1	–	–	1	2	–	–	2	–	1	–	–	6	4	1	2	1	–
Costilla	–	1	–	1	–	–	–	–	–	–	–	–	–	5	–	–	1	1	–
Crowley	1	5	–	1	3	5	–	–	1	–	–	–	–	5	1	1	–	–	–
Custer	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–
Delta	–	24	12	5	11	10	2	1	–	–	2	1	1	33	10	5	6	–	–
Denver, coext. with Denver city	20	288	77	53	211	253	17	81	39	–	27	51	88	485	71	109	104	76	14
Dolores	–	–	–	–	–	–	1	1	–	–	–	–	–	3	1	1	–	–	–
Douglas	1	10	1	1	2	5	–	2	1	–	2	4	3	14	10	5	2	2	–
Littleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	10	1	1	2	5	–	2	1	–	2	4	3	14	10	5	2	2	–
Eagle	–	2	–	–	1	3	–	1	2	–	–	–	–	3	2	6	1	1	–
Elbert	–	1	–	–	1	–	–	–	1	–	1	1	–	7	1	3	3	–	–
El Paso	6	129	30	18	70	99	10	37	18	–	26	22	25	165	67	40	53	16	12
Colorado Springs	6	117	28	14	65	88	10	29	14	–	16	21	21	136	45	35	41	14	9
Balance of county	–	12	2	4	5	13	–	8	4	–	8	1	4	29	22	5	12	2	3
Fremont	1	25	14	7	20	36	3	5	3	–	3	–	2	42	7	12	8	5	–
Canon City	–	17	13	6	16	26	3	2	1	–	–	–	–	26	2	9	3	1	–
Balance of county	1	8	1	1	4	10	–	3	2	–	3	–	2	16	5	3	5	4	–
Garfield	1	6	2	1	8	10	2	1	2	–	2	1	3	19	3	8	3	1	1
Gilpin	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	1	–	–
Grand	–	3	2	–	–	–	–	1	1	–	–	–	1	2	2	3	–	–	–
Gunnison	–	3	–	–	2	–	–	–	1	–	–	–	–	2	1	2	3	–	–
Hinsdale	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huerfano	–	2	–	–	3	2	–	2	2	–	1	1	1	12	2	–	4	2	–
Jackson	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Jefferson	3	107	34	21	75	103	8	24	10	–	25	25	28	196	50	65	61	8	1
Arvada, part	1	15	5	2	10	24	1	5	1	–	7	4	2	36	11	8	17	4	–
Arvada, total	1	15	5	2	10	24	1	5	1	–	7	5	2	37	12	8	18	4	–
Broomfield, part	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
Golden	–	8	–	4	6	5	–	2	–	–	1	–	4	14	9	5	5	1	–
Lakewood	1	44	21	8	43	41	3	11	7	–	1	7	7	87	10	20	17	3	1
Westminster, part	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–
Wheat Ridge	1	16	5	2	10	15	2	1	–	–	4	3	3	27	4	8	5	–	–
Balance of county	–	22	3	5	6	18	2	4	2	–	12	10	9	29	15	23	17	–	–
Kiowa	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
Kit Carson	–	7	2	3	2	8	–	–	–	–	–	2	1	2	8	2	–	–	–
Lake	–	2	–	–	1	–	–	–	–	–	–	2	–	2	4	6	1	–	–
La Plata	1	10	1	3	13	8	3	4	4	–	4	2	6	18	8	5	5	–	1
Durango	–	6	1	–	9	5	3	1	3	–	1	2	3	12	2	1	1	–	–
Balance of county	1	4	–	3	4	3	–	3	1	–	3	–	3	6	6	4	4	–	1
Larimer	1	69	10	12	31	49	4	13	9	–	11	14	10	95	30	22	22	5	1
Fort Collins	–	41	4	6	21	19	2	6	2	–	3	8	2	48	15	8	10	1	1
Loveland	–	13	5	3	5	19	2	2	3	–	3	2	3	24	9	4	8	–	–
Balance of county	1	15	1	3	5	11	–	5	4	–	5	4	5	25	6	10	4	4	–
Las Animas	2	11	3	3	9	7	3	4	3	–	2	–	1	15	4	6	5	1	–
Lincoln	–	2	–	–	–	2	1	–	1	–	–	–	–	3	1	–	1	–	–
Logan	1	14	1	1	6	14	1	1	2	–	–	–	1	19	6	3	1	–	–
Sterling	1	10	1	–	5	13	1	1	2	–	–	–	1	18	3	1	–	–	–
Balance of county	–	4	–	1	1	1	–	–	–	–	–	–	–	1	3	2	1	–	–
Mesa	4	37	14	9	21	40	7	9	6	–	13	2	11	79	18	29	19	6	–
Grand Junction	1	15	6	7	11	28	5	6	3	–	8	–	9	50	7	14	9	4	–
Balance of county	3	22	8	2	10	12	2	3	5	–	5	2	2	29	11	14	10	2	–
Mineral	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Moffat	–	2	1	1	2	3	–	1	1	–	–	1	1	8	–	2	5	–	–
Montezuma	1	8	–	4	5	4	1	4	2	–	1	1	1	13	7	5	3	–	2
Montrose	–	14	–	7	8	16	2	3	4	–	–	2	3	20	7	4	8	2	1
Morgan	–	18	2	2	4	15	1	3	3	–	3	5	–	15	8	10	4	1	–
Otero	–	10	2	1	11	18	–	2	2	–	3	1	4	29	9	8	3	1	–
Ouray	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	2	–	–	–
Park	–	–	–	–	2	1	–	1	–	–	–	–	–	1	2	3	2	–	–
Phillips	–	6	1	1	1	2	1	–	–	–	–	–	–	1	1	–	–	–	–
Pitkin	–	2	–	1	–	–	–	1	1	–	–	1	–	–	2	7	–	1	1
Prowers	1	5	5	2	2	9	–	1	3	–	–	–	1	9	3	11	3	1	–
Pueblo	7	74	8	9	35	64	7	21	10	–	6	8	34	111	41	29	23	7	5
Pueblo	5	71	7	7	33	54	5	19	9	–	6	6	31	99	32	23	19	6	5
Balance of county	2	3	1	2	2	10	2	2	1	–	–	2	3	12	9	6	4	1	–
Rio Blanco	–	8	–	1	–	2	–	–	–	–	–	–	–	3	2	1	2	–	–
Rio Grande	–	18	3	–	5	3	–	1	1	–	1	1	1	10	–	2	1	1	1
Routt	–	3	–	2	4	2	–	1	–	–	–	–	3	7	4	6	1	1	–
Saguache	–	–	–	–	2	1	–	–	–	–	–	–	–	1	2	–	–	–	–
San Juan	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
San Miguel	–	1	–	–	–	–	–	–	1	–	1	–	–	2	1	4	–	–	–
Sedgwick	–	9	3	–	–	2	1	–	1	–	–	–	1	4	1	1	–	–	–
Summit	–	–	–	–	–	–	–	–	–	–	–	4	–	–	5	2	1	–	–
Teller	1	3	1	–	2	2	2	–	–	–	1	–	–	5	2	3	3	–	1
Washington	–	3	1	1	5	2	–	1	–	–	–	–	–	5	1	3	1	1	–
Weld	2	53	9	9	37	48	2	7	7	–	7	11	6	60	38	32	15	9	1
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greeley	1	31	5	5	25	26	1	4	4	–	3	3	3	53	16	11	6	4	–
Balance of county	1	22	4	4	12	22	1	3	3	–	4	8	5	27	22	21	9	5	1
Yuma	–	8	2	4	7	8	1	–	–	–	1	2	–	8	9	3	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	27,851	15	–	338	6,654	1,856	1,584	636	675	275	245	1,373	542	13,213	10,518	110	307	7,466	2,633
Urban places	20,267	12	–	267	4,777	1,314	1,142	457	488	205	185	988	409	9,731	7,782	78	238	5,492	1,974
Balance of area	7,584	3	–	71	1,877	542	452	179	187	70	60	387	133	3,482	2,736	32	69	1,976	659
Metropolitan counties	25,550	12	–	317	6,123	1,699	1,477	580	627	249	223	1,268	487	12,137	9,674	101	287	6,857	2,429
Urban places	19,909	11	–	261	4,692	1,287	1,122	447	478	201	182	975	396	9,558	7,649	78	235	5,403	1,933
Balance of area	5,641	1	–	56	1,431	412	355	133	149	48	41	293	91	2,579	2,025	23	52	1,454	496
Nonmetropolitan counties	2,301	3	–	21	531	157	117	56	48	26	22	105	55	1,076	844	9	20	611	204
Urban places	358	1	–	6	85	27	20	10	10	4	3	11	13	173	133	–	3	89	41
Balance of area	1,943	2	–	15	446	130	97	46	38	22	19	94	42	903	711	9	17	522	163
Fairfield	7,011	6	–	75	1,717	459	396	167	171	86	66	372	135	3,310	2,612	25	48	1,946	593
Bridgeport	1,585	1	–	22	333	89	81	29	34	16	15	69	34	756	592	3	11	468	110
Danbury	489	–	–	4	117	30	35	12	14	2	5	19	13	213	161	2	4	106	49
Darien town#	139	–	–	1	42	6	8	5	3	3	1	16	1	64	42	1	–	30	11
Fairfield town#	557	–	–	8	133	41	32	13	15	4	2	26	12	290	229	2	1	184	42
Greenwich town#	566	1	–	5	133	39	24	18	13	8	5	26	10	277	223	–	5	168	50
Norwalk	643	3	–	12	153	43	37	14	9	7	9	34	13	292	233	1	9	170	53
Shelton	242	1	–	–	63	19	15	5	3	2	3	16	4	127	99	–	–	82	17
Stamford	873	–	–	11	218	64	39	15	25	17	8	50	14	417	332	6	4	215	107
Stratford town#	546	–	–	3	157	39	42	15	18	12	9	22	15	274	220	3	1	172	44
Trumbull town#	227	–	–	1	61	20	12	5	5	2	2	15	3	114	90	3	–	73	14
Westport town#	192	–	–	–	51	10	12	11	5	1	4	8	3	81	63	1	1	44	17
Balance of county	952	–	–	8	256	59	59	25	27	12	3	71	13	405	328	3	12	234	79
Hartford	7,244	3	–	98	1,740	466	430	158	200	69	64	353	121	3,439	2,742	33	76	1,979	654
Bristol	479	–	–	6	114	35	27	10	17	2	3	20	7	226	186	6	2	148	30
East Hartford town#	488	–	–	4	120	27	40	10	10	6	5	22	10	235	178	1	3	142	30
Enfield town#	301	–	–	5	66	16	20	6	3	2	4	15	11	147	121	2	–	82	37
Hartford	1,352	3	–	24	280	78	65	18	27	21	11	60	18	641	517	6	21	349	141
Manchester town#	451	–	–	7	116	29	30	11	9	2	6	28	14	219	152	2	2	122	26
New Britain	777	–	–	9	196	56	45	18	21	9	5	39	8	370	309	1	13	206	89
Newington town#	238	–	–	2	67	26	14	9	5	–	1	12	2	105	82	2	6	55	19
Plainville town#	137	–	–	2	33	4	11	1	4	2	1	10	5	64	56	–	3	48	5
Rocky Hill town#	118	–	–	3	30	5	8	4	5	1	–	7	2	53	42	–	1	31	10
Southington town#	258	–	–	2	57	11	16	3	10	3	2	12	8	122	100	5	1	70	24
West Hartford town#	726	–	–	10	180	51	41	13	28	5	8	34	9	362	295	3	8	223	61
Wethersfield town#	286	–	–	1	74	19	19	7	11	3	4	11	2	126	100	3	2	72	23
Windsor town#	257	–	–	3	58	13	16	6	11	1	1	10	4	120	93	–	1	63	29
Windsor Locks town#	106	–	–	4	28	8	5	4	4	2	1	4	4	50	41	–	1	28	12
Balance of county	1,270	–	–	16	321	88	73	37	35	10	12	68	17	599	472	2	12	340	118
Litchfield	1,465	3	–	20	355	101	83	36	29	17	15	74	34	678	525	4	10	368	143
Torrington	356	1	–	6	85	27	20	10	10	4	3	11	13	173	133	–	3	89	41
Balance of county	1,109	2	–	14	270	74	63	26	19	13	12	63	21	505	392	4	7	279	102
Middlesex	1,126	–	–	13	301	85	90	18	30	11	9	48	15	516	417	2	9	306	100
Middletown	338	–	–	6	90	27	26	4	11	3	4	15	7	159	125	–	3	88	36
Balance of county	788	–	–	7	211	58	64	14	19	8	5	33	8	357	292	2	6	220	64
New Haven	7,470	3	–	113	1,711	481	395	178	165	64	67	361	154	3,677	3,001	28	134	1,918	923
Ansonia	227	1	–	3	66	27	12	5	5	1	2	14	4	111	91	–	5	64	22
Branford town#	189	1	–	5	44	16	9	6	4	1	1	7	3	90	73	–	4	40	29
Derby	145	–	–	1	32	10	9	2	4	1	–	6	–	77	71	1	3	53	14
East Haven town#	208	–	–	3	56	13	14	5	7	4	2	11	13	101	90	2	5	55	28
Hamden town#	555	–	–	9	138	38	34	18	15	1	6	27	13	273	214	1	9	135	69
Meriden	524	–	–	7	104	28	15	14	12	4	9	22	9	278	209	3	16	138	52
Milford	441	–	–	2	105	22	24	12	14	2	5	26	9	214	174	–	7	126	41
Naugatuck	205	–	–	2	52	15	15	4	6	1	3	8	2	93	71	1	2	47	21
New Haven	1,393	–	–	36	285	79	67	28	19	11	9	71	35	661	551	4	41	324	182
North Haven town#	188	–	–	2	54	16	12	6	5	4	3	8	2	92	75	1	6	48	22
Orange town#	114	–	–	2	32	13	7	3	2	–	–	7	1	64	56	–	2	43	11
Wallingford town#	382	–	–	4	92	32	18	11	11	2	2	16	5	188	153	1	2	116	34
Waterbury	1,210	–	–	12	267	72	60	27	28	11	11	60	22	606	504	4	8	313	179
West Haven	545	–	–	12	123	28	33	12	8	12	4	28	16	280	233	2	10	147	74
Balance of county	1,148	1	–	13	281	74	66	23	27	9	10	52	20	549	438	8	14	269	145
New London	1,994	–	–	12	445	134	114	34	46	12	10	95	43	891	668	11	15	523	119
Groton	280	–	–	2	63	20	13	8	7	2	1	12	5	130	101	2	4	80	15
New London	309	–	–	1	66	20	16	3	5	2	2	18	7	131	99	1	2	76	20
Norwich	386	–	–	2	75	13	25	6	6	2	1	22	10	165	126	2	2	99	23
Balance of county	1,019	–	–	7	241	81	60	17	28	6	6	43	21	465	342	6	7	268	61
Tolland	705	–	–	6	209	64	52	25	15	7	7	39	19	304	234	2	5	187	40
Vernon town#	239	–	–	1	68	20	19	8	2	4	2	13	7	100	79	–	4	64	11
Balance of county	466	–	–	5	141	44	33	17	13	3	5	26	12	204	155	2	1	123	29
Windham	836	–	–	1	176	56	34	20	19	9	7	31	21	398	319	5	10	243	61
Willimantic [4]	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	834	–	–	1	176	56	34	20	19	9	7	31	21	398	319	5	10	243	61
Delaware	5,098	5	–	52	1,269	301	396	125	119	46	50	232	131	2,400	1,967	16	100	1,046	825
Urban places	1,524	2	–	21	354	96	114	31	30	13	11	59	42	731	610	5	49	278	278
Balance of area	3,574	3	–	31	915	205	282	94	89	33	39	173	89	1,669	1,377	11	51	768	547
Metropolitan counties	3,256	5	–	33	848	204	274	80	81	27	34	148	94	1,502	1,229	11	83	578	557
Urban places	1,318	2	–	17	308	77	105	25	28	12	9	52	40	627	518	5	48	221	244
Balance of area	1,938	3	–	16	540	127	169	55	53	15	25	96	54	875	711	6	35	357	313
Nonmetropolitan counties	1,842	–	–	19	421	97	122	45	38	19	16	84	37	898	758	5	17	468	268
Urban places	206	–	–	4	46	19	9	6	2	1	2	7	2	104	92	–	1	57	34
Balance of area	1,636	–	–	15	375	78	113	39	36	18	14	77	35	794	666	5	16	411	234

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-758)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	116	1,857	371	341	875	837	80	370	273	2	139	229	606	2,275	481	490	276	143	13
Urban places	88	1,368	252	241	628	603	57	263	208	–	102	169	397	1,680	292	349	160	118	11
Balance of area	28	489	119	100	247	234	23	107	65	2	37	40	209	595	189	147	96	25	2
Metropolitan counties	105	1,718	322	318	795	742	74	341	255	1	128	221	528	2,119	425	441	255	137	12
Urban places	87	1,344	242	236	619	582	57	260	205	–	99	188	388	1,657	289	340	179	117	11
Balance of area	18	374	80	82	176	160	17	81	50	1	29	33	140	462	136	101	76	20	1
Nonmetropolitan counties	11	149	49	23	80	95	6	29	18	1	11	8	78	156	56	49	21	6	1
Urban places	1	24	10	5	9	21	–	3	3	–	3	1	9	23	3	3	1	1	–
Balance of area	10	125	39	18	71	74	6	26	15	1	8	7	69	133	53	46	20	5	1
Fairfield	31	489	84	94	190	191	19	115	68	–	33	63	147	589	104	127	74	43	5
Bridgeport	10	108	26	20	32	39	4	28	19	–	9	26	26	151	21	33	19	30	2
Danbury	1	35	4	12	12	30	1	7	4	–	2	4	8	44	10	14	4	2	–
Darien town#	–	17	3	2	3	5	2	1	1	–	–	2	4	11	2	–	–	–	–
Fairfield town#	2	42	7	10	13	14	–	3	2	–	–	4	2	57	7	7	5	–	–
Greenwich town#	2	35	6	11	35	18	–	8	5	–	1	1	6	42	8	10	4	1	1
Norwalk	3	47	2	7	17	14	1	12	4	–	5	7	38	46	6	9	5	5	1
Shelton	2	18	5	3	6	6	1	3	5	–	3	1	1	14	5	1	1	–	–
Stamford	1	57	17	10	25	20	4	19	10	–	3	6	19	67	8	17	10	5	–
Stratford town#	5	38	3	6	9	8	2	5	2	–	3	5	8	35	6	11	3	–	–
Trumbull town#	–	21	3	–	6	4	1	7	2	–	–	–	4	14	3	3	3	–	1
Westport town#	2	11	2	3	3	9	–	1	1	–	–	1	10	18	6	3	5	–	–
Balance of county	3	60	6	8	29	24	3	21	13	–	7	6	21	90	22	19	15	–	–
Hartford	28	462	110	97	257	207	31	92	60	1	34	68	126	610	123	133	68	33	2
Bristol	1	26	4	9	14	16	2	7	7	–	2	3	5	43	11	5	10	–	1
East Hartford town#	2	37	12	8	15	14	–	12	1	–	1	–	8	41	10	12	4	1	–
Enfield town#	–	21	2	3	12	5	–	4	4	–	2	4	3	19	3	9	5	2	–
Hartford	9	85	13	17	51	34	5	22	8	–	5	32	38	125	16	22	8	19	1
Manchester town#	4	34	16	13	15	18	1	6	5	–	2	1	6	23	12	4	1	1	–
New Britain	2	41	9	9	29	14	7	7	8	–	3	7	18	84	7	19	5	6	–
Newington town#	–	16	3	2	8	7	1	–	2	–	–	–	2	24	8	7	3	–	–
Plainville town#	–	5	3	–	5	5	–	–	1	–	2	1	3	10	–	2	4	–	–
Rocky Hill town#	1	8	2	–	5	6	–	3	–	–	1	–	1	10	3	–	1	–	–
Southington town#	1	17	3	1	4	7	4	8	1	–	2	1	4	27	5	4	4	–	–
West Hartford town#	3	44	14	6	28	19	4	7	7	–	4	2	6	61	6	12	7	1	–
Wethersfield town#	1	17	2	6	17	8	1	5	5	–	–	–	–	31	4	10	2	–	–
Windsor town#	–	21	3	3	11	9	–	1	2	–	3	6	8	23	6	1	2	–	–
Windsor Locks town#	–	7	1	1	4	3	–	–	–	–	–	2	1	5	1	3	1	–	–
Balance of county	4	61	23	19	38	42	6	12	9	1	7	7	23	104	31	23	11	3	–
Litchfield	5	104	28	16	49	67	4	19	15	1	7	5	40	94	31	28	10	5	–
Torrington	1	24	10	5	9	21	–	3	3	–	3	1	9	22	3	2	1	1	–
Balance of county	4	80	18	11	40	46	4	16	12	1	4	4	31	72	28	26	9	4	–
Middlesex	3	74	11	11	38	28	2	15	9	–	7	7	26	88	26	14	19	2	–
Middletown	2	26	2	4	8	11	–	3	2	–	5	1	9	22	7	4	3	1	–
Balance of county	1	48	9	7	30	17	2	12	7	–	2	6	17	66	19	10	16	1	–
New Haven	28	501	71	76	222	221	14	77	102	–	34	62	119	627	104	119	70	36	5
Ansonia	–	16	2	2	2	4	1	1	–	–	2	4	4	17	2	4	1	–	–
Branford town#	–	14	1	2	5	4	–	2	–	–	–	1	6	20	5	2	–	1	–
Derby	1	3	1	1	6	4	–	2	3	–	4	–	2	12	–	–	1	1	–
East Haven town#	1	9	1	–	5	6	–	2	2	–	1	1	3	12	2	–	1	–	–
Hamden town#	4	45	6	4	24	7	1	–	10	–	2	2	8	61	2	3	2	–	–
Meriden	5	52	3	9	14	21	2	6	8	–	3	8	3	35	12	5	8	1	–
Milford	–	32	3	5	11	17	–	2	6	–	1	1	6	35	12	9	11	–	–
Naugatuck	2	16	2	2	6	8	2	4	2	–	2	5	1	15	4	6	1	–	–
New Haven	3	88	11	8	40	34	2	14	29	–	9	21	32	128	18	22	6	20	1
North Haven town#	–	12	4	1	8	7	–	1	1	–	–	1	3	14	1	1	1	–	–
Orange town#	–	6	–	2	4	3	–	–	–	–	1	–	1	5	–	–	–	1	–
Wallingford town#	1	28	3	3	13	22	1	5	7	–	–	–	3	27	5	5	5	–	–
Waterbury	3	74	18	7	36	42	2	13	15	–	4	9	17	107	11	28	11	5	3
West Haven	3	33	4	7	18	11	–	9	6	–	–	6	5	40	5	9	2	3	–
Balance of county	5	73	12	23	32	31	3	16	13	–	5	3	25	99	25	25	20	4	1
New London	15	145	36	27	74	73	6	32	11	–	12	20	104	146	55	33	17	16	–
Groton	3	21	3	2	8	12	–	5	1	–	4	3	9	26	6	2	2	2	–
New London	2	23	2	5	13	15	1	5	3	–	4	6	11	28	5	8	4	3	–
Norwich	5	22	8	4	13	13	3	8	3	–	2	2	35	26	14	10	1	4	–
Balance of county	5	79	23	16	40	33	2	14	4	–	2	9	49	70	30	13	10	9	–
Tolland	–	47	10	13	14	22	2	10	5	–	8	3	6	57	13	15	7	5	–
Vernon town#	–	14	3	4	7	9	1	4	1	–	2	1	1	24	4	4	3	2	–
Balance of county	–	33	7	9	7	13	1	6	4	–	6	2	5	33	9	11	4	3	–
Windham	6	45	21	7	31	28	2	10	3	–	4	3	38	62	25	21	11	1	1
Willimantic *	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Balance of county	6	45	21	7	31	28	2	10	3	–	4	3	38	61	25	20	11	1	1
Delaware	16	276	55	64	97	152	5	84	78	–	42	46	41	374	132	90	71	27	3
Urban places	6	73	22	20	21	42	3	28	27	–	18	21	12	102	42	25	20	11	2
Balance of area	10	205	33	44	76	110	2	56	51	–	24	24	29	272	90	65	51	16	1
Metropolitan counties	10	178	43	42	59	101	2	57	55	–	28	28	23	235	68	46	55	13	2
Urban places	6	64	21	18	19	38	2	28	24	–	15	17	10	90	34	22	17	9	1
Balance of area	4	114	22	24	40	63	–	31	31	–	13	11	13	145	34	26	38	4	1
Nonmetropolitan counties	6	100	12	22	38	51	3	27	23	–	14	17	18	139	64	42	16	14	1
Urban places	–	9	1	2	2	4	1	2	3	–	3	4	2	12	8	3	3	2	1
Balance of area	6	91	11	20	36	47	2	25	20	–	11	13	16	127	56	39	13	12	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	735	–	–	8	152	39	41	23	9	3	4	33	14	361	319	2	8	197	112
Dover	206	–	–	4	46	19	9	6	2	1	2	7	2	104	92	–	1	57	34
Balance of county	529	–	–	4	106	20	32	17	7	2	2	26	12	257	227	2	7	140	78
New Castle	3,256	5	–	33	848	204	274	80	81	27	34	148	94	1,502	1,229	11	83	578	557
Newark	188	–	–	2	58	12	19	6	4	2	1	12	2	74	62	2	3	33	24
Wilmington	1,130	2	–	15	252	65	86	19	24	10	8	40	38	553	456	3	45	188	220
Balance of county	1,938	3	–	16	540	127	169	55	53	15	25	96	54	875	711	6	35	357	313
Sussex	1,107	–	–	11	269	58	81	22	29	16	12	51	23	537	439	3	9	271	156
District of Columbia	6,762	23	2	155	1,550	457	361	129	180	53	57	313	104	2,749	2,179	11	231	819	1,118
Florida	115,227	128	8	1,015	27,468	7,060	8,164	2,231	3,035	1,199	932	4,847	1,860	54,664	42,776	437	1,467	31,198	9,674
Urban places	60,919	73	6	563	13,990	3,680	3,985	1,172	1,564	601	492	2,516	953	29,489	23,053	241	843	16,580	5,389
Balance of area	54,308	53	2	452	13,478	3,380	4,199	1,059	1,471	598	440	2,331	907	25,175	19,723	196	624	14,618	4,285
Metropolitan counties	99,218	99	6	889	23,547	6,150	6,886	1,960	2,583	1,024	816	4,128	1,575	47,154	36,958	389	1,292	26,795	8,488
Urban places	58,817	65	6	537	13,467	3,563	3,801	1,136	1,504	578	479	2,406	919	28,516	22,292	229	829	15,976	5,258
Balance of area	40,401	34	–	352	10,080	2,587	3,085	824	1,079	446	337	1,722	656	18,638	14,666	154	463	10,819	3,230
Nonmetropolitan counties	16,008	27	2	126	3,921	910	1,278	271	452	175	116	719	285	7,510	5,818	54	175	4,403	1,186
Urban places	2,102	8	–	26	523	117	184	38	60	23	13	110	34	973	761	12	14	604	131
Balance of area	13,907	19	2	100	3,398	793	1,114	235	392	152	103	609	251	6,537	5,057	42	161	3,799	1,055
Alachua	1,015	2	1	18	237	55	79	20	23	9	10	41	23	403	265	1	9	183	72
Gainesville	535	1	1	9	112	24	38	9	13	5	5	18	14	217	136	1	8	97	30
Balance of county	480	1	–	9	125	31	41	11	10	4	5	23	9	186	129	–	1	86	42
Baker	101	–	–	2	21	1	9	1	5	–	2	3	3	43	34	–	–	19	15
Bay	855	1	–	7	178	32	65	15	18	8	8	32	10	374	289	5	4	175	105
Panama City	471	1	–	6	101	16	39	8	11	6	5	16	3	204	156	3	1	96	54
Balance of county	384	–	–	1	77	16	26	7	7	2	3	16	7	170	133	2	3	77	51
Bradford	195	–	–	5	35	3	14	1	3	2	–	12	4	87	64	–	2	36	28
Brevard	2,848	1	–	21	769	175	248	80	76	31	30	129	54	1,267	959	18	32	717	192
Cocoa	187	–	–	–	43	11	11	7	4	1	1	8	3	81	62	1	4	44	13
Cocoa Beach	152	–	–	–	44	10	14	5	4	1	1	9	1	73	59	–	3	40	16
Melbourne	563	1	–	4	130	23	45	14	13	6	6	23	13	266	206	2	7	162	35
Palm Bay	234	–	–	1	69	19	18	4	8	4	2	14	2	102	80	2	1	60	17
Rockledge	112	–	–	1	25	5	9	5	4	1	–	1	1	60	48	2	3	36	7
Titusville	342	–	–	3	93	24	33	6	11	3	4	12	8	149	108	2	5	71	30
Balance of county	1,258	–	–	12	365	83	118	39	32	15	16	62	26	536	396	9	9	304	74
Broward	12,590	8	2	105	3,133	891	900	243	324	132	112	531	188	6,194	5,012	59	85	3,978	896
Cooper City	71	–	–	2	22	3	7	3	1	1	2	5	1	34	31	–	1	24	6
Coral Springs	212	–	–	3	50	9	16	6	4	–	3	12	3	94	75	1	–	66	8
Dania	179	–	–	–	40	6	15	3	7	2	1	6	3	80	68	1	2	54	11
Davie	163	–	–	2	42	5	19	4	3	3	1	7	–	58	51	–	1	38	14
Deerfield Beach	692	–	–	5	196	58	59	15	22	6	5	31	19	351	281	4	2	228	47
Fort Lauderdale	2,260	4	1	24	495	127	156	38	58	20	19	77	21	1,098	852	8	18	675	151
Hallandale, part	742	–	–	5	174	55	44	14	12	9	11	29	18	396	340	3	5	275	57
Hallandale, total	744	–	–	5	174	55	44	14	12	9	11	29	18	397	341	3	5	276	57
Hollywood	1,810	–	–	12	460	152	127	28	44	20	18	71	27	898	717	5	14	574	124
Lauderdale Lakes	393	–	–	3	86	26	17	12	7	8	2	14	7	228	188	5	2	148	35
Lauderhill	377	1	–	5	92	33	23	7	7	7	3	12	5	194	172	–	3	140	29
Lighthouse Point	154	–	–	–	40	4	17	4	3	–	3	9	1	83	61	–	–	47	14
Margate	529	–	–	3	144	49	38	10	11	8	3	25	13	267	232	2	3	182	45
Miramar	270	–	–	2	76	19	22	4	7	4	4	16	3	117	90	1	–	64	25
North Lauderdale	89	–	–	–	26	7	6	2	3	–	–	8	1	32	28	–	–	24	4
Oakland Park	173	–	–	1	47	13	14	5	4	1	2	8	–	75	59	2	2	46	9
Pembroke Pines	296	–	–	6	81	21	24	7	2	2	2	23	3	145	123	1	5	103	14
Plantation	405	–	–	1	107	28	28	10	10	8	5	18	6	194	151	1	–	115	35
Pompano Beach	1,030	1	1	9	237	65	74	17	32	9	6	34	13	508	390	8	12	288	82
Sunrise	572	–	–	2	157	48	28	16	18	8	3	40	7	291	250	5	3	197	45
Tamarac	607	–	–	3	170	52	32	18	24	6	5	33	8	329	280	3	4	229	44
Wilton Manors	157	–	–	3	46	13	15	2	7	1	–	8	2	71	56	–	2	44	10
Balance of county	1,409	–	–	14	345	100	118	18	38	11	14	45	27	641	517	3	6	421	87
Calhoun	115	–	–	1	24	4	9	2	1	3	–	5	2	63	48	–	4	35	9
Charlotte	1,124	–	–	8	299	76	89	25	28	12	11	58	23	567	469	2	13	327	127
Citrus	1,043	1	–	7	268	75	88	17	28	13	5	42	10	538	423	9	9	334	71
Clay	551	–	–	5	117	30	33	16	15	3	–	20	5	277	231	–	10	168	53
Collier	1,098	5	–	10	301	73	91	21	23	16	11	66	15	455	345	3	6	256	50
Naples	361	–	–	5	108	27	30	6	7	9	5	24	4	154	117	1	2	98	18
Balance of county	737	5	–	5	193	46	61	15	16	7	6	42	11	301	228	2	4	158	34
Columbia	351	–	–	2	89	17	29	6	9	7	2	19	6	146	110	–	5	75	30
Dade	16,940	28	–	173	3,810	1,113	973	365	422	174	118	645	331	8,066	6,484	56	320	4,704	1,414
Coral Gables	423	–	–	3	106	31	27	16	9	5	1	17	8	195	144	3	7	106	28
Hallandale, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Hialeah	1,249	1	–	10	285	77	72	30	30	8	15	53	30	566	450	3	15	330	102
Homestead	196	–	–	2	40	9	14	5	7	3	–	2	3	86	71	1	6	44	20
Miami	4,882	15	–	67	1,067	303	257	92	129	48	29	209	108	2,126	1,686	12	128	1,157	389
Miami Beach	2,346	1	–	21	473	155	120	37	58	20	14	71	25	1,379	1,142	4	31	897	210
Miami Springs	135	–	–	–	24	6	4	6	–	3	–	5	1	80	63	–	2	44	17
North Miami	685	2	–	9	162	48	45	8	18	7	4	32	13	354	291	2	5	211	73
North Miami Beach	1,109	1	–	6	257	76	64	24	35	11	8	39	17	624	541	8	7	399	127
Opa-locka	141	–	–	–	25	5	9	2	2	2	–	5	3	59	49	1	8	32	8
South Miami	70	1	–	–	13	2	4	1	1	1	3	1	1	28	18	–	4	11	3
Balance of county	5,692	7	–	55	1,358	401	357	144	135	66	44	211	124	2,588	2,038	22	107	1,472	437
De Soto	250	1	–	3	49	11	14	3	6	3	2	10	6	122	94	–	–	81	13
Dixie	77	–	–	1	20	3	9	–	2	–	1	5	2	26	18	–	3	12	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	3	32	1	6	17	18	3	11	7	–	9	7	9	61	23	18	10	6	1
Dover	–	9	1	2	2	4	1	2	3	–	3	4	2	12	8	3	3	2	1
Balance of county	3	23	–	4	15	14	2	9	4	–	6	3	7	49	15	15	7	4	–
New Castle	10	178	43	42	59	101	2	57	55	–	28	28	23	235	68	48	55	13	2
Newark	–	6	3	3	1	6	–	2	2	–	4	5	1	13	12	3	3	2	–
Wilmington	6	58	18	15	18	32	2	24	22	–	11	12	9	77	22	19	14	7	1
Balance of county	4	114	22	24	40	63	–	31	31	–	13	11	13	145	34	26	38	4	1
Sussex	3	68	11	16	21	33	–	16	16	–	5	10	9	78	41	24	8	8	–
District of Columbia	27	418	70	55	192	150	12	165	111	–	43	137	113	737	84	131	54	167	63
Florida	529	8,766	1,199	1,394	2,382	4,174	379	1,638	940	17	577	801	1,660	9,330	2,739	2,119	1,820	1,386	114
Urban places	297	4,763	649	727	1,322	2,122	213	873	507	13	281	430	863	5,157	1,167	1,057	962	827	41
Balance of area	232	4,003	550	667	1,070	2,052	166	765	433	4	296	371	797	4,173	1,572	1,052	858	559	73
Metropolitan counties	454	7,531	1,043	1,168	2,077	3,588	326	1,413	826	14	499	709	1,456	8,110	2,254	1,763	1,583	1,241	89
Urban places	290	4,616	625	691	1,263	2,047	210	839	488	10	270	416	849	4,887	1,099	1,028	932	810	37
Balance of area	164	2,915	418	477	794	1,541	116	574	338	4	229	291	607	3,123	1,155	735	651	431	52
Nonmetropolitan counties	75	1,235	156	226	315	588	53	225	114	3	78	92	204	1,220	485	356	237	145	25
Urban places	7	145	24	36	39	75	3	34	19	3	11	12	14	170	68	39	30	17	4
Balance of area	68	1,090	132	190	276	511	50	191	95	–	67	80	190	1,050	417	317	207	128	21
Alachua	9	96	23	10	14	37	4	15	7	–	19	10	18	102	38	33	19	14	1
Gainesville	5	55	15	8	9	19	4	8	3	–	10	6	11	63	16	17	7	7	1
Balance of county	4	41	8	4	5	18	–	7	4	–	9	4	7	39	22	16	12	7	–
Baker	–	5	1	3	4	4	–	1	–	–	1	1	2	8	3	6	1	1	–
Bay	3	61	11	10	25	48	3	16	6	–	4	7	22	85	30	27	5	6	3
Panama City	–	34	7	7	17	20	2	9	3	–	2	2	15	49	15	14	1	6	1
Balance of county	3	27	4	3	8	28	1	7	3	–	2	5	7	36	15	13	4	–	2
Bradford	1	13	4	5	3	12	–	3	3	–	2	2	–	15	3	4	6	11	–
Brevard	9	231	35	33	59	126	5	54	19	1	11	13	10	212	108	42	51	20	3
Cocoa	1	15	3	–	5	10	–	–	1	–	2	–	1	20	12	2	4	3	–
Cocoa Beach	–	10	1	3	2	8	–	4	–	–	1	–	1	9	4	4	1	–	–
Melbourne	2	48	4	6	13	28	2	11	3	–	3	5	1	40	13	15	10	4	1
Palm Bay	–	16	3	3	5	12	–	3	1	–	1	2	1	17	9	1	7	1	–
Rockledge	–	10	1	1	4	4	–	4	–	–	–	–	–	7	3	1	2	–	–
Titusville	1	35	2	3	8	18	–	2	2	–	–	1	2	35	7	4	7	3	–
Balance of county	5	97	21	17	22	48	3	30	12	1	4	5	4	84	60	15	20	9	2
Broward	47	888	97	160	224	429	42	149	139	1	57	84	64	1,049	228	165	213	117	1
Cooper City	–	3	–	–	1	–	1	–	2	–	–	–	–	6	1	1	–	–	–
Coral Springs	2	13	2	2	3	4	–	2	2	–	1	2	–	23	12	2	9	2	–
Dania	2	17	–	3	2	3	–	4	2	–	1	–	–	19	3	4	5	3	–
Davie	–	6	1	–	6	8	–	3	1	–	2	2	2	11	7	5	11	3	–
Deerfield Beach	4	42	6	16	8	16	2	7	3	–	4	2	5	46	8	6	8	7	–
Fort Lauderdale	15	189	16	26	50	88	7	31	23	–	13	19	22	200	40	41	51	32	–
Hallandale, part	1	45	4	6	11	22	2	15	10	–	1	–	2	61	6	5	10	4	–
Hallandale, total	1	45	4	6	11	22	2	15	10	–	1	–	2	62	6	5	10	4	–
Hollywood	5	139	10	27	41	59	5	22	15	–	2	8	6	145	29	23	41	17	–
Lauderdale Lakes	2	29	2	7	3	11	2	2	3	–	–	2	1	26	7	8	2	2	–
Lauderhill	–	19	2	1	6	8	1	1	8	1	–	5	1	29	7	4	6	3	–
Lighthouse Point	–	20	2	–	2	11	1	3	2	–	–	–	–	9	1	1	–	–	–
Margate	–	23	3	9	5	19	2	3	8	–	1	2	3	49	3	4	3	–	–
Miramar	1	21	1	4	8	11	3	5	1	–	2	2	3	22	3	7	5	–	–
North Lauderdale	–	4	–	–	1	3	1	–	3	–	2	–	–	8	8	1	3	–	–
Oakland Park	–	15	–	1	4	5	–	2	–	–	3	–	1	23	6	2	2	2	–
Pembroke Pines	–	17	2	3	6	8	2	3	1	–	1	–	2	20	4	7	5	2	–
Plantation	2	32	4	5	7	19	1	3	4	–	2	3	1	33	6	6	10	2	–
Pompano Beach	4	87	12	15	21	41	2	12	9	–	7	4	4	102	15	19	13	12	–
Sunrise	2	29	4	6	5	24	3	7	7	–	2	1	2	37	10	5	9	3	–
Tamarac	2	33	6	8	5	15	1	5	7	–	1	1	–	46	8	2	5	1	–
Wilton Manors	–	9	–	6	3	8	1	2	1	–	–	2	–	12	2	1	2	1	–
Balance of county	5	96	8	15	26	47	5	17	27	–	12	9	9	122	42	31	13	21	1
Calhoun	–	12	–	3	2	3	1	2	–	–	–	1	1	11	–	3	1	–	–
Charlotte	6	74	7	11	29	33	1	11	9	–	2	2	10	81	20	16	14	1	–
Citrus	3	84	19	9	16	35	4	11	2	–	3	5	6	63	27	21	22	4	–
Clay	4	32	5	5	19	17	–	8	2	–	3	4	5	40	21	8	14	6	–
Collier	6	66	11	27	31	37	5	18	6	1	4	3	4	99	40	34	12	16	1
Naples	2	19	6	10	11	12	1	4	4	1	1	–	–	33	9	10	3	–	1
Balance of county	4	47	5	17	20	25	4	15	2	–	3	3	4	66	31	24	9	16	–
Columbia	2	27	2	5	9	16	1	8	2	–	3	2	11	31	9	7	6	3	–
Dade	92	1,165	109	208	336	499	54	250	174	4	101	141	93	1,466	328	315	306	464	3
Coral Gables	1	43	4	3	9	14	–	2	8	–	2	2	1	44	6	5	13	5	–
Hallandale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hialeah	15	79	6	16	27	51	2	33	12	–	7	5	4	113	34	18	22	29	–
Homestead	1	7	4	3	–	8	1	3	3	–	3	4	2	18	8	6	2	7	–
Miami	25	320	33	62	105	132	22	82	49	2	26	3	3	151	23	36	36	23	–
Miami Beach	10	162	16	29	54	54	7	21	20	–	3	–	1	9	3	4	–	–	–
Miami Springs	–	16	1	–	6	2	–	2	2	–	–	1	1	48	9	8	14	10	–
North Miami	4	46	7	6	13	25	3	13	5	1	1	1	4	81	7	24	17	9	–
North Miami Beach	2	68	3	10	14	18	3	13	11	–	2	2	3	10	4	11	3	5	–
Opa-locka	–	8	–	2	3	3	–	4	1	–	3	7	–	13	1	1	4	–	–
South Miami	–	9	–	1	1	3	–	1	–	–	1	2	–	13	1	1	4	–	–
Balance of county	34	387	35	74	104	189	16	76	63	1	53	64	28	484	137	104	95	166	–
De Soto	3	17	1	7	12	11	–	2	1	–	–	5	2	17	13	9	2	4	1
Dixie	–	8	–	–	2	1	2	1	1	–	–	2	3	6	4	1	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	5,256	7	–	69	1,171	244	377	89	146	49	58	208	96	2,313	1,782	11	123	1,055	593
Jacksonville	4,912	7	–	68	1,084	226	352	78	136	48	53	191	89	2,165	1,679	11	116	998	554
Jacksonville Beach	165	–	–	–	40	11	11	3	3	1	2	9	5	73	51	–	2	26	23
Balance of county	179	–	–	1	47	7	14	8	7	–	3	8	2	75	52	–	5	31	16
Escambia	1,934	4	–	31	480	107	176	41	42	22	9	83	22	838	633	8	22	445	158
Pensacola	653	1	–	9	158	37	49	17	13	9	2	31	9	289	219	2	6	148	83
Balance of county	1,281	3	–	22	322	70	127	24	29	13	7	52	13	539	414	6	16	297	95
Flagler	161	–	–	2	36	6	13	4	3	–	–	10	1	81	68	2	2	53	11
Franklin	111	–	–	–	30	10	8	–	5	4	–	3	3	44	34	–	2	22	10
Gadsden	381	2	–	2	91	24	23	8	18	1	4	13	9	151	109	1	12	51	45
Gilchrist	78	–	–	–	13	1	4	3	1	–	1	3	1	43	29	–	3	22	4
Glades	72	–	–	–	19	4	11	1	2	–	–	1	–	29	25	–	–	22	3
Gulf	115	–	–	–	26	7	6	5	3	2	2	1	2	53	36	–	2	25	9
Hamilton	102	1	–	1	19	3	5	1	6	1	–	3	3	51	42	–	1	28	13
Hardee	139	–	–	1	31	10	8	5	2	1	1	4	2	55	40	–	1	31	8
Hendry	183	–	–	2	33	10	12	2	3	1	2	3	7	80	61	2	5	42	12
Hernando	929	–	1	6	230	50	77	21	25	6	8	43	16	449	346	3	4	261	78
Highlands	790	–	–	5	197	40	78	9	34	4	6	26	13	377	276	2	7	227	40
Hillsborough	6,207	12	–	56	1,471	341	455	108	145	64	42	316	101	2,715	2,069	20	83	1,314	672
Plant City	201	1	–	2	45	9	20	3	4	1	–	8	2	89	76	1	5	42	28
Tampa	3,355	8	–	30	751	186	224	51	68	32	25	165	60	1,540	1,176	12	46	747	371
Temple Terrace	62	–	–	1	24	5	8	2	1	–	1	7	–	27	19	2	1	8	8
Balance of county	2,589	3	–	23	651	141	203	52	72	31	16	136	39	1,049	818	5	31	517	265
Holmes	165	–	–	1	37	5	15	2	3	–	2	10	1	83	74	–	7	60	7
Indian River	872	–	1	6	241	51	81	17	25	9	4	54	11	410	308	3	9	235	61
Vero Beach	344	–	–	3	91	23	24	8	9	2	2	23	3	158	120	2	4	87	27
Balance of county	528	–	1	3	150	28	57	9	16	7	2	31	8	252	188	1	5	148	34
Jackson	447	–	–	5	83	18	27	4	18	5	1	10	9	231	175	1	7	136	31
Jefferson	118	–	–	–	18	2	5	4	4	2	–	2	5	59	48	–	8	26	14
Lafayette	40	–	–	1	10	1	3	–	1	–	–	5	–	16	13	–	1	9	3
Lake	1,660	5	–	9	390	102	114	21	49	17	17	70	35	821	623	8	13	447	155
Leesburg	224	2	–	4	41	8	13	4	8	–	1	7	2	108	83	1	4	64	14
Balance of county	1,436	3	–	5	349	94	101	17	41	17	16	63	33	713	540	7	9	383	141
Lee	2,858	1	–	22	721	185	212	51	74	27	30	132	55	1,385	1,114	12	31	797	274
Cape Coral	496	–	–	4	125	37	34	10	14	1	7	22	8	248	201	2	6	138	55
Fort Myers	545	1	–	4	118	23	36	10	12	4	6	27	12	260	210	–	4	145	61
Balance of county	1,817	–	–	14	478	135	142	31	48	22	17	83	35	877	703	10	21	514	158
Leon	947	2	–	17	224	47	70	17	25	11	5	49	12	394	298	–	30	183	85
Tallahassee	693	2	–	15	163	36	48	11	16	10	5	37	9	289	215	–	24	123	68
Balance of county	254	–	–	2	61	11	22	6	9	1	–	12	3	105	83	–	6	60	17
Levy	266	1	–	3	57	12	19	3	8	4	1	10	6	121	83	–	2	61	20
Liberty	36	–	–	–	5	2	2	–	1	–	–	–	2	15	12	–	–	11	1
Madison	156	–	–	–	32	4	12	–	6	–	1	9	2	66	51	1	3	30	17
Manatee	2,387	2	–	14	551	141	164	40	78	23	19	86	48	1,131	869	8	20	632	209
Bradenton	754	1	–	6	156	38	44	13	18	6	5	32	21	373	275	2	9	191	73
Balance of county	1,633	1	–	8	395	103	120	27	60	17	14	54	27	758	594	6	11	441	136
Marion	1,679	3	–	7	438	99	161	30	51	23	5	69	32	775	580	10	15	469	86
Ocala	562	1	–	2	144	35	47	16	17	4	1	24	11	269	186	5	4	146	31
Balance of county	1,117	2	–	5	294	64	114	14	34	19	4	45	21	506	394	5	11	323	55
Martin	960	–	–	4	270	71	71	24	32	13	11	48	5	458	335	1	14	240	80
Monroe	608	1	–	5	175	45	58	15	16	8	5	28	16	243	189	2	2	165	20
Key West	235	–	–	2	59	15	21	3	6	3	1	10	7	104	71	1	–	62	8
Balance of county	373	1	–	3	116	30	37	12	10	5	4	18	9	139	118	1	2	103	12
Nassau	249	–	–	3	55	9	22	3	8	3	–	10	2	111	98	–	5	56	37
Okaloosa	743	1	–	6	196	44	72	14	16	11	9	30	9	327	279	3	9	184	83
Fort Walton Beach	189	–	–	3	52	10	17	6	5	4	2	8	2	88	74	2	3	40	29
Balance of county	554	1	–	3	144	34	55	8	11	7	7	22	7	239	205	1	6	144	54
Okeechobee	261	–	–	3	55	12	21	3	8	5	1	5	4	119	93	–	4	76	13
Orange	4,206	3	–	37	954	242	267	92	91	40	39	183	63	1,932	1,527	13	38	1,031	445
Orlando	1,579	1	–	13	329	85	89	35	33	15	11	61	27	741	573	3	22	369	179
Winter Park	393	–	–	1	97	24	21	11	12	2	9	18	3	204	142	1	3	109	29
Balance of county	2,234	2	–	23	528	133	157	46	46	23	19	104	33	987	812	9	13	553	237
Osceola	674	–	–	4	154	39	48	15	11	7	2	32	11	329	283	2	3	234	54
Kissimmee	212	–	–	1	42	13	11	5	2	3	–	8	4	104	94	1	–	78	15
Balance of county	462	–	–	3	112	26	37	10	9	4	2	24	7	225	199	1	3	156	39
Palm Beach	8,170	7	–	68	2,036	535	591	163	232	78	82	355	107	4,070	3,182	51	106	2,313	712
Belle Glade	161	3	–	3	37	7	14	1	4	2	1	8	2	49	38	1	2	14	21
Boca Raton	706	–	–	4	207	51	61	13	29	8	4	41	6	328	267	5	5	190	67
Boynton Beach	614	1	–	5	154	45	40	13	12	7	5	32	7	321	252	7	6	194	45
Delray Beach	657	–	–	4	174	43	50	15	24	10	8	24	12	311	252	2	4	198	48
Lake Worth	598	–	–	4	132	44	35	7	12	2	5	27	6	306	240	4	13	178	45
North Palm Beach	160	–	–	2	47	8	15	5	6	3	2	6	2	79	54	1	3	33	17
Palm Beach Gardens	119	–	–	–	31	3	12	3	1	2	2	8	1	57	46	–	1	36	9
Riviera Beach	270	–	–	1	55	19	14	5	6	–	4	7	11	133	103	–	6	70	27
West Palm Beach	1,133	1	–	8	249	54	84	22	27	7	11	44	14	598	442	8	21	305	108
Balance of county	3,752	2	–	37	850	261	266	79	109	37	40	158	46	1,888	1,488	23	45	1,095	325
Pasco	3,501	4	–	17	896	220	305	65	80	39	34	153	52	1,882	1,297	16	34	1,049	198
New Port Richey	340	1	–	2	71	20	24	3	4	4	7	9	4	182	125	2	3	99	22
Balance of county	3,161	3	–	15	825	200	281	62	76	35	27	144	48	1,500	1,172	14	31	951	176

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	25	381	90	35	138	228	24	100	49	3	30	53	48	477	119	121	91	110	11
Jacksonville	23	350	79	34	129	215	21	89	48	3	30	53	44	448	110	110	80	108	11
Jacksonville Beach	–	14	7	1	3	3	2	7	1	–	–	–	1	17	2	5	6	–	–
Balance of county	2	17	4	–	4	10	1	4	–	–	–	–	3	12	7	6	5	2	–
Escambia	14	154	21	16	43	80	8	33	15	1	13	23	12	160	57	49	28	16	1
Pensacola	5	63	8	4	14	25	3	14	7	1	3	7	4	59	12	13	7	9	–
Balance of county	9	91	13	12	29	55	5	19	8	–	10	16	8	122	45	36	21	7	1
Flagler	–	11	–	2	1	10	1	2	2	–	–	1	1	15	2	3	3	–	–
Franklin	1	9	–	–	–	3	–	3	1	–	–	–	4	13	2	4	1	3	–
Gadsden	5	33	2	2	13	11	5	1	8	–	1	6	11	33	9	13	6	6	3
Gilchrist	–	10	1	3	–	4	–	1	1	–	1	–	1	7	–	3	2	1	–
Glades	–	2	–	2	1	4	–	4	–	–	2	–	–	6	–	4	–	1	2
Gulf	1	14	–	2	2	5	1	2	–	–	–	–	5	8	5	4	2	–	–
Hamilton	–	3	1	5	2	2	1	2	1	–	3	–	1	5	4	4	1	1	–
Hardee	–	13	1	1	5	4	–	2	3	–	2	2	–	11	7	1	2	8	3
Hendry	–	16	1	2	7	3	1	2	1	–	1	5	2	18	12	4	1	3	1
Hernando	4	76	12	11	13	32	3	16	5	–	2	3	17	72	29	19	10	6	–
Highlands	4	75	12	10	16	44	5	5	6	–	3	7	13	48	21	14	10	5	1
Hillsborough	29	464	70	63	150	238	17	96	59	–	39	69	75	567	197	141	104	99	1
Plant City	2	14	7	–	3	10	1	1	1	–	1	–	3	17	6	4	3	2	–
Tampa	21	275	37	31	95	113	12	53	24	–	18	34	44	321	67	75	49	61	–
Temple Terrace	–	5	–	3	–	2	1	–	–	–	–	–	–	3	1	3	–	–	–
Balance of county	6	170	26	29	52	113	3	42	34	–	20	35	28	226	123	59	52	36	1
Holmes	1	6	1	1	3	8	1	3	1	–	–	–	5	13	2	2	4	1	–
Indian River	2	76	9	15	12	31	2	17	6	–	6	2	6	60	24	17	16	4	–
Vero Beach	1	25	7	5	4	18	1	9	2	–	2	–	4	29	7	5	7	1	–
Balance of county	1	51	2	10	8	13	1	8	4	–	4	2	2	31	17	12	9	3	–
Jackson	2	44	4	6	12	17	3	4	2	–	1	1	15	31	16	6	4	7	–
Jefferson	2	8	1	–	3	2	–	2	–	–	3	3	2	12	2	4	2	–	–
Lafayette	–	3	–	–	–	4	–	1	–	–	–	2	1	2	1	1	1	–	–
Lake	4	138	32	24	30	57	1	13	15	1	10	5	5	155	53	32	15	6	2
Leesburg	–	20	2	3	6	8	–	1	4	1	–	1	1	25	15	4	1	–	–
Balance of county	4	118	30	21	24	49	1	12	11	–	10	4	4	130	38	28	14	6	2
Lee	4	188	34	45	57	120	9	53	16	1	8	16	23	188	71	46	40	20	6
Cape Coral	1	23	13	10	7	24	1	7	3	–	3	–	6	33	14	5	7	1	–
Fort Myers	3	39	3	5	13	16	1	15	3	1	2	8	6	36	21	10	8	10	–
Balance of county	–	126	18	30	37	80	7	31	10	–	3	8	11	119	38	31	25	9	6
Leon	8	65	6	17	15	40	3	7	5	–	9	16	26	80	44	24	20	8	1
Tallahassee	3	53	5	13	11	28	3	4	5	–	7	10	24	62	22	18	14	7	–
Balance of county	5	12	1	4	4	12	–	3	–	–	2	6	2	18	22	6	6	1	1
Levy	3	30	1	4	4	7	1	2	6	–	3	1	9	17	12	12	2	2	–
Liberty	–	3	–	–	–	3	–	1	–	–	–	–	–	2	8	–	–	–	–
Madison	–	13	–	2	7	7	–	1	3	–	1	4	3	16	5	5	1	3	–
Manatee	12	208	21	21	46	92	6	27	20	–	6	15	112	166	55	22	32	20	2
Bradenton	2	84	7	5	15	25	3	8	4	–	–	5	27	70	20	8	7	7	–
Balance of county	10	124	14	16	31	67	3	21	16	–	6	10	85	116	35	14	25	13	2
Marion	6	166	10	13	19	60	4	22	14	1	9	14	7	125	63	34	32	19	1
Ocala	4	72	4	3	8	16	1	7	2	–	4	8	3	38	22	9	14	5	–
Balance of county	2	94	6	10	11	44	3	15	12	1	5	6	4	88	41	25	18	14	1
Martin	5	89	11	18	11	33	4	15	4	–	6	2	7	80	22	17	20	2	–
Monroe	1	41	6	6	8	20	2	10	2	–	–	1	5	34	29	20	16	17	4
Key West	1	24	5	3	3	9	–	5	2	–	–	–	2	16	8	4	7	5	2
Balance of county	–	17	1	3	5	11	2	5	–	–	–	1	3	18	21	16	9	12	2
Nassau	1	11	–	1	4	11	–	6	3	–	1	3	2	22	10	7	5	3	1
Okaloosa	2	33	7	6	22	21	3	7	3	–	6	7	4	56	26	23	14	8	2
Fort Walton Beach	1	7	2	4	5	3	1	1	–	–	2	1	–	14	5	5	4	2	1
Balance of county	1	26	5	2	17	18	2	6	3	–	6	6	4	42	21	18	10	6	1
Okeechobee	2	19	1	4	7	12	1	3	3	–	1	2	–	16	16	5	8	4	2
Orange	21	297	39	48	105	151	12	71	25	1	30	48	44	370	130	93	86	44	7
Orlando	10	121	12	25	41	52	7	23	11	1	12	22	24	139	45	37	32	20	2
Winter Park	5	41	10	6	5	12	1	4	–	–	3	2	–	50	4	2	3	1	1
Balance of county	6	135	17	17	59	87	4	44	14	–	15	24	20	181	81	54	51	23	4
Osceola	3	24	2	7	21	21	3	10	5	–	4	8	5	51	23	15	8	3	1
Kissimmee	2	5	–	3	3	7	1	4	–	–	4	3	2	19	7	7	1	2	1
Balance of county	1	19	2	4	18	14	2	6	5	–	–	3	3	32	16	8	7	1	–
Palm Beach	36	671	81	100	156	254	24	106	59	–	34	52	49	589	170	139	143	110	3
Belle Glade	–	10	–	1	3	4	–	1	1	–	2	5	3	22	5	8	3	10	–
Boca Raton	1	40	9	11	12	19	–	14	6	–	3	2	5	52	18	12	14	4	–
Boynton Beach	5	49	8	7	18	15	1	9	4	–	2	1	1	45	8	11	7	4	–
Delray Beach	4	41	2	12	19	20	3	9	6	–	3	3	4	45	13	13	9	7	–
Lake Worth	3	50	6	7	13	29	2	9	6	–	–	2	3	43	19	11	9	4	–
North Palm Beach	–	21	1	3	–	2	3	2	1	–	–	–	1	11	4	1	4	1	–
Palm Beach Gardens	–	11	–	–	1	4	–	5	–	–	–	1	1	7	5	3	3	–	–
Riviera Beach	–	24	4	2	6	2	2	4	4	–	1	7	–	17	4	7	4	12	–
West Palm Beach	8	124	15	11	25	26	3	12	6	–	6	17	9	82	7	19	23	28	–
Balance of county	17	301	36	46	59	133	10	41	23	–	17	14	22	265	67	48	67	40	3
Pasco	15	249	74	47	52	135	10	46	24	–	11	17	126	260	71	35	42	16	3
New Port Richey	1	28	19	9	6	10	1	6	5	–	–	1	9	27	5	3	4	2	1
Balance of county	14	221	55	38	46	125	9	40	19	–	11	16	119	233	66	32	38	14	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	12,005	4	–	62	2,648	719	724	232	300	134	83	456	173	6,139	4,746	53	138	3,421	1,133
Clearwater	1,587	–	–	11	367	113	95	32	37	14	11	65	16	789	549	6	30	403	110
Dunedin	552	1	–	5	129	41	30	14	15	6	4	19	6	287	215	6	3	163	43
Gulfport	244	–	–	1	56	13	15	4	6	4	4	10	1	142	113	–	4	68	41
Largo	918	–	–	4	221	54	59	26	21	15	9	38	14	438	342	3	5	262	72
Pinellas Park	489	–	–	1	104	31	16	16	6	5	3	27	6	253	207	4	4	145	54
St. Petersburg	4,357	2	–	34	850	220	238	69	115	39	23	146	67	2,262	1,778	13	58	1,236	471
Tarpon Springs	208	–	–	3	48	7	18	3	5	4	3	8	5	100	71	1	1	47	22
Balance of county	3,650	1	–	23	873	240	254	68	95	47	26	143	58	1,868	1,471	20	34	1,097	320
Polk	3,445	3	1	26	819	215	267	59	97	22	28	133	60	1,544	1,173	7	48	912	206
Bartow	143	–	–	1	23	6	4	3	4	1	3	2	4	76	54	1	2	44	7
Haines City	115	–	–	2	21	8	5	1	2	1	–	4	2	58	42	1	–	32	9
Lakeland	677	–	1	3	138	43	48	10	15	3	4	15	8	323	251	3	5	191	52
Winter Haven	337	–	–	2	83	22	26	6	12	–	4	13	3	162	116	1	4	93	18
Balance of county	2,173	3	–	18	554	136	184	39	64	17	15	99	43	927	710	1	37	552	120
Putnam	641	1	–	11	175	37	69	9	16	11	3	30	24	261	210	3	8	157	42
Palatka	144	1	–	5	31	8	13	2	3	1	–	4	5	69	49	1	1	34	13
Balance of county	497	–	–	6	144	29	56	7	13	10	3	26	19	192	161	2	7	123	29
St. Johns	627	–	–	8	166	34	51	11	19	10	8	33	8	258	195	1	9	133	52
St. Augustine	209	–	–	2	47	14	11	1	6	5	2	8	1	93	71	–	2	46	23
Balance of county	418	–	–	6	119	20	40	10	13	5	6	25	7	165	124	1	7	87	29
St. Lucie	1,186	5	–	9	305	66	95	21	35	15	9	64	15	582	478	8	4	391	75
Fort Pierce	542	5	–	6	129	21	48	6	16	7	2	29	4	254	212	2	3	175	32
Port St. Lucie	252	–	–	1	64	15	15	7	11	1	2	13	9	126	109	4	–	84	21
Balance of county	402	–	–	2	112	30	32	8	8	7	5	22	2	202	157	2	1	132	22
Santa Rosa	421	1	–	4	86	15	32	7	5	4	3	20	4	205	180	2	4	125	49
Sarasota	3,495	3	1	33	854	228	237	63	107	48	35	136	41	1,692	1,253	17	20	969	227
Sarasota	898	–	1	7	187	50	49	19	20	7	8	34	8	421	308	5	12	227	64
Venice	364	1	–	1	97	24	31	6	15	6	2	13	2	189	133	4	2	111	16
Balance of county	2,233	2	–	25	570	154	157	38	72	35	25	89	31	1,082	812	8	6	651	147
Seminole	1,467	3	–	10	357	87	98	38	44	10	14	66	19	663	511	2	12	374	123
Altamonte Springs	180	–	–	1	41	10	13	2	5	1	1	8	2	85	65	–	1	51	13
Casselberry	124	–	–	–	35	9	12	2	3	–	2	7	1	55	45	–	–	34	11
Longwood	99	–	–	1	20	3	9	4	1	–	–	3	1	43	34	–	1	24	9
Sanford	319	2	–	3	70	15	22	6	11	5	1	10	3	156	117	1	5	82	29
Winter Springs	66	–	–	1	17	5	3	2	1	–	2	4	1	31	28	–	1	20	7
Balance of county	679	1	–	4	174	45	39	22	23	4	8	33	11	293	222	1	4	163	54
Sumter	322	1	–	–	73	18	25	2	6	2	2	18	7	145	115	2	2	88	23
Suwannee	270	–	–	3	54	11	21	3	8	3	2	6	11	119	90	–	2	70	18
Taylor	184	–	–	3	44	7	16	3	5	2	–	11	4	80	62	–	4	45	13
Union	81	3	–	4	15	6	7	–	1	–	–	1	1	30	23	–	–	20	3
Volusia	3,957	1	1	44	982	287	244	80	125	40	32	174	46	1,990	1,547	14	79	1,115	339
Daytona Beach	877	–	1	12	199	60	51	16	28	5	5	34	13	434	332	1	19	233	79
De Land	318	–	–	3	64	13	17	2	10	5	3	14	1	183	153	2	13	113	25
New Smyrna Beach	287	–	–	1	62	14	14	6	9	4	2	13	1	155	114	1	7	84	22
Ormond Beach	488	–	–	5	133	44	27	18	18	3	5	18	10	244	181	2	6	131	42
Port Orange	248	–	–	4	72	30	17	4	7	1	3	10	3	115	93	2	4	67	20
South Daytona	159	–	–	4	41	10	8	2	10	3	1	7	–	78	65	1	1	48	15
Balance of county	1,580	1	–	15	411	116	110	32	43	19	13	78	18	781	609	5	29	439	136
Wakulla	90	–	–	–	23	5	6	2	4	2	1	3	–	37	28	–	2	20	6
Walton	229	–	–	4	42	8	16	3	6	2	1	6	1	126	110	–	1	96	13
Washington	173	–	–	1	29	5	13	3	2	1	–	5	1	108	89	1	3	70	15
Georgia	46,595	57	5	646	9,693	2,166	2,899	753	1,088	336	324	2,127	801	21,474	16,179	94	706	10,475	4,004
Urban places	17,818	31	1	312	3,698	830	1,065	304	436	134	111	798	329	7,963	5,949	35	367	3,586	1,961
Balance of area	28,777	26	4	334	5,995	1,336	1,814	449	652	202	213	1,329	472	13,511	10,230	59	339	6,889	2,943
Metropolitan counties	25,241	34	2	399	5,434	1,238	1,550	484	593	190	181	1,218	454	11,042	8,352	57	459	5,270	2,566
Urban places	13,290	25	1	250	2,755	636	784	236	337	96	79	587	245	5,784	4,341	25	312	2,556	1,448
Balance of area	11,951	9	1	149	2,679	602	766	228	256	94	102	631	209	5,278	4,011	32	147	2,714	1,118
Nonmetropolitan counties	21,354	23	3	247	4,259	928	1,349	269	495	146	143	909	347	10,432	7,827	37	247	5,205	2,336
Urban places	4,528	6	–	62	943	194	301	68	99	38	32	211	84	2,199	1,608	10	55	1,030	513
Balance of area	16,826	17	3	185	3,316	734	1,048	221	396	108	111	698	263	8,233	6,219	27	192	4,175	1,825
Appling	148	1	–	1	30	7	10	1	5	–	1	6	4	59	44	–	1	30	13
Atkinson	72	–	–	–	12	2	5	–	2	–	–	3	–	30	26	–	–	19	7
Bacon	101	–	–	–	18	5	7	1	2	–	–	3	2	65	50	–	2	36	12
Baker	52	–	–	–	11	2	3	–	2	–	–	4	2	23	10	–	–	7	3
Baldwin	290	–	–	6	48	15	9	5	2	4	1	12	5	127	99	–	3	73	23
Milledgeville	135	–	–	3	24	9	4	2	1	1	1	6	2	60	45	–	3	32	10
Balance of county	155	–	–	3	24	6	5	3	1	3	–	6	3	67	54	–	–	41	13
Banks	67	–	–	–	14	2	7	1	1	2	1	–	–	38	33	1	4	18	10
Barrow	217	–	–	3	45	10	12	4	9	4	1	5	2	118	84	–	–	49	35
Bartow	379	–	–	4	97	20	31	6	8	2	4	26	3	181	136	2	4	82	48
Ben Hill	179	–	–	4	40	13	18	1	2	2	1	3	1	87	72	1	2	37	32
Fitzgerald, part	109	–	–	2	24	10	11	1	1	–	–	1	1	50	40	–	1	22	17
Fitzgerald, total	109	–	–	2	24	10	11	1	1	–	–	1	1	50	40	–	1	22	17
Balance of county	70	–	–	2	16	3	7	–	1	2	1	2	–	37	32	1	1	15	15
Berrien	129	–	–	–	29	5	13	2	4	3	–	2	–	60	45	–	–	34	11
Bibb	1,428	6	–	18	291	65	93	22	38	8	9	56	24	661	478	4	17	307	150
Macon, part	1,244	5	–	18	247	52	83	21	33	7	8	43	21	582	417	4	16	264	133
Macon, total	1,248	5	–	18	247	52	83	21	33	7	8	43	21	583	418	4	16	265	133
Balance of county	184	1	–	–	44	13	10	1	5	1	1	13	3	79	61	–	1	43	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Florida—Con.																			
Pinellas	49	1,046	148	150	275	461	45	131	81	–	31	51	469	920	155	161	129	38	12
Clearwater	7	181	26	26	31	54	5	20	13	–	6	9	61	132	26	22	21	3	1
Dunedin	5	52	8	7	8	27	4	7	2	–	–	–	24	35	4	10	3	–	–
Gulfport	1	17	10	1	5	7	–	3	1	–	–	–	6	13	1	3	4	1	–
Largo	3	70	16	7	17	50	2	15	8	–	4	5	30	75	18	7	8	1	1
Pinellas Park	2	35	4	5	7	23	2	7	2	–	1	2	22	37	11	6	4	1	–
St. Petersburg	23	372	41	48	122	157	16	45	30	–	13	26	210	339	48	64	44	23	3
Tarpon Springs	–	16	7	6	3	5	–	–	2	–	2	1	8	23	4	3	1	–	–
Balance of county	8	303	36	50	82	138	14	34	23	–	5	8	108	266	43	46	44	9	7
Polk	17	254	60	40	83	121	12	41	24	–	28	29	105	239	121	76	65	34	12
Bartow	1	16	5	–	3	5	–	4	1	–	4	–	2	12	–	4	1	3	–
Haines City	1	9	2	2	4	1	–	1	2	–	–	2	5	11	1	5	1	1	–
Lakeland	4	50	8	10	18	18	4	5	4	–	2	8	38	61	12	6	16	8	2
Winter Haven	3	36	4	3	14	13	2	5	2	–	3	1	5	18	9	6	4	5	–
Balance of county	8	143	41	25	44	84	6	26	15	–	19	18	55	137	89	55	43	17	10
Putnam	4	38	4	5	13	26	3	15	5	–	1	1	9	52	18	12	9	5	–
Palatka	1	16	1	2	2	2	1	2	1	–	–	1	1	12	3	4	2	2	–
Balance of county	3	22	3	3	11	24	2	13	4	–	1	–	8	40	15	8	7	3	–
St. Johns	2	49	6	6	14	21	2	9	8	–	3	3	11	74	11	20	6	5	–
St. Augustine	2	17	–	3	7	11	–	2	2	–	1	1	3	27	1	6	2	3	–
Balance of county	–	32	6	3	7	10	2	7	6	–	2	2	8	47	10	14	4	2	–
St. Lucie	3	76	6	19	21	37	1	23	8	1	10	12	6	73	41	20	12	11	4
Fort Pierce	1	30	3	8	10	17	–	9	5	1	5	9	4	39	19	11	7	8	–
Port St. Lucie	1	11	–	5	3	9	–	4	1	–	3	1	2	18	7	1	3	1	1
Balance of county	1	35	3	6	8	11	1	10	2	–	2	2	–	18	15	8	2	2	3
Santa Rosa	3	16	2	4	6	17	–	13	2	–	1	8	2	29	26	14	1	2	–
Sarasota	12	331	49	47	81	129	10	46	21	1	8	13	92	306	47	47	45	20	5
Sarasota	3	87	12	11	29	37	1	13	5	–	5	6	41	91	11	14	9	10	2
Venice	1	42	8	5	7	12	–	2	3	–	–	1	5	35	2	3	4	–	–
Balance of county	8	202	29	31	45	80	9	31	13	1	3	6	46	180	34	30	32	10	3
Seminole	11	106	12	23	35	50	9	29	14	–	12	9	9	141	42	23	25	17	–
Altamonte Springs	1	16	1	2	4	3	2	2	–	–	3	1	1	21	3	6	3	2	–
Casselberry	1	4	1	4	1	9	1	–	1	–	–	1	1	10	2	2	4	1	–
Longwood	2	7	–	–	4	5	1	–	2	–	–	1	1	12	3	1	2	2	–
Sanford	2	27	5	5	8	10	2	12	–	–	–	–	2	24	9	5	5	8	–
Winter Springs	1	2	–	–	1	2	–	2	1	–	–	1	–	6	1	–	2	–	–
Balance of county	4	50	5	12	17	21	3	13	10	–	9	5	4	68	24	9	9	4	–
Sumter	1	22	2	5	2	17	1	5	3	–	1	5	5	22	12	11	8	4	–
Suwannee	3	23	–	3	9	9	–	5	2	–	1	1	15	26	6	5	4	–	–
Taylor	2	13	1	2	2	7	–	3	–	–	1	1	3	21	4	6	3	2	–
Union	1	4	1	1	–	2	1	2	1	–	3	1	9	5	–	1	1	2	–
Volusia	20	333	39	51	76	174	17	62	31	–	16	17	17	285	59	54	55	21	9
Daytona Beach	5	79	6	12	18	41	1	17	10	–	2	6	6	70	9	13	15	8	2
De Land	1	21	4	4	7	9	3	6	3	–	4	4	1	21	2	4	1	2	–
New Smyrna Beach	2	32	3	4	3	20	1	6	–	–	–	–	–	23	7	5	2	1	–
Ormond Beach	5	49	4	5	7	16	3	8	5	–	2	1	1	32	8	5	4	1	1
Port Orange	3	14	1	4	4	10	1	1	2	–	–	1	–	22	6	1	4	1	1
South Daytona	–	10	2	1	3	7	–	3	1	–	–	–	–	14	1	3	3	–	1
Balance of county	4	128	19	21	34	69	8	21	10	–	8	5	9	103	26	23	26	8	4
Wakulla	–	7	1	1	–	4	–	5	1	–	2	–	2	3	3	7	3	–	–
Walton	2	10	1	3	5	9	1	1	–	–	1	–	2	14	6	11	4	1	1
Washington	1	16	1	1	2	8	–	2	1	–	–	2	5	10	1	1	2	–	–
Georgia	208	4,283	355	449	1,253	1,482	158	621	548	11	342	598	449	4,307	1,448	1,260	720	675	67
Urban places	89	1,632	126	167	522	525	60	271	224	7	128	288	180	1,822	374	467	241	363	16
Balance of area	119	2,651	229	282	731	957	98	350	324	4	216	312	269	2,485	1,074	793	479	312	51
Metropolitan counties	116	2,160	174	240	661	784	75	360	284	9	205	368	237	2,518	782	718	424	418	33
Urban places	68	1,143	92	120	401	385	45	198	173	7	103	234	147	1,408	283	388	187	299	12
Balance of area	48	1,017	82	120	260	399	30	162	111	2	102	134	90	1,110	499	350	237	119	21
Nonmetropolitan counties	92	2,123	181	209	592	678	83	261	284	2	137	230	212	1,789	666	542	296	257	34
Urban places	21	489	34	47	121	140	15	73	51	–	23	52	33	414	91	99	54	64	4
Balance of area	71	1,634	147	162	471	538	68	188	213	2	114	178	179	1,375	575	443	242	193	30
Appling	1	11	1	2	8	7	–	6	1	–	2	1	4	10	7	4	2	–	1
Atkinson	–	3	1	–	–	3	–	–	3	–	2	3	–	3	7	5	–	3	1
Bacon	2	12	–	1	1	3	–	2	1	–	1	–	–	1	2	2	2	1	–
Baker	–	9	1	3	1	4	–	1	1	–	–	–	–	–	4	4	1	–	–
Baldwin	1	24	1	2	10	10	1	5	7	–	4	5	1	35	8	9	4	4	1
Milledgeville	1	12	–	2	6	3	1	3	4	–	1	4	–	18	1	2	1	2	–
Balance of county	–	12	1	–	4	7	–	2	3	–	3	1	1	17	7	7	3	2	1
Banks	–	3	–	–	–	2	–	–	–	–	–	1	1	5	6	1	1	–	–
Barrow	1	27	–	4	4	3	–	–	1	–	1	1	–	24	10	2	3	2	–
Bartow	4	37	–	4	8	12	2	5	5	–	3	2	1	22	14	7	10	3	–
Ben Hill	–	14	–	1	5	9	–	1	2	–	2	2	3	12	4	4	3	–	–
Fitzgerald, part	–	9	–	1	3	6	–	1	2	–	1	1	3	10	2	1	2	–	–
Fitzgerald, total	–	9	–	1	3	6	–	1	2	–	1	1	3	10	2	1	2	–	–
Balance of county	–	5	–	–	2	3	–	–	–	–	1	1	–	2	2	3	1	–	–
Berrien	–	10	2	3	3	6	2	1	1	–	2	–	4	5	6	6	2	1	1
Bibb	16	131	24	12	40	39	8	25	28	1	9	20	3	158	29	30	15	19	4
Macon, part	14	117	22	12	34	34	8	24	26	1	7	19	3	134	23	27	12	16	3
Macon, total	14	117	22	12	34	34	8	24	26	1	7	19	3	135	23	27	12	16	3
Balance of county	2	14	2	–	6	5	–	1	2	–	2	1	–	24	6	3	3	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	84	–	–	–	20	4	8	–	–	1	1	8	–	41	35	–	3	23	9
Brantley	82	–	–	1	15	2	5	–	5	–	–	3	1	37	30	–	1	19	10
Brooks	210	–	–	1	33	7	10	4	4	1	–	7	2	111	103	–	5	59	39
Bryan	76	–	–	2	19	1	9	3	2	–	–	4	1	24	19	–	–	16	3
Bulloch	310	–	–	4	51	4	22	2	7	–	2	14	11	147	96	2	4	63	27
Statesboro	175	–	–	1	30	3	13	2	3	–	2	7	9	84	48	1	2	31	14
Balance of county	135	–	–	3	21	1	9	–	4	–	–	7	2	63	48	1	2	32	13
Burke	191	–	–	2	38	12	9	2	4	–	–	10	2	97	67	–	1	39	27
Butts	134	–	–	1	31	7	11	3	5	2	1	2	2	61	48	–	4	24	20
Calhoun	83	–	–	3	22	4	9	–	4	–	2	3	–	43	28	–	2	17	7
Camden	97	–	–	–	30	12	10	2	1	–	4	1	3	38	31	–	–	19	12
Candler	97	–	–	1	15	5	3	–	3	1	–	3	2	57	44	–	3	28	13
Carroll	528	1	–	12	108	28	31	5	10	7	3	24	7	251	194	1	3	144	46
Carrollton	128	–	–	2	21	1	7	2	1	2	1	7	2	69	48	1	1	34	12
Balance of county	400	1	–	10	87	27	24	3	9	5	2	17	5	182	146	–	2	110	34
Catoosa	264	1	–	1	68	21	21	3	8	2	–	13	7	137	110	–	2	80	28
Charlton	58	–	–	–	15	1	5	2	2	–	1	4	4	21	19	–	–	9	10
Chatham	1,919	3	–	29	461	115	138	31	65	16	10	86	29	815	656	2	40	459	155
Savannah	1,599	3	–	27	387	92	114	30	58	15	9	69	25	681	548	2	32	382	132
Balance of county	320	–	–	2	74	23	24	1	7	1	1	17	4	134	108	–	8	77	23
Chattahoochee	38	–	–	1	7	1	1	2	–	–	–	3	–	9	7	–	–	6	1
Chattooga	209	1	–	3	48	11	15	3	3	1	1	14	2	106	78	–	–	61	17
Cherokee	342	–	–	1	69	12	21	6	9	2	1	18	5	161	120	–	2	89	29
Clarke	482	–	–	2	120	31	28	13	11	4	6	26	12	223	161	3	3	91	64
Athens	346	–	–	1	81	20	23	7	9	3	2	17	7	175	123	3	2	70	48
Balance of county	136	–	–	1	39	11	6	6	2	1	4	9	5	48	38	–	1	21	16
Clay	57	–	–	–	8	4	3	–	1	–	–	–	1	34	19	1	1	12	5
Clayton	774	1	–	8	187	40	55	15	17	6	10	44	18	330	250	2	9	187	52
College Park, part	22	–	–	–	4	2	2	–	–	–	–	–	–	8	7	–	–	6	1
Forest Park	124	–	–	1	33	4	6	6	5	3	–	9	3	59	40	–	2	32	6
Balance of county	628	1	–	5	150	34	47	9	12	3	10	35	15	263	203	2	7	149	45
Clinch	64	–	–	–	10	1	5	2	–	–	–	2	–	27	25	–	1	17	7
Cobb	1,772	1	–	24	389	91	112	24	38	17	17	90	28	800	597	2	26	411	158
Marietta	392	–	–	7	88	19	26	8	13	4	1	17	5	170	123	–	3	78	42
Smyrna	190	–	–	1	41	6	13	4	5	2	3	6	2	87	60	–	2	44	14
Balance of county	1,190	1	–	16	260	64	73	12	20	11	13	67	21	543	414	2	21	289	102
Coffee	236	–	–	4	40	7	13	1	7	1	–	11	2	117	85	1	5	60	19
Douglas	108	–	–	3	17	2	6	–	2	–	–	7	1	52	37	–	1	23	13
Balance of county	128	–	–	1	23	5	7	1	5	1	–	4	1	65	48	1	4	37	6
Colquitt	347	1	–	1	66	14	20	7	7	2	4	12	13	163	122	–	7	89	26
Moultrie	177	–	–	1	37	8	10	4	6	2	1	6	7	82	63	–	6	45	12
Balance of county	170	1	–	–	29	6	10	3	1	–	3	6	6	81	59	–	1	44	14
Columbia	257	–	–	2	51	10	19	3	9	2	1	7	1	111	85	1	3	67	14
Cook	129	–	–	–	23	7	9	–	2	–	1	4	3	79	73	–	–	40	33
Coweta	427	–	–	6	80	16	32	6	5	1	1	16	4	217	167	–	2	116	49
Newnan	166	–	–	4	35	4	15	4	2	–	1	9	3	83	57	–	–	38	21
Balance of county	261	–	–	2	45	12	17	5	3	1	–	7	1	134	110	–	2	80	28
Crawford	45	–	–	3	7	1	4	–	–	1	–	1	–	19	18	–	3	10	5
Crisp	217	–	–	1	32	8	13	1	2	1	–	7	1	117	75	–	–	58	19
Cordele	141	–	–	1	23	6	12	–	1	1	–	3	1	75	47	–	–	33	14
Balance of county	76	–	–	–	9	2	1	1	1	–	–	4	–	42	28	–	–	23	5
Dade	86	–	–	2	19	3	5	3	2	–	1	5	1	34	29	2	1	13	13
Dawson	64	–	–	1	15	2	4	2	1	–	–	6	2	28	21	–	–	18	3
Decatur	263	1	–	2	47	10	16	2	3	2	1	13	8	131	96	–	3	63	30
Bainbridge	146	–	–	1	29	2	10	2	2	2	–	11	4	71	52	–	2	34	16
Balance of county	117	1	–	1	18	8	6	–	1	–	1	2	4	60	44	–	1	29	14
De Kalb	3,056	2	–	55	680	155	179	83	64	33	25	161	32	1,340	1,019	12	54	549	404
Atlanta, part	525	1	–	13	88	23	23	7	8	1	2	24	3	228	178	–	20	72	86
Decatur	531	1	–	13	117	30	30	10	12	8	7	20	4	227	179	1	6	90	82
Balance of county	2,000	–	–	29	475	102	126	46	44	24	16	117	25	885	662	11	28	387	236
Dodge	192	–	–	3	43	5	17	3	5	3	1	9	3	86	67	1	1	53	12
Dooly	121	1	–	1	27	9	9	1	2	–	1	5	–	58	41	–	–	36	3
Dougherty	777	3	–	11	183	37	63	13	20	2	9	39	16	299	222	–	12	146	64
Albany	697	2	–	10	153	31	52	12	19	2	5	32	15	279	205	–	12	131	62
Balance of county	80	1	–	1	30	6	11	1	1	–	4	7	1	20	17	–	–	15	2
Douglas	351	–	–	3	76	15	28	4	7	2	6	18	9	154	118	2	1	88	27
Early	161	–	–	–	26	5	11	1	4	–	1	4	7	83	56	1	–	51	4
Echols	10	–	–	–	1	–	–	–	–	–	–	1	–	5	5	–	–	5	–
Effingham	142	–	–	3	34	5	16	2	1	2	1	7	4	55	44	–	–	35	9
Elbert	192	–	–	1	38	9	12	2	4	2	1	8	3	99	65	1	4	45	15
Emanuel	224	–	–	2	35	8	15	2	3	1	1	5	4	122	89	–	1	47	41
Evans	91	–	–	2	11	2	2	2	1	–	2	2	2	43	28	1	–	21	6
Fannin	149	–	–	2	30	10	10	1	2	–	–	7	3	79	60	–	1	48	11
Fayette	204	–	–	2	47	10	15	1	4	1	2	14	2	92	69	–	2	52	15
Floyd	776	1	–	11	180	30	65	13	16	7	4	45	9	385	252	–	3	204	45
Rome	412	1	–	7	91	14	35	6	8	4	2	22	7	202	124	–	2	109	19
Balance of county	364	–	–	4	89	16	30	7	8	3	2	23	2	183	128	–	1	101	26
Forsyth	222	–	–	2	41	10	9	3	2	1	2	14	3	93	65	1	1	44	20
Franklin	179	–	–	1	32	10	8	2	6	–	2	4	3	94	73	1	4	45	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	–	4	2	–	3	2	2	1	1	–	1	–	–	4	4	2	2	1	–
Brantley	1	4	–	2	2	6	–	1	3	–	1	1	–	6	2	2	2	1	1
Brooks	–	7	1	–	5	9	–	1	4	–	3	4	1	18	4	8	3	1	2
Bryan	–	5	–	–	1	6	–	2	1	–	–	–	2	6	8	2	1	1	–
Bulloch	3	44	1	3	4	13	2	4	4	–	3	3	7	29	7	7	7	7	–
Statesboro	3	31	1	1	–	9	1	2	2	–	2	2	2	18	4	3	4	2	–
Balance of county	–	13	–	2	4	4	1	2	2	–	1	1	5	11	3	4	3	5	–
Burke	–	26	3	1	2	5	2	–	2	–	2	2	1	18	4	6	3	4	1
Butts	1	6	1	3	3	8	–	2	2	1	–	4	–	12	–	6	–	–	–
Calhoun	2	14	–	1	2	1	–	–	1	–	–	–	1	9	–	1	–	–	–
Camden	–	7	–	–	–	2	–	2	–	–	2	2	2	5	2	7	1	1	–
Candler	1	12	–	–	1	3	1	–	–	–	–	–	–	11	1	1	–	2	2
Carroll	3	50	1	3	18	16	1	5	9	–	3	6	3	43	12	9	11	9	2
Carrollton	1	20	–	–	5	4	–	2	–	–	1	1	1	6	4	2	1	4	1
Balance of county	2	30	1	3	13	12	1	3	9	–	2	5	2	37	8	7	10	5	1
Catoosa	1	22	3	1	2	15	1	6	1	–	1	1	1	24	5	4	5	4	–
Charlton	–	1	–	1	–	4	–	1	1	–	–	2	1	3	3	1	–	2	–
Chatham	11	116	14	18	62	60	5	35	23	–	20	33	7	172	44	54	22	45	–
Savannah	11	89	10	13	55	48	4	29	18	–	13	32	6	145	27	45	16	38	–
Balance of county	–	17	4	5	7	12	1	6	5	–	7	1	1	27	17	9	6	7	–
Chattahoochee	–	2	–	–	1	–	–	–	–	–	1	2	1	4	6	3	1	1	1
Chattooga	3	22	1	2	4	7	1	1	2	–	–	1	–	14	4	1	6	2	–
Cherokee	1	33	5	2	11	11	–	4	2	–	2	4	5	26	25	8	2	5	1
Clarke	4	49	4	5	15	15	–	3	7	–	3	3	1	43	14	11	5	4	1
Athens	4	40	4	4	13	10	–	2	5	–	–	2	1	27	6	9	3	4	–
Balance of county	–	9	–	1	2	5	–	1	2	–	3	1	–	16	8	2	2	–	1
Clay	1	13	–	1	–	1	–	–	3	–	–	–	–	4	1	2	3	–	–
Clayton	2	63	5	10	14	21	1	10	4	–	6	12	9	56	40	23	27	9	–
College Park, part	–	1	–	–	–	–	–	1	–	–	–	–	–	2	2	2	–	3	–
Forest Park	–	15	2	2	2	5	–	–	1	–	2	–	2	6	4	1	3	2	–
Balance of county	2	47	3	8	12	16	1	9	3	–	4	12	7	48	34	20	24	4	–
Clinch	–	2	–	–	2	3	–	–	1	–	1	3	–	6	4	4	2	1	–
Cobb	6	158	9	30	37	53	9	26	15	–	11	17	12	150	82	55	49	13	1
Marietta	1	40	1	5	8	11	7	7	1	–	2	5	4	28	20	11	12	6	–
Smyrna	–	22	1	4	5	10	–	4	2	–	2	3	1	13	2	9	5	3	–
Balance of county	5	96	7	21	24	32	2	15	12	–	7	9	7	109	60	35	32	4	1
Coffee	3	24	4	1	4	9	1	5	3	–	2	1	–	24	8	7	3	6	–
Douglas	1	13	–	1	2	4	–	4	1	–	–	–	–	13	2	4	2	3	–
Balance of county	2	11	4	–	2	5	1	1	2	–	2	1	–	11	6	3	1	3	–
Colquitt	2	33	–	6	11	9	–	4	5	–	1	3	5	34	11	11	6	2	1
Moultrie	1	15	–	3	4	5	–	3	4	–	–	2	2	17	4	4	3	1	1
Balance of county	1	18	–	3	7	4	–	1	1	–	1	1	3	17	7	7	3	1	–
Columbia	1	21	2	2	6	8	2	3	1	–	5	5	1	25	17	10	2	6	1
Cook	–	3	2	1	2	6	–	1	–	–	1	–	–	3	3	4	3	1	–
Coweta	1	45	1	3	13	13	3	4	6	–	5	4	7	35	9	10	4	7	–
Newnan	–	25	–	1	–	5	–	3	4	–	2	2	2	15	1	3	2	2	–
Balance of county	1	20	1	2	13	8	3	1	2	–	3	2	5	20	8	7	2	5	–
Crawford	–	1	–	–	4	1	–	–	–	–	–	–	2	2	2	1	3	1	–
Crisp	–	33	5	4	8	7	–	3	3	–	2	4	3	24	6	3	2	1	–
Cordele	–	23	2	3	5	2	–	2	2	–	1	2	1	17	3	3	2	1	–
Balance of county	–	10	3	1	3	5	–	1	1	–	1	2	2	7	3	–	–	–	–
Dade	1	4	–	–	2	2	–	2	–	–	2	1	2	9	5	2	2	1	–
Dawson	1	5	1	–	2	2	–	–	1	–	1	–	1	5	5	1	–	–	–
Decatur	1	28	2	4	9	11	–	6	3	–	4	3	1	23	8	1	2	2	1
Bainbridge	1	16	1	1	4	4	–	5	2	–	3	1	1	16	2	–	2	1	–
Balance of county	–	12	1	3	5	7	–	1	1	–	1	2	–	7	6	1	–	1	1
De Kalb	11	268	12	30	67	100	5	42	24	–	35	50	17	315	93	77	58	57	6
Atlanta, part	2	42	2	4	17	18	–	12	4	–	12	12	4	61	11	12	11	18	–
Decatur	4	38	2	4	7	12	1	4	5	–	9	14	2	65	14	10	7	16	3
Balance of county	5	188	8	22	43	70	4	26	15	–	14	24	11	189	68	55	41	23	3
Dodge	2	14	–	3	6	5	–	3	3	–	1	1	3	25	1	7	1	1	–
Dooly	1	10	4	2	2	4	–	1	3	–	1	–	4	11	4	1	3	–	–
Dougherty	2	63	3	9	23	28	–	10	6	1	4	22	30	56	16	31	16	21	1
Albany	2	62	2	8	22	25	–	10	6	1	3	20	28	48	11	28	15	20	1
Balance of county	–	1	1	1	1	3	–	–	–	–	1	2	2	8	5	3	1	1	–
Douglas	1	23	6	6	5	16	–	5	3	–	3	4	–	29	9	20	12	3	–
Early	1	22	2	2	3	6	1	2	3	–	–	6	4	6	3	3	1	5	–
Echols	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Effingham	–	10	1	–	1	4	1	2	1	–	3	1	–	14	9	5	2	3	–
Elbert	–	23	9	2	9	3	1	3	–	–	–	1	3	13	7	3	4	4	–
Emanuel	1	26	1	5	8	7	3	–	4	–	2	4	–	20	5	3	2	3	–
Evans	1	11	3	–	1	4	–	2	1	–	1	1	–	13	3	5	1	1	–
Fannin	–	16	–	3	1	5	–	3	–	–	1	1	–	13	3	5	1	1	1
Fayette	1	17	3	2	5	8	–	3	5	–	2	1	3	13	13	5	3	–	–
Floyd	2	117	1	13	19	25	3	7	7	–	4	5	2	65	14	22	8	8	1
Rome	–	72	1	5	6	8	2	6	5	–	2	2	1	41	4	15	3	8	1
Balance of county	2	45	–	8	13	17	1	1	2	–	2	3	1	24	10	7	5	–	–
Forsyth	2	23	1	1	7	10	1	4	6	1	2	2	3	23	12	5	5	1	1
Franklin	–	14	3	4	6	4	–	4	1	–	1	1	–	14	7	4	5	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	5,714	6	–	130	1,132	274	284	110	119	43	36	266	117	2,416	1,853	15	192	992	654
Atlanta, part	4,196	6	–	112	793	194	200	75	94	25	20	185	85	1,742	1,353	9	166	671	507
Atlanta, total	4,721	7	–	125	881	217	223	82	102	28	22	209	88	1,870	1,531	9	186	743	593
College Park, part	205	–	–	1	39	12	7	3	4	1	2	10	2	81	59	1	6	32	20
College Park, total	227	–	–	1	43	14	9	3	4	1	2	10	2	89	68	1	6	38	21
East Point	320	–	–	5	72	16	23	5	6	2	4	16	10	141	101	–	5	56	30
Roswell	137	–	–	1	28	5	6	1	2	2	3	9	5	66	48	–	4	30	14
Balance of county	856	–	–	11	200	47	48	28	13	13	7	46	15	386	292	5	11	183	83
Gilmer	103	–	–	–	21	4	11	–	1	2	–	3	–	59	50	–	–	42	8
Glascock	38	–	–	1	6	–	–	2	–	–	–	4	2	16	14	–	–	10	4
Glynn	526	1	–	2	124	17	41	9	13	4	7	33	4	241	187	–	3	101	83
Brunswick	264	1	–	1	57	3	22	5	8	2	4	13	1	130	95	–	3	52	40
Balance of county	262	–	–	1	67	14	19	4	5	2	3	20	3	111	92	–	–	49	43
Gordon	278	–	–	2	52	12	19	3	5	2	3	8	4	138	108	–	2	56	50
Grady	213	–	–	1	48	8	22	1	7	–	1	9	2	104	82	1	1	56	24
Greene	131	–	1	–	22	7	9	5	1	–	–	–	2	73	46	–	7	15	24
Gwinnett	976	1	1	13	210	42	58	22	26	6	10	46	15	404	294	–	7	209	78
Habersham	221	–	–	5	36	5	8	5	4	2	3	9	1	115	84	–	2	59	23
Hall	606	–	1	7	111	26	25	9	15	8	8	22	13	311	242	2	11	159	60
Gainesville	207	–	–	3	33	10	7	2	3	2	1	8	4	110	88	1	3	57	27
Balance of county	399	–	1	4	78	16	18	7	12	6	5	14	9	201	154	1	8	112	33
Hancock	94	–	–	3	19	3	8	2	2	2	–	2	1	48	45	–	1	20	24
Haralson	195	–	–	1	44	14	11	3	8	1	1	6	4	87	69	1	–	53	15
Harris	162	–	–	3	27	5	7	1	7	2	–	5	2	68	68	–	6	42	20
Hart	198	–	–	4	39	9	10	4	5	1	1	9	2	96	74	–	1	51	22
Heard	67	–	–	–	7	1	1	–	–	1	–	4	–	40	30	–	–	16	14
Henry	311	–	–	5	63	10	22	9	8	–	2	12	7	158	124	–	7	95	22
Houston	496	–	–	4	94	20	31	10	11	4	2	16	9	231	179	1	5	114	59
Warner Robins	296	–	–	4	57	10	24	4	6	1	1	11	6	134	101	–	1	71	29
Balance of county	200	–	–	–	37	10	7	6	5	3	1	5	3	97	78	1	4	43	30
Irwin	103	–	–	–	24	3	8	1	3	1	1	7	2	43	32	–	–	21	11
Fitzgerald, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	103	–	–	–	24	3	8	1	3	1	1	7	2	43	32	–	–	21	11
Jackson	242	–	–	3	57	14	10	5	3	1	2	22	3	112	89	–	1	49	39
Jasper	85	–	–	1	14	2	5	4	–	1	–	2	2	35	30	–	2	17	11
Jeff Davis	101	–	–	1	21	7	6	1	3	–	–	4	4	49	43	–	–	27	16
Jefferson	191	1	–	2	44	9	13	4	4	2	1	11	2	70	47	–	3	30	14
Jenkins	86	–	–	–	18	3	9	1	1	1	2	1	–	47	35	–	–	30	5
Johnson	86	–	–	–	12	–	5	–	3	–	2	2	1	51	46	1	3	28	14
Jones	129	–	–	1	24	7	5	1	3	1	–	7	1	55	35	–	–	32	3
Macon, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	127	–	–	1	24	7	5	1	3	1	–	7	1	54	34	–	–	31	3
Lamar	112	–	–	2	20	4	4	2	1	1	2	6	–	58	39	1	5	22	11
Lanier	50	–	–	1	7	1	2	–	1	–	–	3	–	24	19	–	–	11	6
Laurens	435	–	–	5	82	17	26	7	9	2	6	15	7	225	181	–	8	117	56
Dublin	213	–	–	4	44	10	15	3	5	2	2	7	5	105	85	–	5	54	26
Balance of county	222	–	–	1	38	7	11	4	4	–	4	8	2	120	96	–	3	63	30
Lee	86	–	–	4	10	4	1	–	1	–	–	4	3	43	32	–	1	22	9
Liberty	161	–	–	4	34	11	10	3	2	2	1	5	7	52	39	–	–	22	17
Hinesville	52	–	–	1	8	4	1	–	1	2	1	–	3	17	13	–	–	7	6
Balance of county	109	–	–	3	25	7	9	3	1	–	–	5	4	35	26	–	–	15	11
Lincoln	53	–	–	1	10	–	3	–	2	2	–	3	–	28	18	–	–	11	7
Long	37	–	–	1	10	1	–	–	4	1	1	3	2	17	14	–	–	11	3
Lowndes	607	2	–	8	147	38	40	11	18	3	7	29	22	272	211	2	3	100	106
Valdosta	412	2	–	7	103	30	27	10	12	2	5	17	14	178	137	1	3	65	68
Balance of county	195	–	–	1	44	9	13	1	6	1	2	12	8	94	74	1	–	35	38
Lumpkin	88	–	–	1	12	1	3	2	1	1	2	2	1	43	37	2	–	25	10
McDuffie	168	–	–	2	29	4	14	2	2	–	–	7	3	68	52	–	2	37	13
McIntosh	80	–	–	–	20	6	5	–	1	–	–	8	–	38	34	–	2	16	16
Macon	141	–	–	2	24	2	9	1	5	–	–	7	3	69	50	–	–	32	18
Madison	101	–	–	–	17	3	5	3	2	1	–	3	5	48	40	–	2	29	9
Marion	62	–	–	1	10	2	3	2	2	–	1	–	–	34	29	–	1	12	7
Meriwether	225	1	–	1	45	10	12	6	8	–	1	10	–	115	91	1	2	67	21
Miller	77	–	–	–	14	2	3	1	5	–	1	2	2	31	22	–	–	15	7
Mitchell	173	–	–	2	30	7	8	1	4	1	–	9	2	86	60	2	2	46	10
Monroe	127	–	–	3	24	7	5	–	5	2	–	5	1	61	49	–	–	35	14
Montgomery	69	–	–	1	9	3	3	–	–	–	–	3	3	33	25	–	1	14	10
Vidalia, part	6	–	–	–	2	–	1	–	–	–	–	1	1	3	2	–	1	–	1
Balance of county	63	–	–	1	7	3	2	–	–	–	–	2	2	30	23	–	–	14	9
Morgan	114	–	–	3	25	4	7	1	5	–	2	6	3	49	39	–	–	31	8
Murray	130	1	–	1	28	7	9	2	3	–	–	7	1	53	45	–	3	26	16
Muscogee	1,610	5	–	15	357	84	97	25	41	13	7	90	43	723	520	4	17	358	141
Columbus	1,573	5	–	15	352	83	96	23	41	12	7	90	41	715	518	4	17	358	139
Balance of county	37	–	–	–	5	1	1	2	–	1	–	–	2	8	4	–	–	2	2
Newton	277	1	–	8	54	12	13	6	4	4	1	14	5	128	98	–	5	60	33
Covington	118	–	–	4	23	7	3	3	2	2	–	6	3	55	35	–	3	19	13
Balance of county	159	1	–	4	31	5	10	3	2	2	1	8	2	73	63	–	2	41	20
Oconee	87	–	–	1	15	1	6	3	1	–	1	3	–	44	33	–	1	18	14
Oglethorpe	64	–	–	2	13	6	3	1	–	1	–	2	2	24	21	–	–	16	5
Paulding	231	1	–	4	59	13	22	3	3	–	–	12	4	104	88	–	2	47	39

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Georgia—Con.																			
Fulton	20	477	20	46	168	147	20	67	81	2	34	97	84	707	130	160	88	128	2
Atlanta, part	14	334	11	30	139	98	13	48	68	2	26	65	71	554	88	114	59	111	2
Atlanta, total	16	378	13	34	156	116	13	60	72	2	28	77	75	615	99	126	70	129	2
College Park, part	3	18	–	1	7	4	–	4	1	–	2	9	4	21	13	6	5	6	–
College Park, total	3	19	–	1	7	4	–	5	1	–	2	9	4	23	15	8	5	9	–
East Point	3	31	1	5	5	9	2	7	1	–	3	7	3	27	8	11	4	5	–
Roswell	–	15	2	1	1	5	1	1	1	–	1	2	1	17	2	4	1	–	–
Balance of county	–	79	6	9	16	31	4	7	10	–	2	14	5	88	19	25	19	4	–
Gilmer	–	6	2	1	2	4	–	–	1	–	–	1	1	5	2	4	2	1	–
Glascock	–	2	–	–	2	–	–	–	–	–	1	–	1	5	2	–	–	–	–
Glynn	2	43	4	5	17	21	4	14	5	–	1	7	1	43	13	17	5	6	–
Brunswick	2	28	3	2	13	8	3	6	1	–	–	3	1	20	3	9	1	5	–
Balance of county	–	15	1	3	4	12	1	8	4	–	1	4	–	23	10	8	4	1	–
Gordon	2	25	2	1	10	12	1	4	2	–	2	–	1	24	11	10	4	1	–
Grady	1	17	3	1	6	5	–	1	–	–	1	4	4	16	6	7	3	5	–
Greene	3	23	–	1	2	2	1	2	3	–	1	1	3	14	–	3	1	–	–
Gwinnett	2	95	5	8	29	22	2	11	8	–	15	12	14	99	41	41	25	9	4
Habersham	–	26	2	3	6	5	2	6	1	–	2	2	–	21	12	3	1	3	–
Hall	4	52	4	9	12	19	1	10	9	–	5	5	1	50	18	10	17	6	–
Gainesville	1	12	3	6	2	8	1	2	4	–	1	2	–	20	6	4	3	4	–
Balance of county	3	40	1	3	10	11	–	8	5	–	4	3	1	30	12	6	14	2	–
Hancock	–	2	1	–	2	–	1	1	1	–	–	4	1	7	1	1	–	3	1
Haralson	–	15	2	1	8	7	1	6	4	–	3	1	1	12	7	6	3	–	–
Harris	1	12	3	2	2	3	1	4	–	–	1	1	–	18	8	3	–	3	–
Hart	–	19	1	2	7	8	2	2	3	–	1	1	2	14	10	6	2	1	–
Heard	–	9	–	1	–	1	1	1	–	–	–	–	3	5	3	3	3	–	–
Henry	–	30	2	2	4	16	2	3	3	–	2	2	2	26	10	2	5	1	–
Houston	3	33	13	3	19	21	2	8	7	–	3	8	3	43	10	18	8	8	–
Warner Robins	–	22	8	3	9	13	2	4	2	–	3	6	1	23	8	12	8	6	–
Balance of county	3	11	5	–	10	8	–	4	5	–	–	2	2	20	2	6	2	2	–
Irwin	–	9	–	2	2	7	–	1	1	–	–	2	1	10	4	4	1	1	–
Fitzgerald, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	9	–	2	2	7	–	1	1	–	–	2	1	10	4	4	1	1	–
Jackson	–	22	1	–	4	7	1	6	1	–	–	3	1	19	13	7	5	–	–
Jasper	–	4	–	1	3	3	–	1	1	1	2	3	2	7	5	3	–	2	–
Jeff Davis	–	4	1	1	4	2	1	1	1	–	–	–	–	8	5	2	–	2	–
Jefferson	1	14	7	1	5	4	2	1	4	–	4	5	–	29	9	6	2	1	–
Jenkins	–	11	–	1	–	4	–	–	2	–	–	–	1	8	4	2	–	–	–
Johnson	–	4	1	–	1	3	1	–	1	–	–	2	–	4	6	2	1	1	–
Jones	–	17	3	–	4	2	–	3	–	–	2	1	2	14	6	9	–	3	2
Macon, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	17	3	–	4	2	–	3	–	–	2	1	2	13	6	9	–	3	2
Lamar	2	13	1	3	3	3	–	3	2	–	–	1	2	10	3	2	3	–	–
Lanier	–	4	–	1	3	–	1	1	1	–	1	–	–	7	3	1	–	–	–
Laurens	–	39	3	2	16	5	1	7	6	–	1	2	3	38	14	11	2	9	1
Dublin	–	19	1	–	8	2	1	3	3	–	–	–	2	20	7	4	1	4	–
Balance of county	–	20	2	2	8	3	–	4	3	–	1	2	1	18	7	7	1	5	1
Lee	3	7	1	–	1	3	–	–	–	–	1	1	1	3	6	6	3	1	–
Liberty	1	11	–	1	4	4	–	2	4	–	3	6	1	17	12	6	4	1	–
Hinesville	1	3	–	–	1	1	–	1	–	–	1	4	–	5	6	2	1	–	–
Balance of county	–	8	–	1	3	3	–	1	4	–	2	2	1	12	6	4	3	1	–
Lincoln	–	8	–	–	3	2	–	–	3	–	–	1	2	1	1	–	2	–	1
Long	–	1	1	1	–	2	–	–	–	–	1	1	–	1	–	1	1	–	–
Lowndes	6	42	5	6	12	22	2	5	6	–	4	6	6	37	18	19	9	7	1
Valdosta	4	28	3	6	8	15	2	4	3	–	2	4	6	26	11	14	7	6	–
Balance of county	2	14	2	2	4	7	–	1	3	–	2	2	2	11	7	5	2	1	1
Lumpkin	–	6	–	–	6	4	–	–	2	–	1	1	2	6	5	1	–	1	–
McDuffie	–	13	1	–	7	–	–	1	3	–	–	2	16	24	4	5	3	3	–
McIntosh	–	3	–	1	2	2	–	–	–	–	2	–	–	5	6	4	1	–	–
Macon	–	12	5	2	6	3	–	2	2	–	1	1	4	14	3	5	2	–	–
Madison	1	6	–	1	2	2	2	–	1	–	1	–	1	8	6	1	6	1	–
Marion	–	7	6	1	–	2	–	–	1	–	2	1	–	5	3	2	–	1	–
Meriwether	2	20	2	–	5	5	2	3	7	–	1	3	4	11	11	4	5	2	–
Miller	–	7	1	1	2	1	1	–	2	–	3	1	2	11	5	1	–	1	–
Mitchell	1	24	–	1	5	6	–	4	2	–	2	3	2	9	13	4	2	1	–
Monroe	–	9	2	1	4	3	1	–	3	–	–	–	–	15	4	7	–	1	–
Montgomery	1	6	–	1	1	2	–	1	1	–	1	–	–	7	5	1	3	1	–
Vidalia, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	5	–	1	1	2	–	1	1	–	1	–	–	7	5	1	3	1	–
Morgan	–	8	2	–	2	4	–	3	1	–	–	2	1	7	7	3	1	3	–
Murray	–	7	–	1	8	4	1	2	1	–	1	1	1	16	5	1	5	2	–
Muscogee	7	164	19	13	49	53	6	23	26	2	14	26	10	123	36	44	21	32	2
Columbus	7	161	18	13	48	50	6	23	25	2	12	24	10	117	33	43	21	29	2
Balance of county	–	3	1	–	1	3	–	–	1	–	2	2	–	6	3	1	–	3	–
Newton	1	26	1	2	6	9	1	3	3	–	1	4	–	27	9	6	5	6	1
Covington	1	17	1	1	4	6	–	–	2	–	1	1	–	12	–	1	2	3	1
Balance of county	–	9	–	1	2	3	1	3	1	–	–	3	–	15	9	5	3	3	–
Oconee	–	11	–	–	2	3	–	3	–	–	1	–	1	8	3	2	2	1	1
Oglethorpe	–	3	–	–	2	5	–	1	–	–	–	3	–	1	5	2	3	1	–
Paulding	–	15	–	1	5	9	1	3	1	–	3	4	3	17	8	2	7	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	208	–	–	1	31	6	7	4	6	2	–	6	10	101	74	–	15	44	15
Pickens	120	–	–	1	20	3	5	1	3	–	1	7	2	55	45	–	–	28	19
Pierce	108	–	–	–	19	3	9	1	2	–	–	4	5	52	44	–	1	27	16
Pike	67	–	–	1	10	3	5	–	–	1	–	1	2	49	31	–	–	22	9
Polk	360	1	–	4	81	16	34	5	12	3	3	8	7	162	128	–	3	95	30
Pulaski	114	–	–	1	18	4	4	2	3	–	1	4	3	63	41	–	6	29	6
Putnam	104	–	–	3	22	7	4	3	3	–	1	4	1	45	32	–	4	22	6
Quitman	32	–	–	–	9	3	3	–	2	–	–	1	–	14	10	–	1	2	7
Rabun	101	–	–	2	24	9	6	1	1	–	1	6	3	45	31	1	–	22	8
Randolph	113	–	–	1	20	5	6	1	3	1	–	4	4	55	32	–	1	23	8
Richmond	1,559	3	1	34	353	77	117	35	43	11	9	61	21	636	475	3	29	295	148
Augusta	773	2	1	17	152	28	53	17	20	6	5	23	8	333	247	1	15	141	90
Balance of county	786	1	–	17	201	49	64	18	23	5	4	38	13	303	228	2	14	154	58
Rockdale	260	–	–	4	60	12	14	5	8	4	2	15	4	116	82	1	6	69	16
Schley	24	–	–	–	9	3	4	–	–	–	1	1	1	11	4	–	–	3	1
Screven	149	–	–	–	20	1	8	1	3	1	1	5	1	87	72	–	1	48	23
Seminole	88	–	–	2	12	3	5	–	1	–	1	2	2	45	32	–	1	19	12
Spalding	456	1	–	9	87	21	27	4	9	1	2	23	4	233	181	2	7	146	26
Griffin	287	–	–	8	55	12	18	3	6	1	1	14	4	154	123	2	6	94	21
Balance of county	169	1	–	1	32	9	9	1	3	–	1	9	–	79	58	–	1	52	5
Stephens	217	1	–	1	44	8	14	4	5	2	1	10	1	103	75	–	2	53	20
Stewart	58	1	–	2	10	4	2	–	1	–	1	2	–	30	19	–	–	12	7
Sumter	330	–	–	3	74	17	12	6	10	2	2	25	5	178	130	1	3	66	60
Americus	201	–	–	2	47	11	7	3	4	2	2	18	2	108	78	1	2	35	40
Balance of county	129	–	–	1	27	6	5	3	6	–	–	7	3	70	52	–	1	31	20
Talbot	84	–	–	1	20	4	5	2	3	–	1	5	1	41	26	–	–	13	13
Taliaferro	34	–	–	–	9	3	1	3	1	–	–	1	–	15	12	–	–	9	3
Tattnall	179	–	–	3	34	3	12	3	4	2	2	8	1	82	55	–	2	42	11
Taylor	76	–	–	1	12	4	3	–	3	–	–	2	–	40	26	–	2	20	4
Telfair	182	–	–	2	27	8	8	–	5	–	–	8	5	88	73	–	–	54	19
Terrell	119	–	–	–	19	3	7	–	3	2	–	4	6	63	40	–	2	27	11
Thomas	361	1	–	6	74	20	18	3	8	7	3	15	5	164	113	–	3	76	34
Thomasville	195	1	–	1	43	9	12	2	6	5	2	7	3	86	58	–	1	40	15
Balance of county	166	–	–	5	31	11	6	1	2	2	1	8	2	78	57	–	2	36	19
Tift	232	–	–	1	62	13	22	4	8	1	2	12	3	107	70	1	2	52	15
Tifton	113	–	–	1	29	5	8	2	5	1	1	7	1	53	38	1	1	26	8
Balance of county	119	–	–	–	33	8	14	2	3	–	1	5	2	54	34	–	1	26	7
Toombs	220	–	–	5	39	10	13	1	1	1	1	12	1	111	88	–	–	48	42
Vidalia, part	107	–	–	2	24	6	8	–	1	1	1	7	1	51	40	–	–	24	16
Vidalia, total	113	–	–	2	26	6	9	–	1	1	1	8	2	54	42	–	1	24	17
Balance of county	113	–	–	3	15	4	5	1	–	–	–	5	–	60	48	–	–	22	26
Towns	57	–	–	1	15	3	4	3	1	–	1	3	–	27	20	–	1	13	6
Treutlen	67	–	1	–	16	2	5	–	1	–	1	7	1	33	27	–	–	8	19
Troup	553	1	–	3	109	23	39	6	14	2	2	23	10	276	217	1	13	135	88
La Grange	337	–	–	2	69	13	22	5	8	2	2	17	5	162	130	1	6	80	43
Balance of county	216	1	–	1	40	10	17	1	6	–	–	6	5	114	87	–	7	55	25
Turner	113	–	–	2	14	4	4	1	2	–	–	3	1	74	42	–	2	35	5
Twiggs	86	–	–	1	19	2	8	2	3	–	–	6	–	43	22	–	1	14	7
Union	115	–	–	3	28	4	8	3	3	1	2	7	3	55	46	–	1	31	14
Upson	299	–	–	2	55	17	12	7	8	1	1	9	6	168	103	–	3	78	22
Walker	498	–	–	5	98	21	29	8	8	2	6	24	18	239	166	2	3	107	54
Walton	271	–	–	2	50	14	9	5	7	1	2	12	7	151	118	–	3	96	17
Ware	332	–	–	6	81	20	24	7	6	7	3	14	4	161	120	–	–	78	42
Waycross	211	–	–	2	54	15	17	6	5	3	2	6	2	100	77	–	–	51	26
Balance of county	121	–	–	4	27	5	7	1	1	4	1	8	2	61	43	–	–	27	16
Warren	81	–	–	–	18	6	5	–	2	1	–	4	–	40	33	–	1	24	8
Washington	204	–	–	1	43	8	13	4	9	–	3	6	4	104	85	–	7	50	28
Wayne	229	1	–	4	42	8	11	3	3	2	1	14	1	115	90	–	6	58	26
Webster	30	1	–	1	7	3	4	–	–	–	–	–	–	15	10	–	–	6	4
Wheeler	57	–	–	–	15	1	5	1	5	–	1	2	–	27	21	–	–	17	4
White	92	1	–	1	20	1	7	1	4	1	1	5	1	44	30	1	–	22	7
Whitfield	518	1	–	9	120	25	39	8	16	6	1	25	6	226	169	1	8	120	40
Dalton	228	1	–	3	43	7	13	4	8	1	–	10	1	114	87	1	6	52	28
Balance of county	290	–	–	6	77	18	26	4	8	5	1	15	5	112	82	–	2	68	12
Wilcox	91	–	–	–	20	4	7	1	1	–	1	6	1	43	37	–	3	25	9
Wilkes	132	–	–	1	30	2	9	4	6	2	2	5	1	55	44	1	–	30	13
Wilkinson	95	–	–	1	18	9	4	–	–	1	1	3	1	51	41	–	–	29	12
Worth	144	–	–	2	27	5	8	–	5	–	2	7	4	69	47	1	1	33	12
Hawaii	5,640	10	1	78	1,362	454	370	73	128	47	57	233	152	2,325	1,781	18	59	1,195	589
Urban places	4,119	5	1	52	1,004	330	291	57	89	36	41	160	110	1,729	1,317	14	47	832	424
Balance of area	1,521	5	–	26	358	124	79	16	39	11	16	73	42	597	464	4	12	363	165
Metropolitan counties	4,168	7	1	63	1,020	328	292	62	88	34	45	171	116	1,694	1,304	11	46	821	426
Urban places	3,662	4	1	51	912	295	267	53	78	33	39	147	101	1,511	1,154	10	43	724	377
Balance of area	506	3	–	12	108	33	25	9	10	1	6	24	15	183	150	1	3	97	49
Nonmetropolitan counties	1,472	3	–	15	342	126	78	11	40	13	12	62	38	631	477	7	13	314	143
Urban places	457	1	–	1	92	35	24	4	11	3	2	13	9	217	163	4	4	108	47
Balance of area	1,015	2	–	14	250	91	54	7	29	10	10	49	27	414	314	3	9	206	96

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	5	17	2	3	5	8	-	1	5	1	2	4	11	18	4	5	1	3	-
Pickens	-	9	1	-	4	4	1	3	3	-	1	-	2	10	4	4	5	-	1
Pierce	1	6	1	-	5	2	1	1	3	-	-	1	2	5	6	6	-	-	-
Pike	-	17	1	-	2	4	-	-	-	-	1	-	-	6	3	3	2	3	1
Polk	-	31	1	2	7	15	2	5	2	-	1	4	3	35	10	9	5	6	1
Pulaski	1	20	1	-	3	4	-	1	1	-	-	1	1	6	4	5	2	1	-
Putnam	-	10	1	2	5	3	-	1	1	-	-	3	2	9	3	2	2	2	-
Quitman	-	4	-	-	2	-	-	-	-	-	-	-	1	4	2	-	-	-	-
Rabun	1	9	-	4	2	2	1	2	-	-	-	1	-	8	2	5	2	2	-
Randolph	1	21	1	-	6	-	1	2	6	-	-	-	2	11	1	2	-	2	-
Richmond	4	132	7	16	43	61	2	30	10	1	12	23	15	198	38	37	11	29	1
Augusta	2	69	5	10	25	27	1	18	5	1	5	13	6	107	11	23	5	13	-
Balance of county	2	63	2	6	18	34	1	12	5	-	7	10	9	91	27	14	6	16	1
Rockdale	-	20	1	3	5	6	1	4	2	-	4	2	-	31	11	5	2	3	-
Schley	-	4	3	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Screven	-	12	1	2	6	7	-	-	-	-	1	3	1	11	4	3	4	1	-
Seminole	-	12	1	-	-	-	1	-	-	-	-	1	3	15	1	2	1	-	3
Spalding	2	42	4	4	14	10	2	10	7	-	1	8	-	38	11	10	6	5	-
Griffin	1	26	2	2	7	5	-	7	4	-	1	4	-	25	1	5	4	3	-
Balance of county	1	16	2	2	7	5	2	3	3	-	-	4	-	13	10	5	2	2	-
Stephens	-	25	1	2	7	8	1	1	2	-	2	1	1	28	5	9	1	3	-
Stewart	1	10	-	-	2	2	-	2	1	-	-	2	-	4	2	2	-	-	-
Sumter	1	37	4	6	9	6	-	5	1	-	1	4	1	31	3	4	3	2	-
Americus	-	24	3	3	4	4	-	5	-	-	1	2	1	20	1	2	-	2	-
Balance of county	1	13	1	3	5	2	-	-	1	-	-	2	-	11	2	3	-	-	-
Talbot	-	14	1	-	-	-	-	1	-	-	1	1	3	5	2	4	-	3	1
Taliaferro	-	3	-	-	1	2	-	-	-	-	-	-	-	4	2	1	-	-	-
Tattnall	1	24	1	1	5	11	-	5	1	-	-	3	2	14	7	6	3	2	-
Taylor	-	11	3	-	3	3	1	1	-	-	2	-	1	8	-	3	1	-	-
Telfair	-	10	2	3	1	8	1	1	2	-	1	1	1	17	4	1	1	-	1
Terrell	1	19	1	2	-	2	-	2	1	-	-	1	2	10	6	4	2	1	-
Thomas	2	46	2	1	15	12	2	5	2	-	2	6	4	41	7	8	2	5	-
Thomasville	2	26	2	-	6	8	-	2	-	-	1	3	2	24	4	5	-	4	-
Balance of county	-	20	-	1	7	4	2	3	2	-	1	3	2	17	3	3	2	1	-
Tift	-	28	6	3	5	9	1	3	1	-	2	-	2	17	7	6	-	6	-
Tifton	-	11	5	1	3	6	1	2	1	-	-	-	-	8	4	2	-	2	-
Balance of county	-	17	1	2	2	3	-	1	-	-	2	-	2	9	3	4	-	4	-
Toombs	-	21	1	1	6	14	1	2	3	-	1	2	4	16	5	2	4	3	1
Vidalia, part	-	9	1	1	1	7	-	2	1	-	-	1	1	9	1	2	3	1	-
Vidalia, total	-	10	1	1	1	7	-	2	1	-	-	1	1	9	1	2	3	1	-
Balance of county	-	12	-	-	5	7	1	-	2	-	1	1	3	7	4	-	1	2	1
Towns	-	6	-	1	1	2	-	-	-	-	-	1	-	7	-	2	-	1	-
Treutlen	-	5	-	1	2	2	1	-	1	-	-	-	-	4	2	3	-	1	-
Troup	2	48	8	1	21	14	3	6	4	-	2	8	2	51	19	9	5	8	2
La Grange	1	24	6	1	12	7	3	4	2	-	2	6	1	34	12	8	4	4	-
Balance of county	1	24	2	-	9	7	-	2	2	-	-	2	1	17	7	1	1	4	2
Turner	1	27	-	4	3	5	1	1	-	-	-	-	-	5	3	3	-	1	-
Twiggs	6	12	2	1	2	1	-	1	1	-	-	1	1	6	5	5	-	-	-
Union	-	7	-	2	3	5	-	-	1	-	-	2	-	8	3	1	1	2	-
Upson	-	54	6	3	10	6	-	-	3	-	2	3	3	28	5	4	2	4	-
Walker	8	52	4	9	12	15	-	7	7	-	4	2	2	40	18	19	4	5	3
Walton	-	28	3	2	5	5	2	4	5	-	1	2	-	20	8	4	4	1	-
Ware	-	35	-	6	12	10	-	5	6	-	1	4	4	16	7	4	4	7	-
Waycross	-	19	-	4	9	7	-	3	5	-	1	3	3	10	3	2	3	4	-
Balance of county	-	16	-	2	3	3	-	2	1	-	-	1	1	6	4	2	1	3	-
Warren	-	6	-	1	4	2	-	-	1	-	-	2	2	7	1	3	1	-	-
Washington	-	14	3	2	4	6	2	3	3	-	-	1	-	15	8	3	3	4	-
Wayne	1	21	1	2	8	8	-	5	3	-	-	1	1	17	7	10	3	2	1
Webster	1	4	-	-	2	-	-	1	-	-	1	1	-	-	-	-	1	-	-
Wheeler	-	5	-	1	3	1	1	-	1	-	-	-	-	2	3	3	1	-	-
White	-	14	-	-	3	6	-	2	1	-	-	2	1	3	2	5	-	-	-
Whitfield	1	53	-	3	20	22	3	4	7	-	1	4	8	42	14	15	10	5	1
Dalton	1	23	-	3	10	11	-	1	1	-	-	3	3	22	5	3	5	1	1
Balance of county	-	30	-	-	10	11	3	3	6	-	1	1	5	20	9	12	5	4	-
Wilcox	-	5	-	1	-	3	-	2	-	-	-	2	2	10	3	1	1	3	-
Wilkes	2	9	-	-	5	6	-	1	5	-	-	1	1	13	3	4	3	3	-
Wilkinson	1	8	1	-	2	1	2	-	1	-	1	-	1	9	2	1	2	2	-
Worth	-	16	6	-	2	5	-	2	2	-	-	-	-	13	8	4	4	1	1
Hawaii	9	427	40	68	211	155	23	66	65	1	79	75	83	529	136	117	116	29	27
Urban places	9	322	30	50	164	119	14	47	49	-	54	48	51	400	73	75	88	19	18
Balance of area	-	105	10	18	47	36	9	19	16	1	25	27	32	129	63	42	28	10	9
Metropolitan counties	6	369	29	46	166	122	14	47	45	1	60	54	63	383	94	78	69	21	20
Urban places	6	265	26	40	150	114	9	39	41	-	49	42	46	353	62	65	79	17	16
Balance of area	-	24	3	6	16	8	5	8	4	1	11	12	17	40	32	13	10	4	4
Nonmetropolitan counties	3	118	11	22	45	33	9	19	20	-	19	21	20	136	42	39	27	8	7
Urban places	3	37	4	10	14	5	5	8	8	-	5	6	5	47	11	10	9	2	2
Balance of area	-	81	7	12	31	28	4	11	12	-	14	15	15	89	31	29	18	6	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	717	1	–	3	161	68	31	3	21	7	6	25	18	329	247	4	4	179	60
Hilo#	285	–	–	1	54	23	12	3	6	2	2	6	8	145	108	3	3	74	28
Balance of county	432	1	–	2	107	45	19	–	15	5	4	19	10	184	139	1	1	105	32
Honolulu	4,168	7	1	63	1,020	328	292	62	88	34	45	171	116	1,694	1,304	11	46	821	426
Aiea#	149	–	–	1	36	15	9	1	1	–	2	8	7	48	39	–	–	23	16
Ewa Beach#	101	–	–	3	28	11	7	2	1	1	–	6	3	34	30	–	–	19	11
Honolulu#	2,468	2	1	39	599	190	177	38	59	20	26	89	66	1,048	785	8	32	486	259
Kailua#	208	–	–	2	55	15	15	2	6	4	2	11	7	95	77	–	2	48	27
Kaneohe#	252	–	–	1	68	20	23	4	6	2	5	8	7	103	72	1	5	44	22
Mililani Town#	50	–	–	–	13	2	5	2	2	–	–	2	2	14	12	–	–	11	1
Mokapu# s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl City#	143	1	–	1	41	12	9	3	1	4	2	10	5	45	37	–	2	26	9
Schofield Barracks#	14	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1
Wahiawa#	140	–	–	2	37	18	11	–	1	2	2	3	2	64	55	–	1	42	12
Waipahu#	137	1	–	2	35	12	11	1	1	–	–	10	2	58	45	1	1	24	19
Balance of county s	506	3	–	12	109	33	25	9	10	1	6	24	15	183	150	1	3	97	49
Kalawao	7	–	–	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kauai	278	–	–	3	63	24	9	5	6	3	2	14	5	116	95	–	7	51	37
Maui	470	2	–	4	118	34	38	3	13	3	4	23	13	185	135	3	2	84	48
Kahului#	88	–	–	–	14	4	4	–	3	–	–	3	1	39	25	1	1	16	7
Wailuku#	84	1	–	–	24	8	8	1	2	1	–	4	–	33	30	–	–	18	12
Balance of county	298	1	–	4	80	22	26	2	8	2	4	16	12	113	80	2	1	50	27
Idaho	7,251	6	–	45	1,497	355	351	125	173	72	73	348	134	3,319	2,543	41	40	1,718	744
Urban places	3,156	2	–	25	648	159	150	61	79	29	27	148	52	1,475	1,111	16	11	759	323
Balance of area	4,095	4	–	20	849	196	201	64	94	43	46	205	82	1,844	1,432	23	29	959	421
Metropolitan counties	1,177	2	–	8	254	77	58	10	25	9	14	61	9	550	426	9	6	298	113
Urban places	909	1	–	7	201	62	49	8	18	8	9	47	8	425	329	7	6	230	86
Balance of area	268	1	–	1	53	15	9	2	7	1	5	14	1	125	97	2	–	68	27
Nonmetropolitan counties	6,074	4	–	37	1,243	278	293	115	148	63	59	287	125	2,769	2,117	32	34	1,420	631
Urban places	2,247	1	–	18	447	97	101	53	61	21	18	96	44	1,050	782	11	5	529	237
Balance of area	3,827	3	–	19	796	181	192	62	87	42	41	191	81	1,719	1,335	21	29	891	394
Ada	1,177	2	–	8	254	77	58	10	25	9	14	61	9	550	426	9	6	298	113
Boise City	909	1	–	7	201	62	49	8	18	8	9	47	8	425	329	7	6	230	86
Balance of county	268	1	–	1	53	15	9	2	7	1	5	14	1	125	97	2	–	68	27
Adams	32	–	–	–	13	1	2	–	1	1	1	7	1	15	10	–	–	7	3
Bannock	441	–	–	5	89	22	18	11	8	5	2	23	12	195	159	–	2	110	47
Pocatello	347	–	–	4	73	17	15	10	7	4	2	18	8	153	129	–	1	88	40
Balance of county	94	–	–	1	16	5	3	1	1	1	–	5	4	42	30	–	1	22	7
Bear Lake	51	–	–	–	9	5	–	–	1	–	–	3	1	24	17	–	1	8	8
Benewah	85	–	–	2	22	3	3	1	3	3	1	8	2	35	29	–	–	23	6
Bingham	220	–	–	–	33	4	12	1	2	2	4	8	8	101	89	2	–	44	23
Blackfoot	79	–	–	–	8	2	3	–	1	–	–	2	2	38	25	–	–	15	10
Balance of county	141	–	–	–	25	2	9	1	1	2	4	6	6	63	44	2	–	29	13
Blaine	38	–	–	–	5	1	–	–	1	1	–	2	–	20	19	–	1	14	4
Boise	21	–	–	–	5	–	3	–	–	–	–	2	1	10	8	–	2	3	3
Bonner	212	–	–	–	44	15	12	5	4	–	–	8	4	106	73	2	6	39	26
Bonneville	427	–	–	3	79	22	15	10	6	3	2	21	14	164	120	2	2	69	47
Idaho Falls	345	–	–	3	59	15	12	8	5	3	2	14	10	138	97	2	2	58	35
Balance of county	82	–	–	–	20	7	3	2	1	–	–	7	4	26	23	–	–	11	12
Boundary	65	–	–	1	12	2	4	2	–	1	2	1	1	27	18	–	–	10	8
Butte	18	–	–	1	2	–	–	–	–	–	1	1	1	8	7	–	–	5	2
Camas	7	–	–	–	2	–	–	–	–	–	–	2	–	4	1	–	–	1	–
Canyon	789	–	–	6	160	27	38	17	26	7	6	39	15	368	282	5	4	179	94
Caldwell	186	–	–	3	33	6	5	1	6	2	4	9	2	103	77	2	2	48	25
Nampa	319	–	–	2	67	13	13	11	11	3	1	15	8	151	120	2	–	78	40
Balance of county	254	–	–	1	60	8	20	5	9	2	1	15	5	114	85	1	2	53	29
Caribou	46	–	–	1	5	4	1	–	–	–	–	–	1	17	11	–	–	8	3
Cassia	148	–	–	1	27	4	6	3	6	2	3	3	2	62	45	2	2	21	20
Clark	7	–	–	–	4	1	2	–	–	1	–	–	–	2	–	–	–	–	–
Clearwater	81	–	–	–	18	8	5	2	4	–	–	1	1	35	30	–	–	19	11
Custer	39	–	–	1	5	2	–	–	1	–	1	1	2	19	15	–	–	10	5
Elmore	100	–	–	1	19	3	3	1	2	–	2	8	2	39	33	–	–	17	16
Franklin	82	–	–	–	17	4	–	2	2	2	3	4	4	32	25	–	–	15	10
Fremont	95	–	–	–	19	6	4	1	2	–	1	5	2	46	40	1	–	24	15
Gem	120	–	–	–	23	3	8	–	3	1	2	6	2	63	48	2	1	31	12
Gooding	105	–	–	1	25	6	10	1	1	2	–	5	1	44	31	–	–	21	10
Idaho	118	1	–	–	26	5	9	1	1	1	3	6	3	44	35	–	–	27	8
Jefferson	107	–	–	1	21	1	5	3	3	2	1	6	2	45	38	1	–	30	7
Jerome	117	–	–	1	31	7	5	2	3	3	1	10	1	40	34	1	–	26	7
Kootenai	534	–	–	1	131	30	31	10	23	8	4	25	2	255	190	3	2	137	48
Coeur d'Alene	289	–	–	1	54	7	11	7	12	3	2	12	2	154	110	2	–	75	33
Balance of county	245	–	–	–	77	23	20	3	11	5	2	13	–	101	80	1	2	62	15
Latah	180	–	–	1	42	10	8	3	7	1	3	10	3	88	59	2	–	45	12
Moscow	93	–	–	–	23	7	4	2	3	1	2	4	1	46	28	–	–	24	4
Balance of county	87	–	–	1	19	3	4	1	4	–	1	6	2	42	31	2	–	21	8
Lemhi	68	–	–	–	9	3	2	–	2	1	–	1	–	30	26	–	1	17	8
Lewis	38	–	–	–	10	3	3	2	–	1	1	–	–	17	17	1	–	6	10
Lincoln	42	–	–	–	7	2	2	–	1	–	1	1	4	23	20	–	1	15	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Hawaii—Con.																			
Hawaii	2	60	6	14	25	12	4	8	8	–	8	10	12	58	23	16	12	4	5
Hilo#	2	24	3	8	9	–	2	5	3	–	3	3	3	28	8	6	5	2	2
Balance of county	–	36	3	6	16	12	2	3	5	–	5	7	9	32	15	10	7	2	3
Honolulu	6	309	29	46	166	122	14	47	45	1	60	54	63	393	94	78	89	21	20
Aiea#	–	7	–	2	8	6	–	–	1	–	3	5	5	18	1	4	5	–	1
Ewa Beach#	–	4	–	–	3	1	–	2	1	–	3	5	2	2	4	3	4	3	–
Honolulu#	5	211	16	31	107	81	5	26	25	–	28	21	30	246	36	43	45	10	10
Kailua#	–	19	–	–	1	6	1	3	1	–	4	4	–	18	2	2	5	2	–
Kaneohe#	–	19	8	4	12	8	1	1	4	–	1	–	1	28	5	3	7	–	1
Mililani Town#	–	1	–	1	2	1	–	1	2	–	2	2	2	2	2	2	2	–	1
Mokapu# [5]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl City#	–	6	1	1	9	5	1	1	3	–	1	1	2	17	1	3	3	2	1
Schofield Barracks#	–	–	–	–	–	–	–	–	–	–	2	1	–	1	3	2	2	–	1
Wahiawa#	1	6	1	1	4	5	–	3	2	–	3	3	3	6	3	2	1	–	–
Waipahu#	–	19	–	–	4	1	1	2	2	–	2	–	1	14	5	1	5	–	1
Balance of county [5]	–	24	3	6	16	8	5	8	4	1	11	12	17	40	32	13	10	4	4
Kalawao	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kauai	–	18	1	2	6	11	1	4	4	–	5	2	3	33	9	8	4	1	–
Maui	1	40	4	5	14	9	4	7	6	–	6	9	5	45	10	15	11	3	2
Kahului#	1	10	1	2	5	2	1	2	3	–	1	1	1	12	2	2	2	–	–
Wailuku#	–	3	–	–	–	3	2	1	2	–	1	2	1	9	1	2	2	–	–
Balance of county	–	27	3	3	9	4	1	4	3	–	4	6	3	24	7	11	7	3	2
Idaho	13	569	92	102	216	315	21	74	56	1	47	62	127	670	236	231	154	32	8
Urban places	8	273	39	44	94	143	11	29	17	–	19	30	59	312	74	82	72	6	6
Balance of area	5	296	53	58	122	172	10	45	39	1	28	32	68	358	162	149	82	26	2
Metropolitan counties	1	89	14	20	28	46	4	9	6	–	8	9	17	109	36	38	37	5	2
Urban places	1	70	11	14	23	34	4	5	5	–	4	6	13	89	25	27	27	3	2
Balance of area	–	19	3	6	5	12	–	4	1	–	4	3	4	20	11	11	10	2	–
Nonmetropolitan counties	12	480	78	82	188	269	17	65	50	1	39	53	110	561	200	193	117	27	6
Urban places	7	203	28	30	71	109	7	24	12	–	15	24	46	223	49	55	45	3	4
Balance of area	5	277	50	52	117	160	10	41	38	1	24	29	64	338	151	138	72	24	2
Ada	1	89	14	20	28	46	4	9	6	–	8	9	17	109	36	38	37	5	2
Boise City	1	70	11	14	23	34	4	5	5	–	4	6	13	89	25	27	27	3	2
Balance of county	–	19	3	6	5	12	–	4	1	–	4	3	4	20	11	11	10	2	–
Adams	–	3	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Bannock	1	24	2	9	12	16	1	6	4	1	4	7	3	52	6	14	10	–	4
Pocatello	–	16	1	7	9	13	1	5	2	–	1	6	3	43	3	10	9	–	4
Balance of county	1	8	1	2	3	3	–	1	2	1	3	1	–	9	3	4	1	–	–
Bear Lake	–	5	–	2	3	2	–	–	2	–	–	1	1	4	3	1	–	–	–
Benewah	–	4	2	–	3	3	–	1	–	–	–	–	1	8	3	1	3	–	1
Bingham	–	25	2	5	6	9	–	5	3	–	–	3	4	16	15	7	9	1	–
Blackfoot	–	11	–	2	4	4	–	1	–	–	–	–	2	8	4	5	2	1	–
Balance of county	–	14	2	3	2	5	–	4	3	–	–	3	2	8	11	2	7	–	–
Blaine	–	1	–	–	1	4	–	1	–	–	–	2	–	1	2	1	1	–	–
Boise	–	1	–	1	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–
Bonner	–	25	6	2	3	13	–	3	1	–	–	2	5	13	3	11	3	1	–
Bonneville	3	30	3	8	14	19	–	6	2	–	2	6	28	48	14	18	9	1	–
Idaho Falls	3	27	3	8	12	15	–	5	2	–	1	5	22	43	7	14	9	–	–
Balance of county	–	3	–	–	2	4	–	1	–	–	1	1	6	5	7	4	–	1	–
Boundary	–	8	–	1	3	2	–	1	–	–	–	–	3	8	2	4	–	1	–
Butte	–	1	–	–	–	2	–	–	–	–	–	–	–	3	–	1	–	–	–
Camas	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Canyon	2	67	11	6	27	22	3	6	3	–	9	5	13	78	20	17	12	5	–
Caldwell	–	21	5	–	4	5	2	–	1	–	2	2	5	22	4	4	3	1	–
Nampa	2	26	–	3	16	15	–	5	–	–	5	1	4	29	5	4	6	1	–
Balance of county	–	20	6	3	7	2	1	1	2	–	2	2	4	27	11	9	3	3	–
Caribou	1	3	2	–	1	–	1	–	–	–	1	1	3	6	3	3	3	–	–
Cassia	1	12	–	4	7	6	–	2	2	–	–	1	5	12	5	8	4	4	–
Clark	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Clearwater	–	1	2	2	3	–	1	1	1	–	1	1	–	9	6	1	2	1	–
Custer	–	4	–	–	1	1	–	1	1	–	1	–	–	3	1	1	1	1	–
Elmore	–	4	1	1	1	6	–	2	2	–	1	–	1	11	3	6	4	1	1
Franklin	–	4	3	–	3	–	–	–	1	–	1	–	2	9	3	6	1	1	–
Fremont	–	3	3	–	3	2	–	–	–	–	1	–	1	9	6	2	4	–	–
Gem	–	10	4	3	2	6	2	–	1	–	–	–	–	16	2	2	1	–	–
Gooding	–	11	2	–	2	3	1	2	1	–	1	–	–	14	5	4	1	–	–
Idaho	–	6	1	2	3	6	–	1	2	–	–	–	5	11	3	8	4	1	–
Jefferson	–	4	2	1	1	8	–	–	1	–	1	5	2	9	3	7	–	1	–
Jerome	–	4	–	2	4	10	1	2	1	–	1	1	1	11	5	3	2	2	–
Kootenai	–	50	10	5	17	31	3	10	1	–	1	7	3	35	16	13	7	1	–
Coeur d'Alene	–	35	8	1	10	19	2	6	1	–	–	4	1	19	7	7	2	–	–
Balance of county	–	15	2	4	7	12	1	4	–	–	1	3	2	16	9	6	5	1	–
Latah	–	23	2	4	5	7	–	1	3	–	2	–	4	15	2	4	3	–	–
Moscow	–	15	1	2	4	5	–	–	3	–	2	–	1	6	–	1	1	–	–
Balance of county	–	8	1	2	1	2	–	1	–	–	–	–	3	9	2	3	2	–	–
Lemhi	–	2	–	2	6	5	1	2	2	–	–	–	1	3	5	1	1	–	–
Lewis	–	–	–	–	2	–	–	–	–	–	1	1	–	4	1	–	2	–	–
Lincoln	–	1	–	2	2	4	–	–	–	–	–	–	–	2	–	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	76	–	–	–	10	5	2	2	–	–	–	1	1	35	29	–	–	20	9
Rexburg	38	–	–	–	7	3	2	1	–	–	–	1	–	16	12	–	–	7	5
Balance of county	38	–	–	–	3	2	–	1	–	–	–	–	1	19	17	–	–	13	4
Minidoka	138	–	–	–	27	5	7	4	4	–	2	5	1	64	52	–	–	37	15
Nez Perce	329	–	–	2	83	15	24	7	11	3	3	20	6	152	107	–	1	75	31
Lewiston	280	–	–	2	75	15	22	6	10	3	2	17	4	125	87	–	–	64	23
Balance of county	49	–	–	–	8	–	2	1	1	–	1	3	2	27	20	–	1	11	8
Oneida	27	–	–	–	1	–	–	–	–	1	–	–	–	17	13	–	–	5	8
Owyhee	74	–	–	–	16	2	4	2	3	2	–	3	1	29	19	–	1	10	8
Payette	156	–	–	2	34	11	4	2	2	1	–	14	2	83	60	–	–	43	17
Power	43	–	–	1	9	3	3	–	–	–	1	2	2	21	17	1	–	12	4
Shoshone	169	2	–	–	36	7	14	4	–	3	1	7	3	80	57	1	1	42	13
Teton	29	–	–	–	4	1	–	1	1	–	–	1	–	10	10	–	–	8	2
Twin Falls	472	1	–	5	80	24	17	10	11	2	6	10	13	224	180	5	4	130	41
Twin Falls	261	1	–	3	48	12	14	7	6	2	3	4	7	126	97	3	–	72	22
Balance of county	211	–	–	2	32	12	3	3	5	–	3	6	6	98	83	2	4	58	19
Valley	58	–	–	–	8	1	4	1	–	–	1	1	2	19	15	1	1	12	1
Washington	96	–	–	–	21	2	3	4	3	3	–	6	2	57	51	–	1	45	5
Illinois	100,911	64	3	1,052	22,557	6,055	6,122	2,091	2,420	942	848	4,081	1,693	50,172	40,088	304	1,434	28,180	10,176
Urban places	70,762	51	3	827	15,848	4,334	4,289	1,481	1,684	660	588	2,814	1,199	34,596	27,876	223	1,120	18,776	7,757
Balance of area	30,149	13	–	225	6,709	1,721	1,833	610	736	282	260	1,267	494	15,576	12,212	81	314	9,404	2,413
Metropolitan counties	78,237	51	3	902	17,765	4,816	4,806	1,692	1,886	727	641	3,207	1,343	38,020	30,669	261	1,184	20,858	8,366
Urban places	64,845	47	3	789	14,632	4,008	3,953	1,372	1,561	600	533	2,605	1,116	31,433	25,481	217	1,053	16,931	7,280
Balance of area	13,392	4	–	113	3,133	808	853	310	325	127	108	602	227	6,587	5,188	44	131	3,927	1,086
Nonmetropolitan counties	22,674	13	–	150	4,792	1,239	1,316	409	534	215	205	874	350	12,152	9,419	43	250	7,322	1,804
Urban places	5,917	4	–	38	1,216	326	336	109	123	60	53	209	83	3,163	2,395	6	67	1,845	477
Balance of area	16,757	9	–	112	3,576	913	980	300	411	155	152	665	267	8,989	7,024	37	183	5,477	1,327
Adams	840	–	–	3	179	38	49	22	16	7	8	39	9	447	320	1	17	244	58
Quincy	616	–	–	3	126	26	38	16	10	5	6	27	7	322	221	–	11	171	39
Balance of county	224	–	–	–	53	12	19	6	6	2	2	12	2	125	99	1	6	73	19
Alexander	164	–	–	–	37	14	10	1	6	1	1	4	2	86	71	–	–	56	15
Bond	173	–	–	–	41	13	11	–	3	6	1	7	1	105	94	–	8	69	17
Boone	253	1	–	1	62	13	20	5	5	1	3	15	6	129	110	1	4	81	24
Belvidere	170	1	–	1	39	6	15	4	3	–	2	9	5	89	78	1	4	58	17
Balance of county	83	–	–	–	23	7	5	1	2	1	1	6	1	40	32	–	–	25	7
Brown	75	–	–	–	14	4	3	–	1	1	1	4	1	51	47	–	1	31	15
Bureau	408	–	–	3	88	35	19	7	8	3	1	15	6	227	173	2	2	125	44
Calhoun	78	–	–	–	16	4	5	–	1	2	–	4	–	49	35	1	–	28	6
Carroll	205	–	–	1	50	9	15	4	3	5	5	9	6	104	78	–	–	63	15
Cass	152	–	–	–	34	7	5	3	3	3	1	12	4	87	67	1	2	45	19
Champaign	913	1	–	5	216	60	60	17	18	7	4	50	17	431	304	4	5	224	71
Champaign	340	1	–	4	89	26	28	5	6	5	1	18	7	157	108	3	2	80	23
Rantoul	64	–	–	–	8	3	1	–	1	–	–	3	2	38	29	–	1	22	6
Urbana	232	–	–	–	52	15	13	5	4	1	2	12	4	108	73	–	2	52	19
Balance of county	277	–	–	1	67	16	18	7	7	1	1	17	4	128	94	1	–	70	23
Christian	412	–	–	4	77	19	30	4	8	5	1	9	6	218	172	1	1	152	18
Taylorville	167	–	–	1	30	5	10	3	3	3	–	6	2	90	74	1	–	66	7
Balance of county	245	–	–	3	47	14	20	1	6	2	1	3	4	128	98	–	1	86	11
Clark	212	–	–	–	46	9	15	4	10	–	3	5	6	119	87	–	10	63	14
Clay	217	–	–	1	43	12	14	4	5	2	–	6	6	120	90	1	1	76	12
Clinton	288	–	–	1	67	26	14	6	10	2	1	8	6	144	128	–	6	89	31
Centralia, part	44	–	–	–	13	5	1	2	3	–	–	2	3	18	17	–	2	12	3
Balance of county	244	–	–	1	54	21	13	4	7	2	1	6	3	126	109	–	4	77	28
Coles	476	–	–	1	92	21	27	9	12	4	3	18	4	268	180	–	2	149	29
Charleston	142	–	–	–	26	6	5	2	5	2	2	4	3	77	59	–	1	49	9
Mattoon	247	–	–	–	46	12	16	4	4	2	–	8	1	147	87	–	1	72	14
Balance of county	86	–	–	1	20	3	6	3	3	–	1	4	–	44	34	–	–	28	6
Cook	47,508	38	3	642	10,742	3,021	2,919	995	1,138	428	361	1,880	814	22,991	19,026	159	889	11,927	6,071
Alsip	85	–	–	–	21	7	6	2	–	1	1	4	2	35	28	–	1	15	10
Arlington Heights, part	510	1	–	5	131	30	36	14	11	5	4	31	7	263	208	2	3	148	55
Arlington Heights, total	510	1	–	5	131	30	36	14	11	5	4	31	7	263	208	2	3	148	55
Bartlett, part	27	–	–	–	5	1	3	–	–	–	–	1	–	15	11	–	1	7	3
Bellwood	143	–	1	2	33	4	16	2	2	–	1	8	2	67	57	–	3	33	21
Bensenville, part	6	–	–	–	3	–	2	–	–	–	–	1	–	1	–	–	–	–	–
Berwyn	626	–	–	4	150	40	41	23	9	5	8	24	9	326	272	4	16	189	63
Blue Island	234	–	–	–	55	24	13	7	3	2	1	5	1	121	97	2	3	65	27
Bridgeview	153	1	–	6	28	5	14	2	1	3	2	1	6	69	56	–	1	37	18
Brookfield	176	–	–	2	40	13	14	3	2	1	2	5	5	82	71	–	3	50	18
Buffalo Grove, part	79	–	–	–	20	3	7	2	1	–	4	3	3	39	37	–	2	25	10
Buffalo Grove, total	93	–	–	1	22	5	7	2	1	–	4	3	4	44	42	–	2	29	11
Burbank	229	–	–	3	58	16	14	2	7	3	1	15	11	107	89	1	6	56	26
Calumet City	361	–	–	4	101	26	24	7	16	5	3	20	7	177	147	2	7	104	34
Chicago, part	28,834	32	1	418	6,275	1,844	1,680	534	710	244	204	1,059	480	13,697	11,458	93	633	6,674	4,058
Chicago, total	28,834	32	1	418	6,275	1,844	1,680	534	710	244	204	1,059	480	13,697	11,458	93	633	6,674	4,058
Chicago Heights	325	–	–	4	85	25	24	2	5	6	4	19	4	154	123	–	6	81	36
Chicago Ridge	124	–	–	2	28	6	13	3	1	–	1	4	–	86	54	2	1	35	16
Cicero	749	–	–	8	177	46	54	13	14	6	8	36	16	377	298	3	6	207	82
Country Club Hills	57	–	–	3	14	3	3	1	2	–	–	5	1	21	18	1	1	11	5
Crestwood	115	–	–	–	16	4	2	2	3	1	–	4	3	70	61	–	–	55	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	–	5	1	–	1	4	–	–	1	–	1	4	2	10	5	–	2	–	–
Rexburg	–	3	1	–	–	4	–	–	–	–	1	3	–	5	1	–	1	–	–
Balance of county	–	2	–	–	1	–	–	–	1	–	–	1	2	5	4	–	1	–	–
Minidoka	–	11	–	1	4	2	–	1	2	–	2	1	–	15	6	6	4	1	–
Nez Perce	2	32	7	4	5	16	1	4	3	–	1	3	4	27	10	3	9	–	–
Lewiston	2	27	6	3	4	14	1	2	2	–	1	3	4	24	8	2	9	–	–
Balance of county	–	5	1	1	1	2	–	2	1	–	–	–	–	3	2	1	–	–	–
Oneida	–	4	–	–	–	2	–	–	2	–	–	–	1	2	–	2	–	–	–
Owyhee	1	5	3	1	5	4	–	–	1	–	–	1	–	8	3	4	1	1	–
Payette	–	20	–	3	3	7	–	–	1	–	1	–	1	14	4	1	1	2	–
Power	–	3	1	–	–	1	–	–	–	–	1	–	2	2	2	2	–	–	–
Shoshone	–	18	–	5	7	9	1	3	1	–	–	–	1	9	6	6	4	1	–
Teton	–	–	–	–	3	2	–	–	–	–	2	–	–	3	1	4	–	–	–
Twin Falls	–	35	5	4	17	27	1	1	4	–	3	–	8	48	20	13	7	–	–
Twin Falls	–	22	3	4	8	15	1	–	1	–	2	–	4	24	10	8	3	–	–
Balance of county	–	13	2	–	9	12	–	1	3	–	1	–	4	24	10	5	4	–	–
Valley	–	3	1	–	5	5	–	1	1	–	–	1	2	7	3	1	1	–	–
Washington	1	4	1	–	2	1	–	2	–	–	–	–	2	4	2	2	1	–	–
Illinois	480	7,376	1,239	1,015	3,003	3,091	354	1,422	1,061	18	624	1,102	720	7,682	1,728	2,014	1,207	1,145	201
Urban places	306	4,932	768	714	2,163	2,069	239	1,129	772	14	443	889	530	5,569	998	1,416	799	1,035	173
Balance of area	154	2,444	465	301	840	1,022	115	293	289	4	181	213	190	2,113	728	598	408	110	28
Metropolitan counties	328	5,415	821	787	2,294	2,268	268	1,256	848	16	509	978	586	6,046	1,271	1,587	973	1,091	182
Urban places	263	4,387	653	649	1,948	1,853	213	1,080	718	14	413	848	496	5,097	912	1,307	741	1,015	170
Balance of area	65	1,028	168	138	346	415	55	176	130	2	96	130	70	949	359	280	232	76	12
Nonmetropolitan counties	132	1,961	412	228	709	823	86	166	213	2	115	124	154	1,636	455	427	234	54	19
Urban places	43	545	115	65	215	216	26	49	54	–	30	41	34	472	86	109	58	20	3
Balance of area	89	1,416	297	163	494	607	60	117	159	2	85	83	120	1,164	369	318	176	34	16
Adams	7	94	17	9	22	25	4	2	5	–	4	3	6	71	25	23	9	3	–
Quincy	4	76	13	8	20	21	3	2	4	–	4	3	4	59	15	17	3	3	–
Balance of county	3	18	4	1	2	4	1	–	1	–	–	–	2	12	10	6	6	–	–
Alexander	1	10	3	1	1	6	1	2	2	–	–	2	4	12	4	1	–	2	–
Bond	–	9	2	–	1	5	–	1	2	–	–	–	–	12	4	–	1	–	–
Boone	–	11	2	6	7	12	1	–	1	–	1	2	–	17	6	2	4	1	–
Belvidere	–	7	1	3	5	9	1	–	–	–	–	2	–	12	2	1	3	–	–
Balance of county	–	4	1	3	2	3	–	–	1	–	1	–	–	5	4	1	1	1	–
Brown	–	4	–	–	1	1	–	–	1	–	–	–	–	3	–	1	2	–	–
Bureau	2	37	8	7	9	14	1	4	4	–	5	–	4	27	5	8	3	–	–
Calhoun	–	11	2	1	2	2	–	1	–	–	–	–	–	4	–	3	1	–	–
Carroll	4	12	6	4	6	7	1	1	1	–	3	–	–	20	1	4	–	–	–
Cass	3	14	1	2	7	2	–	2	2	–	–	–	2	5	1	4	2	–	–
Champaign	16	72	25	14	22	30	5	10	7	–	12	12	8	60	20	13	13	9	2
Champaign	4	31	6	8	7	13	–	7	3	–	3	4	3	26	4	7	2	3	–
Rantoul	3	2	–	4	1	3	–	–	1	–	3	2	–	3	–	–	1	1	1
Urbana	4	18	11	2	6	8	1	2	3	–	1	4	4	27	4	1	2	4	1
Balance of county	5	21	8	–	8	6	4	1	–	–	5	2	1	24	12	5	8	1	–
Christian	3	29	9	5	12	27	3	1	4	–	2	2	2	20	16	13	4	–	1
Taylorville	3	9	2	2	6	14	1	–	2	–	1	1	1	7	4	6	1	–	–
Balance of county	–	20	7	3	6	13	2	1	2	–	1	1	1	13	12	7	3	–	1
Clark	1	23	5	3	6	6	1	–	–	–	–	1	1	17	2	4	2	–	1
Clay	–	25	3	2	8	6	3	1	2	–	1	2	–	15	4	3	1	–	1
Clinton	2	11	2	3	9	8	2	2	5	–	2	1	4	18	9	7	2	1	–
Centralia, part	–	1	–	–	4	–	1	–	1	–	1	–	–	3	–	–	–	–	–
Balance of county	2	10	2	3	5	8	1	2	4	–	1	1	4	15	9	7	2	1	–
Coles	2	74	8	4	22	14	5	1	3	–	4	5	1	27	5	8	12	3	–
Charleston	–	17	1	–	9	3	1	1	–	–	3	1	–	10	1	2	4	1	–
Mattoon	2	49	6	3	10	8	2	–	1	–	1	2	1	14	2	3	7	2	–
Balance of county	–	8	1	1	3	3	2	–	2	–	–	2	–	3	2	3	1	–	–
Cook	179	2,934	396	456	1,438	1,189	148	875	563	11	276	632	368	3,667	613	965	512	876	142
Alsip	–	7	–	2	4	3	1	3	1	–	–	2	–	5	5	1	2	–	–
Arlington Heights, part	2	46	5	2	16	9	1	4	7	–	2	5	4	31	8	5	9	1	1
Arlington Heights, total	2	46	5	2	16	9	1	4	7	–	2	5	4	31	8	5	9	1	1
Bartlett, part	–	4	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	1	–
Bellwood	–	9	1	–	–	5	–	–	1	–	2	3	–	10	3	6	4	3	1
Bensenville, part	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Berwyn	1	42	5	6	19	19	2	10	6	–	3	1	2	53	4	7	9	1	1
Blue Island	2	16	1	5	2	10	1	6	2	–	1	2	4	15	7	6	1	1	–
Bridgeview	–	11	–	2	6	7	2	1	4	–	2	–	–	14	4	3	–	–	–
Brookfield	–	16	1	4	4	6	–	–	4	–	1	–	1	16	3	–	2	–	–
Buffalo Grove, part	–	–	–	2	–	1	1	3	–	–	2	3	–	3	3	–	1	–	–
Buffalo Grove, total	–	–	–	2	–	1	1	3	–	–	3	3	–	3	4	1	1	–	2
Burbank	–	12	4	2	5	10	–	6	1	–	2	1	1	12	5	5	1	1	–
Calumet City	–	24	5	1	7	17	1	5	5	–	2	1	2	20	3	5	3	1	–
Chicago, part	108	1,709	195	227	889	677	92	623	377	11	174	485	292	2,218	330	632	268	777	106
Chicago, total	108	1,709	195	227	889	677	92	623	377	11	174	485	292	2,218	330	632	268	777	106
Chicago Heights	1	18	4	8	7	9	1	4	3	–	–	8	4	20	5	10	3	3	1
Chicago Ridge	–	10	2	–	6	3	–	1	1	–	–	–	1	12	1	2	1	–	–
Cicero	1	57	3	16	13	20	1	18	11	–	3	2	6	51	8	20	4	9	3
Country Club Hills	–	2	–	1	–	3	–	–	–	–	–	1	–	6	3	1	2	1	1
Crestwood	1	8	–	–	4	3	1	1	2	–	1	2	–	7	–	2	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–
Des Plaines	658	–	–	6	133	36	33	17	15	6	3	23	11	353	286	3	6	215	62
Dolton	215	–	–	4	58	10	26	3	3	3	1	12	3	98	79	1	5	49	24
Elgin, part	52	1	–	–	15	5	4	2	–	–	1	3	2	15	11	–	–	6	3
Elk Grove Village, part	118	–	–	1	37	7	10	6	1	1	1	9	1	54	42	–	2	27	13
Elk Grove Village, total	118	–	–	1	37	7	10	6	1	1	1	9	1	54	42	–	2	27	13
Elmwood Park	307	–	–	6	78	19	21	12	8	1	3	14	6	166	131	–	2	92	37
Evanston	698	–	1	5	174	48	36	20	22	10	7	31	8	335	275	1	4	191	79
Evergreen Park	304	–	–	5	83	24	15	12	11	4	1	16	5	155	125	3	5	82	35
Forest Park	186	–	–	1	46	18	11	6	3	1	1	6	1	90	69	–	1	45	23
Franklin Park	179	–	–	3	46	14	14	3	5	4	1	5	4	89	73	1	1	53	19
Glenview	343	1	–	4	82	22	23	11	7	2	5	12	6	161	137	–	3	98	36
Glenwood	99	–	–	–	19	5	3	2	–	1	1	7	3	49	44	–	2	30	12
Hanover Park, part	76	–	–	–	18	4	5	2	4	–	–	3	4	28	20	1	–	14	5
Hanover Park, total	93	–	–	–	26	5	8	4	5	–	–	4	5	32	24	1	–	18	5
Harvey	307	–	–	5	66	10	20	12	11	1	–	12	9	135	121	–	9	60	32
Hazel Crest	118	–	–	–	24	4	6	2	3	2	–	7	7	54	45	1	5	28	11
Hickory Hills	97	–	–	–	29	10	4	3	2	3	2	5	1	43	35	–	1	23	11
Hinsdale, part	18	–	–	–	5	1	–	1	–	–	–	3	–	6	7	1	–	6	–
Hoffman Estates	135	–	–	1	33	11	7	1	4	1	1	8	5	57	45	–	–	30	15
Homewood	203	–	–	4	45	14	7	6	3	2	–	13	3	99	78	–	3	60	15
Justice	78	–	–	–	24	6	8	3	1	1	–	5	1	33	31	–	2	20	9
La Grange	169	–	–	2	34	7	7	2	6	5	3	4	5	85	60	–	2	43	15
La Grange Park	142	–	–	2	34	10	7	2	5	3	2	5	3	74	55	1	2	38	14
Lansing	207	–	–	1	46	12	12	7	1	2	3	9	8	109	84	–	2	69	23
Lincolnwood	100	–	–	1	25	7	7	2	2	1	1	5	2	53	50	–	1	42	7
Markham	90	–	–	2	23	5	8	5	3	–	–	2	2	38	33	–	3	21	9
Matteson	60	–	–	2	16	5	2	–	3	–	1	5	1	42	35	1	3	24	7
Maywood	188	–	–	4	38	8	14	2	1	1	2	10	4	88	73	–	2	55	16
Melrose Park	208	–	–	3	60	13	19	2	9	3	2	12	2	95	83	–	3	60	20
Midlothian	118	–	–	1	20	6	2	3	4	2	1	2	2	63	53	–	6	31	16
Morton Grove	176	–	–	2	55	17	15	4	8	3	–	8	1	82	68	1	1	46	20
Mount Prospect	334	–	–	4	96	29	22	7	4	4	3	22	5	168	140	2	1	109	26
Niles	418	–	–	4	87	20	29	8	6	5	3	16	8	221	183	1	2	129	51
Norridge	211	–	–	6	39	6	13	6	7	–	–	7	3	119	95	–	5	63	27
Northbrook	296	–	–	1	84	22	23	11	6	3	5	14	–	141	103	2	1	75	25
Northlake	159	–	–	1	38	7	12	6	6	–	–	7	4	91	82	–	2	41	39
Oak Forest	134	–	–	1	44	15	12	2	5	2	1	7	3	63	53	–	1	36	16
Oak Lawn	637	–	–	5	162	44	46	15	16	12	5	22	9	327	278	3	5	183	87
Oak Park	464	–	–	6	92	32	27	10	8	–	3	12	11	239	199	–	4	136	59
Orland Park	152	–	–	–	34	12	6	6	3	–	2	5	3	73	60	1	2	42	15
Palatine	224	–	–	2	58	15	13	6	3	3	4	14	1	94	75	1	4	53	17
Palos Heights	128	–	–	1	30	8	9	3	3	1	3	3	2	61	50	–	2	41	7
Palos Hills	138	–	–	2	28	13	6	4	2	–	–	4	1	70	57	–	1	41	15
Park Forest, part	150	–	–	1	33	4	14	4	3	3	2	3	1	78	55	–	3	37	15
Park Forest, total	160	–	–	1	35	4	14	4	4	3	2	4	1	83	61	–	3	42	16
Park Ridge	360	1	–	3	67	18	15	10	5	7	2	10	9	197	153	2	2	109	40
Prospect Heights	48	–	–	1	12	2	5	1	1	–	1	2	1	20	16	–	–	11	5
Riverdale	154	–	–	2	28	6	9	5	1	2	1	4	1	89	75	2	3	47	23
River Forest	103	–	–	1	30	11	7	5	1	1	–	5	1	45	37	–	3	27	7
River Grove	102	–	–	1	29	8	9	4	2	2	–	4	2	46	34	2	1	21	10
Rolling Meadows	85	–	–	–	24	6	7	–	5	–	–	6	2	39	32	–	–	21	11
Roselle, part	12	–	–	–	3	–	1	–	–	–	–	2	–	4	3	–	–	2	1
Sauk Village	44	–	–	1	16	5	4	2	2	–	–	3	2	14	8	–	–	6	2
Schaumburg, part	262	–	–	3	59	9	21	6	7	4	2	10	4	119	92	2	4	68	18
Schaumburg, total	267	–	–	3	61	10	21	6	7	4	2	11	4	120	93	2	4	69	18
Schiller Park	73	–	–	1	20	1	10	4	–	–	3	2	1	37	35	–	1	23	11
Skokie	597	–	–	12	140	38	40	9	17	6	4	26	13	300	245	2	5	180	58
South Holland	214	–	–	2	44	12	13	4	3	2	1	9	–	129	106	–	1	80	25
Streamwood	78	–	–	–	23	8	6	–	2	1	–	6	1	29	24	–	1	16	7
Summit	76	–	–	1	22	5	11	1	2	1	–	2	2	40	33	–	1	21	11
Tinley Park, part	184	1	–	1	44	10	14	4	5	1	3	7	3	100	86	–	10	53	23
Tinley Park, total	184	1	–	1	44	10	14	4	5	1	3	7	3	100	86	–	10	53	23
Westchester	156	–	–	1	42	19	12	4	3	2	–	2	3	80	67	1	1	49	16
Western Springs	83	–	–	–	25	7	5	4	4	–	–	5	–	43	32	–	2	22	8
Wheeling, part	141	–	–	–	35	9	11	1	4	3	2	5	3	86	55	1	2	37	15
Wheeling, total	141	–	–	–	35	9	11	1	4	3	2	5	3	86	55	1	2	37	15
Wilmette	233	–	–	5	59	14	17	5	8	–	1	14	4	116	88	1	1	73	13
Winnetka	75	–	–	2	16	3	4	–	5	1	–	3	–	41	35	–	1	23	11
Worth	108	–	–	3	21	4	9	–	–	2	–	6	1	52	42	–	3	26	13
Balance of county	2,375	–	–	40	551	144	145	64	55	15	18	110	43	1,192	955	11	25	652	267
Crawford	233	–	–	2	51	12	22	4	5	–	2	6	2	116	83	1	–	67	15
Cumberland	112	–	–	–	27	8	5	1	1	2	5	5	1	57	39	1	1	33	4
De Kalb	539	–	–	6	116	26	35	8	11	4	6	26	7	264	186	2	3	172	21
De Kalb	153	–	–	3	34	8	7	3	6	1	3	6	2	75	54	–	1	48	5
Balance of county	386	–	–	3	82	18	28	5	5	3	3	20	5	189	144	2	2	124	16
De Witt	185	–	–	–	50	11	11	6	8	2	–	12	2	92	60	–	1	52	7
Douglas	213	–	–	1	42	16	11	5	5	2	–	3	3	112	90	1	1	75	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-778)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Des Plaines	1	44	11	11	19	21	1	9	6	-	3	2	-	60	9	12	7	1	3
Dolton	1	16	2	-	9	6	-	3	3	-	-	-	1	20	3	2	2	1	-
Elgin, part	-	4	-	-	1	1	1	-	-	-	-	3	1	6	2	2	-	1	1
Elk Grove Village, part	-	6	3	1	1	3	-	1	-	-	2	3	-	9	2	1	3	-	-
Elk Grove Village, total	-	6	3	1	1	3	-	1	-	-	2	3	-	9	2	1	3	-	-
Elmwood Park	1	26	6	2	9	5	2	2	2	-	3	11	7	66	6	11	6	7	1
Evanston	1	45	4	10	25	15	5	4	8	-	1	1	-	13	3	1	2	1	1
Evergreen Park	1	23	3	3	11	9	-	9	4	-	-	1	1	15	5	6	1	2	1
Forest Park	1	18	1	1	7	7	-	-	2	-	1	1	1	8	2	2	3	3	-
Franklin Park	-	14	-	2	3	2	2	1	2	-	1	1	1	8	2	2	3	3	-
Glenview	-	16	2	6	16	9	-	4	4	-	4	-	2	33	3	4	9	1	-
Glenwood	-	2	2	1	7	4	-	-	2	-	1	2	-	7	1	2	2	-	-
Hanover Park, part	-	7	-	1	2	2	-	-	-	-	2	1	1	7	3	5	2	1	-
Hanover Park, total	-	7	-	1	2	2	-	-	-	-	2	2	1	7	5	5	3	1	-
Harvey	1	9	2	2	9	7	-	2	2	-	3	7	1	34	2	8	3	13	1
Hazel Crest	-	6	2	1	1	2	1	1	1	-	1	5	1	10	2	4	4	-	-
Hickory Hills	3	4	1	-	2	6	-	-	1	-	1	2	-	6	3	1	2	-	-
Hinsdale, part	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-
Hoffman Estates	1	8	-	3	5	4	-	4	1	-	-	1	-	12	4	5	3	-	-
Homewood	-	16	2	3	8	12	-	2	3	-	-	3	-	16	2	4	2	-	-
Justice	-	-	2	-	1	3	-	2	-	-	1	1	-	4	2	2	3	1	-
La Grange	4	13	3	5	6	3	1	5	2	-	1	1	1	12	1	4	4	-	2
La Grange Park	4	13	1	1	3	4	-	-	-	-	1	1	-	14	4	1	1	-	-
Lansing	-	8	4	3	2	7	1	1	1	-	1	5	-	13	2	4	5	2	1
Lincolnwood	-	3	-	-	4	1	-	2	2	-	-	-	-	7	2	-	1	-	-
Markham	1	4	-	1	2	4	-	2	1	-	-	4	1	4	4	1	1	1	-
Matteson	-	2	4	1	2	-	-	1	-	-	3	-	-	6	2	4	-	1	-
Maywood	-	9	3	3	4	8	1	3	3	-	-	7	1	15	2	2	2	5	1
Melrose Park	-	11	1	-	7	4	3	4	3	-	1	2	1	16	1	2	4	-	-
Midlothian	-	8	2	-	4	5	-	2	1	-	1	1	2	10	2	3	1	-	-
Morton Grove	-	9	4	1	9	5	-	1	-	-	-	-	1	16	-	3	1	-	-
Mount Prospect	2	22	3	1	9	6	-	7	3	-	-	-	-	15	9	6	6	1	-
Niles	2	27	7	2	18	8	4	2	8	-	5	-	1	42	2	6	2	-	1
Norridge	1	17	3	3	6	8	-	2	1	-	-	1	1	18	1	4	3	1	-
Northbrook	1	30	6	1	14	9	1	4	-	-	1	2	-	25	5	5	2	2	-
Northlake	-	6	1	2	3	4	1	2	1	-	1	-	-	8	2	2	1	-	-
Oak Forest	1	6	1	2	-	3	-	3	-	-	1	-	-	11	1	2	1	1	-
Oak Lawn	1	37	2	9	18	19	3	8	3	-	2	-	2	55	7	7	7	1	2
Oak Park	3	28	4	5	18	12	3	9	3	-	1	6	-	44	5	7	4	3	1
Orland Park	1	11	-	1	6	2	2	2	1	-	1	4	1	12	7	1	2	1	-
Palatine	-	15	1	3	5	8	1	4	6	-	1	2	-	20	10	5	4	1	2
Palos Heights	1	8	1	1	4	8	-	2	-	-	1	-	-	12	5	-	2	-	-
Palos Hills	-	9	1	3	9	3	-	2	3	-	1	2	-	9	2	2	1	-	2
Park Forest, part	1	14	2	4	3	7	-	2	1	-	5	4	1	10	2	1	-	2	1
Park Forest, total	1	14	2	5	3	8	-	2	1	-	5	4	1	10	2	1	-	2	1
Park Ridge	-	34	4	6	15	10	1	2	2	-	-	-	-	37	3	3	6	2	2
Prospect Heights	-	3	-	1	2	1	-	3	-	-	-	-	1	8	1	-	-	-	-
Riverdale	-	11	1	2	4	6	-	-	-	-	-	-	2	12	1	7	3	-	-
River Forest	1	4	1	2	3	4	-	1	1	-	-	-	-	8	1	4	2	-	-
River Grove	1	9	1	1	2	6	-	1	2	-	2	-	-	5	1	2	3	-	-
Rolling Meadows	1	4	2	-	3	1	-	1	-	-	-	-	-	10	1	3	1	-	-
Roselle, part	-	1	-	-	2	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Sauk Village	-	5	1	-	-	1	-	1	1	-	2	2	1	1	1	-	1	-	-
Schaumburg, part	1	17	1	8	6	7	-	2	4	-	2	6	-	28	8	8	4	1	3
Schaumburg, total	1	17	1	8	8	7	-	2	4	-	2	6	-	26	8	8	4	1	3
Schiller Park	-	2	-	-	-	-	-	2	1	-	-	-	-	8	1	1	1	-	-
Skokie	3	41	5	6	16	9	-	1	6	-	2	2	-	83	6	15	8	2	2
South Holland	-	17	2	4	9	7	1	3	1	-	-	-	2	9	3	4	-	-	-
Streamwood	1	2	2	-	3	-	-	2	1	-	2	1	1	5	5	-	5	-	-
Summit	-	4	1	2	1	1	1	1	-	-	-	-	-	1	2	1	1	2	-
Tinley Park, part	-	11	2	1	5	6	-	2	3	-	1	1	-	4	3	5	5	-	-
Tinley Park, total	-	11	2	1	5	6	-	2	3	-	1	1	-	4	3	5	5	-	-
Westchester	-	11	2	-	2	3	1	2	3	-	1	-	1	12	1	2	1	1	-
Western Springs	-	9	2	-	1	1	-	2	1	-	-	-	1	7	-	2	-	-	-
Wheeling, part	-	5	2	4	2	6	-	3	-	-	-	2	-	15	3	5	1	-	-
Wheeling, total	-	5	2	4	2	6	-	3	-	-	-	2	-	15	3	5	1	-	-
Wilmette	2	16	5	5	11	3	1	2	1	-	2	-	3	17	-	4	5	-	-
Winnetka	1	5	-	-	-	1	-	5	-	-	-	-	-	8	-	1	1	-	-
Worth	1	8	-	1	4	5	-	5	-	-	-	-	1	9	3	2	1	1	-
Balance of county	16	148	39	34	73	54	6	33	26	-	16	31	9	183	42	46	38	14	-
Crawford	-	28	1	4	3	8	-	1	7	1	2	-	-	28	4	7	1	-	-
Cumberland	1	16	1	-	5	4	-	1	1	-	2	-	-	8	1	4	1	-	-
De Kalb	4	46	6	10	26	19	1	7	1	-	5	5	3	49	14	8	7	1	-
De Kalb	2	12	1	6	8	6	-	4	-	-	3	1	-	12	2	2	1	-	-
Balance of county	2	34	5	4	18	13	1	3	1	-	2	4	3	37	12	6	6	1	-
De Witt	1	28	2	-	7	8	-	-	1	-	2	1	4	13	3	1	1	-	-
Douglas	4	13	4	1	10	6	-	1	2	-	-	2	-	15	13	4	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	4,103	1	–	41	937	232	251	101	83	33	52	175	68	2,025	1,597	16	19	1,296	266
Addison	116	–	–	1	21	3	6	2	–	1	3	6	3	59	50	1	1	41	7
Aurora, part	8	–	–	–	2	–	1	–	–	–	–	1	–	4	4	–	–	4	–
Bartlett, part	21	–	–	–	5	1	–	–	1	–	1	2	1	10	9	–	–	8	1
Bartlett, total	48	–	–	–	10	2	3	–	1	–	1	3	1	25	20	–	1	15	4
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	161	–	–	2	34	7	9	4	5	–	2	7	1	78	64	–	1	53	10
Bensenville, total	167	–	–	2	37	7	11	4	5	–	2	8	1	79	64	–	1	53	10
Bloomingdale	98	–	–	–	14	3	4	2	2	–	1	2	2	58	43	–	–	36	7
Bolingbrook, part	4	–	–	–	2	–	–	–	–	–	1	1	–	2	2	–	–	2	–
Carol Stream	70	–	–	–	19	1	6	2	5	–	1	4	–	31	23	–	–	20	3
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darien	75	–	–	–	21	5	8	1	–	–	1	6	–	39	31	–	–	29	2
Downers Grove	357	–	–	3	85	22	21	11	12	4	5	10	11	182	141	–	1	113	27
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	379	–	–	6	88	21	25	8	13	2	8	12	4	191	143	1	2	109	37
Glendale Heights	70	–	–	–	13	2	6	1	–	2	1	1	3	37	28	1	–	24	3
Glen Ellyn	155	–	–	3	37	10	10	5	3	–	2	7	–	73	58	1	2	39	14
Hanover Park, part	17	–	–	–	8	1	3	2	1	–	–	1	1	4	4	–	–	4	–
Hinsdale, part	130	1	–	3	30	5	11	4	2	1	–	7	3	44	36	–	–	30	6
Hinsdale, total	148	1	–	3	35	6	11	5	2	1	–	10	3	52	43	1	–	36	6
Lisle	103	–	–	1	28	7	10	7	1	1	–	2	1	51	40	–	–	30	10
Lombard	251	–	–	4	66	14	20	7	7	5	3	10	4	127	107	3	1	90	13
Naperville, part	313	–	–	4	77	20	14	8	7	3	5	20	5	147	116	1	4	89	22
Naperville, total	315	–	–	4	77	20	14	8	7	3	5	20	5	148	117	1	4	89	23
Roselle, part	82	–	–	2	13	2	2	–	2	2	–	5	2	29	25	2	–	22	1
Roselle, total	74	–	–	2	16	2	3	–	2	2	–	7	2	33	28	2	–	24	2
St. Charles, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	5	–	–	–	2	1	–	–	–	–	–	1	–	1	1	–	–	1	–
Villa Park	172	–	–	1	37	13	12	1	–	3	1	7	2	91	70	–	1	63	6
West Chicago	108	–	–	5	21	5	6	4	3	–	1	2	1	48	40	–	1	36	3
Westmont	173	–	–	–	32	9	5	6	3	–	1	8	1	92	73	–	–	63	10
Wheaton	306	–	–	–	60	19	9	7	8	3	5	9	10	168	124	2	–	104	18
Wood Dale	90	–	–	2	21	8	8	–	1	–	–	4	1	47	35	–	–	28	7
Woodridge	70	–	–	–	11	2	2	1	1	–	2	3	1	30	26	2	–	21	3
Balance of county	768	–	–	4	169	51	53	18	16	6	8	37	11	386	306	2	5	249	56
Edgar	267	–	–	5	57	12	19	5	10	2	1	8	1	153	97	–	2	66	29
Edwards	79	–	–	–	10	3	2	–	1	–	1	3	1	50	39	–	–	28	11
Effingham	285	–	–	1	50	12	13	3	8	2	1	11	2	158	100	–	3	82	15
Effingham	158	–	–	–	24	6	10	1	1	1	1	4	–	85	55	–	2	46	7
Balance of county	137	–	–	1	26	6	3	2	7	1	–	7	2	73	45	–	1	36	8
Fayette	282	–	–	2	59	7	22	5	7	4	1	13	3	152	128	1	1	110	16
Ford	178	–	–	1	39	9	7	5	4	3	2	9	1	106	91	–	1	61	29
Franklin	566	–	–	6	121	32	37	9	13	8	2	20	11	303	249	–	6	217	26
Fulton	452	–	–	4	98	25	28	8	14	5	2	15	7	233	193	1	5	158	31
Canton	178	–	–	2	42	12	10	3	7	2	1	7	3	96	80	–	–	64	16
Balance of county	274	–	–	2	56	13	18	5	7	4	1	8	4	137	113	1	5	92	15
Gallatin	95	–	–	–	18	7	4	–	1	–	1	5	1	53	41	–	3	32	6
Greene	222	–	–	1	39	8	10	6	6	2	–	7	2	124	92	–	11	61	20
Grundy	240	1	–	2	50	16	16	5	2	–	1	10	4	129	106	–	2	82	22
Hamilton	94	–	–	–	17	5	5	3	2	1	1	–	2	57	49	–	1	41	7
Hancock	271	1	–	2	67	23	13	2	6	4	2	17	2	154	115	–	1	90	24
Hardin	67	–	–	1	14	6	5	–	2	–	–	1	1	34	32	–	4	22	6
Henderson	88	–	–	3	17	2	5	1	3	–	1	5	1	48	42	–	–	38	6
Henry	561	–	–	4	123	37	29	11	13	5	4	24	5	296	235	2	9	178	46
Kewanee	215	–	–	3	47	13	12	3	7	4	2	6	2	102	82	–	6	62	14
Balance of county	346	–	–	1	76	24	17	8	6	1	2	18	3	194	153	2	3	116	32
Iroquois	365	–	–	1	90	19	25	6	15	3	4	18	6	196	162	–	4	131	27
Jackson	499	–	–	3	108	36	24	7	8	6	3	24	8	237	181	1	3	137	40
Carbondale	152	–	–	3	32	7	10	2	1	2	1	9	2	71	55	–	3	38	14
Balance of county	347	–	–	–	76	29	14	5	7	4	2	15	6	166	126	1	–	99	26
Jasper	114	–	–	1	21	6	4	2	3	2	1	3	1	59	50	–	1	43	6
Jefferson	399	2	–	6	88	21	26	9	12	4	5	11	7	190	144	1	–	114	29
Mount Vernon	233	2	–	3	51	13	12	6	6	2	3	9	6	105	78	1	–	60	17
Balance of county	166	–	–	3	37	8	14	3	6	2	2	2	1	85	66	–	–	54	12
Jersey	180	–	–	2	32	7	12	3	3	1	3	3	2	92	72	–	–	61	11
Jo Daviess	218	–	–	–	54	18	12	7	3	2	2	10	5	107	73	–	–	55	18
Johnson	100	–	–	1	26	5	6	4	3	2	2	4	1	57	44	–	–	36	8
Kane	2,142	–	–	15	465	111	140	39	52	20	24	79	44	1,032	802	12	28	633	129
Aurora, part	757	–	–	9	161	32	53	13	16	8	6	33	20	362	287	5	13	212	57
Aurora, total	765	–	–	9	163	32	54	13	16	8	6	34	20	366	291	5	13	216	57
Batavia, part	146	–	–	–	35	11	5	5	6	2	–	6	3	70	50	1	1	42	6
Batavia, total	146	–	–	–	35	11	5	5	6	2	–	6	3	70	50	1	1	42	6
Carpentersville	129	–	–	–	27	5	12	2	3	2	–	3	2	60	50	2	–	41	7
Elgin, part	501	–	–	3	106	30	27	9	10	4	11	15	11	246	179	2	9	147	21
Elgin, total	553	1	–	3	121	35	31	11	10	4	12	18	13	261	190	2	9	155	24
St. Charles, part	124	–	–	–	28	6	6	3	4	2	–	6	1	66	56	–	–	45	11
St. Charles, total	124	–	–	–	28	6	6	3	4	2	–	6	1	66	56	–	–	45	11
Balance of county	485	–	–	3	110	28	37	7	13	2	7	16	7	228	180	2	5	146	27
Kankakee	904	1	–	10	205	63	47	18	24	7	8	38	23	429	342	1	8	263	70
Bourbonnais	83	–	–	2	22	4	7	3	3	–	2	3	3	30	27	–	–	23	4
Bradley	98	–	–	–	25	4	6	2	2	2	–	9	2	51	40	–	3	31	6
Kankakee	337	–	–	6	71	25	16	9	10	4	–	7	8	153	122	1	1	87	33
Balance of county	386	1	–	2	87	30	18	4	9	1	6	19	10	195	153	–	4	122	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	16	319	53	40	130	127	10	48	32	1	37	46	22	310	94	76	82	12	4
Addison	–	8	–	1	3	3	–	2	3	–	2	1	–	10	2	3	3	–	–
Aurora, part	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bartlett, part	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Bartlett, total	–	5	–	–	1	–	–	1	–	–	–	–	1	1	2	2	2	2	–
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	–	10	2	2	8	6	–	2	–	–	–	1	3	16	2	5	1	2	–
Bensenville, total	–	10	2	3	8	6	–	3	–	–	–	1	3	16	3	5	1	2	–
Bloomingdale	1	9	3	–	3	3	1	1	1	–	1	2	–	7	4	2	–	1	–
Bolingbrook, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carol Stream	–	4	–	4	1	4	–	–	–	–	1	6	–	3	3	2	1	–	–
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darien	–	7	1	–	1	1	–	2	2	–	3	–	–	4	–	2	–	–	–
Downers Grove	3	25	7	6	11	16	–	2	1	–	3	7	1	22	3	3	5	2	–
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	–	43	3	2	10	12	–	5	3	–	3	1	1	30	4	8	9	1	2
Glendale Heights	2	6	–	1	1	1	–	2	1	–	–	–	1	2	5	1	3	–	–
Glen Ellyn	1	9	5	2	2	7	–	3	3	–	2	–	2	8	5	6	3	1	–
Hanover Park, part	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Hinsdale, part	–	6	2	–	3	6	1	2	1	–	–	–	1	26	2	1	4	–	–
Hinsdale, total	1	6	2	–	3	6	1	2	1	–	–	–	1	27	3	2	5	–	–
Lisle	1	10	–	–	3	1	–	1	–	–	3	1	–	6	2	1	4	–	–
Lombard	–	15	2	3	5	6	1	2	1	–	2	1	1	22	4	4	1	–	–
Naperville, part	–	25	4	2	11	12	1	4	5	1	–	2	2	24	7	3	8	–	–
Naperville, total	–	25	4	2	11	12	1	4	5	1	–	2	2	25	7	3	8	–	–
Roselle, part	–	2	–	2	–	1	–	1	1	–	2	–	2	6	1	2	–	–	–
Roselle, total	–	3	–	2	2	1	–	1	1	–	2	–	2	9	1	2	–	–	–
St. Charles, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Villa Park	2	17	2	–	4	6	–	–	–	–	1	3	1	15	5	2	2	1	1
West Chicago	1	5	2	–	13	2	1	1	–	–	2	1	–	7	5	2	–	–	–
Westmont	2	11	1	5	13	6	–	2	2	–	1	2	–	10	2	4	5	1	–
Wheaton	–	31	7	4	10	7	–	3	2	–	3	4	3	26	5	4	3	–	–
Wood Dale	–	11	1	–	4	1	–	1	1	–	2	1	–	3	2	2	–	2	–
Woodridge	1	3	–	–	2	1	–	3	–	–	4	1	2	9	2	–	4	–	–
Balance of county	2	61	11	6	18	23	5	9	5	–	2	11	2	54	26	18	24	–	1
Edgar	1	48	6	1	8	8	1	–	5	–	–	1	2	14	3	8	1	–	–
Edwards	–	8	3	–	4	3	–	–	2	–	–	–	1	5	1	1	1	–	–
Effingham	7	32	17	2	15	8	1	4	5	–	1	5	1	26	9	7	2	–	–
Effingham	4	17	7	2	8	2	1	3	4	–	–	3	–	16	5	7	–	–	–
Balance of county	3	15	10	–	7	6	–	1	1	–	1	2	1	10	4	–	2	–	–
Fayette	2	16	3	1	6	5	1	2	2	–	–	–	3	11	5	9	2	–	–
Ford	3	8	3	1	1	4	1	1	3	–	1	–	–	10	4	3	1	–	–
Franklin	3	41	6	4	16	21	1	5	–	–	1	6	–	48	13	8	5	1	–
Fulton	1	31	4	4	14	23	3	3	3	–	–	1	2	41	9	6	3	1	1
Canton	–	12	3	1	7	3	2	1	2	–	–	–	1	14	1	2	1	–	1
Balance of county	1	19	1	3	7	20	1	2	1	–	–	1	1	27	8	4	2	1	–
Gallatin	–	8	3	1	4	4	–	2	4	–	–	–	–	5	1	1	1	1	–
Greene	3	16	11	2	4	5	–	–	4	–	–	–	2	20	10	5	6	–	–
Grundy	1	21	1	–	3	9	–	4	1	–	5	2	1	13	8	5	2	1	–
Hamilton	–	6	1	1	2	1	–	–	2	–	1	–	1	7	2	1	–	1	–
Hancock	1	24	12	2	5	3	1	2	1	–	2	1	1	21	2	5	1	–	–
Hardin	–	2	–	–	2	6	–	–	–	–	–	–	–	6	–	3	–	–	–
Henderson	1	5	–	–	3	5	–	–	–	–	1	–	–	4	4	1	–	–	1
Henry	1	46	7	5	15	33	1	3	8	–	7	3	2	35	6	12	8	–	–
Kewanee	1	16	–	3	6	21	–	1	3	–	2	2	1	15	2	6	2	–	–
Balance of county	–	32	7	2	9	12	1	2	5	–	5	1	1	20	4	6	6	–	–
Iroquois	3	20	6	5	8	10	1	3	3	–	–	2	3	24	9	4	3	2	–
Jackson	4	39	10	3	19	19	1	4	6	–	3	5	4	55	13	8	6	–	–
Carbondale	–	12	3	1	8	5	–	1	1	–	1	2	1	17	3	1	4	–	–
Balance of county	4	27	7	2	11	14	1	3	5	–	2	3	3	38	10	7	2	–	–
Jasper	1	4	1	3	6	6	1	–	1	–	1	1	–	8	3	4	1	–	–
Jefferson	5	32	3	6	19	21	1	5	3	–	4	5	3	23	9	7	5	1	–
Mount Vernon	4	17	2	4	13	12	1	4	2	–	1	3	2	14	6	4	3	1	–
Balance of county	1	15	1	2	6	9	–	1	1	–	3	2	1	9	3	3	2	–	–
Jersey	4	11	4	1	6	10	–	–	3	–	–	1	7	10	6	3	6	–	–
Jo Daviess	–	29	3	2	11	6	–	3	4	–	2	–	–	17	3	4	1	1	–
Johnson	1	10	1	1	2	4	1	–	–	–	–	–	–	3	1	3	–	1	–
Kane	3	173	38	18	60	82	8	30	24	1	20	36	12	180	45	35	38	14	1
Aurora, part	2	54	9	10	18	33	1	8	8	–	8	14	4	65	11	10	14	10	1
Aurora, total	2	54	9	10	19	33	1	8	8	–	8	15	4	65	11	10	14	10	1
Batavia, part	–	13	7	–	6	5	4	2	4	–	–	2	1	8	1	3	2	–	–
Batavia, total	–	13	7	–	6	5	4	2	4	–	–	2	1	8	1	3	2	–	–
Carpentersville	–	7	1	2	2	4	–	3	–	–	2	4	2	9	2	5	6	1	–
Elgin, part	–	53	9	5	15	18	1	7	5	–	3	12	2	45	10	9	7	1	–
Elgin, total	–	57	9	5	16	19	2	7	5	–	3	15	3	51	12	11	7	2	1
St. Charles, part	–	8	2	–	3	4	–	5	1	–	3	–	–	10	2	1	2	–	–
St. Charles, total	–	8	2	–	3	4	–	5	1	–	3	–	–	10	2	1	2	–	–
Balance of county	1	38	8	1	16	18	2	5	6	1	4	4	3	43	19	7	7	2	–
Kankakee	11	53	9	14	30	27	2	10	13	–	8	10	7	66	16	16	16	12	3
Bourbonnais	–	3	–	–	2	5	–	–	3	–	–	–	–	9	–	3	3	–	1
Bradley	2	6	2	1	2	2	–	–	–	–	–	–	1	7	1	2	4	1	–
Kankakee	4	17	5	5	18	5	–	5	5	–	7	6	3	29	6	6	2	6	1
Balance of county	5	27	2	8	8	15	2	5	5	–	1	4	3	21	9	5	7	5	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	230	–	–	3	56	12	13	6	11	2	–	12	5	115	89	2	3	74	10
Knox	658	–	–	5	128	29	41	9	19	7	4	19	3	365	281	1	9	234	37
Galesburg	400	–	–	4	86	23	27	3	17	3	3	10	2	219	171	1	4	145	21
Balance of county	256	–	–	1	42	6	14	6	2	4	1	9	1	146	110	–	5	89	16
Lake	2,874	1	–	28	722	173	201	69	77	39	28	135	56	1,261	1,002	10	19	801	172
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	14	–	–	1	2	2	–	–	–	–	–	–	1	5	5	–	–	4	1
Deerfield, part	115	–	–	1	37	10	9	4	3	1	3	7	2	49	34	1	–	26	7
Deerfield, total	117	–	–	1	37	10	9	4	3	1	3	7	2	51	36	1	–	28	7
Highland Park	188	–	–	4	59	18	9	6	5	4	7	10	1	91	76	–	1	62	13
Lake Forest	121	–	–	2	28	10	7	2	2	2	1	4	–	58	43	–	–	34	9
Libertyville	154	–	–	1	31	11	10	1	–	–	2	7	2	75	70	–	3	57	10
Mundelein	78	–	–	–	20	4	7	1	2	–	–	6	–	31	24	–	–	18	6
North Chicago	130	–	–	1	33	6	6	4	7	1	1	6	7	41	35	–	–	29	12
Round Lake Beach	65	–	–	–	16	2	7	3	3	1	–	–	2	32	28	1	–	21	4
Waukegan	550	–	–	2	123	27	34	8	18	7	4	25	6	230	177	–	4	147	26
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	187	1	–	–	21	5	6	3	2	–	1	4	7	96	85	–	–	59	6
Balance of county	1,272	–	–	14	352	76	106	37	35	23	9	66	28	553	447	6	11	350	78
La Salle	1,154	–	–	5	244	79	61	29	26	11	11	27	12	638	487	–	14	413	60
La Salle	142	–	–	–	34	14	8	6	2	–	1	3	1	81	57	–	2	48	7
Ottawa	215	–	–	–	42	12	10	8	4	3	2	3	1	122	95	–	4	77	14
Peru	129	–	–	1	35	13	8	2	4	1	3	4	1	67	50	–	–	43	7
Streator, part	203	–	–	3	33	10	10	3	2	4	2	2	3	120	97	–	3	80	14
Streator, total	203	–	–	3	33	10	10	3	2	4	2	2	3	120	97	–	3	80	14
Balance of county	485	–	–	1	100	30	25	10	14	3	3	15	6	248	188	–	5	165	18
Lawrence	252	1	–	4	55	18	14	7	8	2	2	6	4	143	113	1	–	90	22
Lee	346	–	–	3	77	21	12	9	12	2	4	17	5	172	128	1	1	96	30
Dixon	168	–	–	–	39	11	5	4	5	2	3	9	1	86	69	–	–	50	19
Balance of county	178	–	–	3	38	10	7	5	7	–	1	8	4	86	59	1	1	46	11
Livingston	391	1	–	3	65	15	19	7	9	3	3	9	6	242	186	3	4	152	27
Pontiac	115	1	–	1	17	5	4	2	1	2	1	2	3	72	53	–	1	45	7
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	276	–	–	2	48	10	15	5	8	1	2	7	3	170	133	3	3	107	20
Logan	359	–	–	1	90	24	23	11	9	5	3	15	3	190	139	–	6	68	65
Lincoln	194	–	–	1	50	14	11	7	7	2	2	7	3	96	68	–	2	33	33
Balance of county	165	–	–	–	40	10	12	4	2	3	1	8	–	94	71	–	4	35	32
McDonough	324	–	–	2	71	19	22	6	7	3	4	10	6	165	117	–	3	101	13
Macomb	156	–	–	1	28	9	7	2	5	2	–	3	2	85	57	–	1	48	8
Balance of county	168	–	–	1	43	10	15	4	2	1	4	7	4	80	60	–	2	53	5
McHenry	1,149	1	–	9	264	67	61	28	24	19	10	55	17	539	413	4	6	344	59
Crystal Lake	175	1	–	3	48	8	8	9	4	7	2	10	3	80	59	2	–	49	8
McHenry	189	–	–	2	33	10	10	1	2	2	2	6	2	82	60	2	1	40	17
Woodstock	133	–	–	2	27	9	5	4	3	–	3	3	4	63	45	–	1	41	3
Balance of county	671	–	–	2	156	40	38	14	15	10	3	36	8	314	249	–	4	214	31
McLean	926	–	–	9	210	60	33	25	27	7	9	49	13	483	335	4	10	259	62
Bloomington	474	–	–	7	112	33	18	13	14	5	4	25	8	241	166	2	10	125	29
Normal	164	–	–	–	34	7	8	4	4	2	3	6	4	85	58	1	–	43	14
Balance of county	288	–	–	2	64	20	7	8	9	–	2	18	3	157	111	1	–	91	19
Macon	1,154	2	–	7	230	60	60	20	22	9	14	45	27	606	469	2	23	288	156
Decatur	979	2	–	7	191	52	46	16	20	8	11	34	24	513	395	2	16	253	124
Balance of county	175	–	–	–	39	8	12	2	2	1	3	11	3	93	74	–	7	35	32
Macoupin	558	1	–	5	118	22	34	12	9	4	7	30	17	296	228	–	5	180	43
Madison	2,280	3	–	16	498	119	149	51	46	20	11	102	41	1,209	960	7	14	779	166
Alton	395	–	–	3	93	26	26	5	8	4	5	19	5	203	154	2	3	115	34
Collinsville, part	229	–	–	4	46	10	20	7	1	–	2	6	3	127	96	–	1	84	11
Collinsville, total	242	–	–	4	48	10	21	8	1	–	2	6	3	135	103	–	1	90	12
Edwardsville	163	–	–	2	30	9	4	4	4	–	–	9	3	82	70	–	–	51	19
Granite City	352	1	–	1	83	13	31	10	5	3	–	21	5	183	153	1	4	127	21
Wood River	115	–	–	–	27	5	10	3	1	2	–	6	3	65	51	–	–	41	10
Balance of county	1,036	2	–	6	219	56	58	22	27	11	4	41	22	539	436	4	6	355	71
Marion	511	–	–	6	87	19	25	6	11	5	2	19	14	270	232	2	7	175	48
Centralia, part	223	–	–	2	28	6	11	2	3	–	–	6	5	119	102	2	5	72	23
Centralia, total	267	–	–	2	41	11	12	4	6	–	–	8	8	137	119	2	7	84	26
Balance of county	288	–	–	4	59	13	14	4	8	5	2	13	9	151	130	–	2	103	25
Marshall	130	1	–	2	24	6	5	2	4	1	1	5	3	73	54	–	–	44	10
Mason	167	–	–	1	34	7	9	4	7	–	1	6	1	94	77	1	3	49	24
Massac	195	1	–	1	43	10	16	1	3	–	4	9	3	82	61	–	2	45	14
Menard	134	–	–	2	26	10	5	3	3	2	–	3	–	71	57	–	3	45	9
Mercer	182	–	–	1	38	7	15	3	2	1	3	7	4	86	71	–	1	52	18
Monroe	209	–	–	2	45	18	9	5	6	2	–	5	5	113	94	–	2	83	9
Montgomery	390	–	–	1	93	20	29	9	13	4	2	16	7	206	162	1	11	122	28
Morgan	416	1	–	1	92	28	25	7	5	3	3	21	11	214	157	–	8	108	41
Jacksonville	266	1	–	–	68	20	19	4	1	2	3	19	3	154	112	–	5	74	33
Balance of county	120	–	–	1	24	8	6	3	4	1	–	2	8	60	45	–	3	34	8
Moultrie	147	1	–	–	34	6	7	5	6	3	–	7	5	73	54	–	–	50	4
Ogle	408	–	–	5	81	24	14	6	10	2	5	20	8	211	154	2	5	120	27
Peoria	1,783	–	–	14	421	105	113	41	48	20	17	77	23	830	618	1	18	449	150
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	1,146	–	–	11	275	60	75	28	31	14	13	54	13	536	404	1	14	281	108
Balance of county	617	–	–	3	146	45	38	13	17	6	4	23	10	294	214	–	4	168	42

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	1	20	2	3	2	5	2	–	3	–	4	2	–	16	6	5	5	–	1
Knox	1	56	18	9	19	29	3	8	6	–	–	–	4	55	8	11	8	4	–
Galesburg	–	37	5	6	12	18	3	4	3	–	–	–	3	35	2	3	3	3	–
Balance of county	1	19	13	3	7	11	–	4	3	–	–	–	1	20	6	8	5	1	–
Lake	4	211	23	21	89	113	14	48	20	–	19	36	25	217	78	75	42	23	9
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	2
Deerfield, part	–	12	1	2	7	2	1	1	–	–	1	1	–	7	2	3	1	–	–
Deerfield, total	–	12	1	2	7	2	1	1	–	–	1	1	–	7	2	3	1	–	–
Highland Park	1	19	1	–	3	4	–	2	–	–	–	3	–	14	1	2	3	1	–
Lake Forest	–	9	4	2	5	–	–	3	–	–	–	1	2	10	4	7	1	–	–
Libertyville	–	5	–	–	9	7	2	6	1	–	–	–	1	7	6	3	1	2	–
Mundelein	–	5	1	1	3	5	–	2	1	–	2	2	–	5	3	2	2	–	–
North Chicago	1	3	1	1	–	7	–	5	2	–	–	3	2	14	3	8	1	2	1
Round Lake Beach	–	5	–	1	1	2	–	1	–	–	–	–	2	3	4	1	1	–	–
Waukegan	1	42	3	7	25	27	3	8	5	–	3	13	5	51	12	20	9	9	1
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	1	26	4	–	3	8	3	3	1	–	2	4	4	20	3	5	2	3	1
Balance of county	–	91	8	7	33	51	5	19	10	–	10	9	9	88	39	23	21	6	4
La Salle	7	112	18	14	35	32	4	11	6	–	5	6	4	93	25	18	13	2	1
La Salle	3	18	1	2	2	1	–	3	1	–	1	–	1	14	1	1	1	–	–
Ottawa	1	21	4	1	7	11	–	2	1	–	–	2	–	17	3	4	3	–	–
Peru	1	15	1	–	5	2	–	–	1	–	–	2	1	6	2	3	1	–	–
Streator, part	–	20	2	1	6	9	1	–	–	–	1	–	–	19	3	3	3	–	–
Streator, total	–	20	2	1	5	9	1	–	–	–	1	–	–	19	3	3	3	–	–
Balance of county	2	38	10	10	16	9	3	6	3	–	3	2	2	35	16	7	5	2	1
Lawrence	–	25	4	1	12	9	1	3	–	–	–	1	1	10	4	4	–	–	–
Lee	3	29	5	7	9	12	2	2	3	–	2	1	1	37	8	8	5	–	1
Dixon	2	12	2	1	3	6	–	1	2	–	1	–	1	20	3	3	1	–	1
Balance of county	1	17	3	6	6	6	2	1	1	–	1	1	–	17	5	3	4	–	–
Livingston	3	40	7	6	4	14	1	2	3	–	1	2	3	28	3	6	6	–	1
Pontiac	2	13	2	2	1	4	–	–	–	–	–	2	–	12	–	2	–	–	–
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	27	5	4	3	10	1	2	3	–	1	–	3	16	3	4	6	–	1
Logan	3	19	25	4	13	12	2	4	1	–	–	2	1	18	7	7	5	2	1
Lincoln	–	10	15	3	10	6	1	3	–	–	–	2	1	12	–	7	1	–	1
Balance of county	3	9	10	1	3	6	1	1	1	–	–	–	–	6	7	–	4	2	–
McDonough	1	30	9	8	9	10	1	3	4	–	1	1	3	35	7	6	–	–	–
Macomb	–	19	7	2	5	7	1	2	1	–	–	1	1	18	1	3	–	–	–
Balance of county	1	11	2	6	4	3	–	1	3	–	1	–	2	17	6	3	–	–	–
McHenry	8	92	17	9	47	33	5	24	13	–	9	11	6	92	35	21	19	3	–
Crystal Lake	1	15	2	3	4	2	1	3	1	–	1	2	–	14	6	3	3	–	–
McHenry	3	15	3	1	8	9	–	4	4	–	2	–	–	14	5	–	4	–	–
Woodstock	2	9	5	2	4	4	1	3	1	–	–	3	2	8	5	3	2	1	–
Balance of county	2	53	7	3	31	18	3	14	7	–	6	6	4	56	19	15	10	2	–
McLean	8	90	27	23	23	34	7	10	4	–	3	10	7	60	23	17	12	3	–
Bloomington	5	48	10	12	11	19	5	6	2	–	–	5	3	34	12	7	2	2	–
Normal	1	13	10	3	6	8	–	1	–	–	2	2	1	9	2	6	4	–	–
Balance of county	2	29	7	8	6	7	2	3	2	–	1	3	3	17	9	4	8	1	–
Macon	9	96	15	17	21	50	3	7	8	–	10	12	18	80	31	24	9	8	1
Decatur	7	82	14	15	19	48	2	6	5	–	6	10	18	65	25	22	7	8	1
Balance of county	2	14	1	2	2	2	1	1	3	–	4	2	–	15	6	2	2	–	–
Macoupin	1	50	8	9	15	20	2	7	10	–	2	6	3	33	6	12	5	–	–
Madison	11	187	31	20	48	80	9	24	23	–	10	15	8	188	51	37	21	10	1
Alton	1	38	6	6	6	12	1	4	8	–	1	5	2	33	5	8	2	3	1
Collinsville, part	1	27	1	2	3	12	2	2	1	–	–	–	–	17	4	3	3	2	–
Collinsville, total	2	27	1	2	3	13	2	2	1	–	–	–	–	19	4	3	3	2	–
Edwardsville	3	14	4	1	5	5	–	–	–	–	1	–	–	15	6	2	3	–	–
Granite City	–	28	2	–	11	13	1	5	3	–	3	4	2	30	5	1	–	1	–
Wood River	–	8	4	2	1	6	–	1	–	–	2	–	–	8	1	–	1	–	–
Balance of county	6	74	14	9	22	32	5	12	11	–	3	6	4	89	31	23	12	4	–
Marion	3	25	6	4	23	19	5	4	7	–	3	5	1	40	10	11	3	3	–
Centralia, part	1	11	4	1	13	8	3	1	4	–	3	3	–	20	5	5	2	2	–
Centralia, total	1	12	4	1	17	8	4	1	5	–	4	3	–	23	5	5	2	2	–
Balance of county	2	14	2	3	10	11	2	3	3	–	–	2	1	20	5	6	1	1	–
Marshall	–	17	–	2	3	6	2	1	–	–	–	–	–	7	3	3	1	1	–
Mason	1	14	–	2	5	9	–	1	1	–	1	–	–	8	6	2	2	1	1
Massac	–	20	1	–	7	17	1	3	–	–	–	–	1	28	1	7	–	–	–
Menard	–	12	1	1	5	4	–	1	1	–	–	3	–	9	6	3	3	–	–
Mercer	–	10	2	3	4	7	1	–	7	–	1	2	2	13	7	5	3	1	–
Monroe	–	15	3	1	2	6	–	–	3	–	–	1	–	17	8	3	4	–	–
Montgomery	1	38	4	3	19	10	–	1	3	–	4	3	5	20	10	3	5	–	–
Morgan	4	27	21	5	15	13	–	1	6	–	1	–	7	32	7	9	4	2	–
Jacksonville	3	21	15	3	12	7	–	1	4	–	1	–	5	23	6	7	2	2	–
Balance of county	1	6	6	2	3	6	–	–	2	–	–	–	2	9	1	2	2	–	–
Moultrie	1	16	2	–	6	10	–	–	2	–	1	2	2	4	2	4	–	–	1
Ogle	3	41	13	–	14	14	–	3	7	–	4	3	4	36	9	4	4	–	1
Peoria	4	175	12	21	76	70	8	27	18	–	8	17	4	158	16	34	34	5	–
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	2	108	6	18	54	41	7	16	14	–	3	15	4	110	11	16	18	2	–
Balance of county	2	69	6	3	22	29	1	11	4	–	5	2	–	48	5	18	16	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	257	–	–	1	52	10	12	4	5	1	2	18	4	139	116	–	2	100	14
Piatt	137	1	–	1	38	11	6	2	4	2	2	9	1	68	52	–	3	43	6
Pike	232	–	–	1	53	8	14	8	7	1	1	14	5	125	101	2	1	78	22
Pope	54	–	–	–	12	–	5	2	–	1	–	4	–	30	26	–	3	15	8
Pulaski	114	–	–	1	16	6	5	–	1	–	1	3	2	60	46	1	–	33	12
Putnam	60	–	–	–	19	4	7	–	2	1	2	3	1	30	24	–	–	22	2
Randolph	363	–	–	1	83	15	20	10	9	3	6	18	7	197	154	–	4	125	25
Richland	196	–	–	–	42	12	7	5	5	3	2	8	4	107	89	–	1	51	17
Rock Island	1,451	1	–	10	340	78	109	30	42	10	14	57	20	739	579	5	13	448	113
East Moline	191	–	–	1	38	12	8	5	4	1	2	6	5	102	86	–	1	67	18
Moline	423	1	–	3	100	22	30	10	10	3	2	23	5	225	173	3	4	140	26
Rock Island	493	–	–	5	115	27	35	7	20	4	4	18	6	254	192	2	5	139	46
Balance of county	344	–	–	1	87	17	36	8	8	2	6	10	4	158	126	–	3	102	23
St. Clair	2,521	–	–	30	563	139	161	53	52	30	27	101	36	1,211	944	8	50	691	195
Belleville	582	–	–	8	137	35	35	8	10	11	6	32	5	308	243	2	8	193	40
Cahokia	148	–	–	–	39	7	10	7	3	2	2	8	1	79	59	2	1	45	11
Collinsville, part	13	–	–	–	2	–	1	1	–	–	–	–	–	8	7	–	–	6	1
East St. Louis	602	–	–	7	121	29	39	12	13	4	5	19	12	248	189	1	17	117	54
Fairview Heights	98	–	–	1	31	7	8	2	7	1	1	7	2	45	36	–	2	27	7
O'Fallon	107	–	–	5	23	8	11	1	1	–	1	3	4	58	51	2	3	38	6
Balance of county	971	–	–	9	210	55	59	22	18	12	12	32	12	469	359	1	19	265	74
Saline	462	–	–	6	98	29	27	8	10	3	8	13	6	240	198	1	13	142	42
Harrisburg	184	–	–	3	46	13	11	5	4	2	5	8	2	82	70	–	3	51	16
Balance of county	278	–	–	3	52	16	16	3	6	1	3	7	4	158	128	1	10	91	26
Sangamon	1,668	–	–	11	410	121	98	43	44	17	18	71	22	819	619	6	21	457	135
Springfield	1,213	–	–	9	303	94	71	32	33	9	12	52	16	577	427	2	17	311	97
Balance of county	455	–	–	2	107	27	27	11	11	8	4	19	6	242	192	4	4	146	38
Schuyler	80	–	–	–	18	7	7	–	–	1	–	3	2	55	51	–	6	21	24
Scott	72	–	–	1	14	1	2	3	3	1	–	4	1	37	30	1	2	15	12
Shelby	262	–	–	2	43	15	9	5	5	1	2	6	5	141	100	–	–	82	18
Stark	96	–	–	–	14	7	1	1	–	–	–	5	1	55	45	–	2	39	4
Stephenson	486	–	–	2	96	28	21	8	8	11	3	17	9	266	209	2	9	145	58
Freeport	297	–	–	2	58	16	14	4	5	7	1	11	8	173	136	1	6	103	26
Balance of county	189	–	–	–	38	12	7	4	3	4	2	6	1	93	73	1	3	42	27
Tazewell	1,024	–	–	12	239	64	63	20	25	9	7	51	20	481	369	2	8	281	80
East Peoria	192	–	–	3	56	16	12	6	5	–	–	17	4	82	63	–	3	43	17
Morton	120	–	–	1	22	9	2	2	1	2	1	5	4	67	56	–	2	44	10
Pekin, part	347	–	–	3	64	15	20	5	7	2	4	11	11	170	136	–	–	113	23
Pekin, total	347	–	–	3	64	15	20	5	7	2	4	11	11	170	136	–	–	113	23
Washington	83	–	–	1	24	5	6	2	4	2	1	4	1	34	21	–	–	13	8
Balance of county	282	–	–	4	73	19	23	5	8	3	1	14	–	128	93	2	1	68	22
Union	179	–	–	3	32	11	10	1	5	–	4	1	5	94	72	1	–	60	11
Vermilion	911	–	–	3	212	58	63	15	24	13	8	31	17	461	358	–	4	261	91
Danville	467	–	–	2	117	29	35	8	13	7	5	20	9	229	170	–	3	118	49
Balance of county	444	–	–	1	95	29	28	7	11	6	3	11	8	232	188	–	1	143	42
Wabash	143	1	–	1	26	4	11	1	3	–	4	3	1	91	67	–	1	61	5
Warren	226	–	–	2	44	18	9	–	5	1	2	9	4	130	114	2	1	84	27
Monmouth	128	–	–	–	27	11	7	–	3	–	1	5	3	74	62	–	1	47	14
Balance of county	98	–	–	2	17	7	2	–	2	1	1	4	1	56	52	2	–	37	13
Washington	178	–	–	1	32	8	12	1	5	–	2	4	–	106	99	–	–	94	5
Wayne	223	–	–	2	56	14	15	3	5	4	5	10	1	123	101	–	3	68	30
White	244	–	–	2	53	12	15	–	6	1	5	14	1	128	106	1	1	75	29
Whiteside	538	–	–	3	102	27	25	12	6	5	6	21	11	293	243	1	2	175	65
Rock Falls	88	–	–	–	11	2	4	–	–	1	–	4	2	54	49	–	1	35	13
Sterling	160	–	–	1	27	10	4	5	1	1	2	4	5	90	73	–	–	55	18
Balance of county	290	–	–	2	64	15	17	7	5	3	4	13	4	149	121	1	1	85	34
Will	2,124	1	–	16	460	123	132	51	47	16	10	81	51	1,074	845	10	36	589	210
Bolingbrook, part	113	–	–	–	29	9	11	3	1	–	1	4	3	47	35	1	1	25	8
Bolingbrook, total	117	–	–	–	31	9	11	3	1	–	2	5	3	49	37	1	1	27	8
Joliet	838	–	–	7	172	58	41	13	19	7	2	32	13	443	341	3	19	248	73
Naperville, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Park Forest, part	10	–	–	–	2	–	–	–	1	–	–	1	–	7	6	–	–	5	1
Romeoville	54	–	–	1	12	1	6	1	2	1	–	1	1	22	19	1	–	9	9
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1,109	1	–	8	245	55	74	34	24	8	7	43	34	554	443	5	16	304	116
Williamson	625	–	–	4	131	33	47	9	12	3	5	22	10	325	268	1	12	201	52
Herrin	138	–	–	1	22	7	11	–	–	1	1	2	2	81	64	–	3	52	9
Marion	168	–	–	1	37	6	14	4	3	–	1	9	1	91	77	–	4	55	18
Balance of county	319	–	–	2	72	20	22	5	9	2	3	11	7	153	125	1	5	94	25
Winnebago	1,982	–	–	15	460	102	124	48	62	19	18	87	28	851	700	7	13	568	114
Loves Park	76	–	–	–	15	2	5	–	5	1	–	2	–	37	29	–	–	25	4
Rockford	1,360	–	–	13	288	73	72	38	38	13	12	52	19	657	485	6	10	384	85
Balance of county	546	–	–	2	147	27	47	10	19	5	6	33	7	257	186	1	3	157	25
Woodford	297	–	–	4	60	14	8	3	8	5	3	19	3	156	123	–	2	93	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	–	21	2	–	12	7	2	1	3	–	–	1	–	17	6	10	1	1	–
Piatt	–	16	–	–	2	6	–	–	–	–	–	1	2	14	1	1	2	1	–
Pike	–	11	12	1	6	8	–	1	1	–	3	–	4	12	4	6	2	–	1
Pope	–	4	–	–	1	2	–	–	–	–	1	–	–	4	–	3	1	–	–
Pulaski	1	9	3	1	3	5	1	1	1	–	1	2	3	11	2	1	2	2	–
Putnam	–	5	1	–	2	–	–	1	1	–	–	–	–	3	1	1	–	–	1
Randolph	2	34	5	2	8	15	–	1	2	–	1	3	4	17	9	8	5	2	–
Richland	2	22	11	3	5	4	2	3	2	–	1	–	3	11	1	5	5	1	–
Rock Island	5	118	22	15	41	58	7	9	12	1	9	7	12	91	24	38	25	7	–
East Moline	–	12	4	–	6	5	2	–	2	–	1	4	–	11	5	4	3	2	–
Moline	2	37	5	6	13	11	1	2	5	–	1	–	2	32	3	11	7	1	–
Rock Island	2	48	11	3	13	25	1	3	3	1	4	–	7	33	3	10	7	3	–
Balance of county	1	23	2	4	9	17	3	4	2	–	3	3	3	15	13	13	8	1	–
St. Clair	18	207	21	26	69	81	11	27	31	1	24	39	18	194	44	60	24	60	–
Belleville	3	47	8	7	18	14	6	4	4	–	4	8	1	48	7	10	2	–	–
Cahokia	2	14	2	2	3	3	–	1	2	–	2	–	1	9	3	5	–	–	–
Collinsville, part	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
East St. Louis	2	44	3	8	23	18	–	5	14	–	9	15	8	47	13	22	3	39	–
Fairview Heights	–	8	–	1	1	6	–	1	2	–	1	–	–	6	1	–	–	1	–
O'Fallon	–	4	1	–	1	4	1	1	–	–	1	–	–	7	2	1	1	–	–
Balance of county	5	90	7	8	23	35	4	15	9	1	7	16	6	77	18	22	18	20	–
Saline	–	23	10	9	19	21	2	8	7	–	3	–	7	28	9	5	2	–	1
Harrisburg	–	6	3	3	7	11	1	2	3	–	–	–	3	13	7	4	–	–	–
Balance of county	–	17	7	6	12	10	1	6	4	–	3	–	4	15	2	1	2	–	1
Sangamon	9	157	24	10	37	51	5	26	9	–	16	17	14	134	19	33	27	9	9
Springfield	6	120	18	6	29	42	5	18	5	–	15	12	11	103	10	25	19	8	6
Balance of county	3	37	6	4	8	9	–	8	4	–	1	5	3	31	9	8	8	1	3
Schuyler	–	4	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
Scott	–	5	1	1	1	3	–	–	3	–	–	–	–	8	1	2	1	–	–
Shelby	2	32	6	1	11	9	1	4	1	–	5	1	–	20	9	4	4	1	1
Stark	–	9	–	1	5	3	1	–	–	–	1	3	–	7	3	2	1	–	–
Stephenson	4	43	7	3	10	16	1	7	4	–	4	1	3	28	8	7	5	1	–
Freeport	3	28	7	1	9	12	–	3	3	–	2	1	2	16	3	3	1	1	–
Balance of county	1	17	–	2	1	4	1	4	1	–	2	–	1	10	5	4	4	–	–
Tazewell	3	86	10	13	24	32	7	11	15	–	4	18	6	86	23	24	12	7	3
East Peoria	–	15	1	3	3	5	–	2	3	–	–	5	1	10	3	10	5	–	–
Morton	–	10	–	1	1	5	1	–	–	–	1	1	–	7	2	3	1	3	1
Pekin, part	2	30	1	1	13	12	3	5	5	–	–	5	3	38	6	5	3	–	1
Pekin, total	2	30	1	1	13	12	3	5	5	–	–	5	3	38	6	5	3	–	1
Washington	1	5	4	3	1	3	–	–	2	–	–	4	2	9	2	–	–	–	–
Balance of county	–	28	4	5	6	7	3	4	5	–	3	3	–	22	10	6	3	4	1
Union	1	15	4	2	5	5	1	–	1	–	–	1	1	16	4	6	1	2	–
Vermilion	4	81	10	10	19	40	4	10	9	–	3	7	5	71	15	17	13	4	1
Danville	2	45	5	7	12	18	2	6	5	–	3	6	1	39	5	7	3	3	–
Balance of county	2	36	5	3	7	22	2	4	4	–	–	1	4	32	10	10	10	1	1
Wabash	–	17	5	2	1	7	2	1	1	–	–	–	2	4	2	1	2	–	–
Warren	1	11	3	1	11	12	–	1	1	–	–	1	1	11	3	2	3	–	–
Monmouth	1	9	2	–	6	6	–	1	1	–	–	1	1	4	1	1	2	–	–
Balance of county	–	2	1	1	5	6	–	–	–	–	–	–	–	7	2	1	1	–	–
Washington	–	7	–	2	12	7	–	1	2	–	2	1	–	4	1	4	1	–	–
Wayne	–	17	2	3	6	6	–	–	1	–	3	1	3	13	4	3	–	1	–
White	1	16	2	3	8	12	2	1	1	–	–	1	2	21	4	7	1	–	–
Whiteside	5	37	5	3	19	16	4	3	2	1	5	5	10	40	5	7	12	–	–
Rock Falls	–	3	1	1	3	2	–	–	–	–	1	–	–	7	1	2	5	–	–
Sterling	3	13	–	1	1	6	1	3	2	–	3	3	2	11	–	3	2	–	–
Balance of county	2	21	4	1	15	8	3	–	–	1	1	2	8	22	4	2	5	–	–
Will	12	143	50	24	32	63	14	26	17	1	18	34	17	127	57	60	35	18	3
Bolingbrook, part	1	10	1	–	1	1	1	–	–	–	1	6	1	4	7	4	5	2	1
Bolingbrook, total	1	10	1	–	1	1	1	–	–	–	1	6	1	4	7	4	5	2	1
Joliet	2	59	32	9	18	25	7	10	6	–	4	15	6	56	14	18	13	7	2
Naperville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Park Forest, part	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Romeoville	–	2	–	1	1	4	–	2	–	1	1	1	–	7	–	1	–	–	–
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	9	72	17	13	12	32	6	14	11	–	12	12	10	59	36	37	17	9	–
Williamson	2	48	2	7	23	28	2	4	11	–	–	6	4	44	15	9	6	3	–
Herrin	1	14	1	1	5	5	1	1	4	–	–	1	–	8	2	1	4	–	–
Marion	1	11	–	2	8	3	1	–	3	–	–	1	2	13	2	3	–	2	–
Balance of county	–	23	1	4	10	20	–	3	4	–	–	4	2	23	11	5	2	1	–
Winnebago	14	177	34	26	55	77	1	35	20	–	15	15	8	196	38	26	27	13	4
Loves Park	–	5	1	2	4	3	–	1	1	–	1	1	–	8	3	–	1	–	–
Rockford	12	116	27	15	39	55	–	24	14	–	9	10	4	144	18	24	17	12	2
Balance of county	2	54	6	9	12	19	1	10	5	–	5	4	4	43	16	2	9	1	2
Woodford	–	28	1	4	14	8	–	3	1	–	1	1	1	28	9	6	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	47,449	24	6	555	10,798	2,726	3,131	922	1,167	462	391	1,999	988	23,471	17,910	160	432	13,448	3,870
Urban places	27,084	17	3	326	6,225	1,583	1,909	496	672	232	205	1,128	564	13,199	10,064	87	264	7,513	2,180
Balance of area	20,365	7	3	229	4,573	1,143	1,222	426	495	230	186	871	422	10,272	7,846	73	148	5,935	1,690
Metropolitan counties	31,988	18	4	380	7,440	1,856	2,254	628	791	295	259	1,357	674	15,530	11,896	107	290	8,925	2,574
Urban places	22,482	14	3	279	5,218	1,320	1,626	418	563	187	165	938	476	10,794	8,287	71	225	6,181	1,810
Balance of area	9,504	4	1	101	2,222	536	628	210	228	108	93	419	198	4,736	3,609	36	65	2,744	764
Nonmetropolitan counties	15,463	6	2	175	3,358	870	977	294	376	167	132	642	312	7,941	6,014	53	142	4,523	1,296
Urban places	4,602	3	-	47	1,007	263	283	78	109	45	39	190	88	2,405	1,777	16	59	1,332	370
Balance of area	10,861	3	2	128	2,351	607	694	216	267	122	93	452	224	5,536	4,237	37	83	3,191	926
Adams	236	-	-	1	40	12	8	4	4	3	1	8	5	142	106	2	-	93	11
Allen	2,145	-	-	19	488	125	128	43	58	15	13	106	40	1,090	825	4	15	618	188
Fort Wayne	1,669	-	-	16	373	92	101	30	48	14	10	78	31	854	647	2	11	481	153
Balance of county	476	-	-	3	115	33	27	13	10	1	3	28	9	236	178	2	4	137	36
Bartholomew	480	-	-	8	120	28	42	7	9	5	2	27	9	216	156	1	4	115	36
Columbus	295	-	-	7	70	14	24	4	5	3	2	18	6	138	103	-	3	72	28
Balance of county	185	-	-	1	50	14	18	3	4	2	-	9	3	78	53	1	1	43	8
Benton	90	-	-	4	17	7	2	1	2	1	-	4	1	51	39	1	-	31	7
Blackford	162	-	-	2	35	7	6	2	3	4	-	13	3	80	58	1	-	38	20
Boone	354	-	-	5	67	19	24	5	4	5	-	10	7	173	136	2	1	91	42
Lebanon	162	-	-	3	33	10	10	3	2	2	-	6	3	75	55	1	1	38	15
Balance of county	192	-	-	2	34	9	14	2	2	3	-	4	4	98	81	1	-	53	27
Brown	95	-	-	-	22	4	7	1	2	3	1	4	1	41	27	1	-	18	8
Carroll	151	-	-	1	35	11	5	3	6	2	-	8	1	80	50	3	-	39	8
Cass	381	-	-	5	82	25	18	9	10	7	2	10	9	190	133	2	3	104	24
Logansport	247	-	-	3	57	17	15	6	5	4	1	9	5	119	79	1	2	62	14
Balance of county	144	-	-	2	25	8	4	3	5	3	1	1	4	71	54	1	1	42	10
Clark	725	-	-	9	180	52	46	16	20	5	1	40	13	345	256	4	5	195	52
Clarksville	161	-	-	1	44	12	13	1	7	1	-	10	2	80	56	2	2	41	11
Jeffersonville	286	-	-	4	70	19	16	7	5	3	1	19	7	129	104	1	1	83	19
Balance of county	278	-	-	4	66	21	17	8	8	1	-	11	4	136	96	1	2	71	22
Clay	295	1	-	2	73	19	16	7	14	2	5	10	6	153	93	1	3	72	17
Clinton	321	-	-	9	56	16	7	8	8	3	5	9	6	167	118	2	-	99	17
Frankfort	181	-	-	5	32	10	4	3	6	2	3	4	2	95	64	2	-	55	7
Balance of county	140	-	-	4	24	6	3	5	2	1	2	5	4	72	54	-	-	44	10
Crawford	118	1	-	1	22	5	3	2	1	4	2	5	3	59	41	-	1	32	8
Daviess	312	-	-	6	77	20	22	3	6	8	3	15	5	182	117	1	1	92	23
Washington	167	-	-	4	37	9	10	1	4	5	2	6	4	85	60	1	-	44	15
Balance of county	145	-	-	2	40	11	12	2	2	3	1	9	1	77	57	-	1	48	8
Dearborn	274	-	-	2	70	14	22	5	15	6	1	7	5	124	90	-	-	65	25
Decatur	204	-	-	2	47	15	15	2	5	2	1	7	6	102	86	-	-	66	20
De Kalb	265	-	-	2	53	5	16	8	5	3	2	14	3	147	108	-	7	75	26
Delaware	1,009	2	-	10	226	54	57	27	21	15	10	42	10	495	389	4	15	288	82
Muncie	715	2	-	7	151	34	41	19	15	7	5	30	7	355	283	3	10	207	48
Balance of county	294	-	-	3	75	20	16	8	6	8	5	12	3	140	106	1	5	81	19
Dubois	281	-	-	2	68	25	17	2	10	3	2	9	5	134	97	-	-	70	27
Elkhart	1,122	-	-	10	248	59	81	22	24	9	12	41	24	601	484	8	8	351	117
Elkhart	454	-	-	2	87	24	29	8	4	3	3	16	10	252	201	4	8	152	37
Goshen	218	-	-	1	40	7	14	3	7	3	1	5	2	133	111	2	-	85	24
Balance of county	450	-	-	7	121	28	38	11	13	3	8	20	12	216	172	2	-	144	26
Fayette	256	-	-	3	67	19	23	3	8	2	6	8	5	122	87	-	-	74	13
Connersville	169	-	-	2	59	16	18	3	6	2	3	5	3	86	61	-	-	51	10
Balance of county	87	-	-	1	14	3	5	-	-	-	3	3	2	36	26	-	-	23	3
Floyd	527	1	-	7	121	23	44	7	12	3	9	23	9	273	197	3	8	142	44
New Albany	412	-	-	7	84	18	37	5	11	2	7	14	6	217	163	2	7	120	34
Balance of county	115	1	-	-	27	5	7	2	1	1	2	9	3	56	34	1	1	22	10
Fountain	218	-	-	2	47	10	14	4	7	-	1	11	5	111	89	1	-	77	11
Franklin	149	-	-	2	36	8	11	4	1	2	3	7	5	70	63	3	-	44	16
Fulton	189	-	-	4	42	13	11	1	6	2	1	8	6	95	70	1	-	54	15
Gibson	372	1	-	3	83	17	27	5	11	3	1	19	12	192	156	-	4	105	47
Grant	745	-	-	7	149	35	43	20	9	8	4	30	25	383	291	3	27	178	83
Marion	470	-	-	1	91	18	30	11	4	7	4	17	16	251	198	2	24	119	53
Balance of county	275	-	-	6	58	17	13	9	5	1	-	13	9	132	93	1	3	59	30
Greene	315	-	-	4	75	23	16	6	7	5	4	14	12	173	141	-	6	99	36
Hamilton	543	-	-	8	126	28	32	12	14	7	9	24	9	267	201	3	5	126	67
Carmel	129	-	-	6	35	5	8	6	3	1	3	7	-	59	44	1	-	28	15
Noblesville	138	-	-	1	32	11	8	1	5	1	1	5	3	69	53	-	4	29	20
Balance of county	276	-	-	2	59	12	16	3	6	5	5	12	6	139	104	2	1	69	32
Hancock	334	-	-	6	80	15	25	7	11	6	2	14	4	167	122	1	5	98	18
Greenfield	139	-	-	3	28	5	9	2	4	2	1	5	-	77	58	1	3	45	9
Balance of county	195	-	-	3	52	10	16	5	7	4	1	9	4	90	64	-	2	53	9
Harrison	216	-	-	2	46	12	14	8	1	-	3	8	3	112	91	-	2	64	25
Hendricks	435	-	-	9	99	24	26	11	8	2	8	20	9	197	148	-	4	116	28
Henry	534	1	1	7	111	25	27	8	16	5	8	22	11	289	197	-	3	152	42
New Castle	272	1	-	4	54	9	18	3	5	-	4	15	2	151	102	-	1	74	27
Balance of county	262	-	1	3	57	16	9	5	11	5	4	7	9	138	95	-	2	78	15
Howard	711	-	-	5	174	47	50	17	15	7	7	31	13	321	247	4	10	161	72
Kokomo	553	-	-	4	132	38	40	12	14	4	5	21	10	247	196	3	10	129	54
Balance of county	158	-	-	1	42	11	10	5	1	3	2	10	3	74	51	1	-	32	18
Huntington	408	-	-	5	78	17	20	6	14	2	5	15	10	223	155	-	4	117	34
Huntington	219	-	-	5	47	11	14	2	7	1	1	11	4	119	89	-	2	66	21
Balance of county	189	-	-	-	32	6	6	4	7	1	4	4	6	104	66	-	2	51	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana	216	4,007	821	515	1,133	1,616	160	421	479	7	322	405	422	3,637	992	996	654	307	58
Urban places	128	2,259	451	297	653	945	95	284	267	6	190	256	252	2,182	428	531	364	254	45
Balance of area	90	1,748	370	218	480	671	65	137	212	1	132	149	170	1,455	566	465	290	53	13
Metropolitan counties	149	2,606	533	346	698	1,095	102	314	306	6	217	285	303	2,529	617	672	488	268	50
Urban places	106	1,794	360	247	510	791	79	247	226	6	158	222	218	1,831	363	452	315	237	43
Balance of area	43	812	173	99	188	304	23	67	80	-	59	73	85	698	254	220	153	31	7
Nonmetropolitan counties	69	1,401	288	169	435	521	58	107	173	1	105	110	119	1,108	375	324	186	39	8
Urban places	22	465	91	50	143	154	16	37	41	-	32	34	34	351	63	79	49	17	2
Balance of area	47	936	197	119	292	367	42	70	132	1	73	76	85	757	312	245	137	22	6
Adams	-	27	6	3	5	9	-	2	-	-	3	3	-	12	7	5	2	-	-
Allen	14	193	30	28	56	74	6	17	17	1	13	25	13	146	57	43	34	5	1
Fort Wayne	9	151	23	24	43	61	6	15	14	1	8	23	11	117	38	30	23	4	1
Balance of county	5	42	7	4	13	13	-	2	3	-	5	2	2	29	19	13	11	1	-
Bartholomew	2	44	10	4	9	22	2	4	1	-	7	4	7	37	13	12	8	1	-
Columbus	-	26	6	3	5	12	-	3	1	-	4	3	6	27	4	6	3	-	-
Balance of county	2	18	4	1	4	10	2	1	-	-	3	1	1	10	9	6	5	1	-
Benton	-	10	2	-	3	4	-	-	-	-	1	-	-	5	2	-	2	-	-
Blackford	2	15	3	1	6	10	1	2	-	-	2	-	3	11	2	3	2	-	-
Boone	1	29	3	4	17	13	5	5	6	-	2	-	6	28	4	8	6	2	-
Lebanon	-	15	1	4	5	7	3	3	4	-	-	-	2	16	1	5	2	-	-
Balance of county	1	14	2	-	12	6	2	2	2	-	2	-	4	12	3	3	4	2	-
Brown	-	12	1	1	3	5	-	-	2	-	1	-	-	9	5	4	2	-	-
Carroll	-	16	7	7	1	6	-	1	2	-	1	-	1	13	5	3	1	-	-
Cass	2	38	11	6	11	20	4	4	2	-	3	3	3	31	7	8	5	3	1
Logansport	-	25	8	7	6	14	1	3	2	-	3	1	1	20	3	4	1	3	1
Balance of county	2	11	3	1	5	6	3	1	-	-	-	2	2	11	4	4	4	-	-
Clark	2	72	8	7	12	18	3	6	3	-	3	11	11	64	9	19	12	5	2
Clarksville	1	18	4	1	2	2	-	1	2	-	1	-	1	15	3	5	1	1	-
Jeffersonville	-	20	3	2	6	12	-	4	1	-	1	5	6	26	2	5	3	2	1
Balance of county	1	34	1	4	2	4	3	1	-	-	1	6	4	23	4	9	6	2	1
Clay	1	47	9	3	4	10	1	2	3	-	-	3	3	18	4	7	4	1	-
Clinton	-	39	10	-	14	13	1	1	2	-	1	4	4	25	8	6	4	-	-
Frankfort	-	28	3	-	10	8	-	-	2	-	-	2	-	16	3	4	2	-	-
Balance of county	-	11	7	-	4	5	1	1	-	-	1	2	4	9	5	2	2	-	-
Crawford	-	13	2	3	6	3	-	2	1	-	1	2	1	6	-	6	1	1	-
Daviess	-	34	10	1	7	13	1	2	6	-	1	-	1	18	6	7	-	-	-
Washington	-	20	4	1	6	10	1	2	4	-	-	-	-	10	1	3	-	-	-
Balance of county	-	14	6	-	1	3	-	-	2	-	1	-	1	8	5	4	-	-	-
Dearborn	1	24	5	4	12	17	1	2	-	-	3	-	-	19	3	12	3	-	1
Decatur	-	12	3	1	4	6	1	1	3	-	1	2	3	19	1	2	2	-	-
De Kalb	-	28	10	3	3	7	1	-	5	-	3	5	-	19	11	4	-	2	-
Delaware	8	88	15	15	21	31	1	13	5	-	10	10	14	85	18	22	17	7	1
Muncie	6	63	10	13	16	26	-	12	4	-	7	8	8	67	12	18	11	6	-
Balance of county	2	25	5	2	5	5	1	1	1	-	3	2	6	28	7	6	6	1	1
Dubois	4	22	9	2	14	2	1	2	3	-	1	3	1	25	14	12	4	-	-
Elkhart	2	80	22	13	22	28	-	8	5	-	4	8	8	82	31	24	10	-	1
Elkhart	-	41	5	5	7	15	-	4	3	-	2	2	3	39	8	14	5	-	1
Goshen	1	11	9	1	6	7	-	1	-	-	-	1	1	19	6	1	-	-	-
Balance of county	1	28	8	7	9	4	-	3	2	-	2	5	4	34	17	9	5	-	-
Fayette	1	26	6	2	5	7	-	-	2	-	2	-	-	23	9	4	7	-	-
Connersville	-	18	6	1	3	6	-	-	2	-	1	-	-	16	5	4	6	-	-
Balance of county	1	8	-	1	2	1	-	-	-	-	1	-	-	5	4	-	1	-	-
Floyd	1	57	10	8	9	16	1	2	5	-	3	2	5	33	13	10	14	3	-
New Albany	1	38	9	8	9	14	-	1	5	-	2	1	5	24	10	5	9	3	-
Balance of county	-	19	1	2	-	2	1	1	-	-	1	1	-	9	3	5	5	-	-
Fountain	2	16	2	2	6	11	-	1	3	-	2	1	1	16	4	2	2	-	-
Franklin	1	4	1	1	4	5	-	2	2	-	1	1	-	11	4	4	1	1	-
Fulton	-	19	2	4	3	6	-	-	2	-	1	-	2	14	3	7	2	-	2
Gibson	-	29	4	3	4	11	-	1	12	-	3	3	1	32	8	5	1	-	-
Grant	6	72	10	4	22	24	4	4	7	-	4	6	10	62	10	15	10	3	-
Marion	4	40	6	3	14	12	3	2	5	-	2	6	7	41	5	5	7	2	-
Balance of county	2	32	4	1	8	12	1	2	2	-	2	-	3	21	5	10	3	1	-
Greene	1	25	5	1	5	6	-	2	2	-	4	1	1	17	3	6	3	1	-
Hamilton	4	36	23	3	13	22	1	6	3	-	3	3	4	45	14	9	5	3	2
Carmel	2	5	7	1	6	5	1	1	-	-	1	-	-	10	3	1	1	1	-
Noblesville	-	11	5	-	4	8	-	2	-	-	1	1	2	8	1	3	1	2	-
Balance of county	2	20	11	2	3	9	-	3	3	-	1	2	2	27	10	5	3	-	2
Hancock	5	26	8	6	5	16	-	3	4	-	1	4	4	25	8	2	2	1	-
Greenfield	3	11	4	1	1	7	-	2	3	-	1	-	1	14	-	-	1	1	-
Balance of county	2	15	4	5	4	11	-	1	1	-	-	4	3	11	8	2	1	-	-
Harrison	-	14	4	3	3	7	-	1	2	-	3	4	4	13	7	7	2	-	-
Hendricks	1	35	9	4	17	14	1	2	2	-	5	3	2	43	13	7	12	-	-
Henry	3	68	13	8	12	12	5	4	5	-	3	1	5	32	10	9	11	3	2
New Castle	1	36	8	4	8	5	1	2	3	-	3	1	2	21	2	5	6	1	-
Balance of county	2	32	5	4	4	7	4	2	2	-	-	-	3	11	8	4	5	2	2
Howard	5	47	13	9	20	16	-	10	14	1	4	2	27	64	19	15	9	-	3
Kokomo	5	34	8	4	17	14	-	8	13	1	4	2	20	47	11	13	8	-	2
Balance of county	-	13	5	5	3	2	-	2	1	-	-	-	7	17	2	2	1	-	1
Huntington	3	45	14	6	12	9	2	3	6	-	3	2	1	24	11	12	5	1	-
Huntington	1	18	9	2	5	5	-	1	3	-	2	1	1	10	5	6	4	1	-
Balance of county	2	27	5	4	7	4	2	2	3	-	1	1	-	14	6	6	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 099-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	340	1	–	1	81	21	16	8	13	2	2	19	2	160	124	2	3	93	26
Seymour	159	1	–	–	36	13	7	2	6	1	1	6	2	81	62	1	1	46	14
Balance of county	181	–	–	1	45	8	9	6	7	1	1	13	–	79	62	1	2	47	12
Jasper	185	–	–	3	35	11	12	2	1	2	–	7	4	100	83	2	2	62	17
Jay	217	–	–	5	38	9	12	3	2	3	1	8	5	123	88	1	3	67	17
Jefferson	259	–	–	3	49	14	13	2	5	1	1	13	1	138	102	–	3	79	20
Madison	144	–	–	1	27	8	7	1	3	–	1	7	1	77	56	–	3	40	13
Balance of county	115	–	–	2	22	6	6	1	2	1	–	6	–	59	46	–	–	39	7
Jennings	202	–	–	3	46	12	17	4	5	–	2	6	1	98	74	–	1	58	15
Johnson	554	–	–	4	114	27	36	11	9	2	8	21	7	285	209	1	1	169	38
Franklin	185	–	–	2	25	6	9	2	1	–	2	5	4	84	56	–	–	46	10
Greenwood	188	–	–	1	48	17	12	3	4	1	3	6	3	91	58	1	–	50	7
Balance of county	203	–	–	1	43	4	15	6	4	1	3	10	–	110	85	–	1	73	21
Knox	492	–	–	2	103	23	29	11	11	4	2	23	10	278	200	1	–	155	44
Vincennes	274	–	–	1	62	15	15	7	7	1	1	16	4	150	105	–	–	87	18
Balance of county	218	–	–	1	41	8	14	4	4	3	1	7	6	128	95	1	–	68	26
Kosciusko	506	–	–	4	108	23	25	7	16	4	4	29	11	257	196	3	6	128	59
Warsaw	118	–	–	–	30	7	8	3	2	–	1	9	2	51	37	2	4	18	13
Balance of county	388	–	–	4	78	16	17	4	14	4	3	20	9	206	159	1	2	110	46
Lagrange	180	–	–	3	40	11	10	4	3	–	2	10	5	70	51	–	–	34	17
Lake	4,333	5	2	44	1,044	260	328	86	112	39	32	187	127	2,014	1,613	17	45	1,223	326
Crown Point	185	–	–	5	41	8	7	2	7	5	–	12	3	94	73	–	3	58	12
East Chicago	358	1	–	2	76	27	22	5	8	2	–	12	17	177	143	1	6	114	22
Gary	1,341	3	1	12	325	79	103	31	35	11	10	56	48	580	448	6	20	319	103
Griffith	139	–	–	1	28	7	8	2	4	1	1	5	1	71	57	–	1	41	15
Hammond	649	1	–	9	179	36	70	9	13	10	7	34	25	432	353	3	8	278	64
Highland	170	–	–	3	58	19	18	6	6	1	–	8	4	69	61	1	1	46	11
Hobart	185	–	1	3	58	16	20	1	4	1	3	11	–	87	69	2	2	52	13
Lake Station	101	–	–	1	28	5	14	3	1	1	1	4	2	39	32	–	1	24	7
Merrillville	250	–	–	2	71	17	14	9	13	3	5	10	5	109	88	1	1	69	17
Munster	151	–	–	1	28	4	8	3	4	2	–	7	5	88	76	2	–	57	17
Schererville	41	–	–	–	12	2	3	1	1	–	1	4	–	20	17	–	–	14	3
Balance of county	553	–	–	5	141	40	41	14	16	2	4	24	17	248	196	1	2	149	44
La Porte	997	1	–	11	226	68	53	19	23	11	7	45	21	527	415	1	3	348	83
La Porte	288	–	–	2	63	15	17	8	5	6	1	11	4	158	107	–	1	91	15
Michigan City	386	1	–	3	87	33	14	5	9	2	4	20	10	211	173	1	2	143	27
Balance of county	323	–	–	6	76	20	22	6	9	3	2	14	7	158	135	–	–	114	21
Lawrence	469	–	–	4	99	29	22	11	9	4	3	21	15	248	188	2	5	127	54
Bedford	220	–	–	3	50	12	15	5	6	–	1	11	6	126	88	–	2	62	24
Balance of county	249	–	–	1	49	17	7	6	3	4	2	10	9	120	100	2	3	65	30
Madison	1,249	–	–	12	290	71	87	19	36	14	6	57	37	628	478	4	16	365	73
Anderson	688	–	–	8	158	39	48	14	17	6	3	31	14	357	271	3	10	217	41
Elwood, part	131	–	–	–	31	5	11	3	5	2	–	5	4	53	43	–	2	34	7
Elwood, total	131	–	–	–	31	5	11	3	5	2	–	5	4	53	43	–	2	34	7
Balance of county	430	–	–	4	101	27	28	2	14	6	3	21	19	218	164	1	4	134	25
Marion	6,719	6	–	112	1,641	426	539	111	171	52	53	289	151	2,994	2,302	14	60	1,757	471
Beech Grove	158	–	–	2	30	11	5	6	2	2	–	4	1	82	67	–	–	60	7
Indianapolis	6,390	6	–	110	1,565	407	515	99	165	50	52	277	144	2,834	2,172	13	58	1,645	456
Lawrence	40	–	–	–	8	2	5	–	1	–	–	–	1	20	18	–	–	17	1
Speedway	47	–	–	–	18	4	6	2	1	–	1	4	2	19	14	1	–	10	3
Balance of county	84	–	–	–	20	2	8	4	2	–	–	4	3	39	31	–	2	25	4
Marshall	395	–	–	6	87	16	18	14	4	10	4	21	10	203	159	1	2	124	32
Martin	102	–	–	1	20	5	6	3	1	1	1	3	2	53	38	1	1	19	17
Miami	347	–	–	4	74	18	20	3	9	3	5	16	7	165	137	2	1	97	37
Peru	176	–	–	2	34	10	9	1	3	1	4	6	4	84	74	1	–	58	15
Balance of county	171	–	–	2	40	8	11	2	6	2	1	10	3	81	63	1	1	39	22
Monroe	520	–	–	9	105	21	30	9	14	7	1	23	15	255	172	1	2	129	40
Bloomington	322	–	–	7	58	10	14	6	8	5	–	15	9	162	105	–	2	75	28
Balance of county	198	–	–	2	47	11	16	3	6	2	1	8	6	93	67	1	–	54	12
Montgomery	337	–	–	1	71	21	21	10	6	2	2	9	7	181	131	2	–	102	27
Crawfordsville	193	–	–	–	36	13	13	4	3	–	–	3	3	105	78	1	–	58	19
Balance of county	144	–	–	1	35	8	8	6	3	2	2	6	4	76	55	1	–	46	8
Morgan	428	–	–	3	104	26	33	9	12	6	6	12	5	181	147	2	3	108	34
Martinsville	146	–	–	1	33	13	8	2	5	1	3	1	–	66	49	–	1	36	10
Balance of county	282	–	–	2	71	13	25	7	7	5	3	11	5	115	98	2	2	70	24
Newton	122	–	–	–	24	5	6	3	5	–	–	5	3	65	49	–	–	41	8
Noble	281	–	–	3	50	12	14	6	4	5	–	9	2	160	125	–	1	99	25
Ohio	55	–	–	1	11	1	3	2	2	1	–	2	–	30	23	–	–	18	5
Orange	212	1	–	4	46	13	10	4	4	3	2	10	4	108	82	–	1	65	16
Owen	132	–	–	5	31	7	9	3	6	–	2	4	2	73	55	–	1	46	8
Parke	171	–	–	1	34	9	11	5	5	–	3	1	4	100	83	1	19	52	11
Perry	184	–	–	3	42	14	8	3	8	1	2	6	3	92	71	1	–	58	14
Pike	152	–	–	2	31	7	7	6	4	3	2	2	4	87	67	–	–	52	15
Porter	770	–	1	9	165	56	36	15	13	6	4	35	23	384	303	2	4	228	59
Portage	189	–	–	2	41	14	13	5	1	2	1	5	6	81	61	–	1	44	16
Valparaiso	248	–	–	3	50	18	11	3	7	–	1	10	9	138	105	1	2	74	28
Balance of county	333	–	1	4	74	24	12	7	5	4	2	20	8	165	137	1	1	110	25
Posey	225	–	–	3	46	8	17	1	5	3	4	8	2	120	90	2	–	63	25
Pulaski	144	–	–	2	37	8	10	3	5	–	3	6	3	75	54	1	1	41	11
Putnam	281	–	–	1	62	16	12	11	5	2	5	11	4	142	104	2	–	85	17
Randolph	250	–	–	2	56	12	10	7	7	5	2	13	9	130	109	1	9	79	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E998)
Indiana—Con.																			
Jackson	3	30	2	1	12	12	1	6	8	–	2	4	4	22	14	3	5	1	1
Seymour	2	14	2	1	6	6	–	2	3	–	2	1	2	10	4	1	1	1	–
Balance of county	1	16	–	–	6	6	1	4	5	–	–	3	2	12	10	2	4	–	1
Jasper	–	11	3	3	3	14	–	2	7	–	–	–	4	11	5	5	2	–	–
Jay	1	20	11	3	3	12	–	1	2	–	–	–	–	19	6	2	1	–	–
Jefferson	2	23	5	4	20	12	–	3	1	–	1	2	1	16	3	5	5	1	–
Madison	2	14	3	2	10	5	–	1	1	–	1	1	–	13	2	2	2	–	–
Balance of county	–	9	2	2	10	7	–	2	–	–	–	1	1	3	1	3	3	1	–
Jennings	–	21	1	2	–	6	1	2	2	–	4	5	4	19	6	2	3	–	–
Johnson	1	44	20	11	25	25	1	5	4	–	3	5	7	38	12	8	10	1	–
Franklin	–	14	12	2	17	8	1	2	1	–	–	1	1	13	1	4	1	–	–
Greenwood	1	19	5	8	3	6	–	1	2	–	2	2	2	16	5	1	5	–	–
Balance of county	–	11	3	1	5	11	–	2	1	–	1	2	4	8	6	3	4	1	–
Knox	2	57	12	7	13	19	–	5	4	–	2	4	3	31	6	8	3	1	–
Vincennes	2	33	6	4	5	13	–	3	2	–	1	4	3	17	4	3	1	1	–
Balance of county	–	24	6	3	8	8	–	2	2	–	1	–	–	14	2	5	2	–	–
Kosciusko	2	45	10	4	14	18	2	–	6	1	5	9	5	30	19	9	6	2	–
Warsaw	–	12	2	–	8	8	1	–	–	–	–	–	–	15	–	3	1	1	–
Balance of county	2	33	8	4	6	12	1	–	6	1	5	9	5	15	19	6	5	1	–
Lagrange	–	14	3	2	1	9	–	2	5	–	2	1	3	16	10	7	5	1	–
Lake	19	304	40	38	70	112	15	57	60	1	34	45	60	297	74	110	47	108	7
Crown Point	1	17	2	1	2	5	1	1	6	–	2	2	2	6	7	2	3	3	–
East Chicago	3	23	5	3	11	9	–	5	4	–	5	5	–	19	6	12	2	6	1
Gary	7	103	7	15	18	26	5	17	18	–	10	16	27	95	20	36	8	78	3
Griffith	2	10	2	–	2	4	1	1	2	–	–	2	1	9	4	4	6	1	1
Hammond	3	62	6	8	8	27	1	13	9	1	5	9	11	65	13	19	11	11	–
Highland	–	5	3	–	2	4	1	2	1	–	–	2	3	9	5	4	3	–	–
Hobart	–	13	3	2	5	3	4	5	–	–	1	1	2	19	3	5	–	–	–
Lake Station	–	6	–	1	5	6	1	–	1	–	2	–	4	5	2	2	1	1	–
Merrillville	1	12	4	4	6	12	–	4	7	–	2	3	3	16	1	5	1	3	–
Munster	–	10	1	1	5	1	–	2	1	–	–	–	–	12	–	3	1	2	2
Schererville	–	3	–	–	–	1	–	1	1	–	1	–	1	–	–	2	2	–	–
Balance of county	2	40	7	3	11	14	1	6	10	–	6	5	6	42	13	16	9	3	–
La Porte	7	89	11	5	17	25	1	14	8	–	2	8	5	67	29	15	12	7	1
La Porte	–	41	7	3	5	7	–	6	2	–	1	5	–	20	8	2	4	1	–
Michigan City	5	30	2	1	6	11	1	7	1	–	1	3	1	28	4	5	1	5	–
Balance of county	2	18	2	1	6	7	–	1	5	–	–	–	4	19	17	8	7	1	1
Lawrence	2	42	7	7	11	17	3	3	5	–	4	1	4	30	10	11	6	–	–
Bedford	2	27	5	4	5	2	–	1	1	–	2	–	2	12	2	5	3	–	–
Balance of county	–	15	2	3	6	15	3	2	4	–	2	1	2	18	8	6	3	–	–
Madison	4	102	30	14	23	36	3	10	12	–	12	16	7	88	28	19	13	11	4
Anderson	2	60	17	7	7	19	2	5	7	–	8	9	3	52	9	10	9	7	4
Elwood, part	2	4	3	1	6	6	–	2	3	–	2	2	–	6	5	5	2	2	–
Elwood, total	2	4	3	1	6	6	–	2	3	–	2	2	–	6	5	5	2	2	–
Balance of county	–	38	10	6	6	11	1	3	2	–	2	5	4	30	14	4	2	2	–
Marion	29	505	95	63	161	278	34	77	60	2	53	88	40	597	110	116	109	69	21
Beech Grove	–	12	–	3	–	4	–	–	1	–	1	5	1	25	3	1	–	2	–
Indianapolis	29	481	94	58	155	268	33	77	59	2	51	82	39	565	104	109	102	66	21
Lawrence	–	2	–	–	2	2	–	–	–	–	1	–	–	2	1	–	2	1	–
Speedway	–	4	–	1	1	4	–	–	–	–	–	–	–	–	–	1	2	–	–
Balance of county	–	6	1	1	3	2	1	–	–	–	–	1	–	5	2	5	3	–	–
Marshall	1	29	10	4	8	13	1	2	4	–	2	–	3	28	12	11	3	2	–
Martin	–	9	4	2	2	1	1	–	2	–	–	–	3	5	3	4	4	1	–
Miami	1	20	2	5	11	9	5	2	4	–	2	3	6	24	10	10	8	2	–
Peru	1	7	–	2	10	7	3	2	1	–	2	1	3	13	1	5	3	1	–
Balance of county	–	13	2	3	1	2	2	–	3	–	–	2	3	11	9	5	6	1	–
Monroe	–	61	17	5	7	17	–	4	8	–	4	2	7	38	12	17	14	4	2
Bloomington	–	43	10	4	2	13	–	2	4	–	3	1	5	28	7	8	9	2	2
Balance of county	–	18	7	1	5	4	–	2	4	–	1	1	2	10	5	9	5	2	–
Montgomery	1	41	9	2	17	10	3	3	5	–	1	2	–	27	5	2	1	–	–
Crawfordsville	–	24	4	1	8	8	2	2	5	–	1	–	–	19	2	1	1	–	–
Balance of county	1	17	2	1	9	2	1	1	–	–	–	2	–	8	4	1	–	–	–
Morgan	1	25	5	3	10	24	4	6	8	–	1	4	3	44	9	11	5	5	1
Martinsville	–	13	3	1	3	8	2	2	3	–	1	1	2	17	2	3	1	–	1
Balance of county	1	12	2	2	7	16	2	4	5	–	–	3	1	27	7	8	4	5	–
Newton	1	11	3	1	5	10	–	1	1	–	1	1	–	3	6	2	–	–	–
Noble	3	29	2	1	5	9	–	2	–	–	2	6	4	19	6	5	7	1	–
Ohio	–	4	1	2	3	–	–	2	–	–	–	–	–	3	2	2	–	1	–
Orange	–	20	3	3	9	3	2	–	2	–	2	–	1	21	4	3	–	2	–
Owen	–	12	6	–	2	3	–	–	2	–	1	1	1	4	2	4	1	–	–
Parke	–	12	3	2	3	12	–	–	–	–	1	–	–	10	–	5	1	–	–
Perry	–	15	5	1	8	5	–	3	5	–	1	–	–	19	5	2	6	–	–
Pike	–	14	5	1	4	5	–	1	1	–	–	–	–	11	4	2	–	–	–
Porter	3	56	13	9	17	23	1	10	8	–	4	5	7	36	34	22	18	3	–
Portage	1	14	3	2	3	9	1	8	4	–	2	2	2	10	4	9	5	–	–
Valparaiso	2	21	6	4	9	5	–	1	2	–	1	1	–	13	8	4	4	–	–
Balance of county	–	21	4	3	5	9	–	1	2	–	1	2	5	13	22	9	9	3	–
Posey	3	28	–	1	1	6	–	3	3	–	–	–	3	22	6	8	3	–	–
Pulaski	–	17	2	2	1	6	–	2	4	–	1	–	–	7	3	3	–	–	–
Putnam	3	28	5	2	4	9	1	2	2	–	2	2	2	28	8	9	3	–	–
Randolph	2	15	3	1	5	8	1	1	5	–	–	1	3	18	5	4	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (176-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	213	–	–	1	55	13	20	2	4	2	2	12	2	96	78	–	1	51	26
Rush	215	–	–	2	49	11	13	2	7	2	0	8	1	115	95	1	1	83	10
St. Joseph	2,232	–	–	20	544	138	154	47	75	16	22	92	32	1,125	842	10	15	630	187
Mishawaka	419	–	–	2	115	28	31	8	18	4	8	20	6	188	140	–	2	109	29
South Bend	1,261	–	–	14	295	77	83	25	47	5	8	50	21	635	476	4	11	351	110
Balance of county	552	–	–	4	134	33	40	14	12	7	6	22	5	302	226	6	2	170	48
Scott	172	–	–	–	35	10	8	2	3	2	3	7	–	91	74	–	1	56	17
Shelby	298	–	–	1	85	20	29	9	10	6	3	10	–	135	101	1	7	78	15
Shelbyville	154	–	–	–	42	12	16	4	4	3	1	2	–	72	45	1	4	31	9
Balance of county	144	–	–	1	43	8	12	4	6	3	2	8	–	63	56	–	3	47	6
Spencer	194	–	–	3	34	7	9	5	2	2	–	8	4	114	90	1	2	58	29
Starke	212	1	–	2	51	15	11	6	5	6	–	8	2	113	91	–	1	59	31
Steuben	223	–	–	1	66	11	17	6	7	5	–	20	6	101	76	2	1	54	18
Sullivan	261	–	–	1	52	12	16	5	5	4	1	9	6	149	110	1	–	99	10
Switzerland	69	–	–	–	18	4	7	1	3	1	–	2	1	29	24	–	–	18	6
Tippecanoe	834	–	–	3	204	55	57	19	17	10	8	38	23	398	294	3	–	249	42
Lafayette	505	–	–	2	115	26	38	11	11	5	4	20	16	253	193	1	–	164	28
West Lafayette	125	–	–	1	30	12	5	4	1	1	1	6	3	55	38	2	–	30	4
Balance of county	204	–	–	–	59	17	14	4	5	4	3	12	4	88	65	–	–	55	10
Tipton	136	–	–	1	32	11	7	4	3	–	3	4	2	69	55	–	1	46	8
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	136	–	–	1	32	11	7	4	3	–	3	4	2	69	55	–	1	46	8
Union	70	–	–	1	19	8	7	1	1	–	–	2	1	30	22	–	1	12	9
Vanderburgh	1,798	1	1	20	395	88	125	33	45	14	12	78	31	938	752	3	30	514	205
Evansville	1,678	1	1	17	368	83	117	32	40	13	9	74	29	875	708	3	28	482	193
Balance of county	120	–	–	3	27	5	8	1	5	1	3	4	2	63	46	–	2	32	12
Vermillion	224	1	–	2	44	14	11	4	2	3	1	9	4	128	94	3	7	68	16
Vigo	1,178	–	–	24	258	68	99	30	12	7	8	34	21	592	434	3	4	316	111
Terre Haute	814	–	–	14	168	43	66	18	8	7	4	24	13	416	304	3	4	222	75
Balance of county	364	–	–	10	90	25	33	12	6	–	4	10	8	176	130	–	–	94	36
Wabash	349	–	–	2	62	16	18	8	4	6	4	6	7	184	138	1	4	116	17
Wabash	133	–	–	–	30	7	9	3	2	4	2	3	–	70	51	–	2	38	11
Balance of county	216	–	–	2	32	9	9	5	2	2	2	3	7	114	87	1	2	78	6
Warren	83	–	–	1	13	4	3	–	2	1	1	2	1	41	35	–	1	24	10
Warrick	297	–	–	4	67	14	25	1	7	4	2	14	5	194	113	1	2	70	40
Washington	195	–	–	5	46	14	11	5	7	1	3	5	1	96	73	–	3	63	7
Wayne	716	–	–	7	172	38	50	10	33	10	4	27	11	374	283	4	15	226	46
Richmond	471	–	–	4	111	26	38	6	21	6	3	13	10	248	192	4	12	150	26
Balance of county	245	–	–	3	61	12	14	4	12	4	1	14	1	126	101	–	3	76	22
Wells	188	–	–	4	35	12	6	6	3	1	–	7	4	115	80	2	1	70	14
White	247	–	–	2	43	12	12	2	5	–	3	9	7	127	92	–	–	77	15
Whitley	223	–	1	3	48	13	11	3	5	4	–	12	8	114	77	1	–	60	16
Iowa	27,020	10	–	229	5,835	1,587	1,487	520	681	320	217	1,043	439	13,888	10,589	82	273	7,682	2,402
Urban places	10,779	5	–	103	2,427	625	687	219	266	113	96	421	186	5,371	4,107	40	128	2,970	969
Balance of area	16,241	5	–	126	3,408	962	800	301	415	207	121	622	251	8,517	6,482	42	145	4,682	1,433
Metropolitan counties	9,107	3	–	86	2,067	539	588	199	209	103	84	387	163	4,443	3,432	32	102	2,468	890
Urban places	7,429	2	–	68	1,713	451	491	161	168	76	69	297	132	3,603	2,790	26	87	1,986	691
Balance of area	1,678	1	–	18	374	88	95	38	41	27	15	70	31	840	642	6	15	482	199
Nonmetropolitan counties	17,913	7	–	143	3,768	1,028	901	321	472	217	133	676	276	9,545	7,157	50	171	5,364	1,572
Urban places	3,350	3	–	35	714	174	198	58	98	37	27	124	56	1,768	1,317	14	41	984	278
Balance of area	14,563	4	–	108	3,034	854	705	263	374	180	106	552	220	7,777	5,840	36	130	4,380	1,294
Adair	115	–	–	2	23	6	9	2	6	–	–	–	–	61	46	–	–	36	10
Adams	79	–	–	–	17	3	3	2	–	2	–	7	–	37	30	–	–	23	7
Allamakee	171	–	–	1	42	6	8	2	13	1	2	10	4	82	60	–	–	52	8
Appanoose	182	–	–	–	42	7	12	3	4	2	–	14	3	95	69	–	2	52	15
Audubon	74	–	–	–	21	9	1	–	2	1	2	8	2	31	21	–	–	14	7
Benton	213	–	–	2	42	15	12	3	2	3	2	5	3	122	80	–	3	67	10
Black Hawk	998	–	–	5	234	65	56	31	24	16	9	33	16	493	356	3	4	284	65
Cedar Falls	223	–	–	2	44	17	10	7	5	1	–	4	5	115	83	2	1	63	17
Waterloo	644	–	–	2	153	40	37	19	12	11	8	25	9	314	223	1	2	177	43
Balance of county	131	–	–	1	37	8	8	5	7	4	1	3	2	64	50	–	1	44	5
Boone	269	–	–	7	48	12	8	4	13	2	2	6	3	151	110	–	–	86	24
Boone	174	–	–	6	31	7	6	3	9	–	2	4	3	99	71	–	–	53	18
Balance of county	95	–	–	1	17	5	3	1	4	2	–	2	–	52	39	–	–	33	6
Bremer	206	–	–	3	34	9	8	4	5	–	1	7	7	111	84	–	3	61	20
Buchanan	211	–	–	5	38	13	11	1	7	–	–	6	1	125	103	1	1	69	32
Buena Vista	214	–	–	1	42	9	4	5	8	4	3	9	1	118	97	–	2	66	29
Butler	183	–	–	2	45	11	13	5	2	2	2	10	4	96	67	–	3	55	9
Calhoun	173	–	–	4	35	7	6	1	6	–	3	12	–	85	58	–	1	43	14
Carroll	239	–	–	–	62	18	17	4	6	4	2	11	5	123	94	2	4	64	24
Cass	220	–	–	–	50	20	14	2	5	2	–	7	7	124	83	1	–	67	15
Cedar	175	–	–	1	44	14	11	5	4	2	1	7	3	80	48	–	–	39	9
Cerro Gordo	519	1	–	1	104	25	30	6	11	8	5	19	2	306	241	–	2	203	36
Mason City	334	1	–	1	64	13	13	4	11	4	4	15	1	192	150	–	2	128	20
Balance of county	185	–	–	–	40	12	17	2	–	4	1	4	1	114	91	–	–	75	16
Cherokee	168	–	–	–	35	8	11	1	2	3	1	8	3	94	71	–	5	52	14
Chickasaw	158	–	–	1	25	6	8	2	1	2	3	9	1	95	76	–	1	66	9
Clarke	103	–	–	1	17	5	4	3	2	1	–	2	1	67	52	–	4	34	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E899)
Indiana—Con.																			
Ripley	2	12	1	3	7	8	–	4	6	–	1	2	1	20	2	8	–	–	–
Rush	2	16	1	1	7	6	4	1	2	–	1	2	–	20	2	3	–	–	–
St. Joseph	15	208	30	30	45	67	5	19	14	–	9	16	28	191	35	41	28	12	2
Mishawaka	2	35	7	4	9	15	2	3	6	–	3	2	4	42	9	7	5	1	–
South Bend	7	113	17	22	28	34	2	11	6	–	4	11	17	113	18	24	16	10	2
Balance of county	6	60	6	4	10	18	1	5	–	–	2	3	5	36	8	10	8	1	–
Scott	–	16	–	1	6	3	1	–	2	–	2	2	–	13	11	3	2	1	–
Shelby	1	23	6	2	10	12	–	6	1	–	4	4	2	25	4	5	4	–	–
Shelbyville	1	18	7	1	7	2	–	4	–	–	3	3	1	13	2	3	2	–	–
Balance of county	–	5	1	1	3	10	–	2	1	–	1	1	1	12	2	2	2	–	–
Spencer	–	15	5	4	4	4	1	–	2	–	3	1	3	14	3	3	1	–	–
Starke	–	17	4	1	13	3	1	1	3	–	2	–	2	10	5	–	3	–	–
Steuben	–	14	3	6	6	6	–	–	3	–	2	1	1	20	6	2	2	–	–
Sullivan	1	30	5	3	5	6	–	–	2	–	1	3	–	22	6	4	4	–	–
Switzerland	–	4	–	1	3	3	–	1	–	–	–	–	–	7	–	4	3	–	–
Tippecanoe	4	73	16	9	16	39	4	5	6	–	6	12	6	60	15	16	18	4	1
Lafayette	2	43	11	4	9	25	1	4	3	–	4	7	4	34	3	12	9	3	1
West Lafayette	–	13	3	3	5	8	1	–	1	–	2	1	2	11	1	–	4	–	–
Balance of county	2	17	2	2	2	6	2	1	2	–	–	4	–	15	11	4	5	1	–
Tipton	1	9	2	2	3	5	1	1	2	–	1	–	–	11	3	1	4	–	–
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	9	2	2	3	5	1	1	2	–	1	–	–	11	3	1	4	–	–
Union	–	7	–	1	3	1	–	–	3	–	–	–	–	8	1	3	–	–	–
Vanderburgh	8	152	11	15	36	55	10	15	14	1	9	5	15	144	15	48	30	15	–
Evansville	8	138	9	14	34	51	10	14	14	1	8	5	14	137	14	45	25	15	–
Balance of county	–	14	2	1	2	4	–	1	–	–	1	–	1	7	1	3	5	–	–
Vermillion	1	16	7	6	4	14	–	3	1	–	–	–	–	15	–	6	4	–	–
Vigo	6	93	47	12	28	44	1	6	11	–	8	4	11	104	20	26	13	4	1
Terre Haute	4	65	32	11	27	30	–	6	9	–	6	4	7	77	11	14	9	3	–
Balance of county	2	28	15	1	1	14	1	2	2	–	2	–	4	27	9	12	4	1	1
Wabash	2	35	7	2	17	7	–	–	5	–	2	2	3	33	11	10	4	–	–
Wabash	–	15	3	1	7	3	–	–	1	–	2	1	2	10	1	5	1	–	–
Balance of county	2	20	4	1	10	4	–	–	4	–	–	1	1	23	10	5	3	–	–
Warren	–	4	1	1	1	5	1	2	–	–	–	3	1	7	3	4	–	–	–
Warrick	3	12	2	4	7	10	–	3	3	–	5	2	8	26	8	8	6	1	–
Washington	2	16	–	3	8	8	–	–	1	–	3	–	–	12	5	5	3	2	–
Wayne	2	56	10	13	27	19	4	3	2	–	7	8	4	43	13	13	7	1	1
Richmond	2	37	7	10	16	14	3	–	2	–	4	4	4	31	7	10	2	–	1
Balance of county	–	19	3	3	11	5	1	3	–	–	3	4	–	12	6	3	5	1	–
Wells	3	20	–	2	2	7	1	1	1	–	1	2	–	8	1	3	3	–	–
White	1	21	8	5	1	14	2	1	2	–	3	2	2	21	10	8	2	–	–
Whitley	1	25	8	3	5	7	1	1	8	–	–	3	1	7	7	5	3	1	–
Iowa	143	2,413	509	334	1,007	989	132	206	137	5	168	174	149	2,102	493	538	347	74	28
Urban places	60	923	158	123	385	445	52	112	56	1	81	87	85	877	142	198	144	45	15
Balance of area	83	1,490	351	211	642	524	80	94	81	4	87	87	64	1,225	341	340	203	29	13
Metropolitan counties	49	722	129	111	287	364	37	91	45	1	72	82	56	749	152	192	138	44	15
Urban places	40	584	101	88	251	312	34	82	34	1	60	68	48	604	103	151	111	40	12
Balance of area	9	138	28	23	36	52	3	9	11	–	12	14	8	145	49	41	27	4	3
Nonmetropolitan counties	94	1,691	380	223	720	625	95	115	92	4	96	92	93	1,353	331	346	209	30	13
Urban places	20	339	57	35	114	133	18	30	22	–	21	19	17	273	39	47	33	5	3
Balance of area	74	1,352	323	188	606	472	77	85	70	4	75	73	76	1,080	292	299	176	25	10
Adair	–	7	3	5	5	3	2	–	1	–	1	–	–	10	2	4	1	–	–
Adams	–	4	2	1	5	4	–	1	2	–	1	1	–	7	–	2	2	–	–
Allamakee	–	17	5	–	6	10	2	1	1	–	–	–	–	10	6	4	2	–	–
Appanoose	–	16	8	2	1	7	1	2	–	–	1	3	–	12	5	4	4	1	1
Audubon	–	4	2	4	4	1	–	–	–	–	2	1	–	7	2	2	1	–	–
Benton	6	33	1	2	11	7	–	–	–	–	–	2	2	13	4	4	1	–	–
Black Hawk	8	95	20	14	26	44	5	5	9	–	8	10	7	67	13	16	17	2	1
Cedar Falls	3	25	2	2	8	16	1	–	1	–	1	4	3	18	3	–	1	1	–
Waterloo	5	60	16	10	17	28	4	3	5	–	7	6	4	55	8	14	15	1	1
Balance of county	–	10	2	2	1	2	–	2	3	–	–	–	–	14	2	2	1	–	–
Boone	2	37	–	2	12	5	3	3	2	–	3	1	1	20	2	3	3	2	–
Boone	2	25	–	1	4	5	3	3	1	–	2	–	1	12	–	2	2	–	–
Balance of county	–	12	–	1	8	–	–	–	1	–	1	1	–	8	2	1	1	2	–
Bremer	4	17	3	3	6	12	2	–	2	–	1	3	–	15	2	4	3	–	1
Buchanan	2	14	3	3	2	2	1	1	3	1	2	1	3	11	4	4	7	–	–
Buena Vista	–	17	4	–	9	7	1	1	4	–	1	2	–	15	5	2	5	–	–
Butler	–	25	4	–	6	6	1	–	–	–	–	2	1	14	3	1	1	1	–
Calhoun	1	20	6	–	11	8	1	–	–	–	3	1	–	17	3	3	2	–	–
Carroll	1	19	5	4	4	10	1	1	–	–	1	–	2	17	3	8	2	–	–
Cass	2	13	23	3	5	10	–	–	–	–	2	2	–	13	2	3	1	1	–
Cedar	1	28	3	–	2	7	1	2	2	–	1	–	3	16	4	5	4	–	–
Cerro Gordo	2	50	2	11	25	21	–	6	1	–	4	7	3	23	2	9	2	2	–
Mason City	–	34	2	6	19	14	–	5	1	–	4	6	2	19	–	2	2	1	–
Balance of county	2	16	–	5	6	7	–	1	–	–	–	1	1	4	2	7	–	1	–
Cherokee	1	12	9	1	12	6	–	–	2	–	–	1	1	7	4	2	1	–	–
Chickasaw	–	16	1	2	6	3	2	–	–	–	1	1	1	13	5	3	1	–	–
Clarke	–	12	2	1	3	6	–	1	–	–	1	1	1	1	–	2	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	180	–	–	–	35	13	7	1	5	4	1	4	2	103	79	1	–	61	17
Spencer	119	–	–	–	24	8	3	1	3	4	1	4	2	66	48	1	–	34	13
Balance of county	61	–	–	–	11	5	4	–	2	–	–	–	–	37	31	–	–	27	4
Clayton	240	–	–	4	55	17	11	6	8	1	1	9	6	110	78	–	1	58	19
Clinton	548	–	–	6	137	34	41	7	13	8	5	29	10	284	183	3	2	135	43
Clinton	361	–	–	3	91	24	27	6	8	5	1	20	7	174	120	3	–	85	32
Balance of county	187	–	–	3	46	10	14	1	5	3	4	9	3	90	63	–	2	50	11
Crawford	188	–	–	1	39	11	3	3	7	5	2	8	4	105	83	–	2	61	20
Dallas	267	–	–	–	66	16	17	6	8	3	2	13	6	123	88	–	1	75	12
Davis	86	–	–	1	14	4	4	1	–	1	1	3	–	57	47	–	8	27	12
Decatur	91	–	–	–	20	6	7	–	4	1	–	2	2	47	25	–	–	16	9
Delaware	184	–	–	1	45	12	4	6	7	5	1	10	2	108	71	1	2	62	6
Des Moines	441	–	–	2	99	30	28	2	13	1	4	20	10	223	154	–	3	116	35
Burlington	333	–	–	–	79	21	25	2	11	1	2	17	7	172	116	–	3	86	29
Balance of county	108	–	–	2	20	9	4	–	2	–	2	3	3	51	38	–	–	30	6
Dickinson	169	–	–	2	45	10	10	3	7	3	–	12	5	77	58	–	2	50	6
Dubuque	823	–	–	4	178	46	45	23	16	11	4	31	19	449	335	5	19	236	75
Dubuque	656	–	–	3	140	34	36	19	15	8	3	25	18	365	276	4	18	191	63
Balance of county	167	–	–	1	38	12	9	4	3	3	1	6	1	84	59	1	1	45	12
Emmet	154	–	–	2	27	5	8	2	2	2	1	7	5	77	67	2	2	48	15
Fayette	277	–	–	1	50	16	17	4	8	1	1	3	6	151	104	1	2	79	28
Floyd	184	–	–	3	36	9	12	4	4	–	1	6	3	106	79	1	4	57	17
Franklin	152	–	–	–	37	10	8	8	5	2	–	4	–	79	62	–	3	44	15
Fremont	131	–	–	–	27	10	5	3	–	3	1	5	3	71	63	1	11	39	12
Greene	155	–	–	–	39	12	5	2	8	5	1	6	3	92	82	–	1	52	9
Grundy	112	–	–	–	26	10	8	1	1	1	1	4	4	65	50	–	1	33	16
Guthrie	153	–	–	–	39	14	9	2	3	1	2	8	3	67	46	1	–	41	4
Hamilton	170	–	–	–	39	11	9	4	9	2	–	4	3	83	60	–	–	53	7
Hancock	133	–	–	–	30	7	6	5	–	3	2	7	3	71	61	–	–	50	11
Hardin	247	–	–	2	51	16	6	11	7	5	–	6	4	123	92	1	–	78	13
Harrison	169	–	–	1	26	10	7	–	3	3	1	2	1	123	106	2	–	82	22
Henry	197	–	–	2	35	12	6	5	6	–	1	5	2	117	83	–	5	62	16
Howard	146	–	–	–	25	9	2	2	–	5	–	7	1	88	67	1	–	60	6
Humboldt	133	–	–	4	28	7	7	3	4	2	–	5	3	67	52	–	1	42	9
Ida	101	–	–	1	17	3	7	1	2	–	2	2	3	49	39	–	–	34	5
Iowa	168	–	–	1	28	3	7	3	4	1	1	9	2	94	74	–	1	46	27
Jackson	219	–	–	2	42	11	12	7	3	1	–	8	2	116	83	1	–	70	12
Jasper	335	–	–	2	80	21	23	7	6	9	5	9	4	174	111	1	1	88	21
Newton	155	–	–	1	39	8	10	5	3	6	3	4	3	79	54	1	–	45	8
Balance of county	180	–	–	1	41	13	13	2	3	3	2	5	1	95	57	–	1	43	13
Jefferson	171	–	–	–	26	4	6	1	7	3	–	5	1	98	65	1	1	60	13
Johnson	445	–	–	5	109	24	26	11	12	9	3	24	6	213	154	–	5	122	27
Iowa City	283	–	–	3	76	18	22	8	6	5	1	16	3	136	96	–	3	76	17
Balance of county	162	–	–	2	33	6	4	3	6	4	2	8	3	77	58	–	2	46	10
Jones	174	–	–	4	26	12	4	–	4	1	1	4	5	96	75	1	3	56	15
Keokuk	170	–	–	1	37	11	9	3	4	2	–	8	3	79	66	3	1	45	17
Kossuth	199	–	–	–	46	16	8	2	4	2	–	14	3	116	87	–	1	67	19
Lee	387	1	–	5	85	19	23	9	10	7	2	15	4	201	167	1	7	121	38
Fort Madison	134	1	–	2	32	8	11	3	3	3	–	4	–	64	56	–	2	46	8
Keokuk	141	–	–	2	30	8	5	4	5	–	1	7	1	75	59	–	5	38	16
Balance of county	112	–	–	1	23	3	7	2	2	4	1	4	3	62	52	1	–	37	14
Linn	1,183	1	–	15	271	75	79	20	18	16	15	48	18	570	411	2	12	296	101
Cedar Rapids	827	1	–	12	188	53	56	12	13	10	9	33	13	398	289	–	10	202	77
Marion	130	–	–	1	33	12	7	3	2	3	2	4	1	64	47	–	–	33	14
Balance of county	226	–	–	2	50	10	14	5	3	3	4	11	2	110	75	2	2	61	10
Louisa	104	–	–	1	21	6	6	1	2	2	–	4	–	62	48	–	–	33	15
Lucas	119	–	–	1	24	8	4	2	2	2	1	5	–	69	56	–	1	51	4
Lyon	119	–	–	1	28	7	5	3	3	2	4	4	1	49	45	–	–	21	24
Madison	142	–	–	2	31	11	8	2	4	1	2	3	1	77	59	–	–	46	13
Mahaska	261	–	–	2	45	10	12	5	5	2	2	9	2	162	125	2	1	91	31
Oskaloosa	192	–	–	2	34	8	10	3	4	1	2	6	2	115	88	1	1	66	20
Balance of county	79	–	–	–	11	2	2	2	1	1	–	3	–	47	37	1	–	25	11
Marion	308	–	–	7	71	24	13	5	12	2	4	11	4	155	117	1	1	85	30
Marshall	417	–	–	1	95	18	38	12	9	3	4	11	6	218	167	1	5	130	31
Marshalltown	293	–	–	1	75	16	31	7	9	2	2	8	4	153	121	1	5	95	20
Balance of county	124	–	–	–	20	2	7	5	–	1	2	3	2	65	46	–	–	35	11
Mills	127	–	–	–	24	9	6	1	2	2	1	3	2	69	53	1	5	35	12
Mitchell	162	–	–	–	35	8	10	1	6	1	1	8	1	94	60	1	1	46	12
Monona	171	–	–	1	27	6	7	1	2	1	1	9	1	104	76	–	–	39	37
Monroe	108	1	–	1	24	4	7	–	4	4	2	3	2	54	36	1	2	22	11
Montgomery	195	–	–	1	48	8	16	4	11	1	–	10	5	106	68	–	1	55	12
Muscatine	391	–	–	7	79	24	20	6	8	5	–	16	11	185	130	2	7	94	27
Muscatine	252	–	–	7	47	14	12	4	6	2	–	9	7	131	94	2	6	66	20
Balance of county	139	–	–	–	32	10	8	2	2	3	–	7	4	54	36	–	1	28	7
O'Brien	199	–	–	1	36	10	6	5	5	1	1	8	4	110	87	–	2	64	21
Osceola	89	–	–	3	20	9	4	1	1	2	1	2	–	52	45	–	2	22	21
Page	234	–	–	2	45	9	13	4	6	2	3	8	2	128	100	–	4	59	37
Palo Alto	138	–	–	–	24	8	6	4	2	–	1	3	1	72	46	–	–	38	8
Plymouth	245	–	–	5	53	13	12	5	4	8	5	6	3	132	104	–	1	88	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	1	14	4	5	10	9	1	–	1	–	2	–	2	8	1	4	2	–	–
Spencer	–	10	4	4	6	7	1	–	1	–	2	–	–	6	1	1	2	–	–
Balance of county	1	4	–	1	4	2	–	–	–	–	–	–	2	2	–	3	–	–	–
Clayton	–	27	2	3	6	6	2	3	2	–	1	1	1	26	5	9	3	–	–
Clinton	2	57	6	6	28	25	3	5	2	–	1	–	2	43	5	6	11	–	–
Clinton	–	49	3	2	14	20	3	3	1	–	1	–	2	29	3	3	7	–	–
Balance of county	2	18	3	4	14	5	–	2	1	–	–	–	–	14	2	3	4	–	–
Crawford	1	13	6	2	5	5	7	–	–	1	–	–	1	12	2	5	1	–	–
Dallas	2	21	3	9	16	13	3	3	1	–	1	2	3	12	5	8	2	1	–
Davis	–	6	3	1	1	–	–	–	1	–	–	–	–	4	5	2	–	1	–
Decatur	–	19	3	–	6	4	1	–	1	–	–	–	1	5	3	1	–	–	–
Delaware	1	35	1	–	2	2	–	1	–	–	1	–	1	6	3	9	3	–	–
Des Moines	4	50	10	5	10	16	5	3	3	1	5	7	–	41	10	2	3	1	–
Burlington	4	39	6	5	6	13	4	3	1	–	3	4	–	30	6	2	2	1	–
Balance of county	–	11	4	–	4	3	1	–	2	1	2	3	–	11	4	–	1	–	–
Dickinson	–	14	3	2	10	7	2	1	1	–	3	1	–	10	1	3	1	–	–
Dubuque	6	88	13	7	15	27	3	6	1	–	7	5	5	62	17	16	7	–	2
Dubuque	5	66	12	6	12	19	3	6	1	–	5	4	4	50	7	13	5	–	1
Balance of county	1	22	1	1	3	8	–	–	–	–	2	1	1	12	10	3	2	–	1
Emmet	–	7	2	1	12	4	–	1	1	–	1	–	1	9	3	5	4	2	–
Fayette	1	33	7	6	8	12	1	2	1	–	4	1	1	27	3	8	1	–	–
Floyd	3	17	3	4	4	3	1	1	2	–	–	2	1	13	2	6	–	–	1
Franklin	–	12	3	2	14	5	1	–	–	–	–	1	–	9	4	1	1	–	–
Fremont	–	4	1	3	6	4	–	–	2	–	1	–	1	8	3	2	2	1	–
Greene	1	13	13	3	5	1	–	2	–	–	–	1	–	9	1	1	1	–	–
Grundy	1	10	3	1	5	1	–	–	–	–	1	–	–	7	1	–	2	–	–
Guthrie	–	13	4	4	7	9	–	5	1	–	–	2	–	13	2	3	2	–	–
Hamilton	–	13	6	4	5	5	–	1	2	–	–	1	1	21	3	3	3	–	–
Hancock	–	9	1	–	8	3	–	1	–	–	–	–	1	7	3	3	3	–	–
Hardin	–	24	5	2	11	10	2	–	2	–	1	1	1	28	8	2	1	–	–
Harrison	–	15	2	–	6	7	–	1	–	–	–	–	2	8	5	4	3	1	–
Henry	–	25	2	7	5	5	–	–	2	–	–	–	–	15	4	1	7	2	–
Howard	–	15	3	3	10	2	–	–	–	–	–	–	3	11	5	–	1	–	–
Humboldt	–	10	1	4	8	1	–	–	3	–	1	2	–	7	2	4	3	–	–
Ida	–	7	1	2	8	3	2	1	–	–	1	1	–	6	2	4	3	–	–
Iowa	1	14	4	1	8	4	2	2	1	–	–	1	1	16	1	4	1	–	–
Jackson	1	20	9	3	7	11	–	2	–	–	1	–	1	22	4	4	4	1	–
Jasper	2	36	20	5	8	9	1	5	1	–	2	4	–	21	10	8	3	1	2
Newton	1	12	10	2	2	5	1	2	1	–	2	–	–	14	2	2	–	–	2
Balance of county	1	24	10	3	6	4	–	3	–	–	–	4	–	7	8	6	3	1	–
Jefferson	–	29	1	3	3	10	3	1	1	–	2	3	1	14	4	2	2	–	–
Johnson	3	39	9	8	15	14	1	1	3	–	5	4	4	43	8	6	7	1	–
Iowa City	2	24	6	8	8	9	1	1	1	–	3	2	1	25	4	5	4	1	–
Balance of county	1	15	3	–	7	5	–	–	2	–	2	2	3	18	4	1	3	–	–
Jones	–	16	2	3	12	6	1	2	2	–	–	–	1	13	1	4	1	–	–
Keokuk	2	9	1	1	4	8	1	–	–	–	–	4	–	19	8	6	–	–	–
Kossuth	4	16	7	2	3	6	–	3	–	–	–	–	2	12	3	4	1	–	–
Lee	1	26	4	3	15	11	3	6	6	–	3	1	2	27	6	6	4	1	–
Fort Madison	1	4	2	1	10	4	1	2	3	–	1	1	1	8	2	2	–	–	–
Keokuk	–	15	1	–	3	6	1	3	3	–	1	–	1	9	1	3	2	–	–
Balance of county	–	7	1	2	2	1	1	1	–	–	1	–	–	10	3	1	2	1	–
Linn	8	111	21	19	36	58	2	12	5	–	8	7	8	105	19	23	19	7	1
Cedar Rapids	5	74	16	12	28	46	2	11	4	–	6	3	8	69	8	17	11	5	1
Marion	–	15	1	1	4	2	–	–	–	–	1	1	–	13	4	–	5	1	–
Balance of county	3	22	4	6	4	10	–	1	1	–	1	3	2	23	7	6	3	1	–
Louisa	–	12	1	1	1	1	1	–	–	–	–	–	2	6	2	1	6	–	–
Lucas	1	9	2	1	6	2	1	1	–	–	–	1	–	8	3	–	2	1	–
Lyon	1	2	–	1	6	7	1	–	–	–	2	–	1	8	4	7	4	–	–
Madison	1	11	5	1	9	1	1	1	1	–	–	–	1	6	3	3	4	1	–
Mahaska	–	28	4	5	4	6	–	1	1	–	2	–	3	24	4	3	2	–	–
Oskaloosa	–	22	3	2	2	2	–	–	1	–	2	–	2	15	1	3	1	–	–
Balance of county	–	6	1	3	2	4	–	1	–	–	–	–	1	9	3	–	1	–	–
Marion	3	30	4	1	13	8	2	1	2	–	1	1	1	28	2	8	6	–	–
Marshall	1	38	9	5	9	18	2	3	2	–	1	1	3	34	6	12	5	1	–
Marshalltown	1	21	7	3	4	12	1	1	2	–	1	1	2	23	–	8	4	1	–
Balance of county	–	15	2	2	5	6	1	2	–	–	–	–	1	11	6	4	1	–	–
Mills	–	13	2	1	8	4	–	–	–	–	4	–	1	11	2	2	–	–	–
Mitchell	1	28	3	2	11	2	–	2	–	–	–	1	5	4	1	6	–	–	–
Monona	4	20	4	–	9	6	1	2	1	–	1	1	–	9	3	3	1	–	1
Monroe	2	14	–	2	3	3	1	2	1	–	–	–	1	7	3	3	1	1	–
Montgomery	3	21	12	2	5	6	2	–	2	–	–	1	1	14	–	2	2	–	–
Muscatine	4	38	7	6	17	16	1	3	2	–	1	1	2	46	10	6	3	–	1
Muscatine	4	26	5	2	8	10	1	2	2	–	–	1	1	22	6	5	1	–	1
Balance of county	–	12	2	4	9	6	–	1	–	–	1	–	1	24	4	1	2	–	–
O'Brien	1	14	4	4	12	7	–	1	1	–	–	–	–	16	6	2	1	–	–
Osceola	–	5	2	–	4	2	1	1	1	–	–	–	–	3	2	–	–	–	–
Page	1	20	3	4	10	11	1	1	1	–	1	1	1	17	8	2	2	1	–
Palo Alto	–	12	10	4	13	4	1	–	1	–	2	1	–	10	2	5	–	–	–
Plymouth	2	20	6	–	8	7	–	2	–	–	3	1	4	18	1	3	1	–	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	145	–	–	1	24	7	1	2	8	2	1	3	1	76	58	1	2	49	6
Polk	2,435	1	–	29	578	134	182	51	59	22	27	103	33	1,118	914	11	23	609	271
Ankeny	52	–	–	–	15	1	3	2	2	1	1	5	–	19	13	–	–	11	2
Des Moines	1,884	–	–	24	447	107	144	36	48	14	21	77	25	875	722	8	15	487	212
Urbandale	49	–	–	–	13	6	2	–	1	–	1	3	–	19	17	1	–	13	3
West Des Moines	174	–	–	–	39	11	12	5	2	2	2	5	3	90	68	–	5	43	20
Balance of county	276	1	–	5	64	9	21	8	6	5	2	13	5	115	94	2	3	55	34
Pottawattamie	797	–	–	6	190	56	60	10	23	9	4	28	16	404	334	2	6	258	68
Council Bluffs	565	–	–	4	138	43	45	7	15	8	4	18	9	271	229	2	4	183	40
Balance of county	232	–	–	2	52	13	15	3	8	1	–	12	7	133	105	–	2	75	28
Poweshiek	209	1	–	1	48	10	14	5	9	3	2	5	6	97	73	1	1	38	33
Ringgold	70	1	–	–	13	3	1	1	3	1	–	4	–	40	26	–	–	23	3
Sac	167	–	–	–	45	13	10	4	6	4	–	8	2	89	66	2	1	60	3
Scott	1,216	–	–	14	305	85	82	32	33	8	9	56	30	556	424	6	17	280	111
Bettendorf	159	–	–	1	33	5	9	4	3	1	2	9	3	91	67	2	3	39	23
Davenport	902	–	–	10	229	64	62	23	28	5	7	40	24	398	304	4	11	211	78
Balance of county	155	–	–	3	43	16	11	5	2	2	–	7	3	69	53	–	3	40	10
Shelby	139	–	–	–	24	9	4	3	1	1	2	4	2	67	51	1	–	33	17
Sioux	235	–	–	4	51	18	10	5	4	–	3	11	1	127	115	3	4	82	28
Story	358	–	–	5	85	21	15	7	7	3	4	8	3	212	164	–	4	122	36
Ames	145	–	–	2	27	9	7	2	2	1	3	3	2	91	68	–	2	54	12
Balance of county	213	–	–	3	38	12	8	5	5	2	1	5	1	121	96	–	2	68	26
Tama	210	–	–	1	43	17	7	5	4	3	2	6	5	109	78	–	4	60	12
Taylor	106	–	–	–	23	2	6	3	4	3	1	4	3	58	36	–	1	24	11
Union	167	–	–	–	35	9	7	1	7	3	2	6	4	81	73	–	1	55	17
Van Buren	84	–	–	–	16	3	3	–	4	–	1	5	1	50	42	–	2	30	10
Wapello	511	1	–	4	113	26	29	9	18	7	4	20	9	247	190	4	17	124	45
Ottumwa	393	1	–	3	84	19	17	8	16	4	4	16	7	161	138	4	14	91	29
Balance of county	118	–	–	1	29	7	12	1	2	3	–	4	2	66	52	–	3	33	16
Warren	261	–	–	–	56	13	10	6	8	5	4	10	5	135	102	2	1	77	22
Indianola	105	–	–	–	24	6	3	3	4	1	1	6	2	50	34	1	–	23	10
Balance of county	156	–	–	–	32	7	7	3	4	4	3	4	3	85	68	1	1	54	12
Washington	225	–	–	2	45	13	6	5	4	2	1	14	2	118	101	–	2	71	28
Wayne	112	–	–	1	25	9	8	3	3	–	–	2	5	58	42	–	–	30	12
Webster	472	–	–	5	86	18	27	10	12	5	4	10	11	239	187	1	1	134	51
Fort Dodge	334	–	–	5	57	11	19	6	8	4	2	7	10	176	132	1	1	97	33
Balance of county	138	–	–	–	29	7	8	4	4	1	2	3	1	63	55	–	–	37	18
Winnebago	154	–	–	1	37	12	5	4	7	1	1	7	2	80	62	–	–	56	6
Winneshiek	207	–	–	1	44	13	6	5	5	2	1	12	2	102	65	1	–	53	11
Woodbury	849	1	–	8	166	41	46	15	14	7	9	34	22	505	402	1	15	296	90
Sioux City	776	1	–	6	141	34	41	13	12	6	7	28	17	402	322	1	15	234	72
Balance of county	173	–	–	2	25	7	5	2	2	1	2	6	5	103	80	–	–	62	18
Worth	105	1	–	1	19	8	4	2	1	1	–	3	–	62	51	–	–	43	8
Wright	189	–	–	1	39	12	7	4	1	3	2	10	3	102	80	–	1	57	22
Kansas	22,307	10	–	242	4,552	1,161	1,202	396	575	200	213	805	382	10,888	8,437	68	203	5,987	2,179
Urban places	11,172	6	–	132	2,311	569	637	208	288	99	110	420	163	5,233	4,087	34	105	2,886	1,082
Balance of area	11,135	4	–	110	2,241	592	565	188	307	101	103	385	199	5,655	4,350	34	98	3,101	1,117
Metropolitan counties	8,781	6	–	118	1,865	460	524	166	222	69	83	341	133	4,052	3,157	29	100	2,152	876
Urban places	7,020	5	–	94	1,476	374	412	132	169	53	67	275	113	3,193	2,503	24	82	1,700	697
Balance of area	1,761	1	–	24	389	86	112	34	59	16	16	66	20	859	654	5	18	452	179
Nonmetropolitan counties	13,526	4	–	124	2,687	701	678	230	353	131	130	464	229	6,836	5,280	39	103	3,835	1,303
Urban places	4,152	1	–	38	835	195	225	76	105	46	43	145	50	2,040	1,584	10	23	1,186	365
Balance of area	9,374	3	–	86	1,852	506	453	154	248	85	87	319	179	4,796	3,696	29	80	2,649	938
Allen	186	–	–	2	35	4	9	5	11	2	–	4	4	99	78	1	1	35	41
Anderson	116	–	–	–	22	10	2	2	2	1	1	4	5	62	52	–	1	27	24
Atchison	213	–	–	1	34	10	12	4	1	1	1	5	3	102	82	–	–	54	28
Atchison	158	–	–	1	28	8	9	4	1	1	1	4	3	67	52	–	–	31	21
Balance of county	55	–	–	–	6	2	3	–	–	–	–	1	–	35	30	–	–	23	7
Barber	86	–	–	2	17	3	5	4	3	1	–	1	6	40	28	–	–	24	4
Barton	343	–	–	2	77	23	29	2	7	6	2	8	3	165	131	2	5	107	17
Great Bend	166	–	–	–	37	10	15	–	3	4	2	3	1	81	60	1	–	53	6
Balance of county	177	–	–	2	40	13	14	2	4	2	–	5	2	84	71	1	5	54	11
Bourbon	230	–	–	4	46	9	15	1	4	3	3	11	4	121	90	1	1	71	17
Brown	169	–	–	1	43	13	13	3	1	3	4	6	3	91	64	–	1	55	8
Butler	389	–	–	6	89	20	26	8	12	3	5	15	6	205	157	2	2	112	41
El Dorado	156	–	–	3	34	6	7	3	3	2	3	10	4	85	65	1	1	51	12
Balance of county	233	–	–	3	55	14	19	5	9	1	2	5	2	120	92	1	1	61	29
Chase	42	–	–	–	4	1	1	1	1	–	–	–	–	28	21	–	–	16	5
Chautauqua	76	–	–	1	17	4	5	1	2	1	–	4	1	39	31	–	–	23	8
Cherokee	289	–	–	–	59	19	16	4	4	2	1	13	5	149	129	2	4	92	31
Cheyenne	55	–	–	–	12	3	3	1	1	–	1	3	1	26	24	–	2	17	5
Clark	36	–	–	–	4	2	–	–	2	–	–	–	–	21	19	–	2	10	7
Clay	142	–	–	1	33	10	3	1	6	1	1	11	3	69	54	–	2	36	14
Cloud	191	–	–	5	47	12	12	4	7	4	2	6	3	93	71	2	2	51	16
Coffey	100	–	–	–	23	4	5	3	2	–	2	7	4	46	37	–	–	15	22
Comanche	30	–	–	–	4	1	–	–	2	–	–	1	–	14	9	1	–	4	4
Cowley	456	–	–	7	88	21	29	8	12	4	4	10	2	229	181	1	2	130	48
Arkansas City	198	–	–	1	39	7	13	2	7	3	2	5	1	102	78	1	–	56	21
Winfield	151	–	–	2	25	5	9	3	3	–	1	4	1	78	61	–	2	41	18
Balance of county	107	–	–	4	24	9	7	3	2	1	1	1	–	49	42	–	–	33	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	1	13	–	4	18	6	4	2	1	–	–	–	–	6	2	1	2	–	1
Polk	10	154	17	23	96	81	14	33	13	–	21	25	17	200	46	75	32	18	5
Ankeny	–	5	–	1	1	–	–	1	1	–	1	2	–	6	3	2	–	–	1
Des Moines	8	112	14	19	71	64	11	27	10	–	12	20	15	161	30	49	24	16	3
Urbandale	–	–	–	2	3	3	1	1	–	–	1	–	1	4	–	1	2	–	–
West Des Moines	2	19	1	–	12	3	1	2	–	–	5	–	1	6	2	9	1	–	–
Balance of county	–	18	2	1	9	11	1	2	2	–	2	3	–	23	11	14	5	2	1
Pottawattamie	1	49	13	7	17	35	2	10	3	–	4	9	4	59	11	11	12	4	–
Council Bluffs	–	33	6	3	14	28	1	7	3	–	3	8	3	46	9	6	11	4	–
Balance of county	1	16	7	4	3	7	1	3	–	–	1	1	1	13	2	5	1	–	–
Poweshiek	1	19	4	–	7	5	–	–	–	–	1	–	3	27	8	3	2	–	–
Ringgold	2	10	2	–	1	2	–	–	–	–	1	–	1	3	2	5	1	–	–
Sac	1	14	7	1	6	8	1	–	–	–	–	–	1	13	1	–	–	–	1
Scott	7	92	17	16	36	58	7	13	4	–	10	10	6	92	20	21	22	9	2
Bettendorf	–	18	2	4	7	3	–	3	–	–	–	–	1	12	–	3	2	–	–
Davenport	6	65	14	7	26	54	6	10	2	–	9	9	4	65	14	17	17	8	2
Balance of county	1	9	1	5	3	2	1	–	2	–	1	1	1	15	6	1	3	1	–
Shelby	1	13	–	2	12	6	1	–	3	–	–	–	–	10	2	10	2	–	–
Sioux	–	5	2	5	4	5	1	–	1	–	1	3	–	23	4	7	3	–	–
Story	1	42	5	–	12	10	–	–	1	–	1	3	1	23	10	5	6	1	–
Ames	1	16	4	–	5	3	–	–	1	–	–	2	1	4	2	2	3	–	–
Balance of county	–	24	1	–	7	7	–	–	–	–	1	1	–	19	8	3	3	1	–
Tama	1	23	5	4	5	6	1	2	2	–	1	1	1	23	4	3	3	–	–
Taylor	1	9	10	2	1	8	–	1	–	–	–	–	1	7	–	1	2	1	–
Union	–	13	2	3	4	9	1	–	3	–	–	–	–	10	3	4	3	–	–
Van Buren	–	6	1	1	2	–	1	–	–	–	1	1	–	6	2	2	1	1	–
Wapello	6	45	1	5	25	19	–	2	2	–	1	3	1	65	5	8	5	1	–
Ottumwa	4	33	1	5	24	16	–	2	2	–	–	2	1	53	5	7	4	1	–
Balance of county	2	12	–	–	1	3	–	–	–	–	1	1	–	12	–	1	1	–	–
Warren	1	21	8	3	11	2	–	3	–	–	3	2	–	22	5	9	5	1	2
Indianola	–	12	2	2	8	1	–	2	–	–	1	1	–	9	1	4	–	1	1
Balance of county	1	9	6	1	3	1	–	1	–	–	2	1	–	13	4	5	5	–	1
Washington	–	13	2	2	9	8	1	1	–	–	3	1	2	19	4	9	1	–	–
Wayne	–	10	2	4	6	5	1	1	–	–	1	–	–	5	1	2	1	–	–
Webster	2	37	10	3	15	19	4	8	2	–	6	2	4	42	15	7	5	2	–
Fort Dodge	2	31	9	2	7	16	2	4	2	–	2	2	3	29	10	5	3	1	–
Balance of county	–	6	1	1	8	3	2	4	–	–	4	–	1	13	5	2	2	1	–
Winnebago	–	16	2	–	10	4	–	1	–	–	–	–	–	10	6	2	1	–	–
Winneshiek	–	23	11	3	8	8	1	1	–	1	3	1	–	27	5	2	3	–	–
Woodbury	5	73	11	14	35	44	3	8	7	1	6	10	5	79	13	15	17	2	2
Sioux City	4	56	9	11	32	38	3	8	6	1	5	8	5	65	10	11	13	2	2
Balance of county	1	17	2	3	3	6	–	–	1	–	1	2	–	14	3	4	4	–	–
Worth	–	9	2	–	5	3	–	1	1	–	–	–	–	6	2	2	2	–	–
Wright	2	18	2	–	9	3	2	3	1	–	–	1	4	11	5	2	3	–	–
Kansas	69	1,612	324	246	772	839	76	187	225	4	162	167	342	1,862	562	527	301	95	32
Urban places	38	852	125	131	362	499	31	115	109	4	103	115	214	983	259	272	169	72	20
Balance of area	31	960	199	115	410	440	45	72	116	–	59	52	128	878	303	255	132	23	12
Metropolitan counties	30	669	106	90	256	385	28	78	97	3	88	89	178	764	222	202	141	56	20
Urban places	26	510	80	74	216	306	19	67	77	3	75	78	157	613	170	167	119	53	17
Balance of area	4	159	26	16	38	79	9	11	20	–	13	11	21	151	52	35	22	3	3
Nonmetropolitan counties	39	1,143	218	156	516	554	48	109	128	1	74	78	164	1,098	340	325	160	39	12
Urban places	12	342	45	57	144	193	12	48	32	1	28	37	57	370	89	105	50	19	3
Balance of area	27	801	173	99	372	361	36	61	96	–	46	41	107	728	251	220	110	20	9
Allen	–	16	1	4	6	10	–	1	–	–	–	–	3	14	5	4	2	1	–
Anderson	–	8	–	2	3	4	–	–	1	–	1	1	–	10	2	3	1	–	1
Atchison	–	17	3	–	7	13	–	1	2	–	1	2	2	29	7	6	2	1	–
Atchison	–	14	1	–	4	10	–	1	1	–	1	2	2	28	5	4	2	1	–
Balance of county	–	3	2	–	3	3	–	–	1	–	–	–	–	3	2	2	–	–	–
Barber	–	9	3	–	3	4	–	2	1	–	–	–	–	7	2	3	1	–	–
Barton	–	23	6	5	9	8	1	2	–	–	3	4	4	25	22	8	10	–	–
Great Bend	–	13	3	5	4	5	–	1	–	–	1	2	3	14	9	3	5	–	–
Balance of county	–	10	3	–	5	3	1	1	–	–	2	2	1	11	13	5	5	–	–
Bourbon	–	27	2	2	6	10	1	–	4	–	1	1	8	14	4	5	1	–	–
Brown	1	11	13	2	5	6	–	1	2	–	–	1	–	10	3	1	2	–	–
Butler	3	41	3	1	5	18	1	5	4	–	–	2	1	29	8	7	3	–	–
El Dorado	2	15	2	1	–	5	–	2	–	–	–	–	–	16	2	2	3	–	–
Balance of county	1	26	1	–	5	13	1	3	4	–	–	2	1	13	6	5	–	–	–
Chase	–	6	–	1	1	1	–	–	2	–	–	1	–	5	–	–	–	–	–
Chautauqua	–	4	3	1	4	1	1	–	–	–	–	–	–	7	2	2	1	–	–
Cherokee	2	14	2	2	4	13	–	4	3	–	2	1	3	27	8	5	5	–	–
Cheyenne	–	2	–	–	1	3	–	1	2	–	1	–	–	5	2	–	1	–	–
Clark	–	2	–	–	3	2	–	–	1	–	–	–	–	2	1	2	–	–	–
Clay	–	12	3	–	10	5	2	2	1	–	–	2	–	9	2	2	–	–	1
Cloud	2	15	4	1	4	12	–	1	–	–	–	–	1	9	4	8	3	1	–
Coffey	2	6	1	–	–	5	–	2	3	–	–	–	3	8	3	1	1	–	1
Comanche	1	3	1	–	2	1	1	–	1	–	–	–	1	4	1	1	–	–	–
Cowley	–	38	5	5	18	17	2	3	7	–	3	2	13	45	4	10	5	1	–
Arkansas City	–	18	4	2	4	8	2	3	2	–	2	1	8	17	2	4	2	–	–
Winfield	–	15	–	2	8	7	–	–	2	–	1	–	–	23	–	3	–	1	–
Balance of county	–	5	1	1	6	2	–	–	3	–	–	1	5	5	2	3	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	544	–	–	8	114	33	28	10	19	5	1	18	8	284	225	2	2	187	34
Pittsburg	267	–	–	5	48	10	15	3	9	4	–	7	3	142	117	–	–	100	17
Balance of county	277	–	–	3	66	23	13	7	10	1	1	11	5	142	108	2	2	87	17
Decatur	57	–	–	–	8	6	–	–	–	–	–	2	3	30	25	–	–	20	5
Dickinson	226	–	–	1	45	9	13	3	8	3	1	8	2	118	81	1	3	55	22
Doniphan	108	–	–	–	20	3	4	1	4	–	2	6	1	66	49	1	1	30	17
Douglas	385	–	–	4	81	25	13	3	10	5	5	20	2	161	114	1	3	76	34
Lawrence	267	–	–	4	55	17	8	2	5	4	2	17	2	102	72	1	2	45	24
Balance of county	118	–	–	–	26	8	5	1	5	1	3	3	–	59	42	–	1	31	10
Edwards	54	–	–	–	13	3	2	1	3	–	1	3	3	31	29	1	–	26	2
Elk	88	–	–	–	14	2	4	1	3	–	1	3	1	39	31	–	–	27	4
Ellis	191	–	–	–	41	11	5	6	8	1	4	6	4	78	59	–	2	49	8
Hays	135	–	–	–	22	6	1	4	3	–	4	4	3	61	44	–	2	37	5
Balance of county	56	–	–	–	19	5	4	2	5	1	–	2	1	17	15	–	–	12	3
Ellsworth	90	–	–	2	19	5	7	–	2	1	1	3	2	46	28	–	–	15	13
Finney	170	–	–	1	37	8	12	3	5	4	2	3	2	80	59	–	1	44	14
Garden City	148	–	–	1	31	7	10	2	4	4	2	2	1	71	51	–	1	37	13
Balance of county	22	–	–	–	6	1	2	1	1	–	–	1	1	9	8	–	–	7	1
Ford	248	–	–	1	47	7	8	5	4	2	3	18	5	118	98	–	1	80	17
Dodge City	174	–	–	–	36	7	7	4	1	2	1	14	4	77	61	–	1	50	10
Balance of county	74	–	–	1	11	–	1	1	3	–	2	4	1	41	37	–	–	30	7
Franklin	253	–	–	4	48	11	11	4	8	3	3	6	4	130	96	–	–	72	24
Ottawa	167	–	–	2	28	6	6	3	5	1	1	4	3	90	66	–	–	50	16
Balance of county	86	–	–	2	20	5	5	1	3	2	2	2	1	40	30	–	–	22	8
Geary	203	–	–	3	37	7	11	6	2	2	3	6	2	71	52	–	1	44	7
Junction City	155	–	–	2	33	6	9	6	2	2	2	6	2	62	46	–	1	41	4
Balance of county	48	–	–	1	4	1	2	–	–	–	1	–	–	9	6	–	–	3	3
Gove	32	–	–	–	4	2	–	–	–	–	1	1	1	19	12	–	–	5	7
Graham	38	–	–	–	8	1	–	2	2	2	–	1	1	11	7	–	–	7	–
Grant	38	–	–	–	8	2	3	1	1	–	–	1	–	15	12	–	–	8	4
Gray	43	–	–	–	6	1	2	1	1	–	1	–	2	19	17	–	–	14	3
Greeley	28	–	–	–	3	1	2	–	–	–	–	–	–	11	5	–	–	4	1
Greenwood	141	–	–	2	25	8	6	3	2	1	1	4	3	86	64	–	–	56	8
Hamilton	32	–	–	–	5	–	3	–	1	1	–	–	1	19	15	–	–	13	2
Harper	144	–	–	2	32	8	5	4	4	2	2	7	2	72	52	–	2	43	7
Harvey	293	–	–	3	55	16	10	10	9	2	1	7	2	138	98	–	4	80	14
Newton	163	–	–	1	30	8	9	4	3	–	1	5	1	80	55	–	2	48	5
Balance of county	130	–	–	2	25	8	1	6	6	2	–	2	1	58	43	–	2	32	9
Haskell	23	–	–	–	4	1	1	1	–	–	–	1	–	11	8	–	–	7	1
Hodgeman	35	–	–	–	9	5	1	1	1	–	1	–	–	19	14	–	–	11	3
Jackson	125	–	–	1	21	6	5	2	5	–	–	3	2	68	47	1	1	37	8
Jefferson	157	–	–	2	35	11	10	–	5	–	1	8	3	69	49	–	–	39	10
Jewell	82	–	–	2	16	3	7	2	2	1	–	1	3	42	32	–	3	20	9
Johnson	1,659	1	–	24	384	87	108	49	43	15	14	68	16	761	601	8	16	392	185
Leawood	60	–	–	–	17	2	2	2	–	4	1	6	–	24	18	–	–	12	6
Lenexa	109	–	–	–	13	5	3	2	2	–	–	1	1	66	58	–	1	25	32
Merriam	77	–	–	2	16	4	4	2	1	2	–	3	1	36	25	–	1	12	12
Olathe	208	–	–	1	47	8	15	5	4	–	3	12	3	79	62	2	–	42	18
Overland Park	446	–	–	7	102	20	31	13	13	1	6	18	4	207	166	1	5	113	47
Prairie Village	177	–	–	2	55	18	16	11	4	1	–	5	1	75	58	–	2	44	12
Shawnee	134	–	–	3	29	8	5	1	6	–	3	6	3	82	49	2	1	31	15
Balance of county	448	1	–	9	105	22	32	13	13	7	1	17	3	212	165	3	6	113	43
Kearny	24	–	–	–	1	–	–	1	–	–	–	–	–	14	11	–	1	8	2
Kingman	109	–	–	1	18	11	1	–	2	1	–	3	1	51	35	–	–	27	8
Kiowa	52	–	–	–	11	6	1	1	1	–	–	2	3	30	22	1	1	15	5
Labette	288	1	–	3	52	13	16	3	9	–	2	9	4	154	120	1	–	87	32
Parsons	143	–	–	2	22	7	6	1	3	–	–	5	1	81	57	–	–	42	15
Balance of county	145	1	–	1	30	6	10	2	6	–	2	4	3	73	63	1	–	45	17
Lane	36	–	–	–	6	3	1	1	–	–	–	1	–	20	17	–	–	12	5
Leavenworth	463	1	–	7	110	30	34	10	14	4	4	14	9	214	173	2	8	127	38
Leavenworth	305	–	–	5	65	19	20	5	7	2	2	10	6	142	123	2	5	93	23
Balance of county	158	1	–	2	45	11	14	5	7	2	2	4	3	72	50	–	3	34	15
Lincoln	66	–	–	1	7	5	–	1	–	–	1	–	–	42	39	–	–	23	16
Linn	105	–	–	–	27	3	11	1	5	2	2	3	3	50	37	–	–	33	4
Logan	38	–	–	–	7	5	1	–	1	–	–	–	–	18	12	1	–	8	3
Lyon	255	–	–	3	46	9	12	4	8	3	2	8	3	123	96	1	2	61	32
Emporia	172	–	–	3	33	7	8	4	8	1	2	5	2	79	64	1	–	43	20
Balance of county	83	–	–	–	13	2	6	–	–	2	–	3	1	44	32	–	2	18	12
McPherson	258	–	–	–	50	15	6	4	13	1	2	9	2	132	105	1	4	74	26
McPherson	107	–	–	–	22	8	1	1	6	1	–	5	1	58	44	1	1	31	11
Balance of county	151	–	–	–	28	7	5	3	7	–	2	4	1	76	61	–	3	43	15
Marion	173	–	–	2	37	9	9	3	5	–	1	10	1	89	77	1	3	40	33
Marshall	172	–	–	–	30	8	9	2	2	2	3	4	1	100	89	2	–	71	16
Meade	50	1	–	–	8	2	–	2	–	–	1	1	4	22	17	–	–	14	3
Miami	227	–	–	2	42	9	16	4	6	1	1	5	7	111	85	–	2	76	17
Mitchell	85	–	–	–	15	4	4	3	2	–	1	1	–	48	24	–	–	17	7
Montgomery	473	–	–	1	115	21	34	11	11	10	4	24	9	247	195	–	1	122	72
Coffeyville	196	–	–	–	49	7	15	4	7	5	–	11	2	93	79	–	–	49	30
Independence	118	–	–	–	26	6	13	–	3	–	1	3	1	71	54	–	–	35	19
Balance of county	159	–	–	1	40	8	6	7	1	5	3	10	6	83	62	–	1	38	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	1	48	3	7	8	28	–	6	4	–	3	1	7	38	14	15	4	2	–
Pittsburg	1	19	–	5	5	13	–	4	2	–	–	1	1	24	7	7	4	1	–
Balance of county	–	29	3	2	3	15	–	2	2	–	3	–	6	14	7	8	–	1	–
Decatur	–	3	–	2	4	1	1	1	1	–	–	–	1	5	1	–	1	–	–
Dickinson	2	28	6	1	13	8	–	3	2	–	2	–	1	20	3	5	2	1	–
Doniphan	–	16	1	–	2	3	–	–	2	–	–	–	–	7	1	3	–	1	–
Douglas	3	34	4	6	14	17	1	1	1	1	8	4	19	43	13	8	7	1	1
Lawrence	2	20	3	5	12	11	–	1	1	1	5	3	10	32	12	4	4	1	1
Balance of county	1	14	1	1	2	6	1	–	–	–	3	1	3	11	1	2	3	–	–
Edwards	–	1	1	–	3	1	–	–	–	–	–	–	–	2	1	–	–	–	–
Elk	–	4	1	3	2	1	1	1	–	–	–	–	1	5	–	2	1	–	–
Ellis	–	13	1	5	6	13	–	2	3	–	6	–	2	18	7	5	5	–	1
Hays	–	12	1	4	6	8	–	–	2	–	4	–	2	12	6	4	4	–	–
Balance of county	–	1	–	1	–	4	–	2	1	–	2	–	–	6	1	1	1	–	1
Ellsworth	1	13	2	2	4	2	–	–	1	–	1	–	4	7	–	1	1	–	–
Finney	–	17	1	3	6	7	1	2	2	–	2	6	1	10	7	2	2	1	1
Garden City	–	18	1	3	6	7	1	2	2	–	2	4	1	9	5	2	1	1	1
Balance of county	–	1	–	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	–
Ford	–	11	4	5	6	11	2	3	4	–	4	2	2	19	8	6	6	4	–
Dodge City	–	9	3	4	3	9	1	3	3	–	3	2	2	13	7	3	5	3	–
Balance of county	–	2	1	1	3	2	1	–	1	–	1	–	–	6	1	3	1	1	–
Franklin	1	23	4	6	15	14	–	5	–	–	1	1	3	21	3	6	–	–	–
Ottawa	1	16	3	4	9	9	–	2	–	–	1	1	2	16	1	5	–	–	–
Balance of county	–	7	1	2	6	5	–	3	–	–	–	–	1	5	2	1	–	–	–
Geary	1	14	3	1	8	7	–	5	2	–	3	8	4	16	16	10	4	6	1
Junction City	1	11	3	1	8	6	–	5	2	–	1	6	3	12	2	6	1	3	1
Balance of county	–	3	–	–	–	1	–	–	–	–	2	2	1	4	14	4	3	3	–
Gove	–	5	–	2	1	3	–	–	–	–	1	–	–	1	2	–	–	–	–
Graham	1	2	–	1	–	3	–	1	1	–	–	–	–	11	1	1	–	–	–
Grant	–	2	1	–	1	2	–	–	1	–	1	1	1	1	3	2	2	–	–
Gray	–	1	–	1	2	5	–	–	–	–	–	–	–	6	3	–	–	–	–
Greeley	–	4	2	–	2	2	–	1	–	–	–	–	–	6	–	1	2	–	–
Greenwood	–	17	2	3	2	3	–	1	3	–	1	–	1	7	3	4	–	–	–
Hamilton	–	3	1	–	–	2	–	–	–	–	–	1	–	3	–	–	1	–	–
Harper	–	17	2	1	5	1	3	1	2	–	1	–	–	10	5	7	1	–	–
Harvey	1	33	2	4	11	12	1	7	–	–	1	2	1	41	8	9	2	–	–
Newton	1	20	1	3	7	8	–	5	–	–	1	–	–	24	4	2	–	–	–
Balance of county	–	13	1	1	4	4	1	2	–	–	–	2	1	17	4	7	2	–	–
Haskell	–	2	1	–	–	1	–	1	2	–	–	–	1	2	1	–	–	–	–
Hodgeman	–	4	–	1	–	1	–	–	–	–	–	3	–	3	–	–	–	–	–
Jackson	–	13	7	1	11	6	1	–	–	–	–	–	2	9	2	1	1	–	–
Jefferson	–	19	1	–	6	5	1	–	5	–	–	–	3	17	5	3	3	–	–
Jewell	–	4	6	–	5	6	1	–	–	–	–	–	1	5	1	–	–	–	–
Johnson	5	123	10	22	48	63	4	13	16	–	26	12	18	160	37	28	40	7	1
Leawood	–	6	–	–	3	3	–	1	–	–	–	–	2	7	–	2	1	–	–
Lenexa	1	6	1	–	1	3	1	–	–	–	–	2	1	14	3	3	1	–	–
Merriam	–	7	2	2	2	1	–	2	–	–	–	–	–	8	5	1	2	1	–
Olathe	–	11	2	4	9	11	1	1	2	–	5	5	–	24	5	4	9	2	–
Overland Park	2	29	4	6	9	21	–	1	6	–	10	3	6	39	8	6	11	4	–
Prairie Village	–	15	1	1	10	7	–	2	1	–	1	1	2	12	1	1	6	–	–
Shawnee	–	11	–	2	4	6	–	1	2	–	3	1	1	11	3	1	4	–	–
Balance of county	2	38	–	7	10	11	2	5	3	–	7	–	6	45	12	10	6	–	1
Kearny	–	2	1	–	–	1	–	–	1	–	–	–	–	3	–	4	–	–	–
Kingman	–	15	1	–	10	4	–	2	1	–	–	–	–	11	3	4	3	–	–
Kiowa	–	8	–	–	1	2	–	–	1	–	–	1	–	2	1	–	–	–	–
Labette	1	25	3	5	11	10	–	3	3	–	–	4	–	28	5	6	4	–	–
Parsons	1	17	2	4	3	6	–	1	1	–	–	3	–	16	2	2	3	–	–
Balance of county	–	8	1	1	8	4	–	2	2	–	–	1	–	12	3	4	1	–	–
Lane	–	3	–	–	1	1	–	1	1	–	–	–	1	1	1	2	1	–	–
Leavenworth	2	29	4	6	12	24	1	5	5	–	1	–	9	37	5	12	9	1	1
Leavenworth	1	15	1	2	11	20	1	5	4	–	1	–	5	26	3	7	3	1	–
Balance of county	1	14	3	4	1	4	–	–	1	–	–	–	4	11	2	5	6	–	1
Lincoln	–	2	–	1	2	2	–	–	–	–	–	–	–	9	1	1	1	–	–
Linn	1	7	3	2	7	2	–	1	2	–	1	–	3	4	1	3	–	–	1
Logan	–	4	1	1	3	–	–	1	2	–	1	–	–	4	–	1	1	–	–
Lyon	–	18	3	6	8	15	–	1	2	1	1	4	1	23	12	10	2	–	–
Emporia	–	9	1	5	7	13	–	1	1	1	–	2	–	16	7	5	2	–	–
Balance of county	–	9	2	1	1	2	–	–	1	–	1	2	1	7	5	5	–	–	–
McPherson	2	16	8	1	12	16	1	1	1	–	1	–	3	24	7	7	1	–	–
McPherson	2	3	6	1	4	7	–	1	1	–	1	–	1	6	1	5	1	–	–
Balance of county	–	13	2	–	8	9	1	–	–	–	–	–	2	18	6	2	–	–	–
Marion	1	6	4	1	13	4	1	–	2	–	–	1	3	12	5	2	1	–	–
Marshall	1	7	2	1	11	6	1	1	2	–	–	–	–	11	3	5	1	–	–
Meade	–	4	–	1	–	1	2	–	1	–	–	–	1	9	2	1	–	–	–
Miami	–	13	3	–	12	9	1	–	1	–	1	–	3	16	9	6	4	3	–
Mitchell	–	5	17	2	4	3	–	–	1	–	–	–	–	11	2	–	1	–	–
Montgomery	–	47	1	4	18	11	1	5	4	–	1	4	10	27	6	10	3	1	–
Coffeyville	–	12	–	2	7	5	1	4	2	–	1	–	9	10	4	6	2	1	–
Independence	–	16	1	–	2	3	–	–	2	–	–	3	1	8	–	1	–	–	–
Balance of county	–	19	–	2	9	3	–	1	–	–	–	1	–	9	2	3	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	100	-	-	-	17	5	2	1	4	1	1	3	6	42	33	-	2	23	8
Morton	26	-	-	-	6	-	2	1	1	-	-	2	-	10	6	-	-	5	1
Nemaha	157	-	-	2	27	3	7	3	4	2	1	7	5	73	50	-	1	39	10
Neosho	226	-	-	5	39	4	11	4	7	3	5	5	1	125	100	1	5	55	39
Chanute	132	-	-	5	25	3	7	4	3	1	3	4	1	68	52	-	3	37	12
Balance of county	94	-	-	-	14	1	4	-	4	2	2	1	-	57	48	1	2	18	27
Ness	59	-	-	1	13	6	3	-	1	1	-	2	1	33	26	-	-	14	12
Norton	80	-	-	1	24	6	5	2	5	-	1	5	-	44	32	-	-	27	5
Osage	176	-	-	1	33	6	6	3	5	2	2	9	2	95	62	-	4	39	19
Osborne	96	-	-	-	8	3	3	-	-	-	-	2	1	62	52	3	3	21	25
Ottawa	76	-	-	-	21	7	4	-	3	2	2	3	2	43	31	-	-	20	11
Pawnee	86	-	-	1	16	6	4	1	3	-	1	1	1	51	47	-	1	38	8
Phillips	109	-	-	3	14	7	2	-	-	1	1	3	-	54	40	-	-	34	6
Pottawatomie	160	-	-	1	36	12	12	2	-	-	2	8	5	77	56	-	1	46	8
Manhattan, part	2	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Balance of county	158	-	-	1	34	12	11	2	-	-	2	7	5	77	55	-	1	46	8
Pratt	117	-	-	2	20	3	8	-	-	-	2	7	4	50	42	1	3	24	14
Rawlins	47	-	-	1	6	1	2	-	1	-	1	1	2	23	20	-	1	10	9
Reno	637	-	-	2	130	36	30	9	17	9	7	22	12	341	267	2	2	204	59
Hutchinson	425	-	-	1	97	24	24	8	11	6	7	17	6	222	178	-	1	138	39
Balance of county	212	-	-	1	33	12	6	1	6	3	-	5	6	119	89	2	1	66	20
Republic	113	-	-	-	19	6	5	1	2	-	1	4	1	69	49	-	-	47	2
Rice	156	-	-	-	20	6	5	-	3	1	1	4	4	94	70	-	1	50	19
Riley	233	-	-	3	47	12	13	5	4	-	3	10	3	107	80	-	-	70	10
Manhattan, part	174	-	-	3	33	9	9	3	4	-	1	7	2	83	63	-	-	55	8
Manhattan, total	176	-	-	3	35	9	10	3	4	-	1	8	2	83	63	-	-	55	8
Balance of county	59	-	-	-	14	3	4	2	-	-	2	3	1	24	17	-	-	15	2
Rooks	94	-	-	-	17	7	4	-	-	-	2	4	1	48	41	-	1	31	9
Rush	49	-	-	-	18	6	5	2	2	1	-	2	-	24	16	-	-	15	1
Russell	122	-	-	-	22	4	3	2	3	2	1	7	1	72	60	-	1	42	17
Saline	421	1	-	3	91	21	16	9	10	10	8	17	4	206	157	4	3	105	45
Salina	371	1	-	3	80	19	14	8	10	9	7	13	4	182	137	4	3	92	38
Balance of county	50	-	-	-	11	2	2	1	-	1	1	4	-	24	20	-	-	13	7
Scott	42	-	-	1	10	3	2	-	3	-	-	2	2	21	14	-	-	9	5
Sedgwick	2,931	3	-	30	628	164	178	56	70	21	33	106	54	1,347	1,062	8	28	770	256
Wichita	2,583	3	-	26	549	149	151	51	56	19	27	96	49	1,178	928	8	26	671	223
Balance of county	348	-	-	4	79	15	27	5	14	2	6	10	5	169	134	-	2	99	33
Seward	139	-	-	1	32	7	9	3	3	-	3	7	1	56	45	-	1	30	14
Liberal	125	-	-	1	26	6	6	3	2	-	3	6	1	52	42	-	1	27	14
Balance of county	14	-	-	-	6	1	3	-	1	-	-	1	-	4	3	-	-	3	-
Shawnee	1,404	2	-	16	294	70	89	21	35	13	9	57	20	671	519	5	24	355	135
Topeka	1,217	2	-	13	251	61	81	15	30	10	8	46	19	589	451	4	24	308	115
Balance of county	187	-	-	3	43	9	8	6	5	3	1	11	1	82	68	1	-	47	20
Sheridan	39	-	-	-	7	3	2	-	-	1	-	1	-	28	21	-	-	18	3
Sherman	69	-	-	4	15	3	6	1	2	-	-	3	1	22	18	-	-	10	8
Smith	88	-	-	-	16	5	3	1	4	-	1	2	-	51	34	-	1	19	14
Stafford	78	-	-	2	16	5	7	-	1	-	1	2	2	35	23	1	-	11	11
Stanton	13	-	-	1	3	1	-	1	-	1	-	-	-	3	3	-	-	2	1
Stevens	54	-	-	2	11	3	3	2	2	-	-	1	-	17	15	-	-	13	2
Sumner	289	-	-	4	64	18	14	7	8	7	2	8	9	137	105	-	3	79	23
Thomas	92	-	-	2	17	4	6	2	2	-	1	2	3	49	36	1	-	28	7
Trego	61	-	-	1	16	6	1	3	2	2	-	2	2	27	17	-	-	16	1
Wabaunsee	89	-	-	1	18	4	3	2	6	-	-	3	1	47	32	-	-	25	7
Wallace	25	-	-	-	5	-	-	1	1	1	2	-	-	6	4	-	-	4	-
Washington	124	-	-	2	21	3	5	1	3	1	-	8	2	69	47	-	1	28	18
Wichita	19	-	-	-	2	-	-	-	-	-	1	1	-	12	12	-	2	7	3
Wilson	170	-	-	2	31	10	5	1	4	2	3	6	2	97	81	-	4	66	11
Woodson	65	-	-	-	10	4	2	1	1	-	1	1	2	33	19	-	-	12	7
Wyandotte	1,680	-	-	35	321	77	94	26	42	10	14	58	30	743	593	5	23	369	196
Kansas City	1,586	-	-	33	308	76	89	25	39	10	14	55	26	690	551	5	19	346	181
Balance of county	94	-	-	2	13	1	5	1	3	-	-	3	4	53	42	-	4	23	15
Kentucky	33,631	42	1	355	7,392	1,770	2,358	595	715	303	272	1,379	620	16,156	12,581	91	301	8,712	3,477
Urban places	11,389	17	1	141	2,683	636	869	232	262	105	93	486	231	5,365	4,198	35	133	2,784	1,246
Balance of area	22,242	25	-	214	4,709	1,134	1,489	363	453	198	179	893	389	10,791	8,383	56	168	5,928	2,231
Metropolitan counties	14,233	19	1	177	3,425	823	1,077	313	322	137	116	637	277	6,597	5,152	36	161	3,475	1,480
Urban places	8,866	14	1	120	2,122	491	680	192	207	87	75	390	190	4,104	3,238	22	115	2,136	965
Balance of area	5,367	5	-	57	1,303	332	397	121	115	50	41	247	87	2,493	1,914	14	46	1,339	515
Nonmetropolitan counties	19,398	23	-	178	3,967	947	1,281	282	393	166	156	742	343	9,559	7,429	55	140	5,237	1,997
Urban places	2,523	3	-	21	561	145	188	40	55	18	18	96	41	1,261	980	13	18	648	281
Balance of area	16,875	20	-	157	3,406	802	1,092	242	338	148	138	646	302	8,298	6,449	42	122	4,589	1,716
Adair	178	1	-	1	34	9	11	3	3	1	-	7	5	86	68	-	1	47	20
Allen	177	-	-	3	35	9	13	-	6	2	-	5	1	112	88	-	2	54	32
Anderson	97	-	-	2	24	10	8	1	1	-	-	4	7	41	29	-	1	24	4
Ballard	109	-	-	-	23	5	10	2	2	1	-	3	1	55	39	-	1	29	9
Barren	348	1	-	2	82	24	27	7	8	4	5	9	4	186	142	1	8	96	37
Glasgow	145	1	-	-	37	11	12	5	1	2	1	5	1	81	66	1	2	47	18
Balance of county	203	-	-	2	45	13	15	2	5	2	4	4	3	105	76	-	6	49	21
Bath	95	-	-	1	11	3	1	1	-	1	2	3	1	47	40	-	-	22	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	–	6	1	2	3	8	–	–	2	–	1	–	1	10	4	6	–	–	–
Morton	–	2	1	1	–	3	–	–	–	–	–	–	1	4	2	–	–	–	–
Nemaha	–	22	–	1	11	7	1	1	1	–	–	–	3	19	2	3	2	–	–
Neosho	2	18	3	2	6	4	3	–	1	–	3	1	2	24	3	4	5	–	–
Chanute	2	11	2	1	4	3	1	–	–	–	1	–	2	18	1	2	1	–	–
Balance of county	–	7	1	1	2	1	2	–	1	–	2	1	–	6	2	2	4	–	–
Ness	1	4	2	–	–	1	–	–	–	–	1	–	–	4	1	3	1	–	–
Norton	–	6	2	4	4	4	–	–	–	–	–	–	1	3	1	6	2	–	–
Osage	–	17	15	1	4	8	1	2	1	–	–	2	2	17	1	5	2	–	–
Osborne	–	6	3	1	4	1	1	–	–	–	1	–	1	9	1	6	1	–	–
Ottawa	–	12	–	–	1	1	–	–	1	–	–	–	1	5	1	–	–	–	–
Pawnee	–	3	–	1	6	3	–	–	–	–	2	–	–	4	–	1	1	–	–
Phillips	–	10	2	2	12	6	2	1	1	–	–	–	–	11	1	3	1	–	–
Pottawatomie	–	14	7	1	10	11	–	–	1	–	–	–	–	8	4	2	3	2	–
Manhattan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	14	7	1	10	11	–	–	1	–	–	–	–	8	4	2	3	2	–
Pratt	1	4	3	–	2	5	1	1	3	–	1	–	12	9	3	2	2	–	–
Rawlins	–	3	–	–	1	2	1	–	–	–	–	–	–	4	3	1	3	–	–
Reno	2	61	3	8	26	15	3	6	6	–	3	3	4	42	13	15	10	6	–
Hutchinson	1	36	2	5	19	13	2	5	4	–	2	1	3	24	8	9	7	2	–
Balance of county	1	25	1	3	7	2	1	1	2	–	1	2	1	18	5	6	3	4	–
Republic	–	17	1	2	7	1	1	1	1	–	–	–	–	4	3	1	4	1	–
Rice	–	22	1	1	6	4	–	1	–	–	1	2	2	14	2	4	2	–	–
Riley	1	20	4	2	10	12	2	3	1	–	6	2	1	18	10	4	3	1	–
Manhattan, part	–	15	3	2	7	9	1	3	–	–	4	2	1	15	3	4	3	1	–
Manhattan, total	–	15	3	2	7	9	1	3	–	–	4	2	1	15	3	4	3	1	–
Balance of county	1	5	1	–	3	3	1	–	1	–	2	–	–	3	7	–	–	–	–
Rooks	–	2	2	3	6	4	–	2	2	–	–	–	–	5	5	3	1	–	–
Rush	–	7	–	1	2	–	–	1	–	–	–	2	–	1	1	–	–	–	–
Russell	1	8	–	3	1	4	–	1	2	–	1	–	–	8	4	3	2	–	1
Saline	1	42	4	2	13	20	1	2	1	–	1	5	9	37	6	14	4	2	1
Saline	1	38	4	2	11	18	1	2	1	–	1	5	9	31	4	12	3	2	1
Balance of county	–	4	–	–	2	2	–	–	–	–	–	–	–	6	2	2	1	–	–
Scott	–	7	–	–	–	2	–	–	–	–	2	–	1	1	2	–	–	–	–
Sedgwick	10	208	39	28	74	130	10	26	47	2	34	34	33	261	81	66	38	18	15
Wichita	10	180	35	25	70	114	10	26	42	2	31	29	30	233	64	61	36	17	13
Balance of county	–	28	4	3	4	16	–	–	5	–	3	5	3	28	17	5	2	1	2
Seward	–	8	3	–	6	5	1	–	–	–	–	2	4	10	8	10	1	2	–
Liberal	–	7	3	–	5	5	1	–	–	–	–	2	2	10	8	9	1	2	–
Balance of county	–	1	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Shawnee	3	108	22	19	46	65	7	14	11	–	6	13	19	122	27	40	21	7	3
Topeka	3	100	18	17	41	53	5	13	9	–	6	12	18	107	21	35	15	5	3
Balance of county	–	8	4	2	5	12	2	1	2	–	–	1	1	15	6	5	6	2	–
Sheridan	–	4	–	1	–	1	–	–	–	–	–	–	–	3	1	–	1	–	–
Sherman	1	2	1	–	6	8	–	1	1	–	1	–	–	6	2	1	1	–	–
Smith	2	8	3	4	2	1	–	–	2	–	–	–	–	13	–	1	–	–	–
Stafford	–	9	3	–	3	5	1	–	–	–	–	–	1	8	2	1	–	–	–
Stanton	–	–	–	–	1	1	–	–	–	–	–	–	1	1	2	–	–	–	–
Stevens	–	2	–	–	7	2	–	1	3	–	–	–	–	6	5	–	–	–	–
Sumner	–	21	9	2	7	11	1	4	1	–	2	3	8	21	9	4	2	1	1
Thomas	–	8	4	1	1	2	1	–	3	–	–	–	1	8	1	2	2	–	–
Trego	–	9	1	–	1	3	–	–	–	–	–	1	–	9	–	–	–	–	1
Wabaunsee	–	9	4	2	2	7	–	–	–	–	–	2	2	6	1	2	–	–	–
Wallace	–	2	–	–	2	2	–	–	2	–	–	–	–	6	2	–	–	–	–
Washington	2	19	–	1	7	4	1	–	–	–	1	–	1	9	2	4	1	–	–
Wichita	–	–	–	–	–	–	–	–	2	–	–	–	–	2	1	–	–	–	–
Wilson	1	12	1	2	11	10	–	1	1	–	1	–	1	2	6	3	2	–	–
Woodson	–	12	1	1	1	5	–	1	–	–	–	1	1	9	1	1	–	–	–
Wyandotte	6	119	12	13	59	79	3	17	12	–	14	22	83	115	50	47	27	23	–
Kansas City	6	110	12	11	57	71	2	17	12	–	14	22	81	110	48	47	27	23	–
Balance of county	–	9	–	2	2	8	1	–	–	–	–	–	2	5	4	–	–	–	–
Kentucky	129	2,715	381	350	1,007	1,308	90	334	369	4	228	284	244	2,787	755	893	500	244	20
Urban places	50	858	134	125	331	411	31	144	125	–	66	85	80	1,023	143	264	153	85	10
Balance of area	79	1,857	247	225	676	895	59	190	244	4	162	198	164	1,764	612	629	347	159	10
Metropolitan counties	57	1,078	152	156	394	533	43	169	140	1	91	138	108	1,227	248	332	207	96	10
Urban places	35	639	98	95	253	333	24	118	94	–	51	70	57	811	107	208	115	67	7
Balance of area	22	440	54	63	141	200	19	51	46	1	40	68	51	416	141	124	92	29	3
Nonmetropolitan counties	72	1,637	229	192	613	773	47	165	229	3	137	146	136	1,560	507	561	293	148	10
Urban places	15	220	36	30	78	78	7	26	31	–	15	15	23	212	36	58	38	18	3
Balance of area	57	1,417	193	162	535	695	40	139	198	3	122	131	113	1,348	471	505	255	130	7
Adair	–	15	–	3	11	6	–	2	5	–	2	1	1	14	2	5	–	2	–
Allen	1	21	1	1	1	2	2	1	–	–	–	–	1	14	4	1	–	–	–
Anderson	–	10	2	–	5	5	–	1	2	–	1	–	1	4	1	2	1	–	–
Ballard	–	10	4	2	7	7	1	–	–	–	1	–	1	7	3	2	1	–	–
Barren	1	30	6	7	8	11	1	2	1	–	1	–	3	25	8	7	4	2	–
Glasgow	1	11	1	2	4	4	–	2	–	–	–	–	1	10	1	2	–	1	–
Balance of county	–	19	5	5	4	7	1	–	1	–	1	–	2	15	7	5	4	1	–
Bath	–	6	1	–	3	7	–	2	1	–	1	1	–	9	4	3	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Bell	333	–	–	3	71	18	22	2	6	2	5	18	4	150	128	1	1	68	58
Middlesborough	159	–	–	2	35	7	10	1	5	1	3	8	3	67	57	1	1	30	25
Balance of county	174	–	–	1	36	11	12	1	1	1	2	8	1	83	71	–	–	38	33
Boone	325	–	–	7	75	17	25	5	8	1	2	17	5	157	127	1	2	100	24
Florence	158	–	–	3	37	7	11	3	5	1	–	10	4	69	57	1	–	40	16
Balance of county	167	–	–	4	38	10	14	2	3	–	2	7	1	88	70	–	2	60	8
Bourbon	192	1	–	2	47	7	12	4	2	3	6	13	1	80	64	–	3	46	15
Boyd	545	1	–	7	107	29	28	8	9	5	5	23	17	292	231	3	2	163	63
Ashland	371	1	–	6	69	19	21	6	5	1	4	13	8	209	168	2	2	107	47
Balance of county	174	–	–	1	38	10	7	2	4	4	1	10	9	89	73	1	–	56	16
Boyle	247	–	–	1	59	15	18	5	7	3	3	8	9	121	97	1	3	63	30
Danville	147	–	–	1	30	8	9	3	4	2	1	3	6	75	56	1	2	32	21
Balance of county	100	–	–	–	29	7	9	2	3	1	2	5	3	46	41	–	1	31	9
Bracken	95	–	–	–	19	3	9	–	2	1	–	4	1	53	46	2	–	30	14
Breathitt	137	–	–	–	20	5	9	1	1	–	–	4	3	68	58	–	1	48	9
Breckinridge	182	–	–	–	30	3	11	2	4	–	–	10	1	103	71	–	–	62	9
Bullitt	238	1	–	1	48	9	11	5	4	2	3	14	7	129	105	3	3	70	29
Butler	144	–	–	3	28	4	7	3	4	1	1	8	5	72	52	–	–	41	11
Caldwell	178	–	–	1	37	9	14	–	2	–	3	9	1	94	76	–	–	65	11
Calloway	316	1	–	3	65	17	19	5	7	1	2	14	2	175	127	1	2	66	58
Murray	125	1	–	2	20	7	4	1	3	–	1	4	–	75	53	1	2	27	23
Balance of county	191	–	–	1	45	10	15	4	4	1	1	10	2	100	74	–	–	39	35
Campbell	877	–	–	4	208	50	72	21	20	5	7	33	25	439	335	2	8	247	78
Fort Thomas	166	–	–	–	45	14	11	4	3	1	4	8	2	84	70	–	2	51	17
Newport	281	–	–	2	57	7	26	6	8	2	2	6	12	140	108	1	1	81	25
Balance of county	430	–	–	2	106	29	35	11	9	2	1	19	11	215	157	1	5	115	36
Carlisle	84	–	–	1	15	2	7	1	1	1	–	3	–	48	35	1	1	22	11
Carroll	104	–	–	1	18	5	5	3	2	–	–	3	–	54	41	–	–	26	15
Carter	234	1	–	1	48	12	10	2	7	3	4	10	6	113	83	–	1	61	21
Casey	136	–	–	3	32	6	10	5	3	–	3	5	2	55	46	–	–	33	13
Christian	532	2	–	11	102	21	34	9	11	3	6	16	5	245	193	–	11	129	53
Hopkinsville	359	2	–	4	70	14	26	5	6	2	7	10	3	161	149	–	9	98	42
Balance of county	173	–	–	7	32	7	8	4	5	1	1	6	2	84	44	–	2	31	11
Clark	219	–	–	6	39	11	10	3	2	2	1	10	4	117	103	–	3	57	43
Winchester	161	–	–	4	34	8	9	3	2	2	1	9	3	83	71	–	3	41	27
Balance of county	58	–	–	2	5	3	1	–	–	–	–	1	1	34	32	–	–	16	16
Clay	184	1	–	4	41	11	10	4	4	1	–	11	3	71	56	3	1	32	20
Clinton	105	1	–	–	25	7	5	–	4	1	1	7	1	57	48	1	–	36	11
Crittenden	120	–	–	–	24	4	6	2	2	–	4	6	–	68	47	–	–	41	6
Cumberland	90	–	–	–	15	4	3	2	2	–	2	2	2	49	44	–	1	32	11
Daviess	763	–	–	6	178	45	46	20	15	9	8	35	16	340	257	1	3	190	53
Owensboro	583	–	–	4	133	32	34	14	10	7	6	30	14	265	202	1	2	149	50
Balance of county	180	–	–	2	45	13	12	6	5	2	2	5	2	75	55	–	1	41	13
Edmonson	90	–	–	1	17	4	5	–	3	–	–	5	4	43	31	–	–	20	11
Elliott	38	–	–	–	6	3	–	–	1	–	1	1	2	24	14	–	–	6	8
Estill	149	–	–	–	26	8	10	1	3	3	–	1	–	80	67	–	2	51	14
Fayette, coext. with Lexington-Fayette	1,517	3	–	29	357	86	108	40	36	16	11	60	24	644	533	2	19	325	187
Fleming	138	–	–	2	29	7	8	2	4	2	–	6	1	76	60	1	1	43	15
Floyd	403	2	–	5	86	18	32	4	12	6	2	12	11	153	126	2	2	102	20
Franklin	396	1	–	5	76	8	35	9	7	3	2	12	6	211	161	2	1	110	48
Frankfort	277	1	–	4	55	3	27	8	5	2	1	9	5	143	107	1	1	75	30
Balance of county	119	–	–	1	21	5	8	1	2	1	1	3	1	68	54	1	–	35	18
Fulton	122	1	–	3	20	3	8	2	1	–	3	3	3	72	52	–	3	42	7
Gallatin	55	–	–	–	11	2	5	1	–	2	–	1	2	28	24	–	2	15	7
Garrard	112	–	–	3	24	5	7	2	1	1	1	7	1	55	42	–	–	21	21
Grant	130	–	–	1	34	7	10	5	6	1	2	3	–	49	41	–	–	29	12
Graves	448	–	–	2	103	28	33	8	9	3	3	19	11	205	163	2	8	99	54
Mayfield	192	–	–	–	47	11	19	6	3	1	1	6	2	87	68	1	2	43	22
Balance of county	256	–	–	2	56	17	14	2	6	2	2	13	9	118	95	1	6	56	32
Grayson	195	–	–	1	44	11	16	2	2	2	1	10	3	111	84	–	–	54	30
Green	115	1	–	2	27	6	11	3	2	1	1	3	–	60	47	–	–	35	12
Greenup	296	–	–	3	65	14	26	2	7	3	3	10	4	155	115	–	1	67	47
Hancock	61	–	–	1	14	–	5	1	2	–	1	5	–	32	22	–	1	12	9
Hardin	475	–	–	3	112	33	40	7	7	6	5	14	9	194	153	4	4	114	31
Elizabethtown	125	–	–	–	34	9	10	2	–	3	2	8	4	51	38	2	1	29	6
Radcliff	71	–	–	–	20	6	8	1	3	–	1	1	–	30	28	1	–	22	5
Balance of county	279	–	–	3	58	18	22	4	4	3	2	5	5	113	87	1	3	63	20
Harlan	422	–	–	4	74	7	29	3	11	9	2	13	12	170	154	1	7	118	28
Harrison	178	–	–	–	33	8	9	3	4	–	–	9	5	91	71	–	1	60	10
Hart	159	–	–	2	35	8	11	1	2	2	5	6	–	83	63	1	1	45	16
Henderson	359	1	–	2	79	23	28	2	7	4	5	10	9	172	126	1	3	99	23
Henderson	248	1	–	2	56	16	17	2	6	3	5	7	6	112	81	1	3	64	13
Balance of county	111	–	–	–	23	7	11	–	1	1	–	3	3	60	45	–	–	35	10
Henry	144	–	–	–	39	6	14	5	1	1	1	11	5	73	55	–	1	44	10
Hickman	70	1	–	1	13	4	2	1	1	–	–	5	1	30	27	–	–	19	8
Hopkins	460	–	–	1	105	29	29	7	8	4	4	24	6	235	184	2	3	119	60
Madisonville	203	–	–	–	43	14	10	1	4	–	2	12	4	99	76	1	1	53	21
Balance of county	277	–	–	1	62	15	19	6	4	4	2	12	2	136	108	1	2	68	39
Jackson	103	–	–	–	23	5	8	2	3	–	–	5	2	44	32	1	2	25	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	1	12	6	3	5	10	1	7	4	–	1	1	6	33	10	18	1	7	1
Middlesborough	–	5	4	1	3	7	1	5	1	–	1	–	3	15	6	6	–	3	1
Balance of county	1	7	2	2	2	3	–	2	3	–	–	1	3	18	4	12	1	4	–
Boone	1	21	5	3	6	12	2	4	1	–	–	1	1	33	9	6	5	–	1
Florence	–	9	2	1	4	5	1	3	–	–	–	–	–	18	6	4	3	–	1
Balance of county	1	12	3	2	2	7	1	1	1	–	–	1	1	15	3	2	2	–	–
Bourbon	–	11	1	4	9	5	1	1	3	–	–	2	5	21	5	8	1	–	–
Boyd	3	51	2	5	13	20	2	1	2	–	3	1	11	45	8	11	2	2	–
Ashland	1	38	1	5	8	14	2	1	2	–	1	1	8	33	3	9	2	–	–
Balance of county	2	13	1	–	5	6	–	–	–	–	2	–	3	12	5	2	–	2	–
Boyle	1	18	2	3	8	8	2	2	4	–	2	2	2	13	7	3	4	–	–
Danville	1	14	2	2	7	5	1	1	4	–	–	2	1	7	2	2	3	–	–
Balance of county	–	4	–	1	1	3	1	1	–	–	2	–	1	6	5	1	1	–	–
Bracken	–	5	1	1	4	3	1	–	1	–	1	–	–	7	3	1	1	–	–
Breathitt	1	6	1	2	7	1	–	–	1	–	2	–	3	9	10	3	6	4	–
Breckinridge	–	29	2	1	2	11	–	3	2	–	1	1	1	12	3	9	3	–	–
Bullitt	2	16	1	5	3	8	–	2	1	–	1	3	2	12	8	8	4	–	–
Butler	–	18	1	1	5	2	1	–	1	–	2	1	2	12	3	6	1	–	–
Caldwell	1	16	1	–	10	5	1	1	2	–	1	–	2	14	3	1	3	2	–
Calloway	2	41	4	1	10	9	–	4	1	–	–	–	–	24	7	8	5	2	–
Murray	1	17	3	1	6	3	–	–	–	–	–	–	–	14	3	1	–	–	–
Balance of county	1	24	1	–	4	6	–	4	1	–	–	–	–	10	4	7	5	2	–
Campbell	4	63	9	8	35	29	2	7	10	–	4	7	2	53	10	23	9	7	3
Fort Thomas	–	10	2	2	9	5	–	–	2	–	–	1	–	10	2	5	–	1	–
Newport	2	23	4	3	13	10	–	4	3	–	1	2	1	16	1	11	4	3	1
Balance of county	2	50	3	3	13	14	2	3	5	–	3	4	1	27	7	7	5	3	2
Carlisle	–	12	–	1	3	1	–	4	1	–	–	1	–	4	2	2	2	–	–
Carroll	–	10	1	2	4	3	–	2	2	–	–	–	2	11	3	2	2	–	–
Carter	2	20	5	3	11	7	1	3	2	–	1	2	1	18	5	6	5	3	–
Casey	–	8	–	1	4	10	–	1	2	–	2	2	3	10	5	1	2	1	1
Christian	–	39	8	5	19	13	3	3	4	–	4	14	3	59	20	16	6	3	–
Hopkinsville	–	24	7	1	15	11	2	2	3	–	1	4	1	43	4	10	2	1	–
Balance of county	–	15	1	4	4	2	1	1	1	–	3	10	2	16	16	6	4	2	–
Clark	–	11	3	–	4	2	–	1	4	–	2	3	3	21	7	3	3	–	–
Winchester	–	9	3	–	3	2	–	–	3	–	1	3	3	16	5	–	1	–	–
Balance of county	–	2	–	–	1	–	–	1	1	–	1	–	–	5	2	3	2	–	–
Clay	–	13	1	1	4	5	–	1	3	–	3	5	2	22	4	9	2	4	–
Clinton	–	6	1	2	4	2	–	1	3	–	1	–	–	6	3	1	–	–	–
Crittenden	–	17	3	1	3	5	–	–	1	–	–	1	1	9	4	3	1	–	–
Cumberland	–	4	1	–	7	3	1	1	–	–	1	–	1	5	3	1	1	–	–
Daviess	2	63	10	8	23	38	2	12	3	–	6	8	2	78	13	22	16	–	–
Owensboro	2	46	9	6	21	27	2	9	2	–	3	4	–	64	4	16	15	–	–
Balance of county	–	17	1	2	2	11	–	3	1	–	3	4	2	14	9	6	1	–	–
Edmonson	–	12	–	–	3	1	–	–	1	–	1	1	2	10	4	2	–	–	–
Elliott	–	7	3	–	–	1	–	–	–	–	–	–	–	2	2	–	–	1	–
Estill	–	11	–	2	7	4	2	1	3	–	3	–	–	11	3	7	–	2	–
Fayette, coext. with Lexington-Fayette	4	88	3	16	51	57	10	24	17	–	15	19	14	151	27	31	28	14	2
Fleming	1	12	1	2	–	8	–	–	4	–	–	–	–	12	1	3	2	–	–
Floyd	4	21	2	–	8	21	–	6	3	–	3	8	3	47	14	20	8	4	1
Franklin	2	39	2	7	12	11	–	6	4	–	1	1	3	37	5	8	7	2	–
Frankfort	2	28	1	5	10	7	–	5	3	–	1	–	2	28	–	5	6	2	–
Balance of county	–	11	1	2	2	4	–	1	1	–	–	1	1	9	5	3	1	–	–
Fulton	–	13	6	1	3	3	1	–	2	–	–	1	–	11	1	–	1	–	–
Gallatin	–	3	1	–	–	1	–	–	1	–	–	–	–	4	2	5	1	–	–
Garrard	–	12	–	1	4	3	–	1	3	–	–	2	1	9	–	2	3	1	–
Grant	–	7	1	–	1	13	–	–	–	–	2	1	1	19	4	1	1	3	–
Graves	1	31	3	7	14	14	1	1	9	–	3	4	6	41	12	15	6	1	–
Mayfield	–	15	3	1	6	4	1	1	4	–	–	–	6	22	3	7	1	1	–
Balance of county	1	16	–	6	8	10	–	–	5	–	3	4	–	19	9	8	5	–	–
Grayson	1	22	1	3	8	5	1	–	2	–	3	2	1	6	5	1	2	–	–
Green	–	11	1	1	–	9	–	1	–	–	–	–	–	8	1	2	4	–	–
Greenup	1	31	5	3	8	14	1	1	3	–	4	2	2	17	6	5	2	4	–
Hancock	–	7	1	2	1	2	–	–	–	–	–	–	–	6	4	–	1	–	–
Hardin	1	32	4	4	16	15	1	11	5	–	9	7	8	32	22	13	9	9	–
Elizabethtown	1	10	1	1	4	3	–	4	1	–	3	1	1	12	4	2	–	1	–
Radcliff	–	1	1	–	1	1	–	1	2	–	2	1	1	5	1	2	2	2	–
Balance of county	–	21	2	3	11	11	1	6	2	–	4	5	6	15	17	9	7	6	–
Harlan	1	14	–	1	17	28	1	4	3	–	–	7	4	59	9	20	6	4	–
Harrison	2	11	6	1	10	5	–	2	2	–	–	2	–	16	6	1	3	2	–
Hart	–	18	2	–	4	7	–	–	3	–	1	–	1	11	3	6	2	1	–
Henderson	–	38	4	4	10	17	1	6	4	–	–	–	1	30	7	14	4	1	1
Henderson	–	27	2	2	7	15	1	5	4	–	–	–	–	22	3	8	4	1	1
Balance of county	–	11	2	2	3	2	–	1	–	–	–	–	1	8	4	6	–	–	–
Henry	1	16	1	–	4	3	–	1	1	–	–	–	1	10	1	3	2	1	–
Hickman	–	3	–	–	3	3	–	–	2	–	–	–	2	4	3	4	2	1	–
Hopkins	3	35	9	4	20	13	–	4	2	–	7	4	1	40	8	20	8	6	–
Madisonville	2	13	5	3	12	6	–	1	1	–	1	2	–	14	4	7	6	3	–
Balance of county	1	22	4	1	8	7	–	3	1	–	6	2	1	26	4	13	2	3	–
Jackson	–	10	–	2	8	3	–	2	2	–	–	–	1	13	2	1	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,458	6	1	77	1,652	391	523	147	156	68	43	324	128	2,964	2,305	21	81	1,492	711
Jeffersontown	105	–	–	3	39	5	19	1	4	3	1	6	1	42	35	1	–	22	12
Louisville	3,690	3	1	47	847	228	301	77	89	39	25	188	86	1,705	1,318	11	61	828	420
St. Matthews	163	1	–	3	39	6	11	7	5	–	1	9	3	77	61	–	1	41	19
Shively	172	–	–	1	43	9	17	2	7	1	–	7	6	87	71	1	2	47	21
Balance of county	2,328	2	–	23	584	143	175	60	51	25	16	114	32	1,053	820	8	17	556	239
Jessamine	181	2	–	2	45	11	10	11	3	3	–	7	3	84	66	–	2	37	27
Nicholasville	95	2	–	1	22	5	4	6	2	2	–	3	1	48	39	–	1	24	14
Balance of county	86	–	–	1	23	6	6	5	1	1	–	4	2	36	27	–	1	13	13
Johnson	252	–	–	3	43	6	16	5	8	2	1	5	7	126	94	–	2	75	17
Kenton	1,280	1	–	14	312	82	106	31	32	7	10	44	25	568	439	1	12	348	78
Covington	613	1	–	8	129	28	44	13	14	6	6	20	12	282	219	1	6	172	38
Erlanger	87	–	–	1	25	7	12	2	2	–	1	1	4	34	25	–	–	20	5
Balance of county	580	–	–	5	158	49	50	16	16	1	3	23	9	252	195	–	4	156	35
Knott	134	–	–	1	17	2	5	1	1	2	1	5	2	67	54	1	1	38	14
Knox	339	1	–	4	56	10	16	4	8	3	3	10	6	164	132	2	10	85	35
Larue	138	–	–	1	34	9	12	2	3	–	1	7	1	71	57	–	1	38	18
Laurel	364	–	–	4	81	21	30	5	9	5	2	9	2	175	133	–	5	98	30
Lawrence	190	–	–	1	39	10	13	2	4	1	4	5	–	98	85	1	3	62	19
Lee	80	–	–	1	15	4	4	2	2	–	–	3	1	37	30	–	–	27	3
Leslie	101	–	–	1	21	5	7	1	1	3	2	2	2	44	36	–	–	22	14
Letcher	241	1	–	1	43	8	15	2	4	2	3	9	6	121	98	2	–	73	23
Lewis	137	–	–	1	29	8	9	2	6	–	1	3	3	74	68	–	–	46	22
Lincoln	224	–	–	5	39	8	13	2	3	1	1	11	2	100	89	–	1	61	27
Livingston	91	–	–	1	20	6	5	1	1	–	–	7	5	41	31	1	–	21	9
Logan	268	1	–	3	60	14	14	6	9	2	2	13	3	136	97	–	2	71	24
Lyon	81	–	–	1	19	5	6	1	4	–	–	3	1	42	36	–	–	21	15
McCracken	646	–	–	5	160	40	54	5	22	9	3	27	10	309	226	–	5	145	76
Paducah	426	–	–	4	98	27	34	2	14	5	1	15	7	213	155	–	3	101	51
Balance of county	220	–	–	1	62	13	20	3	8	4	2	12	3	96	71	–	2	44	25
McCreary	146	–	–	1	34	9	16	–	–	2	1	6	1	74	64	1	1	44	18
McLean	94	–	–	1	20	5	5	1	3	2	–	4	1	52	44	1	1	35	7
Madison	365	–	–	4	83	26	24	4	9	4	–	16	4	167	139	–	2	108	29
Richmond	153	–	–	2	34	12	11	2	2	–	–	7	2	79	68	–	2	53	13
Balance of county	212	–	–	2	49	14	13	2	7	4	–	9	2	88	71	–	–	55	16
Magoffin	109	–	–	–	23	7	5	3	2	1	1	4	2	46	34	–	–	20	14
Marion	161	–	–	1	30	8	6	2	2	2	1	9	6	75	50	–	1	38	11
Marshall	261	–	–	2	57	13	14	5	6	1	5	13	4	147	110	–	1	75	34
Martin	115	–	–	1	26	3	10	–	3	–	5	5	–	53	39	–	–	23	16
Mason	195	1	–	–	33	11	9	4	4	1	1	3	2	110	87	–	3	67	17
Meade	112	1	–	–	21	8	8	1	1	–	–	3	2	58	51	2	1	34	14
Menifee	66	–	–	–	12	–	6	1	3	–	1	1	1	38	28	–	–	13	15
Mercer	188	–	–	1	35	12	5	4	2	2	1	9	3	85	66	–	2	47	17
Metcalfe	84	–	–	–	10	4	2	–	1	–	–	3	1	54	43	–	4	25	14
Monroe	148	–	–	2	29	6	9	–	5	2	4	3	2	67	48	–	2	35	11
Montgomery	170	1	–	2	36	8	15	3	3	–	1	6	4	76	56	–	–	41	15
Morgan	114	–	–	1	28	6	4	3	2	1	2	6	1	49	42	–	–	31	11
Muhlenberg	326	–	–	4	56	7	21	7	2	4	4	11	5	172	128	1	3	79	45
Nelson	258	–	–	4	47	14	14	2	4	1	1	11	3	125	95	–	4	67	24
Nicholas	76	–	–	–	13	3	3	2	–	–	2	3	4	35	23	–	–	19	4
Ohio	214	–	–	3	35	9	10	1	4	2	1	8	6	106	85	1	1	66	15
Oldham	143	–	–	–	40	10	14	2	2	3	3	6	2	61	40	–	1	34	5
Owen	95	–	–	–	22	4	8	2	3	–	–	5	2	57	39	–	–	34	5
Owsley	69	–	–	1	11	3	2	–	1	1	1	3	2	31	25	–	–	19	6
Pendleton	113	–	–	2	26	8	9	2	2	1	–	4	2	81	47	–	1	35	11
Perry	297	–	–	4	54	10	24	5	7	2	–	6	6	146	128	1	1	55	72
Pike	607	–	–	5	139	32	42	8	12	9	5	31	18	291	223	1	1	181	40
Powell	108	–	–	4	29	4	16	2	2	2	1	2	2	42	35	2	–	22	11
Pulaski	465	1	–	5	90	25	26	7	9	3	3	17	9	235	175	1	4	133	37
Somerset	143	–	–	2	33	9	14	2	2	–	1	5	–	71	52	1	–	39	12
Balance of county	322	1	–	3	57	16	12	5	7	3	2	12	9	164	123	–	4	94	25
Robertson	27	–	–	1	5	1	3	–	1	–	–	–	–	18	15	–	–	10	5
Rockcastle	143	1	–	1	25	7	5	4	4	–	–	5	2	61	47	1	–	34	12
Rowan	131	–	–	3	27	7	9	–	1	3	–	7	6	59	36	–	2	22	12
Russell	141	1	–	3	37	8	14	3	3	–	1	8	1	69	53	1	1	32	19
Scott	182	–	–	3	45	7	18	3	5	1	1	10	2	86	70	1	3	45	21
Georgetown	97	–	–	2	20	2	9	1	3	1	1	3	1	48	41	–	1	28	12
Balance of county	85	–	–	1	25	5	9	2	2	–	–	7	1	38	29	1	2	17	9
Shelby	212	–	–	2	44	8	12	4	3	6	1	10	–	119	80	–	1	69	10
Simpson	148	–	–	–	15	6	5	2	–	1	–	1	3	86	60	–	–	43	17
Spencer	50	–	–	2	10	4	3	–	1	–	–	2	–	23	17	–	–	12	5
Taylor	169	–	–	–	34	10	8	3	1	–	3	9	1	85	64	1	–	52	11
Todd	138	–	–	2	20	4	12	–	–	1	1	2	2	82	68	–	1	50	15
Trigg	114	–	–	–	25	5	6	4	2	–	3	5	2	55	47	1	–	30	16
Trimble	74	1	–	–	15	3	6	2	2	–	–	2	2	32	24	–	–	17	7
Union	169	–	–	1	31	8	8	4	3	2	3	3	7	84	65	1	2	55	7
Warren	576	–	–	7	121	36	35	8	13	3	5	21	10	295	206	3	1	149	53
Bowling Green	357	–	–	4	75	21	21	6	9	2	3	13	7	190	138	2	1	97	36
Balance of county	219	–	–	3	46	15	14	2	4	1	2	8	3	105	70	1	–	52	17
Washington	107	–	–	–	32	7	11	5	3	–	2	4	2	43	28	1	–	20	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Jefferson	31	477	61	70	153	257	16	86	65	–	39	55	47	528	89	140	96	58	1
Jeffersontown	1	2	2	2	1	3	2	2	–	–	–	1	1	6	1	1	1	1	–
Louisville	21	276	52	38	80	143	3	53	38	–	21	21	22	314	38	84	39	44	1
St. Matthews	–	12	1	3	7	3	–	1	2	–	1	1	1	17	1	5	1	–	–
Shively	1	10	2	3	4	9	–	2	1	–	1	1	–	10	2	2	3	–	–
Balance of county	8	177	24	24	61	99	11	28	24	–	16	31	23	181	47	48	52	13	–
Jessamine	–	16	–	2	4	5	–	–	1	–	1	1	–	15	9	7	2	–	–
Nicholasville	–	8	–	1	2	2	–	–	1	–	1	–	–	9	3	3	–	–	–
Balance of county	–	8	–	1	2	3	–	–	–	–	–	1	–	6	6	4	2	–	–
Johnson	–	24	5	3	11	18	3	1	4	–	1	1	–	15	4	8	6	1	–
Kenton	9	86	14	20	42	48	3	19	19	1	7	19	10	123	17	24	25	2	1
Covington	3	45	8	9	20	22	1	11	15	–	3	6	6	68	4	13	10	2	–
Erlanger	–	6	1	2	4	2	–	1	–	–	1	5	–	6	–	2	2	–	–
Balance of county	6	35	7	9	18	24	2	7	4	1	3	8	4	49	13	9	13	–	1
Knott	–	12	–	1	2	6	–	–	1	–	1	2	1	12	4	8	6	4	–
Knox	–	26	1	5	9	30	1	–	2	–	4	7	4	15	10	12	7	7	–
Larue	–	4	8	2	11	5	–	2	1	–	1	–	1	6	2	1	1	–	–
Laurel	1	38	–	3	10	23	1	2	6	–	4	2	5	21	5	17	8	–	–
Lawrence	–	11	–	2	5	19	–	–	1	–	1	1	–	14	6	4	1	–	–
Lee	–	5	–	2	3	–	–	–	–	–	1	–	1	10	3	6	1	1	–
Leslie	–	8	–	–	2	2	–	1	–	–	2	3	1	11	1	7	2	1	–
Letcher	1	19	1	2	10	9	–	4	2	–	1	3	1	22	1	8	4	4	–
Lewis	–	4	1	1	1	5	–	1	1	–	–	–	1	9	6	4	2	–	–
Lincoln	–	7	3	1	13	8	–	–	2	–	–	3	2	27	9	9	3	2	–
Livingston	–	8	1	1	4	4	1	1	1	–	2	–	–	6	–	2	1	2	–
Logan	1	37	–	1	10	8	–	4	3	–	2	2	4	14	8	7	1	–	–
Lyon	2	2	–	2	3	–	–	–	2	–	1	–	–	4	2	3	1	2	–
McCracken	2	63	13	5	17	26	4	8	10	–	5	4	2	53	8	6	16	3	–
Paducah	2	43	9	4	11	14	3	2	8	–	2	3	2	35	4	5	13	2	–
Balance of county	–	20	4	1	6	12	1	6	2	–	3	1	–	18	4	1	3	1	–
McCreary	–	8	1	1	5	6	–	2	2	–	1	–	–	9	4	4	3	–	–
McLean	–	6	1	1	3	3	1	–	2	–	–	–	–	5	4	1	1	–	–
Madison	1	23	1	3	10	8	–	3	5	–	2	2	6	38	10	8	10	2	3
Richmond	1	7	–	3	3	3	–	1	1	–	2	–	2	15	3	2	1	1	2
Balance of county	–	16	1	–	7	5	–	2	4	–	–	2	4	23	7	8	9	1	1
Magoffin	1	7	2	2	2	4	–	–	3	–	1	–	1	11	6	7	–	2	1
Marion	5	18	2	–	4	9	–	–	5	–	1	5	–	9	6	5	2	3	–
Marshall	3	28	4	2	7	8	–	–	3	1	2	3	2	18	11	10	6	–	–
Martin	1	8	4	1	–	11	–	3	1	–	2	1	3	3	5	3	2	1	–
Mason	1	15	6	1	4	9	1	2	1	–	2	1	–	10	9	5	4	1	–
Meade	–	5	1	1	2	3	–	2	1	–	–	2	–	9	4	3	3	1	–
Menifee	1	4	1	2	4	1	–	1	1	–	1	–	1	2	3	2	–	1	–
Mercer	–	17	2	–	8	5	–	3	5	–	–	3	2	21	3	4	8	2	–
Metcalfe	–	10	1	–	2	4	–	1	–	–	1	1	–	6	–	3	1	–	–
Monroe	4	13	2	–	9	5	–	3	2	–	1	–	1	14	4	4	4	1	–
Montgomery	–	12	4	4	4	3	–	1	1	–	2	1	1	17	10	6	4	1	–
Morgan	–	6	1	–	5	4	–	–	2	–	1	2	3	13	3	3	–	1	–
Muhlenberg	1	40	1	2	7	7	–	2	4	–	–	2	–	44	12	6	2	3	–
Nelson	–	26	1	3	7	9	1	7	2	–	4	–	2	17	8	14	5	3	–
Nicholas	–	11	–	1	2	2	2	–	1	–	–	1	2	9	2	3	–	–	–
Ohio	–	16	2	3	13	6	–	2	3	–	1	–	1	21	7	5	4	1	–
Oldham	–	18	1	2	4	2	–	2	1	–	4	1	4	9	4	5	1	3	–
Owen	–	14	2	2	1	1	–	–	1	–	–	–	–	4	3	3	1	–	–
Owsley	–	2	2	2	3	5	1	–	–	–	2	–	–	2	7	4	–	–	–
Pendleton	1	9	1	3	3	3	–	2	2	–	–	1	–	6	2	2	1	–	–
Perry	1	14	1	1	8	11	–	3	3	1	3	2	3	18	8	15	6	4	2
Pike	–	54	4	10	15	21	1	5	11	–	4	9	2	44	16	13	8	5	–
Powell	–	6	–	1	4	2	–	2	–	–	2	3	–	9	8	1	–	–	–
Pulaski	–	41	14	5	8	25	–	2	6	–	2	5	4	38	11	17	7	–	–
Somerset	–	14	4	1	3	11	–	1	2	–	–	2	1	9	2	5	1	–	–
Balance of county	–	27	10	4	5	14	–	1	4	–	2	3	3	29	9	12	8	–	–
Robertson	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Rockcastle	1	10	2	1	9	17	–	1	1	–	1	–	1	12	4	3	2	2	–
Rowan	2	13	3	5	4	10	–	2	2	–	1	–	–	7	2	4	2	2	–
Russell	–	13	1	2	4	5	–	–	2	–	–	1	1	12	2	3	–	–	–
Scott	–	10	3	3	8	4	–	–	1	–	1	1	–	18	5	6	1	–	1
Georgetown	–	5	1	1	4	3	–	–	1	–	1	1	–	8	3	4	–	–	1
Balance of county	–	5	2	2	4	1	–	–	–	–	–	–	–	10	2	2	1	–	–
Shelby	–	32	7	–	8	5	1	1	3	–	1	–	–	13	5	5	5	–	–
Simpson	1	15	7	3	2	6	1	1	3	–	4	–	–	14	5	5	–	1	–
Spencer	–	4	1	1	2	1	–	–	1	–	–	–	–	5	–	5	1	–	–
Taylor	–	16	1	4	8	6	1	2	4	–	2	1	–	16	5	2	2	–	–
Todd	1	12	2	1	1	7	1	–	2	–	–	–	1	5	6	6	1	2	–
Trigg	–	6	1	1	5	5	1	–	4	–	1	1	–	6	2	4	–	3	–
Trimble	–	6	–	–	5	5	1	–	–	–	2	–	–	6	4	–	1	–	–
Union	1	13	2	3	6	10	2	–	2	–	–	2	1	14	3	3	3	–	–
Warren	8	67	6	6	11	18	2	5	8	1	4	6	4	44	6	22	8	4	–
Bowling Green	4	42	2	6	8	10	1	2	4	–	3	4	3	26	3	10	5	2	–
Balance of county	4	25	4	2	3	8	1	3	4	1	1	2	1	18	3	12	3	2	–
Washington	3	9	3	–	5	4	1	1	1	–	1	–	–	8	4	3	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	162	–	–	–	36	10	12	3	2	4	–	5	1	88	73	–	3	45	25
Webster	178	–	–	1	26	9	7	2	3	–	1	4	6	96	76	–	–	65	11
Whitley	360	1	–	6	73	16	27	6	7	3	1	13	11	178	135	1	2	101	31
Wolfe	65	–	–	1	11	2	2	2	1	1	1	2	–	34	32	–	1	19	12
Woodford	126	1	–	3	26	10	6	–	3	2	–	5	–	64	43	–	4	26	13
Louisiana	35,741	53	4	570	7,822	1,897	2,252	604	630	305	289	1,645	758	16,588	13,087	66	623	8,356	4,042
Urban places	17,467	31	3	298	3,862	940	1,087	317	423	146	129	820	407	7,988	6,315	39	386	3,857	2,033
Balance of area	18,274	22	1	272	3,960	957	1,165	287	407	159	160	825	351	8,598	6,772	27	237	4,499	2,009
Metropolitan parishes [6]	21,955	37	4	368	4,906	1,159	1,421	415	510	192	166	1,043	477	9,940	7,964	47	460	5,014	2,443
Urban places	14,677	28	3	265	3,262	778	912	273	360	126	107	706	337	6,665	5,334	33	360	3,217	1,724
Balance of area	7,278	8	1	103	1,644	381	509	142	150	66	59	337	140	3,275	2,630	14	100	1,797	719
Nonmetropolitan parishes [6]	13,786	16	–	202	2,916	738	831	189	320	113	123	602	281	6,646	5,123	19	163	3,342	1,599
Urban places	2,790	2	–	33	600	162	175	44	63	20	22	114	70	1,323	981	6	26	640	309
Balance of area	10,996	14	–	169	2,316	576	656	145	257	93	101	488	211	5,323	4,142	13	137	2,702	1,290
Acadia	567	–	–	6	137	30	43	6	13	10	5	30	14	258	194	3	2	135	54
Crowley	199	–	–	1	48	10	12	4	6	2	1	13	6	95	71	2	–	53	16
Eunice, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of parish	366	–	–	5	89	20	31	2	7	8	4	17	8	162	122	1	2	82	37
Allen	229	–	–	1	48	10	12	4	10	–	2	10	6	110	82	–	1	54	27
Ascension	350	–	–	2	67	23	18	6	6	3	1	10	9	171	126	–	–	90	36
Assumption	164	–	–	2	42	10	8	4	3	5	1	11	7	88	49	–	3	31	15
Avoyelles	434	–	–	8	77	23	15	7	14	2	2	14	10	239	185	1	3	150	31
Beauregard	278	1	–	3	49	15	12	5	4	1	1	11	3	141	106	–	1	87	18
De Ridder, part	132	–	–	–	23	8	5	2	3	–	1	4	1	66	44	–	1	30	13
De Ridder, total	133	–	–	–	24	8	6	2	3	–	1	4	1	66	44	–	1	30	13
Balance of parish	146	1	–	3	26	7	7	3	1	1	–	7	2	75	62	–	–	57	5
Bienville	190	1	–	1	41	8	8	4	5	2	–	14	1	94	71	–	2	37	32
Bossier	526	–	–	14	127	24	39	10	9	4	6	26	6	223	184	–	4	140	40
Bossier City	305	–	–	6	80	13	25	13	4	4	5	16	3	128	105	–	3	78	24
Shreveport, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	220	–	–	8	47	11	14	6	5	–	1	10	3	95	79	–	1	62	16
Caddo	2,495	4	–	47	559	118	152	52	82	22	20	113	34	1,200	999	5	31	639	324
Shreveport, part	2,111	4	–	41	484	103	131	46	72	20	19	93	29	1,010	840	4	28	529	279
Shreveport, total	2,112	4	–	41	484	103	131	46	72	20	19	93	29	1,010	840	4	28	529	279
Balance of parish	384	–	–	6	75	15	21	6	10	2	1	20	5	190	159	1	3	110	45
Calcasieu	1,350	1	1	19	289	64	76	23	37	9	11	69	32	656	505	5	18	361	121
Lake Charles	711	1	1	9	157	35	39	13	22	5	3	40	18	343	265	1	9	184	71
Sulphur	195	–	–	5	40	9	14	1	4	–	1	11	7	92	68	3	1	50	14
Balance of parish	444	–	–	5	92	20	23	9	11	4	7	18	9	221	172	1	8	127	36
Caldwell	110	–	–	1	20	4	5	1	2	1	2	5	1	63	57	–	–	39	18
Cameron	71	–	–	1	17	6	10	–	–	–	–	1	1	22	19	–	–	13	6
Catahoula	117	–	–	2	26	4	5	2	5	–	1	9	1	60	53	–	1	21	31
Claiborne	210	1	–	2	45	11	16	2	4	1	2	9	4	107	77	–	2	61	14
Concordia	217	–	–	1	61	13	22	1	6	2	5	12	4	99	82	–	7	59	16
De Soto	311	–	–	4	72	21	14	7	10	–	4	16	2	170	114	–	3	73	38
East Baton Rouge	2,220	2	1	30	498	108	135	54	46	18	25	112	40	1,042	842	3	49	334	456
Baker	57	–	–	2	10	1	3	1	1	–	–	4	3	26	21	1	3	10	7
Baton Rouge	1,916	1	1	27	428	101	118	42	38	15	22	92	33	908	734	2	44	287	401
Balance of parish	247	1	–	1	60	6	14	11	7	3	3	16	4	108	87	–	2	37	48
East Carroll	119	–	–	2	24	8	8	–	5	–	1	2	4	59	26	–	2	17	7
East Feliciana	64	–	–	–	12	–	4	1	2	–	1	4	1	38	30	–	1	23	6
Evangeline	364	–	–	7	61	10	22	3	3	–	4	19	5	178	137	1	4	74	58
Franklin	267	1	–	2	54	11	15	4	9	1	3	11	1	144	98	–	1	79	16
Grant	185	–	–	4	37	5	12	1	5	1	3	10	4	78	59	–	1	46	11
Iberia	551	–	–	9	135	45	43	8	13	2	5	19	7	255	192	1	17	93	81
New Iberia	316	–	–	6	73	19	28	4	6	1	4	11	4	142	101	1	6	52	42
Balance of parish	235	–	–	3	62	26	15	4	7	1	1	8	3	113	91	–	11	41	39
Iberville	306	–	–	9	66	15	27	5	7	2	2	8	11	140	101	–	4	65	32
Jackson	178	–	–	7	36	7	10	5	4	1	2	7	2	95	70	–	–	35	35
Jefferson	3,208	6	1	51	798	188	247	68	64	25	25	181	74	1,374	1,112	12	60	772	268
Gretna	369	–	–	5	88	14	32	8	9	2	2	21	11	160	132	1	7	93	31
Harahan	77	–	–	–	20	8	4	2	2	–	2	2	–	35	28	–	–	26	3
Kenner	329	1	–	5	89	18	32	4	9	1	3	24	11	114	91	2	7	62	20
Westwego	147	–	–	1	25	5	8	2	1	2	–	7	1	76	58	1	4	36	17
Balance of parish	2,286	5	1	40	576	145	171	52	43	20	18	127	51	989	802	8	42	555	197
Jefferson Davis	321	–	–	4	75	23	22	6	6	1	5	12	11	149	105	–	3	84	38
Jennings	131	–	–	1	33	11	11	3	4	–	2	2	2	59	36	–	–	22	14
Balance of parish	190	–	–	3	42	12	11	3	2	1	3	10	9	90	69	–	3	42	24
Lafayette	926	1	–	20	218	54	68	17	17	12	7	43	23	379	292	1	18	164	109
Lafayette	616	1	–	12	156	38	50	11	11	9	3	34	17	252	190	1	14	101	74
Balance of parish	310	–	–	8	62	16	18	6	6	3	4	9	6	127	102	–	4	63	35
Lafourche	592	–	–	12	131	34	38	9	12	6	6	26	10	267	211	1	2	140	68
Thibodaux	148	–	–	6	27	7	11	3	2	1	1	2	4	81	61	–	1	46	14
Balance of parish	444	–	–	6	104	27	27	6	10	5	5	24	6	186	150	1	1	94	54
La Salle	191	–	–	–	31	6	7	5	3	1	2	7	1	110	82	1	1	55	25
Lincoln	324	–	–	2	65	18	15	5	9	4	1	13	7	160	109	–	3	59	47
Ruston	148	–	–	–	30	7	7	2	3	3	1	7	5	73	50	–	–	29	21
Balance of parish	176	–	–	2	35	11	8	3	6	1	–	6	2	87	59	–	3	30	26
Livingston	416	1	–	5	93	20	33	7	9	3	3	18	7	168	138	–	4	84	50

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	–	11	4	–	6	5	–	2	–	–	1	–	–	15	2	1	1	4	–
Webster	1	13	1	5	7	10	–	1	–	–	–	–	–	21	4	4	2	–	–
Whitley	–	37	5	1	9	21	–	1	2	–	1	5	3	29	6	7	4	2	1
Wolfe	–	–	1	1	1	4	–	–	–	–	–	–	–	6	2	2	1	3	–
Woodford	–	19	2	–	2	2	–	–	1	–	–	1	1	14	4	3	2	2	–
Louisiana	122	2,618	448	311	835	931	83	396	495	6	275	489	305	2,887	963	1,073	590	596	24
Urban places	73	1,267	177	156	414	454	41	231	232	4	126	279	134	1,462	348	499	271	368	15
Balance of area	49	1,351	271	155	421	477	42	165	263	2	149	210	171	1,425	615	574	319	228	9
Metropolitan parishes [6]	86	1,510	180	200	495	577	45	283	296	3	163	345	175	1,838	519	610	398	469	17
Urban places	62	1,014	117	138	338	370	33	198	196	3	106	248	113	1,234	283	409	239	338	10
Balance of area	24	496	63	62	157	207	12	87	100	–	57	97	62	604	236	201	159	121	7
Nonmetropolitan parishes [6]	36	1,108	268	111	340	354	38	113	199	3	112	144	130	1,049	444	463	192	137	7
Urban places	11	253	60	18	76	84	8	35	36	1	20	31	21	228	65	90	32	30	5
Balance of area	25	855	208	93	264	270	30	78	163	2	92	113	109	821	379	373	160	107	2
Acadia	5	45	13	1	20	10	2	4	3	–	3	8	5	45	20	23	7	2	–
Crowley	4	14	6	–	9	3	1	2	1	–	–	4	2	18	4	3	1	1	–
Eunice, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of parish	1	31	7	1	11	7	1	2	2	–	2	4	3	27	16	20	6	1	–
Allen	–	24	2	2	6	11	–	6	1	–	4	1	2	18	4	7	1	2	1
Ascension	1	32	9	3	11	3	–	1	7	–	10	5	1	28	13	10	6	6	–
Assumption	–	12	6	1	2	3	–	1	4	–	–	3	3	13	5	3	2	6	–
Avoyelles	–	22	27	5	14	11	1	3	11	1	–	1	2	27	9	12	7	1	–
Beauregard	–	20	13	2	12	4	2	3	2	–	1	3	6	24	6	14	2	2	–
De Ridder, part	–	12	9	1	10	1	1	2	1	–	1	2	2	13	1	6	–	2	–
De Ridder, total	–	12	9	1	10	1	1	2	1	–	1	2	2	13	1	6	–	2	–
Balance of parish	–	8	4	1	2	3	1	1	1	–	–	1	4	11	5	8	2	–	–
Bienville	–	16	4	3	5	7	1	–	–	–	1	1	9	20	6	2	–	–	–
Bossier	–	28	2	9	14	14	1	4	1	–	7	10	11	39	15	18	12	10	–
Bossier City	–	15	2	6	9	11	–	2	1	–	1	7	7	25	4	7	8	6	–
Shreveport, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	13	–	3	4	3	1	2	–	–	6	3	4	14	11	11	4	4	–
Caddo	14	168	5	14	54	68	8	23	38	–	15	41	25	195	44	61	42	37	–
Shreveport, part	10	144	5	11	43	53	6	19	33	–	12	37	19	179	33	48	30	31	–
Shreveport, total	10	144	5	11	44	53	6	19	33	–	12	37	19	179	33	48	30	31	–
Balance of parish	4	24	–	3	11	15	2	4	5	–	3	4	6	16	11	13	12	6	–
Calcasieu	1	114	22	14	23	40	1	10	11	–	9	21	7	112	31	41	29	16	1
Lake Charles	1	57	10	10	15	15	1	6	4	–	4	13	2	60	14	26	15	8	1
Sulphur	–	18	4	2	1	10	–	3	3	–	2	1	–	13	5	5	8	–	–
Balance of parish	–	39	8	2	7	15	–	1	4	–	3	7	5	39	12	10	6	8	–
Caldwell	–	5	–	1	3	3	–	–	1	–	–	–	–	10	2	3	1	2	–
Cameron	–	3	–	–	2	–	1	1	–	–	3	1	1	7	8	3	2	1	–
Catahoula	–	6	–	1	3	–	–	–	2	–	–	–	2	9	5	5	1	1	–
Claiborne	2	23	2	3	6	3	1	1	1	–	–	4	2	14	5	8	2	4	–
Concordia	1	13	1	2	3	3	2	–	4	–	3	1	1	11	7	9	6	2	–
De Soto	–	43	13	–	6	7	1	3	4	–	–	2	1	17	6	10	3	3	–
East Baton Rouge	8	140	33	19	51	49	4	25	31	–	25	51	8	169	63	60	30	40	1
Baker	–	4	–	1	2	2	1	–	1	–	–	2	–	4	1	2	–	1	–
Baton Rouge	8	122	29	15	45	41	3	24	28	–	22	43	6	144	51	50	24	36	1
Balance of parish	–	14	4	3	4	6	–	1	2	–	3	6	2	21	11	8	6	3	–
East Carroll	1	12	20	–	3	1	–	–	4	–	1	1	–	6	–	6	2	6	–
East Feliciana	–	7	–	1	1	1	–	–	2	–	–	–	–	5	3	1	–	–	–
Evangeline	–	30	7	4	10	15	1	1	12	–	1	2	3	29	12	18	7	2	–
Franklin	–	42	–	6	10	9	–	1	4	–	1	–	1	18	11	3	3	4	–
Grant	1	14	1	4	6	3	1	3	3	–	1	–	–	23	9	7	4	2	–
Iberia	1	34	25	3	8	11	1	4	7	1	5	9	7	47	13	24	3	4	1
New Iberia	1	21	16	3	6	7	–	3	3	1	2	5	6	32	6	17	–	2	1
Balance of parish	–	13	9	–	2	4	1	1	4	–	3	4	1	15	7	7	3	2	–
Iberville	1	24	13	1	14	7	1	2	3	–	4	5	–	24	8	10	1	1	–
Jackson	1	19	3	2	3	1	1	2	5	–	2	–	2	11	2	7	1	1	–
Jefferson	13	209	15	25	61	90	6	43	45	2	19	36	22	260	90	79	77	64	10
Gretna	2	24	1	1	4	13	–	6	3	1	4	4	4	32	9	11	7	6	1
Harahan	–	5	1	–	–	7	–	–	4	–	1	–	–	6	2	–	1	1	–
Kenner	1	17	2	3	8	8	2	3	2	–	4	3	2	23	17	11	15	7	3
Westwego	1	13	1	3	4	2	–	3	1	1	1	1	2	10	5	8	3	2	1
Balance of parish	9	150	10	18	45	59	4	31	35	–	9	28	14	189	57	49	51	48	5
Jefferson Davis	–	36	7	1	6	10	2	2	3	–	1	4	4	19	12	14	4	1	–
Jennings	–	21	2	–	3	5	1	1	2	–	–	3	2	10	3	4	2	–	–
Balance of parish	–	15	5	1	3	5	1	1	1	–	1	1	2	9	9	10	2	1	–
Lafayette	2	66	9	10	21	27	1	5	10	–	13	15	9	84	32	29	25	14	–
Lafayette	1	47	6	8	14	19	–	–	8	–	11	5	7	52	19	20	13	10	–
Balance of parish	1	19	3	2	7	8	1	5	2	–	2	10	2	32	13	9	12	4	–
Lafourche	4	34	13	5	12	10	–	5	7	–	9	7	1	42	28	29	14	7	1
Thibodaux	1	14	4	1	2	4	–	1	3	–	2	1	–	6	3	3	2	2	1
Balance of parish	3	20	9	4	10	6	–	4	4	–	7	6	1	36	25	26	12	5	–
La Salle	–	24	3	1	6	3	–	2	3	1	1	2	2	17	4	5	2	1	–
Lincoln	3	41	3	4	14	9	–	1	10	–	4	3	1	29	2	11	4	2	–
Ruston	2	16	3	2	8	5	–	1	3	–	–	1	–	15	–	4	2	1	–
Balance of parish	1	25	–	2	6	4	–	–	7	–	4	2	1	14	2	7	2	1	–
Livingston	–	23	5	2	12	21	–	4	6	–	1	6	9	35	17	17	5	7	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	172	–	–	5	41	13	11	4	3	2	3	5	2	87	70	–	1	36	33
Tallulah	136	–	–	2	32	8	11	4	3	–	3	3	2	68	58	–	1	27	30
Balance of parish	36	–	–	3	9	5	–	–	–	2	–	2	–	19	12	–	–	9	3
Morehouse	347	1	–	4	58	9	15	3	10	6	2	13	17	156	117	–	5	78	34
Bastrop	181	1	–	3	33	7	8	1	6	3	–	8	10	63	65	–	3	41	21
Balance of parish	166	–	–	1	25	2	7	2	4	3	2	5	7	73	52	–	2	37	13
Natchitoches	338	2	–	5	80	25	17	7	10	2	5	13	4	161	113	–	5	87	21
Natchitoches	117	–	–	3	19	4	5	3	3	–	–	4	2	61	38	–	–	32	6
Balance of parish	221	2	–	2	61	21	12	4	7	2	6	9	2	100	75	–	5	55	15
Orleans, coext. with New Orleans city	5,798	18	1	118	1,265	338	354	95	149	55	28	245	171	2,513	1,982	9	201	1,270	502
Ouachita	1,148	2	–	29	254	54	58	20	23	3	12	84	19	582	492	2	4	292	194
Monroe	615	2	–	12	139	30	27	13	12	1	4	52	11	310	266	1	4	153	108
West Monroe	226	–	–	7	49	6	13	3	6	–	6	15	4	121	99	–	–	62	37
Balance of parish	307	–	–	10	66	18	18	4	5	2	2	17	4	151	127	1	–	77	49
Plaquemines	194	2	–	2	30	9	7	–	3	1	1	9	3	82	69	–	3	46	20
Pointe Coupee	230	–	–	3	52	8	21	3	4	2	2	12	8	113	84	–	2	65	17
Rapides	1,245	2	–	12	223	48	63	18	27	8	7	52	12	637	524	4	47	333	140
Alexandria	596	1	–	10	109	28	25	6	11	4	3	26	8	309	246	4	25	148	69
Pineville	184	–	–	1	40	7	14	2	4	2	1	10	1	89	77	–	4	48	25
Balance of parish	465	1	–	1	80	13	24	10	12	2	3	16	3	239	201	–	18	137	46
Red River	121	–	–	–	15	1	7	–	1	1	–	5	–	84	69	1	1	23	44
Richland	234	–	–	5	59	14	18	1	10	4	3	9	8	115	90	–	12	65	13
Sabine	268	–	–	9	38	6	16	1	1	1	1	12	5	150	121	1	5	46	69
St. Bernard	543	–	–	2	132	35	47	8	5	11	4	22	10	243	199	1	8	155	35
St. Charles	223	1	–	1	62	11	19	5	8	5	3	11	3	80	69	–	2	51	16
St. Helena	68	–	–	–	12	1	5	2	–	–	1	3	5	28	18	1	–	11	6
St. James	164	1	–	5	38	12	13	1	4	1	1	6	2	76	65	–	2	42	21
St. John the Baptist	247	–	–	7	56	16	12	3	7	2	1	15	4	103	85	1	5	39	40
St. Landry	817	–	–	9	206	52	70	14	23	8	4	35	19	381	312	3	18	222	69
Eunice, part	144	–	–	–	41	16	10	1	6	2	–	6	4	63	51	–	2	40	9
Eunice, total	146	–	–	–	41	16	10	1	6	2	–	6	4	64	52	–	2	40	10
Opelousas	221	–	–	1	56	12	22	5	6	2	–	9	6	108	90	2	7	56	25
Balance of parish	452	–	–	8	109	24	38	8	11	4	4	20	9	210	171	1	9	126	35
St. Martin	333	–	–	7	86	21	25	8	7	3	3	19	3	156	141	1	4	99	37
St. Mary	476	2	–	8	96	31	28	4	14	2	3	14	8	216	169	2	6	124	37
Morgan City	141	–	–	2	25	5	8	2	4	–	2	4	3	69	50	1	–	38	11
Balance of parish	335	2	–	6	71	26	20	2	10	2	1	10	5	147	119	1	6	86	26
St. Tammany	866	–	–	8	186	35	73	16	17	9	8	28	19	374	281	4	8	177	92
Slidell	215	–	–	3	45	11	15	6	3	1	3	6	3	91	62	3	2	35	22
Balance of parish	651	–	–	5	141	24	58	10	14	8	5	22	16	283	219	1	6	142	70
Tangipahoa	763	–	–	8	160	47	34	8	13	5	9	44	17	377	312	–	4	180	128
Hammond	126	–	–	–	27	9	4	2	3	2	1	6	2	65	51	–	1	26	24
Balance of parish	637	–	–	8	133	38	30	6	10	3	8	38	15	312	261	–	3	154	104
Tensas	115	–	–	2	15	1	3	2	4	5	–	–	7	68	58	–	–	39	19
Terrebonne	663	1	–	10	157	41	41	6	12	7	9	41	8	278	217	–	6	154	57
Houma	303	1	–	4	72	18	18	1	4	2	5	24	7	126	97	–	2	68	27
Balance of parish	360	–	–	6	85	23	23	5	8	5	4	17	1	152	120	–	4	86	30
Union	257	–	–	7	44	11	13	2	7	2	3	6	11	136	106	1	5	80	20
Vermilion	438	–	–	7	104	35	28	7	9	5	3	17	8	198	155	–	3	105	47
Abbeville	134	–	–	1	33	15	4	3	2	1	–	8	3	53	40	–	–	20	20
Balance of parish	304	–	–	6	71	20	24	4	7	4	3	9	5	145	115	–	3	85	27
Vernon	325	–	–	2	53	11	15	1	7	4	3	12	4	140	111	–	1	68	42
De Ridder, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	324	–	–	2	52	11	14	1	7	4	3	12	4	140	111	–	1	68	42
Washington	469	1	–	7	70	15	17	10	8	1	4	15	12	242	176	–	3	133	40
Bogalusa	210	–	–	3	27	6	10	4	2	1	1	3	9	110	77	–	2	60	15
Balance of parish	259	1	–	4	43	9	7	6	6	–	3	12	3	132	99	–	1	73	25
Webster	536	–	–	6	123	38	38	6	10	6	5	22	13	237	185	1	5	133	46
Minden	209	–	–	1	44	15	8	5	2	4	2	8	8	88	69	–	4	45	20
Balance of parish	327	–	–	5	79	21	30	1	8	2	3	14	5	149	116	1	1	88	26
West Baton Rouge	143	–	–	1	37	9	8	5	4	2	1	8	4	63	45	–	2	24	19
West Carroll	125	–	–	–	21	3	8	–	1	1	1	7	3	67	53	–	5	27	21
West Feliciana	46	–	–	1	10	3	–	1	1	–	–	5	–	23	21	–	1	14	6
Winn	178	1	–	2	28	10	7	2	4	1	–	4	6	83	74	–	1	44	29
Maine	10,873	2	1	106	2,430	662	649	194	254	114	87	470	202	5,449	4,251	39	83	3,237	892
Urban places	3,142	–	–	36	693	195	196	48	57	37	21	139	56	1,622	1,259	13	26	984	255
Balance of area	7,731	2	1	70	1,737	467	453	146	197	77	66	331	146	3,827	2,993	26	57	2,273	637
Metropolitan counties	5,843	2	–	59	1,325	372	358	99	116	59	53	266	104	2,915	2,274	21	47	1,713	493
Urban places	2,624	–	–	34	579	168	158	41	45	31	17	119	44	1,360	1,058	10	19	804	225
Balance of area	3,219	2	–	25	746	204	200	58	73	28	36	147	60	1,555	1,216	11	28	909	268
Nonmetropolitan counties	5,030	–	1	47	1,105	290	291	95	136	55	34	204	98	2,534	1,977	18	36	1,524	399
Urban places	518	–	–	2	114	27	38	7	12	6	4	20	12	262	200	3	7	160	30
Balance of area	4,512	–	1	45	991	263	253	88	124	49	30	184	86	2,272	1,777	15	29	1,364	369
Androscoggin	978	–	–	11	186	47	49	16	18	9	5	42	24	519	405	3	11	314	77
Auburn	253	–	–	2	37	12	11	3	3	1	–	7	6	146	115	2	1	92	20
Lewiston	461	–	–	8	89	21	21	8	12	6	2	19	13	245	184	1	7	141	35
Balance of county	264	–	–	1	60	14	17	5	3	2	3	16	5	128	106	–	3	81	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-467)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	–	16	–	1	–	9	1	1	1	–	–	1	–	14	2	3	3	2	–
Tallulah	–	10	–	–	–	9	1	1	1	–	–	1	–	11	2	3	2	1	–
Balance of parish	–	6	–	1	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–
Morehouse	2	30	4	3	20	13	–	6	9	–	2	6	1	34	5	6	3	6	–
Bastrop	–	16	1	1	13	4	–	4	3	–	–	1	–	19	1	3	1	2	–
Balance of parish	2	14	3	2	7	9	–	2	6	–	2	5	1	15	4	3	2	4	–
Natchitoches	–	41	3	4	5	15	2	3	2	–	6	4	2	23	6	8	5	4	1
Natchitoches	–	20	1	2	2	5	1	1	–	–	3	3	2	9	–	5	1	–	–
Balance of parish	–	21	2	2	3	10	1	2	2	–	3	1	–	14	6	3	4	4	1
Orleans, coext. with New Orleans city	23	411	43	54	119	133	16	99	90	1	29	104	47	527	81	170	91	202	3
Ouachita	2	67	8	13	35	21	–	12	9	–	10	10	8	81	28	26	13	9	–
Monroe	1	31	1	11	23	14	–	9	4	–	5	7	4	42	8	16	4	5	–
West Monroe	–	15	5	2	7	5	–	2	1	–	1	1	1	14	5	4	4	–	–
Balance of parish	1	21	2	–	5	2	–	1	4	–	4	2	3	25	15	6	5	4	–
Plaquemines	–	10	1	2	5	4	1	–	6	–	2	5	1	21	19	8	1	2	–
Pointe Coupee	–	26	2	1	7	3	–	8	3	–	5	4	1	7	5	8	3	–	–
Rapides	6	85	9	13	33	43	3	18	22	–	9	19	8	110	27	31	18	18	–
Alexandria	5	47	4	7	17	24	1	11	10	–	1	9	4	46	6	16	8	12	–
Pineville	1	9	1	1	6	3	–	3	1	–	3	3	–	22	8	2	–	2	–
Balance of parish	–	29	4	5	10	16	2	4	11	–	5	7	4	42	13	13	10	4	–
Red River	–	10	4	1	1	2	–	1	2	–	–	–	3	6	3	1	2	1	–
Richland	–	18	4	3	12	6	–	–	1	–	1	2	–	12	3	7	2	1	–
Sabine	–	25	2	2	6	5	–	2	2	–	2	–	2	25	9	4	5	4	–
St. Bernard	4	27	4	9	9	18	1	15	5	–	2	6	4	47	12	15	17	5	–
St. Charles	–	9	1	1	4	4	–	1	–	–	6	5	1	21	11	11	6	6	–
St. Helena	–	8	1	1	2	2	–	2	1	–	–	1	4	3	2	3	2	1	–
St. James	–	9	2	–	3	3	1	1	2	–	1	3	–	13	7	6	2	–	–
St. John the Baptist	3	15	–	–	5	5	1	4	3	–	4	2	1	25	9	7	7	4	–
St. Landry	1	53	5	10	18	33	1	9	8	–	7	5	1	61	17	20	18	3	1
Eunice, part	–	8	4	–	3	8	1	–	1	–	–	1	–	11	2	6	3	–	–
Eunice, total	–	8	4	–	3	8	1	–	1	–	1	1	–	11	2	6	3	–	–
Opelousas	1	14	–	3	4	7	–	5	2	–	1	2	–	16	2	4	5	1	1
Balance of parish	–	31	1	7	11	18	–	4	5	–	6	2	1	34	13	10	10	2	–
St. Martin	–	20	4	1	5	7	–	1	–	–	1	2	2	23	12	9	7	2	–
St. Mary	1	34	7	5	9	16	3	4	12	–	2	4	4	41	24	11	8	8	–
Morgan City	–	17	2	–	5	5	–	3	3	–	2	–	2	11	4	2	2	3	–
Balance of parish	1	17	5	5	4	11	3	1	9	–	–	4	2	30	20	9	6	5	–
St. Tammany	3	73	9	8	25	26	2	14	10	–	3	17	7	68	45	32	18	14	–
Slidell	2	24	2	1	7	3	2	4	1	–	1	7	3	15	13	10	4	3	–
Balance of parish	1	49	7	7	18	23	–	10	9	–	2	10	4	51	32	22	14	11	–
Tangipahoa	2	57	–	6	12	24	5	6	13	–	4	10	8	54	22	22	9	12	–
Hammond	–	13	–	1	1	4	1	3	2	–	2	2	1	6	4	1	2	3	–
Balance of parish	2	44	–	5	11	20	4	3	11	–	2	8	7	48	18	21	7	9	–
Tensas	–	10	–	–	3	3	–	–	4	–	–	1	–	4	3	3	2	–	–
Terrebonne	1	42	15	3	7	12	1	9	3	–	6	5	2	58	38	44	13	10	1
Houma	1	19	7	2	5	6	1	4	1	–	2	2	1	24	15	19	5	7	1
Balance of parish	–	23	8	1	2	6	–	5	2	–	4	3	1	34	23	25	8	3	–
Union	3	20	4	3	12	4	–	1	3	–	2	2	2	23	4	5	1	–	–
Vermilion	–	30	8	5	10	15	1	4	11	–	4	5	1	30	15	15	6	4	–
Abbeville	–	11	–	2	3	4	–	–	5	–	2	2	1	10	6	5	3	3	–
Balance of parish	–	19	8	3	7	11	1	4	6	–	2	3	–	20	9	10	3	1	–
Vernon	–	19	7	3	8	5	1	–	3	–	9	12	32	19	18	10	5	4	–
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	19	7	3	8	5	1	–	3	–	9	12	32	19	18	10	5	4	–
Washington	2	45	13	6	2	17	1	6	13	–	4	3	4	38	23	16	5	5	1
Bogalusa	1	27	5	–	2	7	–	4	5	–	2	1	2	17	12	5	1	2	1
Balance of parish	1	18	8	6	–	10	1	2	8	–	2	2	2	21	11	10	4	3	–
Webster	8	40	1	3	21	16	1	6	6	–	7	1	9	46	9	14	8	13	–
Minden	6	11	–	2	13	6	1	2	1	–	4	1	5	20	2	3	4	6	–
Balance of parish	2	29	1	1	8	10	–	4	5	–	3	–	4	26	7	11	4	7	–
West Baton Rouge	–	13	5	–	–	5	–	1	2	–	3	3	–	16	3	–	3	2	–
West Carroll	1	11	2	–	5	5	–	1	–	–	–	1	3	14	3	1	1	–	–
West Feliciana	–	–	2	–	3	–	–	–	1	–	–	–	–	4	2	1	1	–	–
Winn	1	15	2	1	7	3	2	1	3	–	–	3	–	14	4	8	–	3	–
Maine	55	790	193	160	286	434	34	143	96	–	51	59	74	870	234	211	169	20	2
Urban places	17	224	72	51	91	107	6	43	29	–	15	17	24	259	45	55	39	5	–
Balance of area	38	566	121	109	195	327	28	100	67	–	36	42	50	611	189	156	130	15	2
Metropolitan counties	32	395	119	95	147	235	19	75	49	–	28	33	40	484	121	105	93	9	–
Urban places	15	174	69	44	72	90	6	35	24	–	12	16	20	212	38	45	32	5	–
Balance of area	17	221	50	51	75	145	13	40	25	–	16	17	20	272	83	60	61	4	–
Nonmetropolitan counties	23	395	74	65	139	199	15	68	47	–	23	26	34	386	113	106	76	11	2
Urban places	2	50	3	7	19	17	–	8	5	–	3	1	4	47	7	10	7	–	–
Balance of area	21	345	71	58	120	182	15	60	42	–	20	25	30	339	106	96	69	11	2
Androscoggin	6	59	35	14	24	35	2	19	9	–	7	6	8	85	16	14	12	1	–
Auburn	1	21	6	3	6	10	1	1	4	–	1	5	4	24	–	5	–	1	–
Lewiston	4	28	23	6	13	14	–	11	4	–	3	1	3	36	9	7	5	–	–
Balance of county	1	10	6	5	5	11	1	7	1	–	3	–	1	25	7	2	7	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	748	–	–	6	156	35	42	10	20	7	8	34	14	418	325	2	2	275	46
Presque Isle	81	–	–	1	19	5	5	1	2	1	2	3	2	39	32	–	–	28	4
Balance of county	667	–	–	5	137	30	37	9	18	6	6	31	12	379	293	2	2	247	42
Cumberland	2,113	1	–	27	507	148	132	33	48	21	21	104	25	1,029	824	11	18	648	151
Portland	763	–	–	17	177	58	45	8	7	5	11	43	7	381	309	4	8	245	52
South Portland	243	–	–	1	62	15	15	8	7	4	–	13	2	116	95	1	1	74	19
Westbrook	150	–	–	–	35	11	8	1	5	3	–	7	2	79	60	1	–	46	13
Balance of county	957	1	–	9	233	64	64	16	29	9	10	41	14	453	360	5	7	281	67
Franklin	252	–	–	4	58	18	13	6	6	4	–	11	3	124	101	1	2	75	23
Hancock	484	–	–	6	116	28	26	16	20	6	4	16	9	215	174	1	1	134	38
Kennebec	1,009	–	–	9	215	58	63	15	23	11	5	40	30	498	393	6	13	314	60
Augusta	260	–	–	1	56	14	25	5	1	3	1	7	3	129	96	2	2	82	10
Waterville	177	–	–	–	39	8	8	1	9	2	1	10	7	94	72	1	5	50	16
Balance of county	572	–	–	8	120	36	30	9	13	6	3	23	20	275	225	3	6	182	34
Knox	378	–	–	2	84	17	23	11	10	4	3	16	8	197	153	2	2	125	24
Lincoln	319	–	–	1	78	21	22	8	9	5	1	12	6	146	117	2	1	89	25
Oxford	542	–	–	3	110	30	31	8	13	2	7	19	11	283	211	2	1	166	42
Penobscot	1,142	–	–	6	244	67	69	17	20	14	10	47	18	578	455	2	8	315	130
Bangor	295	–	–	2	61	17	16	4	5	5	2	12	4	153	124	–	1	81	42
Balance of county	847	–	–	4	183	50	53	13	15	9	8	35	14	423	331	2	7	234	88
Piscataquis	191	–	–	5	43	11	9	4	4	2	1	12	–	84	64	1	4	38	21
Sagadahoc	265	1	–	3	59	19	20	3	2	2	3	10	6	134	96	–	–	75	21
Bath	103	–	–	2	28	7	12	1	1	1	1	5	2	50	35	–	–	24	11
Balance of county	162	1	–	1	31	12	8	2	1	1	2	5	4	84	61	–	–	51	10
Somerset	470	–	–	3	102	31	26	5	13	4	4	19	5	253	191	1	–	140	50
Waldo	258	–	1	–	57	13	18	4	7	5	1	9	5	115	87	–	1	63	23
Washington	379	–	–	6	86	28	18	8	11	5	–	16	7	201	161	–	9	105	47
York	1,345	–	–	12	329	91	88	30	30	13	14	63	31	657	494	5	12	363	114
Biddeford	246	–	–	1	55	18	19	6	2	4	1	5	6	132	91	1	1	64	25
Saco	110	–	–	1	35	9	11	2	3	2	–	8	2	58	45	–	–	37	8
Balance of county	989	–	–	10	239	64	58	22	25	7	13	50	23	467	359	4	11	282	81
Maryland	35,466	19	2	627	8,588	2,196	2,361	809	886	344	281	1,711	669	16,057	12,928	114	587	6,787	5,440
Urban places	13,979	8	1	301	3,288	847	916	282	355	133	97	658	260	6,295	5,073	47	285	2,455	2,286
Balance of area	21,487	11	1	326	5,302	1,349	1,445	527	531	211	184	1,055	409	9,762	7,855	67	302	4,332	3,154
Metropolitan counties	30,903	15	2	577	7,536	1,931	2,042	727	764	303	252	1,517	585	13,826	11,205	102	518	5,771	4,816
Urban places	13,096	8	1	295	3,087	800	850	266	335	125	91	620	249	5,855	4,740	46	268	2,260	2,166
Balance of area	17,807	7	1	282	4,449	1,131	1,192	461	429	178	161	897	336	7,971	6,465	56	248	3,511	2,650
Nonmetropolitan counties	4,563	4	–	50	1,052	265	319	82	122	41	29	194	84	2,231	1,723	12	71	1,016	624
Urban places	883	–	–	6	199	47	66	16	20	8	6	36	11	440	333	1	17	195	120
Balance of area	3,680	4	–	44	853	218	253	66	102	33	23	158	73	1,791	1,390	11	54	821	504
Allegany	991	–	–	7	221	56	65	30	23	8	2	37	13	513	410	3	13	271	123
Cumberland	453	–	–	5	93	26	26	7	12	6	1	15	2	240	185	1	5	127	52
Balance of county	538	–	–	2	128	30	39	23	11	2	1	22	11	273	225	2	8	144	71
Anne Arundel	2,472	1	–	51	657	176	182	68	53	27	24	129	62	1,026	825	8	27	433	357
Annapolis	360	–	–	6	98	30	25	6	4	6	7	20	16	145	114	2	7	50	55
Balance of county	2,112	1	–	45	559	146	157	60	49	21	17	109	46	881	711	6	20	383	302
Baltimore	5,612	2	1	95	1,378	349	378	131	113	61	54	292	98	2,688	2,181	18	70	1,174	919
Baltimore city	9,624	8	1	245	2,261	596	635	184	258	84	65	439	180	4,256	3,477	35	209	1,510	1,723
Calvert	242	2	–	2	61	19	20	2	9	3	–	8	4	85	71	–	1	36	34
Caroline	272	–	–	5	57	15	17	4	10	3	2	6	4	146	119	2	3	77	37
Carroll	763	–	–	12	169	52	37	12	26	5	3	34	13	373	302	2	9	153	198
Cecil	449	–	–	2	114	30	30	7	14	5	5	23	12	217	191	4	3	125	59
Charles	469	–	–	12	104	29	22	11	8	2	1	31	10	185	155	–	11	83	61
Dorchester	385	–	–	4	89	22	36	4	11	–	2	14	11	181	149	2	7	102	38
Cambridge	175	–	–	2	42	13	18	2	4	–	–	5	4	82	66	1	5	45	15
Balance of county	210	–	–	2	47	9	18	2	7	–	2	9	7	99	83	1	2	57	23
Frederick	945	–	–	6	214	54	59	14	18	12	8	49	19	470	363	1	16	203	143
Frederick	368	–	–	1	87	19	26	6	8	6	4	18	4	189	147	–	6	85	56
Balance of county	577	–	–	5	127	35	33	8	10	6	4	31	15	281	216	1	10	118	87
Garrett	228	–	–	4	37	10	10	–	7	3	2	5	4	118	90	1	4	69	16
Harford	926	–	–	9	217	52	63	18	26	7	9	42	16	412	341	–	13	219	109
Aberdeen	115	–	–	–	27	7	7	1	1	1	2	8	2	62	53	–	3	37	13
Balance of county	811	–	–	9	190	45	56	17	25	6	7	34	14	350	288	–	10	182	96
Howard	622	–	–	6	151	45	35	13	16	10	9	23	8	283	239	3	13	134	89
Kent	205	–	–	2	52	15	15	9	5	1	1	6	2	104	88	1	2	35	50
Montgomery	3,982	1	–	58	1,067	283	251	120	99	52	41	221	63	1,715	1,354	14	40	789	511
Gaithersburg	274	–	–	5	79	21	11	14	12	5	1	15	9	91	69	–	1	53	15
Rockville	598	–	–	6	130	36	33	11	12	4	1	33	12	281	218	3	6	131	78
Takoma Park, part	97	–	–	2	24	5	5	1	3	–	–	10	2	39	29	–	1	11	17
Takoma Park, total	130	–	–	4	35	6	8	4	4	–	1	12	3	51	38	–	1	14	23
Balance of county	3,013	1	–	45	834	221	202	94	72	43	39	163	40	1,304	1,038	11	32	594	401
Prince George's	3,910	2	–	68	948	209	274	113	100	26	35	181	89	1,591	1,283	15	93	579	596
Bowie	155	–	–	4	43	12	7	8	3	3	2	8	2	66	49	1	3	25	20
College Park	134	–	–	2	34	10	9	3	4	–	1	7	1	57	43	–	1	22	20
Greenbelt	95	–	–	1	24	6	4	2	2	2	3	5	2	42	31	–	1	14	16
Hyattsville	440	–	–	5	110	25	36	11	7	4	4	23	10	181	150	3	19	73	55
Laurel	142	–	–	3	28	2	10	4	2	1	1	8	2	71	65	1	–	38	26
New Carrollton	50	–	–	2	10	2	5	1	–	1	–	1	–	23	19	–	2	9	8
Takoma Park, part	33	–	–	2	11	1	3	3	1	–	1	2	1	12	9	–	–	3	6
Balance of county	2,861	2	–	49	688	151	200	81	81	15	23	137	71	1,139	917	10	67	395	445

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Maine—Con.																			
Aroostook	4	73	6	10	13	26	2	12	6	–	5	7	3	46	16	6	11	1	–
Presque Isle	–	6	–	1	2	2	–	1	–	–	2	1	–	9	1	2	–	–	–
Balance of county	4	67	6	9	11	24	2	11	6	–	3	6	3	37	15	4	11	1	–
Cumberland	11	136	28	30	55	87	4	23	13	–	10	13	11	190	45	40	31	2	–
Portland	3	52	7	10	22	32	1	7	6	–	5	4	6	69	9	10	9	1	–
South Portland	2	15	–	4	8	5	–	3	1	–	–	2	–	28	6	6	3	–	–
Westbrook	1	10	3	5	–	5	1	3	1	–	–	–	–	13	3	5	3	–	–
Balance of county	5	59	18	11	25	45	2	10	5	–	5	7	5	80	27	19	16	1	–
Franklin	1	18	3	1	9	7	1	3	1	–	1	2	–	18	10	6	5	–	–
Hancock	1	35	2	3	14	22	2	8	5	–	3	2	2	48	12	10	7	1	–
Kennebec	8	78	7	12	29	46	–	11	10	–	6	3	10	74	29	21	16	1	1
Augusta	2	25	2	4	15	11	–	4	3	–	1	–	3	20	5	5	4	–	–
Waterville	–	19	1	2	2	4	–	3	2	–	–	–	1	18	1	3	3	–	–
Balance of county	6	34	4	6	12	31	–	4	5	–	5	3	6	36	23	13	9	1	1
Knox	2	32	6	4	13	11	2	5	4	–	–	1	1	32	6	6	6	–	–
Lincoln	2	20	3	4	10	13	2	6	9	–	–	1	1	31	7	5	2	1	–
Oxford	1	45	16	10	12	21	2	8	2	–	3	1	5	36	20	15	9	–	1
Penobscot	6	77	16	22	33	44	4	13	16	–	4	3	14	92	28	20	25	2	–
Bangor	2	15	4	8	12	11	–	2	4	–	–	1	7	22	2	6	7	1	–
Balance of county	4	62	12	14	21	33	4	11	12	–	4	2	7	70	26	14	18	1	–
Piscataquis	–	7	9	4	9	6	2	4	2	–	1	4	2	22	3	3	1	–	–
Sagadahoc	1	24	7	6	10	12	–	4	2	–	1	–	1	19	3	8	2	–	–
Bath	1	8	3	3	4	2	–	3	2	–	1	–	–	7	–	–	2	–	–
Balance of county	–	16	4	3	6	10	–	1	–	–	–	–	1	12	3	8	–	–	–
Somerset	3	37	12	10	10	24	–	6	2	–	4	–	4	27	4	13	11	2	–
Waldo	–	22	4	2	9	13	2	4	2	–	–	3	2	23	3	11	5	3	–
Washington	1	28	6	5	11	10	–	1	4	–	–	2	4	29	3	10	3	2	–
York	8	99	33	23	25	57	9	16	9	–	6	11	6	88	29	23	23	4	–
Biddeford	1	21	17	2	7	3	3	5	2	–	1	3	–	10	8	5	3	2	–
Saco	–	4	6	3	–	8	–	–	–	–	1	–	–	3	1	1	–	–	–
Balance of county	7	74	10	18	18	46	6	11	7	–	4	8	6	85	20	17	20	2	–
Maryland	130	2,319	321	359	857	1,074	115	479	435	3	211	409	451	3,160	666	727	471	385	61
Urban places	65	924	102	131	358	349	52	218	187	1	70	166	213	1,362	150	291	155	232	24
Balance of area	65	1,395	219	228	499	725	63	261	248	2	141	243	238	1,798	516	436	316	153	37
Metropolitan counties	109	1,952	248	312	761	938	98	425	377	2	185	358	406	2,802	563	622	402	368	55
Urban places	54	848	90	123	336	332	47	200	175	–	66	152	205	1,275	136	277	147	231	22
Balance of area	55	1,104	158	189	425	606	51	225	202	2	119	206	201	1,527	427	345	255	137	33
Nonmetropolitan counties	21	367	73	47	96	136	17	54	58	1	26	51	45	358	103	105	69	17	8
Urban places	11	76	12	8	22	17	5	18	12	1	4	14	8	87	14	14	8	1	2
Balance of area	10	291	61	39	74	119	12	36	46	–	22	37	37	271	88	91	61	16	4
Allegany	2	74	12	15	27	56	1	15	11	–	1	1	6	79	14	15	7	2	2
Cumberland	1	41	5	8	11	28	1	6	5	–	1	1	5	37	4	9	3	–	2
Balance of county	1	33	7	7	16	28	–	9	6	–	–	–	1	42	10	6	4	2	–
Anne Arundel	10	143	23	25	53	92	3	42	23	–	14	26	33	213	58	54	39	20	5
Annapolis	2	21	6	2	7	14	1	5	4	–	1	6	2	32	7	6	5	4	1
Balance of county	8	122	17	23	46	78	2	37	19	–	13	20	31	181	51	48	34	16	4
Baltimore	16	381	37	73	148	164	20	49	63	–	25	50	63	476	90	100	65	35	2
Baltimore city	44	608	44	63	261	216	29	143	136	–	42	115	164	964	77	209	95	206	16
Calvert	–	12	8	4	10	8	1	4	3	–	4	–	5	20	7	9	5	2	–
Caroline	–	24	2	1	4	9	1	–	1	–	1	2	–	23	9	7	2	1	–
Carroll	6	54	6	5	21	25	2	6	9	–	8	5	6	57	31	11	10	4	1
Cecil	1	18	4	3	13	20	1	1	3	–	1	6	2	29	7	9	6	4	2
Charles	2	19	3	6	13	22	2	11	9	–	6	11	5	34	26	9	8	2	–
Dorchester	4	22	3	3	11	10	3	7	4	–	–	5	5	37	2	15	1	–	–
Cambridge	4	9	2	1	7	2	1	3	1	–	–	2	2	23	1	3	–	–	–
Balance of county	–	13	1	2	4	8	2	4	3	–	–	3	3	14	1	12	1	–	–
Frederick	7	77	11	12	23	21	3	13	11	–	4	12	9	81	20	14	21	3	1
Frederick	4	28	4	6	9	5	1	4	7	–	1	7	3	34	7	4	4	–	1
Balance of county	3	49	7	6	14	16	2	9	4	–	3	5	6	47	13	10	17	3	–
Garrett	–	23	3	2	2	11	–	–	3	–	4	5	3	18	8	7	4	–	–
Harford	2	48	9	12	18	34	4	13	18	–	9	13	9	78	39	18	15	3	1
Aberdeen	1	6	1	1	2	1	–	4	–	–	4	3	1	2	2	2	2	1	–
Balance of county	1	42	8	11	16	33	4	9	18	–	5	10	8	76	37	16	13	2	1
Howard	–	29	3	12	18	18	3	4	9	–	5	5	7	60	20	7	14	4	–
Kent	–	13	3	–	8	2	–	–	6	–	1	2	2	18	1	4	2	1	–
Montgomery	13	265	46	37	98	125	17	53	44	–	33	37	37	388	76	73	71	20	5
Gaithersburg	1	17	2	2	6	11	2	4	2	–	3	2	5	24	11	10	8	1	1
Rockville	1	46	7	9	18	18	4	7	9	–	2	2	5	71	7	8	14	4	–
Takoma Park, part	–	8	–	1	5	1	–	2	1	–	–	2	4	7	–	6	1	1	–
Takoma Park, total	–	12	–	1	5	2	–	2	2	–	1	2	4	8	–	8	1	1	–
Balance of county	11	193	37	25	69	95	11	40	32	–	28	31	23	287	58	49	48	14	4
Prince George's	7	240	32	29	63	130	13	76	45	2	37	85	69	351	108	94	59	60	20
Bowie	–	14	2	1	1	3	1	5	3	–	–	2	3	12	5	3	1	1	–
College Park	–	12	1	1	1	7	1	2	1	–	1	–	1	18	5	–	–	1	1
Greenbelt	–	7	3	1	2	1	–	3	–	–	3	2	2	9	3	–	1	–	–
Hyattsville	–	21	4	6	9	15	3	12	5	–	5	11	9	38	7	9	4	5	1
Laurel	–	4	1	1	2	2	1	1	3	–	1	4	1	9	4	3	6	1	–
New Carrollton	–	3	1	–	1	3	2	–	–	–	1	–	–	8	–	–	–	–	–
Takoma Park, part	–	3	–	–	–	1	–	–	1	–	1	–	–	2	–	2	–	–	–
Balance of county	7	176	20	19	47	98	5	53	32	2	25	66	53	253	84	77	47	52	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	251	–	–	3	65	19	18	2	5	4	2	15	5	130	110	2	4	47	57
St. Mary's	348	1	–	11	77	19	24	7	8	1	4	14	5	149	109	1	2	68	38
Somerset	228	1	–	2	55	9	18	3	10	2	1	12	4	110	81	–	4	51	26
Talbot	378	–	–	6	92	21	20	13	8	4	2	24	5	191	149	1	2	103	43
Washington	1,083	1	–	12	249	54	70	22	28	16	4	55	21	567	447	–	15	301	131
Hagerstown	526	–	–	7	115	21	34	10	14	8	2	26	8	289	229	–	10	157	62
Balance of county	557	1	–	5	134	33	36	12	14	8	2	29	13	278	218	–	5	144	69
Wicomico	723	–	–	5	161	38	48	19	18	5	3	30	14	383	268	1	19	157	91
Salisbury	340	–	–	3	70	15	22	8	8	2	2	13	3	169	120	–	6	65	49
Balance of county	383	–	–	2	91	23	26	11	10	3	1	17	11	194	148	1	13	92	42
Worcester	358	–	–	–	92	24	34	5	13	3	2	11	7	174	126	–	7	68	51
Massachusetts	55,332	18	3	714	13,072	3,545	3,199	1,387	1,358	560	414	2,609	914	26,785	21,432	219	521	16,389	4,312
Urban places	41,929	14	–	551	9,864	2,700	2,444	1,047	963	419	301	1,890	709	20,361	16,372	170	411	12,511	3,280
Balance of area	13,403	5	3	163	3,208	845	755	340	395	141	113	619	205	6,424	5,060	49	110	3,869	1,032
Metropolitan counties	52,550	18	2	690	12,393	3,368	3,048	1,323	1,254	534	398	2,468	858	25,475	20,452	210	483	15,649	4,110
Urban places	41,487	13	–	550	9,742	2,663	2,419	1,035	949	415	297	1,964	701	20,162	16,220	167	405	12,399	3,249
Balance of area	11,063	5	2	140	2,651	705	629	288	305	119	101	504	157	5,313	4,232	43	78	3,250	861
Nonmetropolitan counties	2,782	1	1	24	679	177	151	64	104	26	16	141	56	1,310	980	9	38	731	202
Urban places	442	1	–	1	122	37	25	12	14	4	4	26	8	199	152	3	6	112	31
Balance of area	2,340	–	1	23	557	140	126	52	90	22	12	115	48	1,111	828	6	32	619	171
Barnstable	2,020	1	1	14	510	136	109	47	76	22	13	107	40	942	714	7	26	537	144
Barnstable town#	442	1	–	1	122	37	25	12	14	4	4	26	8	199	152	3	6	112	31
Balance of county	1,578	–	1	13	388	99	84	35	62	18	9	81	32	743	562	4	20	425	113
Berkshire	1,564	–	–	28	344	104	63	46	42	13	7	69	32	781	619	10	17	442	150
North Adams	252	–	–	1	58	19	13	5	7	2	–	12	6	129	111	–	2	92	17
Pittsfield	540	–	–	11	118	37	20	18	16	2	1	24	12	267	205	5	5	130	65
Balance of county	772	–	–	16	168	48	30	23	19	9	6	33	14	385	303	5	10	220	68
Bristol	4,696	1	1	44	1,127	354	248	122	118	55	35	195	90	2,469	1,880	19	36	1,584	241
Attleboro	303	–	–	–	62	24	12	11	4	1	3	7	1	151	110	1	1	91	17
Fairhaven town#	228	–	–	3	65	24	15	5	5	1	3	12	3	119	91	–	2	77	12
Fall River	1,064	–	–	10	257	80	46	27	40	8	4	52	20	607	463	4	6	388	67
New Bedford	1,153	–	–	13	251	74	61	28	23	12	9	44	38	597	453	4	7	388	58
North Attleborough town#	160	–	–	2	45	11	12	4	4	3	3	8	2	82	62	1	3	53	5
Somerset town#	182	1	–	2	46	22	6	4	6	2	–	6	1	102	84	–	–	73	11
Taunton	411	–	–	1	94	26	22	13	10	9	3	11	4	216	163	2	7	138	16
Balance of county	1,185	–	1	13	307	93	74	30	26	19	10	55	21	585	454	7	10	380	57
Dukes	117	–	–	1	38	7	11	5	6	1	–	8	3	49	39	–	2	28	3
Essex	6,577	3	–	63	1,594	435	415	162	148	77	49	308	114	3,251	2,629	27	68	2,039	495
Amesbury town#	158	–	–	1	40	12	11	1	6	2	–	8	4	84	68	2	1	63	2
Andover town#	189	–	–	–	52	20	10	5	4	2	2	9	1	97	82	1	2	65	14
Beverly	398	–	–	5	92	20	26	6	11	6	2	21	14	191	154	2	6	114	32
Danvers town#	277	–	–	3	54	21	18	3	2	1	3	6	2	143	117	2	2	79	34
Gloucester	279	–	–	3	70	19	23	3	6	4	3	12	4	134	102	2	3	78	19
Haverhill	570	1	–	8	132	38	35	16	11	5	4	25	12	281	225	1	11	174	39
Lawrence	759	–	–	8	178	54	47	21	14	10	5	27	22	374	311	–	5	249	57
Lynn	998	1	–	10	240	58	67	21	22	12	9	51	13	491	394	1	8	332	55
Lynnfield town#	87	–	–	2	19	6	5	1	3	1	1	2	–	45	38	–	2	31	5
Marblehead town#	187	–	–	2	57	13	14	12	8	2	2	8	7	85	83	1	3	47	12
Methuen town#	418	1	–	3	89	22	25	11	5	5	1	20	11	219	181	1	8	142	30
Newburyport	170	–	–	2	39	18	5	4	3	1	1	7	2	88	66	1	2	49	14
Peabody	404	–	–	2	107	29	26	16	6	3	3	24	3	203	173	2	2	108	61
Salem	416	–	–	2	110	29	27	11	10	6	5	22	5	214	178	–	10	144	24
Saugus town#	211	–	–	3	59	16	14	8	6	2	–	13	4	104	90	1	1	67	21
Swampscott town#	168	–	–	1	38	10	10	3	4	2	–	9	4	92	73	3	1	60	9
Balance of county	880	–	–	8	218	52	52	20	29	13	8	44	6	407	314	7	3	237	67
Franklin	586	–	–	8	117	31	27	11	17	2	3	26	8	292	214	2	10	153	49
Hampden	4,498	2	–	52	982	281	228	120	89	40	34	190	65	2,281	1,817	20	34	1,330	433
Agawam town#	214	–	–	6	59	18	12	–	4	5	2	14	4	107	83	–	–	46	37
Chicopee	565	–	–	8	122	35	29	12	17	5	3	21	6	299	242	3	4	193	42
Holyoke	654	1	–	5	122	36	31	15	11	2	4	23	13	337	269	3	5	210	51
Longmeadow town#	177	–	–	3	43	9	5	8	6	3	2	10	2	88	63	–	4	47	12
Springfield	1,592	–	–	14	355	99	82	46	24	17	12	75	29	772	604	9	10	416	169
Westfield	302	–	–	4	71	22	18	7	5	2	3	14	2	163	134	1	4	107	22
West Springfield town#	269	–	–	1	52	17	14	11	2	1	1	6	5	136	106	3	2	76	27
Balance of county	725	1	–	11	164	47	37	21	20	5	7	27	4	381	314	1	5	235	73
Hampshire	1,058	1	–	7	222	51	77	25	21	7	6	35	22	509	401	5	6	298	92
Amherst town#	97	–	–	–	23	4	10	–	3	1	–	5	2	50	41	–	–	30	11
Easthampton town#	137	–	–	1	32	8	9	5	1	–	2	7	3	63	48	1	1	34	12
Northampton	292	–	–	1	51	7	17	10	6	3	1	7	4	149	105	1	1	83	20
Balance of county	530	1	–	5	116	32	41	10	11	3	3	16	13	253	207	3	4	151	49
Middlesex	11,968	3	–	126	2,879	789	705	313	281	118	103	570	232	5,638	4,494	50	85	3,594	765
Arlington town#	550	–	–	2	147	46	36	12	13	10	4	26	11	238	184	3	6	147	28
Belmont town#	321	–	–	2	59	18	12	11	9	2	–	7	7	166	129	1	7	101	20
Billerica town#	209	–	–	4	44	15	7	6	1	3	7	5	4	96	77	–	1	61	15
Burlington town#	116	–	–	–	37	7	14	2	5	–	4	5	5	48	39	–	–	35	4
Cambridge	803	2	–	9	175	59	48	16	15	3	5	29	19	372	306	4	11	254	37
Chelmsford town#	207	–	–	1	47	6	9	7	4	4	2	15	5	95	69	–	–	54	15
Dracut town#	172	–	–	1	38	8	16	3	3	1	–	7	4	96	78	–	2	67	9
Everett	391	–	–	7	90	20	25	10	6	6	1	20	6	179	154	4	4	124	22
Framingham town#	548	–	–	5	118	32	26	16	9	4	9	22	5	283	227	2	3	185	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	2	15	2	1	3	6	–	–	5	–	–	5	1	9	10	3	6	–	–
St. Mary's	1	26	6	7	6	12	–	2	8	–	4	4	4	29	11	11	6	6	2
Somerset	2	24	2	1	5	9	1	2	3	–	–	4	4	15	1	10	1	1	–
Talbot	1	29	7	5	9	10	2	3	2	–	2	3	3	31	9	3	6	1	–
Washington	6	73	29	12	28	36	3	12	7	–	4	4	5	72	17	23	13	8	1
Hagerstown	4	36	13	7	10	11	2	6	5	–	1	2	3	40	4	10	7	6	–
Balance of county	2	37	16	5	18	25	1	6	2	–	3	2	2	32	13	13	6	2	1
Wicomico	4	76	7	8	12	27	4	19	6	1	3	7	6	49	15	16	10	2	3
Salisbury	3	39	6	1	6	10	3	11	4	1	3	5	3	30	6	7	4	1	1
Balance of county	1	37	1	7	6	17	1	8	2	–	–	2	3	19	9	9	6	1	2
Worcester	–	26	19	3	3	11	2	4	6	–	3	2	3	30	10	6	5	–	–
Massachusetts	177	3,861	657	658	1,961	1,803	141	834	598	1	298	336	468	4,703	772	1,099	527	216	68
Urban places	127	2,879	493	486	1,474	1,363	103	670	471	1	225	254	362	3,571	498	815	375	169	59
Balance of area	50	988	164	162	487	440	38	164	127	–	73	82	106	1,132	274	284	152	27	9
Metropolitan counties	169	3,630	602	622	1,862	1,717	134	796	575	1	287	328	442	4,432	732	1,034	496	211	67
Urban places	127	2,841	487	487	1,452	1,355	102	662	466	1	224	253	360	3,528	493	804	372	168	59
Balance of area	42	789	115	135	410	362	32	134	109	–	63	75	82	904	239	230	124	23	8
Nonmetropolitan counties	8	231	55	36	99	86	7	38	23	–	11	8	26	271	40	65	31	5	1
Urban places	–	32	6	9	22	8	1	8	5	–	1	1	2	43	5	11	3	1	–
Balance of area	8	199	49	27	77	78	6	30	18	–	10	7	24	228	35	54	28	4	1
Barnstable	4	157	45	22	64	64	5	28	15	–	10	4	14	200	27	52	23	5	1
Barnstable town#	–	32	6	9	22	8	1	8	5	–	1	1	2	43	5	11	3	1	–
Balance of county	4	125	39	13	42	56	4	20	10	–	9	3	12	157	22	41	20	4	1
Berkshire	8	108	25	21	53	58	2	22	14	–	5	2	16	128	26	31	20	1	–
North Adams	1	14	1	2	5	7	–	2	3	–	2	–	6	20	2	8	3	–	–
Pittsfield	2	49	6	11	18	15	–	13	6	–	2	1	6	48	7	9	7	–	–
Balance of county	5	51	18	8	30	36	2	7	5	–	1	1	4	61	17	14	10	1	–
Bristol	20	459	60	50	112	127	9	58	45	–	19	25	28	339	67	70	46	18	3
Attleboro	2	42	2	5	7	12	–	6	2	–	–	3	1	34	7	5	2	–	–
Fairhaven town#	1	20	6	1	4	3	1	4	–	–	2	1	–	17	2	2	2	–	–
Fall River	3	117	12	12	12	25	1	9	11	–	6	2	4	64	11	13	7	5	–
New Bedford	9	103	18	14	41	17	2	18	10	–	1	6	7	101	7	23	12	7	2
North Attleborough town#	1	17	1	1	6	3	1	1	1	–	3	2	2	5	3	1	–	1	–
Somerset town#	–	14	4	–	3	2	–	2	2	–	–	3	2	11	4	–	1	–	–
Taunton	2	37	6	8	9	18	3	5	9	–	2	3	5	26	5	5	5	1	–
Balance of county	2	109	11	9	30	47	1	13	10	–	5	5	5	81	28	21	17	4	1
Dukes	–	13	–	3	2	4	–	–	–	–	–	2	1	14	1	2	–	–	–
Essex	22	417	109	74	226	235	19	108	63	–	38	39	51	495	73	117	69	15	4
Amesbury town#	2	11	2	1	5	5	2	2	–	–	1	1	1	6	1	3	2	–	–
Andover town#	–	11	3	1	12	4	–	4	2	–	–	1	5	15	4	–	2	–	–
Beverly	1	22	7	7	15	13	–	4	2	–	1	2	1	37	1	15	3	1	1
Danvers town#	–	15	4	7	13	15	3	5	2	–	1	2	3	25	3	3	–	–	–
Gloucester	1	25	2	4	10	11	1	3	3	–	2	–	2	17	5	9	4	1	–
Haverhill	3	24	28	1	23	19	4	5	12	–	1	5	4	41	7	8	5	2	–
Lawrence	2	40	17	4	26	27	3	19	6	–	6	9	11	44	9	11	2	2	2
Lynn	4	64	10	19	34	29	1	20	8	–	6	5	9	83	8	18	15	5	–
Lynnfield town#	–	3	2	2	1	4	1	1	1	–	1	–	–	9	–	2	1	–	–
Marblehead town#	–	17	2	3	8	5	–	1	1	–	–	–	–	17	–	1	3	–	–
Methuen town#	1	24	7	5	12	18	2	8	6	–	4	4	5	22	8	6	1	–	–
Newburyport	–	16	5	1	5	8	–	2	–	–	–	–	–	16	1	5	2	–	–
Peabody	2	21	3	4	11	13	–	8	6	–	4	4	2	25	8	4	3	1	–
Salem	1	30	2	3	12	14	–	8	2	–	6	–	–	33	2	4	4	–	–
Saugus town#	2	10	2	–	3	11	–	4	1	–	1	–	3	5	1	4	6	2	–
Swampscott town#	–	16	–	3	1	2	1	1	–	–	–	–	1	18	2	5	2	–	–
Balance of county	3	68	13	9	35	37	1	13	11	–	4	8	4	82	13	19	14	1	1
Franklin	4	54	9	11	31	17	2	6	8	–	1	2	11	54	12	11	6	–	–
Hampden	15	354	44	51	165	171	13	57	46	–	23	41	61	331	58	87	35	22	6
Agawam town#	–	16	6	2	7	5	–	4	2	–	1	1	4	8	5	4	3	–	–
Chicopee	1	48	3	5	16	22	3	6	6	–	5	3	5	44	7	11	1	1	–
Holyoke	4	54	4	6	34	27	2	13	9	–	2	5	7	53	6	9	3	4	2
Longmeadow town#	1	20	2	–	7	10	–	3	–	–	–	1	1	17	–	3	1	–	–
Springfield	4	126	16	22	63	53	5	16	21	–	5	22	35	120	15	38	14	14	3
Westfield	3	22	3	1	7	9	–	2	1	–	4	2	–	19	4	8	5	–	1
West Springfield town#	1	20	3	4	18	9	2	4	1	–	2	2	1	23	3	6	3	1	–
Balance of county	1	48	7	11	13	36	1	9	6	–	4	5	8	47	18	10	5	2	–
Hampshire	5	88	6	9	46	42	4	22	8	–	8	5	7	99	18	20	16	–	–
Amherst town#	1	8	–	–	1	1	1	1	1	–	–	–	2	9	1	3	2	–	–
Easthampton town#	1	11	1	2	8	6	–	3	1	–	2	–	–	12	2	3	1	–	–
Northampton	1	34	1	2	17	16	1	6	1	–	2	1	2	33	3	5	6	–	–
Balance of county	2	35	4	5	20	19	2	12	5	–	4	4	3	45	12	9	7	–	–
Middlesex	23	779	172	170	434	445	28	186	127	–	62	71	93	1,083	162	255	100	27	17
Arlington town#	2	39	5	8	28	18	3	14	3	–	1	1	2	59	1	15	4	2	1
Belmont town#	1	29	4	3	15	7	–	3	6	–	–	1	3	35	5	10	1	–	1
Billerica town#	–	12	4	3	4	11	–	3	2	–	1	4	2	13	8	7	5	1	–
Burlington town#	–	7	–	2	1	3	–	1	1	–	1	–	1	12	2	4	–	–	–
Cambridge	1	45	5	15	30	24	2	18	8	–	1	7	11	76	11	26	8	4	–
Chelmsford town#	–	13	10	3	8	13	1	2	1	–	3	–	–	22	6	2	1	–	–
Dracut town#	1	11	2	4	1	2	–	1	4	–	3	2	1	7	1	4	6	–	1
Everett	1	18	1	5	13	27	1	7	9	–	2	–	1	33	4	10	2	1	–
Framingham town#	3	46	2	5	26	19	1	8	2	–	4	2	3	52	4	10	4	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	107	–	–	1	26	8	7	–	2	–	1	8	1	56	51	1	–	42	8
Lexington town#	250	–	–	4	68	17	10	6	3	2	7	23	3	107	83	–	–	65	18
Lowell	1,045	–	–	4	227	67	52	26	31	7	3	41	39	505	378	1	2	329	46
Malden	560	–	–	8	150	38	40	11	14	6	3	38	12	246	204	4	–	166	34
Marlborough	272	–	–	1	59	9	17	13	5	–	2	13	7	141	114	1	2	89	22
Medford	622	–	–	10	159	40	43	15	14	14	6	27	9	304	249	2	7	203	37
Melrose	312	–	–	1	73	18	11	9	9	3	5	18	7	164	127	4	3	97	23
Natick town#	262	–	–	–	71	18	19	10	6	4	–	14	4	113	97	2	–	70	25
Newton	744	–	–	8	189	45	42	26	20	10	11	35	14	362	287	3	7	210	67
Reading town#	168	–	–	4	52	19	14	6	1	2	–	10	–	73	59	–	–	53	6
Somerville	842	–	–	12	220	68	68	12	16	9	4	43	20	401	329	6	7	270	46
Stoneham town#	208	–	–	2	49	14	16	3	5	1	–	10	3	103	80	–	1	67	12
Tewksbury town#	151	–	–	–	34	10	7	2	5	–	1	9	1	70	63	1	2	48	12
Wakefield town#	243	–	–	3	55	15	14	5	7	1	2	11	4	115	94	1	4	67	22
Waltham	514	1	–	6	124	36	31	14	12	4	5	22	9	246	187	1	2	140	44
Watertown town#	374	–	–	7	89	29	22	13	10	2	2	11	6	182	149	1	3	117	28
Wilmington town#	107	–	–	–	27	13	4	3	2	1	–	4	2	60	48	1	1	41	5
Winchester town#	190	–	–	1	46	11	9	7	4	1	1	13	2	87	68	–	1	55	12
Woburn	287	–	–	7	66	22	19	8	7	1	1	8	4	134	108	1	1	81	25
Balance of county	1,393	–	–	16	340	81	67	41	41	17	17	76	20	596	456	6	8	356	86
Nantucket	59	–	–	1	14	3	4	1	5	1	–	–	5	27	19	–	–	13	6
Norfolk	5,606	1	–	72	1,378	355	316	152	144	67	46	298	79	2,742	2,188	20	50	1,685	441
Braintree town#	347	–	–	2	81	25	20	7	10	4	1	14	4	178	132	2	7	88	25
Brookline town#	586	1	–	14	150	43	30	18	16	2	6	35	7	277	228	2	6	154	66
Dedham town#	236	–	–	3	69	10	19	14	6	3	5	12	3	113	95	1	1	73	20
Holbrook town#	94	–	–	1	23	5	3	4	2	1	1	7	1	52	45	–	1	37	7
Milton town#	280	–	–	2	58	13	9	6	9	1	4	16	3	147	121	1	2	103	15
Needham town#	234	–	–	2	53	14	8	5	8	3	1	14	3	117	93	1	2	70	20
Norwood town#	317	–	–	3	75	18	19	7	9	7	1	14	6	168	126	1	2	86	35
Quincy	1,027	–	–	12	265	71	67	29	22	15	10	51	16	460	367	3	7	301	58
Randolph town#	267	–	–	5	68	15	19	9	3	4	3	13	5	122	102	1	2	88	11
Stoughton town#	237	–	–	1	55	13	22	5	4	2	–	9	2	125	112	1	–	98	15
Wellesley town#	207	–	–	3	59	18	11	8	4	4	1	13	3	92	65	1	3	39	22
Westwood town#	90	–	–	2	25	6	2	5	1	2	–	9	2	46	40	1	1	28	10
Weymouth town#	542	–	–	6	118	35	27	10	11	6	3	28	6	295	234	1	5	194	34
Balance of county	1,142	–	–	16	281	69	60	25	39	13	10	65	18	550	436	4	11	318	105
Plymouth	3,512	–	1	40	848	188	239	100	94	43	26	158	38	1,715	1,395	9	33	1,085	268
Abington town#	127	–	–	3	27	3	11	5	1	–	1	6	–	66	51	1	5	41	4
Brockton	962	–	–	7	235	52	61	21	30	14	5	52	6	460	380	2	9	312	57
Plymouth town#	340	–	–	3	90	18	30	8	13	6	3	12	3	164	137	1	2	94	40
Rockland town#	116	–	–	3	24	7	5	2	1	2	2	5	2	59	45	–	2	38	5
Scituate town#	149	–	–	1	36	9	9	2	2	4	1	9	1	67	57	1	1	34	21
Whitman town#	89	–	–	2	23	3	9	3	3	–	1	4	2	46	40	–	1	32	7
Balance of county	1,729	–	1	21	413	96	114	59	44	17	13	70	24	853	685	4	13	534	134
Suffolk	6,759	3	–	164	1,531	392	397	146	149	60	39	348	101	3,034	2,556	28	120	1,696	712
Boston	5,734	3	–	141	1,303	334	342	124	128	52	30	293	85	2,540	2,131	22	105	1,385	619
Chelsea	362	–	–	13	72	18	23	6	7	1	2	15	4	170	150	2	7	117	24
Revere	459	–	–	5	113	31	21	13	10	6	5	27	8	221	186	4	7	127	48
Winthrop town#	205	–	–	5	43	9	11	3	4	1	2	13	4	103	89	–	1	67	21
Worcester	6,314	4	–	94	1,488	419	360	137	168	54	53	297	85	3,055	2,465	22	34	1,896	513
Clinton town#	114	–	–	–	26	5	9	4	3	1	–	4	1	54	40	1	–	31	8
Fitchburg	429	1	–	8	88	26	27	8	8	1	2	16	5	234	173	–	3	124	46
Gardner	220	–	–	2	49	12	14	5	6	3	1	8	–	99	82	1	1	61	19
Leominster	309	–	–	4	86	25	25	5	8	1	2	20	4	137	106	1	2	91	12
Milford town#	242	–	–	4	61	17	10	8	10	2	1	13	5	119	99	2	2	78	17
Shrewsbury town#	190	–	–	3	48	9	5	7	7	3	3	14	1	87	74	1	–	60	13
Webster town#	187	–	–	3	33	14	4	2	5	2	–	6	6	92	76	2	1	56	17
Worcester	1,926	–	–	36	453	124	112	39	45	18	17	98	26	930	752	8	11	574	159
Balance of county	2,897	3	–	34	644	187	154	59	76	23	27	118	37	1,303	1,063	6	14	821	222
Michigan	76,588	58	2	743	16,967	4,323	4,595	1,543	1,738	697	678	3,393	1,481	38,016	30,168	289	778	21,741	7,361
Urban places	45,996	45	1	509	10,050	2,561	2,809	926	1,027	401	382	1,944	877	22,731	18,220	174	554	12,636	4,856
Balance of area	30,592	13	1	234	6,917	1,762	1,786	617	711	286	296	1,449	604	15,285	11,948	114	224	9,105	2,505
Metropolitan counties	61,719	51	1	648	13,716	3,494	3,756	1,235	1,405	551	543	2,732	1,191	30,355	24,249	223	690	17,184	6,152
Urban places	44,300	44	1	499	9,668	2,457	2,719	880	993	383	369	1,867	838	21,878	17,574	169	547	12,138	4,720
Balance of area	17,419	7	–	149	4,048	1,037	1,037	355	412	168	174	865	353	8,487	6,675	54	143	5,046	1,432
Nonmetropolitan counties	14,869	7	1	95	3,251	829	839	308	333	146	135	661	290	7,651	5,919	65	88	4,557	1,209
Urban places	1,696	1	–	10	382	104	90	46	34	18	13	77	39	853	646	5	7	498	136
Balance of area	13,173	6	1	85	2,869	725	749	262	299	128	122	584	251	6,798	5,273	60	81	4,059	1,073
Alcona	141	–	–	2	30	8	7	5	2	1	–	7	3	76	60	–	4	47	9
Alger	85	–	–	–	14	5	3	1	2	–	1	2	3	43	34	1	–	29	4
Allegan	657	–	–	4	164	43	32	22	17	5	4	41	15	308	235	5	3	153	74
Holland, part	30	–	–	–	7	2	1	–	2	–	–	2	–	18	14	–	–	14	–
Balance of county	627	–	–	4	157	41	31	22	15	5	4	39	15	290	221	5	3	139	74
Alpena	229	–	–	1	58	16	13	4	6	5	4	10	4	117	89	–	2	83	4
Alpena	123	–	–	1	33	10	2	3	5	1	3	9	2	61	43	–	–	40	3
Balance of county	106	–	–	–	25	6	11	1	1	4	1	1	2	56	46	–	2	43	1
Antrim	191	–	–	1	34	10	9	2	7	2	3	1	3	111	80	1	–	60	19
Arenac	163	1	–	2	37	6	15	2	5	1	2	6	3	92	76	1	–	61	14
Baraga	97	–	–	1	21	9	3	2	1	2	–	4	6	51	42	–	–	36	6
Barry	364	–	–	4	82	17	25	5	10	4	–	21	13	165	127	3	1	93	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Hudson town#	–	4	–	1	4	2	–	1	–	–	–	1	–	9	3	2	1	–	–
Lexington town#	3	17	2	2	8	8	1	1	4	–	2	1	2	28	3	6	3	1	–
Lowell	1	56	56	14	22	48	2	28	12	–	8	6	12	85	13	22	6	6	–
Malden	–	32	3	7	24	35	1	4	4	–	4	2	4	45	6	12	1	–	2
Marlborough	1	20	5	1	9	4	–	5	4	–	–	1	1	26	8	6	–	–	–
Medford	–	43	7	5	18	18	1	8	11	–	2	7	3	53	5	9	3	1	1
Melrose	1	30	3	3	8	16	–	9	1	–	1	1	2	17	6	2	3	1	–
Natick town#	–	11	1	4	13	12	–	3	5	–	3	1	2	20	5	6	3	–	1
Newton	1	57	6	11	28	16	3	8	5	–	2	–	6	80	7	13	2	1	–
Reading town#	–	12	1	1	9	3	1	4	4	–	1	1	–	9	2	4	–	1	–
Somerville	1	49	7	15	20	42	1	18	9	–	2	2	2	59	7	15	9	2	1
Stoneham town#	–	17	3	3	7	10	1	3	4	–	2	1	2	17	–	4	–	–	–
Towksbury town#	–	3	2	2	3	7	–	4	1	–	–	3	1	15	8	2	1	1	–
Wakefield town#	–	19	1	1	10	12	–	2	3	–	2	1	1	27	1	4	3	–	–
Waltham	–	43	7	9	17	15	1	5	3	–	3	3	5	54	6	9	5	–	2
Watertown town#	1	22	6	4	15	13	2	4	6	–	–	–	3	36	1	8	2	1	1
Wilmington town#	–	7	1	4	–	4	–	–	–	–	–	1	1	3	–	3	5	1	–
Winchester town#	–	15	2	2	8	9	1	3	1	–	1	2	1	21	3	4	–	–	–
Woburn	–	11	8	7	19	7	2	4	2	–	3	8	–	22	5	4	1	–	1
Balance of county	5	91	18	26	66	40	3	15	12	–	10	14	21	148	31	34	21	2	4
Nantucket	–	7	1	–	2	1	–	4	–	–	–	–	–	3	–	–	2	–	–
Norfolk	20	414	40	72	200	153	11	97	53	–	29	33	36	467	84	116	41	11	3
Braintree town#	–	35	3	8	14	16	1	8	4	–	–	–	2	31	–	4	1	–	1
Brookline town#	–	39	4	6	19	16	1	3	6	–	2	1	6	55	6	17	4	1	–
Dedham town#	1	15	–	2	4	8	–	4	4	–	1	2	2	15	4	1	2	1	–
Holbrook town#	–	7	–	–	3	2	1	1	2	–	1	1	–	3	1	2	–	–	–
Milton town#	1	20	1	4	18	2	–	6	3	–	2	–	1	20	7	5	5	–	1
Needham town#	2	14	4	4	9	7	–	3	1	–	–	–	1	32	–	4	2	–	–
Norwood town#	1	30	6	5	8	3	–	5	3	–	2	4	1	30	3	3	3	–	–
Quincy	2	69	4	18	33	36	3	26	10	–	5	3	9	91	16	30	9	3	–
Randolph town#	–	15	–	5	7	9	–	5	2	–	–	2	3	31	2	4	3	1	–
Stoughton town#	–	12	–	1	5	7	1	5	2	–	–	2	1	19	4	5	2	1	–
Wellesley town#	1	21	4	1	10	4	–	4	2	–	2	1	2	18	1	4	2	–	–
Westwood town#	–	3	2	1	2	1	1	–	1	–	–	–	–	8	2	–	–	–	–
Weymouth town#	4	50	2	5	15	18	1	10	3	–	6	6	3	34	11	7	3	–	–
Balance of county	8	84	10	12	53	24	2	17	10	–	8	11	5	80	27	30	5	4	1
Plymouth	5	255	19	41	103	105	12	45	38	–	30	28	41	273	73	68	45	9	–
Abington town#	1	13	–	1	2	4	–	4	3	–	2	1	4	7	3	1	–	–	–
Brockton	1	64	7	8	36	29	5	14	11	–	9	11	16	74	16	22	8	3	–
Plymouth town#	–	19	4	4	7	11	–	7	2	–	2	–	4	31	8	1	5	2	–
Rockland town#	–	13	–	1	–	4	1	2	2	–	1	–	1	10	3	3	1	–	–
Scituate town#	1	6	1	2	3	4	–	1	1	–	3	3	–	12	5	8	4	–	–
Whitman town#	–	4	1	1	2	2	–	–	–	–	–	–	2	6	1	1	2	–	–
Balance of county	2	136	6	24	53	51	6	17	19	–	13	13	14	133	37	32	25	4	–
Suffolk	20	350	40	68	275	205	15	126	111	1	39	56	60	660	56	134	76	05	27
Boston	15	302	34	58	237	160	11	103	92	1	34	55	55	587	50	116	64	75	22
Chelsea	2	15	1	2	14	12	–	9	8	–	3	1	3	32	1	8	7	3	2
Revere	1	25	4	5	16	22	3	10	7	–	2	–	2	28	2	6	4	6	3
Winthrop town#	2	8	1	3	8	11	1	4	4	–	–	–	–	13	3	4	1	1	–
Worcester	31	406	87	66	248	176	21	75	70	–	34	28	51	556	115	196	48	23	7
Clinton town#	2	9	1	2	2	2	–	2	2	–	2	–	3	14	1	3	2	–	–
Fitchburg	1	49	8	3	11	18	2	4	9	–	1	1	2	24	9	4	5	3	–
Gardner	3	7	2	5	9	8	–	4	2	–	1	–	2	22	12	5	3	2	–
Leominster	–	28	3	–	12	11	–	6	1	–	2	–	9	21	5	6	2	3	–
Millord town#	3	12	2	3	6	8	2	–	3	–	1	1	3	15	9	2	1	–	2
Shrewsbury town#	–	6	6	1	4	6	–	1	4	–	1	1	–	23	4	4	2	1	–
Webster town#	–	9	3	4	7	6	–	4	3	–	–	–	1	17	2	12	1	–	–
Worcester	8	119	34	17	87	45	3	23	15	–	12	9	13	193	17	39	12	9	4
Balance of county	14	167	28	31	110	72	14	31	31	–	14	16	18	227	56	61	20	5	1
Michigan	256	5,633	1,144	815	2,020	2,492	245	1,201	684	4	481	873	377	5,706	1,634	1,434	1,144	943	103
Urban places	163	3,282	618	448	1,198	1,425	153	837	424	4	264	618	248	3,510	725	767	676	843	91
Balance of area	93	2,351	526	367	822	1,067	92	364	260	–	197	255	129	2,196	909	667	468	100	12
Metropolitan counties	205	4,450	853	608	1,575	1,956	200	1,036	568	4	385	779	320	4,622	1,265	1,084	948	906	99
Urban places	157	3,144	576	425	1,140	1,349	146	827	410	4	256	605	243	3,363	702	738	657	841	91
Balance of area	48	1,306	275	183	435	607	54	209	158	–	129	174	77	1,259	563	346	291	65	8
Nonmetropolitan counties	51	1,183	291	207	445	536	45	165	116	–	76	94	57	1,084	389	350	196	37	4
Urban places	6	138	40	23	58	76	7	10	14	–	8	13	5	147	23	29	19	2	–
Balance of area	45	1,045	251	184	387	460	38	155	102	–	68	81	52	937	346	321	177	35	4
Alcona	–	15	–	1	5	3	1	2	2	–	–	1	–	12	1	2	1	–	–
Alger	–	4	5	–	3	2	–	2	–	–	1	1	–	8	2	2	3	1	–
Allegan	5	40	19	9	27	18	2	5	8	–	5	6	7	41	19	19	8	1	–
Holland, part	–	2	2	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Balance of county	5	38	17	9	26	18	2	5	8	–	5	6	7	39	17	19	8	1	–
Alpena	1	17	5	5	7	7	–	4	3	–	2	2	–	16	1	5	1	1	–
Alpena	1	10	3	4	4	5	–	1	2	–	1	1	–	10	–	2	–	–	–
Balance of county	–	7	2	1	3	2	–	3	1	–	1	1	–	6	1	3	1	1	–
Antrim	–	22	5	4	7	4	–	2	4	–	–	1	–	14	3	3	4	–	–
Arenac	1	7	2	6	4	4	–	3	2	–	–	–	–	8	4	2	1	–	–
Baraga	–	9	–	–	3	1	–	1	4	–	–	–	–	4	2	1	2	–	–
Barry	4	24	8	2	16	16	2	2	–	–	1	5	5	25	12	9	6	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	951	–	–	7	241	41	84	15	19	9	11	62	14	505	382	1	3	331	47
Bangor township#	92	–	–	–	27	2	13	1	–	1	2	8	1	47	33	–	–	32	1
Bay City	433	–	–	6	116	19	42	5	11	6	4	29	8	227	169	–	–	148	21
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	426	–	–	1	99	20	29	9	8	2	5	25	5	231	180	1	3	151	25
Benzie	142	–	–	–	31	6	8	5	2	3	1	6	–	72	55	1	–	43	11
Berrien	1,519	–	–	17	347	88	93	31	42	14	15	64	35	704	538	4	15	402	117
Benton Harbor	141	–	–	1	33	12	5	7	5	–	–	4	3	50	41	–	2	28	13
Niles	153	–	–	2	36	7	10	1	6	–	5	7	–	68	58	–	1	40	17
Balance of county	1,225	–	–	14	278	69	78	23	31	14	10	53	32	586	439	4	12	336	87
Branch	401	–	–	4	83	16	28	10	9	6	–	14	15	201	149	1	2	127	19
Calhoun	1,187	2	–	12	274	69	70	33	28	10	11	59	30	560	437	2	8	333	94
Albion	93	2	–	–	25	5	7	2	2	1	1	7	–	40	28	–	–	19	9
Battle Creek	558	–	–	7	134	31	38	16	13	5	6	25	13	259	197	1	3	152	41
Balance of county	536	–	–	5	115	27	25	15	13	4	4	27	17	261	212	1	5	162	44
Cass	436	–	–	1	100	26	26	8	13	5	1	21	6	199	161	1	–	144	16
Charlevoix	194	–	–	1	42	6	10	5	3	–	4	14	1	102	92	–	–	64	28
Cheboygan	218	–	–	1	52	12	12	4	5	5	4	10	2	107	88	1	4	72	11
Chippewa	279	–	–	2	59	16	15	4	7	3	2	12	18	136	108	2	–	93	13
Sault Ste. Marie	172	–	–	1	31	8	10	2	1	3	1	6	12	87	66	1	–	57	8
Balance of county	107	–	–	1	28	8	5	2	6	–	1	6	6	49	42	1	–	36	5
Clare	293	–	–	–	51	17	12	4	4	1	4	9	3	166	140	1	–	112	27
Clinton	329	–	–	3	80	19	21	10	8	3	3	16	6	157	127	–	5	94	28
Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	329	–	–	3	80	19	21	10	8	3	3	16	6	157	127	–	5	94	28
Crawford	119	–	–	–	28	10	7	1	4	3	1	2	1	54	39	–	–	33	6
Delta	323	–	–	1	86	25	18	12	5	3	4	19	8	167	132	–	–	109	23
Escanaba	154	–	–	1	33	12	8	4	1	–	1	7	6	79	59	–	–	49	10
Balance of county	169	–	–	–	53	13	10	8	4	3	3	12	2	88	73	–	–	60	13
Dickinson	304	–	–	4	67	18	21	9	4	2	–	13	7	167	118	1	2	88	27
Eaton	615	–	–	5	133	35	27	9	13	8	4	37	6	299	220	3	1	155	61
Lansing, part	12	–	–	–	2	–	1	–	–	–	1	–	–	8	6	–	–	5	1
Balance of county	603	–	–	5	131	35	26	9	13	8	3	37	6	291	214	3	1	150	60
Emmet	228	–	–	–	54	19	16	4	6	1	2	6	3	108	89	1	1	89	18
Genesee	3,406	6	–	28	767	168	210	74	79	35	38	169	86	1,650	1,297	11	38	932	316
Burton	233	–	–	1	55	11	15	7	7	2	3	10	6	111	81	1	2	65	13
Flint	1,539	4	–	15	325	70	95	22	39	13	16	70	39	742	589	1	23	404	161
Flint township#	273	–	–	4	78	15	23	10	3	5	2	20	6	122	95	2	5	69	19
Genesee township#	117	–	–	–	22	8	7	2	1	–	2	2	4	62	51	–	–	36	13
Mount Morris township#	141	2	–	1	39	4	13	2	4	3	3	10	3	68	56	–	1	41	14
Balance of county	1,103	–	–	7	248	60	57	31	25	12	12	51	28	545	425	7	7	315	96
Gladwin	204	–	–	1	40	8	16	4	3	2	–	7	4	104	80	1	–	60	19
Gogebic	271	–	–	–	40	11	13	4	4	–	–	8	2	164	131	1	1	91	38
Grand Traverse	433	–	–	6	84	16	19	9	10	2	5	23	6	226	162	3	2	128	29
Traverse City	146	–	–	1	34	7	5	7	3	1	3	8	2	71	54	1	1	44	8
Balance of county	287	–	–	5	50	9	14	2	7	1	2	15	4	155	108	2	1	84	21
Gratiot	364	–	–	4	58	14	15	5	6	1	3	14	7	219	159	1	7	122	29
Hillsdale	374	–	–	2	86	17	23	11	6	5	3	21	12	167	146	2	8	106	30
Houghton	445	–	–	3	81	23	19	4	10	3	3	19	4	252	192	2	7	149	34
Huron	401	–	–	4	66	20	13	4	5	2	6	16	6	220	172	2	2	143	25
Ingham	1,727	3	–	23	381	94	86	33	42	12	25	89	30	817	633	6	16	433	178
East Lansing	135	–	–	–	35	4	4	6	6	1	3	11	–	70	54	1	2	37	14
Lansing, part	966	2	–	16	195	55	48	15	18	4	13	42	20	446	344	4	8	237	95
Lansing, total	978	2	–	16	197	55	49	15	18	4	14	42	20	454	350	4	8	242	96
Meridian township#	208	1	–	1	39	6	8	5	1	2	3	14	6	105	79	–	2	49	28
Balance of county	416	–	–	6	112	29	26	7	17	5	6	22	4	196	156	1	4	110	41
Ionia	405	–	–	3	102	23	22	14	7	5	3	28	15	172	127	1	1	99	26
Iosco	289	–	–	1	66	14	24	7	6	3	1	11	3	158	118	–	1	98	19
Iron	206	1	–	2	54	19	13	4	6	5	4	3	2	93	77	2	2	47	26
Isabella	323	–	–	1	54	13	12	8	7	3	3	8	5	184	150	–	–	123	27
Mount Pleasant	126	–	–	–	25	6	6	4	3	3	–	3	3	67	54	–	–	44	10
Balance of county	197	–	–	1	29	7	6	4	4	–	3	5	2	117	96	–	–	79	17
Jackson	1,262	–	–	12	307	86	67	26	32	11	13	72	30	639	502	3	13	334	152
Jackson	484	–	–	5	92	23	24	7	9	4	3	22	17	258	203	2	9	119	73
Balance of county	778	–	–	7	215	63	43	19	23	7	10	50	13	381	299	1	4	215	79
Kalamazoo	1,501	1	–	14	351	78	94	36	43	17	14	69	25	889	533	8	12	375	138
Kalamazoo	638	–	–	7	143	31	39	21	18	9	4	21	9	289	227	6	4	154	63
Kalamazoo township#	171	–	–	2	41	10	10	4	5	3	1	8	1	86	67	–	–	51	16
Portage	227	–	–	3	58	18	15	2	7	2	4	12	4	96	70	1	3	46	20
Balance of county	465	1	–	2	109	21	30	9	13	3	5	28	11	218	169	1	5	124	39
Kalkaska	106	–	–	2	23	4	2	6	2	–	5	4	3	52	27	1	–	22	4
Kent	3,534	3	1	43	771	191	198	72	84	31	21	174	52	1,769	1,305	10	62	991	342
East Grand Rapids	56	–	–	2	15	5	3	1	2	1	–	3	–	27	21	1	1	14	5
Grand Rapids	1,944	–	1	21	409	110	100	45	44	14	10	86	30	985	703	6	39	478	180
Grandville	76	1	–	–	9	1	2	1	1	1	–	3	3	41	30	–	–	22	8
Kentwood	126	–	–	2	41	11	12	3	3	2	1	9	1	52	38	–	–	27	11
Walker	104	–	–	1	14	4	5	–	1	–	–	4	1	59	48	–	1	34	13
Wyoming	374	1	–	6	88	13	23	9	7	6	3	27	7	184	136	1	3	88	34
Balance of county	854	1	–	11	195	47	53	13	28	7	7	42	10	421	329	2	18	218	91
Keweenaw	33	–	–	1	7	3	–	–	3	1	–	–	–	19	14	–	1	11	2
Lake	108	–	–	–	23	4	6	1	5	2	1	4	1	51	38	–	5	24	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	3	85	45	10	18	28	4	11	16	–	4	5	3	41	22	19	9	4	–
Bangor township#	1	7	6	–	2	5	–	1	1	–	–	–	–	3	2	2	1	–	–
Bay City	1	34	17	6	6	13	2	5	6	–	2	2	1	19	7	8	3	2	–
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	24	22	4	10	10	2	5	9	–	2	3	2	19	13	9	5	2	–
Benzie	4	11	–	2	3	7	–	3	1	–	–	1	1	11	3	6	2	1	–
Berrien	5	128	24	9	47	62	6	16	14	–	10	25	8	130	33	36	17	12	–
Benton Harbor	–	9	–	–	2	5	–	2	–	–	1	5	1	13	5	10	2	8	–
Niles	–	5	2	3	6	4	1	1	2	–	1	1	3	18	3	2	3	–	–
Balance of county	5	114	22	6	37	53	5	13	12	–	8	19	4	99	25	24	12	4	–
Branch	2	36	10	4	16	15	2	2	3	–	2	5	–	26	10	12	4	1	–
Calhoun	5	76	29	13	39	46	3	18	10	–	5	8	7	84	31	30	21	7	–
Albion	–	7	3	2	5	2	–	1	–	–	–	1	1	7	3	1	1	4	–
Battle Creek	4	37	17	4	17	22	2	10	5	–	2	3	4	35	16	14	13	2	–
Balance of county	1	32	9	7	17	22	1	7	5	–	3	4	2	42	12	15	7	1	–
Cass	2	26	3	7	9	23	1	7	3	–	5	3	2	32	24	8	9	3	1
Charlevoix	–	7	–	3	3	15	–	2	2	–	2	–	–	14	3	3	3	1	–
Cheboygan	–	14	2	3	7	11	–	1	1	–	1	3	1	17	5	4	4	1	–
Chippewa	2	20	4	2	7	12	–	2	5	–	–	–	–	22	2	7	7	–	–
Sault Ste. Marie	1	17	2	1	4	7	–	–	4	–	–	–	–	19	–	5	2	–	–
Balance of county	1	3	2	1	3	5	–	2	1	–	–	–	–	3	2	2	5	–	–
Clare	–	20	1	5	7	13	2	6	1	–	2	4	–	15	10	7	5	1	–
Clinton	1	24	3	2	10	10	–	3	–	–	3	1	–	19	16	10	10	1	–
Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	24	3	2	10	10	–	3	–	–	3	1	–	19	16	10	10	1	–
Crawford	–	13	2	–	4	3	–	2	–	–	–	–	2	18	2	4	1	–	–
Delta	1	25	6	3	7	14	–	3	1	–	1	–	3	23	3	1	5	–	–
Escanaba	1	16	3	–	4	12	–	–	1	–	–	–	2	13	–	–	3	–	–
Balance of county	–	9	3	3	3	2	–	3	–	–	1	–	1	10	3	1	2	–	–
Dickinson	4	35	9	1	10	8	–	4	3	–	1	2	2	14	4	5	4	1	1
Eaton	2	52	17	8	18	23	2	7	8	–	5	6	2	51	20	13	12	5	–
Lansing, part	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Balance of county	2	50	17	8	18	23	2	7	8	–	5	6	2	51	20	13	12	3	–
Emmet	2	13	2	2	6	8	–	2	2	–	–	–	1	26	4	12	2	–	–
Genesee	11	251	60	31	79	108	10	35	39	–	18	52	21	227	107	60	55	57	1
Burton	–	26	3	1	7	8	–	4	2	–	2	2	1	18	9	4	2	1	–
Flint	6	105	25	17	37	39	4	15	19	–	8	37	15	108	32	31	22	49	1
Flint township#	–	20	6	1	4	13	1	3	3	–	–	2	–	19	9	4	5	–	–
Genesee township#	1	9	1	–	1	5	–	1	–	–	–	1	1	12	6	2	–	–	–
Mount Morris township#	1	9	2	–	6	4	2	3	1	–	1	–	1	5	2	1	2	–	–
Balance of county	3	82	23	12	24	39	3	9	14	–	7	10	3	67	49	18	24	8	–
Gladwin	–	19	2	3	6	8	1	3	1	–	3	–	–	14	9	7	1	2	–
Gogebic	–	30	–	3	11	11	2	2	1	–	–	1	2	23	3	6	3	–	–
Grand Traverse	1	42	14	7	17	10	4	5	2	–	6	5	1	26	16	8	10	1	–
Traverse City	–	9	6	2	9	4	4	–	–	–	1	1	–	11	5	1	2	–	–
Balance of county	1	33	8	5	8	6	–	5	2	–	5	4	1	15	11	7	6	1	–
Gratiot	–	47	8	5	11	9	4	–	1	–	2	5	–	24	8	8	3	1	–
Hillsdale	1	12	3	5	17	12	–	2	3	–	2	4	2	33	16	10	5	1	–
Houghton	1	31	20	8	13	20	3	12	1	–	3	–	1	33	5	10	3	1	–
Huron	1	35	3	9	9	17	1	4	4	–	3	3	–	28	16	13	5	2	–
Ingham	6	144	20	14	44	61	5	13	15	–	11	22	12	149	43	30	41	26	1
East Lansing	1	12	2	1	3	2	–	1	1	–	1	–	1	10	2	4	3	2	–
Lansing, part	4	80	9	9	27	36	4	9	6	–	8	19	8	89	23	18	24	15	1
Lansing, total	4	82	9	9	27	36	4	9	6	–	8	19	8	89	23	18	24	17	1
Meridian township#	–	22	3	1	4	11	–	1	1	–	–	1	1	21	3	3	7	3	–
Balance of county	1	30	6	3	10	12	1	2	7	–	2	2	2	29	15	5	7	6	–
Ionia	–	34	8	3	14	15	4	5	3	–	1	2	3	41	13	7	5	–	–
Iosco	1	29	4	6	8	8	–	4	2	–	2	4	1	16	8	5	3	–	–
Iron	1	7	2	6	12	11	–	–	1	–	1	–	–	16	2	7	4	–	–
Isabella	–	27	5	2	8	9	1	5	2	–	1	2	2	25	11	11	2	–	–
Mount Pleasant	–	9	3	1	4	6	–	2	1	–	1	1	–	12	–	3	1	–	–
Balance of county	–	18	2	1	4	3	1	3	1	–	–	1	2	13	11	8	1	–	–
Jackson	4	96	29	8	37	45	5	8	8	–	7	9	4	86	24	22	15	4	–
Jackson	3	36	12	4	16	19	4	2	2	–	2	5	2	41	5	11	2	1	–
Balance of county	1	60	17	4	21	26	1	6	6	–	5	4	2	45	19	11	13	3	–
Kalamazoo	9	110	21	16	53	49	8	26	13	–	9	29	5	127	27	31	32	12	–
Kalamazoo	6	41	12	9	21	18	3	14	7	–	7	17	3	53	8	14	15	9	–
Kalamazoo township#	1	12	4	2	7	6	1	1	1	–	–	2	–	15	2	–	3	1	–
Portage	1	17	1	7	8	8	3	8	–	–	–	5	1	20	4	3	5	1	–
Balance of county	1	40	4	4	17	15	1	3	5	–	2	5	1	39	12	14	9	1	–
Kalkaska	1	11	11	2	6	4	–	1	–	–	1	1	2	9	1	–	1	–	–
Kent	10	303	96	55	105	138	15	54	27	–	26	37	23	266	66	63	47	26	2
East Grand Rapids	1	4	1	–	1	2	–	–	2	–	–	–	–	5	2	–	–	–	–
Grand Rapids	6	187	61	28	64	75	10	32	15	–	11	25	13	142	22	44	24	21	–
Grandville	–	4	6	1	1	2	–	3	1	–	1	–	–	7	1	4	1	1	–
Kentwood	–	11	–	3	2	9	–	–	–	–	1	–	4	8	3	–	3	–	–
Walker	1	8	2	–	8	4	1	1	–	–	1	–	–	4	5	2	1	2	–
Wyoming	2	30	9	7	6	13	1	5	1	–	4	3	–	39	8	2	5	1	–
Balance of county	–	59	17	16	23	33	3	13	8	–	8	9	6	61	25	11	13	1	2
Keweenaw	–	3	–	2	1	–	–	3	–	–	–	–	–	2	–	–	–	–	–
Lake	–	10	2	1	3	5	–	2	1	–	–	–	1	11	–	8	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	484	1	–	3	103	29	24	12	6	6	6	20	13	230	188	2	3	148	35
Leelanau	152	–	1	1	28	7	7	1	3	1	3	6	2	77	60	–	1	46	13
Lenawee	693	1	–	2	170	42	45	12	18	6	6	41	16	346	277	4	4	208	61
Adrian	214	–	–	2	50	16	12	5	2	3	–	12	2	106	83	1	3	54	25
Balance of county	479	1	–	–	120	26	33	7	16	3	6	29	14	240	194	3	1	154	36
Livingston	602	1	–	8	123	32	34	8	11	9	6	23	8	322	273	1	2	216	54
Luce	91	–	–	1	20	9	5	2	1	1	1	1	3	40	21	–	1	15	5
Mackinac	117	1	–	–	38	10	10	2	3	2	2	9	3	58	45	1	2	40	2
Macomb	5,097	1	–	55	1,193	298	329	100	112	51	50	253	96	2,624	2,095	24	37	1,660	374
Clinton township#	302	–	–	2	63	11	17	8	8	2	3	14	2	171	140	–	1	116	23
East Detroit	388	–	–	4	100	31	27	6	10	3	4	19	5	189	154	5	6	115	28
Fraser	117	–	–	2	29	5	9	6	1	–	1	7	3	62	50	–	1	43	6
Harrison township#	105	–	–	3	16	7	2	1	2	–	–	4	3	55	43	–	2	33	8
Mount Clemens	338	–	–	3	58	14	15	3	10	1	1	14	7	200	154	–	2	121	31
Roseville	468	–	–	6	115	36	28	8	14	5	2	22	12	219	175	2	2	136	35
St. Clair Shores	726	1	–	6	163	38	44	15	12	8	10	38	12	400	316	3	7	247	59
Shelby township#	158	–	–	1	35	9	12	4	2	1	1	6	3	77	60	1	–	52	7
Sterling Heights	563	–	–	7	168	44	57	12	13	8	9	25	14	252	212	1	2	174	35
Warren	1,288	–	–	15	299	66	77	27	29	18	11	71	18	675	543	9	9	432	93
Balance of county	642	–	–	6	147	39	41	10	11	5	8	33	17	324	248	3	5	191	49
Manistee	254	–	–	1	40	10	10	8	7	1	1	3	4	155	92	2	2	72	16
Marquette	486	–	–	5	105	26	26	8	12	6	2	25	9	254	198	1	2	153	40
Marquette	168	–	–	1	42	9	12	3	5	2	1	10	2	81	63	1	–	45	17
Balance of county	318	–	–	4	63	17	14	5	7	4	1	15	7	173	133	–	2	108	23
Mason	247	–	–	1	62	19	11	9	7	4	4	8	5	125	99	3	1	78	17
Mecosta	252	1	–	1	53	14	15	4	2	3	5	10	4	123	96	–	–	79	17
Big Rapids	81	–	–	1	20	8	4	2	–	–	2	4	1	37	26	–	–	21	5
Balance of county	171	1	–	–	33	6	11	2	2	3	3	6	3	86	70	–	–	58	12
Menominee	277	–	–	–	72	24	19	6	7	2	–	14	16	134	106	3	–	75	28
Menominee	124	–	–	–	29	10	8	3	2	2	–	4	6	68	52	1	–	37	14
Balance of county	153	–	–	–	43	14	11	3	5	–	–	10	10	68	54	2	–	38	14
Midland	416	–	–	4	104	26	32	15	9	5	4	13	4	206	158	1	3	120	34
Midland, part	235	–	–	2	56	13	13	11	8	2	2	7	2	124	92	–	2	73	17
Midland, total	235	–	–	2	56	13	13	11	8	2	2	7	2	124	92	–	2	73	17
Balance of county	181	–	–	2	48	13	19	4	1	3	2	6	2	82	66	1	1	47	17
Missaukee	101	–	–	1	19	3	7	–	3	1	–	5	3	52	44	1	–	33	10
Monroe	904	–	–	5	225	63	64	17	24	5	10	42	22	430	346	1	14	249	82
Monroe	270	–	–	3	53	15	20	2	6	2	2	6	6	141	111	–	2	86	23
Balance of county	634	–	–	2	172	48	44	15	18	3	8	36	16	289	235	1	12	163	59
Montcalm	451	–	–	4	101	20	22	8	9	6	6	30	5	210	161	2	1	112	46
Montmorency	104	–	–	2	26	7	7	2	3	2	1	4	2	46	34	–	–	24	10
Muskegon	1,353	–	–	12	294	89	77	36	38	8	10	36	24	695	543	4	9	443	87
Muskegon	460	–	–	4	86	28	22	11	9	3	4	9	5	244	177	–	1	142	34
Muskegon Heights	151	–	–	5	44	17	11	5	7	–	1	3	6	73	55	–	2	43	10
Norton Shores	150	–	–	–	40	12	10	4	4	1	–	9	2	78	70	1	3	55	11
Balance of county	592	–	–	3	124	32	34	16	18	4	5	15	11	300	241	3	3	203	32
Newaygo	305	–	–	3	82	17	18	5	9	6	5	22	2	150	117	2	4	91	20
Oakland	7,516	3	–	70	1,726	463	449	170	152	67	56	369	141	3,792	3,092	33	57	2,454	548
Avon township#	210	–	–	–	57	22	14	7	9	1	3	11	4	99	83	1	3	66	11
Berkley	137	–	–	–	35	6	10	7	2	3	1	6	1	66	61	–	1	47	13
Beverly Hills	74	–	–	–	19	6	1	1	3	2	2	4	1	40	31	1	1	24	5
Birmingham	239	–	–	2	43	13	9	6	5	–	–	10	5	128	100	–	3	82	15
Bloomfield township#	239	–	–	3	78	20	20	6	10	4	5	13	4	103	85	–	1	65	19
Clawson	126	–	–	2	33	8	10	2	5	–	1	7	3	61	44	1	–	38	5
Farmington	152	–	–	4	28	4	8	5	2	–	1	8	1	97	80	2	1	62	15
Farmington Hills	411	–	–	3	94	25	16	10	10	3	3	27	8	219	187	6	–	146	35
Ferndale	315	–	–	3	70	15	19	2	9	3	2	20	8	157	122	1	7	93	21
Hazel Park	204	–	–	1	44	10	11	10	4	3	–	6	2	108	96	–	2	73	21
Madison Heights	267	–	–	1	58	24	17	6	3	1	–	7	9	125	112	2	–	91	19
Novi	124	–	–	–	31	4	8	4	4	–	2	9	1	64	58	–	2	31	25
Oak Park	258	–	–	2	65	16	17	6	5	3	4	14	8	139	112	2	–	89	21
Pontiac	653	–	–	8	132	48	26	8	13	5	3	29	14	308	242	4	11	183	44
Royal Oak	639	–	–	7	146	38	43	13	11	7	3	31	7	329	256	4	9	197	46
Southfield	829	–	–	11	186	48	47	27	12	7	6	39	19	460	378	1	2	323	52
Troy	320	1	–	2	79	20	25	9	5	3	3	14	9	144	124	–	4	97	23
West Bloomfield township#	196	–	–	–	37	13	5	4	3	3	–	9	4	101	86	2	1	72	11
Balance of county	2,123	2	–	21	481	123	143	37	37	19	17	105	33	1,044	835	6	9	673	147
Oceana	220	–	–	–	51	19	17	4	7	1	1	2	7	95	72	–	6	43	23
Ogemaw	201	–	–	–	30	4	14	4	2	1	–	5	2	137	98	–	1	83	14
Ontonagon	109	–	–	–	30	11	6	1	3	1	1	7	2	64	45	1	–	40	4
Osceola	188	–	–	1	40	8	8	6	6	1	3	8	4	107	80	1	–	64	15
Oscoda	118	1	–	–	28	8	4	1	3	2	1	9	5	57	44	1	3	33	7
Otsego	119	–	–	2	31	9	8	2	1	2	1	8	2	56	47	1	1	26	19
Ottawa	986	–	–	9	224	55	42	24	32	12	14	45	15	490	368	2	5	268	93
Georgetown township#	91	–	–	–	26	7	5	5	1	3	2	3	1	41	35	1	–	25	9
Grand Haven	129	–	–	2	24	5	4	4	1	2	2	6	3	64	50	–	1	31	18
Holland, part	184	–	–	1	38	12	4	3	7	2	2	8	–	104	77	1	1	57	18
Holland, total	214	–	–	1	45	14	5	3	9	2	2	10	–	122	91	1	1	71	18
Balance of county	582	–	–	6	136	31	29	12	23	5	8	28	11	281	206	–	3	155	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Lapeer	–	31	4	7	11	19	1	7	10	–	3	4	1	38	24	10	5	1	–
Leelanau	2	10	3	2	6	3	–	3	1	–	1	–	–	11	7	7	4	–	–
Lenawee	1	47	13	8	14	30	–	4	6	–	3	1	1	56	17	12	11	3	–
Adrian	–	16	4	3	6	11	–	2	1	–	1	1	–	19	7	2	3	1	–
Balance of county	1	31	9	5	8	19	–	2	5	–	2	–	1	37	10	10	8	2	–
Livingston	–	35	6	8	13	22	4	7	1	–	6	7	1	38	18	16	7	–	–
Luce	–	7	9	3	7	5	1	–	1	–	1	–	–	5	1	5	–	1	–
Mackinac	–	8	2	3	–	4	–	2	1	–	–	1	1	5	1	1	1	–	–
Macomb	18	390	69	52	104	167	15	84	38	1	39	54	21	319	117	56	79	32	2
Clinton township#	1	28	2	2	2	10	1	2	2	1	2	4	1	18	4	7	5	7	–
East Detroit	4	23	2	6	9	14	3	8	2	–	2	5	–	31	8	2	5	1	–
Fraser	–	10	2	–	–	2	1	2	2	–	1	2	–	5	1	1	3	1	–
Harrison township#	–	6	1	5	2	7	–	3	–	–	–	–	1	5	4	2	3	1	–
Mount Clemens	1	34	7	4	4	5	1	5	2	–	5	9	–	19	11	5	3	1	–
Roseville	1	32	8	3	13	22	2	11	3	–	7	6	1	33	5	3	7	3	–
St. Clair Shores	1	60	13	10	14	24	1	12	3	–	2	2	2	59	13	5	7	2	–
Shelby township#	2	15	–	–	3	7	–	3	–	–	2	2	1	14	6	2	2	–	–
Sterling Heights	1	35	2	2	13	19	–	6	4	–	4	8	4	27	18	7	9	3	–
Warren	7	92	22	11	29	40	5	24	11	–	10	9	6	74	28	13	20	10	2
Balance of county	–	57	10	9	15	17	1	8	9	–	4	7	5	36	19	9	15	3	–
Manistee	1	39	22	1	8	4	–	4	5	–	–	–	–	21	2	6	4	–	–
Marquette	1	32	16	7	15	17	2	9	3	–	5	9	2	29	6	8	8	–	–
Marquette	1	10	6	1	5	8	2	–	2	–	2	6	1	10	1	2	3	–	–
Balance of county	–	22	12	6	10	9	–	9	1	–	3	3	1	19	5	6	5	–	–
Mason	–	21	4	1	5	10	1	2	1	–	–	1	1	16	5	6	6	–	–
Mecosta	–	23	2	2	7	9	1	7	2	–	1	–	1	25	6	7	4	–	–
Big Rapids	–	10	–	1	3	4	–	3	1	–	–	–	–	9	1	–	1	–	–
Balance of county	–	13	2	1	4	5	1	4	1	–	1	–	1	16	5	7	3	–	–
Menominee	1	16	5	6	4	14	–	2	1	–	1	–	–	22	4	2	3	2	–
Menominee	1	5	4	4	2	6	–	1	1	–	–	–	–	9	1	2	1	–	–
Balance of county	–	11	1	2	2	8	–	1	–	–	1	–	–	13	3	–	2	2	–
Midland	1	32	6	8	11	15	2	2	2	–	3	4	3	34	8	11	3	–	–
Midland, part	1	23	3	5	8	9	1	1	–	–	–	1	1	20	3	5	2	–	–
Midland, total	1	23	3	5	8	9	1	1	–	–	–	1	1	20	3	5	2	–	–
Balance of county	–	9	3	4	3	6	1	1	2	–	3	3	2	14	5	6	1	–	–
Missaukee	–	5	3	–	–	4	–	–	1	–	–	1	2	3	12	2	–	1	–
Monroe	2	73	3	6	17	40	3	8	7	–	8	8	2	73	29	14	11	1	1
Monroe	–	25	1	4	6	17	1	3	2	–	–	1	1	20	6	3	5	1	1
Balance of county	2	48	2	2	11	23	2	5	5	–	8	7	1	53	23	11	6	–	–
Montcalm	2	38	3	6	18	14	1	2	4	–	3	4	8	43	17	9	6	1	1
Montmorency	–	10	1	1	3	7	1	1	–	–	–	–	–	7	4	2	3	–	–
Muskegon	7	111	15	19	34	50	11	12	12	–	10	15	10	105	31	18	17	3	–
Muskegon	5	50	6	6	16	18	6	4	6	–	2	4	4	31	11	10	7	2	–
Muskegon Heights	–	15	3	–	1	1	2	1	1	–	1	2	2	10	–	–	1	1	–
Norton Shores	–	7	–	1	6	3	–	1	1	–	–	1	1	10	3	3	1	–	–
Balance of county	2	39	6	12	11	28	3	6	4	–	7	8	3	54	17	5	8	–	–
Newaygo	1	20	7	5	12	9	1	2	2	–	1	2	2	21	5	7	4	–	–
Oakland	19	540	62	79	190	231	21	100	59	–	44	82	32	540	164	113	131	54	23
Avon township#	1	12	–	3	5	6	–	2	2	–	2	1	–	14	3	–	1	4	–
Berkley	1	3	–	1	3	–	1	3	–	–	2	1	–	18	1	2	2	2	–
Beverly Hills	–	8	1	–	–	2	–	1	2	–	–	1	1	3	1	2	–	1	–
Birmingham	1	21	1	5	12	15	1	2	1	–	1	1	1	16	2	5	3	1	–
Bloomfield township#	2	9	2	5	7	3	–	3	3	–	2	2	1	16	2	5	4	1	2
Clawson	–	14	1	2	5	2	1	2	1	–	–	1	–	11	2	–	2	–	–
Farmington	–	9	2	6	5	4	–	1	1	–	–	–	–	7	1	1	1	1	–
Farmington Hills	–	22	3	7	16	12	1	1	3	–	3	2	1	27	6	5	9	–	2
Ferndale	1	27	3	4	7	15	1	4	3	–	1	3	3	23	6	3	4	3	1
Hazel Park	–	12	–	–	6	3	3	3	1	–	–	5	–	12	2	3	5	5	1
Madison Heights	–	11	1	1	9	5	3	4	1	–	1	5	1	28	4	7	4	1	1
Novi	–	6	–	–	2	5	–	1	1	–	–	–	2	10	3	2	–	–	2
Oak Park	–	23	2	2	5	3	–	3	4	–	–	4	1	10	2	5	4	3	–
Pontiac	4	51	8	3	15	26	3	9	8	–	4	20	4	46	14	12	14	11	5
Royal Oak	1	54	9	9	13	27	1	10	7	–	3	9	1	48	9	10	5	7	–
Southfield	1	64	9	8	19	15	1	8	5	–	1	4	2	57	12	10	12	6	1
Troy	–	16	2	2	10	12	1	8	1	–	2	3	1	23	10	6	4	2	2
West Bloomfield township#	1	13	1	–	11	4	–	3	1	–	1	–	–	20	3	2	7	1	1
Balance of county	6	165	17	21	41	72	4	32	14	–	21	20	13	151	81	33	50	5	5
Oceana	1	14	5	3	11	8	1	4	4	–	1	1	2	18	9	2	4	1	–
Ogemaw	1	24	7	7	4	7	1	1	–	–	–	–	–	13	2	2	2	–	–
Ontonagon	–	8	7	4	1	1	1	–	–	–	–	1	–	4	3	1	1	–	–
Osceola	–	26	–	1	5	9	2	2	2	–	1	–	–	8	4	1	1	1	–
Oscoda	–	11	2	–	3	3	–	1	3	–	–	–	–	11	1	4	1	–	–
Otsego	2	4	3	–	4	5	1	2	1	–	1	1	–	5	4	3	1	–	–
Ottawa	6	79	23	14	28	24	2	8	10	–	4	9	11	85	25	28	13	1	–
Georgetown township#	1	3	–	2	–	4	1	1	–	–	1	2	1	7	4	1	1	–	–
Grand Haven	–	9	3	2	6	3	–	–	3	–	–	–	2	17	–	4	1	–	–
Holland, part	1	14	10	2	3	2	1	2	3	–	–	2	2	17	3	2	4	–	–
Holland, total	1	16	12	2	4	2	1	2	3	–	–	2	2	19	5	2	4	–	–
Balance of county	4	53	10	8	19	15	–	5	4	–	3	5	6	44	18	21	7	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	149	–	–	2	31	4	9	–	7	1	2	8	3	80	69	1	3	47	18
Roscommon	257	–	–	1	75	21	31	5	3	1	1	13	3	123	91	2	–	63	28
Saginaw	1,724	1	–	11	387	107	110	29	32	11	17	81	27	854	639	8	10	488	133
Saginaw	745	1	–	6	154	46	55	9	14	3	3	24	9	363	276	3	7	215	51
Saginaw township#	300	–	–	2	71	21	18	6	4	1	5	16	6	152	112	1	–	92	19
Balance of county	679	–	–	3	162	40	37	14	14	7	9	41	12	339	251	4	3	181	63
St. Clair	1,261	1	–	11	315	79	92	22	37	18	14	53	31	642	522	2	21	407	92
Port Huron	374	–	–	4	78	19	25	6	7	4	3	14	11	197	157	–	11	122	24
Balance of county	887	1	–	7	237	60	67	16	30	14	11	39	20	445	365	2	10	285	68
St. Joseph	546	–	–	5	125	36	32	14	11	7	4	21	13	257	193	3	3	151	38
Sanilac	398	–	–	3	71	24	11	5	8	1	5	17	6	237	211	–	1	174	36
Schoolcraft	89	–	–	1	22	4	6	1	1	1	2	7	4	47	35	–	–	31	4
Shiawassee	537	–	–	2	136	31	40	11	12	7	2	33	13	266	190	4	2	153	31
Owosso	171	–	–	–	40	8	13	1	4	2	–	12	4	81	53	1	–	45	7
Balance of county	366	–	–	2	96	23	27	10	8	5	2	21	9	185	137	3	2	108	24
Tuscola	432	–	–	2	101	24	26	12	12	2	4	21	9	204	156	1	–	97	58
Van Buren	666	–	–	7	141	37	34	13	11	5	8	33	10	311	253	2	8	187	56
Washtenaw	1,457	1	–	14	325	90	85	34	25	9	15	67	31	654	503	3	8	400	92
Ann Arbor	489	–	–	5	123	31	37	14	12	2	6	21	8	223	162	2	4	147	29
Ypsilanti	215	1	–	2	32	12	6	2	1	2	1	8	5	98	66	1	3	54	8
Ypsilanti township#	194	–	–	1	51	9	19	7	5	–	–	11	6	80	64	–	1	50	13
Balance of county	559	–	–	6	119	38	23	11	7	5	8	27	12	253	191	–	–	149	42
Wayne	22,092	27	–	270	4,637	1,199	1,382	397	499	183	176	821	411	10,834	8,937	85	333	5,596	2,923
Allen Park	344	–	–	2	75	18	23	6	7	2	4	15	7	189	161	4	2	119	36
Canton township#	183	–	–	4	38	8	12	2	3	2	2	9	1	75	64	2	2	41	10
Dearborn	1,024	–	–	8	226	56	65	24	25	10	10	36	23	588	472	5	13	334	120
Dearborn Heights	579	–	–	3	137	40	34	9	17	8	7	22	15	308	252	4	2	181	65
Detroit	12,907	24	–	192	2,524	665	754	208	286	91	97	423	233	6,108	5,013	36	241	2,835	1,901
Ecorse	135	–	–	1	25	7	8	–	3	–	1	6	7	59	49	1	3	29	16
Garden City	223	–	–	–	58	13	20	7	4	2	3	9	5	117	98	1	1	69	27
Grosse Pointe Farms	106	–	–	2	31	7	6	4	4	2	1	7	1	56	44	–	–	37	7
Grosse Pointe Park	107	–	–	–	22	8	4	2	4	1	–	3	2	52	40	–	–	27	13
Grosse Pointe Woods	159	1	–	–	39	8	11	6	5	1	2	6	4	89	68	–	2	45	21
Hamtramck	283	–	–	4	62	19	16	4	7	2	–	14	3	150	128	–	3	79	46
Harper Woods	208	–	–	2	55	19	11	4	3	4	3	11	7	108	84	–	2	65	17
Highland Park	337	1	–	3	58	15	15	4	9	3	1	11	8	155	131	3	6	57	65
Inkster	302	–	–	2	66	14	14	10	13	2	2	11	9	145	116	2	4	68	42
Lincoln Park	373	1	–	5	100	27	28	7	10	8	4	16	7	179	151	1	2	119	29
Livonia	781	–	–	7	188	39	50	28	14	7	8	42	10	417	348	5	9	251	81
Melvindale	94	–	–	1	20	6	5	1	2	2	–	4	4	50	42	1	1	29	11
Plymouth township#	109	–	–	–	29	5	10	5	1	1	2	5	3	54	44	1	3	30	10
Redford township#	524	–	–	4	139	38	36	7	18	4	9	27	11	269	228	2	4	164	58
River Rouge	131	–	–	1	31	10	10	–	4	3	–	4	7	62	51	–	–	33	18
Riverview	126	–	–	1	24	8	9	–	3	–	2	2	2	78	66	–	–	53	13
Romulus	177	–	–	–	41	8	12	7	5	1	–	8	3	87	77	–	3	48	26
Southgate	232	–	–	–	68	16	22	4	5	5	1	15	6	109	86	2	1	61	24
Taylor	429	–	–	6	85	14	32	4	10	3	4	18	5	194	165	2	6	112	45
Trenton	178	–	–	2	48	13	18	4	2	2	–	9	2	81	65	1	4	46	14
Wayne	207	–	–	3	45	11	20	1	3	2	1	7	3	111	95	1	3	65	26
Westland	620	–	–	7	142	33	43	19	9	6	2	30	7	328	270	4	3	208	55
Woodhaven	56	–	–	–	14	2	3	4	1	2	–	2	–	28	20	–	–	15	5
Wyandotte	307	–	–	3	58	16	23	5	5	1	1	7	2	163	133	5	2	99	27
Balance of county	857	–	–	7	191	56	48	13	17	6	9	42	14	445	376	2	11	277	86
Wexford	260	1	–	–	54	8	20	4	8	3	–	11	3	120	91	2	1	55	33
Cadillac	123	1	–	–	22	3	9	2	2	1	–	5	1	56	40	–	1	20	19
Balance of county	137	–	–	–	32	5	11	2	6	2	–	6	2	64	51	2	–	35	14
Minnesota	33,766	7	–	269	7,555	2,054	1,701	671	891	334	341	1,563	561	16,086	12,140	129	219	8,867	2,925
Urban places	17,753	2	–	158	4,127	1,063	1,031	377	467	162	173	854	295	8,058	6,119	85	135	4,528	1,371
Balance of area	16,013	5	–	111	3,428	991	670	294	424	172	168	709	266	8,028	6,021	44	84	4,339	1,554
Metropolitan counties	19,516	2	–	159	4,592	1,189	1,119	423	517	198	191	955	324	8,850	6,756	92	140	4,942	1,582
Urban places	14,878	2	–	132	3,508	885	884	327	395	141	147	729	246	6,652	5,076	76	108	3,757	1,135
Balance of area	4,638	–	–	27	1,084	304	235	96	122	57	44	226	78	2,198	1,680	16	32	1,185	447
Nonmetropolitan counties	14,250	5	–	110	2,963	865	582	248	374	136	150	608	237	7,236	5,384	37	79	3,925	1,343
Urban places	2,875	–	–	26	619	178	147	50	72	21	26	125	49	1,406	1,043	9	27	771	236
Balance of area	11,375	5	–	84	2,344	687	435	198	302	115	124	483	188	5,830	4,341	28	52	3,154	1,107
Aitkin	189	–	–	1	42	12	7	4	8	–	–	11	7	81	70	–	1	58	11
Anoka	830	–	–	7	221	64	65	20	26	4	6	36	8	346	282	1	3	220	58
Anoka	128	–	–	–	29	9	7	4	4	2	–	3	–	70	52	–	–	40	12
Blaine, part	71	–	–	1	18	3	5	3	2	–	–	5	1	27	25	–	1	22	2
Blaine, total	71	–	–	1	18	3	5	3	2	–	–	5	1	27	25	–	1	22	2
Columbia Heights	150	–	–	–	30	8	12	–	5	–	1	4	2	76	63	1	2	46	14
Coon Rapids	142	–	–	4	36	12	10	3	2	–	2	7	2	50	42	–	–	33	9
Fridley	140	–	–	1	41	11	14	3	2	1	2	8	2	53	43	–	–	33	10
Ramsey	17	–	–	–	3	1	–	–	2	–	–	–	–	7	5	–	–	5	–
Balance of county	182	–	–	1	64	20	17	7	9	1	1	9	1	63	52	–	–	41	11
Becker	290	–	–	1	63	16	17	6	8	1	4	11	1	153	114	–	–	88	16
Beltrami	267	–	–	1	52	11	10	4	13	3	1	10	8	127	101	1	–	76	24
Bemidji	112	–	–	1	23	8	5	–	4	1	1	4	–	49	36	1	–	28	7
Balance of county	155	–	–	–	29	3	5	4	9	2	–	6	8	78	65	–	–	48	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	-	9	-	2	1	3	1	4	3	-	1	2	2	7	2	2	2	2	1
Roscommon	1	26	2	3	6	12	-	-	3	-	-	2	-	17	3	11	1	-	-
Saginaw	5	154	36	20	40	47	4	20	14	-	14	38	7	113	45	56	25	21	-
Saginaw	4	65	11	7	22	23	1	12	4	-	4	21	2	53	19	27	9	15	-
Saginaw township#	-	27	9	4	8	6	2	2	5	-	2	4	1	25	4	4	6	-	-
Balance of county	1	62	16	9	10	18	1	6	5	-	8	13	4	35	22	25	10	6	-
St. Clair	3	82	21	14	19	49	2	16	13	-	5	16	2	93	36	15	12	3	-
Port Huron	2	24	10	4	3	14	-	5	5	-	3	6	1	28	10	4	4	1	-
Balance of county	1	58	11	10	16	35	2	11	8	-	2	10	1	65	26	11	8	2	-
St. Joseph	2	48	5	9	19	18	2	6	4	-	3	2	1	43	24	13	9	2	-
Sanilac	1	17	5	3	4	12	2	2	2	-	1	2	1	31	6	10	8	-	-
Schoolcraft	-	11	1	-	2	4	-	2	-	-	-	-	-	5	1	1	-	-	-
Shiawassee	5	58	11	2	8	14	2	7	5	-	3	4	2	36	17	11	11	-	-
Owosso	-	21	5	2	2	7	1	3	2	-	1	2	-	12	6	4	6	-	-
Balance of county	5	37	6	-	6	7	1	4	3	-	2	2	2	24	11	7	5	-	-
Tuscola	2	34	7	5	16	17	1	7	2	-	1	5	-	32	19	13	3	-	-
Van Buren	2	41	8	7	20	28	5	6	6	-	3	7	2	53	23	24	18	2	-
Washtenaw	7	112	21	11	34	50	4	22	7	-	10	26	4	147	38	39	33	17	1
Ann Arbor	2	32	4	3	5	15	1	9	2	-	5	8	2	48	7	13	15	2	-
Ypsilanti	2	24	5	1	4	9	1	3	-	-	1	7	1	29	1	10	4	6	1
Ypsilanti township#	-	14	-	2	5	9	-	2	2	-	1	6	-	16	3	4	3	5	-
Balance of county	3	42	12	5	20	17	2	8	3	-	3	7	1	54	27	12	11	4	-
Wayne	70	1,423	209	195	568	605	61	537	229	3	135	307	130	1,718	275	352	312	615	68
Allen Park	1	18	5	4	7	14	2	5	2	-	2	2	-	22	3	4	7	-	1
Canton township#	1	8	-	2	6	4	-	3	4	-	5	3	2	17	7	5	6	2	-
Dearborn	2	74	12	6	25	30	3	14	4	-	8	7	2	64	8	8	10	6	1
Dearborn Heights	3	37	10	6	14	19	4	10	3	-	2	3	3	27	5	6	13	1	-
Detroit	51	810	125	109	337	322	34	377	150	2	80	228	93	1,104	147	223	134	547	50
Ecorse	-	8	-	2	2	6	-	3	2	-	-	4	1	14	1	2	2	5	1
Garden City	1	14	3	1	2	6	-	4	3	-	1	1	1	9	4	2	5	2	3
Grosse Pointe Farms	-	10	1	1	2	4	-	-	1	-	1	-	-	2	1	1	4	-	-
Grosse Pointe Park	-	9	2	1	4	5	-	3	-	-	-	2	-	5	4	4	4	-	-
Grosse Pointe Woods	1	16	4	-	1	6	1	4	-	-	-	-	-	10	1	2	1	-	-
Hamtramck	1	17	4	-	7	8	-	4	4	-	-	2	-	30	-	5	3	-	1
Harper Woods	-	16	3	5	3	5	1	1	2	-	-	-	1	19	1	1	2	-	-
Highland Park	2	18	3	1	15	9	-	6	7	1	1	6	7	31	6	7	3	12	1
Inkster	3	22	1	3	7	9	2	4	2	-	4	5	1	26	7	8	4	1	2
Lincoln Park	-	22	1	5	10	13	-	9	5	-	1	2	1	24	4	7	4	1	-
Livonia	1	60	3	7	25	18	2	12	3	-	1	4	-	55	11	12	16	2	-
Melvindale	-	6	1	1	2	3	-	-	1	-	-	-	1	7	2	2	1	-	-
Plymouth township#	-	7	1	2	3	1	-	1	1	-	-	-	2	8	-	1	6	-	-
Redford township#	-	35	2	4	11	11	4	4	3	-	2	5	-	29	10	10	9	3	-
River Rouge	-	8	1	2	3	1	-	4	2	-	-	3	1	5	1	5	2	3	-
Riverview	-	10	1	1	2	5	-	1	-	-	-	1	-	7	1	1	2	1	-
Romulus	-	10	-	-	3	12	-	4	2	-	-	1	1	10	-	4	6	2	1
Southgate	1	14	4	2	5	7	2	3	3	-	2	4	1	13	1	1	6	1	-
Taylor	-	24	2	3	12	24	1	9	6	-	6	9	3	34	13	6	11	5	-
Trenton	-	10	2	4	10	5	-	2	1	-	1	1	1	8	5	3	2	5	1
Wayne	-	12	4	-	7	6	1	3	-	-	1	1	1	13	3	1	6	2	-
Westland	1	47	4	6	14	17	2	13	5	-	6	6	1	34	11	7	16	1	3
Woodhaven	-	6	2	-	2	2	-	-	1	-	-	-	-	6	-	-	1	2	-
Wyandotte	-	24	2	4	11	10	-	9	7	-	-	3	3	26	4	1	3	2	2
Balance of county	1	51	6	11	14	23	2	25	5	-	11	6	3	59	14	14	14	9	1
Wexford	1	20	5	3	13	8	-	2	2	-	3	2	1	29	8	8	3	3	-
Cadillac	-	11	4	1	8	4	-	-	1	-	2	2	1	13	3	7	1	1	-
Balance of county	1	9	1	2	5	4	-	2	1	-	1	-	-	16	5	1	2	2	-
Minnesota	160	2,842	507	437	1,224	1,082	123	378	280	5	215	251	771	2,870	676	847	443	86	37
Urban places	103	1,338	256	242	642	608	69	221	133	3	120	145	503	1,601	273	497	274	67	17
Balance of area	57	1,504	251	195	582	474	54	157	147	2	95	106	268	1,269	403	410	169	19	20
Metropolitan counties	105	1,456	261	252	672	648	72	254	148	4	140	171	543	1,677	346	499	321	71	23
Urban places	87	1,085	203	201	529	516	61	195	112	2	110	130	445	1,312	220	372	251	65	16
Balance of area	18	371	78	51	143	130	11	59	36	2	30	41	98	365	126	127	70	6	7
Nonmetropolitan counties	55	1,386	226	185	552	434	51	124	132	1	75	80	228	1,193	330	348	122	15	14
Urban places	16	253	53	41	113	90	8	26	21	1	10	15	58	289	53	65	23	2	1
Balance of area	39	1,133	173	144	439	344	43	98	111	-	65	65	170	904	277	283	99	13	13
Aitkin	-	7	3	1	3	7	2	1	2	-	1	-	1	19	7	11	4	-	-
Anoka	4	29	16	15	25	30	3	11	7	-	12	19	11	53	30	23	21	1	2
Anoka	2	6	3	7	7	3	1	1	1	-	1	-	-	10	2	1	2	-	-
Blaine, part	-	-	1	1	2	3	-	-	1	-	3	1	1	6	2	1	4	-	-
Blaine, total	-	-	1	1	2	3	-	-	1	-	3	1	1	6	2	1	4	-	-
Columbia Heights	1	6	3	3	9	9	-	3	1	-	-	-	1	10	3	2	4	-	-
Coon Rapids	-	5	3	-	2	4	-	4	1	-	2	6	3	14	2	8	3	-	1
Fridley	1	5	4	-	3	4	1	2	2	-	1	5	2	5	9	6	1	1	1
Ramsey	-	2	-	-	1	-	-	-	-	-	1	1	1	-	-	1	2	-	-
Balance of county	-	5	2	4	1	7	1	1	1	-	4	6	3	8	12	4	5	-	-
Becker	2	29	5	3	10	13	2	2	6	-	2	-	-	18	11	6	2	-	-
Beltrami	-	15	6	5	13	7	-	3	2	-	2	-	2	26	10	6	7	1	-
Bemidji	-	5	5	3	7	4	-	1	1	-	-	-	1	17	1	2	4	1	-
Balance of county	-	10	1	2	6	3	-	2	1	-	2	-	1	9	9	4	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	235	–	–	1	51	12	14	1	6	2	3	13	6	116	95	1	2	73	19
St. Cloud, part	44	–	–	–	7	1	2	–	1	–	–	3	1	23	20	1	1	16	2
Balance of county	191	–	–	1	44	11	12	1	5	2	3	10	5	93	75	–	1	57	17
Big Stone	100	–	–	–	16	4	3	2	2	1	2	2	2	55	35	–	–	28	7
Blue Earth	390	–	–	1	88	24	22	9	10	4	5	14	11	193	151	–	3	133	15
Mankato, part	198	–	–	1	50	13	15	6	3	–	3	10	7	103	77	–	2	70	5
Mankato, total	198	–	–	1	50	13	15	6	3	–	3	10	7	103	77	–	2	70	5
Balance of county	192	–	–	–	38	11	7	3	7	4	2	4	4	90	74	–	1	63	10
Brown	263	1	–	3	54	23	4	6	5	2	5	9	4	138	103	–	1	73	29
New Ulm	123	–	–	2	24	12	–	1	4	1	1	5	3	60	46	–	1	33	12
Balance of county	140	1	–	1	30	11	4	5	1	1	4	4	1	76	57	–	–	40	17
Carlton	287	–	–	2	55	18	16	4	8	2	–	7	5	143	100	1	4	74	21
Cloquet	135	–	–	–	24	8	9	1	2	1	–	3	3	73	45	–	2	39	4
Balance of county	152	–	–	2	31	10	7	3	6	1	–	4	2	70	55	1	2	35	17
Carver	225	–	–	2	43	14	3	4	2	3	–	17	–	110	77	1	1	63	12
Cass	288	–	–	4	50	14	12	7	4	2	3	8	2	136	101	1	–	64	36
Chippewa	166	–	–	2	31	8	5	3	6	1	2	6	5	92	89	–	–	49	20
Chisago	227	–	–	1	55	10	14	6	8	4	4	9	3	112	79	1	1	52	25
Clay	360	–	–	2	93	27	19	4	15	3	7	18	11	181	123	2	–	82	39
Moorhead	222	–	–	2	63	19	12	2	10	2	4	14	5	112	74	2	–	53	19
Balance of county	138	–	–	–	30	8	7	2	5	1	3	4	6	69	49	–	–	29	20
Clearwater	116	–	–	1	15	5	3	1	–	1	1	4	7	55	45	–	1	39	5
Cook	43	–	–	2	10	2	2	2	1	1	1	1	–	18	12	–	–	9	3
Cottonwood	157	–	–	–	37	9	9	3	5	–	2	9	3	78	57	–	2	37	18
Crow Wing	416	–	–	5	84	24	26	5	10	3	2	24	11	184	136	2	1	91	42
Brainerd	163	–	–	1	32	8	9	–	4	1	–	10	5	66	51	1	–	38	12
Balance of county	253	–	–	4	62	16	17	5	6	2	2	14	6	118	85	1	1	53	30
Dakota	993	–	–	4	245	62	49	34	30	5	11	54	19	447	349	10	6	271	62
Apple Valley	50	–	–	–	11	4	1	1	2	1	–	2	2	20	17	1	–	13	3
Burnsville	99	–	–	–	32	4	5	7	2	1	2	11	1	33	26	–	–	22	4
Eagan	48	–	–	–	12	3	3	3	1	–	1	1	1	14	11	1	–	6	4
Hastings, part	108	–	–	2	27	6	7	5	3	–	2	4	2	47	40	–	3	26	9
Hastings, total	108	–	–	2	27	6	7	5	3	–	2	4	2	47	40	–	3	26	9
Inver Grove Heights	80	–	–	–	14	4	2	2	2	–	1	3	2	39	35	3	1	28	3
Lakeville	42	–	–	–	9	3	2	–	–	–	–	4	–	17	10	–	–	7	3
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	171	–	–	–	45	16	11	3	6	–	1	8	4	82	69	–	1	56	12
West St. Paul	215	–	–	1	50	12	10	5	8	1	3	11	1	108	77	3	–	62	12
Balance of county	160	–	–	1	45	10	8	8	6	2	1	10	6	87	64	2	1	49	12
Dodge	105	–	–	–	25	11	2	1	–	4	2	5	1	51	42	–	–	23	19
Douglas	261	–	–	2	59	20	11	2	9	3	2	12	2	144	99	–	1	71	27
Faribault	261	–	–	3	47	14	14	4	3	1	1	10	5	146	119	–	2	92	25
Fillmore	271	–	–	1	59	17	11	3	8	2	3	15	2	143	110	1	1	85	23
Freeborn	394	–	–	2	92	18	20	9	12	5	7	21	5	214	160	–	6	106	48
Albert Lea	264	–	–	–	58	8	14	7	7	2	6	14	4	148	107	–	5	71	31
Balance of county	130	–	–	2	34	10	6	2	5	3	1	7	1	68	53	–	1	35	17
Goodhue	451	1	–	2	90	25	21	9	7	8	4	16	11	227	153	2	4	107	40
Red Wing	182	–	–	1	45	12	14	5	2	2	2	8	2	79	58	1	3	44	10
Balance of county	269	1	–	1	45	13	7	4	5	6	2	8	9	148	95	1	1	63	30
Grant	99	–	–	1	22	9	–	3	3	1	1	5	1	58	41	–	1	29	11
Hennepin	7,604	1	–	74	1,762	432	449	164	193	84	71	389	129	3,314	2,499	38	53	1,837	571
Bloomington	452	–	–	6	125	25	25	19	11	6	9	30	5	184	130	–	4	100	28
Brooklyn Center	176	–	–	1	43	9	13	7	2	4	1	7	6	82	60	–	1	45	14
Brooklyn Park	145	–	–	3	43	8	16	4	3	2	2	8	3	44	37	1	1	23	12
Crystal	172	–	–	–	54	16	14	5	3	4	2	10	5	68	54	–	2	40	12
Eden Prairie	66	–	–	–	13	3	5	2	1	1	–	1	–	31	24	–	1	16	5
Edina	419	–	–	3	112	37	18	8	16	1	6	26	4	188	138	1	3	102	30
Golden Valley	160	–	–	–	52	12	13	6	4	1	3	13	2	81	65	–	–	53	12
Hopkins	168	–	–	1	36	6	11	2	5	1	3	8	4	69	50	2	1	34	13
Maple Grove	52	–	–	–	16	2	5	2	2	–	2	3	2	15	15	1	1	10	3
Minneapolis	3,935	1	–	45	841	217	218	62	100	41	27	176	58	1,726	1,308	24	26	942	316
Minnetonka	186	–	–	1	34	9	7	7	2	2	–	7	5	80	62	1	1	50	10
New Hope	210	–	–	3	38	7	13	1	3	2	5	7	5	105	76	1	3	50	22
Plymouth	114	–	–	2	38	8	9	7	3	2	2	7	3	35	26	–	1	20	5
Richfield	270	–	–	2	72	14	20	8	8	5	1	16	2	124	97	1	1	79	16
Robbinsdale	140	–	–	1	31	10	8	2	4	2	1	4	2	58	45	1	1	35	8
St. Louis Park	129	–	–	4	96	18	30	10	10	3	3	22	14	213	163	4	4	132	23
Balance of county	490	–	–	2	118	31	24	12	16	7	4	24	9	211	151	1	2	104	44
Houston	164	–	–	2	26	7	4	–	4	–	2	9	1	79	57	1	2	39	15
Hubbard	132	–	–	–	26	12	5	2	2	–	3	2	1	76	50	–	2	34	14
Isanti	190	–	–	1	35	8	10	1	5	2	5	4	1	101	58	1	–	41	16
Itasca	383	–	–	2	84	29	18	11	9	5	1	11	6	192	143	2	1	103	37
Jackson	126	–	–	–	27	8	7	2	2	–	3	5	4	64	49	–	1	43	5
Kanabec	122	–	–	–	13	4	2	1	2	–	1	3	2	74	40	1	–	30	9
Kandiyohi	313	–	–	3	58	15	9	2	11	2	4	13	3	151	114	3	–	96	15
Willmar	156	–	–	1	23	6	2	2	5	2	–	6	3	83	61	1	–	55	5
Balance of county	157	–	–	2	33	9	7	–	6	–	4	7	–	68	53	2	–	41	10
Kittson	87	–	–	–	12	3	1	2	3	–	–	3	2	52	41	–	–	25	16
Koochiching	152	–	–	–	34	10	7	3	3	1	3	7	2	77	59	–	–	49	10
Lac qui Parle	126	–	–	2	17	6	1	2	2	–	2	4	2	76	57	–	–	39	18
Lake	108	–	–	–	22	2	3	4	6	–	–	7	1	55	44	–	–	29	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	1	18	1	1	1	12	1	2	1	–	3	–	4	23	6	6	2	–	–
St. Cloud, part	–	1	1	1	–	3	–	–	–	–	1	–	–	6	3	–	–	–	–
Balance of county	1	17	–	–	1	9	1	2	1	–	2	–	4	17	3	6	2	–	–
Big Stone	2	14	2	2	6	2	–	–	1	–	–	1	–	8	4	4	–	1	–
Blue Earth	2	32	5	3	9	10	2	7	1	–	6	4	2	33	4	14	5	–	–
Mankato, part	2	17	5	2	6	6	–	2	–	–	2	1	1	10	–	6	3	–	–
Mankato, total	2	17	5	2	6	6	–	2	–	–	2	1	1	10	–	6	3	–	–
Balance of county	–	15	–	1	3	4	2	5	1	–	4	3	1	23	4	8	2	–	–
Brown	–	26	4	3	8	10	2	–	3	–	1	1	5	21	4	7	3	–	–
New Ulm	–	10	2	2	3	6	1	–	1	–	–	1	3	11	2	4	2	–	–
Balance of county	–	16	2	1	5	4	1	–	2	–	1	–	2	10	2	3	1	–	–
Carlton	2	23	15	3	18	14	–	3	1	–	–	1	3	23	8	8	3	–	–
Cloquet	1	15	11	1	5	6	–	1	–	–	–	1	1	12	3	5	1	–	–
Balance of county	1	8	4	2	13	8	–	2	1	–	–	–	2	11	5	3	2	–	–
Carver	–	23	6	4	9	10	–	4	4	–	2	4	3	22	5	3	4	–	–
Cass	2	27	2	4	13	13	–	2	6	–	–	–	10	26	12	10	1	1	2
Chippewa	1	15	4	3	3	3	–	1	3	–	1	–	–	18	1	5	1	–	–
Chisago	–	29	1	3	15	2	–	1	1	–	1	5	3	15	5	4	4	–	–
Clay	–	41	6	11	8	16	–	2	1	–	4	2	5	18	7	7	2	1	–
Moorhead	–	28	4	6	5	11	–	1	–	–	4	1	2	8	5	1	1	1	–
Balance of county	–	13	2	5	3	5	–	1	1	–	–	1	3	10	2	6	1	–	–
Clearwater	1	9	–	–	1	3	–	1	5	–	1	–	1	12	4	5	3	1	1
Cook	–	2	–	2	4	1	–	–	–	–	–	–	2	6	–	2	–	–	–
Cottonwood	–	14	3	2	9	3	2	3	1	–	1	1	2	9	–	8	2	–	–
Crow Wing	1	38	4	5	20	11	1	6	4	–	2	2	6	44	16	5	5	–	–
Brainerd	1	12	2	–	12	6	–	2	2	–	–	1	4	20	7	4	1	–	–
Balance of county	–	26	2	5	8	5	1	4	2	–	2	1	2	24	9	1	4	–	–
Dakota	12	63	14	9	24	39	5	15	8	1	9	8	24	81	16	29	17	2	–
Apple Valley	–	1	2	–	3	1	–	–	1	–	1	2	1	2	1	3	2	–	–
Burnsville	2	2	3	–	6	5	–	–	2	1	4	–	1	4	4	4	3	–	–
Eagan	1	2	–	–	1	1	1	1	1	–	1	2	2	4	2	4	1	–	–
Hastings, part	2	2	1	2	1	5	1	2	1	–	–	–	8	8	–	4	–	–	–
Hastings, total	2	2	1	2	1	5	1	2	1	–	–	–	8	8	–	4	–	–	–
Inver Grove Heights	1	3	–	–	2	4	–	–	–	–	–	2	2	6	3	1	5	–	–
Lakeville	–	6	1	–	–	3	1	1	–	–	2	–	1	4	1	2	1	–	–
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	1	11	–	1	5	7	2	4	2	–	–	1	3	14	–	2	–	–	–
West St. Paul	3	22	3	3	4	8	–	5	1	–	–	–	2	28	–	2	3	2	–
Balance of county	2	14	4	3	3	5	–	2	–	–	1	1	4	11	5	7	2	–	–
Dodge	–	6	1	2	3	4	1	1	–	–	–	–	5	7	5	1	1	–	–
Douglas	2	35	3	5	17	13	2	–	–	–	1	1	4	23	6	4	3	–	–
Faribault	–	27	–	–	16	4	2	2	–	–	2	2	2	20	6	3	1	–	–
Fillmore	–	23	6	4	18	11	1	3	2	–	–	1	1	13	5	9	2	–	–
Freeborn	4	42	4	4	12	14	1	5	2	–	1	–	4	26	11	4	–	1	–
Albert Lea	3	30	4	2	7	10	1	3	1	–	1	–	4	17	8	3	–	1	–
Balance of county	1	12	–	2	5	4	–	2	1	–	–	–	–	9	3	1	–	–	–
Goodhue	2	59	5	6	20	5	–	3	3	–	2	6	5	45	9	11	5	4	2
Red Wing	–	16	1	4	10	4	–	1	1	–	1	3	2	21	5	5	1	–	1
Balance of county	2	43	4	4	10	1	–	2	2	–	1	3	3	24	4	6	4	4	1
Grant	–	12	2	3	5	2	–	–	2	–	–	–	–	6	1	1	–	–	–
Hennepin	46	574	95	100	292	254	29	105	64	–	52	57	234	720	111	224	135	38	9
Bloomington	2	39	7	6	16	18	2	3	3	–	2	3	9	44	8	11	13	–	–
Brooklyn Center	1	14	2	5	4	2	–	4	–	–	–	1	5	13	5	4	5	1	–
Brooklyn Park	1	4	–	2	4	6	–	4	2	–	2	4	6	9	1	5	9	–	–
Crystal	2	10	–	2	8	4	–	3	–	–	1	2	3	14	2	6	4	–	–
Eden Prairie	–	6	–	1	2	2	–	3	–	–	2	1	2	6	–	3	1	–	–
Edina	5	33	7	7	16	18	1	5	5	–	–	3	5	34	6	14	5	–	–
Golden Valley	3	11	–	2	9	5	–	1	1	–	1	–	1	23	–	3	1	–	–
Hopkins	1	12	2	4	13	6	–	2	2	–	1	–	1	21	3	7	2	–	–
Maple Grove	–	–	–	–	1	2	–	–	–	–	1	2	5	3	4	–	1	–	–
Minneapolis	26	289	54	49	151	136	19	59	37	–	23	22	160	377	53	120	69	32	6
Minnetonka	–	16	2	–	6	5	2	3	2	–	4	5	7	23	2	3	4	–	–
New Hope	–	25	–	4	11	6	1	–	1	–	3	2	4	19	3	5	3	1	–
Plymouth	–	7	–	2	3	5	–	–	–	–	1	4	1	9	2	5	5	–	1
Richfield	–	20	4	3	12	7	3	3	3	–	2	2	4	18	3	8	2	2	1
Robbinsdale	–	9	2	2	8	6	1	2	1	–	2	–	2	15	4	6	1	–	–
St. Louis Park	4	33	6	7	18	13	–	5	3	–	3	4	6	41	1	6	2	–	–
Balance of county	1	46	9	4	12	13	–	8	4	–	4	2	13	51	14	18	8	2	1
Houston	–	16	5	1	10	6	1	1	–	–	–	1	1	18	8	8	2	–	–
Hubbard	1	16	4	5	6	6	–	1	1	–	–	2	1	7	3	1	1	–	–
Isanti	1	38	1	3	8	3	–	–	2	–	2	5	3	17	7	3	1	1	–
Itasca	2	35	6	6	13	10	2	3	5	–	3	8	12	28	5	5	5	–	–
Jackson	1	7	3	4	5	3	3	1	–	–	1	–	5	9	1	3	–	–	–
Kanabec	–	29	4	1	3	3	–	3	1	–	–	1	1	11	4	3	2	1	–
Kandiyohi	–	28	6	2	17	12	–	5	4	1	2	4	5	34	8	8	–	–	–
Willmar	–	15	5	2	7	5	–	–	1	1	1	2	2	20	5	2	–	–	–
Balance of county	–	14	1	–	10	7	–	5	3	–	1	2	3	14	3	6	–	–	–
Kittson	–	9	1	1	5	2	–	–	3	–	–	–	1	6	–	2	2	–	–
Koochiching	–	16	1	1	7	7	1	3	1	–	1	–	1	11	2	2	2	1	–
Lac qui Parle	1	13	5	–	3	1	1	2	2	–	–	–	–	11	5	4	–	–	–
Lake	–	8	2	1	3	5	–	2	–	–	–	1	1	13	1	1	2	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	58	–	–	1	8	3	2	–	1	2	–	–	3	25	22	–	3	18	1
Le Sueur	202	–	–	–	46	12	6	4	6	3	2	13	10	95	70	–	–	48	22
Lincoln	80	–	–	–	20	6	3	–	4	–	4	3	4	31	20	–	–	14	6
Lyon	226	–	–	3	51	18	11	5	3	1	2	11	5	118	83	–	1	66	16
Marshall	87	–	–	2	20	8	5	1	–	–	1	5	2	43	27	–	–	20	7
Balance of county	139	–	–	1	31	10	6	4	3	1	1	6	3	75	56	–	1	46	9
McLeod	271	–	–	2	47	15	7	2	10	2	3	8	6	148	108	–	3	72	33
Mahnomen	53	1	–	1	14	4	3	2	2	1	–	2	1	27	17	–	–	11	6
Marshall	119	–	–	1	24	4	7	2	5	3	1	2	1	70	47	–	–	24	23
Martin	260	–	–	1	50	12	14	5	6	1	1	11	6	154	122	3	4	97	18
Fairmont	153	–	–	–	31	7	12	3	4	1	1	3	1	92	68	2	3	50	13
Balance of county	107	–	–	1	19	5	2	2	2	–	–	8	5	62	54	1	1	47	5
Meeker	201	–	–	2	35	9	–	5	4	–	1	16	3	100	63	1	–	46	16
Mille Lacs	225	–	–	1	45	12	8	5	10	1	1	8	10	106	84	1	–	63	20
Morrison	277	2	–	–	58	14	13	2	10	6	3	10	4	146	103	–	3	65	35
Mower	407	–	–	4	90	25	16	9	12	6	3	19	5	176	133	1	1	88	43
Austin	278	–	–	3	67	17	15	8	11	2	2	12	3	119	92	–	1	62	29
Balance of county	129	–	–	1	23	8	1	1	1	4	1	7	2	57	41	1	–	26	14
Murray	101	–	–	–	21	4	4	3	1	1	1	7	–	52	41	–	1	32	8
Nicollet	175	–	–	–	46	15	7	6	6	1	1	10	1	77	55	1	–	43	11
Mankato, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	175	–	–	–	46	15	7	6	6	1	1	10	1	77	55	1	–	43	11
Nobles	187	–	–	1	33	8	9	2	6	2	1	5	1	83	66	1	–	48	17
Worthington	102	–	–	1	20	5	7	2	2	1	1	2	1	38	32	–	–	26	6
Balance of county	85	–	–	–	13	3	2	–	4	1	–	3	–	45	34	1	–	22	11
Norman	135	–	–	–	30	7	6	–	2	6	2	7	2	83	62	–	–	54	8
Olmsted	613	–	–	3	141	33	33	16	18	6	6	29	10	282	213	4	5	167	37
Rochester	480	–	–	3	119	30	27	13	15	6	5	23	7	219	168	3	5	131	29
Balance of county	133	–	–	–	22	3	6	3	3	–	1	6	3	63	45	1	–	36	8
Otter Tail	554	–	–	11	130	48	26	10	14	5	1	26	5	276	218	1	1	156	60
Fergus Falls	177	–	–	3	42	13	11	2	4	2	–	10	3	93	68	1	–	50	17
Balance of county	377	–	–	8	88	35	15	8	10	3	1	16	2	183	150	–	1	106	43
Pennington	149	–	–	1	25	6	4	3	4	4	1	3	1	84	59	–	–	49	10
Pine	196	–	–	2	41	12	10	2	8	–	1	8	2	95	75	1	1	43	30
Pipestone	144	–	–	–	27	8	4	1	2	–	3	9	1	85	63	–	1	47	15
Polk	374	–	–	2	89	31	8	6	10	7	5	22	5	186	139	–	2	108	29
Pope	144	–	–	4	24	7	9	1	2	1	1	3	4	70	48	1	–	40	7
Ramsey	3,866	–	–	34	944	238	239	86	105	34	42	200	63	1,727	1,303	16	27	992	268
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	225	–	–	–	47	12	10	4	5	–	3	13	3	112	81	1	–	61	19
Mounds View	35	–	–	–	6	1	–	2	–	–	1	2	–	16	12	–	1	7	4
New Brighton	118	–	–	3	32	6	10	4	2	1	2	7	2	41	30	–	–	20	10
North St. Paul	88	–	–	–	27	8	11	2	3	–	–	3	2	28	23	1	1	18	3
Roseville	269	–	–	1	62	18	21	5	5	1	1	11	5	143	105	2	3	81	19
St. Paul	2,663	–	–	28	651	166	159	56	76	25	29	140	44	1,192	903	11	19	690	183
Shoreview	84	–	–	–	22	3	4	2	4	1	2	6	2	32	25	–	1	21	3
White Bear Lake, part	141	–	–	–	37	9	11	6	2	4	2	3	2	57	49	–	2	36	11
White Bear Lake, total	141	–	–	–	37	9	11	6	2	4	2	3	2	57	49	–	2	36	11
Balance of county	243	–	–	2	60	15	13	5	8	2	2	15	3	106	75	1	–	58	16
Red Lake	50	–	–	–	8	1	2	1	1	–	–	3	3	23	17	–	–	13	4
Redwood	228	–	–	1	45	9	7	4	8	1	–	16	1	137	99	–	–	67	32
Renville	208	–	–	2	43	18	8	4	5	4	1	5	1	128	102	–	3	74	25
Rice	388	–	–	4	96	26	24	6	13	1	5	21	7	177	130	2	4	90	34
Faribault	183	–	–	1	47	15	11	4	8	–	2	7	4	85	59	2	2	40	15
Northfield, part	122	–	–	2	28	5	7	1	4	1	1	9	3	54	41	–	1	28	12
Northfield, total	122	–	–	2	28	5	7	1	4	1	1	9	3	54	41	–	1	28	12
Balance of county	83	–	–	1	21	6	6	1	1	–	2	5	–	38	30	–	1	22	7
Rock	83	–	–	–	10	3	1	1	2	2	–	1	–	56	39	–	1	36	2
Roseau	134	–	–	3	36	11	11	1	2	1	2	8	2	57	51	–	2	28	21
St. Louis	2,059	–	–	12	458	138	110	38	56	20	19	77	38	1,021	804	11	24	501	268
Duluth	1,025	–	–	5	221	67	49	22	27	6	5	45	20	493	377	5	11	241	120
Hibbing	214	–	–	5	52	11	15	5	6	4	5	6	7	108	86	1	–	59	26
Virginia	141	–	–	–	28	6	7	–	8	2	2	3	1	83	75	1	2	43	29
Balance of county	679	–	–	2	157	54	39	11	15	8	7	23	11	337	266	4	11	158	93
Scott	271	–	–	3	59	17	17	5	7	1	3	9	4	138	111	1	4	78	28
Sherburne	187	–	–	3	29	2	8	4	4	3	2	6	3	105	76	–	–	57	19
St. Cloud, part	53	–	–	1	3	–	–	1	1	–	–	1	1	35	24	–	–	19	5
Balance of county	134	–	–	2	26	2	8	3	3	3	2	5	2	70	52	–	–	38	14
Sibley	167	–	–	1	43	11	5	5	13	2	3	4	2	68	50	–	1	32	17
Steams	707	–	–	4	160	43	38	12	17	9	4	37	6	371	303	3	8	247	45
St. Cloud, part	218	–	–	2	61	15	17	5	7	1	2	14	–	102	83	1	3	71	8
St. Cloud, total	315	–	–	3	71	16	19	6	9	1	2	18	2	160	127	2	4	106	15
Balance of county	489	–	–	2	99	28	21	7	10	8	2	23	6	269	220	2	5	176	37
Steele	236	–	–	3	51	19	4	5	6	1	3	13	5	120	87	–	2	74	11
Owatonna	158	–	–	3	38	14	3	3	4	1	3	10	3	75	55	–	1	46	8
Balance of county	78	–	–	–	13	5	1	2	2	–	–	3	2	45	32	–	1	28	3
Stevens	103	–	–	–	22	6	3	2	2	2	1	6	1	54	39	–	3	26	10
Swift	159	–	–	1	41	12	9	1	5	3	2	10	2	74	50	2	–	27	21
Todd	250	–	–	1	49	14	8	5	5	3	5	9	4	133	105	–	–	83	22
Traverse	66	–	–	–	13	4	3	2	–	1	2	1	–	33	24	–	–	16	8
Wabasha	204	–	–	1	55	22	13	2	1	2	3	12	3	88	63	2	2	49	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-440)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	-	2	1	-	-	1	-	2	2	-	-	4	-	3	2	5	2	-	-
Le Sueur	-	19	3	3	9	6	-	2	1	-	-	1	3	17	7	2	1	2	-
Lincoln	1	10	-	-	3	2	1	-	1	-	-	-	1	11	1	4	1	-	-
Lyon	1	28	2	4	5	11	-	2	-	-	1	-	2	17	5	3	3	-	-
Marshall	-	12	1	3	3	4	-	1	-	-	-	-	2	6	1	1	2	-	-
Balance of county	1	16	1	1	2	7	-	1	-	-	1	-	-	11	4	2	1	-	-
McLeod	2	33	4	1	6	9	1	1	1	-	4	2	6	29	8	-	1	-	-
Mahnomen	-	6	2	2	1	1	-	1	-	-	-	-	-	1	3	2	-	-	-
Marshall	-	20	2	1	3	6	-	3	1	-	1	-	1	5	-	3	-	-	-
Martin	-	24	4	4	7	2	2	3	6	-	-	1	2	17	3	4	2	-	-
Fairmont	-	17	3	4	3	1	2	3	3	-	-	-	1	9	3	2	2	-	-
Balance of county	-	7	1	-	4	1	-	-	3	-	-	1	1	8	-	2	-	-	-
Meeker	-	26	8	3	7	11	2	1	1	-	2	2	6	12	8	7	1	-	1
Mille Lacs	-	16	5	1	15	6	3	1	4	-	-	1	2	17	5	5	3	-	1
Morrison	-	38	2	3	24	5	1	2	1	-	2	2	1	15	3	8	2	-	1
Mower	1	38	1	3	11	14	1	3	4	-	-	2	39	35	7	11	5	-	-
Austin	1	23	1	2	7	7	-	2	3	-	-	2	27	26	4	7	1	-	-
Balance of county	-	15	-	1	4	7	1	1	1	-	-	-	12	9	3	4	4	-	-
Murray	-	10	-	1	5	4	1	1	1	-	2	2	2	7	2	1	-	-	-
Nicollet	-	10	6	6	7	7	-	2	-	-	3	2	1	20	2	4	2	-	1
Mankato, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	6	6	7	7	-	2	-	-	3	2	1	20	2	4	2	-	1
Nobles	1	16	-	-	14	9	1	1	1	-	1	2	1	33	5	1	-	-	-
Worthington	-	6	-	-	9	5	-	-	1	-	-	-	1	22	3	1	-	-	-
Balance of county	1	10	-	-	5	4	1	1	-	-	1	2	-	11	2	-	-	-	-
Norman	2	12	5	2	4	5	-	-	1	-	-	-	-	6	1	2	1	-	-
Olmsted	4	53	7	5	17	17	4	5	2	-	8	9	7	54	20	20	11	3	-
Rochester	4	40	3	4	14	13	4	5	1	-	5	9	4	42	13	10	9	3	-
Balance of county	-	13	4	1	3	4	-	-	1	-	3	-	3	12	7	10	2	-	-
Otter Tail	4	35	11	8	12	16	2	7	5	-	2	2	5	47	10	19	5	-	-
Fergus Falls	4	15	3	3	5	1	-	-	2	-	-	-	2	17	1	6	2	-	-
Balance of county	-	20	8	5	7	15	2	7	3	-	2	2	3	30	9	13	3	-	-
Pennington	-	21	3	1	5	6	-	1	2	-	-	-	1	16	2	4	1	-	-
Pine	2	15	1	2	8	6	1	-	1	-	-	-	6	13	9	9	3	-	-
Pipestone	-	14	5	3	4	5	-	-	2	-	-	-	1	10	3	4	1	-	1
Polk	1	35	8	3	11	10	2	1	4	-	3	1	4	36	6	9	5	-	-
Pope	-	20	-	2	8	6	-	1	1	-	-	1	8	13	2	2	-	-	-
Ramsey	15	294	62	53	125	121	14	47	29	1	24	38	151	348	45	70	62	19	4
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	1	22	5	3	10	5	-	2	2	-	3	1	9	22	1	4	3	1	-
Mounds View	-	4	-	-	3	-	-	-	-	-	1	1	-	4	-	2	2	-	-
New Brighton	-	6	3	2	7	4	-	4	1	-	2	2	4	11	3	-	2	-	-
North St. Paul	-	3	1	1	-	2	1	1	1	-	1	3	4	10	4	2	1	1	-
Roseville	2	22	11	3	7	6	-	-	2	-	1	1	9	21	3	4	4	-	-
St. Paul	11	209	33	35	81	80	10	33	18	-	14	25	110	240	22	52	34	14	4
Shoreview	-	6	-	1	1	1	1	1	1	1	1	1	4	3	4	-	7	2	-
White Bear Lake, part	1	3	2	2	6	8	-	-	2	-	1	1	2	13	4	5	3	-	-
White Bear Lake, total	1	3	2	2	6	8	-	-	2	-	1	1	2	13	4	5	3	-	-
Balance of county	-	19	7	5	10	5	2	6	1	-	-	3	9	24	4	1	6	1	-
Red Lake	1	4	-	1	1	-	1	-	-	-	-	-	3	6	1	4	-	-	-
Redwood	-	35	1	2	5	2	1	1	3	-	1	1	2	17	4	5	2	-	-
Renville	1	22	3	-	7	4	-	1	2	-	1	1	-	10	4	4	-	-	-
Rice	4	35	6	2	14	13	-	7	4	-	3	4	2	31	14	11	1	-	-
Faribault	3	19	3	1	5	5	-	4	3	-	1	1	2	15	2	7	1	-	-
Northfield, part	-	11	2	-	8	6	-	-	1	-	-	3	-	12	3	2	-	-	-
Northfield, total	-	11	2	-	8	6	-	-	1	-	-	3	-	12	3	2	-	-	-
Balance of county	1	5	1	1	1	2	-	3	-	-	2	-	-	4	9	2	-	-	-
Rock	-	13	3	1	3	2	-	-	1	-	1	2	-	2	1	5	-	-	-
Roseau	-	6	-	-	5	2	-	-	4	-	-	1	2	13	4	3	2	-	-
St. Louis	9	157	25	26	77	75	10	34	9	1	8	11	47	143	28	57	23	1	5
Duluth	5	81	14	16	50	44	7	11	4	-	6	5	30	84	11	22	11	-	1
Hibbing	1	15	3	3	3	6	-	3	1	-	1	1	3	11	4	5	2	1	1
Virginia	-	5	1	2	5	2	1	4	-	-	-	-	-	7	1	7	2	-	-
Balance of county	3	56	7	5	19	23	2	16	4	1	1	5	14	41	12	23	8	-	3
Scott	3	16	5	3	8	5	-	4	1	-	-	2	3	24	8	7	5	-	-
Sherburne	1	21	5	2	8	3	1	1	2	-	1	2	1	12	6	4	4	2	-
St. Cloud, part	-	9	1	1	3	2	-	-	1	-	-	-	1	4	2	-	-	-	-
Balance of county	1	12	4	1	5	1	1	1	1	-	1	2	-	8	4	4	4	2	-
Sibley	-	11	4	3	1	6	1	1	1	-	1	-	17	17	3	5	-	-	-
Steams	4	46	14	4	13	20	2	8	5	-	5	4	6	60	21	17	3	-	2
St. Cloud, part	1	13	3	2	2	10	-	5	1	-	2	-	3	20	5	4	1	-	-
St. Cloud, total	1	23	5	4	5	15	-	5	2	-	3	-	4	30	10	4	1	-	-
Balance of county	3	33	11	2	11	10	2	3	4	-	3	4	3	40	16	13	2	-	2
Steele	1	23	6	3	7	8	2	2	2	-	2	-	1	21	3	6	3	-	-
Owatonna	1	13	4	2	4	7	2	2	1	-	2	-	1	13	1	4	2	-	-
Balance of county	-	10	2	1	3	1	-	-	1	-	-	-	-	8	2	2	1	-	-
Stevens	3	8	1	3	5	2	-	1	-	-	-	1	4	9	3	1	-	-	-
Swift	1	15	4	4	6	5	-	2	1	-	1	-	4	15	1	3	1	1	1
Todd	-	18	6	4	10	9	-	1	3	-	2	1	6	19	7	5	-	-	-
Traverse	-	8	-	1	2	-	-	-	2	-	2	-	1	11	-	2	-	-	-
Wabasha	2	18	1	2	6	8	-	1	-	-	1	-	5	21	8	5	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	156	–	–	2	31	6	4	2	5	2	2	10	1	88	63	1	–	46	16
Waseca	156	–	–	2	45	14	8	3	2	5	3	12	–	81	60	1	–	47	12
Washington	548	1	–	2	149	35	34	14	14	10	7	35	8	211	158	1	2	110	45
Cottage Grove	42	–	–	–	11	–	3	2	1	–	–	5	–	15	11	–	–	9	2
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	45	–	–	–	8	2	–	–	1	3	–	2	–	22	18	–	–	15	3
Stillwater	138	1	–	–	37	10	11	2	1	2	2	9	3	51	30	1	–	22	7
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woodbury	58	–	–	1	13	4	1	3	2	–	–	3	1	22	19	–	–	10	9
Balance of county	265	–	–	1	80	19	19	7	9	5	5	16	4	101	80	–	2	54	24
Watonwan	126	–	–	–	25	5	5	4	4	1	2	4	5	72	57	–	–	54	3
Wilkin	74	–	–	–	23	10	5	1	2	–	4	1	2	32	27	–	–	20	7
Winona	401	–	–	5	74	25	13	9	6	3	5	13	3	214	177	2	7	112	56
Winona	282	–	–	4	47	19	8	4	4	3	2	7	2	148	120	–	6	71	43
Balance of county	119	–	–	1	27	6	5	5	2	–	3	6	1	66	57	2	1	41	13
Wright	417	–	–	5	93	31	19	9	6	3	1	24	10	183	145	2	2	84	57
Yellow Medicine	160	–	–	5	35	12	3	4	3	1	2	10	2	75	55	–	1	37	17
Mississippi	23,939	28	1	233	4,630	1,090	1,390	302	520	175	187	966	416	10,992	8,487	27	311	5,426	2,723
Urban places	8,116	13	–	74	1,641	388	505	123	189	63	63	310	151	3,871	2,951	7	127	1,797	1,020
Balance of area	15,823	15	1	159	2,989	702	885	179	331	112	124	656	265	7,121	5,536	20	184	3,629	1,703
Metropolitan counties	5,273	9	1	58	1,181	255	388	89	127	39	39	244	91	2,266	1,822	9	87	1,152	574
Urban places	3,129	8	–	33	741	169	243	57	79	28	21	146	54	1,390	1,100	5	54	690	351
Balance of area	2,144	1	1	25	440	86	145	32	48	13	18	98	37	876	722	4	33	462	223
Nonmetropolitan counties	18,666	19	–	175	3,449	835	1,002	213	393	136	148	722	325	8,726	6,665	18	224	4,274	2,149
Urban places	4,987	5	–	41	900	219	262	66	110	37	42	164	97	2,481	1,851	2	73	1,107	669
Balance of area	13,679	14	–	134	2,549	616	740	147	283	99	106	558	228	6,245	4,814	16	151	3,167	1,480
Adams	438	1	–	2	79	21	24	4	7	3	4	16	8	207	147	–	6	60	81
Natchez	314	1	–	2	60	15	18	3	7	3	3	11	6	149	106	–	4	47	55
Balance of county	124	–	–	–	19	6	6	1	–	–	1	5	2	58	41	–	2	13	26
Alcorn	341	2	–	5	74	27	24	1	4	2	1	15	2	173	137	–	3	69	65
Corinth	161	1	–	2	32	7	14	1	1	2	1	6	–	87	71	–	1	34	36
Balance of county	180	1	–	3	42	20	10	–	3	–	–	9	2	86	66	–	2	35	29
Amite	137	–	–	1	21	9	4	1	2	–	–	5	1	46	35	–	1	22	12
Attala	238	–	–	2	50	14	12	3	4	2	3	12	10	115	87	–	2	45	40
Benton	65	–	–	2	12	6	1	2	–	–	–	1	1	24	16	–	–	13	3
Bolivar	524	–	–	5	88	14	20	7	16	6	1	24	9	263	202	–	14	139	49
Cleveland	151	–	–	2	29	4	9	2	4	3	1	6	1	77	62	–	3	40	19
Balance of county	373	–	–	3	59	10	11	5	12	3	–	18	8	186	140	–	11	99	30
Calhoun	155	–	–	4	34	7	8	3	2	–	4	10	1	69	56	–	–	32	24
Carroll	74	–	–	–	12	2	6	–	–	–	1	3	–	46	40	–	2	31	7
Chickasaw	203	–	–	2	35	11	6	3	3	2	3	7	2	100	84	–	2	64	18
Choctaw	98	–	–	2	20	6	4	3	4	–	–	3	1	48	45	1	2	26	16
Claiborne	96	–	–	1	14	4	5	–	1	–	1	3	4	44	35	–	1	26	8
Clarke	195	–	–	1	27	6	9	–	6	2	1	3	1	88	62	–	1	41	20
Clay	222	1	–	2	42	12	12	1	3	2	–	12	3	119	101	–	4	49	48
Coahoma	370	2	–	4	65	21	17	4	4	4	3	12	2	188	138	–	16	84	38
Clarksdale	266	1	–	2	49	16	15	4	3	2	2	7	2	142	103	–	12	59	32
Balance of county	104	1	–	2	16	5	2	–	1	2	1	5	–	46	35	–	4	25	6
Copiah	314	–	–	9	48	14	13	4	5	1	3	8	3	141	100	–	1	81	18
Covington	136	–	–	1	24	5	9	2	3	–	–	5	2	63	48	1	2	31	14
De Soto	366	–	–	5	71	15	18	7	6	1	3	21	3	128	94	1	3	63	27
Forrest	638	–	–	3	120	27	43	6	20	2	2	20	21	269	193	1	9	128	55
Hattiesburg, part	443	–	–	2	70	13	25	4	11	2	1	14	17	194	131	–	7	82	42
Hattiesburg, total	449	1	–	2	70	13	25	4	11	2	1	14	17	195	132	–	7	83	42
Balance of county	195	–	–	1	50	14	18	2	9	–	1	6	4	75	62	1	2	46	13
Franklin	99	1	–	1	23	5	7	–	3	1	1	6	2	44	36	–	–	29	7
George	147	–	–	4	35	7	13	1	2	1	2	9	2	64	52	–	1	37	14
Greene	79	–	–	1	10	3	2	2	–	–	–	3	–	40	32	–	1	21	10
Grenada	253	1	–	2	45	13	10	2	7	2	3	8	–	137	97	–	–	79	18
Grenada	171	–	–	1	31	9	8	1	4	1	2	6	–	98	68	–	–	54	14
Balance of county	82	1	–	1	14	4	2	1	3	1	1	2	–	39	29	–	–	25	4
Hancock	236	–	–	1	53	10	23	2	2	3	2	11	7	112	95	1	1	44	49
Harrison	1,294	2	–	12	276	54	99	18	30	12	6	56	26	598	496	1	13	319	163
Biloxi	366	1	–	3	88	21	30	7	10	2	1	17	7	147	121	–	3	78	40
Gulfport	450	–	–	5	101	21	38	3	8	7	4	20	10	215	178	1	2	120	55
Balance of county	478	1	–	4	87	12	31	8	12	3	1	19	9	236	197	–	8	121	68
Hinds	1,977	5	–	22	474	112	145	38	61	11	11	96	29	883	668	4	55	403	226
Clinton	106	–	–	1	27	3	7	4	2	4	1	6	1	51	37	–	1	17	19
Jackson, part	1,522	5	–	16	381	82	121	31	46	7	8	76	25	736	570	2	39	343	186
Jackson, total	1,522	5	–	16	381	82	121	31	46	7	8	76	25	736	570	2	39	343	186
Balance of county	249	–	–	5	66	17	17	3	13	–	2	14	3	96	81	2	15	43	21
Holmes	230	1	–	–	39	12	8	1	7	2	2	7	3	73	50	–	1	35	14
Humphreys	157	–	–	–	38	11	9	3	4	3	2	6	2	73	53	–	1	42	10
Issaquena	10	–	–	–	1	–	–	–	1	–	–	–	–	6	6	–	–	3	3
Itawamba	188	–	–	2	42	9	9	2	6	3	2	11	3	103	76	–	1	51	23
Jackson	755	1	–	10	189	42	63	14	15	7	9	39	11	302	252	1	10	190	51
Moss Point	120	–	–	–	24	8	4	3	4	1	1	3	3	49	37	–	4	24	9
Ocean Springs	127	–	–	2	37	8	11	4	3	2	2	7	–	50	43	–	2	24	17
Pascagoula	232	1	–	6	58	12	24	4	3	2	2	11	4	102	86	1	1	69	15
Balance of county	276	–	–	2	70	14	24	3	5	2	4	18	4	101	86	–	3	73	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	–	19	4	2	3	4	–	2	–	–	2	–	–	12	3	7	1	–	–
Waseca	–	16	3	2	4	4	1	1	–	–	4	1	1	9	–	2	–	1	
Washington	4	28	12	9	15	25	1	11	6	–	4	6	18	44	17	10	16	4	–
Cottage Grove	1	3	–	–	–	–	–	1	1	–	2	4	1	3	–	1	3	–	–
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	–	1	2	1	1	1	–	1	–	–	1	–	2	3	2	1	2	1	–
Stillwater	1	12	5	3	6	7	1	2	1	–	–	–	6	8	6	5	3	1	–
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woodbury	–	1	1	1	–	5	–	1	–	–	–	–	2	8	1	–	3	1	–
Balance of county	2	11	4	4	8	12	–	6	4	–	1	2	7	22	8	3	5	1	–
Watonwan	–	12	1	2	3	3	–	1	3	–	1	–	1	6	2	3	–	–	1
Wilkin	–	2	1	2	3	2	–	–	3	–	–	–	–	3	4	1	1	–	–
Winona	1	20	5	11	12	11	2	4	1	–	3	1	5	49	9	7	1	–	–
Winona	–	17	1	10	12	7	2	4	–	–	2	–	4	41	4	4	1	–	–
Balance of county	1	3	4	1	–	4	–	–	1	–	1	1	1	8	5	3	–	–	–
Wright	1	29	4	4	24	9	–	3	4	1	4	3	22	24	15	9	7	–	1
Yellow Medicine	–	17	–	3	9	3	1	1	3	–	–	1	–	10	3	7	5	–	–
Mississippi	101	2,020	211	173	577	722	57	201	267	4	165	307	1,435	1,866	703	732	274	302	27
Urban places	45	720	89	66	174	250	22	97	90	2	59	105	316	671	154	213	91	111	11
Balance of area	56	1,300	122	107	403	472	35	104	177	2	106	202	1,119	1,195	549	519	183	191	16
Metropolitan counties	11	359	35	39	126	186	10	76	54	–	41	57	168	479	156	145	84	79	6
Urban places	9	225	25	31	67	111	7	50	32	–	23	38	82	261	77	73	52	47	3
Balance of area	2	134	10	8	59	75	3	26	22	–	18	19	106	218	79	72	32	32	3
Nonmetropolitan counties	90	1,661	176	134	451	536	47	125	213	4	124	250	1,267	1,387	547	557	190	223	21
Urban places	36	495	64	35	107	139	15	47	58	2	36	67	254	410	77	140	39	64	8
Balance of area	54	1,166	112	99	344	397	32	78	155	2	88	183	1,013	977	470	447	151	159	13
Adams	5	36	16	3	7	9	–	3	7	–	1	3	32	36	7	13	7	15	1
Natchez	3	26	12	2	4	8	–	3	7	–	–	3	23	27	5	7	4	4	1
Balance of county	2	10	4	1	3	1	–	–	–	–	1	–	9	9	2	6	3	11	–
Alcorn	2	30	1	3	10	13	1	2	1	–	–	3	9	18	9	10	2	7	–
Corinth	2	12	–	2	7	6	1	1	–	–	–	1	4	12	1	3	–	3	–
Balance of county	–	18	1	1	3	7	–	1	1	–	–	2	5	6	8	7	2	4	–
Amite	1	8	2	–	1	6	1	1	2	–	2	3	27	5	7	9	1	2	1
Attala	–	21	6	1	11	6	1	2	1	–	2	2	4	12	5	9	4	2	–
Benton	–	8	–	–	2	1	–	–	–	–	–	–	13	4	6	–	–	–	–
Bolivar	2	41	13	5	12	14	1	3	6	1	5	5	42	31	8	16	3	12	–
Cleveland	1	7	6	1	5	2	1	2	1	1	2	2	9	10	1	2	1	3	–
Balance of county	1	34	7	4	7	12	–	1	5	–	3	3	33	21	7	14	2	9	–
Calhoun	–	13	–	–	2	8	–	1	2	–	1	2	10	5	4	6	4	1	1
Carroll	–	6	–	–	2	1	–	–	2	–	2	–	–	4	2	1	2	–	–
Chickasaw	–	13	1	2	13	6	1	3	1	–	1	2	4	15	6	9	1	1	1
Choctaw	–	1	2	–	1	2	–	–	–	–	–	2	5	6	2	8	2	–	1
Claiborne	–	5	1	3	2	4	–	–	–	–	–	2	7	8	5	3	1	1	–
Clarke	3	19	3	1	2	5	–	2	–	–	2	1	28	19	11	5	2	1	–
Clay	–	15	2	1	4	5	–	–	3	–	–	6	2	15	6	12	–	2	–
Coahoma	3	38	4	5	9	4	3	3	2	–	2	5	31	24	5	8	2	11	–
Clarksdale	3	31	3	2	6	1	2	2	2	–	1	2	20	17	1	6	1	9	–
Balance of county	–	7	1	3	3	3	1	1	–	–	1	3	11	7	4	2	1	2	–
Copiah	3	32	3	3	8	8	2	1	4	–	5	7	25	24	12	8	4	6	1
Covington	–	10	1	4	2	2	–	1	–	–	2	–	19	11	7	4	1	3	–
De Soto	–	33	1	–	14	15	–	3	4	–	4	3	55	15	15	17	9	5	–
Forrest	3	63	8	2	18	18	3	9	13	–	7	6	53	53	16	18	9	1	–
Hattiesburg, part	3	50	8	2	15	11	3	6	9	–	4	3	37	44	8	16	3	1	–
Hattiesburg, total	3	50	8	2	15	12	3	6	10	–	4	3	37	44	8	17	4	1	–
Balance of county	–	13	–	–	4	7	–	3	4	–	3	3	16	9	8	2	6	–	–
Franklin	1	7	–	–	–	3	–	–	3	–	–	4	–	7	2	5	3	–	1
George	–	11	1	–	4	6	–	2	–	1	1	2	1	8	7	6	2	1	1
Greene	1	5	–	2	2	6	–	1	1	–	–	–	7	4	6	–	1	–	–
Grenada	1	38	–	1	7	11	–	1	1	–	1	3	2	15	9	8	3	7	–
Grenada	1	28	–	1	4	7	–	1	1	–	1	2	1	9	5	3	2	5	–
Balance of county	–	10	–	–	3	4	–	–	–	–	–	1	1	6	4	5	1	2	–
Hancock	–	14	1	2	2	9	–	3	1	–	1	1	4	19	13	1	2	5	2
Harrison	3	76	9	14	24	45	5	22	11	–	13	14	8	114	44	37	25	17	1
Biloxi	1	17	3	5	5	21	2	8	2	–	6	9	5	24	15	10	9	4	–
Gulfport	1	27	3	6	9	12	1	7	5	–	1	4	2	38	15	12	9	3	1
Balance of county	1	32	3	3	10	12	2	7	4	–	6	1	1	52	14	15	7	10	–
Hinds	6	160	15	14	47	58	1	28	23	–	13	23	35	176	42	45	30	42	1
Clinton	1	13	–	–	2	2	–	2	4	–	–	2	1	5	3	3	2	–	–
Jackson, part	5	132	15	14	44	50	1	23	18	–	11	19	27	145	26	33	24	37	1
Jackson, total	5	132	15	14	44	50	1	23	18	–	11	19	27	145	26	33	24	37	1
Balance of county	–	15	–	–	1	6	–	3	1	–	2	2	7	26	13	9	4	5	–
Holmes	1	20	–	2	5	3	–	1	2	–	2	6	52	16	6	16	3	2	–
Humphreys	1	18	1	–	6	6	–	–	3	–	3	8	5	10	5	4	1	3	–
Issaquena	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Itawamba	–	23	3	2	5	4	–	2	4	–	1	1	4	5	5	2	3	2	–
Jackson	1	40	5	4	11	30	3	14	8	–	7	7	38	54	25	26	11	7	1
Moss Point	1	8	1	2	3	3	1	–	2	–	1	2	11	9	5	2	3	2	–
Ocean Springs	–	6	–	1	1	7	–	4	1	–	1	–	6	13	2	2	1	–	–
Pascagoula	–	13	3	–	3	10	2	3	–	–	2	2	6	18	6	7	1	1	–
Balance of county	–	13	1	1	4	10	–	7	5	–	3	3	15	14	12	15	6	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	189	–	–	3	32	5	9	2	3	1	2	10	1	93	65	1	5	52	7
Jefferson	87	–	–	–	16	4	5	–	2	–	–	5	1	47	37	–	2	24	11
Jefferson Davis	160	–	–	–	37	8	14	2	4	1	1	7	6	65	48	–	1	38	9
Jones	651	–	–	6	110	26	29	2	10	6	4	33	14	300	233	1	6	134	92
Laurel	325	–	–	3	48	13	11	2	4	1	4	13	8	154	125	1	4	72	48
Balance of county	326	–	–	3	62	13	18	–	6	5	–	20	6	146	108	–	2	62	44
Kemper	121	–	–	1	28	7	9	1	1	2	1	7	2	55	45	–	2	17	26
Lafayette	214	–	–	–	44	13	13	5	1	1	2	9	1	112	90	1	4	45	40
Lamar	206	2	–	1	42	9	16	2	4	–	2	9	3	88	60	1	–	53	6
Hattiesburg, part	6	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	200	1	–	1	42	9	16	2	4	–	2	9	3	87	59	1	–	52	6
Lauderdale	827	2	–	6	149	34	38	13	17	8	11	28	10	455	354	–	6	205	143
Meridian	570	1	–	5	101	21	24	10	13	6	9	16	8	326	252	–	6	140	106
Balance of county	257	1	–	1	48	13	14	3	4	2	2	10	2	129	102	–	–	65	37
Lawrence	125	–	–	1	18	6	9	1	–	–	–	2	1	69	52	–	3	20	29
Leake	218	–	–	3	37	8	10	1	2	1	2	13	3	109	91	–	2	60	29
Lee	536	–	–	4	99	18	26	9	13	4	6	23	6	282	223	–	6	129	88
Tupelo	249	–	–	1	40	8	8	4	5	1	4	10	2	150	112	–	2	70	40
Balance of county	287	–	–	3	59	10	18	5	8	3	2	13	4	132	111	–	4	69	48
Leflore	467	–	–	7	88	24	29	6	12	1	2	14	10	229	192	–	6	126	80
Greenwood	294	–	–	5	50	12	17	5	5	–	2	9	8	141	114	–	2	72	40
Balance of county	173	–	–	2	38	12	12	1	7	1	–	5	2	88	78	–	4	54	20
Lincoln	323	–	–	3	65	11	19	2	12	3	5	13	5	150	120	–	5	84	31
Brookhaven	193	–	–	3	36	6	10	2	8	2	1	7	4	94	78	–	1	53	22
Balance of county	130	–	–	–	29	5	9	–	4	1	4	6	1	56	44	–	4	31	9
Lowndes	464	–	–	9	101	21	30	7	9	5	3	26	12	198	153	1	4	100	48
Columbus	290	–	–	6	64	15	20	6	6	2	1	14	7	126	98	1	4	62	31
Balance of county	174	–	–	3	37	6	10	1	3	3	2	12	5	70	55	–	–	38	17
Madison	318	1	–	2	50	13	13	6	8	3	2	6	3	117	79	–	5	48	26
Canton	136	–	–	–	20	5	7	–	3	1	2	2	–	52	35	–	2	21	12
Balance of county	182	1	–	2	30	8	6	5	5	2	–	4	3	65	44	–	3	27	14
Marion	252	1	–	2	43	8	15	3	4	2	–	11	6	104	67	1	1	48	17
Marshall	280	–	–	2	52	18	14	2	5	–	–	13	2	120	99	1	2	72	24
Monroe	349	–	–	1	72	14	22	5	3	3	6	17	10	156	114	–	1	67	26
Montgomery	176	–	–	2	33	10	13	1	4	–	–	5	3	86	65	1	–	45	19
Neshoba	223	1	–	3	40	12	5	3	7	2	2	9	4	89	62	1	2	35	24
Newton	255	1	–	4	44	7	15	4	6	1	3	8	6	117	95	1	4	58	32
Noxubee	134	–	–	4	17	5	4	1	3	1	–	3	2	51	42	–	2	36	4
Oktibbeha	242	–	–	–	50	14	16	3	6	5	1	5	7	115	92	–	3	59	30
Starkville	116	–	–	–	23	6	4	2	4	5	–	2	3	61	48	–	2	29	15
Balance of county	124	–	–	–	27	8	12	1	2	–	1	3	4	54	48	–	1	30	15
Panola	299	–	–	2	44	12	10	3	5	4	2	8	6	156	111	–	3	71	37
Pearl River	325	–	–	4	60	14	22	1	7	–	1	15	5	143	112	–	2	75	35
Picayune	120	–	–	2	20	5	8	–	3	–	–	3	2	51	37	–	1	21	15
Balance of county	205	–	–	2	40	9	13	1	4	–	1	12	3	92	75	–	1	54	20
Perry	93	–	–	–	22	2	9	2	1	3	1	4	3	44	32	–	–	20	12
Pike	426	–	–	3	74	17	21	6	11	3	3	13	9	218	153	–	1	125	27
McComb	191	–	–	2	30	8	8	3	5	–	1	5	8	107	69	–	–	59	10
Balance of county	235	–	–	1	44	9	13	3	6	3	2	8	1	111	84	–	1	66	17
Pontotoc	212	–	–	2	39	8	17	1	3	2	1	7	5	103	86	–	3	51	32
Prentiss	213	2	–	1	41	7	11	5	3	2	1	12	6	76	57	1	2	27	27
Quitman	131	–	–	5	23	7	5	2	1	–	–	8	–	76	63	–	4	32	27
Rankin	548	1	1	6	105	19	37	9	10	4	7	19	12	205	165	1	5	103	56
Jackson, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl	106	1	–	–	25	4	8	1	3	1	2	6	4	40	28	1	2	15	10
Balance of county	442	–	1	6	80	15	29	8	7	3	5	13	8	165	137	–	3	88	45
Scott	270	–	–	3	46	9	14	2	7	3	2	9	4	121	83	–	2	57	24
Sharkey	55	–	–	–	12	3	2	1	2	1	2	1	–	29	23	–	3	9	11
Simpson	251	–	–	2	57	9	19	3	5	4	–	17	4	105	83	–	–	71	12
Smith	120	–	–	1	19	3	8	–	1	–	2	5	1	67	45	–	1	32	12
Stone	97	–	–	2	13	3	3	–	3	1	1	2	3	38	32	–	–	30	2
Sunflower	358	–	–	5	65	17	18	3	9	2	3	13	7	182	144	–	7	100	37
Tallahatchie	187	–	–	–	48	17	15	1	8	–	2	5	5	74	52	–	1	38	13
Tate	185	–	–	1	37	9	11	2	7	2	1	5	6	74	58	1	3	36	16
Tippah	256	–	–	4	38	14	6	2	6	2	4	4	2	116	97	–	2	82	13
Tishomingo	206	–	–	2	31	4	8	2	3	2	1	11	2	102	78	–	2	47	29
Tunica	111	–	–	3	15	3	6	1	3	–	–	2	5	40	31	–	–	18	13
Union	257	–	–	3	43	9	12	5	7	1	2	7	3	114	85	–	1	52	32
Walthall	148	–	–	1	25	6	5	2	2	1	1	8	3	69	60	1	1	38	20
Warren	490	–	–	1	101	19	33	11	14	5	6	13	9	223	168	–	6	83	79
Vicksburg	320	–	–	–	71	17	25	7	9	3	3	7	5	151	110	–	3	52	55
Balance of county	170	–	–	1	30	2	8	4	5	2	3	6	4	72	58	–	3	31	24
Washington	719	–	–	5	131	40	40	8	13	3	7	20	15	303	223	–	10	136	77
Greenville	489	–	–	3	98	31	25	6	12	2	4	16	11	223	162	–	7	101	54
Balance of county	230	–	–	2	33	9	15	–	1	1	3	4	4	80	61	–	3	35	23
Wayne	160	–	–	2	38	3	15	4	5	2	–	7	3	73	64	–	1	43	20
Webster	125	–	–	2	14	3	5	–	1	–	2	3	4	72	54	–	1	45	8
Wilkinson	140	–	–	–	20	3	5	2	5	1	1	3	3	77	58	–	1	39	18
Winston	233	–	–	2	45	13	10	4	6	2	1	9	4	108	81	2	7	50	22
Yalobusha	160	–	–	1	36	8	14	2	1	1	2	8	2	89	49	–	2	27	20
Yazoo	304	–	–	–	62	13	13	3	7	2	4	20	8	144	112	–	15	57	40
Yazoo City	180	–	–	–	28	8	5	2	3	1	1	8	5	97	73	–	12	38	23
Balance of county	124	–	–	–	34	5	8	1	4	1	3	12	3	47	39	–	3	19	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	2	24	–	2	3	7	–	1	–	–	–	3	23	9	4	5	3	2	–
Jefferson	–	9	–	1	1	2	–	1	–	–	1	2	4	7	–	4	1	–	–
Jefferson Davis	–	13	3	1	4	7	1	–	1	–	3	3	8	12	6	5	2	–	–
Jones	2	60	3	2	20	16	1	5	16	–	6	8	41	64	12	15	8	9	–
Laurel	1	24	2	2	9	6	–	3	10	–	1	5	23	37	3	6	4	5	–
Balance of county	1	36	1	–	11	10	1	2	6	–	5	3	18	27	9	9	4	4	–
Kemper	1	9	–	–	2	3	1	–	5	–	–	–	1	12	5	3	–	3	–
Lafayette	–	22	–	–	–	9	–	1	4	–	1	–	3	26	3	6	3	1	–
Lamar	–	25	1	2	4	5	–	–	2	–	1	2	14	18	11	10	3	–	–
Hattiesburg, part	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–	–
Balance of county	–	25	1	2	4	4	–	–	1	–	1	2	14	18	11	9	2	–	–
Lauderdale	3	86	5	7	12	15	4	9	8	–	5	9	5	53	29	29	12	15	–
Meridian	3	62	5	4	9	14	2	9	6	–	3	4	1	38	13	17	5	8	–
Balance of county	–	24	–	3	3	1	2	–	2	–	2	5	4	15	16	12	7	7	–
Lawrence	–	15	–	2	1	5	–	1	3	–	1	–	1	12	4	7	–	1	–
Leake	–	14	1	3	11	3	–	–	–	–	1	1	14	21	5	6	4	–	–
Lee	1	43	12	3	15	18	2	3	4	1	4	8	10	29	19	18	5	6	–
Tupelo	1	26	9	2	6	8	1	1	1	1	3	3	2	13	3	7	4	3	–
Balance of county	–	17	3	1	9	11	1	2	3	–	1	5	8	16	16	11	1	5	–
Leflore	1	29	–	7	13	18	2	1	4	–	4	11	8	38	5	23	1	5	2
Greenwood	1	20	–	6	9	11	2	–	4	–	3	8	6	28	1	14	–	2	2
Balance of county	–	9	–	1	4	5	–	1	–	–	1	3	2	10	4	9	1	3	–
Lincoln	–	25	3	2	11	9	1	3	1	–	4	2	27	21	5	9	4	3	–
Brookhaven	–	15	2	1	7	4	1	2	1	–	–	2	15	14	3	3	2	2	–
Balance of county	–	10	1	1	4	5	–	1	–	–	4	–	12	7	2	6	2	1	–
Lowndes	2	36	4	1	6	19	1	2	5	–	3	3	24	35	15	23	6	2	2
Columbus	2	23	2	1	4	11	1	1	3	–	1	1	13	27	8	11	4	2	2
Balance of county	–	13	2	–	2	8	–	1	2	–	2	2	11	8	9	12	2	–	–
Madison	5	25	4	4	9	10	–	3	4	–	1	6	59	26	5	11	2	8	1
Canton	2	12	–	3	–	7	–	1	1	–	–	5	22	13	3	7	–	4	1
Balance of county	3	13	4	1	9	3	–	2	3	–	1	1	37	13	2	4	2	4	–
Marion	–	29	7	1	9	4	2	1	–	–	3	1	30	22	11	10	–	4	–
Marshall	3	15	1	2	7	9	1	1	4	–	1	6	17	19	18	8	4	6	3
Monroe	1	33	6	2	5	13	1	–	3	–	1	5	27	31	9	12	2	1	–
Montgomery	1	19	–	1	3	6	1	–	2	–	1	3	16	9	4	3	1	3	–
Neshoba	2	25	–	–	4	3	3	1	3	–	3	–	39	12	6	6	3	3	–
Newton	–	16	6	–	6	5	2	3	6	–	–	1	22	24	5	5	1	3	–
Noxubee	–	8	1	–	5	3	–	1	2	–	–	2	28	11	1	6	–	3	–
Oktibbeha	1	21	1	–	7	7	–	2	3	–	1	7	1	27	5	5	1	3	1
Starkville	1	14	–	–	2	5	–	1	–	–	1	4	–	12	1	2	1	1	1
Balance of county	–	7	1	–	5	2	–	1	3	–	–	3	1	15	4	3	–	2	–
Panola	6	33	1	5	3	9	1	–	3	–	–	5	16	29	9	9	6	1	–
Pearl River	3	24	–	4	13	13	–	2	6	–	4	6	13	26	10	12	4	4	–
Picayune	1	11	–	2	5	3	–	2	3	–	2	2	4	17	4	3	–	–	–
Balance of county	2	13	–	2	8	10	–	–	3	–	2	4	9	9	6	9	4	4	–
Perry	–	10	–	2	3	3	–	–	1	–	–	–	5	1	6	2	2	1	–
Pike	2	55	4	4	9	8	–	6	2	–	4	7	21	31	12	14	2	6	–
McComb	–	37	1	–	3	2	–	3	1	–	2	3	7	14	1	4	2	2	–
Balance of county	2	18	3	4	6	6	–	3	1	–	2	4	14	17	11	10	–	4	–
Pontotoc	–	12	3	2	9	9	–	–	2	–	–	3	5	13	13	2	5	2	–
Prentiss	–	15	2	2	3	6	1	2	4	–	1	–	44	14	5	7	–	–	–
Quitman	–	13	–	–	1	3	–	–	3	–	–	4	2	9	2	3	–	–	–
Rankin	1	31	4	4	24	23	–	5	2	–	2	9	22	91	14	16	6	3	1
Jackson, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl	–	9	–	3	–	6	–	3	–	–	1	–	4	9	5	4	3	–	1
Balance of county	1	22	4	1	24	17	–	2	2	–	1	9	18	82	9	12	3	3	–
Scott	–	33	2	3	10	12	–	1	3	–	1	3	28	17	12	7	1	1	–
Sharkey	1	3	1	1	3	2	–	1	1	–	–	–	1	3	1	1	–	1	–
Simpson	1	18	2	1	6	9	–	2	2	–	1	4	11	28	12	4	2	2	–
Smith	–	17	3	2	8	3	–	1	1	–	2	–	6	6	–	1	1	3	–
Stone	–	5	–	1	4	6	1	1	5	–	1	–	6	10	3	3	1	–	–
Sunflower	1	31	2	4	8	9	–	2	3	–	2	4	24	25	6	6	3	5	–
Tallahatchie	4	15	2	1	2	6	–	3	1	–	1	5	16	16	3	7	–	1	–
Tate	1	12	2	3	6	6	–	–	1	–	1	2	25	14	4	4	3	1	–
Tippah	1	17	1	–	13	9	–	–	3	–	1	6	29	19	8	6	3	–	–
Tishomingo	1	19	1	3	4	6	–	–	4	–	2	–	14	17	10	2	4	6	–
Tunica	–	7	1	1	3	1	2	–	4	–	–	–	13	5	7	11	–	1	1
Union	1	27	–	1	13	6	1	1	3	–	–	3	15	28	8	6	7	1	2
Walthall	–	7	1	1	2	5	1	1	2	–	–	2	18	7	5	7	–	–	–
Warren	3	42	5	5	7	13	–	5	2	–	4	17	19	40	19	18	6	6	–
Vicksburg	2	30	5	4	2	8	–	3	2	–	3	11	15	24	5	13	4	3	–
Balance of county	1	12	–	1	5	5	–	2	–	–	1	6	4	16	14	5	2	3	–
Washington	7	66	5	2	12	22	1	9	9	–	8	10	30	54	17	17	5	10	1
Greenville	6	51	4	–	7	14	1	4	5	–	7	4	47	36	10	12	1	5	1
Balance of county	1	15	1	2	5	8	–	5	4	–	1	6	43	18	7	5	4	5	–
Wayne	1	6	2	–	2	2	2	3	2	–	1	2	9	10	7	4	–	2	–
Webster	–	17	–	1	5	1	1	1	2	–	2	–	2	12	3	2	1	1	–
Wilkinson	–	16	3	–	5	2	–	1	1	–	1	3	6	11	1	6	2	1	–
Winston	2	24	1	–	2	4	–	–	8	1	–	3	17	17	11	6	4	1	–
Yalobusha	–	19	–	1	2	7	–	4	1	–	–	1	14	8	5	7	2	1	–
Yazoo	3	21	6	2	6	14	1	3	2	–	4	4	7	32	6	9	–	2	–
Yazoo City	3	16	5	–	3	10	–	2	–	–	2	2	5	18	3	3	–	–	–
Balance of county	–	5	1	2	3	4	1	1	2	–	2	2	2	14	3	6	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	49,131	22	1	522	10,464	2,646	2,904	864	1,113	466	411	2,080	742	23,584	18,250	137	552	13,341	4,220
Urban places	22,833	11	1	303	4,909	1,263	1,348	411	513	224	175	975	395	10,811	8,387	60	322	6,162	1,853
Balance of area	26,298	11	–	219	5,575	1,383	1,556	453	600	242	236	1,105	347	12,773	9,853	77	230	7,179	2,367
Metropolitan counties	29,832	13	1	356	6,595	1,668	1,835	571	689	287	245	1,300	495	14,085	11,002	88	398	8,164	2,352
Urban places	20,055	11	1	282	4,334	1,130	1,189	356	458	196	145	860	343	9,461	7,378	52	300	5,443	1,583
Balance of area	9,777	2	–	74	2,261	538	646	215	231	91	100	440	152	4,604	3,624	36	98	2,721	769
Nonmetropolitan counties	19,299	9	–	166	3,869	978	1,069	293	424	179	166	780	247	9,519	7,248	49	154	5,177	1,868
Urban places	2,778	–	–	21	576	133	159	55	55	28	30	115	52	1,350	1,019	8	22	719	270
Balance of area	16,521	9	–	145	3,314	845	910	238	369	151	136	665	195	8,169	6,229	41	132	4,458	1,598
Adair	217	–	–	1	41	4	14	5	5	1	2	10	–	97	81	–	1	51	29
Kirksville	148	–	–	1	28	2	10	3	2	1	1	9	–	62	48	–	–	31	17
Balance of county	69	–	–	–	13	2	4	2	3	–	1	1	–	35	33	–	1	20	12
Andrew	148	–	–	–	35	11	7	2	5	1	1	8	–	79	61	1	2	46	12
Atchison	111	–	–	–	25	9	9	–	–	4	1	2	1	67	47	–	1	33	13
Audrain	244	–	–	1	49	11	17	1	5	3	3	9	5	117	85	–	5	62	18
Mexico	125	–	–	1	23	5	9	1	2	1	2	3	2	57	38	–	2	29	7
Balance of county	119	–	–	–	26	6	8	–	3	2	1	6	3	60	47	–	3	33	11
Barry	303	–	–	–	66	14	19	5	10	1	4	13	3	155	117	1	1	92	23
Barton	159	–	–	1	34	14	6	1	7	1	–	5	4	87	67	1	–	55	11
Bates	228	–	–	1	44	8	9	5	5	4	3	10	2	115	84	1	–	56	27
Benton	155	1	–	–	32	10	7	5	2	1	2	5	–	79	61	–	1	38	22
Bollinger	107	–	–	2	27	9	11	2	1	1	1	2	1	54	39	–	1	33	5
Boone	645	–	–	8	126	25	29	17	12	10	2	31	13	276	207	–	4	128	77
Columbia	421	–	–	7	92	18	16	13	10	8	2	25	8	177	131	–	4	80	47
Balance of county	224	–	–	1	34	7	13	4	2	2	–	6	5	99	76	–	–	46	30
Buchanan	935	–	–	8	185	59	45	18	17	7	6	33	12	448	313	2	8	247	56
St. Joseph	867	–	–	6	172	58	40	16	15	6	6	31	11	420	282	2	6	228	54
Balance of county	68	–	–	2	13	1	5	2	2	1	–	2	1	28	21	–	–	19	2
Butler	449	–	–	3	90	17	25	12	8	3	5	20	11	188	145	–	2	98	47
Poplar Bluff	254	–	–	–	46	10	12	5	5	2	3	9	7	111	87	–	–	60	27
Balance of county	195	–	–	3	44	7	13	7	3	1	2	11	4	77	58	–	2	36	20
Caldwell	133	–	–	1	28	6	6	2	4	1	1	8	–	59	46	–	–	27	19
Callaway	266	–	–	1	54	17	11	3	5	2	3	13	4	122	91	–	2	57	32
Fulton	132	–	–	1	24	8	4	1	1	1	1	8	2	64	48	–	2	28	18
Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	134	–	–	–	30	9	7	2	4	1	2	5	2	58	43	–	–	29	14
Camden	235	–	–	1	58	11	13	6	7	3	3	15	1	106	86	–	2	64	20
Cape Girardeau	500	–	–	3	112	23	31	10	14	7	4	23	8	260	193	3	4	145	41
Cape Girardeau	318	–	–	3	70	18	20	6	7	4	3	12	4	159	107	3	4	78	22
Balance of county	181	–	–	–	42	5	11	4	7	3	1	11	5	101	86	–	–	67	19
Carroll	171	–	–	1	27	2	6	3	3	2	2	9	1	71	60	–	4	36	20
Carter	61	–	–	1	11	3	3	–	1	1	–	3	1	20	16	–	1	12	3
Cass	454	–	–	4	82	13	26	4	14	–	4	21	7	215	163	–	–	122	41
Belton	98	–	–	1	29	5	8	1	4	–	–	11	3	32	27	–	–	24	3
Lee's Summit, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	355	–	–	3	53	8	18	3	10	–	4	10	4	182	136	–	–	98	38
Cedar	180	–	–	4	33	8	9	3	6	1	1	5	–	92	67	–	2	38	27
Chariton	136	–	–	2	25	4	5	1	5	2	1	7	1	72	59	–	1	43	15
Christian	180	–	–	–	42	9	15	2	3	4	2	7	2	82	52	1	2	35	14
Clark	76	–	–	1	10	1	3	–	1	–	–	5	–	38	28	1	–	15	12
Clay	981	–	–	13	209	54	58	22	18	9	9	39	15	459	345	2	7	254	82
Excelsior Springs, part	124	–	–	1	21	4	5	4	1	2	1	4	–	61	46	–	–	36	10
Excelsior Springs, total	126	–	–	1	22	4	6	4	1	2	1	4	–	62	47	–	–	37	10
Gladstone	136	–	–	3	31	10	8	4	1	1	2	5	–	59	50	1	2	35	12
Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kansas City, part	389	–	–	3	92	21	29	8	10	4	4	16	7	179	134	1	1	101	31
Liberty	119	–	–	5	27	6	8	3	2	1	1	6	4	50	41	–	3	32	6
Balance of county	213	–	–	1	38	13	8	3	4	1	1	8	4	110	74	–	1	60	23
Clinton	183	–	–	2	40	10	9	4	6	1	1	9	2	80	62	2	–	36	24
Cole	442	–	–	2	94	25	25	7	12	6	5	14	10	230	179	2	7	132	38
Jefferson City, part	329	–	–	2	68	18	19	6	9	3	4	9	8	168	134	1	5	100	28
Jefferson City, total	329	–	–	2	68	18	19	6	9	3	4	9	8	168	134	1	5	100	28
Balance of county	113	–	–	–	26	7	6	1	3	3	1	5	2	62	45	1	2	32	10
Cooper	150	–	–	2	27	10	6	3	1	3	–	4	1	76	56	1	2	48	5
Crawford	215	1	–	2	49	10	13	4	5	4	2	11	2	109	85	1	–	66	18
Dade	98	–	–	1	22	10	6	–	2	1	–	3	–	46	37	–	–	24	13
Dallas	171	–	–	–	25	6	9	3	2	–	–	5	3	83	65	1	–	44	20
Daviess	127	–	–	1	25	4	7	3	3	1	2	5	2	69	44	4	5	29	6
De Kalb	105	–	–	–	22	9	7	1	1	1	–	3	1	52	41	–	2	26	13
Dent	169	–	–	1	22	8	4	2	1	1	–	6	1	87	73	1	3	38	31
Douglas	110	–	–	2	19	5	9	1	–	–	1	3	3	48	37	2	–	27	8
Dunklin	448	–	–	6	82	15	25	4	6	7	3	22	5	219	175	1	3	113	58
Kennett	152	–	–	3	31	7	11	3	2	2	–	6	1	74	62	–	1	44	17
Balance of county	294	–	–	3	51	8	14	1	4	5	3	16	4	145	113	1	2	69	41
Franklin	655	1	–	3	143	38	46	10	16	8	8	17	5	323	263	–	5	205	53
Gasconade	175	–	–	–	35	8	7	5	5	2	2	6	1	87	67	–	–	49	18
Gentry	149	–	–	1	24	5	6	1	4	1	2	5	–	82	66	–	1	54	11
Greene	1,705	–	–	15	344	80	91	38	48	19	11	57	31	745	545	5	6	414	120
Springfield	1,387	–	–	13	269	62	73	30	35	18	7	43	27	615	449	4	5	341	99
Balance of county	318	–	–	2	76	18	18	8	13	1	4	14	4	130	96	1	1	73	21
Grundy	172	–	–	4	32	10	7	1	7	–	1	6	1	89	68	1	7	44	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	181	3,967	624	562	1,471	1,831	149	398	553	2	291	327	1,745	3,812	984	1,099	665	394	55
Urban places	94	1,812	264	244	649	867	78	220	270	1	147	190	554	1,934	340	517	326	280	30
Balance of area	87	2,155	360	318	822	964	71	178	283	1	144	137	1,191	1,878	644	582	339	114	25
Metropolitan counties	115	2,274	353	321	849	1,122	94	288	324	1	199	236	740	2,451	551	666	431	320	35
Urban places	82	1,562	232	207	566	762	63	204	236	1	140	172	438	1,700	303	453	289	268	28
Balance of area	33	712	121	114	283	360	31	84	88	-	59	64	302	751	248	213	142	52	7
Nonmetropolitan counties	66	1,693	271	241	622	709	55	110	229	1	92	91	1,005	1,361	433	433	234	74	20
Urban places	12	250	32	37	83	105	15	16	34	-	7	18	116	234	37	64	37	12	2
Balance of area	54	1,443	239	204	539	604	40	94	195	1	85	73	889	1,127	396	369	197	62	18
Adair	-	12	1	3	13	4	-	2	6	-	-	1	6	23	8	10	5	-	-
Kirksville	-	10	1	3	10	3	-	1	6	-	-	1	4	16	6	7	3	-	-
Balance of county	-	2	-	-	3	1	-	1	-	-	-	-	2	7	2	3	2	-	-
Andrew	1	12	1	4	4	9	-	-	-	-	-	-	5	6	5	4	1	-	-
Atchison	1	16	1	2	4	2	1	-	-	-	1	-	-	6	1	3	-	-	-
Audrain	2	27	-	3	13	16	-	-	2	-	-	-	5	24	2	4	4	1	1
Mexico	2	15	-	2	8	11	-	-	-	-	-	-	4	14	1	2	1	1	-
Balance of county	-	12	-	1	5	5	-	-	2	-	-	-	1	10	1	2	3	-	1
Barry	4	28	3	3	11	8	1	2	5	-	1	2	14	19	7	6	3	-	-
Barton	1	14	4	1	6	3	-	-	3	-	-	-	2	12	3	2	2	-	-
Bates	1	22	4	4	5	6	1	2	1	-	1	2	26	14	2	4	2	-	-
Benton	-	15	1	2	4	3	-	1	2	-	1	-	11	13	2	2	3	1	-
Bollinger	1	12	1	1	2	4	-	-	2	-	-	2	1	3	3	4	2	-	-
Boone	-	50	11	8	13	32	5	6	11	-	2	6	19	60	16	33	15	3	1
Columbia	-	33	7	6	7	18	3	5	6	-	2	5	13	38	6	21	10	2	1
Balance of county	-	17	4	2	6	14	2	1	5	-	-	1	6	22	10	12	5	1	-
Buchanan	2	89	29	15	17	37	3	8	12	-	8	10	69	64	12	22	17	2	1
St. Joseph	2	86	26	14	16	34	3	8	11	-	5	9	61	61	11	20	16	2	1
Balance of county	-	3	3	1	1	3	-	-	1	-	3	1	8	3	1	2	1	-	-
Butler	1	33	2	7	16	15	3	3	4	-	2	2	62	24	9	11	3	2	1
Poplar Bluff	-	20	2	2	7	12	3	3	3	-	1	1	31	14	2	9	1	2	1
Balance of county	1	13	-	5	9	3	-	-	1	-	1	1	31	10	7	2	2	-	-
Caldwell	-	6	3	1	7	3	-	-	-	-	-	1	19	6	4	3	3	-	-
Callaway	5	23	2	1	6	8	2	-	5	-	3	3	3	35	5	7	5	1	-
Fulton	5	11	-	-	4	4	2	-	5	-	-	1	2	20	-	1	2	-	-
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	12	2	1	4	4	-	-	-	-	3	2	1	15	5	6	3	1	-
Camden	1	15	2	2	12	7	1	2	1	-	2	1	2	17	13	5	4	2	-
Cape Girardeau	2	47	8	10	6	18	-	-	3	-	2	3	28	29	8	8	9	2	-
Cape Girardeau	1	36	7	8	3	17	-	-	1	-	2	1	17	22	6	5	8	1	-
Balance of county	1	11	1	2	3	1	-	-	2	-	-	2	11	7	2	3	1	1	-
Carroll	-	8	1	2	3	5	-	2	6	-	1	1	29	12	2	9	1	-	-
Carter	-	4	-	-	1	1	-	2	2	-	-	-	13	6	-	1	1	1	-
Cass	2	40	4	6	13	17	2	4	8	-	4	5	26	38	14	11	4	-	-
Belton	-	4	1	-	3	7	-	-	2	-	1	2	6	6	2	3	1	-	-
Lee's Summit, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	36	3	6	10	10	2	4	6	-	3	3	20	32	12	8	3	-	-
Cedar	-	21	2	2	6	8	-	-	7	-	1	1	6	13	3	5	-	1	-
Charlton	-	10	-	3	9	5	-	1	1	-	1	-	2	10	5	-	2	-	-
Christian	3	21	3	3	2	9	1	1	3	-	3	2	12	12	3	3	3	-	-
Clark	-	8	2	-	3	1	-	-	-	-	-	-	14	7	-	2	-	-	-
Clay	3	86	4	11	35	51	2	10	12	1	7	8	11	64	32	25	22	5	-
Excelsior Springs, part	-	14	-	1	9	7	1	-	-	1	2	1	2	9	3	4	2	-	-
Excelsior Springs, total	-	14	-	1	9	7	1	-	-	1	2	1	2	9	3	4	2	-	-
Gladstone	-	6	1	2	2	6	-	1	3	-	2	2	1	13	4	3	5	1	-
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	-	40	1	4	10	18	1	5	5	-	2	5	6	29	12	5	7	3	-
Liberty	-	6	2	1	4	3	-	-	-	-	1	-	1	7	6	6	5	-	-
Balance of county	3	30	-	3	10	17	-	4	4	-	-	-	1	6	7	7	3	1	-
Clinton	-	13	2	3	6	12	1	1	4	-	1	1	6	20	4	2	-	1	-
Cole	-	40	1	10	11	15	2	5	3	-	2	6	2	41	4	6	6	3	-
Jefferson City, part	-	27	-	7	7	12	2	3	3	-	1	6	1	32	4	5	4	3	-
Jefferson City, total	-	27	-	7	7	12	2	3	3	-	1	6	1	32	4	5	4	3	-
Balance of county	-	13	1	3	4	3	-	2	-	-	1	-	1	9	-	1	2	-	-
Cooper	-	13	3	4	7	5	2	-	1	-	1	-	-	14	1	10	3	-	-
Crawford	-	19	1	4	4	8	-	1	2	-	3	1	6	12	5	3	5	2	-
Dade	-	7	1	1	-	2	-	-	2	-	-	-	12	7	1	3	1	1	-
Dallas	-	11	2	5	5	4	-	1	2	-	1	4	13	14	8	3	2	2	1
Daviess	-	22	1	2	4	5	-	1	2	-	-	-	3	10	2	2	1	-	-
De Kalb	1	8	-	2	3	2	-	1	1	-	-	1	8	12	-	2	-	-	-
Dent	-	12	-	2	2	5	-	-	4	-	1	-	24	9	7	1	4	-	1
Douglas	-	6	4	1	2	7	1	1	1	-	-	-	7	12	3	3	-	-	1
Dunklin	-	40	1	3	8	16	3	4	2	-	4	1	32	36	4	14	3	4	3
Kennett	-	12	-	-	2	7	1	-	1	-	-	1	11	12	2	2	1	2	1
Balance of county	-	28	1	3	6	9	2	4	1	-	4	-	21	24	2	12	2	2	2
Franklin	3	47	4	6	12	14	1	2	9	-	2	6	49	42	18	10	10	5	-
Gasconade	1	16	1	2	4	4	1	3	6	-	-	1	8	13	3	5	4	-	-
Gentry	-	16	-	-	8	6	1	2	1	-	-	-	3	9	4	6	2	-	-
Greene	5	165	15	15	56	67	3	8	15	-	11	13	143	138	42	30	30	13	1
Springfield	5	136	12	13	49	57	2	7	12	-	10	9	108	121	26	28	22	12	1
Balance of county	-	29	3	2	7	10	1	1	3	-	1	4	35	17	16	2	8	1	-
Grundy	-	15	4	2	10	7	-	-	-	-	1	-	2	18	3	1	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	156	–	–	–	26	6	10	2	3	–	1	4	1	92	68	–	–	56	12
Henry	270	–	–	–	53	15	19	4	7	1	–	7	1	143	112	–	4	75	33
Hickory	91	–	–	1	17	4	4	2	1	–	2	4	2	43	31	–	–	20	11
Holt	97	–	–	–	19	8	3	1	1	1	–	5	2	56	37	–	4	27	6
Howard	124	–	–	1	30	10	9	1	1	3	1	5	–	65	44	–	–	32	12
Howell	330	–	–	3	85	18	32	5	11	3	2	14	3	168	128	2	1	89	36
Iron	95	–	–	1	20	6	5	1	4	1	–	3	–	41	36	1	2	21	12
Jackson	5,995	4	–	101	1,247	277	363	105	153	50	47	252	91	2,789	2,172	17	64	1,446	645
Blue Springs	131	–	–	1	24	1	5	2	7	1	2	6	6	58	44	1	1	29	13
Grandview	104	–	–	1	19	2	5	3	1	2	–	6	2	49	39	–	2	27	10
Independence, part	952	1	–	11	226	43	65	18	32	8	10	50	14	434	354	1	19	223	111
Independence, total	952	1	–	11	226	43	65	18	32	8	10	50	14	434	354	1	19	223	111
Kansas City, part	3,984	3	–	78	812	197	234	65	101	36	30	149	62	1,831	1,410	14	38	941	417
Kansas City, total	4,454	3	–	82	921	221	266	75	111	42	34	172	69	2,046	1,572	15	39	1,081	457
Lee's Summit, part	340	–	–	5	56	17	13	4	3	1	2	16	3	187	147	–	2	98	47
Lee's Summit, total	341	–	–	5	56	17	13	4	3	1	2	16	3	188	147	–	2	98	47
Raytown	271	–	–	–	67	10	25	6	7	2	2	15	3	137	108	1	2	78	25
Balance of county	213	–	–	5	43	7	16	7	2	–	1	10	1	93	72	–	–	50	22
Jasper	1,007	2	–	4	190	48	64	9	21	7	9	32	17	496	382	5	4	295	78
Carthage	153	1	–	1	28	8	7	–	5	–	1	7	3	75	59	–	1	48	10
Joplin, part	477	1	–	2	86	26	26	3	8	6	4	11	9	237	176	3	2	134	37
Joplin, total	503	1	–	2	92	29	29	3	9	7	4	11	10	247	185	3	2	141	39
Balance of county	377	–	–	1	76	14	29	6	8	1	4	14	5	184	147	2	1	113	31
Jefferson	976	–	–	4	228	54	78	31	13	8	9	35	13	445	368	6	11	248	103
Arnold	111	–	–	1	27	7	12	1	3	1	–	3	2	52	41	–	2	36	3
Balance of county	865	–	–	3	201	47	66	30	10	7	9	32	11	393	327	6	9	212	100
Johnson	280	–	–	2	46	13	12	5	2	2	2	10	3	162	124	–	1	99	24
Warrensburg	109	–	–	1	15	3	3	2	–	1	2	4	3	67	52	–	1	47	4
Balance of county	171	–	–	1	31	10	9	3	2	1	–	6	–	95	72	–	–	52	20
Knox	77	–	–	1	15	4	2	2	3	–	–	4	1	42	31	–	1	24	6
Laclede	240	–	–	6	53	16	10	3	8	–	2	14	3	116	97	1	1	77	18
Lafayette	358	–	–	1	66	12	14	12	9	3	4	12	5	181	140	–	1	101	38
Lawrence	342	1	–	3	59	20	13	4	10	1	1	10	8	190	166	1	2	113	50
Lewis	110	–	–	–	25	8	3	2	5	1	2	4	–	54	44	–	2	31	11
Lincoln	288	–	–	5	42	9	10	3	8	2	3	7	4	114	75	3	–	45	27
Linn	225	–	–	1	46	13	7	6	10	2	1	7	9	117	92	2	–	64	28
Livingston	193	–	–	1	44	14	9	3	6	2	3	7	2	93	67	1	–	47	19
McDonald	163	–	–	3	36	5	11	2	2	2	4	10	1	73	55	–	–	39	16
Macon	226	–	–	6	52	12	13	2	10	1	2	12	6	110	85	–	4	62	19
Madison	143	–	–	1	24	4	7	3	1	1	1	7	2	67	59	–	–	46	13
Maries	91	–	–	1	22	5	5	–	4	4	–	4	–	33	26	1	1	17	7
Marion	345	–	–	–	88	16	27	6	11	3	4	19	3	163	121	–	1	84	36
Hannibal, part	256	–	–	–	67	16	22	5	8	2	3	11	2	119	85	–	1	57	27
Hannibal, total	258	–	–	–	67	16	22	5	8	2	3	11	2	120	85	–	1	57	27
Balance of county	89	–	–	–	19	–	5	1	3	1	1	8	1	44	36	–	–	27	9
Mercer	73	–	–	1	14	4	5	1	–	–	–	4	1	33	23	–	1	14	8
Miller	204	–	–	1	51	14	12	3	3	1	3	15	2	91	67	–	–	53	14
Mississippi	195	–	–	6	34	5	16	–	5	2	2	4	–	103	89	–	3	61	25
Moniteau	162	1	–	1	31	8	9	2	2	–	1	9	2	95	72	–	–	58	14
Monroe	98	–	–	1	25	7	7	1	–	2	3	5	1	51	35	–	–	26	9
Montgomery	154	–	–	1	29	12	5	2	3	1	1	5	1	73	52	–	–	38	14
Morgan	184	–	–	2	26	4	9	2	4	2	–	7	3	110	73	–	1	56	16
New Madrid	235	1	–	2	50	13	18	3	6	–	–	10	1	85	79	–	5	53	15
Sikeston, part	6	–	–	–	2	–	–	1	1	–	–	–	–	4	4	–	–	3	1
Balance of county	229	1	–	2	48	13	18	2	5	–	–	10	1	81	69	–	5	50	14
Newton	389	1	–	3	80	21	26	4	8	6	3	12	5	158	124	2	2	91	29
Joplin, part	26	–	–	–	6	3	1	–	1	1	–	–	1	10	9	–	–	7	2
Balance of county	363	1	–	3	74	18	25	4	7	5	3	12	4	148	115	2	2	84	27
Nodaway	219	–	–	1	45	15	5	4	7	2	–	13	1	114	83	–	1	55	27
Oregon	128	–	–	1	27	4	13	3	3	–	–	4	1	58	46	–	–	42	4
Osage	129	1	–	2	26	8	4	3	3	1	1	6	–	68	51	–	2	34	15
Ozark	98	–	–	–	22	3	8	2	–	2	3	4	4	42	33	–	1	27	5
Pemiscot	309	1	–	3	51	14	16	5	6	4	1	5	2	160	109	1	–	86	22
Perry	208	–	–	1	33	11	5	3	7	1	2	4	4	130	99	–	5	71	23
Pettis	412	–	–	7	99	26	27	6	8	2	9	21	10	200	149	1	3	107	38
Sedalia	283	–	–	5	68	15	18	5	6	2	6	16	8	136	103	1	3	73	26
Balance of county	129	–	–	2	31	11	9	1	2	–	3	5	2	64	46	–	–	34	12
Phelps	331	–	–	4	67	16	19	6	10	4	4	8	10	154	123	–	1	94	28
Rolla	116	–	–	1	22	8	4	1	3	1	3	2	5	56	43	–	–	32	11
Balance of county	215	–	–	3	45	8	15	5	7	3	1	6	5	98	80	–	1	62	17
Pike	207	–	–	1	42	9	11	5	6	1	–	10	1	107	71	1	1	50	19
Platte	279	–	–	2	60	9	17	7	1	4	1	21	2	129	104	–	1	69	34
Kansas City, part	81	–	–	1	17	3	3	2	–	2	–	7	–	36	28	–	–	19	9
Balance of county	198	–	–	1	43	6	14	5	1	2	1	14	2	93	76	–	1	50	25
Polk	235	–	–	1	41	10	11	3	4	2	–	11	3	129	97	1	2	74	20
Pulaski	230	–	–	3	51	15	18	2	6	–	3	7	2	105	80	–	4	59	23
Putnam	86	–	–	1	15	3	4	2	1	–	1	4	2	42	34	1	–	21	12
Ralls	74	–	–	1	17	8	3	2	1	1	–	2	–	36	30	–	1	23	6
Hannibal, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	72	–	–	1	17	8	3	2	1	1	–	2	–	35	30	–	1	23	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	1	16	6	1	7	4	-	2	3	-	1	1	5	9	2	2	1	-	-
Henry	-	21	8	2	7	12	-	1	3	-	-	1	12	22	6	5	4	-	-
Hickory	-	10	1	1	1	4	-	-	1	-	-	-	4	12	2	2	-	2	-
Holt	1	12	2	4	6	2	-	-	2	-	1	-	-	6	1	2	-	-	-
Howard	1	12	7	1	5	2	1	-	2	-	1	1	2	6	5	1	2	-	-
Howell	1	29	7	3	7	18	-	5	6	-	1	-	5	18	3	5	2	-	1
Iron	1	4	-	-	5	5	-	-	2	-	-	-	13	5	-	2	1	-	-
Jackson	28	468	67	54	155	293	22	63	70	-	46	48	115	508	111	135	92	98	9
Blue Springs	-	10	2	2	4	7	-	1	1	-	1	1	3	10	6	3	4	-	1
Grandview	-	10	-	-	-	9	1	-	1	-	3	1	2	10	2	2	2	-	-
Independence, part	3	60	5	12	16	53	4	7	11	-	6	4	15	72	20	26	21	9	2
Independence, total	3	60	5	12	16	53	4	7	11	-	6	4	15	72	20	26	21	9	2
Kansas City, part	21	316	55	29	111	183	15	47	50	-	30	38	82	345	63	91	53	86	4
Kansas City, total	21	384	56	33	124	204	16	53	56	-	32	44	89	382	76	99	64	89	5
Lee's Summit, part	-	33	-	7	12	17	1	2	6	-	1	-	3	31	7	5	2	-	2
Lee's Summit, total	1	33	-	7	12	17	1	2	6	-	1	-	3	31	7	5	2	-	2
Raytown	3	23	2	3	3	10	1	3	1	-	3	1	3	22	9	3	3	2	-
Balance of county	1	16	3	1	9	14	-	3	-	-	2	1	7	18	4	5	7	1	-
Jasper	4	88	8	14	34	39	4	6	8	-	5	7	54	92	21	16	9	2	1
Carthage	1	12	2	1	7	10	1	-	2	-	-	3	4	13	1	3	1	-	-
Joplin, part	2	48	3	8	21	13	3	3	5	-	3	3	27	44	9	6	3	1	1
Joplin, total	2	48	3	9	21	13	3	3	5	-	3	3	29	50	9	7	3	1	1
Balance of county	1	28	3	5	6	16	-	3	1	-	2	1	23	35	11	7	5	1	-
Jefferson	2	60	4	11	32	36	4	8	16	-	10	11	6	78	36	25	18	5	1
Arnold	1	7	-	3	2	3	1	-	1	-	2	2	-	9	5	4	-	-	-
Balance of county	1	53	4	8	30	33	3	8	15	-	8	9	6	69	31	21	18	5	1
Johnson	1	26	7	4	8	12	2	2	2	-	4	-	3	12	14	4	3	1	-
Warrensburg	-	11	4	-	4	5	1	1	1	-	-	-	1	8	1	-	1	-	-
Balance of county	1	15	3	4	4	7	1	1	1	-	4	-	2	4	13	4	2	1	-
Knox	1	9	-	1	1	2	1	-	1	-	-	-	7	5	1	-	-	-	-
Laclede	-	14	1	4	1	10	-	-	4	-	1	1	16	11	3	8	5	2	-
Lafayette	-	29	10	2	10	13	-	4	4	-	4	2	22	16	14	8	3	2	1
Lawrence	1	17	2	4	13	6	1	2	5	-	1	-	1	30	8	9	6	1	-
Lewis	-	8	1	1	3	5	1	-	-	-	2	-	7	7	3	2	1	-	-
Lincoln	3	24	10	2	7	9	-	1	5	-	3	1	54	26	8	5	4	1	-
Linn	-	22	1	2	9	10	-	1	1	-	1	1	2	12	5	7	2	1	-
Livingston	1	23	1	1	5	7	1	-	3	-	1	1	6	15	4	8	2	-	-
McDonald	-	16	1	1	5	4	1	1	4	-	-	-	13	9	5	5	3	-	-
Macon	4	14	2	5	4	9	-	1	2	-	1	-	2	25	6	1	1	-	-
Madison	-	5	1	2	9	5	3	1	3	-	-	3	11	8	2	2	-	2	-
Maries	-	6	1	-	2	2	1	-	2	-	1	1	5	11	3	4	3	-	-
Marion	-	27	8	7	11	17	2	3	6	-	1	-	15	25	6	4	3	-	-
Hannibal, part	-	21	7	6	7	12	2	3	3	-	-	-	12	21	3	3	2	-	-
Hannibal, total	-	22	7	6	7	12	2	3	3	-	-	1	12	21	3	3	2	-	-
Balance of county	-	6	1	1	4	5	-	-	3	-	1	-	3	4	3	1	1	-	-
Mercer	-	4	5	1	4	3	-	1	-	-	-	-	2	7	-	4	2	-	1
Miller	1	15	8	-	4	3	-	1	-	-	1	-	11	18	5	8	6	2	-
Mississippi	-	10	3	1	6	6	-	1	1	-	1	3	7	17	2	2	5	1	-
Moniteau	1	13	6	3	4	9	1	2	1	-	-	1	2	6	-	5	1	-	-
Monroe	1	11	2	2	3	3	-	-	-	-	-	1	3	3	3	1	3	-	-
Montgomery	2	14	4	1	9	5	-	1	1	-	-	-	7	11	9	3	4	1	-
Morgan	-	25	7	5	4	4	1	1	2	-	2	-	2	17	3	1	-	3	1
New Madrid	-	10	-	2	4	6	-	2	4	-	1	4	47	11	6	10	1	-	-
Sikeston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	-	2	4	6	-	2	4	-	1	4	47	11	6	10	1	-	-
Newton	-	22	7	5	10	14	-	2	3	-	2	1	42	36	17	9	5	-	1
Joplin, part	-	-	-	1	-	-	-	-	-	-	-	-	2	6	-	1	-	-	-
Balance of county	-	22	7	4	10	14	-	2	3	-	2	1	40	30	17	8	5	-	1
Nodaway	-	22	3	6	13	8	1	1	2	-	1	-	1	17	4	8	1	-	-
Oregon	1	11	-	-	1	5	1	4	1	-	-	-	8	10	5	3	2	1	-
Osage	1	12	3	1	5	5	-	1	2	-	-	-	5	7	4	-	2	-	1
Ozark	-	6	1	2	2	4	-	-	-	-	-	-	9	7	5	1	2	-	-
Pemiscot	-	47	4	-	4	12	1	3	4	1	-	1	30	18	6	5	3	3	1
Perry	-	23	5	3	4	7	1	-	2	-	2	-	-	16	2	1	4	1	-
Pettis	4	40	3	4	8	10	2	2	6	-	1	1	4	34	8	12	7	1	-
Sedalia	4	25	2	2	3	6	2	2	6	-	1	-	3	26	3	9	5	-	-
Balance of county	-	15	1	2	5	4	-	-	-	-	-	1	1	8	5	3	2	1	-
Phelps	-	22	2	7	8	7	1	2	3	-	1	2	30	29	3	6	4	-	-
Rolla	-	8	1	4	4	4	1	-	-	-	-	2	8	9	-	2	2	-	-
Balance of county	-	14	1	3	4	3	-	2	3	-	1	-	22	20	3	4	2	-	-
Pike	-	21	11	4	4	3	-	3	2	-	-	5	18	9	1	7	3	1	-
Platte	-	21	2	2	5	13	-	4	2	-	-	1	7	28	10	11	6	-	1
Kansas City, part	-	8	-	-	3	3	-	1	1	-	-	1	1	8	1	3	4	-	1
Balance of county	-	13	2	2	2	10	-	3	1	-	-	-	6	18	9	8	2	-	-
Polk	-	22	5	5	4	16	1	1	3	-	-	1	14	13	4	2	2	-	-
Pulaski	-	18	4	3	6	5	-	3	6	-	1	7	16	9	10	1	4	1	-
Putnam	1	4	3	-	7	5	2	-	1	-	-	-	-	8	1	2	2	-	-
Ralls	-	5	-	1	6	4	-	-	-	-	1	1	1	5	2	-	-	-	-
Hannibal, part	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Balance of county	-	4	-	1	6	4	-	-	-	-	1	-	1	5	2	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	298	–	–	2	53	9	9	5	7	5	1	17	3	150	109	2	1	60	46
Moberly	207	–	–	1	34	5	6	4	4	3	–	12	2	107	74	2	1	42	29
Balance of county	91	–	–	1	19	4	3	1	3	2	1	5	1	43	35	–	–	18	17
Ray	236	–	–	2	45	9	20	2	6	–	–	8	5	102	77	–	2	57	18
Excelsior Springs, part	2	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	234	–	–	2	44	9	19	2	6	–	–	8	5	101	76	–	2	56	18
Reynolds	83	–	–	3	10	2	4	–	–	1	1	2	3	37	28	–	–	14	14
Ripley	168	1	–	2	25	7	6	3	1	2	1	5	2	70	58	–	3	40	15
St. Charles	835	–	–	5	173	42	45	17	17	5	10	37	14	410	328	4	9	258	57
St. Charles	278	–	–	1	46	14	13	5	3	1	2	8	3	158	125	1	2	103	19
St. Peters	77	–	–	1	16	4	7	–	2	1	–	2	1	36	31	1	1	23	6
Balance of county	480	–	–	3	111	24	25	12	12	3	8	27	10	216	172	2	6	132	32
St. Clair	125	–	–	–	29	11	5	4	2	1	1	5	–	71	52	–	1	35	16
Ste. Genevieve	131	–	–	5	27	8	7	6	1	–	1	4	3	62	48	–	1	40	7
St. Francois	500	1	–	2	107	23	41	4	11	4	3	21	11	257	198	1	2	158	37
St. Louis	8,197	1	–	63	2,037	529	541	183	196	94	85	409	140	3,886	3,053	31	103	2,391	528
Ballwin	69	–	–	1	22	3	9	–	1	2	–	7	1	29	23	1	–	20	2
Bellefontaine Neighbors	184	–	–	4	44	12	16	3	1	2	–	10	4	90	67	–	2	46	19
Berkeley	106	–	–	3	24	4	6	2	5	2	3	2	2	42	29	–	1	25	3
Bridgeton	146	–	–	3	43	12	11	1	2	3	3	11	–	59	49	1	2	37	9
Clayton	129	–	–	1	29	5	5	3	4	1	1	10	2	64	45	–	3	39	3
Crestwood	104	–	–	4	32	10	7	2	4	–	1	5	2	42	30	–	2	24	4
Creve Coeur	121	–	–	–	26	6	3	4	–	4	2	7	1	64	50	1	–	36	13
Ferguson	241	–	–	1	57	13	21	4	2	2	1	14	5	119	94	1	–	77	16
Florissant	406	–	–	11	101	31	25	9	9	6	5	16	5	176	141	1	4	112	24
Hazelwood	81	–	–	1	17	2	4	3	1	1	2	4	2	36	28	1	1	18	8
Jennings	218	–	–	3	41	15	10	4	3	1	2	6	5	108	88	–	3	74	11
Kirkwood	275	–	–	1	64	17	22	8	5	4	2	6	–	139	103	1	6	81	15
Maplewood	125	–	–	3	27	7	9	1	4	1	2	3	2	61	49	–	2	43	4
Overland	201	1	–	–	47	9	19	3	4	1	2	9	6	68	73	–	3	57	13
Richmond Heights	115	–	–	–	35	13	7	6	1	–	–	8	–	47	39	–	1	32	6
St. Ann	126	–	–	1	39	8	7	6	4	4	1	9	5	53	40	–	–	33	7
University City	404	–	–	2	97	37	22	6	10	4	2	16	7	189	140	–	4	103	33
Webster Groves	250	–	–	–	57	14	16	3	6	1	2	15	2	137	105	3	3	82	17
Balance of county	4,886	–	–	44	1,235	308	322	115	130	55	54	251	89	2,343	1,860	21	66	1,452	321
St. Louis city	6,225	4	1	101	1,369	390	364	100	141	55	38	281	123	3,023	2,445	12	168	1,860	405
Saline	321	–	–	4	59	21	11	5	6	4	2	10	3	176	134	3	1	114	16
Marshall	140	–	–	2	33	9	8	5	3	3	1	4	1	76	58	1	–	49	8
Balance of county	181	–	–	2	26	12	3	–	3	1	1	6	2	100	76	2	1	65	8
Schuyler	64	–	–	–	11	2	2	1	–	1	2	3	–	36	28	–	–	15	13
Scotland	77	–	–	1	12	4	2	–	1	2	1	2	1	45	27	–	–	25	2
Scott	375	–	–	–	82	18	28	8	4	5	2	17	8	174	139	–	6	86	47
Sikeston, part	200	–	–	–	44	9	13	7	2	2	1	10	7	89	78	–	2	46	28
Sikeston, total	206	–	–	–	46	9	13	8	3	2	1	10	7	93	80	–	2	49	29
Balance of county	175	–	–	–	38	9	15	1	2	3	1	7	1	85	63	–	4	40	19
Shannon	75	–	–	–	19	8	4	–	2	–	3	2	1	39	30	–	–	24	6
Shelby	103	–	–	–	16	8	2	–	1	–	1	4	4	61	44	–	16	24	4
Stoddard	320	–	–	2	66	16	20	8	4	3	2	13	4	159	126	–	2	92	32
Stone	170	–	–	2	38	9	10	4	5	3	1	6	2	70	47	1	1	37	8
Sullivan	101	–	–	–	21	7	2	1	2	2	3	4	1	49	40	–	–	25	15
Taney	313	–	–	2	67	9	27	1	6	4	3	17	4	169	121	1	1	88	31
Texas	240	–	–	1	53	15	16	2	2	4	1	13	2	97	78	1	4	61	12
Vernon	217	–	–	2	42	8	15	2	5	3	3	6	2	95	70	–	1	46	23
Warren	165	–	–	3	34	13	8	1	3	–	2	7	–	68	50	–	–	36	14
Washington	184	–	–	2	39	12	14	1	4	1	–	7	3	87	70	–	–	65	5
Wayne	162	–	–	2	33	10	13	–	1	4	2	3	4	74	54	–	–	33	21
Webster	208	–	–	2	47	11	16	1	4	1	3	11	–	98	68	–	–	50	18
Worth	50	–	–	1	14	4	4	2	2	1	1	–	2	26	19	–	–	19	–
Wright	193	–	–	2	36	10	9	2	4	1	2	8	3	86	56	–	–	42	14
Montana	6,711	8	–	50	1,457	379	374	124	169	67	66	278	114	3,028	2,280	43	41	1,546	650
Urban places	2,639	6	–	17	580	148	150	52	66	26	29	109	50	1,223	937	16	21	626	274
Balance of area	4,072	2	–	33	877	231	224	72	103	41	37	169	64	1,805	1,343	27	20	920	376
Metropolitan counties	1,389	2	–	6	313	65	63	28	34	16	17	67	22	649	498	7	18	337	138
Urban places	1,070	2	–	5	241	53	62	23	26	13	13	51	17	511	395	4	16	258	117
Balance of area	319	–	–	1	72	12	21	6	8	5	4	16	5	138	103	3	–	79	21
Nonmetropolitan counties	5,322	6	–	44	1,144	314	291	95	135	49	49	211	92	2,379	1,782	36	25	1,209	512
Urban places	1,569	4	–	12	339	95	89	29	40	13	16	58	33	712	542	12	5	368	157
Balance of area	3,753	2	–	32	805	219	203	66	95	36	33	153	59	1,667	1,240	24	20	841	355
Beaverhead	78	–	–	2	22	8	3	–	3	3	–	5	–	31	19	1	1	13	4
Big Horn	87	–	–	2	13	5	3	1	2	–	–	2	2	33	17	1	1	9	6
Blaine	67	–	–	1	12	4	3	–	2	–	–	3	–	29	20	2	1	9	8
Broadwater	27	–	–	–	4	–	2	–	1	–	–	1	1	17	13	–	–	13	–
Carbon	109	–	–	–	27	4	11	3	4	1	1	3	4	54	31	1	–	23	7
Carter	17	–	–	–	4	–	1	–	1	1	–	1	1	8	7	–	–	6	1
Cascade	619	1	–	2	143	27	34	13	21	9	10	29	11	291	225	2	6	165	52
Great Falls	529	1	–	2	120	26	32	9	17	6	7	23	10	257	193	1	6	138	48
Balance of county	90	–	–	–	23	1	2	4	4	3	3	6	1	34	32	1	–	27	4
Chouteau	58	–	–	1	12	4	3	–	1	1	1	2	–	28	22	1	–	13	8
Custer	136	–	–	–	20	6	4	5	2	–	1	2	2	73	48	4	2	38	4
Daniels	30	–	–	–	9	1	5	–	2	–	–	1	1	15	9	1	–	6	2
Dawson	64	–	–	–	13	3	4	3	1	–	–	2	–	33	29	–	–	24	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	-	33	7	1	11	5	2	1	3	-	3	1	20	20	4	11	6	3	-
Moberly	-	27	6	-	9	3	1	1	3	-	2	1	9	17	4	10	3	-	-
Balance of county	-	6	1	1	2	2	1	-	-	-	1	-	11	3	-	1	3	3	-
Ray	-	23	1	1	11	14	2	1	3	-	1	1	10	23	6	7	3	-	-
Excelsior Springs, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	23	1	1	11	14	2	1	3	-	1	1	10	23	6	7	3	-	-
Reynolds	-	6	1	2	4	5	-	-	1	-	-	-	8	7	3	2	-	-	-
Ripley	2	9	-	1	6	11	-	-	2	-	-	-	24	10	4	9	2	-	-
St. Charles	1	58	16	7	45	22	3	3	8	-	10	11	18	60	19	14	16	3	1
St. Charles	1	26	3	3	20	4	1	2	3	-	2	5	5	16	1	3	6	1	1
St. Peters	-	2	1	2	2	4	-	-	-	-	2	2	2	5	3	1	1	1	-
Balance of county	-	30	12	2	23	14	2	1	5	-	6	4	11	39	15	10	9	1	-
St. Clair	-	17	-	2	4	2	-	-	-	-	-	-	1	9	5	3	-	1	-
Ste. Genovieve	2	10	1	1	3	4	1	-	1	-	-	1	3	10	8	1	1	1	-
St. Francois	4	38	7	10	17	20	1	2	3	-	4	1	16	27	7	15	7	1	1
St. Louis	32	588	114	99	217	283	27	89	69	-	54	49	98	674	131	163	122	53	11
Ballwin	-	4	1	1	2	2	-	-	-	-	-	1	1	7	-	-	2	1	-
Bellefontaine Neighbors	1	17	2	3	1	6	-	3	2	-	1	1	1	18	3	5	1	-	-
Berkeley	-	12	1	-	4	1	3	-	3	-	1	2	3	9	5	1	1	2	-
Bridgeton	1	8	1	-	5	6	-	-	5	-	2	1	1	10	2	4	4	1	-
Clayton	-	14	4	1	2	2	1	2	4	-	1	-	-	11	3	1	5	-	1
Crestwood	-	8	3	1	4	-	-	4	-	-	-	-	2	10	1	1	2	-	-
Creve Coeur	-	8	5	1	4	4	2	2	-	-	1	1	-	10	2	-	4	-	-
Ferguson	-	20	2	3	10	8	-	-	5	-	4	1	2	17	4	4	2	1	1
Florissant	2	23	4	6	5	20	-	6	5	-	1	4	4	43	8	9	6	1	1
Hazelwood	-	4	1	3	-	3	-	1	1	-	2	-	4	9	1	1	2	1	-
Jennings	2	13	3	2	2	13	-	2	3	-	2	2	-	28	2	3	2	2	-
Kirkwood	2	28	4	2	7	13	1	6	2	-	-	1	4	22	1	8	4	1	1
Maplewood	-	9	2	1	3	4	-	1	2	-	1	-	-	8	2	5	4	2	-
Overland	-	8	3	4	6	13	-	6	1	-	4	1	1	16	3	1	6	-	1
Richmond Heights	-	5	1	2	3	4	-	-	1	-	1	-	1	18	1	2	2	-	-
St. Ann	-	13	-	-	-	3	-	3	1	-	1	-	3	8	3	3	3	-	-
University City	3	37	5	4	11	17	2	-	5	-	4	2	4	37	4	12	5	5	1
Webster Groves	2	25	4	1	8	5	1	3	-	-	2	2	4	14	3	4	8	-	-
Balance of county	19	332	68	64	140	159	17	50	29	-	26	30	63	379	83	99	59	36	5
St. Louis city	29	426	63	60	188	172	15	73	75	-	34	59	56	530	58	148	58	131	7
Saline	-	37	1	4	22	8	-	-	4	-	-	3	8	18	1	11	-	3	1
Marshall	-	17	-	1	8	2	-	-	1	-	-	1	3	5	1	6	-	1	-
Balance of county	-	20	1	3	14	6	-	-	3	-	-	2	5	13	-	5	-	2	1
Schuyler	-	6	1	1	3	5	-	-	1	-	1	-	-	5	-	2	-	-	-
Scotland	-	15	3	-	2	2	-	-	2	-	-	-	-	9	1	1	1	-	-
Scott	-	27	3	5	8	17	-	3	3	-	4	3	21	29	8	7	5	3	-
Sikeston, part	-	9	2	2	7	7	-	2	1	-	-	2	10	18	4	3	4	2	-
Sikeston, total	-	9	2	2	7	7	-	2	1	-	-	2	10	18	4	3	4	2	-
Balance of county	-	18	1	3	1	10	-	1	2	-	4	1	11	11	4	4	1	1	-
Shannon	1	7	-	1	4	3	-	1	-	-	-	-	2	1	-	3	1	1	-
Shelby	-	11	3	3	2	5	-	-	1	-	-	-	5	2	2	4	1	-	-
Stoddard	1	30	-	2	16	16	-	1	6	-	3	-	15	14	8	6	2	-	-
Stone	-	21	2	-	2	8	1	2	2	-	-	-	18	14	6	3	1	-	1
Sullivan	1	4	1	2	6	4	1	1	2	-	-	-	2	10	1	4	-	-	-
Taney	1	28	13	6	4	11	-	-	2	-	3	-	5	24	11	9	2	-	-
Texas	1	17	-	1	5	14	-	3	3	-	1	-	16	17	17	6	3	2	-
Vernon	1	22	1	1	22	14	1	-	1	-	2	-	8	15	5	3	4	-	1
Warren	2	8	6	2	5	8	1	-	2	-	2	-	7	13	11	3	3	5	-
Washington	1	14	1	1	6	11	-	1	2	-	1	2	8	11	4	5	-	2	-
Wayne	-	17	2	1	10	11	-	2	3	-	1	2	9	4	3	1	3	-	-
Webster	-	23	-	7	9	10	1	1	2	-	-	1	7	12	9	4	2	1	2
Worth	-	5	2	-	2	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Wright	-	28	2	-	8	12	-	2	-	-	1	3	11	20	4	3	2	-	-
Montana	22	488	140	98	227	307	26	84	58	1	47	36	103	540	232	210	135	38	10
Urban places	9	185	55	37	82	134	11	38	25	-	14	17	27	233	58	63	39	17	5
Balance of area	13	303	85	61	145	173	15	46	33	1	33	19	76	307	174	147	96	21	5
Metropolitan counties	2	93	32	24	37	63	4	20	11	-	11	7	20	109	37	39	24	11	4
Urban places	2	71	24	19	28	49	3	16	10	-	7	6	13	87	25	25	14	8	3
Balance of area	-	22	8	5	9	14	1	4	1	-	4	1	7	22	12	14	10	3	1
Nonmetropolitan counties	20	395	108	74	190	244	22	64	47	1	36	29	83	431	195	171	111	27	6
Urban places	7	114	31	18	54	85	6	22	15	-	7	11	14	146	33	38	25	9	2
Balance of area	13	281	77	56	136	159	14	42	32	1	29	18	69	285	162	133	86	18	4
Beaverhead	-	8	1	3	2	3	1	1	1	-	2	1	1	7	1	2	1	-	-
Big Horn	-	8	7	1	2	5	2	1	1	-	1	-	-	10	6	3	4	2	-
Blaine	-	8	1	-	4	3	-	5	3	-	-	-	-	6	2	2	-	-	-
Broadwater	-	4	-	-	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-
Carbon	1	17	2	3	5	2	-	-	-	-	2	-	1	9	2	3	-	-	-
Carter	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Cascade	-	35	19	12	20	27	3	12	5	-	3	3	6	52	10	14	9	6	1
Great Falls	-	35	17	12	17	24	3	8	5	-	3	3	6	44	5	8	8	5	1
Balance of county	-	-	2	-	3	3	-	4	-	-	-	-	1	8	5	6	1	1	-
Chouteau	1	4	1	-	1	-	-	-	-	-	1	-	-	6	-	6	1	-	-
Custer	-	23	2	-	4	3	-	1	-	-	2	-	1	18	6	5	1	-	-
Daniels	-	1	5	-	1	-	-	1	-	-	-	-	-	3	-	-	-	-	-
Dawson	-	2	2	-	1	3	-	-	1	-	-	1	1	4	3	2	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	151	1	–	2	29	8	9	2	4	2	–	4	3	75	59	1	2	41	15
Fallon	20	–	–	–	3	2	–	–	1	–	–	–	1	6	6	–	–	6	–
Fergus	154	–	–	2	35	8	6	1	4	3	2	11	1	72	47	2	–	31	14
Flathead	481	–	–	6	119	37	28	17	9	3	3	22	10	204	154	2	4	105	43
Kalispell	172	–	–	–	49	15	12	6	4	–	1	11	5	71	55	1	1	38	15
Balance of county	309	–	–	6	70	22	16	11	5	3	2	11	5	133	99	1	3	67	28
Gallatin	243	–	–	1	61	16	15	3	6	5	4	12	4	100	68	–	1	43	24
Bozeman	146	–	–	1	38	11	10	1	5	2	3	6	3	61	41	–	–	26	15
Balance of county	97	–	–	–	23	5	5	2	1	3	1	6	1	39	27	–	1	17	9
Garfield	8	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	4	2
Glacier	100	1	–	1	21	5	7	2	2	1	1	3	1	25	20	–	–	13	7
Golden Valley	11	–	–	–	2	–	–	–	–	1	–	1	–	4	3	–	–	2	1
Granite	33	–	–	–	7	–	5	–	–	–	1	1	–	12	11	–	–	7	4
Hill	131	–	–	–	23	6	6	–	6	1	2	2	3	69	50	–	1	34	15
Havre	93	–	–	–	16	4	4	–	4	1	2	1	1	47	36	–	–	25	11
Balance of county	38	–	–	–	7	2	2	–	2	–	–	1	2	22	14	–	1	9	4
Jefferson	64	–	–	1	13	5	6	–	1	–	–	1	2	24	22	–	–	15	7
Judith Basin	18	–	–	–	7	3	2	–	1	–	–	1	1	6	4	–	–	3	1
Lake	204	–	–	1	45	11	11	4	4	3	–	12	3	95	71	–	2	46	23
Lewis and Clark	329	–	–	–	74	22	13	5	14	4	4	12	3	138	102	2	–	64	36
Helena	222	–	–	–	57	16	9	4	12	4	2	10	2	94	72	2	–	45	25
Balance of county	107	–	–	–	17	6	4	1	2	–	2	2	1	44	30	–	–	19	11
Liberty	28	–	–	1	7	1	–	–	2	2	–	2	–	12	10	1	–	6	1
Lincoln	127	–	–	1	28	8	6	6	3	1	1	3	2	50	39	–	–	28	11
McCone	19	–	–	–	1	–	1	–	–	–	–	–	1	12	8	–	–	5	3
Madison	71	–	–	–	7	3	1	–	1	1	–	1	2	35	29	1	–	22	6
Meagher	24	–	–	–	5	2	1	–	–	–	–	2	–	10	9	–	–	7	2
Mineral	33	–	–	–	5	2	–	–	1	–	–	2	–	20	18	1	–	9	8
Missoula	485	1	–	6	90	21	23	8	5	2	6	25	8	233	179	4	2	122	51
Missoula	351	1	–	3	68	17	19	5	4	2	3	18	4	168	126	4	2	85	35
Balance of county	134	–	–	3	22	4	4	3	1	–	3	7	4	65	53	–	–	37	16
Musselshell	51	–	–	1	14	4	2	1	–	2	–	5	–	22	19	–	–	18	1
Park	143	–	–	2	35	12	9	1	3	2	2	6	2	64	40	1	2	25	12
Petroleum	5	–	–	–	1	–	–	–	–	–	1	–	1	2	2	1	–	1	–
Phillips	59	–	–	–	16	2	7	–	2	–	1	4	–	27	25	1	–	21	3
Pondera	69	–	–	1	23	3	6	3	6	–	1	4	1	25	18	–	–	9	9
Powder River	18	–	–	–	6	4	1	–	–	–	–	1	–	6	5	–	–	2	3
Powell	70	–	–	1	19	5	4	3	1	–	3	3	–	28	25	–	4	13	8
Prairie	17	–	–	1	5	1	–	1	2	–	–	1	–	6	3	–	–	2	1
Ravalli	226	–	–	–	53	13	15	5	6	1	2	11	2	111	84	–	–	50	34
Richland	107	–	–	1	24	5	4	1	6	2	1	5	2	53	49	1	–	35	13
Roosevelt	115	–	–	–	20	6	4	1	4	1	1	3	2	58	44	–	1	28	14
Rosebud	72	–	–	–	14	4	4	1	1	–	–	4	–	21	15	1	1	7	6
Sanders	84	–	–	–	23	7	7	1	2	1	1	4	–	32	23	–	–	16	7
Sheridan	52	–	–	1	8	4	1	–	1	1	–	1	3	23	19	–	–	18	1
Silver Bow	442	2	–	6	85	27	25	11	7	2	5	8	16	198	155	4	–	110	41
Butte-Silver Bow	434	2	–	6	82	24	25	11	7	2	5	8	15	196	153	4	–	108	41
Balance of county	8	–	–	–	3	3	–	–	–	–	–	–	1	2	2	–	–	2	–
Stillwater	69	–	–	–	12	3	2	2	3	–	–	2	3	34	20	–	–	11	9
Sweet Grass	38	–	–	–	10	4	3	–	1	–	–	2	1	15	8	–	–	7	1
Teton	58	–	–	1	13	2	7	–	–	1	1	2	–	28	19	1	–	13	6
Toole	62	–	–	–	10	3	3	–	2	1	1	–	2	19	18	1	–	9	8
Treasure	8	–	–	–	2	–	1	1	–	–	–	–	–	4	4	–	–	2	2
Valley	80	1	–	1	19	3	5	2	3	–	1	5	1	42	36	–	–	29	7
Wheatland	33	–	–	–	8	5	–	–	1	–	1	1	–	19	15	–	–	5	10
Wibaux	29	–	–	–	6	2	2	1	1	–	–	–	–	13	8	–	–	8	–
Yellowstone	770	1	–	4	170	38	49	16	13	9	7	38	11	358	273	5	10	172	88
Billings	541	1	–	3	121	27	30	14	9	7	6	28	7	254	202	3	10	120	69
Balance of county	229	–	–	1	49	11	19	2	4	2	1	10	4	104	71	2	–	52	17
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	14,673	10	–	106	3,092	882	777	260	348	123	157	565	232	7,452	5,842	85	101	4,113	1,363
Urban places	6,571	4	–	55	1,471	406	409	130	150	59	65	252	120	3,208	2,447	31	43	1,841	532
Balance of area	8,102	6	–	51	1,621	456	368	130	198	64	92	313	112	4,244	3,195	34	58	2,272	831
Metropolitan counties	5,230	2	–	44	1,193	325	334	98	124	46	54	212	91	2,511	1,913	26	35	1,469	383
Urban places	4,605	2	–	38	1,041	290	297	88	102	39	47	178	81	2,226	1,681	24	31	1,298	328
Balance of area	625	–	–	6	152	35	37	10	22	7	7	34	10	285	232	2	4	171	55
Nonmetropolitan counties	9,443	8	–	62	1,899	557	443	162	224	77	103	353	141	4,941	3,729	59	66	2,644	980
Urban places	1,966	2	–	17	430	116	112	42	48	20	18	74	39	982	766	7	12	543	204
Balance of area	7,477	6	–	45	1,469	421	331	120	176	57	85	279	102	3,959	2,963	32	54	2,101	776
Adams	311	1	–	1	74	23	20	7	7	3	2	12	4	142	103	2	2	81	18
Hastings	253	1	–	1	61	20	17	5	7	2	1	9	4	114	83	2	2	67	12
Balance of county	58	–	–	–	13	3	3	2	–	1	1	3	–	28	20	–	–	14	6
Antelope	81	–	–	1	18	8	2	1	6	–	–	1	–	49	35	2	–	25	8
Arthur	11	–	–	1	1	–	–	–	–	–	–	1	–	3	3	–	–	2	1
Banner	5	–	–	–	2	–	2	–	–	–	–	–	–	2	2	–	–	2	–
Blaine	11	–	–	–	3	1	1	–	1	–	–	–	–	3	3	–	–	3	–
Boone	91	–	–	2	10	5	1	–	2	–	1	1	1	53	36	3	–	24	9
Box Butte	143	1	–	–	29	8	12	2	1	1	1	4	3	70	52	2	1	34	15
Boyd	54	–	–	–	10	3	2	–	1	–	1	3	–	29	18	–	1	12	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	–	14	2	–	8	9	–	5	2	–	1	–	1	10	2	2	1	–	–
Fallon	–	–	–	–	–	1	–	–	1	–	–	–	–	4	1	1	2	–	–
Fergus	1	17	5	2	7	12	1	–	2	–	1	–	3	8	4	4	2	–	–
Flathead	1	31	11	7	13	27	1	6	5	1	2	5	4	30	26	8	12	1	–
Kalispell	1	11	4	–	4	12	1	3	2	–	1	3	1	11	4	4	1	–	–
Balance of county	–	20	7	7	9	15	–	3	3	1	1	2	3	19	22	5	11	1	–
Gallatin	2	17	7	6	8	11	1	1	6	–	1	1	4	24	8	7	4	1	–
Bozeman	1	12	4	3	8	6	1	1	4	–	–	–	–	14	5	2	2	–	–
Balance of county	1	5	3	3	–	5	–	–	2	–	1	1	4	10	3	5	2	1	–
Garfield	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Glacier	–	5	–	–	10	5	–	3	–	–	–	1	2	6	11	8	4	1	–
Golden Valley	–	–	–	1	–	–	–	1	–	–	1	–	–	1	1	–	1	–	–
Granite	–	1	–	–	6	2	–	1	1	–	–	–	1	–	1	1	1	–	–
Hill	–	15	3	1	5	3	–	3	1	–	3	–	–	10	4	5	2	–	–
Havre	–	8	2	1	3	3	–	3	1	–	1	–	–	10	4	3	1	–	–
Balance of county	–	7	1	–	2	–	–	–	–	–	2	–	–	–	–	2	1	–	–
Jefferson	1	1	–	–	4	5	–	–	3	–	–	–	–	5	6	1	–	–	–
Judith Basin	–	1	–	1	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–
Lake	–	22	1	1	10	8	–	3	1	–	1	1	4	13	5	8	3	3	–
Lewis and Clark	8	18	6	4	10	22	1	–	4	–	1	4	6	35	15	7	8	1	–
Helena	5	12	3	2	9	18	1	–	2	–	–	4	2	21	4	3	4	1	–
Balance of county	3	6	3	2	1	4	–	–	2	–	1	–	4	14	11	4	4	–	–
Liberty	–	1	–	1	2	–	–	–	–	–	1	–	–	4	–	1	–	–	–
Lincoln	–	7	2	2	1	9	–	3	1	–	1	1	4	8	5	5	8	–	–
McCone	–	3	1	–	–	2	1	–	–	–	–	–	–	1	1	–	–	–	–
Madison	1	3	–	2	3	3	–	1	–	–	1	–	4	7	2	3	2	1	–
Meagher	–	1	–	–	–	–	1	–	–	–	–	–	1	2	–	4	1	–	–
Mineral	–	2	–	–	–	2	–	2	–	–	–	–	1	3	–	–	–	–	–
Missoula	–	36	11	7	10	23	3	6	2	–	6	3	5	43	14	17	11	3	1
Missoula	–	29	8	5	9	19	3	5	1	–	3	2	3	30	7	13	8	3	1
Balance of county	–	7	3	2	1	4	–	1	1	–	3	1	2	13	7	4	3	–	–
Musselshell	–	2	1	–	–	4	1	–	–	–	–	–	–	2	4	1	2	–	–
Park	–	14	4	6	7	3	1	2	–	–	1	1	1	13	1	7	3	–	–
Petroleum	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phillips	–	1	–	1	1	2	–	–	2	–	–	1	2	4	3	–	1	–	–
Pondera	1	3	–	3	2	4	–	1	–	–	–	1	1	4	1	3	1	1	–
Powder River	–	1	–	–	–	2	–	–	–	–	–	–	1	–	2	–	–	1	–
Powell	–	2	1	–	1	6	–	2	–	–	–	–	–	2	3	4	3	1	–
Prairie	1	2	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–
Ravalli	–	20	2	5	10	13	–	–	–	–	3	–	6	12	4	6	5	1	–
Richland	–	2	2	–	6	1	1	–	–	–	1	–	1	6	7	1	2	–	1
Roosevelt	–	9	3	2	4	2	1	2	2	–	–	1	1	5	6	8	–	2	1
Rosebud	1	1	3	1	8	2	–	4	–	–	–	–	3	5	6	5	1	2	1
Sanders	1	4	3	1	7	1	–	–	1	–	–	–	–	7	6	4	2	–	1
Sheridan	–	2	1	1	2	3	–	–	–	–	–	–	3	4	3	2	–	–	–
Silver Bow	–	28	8	7	13	18	2	5	3	–	1	2	7	50	8	11	9	5	1
Butte-Silver Bow	–	28	8	7	13	18	2	5	3	–	1	2	7	50	7	11	8	5	1
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Stillwater	–	9	2	3	2	4	–	1	1	–	–	–	1	3	2	5	1	–	–
Sweet Grass	–	7	–	–	–	3	–	–	–	–	–	–	3	4	1	–	1	–	–
Teton	–	6	3	–	5	3	–	–	1	–	–	–	–	5	–	–	2	–	–
Toole	–	2	1	–	3	3	2	1	–	–	–	2	6	6	4	3	1	–	–
Treasure	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Valley	–	3	2	1	1	2	–	1	2	–	–	2	–	11	3	2	1	1	–
Wheatland	–	1	2	1	–	2	–	–	–	–	1	–	–	2	–	1	1	–	–
Wibaux	–	5	–	–	–	–	2	–	–	–	–	–	2	1	2	1	2	–	–
Yellowstone	2	58	13	12	17	36	1	8	6	–	8	4	14	57	27	25	15	5	3
Billings	2	36	7	7	11	25	–	8	5	–	4	3	8	43	20	17	6	3	2
Balance of county	–	22	6	5	6	11	1	–	1	–	4	1	6	14	7	8	9	2	1
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	76	1,280	283	171	518	452	50	116	135	5	86	101	282	1,168	285	359	167	54	22
Urban places	42	508	128	83	228	244	21	66	52	–	48	59	105	516	106	143	73	37	15
Balance of area	34	772	155	88	291	208	29	50	83	5	38	42	157	652	179	216	94	17	7
Metropolitan counties	33	393	100	72	184	189	13	57	38	2	46	53	77	395	93	123	70	34	15
Urban places	31	353	94	67	160	171	12	53	33	–	38	42	69	361	75	106	55	28	14
Balance of area	2	40	6	5	24	18	1	4	5	2	8	11	8	34	18	17	15	6	1
Nonmetropolitan counties	43	887	183	99	335	263	37	59	97	3	40	48	185	773	192	236	97	20	7
Urban places	11	155	34	16	68	73	9	13	19	–	10	17	36	155	31	37	18	9	1
Balance of area	32	732	149	83	267	190	28	46	78	3	30	31	149	618	161	199	79	11	6
Adams	–	30	6	3	9	13	2	4	–	–	3	3	2	32	4	12	5	–	–
Hastings	–	27	3	1	8	12	2	3	–	–	3	3	2	24	3	8	4	–	–
Balance of county	–	3	3	2	1	1	–	1	–	–	–	–	–	8	1	4	1	–	–
Antelope	–	9	4	1	2	3	–	–	1	–	–	–	1	3	1	2	–	–	–
Arthur	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	–	–
Banner	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Blaine	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	–	–	–
Boone	1	14	1	1	5	1	–	1	5	–	–	1	–	10	–	2	–	–	–
Box Butte	–	11	3	4	2	7	–	–	1	–	–	–	3	19	1	5	2	–	–
Boyd	–	11	–	–	5	2	–	–	1	–	–	–	1	3	1	1	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska--Con.																			
Brown	44	-	-	-	17	7	5	-	-	1	1	3	-	20	16	-	-	11	5
Buffalo	300	-	-	2	48	14	13	3	7	3	2	6	3	164	125	2	-	66	37
Kearney	158	-	-	2	32	5	12	3	5	3	2	2	1	80	60	1	-	45	14
Balance of county	142	-	-	-	16	9	1	-	2	-	-	4	2	84	65	1	-	41	23
Burt	120	-	-	-	13	3	3	2	4	-	-	1	1	75	55	-	-	45	10
Butler	119	-	-	-	34	9	8	2	4	1	4	6	2	58	43	-	-	32	11
Cass	172	-	-	-	30	7	11	4	2	1	1	4	1	107	71	-	2	57	12
Cedar	124	-	-	1	15	4	6	1	1	-	2	1	-	80	56	-	1	41	14
Chase	65	-	-	1	10	2	1	2	1	1	-	3	3	34	21	-	5	16	-
Cherry	60	-	-	-	13	3	3	1	1	-	-	5	1	30	18	1	-	11	6
Cheyenne	97	-	-	-	16	6	-	1	1	3	1	2	4	47	36	-	3	30	3
Clay	97	-	-	1	18	7	4	-	-	2	1	4	3	56	44	-	1	32	11
Colfax	115	-	-	-	27	8	5	2	3	3	3	3	3	49	38	-	-	31	7
Cuming	111	-	-	-	26	9	4	2	-	1	-	10	2	65	55	-	-	41	14
Custer	186	1	-	1	34	12	5	5	4	3	1	4	1	104	73	2	2	47	22
Dakota	121	-	-	-	30	8	8	1	3	2	1	7	2	67	50	1	2	34	13
Dawes	110	-	-	2	24	7	7	2	3	-	2	3	-	50	42	-	1	31	10
Dawson	212	-	-	-	33	6	5	4	7	-	4	7	1	130	98	2	6	69	21
Deuel	30	-	-	-	10	2	-	-	3	-	-	5	-	14	13	-	1	10	2
Dixon	64	-	-	1	16	1	6	1	1	1	-	5	-	35	29	-	1	14	14
Dodge	361	-	-	2	67	28	19	8	13	5	2	14	8	187	143	1	-	114	28
Fremont	236	-	-	2	58	15	14	6	8	4	1	10	5	112	83	1	-	70	12
Balance of county	145	-	-	-	29	11	5	2	5	1	1	4	3	75	60	-	-	44	16
Douglas	3,429	2	-	32	768	214	238	63	79	32	30	112	69	1,641	1,252	13	24	1,008	207
Omaha	3,247	2	-	29	723	204	226	62	73	29	28	101	64	1,566	1,190	13	24	957	196
Balance of county	182	-	-	3	45	10	12	1	6	3	2	11	5	75	62	-	-	51	11
Dundy	24	-	-	-	4	3	1	-	-	-	-	-	1	11	10	-	-	10	-
Fillmore	122	-	-	1	27	10	4	1	1	1	-	10	4	57	45	-	-	38	7
Franklin	52	-	-	-	10	3	4	-	2	-	-	1	1	28	25	-	-	18	7
Frontier	38	-	-	-	8	3	2	-	1	1	-	1	-	21	16	1	1	10	4
Furnas	103	1	-	-	13	4	4	2	1	1	1	-	-	66	50	-	-	42	8
Gage	283	-	-	3	69	20	11	8	12	2	7	9	7	138	106	-	2	78	28
Beatrice	170	-	-	3	39	11	5	6	6	-	4	7	4	84	66	-	2	45	19
Balance of county	113	-	-	-	30	9	6	2	6	2	3	2	3	54	40	-	-	33	7
Garden	42	-	-	2	7	2	2	-	1	-	-	2	-	25	21	-	5	7	9
Garfield	48	-	-	-	12	4	3	-	4	-	-	1	-	30	26	-	-	15	11
Gosper	24	-	-	-	9	2	2	-	1	-	1	3	-	13	11	-	-	7	4
Grant	8	-	-	-	2	1	1	-	-	-	-	-	-	2	2	-	-	1	1
Greeley	47	-	-	1	7	2	2	1	-	-	-	2	-	25	16	-	-	13	3
Hall	466	-	-	5	99	28	25	5	9	7	4	21	12	221	173	-	6	109	58
Grand Island	382	-	-	3	88	25	24	4	7	6	4	18	10	183	145	-	5	91	49
Balance of county	84	-	-	2	11	3	1	1	2	1	-	3	2	38	28	-	1	18	9
Hamilton	91	-	-	-	16	4	7	2	1	-	-	2	2	46	38	-	1	25	12
Harlan	54	-	-	-	7	1	2	-	1	-	-	3	-	30	21	-	-	19	2
Hayes	6	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-	5	1
Hitchcock	50	-	-	-	7	1	2	1	-	1	1	1	-	26	13	-	-	8	5
Holt	132	-	-	-	20	6	6	2	-	1	-	5	2	82	59	-	-	43	16
Hooker	13	-	-	-	3	1	1	-	1	-	-	-	-	7	4	-	-	2	2
Howard	100	-	-	2	20	8	6	1	1	1	1	2	1	58	39	-	-	30	9
Jefferson	120	-	-	2	29	9	3	2	3	4	2	6	2	69	52	1	1	32	16
Johnson	50	-	-	-	17	7	2	1	4	-	1	2	-	25	14	-	-	13	1
Kearney	64	-	-	-	15	4	5	1	1	-	1	3	1	36	28	-	1	21	6
Keith	95	-	-	-	13	4	3	1	2	1	1	1	-	53	38	-	-	29	9
Keya Paha	8	-	-	-	3	-	1	-	-	-	-	2	-	2	2	-	-	2	-
Kimball	65	-	-	2	8	2	1	1	1	1	-	3	-	33	25	1	-	20	4
Knox	153	-	-	-	25	7	5	1	3	-	3	6	2	88	73	-	-	60	13
Lancaster	1,367	-	-	9	314	86	66	24	34	11	20	73	17	674	504	10	7	352	135
Lincoln	1,244	-	-	7	286	79	60	22	29	10	18	68	16	615	454	10	6	319	119
Balance of county	123	-	-	2	28	7	6	2	5	1	2	5	1	59	50	-	1	33	16
Lincoln	310	-	-	-	58	18	16	6	5	1	1	11	8	164	139	-	-	94	45
North Platte	232	-	-	-	44	16	11	5	4	-	-	8	6	125	109	-	-	72	37
Balance of county	78	-	-	-	14	2	5	1	1	1	1	3	2	39	30	-	-	22	8
Logan	8	-	-	1	3	-	-	1	-	-	1	1	-	4	2	-	-	1	1
Loup	8	-	-	-	4	-	-	1	2	1	-	-	-	3	2	-	-	2	-
McPherson	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Madison	335	-	-	1	77	15	16	11	10	5	3	17	6	171	129	2	3	102	22
Norfolk	203	-	-	-	45	11	7	7	5	4	2	9	5	107	86	2	1	73	10
Balance of county	132	-	-	1	32	4	9	4	5	1	1	8	-	64	43	-	2	29	12
Merrick	111	-	-	1	20	5	4	1	3	1	1	5	1	59	46	-	-	36	10
Morrill	72	-	-	-	11	4	2	-	1	1	1	2	1	38	30	-	4	13	13
Nance	69	-	-	2	10	2	1	3	-	-	1	3	4	35	21	-	-	17	4
Nemaha	101	-	-	-	25	9	9	3	1	-	1	2	4	53	36	1	-	21	14
Nuckolls	81	-	-	1	23	7	5	2	-	1	-	8	1	34	28	-	-	18	10
Otoe	187	1	-	-	36	7	12	3	5	2	4	3	1	81	64	1	-	52	11
Pawnee	67	1	-	1	20	7	2	1	6	1	1	2	-	30	20	-	-	14	6
Perkins	39	-	-	1	9	2	3	1	1	1	-	1	1	19	13	-	1	10	2
Phelps	140	-	-	2	27	12	2	2	6	-	1	4	3	75	58	2	-	27	29
Pierce	94	-	-	-	20	9	4	-	1	-	1	5	1	56	46	2	-	39	5
Platte	221	-	-	4	42	5	15	5	4	2	5	6	1	118	88	1	-	52	35
Columbus	165	-	-	4	29	4	11	4	3	1	3	3	1	94	71	-	-	41	30
Balance of county	56	-	-	-	13	1	4	1	1	1	2	3	-	25	17	1	-	11	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	-	3	-	1	3	-	-	-	-	-	-	-	-	2	-	-	2	-	-
Buffalo	2	28	5	4	19	8	-	3	5	-	-	2	2	33	4	7	4	2	-
Kearney	2	15	3	-	7	6	-	2	2	-	-	1	1	20	1	1	1	1	-
Balance of county	-	13	2	4	6	2	-	1	3	-	-	1	1	13	3	6	3	1	-
Burt	1	12	7	-	6	2	-	-	-	1	-	-	5	5	4	4	-	-	-
Butler	-	13	1	1	3	2	1	1	1	-	-	-	-	7	2	3	3	1	1
Cass	-	31	3	2	5	1	-	2	-	-	1	-	7	11	3	3	1	-	-
Cedar	-	16	7	1	1	1	-	-	-	-	-	2	4	9	2	6	2	-	1
Chase	-	11	1	1	3	1	-	2	-	-	-	-	-	8	-	1	2	-	-
Cherry	1	11	-	-	3	1	-	-	1	-	-	-	2	6	-	3	-	-	-
Cheyenne	-	9	1	1	2	7	-	1	1	-	-	-	-	11	5	2	1	-	-
Clay	-	10	1	1	3	3	1	1	-	-	-	-	-	6	-	3	1	1	-
Colfax	-	9	-	2	4	6	1	1	2	-	-	-	3	6	2	11	-	-	-
Cuming	1	9	-	-	4	2	-	-	-	-	-	-	2	8	2	-	-	-	-
Custer	-	15	14	2	6	7	-	1	-	-	2	1	-	16	1	6	3	-	-
Dakota	-	12	3	2	6	3	-	-	1	-	-	1	-	3	3	-	3	1	1
Dawes	-	7	-	1	4	3	1	2	1	-	-	-	1	17	2	2	1	-	-
Dawson	2	16	8	5	7	7	2	2	2	-	-	-	5	14	4	4	-	1	-
Deuel	-	1	-	-	1	1	-	-	1	-	-	-	-	3	-	-	-	-	-
Dixon	-	5	-	1	2	2	-	-	1	-	-	-	-	6	-	-	1	-	-
Dodge	3	25	10	6	14	12	-	1	5	-	1	3	10	38	6	7	-	-	-
Fremont	3	14	7	5	9	11	-	1	4	-	1	1	7	20	3	2	-	-	-
Balance of county	-	11	3	1	5	1	-	-	1	-	-	2	3	18	3	5	-	-	-
Douglas	22	249	64	54	130	121	10	45	22	1	32	31	40	273	60	79	39	25	9
Omaha	21	238	64	53	124	116	9	44	20	-	30	29	38	262	53	73	34	22	9
Balance of county	1	11	-	1	6	5	1	1	2	1	2	2	2	11	7	6	5	3	-
Dundy	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-	2	2	-	-
Fillmore	-	11	1	-	2	-	-	-	1	-	-	-	1	24	1	2	2	-	-
Franklin	-	2	1	-	3	1	-	-	1	-	1	-	-	6	-	1	-	-	-
Frontier	-	1	3	1	1	1	-	-	-	-	-	-	-	5	1	1	-	-	-
Furnas	2	7	6	1	2	2	-	-	1	-	2	-	-	9	2	3	2	-	-
Gage	1	20	6	5	15	13	2	1	4	-	-	-	3	13	6	8	-	1	-
Beatrice	1	11	3	3	9	8	1	1	3	-	-	-	2	9	4	2	-	1	-
Balance of county	-	9	3	2	6	5	1	-	1	-	-	-	1	4	2	6	-	-	-
Garden	-	1	2	1	2	2	-	-	1	-	-	-	-	-	2	1	-	-	-
Garfield	-	2	-	2	-	1	-	-	-	-	-	-	-	2	-	2	1	-	-
Gosper	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Grant	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Greeley	-	8	1	-	2	1	-	-	2	-	2	-	-	5	1	1	-	-	-
Hall	1	38	5	4	24	14	2	2	4	-	2	7	8	31	15	11	5	3	1
Grand Island	1	29	5	3	18	9	1	1	4	-	2	5	8	27	9	8	3	2	1
Balance of county	-	9	-	1	6	5	1	1	-	-	-	2	-	4	6	3	2	1	-
Hamilton	-	3	3	2	8	1	-	-	2	-	1	1	2	7	2	2	1	-	-
Harlan	-	9	-	-	1	1	-	-	-	-	-	-	6	7	1	1	-	-	-
Hayes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hitchcock	-	5	6	2	3	-	1	-	1	-	-	1	-	3	2	5	1	-	-
Holt	1	15	5	2	3	4	-	-	2	-	2	1	1	8	5	2	-	-	-
Hooker	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Howard	-	18	1	-	6	-	-	-	1	-	2	-	-	5	2	2	-	1	-
Jefferson	1	13	1	2	3	-	-	1	1	-	-	-	-	6	1	3	3	-	-
Johnson	-	9	2	-	1	1	-	1	1	-	-	-	-	3	-	-	1	-	-
Kearney	1	7	-	-	-	3	-	1	1	-	-	-	-	7	-	-	-	-	-
Keith	-	11	2	2	3	2	1	-	1	-	-	-	-	9	6	3	3	1	-
Keya Paha	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Kimball	1	5	1	1	2	2	1	-	1	-	-	-	3	7	2	3	-	-	-
Knox	-	13	2	-	5	2	2	2	1	-	2	-	1	10	5	5	2	1	-
Lancaster	9	117	29	15	40	54	3	9	13	-	8	14	26	103	23	34	18	3	5
Lincoln	9	109	29	14	33	50	3	8	12	-	8	13	25	94	20	31	15	3	5
Balance of county	-	8	-	1	7	4	-	1	1	-	-	1	1	9	3	3	3	-	-
Lincoln	-	20	4	1	8	19	3	3	2	-	2	3	1	22	5	8	4	2	-
North Platte	-	12	3	1	4	12	3	3	1	-	2	3	1	15	3	7	2	1	-
Balance of county	-	8	1	-	2	7	-	-	1	-	-	-	-	7	2	1	2	1	-
Logan	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Loup	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
McPherson	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Madison	1	33	7	1	11	6	3	-	3	-	1	3	12	28	5	6	2	1	-
Norfolk	1	18	2	-	4	3	2	-	2	-	-	3	11	14	1	4	1	1	-
Balance of county	-	15	5	1	7	3	1	-	1	-	1	-	1	14	4	2	1	-	-
Merrick	-	11	-	2	3	-	2	1	1	-	4	-	2	10	3	3	1	-	-
Morrill	3	4	-	1	2	5	1	1	-	-	-	-	-	6	3	3	-	-	1
Nance	-	12	-	2	-	4	-	1	-	-	1	-	-	6	2	3	1	-	-
Nemaha	-	16	1	-	3	8	-	1	1	-	-	-	-	6	-	-	-	-	-
Nuckolls	-	6	-	-	6	1	-	1	1	-	-	-	2	9	2	-	-	-	-
Otoe	1	13	2	1	9	8	1	2	5	-	-	1	20	14	5	2	1	-	-
Pawnee	-	4	5	1	-	4	1	-	1	-	-	-	-	8	-	-	-	-	-
Perkins	-	3	-	3	4	1	-	-	1	-	-	-	-	3	-	-	-	-	-
Phelps	-	15	2	-	1	2	-	2	1	-	-	-	2	12	6	3	1	-	1
Pierce	-	7	2	1	1	2	-	-	1	-	-	2	2	5	1	1	2	-	-
Platte	1	26	3	1	11	4	-	1	1	-	1	2	6	15	7	2	3	2	-
Columbus	1	19	2	1	9	2	-	1	1	-	1	-	3	8	5	2	3	2	-
Balance of county	-	7	1	-	2	2	-	-	-	-	-	2	3	7	2	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	72	–	–	–	13	4	1	1	–	–	1	6	–	43	33	–	–	25	8
Red Willow	138	–	–	–	33	13	5	3	5	2	2	3	1	65	50	–	1	40	9
Richardson	178	1	–	–	31	8	8	5	4	1	1	4	4	76	57	–	–	44	13
Rock	21	–	–	–	2	1	–	–	–	–	–	1	2	12	11	2	1	4	4
Saline	153	–	–	1	40	11	10	2	8	–	1	8	1	76	50	1	2	28	19
Sarpy	313	–	–	3	81	17	22	10	8	1	3	20	3	129	107	2	2	75	28
Bellevue	114	–	–	2	32	7	11	4	–	–	1	9	1	45	37	1	1	22	13
Balance of county	199	–	–	1	49	10	11	6	8	1	2	11	2	84	70	1	1	53	15
Saunders	202	–	–	–	53	14	11	7	7	1	3	10	1	92	69	–	–	41	28
Scotts Bluff	376	1	–	5	82	21	22	8	8	1	8	14	8	173	133	6	2	84	41
Scottsbluff	167	1	–	2	34	9	11	2	3	–	1	8	3	83	63	1	2	39	21
Balance of county	209	–	–	3	48	12	11	6	5	1	7	6	3	90	70	5	–	45	20
Seward	136	–	–	1	28	6	8	2	4	1	–	7	4	73	60	–	–	41	19
Sheridan	99	–	–	2	15	4	4	2	2	–	2	1	3	58	42	–	1	29	12
Sherman	64	–	–	–	8	4	–	1	1	–	–	2	1	36	30	–	1	25	4
Sioux	17	–	–	–	4	1	1	–	1	–	1	–	–	8	5	–	–	1	4
Stanton	48	–	–	–	12	–	5	–	2	–	1	4	–	27	19	–	–	15	4
Thayer	111	–	–	–	13	1	4	1	2	–	1	4	3	62	59	1	–	37	21
Thomas	5	–	–	–	1	–	–	–	–	1	–	–	–	4	4	–	–	4	–
Thurston	84	–	–	4	13	1	3	1	2	1	1	4	3	45	32	–	–	24	8
Valley	89	–	–	–	17	3	5	1	3	–	1	4	1	52	30	–	1	19	10
Washington	127	–	–	1	24	3	8	–	2	1	4	6	1	67	50	–	–	41	9
Wayne	77	–	–	–	20	9	2	3	1	–	–	5	1	44	29	–	–	19	10
Webster	92	–	–	–	17	5	2	1	2	2	2	3	–	48	35	–	–	25	10
Wheeler	9	–	–	–	2	1	–	–	–	–	–	1	–	7	7	–	1	4	2
York	126	–	–	–	17	6	3	4	2	–	1	1	2	76	60	–	4	37	19
Nevada	6,755	3	1	52	1,633	350	504	134	144	72	63	366	100	2,782	2,257	23	154	1,333	747
Urban places	3,998	1	–	37	889	208	313	77	90	46	30	225	50	1,663	1,366	15	106	790	455
Balance of area	2,757	2	1	15	644	142	191	57	54	26	33	141	50	1,119	891	8	48	543	292
Metropolitan counties	5,406	3	–	42	1,345	286	428	112	123	58	53	285	77	2,219	1,814	17	144	1,044	609
Urban places	3,689	1	–	35	909	192	290	74	84	42	29	198	48	1,517	1,243	11	103	712	417
Balance of area	1,717	2	–	7	436	94	138	38	39	16	24	87	29	702	571	6	41	332	192
Nonmetropolitan counties	1,349	–	1	10	288	64	76	22	21	14	10	81	23	563	443	6	10	289	138
Urban places	309	–	–	2	80	16	23	3	6	4	1	27	2	146	123	4	3	78	38
Balance of area	1,040	–	1	8	208	48	53	19	15	10	9	54	21	417	320	2	7	211	100
Carson City city	309	–	–	2	80	16	23	3	6	4	1	27	2	146	123	4	3	78	38
Churchill	141	–	–	–	27	3	4	3	4	1	1	11	2	57	35	–	2	13	20
Clark	3,816	2	–	28	946	203	316	78	82	39	43	185	67	1,561	1,287	14	90	716	467
Henderson	208	–	–	–	49	7	18	4	3	6	3	8	3	85	72	2	1	46	23
Las Vegas	1,812	1	–	15	458	104	146	38	41	16	18	95	24	729	602	6	47	319	230
North Las Vegas	274	–	–	6	61	11	29	2	5	4	1	9	11	108	92	–	6	49	37
Balance of county	1,522	1	–	7	378	81	123	34	33	13	21	73	29	639	521	6	36	302	177
Douglas	139	–	1	2	34	6	9	7	1	4	1	6	3	54	44	–	–	31	13
Elko	151	–	–	3	23	3	9	2	2	–	1	6	2	70	54	–	–	37	17
Esmeralda	14	–	–	–	2	–	1	–	1	–	–	–	–	5	4	–	1	3	–
Eureka	11	–	–	–	3	1	1	–	–	1	–	–	–	3	1	–	–	1	–
Humboldt	87	–	–	1	15	3	1	1	–	2	1	7	4	37	30	–	–	20	10
Lander	26	–	–	–	4	–	3	–	–	–	–	1	–	6	6	–	–	3	3
Lincoln	37	–	–	–	10	4	1	–	1	1	–	3	1	15	7	–	1	5	1
Lyon	136	–	–	–	27	7	9	2	2	–	2	5	3	69	60	2	1	39	18
Mineral	59	–	–	1	13	5	2	–	1	–	1	4	1	22	21	–	1	17	3
Nye	96	–	–	1	21	8	6	2	2	–	–	3	2	28	19	–	–	14	5
Pershing	33	–	–	–	11	3	2	1	–	–	–	5	1	9	8	–	1	5	2
Storey	14	–	–	–	–	–	–	–	–	–	–	–	1	7	5	–	–	1	4
Washoe	1,590	1	–	14	399	83	112	34	41	19	10	100	10	658	527	3	54	328	142
Reno	1,057	–	–	12	248	52	63	18	26	14	7	68	7	457	363	2	36	222	103
Sparks	338	–	–	2	93	18	34	12	9	2	–	18	3	138	114	1	13	76	24
Balance of county	195	1	–	–	58	13	15	4	6	3	3	14	–	83	50	–	5	30	15
White Pine	96	–	–	–	18	5	5	1	1	1	2	3	1	35	26	–	–	22	4
New Hampshire	8,039	1	–	57	1,882	442	517	178	211	77	65	392	176	3,897	3,071	35	59	2,246	731
Urban places	3,458	–	–	24	788	200	216	77	85	33	25	152	81	1,712	1,322	18	30	937	337
Balance of area	4,583	1	–	33	1,094	242	301	101	126	44	40	240	95	2,185	1,749	17	29	1,309	394
Metropolitan counties	4,434	–	–	33	1,021	249	272	103	99	42	33	223	102	2,181	1,720	23	35	1,232	430
Urban places	2,251	–	–	18	515	133	138	51	48	23	15	107	55	1,139	880	14	18	601	247
Balance of area	2,183	–	–	15	506	116	134	52	51	19	18	116	47	1,042	840	9	17	631	183
Nonmetropolitan counties	3,605	1	–	24	861	193	245	75	112	35	32	169	74	1,716	1,351	12	24	1,014	301
Urban places	1,205	–	–	6	273	67	78	26	37	10	10	45	26	573	442	4	12	336	90
Balance of area	2,400	1	–	18	588	126	167	49	75	25	22	124	48	1,143	909	8	12	678	211
Belknap	481	–	–	4	102	22	25	10	13	3	3	26	11	251	176	2	4	127	43
Laconia	198	–	–	1	34	7	6	4	6	1	–	10	6	107	67	2	2	47	18
Balance of county	283	–	–	3	68	15	19	6	7	2	3	16	5	144	109	–	2	80	27
Carroll	300	–	–	2	75	15	18	11	7	1	5	18	4	150	117	1	3	73	40
Cheshire	550	–	–	2	136	29	44	17	13	5	6	22	9	265	194	–	5	142	47
Keene	211	–	–	1	58	11	16	12	3	4	2	10	4	102	70	–	3	52	15
Balance of county	339	–	–	1	78	18	28	5	10	1	4	12	5	163	124	–	2	90	32
Coos	360	1	–	2	98	33	25	6	12	3	3	16	8	159	132	1	–	111	20
Berlin	170	–	–	1	43	17	12	2	5	2	2	3	4	66	58	1	–	51	6
Balance of county	210	1	–	1	55	16	13	4	7	1	1	13	4	93	74	–	–	60	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Nebraska—Con.																			
Polk	5	4	–	1	1	1	–	–	1	–	1	–	2	5	1	1	3	–	–
Red Willow	–	8	4	3	4	5	1	3	2	–	–	2	2	4	4	9	3	–	–
Richardson	3	12	–	4	18	2	1	1	5	–	–	–	11	19	5	3	–	–	1
Rock	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–
Saline	–	20	6	–	3	1	–	–	3	–	1	–	4	13	3	2	5	–	–
Sarpy	2	15	4	1	8	11	–	3	2	1	6	7	11	16	7	10	10	5	–
Bellevue	1	6	1	–	3	5	–	1	1	–	–	–	6	5	2	2	6	3	–
Balance of county	1	9	3	1	5	6	–	2	1	1	6	7	5	11	5	8	4	2	–
Saunders	2	13	6	2	13	2	–	–	3	–	1	1	7	16	4	2	5	1	1
Scotts Bluff	4	24	7	5	7	19	1	1	3	1	4	4	5	36	11	10	6	1	–
Scottsbluff	2	10	6	2	–	10	–	1	2	–	1	1	1	18	2	3	4	1	–
Balance of county	2	14	1	3	7	9	1	–	1	1	3	3	4	18	9	7	2	–	–
Seward	–	12	–	1	6	1	–	–	–	–	1	–	1	12	3	6	–	–	–
Sheridan	–	10	4	2	2	2	–	2	1	–	–	–	2	6	4	2	–	–	–
Sherman	–	5	1	–	3	2	–	–	2	–	–	1	–	9	–	2	–	–	–
Sioux	–	2	–	1	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–
Stanton	–	8	–	–	–	1	1	–	–	–	–	1	4	2	–	–	–	–	–
Thayer	–	3	–	–	7	2	–	1	1	1	–	–	7	10	2	2	–	–	–
Thomas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thurston	–	13	–	–	4	1	–	2	–	–	1	2	–	4	1	3	1	–	–
Valley	–	17	3	2	2	3	1	3	–	–	–	–	–	4	1	2	2	1	–
Washington	1	15	1	–	1	4	2	–	1	–	–	–	–	6	1	3	2	–	–
Wayne	2	12	1	–	–	1	–	–	–	–	–	1	3	6	–	–	1	–	–
Webster	–	12	1	–	3	5	–	2	1	–	–	–	1	9	2	3	1	–	–
Wheeler	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
York	1	14	1	–	4	1	2	1	1	–	–	–	2	10	4	5	1	–	–
Nevada	11	379	65	70	169	276	22	140	81	3	64	54	93	525	211	179	248	101	17
Urban places	5	216	37	39	94	174	13	91	51	2	37	29	44	320	110	95	127	61	9
Balance of area	6	163	28	31	75	102	9	49	30	1	27	25	49	206	101	83	121	40	8
Metropolitan counties	6	293	47	59	121	223	16	120	83	3	50	43	61	418	168	135	199	85	15
Urban places	3	201	34	36	82	161	13	84	48	2	36	28	43	301	102	93	120	57	9
Balance of area	3	92	13	23	39	62	3	36	15	1	14	15	18	117	66	42	79	28	6
Nonmetropolitan counties	5	86	18	11	48	53	6	20	18	–	14	11	32	108	43	44	49	16	2
Urban places	2	15	3	3	12	13	–	7	3	–	1	1	1	19	8	3	7	4	–
Balance of area	3	71	15	8	36	40	6	13	15	–	13	10	31	89	35	41	42	12	2
Carson City city	2	15	3	3	12	13	–	7	3	–	1	1	1	19	8	3	7	4	–
Churchill	2	16	4	–	7	5	1	1	3	–	1	1	3	17	6	6	4	–	–
Clark	6	196	31	41	76	146	8	77	56	3	41	30	40	291	123	104	133	72	12
Henderson	1	8	1	3	3	13	1	5	1	–	1	–	5	19	10	5	7	1	–
Las Vegas	2	91	18	16	32	76	4	37	38	2	21	11	20	150	54	50	50	34	6
North Las Vegas	–	14	–	2	6	4	1	5	2	–	7	6	1	21	5	11	8	11	–
Balance of county	3	83	12	20	35	53	2	30	15	1	12	13	14	101	54	38	68	26	6
Douglas	–	6	2	2	3	5	1	1	1	–	–	–	1	12	9	7	3	2	–
Elko	–	12	2	2	6	2	–	3	2	–	2	2	5	12	6	2	11	–	–
Esmeralda	–	1	–	–	–	1	–	–	–	–	–	–	–	2	1	1	2	–	–
Eureka	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	–	–
Humboldt	–	3	3	1	–	6	2	1	1	–	3	1	–	8	–	2	3	2	1
Lander	–	–	–	–	1	2	–	–	–	–	1	3	1	2	3	–	1	2	–
Lincoln	–	7	1	–	2	2	–	1	1	–	–	–	–	2	1	1	1	–	–
Lyon	–	7	2	–	1	4	2	2	3	–	1	–	4	12	2	2	2	2	–
Mineral	–	1	–	–	3	2	–	2	1	–	1	1	2	3	–	1	5	1	–
Nye	1	6	–	2	6	4	–	–	1	–	2	1	4	7	5	8	3	2	1
Pershing	–	–	–	1	1	3	–	1	1	–	–	–	1	2	–	3	–	–	–
Storey	–	2	–	–	–	–	–	–	–	–	1	–	1	3	1	–	–	–	–
Washoe	–	97	16	18	45	77	8	43	7	–	9	13	21	127	45	31	66	13	3
Reno	–	72	12	10	34	51	7	28	5	–	5	8	11	79	29	20	44	10	2
Sparks	–	16	3	5	7	17	–	9	2	–	2	3	6	32	4	7	11	1	1
Balance of county	–	9	1	3	4	9	1	6	–	–	2	2	4	16	12	4	11	2	–
White Pine	–	8	1	–	6	4	–	1	–	–	1	1	9	7	1	5	6	1	–
New Hampshire	34	564	129	99	214	281	28	116	71	–	52	81	52	651	189	149	123	12	7
Urban places	15	263	77	35	96	119	8	59	30	–	17	34	24	293	56	57	45	8	4
Balance of area	19	301	52	64	118	162	19	57	41	–	35	47	28	358	133	92	78	4	3
Metropolitan counties	13	324	74	50	132	133	16	69	41	–	26	53	26	329	117	70	75	6	4
Urban places	5	181	52	21	66	63	7	38	22	–	12	30	12	162	41	34	30	4	3
Balance of area	8	143	22	29	66	70	9	31	19	–	14	23	14	167	76	36	45	2	1
Nonmetropolitan counties	21	240	55	49	82	148	12	47	30	–	26	28	26	322	72	79	48	6	3
Urban places	10	82	25	14	30	56	2	21	8	–	5	4	12	131	15	23	15	4	1
Balance of area	11	158	30	35	52	92	10	26	22	–	21	24	14	191	57	56	33	2	2
Belknap	4	54	11	6	11	18	1	5	3	–	2	3	6	39	8	11	5	1	–
Laconia	1	30	6	3	4	8	–	4	–	–	2	–	5	21	–	5	–	1	–
Balance of county	3	24	5	3	7	10	1	1	3	–	–	3	1	18	8	6	5	–	–
Carroll	3	24	2	4	10	7	1	3	2	–	4	4	1	24	6	4	3	–	–
Cheshire	5	40	18	8	14	21	3	6	3	–	6	5	3	47	8	13	7	1	1
Keene	2	16	11	3	8	7	–	3	2	–	–	–	–	18	2	3	3	–	–
Balance of county	3	24	7	5	6	14	3	3	1	–	6	5	3	29	6	10	4	1	1
Coos	2	15	3	7	9	19	–	10	6	–	2	4	3	38	7	11	3	–	–
Berlin	2	3	1	2	3	9	–	5	2	–	1	2	2	23	4	3	1	–	–
Balance of county	–	12	2	5	6	10	–	4	4	–	1	2	1	15	3	8	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	590	–	–	7	145	28	44	15	14	9	7	28	10	265	209	2	2	150	55
Lebanon	100	–	–	2	21	5	8	–	3	–	1	4	–	48	40	–	2	26	12
Balance of county	490	–	–	5	124	23	36	15	11	9	6	24	10	217	169	2	–	124	43
Hillsborough	2,287	–	–	16	513	133	134	61	47	20	16	102	44	1,149	882	13	12	621	236
Manchester	996	–	–	10	220	64	53	25	18	10	7	43	16	508	364	3	3	224	134
Nashua	538	–	–	2	131	32	40	15	15	6	2	21	15	270	219	6	5	165	43
Balance of county	753	–	–	4	162	37	41	21	14	4	7	38	13	371	299	4	4	232	59
Merrimack	951	–	–	7	223	44	61	12	46	11	6	43	26	461	384	5	4	316	59
Concord	372	–	–	1	79	17	22	5	18	2	3	12	10	177	141	1	1	117	22
Balance of county	579	–	–	6	144	27	39	7	28	9	3	31	16	284	243	4	3	199	37
Rockingham	1,433	–	–	13	348	74	93	25	39	17	12	88	30	679	542	8	6	389	139
Portsmouth	197	–	–	2	54	9	15	2	7	3	1	17	3	91	74	3	–	44	27
Balance of county	1,236	–	–	11	294	65	78	23	32	14	11	71	27	588	468	5	6	345	112
Strafford	714	–	–	4	160	42	45	17	13	5	5	33	28	353	296	2	17	222	55
Dover	210	–	–	2	44	11	14	1	4	1	–	13	7	109	90	2	6	64	18
Rochester	213	–	–	1	47	13	10	7	4	3	3	7	11	111	94	–	4	73	17
Somersworth	97	–	–	1	19	4	6	1	–	–	2	6	3	50	39	–	–	31	6
Balance of county	194	–	–	–	50	14	15	6	5	1	–	7	7	83	73	–	7	54	12
Sullivan	353	–	–	–	82	22	28	4	7	3	2	18	6	165	139	1	6	95	37
Claremont	154	–	–	–	38	10	14	3	2	1	2	6	2	73	66	–	4	43	19
Balance of county	199	–	–	–	44	12	14	1	5	2	–	10	4	92	73	1	2	52	18
New Jersey	69,437	72	3	1,054	16,746	4,718	4,381	1,619	1,794	662	595	2,977	1,433	33,958	27,627	309	625	21,014	5,479
Urban places	49,963	62	3	823	11,922	3,420	3,122	1,159	1,266	462	418	2,075	1,089	24,189	19,721	223	619	15,061	3,798
Balance of area	19,474	10	–	231	4,824	1,298	1,259	460	528	200	177	902	344	9,767	7,906	86	206	5,933	1,681
Metropolitan counties	61,947	69	3	953	14,901	4,220	3,839	1,481	1,570	602	540	2,649	1,309	30,040	24,452	277	734	18,504	4,937
Urban places	46,500	61	3	774	11,062	3,177	2,866	1,097	1,161	441	391	1,929	1,019	22,359	18,236	206	575	13,882	3,573
Balance of area	15,447	8	–	179	3,839	1,043	973	384	409	161	149	720	290	7,681	6,216	71	159	4,622	1,364
Nonmetropolitan counties	7,490	3	–	101	1,845	498	542	138	224	60	55	328	124	3,916	3,175	32	91	2,510	542
Urban places	3,463	1	–	49	860	243	256	62	105	21	27	146	70	1,830	1,485	17	44	1,199	225
Balance of area	4,027	2	–	52	985	255	286	76	119	39	28	182	54	2,086	1,690	15	47	1,311	317
Atlantic	2,418	3	–	38	549	165	138	52	59	33	12	90	57	1,207	934	6	36	696	206
Atlantic City	772	2	–	11	151	54	31	13	23	8	3	19	19	380	295	2	19	211	63
Hammonton	119	–	–	2	33	8	9	2	4	3	1	6	6	51	41	–	–	32	9
Pleasantville	209	–	–	7	50	11	14	4	9	5	2	5	2	104	84	–	4	57	23
Somers Point	119	–	–	2	27	7	6	7	–	2	–	5	2	60	43	2	1	31	9
Ventnor City	189	–	–	1	44	15	7	4	6	4	1	7	7	100	77	–	1	63	13
Balance of county	1,010	1	–	15	244	70	71	22	17	11	5	48	21	512	394	2	11	292	89
Bergen	7,715	2	1	83	2,013	583	481	224	208	91	80	346	146	3,917	3,233	34	72	2,683	444
Bergenfield	243	–	–	3	73	22	16	13	8	1	–	13	6	109	95	1	1	88	7
Cliffside Park	238	–	–	4	73	22	13	10	8	4	4	12	5	115	95	1	1	77	16
Dumont	188	–	–	1	49	16	12	5	6	1	2	7	–	108	86	2	2	73	9
Elmwood Park	179	–	–	4	40	10	9	6	2	1	3	9	6	98	86	1	–	77	8
Englewood	257	1	–	4	62	20	12	6	9	1	3	11	3	122	97	2	4	82	9
Fair Lawn	342	–	–	6	90	27	21	8	11	4	3	16	4	177	146	2	2	123	19
Fairview	117	–	–	5	29	8	9	3	3	2	1	3	2	66	55	1	–	48	6
Fort Lee	321	–	–	3	90	22	20	10	16	3	4	15	3	155	135	1	5	111	18
Garfield	355	–	–	5	79	26	17	13	6	4	7	6	13	193	165	1	4	131	29
Glen Rock	102	–	–	1	27	6	8	3	5	2	1	2	1	54	42	–	1	34	7
Hackensack	399	–	1	9	94	26	22	12	8	4	3	19	12	207	172	–	7	132	33
Hasbrouck Heights	127	–	–	1	31	8	9	1	7	1	1	4	4	64	52	5	1	36	10
Hillsdale	68	–	–	2	22	7	5	5	–	1	–	4	–	34	22	–	–	20	2
Lodi	225	1	–	2	53	16	14	6	2	3	3	9	5	118	100	4	4	70	22
Lyndhurst township#	209	–	–	–	52	14	17	4	2	3	2	10	10	109	88	–	5	74	9
New Milford	156	–	–	3	37	9	9	1	5	1	2	10	7	80	67	–	1	61	5
North Arlington	192	–	–	–	49	12	12	9	1	2	3	10	6	96	86	–	1	77	8
Oakland	77	–	–	–	27	7	7	6	3	1	–	3	1	24	22	–	–	20	2
Palisades Park	144	–	–	2	31	9	8	1	2	4	3	4	3	70	58	1	2	47	8
Paramus	215	–	–	2	54	20	11	3	3	4	1	12	5	114	95	4	1	84	6
Ramsey	81	–	–	–	22	8	4	1	5	–	–	4	3	35	27	–	1	24	2
Ridgefield	94	–	–	1	23	6	5	2	2	2	1	5	1	48	44	–	2	39	3
Ridgefield Park	143	–	–	–	29	8	9	2	3	2	–	5	–	77	62	–	2	52	8
Ridgewood	181	–	–	1	46	14	11	7	1	3	2	8	3	102	83	–	4	65	14
River Edge	106	–	–	1	22	10	4	–	3	1	1	3	1	59	44	–	–	38	6
Rutherford	194	–	–	2	55	14	14	2	10	4	3	8	4	90	72	–	–	59	13
Saddle Brook township#	133	–	–	1	47	13	16	2	7	3	–	6	3	63	55	–	2	47	6
Teaneck township#	316	–	–	2	89	26	23	12	10	5	–	13	1	168	146	–	4	126	16
Tenafly	128	–	–	–	32	9	4	6	3	–	4	6	2	66	51	1	1	40	9
Waldwick	61	–	–	1	23	6	3	4	–	1	3	6	–	29	24	–	–	20	4
Wallington	111	–	–	1	28	6	8	4	4	1	1	4	6	58	46	–	2	38	6
Westwood	98	–	–	–	21	6	3	5	2	–	1	4	1	55	41	–	–	33	8
Wyckoff township#	100	–	–	1	21	7	4	1	2	2	–	5	1	51	41	1	3	33	4
Balance of county	1,815	–	–	15	493	143	122	51	49	20	18	90	24	905	733	8	9	606	112
Burlington	2,707	1	–	26	653	177	167	69	67	27	19	127	45	1,322	1,075	15	29	731	300
Burlington	159	–	–	–	32	9	9	6	–	1	1	6	3	80	64	–	1	43	20
Cinnaminson township#	101	–	–	–	30	11	7	6	2	1	1	2	2	49	34	–	–	23	11
Delran township#	84	–	–	3	19	5	3	2	2	1	1	5	2	43	33	–	1	27	5
Maple Shade township#	206	–	–	–	55	15	15	6	3	4	–	12	7	95	83	–	1	58	24
Moorestown township#	150	–	–	4	38	14	9	4	4	1	2	4	3	71	50	–	1	31	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	2	36	6	12	11	25	4	9	6	–	5	1	3	58	16	13	10	1	1
Lebanon	1	8	1	–	3	5	1	2	–	–	–	–	1	12	3	1	1	–	–
Balance of county	1	30	5	12	8	20	3	7	6	–	5	1	2	46	13	12	9	1	1
Hillsborough	6	178	61	22	70	70	13	37	18	–	16	25	15	160	59	40	37	4	1
Manchester	2	100	34	8	30	29	5	13	8	–	7	11	7	74	20	22	12	3	1
Nashua	2	28	15	6	16	14	1	11	6	–	2	8	3	35	10	5	9	–	–
Balance of county	2	50	12	8	24	27	7	13	4	–	7	6	5	51	29	13	16	1	–
Merrimack	4	49	13	11	20	37	2	13	7	–	5	8	7	68	19	12	14	1	1
Concord	4	22	4	6	10	17	1	5	3	–	2	2	3	44	2	4	10	1	1
Balance of county	–	27	9	5	10	20	1	8	4	–	3	6	4	44	17	8	4	–	–
Rockingham	6	100	11	20	47	39	1	19	15	–	6	18	10	111	39	24	29	2	2
Portsmouth	–	14	1	2	8	4	1	5	1	–	–	3	1	14	2	2	4	1	1
Balance of county	6	86	10	18	39	35	–	14	14	–	6	16	9	97	37	22	25	1	1
Strafford	1	46	2	8	15	24	2	13	8	–	4	9	1	58	19	6	9	–	1
Dover	1	15	–	3	3	11	–	2	1	–	–	2	1	21	3	2	2	–	–
Rochester	–	16	–	1	6	3	–	6	2	–	2	3	–	13	5	1	1	–	1
Somersworth	–	8	2	1	3	2	–	1	4	–	1	3	–	5	1	2	2	–	–
Balance of county	–	7	–	3	3	8	2	4	1	–	1	1	–	19	10	1	4	–	–
Sullivan	1	22	2	1	7	21	1	1	3	–	2	3	3	28	8	15	6	2	–
Claremont	–	5	2	–	2	10	–	1	1	–	–	–	1	13	4	7	–	2	–
Balance of county	1	17	–	1	5	11	1	–	2	–	2	3	2	15	4	8	6	–	–
New Jersey	215	4,826	770	718	1,920	1,952	217	1,085	805	11	378	589	471	5,471	974	1,235	626	423	36
Urban places	151	3,288	526	505	1,386	1,385	157	815	607	8	272	455	372	4,079	610	907	427	353	32
Balance of area	64	1,340	244	213	534	567	60	260	198	3	106	134	99	1,392	364	328	199	70	4
Metropolitan counties	191	4,092	686	619	1,760	1,727	189	953	708	10	349	542	437	5,008	856	1,127	566	404	36
Urban places	141	3,028	492	462	1,331	1,282	145	759	558	7	266	436	360	3,873	563	860	405	345	32
Balance of area	50	1,064	194	157	429	445	44	194	150	3	83	106	77	1,135	293	267	161	59	4
Nonmetropolitan counties	24	534	84	99	160	225	28	112	97	1	29	47	34	463	118	108	60	19	–
Urban places	10	258	34	43	65	103	12	56	49	1	6	19	12	206	47	47	22	8	–
Balance of area	14	276	50	56	95	122	16	56	48	–	23	28	22	257	71	61	38	11	–
Atlantic	5	198	45	25	65	82	4	30	25	–	9	16	29	175	31	52	24	21	1
Atlantic City	3	61	13	8	30	24	2	14	10	–	1	9	10	64	11	11	8	15	–
Hammonton	–	4	5	1	2	2	–	2	3	–	–	–	2	9	2	3	2	–	–
Pleasantville	–	12	5	3	4	11	–	2	2	–	2	1	2	12	1	5	3	1	–
Somers Point	1	12	3	1	3	9	–	–	2	–	1	2	1	3	3	2	2	–	–
Ventnor City	–	19	3	1	4	6	–	3	1	–	1	1	2	13	–	4	1	–	1
Balance of county	1	90	16	11	22	30	2	9	7	–	4	3	12	74	14	27	8	5	–
Bergen	25	507	75	77	207	180	31	110	64	–	32	28	62	538	83	119	68	25	6
Bergenfield	–	10	1	3	8	8	1	6	–	–	1	1	–	21	1	4	1	2	–
Cliffside Park	1	16	1	2	10	6	–	2	1	–	1	1	2	13	1	–	4	–	–
Dumont	–	15	2	5	2	5	2	4	2	–	–	–	–	13	–	1	1	–	–
Elmwood Park	–	6	2	4	5	2	1	1	–	–	–	–	1	14	3	3	1	–	–
Englewood	1	19	2	3	7	3	1	6	6	–	–	2	6	21	4	3	4	1	1
Fair Lawn	3	22	2	4	13	2	1	3	4	–	2	1	–	24	3	9	2	1	–
Fairview	1	6	3	1	2	1	–	3	2	–	–	–	–	3	3	1	–	–	–
Fort Lee	1	16	–	3	14	7	–	8	2	–	–	4	6	15	2	7	2	2	1
Garfield	–	19	5	4	4	6	3	4	4	–	1	1	4	29	2	2	5	–	–
Glen Rock	–	10	–	2	5	3	–	–	1	–	1	–	–	2	4	2	–	1	–
Hackensack	2	27	3	3	14	5	2	8	2	–	2	1	10	23	3	2	2	1	1
Hasbrouck Heights	–	7	4	1	5	2	1	2	–	–	–	–	4	11	–	1	–	–	1
Hillsdale	–	8	2	2	3	–	–	–	–	–	–	1	3	1	–	2	–	–	–
Lodi	1	15	1	1	6	8	–	5	1	–	–	–	2	15	2	5	1	1	–
Lyndhurst township#	4	12	2	3	1	10	2	1	1	–	–	–	2	11	1	8	1	–	–
New Milford	–	9	3	1	4	5	–	3	–	–	–	–	–	13	2	2	–	–	–
North Arlington	1	8	–	1	3	3	–	1	3	–	1	–	1	14	6	6	2	1	–
Oakland	–	2	–	–	6	5	–	1	1	–	1	–	–	6	1	1	2	1	–
Palisades Park	–	10	2	–	5	6	–	4	1	–	–	1	–	14	3	1	1	2	–
Paramus	1	13	2	3	5	3	2	5	2	–	2	–	–	14	1	2	4	–	–
Ramsey	–	7	–	1	3	6	2	1	–	–	–	–	1	4	2	1	1	–	–
Ridgefield	1	3	–	–	3	3	1	1	–	–	–	–	–	6	2	3	1	1	–
Ridgefield Park	–	12	2	1	3	6	2	–	2	–	1	1	1	16	1	3	1	–	–
Ridgewood	–	12	1	6	8	5	–	2	2	–	–	1	–	6	–	2	3	–	–
River Edge	–	14	–	1	1	2	–	3	–	–	–	–	3	11	2	1	–	–	–
Rutherford	–	18	1	1	8	5	1	2	2	–	1	1	1	16	1	4	–	1	–
Saddle Brook township#	1	7	–	–	–	2	1	1	1	–	–	–	–	10	2	1	1	–	–
Teaneck township#	1	11	4	4	4	5	1	4	–	–	1	3	1	19	2	5	8	5	–
Tenafly	–	12	1	2	2	5	1	1	1	–	–	–	2	11	2	3	–	–	–
Waldwick	–	3	–	2	1	–	–	1	–	–	–	–	–	4	1	1	–	–	–
Wallington	1	9	1	1	–	3	1	1	1	–	1	–	–	7	–	3	1	–	–
Westwood	1	11	2	–	3	2	1	–	–	–	1	–	1	9	1	2	1	–	–
Wyckoff township#	–	7	2	1	3	1	–	3	1	–	–	–	–	16	1	1	–	–	–
Balance of county	4	139	24	11	48	45	4	23	21	–	15	9	11	126	24	27	18	5	2
Burlington	10	186	26	25	68	110	6	37	33	–	18	29	13	190	69	49	30	8	–
Burlington	2	11	–	3	4	8	1	3	3	–	–	1	1	14	4	4	1	–	–
Cinnaminson township#	–	11	3	1	6	2	–	–	1	–	1	1	–	6	2	–	1	–	–
Delran township#	1	6	1	–	1	6	–	1	–	–	–	–	–	9	3	1	2	–	–
Maple Shade township#	2	9	1	–	6	8	1	3	3	–	2	–	–	17	2	3	4	–	–
Moorestown township#	–	15	4	2	5	3	–	3	3	–	1	–	1	8	3	3	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	159	-	-	1	40	10	13	3	3	1	1	9	3	73	56	1	-	42	13
Pemberton township#	160	-	-	1	40	8	16	1	8	-	1	6	1	67	55	-	2	42	11
Willingboro township#	200	-	-	4	49	10	13	6	3	2	-	15	3	77	66	-	1	51	14
Balance of county	1,488	1	-	13	350	95	82	35	42	16	12	68	21	767	634	14	22	414	184
Camden	4,367	5	-	58	1,090	297	289	113	101	45	32	213	91	2,100	1,721	24	51	1,115	531
Bellmawr	130	-	-	2	35	12	8	4	2	3	2	4	1	60	47	1	-	36	10
Camden	863	3	-	14	208	58	57	20	25	6	4	38	17	359	287	4	18	162	103
Cherry Hill township#	550	1	-	7	129	40	27	24	10	3	2	23	12	285	244	3	5	162	74
Collingswood	223	-	-	4	55	10	17	7	6	3	2	10	2	120	103	2	1	72	28
Gloucester township#	257	-	-	1	64	18	15	5	8	6	1	11	6	133	117	3	2	69	43
Gloucester City	165	-	-	4	45	13	12	4	3	3	-	10	2	78	63	-	1	37	25
Haddon township#	157	-	-	4	38	10	8	6	3	-	2	9	8	81	65	1	1	42	21
Haddonfield	130	-	-	1	37	13	6	3	3	-	3	9	6	63	47	1	1	27	18
Lindenwold	83	-	-	2	21	6	7	1	1	-	1	5	2	46	40	2	3	23	12
Pennsauken township#	344	-	-	6	80	20	23	6	8	3	1	19	8	167	127	1	5	78	43
Voorhees township#	66	-	-	-	14	5	3	1	-	1	1	3	1	34	29	-	-	22	7
Balance of county	1,389	1	-	13	364	92	106	32	32	17	13	72	27	674	552	6	14	385	147
Cape May	1,122	-	-	11	259	79	71	17	30	7	6	49	18	606	463	1	22	340	100
Ocean City	217	-	-	1	43	18	7	2	6	1	2	7	8	120	78	-	2	62	14
Balance of county	905	-	-	10	216	61	64	15	24	6	4	42	10	486	385	1	20	278	86
Cumberland	1,271	1	-	10	254	72	73	23	30	8	7	41	21	651	535	2	24	320	189
Bridgeton	223	-	-	1	40	14	13	3	7	-	-	3	5	110	96	1	4	65	26
Millville	314	-	-	3	62	18	17	3	7	4	3	10	3	184	130	-	5	73	52
Vineland	482	1	-	5	94	20	26	11	11	3	2	21	10	241	195	1	11	112	71
Balance of county	272	-	-	1	58	20	17	6	5	1	2	7	3	136	114	-	4	70	40
Essex	8,184	23	-	194	1,845	533	475	182	202	57	56	340	201	3,736	3,061	39	127	2,212	683
Belleville	346	1	-	5	82	24	24	11	6	2	1	14	13	171	146	2	4	107	33
Bloomfield	546	1	-	11	136	40	34	14	17	3	3	25	8	274	221	4	11	168	40
Cedar Grove township#	108	-	-	2	28	9	5	1	-	3	1	9	2	55	43	-	-	31	12
East Orange	774	3	-	17	159	40	52	18	15	2	6	26	28	334	267	5	12	192	58
Irvington	682	-	-	20	131	45	36	16	11	5	6	12	13	330	281	4	8	210	59
Livingston township#	217	1	-	2	63	22	8	5	6	4	4	14	3	109	89	-	6	69	14
Maplewood township#	212	-	-	4	45	20	8	2	4	-	2	9	3	109	87	1	2	69	15
Millburn township#	180	-	-	4	53	14	11	4	10	1	2	11	3	83	70	-	2	53	15
Montclair	443	-	-	10	107	31	23	8	12	2	5	26	10	199	143	4	4	92	43
Newark	2,936	16	-	93	610	160	168	54	71	20	15	122	74	1,187	978	14	57	650	257
Nutley	281	-	-	2	70	20	20	7	6	4	1	12	8	145	125	2	4	101	18
Orange	342	-	-	10	78	26	23	8	5	2	1	13	9	165	131	1	8	92	30
South Orange Village township#	163	-	-	3	33	8	7	5	5	-	1	7	1	93	71	1	1	55	14
Verona	152	-	-	2	39	16	7	5	6	-	1	4	4	78	66	-	2	48	18
West Caldwell	82	-	-	1	25	8	9	1	2	-	2	3	2	38	30	-	1	25	4
West Orange	439	1	-	6	100	27	18	11	17	4	3	20	12	232	199	1	3	168	27
Balance of county	301	-	-	2	86	23	22	12	9	5	2	13	8	134	114	-	2	86	26
Gloucester	1,671	2	-	25	436	113	128	36	47	12	13	87	33	817	634	6	47	354	227
Deptford township#	114	-	-	2	33	8	10	4	4	1	1	5	4	57	45	-	6	28	11
Glassboro	110	-	-	-	23	2	12	4	1	-	1	3	1	57	50	-	6	30	14
Washington township#	97	-	-	1	28	4	10	4	4	1	2	3	2	37	30	-	1	18	11
West Deptford township#	103	-	-	2	35	15	10	2	-	-	2	6	1	48	37	-	3	18	16
Woodbury	165	-	-	3	42	17	8	2	5	1	-	9	3	61	63	-	4	26	33
Balance of county	1,082	2	-	17	275	67	78	20	33	9	7	61	22	537	409	6	27	234	142
Hudson	5,848	14	-	123	1,324	379	338	123	142	60	50	232	137	2,755	2,315	20	44	1,917	334
Bayonne	869	2	-	10	224	54	56	19	26	9	11	49	21	421	359	2	3	292	62
Harrison	130	-	-	-	34	12	10	2	4	-	1	5	4	66	59	1	2	52	4
Hoboken	360	-	-	6	68	23	15	8	6	2	6	8	4	200	172	3	2	135	32
Jersey City	2,436	11	-	68	522	141	140	38	62	28	20	93	59	1,073	899	10	20	756	113
Kearny	362	-	-	4	91	20	26	11	9	7	1	17	10	176	143	-	6	115	22
North Bergen township#	541	1	-	13	129	42	31	16	14	3	3	20	13	259	210	1	5	183	21
Secaucus	152	-	-	3	45	13	10	5	3	5	3	6	6	61	52	1	-	43	8
Union City	443	-	-	10	83	28	21	7	8	3	3	13	13	212	174	1	2	139	32
Weehawken township#	122	-	-	3	28	9	5	3	2	-	-	9	-	62	48	-	-	38	10
West New York	341	-	-	6	81	28	20	11	8	3	2	9	7	170	146	1	3	117	25
Balance of county	92	-	-	-	19	9	4	3	-	-	-	3	-	55	53	-	1	47	5
Hunterdon	624	-	-	6	152	39	37	13	14	12	4	33	10	314	252	4	7	161	80
Mercer	2,516	-	-	32	575	151	140	51	78	23	23	109	62	1,211	1,009	8	60	633	308
East Windsor township#	89	-	-	-	24	9	5	3	1	1	1	4	2	38	33	-	3	21	9
Ewing township#	18	-	-	-	9	-	-	-	1	-	-	2	1	13	9	-	-	6	3
Hamilton township#	712	-	-	7	176	51	39	16	24	8	7	31	15	355	305	2	24	199	80
Princeton	121	-	-	1	31	8	10	1	3	3	-	6	2	53	37	-	1	23	13
Trenton	1,109	-	-	21	243	62	68	20	27	10	9	47	32	521	439	6	24	266	143
Balance of county	467	-	-	3	98	21	18	11	22	1	6	19	10	231	186	-	8	118	80
Middlesex	5,018	4	-	53	1,272	351	348	116	143	36	49	229	102	2,438	1,972	32	53	1,588	299
Carteret	221	-	-	2	53	8	19	4	8	1	3	10	3	116	93	1	4	80	8
East Brunswick township#	480	-	-	5	133	37	36	19	13	3	4	21	8	231	191	5	4	141	41
Edison township#	555	1	-	9	162	46	44	15	23	5	7	22	8	256	217	-	3	182	32
Highland Park	106	-	-	3	27	6	5	5	2	1	-	8	4	44	38	1	-	29	6
Metuchen	152	-	-	1	38	15	9	1	4	3	2	4	1	81	67	-	3	53	11
Middlesex	113	-	-	-	30	7	8	1	3	2	1	8	4	48	37	1	2	30	4
New Brunswick	302	-	-	4	67	16	22	7	4	2	1	15	7	129	106	1	2	81	22
North Brunswick township#	159	-	-	1	47	14	12	7	4	-	2	8	3	77	63	-	2	54	7
Old Bridge township#	303	-	-	2	78	23	27	6	5	1	2	14	9	150	125	2	3	99	21
Perth Amboy	408	-	-	7	80	21	25	7	9	2	2	14	13	219	177	2	7	147	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	2	11	1	3	3	7	–	3	1	–	1	2	1	11	7	4	2	–	–
Pemberton township#	–	11	1	–	7	8	–	2	–	–	3	8	2	9	5	6	1	–	–
Willingboro township#	–	8	–	3	2	11	2	3	5	–	6	4	2	13	9	5	3	2	–
Balance of county	3	102	15	13	34	57	2	19	17	–	4	13	6	109	34	23	12	6	–
Camden	15	265	56	43	99	131	7	47	55	2	30	54	35	323	67	71	64	34	4
Bellmawr	–	8	3	2	5	4	–	2	–	–	2	–	–	10	2	1	5	1	–
Camden	4	60	2	6	26	22	–	12	18	–	9	27	12	64	13	24	10	22	3
Cherry Hill township#	–	33	6	2	15	13	–	–	8	–	2	6	2	44	5	8	12	1	–
Collingswood	–	16	–	1	5	5	1	3	2	–	–	1	3	15	3	2	2	–	–
Gloucester township#	1	13	1	1	6	11	–	3	4	–	3	1	2	11	4	3	6	–	–
Gloucester City	2	10	1	2	1	7	1	2	2	–	1	1	2	15	–	2	2	–	–
Haddon township#	–	11	3	2	2	3	1	2	–	–	–	2	2	12	–	–	2	–	–
Haddonfield	–	10	3	3	3	3	–	1	–	–	–	1	–	11	–	2	2	–	–
Lindenwold	–	3	1	2	2	5	–	4	–	–	–	1	–	3	3	2	–	2	–
Pennsauken township#	1	23	13	3	9	7	–	7	5	–	2	–	4	28	5	10	4	1	1
Voorhees township#	–	3	–	2	1	2	–	1	–	–	–	–	–	8	2	1	2	–	–
Balance of county	7	75	23	17	24	49	4	10	16	2	11	14	8	102	30	16	17	7	–
Cape May	4	97	27	15	21	28	3	15	18	–	5	7	7	67	26	19	10	2	–
Ocean City	1	30	5	6	6	8	1	3	4	–	–	1	–	11	6	3	1	1	–
Balance of county	3	67	22	9	15	20	2	12	14	–	5	6	7	56	20	16	9	1	–
Cumberland	8	77	10	21	31	31	4	19	15	–	7	21	8	118	37	21	14	8	–
Bridgeton	–	11	1	2	10	9	1	3	7	–	–	7	–	22	5	2	1	–	–
Millville	3	16	4	11	7	9	–	4	2	–	1	3	2	34	7	8	3	2	–
Vineland	2	35	3	6	9	7	2	7	2	–	4	5	1	39	15	7	7	6	–
Balance of county	3	15	2	2	5	6	1	5	4	–	2	6	5	23	10	4	3	–	–
Essex	24	524	58	71	249	201	25	148	137	2	43	96	75	771	96	181	51	103	7
Belleville	1	18	3	3	8	6	2	7	4	–	1	2	2	34	–	4	3	1	–
Bloomfield	3	41	6	3	14	14	1	7	13	–	2	2	4	44	7	7	–	1	–
Cedar Grove township#	–	9	1	2	1	4	1	–	1	–	–	1	1	10	2	–	–	–	–
East Orange	2	47	7	11	29	28	1	9	11	–	3	14	7	78	16	20	6	10	1
Irvington	2	39	3	5	19	14	–	13	11	–	6	7	8	56	7	15	5	7	–
Livingston township#	–	18	1	1	6	6	1	2	1	–	–	4	1	15	1	2	–	–	–
Maplewood township#	1	19	–	2	7	6	1	3	–	–	2	–	2	23	3	1	2	–	1
Millburn township#	–	11	–	2	3	1	1	5	2	–	2	–	–	16	–	4	3	–	–
Montclair	4	40	6	6	16	13	3	6	7	–	1	5	3	41	2	13	6	–	1
Newark	8	167	13	21	87	66	4	68	64	2	18	52	42	325	42	89	17	76	4
Nutley	–	15	–	5	9	6	3	1	5	–	–	2	1	21	3	3	2	–	–
Orange	–	28	5	1	5	11	–	9	8	–	1	2	2	29	4	5	–	4	–
South Orange Village township#	–	18	3	1	5	6	–	2	2	–	1	1	–	12	–	2	1	1	–
Verona	1	9	1	1	6	1	–	4	1	–	2	–	–	11	–	2	1	1	–
West Caldwell	–	5	1	2	2	2	1	1	1	–	1	1	–	5	–	1	1	–	–
West Orange	1	24	4	4	20	13	4	7	4	–	1	3	1	22	3	8	2	–	–
Balance of county	1	16	2	1	12	4	2	4	2	–	2	–	1	29	6	5	2	2	–
Gloucester	3	119	41	20	19	71	3	22	23	–	12	18	6	92	40	27	20	5	–
Deptford township#	–	9	2	1	–	8	–	1	2	–	1	1	–	3	–	–	2	–	–
Glassboro	–	6	1	–	1	4	1	1	2	–	3	2	2	10	1	1	1	–	–
Washington township#	–	5	2	–	1	6	–	–	2	–	2	3	–	6	7	1	1	–	–
West Deptford township#	–	5	4	2	–	4	–	1	2	–	–	–	–	4	1	1	2	2	–
Woodbury	–	10	5	3	4	6	–	1	1	–	2	1	2	12	3	1	3	–	–
Balance of county	3	84	27	14	13	43	2	18	14	–	4	11	2	57	28	23	11	3	–
Hudson	18	343	33	46	138	159	23	126	93	–	43	56	51	530	53	111	48	55	9
Bayonne	2	48	3	9	17	30	2	15	17	–	5	2	6	72	7	13	3	1	1
Harrison	1	4	–	2	3	4	–	3	1	–	–	–	–	8	–	2	3	2	–
Hoboken	–	23	4	1	2	11	2	10	6	–	3	–	5	26	5	2	5	3	2
Jersey City	9	135	10	20	63	66	10	52	41	–	20	36	27	263	18	52	20	31	4
Kearny	4	25	2	2	8	11	–	9	6	–	4	2	1	28	3	6	4	1	–
North Bergen township#	1	37	5	6	14	16	3	11	6	–	2	1	8	42	3	10	6	3	1
Secaucus	–	9	–	–	3	2	3	5	1	–	1	1	–	17	1	2	1	–	–
Union City	–	30	7	1	11	10	1	8	7	–	3	7	2	44	7	14	4	7	–
Weehawken township#	–	12	–	2	7	3	–	3	–	–	1	1	1	6	2	3	1	1	–
West New York	1	18	2	3	8	6	2	8	7	–	4	4	1	23	3	5	1	4	1
Balance of county	–	2	–	–	2	–	–	2	1	–	–	2	–	3	4	2	–	2	–
Hunterdon	1	46	4	11	25	15	3	5	7	–	8	3	6	40	7	14	6	3	–
Mercer	8	145	14	35	65	96	9	44	20	–	11	28	17	204	49	51	22	19	1
East Windsor township#	–	4	–	1	2	3	–	3	–	–	–	1	–	9	3	–	4	–	–
Ewing township#	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hamilton township#	1	38	3	10	14	39	6	9	1	–	1	6	4	56	11	9	1	2	–
Princeton	–	10	1	5	10	5	–	2	1	–	–	–	–	11	2	1	2	–	–
Trenton	6	57	6	13	25	32	1	25	13	–	6	19	9	84	16	31	13	17	1
Balance of county	1	36	3	5	14	17	2	5	5	–	4	2	4	43	17	10	2	–	–
Middlesex	10	292	110	54	171	115	19	80	41	2	27	45	39	398	66	82	48	14	2
Carteret	–	16	5	2	3	2	1	7	1	–	1	5	3	19	2	1	1	1	–
East Brunswick township#	2	25	5	7	14	16	–	7	3	1	1	2	–	42	5	8	5	1	–
Edison township#	3	19	14	3	18	12	1	5	5	–	5	5	2	42	8	12	4	–	–
Highland Park	–	5	1	2	5	3	1	2	3	–	1	1	–	9	1	1	1	–	–
Metuchen	–	8	2	4	6	2	2	1	–	–	1	–	–	15	2	1	1	–	–
Middlesex	–	8	2	1	6	3	–	1	1	–	2	1	1	10	1	3	2	–	–
New Brunswick	–	17	2	4	15	10	4	7	–	–	2	7	2	32	2	7	2	5	–
North Brunswick township#	–	11	3	–	8	2	–	–	1	–	2	1	2	10	2	1	2	–	–
Old Bridge township#	1	21	2	1	6	5	1	7	4	–	2	2	2	23	5	2	4	–	1
Perth Amboy	1	25	12	4	13	11	1	12	4	–	1	5	3	23	4	5	6	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 096-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	190	1	–	–	41	9	13	3	5	2	2	7	4	93	72	1	2	61	8
Sayreville	272	–	–	3	60	20	15	5	4	–	1	15	8	135	109	1	3	94	11
South Plainfield	118	1	–	1	36	10	11	4	4	1	3	3	2	54	43	–	3	30	10
South River	162	1	–	2	39	7	11	3	6	–	2	10	5	89	60	1	2	52	5
Woodbridge township#	737	–	–	8	202	62	46	15	26	6	7	40	8	349	279	11	4	224	40
Balance of county	740	–	–	5	179	50	45	14	23	7	10	30	17	367	297	5	9	231	52
Monmouth	5,054	2	–	82	1,249	349	346	116	126	49	53	210	110	2,520	1,954	30	45	1,587	292
Aberdeen township#	123	–	–	4	26	6	10	4	4	1	–	1	3	54	39	1	3	29	6
Asbury Park	324	–	–	8	80	25	22	8	7	4	3	11	4	144	113	–	6	84	13
Eatontown	109	–	–	1	26	8	9	–	3	2	–	4	2	59	45	1	–	37	7
Freehold	156	–	–	1	35	10	7	2	1	2	5	8	5	87	74	3	2	53	16
Hazlet township#	174	–	–	3	46	11	15	8	2	3	1	6	4	91	67	3	2	58	4
Howell township#	181	–	–	2	45	14	13	3	5	1	2	7	3	88	75	–	2	56	17
Keansburg	124	–	–	1	24	6	9	–	5	–	–	4	3	66	49	2	–	43	4
Long Branch	326	–	–	4	73	20	19	5	6	1	7	15	8	154	124	2	4	98	20
Middletown township#	499	1	–	4	129	38	35	14	15	5	3	19	12	241	182	2	5	152	23
Neptune township#	367	–	–	10	80	31	20	7	4	4	1	13	5	192	141	–	5	113	23
Ocean township#	175	–	–	4	48	5	14	3	5	3	3	15	6	70	58	1	–	45	10
Red Bank	217	–	–	–	56	14	17	4	5	4	3	9	9	120	92	3	–	66	13
Balance of county	2,279	1	–	40	581	161	156	58	64	19	25	98	46	1,154	907	12	16	743	136
Morris	2,955	–	–	28	736	198	178	80	67	35	35	143	54	1,386	1,126	16	14	891	205
Denville township#	113	–	–	2	25	9	5	2	3	2	–	4	2	63	50	–	–	44	6
Dover	155	–	–	1	40	16	9	3	4	1	1	6	2	81	72	2	–	54	16
Hanover township#	81	–	–	–	24	6	6	3	4	1	–	4	2	41	33	–	–	32	1
Madison	127	–	–	–	29	6	8	3	5	1	2	4	2	53	40	1	–	26	13
Morris township#	102	–	–	–	17	4	8	2	1	–	1	1	–	47	35	–	–	27	8
Morristown	223	–	–	5	53	12	10	7	2	3	4	15	5	101	79	2	–	61	16
Parsippany-Troy Hills township#	246	–	–	2	67	16	20	6	7	4	5	9	3	110	94	–	–	76	18
Pequannock township#	100	–	–	–	27	8	5	4	3	2	1	6	3	49	39	1	1	33	4
Balance of county	1,808	–	–	18	454	123	107	50	38	21	21	94	35	841	684	10	13	538	123
Ocean	4,931	3	–	76	1,244	330	382	94	154	35	37	212	87	2,598	2,142	22	54	1,755	311
Brick township#	574	–	–	4	159	50	45	13	12	4	3	32	11	285	234	1	7	200	26
Dover township#	903	1	–	14	244	68	75	16	22	7	12	44	15	444	369	5	12	308	44
Jackson township#	218	–	–	9	52	9	21	4	4	1	3	10	2	115	97	3	7	74	13
Lakewood township#	648	–	–	12	125	33	39	11	19	1	3	19	15	367	296	3	4	224	65
Manchester township#	587	–	–	4	161	40	49	10	31	5	3	23	10	325	276	3	8	221	44
Point Pleasant	238	–	–	5	55	20	13	5	8	2	–	7	9	139	105	1	3	86	15
Balance of county	1,763	2	–	28	448	110	140	35	58	15	13	77	25	923	765	6	13	642	104
Passaic	4,194	6	–	58	938	267	259	89	95	44	34	150	107	2,058	1,693	15	36	1,369	273
Clifton	857	1	–	11	214	70	61	20	19	6	4	34	26	432	354	6	6	282	60
Hawthorne	191	–	–	3	46	14	8	2	7	6	2	7	2	92	71	–	1	60	10
Little Falls township#	111	–	–	2	23	6	5	4	3	1	1	3	3	64	53	–	2	42	9
Passaic	560	1	–	8	120	39	29	9	13	9	3	18	14	275	226	2	8	185	31
Paterson	1,234	3	–	18	254	69	80	21	25	10	10	39	27	555	464	3	9	362	90
Pompton Lakes	93	–	–	1	25	6	10	5	–	–	1	3	2	43	36	–	1	27	8
Ringwood	74	–	–	1	18	5	6	–	2	–	–	5	3	30	25	–	–	22	3
Totowa	130	1	–	2	30	8	6	5	3	2	1	5	4	68	59	–	2	50	7
Wanaque	83	–	–	–	14	3	4	1	2	1	2	1	5	40	36	–	–	31	5
Wayne township#	338	–	–	5	71	14	19	9	4	4	5	16	6	191	148	2	3	128	15
West Paterson	84	–	–	1	21	3	3	4	3	1	2	5	6	38	32	–	1	28	3
Balance of county	439	–	–	6	102	30	28	9	14	4	3	14	9	230	189	2	3	152	32
Salem	614	1	–	12	136	39	35	7	17	7	6	25	12	312	252	3	11	187	51
Somerset	1,527	–	2	17	383	110	85	52	38	20	17	63	26	731	597	7	11	471	108
Bridgewater township#	173	–	1	–	43	14	7	4	8	1	3	6	1	84	68	1	1	51	15
Franklin township#	204	–	–	2	46	19	6	8	3	1	–	9	3	93	67	3	–	54	10
Manville	105	–	–	–	28	7	9	3	2	2	1	4	1	56	51	–	1	46	4
North Plainfield	186	–	–	4	44	13	14	4	4	3	–	6	2	93	79	1	3	57	18
Somerville	127	–	1	2	37	8	13	6	5	3	–	4	2	51	34	–	2	28	4
Balance of county	732	–	–	9	185	51	36	27	14	10	13	34	17	354	298	2	4	235	57
Sussex	813	–	–	8	190	50	52	14	26	6	8	34	9	398	318	5	8	254	51
Hopatcong	78	–	–	–	21	5	7	1	3	–	1	4	–	35	30	1	1	24	4
Balance of county	735	–	–	8	169	45	45	13	23	6	7	30	9	363	288	4	7	230	47
Union	5,015	4	–	103	1,246	383	310	129	129	42	50	203	92	2,426	1,956	18	66	1,501	371
Berkeley Heights township#	82	–	–	1	23	9	5	3	1	–	1	4	3	37	29	–	–	21	8
Clark township#	146	–	–	1	36	8	15	1	3	–	1	8	–	78	67	–	1	43	23
Cranford township#	221	–	–	2	59	15	18	12	6	1	4	3	2	109	84	1	1	71	11
Elizabeth	1,133	3	–	28	239	77	54	20	27	9	11	41	21	537	440	6	25	349	60
Hillside township#	188	–	–	6	50	20	11	3	5	1	1	9	5	86	69	–	2	53	14
Linden	404	1	–	10	109	33	23	13	10	6	3	21	7	192	157	1	6	122	28
New Providence	96	–	–	2	30	6	8	4	5	1	–	6	4	42	35	–	1	26	6
Plainfield	370	–	–	13	88	24	22	10	12	2	3	15	6	169	135	–	4	101	30
Rahway	290	–	–	4	74	23	20	10	3	2	6	10	7	146	123	–	4	95	24
Roselle	225	–	–	4	56	20	19	4	6	–	1	6	4	115	87	1	5	64	17
Roselle Park	112	–	–	1	31	10	7	4	3	–	1	6	–	53	44	1	–	37	6
Scotch Plains township#	165	–	–	3	42	16	8	4	5	–	2	7	2	69	50	1	4	35	10
Springfield township#	184	–	–	3	44	16	7	3	1	3	2	12	2	93	77	2	–	63	12
Summit	218	–	–	5	64	16	14	9	9	3	2	11	1	102	75	1	1	49	24
Union township#	655	–	–	12	179	55	54	12	17	7	7	27	13	333	269	2	11	201	55
Westfield	245	–	–	6	56	22	11	5	7	3	2	6	5	125	90	1	1	76	12
Balance of county	281	–	–	2	66	13	14	12	8	4	3	11	10	146	125	1	–	95	29
Warren	873	1	–	11	202	53	49	19	23	13	4	41	13	453	385	2	8	259	116
Phillipsburg	235	–	–	3	53	17	17	4	2	4	1	8	5	127	110	–	3	70	37
Balance of county	638	1	–	8	149	36	32	15	21	9	3	33	8	326	275	2	5	189	79

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	–	10	7	4	9	4	–	1	–	–	2	2	5	14	3	5	5	1	–
Sayreville	–	13	11	2	12	5	2	6	4	–	1	2	–	22	4	2	5	1	–
South Plainfield	–	7	3	1	4	2	–	–	1	–	–	2	1	9	–	4	1	–	–
South River	2	16	7	4	2	1	–	3	–	–	–	2	–	14	3	–	–	–	1
Woodbridge township#	–	45	15	10	27	18	–	11	10	1	3	3	13	50	14	12	5	3	–
Balance of county	1	45	19	5	23	19	6	10	4	–	3	5	5	64	10	18	4	1	–
Monmouth	21	392	110	43	129	138	18	65	56	–	28	38	12	404	60	80	40	21	2
Aberdeen township#	1	14	–	–	–	2	1	4	3	–	3	–	–	12	4	4	2	1	–
Asbury Park	4	25	1	1	9	2	2	4	4	–	2	5	1	40	2	8	3	6	–
Eatontown	–	9	2	3	4	6	–	1	1	–	–	2	–	5	1	1	–	–	–
Freehold	–	11	–	2	3	3	–	1	4	–	–	2	1	12	2	–	–	–	–
Hazlet township#	1	19	3	1	1	4	–	–	1	–	2	2	–	11	4	4	–	1	–
Howell township#	1	11	1	–	4	6	1	1	1	–	1	2	–	12	8	3	4	–	–
Keansburg	–	8	9	–	4	6	–	3	1	–	–	1	–	11	1	2	1	–	–
Long Branch	1	23	4	2	13	13	3	7	3	–	2	3	2	34	3	3	1	–	–
Middletown township#	1	29	25	4	12	18	3	6	5	–	4	6	1	38	8	9	2	–	–
Neptune township#	3	39	6	3	9	9	1	5	5	–	–	2	1	38	2	4	2	4	–
Ocean township#	–	11	1	2	3	9	–	3	5	–	2	2	–	18	2	1	1	1	–
Red Bank	–	18	19	1	2	1	–	1	6	–	1	1	1	15	–	2	2	–	–
Balance of county	9	175	39	24	65	59	7	29	17	–	11	10	5	160	23	39	22	8	2
Morris	13	204	15	28	160	77	8	38	25	–	11	25	12	238	57	46	40	13	–
Denville township#	–	11	1	1	3	3	–	3	2	–	–	1	–	5	3	–	–	1	–
Dover	–	8	1	–	7	4	–	1	1	–	–	2	–	7	3	3	3	–	–
Hanover township#	–	7	–	1	4	1	–	–	–	–	–	–	–	6	–	2	1	–	–
Madison	1	10	1	1	8	3	1	1	2	–	–	2	1	15	4	4	2	–	–
Morris township#	–	10	1	1	10	5	2	3	1	–	–	1	–	11	–	1	2	2	–
Morristown	1	18	–	3	22	6	–	1	2	–	–	2	2	18	2	2	–	1	–
Parsippany-Troy Hills township#	2	11	2	1	12	8	–	3	3	–	3	3	1	20	5	4	2	–	–
Pequannock township#	1	8	1	–	1	2	–	2	2	–	1	1	1	5	2	3	1	–	–
Balance of county	8	121	8	20	93	45	5	25	12	–	7	13	7	150	38	27	29	8	–
Ocean	16	333	47	60	89	143	17	87	64	1	12	30	17	293	64	62	32	12	–
Brick township#	–	36	7	8	7	16	1	19	14	–	2	5	2	31	8	4	5	1	–
Dover township#	3	54	8	10	16	31	6	16	8	–	2	5	3	61	12	15	7	3	–
Jackson township#	–	14	2	2	2	5	–	–	2	1	2	–	1	13	8	3	1	2	–
Lakewood township#	4	58	5	4	17	18	1	4	15	–	–	5	3	40	7	17	1	1	–
Manchester township#	2	36	3	8	9	17	3	9	3	–	–	2	1	34	5	1	3	–	–
Point Pleasant	–	27	3	4	3	6	–	4	3	–	–	1	–	8	1	2	2	–	–
Balance of county	7	108	19	24	35	50	6	35	19	–	6	12	7	106	23	20	13	5	–
Passaic	7	286	35	37	121	128	13	80	53	2	32	32	37	331	42	73	35	45	3
Clifton	1	63	7	7	22	28	1	8	15	–	3	2	5	86	8	6	7	1	1
Hawthorne	–	18	2	1	5	13	–	4	2	–	1	–	2	16	1	3	1	–	–
Little Falls township#	1	5	2	3	1	3	–	1	1	–	–	1	1	8	–	3	–	–	–
Passaic	1	36	10	2	18	9	3	17	7	–	7	10	5	40	2	15	4	5	–
Paterson	2	73	6	10	45	33	4	32	13	1	15	15	20	118	10	25	10	35	1
Pompton Lakes	1	5	–	1	4	3	–	1	–	–	–	–	–	7	–	4	3	–	–
Ringwood	–	4	–	1	3	6	–	1	–	1	–	–	–	6	4	1	–	–	–
Totowa	–	8	1	–	4	5	1	1	1	–	–	1	–	10	–	2	–	–	–
Wanaque	–	4	–	–	1	5	1	1	1	–	1	1	–	6	3	3	1	–	–
Wayne township#	–	36	2	5	3	9	–	6	3	–	4	2	2	18	7	5	4	1	1
West Paterson	–	2	1	3	2	1	1	1	4	–	–	–	1	7	1	–	–	–	–
Balance of county	1	32	4	4	13	13	2	7	6	–	1	–	1	29	6	6	5	3	–
Salem	2	41	3	14	17	15	2	7	7	–	5	10	4	31	18	12	7	5	–
Somerset	5	98	16	15	46	27	9	24	8	1	10	9	8	144	24	36	17	5	–
Bridgewater township#	–	12	2	2	8	6	1	3	2	–	–	–	–	11	–	9	3	1	–
Franklin township#	1	17	6	2	9	5	1	2	2	–	4	2	3	22	1	5	1	3	–
Manville	–	4	1	–	1	–	2	2	–	–	1	1	–	10	1	2	–	–	–
North Plainfield	–	9	2	3	8	3	2	2	–	–	2	1	–	17	5	3	–	–	–
Somerville	1	14	–	2	2	3	–	1	–	–	–	1	1	19	3	2	2	–	–
Balance of county	3	42	5	6	18	10	3	14	4	1	3	4	4	65	14	15	11	1	–
Sussex	3	58	6	13	25	39	5	5	8	–	4	7	4	63	21	13	12	2	–
Hopatcong	–	3	1	1	5	2	–	1	–	–	–	–	2	8	–	2	2	–	–
Balance of county	3	55	5	12	20	37	5	4	8	–	4	7	2	55	21	11	10	2	–
Union	14	365	36	55	150	133	8	70	43	1	25	31	26	455	47	105	26	23	1
Berkeley Heights township#	1	4	–	3	4	4	–	–	2	–	1	–	–	6	1	–	–	–	–
Clark township#	–	8	–	3	5	2	–	3	1	–	1	–	1	17	1	–	–	–	–
Cranford township#	–	22	–	3	10	4	–	2	2	–	1	3	–	17	–	9	–	1	–
Elizabeth	3	76	10	8	40	25	1	20	12	–	11	13	10	116	14	31	5	7	–
Hillside township#	–	13	1	3	1	12	–	3	–	–	–	2	1	17	1	2	–	2	–
Linden	2	28	2	3	8	15	–	5	3	–	–	2	1	34	3	11	2	1	–
New Providence	–	4	1	2	1	–	1	2	1	1	–	–	2	5	1	1	3	–	–
Plainfield	2	20	6	6	10	11	2	4	1	–	1	6	1	36	6	13	1	2	–
Rahway	–	18	2	3	6	13	–	3	2	–	2	2	2	18	3	7	1	–	–
Roselle	–	24	3	1	10	2	–	3	1	–	1	1	3	18	2	3	1	1	–
Roselle Park	1	8	–	–	2	3	–	1	1	–	–	–	1	13	2	3	1	–	–
Scotch Plains township#	–	7	4	2	7	6	–	3	3	–	3	–	1	21	4	4	–	2	1
Springfield township#	–	10	–	6	8	3	1	3	2	–	–	–	–	23	–	1	1	–	–
Summit	–	23	1	3	7	6	–	4	1	–	2	1	2	15	2	3	2	1	–
Union township#	3	52	5	4	14	13	2	5	5	–	–	–	1	60	2	5	8	3	–
Westfield	2	29	1	3	10	5	1	5	2	–	1	1	–	19	1	7	–	1	–
Balance of county	–	18	–	2	7	9	–	4	4	–	1	–	–	20	4	5	1	2	–
Warren	3	50	5	10	25	32	–	5	10	–	6	6	3	66	17	11	12	–	–
Phillipsburg	–	14	1	2	6	9	–	2	1	–	–	2	1	16	4	3	3	–	–
Balance of county	3	36	4	8	19	23	–	3	9	–	6	4	2	50	13	8	9	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	9,562	10	–	96	1,945	534	441	173	207	82	72	436	223	3,560	2,748	44	85	1,593	1,026
Urban places	5,387	5	–	49	1,133	278	261	106	124	42	46	276	128	2,096	1,602	28	47	965	562
Balance of area	4,175	5	–	47	812	256	180	67	83	40	26	160	95	1,464	1,146	16	38	628	464
Metropolitan counties	3,784	4	–	32	815	212	185	74	92	27	35	190	83	1,398	1,059	20	33	618	388
Urban places	3,057	3	–	27	670	160	154	61	77	23	30	165	69	1,151	873	15	24	522	312
Balance of area	727	1	–	5	145	52	31	13	15	4	5	25	14	247	186	5	9	96	76
Nonmetropolitan counties	5,778	6	–	64	1,130	322	256	99	115	55	37	246	140	2,162	1,689	24	52	975	638
Urban places	2,330	2	–	22	463	118	107	45	47	19	16	111	59	945	729	13	23	443	250
Balance of area	3,448	4	–	42	667	204	149	54	68	36	21	135	81	1,217	960	11	29	532	388
Bernalillo	2,874	3	–	27	627	153	139	60	78	19	27	151	55	1,071	811	13	22	495	281
Albuquerque	2,674	3	–	25	586	137	131	57	71	19	26	145	52	1,002	760	12	19	466	263
Balance of county	200	–	–	2	41	16	8	3	7	–	1	6	3	69	51	1	3	29	18
Catron	26	–	–	1	2	1	–	–	–	–	–	1	2	11	9	–	–	7	2
Chaves	509	–	–	5	110	23	36	16	14	2	2	17	14	202	152	4	7	90	51
Roswell	427	–	–	5	96	20	33	15	10	1	1	16	11	169	124	4	6	75	39
Balance of county	82	–	–	–	14	3	3	1	4	1	1	1	3	33	28	–	1	15	12
Cibola	127	–	–	1	25	10	3	–	1	1	2	8	5	33	24	–	–	16	8
Colfax	103	–	–	1	24	8	5	1	4	1	2	3	4	37	29	1	4	18	6
Curry	311	–	–	5	58	16	13	3	3	4	2	17	7	139	103	2	1	75	25
Clovis	278	–	–	4	57	16	13	3	3	3	2	17	6	123	90	1	1	66	22
Balance of county	33	–	–	1	1	–	–	–	–	1	–	–	1	16	13	1	–	9	3
De Baca	36	–	–	–	11	3	3	1	1	–	–	3	–	15	13	–	–	7	6
Dona Ana	610	–	–	3	127	38	32	11	10	4	6	28	22	228	171	3	10	80	78
Las Cruces	383	–	–	2	84	23	23	4	6	4	4	20	17	149	113	3	5	56	49
Balance of county	227	–	–	1	43	15	9	7	4	–	2	6	5	79	58	–	5	24	29
Eddy	466	1	–	4	77	20	15	5	6	5	5	21	15	203	163	1	3	102	57
Artesia	110	–	–	–	11	1	3	2	–	–	1	4	5	52	36	–	2	22	12
Carlsbad	284	1	–	2	49	16	8	2	6	2	3	12	8	127	110	1	1	66	42
Balance of county	72	–	–	2	17	3	4	1	–	3	1	5	2	24	17	–	–	14	3
Grant	215	–	–	4	46	11	18	4	4	1	1	7	4	86	60	–	3	32	25
Guadalupe	32	–	–	–	2	2	–	–	–	–	–	–	1	11	10	1	1	1	7
Harding	9	–	–	–	1	1	–	–	–	–	–	–	–	7	4	–	–	3	1
Hidalgo	47	–	–	1	11	2	3	–	3	–	–	3	2	17	15	–	–	4	11
Lea	413	–	–	6	87	18	25	8	7	5	3	21	10	181	139	1	2	110	26
Hobbs	251	–	–	5	54	13	15	4	4	3	1	14	5	116	90	–	1	73	18
Balance of county	162	–	–	1	33	5	10	4	3	2	2	7	5	65	49	1	1	37	10
Lincoln	113	–	–	–	28	8	6	3	5	1	1	4	2	43	32	–	1	19	12
Los Alamos	59	–	–	–	12	1	2	4	–	2	–	3	2	27	21	–	–	9	12
Luna	185	–	–	2	45	12	12	4	3	2	1	11	6	82	59	–	2	34	22
McKinley	358	3	–	5	39	13	4	4	6	3	1	8	9	83	68	2	2	33	31
Gallup	132	1	–	1	19	5	3	2	4	2	–	3	3	39	32	–	1	15	16
Balance of county	226	2	–	4	20	8	1	2	2	1	1	5	6	44	36	2	1	18	15
Mora	40	–	–	2	8	3	2	–	1	–	–	2	2	17	14	1	–	9	4
Otero	275	–	–	3	45	15	7	4	5	2	3	9	4	112	83	2	–	55	26
Alamogordo	176	–	–	1	30	8	3	2	5	1	3	8	4	89	68	1	–	47	18
Balance of county	99	–	–	2	15	7	4	2	–	1	–	1	–	23	17	1	–	8	8
Quay	118	–	–	–	27	15	5	2	3	1	1	–	2	54	49	–	–	26	23
Rio Arriba	233	–	–	1	42	15	6	3	5	3	2	8	7	74	56	–	3	25	28
Roosevelt	155	–	–	1	30	8	6	5	1	3	–	7	3	76	62	–	–	35	27
Sandoval	300	1	–	2	61	21	14	3	4	4	2	13	6	99	77	4	1	43	29
San Juan	469	–	–	4	81	23	15	6	15	2	4	16	9	140	105	1	3	47	54
Farmington	167	–	–	1	42	11	8	4	7	–	2	10	4	60	44	1	1	18	24
Balance of county	296	–	–	3	39	12	7	2	8	2	2	6	5	80	61	–	2	29	30
San Miguel	183	1	–	3	28	10	6	1	2	3	–	6	5	78	66	2	5	29	30
Las Vegas	113	–	–	2	16	6	3	–	1	3	–	3	4	50	41	1	4	18	18
Balance of county	70	1	–	1	12	4	3	1	1	–	–	3	1	28	25	1	1	11	12
Santa Fe	503	–	–	7	120	33	26	12	13	4	4	28	10	142	114	4	7	52	51
Santa Fe	392	–	–	1	89	22	18	11	7	4	3	24	9	120	96	4	6	43	43
Balance of county	111	–	–	6	31	11	8	1	6	–	1	4	1	22	18	–	1	9	8
Sierra	164	–	–	–	41	12	15	2	3	2	1	6	4	60	50	1	1	36	10
Socorro	82	1	–	1	18	7	3	–	3	–	–	5	1	33	26	–	–	13	13
Taos	161	–	–	4	36	14	4	1	4	1	1	11	3	41	33	–	1	15	17
Torrance	64	–	–	–	12	5	4	1	–	–	–	2	–	31	28	–	2	20	6
Union	52	–	–	–	11	5	1	1	–	1	–	3	–	28	24	–	1	11	12
Valencia	268	–	–	3	53	8	11	8	3	6	1	16	7	99	79	1	3	40	35
New York	170,762	215	5	2,006	37,670	10,964	9,277	3,794	4,114	1,615	1,323	6,583	2,898	87,404	73,255	645	1,578	60,848	10,184
Urban places	113,035	186	1	1,411	23,786	7,034	5,700	2,414	2,600	995	840	4,203	1,895	58,526	49,962	413	1,033	42,398	6,118
Balance of area	57,727	29	4	595	13,884	3,930	3,577	1,380	1,514	620	483	2,380	1,003	28,878	23,293	232	545	18,450	4,066
Metropolitan counties	153,856	207	4	1,885	33,989	9,937	8,277	3,463	3,674	1,447	1,193	5,998	2,542	78,704	66,412	577	1,410	55,507	8,918
Urban places	109,022	184	1	1,378	22,956	6,801	5,478	2,317	2,511	957	807	4,085	1,816	56,347	48,280	385	984	41,098	5,813
Balance of area	44,834	23	3	507	11,033	3,136	2,799	1,146	1,163	490	386	1,913	726	22,357	18,132	192	426	14,409	3,105
Nonmetropolitan counties	16,906	8	1	121	3,681	1,027	1,000	331	440	168	130	585	356	8,700	6,843	68	168	5,341	1,266
Urban places	4,013	2	–	33	830	293	222	97	89	36	33	118	79	2,179	1,682	28	49	1,300	305
Balance of area	12,893	6	1	88	2,851	794	778	234	351	130	97	467	277	6,521	5,161	40	119	4,041	961
Albany	2,974	–	–	35	687	208	171	72	85	25	23	103	48	1,543	1,285	11	21	959	294
Albany	1,279	–	–	19	276	76	71	28	35	7	11	48	22	685	570	6	11	411	142
Cohoes	248	–	–	2	37	11	11	4	6	2	–	3	1	159	136	1	1	102	32
Watervliet	162	–	–	1	43	16	10	5	6	1	–	5	2	80	70	1	3	54	12
Balance of county	1,285	–	–	13	331	105	79	35	38	15	12	47	23	619	509	3	6	392	108
Allegany	418	–	–	3	92	28	33	7	8	1	4	11	8	190	143	1	–	102	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	34	589	97	92	314	436	24	176	110	5	86	130	160	1,015	468	369	254	131	50
Urban places	22	340	66	66	176	253	16	99	66	2	50	67	80	566	195	169	144	63	30
Balance of area	12	249	31	26	138	183	8	77	44	3	36	63	80	449	273	200	110	68	20
Metropolitan counties	17	240	42	40	111	194	11	79	48	2	39	55	49	421	150	115	108	52	24
Urban places	13	191	39	35	91	154	10	53	41	2	32	41	35	338	104	85	90	41	20
Balance of area	4	49	3	5	20	40	1	26	7	-	7	14	14	83	46	30	18	11	4
Nonmetropolitan counties	17	349	55	52	203	242	13	103	62	3	47	75	111	594	318	254	146	79	26
Urban places	9	149	27	31	85	99	6	46	25	-	18	26	45	228	91	84	54	22	10
Balance of area	8	200	28	21	118	143	7	57	37	3	29	49	66	366	227	170	92	57	16
Bernalillo	12	181	32	35	91	138	9	54	40	2	29	44	33	319	103	80	87	42	20
Albuquerque	11	166	32	33	81	129	9	50	37	2	27	37	30	296	92	77	82	38	19
Balance of county	1	15	-	2	10	9	-	4	3	-	2	7	3	23	11	3	5	4	1
Catron	-	1	-	1	1	3	-	-	-	-	-	1	1	2	1	1	-	-	-
Chaves	1	36	6	7	14	37	-	8	7	-	2	8	9	51	10	16	7	8	1
Roswell	1	31	6	7	12	29	-	8	5	-	2	7	5	45	8	14	5	5	1
Balance of county	-	5	-	-	2	8	-	-	2	-	-	1	4	6	2	2	2	3	-
Cibola	-	6	2	1	2	2	-	-	4	-	-	4	5	15	12	10	3	5	1
Colfax	-	7	1	-	3	2	1	1	1	-	-	2	2	13	-	10	1	1	-
Curry	-	22	7	7	12	15	-	5	5	-	3	2	9	19	12	15	4	1	-
Clovis	-	20	7	6	11	13	-	4	5	-	2	1	7	16	10	14	4	1	-
Balance of county	-	2	-	1	1	2	-	1	-	-	1	1	2	3	2	1	-	-	-
De Baca	-	2	-	-	3	1	-	-	1	-	-	-	1	3	-	1	-	-	-
Dona Ana	4	42	9	2	14	47	1	9	5	-	7	6	5	69	24	17	16	9	1
Las Cruces	2	25	7	2	10	25	1	3	4	-	5	4	5	42	12	8	8	3	1
Balance of county	2	17	2	-	4	22	-	6	1	-	2	2	-	27	12	9	8	6	-
Eddy	1	30	4	5	23	17	3	9	4	-	5	6	8	42	21	17	9	2	-
Artesia	-	12	1	3	3	2	1	3	1	-	3	4	1	11	4	5	3	1	-
Carlsbad	1	12	3	1	18	12	1	3	3	-	2	2	5	27	10	8	6	-	-
Balance of county	-	6	-	1	2	3	1	3	-	-	-	-	2	4	7	4	-	1	-
Grant	1	20	4	1	8	9	-	4	-	1	-	1	2	21	13	8	7	-	1
Guadalupe	-	1	-	-	-	-	-	-	1	-	-	2	1	8	4	1	-	1	-
Harding	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hidalgo	-	1	-	1	1	3	-	1	1	-	-	3	-	4	2	-	1	-	-
Lea	1	33	3	5	14	15	1	5	2	-	2	4	6	32	11	22	4	7	4
Hobbs	1	18	3	4	7	6	1	4	2	-	1	2	4	18	6	13	1	2	4
Balance of county	-	15	-	1	7	9	-	1	-	-	1	2	2	14	5	9	3	5	-
Lincoln	1	7	2	1	2	4	1	1	1	-	-	1	1	12	6	4	3	4	-
Los Alamos	-	5	-	1	1	2	-	-	1	-	-	-	-	5	2	3	4	-	-
Luna	-	18	2	4	5	11	-	-	2	-	1	-	-	13	6	5	7	-	-
McKinley	2	11	2	-	12	12	1	11	4	-	3	8	17	51	48	24	15	8	5
Gallup	1	5	1	-	4	7	-	1	3	-	1	1	10	17	10	4	7	2	2
Balance of county	1	6	1	-	8	5	1	10	1	-	2	7	7	34	38	20	8	6	3
Mora	-	2	1	-	1	-	-	1	-	-	-	-	-	1	2	3	2	1	-
Otero	4	19	1	5	4	5	-	9	3	-	2	5	9	28	22	11	10	1	2
Alamogordo	4	14	1	4	1	2	-	5	2	-	-	3	6	17	4	5	5	1	1
Balance of county	-	5	-	1	3	3	-	4	1	-	2	2	3	11	18	6	5	-	1
Quay	-	3	-	2	1	5	-	1	3	-	1	-	1	9	6	1	4	1	2
Rio Arriba	1	13	4	-	8	4	2	7	3	1	7	3	1	24	25	6	7	10	1
Roosevelt	1	12	-	1	3	3	-	4	1	-	1	1	1	14	6	8	1	2	-
Sandoval	1	17	1	3	6	9	1	10	3	-	3	5	11	33	23	18	5	1	3
San Juan	1	26	5	3	16	22	2	6	3	1	6	7	13	52	45	32	13	9	2
Farmington	1	10	2	3	3	6	1	1	-	-	2	1	1	16	10	8	7	3	1
Balance of county	-	16	3	-	13	16	1	5	3	1	4	6	12	36	35	24	6	6	1
San Miguel	-	10	1	1	14	7	-	3	1	-	1	1	2	20	9	6	3	-	1
Las Vegas	-	7	1	1	10	4	-	2	-	-	-	1	2	11	5	2	3	-	1
Balance of county	-	3	-	-	4	3	-	1	1	-	1	-	-	9	4	4	-	-	-
Santa Fe	-	24	2	2	20	25	2	18	4	-	6	8	6	62	27	15	21	9	1
Santa Fe	-	20	2	2	16	18	2	15	4	-	5	4	4	50	24	11	13	7	-
Balance of county	-	4	-	-	4	7	-	3	-	-	1	4	2	12	3	4	8	2	1
Sierra	1	6	3	-	7	13	-	1	2	-	-	4	4	14	2	4	5	2	1
Socorro	-	7	-	-	5	4	-	1	1	-	2	2	2	11	3	3	2	2	-
Taos	-	7	1	-	7	3	-	3	4	-	1	2	4	19	11	12	5	4	2
Torrance	-	3	-	-	1	4	-	1	-	-	-	-	2	6	4	-	2	1	-
Union	1	2	-	1	1	-	-	-	2	-	-	-	-	5	4	1	-	-	-
Valencia	1	14	3	2	13	14	-	3	1	-	4	-	4	38	4	15	6	-	2
New York	658	10,356	1,507	1,628	5,646	4,827	616	3,005	1,411	33	882	1,437	1,402	12,195	2,191	3,115	1,387	1,785	632
Urban places	476	6,226	936	926	4,023	2,762	419	2,300	904	28	547	1,054	1,158	8,122	980	2,027	729	1,633	544
Balance of area	182	4,130	571	702	1,623	2,065	197	705	507	5	335	383	244	4,073	1,211	1,088	658	152	88
Metropolitan counties	593	8,989	1,294	1,416	5,146	4,148	554	2,841	1,263	32	784	1,347	1,333	10,943	1,830	2,725	1,205	1,751	623
Urban places	458	5,858	865	886	3,900	2,608	402	2,258	868	28	531	1,029	1,132	7,825	942	1,957	691	1,625	544
Balance of area	135	3,131	429	530	1,246	1,540	152	583	395	4	253	318	201	3,118	888	768	514	126	79
Nonmetropolitan counties	65	1,367	213	212	500	679	62	184	148	1	98	90	69	1,252	361	390	182	34	9
Urban places	18	368	71	40	123	154	17	42	36	-	16	25	26	297	38	70	38	8	-
Balance of area	47	999	142	172	377	525	45	122	112	1	82	65	43	955	323	320	144	26	9
Albany	11	197	27	23	68	111	10	33	27	-	19	17	23	233	31	51	32	6	-
Albany	7	86	13	9	34	44	3	8	13	-	11	7	13	108	4	17	12	3	-
Cohoes	-	18	5	-	3	11	-	5	3	-	1	1	-	16	1	3	3	2	-
Watervliet	-	7	1	2	2	7	-	6	2	-	2	1	-	7	2	6	1	-	-
Balance of county	4	86	8	12	29	49	7	14	9	-	5	8	10	102	24	25	16	1	-
Allegany	-	40	3	4	10	20	4	5	-	-	2	3	1	42	13	16	8	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,027	1	–	14	486	144	121	41	54	28	16	82	29	1,074	839	7	31	704	97
Binghamton	747	1	–	5	194	55	41	16	20	13	5	34	9	394	308	4	15	258	31
Endicott	158	–	–	1	31	10	6	4	7	–	–	4	5	84	68	–	2	59	7
Johnson City	242	–	–	2	52	12	13	3	6	4	2	12	4	121	88	–	4	79	5
Vestal town#	188	–	–	1	43	19	7	3	3	2	1	8	6	101	79	–	3	64	12
Balance of county	692	–	–	5	176	48	54	15	18	9	8	24	5	374	296	3	7	244	42
Cattaraugus	913	–	–	14	191	53	51	23	23	6	12	23	22	454	353	4	6	271	72
Olean	230	–	–	3	50	14	14	9	5	–	5	3	5	127	110	4	2	80	24
Balance of county	683	–	–	11	141	39	37	14	18	6	7	20	17	327	243	–	4	191	48
Cayuga	785	–	–	9	168	46	48	9	17	10	8	30	18	392	302	3	7	235	57
Auburn	389	–	–	3	81	17	26	5	6	4	5	18	8	204	159	3	5	118	33
Balance of county	396	–	–	6	87	29	22	4	11	6	3	12	10	188	143	–	2	117	24
Chautauqua	1,587	1	–	7	327	82	90	38	45	12	10	50	49	871	686	13	11	528	134
Dunkirk	171	–	–	1	29	11	7	3	–	–	–	8	5	106	83	–	1	72	10
Fredonia	81	–	–	2	15	1	6	4	1	–	–	3	2	46	40	–	1	32	7
Jamestown	513	1	–	4	120	30	34	15	21	3	6	11	13	270	202	8	3	152	39
Balance of county	822	–	–	–	163	40	43	16	23	9	4	28	29	449	361	5	8	272	78
Chemung	953	1	–	8	221	53	66	23	27	5	6	41	18	490	404	8	4	315	77
Elmira	423	1	–	4	84	20	26	7	7	2	5	17	6	236	189	3	2	152	32
Balance of county	530	–	–	4	137	33	40	16	20	3	1	24	10	254	215	5	2	163	45
Chenango	463	–	–	2	100	34	21	8	12	2	7	18	10	230	187	–	11	152	24
Clinton	592	–	–	4	128	45	35	8	13	6	4	17	7	311	243	1	6	193	43
Plattsburgh	187	–	–	3	45	19	11	2	2	4	1	6	–	98	77	1	2	60	14
Balance of county	395	–	–	1	83	26	24	6	11	2	3	11	7	213	166	–	4	133	29
Columbia	629	–	–	6	159	46	34	18	11	10	7	33	11	308	246	4	9	203	30
Cortland	430	–	–	2	99	30	20	9	10	10	4	16	13	234	160	1	1	131	27
Cortland	214	–	–	1	48	13	7	7	4	5	3	9	8	114	81	–	1	69	11
Balance of county	216	–	–	1	51	17	13	2	6	5	1	7	5	120	79	1	–	62	16
Delaware	559	–	–	5	115	32	36	9	16	3	4	15	1	297	253	2	11	171	69
Dutchess	2,159	1	–	20	484	145	128	39	55	26	16	75	37	1,081	888	7	12	738	131
Beacon	171	–	–	–	44	19	12	3	5	–	1	4	1	83	66	–	1	59	6
Poughkeepsie	431	–	–	2	87	19	23	8	13	5	5	14	11	220	187	1	1	159	26
Balance of county	1,557	1	–	18	353	107	93	28	37	21	10	57	25	778	635	6	10	520	99
Erie	10,252	9	–	109	2,340	684	642	246	237	97	98	336	178	5,351	4,153	49	117	3,387	600
Buffalo	4,574	7	–	61	978	282	286	91	103	42	36	139	71	2,351	1,824	25	59	1,456	284
Depew	164	–	–	–	40	11	17	5	3	1	–	3	3	85	68	1	2	53	12
Hamburg	91	–	–	3	18	5	4	4	2	1	–	2	–	37	26	–	–	22	4
Kenmore	220	–	–	3	50	14	14	3	8	–	1	10	3	116	87	1	3	68	15
Lackawanna	286	–	–	2	67	17	20	7	10	3	4	6	9	147	121	1	4	100	16
Lancaster	124	1	–	–	24	5	5	5	5	2	1	1	1	70	58	–	3	42	13
Tonawanda	187	–	–	2	41	16	9	3	3	3	–	7	4	105	74	–	3	64	7
West Seneca town#	409	–	–	1	97	27	21	12	12	7	4	14	5	223	182	4	5	151	22
Balance of county	4,207	1	–	37	1,024	307	266	116	91	38	52	154	82	2,217	1,713	17	38	1,431	227
Essex	374	–	–	3	98	28	27	10	19	1	2	11	5	170	130	1	1	106	22
Franklin	472	–	–	5	103	37	21	3	18	4	5	15	8	258	201	2	5	168	26
Fulton	581	1	–	1	128	39	34	11	14	7	4	19	16	305	254	2	16	192	44
Gloversville	252	1	–	1	48	15	11	4	7	3	2	6	7	140	107	1	9	78	19
Balance of county	329	–	–	–	80	24	23	7	7	4	2	13	9	165	147	1	7	114	25
Genesee	543	–	–	–	116	29	38	13	11	7	7	11	13	305	238	2	4	192	40
Batavia	208	–	–	–	45	11	17	6	5	1	2	3	4	121	95	1	2	77	15
Balance of county	335	–	–	–	71	18	21	7	6	6	5	8	9	184	143	1	2	115	25
Greene	508	–	–	5	108	31	29	6	17	4	4	17	17	272	219	2	7	176	34
Hamilton	44	–	–	–	15	5	4	1	1	1	1	2	2	16	12	–	–	10	2
Herkimer	756	–	–	2	174	62	37	10	24	5	3	33	10	396	313	2	14	228	69
Jefferson	946	–	–	5	198	68	55	16	18	9	1	31	10	499	362	2	2	298	60
Watertown	375	–	–	2	76	28	18	8	7	4	1	10	1	210	147	2	1	120	24
Balance of county	571	–	–	3	122	40	37	8	11	5	–	21	9	289	215	–	1	178	36
Lewis	208	–	1	1	39	14	9	2	7	1	–	6	6	123	104	1	1	87	15
Livingston	472	–	–	3	100	27	27	10	8	2	4	22	4	231	176	–	1	136	39
Madison	542	1	–	5	130	40	31	11	16	7	4	21	7	271	213	–	8	162	43
Oneida	131	–	–	1	28	6	8	2	5	2	2	3	2	71	56	–	2	43	11
Balance of county	411	1	–	4	102	34	23	9	11	5	2	18	5	200	157	–	6	119	32
Monroe	5,929	–	–	85	1,348	367	312	143	148	77	38	263	102	2,776	2,167	22	38	1,547	580
Brighton town#	312	–	–	4	65	17	13	5	8	7	3	12	7	149	112	1	2	90	19
Gates town#	238	–	–	2	62	20	12	3	9	3	1	14	5	110	92	1	1	63	27
Greece town#	603	–	–	13	158	38	37	21	21	9	5	27	8	273	216	2	6	162	46
Henrietta town#	120	–	–	1	37	12	10	5	2	1	3	4	3	51	42	–	1	30	11
Irondequoit town#	580	–	–	10	139	34	26	17	23	11	4	24	10	288	225	3	3	158	61
Penfield town#	194	–	–	3	57	21	13	5	4	–	3	11	2	96	73	1	1	48	23
Rochester	2,741	–	–	37	561	154	152	57	49	30	11	109	51	1,270	977	14	17	687	259
Balance of county	1,141	–	–	15	269	71	49	30	32	16	8	63	16	539	430	–	7	309	114
Montgomery	699	–	–	7	153	47	36	11	16	7	7	29	11	384	315	–	11	284	40
Amsterdam	370	–	–	2	90	26	21	7	9	7	4	16	7	201	164	–	8	135	21
Balance of county	329	–	–	5	63	21	15	4	7	–	3	13	4	183	151	–	3	129	19
Nassau	11,847	8	1	163	2,925	799	686	333	306	131	99	571	162	6,136	5,233	47	113	4,211	862
East Rockaway	99	–	–	–	19	2	8	2	2	–	1	4	1	61	49	1	2	39	7
Floral Park	160	1	–	2	43	7	8	7	7	–	2	12	2	80	68	1	–	60	7
Freeport	336	1	–	9	70	15	14	9	7	4	2	19	4	180	155	1	1	126	27
Garden City	217	–	–	3	52	26	6	5	5	1	1	8	–	122	107	–	2	86	19
Glen Cove	252	–	–	1	48	17	12	2	5	2	2	8	6	141	115	2	2	86	25
Hempstead	441	2	–	6	104	25	20	16	17	6	2	18	12	196	168	–	4	138	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E800-E999)
New York—Con.																			
Broome	9	171	32	23	50	91	4	16	14	–	9	20	8	129	36	22	20	4	–
Binghamton	3	59	16	8	15	38	–	9	5	–	5	2	3	47	11	9	8	2	–
Endicott	–	14	1	1	3	4	3	2	2	–	–	1	–	18	1	1	1	1	–
Johnson City	2	22	4	5	9	17	–	1	2	–	–	5	2	18	3	3	2	1	–
Vestal town#	–	17	4	1	5	13	–	–	1	–	2	2	–	8	2	1	3	–	–
Balance of county	4	59	7	8	18	19	1	4	4	–	2	10	3	38	19	8	6	–	–
Cattaraugus	4	67	17	13	31	38	3	9	14	1	4	3	7	62	18	22	13	6	1
Olean	2	12	–	3	10	8	–	1	1	–	–	–	–	19	2	3	1	–	–
Balance of county	2	55	17	10	21	30	3	8	13	1	4	3	7	43	16	19	12	6	1
Cayuga	4	69	11	6	15	43	5	7	8	–	7	2	3	56	19	18	12	1	–
Auburn	1	32	9	3	9	23	2	4	5	–	3	–	2	31	2	7	4	1	–
Balance of county	3	37	2	3	6	20	3	3	3	–	4	2	1	27	17	11	8	–	–
Chautauqua	4	141	19	21	31	58	5	12	17	–	9	6	6	106	29	38	14	1	2
Dunkirk	–	14	4	5	–	4	1	2	4	–	1	2	1	11	1	2	–	1	–
Fredonia	–	6	–	–	–	4	–	–	2	–	–	–	–	6	1	1	2	–	–
Jamestown	3	54	8	3	16	12	3	5	3	–	1	3	4	36	5	13	4	–	–
Balance of county	1	67	7	13	15	36	1	5	8	–	7	1	1	53	22	22	8	–	2
Chemung	–	63	14	9	30	47	4	15	5	–	6	7	6	61	14	17	4	1	–
Elmira	–	37	5	5	15	21	2	7	2	–	1	3	3	22	4	8	3	1	–
Balance of county	–	26	9	4	15	26	2	8	3	–	5	4	3	39	10	9	1	–	–
Chenango	1	29	6	7	13	25	2	10	3	–	2	3	1	37	10	11	4	–	–
Clinton	1	38	18	11	14	20	1	8	6	–	4	4	2	40	13	12	5	1	2
Plattsburgh	1	12	5	3	9	7	–	2	2	–	1	1	1	12	–	4	2	–	–
Balance of county	–	26	13	8	5	13	1	6	4	–	3	3	1	28	13	8	3	1	2
Columbia	4	46	2	10	27	26	2	6	2	–	5	–	2	45	9	15	5	–	1
Cortland	5	56	7	6	16	15	2	3	1	–	1	1	2	26	6	4	3	–	–
Cortland	1	27	3	2	9	8	1	1	1	–	–	1	1	14	3	2	2	–	–
Balance of county	4	29	4	4	7	7	1	2	–	–	1	–	1	12	5	2	1	–	–
Delaware	3	30	4	7	19	27	3	–	5	–	5	–	–	49	5	21	6	1	–
Dutchess	5	152	12	24	61	87	7	34	20	–	14	16	9	156	46	44	35	5	2
Beacon	–	13	2	2	5	7	1	3	2	–	1	2	2	10	3	5	2	–	–
Poughkeepsie	1	28	1	3	17	17	1	11	4	–	1	5	1	33	5	11	4	1	–
Balance of county	4	111	9	19	39	63	5	20	14	–	12	9	6	113	38	28	29	4	2
Erie	37	911	111	139	292	353	37	153	91	2	50	63	43	723	93	181	101	45	38
Buffalo	19	391	55	62	124	156	19	89	58	2	26	37	24	344	24	104	40	37	21
Depew	1	12	1	3	7	5	–	3	1	–	–	1	2	10	2	–	3	2	–
Hamburg	1	8	2	–	2	8	–	2	–	–	–	1	–	7	1	1	1	–	–
Kenmore	2	17	5	5	8	11	1	2	2	–	–	–	1	15	–	4	4	–	–
Lackawanna	–	19	3	4	11	9	1	6	2	–	–	4	1	14	1	7	4	1	–
Lancaster	–	10	–	2	4	2	1	4	–	–	2	–	1	9	2	2	1	–	–
Tonawanda	1	25	3	2	6	4	1	1	2	–	3	–	–	10	3	2	2	1	–
West Seneca town#	–	33	1	7	9	15	4	4	4	–	1	–	3	27	8	8	–	–	–
Balance of county	13	396	41	54	121	143	10	42	22	–	18	20	11	267	52	53	46	4	17
Essex	2	26	7	5	11	20	–	3	4	–	–	2	1	39	7	7	3	1	–
Franklin	2	42	4	7	10	16	1	3	5	–	2	4	1	30	15	10	3	–	–
Fulton	1	36	12	2	15	22	–	8	7	–	2	4	–	41	13	10	5	3	–
Gloversville	–	22	10	1	5	11	–	4	6	–	–	3	–	18	2	2	3	2	–
Balance of county	1	14	2	1	10	11	–	4	2	–	2	1	–	23	11	8	2	1	–
Genesee	5	47	8	7	11	14	1	4	7	–	2	1	5	28	20	10	5	1	–
Batavia	1	18	5	2	4	5	–	1	2	–	–	1	4	11	5	3	1	1	–
Balance of county	4	29	3	5	7	9	1	3	5	–	2	–	1	17	15	7	4	–	–
Greene	–	43	–	10	13	23	1	6	1	–	1	1	3	25	9	18	5	–	–
Hamilton	–	4	–	–	3	4	–	–	–	–	–	–	–	2	–	1	1	–	–
Herkimer	4	55	16	8	20	35	1	7	2	–	4	6	–	59	14	18	6	2	–
Jefferson	3	107	13	14	26	46	5	8	6	–	6	6	3	75	13	28	10	2	–
Watertown	2	49	7	5	10	16	1	4	2	–	4	3	3	28	–	10	5	–	–
Balance of county	1	58	6	9	16	30	4	4	4	–	2	3	–	47	13	18	5	2	–
Lewis	–	14	4	1	4	10	1	1	–	–	–	–	–	12	4	2	2	1	1
Livingston	4	45	5	1	21	20	1	3	6	–	4	2	1	38	16	10	10	2	–
Madison	–	38	10	10	13	20	–	6	6	–	4	3	5	37	17	12	4	1	–
Oneida	–	8	3	4	3	5	–	2	3	–	–	1	2	8	3	2	–	–	–
Balance of county	–	30	7	6	10	15	–	4	3	–	4	2	3	29	14	10	4	1	–
Monroe	26	444	63	76	218	208	17	58	70	2	40	56	22	601	88	104	82	48	4
Brighton town#	1	26	8	2	19	12	–	2	4	–	2	4	–	28	4	3	9	–	–
Gates town#	–	13	–	5	8	8	–	1	6	–	2	–	–	25	5	2	2	–	–
Greece town#	–	43	4	10	15	28	1	3	7	1	3	5	–	55	12	11	9	2	1
Henrietta town#	–	7	–	2	3	3	–	3	–	–	–	1	–	9	3	2	3	1	–
Irondequoit town#	5	43	6	9	25	8	1	9	7	–	4	1	1	61	3	9	3	–	1
Penfield town#	1	18	4	2	5	7	1	–	5	–	–	1	1	10	2	1	2	1	–
Rochester	12	218	31	32	111	96	11	28	32	1	23	33	14	311	27	52	39	43	1
Balance of county	7	78	10	14	32	48	3	12	9	–	6	11	6	102	32	24	15	1	1
Montgomery	2	51	7	9	17	20	3	8	9	–	–	2	4	52	6	17	4	1	1
Amsterdam	1	26	4	6	10	9	1	5	6	–	–	–	1	24	2	11	1	–	–
Balance of county	1	25	3	3	7	11	2	3	3	–	–	2	3	28	4	6	3	1	1
Nassau	30	669	94	110	344	296	45	166	130	1	48	79	47	753	169	188	109	54	23
East Rockaway	1	8	2	1	4	1	–	1	–	–	–	–	2	3	2	2	3	–	–
Floral Park	–	9	1	2	4	5	–	3	2	–	2	–	–	15	1	–	–	–	–
Freeport	2	19	4	–	10	13	–	3	3	–	4	2	1	19	4	6	4	2	1
Garden City	2	11	–	2	6	6	–	7	3	–	1	–	1	13	–	3	–	–	–
Glen Cove	1	18	2	5	9	12	–	4	6	–	1	2	–	13	3	3	1	1	1
Hempstead	1	21	3	3	10	10	2	7	6	–	–	12	2	47	9	8	3	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	616	–	–	4	118	30	26	8	14	8	7	25	7	386	340	2	4	300	34
Lynbrook	235	–	–	3	62	23	14	4	5	1	1	14	3	123	102	2	2	83	15
Massapequa Park	169	–	–	2	38	14	12	5	1	–	2	4	3	97	85	–	1	64	20
Mineola	187	–	–	5	42	6	8	11	3	2	1	11	1	96	82	1	1	63	17
Rockville Centre	266	1	–	4	62	15	15	8	6	1	–	17	4	150	124	3	4	105	12
Valley Stream	399	–	–	3	103	29	19	11	7	5	6	26	1	228	198	2	5	153	38
Westbury	151	–	–	3	41	9	13	5	2	1	1	10	2	75	67	2	2	50	13
Balance of county	8,319	9	1	118	2,123	581	511	240	225	100	71	395	116	4,201	3,573	30	83	2,858	602
New York city	74,762	169	–	993	15,191	4,593	3,465	1,548	1,691	579	552	2,763	1,212	38,737	34,219	223	588	30,076	3,332
Bronx bor., Bronx co	12,758	22	–	168	2,305	692	518	244	288	79	82	402	222	6,611	5,926	47	94	5,275	510
Brooklyn bor., Kings co	22,455	57	–	272	4,459	1,310	1,039	452	502	176	165	815	441	11,766	10,443	61	188	9,261	933
Manhattan bor., New York co	16,499	63	–	346	3,394	1,031	760	334	380	122	116	651	224	7,521	6,479	43	137	5,398	901
Queens bor., Queens co	19,963	18	–	186	4,319	1,350	976	447	465	160	155	746	286	11,187	9,888	59	149	8,837	843
Staten Island bor., Richmond co	3,087	3	–	21	714	210	172	71	56	22	34	149	39	1,652	1,483	13	20	1,305	145
Niagara	2,186	1	–	18	507	145	137	40	60	22	20	83	52	1,129	860	6	13	745	96
Lockport	305	–	–	2	73	17	16	6	14	4	2	14	5	152	119	–	2	103	14
Niagara Falls	804	–	–	5	202	58	56	18	21	9	6	34	22	395	289	1	6	244	38
North Tonawanda	359	–	–	3	84	20	31	2	12	3	2	14	8	189	144	1	2	129	12
Balance of county	724	1	–	8	148	50	34	14	13	6	10	21	17	393	308	4	3	269	32
Oneida	2,581	–	–	17	570	189	131	56	55	33	16	90	54	1,403	1,104	10	20	873	201
Rome	383	–	–	2	79	34	21	6	3	2	3	10	14	204	151	1	4	117	29
Utica	1,106	–	–	7	229	69	52	22	26	14	9	38	20	631	511	5	9	395	102
Balance of county	1,092	–	–	8	262	86	58	28	26	17	5	42	20	568	442	4	7	361	70
Onondaga	4,027	1	–	47	937	241	240	103	101	53	38	161	43	1,947	1,486	17	41	1,036	392
Syracuse	1,943	–	–	22	409	96	118	45	49	22	15	64	16	960	731	9	27	491	204
Balance of county	2,084	1	–	25	528	145	122	58	52	31	23	97	27	987	755	8	14	545	188
Ontario	794	1	–	6	203	61	58	21	15	9	7	32	8	392	292	3	7	207	75
Canandaigua	136	–	–	–	32	12	8	1	3	3	1	4	1	71	44	1	1	28	14
Geneva, part	185	1	–	1	51	12	23	6	–	1	1	8	3	94	74	1	2	50	21
Geneva, total	185	1	–	1	51	12	23	6	–	1	1	8	3	94	74	1	2	50	21
Balance of county	473	–	–	5	120	37	27	14	12	5	5	20	4	227	174	1	4	129	40
Orange	2,329	1	–	25	557	166	148	50	59	25	14	95	44	1,171	948	7	24	772	145
Middletown	253	–	–	4	55	19	8	6	4	3	1	14	5	131	94	1	3	74	18
Newburgh	298	1	–	3	67	24	17	4	5	1	1	15	12	141	112	–	4	91	17
Balance of county	1,778	–	–	18	435	123	123	40	50	21	12	66	27	899	742	6	17	607	112
Orleans	397	–	–	14	88	26	23	5	12	5	5	12	4	201	150	5	1	120	24
Oswego	928	–	–	5	195	52	59	14	19	21	9	21	24	487	365	8	8	282	67
Fulton	151	–	–	1	35	6	9	4	5	7	1	3	3	82	65	2	3	46	14
Oswego	230	–	–	2	48	12	16	3	3	8	2	4	9	128	91	3	2	76	10
Balance of county	547	–	–	2	112	34	34	7	11	6	6	14	12	277	209	3	3	160	43
Otsego	598	–	–	2	111	23	25	12	23	5	6	17	9	311	249	2	6	170	71
Oneonta	136	–	–	–	20	4	7	–	4	1	1	3	2	91	70	–	2	43	25
Balance of county	462	–	–	2	91	19	18	12	19	4	5	14	7	220	179	2	4	127	46
Putnam	558	–	–	5	131	40	43	15	13	5	3	12	7	286	230	4	2	196	28
Carmel town#	200	–	–	1	44	10	16	6	2	3	1	6	3	110	83	2	1	71	9
Balance of county	358	–	–	4	87	30	27	9	11	2	2	6	4	176	147	2	1	125	19
Rensselaer	1,464	2	–	15	344	98	94	33	37	23	7	52	26	747	618	7	6	503	102
Troy	676	1	–	6	148	49	46	13	12	9	2	17	19	353	289	3	2	238	46
Balance of county	788	1	–	9	196	49	48	20	25	14	5	35	7	394	329	4	4	285	58
Rockland	1,967	1	–	23	448	120	119	50	52	17	15	75	36	933	755	4	17	626	108
Spring Valley	191	–	–	4	42	13	14	3	4	1	2	5	4	90	73	1	1	63	8
Suffern	101	–	–	–	28	8	7	7	2	–	–	4	–	53	41	–	2	32	7
Balance of county	1,675	1	–	19	378	99	98	40	46	16	13	66	32	790	641	3	14	531	93
St. Lawrence	1,019	–	–	2	209	52	80	19	14	8	9	27	19	545	447	2	14	362	69
Massena	175	–	–	–	30	9	6	5	1	2	1	6	4	99	71	1	1	59	10
Ogdensburg	159	–	–	1	29	13	8	1	1	1	–	5	–	93	83	–	2	71	10
Potsdam	61	–	–	–	13	4	4	2	–	2	–	1	1	31	26	–	2	20	4
Balance of county	624	–	–	1	137	26	62	11	12	3	8	15	14	322	267	1	9	212	45
Saratoga	1,220	1	–	14	274	74	82	23	28	12	7	48	20	601	476	4	13	371	88
Saratoga Springs	266	–	–	1	56	16	20	6	5	2	1	6	5	128	89	–	2	72	15
Balance of county	954	1	–	13	218	58	62	17	23	10	6	42	15	473	387	4	11	299	73
Schenectady	1,572	1	–	14	427	135	94	39	44	24	15	76	33	772	649	12	13	502	122
Niskayuna town#	116	–	–	2	36	8	5	3	7	3	2	8	1	49	39	1	1	31	6
Rotterdam town#	230	–	–	–	70	24	14	4	5	6	2	15	5	111	91	2	3	73	13
Schenectady	877	1	–	8	228	76	53	23	22	12	9	33	19	435	369	5	8	281	77
Balance of county	347	–	–	4	93	27	22	9	10	3	2	20	8	177	150	4	3	117	26
Schoharie	306	–	–	2	54	11	11	9	7	3	3	10	8	163	150	1	2	116	31
Schuyler	169	–	–	2	38	10	8	4	2	2	3	9	2	87	65	–	1	41	23
Seneca	264	–	–	–	68	22	15	6	4	4	1	16	7	129	113	3	3	76	31
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	264	–	–	–	68	22	15	6	4	4	1	16	7	129	113	3	3	76	31
Steuben	972	–	–	9	217	56	70	19	24	10	3	35	22	484	368	5	17	285	61
Corning	185	–	–	4	41	9	9	11	5	1	1	5	6	68	51	3	–	43	5
Hornell	147	–	–	2	31	4	16	–	3	2	1	5	1	81	60	1	10	36	13
Balance of county	660	–	–	3	145	43	45	8	16	7	1	25	15	335	257	1	7	206	43
Suffolk	10,203	8	2	126	2,591	703	693	270	275	103	85	462	184	4,963	4,061	60	121	3,224	656
Babylon	136	–	–	2	38	14	7	2	3	1	1	8	–	69	59	–	5	52	2
Lindenhurst	262	–	–	4	68	19	21	3	9	3	3	10	5	130	110	1	4	95	10
Patchogue	104	1	–	3	16	4	4	1	2	1	1	3	2	61	53	1	1	45	6
Balance of county	9,701	7	2	117	2,471	666	661	264	261	98	80	441	177	4,703	3,839	58	111	3,032	638

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	1	40	2	3	16	10	2	2	3	1	1	3	2	32	8	15	2	2	2
Lynbrook	–	17	2	2	4	12	–	2	2	–	1	1	–	11	2	4	2	3	–
Massapequa Park	–	11	1	–	7	3	–	3	3	–	1	1	1	6	2	–	2	–	–
Mineola	–	9	3	2	4	6	2	1	3	–	1	3	1	11	5	5	1	–	–
Rockville Centre	1	22	2	1	6	5	2	2	3	–	–	3	–	19	3	1	1	–	–
Valley Stream	1	22	4	3	9	8	1	6	8	–	1	–	1	20	4	5	4	1	1
Westbury	–	5	–	3	4	3	–	3	–	–	–	2	–	9	1	4	3	1	–
Balance of county	20	457	66	83	251	202	36	122	93	–	35	50	36	595	125	132	83	39	18
New York city	329	3,222	484	483	2,915	1,443	278	1,745	532	19	360	748	971	5,236	583	1,335	358	1,451	492
Bronx bor., Bronx co	49	495	77	64	510	239	39	324	98	4	66	158	179	900	112	262	34	391	114
Brooklyn bor., Kings co	127	945	117	134	764	409	68	511	161	6	134	328	311	1,515	163	377	91	491	111
Manhattan bor., New York co	87	732	102	121	788	362	84	528	105	–	67	103	281	1,528	119	399	77	345	171
Queens bor., Queens co	56	824	178	141	707	345	56	326	137	8	77	133	178	1,137	166	260	149	205	83
Staten Island bor., Richmond co	10	126	10	23	146	88	11	56	31	1	16	26	22	156	29	37	7	19	13
Niagara	8	216	19	26	34	91	12	30	25	–	11	14	7	147	36	48	18	5	1
Lockport	1	26	2	4	10	18	3	6	1	–	–	1	1	18	3	11	1	–	–
Niagara Falls	4	86	5	11	11	32	4	11	10	–	4	6	5	55	14	17	9	2	–
North Tonawanda	1	41	1	2	6	14	1	7	4	–	–	1	–	24	2	7	1	2	–
Balance of county	2	63	11	9	7	27	4	6	10	–	7	6	1	50	17	13	7	1	1
Oneida	11	220	31	37	63	104	10	32	14	–	13	17	10	148	48	45	26	6	1
Rome	5	37	4	7	10	18	2	3	1	–	–	7	3	22	7	8	5	–	–
Utica	1	95	14	10	33	39	3	13	10	–	6	7	5	56	15	20	9	2	1
Balance of county	5	88	13	20	20	49	5	16	3	–	7	3	2	70	26	17	12	4	–
Onondaga	16	317	54	74	139	141	16	59	44	–	23	35	30	379	49	74	46	14	3
Syracuse	11	154	28	36	67	63	5	37	13	–	10	15	20	217	15	39	20	12	3
Balance of county	5	163	26	38	72	78	11	22	31	–	13	20	10	162	34	35	26	2	–
Ontario	5	71	14	10	23	32	1	11	4	–	4	3	2	48	24	15	15	2	–
Canandaigua	–	19	4	4	4	6	–	3	–	–	–	–	–	9	5	3	2	–	–
Geneva, part	2	16	2	–	7	6	–	3	1	–	–	1	–	10	2	2	2	1	–
Geneva, total	2	16	2	–	7	6	–	3	1	–	–	1	–	10	2	2	2	1	–
Balance of county	3	36	8	6	12	20	1	5	3	–	4	2	2	29	17	10	11	1	–
Orange	7	158	22	36	51	85	6	30	24	1	17	24	15	146	52	47	24	6	3
Middletown	1	23	5	8	7	7	1	3	2	–	1	–	2	20	6	6	3	–	–
Newburgh	1	19	5	4	5	8	–	6	4	1	2	6	1	28	3	6	2	2	–
Balance of county	5	116	12	24	39	70	5	21	18	–	14	18	12	98	43	35	19	4	3
Orleans	2	38	6	7	8	12	3	2	8	–	1	2	–	31	10	7	6	–	–
Oswego	6	78	27	11	16	23	3	6	19	–	8	6	5	65	34	15	14	3	–
Fulton	3	10	3	1	4	4	–	–	5	–	2	1	–	4	2	5	3	–	–
Oswego	2	21	11	3	2	4	1	4	6	–	1	–	1	16	6	1	1	–	–
Balance of county	1	47	13	7	10	15	2	2	8	–	5	5	4	45	26	9	10	3	–
Otsego	1	45	10	6	26	28	2	7	6	–	–	6	2	46	12	22	8	–	–
Oneonta	1	11	6	3	2	5	–	1	1	–	–	1	–	5	3	3	2	–	–
Balance of county	–	34	4	3	24	23	2	6	5	–	–	5	2	41	9	19	6	–	–
Putnam	2	48	1	5	16	23	3	10	2	1	2	1	4	33	12	8	8	3	3
Carmel town#	2	24	–	1	3	12	–	5	–	1	–	–	3	7	2	2	4	2	1
Balance of county	–	24	1	4	13	11	3	5	2	–	2	1	1	26	10	6	4	1	2
Rensselaer	6	87	18	18	42	53	3	21	13	–	6	13	7	106	29	26	8	2	1
Troy	4	41	11	8	18	30	1	12	5	–	–	11	2	44	6	15	4	1	–
Balance of county	2	46	7	10	24	23	2	9	8	–	6	2	5	62	23	11	4	1	1
Rockland	7	141	11	19	114	67	12	26	15	–	14	19	11	154	29	33	25	6	1
Spring Valley	–	14	2	1	8	4	1	4	1	–	1	4	1	13	4	5	3	2	–
Suffern	1	10	1	–	5	1	1	1	1	–	1	1	–	6	1	–	2	–	–
Balance of county	6	117	8	18	101	62	10	21	13	–	12	14	10	135	24	28	20	4	1
St. Lawrence	3	79	4	12	38	36	4	13	8	–	6	5	4	77	21	19	14	1	–
Massena	–	28	–	–	9	8	–	2	1	–	3	–	1	12	2	3	1	–	–
Ogdensburg	–	10	–	–	9	5	1	2	1	–	–	2	1	13	–	–	2	–	–
Potsdam	1	4	–	–	1	4	–	–	1	–	–	–	–	3	1	5	1	–	–
Balance of county	2	37	4	12	17	19	3	9	5	–	3	3	2	49	18	11	10	1	–
Saratoga	2	88	19	16	38	54	6	21	13	1	10	16	6	79	24	24	17	2	1
Saratoga Springs	1	26	10	2	10	10	4	8	4	–	1	2	1	23	2	6	3	2	–
Balance of county	1	62	9	14	26	44	2	13	9	1	9	14	5	56	22	18	14	–	1
Schenectady	2	84	18	19	37	57	9	15	9	–	8	16	5	107	19	26	15	1	1
Niskayuna town#	–	8	1	1	3	1	–	1	1	–	–	3	1	13	1	2	4	–	–
Rotterdam town#	–	15	3	2	3	6	1	2	2	–	2	1	1	18	1	6	–	–	1
Schenectady	2	42	9	13	22	38	7	9	5	–	5	9	3	59	9	13	7	–	–
Balance of county	–	19	5	3	9	12	1	3	1	–	1	3	–	17	8	5	4	1	–
Schoharie	–	12	–	1	10	7	–	1	7	–	3	–	4	23	9	10	4	1	–
Schuyler	–	14	2	6	6	6	1	3	2	–	2	2	–	14	1	3	–	–	–
Seneca	1	14	1	–	6	6	–	1	2	–	2	3	4	22	4	7	3	–	–
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	14	1	–	6	6	–	1	2	–	2	3	4	22	4	7	3	–	–
Steuben	5	90	8	13	23	38	4	12	10	–	6	7	5	82	27	14	9	3	–
Corning	–	14	1	2	2	7	1	5	3	–	1	2	4	16	2	–	1	2	–
Hornell	–	18	2	1	5	5	2	1	–	–	1	1	1	12	1	3	–	–	–
Balance of county	5	58	5	10	16	26	1	6	7	–	4	4	–	54	24	11	8	1	–
Suffolk	29	661	77	115	225	361	27	161	92	3	57	88	49	694	203	182	121	40	26
Babylon	1	7	–	2	1	8	–	3	3	–	–	2	1	7	1	2	1	–	–
Lindenhurst	–	19	–	1	6	9	1	4	3	–	2	2	1	13	6	3	3	1	1
Patchogue	–	7	–	1	3	1	1	2	–	–	1	–	1	8	2	2	–	–	–
Balance of county	28	648	77	111	215	343	25	152	86	3	54	84	46	666	194	175	117	39	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	792	3	–	4	177	43	52	8	21	8	5	40	13	415	334	1	6	280	47
Tioga	368	1	–	3	74	22	21	6	11	3	1	10	13	182	146	1	–	115	30
Tompkins	585	–	–	1	144	33	31	16	22	4	7	31	15	257	174	3	4	124	43
Ithaca	186	–	–	1	39	11	8	3	8	1	2	6	3	92	66	2	2	48	14
Balance of county	399	–	–	–	105	22	23	13	14	3	5	25	12	165	108	1	2	76	29
Ulster	1,575	1	–	20	357	93	94	34	46	23	8	59	31	780	618	5	15	498	100
Kingston	364	–	–	5	70	20	13	12	9	4	2	10	9	188	154	1	3	122	28
Balance of county	1,211	1	–	15	287	73	81	22	37	19	6	49	22	592	464	4	12	376	72
Warren	546	–	–	4	131	36	35	16	14	9	–	21	11	257	200	1	1	163	35
Glens Falls	187	–	–	3	32	10	7	4	4	2	–	5	5	103	78	–	1	62	15
Balance of county	359	–	–	1	99	26	28	12	10	7	–	16	6	154	122	1	–	101	20
Washington	514	–	–	4	111	33	43	8	7	3	1	16	7	278	214	2	7	164	41
Wayne	720	2	–	10	158	40	36	16	18	6	13	27	12	325	280	4	14	195	47
Newark	115	–	–	1	28	7	7	3	4	2	3	2	3	47	36	–	4	27	5
Balance of county	605	2	–	9	130	33	31	13	14	4	10	25	9	278	224	4	10	166	42
Westchester	8,110	3	1	91	2,004	587	497	211	187	85	71	366	148	4,160	3,393	46	144	2,688	517
Dobbs Ferry	102	–	–	1	30	8	6	4	3	2	1	6	2	51	40	–	2	31	7
Harrison	143	–	–	–	40	7	13	2	4	4	2	8	2	74	51	–	–	45	6
Mamaroneck	172	–	–	1	34	10	9	3	1	1	2	8	6	91	72	1	1	50	20
Mount Vernon	685	–	1	8	146	44	44	13	14	6	3	22	21	351	297	5	20	231	41
New Rochelle	810	–	–	10	187	52	52	14	20	8	3	38	11	437	354	1	21	281	51
Ossining	207	–	–	5	43	10	12	5	4	–	–	12	1	101	80	2	5	62	11
Peekskill	231	–	–	1	48	17	11	8	5	–	1	6	7	126	96	1	5	75	15
Port Chester	273	–	–	4	57	17	15	6	4	2	4	9	7	134	110	–	4	82	24
Rye	140	–	–	1	33	9	10	6	2	1	–	5	4	71	52	1	4	33	14
Scarsdale	171	–	–	4	41	13	9	4	2	2	1	10	5	89	63	–	2	49	12
Tarrytown	88	–	–	3	22	2	4	5	5	–	1	6	2	44	36	2	–	26	6
White Plains	508	–	–	7	122	41	19	16	12	5	4	25	6	267	202	2	7	163	30
Yonkers	1,999	1	–	24	516	144	140	43	53	27	20	89	33	1,069	874	18	31	716	109
Yorktown town#	211	–	–	2	54	17	10	13	–	2	3	9	4	107	81	1	3	70	7
Balance of county	2,371	2	–	20	631	196	143	69	58	25	26	114	37	1,208	985	12	39	772	162
Wyoming	396	2	–	5	79	26	15	10	13	4	–	11	8	193	148	3	1	113	31
Yates	168	–	–	2	43	11	14	3	4	3	1	7	6	103	84	2	1	61	20
North Carolina	51,046	62	2	617	10,652	2,453	3,050	926	1,233	374	389	2,227	873	24,663	18,870	139	781	13,060	4,890
Urban places	17,811	22	1	234	3,779	902	1,066	361	418	138	134	760	311	8,522	6,325	37	304	4,254	1,730
Balance of area	33,235	40	1	383	6,873	1,551	1,984	565	815	236	255	1,467	562	16,141	12,545	102	477	8,806	3,160
Metropolitan counties	24,876	21	1	310	5,286	1,226	1,511	495	560	182	188	1,124	425	11,760	8,914	64	334	6,220	2,296
Urban places	13,430	14	1	174	2,857	673	818	267	309	106	104	580	233	6,337	4,715	28	215	3,175	1,297
Balance of area	11,446	7	–	136	2,429	553	693	228	251	76	84	544	192	5,423	4,199	36	119	3,045	999
Nonmetropolitan counties	26,170	41	1	307	5,366	1,227	1,539	431	673	192	201	1,103	448	12,903	9,956	75	447	6,840	2,594
Urban places	4,381	8	–	60	922	229	248	94	109	32	30	180	78	2,185	1,610	9	89	1,079	433
Balance of area	21,789	33	1	247	4,444	998	1,291	337	564	160	171	923	370	10,718	8,346	66	358	5,761	2,161
Alamance	953	1	–	13	202	45	49	12	31	8	11	46	26	465	355	2	17	269	67
Burlington	390	–	–	7	85	16	25	2	14	6	4	18	10	180	136	–	3	110	23
Balance of county	563	1	–	6	117	29	24	10	17	2	7	28	16	285	219	2	14	159	44
Alexander	190	–	–	5	35	8	8	6	4	2	2	5	2	100	80	–	1	63	16
Alleghany	95	–	–	1	25	6	8	1	3	1	–	6	1	44	37	1	2	28	6
Anson	278	–	–	2	45	6	14	8	5	1	1	10	5	128	109	–	1	81	27
Ashe	236	–	–	–	53	8	21	4	8	2	3	7	4	117	99	1	6	72	20
Avery	114	–	–	–	24	4	9	–	5	–	2	4	2	55	46	–	2	34	10
Beaufort	420	2	–	4	84	19	24	3	18	1	3	16	4	210	167	1	19	112	35
Bertie	246	–	–	3	49	9	15	6	6	2	2	9	4	111	91	2	2	64	23
Bladen	279	–	–	9	63	18	19	3	9	–	2	12	8	138	112	–	5	81	26
Brunswick	360	–	–	1	88	18	29	8	5	5	2	21	4	170	135	1	3	88	43
Buncombe	1,706	–	–	14	348	76	109	35	38	11	8	78	18	839	611	6	13	429	163
Asheville	845	–	–	6	180	42	47	20	23	7	4	37	10	407	279	3	8	188	80
Balance of county	861	–	–	8	168	34	62	15	15	4	5	33	8	432	332	3	5	241	83
Burke	541	–	–	6	88	20	24	9	10	2	5	18	13	268	221	2	5	169	45
Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	156	–	–	3	23	6	7	2	4	1	1	2	3	81	64	–	1	45	18
Balance of county	385	–	–	3	65	14	17	7	6	1	4	16	10	187	157	2	4	124	27
Cabarrus	892	–	–	12	173	46	52	20	9	7	5	34	8	382	301	1	5	219	76
Concord	253	–	–	4	57	17	18	5	3	3	–	11	5	102	83	1	2	53	27
Balance of county	579	–	–	8	116	29	34	15	6	4	5	23	3	280	218	–	3	166	49
Caldwell	531	1	–	7	124	31	32	6	17	7	6	25	4	248	213	3	6	157	47
Lenoir	180	–	–	3	43	13	9	4	6	–	2	9	1	89	77	–	4	55	18
Balance of county	351	1	–	4	81	18	23	2	11	7	4	16	3	159	136	3	2	102	29
Camden	56	–	–	–	11	4	1	2	–	1	2	1	2	27	20	–	1	13	6
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	56	–	–	–	11	4	1	2	–	1	2	1	2	27	20	–	1	13	6
Carteret	385	–	–	9	86	24	30	7	9	4	2	10	6	178	139	2	6	79	52
Caswell	174	–	–	–	39	10	7	4	5	–	–	13	5	78	59	–	2	45	12
Catawba	873	–	–	9	175	42	44	21	14	5	3	46	10	436	345	3	12	241	89
Hickory, part	312	–	–	2	63	16	18	4	6	2	2	15	3	164	130	2	7	86	35
Hickory, total	312	–	–	2	63	16	18	4	6	2	2	15	3	164	130	2	7	86	35
Balance of county	561	–	–	7	112	26	26	17	8	3	1	31	7	272	215	1	5	155	54
Chatham	313	–	–	7	69	13	20	7	11	3	4	11	6	138	111	2	3	85	21
Cherokee	189	–	–	–	46	9	17	3	4	2	1	10	3	98	77	–	–	46	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and *Nonmetropolitan Counties, and Specified Urban Places*, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	–	71	5	5	24	23	1	11	10	–	5	1	2	51	12	27	7	4	2
Tioga	3	24	5	4	8	20	1	6	2	–	3	3	5	29	4	10	4	–	–
Tompkins	5	42	23	13	17	29	4	6	1	–	4	10	3	54	13	10	16	1	–
Ithaca	2	10	9	6	2	8	2	4	–	–	–	1	1	18	3	5	7	–	–
Balance of county	3	32	15	7	15	21	2	2	1	–	4	9	2	36	10	5	9	1	–
Ulster	11	125	11	15	84	60	9	12	11	–	14	12	8	120	43	23	7	3	–
Kingston	3	27	3	1	21	14	3	3	2	–	1	4	2	32	5	4	–	1	–
Balance of county	8	98	8	14	43	46	6	9	9	–	13	8	6	88	38	19	7	2	–
Warren	1	44	5	7	26	25	4	10	4	–	3	6	2	38	9	10	6	–	–
Glens Falls	1	19	3	2	8	6	3	3	1	–	3	3	–	12	1	2	2	–	–
Balance of county	–	25	2	5	18	19	1	7	3	–	–	3	2	26	8	8	4	–	–
Washington	2	48	6	8	15	13	1	–	3	–	2	–	3	38	18	10	8	3	–
Wayne	3	41	11	10	36	31	3	10	8	–	5	6	4	68	21	15	4	2	–
Newark	–	7	–	4	9	5	1	2	1	–	–	–	–	14	2	1	1	–	–
Balance of county	3	34	11	6	27	26	2	8	7	–	5	6	4	54	19	14	3	2	–
Westchester	24	569	75	79	208	225	27	147	52	2	39	58	29	555	96	131	75	36	22
Dobbs Ferry	–	9	1	1	4	3	–	1	–	–	–	–	–	5	2	1	1	1	–
Harrison	–	17	4	2	3	5	–	–	1	–	–	–	–	5	7	4	1	–	1
Mamaroneck	1	16	–	2	7	3	–	3	1	–	1	–	2	14	2	4	3	–	–
Mount Vernon	5	40	3	6	11	18	–	17	10	–	–	9	4	58	5	14	5	4	3
New Rochelle	5	66	5	7	23	16	2	15	8	1	3	2	3	67	1	8	8	6	2
Ossining	–	17	3	1	7	5	1	7	1	–	2	5	1	15	3	4	3	1	2
Peekskill	–	22	5	3	8	5	1	2	2	–	2	3	1	18	2	1	2	1	1
Port Chester	–	21	2	1	11	13	–	9	2	–	2	1	1	21	4	4	2	–	1
Rye	–	13	4	2	6	2	–	3	–	–	–	–	1	13	1	3	1	–	1
Scarsdale	1	22	1	2	–	4	6	–	1	–	2	2	1	9	3	3	1	–	–
Tarrytown	1	6	1	–	1	3	–	2	1	–	–	1	–	7	–	2	1	–	–
White Plains	2	53	5	5	14	15	2	9	4	–	1	3	–	40	5	8	1	1	1
Yonkers	3	101	13	18	52	62	10	32	7	1	11	24	9	110	21	38	20	16	4
Yorktown town#	–	19	2	5	2	6	–	1	2	–	2	1	–	19	3	3	4	1	–
Balance of county	6	167	26	24	59	65	5	46	12	–	13	8	7	154	37	34	22	5	6
Wyoming	–	26	13	6	18	18	1	3	3	–	4	1	–	33	14	8	5	1	–
Yates	–	14	1	4	1	3	–	2	2	–	–	3	–	13	–	4	5	1	–
North Carolina	243	4,513	539	498	1,432	1,496	146	589	541	12	329	526	407	4,431	1,489	1,398	811	520	50
Urban places	100	1,716	188	193	498	502	63	221	200	3	113	207	130	1,764	341	431	237	210	22
Balance of area	143	2,797	351	305	934	994	83	368	341	9	216	319	277	2,667	1,148	967	574	310	28
Metropolitan counties	115	2,207	255	269	668	720	79	302	240	3	187	295	201	2,282	695	684	420	268	29
Urban places	71	1,269	145	143	350	384	53	174	150	1	93	161	98	1,358	269	351	182	173	17
Balance of area	44	944	110	126	318	336	26	128	90	2	94	134	103	924	426	333	238	95	12
Nonmetropolitan counties	128	2,306	284	229	764	776	67	287	301	9	142	231	206	2,149	794	714	391	252	21
Urban places	29	453	43	50	148	118	10	47	50	2	20	46	32	406	72	80	55	37	5
Balance of area	99	1,853	241	179	616	658	57	240	251	7	122	185	174	1,743	722	634	336	215	16
Alamance	4	85	16	5	18	33	6	15	9	–	4	9	6	83	14	24	17	6	2
Burlington	3	33	5	3	6	12	6	6	4	–	2	5	1	38	4	8	9	4	1
Balance of county	1	52	11	2	10	21	–	9	5	–	2	4	5	45	10	16	8	2	1
Alexander	–	16	2	2	3	5	–	1	1	–	3	1	3	18	8	1	3	1	–
Alleghany	–	6	1	–	7	2	–	–	–	–	–	–	–	10	3	1	1	–	–
Anson	–	18	1	1	18	3	–	5	6	–	1	3	4	27	12	14	1	3	–
Ashe	–	13	3	2	2	14	–	–	4	–	–	1	4	23	4	6	3	1	–
Avery	1	6	2	–	1	10	–	2	3	–	–	–	–	6	3	7	1	–	–
Beaufort	2	38	3	–	10	12	1	6	7	–	4	4	7	30	10	10	9	6	–
Bertie	1	18	–	1	10	2	–	2	5	–	1	1	1	24	17	13	3	–	–
Bladen	1	22	2	1	4	2	1	1	6	–	3	2	2	21	8	5	2	3	1
Brunswick	1	27	3	4	8	11	–	3	3	–	4	3	4	26	12	15	5	3	–
Buncombe	8	171	20	29	73	52	2	20	9	–	7	14	8	180	24	48	34	15	1
Asheville	6	96	13	13	30	25	–	10	6	–	2	5	5	100	10	31	9	9	–
Balance of county	2	75	7	16	43	27	2	10	3	–	5	9	3	80	14	17	25	6	1
Burke	4	35	2	6	19	19	2	12	6	–	2	2	2	40	19	18	17	7	1
Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	2	14	–	1	9	3	2	4	4	–	–	1	–	13	1	4	3	1	1
Balance of county	2	21	2	5	10	16	–	8	2	–	2	1	2	27	18	14	14	6	–
Cabarrus	2	64	5	10	26	34	4	4	8	–	7	2	24	85	26	21	10	6	–
Concord	1	18	–	–	11	9	2	2	4	–	1	–	9	34	6	5	–	2	–
Balance of county	1	46	5	10	15	25	2	2	4	–	6	2	15	51	20	16	10	4	–
Caldwell	4	27	–	4	12	19	–	4	7	1	5	4	2	49	20	9	8	5	2
Lenoir	–	10	–	2	5	4	–	1	2	–	2	–	–	21	5	1	2	–	1
Balance of county	4	17	–	2	7	15	–	3	5	1	3	4	2	28	15	8	6	5	1
Camden	–	5	2	–	4	–	–	–	2	–	1	–	–	6	2	–	1	–	–
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	5	2	–	4	–	–	–	2	–	1	–	–	6	2	–	1	–	–
Carteret	2	30	2	5	9	19	1	5	3	–	2	3	3	36	8	12	4	1	–
Caswell	–	16	3	–	3	5	–	3	1	–	–	–	2	20	9	8	1	–	–
Catawba	2	73	4	12	21	23	4	16	5	–	9	5	8	73	38	19	14	9	1
Hickory, part	1	24	2	7	8	8	2	8	1	–	2	2	1	25	11	7	3	2	–
Hickory, total	1	24	2	7	8	8	2	8	1	–	2	2	1	25	11	7	3	2	–
Balance of county	1	49	2	5	13	15	2	8	4	–	7	3	7	48	25	12	11	7	1
Chatham	1	24	–	2	5	5	–	2	4	–	2	5	3	29	15	10	4	9	–
Cherokee	1	18	–	2	4	4	–	4	1	–	–	1	–	17	2	3	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	143	–	–	1	29	5	12	4	3	1	1	3	3	62	46	1	3	29	13
Clay	68	–	–	1	12	1	5	1	1	1	–	3	2	36	29	–	–	21	8
Cleveland	768	–	–	9	171	42	48	14	15	3	8	43	16	373	294	1	12	178	103
Shelby	218	–	–	–	55	15	15	6	1	–	2	16	4	105	81	1	3	50	27
Balance of county	550	–	–	9	116	27	31	8	14	3	6	27	12	268	213	–	9	128	76
Columbus	475	–	–	4	94	20	28	6	10	2	2	26	5	247	189	2	4	116	67
Craven	517	–	–	10	102	27	28	12	10	5	2	18	6	233	174	1	19	113	41
Havelock	44	–	–	–	10	5	2	1	2	–	–	–	–	10	9	1	–	7	1
New Bern	183	–	–	5	37	12	9	6	2	1	–	7	2	99	69	–	7	40	22
Balance of county	290	–	–	5	55	10	17	5	6	4	2	11	4	124	96	–	12	66	18
Cumberland	1,400	2	–	21	262	59	86	20	34	9	6	48	30	622	460	4	24	310	122
Fayetteville	638	2	–	6	137	30	50	13	18	5	3	18	14	302	218	2	14	145	57
Balance of county	762	–	–	15	125	29	36	7	16	4	3	30	16	320	242	2	10	165	65
Currituck	124	1	–	–	32	4	13	2	3	1	2	7	2	61	48	–	3	33	12
Dare	146	–	–	1	36	7	12	–	4	2	–	11	2	63	45	1	2	24	18
Davidson	955	4	–	10	192	46	51	16	24	1	7	47	19	476	373	2	14	247	110
High Point, part	4	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Lexington	186	–	–	1	41	6	13	3	7	–	3	9	4	95	78	1	4	48	27
Thomasville	202	4	–	3	34	7	10	4	5	–	–	8	5	99	77	–	2	49	28
Balance of county	563	–	–	6	115	33	28	9	12	1	3	29	10	282	218	1	8	152	57
Davie	217	–	–	1	51	12	10	4	4	2	4	15	3	113	85	1	1	65	18
Duplin	414	–	–	7	79	15	17	6	18	3	2	16	7	214	166	1	8	115	42
Durham	1,416	2	–	14	302	59	95	37	28	6	10	67	22	624	456	4	11	281	160
Chapel Hill, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Durham	1,110	2	–	12	233	49	72	25	23	6	5	53	18	487	344	3	8	209	124
Balance of county	305	–	–	2	68	10	22	12	5	–	5	14	4	137	112	1	3	72	36
Edgecombe	565	–	–	7	119	23	39	7	16	5	5	24	8	272	201	2	5	138	56
Rocky Mount, part	200	–	–	4	46	11	13	4	5	1	2	10	3	94	60	1	–	40	19
Balance of county	365	–	–	3	73	12	26	3	11	4	3	14	5	178	141	1	5	98	37
Forsyth	2,105	1	–	39	413	103	102	39	54	14	14	87	46	1,035	818	8	33	572	205
Winston-Salem	1,406	–	–	34	279	71	73	28	31	10	11	55	31	680	537	2	29	382	144
Balance of county	699	1	–	5	134	32	29	11	23	4	3	32	15	355	281	6	4	210	61
Franklin	314	–	–	5	60	11	25	2	6	1	1	14	6	169	139	2	15	77	45
Gaston	1,392	1	–	16	286	62	102	25	33	8	14	52	20	877	520	3	21	382	114
Gastonia	586	1	–	7	113	20	44	11	14	3	4	17	7	285	207	2	8	145	52
Balance of county	806	–	–	9	183	42	58	14	19	5	10	35	13	392	313	1	13	237	62
Gates	108	–	–	2	24	4	5	3	6	1	1	4	1	43	35	–	–	28	7
Graham	65	–	–	–	16	4	7	–	1	2	–	2	–	33	30	1	2	23	4
Granville	345	–	–	9	65	18	22	2	7	–	2	14	6	172	147	1	1	100	45
Greene	161	1	–	2	22	3	11	1	–	1	2	4	3	80	61	1	–	47	13
Guilford	2,714	4	–	30	599	117	162	67	77	35	26	115	41	1,316	986	5	36	712	233
Greensboro	1,358	2	–	16	291	54	81	34	35	19	17	51	19	660	495	3	22	339	131
High Point, part	732	1	–	7	149	31	39	17	19	9	3	31	12	371	275	–	10	218	47
High Point, total	707	1	–	7	151	31	39	17	19	9	4	32	12	372	276	–	10	219	47
Balance of county	624	1	–	7	159	32	42	16	23	7	6	33	10	285	216	2	4	155	55
Halifax	594	3	–	9	111	29	43	6	9	1	1	22	9	320	242	1	22	173	46
Roanoke Rapids	180	2	–	3	35	8	18	1	1	–	–	7	1	101	77	–	5	57	15
Balance of county	414	1	–	6	76	21	25	5	8	1	1	15	8	219	165	1	17	116	31
Harnett	567	5	–	8	114	27	92	5	18	1	3	28	12	270	218	–	19	155	44
Haywood	483	–	–	2	104	22	34	8	5	5	2	28	4	258	215	2	2	162	49
Henderson	609	1	–	4	140	35	39	11	10	7	5	33	4	295	223	1	3	166	53
Hertford	237	2	–	1	52	7	15	5	9	2	2	12	7	113	91	1	7	58	25
Hoke	143	1	–	3	27	4	6	4	5	1	2	6	3	64	49	–	3	28	18
Hyde	51	–	–	–	7	2	4	–	–	–	–	1	1	28	21	–	–	13	8
Iredell	756	–	–	–	172	48	42	13	22	5	5	37	12	368	278	3	7	210	58
Statesville	226	–	–	–	42	14	8	5	6	2	–	7	4	113	79	–	–	62	17
Balance of county	530	–	–	–	130	34	34	8	16	3	5	30	8	255	199	3	7	148	41
Jackson	206	–	–	2	39	7	9	4	2	7	2	8	6	105	88	–	1	61	26
Johnston	685	–	–	8	127	26	39	10	16	2	5	29	11	333	274	–	21	181	72
Jones	94	–	–	3	14	3	4	1	3	–	–	3	–	54	38	–	4	23	9
Lee	334	–	–	10	76	18	16	10	7	4	3	18	1	157	123	1	1	79	42
Sanford	141	–	–	4	24	7	5	3	3	2	2	2	1	73	61	1	–	45	15
Balance of county	193	–	–	6	52	11	11	7	4	2	1	16	–	84	62	–	1	34	27
Lenoir	567	2	–	2	126	24	42	10	17	4	4	25	7	298	221	–	6	139	76
Kinston	308	1	–	1	66	13	20	6	8	3	1	15	4	172	128	–	5	71	52
Balance of county	259	1	–	1	60	11	22	4	9	1	3	10	3	126	93	–	1	68	24
Lincoln	309	–	–	3	67	20	20	3	8	1	2	13	9	144	112	1	–	82	29
McDowell	282	–	–	2	48	6	12	3	8	2	2	15	5	155	123	1	3	96	23
Macon	222	–	–	1	52	14	16	4	8	–	3	7	1	106	84	1	2	58	23
Madison	174	1	–	–	31	5	7	2	5	1	2	9	6	78	62	1	1	45	15
Martin	271	–	–	7	50	11	15	5	10	2	1	6	4	138	99	2	4	56	37
Mecklenburg	3,036	2	1	46	652	178	174	56	64	17	19	144	66	1,409	1,059	8	48	708	295
Charlotte	2,549	1	1	34	559	158	144	48	55	17	17	120	52	1,175	877	6	41	586	244
Balance of county	487	1	–	12	93	20	30	8	9	–	2	24	14	234	182	2	7	122	51
Mitchell	156	–	–	2	35	11	8	1	5	1	2	7	5	62	47	1	–	29	17
Montgomery	243	–	–	4	44	15	9	5	3	3	–	9	3	117	82	–	–	60	22
Moore	560	–	–	2	121	33	28	10	19	5	4	24	4	286	213	–	15	146	52
Nash	639	3	–	19	116	29	38	6	20	–	4	19	8	321	235	5	14	145	71
Rocky Mount, part	284	–	–	9	50	16	12	2	10	–	3	7	4	131	90	2	5	59	24
Rocky Mount, total	484	–	–	13	96	27	25	6	15	1	5	17	7	225	150	3	5	99	43
Balance of county	375	3	–	10	66	13	26	4	10	–	1	12	4	190	145	3	9	86	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	2	11	2	1	8	2	1	3	3	–	2	3	2	15	2	4	1	2	–
Clay	1	5	1	–	3	2	–	1	–	–	–	–	–	8	1	–	1	1	–
Cleveland	1	65	9	4	13	24	3	12	5	–	6	14	7	47	23	24	11	10	–
Shelby	–	22	2	–	5	9	1	4	3	–	–	3	1	10	3	10	2	3	–
Balance of county	1	43	7	4	8	15	2	8	2	–	6	11	6	37	20	14	9	7	–
Columbus	1	45	6	6	10	10	1	3	4	1	3	4	8	32	22	13	6	8	–
Craven	1	45	6	7	18	11	1	9	5	–	4	9	7	50	26	12	8	5	1
Havelock	–	–	–	1	1	1	–	–	2	–	2	4	1	2	6	4	1	–	–
New Bern	–	21	5	4	5	5	–	2	2	–	1	1	2	15	2	3	1	–	1
Balance of county	1	24	1	2	12	5	1	7	1	–	1	4	4	33	18	5	6	5	–
Cumberland	11	131	12	8	18	36	3	18	11	1	14	44	23	113	75	57	22	25	3
Fayetteville	7	70	6	1	6	18	1	6	5	–	4	20	13	57	18	13	4	11	1
Balance of county	4	61	6	7	12	18	2	12	6	1	10	24	10	56	57	44	18	14	2
Currituck	–	10	2	1	1	6	–	2	–	–	–	–	2	7	2	4	4	–	–
Dare	–	10	6	2	2	8	–	1	–	–	–	2	2	7	8	8	6	–	–
Davidson	3	73	21	6	24	31	5	7	10	1	8	8	7	74	33	22	16	8	–
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Lexington	–	15	2	–	3	7	2	3	3	–	1	1	1	11	4	7	1	1	–
Thomasville	2	19	1	–	10	5	–	1	–	1	1	1	1	22	7	6	2	–	–
Balance of county	1	39	18	6	11	19	3	3	7	–	6	6	5	40	22	9	12	7	–
Davie	1	20	3	4	6	7	2	2	2	–	–	4	1	11	3	4	7	–	–
Duplin	–	40	4	4	9	12	1	2	5	–	3	4	–	31	21	13	4	2	–
Durham	7	110	35	16	53	28	4	17	14	–	7	17	18	180	30	43	26	16	1
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Durham	6	93	29	15	35	25	4	14	12	–	4	15	17	143	22	36	16	14	1
Balance of county	1	17	6	1	18	1	–	3	2	–	3	2	1	37	8	7	10	2	–
Edgecombe	3	59	5	4	19	13	2	11	6	1	3	5	2	49	15	18	6	8	1
Rocky Mount, part	–	31	2	1	11	3	–	4	2	–	1	3	–	17	4	2	2	4	–
Balance of county	3	28	3	3	8	10	2	7	4	1	2	2	2	32	11	16	4	4	1
Forsyth	19	158	13	27	42	75	12	29	17	–	14	20	13	199	38	48	34	27	3
Winston-Salem	12	103	9	19	29	55	11	19	11	–	6	15	9	135	21	32	14	22	3
Balance of county	7	55	4	8	13	20	1	10	6	–	8	5	4	64	17	16	20	5	–
Franklin	3	21	2	4	3	5	1	5	3	–	1	4	3	20	15	8	1	4	1
Gaston	2	132	9	14	37	36	2	25	20	–	16	16	10	97	44	41	20	17	1
Gastonia	1	66	4	7	12	12	–	13	10	–	10	8	3	51	14	20	10	9	1
Balance of county	1	66	5	7	25	24	2	12	10	–	6	8	7	46	30	21	10	8	–
Gates	1	4	1	2	4	4	–	2	–	–	1	2	–	12	6	3	2	2	–
Graham	–	3	–	–	–	5	–	–	–	–	–	1	–	5	3	2	1	–	–
Granville	1	19	1	4	16	11	–	1	7	–	1	1	1	23	10	10	7	5	–
Greene	–	17	1	1	4	7	–	2	–	–	–	–	1	16	4	15	3	1	–
Guilford	9	266	28	27	76	73	12	28	29	–	19	31	17	252	60	74	32	17	4
Greensboro	3	132	19	11	35	39	7	13	18	–	9	14	7	131	30	34	19	11	3
High Point, part	3	82	5	6	26	14	4	7	7	–	5	10	3	75	12	22	6	1	–
High Point, total	3	82	5	6	26	14	4	7	7	–	5	10	3	76	12	22	7	1	–
Balance of county	3	52	4	10	15	20	1	8	4	–	5	7	7	46	18	18	7	5	1
Halifax	2	63	8	5	16	18	3	2	14	2	2	3	3	48	13	8	2	8	–
Roanoke Rapids	–	21	1	2	4	6	1	–	4	1	1	1	1	14	4	–	–	1	–
Balance of county	2	42	7	3	12	12	2	2	10	1	1	2	2	34	9	8	2	7	–
Harnett	3	42	3	4	10	17	3	3	5	1	4	5	5	56	20	15	9	5	–
Haywood	4	33	1	5	11	19	3	6	3	–	4	1	1	43	9	8	5	1	1
Henderson	5	55	4	8	31	17	3	7	8	–	1	3	3	51	15	9	14	2	1
Hertford	1	15	4	2	8	6	1	2	3	–	1	3	2	18	6	10	2	2	–
Hoke	–	12	2	1	7	4	1	2	1	–	1	4	2	6	4	6	3	2	–
Hyde	1	4	1	1	2	–	–	1	1	–	–	2	–	3	–	4	1	1	–
Iredell	3	72	9	6	26	18	3	6	7	–	5	4	2	63	28	24	10	10	–
Statesville	–	29	5	–	10	6	–	1	2	–	1	2	2	28	6	5	2	2	–
Balance of county	3	43	4	6	16	12	3	5	5	–	4	2	–	35	20	19	8	8	–
Jackson	–	14	1	2	15	6	1	2	1	–	–	–	2	14	2	6	3	2	–
Johnston	1	47	4	7	16	20	2	7	5	–	2	6	10	60	41	15	12	8	2
Jones	1	14	2	1	4	1	1	2	2	–	–	1	1	5	1	2	3	–	–
Lee	1	23	5	5	7	16	1	7	5	–	4	1	5	25	10	7	1	1	–
Sanford	1	8	1	2	2	8	1	4	2	–	1	–	2	15	2	1	–	1	–
Balance of county	–	15	4	3	5	8	–	3	3	–	3	1	3	10	8	6	1	–	–
Lenoir	5	64	4	4	10	8	2	9	8	–	1	4	6	36	19	17	10	2	–
Kinston	4	34	2	4	6	3	2	3	3	–	–	3	5	19	6	7	6	1	–
Balance of county	1	30	2	–	4	5	–	6	5	–	1	1	1	17	13	10	4	1	–
Lincoln	–	27	3	2	10	8	1	2	1	–	3	3	6	21	15	9	5	2	–
McDowell	1	23	6	2	8	16	1	1	2	–	2	3	2	15	4	10	4	4	–
Macon	–	19	2	1	12	7	–	1	2	1	–	2	–	24	4	5	3	–	1
Madison	1	14	–	1	11	5	–	1	1	–	1	1	1	18	6	8	3	2	–
Martin	2	32	2	3	11	5	2	5	2	–	1	5	2	24	–	11	3	1	–
Mecklenburg	15	268	21	46	69	91	11	34	43	–	25	29	12	271	71	76	57	65	6
Charlotte	11	234	17	36	62	71	9	31	38	–	20	26	12	232	51	62	47	62	4
Balance of county	4	34	4	10	7	20	2	3	5	–	5	3	–	39	20	14	10	3	2
Mitchell	–	10	2	3	14	8	–	2	–	–	–	–	1	12	5	6	2	2	–
Montgomery	4	29	1	1	10	10	1	–	5	–	1	3	2	19	8	7	4	7	–
Moore	3	55	10	5	9	20	–	12	4	–	4	3	3	41	18	15	13	4	1
Nash	2	68	7	9	28	25	1	7	7	–	1	5	3	54	13	14	9	5	–
Rocky Mount, part	1	31	3	6	13	9	–	4	1	–	–	4	–	27	1	7	4	–	–
Rocky Mount, total	1	62	5	7	24	12	–	8	3	–	1	7	–	44	5	9	6	4	–
Balance of county	1	37	4	3	15	16	1	3	6	–	1	1	3	27	12	7	5	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	920	1	-	10	241	59	78	16	18	7	13	50	11	427	320	1	7	217	95
Wilmington	532	1	-	7	132	33	40	11	12	3	6	25	8	248	178	-	6	124	48
Balance of county	388	-	-	3	109	26	38	5	6	4	5	25	3	179	142	1	1	93	47
Northampton	231	2	-	4	47	8	10	6	6	4	1	12	7	115	85	2	7	56	20
Onslow	517	-	-	4	103	24	28	8	7	3	5	28	4	206	158	3	5	108	42
Jacksonville	161	-	-	-	28	8	7	2	3	-	1	7	3	65	51	-	2	30	19
Balance of county	356	-	-	4	75	16	21	6	4	3	4	21	1	141	107	3	3	78	23
Orange	457	-	-	10	103	30	26	12	9	4	3	19	9	206	144	-	9	91	44
Chapel Hill, part	164	-	-	2	38	7	6	4	6	3	1	11	1	80	55	-	4	30	21
Chapel Hill, total	165	-	-	2	39	7	7	4	6	3	1	11	1	80	55	-	4	30	21
Balance of county	293	-	-	8	65	23	20	8	3	1	2	8	8	126	89	-	5	61	23
Pamlico	114	-	-	2	28	4	7	2	1	1	1	12	1	45	41	-	7	23	11
Pasquotank	260	-	-	2	71	19	21	4	10	4	1	12	5	120	93	-	12	59	22
Elizabeth City, part	169	-	-	2	53	16	14	4	7	3	1	8	3	69	55	-	5	34	16
Elizabeth City, total	169	-	-	2	53	16	14	4	7	3	1	8	3	69	55	-	5	34	16
Balance of county	91	-	-	-	18	3	7	-	3	1	-	4	2	51	38	-	7	25	6
Pender	237	-	-	4	62	18	12	5	11	2	4	10	3	103	74	-	1	50	23
Perquimans	89	-	-	1	15	3	4	2	1	1	-	4	-	46	34	-	3	19	12
Person	267	-	-	1	44	10	12	3	9	1	3	6	6	149	115	-	5	54	56
Pitt	746	2	-	12	132	24	42	13	22	2	7	22	14	386	280	2	25	185	68
Greenville	261	2	-	5	49	7	14	5	8	1	3	11	4	122	93	1	13	47	32
Balance of county	485	-	-	7	83	17	28	8	14	1	4	11	10	244	187	1	12	138	36
Polk	189	-	-	2	39	7	15	2	2	-	2	11	5	95	67	-	2	50	15
Randolph	693	-	-	7	141	36	42	12	13	5	4	29	9	361	259	3	2	214	40
Asheboro	178	-	-	5	34	9	12	2	1	1	3	6	1	102	72	-	-	61	11
High Point, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	514	-	-	2	107	27	30	10	12	4	1	23	8	258	186	3	2	152	29
Richmond	423	-	-	6	73	21	12	10	10	5	2	13	13	208	143	1	4	105	33
Robeson	902	2	1	8	158	38	45	9	22	11	3	30	28	454	331	1	18	241	71
Lumberton	229	-	-	1	46	12	12	4	4	7	-	7	9	121	81	-	5	59	17
Balance of county	673	2	1	7	112	26	33	5	18	4	3	23	19	333	250	1	13	182	54
Rockingham	783	-	-	15	145	29	44	16	16	6	5	29	11	397	286	2	4	201	79
Eden	175	-	-	3	33	4	11	7	6	-	2	3	3	86	69	-	2	40	27
Reidsville	161	-	-	3	29	10	6	4	3	1	-	5	2	87	59	-	-	48	11
Balance of county	447	-	-	9	83	15	27	5	7	5	3	21	6	224	158	2	2	113	41
Rowan	992	1	-	7	211	47	61	16	22	9	7	49	24	488	368	1	8	273	86
Salisbury	334	-	-	3	60	16	20	3	7	2	2	10	9	170	120	-	3	87	30
Balance of county	658	1	-	4	151	31	41	13	15	7	5	39	15	318	248	1	5	188	56
Rutherford	553	1	-	2	117	32	31	15	9	6	6	18	7	282	210	1	4	140	65
Sampson	516	2	-	9	108	19	26	9	14	5	9	26	4	242	187	1	9	137	40
Scotland	308	1	-	3	64	13	17	9	6	6	5	8	6	152	112	1	11	77	23
Laurinburg	151	-	-	1	31	5	7	5	3	4	2	5	3	82	57	-	7	40	10
Balance of county	155	1	-	2	33	8	10	4	3	2	3	3	3	70	55	1	4	37	13
Stanly	448	1	-	4	101	29	22	7	13	5	3	22	8	241	188	1	3	154	26
Albemarle	159	-	-	2	37	10	7	4	6	-	1	9	4	79	57	-	3	45	9
Balance of county	289	1	-	2	64	19	15	3	7	5	2	13	4	162	129	1	-	109	19
Stokes	264	-	-	4	46	10	13	5	5	1	1	11	4	132	101	-	5	78	18
Surry	578	-	-	5	108	28	32	10	11	3	3	21	14	308	248	5	9	192	42
Swain	150	1	-	1	23	6	5	2	6	-	-	4	5	77	62	1	2	36	23
Transylvania	210	-	-	3	53	7	16	3	6	2	5	12	4	101	74	-	1	54	19
Tyrrell	51	-	-	-	13	2	6	1	2	1	-	1	1	26	21	-	-	17	4
Union	508	-	-	6	102	23	33	8	9	6	2	21	7	249	205	2	8	147	48
Monroe	143	-	-	-	28	6	11	3	-	1	2	5	-	76	67	-	6	44	17
Balance of county	365	-	-	6	74	17	22	5	9	5	-	16	7	173	138	2	2	103	31
Vance	465	2	-	4	92	22	22	13	13	1	5	16	10	189	146	1	16	87	42
Henderson	225	2	-	4	57	14	13	9	7	-	4	10	6	98	72	1	10	43	18
Balance of county	180	-	-	-	35	8	9	4	6	1	1	6	4	91	74	-	6	44	24
Wake	2,072	-	-	26	495	121	137	48	45	15	21	108	34	895	669	6	46	428	189
Cary	116	-	-	-	27	6	4	6	4	1	-	6	-	49	35	-	4	20	11
Garner	71	-	-	1	15	4	9	-	1	-	-	1	-	31	23	-	1	15	7
Raleigh	1,158	-	-	17	271	67	74	22	22	8	13	65	21	508	377	3	31	227	116
Balance of county	727	-	-	8	182	44	50	20	18	6	8	36	13	307	234	3	10	166	55
Warren	209	-	-	3	45	6	14	2	9	2	2	10	7	101	64	-	2	36	26
Washington	125	-	-	-	31	7	7	2	7	-	2	6	2	56	44	-	2	22	20
Watauga	200	1	-	2	40	10	8	9	3	1	1	8	3	108	88	2	1	54	31
Boone	49	-	-	1	10	3	1	1	3	-	-	2	2	20	18	-	-	13	5
Balance of county	157	1	-	1	30	7	7	8	-	1	1	6	1	88	70	2	1	41	26
Wayne	802	2	-	5	166	38	47	11	17	9	5	39	17	414	313	-	14	231	68
Goldsboro	350	-	-	3	72	14	22	5	7	3	1	20	9	177	133	-	8	98	27
Balance of county	452	2	-	2	94	24	25	6	10	6	4	19	8	237	180	-	6	133	41
Wilkes	477	-	-	5	100	21	32	7	12	2	4	22	4	233	188	3	12	129	44
Wilson	591	3	-	4	121	30	38	6	12	4	4	27	9	277	202	1	7	138	56
Wilson	358	1	-	3	74	14	23	6	7	3	3	18	6	176	121	1	6	81	33
Balance of county	233	2	-	1	47	16	15	-	5	1	1	9	3	101	81	-	1	57	23
Yadkin	223	-	-	6	44	8	10	4	9	2	-	11	3	106	81	-	2	65	14
Yancey	136	-	-	1	42	12	13	2	8	-	3	4	3	57	46	1	-	33	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
North Carolina—Con.																			
New Hanover	3	90	8	6	13	26	1	12	14	–	2	7	5	84	21	22	13	10	–
Wilmington	–	61	5	4	4	17	1	7	9	–	1	4	3	53	12	13	5	7	–
Balance of county	3	29	3	2	9	9	–	5	5	–	1	3	2	31	9	9	8	3	–
Northampton	–	21	6	3	9	5	–	3	2	–	–	2	1	24	2	4	1	3	–
Onslow	7	34	4	3	11	15	1	9	7	1	13	20	6	45	27	26	16	2	–
Jacksonville	3	8	2	1	3	5	–	2	4	–	5	6	2	19	7	8	4	–	–
Balance of county	4	26	2	2	8	11	1	7	3	1	8	14	4	26	20	18	12	2	–
Orange	2	47	9	4	13	8	1	7	3	–	5	6	2	45	15	11	8	5	–
Chapel Hill, part	2	21	2	–	4	5	1	1	2	–	2	2	1	18	2	3	1	1	–
Chapel Hill, total	2	21	2	–	4	5	1	1	2	–	2	2	1	18	2	3	1	1	–
Balance of county	–	26	7	4	9	3	–	6	1	–	3	4	1	27	13	8	7	4	–
Pamlico	–	2	2	–	4	2	–	2	–	–	1	1	2	12	6	6	1	1	–
Pasquotank	1	22	2	2	5	4	1	–	3	–	3	6	1	20	4	10	3	2	–
Elizabeth City, part	1	10	2	1	4	2	–	–	2	–	2	4	–	15	3	7	1	2	–
Elizabeth City, total	1	10	2	1	4	2	–	–	2	–	2	4	–	15	3	7	1	2	–
Balance of county	–	12	–	1	1	2	1	–	1	–	1	2	1	5	1	3	2	–	–
Pender	2	24	2	1	3	6	–	6	5	–	–	3	4	15	5	6	6	6	–
Perquimans	4	7	1	–	2	1	–	2	1	–	–	1	–	9	7	3	1	–	–
Person	1	29	3	1	9	6	–	2	2	–	3	1	4	13	11	5	6	5	–
Pitt	3	67	8	8	20	32	1	4	10	–	12	9	5	70	14	27	13	3	–
Greenville	3	22	1	3	9	8	–	1	4	–	6	8	1	27	2	4	7	2	–
Balance of county	–	45	7	5	11	24	1	3	6	–	6	1	4	43	12	23	6	1	–
Polk	–	23	3	2	3	6	–	1	2	–	–	–	4	23	5	2	2	–	–
Randolph	1	91	6	4	13	16	5	7	6	–	1	6	4	58	28	10	13	7	1
Asheboro	–	28	1	1	4	2	1	3	–	–	–	2	–	12	6	4	1	1	–
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	63	5	3	9	14	4	4	6	–	1	4	4	46	22	6	12	6	1
Richmond	3	47	7	8	13	12	2	4	7	–	3	4	4	36	17	10	2	9	–
Robeson	5	99	14	5	15	18	6	6	14	–	4	7	11	75	35	28	12	19	1
Lumberton	1	31	4	4	7	4	3	1	2	–	–	–	3	21	1	3	2	4	1
Balance of county	4	68	10	1	8	14	3	5	12	–	4	7	8	54	34	25	10	15	–
Rockingham	6	98	9	8	35	29	2	9	6	–	3	9	2	63	18	12	19	6	2
Eden	1	10	1	5	8	5	–	1	1	–	1	4	–	19	1	5	4	1	–
Reidsville	2	25	–	1	8	5	–	3	1	–	–	1	1	14	1	1	4	1	–
Balance of county	3	53	8	2	19	19	2	5	4	–	2	4	1	30	16	6	11	4	2
Rowan	2	88	21	9	38	24	1	8	5	–	3	7	7	85	25	29	20	6	3
Salisbury	1	32	12	5	14	10	1	4	2	–	2	2	2	43	1	4	3	3	1
Balance of county	1	56	9	4	24	14	–	4	3	–	1	5	5	42	24	25	17	3	2
Rutherford	5	52	12	3	17	18	2	7	5	–	1	7	3	44	19	8	10	3	–
Sampson	1	47	2	5	9	18	1	4	6	1	5	3	2	47	17	27	5	6	–
Scotland	4	28	8	2	6	8	–	7	3	–	2	3	4	21	11	8	3	6	–
Laurinburg	2	14	7	2	3	2	–	2	1	–	1	–	2	15	3	1	1	3	–
Balance of county	2	12	1	–	3	6	–	5	2	–	1	3	2	6	8	5	2	3	–
Stanly	1	41	11	2	9	10	1	3	5	–	1	2	5	30	10	9	6	2	–
Albemarle	–	17	3	2	3	7	–	2	2	–	–	1	1	11	3	2	3	2	–
Balance of county	1	24	8	–	6	3	1	1	3	–	1	1	4	19	7	7	3	–	–
Stokes	1	26	3	1	16	9	–	7	2	–	2	2	2	18	3	11	3	2	1
Surry	2	42	10	6	16	26	1	4	5	–	5	6	3	45	7	13	8	2	2
Swain	–	9	4	2	3	4	–	2	3	–	1	–	2	15	2	9	1	1	–
Transylvania	–	19	7	1	6	4	–	2	2	–	1	2	4	20	2	1	4	1	–
Tyrrell	–	5	–	–	1	–	–	1	–	–	1	–	–	4	–	4	–	–	–
Union	3	32	1	8	16	9	3	3	10	–	2	11	5	37	21	14	9	3	1
Monroe	–	8	1	–	5	4	1	3	2	–	–	1	–	13	3	2	1	3	1
Balance of county	3	24	–	8	11	5	2	–	8	–	2	10	5	24	18	12	8	–	–
Vance	8	32	–	3	19	14	–	4	5	1	1	5	4	36	8	9	–	2	–
Henderson	4	20	–	2	10	8	–	2	2	1	–	–	3	25	3	3	–	1	–
Balance of county	4	12	–	1	9	6	–	2	3	–	1	5	1	11	5	6	–	1	–
Wake	12	179	12	23	61	68	2	27	13	–	20	34	13	213	67	52	37	14	1
Cary	1	11	2	–	2	5	–	3	2	–	3	1	1	10	5	3	5	–	–
Garner	–	6	1	1	1	2	–	1	–	–	4	–	–	10	4	1	–	–	1
Raleigh	8	103	7	13	38	34	–	17	10	–	9	21	7	125	19	30	21	10	–
Balance of county	3	59	2	9	20	27	2	6	1	–	4	12	5	68	39	18	11	4	–
Warren	–	30	3	4	7	2	–	–	5	–	1	–	1	24	3	0	2	–	–
Washington	–	9	2	1	2	3	–	–	3	–	2	2	1	10	4	4	4	1	–
Watauga	1	14	3	2	4	4	–	1	2	–	2	1	3	21	3	2	2	–	1
Boone	–	1	–	1	1	–	–	–	–	–	–	–	–	8	1	–	–	–	–
Balance of county	1	13	3	1	3	4	–	1	2	–	2	1	3	13	2	2	2	–	1
Wayne	8	83	4	6	17	24	–	9	8	–	3	9	4	57	25	14	15	11	2
Goldsboro	5	35	1	3	9	14	–	5	4	–	–	5	2	30	4	7	4	4	1
Balance of county	3	48	3	3	8	10	–	4	4	–	3	4	2	27	21	7	11	7	1
Wilkes	–	33	6	6	19	15	1	7	9	–	1	4	2	39	14	12	10	2	–
Wilson	2	65	5	3	21	16	–	9	6	–	3	3	5	66	20	8	12	8	–
Wilson	2	47	3	3	15	6	–	3	4	–	1	1	5	40	10	3	6	4	–
Balance of county	–	18	2	–	6	10	–	6	2	–	2	2	–	26	10	5	6	4	–
Yadkin	–	22	–	3	7	7	–	2	–	–	1	2	1	21	9	8	4	2	–
Yancey	–	9	1	1	4	3	2	2	1	–	1	1	–	6	3	9	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,546	3	–	51	1,219	361	278	101	152	52	53	222	112	2,680	2,076	17	49	1,523	487
Urban places	1,874	1	–	17	441	130	102	42	53	17	25	72	51	855	646	7	9	456	174
Balance of area	3,672	2	–	34	778	231	176	59	99	35	28	150	61	1,825	1,430	10	40	1,067	313
Metropolitan counties	1,574	1	–	12	378	116	81	39	42	17	16	67	30	744	569	6	18	403	142
Urban places	1,179	1	–	10	282	89	59	30	29	14	12	49	25	582	424	6	8	306	104
Balance of area	395	–	–	2	96	27	22	9	13	3	4	18	5	162	145	–	10	97	38
Nonmetropolitan counties	3,972	2	–	39	841	245	197	62	110	35	37	155	82	1,936	1,507	11	31	1,120	345
Urban places	695	–	–	7	159	41	43	12	24	3	13	23	26	293	222	1	1	150	70
Balance of area	3,277	2	–	32	682	204	154	50	86	32	24	132	56	1,643	1,285	10	30	970	275
Adams	34	–	–	–	6	2	2	–	1	1	–	–	–	19	17	–	–	14	3
Barnes	136	–	–	1	23	5	5	3	3	1	–	6	8	78	57	1	10	34	12
Benson	72	–	–	2	18	1	4	2	3	–	–	8	1	31	27	–	–	23	4
Billings	5	–	–	–	1	–	–	–	–	–	–	1	–	3	3	–	1	2	–
Bottineau	115	–	–	2	32	10	8	1	3	1	1	8	–	49	37	–	–	33	4
Bowman	45	–	–	1	3	–	2	1	–	–	–	–	4	21	10	–	–	8	2
Burke	98	–	–	–	6	3	1	–	1	–	–	1	1	20	16	–	–	13	3
Burleigh	334	–	–	4	85	22	24	11	7	2	3	16	9	157	117	3	1	84	29
Bismarck	297	–	–	4	71	19	20	10	7	2	2	11	8	147	108	3	1	77	27
Balance of county	37	–	–	–	14	3	4	1	–	–	1	5	1	10	9	–	–	7	2
Cass	654	1	–	4	148	46	29	16	17	10	9	21	9	325	238	1	1	161	55
Fargo	472	1	–	4	108	31	24	12	10	7	8	16	7	234	168	1	–	126	39
West Fargo	44	–	–	–	5	2	–	2	1	–	–	–	1	23	18	–	1	9	6
Balance of county	138	–	–	–	35	13	5	2	6	3	1	5	1	68	54	–	–	44	10
Cavalier	72	–	–	1	14	7	2	–	3	–	1	1	–	42	33	–	1	23	9
Dickey	80	–	–	1	13	5	2	–	1	–	1	4	1	51	40	–	2	31	7
Divide	38	–	–	–	7	2	3	2	–	–	–	–	–	16	14	–	–	13	1
Dunn	24	–	–	–	4	1	1	–	–	–	–	2	–	9	8	–	–	7	1
Eddy	57	–	–	–	6	1	2	1	–	1	–	1	–	25	23	–	–	19	4
Emmons	47	–	–	–	8	3	–	1	2	–	–	2	–	29	23	1	2	18	2
Foster	50	–	–	–	11	3	2	2	2	–	–	2	–	33	17	–	–	9	8
Golden Valley	19	–	–	1	3	1	1	–	–	–	–	1	–	12	7	–	–	5	2
Grand Forks	384	–	–	2	95	34	17	8	9	4	3	20	9	171	140	1	9	92	38
Grand Forks	260	–	–	–	74	29	11	5	6	4	2	17	7	107	88	1	1	67	19
Balance of county	124	–	–	2	21	5	6	3	3	–	1	3	2	64	52	–	8	25	19
Grant	33	–	–	–	7	1	1	–	–	–	–	5	–	22	17	–	3	8	6
Griggs	58	–	–	–	14	4	1	–	5	–	–	4	–	32	24	–	4	11	9
Hettinger	43	–	–	–	4	–	2	–	–	–	1	1	–	28	20	1	–	10	9
Kidder	26	–	–	–	7	4	–	1	2	–	–	–	–	11	8	–	–	6	2
La Moure	58	1	–	–	14	3	2	1	4	–	1	3	1	31	25	–	1	20	4
Logan	23	–	–	1	6	3	1	–	–	1	–	1	–	12	9	–	–	8	1
McHenry	88	–	–	1	28	11	6	2	6	–	–	3	1	40	32	–	–	25	7
McIntosh	76	–	–	1	17	6	4	–	2	–	1	4	3	34	23	–	–	15	8
McKenzie	69	–	–	–	12	2	5	–	–	1	2	2	3	27	23	–	1	17	5
McLean	119	–	–	2	25	7	6	2	2	3	2	3	5	61	55	–	–	50	5
Mercer	75	–	–	2	19	8	2	1	3	2	2	1	2	29	24	1	–	19	4
Morton	202	–	–	2	50	14	11	4	9	1	1	10	3	91	74	1	7	46	20
Mandan	106	–	–	2	24	8	4	1	5	1	–	5	2	51	44	1	5	25	13
Balance of county	96	–	–	–	26	6	7	3	4	–	1	5	1	40	30	–	2	21	7
Mountrail	99	–	–	2	23	7	5	1	6	–	1	3	2	44	35	1	1	22	11
Nelson	88	–	–	1	14	2	4	3	3	1	1	–	1	51	42	–	2	27	13
Oliver	11	–	–	–	3	–	1	1	–	–	–	1	–	4	4	–	–	3	1
Pembina	132	–	–	1	38	12	9	1	9	–	–	7	–	64	38	–	–	29	9
Pierce	69	–	–	1	16	5	4	1	3	–	–	3	1	32	27	–	–	24	3
Ramsey	143	–	–	3	28	8	7	1	–	2	2	8	2	61	44	1	–	33	10
Ransom	91	–	–	1	16	4	4	–	1	3	–	4	2	49	42	–	–	32	10
Renville	30	–	–	–	6	4	–	1	–	–	–	1	–	17	15	–	1	8	6
Richland	165	–	–	2	33	18	4	3	3	–	2	3	2	91	70	–	1	64	5
Rolette	108	–	–	–	25	9	6	1	2	1	1	5	2	39	32	–	–	25	7
Sargent	58	–	–	–	10	2	4	2	1	–	–	1	–	28	27	–	–	17	10
Sheridan	27	–	–	–	5	3	2	–	–	–	–	–	1	14	13	1	–	11	1
Sioux	27	–	–	–	2	–	–	–	1	–	–	1	2	8	5	–	–	4	1
Slope	6	–	–	–	1	–	1	–	–	–	–	–	–	4	1	–	–	1	–
Stark	162	–	–	3	39	10	9	3	4	2	5	6	2	58	37	–	1	26	10
Dickinson	122	–	–	3	32	8	8	2	3	2	4	5	2	42	25	–	1	17	7
Balance of county	40	–	–	–	7	2	1	1	1	–	1	1	–	16	12	–	–	9	3
Steele	56	–	–	–	8	4	2	–	1	–	–	1	1	38	31	–	–	22	9
Stutsman	210	–	–	1	45	10	12	4	5	–	2	12	8	106	86	–	–	64	22
Jamestown	162	–	–	1	32	7	9	3	5	–	2	6	8	82	66	–	–	49	17
Balance of county	48	–	–	–	13	3	3	1	–	–	–	6	–	24	20	–	–	15	5
Towner	47	–	–	–	11	4	4	–	1	–	–	2	2	25	22	–	–	13	9
Traill	115	1	–	3	22	5	8	2	1	3	–	3	1	53	40	1	–	32	7
Walsh	181	–	–	1	45	8	10	5	4	7	2	9	3	83	64	–	–	55	9
Ward	406	–	–	4	93	24	23	8	15	2	5	16	18	174	137	2	–	81	54
Minot	305	–	–	3	75	21	20	5	13	1	5	10	14	120	92	1	–	49	42
Balance of county	101	–	–	1	18	3	3	3	2	1	–	6	2	54	45	1	–	32	12
Wells	79	–	–	–	14	6	3	1	2	–	1	1	–	59	40	–	–	31	9
Williams	162	–	–	–	36	7	10	4	5	3	3	4	4	77	63	1	–	55	7
Williston	106	–	–	–	20	5	6	2	3	–	2	2	2	49	39	–	–	35	4
Balance of county	56	–	–	–	16	2	4	2	2	3	1	2	2	28	24	1	–	20	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-778)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	17	430	87	70	197	177	21	47	58	1	27	40	69	438	122	180	78	16	10
Urban places	7	149	32	21	49	68	9	18	14	-	17	11	28	155	34	59	34	10	3
Balance of area	10	281	55	49	148	109	12	29	44	1	10	29	41	283	88	121	44	6	7
Metropolitan counties	3	124	28	20	50	51	8	13	15	-	12	13	20	113	28	43	30	8	5
Urban places	3	98	23	14	33	38	7	10	10	-	11	9	14	88	18	31	21	7	2
Balance of area	-	26	5	6	17	13	1	3	5	-	1	4	6	25	10	12	9	1	3
Nonmetropolitan counties	14	306	59	50	147	126	13	34	43	1	15	27	49	325	94	137	48	8	5
Urban places	4	51	9	7	16	39	2	8	4	-	6	2	14	67	16	28	13	3	1
Balance of area	10	255	50	43	131	96	11	26	39	1	9	25	35	258	78	109	35	5	4
Adams	-	-	-	2	1	1	-	-	-	-	-	-	1	6	-	-	-	-	-
Barnes	2	8	7	2	5	5	-	3	2	-	-	-	-	6	3	2	-	1	1
Benson	1	2	-	1	-	2	-	1	1	-	-	3	1	5	4	3	-	-	-
Billings	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bottineau	1	6	3	2	8	1	-	1	-	-	-	1	1	14	1	3	2	-	-
Bowman	-	8	3	-	1	3	-	-	1	-	-	-	2	6	1	2	-	-	-
Burke	-	4	-	-	3	-	-	-	1	-	-	-	1	3	3	-	-	-	-
Burleigh	-	27	8	5	6	12	-	3	1	-	4	3	2	23	5	13	6	1	-
Bismarck	-	26	8	5	5	10	-	3	-	-	4	3	2	20	3	12	4	1	-
Balance of county	-	1	-	-	1	2	-	-	1	-	-	-	-	3	2	1	2	-	-
Cass	2	65	13	7	21	21	5	6	5	-	4	6	12	48	10	14	12	2	1
Fargo	2	49	10	5	13	15	4	4	5	-	4	1	8	38	6	8	9	2	1
West Fargo	-	6	1	-	3	3	-	1	-	-	-	2	-	2	2	1	1	-	-
Balance of county	-	10	2	2	5	3	1	1	-	-	-	3	4	8	2	5	2	-	-
Cavalier	-	7	2	-	3	-	1	-	1	1	-	1	1	6	-	1	-	-	-
Dickey	-	9	1	1	1	4	-	-	1	-	-	1	-	6	-	1	-	-	-
Divide	-	1	-	1	1	1	-	-	2	-	-	-	-	7	2	1	1	-	-
Dunn	-	1	-	-	-	-	-	-	-	-	1	-	1	5	2	2	-	-	-
Eddy	-	1	1	-	10	2	1	-	1	-	-	1	-	2	3	6	-	-	-
Emmons	-	2	4	-	3	2	-	-	1	-	-	-	1	1	-	2	-	-	-
Foster	-	13	2	1	1	1	-	-	2	-	-	-	-	1	-	1	-	-	-
Golden Valley	-	4	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Grand Forks	1	19	5	6	15	11	2	1	7	-	1	2	5	26	8	12	10	4	3
Grand Forks	1	12	3	3	10	6	2	1	4	-	1	2	4	20	5	8	5	4	-
Balance of county	-	7	2	3	5	5	-	-	3	-	-	-	1	6	3	4	5	-	3
Grant	-	5	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
Griggs	-	6	-	2	1	2	2	-	1	-	-	1	1	4	-	-	-	-	-
Heitinger	-	4	1	3	2	-	-	-	-	-	-	-	1	4	-	4	-	-	-
Kidder	-	3	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-
La Moure	-	2	2	2	1	-	-	-	-	-	-	1	-	5	1	3	-	-	-
Logan	-	2	1	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
McHenry	-	4	2	2	-	5	-	1	1	-	-	-	-	6	2	2	1	-	-
McIntosh	1	9	-	1	8	-	1	-	-	-	-	-	-	7	1	3	1	-	-
McKenzie	-	3	-	1	1	2	-	2	1	-	-	3	4	7	2	2	3	-	-
McLean	-	4	1	1	4	3	-	3	-	-	1	-	-	8	3	4	-	-	-
Mercer	-	4	1	-	1	4	1	-	-	-	1	-	1	5	2	4	4	-	-
Morton	-	13	2	2	8	7	1	3	2	-	3	2	1	16	5	4	2	1	1
Mandan	-	5	1	1	2	4	1	1	1	-	2	1	-	8	2	2	2	-	1
Balance of county	-	8	1	1	6	3	-	2	1	-	1	1	1	8	3	2	-	1	-
Mountrail	-	8	1	-	7	2	-	-	-	-	-	2	1	9	5	2	-	-	-
Nelson	-	9	-	-	5	5	-	-	1	-	-	-	-	7	3	-	-	-	-
Oliver	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Pembina	-	24	2	-	2	1	-	1	2	-	1	-	2	10	3	5	-	1	1
Pierce	1	2	-	2	2	1	-	-	1	-	-	-	-	10	-	3	1	1	-
Ramsey	-	12	-	5	9	6	-	2	1	-	-	-	1	19	2	7	1	1	-
Ransom	-	7	-	-	4	1	-	1	1	-	1	1	-	8	2	5	1	-	-
Renville	-	1	-	1	3	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Richland	1	13	7	-	9	5	2	3	1	-	1	1	-	10	1	3	-	-	1
Rolette	1	2	-	4	3	4	-	3	2	-	2	1	1	9	7	8	2	-	-
Sargent	-	1	-	-	1	7	-	-	1	-	-	1	1	4	1	3	1	-	-
Sheridan	-	1	-	-	-	-	1	-	1	-	-	-	-	2	1	1	1	-	-
Sioux	-	3	-	-	-	-	-	-	2	-	-	-	-	6	1	4	2	-	-
Slope	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stark	1	15	3	2	3	6	-	1	-	-	4	1	1	21	6	11	5	-	1
Dickinson	1	11	3	2	1	5	-	1	-	-	4	-	-	16	2	10	3	-	1
Balance of county	-	4	-	-	2	1	-	-	-	-	-	1	1	5	4	1	2	-	-
Steele	-	6	1	-	2	1	-	-	1	-	-	-	-	2	-	2	1	-	-
Stutsman	1	14	4	1	3	5	-	4	3	-	1	-	3	20	1	6	2	2	-
Jamestown	1	11	4	-	2	4	-	3	2	-	1	-	2	17	1	3	2	2	-
Balance of county	-	3	-	1	1	1	-	1	1	-	-	-	1	3	-	3	-	-	-
Towner	-	3	-	-	3	1	1	-	-	-	-	-	-	-	-	1	3	-	-
Traill	-	11	2	-	10	5	-	1	5	-	-	1	1	5	1	2	4	-	-
Walsh	-	15	1	3	6	7	1	2	3	-	-	2	-	15	6	5	2	-	-
Ward	2	26	3	6	6	22	1	3	2	-	1	3	11	33	14	15	7	1	-
Minot	2	22	1	3	5	17	1	3	2	-	-	2	8	28	7	12	7	1	-
Balance of county	-	4	2	3	1	5	-	-	-	-	1	1	3	5	7	3	-	-	-
Wells	2	10	1	-	-	4	-	-	-	-	-	-	-	4	2	2	-	-	-
Williams	-	10	1	3	10	4	1	2	-	-	1	-	5	7	7	4	2	1	1
Williston	-	7	1	2	8	4	1	1	-	-	1	-	4	6	6	3	1	-	-
Balance of county	-	3	-	1	2	-	-	1	-	-	-	-	1	1	1	1	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	86,996	44	6	988	22,296	5,795	6,229	1,940	2,358	1,005	831	4,138	2,018	47,784	37,885	313	1,255	27,718	8,599
Urban places	57,702	28	6	612	13,199	3,497	3,722	1,148	1,381	565	471	2,415	1,218	28,187	22,429	189	845	16,316	5,079
Balance of area	39,294	16	–	376	9,097	2,298	2,507	792	977	440	360	1,723	800	19,577	15,456	124	410	11,402	3,520
Metropolitan counties	77,177	37	5	797	17,957	4,658	5,081	1,571	1,879	815	648	3,305	1,600	37,615	29,866	265	1,100	21,618	6,883
Urban places	51,372	27	5	560	11,794	3,140	3,345	1,032	1,217	502	411	2,147	1,095	24,921	19,882	173	767	14,379	4,553
Balance of area	25,805	10	–	237	6,163	1,518	1,736	539	662	313	237	1,158	505	12,694	9,974	92	313	7,239	2,330
Nonmetropolitan counties	19,819	7	1	191	4,339	1,137	1,148	369	479	190	183	833	418	10,149	8,019	48	155	6,100	1,716
Urban places	6,330	1	1	52	1,405	357	377	116	164	63	60	268	123	3,266	2,537	16	58	1,937	526
Balance of area	13,489	6	–	139	2,934	780	771	253	315	127	123	565	295	6,883	5,482	32	97	4,163	1,190
Adams	279	–	–	3	53	18	12	7	8	3	1	4	3	152	125	–	3	100	22
Allen	1,000	–	–	7	227	65	71	12	21	17	7	34	19	524	409	2	6	291	110
Lima	594	–	–	4	136	43	48	8	12	10	1	14	7	321	258	2	4	184	68
Balance of county	406	–	–	3	91	22	23	4	9	7	6	20	12	203	151	–	2	107	42
Ashland	373	–	–	7	88	22	26	7	9	5	4	15	9	172	135	1	5	89	40
Ashland	176	–	–	1	44	17	9	3	6	1	–	8	4	81	58	–	3	35	18
Balance of county	197	–	–	6	44	5	17	4	3	4	4	7	5	91	79	1	2	54	22
Ashtabula	940	1	–	9	212	67	56	20	12	12	7	36	32	438	372	4	8	289	71
Ashtabula	285	–	–	2	64	14	21	7	5	6	2	9	13	112	99	1	2	78	18
Conneaut	145	–	–	1	38	12	9	4	2	2	3	6	6	63	49	1	1	35	12
Balance of county	530	1	–	6	110	41	26	9	5	4	2	23	13	263	224	2	5	176	41
Athens	433	–	–	1	104	31	39	8	13	–	2	11	8	233	182	1	4	156	21
Athens	92	–	–	–	20	4	5	2	6	–	–	3	1	48	38	1	1	30	6
Balance of county	341	–	–	1	84	27	34	6	7	–	2	8	7	185	144	–	3	126	15
Auglaize	378	–	–	1	84	17	37	11	12	3	2	12	10	190	139	–	4	117	18
Belmont	894	1	–	8	200	54	57	21	21	5	7	35	16	467	379	5	5	301	68
Brown	311	–	–	1	72	23	24	2	9	1	3	10	3	161	126	1	2	103	20
Butler	1,828	2	–	11	474	116	147	42	39	24	12	94	31	827	636	8	31	453	144
Fairfield	150	–	–	–	41	10	11	3	3	2	3	9	2	70	50	–	2	36	12
Hamilton	643	–	–	4	164	40	53	15	14	7	3	32	5	277	214	2	13	148	53
Middletown	388	2	–	5	99	22	33	5	8	7	3	21	11	179	133	1	8	92	34
Oxford	58	–	–	–	14	4	4	2	–	1	–	3	1	33	30	–	4	20	6
Balance of county	589	–	–	2	156	40	46	17	14	7	3	29	12	268	209	5	8	159	39
Carroll	209	–	–	1	42	11	17	2	4	–	2	8	7	111	94	1	14	65	14
Champaign	292	–	–	1	61	21	18	3	4	6	–	9	7	159	129	–	3	110	16
Urbana	135	–	–	–	30	5	14	2	3	2	–	4	2	74	63	–	2	52	9
Balance of county	157	–	–	1	31	16	4	1	1	4	–	5	5	85	66	–	1	58	7
Clark	1,429	1	–	17	327	97	90	25	44	14	9	48	37	721	506	4	14	358	130
Springfield	826	1	–	13	184	59	51	14	26	5	7	22	25	405	295	2	11	222	60
Balance of county	603	–	–	4	143	38	39	11	18	9	2	26	12	316	211	2	3	136	70
Clermont	880	–	–	5	227	44	78	23	24	6	8	44	17	365	299	2	8	217	72
Clinton	330	1	–	2	65	14	17	4	11	3	3	13	7	148	119	–	5	78	36
Wilmington	113	–	–	1	24	5	5	3	4	1	1	5	3	53	41	–	2	21	18
Balance of county	217	1	–	1	41	9	12	1	7	2	2	8	4	95	78	–	3	55	20
Columbiana	1,140	–	–	5	247	66	75	24	28	6	6	42	23	640	516	1	7	453	55
East Liverpool	255	–	–	–	49	16	16	1	5	1	3	5	4	152	135	1	3	120	11
Salem	141	–	–	1	28	7	10	7	2	1	–	1	3	81	55	–	1	48	6
Balance of county	744	–	–	4	170	43	47	16	21	4	3	36	16	407	326	–	3	285	38
Coshocton	369	–	–	4	84	22	15	6	10	3	10	18	13	196	148	5	2	115	26
Coshocton	164	–	–	3	41	13	8	2	5	1	1	11	4	89	66	3	–	53	10
Balance of county	205	–	–	1	43	9	7	4	5	2	9	7	9	107	82	2	2	62	16
Crawford	506	1	–	7	107	34	26	7	5	11	6	18	11	268	191	–	5	154	32
Bucyrus	149	–	–	2	28	9	7	1	1	3	2	5	2	82	59	–	2	46	11
Galion	150	–	–	2	31	10	7	2	3	4	1	4	2	81	59	–	2	45	12
Balance of county	207	1	–	3	48	15	12	4	1	4	3	9	7	105	73	–	1	63	9
Cuyahoga	15,721	8	1	181	3,588	949	976	339	385	154	124	661	346	7,623	6,185	67	226	4,767	1,125
Bay Village	149	–	–	4	34	6	11	5	3	–	–	9	2	71	56	–	1	47	8
Bedford	164	–	–	3	47	12	13	4	8	1	2	7	6	70	54	–	2	45	7
Bedford Heights	111	–	–	1	26	5	8	3	3	2	1	4	1	47	41	–	2	35	4
Berea	149	–	–	–	36	10	8	5	6	1	–	6	7	78	60	–	1	51	8
Brecksville	87	–	–	1	23	7	4	2	4	–	1	5	3	38	27	–	–	25	2
Broadview Heights	76	–	–	–	20	7	2	3	5	–	–	3	–	43	33	–	1	29	3
Brooklyn	134	1	–	4	44	17	9	5	5	1	2	5	1	62	51	1	–	44	6
Brook Park	171	–	–	1	44	11	11	7	5	1	1	8	8	69	45	2	1	34	8
Cleveland	6,826	5	1	97	1,479	379	447	118	167	64	48	258	173	3,160	2,579	13	111	1,969	486
Cleveland Heights	533	–	–	11	99	32	20	14	7	–	7	19	14	268	225	5	6	170	44
East Cleveland	322	1	–	3	70	19	23	4	7	4	–	13	7	140	105	2	4	79	20
Euclid	700	–	–	8	146	31	41	18	14	6	5	31	8	359	294	3	10	228	53
Fairview Park	208	–	–	1	53	13	16	3	9	4	1	7	2	109	93	2	4	68	19
Garfield Heights	372	–	–	3	97	22	34	11	5	7	1	17	7	175	144	2	4	104	34
Lakewood	626	–	–	7	130	37	33	13	14	6	1	26	12	329	270	3	11	220	36
Lyndhurst	161	–	–	2	39	12	11	1	3	–	1	11	2	82	69	2	2	53	12
Maple Heights	326	–	–	2	77	23	19	7	6	4	6	12	5	168	142	2	3	105	32
Mayfield Heights	294	–	–	5	71	17	17	6	6	5	5	15	5	152	137	2	3	107	25
Middleburg Heights	115	–	–	1	30	10	3	6	3	–	1	7	3	56	46	–	5	34	7
North Olmsted	260	1	–	1	53	15	13	5	6	–	4	10	4	134	112	2	4	84	22
North Royalton	139	–	–	–	40	9	10	4	6	3	2	6	1	67	53	1	–	40	12
Parma	888	–	–	7	223	56	52	26	22	14	13	40	22	454	363	5	10	285	63
Parma Heights	288	–	–	4	64	28	12	2	6	3	1	12	7	150	126	2	3	98	25
Richmond Heights	75	–	–	1	18	6	4	1	–	2	–	5	1	33	30	–	–	23	7
Rocky River	273	–	–	1	59	13	13	11	4	4	5	9	3	148	110	1	2	92	15
Seven Hills	110	–	–	2	31	8	7	6	1	1	1	7	3	58	51	–	1	39	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio	355	7,175	1,205	1,144	2,454	3,328	289	1,053	984	8	568	802	1,478	7,519	1,673	1,849	1,262	550	63
Urban places	219	4,218	668	653	1,460	1,991	171	710	590	7	347	513	981	4,685	721	1,069	738	426	43
Balance of area	136	2,957	537	491	994	1,337	118	343	394	1	221	289	497	2,834	952	780	524	124	20
Metropolitan counties	287	5,624	908	820	1,957	2,642	235	675	760	7	441	656	1,274	6,091	1,199	1,439	1,025	493	52
Urban places	168	3,701	585	565	1,294	1,755	157	643	522	6	307	473	901	4,204	625	960	676	408	39
Balance of area	99	1,923	343	355	663	887	78	232	258	1	134	183	373	1,887	574	479	349	85	13
Nonmetropolitan counties	56	1,551	297	224	497	686	54	178	204	1	127	146	204	1,428	474	410	237	57	11
Urban places	21	517	103	88	166	236	14	67	68	1	40	40	80	481	96	109	62	18	4
Balance of area	37	1,034	194	136	331	450	40	111	136	–	87	106	124	947	378	301	175	39	7
Adams	1	19	1	6	6	9	–	3	2	–	1	4	–	14	11	5	6	1	–
Allen	4	85	22	4	13	38	2	10	7	–	6	6	11	77	17	18	11	7	–
Lima	2	52	8	1	9	23	–	6	4	–	3	5	5	44	6	9	7	5	–
Balance of county	2	33	14	3	4	15	2	4	3	–	3	1	6	33	11	9	4	2	–
Ashland	1	27	3	6	9	7	2	5	7	–	4	1	5	30	9	13	3	2	–
Ashland	1	18	3	3	6	4	1	3	3	–	2	–	2	13	8	4	1	1	–
Balance of county	–	9	–	3	3	3	1	2	4	–	2	1	3	17	3	9	2	1	–
Ashtabula	1	46	5	14	32	29	2	13	17	–	6	7	3	76	25	16	17	5	–
Ashtabula	–	10	1	2	11	9	–	2	5	–	3	2	1	28	7	4	–	2	–
Conneaut	–	9	2	3	3	7	–	5	–	–	–	1	–	12	2	2	5	–	–
Balance of county	1	27	2	9	16	13	2	6	12	–	3	4	2	36	16	10	12	3	–
Athens	1	35	9	6	10	11	2	4	2	–	2	1	7	32	4	6	6	–	–
Athens	–	7	3	–	4	2	–	–	–	–	–	–	2	9	2	1	3	–	–
Balance of county	1	28	6	6	6	9	2	4	2	–	2	1	5	23	2	5	3	–	–
Auglaize	–	34	14	3	8	11	2	2	6	–	2	3	3	28	8	7	3	–	–
Belmont	2	68	7	11	20	29	6	7	10	1	3	4	11	67	16	15	10	1	1
Brown	1	30	1	3	11	9	–	1	1	–	5	5	–	22	11	6	3	–	–
Butler	10	115	44	22	62	73	5	23	20	–	11	16	20	137	30	39	36	9	2
Fairfield	–	12	5	3	4	4	1	3	3	–	1	1	1	11	1	2	5	–	–
Hamilton	2	37	16	8	28	24	3	9	5	–	5	3	2	58	13	22	16	3	2
Middletown	4	25	14	3	7	13	–	6	6	–	2	5	9	33	3	–	7	1	–
Oxford	–	2	1	–	3	1	–	–	1	–	2	–	–	2	–	1	–	–	–
Balance of county	4	39	8	8	20	31	1	5	5	–	1	7	8	33	13	14	8	5	–
Carroll	1	14	1	1	7	7	1	–	2	–	1	2	–	16	4	4	4	–	–
Champaign	1	21	5	3	5	7	1	–	1	–	2	1	1	27	7	8	4	–	–
Urbana	–	6	3	2	3	1	–	–	1	–	1	–	1	18	1	3	–	–	–
Balance of county	1	15	2	1	2	6	1	–	–	–	1	1	–	9	6	5	4	–	–
Clark	5	182	26	22	40	50	9	18	16	–	4	16	8	94	15	25	27	4	–
Springfield	2	76	18	14	26	29	6	13	7	–	3	10	6	61	8	11	15	3	–
Balance of county	3	86	8	8	14	21	3	5	9	–	1	6	2	33	7	14	12	1	–
Clermont	–	51	5	10	40	40	2	7	10	–	9	6	2	81	30	26	12	1	–
Clinton	–	21	3	5	15	13	1	3	3	–	4	3	5	37	10	4	6	3	–
Wilmington	–	10	–	2	3	4	–	–	–	–	2	2	2	13	3	2	1	–	–
Balance of county	–	11	3	3	12	9	1	3	3	–	2	1	3	24	7	2	5	3	–
Columbiana	6	77	24	17	25	33	4	14	13	–	5	7	7	70	16	20	9	2	–
East Liverpool	1	11	4	1	7	9	1	4	3	–	2	3	2	10	4	3	–	2	–
Salem	2	18	2	4	–	5	1	3	5	–	–	1	1	10	–	1	1	–	–
Balance of county	3	48	18	12	18	19	2	7	5	–	3	3	4	50	12	16	8	–	–
Coshocton	–	42	3	3	4	14	–	5	3	–	3	2	–	27	6	4	3	1	–
Coshocton	–	19	2	2	2	4	–	3	2	–	1	–	–	12	1	–	1	1	–
Balance of county	–	23	1	1	2	10	–	2	1	–	2	2	–	15	5	4	2	–	–
Crawford	3	54	10	10	11	13	4	4	4	–	3	4	4	36	14	10	4	1	–
Bucyrus	2	17	2	2	4	4	2	1	2	–	–	1	–	12	5	3	–	1	–
Galion	–	17	2	3	3	5	1	–	1	–	1	1	2	14	2	3	1	–	–
Balance of county	1	20	6	5	4	4	1	3	1	–	2	2	2	10	7	4	3	–	–
Cuyahoga	55	1,080	120	183	394	445	39	238	172	–	75	158	86	1,386	201	363	198	193	16
Bay Village	–	11	1	3	6	2	1	3	–	–	–	1	–	16	–	4	2	1	1
Bedford	–	13	2	1	2	8	–	2	2	–	–	6	–	13	2	1	2	–	–
Bedford Heights	–	4	1	1	–	5	–	1	1	–	1	3	–	11	2	5	4	3	–
Berea	–	12	4	–	1	4	–	1	2	–	2	–	–	13	1	3	3	–	–
Brecksville	–	7	2	2	2	4	–	1	2	–	–	–	3	7	1	–	1	1	–
Broadview Heights	–	9	–	1	–	4	–	–	–	–	–	1	2	3	–	3	–	–	–
Brooklyn	–	8	2	1	3	3	–	1	2	–	–	1	–	6	–	3	2	1	–
Brook Park	–	18	3	3	–	7	–	2	2	–	1	1	–	18	6	6	3	3	–
Cleveland	32	435	36	78	175	184	20	127	79	–	38	92	50	648	91	169	76	150	12
Cleveland Heights	2	29	4	8	15	14	2	4	8	–	5	3	2	60	5	11	6	6	–
East Cleveland	1	26	2	6	11	9	–	4	3	–	3	8	–	35	8	8	5	6	–
Euclid	1	47	10	7	28	29	1	11	8	–	2	3	8	61	6	17	2	3	–
Fairview Park	–	13	1	2	2	11	–	1	3	–	1	–	–	18	1	5	1	–	–
Garfield Heights	2	24	2	3	7	14	–	6	3	–	1	4	–	30	6	13	4	2	–
Lakewood	2	45	8	6	11	22	2	5	6	–	4	3	1	52	12	22	6	2	–
Lyndhurst	–	12	–	1	6	6	–	1	4	–	1	2	1	9	2	3	1	–	–
Maple Heights	1	15	2	8	10	4	1	6	5	–	1	3	2	25	2	7	5	1	–
Mayfield Heights	1	10	1	3	9	6	–	5	1	–	1	3	2	27	2	5	–	–	–
Middleburg Heights	–	10	–	–	3	1	1	2	–	–	–	–	2	9	–	2	5	–	–
North Olmsted	1	15	4	2	7	11	2	4	4	–	1	4	–	21	6	5	2	–	–
North Royalton	–	12	–	2	2	5	–	2	2	–	–	1	–	6	3	4	5	1	–
Parma	2	70	10	9	16	20	3	12	7	–	4	6	1	69	9	14	17	3	1
Parma Heights	1	20	2	1	7	4	–	5	1	–	2	–	2	26	3	7	6	–	–
Richmond Heights	–	2	1	–	2	1	–	4	–	–	–	–	–	10	2	2	–	1	–
Rocky River	1	31	1	5	8	8	–	5	3	–	–	1	–	25	4	6	2	–	–
Seven Hills	–	5	–	2	2	3	–	1	–	–	–	–	–	6	–	3	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	306	–	–	3	79	24	22	5	13	3	–	12	8	144	115	3	3	91	18
Solon	88	–	–	–	30	6	9	5	2	1	–	7	2	39	28	1	–	22	5
South Euclid	288	–	–	–	78	23	21	12	6	2	2	12	3	152	130	1	2	103	24
Strongsville	154	–	–	–	30	6	7	4	6	–	2	5	9	78	62	2	2	48	10
University Heights	131	–	–	1	29	5	11	2	4	1	1	5	2	81	62	2	2	49	9
Warrensville Heights	125	–	–	–	37	12	10	–	5	2	1	7	1	53	40	1	3	27	9
Westlake	200	–	–	–	51	11	12	8	3	2	4	11	–	103	84	1	5	62	16
Balance of county	873	–	–	7	201	57	43	15	21	10	5	50	14	457	348	6	18	259	65
Darke	531	–	–	5	105	32	24	7	13	5	3	21	4	300	245	1	–	191	53
Greenville	240	–	–	1	41	16	11	1	5	3	1	4	–	154	123	–	–	98	25
Balance of county	291	–	–	4	64	16	13	6	8	2	2	17	4	146	122	1	–	93	28
Defiance	283	–	–	3	63	14	16	5	14	3	3	8	9	125	95	–	2	66	27
Defiance	132	–	–	2	25	3	7	1	8	–	2	4	5	54	43	–	2	29	12
Balance of county	151	–	–	1	38	11	9	4	6	3	1	4	4	71	52	–	–	37	15
Delaware	399	–	–	6	77	17	15	4	13	5	5	18	6	207	161	1	3	110	47
Delaware	170	–	–	3	35	7	8	–	4	3	2	11	4	88	62	–	–	42	20
Westerville, part	22	–	–	–	–	–	–	–	–	–	–	–	–	15	13	1	1	9	2
Balance of county	207	–	–	3	42	10	7	4	9	2	3	7	2	104	86	–	2	59	25
Erie	660	–	–	8	169	42	44	11	12	4	10	46	8	293	228	2	4	169	53
Sandusky	348	–	–	4	82	24	22	5	5	3	4	19	4	171	129	–	1	98	30
Vermilion, part	40	–	–	–	13	1	2	1	2	–	–	7	–	14	8	1	2	3	2
Vermilion, total	82	–	–	–	29	7	8	1	2	–	–	11	1	31	23	1	2	8	12
Balance of county	272	–	–	4	74	17	20	5	5	1	6	20	4	108	91	1	1	68	21
Fairfield	776	–	–	6	160	44	36	14	19	12	7	28	12	397	304	2	4	200	98
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	358	–	–	2	69	20	14	5	11	4	1	14	7	193	139	1	3	100	35
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	418	–	–	4	91	24	22	9	8	8	6	14	5	204	165	1	1	100	63
Fayette	275	–	–	1	68	18	15	2	14	2	4	13	10	137	102	1	3	90	8
Washington	175	–	–	–	38	10	7	1	8	–	3	9	9	95	71	–	3	65	3
Balance of county	100	–	–	1	30	8	8	1	6	2	1	4	1	42	31	1	–	25	5
Franklin	6,752	6	–	103	1,572	392	466	137	150	84	64	279	134	3,068	2,430	18	101	1,470	841
Bexley	98	–	–	2	18	8	2	3	1	2	1	1	3	50	39	–	1	25	13
Columbus, part	4,588	6	–	70	1,055	260	319	81	102	53	47	193	106	2,073	1,666	15	74	994	583
Columbus, total	4,588	6	–	70	1,055	260	319	81	102	53	47	193	106	2,073	1,666	15	74	994	583
Gahanna	92	–	–	1	24	5	7	4	3	1	2	2	–	46	39	–	1	21	17
Grove City	149	–	–	4	42	13	11	6	3	2	–	7	1	67	46	–	2	34	10
Reynoldsburg, part	88	–	–	1	24	6	12	2	4	–	–	–	–	42	33	–	–	17	16
Reynoldsburg, total	93	–	–	1	25	6	12	2	4	–	–	1	–	46	36	–	–	20	16
Upper Arlington	318	–	–	3	84	18	16	12	7	8	1	22	3	136	90	–	2	54	34
Westerville, part	159	–	–	2	31	13	4	2	3	–	1	6	5	74	54	1	3	36	14
Westerville, total	181	–	–	2	31	13	4	2	3	–	1	8	5	89	67	2	4	45	16
Whitehall	174	–	–	7	45	13	11	4	2	2	4	9	3	71	62	–	3	39	20
Worthington	126	–	–	2	33	4	8	7	8	–	–	6	2	47	31	–	2	17	12
Balance of county	960	–	–	11	216	52	76	16	17	16	8	31	11	460	370	2	13	233	122
Fulton	286	–	–	1	67	18	18	4	8	3	5	13	5	140	112	–	5	85	22
Gallia	307	–	–	6	53	14	10	5	7	3	4	10	10	171	132	–	4	103	25
Geauga	468	–	–	6	103	26	20	11	20	3	5	18	7	226	186	3	2	133	48
Greene	834	–	–	5	199	46	50	27	19	6	7	44	12	420	327	3	7	241	78
Beavercreek	157	–	–	1	50	13	11	10	4	1	1	10	1	89	54	–	–	43	11
Dayton, part	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fairborn	178	–	–	–	39	9	11	5	4	–	2	8	4	86	68	2	3	50	13
Xenia	194	–	–	2	47	10	15	7	5	2	1	7	2	98	71	1	2	44	24
Balance of county	303	–	–	2	62	14	13	5	6	3	3	18	5	167	134	–	2	104	28
Guernsey	463	1	–	8	93	22	20	12	5	7	7	20	13	232	179	–	1	140	38
Cambridge	211	–	–	3	47	9	11	7	1	5	4	10	7	94	69	–	–	55	14
Balance of county	252	1	–	5	46	13	9	5	4	2	3	10	6	138	110	–	1	85	24
Hamilton	8,572	5	3	93	2,172	585	669	168	236	106	56	352	145	3,980	3,250	22	235	2,264	729
Cincinnati	4,562	2	3	52	1,072	283	354	76	117	49	30	163	83	2,138	1,767	12	141	1,214	400
Forest Park	73	–	–	–	23	4	3	5	2	1	2	6	6	22	15	–	2	12	1
Montgomery	59	–	–	–	16	5	6	2	–	1	1	1	1	26	25	–	3	11	11
North College Hill	135	–	–	–	32	13	4	2	4	3	1	5	3	76	60	–	8	36	16
Norwood	323	–	–	8	83	28	22	7	6	5	2	13	5	153	131	2	5	98	26
Reading	109	–	–	1	24	5	12	2	1	–	–	4	1	55	46	1	2	33	10
Sharonville	84	–	–	–	29	7	12	–	3	–	3	4	1	33	27	–	3	20	4
Springdale	82	–	–	1	18	4	11	1	2	–	–	1	1	43	33	2	–	26	3
Balance of county	3,145	3	–	31	874	236	245	73	101	47	17	155	44	1,434	1,146	5	71	812	258
Hancock	543	1	–	7	130	43	27	10	16	8	8	18	8	270	210	–	6	168	38
Findlay	328	1	–	1	79	20	17	10	11	4	4	13	7	166	124	–	2	102	20
Fostoria, part	26	–	–	–	3	3	–	–	–	–	–	–	–	18	15	–	–	14	1
Balance of county	189	–	–	6	48	20	10	–	5	4	4	5	1	86	71	–	4	52	15
Hardin	267	–	–	3	69	20	18	10	7	4	2	10	4	147	115	2	4	92	17
Harrison	204	1	–	1	40	10	8	3	5	–	3	11	6	113	83	1	1	61	20
Henry	247	–	–	3	53	10	13	6	4	2	–	18	6	113	72	–	–	56	16
Highland	342	–	–	–	73	14	28	9	9	3	4	8	3	183	148	1	2	109	36
Hocking	238	–	–	3	66	11	18	6	10	2	1	18	3	99	79	–	1	57	21
Holmes	216	–	–	1	30	5	7	5	3	2	2	6	3	132	104	2	–	70	32
Huron	435	–	–	3	97	28	23	8	13	4	4	17	9	223	177	–	4	125	48
Norwalk	120	–	–	1	23	8	3	1	3	1	1	6	2	56	44	–	–	37	7
Balance of county	315	–	–	2	74	20	20	7	10	3	3	11	7	167	133	–	4	88	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	-	25	2	2	11	7	1	6	2	-	-	2	1	28	1	6	4	3	-
Solon	-	8	1	2	2	3	-	2	-	-	-	-	-	4	2	1	3	-	-
South Euclid	1	19	1	1	6	8	1	-	2	-	3	2	1	24	-	2	4	1	1
Strongsville	-	13	1	-	2	5	1	2	3	-	-	4	1	10	4	3	2	2	-
University Heights	1	11	2	5	2	1	-	1	2	-	1	-	-	9	-	2	-	-	-
Warrensville Heights	1	9	-	3	1	1	1	4	1	-	-	1	-	18	-	2	3	2	-
Westlake	-	18	1	2	2	10	-	1	4	-	1	1	2	18	2	1	4	-	-
Balance of county	5	78	15	13	33	21	2	4	10	-	2	1	5	61	18	18	17	1	1
Darke	2	35	13	5	9	16	2	4	6	-	2	2	8	33	14	12	8	1	-
Greenville	1	15	11	4	4	5	1	1	4	-	1	1	4	16	3	3	1	-	-
Balance of county	1	20	2	1	5	11	1	3	2	-	1	1	4	17	11	9	7	1	-
Defiance	-	26	2	2	11	15	1	3	1	-	4	2	2	30	7	4	2	1	-
Defiance	-	8	2	1	8	11	1	2	1	-	2	-	2	16	2	2	-	-	-
Balance of county	-	18	-	1	3	4	-	1	-	-	2	2	-	15	5	2	2	1	-
Delaware	-	34	9	3	11	10	-	5	7	-	2	2	6	37	10	8	5	-	-
Delaware	-	18	7	1	6	2	-	1	2	-	1	2	3	19	2	1	1	-	-
Westerville, part	-	1	-	1	-	1	-	-	-	-	-	-	1	5	-	-	-	-	-
Balance of county	-	15	2	1	5	7	-	4	5	-	1	-	2	13	8	7	4	-	-
Erie	2	44	15	4	14	17	-	6	6	1	-	4	43	44	23	11	9	2	2
Sandusky	1	31	9	1	6	11	-	3	3	1	-	3	23	26	3	4	1	2	1
Vermilion, part	1	4	-	1	2	-	-	-	-	-	-	-	3	1	5	-	2	-	-
Vermilion, total	1	5	1	1	2	2	-	-	2	-	-	-	3	2	7	-	2	1	-
Balance of county	-	9	6	2	6	6	-	3	3	-	-	1	17	17	15	7	6	-	1
Fairfield	11	56	10	16	14	31	1	4	14	-	6	9	6	70	16	15	11	4	-
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	9	29	6	10	5	16	1	3	7	-	4	4	2	28	6	6	5	1	-
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	27	4	6	9	15	-	1	7	-	2	5	4	42	11	9	6	3	-
Fayette	2	28	5	-	5	11	-	4	1	-	4	2	4	17	8	3	-	-	-
Washington	-	20	4	-	4	9	-	3	-	-	2	1	1	11	1	1	-	-	-
Balance of county	2	8	1	-	1	2	-	1	1	-	2	1	3	6	7	2	-	-	-
Franklin	27	468	76	65	186	267	20	72	61	1	47	61	242	556	103	116	96	40	3
Bexley	1	9	1	-	2	3	-	2	1	-	-	-	-	12	2	1	2	-	-
Columbus, part	20	299	45	43	119	182	13	49	44	1	29	44	174	360	72	91	65	32	3
Columbus, total	20	299	45	43	119	182	13	49	44	1	29	44	174	360	72	91	65	32	3
Gahanna	-	5	2	-	-	4	-	1	-	-	1	-	-	6	3	1	5	-	-
Grove City	-	18	2	1	3	3	1	-	1	-	3	1	6	14	1	1	-	1	-
Reynoldsburg, part	-	8	-	1	2	3	-	-	-	-	2	-	4	7	-	1	2	-	-
Reynoldsburg, total	-	9	-	1	2	3	-	-	-	-	2	-	4	7	-	1	2	-	-
Upper Arlington	2	32	9	3	14	13	2	5	5	-	3	2	6	32	3	5	2	-	-
Westerville, part	1	18	-	1	7	12	-	-	2	-	2	-	2	20	1	-	1	-	-
Westerville, total	1	19	-	2	7	13	-	-	2	-	2	-	3	25	1	-	1	-	-
Whitehall	-	8	-	1	1	8	-	4	1	-	2	1	11	13	3	2	2	-	-
Worthington	-	7	5	4	7	6	-	2	2	-	-	-	3	16	2	3	1	-	-
Balance of county	3	64	12	11	31	33	4	9	5	-	5	13	36	76	18	11	16	7	-
Fulton	1	21	3	3	7	11	2	3	2	-	2	2	-	18	19	4	2	1	-
Gallia	1	30	4	4	4	9	1	1	-	-	-	1	1	30	10	9	1	-	-
Geauga	1	30	5	4	13	17	2	6	3	-	4	3	10	31	15	13	9	-	-
Greene	1	67	9	16	15	27	6	10	5	-	9	7	27	55	17	8	10	-	2
Beavercreek	1	10	1	3	4	2	-	3	1	-	2	2	6	7	3	-	5	-	1
Dayton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Fairborn	-	11	4	3	3	7	-	4	2	-	3	2	6	11	3	3	2	-	1
Xenia	-	23	1	3	3	7	-	2	-	-	1	2	7	17	3	1	2	-	-
Balance of county	-	23	3	7	5	11	6	1	2	-	3	1	6	20	7	4	1	-	-
Guernsey	1	41	7	4	18	16	2	1	2	-	1	8	5	37	10	8	5	2	1
Cambridge	-	19	3	3	9	9	-	1	2	-	1	3	4	21	3	5	2	-	-
Balance of county	1	22	4	1	9	7	2	-	-	-	-	5	1	16	7	3	3	2	1
Hamilton	16	520	77	117	271	326	33	91	88	1	52	73	45	748	84	163	134	56	11
Cincinnati	8	268	43	52	151	182	23	43	51	-	35	43	33	422	34	88	67	33	7
Forest Park	-	4	1	2	3	6	-	1	-	-	-	-	-	6	2	1	3	-	-
Montgomery	-	1	-	-	1	3	1	-	-	-	-	-	-	4	2	1	3	-	1
North College Hill	-	9	2	5	3	5	1	1	2	-	2	1	-	3	1	1	3	1	-
Norwood	1	14	2	5	11	13	3	4	3	1	1	-	2	20	4	6	3	3	-
Reading	-	7	-	2	3	2	-	2	1	-	1	3	-	9	1	3	2	1	-
Sharonville	-	3	3	-	-	5	-	1	1	-	-	-	-	9	1	-	2	2	-
Springdale	-	9	-	1	4	5	1	-	-	-	-	-	1	3	-	1	3	-	-
Balance of county	7	205	26	50	95	105	4	39	28	-	13	26	9	272	39	62	48	16	3
Hancock	4	46	3	7	20	14	-	4	6	-	3	5	4	39	10	16	5	1	-
Findlay	3	31	3	5	14	10	-	2	3	-	1	4	1	21	2	11	4	1	-
Fostoria, part	1	2	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Balance of county	-	13	-	2	5	4	-	2	3	-	2	1	3	16	7	4	1	-	-
Hardin	1	27	3	1	5	14	2	2	3	-	2	1	1	16	8	6	4	-	-
Harrison	-	24	3	3	3	4	1	2	3	-	4	1	1	12	7	3	2	-	-
Henry	1	32	5	3	10	8	-	2	2	-	1	1	2	25	12	5	4	-	-
Highland	2	22	9	2	14	15	3	3	5	-	1	1	3	16	9	6	6	1	-
Hocking	1	12	5	2	7	10	-	5	1	-	1	-	19	13	3	3	3	2	-
Holmes	1	21	4	2	5	9	-	-	2	-	2	1	1	14	8	5	2	-	1
Huron	-	36	4	6	12	19	-	1	4	-	2	2	6	22	14	14	7	-	-
Norwalk	-	11	-	1	6	8	-	-	1	-	-	1	4	6	3	6	3	-	-
Balance of county	-	25	4	5	6	11	-	1	3	-	2	1	2	16	11	8	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	353	–	–	4	75	16	15	11	11	2	3	17	8	191	153	1	3	113	36
Jefferson	952	–	–	8	245	60	70	18	26	5	12	54	32	490	390	1	11	249	129
Steubenville	368	–	–	3	84	31	19	7	8	2	4	23	11	198	154	1	4	86	63
Balance of county	584	–	–	5	151	29	51	11	18	3	8	31	21	292	236	–	7	163	66
Knox	467	–	–	3	107	27	26	11	10	6	5	22	7	250	182	1	2	137	42
Mount Vernon	207	–	–	–	50	8	14	6	5	3	4	9	3	106	77	1	–	60	16
Balance of county	260	–	–	3	57	18	12	5	5	3	1	13	4	144	105	–	2	77	26
Lake	1,559	–	–	11	358	89	111	26	33	18	14	67	33	756	581	5	19	423	134
Eastlake	140	–	–	1	33	11	13	2	3	1	–	3	5	71	58	–	2	46	10
Mentor	278	–	–	1	62	12	21	3	3	7	3	13	6	130	102	2	1	78	21
Painesville	177	–	–	–	40	11	11	2	6	1	3	6	5	86	61	–	2	45	14
Wickliffe	123	–	–	–	30	13	4	4	5	1	1	2	2	61	44	–	–	33	11
Willoughby	188	–	–	1	38	12	14	1	3	1	1	6	3	95	81	1	2	60	16
Willowick	143	–	–	–	34	11	10	2	3	–	1	7	2	71	59	1	1	41	16
Balance of county	510	–	–	8	121	19	38	12	10	7	5	30	10	242	176	1	11	120	44
Lawrence	621	–	–	8	141	32	44	12	24	8	2	19	15	328	274	–	10	197	67
Ironton	197	–	–	1	50	18	9	7	10	1	1	4	6	108	97	–	2	71	24
Balance of county	424	–	–	7	91	14	35	5	14	7	1	15	9	220	177	–	8	126	43
Licking	1,093	1	–	9	280	56	88	20	35	18	11	62	14	547	421	2	4	322	93
Newark	514	1	–	3	140	31	42	9	19	10	6	23	7	259	198	1	2	152	43
Reynoldsburg, part	5	–	–	–	1	–	–	–	–	–	–	1	–	4	3	–	–	3	–
Balance of county	574	–	–	6	149	25	46	11	16	8	5	38	7	284	220	1	2	167	50
Logan	428	–	–	5	102	23	22	13	8	10	4	22	4	210	159	2	2	117	38
Bellefontaine	111	–	–	2	27	3	7	4	3	3	–	7	1	53	41	–	1	31	9
Balance of county	317	–	–	3	75	20	15	9	5	7	4	15	3	157	118	2	1	86	29
Lorain	2,049	2	–	18	527	143	132	49	62	22	21	98	40	953	778	9	26	609	134
Amherst	109	–	–	1	24	10	3	2	2	–	1	6	2	54	47	2	5	32	8
Avon Lake	82	–	–	1	16	5	2	3	–	–	–	6	2	46	35	–	–	27	8
Elyria	463	–	–	5	133	36	35	10	19	4	7	22	8	199	159	2	1	123	33
Lorain	645	1	–	6	156	47	35	19	17	7	6	25	15	292	230	2	15	186	27
North Ridgeville	78	–	–	–	20	3	5	3	1	2	1	5	3	37	33	–	1	26	6
Sheffield Lake	41	–	–	–	6	2	1	–	1	–	1	1	–	19	18	–	–	16	2
Vermilion, part	42	–	–	–	16	6	6	–	–	–	–	4	1	17	15	–	–	5	10
Balance of county	589	1	–	5	156	34	45	12	22	9	5	29	9	289	241	3	4	194	40
Lucas	4,363	1	–	29	995	266	262	89	109	34	39	196	96	2,236	1,733	8	70	1,327	328
Maumee	124	–	–	–	36	9	7	1	3	–	2	14	5	54	43	–	2	30	11
Oregon	175	–	–	–	44	9	14	4	6	–	1	10	4	91	75	1	3	58	13
Sylvania	106	–	–	1	21	6	4	3	6	–	–	2	4	59	40	–	3	31	6
Toledo	3,548	–	–	22	810	225	218	72	83	31	33	148	77	1,817	1,405	7	54	1,079	265
Balance of county	410	1	–	6	84	17	19	9	11	3	3	22	6	215	170	–	8	129	33
Madison	285	–	–	3	57	15	20	6	5	1	4	6	2	154	102	2	–	85	15
Mahoning	3,086	1	–	44	689	199	162	69	77	31	30	121	96	1,601	1,243	12	28	920	283
Alliance, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Campbell	111	–	–	2	20	6	6	2	1	–	2	3	2	64	46	–	1	35	10
Struthers	151	–	–	3	45	10	14	4	5	–	2	10	2	71	55	2	–	45	8
Youngstown, part	1,461	–	–	26	326	110	71	37	35	12	13	48	48	741	565	4	18	429	114
Youngstown, total	1,463	–	–	26	326	110	71	37	35	12	13	48	48	742	566	4	18	430	114
Balance of county	1,362	1	–	13	298	73	71	26	36	19	13	60	44	725	577	6	9	411	151
Marion	565	–	–	6	123	27	27	12	11	10	7	29	8	294	232	3	5	170	54
Marion	365	–	–	3	73	16	14	7	5	5	5	21	5	187	145	1	2	109	33
Balance of county	220	–	–	3	50	11	13	5	6	5	2	8	3	107	87	2	3	61	21
Medina	758	–	–	5	158	36	43	22	19	6	5	27	19	381	306	4	11	199	92
Brunswick	138	–	–	2	34	7	11	8	3	2	1	2	4	61	53	–	2	31	20
Medina	134	–	–	1	29	6	10	3	2	1	2	5	5	61	46	1	–	32	13
Wadsworth	140	–	–	1	27	7	6	1	3	2	1	7	5	76	57	1	1	43	12
Balance of county	346	–	–	1	68	16	16	10	11	1	1	13	5	183	150	2	8	93	47
Meigs	241	–	–	2	60	18	15	3	6	1	3	14	5	111	87	–	–	73	14
Mercer	299	–	–	–	57	22	9	8	3	3	1	11	8	154	127	–	1	104	22
Miami	760	–	–	4	167	55	40	15	18	8	5	26	11	427	337	7	7	234	89
Piqua	203	–	–	1	41	17	5	1	8	4	–	6	4	125	105	2	–	79	24
Troy	169	–	–	3	34	12	8	6	–	1	1	6	1	94	72	2	3	41	26
Balance of county	388	–	–	–	92	26	27	8	10	3	4	14	6	208	160	3	4	114	39
Monroe	139	–	–	4	27	5	8	3	3	1	–	7	4	69	51	–	1	43	7
Montgomery	4,863	5	–	57	1,135	315	342	92	95	37	35	220	87	2,349	1,910	15	63	1,261	571
Centerville	111	1	–	–	33	12	9	3	–	1	2	6	1	52	46	1	1	32	12
Dayton, part	2,081	2	–	25	451	118	154	27	47	9	14	82	39	1,013	827	2	26	505	294
Dayton, total	2,083	2	–	25	452	118	154	27	47	9	14	83	39	1,013	827	2	26	505	294
Englewood	75	–	–	–	21	5	5	2	1	1	1	6	1	34	30	1	–	20	9
Huber Heights	165	–	–	5	37	10	11	2	3	1	4	6	4	66	53	–	1	41	11
Kettering	512	–	–	6	134	37	34	14	14	3	1	31	12	250	212	4	12	137	59
Miamisburg	122	–	–	–	24	4	6	2	1	3	–	8	3	64	53	–	4	40	9
Vandalia	76	–	–	–	12	4	2	–	2	–	–	4	–	33	23	–	–	20	3
West Carrollton	98	–	–	–	21	4	7	4	2	–	–	4	–	49	42	–	1	30	11
Balance of county	1,623	2	–	21	403	121	114	38	25	19	13	73	27	788	624	7	18	436	163
Morgan	170	–	–	1	38	15	7	1	3	1	–	11	2	86	73	–	2	53	18
Morrow	180	–	–	3	31	8	9	4	3	–	4	3	12	87	73	–	2	54	17
Muskingum	866	–	–	12	207	42	62	14	25	13	7	44	19	412	329	2	6	222	99
Zanesville	443	–	–	5	108	19	38	5	16	3	4	23	7	201	159	–	5	105	49
Balance of county	423	–	–	7	99	23	24	9	9	10	3	21	12	211	170	2	1	117	50
Noble	122	–	–	–	27	5	11	3	1	1	4	2	1	84	55	1	1	46	7
Ottawa	362	–	–	4	84	20	26	2	11	6	6	13	3	192	154	1	2	106	45
Paulding	165	–	–	1	26	4	11	2	4	3	–	2	3	87	63	1	–	49	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	1	22	13	2	7	8	1	3	1	–	1	4	–	33	5	8	4	–	–
Jefferson	2	76	9	13	16	34	2	10	9	–	2	8	8	47	9	20	9	2	1
Steubenville	–	37	2	5	9	10	2	4	5	–	–	2	2	17	1	8	2	–	–
Balance of county	2	39	7	8	7	24	–	6	4	–	2	6	6	30	8	12	7	2	1
Knox	1	47	12	8	12	13	1	6	7	–	–	4	2	31	7	7	9	–	1
Mount Vernon	1	18	6	4	6	7	–	3	2	–	–	4	1	12	3	4	5	–	1
Balance of county	–	29	6	4	6	6	1	3	5	–	–	–	1	19	4	3	4	–	–
Lake	6	130	21	18	53	59	3	17	8	–	16	15	31	106	26	41	21	4	1
Eastlake	–	13	–	–	4	6	–	1	–	–	3	–	4	6	2	3	1	–	–
Mentor	1	21	2	4	4	10	–	5	1	–	8	2	7	26	5	6	4	1	–
Painesville	1	20	3	1	9	10	1	–	–	–	–	3	5	12	2	1	2	1	–
Wickliffe	1	13	2	1	2	4	–	2	3	–	–	–	3	11	1	2	2	–	–
Willoughby	–	11	2	1	12	7	1	1	–	–	1	2	4	14	1	6	2	–	–
Willowick	1	10	–	1	2	3	1	4	1	–	3	–	2	11	3	3	2	–	1
Balance of county	2	42	12	10	20	19	–	4	3	–	1	8	8	26	12	20	8	2	–
Lawrence	1	44	5	4	11	18	6	2	2	–	4	3	7	48	11	10	5	1	1
Ironton	–	9	1	1	3	4	1	–	1	–	2	–	2	13	3	1	1	1	–
Balance of county	1	35	4	3	8	14	5	2	1	–	2	3	5	35	8	9	4	–	1
Licking	5	91	16	14	24	42	1	9	6	–	1	2	14	79	17	15	20	2	–
Newark	2	43	9	7	12	19	1	3	2	–	1	–	4	40	4	9	9	–	–
Reynoldsburg, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	3	47	7	7	12	23	–	6	4	–	–	2	10	39	13	6	11	2	–
Logan	1	44	4	2	11	20	–	2	9	–	2	2	2	33	13	10	3	–	–
Bellefontaine	–	10	–	2	2	3	–	–	3	–	–	–	2	9	6	2	1	–	–
Balance of county	1	34	4	–	9	17	–	2	6	–	2	2	–	24	7	8	2	–	–
Lorain	6	130	17	22	35	74	7	25	33	1	17	19	25	140	39	56	29	8	1
Amherst	1	5	–	1	3	3	1	1	2	–	1	–	1	8	4	2	2	–	–
Avon Lake	–	9	1	1	–	5	–	1	2	–	2	–	–	5	1	–	1	–	–
Elyria	–	33	4	3	9	15	2	8	5	1	3	7	6	31	5	16	8	2	–
Lorain	3	48	2	9	6	20	–	12	13	–	6	5	9	52	11	23	14	3	1
North Ridgeville	–	3	1	–	2	4	–	1	1	–	2	1	2	1	1	3	–	–	–
Sheffield Lake	–	1	–	–	3	5	–	–	–	–	–	1	–	5	2	–	–	–	–
Vermilion, part	–	1	1	–	–	2	–	–	2	–	–	–	–	1	2	–	–	1	–
Balance of county	2	30	8	8	12	20	4	2	8	–	3	5	7	37	13	12	4	2	–
Lucas	17	386	53	47	104	167	11	47	32	1	23	25	20	323	80	61	72	35	5
Maumee	–	7	2	2	1	6	–	1	1	–	1	–	–	7	1	2	7	2	–
Oregon	2	13	1	–	6	8	1	1	1	–	1	1	–	10	1	3	3	–	–
Sylvania	2	14	1	2	4	4	–	1	2	1	–	–	–	4	1	1	3	–	–
Toledo	13	317	46	36	82	135	9	41	23	–	18	22	17	280	61	50	50	30	4
Balance of county	–	35	3	7	11	14	1	3	5	–	3	2	3	22	16	5	9	3	1
Madison	3	45	4	–	10	10	2	2	1	–	2	2	4	23	6	4	2	1	–
Mahoning	18	248	60	34	78	86	4	38	38	–	16	25	14	220	31	38	35	34	–
Alliance, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Campbell	2	12	2	2	3	2	–	4	1	–	–	1	–	5	2	2	2	1	–
Struthers	1	13	1	1	3	4	–	3	5	–	–	–	–	9	2	1	1	2	–
Youngstown, part	8	133	28	7	31	37	2	18	20	–	6	23	7	112	10	11	15	28	–
Youngstown, total	8	133	28	7	31	37	2	18	20	–	6	23	7	113	10	11	15	28	–
Balance of county	5	90	29	24	41	42	2	13	10	–	10	1	7	94	17	24	17	3	–
Marion	2	42	8	10	18	22	1	11	8	–	3	5	2	51	12	11	8	2	–
Marion	1	27	5	9	13	12	–	8	6	–	2	4	1	35	6	6	2	2	–
Balance of county	1	15	3	1	5	10	1	3	2	–	1	1	1	16	6	5	6	–	–
Medina	–	59	8	8	19	25	1	9	9	–	7	5	13	57	17	17	11	1	4
Brunswick	–	5	1	2	6	6	–	1	1	–	–	–	–	8	5	4	4	1	1
Medina	–	13	2	–	4	4	1	4	4	–	2	2	2	9	–	5	1	–	–
Wadsworth	–	16	1	2	2	6	–	–	2	–	2	–	3	10	1	3	2	–	–
Balance of county	–	25	4	4	7	9	–	4	2	–	3	3	8	30	11	5	4	–	3
Meigs	–	17	7	–	8	4	4	–	3	–	1	2	3	17	4	11	6	–	–
Mercer	–	26	–	1	5	10	1	1	1	–	4	4	1	28	10	9	2	2	1
Miami	6	82	9	13	11	22	3	7	11	–	5	6	5	49	12	10	6	3	1
Piqua	–	16	2	2	–	6	–	1	3	–	2	2	–	13	2	2	–	1	–
Troy	2	15	1	4	4	6	1	1	2	–	–	2	–	17	1	2	–	–	1
Balance of county	4	31	6	7	7	10	2	5	6	–	3	2	5	19	9	6	6	2	–
Monroe	–	12	4	2	3	5	1	2	1	–	–	–	3	11	6	1	2	–	–
Montgomery	26	307	53	53	122	161	21	54	53	2	23	54	127	355	91	68	60	36	–
Centerville	–	6	–	–	1	5	1	1	1	–	1	–	2	8	1	3	–	–	–
Dayton, part	15	132	17	22	52	70	6	22	26	2	11	25	67	153	32	33	24	26	–
Dayton, total	15	132	17	22	52	70	6	22	26	2	11	25	67	153	33	33	24	26	–
Englewood	–	4	–	–	1	3	–	2	1	–	–	1	1	5	2	2	1	–	–
Huber Heights	1	7	2	3	2	8	1	3	1	–	1	8	9	8	6	3	3	–	–
Kettering	–	21	9	8	14	17	2	4	2	–	2	5	8	39	3	1	13	–	–
Miamisburg	1	10	–	–	4	3	1	1	–	–	–	–	7	9	1	5	–	–	–
Vandalia	–	6	2	2	5	2	1	1	1	–	–	–	3	8	5	4	–	–	–
West Carrollton	–	6	–	1	4	5	1	2	1	–	2	–	3	4	1	2	2	1	–
Balance of county	9	115	23	17	39	48	8	18	20	–	6	15	27	120	40	15	17	9	–
Morgan	1	12	–	–	5	8	–	–	–	–	1	2	2	14	2	1	5	1	2
Morrow	–	10	4	–	10	7	1	1	1	–	–	2	2	12	3	4	4	–	–
Muskingum	2	61	8	12	30	42	1	10	8	–	5	3	3	79	11	15	7	2	–
Zanesville	1	31	5	5	16	26	–	6	4	–	3	1	3	46	3	9	4	1	–
Balance of county	1	30	3	7	14	16	1	4	4	–	2	2	–	33	8	6	3	1	–
Noble	–	7	1	1	5	3	–	–	1	–	2	–	–	7	5	6	1	–	–
Ottawa	2	28	4	4	5	19	2	1	1	–	2	2	6	22	10	7	2	–	–
Paulding	1	21	2	–	3	6	–	–	4	–	2	4	–	11	12	5	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	304	–	–	6	63	12	24	4	3	1	4	15	4	146	121	–	–	85	36
Pickaway	370	1	–	3	86	16	25	10	9	7	4	15	9	184	125	1	1	86	35
Circleville	153	–	–	1	38	8	6	6	4	2	1	9	5	82	53	–	–	37	16
Balance of county	217	1	–	2	48	8	17	4	5	5	3	6	4	102	72	1	1	51	19
Pike	243	–	–	2	53	16	17	4	4	1	–	11	2	130	108	–	1	93	14
Portage	846	–	–	7	206	44	68	17	13	14	9	41	17	388	302	4	9	224	65
Kent	122	–	–	3	34	9	12	1	2	4	3	3	2	62	49	–	4	36	9
Ravenna	136	–	–	1	26	5	9	1	1	2	–	8	2	67	49	1	3	37	8
Balance of county	588	–	–	3	146	30	47	15	10	8	6	30	13	259	204	3	2	151	48
Preble	321	–	–	3	56	8	21	3	7	6	3	8	15	172	140	3	3	101	33
Putnam	250	–	–	3	55	16	11	4	4	4	4	12	4	132	97	2	7	68	20
Richland	1,106	–	–	5	239	54	67	26	26	8	12	46	27	581	451	2	12	373	64
Mansfield	606	–	–	3	135	30	38	12	15	6	6	28	15	311	245	–	6	211	28
Balance of county	500	–	–	2	104	24	29	14	11	2	6	18	12	270	206	2	6	162	36
Ross	604	–	–	12	143	32	39	15	22	3	4	28	11	301	256	3	3	184	66
Chillicothe	303	–	–	5	73	13	14	10	14	2	3	17	6	151	129	1	1	93	34
Balance of county	301	–	–	7	70	19	25	5	8	1	1	11	5	150	127	2	2	91	32
Sandusky	547	–	–	1	112	29	29	9	16	5	3	21	13	302	236	–	1	184	51
Fremont	201	–	–	1	47	12	17	3	5	1	1	8	3	111	88	–	1	72	15
Balance of county	346	–	–	–	65	17	12	6	11	4	2	13	10	191	148	–	–	112	36
Scioto	989	–	–	6	222	49	71	16	25	11	7	43	27	521	450	2	14	322	112
Portsmouth	383	–	–	4	78	22	26	9	7	4	2	8	5	208	175	1	5	125	44
Balance of county	606	–	–	2	144	27	45	7	18	7	5	35	22	313	275	1	9	197	68
Seneca	504	–	–	1	118	25	40	10	16	3	7	17	10	279	242	1	3	161	57
Fostoria, part	122	–	–	–	28	7	9	2	5	–	2	3	6	67	52	–	1	43	8
Fostoria, total	158	–	–	–	33	10	9	2	6	–	2	4	6	92	73	–	1	53	9
Tiffin	172	–	–	–	39	6	14	4	5	1	1	8	1	104	89	1	–	63	25
Balance of county	210	–	–	1	51	12	17	4	6	2	4	6	3	108	101	–	2	75	24
Shelby	360	–	1	2	85	24	25	4	10	4	5	13	8	202	135	1	1	105	28
Sidney	191	–	1	1	47	13	15	1	5	2	3	8	4	108	73	1	1	54	17
Balance of county	169	–	–	1	38	11	10	3	5	2	2	5	4	94	62	–	–	51	11
Stark	3,372	3	–	21	724	174	206	61	75	31	27	150	77	1,698	1,355	16	48	1,044	247
Alliance, part	260	–	–	2	63	19	18	6	1	4	3	12	6	131	98	–	2	84	12
Alliance, total	261	–	–	2	63	19	18	6	1	4	3	12	6	131	98	–	2	84	12
Canton	1,061	2	–	3	206	53	59	17	25	8	5	39	28	542	453	4	17	347	85
Massillon	375	1	–	–	78	18	27	4	7	5	1	17	6	169	152	2	6	111	33
North Canton	124	–	–	4	33	8	9	3	4	1	–	8	4	57	43	2	2	34	5
Balance of county	1,552	–	–	12	343	76	93	31	38	13	18	74	33	779	609	8	21	468	112
Summit	5,028	–	1	68	1,136	288	321	105	108	44	42	228	95	2,341	1,821	15	55	1,283	488
Akron	2,633	–	1	37	549	131	162	49	56	16	19	116	54	1,222	950	7	34	653	256
Barberton	332	–	–	7	66	21	19	8	6	2	1	9	4	180	153	1	1	106	45
Cuyahoga Falls	349	–	–	2	92	31	23	4	2	8	3	21	4	169	128	1	6	92	29
Norton	71	–	–	–	19	3	5	2	2	–	–	7	2	31	23	–	–	16	7
Stow	131	–	–	1	28	10	4	3	4	–	1	6	4	62	48	1	2	33	12
Tallmadge	126	–	–	2	32	7	9	4	1	1	1	9	1	63	43	–	2	31	10
Balance of county	1,386	–	–	19	350	85	99	35	37	17	17	60	26	614	476	5	10	352	109
Trumbull	2,121	–	–	17	483	138	117	39	51	28	15	95	51	1,143	913	7	27	688	191
Girard	138	–	–	–	33	9	6	1	3	2	2	10	2	75	58	–	2	42	14
Niles	204	–	–	3	37	12	12	–	3	1	–	9	2	117	98	–	4	77	17
Warren	663	–	–	3	144	38	36	13	14	7	4	32	13	366	289	3	11	212	63
Youngstown, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	1,114	–	–	11	269	79	63	25	31	18	9	44	34	584	467	4	10	356	97
Tuscarawas	914	–	–	10	189	65	41	17	20	7	7	32	28	471	353	1	14	266	72
Dover	179	–	–	3	35	10	6	5	3	1	1	9	3	94	64	1	4	47	12
New Philadelphia	165	–	–	–	37	13	14	1	5	–	2	2	1	92	69	–	5	52	12
Balance of county	570	–	–	7	117	42	21	11	12	6	4	21	24	285	220	–	5	167	48
Union	220	–	–	1	49	16	11	6	3	1	3	9	5	114	91	1	2	68	20
Van Wert	301	–	–	2	82	22	17	8	7	4	4	20	3	155	103	1	3	75	24
Van Wert	143	–	–	–	37	10	4	2	4	2	3	12	–	81	53	1	–	37	15
Balance of county	158	–	–	2	45	12	13	6	3	2	1	8	3	74	50	–	3	38	9
Vinton	108	–	–	2	18	5	4	–	3	–	1	5	–	58	48	1	2	30	15
Warren	658	–	–	5	159	41	44	11	17	10	7	29	12	309	241	4	9	161	67
Franklin	100	–	–	2	24	5	9	1	4	2	1	2	3	45	38	1	1	29	7
Balance of county	558	–	–	3	135	36	35	10	13	8	6	27	9	264	203	3	8	132	60
Washington	617	–	–	4	127	28	42	9	11	5	4	28	19	317	252	2	3	189	64
Marietta	209	–	–	1	33	6	13	2	5	2	1	4	8	122	94	2	1	66	25
Balance of county	408	–	–	3	94	22	29	7	6	3	3	24	11	195	158	–	2	117	39
Wayne	786	1	–	9	161	46	33	11	22	5	5	39	11	389	308	3	15	218	72
Wooster	218	–	–	3	45	13	10	–	4	2	–	16	2	120	93	1	5	71	16
Balance of county	568	1	–	6	116	33	23	11	18	3	5	23	9	269	215	2	10	147	56
Williams	294	–	–	4	65	17	18	2	8	5	1	14	11	147	104	–	1	79	24
Wood	718	–	–	6	167	43	37	15	18	12	13	29	12	358	291	4	4	216	67
Bowling Green	98	–	–	–	18	3	5	5	2	2	–	1	3	53	48	–	2	34	10
Fostoria, part	10	–	–	–	2	–	–	–	1	–	–	1	–	7	6	–	–	6	–
Perrysburg	90	–	–	2	23	4	6	2	–	2	2	7	1	38	28	1	–	22	6
Balance of county	520	–	–	4	124	36	26	8	15	8	11	20	8	260	210	3	2	154	51
Wyandot	225	–	–	3	40	9	17	2	2	–	1	9	2	128	100	1	–	72	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other *diseases* of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain *conditions* originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All *other* accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	1	21	1	2	13	11	1	3	4	–	2	–	–	22	9	14	4	2	–
Pickaway	–	46	10	3	15	17	–	1	4	–	5	1	5	26	5	3	4	–	1
Circleville	–	24	4	1	4	7	–	–	–	–	–	–	–	15	–	1	–	–	–
Balance of county	–	22	6	2	11	10	–	1	4	–	5	1	5	11	5	2	4	–	1
Pike	1	12	5	4	1	11	–	3	–	–	1	7	–	17	8	5	2	1	–
Portage	4	59	16	7	15	24	1	8	7	–	9	6	32	65	25	18	16	2	–
Kent	1	8	4	–	1	–	–	1	–	–	–	1	5	7	2	3	1	–	–
Ravenna	1	16	1	–	4	3	–	–	–	–	2	–	5	15	3	4	3	1	–
Balance of county	2	35	11	7	10	21	1	7	7	–	7	5	22	43	20	11	12	1	–
Preble	–	24	5	3	9	11	1	2	3	–	2	4	1	18	12	3	8	1	–
Putnam	2	22	5	6	2	6	–	2	–	–	1	1	1	22	9	9	3	–	–
Richland	3	95	16	16	16	38	7	15	10	–	6	10	11	65	26	26	14	10	–
Mansfield	1	51	11	3	13	21	4	8	4	–	4	5	8	38	9	16	7	5	–
Balance of county	2	44	5	13	3	17	3	7	6	–	2	5	3	27	17	10	7	5	–
Ross	1	31	6	7	13	27	2	7	10	–	5	2	9	32	7	18	5	–	–
Chillicothe	–	13	4	5	5	14	1	2	3	–	1	2	6	20	2	8	4	–	–
Balance of county	1	18	2	2	8	13	1	5	7	–	4	–	3	12	5	10	1	–	–
Sandusky	1	47	9	9	11	20	2	3	3	–	3	2	5	33	20	10	4	3	–
Fremont	–	13	5	5	4	6	1	3	2	–	2	1	1	11	5	2	–	1	–
Balance of county	1	34	4	4	7	14	1	–	1	–	1	1	4	22	15	8	4	2	–
Scioto	1	44	14	12	12	44	1	9	17	–	5	6	5	71	10	15	10	6	2
Portsmouth	–	23	4	6	5	18	–	6	6	–	2	1	2	34	1	3	6	2	2
Balance of county	1	21	10	6	7	26	1	3	11	–	3	5	3	37	9	12	4	4	–
Seneca	1	28	5	3	9	11	1	5	2	–	6	5	–	28	11	9	8	1	–
Fostoria, part	–	10	3	2	2	3	1	1	–	–	3	–	–	5	2	1	2	1	–
Fostoria, total	1	13	3	2	3	3	1	1	–	–	3	–	–	7	3	2	3	1	–
Tiffin	–	13	1	1	4	3	–	1	1	–	2	2	–	10	2	3	–	–	–
Balance of county	1	5	1	–	3	5	–	3	1	–	1	3	–	13	7	5	6	–	–
Shelby	3	45	14	5	3	13	1	–	2	–	4	2	3	20	4	8	2	–	–
Sidney	3	20	8	4	–	7	1	–	1	–	1	–	2	10	2	4	2	–	–
Balance of county	–	25	6	1	3	6	–	–	1	–	3	2	1	10	2	4	–	–	–
Stark	11	258	36	38	65	141	7	34	34	–	23	20	30	283	60	70	46	15	1
Alliance, part	2	20	9	2	3	11	–	1	4	–	1	3	1	24	2	4	3	–	1
Alliance, total	2	20	9	2	3	12	–	1	4	–	1	3	1	24	2	4	3	–	1
Canton	1	72	7	9	30	47	3	13	9	–	11	6	10	87	15	24	16	8	–
Massillon	2	31	2	2	6	22	1	6	2	–	1	3	2	34	6	9	6	2	–
North Canton	–	13	–	1	4	4	–	2	1	–	–	2	1	7	2	3	–	–	–
Balance of county	6	122	18	24	42	57	3	12	18	–	10	6	16	131	35	30	21	4	–
Summit	30	365	60	65	130	175	12	51	40	–	23	38	402	399	28	41	42	6	–
Akron	16	192	31	33	65	90	11	24	18	–	16	18	255	216	10	25	19	3	–
Barberton	1	18	3	5	8	11	–	3	5	–	1	4	21	18	2	2	–	–	–
Cuyahoga Falls	1	29	7	4	11	10	1	8	1	–	2	3	14	23	2	3	3	1	–
Norton	1	4	1	2	4	2	–	1	2	–	–	1	3	6	–	–	–	–	–
Stow	1	9	2	2	3	5	–	2	1	–	1	2	7	11	2	1	1	–	–
Tallmadge	1	16	2	1	2	2	–	–	–	–	–	–	5	18	–	–	1	–	–
Balance of county	9	97	14	18	37	55	–	13	13	–	3	10	97	107	12	10	18	2	–
Trumbull	10	158	27	35	35	49	7	30	32	–	5	15	12	132	36	37	28	9	–
Girard	1	12	3	1	3	6	–	2	–	–	–	2	–	6	2	3	4	–	–
Niles	–	14	4	1	8	5	1	3	4	–	–	6	1	8	2	2	3	2	–
Warren	3	54	8	12	11	13	3	11	11	–	1	4	5	46	8	12	8	4	–
Youngstown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	6	78	12	21	13	25	3	14	17	–	4	3	6	71	24	20	13	3	–
Tuscarawas	3	85	22	8	13	25	2	8	11	–	10	6	8	74	19	18	16	5	1
Dover	1	20	6	3	4	3	1	2	2	–	3	–	4	12	5	2	5	1	–
New Philadelphia	1	19	2	1	1	9	–	1	1	–	1	–	1	12	1	4	4	–	–
Balance of county	1	46	14	4	8	13	1	5	8	–	6	6	3	50	13	12	7	4	1
Union	–	15	7	1	2	5	–	2	4	–	1	1	1	15	9	5	5	1	–
Van Wert	–	28	14	10	5	9	–	–	3	–	1	5	1	25	5	2	3	–	–
Van Wert	–	15	7	6	2	5	–	–	–	–	–	3	1	11	–	2	1	–	–
Balance of county	–	13	7	4	3	4	–	–	3	–	1	2	–	14	5	–	2	–	–
Vinton	–	6	1	3	0	6	1	3	–	–	2	1	1	7	–	2	1	3	–
Warren	3	54	5	6	20	23	1	8	10	–	5	5	10	60	13	9	8	1	–
Franklin	–	7	–	–	3	1	1	2	4	–	–	1	–	8	1	2	3	–	–
Balance of county	3	47	5	6	17	22	–	6	6	–	5	4	10	52	12	7	5	1	–
Washington	6	42	9	8	16	21	2	4	3	–	1	6	6	48	17	22	3	–	1
Marietta	4	17	4	3	4	9	1	1	1	–	1	1	1	15	1	9	1	–	–
Balance of county	2	25	5	5	12	12	1	3	2	–	–	5	5	33	16	13	2	–	1
Wayne	2	68	5	6	26	33	3	6	9	–	6	12	17	56	22	16	8	1	–
Wooster	–	23	1	3	7	9	1	1	2	–	2	1	3	13	3	5	1	–	–
Balance of county	2	45	4	3	19	24	2	5	7	–	4	11	14	43	19	11	7	1	–
Williams	1	31	4	7	7	10	2	2	3	–	–	2	3	18	9	8	3	–	–
Wood	3	41	13	10	15	22	3	3	11	–	7	10	11	41	22	20	6	4	–
Bowling Green	1	3	1	2	2	3	1	1	2	–	1	1	2	5	3	2	1	–	–
Fostoria, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Perrysburg	–	6	2	1	1	4	–	–	2	–	2	4	–	8	3	1	1	–	–
Balance of county	2	31	10	7	12	15	2	2	7	–	4	5	9	28	16	17	3	4	–
Wyandot	2	22	–	4	7	7	–	1	1	–	1	3	1	15	7	5	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	29,343	21	2	297	6,216	1,463	1,943	481	669	261	237	1,162	441	14,059	10,886	59	212	7,646	2,969
Urban places	14,978	12	2	160	3,165	729	1,036	264	328	127	107	574	221	7,077	5,356	35	113	3,750	1,458
Balance of area	14,365	9	–	137	3,051	734	907	217	341	134	130	588	220	6,982	5,530	24	99	3,896	1,511
Metropolitan counties	15,060	9	2	153	3,282	764	1,069	256	348	129	119	597	232	6,937	5,273	31	107	3,634	1,501
Urban places	11,145	5	2	122	2,419	553	810	197	247	89	82	441	178	5,111	3,867	24	92	2,641	1,110
Balance of area	3,915	4	–	31	863	211	259	59	101	40	37	156	54	1,826	1,406	7	15	993	391
Nonmetropolitan counties	14,283	12	–	144	2,934	699	874	225	321	132	118	565	209	7,122	5,613	28	105	4,012	1,468
Urban places	3,833	7	–	38	746	176	226	67	81	36	25	133	43	1,966	1,489	11	21	1,109	348
Balance of area	10,450	5	–	106	2,188	523	648	158	240	94	93	432	166	5,156	4,124	17	84	2,903	1,120
Adair	196	–	–	1	45	6	7	6	4	4	4	14	4	95	70	1	1	40	28
Alfalfa	91	–	–	4	12	2	3	3	1	–	1	2	5	40	37	–	2	27	6
Atoka	152	–	–	–	30	5	11	2	3	–	1	8	–	78	66	–	–	32	34
Beaver	61	–	–	–	15	1	8	1	2	–	1	2	2	31	18	–	1	10	7
Beckham	262	–	–	–	52	15	13	3	5	1	4	11	1	138	110	1	12	62	35
Blaine	200	–	–	6	44	18	7	2	6	4	2	5	5	87	73	–	–	46	27
Bryan	375	1	–	2	74	16	24	7	9	1	3	14	4	212	155	3	3	110	39
Durant	199	1	–	2	39	10	13	5	3	–	2	6	3	114	82	1	–	60	21
Balance of county	176	–	–	–	35	6	11	2	6	1	1	8	1	98	73	2	3	50	18
Caddo	352	–	–	2	78	19	28	6	11	–	4	10	11	147	122	2	2	90	28
Canadian	386	–	–	3	90	20	29	8	13	3	3	14	6	173	132	1	3	79	49
El Reno	169	–	–	–	37	13	9	3	4	1	2	5	2	83	66	–	1	40	25
Oklahoma City, part	3	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	2	–
Yukon	120	–	–	2	27	3	14	3	6	–	–	1	3	50	35	–	1	19	15
Balance of county	94	–	–	1	25	4	6	2	3	2	1	7	1	38	29	1	1	18	9
Carter	510	1	–	7	97	17	34	7	9	2	9	19	7	258	200	–	6	157	37
Ardmore	339	1	–	2	60	12	18	6	6	1	7	10	2	181	137	–	4	107	26
Balance of county	171	–	–	5	37	5	16	1	3	1	2	9	5	77	63	–	2	50	11
Cherokee	299	1	–	3	54	13	17	3	8	4	3	8	4	142	110	1	2	71	36
Choctaw	218	1	–	1	37	9	12	2	2	1	2	9	4	136	117	1	3	79	34
Cimarron	37	–	–	–	10	5	2	–	–	–	–	3	1	12	11	–	–	8	3
Cleveland	719	–	–	5	148	30	46	10	17	8	8	29	14	318	245	1	7	167	70
Moore	157	–	–	–	31	3	12	1	4	2	2	7	4	67	57	–	1	40	16
Norman	418	–	–	4	86	18	29	2	9	4	4	20	7	197	149	1	5	100	43
Oklahoma City, part	35	–	–	1	12	5	2	3	1	–	–	1	1	9	7	–	1	2	4
Balance of county	109	–	–	–	19	4	3	4	3	2	2	1	2	45	32	–	–	25	7
Coal	88	–	–	2	19	4	3	2	1	1	–	8	2	38	32	–	–	14	18
Comanche	739	–	–	7	167	34	67	8	16	4	7	31	12	309	248	1	4	191	52
Lawton	596	–	–	7	133	28	53	7	12	3	7	23	10	250	198	–	2	151	45
Balance of county	143	–	–	–	34	6	14	1	4	1	–	8	2	59	50	1	2	40	7
Cotton	107	–	–	2	32	7	10	1	4	1	–	9	–	49	32	–	1	22	9
Craig	193	–	–	1	45	15	16	1	3	2	2	6	1	100	66	–	–	59	7
Creek	585	–	–	8	132	34	45	9	8	3	4	29	15	261	194	1	3	145	45
Sapulpa	219	–	–	3	43	13	13	5	2	1	2	7	6	105	78	–	2	63	13
Balance of county	366	–	–	5	89	21	32	4	6	2	2	22	9	156	116	1	1	82	32
Custer	264	–	–	2	49	9	9	5	7	2	3	14	10	125	97	–	2	73	22
Delaware	301	1	–	2	73	15	23	9	6	3	2	15	–	149	115	1	1	80	33
Dewey	78	–	–	1	16	5	3	3	1	3	–	1	1	36	27	–	–	20	7
Ellis	71	–	–	–	17	3	2	3	1	–	1	7	–	37	27	–	–	18	9
Garfield	599	1	–	2	116	31	37	10	15	3	3	17	11	283	199	3	1	136	59
Enid	483	1	–	2	89	23	28	7	12	3	1	15	10	227	160	3	1	111	45
Balance of county	116	–	–	–	27	8	9	3	3	–	2	2	1	56	39	–	–	25	14
Garvin	333	–	–	3	81	25	19	7	4	3	5	18	3	159	127	–	3	91	33
Grady	406	–	–	3	63	16	18	3	9	4	2	11	6	207	155	1	2	119	33
Chickasha	230	–	–	1	33	8	9	1	5	3	1	6	4	122	88	1	1	68	18
Balance of county	176	–	–	2	30	8	9	2	4	1	1	5	2	85	67	–	1	51	15
Grant	88	–	–	2	19	4	2	1	4	2	2	4	–	52	41	–	–	35	6
Greer	102	–	–	2	27	10	6	3	3	1	1	3	2	47	38	–	–	22	14
Harmon	64	–	–	1	6	2	2	–	–	–	1	1	1	32	31	–	–	23	8
Harper	59	–	–	–	10	1	5	–	–	–	1	3	–	33	27	–	–	24	3
Haskell	167	–	–	1	49	12	14	4	3	4	–	12	3	80	60	–	–	43	17
Hughes	220	–	–	–	52	11	11	6	9	3	5	7	8	100	85	–	1	73	11
Jackson	255	–	–	2	46	16	15	3	3	2	–	7	1	133	99	1	1	71	26
Altus	195	–	–	2	33	12	11	3	3	–	–	4	1	102	73	1	1	51	20
Balance of county	60	–	–	–	13	4	4	–	–	2	–	3	–	31	26	–	–	20	6
Jefferson	117	–	–	1	17	5	4	1	2	–	2	3	3	69	58	–	–	37	19
Johnston	118	–	–	–	21	3	11	2	1	1	–	3	3	69	62	–	1	48	13
Kay	532	–	–	3	114	27	42	7	9	9	2	18	16	271	214	2	1	177	34
Ponca City	281	–	–	3	54	16	21	4	4	2	1	6	6	150	113	–	–	91	22
Balance of county	251	–	–	–	60	11	21	3	5	7	1	12	8	121	101	2	1	86	12
Kingfisher	129	–	–	6	23	9	7	–	2	2	–	3	3	60	50	–	2	41	7
Kiowa	197	–	–	4	41	8	9	2	5	7	–	10	3	99	77	–	1	59	17
Latimer	110	–	–	–	28	5	11	1	4	1	1	5	1	52	46	–	2	29	15
Le Flore	470	1	–	5	107	29	27	4	15	5	5	22	11	210	166	1	1	136	28
Lincoln	293	–	–	3	57	18	14	4	7	–	1	13	3	167	131	–	4	104	23
Logan	284	1	–	7	54	10	14	5	11	4	–	10	2	170	112	–	1	90	21
Guthrie	180	1	–	4	26	4	7	4	4	2	–	5	2	115	70	–	1	56	13
Balance of county	104	–	–	3	28	6	7	1	7	2	–	5	–	55	42	–	–	34	8
Love	93	–	–	1	17	1	7	2	4	–	1	2	2	46	36	–	–	30	6
McClain	189	–	–	2	44	4	11	3	10	4	4	8	2	77	63	–	–	47	16
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	189	–	–	2	44	4	11	3	10	4	4	8	2	77	63	–	–	47	16
McCurtain	383	2	–	3	63	14	25	3	6	2	1	12	3	177	145	–	3	105	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	79	2,412	396	286	948	1,060	94	259	423	3	205	271	339	2,305	887	763	448	279	23
Urban places	38	1,329	209	145	454	578	54	139	187	2	116	169	165	1,237	384	399	267	177	13
Balance of area	41	1,083	187	141	494	482	40	120	236	1	89	102	174	1,068	503	364	181	102	10
Metropolitan counties	44	1,271	185	164	431	599	55	148	167	2	117	177	173	1,227	472	400	280	182	15
Urban places	30	954	148	112	294	458	44	115	129	2	88	149	131	926	297	307	211	145	12
Balance of area	14	317	37	52	137	141	11	33	38	-	29	28	42	301	175	93	69	37	3
Nonmetropolitan counties	35	1,141	211	122	517	461	39	111	256	1	88	94	166	1,078	415	363	168	97	8
Urban places	8	375	61	33	160	120	10	24	58	-	28	20	34	311	87	92	56	32	1
Balance of area	27	766	150	89	357	341	29	87	198	1	60	74	132	767	328	271	112	65	7
Adair	-	22	3	-	5	5	1	3	2	-	-	2	3	11	14	4	-	-	1
Alfalfa	-	3	-	-	5	3	-	1	4	-	-	-	-	10	5	-	2	-	-
Atoka	-	9	1	2	2	1	-	1	2	-	1	-	6	13	12	3	2	1	-
Beaver	-	11	2	-	2	-	1	-	-	-	1	-	-	4	3	-	2	-	-
Beckham	-	24	1	3	10	6	1	1	1	-	1	1	16	13	6	9	1	5	-
Blaine	-	8	3	3	8	6	-	5	5	-	2	-	2	18	5	6	-	1	-
Bryan	1	33	19	4	13	9	-	5	6	-	-	3	2	21	8	6	6	3	-
Durant	-	16	14	2	6	3	-	1	4	-	-	1	1	13	3	4	3	1	-
Balance of county	1	17	5	2	7	6	-	4	2	-	-	2	1	8	5	2	3	2	-
Caddo	-	18	7	-	12	18	2	6	7	-	1	1	9	32	13	7	2	4	-
Canadian	2	35	1	3	11	13	-	3	3	-	4	11	3	29	12	11	9	4	1
El Reno	-	17	-	-	4	6	-	2	-	-	-	8	-	17	1	5	3	1	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yukon	-	13	-	2	4	5	-	-	2	-	2	3	2	6	4	5	3	2	-
Balance of county	2	5	1	1	3	2	-	1	1	-	2	-	1	6	7	1	3	1	1
Carter	3	41	6	8	12	21	-	3	12	-	3	1	8	35	13	15	9	7	1
Ardmore	1	33	3	7	10	18	-	3	9	-	2	-	5	25	8	5	6	4	-
Balance of county	2	8	3	1	2	3	-	-	3	-	1	1	3	10	7	10	3	3	1
Cherokee	-	25	3	4	9	9	-	1	8	-	2	4	3	35	12	6	2	3	1
Choctaw	-	18	-	1	3	4	-	-	8	-	2	2	4	5	5	2	2	2	-
Cimarron	-	-	-	1	2	2	-	-	-	-	1	1	-	3	3	1	-	1	-
Cleveland	4	49	12	8	22	26	2	8	4	1	8	7	5	70	32	29	20	5	1
Moore	-	8	1	1	4	5	-	1	2	1	1	3	2	15	11	6	3	1	-
Norman	2	33	7	6	11	14	2	5	2	-	4	4	2	39	11	12	15	3	-
Oklahoma City, part	-	2	-	-	-	2	-	-	-	-	1	-	-	2	5	-	1	1	-
Balance of county	2	6	4	1	7	5	-	2	-	-	2	-	1	14	5	5	1	-	1
Coal	-	5	1	-	4	3	1	-	2	-	1	3	2	8	2	-	1	-	-
Comanche	8	43	4	8	22	39	2	12	6	-	9	17	9	54	25	24	10	14	1
Lawton	7	38	4	3	21	35	2	11	6	-	8	17	7	44	12	16	9	7	1
Balance of county	1	5	-	3	1	4	-	1	-	-	1	-	2	10	13	8	1	7	-
Cotton	-	13	2	2	1	8	-	1	-	-	-	-	-	11	1	-	2	-	-
Craig	-	27	5	2	10	4	-	4	3	-	2	1	3	7	6	3	2	1	-
Creek	3	52	3	9	22	22	1	6	6	-	4	8	6	41	21	20	8	4	-
Sapulpa	1	23	1	2	8	9	-	3	3	-	-	2	1	19	7	5	3	2	-
Balance of county	2	29	2	7	14	13	1	3	3	-	4	6	5	22	14	15	5	2	-
Custer	1	19	7	1	11	9	-	-	5	-	7	3	1	23	6	7	2	3	1
Delaware	-	29	1	4	11	14	-	3	7	-	2	2	1	20	6	8	2	-	-
Dewey	1	7	1	-	3	5	3	-	-	-	-	-	1	4	4	3	1	-	-
Ellis	-	8	2	-	2	5	-	-	-	-	1	-	2	4	1	1	1	-	-
Garfield	2	61	12	9	13	29	3	2	7	-	3	7	7	59	22	20	7	7	-
Enid	1	49	9	8	12	27	3	1	6	-	2	6	6	43	18	19	6	5	-
Balance of county	1	12	3	1	1	2	-	1	1	-	1	1	1	16	4	1	1	2	-
Garvin	-	21	10	1	12	6	-	4	3	-	3	1	7	30	8	9	2	2	-
Grady	2	34	15	1	16	14	-	1	7	-	2	6	3	45	16	7	7	3	-
Chickasha	1	24	8	1	10	8	-	1	3	-	2	2	1	26	7	3	4	2	-
Balance of county	1	10	7	-	6	5	-	-	4	-	-	4	2	19	9	4	3	1	-
Grant	-	7	2	2	1	6	1	1	2	-	-	-	-	7	3	4	-	-	-
Greer	-	5	5	1	2	6	-	1	4	-	-	-	1	7	2	1	-	-	-
Harmon	-	1	-	-	7	5	-	1	1	-	-	1	1	8	-	-	-	-	-
Harper	-	4	-	2	1	-	-	-	2	-	-	-	-	7	4	1	1	-	-
Haskell	1	18	-	1	4	2	-	-	4	-	-	3	2	7	6	3	1	2	-
Hughes	1	10	1	3	10	10	-	2	7	-	1	1	-	17	3	5	3	1	-
Jackson	2	31	-	1	7	9	1	2	4	1	2	4	9	18	4	7	3	2	-
Altus	2	26	-	1	7	4	-	2	2	-	2	3	7	16	2	7	3	2	-
Balance of county	-	5	-	-	-	5	1	-	2	1	-	1	2	2	2	-	-	-	-
Jefferson	1	9	3	-	1	3	-	-	2	-	-	1	3	10	6	1	-	-	-
Johnston	-	7	-	-	-	3	-	-	1	-	1	1	1	5	5	6	1	1	-
Kay	1	47	5	4	10	21	1	3	6	-	5	3	4	27	16	22	8	2	-
Ponca City	-	32	3	2	4	11	-	1	4	-	4	1	2	15	8	12	3	1	-
Balance of county	1	15	2	2	6	10	1	2	2	-	1	2	2	12	8	10	5	1	-
Kingfisher	1	9	-	-	6	1	-	1	4	-	2	1	3	9	3	4	3	-	-
Kiowa	2	16	1	3	5	7	1	-	3	-	-	2	1	20	5	3	3	-	-
Latimer	-	4	2	-	1	7	1	2	2	-	-	-	2	6	3	2	1	2	-
Le Flore	-	31	4	9	23	22	2	2	6	-	1	2	5	40	10	11	9	3	1
Lincoln	-	30	2	4	8	7	1	2	2	-	1	1	3	16	13	5	3	1	-
Logan	-	52	4	2	13	3	1	-	3	-	1	1	-	14	8	2	3	-	1
Guthrie	-	41	2	2	12	3	1	-	1	-	-	-	-	8	4	1	2	-	-
Balance of county	-	11	2	-	1	-	-	-	2	-	1	1	-	6	4	1	1	-	1
Love	1	8	-	1	2	1	-	-	5	-	-	-	4	11	4	-	-	-	-
McClain	-	11	3	-	13	9	-	2	3	-	1	1	3	14	6	8	3	1	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	11	3	-	13	9	-	2	3	-	1	1	3	14	6	8	3	1	-
McCurtain	1	28	2	1	19	13	2	7	7	-	4	1	5	30	14	19	4	10	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	200	–	–	1	35	6	13	3	2	–	2	9	6	103	83	1	2	41	39
Major	99	–	–	1	23	5	5	2	4	–	2	5	5	42	35	–	–	22	13
Marshall	144	–	–	3	31	5	14	2	3	1	–	6	1	70	67	1	1	41	24
Mayes	368	–	–	1	74	19	24	4	12	–	1	14	5	199	148	–	–	104	44
Murray	139	–	–	–	30	8	11	3	2	–	2	4	2	71	58	–	1	41	16
Muskogee	800	2	–	10	193	52	55	16	23	11	4	32	17	360	289	2	7	201	79
Muskogee	559	2	–	7	139	33	43	11	16	10	2	24	11	239	191	2	6	137	46
Balance of county	241	–	–	3	54	19	12	5	7	1	2	8	6	121	98	–	1	64	33
Noble	140	–	–	3	18	4	5	1	5	1	–	2	1	83	66	–	–	39	27
Nowata	134	–	–	–	30	6	10	2	7	–	1	4	3	73	54	–	–	37	17
Okfuskee	144	–	–	1	27	9	8	3	1	2	–	4	2	73	65	–	2	50	13
Oklahoma	5,088	4	1	69	1,081	288	354	91	106	38	37	189	64	2,314	1,720	9	38	1,042	691
Bethany	198	–	1	1	45	7	15	5	5	2	–	11	1	106	79	1	1	47	30
Del City	162	–	–	2	42	10	19	2	3	–	2	6	3	87	54	–	1	33	20
Edmond	228	–	–	7	39	13	12	3	3	1	1	6	3	104	84	1	1	36	46
Midwest City	310	–	–	2	68	15	26	2	5	1	1	18	3	141	111	–	2	75	34
Oklahoma City, part	3,858	4	–	52	817	201	260	72	83	33	32	138	71	1,738	1,272	7	29	777	459
Oklahoma City, total	3,897	4	–	53	830	206	262	75	84	33	32	138	72	1,749	1,281	7	30	761	463
The Village	5	–	–	–	1	–	–	1	–	–	–	–	–	3	2	–	–	–	2
Balance of county	327	–	–	5	69	20	22	6	7	1	1	12	3	155	118	–	4	74	40
Okmulgee	519	–	–	5	106	21	29	6	13	7	6	24	10	261	229	–	3	201	25
Okmulgee	247	–	–	1	46	8	12	3	9	2	1	11	3	131	112	–	–	100	12
Balance of county	272	–	–	4	60	13	17	3	4	5	5	13	7	130	117	–	3	101	13
Osage	330	1	–	3	65	18	22	6	6	2	2	9	5	162	121	1	2	81	37
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sand Springs, part	3	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tulsa, part	3	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of county	324	1	–	3	63	17	21	6	6	2	2	9	5	161	120	1	2	81	36
Ottawa	371	1	–	4	70	12	22	9	8	3	4	12	1	197	152	1	1	109	41
Miami	175	1	–	1	25	5	7	5	2	1	3	2	1	98	75	1	1	53	20
Balance of county	196	–	–	3	45	7	15	4	6	2	1	10	–	99	77	–	–	56	21
Pawnee	165	–	–	2	37	11	12	1	1	4	1	7	4	77	63	–	–	46	17
Payne	448	–	–	3	92	25	19	4	14	6	4	20	3	236	167	3	2	123	39
Stillwater	205	–	–	3	40	13	4	2	7	6	1	7	–	113	74	2	1	52	19
Balance of county	243	–	–	–	52	12	15	2	7	–	3	13	3	123	93	1	1	71	20
Pittsburg	490	1	–	8	116	31	37	11	13	4	5	15	4	221	163	1	3	98	61
McAlester	274	1	–	3	62	12	17	6	9	4	2	12	3	128	94	1	–	56	37
Balance of county	216	–	–	5	54	19	20	5	4	–	3	3	1	93	69	–	3	42	24
Pontotoc	382	–	–	6	83	21	26	7	8	–	2	19	2	191	145	–	1	108	36
Ada	234	–	–	3	47	12	18	5	5	–	1	8	–	119	93	–	1	70	22
Balance of county	148	–	–	3	36	9	10	2	3	–	1	11	2	72	52	–	–	38	14
Pottawatomie	647	–	–	6	143	39	41	11	15	8	8	21	7	325	242	1	2	188	51
Oklahoma City, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	384	–	–	6	85	24	22	8	9	5	4	13	6	198	143	1	2	107	33
Balance of county	262	–	–	–	58	15	19	3	6	3	4	8	1	127	99	–	–	81	18
Pushmataha	149	–	–	–	33	4	12	1	6	1	2	7	–	76	60	–	–	42	18
Roger Mills	63	–	–	–	21	2	6	1	2	–	3	7	1	25	20	1	1	11	7
Rogers	342	–	–	2	71	17	19	6	7	3	3	16	4	175	142	1	1	104	36
Claremore	147	–	–	1	26	5	8	1	1	1	1	9	2	77	62	1	1	51	9
Balance of county	195	–	–	1	45	12	11	5	6	2	2	7	2	98	80	–	–	53	27
Seminole	338	–	–	3	48	15	12	2	9	2	2	6	6	174	144	–	12	80	42
Sequoyah	317	–	–	2	57	17	7	3	8	7	5	10	5	179	145	1	1	74	69
Stephens	457	–	–	3	91	20	36	4	7	6	3	15	2	241	202	2	2	140	58
Duncan	242	–	–	2	50	10	22	3	3	4	1	7	–	129	113	1	1	85	26
Balance of county	215	–	–	1	41	10	14	1	4	2	2	8	2	112	89	1	1	55	32
Texas	157	–	–	5	33	6	10	5	3	2	–	7	3	67	54	–	1	36	17
Tillman	162	–	–	1	39	9	12	5	5	1	3	4	2	82	62	–	2	46	14
Tulsa	4,027	–	1	35	938	192	326	80	97	37	24	182	49	1,834	1,427	10	43	1,075	299
Broken Arrow, part	232	–	–	5	46	12	7	7	3	1	1	15	2	115	99	–	1	79	19
Broken Arrow, total	247	–	–	5	53	13	8	7	4	1	2	18	2	121	104	–	1	84	19
Sand Springs, part	156	–	–	1	33	6	12	3	–	2	–	10	1	71	58	–	1	44	13
Sand Springs, total	159	–	–	1	34	6	13	3	–	2	–	10	1	71	58	–	1	44	13
Tulsa, part	3,243	–	1	26	749	152	267	62	84	29	21	134	43	1,494	1,145	9	39	859	238
Tulsa, total	3,246	–	1	26	750	153	267	62	84	29	21	134	43	1,495	1,146	9	39	859	239
Balance of county	396	–	–	3	110	22	40	8	10	5	2	23	3	154	125	1	2	93	29
Wagoner	254	2	–	3	49	14	14	3	3	4	5	6	2	118	81	–	1	65	15
Broken Arrow, part	15	–	–	–	7	1	1	–	1	–	1	3	–	6	5	–	–	5	–
Balance of county	239	2	–	3	42	13	13	3	2	4	4	3	2	112	76	–	1	60	15
Washington	484	–	–	4	92	18	29	6	7	2	4	25	4	234	178	2	5	129	42
Bartlesville, part	345	–	–	4	68	15	19	6	4	2	3	19	4	165	126	1	3	93	29
Bartlesville, total	345	–	–	4	68	15	19	6	4	2	3	19	4	165	126	1	3	93	29
Balance of county	139	–	–	–	24	4	10	–	3	–	1	6	–	69	52	1	2	36	13
Washita	157	–	–	1	29	5	9	2	2	1	1	9	2	66	65	–	–	52	13
Woods	145	–	–	2	36	11	6	5	4	3	–	7	–	60	51	–	–	27	24
Woodward	181	–	–	–	34	11	8	4	3	1	–	7	3	88	66	–	1	43	22
Woodward	128	–	–	–	24	6	7	3	1	1	–	6	1	60	48	–	1	30	17
Balance of county	53	–	–	–	10	5	1	1	2	–	–	1	2	28	18	–	–	13	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Oklahoma—Con.																			
McIntosh	1	15	2	2	5	6	2	2	3	–	–	3	2	18	5	4	3	2	–
Major	–	5	1	1	5	3	–	1	1	–	–	–	–	11	3	3	1	–	–
Marshall	1	2	–	–	8	6	–	2	1	–	1	1	1	11	3	4	–	–	1
Mayes	–	42	4	5	15	18	2	4	–	–	4	3	3	19	18	1	2	–	–
Murray	–	7	5	1	5	5	2	–	4	–	1	–	1	11	3	1	2	1	–
Muskogee	–	66	4	1	27	31	2	4	13	–	2	4	7	69	19	23	8	9	–
Muskogee	–	47	1	–	22	23	1	1	12	–	2	–	5	50	12	19	6	8	–
Balance of county	–	19	3	1	5	8	1	3	1	–	–	4	2	19	7	4	2	1	–
Noble	–	16	1	–	2	2	–	2	4	–	2	–	–	11	4	3	4	1	–
Nowata	–	10	5	4	3	5	–	1	3	–	–	–	1	8	1	3	2	1	–
Okfuskee	–	7	1	–	4	5	–	1	2	–	1	1	1	14	3	6	2	1	–
Oklahoma	10	440	90	54	127	215	18	57	62	–	37	60	62	428	146	123	110	83	7
Bethany	–	18	6	3	5	4	–	2	2	–	–	–	2	13	6	2	4	4	–
Del City	2	9	1	1	4	7	–	2	2	–	–	–	2	14	6	5	3	3	–
Edmond	–	12	4	4	9	4	–	2	5	–	5	3	2	18	8	6	8	5	–
Midwest City	1	23	3	3	6	17	2	5	3	–	2	7	6	15	11	5	9	6	2
Oklahoma City, part	5	354	72	35	92	167	18	44	47	–	26	49	48	344	98	98	80	62	5
Oklahoma City, total	5	356	72	35	92	169	16	44	47	–	27	49	48	346	104	98	81	63	5
The Village	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	24	4	7	11	15	–	2	3	–	4	1	2	24	17	7	6	3	–
Okmulgee	–	23	4	5	20	21	–	4	7	–	2	1	2	36	9	18	8	9	–
Okmulgee	–	12	3	4	13	7	–	2	5	–	1	–	1	17	7	5	2	6	–
Balance of county	–	11	1	1	7	14	–	2	2	–	1	1	1	19	2	13	6	3	–
Osage	–	32	3	6	6	14	–	2	2	–	2	4	8	27	12	10	5	2	–
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sand Springs, part	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Tulsa, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	32	3	6	6	14	–	1	2	–	1	4	8	26	12	10	5	2	–
Ottawa	1	31	7	6	14	16	1	2	9	–	1	3	4	22	7	11	8	–	–
Miami	1	15	4	3	7	7	1	2	6	–	–	–	1	11	3	5	6	–	–
Balance of county	–	16	3	3	7	9	–	–	3	–	1	3	3	11	4	6	2	–	–
Pawnee	1	7	5	1	8	4	2	1	2	–	1	–	1	8	4	13	1	–	–
Payne	2	57	5	5	13	12	1	3	3	–	6	1	3	33	13	16	9	1	–
Stillwater	–	31	3	5	7	5	–	2	1	–	4	–	1	17	6	1	4	1	–
Balance of county	2	26	2	–	6	7	1	1	2	–	2	1	2	16	7	15	5	–	–
Pittsburg	1	37	15	5	36	12	6	2	10	–	1	2	2	32	13	12	8	4	–
McAlester	–	23	10	1	22	4	6	–	3	–	1	–	1	26	5	5	3	1	–
Balance of county	1	14	5	4	14	8	–	2	7	–	–	2	1	6	8	7	5	3	–
Pontotoc	–	38	3	5	22	5	–	5	5	–	5	3	1	30	12	8	4	–	–
Ada	–	24	1	1	14	3	–	3	4	–	4	1	1	21	6	5	3	–	–
Balance of county	–	14	2	4	8	2	–	2	1	–	1	2	–	9	6	3	1	–	–
Pottawatomie	1	71	4	7	23	19	4	9	9	–	5	3	4	50	20	3	12	5	–
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Shawnee	–	49	2	4	14	18	–	4	4	–	3	1	4	25	6	2	6	4	–
Balance of county	1	22	2	3	9	3	4	5	5	–	2	2	–	25	13	1	6	1	–
Pushmataha	–	11	2	3	10	8	1	2	1	–	–	–	3	7	2	3	1	1	1
Roger Mills	1	2	1	1	2	2	–	–	1	–	1	–	–	4	1	1	2	2	–
Rogers	–	28	1	4	9	8	3	3	1	–	3	4	–	18	15	11	13	2	–
Claremore	–	13	1	1	5	5	2	2	1	–	3	3	–	8	3	5	4	–	–
Balance of county	–	15	–	3	4	3	1	1	–	–	–	1	–	10	12	6	9	2	–
Seminole	2	24	1	3	18	8	1	2	16	–	–	4	2	27	16	9	4	–	–
Sequoyah	1	26	6	1	12	5	–	2	3	–	2	2	4	23	10	6	3	2	–
Stephens	2	28	5	4	20	18	–	3	3	–	4	5	5	34	14	5	6	3	–
Duncan	–	12	3	1	11	10	–	1	–	–	2	3	3	21	5	2	2	1	–
Balance of county	2	16	2	3	9	8	–	2	3	–	2	2	2	13	9	3	4	2	–
Texas	–	8	3	2	4	3	1	2	6	–	1	3	1	14	9	3	2	–	–
Tillman	1	15	4	–	4	4	–	3	2	–	4	–	–	12	6	3	–	–	–
Tulsa	11	319	38	39	108	150	18	34	49	1	34	47	52	332	108	124	64	45	4
Broken Arrow, part	–	14	1	1	8	10	–	–	2	–	5	4	2	19	3	6	3	2	–
Broken Arrow, total	–	15	1	1	8	10	–	–	2	–	5	4	2	19	3	6	4	3	–
Sand Springs, part	1	10	1	1	5	6	1	1	2	–	1	–	–	23	5	2	2	2	–
Sand Springs, total	1	10	1	1	5	6	1	1	2	–	2	–	–	24	5	2	2	2	–
Tulsa, part	10	268	35	36	82	118	16	29	40	1	24	39	45	261	81	108	48	34	4
Tulsa, total	10	268	35	36	82	118	16	30	40	1	24	39	45	261	81	108	48	34	4
Balance of county	–	27	1	1	13	16	1	4	5	–	4	4	5	29	19	8	11	7	–
Wagoner	2	31	–	4	5	10	–	2	6	–	–	1	2	23	15	5	6	5	–
Broken Arrow, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Balance of county	2	30	–	4	5	10	–	2	6	–	–	1	2	23	15	5	5	4	–
Washington	1	42	7	6	13	16	1	5	4	–	4	6	8	54	11	17	7	3	1
Bartlesville, part	1	31	5	2	9	10	1	4	2	–	3	6	4	34	8	12	7	3	1
Bartlesville, total	1	31	5	2	9	10	1	4	2	–	3	6	4	34	8	12	7	3	1
Balance of county	–	11	2	4	4	6	–	1	2	–	1	–	4	20	3	5	–	–	–
Washita	–	11	7	3	6	4	–	–	10	–	–	–	3	10	2	3	1	–	–
Woods	–	5	3	1	10	4	1	2	2	–	1	3	4	13	1	5	1	–	–
Woodward	2	13	4	1	8	5	–	1	3	–	1	3	2	18	6	7	2	2	–
Woodward	2	8	1	1	6	3	–	1	2	–	1	3	1	11	5	6	2	2	–
Balance of county	–	5	3	–	2	2	–	–	1	–	–	–	1	7	1	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	23,162	15	2	171	5,374	1,279	1,629	456	613	221	207	969	345	10,724	8,106	96	234	6,035	1,741
Urban places	11,184	10	2	100	2,455	604	751	207	277	105	84	427	149	5,290	3,963	44	135	2,963	821
Balance of area	11,978	5	–	71	2,919	675	878	249	336	116	123	542	196	5,434	4,143	52	99	3,072	920
Metropolitan counties	14,791	12	1	110	3,426	816	1,097	304	369	139	138	623	199	6,901	5,193	59	175	3,889	1,070
Urban places	8,659	9	1	81	1,995	487	618	171	206	78	73	362	110	4,152	3,116	34	109	2,339	634
Balance of area	5,832	3	–	29	1,431	329	419	133	163	61	65	261	89	2,749	2,077	25	66	1,550	436
Nonmetropolitan counties	8,371	3	1	61	1,948	463	592	152	244	82	69	346	146	3,823	2,913	37	59	2,146	671
Urban places	2,325	1	1	19	460	117	133	36	71	27	11	65	39	1,138	847	10	26	624	187
Balance of area	6,046	2	–	42	1,488	346	459	116	173	55	58	281	107	2,685	2,066	27	33	1,522	484
Baker	164	–	–	–	42	7	20	2	2	1	1	9	3	85	72	2	2	50	18
Benton	356	–	–	2	81	21	19	9	11	5	–	16	11	160	114	2	5	86	21
Albany, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Corvallis	214	–	–	1	38	12	6	4	6	4	–	6	8	98	68	1	3	53	11
Balance of county	141	–	–	1	43	9	13	5	5	1	–	10	3	62	46	1	2	33	10
Clackamas	1,866	1	–	11	467	115	123	41	52	23	26	87	27	877	650	5	26	477	142
Lake Oswego, part	141	–	–	2	36	5	13	3	4	1	3	7	2	69	53	–	1	37	15
Lake Oswego, total	145	–	–	2	37	5	14	3	4	1	3	7	2	72	54	–	1	38	15
Milwaukie, part	255	1	–	1	61	13	19	8	9	2	3	7	3	132	94	–	4	67	23
Milwaukie, total	257	1	–	1	61	13	19	8	9	2	3	7	3	133	95	–	4	67	24
Oregon City	165	–	–	1	34	10	10	1	4	2	3	4	4	79	60	–	1	50	9
Portland, part	20	–	–	–	7	3	1	–	1	–	1	1	–	8	8	–	–	8	–
West Linn	79	–	–	1	26	5	6	2	4	–	–	8	4	30	24	–	1	22	1
Balance of county	1,206	–	–	6	303	79	74	27	30	18	16	59	14	559	411	5	19	293	94
Clatsop	327	–	–	1	74	18	21	2	11	3	1	18	2	159	117	1	2	91	23
Columbia	320	–	–	4	74	19	26	8	3	4	3	11	5	141	123	–	2	88	33
Coos	625	–	–	7	144	31	49	16	13	3	6	28	14	264	198	2	3	156	37
Coos Bay	179	–	–	3	37	8	16	1	4	2	1	5	5	79	52	1	1	40	10
Balance of county	446	–	–	4	107	23	33	15	9	1	5	21	9	191	146	1	2	116	27
Crook	135	–	–	–	27	3	12	5	2	1	1	3	1	58	39	1	2	31	5
Curry	180	–	–	2	39	10	15	2	3	1	1	7	4	82	69	1	–	38	30
Deschutes	491	–	–	–	107	25	29	6	18	5	4	20	6	218	155	1	2	108	44
Bend	165	–	–	–	26	10	7	–	3	1	–	5	2	83	54	1	1	37	15
Balance of county	326	–	–	–	81	15	22	6	15	4	4	15	4	135	101	–	1	71	29
Douglas	857	1	1	8	188	44	63	11	21	11	4	34	15	399	310	5	8	168	129
Roseburg	246	–	1	–	38	7	11	2	5	4	–	9	1	138	104	1	5	58	40
Balance of county	611	1	–	8	150	37	52	9	16	7	4	25	14	261	206	4	3	110	89
Gilliam	18	–	–	–	3	1	2	–	–	–	–	–	–	11	8	–	–	8	–
Grant	83	–	–	–	13	2	1	–	–	1	1	8	1	50	47	–	–	44	3
Harney	55	–	–	–	13	8	1	1	–	–	2	1	1	23	15	–	–	10	5
Hood River	144	–	–	–	25	6	5	1	5	2	1	5	3	67	46	–	1	39	6
Jackson	1,173	2	–	7	275	65	95	22	25	12	13	43	11	542	407	4	8	315	80
Ashland	106	–	–	–	25	3	9	2	5	–	–	6	2	56	47	1	–	34	12
Medford	427	1	–	5	90	24	27	9	7	5	6	12	7	190	141	1	5	106	29
Balance of county	640	1	–	2	160	38	59	11	13	7	7	25	2	296	219	2	3	175	39
Jefferson	87	–	–	–	12	5	6	1	–	–	–	–	3	47	25	–	–	17	8
Josephine	667	–	–	2	163	37	40	12	18	7	7	42	12	321	236	–	9	180	47
Grants Pass	240	–	–	1	48	11	11	5	7	3	3	8	5	127	93	–	5	69	19
Balance of county	427	–	–	1	115	26	29	7	11	4	4	34	7	194	143	–	4	111	28
Klamath	484	–	–	5	120	23	43	9	24	3	6	12	9	212	163	2	3	136	22
Klamath Falls	199	–	–	4	43	9	18	5	8	–	–	3	6	86	67	1	2	53	11
Balance of county	285	–	–	1	77	14	25	4	16	3	6	9	3	124	96	1	1	83	11
Lake	67	–	–	–	13	–	5	3	1	1	–	3	–	26	25	–	–	16	9
Lane	2,074	–	–	11	493	118	143	46	53	14	18	101	42	957	701	9	16	543	133
Eugene	807	–	–	5	178	42	47	21	15	5	9	39	22	385	277	5	5	220	47
Springfield	327	–	–	1	78	21	21	6	10	3	1	16	1	148	104	–	3	81	20
Balance of county	940	–	–	5	237	55	75	19	28	6	8	46	19	424	320	4	8	242	66
Lincoln	429	–	–	4	124	29	36	9	17	6	1	26	9	189	129	4	1	94	30
Linn	762	–	–	5	169	51	47	13	24	7	5	22	11	371	303	8	1	233	61
Albany, part	260	–	–	4	52	18	13	7	6	2	1	5	5	136	109	3	–	83	23
Albany, total	261	–	–	4	52	18	13	7	6	2	1	5	5	136	109	3	–	83	23
Lebanon	127	–	–	1	21	5	7	1	7	1	–	–	1	70	59	–	–	49	10
Balance of county	375	–	–	–	96	28	27	5	11	4	4	17	5	165	135	5	1	101	28
Malheur	236	1	–	4	56	13	12	7	7	3	3	11	6	95	78	–	1	66	11
Marion	1,877	2	–	17	437	87	129	42	58	21	13	87	18	890	663	10	16	494	143
Salem, part	919	1	–	11	206	49	62	21	20	10	4	49	5	427	310	5	5	233	67
Salem, total	1,027	1	–	12	234	58	67	25	21	13	6	44	5	480	347	5	7	261	74
Woodburn	180	–	–	1	46	7	14	3	7	2	1	12	3	85	70	–	5	49	16
Balance of county	778	1	–	5	185	31	53	18	31	9	8	35	10	378	283	5	6	212	60
Morrow	64	–	–	–	15	8	3	–	3	–	–	1	–	26	17	–	1	12	4
Multnomah	5,760	5	1	52	1,242	298	398	95	131	52	45	225	66	2,708	2,071	20	90	1,526	435
Gresham	248	–	–	1	54	9	15	3	6	5	3	13	2	120	90	1	3	63	23
Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Milwaukie, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Portland, part	4,229	5	1	44	923	237	301	62	95	33	30	165	42	1,975	1,504	15	67	1,115	307
Portland, total	4,318	5	1	45	941	243	305	64	96	33	32	168	43	2,018	1,538	16	68	1,140	312
Balance of county	1,280	–	–	7	265	52	80	30	30	14	12	47	22	611	475	4	20	347	104
Polk	440	–	–	1	99	26	30	8	9	7	5	14	12	216	163	3	4	123	33
Salem, part	108	–	–	1	28	9	5	4	1	3	2	4	–	53	37	–	2	28	7
Balance of county	332	–	–	–	71	17	25	4	8	4	3	10	12	163	126	3	2	95	26
Sherman	19	–	–	–	2	1	1	–	–	–	–	–	1	7	4	–	–	3	1
Tillamook	239	–	–	5	61	14	21	1	12	1	4	8	4	109	86	2	–	64	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	73	1,885	403	247	721	954	68	314	177	3	148	132	349	1,836	612	620	419	135	43
Urban places	32	972	189	134	376	477	37	174	79	1	69	77	169	959	208	270	190	63	29
Balance of area	41	923	214	113	345	477	31	140	98	2	79	55	180	877	404	350	229	72	14
Metropolitan counties	44	1,231	268	165	468	577	45	220	114	2	106	90	198	1,180	363	375	278	90	36
Urban places	20	755	156	105	283	355	32	150	64	1	59	63	129	758	163	223	151	52	28
Balance of area	24	476	112	60	185	222	13	70	50	1	47	27	69	422	200	152	127	38	8
Nonmetropolitan counties	29	664	135	82	253	377	23	94	63	1	42	42	151	656	249	245	141	45	7
Urban places	12	217	33	29	93	122	5	24	15	–	10	14	40	201	45	47	39	11	1
Balance of area	17	447	102	53	160	255	18	70	48	1	32	28	111	455	204	198	102	34	6
Baker	1	8	3	1	6	7	–	2	3	–	1	–	1	8	1	1	4	–	–
Benton	1	34	7	4	12	20	–	3	2	–	–	1	4	39	6	5	9	1	–
Albany, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Corvallis	1	24	1	4	9	14	–	1	2	–	–	1	2	27	3	3	6	1	–
Balance of county	–	10	6	–	3	6	–	2	–	–	–	–	2	11	3	2	3	–	–
Clackamas	7	161	35	24	69	64	–	18	18	–	16	10	12	140	60	29	35	9	3
Lake Oswego, part	–	15	1	–	3	4	–	1	1	–	2	–	–	13	3	2	2	1	–
Lake Oswego, total	–	16	1	1	3	4	–	1	1	–	2	–	–	13	3	2	2	1	–
Milwaukie, part	1	29	4	4	12	6	–	2	2	–	3	–	2	16	9	1	3	1	–
Milwaukie, total	1	29	4	4	12	7	–	2	2	–	3	–	2	16	9	1	3	1	–
Oregon City	–	15	3	1	9	9	–	1	1	–	1	–	3	13	2	3	4	1	–
Portland, part	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	1	–
West Linn	–	4	–	2	5	2	–	–	–	–	–	2	–	6	1	1	–	1	–
Balance of county	6	98	27	17	39	43	–	14	14	–	9	8	7	91	44	22	26	4	3
Clatsop	2	32	6	2	10	15	2	4	1	–	1	–	16	17	10	12	2	1	–
Columbia	1	12	5	–	16	15	1	5	1	–	–	2	4	28	13	8	3	–	–
Coos	3	49	6	8	19	26	–	7	8	–	3	1	27	52	19	22	10	2	–
Coos Bay	2	13	2	4	3	14	–	3	3	–	1	–	7	15	4	7	4	–	–
Balance of county	1	36	4	4	16	12	–	4	5	–	2	1	20	37	15	15	6	2	–
Crook	–	7	11	1	9	6	–	5	3	–	3	–	1	12	4	3	2	1	–
Curry	–	10	1	2	3	5	–	1	4	–	1	2	1	12	6	12	3	3	–
Deschutes	3	44	10	6	13	24	2	4	1	–	4	4	12	47	21	14	8	6	–
Bend	2	21	5	1	6	8	–	3	–	–	1	1	6	17	6	4	2	–	–
Balance of county	1	23	5	5	7	16	2	1	1	–	3	3	6	30	15	10	6	6	–
Douglas	2	71	4	12	27	56	4	10	3	–	4	5	6	59	22	32	14	2	1
Roseburg	1	28	–	5	9	24	3	2	2	–	1	1	2	16	1	3	2	2	–
Balance of county	1	43	4	7	18	32	1	8	1	–	3	4	4	43	21	29	12	–	1
Gilliam	–	2	1	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–
Grant	–	3	–	–	1	4	1	–	1	–	–	–	2	5	3	2	–	–	–
Harney	–	7	–	1	1	1	–	–	2	–	–	–	–	7	1	3	3	–	–
Hood River	–	10	9	2	5	11	2	2	–	–	1	–	3	10	4	9	1	1	–
Jackson	5	104	12	14	27	45	2	19	12	–	10	4	26	82	39	40	22	7	1
Ashland	–	8	–	1	4	4	–	1	–	–	–	–	–	6	4	3	1	–	–
Medford	–	37	5	7	13	9	1	12	3	–	4	3	7	42	11	16	11	2	–
Balance of county	5	59	7	6	10	32	1	6	9	–	6	1	19	34	24	21	10	5	1
Jefferson	–	20	1	1	2	2	–	–	1	–	1	1	1	6	6	1	1	2	1
Josephine	2	61	17	5	16	36	1	7	3	–	3	3	6	47	16	15	10	6	–
Grants Pass	1	26	6	1	9	12	–	3	2	–	–	3	3	21	3	2	1	–	–
Balance of county	1	35	11	4	7	24	1	4	1	–	3	–	3	26	13	13	9	6	–
Klamath	2	37	6	4	16	15	2	13	1	1	2	1	6	37	14	18	10	2	–
Klamath Falls	1	15	5	–	11	7	–	4	–	–	–	–	3	13	5	8	5	2	–
Balance of county	1	22	1	4	5	8	2	9	1	1	2	1	3	24	9	10	5	–	–
Lake	–	1	–	–	1	4	–	3	–	–	–	1	2	7	5	3	1	1	–
Lane	8	177	49	22	70	80	7	24	11	–	16	5	21	162	51	45	45	11	9
Eugene	2	79	18	9	28	30	5	9	6	–	6	3	7	78	11	16	12	3	3
Springfield	1	34	8	1	10	19	–	12	1	–	1	1	5	22	10	8	7	2	–
Balance of county	5	64	23	12	32	31	2	3	4	–	9	1	9	82	30	20	26	6	–
Lincoln	2	45	10	3	9	17	1	5	2	–	2	–	12	23	12	14	5	1	–
Linn	2	49	13	4	27	32	–	5	6	–	2	4	15	49	21	16	21	6	2
Albany, part	–	22	3	2	10	9	–	3	2	–	–	1	4	13	6	4	9	2	–
Albany, total	–	22	3	2	10	9	–	3	2	–	–	1	4	14	6	4	9	2	–
Lebanon	1	8	2	–	6	8	–	–	1	–	1	1	–	8	2	4	1	2	–
Balance of county	1	19	8	2	11	15	–	2	3	–	1	2	11	28	13	8	11	2	2
Malheur	–	14	1	2	4	8	2	–	4	–	5	3	8	21	8	7	2	2	–
Marion	8	175	30	14	55	64	2	23	18	–	10	22	27	143	49	52	37	8	3
Salem, part	2	90	14	11	23	34	–	13	7	–	5	14	18	87	21	20	19	5	3
Salem, total	2	101	17	13	23	40	–	13	8	–	6	14	18	97	22	25	19	7	3
Woodburn	2	12	1	–	6	6	1	2	3	–	–	1	3	10	3	6	4	–	–
Balance of county	4	73	15	3	26	24	1	8	8	–	5	7	6	46	25	26	14	3	–
Morrow	–	8	1	–	2	2	1	–	1	–	–	–	–	10	3	2	2	–	–
Multnomah	13	450	102	72	163	245	28	117	35	2	39	41	86	481	111	149	103	41	25
Gresham	–	22	4	4	10	9	–	1	3	–	3	–	5	21	5	6	3	3	2
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Milwaukie, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	9	334	76	52	130	176	21	87	29	1	24	35	63	377	60	114	76	26	20
Portland, total	9	342	78	53	133	181	21	88	29	1	28	35	64	379	65	117	76	28	20
Balance of county	4	94	22	16	43	59	7	29	3	1	12	6	18	83	46	29	24	12	3
Polk	–	40	10	3	10	21	–	3	4	–	2	1	3	32	11	14	8	2	1
Salem, part	–	11	3	2	–	6	–	–	1	–	1	–	–	10	1	5	–	2	–
Balance of county	–	29	7	1	10	15	–	3	3	–	1	1	3	22	10	9	8	–	1
Sherman	–	3	–	–	–	2	–	–	–	–	–	1	–	1	3	1	1	–	–
Tillamook	1	17	3	2	4	5	1	2	5	–	–	1	–	24	8	4	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	508	-	-	4	122	22	44	16	11	7	5	17	11	220	168	3	3	131	31
Pendleton	121	-	-	2	26	5	8	3	3	3	-	4	-	52	40	2	1	28	9
Balance of county	387	-	-	2	96	17	36	13	8	4	5	13	11	168	128	1	2	103	22
Union	211	-	-	1	51	15	15	3	4	-	-	14	3	81	64	-	2	41	21
La Grande	121	-	-	-	24	8	7	1	1	-	-	7	1	48	35	-	2	21	12
Balance of county	90	-	-	1	27	7	8	2	3	-	-	7	2	33	29	-	-	20	9
Wallowa	66	-	-	2	11	5	1	-	2	-	1	2	2	30	28	1	1	20	6
Wasco	256	-	-	3	57	18	18	5	7	1	3	5	4	123	98	-	9	69	20
City of the Dalles	167	-	-	1	33	13	7	2	6	1	-	4	2	84	70	-	5	49	18
Balance of county	89	-	-	2	24	5	11	3	1	-	3	1	2	39	28	-	4	20	4
Washington	1,601	2	-	11	413	107	121	50	41	10	18	66	23	711	538	8	15	411	104
Beaverton	248	-	-	3	63	14	24	8	5	2	-	10	1	119	94	3	3	73	15
Forest Grove	152	1	-	1	28	7	7	3	3	1	1	6	3	76	54	-	1	43	10
Hillsboro	206	-	-	2	53	10	20	6	8	3	2	6	6	86	72	1	1	51	19
Lake Oswego, part	3	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Portland, part	69	-	-	1	11	3	3	2	-	-	1	2	1	35	24	1	1	17	5
Tigard	167	-	-	-	47	16	13	7	4	1	3	3	2	75	51	1	1	41	8
Balance of county	756	1	-	4	210	57	53	24	23	3	11	39	10	318	243	2	8	186	47
Wheeler	14	-	-	-	2	-	-	1	-	-	-	1	-	9	6	-	-	5	1
Yamhill	507	1	-	2	140	27	37	9	25	8	9	24	5	240	170	2	1	142	25
McMinnville	158	1	-	1	41	8	9	3	5	5	5	6	3	81	57	-	-	48	9
Newberg	127	-	-	1	33	3	13	2	10	1	1	3	-	60	39	-	1	36	2
Balance of county	222	-	-	-	66	16	15	4	10	3	3	15	2	99	74	2	-	58	14
Pennsylvania	122,009	88	9	1,637	27,606	7,430	7,147	2,501	2,815	1,114	997	5,602	2,535	60,411	48,906	532	1,137	32,871	14,366
Urban places	63,379	54	4	1,032	14,484	3,940	3,886	1,334	1,404	558	478	2,884	1,234	30,339	24,475	261	612	16,087	7,515
Balance of area	58,630	34	5	605	13,122	3,490	3,261	1,167	1,411	556	519	2,718	1,301	30,072	24,431	271	525	16,784	6,851
Metropolitan counties	99,626	75	7	1,450	22,847	6,154	5,997	2,094	2,277	879	825	4,627	2,021	48,615	39,464	443	947	26,133	11,941
Urban places	60,053	54	4	1,009	13,732	3,746	3,688	1,264	1,319	522	459	2,734	1,156	28,555	23,077	249	578	15,108	7,142
Balance of area	39,573	21	3	441	9,115	2,408	2,309	830	958	351	366	1,893	865	20,060	16,387	194	369	11,025	4,799
Nonmetropolitan counties	22,383	13	2	187	4,759	1,276	1,150	407	538	241	172	975	514	11,796	9,442	89	190	6,738	2,425
Urban places	3,326	-	-	23	752	194	188	70	85	36	19	150	78	1,784	1,398	12	34	979	373
Balance of area	19,057	13	2	164	4,007	1,082	962	337	453	205	153	825	436	10,012	8,044	77	156	5,759	2,052
Adams	612	-	-	3	125	37	28	7	18	3	9	25	18	337	278	2	11	139	128
Allegheny	15,634	10	1	187	3,781	998	1,009	343	364	165	122	780	337	7,838	6,457	68	132	4,680	1,577
Baldwin	210	-	-	3	61	19	17	10	4	-	-	11	4	96	74	-	-	59	15
Bellevue	112	-	-	-	25	7	6	3	-	1	1	7	1	62	51	-	1	42	8
Bethel Park	233	-	-	2	55	15	9	8	2	3	2	16	6	126	107	1	1	87	18
Brentwood	148	-	-	4	31	7	11	5	3	1	-	4	3	73	63	1	2	48	12
Carnegie	157	-	-	-	35	12	8	-	7	1	2	5	3	83	63	-	1	46	16
Castle Shannon	109	-	-	4	23	5	6	2	2	2	-	6	4	51	43	-	1	32	10
Clairton	159	1	-	2	39	13	12	6	3	1	-	4	7	77	60	-	2	45	13
Dormont	126	-	-	1	28	8	8	3	4	1	1	3	5	65	58	1	1	49	7
Duquesne	129	-	-	-	30	11	9	2	2	2	-	4	3	68	53	1	1	35	16
Elizabeth township#	145	1	-	1	34	12	10	3	-	1	3	5	9	66	55	-	3	44	8
Harrison township#	150	-	-	1	34	3	14	1	4	3	3	6	4	78	64	1	-	57	6
McCandless township#	182	-	-	-	44	14	7	7	4	3	-	9	-	96	81	1	1	54	25
McKeesport	481	-	-	5	100	28	26	11	9	7	2	17	13	238	195	2	7	132	54
Monroeville	249	-	-	2	59	17	12	6	11	2	-	11	10	117	93	-	1	76	16
Mount Lebanon township#	339	-	-	2	87	27	15	6	9	2	5	23	3	175	145	1	3	112	29
Munhall	217	-	-	3	56	13	16	7	5	1	1	13	4	111	91	-	5	67	19
North Versailles township#	121	-	-	3	29	7	10	5	4	-	-	3	1	64	50	-	1	38	11
Penn Hills township#	440	-	-	6	114	27	34	14	11	3	3	22	11	222	182	4	3	145	30
Pittsburgh	5,457	5	-	71	1,305	346	359	114	127	59	46	260	100	2,708	2,234	29	37	1,542	626
Plum	138	-	-	-	39	9	14	4	4	1	1	6	2	60	51	-	-	44	7
Ross township#	322	-	-	4	83	24	20	4	11	6	2	16	4	168	139	2	6	102	29
Scott township#	175	-	-	4	43	12	7	3	3	1	2	15	7	84	69	-	1	58	10
Shaler township#	285	-	-	6	76	18	23	4	6	3	5	17	8	132	114	-	1	80	33
South Park township#	78	-	-	1	17	3	10	-	1	2	-	1	5	33	26	-	1	18	7
Swissvale	191	1	-	6	51	17	12	4	4	1	-	13	2	92	72	-	3	53	16
Upper St. Clair township#	97	-	-	2	23	5	6	5	2	-	1	4	1	52	43	-	2	33	8
West Mifflin	293	-	-	3	66	21	15	10	2	4	2	12	5	162	134	-	1	95	38
Whitehall	144	-	-	2	42	11	8	7	3	2	2	9	2	79	64	-	-	49	15
Wilkinsburg	276	1	-	2	70	18	18	6	8	3	2	15	3	128	100	1	2	72	25
Balance of county	4,471	1	1	47	1,082	269	287	83	109	55	36	243	107	2,272	1,883	23	44	1,366	450
Armstrong	831	1	-	2	173	38	43	11	25	14	9	33	27	455	361	3	7	287	64
Beaver	1,984	-	-	25	467	124	137	45	52	21	13	75	39	1,010	813	15	14	595	189
Aliquippa	225	-	-	3	49	14	16	5	3	4	1	6	7	122	93	1	-	71	21
Beaver Falls	143	-	-	3	35	9	12	4	4	-	2	4	2	69	52	-	2	35	15
Balance of county	1,616	-	-	19	383	101	109	36	45	17	10	65	30	819	668	14	12	489	153
Bedford	447	-	-	2	89	29	22	7	12	4	2	23	12	240	180	4	4	145	27
Berks	3,123	2	-	32	721	199	193	52	71	25	36	145	55	1,601	1,289	16	45	740	488
Muhlenberg township#	120	-	-	-	24	7	6	1	1	-	-	9	3	68	51	-	2	29	20
Reading	1,012	2	-	11	204	61	69	9	21	3	8	33	17	534	435	7	17	236	175
Balance of county	1,991	-	-	21	493	131	118	42	49	22	28	103	35	999	803	9	26	475	293
Blair	1,574	2	-	20	314	89	85	27	33	8	10	62	36	854	700	9	13	554	124
Altoona	702	1	-	9	135	40	36	16	11	3	6	23	18	377	307	5	7	238	57
Balance of county	872	1	-	11	179	49	49	11	22	5	4	39	18	477	393	4	6	316	67
Bradford	645	-	-	5	141	44	42	7	15	-	8	25	25	294	209	3	4	157	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Umatilla	2	34	7	9	21	18	3	7	4	–	3	4	9	41	11	16	10	2	2
Pendleton	2	6	–	4	9	6	2	2	–	–	2	1	5	9	–	4	1	–	–
Balance of county	–	28	7	5	12	12	1	5	4	–	1	3	4	32	11	12	9	2	2
Union	2	11	3	1	9	12	–	1	1	–	3	–	5	27	6	8	2	–	1
La Grande	1	9	2	1	5	8	–	1	1	–	2	–	4	19	3	2	2	–	1
Balance of county	1	2	1	–	4	4	–	–	–	–	1	–	1	8	3	6	–	–	–
Wallowa	–	2	–	–	3	2	–	2	1	–	–	–	–	4	5	2	1	1	–
Wasco	1	17	3	4	10	14	–	2	1	–	1	4	2	20	6	4	4	1	–
City of the Dalles	–	10	2	2	9	10	–	–	1	–	1	2	1	14	5	2	2	–	–
Balance of county	1	7	1	2	1	4	–	2	–	–	–	2	1	6	1	2	2	1	–
Washington	3	124	30	16	54	58	6	16	16	–	13	7	23	120	42	46	28	12	–
Beaverton	–	17	5	3	9	11	2	3	3	–	1	3	4	11	6	6	3	–	–
Forest Grove	–	15	5	2	8	10	–	–	–	–	–	1	1	12	5	3	2	1	–
Hillsboro	1	10	1	2	6	7	1	2	2	–	4	–	7	13	4	7	4	2	–
Lake Oswego, part	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	8	2	1	2	5	–	1	–	–	3	–	1	1	4	3	–	1	–
Tigard	2	14	6	2	4	7	1	3	2	–	–	–	3	19	2	2	–	–	–
Balance of county	–	59	11	5	25	18	2	7	9	–	5	3	7	64	21	25	19	8	–
Wheeler	–	3	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–
Yamhill	2	53	7	8	7	16	–	4	3	–	1	4	8	42	13	10	8	3	–
McMinnville	–	18	4	2	4	1	–	1	–	–	1	3	1	12	–	2	4	2	–
Newberg	–	17	1	3	3	1	–	1	1	–	–	–	2	16	7	2	–	–	–
Balance of county	2	18	2	3	–	14	–	2	2	–	–	1	5	14	6	6	4	1	–
Pennsylvania	447	8,382	1,329	1,347	2,904	3,707	318	1,306	1,404	12	594	861	2,572	9,627	1,880	2,345	1,420	588	185
Urban places	246	4,349	589	680	1,536	1,851	169	733	771	10	287	567	2,065	5,024	711	1,213	700	461	134
Balance of area	201	4,033	740	667	1,368	1,856	149	573	633	2	307	294	507	4,603	1,169	1,132	720	127	51
Metropolitan counties	367	6,692	1,007	1,085	2,401	2,988	256	1,107	1,163	11	488	751	2,409	7,868	1,428	1,878	1,157	539	189
Urban places	229	4,062	551	636	1,462	1,728	163	704	745	10	274	539	2,043	4,807	668	1,147	665	456	132
Balance of area	138	2,630	456	449	939	1,258	93	403	418	1	214	212	366	3,061	760	731	492	83	37
Nonmetropolitan counties	80	1,690	322	262	503	721	62	199	241	1	106	110	163	1,759	452	467	263	49	16
Urban places	17	287	38	44	74	123	6	29	26	–	13	28	22	217	43	66	35	5	2
Balance of area	63	1,403	284	218	429	598	56	170	215	1	93	82	141	1,542	409	401	228	44	14
Adams	3	38	13	5	18	22	–	5	2	–	1	1	–	39	21	13	5	1	1
Allegheny	55	1,016	117	193	347	459	49	243	182	1	67	111	92	1,153	176	285	186	74	45
Baldwin	1	16	1	5	3	4	2	2	2	–	–	1	–	22	3	5	1	–	1
Bellevue	–	10	–	1	2	9	–	–	1	–	–	1	–	8	1	1	–	–	1
Bethel Park	1	17	–	1	5	4	2	2	5	–	2	1	1	15	4	2	1	–	–
Brentwood	–	7	–	3	2	7	1	3	2	–	–	1	–	12	4	4	1	–	–
Carnegie	–	16	–	4	2	4	1	1	–	–	–	1	1	17	–	5	1	1	2
Castle Shannon	–	4	1	3	2	7	1	4	–	–	–	1	–	6	–	3	3	–	–
Clairton	1	12	2	2	5	5	–	2	2	–	–	–	–	5	1	2	4	6	1
Dormont	–	6	–	1	3	5	–	3	1	–	–	2	–	7	–	5	1	–	–
Duquesne	2	11	1	1	3	4	–	2	4	–	–	2	3	5	1	1	2	–	–
Elizabeth township#	–	6	2	3	2	7	–	2	4	–	–	–	–	9	3	2	3	1	1
Harrison township#	–	11	1	2	4	3	2	2	1	–	1	–	1	12	–	2	5	–	–
McCandless township#	–	10	4	1	10	5	–	1	–	–	1	1	2	9	3	4	5	1	–
McKeesport	3	29	7	4	12	12	1	10	11	–	2	3	10	45	3	6	8	1	1
Monroeville	–	16	1	7	4	15	1	–	7	–	2	3	2	19	2	3	2	1	–
Mount Lebanon township#	3	19	4	4	8	9	1	3	5	–	–	–	–	29	1	11	4	–	1
Munhall	–	15	3	2	5	4	–	3	3	–	–	–	1	17	2	5	3	–	–
North Versailles township#	–	13	1	–	4	3	1	2	2	–	–	3	1	2	3	2	1	–	–
Penn Hills township#	1	32	–	7	6	13	3	8	3	–	2	3	–	33	5	3	8	–	–
Pittsburgh	22	352	41	59	126	150	16	95	70	1	21	55	32	422	53	104	55	48	20
Plum	1	2	2	4	3	5	–	2	1	–	2	1	2	9	5	2	3	1	1
Ross township#	2	22	2	3	9	10	2	7	4	–	–	1	1	22	4	1	2	–	–
Scott township#	3	10	2	–	3	5	1	3	3	–	–	–	2	16	–	2	1	1	–
Shaler township#	–	14	2	2	8	7	–	7	4	–	2	1	3	12	3	12	2	1	1
South Park township#	–	4	1	2	4	1	–	1	1	–	2	1	–	4	3	1	3	–	1
Swissvale	–	11	4	5	4	6	1	4	–	–	2	–	1	12	2	2	3	1	1
Upper St. Clair township#	1	7	1	–	1	5	1	1	2	–	–	1	–	5	2	–	1	–	–
West Mifflin	–	20	2	6	2	7	1	3	1	–	1	3	–	28	4	3	4	–	–
Whitehall	–	14	–	1	–	4	–	–	1	–	–	1	–	8	–	2	3	–	–
Wilkinsburg	1	22	3	2	6	13	–	2	3	–	2	5	1	30	5	1	1	1	2
Balance of county	13	289	29	58	99	126	11	68	49	–	25	19	28	313	59	89	56	8	11
Armstrong	2	74	10	8	17	32	5	8	9	–	2	2	5	63	10	10	10	–	–
Beaver	9	154	20	14	51	59	2	20	19	–	10	21	14	156	25	40	20	3	3
Aliquippa	1	24	2	2	4	3	–	4	1	–	–	3	2	18	2	6	–	1	–
Beaver Falls	1	12	2	2	4	3	–	2	2	–	–	4	1	12	1	4	–	1	–
Balance of county	7	118	16	10	43	53	2	14	16	–	10	14	11	126	22	30	20	1	3
Bedford	–	47	9	4	9	14	1	2	6	–	–	4	1	25	14	16	2	–	–
Berks	12	218	47	35	84	98	14	28	26	–	13	24	19	226	64	65	44	7	–
Muhlenberg township#	2	14	1	–	4	7	–	1	–	–	–	–	1	5	2	3	2	–	–
Reading	3	65	20	11	25	27	4	14	10	–	5	14	5	85	20	19	11	5	–
Balance of county	7	139	26	24	55	64	10	13	16	–	8	10	13	136	42	43	31	2	–
Blair	2	100	20	32	36	71	3	14	18	–	8	7	7	121	18	30	11	2	2
Altoona	1	44	12	13	16	35	2	5	6	–	3	4	5	53	10	12	8	1	–
Balance of county	1	56	8	19	18	36	1	9	12	–	5	3	2	68	8	18	3	1	2
Bradford	3	44	29	9	7	23	2	9	3	–	3	1	29	56	17	20	8	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	3,691	3	–	54	836	207	232	71	82	38	44	162	68	1,700	1,301	13	29	804	455
Bensalem township#	326	–	–	9	69	12	27	4	3	3	4	16	7	135	112	2	4	73	33
Bristol	135	–	–	4	22	2	7	2	2	4	1	4	4	77	64	2	1	41	20
Bristol township#	398	–	–	2	95	22	32	9	9	4	4	15	7	164	130	2	1	90	37
Falls township#	222	–	–	7	58	8	17	6	5	3	4	15	7	93	72	–	2	42	28
Lower Southampton township#	131	–	–	2	34	10	9	3	2	2	1	7	1	66	48	–	–	34	14
Middletown township#	213	–	–	2	50	15	17	6	2	1	3	6	2	91	71	–	3	46	22
Northampton township#	163	–	–	1	40	7	10	1	6	3	2	11	2	82	68	1	2	42	23
Upper Southampton township#	133	–	–	–	39	12	7	2	5	1	1	11	4	55	38	1	–	23	14
Warminster township#	242	–	–	3	55	18	18	3	4	1	3	8	2	105	82	1	–	51	30
Balance of county	1,728	3	–	24	374	101	88	35	44	16	21	69	32	832	616	4	16	362	234
Butler	1,344	2	–	12	308	68	91	27	32	13	10	67	20	679	558	9	7	414	128
Butler	217	–	–	2	60	8	24	7	5	1	1	14	2	102	87	2	2	54	29
Balance of county	1,127	2	–	10	248	60	67	20	27	12	9	53	18	577	471	7	5	360	99
Cambria	1,988	–	–	20	428	115	102	48	44	18	21	80	81	1,020	832	12	15	633	172
Johnstown	526	–	–	6	127	38	34	10	12	6	8	19	27	256	203	4	3	153	43
Balance of county	1,462	–	–	14	301	77	68	38	32	12	13	61	54	764	629	8	12	480	129
Cameron	97	–	–	1	25	10	4	3	3	2	1	2	2	53	37	–	–	24	13
Carbon	628	–	–	6	132	38	26	13	15	4	5	31	13	337	278	1	5	186	86
Centre	692	1	–	5	169	30	43	12	25	6	9	44	32	348	273	6	2	178	87
State College	118	–	–	1	32	3	9	1	6	1	2	10	4	52	40	2	–	28	10
Balance of county	574	1	–	4	137	27	34	11	19	5	7	34	28	296	233	4	2	150	77
Chester	2,519	1	1	33	602	155	154	57	53	21	29	133	47	1,194	970	14	27	582	347
Coatesville	225	–	–	2	52	11	13	1	5	1	4	17	3	98	81	3	2	47	29
Phoenixville	183	–	–	–	47	13	11	8	2	2	2	9	3	91	67	2	3	40	22
Tredyffrin township#	158	–	–	1	47	12	7	3	6	3	3	13	4	65	47	–	1	35	11
West Chester	220	1	–	3	26	5	7	3	2	1	2	6	3	122	95	2	5	59	29
West Goshen township#	114	–	–	1	27	8	8	4	2	–	–	5	3	57	44	1	1	27	15
Balance of county	1,619	–	1	26	403	106	108	38	36	14	18	83	31	761	636	6	15	374	241
Clarion	411	–	–	6	80	19	18	11	8	1	4	19	8	230	186	4	3	146	33
Clearfield	683	1	–	9	185	59	43	16	17	7	9	34	18	450	351	5	8	244	94
Clinton	393	–	–	2	76	18	19	5	11	5	3	15	10	232	184	–	9	125	50
Columbia	636	–	–	4	140	27	27	16	24	9	3	34	24	346	266	1	5	173	87
Berwick	153	–	–	2	27	3	10	5	2	–	1	6	4	82	59	–	3	35	21
Bloomsburg	143	–	–	1	35	8	7	3	5	1	1	10	6	78	57	–	–	38	19
Balance of county	340	–	–	1	78	16	10	8	17	8	1	16	14	186	150	1	2	100	47
Crawford	928	–	–	7	196	52	43	19	17	6	8	51	15	465	362	6	16	257	83
Meadville	222	–	–	1	55	17	14	6	3	2	3	10	5	102	83	2	6	58	17
Balance of county	706	–	–	6	141	35	29	13	14	4	5	41	10	363	279	4	10	199	66
Cumberland	1,573	–	2	18	359	88	98	38	40	15	9	71	28	820	618	10	11	425	172
Carlisle	225	–	–	1	52	13	15	4	6	4	1	9	2	114	88	–	2	66	20
East Pennsboro township#	149	–	1	1	33	10	12	4	3	–	–	4	2	79	57	–	4	33	20
Lower Allen township#	125	–	–	2	36	9	9	5	6	1	1	5	3	63	45	–	2	29	14
Balance of county	1,074	–	1	14	238	56	62	25	25	10	7	53	19	564	428	10	9	297	118
Dauphin	2,257	3	1	30	483	141	106	57	44	10	21	104	50	1,159	929	8	16	557	348
Harrisburg	634	1	–	10	137	42	30	16	9	2	7	31	15	307	233	3	3	121	106
Lower Paxton township#	275	–	–	3	61	19	17	7	3	1	1	13	3	144	118	–	3	75	40
Middletown	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Susquehanna township#	154	–	–	–	33	8	8	5	4	1	2	5	1	94	75	2	2	52	19
Swatara township#	221	–	1	3	42	11	10	4	5	–	2	10	5	119	84	1	1	55	37
Balance of county	972	2	–	14	209	60	41	25	23	6	9	45	26	495	409	2	7	254	146
Delaware	5,722	1	–	93	1,374	359	426	125	128	35	42	259	93	2,778	2,205	37	78	1,352	738
Aston township#	120	–	–	1	42	11	13	5	4	1	2	6	1	50	43	–	1	28	14
Chester	569	–	–	19	117	34	46	6	9	3	3	16	11	248	196	5	12	107	72
Darby	162	–	–	1	22	4	10	2	3	1	–	2	6	86	67	–	–	31	36
Darby township#	59	–	–	–	13	2	6	–	2	–	–	3	4	29	22	–	2	14	6
Haverford township#	482	–	–	6	137	37	38	13	12	2	4	31	9	226	174	2	3	117	52
Lansdowne	148	–	–	3	29	6	8	2	5	2	2	4	1	86	70	1	4	40	25
Marple township#	287	–	–	2	70	19	22	7	4	2	1	15	5	136	114	3	5	65	41
Middletown township#	187	–	–	3	26	7	2	4	5	2	–	6	5	110	79	–	5	54	20
Nether Providence township#	126	–	–	2	26	10	7	3	2	–	–	4	2	70	49	–	1	32	16
Newtown township#	139	–	–	3	31	6	7	6	6	2	–	4	2	72	56	1	1	34	20
Radnor township#	261	–	–	6	62	16	20	8	6	3	1	8	7	125	97	–	2	69	26
Ridley township#	218	–	–	2	59	12	17	4	7	1	6	12	2	99	79	1	2	52	24
Springfield township#	260	–	–	3	60	11	19	6	7	1	2	14	6	124	99	–	2	58	39
Upper Chichester township#	126	–	–	2	28	8	8	2	3	–	–	7	3	64	55	–	–	39	16
Upper Darby township#	880	–	–	12	217	69	61	15	16	6	8	42	14	431	357	8	11	210	128
Yeadon	142	–	–	1	35	8	8	5	4	–	2	8	4	74	63	2	7	34	20
Balance of county	1,576	1	–	27	400	99	134	37	33	9	11	77	11	748	585	14	20	388	183
Elk	375	–	–	1	90	36	20	12	5	4	2	11	6	191	149	1	9	109	30
Erie	2,601	1	1	32	599	161	163	61	55	29	22	108	59	1,268	966	7	22	761	176
Erie	1,299	–	1	23	290	83	79	29	25	14	13	47	28	638	468	2	11	366	89
Millcreek township#	333	1	–	2	97	30	22	14	7	5	–	19	6	161	128	2	5	94	27
Balance of county	969	–	–	7	212	48	62	18	23	10	9	42	25	469	370	3	6	301	60
Fayette	1,743	1	1	16	358	98	91	26	39	19	10	75	32	955	796	4	7	540	245
Connellsville	143	–	–	–	36	11	5	2	4	2	3	9	2	75	60	–	–	34	26
Uniontown	225	–	–	–	45	14	8	6	5	4	–	8	4	126	97	–	4	68	25
Balance of county	1,375	1	1	16	277	73	78	18	30	13	7	58	26	754	639	4	3	438	194
Forest	52	–	–	–	9	–	2	–	1	–	2	4	1	30	24	1	–	15	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	19	286	52	42	75	122	9	25	26	–	24	19	203	283	113	55	59	13	4
Bensalem township#	–	20	1	2	7	8	2	2	1	–	1	5	24	28	14	8	3	3	–
Bristol	–	9	2	2	2	5	–	1	1	–	–	2	5	4	1	1	5	–	1
Bristol township#	–	26	2	6	3	13	1	–	5	–	4	4	38	37	8	5	10	2	–
Falls township#	2	12	–	7	3	10	–	1	–	–	–	–	19	13	9	1	1	–	–
Lower Southampton township#	2	13	1	2	1	3	1	1	–	–	1	1	8	9	1	2	–	–	–
Middletown township#	–	15	3	2	6	11	–	3	1	–	3	2	11	14	5	7	3	1	1
Northampton township#	1	9	2	2	4	3	–	–	2	–	1	1	6	12	4	2	3	–	–
Upper Southampton township#	2	11	1	3	2	5	–	1	2	–	1	–	3	9	6	3	2	–	1
Warminster township#	–	15	5	3	4	4	–	4	1	–	2	–	14	25	12	6	4	1	–
Balance of county	12	156	35	13	43	60	5	12	13	–	11	4	75	132	53	20	28	6	1
Butler	2	86	22	11	53	36	7	10	21	–	8	7	6	82	32	30	24	7	–
Butler	–	13	1	1	10	11	1	2	2	–	–	–	1	11	2	6	5	–	–
Balance of county	2	73	21	10	43	25	6	8	19	–	8	7	5	71	30	24	19	7	–
Cambria	11	129	32	16	39	70	3	21	24	–	6	6	2	181	19	39	25	4	1
Johnstown	4	37	7	5	8	17	3	6	7	–	1	1	1	41	4	12	7	1	1
Balance of county	7	92	25	11	30	53	–	15	17	–	5	5	1	140	15	27	18	3	–
Cameron	1	11	3	1	2	3	–	–	–	–	–	–	–	3	1	4	3	–	–
Carbon	1	38	14	6	6	19	2	10	6	–	1	4	1	51	14	13	10	1	–
Centre	2	52	11	10	10	20	–	7	6	–	1	6	5	47	16	9	9	1	–
State College	1	10	–	1	3	4	–	1	1	–	–	1	1	14	2	–	2	–	–
Balance of county	1	42	11	9	7	16	–	6	5	–	1	5	4	33	14	9	7	1	–
Chester	9	152	28	35	60	78	8	27	30	–	18	28	59	188	80	46	24	13	4
Coatesville	2	13	1	1	7	7	1	4	4	–	1	7	8	12	6	7	3	2	1
Phoenixville	1	19	2	2	11	5	1	3	2	–	5	2	4	8	2	1	–	–	–
Tredyffrin township#	–	7	3	8	4	7	–	3	3	–	1	2	2	13	2	–	3	–	1
West Chester	1	17	6	3	4	8	–	3	4	–	1	1	7	14	12	6	1	2	2
West Goshen township#	–	9	1	3	–	3	–	1	1	–	–	1	7	10	2	1	–	–	–
Balance of county	5	87	15	18	34	48	4	13	16	–	10	15	31	113	56	31	17	9	–
Clarion	–	35	3	6	11	13	–	2	11	–	3	–	5	27	10	3	1	1	–
Clearfield	5	72	10	12	15	40	4	9	6	1	3	5	7	73	21	22	13	1	–
Clinton	3	34	8	3	3	19	–	2	6	–	3	4	4	20	5	5	2	–	–
Columbia	6	56	5	13	17	18	2	3	5	–	4	4	2	37	8	14	7	1	–
Berwick	1	19	–	3	5	7	–	2	1	–	1	2	1	10	–	7	2	–	–
Bloomsburg	2	15	2	2	4	4	1	–	–	–	–	1	1	6	2	2	2	–	–
Balance of county	3	22	3	8	8	7	1	1	4	–	3	1	–	21	6	5	3	1	–
Crawford	2	72	18	11	36	26	5	11	11	–	6	8	3	72	21	29	16	1	–
Meadville	1	14	–	4	4	9	1	3	4	–	1	2	1	21	4	7	2	–	–
Balance of county	1	58	18	7	32	17	4	8	7	–	5	6	2	51	17	22	14	1	–
Cumberland	9	143	28	22	51	42	2	9	10	–	7	15	10	118	28	33	21	2	–
Carlisle	1	19	3	3	14	4	1	1	2	–	1	5	5	15	3	2	2	1	–
East Pennsboro township#	2	17	3	–	5	6	–	1	1	–	1	1	–	11	1	3	3	–	–
Lower Allen township#	2	12	1	3	3	3	–	–	1	–	–	2	–	7	–	2	3	–	–
Balance of county	4	95	21	16	29	28	1	7	6	–	5	7	5	85	24	26	13	1	–
Dauphin	18	169	24	19	58	83	6	17	29	1	12	16	8	181	41	41	19	18	1
Harrisburg	6	60	6	2	18	18	2	9	11	–	3	12	–	45	12	19	4	11	–
Lower Paxton township#	2	18	3	3	2	16	–	2	3	1	1	–	1	23	5	6	3	1	–
Middletown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Susquehanna township#	3	12	2	2	2	6	–	–	2	–	1	–	–	11	1	1	1	1	–
Swatara township#	1	22	–	2	8	10	2	1	3	–	–	–	2	19	2	2	2	–	–
Balance of county	6	57	13	10	28	33	2	5	10	–	7	4	5	83	21	13	9	5	1
Delaware	17	416	66	74	160	212	13	77	60	4	30	48	69	456	58	90	67	22	19
Aston township#	–	6	–	1	2	4	–	1	4	–	1	1	–	7	–	4	2	–	–
Chester	1	46	4	1	15	27	2	8	11	–	2	12	13	50	6	6	5	13	4
Darby	–	12	3	4	5	9	–	2	4	1	1	2	2	12	1	6	1	–	1
Darby township#	–	6	–	1	2	1	–	1	–	–	–	3	–	4	1	1	–	–	–
Haverford township#	2	42	5	3	11	9	2	2	5	–	2	1	4	45	4	8	8	1	2
Lansdowne	–	12	3	1	4	4	–	2	2	–	–	2	1	11	–	2	–	–	1
Marple township#	2	13	4	3	10	14	–	–	3	–	–	1	2	32	2	4	6	–	–
Middletown township#	–	21	6	4	9	10	1	1	2	–	–	–	2	14	–	2	2	–	–
Nether Providence township#	–	18	2	1	2	5	–	3	2	–	1	–	–	10	–	3	–	–	–
Newtown township#	–	15	1	–	8	4	–	1	1	–	1	–	1	10	2	2	1	–	–
Radnor township#	–	19	5	4	8	9	1	4	–	1	2	2	2	16	3	7	4	–	2
Ridley township#	–	16	2	2	7	11	1	3	3	–	2	2	2	19	1	2	2	–	1
Springfield township#	1	17	1	6	7	11	–	8	3	–	2	3	2	22	5	3	1	–	–
Upper Chichester township#	1	3	1	4	3	5	–	1	3	–	1	1	4	9	–	–	1	–	1
Upper Darby township#	3	51	6	14	25	28	3	12	4	1	2	6	18	62	8	9	5	1	2
Yeadon	1	5	3	2	2	2	–	1	1	–	3	1	3	10	2	1	1	1	–
Balance of county	6	114	20	23	40	59	3	27	12	1	10	11	13	123	21	30	28	6	5
Elk	–	36	3	3	7	15	–	5	3	–	1	3	1	30	4	8	6	3	1
Erie	6	245	19	32	69	81	10	32	35	–	20	25	20	220	39	49	30	10	1
Erie	3	135	12	20	33	40	7	17	11	–	7	13	14	118	15	22	14	7	1
Millcreek township#	1	27	1	4	9	5	–	4	4	–	3	2	1	20	5	9	4	–	–
Balance of county	2	83	6	8	27	36	3	11	20	–	10	10	5	82	19	18	12	3	–
Fayette	15	120	8	16	33	36	6	21	20	–	11	9	10	132	23	43	28	5	3
Connellsville	2	9	1	3	1	2	1	3	2	–	2	–	–	8	2	4	5	–	–
Uniontown	1	24	1	3	7	2	–	3	1	–	3	3	2	17	2	6	3	1	–
Balance of county	12	87	6	10	25	32	5	15	17	–	6	6	8	107	19	33	20	4	3
Forest	–	6	–	–	2	2	–	1	–	–	–	–	1	4	–	–	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	1,061	–	1	14	219	68	44	19	21	19	6	42	36	554	433	4	13	279	137
Chambersburg	246	–	–	5	54	19	12	5	4	4	1	9	11	133	93	–	2	67	24
Balance of county	815	–	1	9	165	49	32	14	17	15	5	33	25	421	340	4	11	212	113
Fulton	98	–	–	1	15	3	2	2	3	–	1	4	1	58	49	–	2	37	10
Greene	439	–	–	4	87	22	31	4	6	7	2	15	6	232	201	1	1	148	51
Huntingdon	403	2	–	1	94	24	25	7	8	10	5	15	9	222	180	3	1	115	61
Indiana	771	–	–	6	182	56	31	16	23	14	6	36	19	376	293	2	6	217	68
Indiana	98	–	–	2	27	9	3	4	2	1	1	7	4	46	37	–	2	25	10
Balance of county	673	–	–	4	155	47	28	12	21	13	5	29	15	330	256	2	4	192	58
Jefferson	514	–	–	4	112	33	23	9	9	2	6	30	6	269	206	1	7	148	50
Juniata	216	–	–	1	40	12	8	3	6	1	2	8	6	117	85	1	–	52	32
Lackawanna	2,822	5	–	29	610	195	124	64	65	27	15	120	61	1,553	1,332	18	51	817	446
Carbondale	153	–	–	2	32	9	7	5	4	–	–	7	2	85	78	–	3	55	20
Dunmore	182	–	–	–	43	12	7	4	5	3	3	9	4	95	83	2	5	41	35
Scranton	1,368	4	–	17	288	91	65	29	35	14	6	48	29	773	659	7	25	410	217
Balance of county	1,119	1	–	10	247	83	45	26	21	10	6	56	26	600	512	9	18	311	174
Lancaster	3,258	1	–	38	720	203	162	67	84	23	27	154	81	1,729	1,375	15	40	825	495
Columbia	147	–	–	1	31	10	7	1	4	1	2	6	7	82	62	–	2	50	10
Ephrata	118	–	–	1	33	10	8	2	2	3	1	7	2	62	47	1	3	25	18
Lancaster	607	1	–	10	130	31	37	12	10	6	5	29	16	313	259	5	8	161	85
Lancaster township#	161	–	–	1	21	5	3	3	3	–	1	6	9	89	65	–	2	37	26
Manheim township#	345	–	–	1	74	21	17	6	11	3	2	14	8	213	165	–	3	90	72
Balance of county	1,880	–	–	24	431	126	90	43	54	10	16	92	39	970	777	9	22	462	284
Lawrence	1,105	–	–	5	242	48	69	20	28	15	15	47	22	609	489	6	13	396	74
New Castle	474	–	–	–	97	18	33	7	13	9	2	15	10	262	211	4	3	172	32
Balance of county	631	–	–	5	145	30	36	13	15	6	13	32	12	347	278	2	10	224	42
Lebanon	1,070	1	–	10	213	62	57	15	22	13	8	36	37	601	506	5	9	322	170
Lebanon	315	–	–	3	66	12	22	5	9	4	4	10	13	168	141	1	3	85	52
Balance of county	755	1	–	7	147	50	35	10	13	9	4	26	24	433	365	4	6	237	118
Lehigh	2,706	2	–	24	615	172	142	48	52	24	21	156	61	1,446	1,166	15	25	757	369
Allentown	1,213	1	–	11	289	84	65	19	23	11	11	76	30	639	526	5	17	318	186
Bethlehem, part	286	–	–	2	55	8	16	5	6	3	1	16	7	160	133	4	2	91	36
Emmaus	119	–	–	1	20	10	3	1	2	1	1	2	4	74	55	1	–	35	19
Salisbury township#	64	–	–	1	15	5	5	1	2	–	1	1	1	33	29	–	–	18	11
Whitehall township#	182	–	–	1	42	11	13	4	6	2	–	6	7	94	73	1	–	54	18
Balance of county	842	1	–	8	194	54	40	18	13	7	7	55	12	446	350	4	6	241	99
Luzerne	4,371	7	–	37	904	264	232	83	103	31	23	168	93	2,323	1,954	24	44	1,235	651
Hazleton	432	1	–	3	91	24	23	10	11	5	2	16	10	236	183	5	1	112	65
Kingston	233	–	–	1	35	7	10	5	2	2	2	7	4	134	106	1	4	66	35
Nanticoke	168	–	–	1	32	12	11	2	3	–	–	4	1	87	78	–	1	57	20
Wilkes-Barre	833	2	–	4	186	61	42	18	21	7	4	33	17	453	384	4	11	240	129
Balance of county	2,705	4	–	28	560	160	146	48	66	17	15	108	61	1,413	1,203	14	27	760	402
Lycoming	1,156	–	–	11	267	69	74	21	26	10	12	55	27	601	490	6	18	286	170
Williamsport	356	–	–	5	96	28	25	6	11	4	2	20	11	161	132	2	5	79	46
Balance of county	800	–	–	6	171	41	49	15	15	6	10	35	16	440	358	4	13	207	124
McKean	541	–	–	3	108	33	24	7	20	4	2	16	5	318	267	2	5	153	107
Bradford	150	–	–	–	27	5	5	1	9	2	–	5	1	98	82	–	2	47	33
Balance of county	391	–	–	3	78	28	19	6	11	2	2	11	4	222	185	2	3	106	74
Mercer	1,290	–	–	11	305	81	74	28	36	9	19	58	22	651	555	5	16	441	93
Sharon	202	–	–	3	42	13	5	5	5	1	4	9	6	98	81	1	–	64	16
Balance of county	1,088	–	–	8	263	68	69	23	31	8	15	49	16	553	474	4	16	377	77
Mifflin	433	–	–	5	97	19	28	8	12	2	4	24	5	242	201	3	2	152	44
Monroe	687	2	–	11	164	30	55	13	17	2	6	41	9	330	274	2	1	128	143
Montgomery	6,090	2	–	87	1,479	384	370	153	141	64	61	306	111	2,997	2,402	23	47	1,606	726
Abington township#	606	–	–	13	161	44	45	12	8	8	6	38	14	288	230	–	4	151	75
Cheltenham township#	400	–	–	7	108	32	29	8	7	6	2	24	3	192	156	3	4	98	51
East Norriton township#	96	–	–	1	30	7	8	5	–	3	–	7	5	35	28	–	–	18	10
Hatfield township#	78	–	–	1	14	4	6	1	2	–	–	1	–	43	37	2	1	28	6
Lansdale	199	–	–	2	46	10	14	5	4	–	3	10	1	107	81	1	2	55	23
Lower Merion township#	661	–	–	6	178	47	47	13	20	6	8	37	8	322	255	2	7	177	69
Lower Moreland township#	77	–	–	–	28	9	5	6	3	–	–	5	–	33	26	–	1	13	12
Lower Providence township#	102	–	–	1	21	4	8	1	1	1	2	4	2	50	37	–	1	26	10
Norristown	422	1	–	8	94	27	21	10	7	6	4	19	12	204	161	–	4	101	56
Plymouth township#	123	–	–	2	27	5	12	2	2	–	2	4	2	66	54	1	1	34	16
Pottstown	299	–	–	4	62	9	15	8	8	5	5	12	7	155	137	1	1	85	50
Springfield township#	307	–	–	8	54	13	10	6	6	4	2	13	5	169	144	1	2	93	48
Towamencin township#	49	–	–	–	9	1	2	1	2	1	1	1	2	25	23	–	–	17	6
Upper Dublin township#	124	–	–	3	26	9	5	4	3	1	–	4	–	63	48	1	–	26	21
Upper Merion township#	179	–	–	1	43	12	7	3	1	4	3	13	2	88	68	–	–	54	14
Upper Moreland township#	207	–	–	4	61	17	12	7	5	2	5	13	3	100	79	–	2	54	23
West Norriton township#	91	–	–	2	26	8	6	4	2	1	–	5	3	37	33	2	–	19	12
Whitemarsh township#	125	–	–	–	26	5	6	5	4	–	–	6	2	66	52	–	–	38	14
Balance of county	1,945	1	–	24	465	121	112	52	56	16	18	90	40	954	753	9	17	519	208
Montour	238	–	–	6	52	16	14	5	6	2	5	4	3	121	100	1	2	73	24
Northampton	2,154	–	–	22	481	139	122	46	35	17	18	104	34	1,143	959	7	20	569	363
Bethlehem, part	480	–	–	3	115	36	24	8	9	5	6	27	9	260	204	3	7	122	72
Bethlehem, total	766	–	–	5	170	44	40	13	15	8	7	43	16	420	337	7	9	213	108
Easton	325	–	–	4	68	18	20	7	7	–	4	12	2	170	138	–	5	65	68
Palmer township#	99	–	–	2	24	7	4	1	3	2	1	6	–	51	41	–	2	28	11
Balance of county	1,250	–	–	13	274	78	74	30	18	10	7	59	23	662	576	4	6	354	212

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	10	70	29	12	23	41	1	7	12	–	7	8	1	84	17	23	9	3	1
Chambersburg	2	25	10	3	7	8	–	2	–	–	–	1	–	13	4	6	–	2	–
Balance of county	8	45	19	9	16	33	1	5	12	–	7	7	1	71	13	17	9	1	1
Fulton	–	5	3	1	2	3	–	2	1	–	1	–	–	10	1	1	1	1	–
Greene	1	21	3	6	14	13	1	6	3	–	1	3	1	36	8	14	9	1	–
Huntingdon	–	25	7	10	9	10	–	3	6	–	1	1	2	26	3	9	4	1	–
Indiana	–	43	31	9	13	24	3	10	8	–	1	6	4	64	25	22	7	1	–
Indiana	–	5	3	1	–	6	–	1	–	–	–	3	–	6	1	–	2	–	–
Balance of county	–	38	28	8	13	18	3	9	8	–	1	3	4	58	24	22	5	1	–
Jefferson	1	40	15	7	18	16	1	4	10	–	3	1	1	41	12	11	5	–	–
Juniata	1	21	7	3	8	10	–	–	1	–	2	2	4	15	3	7	–	–	–
Lackawanna	6	157	33	25	49	70	8	43	28	–	5	18	5	236	38	33	25	5	1
Carbondale	–	4	–	3	4	4	–	1	1	–	1	1	–	16	4	–	–	–	–
Dunmore	–	10	1	1	4	4	–	6	2	–	–	–	–	15	1	7	1	–	–
Scranton	5	82	19	14	25	39	7	19	16	–	1	13	–	90	16	16	13	2	–
Balance of county	1	61	19	7	16	23	1	17	9	–	3	4	5	115	17	10	11	3	1
Lancaster	17	242	49	46	97	104	7	17	42	1	24	18	17	221	46	55	34	4	2
Columbia	4	15	–	1	3	9	–	1	3	–	2	–	1	5	–	–	1	1	–
Ephrata	–	11	–	4	3	1	–	–	2	–	–	–	1	6	1	3	3	–	–
Lancaster	3	34	10	7	14	25	1	7	10	1	5	6	5	41	3	10	4	3	2
Lancaster township#	–	18	4	2	7	5	–	–	3	–	2	–	–	21	–	1	2	–	–
Manheim township#	–	39	5	4	5	7	2	3	–	–	–	1	–	22	–	6	3	–	–
Balance of county	10	125	30	28	65	57	4	6	24	–	15	11	10	126	42	35	21	–	–
Lawrence	2	97	8	13	24	37	3	6	10	–	4	8	7	86	15	19	6	2	–
New Castle	1	40	3	7	15	18	1	3	3	–	3	5	4	36	7	7	2	1	–
Balance of county	1	57	5	6	9	19	2	3	7	–	1	3	3	50	8	12	4	1	–
Lebanon	–	80	3	12	19	37	1	10	10	–	6	5	7	62	19	13	14	5	–
Lebanon	–	22	1	4	4	20	–	5	4	–	2	3	4	12	3	2	5	1	–
Balance of county	–	58	2	8	15	17	1	5	6	–	4	2	3	50	16	11	9	4	–
Lehigh	16	177	53	34	72	73	6	24	23	–	10	16	17	198	35	43	32	7	–
Allentown	8	78	16	11	27	26	–	10	12	–	8	9	6	90	9	23	17	6	–
Bethlehem, part	1	19	7	–	10	9	–	1	3	–	–	2	2	24	5	1	5	–	–
Emmaus	1	14	2	2	2	3	–	1	1	–	–	1	–	5	4	3	–	–	–
Salisbury township#	–	2	–	2	2	3	1	1	–	–	–	1	–	5	–	1	–	–	–
Whitehall township#	2	15	1	3	5	5	1	3	1	–	1	1	1	13	1	3	3	–	–
Balance of county	4	49	27	16	26	27	4	8	6	–	1	4	8	61	16	12	7	1	–
Luzerne	13	279	46	31	86	110	6	48	60	–	19	10	26	481	41	63	47	8	2
Hazleton	3	46	2	2	13	10	1	5	12	–	1	4	3	33	–	8	1	–	–
Kingston	–	21	4	3	5	10	–	3	2	–	–	1	2	29	1	3	2	1	–
Nanticoke	1	8	–	–	3	1	–	2	6	–	1	–	3	23	2	3	3	–	–
Wilkes-Barre	1	53	10	5	11	24	–	11	9	–	3	1	4	78	9	11	8	2	–
Balance of county	8	151	30	21	54	65	5	27	31	–	14	4	14	318	29	38	33	5	2
Lycoming	3	92	13	13	16	48	1	8	11	–	6	4	8	74	28	25	18	3	–
Williamsport	–	24	2	3	4	21	–	3	4	–	2	3	2	23	5	9	5	2	–
Balance of county	3	68	11	10	12	27	1	5	7	–	4	1	6	51	23	16	13	1	–
McKean	1	39	7	4	10	16	1	7	3	–	2	4	6	36	8	12	4	–	–
Bradford	–	13	–	1	1	3	–	1	1	–	–	1	5	10	–	3	1	–	–
Balance of county	1	26	7	3	9	13	1	6	2	–	2	3	1	26	8	9	3	–	–
Mercer	2	76	9	9	56	43	9	12	14	–	7	5	3	93	22	20	14	3	–
Sharon	1	13	2	1	5	11	5	3	2	–	3	1	–	13	1	4	4	1	–
Balance of county	1	63	7	8	51	32	4	9	12	–	4	4	3	80	21	16	10	2	–
Mifflin	1	31	2	7	13	17	–	2	5	–	2	1	6	22	4	9	3	–	–
Monroe	–	46	4	6	15	28	1	10	5	–	5	2	6	53	19	16	10	1	–
Montgomery	22	450	47	76	185	185	16	78	52	1	27	35	58	486	94	100	71	15	11
Abington township#	2	45	4	7	23	14	2	5	4	–	–	2	6	53	7	4	7	1	2
Cheltenham township#	2	24	6	4	14	12	2	1	4	–	–	3	2	31	8	6	6	1	–
East Norriton township#	–	6	1	–	5	3	–	2	1	–	1	–	1	5	2	3	1	–	1
Hatfield township#	–	5	–	1	1	3	–	1	–	–	3	–	2	3	2	–	4	1	–
Lansdale	–	20	3	3	8	5	1	–	3	–	1	3	2	15	2	2	1	–	–
Lower Merion township#	6	44	6	11	20	16	1	9	11	–	1	4	2	56	8	9	9	–	1
Lower Moreland township#	–	5	–	2	2	–	–	2	–	–	–	1	3	6	1	–	1	–	–
Lower Providence township#	1	11	1	–	–	4	1	1	3	–	–	1	6	4	5	2	–	1	–
Norristown	3	33	2	5	3	13	1	9	1	–	2	5	7	41	7	6	3	4	1
Plymouth township#	–	6	3	1	6	2	–	–	–	1	4	1	–	6	–	4	2	–	–
Pottstown	–	17	–	1	6	12	2	3	1	–	–	2	3	27	3	8	2	1	1
Springfield township#	–	20	2	3	15	13	–	6	3	–	–	–	2	22	–	7	3	–	–
Towamencin township#	–	2	–	–	1	4	–	1	–	–	1	2	–	3	–	–	–	1	–
Upper Dublin township#	1	11	2	1	6	4	–	2	–	–	1	–	1	7	2	5	2	1	2
Upper Merion township#	–	16	3	1	13	8	–	6	–	–	1	–	–	11	1	2	3	–	–
Upper Moreland township#	1	18	–	2	5	5	1	1	2	–	–	4	3	10	3	3	1	1	–
West Norriton township#	–	3	–	1	2	3	1	2	1	–	1	2	–	6	3	2	–	–	–
Whitemarsh township#	2	9	1	2	4	6	–	–	–	–	–	1	–	18	2	–	–	–	–
Balance of county	4	153	13	31	51	58	4	27	18	–	12	4	18	162	38	37	26	3	3
Montour	2	17	–	2	11	11	–	1	1	–	2	–	2	21	1	5	1	–	–
Northampton	13	129	29	19	56	75	8	19	28	–	8	8	14	153	28	34	34	7	2
Bethlehem, part	6	37	9	4	6	12	2	2	4	–	–	4	6	35	7	6	7	2	–
Bethlehem, total	7	56	16	4	16	21	2	3	7	–	–	6	8	59	12	7	12	2	–
Easton	3	23	4	2	12	15	1	5	4	–	1	1	2	24	3	5	6	1	1
Palmer township#	1	6	2	1	3	3	–	–	1	–	3	–	1	7	–	–	2	2	–
Balance of county	3	63	8	12	35	45	5	12	19	–	4	3	5	87	18	23	19	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,280	2	–	18	287	72	66	37	34	14	7	57	23	691	538	2	13	386	137
Shamokin	181	–	–	–	48	18	12	6	6	2	–	4	1	99	80	–	3	58	19
Sunbury	180	–	–	4	42	9	9	3	7	1	–	13	–	94	71	–	–	54	17
Balance of county	919	2	–	12	197	45	45	28	21	11	7	40	22	498	387	2	10	274	101
Perry	302	–	–	2	64	16	18	4	7	1	6	12	7	163	128	5	2	86	35
Philadelphia, coext. with Philadelphia city	20,090	27	1	517	4,493	1,221	1,246	387	446	163	122	908	333	8,312	6,699	67	184	4,124	2,324
Pike	228	–	–	3	52	16	17	3	6	1	–	9	3	110	90	–	3	71	16
Potter	195	–	–	3	40	11	12	4	6	1	3	7	3	102	79	1	–	49	30
Schuylkill	2,180	3	–	17	437	125	97	38	46	18	10	103	60	1,093	914	9	13	692	200
Pottsville	249	–	–	1	48	19	14	5	2	–	–	8	8	148	118	2	3	94	19
Balance of county	1,931	3	–	16	389	106	83	33	44	18	10	95	52	945	796	7	10	598	181
Snyder	266	–	–	4	51	10	11	2	3	3	1	21	13	152	127	–	1	98	30
Somerset	645	1	–	6	185	58	34	8	19	4	11	30	9	445	378	6	18	273	77
Sullivan	73	–	–	–	16	6	5	2	2	–	–	1	1	34	30	–	–	17	13
Susquehanna	396	–	–	2	74	19	16	6	9	2	–	22	9	217	178	–	8	114	58
Tioga	384	–	–	1	93	26	21	8	9	5	4	20	14	195	163	1	–	114	48
Union	305	–	–	2	56	13	12	4	8	4	1	14	6	158	113	–	–	86	27
Venango	640	–	–	4	127	31	32	6	19	9	6	24	17	329	257	3	8	195	51
Oil City	193	–	–	2	46	12	12	1	6	2	1	12	6	108	74	1	–	54	19
Balance of county	447	–	–	2	81	19	20	5	13	7	5	12	11	221	183	2	8	141	32
Warren	482	–	–	5	119	38	30	12	10	4	4	23	7	228	181	2	3	134	42
Warren	137	–	–	–	39	12	8	4	3	1	1	10	1	65	48	–	1	36	11
Balance of county	345	–	–	5	80	24	22	8	7	3	3	13	6	163	133	2	2	98	31
Washington	2,271	1	–	32	563	149	152	54	52	25	24	107	61	1,112	920	8	6	722	193
Canonsburg	139	–	–	5	29	10	10	2	2	–	–	5	5	68	65	1	3	50	11
Washington	233	–	–	1	52	12	10	6	7	2	–	15	5	118	95	2	1	79	13
Balance of county	1,899	1	–	26	482	127	132	46	43	23	24	87	51	926	769	5	2	593	169
Wayne	420	–	–	5	93	29	14	10	18	5	–	17	7	227	182	–	6	116	60
Westmoreland	3,980	–	–	34	886	230	221	95	93	46	31	170	93	1,989	1,659	15	19	1,238	389
Greensburg	249	–	–	–	50	12	14	8	4	3	1	8	3	146	120	–	1	97	22
Hempfield township#	391	–	–	3	76	17	19	9	5	3	3	20	7	226	184	1	3	149	41
Jeannette	167	–	–	–	38	13	10	7	2	–	3	3	3	92	75	1	1	49	24
Latrobe	140	–	–	5	34	11	7	4	3	4	–	5	4	70	61	–	–	43	18
Lower Burrell	144	–	–	2	34	10	5	8	2	–	1	8	2	64	50	–	–	40	10
Monessen	135	–	–	2	39	13	11	3	3	1	1	7	5	62	51	1	1	33	16
Municipality of Murrysville	97	–	–	–	26	4	6	5	3	–	2	6	3	52	41	–	–	37	4
New Kensington	228	–	–	–	51	20	9	6	4	4	–	8	6	124	105	2	1	82	20
North Huntingdon township#	240	–	–	2	61	13	19	4	6	3	4	12	1	127	111	4	1	87	19
Balance of county	2,089	–	–	20	477	117	121	41	61	28	16	93	59	1,026	851	6	11	610	215
Wyoming	236	–	–	–	43	7	12	6	2	4	3	9	5	138	95	1	3	55	38
York	2,712	3	–	29	667	182	155	61	68	27	37	137	56	1,340	1,089	7	28	728	326
Hanover	208	–	–	1	50	15	10	6	4	–	5	10	6	121	101	–	6	60	35
Springettsbury township#	270	–	–	3	53	16	11	4	8	3	3	8	1	132	111	–	1	65	45
Spring Garden township#	132	–	–	1	36	12	6	4	7	2	2	3	2	69	45	–	–	27	18
York	538	2	–	8	112	29	32	9	12	3	5	22	6	273	223	–	4	152	67
Balance of county	1,564	1	–	16	416	110	96	38	37	19	22	94	41	745	609	7	17	424	161
Rhode Island	9,435	4	1	96	2,318	642	586	226	226	106	85	447	223	4,633	3,743	29	74	3,082	558
Urban places	7,627	4	1	84	1,839	499	458	182	188	81	68	363	193	3,732	3,044	23	65	2,496	460
Balance of area	1,808	–	–	12	479	143	128	44	38	25	17	84	30	901	699	6	9	586	98
Metropolitan counties	8,714	4	1	92	2,123	596	534	205	208	96	80	404	218	4,268	3,455	27	65	2,645	518
Urban places	7,193	4	1	81	1,745	478	435	172	179	75	67	339	189	3,497	2,863	21	59	2,348	435
Balance of area	1,521	–	–	11	378	118	99	33	29	21	13	65	29	771	592	6	6	497	83
Nonmetropolitan counties	721	–	–	4	195	46	52	21	18	10	5	43	5	365	288	2	9	237	40
Urban places	434	–	–	3	94	21	23	10	9	6	1	24	4	235	181	2	6	148	25
Balance of area	287	–	–	1	101	25	29	11	9	4	4	19	1	130	107	–	3	89	15
Bristol	454	–	–	5	115	35	18	14	12	4	3	29	12	226	180	–	6	142	32
Barrington town#	117	–	–	1	37	11	6	3	1	3	–	13	3	54	42	–	2	30	10
Bristol town#	198	–	–	2	47	12	7	7	8	1	3	9	5	102	83	–	2	69	12
Warren town#	138	–	–	2	31	12	5	4	3	–	–	7	4	70	55	–	2	43	10
Balance of county	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	1,415	1	1	13	350	93	99	38	25	17	16	82	38	716	583	7	14	493	79
Coventry town#	221	1	–	3	62	10	18	7	9	6	4	8	7	95	80	–	2	68	10
Warwick	840	–	1	9	207	58	60	21	13	5	10	40	21	431	360	4	12	286	48
West Warwick town#	236	–	–	1	60	17	16	8	3	5	2	9	8	118	96	–	–	83	13
Balance of county	118	–	–	–	21	8	5	2	–	1	–	5	2	72	57	3	–	46	8
Newport	721	–	–	4	195	46	52	21	18	10	5	43	5	365	288	2	9	237	40
Middletown town#	143	–	–	2	37	7	9	4	6	–	–	11	1	76	61	1	3	51	6
Newport	291	–	–	1	57	14	14	6	3	6	1	13	3	159	120	1	3	97	19
Balance of county	287	–	–	1	101	25	29	11	9	4	4	19	1	130	107	–	3	89	15
Providence	6,118	3	–	69	1,480	408	375	137	158	61	55	286	155	2,868	2,421	19	45	1,991	366
Central Falls	227	–	–	–	51	15	15	2	3	1	3	12	9	108	93	2	–	84	7
Cranston	734	–	–	9	189	63	38	17	16	11	5	39	16	344	282	4	5	229	44
Cumberland town#	239	–	–	1	71	20	15	11	9	3	–	13	8	107	84	1	1	68	14
East Providence	585	1	–	7	140	44	40	10	15	4	7	20	22	280	229	1	2	170	56
Johnston town#	226	–	–	2	64	15	19	7	10	2	2	9	3	103	89	1	1	78	9
North Providence town#	265	–	–	2	61	17	19	3	5	3	2	12	10	118	97	–	2	77	8
Pawtucket	806	–	–	13	188	54	35	18	26	9	8	38	17	408	329	–	3	279	47
Providence	1,850	1	–	28	422	103	114	43	42	17	18	85	48	883	728	6	17	584	121
Woonsocket	511	1	–	1	115	27	28	11	16	5	3	25	8	276	226	2	8	190	26
Balance of county	673	–	–	6	179	50	52	15	16	6	7	33	14	341	274	2	6	232	34
Washington	729	–	–	5	178	60	42	16	13	14	6	27	13	358	261	1	–	219	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	8	117	13	15	23	38	3	14	15	–	4	2	7	97	26	16	14	–	–
Shamokin	2	13	1	3	4	3	–	2	1	–	1	1	2	15	3	1	–	–	–
Sunbury	1	17	5	–	4	6	–	1	4	–	–	1	1	17	2	2	2	–	–
Balance of county	5	87	7	12	15	29	3	11	10	–	3	–	4	65	21	15	12	–	–
Perry	4	21	4	6	6	13	1	1	5	–	3	–	6	20	5	2	3	1	–
Philadelphia, coext. with Philadelphia city	64	1,234	149	166	502	470	49	225	299	3	102	211	1,602	1,746	158	479	210	290	61
Pike	–	16	1	3	2	6	–	3	2	–	3	1	8	17	3	8	4	2	1
Potter	–	18	2	3	6	7	–	–	1	–	–	2	1	15	3	3	2	1	–
Schuylkill	4	143	9	23	34	50	6	21	31	–	6	4	6	297	49	30	28	5	3
Pottsville	1	23	2	4	3	7	–	1	3	–	–	1	–	16	6	3	2	–	2
Balance of county	3	120	7	19	31	43	6	20	28	–	6	3	6	281	43	27	26	5	1
Snyder	1	23	1	–	3	12	–	1	3	–	2	–	3	22	13	4	3	–	–
Somerset	5	49	5	10	23	21	3	10	13	–	9	11	4	73	20	23	6	1	–
Sullivan	–	3	–	1	1	1	–	–	1	–	–	–	1	10	4	1	3	–	–
Susquehanna	5	26	6	2	6	17	2	3	10	–	2	3	1	24	7	14	5	–	–
Tioga	2	28	1	3	7	12	–	6	1	–	2	1	3	28	12	6	4	1	–
Union	–	32	7	6	13	8	–	2	3	–	3	2	6	24	8	7	2	1	4
Venango	1	54	9	6	13	29	4	9	6	–	6	7	4	50	19	9	6	–	1
Oil City	1	22	6	5	1	10	–	–	–	–	–	4	–	11	3	2	–	–	–
Balance of county	–	32	3	3	12	19	4	9	6	–	6	3	4	39	16	7	6	–	1
Warren	3	32	6	6	12	26	1	1	3	–	1	1	3	40	11	16	6	2	–
Warren	2	13	2	–	4	7	1	–	–	–	–	–	–	8	2	8	2	–	–
Balance of county	1	19	4	6	8	19	–	1	3	–	1	1	3	32	9	8	4	2	–
Washington	4	139	16	24	56	89	5	24	23	–	12	27	9	160	32	39	21	5	–
Canonsburg	–	3	–	–	5	6	–	2	2	–	–	–	–	13	2	2	–	–	–
Washington	–	14	1	8	9	8	1	–	2	–	3	6	1	14	5	4	3	1	–
Balance of county	4	122	15	16	42	75	4	22	19	–	9	21	8	133	25	33	18	4	–
Wayne	2	27	9	7	8	13	3	1	–	–	3	1	4	27	12	11	3	1	1
Westmoreland	14	239	34	43	60	118	5	32	33	–	19	27	108	238	96	76	59	7	6
Greensburg	3	17	3	3	2	5	–	3	–	–	4	3	4	11	7	6	4	1	–
Hempfield township#	1	23	5	3	5	9	–	2	3	–	2	3	5	27	10	10	3	–	–
Jeannette	1	9	3	4	2	5	–	2	–	–	–	1	2	12	5	2	3	–	–
Latrobe	–	6	1	2	3	6	1	1	–	–	–	–	2	8	3	2	1	–	–
Lower Burrell	1	12	1	–	4	5	–	–	–	–	1	3	4	11	2	4	5	2	1
Monessen	–	7	–	4	–	2	–	–	1	–	–	–	5	12	4	1	2	–	–
Municipality of Murrysville	1	7	2	1	–	2	–	2	1	–	2	–	–	5	1	2	1	–	–
New Kensington	–	17	–	2	5	8	–	1	3	–	–	4	8	9	3	3	3	–	–
North Huntingdon township#	–	11	3	2	2	10	–	–	6	–	1	1	7	10	6	–	6	–	–
Balance of county	7	130	16	22	37	66	4	21	19	–	9	12	71	133	55	46	25	4	5
Wyoming	1	17	21	4	5	7	2	–	4	–	–	3	2	7	10	5	4	1	–
York	6	180	25	40	53	88	10	18	34	–	12	23	16	212	49	48	42	11	3
Hanover	–	15	4	1	2	–	1	2	–	–	–	2	1	16	2	1	2	1	–
Springettsbury township#	–	17	3	1	20	9	2	1	4	–	–	–	1	34	2	5	3	–	–
Spring Garden township#	1	18	–	5	3	5	1	–	1	–	–	–	–	13	–	1	–	–	–
York	1	31	9	9	5	22	–	5	8	–	1	5	7	48	9	11	11	3	2
Balance of county	4	99	9	24	23	50	6	10	21	–	11	16	7	101	36	30	26	7	1
Rhode Island	36	624	124	106	182	321	35	129	92	1	49	60	35	829	109	161	95	42	10
Urban places	30	481	95	82	168	263	27	96	79	1	37	50	27	711	69	127	73	36	10
Balance of area	6	143	29	24	24	58	8	33	13	–	12	10	8	118	40	34	22	6	–
Metropolitan counties	32	576	109	96	171	295	35	119	90	1	44	56	32	771	103	152	89	41	9
Urban places	27	451	82	74	154	249	27	89	77	1	35	47	24	673	67	121	68	35	9
Balance of area	5	125	27	22	17	46	8	30	13	–	9	9	8	98	36	31	21	6	–
Nonmetropolitan counties	4	48	15	10	21	26	–	10	2	–	5	4	3	58	6	9	6	1	1
Urban places	3	30	13	8	14	14	–	7	2	–	2	3	3	38	2	5	5	1	1
Balance of area	1	18	2	2	7	12	–	3	–	–	3	1	–	20	4	3	1	–	–
Bristol	1	32	9	5	10	19	1	4	5	–	4	1	–	42	3	3	2	1	1
Barrington town#	1	7	2	2	2	3	1	2	1	–	1	1	–	7	1	1	1	–	1
Bristol town#	–	14	3	2	4	9	–	2	1	–	–	–	–	23	1	1	–	1	–
Warren town#	–	11	3	1	4	7	–	–	3	–	3	–	–	12	–	1	1	–	–
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kent	4	93	13	13	30	48	5	22	9	–	9	10	4	110	18	20	8	2	1
Coventry town#	1	11	2	1	3	11	–	–	2	–	2	1	2	22	5	4	1	–	–
Warwick	3	54	5	9	22	28	3	14	5	–	4	6	1	63	7	12	4	1	1
West Warwick town#	–	16	4	2	4	8	2	6	1	–	3	2	1	16	2	3	1	–	–
Balance of county	–	12	2	1	1	1	–	2	1	–	–	1	–	9	4	1	2	1	–
Newport	4	48	15	10	21	26	–	10	2	–	5	4	3	58	6	9	6	1	1
Middletown town#	–	10	2	3	8	2	–	3	–	–	1	–	1	9	1	1	1	–	–
Newport	3	20	11	5	6	12	–	4	2	–	1	3	2	29	1	5	4	1	1
Balance of county	1	18	2	2	7	12	–	3	–	–	3	1	–	20	4	3	1	–	–
Providence	25	385	71	66	122	205	25	76	71	1	24	41	23	579	59	107	68	33	7
Central Falls	2	8	3	2	4	11	–	4	2	–	–	–	3	20	4	4	5	2	–
Cranston	3	45	10	4	16	25	4	15	7	–	4	1	–	71	6	16	8	3	–
Cumberland town#	2	15	3	3	3	9	1	3	2	–	1	3	1	19	3	3	3	1	–
East Providence	4	36	6	5	15	14	1	4	6	–	2	1	–	62	9	10	8	2	1
Johnston town#	1	11	2	–	8	8	3	3	3	–	1	1	–	17	2	5	3	–	–
North Providence town#	1	27	1	2	5	11	1	1	4	–	–	–	1	35	3	6	6	1	–
Pawtucket	3	49	17	10	14	23	1	6	9	1	2	3	5	86	6	15	4	4	1
Providence	3	113	13	26	43	57	9	26	26	–	8	18	8	180	14	36	19	20	4
Woonsocket	3	34	8	5	7	25	1	3	5	–	4	10	2	40	4	4	4	–	1
Balance of county	3	47	8	9	7	22	4	11	7	–	2	4	3	49	8	8	8	–	–
Washington	2	66	17	12	9	23	4	17	5	–	7	4	5	40	23	22	11	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	26,374	32	3	335	5,525	1,359	1,524	475	682	201	202	1,082	481	12,349	9,353	60	398	6,165	2,730
Urban places	7,536	9	1	105	1,583	437	439	128	183	60	49	287	133	3,567	2,617	21	146	1,692	758
Balance of area	18,838	23	2	231	3,942	922	1,085	347	499	141	153	795	348	8,782	6,736	39	252	4,473	1,972
Metropolitan counties	14,976	14	2	199	3,175	784	875	276	402	112	107	619	265	6,893	5,271	36	209	3,484	1,542
Urban places	5,942	9	1	88	1,266	346	353	103	152	49	39	222	105	2,760	2,064	19	103	1,318	624
Balance of area	9,034	5	1	111	1,909	436	522	173	250	63	68	397	160	4,133	3,207	17	106	2,166	918
Nonmetropolitan counties	11,398	18	1	137	2,350	575	649	199	280	89	95	463	216	5,456	4,082	24	189	2,681	1,188
Urban places	1,594	–	–	17	317	89	86	25	31	11	10	65	28	807	553	2	43	374	134
Balance of area	9,804	18	1	120	2,033	486	563	174	249	78	85	398	188	4,649	3,529	22	146	2,307	1,054
Abbeville	204	–	–	1	46	13	15	3	3	3	–	8	3	99	67	–	4	67	16
Aiken	945	–	–	12	206	47	67	17	24	5	9	37	13	445	337	3	12	238	84
Aiken	253	–	–	2	55	18	17	4	5	–	3	8	3	119	78	1	1	61	15
North Augusta	151	–	–	2	41	7	17	1	4	1	1	10	2	68	54	1	7	33	13
Balance of county	541	–	–	8	110	22	33	12	15	4	5	19	8	258	205	1	4	144	56
Allendale	114	–	–	2	21	6	6	3	2	–	–	4	6	50	30	–	4	16	10
Anderson	1,132	–	–	11	236	57	70	27	28	8	10	35	15	538	406	4	10	293	99
Anderson	384	–	–	6	72	15	20	7	11	3	5	11	5	197	149	1	3	101	44
Balance of county	748	–	–	5	164	42	50	20	18	5	5	24	10	341	257	3	7	192	55
Bamberg	195	–	–	3	35	8	8	5	4	–	1	9	4	104	83	–	10	53	20
Barnwell	191	–	–	2	38	9	8	3	7	1	–	10	4	100	78	–	5	46	27
Beaufort	427	1	–	1	94	30	22	11	9	–	7	15	10	170	132	1	5	77	49
Berkeley	563	–	–	6	118	24	27	16	14	3	9	25	8	244	196	–	6	123	67
Goose Creek	73	–	–	1	20	4	8	3	1	1	–	3	3	22	19	–	–	16	3
Hanahan	33	–	–	–	7	2	1	–	–	2	1	1	1	12	11	–	–	7	4
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	457	–	–	5	91	18	18	13	13	–	8	21	4	210	168	–	6	100	60
Calhoun	120	1	–	2	22	3	6	1	4	1	2	5	2	50	41	–	7	22	12
Charleston	2,049	3	1	26	446	129	116	28	58	13	10	92	31	894	695	12	27	464	192
Charleston	910	3	1	10	211	71	48	9	30	6	4	43	15	395	297	6	16	201	74
Mount Pleasant	156	–	–	1	31	6	8	4	2	3	1	7	1	84	69	2	2	43	22
North Charleston, part	206	–	–	2	43	14	19	2	4	–	2	2	2	90	78	3	2	51	22
North Charleston, total	206	–	–	2	43	14	19	2	4	–	2	2	2	90	78	3	2	51	22
Balance of county	777	–	–	13	161	38	41	13	22	4	3	40	13	325	251	1	7	189	74
Cherokee	334	–	–	3	79	17	30	5	10	5	4	8	9	143	103	3	–	72	28
Gaffney	170	–	–	2	29	6	12	2	2	2	–	5	5	81	52	–	–	37	15
Balance of county	164	–	–	1	50	11	18	3	8	3	4	3	4	62	51	3	–	35	13
Chester	283	–	–	5	51	8	23	–	7	4	–	9	3	137	107	2	4	84	37
Chesterfield	376	–	–	4	81	19	20	7	5	2	3	25	6	156	119	2	1	83	33
Clarendon	244	1	–	4	60	13	15	8	10	1	2	11	4	116	89	–	1	48	42
Colleton	408	–	–	1	90	18	26	13	14	2	5	12	18	187	128	3	3	96	24
Darlington	522	1	–	6	86	18	24	8	13	–	7	16	14	256	207	–	12	143	52
Dillon	320	3	–	5	61	16	20	3	4	3	4	11	4	146	102	1	3	66	32
Dorchester	399	–	–	3	80	20	20	9	10	–	3	18	2	172	114	1	7	79	27
Edgefield	185	1	–	1	36	9	10	5	4	2	1	5	4	78	60	–	6	37	17
Fairfield	225	1	–	5	41	9	10	6	3	4	2	7	2	111	89	–	5	33	51
Florence	1,014	2	–	10	190	52	42	15	31	7	3	40	29	540	416	2	32	220	162
Florence	353	1	–	6	73	22	13	5	13	2	–	18	13	199	143	–	15	65	63
Balance of county	661	1	–	4	117	30	29	10	18	5	3	22	16	341	273	2	17	155	99
Georgetown	355	–	–	3	75	20	26	6	9	2	–	12	9	156	104	–	11	68	25
Georgetown	135	–	–	2	22	10	6	1	2	–	–	3	3	61	31	–	6	20	5
Balance of county	220	–	–	1	53	10	20	5	7	2	–	9	6	95	73	–	5	48	20
Greenville	2,347	4	1	39	497	118	142	39	70	17	19	92	42	1,130	868	4	21	557	286
Greenville	669	3	–	16	134	31	36	12	23	3	5	24	15	314	232	1	7	133	91
Greer, part	173	–	–	1	27	9	8	1	3	2	–	4	2	89	61	1	1	42	17
Greer, total	208	–	–	1	34	12	8	1	5	2	–	5	2	108	76	1	1	56	18
Balance of county	1,505	1	1	22	336	78	98	26	44	12	14	64	25	727	575	2	13	382	178
Greenwood	528	1	–	3	105	30	32	10	9	4	5	15	8	278	199	1	21	126	51
Greenwood	268	–	–	1	53	12	14	5	7	2	3	10	5	147	104	1	14	64	25
Balance of county	260	1	–	2	52	18	18	5	2	2	2	5	3	131	95	–	7	62	26
Hampton	175	1	–	4	43	10	10	3	6	3	3	8	4	75	52	–	2	38	12
Horry	909	–	–	9	200	47	48	16	13	12	10	54	17	435	348	4	7	267	70
Conway	115	–	–	–	24	8	6	3	2	–	2	3	2	55	36	–	3	29	4
Myrtle Beach	154	–	–	4	36	5	8	4	1	3	2	13	–	68	59	–	1	47	11
Balance of county	640	–	–	5	140	34	34	9	10	9	6	38	15	312	253	4	3	191	55
Jasper	151	–	–	3	31	4	10	–	7	1	–	9	2	70	52	–	1	37	14
Kershaw	312	–	–	3	79	19	18	6	7	5	2	22	8	148	123	–	4	81	38
Lancaster	435	–	–	8	84	21	16	7	9	3	3	23	7	208	166	1	1	123	41
Laurens	519	–	–	8	120	42	34	7	14	5	3	15	14	244	181	1	5	126	49
Laurens	168	–	–	3	40	18	10	1	3	1	2	5	2	84	57	–	2	42	13
Balance of county	351	–	–	5	80	24	24	6	11	4	1	10	12	160	124	1	3	84	36
Lee	155	–	–	3	34	9	7	1	7	2	1	7	4	63	54	2	3	40	9
Lexington	914	–	–	15	216	49	67	14	24	8	10	44	21	404	326	3	12	232	79
Cayce	80	–	–	4	19	5	4	–	3	1	1	5	1	34	27	–	–	21	6
West Columbia	153	–	–	4	38	10	13	–	2	2	2	9	4	70	62	1	2	48	11
Balance of county	681	–	–	7	159	34	50	14	19	5	7	30	16	300	237	2	10	163	62
McCormick	81	1	–	2	16	4	3	1	4	–	2	2	–	38	31	–	–	18	13
Marion	328	1	–	3	62	17	17	3	8	–	5	12	8	144	103	–	1	75	27
Marlboro	310	2	–	2	56	18	14	4	7	3	1	9	1	146	89	–	–	72	17
Newberry	344	–	–	4	62	17	18	4	9	2	2	10	8	188	137	–	3	54	30
Oconee	415	1	–	6	74	9	21	6	10	3	7	18	7	216	148	1	16	93	38
Orangeburg	750	1	1	6	161	41	43	13	25	7	5	27	11	380	283	2	10	167	104
Orangeburg	164	–	–	2	31	9	6	3	5	1	1	6	4	88	60	1	2	38	19
Balance of county	586	1	1	4	130	32	37	10	20	6	4	21	7	292	223	1	8	129	85

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E989)
South Carolina	129	2,379	250	238	671	704	93	319	280	5	186	405	274	2,269	946	773	390	306	27
Urban places	44	755	78	73	237	192	29	92	70	1	43	121	66	718	157	209	113	78	12
Balance of area	85	1,624	172	165	434	512	64	227	210	4	143	284	208	1,551	789	564	277	228	15
Metropolitan counties	77	1,257	143	145	442	442	53	183	153	2	113	236	148	1,284	489	437	251	178	17
Urban places	36	537	61	62	192	157	22	75	59	1	38	101	55	558	126	164	91	64	10
Balance of area	41	720	82	83	250	285	31	108	94	1	75	135	93	726	363	273	160	114	7
Nonmetropolitan counties	52	1,122	107	93	229	262	40	136	127	3	73	169	126	985	457	336	139	128	10
Urban places	8	218	17	11	45	35	7	17	11	-	5	20	11	160	31	45	22	14	2
Balance of area	44	904	90	82	184	227	33	119	116	3	68	149	115	825	426	291	117	114	8
Abbeville	-	10	1	1	5	5	2	4	1	-	-	3	1	16	4	11	1	1	1
Aiken	10	74	11	13	30	25	3	9	13	-	6	12	9	87	25	29	11	10	-
Aiken	4	29	4	4	9	5	-	3	5	-	1	1	5	33	1	9	2	-	-
North Augusta	-	11	1	2	10	2	1	1	2	-	-	3	-	11	4	-	3	1	-
Balance of county	6	34	6	7	11	18	2	5	6	-	5	8	4	43	20	20	6	9	-
Allendale	1	16	1	2	2	1	1	1	2	-	-	1	2	11	10	1	1	2	-
Anderson	13	106	6	7	29	46	6	12	11	-	4	9	26	81	43	24	28	13	-
Anderson	4	43	1	-	16	12	1	3	4	-	1	6	7	33	5	9	4	3	-
Balance of county	9	63	5	7	13	34	5	9	7	-	3	3	19	48	38	15	24	10	-
Bamberg	5	15	1	-	-	7	-	2	3	-	-	4	1	14	10	5	2	1	-
Barnwell	1	18	2	1	5	4	2	1	3	-	-	3	-	15	8	4	-	1	1
Beaufort	2	33	1	2	13	13	1	3	3	1	10	12	2	45	17	18	9	4	-
Berkeley	1	36	6	5	14	12	1	4	4	-	6	10	5	45	38	25	14	8	1
Goose Creek	-	3	-	-	1	1	-	-	1	-	2	1	1	4	7	5	4	-	-
Hanahan	-	1	-	-	2	-	-	-	-	-	1	-	-	3	2	1	3	1	-
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	32	6	5	11	11	1	4	3	-	3	9	4	38	29	19	7	7	1
Calhoun	-	8	-	1	3	4	-	2	3	-	1	1	2	12	6	3	3	3	-
Charleston	8	157	12	22	46	61	10	25	27	-	16	47	20	203	64	71	29	27	2
Charleston	5	75	8	10	23	24	4	12	7	-	8	24	6	88	21	30	17	12	1
Mount Pleasant	1	12	1	1	2	5	-	5	-	-	-	1	-	14	6	4	2	1	-
North Charleston, part	1	9	1	1	3	7	1	1	1	-	3	8	5	17	7	7	3	6	-
North Charleston, total	1	9	1	1	3	7	1	1	1	-	3	8	5	17	7	7	3	6	-
Balance of county	1	61	2	10	18	25	5	7	19	-	5	14	9	86	31	30	7	8	1
Cherokee	5	28	6	1	8	18	2	4	2	-	1	1	5	31	14	5	7	2	-
Gaffney	2	21	5	1	8	11	2	2	1	-	-	1	2	15	3	2	5	1	-
Balance of county	3	7	1	-	-	7	-	2	1	-	1	-	3	16	11	3	2	1	-
Chester	2	23	4	1	3	7	1	3	5	-	4	4	3	26	15	11	2	3	-
Chesterfield	-	35	2	-	5	2	-	3	2	-	5	9	28	32	24	10	5	4	-
Clarendon	1	22	-	4	8	4	-	1	4	-	1	4	-	16	6	7	4	3	1
Colleton	2	50	3	6	5	10	1	5	9	1	5	2	1	35	17	14	4	3	-
Darlington	1	45	1	2	17	11	1	7	5	1	2	3	3	48	30	20	4	6	1
Dillon	2	40	1	1	7	8	-	6	5	-	-	2	18	29	11	8	2	5	-
Dorchester	3	44	6	5	13	8	2	4	4	-	6	8	6	32	23	17	8	11	-
Edgefield	-	16	-	2	2	-	3	5	4	-	2	2	2	9	5	9	-	1	1
Fairfield	1	15	2	4	9	8	1	1	-	-	2	5	3	15	8	8	2	3	-
Florence	3	106	6	9	14	19	2	9	9	-	11	25	7	64	36	32	6	8	1
Florence	1	46	4	5	1	7	-	3	2	-	1	8	2	17	11	5	2	1	1
Balance of county	2	60	2	4	13	12	2	6	7	-	10	17	5	47	25	27	4	7	-
Georgetown	3	40	7	2	10	10	-	7	2	-	2	10	2	28	23	15	5	8	-
Georgetown	2	24	3	1	3	4	-	3	-	-	2	3	1	9	7	10	2	3	-
Balance of county	1	16	4	1	7	6	-	4	2	-	-	7	1	11	16	5	3	3	-
Greenville	7	210	23	22	62	75	5	23	23	-	17	39	30	184	63	48	35	29	1
Greenville	3	65	7	7	16	17	2	7	5	-	2	10	9	71	8	17	9	13	1
Greer, part	-	22	6	-	9	6	1	-	4	-	1	3	2	20	2	4	1	1	-
Greer, total	-	26	6	-	9	7	1	1	4	-	1	3	2	22	5	4	1	3	-
Balance of county	4	123	10	15	37	52	2	16	14	-	14	26	19	93	53	27	25	15	-
Greenwood	1	68	6	4	12	9	2	5	7	-	-	7	2	50	19	10	5	5	-
Greenwood	1	35	4	3	7	2	2	4	3	-	-	4	-	27	3	6	3	1	-
Balance of county	-	33	2	1	5	7	-	1	4	-	-	3	2	23	16	4	2	4	-
Hampton	2	17	3	1	3	6	-	4	4	-	1	3	1	16	2	5	2	1	-
Horry	1	69	11	6	13	19	5	11	10	-	5	12	9	74	37	22	14	15	2
Conway	-	16	3	-	-	2	-	3	1	-	-	1	1	16	3	2	1	1	1
Myrtle Beach	-	8	-	1	4	5	2	1	2	-	1	3	4	11	2	4	5	2	-
Balance of county	1	45	8	5	9	12	3	7	7	-	4	8	4	45	32	16	8	12	1
Jasper	-	16	1	1	2	1	1	1	5	-	-	2	-	13	7	8	1	4	-
Kershaw	2	18	4	1	6	8	-	6	1	-	3	5	-	22	12	6	4	3	-
Lancaster	1	28	5	8	7	20	-	6	6	-	3	6	1	36	19	10	10	3	1
Laurens	2	48	6	7	15	7	1	2	2	-	4	5	2	53	14	14	8	6	-
Laurens	1	25	-	1	7	2	-	1	-	-	-	1	-	20	2	5	1	-	-
Balance of county	1	23	6	6	8	5	1	1	2	-	4	4	2	33	12	9	7	6	-
Lee	-	8	1	-	1	3	1	1	4	-	-	7	1	11	12	6	4	-	-
Lexington	3	52	10	13	26	35	2	16	5	1	6	12	4	62	31	23	23	7	5
Cayce	1	4	1	1	-	2	1	-	2	-	2	-	-	8	2	2	2	-	1
West Columbia	-	2	2	4	6	5	-	3	-	-	-	4	1	7	2	5	4	-	-
Balance of county	2	46	7	8	20	28	1	13	3	1	4	8	3	47	27	16	17	7	4
McCormick	1	6	-	-	2	2	-	1	-	-	1	1	1	7	4	2	3	-	-
Marion	2	36	-	3	7	9	-	11	5	-	2	12	9	28	13	9	3	4	-
Marlboro	2	53	2	-	9	10	2	3	6	-	-	4	2	27	7	22	7	4	-
Newberry	1	37	3	8	7	6	1	5	3	-	1	-	2	34	7	9	5	4	-
Oconee	1	40	16	11	6	10	2	10	1	-	3	5	-	43	12	12	4	3	-
Orangeburg	5	82	4	6	11	12	3	8	6	-	4	8	14	65	23	25	2	8	1
Orangeburg	1	24	1	2	5	1	1	-	-	-	1	-	1	15	4	9	-	2	-
Balance of county	4	58	3	4	6	11	2	8	6	-	3	8	13	50	19	16	2	6	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	559	–	–	6	117	21	38	7	17	6	3	25	8	287	206	–	6	153	47
Easley	124	–	–	1	19	6	1	1	8	1	1	3	2	72	51	–	2	39	10
Balance of county	435	–	–	5	98	15	37	6	11	5	2	22	6	215	155	–	4	114	37
Richland	2,264	3	–	41	465	125	132	42	47	24	17	78	45	952	725	2	36	454	233
Columbia	1,300	1	–	21	280	70	85	30	27	15	9	44	23	558	419	–	30	262	127
Balance of county	964	2	–	20	185	55	47	12	20	9	8	34	22	394	306	2	6	192	106
Saluda	171	–	–	3	37	7	7	10	5	1	–	7	1	92	55	–	3	44	8
Spartanburg	1,908	2	–	23	408	88	103	45	57	13	7	95	37	880	688	5	29	481	173
Greer, part	35	–	–	–	7	3	1	–	2	–	–	1	–	19	15	–	–	14	1
Spartanburg	525	1	–	9	114	26	34	18	11	2	1	22	6	247	186	2	10	109	65
Balance of county	1,348	1	–	14	287	59	68	27	44	11	6	72	31	614	487	3	19	358	107
Sumter	641	–	–	5	126	32	33	10	17	4	4	26	11	307	226	–	14	143	69
Sumter	289	–	–	3	53	16	12	5	7	2	–	11	6	145	95	–	9	58	28
Balance of county	352	–	–	2	73	16	21	5	10	2	4	15	5	162	131	–	5	85	41
Union	317	1	–	1	68	14	23	5	7	1	1	17	3	183	146	–	13	106	27
Union	131	–	–	–	29	5	12	1	2	–	–	9	1	78	59	–	6	39	14
Balance of county	186	1	–	1	39	9	11	4	5	1	1	8	2	105	87	–	7	67	13
Williamsburg	374	–	–	16	76	18	23	6	8	3	3	15	4	184	132	–	4	82	46
York	882	–	–	7	196	54	51	17	21	8	7	38	14	407	294	–	11	190	93
Rock Hill	364	–	–	2	75	29	20	6	5	5	3	7	7	171	113	–	5	72	36
Balance of county	518	–	–	5	121	25	31	11	16	3	4	31	7	236	181	–	6	116	57
South Dakota	6,533	6	–	48	1,342	375	287	95	190	60	68	267	98	3,306	2,587	23	36	1,849	679
Urban places	2,199	1	–	14	484	136	104	33	76	22	22	91	37	1,099	842	8	11	668	155
Balance of area	4,334	5	–	34	858	239	183	62	114	38	46	176	61	2,207	1,745	15	25	1,181	524
Metropolitan counties	889	1	–	7	207	57	44	15	38	8	8	37	19	419	330	5	–	275	50
Urban places	722	1	–	6	169	46	37	15	29	6	7	29	17	343	273	3	–	230	40
Balance of area	167	–	–	1	38	11	7	–	9	2	1	8	2	76	57	2	–	45	10
Nonmetropolitan counties	5,644	5	–	41	1,135	318	243	80	152	52	60	230	79	2,887	2,257	18	36	1,574	629
Urban places	1,477	–	–	8	315	90	67	18	47	16	15	62	20	756	569	5	11	438	115
Balance of area	4,167	5	–	33	820	228	176	62	105	36	45	168	59	2,131	1,688	13	25	1,136	514
Aurora	43	–	–	1	12	3	4	–	–	1	–	4	–	20	17	–	–	8	9
Beadle	205	–	–	–	50	18	12	1	11	–	2	6	2	98	69	1	–	50	18
Huron	162	–	–	–	44	15	11	1	10	–	2	5	2	81	59	1	–	44	14
Balance of county	43	–	–	–	6	3	1	–	1	–	–	1	–	17	10	–	–	6	4
Bennett	41	–	–	–	7	2	1	–	2	–	–	2	–	21	18	–	–	7	11
Bon Homme	91	–	–	–	21	6	3	2	3	1	3	3	2	54	40	–	–	30	10
Brookings	172	–	–	–	33	7	8	2	6	1	–	9	1	101	79	1	–	61	17
Brookings	99	–	–	–	17	2	6	1	3	–	–	5	1	56	41	1	–	31	9
Balance of county	73	–	–	–	16	5	2	1	3	1	–	4	–	45	38	–	–	30	8
Brown	325	–	–	1	58	20	9	5	6	4	2	12	6	195	140	–	2	115	23
Aberdeen	241	–	–	1	43	18	7	1	4	2	1	10	5	145	106	–	2	86	18
Balance of county	84	–	–	–	15	2	2	4	2	2	1	2	1	50	34	–	–	29	5
Brule	48	–	–	–	12	7	3	–	–	–	1	1	1	22	17	–	–	13	4
Buffalo	16	–	–	–	1	–	–	–	1	–	–	–	1	7	5	–	–	2	3
Butte	98	–	–	2	20	3	5	2	3	1	–	6	1	49	37	1	–	32	4
Campbell	17	–	–	–	4	2	1	–	–	–	–	1	–	8	8	–	–	7	1
Charles Mix	108	–	–	3	21	4	8	–	5	–	1	3	1	52	41	–	–	20	21
Clark	56	–	–	–	12	1	4	3	1	1	–	2	2	31	25	–	–	16	9
Clay	68	–	–	1	17	8	3	1	1	1	1	2	–	30	22	–	–	20	2
Vermillion	29	–	–	1	6	2	2	–	–	–	–	2	–	15	11	–	–	10	1
Balance of county	39	–	–	–	11	6	1	1	1	1	1	–	–	15	11	–	–	10	1
Codington	220	–	–	–	40	10	5	2	6	5	2	10	1	121	94	1	3	63	27
Watertown	185	–	–	–	34	8	5	2	4	4	2	9	1	102	79	–	3	57	19
Balance of county	35	–	–	–	6	2	–	–	2	1	–	1	–	19	15	1	–	6	8
Corson	30	–	–	–	5	–	1	–	–	–	–	4	1	14	12	–	–	7	5
Custer	66	–	–	–	14	3	4	–	4	–	1	2	–	26	22	1	1	14	8
Davison	184	–	–	2	43	11	6	7	7	4	2	6	–	101	81	–	3	58	20
Mitchell	155	–	–	–	34	9	5	5	5	4	2	4	–	86	70	–	3	50	17
Balance of county	29	–	–	2	9	2	1	2	2	–	–	2	–	13	11	–	–	8	3
Day	103	–	–	1	19	3	6	1	4	1	1	3	1	48	43	–	–	33	10
Deuel	70	–	–	–	21	7	2	–	3	–	4	5	–	31	26	–	–	24	2
Dewey	47	–	–	–	4	–	1	1	–	1	–	1	2	27	14	1	1	8	6
Douglas	42	–	–	–	6	1	4	–	–	–	1	–	1	24	21	–	–	14	7
Edmunds	72	–	–	–	14	3	5	2	–	2	1	1	–	50	36	–	1	32	3
Fall River	127	–	–	–	20	6	6	1	1	1	2	3	4	58	49	1	2	30	16
Faulk	41	–	–	–	6	2	–	1	1	–	–	2	–	23	17	–	–	12	5
Grant	100	–	–	–	28	8	9	3	1	2	–	5	–	50	43	–	–	29	14
Gregory	79	–	–	1	13	3	4	1	–	1	1	3	3	44	35	–	1	19	15
Haakon	22	–	–	–	7	1	3	1	1	–	–	1	1	14	13	1	1	7	4
Hamlin	78	–	–	1	19	3	6	3	–	1	1	5	1	38	31	–	3	13	15
Hand	58	–	–	2	16	4	3	2	2	1	2	2	2	30	18	–	–	16	2
Hanson	16	–	–	–	4	2	–	–	–	–	–	2	–	8	5	–	–	3	2
Harding	10	–	–	–	2	–	1	–	1	–	–	–	–	5	3	–	–	1	2
Hughes	104	–	–	–	28	7	8	1	2	2	3	5	1	50	32	–	–	28	4
Pierre	95	–	–	–	24	6	6	1	2	1	3	5	–	49	32	–	–	28	4
Balance of county	9	–	–	–	4	1	2	–	–	1	–	–	1	1	–	–	–	–	–
Hutchinson	137	–	–	1	28	8	3	2	4	1	2	8	3	65	45	–	1	30	14
Hyde	29	–	–	–	7	1	2	–	2	1	–	1	–	19	15	–	–	10	5
Jackson	26	–	–	–	4	1	1	1	1	–	–	–	1	11	10	–	1	9	–
Jerauld	29	–	–	–	4	2	–	–	1	–	–	1	–	18	14	–	–	9	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	2	68	9	2	17	11	3	6	2	–	4	8	5	38	24	11	8	3	1
Easley	1	16	4	–	5	2	–	1	–	–	1	–	1	15	3	1	1	–	–
Balance of county	1	52	5	2	12	9	3	5	2	–	3	8	4	23	21	10	7	3	1
Richland	10	172	18	27	117	67	9	42	29	1	16	33	22	236	52	59	33	35	5
Columbia	9	103	6	21	61	39	6	22	18	1	8	20	9	141	19	34	18	16	5
Balance of county	1	69	12	6	56	28	3	20	11	–	8	13	13	97	33	25	15	19	–
Saluda	–	29	7	1	2	4	2	–	–	–	2	1	–	17	6	1	–	3	–
Spartanburg	16	144	20	12	53	59	9	24	16	–	9	23	6	173	62	68	37	18	1
Greer, part	–	4	–	–	–	1	–	1	–	–	–	–	–	2	3	–	–	2	–
Spartanburg	6	42	10	3	18	12	5	6	2	–	2	9	1	48	14	15	11	4	1
Balance of county	10	98	10	9	35	46	4	17	14	–	7	14	5	123	45	53	26	12	–
Sumter	2	72	3	4	10	15	1	4	5	–	7	18	4	65	29	17	7	9	1
Sumter	1	47	–	2	8	8	–	1	3	–	1	7	1	35	7	5	1	4	1
Balance of county	1	25	3	2	2	7	1	3	2	–	6	11	3	30	22	12	6	5	–
Union	–	35	1	1	6	4	2	2	4	–	1	2	1	17	8	4	9	1	–
Union	–	18	1	–	3	–	–	2	1	–	–	–	1	10	–	2	4	–	–
Balance of county	–	17	–	1	3	4	2	–	3	–	1	2	–	7	8	2	5	1	–
Williamsburg	3	46	2	1	8	5	2	1	5	–	1	5	4	33	18	5	–	7	–
York	1	88	16	8	21	24	1	9	10	–	12	10	8	77	28	30	19	9	–
Rock Hill	–	50	5	3	10	10	–	7	6	–	5	3	6	28	10	16	5	3	–
Balance of county	1	38	11	5	11	14	1	2	4	–	7	7	2	49	18	14	14	6	–
South Dakota	20	519	87	93	264	226	21	49	43	–	43	42	73	505	158	187	91	22	8
Urban places	5	189	30	33	91	73	6	22	4	–	13	10	20	189	35	57	32	8	4
Balance of area	15	330	57	60	173	153	15	27	39	–	30	32	53	317	123	130	59	14	4
Metropolitan counties	2	65	9	13	41	23	2	8	4	–	7	3	7	60	15	22	18	3	3
Urban places	–	52	7	11	30	18	2	6	2	–	5	2	6	70	12	15	12	3	3
Balance of area	2	13	2	2	11	5	–	2	2	–	2	1	1	10	3	7	6	–	–
Nonmetropolitan counties	18	454	78	80	223	203	19	41	39	–	36	39	66	426	143	165	73	19	5
Urban places	5	137	23	22	61	55	4	16	2	–	8	8	14	119	23	42	20	5	1
Balance of area	13	317	55	58	162	148	15	25	37	–	28	31	52	307	120	123	53	14	4
Aurora	–	1	–	2	1	2	–	1	–	–	1	–	2	1	–	–	2	–	–
Beadle	2	23	2	2	12	8	1	1	–	–	2	–	4	12	5	8	2	–	–
Huron	2	18	1	1	9	5	1	1	–	–	1	–	2	8	1	7	–	–	–
Balance of county	–	5	1	1	3	3	–	–	–	–	1	–	2	4	4	1	2	–	–
Bennett	–	3	–	–	1	1	–	–	1	–	1	–	–	5	2	1	1	–	–
Bon Homme	2	10	2	–	1	1	–	–	–	–	–	1	–	7	2	2	–	–	–
Brookings	1	21	–	–	7	3	1	–	1	–	1	–	1	13	5	2	2	–	1
Brookings	1	14	–	–	6	2	1	–	–	–	–	–	1	8	4	1	1	–	1
Balance of county	–	7	–	–	1	1	–	–	1	–	1	–	–	5	1	1	1	–	–
Brown	–	41	8	6	8	11	–	4	1	–	3	2	2	18	6	7	2	–	1
Aberdeen	–	31	4	4	7	9	–	3	–	–	2	1	2	13	3	5	2	–	–
Balance of county	–	10	4	2	1	2	–	1	1	–	1	1	–	5	3	2	–	–	1
Brule	–	3	2	–	–	2	–	–	1	–	–	1	2	3	–	1	2	1	–
Buffalo	–	1	1	–	–	–	–	–	–	–	–	1	2	3	1	–	–	–	–
Butte	2	8	2	–	5	4	–	–	–	–	–	2	2	4	5	3	1	–	–
Campbell	–	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	–	–	–
Charles Mix	–	10	–	1	6	2	–	–	–	–	–	–	2	5	7	5	2	2	–
Clark	–	4	1	1	2	–	–	1	–	–	–	1	1	4	1	–	1	–	–
Clay	–	8	–	–	1	5	–	1	–	–	1	–	–	7	1	4	–	–	–
Vermillion	–	4	–	–	–	3	–	1	–	–	1	–	–	2	–	–	–	–	–
Balance of county	–	4	–	–	1	2	–	–	–	–	–	–	–	5	1	4	–	–	–
Codington	–	14	5	8	13	12	–	2	1	–	3	–	2	14	3	5	3	–	–
Watertown	–	13	5	5	9	11	–	2	1	–	–	–	2	13	2	5	3	–	–
Balance of county	–	1	–	3	4	1	–	–	–	–	3	–	–	1	1	–	–	–	–
Corson	–	–	–	2	–	1	–	1	–	–	–	1	–	4	2	1	–	–	–
Custer	–	3	–	1	5	3	–	1	2	–	–	1	–	8	2	3	–	–	1
Davison	–	14	5	1	4	3	1	1	–	–	1	1	4	14	5	2	1	1	–
Mitchell	–	12	5	1	4	3	1	1	–	–	1	1	3	13	4	–	1	1	–
Balance of county	–	2	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
Day	–	5	–	–	4	4	–	–	–	–	–	1	2	12	4	3	3	–	1
Deuel	–	5	–	–	1	2	1	–	1	–	–	–	–	3	6	2	2	–	–
Dewey	–	11	1	1	1	–	–	1	–	–	3	2	–	3	1	3	–	–	–
Douglas	–	2	–	1	3	2	–	–	–	–	–	–	–	4	–	2	–	–	–
Edmunds	–	14	–	–	–	1	–	–	–	–	–	–	–	2	2	3	–	–	–
Fall River	1	5	2	1	10	6	–	2	–	–	–	1	5	16	1	3	1	–	–
Faulk	–	5	1	–	1	1	3	–	2	–	–	–	–	4	1	–	–	–	–
Grant	–	7	–	–	3	5	–	–	–	–	–	–	–	9	1	2	2	–	–
Gregory	–	6	2	1	4	3	1	–	1	–	1	–	–	3	3	1	1	–	–
Haakon	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hamlin	–	5	–	2	2	2	–	1	4	–	–	–	3	3	2	2	–	–	–
Hand	–	1	10	1	–	3	–	1	1	–	–	–	–	3	–	–	–	–	–
Hanson	–	–	1	–	1	–	–	–	–	–	–	–	1	2	–	2	–	–	–
Harding	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Hughes	–	9	6	3	4	1	1	–	–	–	–	–	1	7	1	8	2	–	–
Pierre	–	8	6	3	4	1	1	–	–	–	–	–	–	7	–	7	2	–	–
Balance of county	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Hutchinson	2	15	–	3	6	3	2	2	2	–	2	–	1	16	–	4	–	2	–
Hyde	–	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Jackson	–	1	–	–	1	–	–	–	–	–	1	–	1	3	2	1	1	–	–
Jerauld	1	3	–	–	1	2	–	–	–	–	–	–	–	4	–	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	9	-	-	-	3	1	2	-	-	-	-	-	-	2	1	-	-	1	-
Kingsbury	86	-	-	1	18	8	2	3	2	-	2	1	-	54	45	-	1	31	13
Lake	108	-	-	-	19	1	6	2	4	-	-	6	-	62	52	1	-	35	16
Lawrence	127	-	-	-	21	4	3	1	3	2	2	6	5	64	50	-	-	26	24
Lincoln	123	-	-	2	25	8	5	5	5	-	-	2	-	69	57	-	-	40	17
Sioux Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	123	-	-	2	25	8	5	5	5	-	-	2	-	69	57	-	-	40	17
Lyman	33	-	-	1	4	1	-	-	2	-	-	1	1	17	14	-	-	11	3
McCook	103	-	-	-	17	5	7	2	1	-	-	2	-	61	49	2	4	28	15
McPherson	52	-	-	-	14	6	3	2	1	-	1	1	-	28	20	-	1	16	3
Marshall	74	-	-	-	18	7	1	-	4	1	1	4	1	39	34	-	1	23	10
Meade	128	-	-	-	20	5	2	1	3	1	2	6	1	69	55	-	-	39	16
Mellette	27	-	-	-	4	-	1	-	-	-	-	3	-	10	8	-	-	3	5
Miner	80	-	-	2	17	6	4	2	-	1	2	2	-	36	26	-	-	22	4
Minnehaha	889	1	-	7	207	57	44	15	38	8	8	37	19	419	330	5	-	275	50
Sioux Falls, part	722	1	-	6	169	46	37	15	29	6	7	29	17	343	273	3	-	230	40
Sioux Falls, total	722	1	-	6	169	46	37	15	29	6	7	29	17	343	273	3	-	230	40
Balance of county	167	-	-	1	38	11	7	-	9	2	1	8	2	76	57	2	-	45	10
Moody	77	-	-	1	13	3	1	1	4	-	2	2	-	42	35	-	1	18	16
Pennington	522	-	-	5	110	28	24	5	18	6	6	23	9	218	166	3	4	118	41
Rapid City	404	-	-	5	87	22	19	5	14	4	5	18	9	184	125	2	3	92	28
Balance of county	118	-	-	-	23	6	5	-	4	2	1	5	-	54	41	1	1	26	13
Perkins	41	-	-	-	5	1	1	-	1	-	-	2	1	22	18	1	-	12	5
Potter	48	-	-	-	9	5	1	-	-	1	1	1	3	27	19	-	1	13	5
Roberts	128	-	-	-	22	6	-	2	4	1	-	9	3	76	63	-	-	39	24
Sanborn	41	-	-	-	11	4	2	1	1	1	-	2	-	21	17	-	1	10	6
Shannon	90	4	-	4	15	5	5	-	2	-	-	3	2	17	14	1	-	9	4
Spink	107	-	-	1	19	8	3	-	1	1	2	4	-	67	47	-	-	40	7
Stanley	9	-	-	-	2	1	-	-	-	-	1	-	-	5	4	-	-	1	3
Sully	15	-	-	-	5	2	1	-	-	1	-	1	-	4	3	-	-	-	3
Todd	75	-	-	1	8	3	2	-	2	-	-	1	1	22	19	-	-	7	12
Tripp	79	-	-	1	15	4	5	1	-	-	-	5	4	34	27	-	-	18	9
Turner	119	-	-	1	20	4	6	2	2	1	-	5	2	72	61	1	-	50	10
Union	101	1	-	1	24	8	5	2	3	1	2	3	3	49	43	-	1	31	11
Walworth	89	-	-	2	13	2	2	-	2	-	1	6	1	55	44	-	1	29	14
Yankton	159	-	-	1	42	13	8	3	7	1	2	8	2	77	62	1	-	53	8
Yankton	107	-	-	1	26	8	6	2	5	1	-	4	2	56	46	1	-	40	5
Balance of county	52	-	-	-	16	5	2	1	2	-	2	4	-	21	16	-	-	13	3
Ziebach	16	-	-	1	2	2	-	-	-	-	-	-	1	7	7	-	-	3	4
Tennessee	42,334	46	1	359	9,114	2,118	2,718	710	1,046	378	333	1,811	627	20,343	15,457	97	523	10,706	4,131
Urban places	20,845	27	1	213	4,613	1,116	1,344	373	551	196	176	857	320	9,772	7,390	44	325	4,739	2,282
Balance of area	21,489	19	-	146	4,501	1,002	1,374	337	495	182	157	954	307	10,571	8,067	53	198	5,967	1,849
Metropolitan counties	25,228	29	1	240	5,531	1,277	1,632	461	633	211	215	1,102	373	11,812	9,051	51	366	5,683	2,751
Urban places	17,831	25	1	191	3,954	956	1,152	325	465	167	152	737	272	8,291	6,305	33	294	3,925	2,053
Balance of area	7,397	4	-	49	1,577	321	480	136	168	44	63	365	101	3,521	2,746	18	72	1,958	698
Nonmetropolitan counties	17,106	17	-	119	3,583	841	1,086	249	413	167	118	709	254	8,531	6,406	46	157	4,823	1,380
Urban places	3,014	2	-	22	659	160	192	48	86	29	24	120	48	1,481	1,085	11	31	814	229
Balance of area	14,092	15	-	97	2,924	681	894	201	327	138	94	589	206	7,050	5,321	35	126	4,009	1,151
Anderson	577	-	-	1	133	35	42	12	15	4	7	18	8	276	202	5	4	145	48
Oak Ridge, part	212	-	-	-	50	14	18	5	4	2	3	4	2	95	70	1	2	48	19
Oak Ridge, total	221	-	-	-	52	15	18	5	5	2	3	4	3	98	72	1	2	50	19
Balance of county	365	-	-	1	83	21	24	7	11	2	4	14	6	181	132	4	2	97	29
Bedford	285	-	-	2	72	16	24	4	12	4	4	8	3	132	93	2	4	55	32
Shelbyville	169	-	-	2	39	8	12	3	6	2	3	5	2	76	50	2	3	30	15
Balance of county	116	-	-	-	33	8	12	1	6	2	1	3	1	56	43	-	1	25	17
Benton	172	-	-	-	30	8	7	2	2	-	2	9	-	109	86	-	3	53	30
Bledsoe	76	-	-	1	13	6	5	-	-	-	-	2	1	42	38	1	2	25	10
Blount	708	1	-	4	160	39	41	13	17	5	9	36	11	345	258	-	9	205	44
Maryville	227	-	-	1	44	17	7	6	4	2	1	7	3	120	89	-	2	67	20
Balance of county	481	1	-	3	116	22	34	7	13	3	8	29	8	225	169	-	7	138	24
Bradley	501	-	-	3	96	24	28	12	9	4	1	18	3	244	176	1	1	159	21
Cleveland	290	-	-	2	59	16	16	7	6	2	1	11	3	138	101	-	-	91	10
Balance of county	211	-	-	1	37	8	12	5	3	2	-	7	-	106	75	1	1	62	11
Campbell	359	-	-	3	95	16	37	5	12	3	6	16	5	153	113	1	5	78	29
Cannon	126	-	-	-	8	1	2	-	-	1	1	3	3	80	66	-	7	40	19
Carroll	320	-	-	2	59	18	15	3	7	-	3	13	6	178	132	4	-	102	26
Carter	496	-	-	5	93	18	25	5	14	-	2	29	9	253	190	-	-	133	57
Elizabethton	169	-	-	1	27	10	8	2	4	-	1	4	4	97	66	-	-	45	21
Johnson City, part	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Balance of county	325	-	-	4	65	8	19	3	9	-	1	25	5	156	124	-	-	88	36
Cheatham	157	-	-	3	27	6	8	3	2	-	-	8	-	74	61	-	-	46	15
Chester	116	-	-	2	17	4	3	2	2	1	1	4	3	63	42	-	1	38	5
Claiborne	246	1	-	-	51	8	26	3	2	3	1	8	3	141	112	1	6	82	23
Clay	82	-	-	1	15	6	2	-	1	1	1	4	2	39	30	-	1	26	3
Cocke	314	-	-	2	62	16	13	6	13	2	3	9	5	150	114	-	-	100	14
Coffee	370	-	-	5	90	24	20	4	7	6	3	26	6	170	129	2	2	96	29
Tullahoma, part	147	-	-	1	44	11	11	3	4	3	2	10	1	60	42	-	-	36	6
Tullahoma, total	150	-	-	1	45	12	11	3	4	3	2	10	1	61	43	-	-	37	6
Balance of county	223	-	-	4	46	13	9	1	3	3	1	16	5	110	87	2	2	60	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–
Kingsbury	–	9	–	–	2	2	–	–	2	–	–	–	–	6	–	1	–	–	–
Lake	–	5	2	3	6	4	–	–	2	–	–	2	1	8	–	2	2	–	–
Lawrence	–	10	1	3	2	8	1	–	2	–	1	1	–	9	4	3	6	–	–
Lincoln	–	10	2	–	6	6	–	1	–	–	–	–	1	7	–	4	2	–	–
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	10	2	–	6	6	–	1	–	–	–	–	1	7	–	4	2	–	–
Lyman	–	2	–	1	–	2	–	–	–	–	–	–	1	2	2	3	–	–	–
McCook	2	6	3	1	6	3	2	1	1	–	–	1	–	10	–	1	–	–	–
McPherson	1	7	–	–	1	–	1	–	–	–	1	1	–	2	–	2	2	–	–
Marshall	–	2	1	2	–	2	–	–	1	–	–	–	–	5	5	2	1	–	–
Meade	1	6	4	3	3	8	–	–	1	–	1	–	1	11	6	6	3	–	–
Mellette	–	2	–	–	2	–	–	–	–	–	–	–	2	2	2	4	–	1	–
Miner	–	7	2	1	8	4	–	–	1	–	–	–	1	9	–	1	1	–	–
Minnehaha	2	65	9	13	41	23	2	8	4	–	7	3	7	80	15	22	18	3	3
Sioux Falls, part	–	52	7	11	30	18	2	6	2	–	5	2	6	70	12	15	12	3	3
Sioux Falls, total	–	52	7	11	30	18	2	6	2	–	5	2	6	70	12	15	12	3	3
Balance of county	2	13	2	2	11	5	–	2	2	–	2	1	1	10	3	7	6	–	–
Moody	–	6	–	1	2	2	–	–	2	–	–	–	1	7	4	3	–	–	–
Pennington	1	37	3	11	26	29	–	8	1	–	3	7	4	57	10	20	10	5	–
Rapid City	1	30	2	6	20	20	–	6	–	–	3	6	2	43	8	17	10	4	–
Balance of county	–	7	1	5	6	9	–	2	1	–	–	1	2	14	2	3	–	1	–
Perkins	–	1	–	3	2	–	–	1	1	–	1	1	1	3	1	2	–	–	–
Potter	–	7	–	1	–	5	–	–	1	–	–	1	–	–	1	1	–	–	–
Roberts	–	9	2	2	5	5	–	1	–	–	–	–	–	9	4	2	–	1	–
Sanborn	–	3	1	–	1	1	–	1	–	–	–	–	–	5	1	–	–	–	–
Shannon	–	2	–	1	4	5	–	3	2	–	1	2	3	6	9	7	3	2	1
Spink	–	18	2	–	2	7	1	–	–	–	1	1	1	1	2	3	1	–	–
Stanley	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Sully	–	1	–	–	2	–	–	–	–	–	1	1	–	1	–	1	–	–	–
Todd	–	3	–	–	2	–	1	2	2	–	2	4	4	9	9	3	1	4	–
Tripp	–	6	1	–	6	3	–	–	–	–	1	–	1	7	2	3	2	–	–
Turner	–	9	–	2	8	1	1	–	–	–	1	–	–	7	1	3	2	–	–
Union	–	5	–	1	5	4	–	1	1	–	1	1	1	4	1	2	2	–	–
Walworth	1	7	2	1	9	3	–	–	–	–	–	1	–	4	–	1	–	–	–
Yankton	1	10	–	4	2	3	–	2	1	–	1	–	4	16	6	–	2	–	–
Yankton	1	7	–	2	2	1	–	2	1	–	–	–	2	12	1	–	1	–	–
Balance of county	–	3	–	2	–	2	–	–	–	–	1	–	2	4	5	–	1	–	–
Ziebach	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Tennessee	129	3,694	474	369	1,128	1,455	116	396	424	6	251	380	1,028	3,289	1,160	1,047	661	420	83
Urban places	62	1,951	200	169	557	693	53	221	224	3	131	230	484	1,751	445	498	321	264	26
Balance of area	67	1,943	274	220	571	762	63	175	200	3	120	150	544	1,538	715	551	340	156	57
Metropolitan counties	72	2,229	234	226	655	857	62	251	247	4	155	265	704	2,073	646	587	403	291	42
Urban places	53	1,623	165	145	477	587	45	185	192	3	115	207	437	1,529	362	410	281	245	22
Balance of area	19	606	69	81	178	270	17	66	55	1	40	58	267	544	284	177	122	46	20
Nonmetropolitan counties	57	1,665	240	183	473	598	54	145	177	2	96	115	324	1,216	514	460	258	129	41
Urban places	9	328	35	24	80	106	8	36	32	–	16	23	47	222	83	86	40	19	4
Balance of area	48	1,337	205	159	393	492	46	109	145	2	80	92	277	994	431	374	218	110	37
Anderson	1	55	12	6	8	22	2	6	4	–	1	2	24	39	17	19	10	3	3
Oak Ridge, part	–	18	4	3	2	8	1	4	–	–	1	1	8	17	6	8	6	1	2
Oak Ridge, total	–	19	4	3	2	9	1	4	–	–	1	1	9	17	6	8	7	1	2
Balance of county	1	37	8	3	6	14	1	2	4	–	–	1	16	21	11	11	4	2	1
Bedford	2	30	1	6	6	7	–	1	3	–	4	2	3	26	11	9	3	1	–
Shelbyville	2	20	–	4	4	5	–	–	2	–	3	2	1	15	9	6	3	–	–
Balance of county	–	10	1	2	2	2	–	1	1	–	1	–	2	11	2	3	–	1	–
Benton	–	21	–	2	–	5	–	1	1	–	–	–	1	7	7	4	4	1	2
Bledsoe	–	3	–	1	4	1	–	–	–	–	2	–	–	3	3	5	–	1	–
Blount	2	71	9	5	12	35	2	11	1	–	3	7	30	49	15	9	9	1	3
Maryville	–	27	2	2	3	13	1	2	–	–	1	1	12	14	3	5	3	–	1
Balance of county	2	44	7	3	9	22	1	9	1	–	2	6	18	35	12	4	6	1	2
Bradley	2	53	6	7	12	10	1	6	2	–	9	2	13	47	25	16	7	5	–
Cleveland	2	30	2	3	2	4	–	2	2	–	4	1	9	29	18	10	6	2	–
Balance of county	–	23	4	4	10	6	1	4	–	–	5	1	4	19	7	6	1	3	–
Campbell	–	36	2	2	10	20	1	2	1	–	2	2	8	26	12	7	5	6	1
Cannon	–	14	–	–	–	5	–	–	2	–	–	1	1	11	4	4	5	2	–
Carroll	–	30	14	2	11	13	–	2	4	–	2	1	–	23	3	12	2	1	1
Carter	–	45	12	6	12	19	3	5	4	–	3	2	22	37	15	8	3	3	–
Elizabethton	–	24	5	2	2	5	2	1	3	–	–	–	4	13	2	6	1	1	–
Johnson City, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of county	–	21	7	4	10	14	1	4	1	–	2	2	18	24	13	2	2	2	–
Cheatham	–	11	1	1	4	6	–	2	1	–	2	4	3	9	12	5	2	2	1
Chester	–	20	–	1	3	3	–	2	–	–	1	–	1	9	4	5	3	–	–
Claiborne	–	27	–	2	11	6	–	–	–	–	3	3	–	8	5	6	6	1	1
Clay	–	8	–	1	1	4	2	2	–	–	1	–	–	8	1	3	1	1	1
Cocke	4	30	1	1	9	13	–	3	6	1	2	1	7	19	12	12	3	6	1
Coffee	3	31	5	2	10	17	1	6	2	–	–	7	1	30	8	10	4	2	1
Tullahoma, part	1	13	3	1	3	6	1	3	–	–	–	5	1	13	2	4	2	–	1
Tullahoma, total	1	13	3	1	4	6	1	3	–	–	–	5	1	13	2	4	2	–	1
Balance of county	2	18	2	1	7	11	–	3	2	–	–	2	–	17	6	6	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	168	-	-	2	30	6	10	1	5	1	1	6	1	90	61	-	1	51	9
Cumberland	289	-	-	2	54	12	14	6	4	3	1	14	5	147	103	-	7	79	17
Davidson	4,276	7	-	48	934	219	294	69	101	40	33	178	63	1,915	1,463	12	105	611	535
Nashville-Davidson	4,213	7	-	48	925	217	291	69	99	39	33	177	62	1,883	1,439	12	105	796	526
Balance of county	63	-	-	-	9	2	3	-	2	1	-	1	1	32	24	-	-	15	9
Decatur	112	-	-	-	23	7	5	2	5	2	-	2	1	55	47	-	-	29	18
De Kalb	143	-	-	1	25	7	3	2	4	1	1	7	2	72	57	-	-	42	15
Dickson	299	-	-	1	56	7	18	6	9	-	4	12	4	157	120	1	-	98	21
Dyer	387	-	-	1	86	17	24	7	9	3	4	22	5	162	127	1	1	102	23
Dyersburg	192	-	-	-	46	8	13	3	6	2	3	11	3	83	61	1	-	48	12
Balance of county	195	-	-	1	40	9	11	4	3	1	1	11	2	79	66	-	1	54	11
Fayette	241	-	-	-	45	6	8	4	8	5	2	12	2	119	81	-	1	61	19
Fentress	154	-	-	2	36	7	9	4	5	1	-	10	1	67	49	-	1	37	11
Franklin	295	-	-	6	61	14	21	4	4	3	2	13	8	143	106	-	7	71	28
Tullahoma, part	3	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	292	-	-	6	60	13	21	4	4	3	2	13	8	142	105	-	7	70	28
Gibson	557	-	-	9	127	23	35	10	27	3	6	23	5	290	202	-	1	172	29
Humboldt	109	-	-	1	23	5	5	2	2	2	3	4	4	55	36	-	-	32	4
Balance of county	448	-	-	8	104	18	30	8	25	1	3	19	1	235	166	-	1	140	25
Giles	287	-	-	4	57	15	16	3	4	5	1	13	6	145	114	-	3	84	27
Grainger	159	-	-	-	30	7	15	2	1	-	1	4	5	66	43	1	3	31	8
Greene	535	-	-	7	107	28	25	9	17	6	3	19	8	266	219	-	5	150	64
Greeneville	163	-	-	5	28	8	3	4	6	3	1	3	3	83	65	-	1	40	24
Balance of county	372	-	-	2	79	20	22	5	11	3	2	16	5	183	154	-	4	110	40
Grundy	138	1	-	-	25	6	7	4	1	1	2	4	2	54	44	1	1	35	7
Hamblen	434	2	-	1	91	16	34	8	7	6	5	15	8	214	154	2	1	133	18
Morristown	238	2	-	-	55	11	22	4	6	2	2	8	5	121	79	2	-	67	10
Balance of county	196	-	-	1	36	5	12	4	1	4	3	7	3	93	75	-	1	66	8
Hamilton	2,658	4	-	22	583	137	178	70	66	23	15	94	43	1,335	1,070	6	27	832	205
Chattanooga	1,709	3	-	16	375	87	115	50	45	15	8	55	28	852	678	4	18	526	130
East Ridge	177	-	-	-	42	11	11	4	4	4	2	6	2	101	82	-	3	61	18
Red Bank	81	-	-	-	18	7	6	-	2	1	-	2	2	46	37	-	-	30	7
Balance of county	691	1	-	6	148	32	46	16	15	3	5	31	11	336	273	2	6	215	50
Hancock	77	-	-	-	11	2	4	-	-	2	-	3	-	41	32	-	-	27	5
Hardeman	239	1	-	2	52	16	18	1	3	-	3	11	2	117	98	-	2	79	17
Hardin	244	-	-	3	58	15	22	2	4	2	1	12	1	127	90	-	-	59	31
Hawkins	383	-	-	1	81	22	23	7	9	2	1	17	5	195	162	-	10	118	34
Kingsport, part	5	-	-	-	2	1	-	-	1	-	-	-	-	2	2	-	-	2	-
Balance of county	378	-	-	1	79	21	23	7	8	2	1	17	5	193	160	-	10	116	34
Haywood	223	1	-	1	43	15	11	2	8	1	-	6	4	129	96	-	3	73	20
Henderson	230	-	-	-	44	11	11	3	7	2	2	8	7	129	82	1	1	67	13
Henry	375	-	-	4	79	17	24	3	14	4	2	15	9	199	142	-	11	104	27
Paris	183	-	-	2	41	8	16	-	7	3	-	7	4	98	85	-	6	46	13
Balance of county	192	-	-	2	38	9	8	3	7	1	2	8	5	100	77	-	5	58	14
Hickman	145	1	-	-	32	5	10	2	3	2	1	9	-	71	59	2	2	36	19
Houston	67	-	-	1	9	2	3	-	1	-	1	2	1	33	20	-	-	11	9
Humphreys	152	-	-	1	34	7	12	4	2	-	1	8	-	83	65	1	1	35	28
Jackson	115	-	-	-	22	7	6	3	1	1	-	4	1	67	42	-	1	35	6
Jefferson	270	2	-	-	54	13	17	4	4	4	4	8	3	151	114	1	1	94	18
Johnson	140	-	-	2	33	8	10	2	2	2	-	9	2	60	48	-	1	31	16
Knox	2,845	2	1	17	605	138	190	47	56	24	28	122	40	1,124	814	6	19	594	195
Knoxville	1,922	2	1	10	404	97	134	26	40	15	18	74	31	776	569	2	15	413	139
Balance of county	923	-	-	7	201	41	56	21	16	9	10	48	9	348	245	4	4	181	56
Lake	91	1	-	-	26	5	9	-	2	1	-	9	2	34	29	-	2	21	6
Lauderdale	264	-	-	3	67	15	21	8	11	1	2	9	2	119	87	1	3	70	13
Lawrence	330	-	-	1	78	15	29	6	5	5	1	17	2	177	141	-	1	112	28
Lawrenceburg	127	-	-	-	34	6	17	-	1	3	-	7	1	67	55	-	-	43	12
Balance of county	203	-	-	1	44	9	12	6	4	2	1	10	1	110	86	-	1	69	16
Lewis	87	-	-	-	24	3	12	1	2	1	-	5	-	42	38	-	-	28	10
Lincoln	305	-	-	3	58	18	18	2	5	3	1	11	6	147	119	1	-	79	39
Loudon	289	-	-	1	59	21	14	2	7	3	-	12	7	142	109	1	3	83	22
McMinn	380	2	-	3	76	18	21	7	11	4	1	14	4	191	155	-	4	126	25
Athens	117	-	-	-	19	7	8	-	2	-	-	2	1	58	49	-	3	39	7
Balance of county	263	2	-	3	57	11	13	7	9	4	1	12	3	133	106	-	1	87	18
McNairy	216	-	-	1	40	6	15	3	5	2	2	7	-	118	88	2	1	73	12
Macon	162	-	-	2	35	11	9	1	3	4	-	7	1	77	59	-	1	38	20
Madison	748	-	-	7	154	38	44	12	24	5	2	29	12	377	267	1	3	197	66
Jackson	547	-	-	5	113	33	33	9	15	1	2	20	8	272	194	-	3	140	51
Balance of county	201	-	-	2	41	5	11	3	9	4	-	9	4	105	73	1	-	57	15
Marion	233	-	-	2	47	7	19	3	5	-	3	10	4	119	92	3	-	60	29
Marshall	225	-	-	-	50	9	13	4	7	1	1	15	4	130	100	-	2	87	11
Maury	575	-	-	2	135	27	33	12	13	10	8	32	4	284	206	5	11	136	54
Columbia	312	-	-	1	75	14	12	8	10	5	6	20	2	148	111	4	8	66	33
Balance of county	263	-	-	1	60	13	21	4	3	5	2	12	2	136	95	1	3	70	21
Meigs	45	-	-	-	12	1	5	1	1	1	-	3	-	23	18	-	-	12	6
Monroe	274	-	-	3	77	22	27	3	8	5	4	8	7	105	82	-	1	72	9
Montgomery	544	-	-	7	133	41	40	10	11	6	3	22	4	236	176	-	6	130	40
Clarksville	356	-	-	5	91	27	24	6	10	5	2	17	2	151	110	-	4	84	22
Balance of county	188	-	-	2	42	14	16	4	1	1	1	5	2	85	66	-	2	46	18
Moore	37	-	-	-	13	1	4	1	3	1	-	3	-	13	10	-	-	7	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	–	20	8	1	5	6	–	–	–	–	1	4	2	12	7	4	4	–	–
Cumberland	–	32	9	3	8	16	1	5	1	–	2	–	1	22	10	11	2	–	2
Davidson	15	381	31	25	118	168	11	56	50	–	28	50	38	417	115	109	82	64	3
Nashville-Davidson	14	375	31	24	118	166	10	56	50	–	28	50	37	412	109	105	82	63	2
Balance of county	1	6	–	1	–	2	1	–	–	–	–	–	1	5	6	4	–	1	1
Decatur	–	6	–	2	4	4	–	–	–	–	–	4	–	5	8	2	4	1	1
De Kalb	1	10	2	2	2	3	–	–	5	–	–	–	3	16	5	4	5	–	–
Dickson	1	34	1	1	5	4	1	2	5	–	–	–	6	30	12	8	6	1	1
Dyer	1	25	5	4	16	17	1	4	5	–	3	6	17	30	15	9	8	1	1
Dyersburg	1	16	3	2	7	7	1	4	3	–	–	3	9	9	6	6	3	1	1
Balance of county	–	9	2	2	9	10	–	–	2	–	3	3	8	21	9	3	5	–	–
Fayette	2	33	–	3	9	4	1	1	4	–	–	3	14	15	9	8	3	4	–
Fentress	1	7	10	–	11	6	–	–	2	–	–	1	4	8	5	5	5	1	–
Franklin	1	24	7	5	10	6	2	4	4	–	2	1	2	20	11	10	2	2	1
Tullahoma, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	24	7	5	9	6	2	4	4	–	2	1	2	20	11	10	2	2	1
Gibson	–	64	18	6	16	24	5	1	13	–	–	4	2	39	10	7	4	1	–
Humboldt	–	19	–	–	–	4	–	–	5	–	–	–	1	12	1	2	1	–	–
Balance of county	–	45	18	6	16	20	5	1	8	–	–	4	1	27	9	5	3	1	–
Giles	1	27	1	2	2	8	–	4	7	–	1	1	1	30	13	5	7	4	–
Grainger	1	17	4	1	3	5	–	1	1	–	–	–	28	9	4	6	1	–	–
Greene	2	37	5	3	30	12	3	6	4	–	1	2	8	38	17	14	8	3	1
Greeneville	–	17	1	–	12	3	–	4	2	–	–	–	–	8	6	7	2	–	–
Balance of county	2	20	4	3	18	9	3	2	2	–	1	2	8	30	11	7	6	3	1
Grundy	–	8	1	1	9	9	1	3	2	–	2	–	3	18	3	4	–	–	–
Hamblen	–	54	2	4	13	20	1	8	5	–	4	3	5	18	17	9	10	3	2
Morristown	–	39	1	2	5	10	1	6	1	–	2	–	–	9	9	5	4	2	1
Balance of county	–	15	1	2	8	10	–	2	4	–	2	3	5	9	8	4	6	1	1
Hamilton	9	215	11	30	86	70	6	26	23	2	14	28	19	198	74	56	40	26	3
Chattanooga	7	142	11	14	63	44	5	21	18	2	11	21	13	126	32	39	17	20	3
East Ridge	–	19	–	–	3	5	–	–	1	–	–	–	1	13	2	5	2	–	–
Red Bank	–	7	–	2	2	2	–	–	–	–	–	–	–	3	2	3	3	–	–
Balance of county	2	47	–	14	18	19	1	5	4	–	3	7	5	56	38	9	18	6	–
Hancock	–	5	2	2	1	5	–	–	–	–	2	–	–	7	5	2	3	–	–
Hardeman	–	16	3	–	5	6	–	2	5	–	–	3	3	15	10	6	7	3	–
Hardin	2	34	–	1	4	11	–	3	–	–	2	2	1	9	12	5	3	3	–
Hawkins	–	21	5	7	11	19	3	1	–	–	1	–	7	25	9	15	6	3	1
Kingsport, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	21	5	7	11	18	3	1	–	–	1	–	7	25	9	15	6	3	1
Haywood	2	29	1	1	3	3	–	–	2	–	2	1	1	21	–	8	1	2	1
Henderson	3	41	2	1	6	7	–	2	1	–	2	4	3	18	2	2	2	2	–
Henry	2	40	8	7	11	16	1	2	7	–	–	2	1	19	6	10	6	3	–
Paris	1	26	5	2	6	6	1	1	3	–	–	–	–	9	1	6	2	2	–
Balance of county	1	14	3	5	5	10	–	1	4	–	–	2	1	10	5	4	4	1	–
Hickman	–	10	–	2	3	9	–	2	1	–	5	–	1	10	6	2	1	1	–
Houston	1	11	1	–	2	6	1	–	1	–	–	–	1	7	1	2	1	1	–
Humphreys	1	15	–	2	1	4	1	2	1	–	1	2	4	8	1	3	4	2	–
Jackson	–	20	3	2	3	2	–	–	1	–	–	–	3	4	5	4	3	–	–
Jefferson	2	32	1	2	9	3	1	1	2	–	4	–	6	15	7	6	2	4	–
Johnson	–	10	1	1	3	3	–	1	3	–	1	1	1	13	8	1	5	2	1
Knox	7	263	16	24	65	98	6	25	23	1	16	17	387	233	68	51	40	21	5
Knoxville	7	175	14	11	47	63	3	16	16	–	8	9	268	158	32	30	25	18	5
Balance of county	–	88	2	13	18	35	3	9	7	1	8	8	119	75	36	21	15	3	–
Lake	–	2	3	–	4	1	1	–	–	–	–	–	6	8	3	3	–	2	–
Lauderdale	1	25	2	4	7	12	1	2	2	–	1	4	1	24	6	5	5	2	1
Lawrence	–	32	–	4	7	16	–	–	5	–	2	1	1	23	7	5	4	1	–
Lawrenceburg	–	12	–	–	2	7	–	–	3	–	–	1	–	8	4	–	–	–	–
Balance of county	–	20	–	4	5	9	–	–	2	–	2	–	1	15	3	5	4	1	–
Lewis	–	4	–	–	2	4	–	–	–	–	1	2	–	5	2	3	2	–	–
Lincoln	2	19	2	5	10	5	2	5	4	–	–	4	8	24	12	8	7	1	1
Loudon	1	28	3	1	3	13	3	2	1	–	3	3	4	22	15	5	3	3	–
McMinn	–	36	–	–	10	10	2	2	8	–	1	5	5	25	13	11	4	5	3
Athens	–	9	–	–	4	4	–	1	2	–	–	3	3	11	5	2	3	1	–
Balance of county	–	27	–	–	6	6	2	1	6	–	1	2	2	14	8	9	1	4	3
McNairy	3	23	3	1	5	8	–	3	2	–	–	1	1	16	6	5	5	2	1
Macon	–	15	1	2	11	2	1	–	3	–	–	–	6	6	7	7	2	–	–
Madison	–	93	12	5	18	35	3	9	7	–	5	6	9	59	14	18	5	9	1
Jackson	–	65	9	4	13	27	2	7	6	–	2	6	5	46	8	15	3	8	1
Balance of county	–	28	3	1	5	8	1	2	1	–	3	–	4	13	6	9	2	1	–
Marion	2	20	1	4	3	11	–	4	4	–	1	–	2	16	7	7	2	1	3
Marshall	2	19	7	2	4	1	–	–	5	–	1	1	–	10	6	10	–	1	2
Maury	1	70	4	3	20	18	7	7	1	–	1	2	8	45	12	17	10	2	–
Columbia	–	35	1	1	11	11	2	4	–	–	–	–	7	27	6	10	6	2	–
Balance of county	1	35	3	2	9	7	5	3	1	–	1	2	1	18	6	7	4	–	–
Meigs	–	4	–	1	1	3	–	–	1	–	1	–	–	3	–	1	–	–	–
Monroe	–	18	2	3	3	6	–	1	3	–	1	2	19	20	10	10	2	5	–
Montgomery	1	54	–	5	11	21	–	4	4	–	5	10	20	35	22	15	8	6	3
Clarksville	1	36	–	4	6	11	–	4	3	–	2	10	8	27	9	12	6	6	3
Balance of county	–	18	–	1	5	10	–	–	1	–	3	–	12	8	13	3	2	–	–
Moore	–	1	1	1	1	3	–	–	–	–	1	–	–	2	1	2	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	158	–	–	–	27	7	8	1	4	2	1	4	3	71	54	–	–	31	23
Obion	346	–	–	2	49	14	15	3	6	1	1	9	4	215	161	1	6	131	23
Union City	117	–	–	1	13	3	5	1	3	–	–	1	1	76	64	–	4	52	8
Balance of county	231	–	–	1	36	11	10	2	3	1	1	8	3	139	97	1	2	79	15
Overton	161	–	–	–	40	12	17	1	3	2	1	4	3	97	81	–	2	61	18
Perry	84	–	–	1	12	2	4	1	1	–	2	2	–	39	31	–	–	20	11
Pickett	47	–	–	–	11	1	5	–	–	–	2	3	–	22	15	–	1	10	4
Polk	124	1	–	1	29	6	15	–	–	2	2	4	1	58	43	–	–	35	8
Putnam	441	–	–	3	97	26	26	5	11	6	3	20	6	213	143	1	8	115	19
Cookeville	153	–	–	1	38	11	11	1	9	1	1	4	3	81	58	1	2	51	4
Balance of county	288	–	–	2	59	15	15	4	2	5	2	16	3	132	85	–	6	64	15
Rhea	242	–	–	2	55	17	12	3	8	1	2	12	5	102	83	2	–	61	20
Roane	416	–	–	4	82	20	27	7	8	3	1	16	13	215	170	2	–	124	44
Oak Ridge, part	9	–	–	–	2	1	–	–	1	–	–	–	1	3	2	–	–	2	–
Balance of county	407	–	–	4	80	19	27	7	7	3	1	16	12	212	168	2	–	122	44
Robertson	346	–	–	2	64	12	12	4	7	1	5	23	12	171	135	–	3	109	23
Springfield	137	–	–	1	28	11	4	1	5	–	1	6	6	68	51	–	3	39	9
Balance of county	209	–	–	1	36	1	8	3	2	1	4	17	6	103	84	–	–	70	14
Rutherford	636	–	–	5	132	23	43	14	15	3	5	29	7	301	224	1	8	139	76
Murfreesboro	305	–	–	1	54	13	16	5	6	1	3	10	6	145	105	–	3	70	32
Balance of county	331	–	–	4	78	10	27	9	9	2	2	19	1	156	119	1	5	69	44
Scott	186	–	–	1	28	10	12	1	1	1	1	2	4	106	78	2	–	53	23
Sequatchie	79	–	–	1	11	4	2	2	–	–	–	3	1	51	49	–	1	36	12
Sevier	410	2	–	4	87	16	26	7	12	5	3	18	5	166	128	1	5	106	16
Shelby	6,788	11	–	95	1,515	372	398	119	195	65	64	302	90	3,270	2,477	14	128	1,399	936
Bartlett	37	–	–	1	7	2	2	1	1	–	1	–	–	17	11	–	–	8	3
Germantown	85	1	–	–	21	6	7	2	1	–	–	5	1	32	24	–	–	22	2
Memphis	6,317	10	–	92	1,424	344	377	110	187	63	61	282	83	3,042	2,302	14	114	1,287	887
Millington	80	–	–	1	15	4	5	1	1	1	1	2	1	36	27	–	4	18	7
Balance of county	269	–	–	1	48	16	7	5	5	1	1	13	5	143	113	–	10	66	37
Smith	141	2	–	2	37	6	10	1	3	2	1	12	3	69	52	–	–	39	13
Stewart	101	–	–	–	25	7	12	1	2	–	–	3	2	49	38	–	–	29	9
Sullivan	1,241	2	–	8	283	62	87	24	35	11	6	58	22	620	494	1	24	371	98
Bristol [7]	266	1	–	2	63	11	20	5	10	4	2	11	4	138	111	–	7	76	28
Kingsport, part	387	–	–	5	95	24	25	7	11	5	2	21	10	184	144	–	6	117	21
Kingsport, total	392	–	–	5	97	25	25	7	12	5	2	21	10	186	146	–	6	119	21
Balance of county	588	1	–	1	125	27	42	12	14	2	2	26	8	298	239	1	11	178	49
Sumner	671	1	–	6	148	26	49	13	13	6	3	38	10	319	259	2	2	148	107
Gallatin	194	1	–	1	48	10	17	5	4	1	1	10	3	87	71	–	–	30	41
Hendersonville	128	–	–	1	28	4	9	4	3	–	–	8	4	59	55	–	–	35	20
Balance of county	349	–	–	4	72	12	23	4	6	5	2	20	3	173	133	2	2	83	46
Tipton	297	1	–	2	56	17	15	–	8	3	2	11	4	159	128	–	2	98	28
Trousdale	65	–	–	–	12	2	3	–	3	–	–	4	4	33	21	1	1	17	2
Unicoi	199	–	–	1	46	8	14	4	6	3	3	8	2	86	72	–	–	49	23
Union	87	–	–	–	23	3	9	4	3	–	2	2	3	39	30	–	–	22	8
Van Buren	33	–	–	–	7	–	3	1	2	–	–	1	1	14	8	–	–	6	2
Warren	284	–	–	1	63	12	17	10	9	2	1	12	9	122	105	1	4	64	36
McMinnville	138	–	–	1	29	9	6	3	2	–	–	7	6	60	52	1	1	30	20
Balance of county	146	–	–	–	34	3	9	7	7	2	1	5	3	62	53	–	3	34	16
Washington	634	–	–	5	195	40	53	13	27	6	15	41	16	352	264	–	7	162	95
Johnson City, part	473	–	–	3	115	24	32	8	16	3	10	24	11	185	133	–	4	82	47
Johnson City, total	475	–	–	3	116	24	32	8	17	3	10	24	11	185	133	–	4	82	47
Balance of county	361	–	–	2	80	16	21	7	11	3	5	17	5	167	131	–	3	80	48
Wayne	136	–	–	–	30	8	5	3	8	2	1	5	1	70	49	1	2	33	13
Weakley	345	–	–	1	82	22	30	4	5	5	3	13	4	190	141	–	6	118	17
White	185	–	–	1	30	5	9	4	5	1	1	5	4	103	71	1	3	55	12
Williamson	402	–	–	3	97	22	31	8	5	7	1	23	5	179	130	–	6	85	39
Franklin	177	–	–	1	40	9	10	6	1	5	1	9	1	84	60	–	3	37	20
Balance of county	225	–	–	2	57	13	21	2	4	2	–	15	4	95	70	–	3	48	19
Wilson	472	–	–	1	109	19	41	11	14	2	4	18	10	236	181	–	5	93	63
Lebanon	172	–	–	1	37	6	16	4	5	1	1	4	6	91	69	–	1	34	34
Balance of county	300	–	–	–	72	13	25	7	9	1	3	14	4	145	112	–	4	59	49
Texas	117,021	121	8	1,554	23,741	5,529	6,834	1,843	2,461	866	940	5,268	1,976	51,581	39,990	225	1,317	24,105	14,343
Urban places	74,493	98	4	1,081	15,350	3,619	4,411	1,265	1,568	562	574	3,351	1,328	32,454	25,108	156	989	14,926	9,037
Balance of area	42,528	23	4	473	8,391	1,910	2,423	578	893	304	366	1,917	648	19,127	14,882	69	328	9,179	5,306
Metropolitan counties	85,065	104	7	1,223	17,688	4,121	5,120	1,425	1,793	638	681	3,910	1,488	36,671	28,586	186	1,105	16,934	10,361
Urban places	67,092	92	4	990	13,941	3,306	4,028	1,155	1,427	509	516	3,000	1,206	29,051	22,571	151	948	13,233	8,238
Balance of area	17,973	12	3	233	3,747	815	1,092	270	366	129	165	910	282	7,620	6,015	35	157	3,701	2,122
Nonmetropolitan counties	31,956	17	1	331	6,053	1,408	1,714	418	668	228	259	1,358	508	14,910	11,404	39	212	7,171	3,982
Urban places	7,401	6	–	91	1,409	313	383	110	141	53	58	351	122	3,403	2,537	5	41	1,693	798
Balance of area	24,555	11	1	240	4,644	1,095	1,331	308	527	175	201	1,007	386	11,507	8,867	34	171	5,478	3,184
Anderson	450	–	–	2	70	15	26	5	5	3	3	13	5	238	182	–	3	116	63
Palestine	250	–	–	–	39	12	12	3	2	2	2	6	4	138	103	–	2	62	39
Balance of county	200	–	–	2	31	3	14	2	3	1	1	7	1	100	79	–	1	54	24
Andrews	98	–	–	–	21	6	3	4	1	–	–	7	1	41	28	–	–	24	4
Andrews	83	–	–	–	18	4	3	4	1	–	–	6	1	35	24	–	–	20	4
Balance of county	15	–	–	–	3	2	–	–	–	–	–	1	–	6	4	–	–	4	–
Angelina	591	–	–	4	116	27	30	11	9	3	4	32	–	322	249	2	3	121	123
Lufkin	309	–	–	3	68	17	17	7	2	2	3	20	–	158	118	–	2	59	57
Balance of county	282	–	–	1	48	10	13	4	7	1	1	12	–	164	131	2	1	62	66

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	–	13	3	1	5	11	–	2	2	–	1	–	7	15	5	5	2	1	1
Obion	1	25	25	3	6	11	–	5	1	–	–	–	1	30	3	13	8	–	–
Union City	1	3	7	1	3	2	–	2	–	–	–	–	1	11	1	4	2	–	–
Balance of county	–	22	18	2	3	9	–	3	1	–	–	–	–	19	2	9	6	–	–
Overton	–	13	1	2	8	3	–	2	–	–	–	1	2	7	5	6	5	1	1
Perry	–	8	–	–	6	1	–	1	2	–	–	–	1	12	1	3	2	2	1
Pickett	–	6	–	1	–	2	1	1	1	–	–	–	1	7	–	1	–	–	–
Polk	–	11	2	2	6	6	–	1	–	–	1	1	1	5	6	4	1	1	1
Putnam	2	53	9	6	6	16	–	2	3	–	3	4	23	31	6	13	8	3	4
Cookeville	1	16	3	3	3	1	–	1	1	–	2	1	9	5	1	5	–	1	–
Balance of county	1	37	6	3	3	15	–	1	2	–	1	3	14	26	5	8	8	2	4
Rhea	3	15	1	–	6	10	2	1	6	–	3	1	3	17	12	9	4	2	2
Roane	1	32	3	9	6	20	–	4	2	–	2	1	4	26	8	12	12	4	1
Oak Ridge, part	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Balance of county	1	31	3	9	6	19	–	4	2	–	2	1	3	26	8	12	11	4	1
Robertson	1	25	7	3	4	18	2	2	5	–	1	2	5	27	12	11	6	1	1
Springfield	–	13	3	1	1	5	2	1	3	–	–	1	3	11	3	3	1	–	–
Balance of county	1	12	4	2	3	13	–	1	2	–	1	1	2	16	9	8	5	1	1
Rutherford	1	66	7	3	16	21	1	7	8	–	9	8	5	50	12	23	17	13	1
Murfreesboro	–	34	4	2	6	14	–	3	5	–	7	4	3	29	4	9	8	7	–
Balance of county	1	32	3	1	10	7	1	4	3	–	2	4	2	21	8	14	9	6	1
Scott	–	21	5	2	11	3	–	5	1	–	1	5	–	10	6	3	–	1	1
Sequatchie	–	2	–	–	–	1	–	–	–	–	–	–	–	3	4	2	2	3	–
Sevier	–	29	5	4	10	15	1	3	5	–	2	1	42	28	15	9	11	3	1
Shelby	16	637	74	68	177	204	13	81	86	1	39	104	45	561	138	149	104	120	5
Bartlett	–	3	1	2	–	–	–	–	–	–	–	1	–	5	2	–	4	–	–
Germantown	–	7	1	–	2	2	–	–	–	–	1	4	–	8	6	3	2	–	–
Memphis	16	597	66	61	167	191	13	58	82	1	37	95	42	521	109	134	92	119	5
Millington	–	7	1	1	1	2	–	1	–	–	1	2	–	6	5	6	2	1	–
Balance of county	–	23	5	2	7	9	–	2	4	–	–	2	3	21	14	6	4	–	–
Smith	–	12	1	4	3	4	3	–	–	–	–	–	1	8	6	2	–	1	–
Stewart	–	10	–	1	2	4	–	2	1	–	–	1	5	7	3	–	–	–	–
Sullivan	7	90	16	13	40	39	4	15	2	–	10	11	6	96	38	23	20	2	2
Bristol [7]	2	20	4	1	13	5	1	3	1	–	2	2	–	19	8	5	1	–	–
Kingsport, part	2	28	5	5	9	13	2	5	–	–	4	–	2	34	7	9	7	1	–
Kingsport, total	2	28	5	5	9	14	2	6	–	–	4	–	2	34	7	9	7	1	–
Balance of county	3	42	7	7	18	21	1	7	1	–	4	9	4	43	23	9	12	1	2
Sumner	4	43	7	6	19	27	3	7	9	–	7	5	4	57	15	17	10	5	2
Gallatin	1	13	1	1	6	5	1	1	2	–	3	2	2	17	2	7	3	3	–
Hendersonville	1	2	1	–	3	4	1	1	1	–	1	1	–	12	4	2	5	1	–
Balance of county	2	28	5	5	10	18	1	5	6	–	3	2	2	28	9	8	2	1	2
Tipton	1	26	2	2	6	7	1	–	3	–	2	3	2	26	8	9	5	2	1
Trousdale	2	9	1	–	1	3	–	–	1	–	–	1	–	6	3	1	–	–	–
Unicoi	–	8	3	3	8	10	–	2	3	–	1	2	3	13	5	9	3	3	2
Union	–	7	1	1	3	1	–	1	–	–	–	1	3	7	4	–	2	–	–
Van Buren	–	6	–	–	–	2	–	1	1	–	–	–	1	–	4	1	–	1	–
Warren	1	15	–	1	7	14	–	2	4	–	4	3	3	26	8	11	5	2	–
McMinnville	–	7	–	1	4	8	–	1	2	–	3	1	–	11	6	4	2	–	–
Balance of county	1	8	–	–	3	6	–	1	2	–	1	2	3	15	2	7	3	2	–
Washington	3	62	12	11	29	20	2	7	6	–	3	8	58	81	19	15	12	5	1
Johnson City, part	2	35	8	7	19	15	1	5	5	–	2	3	30	56	7	7	7	2	–
Johnson City, total	2	35	8	7	19	15	1	5	5	–	3	3	30	56	7	7	7	2	–
Balance of county	1	27	4	4	10	5	1	2	1	–	1	5	28	25	12	8	5	3	1
Wayne	1	9	10	1	2	4	–	–	3	–	–	1	–	11	8	4	–	2	–
Weakley	1	35	8	5	10	12	1	1	1	–	–	1	5	24	3	4	6	–	–
White	1	24	3	4	6	1	2	4	3	1	–	–	5	11	4	7	–	2	1
Williamson	1	42	2	4	11	14	1	1	2	–	4	–	11	36	13	16	4	4	1
Franklin	–	21	1	2	3	8	1	1	2	–	2	–	2	16	5	7	2	1	1
Balance of county	1	21	1	2	8	6	–	–	–	–	2	–	9	20	8	9	2	3	–
Wilson	–	51	4	–	7	22	1	6	4	–	5	1	4	29	14	11	10	2	–
Lebanon	–	20	2	–	1	5	1	2	–	–	3	–	2	12	3	5	2	1	–
Balance of county	–	31	2	–	6	17	–	4	4	–	2	1	2	17	11	6	8	1	–
Texas	336	9,026	1,220	1,009	3,387	3,619	305	1,399	1,350	18	911	1,401	4,675	9,434	4,005	3,195	2,068	2,180	93
Urban places	233	5,710	771	632	2,119	2,372	210	991	858	13	604	1,059	2,214	6,278	2,294	2,015	1,358	1,745	48
Balance of area	103	3,316	449	377	1,268	1,247	95	408	492	5	307	342	2,461	3,156	1,711	1,180	710	435	45
Metropolitan counties	256	6,266	823	740	2,353	2,669	230	1,149	942	14	742	1,195	2,556	7,028	2,995	2,332	1,686	1,929	84
Urban places	211	5,044	651	574	1,882	2,143	183	939	760	11	577	989	1,667	5,736	2,092	1,826	1,273	1,686	44
Balance of area	45	1,222	172	166	471	546	47	210	182	3	165	206	889	1,292	903	506	413	243	20
Nonmetropolitan counties	80	2,760	397	269	1,034	930	75	250	408	4	169	206	2,119	2,406	1,010	863	382	251	29
Urban places	22	666	120	58	237	229	27	52	98	2	27	70	547	542	202	189	85	59	4
Balance of area	58	2,094	277	211	797	701	48	198	310	2	142	136	1,572	1,864	808	674	297	192	25
Anderson	–	31	22	3	18	15	1	3	7	–	2	3	8	37	13	18	3	8	1
Palestine	–	20	14	1	11	9	–	1	5	–	2	1	1	22	5	7	–	4	1
Balance of county	–	11	8	2	7	6	1	2	2	–	–	2	5	15	8	11	3	4	–
Andrews	–	8	4	1	7	4	–	2	–	–	–	3	2	5	2	7	3	–	–
Andrews	–	6	4	1	7	4	–	2	–	–	–	3	1	3	1	5	3	–	–
Balance of county	–	2	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Angelina	2	57	8	6	9	13	–	3	7	–	5	7	7	42	22	16	6	12	–
Lufkin	2	28	6	4	8	6	–	–	4	–	2	4	4	24	12	6	1	9	–
Balance of county	–	29	2	2	1	7	–	3	3	–	3	3	3	18	10	10	5	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	148	–	–	2	29	9	10	–	3	–	–	7	1	70	57	–	–	37	20
Archer	70	–	–	–	13	3	5	1	1	2	–	1	1	40	33	–	–	23	10
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	70	–	–	–	13	3	5	1	1	2	–	1	1	40	33	–	–	23	10
Armstrong	20	–	–	1	3	–	–	–	2	–	–	1	–	8	6	–	–	4	2
Atascosa	257	–	–	6	40	10	6	2	5	4	2	11	8	141	110	–	2	59	49
Austin	261	1	–	3	42	12	6	3	7	2	2	10	8	126	101	1	1	49	50
Bailey	74	–	–	–	8	1	4	–	1	1	–	1	2	36	32	–	–	16	16
Bandera	95	–	–	2	18	3	4	1	1	–	–	9	1	46	37	–	–	16	21
Bastrop	310	–	–	5	67	13	20	3	6	2	4	19	5	110	85	1	4	33	47
Baylor	68	–	–	1	9	3	1	–	2	–	2	1	–	35	26	–	1	19	6
Bee	206	1	–	7	23	3	6	3	1	2	–	8	4	103	66	–	–	50	16
Beeville	124	1	–	5	14	1	4	3	–	1	–	5	3	62	35	–	–	27	8
Balance of county	82	–	–	2	9	2	2	–	1	1	–	3	1	41	31	–	–	23	8
Bell	1,137	2	–	14	215	44	58	23	10	10	7	63	9	459	375	1	2	209	163
Belton	123	–	–	1	26	3	8	3	1	–	1	10	2	55	46	1	–	22	23
Killeen	295	–	–	1	44	9	14	3	2	1	2	13	1	90	71	–	–	44	27
Temple	476	2	–	11	85	17	22	8	4	4	2	28	3	204	172	–	1	97	74
Balance of county	303	–	–	1	60	15	14	9	3	5	2	12	3	110	86	–	1	46	39
Bexar	7,606	8	–	165	1,537	418	420	120	140	52	66	321	161	3,156	2,526	17	136	1,345	1,028
San Antonio	6,408	8	–	140	1,274	357	347	98	113	41	54	264	141	2,670	2,169	13	116	1,155	885
Universal City	52	–	–	1	11	4	2	–	1	1	1	2	1	24	18	1	–	13	4
Balance of county	1,146	–	–	24	252	57	71	22	26	10	11	55	19	462	339	3	20	177	139
Blanco	60	–	–	–	7	1	1	1	2	–	–	2	–	29	23	–	–	5	18
Borden	6	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	1	1
Bosque	208	–	–	1	35	11	3	1	5	6	–	9	1	116	79	1	3	46	29
Bowie	817	2	–	14	207	36	61	12	16	8	10	64	11	352	267	–	7	183	97
Texarkana [a]	450	1	–	10	111	18	28	8	11	5	4	37	6	193	150	–	3	99	48
Balance of county	367	1	–	4	96	18	33	4	5	3	6	27	5	159	137	–	4	84	49
Brazoria	1,043	–	–	15	238	43	80	22	21	7	13	52	18	381	311	2	3	163	143
Alvin	118	–	–	–	25	5	9	4	3	1	1	2	2	59	46	–	–	38	8
Angleton	110	–	–	3	29	6	7	2	4	1	–	9	–	46	39	–	–	14	25
Freeport	99	–	–	3	26	7	10	2	2	1	–	4	6	23	19	–	1	6	12
Lake Jackson	82	–	–	2	19	4	8	1	1	1	1	3	2	31	26	–	1	10	15
Pearland, part	102	–	–	2	20	3	6	4	1	1	2	3	–	46	35	1	–	18	16
Pearland, total	102	–	–	2	20	3	6	4	1	1	2	3	–	46	35	1	–	18	16
Balance of county	532	–	–	5	119	18	40	9	10	2	9	31	8	176	146	1	1	77	67
Brazos	553	–	–	4	129	38	35	13	9	5	4	25	10	213	160	–	6	109	45
Bryan	416	–	–	2	100	26	29	11	6	4	4	20	6	154	112	–	4	76	32
College Station	83	–	–	2	17	5	4	2	1	1	–	4	2	34	29	–	–	24	5
Balance of county	54	–	–	–	12	7	2	–	2	–	–	1	–	25	19	–	2	9	8
Brewster	79	–	–	–	17	5	4	1	4	–	–	3	2	26	15	–	–	12	9
Briscoe	31	–	–	–	5	1	1	–	1	–	2	–	–	17	14	–	1	10	3
Brooks	98	–	–	–	17	4	3	–	4	2	1	3	5	49	39	1	2	19	17
Brown	422	1	–	2	91	16	31	6	7	3	5	23	6	193	127	–	2	65	60
Brownwood	285	1	–	2	61	11	21	4	5	1	4	15	6	131	79	–	–	46	33
Balance of county	137	–	–	–	30	5	10	2	2	2	1	8	–	62	48	–	2	19	27
Burleson	180	–	–	3	38	11	7	–	4	1	–	15	5	74	57	–	1	27	29
Burnet	271	–	–	1	56	11	25	2	6	1	3	8	2	110	79	–	1	52	26
Caldwell	252	1	–	2	52	10	17	4	7	3	4	7	7	106	85	–	6	47	32
Calhoun	139	–	–	1	35	11	7	4	5	2	–	6	2	57	51	1	–	33	17
Port Lavaca	81	–	–	1	19	5	3	3	2	2	–	4	2	31	28	1	–	20	7
Balance of county	58	–	–	–	16	6	4	1	3	–	–	2	–	26	23	–	–	13	10
Callahan	154	–	–	3	28	4	9	1	5	1	3	5	3	91	71	1	1	42	27
Cameron	1,459	3	–	26	266	67	58	18	21	7	19	76	32	597	466	4	5	341	116
Brownsville	515	2	–	8	93	27	18	6	8	5	7	22	8	175	132	2	1	95	34
Harlingen	399	1	–	9	67	15	17	4	2	1	8	20	12	204	167	1	1	124	41
San Benito	145	–	–	1	30	9	6	2	1	–	2	10	5	69	48	–	2	34	12
Balance of county	400	–	–	8	76	16	17	6	10	1	2	24	7	149	119	1	1	88	29
Camp	117	–	–	–	23	7	6	1	3	–	2	4	1	54	37	–	–	24	13
Carson	48	–	–	–	9	3	3	1	1	–	1	–	–	21	21	–	–	14	7
Cass	356	–	–	3	72	20	19	5	12	3	2	11	5	178	113	–	2	57	54
Castro	70	–	–	4	9	–	2	–	2	–	1	4	1	29	20	–	–	12	8
Chambers	128	–	–	1	29	3	10	3	4	1	2	6	2	60	47	–	2	31	14
Baytown, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	126	–	–	1	29	3	10	3	4	1	2	6	2	60	47	–	2	31	14
Cherokee	519	–	1	5	93	20	30	4	7	4	1	27	3	203	153	1	3	101	48
Jacksonville	190	–	–	2	42	9	14	2	2	3	1	11	1	69	55	–	2	37	16
Balance of county	329	–	1	3	51	11	16	2	5	1	–	16	2	134	98	1	1	64	32
Childress	104	–	–	–	26	5	11	4	1	2	–	3	2	57	45	–	–	35	10
Clay	114	–	–	–	24	7	6	2	1	–	–	8	1	54	48	–	2	26	20
Cochran	24	–	–	–	1	–	–	–	–	–	–	1	–	12	12	–	1	11	–
Coke	44	–	–	2	11	3	2	1	1	2	1	1	1	18	8	–	–	7	1
Coleman	199	–	–	1	39	9	15	4	5	–	1	5	3	99	75	–	1	41	33
Collin	968	–	–	10	202	51	54	14	25	8	4	46	18	451	349	2	8	249	90
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
McKinney	194	–	–	2	26	8	5	–	3	1	–	9	9	107	80	1	1	56	22
Plano, part	313	–	–	3	91	20	29	8	11	3	1	19	4	120	97	–	2	67	28
Plano, total	314	–	–	3	82	20	30	8	11	3	1	19	4	120	97	–	2	67	28
Richardson, part	16	–	–	–	5	2	–	1	–	–	–	2	–	8	7	–	–	1	6
Balance of county	441	–	–	5	80	21	20	5	11	4	3	16	5	215	164	1	5	124	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	–	10	–	3	4	6	–	2	3	–	–	1	7	8	4	9	3	1	–
Archer	–	5	1	1	2	2	2	–	–	–	1	–	–	8	–	1	–	–	–
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	5	1	1	2	2	2	–	–	–	1	–	–	8	–	1	–	–	–
Armstrong	–	2	–	–	–	1	–	–	–	–	–	–	–	3	2	1	1	–	–
Atascosa	1	22	4	4	5	1	1	2	3	1	3	1	11	17	9	4	2	2	–
Austin	–	19	2	4	11	8	1	1	1	–	1	1	17	24	9	4	2	1	–
Bailey	–	4	–	–	5	2	–	–	–	–	–	–	4	5	6	4	2	–	–
Bandera	–	5	2	2	5	2	–	1	–	–	1	–	1	9	5	2	1	1	–
Bastrop	2	15	6	2	6	8	–	4	5	–	3	1	23	30	19	14	6	4	–
Baylor	–	9	–	–	5	3	–	–	4	–	–	–	–	5	1	5	–	–	–
Bee	–	32	4	1	4	4	–	3	4	–	–	4	14	12	9	10	2	2	–
Beeville	–	22	4	1	3	3	–	2	3	–	–	3	7	5	6	4	1	2	–
Balance of county	–	10	–	–	1	1	–	1	1	–	–	1	7	7	3	6	1	–	–
Bell	1	65	9	9	36	27	1	11	13	–	13	23	110	82	56	32	22	12	–
Belton	–	9	–	–	2	2	–	1	1	–	–	2	16	5	4	2	3	1	–
Killeen	–	12	4	3	5	7	1	5	5	–	6	10	9	16	16	6	7	6	–
Temple	–	25	3	4	23	8	–	2	5	–	3	2	61	39	8	15	3	2	–
Balance of county	1	19	2	2	6	10	–	3	2	–	4	9	24	22	28	9	9	3	–
Bexar	21	520	31	58	261	260	19	149	117	3	75	96	202	699	221	146	132	197	2
San Antonio	16	416	25	44	223	212	16	129	105	2	61	82	172	598	172	110	110	181	2
Universal City	–	4	–	2	1	2	–	–	–	–	1	–	2	6	2	1	–	–	–
Balance of county	5	100	6	12	37	46	3	20	12	1	13	14	28	95	47	35	22	18	–
Blanco	–	4	2	–	11	1	1	–	–	–	1	–	2	4	2	1	1	–	–
Borden	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Bosque	1	23	11	2	7	8	–	–	3	–	–	–	4	20	9	2	1	1	–
Bowie	1	52	4	8	15	18	3	10	9	–	2	5	65	47	15	20	11	11	–
Texarkana s	1	35	3	4	5	10	2	4	6	–	2	4	36	23	8	16	4	9	–
Balance of county	–	17	1	4	10	8	1	6	3	–	–	1	29	24	7	4	7	2	–
Brazoria	1	55	8	6	20	28	3	18	2	1	10	12	55	94	68	31	28	16	5
Alvin	–	11	1	1	1	5	–	2	–	–	–	–	1	10	4	4	3	2	–
Angleton	1	6	–	–	3	2	–	3	1	1	1	1	1	7	6	2	1	3	–
Freeport	–	3	1	–	1	5	1	1	–	–	1	–	6	13	2	6	3	1	1
Lake Jackson	–	3	2	–	2	2	–	1	–	–	1	2	–	14	3	1	1	1	–
Pearland, part	–	10	–	1	3	1	–	1	–	–	1	–	1	12	10	1	3	1	–
Pearland, total	–	10	–	1	3	1	–	1	–	–	1	–	1	12	10	1	3	1	–
Balance of county	–	22	4	4	10	13	2	10	1	–	6	9	46	38	43	17	17	8	4
Brazos	–	42	8	3	22	15	1	5	6	–	2	3	46	37	21	21	8	10	–
Bryan	–	33	7	2	17	13	1	5	3	–	2	3	34	30	12	15	7	10	–
College Station	–	3	1	1	2	1	–	–	1	–	–	–	6	5	6	6	1	–	–
Balance of county	–	6	–	–	3	1	–	–	2	–	–	–	6	2	3	–	–	–	–
Brewster	–	9	–	2	2	3	–	3	1	–	1	–	4	11	2	3	2	1	1
Briscoe	–	3	–	–	2	–	–	–	–	–	–	–	4	2	–	–	–	1	–
Brooks	–	9	–	1	1	1	–	4	2	–	–	1	5	4	3	1	3	1	1
Brown	1	43	18	4	11	14	1	2	2	–	4	5	51	26	6	5	–	1	1
Brownwood	1	31	16	4	8	11	1	2	2	–	1	3	29	20	3	3	–	1	–
Balance of county	–	12	2	–	3	3	–	–	–	–	3	2	22	6	3	2	–	–	1
Burleson	4	11	2	–	3	4	1	2	1	–	–	–	14	15	5	8	4	3	–
Burnet	2	24	2	3	14	6	1	–	3	–	2	2	40	16	6	2	8	2	–
Caldwell	1	19	–	1	7	9	–	1	2	–	1	1	14	29	7	6	4	3	–
Calhoun	–	5	1	–	5	5	2	1	–	–	1	–	1	8	8	8	3	2	–
Port Lavaca	–	3	–	–	3	4	1	–	–	–	–	–	1	7	5	5	2	–	–
Balance of county	–	2	1	–	2	1	1	1	–	–	1	–	–	1	3	3	1	2	–
Callahan	–	17	2	1	5	3	–	2	1	–	–	1	1	8	4	4	–	–	–
Cameron	3	99	20	9	44	41	6	17	14	–	8	19	166	88	54	46	16	16	–
Brownsville	–	36	4	3	23	16	–	7	5	–	4	7	94	29	18	11	9	6	–
Harlingen	1	27	8	1	11	14	1	5	4	–	1	4	7	33	16	7	2	1	–
San Benito	1	12	5	3	1	5	2	2	2	–	1	1	8	5	3	6	–	4	–
Balance of county	1	24	3	2	8	6	3	3	3	–	2	7	57	21	17	22	5	5	–
Camp	–	14	3	–	3	3	–	1	3	–	–	–	9	11	3	3	1	2	–
Carson	–	–	–	–	1	1	1	–	–	–	–	–	6	4	1	3	1	–	–
Cass	4	47	11	3	10	3	–	3	9	–	2	1	19	26	9	10	4	2	–
Castro	1	7	1	–	1	2	–	–	3	–	–	1	6	2	7	3	1	1	–
Chambers	–	12	1	–	3	2	–	–	–	–	1	–	5	9	4	7	4	1	–
Baytown, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	12	1	–	3	1	–	–	–	–	1	–	5	9	3	7	4	1	–
Cherokee	1	40	6	3	11	19	2	2	8	–	2	3	75	44	13	21	9	3	2
Jacksonville	–	12	2	–	3	8	2	1	2	–	–	3	26	16	3	7	4	1	–
Balance of county	1	28	4	3	8	11	–	1	6	–	2	–	49	28	10	14	5	2	2
Childress	–	6	4	2	2	1	–	1	2	–	1	–	–	10	2	–	–	–	–
Clay	–	4	1	1	–	1	–	1	4	–	1	–	11	7	2	2	3	1	2
Cochran	–	–	–	–	1	–	–	1	–	–	–	–	1	3	3	2	–	–	–
Coke	–	8	–	–	1	1	–	–	–	–	–	1	6	4	–	–	–	1	–
Coleman	–	21	1	2	15	7	1	–	2	–	1	–	4	19	–	5	2	1	–
Collin	1	79	12	10	36	16	2	9	9	2	5	12	15	80	44	32	17	8	–
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	–	20	5	2	6	4	–	2	1	1	–	2	1	16	3	10	3	1	–
Plano, part	–	20	–	3	9	10	–	6	–	–	4	5	5	23	15	8	8	2	–
Plano, total	–	20	–	3	9	10	–	6	–	–	4	5	5	23	15	8	8	2	–
Richardson, part	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Balance of county	1	38	7	5	21	2	–	1	7	1	1	4	9	40	26	14	6	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	58	–	–	–	9	4	3	–	–	1	1	–	–	34	21	–	–	15	6
Colorado	253	1	–	9	48	12	11	8	8	1	1	7	3	106	88	1	2	53	32
Comal	413	1	–	3	97	23	28	7	3	5	4	27	7	170	121	–	3	80	38
New Braunfels, part	289	–	–	2	66	17	19	5	2	4	2	17	7	124	85	–	3	56	26
New Braunfels, total	290	–	–	2	66	17	19	5	2	4	2	17	7	125	86	–	3	57	26
Balance of county	124	1	–	1	31	6	9	2	1	1	2	10	–	46	36	–	–	24	12
Comanche	198	–	–	1	36	8	9	1	4	1	2	11	5	91	65	–	1	33	31
Concho	33	–	–	–	7	4	–	1	–	–	–	2	–	17	15	–	–	10	6
Cooke	280	–	–	1	60	15	22	4	2	2	1	14	3	125	92	1	–	66	25
Gainesville	194	–	–	–	40	11	10	2	2	1	1	13	2	89	63	1	–	43	19
Balance of county	86	–	–	1	20	4	12	2	–	1	–	1	1	36	29	–	–	23	6
Coryell	265	–	–	3	46	7	11	6	10	2	–	10	5	127	104	1	1	56	46
Copperas Cove	87	–	–	–	17	2	5	1	3	–	–	6	–	27	22	–	1	11	10
Balance of county	178	–	–	3	29	5	6	5	7	2	–	4	5	100	82	1	–	45	36
Cottle	44	–	–	–	6	1	1	1	2	1	–	–	2	20	13	1	–	10	2
Crane	41	–	–	–	7	2	2	–	1	1	–	1	–	21	8	–	1	6	1
Crockett	37	–	–	–	3	1	1	–	–	–	1	–	2	15	15	1	–	10	4
Crosby	91	–	–	–	19	6	5	–	2	2	1	3	1	47	43	–	1	23	19
Culberson	28	–	–	–	5	1	–	1	–	–	1	2	1	7	5	–	–	5	–
Dallam	62	–	–	–	13	–	2	1	2	2	–	6	–	30	28	1	–	18	9
Dallas	11,606	14	2	162	2,487	582	742	240	269	78	84	492	165	5,092	4,092	20	301	2,117	1,594
Balch Springs	108	1	–	2	18	2	9	1	2	–	–	4	1	50	42	–	2	19	21
Carrollton, part	178	–	–	1	35	12	7	3	3	2	2	6	1	79	67	1	5	39	22
Carrollton, total	198	–	–	1	43	13	10	4	4	2	2	8	1	87	71	1	5	41	24
Dallas, part	7,817	7	2	121	1,671	380	510	165	179	51	64	322	104	3,449	2,746	10	226	1,358	1,152
Dallas, total	7,823	7	2	121	1,672	380	510	165	179	51	65	322	104	3,450	2,747	10	226	1,359	1,152
De Soto	121	–	–	2	29	5	10	4	4	–	–	6	2	51	36	–	–	22	14
Duncanville	155	–	–	3	38	9	12	3	2	4	1	7	–	68	50	–	7	26	17
Farmers Branch	130	–	–	–	27	5	9	4	4	–	–	5	3	62	50	–	3	28	19
Garland, part	653	1	–	9	138	40	38	14	12	3	1	30	16	271	228	1	7	152	66
Garland, total	653	1	–	9	138	40	38	14	12	3	1	30	16	271	228	1	7	152	66
Grand Prairie, part	395	–	–	3	71	22	20	4	5	3	–	17	10	180	136	2	5	81	40
Grand Prairie, total	448	–	–	4	79	22	25	6	5	3	–	18	10	204	155	2	5	97	51
Grapevine, part	2	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Irving	690	2	–	10	158	42	48	13	14	5	4	32	8	261	207	1	16	117	73
Lancaster	143	–	–	2	25	2	12	3	3	2	–	3	1	86	63	1	1	38	20
Mesquite	386	1	–	2	84	16	22	6	13	3	3	21	8	158	117	2	9	65	41
Richardson, part	287	–	–	3	78	19	17	10	9	2	2	19	5	124	102	1	9	63	29
Richardson, total	303	–	–	3	83	21	17	11	9	2	2	21	5	132	109	1	9	64	35
University Park	155	1	–	1	38	13	7	2	5	1	2	8	–	76	54	1	6	34	13
Balance of county	386	1	–	3	76	14	21	8	14	2	5	12	6	176	134	–	5	75	54
Dawson	122	–	–	–	26	6	4	3	3	1	4	5	2	54	45	–	3	35	7
Lamesa	102	–	–	–	20	4	4	3	2	1	2	4	2	48	39	–	3	29	7
Balance of county	20	–	–	–	6	2	–	–	1	–	2	1	–	6	6	–	–	6	–
Deaf Smith	147	–	–	–	29	8	2	7	–	–	3	9	3	71	54	–	–	42	12
Hereford	121	–	–	–	22	6	2	5	–	–	1	8	2	62	49	–	–	38	11
Balance of county	26	–	–	–	7	2	–	2	–	–	2	1	1	9	5	–	–	4	1
Delta	105	–	–	–	23	3	3	1	5	1	2	8	1	53	43	–	–	29	14
Denton	890	1	–	6	190	43	40	16	19	3	6	63	9	368	278	2	5	191	80
Carrollton, part	20	–	–	–	8	1	3	1	1	–	–	2	–	8	4	–	–	2	2
Dallas, part	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Denton	359	–	–	1	60	14	13	7	10	1	3	12	7	169	124	1	4	80	39
Lewisville	153	1	–	–	36	8	11	3	2	–	–	12	1	50	40	1	–	30	9
Plano, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	34	–	–	–	6	1	2	–	1	–	–	2	–	10	8	–	–	7	1
Balance of county	321	–	–	5	78	19	10	5	5	2	2	35	1	131	102	–	1	72	29
De Witt	272	–	–	1	41	13	9	1	8	3	1	6	7	158	108	1	2	63	42
Dickens	50	–	–	1	9	1	1	–	1	2	1	3	–	23	15	–	–	10	5
Dimmit	85	–	–	–	11	2	3	2	2	–	–	2	1	40	30	–	1	22	7
Donley	57	1	–	–	24	7	6	2	1	–	1	7	–	26	17	–	–	11	6
Duval	113	–	–	4	25	7	10	2	–	–	1	5	4	49	42	–	–	31	11
Eastland	309	–	–	3	59	10	25	5	5	2	1	11	1	166	126	–	3	75	48
Ector	779	1	–	10	151	28	47	12	14	4	6	40	12	221	162	2	1	106	53
Odessa	623	1	–	7	125	24	36	11	12	4	5	33	10	187	136	2	–	88	46
Balance of county	156	–	–	3	26	4	11	1	2	–	1	7	2	34	26	–	1	18	7
Edwards	25	–	–	–	4	1	2	–	1	–	–	–	–	13	11	–	–	7	4
Ellis	630	–	–	7	105	22	33	9	11	3	3	24	7	279	232	1	11	143	77
Ennis	160	–	–	2	28	8	4	3	4	–	1	8	2	77	64	–	7	37	20
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	168	–	–	3	29	5	14	4	2	–	–	4	–	67	56	1	2	35	18
Balance of county	302	–	–	2	48	9	15	2	5	3	2	12	5	135	112	–	2	71	39
El Paso	2,808	3	–	49	577	149	111	46	92	21	27	131	67	1,144	872	15	44	567	246
El Paso	2,650	3	–	47	548	142	104	41	89	19	25	128	62	1,084	822	15	43	539	225
Balance of county	158	–	–	2	29	7	7	5	3	2	2	3	5	60	50	–	1	28	21
Erath	331	–	–	1	58	20	16	3	6	4	2	7	4	162	131	–	1	101	29
Stephenville	214	–	–	1	39	12	11	2	6	2	2	4	4	109	87	–	–	74	13
Balance of county	117	–	–	–	19	8	5	1	–	2	–	3	–	53	44	–	1	27	16
Falls	260	1	–	4	49	19	10	2	6	1	3	8	3	135	105	–	3	79	23
Fannin	357	–	–	3	53	14	11	6	5	2	3	12	9	134	109	–	1	76	32
Fayette	283	–	–	6	60	15	15	4	14	1	4	7	6	134	109	2	–	53	54
Fisher	87	–	–	2	14	5	4	2	–	–	1	2	1	47	39	–	1	26	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	–	10	2	1	1	1	–	–	–	–	–	2	4	4	2	1	–	–	–
Colorado	1	11	4	2	7	5	–	1	5	–	–	3	13	30	10	9	2	1	–
Comal	–	38	8	3	13	17	1	2	5	–	–	1	27	34	20	6	6	3	–
New Braunfels, part	–	30	7	2	10	14	1	2	3	–	–	1	16	23	8	5	6	1	–
New Braunfels, total	–	30	7	2	10	14	1	2	3	–	–	1	16	23	8	5	6	1	–
Balance of county	–	8	1	1	3	3	–	–	2	–	–	–	11	11	12	1	–	2	–
Comanche	–	20	4	2	11	4	2	5	1	–	1	3	13	16	2	3	3	1	–
Concho	–	1	–	–	2	1	–	–	–	–	–	–	1	3	1	1	–	–	–
Cooke	–	26	4	3	5	11	1	1	4	–	1	5	23	14	9	5	6	5	–
Gainesville	–	21	2	3	4	5	–	1	2	–	–	4	19	12	6	4	4	2	–
Balance of county	–	5	2	–	1	6	1	–	2	–	1	1	4	2	3	2	2	3	–
Coryell	–	19	3	1	6	8	2	–	1	–	2	9	7	21	11	11	3	3	–
Copperas Cove	–	3	1	1	2	4	1	–	1	–	2	8	2	6	8	5	1	3	–
Balance of county	–	16	2	–	4	4	1	–	–	–	–	1	5	15	3	6	2	–	–
Cottle	–	7	–	–	–	1	–	1	–	–	–	–	5	4	1	2	1	1	–
Crane	1	11	–	1	2	1	–	–	–	–	–	–	4	2	2	–	1	–	1
Crockett	–	–	–	–	–	–	–	1	1	–	–	–	4	4	4	3	–	–	–
Crosby	–	4	–	–	8	2	–	–	1	–	–	1	2	6	2	1	–	–	1
Culberson	–	2	–	–	1	1	–	–	1	–	–	–	1	3	7	1	–	–	–
Dallam	–	2	–	–	3	3	–	–	1	–	1	–	–	3	6	–	1	1	–
Dallas	34	798	115	113	319	385	35	121	112	1	112	155	204	963	386	285	255	347	4
Balch Springs	–	7	1	–	2	3	2	–	2	–	4	1	2	8	4	1	4	3	–
Carrollton, part	–	10	–	2	1	6	–	2	2	–	5	5	2	16	9	6	5	3	–
Carrollton, total	1	12	–	3	1	6	–	2	3	–	5	5	2	18	10	6	5	3	–
Dallas, part	25	543	63	72	218	244	20	90	79	1	60	105	150	652	242	186	139	274	3
Dallas, total	25	543	63	72	218	244	22	90	79	1	60	105	150	653	242	186	139	275	3
De Soto	1	10	2	2	2	2	–	1	–	–	–	1	2	16	5	4	2	2	–
Duncanville	–	11	3	4	2	7	2	–	1	–	1	2	3	11	8	1	5	3	–
Farmers Branch	–	12	–	–	6	4	–	3	–	–	–	1	1	13	3	3	1	3	–
Garland, part	2	34	4	3	21	18	1	7	4	–	10	8	5	53	31	15	27	18	–
Garland, total	2	34	4	3	21	18	1	7	4	–	10	8	5	53	31	15	27	18	–
Grand Prairie, part	2	24	13	5	14	14	1	3	4	–	6	3	7	35	17	10	9	8	–
Grand Prairie, total	2	25	16	5	17	16	1	4	5	–	6	5	8	38	20	12	9	10	–
Grapevine, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irving	–	42	6	6	13	29	2	10	8	–	9	10	18	56	33	21	20	22	–
Lancaster	1	19	1	2	1	7	1	1	2	–	2	–	–	7	3	3	1	1	–
Mesquite	–	23	11	7	16	16	2	2	2	–	7	7	4	39	10	10	14	4	–
Richardson, part	1	16	3	2	6	14	–	–	4	–	5	3	4	11	4	12	11	2	1
Richardson, total	1	17	3	2	6	14	–	–	5	–	5	4	4	12	4	12	11	2	1
University Park	–	18	3	1	3	8	–	–	1	–	1	–	–	14	1	5	6	–	–
Balance of county	2	28	5	7	14	13	4	2	3	–	2	9	6	32	16	8	11	4	–
Dawson	–	9	–	–	6	2	–	2	–	–	1	1	10	8	2	2	3	3	–
Lamesa	–	9	–	–	6	2	–	2	–	–	–	–	9	6	–	1	3	3	–
Balance of county	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	–	–	–
Deaf Smith	1	12	–	4	5	5	–	1	1	–	2	2	4	6	8	6	3	1	–
Hereford	–	9	–	4	4	3	–	1	1	–	2	2	4	3	7	6	1	1	–
Balance of county	1	3	–	–	1	2	–	–	–	–	–	–	–	3	1	–	2	–	–
Delta	–	7	2	1	7	3	–	–	–	–	–	–	–	7	5	3	1	2	–
Denton	5	67	5	13	31	26	3	18	8	1	10	7	40	71	38	22	20	21	–
Carrollton, part	1	2	–	1	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Denton	2	33	4	6	13	15	2	5	4	–	2	1	15	36	12	7	4	6	–
Lewisville	1	7	–	2	7	4	1	8	1	–	2	1	10	11	5	3	7	7	–
Plano, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	–	2	–	–	–	–	–	1	–	–	4	3	1	1	2	1	2	3	–
Balance of county	1	23	1	4	11	7	–	6	2	1	2	2	14	20	18	11	7	5	–
De Witt	1	38	8	3	12	3	1	2	3	–	3	–	3	17	9	9	2	1	–
Dickens	–	6	–	2	2	–	–	–	–	–	–	–	10	4	1	–	–	–	–
Dimmit	–	9	1	–	8	1	–	2	3	–	1	1	3	8	2	1	1	2	–
Donley	1	7	1	–	1	1	–	–	1	–	–	–	–	2	1	–	–	–	–
Duval	–	4	1	2	3	1	–	2	1	–	–	–	6	5	7	1	4	–	1
Eastland	–	34	4	2	15	9	1	2	3	–	–	3	16	18	5	4	4	–	–
Ector	1	48	5	5	19	33	2	9	8	–	9	15	105	67	38	24	32	22	1
Odessa	1	41	4	5	16	26	2	9	7	–	7	13	78	55	22	18	21	18	1
Balance of county	–	7	1	–	3	7	–	–	1	–	2	2	27	12	16	6	11	4	–
Edwards	–	2	–	–	1	–	–	1	–	–	–	–	–	2	1	1	1	1	–
Ellis	1	40	3	3	22	16	2	7	7	–	1	6	71	40	27	16	8	9	–
Ennis	–	12	1	–	2	3	1	1	5	–	–	3	18	9	3	3	1	2	–
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	–	10	1	–	10	5	–	2	1	–	–	1	25	16	7	2	–	–	–
Balance of county	1	18	1	3	10	8	1	4	1	–	1	2	28	15	17	11	7	7	–
El Paso	14	215	25	18	66	97	9	56	52	1	28	55	33	281	98	86	70	27	8
El Paso	14	207	25	16	64	91	8	54	52	1	28	54	30	265	83	77	67	26	8
Balance of county	–	8	–	2	2	6	1	2	–	–	3	1	3	16	15	9	3	1	–
Erath	–	25	3	3	12	11	2	2	5	–	–	1	30	22	12	6	2	1	–
Stephenville	–	18	2	2	6	9	1	2	1	–	–	1	19	13	5	2	2	–	–
Balance of county	–	7	1	1	6	2	1	–	4	–	–	–	11	9	7	4	–	1	–
Falls	–	28	–	2	8	7	–	3	5	–	1	–	12	19	4	6	3	2	–
Fannin	–	18	2	5	23	8	1	4	8	–	3	2	60	22	12	9	5	1	–
Fayette	1	18	3	3	13	6	–	3	6	–	3	–	8	22	8	5	1	1	1
Fisher	–	6	1	1	1	4	–	1	3	–	–	1	4	7	–	1	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	84	-	-	-	17	5	2	3	2	-	1	4	1	40	31	-	-	27	4
Foard	45	-	-	-	8	-	3	1	1	-	-	3	1	24	19	1	-	17	1
Fort Bend	703	-	-	14	162	29	42	16	19	6	7	43	10	287	235	2	5	137	91
Houston, part	8	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1
Missouri City, part	73	-	-	1	21	3	5	2	2	2	1	6	-	30	27	-	-	17	10
Missouri City, total	82	-	-	2	22	3	5	3	2	2	1	6	-	31	27	-	-	17	10
Rosenberg	147	-	-	3	28	4	5	2	4	-	3	10	4	66	56	-	-	32	24
Balance of county	475	-	-	10	112	22	31	12	13	4	3	27	6	190	151	2	5	88	56
Franklin	94	-	-	-	12	4	4	-	2	-	-	2	-	57	38	-	-	35	3
Freestone	195	-	-	1	33	10	6	3	3	-	4	7	1	101	80	-	-	47	33
Frio	111	-	-	1	22	1	5	3	4	2	1	6	3	51	39	-	1	27	11
Gaines	107	1	-	1	22	8	5	2	1	1	2	3	1	38	32	-	-	20	12
Galveston	1,643	1	1	27	377	85	123	30	35	19	12	73	37	751	602	5	16	404	177
Friendswood, part	46	-	-	1	4	-	3	-	-	-	-	1	2	20	15	1	-	5	9
Friendswood, total	60	-	-	1	7	1	5	-	-	-	-	1	2	23	18	1	-	8	9
Galveston	663	1	-	16	141	37	44	17	12	5	3	23	16	310	252	-	6	175	71
La Marque	129	-	-	1	33	7	11	2	2	4	1	6	3	61	43	-	3	28	12
League City	97	-	-	1	24	3	9	2	2	-	1	7	1	45	38	3	1	30	4
Texas City	335	-	-	4	88	23	24	7	11	2	5	16	6	155	121	-	5	75	41
Balance of county	373	-	1	4	87	15	32	2	6	6	2	20	9	160	133	1	1	91	40
Garza	59	-	-	2	5	1	2	1	1	-	-	-	1	27	25	-	-	10	15
Gillespie	192	-	-	2	48	16	13	2	6	3	3	5	1	90	63	-	3	38	22
Glasscock	9	-	-	-	2	-	-	1	-	-	-	1	-	5	3	-	-	1	2
Goliad	53	-	-	1	12	2	6	-	-	1	-	3	2	27	22	-	-	18	6
Gonzales	212	-	-	3	33	10	9	1	4	2	-	7	3	94	65	2	3	38	22
Gray	266	1	-	2	60	18	18	1	2	2	1	18	1	129	107	1	1	61	44
Pampa	227	1	-	2	50	14	16	1	2	2	1	14	1	114	94	1	1	54	38
Balance of county	39	-	-	-	10	4	2	-	-	-	-	4	-	15	13	-	-	7	6
Grayson	1,140	-	-	7	193	43	51	10	25	8	6	50	15	614	497	-	8	299	190
Denison	350	-	-	2	50	5	19	5	7	1	2	11	4	190	147	-	2	76	69
Sherman	356	-	-	2	61	14	12	3	10	3	2	17	6	200	174	-	3	111	60
Balance of county	434	-	-	3	82	24	20	2	8	4	2	22	5	224	176	-	3	112	61
Gregg	997	1	-	9	214	57	50	12	27	12	8	48	18	392	278	2	4	188	84
Kilgore, part	133	-	-	1	34	9	9	1	5	2	1	7	-	46	35	-	-	28	7
Kilgore, total	162	-	-	1	40	11	11	1	5	2	1	9	1	62	47	-	1	36	10
Longview, part	593	1	-	6	127	36	29	8	14	8	5	27	10	257	179	1	4	122	52
Longview, total	600	1	-	6	128	37	29	8	14	8	5	27	10	261	183	1	4	126	52
Balance of county	261	-	-	2	53	12	12	3	8	2	2	14	8	89	64	1	-	38	25
Grimes	200	-	-	4	39	6	7	6	5	1	5	8	5	108	91	-	3	39	49
Guadalupe	471	1	-	5	107	17	36	4	13	7	7	23	4	201	151	-	4	91	56
New Braunfels, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Seguin	215	-	-	1	55	12	15	1	9	6	4	8	3	94	65	-	1	39	25
Balance of county	255	1	-	4	52	5	21	3	4	1	3	15	1	106	85	-	3	51	31
Hale	325	-	-	2	53	11	16	6	5	-	1	14	6	158	102	-	-	86	16
Plainview	229	-	-	2	34	7	9	4	5	-	1	8	4	112	73	-	-	62	11
Balance of county	96	-	-	-	19	4	7	2	-	-	-	6	2	46	29	-	-	24	5
Hall	85	-	-	-	16	5	8	1	1	-	-	1	-	52	39	-	-	20	19
Hamilton	169	-	-	1	30	2	5	4	5	3	4	7	3	99	82	-	2	68	12
Hansford	50	-	-	-	8	1	1	2	1	1	-	2	1	27	24	-	1	13	10
Hardeman	98	-	-	-	19	3	9	-	2	2	2	1	1	41	27	-	-	17	10
Hardin	393	1	-	2	61	10	28	5	5	3	-	10	3	135	106	-	1	60	45
Harris	15,377	31	2	257	3,280	758	1,011	279	328	115	127	682	250	6,299	4,907	42	211	2,929	1,725
Baytown, part	397	-	-	6	79	20	21	6	6	6	2	18	4	186	156	1	1	96	58
Baytown, total	399	-	-	6	79	20	21	6	6	6	2	18	4	186	156	1	1	96	58
Bellaire	124	-	-	1	28	6	8	3	-	3	1	7	3	64	46	-	1	31	14
Deer Park	90	-	-	-	28	10	8	2	2	2	-	4	2	34	22	-	1	15	6
Friendswood, part	14	-	-	-	3	1	2	-	-	-	-	-	-	3	3	-	-	3	-
Houston, part	11,706	27	1	203	2,498	582	765	217	262	81	91	500	198	4,818	3,722	34	169	2,195	1,324
Houston, total	11,714	27	1	203	2,499	582	766	217	262	81	91	500	198	4,819	3,723	34	169	2,195	1,325
La Porte	144	1	-	5	31	4	12	3	4	1	2	5	3	53	46	-	2	29	15
Missouri City, part	9	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Pasadena	631	-	-	9	140	28	45	11	11	5	7	33	9	233	202	3	8	125	66
Pearland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Houston	69	-	-	-	15	4	5	-	-	1	2	3	-	30	24	-	1	14	9
West University Place	15	-	-	-	4	3	1	-	-	-	-	-	-	8	5	-	1	3	1
Balance of county	2,178	3	1	32	453	100	144	36	43	16	22	92	31	869	681	4	27	418	232
Harrison	565	1	-	6	103	24	24	7	12	6	5	25	4	270	189	-	10	137	42
Longview, part	7	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	4	-
Marshall	340	-	-	5	60	13	14	3	6	5	4	15	2	174	117	-	6	84	27
Balance of county	218	1	-	1	42	10	10	4	6	1	1	10	2	92	68	-	4	49	15
Hartley	32	-	-	-	5	-	-	1	2	-	-	2	-	22	19	-	-	17	2
Haskell	106	-	-	1	18	10	4	-	2	1	-	1	-	65	46	-	-	35	11
Hays	268	1	-	6	50	14	13	6	6	1	1	9	7	108	76	1	-	44	31
San Marcos	146	1	-	3	24	9	3	3	1	-	1	7	6	58	36	-	-	20	16
Balance of county	122	-	-	3	26	5	10	3	5	1	-	2	1	50	40	1	-	24	15
Hemphill	30	-	-	-	6	4	2	-	-	-	-	-	1	15	6	-	-	4	2
Henderson	565	-	-	6	112	27	34	6	12	3	4	24	10	223	179	1	1	108	69
Athens	147	-	-	3	28	6	6	3	5	-	1	7	4	73	57	-	-	36	21
Balance of county	418	-	-	5	84	21	28	5	7	3	3	17	6	150	122	1	1	72	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	-	9	-	-	3	-	-	-	1	-	-	-	13	4	2	3	-	-	-
Foard	-	5	-	-	1	1	-	-	-	-	-	-	2	6	-	1	2	-	-
Fort Bend	1	45	4	2	16	17	-	11	11	-	8	13	4	47	34	29	24	16	-
Houston, part	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-
Missouri City, part	-	3	-	-	-	2	-	2	-	-	-	1	-	4	2	1	3	6	-
Missouri City, total	-	3	1	-	-	2	-	2	-	-	-	2	-	4	5	1	4	7	-
Rosenberg	-	7	3	-	5	2	-	4	2	-	1	2	-	11	5	10	2	2	-
Balance of county	1	35	1	2	11	13	-	5	8	-	7	10	4	31	25	17	19	7	-
Franklin	-	9	6	4	4	4	-	-	3	-	2	-	-	4	2	3	2	1	-
Freestone	2	17	-	2	4	3	-	-	4	-	2	1	11	11	10	7	1	5	-
Frio	-	10	2	-	5	4	-	1	4	-	1	-	5	8	3	-	3	-	-
Gaines	1	5	-	-	2	2	-	-	-	-	4	-	15	11	5	4	1	-	-
Galveston	5	117	17	10	32	45	5	22	22	-	14	16	15	118	55	41	34	30	-
Friendswood, part	-	3	1	1	2	2	-	-	-	-	1	3	-	3	6	-	1	1	-
Friendswood, total	-	3	1	1	3	3	-	1	-	-	2	3	-	4	8	-	2	1	-
Galveston	1	51	2	4	17	22	3	7	10	-	3	7	5	46	18	15	10	16	-
La Marque	2	13	2	1	3	2	-	3	2	-	-	-	1	10	3	5	1	1	-
League City	-	3	4	-	1	5	-	-	2	-	2	1	-	5	4	-	3	3	-
Texas City	1	26	3	4	7	5	1	2	4	-	3	1	4	24	6	11	10	4	-
Balance of county	1	21	5	-	2	9	1	10	4	-	5	4	5	30	18	10	9	5	-
Garza	-	1	1	-	2	2	-	-	1	-	-	1	6	6	6	-	-	-	-
Gillespie	1	24	1	1	4	2	-	-	2	-	1	-	11	15	5	7	2	2	-
Glasscock	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Goliad	-	3	1	1	3	1	-	-	-	-	-	-	2	-	5	-	-	-	-
Gonzales	-	26	1	2	7	7	-	1	5	-	1	-	30	11	8	6	3	-	-
Gray	-	14	3	5	10	10	-	1	2	-	-	5	6	16	7	9	3	4	-
Pampa	-	12	3	5	8	8	-	1	1	-	-	5	4	15	5	5	3	4	-
Balance of county	-	2	-	-	2	2	-	-	1	-	-	-	2	1	2	4	-	-	-
Grayson	4	82	22	9	38	46	4	8	9	-	8	5	20	95	28	27	14	9	-
Denison	3	30	9	1	8	19	2	5	2	-	2	3	3	32	12	7	6	3	-
Sherman	-	19	6	1	19	14	1	1	2	-	3	1	3	23	7	9	2	2	-
Balance of county	1	33	7	7	11	13	1	2	5	-	3	1	14	40	9	11	6	4	-
Gregg	8	83	12	11	30	27	2	9	18	-	8	10	69	84	35	28	14	18	1
Kilgore, part	-	9	1	1	2	2	-	-	1	-	-	2	13	11	9	10	1	1	-
Kilgore, total	-	13	1	1	3	2	-	-	2	-	-	2	13	14	9	11	1	1	-
Longview, part	6	57	6	9	18	19	2	5	5	-	3	6	29	52	17	14	10	12	-
Longview, total	6	57	6	9	18	20	2	5	5	-	3	6	29	52	18	14	10	12	-
Balance of county	2	17	5	1	10	6	-	4	12	-	5	2	27	21	9	4	3	5	1
Grimes	-	13	2	2	2	5	-	3	2	-	1	1	6	16	2	5	-	1	-
Guadalupe	2	36	9	3	10	19	4	2	6	-	3	1	18	53	19	7	7	4	-
New Braunfels, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seguin	1	23	4	1	6	8	1	1	4	-	2	1	2	24	6	3	1	3	-
Balance of county	1	13	5	2	4	11	3	1	2	-	1	-	16	29	13	4	6	1	-
Hale	1	51	4	-	6	8	2	3	4	-	1	-	30	27	14	8	2	1	-
Plainview	1	38	-	-	5	8	2	2	2	-	-	-	21	19	9	6	2	1	-
Balance of county	-	13	4	-	1	-	-	1	2	-	1	-	9	8	5	2	-	-	-
Hall	-	10	2	1	4	3	1	1	-	-	-	-	2	2	2	-	1	1	-
Hamilton	-	15	-	2	7	3	-	-	2	-	1	-	1	14	5	2	1	-	-
Hansford	-	2	-	1	5	2	-	-	-	-	-	-	-	3	2	-	-	2	-
Hardeman	-	14	-	-	8	2	-	-	1	-	1	3	6	11	-	5	-	-	-
Hardin	2	19	5	3	13	7	1	2	6	-	3	3	55	14	15	5	4	3	-
Harris	50	1,090	104	148	394	389	37	255	161	2	155	294	170	1,296	581	491	413	602	18
Baytown, part	2	28	-	-	11	13	1	5	5	-	3	4	7	34	13	7	9	9	1
Baytown, total	2	28	-	-	11	14	1	5	5	-	3	4	7	34	14	7	9	9	1
Bellaire	2	12	2	2	2	7	-	1	-	-	-	-	-	9	2	3	2	2	-
Deer Park	-	8	3	1	-	2	-	1	-	-	-	1	-	7	6	3	1	5	-
Friendswood, part	-	-	-	-	1	1	-	1	-	-	1	-	-	1	2	-	1	-	-
Houston, part	42	865	78	111	310	277	28	201	133	2	99	249	117	1,022	370	370	271	499	13
Houston, total	42	865	78	111	310	277	28	201	134	2	99	249	117	1,023	372	371	271	500	13
La Porte	1	4	1	1	2	3	-	3	1	-	3	1	3	11	5	13	4	2	-
Missouri City, part	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	-	1	1	-
Pasadena	1	21	3	6	20	26	1	12	3	-	11	8	7	49	37	25	19	21	1
Pearland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Houston	-	5	-	1	1	1	1	1	1	-	2	-	3	3	2	4	2	3	-
West University Place	-	3	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Balance of county	2	144	16	26	46	59	6	30	18	-	36	30	33	158	141	66	103	60	3
Harrison	4	67	2	8	15	18	-	7	7	-	4	3	42	43	13	17	7	5	-
Longview, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Marshall	1	50	-	6	14	8	-	4	4	-	3	1	18	26	7	9	3	2	-
Balance of county	3	17	2	2	1	9	-	3	3	-	1	2	24	17	5	8	4	3	-
Hartley	1	1	-	1	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-
Haskell	-	14	3	2	-	3	-	2	-	-	1	-	2	7	2	3	2	-	-
Hays	2	24	3	3	11	9	1	5	-	-	2	2	4	25	16	10	5	4	2
San Marcos	2	16	2	2	9	4	-	4	-	-	1	1	2	15	8	5	2	2	1
Balance of county	-	8	1	1	2	5	1	1	-	-	1	1	2	10	8	5	3	2	1
Hemphill	-	9	-	-	1	1	-	-	1	-	-	-	-	2	1	-	1	-	1
Henderson	1	35	3	5	16	20	3	6	6	-	6	3	69	36	23	14	4	6	-
Athens	-	15	1	-	4	3	1	-	-	-	1	1	14	7	4	2	1	1	-
Balance of county	1	20	2	5	12	17	2	6	6	-	5	2	55	29	19	12	3	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,781	3	–	36	308	76	68	22	39	14	8	81	37	707	533	4	6	366	157
Edinburg	168	1	–	2	34	8	8	–	7	–	1	10	3	67	54	–	–	38	16
McAllen	463	–	–	11	80	24	15	2	9	7	4	19	13	185	133	1	3	94	35
Mercedes	77	–	–	3	19	7	3	3	2	–	–	4	2	27	21	–	–	17	4
Mission	183	2	–	3	31	11	3	4	3	1	–	9	3	81	65	–	1	45	19
Pharr	141	–	–	3	27	4	8	1	6	2	–	6	–	52	42	–	–	27	15
Weslaco	192	–	–	1	30	5	13	3	1	2	2	4	3	81	55	–	–	35	20
Balance of county	557	–	–	13	87	17	18	9	11	2	1	29	13	214	163	3	2	110	48
Hill	404	1	–	4	58	15	16	3	7	2	–	15	6	217	159	1	4	96	58
Hockley	196	–	–	5	38	10	12	2	3	1	1	9	5	69	58	–	1	43	14
Levelland	131	–	–	4	26	6	6	2	3	1	–	8	3	48	42	–	1	33	8
Balance of county	65	–	–	1	12	4	6	–	–	–	1	1	2	21	16	–	–	10	6
Hood	222	–	–	–	50	11	17	3	4	1	–	14	4	90	61	–	1	46	14
Hopkins	318	–	–	2	67	16	21	2	8	2	5	13	6	152	106	–	2	67	37
Sulphur Springs	189	–	–	2	35	8	13	1	2	2	1	8	4	99	67	–	2	41	24
Balance of county	129	–	–	–	32	8	8	1	6	–	4	5	2	53	39	–	–	26	13
Houston	265	–	–	3	45	9	13	2	5	4	–	12	2	128	96	–	5	48	43
Howard	360	–	–	–	66	16	21	5	7	1	3	13	6	113	83	–	3	60	20
Big Spring	265	–	–	–	43	11	14	3	5	1	1	8	5	89	63	–	3	45	15
Balance of county	95	–	–	–	23	5	7	2	2	–	2	5	1	24	20	–	–	15	5
Hudspeth	16	–	–	–	6	–	3	1	–	–	–	2	–	3	2	–	–	1	1
Hunt	624	–	–	9	127	17	39	8	12	5	7	39	15	271	208	2	1	131	74
Greenville	265	–	–	6	58	7	18	5	3	4	4	17	5	102	78	–	–	53	25
Balance of county	359	–	–	3	69	10	21	3	9	1	3	22	10	169	130	2	1	78	49
Hutchinson	237	–	–	1	57	10	17	4	2	1	5	18	7	110	91	–	1	59	31
Borger	160	–	–	1	38	6	12	3	2	1	3	11	5	80	67	–	–	47	20
Balance of county	77	–	–	–	19	4	5	1	–	–	2	7	2	30	24	–	1	12	11
Irion	20	–	–	–	7	3	2	–	1	–	–	1	1	8	8	–	–	1	7
Jack	119	–	–	1	23	1	8	2	3	1	3	5	1	69	53	–	–	33	20
Jackson	132	–	–	2	35	10	11	3	3	1	1	6	4	56	44	–	–	27	17
Jasper	344	–	–	4	89	24	28	6	11	3	1	16	7	124	90	–	1	65	24
Jeff Davis	9	–	–	–	3	1	1	–	–	–	–	1	–	5	5	–	–	4	1
Jefferson	2,310	2	–	20	552	121	178	39	47	23	18	125	64	1,114	805	3	13	435	354
Beaumont	1,142	2	–	11	258	57	91	16	24	8	5	57	31	551	405	2	8	228	167
Groves	138	–	–	1	33	5	15	1	1	2	3	6	6	70	49	–	2	27	19
Nederland	101	–	–	2	26	7	7	1	3	2	1	5	2	49	37	–	2	23	12
Port Arthur	725	–	–	5	184	40	53	17	15	10	3	46	22	347	242	1	1	120	120
Port Neches	84	–	–	–	23	5	7	4	1	1	2	3	3	34	26	–	–	14	12
Balance of county	120	–	–	1	28	7	5	–	3	–	5	8	–	63	47	–	–	23	24
Jim Hogg	39	–	–	1	4	3	–	–	1	–	–	–	–	18	15	–	–	11	4
Jim Wells	314	–	–	9	53	14	16	4	4	2	3	10	5	140	95	–	1	61	33
Alice	196	–	–	5	32	7	10	3	2	2	2	6	2	97	63	–	–	42	21
Balance of county	118	–	–	4	21	7	6	1	2	–	1	4	3	43	32	–	1	19	12
Johnson	746	–	–	4	132	34	37	12	8	3	8	30	16	359	266	–	16	169	81
Burleson, part	108	–	–	–	18	3	1	5	–	–	2	7	4	53	39	–	2	18	19
Burleson, total	116	–	–	–	18	3	1	5	–	–	2	7	4	57	42	–	2	20	20
Cleburne	265	–	–	3	44	13	14	4	4	1	–	8	4	126	89	–	5	58	26
Balance of county	373	–	–	1	70	18	22	3	4	2	6	15	8	180	138	–	8	93	36
Jones	202	–	–	–	52	16	14	2	4	2	3	11	3	92	77	–	–	49	28
Abilene, part	3	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	1
Balance of county	199	–	–	–	51	16	14	2	4	1	3	11	3	91	76	–	–	49	27
Karnes	165	–	–	2	24	6	9	2	3	–	2	2	4	84	67	–	3	35	29
Kaufman	521	–	1	9	91	23	24	5	8	3	4	24	5	198	148	–	2	91	55
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	193	–	1	2	29	9	6	2	3	1	2	6	5	74	58	–	1	36	19
Balance of county	328	–	–	7	62	14	18	3	5	2	2	18	–	124	92	–	1	55	36
Kendall	148	–	–	3	36	9	8	–	3	–	5	11	2	62	49	–	2	29	18
Kenedy	5	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Kent	21	–	–	–	4	1	–	–	1	–	1	1	1	6	4	–	–	3	1
Kerr	455	–	–	7	111	17	39	11	18	3	4	19	4	206	155	–	6	100	49
Kerrville	338	–	–	7	78	13	24	10	11	2	3	15	4	157	117	–	5	73	39
Balance of county	117	–	–	–	33	4	15	1	7	1	1	4	–	49	38	–	1	27	10
Kimble	44	–	–	–	12	5	4	–	–	–	–	3	–	22	20	–	–	14	6
King	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kinney	33	–	–	–	4	1	2	1	–	–	–	–	–	9	6	–	–	4	2
Kleberg	195	–	–	1	38	10	7	4	7	1	2	7	6	64	47	–	–	30	17
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingsville	172	–	–	1	32	8	5	3	6	1	2	7	6	59	45	–	–	30	15
Balance of county	23	–	–	–	6	2	2	1	1	–	–	–	–	5	2	–	–	–	2
Knox	89	–	–	–	10	3	3	1	–	1	–	2	3	51	40	–	–	23	17
Lamar	533	–	–	8	100	22	25	7	16	7	6	17	3	222	174	–	–	132	42
Paris	352	–	–	6	63	13	16	5	10	4	3	12	3	147	115	–	–	84	31
Balance of county	181	–	–	2	37	9	9	2	6	3	3	5	–	75	59	–	–	48	11
Lamb	173	1	–	3	34	4	16	2	2	1	2	7	2	84	69	–	1	47	21
Lampasas	135	–	–	1	32	5	9	5	3	–	–	10	1	63	49	1	–	36	12
La Salle	57	–	–	–	14	7	2	–	3	–	–	2	3	25	21	–	–	11	10
Lavaca	271	–	–	4	52	14	11	1	6	2	3	15	1	154	127	1	7	69	50
Lee	152	1	–	1	36	8	8	3	8	5	1	3	4	74	48	–	4	24	20
Leon	178	–	–	2	32	7	12	2	3	1	1	6	1	68	46	–	–	21	25
Liberty	484	–	–	4	103	17	38	5	10	5	3	25	6	181	143	1	4	87	51
Limestone	306	–	–	3	56	11	15	2	9	1	3	15	6	148	114	–	3	78	33

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	6	141	14	13	52	50	5	23	45	2	21	34	186	120	62	54	19	16	1
Edinburg	–	11	–	2	5	7	2	–	5	–	1	1	10	14	9	3	3	1	–
McAllen	3	36	9	4	9	13	1	6	7	1	7	13	38	26	17	20	10	4	–
Mercedes	–	6	–	–	1	3	–	–	3	–	–	–	7	5	5	2	–	–	–
Mission	–	15	–	1	5	3	–	3	7	–	2	3	23	7	4	3	1	2	–
Pharr	1	9	–	–	4	4	1	2	6	1	1	6	17	13	2	1	–	1	–
Weslaco	1	20	1	4	6	8	–	2	6	–	–	2	21	18	4	6	1	3	–
Balance of county	1	44	4	2	22	12	1	10	11	–	10	9	70	35	21	19	4	5	1
Hill	3	33	14	8	15	14	1	4	5	–	1	3	20	35	9	7	1	3	–
Hockley	–	10	–	1	3	4	–	–	5	–	4	–	25	21	9	5	2	1	–
Levelland	–	5	–	1	–	2	–	–	5	–	3	–	14	16	5	3	2	–	–
Balance of county	–	5	–	–	3	2	–	–	–	–	1	–	11	5	4	2	–	1	–
Hood	1	22	–	6	8	10	–	3	2	–	–	2	18	17	6	2	6	3	1
Hopkins	2	37	5	2	8	13	–	1	3	–	3	1	17	21	10	7	4	1	2
Sulphur Springs	1	26	3	2	5	7	–	1	2	–	1	–	7	12	4	7	2	–	1
Balance of county	1	11	2	–	3	6	–	–	1	–	2	1	10	9	6	–	2	1	1
Houston	–	24	2	6	11	4	–	1	3	–	2	–	25	21	6	10	1	3	–
Howard	–	23	4	3	12	21	1	4	3	1	3	5	67	29	12	11	3	3	–
Big Spring	–	21	2	3	11	14	1	3	2	1	2	3	47	22	6	10	3	3	–
Balance of county	–	2	2	–	1	7	–	1	1	–	1	2	20	7	6	1	–	–	–
Hudspeth	–	–	–	1	–	1	1	–	–	–	–	–	2	3	–	–	–	–	–
Hunt	1	50	3	9	17	13	2	2	5	–	1	4	68	44	12	12	11	10	1
Greenville	1	18	3	2	9	7	–	–	4	–	–	2	36	19	3	1	6	6	1
Balance of county	–	32	–	7	8	6	2	2	1	–	1	2	32	25	9	11	5	4	–
Hutchinson	1	15	1	2	6	4	–	1	5	–	2	2	2	19	5	13	2	1	–
Borger	1	10	–	2	5	2	–	1	4	–	–	1	–	13	2	6	2	–	–
Balance of county	–	5	1	–	1	2	–	–	1	–	2	1	2	6	3	7	–	1	–
Irion	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Jack	–	13	2	1	1	6	–	1	1	–	–	–	5	4	–	5	1	1	–
Jackson	–	11	–	1	1	5	–	3	3	–	1	2	2	11	1	2	3	1	–
Jasper	–	28	4	2	6	10	1	4	4	–	2	3	30	27	13	14	5	1	–
Jeff Davis	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Jefferson	12	242	27	28	49	52	6	30	32	–	13	26	23	153	51	48	32	40	3
Beaumont	9	112	18	9	29	21	5	20	12	–	8	18	16	74	25	27	12	21	1
Groves	–	17	2	3	3	1	–	2	3	–	–	–	3	8	4	4	–	1	1
Nederland	–	12	–	–	3	1	–	1	–	–	1	1	–	5	4	1	4	1	–
Port Arthur	3	83	5	14	13	22	1	5	16	–	4	4	3	46	12	13	13	14	1
Port Neches	–	5	2	1	1	3	–	–	1	–	–	2	–	8	3	3	3	–	–
Balance of county	–	13	2	1	–	4	–	2	–	–	–	1	1	14	3	–	–	3	–
Jim Hogg	–	2	1	–	–	1	–	1	–	–	–	–	3	6	–	1	1	2	1
Jim Wells	3	27	15	–	8	13	1	2	6	–	1	2	9	26	18	16	4	1	–
Alice	2	22	10	–	7	6	1	1	5	–	–	1	4	13	11	8	2	1	–
Balance of county	1	5	5	–	1	7	–	1	1	–	1	1	5	13	7	8	2	–	–
Johnson	2	68	13	10	25	32	3	5	5	–	8	6	15	59	31	19	18	9	–
Burleson, part	1	12	–	1	5	3	1	1	–	–	–	–	1	8	8	–	4	2	–
Burleson, total	1	12	–	2	5	4	1	1	–	–	–	–	2	9	8	1	4	2	–
Cleburne	1	25	5	6	7	15	–	1	4	–	4	2	6	25	6	9	5	4	–
Balance of county	–	31	8	3	13	14	2	3	1	–	4	4	8	28	17	10	9	3	–
Jones	–	13	1	1	3	6	–	3	3	–	–	–	17	17	1	4	1	–	–
Abilene, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	–	13	1	1	3	6	–	3	3	–	–	–	17	17	1	3	1	–	–
Karnes	–	15	1	1	7	3	1	4	4	–	1	1	4	12	6	5	2	1	–
Kaufman	3	40	1	6	21	18	1	10	5	–	3	8	76	42	14	8	3	7	1
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	2	16	–	–	14	3	–	4	4	–	1	1	29	18	2	2	–	4	–
Balance of county	1	24	1	6	7	15	1	6	1	–	2	7	47	24	12	6	3	3	1
Kendall	1	9	3	–	9	6	1	2	2	–	1	3	1	8	2	7	3	–	–
Kenedy	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Kent	–	2	–	–	–	1	–	–	1	–	–	–	4	2	–	–	1	1	–
Kerr	1	34	11	5	19	22	2	4	3	–	2	4	7	38	7	12	5	2	–
Kerrville	–	26	11	3	14	14	2	3	1	–	2	4	4	29	4	11	4	–	–
Balance of county	1	8	–	2	5	8	–	1	2	–	–	–	3	9	3	1	1	2	–
Kimble	–	1	1	–	1	2	–	–	1	–	–	–	–	2	1	1	1	1	–
King	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kinney	–	2	1	–	1	–	–	1	1	–	–	–	6	2	2	4	–	1	2
Kleberg	–	12	3	2	2	5	2	3	3	–	–	3	27	21	15	–	4	1	–
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingsville	–	10	3	1	2	5	2	2	3	–	–	2	23	19	12	–	3	1	–
Balance of county	–	2	–	1	–	–	–	1	–	–	–	1	4	2	3	–	1	–	–
Knox	–	8	–	3	2	1	–	–	1	–	1	–	4	11	2	2	1	–	–
Lamar	–	40	4	4	18	11	2	4	5	–	1	–	107	28	13	6	2	3	–
Paris	–	28	2	2	13	7	1	2	4	–	1	–	72	22	4	4	2	1	–
Balance of county	–	12	2	2	5	4	1	2	1	–	–	–	35	6	9	2	–	2	–
Lamb	–	14	–	1	7	3	–	–	1	–	–	–	11	11	6	5	2	3	–
Lampasas	–	13	1	–	3	2	1	2	1	–	1	1	9	9	2	2	3	1	1
La Salle	–	3	1	–	1	2	–	2	–	–	–	–	–	1	2	4	1	2	–
Lavaca	2	22	3	–	4	4	2	1	3	–	–	3	3	24	5	5	4	2	–
Lee	–	22	1	3	4	4	–	1	–	–	1	–	5	5	9	3	2	2	–
Leon	1	19	1	1	5	6	–	–	5	–	1	1	32	12	7	4	2	–	–
Liberty	3	27	4	4	14	16	1	3	3	–	3	4	58	35	26	16	6	5	–
Limestone	1	31	–	2	15	4	1	3	4	–	3	–	22	25	7	1	6	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	38	–	–	1	12	3	2	2	1	–	–	4	–	14	9	–	–	6	3
Live Oak	94	–	–	–	20	4	1	–	2	2	1	10	1	48	31	–	–	20	11
Llano	209	–	–	2	49	15	15	2	3	2	1	11	3	70	55	–	–	42	13
Loving	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Lubbock	1,428	1	–	22	246	57	64	25	33	8	10	49	10	707	580	7	8	300	265
Lubbock	1,179	1	–	15	204	46	58	21	29	5	6	39	9	584	485	5	7	244	229
Balance of county	247	–	–	7	42	11	6	4	4	3	4	10	1	123	95	2	1	56	36
Lynn	74	–	–	1	9	5	2	1	–	–	–	1	–	27	27	–	–	13	14
McCulloch	132	–	–	1	28	7	7	1	2	2	2	7	4	76	51	–	–	36	15
McLennan	1,752	4	–	18	377	85	107	28	38	14	6	99	31	851	671	–	11	494	166
Waco	1,214	3	–	13	244	52	76	17	27	11	2	59	21	593	468	–	8	340	120
Balance of county	538	1	–	5	133	33	31	11	11	3	4	40	10	258	203	–	3	154	46
McMullen	5	–	–	–	1	–	–	–	–	1	–	–	–	4	4	–	–	4	–
Madison	97	–	–	–	19	6	2	3	3	–	–	5	–	38	35	–	–	23	12
Marion	139	–	–	2	22	5	3	5	1	–	–	8	5	68	48	–	1	31	16
Martin	50	–	–	–	7	4	–	1	1	–	–	1	2	31	27	–	–	23	4
Mason	50	–	–	1	8	2	3	1	1	–	–	1	–	25	18	–	1	13	4
Matagorda	331	1	–	7	58	11	22	2	5	4	1	13	1	168	141	1	3	61	76
Bay City	162	1	–	3	31	6	10	–	3	3	1	8	1	78	64	–	2	31	31
Balance of county	169	–	–	4	27	5	12	2	2	1	–	5	–	90	77	1	1	30	45
Maverick	151	–	–	5	19	6	4	1	3	2	–	3	3	62	56	–	1	38	17
Eagle Pass	124	–	–	5	18	5	4	1	3	2	–	3	2	52	47	–	1	32	14
Balance of county	27	–	–	–	1	1	–	–	–	–	–	–	1	10	9	–	–	6	3
Medina	227	–	–	5	50	16	8	1	4	2	3	16	5	101	81	–	2	41	38
Menard	40	–	–	–	12	3	4	1	–	–	–	4	1	15	13	–	1	10	2
Midland	618	–	–	7	136	33	44	9	11	5	3	31	9	233	191	3	3	148	37
Midland	558	–	–	5	124	27	41	9	9	4	3	31	9	212	174	3	3	135	33
Balance of county	60	–	–	2	12	6	3	–	2	1	–	–	–	21	17	–	–	13	4
Milam	291	–	–	4	52	16	9	3	1	2	1	20	6	155	137	–	4	64	69
Mills	91	–	–	–	17	2	5	1	1	2	–	6	–	48	37	1	1	29	6
Mitchell	107	–	–	2	15	1	3	2	–	–	1	8	1	45	36	–	1	18	17
Montague	278	–	–	–	52	15	17	2	5	1	1	11	1	166	110	1	1	63	25
Montgomery	950	–	–	16	208	35	62	14	14	7	8	68	14	379	325	2	7	164	152
Conroe	203	–	–	5	40	12	12	2	4	2	–	8	3	101	85	1	3	37	44
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	747	–	–	11	168	23	50	12	10	5	8	60	11	278	240	1	4	127	108
Moore	85	–	–	2	20	5	8	1	1	2	–	3	2	34	27	1	–	16	10
Dumas	63	–	–	2	15	3	5	1	1	2	–	3	1	26	20	1	–	12	7
Balance of county	22	–	–	–	5	2	3	–	–	–	–	–	1	8	7	–	–	4	3
Morris	148	–	–	5	27	5	8	2	7	1	–	4	1	72	54	–	1	37	16
Motley	27	–	–	–	4	–	3	–	1	–	–	–	–	12	10	–	–	9	1
Nacogdoches	445	1	–	6	85	14	34	3	6	3	5	20	7	167	125	1	1	80	43
Nacogdoches	230	1	–	4	47	11	18	1	4	2	2	9	5	78	58	–	1	40	17
Balance of county	215	–	–	2	38	3	16	2	2	1	3	11	2	89	67	1	–	40	26
Navarro	455	–	–	4	86	19	26	4	12	3	7	15	6	195	129	–	4	95	30
Corsicana	293	–	–	4	57	10	16	4	8	2	4	13	2	140	90	–	3	69	18
Balance of county	162	–	–	–	29	9	10	–	4	1	3	2	4	55	39	–	1	26	12
Newton	139	–	–	–	24	4	10	–	4	1	1	4	2	63	50	–	–	28	22
Nolan	186	–	–	1	34	8	7	3	3	1	1	11	2	87	72	–	–	48	24
Sweetwater	125	–	–	–	23	6	1	2	3	1	1	9	2	55	44	–	–	32	12
Balance of county	61	–	–	1	11	2	6	1	–	–	–	2	–	32	28	–	–	16	12
Nueces	2,023	–	–	29	449	96	154	35	41	16	14	93	50	883	708	2	20	420	266
Corpus Christi, part	1,788	–	–	23	401	87	140	30	38	16	13	77	42	782	628	2	18	372	236
Corpus Christi, total	1,788	–	–	23	401	87	140	30	38	16	13	77	42	782	628	2	18	372	236
Portland, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Robstown	102	–	–	5	23	5	4	2	2	–	–	10	4	44	33	–	1	21	11
Balance of county	131	–	–	1	25	4	10	3	1	–	1	6	4	56	46	–	1	26	19
Ochiltree	67	–	–	–	14	3	2	1	2	2	–	4	1	26	15	–	–	10	5
Oldham	9	–	–	–	2	–	2	–	–	–	–	–	–	3	3	–	–	2	1
Orange	634	–	–	9	117	27	40	9	6	6	2	27	12	248	215	–	6	119	90
Orange	237	–	–	3	39	9	9	4	–	2	1	14	4	95	83	–	1	46	36
Vidor	131	–	–	2	23	3	8	1	4	2	–	5	3	55	48	–	2	29	17
Balance of county	266	–	–	4	55	15	23	4	2	2	1	8	5	98	84	–	3	44	37
Palo Pinto	317	–	–	5	53	9	16	4	9	–	3	12	6	113	79	–	–	53	26
Mineral Wells, part	189	–	–	2	31	3	9	3	7	–	3	6	3	74	50	–	–	33	17
Mineral Wells, total	189	–	–	2	31	3	9	3	7	–	3	6	3	74	50	–	–	33	17
Balance of county	128	–	–	3	22	6	7	1	2	–	–	6	3	39	29	–	–	20	9
Panola	258	1	–	1	44	13	17	–	5	–	1	8	2	144	99	1	2	69	27
Parker	430	–	–	7	89	23	28	6	12	1	4	15	4	216	165	–	4	111	50
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	182	–	–	1	36	7	8	3	9	1	2	6	2	101	74	–	–	45	29
Balance of county	248	–	–	6	53	16	20	3	3	–	2	9	2	115	91	–	4	66	21
Parmer	81	–	–	1	12	1	2	1	2	–	–	6	3	38	25	–	–	20	5
Pecos	102	–	–	1	20	4	6	2	3	1	2	2	3	30	23	–	3	14	6
Polk	329	–	–	2	77	10	26	3	6	2	5	25	7	156	130	1	7	44	78
Potter	970	1	–	8	205	49	59	11	20	8	10	48	8	461	380	2	2	162	214
Amarillo, part	933	1	–	7	195	48	53	9	19	8	10	47	7	447	369	2	2	156	209
Amarillo, total	1,294	2	–	7	284	75	72	22	25	11	12	67	10	618	509	4	7	242	256
Balance of county	37	–	–	1	10	–	6	2	1	–	–	1	1	14	11	–	–	6	5
Presidio	41	–	–	1	8	2	4	1	–	–	–	1	–	18	13	–	–	4	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Texas—Con.																			
Lipscomb	–	3	1	1	1	–	–	–	1	–	–	1	2	2	1	–	2	–	1
Live Oak	–	17	–	–	–	1	–	–	–	–	–	1	8	5	6	4	–	–	–
Llano	–	8	2	5	13	5	–	3	5	–	1	–	23	20	3	5	5	2	–
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lubbock	5	101	14	7	36	47	2	16	14	–	13	19	23	125	44	50	25	26	–
Lubbock	5	74	14	6	30	39	2	10	12	–	10	17	18	105	34	41	22	26	–
Balance of county	–	27	–	1	6	8	–	6	2	–	3	2	5	20	10	9	3	–	–
Lynn	–	–	–	–	3	2	–	–	1	–	–	1	15	7	5	2	1	–	–
McCulloch	–	25	–	–	4	4	–	–	–	–	–	1	1	8	1	1	2	1	–
McLennan	4	148	15	13	57	50	10	20	19	–	4	17	22	147	55	37	19	14	–
Waco	4	104	9	8	43	37	7	16	14	–	2	13	11	122	26	27	10	12	–
Balance of county	–	44	6	5	14	13	3	4	5	–	2	4	11	25	29	10	9	2	–
McMullen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Madison	–	3	–	–	3	2	–	1	2	–	1	–	13	10	3	5	–	–	–
Marion	–	12	4	2	4	4	–	3	–	–	1	–	11	5	4	5	–	1	–
Martin	–	3	1	–	3	–	–	1	1	–	1	–	–	3	1	–	–	–	–
Mason	–	7	–	–	1	3	–	–	–	–	–	–	8	2	–	2	–	–	–
Matagorda	1	22	2	2	8	11	1	4	3	–	2	5	3	30	10	15	2	2	–
Bay City	–	11	1	2	4	5	1	1	2	–	1	3	3	14	5	5	2	2	–
Balance of county	1	11	1	–	4	6	–	3	1	–	1	2	–	16	5	10	–	–	–
Maverick	–	6	–	–	2	5	–	2	4	–	1	2	12	14	9	8	–	2	1
Eagle Pass	–	5	–	–	1	3	–	1	3	–	1	2	8	13	6	7	–	1	1
Balance of county	–	1	–	–	1	2	–	1	1	–	–	–	4	1	3	1	–	1	–
Medina	1	15	–	4	8	6	–	1	4	–	1	1	2	24	12	6	–	1	–
Menard	–	1	–	1	1	2	–	–	–	–	–	–	3	3	1	–	1	1	–
Midland	3	29	3	7	19	24	2	8	5	–	7	9	19	56	33	26	13	11	3
Midland	3	25	3	7	17	22	2	8	5	–	7	7	17	52	24	25	13	10	1
Balance of county	–	4	–	–	2	2	–	–	–	–	–	2	2	4	9	1	–	1	2
Milam	–	15	1	2	13	6	–	3	4	–	2	2	3	24	5	7	1	4	–
Mills	1	7	2	1	4	2	2	–	–	–	–	–	6	8	–	3	1	–	–
Mitchell	–	7	1	1	2	7	1	1	1	–	–	1	20	3	4	4	–	–	–
Montague	–	46	4	6	4	8	–	1	4	–	–	–	6	18	8	8	3	1	–
Montgomery	1	41	5	7	25	28	4	11	6	–	10	9	57	60	52	29	28	14	–
Conroe	–	12	1	3	6	2	1	4	2	–	3	2	7	18	4	1	2	2	–
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	29	4	4	19	26	3	7	4	–	7	7	50	42	48	28	26	12	–
Moore	–	4	1	2	2	1	1	1	1	–	–	–	1	9	5	3	2	1	–
Dumas	–	3	1	2	2	1	1	–	1	–	–	–	1	7	2	3	–	1	–
Balance of county	–	1	–	–	–	–	–	1	–	–	–	–	–	2	3	–	2	–	–
Morris	–	16	1	1	4	9	–	2	1	–	1	4	2	8	7	3	1	1	–
Motley	–	2	–	–	2	–	–	–	–	–	1	–	3	2	1	2	–	–	–
Nacogdoches	1	38	2	1	9	18	2	5	7	–	–	3	61	39	14	5	10	6	–
Nacogdoches	–	19	–	1	8	10	2	2	6	–	–	2	32	19	7	2	5	2	–
Balance of county	1	19	2	–	3	8	–	3	1	–	–	1	29	20	7	3	5	4	–
Navarro	3	53	5	5	12	14	1	4	3	–	–	3	58	34	17	9	7	2	–
Corsicana	3	42	2	3	7	8	–	3	1	–	–	3	29	22	7	7	3	–	–
Balance of county	–	11	3	2	5	6	1	1	2	–	–	–	29	12	10	2	4	2	–
Newton	–	10	2	1	5	8	–	1	2	–	1	1	12	9	4	5	1	1	–
Nolan	–	13	2	–	4	7	–	3	3	–	–	–	17	19	4	2	2	1	–
Sweetwater	–	9	2	–	3	4	–	1	1	–	–	–	14	14	4	1	2	1	–
Balance of county	–	4	–	–	1	3	–	2	2	–	–	–	3	5	–	1	–	–	–
Nueces	3	142	15	15	49	70	2	37	19	–	17	33	19	183	58	40	42	43	–
Corpus Christi, part	1	127	14	12	41	64	2	32	15	–	16	30	15	160	52	36	38	39	–
Corpus Christi, total	1	127	14	12	41	64	2	32	15	–	16	30	15	160	52	36	38	39	–
Portland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Robstown	2	7	1	1	4	–	–	2	2	–	1	1	–	8	2	–	3	3	–
Balance of county	–	8	–	2	4	6	–	3	2	–	–	2	4	15	4	3	1	1	–
Ochiltree	–	10	–	1	2	1	–	–	–	–	–	2	4	11	1	4	1	–	–
Oldham	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–
Orange	–	24	7	2	14	19	2	5	6	–	1	13	91	32	18	33	6	8	–
Orange	–	10	2	–	3	5	1	1	4	–	–	7	44	12	2	16	–	1	–
Vidor	–	4	2	1	1	6	1	–	1	–	–	4	24	8	1	3	1	–	–
Balance of county	–	10	3	1	10	8	–	4	1	–	1	2	23	14	15	14	5	7	–
Palo Pinto	1	27	3	3	19	12	2	1	1	–	–	2	45	28	9	11	7	3	–
Mineral Wells, part	1	18	2	3	11	8	2	–	1	–	–	2	25	14	5	7	2	2	–
Mineral Wells, total	1	18	2	3	11	8	2	–	1	–	–	2	25	14	5	7	2	2	–
Balance of county	–	9	1	–	8	4	–	1	–	–	–	–	20	14	4	4	5	1	–
Panola	2	38	5	–	8	3	–	3	2	–	–	2	6	22	7	7	4	1	1
Parker	1	41	4	5	7	13	1	3	3	–	7	1	8	29	15	19	1	7	–
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	1	23	2	1	2	5	1	2	1	–	2	–	4	13	4	8	–	–	–
Balance of county	–	18	2	4	5	8	–	1	2	–	5	1	4	16	11	11	1	7	–
Parmer	2	10	–	1	2	2	–	–	–	–	2	2	4	7	4	2	2	–	–
Pecos	–	5	2	–	4	6	1	4	2	–	2	3	2	10	8	4	–	2	–
Polk	–	25	–	1	8	5	–	1	6	–	2	2	12	22	9	13	3	3	1
Potter	1	53	20	7	42	36	4	11	5	–	4	12	8	81	25	25	16	20	–
Amarillo, part	1	51	19	7	41	35	4	10	5	–	4	11	8	77	23	25	15	20	–
Amarillo, total	3	73	24	9	48	54	5	14	9	–	5	15	8	109	34	32	18	24	–
Balance of county	–	2	1	–	1	1	–	1	–	–	–	1	–	4	2	–	1	–	–
Presidio	–	5	–	–	2	2	2	–	–	–	–	–	3	4	1	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	70	-	-	-	16	2	3	1	1	1	2	8	3	33	26	-	1	16	9
Randall	479	1	-	-	116	34	24	14	10	4	4	26	4	225	180	2	6	117	55
Amarillo, part	361	1	-	-	89	26	19	13	6	3	2	20	3	171	140	2	5	86	47
Canyon	71	-	-	-	17	7	3	1	2	-	1	3	1	30	23	-	1	16	6
Balance of county	47	-	-	-	10	1	2	-	2	1	1	3	-	24	17	-	-	15	2
Reagan	25	-	-	-	7	1	3	-	-	-	-	3	1	12	8	-	1	4	3
Real	28	-	-	-	3	1	1	-	-	-	-	1	-	20	16	1	-	7	8
Red River	235	-	-	2	40	13	13	2	5	1	4	2	4	103	71	-	6	49	16
Reeves	103	-	-	1	17	2	4	2	4	-	-	5	2	43	37	-	-	28	9
Pecos	90	-	-	1	17	2	4	2	4	-	-	5	2	34	30	-	-	22	8
Balance of county	13	-	-	-	-	-	-	-	-	-	-	-	-	9	7	-	-	6	1
Refugio	90	-	-	-	20	4	3	1	2	1	1	8	3	43	35	-	1	16	18
Roberts	13	-	-	-	3	-	1	1	-	-	-	1	-	4	3	-	-	2	1
Robertson	227	1	-	1	38	9	10	1	7	1	-	8	4	114	79	-	-	43	38
Rockwall	121	-	-	2	29	9	7	2	2	-	1	8	3	52	40	1	2	19	18
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	121	-	-	2	29	9	7	2	2	-	1	8	3	52	40	1	2	19	18
Runnels	166	-	-	1	24	3	6	-	4	-	2	9	3	92	61	-	-	47	14
Rusk	537	-	-	2	101	26	30	10	13	1	2	19	10	243	186	1	6	133	46
Henderson	180	-	-	2	35	15	7	1	1	1	2	8	4	88	69	-	-	51	18
Kilgore, part	29	-	-	-	6	2	2	-	-	-	-	2	1	16	12	-	1	8	3
Balance of county	328	-	-	-	60	9	21	9	12	-	-	9	5	139	105	1	5	74	25
Sabine	161	-	-	1	25	5	9	-	3	1	1	7	3	90	77	-	1	58	18
San Augustine	99	-	-	5	23	4	6	-	6	-	5	2	2	52	41	-	1	24	16
San Jacinto	148	-	-	3	27	5	7	1	3	1	-	10	2	82	48	-	-	31	17
San Patricio	449	-	-	5	91	24	23	7	8	2	4	23	4	200	163	2	2	93	56
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	37	-	-	-	10	2	1	1	2	-	-	4	-	21	16	-	-	11	5
Portland, total	39	-	-	-	10	2	1	1	2	-	-	4	-	22	17	-	-	12	5
Balance of county	412	-	-	5	81	22	22	6	6	2	4	19	4	179	147	2	2	82	61
San Saba	84	-	-	-	18	2	5	-	3	-	3	5	2	36	29	-	-	13	16
Schleicher	33	-	-	-	3	-	-	-	2	-	1	-	1	15	11	-	-	9	2
Scurry	165	-	-	-	30	2	15	3	3	-	1	6	3	64	49	-	1	31	17
Snyder	128	-	-	-	22	2	9	3	3	-	1	4	3	55	42	-	1	28	13
Balance of county	37	-	-	-	8	-	6	-	-	-	-	2	-	9	7	-	-	3	4
Shackelford	57	-	-	-	9	4	4	1	-	-	-	-	-	34	23	-	5	13	5
Shelby	269	-	-	2	48	11	10	-	4	3	6	14	8	145	106	-	2	74	30
Sherman	31	-	-	-	6	1	1	-	1	-	-	3	-	16	13	-	-	9	4
Smith	1,291	-	1	9	279	53	75	22	31	7	17	74	18	633	502	5	14	309	174
Tyler	753	-	-	7	170	34	47	17	17	5	11	39	10	367	289	2	6	182	99
Balance of county	538	-	1	2	109	19	28	5	14	2	6	35	8	266	213	3	8	127	75
Somervell	46	-	-	-	6	-	3	1	-	1	-	1	-	20	17	-	1	13	3
Starr	170	-	-	2	23	7	5	2	5	2	-	2	5	76	59	1	1	31	26
Stephens	133	-	-	-	30	6	11	3	4	1	-	5	2	68	53	-	1	43	9
Sterling	14	-	-	-	2	-	2	-	-	-	-	-	-	8	8	-	1	2	5
Stonewall	49	-	-	1	9	2	1	-	3	1	1	1	-	21	11	-	2	7	2
Sutton	41	-	-	-	6	2	2	-	-	-	1	1	-	22	16	-	1	14	1
Swisher	78	-	-	-	9	3	1	-	2	1	-	2	5	46	35	-	1	33	1
Tarrant	7,126	8	-	86	1,476	317	455	119	159	59	50	317	135	3,138	2,400	17	112	1,483	788
Arlington	873	-	-	5	200	47	50	15	19	13	11	45	15	345	256	1	11	179	65
Bedford	123	-	-	-	28	4	13	-	4	1	2	4	2	51	43	-	1	28	14
Benbrook	66	1	-	-	19	6	5	1	3	-	-	4	-	24	18	-	1	12	5
Burleson, part	8	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	2	1
Euless	144	-	-	2	23	6	7	1	2	1	3	3	3	64	53	-	3	33	17
Forest Hill	53	-	-	2	11	2	5	-	1	1	-	2	2	18	12	-	-	7	5
Fort Worth	4,154	4	-	59	825	172	251	74	93	32	23	180	81	1,838	1,398	10	69	835	484
Grand Prairie, part	53	-	-	1	8	-	5	2	-	-	-	1	-	24	19	-	-	16	3
Grapevine, part	110	-	-	-	21	5	9	-	-	-	-	7	3	55	45	1	2	25	17
Grapevine, total	112	-	-	-	22	6	9	-	-	-	-	7	3	56	45	1	2	25	17
Haltom City	209	1	-	3	36	7	14	1	4	1	-	9	8	107	76	1	5	46	24
Hurst	177	-	-	3	38	11	11	3	4	3	1	5	1	89	70	-	4	48	18
North Richland Hills	141	-	-	-	33	8	16	1	3	1	-	4	2	64	50	-	-	31	19
Watauga	44	-	-	-	13	2	5	1	1	1	-	3	2	15	13	1	1	9	2
White Settlement	98	1	-	-	25	5	7	5	2	1	1	4	2	43	32	-	3	17	12
Balance of county	873	1	-	11	196	42	57	15	23	4	9	46	14	397	312	3	12	195	102
Taylor	866	1	-	9	176	42	51	10	19	8	4	42	21	449	345	1	10	211	123
Abilene, part	831	1	-	8	148	34	41	10	15	8	3	37	20	389	298	1	7	179	111
Abilene, total	834	1	-	8	149	34	41	10	15	9	3	37	20	390	299	1	7	179	112
Balance of county	135	-	-	1	28	8	10	-	4	-	1	5	1	60	47	-	3	32	12
Terrell	12	-	-	-	4	2	-	-	-	-	-	2	-	3	3	-	-	1	2
Terry	139	-	-	-	21	5	9	-	3	-	1	3	2	71	50	-	1	38	11
Brownfield	114	-	-	-	19	5	9	-	3	-	-	2	2	59	41	-	-	31	10
Balance of county	25	-	-	-	2	-	-	-	-	-	1	1	-	12	9	-	1	7	1
Throckmorton	29	-	-	-	3	-	1	-	1	-	-	1	-	10	8	-	1	4	3
Titus	241	-	-	3	43	14	7	2	2	-	3	15	2	110	78	-	2	50	26
Mount Pleasant	147	-	-	3	28	9	5	1	1	-	2	10	-	69	48	-	1	27	20
Balance of county	94	-	-	-	15	5	2	1	1	-	1	5	2	41	30	-	1	23	6
Tom Green	792	-	-	9	130	31	39	8	14	6	6	26	9	384	254	2	1	136	115
San Angelo	720	-	-	9	120	30	36	6	13	5	6	24	9	343	226	2	1	125	98
Balance of county	72	-	-	-	10	1	3	2	1	1	-	2	-	41	28	-	-	11	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined condi-tions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas--Con.																			
Rains	–	7	–	–	1	3	–	–	–	–	–	–	4	3	5	2	–	–	–
Randall	3	31	6	5	9	25	1	4	4	–	2	8	1	39	18	11	7	4	–
Amarillo, part	2	22	5	2	7	19	1	4	4	–	1	4	–	32	11	7	3	4	–
Canyon	–	5	1	1	2	4	–	–	–	–	1	2	1	5	5	2	1	–	–
Balance of county	1	4	–	2	–	2	–	–	–	–	–	2	–	2	2	2	3	–	–
Reagan	–	4	–	–	1	1	–	–	–	–	–	–	–	1	2	–	–	–	–
Real	–	3	1	–	1	–	–	–	–	–	1	–	1	1	1	–	–	–	–
Red River	–	32	–	–	6	4	–	–	–	–	–	2	41	19	6	2	2	2	2
Reeves	–	5	1	–	3	1	–	3	4	–	2	2	1	7	9	8	–	–	–
Pecos	–	3	1	–	3	1	–	3	4	–	1	2	–	6	8	8	–	–	–
Balance of county	–	2	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
Refugio	–	6	1	1	3	5	–	–	1	–	–	–	8	3	2	1	1	–	–
Roberts	–	1	–	–	1	–	–	1	–	–	–	–	–	3	–	1	–	–	–
Robertson	1	19	12	3	11	7	1	–	4	–	1	–	24	14	5	3	–	1	–
Rockwall	1	10	–	1	2	6	–	–	1	–	2	1	1	7	5	1	7	2	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	10	–	1	2	6	–	–	1	–	2	1	1	7	5	1	7	2	–
Runnels	1	25	3	2	2	7	–	–	7	–	–	1	2	18	3	3	2	1	–
Rusk	1	51	2	3	21	10	–	5	1	–	4	2	59	32	18	17	3	9	–
Henderson	1	17	–	1	11	4	–	2	–	–	2	–	11	9	6	3	–	3	–
Kilgore, part	–	4	–	–	1	–	–	–	1	–	–	–	–	3	–	1	–	–	–
Balance of county	–	30	2	2	9	6	–	3	–	–	2	2	48	20	12	13	3	6	–
Sabine	–	11	1	1	3	4	–	6	1	–	1	1	6	7	4	4	4	–	–
San Augustine	–	10	1	–	1	4	–	–	3	–	–	–	3	2	–	1	2	–	1
San Jacinto	1	7	4	2	4	8	–	2	2	–	1	2	6	13	4	9	2	1	–
San Patricio	1	28	2	6	13	18	1	3	6	–	2	6	19	33	25	10	7	6	–
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	4	–	1	–	1	–	–	–	–	–	–	2	2	1	–	–	–	–
Portland, total	–	4	–	1	–	1	–	–	–	–	–	–	2	2	1	1	–	–	–
Balance of county	1	24	2	5	13	17	1	3	6	–	2	6	17	31	24	10	7	6	–
San Saba	–	3	2	2	–	4	–	–	1	–	1	–	12	7	1	–	1	1	–
Schleicher	–	3	–	1	1	5	–	–	–	–	–	–	3	4	–	1	–	–	–
Scurry	1	14	–	–	7	12	1	–	2	–	3	–	14	17	4	6	1	1	–
Snyder	1	12	–	–	4	10	1	–	2	–	2	–	8	12	4	4	1	–	–
Balance of county	–	2	–	–	3	2	–	–	–	–	1	–	6	5	–	2	–	1	–
Shackelford	–	10	1	–	2	3	–	1	–	1	–	–	–	3	3	–	1	–	–
Shelby	1	29	1	8	4	7	–	–	4	–	1	1	27	19	9	8	5	1	–
Sherman	–	2	1	–	1	1	–	–	–	–	–	–	–	3	–	4	–	–	–
Smith	4	104	14	9	26	31	1	9	10	–	13	19	27	91	46	40	16	22	–
Tyler	2	64	8	4	16	19	1	5	7	–	7	14	11	63	20	19	8	9	–
Balance of county	2	40	6	5	10	12	–	4	3	–	6	5	16	28	26	21	8	13	–
Somervell	–	2	–	1	1	2	–	–	2	–	1	–	1	7	–	3	–	3	–
Starr	–	13	3	1	5	7	–	1	3	–	5	3	3	17	6	5	5	3	1
Stephens	–	13	1	1	3	7	–	1	–	–	–	1	1	7	4	6	1	2	–
Sterling	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–
Stonewall	–	7	2	1	5	–	–	1	1	–	–	3	3	2	1	1	1	–	–
Sutton	–	6	–	–	1	–	2	–	1	–	–	1	–	2	1	1	4	–	–
Swisher	–	9	1	1	–	1	–	–	1	–	1	1	2	6	1	2	1	2	–
Tarrant	21	557	95	65	196	286	22	100	79	1	48	108	134	610	229	204	109	157	–
Arlington	2	63	18	6	18	27	–	16	12	–	7	18	18	75	42	33	23	18	–
Bedford	1	7	–	–	4	7	–	1	2	–	–	1	4	12	4	4	2	1	–
Benbrook	1	4	1	–	–	2	–	1	2	–	–	–	3	6	4	–	3	1	–
Burleson, part	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	1	–	–	–
Euless	–	9	–	2	2	8	1	2	–	–	3	2	6	7	10	4	4	1	–
Forest Hill	–	5	1	–	2	2	–	–	1	–	1	1	2	4	2	1	1	3	–
Fort Worth	11	340	47	42	124	177	19	59	42	1	23	62	73	383	104	124	45	111	–
Grand Prairie, part	–	2	3	–	3	2	–	1	1	–	–	2	1	3	3	2	–	2	–
Grapevine, part	1	7	2	–	4	3	–	1	–	–	2	3	3	6	4	3	1	1	–
Grapevine, total	1	8	2	–	4	3	–	1	–	–	2	3	3	6	4	3	1	1	–
Hallom City	2	23	4	2	2	8	1	2	3	–	–	–	5	17	6	4	3	3	–
Hurst	–	14	5	–	4	3	–	2	2	–	1	3	1	10	6	6	6	2	–
North Richland Hills	–	13	–	1	3	4	–	5	–	–	2	2	2	13	3	4	2	2	–
Watauga	–	1	–	1	1	2	–	–	–	–	1	2	–	4	–	1	–	3	–
White Settlement	1	9	1	–	1	4	–	2	2	–	1	–	–	7	4	2	2	2	–
Balance of county	2	60	13	10	28	36	1	8	12	–	7	12	13	61	37	15	17	7	–
Taylor	1	80	14	9	23	29	2	11	9	–	10	10	58	84	30	20	18	6	–
Abilene, part	1	72	12	6	22	24	2	10	8	–	10	8	46	71	24	19	16	5	–
Abilene, total	1	72	12	6	22	24	2	10	8	–	10	8	46	71	24	20	16	5	–
Balance of county	–	8	2	3	1	5	–	1	1	–	–	2	12	13	6	1	2	1	–
Terrell	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	1	–	–	–
Terry	3	14	3	1	8	4	1	2	3	–	2	1	–	16	2	4	1	1	–
Brownfield	3	11	3	1	7	3	1	1	3	–	1	1	–	10	2	3	1	1	–
Balance of county	–	3	–	–	1	1	–	1	–	–	1	–	–	6	–	1	–	–	–
Throckmorton	–	2	–	–	2	2	–	–	1	–	2	–	2	4	1	1	1	–	–
Titus	–	21	8	8	6	4	1	–	7	–	2	1	15	26	7	9	4	1	–
Mount Pleasant	–	14	6	1	4	2	1	–	5	–	–	1	10	12	3	4	4	1	–
Balance of county	–	7	2	2	2	2	–	–	2	–	2	–	5	14	4	5	–	–	–
Tom Green	4	99	18	9	22	49	1	11	5	–	5	5	16	63	28	26	20	7	2
San Angelo	3	93	15	6	19	47	1	8	4	–	5	5	14	56	27	24	18	7	2
Balance of county	1	6	3	3	3	2	–	3	1	–	–	–	2	5	1	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	2,754	–	–	46	582	145	163	42	52	25	36	119	51	1,134	820	7	39	454	320
Austin, part	2,368	–	–	39	500	128	141	35	42	20	26	108	47	970	685	7	34	375	269
Austin, total	2,377	–	–	40	501	128	142	35	42	20	26	108	47	972	687	7	34	377	269
Round Rock, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	384	–	–	7	82	17	22	7	10	5	10	11	4	163	135	–	5	79	51
Trinity	143	–	–	1	29	6	11	2	–	1	–	9	5	73	62	–	1	36	25
Tyler	222	–	–	3	42	13	12	3	3	1	4	6	3	109	88	–	1	49	38
Upshur	343	–	–	3	79	21	27	6	11	1	1	12	6	160	124	–	–	89	35
Upton	51	–	–	–	14	3	3	–	1	–	–	7	1	21	15	–	1	10	4
Uvalde	190	1	–	2	41	8	9	2	5	1	2	14	3	84	60	2	2	28	28
Uvalde	130	1	–	2	29	6	7	–	4	1	2	9	2	60	42	1	1	20	20
Balance of county	60	–	–	–	12	2	2	2	1	–	–	5	1	24	18	1	1	8	8
Val Verde	258	–	–	4	42	10	7	2	5	2	3	13	9	108	81	–	2	59	20
Del Rio	231	–	–	3	34	8	4	2	5	1	2	12	9	103	76	–	2	55	19
Balance of county	27	–	–	1	8	2	3	–	–	1	1	1	–	5	5	–	–	4	1
Van Zandt	474	–	–	4	73	15	20	7	5	2	1	23	5	238	201	–	–	116	85
Victoria	490	2	–	3	109	30	29	7	12	6	3	22	5	228	178	–	5	127	48
Victoria	393	2	–	2	78	21	19	6	10	4	3	15	4	185	143	–	5	99	39
Balance of county	97	–	–	1	31	9	10	1	2	2	–	7	1	43	35	–	–	29	7
Walker	268	–	–	4	55	12	11	7	7	5	2	11	6	130	113	–	3	48	62
Huntsville	134	–	–	4	25	3	4	4	6	3	–	5	4	71	63	–	3	29	31
Balance of county	134	–	–	–	30	9	7	3	1	2	2	6	2	59	50	–	–	19	31
Waller	160	1	–	2	27	7	4	–	5	2	2	7	5	75	59	–	–	19	40
Ward	98	–	–	1	20	7	8	3	–	–	1	1	3	40	37	–	–	24	13
Washington	257	–	–	2	52	15	10	8	3	1	1	14	1	140	104	–	2	44	58
Brenham	136	–	–	2	22	7	2	2	–	–	–	11	–	81	59	–	2	24	33
Balance of county	121	–	–	–	30	8	8	6	3	1	1	3	1	59	45	–	–	20	25
Webb	615	3	–	11	100	28	25	9	11	4	4	19	24	245	191	1	3	124	83
Laredo	586	3	–	11	97	25	25	9	11	4	4	19	22	234	182	1	3	116	82
Balance of county	29	–	–	–	3	3	–	–	–	–	–	–	2	11	9	–	–	8	1
Wharton	387	–	–	7	71	14	22	5	12	4	–	14	10	183	137	–	5	87	45
El Campo	114	–	–	–	21	4	7	–	2	–	–	8	3	82	48	–	2	33	13
Balance of county	273	–	–	7	50	10	15	5	10	4	–	6	7	121	89	–	3	54	32
Wheeler	77	–	–	2	11	3	5	1	1	–	–	1	1	40	37	–	–	28	9
Wichita	1,156	3	–	16	249	58	76	21	26	5	10	53	22	556	435	1	10	252	172
Burkburnett	99	–	–	–	15	5	2	–	1	1	1	5	–	52	44	–	3	26	15
Wichita Falls, part	820	3	–	13	199	44	61	17	22	2	9	44	20	446	344	1	7	196	140
Wichita Falls, total	920	3	–	13	199	44	61	17	22	2	9	44	20	446	344	1	7	196	140
Balance of county	137	–	–	3	35	9	13	4	3	2	–	4	2	58	47	–	–	30	17
Wilbarger	178	–	–	1	31	8	10	2	3	–	–	8	3	106	83	–	–	71	12
Vernon	156	–	–	1	30	8	10	2	3	–	–	7	3	93	73	–	–	61	12
Balance of county	22	–	–	–	1	–	–	–	–	–	–	1	–	13	10	–	–	10	–
Willacy	130	–	–	1	15	7	2	1	3	–	–	2	4	62	56	–	–	44	12
Williamson	613	2	–	10	121	35	33	5	9	2	6	31	10	293	210	3	3	138	66
Austin, part	9	–	–	1	1	–	1	–	–	–	–	–	–	2	2	–	–	2	–
Round Rock, part	104	1	–	2	18	4	6	1	2	–	2	3	1	41	26	1	1	14	10
Round Rock, total	106	1	–	2	18	4	6	1	2	–	2	3	1	42	26	1	1	14	10
Taylor	129	1	–	3	19	7	3	–	2	–	1	6	1	71	44	–	1	33	10
Balance of county	371	–	–	4	83	24	23	4	5	2	3	22	8	179	138	2	1	89	46
Wilson	139	–	–	3	26	6	10	3	1	3	2	1	–	73	62	–	–	35	27
Winkler	75	–	–	–	16	4	4	2	3	–	–	3	1	34	30	–	–	23	7
Wise	255	–	–	2	42	6	11	4	4	1	3	13	1	128	106	–	–	75	31
Wood	369	–	–	5	87	20	29	7	6	6	4	15	4	189	147	1	2	111	33
Yoakum	71	–	–	–	13	2	5	1	1	–	–	4	–	32	29	–	–	18	11
Young	268	–	–	1	59	13	17	7	8	3	1	10	7	94	68	–	2	41	25
Zapata	76	–	–	1	13	2	4	2	–	1	2	2	1	33	22	–	1	18	3
Zavala	104	–	–	2	14	1	5	1	1	1	–	5	2	46	39	–	–	30	9
Utah	8,997	5	–	93	1,553	383	284	142	233	75	91	345	200	4,018	3,134	94	98	1,844	1,098
Urban places	4,827	3	–	50	799	209	151	71	125	35	44	164	109	2,214	1,724	47	64	1,015	598
Balance of area	4,170	2	–	43	754	174	133	71	108	40	47	181	91	1,804	1,410	47	34	829	500
Metropolitan counties	6,826	4	–	71	1,176	304	220	105	163	57	65	262	146	3,046	2,405	76	83	1,393	853
Urban places	4,358	2	–	47	728	192	140	65	111	33	36	151	98	1,998	1,578	44	58	923	553
Balance of area	2,468	2	–	24	448	112	80	40	52	24	29	111	48	1,048	827	32	25	470	300
Nonmetropolitan counties	2,171	1	–	22	377	79	64	37	70	18	26	83	54	972	729	18	15	451	245
Urban places	469	1	–	3	71	17	11	6	14	2	8	13	11	216	148	3	6	92	45
Balance of area	1,702	–	–	19	306	62	53	31	56	16	18	70	43	756	583	15	9	359	200
Beaver	53	–	–	–	11	2	2	3	3	–	–	1	–	29	21	2	–	12	7
Box Elder	230	–	–	5	41	6	9	3	6	2	7	8	5	106	77	2	1	55	19
Brigham City	116	–	–	1	23	4	5	1	3	1	4	5	2	52	35	1	–	26	8
Balance of county	114	–	–	4	18	2	4	2	3	1	3	3	3	54	42	1	1	29	11
Cache	340	1	–	1	49	12	3	5	10	1	6	12	8	163	113	2	4	74	33
Logan	164	1	–	1	21	5	2	3	6	–	3	2	6	76	53	1	2	32	18
Balance of county	176	–	–	–	28	7	1	2	4	1	3	10	2	87	60	1	2	42	15
Carbon	180	–	–	2	34	5	7	4	8	2	1	7	5	64	44	1	2	22	19
Daggett	6	–	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Davis	621	–	–	8	116	25	26	8	12	7	4	34	15	275	212	8	6	135	63
Bountiful	192	–	–	3	30	7	4	2	3	1	1	12	4	100	67	3	1	42	21
Clearfield	80	–	–	1	16	2	7	1	1	3	–	2	3	31	25	–	2	14	9
Layton	103	–	–	4	23	4	5	3	4	1	1	5	3	35	32	1	1	23	7
Balance of county	248	–	–	–	47	12	10	2	4	2	2	15	5	109	88	4	2	56	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	5	226	55	28	69	102	8	36	20	–	31	40	34	280	115	72	61	70	3
Austin, part	5	208	48	26	57	89	7	31	17	–	27	32	29	247	93	65	52	63	3
Austin, total	5	208	48	26	57	91	7	31	17	–	27	32	29	249	94	65	52	63	3
Round Rock, part	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	18	8	2	12	13	1	5	3	–	4	8	5	32	22	7	9	7	–
Trinity	1	8	1	1	3	6	–	3	1	–	–	–	2	10	4	3	2	1	–
Tyler	1	18	2	–	8	7	–	–	5	–	–	2	6	19	7	6	2	3	–
Upshur	1	24	7	4	7	13	–	2	1	–	–	4	3	42	8	9	4	2	–
Upton	–	6	–	–	–	–	1	–	–	–	1	–	–	7	3	–	2	1	–
Uvalde	2	20	–	2	3	5	–	2	3	–	–	2	8	17	5	10	2	2	–
Uvalde	2	15	–	1	2	5	–	1	2	–	–	1	5	10	4	4	2	–	–
Balance of county	–	5	–	1	1	–	–	1	1	–	–	1	3	7	1	6	–	2	–
Val Verde	1	23	3	–	9	9	–	6	8	1	1	5	26	12	5	7	4	2	–
Del Rio	1	23	3	–	8	6	–	4	8	1	1	5	23	11	3	6	4	2	–
Balance of county	–	–	–	–	1	3	–	2	–	–	–	–	3	1	2	1	–	–	–
Van Zandt	1	30	2	4	23	26	–	2	5	–	4	2	11	28	26	13	8	5	1
Victoria	2	38	6	4	14	20	2	2	1	–	4	1	3	43	17	18	11	6	1
Victoria	2	31	5	4	13	17	2	2	–	–	4	1	2	39	11	17	9	5	–
Balance of county	–	7	1	–	1	3	–	–	1	–	–	–	1	4	6	1	2	1	1
Walker	1	14	2	–	9	5	1	4	4	–	–	1	2	18	15	9	2	3	–
Huntsville	1	5	2	–	4	3	1	–	1	–	–	–	1	8	4	1	2	–	–
Balance of county	–	9	–	–	5	2	–	4	3	–	–	1	1	11	9	5	1	1	–
Waller	1	12	1	2	4	4	1	2	2	–	3	1	2	17	8	5	2	1	–
Ward	–	3	–	–	5	5	–	2	4	–	–	–	3	4	2	3	4	2	–
Washington	–	30	4	2	7	3	1	–	2	–	1	1	12	14	9	7	4	–	1
Brenham	–	19	2	1	3	2	1	–	2	–	–	–	6	8	3	4	2	–	–
Balance of county	–	11	2	1	4	1	–	–	–	–	1	1	6	6	6	3	2	–	1
Webb	–	49	2	3	26	18	–	14	4	–	9	14	40	46	12	25	8	13	3
Laredo	–	47	2	3	26	18	–	12	4	–	8	14	38	43	11	23	8	13	1
Balance of county	–	2	–	–	–	–	–	2	–	–	1	–	2	3	1	2	–	–	2
Wharton	1	42	3	–	12	11	1	4	7	–	3	3	27	28	12	5	2	1	–
El Campo	–	11	3	–	3	2	–	2	1	–	–	2	3	8	3	3	1	–	–
Balance of county	1	31	–	–	9	9	1	2	6	–	3	1	24	20	9	2	1	1	–
Wheeler	–	3	–	–	5	4	–	1	2	–	1	–	–	6	4	–	–	–	–
Wichita	3	105	7	6	27	36	2	9	10	–	13	12	12	67	31	32	21	16	2
Burkburnett	–	7	–	1	6	3	–	1	1	–	3	–	–	8	3	1	4	2	–
Wichita Falls, part	3	90	4	5	15	28	1	6	6	–	9	12	12	73	23	26	12	14	2
Wichita Falls, total	3	90	4	5	15	28	1	6	6	–	9	12	12	73	23	26	12	14	2
Balance of county	–	8	3	–	6	5	1	2	3	–	1	–	–	6	5	5	5	–	–
Wilbarger	–	18	4	1	9	5	1	1	2	–	1	3	3	7	1	1	3	–	–
Vernon	–	15	4	1	7	4	1	1	1	–	1	3	2	6	1	–	2	–	–
Balance of county	–	3	–	–	2	1	–	–	1	–	–	–	1	1	–	1	1	–	–
Willacy	–	5	1	–	7	4	1	1	–	–	1	1	10	11	5	3	1	3	–
Williamson	4	54	22	3	19	16	2	4	4	–	5	8	4	59	32	12	10	1	1
Austin, part	–	–	–	–	–	2	–	–	–	–	–	–	–	2	1	–	–	–	–
Round Rock, part	–	7	7	1	5	–	–	–	–	–	2	5	–	16	7	4	2	–	–
Round Rock, total	–	7	8	1	5	–	–	–	–	–	2	5	–	17	7	4	2	–	–
Taylor	–	22	3	2	7	2	1	–	1	–	–	–	1	13	4	2	2	1	–
Balance of county	4	25	12	–	7	12	1	4	3	–	3	3	3	28	20	6	6	–	1
Wilson	–	9	1	1	8	4	–	1	1	–	1	1	–	11	6	4	–	–	–
Winkler	–	4	–	–	–	4	1	1	2	–	1	2	–	9	2	1	1	–	–
Wise	–	20	1	1	8	10	1	2	7	–	–	3	12	19	11	7	1	1	–
Wood	–	36	4	2	9	9	–	1	2	–	1	2	14	20	12	7	4	3	–
Yoakum	–	2	–	1	1	3	–	–	–	–	–	1	6	4	6	3	2	–	–
Young	1	18	5	2	11	17	–	1	5	–	–	1	26	28	5	8	2	3	–
Zapata	–	9	1	1	–	–	–	1	1	–	–	–	7	8	6	4	–	1	–
Zavala	–	6	–	1	7	–	–	2	2	–	–	–	5	10	5	5	2	2	–
Utah	32	675	72	105	270	313	38	82	78	1	125	138	160	962	309	339	224	51	38
Urban places	17	370	50	53	156	167	20	38	43	–	71	74	84	540	142	143	121	29	24
Balance of area	15	305	22	52	114	146	18	44	35	1	54	64	76	422	167	196	103	22	14
Metropolitan counties	29	472	62	76	201	242	33	61	52	1	103	107	123	756	225	231	173	42	33
Urban places	16	312	48	44	136	153	20	35	39	–	66	66	70	486	129	132	106	24	23
Balance of area	13	160	14	34	65	89	13	26	13	1	37	41	53	270	96	99	67	18	10
Nonmetropolitan counties	3	203	10	27	69	71	5	21	26	–	22	31	37	206	84	108	51	9	5
Urban places	1	58	2	9	20	14	–	3	4	–	5	8	14	54	13	11	15	5	1
Balance of area	2	145	8	18	49	57	5	18	22	–	17	23	23	152	71	97	36	4	4
Beaver	–	8	–	–	2	2	–	1	–	–	–	–	–	3	1	2	2	–	–
Box Elder	1	21	1	6	6	3	–	3	4	–	2	3	7	19	11	6	6	2	1
Brigham City	–	11	–	6	3	3	–	1	3	–	1	2	5	9	3	1	5	1	1
Balance of county	1	10	1	–	3	–	–	2	1	–	1	1	2	10	8	5	1	1	–
Cache	2	43	–	5	15	8	–	3	–	–	3	8	8	38	6	18	10	1	2
Logan	1	19	–	3	11	4	–	2	–	–	1	4	6	15	3	4	8	1	–
Balance of county	1	24	–	2	4	2	–	1	–	–	2	4	2	23	3	14	2	–	2
Carbon	–	17	–	3	8	6	1	3	2	–	2	3	4	25	5	13	3	–	–
Daggett	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Davis	–	48	9	6	13	13	3	7	6	–	14	9	10	55	29	28	16	3	1
Bountiful	–	29	3	1	3	5	1	1	–	–	2	3	2	16	7	9	5	1	–
Clearfield	–	2	2	2	3	2	–	–	1	–	2	1	2	5	8	3	2	–	–
Layton	–	2	1	–	2	2	–	2	2	–	6	2	2	8	6	3	2	1	–
Balance of county	–	15	3	3	5	4	2	4	3	–	4	3	4	26	8	13	7	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	84	–	–	1	11	4	–	–	2	–	1	4	4	46	40	–	–	24	16
Emery	78	–	–	–	12	1	5	1	2	1	1	1	3	25	21	1	–	13	7
Garfield	29	–	–	–	4	–	–	1	2	–	–	1	–	17	15	1	–	13	1
Grand	55	–	–	–	11	2	2	3	2	–	–	2	2	20	16	1	–	7	8
Iron	97	–	–	–	17	3	2	1	5	–	–	6	1	44	37	–	4	16	17
Cedar City	65	–	–	–	9	3	1	–	3	–	–	2	1	28	21	–	4	9	8
Balance of county	32	–	–	–	8	–	1	1	2	–	–	4	–	16	16	–	–	7	9
Juab	49	–	–	–	11	2	1	1	4	–	2	1	–	21	16	–	–	11	5
Kane	24	–	–	–	2	–	1	–	–	–	–	1	–	12	8	1	–	4	3
Millard	73	–	–	1	12	3	3	–	2	1	–	3	2	30	25	–	–	21	4
Morgan	26	–	–	2	7	2	1	–	1	–	2	1	2	8	6	–	1	4	1
Piute	12	–	–	–	3	–	–	1	1	–	–	1	–	7	6	–	–	6	–
Rich	17	–	–	–	3	–	–	2	1	–	–	–	–	9	6	–	–	4	2
Salt Lake	3,797	2	–	37	692	182	131	78	92	32	40	137	72	1,663	1,331	42	55	731	503
Midvale	71	–	–	–	13	4	1	2	2	1	1	2	2	29	22	–	1	10	11
Murray	160	–	–	1	34	7	9	5	6	–	1	6	4	76	59	3	–	29	27
Salt Lake City	1,685	2	–	17	302	77	60	35	44	13	18	55	32	793	631	17	34	358	222
Sandy City	116	–	–	1	21	5	3	3	2	1	–	7	3	41	35	–	2	15	18
South Salt Lake	116	–	–	–	24	9	6	–	5	–	1	3	2	52	42	1	1	26	14
West Jordan	78	–	–	1	14	4	1	1	3	1	1	3	3	27	24	–	–	12	12
Balance of county	1,569	–	–	17	284	76	51	32	30	16	18	51	26	645	518	21	17	281	199
San Juan	50	–	–	1	10	4	4	–	–	–	–	2	2	20	18	1	1	8	8
Sanpete	138	–	–	3	24	10	3	1	4	1	1	4	5	63	46	2	–	30	14
Sevier	130	–	–	1	21	5	2	2	4	1	2	5	3	66	49	–	1	20	28
Summit	61	–	–	–	12	–	2	–	4	–	1	5	1	28	22	–	–	12	10
Tooele	153	–	–	4	27	7	5	1	6	1	–	7	5	71	61	2	–	42	17
Tooele	105	–	–	3	18	5	4	1	3	1	–	4	3	53	46	1	–	32	13
Balance of county	48	–	–	1	9	2	1	–	3	–	–	3	2	18	15	1	–	10	4
Uintah	137	–	–	2	25	3	5	3	2	5	–	7	4	56	47	–	–	30	17
Utah	1,098	–	–	15	162	39	24	9	24	9	14	43	27	487	376	13	15	206	142
American Fork	78	–	–	1	9	–	3	2	–	–	–	4	4	42	34	–	–	21	13
Orem	207	–	–	6	35	11	5	1	2	3	4	9	5	75	62	3	4	34	21
Pleasant Grove	58	–	–	1	9	1	1	–	1	2	1	3	2	28	20	–	–	12	8
Provo	352	–	–	2	50	14	6	2	9	–	3	16	5	164	124	7	6	64	47
Springville	83	–	–	–	9	2	1	2	3	–	–	1	2	42	34	–	–	19	15
Balance of county	320	–	–	5	50	11	8	2	9	4	6	10	9	136	102	3	5	56	38
Wasatch	58	–	–	2	9	1	3	1	2	1	–	1	3	23	18	1	–	15	2
Washington	229	–	–	1	46	14	8	4	5	3	2	10	2	104	71	3	–	47	21
St. George	124	–	–	1	18	5	3	2	2	1	1	4	2	60	37	1	–	25	11
Balance of county	105	–	–	–	28	9	5	2	3	2	1	6	–	44	34	2	–	22	10
Wayne	15	–	–	–	1	–	1	–	–	–	–	–	1	10	7	–	1	3	3
Weber	1,157	2	–	7	179	51	34	9	29	8	7	41	27	550	425	11	7	279	128
Ogden	706	–	–	5	100	34	21	4	18	4	3	16	16	329	262	7	3	173	79
Roy	82	–	–	–	6	1	2	–	1	1	–	1	2	43	35	1	3	23	8
South Ogden	84	–	–	1	15	5	1	1	4	1	1	2	3	38	24	–	–	16	8
Balance of county	285	2	–	1	58	11	10	4	6	2	3	22	6	140	104	3	1	67	33
Vermont	4,532	3	1	45	1,054	269	260	100	118	58	44	205	82	2,089	1,696	12	51	1,098	535
Urban places	666	1	–	5	144	42	29	14	13	10	6	30	16	344	268	–	12	159	97
Balance of area	3,866	2	1	40	910	227	231	86	105	48	38	175	66	1,745	1,428	12	39	939	438
Metropolitan counties	783	1	–	6	179	45	40	20	16	9	6	43	11	367	309	–	7	183	119
Urban places	395	1	–	4	88	25	18	8	9	3	3	22	7	186	155	–	5	88	62
Balance of area	388	–	–	2	91	20	22	12	7	6	3	21	4	181	154	–	2	95	57
Nonmetropolitan counties	3,749	2	1	39	875	224	220	80	102	49	38	162	71	1,722	1,387	12	44	915	416
Urban places	271	–	–	1	56	17	11	6	4	7	3	8	9	158	113	–	7	71	35
Balance of area	3,478	2	1	38	819	207	209	74	98	42	35	154	62	1,564	1,274	12	37	844	381
Addison	243	1	–	2	57	13	17	6	5	6	1	9	6	104	92	3	3	51	35
Bennington	328	–	–	3	74	21	23	11	6	–	6	7	4	152	126	1	5	92	28
Caledonia	236	–	–	3	53	10	14	6	9	2	1	11	3	115	95	–	2	63	30
Chittenden	783	1	–	6	179	45	40	20	16	9	6	43	11	367	309	–	7	183	119
Burlington	330	–	–	4	74	22	15	5	9	3	2	18	5	157	135	–	4	75	56
South Burlington	65	1	–	–	14	3	3	3	–	–	1	4	2	29	20	–	1	13	6
Balance of county	388	–	–	2	91	20	22	12	7	6	3	21	4	181	154	–	2	95	57
Essex	72	–	–	–	15	4	3	–	2	2	1	3	2	34	26	–	–	18	8
Franklin	316	–	–	5	76	18	24	8	3	1	4	18	3	138	118	1	1	56	60
Grand Isle	38	–	–	–	11	1	2	–	2	2	–	4	–	16	12	–	2	5	5
Lamoille	126	–	–	1	36	10	8	5	1	2	2	8	5	51	45	–	3	29	13
Orange	182	–	–	1	41	11	8	3	10	3	3	3	8	81	61	3	2	42	14
Orleans	211	–	–	4	52	12	16	2	6	4	3	9	4	93	74	–	1	62	11
Rutland	623	1	–	4	138	40	31	12	14	8	4	29	15	328	246	1	9	152	84
Rutland	271	–	–	1	56	17	11	6	4	7	3	8	9	158	113	–	7	71	35
Balance of county	352	1	–	3	82	23	20	6	10	1	1	21	6	170	133	1	2	81	49
Washington	503	–	1	5	127	36	27	13	13	10	6	22	8	226	170	2	3	108	57
Windham	358	–	–	5	76	19	18	8	10	8	1	12	5	164	138	–	5	107	26
Windsor	513	–	–	6	119	29	29	6	21	1	6	27	8	220	184	1	8	130	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	–	5	–	1	–	2	–	1	–	–	2	2	1	6	3	2	3	–	–
Emery	–	3	–	1	1	3	–	–	1	–	–	1	1	3	7	19	2	–	–
Garfield	–	2	–	–	1	–	–	–	1	–	–	–	1	1	–	3	1	–	–
Grand	–	3	–	1	2	5	–	–	2	–	–	–	1	4	3	2	1	–	2
Iron	–	6	1	–	3	5	–	–	1	–	2	3	2	6	5	4	1	3	–
Cedar City	–	6	1	–	2	4	–	–	1	–	–	2	2	5	5	3	–	3	–
Balance of county	–	–	–	–	1	1	–	–	–	–	2	1	–	1	–	1	1	–	–
Juab	–	4	–	1	3	3	–	–	2	–	–	–	1	6	2	–	–	–	–
Kane	–	4	–	–	1	1	1	–	1	–	–	–	–	2	–	4	–	–	–
Millard	–	3	1	1	1	1	–	1	–	–	2	–	–	10	4	7	2	–	–
Morgan	–	2	–	–	–	–	–	–	–	–	–	–	1	5	–	–	1	–	–
Piute	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Rich	–	3	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–	–	–
Salt Lake	14	256	30	32	106	141	17	34	26	1	50	58	67	444	114	121	105	23	24
Midvale	1	5	–	1	1	2	1	–	–	–	–	3	1	9	3	1	2	1	3
Murray	–	12	3	2	4	3	–	1	1	–	1	–	1	24	6	2	2	–	–
Salt Lake City	3	128	20	11	47	61	9	16	10	–	12	16	23	197	34	45	48	10	11
Sandy City	–	2	1	3	3	5	–	–	6	–	1	4	3	7	8	8	3	–	1
South Salt Lake	1	8	–	1	5	7	–	–	–	–	2	–	2	16	2	3	3	–	–
West Jordan	–	2	–	1	1	–	–	–	1	–	4	6	4	8	2	4	2	–	1
Balance of county	9	99	6	13	45	63	7	17	8	1	30	29	33	183	58	58	45	12	8
San Juan	–	2	–	–	3	–	1	1	1	–	1	1	1	3	2	1	1	1	–
Sanpete	–	15	1	1	7	8	1	2	1	–	2	1	2	10	5	3	1	–	–
Sevier	–	15	1	1	4	4	–	2	3	–	1	6	1	7	6	4	1	–	–
Summit	–	3	2	1	–	–	–	–	2	–	–	1	–	8	1	3	4	1	–
Tooele	1	8	–	1	4	1	3	5	1	–	–	1	3	13	8	5	2	–	–
Tooele	1	5	–	1	1	1	2	3	1	–	–	1	1	11	5	2	–	–	–
Balance of county	–	3	–	–	3	–	1	2	–	–	–	–	2	2	3	3	2	–	–
Uintah	–	8	–	1	4	6	–	3	2	–	2	2	4	7	9	5	5	1	–
Utah	8	78	9	16	39	43	6	5	11	–	24	27	22	123	36	38	21	8	4
American Fork	1	5	2	–	4	1	1	2	2	–	–	2	2	6	–	–	–	2	–
Orem	1	11	–	1	11	9	–	1	1	–	8	8	3	23	7	10	4	–	1
Pleasant Grove	3	3	2	–	–	3	1	–	1	–	–	1	–	8	–	1	3	–	–
Provo	2	29	2	7	14	16	3	–	4	–	11	8	6	42	13	6	5	2	1
Springville	–	8	–	–	3	3	–	1	2	–	3	1	3	9	–	4	–	–	1
Balance of county	1	22	3	8	7	11	1	1	1	–	2	7	8	35	16	17	9	4	1
Wasatch	–	5	–	–	1	4	–	–	–	–	–	–	–	5	6	2	3	–	–
Washington	–	28	2	3	6	7	1	1	3	–	3	–	1	35	8	7	4	–	–
St. George	–	22	1	–	4	3	–	–	–	–	3	–	1	25	2	3	2	–	–
Balance of county	–	6	1	3	2	4	1	1	3	–	–	–	–	10	6	4	2	–	–
Wayne	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Weber	6	82	14	23	39	44	4	10	8	–	15	12	21	121	38	39	29	8	4
Ogden	2	49	6	10	28	29	1	5	5	–	10	8	11	82	21	26	19	7	4
Roy	1	2	3	2	–	–	–	1	2	–	3	2	2	11	3	3	4	–	–
South Ogden	–	10	3	1	6	4	1	2	–	–	1	–	2	4	3	2	2	–	–
Balance of county	3	21	2	10	5	11	2	2	1	–	1	2	6	24	11	8	4	1	–
Vermont	12	289	41	51	167	187	18	54	37	–	31	29	26	411	104	97	82	12	3
Urban places	1	57	8	10	20	25	2	6	3	–	2	7	4	62	6	9	8	1	1
Balance of area	11	232	33	41	147	162	16	48	34	–	29	22	22	349	98	88	74	11	2
Metropolitan counties	1	38	7	12	22	33	3	7	5	–	5	9	6	78	12	16	20	2	1
Urban places	1	23	4	3	12	15	2	4	2	–	1	6	3	42	5	8	7	1	1
Balance of area	–	15	3	9	10	18	1	3	3	–	4	3	3	36	7	8	13	1	–
Nonmetropolitan counties	11	251	34	39	145	154	15	47	32	–	26	20	20	333	92	81	62	10	2
Urban places	–	34	4	7	8	10	–	2	1	–	1	1	1	20	1	1	1	–	–
Balance of area	11	217	30	32	137	144	15	45	31	–	25	19	19	313	91	80	61	10	2
Addison	1	7	2	2	10	16	–	3	1	–	1	–	2	21	4	9	5	1	–
Bennington	2	22	–	2	12	15	–	4	2	–	3	4	–	35	10	5	4	–	1
Caledonia	–	13	3	4	16	4	1	2	3	–	–	1	2	17	6	2	4	2	–
Chittenden	1	38	7	12	22	33	3	7	5	–	5	9	6	78	12	16	20	2	1
Burlington	–	17	4	1	10	14	2	3	2	–	1	3	3	34	3	8	5	1	1
South Burlington	1	6	–	2	2	1	–	1	–	–	–	3	–	8	2	–	2	–	–
Balance of county	–	15	3	9	10	18	1	3	3	–	4	3	3	36	7	8	13	1	–
Essex	–	7	–	1	2	3	1	–	1	–	–	–	–	8	2	1	2	1	–
Franklin	1	13	2	4	8	11	1	9	3	–	3	2	–	38	10	6	2	1	–
Grand Isle	–	3	–	1	1	2	–	1	–	–	–	–	–	3	1	2	1	–	–
Lamoille	–	5	–	1	2	5	–	2	1	–	–	–	1	9	5	–	7	1	–
Orange	–	16	2	2	5	6	–	1	2	–	–	1	3	18	2	8	5	–	–
Orleans	–	16	1	2	9	11	2	6	–	–	1	–	3	14	6	3	2	–	1
Rutland	1	59	12	10	17	22	2	4	2	–	7	4	1	42	15	12	8	1	–
Rutland	–	34	4	7	8	10	–	2	1	–	1	1	1	20	1	1	1	–	–
Balance of county	1	25	8	3	9	12	2	2	1	–	6	3	–	22	14	11	7	1	–
Washington	4	42	4	6	18	18	3	8	7	–	4	4	4	46	7	11	8	–	–
Windham	2	21	2	1	20	12	2	5	4	–	3	–	2	38	7	8	6	1	–
Windsor	–	27	6	3	23	29	3	2	6	–	4	4	2	44	17	14	10	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	44,310	30	6	630	10,039	2,412	2,960	880	994	325	384	2,084	636	20,870	16,003	103	503	10,475	4,922
Urban places	19,195	11	1	302	4,387	1,121	1,326	372	406	127	158	877	273	8,935	6,924	34	235	4,461	2,184
Balance of area	25,115	19	5	328	5,652	1,291	1,634	508	588	198	226	1,207	363	11,735	9,079	69	268	6,014	2,728
Metropolitan counties	28,743	16	2	424	6,717	1,640	1,962	606	629	219	254	1,407	410	13,076	10,106	60	316	6,565	3,185
Urban places	17,582	10	1	287	4,017	1,033	1,200	338	376	116	144	810	257	8,118	6,311	30	213	4,082	1,986
Balance of area	11,161	6	1	137	2,700	607	762	268	253	103	110	597	153	4,958	3,795	30	103	2,483	1,179
Nonmetropolitan counties	15,567	14	4	206	3,322	772	998	274	365	106	130	677	226	7,594	5,897	43	187	3,910	1,757
Urban places	1,613	1	–	15	370	88	126	34	30	11	14	67	16	817	613	4	22	379	208
Balance of area	13,954	13	4	191	2,952	684	872	240	335	95	116	610	210	6,777	5,284	39	165	3,531	1,549
Accomack	444	2	–	9	109	23	36	5	14	2	2	27	6	213	165	1	35	89	40
Albemarle	353	–	–	4	93	29	17	7	17	3	1	19	3	159	120	2	1	78	39
Alexandria city	813	–	–	8	195	53	60	24	10	6	8	34	9	358	271	2	11	149	109
Alleghany	106	–	–	1	19	2	6	5	2	–	1	3	1	55	47	–	1	35	11
Amelia	80	–	–	1	15	3	5	2	2	–	–	3	1	47	42	–	1	29	12
Amherst	226	–	–	1	54	14	14	6	2	2	1	15	–	112	88	1	8	66	13
Appomattox	117	–	–	1	23	5	5	2	3	1	–	7	3	50	38	1	1	26	10
Arlington#	1,164	–	–	20	282	75	73	34	22	12	10	56	12	508	372	3	8	260	101
Augusta	470	1	–	4	105	16	24	9	14	2	6	34	5	238	171	2	6	131	32
Bath	58	–	–	–	14	5	2	1	1	1	–	4	–	32	30	–	1	12	17
Bedford	313	–	–	3	76	21	18	9	9	–	3	16	7	148	111	1	5	68	37
Bedford city [9]	125	–	–	1	27	8	4	4	3	–	–	8	2	62	39	–	–	27	12
Bland	61	–	–	1	14	1	7	–	3	–	1	2	–	30	26	–	–	20	6
Botetourt	197	–	–	3	39	6	12	4	6	3	1	7	2	109	77	–	4	45	28
Bristol city [10]	239	–	–	3	55	14	14	4	7	2	–	14	6	124	99	1	5	73	20
Brunswick	169	–	–	1	32	4	9	2	6	1	2	8	6	77	57	–	3	28	26
Buchanan	233	–	–	1	38	13	9	2	1	3	2	6	2	125	93	1	1	77	14
Buckingham	130	–	–	6	27	5	5	2	5	1	1	8	4	55	37	1	–	25	11
Buena Vista city [9]	64	1	–	1	14	2	6	1	1	1	1	2	1	29	22	–	–	12	10
Campbell	340	–	–	3	73	8	21	9	5	3	4	23	–	153	116	–	7	60	49
Caroline	158	–	–	2	34	13	8	1	2	2	2	6	5	61	44	–	3	27	14
Carroll	289	–	–	2	67	12	24	7	6	2	1	15	2	136	97	–	1	70	26
Charles City	66	–	–	–	12	3	4	–	2	–	–	3	1	33	28	–	–	18	10
Charlotte	140	–	1	1	34	8	11	1	4	2	2	6	2	58	40	–	2	28	10
Charlottesville city	391	–	–	11	89	26	15	9	7	1	5	20	4	187	132	1	–	92	39
Chesapeake city	886	1	–	11	214	53	74	12	22	6	5	42	19	410	333	2	12	234	65
Chesterfield	737	–	–	12	172	36	57	18	9	5	12	35	9	316	241	1	5	170	65
Clarke	91	–	–	1	27	7	8	3	5	–	2	2	1	44	36	–	1	24	11
Clifton Forge city [9]	80	–	–	–	18	5	3	1	5	–	–	4	–	51	40	–	–	21	19
Colonial Heights city	156	–	–	3	29	8	12	–	2	–	1	6	5	81	64	–	1	41	22
Covington city [9]	114	–	–	–	23	3	8	1	2	2	–	7	–	64	60	1	1	41	17
Craig	47	–	–	1	9	4	–	2	1	1	–	1	–	27	17	1	–	10	6
Culpeper	201	–	–	2	39	9	10	5	6	–	1	8	4	92	72	2	2	44	24
Cumberland	90	–	–	2	23	4	9	2	5	–	1	2	3	39	29	–	1	19	9
Danville city	577	–	–	4	125	38	36	11	9	7	4	20	11	289	229	2	5	162	60
Dickenson	177	–	–	–	37	8	11	5	5	1	2	5	2	74	61	–	–	51	10
Dinwiddie	189	1	–	1	41	2	13	7	2	2	2	13	6	86	65	–	3	49	13
Emporia city [9]	85	–	–	3	21	5	2	1	4	–	1	8	4	39	34	–	1	26	7
Essex	97	–	–	6	20	5	5	3	1	1	–	5	1	46	43	–	2	37	4
Fairfax	2,779	1	–	36	784	191	192	93	56	26	39	187	38	1,142	881	11	22	572	256
Herndon	40	–	–	–	13	2	3	1	1	–	1	5	2	11	7	–	–	6	1
Vienna	85	–	–	1	18	3	9	1	1	–	1	3	1	34	23	1	–	13	9
Balance of county	2,654	1	–	35	753	186	180	91	54	26	37	179	36	1,097	831	10	22	553	246
Fairfax city	121	–	–	1	36	12	6	4	2	–	1	11	1	53	42	–	–	26	16
Falls Church city [9]	114	–	–	4	35	6	7	7	2	4	–	9	1	48	36	–	2	23	11
Fauquier	321	–	–	5	65	9	18	8	7	1	7	15	10	151	123	–	2	81	40
Floyd	105	–	–	3	19	2	5	3	5	–	2	2	1	51	41	1	–	25	15
Fluvanna	66	–	–	1	20	2	8	2	3	1	2	2	–	39	29	–	2	17	10
Franklin	281	1	–	2	53	11	12	6	7	3	3	11	–	134	89	–	1	61	27
Franklin city [9]	93	–	–	–	20	8	6	1	1	–	1	3	1	46	37	–	–	24	13
Frederick	247	–	1	2	64	13	26	1	7	2	6	9	3	118	96	1	2	62	31
Fredericksburg city	156	1	–	1	42	12	13	3	2	2	2	8	3	74	52	–	2	27	23
Galax city [9]	91	–	–	1	13	1	5	1	2	3	–	1	4	52	38	–	2	25	11
Giles	165	–	–	1	35	8	13	1	2	1	3	7	–	87	71	–	–	55	16
Gloucester	220	–	–	4	51	12	15	3	6	4	1	10	1	96	73	–	1	46	26
Goochland	97	–	–	–	17	4	6	3	–	1	–	3	4	46	37	–	2	20	15
Grayson	175	–	–	4	31	10	7	2	3	1	1	7	1	91	63	2	1	42	18
Greene	69	–	–	2	16	–	6	–	–	1	1	8	1	30	25	–	–	17	8
Greensville	114	–	–	1	19	4	6	1	3	1	1	3	4	55	48	–	3	32	13
Halifax	314	–	–	1	70	16	16	9	7	1	6	15	9	154	119	1	6	73	39
Hampton city	869	1	–	13	209	48	77	20	20	3	6	35	15	377	309	2	5	203	99
Hanover	432	–	–	11	108	19	38	7	13	3	7	21	3	193	139	–	10	82	47
Harrisonburg city	179	–	–	2	43	12	14	4	4	4	1	4	1	89	67	–	–	39	28
Henrico	1,636	1	–	18	382	88	128	35	36	11	11	73	18	746	558	6	7	375	170
Henry	464	–	–	11	102	21	23	8	15	6	7	22	4	205	152	5	2	110	35
Highland	41	–	–	–	8	2	1	–	1	2	–	2	1	23	16	–	–	13	3
Hopewell city	232	–	–	5	43	12	17	1	2	1	–	10	3	127	103	–	1	70	32
Isle of Wight	225	1	–	2	47	13	16	5	4	2	1	6	7	99	76	3	2	49	22
James City	159	–	1	3	31	8	11	–	2	2	1	7	5	72	58	1	–	37	20
King and Queen	69	–	–	2	15	3	3	–	3	1	1	4	3	27	20	–	–	15	5
King George	78	–	–	3	21	3	5	2	3	–	1	7	2	32	26	–	3	17	6
King William	105	–	–	2	24	5	11	2	2	1	2	1	1	49	36	–	1	27	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	156	3,484	565	462	1,299	1,461	129	553	442	6	306	536	400	3,781	1,007	1,170	712	464	33
Urban places	83	1,497	230	201	565	576	47	261	196	3	129	300	174	1,681	317	478	283	263	13
Balance of area	73	1,987	335	261	734	885	82	292	246	3	177	236	226	2,100	690	692	429	201	20
Metropolitan counties	101	2,185	388	296	826	926	74	397	282	4	224	424	261	2,469	595	759	490	343	24
Urban places	78	1,342	205	182	509	531	45	245	183	2	124	284	161	1,554	294	441	257	250	12
Balance of area	23	843	183	114	317	395	29	152	99	2	100	140	100	915	301	318	233	93	12
Nonmetropolitan counties	55	1,299	177	166	473	535	55	156	160	2	82	112	139	1,312	412	411	222	121	9
Urban places	5	155	25	19	56	45	2	16	13	1	5	16	13	127	23	37	26	13	1
Balance of area	50	1,144	152	147	417	490	53	140	147	1	77	96	126	1,185	389	374	196	108	8
Accomack	1	43	3	1	7	19	1	5	7	-	3	-	3	41	5	4	8	1	1
Albemarle	1	32	5	1	8	12	-	6	6	-	1	3	2	35	7	7	4	3	-
Alexandria city	2	57	16	12	23	23	2	14	7	-	10	22	6	73	13	26	14	7	1
Alleghany	-	6	-	2	1	3	2	1	1	-	-	1	2	12	1	3	2	1	-
Amelia	-	5	-	-	1	3	1	-	-	-	-	1	-	4	4	2	-	-	-
Amherst	-	18	3	3	5	10	-	4	-	-	1	1	-	17	5	12	2	2	-
Appomattox	-	6	1	3	4	7	-	3	1	-	-	4	1	12	2	5	1	-	-
Arlington#	7	87	24	16	37	37	5	25	10	-	8	10	11	116	18	31	23	9	1
Augusta	1	52	4	10	20	14	3	7	5	-	4	3	1	28	15	9	8	-	-
Bath	-	2	-	-	1	1	-	2	-	-	-	-	-	3	1	2	2	-	-
Bedford	-	34	2	1	7	8	-	2	2	-	2	1	3	28	9	9	5	5	-
Bedford city °	1	20	1	1	2	3	1	-	-	-	-	-	3	17	1	3	3	-	-
Bland	2	2	-	-	2	2	-	-	1	-	1	-	4	4	-	2	-	-	-
Botetourt	-	23	5	4	5	6	-	3	1	1	-	1	-	14	3	6	4	-	-
Bristol city ¹⁰	-	22	2	1	10	8	-	4	2	-	-	-	2	16	4	2	1	1	1
Brunswick	1	18	-	1	5	3	1	2	2	-	-	-	1	22	5	6	4	2	-
Buchanan	1	23	4	4	9	7	1	1	1	-	2	1	-	22	9	9	2	5	-
Buckingham	1	14	2	1	4	6	-	-	-	-	-	3	-	14	5	4	1	1	-
Buena Vista city °	-	5	2	-	1	2	-	1	-	-	1	-	1	3	5	1	1	2	-
Campbell	-	30	4	3	9	18	2	3	3	-	5	4	4	34	12	9	4	4	-
Caroline	-	14	3	-	-	5	-	6	2	-	1	-	2	15	10	6	3	4	-
Carroll	-	31	7	1	19	15	-	2	1	-	-	-	1	18	12	11	2	1	-
Charles City	-	3	-	2	-	1	-	-	-	-	-	1	3	9	3	-	1	2	-
Charlotte	-	14	3	1	4	12	-	-	-	-	2	1	2	15	1	7	-	-	-
Charlottesville city	2	40	9	4	12	7	-	1	5	-	3	5	3	45	6	6	7	6	-
Chesapeake city	4	58	5	10	17	33	4	8	4	1	5	11	5	89	20	17	11	6	-
Chesterfield	-	54	10	11	22	24	-	12	5	-	11	15	7	59	19	26	14	14	-
Clarke	-	6	1	1	3	2	-	1	1	-	1	-	-	6	3	1	-	-	-
Clifton Forge city °	1	9	1	-	2	2	-	-	-	-	-	-	-	4	1	2	-	-	-
Colonial Heights city	-	13	2	2	3	4	-	4	1	-	1	-	3	11	4	3	4	-	-
Covington city °	-	4	-	-	-	5	1	2	3	-	1	1	1	11	1	-	-	1	-
Craig	-	7	2	1	-	2	-	1	-	-	-	-	-	4	-	2	1	-	-
Culpeper	2	15	1	2	5	5	1	2	1	-	4	3	2	26	7	4	4	-	-
Cumberland	-	7	2	1	-	2	-	1	2	-	-	-	1	6	6	2	2	1	-
Danville city	-	51	4	5	12	16	3	6	8	-	2	7	3	55	6	12	7	10	1
Dickenson	-	8	1	4	7	10	-	2	3	-	1	1	1	17	5	6	6	4	1
Dinwiddie	1	19	1	-	3	6	1	2	2	-	-	2	2	17	10	5	3	1	-
Emporia city °	-	5	-	-	5	2	-	-	-	-	-	1	-	7	1	1	1	-	-
Essex	-	3	-	-	3	7	-	-	-	-	-	1	-	8	2	2	-	1	-
Fairfax	6	190	51	34	52	101	6	46	23	1	36	30	34	203	77	82	67	17	2
Herndon	-	4	-	-	-	-	-	-	-	-	1	-	-	4	4	1	3	1	-
Vienna	-	11	-	-	3	3	1	1	1	-	-	2	-	12	1	4	3	-	-
Balance of county	6	175	51	34	49	98	5	45	22	1	35	28	34	187	72	77	61	16	2
Fairfax city	-	9	2	-	7	5	-	1	2	-	-	2	1	7	1	3	1	-	-
Falls Church city °	-	8	3	1	5	5	1	1	-	-	2	1	-	8	-	-	1	2	-
Fauquier	-	17	5	6	7	17	3	4	5	-	1	-	1	20	13	10	6	3	-
Floyd	-	9	-	1	-	4	-	1	-	-	-	-	1	15	7	3	-	-	-
Fluvanna	-	7	2	1	3	1	-	-	3	-	1	2	-	10	1	2	1	2	-
Franklin	-	37	5	3	9	11	1	4	5	-	3	1	9	21	14	8	3	2	-
Franklin city °	-	8	-	1	1	2	-	2	-	-	2	1	1	9	5	2	-	1	-
Frederick	1	16	3	2	12	11	2	3	1	-	-	1	3	12	10	1	3	-	-
Fredericksburg city	2	14	5	1	2	4	-	2	1	-	1	1	-	14	1	8	1	-	-
Galax city °	-	10	2	2	6	3	-	-	1	-	-	-	2	4	1	2	1	1	-
Giles	1	12	1	2	9	7	-	1	2	-	-	-	-	13	3	6	1	-	-
Gloucester	5	16	1	1	11	8	1	1	-	-	2	4	-	19	6	4	9	1	2
Goochland	-	9	-	-	4	1	-	-	1	-	1	-	1	14	2	4	1	1	-
Grayson	1	17	6	4	7	6	2	1	2	-	3	2	3	16	4	1	1	-	-
Greene	-	2	2	1	2	3	-	1	-	-	-	2	-	6	3	1	1	-	1
Greensville	1	6	-	-	3	5	-	2	1	-	-	3	1	9	1	3	4	3	-
Halifax	-	31	1	3	17	7	1	1	4	-	1	1	2	23	8	7	4	4	-
Hampton city	3	47	10	8	24	34	1	9	12	-	6	15	8	86	18	20	10	11	-
Hanover	-	42	7	5	10	8	1	6	4	-	1	9	4	28	18	10	15	3	-
Harrisonburg city	-	18	1	3	8	7	-	1	1	-	-	1	2	15	5	2	2	-	-
Henrico	2	123	44	19	45	54	9	23	16	-	10	23	12	176	24	40	26	11	2
Henry	3	44	1	5	14	12	7	5	7	-	4	4	8	42	19	7	6	7	-
Highland	-	4	1	2	-	-	-	-	-	-	-	-	-	7	-	2	-	-	-
Hopewell city	1	18	1	4	3	4	-	5	2	-	2	2	1	20	6	3	2	3	1
Isle of Wight	1	14	1	7	4	4	1	1	5	-	1	-	2	23	9	15	2	2	-
James City	1	11	2	-	4	7	-	3	2	-	1	3	1	12	5	4	3	2	-
King and Queen	-	3	3	1	1	1	1	1	-	-	-	-	-	10	1	5	-	2	-
King George	1	2	2	1	-	1	1	2	1	-	-	1	1	9	2	-	2	-	-
King William	1	8	2	2	2	8	-	-	1	-	-	-	2	9	3	2	-	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	174	–	–	1	52	18	14	3	7	–	2	8	3	83	59	–	4	35	20
Lee	280	1	1	6	60	9	27	4	3	2	1	14	6	131	104	1	1	81	21
Lexington city [9]	74	–	–	–	15	2	1	1	6	1	1	3	1	35	25	1	–	14	10
Loudoun	369	–	–	5	92	26	21	6	13	5	2	19	3	151	118	1	3	74	40
Louisa	192	–	–	3	42	9	12	3	5	2	2	9	2	88	73	1	1	46	25
Lunenburg	138	1	–	1	27	6	11	–	3	–	–	7	2	63	45	–	–	34	11
Lynchburg city	734	–	–	9	178	48	54	14	20	3	5	34	8	357	262	–	19	161	82
Madison	117	1	–	3	17	3	4	2	2	1	1	4	1	63	46	–	1	30	15
Manassas city	115	–	–	5	24	10	3	2	2	1	1	5	–	47	34	–	1	19	14
Manassas Park city [9]	13	–	–	–	3	–	1	–	1	–	–	1	–	7	6	–	–	3	3
Martinsville city	196	–	–	1	45	10	16	2	5	1	2	9	5	101	79	–	6	52	21
Mathews	120	1	–	5	34	8	10	5	3	–	1	7	–	49	31	–	–	21	10
Mecklenburg	332	–	–	4	69	21	19	4	5	5	2	13	1	169	128	1	8	71	48
Middlesex	103	–	–	2	28	6	7	3	4	–	1	7	–	56	49	–	3	34	12
Montgomery	346	–	–	3	68	6	24	9	8	2	8	13	8	172	147	1	3	82	61
Blacksburg	83	–	–	–	15	3	3	5	1	1	1	1	–	42	37	1	–	20	16
Christiansburg	79	–	–	2	18	–	9	3	1	–	2	3	–	45	36	–	2	21	15
Balance of county	184	–	–	1	35	3	12	1	6	1	3	9	8	85	72	–	1	41	30
Nelson	148	–	–	6	27	8	11	3	3	–	–	2	2	76	65	–	2	48	15
New Kent	74	–	–	–	17	6	5	2	–	–	–	4	1	35	28	1	–	15	12
Newport News city	1,153	–	–	23	264	68	79	16	30	10	11	50	18	504	409	1	16	254	138
Norfolk city	2,279	3	–	50	506	132	158	42	45	16	19	94	35	1,036	811	5	44	480	282
Northampton	209	–	–	2	39	7	10	3	5	2	1	11	4	103	76	–	1	45	30
Northumberland	148	–	–	2	35	14	10	4	1	2	1	3	–	75	57	–	3	35	19
Norton city [9]	51	–	–	–	7	3	3	1	–	–	–	–	2	30	24	–	–	12	12
Nottoway	178	–	–	6	28	9	9	–	3	–	2	5	2	88	72	1	2	40	29
Orange	189	–	–	8	54	7	14	5	5	1	1	21	1	80	55	–	3	33	19
Page	199	–	–	1	34	8	13	1	2	2	1	7	3	108	93	1	1	62	29
Patrick	131	–	–	–	30	10	7	1	3	–	1	8	2	61	41	–	–	29	12
Petersburg city	480	–	–	5	111	23	34	5	15	4	5	25	8	248	196	1	10	131	54
Pittsylvania	595	1	–	7	120	32	38	10	11	5	6	18	16	296	226	1	11	156	58
Poquoson city [9]	66	–	–	–	19	2	10	1	3	2	–	1	–	22	21	–	–	14	7
Portsmouth city	1,118	3	1	18	275	70	86	20	28	9	11	51	14	520	387	–	16	250	121
Powhatan	72	–	–	–	16	4	6	1	–	1	1	3	1	34	25	–	1	16	8
Prince Edward	156	–	–	5	28	5	8	5	3	2	1	4	3	76	55	–	–	45	10
Prince George	105	–	–	1	21	1	8	2	2	–	2	6	4	41	31	–	1	19	11
Prince William	561	–	–	7	145	29	39	16	19	3	5	34	12	214	169	–	3	110	56
Pulaski	196	–	–	2	44	9	13	3	3	2	2	12	1	106	81	–	–	66	15
Pulaski [11]	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	193	–	–	2	43	8	13	3	3	2	2	12	1	106	81	–	–	66	15
Radford city	95	–	–	1	23	6	8	2	2	–	1	4	1	51	38	–	1	28	9
Rappahannock	58	–	–	–	11	1	3	1	1	–	1	4	–	35	31	1	1	22	7
Richmond	90	–	–	–	24	8	8	1	2	–	1	4	2	44	39	1	3	26	9
Richmond city	2,685	2	–	51	590	162	174	54	60	16	15	109	36	1,228	941	2	26	572	341
Roanoke	640	–	–	5	127	38	31	9	19	5	5	20	9	317	242	2	1	151	88
Roanoke city	1,148	–	–	13	242	58	63	19	19	10	10	63	15	568	445	1	9	311	124
Rockbridge	172	–	–	3	33	9	12	3	5	2	–	2	2	90	73	–	4	45	24
Rockingham	428	–	–	9	88	27	15	12	10	3	2	19	7	234	183	–	–	114	69
Russell	268	–	–	–	49	12	15	3	4	3	1	11	1	124	93	1	–	74	18
Salem city [11]	394	–	–	7	79	19	26	5	5	–	–	24	2	217	174	1	1	121	51
Scott	252	2	–	3	58	11	15	2	5	3	2	20	1	127	103	1	1	84	17
Shenandoah	323	1	–	1	73	19	24	5	7	2	1	15	5	168	126	–	3	76	47
Smyth	319	1	1	2	52	11	16	6	6	3	2	8	5	184	159	1	2	102	54
Southampton	195	–	–	5	37	12	10	1	8	–	–	6	6	99	77	–	8	48	21
South Boston city [9]	86	–	–	1	11	6	1	–	1	–	–	3	1	40	25	–	2	19	4
Spotsylvania	210	–	–	4	63	22	22	3	4	2	2	8	3	93	68	–	1	49	18
Stafford	215	–	–	3	59	15	18	7	4	1	3	11	3	86	72	1	2	44	25
Staunton city	265	–	–	3	59	15	18	7	3	1	3	12	3	126	91	1	1	59	30
Suffolk city	493	–	–	7	112	25	25	14	12	4	6	26	13	240	191	1	15	125	50
Surry	65	–	–	–	15	4	5	2	3	–	–	1	1	27	22	–	3	13	6
Sussex	123	–	–	2	30	3	9	3	3	–	–	6	1	65	52	–	2	32	18
Tazewell	465	–	–	3	76	19	27	1	9	2	1	17	4	216	184	1	3	129	51
Virginia Beach city	1,400	–	–	19	334	74	102	26	35	5	19	73	20	594	477	4	8	329	136
Warren	223	–	–	1	46	8	19	1	6	3	1	8	2	124	111	–	7	67	37
Front Royal	121	–	–	–	23	4	9	–	5	–	1	4	1	71	60	–	4	38	18
Balance of county	102	–	–	1	23	4	10	1	1	3	–	4	1	53	51	–	3	29	19
Washington	395	–	–	2	86	16	25	9	8	5	3	20	10	184	160	1	5	94	60
Waynesboro city	174	–	–	3	38	7	12	5	2	2	–	10	–	88	58	2	1	45	11
Westmoreland	172	1	–	4	38	13	6	4	4	1	–	10	–	83	73	–	2	55	16
Williamsburg city [9]	118	–	–	1	21	3	5	3	4	1	2	3	1	58	36	–	–	20	16
Winchester city	262	–	–	2	63	18	24	3	5	–	1	12	2	130	92	–	5	50	37
Wise	410	–	–	5	80	13	32	8	4	3	3	17	13	169	136	4	3	90	39
Wythe	276	–	–	2	49	11	21	5	3	1	2	6	1	153	122	1	–	80	31
York	162	–	–	2	46	7	16	4	5	–	1	13	2	60	54	–	2	35	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	–	16	5	3	5	5	–	1	1	–	–	–	–	14	1	4	3	–	1
Lee	1	18	4	4	13	10	1	3	3	–	–	2	3	18	3	12	6	1	–
Lexington city [9]	–	9	1	–	6	1	1	–	2	–	–	1	1	9	–	1	1	–	–
Loudoun	1	21	5	6	11	24	–	5	3	–	2	6	3	27	17	12	5	3	–
Louisa	–	12	2	1	2	8	–	3	2	–	1	2	2	13	6	4	8	6	–
Lunenburg	–	14	3	1	2	9	–	–	4	–	1	3	1	10	5	4	3	2	–
Lynchburg city	6	76	9	4	18	27	1	13	4	–	5	6	7	68	7	15	3	8	–
Madison	1	11	4	1	–	4	–	1	1	–	2	–	1	6	8	6	2	1	–
Manassas city	–	9	3	1	1	4	–	3	2	–	2	–	4	9	3	2	6	3	–
Manassas Park city [9]	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Martinsville city	–	17	3	2	9	6	–	2	–	–	–	2	2	13	3	4	–	3	–
Mathews	4	9	5	–	5	8	–	1	–	–	1	–	–	10	1	2	3	–	–
Mecklenburg	–	33	4	4	6	7	–	4	7	–	1	6	6	35	8	2	4	3	–
Middlesex	2	4	1	–	1	1	–	2	–	–	–	–	1	6	3	1	1	1	–
Montgomery	–	18	4	3	9	11	1	4	2	–	1	6	1	28	10	12	6	4	–
Blacksburg	–	4	–	1	2	2	–	2	1	–	–	3	–	8	2	3	2	1	–
Christiansburg	–	5	1	1	–	1	–	1	–	–	1	–	1	3	2	1	2	2	–
Balance of county	–	9	3	1	7	8	1	1	1	–	–	3	–	17	6	8	2	1	–
Nelson	–	10	–	1	2	6	–	2	1	–	–	1	–	16	5	3	–	1	–
New Kent	–	4	2	1	–	2	–	1	2	–	–	2	–	6	3	1	3	1	–
Newport News city	1	64	11	19	41	29	4	13	13	–	11	23	6	114	28	21	20	18	2
Norfolk city	13	173	23	16	68	60	3	30	29	–	20	50	21	206	32	57	29	41	3
Northampton	–	23	2	2	4	10	2	2	3	–	–	3	5	19	2	10	1	–	–
Northumberland	–	13	4	1	3	6	1	2	–	–	–	–	–	15	2	3	2	1	1
Norton city [9]	–	5	–	1	2	2	–	–	–	–	2	–	–	5	–	1	–	–	–
Nottoway	–	10	5	1	8	3	1	3	3	–	2	1	2	20	4	4	2	1	–
Orange	5	14	1	5	5	1	–	1	2	–	2	1	–	19	4	5	3	3	–
Page	–	10	2	3	9	5	–	3	2	–	1	–	2	21	2	5	2	–	1
Patrick	–	17	2	1	5	2	–	3	2	–	2	2	3	12	2	4	1	–	–
Petersburg city	1	43	5	3	8	6	1	5	19	–	–	15	2	41	4	9	2	6	–
Pittsylvania	2	62	2	4	21	17	1	4	5	–	3	9	4	41	14	19	12	5	–
Poquoson city [9]	–	1	–	–	4	3	1	1	–	–	–	1	–	4	5	3	2	1	–
Portsmouth city	9	104	6	14	35	39	2	7	10	1	11	21	13	89	11	21	9	18	–
Powhatan	1	8	–	–	1	3	–	1	2	–	–	1	2	6	4	–	–	–	1
Prince Edward	1	16	3	1	6	5	–	2	3	–	1	2	2	11	5	4	2	1	–
Prince George	–	8	2	–	1	4	–	1	1	–	2	6	2	10	4	4	–	3	–
Prince William	–	33	7	5	15	14	2	8	4	–	9	4	7	41	27	24	20	7	1
Pulaski	1	19	1	4	6	5	–	3	1	–	1	1	1	10	5	6	3	1	–
Pulaski [11]	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Balance of county	1	19	1	4	6	5	–	2	1	–	1	1	1	9	5	6	3	1	–
Radford city	–	11	–	2	2	3	–	–	–	1	–	1	3	4	–	4	–	–	1
Rappahannock	–	4	–	–	–	2	–	–	1	–	–	–	–	3	–	2	4	–	–
Richmond	–	4	–	1	1	7	–	–	1	–	2	1	–	4	1	2	1	–	–
Richmond city	13	217	31	26	93	73	8	47	23	–	9	43	25	232	36	85	36	66	2
Roanoke	1	59	12	3	40	24	2	8	5	–	3	2	5	54	9	16	12	2	–
Roanoke city	5	95	12	11	33	51	5	22	8	–	4	7	15	100	7	30	17	11	–
Rockbridge	1	11	2	3	5	5	–	–	1	–	–	1	2	17	6	5	2	–	–
Rockingham	–	44	5	2	8	10	1	7	8	–	5	5	1	21	9	4	9	2	–
Russell	2	27	–	2	13	14	1	3	2	–	3	2	–	29	8	10	5	4	–
Salem city [12]	1	34	5	3	11	9	1	3	4	–	1	–	4	30	9	13	3	1	–
Scott	1	17	5	1	5	7	–	–	2	–	1	2	1	17	8	5	9	3	1
Shenandoah	–	37	2	3	9	10	2	4	3	1	1	3	1	25	6	8	1	1	–
Smyth	1	19	1	4	10	9	1	5	–	–	1	1	2	18	9	11	6	1	–
Southampton	–	20	1	1	7	8	–	1	4	–	–	1	1	13	8	3	–	2	–
South Boston city [9]	1	11	1	2	3	6	–	–	1	–	–	–	1	12	4	4	2	–	–
Spotsylvania	1	13	5	6	5	4	–	4	2	–	–	1	–	14	6	5	6	–	–
Stafford	1	8	3	2	3	6	1	1	3	–	1	–	2	24	11	8	2	2	–
Staunton city	1	23	7	4	12	6	1	1	2	–	1	2	1	35	–	6	4	3	–
Suffolk city	3	33	10	3	10	7	1	7	5	–	–	4	5	39	15	18	5	5	–
Surry	–	5	–	–	–	3	–	–	1	–	–	2	1	7	4	3	1	–	–
Sussex	1	8	3	1	1	1	–	–	2	–	–	1	–	11	4	3	1	1	–
Tazewell	1	28	–	3	21	26	3	5	3	–	4	8	5	45	17	17	9	2	1
Virginia Beach city	7	77	18	18	40	52	2	17	12	–	23	39	14	92	41	42	41	18	–
Warren	1	10	1	1	10	6	1	2	2	–	1	2	2	12	7	1	3	1	–
Front Royal	1	8	1	1	7	2	–	2	2	–	1	1	–	2	6	1	2	–	–
Balance of county	–	2	–	–	3	4	1	–	–	–	–	1	2	10	1	–	1	1	–
Washington	–	19	3	2	19	17	1	6	4	–	6	1	–	28	7	14	7	1	2
Waynesboro city	–	25	4	–	5	5	–	2	–	–	–	4	2	13	1	5	7	1	–
Westmoreland	–	8	1	1	6	10	–	1	4	–	–	1	–	14	3	4	1	1	1
Williamsburg city [9]	1	18	1	2	7	2	–	1	4	–	–	–	4	10	1	–	5	3	–
Winchester city	1	30	3	4	9	9	1	2	6	–	1	1	2	19	3	3	6	3	–
Wise	2	25	1	5	12	19	1	4	3	–	4	7	7	41	9	18	8	9	1
Wythe	3	20	5	3	13	5	4	4	3	–	1	1	7	19	2	8	1	3	–
York	–	5	1	–	4	6	2	2	1	–	3	3	–	10	10	6	5	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	33,814	9	1	257	7,566	1,845	2,185	693	870	330	283	1,480	592	15,728	12,015	140	285	8,039	3,551
Urban places	17,255	5	1	141	3,719	892	1,048	364	426	158	133	698	319	8,218	6,173	78	157	3,996	1,942
Balance of area	16,559	4	–	116	3,847	953	1,137	329	444	172	150	782	273	7,510	5,842	62	128	4,043	1,609
Metropolitan counties	26,279	8	1	205	5,962	1,422	1,671	564	682	254	216	1,153	451	12,163	9,292	120	243	6,078	2,853
Urban places	15,192	4	1	124	3,286	788	925	328	368	137	115	625	274	7,224	5,426	76	142	3,457	1,751
Balance of area	11,087	4	–	81	2,676	634	746	236	314	117	101	528	177	4,939	3,866	44	101	2,619	1,102
Nonmetropolitan counties	7,535	1	–	52	1,704	423	514	129	188	76	67	307	141	3,565	2,723	20	42	1,963	898
Urban places	2,063	1	–	17	433	104	123	36	58	21	18	73	45	994	747	2	15	539	191
Balance of area	5,472	–	–	35	1,271	319	391	93	130	55	49	234	96	2,571	1,976	18	27	1,424	507
Adams	89	–	–	1	20	5	5	2	3	–	–	5	1	44	25	–	–	13	12
Asotin	155	–	–	–	51	14	15	5	5	2	3	7	2	70	51	1	1	34	15
Benton	615	–	–	3	135	28	34	11	18	5	5	34	13	285	216	2	6	169	39
Kennewick	214	–	–	1	45	9	12	2	2	3	2	15	6	95	64	–	2	50	12
Richland	214	–	–	1	47	11	11	4	8	–	2	11	4	109	81	1	2	66	12
Balance of county	187	–	–	1	43	8	11	5	8	2	1	8	3	81	71	1	2	53	15
Chelan	524	–	–	3	107	24	29	2	16	4	3	29	8	251	188	2	4	155	27
Wenatchee	262	–	–	2	52	14	11	1	9	–	1	16	5	122	89	–	3	72	14
Balance of county	262	–	–	1	55	10	18	1	7	4	2	13	3	129	99	2	1	83	13
Clallam	547	–	–	5	147	46	34	11	19	5	7	25	11	248	191	2	1	133	55
Port Angeles	208	–	–	3	51	11	12	4	10	4	2	8	2	100	71	–	1	51	19
Balance of county	339	–	–	2	96	35	22	7	9	1	5	17	9	148	120	2	–	82	36
Clark	1,458	1	–	10	345	91	96	30	52	16	10	50	22	672	537	8	18	401	110
Vancouver	661	1	–	5	154	41	41	15	23	6	5	22	8	319	249	5	3	188	53
Balance of county	797	–	–	5	191	50	55	14	29	10	5	28	14	353	288	3	15	213	57
Columbia	48	–	–	–	5	3	1	1	–	–	–	–	–	30	24	1	–	18	5
Cowlitz	633	–	–	7	140	24	54	11	12	9	6	24	13	305	238	–	2	195	41
Kelso	130	–	–	1	32	5	16	1	3	1	2	4	3	50	39	–	–	28	11
Longview	298	–	–	5	60	13	21	6	6	5	2	7	8	158	123	–	2	101	20
Balance of county	205	–	–	1	48	6	17	4	3	3	2	13	2	97	76	–	–	66	10
Douglas	186	–	–	1	48	6	20	4	6	2	1	9	3	82	64	–	1	55	8
Ferry	47	–	–	–	9	2	1	1	1	–	–	4	1	18	17	–	1	8	8
Franklin	210	–	–	1	42	12	14	–	3	1	3	9	4	105	88	–	1	70	17
Pasco	149	–	–	1	26	11	8	–	1	1	1	4	4	74	62	–	1	47	14
Balance of county	61	–	–	–	16	1	6	–	2	–	2	5	–	31	26	–	–	23	3
Garfield	34	–	–	–	5	1	2	1	1	–	–	–	–	20	17	–	–	11	6
Grant	358	–	–	1	108	27	36	3	8	7	4	21	9	154	118	1	2	91	24
Moses Lake	78	–	–	–	23	6	9	–	–	2	1	5	4	31	20	–	–	18	2
Balance of county	280	–	–	1	83	21	27	3	8	5	3	16	5	123	98	1	2	73	22
Grays Harbor	646	–	–	4	122	35	39	8	13	8	6	13	18	315	258	1	1	186	70
Aberdeen	190	–	–	1	35	13	8	1	4	1	5	3	9	96	80	–	1	47	32
Balance of county	456	–	–	3	87	22	31	7	9	7	1	10	9	219	178	1	–	139	38
Island	349	–	–	1	94	26	26	10	8	4	2	18	6	148	106	–	5	73	28
Oak Harbor	64	–	–	–	17	4	4	6	2	–	–	1	2	24	20	–	1	13	6
Balance of county	285	–	–	1	77	22	22	4	6	4	2	17	4	124	86	–	4	60	22
Jefferson	170	–	–	–	39	13	10	3	6	1	2	4	4	82	61	1	–	37	23
King	10,042	3	–	87	2,268	538	622	235	262	100	71	440	170	4,529	3,435	44	85	2,099	1,207
Auburn	207	–	–	–	44	11	15	3	7	1	1	6	6	88	61	–	–	33	28
Bellevue	491	–	–	7	116	23	29	17	12	5	4	26	15	199	142	3	2	93	44
Kent	154	–	–	3	41	8	14	4	6	4	–	5	2	69	50	–	1	33	16
Kirkland	153	–	–	1	39	10	8	2	6	4	1	8	1	62	47	–	–	27	20
Mercer Island	132	–	–	–	29	6	2	6	5	2	2	6	1	60	42	2	2	29	9
Redmond	128	–	–	2	34	7	6	4	6	2	2	7	4	41	33	–	–	25	8
Renton	253	–	–	–	66	15	23	5	7	1	1	14	4	125	92	–	4	65	23
Seattle	5,225	2	–	44	1,075	262	304	109	114	45	35	206	89	2,454	1,859	27	46	1,081	725
Balance of county	3,299	1	–	30	824	196	221	85	99	36	25	162	48	1,431	1,109	12	30	733	334
Kitsap	1,091	–	–	8	259	58	81	24	25	12	11	48	12	517	412	2	12	288	110
Bremerton	397	–	–	3	85	16	28	8	12	5	5	13	5	201	161	1	5	114	41
Balance of county	694	–	–	5	174	42	55	16	13	7	6	35	7	316	251	1	7	174	69
Kittitas	229	–	–	1	42	11	15	4	2	–	2	8	5	124	97	1	1	75	20
Ellensburg	110	–	–	–	13	3	4	2	1	–	–	3	1	68	51	1	–	36	14
Balance of county	119	–	–	1	29	8	11	2	1	–	2	5	4	56	46	–	1	39	6
Klickitat	118	–	–	–	28	7	8	5	4	1	–	3	2	60	39	2	1	24	12
Lewis	561	–	–	7	127	30	36	10	16	5	9	21	9	276	217	3	4	148	62
Centralia	180	–	–	1	38	7	10	3	9	1	2	6	2	90	64	–	3	38	23
Balance of county	381	–	–	6	89	23	26	7	7	4	7	15	7	186	153	3	1	110	39
Lincoln	108	–	–	–	25	11	5	1	2	1	1	4	4	43	30	–	1	22	7
Mason	305	–	–	–	74	13	25	4	9	3	2	18	2	135	108	–	1	91	16
Okanogan	325	–	–	5	73	21	20	7	6	3	3	13	10	150	113	1	3	69	40
Pacific	227	–	–	2	43	9	17	3	1	5	–	8	5	113	83	1	3	52	27
Pend Oreille	91	–	–	2	15	3	8	1	1	–	1	1	–	43	31	–	–	18	13
Pierce	3,852	–	–	22	903	202	267	90	83	39	30	192	68	1,616	1,394	13	53	829	499
Puyallup	204	–	–	–	39	10	12	5	4	–	–	8	6	114	88	1	1	62	24
Tacoma	1,799	–	–	13	405	93	128	38	33	19	9	86	37	887	676	8	38	379	251
Balance of county	1,849	–	–	9	458	99	127	47	46	20	21	98	25	815	630	4	14	388	224
San Juan	74	–	–	–	14	4	3	1	2	–	–	4	1	41	34	–	–	18	16
Skagit	668	–	–	3	148	29	49	7	18	5	11	29	12	327	257	1	2	186	68
Mount Vernon	154	–	–	1	33	7	10	2	6	3	1	4	1	82	68	–	–	54	12
Balance of county	514	–	–	2	115	22	39	5	12	2	10	25	11	245	191	1	2	132	56
Skamania	57	–	–	–	15	1	7	2	2	2	–	1	–	26	22	–	–	18	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Washington	121	2,767	449	376	1,053	1,471	121	440	276	4	220	264	286	2,888	835	871	568	207	57
Urban places	69	1,539	248	189	583	772	64	235	147	–	105	127	134	1,565	285	400	273	118	34
Balance of area	52	1,228	201	187	460	699	57	205	129	4	115	137	152	1,323	550	471	295	89	23
Metropolitan counties	101	2,164	346	260	819	1,151	93	365	210	3	185	213	221	2,291	591	658	466	174	49
Urban places	63	1,366	215	154	505	688	56	211	133	–	94	108	115	1,376	247	355	247	112	32
Balance of area	38	798	131	106	314	463	37	154	77	3	91	105	106	915	344	303	219	62	17
Nonmetropolitan counties	20	603	103	116	234	320	28	75	66	1	35	51	65	597	244	213	102	33	8
Urban places	6	173	33	35	68	84	8	24	14	–	11	19	19	189	38	45	26	6	2
Balance of area	14	430	70	81	146	236	20	51	52	1	24	32	46	408	206	166	76	27	6
Adams	–	9	9	1	6	2	–	–	–	–	1	1	2	4	4	2	–	–	1
Asotin	–	13	3	3	2	7	1	–	2	–	1	–	3	10	2	1	3	–	–
Benton	3	58	3	5	13	26	4	7	1	–	9	12	2	41	20	22	17	5	–
Kennewick	3	23	2	3	7	7	2	3	–	–	3	8	1	9	7	9	8	3	–
Richland	–	26	–	2	5	10	1	1	–	–	1	1	1	16	7	4	5	1	–
Balance of county	–	9	1	–	1	9	1	3	1	–	5	3	–	16	6	9	4	1	–
Chelan	1	48	2	12	17	23	3	3	6	–	2	1	7	44	26	20	2	–	1
Wenatchee	–	25	2	6	10	14	3	1	2	–	1	–	6	24	6	12	1	–	1
Balance of county	1	23	–	6	7	9	–	2	4	–	1	1	1	20	20	8	1	–	–
Clallam	–	42	9	6	21	20	3	9	5	–	5	6	3	31	14	13	3	3	–
Port Angeles	–	22	5	2	15	6	2	4	2	–	1	4	–	9	3	3	2	1	–
Balance of county	–	20	4	4	6	14	1	5	3	–	4	2	3	22	11	10	1	2	–
Clark	4	102	16	13	49	63	6	15	7	–	9	9	10	120	48	39	23	7	3
Vancouver	2	53	9	6	25	21	5	8	3	–	4	3	4	58	21	15	5	1	1
Balance of county	2	49	7	7	24	42	1	7	4	–	5	6	6	62	27	24	18	6	2
Columbia	–	3	1	2	1	2	1	1	1	–	–	–	–	3	3	–	–	1	–
Cowlitz	2	47	9	9	24	30	–	7	2	–	5	4	5	47	14	11	16	2	1
Kelso	–	6	3	2	6	8	–	3	1	–	4	2	2	8	4	–	6	–	–
Longview	1	26	4	4	9	9	–	3	–	–	1	2	3	26	1	7	4	1	1
Balance of county	1	15	2	3	9	13	–	1	1	–	–	–	–	13	9	4	6	1	–
Douglas	–	16	–	2	5	9	1	1	–	–	2	1	1	14	9	3	4	2	–
Ferry	–	1	–	–	–	4	1	–	–	–	–	1	1	5	6	1	–	–	–
Franklin	–	16	–	1	4	11	–	–	2	–	–	1	1	18	9	8	4	–	–
Pasco	–	11	–	1	3	10	–	–	2	–	–	1	–	14	5	5	4	–	–
Balance of county	–	5	–	–	1	1	–	–	–	–	–	–	1	4	4	3	–	–	–
Garfield	–	3	–	–	1	2	–	–	2	–	–	1	–	2	–	1	–	–	–
Grant	–	29	3	4	9	16	3	5	2	–	4	3	–	23	10	11	1	1	–
Moses Lake	–	11	–	–	3	3	–	1	1	–	2	2	–	5	2	1	–	–	–
Balance of county	–	18	3	4	6	13	3	4	1	–	2	1	–	18	8	10	1	1	–
Grays Harbor	1	36	7	13	21	34	2	9	12	–	1	4	8	37	24	19	11	3	2
Aberdeen	1	8	4	3	3	12	1	4	2	–	1	–	1	13	4	4	4	–	–
Balance of county	–	28	3	10	18	22	1	5	10	–	–	4	7	24	20	15	7	3	2
Island	4	24	4	10	8	17	1	1	3	–	–	3	3	36	11	9	6	2	–
Oak Harbor	–	3	–	1	3	1	–	–	–	–	–	–	–	13	3	1	–	–	–
Balance of county	4	21	4	9	5	16	1	1	3	–	–	3	3	23	8	8	6	2	–
Jefferson	–	17	3	1	5	7	–	3	–	–	1	–	1	18	3	3	4	–	–
King	43	839	117	95	357	411	39	149	91	1	62	69	86	982	170	274	185	84	25
Auburn	1	16	6	4	13	10	2	2	–	–	6	3	5	15	5	1	5	1	1
Bellevue	2	39	9	7	16	24	1	8	5	–	5	2	3	53	7	15	9	5	1
Kent	1	12	2	4	1	8	–	1	–	–	1	–	3	10	4	7	3	–	1
Kirkland	–	12	2	1	6	4	1	1	1	–	1	5	1	20	2	5	2	1	–
Mercer Island	1	12	2	3	10	3	–	1	1	–	1	3	–	15	1	3	3	1	–
Redmond	–	7	–	1	5	5	–	1	3	–	–	1	3	14	5	8	2	–	–
Renton	2	23	4	4	3	13	–	–	1	–	1	3	1	18	6	6	2	4	–
Seattle	25	476	48	46	200	218	21	87	53	–	26	26	41	532	63	141	81	57	15
Balance of county	11	242	44	25	103	126	14	48	27	1	21	26	29	305	77	88	78	15	7
Kitsap	2	81	10	12	35	41	5	11	7	–	11	13	10	99	21	31	10	–	1
Bremerton	–	30	2	6	16	14	2	3	4	–	3	5	4	35	4	9	4	–	–
Balance of county	2	51	8	4	19	27	3	8	3	–	8	8	6	64	17	22	6	–	1
Kittitas	–	25	2	–	6	8	–	2	2	–	–	1	1	21	4	6	4	2	–
Ellensburg	–	17	–	–	3	6	–	–	2	–	–	–	–	11	1	1	2	2	–
Balance of county	–	8	2	–	3	2	–	2	–	–	–	1	1	10	3	5	2	–	–
Klickitat	–	15	3	3	3	5	–	1	–	1	–	–	1	6	7	3	–	1	–
Lewis	2	44	6	7	17	22	1	3	4	–	3	3	4	47	19	14	5	–	–
Centralia	2	17	4	3	10	5	–	1	–	–	1	1	3	23	2	2	1	–	–
Balance of county	–	27	2	4	7	17	1	2	4	–	2	2	1	24	17	12	4	–	–
Lincoln	–	10	1	2	2	6	2	2	–	–	1	–	3	10	6	3	1	–	–
Mason	–	18	4	5	11	13	–	3	2	–	–	4	4	23	11	15	3	5	–
Okanogan	2	26	3	6	6	10	2	3	1	–	–	2	1	20	15	15	9	3	–
Pacific	1	23	4	2	2	8	2	3	3	–	2	–	2	22	7	8	5	–	–
Pend Oreille	–	10	1	1	5	3	–	–	2	–	–	1	–	11	1	4	2	2	–
Pierce	18	322	53	29	85	186	13	65	30	–	28	46	27	263	99	84	64	40	13
Puyallup	1	17	5	3	5	14	–	1	–	–	2	2	–	11	4	3	3	–	–
Tacoma	6	171	23	11	43	90	7	30	18	–	12	16	10	117	31	35	23	17	7
Balance of county	11	134	25	15	37	82	6	34	12	–	14	28	17	135	64	46	38	23	6
San Juan	1	4	–	2	4	1	–	–	–	–	–	–	2	7	1	3	–	–	–
Skagit	–	61	5	4	21	24	1	8	9	–	4	7	3	55	17	14	9	4	2
Mount Vernon	–	12	2	2	7	4	–	1	–	–	–	2	1	14	5	2	1	–	–
Balance of county	–	49	3	2	14	20	1	7	9	–	4	5	2	41	12	12	8	4	2
Skamania	1	3	–	–	1	2	1	–	–	–	–	1	1	3	5	–	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,489	–	–	25	574	145	174	49	58	27	27	94	42	1,159	883	16	16	584	287
Edmonds	280	–	–	1	63	14	19	5	3	5	4	13	1	146	114	2	–	74	38
Everett	650	–	–	8	141	37	43	10	18	5	7	21	15	311	226	4	4	151	67
Lynnwood	173	–	–	4	43	10	8	11	2	1	3	8	3	72	58	2	1	37	18
Mountlake Terrace	77	–	–	1	23	9	5	1	2	2	2	2	–	35	28	–	–	20	8
Balance of county	1,309	–	–	11	304	75	99	22	33	14	11	50	23	595	457	8	11	302	136
Spokane	3,105	–	–	26	685	168	187	57	87	27	31	128	60	1,457	1,089	16	28	731	314
Spokane	2,080	–	–	18	434	97	124	40	55	16	20	82	38	1,000	733	10	20	507	196
Balance of county	1,025	–	–	8	251	71	63	17	32	11	11	46	22	457	356	6	8	224	118
Stevens	257	–	–	4	53	13	15	5	10	2	–	8	3	123	91	–	1	55	35
Thurston	1,006	3	–	6	248	70	62	22	26	10	9	49	17	484	376	5	8	250	113
Lacey	169	–	–	1	33	13	5	4	5	1	1	4	4	90	68	2	2	45	19
Olympia	358	1	–	2	88	29	26	7	7	2	3	14	6	173	124	2	2	75	45
Balance of county	479	2	–	3	127	28	31	11	14	7	5	31	7	221	184	1	4	130	49
Wahkiakum	35	–	–	–	7	2	2	–	1	–	–	2	1	14	11	–	1	9	1
Walla Walla	506	1	–	4	105	26	25	13	12	6	2	21	10	230	161	2	6	112	41
Walla Walla	347	1	–	3	70	16	18	9	7	4	2	14	8	156	108	1	4	73	30
Balance of county	159	–	–	1	35	10	7	4	5	2	–	7	2	74	53	1	2	39	11
Whatcom	853	–	–	9	186	42	40	16	22	6	11	49	19	407	311	5	9	232	65
Bellingham	431	–	–	5	91	16	21	11	13	2	5	23	9	218	163	3	5	116	39
Balance of county	422	–	–	4	95	26	19	5	9	4	6	26	10	189	148	2	4	116	26
Whitman	188	–	–	1	42	17	7	4	4	1	2	7	1	93	71	–	–	57	14
Pullman	42	–	–	–	9	5	–	1	1	–	–	2	–	17	16	–	–	8	8
Balance of county	146	–	–	1	33	12	7	3	3	1	2	5	1	76	55	–	–	49	6
Yakima	1,558	1	1	8	317	68	94	30	46	11	8	60	24	732	551	9	7	423	112
Yakima	593	–	1	3	124	30	35	16	17	5	–	21	8	282	205	3	1	160	41
Balance of county	965	1	–	5	193	38	59	14	29	6	8	39	18	450	346	6	6	263	71
West Virginia	19,207	12	1	155	4,024	956	1,264	286	431	139	135	813	354	9,846	7,949	65	215	5,364	2,305
Urban places	5,382	2	–	41	1,195	299	358	88	126	38	34	252	93	2,788	2,229	20	74	1,505	630
Balance of area	13,825	10	1	114	2,829	657	906	198	305	101	101	561	261	7,058	5,720	45	141	3,859	1,675
Metropolitan counties	7,021	3	1	47	1,565	361	518	106	170	53	57	300	122	3,632	2,965	25	95	1,963	882
Urban places	3,617	–	–	22	833	204	262	61	86	26	28	166	60	1,842	1,471	11	53	993	414
Balance of area	3,404	3	1	25	732	157	256	45	84	27	29	134	62	1,790	1,494	14	42	970	468
Nonmetropolitan counties	12,186	9	–	108	2,459	595	746	180	261	86	78	513	232	6,214	4,984	40	120	3,401	1,423
Urban places	1,765	2	–	19	362	95	96	27	40	12	6	66	33	946	758	9	21	512	216
Balance of area	10,421	7	–	89	2,097	500	650	153	221	74	72	427	199	5,268	4,226	31	99	2,889	1,207
Barbour	172	–	–	1	32	6	8	1	3	1	–	13	1	94	74	–	3	57	14
Berkeley	521	–	–	9	133	41	33	8	15	7	6	23	10	249	185	2	3	105	75
Martinsburg	263	–	–	4	61	25	13	5	6	2	2	8	5	143	109	1	2	65	41
Balance of county	258	–	–	5	72	16	20	3	9	5	4	15	5	106	76	1	1	40	34
Boone	310	–	–	–	65	18	19	5	7	2	1	13	10	144	123	2	5	69	47
Braxton	186	–	–	1	40	11	14	2	4	–	2	7	2	112	84	6	2	58	18
Brooke	284	–	–	2	61	11	22	2	7	2	5	12	5	163	136	2	2	92	40
Weirton, part	54	–	–	–	13	4	6	–	–	1	–	2	2	29	23	–	–	17	6
Balance of county	230	–	–	2	48	7	16	2	7	1	5	10	3	134	113	2	2	75	34
Cabell	1,170	1	1	9	244	66	72	8	25	9	13	51	18	588	469	4	19	339	107
Huntington, part	822	–	–	7	176	48	53	3	18	8	6	40	9	421	335	2	15	240	78
Huntington, total	879	–	–	7	186	52	56	3	18	9	6	42	10	457	363	3	16	259	85
Balance of county	348	1	1	2	68	18	19	5	7	1	7	11	9	167	134	2	4	99	29
Calhoun	87	–	–	–	17	5	6	1	1	–	1	3	1	45	29	–	3	18	8
Clay	99	–	–	1	15	1	5	–	1	1	1	6	2	52	43	–	1	29	13
Doddridge	63	–	–	1	6	2	3	–	2	–	–	1	4	35	30	–	2	24	4
Fayette	605	1	–	3	118	29	38	12	8	2	5	24	14	301	251	1	11	172	67
Gilmer	65	–	–	1	8	1	3	–	–	1	–	3	4	36	31	–	–	22	9
Grant	85	1	–	–	17	6	2	1	2	–	1	5	1	42	33	–	–	22	11
Greenbrier	442	1	–	6	92	25	31	6	11	1	3	15	10	208	166	4	2	101	59
Hampshire	146	–	–	1	33	13	8	3	2	1	2	4	2	83	68	2	1	55	10
Hancock	372	–	–	3	82	21	27	9	7	5	2	11	9	190	155	1	4	116	34
Weirton, part	200	–	–	2	41	14	10	6	3	1	1	6	4	106	85	–	3	60	22
Weirton, total	254	–	–	2	54	18	16	6	3	2	1	8	6	135	108	–	3	77	28
Balance of county	172	–	–	1	41	7	17	3	4	4	1	5	5	84	70	1	1	56	12
Hardy	104	–	–	1	20	6	7	1	3	2	–	1	1	53	45	–	1	32	12
Harrison	884	–	–	6	203	56	51	13	27	2	5	49	22	447	348	2	9	239	98
Clarksburg	367	–	–	2	86	19	29	7	9	2	1	19	4	194	153	2	6	97	48
Balance of county	517	–	–	4	117	37	22	6	18	–	4	30	18	253	195	–	3	142	50
Jackson	202	–	–	–	37	7	10	3	4	2	4	7	4	114	90	–	5	61	24
Jefferson	293	–	–	–	71	15	28	4	9	–	–	15	5	130	100	1	3	69	27
Kanawha	2,248	1	–	12	515	108	184	40	51	15	13	104	36	1,160	963	7	47	530	379
Charleston	802	–	–	5	197	39	63	21	22	5	8	39	11	405	333	1	20	183	129
St. Albans	143	–	–	1	40	6	18	3	3	2	1	7	1	67	52	2	4	27	19
South Charleston	170	–	–	1	28	6	10	–	3	1	–	6	4	113	94	1	6	52	35
Balance of county	1,133	1	–	5	252	57	93	16	23	7	4	52	20	575	484	3	17	268	196
Lewis	229	–	–	2	42	13	9	3	4	2	3	8	2	126	105	–	3	65	37
Lincoln	235	–	–	–	48	11	20	3	3	2	1	8	7	108	87	1	1	59	26
Logan	469	2	–	7	117	22	42	7	12	5	4	25	9	213	187	–	4	130	53
McDowell	456	1	–	7	62	11	22	4	5	1	3	16	12	214	179	–	8	110	61
Marion	692	–	–	5	128	34	32	9	15	5	2	31	11	388	330	2	9	247	72
Fairmont	319	–	–	3	54	16	13	3	7	1	–	14	5	181	150	1	4	111	34
Balance of county	373	–	–	2	74	18	19	6	8	4	2	17	6	207	180	1	5	136	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Snohomish	13	202	31	30	77	85	10	35	13	1	20	17	32	222	77	51	38	6	5
Edmonds	2	25	3	2	10	11	1	1	1	-	1	2	-	34	1	1	5	-	1
Everett	3	59	15	8	19	27	2	10	3	-	3	3	7	57	16	10	13	2	3
Lynnwood	1	10	-	3	4	6	2	5	1	-	3	2	5	18	1	2	2	-	-
Mountlake Terrace	-	7	-	-	2	2	-	-	-	-	-	1	1	8	2	1	1	-	-
Balance of county	7	101	13	17	42	39	5	19	8	1	13	9	19	105	57	37	17	4	1
Spokane	12	248	74	34	94	166	10	49	24	-	22	21	24	257	61	67	64	17	1
Spokane	9	183	57	18	61	114	5	37	16	-	13	13	16	175	33	50	42	14	1
Balance of county	3	65	17	16	33	52	5	12	8	-	9	8	8	82	28	17	22	3	-
Stevens	1	21	4	6	6	18	-	3	2	-	-	-	3	15	11	11	4	-	1
Thurston	-	83	10	15	20	48	3	9	8	-	10	9	9	75	18	19	17	2	1
Lacey	-	17	2	3	4	5	2	1	1	-	1	2	2	19	-	2	1	1	-
Olympia	-	32	7	10	6	25	-	1	4	-	3	2	4	24	4	6	8	-	1
Balance of county	-	34	1	2	10	18	1	7	3	-	6	5	3	32	14	11	8	1	-
Wahkiakum	-	3	-	-	-	2	-	-	1	-	-	-	-	8	1	-	1	-	-
Walla Walla	4	39	14	12	20	20	3	5	4	-	2	6	4	59	9	19	3	2	-
Walla Walla	2	25	9	12	17	15	2	5	3	-	-	5	3	39	6	9	3	2	-
Balance of county	2	14	5	-	3	5	1	-	1	-	2	1	1	20	3	10	-	-	-
Whatcom	-	72	12	12	28	29	2	3	10	-	7	4	11	87	17	22	12	-	-
Bellingham	-	44	8	3	14	14	2	-	5	-	3	-	2	48	7	7	6	-	-
Balance of county	-	28	4	9	14	15	-	3	5	-	4	4	9	39	10	15	6	-	-
Whitman	-	13	6	3	10	5	-	3	1	-	1	1	2	16	4	4	4	-	-
Pullman	-	1	-	-	2	1	-	1	1	-	-	1	-	4	1	3	2	-	-
Balance of county	-	12	6	3	8	4	-	2	-	-	1	-	2	12	3	1	2	-	-
Yakima	6	141	29	14	57	85	1	22	17	1	7	12	9	127	51	41	32	13	-
Yakima	4	61	9	3	27	33	-	9	11	-	1	4	1	56	11	10	10	4	-
Balance of county	2	80	11	11	30	52	1	13	6	1	6	8	8	71	40	31	22	9	-
West Virginia	54	1,434	213	196	445	826	52	185	204	-	104	136	171	1,463	436	414	238	104	37
Urban places	16	419	63	61	140	190	19	60	55	-	18	32	64	412	74	114	48	31	6
Balance of area	38	1,015	150	135	305	636	33	125	149	-	86	104	107	1,051	362	300	190	73	31
Metropolitan counties	19	506	68	74	163	247	21	87	73	-	32	40	89	509	123	144	78	29	16
Urban places	10	276	43	42	93	117	14	44	36	-	10	20	57	282	50	78	32	21	6
Balance of area	9	230	25	32	70	130	7	43	37	-	22	20	32	227	73	66	46	8	10
Nonmetropolitan counties	35	928	145	122	282	579	31	98	131	-	72	96	82	954	313	270	160	75	21
Urban places	6	143	20	19	47	73	5	16	19	-	8	12	7	130	24	36	16	10	-
Balance of area	29	785	125	103	235	506	26	82	112	-	64	84	75	824	289	234	144	65	21
Barbour	1	12	4	3	5	4	-	1	1	-	1	2	1	17	4	7	-	1	-
Berkeley	5	50	3	6	10	16	1	4	3	-	3	5	3	41	14	10	8	2	-
Martinsburg	3	26	2	3	4	7	1	3	2	-	-	1	2	18	2	7	1	2	-
Balance of county	2	24	1	3	6	9	-	1	1	-	3	4	1	23	12	3	7	-	-
Boone	-	18	1	2	7	18	1	2	4	-	4	-	5	24	15	6	3	2	-
Braxton	1	23	3	1	4	7	-	-	1	-	-	-	1	12	3	-	2	1	-
Brooke	1	21	2	3	5	6	-	4	3	-	1	1	4	16	5	6	2	-	-
Weirton, part	-	6	-	-	-	-	-	-	1	-	-	-	2	6	1	-	-	-	-
Balance of county	1	15	2	3	5	6	-	4	2	-	1	1	2	10	4	6	2	-	-
Cabell	4	78	22	15	31	45	5	15	15	-	5	7	14	101	22	25	14	7	3
Huntington, part	3	59	13	11	23	29	5	10	10	-	2	4	9	79	8	18	6	4	2
Huntington, total	4	63	16	11	25	32	5	10	10	-	2	4	9	80	8	21	6	5	2
Balance of county	1	19	9	4	8	16	-	5	5	-	3	3	5	22	14	7	8	3	1
Calhoun	-	15	-	1	3	3	-	1	-	-	1	1	-	10	2	2	1	-	-
Clay	-	7	1	1	2	5	-	-	2	-	1	-	3	5	4	5	2	-	-
Doddridge	-	4	1	-	1	3	2	-	-	-	-	1	1	4	2	-	1	-	-
Fayette	3	40	4	3	13	33	4	7	7	-	1	4	3	49	13	17	7	8	2
Gilmer	-	2	1	2	1	2	-	2	-	-	2	-	1	3	2	2	-	-	1
Grant	-	7	1	1	1	5	-	1	2	-	-	2	-	5	4	2	2	-	-
Greenbrier	-	29	6	7	16	30	-	2	6	-	1	1	7	37	9	9	5	2	-
Hampshire	-	9	3	3	5	4	-	1	-	-	-	-	-	9	2	2	3	-	1
Hancock	2	29	1	3	7	17	-	3	1	-	1	1	4	30	9	7	5	3	-
Weirton, part	-	19	1	1	3	6	-	2	1	-	-	1	4	17	5	4	2	2	-
Weirton, total	-	25	1	1	3	6	-	2	2	-	-	1	6	23	6	4	2	2	-
Balance of county	2	10	-	2	4	11	-	1	-	-	1	-	-	13	4	3	3	1	-
Hardy	-	8	-	-	5	3	-	4	-	-	1	-	-	11	1	3	-	-	1
Harrison	3	72	16	8	12	34	5	7	13	-	9	14	7	63	12	15	10	4	1
Clarksburg	2	31	4	4	6	18	2	4	6	-	2	5	4	24	2	3	2	3	-
Balance of county	1	41	12	4	6	16	3	3	7	-	7	9	3	39	10	12	8	1	1
Jackson	-	15	8	1	5	11	-	-	1	-	1	1	-	19	6	2	1	-	-
Jefferson	1	23	1	5	8	9	-	4	3	-	1	4	1	18	23	6	7	2	1
Kanawha	5	159	14	19	52	88	6	29	26	-	12	8	18	168	40	40	25	9	5
Charleston	2	55	7	8	23	31	2	9	6	-	3	2	4	60	12	16	10	5	1
St. Albans	-	13	-	2	-	4	2	4	3	-	-	3	1	7	4	3	3	-	-
South Charleston	-	12	3	4	1	5	-	3	-	-	-	-	-	10	3	2	1	1	-
Balance of county	3	79	4	5	28	48	2	13	17	-	9	3	13	88	21	19	11	3	4
Lewis	1	15	1	4	9	11	1	1	3	-	3	2	1	17	3	2	3	1	-
Lincoln	-	16	2	3	9	13	-	1	-	-	1	4	3	20	8	8	2	2	1
Logan	1	20	2	3	2	19	2	4	9	-	3	1	5	37	15	10	7	4	3
McDowell	2	25	3	5	10	36	-	5	5	-	3	5	3	59	16	10	2	6	-
Marion	-	46	3	8	14	24	2	8	12	-	5	6	1	53	11	18	6	2	-
Fairmont	-	24	3	4	4	12	1	5	5	-	1	1	-	31	7	7	2	-	-
Balance of county	-	22	-	5	10	12	1	1	7	-	4	5	1	22	4	11	4	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	386	–	–	6	75	18	28	4	8	3	4	10	8	219	188	–	4	141	41
Moundsville	148	–	–	2	33	7	11	3	4	–	1	7	5	73	61	–	1	46	14
Wheeling, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	237	–	–	4	42	11	17	1	4	3	3	3	3	145	125	–	3	95	27
Mason	272	–	–	4	59	14	17	6	5	4	3	10	4	132	103	1	–	85	17
Mercer	795	–	–	8	144	32	42	16	9	8	3	34	14	412	343	1	7	243	92
Bluefield [2]	231	–	–	2	47	12	9	6	2	4	–	14	6	119	99	1	2	76	20
Balance of county	564	–	–	6	97	20	33	10	7	4	3	20	8	293	244	–	5	167	72
Mineral	274	–	–	1	63	14	22	4	8	–	2	13	5	146	121	3	4	66	48
Mingo	355	–	–	2	75	18	20	7	7	2	1	20	4	178	157	–	2	102	53
Monongalia	511	–	–	8	113	18	41	6	15	2	3	28	8	264	199	6	2	113	78
Morgantown	242	–	–	3	52	7	19	1	6	1	2	16	3	122	85	2	–	43	40
Balance of county	269	–	–	5	61	11	22	5	9	1	1	12	5	142	114	4	2	70	38
Monroe	141	–	–	2	32	7	13	4	3	2	1	2	2	69	60	–	2	42	16
Morgan	123	–	–	2	25	10	5	–	2	1	2	5	3	51	41	–	–	24	17
Nicholas	262	–	–	3	49	13	14	4	6	–	1	11	2	133	99	1	1	74	23
Ohio	718	–	–	5	183	48	55	16	19	6	7	32	13	366	279	4	3	217	55
Wheeling, part	592	–	–	2	150	34	47	14	17	5	6	27	10	297	220	3	2	168	47
Wheeling, total	593	–	–	2	150	34	47	14	17	5	6	27	10	298	220	3	2	168	47
Balance of county	126	–	–	3	33	14	8	2	2	1	1	5	3	69	59	1	1	49	8
Pendleton	76	–	–	–	12	3	2	2	1	–	1	3	1	41	30	–	–	21	9
Pleasants	70	–	–	–	13	4	3	–	4	–	1	1	–	39	30	–	–	19	11
Pocahontas	119	–	–	–	18	7	5	1	–	–	–	5	2	67	52	–	–	30	22
Preston	292	–	–	3	54	12	15	5	8	3	1	10	8	146	115	1	2	86	28
Putnam	269	1	–	1	57	9	19	5	7	4	1	12	6	141	121	1	1	63	58
Raleigh	871	2	–	8	178	47	50	12	19	10	2	38	16	456	373	3	13	272	85
Beckley	343	2	–	5	62	16	13	5	10	2	1	15	10	187	162	2	7	120	33
Balance of county	528	–	–	3	116	31	37	7	9	8	1	23	6	269	211	1	6	152	52
Randolph	299	–	–	3	69	14	20	6	7	5	5	12	6	154	106	–	2	72	32
Ritchie	127	–	–	3	25	2	7	1	5	2	3	5	–	81	66	–	2	53	11
Roane	153	–	–	3	28	3	9	2	5	2	1	6	2	67	55	–	–	47	8
Summers	153	1	–	1	30	7	13	2	4	–	–	4	7	70	59	1	1	41	16
Taylor	192	–	–	2	44	12	18	3	3	2	1	5	1	95	68	–	1	38	29
Tucker	112	–	–	–	13	4	–	2	3	1	–	3	1	74	62	–	–	47	15
Tyler	102	–	–	–	23	7	6	1	3	–	–	6	3	54	38	–	1	28	9
Upshur	191	–	–	3	40	8	15	6	3	2	–	6	2	105	83	–	3	49	31
Wayne	391	–	–	3	77	13	28	4	9	2	3	18	5	217	170	2	8	121	39
Huntington, part	57	–	–	–	10	4	3	–	–	1	–	2	1	36	28	1	1	19	7
Balance of county	334	–	–	3	67	9	25	4	9	1	3	16	4	181	142	1	7	102	32
Webster	108	–	–	–	19	5	9	1	1	–	–	3	5	48	41	–	1	21	19
Wetzel	230	–	–	–	45	7	14	3	6	1	4	10	2	123	102	1	–	67	34
Wirt	49	–	–	1	9	–	5	–	1	2	–	1	1	25	24	–	1	19	4
Wood	860	–	–	4	199	53	56	14	28	5	7	36	18	417	341	1	2	259	79
Parkersburg	533	–	–	1	119	37	30	6	14	2	5	25	10	253	208	1	1	155	51
Vienna	95	–	–	1	28	5	11	5	2	–	–	5	3	41	32	–	–	28	6
Balance of county	232	–	–	2	52	11	15	3	12	3	2	6	3	123	101	–	1	78	22
Wyoming	287	–	–	1	45	8	17	4	4	2	1	9	5	141	114	2	4	83	25
Wisconsin	41,047	18	2	329	9,170	2,511	2,140	844	1,051	402	398	1,824	764	20,890	16,295	147	362	12,076	3,710
Urban places	20,686	11	2	185	4,796	1,288	1,171	455	533	203	215	931	384	10,315	8,048	70	222	6,003	1,753
Balance of area	20,361	7	–	144	4,374	1,223	969	389	518	199	183	893	380	10,575	8,247	77	140	6,073	1,957
Metropolitan counties	25,384	15	2	212	5,782	1,520	1,400	542	656	247	254	1,163	472	12,745	9,975	94	258	7,427	2,196
Urban places	18,353	11	2	159	4,285	1,148	1,064	396	459	179	193	846	338	9,099	7,118	66	210	5,296	1,546
Balance of area	7,031	4	–	53	1,497	372	336	146	197	68	61	317	134	3,646	2,857	28	48	2,131	650
Nonmetropolitan counties	15,663	3	–	117	3,388	991	740	302	395	155	144	661	292	8,145	6,320	53	104	4,649	1,514
Urban places	2,333	–	–	26	511	140	107	59	74	24	22	85	46	1,216	930	4	12	707	207
Balance of area	13,330	3	–	91	2,877	851	633	243	321	131	122	576	246	6,929	5,390	49	92	3,942	1,307
Adams	156	–	–	–	39	12	11	3	–	4	1	8	10	73	58	–	1	40	17
Ashland	209	–	–	4	50	16	12	5	1	1	7	8	1	99	71	1	1	38	31
Barron	424	–	–	2	97	26	18	6	19	3	4	21	7	223	171	2	2	118	51
Bayfield	134	–	–	2	25	5	5	6	3	–	1	5	3	68	50	1	–	34	15
Brown	1,250	1	–	12	268	75	58	28	24	18	8	57	23	629	471	2	6	368	95
Allouez townit	89	1	–	2	16	6	1	3	–	3	1	2	1	44	30	2	–	21	7
Ashwaubenon	97	–	–	–	16	5	–	4	2	–	1	4	2	64	46	–	–	35	11
De Pere	97	–	–	1	17	5	–	2	4	2	–	4	2	52	42	–	–	32	10
Green Bay	761	–	–	4	175	48	46	15	12	10	5	39	14	363	264	–	3	211	50
Balance of county	206	–	–	5	44	11	11	4	6	3	1	8	4	106	89	–	3	69	17
Buffalo	149	–	–	1	42	8	8	2	10	2	–	12	4	75	62	–	–	40	22
Burnett	156	–	–	1	38	15	8	2	7	2	–	4	3	78	54	–	–	36	18
Calumet	213	–	–	2	51	18	4	5	7	3	1	13	6	103	81	1	3	60	17
Appleton, part	12	–	–	–	3	2	–	1	–	–	–	–	–	6	3	–	–	2	1
Balance of county	201	–	–	2	48	16	4	4	7	3	1	13	6	97	78	1	3	58	16
Chippewa	431	–	–	3	90	28	20	10	5	3	2	22	6	252	197	2	2	153	40
Chippewa Falls	115	–	–	2	27	8	5	3	3	–	2	6	2	65	46	1	1	35	9
Eau Claire, part	7	–	–	–	4	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Balance of county	309	–	–	1	59	20	13	6	2	3	–	15	4	187	151	1	1	118	31
Clark	335	–	–	1	75	26	12	9	11	3	–	14	5	157	127	2	2	99	24
Columbia	435	–	–	5	104	28	37	10	10	3	3	13	15	217	165	1	2	115	47
Crawford	166	–	–	1	37	12	5	2	3	2	1	12	4	84	60	–	1	45	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	1	22	2	8	4	11	2	1	5	–	2	3	1	28	2	11	5	1	2
Moundsville	–	8	1	3	4	3	1	–	4	–	–	2	–	11	1	4	2	1	2
Wheeling, part	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	14	1	4	–	8	1	1	1	–	2	1	1	17	1	7	3	–	–
Mason	1	24	4	–	5	11	–	1	1	–	1	6	3	24	9	6	2	4	–
Mercer	2	53	5	9	25	59	3	7	8	–	6	8	1	48	11	22	13	6	–
Bluefield [12]	–	18	–	2	10	16	–	2	3	–	2	1	–	8	3	8	3	1	–
Balance of county	2	35	5	7	15	43	3	5	5	–	4	7	1	40	8	14	10	5	–
Mineral	–	20	2	3	3	10	–	5	7	–	2	3	–	13	7	3	5	–	1
Mingo	–	20	–	1	5	24	1	3	3	–	1	2	2	18	14	11	4	7	1
Monongalia	1	44	16	4	10	14	–	3	9	–	2	2	2	42	11	11	9	3	–
Morgantown	1	23	10	3	8	6	–	1	3	–	2	2	1	23	4	7	2	3	–
Balance of county	–	21	6	1	2	8	–	2	6	–	–	–	1	19	7	4	7	–	–
Monroe	–	7	2	–	5	7	–	1	2	–	2	2	1	8	4	1	3	–	–
Morgan	–	7	2	1	8	4	–	–	1	–	–	1	1	15	2	8	2	–	–
Nicholas	1	19	8	5	6	14	1	–	5	–	2	1	1	15	12	10	6	2	–
Ohio	1	71	11	4	18	23	3	9	7	–	2	6	4	48	5	14	6	4	2
Wheeling, part	1	62	10	4	16	22	3	8	5	–	2	4	4	42	3	13	6	4	2
Wheeling, total	1	62	10	5	16	22	3	8	5	–	2	4	4	42	3	13	6	4	1
Balance of county	–	9	1	–	2	1	–	1	2	–	–	2	–	6	2	1	–	–	1
Pendleton	–	11	–	–	2	4	–	1	1	–	–	–	–	4	4	3	3	–	–
Pleasants	1	7	–	1	–	3	–	–	1	–	1	3	1	6	2	–	1	–	–
Pocahontas	–	12	–	3	4	7	–	1	1	–	–	1	–	11	3	3	1	–	–
Preston	2	16	7	6	10	19	–	2	3	–	2	3	3	22	7	7	3	–	–
Putnam	–	14	–	6	8	8	2	4	1	–	2	4	1	16	7	5	4	–	1
Raleigh	2	71	3	7	30	37	1	7	6	–	4	3	3	70	20	10	15	4	1
Beckley	–	21	1	3	15	14	1	1	–	–	1	2	–	26	8	4	6	1	–
Balance of county	2	50	2	4	15	23	–	6	6	–	3	1	3	44	14	6	9	3	1
Randolph	4	36	5	3	2	11	–	3	2	–	2	1	8	25	4	6	1	1	1
Ritchie	–	11	1	3	3	–	–	1	2	–	–	1	–	9	–	1	1	–	–
Roane	–	29	–	3	3	6	–	–	2	–	–	1	–	12	3	4	2	–	–
Summers	1	8	–	1	1	8	1	1	3	–	–	–	–	13	7	6	2	–	1
Taylor	–	18	8	1	5	13	2	2	1	–	–	2	1	12	3	2	4	1	2
Tucker	–	6	4	–	1	2	1	1	3	–	1	–	–	7	1	4	1	1	1
Tyler	–	13	1	2	5	3	1	2	–	–	–	1	1	6	2	1	–	–	–
Upshur	–	13	9	–	2	4	–	3	2	–	–	–	2	13	8	3	2	2	–
Wayne	2	35	7	3	8	20	2	6	2	–	1	3	2	25	4	7	5	2	2
Huntington, part	1	4	3	–	2	3	–	–	–	–	–	–	–	1	–	3	–	1	–
Balance of county	1	31	4	3	6	17	2	6	2	–	1	3	2	24	4	4	5	1	2
Webster	–	5	1	1	3	6	–	–	–	–	1	1	1	14	3	4	–	3	–
Wetzel	–	20	–	1	4	11	–	3	2	–	2	–	1	20	6	3	3	2	3
Wirt	–	1	–	–	1	1	–	1	–	–	1	–	–	4	1	3	1	–	–
Wood	3	56	7	10	26	18	1	10	6	–	3	4	41	62	21	23	6	3	–
Parkersburg	3	32	4	6	18	12	1	7	6	–	3	4	28	42	11	13	2	3	–
Vienna	–	6	1	2	3	2	–	1	–	–	–	–	5	7	2	2	–	–	–
Balance of county	–	18	2	2	5	4	–	2	–	–	–	–	8	13	6	8	4	–	–
Wyoming	2	19	4	2	1	21	2	3	1	–	4	4	4	27	8	8	10	2	–
Wisconsin	142	3,353	596	504	1,207	1,301	150	370	348	3	272	310	233	3,289	859	742	609	137	44
Urban places	66	1,695	253	253	613	694	71	215	163	2	156	180	123	1,754	309	351	307	93	22
Balance of area	76	1,658	343	251	594	667	79	155	185	1	116	130	110	1,535	550	391	302	44	22
Metropolitan counties	83	2,052	330	305	723	800	88	252	189	2	178	230	143	2,063	501	437	412	109	29
Urban places	57	1,483	220	221	541	560	62	194	140	2	138	167	108	1,542	283	309	283	89	21
Balance of area	26	569	110	84	182	220	26	58	49	–	40	63	35	521	218	128	129	20	8
Nonmetropolitan counties	59	1,301	266	199	484	501	62	118	159	1	94	80	90	1,226	358	305	197	28	15
Urban places	9	212	33	32	72	54	9	21	23	–	18	13	15	212	26	42	24	4	1
Balance of area	50	1,089	233	167	412	447	53	97	136	1	76	67	75	1,014	332	263	173	24	14
Adams	–	5	9	1	3	5	1	1	5	–	–	1	1	8	2	5	1	–	1
Ashland	2	18	–	8	7	12	1	–	2	–	2	–	2	21	3	3	2	–	–
Barron	1	33	15	3	22	14	–	–	5	–	1	–	5	29	6	3	7	2	1
Bayfield	2	13	1	2	1	6	3	2	2	–	1	–	1	9	4	3	3	–	1
Brown	3	112	26	17	25	43	5	14	7	–	12	13	8	89	47	21	28	4	1
Allouez town#	–	11	3	–	3	2	–	2	2	–	1	1	1	7	6	–	–	–	–
Ashwaubenon	–	9	6	3	2	1	1	1	–	–	–	–	–	7	1	2	–	–	–
De Pere	1	6	3	–	1	2	–	–	–	–	1	1	–	6	4	4	5	1	–
Green Bay	2	75	11	11	14	32	4	10	4	–	8	9	5	59	28	9	20	2	1
Balance of county	–	11	3	3	5	6	–	1	1	–	2	2	2	10	8	6	3	1	–
Buffalo	–	9	2	2	2	2	1	1	1	–	–	2	1	12	–	3	2	–	–
Burnett	–	17	6	1	8	8	2	–	3	–	1	1	–	8	2	2	1	–	–
Calumet	1	13	4	4	4	10	–	5	1	–	–	–	–	20	9	1	1	–	–
Appleton, part	–	2	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
Balance of county	1	11	3	4	4	10	–	4	1	–	–	–	–	18	9	1	1	–	–
Chippewa	–	46	5	4	5	14	–	3	5	–	3	3	3	29	4	5	3	2	1
Chippewa Falls	–	15	2	2	2	5	–	1	1	–	–	–	2	6	–	1	–	1	–
Eau Claire, part	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Balance of county	–	31	3	2	3	8	–	1	4	–	3	3	1	23	4	3	3	1	1
Clark	–	26	2	2	15	7	–	–	5	–	3	2	3	28	16	12	8	–	–
Columbia	2	40	4	6	10	14	1	2	9	–	2	2	2	29	8	6	6	1	–
Crawford	–	16	3	5	7	5	–	4	2	–	3	–	1	13	1	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neopla-sms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of res-pirato-ry and intra-tho-racic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of urinary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	2,071	–	–	16	449	110	112	40	57	13	20	97	31	984	746	8	12	569	157
Madison	1,227	–	–	8	269	64	68	23	36	6	12	60	15	565	411	7	9	313	82
Middleton	46	–	–	–	10	3	3	–	1	1	1	1	1	19	15	–	2	9	4
Sun Prairie	81	–	–	2	23	6	10	4	2	–	–	1	–	40	31	–	–	24	7
Balance of county	717	–	–	6	147	37	31	13	18	6	7	35	15	360	289	1	1	223	64
Dodge	737	–	–	9	146	50	26	13	20	7	6	24	13	408	331	1	5	238	87
Beaver Dam	182	–	–	2	36	13	5	4	6	4	1	3	3	106	88	–	–	65	23
Watertown, part	81	–	–	1	18	7	4	1	3	–	–	3	2	41	31	–	–	19	12
Balance of county	474	–	–	6	92	30	17	8	11	3	5	18	8	261	212	1	5	154	52
Door	276	–	–	2	67	13	14	7	7	4	9	13	7	138	96	1	2	77	16
Douglas	479	–	–	2	125	35	29	9	13	6	4	29	7	238	183	1	3	116	63
Superior	350	–	–	2	99	31	22	9	9	3	2	23	3	183	123	1	2	81	39
Balance of county	129	–	–	–	26	4	7	–	4	3	2	6	4	75	60	–	1	35	24
Dunn	250	–	–	1	56	19	13	3	6	1	3	9	1	133	103	–	–	87	16
Menomonie	108	–	–	1	19	5	6	1	2	–	2	3	1	57	47	–	–	40	7
Balance of county	142	–	–	–	37	14	7	2	6	1	1	6	–	76	56	–	–	47	9
Eau Claire	606	–	–	4	137	29	43	12	15	5	2	31	6	299	239	6	5	159	69
Eau Claire, part	432	–	–	4	102	25	30	7	8	3	2	27	4	207	163	4	4	107	48
Eau Claire, total	439	–	–	4	106	25	32	8	8	3	2	28	4	207	163	4	4	107	48
Balance of county	174	–	–	–	35	4	13	5	7	2	–	4	2	92	76	2	1	52	21
Florence	48	–	–	–	16	2	5	1	1	2	–	5	1	26	15	–	–	12	3
Fond du Lac	752	–	–	6	176	47	32	21	28	5	11	32	12	368	288	2	5	216	65
Fond du Lac	397	–	–	4	99	25	22	14	18	2	5	13	10	191	145	1	4	108	32
Balance of county	355	–	–	2	77	22	10	7	10	3	6	19	2	177	143	1	1	108	33
Forest	116	–	–	–	20	7	5	2	2	1	2	1	5	57	47	2	1	28	16
Grant	479	–	–	6	89	28	17	3	8	4	5	24	8	268	197	1	1	142	53
Green	318	–	–	2	64	19	15	6	8	2	4	10	7	180	132	2	8	80	42
Monroe	126	–	–	–	23	7	4	2	3	–	2	5	5	69	55	–	3	37	15
Balance of county	192	–	–	2	41	12	11	4	5	2	2	5	2	111	77	2	5	43	27
Green Lake	212	–	–	1	48	14	7	1	8	4	2	12	4	113	91	1	1	57	32
Iowa	193	–	–	–	35	13	6	1	5	1	2	7	3	102	75	1	–	64	10
Iron	94	–	–	1	18	5	6	2	1	1	–	4	–	46	36	–	–	28	10
Jackson	189	–	–	1	41	13	12	1	3	3	–	9	1	89	72	–	–	48	24
Jefferson	563	–	–	6	127	38	29	18	10	8	6	18	5	307	242	–	1	193	48
Watertown, part	129	–	–	3	30	6	8	7	2	2	2	3	1	68	53	–	–	40	13
Watertown, total	210	–	–	4	48	13	12	8	5	2	2	6	3	109	84	–	–	59	25
Whitewater, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1
Balance of county	492	–	–	3	97	32	21	11	8	6	4	15	4	237	188	–	1	153	34
Juneau	232	–	–	3	55	15	12	4	4	7	3	10	4	118	99	1	2	73	23
Kenosha	1,086	1	–	10	235	53	62	22	25	14	15	44	24	552	430	1	8	336	87
Kenosha	744	1	–	6	150	39	37	14	13	11	11	25	18	404	308	1	5	239	63
Balance of county	322	–	–	4	85	14	25	8	12	3	4	19	6	148	122	–	1	97	24
Kewaunee	175	–	–	2	42	9	9	3	2	2	4	13	6	84	62	1	2	38	21
La Crosse	799	1	–	11	160	47	39	18	19	11	7	19	13	410	318	3	8	242	65
La Crosse	533	1	–	7	109	33	27	10	15	6	5	13	9	263	198	3	5	148	40
Balance of county	266	–	–	4	51	14	12	8	4	5	2	6	4	147	122	–	3	94	25
Lafayette	143	–	–	1	30	10	4	4	1	2	3	6	6	80	64	–	–	51	13
Langlade	207	–	–	2	40	10	8	4	6	2	1	9	5	112	90	2	1	78	11
Lincoln	304	1	–	2	70	20	15	7	16	3	3	6	4	160	126	–	3	90	33
Manitowoc	801	–	–	13	199	62	36	17	27	9	12	36	17	409	327	3	1	264	59
Manitowoc	435	–	–	6	102	31	20	10	14	6	5	16	14	215	175	–	1	146	28
Two Rivers	136	–	–	2	35	8	6	2	4	2	3	10	1	76	58	1	–	44	13
Balance of county	230	–	–	5	62	23	10	5	9	1	4	10	2	118	94	2	–	74	18
Marathon	851	–	–	6	205	55	37	17	31	8	19	38	17	428	342	2	5	267	68
Marshfield, part	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wausau	370	–	–	2	88	23	14	7	14	2	10	18	9	192	161	–	3	126	32
Balance of county	479	–	–	4	116	31	23	10	17	6	9	20	8	236	181	2	2	141	36
Marinette	415	–	–	–	87	25	23	12	2	3	3	19	15	229	161	–	2	129	30
Marinette	138	–	–	–	19	7	3	2	1	2	–	4	4	79	53	–	2	45	6
Balance of county	277	–	–	–	68	18	20	10	1	1	3	15	11	150	108	–	–	84	24
Marquette	134	–	–	–	27	7	5	3	3	3	1	5	3	67	50	1	–	35	14
Menominee	40	–	–	–	7	1	5	1	–	–	–	–	2	13	11	–	–	8	3
Milwaukee	9,080	7	2	83	2,165	603	531	199	212	87	98	435	180	4,484	3,596	31	146	2,612	807
Brown Deer	74	–	–	1	22	7	5	4	4	–	2	–	1	30	26	1	–	20	5
Cudahy	156	–	–	2	52	12	12	3	8	3	2	12	2	64	54	–	6	39	9
Franklin	82	–	–	1	28	6	13	4	2	1	–	2	–	31	26	–	1	18	7
Glendale	241	–	–	2	41	8	8	–	3	4	5	13	3	134	114	–	5	63	46
Greendale	108	–	–	–	40	14	8	1	2	3	2	10	2	37	30	–	–	22	8
Greenfield	305	–	–	2	72	19	18	4	11	2	3	15	6	163	131	2	4	94	31
Milwaukee, part	5,999	6	2	63	1,410	382	367	134	137	51	58	281	132	2,922	2,363	21	109	1,709	524
Milwaukee, total	6,000	6	2	63	1,410	382	367	134	137	51	58	281	132	2,923	2,364	21	109	1,710	524
Oak Creek	94	–	–	3	24	6	8	3	2	–	2	3	2	45	36	1	–	28	7
St. Francis	70	–	–	–	20	6	6	2	2	–	1	3	1	35	24	–	1	18	5
Shorewood	181	–	–	1	41	12	4	7	5	1	4	8	3	90	74	–	3	53	18
South Milwaukee	201	–	–	–	48	15	12	6	3	5	1	6	3	114	93	–	5	73	15
Wauwatosa	571	–	–	3	144	47	26	10	14	9	6	32	4	310	231	2	8	185	56
West Allis	685	–	–	3	155	50	30	12	17	6	7	33	14	349	272	3	3	220	46
Whitefish Bay	98	–	–	–	24	5	5	4	1	1	1	7	2	49	42	1	–	32	9
Balance of county	215	1	–	2	44	14	9	5	1	1	4	10	5	111	80	–	1	58	21
Monroe	367	–	–	2	70	24	16	5	6	4	4	11	10	194	154	1	5	112	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	8	181	21	28	53	72	8	17	16	–	24	25	3	217	55	32	51	8	10
Madison	3	117	11	23	39	43	6	12	10	–	15	18	–	142	27	19	28	6	7
Middleton	–	3	1	–	1	3	–	2	–	–	–	–	1	4	1	2	1	1	–
Sun Prairie	1	8	–	–	–	–	–	–	–	–	1	1	–	7	6	1	–	–	–
Balance of county	4	53	9	5	13	26	2	3	6	–	8	8	2	64	21	10	22	1	3
Dodge	2	63	7	5	23	20	1	4	6	–	4	2	4	59	18	15	4	1	–
Beaver Dam	–	14	2	2	4	6	–	1	2	–	1	–	1	12	1	5	1	1	–
Watertown, part	1	8	–	1	6	1	1	2	–	–	–	–	1	8	–	–	–	–	–
Balance of county	1	41	5	2	13	13	–	1	4	–	3	2	2	39	17	10	3	–	–
Door	2	27	12	1	8	8	1	2	2	–	1	1	–	18	8	6	7	–	–
Douglas	1	36	9	9	9	10	–	6	2	–	4	4	5	35	5	13	11	3	–
Superior	–	26	6	6	8	6	–	6	1	–	2	4	5	27	3	10	8	3	–
Balance of county	1	10	3	1	1	4	–	–	1	–	2	–	–	8	2	3	3	–	–
Dunn	1	21	5	3	13	6	1	1	1	–	–	1	1	17	10	5	3	–	–
Menomonie	1	8	1	–	8	4	–	1	–	–	–	1	–	12	2	2	–	–	–
Balance of county	–	13	4	3	5	2	1	–	1	–	–	–	1	5	8	3	3	–	–
Eau Claire	–	32	13	15	23	31	5	5	3	–	2	3	4	57	8	12	6	1	–
Eau Claire, part	–	22	11	11	15	22	3	2	2	–	1	3	4	39	8	10	6	–	–
Eau Claire, total	–	22	11	11	15	23	3	3	2	–	1	3	4	39	8	11	6	–	–
Balance of county	–	10	2	4	8	9	2	3	1	–	1	–	–	18	–	2	–	1	–
Florence	–	7	4	–	1	2	1	–	–	–	–	–	–	–	1	–	–	–	–
Fond du Lac	2	59	6	13	28	23	5	8	12	–	7	1	5	60	17	13	12	1	–
Fond du Lac	1	36	4	5	10	11	2	4	7	–	3	–	3	37	4	7	4	1	–
Balance of county	1	23	2	8	16	12	3	4	5	–	4	1	2	23	13	6	8	–	–
Forest	–	7	2	1	1	7	–	1	–	–	–	1	1	11	9	2	1	–	–
Grant	3	44	15	9	19	16	1	3	3	–	1	3	3	35	5	11	7	1	–
Green	1	39	4	4	6	8	1	3	3	–	–	1	2	26	5	4	5	–	1
Monroe	–	11	2	1	2	3	1	3	–	–	–	1	1	14	1	–	3	–	–
Balance of county	1	28	2	3	4	5	–	–	3	–	–	–	1	12	4	4	2	–	1
Green Lake	–	17	4	1	3	4	1	1	1	–	2	2	1	24	4	1	1	–	1
Iowa	1	19	5	2	5	5	–	1	1	–	–	3	–	10	13	12	3	–	–
Iron	–	7	–	3	5	3	–	2	–	–	–	–	–	13	2	1	1	1	–
Jackson	2	14	–	1	12	5	1	–	–	–	3	2	2	16	7	4	4	–	1
Jefferson	2	48	7	8	6	18	7	1	6	–	4	4	4	35	12	12	5	3	1
Watertown, part	2	8	2	3	3	1	2	–	2	–	3	1	1	7	–	4	2	1	–
Watertown, total	3	16	2	4	9	2	3	2	2	–	3	1	2	15	–	4	2	1	–
Whitewater, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	39	5	5	3	17	5	1	4	–	1	3	3	28	12	8	3	2	1
Juneau	3	11	2	3	4	6	–	4	2	–	2	3	1	18	3	5	4	–	–
Kenosha	4	66	20	12	36	27	3	12	13	–	4	7	3	66	23	23	13	12	2
Kenosha	4	66	15	11	28	21	3	8	10	–	3	5	1	50	8	11	8	7	2
Balance of county	–	20	5	1	8	6	–	4	3	–	1	2	2	16	15	12	5	5	–
Kewaunee	4	13	1	4	7	8	–	3	3	–	2	–	1	11	3	2	1	–	–
La Crosse	3	70	10	9	27	29	3	11	–	–	2	6	2	83	11	17	12	1	–
La Crosse	3	48	9	7	21	22	2	7	–	–	2	2	1	60	6	12	9	–	–
Balance of county	–	22	1	2	6	7	1	4	–	–	–	4	1	23	5	5	3	1	–
Lafayette	–	13	3	–	2	3	–	2	2	–	–	1	–	8	6	1	1	–	–
Langlade	1	19	–	2	8	7	1	2	–	–	1	1	1	14	–	8	5	–	–
Lincoln	2	21	9	2	9	8	2	8	2	–	2	–	1	17	4	5	5	2	2
Manitowoc	2	58	8	14	20	10	–	1	11	–	9	5	6	63	11	14	12	–	1
Manitowoc	2	29	3	6	13	7	–	1	6	–	4	4	4	38	4	10	7	–	–
Two Rivers	–	11	4	3	5	–	–	–	2	–	2	–	–	8	3	–	1	–	1
Balance of county	–	18	1	5	2	3	–	–	3	–	3	1	2	17	4	4	4	–	–
Marathon	3	65	9	9	20	28	3	11	7	–	9	5	3	53	21	18	11	5	1
Marshfield, part	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Wausau	1	20	5	5	6	18	2	5	5	–	5	3	1	21	2	5	4	2	–
Balance of county	2	45	4	4	14	10	1	6	1	–	4	2	2	32	19	13	7	3	1
Marinette	1	53	12	2	4	22	–	9	–	–	–	2	2	31	6	7	1	–	–
Marinette	–	22	3	1	2	8	–	8	–	–	–	1	1	12	1	3	–	–	–
Balance of county	1	31	9	1	2	14	–	1	–	–	–	1	1	19	5	4	1	–	–
Marquette	–	15	1	1	3	6	1	–	1	–	1	1	1	7	10	4	2	–	–
Menominee	–	2	–	–	1	2	–	4	–	–	1	1	1	4	2	1	–	1	–
Milwaukee	24	704	86	80	297	277	28	95	77	1	58	82	65	757	93	144	127	52	6
Brown Deer	–	4	–	–	3	2	–	1	–	–	1	–	–	7	2	–	4	–	–
Cudahy	–	7	1	2	1	2	–	1	2	–	4	–	1	14	3	4	4	–	–
Franklin	–	4	–	1	2	2	–	1	–	–	–	1	–	6	2	1	7	–	–
Glendale	1	14	4	1	18	8	2	–	2	–	–	–	–	29	–	1	1	–	–
Greendale	–	4	2	1	5	2	–	2	–	–	–	–	–	11	6	–	3	–	–
Greenfield	–	24	4	4	6	12	–	2	3	–	2	1	2	26	1	2	5	–	–
Milwaukee, part	18	444	47	50	188	179	20	62	56	1	39	76	47	508	54	104	73	52	5
Milwaukee, total	18	444	47	50	188	179	20	62	56	1	39	76	47	508	54	104	73	52	5
Oak Creek	–	9	–	–	–	3	–	2	1	–	–	–	2	5	4	2	1	–	–
St. Francis	–	9	1	1	–	3	–	1	1	–	–	1	1	4	1	2	–	–	–
Shorewood	–	14	–	2	13	7	1	2	2	–	–	–	1	11	4	5	–	–	–
South Milwaukee	1	15	1	4	6	5	–	3	1	–	2	–	–	10	1	3	5	–	–
Wauwatosa	2	58	9	10	18	16	2	5	3	–	2	2	3	41	4	6	7	–	1
West Allis	1	68	8	–	25	25	2	6	6	–	6	–	5	65	7	9	8	–	–
Whitefish Bay	–	4	1	2	3	4	–	2	–	–	1	1	2	5	1	2	2	–	–
Balance of county	1	26	2	2	9	7	1	5	–	–	1	–	1	15	3	3	7	–	–
Monroe	–	23	7	10	11	15	2	5	8	1	2	4	–	27	5	8	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	318	–	–	–	60	20	13	3	9	2	1	12	5	181	136	–	–	120	16
Oneida	356	1	–	3	75	19	22	13	6	3	2	10	8	171	134	3	5	89	37
Outagamie	880	–	–	7	210	57	51	19	29	13	4	37	20	437	342	1	2	274	65
Appleton, part	416	–	–	4	106	28	22	12	16	8	1	19	7	199	159	1	2	127	29
Appleton, total	429	–	–	4	109	30	22	13	16	8	1	19	7	205	162	1	2	129	30
Kaukauna	95	–	–	–	24	8	6	2	2	3	1	2	3	41	29	–	–	21	8
Balance of county	369	–	–	3	80	21	23	5	11	2	2	16	10	197	154	–	–	126	28
Ozaukee	450	–	–	3	95	22	24	12	14	5	4	14	7	233	168	4	9	115	40
Mequon	119	–	–	2	29	6	8	6	3	3	1	2	1	53	41	2	3	24	12
Balance of county	331	–	–	1	66	16	16	6	11	2	3	12	6	180	127	2	6	91	28
Pepin	93	–	–	–	16	4	4	2	–	3	–	3	1	46	32	–	–	27	5
Pierce	218	–	–	–	46	6	8	7	12	3	3	7	4	110	84	–	3	66	15
Polk	338	–	–	2	63	26	7	5	7	1	3	14	4	166	125	–	1	84	40
Portage	422	–	–	6	79	20	16	11	8	3	6	15	2	224	173	1	2	116	54
Stevens Point	189	–	–	1	39	12	8	5	3	2	1	8	2	97	75	–	2	46	27
Balance of county	233	–	–	5	40	8	8	6	5	1	5	7	–	127	98	1	–	70	27
Price	192	–	–	–	40	7	11	4	3	4	3	8	6	93	68	2	–	43	23
Racine	1,306	1	–	10	282	65	75	29	41	9	11	52	25	666	534	5	6	397	128
Racine	748	1	–	6	169	32	53	15	27	5	8	29	13	389	313	1	2	244	66
Balance of county	558	–	–	4	113	33	22	14	14	4	3	23	12	277	221	4	4	153	60
Richland	174	–	–	2	33	10	10	2	5	1	–	5	3	90	69	1	2	56	10
Rock	1,166	1	–	8	251	54	63	20	35	6	10	63	17	626	455	6	7	372	70
Beloit	304	–	–	1	67	19	16	3	8	1	4	16	7	154	113	1	2	93	17
Janesville	374	–	–	4	80	17	26	5	12	1	2	17	3	199	139	2	3	111	23
Balance of county	488	1	–	3	104	18	21	12	15	4	4	30	7	273	203	3	2	168	30
Rusk	152	–	–	2	37	9	10	–	5	–	1	12	2	77	59	1	–	46	12
St. Croix	385	–	–	1	64	16	11	4	13	3	1	16	8	194	150	3	–	102	45
Sauk	436	–	–	4	92	26	18	4	7	7	–	30	14	226	178	4	2	130	42
Sawyer	167	–	–	–	41	11	9	1	7	1	2	10	3	83	67	–	5	36	26
Shawano	369	–	–	1	77	37	12	6	3	1	4	14	1	209	170	3	6	120	41
Sheboygan	954	1	–	8	208	62	33	20	32	13	11	37	28	480	372	5	18	251	98
Sheboygan	550	–	–	6	127	37	22	10	18	8	7	24	15	274	215	3	6	147	59
Balance of county	404	1	–	2	81	25	11	10	13	5	4	13	13	206	157	2	12	104	39
Taylor	172	–	–	1	36	13	10	1	4	1	1	6	5	80	65	2	5	44	14
Trempealeau	323	–	–	1	51	9	15	4	6	2	2	13	3	181	149	2	5	87	55
Vernon	336	–	–	2	72	28	13	6	7	3	2	13	6	178	144	1	5	105	33
Vilas	204	1	–	2	48	5	19	4	5	1	2	12	3	101	81	–	2	62	17
Walworth	636	–	–	5	134	43	32	11	14	6	2	26	6	351	284	1	3	217	63
Whitewater, part	70	–	–	1	12	7	3	–	1	–	–	1	–	41	29	1	–	19	9
Whitewater, total	72	–	–	1	12	7	3	–	1	–	–	1	–	43	30	1	–	19	10
Balance of county	566	–	–	4	122	36	29	11	13	6	2	25	6	310	255	–	3	198	54
Washburn	149	–	–	1	24	8	7	1	4	1	–	3	4	81	70	2	1	57	10
Washington	603	–	–	7	122	40	30	5	15	1	3	28	10	325	248	1	3	197	47
Germantown	46	–	–	–	9	3	2	1	1	–	–	2	1	23	19	–	–	14	5
Milwaukee, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
West Bend	195	–	–	2	44	14	10	1	5	–	1	13	3	99	79	–	1	61	17
Balance of county	361	–	–	5	69	23	18	3	9	1	2	13	6	202	149	1	2	121	25
Waukesha	1,788	–	–	13	433	105	112	43	45	17	25	86	20	885	698	8	9	528	155
Brookfield	230	–	–	1	54	14	16	7	6	1	3	7	3	126	92	–	2	78	14
Menomonee Falls	159	–	–	3	42	9	14	5	3	1	3	7	3	67	50	2	–	45	3
Muskego	92	–	–	1	20	6	6	2	1	1	1	3	2	49	36	–	1	28	7
New Berlin	134	–	–	–	34	7	8	4	2	2	2	9	2	65	55	1	1	41	12
Waukesha	356	–	–	3	88	26	22	6	8	6	5	15	4	178	151	–	2	114	35
Balance of county	817	–	–	5	195	43	46	19	25	6	11	45	6	400	314	5	3	222	84
Waupaca	621	–	–	2	138	39	27	12	19	5	7	29	9	332	253	2	5	198	48
Waushara	191	–	–	1	49	18	12	4	3	1	–	11	3	99	78	–	–	64	14
Winnebago	1,026	2	–	6	232	46	66	30	24	12	9	45	24	520	405	4	8	311	82
Appleton, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Menasha	90	1	–	2	16	3	2	2	3	1	1	4	2	48	44	–	1	38	5
Neenah	150	–	–	1	41	7	10	5	6	2	3	8	5	81	62	1	1	47	13
Oshkosh	465	–	–	2	105	24	34	13	7	3	4	20	9	233	165	2	4	127	32
Balance of county	320	1	–	1	70	12	20	10	8	6	1	13	8	158	134	1	2	99	32
Wood	589	–	–	5	139	34	29	17	21	8	2	28	9	291	214	1	3	175	35
Marshfield, part	177	–	–	5	41	5	9	5	11	3	1	7	1	83	66	1	–	49	16
Marshfield, total	179	–	–	5	42	6	9	5	11	3	1	7	1	83	66	1	–	49	16
Wisconsin Rapids	163	–	–	–	38	7	9	6	8	1	–	9	2	91	54	–	–	49	5
Balance of county	249	–	–	–	60	22	11	6	4	4	1	12	6	117	94	–	3	77	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	1	33	7	4	7	7	-	3	3	-	2	2	2	31	8	6	1	-	-
Oneida	4	23	2	8	12	19	1	3	3	-	2	-	1	35	11	4	5	2	-
Outagamie	4	70	12	9	23	25	2	6	6	-	6	6	4	64	22	23	17	2	-
Appleton, part	1	31	5	3	12	9	1	3	1	-	4	4	1	37	6	11	11	-	-
Appleton, total	1	33	6	3	12	9	1	4	1	-	4	4	1	39	6	11	12	-	-
Kaukauna	1	8	2	1	3	1	-	-	1	-	1	-	-	11	2	6	1	1	-
Balance of county	2	31	5	5	8	15	1	3	4	-	1	2	3	16	14	6	5	1	-
Ozaukee	2	40	17	6	11	10	2	3	4	-	3	3	5	34	13	11	9	2	2
Mequon	-	11	1	-	5	5	-	2	1	-	1	-	2	10	5	1	1	-	1
Balance of county	2	29	16	6	6	5	2	1	3	-	2	3	3	24	8	10	8	2	1
Pepin	2	9	2	1	3	3	-	1	2	-	-	-	-	9	7	5	-	-	-
Pierce	-	22	3	1	9	8	1	1	3	-	2	5	2	18	3	3	3	-	-
Polk	-	24	15	2	14	17	1	1	9	-	3	2	2	32	11	5	4	-	-
Portage	-	49	3	5	17	14	3	2	3	-	7	6	-	36	12	6	3	-	2
Stevens Point	-	15	3	4	7	6	2	-	3	-	2	3	-	20	3	4	-	-	-
Balance of county	-	28	-	1	10	8	1	2	-	-	5	3	-	16	9	2	3	-	2
Price	3	15	5	2	7	13	-	2	3	-	2	1	1	15	2	3	4	-	-
Racine	11	85	15	21	31	39	3	17	10	1	15	16	9	116	19	19	23	1	4
Racine	6	52	9	9	15	21	1	12	3	1	11	8	4	62	7	11	11	1	2
Balance of county	5	33	6	12	16	18	2	5	7	-	4	8	5	53	12	8	12	-	2
Richland	1	18	1	1	6	11	1	-	-	-	-	-	-	15	7	6	-	-	-
Rock	4	125	24	18	30	45	5	11	8	-	4	14	3	70	34	22	14	3	-
Beloit	4	31	4	2	7	10	2	2	3	-	1	5	-	16	9	7	3	1	-
Janesville	-	40	10	10	7	13	-	7	2	-	3	7	2	29	8	7	3	-	-
Balance of county	-	54	10	6	16	13	3	2	3	-	-	2	1	25	17	8	8	2	-
Rusk	-	14	2	2	2	4	2	1	4	-	-	-	1	7	4	4	3	2	-
St. Croix	1	35	4	4	13	7	-	2	3	-	-	8	3	35	14	9	4	-	-
Sauk	1	36	7	4	11	14	2	2	4	-	4	2	3	31	13	8	4	2	-
Sawyer	1	10	4	1	7	2	-	1	-	-	3	2	1	18	3	-	2	1	-
Shawano	1	17	15	6	15	7	2	1	3	-	1	1	3	17	7	18	6	-	-
Sheboygan	3	76	22	7	29	31	6	5	8	-	6	10	3	76	31	13	10	1	-
Sheboygan	1	45	9	4	17	16	3	2	4	-	4	6	1	47	11	9	7	1	-
Balance of county	2	31	13	3	12	15	3	3	4	-	2	4	2	29	20	4	3	-	-
Taylor	-	10	1	4	7	1	1	-	3	-	-	-	-	19	6	5	5	2	1
Trempealeau	1	20	7	4	11	11	-	2	2	-	3	1	4	36	4	8	5	-	-
Vernon	-	24	6	4	10	14	-	3	2	-	1	1	1	28	5	5	5	2	1
Vilas	2	12	3	3	2	10	3	5	1	-	-	1	2	17	2	2	3	1	-
Walworth	1	51	7	8	12	19	6	5	1	-	2	1	2	57	21	6	6	1	1
Whitewater, part	-	9	3	-	2	3	1	-	-	-	-	-	-	6	1	2	1	-	-
Whitewater, total	-	10	3	-	2	3	1	-	-	-	-	-	-	6	1	2	1	-	-
Balance of county	1	42	4	8	10	16	5	5	1	-	2	1	2	51	20	4	5	1	1
Washburn	-	10	1	-	4	5	2	2	1	-	-	4	-	15	1	5	-	-	-
Washington	-	54	16	7	11	22	2	6	3	-	9	4	1	44	16	7	13	1	-
Germantown	-	2	-	2	-	3	-	-	-	-	1	-	-	5	1	1	2	-	-
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	-	14	4	2	6	8	-	3	2	-	5	-	1	12	4	2	4	-	-
Balance of county	-	38	12	3	5	11	2	3	1	-	3	4	-	27	11	4	7	1	-
Waukesha	7	136	12	32	52	51	10	15	9	-	13	14	11	139	46	34	35	6	2
Brookfield	1	25	2	6	3	4	1	3	2	-	1	-	-	20	4	1	5	2	-
Menomonee Falls	1	12	-	4	5	4	-	1	-	-	1	-	-	18	5	4	4	1	1
Muskego	-	8	3	2	3	2	1	1	-	-	1	-	2	8	1	1	-	-	-
New Berlin	-	7	1	2	6	3	1	1	1	-	-	-	1	8	7	3	3	1	-
Waukesha	-	22	1	4	8	8	2	3	2	-	4	4	3	25	6	7	8	1	1
Balance of county	5	62	5	14	27	30	5	6	4	-	8	10	5	61	23	18	15	1	-
Waupaca	2	63	8	6	30	17	2	5	9	-	1	-	5	40	14	14	3	-	-
Waushara	1	14	3	3	5	7	-	1	1	-	-	-	3	13	2	2	5	-	-
Winnebago	4	86	11	14	24	29	3	8	7	-	4	7	8	80	30	13	24	5	-
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Menasha	1	2	-	1	3	1	-	1	-	-	1	-	2	8	1	1	1	2	-
Neenah	2	13	1	3	1	2	-	1	-	-	-	1	1	8	3	1	3	1	-
Oshkosh	1	54	6	7	12	13	2	4	5	-	3	5	3	40	13	8	6	2	-
Balance of county	-	17	4	3	8	13	1	2	2	-	-	1	2	24	13	3	13	-	-
Wood	2	58	8	11	21	13	-	2	4	-	6	4	4	58	12	10	9	2	-
Marshfield, part	1	11	3	2	5	2	-	1	1	-	3	2	2	23	1	4	3	-	-
Marshfield, total	1	11	3	2	5	2	-	1	2	-	3	2	2	23	1	4	3	-	-
Wisconsin Rapids	1	29	3	4	5	2	-	-	-	-	-	-	1	15	5	1	2	1	-
Balance of county	-	16	2	5	11	9	-	1	3	-	3	2	1	20	6	5	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,189	2	-	35	614	154	154	51	73	24	21	137	59	1,324	1,011	8	16	675	312
Urban places	1,404	-	-	16	267	67	66	23	31	9	11	60	22	595	452	1	10	303	138
Balance of area	1,785	2	-	19	347	87	88	28	42	15	10	77	37	729	559	7	6	372	174
Metropolitan counties	415	-	-	4	90	19	22	8	11	5	1	24	6	150	118	1	3	73	41
Urban places	346	-	-	4	72	16	16	5	10	3	1	21	5	131	101	1	2	66	32
Balance of area	69	-	-	-	18	3	6	3	1	2	-	3	1	19	17	-	1	7	9
Nonmetropolitan counties	2,774	2	-	31	524	135	132	43	62	19	20	113	53	1,174	893	7	13	602	271
Urban places	1,058	-	-	12	195	51	50	18	21	6	10	39	17	464	351	-	8	237	106
Balance of area	1,716	2	-	19	329	84	82	25	41	13	10	74	36	710	542	7	5	365	165
Albany	127	-	-	1	23	10	6	1	1	-	-	5	4	54	35	-	1	27	7
Laramie	102	-	-	1	15	4	5	1	1	-	-	4	3	48	32	-	1	25	6
Balance of county	25	-	-	-	8	6	1	-	-	-	-	1	1	6	3	-	-	2	1
Big Horn	146	-	-	-	24	6	5	2	5	-	-	6	3	70	52	1	2	37	12
Campbell	118	-	-	-	20	6	7	2	3	1	-	1	3	36	28	-	-	14	14
Gillette	79	-	-	-	14	4	4	2	2	1	-	1	2	27	21	-	-	9	12
Balance of county	39	-	-	-	6	2	3	-	1	-	-	-	1	9	7	-	-	5	2
Carbon	146	-	-	3	20	2	8	1	2	-	2	5	4	55	37	2	-	15	20
Rawlins	93	-	-	2	14	1	6	1	-	-	2	4	2	37	25	-	-	9	16
Balance of county	53	-	-	1	6	1	2	-	2	-	-	1	2	18	12	2	-	6	4
Converse	91	-	-	1	17	9	4	1	1	-	-	2	2	30	25	-	-	18	7
Crook	36	-	-	1	12	1	4	-	3	1	-	3	1	13	10	-	-	5	5
Fremont	254	1	-	5	49	8	18	3	7	1	2	10	4	92	70	-	-	49	21
Goshen	114	-	-	1	26	8	3	2	3	1	1	8	2	62	48	-	-	38	12
Hot Springs	62	-	-	-	10	2	2	-	2	2	-	2	2	32	18	-	-	18	2
Johnson	72	-	-	-	11	4	5	-	1	-	-	1	1	39	35	-	-	21	14
Laramie	509	-	-	5	95	29	18	10	13	2	4	19	12	223	180	-	6	117	57
Cheyenne	447	-	-	4	88	28	17	9	13	2	4	15	10	198	158	-	5	99	52
Balance of county	56	-	-	1	7	1	1	1	-	-	-	4	2	25	24	-	1	18	5
Lincoln	85	-	-	-	15	2	2	-	5	-	2	4	2	37	24	-	-	14	10
Natrona	415	-	-	4	90	19	22	8	11	5	1	24	6	150	118	1	3	79	41
Casper	346	-	-	4	72	16	16	5	10	3	1	21	5	131	101	1	2	66	32
Balance of county	69	-	-	-	18	3	6	3	1	2	-	3	1	19	17	-	1	7	9
Niobrara	41	-	-	-	6	2	1	1	-	-	1	1	-	22	16	-	2	6	8
Park	179	-	-	3	44	9	12	6	3	2	1	11	2	78	55	-	-	39	18
Platte	86	-	-	-	18	4	4	4	2	1	1	2	2	35	29	1	-	17	11
Sheridan	240	-	-	3	55	8	15	4	6	5	3	14	-	102	79	-	1	64	14
Sheridan	179	-	-	2	39	5	11	3	4	2	3	11	-	80	62	-	1	49	12
Balance of county	61	-	-	1	16	3	4	1	2	3	-	3	-	22	17	-	-	15	2
Sublette	32	-	-	-	5	1	-	-	1	1	-	2	-	15	9	1	-	3	5
Sweetwater	181	1	-	3	30	11	9	2	1	1	1	5	1	81	61	-	1	51	9
Green River	32	-	-	-	5	2	1	1	-	-	1	-	-	11	10	-	-	9	1
Rock Springs	126	-	-	3	20	7	6	1	1	1	-	4	-	63	45	-	1	37	7
Balance of county	23	1	-	-	5	2	2	-	-	-	-	1	1	7	6	-	-	5	1
Teton	35	-	-	1	3	-	-	-	-	1	1	1	1	12	10	1	-	7	2
Uinta	100	-	-	4	6	2	1	1	-	-	-	2	3	41	34	1	-	14	19
Washakie	56	-	-	-	10	1	-	2	1	-	-	6	2	24	20	-	-	15	5
Weston	70	-	-	-	25	10	8	1	2	-	1	3	2	21	18	-	-	17	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wyoming	11	199	44	59	112	162	12	27	24	-	25	46	46	293	148	133	100	21	6
Urban places	5	100	19	19	45	76	8	7	8	-	14	15	20	144	39	57	55	12	4
Balance of area	6	99	25	40	67	86	4	20	16	-	11	31	26	149	109	76	45	9	2
Metropolitan counties	-	23	4	5	11	23	2	6	1	-	3	6	6	40	20	21	22	3	1
Urban places	-	23	4	3	10	21	2	3	1	-	3	3	4	36	13	16	18	3	1
Balance of area	-	-	-	2	1	2	-	3	-	-	-	3	2	4	7	5	4	-	-
Nonmetropolitan counties	11	176	40	54	101	139	10	21	23	-	22	40	40	253	128	112	78	18	5
Urban places	5	77	15	16	35	55	6	4	7	-	11	12	16	108	26	41	37	9	3
Balance of area	6	99	25	38	66	84	4	17	16	-	11	28	24	145	102	71	41	9	2
Albany	1	14	4	-	2	5	2	-	-	-	1	-	3	12	3	8	8	-	1
Laramie	1	12	3	-	2	4	2	-	-	-	1	-	1	12	3	5	5	-	-
Balance of county	-	2	1	-	-	1	-	-	-	-	-	-	2	-	-	3	3	-	1
Big Horn	1	15	-	2	12	5	-	-	3	-	1	2	1	11	8	4	2	-	-
Campbell	-	4	2	2	6	8	1	-	-	-	2	7	4	10	13	5	3	-	-
Gillette	-	3	2	1	5	6	1	-	-	-	-	4	2	9	4	2	3	-	-
Balance of county	-	1	-	1	1	2	-	-	-	-	2	3	2	1	9	3	-	-	-
Carbon	1	12	4	1	8	6	1	3	2	-	1	4	2	15	5	11	2	4	-
Rawlins	1	7	3	1	4	4	1	2	1	-	1	1	2	8	3	5	2	4	-
Balance of county	-	5	1	-	4	2	-	1	1	-	-	3	-	7	2	6	-	-	-
Converse	-	3	-	2	6	4	2	1	1	-	-	-	-	16	2	5	3	-	1
Crook	-	1	-	2	1	1	-	-	-	-	-	-	1	2	2	1	1	-	-
Fremont	1	11	3	7	6	14	-	4	4	-	2	7	4	25	19	10	7	1	-
Goshen	1	5	5	3	1	5	-	-	2	-	1	-	-	7	4	-	1	2	-
Hot Springs	-	8	2	4	2	3	-	-	-	-	-	-	-	7	3	1	1	1	-
Johnson	-	4	-	-	3	1	1	-	-	-	-	-	1	7	4	2	2	-	-
Laramie	-	31	3	9	11	33	2	2	3	-	4	4	7	46	13	18	23	2	-
Cheyenne	-	30	3	9	9	28	2	2	3	-	4	4	5	44	8	17	19	2	-
Balance of county	-	1	-	-	2	5	-	-	-	-	-	-	2	2	5	1	4	-	-
Lincoln	-	9	1	3	1	4	1	2	-	-	-	2	-	11	4	5	1	-	-
Natrona	-	23	4	5	11	23	2	6	1	-	3	6	6	40	20	21	22	3	1
Casper	-	23	4	3	10	21	2	3	1	-	3	3	4	36	13	16	18	3	1
Balance of county	-	-	-	2	1	2	-	3	-	-	-	3	2	4	7	5	4	-	-
Niobrara	1	3	2	-	-	5	-	1	1	-	-	-	-	1	2	3	-	-	-
Park	1	12	5	5	3	10	-	2	3	-	-	-	1	14	8	7	3	1	-
Platte	-	2	2	2	3	6	-	-	-	-	-	-	3	8	5	2	3	1	-
Sheridan	3	15	1	4	17	15	-	2	3	-	1	2	4	23	5	2	5	-	1
Sheridan	3	10	1	4	12	12	-	-	3	-	1	1	2	19	1	2	4	-	1
Balance of county	-	5	-	-	5	3	-	2	-	-	-	1	2	4	4	-	1	-	-
Sublette	-	2	-	4	3	2	-	-	-	-	-	-	1	1	-	3	2	-	-
Sweetwater	1	15	3	1	4	1	-	-	-	-	4	3	4	19	9	12	4	3	2
Green River	-	1	-	-	-	1	-	-	-	-	2	-	2	3	6	2	-	-	-
Rock Springs	-	14	3	1	3	-	-	-	-	-	2	2	2	13	1	8	4	3	2
Balance of county	1	-	-	-	1	-	-	-	-	-	-	1	-	3	2	2	-	-	-
Teton	-	1	-	1	1	2	-	-	-	-	-	3	-	3	2	6	-	1	-
Uinta	-	5	2	-	3	4	-	3	-	-	2	6	3	3	12	6	3	1	-
Washakie	-	2	1	1	7	3	-	1	-	-	-	-	1	6	1	1	-	-	-
Weston	-	2	-	1	1	2	-	-	1	-	3	-	-	6	4	-	4	1	-

1 Areas shown are census areas, the nearest equivalent of counties.
3 Includes data for La Paz which became a new county on January 1, 1983.
2 Includes data for Texarkana, Ark., only.
4 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
5 There are 14 deaths to residents of Mokapu included in balance of Honolulu County.
6 Areas shown are parishes, the equivalent of counties.
7 Includes data for Bristol, Tenn., only.
8 Includes data for Texarkana, Tex., only.
9 Independent city having population of less than 10,000 according to the 1980 census.
10 Includes data for Bristol, Va., only.
11 There are 122 deaths to residents of Pulaski included in Salem city.
12 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–84	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1984	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1984	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1984	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1984	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1984	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1984	25
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1984	29

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1984*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-84

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	21,618	1,835	1,681	1,815	1,739	1,725	1,803	1,744	1,764	1,737	1,881	1,834	2,060
Male	12,369	1,048	947	1,021	1,004	993	1,056	1,031	1,011	990	1,033	1,031	1,204
Female	9,249	787	734	794	735	732	747	713	753	747	848	803	856
Virgin Islands	471	35	55	35	41	47	27	40	30	38	36	45	42
Male	257	21	30	18	25	26	13	23	13	20	21	26	21
Female	214	14	25	17	16	21	14	17	17	18	15	19	21
White	114	10	14	8	12	9	4	11	7	9	8	13	9
Male	63	4	8	3	7	6	2	6	3	7	5	7	5
Female	51	6	6	5	5	3	2	5	4	2	3	6	4
All other	357	25	41	27	29	38	23	29	23	29	28	32	33
Male	194	17	22	15	18	20	11	17	10	13	16	19	16
Female	163	8	19	12	11	18	12	12	13	16	12	13	17
Black	352	25	40	27	29	38	23	29	21	29	28	32	31
Male	189	17	21	15	18	20	11	17	8	13	16	19	14
Female	163	8	19	12	11	18	12	12	13	16	12	13	17
Guam	409	39	24	38	29	42	30	34	38	31	29	38	37
Male	254	29	13	25	19	29	13	22	18	25	16	22	23
Female	155	10	11	13	10	13	17	12	20	6	13	16	14
White	41	4	4	2	4	3	2	3	5	3	3	4	4
Male	35	4	3	1	3	3	2	3	2	3	3	4	4
Female	6	–	1	1	1	–	–	–	3	–	–	–	–
All other	368	35	20	36	25	39	28	31	33	28	26	34	33
Male	219	25	10	24	16	26	11	19	16	22	13	18	19
Female	149	10	10	12	9	13	17	12	17	6	13	16	14
Guamanian	270	26	13	21	20	33	23	22	21	18	21	28	24
Male	153	17	8	13	12	20	9	13	9	15	9	15	13
Female	117	9	5	8	8	13	14	9	12	3	12	13	11

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1984

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	471	55	7	6	17	14	27	35	71	94	90	53	2
Male	257	33	4	1	11	9	18	20	43	51	46	19	2
Female	214	22	3	5	6	5	9	15	28	43	44	34	–
White	114	8	2	–	4	7	6	9	19	20	29	10	–
Male	63	5	2	–	3	6	5	7	8	7	16	4	–
Female	51	3	–	–	1	1	1	2	11	13	13	6	–
All other	357	47	5	6	13	7	21	26	52	74	61	43	2
Male	194	28	2	1	8	3	13	13	35	44	30	15	2
Female	163	19	3	5	5	4	8	13	17	30	31	28	–
Black	352	45	5	6	13	7	20	25	51	74	61	43	2
Male	189	26	2	1	8	3	12	12	34	44	30	15	2
Female	163	19	3	5	5	4	8	13	17	30	31	28	–
Guam	409	26	3	3	30	26	18	42	101	86	55	19	–
Male	254	16	2	3	20	21	14	22	65	55	31	5	–
Female	155	10	1	–	10	5	4	20	36	31	24	14	–
White	41	8	–	–	4	2	1	3	11	10	1	1	–
Male	35	7	–	–	4	2	–	1	10	9	1	1	–
Female	6	1	–	–	–	–	1	2	1	1	–	–	–
All other	368	18	3	3	26	24	17	39	90	76	54	18	–
Male	219	9	2	3	16	19	14	21	55	46	30	4	–
Female	149	9	1	–	10	5	3	18	35	30	24	14	–
Guamanian	270	12	–	3	21	16	12	25	60	57	47	17	–
Male	153	5	–	3	15	13	10	14	34	31	24	4	–
Female	117	7	–	–	6	3	2	11	26	26	23	13	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	21,618	987	113	158	532	689	996	1,522	2,806	4,729	4,999	4,046	41
Male	12,369	538	66	91	391	500	698	1,031	1,782	2,786	2,658	1,796	32
Female	9,249	449	47	67	141	189	298	491	1,024	1,943	2,341	2,250	9
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	87	-	-	-	1	2	6	8	11	29	21	8	1
Male	62	-	-	-	1	1	3	7	4	22	16	7	1
Female	25	-	-	-	-	1	3	1	7	7	5	1	-
Tuberculosis of respiratory system (010-012)	80	-	-	-	1	2	6	7	10	27	19	7	1
Male	56	-	-	-	1	1	3	6	3	20	15	6	1
Female	24	-	-	-	-	1	3	1	7	7	4	1	-
Other tuberculosis (013-018)	7	-	-	-	-	-	-	1	1	2	2	1	-
Male	6	-	-	-	-	-	-	1	1	2	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	2	2	-	-	-	1	-	-	1	-	-	-
Male	3	1	-	-	-	-	1	-	-	1	-	-	-
Female	3	1	2	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	244	18	3	1	3	2	7	15	18	47	65	65	-
Male	134	11	1	-	1	2	6	10	7	22	39	35	-
Female	110	7	2	1	2	-	1	5	11	25	26	30	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	19	-	-	-	-	5	4	4	2	4	-	-	-
Male	14	-	-	-	-	5	3	2	1	3	-	-	-
Female	5	-	-	-	-	-	1	2	1	1	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	3	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	79	3	-	3	3	9	15	8	11	8	12	7	-
Male	44	1	-	2	1	7	9	8	5	4	3	4	-
Female	35	2	-	1	2	2	6	-	6	4	9	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,514	2	11	22	33	65	153	329	681	994	825	399	-
Male	2,037	-	6	11	20	28	65	174	378	594	524	237	-
Female	1,477	2	5	11	13	37	88	155	303	400	301	162	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	213	-	-	1	-	1	12	26	59	56	37	21	-
Male	172	-	-	-	-	-	10	26	54	42	27	13	-
Female	41	-	-	1	-	1	2	-	5	14	10	8	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,243	-	-	-	6	12	40	105	237	395	321	127	-
Male	757	-	-	-	4	6	23	64	141	253	200	66	-
Female	486	-	-	-	2	6	17	41	96	142	121	61	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	474	-	-	-	-	2	14	44	115	162	102	35	-
Male	343	-	-	-	-	1	11	32	85	115	74	25	-
Female	131	-	-	-	-	1	3	12	30	47	28	10	-
Malignant neoplasm of breast (174-175)	239	-	-	-	-	8	26	43	63	54	34	11	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	237	-	-	-	-	8	26	43	63	53	33	11	-
Malignant neoplasms of genital organs (179-187)	550	-	1	1	1	5	27	27	83	123	171	111	-
Male	331	-	1	1	-	1	3	9	29	66	137	84	-
Female	219	-	-	-	1	4	24	18	54	57	34	27	-
Malignant neoplasms of urinary organs (188-189)	119	-	-	1	-	1	-	7	19	35	36	20	-
Male	79	-	-	1	-	-	-	6	15	19	24	14	-
Female	40	-	-	-	-	1	-	1	4	16	12	6	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	370	2	4	9	9	15	17	51	63	84	68	48	-
Male	187	-	1	5	5	9	9	23	34	43	37	21	-
Female	183	2	3	4	4	6	8	28	29	41	31	27	-
Leukemia (204-208)	133	-	5	10	10	10	10	8	17	27	22	14	-
Male	69	-	3	4	6	3	5	2	8	18	12	8	-
Female	64	-	2	6	4	7	5	6	9	9	10	6	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	173	-	1	-	7	11	7	18	25	58	34	12	-
Male	97	-	1	-	5	8	4	12	12	37	12	6	-
Female	76	-	-	-	2	3	3	6	13	21	22	6	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	79	–	–	2	2	2	4	5	16	27	17	4	–
Male	45	–	–	–	1	2	–	3	11	17	9	2	–
Female	34	–	–	2	1	–	4	2	5	10	8	2	–
Diabetes mellitus (250)	1,041	–	–	1	–	5	19	64	174	332	290	156	–
Male	435	–	–	1	–	4	8	31	91	147	103	50	–
Female	606	–	–	–	–	1	11	33	83	185	187	106	–
Nutritional deficiencies (260-269)	43	–	–	1	–	1	–	1	3	3	10	24	–
Male	19	–	–	1	–	1	–	1	3	2	3	8	–
Female	24	–	–	–	–	–	–	–	–	1	7	16	–
Anemias (280-285)	85	1	–	–	2	3	6	2	7	17	30	17	–
Male	45	–	–	–	1	2	1	1	7	7	20	6	–
Female	40	1	–	–	1	1	5	1	–	10	10	11	–
Meningitis (320-322)	46	12	3	3	1	2	2	5	5	3	6	2	2
Male	27	5	3	1	1	2	1	4	4	2	3	1	–
Female	19	7	–	2	–	–	1	1	1	1	3	1	2
Major cardiovascular diseases (390-448)	8,593	26	14	13	38	50	175	440	1,058	2,071	2,460	2,237	11
Male	4,518	13	7	6	19	26	123	292	671	1,207	1,232	913	9
Female	4,075	13	7	7	19	24	52	148	387	864	1,228	1,324	2
Diseases of heart (390-398,402,404-429)	6,160	25	12	6	22	34	132	335	841	1,543	1,724	1,498	8
Male	3,295	12	6	1	15	17	93	224	549	906	866	600	6
Female	2,885	13	6	5	7	17	39	111	292	637	858	898	2
Rheumatic fever and rheumatic heart disease (390-398)	44	–	–	–	–	3	4	11	11	6	9	–	–
Male	21	–	–	–	–	2	3	3	8	2	3	–	–
Female	23	–	–	–	–	1	1	8	3	4	6	–	–
Hypertensive heart disease (402)	190	–	–	–	–	2	1	7	21	45	62	52	–
Male	81	–	–	–	–	–	–	4	10	24	27	16	–
Female	109	–	–	–	–	2	1	3	11	21	35	36	–
Hypertensive heart and renal disease (404)	16	–	–	–	–	–	1	–	3	2	6	4	–
Male	9	–	–	–	–	–	1	–	1	–	5	2	–
Female	7	–	–	–	–	–	–	–	2	2	1	2	–
Ischemic heart disease (410-414)	4,130	1	–	–	7	11	79	234	601	1,099	1,156	935	7
Male	2,289	1	–	–	7	9	55	165	410	671	583	383	5
Female	1,841	–	–	–	–	2	24	69	191	428	573	552	2
Acute myocardial infarction (410)	2,777	–	–	–	5	9	73	198	478	818	754	436	6
Male	1,627	–	–	–	5	7	51	148	327	512	384	188	5
Female	1,150	–	–	–	–	2	22	50	151	306	370	248	1
Other acute and subacute forms of ischemic heart disease (411)	45	–	–	–	1	–	1	3	2	9	17	12	–
Male	26	–	–	–	1	–	–	1	2	6	9	7	–
Female	19	–	–	–	–	–	1	2	–	3	8	5	–
Angina pectoris (413)	36	–	–	–	–	–	–	1	6	14	6	9	–
Male	17	–	–	–	–	–	–	–	2	8	2	5	–
Female	19	–	–	–	–	–	–	1	4	6	4	4	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,272	1	–	–	1	2	5	32	115	258	379	478	1
Male	619	1	–	–	1	2	4	16	79	145	188	183	–
Female	653	–	–	–	–	–	1	16	36	113	191	295	1
Other diseases of endocardium (424)	45	–	2	1	2	–	1	2	10	15	6	6	–
Male	26	–	–	–	2	–	–	1	5	12	3	3	–
Female	19	–	2	1	–	–	1	1	5	3	3	3	–
All other forms of heart disease (415-423,425-429)	1,755	24	10	5	13	18	46	81	195	376	485	501	1
Male	869	11	6	1	6	6	34	51	115	197	245	196	1
Female	886	13	4	4	7	12	12	30	80	179	240	305	–
Hypertension with or without renal disease (401,403)	222	–	–	1	2	3	5	16	41	52	65	37	–
Male	106	–	–	1	1	3	2	11	21	27	28	12	–
Female	116	–	–	–	1	–	3	5	20	25	37	25	–
Cerebrovascular diseases (430-438)	1,715	–	2	5	10	10	36	81	155	400	523	491	2
Male	868	–	1	3	3	4	27	52	88	224	255	209	2
Female	847	–	1	2	7	6	9	29	67	176	268	282	–
Intracerebral and other intracranial hemorrhage (431-432)	294	–	1	3	4	3	15	27	50	59	74	58	–
Male	158	–	–	3	1	2	10	16	29	35	38	24	–
Female	136	–	1	–	3	1	5	11	21	24	36	34	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	262	–	1	–	–	1	1	17	18	65	85	74	–
Male	129	–	1	–	–	–	1	11	11	30	39	36	–
Female	133	–	–	–	–	1	–	6	7	35	46	38	–
Cerebral embolism (434.1)	10	–	–	–	–	–	–	–	2	2	1	5	–
Male	3	–	–	–	–	–	–	–	1	1	–	1	–
Female	7	–	–	–	–	–	–	–	1	1	1	4	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,149	–	–	2	6	6	20	37	85	274	363	354	2
Male	578	–	–	–	2	2	16	25	47	158	178	148	2
Female	571	–	–	2	4	4	4	12	38	116	185	206	–
Atherosclerosis (440)	339	–	–	–	–	1	1	2	11	39	98	186	1
Male	165	–	–	–	–	–	–	2	5	24	53	80	1
Female	174	–	–	–	–	1	1	–	6	15	45	106	–
Other diseases of arteries, arterioles, and capillaries (441-448)	137	1	–	1	4	2	1	6	10	37	50	25	–
Male	84	1	–	1	–	2	1	3	8	26	30	12	–
Female	53	–	–	–	4	–	–	3	2	11	20	13	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis (466)	8	1	-	1	-	-	1	-	1	1	1	2	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	6	-	-	1	-	-	1	-	-	1	1	2	-
Pneumonia and influenza (480-487)	1,131	68	6	8	15	28	33	40	90	196	271	375	1
Male	644	37	1	3	10	21	24	28	67	123	146	183	1
Female	487	31	5	5	5	7	9	12	23	73	125	192	-
Pneumonia (480-486)	1,129	68	6	8	15	28	33	40	90	196	270	374	1
Male	642	37	1	3	10	21	24	28	67	123	145	182	1
Female	487	31	5	5	5	7	9	12	23	73	125	192	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	621	2	1	1	5	9	9	31	73	167	191	132	-
Male	331	2	1	-	2	1	2	18	48	98	95	64	-
Female	290	-	-	1	3	8	7	13	25	69	96	68	-
Bronchitis, chronic and unspecified (490-491)	32	-	-	-	-	-	1	1	3	3	9	15	-
Male	15	-	-	-	-	-	1	1	2	2	5	4	-
Female	17	-	-	-	-	-	-	-	1	1	4	11	-
Emphysema (492)	120	-	-	-	-	-	1	7	13	30	39	30	-
Male	71	-	-	-	-	-	1	6	11	19	20	14	-
Female	49	-	-	-	-	-	-	1	2	11	19	16	-
Asthma (493)	147	2	1	1	4	9	5	16	21	40	35	13	-
Male	77	2	1	-	1	1	-	7	14	25	16	10	-
Female	70	-	-	1	3	8	5	9	7	15	19	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	322	-	-	-	1	-	2	7	36	94	108	74	-
Male	168	-	-	-	1	-	-	4	21	52	54	36	-
Female	154	-	-	-	-	-	2	3	15	42	54	38	-
Ulcer of stomach and duodenum (531-533)	74	-	-	-	-	1	2	6	12	15	22	16	-
Male	47	-	-	-	-	1	2	6	7	10	15	6	-
Female	27	-	-	-	-	-	-	-	5	5	7	10	-
Appendicitis (540-543)	5	-	1	2	-	-	-	-	-	1	-	1	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	2	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	50	3	2	2	1	1	1	4	1	10	16	9	-
Male	21	-	1	1	-	1	-	2	1	3	8	4	-
Female	29	3	1	1	1	-	1	2	-	7	8	5	-
Chronic liver disease and cirrhosis (571)	753	1	1	2	2	24	101	165	186	170	82	17	2
Male	594	-	1	-	1	19	90	145	144	126	55	11	2
Female	159	1	-	2	1	5	11	20	42	44	27	6	-
Cholelithiasis and other disorders of gallbladder (574-575)	33	-	-	-	-	1	2	-	5	6	11	8	-
Male	17	-	-	-	-	1	1	-	3	3	3	6	-
Female	16	-	-	-	-	-	1	-	2	3	8	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	266	1	2	-	1	4	9	24	39	73	67	46	-
Male	138	1	2	-	1	4	7	11	17	40	33	22	-
Female	128	-	-	-	-	-	2	13	22	33	34	24	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	-	-	2	4	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	6	-	-	-	-	-	-	-	-	2	4	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	1	-	-	1	3	3	3	8	5	6	-
Male	17	-	1	-	-	1	3	2	1	4	2	3	-
Female	13	-	-	-	-	-	-	1	2	4	3	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	229	1	1	-	1	3	6	21	36	63	58	39	-
Male	120	1	1	-	1	3	4	9	16	36	31	18	-
Female	109	-	-	-	-	-	2	12	20	27	27	21	-
Infections of kidney (590)	16	-	-	-	1	-	1	1	-	7	2	4	-
Male	8	-	-	-	1	-	1	1	-	3	-	2	-
Female	8	-	-	-	-	-	-	-	-	4	2	2	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	2	1	1	-
Male	4	-	-	-	-	-	-	-	-	2	1	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	...	...	-	2	4	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	...	...	-	2	4	-	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	6	...	...	-	2	4	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	...	...	-	2	4	-	-	...	...	...	...	-
Congenital anomalies (740-759)	231	172	15	12	6	8	2	6	5	3	1	1	-
Male	125	90	9	6	2	6	2	5	3	1	1	-	-
Female	106	82	6	6	4	2	-	1	2	2	-	1	-

Table 9-4: Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period (760-779)	567	567	–	–	–	–	–	–	–	–	–	–	–
Male	322	322	–	–	–	–	–	–	–	–	–	–	–
Female	245	245	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	271	271	–	–	–	–	–	–	–	–	–	–	–
Male	163	163	–	–	–	–	–	–	–	–	–	–	–
Female	108	108	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	296	296	–	–	–	–	–	–	–	–	–	–	–
Male	159	159	–	–	–	–	–	–	–	–	–	–	–
Female	137	137	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	160	20	1	1	5	5	6	6	14	22	19	55	6
Male	86	10	–	–	2	4	2	4	12	13	12	24	3
Female	74	10	1	1	3	1	4	2	2	9	7	31	3
All other diseases (Residual)	1,960	59	22	22	54	86	127	160	224	375	455	374	2
Male	1,118	32	14	11	31	47	82	110	151	222	249	167	2
Female	842	27	8	11	23	39	45	50	73	153	206	207	–
Accidents and adverse effects (E800-E949)	1,118	29	29	59	196	166	146	103	103	99	95	78	15
Male	852	12	19	47	158	141	124	87	81	73	61	35	14
Female	266	17	10	12	38	25	22	16	22	26	34	43	1
Motor vehicle accidents (E810-E825)	521	6	7	27	117	105	76	45	57	36	32	8	5
Male	412	–	5	21	90	86	61	37	47	28	24	8	5
Female	109	6	2	6	27	19	15	8	10	8	8	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	597	23	22	32	79	61	70	58	46	63	63	70	10
Male	440	12	14	26	68	55	63	50	34	45	37	27	9
Female	157	11	8	6	11	6	7	8	12	18	26	43	1
Suicide (E950-E959)	297	...	...	–	28	62	59	44	45	29	23	7	–
Male	265	...	...	–	24	53	53	37	45	24	22	7	–
Female	32	...	...	–	4	9	6	7	–	5	1	–	–
Homicide and legal intervention (E960-E978)	476	–	–	2	133	143	104	51	22	13	6	1	1
Male	405	–	–	1	114	120	87	44	20	13	5	1	–
Female	71	–	–	1	19	23	17	7	2	–	1	–	1
All other external causes (E980-E999)	3	–	–	–	–	1	1	–	–	1	–	–	–
Male	3	–	–	–	–	1	1	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	471	55	7	6	17	14	27	35	71	94	90	53	2
White, male	63	5	2	–	3	6	5	7	8	7	16	4	–
White, female	51	3	–	–	1	1	1	2	11	13	13	6	–
All other, male	194	28	2	1	8	3	13	13	35	44	30	15	2
All other, female	163	19	3	5	5	4	8	13	17	30	31	28	–
Black, male	189	26	2	1	8	3	12	12	34	44	30	15	2
Black, female	163	19	3	5	5	4	8	13	17	30	31	28	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	3	–	–	–	–	–	–	–	–	–	2	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	1	–	–	–	–	–	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	1	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	93	–	–	1	3	–	7	7	17	29	21	7	1
White, male	12	–	–	–	–	–	–	1	4	3	3	1	–
White, female	7	–	–	–	1	–	–	–	–	4	1	1	–
All other, male	40	–	–	–	1	–	3	2	11	13	8	1	1
All other, female	34	–	–	1	1	–	4	4	2	9	9	4	–
Black, male	40	–	–	–	1	–	3	2	11	13	8	1	1
Black, female	34	–	–	1	1	–	4	4	2	9	9	4	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	–	–	–	–	–	–	–	3	–	2	1	–
White, male	3	–	–	–	–	–	–	–	2	–	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	35	–	–	–	1	–	2	2	10	10	7	2	1
White, male	6	–	–	–	–	–	–	1	2	2	1	–	–
White, female	2	–	–	–	1	–	–	–	–	1	–	–	–
All other, male	17	–	–	–	–	–	2	–	7	5	2	–	1
All other, female	10	–	–	–	–	–	–	1	1	2	4	2	–
Black, male	17	–	–	–	–	–	2	–	7	5	2	–	1
Black, female	10	–	–	–	–	–	–	1	1	2	4	2	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	10	–	–	–	–	–	3	1	1	3	1	1	–
White, male	1	–	–	–	–	–	–	–	–	–	–	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	–	–	1	1	1	3	–	–	–
All other, female	3	–	–	–	–	–	2	–	–	–	1	–	–
Black, male	6	–	–	–	–	–	1	1	1	3	–	–	–
Black, female	3	–	–	–	–	–	2	–	–	–	1	–	–
Malignant neoplasm of breast (174-175)	8	–	–	–	–	–	2	2	–	3	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	7	–	–	–	–	–	2	2	–	3	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	7	–	–	–	–	–	2	2	–	3	–	–	–
Malignant neoplasms of genital organs (179-187)	14	–	–	1	–	–	–	–	2	5	5	1	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	6	–	–	–	–	–	–	–	1	2	3	–	–
All other, female	6	–	–	1	–	–	–	–	1	2	1	1	–
Black, male	6	–	–	–	–	–	–	–	1	2	3	–	–
Black, female	6	–	–	1	–	–	–	–	1	2	1	1	–
Malignant neoplasms of urinary organs (188-189)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	13	–	–	–	2	–	–	2	–	5	4	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	3	–	–	–	–	–	–	–	–	2	1	–	–
All other, male	6	–	–	–	1	–	–	1	–	2	2	–	–
All other, female	3	–	–	–	1	–	–	1	–	–	1	–	–
Black, male	6	–	–	–	1	–	–	1	–	2	2	–	–
Black, female	3	–	–	–	1	–	–	1	–	–	1	–	–
Leukemia (204-208)	5	–	–	–	–	–	–	–	–	2	1	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	4	–	–	–	–	–	–	–	–	2	1	1	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	4	–	–	–	–	–	–	–	–	2	1	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2	–	–	–	–	–	–	–	1	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	–	–	–	–	–	1	–	–	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	1	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes mellitus (250)	31	–	–	–	–	–	–	1	7	12	9	2	–
White, male	2	–	–	–	–	–	–	–	1	–	1	–	–
White, female	3	–	–	–	–	–	–	–	2	1	–	–	–
All other, male	11	–	–	–	–	–	–	1	2	4	3	1	–
All other, female	15	–	–	–	–	–	–	–	2	7	5	1	–
Black, male	11	–	–	–	–	–	–	1	2	4	3	1	–
Black, female	15	–	–	–	–	–	–	–	2	7	5	1	–
Nutritional deficiencies (260-269)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	2	–	–	–	–	–	–	–	1	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Meningitis (320-322)	4	1	–	1	1	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	3	1	–	1	1	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	3	1	–	1	1	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	150	2	–	1	2	1	5	8	23	33	40	34	1
White, male	16	1	–	–	–	–	3	1	–	1	8	2	–
White, female	22	–	–	–	–	–	–	–	4	4	9	5	–
All other, male	54	1	–	–	1	1	1	1	12	17	11	8	1
All other, female	58	–	–	1	1	–	1	6	7	11	12	19	–
Black, male	54	1	–	–	1	1	1	1	12	17	11	8	1
Black, female	58	–	–	1	1	–	1	6	7	11	12	19	–
Diseases of heart (390-398,402,404-429)	118	2	–	1	1	1	4	5	17	26	35	25	1
White, male	14	1	–	–	–	–	3	–	–	1	7	2	–
White, female	19	–	–	–	–	–	–	–	3	3	8	5	–
All other, male	38	1	–	–	1	1	1	–	9	11	8	5	1
All other, female	47	–	–	1	–	–	–	5	5	11	12	13	–
Black, male	38	1	–	–	1	1	1	–	9	11	8	5	1
Black, female	47	–	–	1	–	–	–	5	5	11	12	13	–
Rheumatic fever and rheumatic heart disease (390-398)	4	–	–	1	–	–	1	–	–	1	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	2	–	–	–	–	–	1	–	–	1	–	–	–
All other, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Black, male	2	–	–	–	–	–	1	–	–	1	–	–	–
Black, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	21	–	–	–	–	–	–	2	3	7	7	2	–
White, male	2	–	–	–	–	–	–	–	–	–	2	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	–	–	1	2	2	–	–
All other, female	14	–	–	–	–	–	–	2	2	5	3	2	–
Black, male	5	–	–	–	–	–	–	–	1	2	2	–	–
Black, female	14	–	–	–	–	–	–	2	2	5	3	2	–
Hypertensive heart and renal disease (404)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	70	–	–	–	1	–	1	3	11	15	20	19	–
White, male	8	–	–	–	–	–	1	–	–	1	4	2	–
White, female	11	–	–	–	–	–	–	–	3	1	4	3	–
All other, male	23	–	–	–	1	–	–	–	5	8	5	4	–
All other, female	28	–	–	–	–	–	–	3	3	5	7	10	–
Black, male	23	–	–	–	1	–	–	–	5	8	5	4	–
Black, female	28	–	–	–	–	–	–	3	3	5	7	10	–
Acute myocardial infarction (410)	24	–	–	–	1	–	–	2	4	8	5	4	–
White, male	2	–	–	–	–	–	–	–	–	–	2	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	10	–	–	–	1	–	–	–	3	5	1	–	–
All other, female	11	–	–	–	–	–	–	2	1	3	1	4	–
Black, male	10	–	–	–	1	–	–	–	3	5	1	–	–
Black, female	11	–	–	–	–	–	–	2	1	3	1	4	–
Other acute and subacute forms of ischemic heart disease (411)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	46	–	–	–	–	–	1	1	7	7	15	15	–
White, male	6	–	–	–	–	–	1	–	–	1	2	2	–
White, female	10	–	–	–	–	–	–	–	3	1	3	3	–
All other, male	13	–	–	–	–	–	–	–	2	3	4	4	–
All other, female	17	–	–	–	–	–	–	1	2	2	6	6	–
Black, male	13	–	–	–	–	–	–	–	2	3	4	4	–
Black, female	17	–	–	–	–	–	–	1	2	2	6	6	–
Other diseases of endocardium (424)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	23	2	–	–	–	1	2	–	3	3	8	3	1
White, male	4	1	–	–	–	–	2	–	–	–	1	–	–
White, female	7	–	–	–	–	–	–	–	–	2	4	1	–
All other, male	8	1	–	–	–	1	–	–	3	–	1	1	1
All other, female	4	–	–	–	–	–	–	–	–	1	2	1	–
Black, male	8	1	–	–	–	1	–	–	3	–	1	1	1
Black, female	4	–	–	–	–	–	–	–	–	1	2	1	–
Hypertension with or without renal disease (401,403)	5	–	–	–	–	–	–	1	2	–	–	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	3	–	–	–	–	–	–	1	1	–	–	1	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	3	–	–	–	–	–	–	1	1	–	–	1	–
Cerebrovascular diseases (430-438)	24	–	–	–	1	–	1	2	4	7	4	5	–
White, male	2	–	–	–	–	–	–	1	–	–	1	–	–
White, female	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, male	13	–	–	–	–	–	–	1	3	6	2	1	–
All other, female	7	–	–	–	1	–	1	–	1	–	–	4	–
Black, male	13	–	–	–	–	–	–	1	3	6	2	1	–
Black, female	7	–	–	–	1	–	1	–	1	–	–	4	–
Intracerebral and other intracranial hemorrhage (431-432)	3	–	–	–	–	–	–	1	1	–	–	1	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	–	–	–	–	–	1	–	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	1	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	1	–	–	–	–	–	1	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	17	–	–	–	1	–	–	1	3	5	3	4	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	10	–	–	–	–	–	–	1	2	4	2	1	–
All other, female	5	–	–	–	1	–	–	–	1	–	–	3	–
Black, male	10	–	–	–	–	–	–	1	2	4	2	1	–
Black, female	5	–	–	–	1	–	–	–	1	–	–	3	–
Atherosclerosis (440)	2	–	–	–	–	–	–	–	–	–	–	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of arteries, arterioles, and capillaries (441-448)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	9	–	–	–	–	–	1	1	2	1	2	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	–	1	2	–	1	1	–
All other, female	4	–	–	–	–	–	1	–	–	1	1	1	–
Black, male	5	–	–	–	–	–	–	1	2	–	1	1	–
Black, female	4	–	–	–	–	–	1	–	–	1	1	1	–
Pneumonia (480-486)	9	–	–	–	–	–	1	1	2	1	2	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	–	1	2	–	1	1	–
All other, female	4	–	–	–	–	–	1	–	–	1	1	1	–
Black, male	5	–	–	–	–	–	–	1	2	–	1	1	–
Black, female	4	–	–	–	–	–	1	–	–	1	1	1	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	7	–	–	–	–	–	–	1	1	1	4	–	–
White, male	4	–	–	–	–	–	–	1	–	1	2	–	–
White, female	2	–	–	–	–	–	–	–	1	–	1	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	2	–	–	–	–	–	–	1	–	1	–	–	–
White, male	2	–	–	–	–	–	–	1	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	5	–	–	–	–	–	–	–	1	–	4	–	–
White, male	2	–	–	–	–	–	–	–	–	–	2	–	–
White, female	2	–	–	–	–	–	–	–	1	–	1	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	–	–	–	–	–	–	1	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	1	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, male	2	1	–	–	–	–	–	–	–	1	–	–	–
Black, female	1	–	–	–	–	–	–	–	1	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic liver disease and cirrhosis (571)	17	–	–	–	–	–	1	8	4	3	1	–	–
White, male	3	–	–	–	–	–	–	3	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	9	–	–	–	–	–	1	3	2	3	–	–	–
All other, female	4	–	–	–	–	–	–	2	1	–	1	–	–
Black, male	7	–	–	–	–	–	–	2	2	3	–	–	–
Black, female	4	–	–	–	–	–	–	2	1	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	–	–	–	–	–	–	–	4	1	1	–	–
White, male	2	–	–	–	–	–	–	–	2	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	1	1	1	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	3	–	–	–	–	–	–	–	1	1	1	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	–	–	4	–	–	–	–
White, male	2	–	–	–	–	–	–	–	2	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	–	–	–	–	–	–	–	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Congenital anomalies (740-759)	5	5	–	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	2	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period (760-779)	43	43	-	-	-	-	-	-	-	-	-	-	-
White, male	3	3	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, male	22	22	-	-	-	-	-	-	-	-	-	-	-
All other, female	16	16	-	-	-	-	-	-	-	-	-	-	-
Black, male	20	20	-	-	-	-	-	-	-	-	-	-	-
Black, female	16	16	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	7	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Black, male	6	6	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	32	32	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, male	15	15	-	-	-	-	-	-	-	-	-	-	-
All other, female	13	13	-	-	-	-	-	-	-	-	-	-	-
Black, male	14	14	-	-	-	-	-	-	-	-	-	-	-
Black, female	13	13	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	-	-	-	-	1	1	-	1	1	1	-	-
White, male	1	-	-	-	-	1	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	2	-	-	-	-	-	1	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	2	-	-	-	-	-	1	-	-	1	-	-	-
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other diseases (Residual)	38	1	2	-	2	1	2	4	5	9	7	5	-
White, male	2	-	-	-	-	-	-	1	-	1	-	-	-
White, female	7	-	-	-	-	-	-	1	2	3	1	-	-
All other, male	19	-	-	-	1	-	1	2	3	4	5	3	-
All other, female	10	1	2	-	1	1	1	-	-	1	1	2	-
Black, male	19	-	-	-	1	-	1	2	3	4	5	3	-
Black, female	10	1	2	-	1	1	1	-	-	1	1	2	-
Accidents and adverse effects (E800-E949)	31	1	5	3	4	5	3	4	3	1	1	1	-
White, male	9	-	2	-	1	2	-	-	1	1	1	1	-
White, female	3	-	-	-	-	1	1	-	1	-	-	-	-
All other, male	13	1	2	1	2	2	2	3	-	-	-	-	-
All other, female	6	-	1	2	1	-	-	1	1	-	-	-	-
Black, male	13	1	2	1	2	2	2	3	-	-	-	-	-
Black, female	6	-	1	2	1	-	-	1	1	-	-	-	-
Motor vehicle accidents (E810-E825)	8	-	2	1	-	3	-	1	1	-	-	-	-
White, male	2	-	1	-	-	1	-	-	-	-	-	-	-
White, female	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, male	3	-	1	-	-	1	-	1	-	-	-	-	-
All other, female	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, male	3	-	1	-	-	1	-	1	-	-	-	-	-
Black, female	2	-	-	1	-	-	-	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	23	1	3	2	4	2	3	3	2	1	1	1	-
White, male	7	-	1	-	1	1	-	-	1	1	1	1	-
White, female	2	-	-	-	-	-	1	-	1	-	-	-	-
All other, male	10	1	1	1	2	1	2	2	-	-	-	-	-
All other, female	4	-	1	1	1	-	-	1	-	-	-	-	-
Black, male	10	1	1	1	2	1	2	2	-	-	-	-	-
Black, female	4	-	1	1	1	-	-	1	-	-	-	-	-
Suicide (E950-E959)	4	...	...	-	1	3	-	-	-	-	-	-	-
White, male	3	...	...	-	1	2	-	-	-	-	-	-	-
White, female	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, male	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, female	1	...	...	-	-	1	-	-	-	-	-	-	-
Black, male	-	...	...	-	-	-	-	-	-	-	-	-	-
Black, female	1	...	...	-	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	1	-	-	4	3	5	-	1	-	-	-	-
White, male	4	-	-	-	1	1	2	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	1	-	-	3	-	3	-	1	-	-	-	-
All other, female	2	-	-	-	-	2	-	-	-	-	-	-	-
Black, male	7	1	-	-	3	-	3	-	-	-	-	-	-
Black, female	2	-	-	-	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	-	-	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	409	26	3	3	30	26	18	42	101	86	55	19	-
White, male	35	7	-	-	4	2	-	1	10	9	1	1	-
White, female	6	1	-	-	-	-	1	2	1	1	-	-	-
All other, male	219	9	2	3	16	19	14	21	55	46	30	4	-
All other, female	149	9	1	-	10	5	3	18	35	30	24	14	-
Guamanian, male	153	5	-	3	15	13	10	14	34	31	24	4	-
Guamanian, female	117	7	-	-	6	3	2	11	26	26	23	13	-
Shigellosis and amebiasis (004,006)	2	-	1	1	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	1	-	1	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	1	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	2	-	-	-	-	-	-	1	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	2	-	-	-	-	-	-	1	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	-	1	1	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	3	-	-	-	-	-	-	-	-	1	2	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	1	2	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	56	-	-	1	1	1	2	8	18	18	5	2	-
White, male	7	-	-	-	-	-	-	-	3	4	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	30	-	-	1	-	1	1	2	12	9	3	1	-
All other, female	18	-	-	-	1	-	1	6	3	4	2	1	-
Guamanian, male	17	-	-	1	-	-	-	1	7	5	2	1	-
Guamanian, female	14	-	-	-	1	-	-	4	2	4	2	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	8	-	-	-	-	-	-	1	2	1	2	2	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	2	-	-	1	-
All other, female	4	-	-	-	-	-	-	1	-	-	2	1	-
Guamanian, male	2	-	-	-	-	-	-	-	1	-	-	1	-
Guamanian, female	4	-	-	-	-	-	-	1	-	-	2	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	22	-	-	-	-	-	-	4	11	7	-	-	-
White, male	5	-	-	-	-	-	-	-	3	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	12	-	-	-	-	-	-	1	8	3	-	-	-
All other, female	4	-	-	-	-	-	-	3	-	1	-	-	-
Guamanian, male	8	-	-	-	-	-	-	1	5	2	-	-	-
Guamanian, female	4	-	-	-	-	-	-	3	-	1	-	-	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	1	2	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of genital organs (179-187)	6	-	-	-	-	-	-	1	1	2	2	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	1	2	-	-
All other, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	-	2	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	2	-	-	-	-	-	1	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	9	-	-	1	1	1	1	1	1	3	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	1	-	1	-	1	1	1	-	-	-
All other, female	4	-	-	-	1	-	1	-	-	2	-	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	3	-	-	-	1	-	-	-	-	2	-	-	-
Leukemia (204-208)	2	-	-	-	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	3	-	-	-	-	-	-	-	-	2	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	27	–	–	–	–	–	–	3	8	9	6	1	–
White, male	2	–	–	–	–	–	–	–	–	1	–	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	7	–	–	–	–	–	–	1	1	3	2	–	–
All other, female	18	–	–	–	–	–	–	2	7	5	4	–	–
Guamanian, male	6	–	–	–	–	–	–	1	1	2	2	–	–
Guamanian, female	16	–	–	–	–	–	–	2	5	5	4	–	–
Nutritional deficiencies (260-269)	2	–	–	–	–	–	–	–	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Anemias (280-285)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Meningitis (320-322)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	140	–	–	–	3	6	7	15	41	34	27	7	–
White, male	6	–	–	–	–	1	–	1	2	2	–	–	–
White, female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other, male	80	–	–	–	2	4	6	9	24	20	15	–	–
All other, female	52	–	–	–	1	1	–	4	15	12	12	7	–
Guamanian, male	57	–	–	–	2	3	6	7	15	14	10	–	–
Guamanian, female	40	–	–	–	1	1	–	3	10	8	11	6	–
Diseases of heart (390-398,402,404-429)	110	–	–	–	2	6	7	9	30	28	22	6	–
White, male	6	–	–	–	–	1	–	1	2	2	–	–	–
White, female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other, male	61	–	–	–	2	4	6	6	15	17	11	–	–
All other, female	41	–	–	–	–	1	–	1	13	9	11	6	–
Guamanian, male	44	–	–	–	2	3	6	5	11	11	6	–	–
Guamanian, female	33	–	–	–	–	1	–	1	9	7	10	5	–
Rheumatic fever and rheumatic heart disease (390-398)	5	–	–	–	2	2	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	2	2	1	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	5	–	–	–	2	2	1	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	6	–	–	–	–	–	–	1	4	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	1	1	–	–	–	–
All other, female	4	–	–	–	–	–	–	–	3	1	–	–	–
Guamanian, male	2	–	–	–	–	–	–	1	1	–	–	–	–
Guamanian, female	3	–	–	–	–	–	–	–	2	1	–	–	–
Hypertensive heart and renal disease (404)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	74	–	–	–	–	1	3	6	23	18	19	4	–
White, male	3	–	–	–	–	–	–	1	2	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	42	–	–	–	–	1	3	4	13	12	9	–	–
All other, female	29	–	–	–	–	–	–	1	8	6	10	4	–
Guamanian, male	28	–	–	–	–	1	3	3	9	8	4	–	–
Guamanian, female	22	–	–	–	–	–	–	1	5	4	9	3	–
Acute myocardial infarction (410)	26	–	–	–	–	–	3	2	11	7	3	–	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	17	–	–	–	–	–	3	1	7	5	1	–	–
All other, female	8	–	–	–	–	–	–	–	4	2	2	–	–
Guamanian, male	11	–	–	–	–	–	3	–	4	3	1	–	–
Guamanian, female	6	–	–	–	–	–	–	–	2	2	2	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	-	1	4	2	4	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	-	-	1	2	2	3	-	-
All other, female	3	-	-	-	-	-	-	-	1	-	1	1	-
Guamanian, male	2	-	-	-	-	-	-	1	1	-	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	1	-	1	1	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	36	-	-	-	-	1	-	3	8	9	12	3	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	17	-	-	-	-	1	-	2	4	5	5	-	-
All other, female	18	-	-	-	-	-	-	1	3	4	7	3	-
Guamanian, male	15	-	-	-	-	1	-	2	4	5	3	-	-
Guamanian, female	13	-	-	-	-	-	-	1	2	2	6	2	-
Other diseases of endocardium (424)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	24	-	-	-	-	3	3	2	3	8	3	2	-
White, male	2	-	-	-	-	1	-	-	-	1	-	-	-
White, female	2	-	-	-	-	-	1	1	-	-	-	-	-
All other, male	12	-	-	-	-	1	2	1	1	5	2	-	-
All other, female	8	-	-	-	-	1	-	-	2	2	1	2	-
Guamanian, male	9	-	-	-	-	-	2	1	1	3	2	-	-
Guamanian, female	8	-	-	-	-	1	-	-	2	2	1	2	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	26	-	-	-	1	-	-	6	10	3	5	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	15	-	-	-	-	-	-	3	8	-	4	-	-
All other, female	11	-	-	-	1	-	-	3	2	3	1	1	-
Guamanian, male	9	-	-	-	-	-	-	2	3	-	4	-	-
Guamanian, female	7	-	-	-	1	-	-	2	1	1	1	1	-
Intracerebral and other intracranial hemorrhage (431-432)	12	-	-	-	-	-	-	3	7	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	-	-	1	6	-	1	-	-
All other, female	4	-	-	-	-	-	-	2	1	1	-	-	-
Guamanian, male	4	-	-	-	-	-	-	1	2	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	-	-	-	-	-	-	2	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	10	-	-	-	1	-	-	1	2	2	3	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	1	2	-	2	-	-
All other, female	5	-	-	-	1	-	-	-	-	2	1	1	-
Guamanian, male	4	-	-	-	-	-	-	1	1	-	2	-	-
Guamanian, female	4	-	-	-	1	-	-	-	-	1	1	1	-
Atherosclerosis (440)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	3	-	-	-	-	-	-	-	1	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	2	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	3	-	-	-	-	-	-	-	1	2	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	7	-	-	-	-	-	-	-	1	2	1	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	-	1	2	1	1	-
All other, female	2	-	-	-	-	-	-	-	-	-	-	2	-
Guamanian, male	4	-	-	-	-	-	-	-	1	1	1	1	-
Guamanian, female	2	-	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (480-486)	7	-	-	-	-	-	-	-	1	2	1	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	-	1	2	1	1	-
All other, female	2	-	-	-	-	-	-	-	-	-	-	2	-
Guamanian, male	4	-	-	-	-	-	-	-	1	1	1	1	-
Guamanian, female	2	-	-	-	-	-	-	-	-	-	-	2	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	14	-	-	-	-	-	-	-	5	5	4	-	-
White, male	3	-	-	-	-	-	-	-	2	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	-	-	-	2	4	2	-	-
All other, female	3	-	-	-	-	-	-	-	1	1	1	-	-
Guamanian, male	5	-	-	-	-	-	-	-	1	2	2	-	-
Guamanian, female	3	-	-	-	-	-	-	-	1	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	-	2	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	3	-	-	-	-	-	-	-	2	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	8	-	-	-	-	-	-	-	3	3	2	-	-
White, male	2	-	-	-	-	-	-	-	2	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	-	-	-	1	3	2	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	5	-	-	-	-	-	-	-	1	2	2	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	2	-	-	-	-	-	-	-	2	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic liver disease and cirrhosis (571)	8	–	–	–	–	1	2	2	3	–	–	–	–
White, male	2	–	–	–	–	–	–	–	2	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	–	1	2	2	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	5	–	–	–	–	1	2	1	1	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	–	–	–	–	–	–	1	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	–	–	–	–	–	1	1	–	1	1	1	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	1	1	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	–	–	–	–	–	1	1	–	1	1	1	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	1	1	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Congenital anomalies (740-759)	4	4	–	–	–	–	–	–	–	–	–	–	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period (760-779)	12	12	–	–	–	–	–	–	–	–	–	–	–
White, male	3	3	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	4	–	–	–	–	–	–	–	–	–	–	–
All other, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	4	4	–	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	8	8	–	–	–	–	–	–	–	–	–	–	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	3	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	8	7	1	–	–	–	–	–	–	–	–	–	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	2	1	–	–	–	–	–	–	–	–	–	–
All other, female	3	3	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	46	1	1	–	1	2	3	6	14	11	5	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	27	–	1	–	1	1	1	5	7	6	4	1	–
All other, female	19	1	–	–	–	1	2	1	7	5	1	1	–
Guamanian, male	20	–	–	–	1	1	1	3	4	5	4	1	–
Guamanian, female	18	1	–	–	–	1	2	1	6	5	1	1	–
Accidents and adverse effects (E800-E949)	41	2	–	–	18	8	1	4	5	–	2	1	–
White, male	4	–	–	–	4	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	25	2	–	–	7	7	1	1	4	–	2	1	–
All other, female	11	–	–	–	7	1	–	2	1	–	–	–	–
Guamanian, male	19	1	–	–	6	5	–	1	3	–	2	1	–
Guamanian, female	5	–	–	–	3	–	–	1	1	–	–	–	–
Motor vehicle accidents (E810-E825)	23	1	–	–	13	4	1	3	1	–	–	–	–
White, male	2	–	–	–	2	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	14	1	–	–	7	4	1	1	–	–	–	–	–
All other, female	6	–	–	–	4	–	–	1	1	–	–	–	–
Guamanian, male	10	–	–	–	6	3	–	1	–	–	–	–	–
Guamanian, female	4	–	–	–	3	–	–	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	18	1	–	–	5	4	–	1	4	–	2	1	–
White, male	2	–	–	–	2	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	1	–	–	–	3	–	–	4	–	2	1	–
All other, female	5	–	–	–	3	1	–	1	–	–	–	–	–
Guamanian, male	9	1	–	–	–	2	–	–	3	–	2	1	–
Guamanian, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Suicide (E950-E959)	4	...	...	1	1	–	1	–	1	–	–	–	–
White, male	1	...	...	–	–	–	–	–	1	–	–	–	–
White, female	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, male	3	...	...	1	1	–	1	–	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Guamanian, male	3	...	...	1	1	–	1	–	–	–	–	–	–
Guamanian, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	16	–	–	–	5	8	1	2	–	–	–	–	–
White, male	1	–	–	–	–	1	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	10	–	–	–	4	5	1	–	–	–	–	–	–
All other, female	5	–	–	–	1	2	–	2	–	–	–	–	–
Guamanian, male	7	–	–	–	4	3	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	1	1	–	–	–	–	–	–	–
All other external causes (E980-E999)	1	–	–	–	1	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	1	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	1	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	521	133	92	18	4	-	-	12	182	-	80
Male	412	117	57	17	3	-	-	10	151	-	57
Female	109	16	35	1	1	-	-	2	31	-	23
Virgin Islands	8	-	-	-	-	-	-	-	4	-	4
White, male	2	-	-	-	-	-	-	-	-	-	2
White, female	1	-	-	-	-	-	-	-	1	-	-
All other, male	3	-	-	-	-	-	-	-	1	-	2
All other, female	2	-	-	-	-	-	-	-	2	-	-
Black, male	3	-	-	-	-	-	-	-	1	-	2
Black, female	2	-	-	-	-	-	-	-	2	-	-
Guam	23	1	1	-	-	-	-	-	3	-	18
White, male	2	-	-	-	-	-	-	-	1	-	1
White, female	1	-	-	-	-	-	-	-	-	-	1
All other, male	14	1	1	-	-	-	-	-	1	-	11
All other, female	6	-	-	-	-	-	-	-	1	-	5
Guamanian, male	10	1	1	-	-	-	-	-	-	-	8
Guamanian, female	4	-	-	-	-	-	-	-	-	-	4

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1]	Farm [2]	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	522	141	5	1	7	3	29	7	5	137	187
Male	391	105	4	1	7	2	27	5	5	123	112
Female	131	36	1	–	–	1	2	2	–	14	75
Virgin Islands	18	2	–	–	–	–	–	–	1	3	12
White, male	5	–	–	–	–	–	–	–	1	1	3
White, female	1	–	–	–	–	–	–	–	–	–	1
All other, male	8	1	–	–	–	–	–	–	–	2	5
All other, female	4	1	–	–	–	–	–	–	–	–	3
Black, male	8	1	–	–	–	–	–	–	–	2	5
Black, female	4	1	–	–	–	–	–	–	–	–	3
Guam	13	5	–	–	1	–	–	–	–	5	2
White, male	2	–	–	–	–	–	–	–	–	1	1
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	10	5	–	–	1	–	–	–	–	3	1
All other, female	1	–	–	–	–	–	–	–	–	1	–
Guamanian, male	8	5	–	–	1	–	–	–	–	2	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1984

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	21,733	21,618	987	789	658
Adjuntas	51	118	8	6	5
Aguada	97	181	9	7	9
Aguadilla	545	426	19	14	18
Aguas Buenas	71	129	11	9	8
Aibonito	134	165	8	6	2
Anasco	67	165	10	9	3
Arecibo	1,028	662	18	16	19
Arroyo	78	137	9	7	4
Barceloneta	73	151	6	5	4
Barranquitas	63	121	8	7	3
Bayamon	1,689	1,200	47	38	27
Cabo Rojo	112	263	3	1	7
Caguas	1,067	724	36	31	23
Camuy	84	175	7	6	7
Canovanas	89	185	10	8	24
Carolina	597	767	34	26	7
Catano	83	228	10	7	7
Cayey	162	304	18	14	2
Ceiba	48	94	2	2	6
Ciales	44	88	5	5	5
Cidra	57	145	10	7	7
Coamo	107	221	9	6	6
Comerio	59	121	7	7	7
Corozal	65	181	12	10	-
Culebra	2	7	2	1	2
Dorado	63	127	7	5	7
Fajardo	447	281	9	7	6
Florida	21	43	4	3	12
Guanica	54	129	8	8	5
Guayama	410	328	16	15	6
Guayanilla	46	120	9	8	3
Guaynabo	209	469	10	7	6
Gurabo	70	168	9	7	4
Hatillo	107	216	8	6	8
Hormigueros	52	87	3	3	9
Humacao	564	309	11	9	5
Isabela	140	271	9	8	12
Jayuya	49	99	8	6	3
Juana Diaz	106	250	14	10	4
Juncos	87	224	12	11	9
Lajas	60	138	5	4	-
Lares	119	188	9	8	4
Las Marias	21	52	1	1	8
Las Piedras	44	128	5	4	1
Loiza	59	118	16	12	9
Luquillo	32	102	4	3	-
Manati	165	287	17	17	3
Maricao	27	54	5	4	10
Maunabo	35	76	5	4	7
Mayaguez	1,303	723	30	27	2
Moca	164	168	15	12	5
Morovis	50	107	6	5	7
Naguabo	61	160	2	2	8
Naranjito	64	126	5	4	2
Orocovis	54	106	7	5	6
Patillas	54	118	3	2	54
Penuelas	44	101	8	6	5
Ponce	2,071	1,264	72	59	5
Quebradillas	78	133	4	4	7
Rincon	40	77	8	5	2
Rio Grande	100	234	13	10	6
Sabana Grande	73	166	13	9	5
Salinas	99	202	11	10	71
San German	366	242	9	7	7
San Juan	6,219	3,745	130	101	10
San Lorenzo	109	212	7	4	2
San Sebastian	126	256	9	6	10
Santa Isabel	48	123	3	3	15
Toa Alta	54	147	10	7	9
Toa Baja	140	349	19	18	13
Trujillo Alto	105	224	3	1	3
Utuado	168	241	10	8	15
Vega Alta	80	171	9	4	2
Vega Baja	178	292	12	9	12
Vieques	57	83	6	5	7
Villalba	52	138	13	10	15
Yabucoa	87	211	11	11	-
Yauco	230	277	17	10	-

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1984

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.
Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	507	471	55	46	50
White	141	114	8	8	4
All other	366	357	47	38	46
Black	361	352	45	36	44
St. Croix Island	238	244	25	21	23
White	67	66	6	6	3
All other	171	178	19	15	20
Black	168	175	17	13	19
St. John Island	4	7	–	–	5
White	1	2	–	–	–
All other	3	5	–	–	5
Black	3	5	–	–	5
St. Thomas Island	265	220	30	25	22
White	73	46	2	2	1
All other	192	174	28	23	21
Black	190	172	28	23	20
Charlotte Amalie	– – –	141	25	22	2
White	– – –	26	1	1	1
All other	– – –	115	24	21	1
Black	– – –	113	24	21	1
Balance of area	– – –	79	5	3	20
White	– – –	20	1	1	–
All other	– – –	59	4	2	20
Black	– – –	59	4	2	19
Guam	449	409	26	14	28
White	43	41	8	6	4
All other	406	368	18	8	24
Guamanian	271	270	12	5	8

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	987	98	60	80	65	71	85	85	84	89	101	81	88
Under 28 days	789	81	45	66	49	58	68	67	67	79	76	60	73
VIRGIN ISLANDS													
Under 1 year	55	3	5	4	2	9	7	6	1	3	3	4	8
White	8	–	–	–	1	1	1	2	–	–	–	–	3
All other	47	3	5	4	1	8	6	4	1	3	3	4	5
Black	45	3	5	4	1	8	6	4	–	3	3	4	4
Under 28 days	46	3	4	2	1	7	7	5	1	2	3	4	7
White	8	–	–	–	1	1	1	2	–	–	–	–	3
All other	38	3	4	2	–	6	6	3	1	2	3	4	4
Black	36	3	4	2	–	6	6	3	–	2	3	4	3
GUAM													
Under 1 year	26	3	3	1	1	–	3	2	1	1	5	4	2
White	8	1	–	–	1	–	2	1	–	–	1	2	–
All other	18	2	3	1	–	–	1	1	1	1	4	2	2
Guamanian	12	1	1	1	–	–	–	1	1	–	4	2	1
Under 28 days	14	2	–	1	1	–	–	1	1	1	4	2	1
White	6	1	–	–	1	–	–	1	–	–	1	2	–
All other	8	1	–	1	–	–	–	–	1	1	3	–	1
Guamanian	5	–	–	1	–	–	–	–	1	–	3	–	–

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	987	538	449	55	33	22	8	5	3	47	28	19	45	26	19
Under 28 days	789	436	353	46	26	20	8	5	3	38	21	17	36	19	17
Under 7 days	654	362	292	44	26	18	7	5	2	37	21	16	35	19	16
Under 1 hour	114	53	61	15	7	8	3	1	2	12	6	6	11	5	6
1-23 hours	227	135	92	21	13	8	3	3	-	18	10	8	18	10	8
1 day	69	35	34	3	2	1	1	1	-	2	1	1	2	1	1
2 days	103	57	46	1	1	-	-	-	-	1	1	-	1	1	-
3 days	56	29	27	3	2	1	-	-	-	3	2	1	2	1	1
4 days	38	24	14	-	-	-	-	-	-	-	-	-	-	-	-
5 days	29	17	12	1	1	-	-	-	-	1	1	-	1	1	-
6 days	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	79	46	33	1	-	1	-	-	-	1	-	1	1	-	1
14-20 days	33	19	14	1	-	1	1	-	1	-	-	-	-	-	-
21-27 days	23	9	14	-	-	-	-	-	-	-	-	-	-	-	-
28-59 days	66	32	34	3	2	1	-	-	-	3	2	1	3	2	1
2 months	39	15	24	1	1	-	-	-	-	1	1	-	1	1	-
3 months	27	17	10	-	-	-	-	-	-	-	-	-	-	-	-
4 months	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-
5 months	14	8	6	3	2	1	-	-	-	3	2	1	3	2	1
6 months	9	4	5	1	1	-	-	-	-	1	1	-	1	1	-
7 months	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
8 months	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-
9 months	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
10 months	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
11 months	4	1	3	1	1	-	-	-	-	1	1	-	1	1	-

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	26	16	10	8	7	1	18	9	9	12	5	7
Under 28 days	14	9	5	6	5	1	8	4	4	5	1	4
Under 7 days	12	7	5	5	4	1	7	3	4	5	1	4
Under 1 hour	1	–	1	–	–	–	1	–	1	1	–	1
1-23 hours	6	4	2	1	1	–	5	3	2	3	1	2
1 day	2	1	1	2	1	1	–	–	–	–	–	–
2 days	1	1	–	1	1	–	–	–	–	–	–	–
3 days	–	–	–	–	–	–	–	–	–	–	–	–
4 days	1	1	–	1	1	–	–	–	–	–	–	–
5 days	1	–	1	–	–	–	1	–	1	1	–	1
6 days	–	–	–	–	–	–	–	–	–	–	–	–
7-13 days	1	1	–	–	–	–	1	1	–	–	–	–
14-20 days	1	1	–	1	1	–	–	–	–	–	–	–
21-27 days	–	–	–	–	–	–	–	–	–	–	–	–
28-59 days	3	3	–	1	1	–	2	2	–	1	1	–
2 months	5	2	3	1	1	–	4	1	3	2	1	1
3 months	–	–	–	–	–	–	–	–	–	–	–	–
4 months	1	–	1	–	–	–	1	–	1	1	–	1
5 months	3	2	1	–	–	–	3	2	1	3	2	1
6 months	–	–	–	–	–	–	–	–	–	–	–	–
7 months	–	–	–	–	–	–	–	–	–	–	–	–
8 months	–	–	–	–	–	–	–	–	–	–	–	–
9 months	–	–	–	–	–	–	–	–	–	–	–	–
10 months	–	–	–	–	–	–	–	–	–	–	–	–
11 months	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	987	789	198	55	8	38	36	-	9	9	26	6	8	5	2	10	7
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	18	...	18	-	...	...	...	-	-	-	-	...	...	...	-	-	-
Viral diseases (045-079)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-280)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	12	5	7	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	68	45	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	68	45	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	19	3	16	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	2	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	9	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	172	132	40	5	2	2	2	-	1	1	4	2	-	-	-	2	1
Anencephalus and similar anomalies (740)	11	11	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Spina bifida (741)	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	49	34	15	2	1	1	1	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of circulatory system (747)	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of respiratory system (748)	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	18	17	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Down's syndrome (758.0)	3	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	1	-
All other and unspecified congenital anomalies (744,757,759)	37	31	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	567	557	10	43	5	34	32	-	4	4	12	4	7	5	-	1	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	18	18	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	11	11	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	44	44	-	11	2	8	7	-	1	1	1	-	1	1	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	22	22	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	43	43	-	2	-	2	2	-	-	-	2	1	-	-	-	1	-
Fetal distress in liveborn infant (768.2-768.4)	6	6	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	37	37	-	1	-	1	1	-	-	-	2	1	-	-	-	1	-
Respiratory distress syndrome (769)	206	203	3	9	1	6	5	-	2	2	1	-	1	1	-	-	-
Other respiratory conditions of newborn (770)	90	87	3	1	1	-	-	-	-	-	3	2	1	-	-	-	-
Infections specific to the perinatal period (771)	38	36	2	-	-	-	-	-	-	-	2	1	1	1	-	-	-
Neonatal hemorrhage (772)	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunication, and other perinatal jaundice (773-774)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	65	63	2	17	-	16	16	-	1	1	1	-	1	-	-	-	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1984—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	20	12	8	–	–	–	–	–	–	–	7	–	–	–	2	5	4
Sudden infant death syndrome (798.0)	3	2	1	–	–	–	–	–	–	–	7	–	–	–	2	5	4
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	17	10	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	29	7	22	1	–	–	–	–	1	1	2	–	1	–	–	1	1
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	14	3	11	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Accidental mechanical suffocation (E913)	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other accidental causes and adverse effects (E800-E910,E914-E949)	11	3	8	–	–	–	–	–	–	–	2	–	1	–	–	1	1
Homicide (E960-E969)	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Child battering and other maltreatment (E967)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other homicide (E960-E966,E968-E969)	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
All other causes (Residual)	42	18	24	3	1	1	1	–	1	1	–	–	–	–	–	–	–

☆U.S. GOVERNMENT PRINTING OFFICE: 1987 -0- 188-762