- Bishop, R.C., S.R. Milliman, K.J. Boyle, and B.L. Johnson. 1990. Benefit-cost analysis of fishery rehabilitation projects: A Great Lakes case study. *Ocean Shoreline Management*, 13: 253-274.
- Blasland & Bouck Engineers, P.C. 1993. Remedial Investigation/Feasibility Study, Little Lake Butte des Morts Sediment Deposit A. Prepared for PH Glatfelter Co.
- Britton, W.M. and T.M. Huston. 1973. Influence of polychlorinated biphenyls in the laying hen. *Poultry Science*, 32: 1620-1624.
- Broyles, R.H. and M.I. Noveck. 1979. Uptake and distribution of 2,4,5,2',4',5'-hexachlorobiphenyl in fry of lake trout and chinook salmon and its effects on viability. *Toxicology and Applied Pharmacology*, **50**: 299-308.
- Brunstrom, B. and L. Reutergardh. 1986. Differences in sensitivity of some avian species to the embryotoxicity of a PCB, 3,3'4,4'-tetrachlorobiphenyl, injected into the eggs. *Environmental Pollution* (Series A), 42: 37-45.
- Carr, R.A., R.L. Durfee, and E.G. McKay. 1977. PCBs Involvement in the Pulp and Paper Industry. Prepared by Versar, Inc., Springfield, Virginia, for the U.S. EPA, Washington, DC, February 25.
- Eisler, R. 1986. Polychlorinated Biphenyl Hazards to Fish, Wildlife, and Invertebrates: a Synoptic Review. U.S. Fish Wildlife Service Biological Report 85(1.7), Contaminant Hazard Reviews Report, no. 7, April, 72 pp.
- Ewins, P.J., D.V. Weseloh, R.J. Norstrom, K. Legierse, H.J. Auman, and J.P. Ludwig. 1994. Caspian Terns on the Great Lakes: Organochlorine Contamination, Reproduction, Diet, and Population Changes, 1972-91. Occasional Paper, Number 85, Canadian Wildlife Service. CW69-1/85E.
- Fiore, B.J., H.A. Anderson, L.P. Hanrahan, L.J. Olson, and W.C. Sonzogni. 1989. Sport fish consumption and body burden levels of chlorinated hydrocarbons: A study of Wisconsin anglers. *Archives of Environmental Health*, 44(2): 82-88.
- Harris, G.E., T.L. Metcalfe, C.D. Metcalfe, and S.Y. Huestis. 1994. Embryotoxicity of extracts from Lake Ontario rainbow trout (Oncorhynchus mykiss) to Japanese medaka (Oryzias latipes). Environmental Toxicology and Chemistry, 13(9): 1393-1403.
- Harris, H.J., T.C. Erdman, G.T. Ankley, and K.B. Lodge. 1993. Measures of reproductive success and polychlorinated biphenyl residues in eggs and chicks of Forster's terns on Green Bay, Lake Michigan, Wisconsin 1988. Archives of Environmental Contamination and Toxicology, 25: 304-314.

- Heinz, G.H., D.S. Miller, B.J. Ebert, and K.L. Stromborg. 1994. Declines in organochlorines in eggs of red-breasted mergansers from Lake Michigan. *Environmental Monitoring and Assessment*, 33: 175-182.
- Hermanson, M.H., E.R. Christensen, D.J. Buser, and L.M. Chen. 1991. Polychlorinated biphenyls in dated sediment cores from Green Bay and Lake Michigan. *Journal of Great Lakes Research*, 17: 94-108.
- Hoffman, D.J., G.J. Smith, and B.A. Rattner. 1993. Biomarkers of contaminant exposure in common terms and black-crowned night-herons in the Great Lakes. *Environmental Toxicology and Chemistry*, 12: 1095-1103.
- Hoffman, D.J., B.A. Rattner, L. Sileo, D. Docherty, and T.J. Kubiak. 1987. Embryotoxicity, teratogenicity, and aryl hydrocarbon hydroxylase activity in Forster's terns on Green Bay, Lake Michigan. *Environmental Research*, 42: 176-184.
- Hogan, J.W. and J.L. Brauhn. 1975. Abnormal rainbow fry trout from eggs containing high residues of a PCB (Aroclor 1242). *Progressive Fish Culturist*, 37: 229-230.
- House, L.B. 1990. Data on Polychlorinated Biphenyls, Dieldrin, Lead and Cadmium in Wisconsin and Upper Michigan Tributaries to Green Bay, July 1987 through April 1988. U.S. Geological Survey Open-File Report 89-52.
- House, L.B. 1995. Distribution and Transport of Polychlorinated Biphenyls in Little Lake Butte des Morts, Fox River, Wisconsin, April 1987-October 1988. U.S. Geological Survey Open-File Report 93-31.
- House, L.B., P.E. Hughes, and R.J. Waschbusch. 1993. Concentrations and Loads of Polychlorinated Biphenyls in Major Tributaries Entering Green Bay, Lake Michigan, 1989-1990. U.S. Geological Survey Open-File Report 93-132.
- Jaeger, S. 1995. Volume of PCB Contaminated Sediment in the Lower Fox River. Memorandum to Dave Allen, U.S. Fish and Wildlife Service, from Steve Jaeger, Bureau of Water Resources Management, Wisconsin Department of Natural Resources, March 14.
- Jensen, A.L., S.A. Spigarelli, and M.M. Thommes. 1982. PCB Uptake by five species of fish in Lake Michigan, Green Bay of Lake Michigan, and Cayuga Lake, New York. *Canadian Journal of Fisheries and Aquatic Sciences*, 39: 700-709.
- Kleinert, S.J. 1976. The PCB Problem in Wisconsin. Report Prepared by Wisconsin Department of Natural Resources for the Joint Hearing of the Assembly Environmental Quality Committee with the Senate and Assembly Natural Resources Committees on NR 212 Administrative Rules for PCB Effluent Standards.

Knuth, B.A. and N.A. Connelly. 1992. Is New York's health advisory on fish consumption making a difference? *Coastlines*, 22(4): 4-5.

Knuth, B.A., N.A. Connelly, and M.A. Shapiro. 1993. Angler Attitudes and Behavior Associated with Ohio River Health Advisories. *Human Dimensions Research Unit, Department of Natural Resources, New York State College of Agriculture and Life Sciences. HDRU Series No. 93-6.* 

Kraft, C. 1982. Green Bay's Yellow Perch Fishery. UW Sea Grant Reprint. WIS-SG-82-425.

Kubiak, T.J., H.J. Harris, L.M. Smith, T.R. Schwartz, D.L. Stalling, J.A. Trick, L. Sileo, D.E. Docherty, and T.C. Erdman. 1989. Microcontaminants and reproductive impairment of the Forster's tern on Green Bay, Lake Michigan — 1983. Archives of Environmental Contamination and Toxicology, 18: 706-727.

Larson, J.M., W.H. Karasov, L. Sileo, K.L. Stromborg, B.A. Hanbidge, J.P. Giesy, P.D. Jones, D.E. Tillit, and D.A. Verbrugge. 1996. Reproductive success, developmental anomalies, and environmental contaminants in double-crested cormorants (*Phalacrocorax auritus*). *Environmental Toxicology and Chemistry*, 15: 553-559.

Lohr, T. 1988. Lower Fox River and Green Bay Harbor PCB Sediment Sampling Data. Wisconsin DNR, Bureau of Water Resources Management. 35 pp.

Mac, M.J. 1988. Toxic Substances and Survival of Lake Michigan Salmonids: Field and Laboratory Approaches. In M.S. Evans, eds., *Toxic Contaminants and Ecosystem Health: A Great Lakes Focus*. New York, NY: John Wiley and Sons, pp. 389-401.

Mac, M.J. and T.R. Schwartz. 1992. Investigations into the effects of PCB congeners on reproduction in lake trout from the Great Lakes. *Chemosphere*, 25(1-2): 189-192.

Manchester, J.B. 1993. The Role of Porewater in the Remobilization of Sediment-Bound Polychlorinated Biphenyl Congeners. PhD Dissertation for the University of Wisconsin-Madison, Department of Chemistry. Published by UMI. Ann Arbor, MI. 584 pp.

Marti, E.A. and D.A. Armstrong. 1990. Polychlorinated Biphenyls in Lake Michigan Tributaries. Journal of Great Lakes Research, 16: 396-405.

Masnado, R.G. 1987. Polychlorinated Biphenyl Concentrations of Eight Salmonid Species from the Wisconsin Waters of Lake Michigan: 1985. Fish Management Report 132. Prepared by the Bureau of Fish Management, Wisconsin Department of Natural Resources. Madison, WI, February.

Mora, M.A., H.J. Auman, J.P. Ludwig, J.P. Giesy, D.A. Verbrugge, and M.E. Ludwig. 1993. Polychlorinated biphenyls and chlorinated insecticides in plasma of Caspian terms: relationships

with age, productivity, and colony site tenacity in the Great Lakes. Archives of Environmental Contamination and Toxicology, 24: 320-331.

Morey, E.R., R.D. Rowe, and D. Waldman. 1995. Assessment of Damages to Anglers and Other Recreators from Injuries to the Upper Clark Fork River Basin. Prepared by Hagler Bailly Consulting, Inc. For the State of Montana Natural Resource Damage Litigation Program. October.

NBS. 1995. Contaminants and Tree Swallows in the Fox River Drainage. Green Bay, WI. National Biological Service (NBS) Information Bulletin, no. 28.

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1974. Effect of polychlorinated biphenyl compounds on survival and reproduction of the fathead minnow and flagfish. *Transactions of the American Fisheries Society*, 3: 562-568.

Niimi, A.J. 1983. Biological and toxicological effects of environmental contaminants in fish and their eggs. Canadian Journal of Fisheries and Aquatic Sciences, 40: 306-312.

Noguchi, G.E. and R.J. Hesselberg. 1991. Parental transfer of organic contaminants to young-of-the-year spottail shiners, *Notropis hudsonius*. Bulletin of Environmental Contamination and Toxicology, 46: 745-750.

Patterson, D. 1993. Updated Green Bay Mass Balance Modeling Results. State of Wisconsin Memorandum to MariAnn Sumi, Lee Liebenstein, and Jo Mercurio, December 1, 1 p.

Peakall, D.B, J.L. Lincer, and S.E. Bloom. 1972. Embryonic mortality and chromosomal alterations caused by Aroclor 1254 in ring doves. *Environmental Health Perspective*, 1: 103-104.

Persson, L., V. Harris, C. Lukas, J. Christie, H.J. Harris, L. Meyers, J. Sullivan, P. Allen, and R. Baba. 1988. Lower Green Bay Remedial Action Plan for the Lower Fox River and Lower Green Bay Area of Concern. Wisconsin Department of Natural Resources, Publ-WR-175-87 REV 88, February.

Peterson, R.E., H.M. Theobald, and G.L. Kimmel. 1993. Developmental and reproductive toxicity of dioxins and related compounds: cross-species comparisons. *Critical Reviews in Toxicology*, 23(3): 283-335.

Ram, R.G. and J.W. Gillett. 1993. An Aquatic/Terrestrial Foodweb Model for Polychlorinated Biphenyls (PCBs). In W.G. Landis, J.S. Hughes, and M.A. Lewis, eds., *Environmental Toxicology and Risk Assessment*. Philadelphia: American Society for Testing and Materials. pp. 192-212.

Rattner, B.A., J.S. Hatfield, M.J. Melancon, T.W. Custer, and D.E. Tillitt. 1994. Relation among cytochrome P450, Ah-active PCB congeners and dioxin equivalents in Pipping black-crowned night-heron embryos. *Environmental Toxicology and Chemistry*, 13: 1805-1812.

Safe, S. 1994. Polychlorinated biphenyls (PCBs): Environmental impact, biochemical and toxic responses, and implications for risk assessment. Critical Reviews in Toxicology, 24: 87-149.

Silverman, W.M. 1990. Michigan's Sport Fish Consumption Advisory: A Study in Risk Communication. A Thesis submitted to the University of Michigan. May. 103 pp.

Stauffer, T.M. 1979. Effects of DDT and PCBs on survival of lake trout eggs and fry in a hatchery and in Lake Michigan, 1973-1976. *Transactions of the American Fisheries Society*, 108: 176-186.

Struger, J. and D.V. Weseloh. 1985. Great Lakes Caspian terns: egg contaminants and biological implications. *Colonial Waterbirds*, 8: 142-149.

Sullivan, J.R. and J.J. Delfino. 1982. A Select Inventory of Chemicals Used in Wisconsin's Lower Fox River Basin. University of Wisconsin Sea Grant Institute WIS-SG-82-238. 176 pp.

Sullivan, J.R., J.J. Delfino, C.R. Buelow, and T.B. Sheffy. 1983. Polychlorinated biphenyls in the fish and sediment of the lower Fox River, Wisconsin. *Bulletin of Environmental Contamination and Toxicology*, 30: 58-64.

Swackhamer, D.L. and D.E. Armstrong. 1987. Distribution and characterization of PCBs in Lake Michigan water. *Journal of Great Lakes Research*, 13: 24-36.

Thomann, R.V. and J.P. Connolly. 1984. Model of PCB in the Lake Michigan lake trout food chain. *Environmental Science and Technology*, 18: 65-71.

Tillitt, D.E., G.T. Ankley, J.P. Giesy, J.P. Ludwig, H. Kurita-Matsuba, L. Sileo, K.L. Stromborg, J. Larson, and T. Kubiak. 1992. Polychlorinated biphenyl residues and egg mortality in double-crested cormorants from the Great Lakes. *Environmental Toxicology and Chemistry*, 11: 1281-1286.

U.S. EPA. 1983. Interim Guidelines and Specifications for Preparing Quality Assurance Project Plans. EPA-600/4-83-004.

U.S. EPA. 1992. Green Bay/Fox River Mass Balance Study Preliminary Management Summary. 24 pp. IL-IN-SG-R-93-1.

U.S. EPA. 1993a. Addendum to the Green Bay/Fox River Mass Balance Study Preliminary Management Summary. Prepared for the Green Bay Workshop. Green Bay, WI, May 25, 16 pp.

U.S. EPA. 1993b. Contract Laboratory National Functional Guidelines for Organic Review. EPA-540/R-94-012, February.

U.S. FWS. 1993. Reconnaissance Surveys of Contaminants Potentially Affecting Green Bay and Gravel Island National Wildlife Refuges. U.S. Fish and Wildlife Service. Green Bay Ecological Services Field Office.

Vena, J.E. 1992. Risk Perception, Reproductive Health Risk and Consumption of Contaminated Fish in a Cohort of New York State Anglers. Research Program in Occupational and Environmental Health, State University of New York at Buffalo, February 14. 67 pp.

Walker, M.K. and R.E. Peterson. 1991. Potencies of polychlorinated dibenzo-p-dioxin, dibenzofuran, and biphenyl congeners, relative to 2,3,7,8-tetrachlorodibenzo-p-dioxin, for producing early life stage mortality in rainbow trout. Aquatic Toxicology, 21: 219-238.

WDNR. 1974. Wisconsin's Lake Michigan Commercial Fisheries 1940-1973. Bureau of Fish and Wildlife Management Fish Management Section Report, no. 75, December.

WDNR. 1976. Wisconsin's Great Lakes Commercial Fisheries for 1974. Bureau of Fish and Wildlife Management, Division of Forestry, Wildlife, and Recreation. Fish Management Section Report, no. 86, March. 17 pp.

WDNR. 1987. Wisconsin Waterfowl Consumption Advisory. Wisconsin Department of Natural Resources.

WDNR. 1993. Development of Sediment Quality Objective Concentrations for PCBs in Deposit A, Little Lake Butte des Morts. Prepared by the Wisconsin Department of Natural Resources Sediment Management and Remedial Techniques Team, February.

WDNR. 1976 to 1994. Health Guide for People Who Eat Sport Fish from Wisconsin Waters. Prepared Annually by Wisconsin Department of Natural Resources, Wisconsin Division of Health. PUBL-IE-019.

WDNR. 1995a. A Deterministic PCB Transport Model for the Lower Fox River between Lake Winnebago and DePere. Prepared by J. Steuer, S. Jaeger, and D. Patterson for the Wisconsin Department of Natural Resources, Publication WR 389-95.

WDNR. 1995b. PCBs in Surface Water and Effluents from the Lower Fox River and Green Bay 1973-1983. Raw data from surface water files in paper format, provided by D. Patterson, WDNR — Madison.

WDNR. 1995c. Lower Fox River System Sediment Characterization: Sediment Quality Triad Assessment and Application of Sediment Quality Guidelines. Prepared by the Wisconsin

Department of Natural Resources Sediment Management and Remedial Techniques Team. Public Review Draft, April.

WDNR. 1995d. PCB in Fish from the Lower Fox River/Green Bay 1976-1994. Raw data from the fish/sediments contaminant system in paper and electronic formats.

WDNR. 1996. Tissue Residue Data for Mink. Data Collected in 1994, Reported January 12, 1995 by the State Laboratory of Hygiene.

WDNR Division of Health. 1994. Health Guide for People Who Eat Sport Fish from Wisconsin Waters. Prepared Annually by Wisconsin Department of Natural Resources, Wisconsin Division of Health. PUBL-IE-019.

WDNR Division of Health. 1990-1995. Health Guide for People Who Eat Sport Fish from Wisconsin Waters. Prepared Annually by Wisconsin Department of Natural Resources, Wisconsin Division of Health. PUBL-IE-019.

West, P.C., M.J. Fly, R. Marans, F. Larkin, and D. Rosenblatt. 1993. 1991-92 Michigan Sport Anglers Fish Consumption Study. Final Report prepared by University of Michigan, School of Natural Resources, Technical Report #6 and Submitted to the Michigan Great Lakes Protection Fund, Michigan Department of Natural Resources. May.

White, D.H. and E. Cromartie. 1977. Residues of environmental pollutants and shell thinning in merganser eggs. *The Wilson Bulletin*, 89: 532-542.

Wiemeyer, S.N, T.G. Lamont, C.M. Bunck, C.R. Sindelar, F.J. Gramlich, J.D. Fraser, and M.A. Byrd. 1984. Organochlorine pesticide, polychlorobiphenyl, and mercury residues in bald eagle eggs — 1969-1979 — and their relationships to shell thinning and reproduction. *Archives of Environmental Contamination and Toxicology*, 13: 529-549.

Willford, W.A., R.A. Bergstedt, W.H. Berlin, N.R. Foster, R.J. Hesselberg, M.J. Mac, D.R.M. Passino, R.E. Reinert, and D.V. Rottiers. 1981. Introduction and Summary. In U.S. FWS, eds., Chlorinated Hydrocarbons as a Factor in the Reproduction and Survival of Lake Trout (Salvelinus namaycush) in Lake Michigan. Technical Paper No. 105. Washington, DC: U.S. Government Printing Office, pp. 1-7.

Williams, L.L., J.P. Giesy, D.A. Verbrugge, S. Jurzysta, and K. Stromborg. 1995. Polychlorinated biphenyls and 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in eggs of double-crested cormorants from a colony near Green Bay, Wisconsin, USA. Archives of Environmental Contamination and Toxicology, 29: 327-333.

Yamashita, N., S. Tanabe, J.P. Ludwig, H. Kurita, M.E. Ludwig, and R. Tatsukawa. 1993. Embryonic abnormalities and organochlorine contamination in double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from the upper Great Lakes in 1938. *Environmental Pollution*, 79: 163-173.