

T A B L E S



Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 civilian population: United States, 1941–2004

Year*	Syphilis												Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Neurosyphilis		Congenital							
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate§	Cases	Rate	Cases	Rate	Cases	Rate
1941	485,560	368.2	68,231	51.7	109,018	82.6	202,984	153.9	NR	.	17,600	13.4	NR	.	193,468	146.7	3,384	2.5
1942	479,601	363.4	75,312	57.0	116,245	88.0	202,064	153.1	NR	.	16,918	12.8	NR	.	212,403	160.9	5,477	4.1
1943	575,593	447.0	82,204	63.8	149,390	116.0	251,958	195.7	NR	.	16,164	12.6	NR	.	275,070	213.6	8,354	6.4
1944	467,755	367.9	78,443	61.6	123,038	96.7	202,848	159.6	NR	.	13,578	10.7	NR	.	300,676	236.5	7,878	6.1
1945	359,114	282.3	77,007	60.5	101,719	79.9	142,187	111.8	NR	.	12,339	9.7	NR	.	287,181	225.8	5,515	4.3
1946	363,647	271.7	94,957	70.9	107,924	80.6	125,248	93.6	NR	.	12,106	9.0	NR	.	368,020	275.0	7,091	5.2
1947	355,592	252.3	93,545	66.4	104,124	73.9	122,089	86.6	NR	.	12,200	8.7	NR	.	380,666	270.0	9,515	6.7
1948	314,313	218.2	68,174	47.3	90,598	62.9	123,312	85.6	NR	.	13,931	9.7	NR	.	345,501	239.8	7,661	5.3
1949	256,463	175.3	41,942	28.7	75,045	51.3	116,397	79.5	NR	.	13,952	9.5	NR	.	317,950	217.3	6,707	4.6
1950	217,558	146.0	23,939	16.7	59,256	39.7	113,569	70.2	NR	.	13,377	9.0	NR	.	286,746	192.5	4,977	3.3
1951	174,924	116.1	14,485	9.6	43,316	28.7	98,311	65.2	NR	.	11,094	7.4	NR	.	254,470	168.9	4,233	2.8
1952	167,762	110.2	10,449	6.9	36,454	24.0	105,238	69.1	NR	.	8,553	5.6	NR	.	244,957	160.8	3,738	2.5
1953	148,573	95.9	8,637	5.6	28,295	18.3	98,870	63.8	NR	.	7,675	5.0	NR	.	238,340	153.9	3,338	2.2
1954	130,687	82.9	7,147	4.5	23,861	15.1	89,123	56.5	NR	.	6,676	4.2	NR	.	242,050	153.5	3,003	1.9
1955	122,392	76.2	6,454	4.0	20,054	12.5	86,526	53.8	NR	.	5,354	3.3	NR	.	236,197	147.0	2,649	1.7
1956	130,201	78.7	6,392	3.9	19,783	12.0	95,097	57.5	NR	.	5,491	3.3	NR	.	224,346	135.7	2,135	1.3
1957	123,758	73.5	6,576	3.9	17,796	10.6	91,309	54.2	NR	.	5,288	3.1	NR	.	214,496	127.4	1,637	1.0
1958	113,884	66.4	7,176	4.2	16,556	9.7	83,027	48.4	NR	.	4,866	2.8	NR	.	232,386	135.6	1,595	0.9
1959	120,824	69.2	9,799	5.6	17,025	9.8	86,740	49.7	NR	.	5,130	2.9	NR	.	240,254	137.6	1,537	0.9
1960	122,538	68.8	16,145	9.1	18,017	10.1	81,798	45.9	NR	.	4,416	2.5	NR	.	258,933	145.4	1,680	0.9
1961	124,658	68.8	19,851	11.0	19,486	10.8	79,304	43.8	NR	.	4,163	2.3	NR	.	264,158	145.8	1,438	0.8
1962	126,245	68.7	21,067	11.5	19,585	10.7	79,533	43.3	NR	.	4,070	2.2	NR	.	263,714	143.6	1,344	0.7
1963	124,137	66.6	22,251	11.9	18,235	9.8	78,076	41.9	NR	.	4,031	2.2	NR	.	278,289	149.2	1,220	0.7
1964	114,325	60.4	22,969	12.1	17,781	9.4	68,629	36.3	NR	.	3,516	1.9	NR	.	300,666	159.0	1,247	0.7
1965	112,842	58.9	23,338	12.2	17,458	9.1	67,317	35.1	NR	.	3,564	1.9	NR	.	324,925	169.6	982	0.5
1966	105,159	54.4	21,414	11.1	15,950	8.2	63,541	32.9	NR	.	3,170	1.6	NR	.	351,738	181.9	838	0.4
1967	102,581	52.5	21,053	10.8	15,554	8.0	61,975	31.7	NR	.	2,894	1.5	NR	.	404,836	207.3	784	0.4
1968	96,271	48.8	19,019	9.6	15,150	7.7	58,564	29.7	NR	.	2,381	1.2	NR	.	464,543	235.7	845	0.4
1969	92,162	46.3	19,130	9.6	15,402	7.7	54,587	27.4	NR	.	2,074	1.0	NR	.	534,872	268.6	1,104	0.6
1970	91,382	45.3	21,982	10.9	16,311	8.1	50,348	24.9	NR	.	1,953	1.0	NR	.	600,072	297.2	1,416	0.7
1971	95,997	46.9	23,783	11.6	19,417	9.5	49,993	24.4	NR	.	2,052	1.0	NR	.	670,268	327.2	1,320	0.6
1972	91,149	43.9	24,429	11.8	20,784	10.0	43,456	20.9	NR	.	1,758	0.8	NR	.	767,215	369.7	1,414	0.7
1973	87,469	41.7	24,825	11.8	23,584	11.3	37,054	17.7	NR	.	1,527	0.7	NR	.	842,621	402.0	1,165	0.6
1974	83,771	39.6	25,385	12.0	25,124	11.9	31,854	15.1	NR	.	1,138	0.5	NR	.	906,121	428.2	945	0.4
1975	80,356	37.6	25,561	12.0	26,569	12.4	27,096	12.7	NR	.	916	0.4	NR	.	999,937	467.7	700	0.3
1976	71,761	33.2	23,731	11.0	25,363	11.7	21,905	10.1	NR	.	626	0.3	NR	.	1,001,994	464.1	628	0.3
1977	64,621	29.6	20,399	9.4	21,329	9.8	22,313	10.2	NR	.	463	0.2	NR	.	1,002,219	459.5	455	0.2
1978	64,875	29.4	21,656	9.8	19,628	8.9	23,038	10.4	NR	.	434	0.2	NR	.	1,013,436	459.7	521	0.2
1979	67,049	30.1	24,874	11.2	20,459	9.2	21,301	9.6	NR	.	332	0.1	NR	.	1,004,058	450.3	840	0.4
1980	68,832	30.5	27,204	12.1	20,297	9.0	20,979	9.3	NR	.	277	0.1	NR	.	1,004,029	445.1	788	0.3
1981	72,799	32.0	31,266	13.7	21,033	9.2	20,168	8.9	NR	.	287	0.1	NR	.	990,864	435.2	850	0.4
1982	75,579	32.9	33,613	14.6	21,894	9.5	19,799	8.6	NR	.	259	0.1	NR	.	960,633	417.9	1,392	0.6
1983	74,637	32.1	32,698	14.1	23,738	10.2	17,896	7.7	NR	.	239	0.1	NR	.	900,435	387.6	847	0.4
1984	69,872	29.6	28,607	12.1	23,131	9.8	17,829	7.6	NR	.	305	0.1	7,594	6.5	878,556	372.5	665	0.3
1985	67,563	28.4	27,131	11.4	21,689	9.1	18,414	7.7	NR	.	329	0.1	25,848	17.4	911,419	383.0	2,067	0.9

Table 1. Cases of sexually transmitted diseases reported by state health departments and rates per 100,000 civilian population: United States, 1941–2004 (continued)

Year*	Syphilis												Chlamydia		Gonorrhea		Chancroid	
	All Stages		Primary and Secondary		Early Latent		Late and Late Latent†		Neurosyphilis		Congenital							
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate§	Cases	Rate	Cases	Rate	Cases	Rate
1986	67,779	28.2	27,667	11.5	21,656	9.0	18,046	7.5	NR	.	410	0.2	58,001	35.2	892,229	371.5	3,045	1.3
1987	87,286	36.0	35,585	14.7	28,233	11.7	22,988	9.5	NR	.	480	0.2	91,913	50.8	787,532	325.0	4,986	2.1
1988	104,546	42.8	40,474	16.6	35,968	14.7	27,363	11.2	NR	.	741	0.3	157,854	87.1	738,160	301.9	4,891	2.0
1989	115,089	46.6	45,826	18.6	45,394	18.4	22,032	8.9	NR	.	1,837	0.7	200,904	102.5	733,294	297.1	4,697	1.9
1990	135,590	54.3	50,578	20.3	55,397	22.2	25,750	10.3	NR	.	3,865	1.5	323,663	160.2	690,042	276.4	4,212	1.7
1991	128,719	50.9	42,950	17.0	53,855	21.3	27,490	10.9	NR	.	4,424	1.7	381,228	179.7	621,918	245.8	3,476	1.4
1992	114,730	44.7	34,009	13.3	49,929	19.5	26,725	10.4	NR	.	4,067	1.6	409,694	182.3	502,858	196.0	1,906	0.7
1993	102,612	39.5	26,527	10.2	41,919	16.1	30,746	11.8	NR	.	3,420	1.3	405,332	178.0	444,649	171.1	1,292	0.5
1994	82,713	31.4	20,641	7.8	32,017	12.2	27,603	10.5	NR	.	2,452	0.9	451,785	192.5	419,602	163.9	782	0.3
1995	69,357	26.0	16,543	6.2	26,657	10.0	24,296	9.1	NR	.	1,861	0.7	478,577	187.8	392,651	147.5	607	0.2
1996	53,238	19.8	11,405	4.2	20,187	7.5	20,366	7.6	NR	.	1,280	0.5	492,631	190.6	328,169	121.8	386	0.1
1997	46,714	17.1	8,556	3.1	16,631	6.1	20,447	7.5	193	0.1	1,080	0.4	537,904	205.5	327,665	120.2	246	0.1
1998	38,288	13.9	7,007	2.5	12,696	4.6	17,743	6.4	279	0.1	842	0.3	614,250	231.8	356,492	129.2	189	0.1
1999	35,380	12.7	6,617	2.4	11,534	4.1	16,653	6.0	341	0.1	576	0.2	662,647	247.2	360,813	129.3	110	0.0
2000	31,618	11.2	5,979	2.1	9,465	3.4	15,594	5.5	334	0.1	580	0.2	709,452	251.4	363,136	128.7	78	0.0
2001	32,281	11.3	6,103	2.1	8,701	3.0	16,976	5.9	324	0.1	501	0.2	783,242	274.5	361,705	126.8	38	0.0
2002	32,916	11.4	6,862	2.4	8,429	2.9	17,168	6.0	387	0.1	457	0.2	834,555	289.4	351,852	122.0	48	0.0
2003	34,289	11.8	7,177	2.5	8,361	2.9	18,319	6.3	541	0.2	432	0.1	877,478	301.7	335,104	115.2	54	0.0
2004	33,401	11.5	7,980	2.7	7,768	2.7	17,300	5.9	833	0.3	353	0.1	929,462	319.6	330,132	113.5	30	0.0

*For 1941-1946, data were reported for the federal fiscal year ending June 30 of the year indicated. From 1947 to the present, data were reported for the calendar year ending December 31. For 1941-1958, data for Alaska and Hawaii were not included.

†Late and late latent syphilis includes cases of unknown duration, late syphilis with clinical manifestations, and neurosyphilis.

§For 1941-1994, rates include all cases of congenitally acquired syphilis per 100,000 population. As of 1995, rates of congenital syphilis < 1 year of age per 100,000 population are reported. **For rates of congenital syphilis < 1 year of age per 100,000 live births see Tables 39-44.** As of 1995, cases of congenital syphilis < 1 year of age are obtained in hardcopy and electronic format based on case reporting form CDC 73.126.

Note: Adjustments to the number of cases reported from state health departments were made for hardcopy forms and for electronic data submissions through April 29, 2005 (see Appendix). The number of cases and the rates shown here supersede those published in previous reports. Cases and rates shown in this table exclude the outlying areas of Guam, Puerto Rico and Virgin Islands.

NR = No report.

Table 2. Chlamydia — Reported cases and rates by state, ranked by rates: United States, 2004

<i>Rank</i> [*]	<i>State</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Mississippi	18,863	654.7
2	Alaska	3,954	609.4
3	Louisiana	21,837	485.7
4	New Mexico	9,035	482.0
5	South Carolina	18,423	444.2
6	Hawaii	5,307	422.0
7	Michigan	41,246	409.2
8	Georgia	34,280	394.7
9	Tennessee	22,515	385.4
10	Missouri	21,319	373.7
11	Illinois	47,185	372.9
12	Maryland	19,952	362.2
13	Delaware	2,954	361.3
14	Wisconsin	19,217	351.2
15	North Carolina	28,967	344.5
16	California	122,197	344.4
17	Ohio	39,379	344.3
18	South Dakota	2,532	331.3
19	Rhode Island	3,442	319.8
	U.S. TOTAL[†]	929,462	319.6
20	Texas	70,232	317.5
21	Colorado	14,151	311.0
22	New York	59,097	308.0
23	Pennsylvania	38,025	307.5
24	Nebraska	5,238	301.2
25	Arizona	16,786	300.8
26	Nevada	6,690	298.5
27	Indiana	18,440	297.6
28	Alabama	13,314	295.8
29	Oklahoma	10,366	295.2
30	Virginia	21,635	292.9
31	Arkansas	7,864	288.5
32	Washington	17,635	287.6
33	North Dakota	1,810	285.6
34	Montana	2,608	284.2
35	Kansas	7,493	275.1
36	Connecticut	9,552	274.2
37	Florida	42,554	250.0
38	Oregon	8,690	244.1
39	Iowa	6,956	236.3
40	Minnesota	11,602	229.3
41	Wyoming	1,082	215.9
42	Massachusetts	13,242	205.8
43	Idaho	2,784	203.8
44	New Jersey	17,448	202.0
45	Vermont	1,137	183.6
46	Utah	3,857	164.0
47	Maine	2,113	161.8
48	Kentucky	6,470	157.1
49	West Virginia	2,758	152.3
50	New Hampshire	1,736	134.8

* States were ranked in descending order by rate, number of cases, and alphabetically by state.

† Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 748 cases and rate of 457.2, Puerto Rico with 3,588 cases and rate of 92.5, and Virgin Islands with 303 cases and rate of 278.5).

Table 3. Chlamydia — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	15,323	14,524	15,611	14,209	13,314	344.2	325.0	348.0	315.7	295.8
Alaska	2,569	2,744	3,806	3,900	3,954	409.3	433.1	591.2	601.1	609.4
Arizona	12,591	14,346	14,973	12,819	16,786	243.7	270.3	274.4	229.7	300.8
Arkansas	6,219	7,280	7,312	7,856	7,864	232.2	270.2	269.8	288.2	288.5
California	95,392	101,944	110,288	117,428	122,197	280.5	294.6	314.1	330.9	344.4
Colorado*	12,000	13,239	14,028	13,039	14,151	277.3	298.8	311.3	286.5	311.0
Connecticut	7,604	7,718	9,808	9,393	9,552	222.9	224.7	283.4	269.7	274.2
Delaware	2,856	2,793	2,649	3,035	2,954	363.1	350.6	328.1	371.3	361.3
Florida	33,390	37,625	42,058	42,382	42,554	208.0	229.8	251.6	249.0	250.0
Georgia	29,359	33,840	33,998	35,686	34,280	356.5	402.6	397.2	410.9	394.7
Hawaii	3,547	4,031	4,521	5,480	5,307	292.5	328.5	363.2	435.7	422.0
Idaho	1,907	2,023	2,503	2,366	2,784	146.7	153.2	186.6	173.2	203.8
Illinois	40,350	43,716	48,101	48,294	47,185	324.3	349.2	381.7	381.7	372.9
Indiana	14,063	15,258	17,100	17,075	18,440	230.8	249.0	277.6	275.6	297.6
Iowa	5,987	5,699	6,195	6,491	6,956	204.4	194.4	210.9	220.5	236.3
Kansas	6,056	6,050	6,784	7,249	7,493	224.9	223.9	249.8	266.2	275.1
Kentucky	8,063	8,881	8,756	7,981	6,470	199.1	218.3	213.9	193.8	157.1
Louisiana	17,846	17,840	18,442	20,970	21,837	399.3	399.1	411.4	466.4	485.7
Maine	1,474	1,338	1,805	2,030	2,113	115.4	104.2	139.4	155.5	161.8
Maryland	14,533	15,640	16,891	16,831	19,952	273.6	290.4	309.5	305.5	362.2
Massachusetts	10,967	10,402	10,914	11,301	13,242	172.4	162.5	169.8	175.7	205.8
Michigan	26,237	31,090	32,272	32,572	41,246	263.5	310.7	321.1	323.1	409.2
Minnesota	8,102	8,323	10,107	10,714	11,602	164.2	167.0	201.3	211.8	229.3
Mississippi	12,697	11,793	11,800	12,193	18,863	445.7	412.4	410.9	423.2	654.7
Missouri	13,448	13,949	16,181	18,570	21,319	239.9	247.4	285.2	325.5	373.7
Montana	1,469	1,919	2,475	2,547	2,608	162.6	212.0	272.1	277.6	284.2
Nebraska	3,791	3,206	4,779	4,739	5,238	221.3	186.4	276.4	272.5	301.2
Nevada	4,019	4,831	5,936	5,830	6,690	199.1	230.3	273.1	260.1	298.5
New Hampshire	1,130	1,383	1,557	1,616	1,736	91.1	109.8	122.1	125.5	134.8
New Jersey	10,814	16,312	14,164	16,169	17,448	128.2	191.7	164.9	187.2	202.0
New Mexico	5,204	6,254	7,417	7,480	9,035	285.7	341.6	399.8	399.0	482.0
New York†	31,494	46,393	51,123	57,222	59,097	165.8	243.1	266.9	298.2	308.0
North Carolina	21,985	22,101	24,726	26,187	28,967	272.0	269.3	297.2	311.5	344.5
North Dakota	909	1,062	1,256	1,655	1,810	141.8	166.8	198.1	261.1	285.6
Ohio	31,190	37,653	38,032	42,522	39,379	274.5	330.6	333.0	371.8	344.3
Oklahoma	9,331	10,478	10,804	11,013	10,366	270.1	302.0	309.2	313.6	295.2
Oregon	7,107	7,454	7,009	7,688	8,690	207.1	214.6	199.0	216.0	244.1
Pennsylvania	26,475	28,371	31,791	37,291	38,025	215.5	230.6	257.7	301.6	307.5
Rhode Island	2,632	2,912	2,832	3,000	3,442	250.5	274.8	264.7	278.8	319.8
South Carolina	9,950	15,329	14,314	14,623	18,423	247.3	377.4	348.5	352.6	444.2
South Dakota	1,834	1,821	2,215	2,608	2,532	242.7	240.1	291.0	341.2	331.3
Tennessee	15,069	15,560	16,042	20,380	22,515	264.2	270.6	276.7	348.9	385.4
Texas	68,814	69,752	69,521	69,200	70,232	328.4	326.4	319.2	312.9	317.5
Utah	2,190	3,004	3,540	3,893	3,857	97.6	131.8	152.8	165.6	164.0
Vermont	526	638	954	1,060	1,137	86.2	104.1	154.7	171.2	183.6
Virginia	15,352	18,337	18,518	19,439	21,635	216.0	254.8	253.9	263.2	292.9
Washington	13,066	13,631	14,934	16,797	17,635	221.0	227.4	246.1	273.9	287.6
West Virginia	2,144	2,346	2,464	2,585	2,758	118.6	130.3	136.7	142.8	152.3
Wisconsin	16,365	16,284	17,000	17,942	19,217	304.5	301.2	312.4	327.9	351.2
Wyoming	807	839	944	960	1,082	163.3	169.9	189.3	191.5	215.9
U.S. TOTAL‡	709,452	783,242	834,555	877,478	929,462	251.4	274.5	289.4	301.7	319.6
Northeast	93,116	115,467	124,948	139,082	145,792	173.5	214.0	230.4	255.7	268.0
Midwest	168,332	184,111	200,022	210,431	222,417	261.0	284.0	307.1	321.7	340.1
South	286,136	307,405	317,211	327,738	346,477	284.5	301.5	306.9	313.5	331.4
West	161,868	176,259	192,374	200,227	214,776	255.0	272.9	293.0	301.2	323.1
Guam	525	431	550	554	748	338.0	272.2	341.5	338.6	457.2
Puerto Rico	2,695	2,748	2,999	2,746	3,588	70.6	71.6	77.7	70.8	92.5
Virgin Islands	131	131	207	416	303	120.6	119.7	188.1	382.3	278.5
OUTLYING AREAS	3,351	3,310	3,756	3,716	4,639	82.1	80.6	90.9	89.5	111.8
TOTAL	712,803	786,552	838,311	881,194	934,101	249.0	271.8	286.6	298.7	316.7

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported in 2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Chlamydia Morbidity Reporting).

‡Includes cases reported by Washington, D.C., and rates exclude population of states that did not report.

Table 4. Chlamydia — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	13,746	13,375	13,988	12,977	11,685	596.9	579.0	603.6	559.0	503.3
Alaska	1,863	1,981	2,576	2,665	2,671	614.6	647.0	829.2	850.0	851.9
Arizona	10,008	11,193	11,665	10,043	12,896	386.8	421.3	427.2	360.1	462.3
Arkansas	5,015	5,949	5,817	6,284	6,252	365.8	431.6	419.8	451.5	449.2
California	72,178	76,261	81,218	85,967	88,439	423.0	439.5	461.5	483.7	497.6
Colorado*	8,748	9,894	10,422	9,843	10,283	407.4	449.8	466.0	436.4	455.9
Connecticut	6,238	6,260	7,738	7,309	7,383	354.7	353.8	434.4	407.8	412.0
Delaware	2,271	2,125	2,034	2,155	2,140	561.2	518.8	490.1	513.9	510.3
Florida	27,562	30,647	33,902	34,581	34,437	335.4	365.9	396.9	398.2	396.5
Georgia	24,067	27,905	27,494	28,992	27,656	575.4	654.1	633.2	659.2	628.8
Hawaii	2,757	3,053	3,445	4,113	4,019	456.8	499.2	554.9	655.9	640.9
Idaho	1,435	1,469	1,862	1,762	2,157	221.4	223.0	278.2	258.5	316.5
Illinois	31,771	33,124	34,154	36,284	35,996	500.4	518.7	531.7	563.1	558.6
Indiana	10,935	11,668	13,151	13,118	14,217	352.4	374.1	419.7	416.6	451.5
Iowa	4,480	4,295	4,680	4,915	5,208	300.3	287.7	313.1	328.5	348.1
Kansas	4,973	4,977	5,653	5,989	6,195	365.2	364.4	412.0	436.1	451.1
Kentucky	6,466	7,081	7,043	6,353	5,027	312.3	340.6	336.8	302.5	239.4
Louisiana	14,099	14,416	14,758	17,046	17,549	611.2	625.3	638.8	736.6	758.4
Maine	1,143	1,040	1,337	1,452	1,532	174.3	157.7	201.3	217.0	229.0
Maryland	12,099	12,863	13,851	13,746	16,108	440.5	462.1	491.3	483.5	566.5
Massachusetts	8,452	7,897	8,177	8,429	9,781	256.4	238.3	245.9	253.7	294.3
Michigan	20,905	24,550	25,129	25,903	32,624	412.0	481.7	491.2	505.1	636.2
Minnesota	5,856	6,010	7,352	7,866	8,521	235.1	238.9	290.3	308.4	334.1
Mississippi	11,005	10,258	10,274	10,536	15,097	746.9	694.4	692.8	709.5	1,016.6
Missouri	11,525	11,854	13,253	14,750	16,306	400.2	409.5	455.3	504.8	558.0
Montana	1,097	1,466	1,840	1,865	1,916	242.0	322.7	403.2	405.4	416.4
Nebraska	3,018	2,521	3,609	3,435	3,812	347.4	289.2	412.1	390.3	433.2
Nevada	3,124	3,586	4,365	4,268	4,857	315.5	348.4	409.3	388.3	441.8
New Hampshire	889	1,042	1,168	1,196	1,265	141.0	162.9	180.4	183.1	193.7
New Jersey	9,486	14,352	12,183	13,813	14,491	218.5	327.8	275.9	311.5	326.8
New Mexico	4,171	4,891	5,918	5,973	6,876	450.4	525.4	627.6	627.3	722.1
New York†	26,928	38,297	41,202	43,907	44,975	273.6	387.8	415.9	442.9	453.7
North Carolina	18,625	18,628	20,384	21,807	23,916	451.8	445.2	480.9	509.9	559.2
North Dakota	663	716	826	1,087	1,206	206.5	224.6	260.1	342.8	380.3
Ohio	25,105	29,521	29,558	33,549	30,377	429.5	504.2	503.7	571.6	517.5
Oklahoma	7,715	8,600	8,764	8,990	8,237	439.2	488.0	494.1	505.0	462.7
Oregon	5,192	5,442	5,033	5,590	6,090	300.2	311.0	283.8	312.1	340.0
Pennsylvania	21,389	22,521	23,546	27,557	27,740	336.7	354.3	369.7	432.1	435.0
Rhode Island	1,969	2,197	2,057	2,232	2,502	360.7	399.3	370.6	400.2	448.6
South Carolina	8,721	13,528	12,468	12,745	15,925	421.4	647.8	590.4	598.8	748.2
South Dakota	1,308	1,311	1,608	1,864	1,824	343.6	343.3	419.7	484.9	474.5
Tennessee	11,648	12,105	12,625	14,669	16,237	398.1	410.7	424.9	490.7	543.2
Texas	56,817	57,611	57,438	57,549	57,470	538.6	535.8	524.4	518.0	517.3
Utah	1,610	2,119	2,494	2,787	2,720	143.9	186.5	216.0	238.0	232.3
Vermont	432	523	746	828	861	138.9	167.3	237.3	262.8	273.3
Virginia	12,976	15,177	15,102	15,535	16,578	358.5	414.0	406.8	413.8	441.5
Washington	9,583	10,159	11,003	12,341	12,835	322.8	337.6	361.2	401.4	417.5
West Virginia	1,790	1,969	2,072	2,102	2,105	192.8	212.9	224.0	226.6	227.0
Wisconsin	12,352	12,045	12,296	12,838	13,913	454.2	440.5	446.9	464.3	503.2
Wyoming	667	679	755	717	820	271.7	276.8	304.7	288.1	329.4
U.S. TOTAL§	569,658	623,958	652,858	685,017	716,675	396.3	429.6	445.0	463.6	485.0
Northeast	76,926	94,129	98,154	106,723	110,530	277.4	337.9	350.8	380.7	394.2
Midwest	132,891	142,592	151,269	161,598	170,199	404.1	431.7	455.9	485.6	511.4
South	237,408	255,044	260,839	268,762	279,367	462.3	490.3	495.0	505.0	524.9
West	122,433	132,193	142,596	147,934	156,579	385.2	408.8	434.0	445.1	471.1
Guam	430	347	463	446	608	566.5	448.1	587.4	556.8	759.0
Puerto Rico	2,226	2,313	2,665	2,378	3,240	112.5	116.1	133.1	118.1	160.9
Virgin Islands	108	116	188	352	232	190.3	199.4	317.5	619.0	408.0
OUTLYING AREAS	2,764	2,776	3,316	3,176	4,080	130.9	130.5	154.9	147.6	189.7
TOTAL	572,422	626,734	656,174	688,193	720,755	392.4	425.3	440.8	459.0	480.7

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported in 2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Chlamydia Morbidity Reporting).

§Includes cases reported by Washington, D.C., and rates exclude population of states that did not report. Cases reported with unknown sex are not included in this table.

Table 5. Chlamydia — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	1,432	1,124	1,579	1,201	1,603	66.6	52.1	72.8	55.1	73.6
Alaska	706	763	1,230	1,235	1,283	217.5	233.0	369.2	368.3	382.7
Arizona	2,583	3,153	3,308	2,772	3,884	100.1	119.0	121.4	99.3	139.1
Arkansas	1,204	1,325	1,486	1,567	1,612	92.1	100.7	112.2	117.5	120.9
California	22,759	24,930	28,400	31,238	33,323	134.3	144.5	162.1	176.4	188.1
Colorado*	3,251	3,328	3,604	3,196	3,855	149.2	149.1	158.8	139.2	168.0
Connecticut	1,366	1,445	2,070	2,084	2,168	82.6	86.8	123.3	123.2	128.2
Delaware	585	668	615	880	814	153.2	172.6	156.7	221.0	204.5
Florida	5,828	6,967	8,156	7,801	8,117	74.4	87.1	99.8	93.6	97.4
Georgia	5,102	5,926	6,363	6,509	6,411	125.9	143.2	150.9	151.8	149.6
Hawaii	777	977	1,076	1,367	1,288	127.6	158.7	172.4	216.8	204.3
Idaho	462	528	641	604	617	70.9	79.8	95.4	88.2	90.1
Illinois	8,578	10,588	13,942	12,009	11,187	140.8	172.6	225.7	193.4	180.2
Indiana	3,093	3,555	3,845	3,803	4,080	103.5	118.2	127.1	124.8	133.9
Iowa	1,505	1,401	1,505	1,561	1,743	104.7	97.3	104.4	107.8	120.4
Kansas	1,083	1,073	1,131	1,260	1,298	81.4	80.3	84.2	93.3	96.1
Kentucky	1,513	1,779	1,706	1,613	1,433	76.5	89.4	85.2	79.9	71.0
Louisiana	3,747	3,424	3,525	3,808	4,016	173.2	158.1	162.3	174.5	184.0
Maine	331	297	468	577	581	53.3	47.5	74.3	90.6	91.3
Maryland	2,379	2,777	3,029	3,068	3,841	92.7	106.7	114.8	115.1	144.1
Massachusetts	2,515	2,502	2,724	2,848	3,449	82.1	81.1	87.8	91.6	110.9
Michigan	5,331	6,540	7,143	6,669	8,622	109.2	133.2	144.8	134.7	174.1
Minnesota	2,246	2,313	2,755	2,848	3,081	91.9	93.7	110.8	113.5	122.8
Mississippi	1,647	1,535	1,526	1,657	3,766	119.7	111.0	109.9	118.7	269.7
Missouri	1,923	2,095	2,928	3,820	5,013	70.6	76.4	106.0	137.3	180.2
Montana	371	449	625	679	685	82.4	99.5	137.9	148.4	149.7
Nebraska	769	680	1,128	1,244	1,391	91.1	80.1	132.2	144.8	161.9
Nevada	893	1,239	1,558	1,552	1,821	86.8	115.9	140.7	135.9	159.5
New Hampshire	241	341	389	420	471	39.5	55.0	62.0	66.2	74.2
New Jersey	1,279	1,948	1,962	2,332	2,945	31.3	47.1	47.0	55.5	70.1
New Mexico	1,001	1,237	1,464	1,485	2,151	111.8	137.4	160.5	161.0	233.2
New York†	4,436	8,042	9,885	13,106	14,031	48.4	87.3	106.8	141.3	151.3
North Carolina	3,359	3,473	4,340	4,379	5,051	84.8	86.4	106.3	106.0	122.3
North Dakota	246	346	429	567	601	76.9	108.9	135.5	179.0	189.7
Ohio	5,819	7,603	7,926	8,215	8,189	105.5	137.4	142.7	147.6	147.1
Oklahoma	1,616	1,878	2,040	2,023	2,129	95.2	110.0	118.6	116.8	123.0
Oregon	1,915	2,012	1,976	2,098	2,600	112.5	116.7	113.1	118.6	147.0
Pennsylvania	5,086	5,850	8,244	9,682	10,282	85.7	98.4	138.2	161.7	171.7
Rhode Island	663	715	775	768	936	131.3	140.3	150.6	148.1	180.6
South Carolina	1,127	1,731	1,800	1,813	2,456	57.7	87.7	90.2	89.8	121.7
South Dakota	523	510	606	742	708	139.4	135.5	160.3	195.3	186.4
Tennessee	3,421	3,455	3,417	5,711	6,278	123.2	123.3	120.9	200.2	220.1
Texas	11,829	12,033	11,964	11,594	12,619	113.7	113.3	110.5	105.3	114.6
Utah	580	882	1,044	1,103	1,137	51.6	77.2	89.9	93.4	96.3
Vermont	94	115	208	232	276	31.5	38.3	68.8	76.3	90.8
Virginia	2,359	3,107	3,416	3,868	5,024	67.7	88.0	95.4	106.5	138.3
Washington	3,483	3,472	3,931	4,456	4,800	118.3	116.3	130.0	145.8	157.0
West Virginia	350	371	386	472	649	39.8	42.3	44.0	53.5	73.5
Wisconsin	4,006	4,191	4,669	5,015	5,290	150.9	156.9	173.6	185.2	195.4
Wyoming	140	160	189	243	262	56.3	64.4	75.3	96.3	103.8
U.S. TOTAL§	137,957	157,304	179,585	190,244	210,396	99.6	112.3	126.8	133.0	147.1
Northeast	16,011	21,255	26,725	32,049	35,139	61.7	81.5	101.8	121.6	133.3
Midwest	35,122	40,895	48,007	47,753	51,203	111.1	128.7	150.2	148.6	159.4
South	47,903	52,024	55,807	58,414	66,348	97.3	104.2	110.2	113.8	129.3
West	38,921	43,130	49,046	52,028	57,706	122.8	133.7	149.5	156.6	173.7
Guam	95	84	87	108	140	119.6	103.8	105.8	129.4	167.7
Puerto Rico	469	435	334	368	348	25.5	23.5	18.0	19.7	18.7
Virgin Islands	23	15	19	64	71	44.3	29.3	37.4	123.2	136.7
OUTLYING AREAS	587	534	440	540	559	29.8	27.0	22.1	27.0	27.9
TOTAL	138,544	157,838	180,025	190,784	210,955	98.7	111.1	125.3	131.5	145.4

*The number of chlamydia cases occurring in the fourth quarter of 2000 for the State of Colorado was projected based on case counts from the first three quarters.

†New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. The number of chlamydia cases reported in 2000 by the state of New York may be incomplete and the rate for New York State is underestimated. See Appendix (Chlamydia Morbidity Reporting).

§Includes cases reported by Washington, D.C., and rates exclude population of states that did not report. Cases reported with unknown sex are not included in this table.

Table 6. Chlamydia — Reported cases and rates in selected cities ranked by rates: United States, 2004

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Detroit, MI	12,718	1,358.3
2	St Louis, MO	4,130	1,243.1
3	Richmond, VA	2,326	1,194.5
4	Rochester, NY	2,862	1,156.2
5	Philadelphia, PA	16,723	1,130.4
6	Kansas City, MO	5,033	1,105.6
7	Baltimore, MD	6,651	1,057.9
8	Buffalo, NY	3,152	987.8
9	Milwaukee, WI	9,131	978.4
10	New Orleans, LA	4,347	926.8
11	Memphis, TN	7,535	831.5
12	Newark, NJ	2,331	772.4
13	Albuquerque, NM	4,406	757.8
14	Indianapolis, IN	6,124	709.4
15	Chicago, IL	21,603	703.3
16	Denver, CO	3,840	688.8
17	Minneapolis, MN	2,630	682.0
18	Boston, MA	4,018	680.8
19	Norfolk, VA	1,629	673.9
20	Atlanta, GA	5,388	658.4
21	Washington, DC	3,493	618.9
22	Omaha, NE	2,785	584.2
23	Toledo, OH	2,606	573.7
24	Oklahoma City, OK	2,430	558.1
25	Cincinnati, OH	4,574	555.5
26	San Antonio, TX	6,695	550.8
27	Jacksonville, FL	4,396	537.8
28	Birmingham, AL	3,404	517.2
29	Fort Worth, TX	2,965	512.6
30	Houston, TX	10,196	501.8
31	Portland, OR	2,623	490.5
32	Dallas, TX	5,852	483.4
33	Honolulu, HI	4,347	481.6
34	San Francisco, CA	3,618	481.3
35	Austin, TX	3,244	479.0
36	Sacramento, CA	6,227	467.9
37	Nashville, TN	2,664	467.5
38	Corpus Christi, TX	1,297	464.9
39	Tulsa, OK	1,766	442.4
40	Jersey City, NJ	1,041	433.9
41	New York City, NY	34,378	425.2
42	Los Angeles, CA	38,441	416.0
43	Charlotte, NC	3,053	405.8
44	El Paso, TX	2,234	382.5
45	Wichita, KS	1,765	381.3
46	Cleveland, OH	5,151	377.7
47	San Diego, CA	10,876	371.1
48	Columbus, OH	3,883	356.6
49	Dayton, OH	1,950	353.1
50	Des Moines, IA	1,340	344.8
51	Oakland, CA	4,938	338.0
52	Pittsburgh, PA	4,253	337.2
53	San Jose, CA	5,545	330.4
54	Phoenix, AZ	10,599	312.7
55	Seattle, WA	5,334	302.8
56	Tampa, FL	2,964	276.1
57	Yonkers, NY	531	262.7
58	St Petersburg, FL	2,425	261.8
59	Louisville, KY	1,758	251.5
60	Tucson, AZ	2,209	247.4
61	Akron, OH	1,247	228.1
62	Miami, FL	4,933	210.7
63	St Paul, MN	556	197.1

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state. City-specific STD incidence rates should be considered estimates since population data may be estimated from county census data, approximating city jurisdictions for many areas. See Appendix (Reporting of City-specific Surveillance Data).

†Excludes cities in outlying areas (San Juan, PR, with 1,133 cases and rate of 110.3).

Table 7. Chlamydia — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	990	1,162	1,249	1,316	1,247	182.1	213.2	228.6	240.7	228.1
Albuquerque, NM	2,368	3,139	3,531	3,390	4,406	424.7	557.8	615.5	583.0	757.8
Atlanta, GA	5,558	6,426	5,560	5,999	5,388	679.8	778.7	673.6	733.1	658.4
Austin, TX	3,113	3,317	3,678	3,393	3,244	491.7	507.9	547.2	501.0	479.0
Baltimore, MD	5,433	5,405	6,267	6,413	6,651	837.4	837.6	981.3	1,020.1	1,057.9
Birmingham, AL	3,601	2,957	3,650	2,698	3,404	543.9	447.0	552.1	409.9	517.2
Boston, MA	3,229	2,935	3,320	3,751	4,018	539.7	488.6	555.0	635.6	680.8
Buffalo, NY*	722	2,379	2,217	2,318	3,152	224.3	741.3	692.0	726.4	987.8
Charlotte, NC	1,873	1,936	2,778	3,046	3,053	267.4	268.6	376.4	404.9	405.8
Chicago, IL	19,792	22,420	24,673	23,466	21,603	641.1	725.6	799.3	763.9	703.3
Cincinnati, OH	4,715	4,594	4,566	4,471	4,574	558.6	546.8	547.7	542.9	555.5
Cleveland, OH	3,961	4,811	4,924	5,447	5,151	284.5	347.2	357.1	399.4	377.7
Columbus, OH	4,298	4,850	4,581	4,155	3,883	401.0	448.5	421.5	381.6	356.6
Corpus Christi, TX	1,525	1,458	1,433	1,241	1,297	549.8	526.7	514.5	444.9	464.9
Dallas, TX	9,976	10,249	9,561	6,892	5,852	835.8	843.8	789.8	569.3	483.4
Dayton, OH	1,176	2,066	1,723	1,939	1,950	210.6	371.6	310.7	351.1	353.1
Denver, CO	3,164	4,186	4,546	3,743	3,840	568.5	743.2	811.2	671.4	688.8
Des Moines, IA	1,075	1,122	1,322	1,456	1,340	286.0	294.8	342.8	374.7	344.8
Detroit, MI	9,989	11,552	11,374	10,405	12,718	1,050.9	1,219.2	1,204.8	1,111.3	1,358.3
El Paso, TX	2,225	2,356	2,287	2,145	2,234	393.6	412.2	396.0	367.2	382.5
Fort Worth, TX	4,214	4,142	4,005	3,067	2,965	782.8	750.8	706.8	530.2	512.6
Honolulu, HI	2,932	3,473	3,801	4,558	4,347	334.7	392.8	424.2	504.9	481.6
Houston, TX	12,213	11,289	11,768	9,119	10,196	651.1	590.2	585.5	448.8	501.8
Indianapolis, IN	5,506	6,611	6,593	6,565	6,124	639.8	765.4	763.6	760.5	709.4
Jacksonville, FL	3,501	3,551	3,926	4,566	4,396	449.0	448.0	487.0	558.5	537.8
Jersey City, NJ	624	893	678	923	1,041	259.2	368.2	280.7	384.7	433.9
Kansas City, MO	3,128	2,747	3,348	4,351	5,033	691.4	605.0	734.3	955.8	1,105.6
Los Angeles, CA	31,074	32,706	35,544	37,363	38,441	347.7	361.1	387.2	404.4	416.0
Louisville, KY	1,656	1,952	2,176	2,084	1,758	238.6	280.5	311.7	298.1	251.5
Memphis, TN	4,967	5,418	5,548	6,468	7,535	552.9	601.8	612.6	713.8	831.5
Miami, FL	3,032	3,800	4,711	4,431	4,933	134.1	165.5	202.0	189.3	210.7
Milwaukee, WI	9,018	8,224	8,553	8,416	9,131	959.7	876.3	912.7	901.8	978.4
Minneapolis, MN	2,652	2,614	2,868	2,847	2,630	689.6	675.9	742.9	738.3	682.0
Nashville, TN	2,403	2,086	2,157	2,653	2,664	421.5	365.2	377.9	465.6	467.5
New Orleans, LA	3,817	3,871	4,340	4,675	4,347	789.2	809.1	916.2	996.7	926.8
New York City, NY	26,170	29,649	33,063	35,369	34,378	326.4	367.8	409.0	437.4	425.2
Newark, NJ	1,567	2,408	2,092	2,211	2,331	521.6	798.6	691.4	732.6	772.4
Norfolk, VA	1,093	1,475	1,350	1,263	1,629	466.2	626.5	564.8	522.5	673.9
Oakland, CA	4,975	4,682	4,623	4,880	4,938	342.9	317.4	314.0	334.0	338.0
Oklahoma City, OK	2,060	2,444	2,622	2,509	2,430	483.4	570.2	605.4	576.3	558.1
Omaha, NE	1,935	1,719	2,312	2,475	2,785	416.5	367.0	489.1	519.2	584.2
Philadelphia, PA	13,584	13,628	14,458	17,747	16,723	897.2	907.5	968.9	1,199.7	1,130.4
Phoenix, AZ	7,987	8,953	9,697	7,766	10,599	257.9	279.6	293.5	229.1	312.7
Pittsburgh, PA	2,885	3,444	4,145	4,175	4,253	225.4	270.3	326.4	331.0	337.2
Portland, OR	2,306	2,355	2,272	2,363	2,623	441.8	445.6	425.0	441.9	490.5
Richmond, VA	2,230	2,082	2,108	2,054	2,326	1,129.2	1,052.8	1,067.6	1,054.8	1,194.5
Rochester, NY*	115	1,064	1,625	3,026	2,862	46.5	430.1	655.0	1,222.4	1,156.2
Sacramento, CA	4,599	4,442	4,749	5,326	6,227	373.7	350.3	363.9	400.2	467.9
San Antonio, TX	5,871	5,749	5,777	6,193	6,695	510.9	492.8	483.6	509.5	550.8
San Diego, CA	8,591	9,166	10,286	10,432	10,876	304.1	319.4	353.9	355.9	371.1
San Francisco, CA	3,093	3,030	3,345	3,332	3,618	398.1	390.5	437.8	443.3	481.3
San Jose, CA	3,908	4,118	4,360	4,681	5,545	231.7	242.8	259.0	278.9	330.4
Seattle, WA	4,495	4,295	4,469	5,168	5,334	258.5	244.9	254.0	293.4	302.8
St Louis, MO	2,711	3,195	3,206	3,502	4,130	781.4	932.1	947.5	1,054.1	1,243.1
St Paul, MN	1,639	1,506	1,798	1,743	556	575.3	527.1	632.2	618.0	197.1
St Petersburg, FL	1,834	1,884	2,294	2,325	2,425	198.9	203.7	247.5	251.0	261.8
Tampa, FL	2,714	2,535	3,407	3,071	2,964	270.5	246.7	323.3	286.1	276.1
Toledo, OH	1,646	2,244	2,465	1,850	2,606	361.8	493.8	543.5	407.3	573.7
Tucson, AZ	1,786	2,700	2,580	2,426	2,209	210.4	312.7	292.8	271.7	247.4
Tulsa, OK	1,770	1,720	1,885	1,972	1,766	448.5	433.3	471.3	494.0	442.4
Washington, DC	3,205	3,286	3,305	3,168	3,493	560.7	572.7	578.9	561.4	618.9
Wichita, KS	1,457	1,465	1,602	1,818	1,765	321.2	320.6	346.8	392.7	381.3
Yonkers, NY*	379	373	456	534	531	190.4	186.0	226.3	264.1	262.7
U.S. CITY TOTAL†	296,125	318,308	339,607	343,149	353,163	424.3	451.8	478.1	481.8	495.8
San Juan, PR	966	1,076	1,058	803	1,133	94.6	105.2	103.2	78.2	110.3
TOTAL	297,091	319,384	340,665	343,952	354,296	419.5	446.9	472.8	476.0	490.3

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Chlamydia Morbidity Reporting and Reporting of City-specific Surveillance Data).

†Rates exclude population of cities that did not report. NR=No report

Table 8. Chlamydia — Women — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	769	916	963	939	958	272.9	324.4	340.3	332.0	338.7
Albuquerque, NM	1,815	2,368	2,788	2,659	3,236	636.2	823.0	951.5	895.6	1,090.0
Atlanta, GA	4,468	5,152	4,349	4,630	4,203	1,076.4	1,229.7	1,037.3	1,118.0	1,014.9
Austin, TX	2,432	2,633	2,923	2,583	2,411	787.0	826.2	891.3	786.4	734.0
Baltimore, MD	4,828	4,825	5,490	5,533	5,582	1,394.8	1,400.1	1,608.1	1,646.8	1,661.4
Birmingham, AL	2,792	2,524	2,833	2,362	2,641	797.7	722.0	811.5	681.3	761.8
Boston, MA	2,360	2,086	2,423	2,634	2,768	762.0	670.6	781.9	863.7	907.6
Buffalo, NY*	528	1,731	1,637	1,749	2,364	314.4	1,034.6	980.9	1,053.2	1,423.6
Charlotte, NC	1,498	1,484	2,179	2,487	2,439	420.2	404.9	581.6	653.2	640.6
Chicago, IL	15,631	16,756	16,589	17,264	16,288	981.7	1,052.0	1,043.1	1,092.4	1,030.7
Cincinnati, OH	3,938	3,740	3,711	3,576	3,615	891.6	851.4	852.0	832.5	841.6
Cleveland, OH	3,183	3,635	3,718	4,081	3,791	433.3	497.6	511.6	568.1	527.8
Columbus, OH	3,185	3,336	3,127	3,254	3,046	577.9	600.6	560.6	583.7	546.4
Corpus Christi, TX	1,292	1,233	1,210	1,062	1,051	912.2	871.5	849.6	744.8	737.0
Dallas, TX	7,726	8,083	7,529	5,536	4,560	1,293.4	1,331.7	1,246.5	919.6	757.5
Dayton, OH	863	1,595	1,244	1,449	1,411	297.2	552.0	431.8	505.8	492.6
Denver, CO	2,190	2,962	3,181	2,648	2,612	795.6	1,063.5	1,148.3	964.0	950.9
Des Moines, IA	789	814	968	1,047	983	407.9	415.9	488.7	525.8	493.6
Detroit, MI	7,716	9,137	8,976	8,832	10,642	1,535.3	1,824.1	1,798.6	1,786.0	2,152.0
El Paso, TX	1,881	1,936	1,966	1,843	1,896	642.7	653.8	656.3	607.1	624.6
Fort Worth, TX	3,317	3,277	3,179	2,484	2,429	1,220.6	1,177.8	1,113.6	854.2	835.3
Honolulu, HI	2,239	2,574	2,829	3,350	3,239	513.1	583.5	632.7	743.2	718.6
Houston, TX	10,222	9,473	9,777	7,532	8,339	1,085.9	987.5	970.7	741.1	820.5
Indianapolis, IN	3,896	4,552	4,633	4,770	4,548	876.8	1,020.9	1,039.8	1,072.8	1,022.9
Jacksonville, FL	2,809	2,865	2,984	3,521	3,236	699.7	702.4	719.9	837.8	769.9
Jersey City, NJ	605	818	618	858	989	493.8	663.0	503.0	705.2	812.9
Kansas City, MO	2,763	2,396	2,773	3,184	3,589	1,178.4	1,018.7	1,174.7	1,353.5	1,525.6
Los Angeles, CA	23,056	24,358	25,587	26,645	27,315	510.1	532.1	551.9	570.9	585.2
Louisville, KY	1,301	1,511	1,696	1,581	1,273	359.2	416.2	465.9	435.2	350.4
Memphis, TN	3,943	4,378	4,546	4,944	5,735	840.3	930.8	961.1	1,047.0	1,214.5
Miami, FL	2,449	3,079	3,804	3,574	3,955	209.6	259.6	316.1	296.1	327.6
Milwaukee, WI	7,077	6,308	6,323	6,132	6,672	1,446.9	1,291.8	1,297.5	1,266.4	1,377.9
Minneapolis, MN	1,759	1,716	1,907	1,928	1,817	901.2	874.4	973.8	988.4	931.5
Nashville, TN	1,758	1,537	1,604	1,862	1,828	597.8	521.3	544.5	636.0	624.4
New Orleans, LA	2,772	2,958	3,305	3,702	3,389	1,078.6	1,164.1	1,313.7	1,488.5	1,362.6
New York City, NY	22,663	25,118	27,177	27,490	26,572	537.1	592.7	640.0	648.0	626.4
Newark, NJ	1,330	2,117	1,724	1,884	1,856	845.0	1,340.5	1,088.5	1,194.9	1,177.1
Norfolk, VA	964	1,251	1,172	1,068	1,313	841.3	1,089.4	1,012.1	919.2	1,130.1
Oakland, CA	3,851	3,562	3,562	3,770	3,811	521.7	474.4	475.2	508.1	513.6
Oklahoma City, OK	1,686	1,941	2,007	1,985	1,897	768.5	880.6	901.5	888.5	849.2
Omaha, NE	1,516	1,346	1,738	1,764	2,061	639.0	563.2	721.4	727.7	850.3
Philadelphia, PA	10,724	10,833	10,308	12,812	11,699	1,323.5	1,349.0	1,292.1	1,620.4	1,479.6
Phoenix, AZ	6,195	6,841	7,509	6,028	8,183	400.2	427.9	455.7	357.4	485.2
Pittsburgh, PA	2,398	2,798	3,204	3,179	3,192	355.9	417.6	480.2	480.5	482.5
Portland, OR	1,597	1,651	1,527	1,589	1,693	605.9	619.5	567.0	590.3	629.0
Richmond, VA	1,900	1,752	1,723	1,551	1,604	1,800.7	1,655.6	1,630.7	1,487.7	1,538.6
Rochester, NY*	86	807	1,218	2,128	1,949	67.1	630.2	949.3	1,662.6	1,522.8
Sacramento, CA	3,391	3,279	3,583	3,897	4,539	539.7	506.7	538.3	575.2	669.9
San Antonio, TX	4,767	4,632	4,654	5,149	5,382	807.9	773.9	759.8	827.5	865.0
San Diego, CA	6,371	6,510	7,285	7,694	7,908	453.6	455.9	504.0	528.8	543.5
San Francisco, CA	1,819	1,723	1,827	1,659	1,762	475.6	450.3	484.0	448.1	475.9
San Jose, CA	2,948	3,017	3,150	3,366	3,922	354.3	360.5	379.0	407.7	475.0
Seattle, WA	3,006	2,905	2,994	3,434	3,568	343.9	329.6	338.5	388.6	403.7
St Louis, MO	2,362	2,787	2,665	2,955	3,186	1,284.1	1,533.6	1,485.6	1,680.2	1,811.5
St Paul, MN	1,154	1,098	1,318	1,267	403	781.6	742.0	895.5	868.3	276.2
St Petersburg, FL	1,511	1,522	1,844	1,887	1,951	313.0	314.6	380.6	390.5	403.7
Tampa, FL	2,319	2,112	2,774	2,446	2,444	452.7	403.0	516.7	448.1	447.7
Toledo, OH	1,348	1,801	1,944	1,464	2,043	570.7	764.2	827.4	623.7	870.3
Tucson, AZ	1,411	2,058	1,927	1,835	1,566	325.4	466.1	427.4	402.5	343.5
Tulsa, OK	1,485	1,406	1,561	1,613	1,426	730.7	688.9	759.9	788.7	697.2
Washington, DC	2,786	2,807	2,825	2,695	2,948	921.0	925.4	937.8	903.6	988.4
Wichita, KS	1,134	1,166	1,315	1,507	1,417	494.4	504.5	562.8	645.3	606.8
Yonkers, NY*	327	326	380	431	415	314.9	312.2	362.6	410.5	395.3
U.S. CITY TOTAL†	232,899	247,912	258,284	260,782	265,560	650.5	686.4	709.7	715.7	728.8
San Juan, PR	761	901	925	670	989	143.3	169.3	173.5	125.4	185.1
TOTAL	233,660	248,813	259,209	261,452	266,549	643.1	678.8	702.0	707.2	721.0

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Chlamydia Morbidity Reporting and Reporting of City-specific Surveillance Data).

†Rates exclude population of cities that did not report. Cases reported with unknown sex are not included in this table. NR = No report.

Table 9. Chlamydia — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	216	243	271	294	275	82.5	92.5	102.9	111.4	104.2
Albuquerque, NM	521	654	723	716	1,164	191.3	237.8	257.6	251.6	409.1
Atlanta, GA	1,079	1,273	1,185	1,337	1,145	268.1	313.4	291.7	330.8	283.3
Austin, TX	676	683	751	802	752	208.6	204.2	218.2	230.0	215.6
Baltimore, MD	550	580	777	880	1,069	181.7	192.9	261.4	300.7	365.2
Birmingham, AL	700	433	815	333	763	224.3	138.8	261.2	106.9	245.0
Boston, MA	869	849	896	1,111	1,248	301.1	293.1	310.8	389.5	437.6
Buffalo, NY*	194	648	580	569	788	126.1	421.9	377.9	371.8	514.9
Charlotte, NC	375	452	599	559	614	109.0	127.6	164.9	150.4	165.2
Chicago, IL	4,160	5,660	8,084	6,201	5,314	278.2	378.0	540.3	415.8	356.3
Cincinnati, OH	748	818	820	857	904	185.9	204.0	206.0	217.6	229.5
Cleveland, OH	748	1,145	1,179	1,336	1,322	113.7	174.8	180.7	206.9	204.8
Columbus, OH	1,071	1,434	1,396	861	799	205.6	272.7	263.9	162.0	150.3
Corpus Christi, TX	233	225	223	179	246	171.6	166.3	163.9	131.3	180.4
Dallas, TX	2,151	2,105	2,001	1,352	1,283	360.8	346.4	329.9	222.2	210.8
Dayton, OH	302	460	475	484	527	112.6	172.3	178.3	182.1	198.3
Denver, CO	974	1,219	1,363	1,095	1,222	346.2	428.1	480.9	387.2	432.1
Des Moines, IA	286	307	351	404	356	156.7	166.0	187.1	213.2	187.9
Detroit, MI	2,273	2,415	2,398	1,573	2,076	507.4	540.8	538.9	356.0	469.9
El Paso, TX	343	420	320	301	338	125.8	152.4	115.1	107.3	120.5
Fort Worth, TX	888	858	813	577	534	333.1	313.8	289.1	200.6	185.6
Honolulu, HI	683	898	972	1,208	1,108	155.4	202.7	216.6	267.3	245.2
Houston, TX	1,971	1,804	1,981	1,581	1,825	210.9	189.2	197.6	155.7	179.7
Indianapolis, IN	1,604	2,045	1,909	1,741	1,569	385.4	489.3	456.8	415.9	374.8
Jacksonville, FL	692	686	942	1,045	1,160	182.9	178.3	240.5	263.1	292.1
Jersey City, NJ	19	72	58	63	50	16.1	60.4	48.9	53.3	42.3
Kansas City, MO	365	351	575	1,167	1,444	167.5	160.4	261.5	530.6	656.5
Los Angeles, CA	8,000	8,307	9,910	10,676	11,054	181.1	185.4	218.1	233.5	241.8
Louisville, KY	352	439	477	499	481	106.1	131.8	142.8	148.6	143.3
Memphis, TN	1,024	1,040	1,002	1,524	1,800	238.6	241.9	231.6	351.2	414.8
Miami, FL	583	721	907	857	978	53.3	64.9	80.3	75.6	86.2
Milwaukee, WI	1,935	1,881	2,210	2,222	2,459	429.5	417.8	491.3	494.9	547.7
Minneapolis, MN	893	898	961	919	813	471.5	471.4	505.2	482.2	426.6
Nashville, TN	645	549	553	791	836	233.7	198.7	200.2	285.5	301.7
New Orleans, LA	1,045	913	972	957	909	461.0	407.0	437.7	434.4	412.6
New York City, NY	3,377	4,477	5,850	7,670	7,716	88.9	117.1	152.4	199.6	200.8
Newark, NJ	234	291	366	325	473	163.6	202.6	253.9	225.5	328.2
Norfolk, VA	129	222	178	192	313	107.6	184.1	144.4	152.9	249.3
Oakland, CA	1,075	1,080	1,050	1,110	1,119	150.8	149.1	145.3	154.4	155.6
Oklahoma City, OK	374	503	615	524	533	180.9	241.6	292.2	247.2	251.4
Omaha, NE	416	373	569	704	715	183.0	162.6	245.5	300.5	305.2
Philadelphia, PA	2,860	2,795	4,150	4,935	5,024	406.4	400.0	597.6	716.6	729.5
Phoenix, AZ	1,792	2,112	2,188	1,737	2,414	115.7	131.7	132.1	102.0	141.8
Pittsburgh, PA	487	646	941	994	1,061	80.3	106.9	156.1	165.7	176.9
Portland, OR	709	704	745	774	930	274.4	268.8	280.8	291.4	350.1
Richmond, VA	329	329	385	501	721	357.8	357.8	419.4	553.7	796.9
Rochester, NY*	29	257	407	898	913	24.3	215.4	339.7	751.1	763.7
Sacramento, CA	1,171	1,101	1,137	1,396	1,644	194.4	177.3	177.8	213.7	251.7
San Antonio, TX	1,096	1,110	1,121	1,043	1,310	196.0	195.4	192.6	175.8	220.8
San Diego, CA	2,072	2,232	2,641	2,715	2,844	145.8	154.8	180.7	184.0	192.7
San Francisco, CA	1,274	1,307	1,499	1,643	1,823	323.0	332.3	387.7	430.7	477.9
San Jose, CA	937	1,065	1,155	1,299	1,592	109.6	124.0	135.5	152.3	186.7
Seattle, WA	1,489	1,390	1,475	1,734	1,766	172.1	159.3	168.6	197.6	201.2
St Louis, MO	349	408	541	547	944	214.1	253.4	340.3	349.9	603.8
St Paul, MN	485	408	480	476	153	353.3	296.2	349.9	349.7	112.4
St Petersburg, FL	323	362	450	438	474	73.5	82.1	101.8	98.9	107.0
Tampa, FL	395	423	633	625	520	80.4	84.0	122.4	118.5	98.6
Toledo, OH	288	430	509	379	551	131.7	196.6	232.9	172.7	251.1
Tucson, AZ	375	642	653	590	640	90.3	152.2	151.7	135.0	146.5
Tulsa, OK	285	314	324	359	340	148.9	162.8	166.6	184.4	174.6
Washington, DC	405	451	459	450	529	150.5	166.7	170.2	169.1	198.8
Wichita, KS	323	299	287	311	348	144.1	132.4	125.7	135.6	151.7
Yonkers, NY*	52	47	76	103	116	54.6	48.9	78.6	106.0	119.4
U.S. CITY TOTAL†	62,298	69,263	80,333	81,543	86,751	183.3	201.8	231.9	234.4	249.3
San Juan, PR	205	175	133	133	144	41.8	35.6	27.0	27.0	29.2
TOTAL	62,503	69,438	80,466	81,676	86,895	181.3	199.4	229.1	231.5	246.3

*New York City has been reporting chlamydia cases since 1984. The State of New York, with the exception of New York City, initiated chlamydia reporting during the year 2000. Therefore, the number of chlamydia cases reported in 2000 by the cities of Buffalo, Rochester and Yonkers may be incomplete and their 2000 case rates may be underestimated. See Appendix (Chlamydia Morbidity Reporting and Reporting of City-specific Surveillance Data).

†Rates exclude population of cities that did not report. Cases reported with unknown sex are not included in this table. NR = No report.

Table 10. Chlamydia — Reported cases and rates per 100,000 population by age and sex: United States, 2000–2004

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2000	10-14	14,468	931	13,537	70.2	8.8	134.8
	15-19	266,583	35,415	231,167	1,318.6	340.8	2,352.5
	20-24	249,360	50,103	199,257	1,302.8	512.2	2,129.1
	25-29	94,263	24,507	69,756	489.3	251.4	732.8
	30-34	39,509	12,216	27,292	191.9	117.9	266.8
	35-39	18,935	6,791	12,144	83.7	60.2	107.1
	40-44	8,442	3,318	5,123	37.5	29.7	45.1
	45-54	5,601	2,499	3,102	14.7	13.4	16.0
	55-64	1,110	494	617	4.5	4.2	4.9
	65+	997	339	658	2.8	2.3	3.2
	TOTAL	701,339	137,233	564,106	248.5	99.1	392.4
2001	10-14	15,031	1,042	13,989	71.9	9.7	137.2
	15-19	288,333	39,064	249,269	1,422.4	374.8	2,531.3
	20-24	285,589	58,597	226,992	1,448.8	581.3	2,357.0
	25-29	106,914	27,896	79,018	562.0	289.1	842.8
	30-34	45,255	14,493	30,763	217.7	138.4	298.0
	35-39	21,516	7,953	13,563	96.4	71.4	121.4
	40-44	9,940	4,124	5,816	43.6	36.4	50.6
	45-54	6,415	2,943	3,472	16.4	15.3	17.4
	55-64	1,282	638	644	5.1	5.2	4.9
	65+	919	313	606	2.6	2.1	2.9
	TOTAL	783,127	157,623	625,504	274.5	112.5	430.7
2002	10-14	15,294	1,076	14,218	72.4	9.9	137.9
	15-19	299,863	42,433	257,429	1,471.6	405.2	2,599.0
	20-24	305,400	66,991	238,408	1,510.9	647.3	2,417.1
	25-29	116,422	32,497	83,925	613.7	337.1	899.3
	30-34	50,339	16,847	33,492	240.2	159.5	322.2
	35-39	23,411	9,298	14,113	106.8	84.9	128.8
	40-44	11,405	5,122	6,283	49.6	44.9	54.2
	45-54	7,644	3,652	3,992	19.1	18.6	19.6
	55-64	1,451	746	705	5.5	5.8	5.1
	65+	812	296	516	2.3	2.0	2.5
	TOTAL	834,503	180,039	654,464	289.4	127.1	446.1
2003	10-14	14,911	1,061	13,849	70.4	9.8	134.0
	15-19	310,505	44,331	266,175	1,516.3	421.4	2,672.5
	20-24	324,411	71,476	252,936	1,565.1	670.3	2,513.3
	25-29	124,890	34,916	89,974	651.6	357.3	957.7
	30-34	53,572	17,810	35,762	258.7	170.4	348.7
	35-39	24,658	9,772	14,886	115.2	91.1	139.4
	40-44	12,287	5,675	6,612	53.5	49.8	57.2
	45-54	8,214	4,012	4,202	20.1	20.0	20.2
	55-64	1,653	883	770	5.9	6.6	5.3
	65+	776	323	453	2.2	2.2	2.2
	TOTAL	877,478	190,723	686,755	301.7	133.3	464.7
2004	10-14	14,817	1,172	13,646	69.9	10.8	132.0
	15-19	323,246	48,209	275,036	1,578.5	458.3	2,761.5
	20-24	344,159	79,410	264,749	1,660.4	744.7	2,630.7
	25-29	137,041	39,374	97,667	714.9	402.9	1,039.5
	30-34	56,759	19,353	37,406	274.1	185.2	364.8
	35-39	26,486	10,647	15,839	123.7	99.3	148.3
	40-44	13,626	6,397	7,229	59.3	56.1	62.6
	45-54	9,251	4,602	4,649	22.7	23.0	22.4
	55-64	1,885	993	892	6.8	7.4	6.2
	65+	755	335	420	2.1	2.2	2.0
	TOTAL	929,462	210,935	718,527	319.6	147.5	486.2

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 11A. Chlamydia — Reported cases by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
2000	10-14	3,140	110	3,031	7,428	536	6,892	2,044	194	1,850	180	13	167	288	12	276
	15-19	74,657	6,965	67,691	117,722	18,296	99,426	39,526	5,986	33,540	3,865	484	3,381	4,634	597	4,037
	20-24	67,922	12,108	55,814	104,067	22,997	81,070	43,525	8,741	34,785	4,379	820	3,559	4,268	627	3,641
	25-29	21,679	5,274	16,406	37,556	11,151	26,404	20,619	4,694	15,925	2,117	535	1,582	1,784	313	1,470
	30-34	8,389	2,523	5,867	15,044	5,620	9,424	9,168	2,237	6,931	1,141	270	871	872	181	690
	35-39	4,249	1,621	2,628	7,423	3,105	4,318	3,782	1,024	2,758	633	172	461	497	105	393
	40-44	2,090	862	1,228	3,234	1,512	1,723	1,544	468	1,076	283	93	190	247	57	189
	45-54	1,385	689	696	2,068	1,140	927	968	279	689	231	86	145	183	41	141
	55-64	313	167	146	372	193	178	153	46	107	54	22	32	45	14	31
	65+	295	114	181	378	131	247	137	39	99	31	21	10	14	2	12
TOTAL	184,555	30,554	154,001	296,248	64,943	231,306	121,849	23,840	98,009	12,932	2,522	10,410	12,865	1,967	10,898	
2001	10-14	3,203	122	3,081	7,271	523	6,748	2,176	225	1,951	134	7	127	245	12	233
	15-19	79,923	7,591	72,331	122,896	19,374	103,522	42,630	6,852	35,778	3,907	514	3,393	4,820	601	4,220
	20-24	79,134	14,649	64,485	115,191	26,365	88,827	49,029	10,255	38,774	4,815	905	3,910	4,255	683	3,572
	25-29	24,529	6,214	18,315	41,444	12,463	28,981	23,461	5,493	17,968	2,364	536	1,828	1,978	373	1,605
	30-34	9,779	3,137	6,642	16,909	6,553	10,356	10,347	2,698	7,649	1,140	291	848	878	150	728
	35-39	4,814	1,909	2,905	8,034	3,577	4,457	4,478	1,193	3,285	639	213	426	488	102	385
	40-44	2,369	1,057	1,311	3,795	1,904	1,892	1,833	536	1,297	286	85	202	247	59	189
	45-54	1,631	831	800	2,492	1,352	1,140	962	299	663	209	61	149	184	52	132
	55-64	371	191	179	479	291	188	169	62	107	44	17	28	24	8	17
	65+	199	63	136	371	149	222	143	43	100	29	13	16	6	4	2
TOTAL	206,348	35,882	170,467	319,667	72,769	246,898	135,617	27,792	107,824	13,590	2,646	10,943	13,164	2,049	11,115	
2002	10-14	3,349	94	3,255	8,245	665	7,580	2,308	234	2,074	160	6	153	291	13	278
	15-19	87,116	8,455	78,660	138,051	22,908	115,143	48,145	7,609	40,536	3,927	479	3,448	5,158	698	4,461
	20-24	91,120	17,951	73,169	130,338	31,430	98,908	56,493	12,380	44,113	5,821	1,137	4,684	5,089	847	4,242
	25-29	29,455	7,780	21,674	47,920	15,117	32,803	27,621	6,808	20,813	2,922	709	2,213	2,175	434	1,741
	30-34	11,867	3,978	7,889	20,437	8,111	12,326	12,636	3,259	9,377	1,621	446	1,176	1,067	214	853
	35-39	5,723	2,500	3,223	9,450	4,329	5,121	5,554	1,611	3,943	833	224	610	574	146	428
	40-44	2,892	1,422	1,469	4,821	2,503	2,319	2,350	740	1,609	446	114	332	332	89	243
	45-54	2,129	1,165	964	3,142	1,690	1,452	1,404	435	970	384	130	253	198	57	141
	55-64	410	282	128	580	309	271	269	88	182	82	23	59	36	10	26
	65+	226	68	158	376	166	210	141	37	104	20	7	13	10	4	7
TOTAL	234,839	43,913	190,925	364,513	87,744	276,769	157,458	33,453	124,005	16,276	3,300	12,976	14,981	2,538	12,444	
2003	10-14	3,336	116	3,219	8,320	721	7,600	2,210	166	2,044	145	7	139	302	19	283
	15-19	93,457	8,820	84,637	147,549	25,606	121,944	48,899	7,407	41,493	4,071	445	3,627	5,517	815	4,702
	20-24	103,138	20,467	82,671	138,950	34,080	104,871	58,996	12,572	46,424	6,046	1,156	4,890	5,428	1,001	4,427
	25-29	33,634	9,219	24,415	52,640	16,408	36,232	28,313	6,876	21,437	3,120	810	2,310	2,385	477	1,908
	30-34	13,149	4,309	8,839	22,401	8,645	13,756	13,001	3,502	9,499	1,830	493	1,337	1,066	238	828
	35-39	6,091	2,586	3,505	10,340	4,799	5,541	5,728	1,644	4,084	876	252	624	630	158	472
	40-44	3,331	1,689	1,642	5,339	2,859	2,480	2,355	733	1,622	434	124	310	339	75	264
	45-54	2,420	1,347	1,073	3,440	1,879	1,561	1,418	454	964	378	131	247	210	55	155
	55-64	524	326	198	635	361	273	293	113	180	89	33	56	51	15	36
	65+	277	112	165	301	144	158	130	37	93	22	14	8	17	3	14
TOTAL	259,808	49,115	210,693	390,660	95,741	294,918	161,629	33,576	128,053	17,042	3,469	13,573	15,964	2,859	13,105	
2004	10-14	3,193	122	3,071	8,497	758	7,740	2,148	222	1,927	117	5	112	266	31	236
	15-19	94,906	9,448	85,457	157,175	28,113	129,062	49,315	7,746	41,569	3,292	432	2,860	5,542	776	4,766
	20-24	109,044	22,116	86,928	149,309	38,276	111,033	59,662	13,423	46,240	5,388	1,126	4,262	5,800	1,169	4,631
	25-29	37,633	10,480	27,153	58,383	18,576	39,807	29,318	7,386	21,932	2,735	703	2,032	2,605	548	2,057
	30-34	13,781	4,557	9,224	24,062	9,626	14,436	13,262	3,558	9,703	1,633	460	1,173	1,205	287	919
	35-39	6,497	2,712	3,784	11,285	5,255	6,030	5,908	1,771	4,137	863	288	575	645	160	485
	40-44	3,795	1,937	1,858	5,879	3,135	2,745	2,523	825	1,698	452	148	304	331	90	241
	45-54	2,503	1,337	1,165	4,174	2,315	1,859	1,407	500	907	437	166	271	264	81	183
	55-64	585	356	229	786	439	346	292	117	174	79	24	55	40	7	33
	65+	253	117	136	280	141	140	117	37	80	23	6	17	19	7	11
TOTAL	272,560	53,302	219,258	420,546	106,853	313,693	164,182	35,654	128,528	15,034	3,359	11,675	16,741	3,164	13,577	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 10 for age-specific cases and rates and Tables 3-5 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For the following years the states listed did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded: 2000 (CO, DC, MI, NY); 2001 (CO, DC, MD, NJ, NY); 2002 (MI, NJ); 2003 (CO, DC, NJ); 2004; (CO, DC, HI, NJ). Differences between total cases from this table and others in the report are due to different reporting formats and above listed exclusions. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 11B. Chlamydia — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	27.0	1.8	53.7	266.9	38.0	502.6	71.2	13.2	132.0	25.5	3.6	48.7	133.0	10.6	259.8
15-19	649.8	118.5	1,206.5	4,542.0	1,394.8	7,767.0	1,394.3	396.9	2,528.2	514.7	126.5	918.3	2,258.7	570.5	4,017.6
20-24	645.8	227.5	1,074.5	4,485.4	2,031.1	6,824.7	1,418.8	515.4	2,535.6	549.4	205.5	894.2	2,529.5	733.8	4,369.2
25-29	204.4	98.7	312.0	1,716.2	1,067.7	2,308.5	675.8	283.6	1,140.8	226.5	116.2	333.4	1,148.5	402.7	1,896.7
30-34	70.5	42.1	99.3	666.2	524.3	794.5	325.9	148.3	531.2	125.5	60.9	186.9	556.1	232.4	877.2
35-39	30.7	23.4	38.0	304.8	270.6	335.2	149.6	77.2	229.6	72.7	40.9	102.3	285.3	123.1	439.7
40-44	14.5	12.0	17.1	137.5	136.6	138.3	74.7	44.0	107.3	35.0	24.3	44.6	145.8	70.5	215.1
45-54	5.4	5.5	5.4	58.2	69.1	48.8	34.7	20.1	49.2	17.5	14.1	20.4	68.5	32.1	102.5
55-64	1.8	2.0	1.7	18.5	21.4	16.1	10.2	6.5	13.5	7.3	6.4	8.2	29.8	19.6	39.3
65+	1.1	1.1	1.2	15.7	14.2	16.7	8.9	5.9	11.1	4.0	6.5	2.2	10.6	3.8	15.7
TOTAL	105.9	35.8	173.1	978.2	449.8	1,459.6	384.7	145.7	639.8	129.2	52.1	201.5	590.2	183.0	986.1
10-14	27.6	2.1	54.6	264.2	37.5	497.8	74.1	14.9	136.2	19.4	1.9	37.8	110.4	10.6	213.5
15-19	693.7	128.4	1,289.5	4,870.0	1,510.8	8,340.6	1,544.1	471.6	2,735.5	546.9	141.2	967.9	2,270.1	554.2	4,058.5
20-24	725.0	265.4	1,195.0	4,938.4	2,304.2	7,474.9	1,603.7	604.8	2,847.8	617.6	233.2	998.6	2,379.7	753.8	4,048.7
25-29	239.2	120.0	360.7	1,983.4	1,245.4	2,661.9	754.2	323.1	1,274.0	260.6	120.9	394.1	1,258.6	472.3	2,052.7
30-34	83.0	52.9	113.6	782.2	638.3	912.4	359.5	174.5	574.4	124.0	65.1	179.8	550.8	188.7	909.7
35-39	36.2	28.6	43.8	351.1	331.2	368.9	175.1	88.3	272.1	75.1	51.7	97.1	281.0	120.3	435.3
40-44	16.5	14.8	18.3	166.8	177.7	157.0	86.6	49.0	126.7	36.6	23.0	48.8	142.2	70.3	208.7
45-54	6.3	6.5	6.1	70.1	81.7	60.0	33.4	20.8	46.2	16.0	10.1	21.0	65.5	38.4	90.7
55-64	2.1	2.3	2.0	24.3	32.9	17.4	11.1	8.6	13.3	6.0	4.9	7.0	15.2	9.9	20.1
65+	0.8	0.6	0.9	15.8	16.5	15.4	9.1	6.4	11.1	3.7	3.9	3.4	4.2	6.1	2.7
TOTAL	118.7	42.1	192.4	1,083.9	516.8	1,602.2	423.8	167.9	698.2	138.3	55.8	215.0	587.8	185.6	978.7
10-14	27.4	1.5	54.7	266.2	42.3	496.7	67.9	13.5	125.0	20.2	1.6	39.7	128.8	11.3	249.7
15-19	715.7	135.2	1,329.6	4,887.6	1,595.0	8,294.0	1,566.1	475.4	2,751.1	489.7	117.4	875.6	2,356.2	624.1	4,164.2
20-24	772.3	300.6	1,255.8	4,847.2	2,371.6	7,252.9	1,626.9	645.4	2,838.4	647.3	255.0	1,033.5	2,665.7	874.5	4,512.4
25-29	274.7	144.0	407.6	2,066.4	1,365.9	2,706.0	765.5	343.7	1,278.6	281.0	141.1	411.8	1,346.7	534.8	2,167.7
30-34	95.4	63.5	127.7	831.5	697.2	952.2	368.7	177.3	590.3	144.0	81.7	202.5	647.3	260.2	1,032.3
35-39	41.9	36.5	47.3	367.6	358.1	376.1	184.3	101.5	276.4	81.9	45.4	116.3	329.7	171.2	482.5
40-44	19.0	18.7	19.3	185.2	205.0	167.6	92.7	56.7	131.0	47.6	25.6	67.6	183.8	102.2	259.6
45-54	7.6	8.4	6.9	75.3	87.7	64.7	40.2	24.9	55.4	24.4	17.9	30.0	66.5	39.6	91.2
55-64	2.1	3.0	1.3	24.5	29.4	20.6	14.3	9.8	18.3	9.0	5.4	12.1	20.5	11.6	28.7
65+	0.8	0.6	1.0	13.9	16.1	12.6	7.5	4.6	9.6	2.2	1.8	2.4	6.6	5.6	7.4
TOTAL	126.9	48.4	202.2	1,087.8	550.3	1,575.9	423.4	174.3	688.8	140.4	59.1	216.0	644.8	221.6	1,056.2
10-14	26.8	1.8	53.1	257.1	43.8	477.2	63.5	9.3	120.3	18.1	1.6	35.6	132.8	16.1	252.4
15-19	747.8	137.3	1,393.3	5,004.5	1,711.0	8,399.4	1,586.1	463.0	2,797.2	502.0	106.7	919.6	2,472.4	717.0	4,295.6
20-24	836.7	327.1	1,362.2	4,926.4	2,426.8	7,405.0	1,662.2	640.1	2,928.8	641.0	243.0	1,046.1	2,692.8	977.9	4,462.0
25-29	305.2	165.7	447.3	2,176.4	1,414.5	2,878.6	788.7	347.7	1,329.4	293.1	154.6	427.0	1,440.8	573.2	2,318.3
30-34	105.8	68.9	143.3	888.2	723.6	1,036.4	384.8	192.9	607.5	155.2	85.5	222.0	642.5	288.1	995.1
35-39	45.0	38.1	52.0	400.5	395.1	405.2	191.4	103.6	290.4	84.2	49.7	116.9	369.1	188.7	543.4
40-44	21.6	22.0	21.3	199.9	228.9	174.4	91.2	54.8	130.3	44.7	26.5	61.6	185.1	84.6	279.1
45-54	8.4	9.4	7.4	77.8	92.0	65.6	39.4	25.2	53.6	23.0	17.2	28.1	67.8	37.3	95.8
55-64	2.5	3.2	1.8	25.0	31.9	19.4	14.9	12.2	17.4	9.0	7.2	10.6	27.4	16.9	37.0
65+	1.0	0.9	1.0	10.8	13.4	9.1	6.7	4.5	8.3	2.2	3.2	1.4	10.6	4.9	14.9
TOTAL	136.7	52.7	217.4	1,122.3	577.4	1,617.9	428.2	172.3	701.5	141.6	59.4	219.1	672.2	244.4	1,087.2
10-14	25.6	1.9	50.7	262.9	46.2	486.4	61.9	12.5	113.6	15.7	1.3	30.9	117.2	26.6	210.1
15-19	760.6	147.4	1,408.8	5,336.1	1,880.5	8,897.6	1,604.1	485.6	2,810.1	434.9	111.1	776.4	2,485.9	683.1	4,358.2
20-24	886.4	354.3	1,434.6	5,301.3	2,730.8	7,847.8	1,685.4	685.3	2,924.4	603.9	250.3	963.3	2,881.9	1,144.6	4,672.4
25-29	342.1	188.8	498.3	2,417.7	1,604.6	3,166.4	818.5	374.4	1,363.2	268.3	140.3	392.0	1,575.8	659.2	2,502.6
30-34	111.1	73.0	149.8	955.5	807.2	1,088.9	393.3	196.4	621.8	144.6	83.2	203.4	727.3	347.0	1,105.8
35-39	48.1	40.0	56.2	437.6	433.4	441.4	197.8	111.9	294.8	87.5	59.9	113.7	378.2	191.4	558.7
40-44	24.7	25.2	24.1	220.3	251.3	193.2	97.9	61.8	136.8	49.6	33.7	64.4	180.9	101.7	254.8
45-54	8.7	9.4	8.0	94.4	113.4	78.2	39.2	27.8	50.6	28.6	23.3	33.2	85.5	55.2	113.3
55-64	2.8	3.5	2.1	30.9	38.8	24.6	14.9	12.6	16.9	8.8	5.7	11.5	21.6	8.4	33.7
65+	0.9	1.0	0.8	10.0	13.1	8.1	6.1	4.5	7.2	2.6	1.5	3.5	11.6	10.5	12.4
TOTAL	143.6	57.3	226.6	1,209.4	645.2	1,722.3	436.1	183.4	705.8	133.7	61.5	201.8	705.8	270.9	1,127.8

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 10 for age-specific cases and rates and Tables 3-5 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For the following years the states listed did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded: 2000 (CO, DC, MI, NY); 2001 (CO, DC, MD, NJ, NY); 2002 (MI, NJ); 2003 (CO, DC, NJ); 2004 (CO, DC, HI, NJ). Differences between total rates from this table and others in the report are due to different reporting formats and above listed exclusions. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 12. Gonorrhea — Reported cases and rates by state/area, ranked by rates: United States, 2004

<i>Rank*</i>	<i>State/Area</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Mississippi	7,163	248.6
2	Louisiana	10,538	234.4
3	South Carolina	9,171	221.1
4	Alabama	8,206	182.3
5	Georgia	15,783	181.7
6	North Carolina	15,194	180.7
7	Ohio	20,467	179.0
8	Michigan	17,376	172.4
9	Illinois	20,597	162.8
10	Missouri	9,218	161.6
11	Arkansas	4,137	151.8
12	Maryland	8,297	150.6
13	Tennessee	8,475	145.1
14	Nevada	3,078	137.3
15	Oklahoma	4,453	126.8
16	Virginia	8,565	116.0
	U.S. TOTAL[†]	330,132	113.5
17	Indiana	6,851	110.6
18	Texas	24,371	110.2
19	Delaware	894	109.4
20	Florida	18,580	109.2
21	New York	18,737	97.6
22	Hawaii	1,193	94.9
23	Kansas	2,542	93.3
24	Wisconsin	5,053	92.3
25	Pennsylvania	11,236	90.9
26	Alaska	567	87.4
27	California	30,155	85.0
28	Connecticut	2,862	82.2
29	New Jersey	6,696	77.5
30	Rhode Island	816	75.8
31	Arizona	4,065	72.8
32	New Mexico	1,306	69.7
33	Colorado	3,054	67.1
34	Kentucky	2,758	67.0
35	Nebraska	1,147	65.9
36	Minnesota	2,957	58.4
37	West Virginia	892	49.3
38	Massachusetts	3,057	47.5
39	Washington	2,810	45.8
40	Iowa	1,249	42.4
41	South Dakota	304	39.8
42	Oregon	1,302	36.6
43	Utah	603	25.6
	YEAR 2010 TARGET		19.0
44	North Dakota	110	17.4
45	Maine	210	16.1
46	Vermont	86	13.9
47	Wyoming	59	11.8
48	New Hampshire	133	10.3
49	Montana	88	9.6
50	Idaho	103	7.5

*States were ranked in descending order by rate, number of cases, and alphabetically by state.

[†]Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 114 cases and rate of 69.7, Puerto Rico with 267 cases and rate of 6.9, and Virgin Islands with 75 cases and rate of 68.9).

Table 13. Gonorrhea — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	12,063	11,182	10,118	9,303	8,206	271.0	250.2	225.5	206.7	182.3
Alaska	361	457	641	573	567	57.5	72.1	99.6	88.3	87.4
Arizona	4,130	3,920	3,795	3,580	4,065	79.9	73.9	69.6	64.1	72.8
Arkansas	3,642	4,604	4,584	4,251	4,137	136.0	170.9	169.1	156.0	151.8
California	21,619	23,296	24,606	25,963	30,155	63.6	67.3	70.1	73.2	85.0
Colorado	3,112	3,190	3,511	2,854	3,054	71.9	72.0	77.9	62.7	67.1
Connecticut	2,912	2,546	3,241	3,114	2,862	85.3	74.1	93.7	89.4	82.2
Delaware	1,735	1,733	1,576	1,128	894	220.6	217.5	195.2	138.0	109.4
Florida	22,781	21,531	21,348	18,974	18,580	141.9	131.5	127.7	111.5	109.2
Georgia	20,265	18,920	18,383	17,686	15,783	246.1	225.1	214.7	203.6	181.7
Hawaii	483	604	740	1,263	1,193	39.8	49.2	59.4	100.4	94.9
Idaho	98	76	94	68	103	7.5	5.8	7.0	5.0	7.5
Illinois	24,812	24,025	24,026	21,817	20,597	199.4	191.9	190.7	172.4	162.8
Indiana	6,525	6,972	7,395	6,681	6,851	107.1	113.8	120.1	107.8	110.6
Iowa	1,392	1,418	1,480	1,554	1,249	47.5	48.4	50.4	52.8	42.4
Kansas	2,795	2,669	2,744	2,647	2,542	103.8	98.8	101.0	97.2	93.3
Kentucky	3,502	3,588	3,772	3,578	2,758	86.5	88.2	92.2	86.9	67.0
Louisiana	13,245	12,253	11,387	11,850	10,538	296.3	274.1	254.0	263.5	234.4
Maine	90	141	142	233	210	7.0	11.0	11.0	17.8	16.1
Maryland	9,837	9,427	9,355	8,032	8,297	185.2	175.0	171.4	145.8	150.6
Massachusetts	3,045	3,214	3,242	2,901	3,057	47.9	50.2	50.4	45.1	47.5
Michigan	18,182	17,120	14,770	13,965	17,376	182.6	171.1	147.0	138.5	172.4
Minnesota	3,160	2,701	3,049	3,202	2,957	64.0	54.2	60.7	63.3	58.4
Mississippi	9,217	7,759	6,875	6,328	7,163	323.5	271.3	239.4	219.6	248.6
Missouri	8,883	8,723	8,952	8,792	9,218	158.5	154.7	157.8	154.1	161.6
Montana	60	104	123	122	88	6.6	11.5	13.5	13.3	9.6
Nebraska	1,534	1,189	1,564	1,623	1,147	89.5	69.1	90.4	93.3	65.9
Nevada	1,553	1,756	1,988	2,221	3,078	76.9	83.7	91.5	99.1	137.3
New Hampshire	110	176	120	125	133	8.9	14.0	9.4	9.7	10.3
New Jersey	7,232	8,921	7,894	7,944	6,696	85.8	104.8	91.9	92.0	77.5
New Mexico	1,152	1,040	1,462	1,169	1,306	63.2	56.8	78.8	62.4	69.7
New York	20,114	22,299	21,841	22,166	18,737	105.9	116.8	114.0	115.5	97.6
North Carolina	17,823	16,583	15,531	15,116	15,194	220.5	202.1	186.7	179.8	180.7
North Dakota	73	56	72	103	110	11.4	8.8	11.4	16.3	17.4
Ohio	19,303	21,163	22,008	22,537	20,467	169.9	185.8	192.7	197.1	179.0
Oklahoma	4,229	4,784	4,661	4,552	4,453	122.4	137.9	133.4	129.6	126.8
Oregon	1,038	1,144	909	1,000	1,302	30.3	32.9	25.8	28.1	36.6
Pennsylvania	13,607	14,244	13,294	11,866	11,236	110.8	115.8	107.8	96.0	90.9
Rhode Island	661	830	900	973	816	62.9	78.3	84.1	90.4	75.8
South Carolina	8,383	10,805	9,152	8,518	9,171	208.3	266.0	222.8	205.4	221.1
South Dakota	277	289	263	226	304	36.7	38.1	34.6	29.6	39.8
Tennessee	11,876	10,145	9,348	8,519	8,475	208.2	176.5	161.2	145.8	145.1
Texas	32,919	30,024	26,988	24,595	24,371	157.1	140.5	123.9	111.2	110.2
Utah	231	219	374	412	603	10.3	9.6	16.1	17.5	25.6
Vermont	65	76	98	97	86	10.7	12.4	15.9	15.7	13.9
Virginia	10,175	11,095	10,462	9,066	8,565	143.2	154.2	143.4	122.7	116.0
Washington	2,418	2,991	2,925	2,753	2,810	40.9	49.9	48.2	44.9	45.8
West Virginia	645	732	974	847	892	35.7	40.6	54.1	46.8	49.3
Wisconsin	7,013	6,011	6,341	5,663	5,053	130.5	111.2	116.5	103.5	92.3
Wyoming	53	77	65	46	59	10.7	15.6	13.0	9.2	11.8
U.S. TOTAL*	363,136	361,705	351,852	335,104	330,132	128.7	126.8	122.0	115.2	113.5
Northeast	47,836	52,447	50,772	49,419	43,833	89.1	97.2	93.6	90.8	80.6
Midwest	93,949	92,336	92,664	88,810	87,871	145.7	142.5	142.2	135.8	134.3
South	185,043	178,048	167,183	154,851	150,045	184.0	174.6	161.8	148.1	143.5
West	36,308	38,874	41,233	42,024	48,383	57.2	60.2	62.8	63.2	72.8
Guam	62	48	49	65	114	39.9	30.3	30.4	39.7	69.7
Puerto Rico	527	589	411	276	267	13.8	15.3	10.6	7.1	6.9
Virgin Islands	24	34	49	91	75	22.1	31.1	44.5	83.6	68.9
OUTLYING AREAS	613	671	509	432	456	15.0	16.3	12.3	10.4	11.0
TOTAL	363,749	362,376	352,361	335,536	330,588	127.0	125.2	120.5	113.8	112.1

*Includes cases reported by Washington, D.C.

Table 14. Gonorrhea — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	5,984	5,712	4,974	4,583	3,673	259.8	247.3	214.6	197.4	158.2
Alaska	198	244	353	339	337	65.3	79.7	113.6	108.1	107.5
Arizona	1,754	1,700	1,659	1,636	1,787	67.8	64.0	60.8	58.7	64.1
Arkansas	1,807	2,404	2,388	2,108	2,032	131.8	174.4	172.4	151.5	146.0
California	9,624	10,448	10,857	11,912	13,620	56.4	60.2	61.7	67.0	76.6
Colorado	1,544	1,588	1,643	1,529	1,656	71.9	72.2	73.5	67.8	73.4
Connecticut	1,621	1,411	1,910	1,910	1,756	92.2	79.7	107.2	106.6	98.0
Delaware	987	1,002	858	602	508	243.9	244.6	206.7	143.5	121.1
Florida	10,862	10,380	10,373	9,419	9,371	132.2	123.9	121.4	108.5	107.9
Georgia	9,844	9,590	9,306	9,137	8,119	235.4	224.8	214.3	207.8	184.6
Hawaii	240	292	394	723	680	39.8	47.7	63.5	115.3	108.4
Idaho	51	39	49	18	42	7.9	5.9	7.3	2.6	6.2
Illinois	11,829	12,178	12,273	11,624	11,510	186.3	190.7	191.1	180.4	178.6
Indiana	3,446	3,792	3,996	3,610	3,550	111.1	121.6	127.5	114.6	112.7
Iowa	740	766	821	869	736	49.6	51.3	54.9	58.1	49.2
Kansas	1,496	1,468	1,556	1,522	1,565	109.9	107.5	113.4	110.8	114.0
Kentucky	1,725	1,812	1,936	1,845	1,415	83.3	87.2	92.6	87.8	67.4
Louisiana	6,471	6,056	5,861	6,076	5,450	280.5	262.7	253.7	262.6	235.5
Maine	29	55	44	84	84	4.4	8.3	6.6	12.6	12.6
Maryland	4,577	4,591	4,592	4,166	4,327	166.7	164.9	162.9	146.5	152.2
Massachusetts	1,568	1,591	1,579	1,342	1,531	47.6	48.0	47.5	40.4	46.1
Michigan	9,190	9,057	7,974	7,823	9,614	181.1	177.7	155.9	152.5	187.5
Minnesota	1,681	1,461	1,688	1,784	1,712	67.5	58.1	66.7	70.0	67.1
Mississippi	5,603	4,663	4,201	3,757	4,362	380.3	315.6	283.3	253.0	293.7
Missouri	4,489	4,540	4,810	4,794	5,139	155.9	156.8	165.2	164.1	175.9
Montana	38	57	75	74	54	8.4	12.5	16.4	16.1	11.7
Nebraska	849	671	909	924	656	97.7	77.0	103.8	105.0	74.5
Nevada	618	761	965	1,062	1,417	62.4	73.9	90.5	96.6	128.9
New Hampshire	53	96	51	57	54	8.4	15.0	7.9	8.7	8.3
New Jersey	3,571	4,522	3,958	4,550	3,607	82.3	103.3	89.6	102.6	81.3
New Mexico	573	472	740	598	749	61.9	50.7	78.5	62.8	78.7
New York	10,691	11,873	11,141	11,296	9,720	108.6	120.2	112.5	113.9	98.0
North Carolina	8,468	7,810	7,585	7,383	7,384	205.4	186.7	178.9	172.6	172.7
North Dakota	36	30	40	59	72	11.2	9.4	12.6	18.6	22.7
Ohio	10,311	11,257	11,944	12,390	11,144	176.4	192.2	203.5	211.1	189.9
Oklahoma	2,433	2,670	2,566	2,562	2,471	138.5	151.5	144.7	143.9	138.8
Oregon	486	448	357	389	567	28.1	25.6	20.1	21.7	31.7
Pennsylvania	7,371	7,872	7,200	6,644	6,295	116.0	123.8	113.0	104.2	98.7
Rhode Island	381	488	484	517	478	69.8	88.7	87.2	92.7	85.7
South Carolina	4,057	5,126	4,357	4,369	5,007	196.0	245.5	206.3	205.3	235.2
South Dakota	165	166	148	133	178	43.3	43.5	38.6	34.6	46.3
Tennessee	5,343	4,808	4,564	4,263	4,327	182.6	163.1	153.6	142.6	144.7
Texas	16,932	15,599	14,075	12,643	12,433	160.5	145.1	128.5	113.8	111.9
Utah	99	95	150	153	266	8.8	8.4	13.0	13.1	22.7
Vermont	33	42	56	48	53	10.6	13.4	17.8	15.2	16.8
Virginia	4,856	5,485	5,445	4,809	4,650	134.1	149.6	146.7	128.1	123.8
Washington	1,078	1,301	1,197	1,167	1,229	36.3	43.2	39.3	38.0	40.0
West Virginia	375	418	567	464	470	40.4	45.2	61.3	50.0	50.7
Wisconsin	4,189	3,672	3,717	3,299	2,953	154.0	134.3	135.1	119.3	106.8
Wyoming	31	43	38	28	39	12.6	17.5	15.3	11.2	15.7
U.S. TOTAL*	181,668	183,863	179,648	174,230	172,142	126.4	126.6	122.5	117.9	116.5
Northeast	25,318	27,950	26,423	26,448	23,578	91.3	100.3	94.4	94.3	84.1
Midwest	48,421	49,058	49,876	48,831	48,829	147.2	148.5	150.3	146.7	146.7
South	91,595	89,367	84,872	79,323	77,292	178.4	171.8	161.1	149.0	145.2
West	16,334	17,488	18,477	19,628	22,443	51.4	54.1	56.2	59.1	67.5
Guam	23	22	26	39	70	30.3	28.4	33.0	48.7	87.4
Puerto Rico	238	279	230	121	150	12.0	14.0	11.5	6.0	7.4
Virgin Islands	14	20	38	65	48	24.7	34.4	64.2	114.3	84.4
OUTLYING AREAS	275	321	294	225	268	13.0	15.1	13.7	10.5	12.5
TOTAL	181,943	184,184	179,942	174,455	172,410	124.7	125.0	120.9	116.4	115.0

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 15. Gonorrhea — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	6,039	5,457	5,131	4,705	4,526	281.0	252.7	236.5	215.9	207.7
Alaska	163	213	288	234	230	50.2	65.0	86.5	69.8	68.6
Arizona	2,376	2,220	2,136	1,942	2,274	92.1	83.8	78.4	69.6	81.5
Arkansas	1,832	2,191	2,194	2,141	2,104	140.1	166.5	165.6	160.5	157.7
California	11,896	12,701	13,586	13,965	16,440	70.2	73.6	77.6	78.8	92.8
Colorado	1,568	1,602	1,868	1,325	1,398	72.0	71.8	82.3	57.7	60.9
Connecticut	1,291	1,132	1,331	1,204	1,106	78.1	68.0	79.3	71.2	65.4
Delaware	748	731	718	526	386	195.9	188.9	183.0	132.1	97.0
Florida	11,919	11,149	10,975	9,555	9,209	152.1	139.4	134.3	114.6	110.5
Georgia	10,309	9,325	9,013	8,487	7,596	254.4	225.3	213.7	198.0	177.2
Hawaii	243	312	346	540	513	39.9	50.7	55.4	85.6	81.4
Idaho	47	35	45	50	60	7.2	5.3	6.7	7.3	8.8
Illinois	12,981	11,845	11,750	10,192	9,087	213.1	193.1	190.2	164.1	146.3
Indiana	3,069	3,169	3,372	3,040	3,270	102.7	105.4	111.5	99.8	107.3
Iowa	652	652	658	680	511	45.4	45.3	45.6	47.0	35.3
Kansas	1,299	1,201	1,188	1,125	977	97.6	89.9	88.4	83.3	72.4
Kentucky	1,751	1,769	1,834	1,727	1,338	88.5	88.9	91.6	85.6	66.3
Louisiana	6,774	6,197	5,466	5,710	5,029	313.2	286.2	251.6	261.6	230.4
Maine	61	86	98	149	126	9.8	13.8	15.6	23.4	19.8
Maryland	5,196	4,836	4,756	3,858	3,969	202.5	185.8	180.2	144.7	148.9
Massachusetts	1,477	1,622	1,663	1,552	1,524	48.2	52.5	53.6	49.9	49.0
Michigan	8,992	8,063	6,796	6,141	7,762	184.2	164.2	137.7	124.0	156.8
Minnesota	1,479	1,240	1,361	1,418	1,245	60.5	50.2	54.7	56.5	49.6
Mississippi	3,586	3,096	2,674	2,571	2,801	260.7	224.0	192.5	184.1	200.6
Missouri	4,394	4,183	4,142	3,998	4,079	161.2	152.5	150.0	143.7	146.6
Montana	22	47	47	47	33	4.9	10.4	10.4	10.3	7.2
Nebraska	681	516	653	695	488	80.6	60.8	76.5	80.9	56.8
Nevada	935	993	1,022	1,158	1,658	90.9	92.9	92.3	101.4	145.2
New Hampshire	57	80	69	68	79	9.3	12.9	11.0	10.7	12.5
New Jersey	3,654	4,391	3,930	3,389	3,089	89.3	106.2	94.2	80.6	73.5
New Mexico	572	555	716	567	557	63.9	61.7	78.5	61.5	60.4
New York	9,378	10,397	10,688	10,813	8,985	102.4	112.9	115.5	116.6	96.9
North Carolina	9,354	8,772	7,942	7,733	7,810	236.2	218.1	194.6	187.2	189.1
North Dakota	37	26	32	44	38	11.6	8.2	10.1	13.9	12.0
Ohio	8,837	9,679	9,819	9,856	9,046	160.1	174.9	176.8	177.1	162.5
Oklahoma	1,796	2,114	2,095	1,990	1,982	105.8	123.8	121.8	114.9	114.5
Oregon	552	696	552	611	735	32.4	40.4	31.6	34.5	41.6
Pennsylvania	6,236	6,372	6,094	5,214	4,941	105.1	107.2	102.1	87.1	82.5
Rhode Island	280	342	416	456	338	55.5	67.1	80.8	88.0	65.2
South Carolina	4,256	5,640	4,766	4,118	4,136	217.8	285.7	238.9	204.0	204.9
South Dakota	111	123	115	93	126	29.6	32.7	30.4	24.5	33.2
Tennessee	6,533	5,337	4,784	4,256	4,148	235.2	190.5	169.3	149.2	145.4
Texas	15,919	14,370	12,884	11,932	11,902	153.0	135.3	119.0	108.4	108.1
Utah	132	124	223	259	337	11.7	10.9	19.2	21.9	28.5
Vermont	32	34	42	49	33	10.7	11.3	13.9	16.1	10.9
Virginia	5,307	5,574	5,017	4,237	3,904	152.2	157.9	140.1	116.7	107.5
Washington	1,340	1,690	1,728	1,586	1,581	45.5	56.6	57.2	51.9	51.7
West Virginia	269	313	406	380	421	30.6	35.7	46.3	43.0	47.7
Wisconsin	2,817	2,321	2,612	2,341	2,087	106.1	86.9	97.1	86.5	77.1
Wyoming	22	34	27	18	20	8.9	13.7	10.8	7.1	7.9
U.S. TOTAL*	180,701	177,194	171,504	160,106	157,303	130.5	126.5	121.1	111.9	110.0
Northeast	22,466	24,456	24,331	22,894	20,221	86.6	93.7	92.7	86.8	76.7
Midwest	45,349	43,018	42,498	39,623	38,716	143.5	135.3	133.0	123.3	120.5
South	93,018	88,498	82,091	75,287	72,530	188.9	177.2	162.1	146.7	141.3
West	19,868	21,222	22,584	22,302	25,836	62.7	65.8	68.9	67.1	77.8
Guam	39	26	23	26	44	49.1	32.1	28.0	31.1	52.7
Puerto Rico	289	310	181	155	117	15.7	16.8	9.7	8.3	6.3
Virgin Islands	10	14	11	26	27	19.3	27.3	21.6	50.0	52.0
OUTLYING AREAS	338	350	215	207	188	17.2	17.7	10.8	10.3	9.4
TOTAL	181,039	177,544	171,719	160,313	157,491	128.9	125.0	119.5	110.5	108.6

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 16. Gonorrhea — Reported cases and rates in selected cities ranked by rates: United States, 2004

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	St Louis, MO	2,440	734.4
2	Detroit, MI	6,763	722.3
3	Rochester, NY	1,578	637.5
4	Baltimore, MD	3,938	626.4
5	Kansas City, MO	2,782	611.1
6	Richmond, VA	1,132	581.3
7	New Orleans, LA	2,373	505.9
8	Washington, DC	2,568	455.0
9	Newark, NJ	1,300	430.7
10	Indianapolis, IN	3,350	388.1
11	Buffalo, NY	1,234	386.7
12	Memphis, TN	3,277	361.6
13	Norfolk, VA	870	359.9
14	Chicago, IL	10,935	356.0
15	Oklahoma City, OK	1,543	354.4
16	Philadelphia, PA	5,206	351.9
17	Milwaukee, WI	3,169	339.6
18	Atlanta, GA	2,765	337.9
19	Cincinnati, OH	2,739	332.6
20	Birmingham, AL	2,098	318.8
21	San Francisco, CA	2,142	285.0
22	Fort Worth, TX	1,637	283.0
23	Toledo, OH	1,283	282.5
24	Minneapolis, MN	1,053	273.1
25	Charlotte, NC	1,953	259.6
26	Dallas, TX	3,112	257.1
27	Jacksonville, FL	2,035	248.9
28	Dayton, OH	1,365	247.2
29	Cleveland, OH	3,264	239.3
30	Denver, CO	1,302	233.6
31	Columbus, OH	2,539	233.2
32	Tulsa, OK	930	233.0
33	Nashville, TN	1,221	214.3
34	Houston, TX	4,199	206.7
35	Louisville, KY	1,330	190.3
36	Austin, TX	1,189	175.6
37	Boston, MA	1,026	173.8
38	Omaha, NE	796	167.0
39	Corpus Christi, TX	458	164.2
40	San Antonio, TX	1,968	161.9
41	Akron, OH	855	156.4
42	Wichita, KS	691	149.3
43	St Petersburg, FL	1,382	149.2
44	Sacramento, CA	1,955	146.9
45	New York City, NY	11,018	136.3
46	Jersey City, NJ	326	135.9
47	Portland, OR	726	135.8
48	Pittsburgh, PA	1,529	121.2
49	Honolulu, HI	1,033	114.4
50	Oakland, CA	1,655	113.3
51	Tampa, FL	1,197	111.5
52	Albuquerque, NM	620	106.6
53	Los Angeles, CA	9,689	104.9
54	Phoenix, AZ	2,943	86.8
55	San Diego, CA	2,379	81.2
56	Miami, FL	1,891	80.8
57	Seattle, WA	1,265	71.8
58	Des Moines, IA	262	67.4
59	Yonkers, NY	134	66.3
60	San Jose, CA	1,038	61.8
61	St Paul, MN	141	50.0
62	Tucson, AZ	442	49.5
63	El Paso, TX	239	40.9
	YEAR 2010 TARGET		19.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state.

†Excludes cities in outlying areas (San Juan, PR, with 125 cases and rate of 12.2). See Appendix.

Table 17. Gonorrhea — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	913	962	937	807	855	168.0	176.5	171.5	147.6	156.4
Albuquerque, NM	697	647	805	636	620	125.0	115.0	140.3	109.4	106.6
Atlanta, GA	3,456	4,621	3,810	3,838	2,765	422.7	560.0	461.6	469.0	337.9
Austin, TX	1,518	1,536	1,401	1,215	1,189	239.8	235.2	208.4	179.4	175.6
Baltimore, MD	5,603	5,014	4,873	3,965	3,938	863.7	777.0	763.1	630.7	626.4
Birmingham, AL	3,018	2,600	2,489	1,970	2,098	455.8	393.0	376.5	299.3	318.8
Boston, MA	1,229	1,332	1,404	1,181	1,026	205.4	221.7	234.7	200.1	173.8
Buffalo, NY	1,572	2,194	1,653	1,413	1,234	488.4	683.7	516.0	442.8	386.7
Charlotte, NC	1,758	2,014	2,264	2,232	1,953	250.9	279.4	306.8	296.7	259.6
Chicago, IL	14,872	14,326	13,814	12,121	10,935	481.7	463.6	447.5	394.6	356.0
Cincinnati, OH	3,227	3,178	3,426	3,347	2,739	382.3	378.2	410.9	406.4	332.6
Cleveland, OH	3,497	3,854	4,115	3,967	3,264	251.2	278.2	298.4	290.9	239.3
Columbus, OH	3,386	3,349	2,844	2,558	2,539	315.9	309.7	261.7	234.9	233.2
Corpus Christi, TX	775	667	466	409	458	279.4	241.0	167.3	146.6	164.2
Dallas, TX	7,315	6,166	5,263	3,661	3,112	612.9	507.6	434.8	302.4	257.1
Dayton, OH	1,015	1,428	1,505	1,531	1,365	181.8	256.9	271.4	277.3	247.2
Denver, CO	1,594	1,618	1,812	1,308	1,302	286.4	287.3	323.3	234.6	233.6
Des Moines, IA	380	270	359	373	262	101.1	70.9	93.1	96.0	67.4
Detroit, MI	9,610	8,220	6,845	5,535	6,763	1,011.0	867.6	725.1	591.2	722.3
El Paso, TX	209	291	336	263	239	37.0	50.9	58.2	45.0	40.9
Fort Worth, TX	2,787	2,291	1,967	1,526	1,637	517.7	415.3	347.1	263.8	283.0
Honolulu, HI	433	557	685	1,136	1,033	49.4	63.0	76.4	125.8	114.4
Houston, TX	5,918	5,489	5,235	3,902	4,199	315.5	287.0	260.5	192.0	206.7
Indianapolis, IN	3,206	3,383	3,510	3,191	3,350	372.6	391.6	406.5	369.6	388.1
Jacksonville, FL	3,640	2,731	2,895	2,371	2,035	466.8	344.5	359.1	290.0	248.9
Jersey City, NJ	465	489	380	468	326	193.1	201.6	157.3	195.1	135.9
Kansas City, MO	2,688	2,161	2,625	2,549	2,782	594.1	475.9	575.7	560.0	611.1
Los Angeles, CA	7,307	7,747	7,765	8,174	9,689	81.8	85.5	84.6	88.5	104.9
Louisville, KY	1,200	1,436	1,361	1,439	1,330	172.9	206.3	195.0	205.9	190.3
Memphis, TN	4,941	4,420	4,074	3,286	3,277	550.0	490.9	449.8	362.6	361.6
Miami, FL	1,995	1,964	2,047	1,912	1,891	88.2	85.5	87.8	81.7	80.8
Milwaukee, WI	5,146	4,150	4,497	3,800	3,169	547.6	442.2	479.9	407.2	339.6
Minneapolis, MN	1,577	1,295	1,366	1,360	1,053	410.1	334.9	353.8	352.7	273.1
Nashville, TN	2,404	1,625	1,409	1,492	1,221	421.7	284.5	246.9	261.8	214.3
New Orleans, LA	3,015	3,160	2,685	2,899	2,373	623.4	660.5	566.8	618.1	505.9
New York City, NY	11,669	12,614	12,727	13,682	11,018	145.5	156.5	157.4	169.2	136.3
Newark, NJ	1,558	1,798	1,573	1,483	1,300	518.6	596.3	519.9	491.4	430.7
Norfolk, VA	1,490	1,450	1,463	1,061	870	635.5	615.9	612.0	438.9	359.9
Oakland, CA	1,793	2,039	1,949	1,617	1,655	123.6	138.2	132.4	110.7	113.3
Oklahoma City, OK	1,434	1,617	1,594	1,443	1,543	336.5	377.3	368.1	331.4	354.4
Omaha, NE	1,161	934	1,149	1,161	796	249.9	199.4	243.0	243.5	167.0
Philadelphia, PA	8,198	8,096	7,006	5,731	5,206	541.5	539.1	469.5	387.4	351.9
Phoenix, AZ	3,195	2,826	2,991	2,688	2,943	103.2	88.3	90.5	79.3	86.8
Pittsburgh, PA	1,494	1,916	2,133	1,729	1,529	116.7	150.4	168.0	137.1	121.2
Portland, OR	681	743	546	557	726	130.5	140.6	102.1	104.2	135.8
Richmond, VA	1,752	2,109	1,507	1,249	1,132	887.2	1,066.4	763.2	641.4	581.3
Rochester, NY	2,142	1,769	1,581	1,646	1,578	866.4	715.1	637.2	664.9	637.5
Sacramento, CA	1,295	1,171	1,442	1,744	1,955	105.2	92.4	110.5	131.1	146.9
San Antonio, TX	2,298	2,140	1,944	2,111	1,968	200.0	183.4	162.7	173.7	161.9
San Diego, CA	1,798	1,878	2,132	2,007	2,379	63.6	65.4	73.3	68.5	81.2
San Francisco, CA	2,161	2,053	2,136	1,809	2,142	278.2	264.6	279.6	240.7	285.0
San Jose, CA	446	547	502	726	1,038	26.4	32.3	29.8	43.3	61.8
Seattle, WA	1,221	1,556	1,462	1,351	1,265	70.2	88.7	83.1	76.7	71.8
St Louis, MO	2,879	3,185	2,737	2,545	2,440	829.8	929.2	808.9	766.1	734.4
St Paul, MN	703	560	584	565	141	246.7	196.0	205.4	200.3	50.0
St Petersburg, FL	1,542	1,391	1,527	1,312	1,382	167.2	150.4	164.8	141.7	149.2
Tampa, FL	1,653	1,517	1,912	1,643	1,197	164.8	147.7	181.4	153.1	111.5
Toledo, OH	864	1,187	1,519	993	1,283	189.9	261.2	334.9	218.6	282.5
Tucson, AZ	591	748	458	470	442	69.6	86.6	52.0	52.6	49.5
Tulsa, OK	892	1,014	1,123	1,059	930	226.0	255.4	280.8	265.3	233.0
Washington, DC	2,706	2,883	2,669	2,508	2,568	473.4	502.4	467.5	444.4	455.0
Wichita, KS	675	837	852	870	691	148.8	183.2	184.4	187.9	149.3
Yonkers, NY	109	143	160	237	134	54.8	71.3	79.4	117.2	66.3
U.S. CITY TOTAL	170,766	167,906	162,300	147,832	140,272	244.7	238.3	228.5	207.5	196.9
San Juan, PR	270	281	194	130	125	26.4	27.5	18.9	12.7	12.2
TOTAL	171,036	168,187	162,494	147,962	140,397	241.5	235.3	225.5	204.8	194.3

See Appendix (Reporting of City-specific Surveillance Data).

Table 18. Gonorrhea — Women – Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	463	484	493	424	432	164.3	171.4	174.2	149.9	152.7
Albuquerque, NM	323	254	375	294	336	113.2	88.3	128.0	99.0	113.2
Atlanta, GA	1,543	2,110	1,679	1,660	1,254	371.7	503.6	400.5	400.8	302.8
Austin, TX	712	722	670	514	533	230.4	226.6	204.3	156.5	162.3
Baltimore, MD	2,578	2,423	2,374	2,090	1,995	744.8	703.1	695.4	622.1	593.8
Birmingham, AL	1,552	1,420	1,231	959	922	443.4	406.2	352.6	276.6	265.9
Boston, MA	618	623	664	483	456	199.6	200.3	214.3	158.4	149.5
Buffalo, NY	914	1,212	872	762	646	544.2	724.4	522.5	458.9	389.0
Charlotte, NC	748	830	980	1,040	877	209.8	226.5	261.6	273.2	230.4
Chicago, IL	6,525	6,924	6,604	6,082	5,928	409.8	434.7	415.3	384.9	375.1
Cincinnati, OH	1,868	1,743	1,882	1,879	1,604	422.9	396.8	432.1	437.4	373.4
Cleveland, OH	1,697	1,816	1,976	1,906	1,578	231.0	248.6	271.9	265.3	219.7
Columbus, OH	1,798	1,696	1,505	1,310	1,249	326.2	305.3	269.8	235.0	224.1
Corpus Christi, TX	355	349	229	203	192	250.7	246.7	160.8	142.4	134.6
Dallas, TX	3,494	3,103	2,610	1,843	1,478	584.9	511.2	432.1	306.2	245.5
Dayton, OH	430	722	757	838	683	148.1	249.9	262.8	292.5	238.4
Denver, CO	714	717	756	618	581	259.4	257.4	272.9	225.0	211.5
Des Moines, IA	200	144	205	197	159	103.4	73.6	103.5	98.9	79.8
Detroit, MI	4,737	4,336	3,618	2,966	3,496	942.6	865.6	725.0	599.8	707.0
El Paso, TX	96	148	167	164	125	32.8	50.0	55.7	54.0	41.2
Fort Worth, TX	1,346	1,153	1,025	771	831	495.3	414.4	359.1	265.1	285.8
Honolulu, HI	217	269	365	645	569	49.7	61.0	81.6	143.1	126.2
Houston, TX	2,986	2,674	2,526	1,798	2,046	317.2	278.7	250.8	176.9	201.3
Indianapolis, IN	1,516	1,751	1,776	1,583	1,621	341.2	392.7	398.6	356.0	364.6
Jacksonville, FL	1,599	1,200	1,316	1,081	988	398.3	294.2	317.5	257.2	235.1
Jersey City, NJ	211	234	176	292	169	172.2	189.7	143.3	240.0	138.9
Kansas City, MO	1,242	1,039	1,283	1,294	1,429	529.7	441.7	543.5	550.1	607.4
Los Angeles, CA	3,072	3,469	3,401	3,786	4,425	68.0	75.8	73.4	81.1	94.8
Louisville, KY	510	640	632	656	619	140.8	176.3	173.6	180.6	170.4
Memphis, TN	2,225	2,070	1,963	1,619	1,629	474.2	440.1	415.0	342.9	345.0
Miami, FL	750	775	855	831	853	64.2	65.3	71.0	68.8	70.7
Milwaukee, WI	3,057	2,540	2,612	2,190	1,836	625.0	520.2	536.0	452.3	379.2
Minneapolis, MN	725	625	662	628	487	371.4	318.5	338.0	322.0	249.7
Nashville, TN	1,016	752	621	697	545	345.5	255.1	210.8	238.1	186.2
New Orleans, LA	1,325	1,310	1,211	1,394	1,072	515.6	515.6	481.3	560.5	431.0
New York City, NY	6,051	6,671	6,418	6,774	5,623	143.4	157.4	151.1	159.7	132.6
Newark, NJ	692	881	716	829	709	439.6	557.9	452.1	525.8	449.7
Norfolk, VA	646	662	670	512	458	563.8	576.5	578.6	440.7	394.2
Oakland, CA	992	1,062	999	850	826	134.4	141.5	133.3	114.6	111.3
Oklahoma City, OK	839	909	861	800	831	382.4	412.4	386.8	358.1	372.0
Omaha, NE	626	518	672	673	432	263.9	216.8	278.9	277.6	178.2
Philadelphia, PA	4,288	4,421	3,609	3,038	2,680	529.2	550.5	452.4	384.2	338.9
Phoenix, AZ	1,325	1,169	1,261	1,189	1,258	85.6	73.1	76.5	70.5	74.6
Pittsburgh, PA	826	1,045	1,243	1,002	899	122.6	156.0	186.3	151.5	135.9
Portland, OR	303	268	184	162	258	115.0	100.6	68.3	60.2	95.8
Richmond, VA	783	1,016	895	697	641	742.1	960.1	847.1	668.6	614.8
Rochester, NY	1,102	947	802	854	757	860.2	739.5	625.0	667.2	591.4
Sacramento, CA	702	619	777	888	1,004	111.7	95.7	116.7	131.1	148.2
San Antonio, TX	1,187	1,124	1,009	1,036	993	201.2	187.8	164.7	166.5	159.6
San Diego, CA	702	685	718	739	936	50.0	48.0	49.7	50.8	64.3
San Francisco, CA	412	360	374	246	230	107.7	94.1	99.1	66.4	62.1
San Jose, CA	174	198	189	321	444	20.9	23.7	22.7	38.9	53.8
Seattle, WA	448	572	438	394	405	51.3	64.9	49.5	44.6	45.8
St Louis, MO	1,426	1,620	1,415	1,300	1,326	775.3	891.4	788.8	739.2	754.0
St Paul, MN	411	335	343	334	77	278.4	226.4	233.0	228.9	52.8
St Petersburg, FL	739	651	782	655	732	153.1	134.5	161.4	135.5	151.5
Tampa, FL	823	758	859	739	627	160.7	144.6	160.0	135.4	114.9
Toledo, OH	487	713	899	611	795	206.2	302.5	382.6	260.3	338.7
Tucson, AZ	257	346	204	217	173	59.3	78.4	45.2	47.6	37.9
Tulsa, OK	494	503	588	579	465	243.1	246.5	286.2	283.1	227.4
Washington, DC	1,271	1,241	1,224	1,137	1,293	420.2	409.1	406.3	381.2	433.5
Wichita, KS	358	473	508	529	427	156.1	204.7	217.4	226.5	182.9
Yonkers, NY	64	81	90	137	78	61.6	77.6	85.9	130.5	74.3
U.S. CITY TOTAL*	81,590	82,125	78,818	72,739	69,020	227.9	227.4	216.6	199.6	189.4
San Juan, PR	105	114	89	42	60	19.8	21.4	16.7	7.9	11.2
TOTAL	81,695	82,239	78,907	72,781	69,080	224.8	224.4	213.7	196.9	186.8

*Cases reported with unknown sex are not included in this table. See Appendix (Reporting of City-specific Surveillance Data).

Table 19. Gonorrhea — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	446	474	435	340	420	170.3	180.5	165.1	128.8	159.1
Albuquerque, NM	367	380	427	339	284	134.8	138.2	152.1	119.1	99.8
Atlanta, GA	1,910	2,510	2,126	2,169	1,500	474.6	617.9	523.4	536.6	371.1
Austin, TX	804	814	731	699	645	248.1	243.4	212.4	200.4	185.0
Baltimore, MD	2,961	2,591	2,499	1,875	1,943	978.5	861.7	840.8	640.6	663.8
Birmingham, AL	1,439	1,177	1,257	1,008	1,175	461.0	377.2	402.8	323.6	377.3
Boston, MA	611	709	740	697	570	211.7	244.7	256.7	244.4	199.9
Buffalo, NY	658	982	781	651	588	427.6	639.3	508.8	425.4	384.2
Charlotte, NC	1,010	1,184	1,283	1,192	1,076	293.5	334.2	353.2	320.7	289.5
Chicago, IL	8,346	7,400	7,208	6,039	5,007	558.2	494.3	481.7	404.9	335.7
Cincinnati, OH	1,343	1,417	1,514	1,444	1,106	333.7	353.4	380.3	366.6	280.8
Cleveland, OH	1,777	2,019	2,109	2,040	1,658	270.2	308.3	323.3	316.0	256.8
Columbus, OH	1,561	1,618	1,317	1,234	1,276	299.7	307.7	248.9	232.2	240.1
Corpus Christi, TX	420	318	237	206	266	309.4	235.0	174.2	151.1	195.1
Dallas, TX	3,775	3,028	2,642	1,817	1,629	633.2	498.3	435.6	298.6	267.7
Dayton, OH	578	699	743	689	676	215.6	261.8	278.9	259.3	254.4
Denver, CO	880	901	1,056	690	721	312.8	316.4	372.6	244.0	255.0
Des Moines, IA	180	126	153	175	103	98.7	68.1	81.6	92.4	54.4
Detroit, MI	4,873	3,884	3,227	2,569	3,267	1,087.8	869.7	725.2	581.5	739.5
El Paso, TX	113	143	169	99	114	41.4	51.9	60.8	35.3	40.6
Fort Worth, TX	1,433	1,133	939	752	806	537.6	414.4	333.9	261.4	280.2
Honolulu, HI	216	288	320	491	464	49.1	65.0	71.3	108.6	102.7
Houston, TX	2,928	2,809	2,705	2,101	2,148	313.3	294.7	269.8	206.9	211.5
Indianapolis, IN	1,687	1,630	1,720	1,598	1,726	405.3	390.0	411.6	381.7	412.3
Jacksonville, FL	2,041	1,531	1,579	1,290	1,047	539.6	397.9	403.2	324.8	263.6
Jersey City, NJ	254	255	203	175	157	214.8	214.0	171.1	148.0	132.8
Kansas City, MO	1,446	1,122	1,342	1,255	1,353	663.5	512.7	610.4	570.6	615.1
Los Angeles, CA	4,228	4,264	4,350	4,374	5,248	95.7	95.2	95.7	95.7	114.8
Louisville, KY	688	793	728	782	708	207.4	238.1	217.9	232.9	210.9
Memphis, TN	2,716	2,350	2,111	1,667	1,648	632.8	546.5	487.9	384.1	379.7
Miami, FL	1,245	1,189	1,192	1,081	1,038	113.9	107.1	105.6	95.3	91.5
Milwaukee, WI	2,084	1,596	1,877	1,589	1,333	462.5	354.5	417.3	353.9	296.9
Minneapolis, MN	852	670	704	732	566	449.9	351.7	370.1	384.1	297.0
Nashville, TN	1,388	873	788	795	676	502.9	316.0	285.3	286.9	244.0
New Orleans, LA	1,690	1,850	1,463	1,500	1,284	745.6	824.7	658.7	680.8	582.8
New York City, NY	5,573	5,914	6,297	6,851	5,364	146.7	154.6	164.1	178.2	139.6
Newark, NJ	866	917	857	653	591	605.6	638.6	594.4	453.1	410.0
Norfolk, VA	841	783	793	549	412	701.6	649.2	643.5	437.3	328.2
Oakland, CA	783	960	945	766	826	109.8	132.5	130.8	106.5	114.9
Oklahoma City, OK	595	708	733	643	712	287.8	340.1	348.3	303.3	335.9
Omaha, NE	531	415	475	485	363	233.6	180.9	204.9	207.0	154.9
Philadelphia, PA	3,910	3,675	3,397	2,693	2,526	555.6	526.0	489.2	391.1	366.8
Phoenix, AZ	1,870	1,657	1,730	1,497	1,684	120.7	103.4	104.5	87.9	98.9
Pittsburgh, PA	668	871	890	726	630	110.2	144.2	147.7	121.1	105.0
Portland, OR	378	475	362	395	468	146.3	181.3	136.4	148.7	176.2
Richmond, VA	968	1,083	612	549	491	1,052.6	1,178.0	666.7	606.8	542.7
Rochester, NY	1,040	822	779	792	821	873.2	689.0	650.3	662.5	686.7
Sacramento, CA	581	543	660	838	938	96.5	87.5	103.2	128.3	143.6
San Antonio, TX	1,110	1,015	935	1,075	974	198.5	178.6	160.6	181.2	164.2
San Diego, CA	1,066	1,109	1,336	1,256	1,417	75.0	76.9	91.4	85.1	96.0
San Francisco, CA	1,749	1,693	1,749	1,547	1,896	443.5	430.4	452.4	405.5	497.0
San Jose, CA	270	349	303	401	594	31.6	40.6	35.5	47.0	69.7
Seattle, WA	773	984	1,024	957	860	89.3	112.8	117.0	109.0	98.0
St Louis, MO	1,453	1,565	1,322	1,245	1,114	891.4	971.8	831.7	796.3	712.5
St Paul, MN	292	225	241	231	64	212.7	163.3	175.7	169.7	47.0
St Petersburg, FL	803	740	745	657	650	182.7	167.8	168.5	148.4	146.8
Tampa, FL	830	759	1,053	904	570	169.0	150.8	203.7	171.4	108.1
Toledo, OH	370	466	613	381	477	169.2	213.0	280.5	173.6	217.3
Tucson, AZ	334	402	254	253	267	80.5	95.3	59.0	57.9	61.1
Tulsa, OK	398	511	535	480	465	207.9	264.9	275.0	246.5	238.8
Washington, DC	1,430	1,627	1,436	1,361	1,269	531.3	601.5	532.5	511.5	476.9
Wichita, KS	317	364	344	341	264	141.4	161.2	150.7	148.7	115.1
Yonkers, NY	45	62	70	100	56	47.3	64.5	72.4	102.9	57.6
U.S. CITY TOTAL*	88,792	85,421	83,165	74,780	70,989	261.2	248.8	240.1	214.9	204.0
San Juan, PR	165	167	105	88	65	33.7	34.0	21.3	17.8	13.2
TOTAL	88,957	85,588	83,270	74,868	71,054	258.0	245.8	237.0	212.2	201.4

*Cases reported with unknown sex are not included in this table. See Appendix (Reporting of City-specific Surveillance Data).

Table 20. Gonorrhea — Reported cases and rates per 100,000 population by age and sex: United States, 2000–2004

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2000	10-14	5,925	830	5,094	28.8	7.9	50.7
	15-19	102,043	33,312	68,731	504.7	320.6	699.5
	20-24	112,313	54,195	58,119	586.8	554.1	621.0
	25-29	55,929	32,831	23,098	290.3	336.8	242.7
	30-34	31,814	20,603	11,211	154.5	198.8	109.6
	35-39	22,605	15,765	6,840	99.9	139.8	60.3
	40-44	13,526	10,234	3,292	60.0	91.6	29.0
	45-54	10,344	8,669	1,676	27.2	46.4	8.6
	55-64	2,299	2,077	222	9.4	17.7	1.7
	65+	897	722	175	2.6	5.0	0.8
TOTAL	358,779	179,651	179,128	127.1	129.7	124.6	
2001	10-14	6,041	862	5,179	28.9	8.0	50.8
	15-19	101,065	31,952	69,113	498.6	306.5	701.8
	20-24	116,207	54,604	61,603	589.5	541.7	639.7
	25-29	56,083	32,181	23,902	294.8	333.6	254.9
	30-34	32,537	21,050	11,487	156.5	201.1	111.3
	35-39	21,799	15,216	6,583	97.7	136.5	58.9
	40-44	13,605	10,072	3,533	59.6	89.0	30.7
	45-54	10,458	8,655	1,803	26.7	44.9	9.0
	55-64	2,255	2,003	252	8.9	16.5	1.9
	65+	843	651	192	2.4	4.5	0.9
TOTAL	361,758	177,531	184,227	126.8	126.7	126.8	
2002	10-14	5,449	784	4,665	25.8	7.2	45.2
	15-19	96,325	29,921	66,404	472.7	285.7	670.4
	20-24	112,449	52,130	60,318	556.3	503.7	611.5
	25-29	55,480	31,391	24,089	292.4	325.6	258.1
	30-34	32,081	20,560	11,521	153.1	194.6	110.8
	35-39	21,419	14,878	6,541	97.7	135.8	59.7
	40-44	13,791	10,254	3,536	60.0	89.8	30.5
	45-54	10,927	8,891	2,036	27.3	45.2	10.0
	55-64	2,284	2,019	266	8.6	15.8	1.9
	65+	791	631	159	2.2	4.3	0.8
TOTAL	351,836	171,839	179,997	122.0	121.3	122.7	
2003	10-14	4,929	725	4,204	23.3	6.7	40.7
	15-19	90,340	27,473	62,867	441.1	261.2	631.2
	20-24	106,930	48,222	58,709	515.9	452.2	583.4
	25-29	53,692	29,368	24,325	280.1	300.5	258.9
	30-34	30,528	19,004	11,524	147.4	181.9	112.4
	35-39	20,212	13,824	6,388	94.4	128.9	59.8
	40-44	13,722	10,079	3,644	59.8	88.4	31.5
	45-54	11,018	8,905	2,113	27.0	44.4	10.2
	55-64	2,316	2,012	303	8.3	15.0	2.1
	65+	745	617	128	2.1	4.1	0.6
TOTAL	335,104	160,459	174,645	115.2	112.2	118.2	
2004	10-14	4,447	630	3,817	21.0	5.8	36.9
	15-19	87,454	26,607	60,847	427.1	252.9	610.9
	20-24	103,187	45,917	57,269	497.8	430.6	569.1
	25-29	54,857	29,520	25,337	286.2	302.1	269.7
	30-34	30,372	18,664	11,708	146.7	178.6	114.2
	35-39	19,793	13,350	6,443	92.5	124.5	60.3
	40-44	14,026	10,220	3,806	61.1	89.6	32.9
	45-54	12,078	9,645	2,433	29.6	48.1	11.7
	55-64	2,653	2,286	367	9.5	17.0	2.5
	65+	745	615	130	2.1	4.1	0.6
TOTAL	330,132	157,623	172,509	113.5	110.2	116.7	

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

This page intentionally left blank.

Table 21A. Gonorrhea — Reported cases by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
2000	10-14	769	50	719	4,649	689	3,960	419	82	336	38	1	37	48	7	41
	15-19	14,608	2,576	12,032	79,244	28,108	51,137	6,877	2,315	4,563	670	180	489	644	131	514
	20-24	15,597	4,831	10,766	87,435	44,977	42,459	7,757	3,762	3,995	884	431	454	655	207	448
	25-29	7,898	3,373	4,524	42,931	26,572	16,359	4,175	2,417	1,758	565	351	214	361	123	238
	30-34	5,802	3,190	2,612	23,063	15,542	7,521	2,347	1,482	865	378	274	104	219	114	105
	35-39	4,689	2,969	1,720	16,039	11,591	4,448	1,445	933	512	251	181	70	178	89	89
	40-44	2,724	1,840	884	9,909	7,796	2,114	668	449	219	126	96	30	96	52	44
	45-54	2,038	1,572	465	7,576	6,567	1,009	560	414	146	103	73	29	66	41	25
	55-64	495	436	59	1,636	1,513	123	115	91	24	30	19	11	22	17	5
	65+	190	144	46	641	527	114	51	45	6	2	0	2	13	6	7
TOTAL	54,964	21,039	33,925	273,928	144,191	129,737	24,512	12,030	12,481	3,056	1,609	1,447	2,319	793	1,526	
2001	10-14	855	57	798	4,646	715	3,932	440	80	360	53	6	47	46	3	43
	15-19	14,961	2,611	12,351	77,554	26,692	50,862	7,095	2,312	4,783	763	205	559	692	130	562
	20-24	16,997	5,390	11,607	89,154	44,621	44,533	8,416	4,024	4,393	881	354	526	778	231	547
	25-29	8,535	3,610	4,924	42,275	25,705	16,570	4,418	2,464	1,954	512	281	231	344	124	219
	30-34	6,106	3,461	2,645	23,242	15,644	7,597	2,636	1,646	990	327	205	122	220	93	127
	35-39	4,720	3,026	1,694	15,136	10,957	4,178	1,630	1,055	575	160	116	44	149	59	90
	40-44	2,882	1,924	958	9,749	7,496	2,253	759	513	246	111	92	19	101	46	55
	45-54	2,364	1,796	568	7,386	6,356	1,030	542	398	144	84	60	25	79	45	34
	55-64	583	510	73	1,510	1,374	136	124	90	33	23	16	7	14	12	2
	65+	207	163	44	554	443	111	57	29	28	17	11	6	7	3	4
TOTAL	58,323	22,585	35,738	271,871	140,235	131,636	26,190	12,624	13,566	2,935	1,348	1,588	2,439	751	1,689	
2002	10-14	786	50	736	4,181	665	3,516	412	57	355	28	4	24	41	7	34
	15-19	15,055	2,521	12,534	73,130	24,995	48,134	6,809	2,111	4,699	547	122	425	785	170	615
	20-24	18,044	5,714	12,330	84,159	41,703	42,456	8,648	4,176	4,473	772	304	468	843	244	599
	25-29	9,168	3,917	5,251	40,777	24,593	16,184	4,647	2,470	2,177	501	263	238	390	157	233
	30-34	6,450	3,628	2,822	22,223	14,951	7,271	2,820	1,656	1,164	322	207	115	260	117	143
	35-39	5,067	3,336	1,731	14,263	10,190	4,073	1,695	1,132	562	214	130	84	175	87	88
	40-44	3,386	2,393	993	9,226	7,098	2,128	957	637	320	109	66	44	109	58	51
	45-54	2,706	2,089	617	7,460	6,268	1,192	573	408	165	105	74	31	80	51	29
	55-64	664	574	90	1,467	1,336	132	125	95	29	23	10	13	4	3	2
	65+	196	155	41	523	428	95	50	35	15	18	11	7	3	3	0
TOTAL	61,671	24,429	37,243	257,986	132,498	125,488	26,829	12,822	14,007	2,646	1,196	1,450	2,704	905	1,800	
2003	10-14	789	51	739	3,662	594	3,068	390	71	320	31	3	28	55	7	49
	15-19	15,541	2,532	13,009	66,553	22,572	43,980	7,011	2,086	4,924	533	116	417	700	163	537
	20-24	19,132	6,097	13,035	77,129	37,552	39,577	9,080	4,085	4,994	840	270	570	767	229	539
	25-29	9,891	4,159	5,732	38,142	22,275	15,866	4,787	2,544	2,243	499	250	249	375	146	229
	30-34	6,648	3,512	3,136	20,459	13,498	6,961	2,821	1,704	1,117	381	206	175	214	83	131
	35-39	5,126	3,314	1,812	12,840	9,130	3,710	1,823	1,160	663	244	139	105	174	80	94
	40-44	3,835	2,634	1,201	8,642	6,626	2,016	981	654	327	145	95	49	118	70	48
	45-54	2,917	2,169	748	7,268	6,172	1,096	660	467	192	105	64	41	66	32	33
	55-64	713	588	125	1,439	1,301	138	123	98	25	31	19	13	8	7	2
	65+	239	196	43	443	379	64	44	29	15	11	7	4	8	6	2
TOTAL	64,961	25,288	39,673	237,038	120,266	116,771	27,793	12,922	14,872	2,823	1,171	1,652	2,489	823	1,666	
2004	10-14	678	44	634	3,336	526	2,811	366	48	318	28	5	23	38	7	31
	15-19	15,369	2,546	12,822	63,917	21,682	42,234	6,908	2,101	4,807	475	115	359	785	159	626
	20-24	19,129	5,909	13,220	73,374	35,351	38,023	8,891	4,017	4,874	868	329	538	939	319	620
	25-29	10,539	4,237	6,301	38,013	21,985	16,028	5,387	2,882	2,505	497	262	234	424	159	265
	30-34	6,751	3,459	3,293	20,027	13,180	6,847	2,956	1,726	1,230	384	200	184	249	99	150
	35-39	5,276	3,277	1,998	12,243	8,667	3,576	1,883	1,178	706	214	143	72	172	84	88
	40-44	4,021	2,713	1,307	8,710	6,653	2,058	1,060	736	324	116	75	40	116	40	76
	45-54	3,341	2,487	855	7,777	6,523	1,253	746	511	235	103	61	42	110	63	46
	55-64	831	695	136	1,615	1,457	158	159	116	43	35	12	23	12	7	5
	65+	219	174	45	472	404	68	42	29	14	3	1	2	8	6	2
TOTAL	66,250	25,585	40,665	229,843	116,537	113,306	28,455	13,360	15,096	2,726	1,205	1,521	2,858	946	1,912	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 20 for age-specific cases and rates and Tables 13-15 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 21B. Gonorrhea — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	5.8	0.7	11.2	145.1	42.4	250.8	13.1	5.0	21.5	4.8	0.3	9.5	20.6	5.9	36.0
15-19	112.4	38.7	189.6	2,662.4	1,867.1	3,476.2	216.9	137.4	307.0	78.7	41.6	117.4	293.0	116.4	477.1
20-24	130.9	80.1	182.9	3,264.8	3,448.8	3,090.2	225.3	198.4	258.2	96.0	93.5	98.4	360.1	225.1	498.4
25-29	65.6	55.6	75.7	1,687.3	2,197.0	1,225.4	121.9	130.5	111.7	52.1	65.7	38.8	215.2	146.2	284.6
30-34	42.8	46.8	38.8	874.7	1,246.2	541.3	74.0	87.5	58.5	35.9	53.2	19.3	128.4	134.2	122.6
35-39	29.8	37.7	21.9	566.0	870.8	296.0	50.5	62.4	37.5	24.9	37.0	13.5	94.2	96.5	92.0
40-44	16.7	22.5	10.8	362.8	608.6	145.8	28.5	37.5	19.1	13.5	21.7	6.1	52.5	59.5	46.1
45-54	7.0	11.0	3.2	182.5	342.5	45.2	17.5	26.2	9.0	6.8	10.5	3.6	22.7	29.6	16.4
55-64	2.6	4.7	0.6	68.3	141.8	9.2	6.6	11.1	2.6	3.5	4.7	2.5	13.7	22.3	5.7
65+	0.6	1.2	0.3	22.5	48.7	6.5	2.9	6.2	0.5	0.2	0.0	0.4	9.2	9.6	8.9
TOTAL	27.8	21.8	33.6	778.1	862.0	702.1	68.7	65.5	72.1	26.7	28.9	24.5	98.6	68.4	128.0
10-14	6.5	0.8	12.4	141.5	42.9	243.0	13.1	4.7	21.8	6.4	1.4	11.6	19.6	2.5	37.3
15-19	114.8	39.0	194.8	2,586.9	1,753.8	3,446.0	223.7	138.7	317.9	89.9	47.3	134.3	309.3	113.9	513.1
20-24	138.5	86.8	191.4	3,203.4	3,276.3	3,133.6	238.0	206.0	277.5	94.4	76.3	112.2	411.4	241.2	586.4
25-29	73.3	61.5	85.3	1,683.5	2,148.2	1,260.6	122.7	125.7	119.2	46.3	52.2	40.7	205.8	148.1	264.2
30-34	45.3	51.0	39.5	878.9	1,251.9	544.7	78.3	91.5	63.3	29.0	37.4	21.0	129.2	109.2	149.0
35-39	30.9	39.6	22.3	537.7	828.4	280.0	54.0	66.6	40.1	15.2	22.7	8.2	80.2	65.2	94.8
40-44	17.6	23.5	11.7	351.3	576.2	152.8	30.4	40.1	20.2	11.5	20.1	3.7	54.4	51.4	57.2
45-54	8.0	12.2	3.8	170.4	317.6	44.2	15.8	23.4	8.4	5.3	8.1	2.9	26.3	31.3	21.6
55-64	2.9	5.3	0.7	61.2	125.1	9.9	6.7	10.4	3.4	2.6	3.8	1.5	8.2	14.8	2.0
65+	0.7	1.3	0.3	19.2	40.3	6.2	3.1	3.8	2.6	1.8	2.9	1.0	4.6	5.0	4.3
TOTAL	29.4	23.3	35.3	762.0	826.8	703.3	70.3	65.8	75.2	24.6	23.4	25.8	102.6	64.0	140.0
10-14	6.0	0.7	11.5	124.9	39.1	213.2	11.6	3.1	20.6	3.4	1.0	5.9	17.4	5.9	29.2
15-19	115.2	37.5	197.3	2,410.6	1,621.2	3,226.2	213.0	126.8	306.6	64.2	28.1	101.6	346.9	147.5	555.1
20-24	143.4	89.7	198.3	2,927.7	2,942.8	2,913.0	239.8	209.6	277.0	81.4	64.7	97.9	427.4	244.0	616.6
25-29	80.1	67.9	92.6	1,631.8	2,062.7	1,238.6	123.8	119.9	128.5	45.1	49.0	41.5	233.3	186.1	281.2
30-34	48.4	54.1	42.6	834.8	1,187.4	518.3	78.8	86.3	70.2	26.6	35.3	18.4	152.3	137.3	167.3
35-39	34.4	45.3	23.6	514.3	781.9	277.1	53.7	68.2	37.6	19.5	24.4	14.9	96.9	97.9	96.0
40-44	20.7	29.3	12.1	329.1	540.7	142.7	36.1	46.7	24.9	10.9	13.7	8.3	58.0	64.4	52.0
45-54	9.0	14.1	4.1	165.7	301.7	49.2	15.7	22.4	9.0	6.3	9.6	3.4	26.0	34.4	18.1
55-64	3.2	5.6	0.8	57.2	116.9	9.2	6.3	10.2	2.8	2.3	2.1	2.5	2.4	3.2	1.7
65+	0.7	1.3	0.2	17.9	38.3	5.3	2.5	4.2	1.3	1.8	2.5	1.3	1.9	4.4	0.0
TOTAL	31.0	25.1	36.7	713.7	770.7	662.1	69.2	64.1	74.6	21.4	20.0	22.6	112.5	76.3	147.6
10-14	6.0	0.8	11.6	108.3	34.6	184.4	10.7	3.8	17.9	3.7	0.6	6.9	23.9	5.7	42.7
15-19	118.9	37.7	204.7	2,165.6	1,447.2	2,905.9	215.9	123.8	315.1	62.2	26.3	100.1	307.6	140.7	481.1
20-24	149.1	93.5	206.3	2,614.5	2,558.2	2,670.3	242.4	197.0	298.6	84.8	54.0	116.2	372.7	218.5	532.1
25-29	85.8	71.4	100.4	1,504.2	1,831.3	1,202.6	126.0	121.6	131.5	44.2	45.1	43.4	220.8	170.4	272.0
30-34	51.0	53.5	48.4	771.9	1,074.6	499.2	78.8	88.6	67.4	30.3	33.4	27.3	125.6	98.0	153.2
35-39	36.0	46.4	25.5	472.6	713.9	258.0	57.4	69.0	44.4	22.0	25.8	18.4	99.4	92.8	105.8
40-44	23.7	32.6	14.8	308.0	504.5	135.1	35.8	46.0	24.7	14.0	19.2	9.2	62.8	76.8	49.7
45-54	9.6	14.4	4.9	156.6	287.9	43.9	17.3	24.5	10.1	6.0	7.8	4.4	20.7	21.4	20.0
55-64	3.3	5.5	1.1	53.6	108.9	9.3	5.9	9.8	2.3	3.0	3.9	2.3	4.4	7.3	1.8
65+	0.8	1.6	0.2	15.0	33.5	3.5	2.2	3.4	1.3	1.1	1.6	0.6	4.6	8.1	2.0
TOTAL	32.6	25.9	39.1	649.3	691.8	610.6	69.7	62.7	77.1	22.1	18.9	25.2	102.5	68.8	135.2
10-14	5.2	0.7	10.0	98.7	30.6	168.9	10.0	2.6	17.8	3.3	1.2	5.6	16.3	5.7	27.2
15-19	117.5	37.9	201.7	2,079.8	1,390.1	2,790.5	212.7	124.7	307.6	55.4	26.2	86.3	345.2	137.4	561.2
20-24	149.0	90.7	209.3	2,487.2	2,408.3	2,565.4	237.3	193.7	291.4	87.6	66.0	109.7	456.1	304.6	612.8
25-29	91.4	72.8	110.3	1,499.1	1,807.4	1,214.9	141.8	137.7	146.8	44.0	47.3	40.8	249.5	185.4	314.5
30-34	51.8	52.6	50.8	755.6	1,049.2	491.0	82.6	89.8	74.2	30.5	32.5	28.6	146.3	116.8	175.9
35-39	37.1	45.9	28.2	450.7	677.7	248.7	59.3	70.0	47.3	19.3	26.4	12.6	98.5	97.7	99.2
40-44	24.8	33.6	16.1	310.5	506.5	137.9	38.7	51.9	24.5	11.2	15.2	7.5	61.8	44.6	78.0
45-54	11.0	16.5	5.6	167.6	304.3	50.2	19.5	26.8	12.3	5.9	7.5	4.5	34.6	41.7	28.0
55-64	3.8	6.5	1.2	60.2	121.9	10.6	7.6	11.7	4.0	3.4	2.4	4.2	6.0	7.1	5.0
65+	0.7	1.4	0.3	15.9	35.7	3.7	2.1	3.3	1.1	0.3	0.3	0.3	4.6	8.0	2.0
TOTAL	33.3	26.2	40.0	629.6	670.3	592.5	71.3	64.9	78.2	21.4	19.4	23.2	117.7	79.0	155.3

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 20 for age-specific cases and rates and Tables 13-15 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 22. All stages of syphilis* — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	753	724	700	567	639	16.9	16.2	15.6	12.6	14.2
Alaska	6	9	9	8	15	1.0	1.4	1.4	1.2	2.3
Arizona	849	1,149	1,086	1,106	974	16.4	21.7	19.9	19.8	17.5
Arkansas	366	239	219	296	249	13.7	8.9	8.1	10.9	9.1
California	3,354	3,053	3,917	4,207	4,586	9.9	8.8	11.2	11.9	12.9
Colorado	63	149	174	144	179	1.5	3.4	3.9	3.2	3.9
Connecticut	151	165	188	207	169	4.4	4.8	5.4	5.9	4.9
Delaware	45	79	62	47	61	5.7	9.9	7.7	5.7	7.5
Florida	2,770	2,915	3,280	3,283	2,964	17.3	17.8	19.6	19.3	17.4
Georgia	1,640	1,988	1,896	2,152	1,588	19.9	23.7	22.1	24.8	18.3
Hawaii	22	41	59	61	36	1.8	3.3	4.7	4.9	2.9
Idaho	11	11	23	45	78	0.8	0.8	1.7	3.3	5.7
Illinois	1,638	1,547	1,593	1,377	1,345	13.2	12.4	12.6	10.9	10.6
Indiana	751	529	320	367	273	12.3	8.6	5.2	5.9	4.4
Iowa	55	44	54	46	36	1.9	1.5	1.8	1.6	1.2
Kansas	67	88	77	77	87	2.5	3.3	2.8	2.8	3.2
Kentucky	253	191	212	160	151	6.2	4.7	5.2	3.9	3.7
Louisiana	973	793	776	1,581	1,645	21.8	17.7	17.3	35.2	36.6
Maine	7	16	9	21	7	0.5	1.2	0.7	1.6	0.5
Maryland	1,172	938	843	975	1,002	22.1	17.4	15.4	17.7	18.2
Massachusetts	448	446	541	644	517	7.0	7.0	8.4	10.0	8.0
Michigan	1,001	1,170	1,184	860	806	10.1	11.7	11.8	8.5	8.0
Minnesota	77	132	148	195	145	1.6	2.6	2.9	3.9	2.9
Mississippi	685	654	451	435	404	24.0	22.9	15.7	15.1	14.0
Missouri	299	174	204	207	268	5.3	3.1	3.6	3.6	4.7
Montana	0	0	5	0	4	0.0	0.0	0.5	0.0	0.4
Nebraska	7	16	25	27	15	0.4	0.9	1.4	1.6	0.9
Nevada	52	62	113	149	253	2.6	3.0	5.2	6.6	11.3
New Hampshire	19	21	24	37	26	1.5	1.7	1.9	2.9	2.0
New Jersey	802	1,040	1,062	1,089	826	9.5	12.2	12.4	12.6	9.6
New Mexico	101	76	115	205	251	5.5	4.2	6.2	10.9	13.4
New York	2,948	3,610	3,885	4,360	4,468	15.5	18.9	20.3	22.7	23.3
North Carolina	1,495	1,422	1,051	850	747	18.5	17.3	12.6	10.1	8.9
North Dakota	1	2	0	2	0	0.2	0.3	0.0	0.3	0.0
Ohio	282	297	351	481	571	2.5	2.6	3.1	4.2	5.0
Oklahoma	327	288	287	353	168	9.5	8.3	8.2	10.1	4.8
Oregon	49	48	75	118	108	1.4	1.4	2.1	3.3	3.0
Pennsylvania	685	726	689	706	574	5.6	5.9	5.6	5.7	4.6
Rhode Island	38	39	67	90	104	3.6	3.7	6.3	8.4	9.7
South Carolina	861	916	620	552	523	21.4	22.5	15.1	13.3	12.6
South Dakota	1	1	0	5	0	0.1	0.1	0.0	0.7	0.0
Tennessee	1,709	1,478	1,082	881	799	30.0	25.7	18.7	15.1	13.7
Texas	3,298	3,662	4,109	3,996	4,205	15.7	17.1	18.9	18.1	19.0
Utah	59	25	71	72	78	2.6	1.1	3.1	3.1	3.3
Vermont	0	8	2	1	3	0.0	1.3	0.3	0.2	0.5
Virginia	539	525	528	552	610	7.6	7.3	7.2	7.5	8.3
Washington	171	174	158	239	336	2.9	2.9	2.6	3.9	5.5
West Virginia	13	7	5	11	18	0.7	0.4	0.3	0.6	1.0
Wisconsin	184	131	135	111	127	3.4	2.4	2.5	2.0	2.3
Wyoming	5	4	1	4	6	1.0	0.8	0.2	0.8	1.2
U.S. TOTAL†	31,618	32,281	32,916	34,289	33,401	11.2	11.3	11.4	11.8	11.5
Northeast	5,098	6,071	6,467	7,155	6,694	9.5	11.3	11.9	13.2	12.3
Midwest	4,363	4,131	4,091	3,755	3,673	6.8	6.4	6.3	5.7	5.6
South	17,415	17,278	16,552	17,021	16,130	17.3	16.9	16.0	16.3	15.4
West	4,742	4,801	5,806	6,358	6,904	7.5	7.4	8.8	9.6	10.4
Guam	9	30	19	16	13	5.8	18.9	11.8	9.8	7.9
Puerto Rico	1,340	1,268	1,393	1,357	1,152	35.1	33.0	36.1	35.0	29.7
Virgin Islands	11	9	4	14	17	10.1	8.2	3.6	12.9	15.6
OUTLYING AREAS	1,360	1,307	1,416	1,387	1,182	33.3	31.8	34.3	33.4	28.5
TOTAL	32,978	33,588	34,332	35,676	34,583	11.5	11.6	11.7	12.1	11.7

*See Appendix (Syphilis Morbidity Reporting) for definition.

†Includes cases reported by Washington, D.C.

Table 23. All stages of syphilis* — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	2	4	5	5	10	0.4	0.7	0.9	0.9	1.8
Albuquerque, NM	63	43	60	75	98	11.3	7.6	10.5	12.9	16.9
Atlanta, GA	384	799	827	966	725	47.0	96.8	100.2	118.0	88.6
Austin, TX	59	115	101	127	169	9.3	17.6	15.0	18.8	25.0
Baltimore, MD	728	477	400	457	484	112.2	73.9	62.6	72.7	77.0
Birmingham, AL	212	151	127	111	103	32.0	22.8	19.2	16.9	15.7
Boston, MA	160	157	231	298	219	26.7	26.1	38.6	50.5	37.1
Buffalo, NY	10	12	10	9	11	3.1	3.7	3.1	2.8	3.4
Charlotte, NC	151	130	102	109	115	21.6	18.0	13.8	14.5	15.3
Chicago, IL	1,090	1,094	1,149	947	977	35.3	35.4	37.2	30.8	31.8
Cincinnati, OH	14	16	21	11	39	1.7	1.9	2.5	1.3	4.7
Cleveland, OH	42	39	26	34	48	3.0	2.8	1.9	2.5	3.5
Columbus, OH	90	140	189	217	210	8.4	12.9	17.4	19.9	19.3
Corpus Christi, TX	10	10	12	26	14	3.6	3.6	4.3	9.3	5.0
Dallas, TX	587	702	1,044	850	777	49.2	57.8	86.2	70.2	64.2
Dayton, OH	17	18	9	13	11	3.0	3.2	1.6	2.4	2.0
Denver, CO	23	64	89	77	86	4.1	11.4	15.9	13.8	15.4
Des Moines, IA	18	15	19	16	22	4.8	3.9	4.9	4.1	5.7
Detroit, MI	771	925	880	624	563	81.1	97.6	93.2	66.6	60.1
El Paso, TX	92	106	119	110	111	16.3	18.5	20.6	18.8	19.0
Fort Worth, TX	191	267	374	224	171	35.5	48.4	66.0	38.7	29.6
Honolulu, HI	15	30	52	53	28	1.7	3.4	5.8	5.9	3.1
Houston, TX	850	922	1,034	991	1,044	45.3	48.2	51.4	48.8	51.4
Indianapolis, IN	521	306	135	122	108	60.5	35.4	15.6	14.1	12.5
Jacksonville, FL	125	139	69	125	201	16.0	17.5	8.6	15.3	24.6
Jersey City, NJ	27	39	59	52	61	11.2	16.1	24.4	21.7	25.4
Kansas City, MO	46	30	37	56	54	10.2	6.6	8.1	12.3	11.9
Los Angeles, CA	1,857	1,339	1,626	1,755	2,061	20.8	14.8	17.7	19.0	22.3
Louisville, KY	149	100	141	101	99	21.5	14.4	20.2	14.4	14.2
Memphis, TN	882	896	541	477	462	98.2	99.5	59.7	52.6	51.0
Miami, FL	829	1,044	1,297	1,167	994	36.7	45.5	55.6	49.8	42.5
Milwaukee, WI	151	98	88	62	67	16.1	10.4	9.4	6.6	7.2
Minneapolis, MN	34	63	79	73	55	8.8	16.3	20.5	18.9	14.3
Nashville, TN	523	379	294	198	161	91.7	66.4	51.5	34.7	28.3
New Orleans, LA	124	101	102	204	329	25.6	21.1	21.5	43.5	70.1
New York City, NY	2,712	3,304	3,486	3,825	3,708	33.8	41.0	43.1	47.3	45.9
Newark, NJ	265	377	343	360	244	88.2	125.0	113.4	119.3	80.8
Norfolk, VA	85	83	47	48	51	36.3	35.3	19.7	19.9	21.1
Oakland, CA	91	109	176	173	144	6.3	7.4	12.0	11.8	9.9
Oklahoma City, OK	193	160	170	193	90	45.3	37.3	39.3	44.3	20.7
Omaha, NE	6	3	15	21	8	1.3	0.6	3.2	4.4	1.7
Philadelphia, PA	618	646	566	586	470	40.8	43.0	37.9	39.6	31.8
Phoenix, AZ	738	959	855	829	644	23.8	30.0	25.9	24.5	19.0
Pittsburgh, PA	7	15	26	30	28	0.5	1.2	2.0	2.4	2.2
Portland, OR	30	29	48	64	52	5.7	5.5	9.0	12.0	9.7
Richmond, VA	40	58	25	42	30	20.3	29.3	12.7	21.6	15.4
Rochester, NY	7	4	13	24	29	2.8	1.6	5.2	9.7	11.7
Sacramento, CA	25	33	38	31	56	2.0	2.6	2.9	2.3	4.2
San Antonio, TX	287	364	306	213	329	25.0	31.2	25.6	17.5	27.1
San Diego, CA	232	152	162	299	356	8.2	5.3	5.6	10.2	12.1
San Francisco, CA	163	301	604	655	706	21.0	38.8	79.1	87.1	93.9
San Jose, CA	43	92	93	135	112	2.5	5.4	5.5	8.0	6.7
Seattle, WA	116	110	96	134	227	6.7	6.3	5.5	7.6	12.9
St Louis, MO	115	63	80	51	106	33.1	18.4	23.6	15.4	31.9
St Paul, MN	9	16	16	27	8	3.2	5.6	5.6	9.6	2.8
St Petersburg, FL	64	40	81	128	97	6.9	4.3	8.7	13.8	10.5
Tampa, FL	132	148	222	265	197	13.2	14.4	21.1	24.7	18.4
Toledo, OH	18	3	18	18	12	4.0	0.7	4.0	4.0	2.6
Tucson, AZ	36	72	91	126	137	4.2	8.3	10.3	14.1	15.3
Tulsa, OK	32	22	30	35	23	8.1	5.5	7.5	8.8	5.8
Washington, DC	516	459	431	330	357	90.3	80.0	75.5	58.5	63.3
Wichita, KS	10	15	13	13	29	2.2	3.3	2.8	2.8	6.3
Yonkers, NY	10	13	27	30	38	5.0	6.5	13.4	14.8	18.8
U.S. CITY TOTAL	17,447	18,420	19,426	19,427	18,975	25.0	26.1	27.3	27.3	26.6
San Juan, PR	545	483	443	579	466	53.4	47.2	43.2	56.4	45.4
TOTAL	17,992	18,903	19,869	20,006	19,441	25.4	26.4	27.6	27.7	26.9

*See Appendix (Syphilis Morbidity Reporting) for definition and (Reporting of City-specific Surveillance Data).

Table 24. Primary and secondary syphilis — Reported cases and rates by state/area, ranked by rates: United States, 2004

<i>Rank*</i>	<i>State/Area</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	Louisiana	332	7.4
2	Maryland	380	6.9
3	Georgia	549	6.3
4	New Mexico	82	4.4
5	Florida	728	4.3
6	California	1,356	3.8
7	New York	727	3.8
8	Texas	827	3.7
9	Alabama	165	3.7
10	Illinois	386	3.1
11	Arizona	157	2.8
12	South Carolina	116	2.8
	U.S. TOTAL[†]	7,980	2.7
13	Washington	150	2.4
14	Rhode Island	26	2.4
15	North Carolina	192	2.3
16	Tennessee	130	2.2
17	Ohio	237	2.1
18	Mississippi	59	2.0
19	Michigan	192	1.9
20	Nevada	40	1.8
21	Massachusetts	114	1.8
22	Idaho	24	1.8
23	New Jersey	150	1.7
24	Arkansas	47	1.7
25	Missouri	94	1.6
26	Virginia	116	1.6
27	Colorado	63	1.4
28	Connecticut	45	1.3
29	Alaska	8	1.2
30	Kentucky	47	1.1
31	Delaware	9	1.1
32	Indiana	60	1.0
33	Pennsylvania	118	1.0
34	Kansas	24	0.9
35	Oregon	29	0.8
36	Oklahoma	25	0.7
37	Hawaii	8	0.6
38	Wyoming	3	0.6
39	Utah	13	0.6
40	Minnesota	27	0.5
41	Wisconsin	29	0.5
42	Montana	4	0.4
43	Nebraska	7	0.4
44	New Hampshire	5	0.4
	YEAR 2010 TARGET		0.2
45	Iowa	5	0.2
46	West Virginia	3	0.2
47	Vermont	1	0.2
48	Maine	2	0.2
	North Dakota	0	0.0
	South Dakota	0	0.0

*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

[†]Total includes cases reported by Washington, D.C., but excludes outlying areas (Guam with 0 cases and rate of 0.0, Puerto Rico with 182 cases and rate of 4.7, and Virgin Islands with 5 cases and rate of 4.6).

Table 25. Primary and secondary syphilis — Counties and independent cities* ranked by number of reported cases: United States, 2004

<i>Rank[†]</i>	<i>County/Independent City</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>	<i>Cumulative Percent</i>
1	Los Angeles County, CA	506	5.1	6
2	San Francisco County, CA	345	45.9	10
3	Cook County, IL	340	6.4	14
4	New York County, NY	328	21.0	19
5	Fulton County, GA	283	34.6	22
6	Dade County, FL	213	9.1	25
7	Harris County, TX	211	5.9	27
8	Baltimore (City), MD	209	33.2	30
9	Dallas County, TX	184	8.1	32
10	Broward County, FL	183	10.6	35
11	Wayne County, MI	142	7.0	36
12	San Diego County, CA	138	4.7	38
13	Kings County, NY	134	5.4	40
14	East Baton Rouge County, LA	124	30.1	41
15	King County, WA	123	7.0	43
16	De Kalb County, GA	117	17.4	44
17	Bexar County, TX	107	7.3	46
18	Maricopa County, AZ	106	3.1	47
19	Franklin County, OH	105	9.6	48
20	Queens County, NY	89	4.0	50

*Accounting for 50% of reported primary and secondary syphilis cases.

†Counties were ranked in descending order by number of cases.

Table 26. Primary and secondary syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	123	142	149	114	165	2.8	3.2	3.3	2.5	3.7
Alaska	0	0	0	1	8	0.0	0.0	0.0	0.2	1.2
Arizona	189	180	200	186	157	3.7	3.4	3.7	3.3	2.8
Arkansas	104	49	34	51	47	3.9	1.8	1.3	1.9	1.7
California	325	545	1,033	1,299	1,356	1.0	1.6	2.9	3.7	3.8
Colorado	11	23	64	39	63	0.3	0.5	1.4	0.9	1.4
Connecticut	16	12	28	30	45	0.5	0.3	0.8	0.9	1.3
Delaware	9	14	11	7	9	1.1	1.8	1.4	0.9	1.1
Florida	413	484	617	658	728	2.6	3.0	3.7	3.9	4.3
Georgia	402	414	439	585	549	4.9	4.9	5.1	6.7	6.3
Hawaii	2	12	11	14	8	0.2	1.0	0.9	1.1	0.6
Idaho	1	1	8	15	24	0.1	0.1	0.6	1.1	1.8
Illinois	412	409	479	374	386	3.3	3.3	3.8	3.0	3.1
Indiana	351	151	62	50	60	5.8	2.5	1.0	0.8	1.0
Iowa	11	5	8	12	5	0.4	0.2	0.3	0.4	0.2
Kansas	6	25	20	25	24	0.2	0.9	0.7	0.9	0.9
Kentucky	85	48	88	33	47	2.1	1.2	2.2	0.8	1.1
Louisiana	209	173	152	183	332	4.7	3.9	3.4	4.1	7.4
Maine	1	1	2	8	2	0.1	0.1	0.2	0.6	0.2
Maryland	300	266	228	312	380	5.6	4.9	4.2	5.7	6.9
Massachusetts	68	46	99	133	114	1.1	0.7	1.5	2.1	1.8
Michigan	330	428	486	249	192	3.3	4.3	4.8	2.5	1.9
Minnesota	16	33	59	47	27	0.3	0.7	1.2	0.9	0.5
Mississippi	137	140	49	40	59	4.8	4.9	1.7	1.4	2.0
Missouri	29	26	34	61	94	0.5	0.5	0.6	1.1	1.6
Montana	0	0	0	0	4	0.0	0.0	0.0	0.0	0.4
Nebraska	2	10	6	10	7	0.1	0.6	0.3	0.6	0.4
Nevada	5	8	15	12	40	0.2	0.4	0.7	0.5	1.8
New Hampshire	2	1	8	19	5	0.2	0.1	0.6	1.5	0.4
New Jersey	71	137	169	170	150	0.8	1.6	2.0	2.0	1.7
New Mexico	16	19	39	71	82	0.9	1.0	2.1	3.8	4.4
New York	132	304	478	584	727	0.7	1.6	2.5	3.0	3.8
North Carolina	483	445	279	152	192	6.0	5.4	3.4	1.8	2.3
North Dakota	0	0	0	2	0	0.0	0.0	0.0	0.3	0.0
Ohio	69	81	159	197	237	0.6	0.7	1.4	1.7	2.1
Oklahoma	116	60	72	64	25	3.4	1.7	2.1	1.8	0.7
Oregon	12	13	28	48	29	0.3	0.4	0.8	1.3	0.8
Pennsylvania	77	100	105	159	118	0.6	0.8	0.9	1.3	1.0
Rhode Island	4	9	13	33	26	0.4	0.8	1.2	3.1	2.4
South Carolina	229	235	134	94	116	5.7	5.8	3.3	2.3	2.8
South Dakota	0	1	0	2	0	0.0	0.1	0.0	0.3	0.0
Tennessee	532	331	168	135	130	9.3	5.8	2.9	2.3	2.2
Texas	396	478	589	654	827	1.9	2.2	2.7	3.0	3.7
Utah	2	11	7	14	13	0.1	0.5	0.3	0.6	0.6
Vermont	0	3	2	1	1	0.0	0.5	0.3	0.2	0.2
Virginia	126	102	71	82	116	1.8	1.4	1.0	1.1	1.6
Washington	66	57	70	82	150	1.1	1.0	1.2	1.3	2.4
West Virginia	3	5	2	2	3	0.2	0.3	0.1	0.1	0.2
Wisconsin	48	22	30	16	29	0.9	0.4	0.6	0.3	0.5
Wyoming	1	1	0	0	3	0.2	0.2	0.0	0.0	0.6
U.S. TOTAL*	5,979	6,103	6,862	7,177	7,980	2.1	2.1	2.4	2.5	2.7
Northeast	371	613	904	1,137	1,188	0.7	1.1	1.7	2.1	2.2
Midwest	1,274	1,191	1,343	1,045	1,061	2.0	1.8	2.1	1.6	1.6
South	3,704	3,429	3,140	3,214	3,794	3.7	3.4	3.0	3.1	3.6
West	630	870	1,475	1,781	1,937	1.0	1.3	2.2	2.7	2.9
Guam	1	12	6	1	0	0.6	7.6	3.7	0.6	0.0
Puerto Rico	175	244	270	202	182	4.6	6.4	7.0	5.2	4.7
Virgin Islands	3	0	1	3	5	2.8	0.0	0.9	2.8	4.6
OUTLYING AREAS	179	256	277	206	187	4.4	6.2	6.7	5.0	4.5
TOTAL	6,158	6,359	7,139	7,383	8,167	2.2	2.2	2.4	2.5	2.8

*Includes cases reported by Washington, D.C.

Table 27. Primary and secondary syphilis — Women — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	63	67	63	49	52	2.7	2.9	2.7	2.1	2.2
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	80	50	74	66	42	3.1	1.9	2.7	2.4	1.5
Arkansas	58	27	18	16	18	4.2	2.0	1.3	1.1	1.3
California	51	42	39	52	63	0.3	0.2	0.2	0.3	0.4
Colorado	1	5	2	5	7	0.0	0.2	0.1	0.2	0.3
Connecticut	7	2	3	3	3	0.4	0.1	0.2	0.2	0.2
Delaware	1	5	4	2	1	0.2	1.2	1.0	0.5	0.2
Florida	163	135	108	73	98	2.0	1.6	1.3	0.8	1.1
Georgia	159	129	98	68	45	3.8	3.0	2.3	1.5	1.0
Hawaii	1	0	2	0	0	0.2	0.0	0.3	0.0	0.0
Idaho	0	0	4	5	11	0.0	0.0	0.6	0.7	1.6
Illinois	181	91	81	48	55	2.9	1.4	1.3	0.7	0.9
Indiana	196	71	18	16	6	6.3	2.3	0.6	0.5	0.2
Iowa	6	1	4	2	1	0.4	0.1	0.3	0.1	0.1
Kansas	1	11	6	13	7	0.1	0.8	0.4	0.9	0.5
Kentucky	42	17	43	13	6	2.0	0.8	2.1	0.6	0.3
Louisiana	97	83	76	79	123	4.2	3.6	3.3	3.4	5.3
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	115	113	53	74	92	4.2	4.1	1.9	2.6	3.2
Massachusetts	19	4	12	3	5	0.6	0.1	0.4	0.1	0.2
Michigan	141	161	192	93	61	2.8	3.2	3.8	1.8	1.2
Minnesota	5	16	4	4	3	0.2	0.6	0.2	0.2	0.1
Mississippi	70	69	31	20	19	4.8	4.7	2.1	1.3	1.3
Missouri	11	8	10	14	12	0.4	0.3	0.3	0.5	0.4
Montana	0	0	0	0	1	0.0	0.0	0.0	0.0	0.2
Nebraska	1	8	2	1	4	0.1	0.9	0.2	0.1	0.5
Nevada	2	1	1	3	8	0.2	0.1	0.1	0.3	0.7
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	23	44	48	49	38	0.5	1.0	1.1	1.1	0.9
New Mexico	5	6	12	23	36	0.5	0.6	1.3	2.4	3.8
New York	12	23	26	26	32	0.1	0.2	0.3	0.3	0.3
North Carolina	234	191	115	47	48	5.7	4.6	2.7	1.1	1.1
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	26	26	27	40	61	0.4	0.4	0.5	0.7	1.0
Oklahoma	54	28	20	20	9	3.1	1.6	1.1	1.1	0.5
Oregon	4	2	8	3	1	0.2	0.1	0.5	0.2	0.1
Pennsylvania	30	28	22	33	16	0.5	0.4	0.3	0.5	0.3
Rhode Island	2	0	2	8	10	0.4	0.0	0.4	1.4	1.8
South Carolina	96	101	58	24	25	4.6	4.8	2.7	1.1	1.2
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	247	158	82	40	34	8.4	5.4	2.8	1.3	1.1
Texas	152	169	192	162	179	1.4	1.6	1.8	1.5	1.6
Utah	1	2	0	3	3	0.1	0.2	0.0	0.3	0.3
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	44	43	17	7	6	1.2	1.2	0.5	0.2	0.2
Washington	8	7	1	4	6	0.3	0.2	0.0	0.1	0.2
West Virginia	1	1	1	2	1	0.1	0.1	0.1	0.2	0.1
Wisconsin	24	13	6	1	2	0.9	0.5	0.2	0.0	0.1
Wyoming	1	1	0	0	1	0.4	0.4	0.0	0.0	0.4
U.S. TOTAL*	2,445	1,967	1,594	1,217	1,255	1.7	1.4	1.1	0.8	0.8
Northeast	93	101	113	122	104	0.3	0.4	0.4	0.4	0.4
Midwest	592	406	350	232	212	1.8	1.2	1.1	0.7	0.6
South	1,606	1,344	988	699	760	3.1	2.6	1.9	1.3	1.4
West	154	116	143	164	179	0.5	0.4	0.4	0.5	0.5
Guam	0	5	2	0	0	0.0	6.5	2.5	0.0	0.0
Puerto Rico	76	130	123	93	62	3.8	6.5	6.1	4.6	3.1
Virgin Islands	2	0	0	2	3	3.5	0.0	0.0	3.5	5.3
OUTLYING AREAS	78	135	125	95	65	3.7	6.3	5.8	4.4	3.0
TOTAL	2,523	2,102	1,719	1,312	1,320	1.7	1.4	1.2	0.9	0.9

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 28. Primary and secondary syphilis — Men — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	60	75	86	65	113	2.8	3.5	4.0	3.0	5.2
Alaska	0	0	0	1	8	0.0	0.0	0.0	0.3	2.4
Arizona	109	130	126	120	115	4.2	4.9	4.6	4.3	4.1
Arkansas	46	22	16	35	29	3.5	1.7	1.2	2.6	2.2
California	272	501	994	1,245	1,291	1.6	2.9	5.7	7.0	7.3
Colorado	10	18	62	34	56	0.5	0.8	2.7	1.5	2.4
Connecticut	9	10	25	27	42	0.5	0.6	1.5	1.6	2.5
Delaware	8	9	7	5	8	2.1	2.3	1.8	1.3	2.0
Florida	250	349	509	585	630	3.2	4.4	6.2	7.0	7.6
Georgia	243	285	340	517	504	6.0	6.9	8.1	12.1	11.8
Hawaii	1	12	9	14	8	0.2	1.9	1.4	2.2	1.3
Idaho	1	1	4	10	13	0.2	0.2	0.6	1.5	1.9
Illinois	231	318	398	326	331	3.8	5.2	6.4	5.2	5.3
Indiana	155	80	44	34	54	5.2	2.7	1.5	1.1	1.8
Iowa	5	4	4	10	3	0.3	0.3	0.3	0.7	0.2
Kansas	5	14	14	12	17	0.4	1.0	1.0	0.9	1.3
Kentucky	43	31	45	19	41	2.2	1.6	2.2	0.9	2.0
Louisiana	112	90	76	104	209	5.2	4.2	3.5	4.8	9.6
Maine	1	1	2	8	2	0.2	0.2	0.3	1.3	0.3
Maryland	185	153	175	238	288	7.2	5.9	6.6	8.9	10.8
Massachusetts	49	42	87	129	109	1.6	1.4	2.8	4.1	3.5
Michigan	189	267	294	156	131	3.9	5.4	6.0	3.2	2.6
Minnesota	11	17	55	43	24	0.5	0.7	2.2	1.7	1.0
Mississippi	67	71	18	20	40	4.9	5.1	1.3	1.4	2.9
Missouri	18	18	24	47	82	0.7	0.7	0.9	1.7	2.9
Montana	0	0	0	0	3	0.0	0.0	0.0	0.0	0.7
Nebraska	1	2	4	9	3	0.1	0.2	0.5	1.0	0.3
Nevada	3	7	14	9	32	0.3	0.7	1.3	0.8	2.8
New Hampshire	2	1	8	19	5	0.3	0.2	1.3	3.0	0.8
New Jersey	48	93	121	121	112	1.2	2.3	2.9	2.9	2.7
New Mexico	11	13	27	48	46	1.2	1.4	3.0	5.2	5.0
New York	120	281	452	558	695	1.3	3.1	4.9	6.0	7.5
North Carolina	249	254	164	105	144	6.3	6.3	4.0	2.5	3.5
North Dakota	0	0	0	2	0	0.0	0.0	0.0	0.6	0.0
Ohio	43	55	132	157	176	0.8	1.0	2.4	2.8	3.2
Oklahoma	62	32	52	44	16	3.7	1.9	3.0	2.5	0.9
Oregon	8	11	20	45	28	0.5	0.6	1.1	2.5	1.6
Pennsylvania	47	72	83	126	102	0.8	1.2	1.4	2.1	1.7
Rhode Island	2	9	11	25	16	0.4	1.8	2.1	4.8	3.1
South Carolina	133	134	76	70	91	6.8	6.8	3.8	3.5	4.5
South Dakota	0	1	0	2	0	0.0	0.3	0.0	0.5	0.0
Tennessee	285	173	86	95	96	10.3	6.2	3.0	3.3	3.4
Texas	244	309	397	492	648	2.3	2.9	3.7	4.5	5.9
Utah	1	9	7	11	10	0.1	0.8	0.6	0.9	0.8
Vermont	0	3	2	1	1	0.0	1.0	0.7	0.3	0.3
Virginia	82	59	54	75	110	2.4	1.7	1.5	2.1	3.0
Washington	58	50	69	78	144	2.0	1.7	2.3	2.6	4.7
West Virginia	2	4	1	0	2	0.2	0.5	0.1	0.0	0.2
Wisconsin	24	9	24	15	27	0.9	0.3	0.9	0.6	1.0
Wyoming	0	0	0	0	2	0.0	0.0	0.0	0.0	0.8
U.S. TOTAL*	3,532	4,134	5,267	5,956	6,722	2.6	3.0	3.7	4.2	4.7
Northeast	278	512	791	1,014	1,084	1.1	2.0	3.0	3.8	4.1
Midwest	682	785	993	813	848	2.2	2.5	3.1	2.5	2.6
South	2,098	2,085	2,151	2,514	3,034	4.3	4.2	4.2	4.9	5.9
West	474	752	1,332	1,615	1,756	1.5	2.3	4.1	4.9	5.3
Guam	1	7	4	1	0	1.3	8.7	4.9	1.2	0.0
Puerto Rico	99	114	147	109	120	5.4	6.2	7.9	5.8	6.4
Virgin Islands	1	0	1	1	2	1.9	0.0	2.0	1.9	3.8
OUTLYING AREAS	101	121	152	111	122	5.1	6.1	7.6	5.5	6.1
TOTAL	3,633	4,255	5,419	6,067	6,844	2.6	3.0	3.8	4.2	4.7

*Includes cases reported by Washington, D.C.

NOTE: Cases reported with unknown sex are not included in this table.

Table 29. Primary and secondary syphilis — Reported cases and rates in selected cities, ranked by rates: United States, 2004

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Population</i>
1	San Francisco, CA	345	45.9
2	Atlanta, GA	283	34.6
3	Baltimore, MD	209	33.2
4	New Orleans, LA	77	16.4
5	St Louis, MO	47	14.1
6	Detroit, MI	126	13.5
7	Washington, DC	69	12.2
8	Dallas, TX	141	11.6
9	Jersey City, NJ	26	10.8
10	Chicago, IL	297	9.7
11	Memphis, TN	87	9.6
12	Houston, TX	192	9.4
13	Boston, MA	54	9.1
14	Miami, FL	213	9.1
15	San Antonio, TX	107	8.8
16	Columbus, OH	94	8.6
17	Newark, NJ	26	8.6
18	Jacksonville, FL	70	8.6
19	New York City, NY	621	7.7
20	Austin, TX	52	7.7
21	Denver, CO	41	7.4
22	Albuquerque, NM	41	7.1
23	Seattle, WA	123	7.0
24	Norfolk, VA	16	6.6
25	Fort Worth, TX	36	6.2
26	Charlotte, NC	39	5.2
27	Los Angeles, CA	464	5.0
28	Philadelphia, PA	72	4.9
29	Kansas City, MO	22	4.8
30	Louisville, KY	33	4.7
31	Birmingham, AL	31	4.7
32	San Diego, CA	138	4.7
33	Yonkers, NY	9	4.5
34	Tampa, FL	47	4.4
35	Tucson, AZ	38	4.3
36	Minneapolis, MN	16	4.1
37	St Petersburg, FL	37	4.0
38	Oklahoma City, OK	16	3.7
39	Richmond, VA	7	3.6
40	Portland, OR	18	3.4
41	Indianapolis, IN	29	3.4
42	San Jose, CA	56	3.3
43	Rochester, NY	8	3.2
44	Phoenix, AZ	106	3.1
45	Oakland, CA	41	2.8
46	Nashville, TN	15	2.6
47	Wichita, KS	12	2.6
48	Cincinnati, OH	18	2.2
49	Pittsburgh, PA	21	1.7
50	Buffalo, NY	5	1.6
51	El Paso, TX	9	1.5
52	Milwaukee, WI	14	1.5
53	Cleveland, OH	19	1.4
54	Sacramento, CA	18	1.4
55	Akron, OH	5	0.9
56	Honolulu, HI	7	0.8
57	Corpus Christi, TX	2	0.7
58	St Paul, MN	2	0.7
59	Toledo, OH	3	0.7
60	Omaha, NE	3	0.6
61	Des Moines, IA	2	0.5
62	Tulsa, OK	2	0.5
	YEAR 2010 TARGET		0.2
63	Dayton, OH	1	0.2

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state.

†Excludes cities in outlying areas (San Juan, PR, with 67 cases and rate of 6.5). See Appendix.

Table 30. Primary and secondary syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	0	1	2	3	5	0.0	0.2	0.4	0.5	0.9
Albuquerque, NM	11	8	21	36	41	2.0	1.4	3.7	6.2	7.1
Atlanta, GA	116	224	257	298	283	14.2	27.1	31.1	36.4	34.6
Austin, TX	8	17	22	28	52	1.3	2.6	3.3	4.1	7.7
Baltimore, MD	218	161	121	153	209	33.6	24.9	18.9	24.3	33.2
Birmingham, AL	24	12	9	22	31	3.6	1.8	1.4	3.3	4.7
Boston, MA	25	18	48	69	54	4.2	3.0	8.0	11.7	9.1
Buffalo, NY	1	4	3	2	5	0.3	1.2	0.9	0.6	1.6
Charlotte, NC	45	29	28	16	39	6.4	4.0	3.8	2.1	5.2
Chicago, IL	292	317	353	267	297	9.5	10.3	11.4	8.7	9.7
Cincinnati, OH	0	2	6	2	18	0.0	0.2	0.7	0.2	2.2
Cleveland, OH	4	3	9	16	19	0.3	0.2	0.7	1.2	1.4
Columbus, OH	40	54	96	106	94	3.7	5.0	8.8	9.7	8.6
Corpus Christi, TX	1	1	2	3	2	0.4	0.4	0.7	1.1	0.7
Dallas, TX	100	121	191	131	141	8.4	10.0	15.8	10.8	11.6
Dayton, OH	5	2	4	0	1	0.9	0.4	0.7	0.0	0.2
Denver, CO	4	15	41	25	41	0.7	2.7	7.3	4.5	7.4
Des Moines, IA	1	1	5	0	2	0.3	0.3	1.3	0.0	0.5
Detroit, MI	274	351	384	179	126	28.8	37.0	40.7	19.1	13.5
El Paso, TX	6	12	12	2	9	1.1	2.1	2.1	0.3	1.5
Fort Worth, TX	22	40	106	52	36	4.1	7.3	18.7	9.0	6.2
Honolulu, HI	1	10	10	14	7	0.1	1.1	1.1	1.6	0.8
Houston, TX	70	103	112	178	192	3.7	5.4	5.6	8.8	9.4
Indianapolis, IN	301	128	36	25	29	35.0	14.8	4.2	2.9	3.4
Jacksonville, FL	24	38	16	21	70	3.1	4.8	2.0	2.6	8.6
Jersey City, NJ	1	5	16	12	26	0.4	2.1	6.6	5.0	10.8
Kansas City, MO	1	5	8	19	22	0.2	1.1	1.8	4.2	4.8
Los Angeles, CA	133	186	359	461	464	1.5	2.1	3.9	5.0	5.0
Louisville, KY	57	19	77	26	33	8.2	2.7	11.0	3.7	4.7
Memphis, TN	246	208	89	76	87	27.4	23.1	9.8	8.4	9.6
Miami, FL	126	185	231	194	213	5.6	8.1	9.9	8.3	9.1
Milwaukee, WI	43	18	16	10	14	4.6	1.9	1.7	1.1	1.5
Minneapolis, MN	9	23	37	21	16	2.3	5.9	9.6	5.4	4.1
Nashville, TN	200	76	26	21	15	35.1	13.3	4.6	3.7	2.6
New Orleans, LA	22	24	9	25	77	4.5	5.0	1.9	5.3	16.4
New York City, NY	117	282	435	531	621	1.5	3.5	5.4	6.6	7.7
Newark, NJ	28	58	63	57	26	9.3	19.2	20.8	18.9	8.6
Norfolk, VA	37	35	13	8	16	15.8	14.9	5.4	3.3	6.6
Oakland, CA	11	23	49	33	41	0.8	1.6	3.3	2.3	2.8
Oklahoma City, OK	82	35	52	48	16	19.2	8.2	12.0	11.0	3.7
Omaha, NE	2	3	2	7	3	0.4	0.6	0.4	1.5	0.6
Philadelphia, PA	67	79	67	98	72	4.4	5.3	4.5	6.6	4.9
Phoenix, AZ	172	148	155	132	106	5.6	4.6	4.7	3.9	3.1
Pittsburgh, PA	3	7	7	17	21	0.2	0.5	0.6	1.3	1.7
Portland, OR	11	9	20	33	18	2.1	1.7	3.7	6.2	3.4
Richmond, VA	5	9	3	5	7	2.5	4.6	1.5	2.6	3.6
Rochester, NY	1	2	4	7	8	0.4	0.8	1.6	2.8	3.2
Sacramento, CA	1	4	11	17	18	0.1	0.3	0.8	1.3	1.4
San Antonio, TX	67	71	45	52	107	5.8	6.1	3.8	4.3	8.8
San Diego, CA	27	27	37	111	138	1.0	0.9	1.3	3.8	4.7
San Francisco, CA	53	139	315	332	345	6.8	17.9	41.2	44.2	45.9
San Jose, CA	2	10	30	56	56	0.1	0.6	1.8	3.3	3.3
Seattle, WA	50	41	50	60	123	2.9	2.3	2.8	3.4	7.0
St Louis, MO	11	15	13	18	47	3.2	4.4	3.8	5.4	14.1
St Paul, MN	2	5	5	6	2	0.7	1.7	1.8	2.1	0.7
St Petersburg, FL	7	11	22	51	37	0.8	1.2	2.4	5.5	4.0
Tampa, FL	20	15	33	43	47	2.0	1.5	3.1	4.0	4.4
Toledo, OH	2	1	12	3	3	0.4	0.2	2.6	0.7	0.7
Tucson, AZ	8	22	28	40	38	0.9	2.5	3.2	4.5	4.3
Tulsa, OK	8	5	7	5	2	2.0	1.3	1.8	1.3	0.5
Washington, DC	37	43	58	48	69	6.5	7.5	10.2	8.5	12.2
Wichita, KS	2	4	3	2	12	0.4	0.9	0.6	0.4	2.6
Yonkers, NY	1	1	2	1	9	0.5	0.5	1.0	0.5	4.5
U.S. CITY TOTAL	3,265	3,525	4,303	4,334	4,778	4.7	5.0	6.1	6.1	6.7
San Juan, PR	68	68	78	88	67	6.7	6.6	7.6	8.6	6.5
TOTAL	3,333	3,593	4,381	4,422	4,845	4.7	5.0	6.1	6.1	6.7

See Appendix (Reporting of City-specific Surveillance Data).

Table 31. Primary and secondary syphilis — Women – Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	0	0	0	1	3	0.0	0.0	0.0	0.4	1.1
Albuquerque, NM	3	1	6	12	18	1.1	0.3	2.0	4.0	6.1
Atlanta, GA	37	67	57	39	23	8.9	16.0	13.6	9.4	5.6
Austin, TX	2	3	3	2	3	0.6	0.9	0.9	0.6	0.9
Baltimore, MD	92	77	33	50	55	26.6	22.3	9.7	14.9	16.4
Birmingham, AL	15	8	4	3	11	4.3	2.3	1.1	0.9	3.2
Boston, MA	5	1	6	1	3	1.6	0.3	1.9	0.3	1.0
Buffalo, NY	1	0	0	1	1	0.6	0.0	0.0	0.6	0.6
Charlotte, NC	24	12	13	2	10	6.7	3.3	3.5	0.5	2.6
Chicago, IL	129	61	43	30	47	8.1	3.8	2.7	1.9	3.0
Cincinnati, OH	0	2	2	0	1	0.0	0.5	0.5	0.0	0.2
Cleveland, OH	2	2	3	7	1	0.3	0.3	0.4	1.0	0.1
Columbus, OH	14	17	10	16	27	2.5	3.1	1.8	2.9	4.8
Corpus Christi, TX	1	1	1	0	0	0.7	0.7	0.7	0.0	0.0
Dallas, TX	36	49	76	48	35	6.0	8.1	12.6	8.0	5.8
Dayton, OH	1	1	0	0	0	0.3	0.3	0.0	0.0	0.0
Denver, CO	0	2	0	1	5	0.0	0.7	0.0	0.4	1.8
Des Moines, IA	1	0	2	0	0	0.5	0.0	1.0	0.0	0.0
Detroit, MI	121	136	168	73	41	24.1	27.2	33.7	14.8	8.3
El Paso, TX	1	2	4	0	1	0.3	0.7	1.3	0.0	0.3
Fort Worth, TX	7	16	45	25	7	2.6	5.8	15.8	8.6	2.4
Honolulu, HI	0	0	1	0	0	0.0	0.0	0.2	0.0	0.0
Houston, TX	27	28	16	15	28	2.9	2.9	1.6	1.5	2.8
Indianapolis, IN	170	60	10	7	1	38.3	13.5	2.2	1.6	0.2
Jacksonville, FL	11	18	8	9	32	2.7	4.4	1.9	2.1	7.6
Jersey City, NJ	1	2	1	1	2	0.8	1.6	0.8	0.8	1.6
Kansas City, MO	0	2	1	7	2	0.0	0.9	0.4	3.0	0.9
Los Angeles, CA	19	9	18	24	36	0.4	0.2	0.4	0.5	0.8
Louisville, KY	26	9	39	12	6	7.2	2.5	10.7	3.3	1.7
Memphis, TN	123	106	51	26	26	26.2	22.5	10.8	5.5	5.5
Miami, FL	40	40	33	23	27	3.4	3.4	2.7	1.9	2.2
Milwaukee, WI	21	12	4	1	1	4.3	2.5	0.8	0.2	0.2
Minneapolis, MN	3	12	2	1	1	1.5	6.1	1.0	0.5	0.5
Nashville, TN	83	29	10	4	1	28.2	9.8	3.4	1.4	0.3
New Orleans, LA	8	11	3	9	19	3.1	4.3	1.2	3.6	7.6
New York City, NY	10	19	18	22	22	0.2	0.4	0.4	0.5	0.5
Newark, NJ	9	21	26	26	12	5.7	13.3	16.4	16.5	7.6
Norfolk, VA	14	20	4	2	2	12.2	17.4	3.5	1.7	1.7
Oakland, CA	3	1	0	0	0	0.4	0.1	0.0	0.0	0.0
Oklahoma City, OK	39	18	10	14	6	17.8	8.2	4.5	6.3	2.7
Omaha, NE	1	1	1	1	2	0.4	0.4	0.4	0.4	0.8
Philadelphia, PA	25	24	14	15	9	3.1	3.0	1.8	1.9	1.1
Phoenix, AZ	75	39	59	44	25	4.8	2.4	3.6	2.6	1.5
Pittsburgh, PA	2	1	2	4	7	0.3	0.1	0.3	0.6	1.1
Portland, OR	4	1	5	1	0	1.5	0.4	1.9	0.4	0.0
Richmond, VA	2	3	1	2	0	1.9	2.8	0.9	1.9	0.0
Rochester, NY	0	1	1	1	0	0.0	0.8	0.8	0.8	0.0
Sacramento, CA	1	1	0	1	0	0.2	0.2	0.0	0.1	0.0
San Antonio, TX	23	24	12	6	18	3.9	4.0	2.0	1.0	2.9
San Diego, CA	6	6	6	4	10	0.4	0.4	0.4	0.3	0.7
San Francisco, CA	5	2	4	3	0	1.3	0.5	1.1	0.8	0.0
San Jose, CA	0	1	1	4	4	0.0	0.1	0.1	0.5	0.5
Seattle, WA	4	1	0	1	5	0.5	0.1	0.0	0.1	0.6
St Louis, MO	3	6	4	3	8	1.6	3.3	2.2	1.7	4.5
St Paul, MN	1	1	0	1	1	0.7	0.7	0.0	0.7	0.7
St Petersburg, FL	3	2	2	1	1	0.6	0.4	0.4	0.2	0.2
Tampa, FL	10	6	8	5	2	2.0	1.1	1.5	0.9	0.4
Toledo, OH	0	0	4	0	1	0.0	0.0	1.7	0.0	0.4
Tucson, AZ	2	5	7	17	11	0.5	1.1	1.6	3.7	2.4
Tulsa, OK	4	1	5	0	0	2.0	0.5	2.4	0.0	0.0
Washington, DC	10	8	9	3	4	3.3	2.6	3.0	1.0	1.3
Wichita, KS	1	1	1	0	4	0.4	0.4	0.4	0.0	1.7
Yonkers, NY	0	0	1	0	1	0.0	0.0	1.0	0.0	1.0
U.S. CITY TOTAL*	1,281	1,010	878	631	629	3.6	2.8	2.4	1.7	1.7
San Juan, PR	32	38	31	44	21	6.0	7.1	5.8	8.2	3.9
TOTAL	1,313	1,048	909	675	650	3.6	2.9	2.5	1.8	1.8

*Cases reported with unknown sex are not included in this table. See Appendix (Reporting of City-specific Surveillance Data).

Table 32. Primary and secondary syphilis — Men — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	0	1	2	2	2	0.0	0.4	0.8	0.8	0.8
Albuquerque, NM	8	7	15	24	23	2.9	2.5	5.3	8.4	8.1
Atlanta, GA	79	157	199	259	260	19.6	38.7	49.0	64.1	64.3
Austin, TX	6	14	19	26	49	1.9	4.2	5.5	7.5	14.1
Baltimore, MD	126	84	88	103	154	41.6	27.9	29.6	35.2	52.6
Birmingham, AL	9	4	5	19	20	2.9	1.3	1.6	6.1	6.4
Boston, MA	20	17	42	68	51	6.9	5.9	14.6	23.8	17.9
Buffalo, NY	0	4	3	1	4	0.0	2.6	2.0	0.7	2.6
Charlotte, NC	21	17	15	14	29	6.1	4.8	4.1	3.8	7.8
Chicago, IL	163	256	310	237	250	10.9	17.1	20.7	15.9	16.8
Cincinnati, OH	0	0	4	2	17	0.0	0.0	1.0	0.5	4.3
Cleveland, OH	2	1	6	9	18	0.3	0.2	0.9	1.4	2.8
Columbus, OH	26	37	86	90	67	5.0	7.0	16.3	16.9	12.6
Corpus Christi, TX	0	0	1	3	2	0.0	0.0	0.7	2.2	1.5
Dallas, TX	64	72	115	83	106	10.7	11.8	19.0	13.6	17.4
Dayton, OH	4	1	4	0	1	1.5	0.4	1.5	0.0	0.4
Denver, CO	4	13	41	24	36	1.4	4.6	14.5	8.5	12.7
Des Moines, IA	0	1	3	0	1	0.0	0.5	1.6	0.0	0.5
Detroit, MI	153	215	216	106	85	34.2	48.1	48.5	24.0	19.2
El Paso, TX	5	10	8	2	8	1.8	3.6	2.9	0.7	2.9
Fort Worth, TX	15	24	61	27	29	5.6	8.8	21.7	9.4	10.1
Honolulu, HI	1	10	9	14	7	0.2	2.3	2.0	3.1	1.5
Houston, TX	43	75	96	163	164	4.6	7.9	9.6	16.1	16.2
Indianapolis, IN	131	68	26	18	28	31.5	16.3	6.2	4.3	6.7
Jacksonville, FL	13	20	8	12	38	3.4	5.2	2.0	3.0	9.6
Jersey City, NJ	0	3	15	11	24	0.0	2.5	12.6	9.3	20.3
Kansas City, MO	1	3	7	12	20	0.5	1.4	3.2	5.5	9.1
Los Angeles, CA	112	175	341	436	428	2.5	3.9	7.5	9.5	9.4
Louisville, KY	31	10	38	13	27	9.3	3.0	11.4	3.9	8.0
Memphis, TN	123	102	38	50	61	28.7	23.7	8.8	11.5	14.1
Miami, FL	86	145	198	171	186	7.9	13.1	17.5	15.1	16.4
Milwaukee, WI	22	6	12	9	13	4.9	1.3	2.7	2.0	2.9
Minneapolis, MN	6	11	35	20	15	3.2	5.8	18.4	10.5	7.9
Nashville, TN	117	47	16	17	14	42.4	17.0	5.8	6.1	5.1
New Orleans, LA	14	13	6	16	58	6.2	5.8	2.7	7.3	26.3
New York City, NY	107	263	417	509	599	2.8	6.9	10.9	13.2	15.6
Newark, NJ	19	37	37	31	14	13.3	25.8	25.7	21.5	9.7
Norfolk, VA	23	15	9	6	14	19.2	12.4	7.3	4.8	11.2
Oakland, CA	8	22	49	33	41	1.1	3.0	6.8	4.6	5.7
Oklahoma City, OK	43	17	42	34	10	20.8	8.2	20.0	16.0	4.7
Omaha, NE	1	2	1	6	1	0.4	0.9	0.4	2.6	0.4
Philadelphia, PA	42	55	53	83	63	6.0	7.9	7.6	12.1	9.1
Phoenix, AZ	97	109	96	88	81	6.3	6.8	5.8	5.2	4.8
Pittsburgh, PA	1	6	5	13	14	0.2	1.0	0.8	2.2	2.3
Portland, OR	7	8	15	32	18	2.7	3.1	5.7	12.0	6.8
Richmond, VA	3	6	2	3	7	3.3	6.5	2.2	3.3	7.7
Rochester, NY	1	1	3	6	8	0.8	0.8	2.5	5.0	6.7
Sacramento, CA	0	3	11	16	18	0.0	0.5	1.7	2.4	2.8
San Antonio, TX	44	47	33	46	89	7.9	8.3	5.7	7.8	15.0
San Diego, CA	21	21	31	107	128	1.5	1.5	2.1	7.3	8.7
San Francisco, CA	48	137	311	328	344	12.2	34.8	80.4	86.0	90.2
San Jose, CA	2	9	29	52	52	0.2	1.0	3.4	6.1	6.1
Seattle, WA	46	40	50	59	118	5.3	4.6	5.7	6.7	13.4
St Louis, MO	8	9	9	15	39	4.9	5.6	5.7	9.6	24.9
St Paul, MN	1	4	5	5	1	0.7	2.9	3.6	3.7	0.7
St Petersburg, FL	4	9	20	50	36	0.9	2.0	4.5	11.3	8.1
Tampa, FL	10	9	25	38	45	2.0	1.8	4.8	7.2	8.5
Toledo, OH	2	1	8	3	2	0.9	0.5	3.7	1.4	0.9
Tucson, AZ	6	17	21	23	27	1.4	4.0	4.9	5.3	6.2
Tulsa, OK	4	4	2	5	2	2.1	2.1	1.0	2.6	1.0
Washington, DC	27	35	49	45	65	10.0	12.9	18.2	16.9	24.4
Wichita, KS	1	3	2	2	8	0.4	1.3	0.9	0.9	3.5
Yonkers, NY	1	1	1	1	8	1.1	1.0	1.0	1.0	8.2
U.S. CITY TOTAL*	1,982	2,513	3,424	3,700	4,147	5.8	7.3	9.9	10.6	11.9
San Juan, PR	36	30	47	44	46	7.3	6.1	9.6	8.9	9.3
TOTAL	2,018	2,543	3,471	3,744	4,193	5.9	7.3	9.9	10.6	11.9

*Cases reported with unknown sex are not included in this table. See Appendix (Reporting of City-specific Surveillance Data).

Table 33. Primary and secondary syphilis — Reported cases and rates per 100,000 population by age and sex: United States, 2000–2004

Year	Age Group	Cases			Rates		
		Total	Male	Female	Total	Male	Female
2000	10-14	23	4	19	0.1	0.0	0.2
	15-19	457	162	295	2.3	1.6	3.0
	20-24	881	419	462	4.6	4.3	4.9
	25-29	902	527	376	4.7	5.4	3.9
	30-34	957	553	404	4.7	5.3	4.0
	35-39	1,006	606	400	4.4	5.4	3.5
	40-44	782	502	280	3.5	4.5	2.5
	45-54	706	528	178	1.9	2.8	0.9
	55-64	179	157	22	0.7	1.3	0.2
	65+	76	68	8	0.2	0.5	0.0
	TOTAL	5,973	3,528	2,445	2.1	2.5	1.7
2001	10-14	19	2	17	0.1	0.0	0.2
	15-19	387	142	245	1.9	1.4	2.5
	20-24	836	482	354	4.2	4.8	3.7
	25-29	876	583	293	4.6	6.0	3.1
	30-34	964	660	304	4.6	6.3	2.9
	35-39	1,146	818	328	5.1	7.3	2.9
	40-44	808	587	221	3.5	5.2	1.9
	45-54	805	632	173	2.1	3.3	0.9
	55-64	193	167	26	0.8	1.4	0.2
	65+	64	57	7	0.2	0.4	0.0
	TOTAL	6,100	4,132	1,968	2.1	2.9	1.4
2002	10-14	15	4	11	0.1	0.0	0.1
	15-19	351	135	216	1.7	1.3	2.2
	20-24	842	533	309	4.2	5.2	3.1
	25-29	895	668	227	4.7	6.9	2.4
	30-34	1,097	877	220	5.2	8.3	2.1
	35-39	1,367	1,121	246	6.2	10.2	2.2
	40-44	1,023	845	178	4.4	7.4	1.5
	45-54	982	825	157	2.5	4.2	0.8
	55-64	217	196	21	0.8	1.5	0.2
	65+	67	59	8	0.2	0.4	0.0
	TOTAL	6,862	5,268	1,594	2.4	3.7	1.1
2003	10-14	11	1	10	0.1	0.0	0.1
	15-19	322	150	172	1.6	1.4	1.7
	20-24	860	620	240	4.2	5.8	2.4
	25-29	941	760	181	4.9	7.8	1.9
	30-34	1,187	1,023	164	5.7	9.8	1.6
	35-39	1,460	1,290	170	6.8	12.0	1.6
	40-44	1,157	1,021	136	5.0	8.9	1.2
	45-54	991	871	119	2.4	4.3	0.6
	55-64	205	187	18	0.7	1.4	0.1
	65+	42	36	6	0.1	0.2	0.0
	TOTAL	7,177	5,959	1,218	2.5	4.2	0.8
2004	10-14	9	2	7	0.0	0.0	0.1
	15-19	339	191	148	1.7	1.8	1.5
	20-24	1,029	735	294	5.0	7.0	3.0
	25-29	1,125	943	182	5.9	9.7	2.0
	30-34	1,282	1,116	166	6.2	10.8	1.6
	35-39	1,467	1,313	154	6.9	12.4	1.5
	40-44	1,344	1,198	146	5.9	10.6	1.3
	45-54	1,035	915	120	2.6	4.6	0.6
	55-64	281	249	32	1.0	1.9	0.2
	65+	55	54	1	0.2	0.4	0.0
	TOTAL	7,975	6,721	1,254	2.8	4.7	0.9

NOTE: This table should be used only for age comparisons. If age was not specified, cases were prorated according to the distribution of cases for which age was known. Differences between total cases from this table and others in the report are due to different reporting formats. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 34A. Primary and secondary syphilis — Reported cases by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
2000	10-14	2	0	2	20	4	16	0	0	0	0	0	0	1	0	1
	15-19	47	11	35	365	129	236	41	21	19	1	0	1	4	1	3
	20-24	110	40	70	653	310	344	101	66	35	4	1	3	13	3	10
	25-29	146	93	53	631	338	293	108	82	27	8	7	1	9	7	2
	30-34	182	119	62	665	350	314	94	72	22	12	10	2	5	2	3
	35-39	216	143	72	664	374	291	113	81	32	5	4	1	7	3	4
	40-44	173	118	55	550	341	209	51	38	13	2	2	0	5	3	2
	45-54	145	114	31	511	375	136	43	32	11	4	4	0	4	4	0
	55-64	42	40	2	124	106	18	11	10	1	0	0	0	2	1	1
	65+	21	19	2	50	44	6	3	3	0	1	1	0	1	1	0
TOTAL	1,083	698	385	4,233	2,369	1,864	567	405	162	37	29	8	52	26	26	
2001	10-14	0	0	0	17	1	16	2	1	1	0	0	0	0	0	0
	15-19	32	13	19	290	97	193	59	29	29	2	1	1	4	2	2
	20-24	114	72	42	562	296	266	138	105	34	6	5	1	15	4	11
	25-29	152	121	31	554	323	231	140	115	26	13	13	0	18	11	6
	30-34	236	192	44	563	330	233	137	117	20	12	12	0	17	9	7
	35-39	332	281	51	653	397	255	134	120	13	15	14	1	13	5	7
	40-44	227	193	34	505	335	170	59	48	11	2	2	0	15	10	5
	45-54	220	196	24	513	377	137	61	52	9	4	3	1	6	4	2
	55-64	51	48	3	121	100	21	18	16	2	2	2	0	2	2	0
	65+	23	22	1	36	30	6	4	4	0	0	0	0	1	1	0
TOTAL	1,387	1,138	249	3,813	2,286	1,527	754	607	146	55	51	4	90	49	41	
2002	10-14	2	1	1	10	2	8	2	1	1	1	0	1	0	0	0
	15-19	33	9	24	253	89	164	62	37	25	2	0	2	1	0	1
	20-24	129	89	40	546	313	233	146	117	29	13	9	4	8	5	3
	25-29	224	189	36	485	323	163	165	138	26	17	16	1	4	3	1
	30-34	404	373	31	476	310	166	192	172	20	22	21	1	3	1	2
	35-39	576	541	35	568	385	183	200	178	22	15	14	1	8	3	5
	40-44	452	429	23	448	305	142	102	93	8	15	14	1	7	4	3
	45-54	393	370	23	482	370	112	83	69	15	8	8	0	16	8	7
	55-64	95	91	4	110	94	16	10	10	0	0	0	0	2	1	1
	65+	15	15	0	42	35	7	9	8	1	0	0	0	1	1	0
TOTAL	2,325	2,108	217	3,421	2,226	1,195	971	823	147	94	83	11	51	27	24	
2003	10-14	0	0	0	5	1	4	5	0	5	0	0	0	1	0	1
	15-19	48	24	24	205	93	112	63	28	35	6	5	1	0	0	0
	20-24	195	154	41	471	309	161	178	142	36	13	11	2	3	3	0
	25-29	301	265	36	408	293	115	195	173	23	28	25	3	8	4	4
	30-34	524	485	39	416	316	100	213	190	23	20	20	0	14	12	2
	35-39	743	703	40	451	335	116	222	211	11	28	28	0	16	14	2
	40-44	588	563	26	382	288	94	158	146	12	20	19	1	9	5	3
	45-54	489	472	17	373	287	86	107	97	9	10	8	1	13	6	6
	55-64	104	100	4	81	68	13	13	12	1	2	2	0	4	4	0
	65+	17	16	1	18	16	2	5	2	3	0	0	0	1	1	0
TOTAL	3,010	2,783	227	2,811	2,005	805	1,160	1,001	159	127	119	8	69	50	19	
2004	10-14	0	0	0	8	2	6	1	0	1	0	0	0	0	0	0
	15-19	56	33	23	211	113	98	55	33	22	11	9	2	6	3	3
	20-24	242	185	57	573	375	198	188	156	32	19	16	3	8	4	4
	25-29	317	281	36	533	420	113	237	213	24	28	25	3	11	5	5
	30-34	512	470	42	494	401	94	237	214	23	29	28	1	10	3	6
	35-39	675	640	35	489	392	98	249	235	14	36	35	1	18	12	6
	40-44	684	655	29	455	353	102	178	168	9	18	18	0	10	4	5
	45-54	525	503	23	379	295	84	110	98	12	11	11	0	10	9	1
	55-64	155	145	10	101	83	18	20	20	0	2	1	1	4	1	3
	65+	36	35	1	16	16	0	3	3	0	0	0	0	0	0	0
TOTAL	3,203	2,947	256	3,263	2,450	813	1,278	1,140	138	153	142	11	77	42	35	

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 33 for age-specific cases and rates and Tables 26-28 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For 2004, IA did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded. Differences between total cases from this table and others in the report are due to different reporting formats and above listed exclusion. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 34B. Primary and secondary syphilis — Rates per 100,000 population by race/ethnicity, age group and sex: United States, 2000–2004

Age Group	White, Non-Hispanic			Black, Non-Hispanic			Hispanic			Asian/Pacific Islander			American Indian/ Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
10-14	0.0	0.0	0.0	0.6	0.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.9
15-19	0.4	0.2	0.6	12.3	8.5	16.1	1.3	1.3	1.3	0.1	0.0	0.2	1.8	0.9	2.8
20-24	0.9	0.7	1.2	24.4	23.7	25.0	2.9	3.5	2.3	0.4	0.2	0.7	7.2	3.3	11.2
25-29	1.2	1.5	0.9	24.8	27.9	22.0	3.2	4.4	1.7	0.8	1.4	0.2	5.5	8.6	2.4
30-34	1.3	1.8	0.9	25.2	28.1	22.6	3.0	4.3	1.5	1.1	1.8	0.4	3.0	2.5	3.6
35-39	1.4	1.8	0.9	23.4	28.1	19.4	3.9	5.4	2.3	0.5	0.9	0.2	3.8	3.4	4.2
40-44	1.1	1.4	0.7	20.1	26.6	14.4	2.2	3.2	1.2	0.2	0.5	0.0	2.8	3.5	2.1
45-54	0.5	0.8	0.2	12.3	19.5	6.1	1.3	2.0	0.7	0.3	0.6	0.0	1.4	2.9	0.0
55-64	0.2	0.4	0.0	5.2	9.9	1.4	0.6	1.2	0.1	0.0	0.0	0.0	1.2	1.3	1.2
65+	0.1	0.2	0.0	1.7	4.0	0.3	0.2	0.4	0.0	0.1	0.3	0.0	0.7	1.7	0.0
TOTAL	0.5	0.7	0.4	12.0	14.2	10.1	1.6	2.2	0.9	0.3	0.5	0.1	2.2	2.2	2.2
10-14	0.0	0.0	0.0	0.5	0.1	1.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
15-19	0.2	0.2	0.3	9.7	6.4	13.1	1.8	1.8	1.9	0.2	0.2	0.2	1.8	1.8	1.8
20-24	0.9	1.2	0.7	20.2	21.8	18.7	3.9	5.4	2.1	0.7	1.1	0.2	8.1	4.2	12.1
25-29	1.3	2.1	0.5	22.1	27.0	17.6	3.9	5.8	1.6	1.1	2.3	0.0	10.6	13.7	7.4
30-34	1.8	2.8	0.7	21.3	26.4	16.7	4.1	6.5	1.3	1.0	2.1	0.0	9.8	11.2	8.4
35-39	2.2	3.7	0.7	23.2	30.0	17.1	4.4	7.6	0.9	1.4	2.7	0.2	6.7	5.9	7.6
40-44	1.4	2.4	0.4	18.2	25.7	11.6	2.4	3.7	0.9	0.2	0.5	0.0	7.9	10.6	5.3
45-54	0.7	1.3	0.2	11.8	18.8	5.9	1.8	3.1	0.5	0.3	0.4	0.1	2.1	2.9	1.3
55-64	0.3	0.5	0.0	4.9	9.1	1.5	0.9	1.8	0.2	0.2	0.5	0.0	1.2	2.5	0.0
65+	0.1	0.2	0.0	1.2	2.7	0.3	0.2	0.5	0.0	0.0	0.0	0.0	0.7	1.5	0.0
TOTAL	0.7	1.2	0.2	10.7	13.5	8.2	2.0	3.2	0.8	0.5	0.9	0.1	3.8	4.2	3.4
10-14	0.0	0.0	0.0	0.3	0.1	0.5	0.1	0.1	0.1	0.1	0.0	0.2	0.0	0.0	0.0
15-19	0.3	0.1	0.4	8.3	5.8	11.0	1.9	2.2	1.6	0.2	0.0	0.5	0.4	0.0	0.9
20-24	1.0	1.4	0.6	19.0	22.1	16.0	4.0	5.9	1.8	1.4	2.0	0.9	4.2	5.2	3.2
25-29	2.0	3.3	0.6	19.4	27.1	12.5	4.4	6.7	1.6	1.5	2.9	0.2	2.5	3.8	1.2
30-34	3.0	5.6	0.5	17.9	24.6	11.8	5.4	9.0	1.2	1.8	3.5	0.2	1.9	1.3	2.4
35-39	3.9	7.3	0.5	20.5	29.5	12.5	6.3	10.7	1.5	1.4	2.7	0.2	4.6	3.7	5.5
40-44	2.8	5.3	0.3	16.0	23.2	9.6	3.8	6.8	0.7	1.5	2.8	0.2	3.9	4.6	3.2
45-54	1.3	2.5	0.2	10.7	17.8	4.6	2.3	3.8	0.8	0.5	1.1	0.0	5.1	5.7	4.5
55-64	0.5	0.9	0.0	4.3	8.2	1.1	0.5	1.1	0.0	0.0	0.0	0.0	1.1	1.2	1.1
65+	0.0	0.1	0.0	1.4	3.1	0.4	0.5	1.0	0.1	0.0	0.0	0.0	0.7	1.5	0.0
TOTAL	1.2	2.2	0.2	9.5	13.0	6.3	2.5	4.1	0.8	0.8	1.4	0.2	2.1	2.3	1.9
10-14	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.0	0.3	0.0	0.0	0.0	0.4	0.0	0.9
15-19	0.4	0.4	0.4	6.7	5.9	7.4	1.9	1.7	2.2	0.7	1.2	0.2	0.0	0.0	0.0
20-24	1.5	2.4	0.6	16.0	21.1	10.9	4.8	6.8	2.2	1.4	2.3	0.4	1.5	3.0	0.0
25-29	2.6	4.6	0.6	16.1	24.1	8.7	5.1	8.3	1.3	2.5	4.4	0.5	4.9	5.0	4.9
30-34	4.0	7.4	0.6	15.7	25.2	7.2	5.9	9.9	1.4	1.6	3.3	0.0	8.1	13.8	2.4
35-39	5.2	9.8	0.6	16.6	26.2	8.1	7.0	12.5	0.8	2.6	5.3	0.0	9.0	15.9	2.3
40-44	3.6	7.0	0.3	13.6	21.9	6.3	5.8	10.3	0.9	1.9	3.7	0.2	4.5	6.0	3.2
45-54	1.6	3.1	0.1	8.0	13.4	3.4	2.8	5.1	0.5	0.5	1.0	0.1	4.0	4.2	3.8
55-64	0.5	0.9	0.0	3.0	5.7	0.9	0.6	1.2	0.1	0.2	0.5	0.0	2.3	4.8	0.0
65+	0.1	0.1	0.0	0.6	1.4	0.1	0.3	0.3	0.3	0.0	0.0	0.0	0.7	1.5	0.0
TOTAL	1.5	2.8	0.2	7.7	11.5	4.2	2.9	4.9	0.8	1.0	1.9	0.1	2.8	4.2	1.5
10-14	0.0	0.0	0.0	0.2	0.1	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
15-19	0.4	0.5	0.4	6.9	7.3	6.5	1.7	2.0	1.4	1.2	1.9	0.5	2.8	2.8	2.8
20-24	1.9	2.9	0.9	19.5	25.6	13.4	5.0	7.5	1.9	1.9	3.2	0.6	4.1	4.0	4.1
25-29	2.8	4.9	0.6	21.1	34.6	8.6	6.3	10.2	1.4	2.5	4.5	0.5	6.2	6.3	6.2
30-34	4.0	7.2	0.6	18.7	32.0	6.7	6.6	11.2	1.4	2.3	4.6	0.2	5.7	3.8	7.5
35-39	4.8	9.1	0.5	18.0	30.7	6.8	7.9	14.0	1.0	3.2	6.4	0.2	10.4	13.9	7.0
40-44	4.3	8.2	0.4	16.2	26.9	6.9	6.5	11.9	0.7	1.8	3.7	0.0	5.1	4.8	5.4
45-54	1.8	3.4	0.1	8.2	13.8	3.4	2.9	5.1	0.6	0.6	1.3	0.0	3.1	5.8	0.6
55-64	0.7	1.4	0.1	3.8	6.9	1.2	0.9	2.0	0.0	0.2	0.2	0.2	2.1	1.1	3.0
65+	0.1	0.3	0.0	0.5	1.4	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL	1.6	3.1	0.3	9.0	14.1	4.3	3.2	5.5	0.7	1.2	2.3	0.2	3.2	3.5	2.9

NOTE: These tables should be used only for race/ethnicity comparisons. See Table 33 for age-specific cases and rates and Tables 26-28 for sex-specific cases and rates and overall totals. If age or race/ethnicity was not specified, cases were prorated according to the distribution of cases for which these variables were specified. For 2004, IA did not report age and/or race/ethnicity for most cases and their case data and population denominators were excluded. Differences between total rates from this table and others in the report are due to different reporting formats and above listed exclusion. The 0 to 9 year age group is not shown because some of these cases may not be due to sexual transmission; however, they are included in the totals.

Table 35. Early latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	219	192	211	140	231	4.9	4.3	4.7	3.1	5.1
Alaska	1	0	1	0	1	0.2	0.0	0.2	0.0	0.2
Arizona	248	266	200	232	219	4.8	5.0	3.7	4.2	3.9
Arkansas	117	60	51	71	56	4.4	2.2	1.9	2.6	2.1
California	353	408	716	820	873	1.0	1.2	2.0	2.3	2.5
Colorado	7	14	22	20	24	0.2	0.3	0.5	0.4	0.5
Connecticut	9	20	13	13	16	0.3	0.6	0.4	0.4	0.5
Delaware	10	18	9	11	25	1.3	2.3	1.1	1.3	3.1
Florida	1,165	947	949	988	856	7.3	5.8	5.7	5.8	5.0
Georgia	521	703	701	720	333	6.3	8.4	8.2	8.3	3.8
Hawaii	3	7	21	6	3	0.2	0.6	1.7	0.5	0.2
Idaho	0	0	4	8	26	0.0	0.0	0.3	0.6	1.9
Illinois	382	386	528	350	322	3.1	3.1	4.2	2.8	2.5
Indiana	184	120	53	58	45	3.0	2.0	0.9	0.9	0.7
Iowa	8	6	8	5	12	0.3	0.2	0.3	0.2	0.4
Kansas	9	18	13	19	12	0.3	0.7	0.5	0.7	0.4
Kentucky	62	38	49	43	24	1.5	0.9	1.2	1.0	0.6
Louisiana	231	194	183	197	316	5.2	4.3	4.1	4.4	7.0
Maine	0	3	1	7	0	0.0	0.2	0.1	0.5	0.0
Maryland	518	362	181	211	213	9.8	6.7	3.3	3.8	3.9
Massachusetts	83	64	95	136	96	1.3	1.0	1.5	2.1	1.5
Michigan	406	368	255	122	121	4.1	3.7	2.5	1.2	1.2
Minnesota	18	16	23	45	21	0.4	0.3	0.5	0.9	0.4
Mississippi	409	329	149	173	130	14.4	11.5	5.2	6.0	4.5
Missouri	52	33	51	46	58	0.9	0.6	0.9	0.8	1.0
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	1	1	0	1	0	0.1	0.1	0.0	0.1	0.0
Nevada	9	7	12	35	24	0.4	0.3	0.6	1.6	1.1
New Hampshire	0	2	1	4	0	0.0	0.2	0.1	0.3	0.0
New Jersey	109	234	220	326	344	1.3	2.7	2.6	3.8	4.0
New Mexico	25	18	23	53	69	1.4	1.0	1.2	2.8	3.7
New York	467	566	756	1,019	744	2.5	3.0	3.9	5.3	3.9
North Carolina	618	483	333	261	261	7.6	5.9	4.0	3.1	3.1
North Dakota	1	0	0	0	0	0.2	0.0	0.0	0.0	0.0
Ohio	119	100	84	92	184	1.0	0.9	0.7	0.8	1.6
Oklahoma	128	121	124	77	62	3.7	3.5	3.5	2.2	1.8
Oregon	19	9	18	27	29	0.6	0.3	0.5	0.8	0.8
Pennsylvania	278	260	237	216	183	2.3	2.1	1.9	1.7	1.5
Rhode Island	1	1	9	7	15	0.1	0.1	0.8	0.7	1.4
South Carolina	394	394	202	180	204	9.8	9.7	4.9	4.3	4.9
South Dakota	0	0	0	3	0	0.0	0.0	0.0	0.4	0.0
Tennessee	627	553	390	228	206	11.0	9.6	6.7	3.9	3.5
Texas	1,171	964	1,149	1,065	1,069	5.6	4.5	5.3	4.8	4.8
Utah	10	0	8	7	5	0.4	0.0	0.3	0.3	0.2
Vermont	0	1	0	0	0	0.0	0.2	0.0	0.0	0.0
Virginia	140	133	94	74	108	2.0	1.8	1.3	1.0	1.5
Washington	20	19	23	36	51	0.3	0.3	0.4	0.6	0.8
West Virginia	3	1	1	2	9	0.2	0.1	0.1	0.1	0.5
Wisconsin	72	43	66	54	55	1.3	0.8	1.2	1.0	1.0
Wyoming	0	0	0	1	0	0.0	0.0	0.0	0.2	0.0
U.S. TOTAL*	9,465	8,701	8,429	8,361	7,768	3.4	3.0	2.9	2.9	2.7
Northeast	947	1,151	1,332	1,728	1,398	1.8	2.1	2.5	3.2	2.6
Midwest	1,252	1,091	1,081	795	830	1.9	1.7	1.7	1.2	1.3
South	6,571	5,711	4,968	4,593	4,216	6.5	5.6	4.8	4.4	4.0
West	695	748	1,048	1,245	1,324	1.1	1.2	1.6	1.9	2.0
Guam	1	2	3	1	0	0.6	1.3	1.9	0.6	0.0
Puerto Rico	663	600	702	748	353	17.4	15.6	18.2	19.3	9.1
Virgin Islands	5	8	1	6	8	4.6	7.3	0.9	5.5	7.4
OUTLYING AREAS	669	610	706	755	361	16.4	14.9	17.1	18.2	8.7
TOTAL	10,134	9,311	9,135	9,116	8,129	3.5	3.2	3.1	3.1	2.8

*Includes cases reported by Washington, D.C.

Table 36. Early latent syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	1	2	1	1	4	0.2	0.4	0.2	0.2	0.7
Albuquerque, NM	19	8	10	15	29	3.4	1.4	1.7	2.6	5.0
Atlanta, GA	173	398	406	464	189	21.2	48.2	49.2	56.7	23.1
Austin, TX	27	31	23	35	48	4.3	4.7	3.4	5.2	7.1
Baltimore, MD	384	257	124	161	138	59.2	39.8	19.4	25.6	22.0
Birmingham, AL	62	35	27	23	38	9.4	5.3	4.1	3.5	5.8
Boston, MA	29	26	50	64	32	4.8	4.3	8.4	10.8	5.4
Buffalo, NY	1	0	2	2	1	0.3	0.0	0.6	0.6	0.3
Charlotte, NC	63	69	40	24	41	9.0	9.6	5.4	3.2	5.4
Chicago, IL	292	298	439	296	272	9.5	9.6	14.2	9.6	8.9
Cincinnati, OH	2	2	0	0	7	0.2	0.2	0.0	0.0	0.9
Cleveland, OH	29	31	10	3	20	2.1	2.2	0.7	0.2	1.5
Columbus, OH	32	33	48	35	61	3.0	3.1	4.4	3.2	5.6
Corpus Christi, TX	3	1	1	10	1	1.1	0.4	0.4	3.6	0.4
Dallas, TX	361	247	351	298	230	30.2	20.3	29.0	24.6	19.0
Dayton, OH	2	4	1	3	3	0.4	0.7	0.2	0.5	0.5
Denver, CO	1	4	12	13	13	0.2	0.7	2.1	2.3	2.3
Des Moines, IA	6	4	5	2	8	1.6	1.1	1.3	0.5	2.1
Detroit, MI	328	293	172	90	85	34.5	30.9	18.2	9.6	9.1
El Paso, TX	11	14	32	27	23	1.9	2.4	5.5	4.6	3.9
Fort Worth, TX	80	60	115	58	32	14.9	10.9	20.3	10.0	5.5
Honolulu, HI	1	4	16	6	3	0.1	0.5	1.8	0.7	0.3
Houston, TX	134	137	136	150	169	7.1	7.2	6.8	7.4	8.3
Indianapolis, IN	125	82	30	22	21	14.5	9.5	3.5	2.5	2.4
Jacksonville, FL	46	54	25	35	66	5.9	6.8	3.1	4.3	8.1
Jersey City, NJ	1	6	15	13	22	0.4	2.5	6.2	5.4	9.2
Kansas City, MO	4	1	5	15	14	0.9	0.2	1.1	3.3	3.1
Los Angeles, CA	187	203	349	384	391	2.1	2.2	3.8	4.2	4.2
Louisville, KY	40	20	33	26	15	5.8	2.9	4.7	3.7	2.1
Memphis, TN	325	356	202	154	156	36.2	39.5	22.3	17.0	17.2
Miami, FL	329	221	295	345	253	14.5	9.6	12.6	14.7	10.8
Milwaukee, WI	55	35	51	34	29	5.9	3.7	5.4	3.6	3.1
Minneapolis, MN	11	8	17	23	11	2.9	2.1	4.4	6.0	2.9
Nashville, TN	173	137	109	25	22	30.3	24.0	19.1	4.4	3.9
New Orleans, LA	32	31	39	36	63	6.6	6.5	8.2	7.7	13.4
New York City, NY	447	548	726	958	677	5.6	6.8	9.0	11.8	8.4
Newark, NJ	58	74	74	121	144	19.3	24.5	24.5	40.1	47.7
Norfolk, VA	23	25	14	11	13	9.8	10.6	5.9	4.6	5.4
Oakland, CA	4	12	12	28	16	0.3	0.8	0.8	1.9	1.1
Oklahoma City, OK	86	73	74	53	43	20.2	17.0	17.1	12.2	9.9
Omaha, NE	1	0	0	0	0	0.2	0.0	0.0	0.0	0.0
Philadelphia, PA	261	248	214	194	151	17.2	16.5	14.3	13.1	10.2
Phoenix, AZ	220	243	150	161	154	7.1	7.6	4.5	4.8	4.5
Pittsburgh, PA	1	4	6	5	6	0.1	0.3	0.5	0.4	0.5
Portland, OR	12	7	17	16	19	2.3	1.3	3.2	3.0	3.6
Richmond, VA	18	28	11	16	9	9.1	14.2	5.6	8.2	4.6
Rochester, NY	0	1	2	6	1	0.0	0.4	0.8	2.4	0.4
Sacramento, CA	2	5	8	3	6	0.2	0.4	0.6	0.2	0.5
San Antonio, TX	102	120	105	62	74	8.9	10.3	8.8	5.1	6.1
San Diego, CA	10	16	34	41	84	0.4	0.6	1.2	1.4	2.9
San Francisco, CA	18	47	173	191	202	2.3	6.1	22.6	25.4	26.9
San Jose, CA	4	12	11	20	13	0.2	0.7	0.7	1.2	0.8
Seattle, WA	16	14	10	24	39	0.9	0.8	0.6	1.4	2.2
St Louis, MO	21	15	23	12	21	6.1	4.4	6.8	3.6	6.3
St Paul, MN	1	4	2	8	2	0.4	1.4	0.7	2.8	0.7
St Petersburg, FL	23	6	19	40	38	2.5	0.6	2.1	4.3	4.1
Tampa, FL	56	51	57	98	63	5.6	5.0	5.4	9.1	5.9
Toledo, OH	3	1	3	7	3	0.7	0.2	0.7	1.5	0.7
Tucson, AZ	14	8	29	46	32	1.6	0.9	3.3	5.2	3.6
Tulsa, OK	8	5	16	6	10	2.0	1.3	4.0	1.5	2.5
Washington, DC	238	219	192	152	113	41.6	38.2	33.6	26.9	20.0
Wichita, KS	1	7	3	4	6	0.2	1.5	0.6	0.9	1.3
Yonkers, NY	0	0	1	5	2	0.0	0.0	0.5	2.5	1.0
U.S. CITY TOTAL	5,017	4,905	5,177	5,180	4,451	7.2	7.0	7.3	7.3	6.2
San Juan, PR	250	232	210	343	155	24.5	22.7	20.5	33.4	15.1
TOTAL	5,267	5,137	5,387	5,523	4,606	7.4	7.2	7.5	7.6	6.4

See Appendix (Reporting of City-specific Surveillance Data).

Table 37. Late and late latent syphilis — Reported cases and rates by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	403	380	334	309	232	9.1	8.5	7.4	6.9	5.2
Alaska	5	9	8	7	6	0.8	1.4	1.2	1.1	0.9
Arizona	385	672	666	659	572	7.5	12.7	12.2	11.8	10.2
Arkansas	130	124	124	172	142	4.9	4.6	4.6	6.3	5.2
California	2,590	2,038	2,107	2,024	2,293	7.6	5.9	6.0	5.7	6.5
Colorado	45	111	86	82	90	1.0	2.5	1.9	1.8	2.0
Connecticut	125	131	147	163	108	3.7	3.8	4.2	4.7	3.1
Delaware	26	47	42	29	26	3.3	5.9	5.2	3.5	3.2
Florida	1,150	1,446	1,686	1,610	1,364	7.2	8.8	10.1	9.5	8.0
Georgia	695	850	743	836	701	8.4	10.1	8.7	9.6	8.1
Hawaii	17	22	27	39	25	1.4	1.8	2.2	3.1	2.0
Idaho	10	10	11	18	25	0.8	0.8	0.8	1.3	1.8
Illinois	794	706	546	633	614	6.4	5.6	4.3	5.0	4.9
Indiana	212	245	196	252	164	3.5	4.0	3.2	4.1	2.6
Iowa	36	33	38	29	19	1.2	1.1	1.3	1.0	0.6
Kansas	50	43	44	32	49	1.9	1.6	1.6	1.2	1.8
Kentucky	103	104	72	83	79	2.5	2.6	1.8	2.0	1.9
Louisiana	526	426	439	1,195	979	11.8	9.5	9.8	26.6	21.8
Maine	6	12	6	6	5	0.5	0.9	0.5	0.5	0.4
Maryland	338	305	415	443	399	6.4	5.7	7.6	8.0	7.2
Massachusetts	296	334	346	375	307	4.7	5.2	5.4	5.8	4.8
Michigan	232	347	408	451	470	2.3	3.5	4.1	4.5	4.7
Minnesota	43	83	65	103	96	0.9	1.7	1.3	2.0	1.9
Mississippi	125	175	247	220	212	4.4	6.1	8.6	7.6	7.4
Missouri	215	110	118	96	114	3.8	2.0	2.1	1.7	2.0
Montana	0	0	4	0	0	0.0	0.0	0.4	0.0	0.0
Nebraska	4	5	19	15	8	0.2	0.3	1.1	0.9	0.5
Nevada	38	47	86	102	189	1.9	2.2	4.0	4.6	8.4
New Hampshire	17	17	15	14	21	1.4	1.3	1.2	1.1	1.6
New Jersey	599	637	637	572	319	7.1	7.5	7.4	6.6	3.7
New Mexico	57	36	48	75	97	3.1	2.0	2.6	4.0	5.2
New York	2,308	2,701	2,620	2,715	2,979	12.1	14.2	13.7	14.1	15.5
North Carolina	375	475	424	417	285	4.6	5.8	5.1	5.0	3.4
North Dakota	0	2	0	0	0	0.0	0.3	0.0	0.0	0.0
Ohio	89	115	105	189	148	0.8	1.0	0.9	1.7	1.3
Oklahoma	82	102	89	211	79	2.4	2.9	2.5	6.0	2.2
Oregon	18	26	29	43	50	0.5	0.7	0.8	1.2	1.4
Pennsylvania	321	362	342	329	273	2.6	2.9	2.8	2.7	2.2
Rhode Island	33	29	45	50	62	3.1	2.7	4.2	4.6	5.8
South Carolina	206	268	269	263	194	5.1	6.6	6.5	6.3	4.7
South Dakota	1	0	0	0	0	0.1	0.0	0.0	0.0	0.0
Tennessee	525	580	514	511	459	9.2	10.1	8.9	8.7	7.9
Texas	1,659	2,145	2,299	2,200	2,244	7.9	10.0	10.6	9.9	10.1
Utah	46	14	56	51	59	2.1	0.6	2.4	2.2	2.5
Vermont	0	4	0	0	2	0.0	0.7	0.0	0.0	0.3
Virginia	266	287	362	395	380	3.7	4.0	5.0	5.3	5.1
Washington	85	98	63	121	135	1.4	1.6	1.0	2.0	2.2
West Virginia	7	1	2	7	6	0.4	0.1	0.1	0.4	0.3
Wisconsin	60	64	38	41	43	1.1	1.2	0.7	0.7	0.8
Wyoming	4	3	1	3	3	0.8	0.6	0.2	0.6	0.6
U.S. TOTAL*	15,594	16,976	17,168	18,319	17,300	5.5	5.9	6.0	6.3	5.9
Northeast	3,705	4,227	4,158	4,224	4,076	6.9	7.8	7.7	7.8	7.5
Midwest	1,736	1,753	1,577	1,841	1,725	2.7	2.7	2.4	2.8	2.6
South	6,853	7,910	8,241	9,030	7,955	6.8	7.8	8.0	8.6	7.6
West	3,300	3,086	3,192	3,224	3,544	5.2	4.8	4.9	4.9	5.3
Guam	7	15	9	13	13	4.5	9.5	5.6	7.9	7.9
Puerto Rico	485	402	398	390	608	12.7	10.5	10.3	10.1	15.7
Virgin Islands	3	0	2	5	4	2.8	0.0	1.8	4.6	3.7
OUTLYING AREAS	495	417	409	408	625	12.1	10.2	9.9	9.8	15.1
TOTAL	16,089	17,393	17,577	18,727	17,925	5.6	6.0	6.0	6.3	6.1

*Includes cases reported by Washington, D.C.

Table 38. Late and late latent syphilis — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	1	1	2	1	1	0.2	0.2	0.4	0.2	0.2
Albuquerque, NM	33	26	29	23	28	5.9	4.6	5.1	4.0	4.8
Atlanta, GA	88	168	159	201	253	10.8	20.4	19.3	24.6	30.9
Austin, TX	24	64	52	63	69	3.8	9.8	7.7	9.3	10.2
Baltimore, MD	111	57	145	138	128	17.1	8.8	22.7	22.0	20.4
Birmingham, AL	124	101	89	65	33	18.7	15.3	13.5	9.9	5.0
Boston, MA	106	113	133	165	133	17.7	18.8	22.2	28.0	22.5
Buffalo, NY	8	7	5	5	5	2.5	2.2	1.6	1.6	1.6
Charlotte, NC	40	31	33	67	33	5.7	4.3	4.5	8.9	4.4
Chicago, IL	468	444	325	369	390	15.2	14.4	10.5	12.0	12.7
Cincinnati, OH	12	12	15	9	14	1.4	1.4	1.8	1.1	1.7
Cleveland, OH	7	5	5	15	9	0.5	0.4	0.4	1.1	0.7
Columbus, OH	18	52	45	76	54	1.7	4.8	4.1	7.0	5.0
Corpus Christi, TX	6	8	9	13	11	2.2	2.9	3.2	4.7	3.9
Dallas, TX	120	326	493	413	399	10.1	26.8	40.7	34.1	33.0
Dayton, OH	10	12	4	10	7	1.8	2.2	0.7	1.8	1.3
Denver, CO	18	45	36	38	31	3.2	8.0	6.4	6.8	5.6
Des Moines, IA	11	10	9	14	12	2.9	2.6	2.3	3.6	3.1
Detroit, MI	145	257	294	319	330	15.3	27.1	31.1	34.1	35.2
El Paso, TX	73	78	74	77	73	12.9	13.6	12.8	13.2	12.5
Fort Worth, TX	85	159	149	112	101	15.8	28.8	26.3	19.4	17.5
Honolulu, HI	13	16	26	32	18	1.5	1.8	2.9	3.5	2.0
Houston, TX	614	661	748	642	660	32.7	34.6	37.2	31.6	32.5
Indianapolis, IN	92	87	65	74	56	10.7	10.1	7.5	8.6	6.5
Jacksonville, FL	53	47	28	68	64	6.8	5.9	3.5	8.3	7.8
Jersey City, NJ	22	26	26	27	13	9.1	10.7	10.8	11.3	5.4
Kansas City, MO	39	24	24	21	18	8.6	5.3	5.3	4.6	4.0
Los Angeles, CA	1,496	923	890	879	1,182	16.7	10.2	9.7	9.5	12.8
Louisville, KY	51	61	31	48	51	7.3	8.8	4.4	6.9	7.3
Memphis, TN	297	324	247	245	217	33.1	36.0	27.3	27.0	23.9
Miami, FL	356	628	766	619	523	15.7	27.3	32.8	26.4	22.3
Milwaukee, WI	49	43	21	18	24	5.2	4.6	2.2	1.9	2.6
Minneapolis, MN	14	32	24	29	27	3.6	8.3	6.2	7.5	7.0
Nashville, TN	145	162	154	149	124	25.4	28.4	27.0	26.1	21.8
New Orleans, LA	70	46	53	142	185	14.5	9.6	11.2	30.3	39.4
New York City, NY	2,115	2,442	2,300	2,306	2,398	26.4	30.3	28.5	28.5	29.7
Newark, NJ	170	237	194	172	67	56.6	78.6	64.1	57.0	22.2
Norfolk, VA	22	22	20	29	22	9.4	9.3	8.4	12.0	9.1
Oakland, CA	75	71	114	108	86	5.2	4.8	7.7	7.4	5.9
Oklahoma City, OK	25	50	43	92	30	5.9	11.7	9.9	21.1	6.9
Omaha, NE	3	0	13	14	5	0.6	0.0	2.7	2.9	1.0
Philadelphia, PA	281	315	280	292	247	18.6	21.0	18.8	19.7	16.7
Phoenix, AZ	324	546	536	519	376	10.5	17.1	16.2	15.3	11.1
Pittsburgh, PA	3	4	13	8	1	0.2	0.3	1.0	0.6	0.1
Portland, OR	7	13	11	15	15	1.3	2.5	2.1	2.8	2.8
Richmond, VA	17	20	11	21	14	8.6	10.1	5.6	10.8	7.2
Rochester, NY	6	1	7	11	20	2.4	0.4	2.8	4.4	8.1
Sacramento, CA	20	24	19	11	31	1.6	1.9	1.5	0.8	2.3
San Antonio, TX	113	167	155	96	146	9.8	14.3	13.0	7.9	12.0
San Diego, CA	195	103	87	139	124	6.9	3.6	3.0	4.7	4.2
San Francisco, CA	91	114	116	132	159	11.7	14.7	15.2	17.6	21.2
San Jose, CA	36	68	47	55	38	2.1	4.0	2.8	3.3	2.3
Seattle, WA	50	55	36	50	65	2.9	3.1	2.0	2.8	3.7
St Louis, MO	82	30	44	21	38	23.6	8.8	13.0	6.3	11.4
St Paul, MN	6	7	9	13	4	2.1	2.4	3.2	4.6	1.4
St Petersburg, FL	34	23	40	37	22	3.7	2.5	4.3	4.0	2.4
Tampa, FL	55	76	130	121	86	5.5	7.4	12.3	11.3	8.0
Toledo, OH	13	1	3	7	5	2.9	0.2	0.7	1.5	1.1
Tucson, AZ	14	42	34	39	59	1.6	4.9	3.9	4.4	6.6
Tulsa, OK	16	12	6	24	10	4.1	3.0	1.5	6.0	2.5
Washington, DC	237	195	180	129	174	41.5	34.0	31.5	22.9	30.8
Wichita, KS	7	4	7	7	11	1.5	0.9	1.5	1.5	2.4
Yonkers, NY	9	12	23	24	27	4.5	6.0	11.4	11.9	13.4
U.S. CITY TOTAL	8,845	9,710	9,686	9,678	9,556	12.7	13.8	13.6	13.6	13.4
San Juan, PR	222	178	152	147	239	21.7	17.4	14.8	14.3	23.3
TOTAL	9,067	9,888	9,838	9,825	9,795	12.8	13.8	13.7	13.6	13.6

See Appendix (Reporting of City-specific Surveillance Data).

Table 39. Congenital syphilis — Reported cases and rates in infants < 1 year of age: United States (excluding outlying areas), 1963–2004

<i>Year</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1963*	367	9.2
1964*	336	8.7
1965*	335	8.9
1966*	333	8.8
1967	156	4.1
1968	274	7.3
1969	264	7.0
1970	323	8.6
1971	422	11.9
1972	360	11.0
1973	295	9.4
1974	250	7.9
1975	169	5.3
1976	160	5.1
1977	134	4.0
1978	104	3.0
1979	123	3.5
1980	107	3.0
1981	160	4.4
1982	159	4.3
1983	158	4.3
1984	247	6.7
1985	266	7.1
1986	357	9.5
1987	444	11.7
1988	658	16.8
1989	1,807	44.7
1990	3,816	91.8
1991	4,410	107.3
1992	4,024	99.0
1993	3,395	84.9
1994	2,435	61.6
1995	1,861	47.7
1996	1,280	32.9
1997	1,080	27.8
1998	842	21.4
1999	576	14.5
2000	580	14.3
2001	501	12.4
2002	457	11.4
2003	432	10.7
2004	353	8.8

*For 1963 to 1966 data were reported for the federal fiscal year ending June 30 of the year indicated.

NOTE: The surveillance case definition for congenital syphilis changed in 1988. As of 1995, cases of congenital syphilis < 1 year of age are obtained using case reporting form CDC 73.126. For the period 1995 through 2004, yearly case counts in this table correspond to confirmed diagnoses of congenital syphilis among those known to be less than one year of age. As a result, the case counts in this table are a subset of those listed in Table 1 for the years prior to 1995.

Table 40. Congenital syphilis — Reported cases and rates in infants < 1 year of age by state, ranked by rates: United States, 2004

<i>Rank*</i>	<i>State†</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1	Arizona	26	29.6
2	Louisiana	18	27.7
3	Alabama	11	18.7
4	Michigan	23	17.7
5	Texas	65	17.5
6	South Carolina	9	16.5
7	Idaho	3	14.3
8	Maryland	10	13.6
9	Illinois	23	12.7
10	California	64	12.1
11	New Jersey	13	11.3
12	New Mexico	3	10.8
13	Arkansas	4	10.7
14	Delaware	1	9.0
	U.S. TOTAL‡	353	8.8
15	Florida	16	7.8
16	Rhode Island	1	7.8
17	North Carolina	9	7.7
18	Mississippi	3	7.2
19	New York	18	7.2
20	Virginia	6	6.0
21	Tennessee	4	5.2
22	Kansas	2	5.1
23	Indiana	4	4.7
24	Oklahoma	2	4.0
25	Georgia	5	3.8
26	Colorado	2	2.9
27	Missouri	2	2.7
28	Utah	1	2.0
29	Kentucky	1	1.8
30	Minnesota	1	1.5
31	Ohio	2	1.3
	YEAR 2010 TARGET		1.0
	Alaska	0	0.0
	Connecticut	0	0.0
	Hawaii	0	0.0
	Iowa	0	0.0
	Maine	0	0.0
	Massachusetts	0	0.0
	Montana	0	0.0
	Nebraska	0	0.0
	Nevada	0	0.0
	New Hampshire	0	0.0
	North Dakota	0	0.0
	Oregon	0	0.0
	Pennsylvania	0	0.0
	South Dakota	0	0.0
	Vermont	0	0.0
	Washington	0	0.0
	West Virginia	0	0.0
	Wisconsin	0	0.0
	Wyoming	0	0.0

*States were ranked in descending order by rate, number of cases, and alphabetically by state. States with no cases were not ranked.

†Mother's state of residence used to assign case.

‡Total includes cases reported by Washington, D.C. but excludes outlying areas (Guam with 0 cases and rate of 0.0, Puerto Rico with 9 cases and rate of 17.1, and Virgin Islands with 0 cases and rate of 0.0).

Table 41. Congenital syphilis — Reported cases and rates in infants < 1 year of age by state/area and region listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area*	Cases					Rates per 100,000 Live Births				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	8	10	6	4	11	12.6	16.5	10.2	6.8	18.7
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	27	31	20	29	26	31.7	36.2	22.8	33.0	29.6
Arkansas	15	6	10	2	4	39.7	16.2	26.7	5.3	10.7
California	86	62	61	64	64	16.2	11.7	11.5	12.1	12.1
Colorado	0	1	2	3	2	0.0	1.5	2.9	4.4	2.9
Connecticut	1	2	0	1	0	2.3	4.7	0.0	2.4	0.0
Delaware	0	0	0	0	1	0.0	0.0	0.0	0.0	9.0
Florida	42	38	28	27	16	20.6	18.5	13.6	13.1	7.8
Georgia	22	21	13	11	5	16.6	15.7	9.8	8.3	3.8
Hawaii	0	0	0	2	0	0.0	0.0	0.0	11.4	0.0
Idaho	0	0	0	4	3	0.0	0.0	0.0	19.1	14.3
Illinois	50	46	40	20	23	27.0	25.0	22.1	11.1	12.7
Indiana	4	13	9	7	4	4.6	15.0	10.6	8.2	4.7
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	2	2	0	1	2	5.0	5.1	0.0	2.5	5.1
Kentucky	3	1	3	1	1	5.4	1.8	5.5	1.8	1.8
Louisiana	7	0	2	6	18	10.3	0.0	3.1	9.2	27.7
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	16	5	19	9	10	21.5	6.8	25.9	12.3	13.6
Massachusetts	1	2	1	0	0	1.2	2.5	1.2	0.0	0.0
Michigan	33	27	35	38	23	24.2	20.2	26.9	29.2	17.7
Minnesota	0	0	1	0	1	0.0	0.0	1.5	0.0	1.5
Mississippi	14	10	6	2	3	31.8	23.7	14.5	4.8	7.2
Missouri	3	5	1	4	2	3.9	6.6	1.3	5.3	2.7
Montana	0	0	1	0	0	0.0	0.0	9.1	0.0	0.0
Nebraska	0	0	0	1	0	0.0	0.0	0.0	3.9	0.0
Nevada	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Hampshire	0	1	0	0	0	0.0	6.8	0.0	0.0	0.0
New Jersey	23	32	36	21	13	19.9	27.6	31.4	18.3	11.3
New Mexico	3	3	5	6	3	11.0	11.1	18.0	21.6	10.8
New York	41	39	31	42	18	15.8	15.4	12.3	16.7	7.2
North Carolina	19	19	15	20	9	15.8	16.1	12.8	17.0	7.7
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	5	1	3	3	2	3.2	0.7	2.0	2.0	1.3
Oklahoma	1	5	2	1	2	2.0	10.0	4.0	2.0	4.0
Oregon	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Pennsylvania	9	4	5	2	0	6.2	2.8	3.5	1.4	0.0
Rhode Island	0	0	0	0	1	0.0	0.0	0.0	0.0	7.8
South Carolina	32	19	15	15	9	57.0	34.1	27.5	27.5	16.5
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	25	14	10	7	4	31.4	17.9	12.9	9.0	5.2
Texas	72	75	72	77	65	19.8	20.5	19.3	20.7	17.5
Utah	1	0	0	0	1	2.1	0.0	0.0	0.0	2.0
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	7	3	1	1	6	7.1	3.0	1.0	1.0	6.0
Washington	0	0	2	0	0	0.0	0.0	2.5	0.0	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	4	2	1	0	0	5.8	2.9	1.5	0.0	0.0
Wyoming	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
U.S. TOTAL†	580	501	457	432	353	14.3	12.4	11.4	10.7	8.8
Northeast	75	80	73	66	32	10.8	11.7	10.8	9.7	4.7
Midwest	101	96	90	74	57	11.2	10.8	10.3	8.4	6.5
South	287	228	203	184	165	19.3	15.4	13.7	12.4	11.1
West	117	97	91	108	99	11.9	9.9	9.2	11.0	10.0
Guam	0	1	1	1	0	0.0	28.1	31.1	31.1	0.0
Puerto Rico	17	22	23	17	9	28.7	39.4	43.6	32.2	17.1
Virgin Islands	0	1	0	0	0	0.0	59.9	0.0	0.0	0.0
OUTLYING AREAS	17	24	24	18	9	26.3	39.3	41.7	31.3	15.6
TOTAL	597	525	481	450	362	14.5	12.8	11.8	11.0	8.9

*Mother's state of residence used to assign case.

†Includes cases reported by Washington, D.C.

Table 42. Congenital syphilis — Reported cases and rates in infants < 1 year of age in selected cities, ranked by rates: United States, 2004

<i>Rank*</i>	<i>City†</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
1	Detroit, MI	22	153.0
2	Newark, NJ	7	150.8
3	Baltimore, MD	9	93.3
4	Tucson, AZ	8	68.0
5	New Orleans, LA	4	56.6
6	San Diego, CA	10	54.2
7	Houston, TX	23	51.0
8	El Paso, TX	6	46.6
9	Miami, FL	5	38.6
10	Los Angeles, CA	24	37.9
11	Chicago, IL	18	37.5
12	Phoenix, AZ	8	31.8
13	San Jose, CA	5	30.9
14	Dallas, TX	7	28.3
15	Birmingham, AL	1	24.6
16	Toledo, OH	1	21.2
17	Charlotte, NC	2	18.8
18	Memphis, TN	2	18.2
19	Fort Worth, TX	2	17.5
20	Minneapolis, MN	1	16.0
21	Oakland, CA	1	15.4
22	Tulsa, OK	1	15.3
23	Indianapolis, IN	2	14.1
24	Washington, DC	1	13.3
25	Tampa, FL	1	12.6
26	Oklahoma City, OK	1	11.9
27	New York City, NY	12	10.1
28	Columbus, OH	1	9.1
29	Jacksonville, FL	1	8.8
30	Sacramento, CA	1	8.8
31	Denver, CO	1	8.7
32	San Antonio, TX	2	8.6
	YEAR 2010 TARGET		1.0
	Akron, OH	0	0.0
	Albuquerque, NM	0	0.0
	Atlanta, GA	0	0.0
	Austin, TX	0	0.0
	Boston, MA	0	0.0
	Buffalo, NY	0	0.0
	Cincinnati, OH	0	0.0
	Cleveland, OH	0	0.0
	Corpus Christi, TX	0	0.0
	Dayton, OH	0	0.0
	Des Moines, IA	0	0.0
	Honolulu, HI	0	0.0
	Jersey City, NJ	0	0.0
	Kansas City, MO	0	0.0
	Louisville, KY	0	0.0
	Milwaukee, WI	0	0.0
	Nashville, TN	0	0.0
	Norfolk, VA	0	0.0
	Omaha, NE	0	0.0
	Philadelphia, PA	0	0.0
	Pittsburgh, PA	0	0.0
	Portland, OR	0	0.0
	Richmond, VA	0	0.0
	Rochester, NY	0	0.0
	San Francisco, CA	0	0.0
	Seattle, WA	0	0.0
	St Louis, MO	0	0.0
	St Paul, MN	0	0.0
	St Petersburg, FL	0	0.0
	Wichita, KS	0	0.0
	Yonkers, NY	0	0.0

*Cities were ranked in descending order by rate, number of cases, and alphabetically by state. Cities with no cases were not ranked. Excludes outlying areas (San Juan, PR, with 5 cases and rate of 84.3).

†Mother's city of residence used to assign case. See Appendix (Reporting of City-specific Surveillance Data).

Table 43. Congenital syphilis — Reported cases and rates in infants < 1 year of age in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City*	Cases					Rates per 100,000 Live Births				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Albuquerque, NM	0	1	0	1	0	0.0	12.5	0.0	11.9	0.0
Atlanta, GA	7	9	5	3	0	73.9	96.5	55.4	33.3	0.0
Austin, TX	0	3	4	1	0	0.0	23.3	31.4	7.8	0.0
Baltimore, MD	15	2	10	5	9	146.9	20.4	103.7	51.9	93.3
Birmingham, AL	2	3	2	1	1	43.9	69.7	49.2	24.6	24.6
Boston, MA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Buffalo, NY	0	1	0	0	0	0.0	22.8	0.0	0.0	0.0
Charlotte, NC	3	1	1	2	2	28.1	9.6	9.4	18.8	18.8
Chicago, IL	38	35	32	15	18	74.8	70.6	66.7	31.3	37.5
Cincinnati, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cleveland, OH	2	0	2	0	0	23.2	0.0	26.1	0.0	0.0
Columbus, OH	0	1	0	0	1	0.0	9.4	0.0	0.0	9.1
Corpus Christi, TX	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Dallas, TX	6	8	9	8	7	24.5	31.7	36.4	32.3	28.3
Dayton, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Denver, CO	0	0	0	1	1	0.0	0.0	0.0	8.7	8.7
Des Moines, IA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Detroit, MI	24	24	30	36	22	151.1	156.6	208.6	250.3	153.0
El Paso, TX	2	2	1	4	6	15.4	15.4	7.8	31.1	46.6
Fort Worth, TX	4	8	4	2	2	36.8	70.6	34.9	17.5	17.5
Honolulu, HI	0	0	0	1	0	0.0	0.0	0.0	21.3	0.0
Houston, TX	32	21	38	21	23	71.4	47.5	84.3	46.6	51.0
Indianapolis, IN	3	9	4	1	2	21.1	64.4	28.2	7.0	14.1
Jacksonville, FL	2	0	0	1	1	17.5	0.0	0.0	8.8	8.8
Jersey City, NJ	3	2	2	0	0	75.6	51.6	53.1	0.0	0.0
Kansas City, MO	2	0	0	1	0	27.2	0.0	0.0	13.6	0.0
Los Angeles, CA	41	27	28	31	24	62.7	41.8	44.2	49.0	37.9
Louisville, KY	1	0	0	1	0	14.1	0.0	0.0	14.0	0.0
Memphis, TN	14	8	3	2	2	122.9	71.3	27.3	18.2	18.2
Miami, FL	18	10	5	9	5	131.7	73.7	38.6	69.6	38.6
Milwaukee, WI	4	2	0	0	0	35.9	17.9	0.0	0.0	0.0
Minneapolis, MN	0	0	1	0	1	0.0	0.0	16.0	0.0	16.0
Nashville, TN	5	4	5	3	0	56.9	46.5	58.1	34.8	0.0
New Orleans, LA	0	0	1	1	4	0.0	0.0	14.1	14.1	56.6
New York City, NY	33	32	25	30	12	27.3	26.8	21.1	25.4	10.1
Newark, NJ	9	8	12	10	7	183.0	161.8	258.5	215.4	150.8
Norfolk, VA	3	1	0	0	0	75.0	24.8	0.0	0.0	0.0
Oakland, CA	1	3	1	4	1	14.8	44.4	15.4	61.7	15.4
Oklahoma City, OK	0	2	1	0	1	0.0	25.1	11.9	0.0	11.9
Omaha, NE	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Philadelphia, PA	9	4	5	2	0	41.1	18.9	23.3	9.3	0.0
Phoenix, AZ	22	22	14	17	8	87.6	87.2	55.6	67.5	31.8
Pittsburgh, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Portland, OR	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Richmond, VA	0	1	0	0	0	0.0	31.9	0.0	0.0	0.0
Rochester, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Sacramento, CA	2	0	0	0	1	18.3	0.0	0.0	0.0	8.8
San Antonio, TX	5	6	1	3	2	22.6	27.2	4.3	12.9	8.6
San Diego, CA	0	6	4	8	10	0.0	32.3	21.7	43.3	54.2
San Francisco, CA	1	1	0	0	0	11.5	12.1	0.0	0.0	0.0
San Jose, CA	1	2	5	4	5	5.9	12.1	30.9	24.7	30.9
Seattle, WA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Louis, MO	1	3	0	0	0	18.4	56.6	0.0	0.0	0.0
St Paul, MN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Petersburg, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tampa, FL	1	6	2	3	1	11.8	72.5	25.2	37.9	12.6
Toledo, OH	0	0	0	1	1	0.0	0.0	0.0	21.2	21.2
Tucson, AZ	0	0	0	1	8	0.0	0.0	0.0	8.5	68.0
Tulsa, OK	0	0	1	0	1	0.0	0.0	15.3	0.0	15.3
Washington, DC	4	2	1	1	1	52.2	26.2	13.3	13.3	13.3
Wichita, KS	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Yonkers, NY	0	0	1	0	0	0.0	0.0	35.6	0.0	0.0
U.S. CITY TOTAL	320	280	260	235	190	39.1	34.6	32.4	29.3	23.7
San Juan, PR	5	5	3	1	5	77.3	80.4	50.6	16.9	84.3
TOTAL	325	285	263	236	195	39.4	35.0	32.6	29.2	24.2

*Mother's city of residence used to assign case. See Appendix (Reporting of City-specific Surveillance Data).

Table 44. Congenital syphilis — Reported cases and rates in infants <1 year of age by race/ethnicity of mother: United States, 2000–2004

<i>Year of Birth</i>	<i>Race/Ethnicity</i>	<i>Cases</i>	<i>Rate per 100,000 Live Births</i>
2000	White/Non-Hispanic	37	1.5
	Black/Non-Hispanic	331	54.5
	Hispanic	172	21.1
	Asian/Pacific Islander	11	5.6
	Native American/Alaskan Native	6	15.4
	Other	3	NA
	Unknown	20	NA
	Total	580	14.3
2001	White/Non-Hispanic	49	2.1
	Black/Non-Hispanic	262	44.2
	Hispanic	163	19.1
	Asian/Pacific Islander	5	2.5
	Native American/Alaskan Native	7	18.0
	Other	2	NA
	Unknown	13	NA
	Total	501	12.4
2002	White/Non-Hispanic	35	1.5
	Black/Non-Hispanic	257	44.2
	Hispanic	144	16.4
	Asian/Pacific Islander	10	4.8
	Native American/Alaskan Native	3	7.6
	Other	1	NA
	Unknown	7	NA
	Total	457	11.4
2003	White/Non-Hispanic	35	1.5
	Black/Non-Hispanic	201	34.6
	Hispanic	166	18.9
	Asian/Pacific Islander	14	6.8
	Native American/Alaskan Native	2	5.1
	Other	3	NA
	Unknown	11	NA
	Total	432	10.7
2004	White/Non-Hispanic	40	1.7
	Black/Non-Hispanic	155	26.7
	Hispanic	142	16.2
	Asian/Pacific Islander	5	2.4
	Native American/Alaskan Native	2	5.1
	Other	1	NA
	Unknown	8	NA
	Total	353	8.8

NA = Not applicable

Table 45. Chancroid — Reported cases and rates by state/area listed in alphabetical order: United States and outlying areas, 2000–2004

State/Area	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Alabama	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Alaska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Arizona	0	0	0	2	2	0.0	0.0	0.0	0.0	0.0
Arkansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
California	3	2	2	0	1	0.0	0.0	0.0	0.0	0.0
Colorado	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Connecticut	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Delaware	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Florida	0	2	7	2	1	0.0	0.0	0.0	0.0	0.0
Georgia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Hawaii	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Idaho	0	0	0	0	2	0.0	0.0	0.0	0.0	0.1
Illinois	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Indiana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Iowa	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kentucky	0	0	0	1	0	0.0	0.0	0.0	0.0	0.0
Louisiana	6	0	2	0	2	0.1	0.0	0.0	0.0	0.0
Maine	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Maryland	0	0	0	1	0	0.0	0.0	0.0	0.0	0.0
Massachusetts	2	2	3	3	3	0.0	0.0	0.0	0.0	0.0
Michigan	0	0	0	0	2	0.0	0.0	0.0	0.0	0.0
Minnesota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mississippi	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Missouri	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Montana	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nebraska	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nevada	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
New Hampshire	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Jersey	0	4	0	0	0	0.0	0.0	0.0	0.0	0.0
New Mexico	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New York	26	3	2	10	4	0.1	0.0	0.0	0.1	0.0
North Carolina	5	3	0	2	1	0.1	0.0	0.0	0.0	0.0
North Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ohio	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Oklahoma	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Oregon	0	0	0	2	1	0.0	0.0	0.0	0.1	0.0
Pennsylvania	0	0	0	1	1	0.0	0.0	0.0	0.0	0.0
Rhode Island	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
South Carolina	10	15	24	24	4	0.2	0.4	0.6	0.6	0.1
South Dakota	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tennessee	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
Texas	19	6	5	3	3	0.1	0.0	0.0	0.0	0.0
Utah	0	1	0	2	1	0.0	0.0	0.0	0.1	0.0
Vermont	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Virginia	2	0	1	0	0	0.0	0.0	0.0	0.0	0.0
Washington	0	0	1	0	0	0.0	0.0	0.0	0.0	0.0
West Virginia	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wisconsin	2	0	1	0	0	0.0	0.0	0.0	0.0	0.0
Wyoming	0	0	0	1	0	0.0	0.0	0.0	0.2	0.0
U.S. TOTAL*	78	38	48	54	30	0.0	0.0	0.0	0.0	0.0
Guam	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Puerto Rico	3	4	2	4	1	0.1	0.1	0.1	0.1	0.0
Virgin Islands	1	0	0	0	0	0.9	0.0	0.0	0.0	0.0
OUTLYING AREAS	4	4	2	4	1	0.1	0.1	0.0	0.1	0.0
TOTAL	82	42	50	58	31	0.0	0.0	0.0	0.0	0.0

*Includes cases reported by Washington, D.C.

Table 46. Chancroid — Reported cases and rates in selected cities listed in alphabetical order: United States and outlying areas, 2000–2004

City	Cases					Rates per 100,000 Population				
	2000	2001	2002	2003	2004	2000	2001	2002	2003	2004
Akron, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Albuquerque, NM	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Atlanta, GA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Austin, TX	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Baltimore, MD	0	0	0	1	0	0.0	0.0	0.0	0.2	0.0
Birmingham, AL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Boston, MA	0	0	1	0	2	0.0	0.0	0.2	0.0	0.3
Buffalo, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Charlotte, NC	0	1	0	0	0	0.0	0.1	0.0	0.0	0.0
Chicago, IL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cincinnati, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cleveland, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Columbus, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Corpus Christi, TX	0	0	1	0	0	0.0	0.0	0.4	0.0	0.0
Dallas, TX	6	1	1	1	0	0.5	0.1	0.1	0.1	0.0
Dayton, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Denver, CO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Des Moines, IA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Detroit, MI	0	0	0	0	2	0.0	0.0	0.0	0.0	0.2
El Paso, TX	1	0	0	0	1	0.2	0.0	0.0	0.0	0.2
Fort Worth, TX	2	0	0	0	0	0.4	0.0	0.0	0.0	0.0
Honolulu, HI	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Houston, TX	3	1	3	0	0	0.2	0.1	0.1	0.0	0.0
Indianapolis, IN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Jacksonville, FL	0	1	0	0	0	0.0	0.1	0.0	0.0	0.0
Jersey City, NJ	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kansas City, MO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Los Angeles, CA	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Louisville, KY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Memphis, TN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Miami, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Milwaukee, WI	0	0	1	0	0	0.0	0.0	0.1	0.0	0.0
Minneapolis, MN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Nashville, TN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Orleans, LA	6	0	0	0	0	1.2	0.0	0.0	0.0	0.0
New York City, NY	26	3	2	9	4	0.3	0.0	0.0	0.1	0.0
Newark, NJ	0	1	0	0	0	0.0	0.3	0.0	0.0	0.0
Norfolk, VA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Oakland, CA	0	1	0	0	0	0.0	0.1	0.0	0.0	0.0
Oklahoma City, OK	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Omaha, NE	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Philadelphia, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Phoenix, AZ	0	0	0	2	2	0.0	0.0	0.0	0.1	0.1
Pittsburgh, PA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Portland, OR	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Richmond, VA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Rochester, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Sacramento, CA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
San Antonio, TX	1	0	0	0	0	0.1	0.0	0.0	0.0	0.0
San Diego, CA	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0
San Francisco, CA	0	1	0	0	0	0.0	0.1	0.0	0.0	0.0
San Jose, CA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Seattle, WA	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Louis, MO	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Paul, MN	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
St Petersburg, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tampa, FL	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Toledo, OH	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tucson, AZ	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tulsa, OK	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Washington, DC	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wichita, KS	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Yonkers, NY	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
U.S. CITY TOTAL	46	10	9	13	12	0.1	0.0	0.0	0.0	0.0
San Juan, PR	2	1	1	4	1	0.2	0.1	0.1	0.4	0.1
TOTAL	48	11	10	17	13	0.1	0.0	0.0	0.0	0.0

See Appendix (Reporting of City-specific Surveillance Data).

Table 47. Selected STDs and complications — Initial visits to physicians' offices: United States, 1966–2004

<i>Year</i>	<i>Genital Herpes</i>	<i>Genital Warts</i>	<i>Vaginal Trichomoniasis*</i>	<i>Other Vaginitis*</i>	<i>Pelvic Inflammatory Disease†</i>
1966	19,000	56,000	579,000	1,155,000	NA
1967	15,000	72,000	515,000	1,277,000	NA
1968	16,000	87,000	463,000	1,460,000	NA
1969	15,000	61,000	421,000	1,390,000	NA
1970	17,000	119,000	529,000	1,500,000	NA
1971	49,000	128,000	484,000	1,281,000	NA
1972	26,000	165,000	574,000	1,810,000	NA
1973	51,000	198,000	466,000	1,858,000	NA
1974	75,000	202,000	427,000	1,907,000	NA
1975	36,000	181,000	500,000	1,919,000	NA
1976	57,000	217,000	473,000	1,690,000	NA
1977	116,000	221,000	324,000	1,713,000	NA
1978	76,000	269,000	329,000	2,149,000	NA
1979	83,000	200,000	363,000	1,662,000	NA
1980	57,000	218,000	358,000	1,670,000	423,000
1981	133,000	191,000	369,000	1,742,000	283,000
1982	134,000	256,000	268,000	1,859,000	374,000
1983	106,000	203,000	424,000	1,932,000	424,000
1984	157,000	224,000	381,000	2,450,000	381,000
1985	124,000	263,000	291,000	2,728,000	425,000
1986	136,000	275,000	338,000	3,118,000	457,000
1987	102,000	351,000	293,000	3,087,000	403,000
1988	163,000	290,000	191,000	3,583,000	431,000
1989	148,000	220,000	165,000	3,374,000	413,000
1990	172,000	275,000	213,000	4,474,000	358,000
1991	235,000	282,000	198,000	3,822,000	377,000
1992	139,000	218,000	182,000	3,428,000	335,000
1993	172,000	167,000	207,000	3,755,000	407,000
1994	142,000	239,000	199,000	4,123,000	332,000
1995	160,000	253,000	141,000	3,927,000	262,000
1996	208,000	191,000	245,000	3,472,000	286,000
1997	176,000	145,000	176,000	3,100,000	260,000
1998	188,000	211,000	164,000	3,200,000	233,000
1999	224,000	240,000	171,000	3,077,000	250,000
2000	179,000	220,000	222,000	3,470,000	254,000
2001	157,000	233,000	210,000	3,365,000	244,000
2002	216,000	266,000	150,000	3,315,000	197,000
2003	203,000	264,000	179,000	3,516,000	123,000
2004	269,000	316,000	221,000	3,602,000	132,000

*Women only.

†Women 15-44 only. NA = Not available.

NOTE: Standard errors for estimates under 100,000 are not available. The relative standard error for estimates 100,000-300,000 are between 20% and 30%; 300,000-600,000 are between 16% and 20%; 600,000-1,000,000 are 13% and 15%; and 1,000,000-5,000,000 are between 9% and 13%.

SOURCE: National Disease and Therapeutic Index (IMS Health). See Appendix (Other Data Sources) for more information.