

National Immunization Survey

**A Codebook for the
2005 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization and
Respiratory Diseases (proposed)
and
National Center for Health Statistics**

**Presented by:
National Opinion Research Center (NORC)
October 2006**

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

TABLE OF CONTENTS

| | |
|---|-----|
| Section Index of Variables | 1 |
| Section 1: ID, Weight, and Flag Variables | 13 |
| Section 2: Household Vaccination Variables | 16 |
| Section 3: Demographic and Socioeconomic Variables | 23 |
| Section 4: Geographic Variables..... | 33 |
| Section 5: Number of Providers Identified and Consent Variables | 37 |
| Section 6: Number of Responding Provider Variables..... | 38 |
| Section 7: Characteristics of Provider Variables | 40 |
| Section 8: Provider-Reported Up-to-Date Vaccination Variables..... | 42 |
| Section 9: Provider-Reported Age-at-Vaccination Variables | 64 |
| Alphabetical Index of Variables..... | 157 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| SEQNUMC | 1 | 6 | 1 | UNIQUE CHILD IDENTIFIER |
| SEQNUMHH | 7 | 11 | 1 | UNIQUE HOUSEHOLD IDENTIFIER |
| PDAT | 12 | 12 | 1 | CHILD HAS ADEQUATE PROVIDER DATA |
| PROVWT | 13 | 31 | 1 | WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN |
| RDDWT | 32 | 50 | 1 | RDD CHILD INTERVIEW WEIGHT |
| YEAR | 51 | 54 | 1 | YEAR OF INTERVIEW |
| AGECPOXR | 55 | 55 | 2 | AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE) |
| ALL4SHOT | 56 | 57 | 2 | HH REPORT OF 4:3:1:3 UP-TO-DATE |
| C_431 | 58 | 58 | 2 | HH REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE |
| C_4313 | 59 | 59 | 2 | HH REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE |
| C_DTP | 60 | 60 | 2 | HH REPORT OF 4+ DT-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_HEP | 61 | 61 | 2 | HH REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_HIB | 62 | 62 | 2 | HH REPORT OF 3+ HIB-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_MMR | 63 | 63 | 2 | HH REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_POL | 64 | 64 | 2 | HH REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_VRC | 65 | 65 | 2 | HH REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| FULL_CPO | 66 | 67 | 2 | HH REPORT OF 1+ VARICELLA-CONTAINING SHOT AT ANY AGE |
| FULL_DTP | 68 | 69 | 2 | HH REPORT OF 4+ DT-CONTAINING SHOT |
| FULL_HEP | 70 | 71 | 2 | HH REPORT OF 3+ HEPATITIS B-CONTAINING SHOTS |
| FULL_HIB | 72 | 73 | 2 | HH REPORT OF 3+ HIB-CONTAINING SHOTS |
| FULL_MMR | 74 | 75 | 2 | HH REPORT OF 1+ MEASLES-CONTAINING SHOT AT ANY AGE |
| FULL_POL | 76 | 77 | 2 | HH REPORT OF 3+ POLIO-CONTAINING SHOTS |
| HAD_CPOX | 78 | 79 | 2 | CHILD EVER HAD CHICKEN POX DISEASE? |
| SHOTCARD | 80 | 80 | 2 | SHOT CARD USE FLAG |
| AGEGRP | 81 | 81 | 3 | AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE) |
| BF_ENDR | 82 | 89 | 3 | DURATION OF BREAST FEEDING IN DAYS (TOPCODE) |
| BF_EXCLR | 90 | 97 | 3 | DURATION OF EXCLUSIVE BREAST FEEDING IN DAYS (TOPCODE) |
| BFENDFL | 98 | 98 | 3 | DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| BFEXCLFL | 99 | 99 | 3 | DURATION OF EXCLUSIVE BREAST FEEDING EXCEEDS TOTAL BREASTFEEDING, WITH BUFFER |
| C1R | 100 | 100 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE) |
| C5R | 101 | 102 | 3 | RELATIONSHIP OF RESPONDENT TO CHILD (RECODE) |
| CBF_01 | 103 | 104 | 3 | WAS CHILD EVER BREAST FED OR FED BREAST MILK? |
| CEN_REG | 105 | 105 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 106 | 106 | 3 | NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE) |
| CWIC_01 | 107 | 108 | 3 | CHILD EVER RECEIVED WIC BENEFITS? |
| CWIC_02 | 109 | 109 | 3 | CHILD CURRENTLY RECEIVING WIC BENEFITS? |
| EDUC1 | 110 | 110 | 3 | EDUCATION OF MOTHER CATEGORIES (RECODE) |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| FRSTBRN | 111 | 111 | 3 | FIRST BORN STATUS OF CHILD |
| I_HISP_K | 112 | 112 | 3 | HISPANIC ORIGIN OF CHILD |
| INCPORAR | 113 | 128 | 3 | INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE) |
| INCPOV1 | 129 | 129 | 3 | POVERTY STATUS |
| INCQ298A | 130 | 131 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INOPHONR | 132 | 132 | 3 | LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE) |
| INTRP | 133 | 133 | 3 | PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR? |
| LANGUAGE | 134 | 134 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| M_AGEGRP | 135 | 135 | 3 | AGE OF MOTHER CATEGORIES |
| MARITAL | 136 | 136 | 3 | MARITAL STATUS OF MOTHER CATEGORIES (RECODE) |
| MOBIL_I | 137 | 137 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE |
| RACE_K | 138 | 138 | 3 | RACE OF CHILD (RECODE) |
| RACEETHK | 139 | 139 | 3 | RACE/ETHNICITY OF CHILD (RECODE) |
| SEX | 140 | 140 | 3 | GENDER OF CHILD |
| ESTIAP | 141 | 142 | 4 | ESTIMATION IAP AREA OF RESIDENCE |
| STATE | 143 | 144 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| D6R | 145 | 145 | 5 | NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE) |
| D7 | 146 | 146 | 5 | CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS |
| DISPCODE | 147 | 148 | 6 | NIS PROVIDER RECORD-CHECK DISPOSITION CODE |
| N_PRVR | 149 | 149 | 6 | NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE) |
| PROV_FAC | 150 | 150 | 7 | PROVIDER FACILITY TYPE |
| REGISTRY | 151 | 151 | 7 | CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY |
| VFC_PRO | 152 | 152 | 7 | PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM |
| HEP_BRTH | 153 | 153 | 8 | HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG |
| HEP_FLAG | 154 | 154 | 8 | HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG |
| P_NUHEPX | 155 | 155 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHPHB | 156 | 156 | 8 | NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDAH | 157 | 157 | 8 | NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHB | 158 | 158 | 8 | NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHM | 159 | 159 | 8 | NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMDTA | 160 | 160 | 8 | NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTM | 161 | 161 | 8 | NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTP | 162 | 162 | 8 | NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 163 | 163 | 8 | NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEA | 164 | 164 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEP | 165 | 165 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIB | 166 | 166 | 8 | NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMIPV | 167 | 167 | 8 | NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 168 | 168 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMX | 169 | 169 | 8 | NUMBER OF MMR COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMP | 170 | 170 | 8 | NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMPR | 171 | 171 | 8 | NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMS | 172 | 172 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSM | 173 | 173 | 8 | NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSR | 174 | 174 | 8 | NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOLN | 175 | 175 | 8 | NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOPV | 176 | 176 | 8 | NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCC | 177 | 177 | 8 | NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCN | 178 | 178 | 8 | NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| P_NUMPCP | 179 | 179 | 8 | NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCV | 180 | 180 | 8 | NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPOL | 181 | 181 | 8 | NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMRB | 182 | 182 | 8 | NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMROT | 183 | 183 | 8 | NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPM | 184 | 184 | 8 | NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPN | 185 | 185 | 8 | NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 186 | 186 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U12VRC | 187 | 187 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS |
| P_UTD331 | 188 | 188 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 |
| P_UTD431 | 189 | 189 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 |
| P_UTDFL1 | 190 | 190 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1 |
| P_UTDFL2 | 191 | 191 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2 |
| P_UTDHEP | 192 | 192 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS |
| P_UTDHIB | 193 | 193 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS |
| P_UTDMCV | 194 | 194 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT |
| P_UTDMMX | 195 | 195 | 8 | UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT |
| P_UTDPC3 | 196 | 196 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPCV | 197 | 197 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPOL | 198 | 198 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS |
| P_UTDTP3 | 199 | 199 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS |
| P_UTDTP4 | 200 | 200 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS |
| PU431331 | 201 | 201 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) |
| PUT43133 | 202 | 202 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3 |
| PUTD4313 | 203 | 203 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3 |
| DDTP1 | 204 | 207 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DDTP2 | 208 | 211 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DDTP3 | 212 | 215 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| DDTP4 | 216 | 219 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DDTP5 | 220 | 223 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DDTP6 | 224 | 227 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DDTP7 | 228 | 230 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DDTP8 | 231 | 231 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DDTP9 | 232 | 232 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DFLU1 | 233 | 236 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| DFLU2 | 237 | 240 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| DFLU3 | 241 | 244 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| DFLU4 | 245 | 248 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| DFLU5 | 249 | 252 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| DFLU6 | 253 | 253 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| DFLU7 | 254 | 254 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| DFLU8 | 255 | 255 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| DFLU9 | 256 | 256 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| DHEPA1 | 257 | 260 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| DHEPA2 | 261 | 264 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| DHEPA3 | 265 | 268 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| DHEPA4 | 269 | 269 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| DHEPA5 | 270 | 270 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| DHEPA6 | 271 | 271 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| DHEPA7 | 272 | 272 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| DHEPA8 | 273 | 273 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| DHEPA9 | 274 | 274 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| DHEPB1 | 275 | 278 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| DHEPB2 | 279 | 282 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| DHEPB3 | 283 | 286 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| DHEPB4 | 287 | 290 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| DHEPB5 | 291 | 294 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| DHEPB6 | 295 | 297 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| DHEPB7 | 298 | 298 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| DHEPB8 | 299 | 299 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| DHEPB9 | 300 | 300 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| DHIB1 | 301 | 304 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| DHIB2 | 305 | 308 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| DHIB3 | 309 | 312 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| DHIB4 | 313 | 316 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| DHIB5 | 317 | 320 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| DHIB6 | 321 | 324 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| DHIB7 | 325 | 327 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| DHIB8 | 328 | 328 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| DHIB9 | 329 | 329 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| DMMR1 | 330 | 333 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| DMMR2 | 334 | 337 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| DMMR3 | 338 | 340 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| DMMR4 | 341 | 341 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| DMMR5 | 342 | 342 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| DMMR6 | 343 | 343 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| DMMR7 | 344 | 344 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| DMMR8 | 345 | 345 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| DMMR9 | 346 | 346 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| DMP1 | 347 | 349 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| DMP2 | 350 | 350 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| DMP3 | 351 | 351 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| DMP4 | 352 | 352 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| DMP5 | 353 | 353 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| DMP6 | 354 | 354 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| DMP7 | 355 | 355 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| DMP8 | 356 | 356 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| DMP9 | 357 | 357 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| DMPRB1 | 358 | 358 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| DMPRB2 | 359 | 359 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| DMPRB3 | 360 | 360 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| DMPRB4 | 361 | 361 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| DMPRB5 | 362 | 362 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| DMPRB6 | 363 | 363 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| DMPRB7 | 364 | 364 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| DMPRB8 | 365 | 365 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| DMPRB9 | 366 | 366 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| DPCV1 | 367 | 370 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| DPCV2 | 371 | 374 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| DPCV3 | 375 | 378 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| DPCV4 | 379 | 382 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| DPCV5 | 383 | 386 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| DPCV6 | 387 | 389 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| DPCV7 | 390 | 392 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| DPCV8 | 393 | 393 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| DPCV9 | 394 | 394 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| DPOLIO1 | 395 | 398 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| DPOLIO2 | 399 | 402 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| DPOLIO3 | 403 | 406 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| DPOLIO4 | 407 | 410 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| DPOLIO5 | 411 | 413 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| DPOLIO6 | 414 | 417 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| DPOLIO7 | 418 | 420 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| DPOLIO8 | 421 | 421 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| DPOLIO9 | 422 | 422 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| DRB1 | 423 | 426 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| DRB2 | 427 | 427 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |
| DRB3 | 428 | 428 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| DRB4 | 429 | 429 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| DRB5 | 430 | 430 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| DRB6 | 431 | 431 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| DRB7 | 432 | 432 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| DRB8 | 433 | 433 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| DRB9 | 434 | 434 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| DROT1 | 435 | 436 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| DROT2 | 437 | 439 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| DROT3 | 440 | 442 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| DROT4 | 443 | 443 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| DROT5 | 444 | 444 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| DROT6 | 445 | 445 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| DROT7 | 446 | 446 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| DROT8 | 447 | 447 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| DROT9 | 448 | 448 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| DTP1_AGE | 449 | 450 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DTP2_AGE | 451 | 452 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DTP3_AGE | 453 | 454 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DTP4_AGE | 455 | 456 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DTP5_AGE | 457 | 458 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DTP6_AGE | 459 | 460 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DTP7_AGE | 461 | 462 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DTP8_AGE | 463 | 463 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DTP9_AGE | 464 | 464 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DVRC1 | 465 | 468 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| DVRC2 | 469 | 472 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| DVRC3 | 473 | 473 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| DVRC4 | 474 | 474 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| DVRC5 | 475 | 475 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| DVRC6 | 476 | 476 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| DVRC7 | 477 | 477 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| DVRC8 | 478 | 478 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| DVRC9 | 479 | 479 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| FLU1_AGE | 480 | 481 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| FLU2_AGE | 482 | 483 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| FLU3_AGE | 484 | 485 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| FLU4_AGE | 486 | 487 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| FLU5_AGE | 488 | 489 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| FLU6_AGE | 490 | 490 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| FLU7_AGE | 491 | 491 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| FLU8_AGE | 492 | 492 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| FLU9_AGE | 493 | 493 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| HEA1_AGE | 494 | 495 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| HEA2_AGE | 496 | 497 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| HEA3_AGE | 498 | 499 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| HEA4_AGE | 500 | 500 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| HEA5_AGE | 501 | 501 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| HEA6_AGE | 502 | 502 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| HEA7_AGE | 503 | 503 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| HEA8_AGE | 504 | 504 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| HEA9_AGE | 505 | 505 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| HEP1_AGE | 506 | 507 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| HEP2_AGE | 508 | 509 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| HEP3_AGE | 510 | 511 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| HEP4_AGE | 512 | 513 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| HEP5_AGE | 514 | 515 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| HEP6_AGE | 516 | 517 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| HEP7_AGE | 518 | 518 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| HEP8_AGE | 519 | 519 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| HEP9_AGE | 520 | 520 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| HIB1_AGE | 521 | 522 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| HIB2_AGE | 523 | 524 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| HIB3_AGE | 525 | 526 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| HIB4_AGE | 527 | 528 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| HIB5_AGE | 529 | 530 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| HIB6_AGE | 531 | 532 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| HIB7_AGE | 533 | 534 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| HIB8_AGE | 535 | 535 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| HIB9_AGE | 536 | 536 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| MMR1_AGE | 537 | 538 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| MMR2_AGE | 539 | 540 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| MMR3_AGE | 541 | 542 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| MMR4_AGE | 543 | 543 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| MMR5_AGE | 544 | 544 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| MMR6_AGE | 545 | 545 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| MMR7_AGE | 546 | 546 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| MMR8_AGE | 547 | 547 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| MMR9_AGE | 548 | 548 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| MP1_AGE | 549 | 550 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| MP2_AGE | 551 | 551 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| MP3_AGE | 552 | 552 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| MP4_AGE | 553 | 553 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| MP5_AGE | 554 | 554 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| MP6_AGE | 555 | 555 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| MP7_AGE | 556 | 556 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| MP8_AGE | 557 | 557 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| MP9_AGE | 558 | 558 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| MPR1_AGE | 559 | 559 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| MPR2_AGE | 560 | 560 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| MPR3_AGE | 561 | 561 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| MPR4_AGE | 562 | 562 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| MPR5_AGE | 563 | 563 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| MPR6_AGE | 564 | 564 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| MPR7_AGE | 565 | 565 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| MPR8_AGE | 566 | 566 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| MPR9_AGE | 567 | 567 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| PCV1_AGE | 568 | 569 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| PCV2_AGE | 570 | 571 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| PCV3_AGE | 572 | 573 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| PCV4_AGE | 574 | 575 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| PCV5_AGE | 576 | 577 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| PCV6_AGE | 578 | 579 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| PCV7_AGE | 580 | 581 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| PCV8_AGE | 582 | 582 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| PCV9_AGE | 583 | 583 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| POL1_AGE | 584 | 585 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| POL2_AGE | 586 | 587 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| POL3_AGE | 588 | 589 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| POL4_AGE | 590 | 591 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| POL5_AGE | 592 | 593 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| POL6_AGE | 594 | 595 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| POL7_AGE | 596 | 597 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| POL8_AGE | 598 | 598 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| POL9_AGE | 599 | 599 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| RB1_AGE | 600 | 601 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| RB2_AGE | 602 | 602 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |
| RB3_AGE | 603 | 603 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| RB4_AGE | 604 | 604 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| RB5_AGE | 605 | 605 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| RB6_AGE | 606 | 606 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| RB7_AGE | 607 | 607 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| RB8_AGE | 608 | 608 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| RB9_AGE | 609 | 609 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| ROT1_AGE | 610 | 610 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| ROT2_AGE | 611 | 611 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| ROT3_AGE | 612 | 613 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| ROT4_AGE | 614 | 614 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| ROT5_AGE | 615 | 615 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| ROT6_AGE | 616 | 616 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| ROT7_AGE | 617 | 617 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| ROT8_AGE | 618 | 618 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| ROT9_AGE | 619 | 619 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| VRC1_AGE | 620 | 621 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| VRC2_AGE | 622 | 623 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| VRC3_AGE | 624 | 624 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| VRC4_AGE | 625 | 625 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| VRC5_AGE | 626 | 626 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| VRC6_AGE | 627 | 627 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| VRC7_AGE | 628 | 628 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| VRC8_AGE | 629 | 629 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| VRC9_AGE | 630 | 630 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| XDTPTY1 | 631 | 632 | 9 | DT-CONTAINING VACCINATION #1 TYPE CODE |
| XDTPTY2 | 633 | 634 | 9 | DT-CONTAINING VACCINATION #2 TYPE CODE |
| XDTPTY3 | 635 | 636 | 9 | DT-CONTAINING VACCINATION #3 TYPE CODE |
| XDTPTY4 | 637 | 638 | 9 | DT-CONTAINING VACCINATION #4 TYPE CODE |
| XDTPTY5 | 639 | 640 | 9 | DT-CONTAINING VACCINATION #5 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| XDTPTY6 | 641 | 642 | 9 | DT-CONTAINING VACCINATION #6 TYPE CODE |
| XDTPTY7 | 643 | 644 | 9 | DT-CONTAINING VACCINATION #7 TYPE CODE |
| XDTPTY8 | 645 | 645 | 9 | DT-CONTAINING VACCINATION #8 TYPE CODE |
| XDTPTY9 | 646 | 646 | 9 | DT-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPTY1 | 647 | 648 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPTY2 | 649 | 650 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPTY3 | 651 | 652 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPTY4 | 653 | 654 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPTY5 | 655 | 656 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPTY6 | 657 | 658 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPTY7 | 659 | 659 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPTY8 | 660 | 660 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPTY9 | 661 | 661 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHIBTY1 | 662 | 663 | 9 | HIB-CONTAINING VACCINATION #1 TYPE CODE |
| XHIBTY2 | 664 | 665 | 9 | HIB-CONTAINING VACCINATION #2 TYPE CODE |
| XHIBTY3 | 666 | 667 | 9 | HIB-CONTAINING VACCINATION #3 TYPE CODE |
| XHIBTY4 | 668 | 669 | 9 | HIB-CONTAINING VACCINATION #4 TYPE CODE |
| XHIBTY5 | 670 | 671 | 9 | HIB-CONTAINING VACCINATION #5 TYPE CODE |
| XHIBTY6 | 672 | 673 | 9 | HIB-CONTAINING VACCINATION #6 TYPE CODE |
| XHIBTY7 | 674 | 675 | 9 | HIB-CONTAINING VACCINATION #7 TYPE CODE |
| XHIBTY8 | 676 | 676 | 9 | HIB-CONTAINING VACCINATION #8 TYPE CODE |
| XHIBTY9 | 677 | 677 | 9 | HIB-CONTAINING VACCINATION #9 TYPE CODE |
| XMMRTY1 | 678 | 679 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMMRTY2 | 680 | 681 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMMRTY3 | 682 | 683 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMMRTY4 | 684 | 684 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMMRTY5 | 685 | 685 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMMRTY6 | 686 | 686 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMMRTY7 | 687 | 687 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMMRTY8 | 688 | 688 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMMRTY9 | 689 | 689 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XPCVTY1 | 690 | 691 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE |
| XPCVTY2 | 692 | 693 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE |
| XPCVTY3 | 694 | 695 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE |
| XPCVTY4 | 696 | 697 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE |
| XPCVTY5 | 698 | 699 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE |
| XPCVTY6 | 700 | 701 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE |
| XPCVTY7 | 702 | 703 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE |
| XPCVTY8 | 704 | 704 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE |
| XPCVTY9 | 705 | 705 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| XPOLTY1 | 706 | 707 | 9 | POLIO-CONTAINING VACCINATION #1 TYPE CODE |
| XPOLTY2 | 708 | 709 | 9 | POLIO-CONTAINING VACCINATION #2 TYPE CODE |
| XPOLTY3 | 710 | 711 | 9 | POLIO-CONTAINING VACCINATION #3 TYPE CODE |
| XPOLTY4 | 712 | 713 | 9 | POLIO-CONTAINING VACCINATION #4 TYPE CODE |
| XPOLTY5 | 714 | 715 | 9 | POLIO-CONTAINING VACCINATION #5 TYPE CODE |
| XPOLTY6 | 716 | 717 | 9 | POLIO-CONTAINING VACCINATION #6 TYPE CODE |
| XPOLTY7 | 718 | 719 | 9 | POLIO-CONTAINING VACCINATION #7 TYPE CODE |
| XPOLTY8 | 720 | 720 | 9 | POLIO-CONTAINING VACCINATION #8 TYPE CODE |
| XPOLTY9 | 721 | 721 | 9 | POLIO-CONTAINING VACCINATION #9 TYPE CODE |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character

Label: UNIQUE CHILD IDENTIFIER

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-----------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: SEQNUMHH Type: Character

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-----------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PDAT Type: Numeric

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|-------|-------|--------|----------------------------------|------------------------------|--------|----------------------------------|
| CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS | 1 | 17563 | 63.6% | 63.6% | 17563 | 100.0% | 100.0% |
| CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA | 2 | 10064 | 36.4% | 36.4% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: PROVWT Type: Numeric****Label:****WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN****Notes:****Final child weight to use for the calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). This variable is calculated to seven decimal places.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17563 | 63.6% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10064 | 36.4% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PROVWT Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 338.0 | 177.8 | 4.2 | 8923.9 | 473.7 |
| Adequate Provider Data | 338.0 | 177.8 | 4.2 | 8923.9 | 473.7 |

Variable: RDDWT Type: Numeric**Label: RDD CHILD INTERVIEW WEIGHT****Notes: Final household interview weight for child.****Use this weight for estimates based on children with completed household interviews.****This variable is calculated to seven decimal places.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: RDDWT Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 214.9 | 120.6 | 2.6 | 4634.8 | 276.2 |
| Adequate Provider Data | 208.3 | 116.5 | 2.6 | 4255.2 | 269.6 |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: YEAR** Type: Numeric**Label: YEAR OF INTERVIEW****Notes: Sampling year.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 2005 | 2005 | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: AGECP0XR Type: Numeric****Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 TO 6 MONTHS OLD | 1 | 106 | 0.4% | 14.9% | 64 | 0.4% | 14.2% |
| 7 TO 12 MONTHS OLD | 2 | 244 | 0.9% | 34.3% | 160 | 0.9% | 35.4% |
| 13 TO 18 MONTHS OLD | 3 | 205 | 0.7% | 28.8% | 128 | 0.7% | 28.3% |
| 19+ MONTHS OLD | 4 | 157 | 0.6% | 22.1% | 100 | 0.6% | 22.1% |
| SUBTOTALS: | | 712 | 2.6% | 100.0% | 452 | 2.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 26915 | 97.4% | n/a | 17111 | 97.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: ALL4SHOT Type: Numeric**Label: HH REPORT OF 4:3:1:3 UP-TO-DATE****Notes: 4+ DT-containing, 3+ Polio--containing, 1+ Measles-containing, 3+ HIB-containing. Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 9484 | 34.3% | 54.5% | 6592 | 37.5% | 56.8% |
| NO | 2 | 7909 | 28.6% | 45.5% | 5012 | 28.5% | 43.2% |
| SUBTOTALS: | | 17393 | 63.0% | 100.0% | 11604 | 66.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 10168 | 36.8% | n/a | 5916 | 33.7% | n/a |
| UNKNOWN | 88 | 6 | 0.0% | n/a | 5 | 0.0% | n/a |
| REFUSED | 99 | 60 | 0.2% | n/a | 38 | 0.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_431 Type: Numeric**Label: HH REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing. SC=Shot Card, NSC=Non-Shot Card. Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD 431 / SC | 1 | 7490 | 27.1% | 40.3% | 5291 | 30.1% | 43.0% |
| NOT UTD 431 / SC | 2 | 3324 | 12.0% | 17.9% | 2303 | 13.1% | 18.7% |
| UTD 431 / NSC | 3 | 3244 | 11.7% | 17.5% | 2119 | 12.1% | 17.2% |
| NOT UTD 431 / NSC | 4 | 4519 | 16.4% | 24.3% | 2589 | 14.7% | 21.0% |
| SUBTOTALS: | | 18577 | 67.2% | 100.0% | 12302 | 70.0% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: C_431 Type: Numeric****Label: HH REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing. SC=Shot Card, NSC=Non-Shot Card. Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------------|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| MISSING / SC / NSC | 5 | 9050 | 32.8% | n/a | 5261 | 30.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_4313 Type: Numeric**Label: HH REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing. SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| UTD 4313 / SC | 1 | 7019 | 25.4% | 40.4% | 4968 | 28.3% | 42.8% |
| NOT UTD 4313 / SC | 2 | 3740 | 13.5% | 21.5% | 2592 | 14.8% | 22.3% |
| UTD 4313 / NSC | 3 | 2465 | 8.9% | 14.2% | 1624 | 9.2% | 14.0% |
| NOT UTD 4313 / NSC | 4 | 4169 | 15.1% | 24.0% | 2420 | 13.8% | 20.9% |
| SUBTOTALS: | | 17393 | 63.0% | 100.0% | 11604 | 66.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 10234 | 37.0% | n/a | 5959 | 33.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_DTP Type: Numeric**Label: HH REPORT OF 4+ DT-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| UTD DTP / SC | 1 | 8139 | 29.5% | 37.3% | 5750 | 32.7% | 40.5% |
| NOT UTD DTP / SC | 2 | 3020 | 10.9% | 13.9% | 2093 | 11.9% | 14.7% |
| UTD DTP / NSC | 3 | 5810 | 21.0% | 26.7% | 3621 | 20.6% | 25.5% |
| NOT UTD DTP / NSC | 4 | 4830 | 17.5% | 22.2% | 2728 | 15.5% | 19.2% |
| SUBTOTALS: | | 21799 | 78.9% | 100.0% | 14192 | 80.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 5828 | 21.1% | n/a | 3371 | 19.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: C_HEP Type: Numeric****Label: HH REPORT OF 3+
HEPATITIS B-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD HEPB / SC | 1 | 9287 | 33.6% | 42.7% | 6552 | 37.3% | 46.2% |
| NOT UTD HEPB / SC | 2 | 1813 | 6.6% | 8.3% | 1257 | 7.2% | 8.9% |
| UTD HEPB / NSC | 3 | 5601 | 20.3% | 25.7% | 3561 | 20.3% | 25.1% |
| NOT UTD HEPB / NSC | 4 | 5064 | 18.3% | 23.3% | 2820 | 16.1% | 19.9% |
| SUBTOTALS: | | 21765 | 78.8% | 100.0% | 14190 | 80.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 5862 | 21.2% | n/a | 3373 | 19.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_HIB Type: Numeric**Label: HH REPORT OF 3+ HIB-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD HIB / SC | 1 | 9541 | 34.5% | 46.2% | 6740 | 38.4% | 49.9% |
| NOT UTD HIB / SC | 2 | 1572 | 5.7% | 7.6% | 1074 | 6.1% | 7.9% |
| UTD HIB / NSC | 3 | 4412 | 16.0% | 21.4% | 2849 | 16.2% | 21.1% |
| NOT UTD HIB / NSC | 4 | 5121 | 18.5% | 24.8% | 2857 | 16.3% | 21.1% |
| SUBTOTALS: | | 20646 | 74.7% | 100.0% | 13520 | 77.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 6981 | 25.3% | n/a | 4043 | 23.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_MMR Type: Numeric**Label: HH REPORT OF 1+
MEASLES-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD MCV / SC | 1 | 9961 | 36.1% | 46.1% | 6990 | 39.8% | 49.7% |
| NOT UTD MCV / SC | 2 | 933 | 3.4% | 4.3% | 657 | 3.7% | 4.7% |
| UTD MCV / NSC | 3 | 9562 | 34.6% | 44.3% | 5861 | 33.4% | 41.7% |
| NOT UTD MCV / NSC | 4 | 1131 | 4.1% | 5.2% | 559 | 3.2% | 4.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: C_MMR Type: Numeric****Label: HH REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 21587 | 78.1% | 100.0% | 14067 | 80.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 6040 | 21.9% | n/a | 3496 | 19.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_POL Type: Numeric**Label: HH REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD POL / SC | 1 | 9551 | 34.6% | 44.9% | 6740 | 38.4% | 48.4% |
| NOT UTD POL / SC | 2 | 1574 | 5.7% | 7.4% | 1085 | 6.2% | 7.8% |
| UTD POL / NSC | 3 | 4560 | 16.5% | 21.4% | 2923 | 16.6% | 21.0% |
| NOT UTD POL / NSC | 4 | 5610 | 20.3% | 26.3% | 3169 | 18.0% | 22.8% |
| SUBTOTALS: | | 21295 | 77.1% | 100.0% | 13917 | 79.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 6332 | 22.9% | n/a | 3646 | 20.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: C_VRC Type: Numeric**Label: HH REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE BY SHOT CARD USE****Notes: SC=Shot Card, NSC=Non-Shot Card.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| UTD VRC / SC | 1 | 9296 | 33.6% | 41.0% | 6551 | 37.3% | 44.6% |
| NOT UTD VRC / SC | 2 | 1560 | 5.6% | 6.9% | 1076 | 6.1% | 7.3% |
| UTD VRC / NSC | 3 | 9120 | 33.0% | 40.2% | 5611 | 31.9% | 38.2% |
| NOT UTD VRC / NSC | 4 | 2695 | 9.8% | 11.9% | 1455 | 8.3% | 9.9% |
| SUBTOTALS: | | 22671 | 82.1% | 100.0% | 14693 | 83.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING / SC / NSC | 5 | 4956 | 17.9% | n/a | 2870 | 16.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: FULL_CPO Type: Numeric****Label: HH REPORT OF 1+ VARICELLA-CONTAINING SHOT AT ANY AGE****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 18416 | 66.7% | 81.2% | 12162 | 69.2% | 82.8% |
| NO | 2 | 4255 | 15.4% | 18.8% | 2531 | 14.4% | 17.2% |
| SUBTOTALS: | | 22671 | 82.1% | 100.0% | 14693 | 83.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 4935 | 17.9% | n/a | 2857 | 16.3% | n/a |
| REFUSED | 99 | 21 | 0.1% | n/a | 13 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FULL_DTP Type: Numeric**Label: HH REPORT OF 4+ DT-CONTAINING SHOT****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 13949 | 50.5% | 64.0% | 9371 | 53.4% | 66.0% |
| NO | 2 | 7850 | 28.4% | 36.0% | 4821 | 27.4% | 34.0% |
| SUBTOTALS: | | 21799 | 78.9% | 100.0% | 14192 | 80.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 5783 | 20.9% | n/a | 3343 | 19.0% | n/a |
| UNKNOWN | 88 | 3 | 0.0% | n/a | 3 | 0.0% | n/a |
| REFUSED | 99 | 42 | 0.2% | n/a | 25 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FULL_HEP Type: Numeric**Label: HH REPORT OF 3+ HEPATITIS B-CONTAINING SHOTS****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 14888 | 53.9% | 68.4% | 10113 | 57.6% | 71.3% |
| NO | 2 | 6877 | 24.9% | 31.6% | 4077 | 23.2% | 28.7% |
| SUBTOTALS: | | 21765 | 78.8% | 100.0% | 14190 | 80.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 5842 | 21.1% | n/a | 3363 | 19.1% | n/a |
| UNKNOWN | 88 | 1 | 0.0% | n/a | 0 | 0.0% | n/a |
| REFUSED | 99 | 19 | 0.1% | n/a | 10 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: FULL_HIB Type: Numeric****Label: HH REPORT OF 3+ HIB-CONTAINING SHOTS****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 13953 | 50.5% | 67.6% | 9589 | 54.6% | 70.9% |
| NO | 2 | 6693 | 24.2% | 32.4% | 3931 | 22.4% | 29.1% |
| SUBTOTALS: | | 20646 | 74.7% | 100.0% | 13520 | 77.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 6963 | 25.2% | n/a | 4031 | 23.0% | n/a |
| UNKNOWN | 88 | 1 | 0.0% | n/a | 0 | 0.0% | n/a |
| REFUSED | 99 | 17 | 0.1% | n/a | 12 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FULL_MMR Type: Numeric**Label: HH REPORT OF 1+ MEASLES-CONTAINING SHOT AT ANY AGE****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 19523 | 70.7% | 90.4% | 12851 | 73.2% | 91.4% |
| NO | 2 | 2064 | 7.5% | 9.6% | 1216 | 6.9% | 8.6% |
| SUBTOTALS: | | 21587 | 78.1% | 100.0% | 14067 | 80.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 6019 | 21.8% | n/a | 3485 | 19.8% | n/a |
| UNKNOWN | 88 | 2 | 0.0% | n/a | 2 | 0.0% | n/a |
| REFUSED | 99 | 19 | 0.1% | n/a | 9 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FULL_POL Type: Numeric**Label: HH REPORT OF 3+ POLIO-CONTAINING SHOTS****Notes: Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 14111 | 51.1% | 66.3% | 9663 | 55.0% | 69.4% |
| NO | 2 | 7184 | 26.0% | 33.7% | 4254 | 24.2% | 30.6% |
| SUBTOTALS: | | 21295 | 77.1% | 100.0% | 13917 | 79.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 6313 | 22.9% | n/a | 3632 | 20.7% | n/a |
| REFUSED | 99 | 19 | 0.1% | n/a | 14 | 0.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HAD_CPOX** Type: Numeric**Label: CHILD EVER HAD CHICKEN POX DISEASE?****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 719 | 2.6% | 2.6% | 455 | 2.6% | 2.6% |
| NO | 2 | 26780 | 96.9% | 97.4% | 17040 | 97.0% | 97.4% |
| SUBTOTALS: | | 27499 | 99.5% | 100.0% | 17495 | 99.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 112 | 0.4% | n/a | 62 | 0.4% | n/a |
| REFUSED | 99 | 10 | 0.0% | n/a | 3 | 0.0% | n/a |
| MISSING | . | 6 | 0.0% | n/a | 3 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: SHOTCARD Type: Numeric**Label: SHOT CARD USE FLAG****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SHOTCARD | 1 | 11242 | 40.7% | 40.7% | 7897 | 45.0% | 45.0% |
| NO SHOTCARD | 2 | 16385 | 59.3% | 59.3% | 9666 | 55.0% | 55.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 19 - 23 MONTHS | 1 | 8311 | 30.1% | 30.1% | 5260 | 29.9% | 29.9% |
| 24 - 29 MONTHS | 2 | 9791 | 35.4% | 35.4% | 6324 | 36.0% | 36.0% |
| 30 - 35 MONTHS | 3 | 9525 | 34.5% | 34.5% | 5979 | 34.0% | 34.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: BF_ENDR Type: Numeric

Label: DURATION OF BREAST FEEDING IN DAYS (TOPCODE)

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 20648 | 74.7% | 100.0% | 13414 | 76.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 6979 | 25.3% | n/a | 4149 | 23.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: BF_ENDR Type: Numeric

CASES

| | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-----|-------|--------|
| All | 229.1 | 182.6 | 1.0 | 730.5 | 188.3 |
| Adequate Provider Data | 230.8 | 182.6 | 1.0 | 730.5 | 188.9 |

Variable: BF_EXCLR Type: Numeric

Label: DURATION OF EXCLUSIVE BREAST FEEDING IN DAYS (TOPCODE)

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 20400 | 73.8% | 100.0% | 13270 | 75.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 7227 | 26.2% | n/a | 4293 | 24.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: BF_EXCLR Type: Numeric

CASES

| | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-------|--------|
| All | 98.5 | 91.3 | 1.0 | 273.9 | 78.7 |
| Adequate Provider Data | 97.3 | 91.3 | 1.0 | 273.9 | 78.2 |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL** Type: NumericLabel: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| YES | 1 | 4 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27623 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: **BFEXCLFL** Type: NumericLabel: **DURATION OF EXCLUSIVE BREAST FEEDING EXCEEDS TOTAL BREASTFEEDING, WITH BUFFER**

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| YES | 1 | 1989 | 7.2% | 100.0% | 1217 | 6.9% | 100.0% |
| SUBTOTALS: | | 1989 | 7.2% | 100.0% | 1217 | 6.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25638 | 92.8% | n/a | 16346 | 93.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: **C1R** Type: NumericLabel: **NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)**

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 2 | 2 | 669 | 2.4% | 2.4% | 424 | 2.4% | 2.4% |
| 3 | 3 | 6320 | 22.9% | 22.9% | 3979 | 22.7% | 22.7% |
| 4 | 4 | 10195 | 36.9% | 36.9% | 6588 | 37.5% | 37.5% |
| 5 | 5 | 5789 | 21.0% | 21.0% | 3699 | 21.1% | 21.1% |
| 6 | 6 | 2649 | 9.6% | 9.6% | 1668 | 9.5% | 9.5% |
| 7 | 7 | 1025 | 3.7% | 3.7% | 645 | 3.7% | 3.7% |
| 8+ | 8 | 980 | 3.5% | 3.5% | 560 | 3.2% | 3.2% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|-------|-------|--------|-------------------------|------------------------|--------|-------------------------|
| MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN | 1 | 22991 | 83.2% | 83.2% | 15050 | 85.7% | 85.7% |
| FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN | 2 | 3542 | 12.8% | 12.8% | 2004 | 11.4% | 11.4% |
| GRANDPARENT | 3 | 819 | 3.0% | 3.0% | 408 | 2.3% | 2.3% |
| OTHER FAMILY MEMBER/FRIEND | 4 | 267 | 1.0% | 1.0% | 100 | 0.6% | 0.6% |
| SUBTOTALS: | | 27619 | 100.0% | 100.0% | 17562 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| REFUSED | 99 | 5 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 1 | 0.0% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: CBF_01 Type: Numeric

Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------|------------------------|--------|-------------------------|
| YES | 1 | 20704 | 74.9% | 75.4% | 13432 | 76.5% | 76.8% |
| NO | 2 | 6773 | 24.5% | 24.6% | 4064 | 23.1% | 23.2% |
| SUBTOTALS: | | 27477 | 99.5% | 100.0% | 17496 | 99.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 144 | 0.5% | n/a | 66 | 0.4% | n/a |
| REFUSED | 99 | 4 | 0.0% | n/a | 0 | 0.0% | n/a |
| MISSING | . | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: CEN_REG Type: Numeric

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-----------|-------|-------|-------|-------------------------|------------------------|-------|-------------------------|
| NORTHEAST | 1 | 4205 | 15.2% | 15.2% | 2648 | 15.1% | 15.1% |
| MIDWEST | 2 | 6379 | 23.1% | 23.1% | 4116 | 23.4% | 23.4% |
| SOUTH | 3 | 10649 | 38.5% | 38.5% | 6731 | 38.3% | 38.3% |
| WEST | 4 | 6394 | 23.1% | 23.1% | 4068 | 23.2% | 23.2% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CEN_REG Type: Numeric

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: CHILDNM Type: Numeric

Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| ONE | 1 | 7344 | 26.6% | 26.6% | 4579 | 26.1% | 26.1% |
| TWO OR THREE | 2 | 16687 | 60.4% | 60.4% | 10744 | 61.2% | 61.2% |
| FOUR OR MORE | 3 | 3596 | 13.0% | 13.0% | 2240 | 12.8% | 12.8% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: CWIC_01 Type: Numeric

Label: CHILD EVER RECEIVED WIC BENEFITS?

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| YES | 1 | 12397 | 44.9% | 45.1% | 7816 | 44.5% | 44.6% |
| NO | 2 | 15057 | 54.5% | 54.7% | 9664 | 55.0% | 55.2% |
| NEVER HEARD OF WIC | 3 | 61 | 0.2% | 0.2% | 33 | 0.2% | 0.2% |
| SUBTOTALS: | | 27515 | 99.6% | 100.0% | 17513 | 99.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 94 | 0.3% | n/a | 48 | 0.3% | n/a |
| REFUSED | 99 | 8 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 10 | 0.0% | n/a | 1 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC_02 Type: Numeric

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| YES | 1 | 6937 | 25.1% | 56.0% | 4482 | 25.5% | 57.4% |
| NO | 2 | 5459 | 19.8% | 44.0% | 3333 | 19.0% | 42.6% |
| SUBTOTALS: | | 12396 | 44.9% | 100.0% | 7815 | 44.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 15231 | 55.1% | n/a | 9748 | 55.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: EDUC1 Type: Numeric

Label: EDUCATION OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| < 12 YEARS | 1 | 3132 | 11.3% | 11.3% | 1942 | 11.1% | 11.1% |
| 12 YEARS | 2 | 6812 | 24.7% | 24.7% | 4201 | 23.9% | 23.9% |
| > 12 YEARS, NON-COLLEGE GRAD | 3 | 4658 | 16.9% | 16.9% | 2958 | 16.8% | 16.8% |
| COLLEGE GRAD | 4 | 13025 | 47.1% | 47.1% | 8462 | 48.2% | 48.2% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FRSTBRN Type: Numeric

Label: FIRST BORN STATUS OF CHILD

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| NO | 1 | 14679 | 53.1% | 53.1% | 9446 | 53.8% | 53.8% |
| YES | 2 | 12948 | 46.9% | 46.9% | 8117 | 46.2% | 46.2% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: I_HISP_K Type: Numeric

Label: HISPANIC ORIGIN OF CHILD

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| HISPANIC | 1 | 5790 | 21.0% | 21.0% | 3618 | 20.6% | 20.6% |
| NON-HISPANIC | 2 | 21837 | 79.0% | 79.0% | 13945 | 79.4% | 79.4% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: INCPORAR Type: Numeric

Label: INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2004 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing. Calculated to 2 decimal places.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 24621 | 89.1% | 100.0% | 16104 | 91.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 3006 | 10.9% | n/a | 1459 | 8.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: INCPORAR Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|-----|-----|
| All | 2.1 | 2.6 | 0.5 | 3.0 | 0.9 |
| Adequate Provider Data | 2.2 | 2.6 | 0.5 | 3.0 | 0.9 |

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2004 Census poverty thresholds.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| ABOVE POVERTY, > \$75K | 1 | 7252 | 26.2% | 28.3% | 4820 | 27.4% | 29.1% |
| ABOVE POVERTY, <= \$75K | 2 | 13222 | 47.9% | 51.7% | 8474 | 48.2% | 51.1% |
| BELOW POVERTY | 3 | 5117 | 18.5% | 20.0% | 3275 | 18.6% | 19.8% |
| SUBTOTALS: | | 25591 | 92.6% | 100.0% | 16569 | 94.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN | 4 | 2036 | 7.4% | n/a | 994 | 5.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2004.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| \$0 - \$7500 | 3 | 1033 | 3.7% | 4.2% | 647 | 3.7% | 4.0% |
| \$7501 - \$10000 | 4 | 1057 | 3.8% | 4.3% | 656 | 3.7% | 4.1% |
| \$10001 - \$17500 | 5 | 1663 | 6.0% | 6.8% | 1105 | 6.3% | 6.9% |
| \$17501 - \$20000 | 6 | 1168 | 4.2% | 4.7% | 739 | 4.2% | 4.6% |
| \$20001 - \$25000 | 7 | 1376 | 5.0% | 5.6% | 893 | 5.1% | 5.5% |
| \$25001 - \$30000 | 8 | 1494 | 5.4% | 6.1% | 971 | 5.5% | 6.0% |
| \$30001 - \$35000 | 9 | 1192 | 4.3% | 4.8% | 764 | 4.4% | 4.7% |
| \$35001 - \$40000 | 10 | 1407 | 5.1% | 5.7% | 937 | 5.3% | 5.8% |
| \$40001 - \$50000 | 11 | 2230 | 8.1% | 9.1% | 1467 | 8.4% | 9.1% |
| \$50001 - \$60000 | 12 | 1986 | 7.2% | 8.1% | 1292 | 7.4% | 8.0% |
| \$60001 - \$75000 | 13 | 2763 | 10.0% | 11.2% | 1813 | 10.3% | 11.3% |
| \$75001+ | 14 | 7252 | 26.2% | 29.5% | 4820 | 27.4% | 29.9% |
| SUBTOTALS: | | 24621 | 89.1% | 100.0% | 16104 | 91.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1848 | 6.7% | n/a | 1033 | 5.9% | n/a |
| REFUSED | 99 | 1158 | 4.2% | n/a | 426 | 2.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: INOPHONR Type: Numeric

Label: LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 7 TO 14 DAYS | 1 | 730 | 2.6% | 38.3% | 460 | 2.6% | 37.9% |
| 15 TO 30 DAYS | 2 | 376 | 1.4% | 19.7% | 259 | 1.5% | 21.4% |
| 31 TO 365 DAYS | 3 | 800 | 2.9% | 42.0% | 494 | 2.8% | 40.7% |
| SUBTOTALS: | | 1906 | 6.9% | 100.0% | 1213 | 6.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25721 | 93.1% | n/a | 16350 | 93.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INTRP Type: Numeric

Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| YES | 1 | 2056 | 7.4% | 7.4% | 1291 | 7.4% | 7.4% |
| NO | 2 | 25571 | 92.6% | 92.6% | 16272 | 92.6% | 92.6% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: LANGUAGE Type: Numeric

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes:

Interviews conducted in other languages were administered using the AT&T language line. This variable was constructed from call outcome codes.

While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| ENGLISH | 1 | 25057 | 90.7% | 90.7% | 15969 | 90.9% | 90.9% |
| SPANISH | 2 | 2516 | 9.1% | 9.1% | 1565 | 8.9% | 8.9% |
| OTHER | 3 | 54 | 0.2% | 0.2% | 29 | 0.2% | 0.2% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: M_AGEGRP Type: Numeric

Label: AGE OF MOTHER CATEGORIES

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| <= 19 YEARS | 1 | 594 | 2.2% | 2.2% | 348 | 2.0% | 2.0% |
| 20 - 29 YEARS | 2 | 10737 | 38.9% | 38.9% | 6734 | 38.3% | 38.3% |
| >= 30 YEARS | 3 | 16296 | 59.0% | 59.0% | 10481 | 59.7% | 59.7% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL Type: Numeric

Label: MARITAL STATUS OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------------------------|-------|-------|--------|-------------------------|------------------------|--------|-------------------------|
| WIDOWED/DIVORCED/SEPARATED/DECEASED | 1 | 2039 | 7.4% | 7.4% | 1242 | 7.1% | 7.1% |
| NEVER MARRIED | 2 | 5186 | 18.8% | 18.8% | 3150 | 17.9% | 17.9% |
| MARRIED | 3 | 20402 | 73.8% | 73.8% | 13171 | 75.0% | 75.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: MOBIL_I Type: Numeric

Label: GEOGRAPHIC MOBILITY STATUS:
STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-----------------------------------|-------|-------|--------|-------------------------|------------------------|--------|-------------------------|
| MOVED FROM DIFFERENT STATE | 1 | 2547 | 9.2% | 9.2% | 1459 | 8.3% | 8.3% |
| DID NOT MOVE FROM DIFFERENT STATE | 2 | 25080 | 90.8% | 90.8% | 16104 | 91.7% | 91.7% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: RACE_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------|------------------------|--------|-------------------------|
| WHITE ONLY | 1 | 20199 | 73.1% | 73.1% | 13199 | 75.2% | 75.2% |
| BLACK ONLY | 2 | 4283 | 15.5% | 15.5% | 2368 | 13.5% | 13.5% |
| OTHER + MULTIPLE RACE | 3 | 3145 | 11.4% | 11.4% | 1996 | 11.4% | 11.4% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: RACEETHK Type: Numeric****Label: RACE/ETHNICITY OF CHILD (RECODE)****Notes: Imputed variable.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| HISPANIC | 1 | 5774 | 20.9% | 20.9% | 3612 | 20.6% | 20.6% |
| NON-HISPANIC WHITE ONLY | 2 | 15797 | 57.2% | 57.2% | 10406 | 59.2% | 59.2% |
| NON-HISPANIC BLACK ONLY | 3 | 3572 | 12.9% | 12.9% | 1966 | 11.2% | 11.2% |
| NON-HISPANIC OTHER + MULTIPLE RACE | 4 | 2484 | 9.0% | 9.0% | 1579 | 9.0% | 9.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: SEX Type: Numeric**Label: GENDER OF CHILD****Notes: Imputed variable.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| MALE | 1 | 14153 | 51.2% | 51.2% | 9041 | 51.5% | 51.5% |
| FEMALE | 2 | 13474 | 48.8% | 48.8% | 8522 | 48.5% | 48.5% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|---------------------------|-------|-------|------|-------------------------------|------------------------------|------|-------------------------------|
| CT | 1 | 318 | 1.2% | 1.2% | 212 | 1.2% | 1.2% |
| MA | 2 | 349 | 1.3% | 1.3% | 233 | 1.3% | 1.3% |
| ME | 4 | 269 | 1.0% | 1.0% | 189 | 1.1% | 1.1% |
| NH | 5 | 352 | 1.3% | 1.3% | 237 | 1.3% | 1.3% |
| RI | 6 | 412 | 1.5% | 1.5% | 267 | 1.5% | 1.5% |
| VT | 7 | 242 | 0.9% | 0.9% | 173 | 1.0% | 1.0% |
| NJ-REST OF STATE | 8 | 416 | 1.5% | 1.5% | 248 | 1.4% | 1.4% |
| NJ-CITY OF NEWARK | 9 | 424 | 1.5% | 1.5% | 257 | 1.5% | 1.5% |
| NY-REST OF STATE | 10 | 360 | 1.3% | 1.3% | 228 | 1.3% | 1.3% |
| NY-CITY OF NEW YORK | 11 | 408 | 1.5% | 1.5% | 205 | 1.2% | 1.2% |
| DISTRICT OF COLUMBIA | 12 | 483 | 1.7% | 1.7% | 296 | 1.7% | 1.7% |
| DE | 13 | 284 | 1.0% | 1.0% | 171 | 1.0% | 1.0% |
| MD-REST OF STATE | 14 | 365 | 1.3% | 1.3% | 224 | 1.3% | 1.3% |
| MD-CITY OF BALTIMORE | 15 | 335 | 1.2% | 1.2% | 209 | 1.2% | 1.2% |
| PA-REST OF STATE | 16 | 346 | 1.3% | 1.3% | 222 | 1.3% | 1.3% |
| PA-PHILADELPHIA COUNTY | 17 | 309 | 1.1% | 1.1% | 177 | 1.0% | 1.0% |
| VA | 18 | 424 | 1.5% | 1.5% | 266 | 1.5% | 1.5% |
| WV | 19 | 345 | 1.2% | 1.2% | 223 | 1.3% | 1.3% |
| AL-REST OF STATE | 20 | 349 | 1.3% | 1.3% | 211 | 1.2% | 1.2% |
| AL-JEFFERSON COUNTY | 21 | 300 | 1.1% | 1.1% | 208 | 1.2% | 1.2% |
| FL-REST OF STATE | 22 | 421 | 1.5% | 1.5% | 241 | 1.4% | 1.4% |
| FL-DUVAL COUNTY | 23 | 465 | 1.7% | 1.7% | 285 | 1.6% | 1.6% |
| GA-REST OF STATE | 25 | 428 | 1.5% | 1.5% | 275 | 1.6% | 1.6% |
| GA-FULTON/DEKALB COUNTIES | 26 | 359 | 1.3% | 1.3% | 228 | 1.3% | 1.3% |
| KY | 27 | 343 | 1.2% | 1.2% | 214 | 1.2% | 1.2% |
| MS | 28 | 418 | 1.5% | 1.5% | 267 | 1.5% | 1.5% |
| NC | 29 | 331 | 1.2% | 1.2% | 216 | 1.2% | 1.2% |
| SC | 30 | 416 | 1.5% | 1.5% | 276 | 1.6% | 1.6% |
| TN-REST OF STATE | 31 | 336 | 1.2% | 1.2% | 222 | 1.3% | 1.3% |
| TN-SHELBY COUNTY | 32 | 417 | 1.5% | 1.5% | 259 | 1.5% | 1.5% |
| TN-DAVIDSON COUNTY | 33 | 320 | 1.2% | 1.2% | 232 | 1.3% | 1.3% |
| IL-REST OF STATE | 34 | 277 | 1.0% | 1.0% | 159 | 0.9% | 0.9% |
| IL-CITY OF CHICAGO | 35 | 467 | 1.7% | 1.7% | 275 | 1.6% | 1.6% |
| IN | 36 | 330 | 1.2% | 1.2% | 212 | 1.2% | 1.2% |
| MI-REST OF STATE | 38 | 410 | 1.5% | 1.5% | 271 | 1.5% | 1.5% |
| MI-CITY OF DETROIT | 39 | 321 | 1.2% | 1.2% | 159 | 0.9% | 0.9% |
| MN | 40 | 315 | 1.1% | 1.1% | 213 | 1.2% | 1.2% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------------------|-------|-------|------|-------------------------------|------------------------------|------|-------------------------------|
| OH-REST OF STATE | 41 | 396 | 1.4% | 1.4% | 249 | 1.4% | 1.4% |
| OH-CUYAHOGA COUNTY | 42 | 399 | 1.4% | 1.4% | 249 | 1.4% | 1.4% |
| OH-FRANKLIN COUNTY | 43 | 282 | 1.0% | 1.0% | 175 | 1.0% | 1.0% |
| WI-REST OF STATE | 44 | 314 | 1.1% | 1.1% | 208 | 1.2% | 1.2% |
| WI-MILWAUKEE COUNTY | 45 | 314 | 1.1% | 1.1% | 209 | 1.2% | 1.2% |
| AR | 46 | 261 | 0.9% | 0.9% | 174 | 1.0% | 1.0% |
| LA | 47 | 880 | 3.2% | 3.2% | 556 | 3.2% | 3.2% |
| NM | 49 | 331 | 1.2% | 1.2% | 203 | 1.2% | 1.2% |
| OK | 50 | 422 | 1.5% | 1.5% | 279 | 1.6% | 1.6% |
| TX-REST OF STATE | 51 | 527 | 1.9% | 1.9% | 308 | 1.8% | 1.8% |
| TX-DALLAS COUNTY | 52 | 271 | 1.0% | 1.0% | 168 | 1.0% | 1.0% |
| TX-EL PASO COUNTY | 53 | 374 | 1.4% | 1.4% | 253 | 1.4% | 1.4% |
| TX-CITY OF HOUSTON | 54 | 412 | 1.5% | 1.5% | 252 | 1.4% | 1.4% |
| TX-BEXAR COUNTY | 55 | 363 | 1.3% | 1.3% | 218 | 1.2% | 1.2% |
| IA | 56 | 300 | 1.1% | 1.1% | 206 | 1.2% | 1.2% |
| KS | 57 | 372 | 1.3% | 1.3% | 255 | 1.5% | 1.5% |
| MO-REST OF STATE | 58 | 384 | 1.4% | 1.4% | 259 | 1.5% | 1.5% |
| NE | 59 | 319 | 1.2% | 1.2% | 222 | 1.3% | 1.3% |
| CO-REST OF STATE | 60 | 289 | 1.0% | 1.0% | 196 | 1.1% | 1.1% |
| MT | 61 | 347 | 1.3% | 1.3% | 260 | 1.5% | 1.5% |
| ND | 62 | 387 | 1.4% | 1.4% | 270 | 1.5% | 1.5% |
| SD | 63 | 401 | 1.5% | 1.5% | 262 | 1.5% | 1.5% |
| UT | 64 | 286 | 1.0% | 1.0% | 204 | 1.2% | 1.2% |
| WY | 65 | 298 | 1.1% | 1.1% | 204 | 1.2% | 1.2% |
| AZ-REST OF STATE | 66 | 306 | 1.1% | 1.1% | 210 | 1.2% | 1.2% |
| AZ-MARICOPA COUNTY | 67 | 376 | 1.4% | 1.4% | 222 | 1.3% | 1.3% |
| CA-REST OF STATE | 68 | 406 | 1.5% | 1.5% | 241 | 1.4% | 1.4% |
| CA-LOS ANGELES COUNTY | 69 | 392 | 1.4% | 1.4% | 216 | 1.2% | 1.2% |
| HI | 72 | 328 | 1.2% | 1.2% | 195 | 1.1% | 1.1% |
| NV-REST OF STATE | 73 | 291 | 1.1% | 1.1% | 168 | 1.0% | 1.0% |
| AK | 74 | 287 | 1.0% | 1.0% | 186 | 1.1% | 1.1% |
| ID | 75 | 306 | 1.1% | 1.1% | 227 | 1.3% | 1.3% |
| OR | 76 | 282 | 1.0% | 1.0% | 203 | 1.2% | 1.2% |
| WA-REST OF STATE | 77 | 305 | 1.1% | 1.1% | 207 | 1.2% | 1.2% |
| WA-KING COUNTY | 78 | 270 | 1.0% | 1.0% | 190 | 1.1% | 1.1% |
| CA-ALAMEDA COUNTY | 79 | 352 | 1.3% | 1.3% | 185 | 1.1% | 1.1% |
| CA-SAN BERNARDINO COUNTY | 80 | 326 | 1.2% | 1.2% | 174 | 1.0% | 1.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| CO-DENVER | 81 | 303 | 1.1% | 1.1% | 198 | 1.1% | 1.1% |
| MO-ST. LOUIS COUNTY/CITY | 82 | 391 | 1.4% | 1.4% | 263 | 1.5% | 1.5% |
| NV-CLARK COUNTY | 83 | 313 | 1.1% | 1.1% | 179 | 1.0% | 1.0% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|----------------------|-------|-------|------|-------------------------------|------------------------------|------|-------------------------------|
| ALABAMA | 1 | 649 | 2.3% | 2.3% | 419 | 2.4% | 2.4% |
| ALASKA | 2 | 287 | 1.0% | 1.0% | 186 | 1.1% | 1.1% |
| ARIZONA | 4 | 682 | 2.5% | 2.5% | 432 | 2.5% | 2.5% |
| ARKANSAS | 5 | 261 | 0.9% | 0.9% | 174 | 1.0% | 1.0% |
| CALIFORNIA | 6 | 1476 | 5.3% | 5.3% | 816 | 4.6% | 4.6% |
| COLORADO | 8 | 592 | 2.1% | 2.1% | 394 | 2.2% | 2.2% |
| CONNECTICUT | 9 | 318 | 1.2% | 1.2% | 212 | 1.2% | 1.2% |
| DELAWARE | 10 | 284 | 1.0% | 1.0% | 171 | 1.0% | 1.0% |
| DISTRICT OF COLUMBIA | 11 | 483 | 1.7% | 1.7% | 296 | 1.7% | 1.7% |
| FLORIDA | 12 | 886 | 3.2% | 3.2% | 526 | 3.0% | 3.0% |
| GEORGIA | 13 | 787 | 2.8% | 2.8% | 503 | 2.9% | 2.9% |
| HAWAII | 15 | 328 | 1.2% | 1.2% | 195 | 1.1% | 1.1% |
| IDAHO | 16 | 306 | 1.1% | 1.1% | 227 | 1.3% | 1.3% |
| ILLINOIS | 17 | 744 | 2.7% | 2.7% | 434 | 2.5% | 2.5% |
| INDIANA | 18 | 330 | 1.2% | 1.2% | 212 | 1.2% | 1.2% |
| IOWA | 19 | 300 | 1.1% | 1.1% | 206 | 1.2% | 1.2% |
| KANSAS | 20 | 372 | 1.3% | 1.3% | 255 | 1.5% | 1.5% |
| KENTUCKY | 21 | 343 | 1.2% | 1.2% | 214 | 1.2% | 1.2% |
| LOUISIANA | 22 | 880 | 3.2% | 3.2% | 556 | 3.2% | 3.2% |
| MAINE | 23 | 269 | 1.0% | 1.0% | 189 | 1.1% | 1.1% |
| MARYLAND | 24 | 700 | 2.5% | 2.5% | 433 | 2.5% | 2.5% |
| MASSACHUSETTS | 25 | 349 | 1.3% | 1.3% | 233 | 1.3% | 1.3% |
| MICHIGAN | 26 | 731 | 2.6% | 2.6% | 430 | 2.4% | 2.4% |
| MINNESOTA | 27 | 315 | 1.1% | 1.1% | 213 | 1.2% | 1.2% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| MISSISSIPPI | 28 | 418 | 1.5% | 1.5% | 267 | 1.5% | 1.5% |
| MISSOURI | 29 | 775 | 2.8% | 2.8% | 522 | 3.0% | 3.0% |
| MONTANA | 30 | 347 | 1.3% | 1.3% | 260 | 1.5% | 1.5% |
| NEBRASKA | 31 | 319 | 1.2% | 1.2% | 222 | 1.3% | 1.3% |
| NEVADA | 32 | 604 | 2.2% | 2.2% | 347 | 2.0% | 2.0% |
| NEW HAMPSHIRE | 33 | 352 | 1.3% | 1.3% | 237 | 1.3% | 1.3% |
| NEW JERSEY | 34 | 840 | 3.0% | 3.0% | 505 | 2.9% | 2.9% |
| NEW MEXICO | 35 | 331 | 1.2% | 1.2% | 203 | 1.2% | 1.2% |
| NEW YORK | 36 | 768 | 2.8% | 2.8% | 433 | 2.5% | 2.5% |
| NORTH CAROLINA | 37 | 331 | 1.2% | 1.2% | 216 | 1.2% | 1.2% |
| NORTH DAKOTA | 38 | 387 | 1.4% | 1.4% | 270 | 1.5% | 1.5% |
| OHIO | 39 | 1077 | 3.9% | 3.9% | 673 | 3.8% | 3.8% |
| OKLAHOMA | 40 | 422 | 1.5% | 1.5% | 279 | 1.6% | 1.6% |
| OREGON | 41 | 282 | 1.0% | 1.0% | 203 | 1.2% | 1.2% |
| PENNSYLVANIA | 42 | 655 | 2.4% | 2.4% | 399 | 2.3% | 2.3% |
| RHODE ISLAND | 44 | 412 | 1.5% | 1.5% | 267 | 1.5% | 1.5% |
| SOUTH CAROLINA | 45 | 416 | 1.5% | 1.5% | 276 | 1.6% | 1.6% |
| SOUTH DAKOTA | 46 | 401 | 1.5% | 1.5% | 262 | 1.5% | 1.5% |
| TENNESSEE | 47 | 1073 | 3.9% | 3.9% | 713 | 4.1% | 4.1% |
| TEXAS | 48 | 1947 | 7.0% | 7.0% | 1199 | 6.8% | 6.8% |
| UTAH | 49 | 286 | 1.0% | 1.0% | 204 | 1.2% | 1.2% |
| VERMONT | 50 | 242 | 0.9% | 0.9% | 173 | 1.0% | 1.0% |
| VIRGINIA | 51 | 424 | 1.5% | 1.5% | 266 | 1.5% | 1.5% |
| WASHINGTON | 53 | 575 | 2.1% | 2.1% | 397 | 2.3% | 2.3% |
| WEST VIRGINIA | 54 | 345 | 1.2% | 1.2% | 223 | 1.3% | 1.3% |
| WISCONSIN | 55 | 628 | 2.3% | 2.3% | 417 | 2.4% | 2.4% |
| WYOMING | 56 | 298 | 1.1% | 1.1% | 204 | 1.2% | 1.2% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES**Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)****Notes:****Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 41 | 0.1% | 0.2% | 32 | 0.2% | 0.2% |
| 1 | 1 | 18357 | 66.4% | 69.2% | 12042 | 68.6% | 68.6% |
| 2 | 2 | 6491 | 23.5% | 24.5% | 4425 | 25.2% | 25.2% |
| 3+ | 3 | 1648 | 6.0% | 6.2% | 1057 | 6.0% | 6.0% |
| SUBTOTALS: | | 26537 | 96.1% | 100.0% | 17556 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 1090 | 3.9% | n/a | 7 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: D7 Type: Numeric**Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| YES | 1 | 21692 | 78.5% | 99.4% | 17514 | 99.7% | 100.0% |
| NO | 2 | 136 | 0.5% | 0.6% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 21828 | 79.0% | 100.0% | 17514 | 99.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 5799 | 21.0% | n/a | 49 | 0.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES**Variable: DISPCODE** Type: Numeric**Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE****Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.****These children should not be used in the calculation of vaccination coverage rates.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|---|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| COMPLETE PROVIDER INFO, NO PROBLEMS | 1 | 6819 | 24.7% | 38.6% | 6819 | 38.8% | 39.1% |
| COMPLETE PROVIDER INFO, NO SHOT CARD | 2 | 8976 | 32.5% | 50.8% | 8976 | 51.1% | 51.4% |
| COMPLETE PROVIDER INFO, POOR HISTORY | 3 | 447 | 1.6% | 2.5% | 447 | 2.5% | 2.6% |
| COMPLETE PROVIDER INFO, POOR HIST/OTHER | 4 | 51 | 0.2% | 0.3% | 51 | 0.3% | 0.3% |
| INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED | 5 | 823 | 3.0% | 4.7% | 823 | 4.7% | 4.7% |
| INCOMPLETE PROVIDER RESP, INFO MATCHES | 6 | 97 | 0.4% | 0.5% | 97 | 0.6% | 0.6% |
| INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN | 7 | 223 | 0.8% | 1.3% | 0 | 0.0% | 0.0% |
| INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH RDD | 8 | 21 | 0.1% | 0.1% | 21 | 0.1% | 0.1% |
| INCOMPLETE PROVIDER RESP, MATCHES RDD | 9 | 44 | 0.2% | 0.2% | 44 | 0.3% | 0.3% |
| INCOMPLETE PROVIDER RESP, RDD NOT EXACT | 10 | 87 | 0.3% | 0.5% | 87 | 0.5% | 0.5% |
| INCOMPLETE PROVIDER RESP, RDD WITHOUT SHOT CARD | 11 | 83 | 0.3% | 0.5% | 83 | 0.5% | 0.5% |
| SUBTOTALS: | | 17671 | 64.0% | 100.0% | 17448 | 99.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9956 | 36.0% | n/a | 115 | 0.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: N_PRVR Type: Numeric**Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)****Notes:****Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| 0 | 0 | 9956 | 36.0% | 36.0% | 115 | 0.7% | 0.7% |
| 1 | 1 | 15118 | 54.7% | 54.7% | 14914 | 84.9% | 84.9% |
| 2 | 2 | 2314 | 8.4% | 8.4% | 2297 | 13.1% | 13.1% |
| 3+ | 3 | 239 | 0.9% | 0.9% | 237 | 1.3% | 1.3% |
| SUBTOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: N_PRVR Type: Numeric

Label:**NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)****Notes:****Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric

Label: PROVIDER FACILITY TYPE

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| ALL PUBLIC FACILITIES | 1 | 1829 | 6.6% | 10.4% | 1807 | 10.3% | 10.4% |
| ALL HOSPITAL FACILITIES | 2 | 1525 | 5.5% | 8.6% | 1505 | 8.6% | 8.6% |
| ALL PRIVATE FACILITIES | 3 | 10754 | 38.9% | 60.9% | 10656 | 60.7% | 61.1% |
| ALL MILITARY/OTHER FACILITIES | 4 | 419 | 1.5% | 2.4% | 393 | 2.2% | 2.3% |
| MIXED | 5 | 1087 | 3.9% | 6.2% | 1076 | 6.1% | 6.2% |
| TYPE OF PROVIDER UNKNOWN | 6 | 2049 | 7.4% | 11.6% | 2004 | 11.4% | 11.5% |
| ALL WIC CLINIC PROVIDERS | 7 | 8 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| SUBTOTALS: | | 17671 | 64.0% | 100.0% | 17448 | 99.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9956 | 36.0% | n/a | 115 | 0.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: REGISTRY Type: Numeric

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| ALL PROVIDERS | 1 | 7046 | 25.5% | 39.9% | 6959 | 39.6% | 39.9% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 1095 | 4.0% | 6.2% | 1084 | 6.2% | 6.2% |
| NO PROVIDERS | 3 | 5076 | 18.4% | 28.7% | 5022 | 28.6% | 28.8% |
| UNKNOWN/DON'T KNOW | 4 | 4454 | 16.1% | 25.2% | 4383 | 25.0% | 25.1% |
| SUBTOTALS: | | 17671 | 64.0% | 100.0% | 17448 | 99.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9956 | 36.0% | n/a | 115 | 0.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_PRO Type: Numeric

Label: PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| ALL PROVIDERS | 1 | 12924 | 46.8% | 73.1% | 12786 | 72.8% | 73.3% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 961 | 3.5% | 5.4% | 950 | 5.4% | 5.4% |
| NO PROVIDERS | 3 | 1393 | 5.0% | 7.9% | 1375 | 7.8% | 7.9% |
| UNKNOWN/DON'T KNOW | 4 | 2393 | 8.7% | 13.5% | 2337 | 13.3% | 13.4% |
| SUBTOTALS: | | 17671 | 64.0% | 100.0% | 17448 | 99.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9956 | 36.0% | n/a | 115 | 0.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP_BRTH Type: Numeric

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers.
See User's Guide for more information on this variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|-------|-------|--------|----------------------------------|------------------------------|--------|----------------------------------|
| AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH | 1 | 9618 | 34.8% | 55.1% | 9503 | 54.1% | 55.1% |
| NO PROVIDERS CHECKED GIVEN AT BIRTH | 2 | 7832 | 28.3% | 44.9% | 7742 | 44.1% | 44.9% |
| SUBTOTALS: | | 17450 | 63.2% | 100.0% | 17245 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10177 | 36.8% | n/a | 318 | 1.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEP_FLAG Type: Numeric

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--|-------|-------|--------|----------------------------------|------------------------------|--------|----------------------------------|
| HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD | 1 | 9 | 0.0% | 64.3% | 9 | 0.1% | 64.3% |
| HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES | 2 | 5 | 0.0% | 35.7% | 5 | 0.0% | 35.7% |
| SUBTOTALS: | | 14 | 0.1% | 100.0% | 14 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27613 | 99.9% | n/a | 17549 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUHEPX Type: Numeric

Label:
NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 60

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------|-------|-------|-------|-------------------------------|------------------------------|-------|-------------------------------|
| 0 | 0 | 4265 | 15.4% | 24.0% | 4202 | 23.9% | 23.9% |
| 1 | 1 | 4389 | 15.9% | 24.7% | 4305 | 24.5% | 24.5% |
| 2 | 2 | 2039 | 7.4% | 11.5% | 1999 | 11.4% | 11.4% |
| 3 | 3 | 6787 | 24.6% | 38.2% | 6752 | 38.4% | 38.4% |
| 4 | 4 | 296 | 1.1% | 1.7% | 295 | 1.7% | 1.7% |
| 5 | 5 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUHEPX Type: Numeric****Label:****NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 60**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUHPHB Type: Numeric**Label:****NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 43**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 12144 | 44.0% | 68.3% | 11973 | 68.2% | 68.2% |
| 1 | 1 | 1492 | 5.4% | 8.4% | 1468 | 8.4% | 8.4% |
| 2 | 2 | 1569 | 5.7% | 8.8% | 1548 | 8.8% | 8.8% |
| 3 | 3 | 2502 | 9.1% | 14.1% | 2495 | 14.2% | 14.2% |
| 4 | 4 | 77 | 0.3% | 0.4% | 77 | 0.4% | 0.4% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDAH Type: Numeric**Label:****NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 07**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 15667 | 56.7% | 88.1% | 15447 | 88.0% | 88.0% |
| 1 | 1 | 1907 | 6.9% | 10.7% | 1904 | 10.8% | 10.8% |
| 2 | 2 | 123 | 0.4% | 0.7% | 123 | 0.7% | 0.7% |
| 3 | 3 | 46 | 0.2% | 0.3% | 46 | 0.3% | 0.3% |
| 4 | 4 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDAH Type: Numeric

Label:**NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 07

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDHB Type: Numeric

Label:**NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 05 or 07

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 0 | 0 | 15595 | 56.4% | 87.7% | 15375 | 87.5% | 87.5% |
| 1 | 1 | 1958 | 7.1% | 11.0% | 1955 | 11.1% | 11.1% |
| 2 | 2 | 130 | 0.5% | 0.7% | 130 | 0.7% | 0.7% |
| 3 | 3 | 54 | 0.2% | 0.3% | 54 | 0.3% | 0.3% |
| 4 | 4 | 46 | 0.2% | 0.3% | 46 | 0.3% | 0.3% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDHM Type: Numeric

Label:**NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 05

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|-------|-------|-------|-------------------------------|------------------------------|--------|-------------------------------|
| 0 | 0 | 17709 | 64.1% | 99.6% | 17486 | 99.6% | 99.6% |
| 1 | 1 | 58 | 0.2% | 0.3% | 58 | 0.3% | 0.3% |
| 2 | 2 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 3 | 3 | 9 | 0.0% | 0.1% | 9 | 0.1% | 0.1% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMDHM Type: Numeric****Label:****NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 05**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDTA Type: Numeric**Label: NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 04**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 2083 | 7.5% | 11.7% | 2003 | 11.4% | 11.4% |
| 1 | 1 | 2366 | 8.6% | 13.3% | 2320 | 13.2% | 13.2% |
| 2 | 2 | 1249 | 4.5% | 7.0% | 1219 | 6.9% | 6.9% |
| 3 | 3 | 2856 | 10.3% | 16.1% | 2803 | 16.0% | 16.0% |
| 4 | 4 | 9148 | 33.1% | 51.4% | 9134 | 52.0% | 52.0% |
| 5 | 5 | 77 | 0.3% | 0.4% | 77 | 0.4% | 0.4% |
| 6 | 6 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDTM Type: Numeric**Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 01**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17774 | 64.3% | 99.9% | 17551 | 99.9% | 99.9% |
| 1 | 1 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 2 | 2 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 3 | 3 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMDTM Type: Numeric****Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 01**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMDTP Type: Numeric**Label: NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 01, 02, 03, 04, 05, 07, 08, or DH**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 286 | 1.0% | 1.6% | 248 | 1.4% | 1.4% |
| 1 | 1 | 229 | 0.8% | 1.3% | 184 | 1.0% | 1.0% |
| 2 | 2 | 275 | 1.0% | 1.5% | 243 | 1.4% | 1.4% |
| 3 | 3 | 1778 | 6.4% | 10.0% | 1688 | 9.6% | 9.6% |
| 4 | 4 | 15020 | 54.4% | 84.4% | 15002 | 85.4% | 85.4% |
| 5 | 5 | 186 | 0.7% | 1.0% | 186 | 1.1% | 1.1% |
| 6 | 6 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMFLU Type: Numeric**Label: NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type FL**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 10126 | 36.7% | 56.9% | 9937 | 56.6% | 56.6% |
| 1 | 1 | 3286 | 11.9% | 18.5% | 3266 | 18.6% | 18.6% |
| 2 | 2 | 3089 | 11.2% | 17.4% | 3076 | 17.5% | 17.5% |
| 3 | 3 | 1215 | 4.4% | 6.8% | 1214 | 6.9% | 6.9% |
| 4 | 4 | 68 | 0.2% | 0.4% | 68 | 0.4% | 0.4% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric

Label:**NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type FL

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMHEA Type: Numeric

Label:**NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type HA

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 0 | 0 | 15448 | 55.9% | 86.9% | 15234 | 86.7% | 86.7% |
| 1 | 1 | 2047 | 7.4% | 11.5% | 2038 | 11.6% | 11.6% |
| 2 | 2 | 289 | 1.0% | 1.6% | 289 | 1.6% | 1.6% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMHEP Type: Numeric

Label:**NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 08, 43, 60, HB, or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------|-------|-------|-------|-------------------------------|------------------------------|-------|-------------------------------|
| 0 | 0 | 340 | 1.2% | 1.9% | 322 | 1.8% | 1.8% |
| 1 | 1 | 330 | 1.2% | 1.9% | 278 | 1.6% | 1.6% |
| 2 | 2 | 772 | 2.8% | 4.3% | 706 | 4.0% | 4.0% |
| 3 | 3 | 13455 | 48.7% | 75.6% | 13383 | 76.2% | 76.2% |
| 4 | 4 | 2708 | 9.8% | 15.2% | 2694 | 15.3% | 15.3% |
| 5 | 5 | 170 | 0.6% | 1.0% | 169 | 1.0% | 1.0% |
| 6 | 6 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMHEP Type: Numeric****Label:****NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 08, 43, 60, HB, or DH**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMHIB Type: Numeric**Label:****NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 05, 07, 43, 44, or HI**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 351 | 1.3% | 2.0% | 303 | 1.7% | 1.7% |
| 1 | 1 | 282 | 1.0% | 1.6% | 241 | 1.4% | 1.4% |
| 2 | 2 | 541 | 2.0% | 3.0% | 497 | 2.8% | 2.8% |
| 3 | 3 | 5742 | 20.8% | 32.3% | 5676 | 32.3% | 32.3% |
| 4 | 4 | 10701 | 38.7% | 60.2% | 10677 | 60.8% | 60.8% |
| 5 | 5 | 153 | 0.6% | 0.9% | 153 | 0.9% | 0.9% |
| 6 | 6 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 7 | 7 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMIPV Type: Numeric**Label: NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 21**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 3374 | 12.2% | 19.0% | 3290 | 18.7% | 18.7% |
| 1 | 1 | 1270 | 4.6% | 7.1% | 1229 | 7.0% | 7.0% |
| 2 | 2 | 1591 | 5.8% | 8.9% | 1545 | 8.8% | 8.8% |
| 3 | 3 | 11140 | 40.3% | 62.6% | 11090 | 63.1% | 63.1% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMIPV Type: Numeric****Label: NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 21**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 4 | 4 | 404 | 1.5% | 2.3% | 402 | 2.3% | 2.3% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMMR Type: Numeric**Label: NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 30, 31, 32, 33, or MM**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 1368 | 5.0% | 7.7% | 1213 | 6.9% | 6.9% |
| 1 | 1 | 16140 | 58.4% | 90.7% | 16073 | 91.5% | 91.5% |
| 2 | 2 | 276 | 1.0% | 1.6% | 275 | 1.6% | 1.6% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMMX Type: Numeric**Label: NUMBER OF MMR COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 30**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 1635 | 5.9% | 9.2% | 1478 | 8.4% | 8.4% |
| 1 | 1 | 15906 | 57.6% | 89.4% | 15841 | 90.2% | 90.2% |
| 2 | 2 | 243 | 0.9% | 1.4% | 242 | 1.4% | 1.4% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMMX Type: Numeric****Label: NUMBER OF MMR COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 30**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMP Type: Numeric**Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type MP**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17777 | 64.3% | 99.9% | 17554 | 99.9% | 99.9% |
| 1 | 1 | 9 | 0.0% | 0.1% | 9 | 0.1% | 0.1% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMPR Type: Numeric**Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type MB**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMS** Type: Numeric**Label:****NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 31**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17737 | 64.2% | 99.7% | 17514 | 99.7% | 99.7% |
| 1 | 1 | 49 | 0.2% | 0.3% | 49 | 0.3% | 0.3% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMSM Type: Numeric**Label:****NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 32**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMMSR Type: Numeric**Label:****NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 33**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOLN Type: Numeric

Label:**NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 22**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17446 | 63.1% | 98.1% | 17225 | 98.1% | 98.1% |
| 1 | 1 | 127 | 0.5% | 0.7% | 126 | 0.7% | 0.7% |
| 2 | 2 | 85 | 0.3% | 0.5% | 84 | 0.5% | 0.5% |
| 3 | 3 | 121 | 0.4% | 0.7% | 121 | 0.7% | 0.7% |
| 4 | 4 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMOPV Type: Numeric

Label: NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**Notes: Vaccine type 20**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17583 | 63.6% | 98.9% | 17363 | 98.9% | 98.9% |
| 1 | 1 | 44 | 0.2% | 0.2% | 42 | 0.2% | 0.2% |
| 2 | 2 | 33 | 0.1% | 0.2% | 32 | 0.2% | 0.2% |
| 3 | 3 | 105 | 0.4% | 0.6% | 105 | 0.6% | 0.6% |
| 4 | 4 | 18 | 0.1% | 0.1% | 18 | 0.1% | 0.1% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMPCC Type: Numeric****Label:****NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 70**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 2489 | 9.0% | 14.0% | 2412 | 13.7% | 13.7% |
| 1 | 1 | 679 | 2.5% | 3.8% | 638 | 3.6% | 3.6% |
| 2 | 2 | 1211 | 4.4% | 6.8% | 1166 | 6.6% | 6.6% |
| 3 | 3 | 4729 | 17.1% | 26.6% | 4683 | 26.7% | 26.7% |
| 4 | 4 | 8616 | 31.2% | 48.4% | 8602 | 49.0% | 49.0% |
| 5 | 5 | 59 | 0.2% | 0.3% | 59 | 0.3% | 0.3% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMPCN Type: Numeric**Label:****NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 72**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 16169 | 58.5% | 90.9% | 15958 | 90.9% | 90.9% |
| 1 | 1 | 502 | 1.8% | 2.8% | 499 | 2.8% | 2.8% |
| 2 | 2 | 231 | 0.8% | 1.3% | 228 | 1.3% | 1.3% |
| 3 | 3 | 397 | 1.4% | 2.2% | 391 | 2.2% | 2.2% |
| 4 | 4 | 485 | 1.8% | 2.7% | 485 | 2.8% | 2.8% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP Type: Numeric

Label:**NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 71

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17518 | 63.4% | 98.5% | 17297 | 98.5% | 98.5% |
| 1 | 1 | 43 | 0.2% | 0.2% | 41 | 0.2% | 0.2% |
| 2 | 2 | 25 | 0.1% | 0.1% | 25 | 0.1% | 0.1% |
| 3 | 3 | 89 | 0.3% | 0.5% | 89 | 0.5% | 0.5% |
| 4 | 4 | 110 | 0.4% | 0.6% | 110 | 0.6% | 0.6% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMPCV Type: Numeric

Label:**NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 70, 71, or 72

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 1300 | 4.7% | 7.3% | 1232 | 7.0% | 7.0% |
| 1 | 1 | 571 | 2.1% | 3.2% | 531 | 3.0% | 3.0% |
| 2 | 2 | 1211 | 4.4% | 6.8% | 1165 | 6.6% | 6.6% |
| 3 | 3 | 4935 | 17.9% | 27.7% | 4881 | 27.8% | 27.8% |
| 4 | 4 | 9673 | 35.0% | 54.4% | 9658 | 55.0% | 55.0% |
| 5 | 5 | 91 | 0.3% | 0.5% | 91 | 0.5% | 0.5% |
| 6 | 6 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMPOL Type: Numeric****Label:****NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 08, 20, 21, or 22**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 419 | 1.5% | 2.4% | 370 | 2.1% | 2.1% |
| 1 | 1 | 240 | 0.9% | 1.3% | 201 | 1.1% | 1.1% |
| 2 | 2 | 779 | 2.8% | 4.4% | 722 | 4.1% | 4.1% |
| 3 | 3 | 15501 | 56.1% | 87.2% | 15426 | 87.8% | 87.8% |
| 4 | 4 | 819 | 3.0% | 4.6% | 816 | 4.6% | 4.6% |
| 5 | 5 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| 6 | 6 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMRB Type: Numeric**Label:****NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type RB**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17779 | 64.4% | 100.0% | 17556 | 100.0% | 100.0% |
| 1 | 1 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMROT Type: Numeric****Label:****NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type RO**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17778 | 64.4% | 100.0% | 17555 | 100.0% | 100.0% |
| 1 | 1 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMTPM Type: Numeric**Label: NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 02**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 16959 | 61.4% | 95.4% | 16749 | 95.4% | 95.4% |
| 1 | 1 | 184 | 0.7% | 1.0% | 180 | 1.0% | 1.0% |
| 2 | 2 | 92 | 0.3% | 0.5% | 89 | 0.5% | 0.5% |
| 3 | 3 | 198 | 0.7% | 1.1% | 192 | 1.1% | 1.1% |
| 4 | 4 | 353 | 1.3% | 2.0% | 353 | 2.0% | 2.0% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMTPN Type: Numeric**Label:****NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.****Notes: Vaccine type 03 or DH**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|--------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| 0 | 0 | 17409 | 63.0% | 97.9% | 17189 | 97.9% | 97.9% |
| 1 | 1 | 175 | 0.6% | 1.0% | 174 | 1.0% | 1.0% |
| 2 | 2 | 61 | 0.2% | 0.3% | 61 | 0.3% | 0.3% |
| 3 | 3 | 93 | 0.3% | 0.5% | 91 | 0.5% | 0.5% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN Type: Numeric

Label:

NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 03 or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 4 | 4 | 48 | 0.2% | 0.3% | 48 | 0.3% | 0.3% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_NUMVRC Type: Numeric

Label:

NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| 0 | 0 | 2093 | 7.6% | 11.8% | 1933 | 11.0% | 11.0% |
| 1 | 1 | 15601 | 56.5% | 87.7% | 15539 | 88.5% | 88.5% |
| 2 | 2 | 92 | 0.3% | 0.5% | 91 | 0.5% | 0.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_U12VRC Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS

Notes: Vaccine type VA

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| NOT UTD | 0 | 2360 | 8.5% | 13.3% | 2197 | 12.5% | 12.5% |
| UTD | 1 | 15426 | 55.8% | 86.7% | 15366 | 87.5% | 87.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTD331 Type: Numeric****Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1****Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 2025 | 7.3% | 11.4% | 1843 | 10.5% | 10.5% |
| UTD | 1 | 15761 | 57.0% | 88.6% | 15720 | 89.5% | 89.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTD431 Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1****Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 3011 | 10.9% | 16.9% | 2799 | 15.9% | 15.9% |
| UTD | 1 | 14775 | 53.5% | 83.1% | 14764 | 84.1% | 84.1% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDFL1 Type: Numeric**Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1**

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| VACCINATED | 1 | 4325 | 15.7% | 24.3% | 4313 | 24.6% | 24.6% |
| NOT VACCINATED | 2 | 7915 | 28.6% | 44.5% | 7743 | 44.1% | 44.1% |
| NOT ELIGIBLE | 3 | 5546 | 20.1% | 31.2% | 5507 | 31.4% | 31.4% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL1 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDFL2 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1) (VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition. (NOT VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| VACCINATED | 1 | 2408 | 8.7% | 13.5% | 2404 | 13.7% | 13.7% |
| NOT VACCINATED | 2 | 9832 | 35.6% | 55.3% | 9652 | 55.0% | 55.0% |
| NOT ELIGIBLE | 3 | 5546 | 20.1% | 31.2% | 5507 | 31.4% | 31.4% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDHEP Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS****Notes: 3+ Hepatitis B-containing (08,43,60,HB,DH)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 1442 | 5.2% | 8.1% | 1306 | 7.4% | 7.4% |
| UTD | 1 | 16344 | 59.2% | 91.9% | 16257 | 92.6% | 92.6% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDHIB Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS****Notes: 3+ HIB-containing (05,07,43,44,HI)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 1174 | 4.2% | 6.6% | 1041 | 5.9% | 5.9% |
| UTD | 1 | 16612 | 60.1% | 93.4% | 16522 | 94.1% | 94.1% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDMCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT****Notes: 1+ Measles-containing (30,31,32,33,MM)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 1368 | 5.0% | 7.7% | 1213 | 6.9% | 6.9% |
| UTD | 1 | 16418 | 59.4% | 92.3% | 16350 | 93.1% | 93.1% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDMMX Type: Numeric****Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT****Notes: 1+ MMR combo shot (30)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 1635 | 5.9% | 9.2% | 1478 | 8.4% | 8.4% |
| UTD | 1 | 16151 | 58.5% | 90.8% | 16085 | 91.6% | 91.6% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDPC3 Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS****Notes: 3+ Pneumococcal-containing (70,71,72)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 3082 | 11.2% | 17.3% | 2928 | 16.7% | 16.7% |
| UTD | 1 | 14704 | 53.2% | 82.7% | 14635 | 83.3% | 83.3% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDPCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS****Notes: 4+ Pneumococcal-containing (70,71,72)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 8017 | 29.0% | 45.1% | 7809 | 44.5% | 44.5% |
| UTD | 1 | 9769 | 35.4% | 54.9% | 9754 | 55.5% | 55.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDPOL** Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS****Notes: 3+ Polio-containing (08,20,21,22)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 1438 | 5.2% | 8.1% | 1293 | 7.4% | 7.4% |
| UTD | 1 | 16348 | 59.2% | 91.9% | 16270 | 92.6% | 92.6% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDTP3 Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS****Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 790 | 2.9% | 4.4% | 675 | 3.8% | 3.8% |
| UTD | 1 | 16996 | 61.5% | 95.6% | 16888 | 96.2% | 96.2% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: P_UTDTP4 Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS****Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| NOT UTD | 0 | 2568 | 9.3% | 14.4% | 2363 | 13.5% | 13.5% |
| UTD | 1 | 15218 | 55.1% | 85.6% | 15200 | 86.5% | 86.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431331 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1
(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), and 1+ Varicella-containing (VA) at age 12+ months

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| NOT UTD | 0 | 4359 | 15.8% | 24.5% | 4136 | 23.5% | 23.5% |
| UTD | 1 | 13427 | 48.6% | 75.5% | 13427 | 76.5% | 76.5% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PUT43133 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM), 3+ HIB-containing (05,07,43,44,HI), and 3+ Hepatitis B-containing (08,43,60,HB,DH)

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| NOT UTD | 0 | 3484 | 12.6% | 19.6% | 3261 | 18.6% | 18.6% |
| UTD | 1 | 14302 | 51.8% | 80.4% | 14302 | 81.4% | 81.4% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PUTD4313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM), and 3+ HIB-containing (05,07,43,44,HI)

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| NOT UTD | 0 | 3146 | 11.4% | 17.7% | 2931 | 16.7% | 16.7% |
| UTD | 1 | 14640 | 53.0% | 82.3% | 14632 | 83.3% | 83.3% |
| SUBTOTALS: | | 17786 | 64.4% | 100.0% | 17563 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9841 | 35.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17506 | 63.4% | 100.0% | 17321 | 98.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10121 | 36.6% | n/a | 242 | 1.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DDTP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|--------|------|
| All | 75.3 | 64.0 | 0.0 | 1198.0 | 59.0 |
| Adequate Provider Data | 75.0 | 64.0 | 0.0 | 1198.0 | 57.9 |

Variable: DDTP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17287 | 62.6% | 100.0% | 17147 | 97.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10340 | 37.4% | n/a | 416 | 2.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DDTP2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 144.6 | 128.0 | 30.0 | 1246.0 | 65.0 |
| Adequate Provider Data | 144.5 | 128.0 | 30.0 | 1246.0 | 64.8 |

Variable: DDTP3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17044 | 61.7% | 100.0% | 16935 | 96.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10583 | 38.3% | n/a | 628 | 3.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DDTP3 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 220.6 | 192.0 | 100.0 | 1183.0 | 87.0 |
| Adequate Provider Data | 220.5 | 192.0 | 100.0 | 1183.0 | 86.8 |

| Variable: DDTP4 Type: Numeric | | | | | | | |
|---|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 15634 | 56.6% | 100.0% | 15615 | 88.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11993 | 43.4% | n/a | 1948 | 11.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DDTP4 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 523.2 | 498.0 | 169.0 | 1333.0 | 106.5 |
| Adequate Provider Data | 523.2 | 498.0 | 169.0 | 1333.0 | 106.5 |

| Variable: DDTP5 Type: Numeric | | | | | | | |
|---|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 221 | 0.8% | 100.0% | 221 | 1.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27406 | 99.2% | n/a | 17342 | 98.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DDTP5 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 617.5 | 574.0 | 218.0 | 1494.0 | 174.7 |
| Adequate Provider Data | 617.5 | 574.0 | 218.0 | 1494.0 | 174.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 14 | 0.1% | 100.0% | 14 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27613 | 99.9% | n/a | 17549 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DDTP6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 678.2 | 662.0 | 448.0 | 1174.0 | 222.3 |
| Adequate Provider Data | 678.2 | 662.0 | 448.0 | 1174.0 | 222.3 |

Variable: DDTP7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DDTP7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 669.0 | 669.0 | 669.0 | 669.0 | . |
| Adequate Provider Data | 669.0 | 669.0 | 669.0 | 669.0 | . |

Variable: DDTP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMDTP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DFLU1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8261 | 29.9% | 100.0% | 8225 | 46.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 19366 | 70.1% | n/a | 9338 | 53.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DFLU1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 457.5 | 418.0 | 0.0 | 1387.0 | 223.4 |
| Adequate Provider Data | 457.5 | 418.0 | 0.0 | 1387.0 | 223.4 |

Variable: DFLU2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 5146 | 18.6% | 100.0% | 5132 | 29.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22481 | 81.4% | n/a | 12431 | 70.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DFLU2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 550.7 | 517.0 | 109.0 | 1376.0 | 233.3 |
| Adequate Provider Data | 551.2 | 517.0 | 109.0 | 1376.0 | 233.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 2081 | 7.5% | 100.0% | 2079 | 11.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25546 | 92.5% | n/a | 15484 | 88.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DFLU3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 765.4 | 737.0 | 184.0 | 1400.0 | 184.5 |
| Adequate Provider Data | 765.4 | 737.0 | 184.0 | 1400.0 | 184.5 |

Variable: DFLU4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 245 | 0.9% | 100.0% | 245 | 1.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27382 | 99.1% | n/a | 17318 | 98.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DFLU4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 983.0 | 987.0 | 367.0 | 1285.0 | 139.8 |
| Adequate Provider Data | 983.0 | 987.0 | 367.0 | 1285.0 | 139.8 |

Variable: DFLU5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DFLU5 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 1078.1 | 1035.5 | 766.0 | 1322.0 | 196.8 |
| Adequate Provider Data | 1078.1 | 1035.5 | 766.0 | 1322.0 | 196.8 |

| Variable: DFLU6 Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: DFLU7 Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: DFLU8 Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPA1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 3365 | 12.2% | 100.0% | 3350 | 19.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24262 | 87.8% | n/a | 14213 | 80.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPA1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 768.2 | 748.0 | 0.0 | 1283.0 | 121.5 |
| Adequate Provider Data | 768.1 | 748.0 | 0.0 | 1283.0 | 121.6 |

Variable: DHEPA2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 871 | 3.2% | 100.0% | 869 | 4.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 26756 | 96.8% | n/a | 16694 | 95.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPA2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 1006.2 | 992.0 | 63.0 | 1340.0 | 121.9 |
| Adequate Provider Data | 1006.5 | 992.0 | 63.0 | 1340.0 | 121.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27616 | 100.0% | n/a | 17552 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPA3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|--------|--------|-------|--------|-------|
| All | 1016.4 | 1041.0 | 673.0 | 1156.0 | 129.1 |
| Adequate Provider Data | 1016.4 | 1041.0 | 673.0 | 1156.0 | 129.1 |

Variable: DHEPA4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPA5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPA7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPA8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPA9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17450 | 63.2% | 100.0% | 17245 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10177 | 36.8% | n/a | 318 | 1.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|-----|-----|--------|------|
| All | 33.2 | 3.0 | 0.0 | 1088.0 | 67.3 |
| Adequate Provider Data | 33.0 | 3.0 | 0.0 | 1088.0 | 66.7 |

Variable: DHEPB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17143 | 62.1% | 100.0% | 16990 | 96.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10484 | 37.9% | n/a | 573 | 3.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPB2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|------|------|--------|------|
| All | 105.2 | 72.0 | 15.0 | 1246.0 | 89.7 |
| Adequate Provider Data | 105.1 | 72.0 | 15.0 | 1246.0 | 89.4 |

Variable: DHEPB3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16444 | 59.5% | 100.0% | 16354 | 93.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11183 | 40.5% | n/a | 1209 | 6.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DHEPB3 | | Type: Numeric | | | | |
|-------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 276.3 | 243.0 | 48.0 | 1240.0 | 138.0 | |
| Adequate Provider Data | 276.5 | 243.0 | 48.0 | 1240.0 | 138.0 | |

| Variable: DHEPB4 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 | | | | | | | |
| Notes: See section 8 notes for P_NUMHEP. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 2919 | 10.6% | 100.0% | 2904 | 16.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24708 | 89.4% | n/a | 14659 | 83.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DHEPB4 | | Type: Numeric | | | | |
|-------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 300.4 | 212.0 | 123.0 | 1228.0 | 158.8 | |
| Adequate Provider Data | 300.7 | 212.0 | 123.0 | 1228.0 | 159.0 | |

| Variable: DHEPB5 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 | | | | | | | |
| Notes: See section 8 notes for P_NUMHEP. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 184 | 0.7% | 100.0% | 183 | 1.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27443 | 99.3% | n/a | 17380 | 99.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DHEPB5 | | Type: Numeric | | | | |
|-------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 451.5 | 457.0 | 182.0 | 1006.0 | 149.7 | |
| Adequate Provider Data | 451.9 | 457.0 | 182.0 | 1006.0 | 150.0 | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 12 | 0.0% | 100.0% | 12 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27615 | 100.0% | n/a | 17551 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHEPB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 491.9 | 465.5 | 285.0 | 854.0 | 161.2 |
| Adequate Provider Data | 491.9 | 465.5 | 285.0 | 854.0 | 161.2 |

Variable: DHEPB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHEPB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHEP.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHIB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17440 | 63.1% | 100.0% | 17264 | 98.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10187 | 36.9% | n/a | 299 | 1.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHIB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|--------|------|
| All | 76.1 | 64.0 | 0.0 | 1097.0 | 61.2 |
| Adequate Provider Data | 75.8 | 64.0 | 0.0 | 1097.0 | 60.4 |

Variable: DHIB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17169 | 62.1% | 100.0% | 17034 | 97.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10458 | 37.9% | n/a | 529 | 3.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHIB2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 145.5 | 128.0 | 33.0 | 1183.0 | 66.4 |
| Adequate Provider Data | 145.4 | 128.0 | 33.0 | 1183.0 | 66.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16686 | 60.4% | 100.0% | 16596 | 94.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10941 | 39.6% | n/a | 967 | 5.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHIB3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 281.2 | 206.0 | 100.0 | 1237.0 | 131.0 |
| Adequate Provider Data | 281.5 | 206.0 | 100.0 | 1237.0 | 131.2 |

Variable: DHIB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 11106 | 40.2% | 100.0% | 11082 | 63.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 16521 | 59.8% | n/a | 6481 | 36.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DHIB4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 483.6 | 465.0 | 163.0 | 1333.0 | 110.4 |
| Adequate Provider Data | 483.6 | 465.0 | 163.0 | 1333.0 | 110.4 |

Variable: DHIB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 185 | 0.7% | 100.0% | 185 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27442 | 99.3% | n/a | 17378 | 98.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DHIB5 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 556.7 | 519.0 | 218.0 | 1137.0 | 169.2 |
| Adequate Provider Data | 556.7 | 519.0 | 218.0 | 1137.0 | 169.2 |

| Variable: DHIB6 Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6 | | | | | | | |
| Notes: See section 8 notes for P_NUMHIB. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 17 | 0.1% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27610 | 99.9% | n/a | 17546 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DHIB6 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 557.2 | 468.0 | 366.0 | 1005.0 | 210.0 |
| Adequate Provider Data | 557.2 | 468.0 | 366.0 | 1005.0 | 210.0 |

| Variable: DHIB7 Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7 | | | | | | | |
| Notes: See section 8 notes for P_NUMHIB. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DHIB7 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 580.7 | 562.0 | 497.0 | 683.0 | 94.4 |
| Adequate Provider Data | 580.7 | 562.0 | 497.0 | 683.0 | 94.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DHIB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHIB.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMMR1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16590 | 60.0% | 100.0% | 16522 | 94.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11037 | 40.0% | n/a | 1041 | 5.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DMMR1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|------------------------|-------------|---------------|------------|------------|----------------|
| All | 429.0 | 389.0 | 0.0 | 1224.0 | 93.7 |
| Adequate Provider Data | 429.0 | 389.0 | 0.0 | 1224.0 | 93.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 347 | 1.3% | 100.0% | 346 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27280 | 98.7% | n/a | 17217 | 98.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DMMR2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 684.7 | 732.0 | 241.0 | 1494.0 | 206.1 |
| Adequate Provider Data | 685.3 | 732.0 | 241.0 | 1494.0 | 206.1 |

Variable: DMMR3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DMMR3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 646.3 | 710.0 | 440.0 | 789.0 | 183.0 |
| Adequate Provider Data | 646.3 | 710.0 | 440.0 | 789.0 | 183.0 |

Variable: DMMR4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMMR6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMMR7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMMR8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 9 | 0.0% | 100.0% | 9 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27618 | 100.0% | n/a | 17554 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DMP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 597.8 | 559.0 | 430.0 | 996.0 | 175.7 |
| Adequate Provider Data | 597.8 | 559.0 | 430.0 | 996.0 | 175.7 |

Variable: DMP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMP9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMPRB2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMPRB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DMPRB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16519 | 59.8% | 100.0% | 16363 | 93.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11108 | 40.2% | n/a | 1200 | 6.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPCV1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|--------|------|
| All | 93.6 | 65.0 | 0.0 | 1255.0 | 95.5 |
| Adequate Provider Data | 93.4 | 65.0 | 0.0 | 1255.0 | 94.9 |

Variable: DPCV2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 15959 | 57.8% | 100.0% | 15842 | 90.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11668 | 42.2% | n/a | 1721 | 9.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPCV2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 166.0 | 131.0 | 43.0 | 1245.0 | 98.8 |
| Adequate Provider Data | 165.9 | 131.0 | 43.0 | 1245.0 | 98.6 |

Variable: DPCV3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 14826 | 53.7% | 100.0% | 14757 | 84.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 12801 | 46.3% | n/a | 2806 | 16.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DPCV3 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 270.1 | 204.0 | 118.0 | 1328.0 | 132.7 |
| Adequate Provider Data | 270.2 | 204.0 | 118.0 | 1328.0 | 132.9 |

| Variable: DPCV4 Type: Numeric | | | | | | | |
|---|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 | | | | | | | |
| Notes: See section 8 notes for P_NUMPCV. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 10152 | 36.7% | 100.0% | 10136 | 57.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 17475 | 63.3% | n/a | 7427 | 42.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DPCV4 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 512.0 | 473.0 | 174.0 | 1226.0 | 143.2 |
| Adequate Provider Data | 512.1 | 473.0 | 174.0 | 1226.0 | 143.2 |

| Variable: DPCV5 Type: Numeric | | | | | | | |
|---|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 | | | | | | | |
| Notes: See section 8 notes for P_NUMPCV. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 111 | 0.4% | 100.0% | 111 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27516 | 99.6% | n/a | 17452 | 99.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DPCV5 Type: Numeric | | | | | |
|--------------------------------------|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 636.6 | 577.0 | 311.0 | 1123.0 | 202.3 |
| Adequate Provider Data | 636.6 | 577.0 | 311.0 | 1123.0 | 202.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27622 | 100.0% | n/a | 17558 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPCV6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 493.0 | 487.0 | 366.0 | 590.0 | 87.3 |
| Adequate Provider Data | 493.0 | 487.0 | 366.0 | 590.0 | 87.3 |

Variable: DPCV7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPCV7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 733.0 | 733.0 | 733.0 | 733.0 | . |
| Adequate Provider Data | 733.0 | 733.0 | 733.0 | 733.0 | . |

Variable: DPCV8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMPCV.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DPOLIO1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17375 | 62.9% | 100.0% | 17201 | 97.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10252 | 37.1% | n/a | 362 | 2.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPOLIO1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|--------|------|
| All | 76.2 | 64.0 | 0.0 | 1246.0 | 57.6 |
| Adequate Provider Data | 76.0 | 64.0 | 0.0 | 1246.0 | 57.2 |

Variable: DPOLIO2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17148 | 62.1% | 100.0% | 17013 | 96.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10479 | 37.9% | n/a | 550 | 3.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPOLIO2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 148.0 | 128.0 | 36.0 | 1172.0 | 70.9 |
| Adequate Provider Data | 147.9 | 128.0 | 36.0 | 1172.0 | 70.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16507 | 59.7% | 100.0% | 16429 | 93.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11120 | 40.3% | n/a | 1134 | 6.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPOLIO3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|-------|
| All | 323.1 | 259.0 | 68.0 | 1333.0 | 161.9 |
| Adequate Provider Data | 323.4 | 259.0 | 68.0 | 1333.0 | 162.0 |

Variable: DPOLIO4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 878 | 3.2% | 100.0% | 875 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 26749 | 96.8% | n/a | 16688 | 95.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DPOLIO4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 494.2 | 471.0 | 100.0 | 1114.0 | 156.3 |
| Adequate Provider Data | 494.4 | 471.0 | 100.0 | 1114.0 | 156.4 |

Variable: DPOLIO5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 29 | 0.1% | 100.0% | 29 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27598 | 99.9% | n/a | 17534 | 99.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DPOLIO5 | | Type: Numeric | | | | |
|--------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 502.0 | 475.0 | 265.0 | 854.0 | 145.3 | |
| Adequate Provider Data | 502.0 | 475.0 | 265.0 | 854.0 | 145.3 | |

| Variable: DPOLIO6 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6 | | | | | | | |
| Notes: See section 8 notes for P_NUMPOL. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27620 | 100.0% | n/a | 17556 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DPOLIO6 | | Type: Numeric | | | | |
|--------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 709.6 | 513.0 | 461.0 | 1494.0 | 379.8 | |
| Adequate Provider Data | 709.6 | 513.0 | 461.0 | 1494.0 | 379.8 | |

| Variable: DPOLIO7 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7 | | | | | | | |
| Notes: See section 8 notes for P_NUMPOL. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DPOLIO7 | | Type: Numeric | | | | |
|--------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 598.0 | 598.0 | 598.0 | 598.0 | . | |
| Adequate Provider Data | 598.0 | 598.0 | 598.0 | 598.0 | . | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DPOLIO9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMPOL.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DRB1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|------------------------|-------------|---------------|------------|------------|----------------|
| All | 650.0 | 606.5 | 420.0 | 1103.0 | 207.5 |
| Adequate Provider Data | 650.0 | 606.5 | 420.0 | 1103.0 | 207.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DRB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DROT1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 64.3 | 66.0 | 43.0 | 76.0 | 10.2 |
| Adequate Provider Data | 64.3 | 66.0 | 43.0 | 76.0 | 10.2 |

Variable: DROT2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27621 | 100.0% | n/a | 17557 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DROT2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 122.2 | 125.5 | 104.0 | 128.0 | 9.0 |
| Adequate Provider Data | 122.2 | 125.5 | 104.0 | 128.0 | 9.0 |

Variable: DROT3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27621 | 100.0% | n/a | 17557 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DROT3 | | Type: Numeric | | | | |
|------------------------|-------------|----------------------|------------|------------|---------------|--|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev | |
| All | 213.3 | 185.0 | 167.0 | 375.0 | 79.5 | |
| Adequate Provider Data | 213.3 | 185.0 | 167.0 | 375.0 | 79.5 | |

| Variable: DROT4 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: DROT5 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: DROT6 | | Type: Numeric | | | | | |
|--|--------------|----------------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DROT8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DROT9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DTP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17506 | 63.4% | 100.0% | 17321 | 98.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10121 | 36.6% | n/a | 242 | 1.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DTP1_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 2.1 | 2.0 | 0.0 | 39.0 | 1.9 |
| Adequate Provider Data | 2.1 | 2.0 | 0.0 | 39.0 | 1.9 |

| Variable: DTP2_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 17287 | 62.6% | 100.0% | 17147 | 97.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10340 | 37.4% | n/a | 416 | 2.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DTP2_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 4.4 | 4.0 | 0.0 | 40.0 | 2.1 |
| Adequate Provider Data | 4.4 | 4.0 | 0.0 | 40.0 | 2.1 |

| Variable: DTP3_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 17044 | 61.7% | 100.0% | 16935 | 96.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10583 | 38.3% | n/a | 628 | 3.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DTP3_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 6.9 | 6.0 | 3.0 | 38.0 | 2.8 |
| Adequate Provider Data | 6.9 | 6.0 | 3.0 | 38.0 | 2.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 15634 | 56.6% | 100.0% | 15615 | 88.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11993 | 43.4% | n/a | 1948 | 11.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DTP4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 16.8 | 16.0 | 5.0 | 43.0 | 3.5 |
| Adequate Provider Data | 16.8 | 16.0 | 5.0 | 43.0 | 3.5 |

Variable: DTP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 221 | 0.8% | 100.0% | 221 | 1.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27406 | 99.2% | n/a | 17342 | 98.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: DTP5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 19.9 | 18.0 | 7.0 | 49.0 | 5.7 |
| Adequate Provider Data | 19.9 | 18.0 | 7.0 | 49.0 | 5.7 |

Variable: DTP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 14 | 0.1% | 100.0% | 14 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27613 | 99.9% | n/a | 17549 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DTP6_AGE Type: Numeric | | | | | |
|----------------------------------|------|--------|------|------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 21.9 | 21.5 | 14.0 | 38.0 | 7.3 |
| Adequate Provider Data | 21.9 | 21.5 | 14.0 | 38.0 | 7.3 |

| Variable: DTP7_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DTP7_AGE Type: Numeric | | | | | |
|----------------------------------|------|--------|------|------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 21.0 | 21.0 | 21.0 | 21.0 | . |
| Adequate Provider Data | 21.0 | 21.0 | 21.0 | 21.0 | . |

| Variable: DTP8_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: DTP9_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9 | | | | | | | |
| Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: DVRC1 Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 15921 | 57.6% | 100.0% | 15858 | 90.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11706 | 42.4% | n/a | 1705 | 9.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DVRC1 Type: Numeric | | | | | |
|-------------------------------|-------|--------|-----|--------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 428.5 | 383.0 | 0.0 | 1276.0 | 105.1 |
| Adequate Provider Data | 428.6 | 383.0 | 0.0 | 1276.0 | 105.2 |

| Variable: DVRC2 Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 100 | 0.4% | 100.0% | 99 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27527 | 99.6% | n/a | 17464 | 99.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: DVRC2 Type: Numeric | | | | | |
|-------------------------------|-------|--------|-------|--------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 588.7 | 545.5 | 218.0 | 1243.0 | 195.6 |
| Adequate Provider Data | 589.8 | 546.0 | 218.0 | 1243.0 | 196.3 |

| Variable: DVRC3 Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 | | | | | | | |
| Notes: | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DVRC5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DVRC6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DVRC7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: DVRC9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: FLU1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8261 | 29.9% | 100.0% | 8225 | 46.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 19366 | 70.1% | n/a | 9338 | 53.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FLU1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 14.6 | 13.0 | 0.0 | 45.0 | 7.3 |
| Adequate Provider Data | 14.6 | 13.0 | 0.0 | 45.0 | 7.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU2_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 5146 | 18.6% | 100.0% | 5132 | 29.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22481 | 81.4% | n/a | 12431 | 70.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FLU2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 17.6 | 16.0 | 3.0 | 45.0 | 7.6 |
| Adequate Provider Data | 17.7 | 16.0 | 3.0 | 45.0 | 7.6 |

Variable: FLU3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 2081 | 7.5% | 100.0% | 2079 | 11.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25546 | 92.5% | n/a | 15484 | 88.2% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: FLU3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 24.7 | 24.0 | 6.0 | 45.0 | 6.1 |
| Adequate Provider Data | 24.7 | 24.0 | 6.0 | 45.0 | 6.1 |

Variable: FLU4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 245 | 0.9% | 100.0% | 245 | 1.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27382 | 99.1% | n/a | 17318 | 98.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: FLU4_AGE Type: Numeric | | | | | |
|----------------------------------|------|--------|------|------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 31.8 | 32.0 | 12.0 | 42.0 | 4.6 |
| Adequate Provider Data | 31.8 | 32.0 | 12.0 | 42.0 | 4.6 |

| Variable: FLU5_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: FLU5_AGE Type: Numeric | | | | | |
|----------------------------------|------|--------|------|------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 35.0 | 33.5 | 25.0 | 43.0 | 6.4 |
| Adequate Provider Data | 35.0 | 33.5 | 25.0 | 43.0 | 6.4 |

| Variable: FLU6_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: FLU7_AGE Type: Numeric | | | | | | | |
|---|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU8_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: FLU9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HEA1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 3365 | 12.2% | 100.0% | 3350 | 19.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24262 | 87.8% | n/a | 14213 | 80.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEA1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 24.9 | 24.0 | 0.0 | 42.0 | 4.0 |
| Adequate Provider Data | 24.9 | 24.0 | 0.0 | 42.0 | 4.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 871 | 3.2% | 100.0% | 869 | 4.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 26756 | 96.8% | n/a | 16694 | 95.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEA2_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 32.6 | 32.0 | 2.0 | 43.0 | 4.0 |
| Adequate Provider Data | 32.6 | 32.0 | 2.0 | 43.0 | 4.0 |

Variable: HEA3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27616 | 100.0% | n/a | 17552 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEA3_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 33.0 | 34.0 | 22.0 | 37.0 | 4.1 |
| Adequate Provider Data | 33.0 | 34.0 | 22.0 | 37.0 | 4.1 |

Variable: HEA4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA5_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HEA6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HEA7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HEA8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA9_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HEP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17450 | 63.2% | 100.0% | 17245 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10177 | 36.8% | n/a | 318 | 1.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEP1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 0.9 | 0.0 | 0.0 | 35.0 | 2.1 |
| Adequate Provider Data | 0.9 | 0.0 | 0.0 | 35.0 | 2.1 |

Variable: HEP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17143 | 62.1% | 100.0% | 16990 | 96.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10484 | 37.9% | n/a | 573 | 3.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEP2_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 3.1 | 2.0 | 0.0 | 40.0 | 2.9 |
| Adequate Provider Data | 3.1 | 2.0 | 0.0 | 40.0 | 2.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP3_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16444 | 59.5% | 100.0% | 16354 | 93.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11183 | 40.5% | n/a | 1209 | 6.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEP3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 8.7 | 7.0 | 1.0 | 40.0 | 4.5 |
| Adequate Provider Data | 8.7 | 8.0 | 1.0 | 40.0 | 4.5 |

Variable: HEP4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 2919 | 10.6% | 100.0% | 2904 | 16.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24708 | 89.4% | n/a | 14659 | 83.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HEP4_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 9.5 | 6.0 | 4.0 | 40.0 | 5.2 |
| Adequate Provider Data | 9.5 | 6.0 | 4.0 | 40.0 | 5.2 |

Variable: HEP5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 184 | 0.7% | 100.0% | 183 | 1.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27443 | 99.3% | n/a | 17380 | 99.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: HEP5_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 14.4 | 14.5 | 5.0 | 33.0 | 4.9 |
| Adequate Provider Data | 14.4 | 15.0 | 5.0 | 33.0 | 4.9 |

| Variable: HEP6_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 12 | 0.0% | 100.0% | 12 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27615 | 100.0% | n/a | 17551 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: HEP6_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 15.8 | 15.0 | 9.0 | 28.0 | 5.4 |
| Adequate Provider Data | 15.8 | 15.0 | 9.0 | 28.0 | 5.4 |

| Variable: HEP7_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: HEP8_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP9_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HIB1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17440 | 63.1% | 100.0% | 17264 | 98.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10187 | 36.9% | n/a | 299 | 1.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HIB1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 2.2 | 2.0 | 0.0 | 36.0 | 2.0 |
| Adequate Provider Data | 2.2 | 2.0 | 0.0 | 36.0 | 2.0 |

Variable: HIB2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17169 | 62.1% | 100.0% | 17034 | 97.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10458 | 37.9% | n/a | 529 | 3.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HIB2_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 4.4 | 4.0 | 1.0 | 38.0 | 2.2 |
| Adequate Provider Data | 4.4 | 4.0 | 1.0 | 38.0 | 2.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 16686 | 60.4% | 100.0% | 16596 | 94.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10941 | 39.6% | n/a | 967 | 5.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HIB3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 8.9 | 6.0 | 3.0 | 40.0 | 4.3 |
| Adequate Provider Data | 8.9 | 6.0 | 3.0 | 40.0 | 4.3 |

Variable: HIB4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 11106 | 40.2% | 100.0% | 11082 | 63.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 16521 | 59.8% | n/a | 6481 | 36.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: HIB4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 15.5 | 15.0 | 5.0 | 43.0 | 3.6 |
| Adequate Provider Data | 15.5 | 15.0 | 5.0 | 43.0 | 3.6 |

Variable: HIB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 185 | 0.7% | 100.0% | 185 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27442 | 99.3% | n/a | 17378 | 98.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: HIB5_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 17.9 | 17.0 | 7.0 | 37.0 | 5.5 |
| Adequate Provider Data | 17.9 | 17.0 | 7.0 | 37.0 | 5.5 |

| Variable: HIB6_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 17 | 0.1% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27610 | 99.9% | n/a | 17546 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: HIB6_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 17.9 | 15.0 | 12.0 | 33.0 | 7.0 |
| Adequate Provider Data | 17.9 | 15.0 | 12.0 | 33.0 | 7.0 |

| Variable: HIB7_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: HIB7_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 18.7 | 18.0 | 16.0 | 22.0 | 3.1 |
| Adequate Provider Data | 18.7 | 18.0 | 16.0 | 22.0 | 3.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HIB8_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: HIB9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MMR1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16590 | 60.0% | 100.0% | 16522 | 94.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11037 | 40.0% | n/a | 1041 | 5.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: MMR1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 13.7 | 12.0 | 0.0 | 40.0 | 3.0 |
| Adequate Provider Data | 13.7 | 12.0 | 0.0 | 40.0 | 3.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR2_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 347 | 1.3% | 100.0% | 346 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27280 | 98.7% | n/a | 17217 | 98.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: MMR2_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 22.0 | 24.0 | 7.0 | 49.0 | 6.8 |
| Adequate Provider Data | 22.1 | 24.0 | 7.0 | 49.0 | 6.8 |

Variable: MMR3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: MMR3_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 20.7 | 23.0 | 14.0 | 25.0 | 5.9 |
| Adequate Provider Data | 20.7 | 23.0 | 14.0 | 25.0 | 5.9 |

Variable: MMR4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR5_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MMR6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MMR7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MMR8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR9_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 9 | 0.0% | 100.0% | 9 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27618 | 100.0% | n/a | 17554 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: MP1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 19.3 | 18.0 | 14.0 | 32.0 | 5.7 |
| Adequate Provider Data | 19.3 | 18.0 | 14.0 | 32.0 | 5.7 |

Variable: MP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MP7_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MP9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MPR2_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MPR6_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: MPR9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV1_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 16519 | 59.8% | 100.0% | 16363 | 93.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11108 | 40.2% | n/a | 1200 | 6.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PCV1_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 2.7 | 2.0 | 0.0 | 41.0 | 3.1 |
| Adequate Provider Data | 2.7 | 2.0 | 0.0 | 41.0 | 3.1 |

Variable: PCV2_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 15959 | 57.8% | 100.0% | 15842 | 90.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11668 | 42.2% | n/a | 1721 | 9.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PCV2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 5.1 | 4.0 | 1.0 | 40.0 | 3.2 |
| Adequate Provider Data | 5.1 | 4.0 | 1.0 | 40.0 | 3.2 |

Variable: PCV3_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 14826 | 53.7% | 100.0% | 14757 | 84.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 12801 | 46.3% | n/a | 2806 | 16.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: PCV3_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 8.5 | 6.0 | 3.0 | 43.0 | 4.3 |
| Adequate Provider Data | 8.5 | 6.0 | 3.0 | 43.0 | 4.3 |

| Variable: PCV4_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 | | | | | | | |
| Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 10152 | 36.7% | 100.0% | 10136 | 57.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 17475 | 63.3% | n/a | 7427 | 42.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: PCV4_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 16.4 | 15.0 | 5.0 | 40.0 | 4.7 |
| Adequate Provider Data | 16.4 | 15.0 | 5.0 | 40.0 | 4.7 |

| Variable: PCV5_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 | | | | | | | |
| Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 111 | 0.4% | 100.0% | 111 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27516 | 99.6% | n/a | 17452 | 99.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: PCV5_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 20.5 | 18.0 | 10.0 | 36.0 | 6.6 |
| Adequate Provider Data | 20.5 | 18.0 | 10.0 | 36.0 | 6.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV6_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27622 | 100.0% | n/a | 17558 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PCV6_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 15.8 | 15.0 | 12.0 | 19.0 | 2.8 |
| Adequate Provider Data | 15.8 | 15.0 | 12.0 | 19.0 | 2.8 |

Variable: PCV7_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: PCV7_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 24.0 | 24.0 | 24.0 | 24.0 | . |
| Adequate Provider Data | 24.0 | 24.0 | 24.0 | 24.0 | . |

Variable: PCV8_AGE Type: Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: PCV9_AGE** Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes:** See section 8 notes for P_NUMPCV. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: POL1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1****Notes:** See section 8 notes for P_NUMPOL. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17375 | 62.9% | 100.0% | 17201 | 97.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10252 | 37.1% | n/a | 362 | 2.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: POL1_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 2.2 2.0 0.0 40.0 1.9

Adequate Provider Data 2.2 2.0 0.0 40.0 1.9

Variable: POL2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2****Notes:** See section 8 notes for P_NUMPOL. Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 17148 | 62.1% | 100.0% | 17013 | 96.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10479 | 37.9% | n/a | 550 | 3.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: POL2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 4.5 4.0 1.0 38.0 2.3

Adequate Provider Data 4.5 4.0 1.0 38.0 2.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL3_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 16507 | 59.7% | 100.0% | 16429 | 93.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11120 | 40.3% | n/a | 1134 | 6.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: POL3_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 10.2 | 8.0 | 2.0 | 43.0 | 5.3 |
| Adequate Provider Data | 10.3 | 8.0 | 2.0 | 43.0 | 5.3 |

Variable: POL4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 878 | 3.2% | 100.0% | 875 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 26749 | 96.8% | n/a | 16688 | 95.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: POL4_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 15.8 | 15.0 | 3.0 | 36.0 | 5.1 |
| Adequate Provider Data | 15.8 | 15.0 | 3.0 | 36.0 | 5.1 |

Variable: POL5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 29 | 0.1% | 100.0% | 29 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27598 | 99.9% | n/a | 17534 | 99.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: POL5_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 16.1 | 15.0 | 8.0 | 28.0 | 4.9 |
| Adequate Provider Data | 16.1 | 15.0 | 8.0 | 28.0 | 4.9 |

| Variable: POL6_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6 | | | | | | | |
| Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27620 | 100.0% | n/a | 17556 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: POL6_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 22.9 | 16.0 | 15.0 | 49.0 | 12.6 |
| Adequate Provider Data | 22.9 | 16.0 | 15.0 | 49.0 | 12.6 |

| Variable: POL7_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7 | | | | | | | |
| Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: POL7_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 19.0 | 19.0 | 19.0 | 19.0 | . |
| Adequate Provider Data | 19.0 | 19.0 | 19.0 | 19.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL8_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: POL9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: RB1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 21.0 | 19.5 | 13.0 | 36.0 | 6.9 |
| Adequate Provider Data | 21.0 | 19.5 | 13.0 | 36.0 | 6.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: RB6_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: RB9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: ROT1_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 8 | 0.0% | 100.0% | 8 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27619 | 100.0% | n/a | 17555 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: ROT1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-----|--------|
| All | 1.9 | 2.0 | 1.0 | 2.0 | 0.4 |
| Adequate Provider Data | 1.9 | 2.0 | 1.0 | 2.0 | 0.4 |

Variable: ROT2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27621 | 100.0% | n/a | 17557 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: ROT2_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-----|--------|
| All | 3.8 | 4.0 | 3.0 | 4.0 | 0.4 |
| Adequate Provider Data | 3.8 | 4.0 | 3.0 | 4.0 | 0.4 |

Variable: ROT3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27621 | 100.0% | n/a | 17557 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: ROT3_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 6.8 | 6.0 | 5.0 | 12.0 | 2.6 |
| Adequate Provider Data | 6.8 | 6.0 | 5.0 | 12.0 | 2.6 |

| Variable: ROT4_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: ROT5_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: ROT6_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: ROT7_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: ROT8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: ROT9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: VRC1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 15921 | 57.6% | 100.0% | 15858 | 90.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11706 | 42.4% | n/a | 1705 | 9.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: VRC1_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 13.7 | 12.0 | 0.0 | 41.0 | 3.4 |
| Adequate Provider Data | 13.7 | 12.0 | 0.0 | 41.0 | 3.4 |

| Variable: VRC2_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 100 | 0.4% | 100.0% | 99 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27527 | 99.6% | n/a | 17464 | 99.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: VRC2_AGE Type: Numeric | | | | | |
|---|-------------|---------------|------------|------------|---------------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 18.9 | 17.0 | 7.0 | 40.0 | 6.4 |
| Adequate Provider Data | 18.9 | 17.0 | 7.0 | 40.0 | 6.4 |

| Variable: VRC3_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

| Variable: VRC4_AGE Type: Numeric | | | | | | | |
|--|--------------|--------------|------------|--------------------------------|-------------------------------|------------|--------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 | | | | | | | |
| Notes: Calculated as exact age in months. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: VRC5_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: VRC6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: VRC7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: VRC8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: Calculated as exact age in months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE Type: Numeric
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
Notes: Calculated as exact age in months.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XDTPTY1 Type: Character
Label: DT-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DT | 01 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| DTP | 02 | 657 | 2.4% | 3.8% | 645 | 3.7% | 3.7% |
| DTP-UNKNOWN | 03 | 227 | 0.8% | 1.3% | 225 | 1.3% | 1.3% |
| DTAP | 04 | 12907 | 46.7% | 73.7% | 12779 | 72.8% | 73.8% |
| DTP-HIB | 05 | 18 | 0.1% | 0.1% | 18 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 138 | 0.5% | 0.8% | 137 | 0.8% | 0.8% |
| DTAP-HEPB-IPV | 08 | 3556 | 12.9% | 20.3% | 3514 | 20.0% | 20.3% |
| SUBTOTALS: | | 17506 | 63.4% | 100.0% | 17321 | 98.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10121 | 36.6% | n/a | 242 | 1.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XDTPTY2 Type: Character
Label: DT-CONTAINING VACCINATION #2 TYPE CODE
Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|-------|-------------------------------|------------------------------|-------|-------------------------------|
| DT | 01 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| DTP | 02 | 626 | 2.3% | 3.6% | 617 | 3.5% | 3.6% |
| DTP-UNKNOWN | 03 | 204 | 0.7% | 1.2% | 201 | 1.1% | 1.2% |
| DTAP | 04 | 12771 | 46.2% | 73.9% | 12672 | 72.2% | 73.9% |
| DTP-HIB | 05 | 21 | 0.1% | 0.1% | 21 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 212 | 0.8% | 1.2% | 212 | 1.2% | 1.2% |
| DTAP-HEPB-IPV | 08 | 3445 | 12.5% | 19.9% | 3416 | 19.4% | 19.9% |
| SUBTOTALS: | | 17287 | 62.6% | 100.0% | 17147 | 97.6% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|----------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| MISSING | | 10340 | 37.4% | n/a | 416 | 2.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XDTPTY3 Type: Character

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DT | 01 | 10 | 0.0% | 0.1% | 10 | 0.1% | 0.1% |
| DTP | 02 | 593 | 2.1% | 3.5% | 586 | 3.3% | 3.5% |
| DTP-UNKNOWN | 03 | 177 | 0.6% | 1.0% | 175 | 1.0% | 1.0% |
| DTAP | 04 | 12324 | 44.6% | 72.3% | 12246 | 69.7% | 72.3% |
| DTP-HIB | 05 | 18 | 0.1% | 0.1% | 18 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 193 | 0.7% | 1.1% | 191 | 1.1% | 1.1% |
| DTAP-HEPB-IPV | 08 | 3729 | 13.5% | 21.9% | 3709 | 21.1% | 21.9% |
| SUBTOTALS: | | 17044 | 61.7% | 100.0% | 16935 | 96.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10583 | 38.3% | n/a | 628 | 3.6% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XDTPTY4 Type: Character

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DT | 01 | 9 | 0.0% | 0.1% | 9 | 0.1% | 0.1% |
| DTP | 02 | 522 | 1.9% | 3.3% | 522 | 3.0% | 3.3% |
| DTP-UNKNOWN | 03 | 162 | 0.6% | 1.0% | 162 | 0.9% | 1.0% |
| DTAP | 04 | 12661 | 45.8% | 81.0% | 12643 | 72.0% | 81.0% |
| DTP-HIB | 05 | 56 | 0.2% | 0.4% | 56 | 0.3% | 0.4% |
| DTAP-HIB | 07 | 1940 | 7.0% | 12.4% | 1940 | 11.0% | 12.4% |
| DTAP-HEPB-IPV | 08 | 284 | 1.0% | 1.8% | 283 | 1.6% | 1.8% |
| SUBTOTALS: | | 15634 | 56.6% | 100.0% | 15615 | 88.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11993 | 43.4% | n/a | 1948 | 11.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY5 Type: Character

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTP | 02 | 4 | 0.0% | 1.8% | 4 | 0.0% | 1.8% |
| DTP-UNKNOWN | 03 | 3 | 0.0% | 1.4% | 3 | 0.0% | 1.4% |
| DTAP | 04 | 181 | 0.7% | 81.9% | 181 | 1.0% | 81.9% |
| DTP-HIB | 05 | 1 | 0.0% | 0.5% | 1 | 0.0% | 0.5% |
| DTAP-HIB | 07 | 21 | 0.1% | 9.5% | 21 | 0.1% | 9.5% |
| DTAP-HEPB-IPV | 08 | 11 | 0.0% | 5.0% | 11 | 0.1% | 5.0% |
| SUBTOTALS: | | 221 | 0.8% | 100.0% | 221 | 1.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27406 | 99.2% | n/a | 17342 | 98.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XDTPTY6 Type: Character

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTP | 02 | 1 | 0.0% | 7.1% | 1 | 0.0% | 7.1% |
| DTAP | 04 | 12 | 0.0% | 85.7% | 12 | 0.1% | 85.7% |
| DTAP-HEPB-IPV | 08 | 1 | 0.0% | 7.1% | 1 | 0.0% | 7.1% |
| SUBTOTALS: | | 14 | 0.1% | 100.0% | 14 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27613 | 99.9% | n/a | 17549 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XDTPTY7 Type: Character

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP | 04 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY8 Type: Character

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XDTPTY9 Type: Character

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XHEPTY1 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 1560 | 5.6% | 8.9% | 1535 | 8.7% | 8.9% |
| HEPB-HIB | 43 | 2852 | 10.3% | 16.3% | 2824 | 16.1% | 16.4% |
| HEPB ONLY | 60 | 12942 | 46.8% | 74.2% | 12791 | 72.8% | 74.2% |
| HEPB-UNKNOWN | HB | 96 | 0.3% | 0.6% | 95 | 0.5% | 0.6% |
| SUBTOTALS: | | 17450 | 63.2% | 100.0% | 17245 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10177 | 36.8% | n/a | 318 | 1.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 3713 | 13.4% | 21.7% | 3680 | 21.0% | 21.7% |
| HEPB-HIB | 43 | 4762 | 17.2% | 27.8% | 4720 | 26.9% | 27.8% |
| HEPB ONLY | 60 | 8471 | 30.7% | 49.4% | 8397 | 47.8% | 49.4% |
| HEPB-UNKNOWN | HB | 197 | 0.7% | 1.1% | 193 | 1.1% | 1.1% |
| SUBTOTALS: | | 17143 | 62.1% | 100.0% | 16990 | 96.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10484 | 37.9% | n/a | 573 | 3.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHEPTY3 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 3948 | 14.3% | 24.0% | 3924 | 22.3% | 24.0% |
| HEPB-HIB | 43 | 4165 | 15.1% | 25.3% | 4148 | 23.6% | 25.4% |
| HEPB ONLY | 60 | 8176 | 29.6% | 49.7% | 8130 | 46.3% | 49.7% |
| HEPB-UNKNOWN | HB | 155 | 0.6% | 0.9% | 152 | 0.9% | 0.9% |
| SUBTOTALS: | | 16444 | 59.5% | 100.0% | 16354 | 93.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11183 | 40.5% | n/a | 1209 | 6.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHEPTY4 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 1721 | 6.2% | 59.0% | 1711 | 9.7% | 58.9% |
| HEPB-HIB | 43 | 642 | 2.3% | 22.0% | 640 | 3.6% | 22.0% |
| HEPB ONLY | 60 | 531 | 1.9% | 18.2% | 529 | 3.0% | 18.2% |
| HEPB-UNKNOWN | HB | 25 | 0.1% | 0.9% | 24 | 0.1% | 0.8% |
| SUBTOTALS: | | 2919 | 10.6% | 100.0% | 2904 | 16.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 24708 | 89.4% | n/a | 14659 | 83.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHEPTY5 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 82 | 0.3% | 44.6% | 82 | 0.5% | 44.8% |
| HEPB-HIB | 43 | 62 | 0.2% | 33.7% | 62 | 0.4% | 33.9% |
| HEPB ONLY | 60 | 40 | 0.1% | 21.7% | 39 | 0.2% | 21.3% |
| SUBTOTALS: | | 184 | 0.7% | 100.0% | 183 | 1.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27443 | 99.3% | n/a | 17380 | 99.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHEPTY6 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 7 | 0.0% | 58.3% | 7 | 0.0% | 58.3% |
| HEPB-HIB | 43 | 2 | 0.0% | 16.7% | 2 | 0.0% | 16.7% |
| HEPB ONLY | 60 | 3 | 0.0% | 25.0% | 3 | 0.0% | 25.0% |
| SUBTOTALS: | | 12 | 0.0% | 100.0% | 12 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27615 | 100.0% | n/a | 17551 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHEPTY7 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY8 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XHEPTY9 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XHIBTY1 Type: Character

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTP-HIB | 05 | 20 | 0.1% | 0.1% | 20 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 154 | 0.6% | 0.9% | 153 | 0.9% | 0.9% |
| HEPB-HIB | 43 | 4829 | 17.5% | 27.7% | 4781 | 27.2% | 27.7% |
| HIB ONLY | 44 | 12228 | 44.3% | 70.1% | 12103 | 68.9% | 70.1% |
| HIB-UNKNOWN | HI | 209 | 0.8% | 1.2% | 207 | 1.2% | 1.2% |
| SUBTOTALS: | | 17440 | 63.1% | 100.0% | 17264 | 98.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10187 | 36.9% | n/a | 299 | 1.7% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY2 Type: Character****Label: HIB-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTP-HIB | 05 | 21 | 0.1% | 0.1% | 21 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 211 | 0.8% | 1.2% | 210 | 1.2% | 1.2% |
| HEPB-HIB | 43 | 3412 | 12.4% | 19.9% | 3383 | 19.3% | 19.9% |
| HIB ONLY | 44 | 13346 | 48.3% | 77.7% | 13243 | 75.4% | 77.7% |
| HIB-UNKNOWN | HI | 179 | 0.6% | 1.0% | 177 | 1.0% | 1.0% |
| SUBTOTALS: | | 17169 | 62.1% | 100.0% | 17034 | 97.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10458 | 37.9% | n/a | 529 | 3.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHIBTY3 Type: Character**Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTP-HIB | 05 | 21 | 0.1% | 0.1% | 21 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 386 | 1.4% | 2.3% | 386 | 2.2% | 2.3% |
| HEPB-HIB | 43 | 3769 | 13.6% | 22.6% | 3757 | 21.4% | 22.6% |
| HIB ONLY | 44 | 12351 | 44.7% | 74.0% | 12273 | 69.9% | 74.0% |
| HIB-UNKNOWN | HI | 159 | 0.6% | 1.0% | 159 | 0.9% | 1.0% |
| SUBTOTALS: | | 16686 | 60.4% | 100.0% | 16596 | 94.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10941 | 39.6% | n/a | 967 | 5.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHIBTY4 Type: Character**Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|-------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTP-HIB | 05 | 51 | 0.2% | 0.5% | 51 | 0.3% | 0.5% |
| DTAP-HIB | 07 | 1721 | 6.2% | 15.5% | 1720 | 9.8% | 15.5% |
| HEPB-HIB | 43 | 450 | 1.6% | 4.1% | 450 | 2.6% | 4.1% |
| HIB ONLY | 44 | 8754 | 31.7% | 78.8% | 8731 | 49.7% | 78.8% |
| HIB-UNKNOWN | HI | 130 | 0.5% | 1.2% | 130 | 0.7% | 1.2% |
| SUBTOTALS: | | 11106 | 40.2% | 100.0% | 11082 | 63.1% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY4 Type: Character****Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| MISSING | | 16521 | 59.8% | n/a | 6481 | 36.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHIBTY5 Type: Character**Label: HIB-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| DTP-HIB | 05 | 1 | 0.0% | 0.5% | 1 | 0.0% | 0.5% |
| DTAP-HIB | 07 | 31 | 0.1% | 16.8% | 31 | 0.2% | 16.8% |
| HEPB-HIB | 43 | 23 | 0.1% | 12.4% | 23 | 0.1% | 12.4% |
| HIB ONLY | 44 | 125 | 0.5% | 67.6% | 125 | 0.7% | 67.6% |
| HIB-UNKNOWN | HI | 5 | 0.0% | 2.7% | 5 | 0.0% | 2.7% |
| SUBTOTALS: | | 185 | 0.7% | 100.0% | 185 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27442 | 99.3% | n/a | 17378 | 98.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHIBTY6 Type: Character**Label: HIB-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| RESERVED CODES: | | | | | | | |
| DTAP-HIB | 07 | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| HEPB-HIB | 43 | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| HIB ONLY | 44 | 12 | 0.0% | 70.6% | 12 | 0.1% | 70.6% |
| HIB-UNKNOWN | HI | 1 | 0.0% | 5.9% | 1 | 0.0% | 5.9% |
| SUBTOTALS: | | 17 | 0.1% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27610 | 99.9% | n/a | 17546 | 99.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY7 Type: Character****Label: HIB-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| HIB ONLY | 44 | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XHIBTY8 Type: Character**Label: HIB-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XHIBTY9 Type: Character**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XMMRTY1 Type: Character**Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| MMR | 30 | 16299 | 59.0% | 98.2% | 16233 | 92.4% | 98.3% |
| MEASLES ONLY | 31 | 46 | 0.2% | 0.3% | 46 | 0.3% | 0.3% |
| MCV-UNKNOWN | MM | 245 | 0.9% | 1.5% | 243 | 1.4% | 1.5% |
| SUBTOTALS: | | 16590 | 60.0% | 100.0% | 16522 | 94.1% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|----------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| MISSING | | 11037 | 40.0% | n/a | 1041 | 5.9% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XMMRTY2 Type: Character

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| MMR | 30 | 333 | 1.2% | 96.0% | 332 | 1.9% | 96.0% |
| MEASLES ONLY | 31 | 5 | 0.0% | 1.4% | 5 | 0.0% | 1.4% |
| MCV-UNKNOWN | MM | 9 | 0.0% | 2.6% | 9 | 0.1% | 2.6% |
| SUBTOTALS: | | 347 | 1.3% | 100.0% | 346 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27280 | 98.7% | n/a | 17217 | 98.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XMMRTY3 Type: Character

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| MMR | 30 | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27624 | 100.0% | n/a | 17560 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XMMRTY4 Type: Character

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY5 Type: Character****Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XMMRTY6 Type: Character**Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XMMRTY7 Type: Character**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XMMRTY8 Type: Character**Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XPCVTY1 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| CONJUGATE | 70 | 15071 | 54.6% | 91.2% | 14926 | 85.0% | 91.2% |
| POLYSACCHARIDE | 71 | 241 | 0.9% | 1.5% | 240 | 1.4% | 1.5% |
| PCV-UNKNOWN | 72 | 1207 | 4.4% | 7.3% | 1197 | 6.8% | 7.3% |
| SUBTOTALS: | | 16519 | 59.8% | 100.0% | 16363 | 93.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11108 | 40.2% | n/a | 1200 | 6.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPCVTY2 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| CONJUGATE | 70 | 14611 | 52.9% | 91.6% | 14505 | 82.6% | 91.6% |
| POLYSACCHARIDE | 71 | 228 | 0.8% | 1.4% | 227 | 1.3% | 1.4% |
| PCV-UNKNOWN | 72 | 1120 | 4.1% | 7.0% | 1110 | 6.3% | 7.0% |
| SUBTOTALS: | | 15959 | 57.8% | 100.0% | 15842 | 90.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11668 | 42.2% | n/a | 1721 | 9.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: XPCVTY3 Type: Character | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE | | | | | | | |
| Notes: See User's Guide for more information. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| CONJUGATE | 70 | 13626 | 49.3% | 91.9% | 13563 | 77.2% | 91.9% |
| POLYSACCHARIDE | 71 | 215 | 0.8% | 1.5% | 215 | 1.2% | 1.5% |
| PCV-UNKNOWN | 72 | 985 | 3.6% | 6.6% | 979 | 5.6% | 6.6% |
| SUBTOTALS: | | 14826 | 53.7% | 100.0% | 14757 | 84.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 12801 | 46.3% | n/a | 2806 | 16.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: XPCVTY4 Type: Character | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE | | | | | | | |
| Notes: See User's Guide for more information. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| CONJUGATE | 70 | 9192 | 33.3% | 90.5% | 9177 | 52.3% | 90.5% |
| POLYSACCHARIDE | 71 | 132 | 0.5% | 1.3% | 132 | 0.8% | 1.3% |
| PCV-UNKNOWN | 72 | 828 | 3.0% | 8.2% | 827 | 4.7% | 8.2% |
| SUBTOTALS: | | 10152 | 36.7% | 100.0% | 10136 | 57.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 17475 | 63.3% | n/a | 7427 | 42.3% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

| Variable: XPCVTY5 Type: Character | | | | | | | |
|--|--------------|--------------|------------|--|---------------------------------------|------------|--|
| Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE | | | | | | | |
| Notes: See User's Guide for more information. | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| CONJUGATE | 70 | 80 | 0.3% | 72.1% | 80 | 0.5% | 72.1% |
| POLYSACCHARIDE | 71 | 4 | 0.0% | 3.6% | 4 | 0.0% | 3.6% |
| PCV-UNKNOWN | 72 | 27 | 0.1% | 24.3% | 27 | 0.2% | 24.3% |
| SUBTOTALS: | | 111 | 0.4% | 100.0% | 111 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27516 | 99.6% | n/a | 17452 | 99.4% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY6 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| CONJUGATE | 70 | 4 | 0.0% | 80.0% | 4 | 0.0% | 80.0% |
| PCV-UNKNOWN | 72 | 1 | 0.0% | 20.0% | 1 | 0.0% | 20.0% |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27622 | 100.0% | n/a | 17558 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPCVTY7 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| CONJUGATE | 70 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPCVTY8 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY9 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

Variable: XPOLTY1 Type: Character

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 3579 | 13.0% | 20.6% | 3537 | 20.1% | 20.6% |
| OPV | 20 | 172 | 0.6% | 1.0% | 170 | 1.0% | 1.0% |
| IPV | 21 | 13377 | 48.4% | 77.0% | 13248 | 75.4% | 77.0% |
| POLIO-UNKNOWN | 22 | 247 | 0.9% | 1.4% | 246 | 1.4% | 1.4% |
| SUBTOTALS: | | 17375 | 62.9% | 100.0% | 17201 | 97.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10252 | 37.1% | n/a | 362 | 2.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPOLTY2 Type: Character

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| DTAP-HEPB-IPV | 08 | 3473 | 12.6% | 20.3% | 3443 | 19.6% | 20.2% |
| OPV | 20 | 168 | 0.6% | 1.0% | 166 | 0.9% | 1.0% |
| IPV | 21 | 13279 | 48.1% | 77.4% | 13178 | 75.0% | 77.5% |
| POLIO-UNKNOWN | 22 | 228 | 0.8% | 1.3% | 226 | 1.3% | 1.3% |
| SUBTOTALS: | | 17148 | 62.1% | 100.0% | 17013 | 96.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10479 | 37.9% | n/a | 550 | 3.1% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY3 Type: Character****Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 3774 | 13.7% | 22.9% | 3755 | 21.4% | 22.9% |
| OPV | 20 | 147 | 0.5% | 0.9% | 147 | 0.8% | 0.9% |
| IPV | 21 | 12400 | 44.9% | 75.1% | 12341 | 70.3% | 75.1% |
| POLIO-UNKNOWN | 22 | 186 | 0.7% | 1.1% | 186 | 1.1% | 1.1% |
| SUBTOTALS: | | 16507 | 59.7% | 100.0% | 16429 | 93.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11120 | 40.3% | n/a | 1134 | 6.5% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPOLTY4 Type: Character**Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 189 | 0.7% | 21.5% | 188 | 1.1% | 21.5% |
| OPV | 20 | 25 | 0.1% | 2.8% | 25 | 0.1% | 2.9% |
| IPV | 21 | 638 | 2.3% | 72.7% | 636 | 3.6% | 72.7% |
| POLIO-UNKNOWN | 22 | 26 | 0.1% | 3.0% | 26 | 0.1% | 3.0% |
| SUBTOTALS: | | 878 | 3.2% | 100.0% | 875 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 26749 | 96.8% | n/a | 16688 | 95.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPOLTY5 Type: Character**Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 12 | 0.0% | 41.4% | 12 | 0.1% | 41.4% |
| OPV | 20 | 3 | 0.0% | 10.3% | 3 | 0.0% | 10.3% |
| IPV | 21 | 12 | 0.0% | 41.4% | 12 | 0.1% | 41.4% |
| POLIO-UNKNOWN | 22 | 2 | 0.0% | 6.9% | 2 | 0.0% | 6.9% |
| SUBTOTALS: | | 29 | 0.1% | 100.0% | 29 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27598 | 99.9% | n/a | 17534 | 99.8% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY6 Type: Character****Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| DTAP-HEPB-IPV | 08 | 1 | 0.0% | 14.3% | 1 | 0.0% | 14.3% |
| IPV | 21 | 6 | 0.0% | 85.7% | 6 | 0.0% | 85.7% |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27620 | 100.0% | n/a | 17556 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPOLTY7 Type: Character**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| IPV | 21 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27626 | 100.0% | n/a | 17562 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | 100.0% | 17563 | 100.0% | 100.0% |

Variable: XPOLTY8 Type: Character**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY9 Type: Character

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |
| TOTALS: | | 27627 | 100.0% | n/a | 17563 | 100.0% | n/a |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| AGECPOXR | 55 | 55 | 2 | AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE) |
| AGEGRP | 81 | 81 | 3 | AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE) |
| ALL4SHOT | 56 | 57 | 2 | HH REPORT OF 4:3:1:3 UP-TO-DATE |
| BFENDFL | 98 | 98 | 3 | DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| BFEXCLFL | 99 | 99 | 3 | DURATION OF EXCLUSIVE BREAST FEEDING EXCEEDS TOTAL BREASTFEEDING, WITH BUFFER |
| BF_ENDR | 82 | 89 | 3 | DURATION OF BREAST FEEDING IN DAYS (TOPCODE) |
| BF_EXCLR | 90 | 97 | 3 | DURATION OF EXCLUSIVE BREAST FEEDING IN DAYS (TOPCODE) |
| C1R | 100 | 100 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE) |
| C5R | 101 | 102 | 3 | RELATIONSHIP OF RESPONDENT TO CHILD (RECODE) |
| CBF_01 | 103 | 104 | 3 | WAS CHILD EVER BREAST FED OR FED BREAST MILK? |
| CEN_REG | 105 | 105 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 106 | 106 | 3 | NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE) |
| CWIC_01 | 107 | 108 | 3 | CHILD EVER RECEIVED WIC BENEFITS? |
| CWIC_02 | 109 | 109 | 3 | CHILD CURRENTLY RECEIVING WIC BENEFITS? |
| C_431 | 58 | 58 | 2 | HH REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE |
| C_4313 | 59 | 59 | 2 | HH REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE |
| C_DTP | 60 | 60 | 2 | HH REPORT OF 4+ DT-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_HEP | 61 | 61 | 2 | HH REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_HIB | 62 | 62 | 2 | HH REPORT OF 3+ HIB-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_MMR | 63 | 63 | 2 | HH REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_POL | 64 | 64 | 2 | HH REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| C_VRC | 65 | 65 | 2 | HH REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE BY SHOT CARD USE |
| D6R | 145 | 145 | 5 | NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE) |
| D7 | 146 | 146 | 5 | CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS |
| DDTP1 | 204 | 207 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DDTP2 | 208 | 211 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DDTP3 | 212 | 215 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DDTP4 | 216 | 219 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DDTP5 | 220 | 223 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DDTP6 | 224 | 227 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DDTP7 | 228 | 230 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DDTP8 | 231 | 231 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DDTP9 | 232 | 232 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DFLU1 | 233 | 236 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| DFLU2 | 237 | 240 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| DFLU3 | 241 | 244 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| DFLU4 | 245 | 248 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| DFLU5 | 249 | 252 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| DFLU6 | 253 | 253 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| DFLU7 | 254 | 254 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| DFLU8 | 255 | 255 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| DFLU9 | 256 | 256 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| DHEPA1 | 257 | 260 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| DHEPA2 | 261 | 264 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| DHEPA3 | 265 | 268 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| DHEPA4 | 269 | 269 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| DHEPA5 | 270 | 270 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| DHEPA6 | 271 | 271 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| DHEPA7 | 272 | 272 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| DHEPA8 | 273 | 273 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| DHEPA9 | 274 | 274 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| DHEPB1 | 275 | 278 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| DHEPB2 | 279 | 282 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| DHEPB3 | 283 | 286 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| DHEPB4 | 287 | 290 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| DHEPB5 | 291 | 294 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| DHEPB6 | 295 | 297 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| DHEPB7 | 298 | 298 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| DHEPB8 | 299 | 299 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| DHEPB9 | 300 | 300 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| DHIB1 | 301 | 304 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| DHIB2 | 305 | 308 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| DHIB3 | 309 | 312 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| DHIB4 | 313 | 316 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| DHIB5 | 317 | 320 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| DHIB6 | 321 | 324 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| DHIB7 | 325 | 327 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| DHIB8 | 328 | 328 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| DHIB9 | 329 | 329 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| DISPCODE | 147 | 148 | 6 | NIS PROVIDER RECORD-CHECK DISPOSITION CODE |
| DMMR1 | 330 | 333 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| DMMR2 | 334 | 337 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| DMMR3 | 338 | 340 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| DMMR4 | 341 | 341 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| DMMR5 | 342 | 342 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| DMMR6 | 343 | 343 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| DMMR7 | 344 | 344 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| DMMR8 | 345 | 345 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| DMMR9 | 346 | 346 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| DMP1 | 347 | 349 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| DMP2 | 350 | 350 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| DMP3 | 351 | 351 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| DMP4 | 352 | 352 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| DMP5 | 353 | 353 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| DMP6 | 354 | 354 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| DMP7 | 355 | 355 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| DMP8 | 356 | 356 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| DMP9 | 357 | 357 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| DMPRB1 | 358 | 358 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| DMPRB2 | 359 | 359 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| DMPRB3 | 360 | 360 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| DMPRB4 | 361 | 361 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| DMPRB5 | 362 | 362 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| DMPRB6 | 363 | 363 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| DMPRB7 | 364 | 364 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| DMPRB8 | 365 | 365 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| DMPRB9 | 366 | 366 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| DPCV1 | 367 | 370 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| DPCV2 | 371 | 374 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| DPCV3 | 375 | 378 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| DPCV4 | 379 | 382 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| DPCV5 | 383 | 386 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| DPCV6 | 387 | 389 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| DPCV7 | 390 | 392 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| DPCV8 | 393 | 393 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| DPCV9 | 394 | 394 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| DPOLIO1 | 395 | 398 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| DPOLIO2 | 399 | 402 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| DPOLIO3 | 403 | 406 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| DPOLIO4 | 407 | 410 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| DPOLIO5 | 411 | 413 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| DPOLIO6 | 414 | 417 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| DPOLIO7 | 418 | 420 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| DPOLIO8 | 421 | 421 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| DPOLIO9 | 422 | 422 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| DRB1 | 423 | 426 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| DRB2 | 427 | 427 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| DRB3 | 428 | 428 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| DRB4 | 429 | 429 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| DRB5 | 430 | 430 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| DRB6 | 431 | 431 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| DRB7 | 432 | 432 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| DRB8 | 433 | 433 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| DRB9 | 434 | 434 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| DROT1 | 435 | 436 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| DROT2 | 437 | 439 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| DROT3 | 440 | 442 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| DROT4 | 443 | 443 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| DROT5 | 444 | 444 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| DROT6 | 445 | 445 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| DROT7 | 446 | 446 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| DROT8 | 447 | 447 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| DROT9 | 448 | 448 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| DTP1_AGE | 449 | 450 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DTP2_AGE | 451 | 452 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DTP3_AGE | 453 | 454 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DTP4_AGE | 455 | 456 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DTP5_AGE | 457 | 458 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DTP6_AGE | 459 | 460 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DTP7_AGE | 461 | 462 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DTP8_AGE | 463 | 463 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DTP9_AGE | 464 | 464 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DVRC1 | 465 | 468 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| DVRC2 | 469 | 472 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| DVRC3 | 473 | 473 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| DVRC4 | 474 | 474 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| DVRC5 | 475 | 475 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| DVRC6 | 476 | 476 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| DVRC7 | 477 | 477 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| DVRC8 | 478 | 478 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| DVRC9 | 479 | 479 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| EDUC1 | 110 | 110 | 3 | EDUCATION OF MOTHER CATEGORIES (RECODE) |
| ESTIAP | 141 | 142 | 4 | ESTIMATION IAP AREA OF RESIDENCE |
| FLU1_AGE | 480 | 481 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| FLU2_AGE | 482 | 483 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| FLU3_AGE | 484 | 485 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| FLU4_AGE | 486 | 487 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| FLU5_AGE | 488 | 489 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| FLU6_AGE | 490 | 490 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| FLU7_AGE | 491 | 491 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| FLU8_AGE | 492 | 492 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| FLU9_AGE | 493 | 493 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| FRSTBRN | 111 | 111 | 3 | FIRST BORN STATUS OF CHILD |
| FULL_CPO | 66 | 67 | 2 | HH REPORT OF 1+ VARICELLA-CONTAINING SHOT AT ANY AGE |
| FULL_DTP | 68 | 69 | 2 | HH REPORT OF 4+ DT-CONTAINING SHOT |
| FULL_HEP | 70 | 71 | 2 | HH REPORT OF 3+ HEPATITIS B-CONTAINING SHOTS |
| FULL_HIB | 72 | 73 | 2 | HH REPORT OF 3+ HIB-CONTAINING SHOTS |
| FULL_MMR | 74 | 75 | 2 | HH REPORT OF 1+ MEASLES-CONTAINING SHOT AT ANY AGE |
| FULL_POL | 76 | 77 | 2 | HH REPORT OF 3+ POLIO-CONTAINING SHOTS |
| HAD_CPOX | 78 | 79 | 2 | CHILD EVER HAD CHICKEN POX DISEASE? |
| HEA1_AGE | 494 | 495 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| HEA2_AGE | 496 | 497 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| HEA3_AGE | 498 | 499 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| HEA4_AGE | 500 | 500 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| HEA5_AGE | 501 | 501 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| HEA6_AGE | 502 | 502 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| HEA7_AGE | 503 | 503 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| HEA8_AGE | 504 | 504 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| HEA9_AGE | 505 | 505 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| HEP1_AGE | 506 | 507 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| HEP2_AGE | 508 | 509 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| HEP3_AGE | 510 | 511 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| HEP4_AGE | 512 | 513 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| HEP5_AGE | 514 | 515 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| HEP6_AGE | 516 | 517 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| HEP7_AGE | 518 | 518 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| HEP8_AGE | 519 | 519 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| HEP9_AGE | 520 | 520 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| HEP_BRTH | 153 | 153 | 8 | HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG |
| HEP_FLAG | 154 | 154 | 8 | HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG |
| HIB1_AGE | 521 | 522 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| HIB2_AGE | 523 | 524 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| HIB3_AGE | 525 | 526 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| HIB4_AGE | 527 | 528 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| HIB5_AGE | 529 | 530 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| HIB6_AGE | 531 | 532 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| HIB7_AGE | 533 | 534 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| HIB8_AGE | 535 | 535 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| HIB9_AGE | 536 | 536 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| INCPORAR | 113 | 128 | 3 | INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE) |
| INCPOV1 | 129 | 129 | 3 | POVERTY STATUS |
| INCQ298A | 130 | 131 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INOPHONR | 132 | 132 | 3 | LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE) |
| INTRP | 133 | 133 | 3 | PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR? |
| I_HISP_K | 112 | 112 | 3 | HISPANIC ORIGIN OF CHILD |
| LANGUAGE | 134 | 134 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL | 136 | 136 | 3 | MARITAL STATUS OF MOTHER CATEGORIES (RECODE) |
| MMR1_AGE | 537 | 538 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| MMR2_AGE | 539 | 540 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| MMR3_AGE | 541 | 542 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| MMR4_AGE | 543 | 543 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| MMR5_AGE | 544 | 544 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| MMR6_AGE | 545 | 545 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| MMR7_AGE | 546 | 546 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| MMR8_AGE | 547 | 547 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| MMR9_AGE | 548 | 548 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| MOBIL_I | 137 | 137 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE |
| MP1_AGE | 549 | 550 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| MP2_AGE | 551 | 551 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| MP3_AGE | 552 | 552 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| MP4_AGE | 553 | 553 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| MP5_AGE | 554 | 554 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| MP6_AGE | 555 | 555 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| MP7_AGE | 556 | 556 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| MP8_AGE | 557 | 557 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| MP9_AGE | 558 | 558 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| MPR1_AGE | 559 | 559 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| MPR2_AGE | 560 | 560 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| MPR3_AGE | 561 | 561 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| MPR4_AGE | 562 | 562 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| MPR5_AGE | 563 | 563 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| MPR6_AGE | 564 | 564 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| MPR7_AGE | 565 | 565 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| MPR8_AGE | 566 | 566 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| MPR9_AGE | 567 | 567 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| M_AGEGRP | 135 | 135 | 3 | AGE OF MOTHER CATEGORIES |
| N_PRVR | 149 | 149 | 6 | NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE) |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| PCV1_AGE | 568 | 569 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| PCV2_AGE | 570 | 571 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| PCV3_AGE | 572 | 573 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| PCV4_AGE | 574 | 575 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| PCV5_AGE | 576 | 577 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| PCV6_AGE | 578 | 579 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| PCV7_AGE | 580 | 581 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| PCV8_AGE | 582 | 582 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| PCV9_AGE | 583 | 583 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| PDAT | 12 | 12 | 1 | CHILD HAS ADEQUATE PROVIDER DATA |
| POL1_AGE | 584 | 585 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| POL2_AGE | 586 | 587 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| POL3_AGE | 588 | 589 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| POL4_AGE | 590 | 591 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| POL5_AGE | 592 | 593 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| POL6_AGE | 594 | 595 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| POL7_AGE | 596 | 597 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| POL8_AGE | 598 | 598 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| POL9_AGE | 599 | 599 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| PROVWT | 13 | 31 | 1 | WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN |
| PROV_FAC | 150 | 150 | 7 | PROVIDER FACILITY TYPE |
| PU431331 | 201 | 201 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) |
| PUT43133 | 202 | 202 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3 |
| PUTD4313 | 203 | 203 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3 |
| P_NUHEPX | 155 | 155 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHPHB | 156 | 156 | 8 | NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDAH | 157 | 157 | 8 | NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHB | 158 | 158 | 8 | NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMDHM | 159 | 159 | 8 | NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTA | 160 | 160 | 8 | NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTM | 161 | 161 | 8 | NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTP | 162 | 162 | 8 | NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 163 | 163 | 8 | NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEA | 164 | 164 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEP | 165 | 165 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIB | 166 | 166 | 8 | NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMIPV | 167 | 167 | 8 | NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 168 | 168 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMX | 169 | 169 | 8 | NUMBER OF MMR COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMP | 170 | 170 | 8 | NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMPR | 171 | 171 | 8 | NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMS | 172 | 172 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSM | 173 | 173 | 8 | NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSR | 174 | 174 | 8 | NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOLN | 175 | 175 | 8 | NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOPV | 176 | 176 | 8 | NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCC | 177 | 177 | 8 | NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| P_NUMPCN | 178 | 178 | 8 | NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCP | 179 | 179 | 8 | NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCV | 180 | 180 | 8 | NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPOL | 181 | 181 | 8 | NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMRB | 182 | 182 | 8 | NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMROT | 183 | 183 | 8 | NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPM | 184 | 184 | 8 | NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPN | 185 | 185 | 8 | NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 186 | 186 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U12VRC | 187 | 187 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS |
| P_UTD331 | 188 | 188 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 |
| P_UTD431 | 189 | 189 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 |
| P_UTDFL1 | 190 | 190 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1 |
| P_UTDFL2 | 191 | 191 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2 |
| P_UTDHEP | 192 | 192 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS |
| P_UTDHIB | 193 | 193 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS |
| P_UTDMCV | 194 | 194 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT |
| P_UTDMMX | 195 | 195 | 8 | UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT |
| P_UTDPC3 | 196 | 196 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPCV | 197 | 197 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPOL | 198 | 198 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS |
| P_UTDTP3 | 199 | 199 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS |
| P_UTDTP4 | 200 | 200 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS |
| RACEETHK | 139 | 139 | 3 | RACE/ETHNICITY OF CHILD (RECODE) |
| RACE_K | 138 | 138 | 3 | RACE OF CHILD (RECODE) |
| RB1_AGE | 600 | 601 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| RB2_AGE | 602 | 602 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| RB3_AGE | 603 | 603 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| RB4_AGE | 604 | 604 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| RB5_AGE | 605 | 605 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| RB6_AGE | 606 | 606 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| RB7_AGE | 607 | 607 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| RB8_AGE | 608 | 608 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| RB9_AGE | 609 | 609 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| RDDWT | 32 | 50 | 1 | RDD CHILD INTERVIEW WEIGHT |
| REGISTRY | 151 | 151 | 7 | CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY |
| ROT1_AGE | 610 | 610 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| ROT2_AGE | 611 | 611 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| ROT3_AGE | 612 | 613 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| ROT4_AGE | 614 | 614 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| ROT5_AGE | 615 | 615 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| ROT6_AGE | 616 | 616 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| ROT7_AGE | 617 | 617 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| ROT8_AGE | 618 | 618 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| ROT9_AGE | 619 | 619 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| SEQNUMC | 1 | 6 | 1 | UNIQUE CHILD IDENTIFIER |
| SEQNUMHH | 7 | 11 | 1 | UNIQUE HOUSEHOLD IDENTIFIER |
| SEX | 140 | 140 | 3 | GENDER OF CHILD |
| SHOTCARD | 80 | 80 | 2 | SHOT CARD USE FLAG |
| STATE | 143 | 144 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| VFC_PRO | 152 | 152 | 7 | PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM |
| VRC1_AGE | 620 | 621 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| VRC2_AGE | 622 | 623 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| VRC3_AGE | 624 | 624 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| VRC4_AGE | 625 | 625 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| VRC5_AGE | 626 | 626 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| VRC6_AGE | 627 | 627 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| VRC7_AGE | 628 | 628 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| VRC8_AGE | 629 | 629 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| VRC9_AGE | 630 | 630 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| XDTPTY1 | 631 | 632 | 9 | DT-CONTAINING VACCINATION #1 TYPE CODE |
| XDTPTY2 | 633 | 634 | 9 | DT-CONTAINING VACCINATION #2 TYPE CODE |
| XDTPTY3 | 635 | 636 | 9 | DT-CONTAINING VACCINATION #3 TYPE CODE |
| XDTPTY4 | 637 | 638 | 9 | DT-CONTAINING VACCINATION #4 TYPE CODE |
| XDTPTY5 | 639 | 640 | 9 | DT-CONTAINING VACCINATION #5 TYPE CODE |
| XDTPTY6 | 641 | 642 | 9 | DT-CONTAINING VACCINATION #6 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| XDTPTY7 | 643 | 644 | 9 | DT-CONTAINING VACCINATION #7 TYPE CODE |
| XDTPTY8 | 645 | 645 | 9 | DT-CONTAINING VACCINATION #8 TYPE CODE |
| XDTPTY9 | 646 | 646 | 9 | DT-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPTY1 | 647 | 648 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPTY2 | 649 | 650 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPTY3 | 651 | 652 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPTY4 | 653 | 654 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPTY5 | 655 | 656 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPTY6 | 657 | 658 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPTY7 | 659 | 659 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPTY8 | 660 | 660 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPTY9 | 661 | 661 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHIBTY1 | 662 | 663 | 9 | HIB-CONTAINING VACCINATION #1 TYPE CODE |
| XHIBTY2 | 664 | 665 | 9 | HIB-CONTAINING VACCINATION #2 TYPE CODE |
| XHIBTY3 | 666 | 667 | 9 | HIB-CONTAINING VACCINATION #3 TYPE CODE |
| XHIBTY4 | 668 | 669 | 9 | HIB-CONTAINING VACCINATION #4 TYPE CODE |
| XHIBTY5 | 670 | 671 | 9 | HIB-CONTAINING VACCINATION #5 TYPE CODE |
| XHIBTY6 | 672 | 673 | 9 | HIB-CONTAINING VACCINATION #6 TYPE CODE |
| XHIBTY7 | 674 | 675 | 9 | HIB-CONTAINING VACCINATION #7 TYPE CODE |
| XHIBTY8 | 676 | 676 | 9 | HIB-CONTAINING VACCINATION #8 TYPE CODE |
| XHIBTY9 | 677 | 677 | 9 | HIB-CONTAINING VACCINATION #9 TYPE CODE |
| XMMRTY1 | 678 | 679 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMMRTY2 | 680 | 681 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMMRTY3 | 682 | 683 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMMRTY4 | 684 | 684 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMMRTY5 | 685 | 685 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMMRTY6 | 686 | 686 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMMRTY7 | 687 | 687 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMMRTY8 | 688 | 688 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMMRTY9 | 689 | 689 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XPCVTY1 | 690 | 691 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE |
| XPCVTY2 | 692 | 693 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE |
| XPCVTY3 | 694 | 695 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE |
| XPCVTY4 | 696 | 697 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE |
| XPCVTY5 | 698 | 699 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE |
| XPCVTY6 | 700 | 701 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE |
| XPCVTY7 | 702 | 703 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE |
| XPCVTY8 | 704 | 704 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE |
| XPCVTY9 | 705 | 705 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE |
| XPOLTY1 | 706 | 707 | 9 | POLIO-CONTAINING VACCINATION #1 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| XPOLTY2 | 708 | 709 | 9 | POLIO-CONTAINING VACCINATION #2 TYPE CODE |
| XPOLTY3 | 710 | 711 | 9 | POLIO-CONTAINING VACCINATION #3 TYPE CODE |
| XPOLTY4 | 712 | 713 | 9 | POLIO-CONTAINING VACCINATION #4 TYPE CODE |
| XPOLTY5 | 714 | 715 | 9 | POLIO-CONTAINING VACCINATION #5 TYPE CODE |
| XPOLTY6 | 716 | 717 | 9 | POLIO-CONTAINING VACCINATION #6 TYPE CODE |
| XPOLTY7 | 718 | 719 | 9 | POLIO-CONTAINING VACCINATION #7 TYPE CODE |
| XPOLTY8 | 720 | 720 | 9 | POLIO-CONTAINING VACCINATION #8 TYPE CODE |
| XPOLTY9 | 721 | 721 | 9 | POLIO-CONTAINING VACCINATION #9 TYPE CODE |
| YEAR | 51 | 54 | 1 | YEAR OF INTERVIEW |