

8. REFERENCES

- *ACGIH. 1987. Threshold limit values and biological exposure indices for, 1987-1988. Cincinnati, OH: ACGIH.
- *Ali SM, Bowes GM, Cohen DB. 1986. Occurrence and fate of 1,2-dichloropropane in California ground water and soil samples. Am Chem Soc Division of Environ Chem 191st Natl Meet 26:41.
- Altman J, Lawlor S. 1966. Effects of some chlorinated hydrocarbons on certain soil bacteria. J Appl Bacteriol 3:260-65.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-90.
- *Anonymous. 1983. Biodegradability tests with chlorinated compounds. Unpublished study submitted to OTS under TSCA Section 8d. Document ID 878220823. Microfiche No. OTS 215099.
- *Atkinson R. 1985. Kinetics and Mechanisms of the Gas Phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions. Chem Rev 85:69-201.
- *ATSDR. 1988. (October 26). Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch.
- Aviado DM. 1977. Preclinical pharmacology and toxicology of halogenated solvents and propellants. Natl Inst Drug Abuse Res Monogr Ser 15:154-184.
- *Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment. A multimedia environmental study. Biomed Mass Spectrom 7:139-147.
- Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- *Belyaeva NN, Bonashevskaya TI, Marshak TL, et al. 1977. Study of the effect of some chlorinated hydrocarbons on the composition of rat liver hepatocyte populations.: Byull Eksp Biol Med 83:345-8.: (Russian)

8. REFERENCES

- *Bennett H, ed. 1981. Encyclopedia of Chemical Trademarks and Synonyms. Vol. I. New York, NY: Chemical Publishing Co., Inc., 210.
- *Bennett H, ed. 1982. Encyclopedia of Chemical Trademarks and Synonyms. Vol. II. New York, NY: Chemical Publishing Co., Inc., 211.
- *Bennett H, ed. 1983. Encyclopedia of Chemical Trademarks and Synonyms. Vol. 1. New York, NY: Chemical Publishing Co., Inc., 261.
- *Bonashevskaya TI, Belyaeva NN, Brodskii VY, et al. 1977. Polyploidy as a mechanism of compensation in the presence of chemical factors of the environment.: Gig Sanit 12:81-83. (Russian)
- *Bonashevskaya TI, Belyaeva NN, Tsulaya VR, et al. 1976. Structural and histochemical changes in the liver following exposure to some chlorinated hydrocarbons. Deposited Dot VINITI:3169-3176. (Russian)
- *Botta D., Castellani PL, Mantica E. 1984, Ground water pollution by organic solvents and their microbial degradation products. Anal Org Micropollut Water 261-275.
- *Boyd KW, Emory MB, Dillon HK. 1981. Development of personal sampling and analytical methods for organochlorine compounds. ACS Symp Ser 149:49-64.
- *Brodzinsky R, Singh HB. 1982. Volatile organic chemical in the atmosphere: An assessment of available data. Menlo Park, CA: Atmospheric Science Center, SRI International, Contract No. 68-02-3452, 198 p.
- *Bruckner JV, MacKenzie, WF, Ramanathan R, et al. 1989. Oral toxicity of 1,2-dichloropropane: Acute short-term and long-term studies in rats. Fund Appl Toxicol 12:713-730.
- *Cadena F, Eicemann GA, Vandiver VJ. 1984. Removal of volatile organic pollutants from rapid streams. J Water Pollut Control Fed 56:460-463.
- *Carere A, Morpurgo G. 1981. Comparison of the mutagenic activity of pesticides in vitro in various short-term assays. Prog Mutat Res 2:87-104.
- *Carpenter CP, Smyth HF, Pozzani UC. 1949, The assay of acute vapor toxicity and the grading and interpretation of results on 96 chemical compounds. J Ind Hyg Toxicol 31:343-346.
- *CAS. 1988. Chemical Abstract Service Registry. On-line. August 3, 1988.
- *CFR. 1982. Code of Federal Regulations (CFR). 40 CFR 261.33. July 1, 1982.

8. REFERENCES

- *Chiappino G, Secchi GC. 1968. Description of a case .of acute intoxication from accidental ingestion of 1,2-dichloropropane sold as Trilene.: Med Lavoro 59:334-341. (Italian)
- *Chiou CT, Peters LJ, Freed VH. 1979. A Physical concept of soil-water equilibria for nonionic organic compounds. Science 206:831-832.
- *Chiou CT, Freed VH, Peters LJ, et al. 1980. Evaporation of solutes from water. Environ Inter 3:231-236.
- *Cohen DB. 1986. Groundwater contamination by toxic substances. A California assessment. ACS Symp Ser 315(Eval Pestic Ground Water):499-529.
- *Cohen SZ, Creeger SM, Carsel RF, et al. 1984. Potential pesticide contamination of groundwater from agricultural uses. ACS Symp Ser 259:297-325.
- Cohen SZ, Creeger SM, Carsel RF, et al. 1984. Potential pesticide contamination of groundwater from agricultural uses. ACS Symp Ser 259:297-325.
- Cole RH, Frederich RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. J Water Poll Cont Fed 56:898-908.
- *Comba ME, Kaiser KL E. 1983. Determination of volatile contaminants at the ng.l-1 level in water by capillary gas chromatography with electron capture detection. Int J Environ Anal Chem 16:17-31.
- *Cox RD. 1983. Analytical collection and analytical techniques for volatile organics in air. Spec Conf Meas Monit Non-triter (Toxic) Contam Air 101-112.
- *Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood preliminary method development for volatile organics. Bull Environ Contam Toxicol 40:612-618.
- *Crebelli R, Conti G, Conti L, et al. 1984. Induction of somatic segregation by halogenated aliphatic hydrocarbons in Aspergillus nidulans. Mutat Res 138:33.
- *De Lorenzo F, Degl'Innocenti S, Ruocco A, et al. 1977. Mutagenicity of pesticides containing 1,3-dichloropropene. Cancer Res 37:1915-1917.
- *DeBortoli M, Knoeppel H, Pecchio E, et al. 1986. Concentrations of selected organic pollutants in indoor and outdoor air in northern Italy. Environ Int 12:343-350.

8. REFERENCES

- *Dillon HK. 1981. Development of Air Sampling and Analytical Methods for Toxic Chlorinated Organic Compounds. No. NTIS/PB81-171001, 18 p.
- *Dow Chem Co, 1982. Hepatotoxic potency of propylene dichloride vapors relative to their narcotic and lethal potencies in mice. Microfiche No. 206134 Dot No. 878210624.
- *Dow Chem Co. 1983. Letter summarizing the EPA/DOW Chemical Co. meeting regarding the manufacture of 1,2-dichloropropane. OTS Section 4 submission by Dow Chemical Co. Document No. 40-8367072. Microfiche No, OTS 0511731.
- *Drew RT, et al. 1978. Changes in serum enzymes in rats after inhalation of organic solvents singly and in combination. Toxicol Appl Pharmacol 45:809-819.
- *Driscoll JN, Duffy M, Pappas S, et al. 1987. Analysis for purgeable organics in water by capillary GC/PID-ELCD. J Chromatogr Sci 25:369-375.
- *Eklund G, Pedersen JR, Stromberg B. 1987. Formation of chlorinated organic compounds during combustion of propane in the presence of HCl. Chemosphere 16:161-166.
- *EPA. 1979. Acceptable common names and chemical names for the ingredient statement on pesticide labels. 4th ed. Washington, DC: Office of Pesticide Programs. EPA 540/9-77-017 86.
- EPA. 1980. Guidelines and Methodology Used in the Preparation of Health Effect Assessment Chapters of the Consent Decree Water Criteria Documents. U.S. Environmental Protection Agency. Federal Register 45:79347-79357.
- *EPA. 1982a. Test Methods. Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater. Purgeable Halocarbons, Method 601 and Purgeable, Method 624. Environmental Monitoring and Support Laboratory, EPA, Cincinnati, OH.
- *EPA. 1982b. Test Methods for Evaluating Solid Waste. Physical/Chemical Methods. SW-846. Method 5030. Office of Solid Waste and Emergency Response, EPA, Washington, DC.
- *EPA. 1982c. Code of Federal Regulations (CFR). 40CFR261.32, 261.33. July 1, 1982.
- *EPA. 1986a. Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. Physical and Chemical Methods Branch, Environmental Monitoring and Support Laboratory. U.S. EPA, Cincinnati, OH.

8. REFERENCES

- *EPA. 1986b. Test Methods for Evaluating Solid Waste. Volume 18: Laboratory Manual: Physical/Chemical Methods (SW-846) 3rd ed., Method 8010, Office of Solid Waste and Emergency Response, EPA, Washington, DC.
- *EPA. 1986c. Toxic substances; 1,2-dichloropropane; testing requirements. Final rule. Fed Reg 51:32079-32087.
- *EPA. 1986d. 40 CFR 117 and 302. Reportable Quantity Adjustments. p. 34548.
- *EPA. 1987a. Toxic air pollutant/source crosswalk- A screening toll for locating possible sources emitting toxic air pollutants. U.S. EPA Tech Report EPA-450/4-87-023A.
- *EPA. 1987b. Health Effects Assessment for 1,2-Dichloropropane. Prepared by the Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH, for the Office of Emergency and Remedial Response, Washington, DC. ECAO-CIN-H077.
- *EPA. 1987c. Economic Impact Analysis of Final Pharmacokinetics Test Rule for 1,2-Dichloropropane. Prepared under contract i/68-02-4273. Project Officer: Mark Dreyfus. August 10, 1987.
- *EPA 1987d. 40 CFR Parts 795 and 799. Testing Requirement; Final Test Standards and Reporting Requirements; 1,2-Dichloropropane. pp. 37138-37145. 10/5/87.
- *EPA. 1988a. Analysis of clean water act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR Parts 400-475. Draft. Prepared by the Industrial Technology Division (WH552), Office of Water Regulations and Standards, Office of Water, U.S. EPA, Washington, DC.
- EPA. 1988b. U.S. Environmental Protection Agency. PC Gems CLOGPS (Octanol/Water Partition Coefficient). Graphical Exposure Modeling Systems. Washington, DC: Office of Toxic Substances, U.S. EPA.
- *EPA. 1989. Comments of the Dow Chemical Company on ATSDR's Toxicology Profile for 1,2-Dichloride. Submitted to ATSDR May 1, 1989.
- *Exxon, 1982a. Acute dermal toxicity study in rabbits. Microfiche No. 206271 Dot No. 878211458.
- *Exxon. 1982b. Eye irritation study in rabbits. Microfiche No. 206271 Dot No. 878211459.
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. Bull Environ Contam Toxicol 34:246-255.

8. REFERENCES

- Fishbein L. 1979. Potential halogenated industrial carcinogenic and mutagenic chemicals. III. Alkane halides, alkanols and ethers. *Sci Total Environ* 11:223-257.
- *FSTRAC (Federal-State Toxicology and Regulatory Alliance Committee). 1988. Summary of State and Federal Drinking Water Standards and Guidelines. p. 12.
- *Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: evaluations of 108 chemicals. *Environ Mol Mutagen* 10:1-175.
- *Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: Proposal for the nine solvents. *Am Ind Hyg Assoc J* 48:786-790.
- *Gorzinski SJ, Johnson KA. 1989. Neurotoxicologic examination of Fischer 344 rats exposed to 1,2-dichloropropane (DCP) via gavage for 2 weeks. Dow Chemical Company, Mammalian and Environmental Research Laboratory, Midland, MI.
- *Grzywa Z, Rudzki E. 1981. Dermatitis from dichloropropane. *Cont Derma* 7:151-152.
- *Hanley TRJ, Kirk HD, Bond DM, et al. 1989. Propylene dichloride: Dominant lethal study in Sprague-Dawley rats. Dow Chemical Company, Mammalian and Environmental Toxicology Research Laboratory, Midland, MI.
- *Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Env Monit Assess* 2:249-272.
- *Hawley GG. 1981. *The Condensed Chemical Dictionary*. 10th ed. New York, NY: Van Nostrand Reinhold Company, 864.
- *Haworth S, Lawler T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mut* 5:3-142.
- *Heppel LA, Neal PA, Highman B, et al. 1946. Toxicology of 1,2-dichloropropane (propylene dichloride). *J Ind Hyg Toxicol* 28:1-18.
- *Heppel LA, Highman B, Peake EG. 1948. Toxicology of 1,2-dichloropropane (propylene dichloride) IV. Effects of repeated exposures to a low concentration of the vapor. *J Ind Hyg Toxicol* 30:189-191.
- *Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. *Anal Chem* 53:1541-1543.

8. REFERENCES

- *Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. *Anal Chem* 55:506-516.
- *Highman B, Heppel LA. 1946. Toxicology of 1,2-dichloropropane (propylene dichloride). III. Pathologic changes produced by a short series of daily exposures. *Arch Pathol* 42:525-534.
- *Hinnegan JA. 1981. Letter to Thomas P. Kulesza, City of Philadelphia Water Dept. October 2, 1981. Philadelphia, Pa: Rohm and Haas Delaware Valley Inc. TSCATS #OTS0511681.
- *Horvath AL. 1982. Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc., 889.
- *HSDB. 1988. Hazard Substances Data Bank. On-line: July 27, 1988.
- *Hutson DH, Moss JA, Pickering BA. 1971. Excretion and retention of components of the soil fumigant D-D and their metabolites in the rat. *Food Cosmet Toxicol* 9:677-680.
- *IARC. 1986. IARC Monograph on the Evaluation of Carcinogenic Risks to Humans: Some halogenated hydrocarbon and pesticide exposure 41:131-147.
- IARC. 1986a. IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans: some halogenated hydrocarbons and pesticide exposures. International Agency for Research on Cancer, 150 Cours Albert-Thmas, 69372 Lyon Cedex 2, France, 1986. Bibl Prix: SF.65.00. 41:443 p.
- *IARC. 1987. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs 1-42:62.
- *Jones AR, Gibson J. 1980. 1,2-Dichloropropane: Metabolism and fate in the rat. *Xenobiotica* 10:835-846.
- *Kaiser KLE, Comba ME, Huneault H. 1983. Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *J Great Lakes Res* 9:212-223.
- *Kawasaki M. 1980. Experiences with the test scheme under the chemical control law of Japan: an approach to structure-activity correlations. *Ecotoxic Environ Safety* 4:444-454.
- *Kincannon DF, Weinert A, Padorr R, et al. 1983. Predicting treatability of multiple organic priority pollutant waste water from single-pollutant treatability studies. In: Bell JM ed. Proc 37th Industrial Waste Conf. Ann Arbor, MI: Ann Arbor Science Pub., 641-650.

8. REFERENCES

- *King L, Sherbin G. 1986. Point sources off toxic organics to the upper St. Clair River. Water Pollut Res J Canada 21:433-446.
- *Kirk HD, Hanley TRJ, Johnson KA, et al. 1989. Propylene dichloride: Oral teratology study in Sprague-Dawley rats. Dow Chemical Company, Mammalian and Environmental Toxicology Research Laboratory, Midland, MI.
- *Kodak. 1982. Toxicity and health hazard summary: 1,2-dichloropropane. Microfiche No. OTS 0206545 Dot No. 878214395.
- *Larcan A, Lambert H, Laprevote MC, et al. 1977. Acute poisoning induced by dichloropropane. ACTA Pharmacol Toxicol 41:330.
- *Ligocki MP, Leuenberger C, Pankow JF. 1985. Trace organic compounds in Rain-II. Gas scavenging of neutral organic compounds. Atmos Environ 19:1609-1617.
- *Linnett SL, Clark DG, Blair D, et al. 1988. Effects of subchronic inhalation of D-D (2,3-dichloropropene/1,2-dichloropropane) on reproduction in male and female rats. Fundam Appl Toxicol 10:214-223.
- *Lopez-Avila V, Heath N, Hu A. 1987. Determination of purgeable halocarbons and aromatics by photoionization and Hall electrolytic conductivity detectors connected in series. J Chromatogr 25:356-363.
- *Lucas SV. 1984. GC/MS Analysis of Organics in drinking water concentrates and advanced water treatment concentrates. EPA-600/1-84-0208. (NTIS PB85128221) Columbus, OH: Columbus Labs Health Effects Research Labs.
- *Lyman WH, Reehl WF, Rosenblatt DH. 1982. Handbook of Chemical Property Estimation Methods. New York, NY: McGraw-Hill Book Co., 15-1 to 15-34.
- *Mackay D, Yeun ATK. 1983. Mass transfer coefficient correlations for volatilization of organic solutes from water. Environ Sci Technol 17:211-217.
- *MAORS. 1989. Massachusetts drinking water standards and guidelines. Boston, MA: Office of Research and Standards.
- *Meister RT. 1987. Farm chemicals handbook '87. Willoughby, OH: Meister Publishing Co.
- *Mitre Corp. 1987. National priority list technical database. McLean, VA: The Mitre Corp.
- *Mosesman NH, Sidisky LM, Corman SD. 1987. Factors influencing capillary analysis of volatile pollutants. J Chromatogr Sci 25:351-355.

8. REFERENCES

- *Nater JP, Gooskens VHJ. 1976. Occupational dermatosis due to a soil fumigant. Contact Dermatitis 2:227-229.
- *NATICH (National Air Toxics Information Clearinghouse). 1987. Report on State, Local and EPA Air Toxics Activities. p. 74.
- *NIOSH. 1984. NIOSH Manual of Analytical Methods. DHHS (NIOSH) Publication No. 84-100, 3rd ed. Method No. 1013, U.S. Department of Health and Human Services, Centers for Disease Control, Cincinnati, OH.
- NIOSH. 1988. National Occupational Exposure Survey (NOES). Division of Surveillance, Hazard Evaluation, and Field Studies, Cincinnati, OH.
- *Nitschke KD, Johnson KA. 1983. Propylene dichloride: One day and two week inhalation toxicity in rats, mice, and rabbits. Dow Chemical Company, Midland, MI.
- *Nitschke KD, Johnson, KA, Wackerle DL, et al. 1988. Propylene dichloride: A 13-week inhalation toxicity study with rats, mice, and rabbits. Dow Chemical Company, Mammalian and Environmental Toxicology Research Laboratory, Midland, MI.
- *NTP (National Toxicology Program). 1986. Toxicology and carcinogenesis studies of 1,2-dichloropropane (propylene dichloride) in F344/N rats and B6C3F1 mice (gavage studies). Technical Report-No. 263.
- *Ohio River Valley Water Sanit Comm. 1979. Water treatment process modifications for trihalomethane control and organic substance sin the Ohio River. U.S. EPA Grant R-804615, Cincinnati, OH: Ohio River Valley Water Sanitation Commission.
- *Ohio River Valley Water Sanit Comm. 1980. Assessment of water quality conditions. Ohio River Mainstem 1978-1979. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.
- *Ohio River Valley Water Sanit Comm. 1982. Assessment of water quality conditions. Ohio River Mainstem 1980-1981. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.
- *OHM-TADS. 1988. Oil and Hazardous Materials/Technical Assistance Data System. On-line: 8/8/88.
- *OSHA (Occupational Safety and Health Administration). 1989. Occupational Standards. Permissible Exposure Limits 29 CFR 1910.1000. p. 2950.
- *Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. Intern J Environ Anal Chem 31:41-53.

8. REFERENCES

- *Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with shole column cryotrapping. *Environ Sci Technol* 22:393-405.
- *Parker CM, Coate WB, Voelker RW. 1982. Subchronic inhalation toxicity of 1,3-dichloropropane/1,2-dichloropropane (D-D) in mice and rats. *J Toxicol Environ Health* 9:899-910.
- *Parrish CF. 1983. Solvents Industrial. Kirk-Othmer Encyclopedia of Chemical Technology 3rd ed. p. 395. Grayson M, Ed. John Wiley and Sons, NY.
- *Pellizzarri ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.
- *Perbellini L, Zedde A, Schiavon R, et al. 1985. Disseminated intravascular coagulation (DIC) caused by 1,2-dichloropropane (commercial trielin). *Med Lav* 76:412-417.
- *Perocco P, Bolognesi S, Alberghini W. 1983. Toxic activity of seventeen industrial solvents and halogenated compounds on human lymphocytes cultured in vitro. *Toxicol Let* 16:69-75.
- *Piet GJ, Morra CF. 1979. Behaviour of micropollutants in river water during bank filtration. Kuehn IW, Sontheimer H, eds. Oxidation techniques in drinking water treatment. EPA-570/9-79-020, NTIS no. PB-301313.
- *Pozzani U.C., Weil CS, Carpenter CP. 1959. The toxicological basis of Threshold Limit Values: V. The experimental inhalation of vapor mixtures by rats, with notes upon the relationship between single dose inhalation and single dose oral data. *Ind Hyg J*, 364-369.
- *Pozzi C, Marai P, Ponti R, et al. 1985. Toxicity in man due to stain removers containing 1,2-dichloropropane. *Br J Ind Med* 42:770-772.
- *Principe P, Dogliotti E, Bignami M, et al. 1981. Mutagenicity of chemicals of industrial and agricultural relevance in salmonella, streptomyces and aspergillus. *J Sci Food Agr* 32:826-832.
- *Rasmussen RA, Rasmussen LE, Khalil MAK, et al. 1980. Concentration distribution of methyl chloride in the atmosphere. *J Geophys Res* 85:7350-7356.
- *Reinert KH, Hunter JV, Sabatino T. 1983. Dynamic heated headspace analyses of volatile organic compounds present in fish tissue samples. *J Agric Food Chem* 31:1057-1069.

8. REFERENCES

- *Riddick JA, Bunger WB, Sakano TK. 1986. Organic solvents. Physical properties and methods of purification. 4th ed. New York, NY: John Wiley and Sons, 449-450.
- *Roberts TR, Stoydin G. 1976. The degradation of (Z)- and (E)-1,3-dichloropropenes and 1,2-dichloropropane in soil. Pestic Sci 7:325-335.
- *Rohm and Haas. 1989. Personal communication from George Bochanski, Rohm and Haas, Philadelphia, PA, to Dr. Gloria Sage, Syracuse Research Corporation, July 7, 1989.
- *RTECS. 1988. Registry of Toxic Effects of Chemical Substances. NIOSH. On-line: 8/5/88.
- *Rubin DF. 1988. Occupational health implications of a toxic spill of propylene dichloride. West J Med 148:78-79.
- *Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. Waste Manag Res 2:119-130.
- *SANSS (Structure and Nomenclature Search System). 1988. Computer Information System (CIS). Computer data base, on-line: August 29, 1988.
- Santodonato J, Bosch S, Meylan W, et al. 1985. Monograph on human exposure to chemicals in the workplace: 1,2-Dichloropropane. Center for Chemical Hazard Assessment, Syracuse Research Corporation, Syracuse, NY, Report No. SRC TR 84-972. 30 pages.
- *Sate A, Nakajima T. 1979. A structure-activity relationship of some chlorinated hydrocarbons. Arch Environ Health 34:69-75.
- *Sawhney BL, Pignatello JJ, Steinberg SM. 1988. Determination of 1,2-dibromoethane (EDB) in field soils: J Environ Qual 17:149-152.
- *Secchi GC, Alessio L. 1968. On the appearance of the mitochondrial isoenzyme of glutamic-oxaloacetic transaminase in the serum of patients with acute toxic hepatopathy due to 1,2-dichloropropane and 1,2-dichloroethane. Med Lav 59:649-653.
- *Secchi GC, Alessio L. 1971. Enzymological study of acute liver disease due to the ingestion of commercial chlorinated organic solvents. Epatologia 17:279-289.
- *Shackelford WM, Cline DM, Faas L, et al. 1983. An evaluation of automated spectrum matching for survey identification of wastewater components by gas chromatography-mass spectrometry. Analyt Chem Acta 146:15027. (supplemental data)

8. REFERENCES

- *Shah JJ, Heyerdahl EK. 1988. EPA-600-3-88-010. National Ambient Volatile organic compounds (VOCs) Data Base Update. Research Triangle Park: U.S. EPA, Atmospheric Science Research Laboratory.
- *Shell Oil Co. 1982. Toxicology of fine chemicals: The acute oral and percutaneous toxicity, skin and eye irritancy and skin sensitizing potential of 1,2-dichloropropane (light ends). Document #878212009. Fiche i/205965.
- *Shell Oil Co. 1983. Genotoxicity studies with 1,2-dichloropropane. Document i/878213830. Fiche f/206322.
- *Shell Oil Co. 1984. 1,2-dichloropropane: An assessment of ready biodegradability with cover letter dated 10/30/86. TSCATS OTS0513371.
- *Shikiya J, Tsou G, Kowalski J, et al. 1984. Ambient monitoring of selected halogenated hydrocarbons and benzene in the California south coast air basin. Proc -APCA Annu Meet Vol 77th: Vol 1,84-1.1: 21.
- *Sidorenko GI, Tsulaya VR, Korenevskaya EI, et al. 1976. Methodological approaches to the study of the combined effect of atmospheric pollutants as illustrated by chlorinated hydrocarbons. Environ Health Perspect 13:111-116.
- *Sidorenko GI, Tsulaya VR, Bonashevskaya TI, et al. 1979. Study of the combined action of a group of chlorine derivatives of hydrocarbons entering the organism by inhalation. Environ Health Perspect 30:13-18.
- *Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air, Environ Science Tech 16:872-880.
- *Smyth HF, Carpenter CP, Weil CS, et al. 1962. Range-finding toxicity data. List VI. Arch Environ Health 23:95-107.
- *Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data. List VII. Am Ind Hyg Assoc 30:470-476.
- *SRI. 1988. Directory of Chemical Producers: United States of America. 921.
- *Stolzenberg SJ, Hine CH. 1980. Mutagenicity of 2- and 3-carbon halogenated compounds in the salmonella/mammalian-microsome test. Environ Mutagen 2:59-66.
- *STORET. 1988. STORET data base. U.S. Environmental Protection Agency, Washington, DC.
- *Strusevich EA, Ekshtat BYA. 1973. Investigation of pancreatic function in sanitary-toxicologic experiments. Gig Sanit 38:73-75.

8. REFERENCES

- *Suffolk County. 1983a. Letter from Martin Trent, Sanitation Drinking Water Section, County of Suffolk to Craig McCormack, Bethesda, MD. April 14, 1983. OTS Fiche no. 0511732.
- *Suffolk County. 1983b. Report on the occurrence and movement of agricultural chemicals in groundwater: South Fork of Suffolk County. Unpublished study submitted to OTS by Suffolk County Dept Health Ser under TSCA Section 4. Dot no. 40-8367029. Microfiche no. OTS 0511674.
- *Sullivan DA, Jones AD, Williams JG. 1985. Results of the U.S. Environmental Protection Agency's Air Toxic's Analysis in Philadelphia. Proc -APCA Annu Meet 78th (Vol 2), 85-17.5:15.
- *Tennant RW, Margolin BH, Shelby MD, et al. 1987. Prediction of chemical carcinogenicity in rodents from in vitro genetic toxicity assays. Science 236:933-941.
- *Thorel JM, Bercoff E, Massari P, et al. 1986. Toxicity of 1,2-dichloropropane. A case with portal hypertension. J Toxicol Clin Exp 6:247-252.
- *Timchalk C, Bartels MJ, Dryzga, MD, et al. 1989. Propylene dichloride: Pharmacokinetics and metabolism in Fischer 344 rats following oral and inhalation exposure. Dow Chemical Company, Midland, MI.
- *Trevisan A, Possobon L, Rizzi E, et al. 1988. Behaviour of mercapturic acid excretion in the rat after injection with 1,2-dichloropropane. Med Lav 79:69-69.
- *Tsulaya VR, Bonashevskaya TI, Shaipak VM, et al. 1979. Combined effects of some chlorinated hydrocarbons on the body. Gig Sanit 48:20-22.
- *USITC. 1987. Synthetic Organic Chemicals: United States Production and Sales, 1986. USITC Pub 2009. 233; 238.
- *Van Dijk H. 1980. Dissipation rates in soil of 1,2-dichloropropane and 1,3- and 1,2-dichloropropene. Pest Sci 11:625-32.
- *Van Dyke RA, Wineman CG. 1971. Enzymatic Dechlorination: Dechlorination of chloroethanes and propanes in vitro. Biochem Pharmacol 20:463-470.
- Vandenbergh PA, Kunka BS. 1988. Metabolism of volatile chlorinated aliphatic hydrocarbons by Pseudomonas fluorescens. Appl Environ Microbiol 54:2578-9.
- *Versar, Inc. Exposure assessment for test rules development for 1,2-dichloropropane. Washington, DC: U.S. EPA, Office of Toxic Substances. Contract 68-02-3968.

8. REFERENCES

- *Viar and Company. 1987. Contract Laboratory Statistical Data Base. April 13, 1987. output .
- *Vogt WG, Montague LY, Carrico PJ, et al. 1987. Proceedings of U.S. EPA Symposium on Solid Waste Testing and Quality Assurance and Testing. Washington, DC: July 13-17, 1987.
- *von der Hude W, Scheutwinkel M, Gramlich U, et al. 1987. Genotoxicity of three-carbon compounds evaluated in the SCE test in vitro. Environ Mutagen 9:401-410.
- *Wallace L, Zweidinger R, Erickson M, et al. 1982. Monitoring individual exposure. Measurements of volatile organic compounds in breathing-zone air, drinking water, and exhaled breath. Environ Int 8:269-282.
- Weston RF. 1980. Characterization and fate of the discharge of priority pollutants from the Rohm and Haas Philadelphia Plant in the Delaware. WO 0053-14-01. West Chester, PA: Weston RF, Inc. TSCATS 205979.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. J Am Water Works Assoc 76:52-59.
- *Wirier AM, Atkinson R, Pitts JN Jr. 1984. Gaseous nitrate radical: Possible nighttime atmospheric sink for biogenic organic compounds. Science 224:156-g.
- *Woodruff RC, Mason JM, Valencia R, et al. 1985. Chemical mutagenesis testing in Drosophila. V. Results of 53 coded compounds tested for the national toxicology program. Environ Mutagen 7:677-702.
- Wright WH, Schaffer JM. 1932. Critical anthelmintic tests of chlorinated alkyl hydrocarbons and a correlation between the anthelmintic efficacy, chemical structure and physical properties. Am J Hyg 16:325-428.
- *Zaki MH. 1986. Groundwater contamination with synthetic organic compounds and pesticides in Suffolk County. Northeast Environ Sci 5: 5-22.
- *Zedda S, Sala C, Pozzi C, et al. n.d. Human acute poisoning due to 1,2-dichloropropane. Servizio di Medicina del Lavoro, Italy, 13 p,
- *Zeiger E. 1987. Carcinogenicity of mutagens: predictive capability of the Salmonella mutagenesis assay for rodent carcinogenicity. Cancer Res 47:1287-1296.