VITAL STATISTICS OF THE UNITED STATES

1986

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
CENTERS FOR DISEASE CONTROL
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1988

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*
PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GEORGE A. SCHNACK, *Associate Director for Data Processing and Services*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
SANDRA S. SMITH, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1986*, Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 88-1114. Public Health Service, Washington. U.S. Government Printing Office, 1988.

DHHS Publication No. (PHS) 88-1114

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1986

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1986.* Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1986. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	170	196	485	490	528
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29
Geographic area:													
Guam	1	2	3			6	7	8		[1]10	11	12	13
Puerto Rico	1	2		4			7	8	[1]9		11	12	13
Municipios									[1]9				
Virgin Islands	1	2	3		5		7	8		[1]10	11	12	13
Islands										[1]10			
Specified urban place										[1]10			
Years:													
1940–86	1												
1986 only		2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:													
Death rates	1												
Number of deaths	1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths									9	10			
Number of infant deaths			3	4	5	6			9	10	11	12	13
Number of neonatal deaths									9	10	11	12	13
Number of postneonatal deaths													13
Characteristics:													
Age:													
10-year age groups			3	4	5	6							
Detailed age groups (under 1 day–11 months)												12	
Cause of death:													
61 selected causes of infant mortality													13
72 selected causes				4	5	6							
Motor vehicle accidents							7						
Nontransport accidents								8					
Person injured							7						
Month		2									11		
Place of accident								8					
Race[2]		2	3		5	6	7	8		10	11	12	13
Sex		2	3	4	5	6	7	8				12	

[1]Deaths by place of occurrence and place of residence.
[2]Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1986	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1986	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1986	100
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States: 1986	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1986	170
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1986	196
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1986	485
8–8.	Deaths from 72 selected causes for standard metropolitan statistical areas of the United States: 1986	490
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1986	528

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	2,108,384	2,105,361	38,891	25,212	28,972
White	1,833,717	1,831,083	26,564	17,256	20,146
All other	274,667	274,278	12,327	7,956	8,826
Black	250,445	250,326	11,204	7,297	7,856
Alabama	37,597	37,718	790	541	668
White	27,481	27,561	378	265	338
All other	10,116	10,157	412	276	330
Black	10,084	10,131	408	272	330
Autauga	191	281	10	10	7
White	142	205	3	3	5
All other	49	76	7	7	2
Black	49	76	7	7	2
Prattville, part	---	142	5	5	2
White	---	113	-	-	1
All other	---	29	5	5	1
Black	---	29	5	5	1
Prattville, total	---	143	5	5	2
White	---	114	-	-	1
All other	---	29	5	5	1
Black	---	29	5	5	1
Balance of county	---	139	5	5	5
White	---	92	3	3	4
All other	---	47	2	2	1
Black	---	47	2	2	1
Baldwin	796	864	17	11	13
White	682	750	12	8	9
All other	114	114	5	3	4
Black	114	114	5	3	4
Barbour	204	247	3	2	8
White	110	142	1	1	1
All other	94	105	2	1	7
Black	94	105	2	1	7
Eufaula	---	124	2	2	3
White	---	81	1	1	1
All other	---	43	1	1	2
Black	---	43	1	1	2
Balance of county	---	123	1	-	5
White	---	61	-	-	-
All other	---	62	1	-	5
Black	---	62	1	-	5
Bibb	111	163	1	1	3
White	89	132	1	1	2
All other	22	31	-	-	1
Black	22	31	-	-	1
Blount	205	319	6	6	3
Bullock	82	146	5	2	4
White	25	38	1	1	2
All other	57	108	4	1	2
Black	57	108	4	1	2
Butler	242	259	9	4	8
White	164	168	1	-	3
All other	78	91	8	4	5
Black	78	91	8	4	5
Calhoun	1,016	1,106	26	18	18
White	839	913	19	13	7
All other	177	193	7	5	11
Black	177	193	7	5	11
Anniston	---	461	13	8	12
White	---	325	7	4	4
All other	---	136	6	4	8
Black	---	136	6	4	8
Balance of county	---	645	13	10	6
White	---	588	12	9	3
All other	---	57	1	1	3
Black	---	57	1	1	3
Chambers	383	441	12	8	14
White	268	315	5	4	3
All other	115	126	7	4	11
Black	115	126	7	4	11
Cherokee	173	230	3	2	1
Chilton	218	348	4	2	3
White	186	303	4	2	3
All other	32	45	-	-	-
Black	32	45	-	-	-
Choctaw	89	179	6	2	3
White	51	89	-	-	2
All other	48	90	6	2	1
Black	48	90	6	2	1
Clarke	241	274	7	5	8
White	134	150	3	2	2
All other	107	124	4	3	6
Black	107	124	4	3	6
Clay	137	159	2	1	2
White	115	137	1	1	2
All other	22	22	1	-	-
Black	22	22	1	-	-
Alabama-Con.					
Cleburne	76	134	1	1	1
Coffee	264	361	6	2	2
White	208	281	3	1	2
All other	56	80	3	1	-
Black	56	79	3	1	-
Enterprise, part	---	154	2	1	2
White	---	108	2	1	2
All other	---	46	-	-	-
Black	---	45	-	-	-
Enterprise, total	---	155	2	1	2
White	---	109	2	1	2
All other	---	46	-	-	-
Black	---	45	-	-	-
Balance of county	---	207	4	1	-
White	---	173	1	-	-
All other	---	34	3	1	-
Black	---	34	3	1	-
Colbert	489	517	7	5	4
White	398	425	3	3	3
All other	91	92	4	2	1
Black	91	91	4	2	1
Sheffield	---	141	3	2	2
White	---	108	-	-	1
All other	---	33	3	2	1
Black	---	33	3	2	1
Balance of county	---	376	4	3	2
White	---	317	3	3	2
All other	---	59	1	-	-
Black	---	58	1	-	-
Conecuh	102	181	-	-	3
White	53	103	-	-	1
All other	49	78	-	-	2
Black	49	78	-	-	2
Coosa	49	106	3	2	3
White	33	67	-	-	-
All other	16	39	3	2	3
Black	16	39	3	2	3
Covington	364	432	3	1	5
White	321	388	3	1	2
All other	43	44	-	-	3
Black	43	44	-	-	3
Andalusia	---	111	1	-	2
White	---	89	1	-	-
All other	---	22	-	-	2
Black	---	22	-	-	2
Balance of county	---	321	2	1	3
White	---	299	2	1	2
All other	---	22	-	-	1
Black	---	22	-	-	1
Crenshaw	127	174	2	1	3
White	94	132	2	1	-
All other	33	42	-	-	3
Black	32	42	-	-	3
Cullman	540	606	11	9	6
Cullman	---	155	-	-	3
Balance of county	---	451	11	9	3
Dale	268	346	9	6	6
White	232	294	4	2	2
All other	36	52	5	4	4
Black	35	52	5	4	4
Dothan, part	---	-	-	-	-
Enterprise, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	141	1	1	2
White	---	109	1	1	1
All other	---	32	-	-	1
Black	---	32	-	-	1
Balance of county	---	204	8	5	4
White	---	184	3	1	1
All other	---	20	5	4	3
Black	---	20	5	4	3
Dallas	552	523	17	10	16
White	256	235	3	1	2
All other	296	288	14	9	14
Black	296	288	14	9	14
Selma	---	338	10	8	8
White	---	156	2	1	2
All other	---	182	8	7	6
Black	---	182	8	7	6
Balance of county	---	185	7	2	8
White	---	79	1	-	-
All other	---	106	6	2	8
Black	---	106	6	2	8
De Kalb	443	570	10	6	6
Fort Payne	---	144	4	3	2
Balance of county	---	426	6	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Elmore	326	400	5	2	8
White	246	311	3	2	4
All other	80	89	2	–	4
Black	80	89	2	–	4
Prattville, part	– – –	1	–	–	–
White	– – –	1	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	399	5	2	8
White	– – –	310	3	2	4
All other	– – –	89	2	–	4
Black	– – –	89	2	–	4
Escambia	382	379	3	1	7
White	263	261	1	–	5
All other	119	118	2	1	2
Black	116	115	2	1	2
Etowah	1,079	1,086	14	10	12
White	933	936	9	6	8
All other	146	150	5	4	4
Black	146	150	5	4	4
Gadsden	– – –	658	6	5	5
White	– – –	529	2	2	2
All other	– – –	129	4	3	3
Black	– – –	129	4	3	3
Balance of county	– – –	428	8	5	7
Fayette	105	169	2	2	4
White	93	148	–	–	2
All other	12	21	2	2	2
Black	12	21	2	2	2
Franklin	283	333	5	2	8
Geneva	139	263	2	1	4
White	122	235	1	1	2
All other	17	28	1	–	2
Black	17	28	1	–	2
Greene	93	118	1	–	1
White	23	29	–	–	–
All other	70	89	1	–	1
Black	70	89	1	–	1
Hale	108	181	5	2	4
White	41	78	2	2	–
All other	67	103	3	–	4
Black	67	103	3	–	4
Henry	104	179	2	2	1
White	62	119	–	–	–
All other	42	60	2	2	1
Black	42	60	2	2	1
Houston	1,016	675	16	13	9
White	807	514	9	7	5
All other	209	161	7	6	4
Black	208	160	6	5	4
Dothan, part	– – –	450	13	11	7
White	– – –	324	6	5	4
All other	– – –	126	7	6	3
Black	– – –	125	6	5	3
Dothan, total	– – –	450	13	11	7
White	– – –	324	6	5	4
All other	– – –	126	7	6	3
Black	– – –	125	6	5	3
Balance of county	– – –	225	3	2	2
White	– – –	190	3	2	1
All other	– – –	35	–	–	1
Black	– – –	35	–	–	1
Jackson	367	460	2	1	11
Scottsboro	– – –	127	–	–	5
Balance of county	– – –	333	2	1	6
Jefferson	8,941	6,927	129	91	120
White	6,034	4,376	49	36	46
All other	2,907	2,551	80	55	74
Black	2,902	2,550	80	55	74
Bessemer	– – –	515	9	4	7
White	– – –	247	1	–	–
All other	– – –	268	8	4	7
Black	– – –	268	8	4	7
Birmingham	– – –	3,503	82	58	70
White	– – –	1,658	20	13	14
All other	– – –	1,845	62	45	56
Black	– – –	1,844	62	45	56
Fairfield	– – –	169	–	–	4
White	– – –	81	–	–	–
All other	– – –	88	–	–	4
Black	– – –	88	–	–	4
Homewood	– – –	182	–	–	3
Hoover, part	– – –	113	–	–	1
Hoover, total	– – –	117	1	–	1
Hueytown	– – –	141	2	1	–
Mountain Brook	– – –	149	–	–	–
Vestavia Hills	– – –	149	1	1	3
Balance of county	– – –	2,007	35	27	32
White	– – –	1,691	26	21	27
All other	– – –	316	9	6	5
Black	– – –	316	9	6	5
Lamar	126	181	4	3	5
White	107	155	2	1	1
All other	19	26	2	2	4
Black	19	26	2	2	4
Lauderdale	703	670	9	4	11
White	635	589	7	4	8
All other	68	81	2	–	3
Black	68	81	2	–	3
Florence	– – –	376	5	2	5
White	– – –	304	3	2	3
All other	– – –	72	2	–	2
Black	– – –	72	2	–	2
Balance of county	– – –	294	4	2	6
Lawrence	209	277	4	4	4
White	170	226	3	3	3
All other	39	51	1	1	1
Black	39	51	1	1	1
Lee	533	520	16	12	14
White	325	323	5	4	7
All other	208	197	11	8	7
Black	208	197	11	8	7
Auburn	– – –	125	5	4	–
White	– – –	71	–	–	–
All other	– – –	54	5	4	–
Black	– – –	54	5	4	–
Opelika	– – –	213	4	3	8
White	– – –	132	–	–	2
All other	– – –	81	4	3	6
Black	– – –	81	4	3	6
Phenix City, part	– – –	1	–	–	–
Balance of county	– – –	181	7	5	6
White	– – –	119	5	4	5
All other	– – –	62	2	1	1
Black	– – –	62	2	1	1
Limestone	317	421	8	8	4
White	277	364	5	5	4
All other	40	57	3	3	–
Black	40	57	3	3	–
Athens	– – –	163	5	5	2
White	– – –	135	2	2	2
All other	– – –	28	3	3	–
Black	– – –	28	3	3	–
Balance of county	– – –	258	3	3	2
White	– – –	229	3	3	2
All other	– – –	29	–	–	–
Black	– – –	29	–	–	–
Lowndes	48	116	3	3	4
White	13	30	–	–	–
All other	35	86	3	3	4
Black	35	86	3	3	4
Macon	422	289	5	3	3
White	149	57	2	2	–
All other	273	232	3	1	3
Black	273	232	3	1	3
Tuskegee	– – –	118	2	1	1
White	– – –	5	–	–	–
All other	– – –	113	2	1	1
Black	– – –	113	2	1	1
Balance of county	– – –	171	3	2	2
White	– – –	52	2	2	–
All other	– – –	119	1	–	2
Black	– – –	119	1	–	2
Madison	1,794	1,463	38	25	33
White	1,535	1,222	23	15	20
All other	259	241	15	10	13
Black	256	239	15	10	13
Huntsville	– – –	1,091	32	22	23
White	– – –	903	19	12	10
All other	– – –	188	13	10	13
Black	– – –	188	13	10	13
Balance of county	– – –	372	6	3	10
White	– – –	319	4	3	10
All other	– – –	53	2	–	–
Black	– – –	51	2	–	–
Marengo	177	254	8	4	6
White	80	122	–	–	2
All other	97	132	8	4	4
Black	97	132	8	4	4
Marion	271	326	4	2	3
Marshall	608	701	8	6	17
Albertville	– – –	120	–	–	6
Balance of county	– – –	581	8	6	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Mobile	3,572	3,333	93	73	57
White	2,353	2,185	35	27	31
All other	1,219	1,148	58	46	26
Black	1,206	1,139	57	45	26
Mobile	---	2,077	56	43	34
White	---	1,325	16	11	16
All other	---	752	40	32	18
Black	---	747	39	31	18
Prichard	---	374	15	11	4
White	---	102	2	1	-
All other	---	272	13	10	4
Black	---	272	13	10	4
Balance of county	---	882	22	19	19
White	---	758	17	15	15
All other	---	124	5	4	4
Black	---	120	5	4	4
Monroe	179	221	9	5	10
White	108	131	6	4	6
All other	71	90	3	1	4
Black	71	90	3	1	4
Montgomery	2,329	1,789	56	35	40
White	1,412	1,057	16	8	15
All other	917	732	40	27	25
Black	916	731	39	26	25
Montgomery	---	1,613	53	34	36
White	---	957	15	8	14
All other	---	656	38	26	22
Black	---	655	37	25	22
Balance of county	---	176	3	1	4
White	---	100	1	-	1
All other	---	76	2	1	3
Black	---	76	2	1	3
Morgan	725	820	12	9	7
White	649	735	7	6	6
All other	76	85	5	3	1
Black	76	85	5	3	1
Decatur	---	369	3	3	3
White	---	306	1	1	2
All other	---	63	2	2	1
Black	---	63	2	2	1
Balance of county	---	451	9	6	4
Perry	100	150	4	2	5
White	35	49	-	-	-
All other	65	101	4	2	5
Black	65	101	4	2	5
Pickens	180	269	8	8	7
White	99	162	4	4	2
All other	81	107	4	4	5
Black	81	107	4	4	5
Pike	216	261	7	4	2
White	148	173	3	2	1
All other	68	88	4	2	1
Black	67	87	4	2	1
Troy	---	112	4	1	1
White	---	67	1	-	1
All other	---	45	3	1	-
Black	---	45	3	1	-
Balance of county	---	149	3	3	1
White	---	106	2	2	-
All other	---	43	1	1	1
Black	---	42	1	1	1
Randolph	194	263	4	3	4
White	146	213	3	2	3
All other	48	50	1	1	1
Black	48	50	1	1	1
Russell	442	503	15	10	12
White	253	291	8	5	5
All other	189	212	7	5	7
Black	188	212	7	5	7
Phenix City, part	---	327	11	7	9
White	---	197	5	3	4
All other	---	130	6	4	5
Black	---	130	6	4	5
Phenix City, total	---	328	11	7	9
White	---	198	5	3	4
All other	---	130	6	4	5
Black	---	130	6	4	5
Balance of county	---	176	4	3	3
White	---	94	3	2	1
All other	---	82	1	1	2
Black	---	82	1	1	2
St. Clair	274	415	1	-	10
White	239	367	1	-	7
All other	35	48	-	-	3
Black	35	48	-	-	3
Shelby	395	569	21	17	11
White	347	496	18	14	9
All other	48	73	3	3	2
Black	48	71	2	2	2
Hoover, part	---	4	1	-	-
Balance of county	---	565	20	17	11
White	---	492	17	14	9
All other	---	73	3	3	2
Black	---	71	2	2	2
Sumter	116	163	5	3	5
White	35	51	2	1	-
All other	81	112	3	2	5
Black	81	112	3	2	5
Talladega	570	701	10	7	14
White	400	500	5	2	5
All other	170	201	5	5	9
Black	170	201	5	5	9
Sylacauga	---	172	1	1	2
White	---	125	-	-	1
All other	---	47	1	1	1
Black	---	47	1	1	1
Talladega	---	211	2	1	6
White	---	147	1	-	3
All other	---	64	1	1	3
Black	---	64	1	1	3
Balance of county	---	318	7	5	6
White	---	228	4	2	1
All other	---	90	3	3	5
Black	---	90	3	3	5
Tallapoosa	376	457	9	7	4
White	279	346	6	4	2
All other	97	111	3	3	2
Black	97	111	3	3	2
Alexander City	---	178	2	2	3
White	---	127	1	1	2
All other	---	51	1	1	1
Black	---	51	1	1	1
Balance of county	---	279	7	5	1
White	---	219	5	3	-
All other	---	60	2	2	1
Black	---	60	2	2	1
Tuscaloosa	1,443	1,159	38	27	17
White	993	812	16	12	6
All other	450	347	22	15	11
Black	450	347	22	15	11
Northport	---	161	9	7	2
White	---	116	3	2	2
All other	---	45	6	5	-
Black	---	45	6	5	-
Tuscaloosa	---	641	18	12	11
White	---	406	5	5	1
All other	---	235	13	7	10
Black	---	235	13	7	10
Balance of county	---	357	11	8	4
White	---	290	8	5	3
All other	---	67	3	3	1
Black	---	67	3	3	1
Walker	590	755	11	8	9
Jasper	---	141	4	4	1
White	---	118	1	1	1
All other	---	23	3	3	-
Black	---	23	3	3	-
Balance of county	---	614	7	4	8
Washington	70	150	3	2	1
White	41	98	3	2	-
All other	29	52	-	-	1
Black	28	49	-	-	1
Wilcox	105	162	9	1	5
White	35	54	1	-	1
All other	70	108	8	1	4
Black	70	108	8	1	4
Winston	198	224	2	2	5
Alaska [1]	2,113	2,090	131	76	92
White	1,532	1,501	85	50	50
All other	581	589	46	26	42
Black	52	53	7	2	6
Aleutian Islands	28	22	-	-	2
White	13	7	-	-	1
All other	15	15	-	-	1
Black	2	1	-	-	-
Anchorage, coext. with Anchorage city	885	729	48	29	32
White	692	607	38	21	18
All other	193	122	10	8	14
Black	31	31	4	2	5
Bethel	59	57	4	1	4
White	9	7	-	-	-
All other	50	50	4	1	4
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Bristol Bay borough	3	2	–	–	–
White	2	1	–	–	–
All other	1	1	–	–	–
Black	–	–	–	–	–
Dillingham	31	35	4	2	3
White	13	6	–	–	–
All other	18	29	4	2	3
Black	–	–	–	–	–
Fairbanks North Star borough	262	248	26	14	13
White	195	196	21	13	10
All other	67	52	5	1	3
Black	16	17	3	–	–
Fairbanks	---	200	22	11	4
White	---	152	17	10	4
All other	---	48	5	1	–
Black	---	15	3	–	–
Balance of area	---	48	4	3	9
White	---	44	4	3	6
All other	---	4	–	–	3
Black	---	2	–	–	–
Haines borough	8	13	–	–	1
White	5	9	–	–	1
All other	3	4	–	–	–
Black	–	–	–	–	–
Juneau, coext. with Juneau city	95	94	5	2	5
White	82	78	3	1	2
All other	13	16	2	1	3
Black	–	–	–	–	–
Kenai Peninsula borough	149	194	3	1	3
Ketchikan Gateway borough	83	84	2	1	2
White	67	71	2	1	2
All other	16	13	–	–	–
Black	–	–	–	–	–
Kobuk	33	41	3	3	4
White	1	1	–	–	–
All other	32	40	3	3	4
Black	–	–	–	–	–
Kodiak Island borough	56	73	11	10	5
White	34	49	7	6	3
All other	22	24	4	4	2
Black	–	–	–	–	–
Matanuska-Susitna borough	135	147	4	3	8
Nome	30	43	1	1	1
White	5	7	–	–	–
All other	25	36	1	1	1
Black	–	–	–	–	–
North Slope borough	20	26	4	2	2
White	8	3	–	–	1
All other	12	23	4	2	1
Black	1	1	–	–	–
Prince of Wales-Outer Ketchikan	8	13	1	1	1
White	4	4	–	–	–
All other	4	9	1	1	1
Black	–	–	–	–	–
Sitka borough	52	41	3	1	–
White	38	32	2	1	–
All other	14	9	1	–	–
Black	–	–	–	–	–
Skagway-Yakutat-Angoon	13	14	–	–	1
White	9	8	–	–	–
All other	4	6	–	–	1
Black	–	–	–	–	–
Southeast Fairbanks	13	18	–	–	–
White	10	13	–	–	–
All other	3	5	–	–	–
Black	2	2	–	–	–
Valdez-Cordova	43	46	5	2	–
White	35	34	3	2	–
All other	8	12	2	–	–
Black	–	–	–	–	–
Wade Hampton	25	41	4	2	3
White	3	4	1	–	–
All other	22	37	3	2	3
Black	–	–	–	–	1
Wrangell-Petersburg	41	42	–	–	2
White	31	26	–	–	2
All other	10	16	–	–	–
Black	–	–	–	–	–
Yukon-Koyukuk	41	67	3	1	–
White	9	17	1	1	–
All other	32	50	2	–	–
Black	–	–	–	–	–
Arizona	26,404	25,569	571	332	374
White	24,681	23,780	462	276	299
All other	1,723	1,789	109	56	75
Black	614	603	40	25	26
Apache	254	335	16	9	15
White	68	73	1	1	4
All other	186	262	15	8	11
Black	2	2	–	–	–
Cochise	551	663	8	5	9
Douglas	---	112	–	–	2
White	---	109	–	–	2
All other	---	3	–	–	–
Black	---	3	–	–	–
Sierra Vista	---	123	2	1	2
White	---	120	2	1	1
All other	---	3	–	–	1
Black	---	3	–	–	1
Balance of county	---	428	6	4	5
White	---	416	4	3	3
All other	---	12	2	1	2
Black	---	11	2	1	1
Coconino	494	383	18	6	7
White	342	255	7	2	5
All other	152	128	11	4	2
Black	7	5	–	–	–
Flagstaff	---	147	4	1	2
White	---	128	3	1	2
All other	---	19	1	–	–
Black	---	4	–	–	–
Balance of county	---	236	14	5	5
White	---	127	4	1	3
All other	---	109	10	4	2
Black	---	1	–	–	–
Gila	312	401	9	6	6
White	278	347	3	3	4
All other	34	54	6	3	2
Black	1	1	–	–	–
Graham	139	192	5	3	4
White	132	175	4	2	4
All other	7	17	1	1	–
Black	1	3	1	1	–
Greenlee	27	50	1	1	1
Maricopa	15,345	14,158	341	204	199
White	14,596	13,565	297	178	174
All other	749	593	44	26	25
Black	396	381	28	17	11
Chandler	---	264	17	12	14
White	---	253	16	12	13
All other	---	11	1	–	1
Black	---	7	–	–	–
Glendale	---	855	22	14	20
White	---	837	21	13	18
All other	---	18	1	1	2
Black	---	14	1	1	1
Mesa	---	1,777	37	20	28
White	---	1,761	37	20	25
All other	---	16	–	–	3
Black	---	12	–	–	1
Paradise Valley	---	71	2	1	–
Peoria	---	307	3	2	7
White	---	305	3	2	6
All other	---	2	–	–	1
Black	---	1	–	–	–
Phoenix	---	6,334	191	109	93
White	---	5,899	157	91	79
All other	---	435	34	18	14
Black	---	321	24	14	9
Scottsdale	---	1,052	11	8	7
Tempe	---	599	18	14	7
Balance of county	---	2,899	40	24	23
White	---	2,814	34	18	21
All other	---	85	6	6	2
Black	---	15	1	1	–
Mohave	764	889	12	5	12
Lake Havasu City	---	184	2	1	1
Balance of county	---	705	10	4	11
Navajo	381	486	12	4	10
White	240	252	4	1	4
All other	141	234	8	3	6
Black	3	4	–	–	1
Pima	5,596	5,081	93	65	73
White	5,303	4,794	80	57	56
All other	293	287	13	8	17
Black	148	136	8	6	8
Tucson	---	3,461	74	51	52
White	---	3,304	66	46	45
All other	---	157	8	5	7
Black	---	124	7	5	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Balance of county	---	1,620	19	14	21
White	---	1,490	14	11	11
All other	---	130	5	3	10
Black	---	12	1	1	2
Pinal	573	942	27	12	19
White	503	834	21	11	10
All other	70	108	6	1	9
Black	18	25	-	-	4
Casa Grande	---	134	4	1	2
White	---	127	4	1	-
All other	---	7	-	-	2
Black	---	4	-	-	2
Balance of county	---	808	23	11	17
White	---	707	17	10	10
All other	---	101	6	1	7
Black	---	21	-	-	2
Santa Cruz	114	147	4	3	1
Nogales	---	95	3	2	-
White	---	95	3	2	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	52	1	1	1
White	---	51	1	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Yavapai	977	1,041	13	5	7
Prescott	---	362	4	1	3
Balance of county	---	679	9	4	4
Yuma [3]	877	801	12	4	11
Yuma	---	415	5	3	6
White	---	397	5	3	6
All other	---	18	-	-	-
Black	---	12	-	-	-
Balance of county	---	386	7	1	5
White	---	352	6	1	5
All other	---	34	1	-	-
Black	---	12	1	-	-
Arkansas					
Arkansas	23,898	23,968	355	196	279
White	19,978	19,978	230	136	184
All other	3,920	3,990	125	60	95
Black	3,871	3,958	124	59	92
Arkansas	264	260	2	1	4
White	213	204	1	1	3
All other	51	56	1	-	1
Black	51	56	1	-	1
Stuttgart	---	118	-	-	3
White	---	91	-	-	3
All other	---	27	-	-	-
Black	---	27	-	-	-
Balance of county	---	142	2	1	1
White	---	113	1	1	-
All other	---	29	1	-	1
Black	---	29	1	-	1
Ashley	186	262	8	5	5
White	133	172	4	2	1
All other	53	90	4	3	4
Black	53	90	4	3	4
Baxter	402	445	4	4	-
Benton	616	887	7	2	10
Rogers	---	241	2	1	1
Springdale, part	---	1	-	-	-
Balance of county	---	645	5	1	9
Boone	331	287	2	-	3
Bradley	175	199	-	-	3
White	125	152	-	-	2
All other	50	47	-	-	1
Black	49	45	-	-	1
Calhoun	30	65	-	-	1
White	14	44	-	-	1
All other	16	21	-	-	-
Black	16	21	-	-	-
Carroll	200	231	1	1	2
Chicot	189	221	8	2	4
White	75	92	1	1	-
All other	114	129	7	1	4
Black	114	129	7	1	4
Clark	212	246	1	1	3
White	153	180	1	1	3
All other	59	66	-	-	-
Black	58	65	-	-	-
Arkadelphia	---	82	-	-	1
White	---	61	-	-	1
All other	---	21	-	-	-
Black	---	20	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Balance of county	---	164	1	1	2
White	---	119	1	1	2
All other	---	45	-	-	-
Black	---	45	-	-	-
Clay	180	255	1	-	-
Cleburne	164	227	2	2	3
Cleveland	32	73	-	-	2
White	23	59	-	-	2
All other	9	14	-	-	-
Black	9	14	-	-	-
Columbia	239	305	1	1	4
White	156	201	-	-	2
All other	83	104	1	1	2
Black	83	104	1	1	2
Magnolia	---	112	-	-	-
White	---	81	-	-	-
All other	---	31	-	-	-
Black	---	31	-	-	-
Balance of county	---	193	1	1	4
White	---	120	-	-	2
All other	---	73	1	1	2
Black	---	73	1	1	2
Conway	184	198	2	-	1
White	170	177	2	-	-
All other	14	21	-	-	1
Black	14	21	-	-	1
Craighead	832	550	6	3	4
Jonesboro	---	295	2	1	2
Balance of county	---	255	4	2	2
Crawford	240	345	6	5	9
Van Buren	---	138	2	2	4
Balance of county	---	207	4	3	5
Crittenden	395	458	8	6	8
White	223	239	4	3	2
All other	172	217	4	3	6
Black	172	216	4	3	6
West Memphis	---	267	6	4	5
White	---	158	3	2	1
All other	---	109	3	2	4
Black	---	108	3	2	4
Balance of county	---	189	2	2	3
White	---	81	1	1	1
All other	---	108	1	1	2
Black	---	108	1	1	2
Cross	168	231	9	6	4
White	113	168	4	3	1
All other	55	63	5	3	3
Black	55	63	5	3	3
Dallas	115	135	4	2	2
White	73	82	2	1	-
All other	42	53	2	1	2
Black	42	53	2	1	2
Desha	185	204	5	1	-
White	88	105	1	-	-
All other	97	99	4	1	-
Black	97	99	4	1	-
Drew	122	166	2	1	1
White	95	119	1	1	-
All other	27	47	1	-	1
Black	27	47	1	-	1
Faulkner	349	452	1	-	7
Conway	---	207	1	-	2
Balance of county	---	245	-	-	5
Franklin	123	159	-	-	-
Fulton	146	139	2	-	-
Garland	996	961	9	4	3
Hot Springs	---	664	4	2	3
White	---	600	3	2	3
All other	---	64	1	-	-
Black	---	63	1	-	-
Balance of county	---	297	5	2	-
Grant	73	150	2	2	1
Greene	324	338	5	2	1
Paragould	---	213	3	1	-
Balance of county	---	125	2	1	1
Hempstead	193	253	6	2	5
White	137	175	3	2	1
All other	56	78	3	-	4
Black	56	78	3	-	4
Hope	---	145	3	1	3
White	---	99	2	1	-
All other	---	46	1	-	3
Black	---	46	1	-	3
Balance of county	---	108	3	1	2
White	---	76	1	1	1
All other	---	32	2	-	1
Black	---	32	2	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Hot Spring	227	314	3	2	–
White	187	268	2	1	–
All other	40	46	1	1	–
Black	38	45	1	1	–
Malvern	– – –	151	2	1	–
White	– – –	110	1	–	–
All other	– – –	41	1	1	–
Black	– – –	40	1	1	–
Balance of county	– – –	163	1	1	–
Howard	126	156	2	1	1
White	99	121	1	1	1
All other	27	35	1	–	–
Black	27	34	1	–	–
Independence	341	292	2	–	2
Izard	110	151	1	–	1
Jackson	221	250	5	1	1
White	193	211	3	1	1
All other	28	39	2	–	–
Black	28	39	2	–	–
Jefferson	949	920	22	13	8
White	545	534	6	4	3
All other	404	386	16	9	5
Black	402	384	16	9	5
Pine Bluff	– – –	720	17	9	5
White	– – –	409	2	1	1
All other	– – –	311	15	8	4
Black	– – –	310	15	8	4
Balance of county	– – –	200	5	4	3
White	– – –	125	4	3	2
All other	– – –	75	1	1	1
Black	– – –	74	1	1	1
Johnson	147	191	3	2	5
Lafayette	99	117	1	1	1
White	68	81	–	–	–
All other	31	36	1	1	1
Black	31	36	1	1	1
Lawrence	167	248	1	–	3
Lee	101	173	3	1	4
White	38	77	–	–	1
All other	63	96	3	1	3
Black	63	96	3	1	3
Lincoln	49	119	–	–	3
White	28	70	–	–	2
All other	21	49	–	–	1
Black	21	49	–	–	1
Little River	94	134	–	–	3
White	82	113	–	–	–
All other	12	21	–	–	3
Black	12	21	–	–	3
Logan	168	233	3	3	2
Lonoke	132	303	3	1	5
White	110	264	2	1	3
All other	22	39	1	–	2
Black	22	39	1	–	2
Madison	83	126	2	2	–
Marion	126	142	5	1	–
Miller	601	426	5	3	3
White	470	329	3	2	3
All other	131	97	2	1	–
Black	130	96	1	–	–
Texarkana [3]	– – –	280	4	3	2
White	– – –	209	2	2	2
All other	– – –	71	2	1	–
Black	– – –	70	1	–	–
Balance of county	– – –	146	1	–	1
White	– – –	120	1	–	1
All other	– – –	26	–	–	–
Black	– – –	26	–	–	–
Mississippi	467	566	13	4	4
White	335	412	6	2	2
All other	132	154	7	2	2
Black	132	154	7	2	2
Blytheville	– – –	231	6	2	2
White	– – –	148	3	1	1
All other	– – –	83	3	1	1
Black	– – –	83	3	1	1
Balance of county	– – –	335	7	2	2
White	– – –	264	3	1	1
All other	– – –	71	4	1	1
Black	– – –	71	4	1	1
Monroe	96	176	–	–	4
White	52	106	–	–	1
All other	44	70	–	–	3
Black	44	70	–	–	3
Montgomery	41	102	–	–	–
Nevada	102	121	2	2	1
White	69	91	2	2	–
All other	33	30	–	–	1
Black	33	30	–	–	1
Newton	26	59	2	2	2
Ouachita	287	331	6	2	4
White	184	220	4	1	2
All other	103	111	2	1	2
Black	103	111	2	1	2
Camden	– – –	177	2	1	3
White	– – –	113	1	1	1
All other	– – –	64	1	–	2
Black	– – –	64	1	–	2
Balance of county	– – –	154	4	1	1
White	– – –	107	3	–	1
All other	– – –	47	1	1	–
Black	– – –	47	1	1	–
Perry	20	77	2	2	6
Phillips	361	399	14	5	9
White	160	180	2	1	1
All other	201	219	12	4	8
Black	201	218	12	4	8
West Helena	– – –	111	4	2	3
White	– – –	57	1	1	–
All other	– – –	54	3	1	3
Black	– – –	54	3	1	3
Balance of county	– – –	288	10	3	6
White	– – –	123	1	–	1
All other	– – –	165	9	3	5
Black	– – –	164	9	3	5
Pike	76	109	3	2	1
Poinsett	112	301	2	2	3
Polk	157	210	2	2	2
Pope	331	320	6	5	5
Russellville	– – –	159	1	1	1
Balance of county	– – –	161	5	4	4
Prairie	53	114	–	–	–
White	41	98	–	–	–
All other	12	16	–	–	–
Black	12	16	–	–	–
Pulaski	4,796	2,924	75	46	51
White	3,778	2,192	42	27	25
All other	1,018	732	33	19	26
Black	1,013	729	33	19	26
Jacksonville	– – –	134	7	4	8
White	– – –	119	5	3	6
All other	– – –	15	2	1	2
Black	– – –	14	2	1	2
Little Rock	– – –	1,616	37	21	32
White	– – –	1,155	16	9	12
All other	– – –	461	21	12	20
Black	– – –	460	21	12	20
North Little Rock	– – –	814	22	13	9
White	– – –	629	14	9	5
All other	– – –	185	8	4	4
Black	– – –	184	8	4	4
Sherwood	– – –	70	1	1	–
Balance of county	– – –	290	8	7	2
White	– – –	220	6	5	2
All other	– – –	70	2	2	–
Black	– – –	70	2	2	–
Randolph	145	219	1	–	4
St. Francis	316	342	6	4	3
White	154	174	3	2	1
All other	162	168	3	2	2
Black	162	168	3	2	2
Forrest City	– – –	185	2	–	–
White	– – –	85	1	–	–
All other	– – –	100	1	–	–
Black	– – –	100	1	–	–
Balance of county	– – –	157	4	4	3
White	– – –	89	2	2	1
All other	– – –	68	2	2	2
Black	– – –	68	2	2	2
Saline	288	394	7	6	4
Benton	– – –	205	5	4	1
Balance of county	– – –	189	2	2	3
Scott	89	127	1	–	1
Searcy	48	100	–	–	1
Sebastian	1,446	958	8	6	8
Fort Smith	– – –	733	6	6	5
Balance of county	– – –	223	2	–	3
Sevier	197	165	–	–	1
Sharp	131	216	2	1	1
Stone	77	115	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	600	581	6	2	2
White	415	400	3	1	-
All other	185	181	3	1	2
Black	184	180	3	1	2
El Dorado	---	325	4	1	1
White	---	224	2	1	-
All other	---	101	2	-	1
Black	---	100	2	-	1
Balance of county	---	256	2	1	1
White	---	176	1	-	-
All other	---	80	1	1	1
Black	---	80	1	1	1
Van Buren	99	154	1	-	1
Washington	1,123	865	13	6	17
Fayetteville	---	264	3	1	6
Springdale, part	---	240	5	3	7
Springdale, total	---	241	5	3	7
Balance of county	---	361	5	2	4
White	545	550	8	7	9
Searcy	---	150	1	1	-
Balance of county	---	400	7	6	9
Woodruff	101	171	6	5	1
White	70	114	3	2	1
All other	31	57	3	3	-
Black	31	57	3	3	-
Yell	162	209	2	-	1
California	204,020	203,293	4,315	2,711	3,245
White	180,543	179,856	3,246	2,059	2,430
All other	23,477	23,437	1,069	652	815
Black	15,906	15,886	784	481	560
Alameda	9,840	9,600	183	107	125
White	7,413	7,185	86	55	63
All other	2,427	2,415	97	52	62
Black	1,902	1,911	80	43	46
Alameda	---	552	10	4	8
White	---	506	7	3	5
All other	---	46	3	1	3
Black	---	15	1	-	1
Albany	---	141	-	-	1
White	---	129	-	-	1
All other	---	12	-	-	-
Black	---	3	-	-	-
Berkeley	---	789	8	7	5
White	---	486	7	6	2
All other	---	303	1	1	3
Black	---	253	-	-	2
Fremont	---	740	14	6	22
White	---	689	10	6	16
All other	---	51	4	-	6
Black	---	15	1	-	1
Hayward	---	1,075	19	12	19
White	---	980	14	8	12
All other	---	95	5	4	7
Black	---	42	5	4	3
Livermore	---	327	2	2	4
Newark	---	172	5	3	7
White	---	147	5	3	6
All other	---	25	-	-	1
Black	---	3	-	-	1
Oakland	---	3,720	102	58	43
White	---	1,968	23	16	5
All other	---	1,752	79	42	38
Black	---	1,536	72	38	36
Piedmont	---	68	-	-	-
Pleasanton	---	186	4	3	4
San Leandro	---	903	4	2	4
White	---	867	2	1	3
All other	---	36	2	1	1
Black	---	10	-	-	1
Union City	---	216	8	4	3
White	---	174	7	3	3
All other	---	42	1	1	-
Black	---	9	-	-	-
Balance of county	---	691	7	6	5
White	---	659	6	5	5
All other	---	32	1	1	-
Black	---	17	1	1	-
Alpine	6	3	-	-	-
White	6	2	-	-	-
All other	-	1	-	-	-
Black	-	-	-	-	-
Amador	181	214	4	2	1
Butte	1,791	1,706	20	10	12
Chico	---	504	10	6	4
Paradise	---	402	1	-	2
Balance of county	---	800	9	4	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Calaveras	199	250	3	2	2
Colusa	127	151	3	1	-
Contra Costa	5,079	5,222	90	48	77
White	4,453	4,562	65	35	49
All other	626	660	25	13	28
Black	503	520	22	12	21
Antioch	---	317	8	4	5
White	---	312	8	4	5
All other	---	5	-	-	-
Black	---	1	-	-	-
Concord	---	662	14	8	10
El Cerrito	---	217	2	1	-
White	---	185	-	-	-
All other	---	32	2	1	-
Black	---	19	1	1	-
Lafayette	---	139	1	1	2
Martinez	---	253	4	3	5
Moraga Town	---	67	-	-	-
Pinole	---	88	2	1	1
White	---	81	1	1	-
All other	---	7	1	-	1
Black	---	2	1	-	1
Pittsburg	---	398	12	9	10
White	---	308	8	6	4
All other	---	90	4	3	6
Black	---	74	2	2	5
Pleasant Hill	---	234	3	2	1
Richmond	---	800	20	12	13
White	---	418	7	4	5
All other	---	382	13	8	8
Black	---	359	13	8	8
San Pablo	---	264	6	2	8
White	---	226	5	2	3
All other	---	38	1	-	5
Black	---	24	1	-	3
Walnut Creek	---	778	6	2	3
Balance of county	---	1,005	12	3	19
White	---	947	10	3	17
All other	---	58	2	-	2
Black	---	22	2	-	2
Del Norte	214	202	4	3	2
El Dorado	668	752	23	9	10
South Lake Tahoe	---	124	5	2	5
Balance of county	---	628	18	7	5
Fresno	4,831	4,413	114	92	94
White	4,323	3,940	88	70	77
All other	508	473	26	22	17
Black	301	284	13	12	10
Clovis	---	270	4	2	8
White	---	260	3	1	8
All other	---	10	1	1	-
Black	---	3	-	-	-
Fresno	---	2,981	83	70	55
White	---	2,591	58	49	39
All other	---	390	25	21	16
Black	---	268	13	12	9
Reedley	---	140	2	2	1
White	---	133	2	2	1
All other	---	7	-	-	-
Black	---	-	-	-	-
Sanger	---	184	3	1	8
White	---	176	3	1	8
All other	---	8	-	-	-
Black	---	-	-	-	-
Selma	---	165	3	3	3
White	---	156	3	3	3
All other	---	9	-	-	-
Black	---	2	-	-	-
Balance of county	---	673	19	14	19
White	---	624	19	14	18
All other	---	49	-	-	1
Black	---	11	-	-	1
Glenn	135	238	4	-	2
Humboldt	1,043	1,057	12	5	16
Arcata	---	148	1	1	2
Eureka	---	443	6	2	6
Balance of county	---	466	5	2	8
Imperial	720	748	14	4	13
Brawley	---	171	4	-	5
White	---	152	3	-	5
All other	---	19	1	-	-
Black	---	13	1	-	-
Calexico	---	95	4	2	1
White	---	91	4	2	1
All other	---	4	-	-	-
Black	---	1	-	-	-
El Centro	---	191	3	2	6
White	---	169	3	2	6
All other	---	22	-	-	-
Black	---	17	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	291	3	–	1
White	---	269	3	–	1
All other	---	22	–	–	–
Black	---	8	–	–	–
Inyo	224	218	4	–	–
Kern	3,515	3,678	122	89	72
White	3,208	3,371	109	79	62
All other	307	307	13	10	10
Black	220	228	12	9	8
Bakersfield	---	2,172	75	53	35
White	---	1,963	62	43	27
All other	---	209	13	10	8
Black	---	192	12	9	7
Delano	---	173	6	6	7
White	---	122	6	6	6
All other	---	51	–	–	1
Black	---	7	–	–	–
Ridgecrest	---	140	6	2	10
Balance of county	---	1,193	35	28	20
White	---	1,150	35	28	20
All other	---	43	–	–	–
Black	---	25	–	–	–
Kings	490	555	20	10	14
Hanford	---	310	9	4	8
White	---	283	9	4	7
All other	---	27	–	–	1
Black	---	22	–	–	1
Balance of county	---	245	11	6	6
White	---	221	10	6	3
All other	---	24	1	–	3
Black	---	19	–	–	1
Lake	443	597	7	2	7
Lassen	128	178	4	3	4
Los Angeles	64,305	62,940	1,530	1,006	1,181
White	53,320	51,987	1,018	688	830
All other	10,985	10,953	512	318	351
Black	8,559	8,565	436	275	293
Alhambra	---	664	13	8	11
White	---	602	7	4	9
All other	---	62	6	4	2
Black	---	3	1	–	–
Arcadia	---	488	4	1	–
Artesia	---	140	2	2	1
White	---	136	2	2	1
All other	---	4	–	–	–
Black	---	–	–	–	–
Azusa	---	270	11	7	10
White	---	259	10	6	8
All other	---	11	1	1	2
Black	---	2	–	–	1
Baldwin Park	---	349	9	5	12
White	---	323	9	5	11
All other	---	26	–	–	1
Black	---	9	–	–	–
Bell	---	192	6	6	5
White	---	186	6	6	5
All other	---	6	–	–	–
Black	---	3	–	–	–
Bellflower	---	480	8	6	8
White	---	463	4	3	7
All other	---	17	4	3	1
Black	---	5	4	3	1
Bell Gardens	---	208	9	6	6
White	---	202	8	6	6
All other	---	6	1	–	–
Black	---	–	–	–	–
Beverly Hills	---	447	5	5	2
Burbank	---	863	5	5	7
White	---	848	4	4	7
All other	---	15	1	1	–
Black	---	3	1	1	–
Carson	---	501	23	16	12
White	---	335	7	5	5
All other	---	166	16	11	7
Black	---	110	12	8	5
Cerritos	---	198	3	2	7
White	---	140	3	2	4
All other	---	58	–	–	3
Black	---	9	–	–	2
Claremont	---	261	4	2	2
White	---	248	3	2	1
All other	---	13	1	–	1
Black	---	5	–	–	1
Commerce	---	69	4	2	–
White	---	68	4	2	–
All other	---	1	–	–	–
Black	---	–	–	–	–
Compton	---	795	49	37	33
White	---	178	13	9	14
All other	---	617	36	28	19
Black	---	607	34	27	19
Covina	---	480	3	2	7
Cudahy	---	91	5	2	2
White	---	88	5	2	2
All other	---	3	–	–	–
Black	---	1	–	–	–
Culver City	---	378	7	5	3
White	---	323	3	1	2
All other	---	55	4	4	1
Black	---	25	3	3	1
Downey	---	756	15	13	5
White	---	744	15	13	3
All other	---	12	–	–	2
Black	---	3	–	–	1
Duarte	---	180	2	1	3
White	---	157	1	–	2
All other	---	23	1	1	1
Black	---	20	–	–	1
El Monte	---	611	23	14	26
White	---	586	20	12	23
All other	---	25	3	2	3
Black	---	3	–	–	1
El Segundo	---	103	–	–	1
Gardena	---	594	24	11	9
White	---	420	10	5	4
All other	---	174	14	6	5
Black	---	86	11	5	4
Glendale	---	1,446	14	8	13
White	---	1,393	13	8	12
All other	---	53	1	–	1
Black	---	6	–	–	–
Glendora	---	414	5	4	7
Hawaiian Gardens	---	61	3	1	2
White	---	58	3	1	2
All other	---	3	–	–	–
Black	---	1	–	–	–
Hawthorne	---	461	6	3	5
White	---	406	4	1	2
All other	---	55	2	2	3
Black	---	29	1	1	2
Hermosa Beach	---	94	–	–	4
Huntington Park	---	352	16	13	19
White	---	342	16	13	19
All other	---	10	–	–	–
Black	---	6	–	–	–
Inglewood	---	738	26	16	21
White	---	436	11	6	10
All other	---	302	15	10	11
Black	---	294	15	10	9
La Canada Flintridge	---	144	3	2	–
Lakewood	---	537	4	4	11
White	---	523	4	4	8
All other	---	14	–	–	3
Black	---	3	–	–	3
La Mirada	---	267	4	3	2
White	---	252	4	3	2
All other	---	15	–	–	–
Black	---	2	–	–	–
Lancaster	---	586	16	11	8
La Puente	---	401	19	12	9
White	---	371	17	10	8
All other	---	30	2	2	1
Black	---	9	1	1	1
La Verne	---	209	3	2	5
White	---	206	3	2	4
All other	---	3	–	–	1
Black	---	2	–	–	–
Lawndale	---	171	3	2	2
White	---	164	2	2	2
All other	---	7	1	–	–
Black	---	1	–	–	–
Lomita	---	183	6	2	2
White	---	179	6	2	2
All other	---	4	–	–	–
Black	---	–	–	–	–
Long Beach	---	3,674	91	55	73
White	---	3,487	62	38	46
All other	---	387	29	17	27
Black	---	268	25	16	19
Los Angeles	---	28,288	719	477	565
White	---	20,954	423	296	367
All other	---	7,334	296	181	198
Black	---	6,229	271	164	181
Lynwood	---	331	14	10	11
White	---	247	8	5	8
All other	---	84	6	5	3
Black	---	79	6	5	3
Manhattan Beach	---	187	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Maywood	---	123	3	3	5
White	---	123	3	3	5
All other	---	-	-	-	-
Black	---	-	-	-	-
Monrovia	---	329	9	4	2
White	---	288	5	2	2
All other	---	41	4	2	-
Black	---	38	4	2	-
Montebello	---	466	4	3	9
White	---	427	4	3	7
All other	---	39	-	-	2
Black	---	1	-	-	2
Monterey Park	---	373	4	3	3
White	---	257	2	2	2
All other	---	116	2	1	1
Black	---	1	-	-	-
Norwalk	---	596	16	12	10
White	---	555	14	11	9
All other	---	41	2	1	1
Black	---	8	2	1	1
Palmdale	---	290	18	10	10
White	---	267	15	7	10
All other	---	23	3	3	-
Black	---	20	3	3	-
Palos Verdes Estates	---	90	-	-	-
Paramount	---	300	13	3	8
White	---	283	9	2	7
All other	---	17	4	1	1
Black	---	12	3	1	1
Pasadena	---	1,345	34	20	29
White	---	1,091	21	14	15
All other	---	254	13	6	14
Black	---	223	10	5	12
Pico Rivera	---	396	9	7	9
White	---	390	9	7	9
All other	---	6	-	-	-
Black	---	3	-	-	-
Pomona	---	855	40	28	30
White	---	733	28	22	19
All other	---	122	12	6	11
Black	---	110	11	6	10
Rancho Palos Verdes	---	189	-	-	2
White	---	181	-	-	2
All other	---	8	-	-	-
Black	---	1	-	-	-
Redondo Beach	---	409	10	5	4
White	---	395	9	5	4
All other	---	14	1	-	-
Black	---	2	-	-	-
Rosemead	---	347	9	3	4
White	---	323	7	2	4
All other	---	24	2	1	-
Black	---	2	-	-	-
San Dimas	---	186	2	2	2
White	---	176	2	2	2
All other	---	10	-	-	-
Black	---	5	-	-	-
San Fernando	---	201	7	5	4
White	---	179	6	4	3
All other	---	22	1	1	1
Black	---	22	1	1	-
San Gabriel	---	465	10	9	4
White	---	429	9	8	4
All other	---	36	1	1	-
Black	---	1	-	-	-
San Marino	---	106	-	-	-
Santa Fe Springs	---	85	1	1	-
White	---	83	1	1	-
All other	---	2	-	-	-
Black	---	1	-	-	-
Santa Monica	---	1,010	12	8	9
White	---	957	11	8	8
All other	---	53	1	-	1
Black	---	33	1	-	-
Sierra Madre	---	106	2	1	1
South El Monte	---	57	3	2	2
White	---	56	3	2	2
All other	---	1	-	-	-
Black	---	-	-	-	-
South Gate	---	503	18	13	15
White	---	492	18	13	15
All other	---	11	-	-	-
Black	---	9	-	-	-
South Pasadena	---	197	1	-	1
White	---	181	-	-	1
All other	---	16	1	-	-
Black	---	1	-	-	-
Temple City	---	309	2	1	-
White	---	301	1	-	-
All other	---	8	1	1	-
Black	---	1	-	-	-
Torrance	---	1,071	14	10	15
White	---	1,011	9	7	13
All other	---	60	5	3	2
Black	---	15	1	-	1
West Covina	---	549	7	2	12
White	---	489	5	1	8
All other	---	60	2	1	4
Black	---	21	1	-	1
Whittier	---	1,222	24	19	14
White	---	1,199	23	19	13
All other	---	23	1	-	1
Black	---	4	-	-	-
Balance of county	---	2,903	70	47	44
White	---	2,616	55	35	30
All other	---	287	15	12	14
Black	---	186	13	12	9
Madera	497	648	12	9	11
Madera	---	390	9	8	8
White	---	347	9	8	7
All other	---	43	-	-	1
Black	---	35	-	-	1
Balance of county	---	258	3	1	3
White	---	246	3	1	2
All other	---	12	-	-	1
Black	---	4	-	-	-
Marin	1,768	1,737	14	11	16
White	1,716	1,695	14	11	11
All other	52	42	-	-	5
Black	30	22	-	-	2
Larkspur	---	38	-	-	1
Mill Valley	---	231	2	2	1
Novato	---	328	2	2	1
San Anselmo	---	115	2	1	3
San Rafael	---	526	4	3	8
Balance of county	---	499	4	3	2
Mariposa	105	152	2	1	-
Mendocino	729	732	10	7	14
Ukiah	---	283	5	2	5
Balance of county	---	449	5	5	9
Merced	908	1,041	26	15	23
White	815	921	17	11	22
All other	93	120	9	4	1
Black	58	71	1	-	1
Atwater	---	117	1	-	3
White	---	106	-	-	2
All other	---	11	1	-	1
Black	---	9	1	-	1
Los Banos	---	98	1	-	4
White	---	92	1	-	4
All other	---	6	-	-	-
Black	---	4	-	-	-
Merced	---	474	17	10	9
White	---	417	10	7	9
All other	---	57	7	3	-
Black	---	34	-	-	-
Balance of county	---	352	7	5	7
White	---	306	6	4	7
All other	---	46	1	1	-
Black	---	24	-	-	-
Modoc	78	110	1	-	3
Mono	70	42	1	1	1
Monterey	2,119	2,236	66	35	49
White	1,944	2,057	56	29	39
All other	175	179	10	6	10
Black	96	96	6	5	7
Marina	---	70	4	4	3
White	---	56	3	3	1
All other	---	14	1	1	2
Black	---	4	-	-	2
Monterey	---	288	3	1	2
White	---	274	3	1	2
All other	---	14	-	-	-
Black	---	7	-	-	-
Pacific Grove	---	203	1	-	1
Salinas	---	768	24	14	18
White	---	717	22	13	15
All other	---	51	2	1	3
Black	---	12	1	1	3
Seaside	---	213	18	13	13
White	---	138	12	9	8
All other	---	75	6	4	5
Black	---	62	5	4	2
Balance of county	---	694	16	3	12
White	---	679	15	3	12
All other	---	15	1	-	-
Black	---	4	-	-	-
Napa	1,184	1,034	13	7	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Napa	---	684	8	6	7
Balance of county	---	350	5	1	2
White	---	348	5	1	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Nevada	511	573	13	7	7
Orange	13,229	13,637	246	166	221
White	12,728	13,137	222	153	188
All other	501	500	24	13	33
Black	118	105	10	6	13
Anaheim	---	1,607	38	19	32
White	---	1,547	35	19	27
All other	---	60	3	-	5
Black	---	10	1	-	1
Brea	---	187	1	1	4
Buena Park	---	410	6	3	10
White	---	387	5	3	7
All other	---	23	1	-	3
Black	---	3	1	-	1
Costa Mesa	---	564	7	6	8
White	---	551	7	6	7
All other	---	13	-	-	1
Black	---	4	-	-	-
Cypress	---	218	4	3	5
White	---	209	3	2	5
All other	---	9	1	1	-
Black	---	1	-	-	-
Fountain Valley	---	244	6	5	3
White	---	226	4	3	1
All other	---	18	2	2	2
Black	---	4	2	2	-
Fullerton	---	726	12	9	10
White	---	695	11	9	7
All other	---	31	1	-	3
Black	---	4	-	-	2
Garden Grove	---	916	21	13	12
White	---	861	18	11	9
All other	---	55	3	2	3
Black	---	7	-	-	-
Huntington Beach	---	934	21	14	12
White	---	906	20	14	10
All other	---	28	1	-	2
Black	---	2	-	-	2
Irvine	---	347	11	9	5
White	---	328	11	9	5
All other	---	19	-	-	-
Black	---	3	-	-	-
Laguna Beach	---	184	1	1	1
La Habra	---	343	2	-	5
White	---	338	1	-	5
All other	---	5	1	-	-
Black	---	3	1	-	-
La Palma	---	59	-	-	1
White	---	52	-	-	1
All other	---	7	-	-	-
Black	---	2	-	-	-
Los Alamitos	---	148	3	2	1
White	---	146	3	2	1
All other	---	2	-	-	-
Black	---	-	-	-	-
Newport Beach	---	512	1	1	1
Orange	---	697	21	15	12
White	---	669	19	14	11
All other	---	28	2	1	1
Black	---	4	1	1	1
Placentia	---	171	1	1	-
White	---	162	1	1	-
All other	---	9	-	-	-
Black	---	2	-	-	-
San Clemente	---	288	1	1	5
San Juan Capistrano	---	166	2	2	2
Santa Ana	---	1,534	53	35	59
White	---	1,434	50	33	48
All other	---	100	3	2	11
Black	---	40	3	2	5
Seal Beach	---	554	1	-	-
Stanton	---	183	1	1	7
White	---	171	1	1	7
All other	---	12	-	-	-
Black	---	1	-	-	-
Tustin	---	282	6	4	3
White	---	270	4	2	3
All other	---	12	2	2	-
Black	---	5	1	1	-
Westminster	---	501	15	12	5
White	---	470	11	9	5
All other	---	31	4	3	-
Black	---	1	-	-	-
Yorba Linda	---	146	2	2	2
Balance of county	---	1,716	9	7	16
White	---	1,696	9	7	14
All other	---	20	-	-	2
Black	---	4	-	-	1
Placer	1,166	1,126	26	18	10
Roseville	---	340	9	6	1
Balance of county	---	786	17	12	9
Plumas	144	172	4	2	-
Riverside	7,118	7,908	177	117	104
White	6,754	7,506	155	104	95
All other	364	402	22	13	9
Black	286	319	17	10	4
Banning	---	219	3	2	4
White	---	181	2	1	1
All other	---	38	1	1	3
Black	---	24	-	-	1
Corona	---	346	11	6	8
White	---	345	11	6	8
All other	---	1	-	-	-
Black	---	-	-	-	-
Hemet	---	1,314	8	8	3
Indio	---	244	6	5	8
White	---	222	4	3	8
All other	---	22	2	2	-
Black	---	18	2	2	-
Norco	---	104	2	1	1
White	---	103	2	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Palm Desert	---	246	3	2	1
Palm Springs	---	479	5	4	-
White	---	466	4	3	-
All other	---	13	1	1	-
Black	---	10	-	-	-
Riverside	---	1,732	54	36	34
White	---	1,601	46	31	32
All other	---	131	8	5	2
Black	---	107	7	5	1
Balance of county	---	3,224	85	53	45
White	---	3,037	76	50	41
All other	---	187	9	3	4
Black	---	157	7	2	2
Sacramento	7,375	7,087	148	77	73
White	6,600	6,288	110	56	56
All other	775	799	38	21	17
Black	469	494	22	13	14
Folsom	---	135	1	1	6
White	---	133	1	1	6
All other	---	2	-	-	-
Black	---	2	-	-	-
Sacramento	---	4,758	105	57	50
White	---	4,040	72	37	34
All other	---	718	33	20	16
Black	---	452	21	13	13
Balance of county	---	2,194	42	19	17
White	---	2,115	37	18	16
All other	---	79	5	1	1
Black	---	40	1	-	1
San Benito	173	198	7	4	2
Hollister	---	167	5	4	1
White	---	164	5	4	1
All other	---	3	-	-	-
Black	---	-	-	-	-
Balance of county	---	31	2	-	1
White	---	29	2	-	1
All other	---	2	-	-	-
Black	---	-	-	-	-
San Bernardino	9,089	8,392	208	136	145
White	8,525	7,906	178	114	121
All other	563	486	30	22	24
Black	471	414	27	21	20
Barstow	---	214	8	6	8
White	---	195	5	4	7
All other	---	19	3	2	1
Black	---	17	3	2	1
Chino	---	280	9	8	9
White	---	267	8	7	8
All other	---	13	1	1	1
Black	---	7	1	1	1
Colton	---	248	5	3	7
White	---	241	5	3	6
All other	---	7	-	-	1
Black	---	4	-	-	1
Fontana	---	549	13	9	9
White	---	516	13	9	8
All other	---	33	-	-	1
Black	---	32	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Loma Linda	---	114	–	–	–
White	---	111	–	–	–
All other	---	3	–	–	–
Black	---	–	–	–	–
Montclair	---	169	6	4	3
White	---	154	5	3	2
All other	---	15	1	1	1
Black	---	13	1	1	1
Ontario	---	637	20	10	17
White	---	606	20	10	16
All other	---	31	–	–	1
Black	---	23	–	–	1
Rancho Cucamonga	---	205	7	5	2
White	---	195	6	4	1
All other	---	10	1	1	1
Black	---	7	1	1	–
Redlands	---	419	5	3	1
White	---	409	5	3	1
All other	---	10	–	–	–
Black	---	8	–	–	–
Rialto	---	377	12	9	10
White	---	338	9	6	6
All other	---	39	3	3	4
Black	---	35	2	2	4
San Bernardino	---	1,607	47	34	27
White	---	1,406	36	27	20
All other	---	201	11	7	7
Black	---	190	9	7	5
Upland	---	398	12	8	4
White	---	381	11	7	3
All other	---	17	1	1	1
Black	---	8	1	1	1
Victorville	---	281	10	5	2
White	---	262	8	3	–
All other	---	19	2	2	2
Black	---	19	2	2	2
Balance of county	---	2,894	54	32	46
White	---	2,825	47	28	43
All other	---	69	7	4	3
Black	---	51	7	4	2
San Diego	15,991	15,608	356	232	247
White	14,960	14,571	275	180	181
All other	1,031	1,037	81	52	66
Black	617	618	51	34	43
Carlsbad	---	316	2	1	5
White	---	309	2	1	4
All other	---	7	–	–	1
Black	---	1	–	–	1
Chula Vista	---	914	23	17	13
White	---	873	19	14	11
All other	---	41	4	3	2
Black	---	12	3	2	2
Coronado	---	166	1	1	1
El Cajon	---	1,094	25	14	11
Escondido	---	910	12	7	15
White	---	899	12	7	12
All other	---	11	–	–	3
Black	---	1	–	–	–
Imperial Beach	---	125	8	3	–
White	---	117	6	2	–
All other	---	8	2	1	–
Black	---	2	–	–	–
La Mesa	---	649	10	7	10
Lemon Grove	---	245	5	3	1
White	---	239	5	3	–
All other	---	6	–	–	1
Black	---	3	–	–	1
National City	---	324	11	5	12
White	---	289	9	5	9
All other	---	35	2	–	3
Black	---	9	1	–	–
Oceanside	---	750	26	18	22
White	---	700	18	13	13
All other	---	50	8	5	9
Black	---	26	6	4	6
San Diego	---	6,922	163	108	117
White	---	6,141	106	71	74
All other	---	781	57	37	43
Black	---	527	36	25	31
San Marcos	---	248	–	–	3
Vista	---	544	16	12	3
White	---	541	14	11	2
All other	---	3	2	1	1
Black	---	2	2	1	–
Balance of county	---	2,401	54	36	34
White	---	2,329	52	34	32
All other	---	72	2	2	2
Black	---	25	–	–	1
San Francisco, coext. with San Francisco city	8,203	8,052	85	43	90
White	6,163	5,988	46	21	37
All other	2,040	2,064	39	22	53
Black	961	971	24	12	26
San Joaquin	3,405	3,498	71	43	60
White	2,956	3,026	46	30	40
All other	449	472	25	13	20
Black	227	241	14	4	10
Lodi	---	518	6	3	7
Manteca	---	262	6	3	6
White	---	259	5	3	6
All other	---	3	1	–	–
Black	---	1	1	–	–
Stockton	---	2,148	48	30	37
White	---	1,736	27	19	18
All other	---	412	21	11	19
Black	---	220	12	4	9
Tracy	---	250	6	3	3
White	---	236	5	3	2
All other	---	14	1	–	1
Black	---	10	1	–	1
Balance of county	---	320	5	4	7
White	---	302	4	3	7
All other	---	18	1	1	–
Black	---	7	–	–	–
San Luis Obispo	1,467	1,533	20	14	19
Arroyo Grande	---	192	2	2	4
Atascadero	---	160	2	1	1
San Luis Obispo	---	272	1	1	5
Balance of county	---	909	15	10	9
White	---	887	14	10	9
All other	---	22	1	–	–
Black	---	7	1	–	–
San Mateo	4,689	4,776	70	47	46
White	4,260	4,294	52	35	34
All other	429	484	18	12	12
Black	173	216	5	4	1
Belmont	---	168	1	1	–
Burlingame	---	283	2	2	2
Daly City	---	546	11	7	10
White	---	400	4	2	6
All other	---	146	7	5	4
Black	---	38	4	3	1
Foster City	---	111	1	1	1
White	---	105	1	1	1
All other	---	6	–	–	–
Black	---	1	–	–	–
Hillsborough	---	78	–	–	–
White	---	75	–	–	–
All other	---	3	–	–	–
Black	---	–	–	–	–
Menlo Park	---	379	4	3	2
White	---	335	3	3	2
All other	---	44	1	–	–
Black	---	38	–	–	–
Millbrae	---	207	1	1	2
White	---	202	1	1	1
All other	---	5	–	–	1
Black	---	–	–	–	–
Pacifica	---	211	4	3	5
White	---	196	3	3	3
All other	---	15	1	–	2
Black	---	3	–	–	–
Redwood City	---	570	12	7	10
White	---	547	11	7	10
All other	---	23	1	–	–
Black	---	13	–	–	–
San Bruno	---	280	3	3	3
White	---	272	2	2	2
All other	---	18	1	1	1
Black	---	3	–	–	–
San Carlos	---	248	2	1	1
San Mateo	---	817	11	6	1
White	---	747	8	4	1
All other	---	70	3	2	–
Black	---	25	–	–	–
South San Francisco	---	383	8	5	5
White	---	352	6	3	2
All other	---	31	2	2	3
Black	---	6	–	–	–
Balance of county	---	487	10	7	4
White	---	382	9	6	3
All other	---	105	1	1	1
Black	---	88	1	1	–
Santa Barbara	2,586	2,556	23	11	51
White	2,501	2,465	22	11	47
All other	85	91	1	–	4
Black	43	47	–	–	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Carpinteria	---	112	2	2	4
White	---	111	2	2	2
All other	---	1	-	-	2
Black	---	1	-	-	2
Lompoc	---	296	2	-	8
White	---	272	1	-	7
All other	---	24	1	-	1
Black	---	16	-	-	-
Santa Barbara	---	1,228	5	2	18
White	---	1,198	5	2	17
All other	---	30	-	-	1
Black	---	20	-	-	1
Santa Maria	---	557	7	4	8
White	---	531	7	4	8
All other	---	26	-	-	-
Black	---	8	-	-	-
Balance of county	---	363	7	3	13
White	---	353	7	3	13
All other	---	10	-	-	-
Black	---	2	-	-	-
Santa Clara	8,601	8,014	198	118	149
White	7,798	7,322	147	82	101
All other	803	692	51	36	48
Black	285	191	21	11	19
Campbell	---	275	4	3	3
White	---	262	4	3	3
All other	---	13	-	-	-
Black	---	1	-	-	-
Cupertino	---	214	6	3	2
White	---	202	5	3	2
All other	---	12	1	-	-
Black	---	2	1	-	-
Gilroy	---	189	5	1	5
White	---	185	5	1	5
All other	---	4	-	-	-
Black	---	-	-	-	-
Los Altos	---	235	4	-	-
Los Gatos	---	302	4	1	4
Milpitas	---	160	10	7	3
White	---	120	6	3	-
All other	---	40	4	4	3
Black	---	11	1	1	-
Morgan Hill	---	148	4	4	2
White	---	142	3	3	2
All other	---	6	1	1	-
Black	---	1	-	-	-
Mountain View	---	386	15	8	4
White	---	351	12	7	2
All other	---	35	3	1	2
Black	---	9	2	-	2
Palo Alto	---	530	5	3	6
White	---	491	5	3	6
All other	---	39	-	-	-
Black	---	22	-	-	-
San Jose	---	3,981	110	67	96
White	---	3,551	81	45	63
All other	---	430	29	22	33
Black	---	127	11	7	15
Santa Clara	---	593	13	7	7
White	---	555	10	6	3
All other	---	38	3	1	4
Black	---	6	1	-	1
Saratoga	---	228	2	2	1
Sunnyvale	---	660	14	11	13
White	---	607	7	6	9
All other	---	53	7	5	4
Black	---	10	4	2	1
Balance of county	---	113	2	1	3
White	---	103	-	-	3
All other	---	10	2	1	-
Black	---	-	-	-	-
Santa Cruz	1,725	1,740	31	18	22
Santa Cruz	---	772	9	3	8
Watsonville	---	356	7	5	5
White	---	336	7	5	5
All other	---	20	-	-	-
Black	---	2	-	-	-
Balance of county	---	612	15	10	9
White	---	600	13	9	9
All other	---	12	2	1	-
Black	---	3	1	1	-
Shasta	1,272	1,249	20	10	7
Redding	---	684	9	3	4
Balance of county	---	565	11	7	3
Sierra	52	40	-	-	-
Siskiyou	383	458	10	5	5
Solano	1,896	1,875	42	20	27
White	1,623	1,592	30	13	16
All other	273	283	12	7	11
Black	190	191	10	5	7
Benicia	---	115	-	-	-
White	---	108	-	-	-
All other	---	7	-	-	-
Black	---	3	-	-	-
Fairfield	---	335	7	2	9
White	---	297	4	1	5
All other	---	38	3	1	4
Black	---	26	2	-	2
Suisun City	---	102	2	-	1
White	---	83	2	-	1
All other	---	19	-	-	-
Black	---	8	-	-	-
Vacaville	---	309	9	3	2
White	---	284	8	3	1
All other	---	25	1	-	1
Black	---	18	1	-	1
Vallejo	---	877	16	11	12
White	---	690	9	5	6
All other	---	187	7	6	6
Black	---	133	6	5	4
Balance of county	---	137	8	4	3
White	---	130	7	4	3
All other	---	7	1	-	-
Black	---	3	1	-	-
Sonoma	3,040	3,092	33	17	37
White	2,978	3,044	32	17	34
All other	62	48	1	-	3
Black	18	15	-	-	-
Petaluma	---	404	3	3	4
Rohnert Park	---	141	3	3	4
Santa Rosa	---	1,313	12	6	13
Balance of county	---	1,234	15	5	16
White	---	1,223	15	5	14
All other	---	11	-	-	2
Black	---	3	-	-	-
Stanislaus	2,613	2,510	56	32	31
White	2,531	2,447	52	30	29
All other	82	63	4	2	2
Black	33	27	1	-	-
Ceres	---	192	8	3	2
White	---	184	8	3	2
All other	---	8	-	-	-
Black	---	3	-	-	-
Modesto	---	1,395	33	18	17
White	---	1,348	29	16	15
All other	---	47	4	2	2
Black	---	21	1	-	-
Turlock	---	379	4	2	3
White	---	373	4	2	3
All other	---	6	-	-	-
Black	---	3	-	-	-
Balance of county	---	544	11	9	9
White	---	542	11	9	9
All other	---	2	-	-	-
Black	---	-	-	-	-
Sutter	365	492	8	4	3
Yuba City	---	383	8	4	3
White	---	353	7	3	2
All other	---	30	1	1	1
Black	---	6	-	-	-
Balance of county	---	109	-	-	-
White	---	103	-	-	-
All other	---	6	-	-	-
Black	---	1	-	-	-
Tehama	360	439	6	3	1
Trinity	85	125	2	1	2
Tulare	2,007	2,202	49	26	46
White	1,923	2,106	46	24	42
All other	84	96	3	2	4
Black	32	32	-	-	3
Porterville	---	401	6	1	7
White	---	387	5	1	7
All other	---	14	1	-	-
Black	---	3	-	-	-
Tulare	---	324	9	3	5
White	---	311	9	3	5
All other	---	13	-	-	-
Black	---	13	-	-	-
Visalia	---	591	8	5	21
White	---	579	7	4	17
All other	---	12	1	1	4
Black	---	4	-	-	3
Balance of county	---	886	26	17	13
White	---	829	25	16	13
All other	---	57	1	1	-
Black	---	12	-	-	-
Tuolumne	348	379	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Ventura	3,359	3,718	63	43	56
White	3,244	3,589	56	37	54
All other	115	129	7	6	2
Black	60	66	5	4	1
Camarillo	---	404	6	5	9
White	---	390	5	4	9
All other	---	14	1	1	-
Black	---	3	-	-	-
Oxnard	---	773	23	17	15
White	---	700	19	14	13
All other	---	73	4	3	2
Black	---	46	4	3	1
Port Hueneme	---	106	1	1	-
White	---	103	1	1	-
All other	---	3	-	-	-
Black	---	3	-	-	-
San Buenaventura (Ventura)	---	758	11	6	8
White	---	747	11	6	8
All other	---	11	-	-	-
Black	---	6	-	-	-
Santa Paula	---	227	1	-	3
White	---	226	1	-	3
All other	---	1	-	-	-
Black	---	-	-	-	-
Simi Valley	---	404	6	4	6
Thousand Oaks	---	548	7	6	3
Balance of county	---	498	8	4	12
White	---	493	7	3	12
All other	---	5	1	1	-
Black	---	3	1	1	-
Yolo	854	933	17	11	15
Davis	---	190	4	3	7
White	---	182	4	3	5
All other	---	8	-	-	2
Black	---	5	-	-	-
Woodland	---	337	8	5	2
White	---	334	8	5	2
All other	---	3	-	-	-
Black	---	1	-	-	-
Balance of county	---	406	5	3	6
White	---	390	4	3	6
All other	---	16	1	-	-
Black	---	7	1	-	-
Yuba	517	455	19	7	7
Colorado	21,260	20,810	476	293	433
White	20,345	19,946	418	257	387
All other	915	864	58	36	46
Black	696	693	53	32	36
Adams	1,146	1,419	63	37	46
White	1,101	1,373	58	33	40
All other	45	46	5	4	6
Black	27	29	4	3	4
Arvada, part	---	9	-	-	-
White	---	9	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Aurora, part	---	144	9	5	5
White	---	123	6	3	3
All other	---	21	3	2	2
Black	---	18	3	2	2
Brighton, part	---	104	4	3	1
White	---	104	4	3	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Brighton, total	---	104	4	3	2
White	---	104	4	3	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Broomfield, part	---	10	-	-	1
Commerce City	---	152	8	6	6
White	---	148	8	6	6
All other	---	4	-	-	-
Black	---	4	-	-	-
Northglenn	---	148	5	-	4
Thornton	---	193	13	6	8
Westminster, part	---	202	9	7	7
Westminster, total	---	223	10	7	8
Balance of county	---	457	15	10	14
White	---	447	14	9	12
All other	---	10	1	1	2
Black	---	3	1	1	1
Alamosa	91	84	2	1	1
Arapahoe	1,473	1,705	61	39	37
White	1,399	1,638	52	32	33
All other	74	67	9	7	4
Black	53	53	7	6	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Aurora, part	---	782	28	19	21
White	---	731	22	14	18
All other	---	51	6	5	3
Black	---	41	5	4	3
Aurora, total	---	926	37	24	26
White	---	854	28	17	21
All other	---	72	9	7	5
Black	---	59	8	6	5
Englewood	---	382	16	8	3
Littleton, part	---	236	9	6	9
Littleton, total	---	236	9	6	9
Balance of county	---	305	8	6	4
Archuleta	24	40	1	1	1
Baca	45	57	-	-	5
Bent	78	66	-	-	-
Boulder	895	1,011	22	15	22
Boulder	---	389	4	2	6
Broomfield, part	---	47	1	-	3
Broomfield, total	---	67	1	-	5
Longmont	---	346	12	8	7
Balance of county	---	229	5	5	6
Chaffee	133	136	-	-	-
Cheyenne	19	25	-	-	1
Clear Creek	17	37	1	-	1
Conejos	65	80	1	1	4
Costilla	17	36	-	-	-
Crowley	27	42	-	-	-
Custer	7	18	-	-	-
Delta	178	222	4	3	2
Denver, coext. with Denver city	6,070	4,634	83	49	76
White	5,525	4,098	59	36	58
All other	545	536	24	13	18
Black	461	479	23	12	15
Dolores	2	11	1	-	1
Douglas	56	121	1	1	4
Littleton, part	---	-	-	-	-
Balance of county	---	121	1	1	4
Eagle	32	57	3	3	1
Elbert	23	49	1	1	-
El Paso	2,063	2,014	75	43	60
White	1,948	1,898	58	33	46
All other	115	116	17	10	14
Black	91	98	17	10	12
Colorado Springs	---	1,671	59	32	44
White	---	1,573	47	27	35
All other	---	98	12	5	9
Black	---	81	12	5	9
Balance of county	---	343	16	11	16
White	---	323	11	6	11
All other	---	20	5	5	5
Black	---	17	5	5	3
Fremont	290	346	4	4	3
Canon City	---	214	1	1	1
Balance of county	---	132	3	3	2
Garfield	144	173	2	1	6
Gilpin	10	12	-	-	-
Grand	30	31	3	-	1
Gunnison	57	52	2	1	2
Hinsdale	3	3	-	-	-
Huerfano	60	80	-	-	-
Jackson	4	7	-	-	-
Jefferson	2,171	2,143	41	28	46
Arvada, part	---	445	9	8	11
Arvada, total	---	454	9	8	11
Broomfield, part	---	10	-	-	1
Golden	---	182	4	2	2
Lakewood	---	800	13	10	13
Westminster, part	---	21	1	-	1
Wheat Ridge	---	263	2	1	3
Balance of county	---	422	12	7	15
Kiowa	13	15	-	-	-
Kit Carson	64	75	1	1	1
Lake	27	35	1	-	1
La Plata	245	205	3	-	6
Durango	---	107	2	-	3
White	---	106	2	-	3
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	98	1	-	3
White	---	85	1	-	3
All other	---	13	-	-	-
Black	---	1	-	-	-
Larimer	1,081	1,091	24	12	19
Fort Collins	---	474	11	7	11
Loveland	---	319	8	4	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Balance of county	---	298	5	1	6
Las Animas	153	191	–	–	–
Lincoln	35	47	–	–	–
Logan	146	152	4	2	3
Sterling	---	108	1	–	3
Balance of county	---	44	3	2	–
Mesa	824	718	11	9	6
Grand Junction	---	354	5	4	3
Balance of county	---	364	6	5	3
Mineral	3	5	–	–	–
Moffat	58	60	2	–	3
Montezuma	139	149	5	5	3
White	120	132	5	5	3
All other	19	17	–	–	–
Black	1	1	–	–	–
Montrose	194	201	–	–	4
Morgan	209	224	2	2	6
Otero	207	213	1	1	–
Ouray	10	16	–	–	–
Park	27	25	1	1	4
Phillips	39	47	–	–	–
Pitkin	46	33	2	1	2
Prowers	101	127	2	1	2
Pueblo	1,193	1,127	19	11	13
Pueblo	---	1,004	16	11	11
White	---	985	15	10	11
All other	---	19	1	1	–
Black	---	16	1	1	–
Balance of county	---	123	3	–	2
White	---	123	3	–	2
All other	---	–	–	–	–
Black	---	–	–	–	–
Rio Blanco	34	30	–	–	–
Rio Grande	104	95	5	4	6
Routt	59	56	2	–	3
Saguache	15	41	–	–	2
San Juan	6	6	–	–	1
San Miguel	6	12	1	1	1
Sedgwick	34	27	–	–	1
Summit	32	17	2	1	–
Teller	37	58	–	–	3
Washington	34	52	–	–	–
Weld	762	843	17	13	23
Brighton, part	---	–	–	–	1
Greeley	---	453	12	10	5
White	---	450	12	10	5
All other	---	3	–	–	–
Black	---	–	–	–	–
Balance of county	---	390	5	3	17
White	---	385	4	3	17
All other	---	5	1	–	–
Black	---	2	1	–	–
Yuma	93	106	–	–	–
Connecticut	28,175	28,096	406	303	284
White	26,367	26,295	301	225	207
All other	1,808	1,801	105	78	77
Black	1,758	1,747	103	78	70
Fairfield	6,596	7,016	84	63	67
White	6,107	6,490	64	51	55
All other	489	526	20	12	12
Black	472	509	19	12	11
Bridgeport	---	1,638	25	19	23
White	---	1,387	13	11	16
All other	---	251	12	8	7
Black	---	245	12	8	7
Danbury	---	510	10	7	8
Darien town#	---	152	–	–	–
Fairfield town#	---	529	6	5	3
Greenwich town#	---	509	2	–	4
Norwalk	---	599	7	5	3
White	---	513	3	1	3
All other	---	86	4	4	–
Black	---	85	4	4	–
Shelton	---	261	–	–	–
Stamford	---	907	9	6	7
White	---	783	7	6	5
All other	---	124	2	–	2
Black	---	122	2	–	2
Stratford town#	---	553	9	8	9
Trumbull town#	---	270	1	1	1
Westport town#	---	178	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Balance of county	---	910	15	12	9
White	---	901	14	12	8
All other	---	9	1	–	1
Black	---	8	–	–	–
Hartford	7,891	7,415	118	85	84
White	7,317	6,857	82	61	47
All other	574	558	36	24	37
Black	557	537	35	24	33
Bristol	---	498	6	3	4
East Hartford town#	---	476	11	8	3
Enfield town#	---	310	5	4	2
Hartford	---	1,387	43	26	42
White	---	985	17	9	16
All other	---	402	26	17	26
Black	---	397	26	17	24
Manchester town#	---	465	6	3	1
New Britain	---	797	14	12	7
White	---	772	12	12	2
All other	---	25	2	–	5
Black	---	24	2	–	3
Newington town#	---	236	2	2	1
Plainville town#	---	144	2	1	–
Rocky Hill town#	---	128	–	–	–
Southington town#	---	258	2	2	2
West Hartford town#	---	734	6	6	2
Wethersfield town#	---	321	1	1	2
Windsor town#	---	257	5	4	7
White	---	240	4	3	6
All other	---	17	1	1	1
Black	---	17	1	1	1
Windsor Locks town#	---	106	1	–	1
Balance of county	---	1,300	14	13	10
White	---	1,244	13	12	8
All other	---	56	1	1	2
Black	---	53	1	1	2
Litchfield	1,355	1,506	10	8	11
Torrington	---	379	4	4	3
Balance of county	---	1,127	6	4	8
Middlesex	1,106	1,111	7	6	10
Middletown	---	323	1	1	4
White	---	305	1	1	1
All other	---	18	–	–	3
Black	---	17	–	–	2
Balance of county	---	788	6	5	6
New Haven	8,135	7,440	121	89	74
White	7,500	6,837	74	48	52
All other	635	603	47	41	22
Black	625	595	47	41	22
Ansonia	---	188	2	2	2
Branford town#	---	231	3	1	–
Derby	---	120	3	3	1
East Haven town#	---	219	4	2	–
Hamden town#	---	576	4	2	5
Meriden	---	553	8	6	5
Milford	---	432	6	5	2
Naugatuck	---	248	4	2	9
New Haven	---	1,363	38	34	29
White	---	997	11	9	13
All other	---	366	27	25	16
Black	---	364	27	25	16
North Haven town#	---	180	–	–	–
Orange town#	---	106	–	–	–
Wallingford town#	---	370	5	3	1
Waterbury	---	1,246	25	18	7
White	---	1,119	10	6	4
All other	---	127	15	12	3
Black	---	126	15	12	3
West Haven	---	485	7	5	5
White	---	457	6	5	4
All other	---	28	1	–	1
Black	---	28	1	–	1
Balance of county	---	1,123	12	7	8
New London	1,848	2,040	39	33	19
White	1,793	1,976	37	32	16
All other	55	64	2	1	3
Black	52	62	2	1	2
Groton	---	272	14	12	6
New London	---	265	2	1	3
White	---	232	1	1	2
All other	---	33	1	–	1
Black	---	33	1	–	1
Norwich	---	431	8	8	–
Balance of county	---	1,072	15	12	10
Tolland	449	711	14	11	10
Vernon town#	---	241	6	6	2
Balance of county	---	470	8	5	8
White	---	467	8	5	8
All other	---	3	–	–	–
Black	---	2	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windham	795	857	13	8	9
Willimantic	---	2	–	–	1
Balance of county	---	855	13	8	8
Delaware	5,715	5,631	112	86	78
White	4,754	4,694	70	54	46
All other	961	937	42	32	32
Black	931	908	41	31	31
Kent	836	885	15	10	20
White	687	731	11	7	9
All other	149	154	4	3	11
Black	145	149	4	3	10
Dover	---	226	9	5	12
White	---	169	7	3	5
All other	---	57	2	2	7
Black	---	54	2	2	6
Balance of county	---	659	6	5	8
White	---	562	4	4	4
All other	---	97	2	1	4
Black	---	95	2	1	4
New Castle	3,712	3,525	79	61	40
White	3,090	2,947	47	36	26
All other	622	578	32	25	14
Black	608	566	31	24	14
Newark	---	128	2	2	7
Wilmington	---	1,049	34	25	13
White	---	656	16	12	2
All other	---	393	18	13	11
Black	---	389	18	13	11
Balance of county	---	2,348	43	34	20
White	---	2,173	30	23	18
All other	---	175	13	11	2
Black	---	167	12	10	2
Sussex	1,167	1,221	18	15	18
White	977	1,016	12	11	11
All other	190	205	6	4	7
Black	178	193	6	4	7
District of Columbia	9,230	7,284	212	162	127
White	3,299	1,871	22	17	9
All other	5,931	5,413	190	145	118
Black	5,859	5,374	189	145	116
Florida	124,734	123,504	1,837	1,216	1,417
White	111,246	110,088	1,096	744	842
All other	13,488	13,416	741	472	575
Black	13,288	13,225	731	468	563
Alachua	2,263	1,119	27	19	17
White	1,801	825	12	6	12
All other	462	294	15	13	5
Black	459	291	15	13	5
Gainesville	---	633	18	14	9
White	---	454	6	3	6
All other	---	179	12	11	3
Black	---	178	12	11	3
Balance of county	---	486	9	5	8
White	---	371	6	3	6
All other	---	115	3	2	2
Black	---	113	3	2	2
Baker	91	120	6	5	4
White	70	104	4	3	2
All other	11	16	2	2	2
Black	11	16	2	2	2
Bay	1,114	955	13	9	16
White	945	814	6	5	13
All other	169	141	7	4	3
Black	166	138	6	3	3
Panama City	---	500	6	4	5
White	---	384	1	1	3
All other	---	116	5	3	2
Black	---	114	4	2	2
Balance of county	---	455	7	5	11
Bradford	143	206	3	3	3
White	116	163	1	1	2
All other	27	43	2	2	1
Black	27	43	2	2	1
Brevard	2,809	3,058	36	27	41
White	2,626	2,857	29	21	30
All other	183	201	7	6	11
Black	176	193	7	6	11
Cocoa	---	195	8	7	8
White	---	156	5	4	2
All other	---	39	3	3	6
Black	---	37	3	3	6
Cocoa Beach	---	150	–	–	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Melbourne	---	550	5	5	6
White	---	498	4	4	5
All other	---	52	1	1	1
Black	---	50	1	1	1
Palm Bay	---	251	2	1	3
Rockledge	---	167	4	2	3
White	---	150	3	1	3
All other	---	17	1	1	–
Black	---	17	1	1	–
Titusville	---	397	5	3	3
White	---	364	4	2	2
All other	---	33	1	1	1
Black	---	32	1	1	1
Balance of county	---	1,348	12	9	17
White	---	1,302	12	9	14
All other	---	46	–	–	3
Black	---	44	–	–	3
Broward	12,464	13,176	173	134	126
White	11,525	12,213	87	74	68
All other	939	963	86	60	58
Black	921	944	85	59	57
Cooper City	---	74	2	2	–
Coral Springs	---	252	5	5	4
Dania	---	183	6	4	5
White	---	148	2	1	2
All other	---	35	4	3	3
Black	---	35	4	3	3
Davie	---	189	3	2	3
Deerfield Beach	---	708	11	6	4
White	---	655	3	2	–
All other	---	53	8	4	4
Black	---	53	8	4	4
Fort Lauderdale	---	2,321	41	35	31
White	---	2,026	13	13	12
All other	---	295	28	22	19
Black	---	293	28	22	19
Hallandale, part	---	743	5	3	2
White	---	702	2	1	1
All other	---	41	3	2	1
Black	---	41	3	2	1
Hallandale, total	---	746	5	3	2
White	---	705	2	1	1
All other	---	41	3	2	1
Black	---	41	3	2	1
Hollywood	---	1,704	19	15	15
Lauderdale Lakes	---	402	1	1	5
White	---	385	–	–	2
All other	---	17	1	1	3
Black	---	17	1	1	3
Lauderhill	---	424	6	6	5
White	---	402	4	4	2
All other	---	22	2	2	3
Black	---	22	2	2	3
Lighthouse Point	---	172	–	–	1
Margate	---	541	3	3	3
Miramar	---	266	7	6	6
North Lauderdale	---	107	3	3	1
Oakland Park	---	183	2	2	2
Pembroke Pines	---	404	2	1	4
Plantation	---	492	9	8	3
Pompano Beach	---	1,211	17	13	12
White	---	1,051	3	2	3
All other	---	160	14	11	9
Black	---	158	14	11	9
Sunrise	---	579	7	5	3
Tamarac	---	631	–	–	–
Wilton Manors	---	168	1	–	1
Balance of county	---	1,432	23	14	16
White	---	1,188	7	6	7
All other	---	244	16	8	9
Black	---	241	16	8	9
Calhoun	99	116	–	–	–
White	84	102	–	–	–
All other	15	13	–	–	–
Black	15	13	–	–	–
Charlotte	1,304	1,289	5	4	6
Citrus	1,170	1,248	10	5	2
Clay	483	575	20	11	12
Collier	1,311	1,218	14	9	20
Naples	---	377	3	2	3
Balance of county	---	841	11	7	17
White	---	802	8	6	13
All other	---	39	3	1	4
Black	---	37	3	1	4
Columbia	651	358	5	2	8
White	495	285	4	1	3
All other	156	73	1	1	5
Black	155	73	1	1	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Dade	18,625	17,304	314	202	298
White	15,925	14,676	143	95	137
All other	2,700	2,628	171	107	161
Black	2,656	2,589	169	107	160
Coral Gables	---	361	4	2	2
Hallandale, part	---	3	-	-	-
Hialeah	---	1,366	14	11	10
White	---	1,341	13	10	9
All other	---	25	1	1	1
Black	---	22	1	1	1
Homestead	---	217	9	4	9
White	---	174	7	3	4
All other	---	43	2	1	5
Black	---	43	2	1	4
Miami	---	4,857	103	66	122
White	---	3,833	34	24	46
All other	---	1,024	69	42	76
Black	---	1,014	69	42	76
Miami Beach	---	2,188	19	10	12
Miami Springs	---	133	1	-	3
North Miami	---	719	5	4	4
North Miami Beach	---	1,019	4	3	4
Opa-locka	---	155	4	3	3
White	---	60	1	-	-
All other	---	95	3	3	3
Black	---	95	3	3	3
South Miami	---	79	1	-	-
White	---	49	-	-	-
All other	---	30	1	-	-
Black	---	30	1	-	-
Balance of county	---	6,207	150	99	129
White	---	4,897	64	46	63
All other	---	1,310	86	53	66
Black	---	1,290	86	53	66
De Soto	185	241	-	-	6
White	162	201	-	-	4
All other	23	40	-	-	2
Black	23	39	-	-	2
Dixie	45	92	1	1	1
White	38	83	1	1	1
All other	7	9	-	-	-
Black	7	9	-	-	-
Duval	5,931	6,067	160	104	103
White	4,338	4,472	85	55	47
All other	1,593	1,595	75	49	56
Black	1,579	1,582	75	49	54
Jacksonville	---	5,734	145	92	95
White	---	4,180	73	45	41
All other	---	1,554	72	47	54
Black	---	1,543	72	47	52
Jacksonville Beach	---	188	8	7	1
Balance of county	---	145	7	5	7
White	---	119	6	4	5
All other	---	26	1	1	2
Black	---	25	1	1	2
Escambia	2,423	2,129	43	30	34
White	1,948	1,676	24	20	12
All other	475	453	19	10	22
Black	471	447	19	10	19
Pensacola	---	766	13	10	15
White	---	501	8	8	3
All other	---	265	5	2	12
Black	---	263	5	2	11
Balance of county	---	1,363	30	20	19
White	---	1,175	16	12	9
All other	---	188	14	8	10
Black	---	184	14	8	8
Flagler	152	213	1	1	-
White	138	192	1	1	-
All other	14	21	-	-	-
Black	13	21	-	-	-
Franklin	47	105	2	1	1
White	43	96	1	-	1
All other	4	9	1	1	-
Black	4	9	1	1	-
Gadsden	252	405	12	8	7
White	113	187	3	2	2
All other	139	218	9	6	5
Black	138	217	9	6	5
Gilchrist	44	79	1	-	1
Glades	34	62	1	1	1
White	29	51	-	-	-
All other	5	11	1	1	1
Black	4	8	1	1	-
Gulf	92	114	1	1	1
White	72	88	1	1	1
All other	20	26	-	-	-
Black	20	26	-	-	-
Hamilton	74	91	4	2	2
White	51	55	-	-	2
All other	23	36	4	2	-
Black	23	36	4	2	-
Hardee	137	189	8	5	6
Hendry	131	189	6	5	5
White	94	145	3	2	2
All other	37	44	3	3	3
Black	34	41	3	3	3
Hernando	844	977	10	8	4
Highlands	830	880	6	4	5
White	773	814	3	2	1
All other	57	66	3	2	4
Black	55	63	2	1	4
Hillsborough	7,388	6,633	140	92	88
White	6,436	5,721	85	57	63
All other	952	912	55	35	25
Black	935	897	55	35	24
Plant City	---	247	5	2	3
White	---	183	4	1	2
All other	---	64	1	1	1
Black	---	64	1	1	1
Tampa	---	3,483	77	61	34
White	---	2,772	34	26	19
All other	---	711	43	25	15
Black	---	704	43	25	15
Temple Terrace	---	67	1	1	1
Balance of county	---	2,836	57	38	50
White	---	2,701	47	30	41
All other	---	135	10	8	9
Black	---	127	10	8	8
Holmes	105	183	-	-	3
Indian River	1,049	967	18	10	5
White	974	896	12	7	3
All other	75	71	6	3	2
Black	75	70	6	3	2
Vero Beach	---	363	6	3	1
Balance of county	---	604	12	7	4
White	---	543	6	4	2
All other	---	61	6	3	2
Black	---	61	6	3	2
Jackson	320	406	5	3	5
White	232	299	5	3	1
All other	88	107	-	-	4
Black	88	107	-	-	4
Jefferson	32	115	5	3	-
White	23	74	2	2	-
All other	9	41	3	1	-
Black	9	41	3	1	-
Lafayette	20	55	1	-	-
Lake	1,790	1,802	17	8	9
White	1,630	1,652	14	6	5
All other	160	150	3	2	4
Black	158	149	3	2	4
Leesburg	---	249	-	-	1
White	---	204	-	-	-
All other	---	45	-	-	1
Black	---	45	-	-	1
Balance of county	---	1,553	17	8	8
White	---	1,448	14	6	5
All other	---	105	3	2	3
Black	---	104	3	2	3
Lee	3,351	3,322	33	19	28
White	3,187	3,163	24	14	18
All other	164	159	9	5	10
Black	159	155	9	5	10
Cape Coral	---	609	3	1	2
Fort Myers	---	570	14	8	9
White	---	448	5	3	1
All other	---	122	9	5	8
Black	---	122	9	5	8
Balance of county	---	2,143	16	10	17
Leon	1,434	943	17	13	19
White	1,038	686	6	5	10
All other	396	257	11	8	9
Black	394	255	11	8	9
Tallahassee	---	712	15	11	11
White	---	511	5	4	4
All other	---	201	10	7	7
Black	---	199	10	7	7
Balance of county	---	231	2	2	8
White	---	175	1	1	6
All other	---	56	1	1	2
Black	---	56	1	1	2
Levy	243	317	4	1	7
White	211	282	3	1	3
All other	32	35	1	-	4
Black	32	35	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Liberty	11	54	–	–	–
White	7	46	–	–	–
All other	4	8	–	–	–
Black	4	8	–	–	–
Madison	123	179	7	6	4
White	74	115	2	1	1
All other	49	64	5	5	3
Black	48	63	5	5	3
Manatee	2,483	2,576	23	14	16
White	2,334	2,433	19	11	13
All other	149	143	4	3	3
Black	146	141	4	3	3
Bradenton	– – –	773	8	7	8
White	– – –	708	5	4	6
All other	– – –	65	3	3	2
Black	– – –	64	3	3	2
Balance of county	– – –	1,803	15	7	8
Marion	1,730	1,923	22	12	16
White	1,540	1,698	13	7	10
All other	190	225	9	5	6
Black	189	224	9	5	6
Ocala	– – –	609	8	3	5
White	– – –	491	3	2	2
All other	– – –	118	5	1	3
Black	– – –	118	5	1	3
Balance of county	– – –	1,314	14	9	11
White	– – –	1,207	10	5	8
All other	– – –	107	4	4	3
Black	– – –	106	4	4	3
Martin	1,075	1,095	8	3	9
Monroe	605	684	7	5	9
Key West	– – –	252	3	2	5
White	– – –	219	2	1	4
All other	– – –	33	1	1	1
Black	– – –	32	1	1	1
Balance of county	– – –	432	4	3	4
Nassau	155	275	7	5	9
White	122	228	7	5	8
All other	33	47	–	–	1
Black	33	47	–	–	1
Okaloosa	790	809	16	13	15
White	733	748	14	11	10
All other	57	61	2	2	5
Black	53	57	2	2	4
Fort Walton Beach	– – –	230	2	2	7
White	– – –	200	1	1	4
All other	– – –	30	1	1	3
Black	– – –	29	1	1	3
Balance of county	– – –	579	14	11	8
White	– – –	548	13	10	6
All other	– – –	31	1	1	2
Black	– – –	28	1	1	1
Okeechobee	240	287	10	8	4
Orange	5,386	4,593	108	68	78
White	4,732	3,973	61	41	52
All other	654	620	47	27	26
Black	637	606	46	27	26
Orlando	– – –	1,724	49	29	38
White	– – –	1,356	19	12	20
All other	– – –	368	30	17	18
Black	– – –	363	29	17	18
Winter Park	– – –	408	3	2	5
White	– – –	371	1	1	3
All other	– – –	37	2	1	2
Black	– – –	37	2	1	2
Balance of county	– – –	2,461	56	37	35
White	– – –	2,246	41	28	29
All other	– – –	215	15	9	6
Black	– – –	206	15	9	6
Osceola	776	710	13	8	9
Kissimmee	– – –	204	4	3	6
White	– – –	180	1	1	5
All other	– – –	24	3	2	1
Black	– – –	22	3	2	1
Balance of county	– – –	506	9	5	3
Palm Beach	8,885	8,962	117	76	82
White	8,085	8,141	60	41	42
All other	800	821	57	35	40
Black	796	819	57	35	40
Belle Glade	– – –	157	8	4	4
White	– – –	43	2	1	1
All other	– – –	114	6	3	3
Black	– – –	113	6	3	3
Boca Raton	– – –	864	8	7	5
Boynton Beach	– – –	607	9	5	7
White	– – –	563	2	–	1
All other	– – –	44	7	5	6
Black	– – –	44	7	5	6
Delray Beach	– – –	759	10	6	7
White	– – –	672	3	3	2
All other	– – –	87	7	3	5
Black	– – –	87	7	3	5
Lake Worth	– – –	602	5	4	6
North Palm Beach	– – –	142	–	–	–
Palm Beach Gardens	– – –	138	1	1	–
Riviera Beach	– – –	288	12	6	3
White	– – –	133	1	1	–
All other	– – –	155	11	5	3
Black	– – –	155	11	5	3
West Palm Beach	– – –	1,152	17	10	16
White	– – –	905	6	3	2
All other	– – –	247	11	7	14
Black	– – –	247	11	7	14
Balance of county	– – –	4,253	47	33	34
White	– – –	4,102	36	25	27
All other	– – –	151	11	8	7
Black	– – –	150	11	8	7
Pasco	3,293	3,814	32	21	19
New Port Richey	– – –	386	–	–	5
Balance of county	– – –	3,428	32	21	14
Pinellas	12,981	12,455	96	67	61
White	12,428	11,912	69	52	40
All other	553	543	27	15	21
Black	537	525	24	14	21
Clearwater	– – –	1,657	14	10	7
Dunedin	– – –	605	1	1	3
Gulfport	– – –	262	1	1	1
Largo	– – –	989	10	7	4
Pinellas Park	– – –	499	3	2	–
St. Petersburg	– – –	4,271	46	32	30
White	– – –	3,854	25	19	13
All other	– – –	417	21	13	17
Black	– – –	407	19	12	17
Tarpon Springs	– – –	227	–	–	1
White	– – –	214	–	–	1
All other	– – –	13	–	–	–
Black	– – –	13	–	–	–
Balance of county	– – –	3,945	21	14	15
Polk	3,754	3,730	82	44	58
White	3,283	3,238	51	27	41
All other	471	492	31	17	17
Black	462	485	30	17	17
Bartow	– – –	149	4	3	8
White	– – –	107	1	–	4
All other	– – –	42	3	3	4
Black	– – –	42	3	3	4
Haines City	– – –	128	5	2	5
White	– – –	85	3	–	2
All other	– – –	43	2	2	3
Black	– – –	43	2	2	3
Lakeland	– – –	820	19	8	8
White	– – –	694	10	5	5
All other	– – –	126	9	3	3
Black	– – –	126	9	3	3
Winter Haven	– – –	394	12	6	4
White	– – –	324	4	3	4
All other	– – –	70	8	3	–
Black	– – –	68	7	3	–
Balance of county	– – –	2,239	42	25	33
White	– – –	2,028	33	19	26
All other	– – –	211	9	6	7
Black	– – –	206	9	6	7
Putnam	476	644	11	7	9
White	387	531	8	5	6
All other	89	113	3	2	3
Black	89	113	3	2	3
Palatka	– – –	151	3	2	2
White	– – –	99	1	1	2
All other	– – –	52	2	1	–
Black	– – –	52	2	1	–
Balance of county	– – –	493	8	5	7
White	– – –	432	7	4	4
All other	– – –	61	1	1	3
Black	– – –	61	1	1	3
St. Johns	644	736	6	6	10
White	525	611	4	4	9
All other	119	125	2	2	1
Black	119	125	2	2	1
St. Augustine	– – –	209	1	1	3
White	– – –	157	1	1	2
All other	– – –	52	–	–	1
Black	– – –	52	–	–	1
Balance of county	– – –	527	5	5	7
White	– – –	454	3	3	7
All other	– – –	73	2	2	–
Black	– – –	73	2	2	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
St. Lucie	1,166	1,258	21	14	23
White	980	1,065	13	8	13
All other	186	193	8	6	10
Black	185	192	8	6	10
Fort Pierce	---	535	13	8	11
White	---	373	7	4	4
All other	---	162	6	4	7
Black	---	162	6	4	7
Port St. Lucie	---	288	5	4	7
Balance of county	---	435	3	2	5
White	---	411	2	1	2
All other	---	24	1	1	3
Black	---	24	1	1	3
Santa Rosa	303	435	7	4	8
Sarasota	3,801	3,677	31	23	17
White	3,687	3,566	25	20	12
All other	114	111	6	3	5
Black	113	111	6	3	5
Sarasota	---	932	9	5	6
White	---	850	7	5	3
All other	---	82	2	-	3
Black	---	82	2	-	3
Venice	---	399	1	1	2
Balance of county	---	2,346	21	17	9
Seminole	1,644	1,680	31	23	23
White	1,443	1,459	24	20	17
All other	201	221	7	3	6
Black	199	219	7	3	5
Altamonte Springs	---	252	6	6	3
Casselberry	---	132	1	1	3
Longwood	---	120	2	1	4
Sanford	---	342	9	6	2
White	---	244	6	4	-
All other	---	98	3	2	2
Black	---	98	3	2	2
Winter Springs	---	77	-	-	1
Balance of county	---	757	13	9	10
Sumter	132	324	5	3	3
White	118	277	2	1	2
All other	14	47	3	2	1
Black	14	47	3	2	1
Suwannee	232	333	5	4	2
White	207	292	3	3	-
All other	25	41	2	1	2
Black	25	41	2	1	2
Taylor	157	211	4	1	8
White	119	159	2	-	4
All other	38	52	2	1	4
Black	37	52	2	1	4
Union	33	74	1	1	1
White	21	54	1	1	1
All other	12	20	-	-	-
Black	12	20	-	-	-
Volusia	4,013	4,118	34	23	26
White	3,673	3,784	27	18	19
All other	340	334	7	5	7
Black	339	331	7	5	7
Daytona Beach	---	901	8	4	9
White	---	708	4	1	3
All other	---	193	4	3	6
Black	---	192	4	3	6
De Land	---	247	1	1	1
White	---	216	1	1	1
All other	---	31	-	-	-
Black	---	30	-	-	-
New Smyrna Beach	---	296	3	3	2
White	---	262	2	2	1
All other	---	34	1	1	1
Black	---	34	1	1	1
Ormond Beach	---	445	1	-	-
Port Orange	---	304	4	2	1
South Daytona	---	119	-	-	1
Balance of county	---	1,806	17	13	12
Wakulla	65	103	2	1	1
White	59	91	1	-	1
All other	6	12	1	1	-
Black	6	12	1	1	-
Walton	192	281	7	5	2
White	168	242	6	5	1
All other	24	39	1	-	1
Black	24	39	1	-	1
Washington	119	167	2	1	1
White	101	139	2	1	-
All other	18	28	-	-	1
Black	18	28	-	-	1
Georgia	50,022	49,347	1,224	835	1,104
White	36,089	35,528	591	406	555
All other	13,933	13,819	633	429	549
Black	13,844	13,732	625	423	539
Appling	107	157	6	3	-
White	84	126	4	3	-
All other	23	31	2	-	-
Black	23	31	2	-	-
Atkinson	9	61	1	1	1
White	7	48	1	1	-
All other	2	13	-	-	1
Black	2	13	-	-	1
Bacon	75	94	3	2	2
White	62	81	2	1	2
All other	13	13	1	1	-
Black	13	13	1	1	-
Baker	15	44	-	-	1
White	7	26	-	-	-
All other	8	18	-	-	1
Black	8	18	-	-	1
Baldwin	329	264	6	6	1
White	213	180	2	2	-
All other	116	84	4	4	1
Black	116	84	4	4	1
Milledgeville	---	128	4	4	1
White	---	71	1	1	-
All other	---	57	3	3	1
Black	---	57	3	3	1
Balance of county	---	136	2	2	-
White	---	109	1	1	-
All other	---	27	1	1	-
Black	---	27	1	1	-
Banks	1	59	-	-	1
Barrow	175	251	4	1	8
White	162	226	3	-	6
All other	13	25	1	1	2
Black	13	25	1	1	2
Bartow	290	412	8	4	8
White	256	368	6	3	7
All other	34	44	2	1	1
Black	34	44	2	1	1
Ben Hill	191	183	1	-	3
White	133	128	1	-	1
All other	58	55	-	-	2
Black	58	55	-	-	2
Fitzgerald, part	---	127	1	-	2
White	---	85	1	-	1
All other	---	42	-	-	1
Black	---	42	-	-	1
Fitzgerald, total	---	127	1	-	2
White	---	85	1	-	1
All other	---	42	-	-	1
Black	---	42	-	-	1
Balance of county	---	56	-	-	1
White	---	43	-	-	-
All other	---	13	-	-	1
Black	---	13	-	-	1
Berrien	74	131	-	-	3
White	67	117	-	-	1
All other	7	14	-	-	2
Black	7	14	-	-	2
Bibb	1,917	1,530	32	25	33
White	1,177	910	10	8	8
All other	740	620	22	17	25
Black	739	619	22	17	25
Macon, part	---	1,340	28	21	30
White	---	746	7	5	5
All other	---	594	21	16	25
Black	---	593	21	16	25
Macon, total	---	1,340	28	21	30
White	---	746	7	5	5
All other	---	594	21	16	25
Black	---	593	21	16	25
Balance of county	---	190	4	4	3
White	---	164	3	3	3
All other	---	26	1	1	-
Black	---	28	1	1	-
Bleckley	58	90	1	-	3
White	45	71	1	-	3
All other	13	19	-	-	-
Black	13	19	-	-	-
Brantley	21	78	-	-	3
Brooks	152	191	2	2	3
White	104	117	-	-	2
All other	48	74	2	2	1
Black	48	74	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Bryan	8	91	3	2	2
White	6	70	2	1	–
All other	2	21	1	1	2
Black	2	21	1	1	2
Bulloch	291	321	6	5	3
White	216	242	2	2	2
All other	75	79	4	3	1
Black	74	77	4	3	1
Statesboro	---	179	2	2	1
White	---	135	1	1	1
All other	---	44	1	1	–
Black	---	43	1	1	–
Balance of county	---	142	4	3	2
White	---	107	1	1	1
All other	---	35	3	2	1
Black	---	34	3	2	1
Burke	124	201	7	7	5
White	56	92	–	–	–
All other	68	109	7	7	5
Black	67	109	7	7	5
Butts	133	140	3	3	4
White	89	87	–	–	3
All other	44	53	3	3	1
Black	44	53	3	3	1
Calhoun	54	64	1	1	2
White	24	25	–	–	1
All other	30	39	1	1	1
Black	30	39	1	1	1
Camden	63	118	11	8	6
White	42	76	8	7	3
All other	21	42	3	1	3
Black	21	42	3	1	3
Candler	141	87	–	–	1
White	95	56	–	–	–
All other	46	31	–	–	1
Black	46	31	–	–	1
Carroll	507	532	7	4	13
White	445	466	5	3	9
All other	62	66	2	1	4
Black	61	65	2	1	4
Carrollton	---	151	1	1	2
White	---	115	–	–	1
All other	---	36	1	1	1
Black	---	35	1	1	1
Balance of county	---	381	6	3	11
White	---	351	5	3	8
All other	---	30	1	–	3
Black	---	30	1	–	3
Catoosa	615	310	3	1	3
Charlton	71	71	1	–	–
White	52	52	1	–	–
All other	19	19	–	–	–
Black	19	19	–	–	–
Chatham	2,425	2,007	65	47	44
White	1,517	1,209	18	15	14
All other	908	798	47	32	30
Black	902	795	47	32	30
Savannah	---	1,629	55	39	38
White	---	873	10	9	9
All other	---	756	45	30	29
Black	---	753	45	30	29
Balance of county	---	378	10	8	6
White	---	336	8	6	5
All other	---	42	2	2	1
Black	---	42	2	2	1
Chattahoochee	100	22	2	2	2
White	71	14	1	1	1
All other	29	8	1	1	1
Black	28	8	1	1	1
Chattooga	152	239	4	3	3
Cherokee	273	409	16	9	10
Clarke	987	532	13	11	10
White	753	363	5	4	7
All other	234	169	8	7	3
Black	234	169	8	7	3
Athens	---	351	7	5	8
White	---	232	3	2	5
All other	---	119	4	3	3
Black	---	119	4	3	3
Balance of county	---	181	6	6	2
White	---	131	2	2	2
All other	---	50	4	4	–
Black	---	50	4	4	–
Clay	48	45	1	1	–
White	19	18	–	–	–
All other	29	27	1	1	–
Black	28	27	1	1	–
Clayton	745	887	37	26	24
White	678	821	28	19	14
All other	67	66	9	7	10
Black	62	62	9	7	8
College Park, part	---	22	3	2	3
White	---	12	–	–	1
All other	---	10	3	2	2
Black	---	8	3	2	2
Forest Park	---	140	4	3	9
Balance of county	---	725	30	21	12
Clinch	61	73	1	1	2
White	42	54	1	1	1
All other	19	19	–	–	1
Black	19	19	–	–	1
Cobb	1,849	1,901	55	42	52
White	1,738	1,762	40	28	41
All other	111	139	15	14	11
Black	110	133	14	13	10
Marietta	---	414	12	9	18
White	---	345	7	5	15
All other	---	69	5	4	3
Black	---	67	4	3	3
Smyrna	---	194	3	1	3
Balance of county	---	1,293	40	32	31
Coffee	213	224	12	7	3
White	167	172	6	2	2
All other	46	52	6	5	1
Black	46	52	6	5	1
Douglas	---	91	5	3	2
White	---	61	3	1	1
All other	---	30	2	2	1
Black	---	30	2	2	1
Balance of county	---	133	7	4	1
White	---	111	3	1	1
All other	---	22	4	3	–
Black	---	22	4	3	–
Colquitt	323	405	6	4	11
White	230	297	1	–	6
All other	93	108	5	4	5
Black	93	108	5	4	5
Moultrie	---	213	5	3	7
White	---	124	1	–	3
All other	---	89	4	3	4
Black	---	89	4	3	4
Balance of county	---	192	1	1	4
White	---	173	–	–	3
All other	---	19	1	1	1
Black	---	19	1	1	1
Columbia	56	284	11	8	11
White	40	235	9	7	8
All other	16	49	2	1	3
Black	16	49	2	1	3
Cook	154	147	2	1	3
White	115	107	1	1	2
All other	39	40	1	–	1
Black	39	40	1	–	1
Coweta	361	387	3	2	7
White	283	288	1	1	5
All other	78	99	2	1	2
Black	78	98	2	1	2
Newnan	---	151	1	–	–
White	---	100	–	–	–
All other	---	51	1	–	–
Black	---	51	1	–	–
Balance of county	---	236	2	2	7
White	---	188	1	1	5
All other	---	48	1	1	2
Black	---	47	1	1	2
Crawford	28	63	2	2	2
White	13	42	1	1	2
All other	15	21	1	1	–
Black	15	21	1	1	–
Crisp	224	239	3	2	5
White	144	150	–	–	1
All other	80	89	3	2	4
Black	80	88	3	2	4
Cordele	---	159	2	2	5
White	---	81	–	–	1
All other	---	78	2	2	4
Black	---	77	2	2	4
Balance of county	---	80	1	–	–
White	---	69	–	–	–
All other	---	11	1	–	–
Black	---	11	1	–	–
Dade	30	81	–	–	1
Dawson	19	53	2	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Decatur	238	295	7	4	7
White	149	180	4	2	4
All other	89	115	3	2	3
Black	88	114	3	2	3
Bainbridge	---	158	3	1	2
White	---	95	1	-	1
All other	---	63	2	1	1
Black	---	63	2	1	1
Balance of county	---	137	4	3	5
White	---	85	3	2	3
All other	---	52	1	1	2
Black	---	51	1	1	2
De Kalb	3,328	3,297	93	62	76
White	2,717	2,395	33	21	27
All other	611	902	60	41	49
Black	592	885	58	39	48
Atlanta, part	---	577	18	11	23
White	---	216	3	1	8
All other	---	361	15	10	15
Black	---	360	15	10	15
Decatur	---	512	19	13	15
White	---	194	2	2	1
All other	---	318	17	11	14
Black	---	318	17	11	14
Balance of county	---	2,208	56	38	38
White	---	1,985	28	18	18
All other	---	223	28	20	20
Black	---	207	26	18	19
Dodge	163	196	4	3	3
White	119	144	1	-	1
All other	44	52	3	3	2
Black	44	52	3	3	2
Dooly	84	106	2	2	6
White	48	62	1	1	2
All other	36	44	1	1	4
Black	36	44	1	1	4
Dougherty	1,061	769	22	13	24
White	596	423	5	3	3
All other	465	346	17	10	21
Black	465	345	16	9	21
Albany	---	681	18	9	23
White	---	354	2	-	3
All other	---	327	16	9	20
Black	---	326	15	8	20
Balance of county	---	88	4	4	1
White	---	69	3	3	-
All other	---	19	1	1	1
Black	---	19	1	1	1
Douglas	322	367	8	4	13
Early	104	137	5	3	3
White	54	77	1	1	1
All other	50	60	4	2	2
Black	50	60	4	2	2
Echols	4	13	-	-	-
White	4	13	-	-	-
All other	-	-	-	-	-
Black	-	-	-	-	-
Effingham	78	153	2	1	4
White	67	121	2	1	4
All other	11	32	-	-	-
Black	11	32	-	-	-
Elbert	160	223	3	3	10
White	118	168	3	3	7
All other	42	55	-	-	3
Black	42	55	-	-	3
Emanuel	183	254	4	4	3
White	131	183	-	-	1
All other	52	71	4	4	2
Black	52	71	4	4	2
Evans	79	79	-	-	2
White	53	53	-	-	-
All other	20	26	-	-	2
Black	20	26	-	-	2
Fannin	144	186	1	-	5
Fayette	59	231	8	7	9
Floyd	1,076	824	21	16	13
White	948	706	13	12	6
All other	128	118	8	4	7
Black	128	118	8	4	7
Rome	---	442	13	9	10
White	---	340	6	6	3
All other	---	102	7	3	7
Black	---	102	7	3	7
Balance of county	---	382	8	7	3
Forsyth	167	232	6	2	3
Franklin	196	205	4	3	7
White	164	183	2	1	7
All other	32	22	2	2	-
Black	32	22	2	2	-
Fulton	8,301	6,112	178	116	141
White	4,707	3,079	37	26	26
All other	3,594	3,033	141	90	115
Black	3,574	3,020	140	90	113
Atlanta, part	---	4,419	122	80	103
White	---	1,677	14	14	13
All other	---	2,742	108	66	90
Black	---	2,738	108	66	89
Atlanta, total	---	4,996	140	91	126
White	---	1,893	17	15	21
All other	---	3,103	123	76	105
Black	---	3,098	123	76	104
College Park, part	---	206	12	7	9
White	---	97	2	1	1
All other	---	109	10	6	8
Black	---	106	10	6	7
College Park, total	---	228	15	9	12
White	---	109	2	1	2
All other	---	119	13	8	10
Black	---	114	13	8	9
East Point	---	357	17	12	11
White	---	259	2	1	3
All other	---	98	15	11	8
Black	---	97	15	11	8
Roswell	---	190	6	5	2
Balance of county	---	940	21	12	16
White	---	862	13	5	8
All other	---	78	8	7	8
Black	---	73	7	7	8
Gilmer	82	114	3	1	1
Glascock	28	37	-	-	-
White	22	34	-	-	-
All other	6	3	-	-	-
Black	6	3	-	-	-
Glynn	557	512	10	6	11
White	403	376	7	4	7
All other	154	136	3	2	4
Black	152	134	3	2	4
Brunswick	---	206	6	3	7
White	---	103	3	1	4
All other	---	103	3	2	3
Black	---	103	3	2	3
Balance of county	---	306	4	3	4
White	---	273	4	3	3
All other	---	33	-	-	1
Black	---	31	-	-	1
Gordon	194	249	6	5	-
Grady	155	209	3	1	6
White	88	135	1	1	2
All other	67	74	2	-	4
Black	67	74	2	-	4
Greene	116	142	1	-	2
White	67	83	-	-	-
All other	49	59	1	-	2
Black	49	59	1	-	2
Gwinnett	867	1,117	40	32	27
Habersham	186	216	4	2	3
Hall	838	670	10	7	13
Gainesville	---	201	6	5	8
White	---	160	5	4	6
All other	---	41	1	1	2
Black	---	39	1	1	2
Balance of county	---	469	4	2	5
Hancock	91	109	3	2	1
White	37	35	-	-	-
All other	54	74	3	2	1
Black	54	74	3	2	1
Haralson	172	218	3	3	3
Harris	68	126	1	-	-
White	50	88	-	-	-
All other	18	38	1	-	-
Black	18	38	1	-	-
Hart	145	220	3	3	2
White	124	180	1	1	-
All other	21	40	2	2	2
Black	21	40	2	2	2
Heard	43	59	2	1	1
White	35	49	2	1	1
All other	8	10	-	-	-
Black	8	10	-	-	-
Henry	317	393	6	4	9
White	267	327	4	3	8
All other	50	66	2	1	1
Black	49	64	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Houston	415	505	10	6	15
White	331	408	5	4	5
All other	84	97	5	2	10
Black	84	97	5	2	10
Warner Robins	---	295	7	4	4
White	---	248	2	2	2
All other	---	47	5	2	2
Black	---	47	5	2	2
Balance of county	---	210	3	2	11
White	---	160	3	2	3
All other	---	50	-	-	8
Black	---	50	-	-	8
Irwin	87	106	-	-	6
White	61	78	-	-	2
All other	26	28	-	-	4
Black	26	28	-	-	3
Fitzgerald, part	---	-	-	-	-
Balance of county	---	106	-	-	6
White	---	78	-	-	2
All other	---	28	-	-	4
Black	---	28	-	-	3
Jackson	179	252	4	3	4
White	163	225	3	2	2
All other	16	27	1	1	2
Black	16	27	1	1	2
Jasper	76	95	1	-	1
White	56	69	-	-	-
All other	20	26	1	-	1
Black	20	26	1	-	1
Jeff Davis	90	111	3	3	1
White	66	89	1	1	1
All other	24	22	2	2	-
Black	24	22	2	2	-
Jefferson	137	205	6	4	2
White	55	100	-	-	-
All other	82	105	6	4	2
Black	82	105	6	4	2
Jenkins	75	127	2	1	-
White	39	74	-	-	-
All other	36	53	2	1	-
Black	36	53	2	1	-
Johnson	30	92	1	1	-
White	18	68	-	-	-
All other	12	24	1	1	-
Black	12	24	1	1	-
Jones	82	118	4	3	2
White	56	80	2	1	1
All other	26	38	2	2	1
Black	25	38	2	2	1
Macon, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	118	4	3	2
White	---	80	2	1	1
All other	---	38	2	2	1
Black	---	38	2	2	1
Lamar	56	135	1	1	3
White	38	92	-	-	1
All other	18	43	1	1	2
Black	18	43	1	1	2
Lanier	59	57	5	3	-
White	41	42	2	1	-
All other	18	15	3	2	-
Black	18	15	3	2	-
Laurens	638	399	5	3	6
White	446	271	2	1	4
All other	192	128	3	2	2
Black	191	127	3	2	2
Dublin	---	202	2	2	1
White	---	126	1	1	-
All other	---	76	1	1	1
Black	---	75	1	1	1
Balance of county	---	197	3	1	5
White	---	145	1	-	4
All other	---	52	2	1	1
Black	---	52	2	1	1
Lee	5	71	3	2	1
White	3	53	1	-	1
All other	2	18	2	2	-
Black	2	18	2	2	-
Liberty	151	162	12	8	25
White	96	102	6	4	17
All other	55	60	6	4	8
Black	55	60	6	4	7
Hinesville	---	59	4	3	9
White	---	48	2	1	4
All other	---	11	2	2	5
Black	---	11	2	2	4
Balance of county	---	103	8	5	16
White	---	54	4	3	13
All other	---	49	4	2	3
Black	---	49	4	2	3
Lincoln	31	82	1	1	1
White	19	57	-	-	1
All other	12	25	1	1	-
Black	12	25	1	1	-
Long	9	44	3	1	-
White	7	33	1	1	-
All other	2	11	2	-	-
Black	2	11	2	-	-
Lowndes	654	602	15	9	19
White	421	382	6	4	9
All other	233	220	9	5	10
Black	233	220	9	5	10
Valdosta	---	389	10	4	15
White	---	208	2	-	6
All other	---	181	8	4	9
Black	---	181	8	4	9
Balance of county	---	213	5	5	4
White	---	174	4	4	3
All other	---	39	1	1	1
Black	---	39	1	1	1
Lumpkin	106	111	1	1	1
McDuffie	161	189	4	3	7
White	98	115	2	2	4
All other	63	74	2	1	3
Black	63	74	2	1	3
McIntosh	23	73	2	2	1
White	19	40	2	2	-
All other	4	33	-	-	1
Black	4	33	-	-	1
Macon	123	149	3	1	-
White	54	73	-	-	-
All other	69	76	3	1	-
Black	69	76	3	1	-
Madison	36	155	4	3	3
White	31	142	4	3	2
All other	5	13	-	-	1
Black	5	13	-	-	1
Marion	51	65	2	1	-
White	26	38	1	1	-
All other	25	27	1	-	-
Black	25	27	1	-	-
Meriwether	153	261	12	9	5
White	108	166	5	4	3
All other	45	95	7	5	2
Black	45	95	7	5	2
Miller	80	83	-	-	3
White	60	60	-	-	-
All other	20	23	-	-	3
Black	20	23	-	-	3
Mitchell	121	203	7	7	9
White	66	104	1	1	4
All other	55	99	6	6	5
Black	54	98	6	6	4
Monroe	167	153	1	1	1
White	118	104	-	-	1
All other	49	49	1	1	-
Black	48	48	1	1	-
Montgomery	9	73	-	-	1
White	5	57	-	-	1
All other	4	16	-	-	-
Black	4	16	-	-	-
Vidalia, part	---	-	-	-	-
Balance of county	---	73	-	-	1
White	---	57	-	-	1
All other	---	16	-	-	-
Black	---	16	-	-	-
Morgan	68	130	2	1	3
White	39	74	1	1	2
All other	29	56	1	-	1
Black	29	56	1	-	1
Murray	114	151	6	5	2
Muscogee	1,771	1,586	54	34	42
White	1,129	1,014	24	17	21
All other	642	572	30	17	21
Black	641	569	30	17	20
Columbus	---	1,552	52	33	40
White	---	991	23	17	19
All other	---	561	29	16	21
Black	---	558	29	16	20
Balance of county	---	34	2	1	2
Newton	226	321	10	7	13
White	170	236	5	3	8
All other	56	85	5	4	5
Black	56	85	5	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Covington	---	150	3	1	5
White	---	89	1	-	2
All other	---	61	2	1	3
Black	---	61	2	1	3
Balance of county	---	171	7	6	8
White	---	147	4	3	6
All other	---	24	3	3	2
Black	---	24	3	3	2
Oconee	35	97	3	3	1
White	34	94	3	3	-
All other	1	3	-	-	1
Black	1	3	-	-	1
Oglethorpe	2	80	2	1	3
White	2	61	-	-	2
All other	-	19	2	1	1
Black	-	19	2	1	1
Paulding	149	219	1	1	2
Peach	151	174	2	2	8
White	74	83	1	1	2
All other	77	91	1	1	6
Black	77	91	1	1	6
Pickens	109	147	7	2	2
Pierce	75	135	4	1	2
White	61	114	2	-	1
All other	14	21	2	1	1
Black	14	21	2	1	1
Pike	34	101	2	1	1
White	23	73	-	-	-
All other	11	28	2	1	1
Black	11	28	2	1	1
Polk	220	374	5	4	9
White	184	329	2	2	8
All other	36	45	3	2	1
Black	35	44	3	2	1
Pulaski	95	95	2	1	1
White	60	55	-	-	-
All other	35	40	2	1	1
Black	35	40	2	1	1
Putnam	91	93	2	1	3
White	65	67	-	-	-
All other	26	26	2	1	3
Black	26	26	2	1	3
Quitman	11	29	1	1	2
White	5	17	-	-	1
All other	6	12	1	1	1
Black	6	12	1	1	1
Rabun	111	125	4	2	1
Randolph	84	103	2	2	-
White	46	53	-	-	-
All other	38	50	2	2	-
Black	38	49	2	2	-
Richmond	3,285	1,608	48	35	38
White	2,199	1,013	30	22	11
All other	1,086	595	18	13	27
Black	1,077	589	17	13	27
Augusta	---	762	19	12	19
White	---	392	10	6	2
All other	---	370	9	6	17
Black	---	369	9	6	17
Balance of county	---	846	29	23	19
White	---	621	20	16	9
All other	---	225	9	7	10
Black	---	220	8	7	10
Rockdale	272	273	8	7	6
Schley	4	28	-	-	-
White	2	15	-	-	-
All other	2	13	-	-	-
Black	2	13	-	-	-
Screven	98	155	6	3	3
White	57	92	3	2	1
All other	41	63	3	1	2
Black	41	63	3	1	2
Seminole	67	103	3	1	3
White	44	69	-	-	-
All other	23	34	3	1	3
Black	23	34	3	1	3
Spalding	501	524	12	9	15
White	364	378	5	3	6
All other	137	146	7	6	9
Black	137	146	7	6	9
Griffin	---	330	8	6	8
White	---	222	1	-	2
All other	---	108	7	6	6
Black	---	108	7	6	6
Balance of county	---	194	4	3	7
White	---	156	4	3	4
All other	---	38	-	-	3
Black	---	38	-	-	3
Stephens	219	216	4	2	1
White	191	183	2	1	1
All other	28	33	2	1	-
Black	28	33	2	1	-
Stewart	49	70	2	1	-
White	25	32	-	-	-
All other	24	38	2	1	-
Black	23	37	2	1	-
Sumter	354	312	6	4	-
White	220	181	3	2	-
All other	134	131	3	2	-
Black	134	131	3	2	-
Americus	---	207	1	1	-
White	---	122	1	1	-
All other	---	85	-	-	-
Black	---	85	-	-	-
Balance of county	---	105	5	3	-
White	---	59	2	1	-
All other	---	46	3	2	-
Black	---	46	3	2	-
Talbot	13	51	-	-	1
White	5	19	-	-	-
All other	8	32	-	-	1
Black	8	32	-	-	1
Taliaferro	4	30	-	-	-
White	2	16	-	-	-
All other	2	14	-	-	-
Black	2	14	-	-	-
Tattnall	119	171	-	-	2
White	95	140	-	-	1
All other	24	31	-	-	1
Black	24	31	-	-	1
Taylor	35	82	3	2	6
White	18	47	1	1	5
All other	17	35	2	1	1
Black	17	35	2	1	1
Telfair	112	141	2	1	3
White	84	100	1	-	1
All other	28	41	1	1	2
Black	28	41	1	1	2
Terrell	75	111	5	2	5
White	26	51	1	1	-
All other	49	60	4	1	5
Black	49	60	4	1	5
Thomas	511	411	10	7	6
White	346	273	2	1	4
All other	165	138	8	6	2
Black	165	138	8	6	2
Thomasville	---	222	3	3	2
White	---	129	-	-	1
All other	---	93	3	3	1
Black	---	93	3	3	1
Balance of county	---	189	7	4	4
White	---	144	2	1	3
All other	---	45	5	3	1
Black	---	45	5	3	1
Tift	329	287	7	4	1
White	249	211	4	2	1
All other	80	76	3	2	-
Black	79	75	3	2	-
Tifton	---	157	3	-	-
White	---	125	2	-	-
All other	---	32	1	-	-
Black	---	32	1	-	-
Balance of county	---	130	4	4	1
White	---	86	2	2	1
All other	---	44	2	2	-
Black	---	43	2	2	-
Toombs	224	219	5	2	5
White	170	164	3	1	3
All other	54	55	2	1	2
Black	54	55	2	1	2
Vidalia, part	---	108	-	-	4
White	---	75	-	-	3
All other	---	33	-	-	1
Black	---	33	-	-	1
Vidalia, total	---	108	-	-	4
White	---	75	-	-	3
All other	---	33	-	-	1
Black	---	33	-	-	1
Balance of county	---	111	5	2	1
White	---	89	3	1	-
All other	---	22	2	1	1
Black	---	22	2	1	1
Towns	81	60	-	-	-
Treutlen	22	71	1	-	-
White	12	43	-	-	-
All other	10	28	1	-	-
Black	10	28	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia-Con.					
Troup	633	585	8	7	12
White	433	390	4	4	2
All other	200	195	4	3	10
Black	200	195	4	3	10
La Grange	---	322	4	3	9
White	---	200	-	-	-
All other	---	122	4	3	9
Black	---	122	4	3	9
Balance of county	---	263	4	4	3
White	---	190	4	4	2
All other	---	73	-	-	1
Black	---	73	-	-	1
Turner	62	94	1	-	1
White	41	62	-	-	-
All other	21	32	1	-	1
Black	21	32	1	-	1
Twiggs	63	107	4	4	1
White	40	62	1	1	-
All other	23	45	3	3	1
Black	23	45	3	3	1
Union	108	118	2	2	2
Upson	405	331	3	3	5
White	306	253	1	1	4
All other	99	78	2	2	1
Black	99	78	2	2	1
Walker	174	613	10	4	7
Walton	175	264	6	5	8
White	144	219	5	4	5
All other	31	45	1	1	3
Black	31	45	1	1	3
Ware	411	383	10	7	12
White	323	286	5	3	6
All other	88	97	5	4	6
Black	88	97	5	4	6
Waycross	---	240	6	5	10
White	---	147	1	1	4
All other	---	93	5	4	6
Black	---	93	5	4	6
Balance of county	---	143	4	2	2
Warren	17	84	1	1	3
White	10	44	-	-	-
All other	7	40	1	1	3
Black	7	40	1	1	3
Washington	175	231	5	4	3
White	96	121	2	2	1
All other	79	110	3	2	2
Black	79	110	3	2	2
Wayne	243	231	5	3	6
White	207	200	3	1	3
All other	36	31	2	2	3
Black	36	31	2	2	3
Webster	9	29	-	-	-
White	3	13	-	-	-
All other	6	16	-	-	-
Black	6	16	-	-	-
Wheeler	66	56	-	-	3
White	46	41	-	-	-
All other	20	15	-	-	3
Black	20	15	-	-	3
White	40	111	1	1	2
Whitfield	569	522	13	7	12
Dalton	---	224	2	2	4
White	---	197	2	2	4
All other	---	27	-	-	-
Black	---	26	-	-	-
Balance of county	---	298	11	5	8
Wilcox	34	92	-	-	3
White	24	65	-	-	1
All other	10	27	-	-	2
Black	10	27	-	-	2
Wilkes	108	124	1	1	1
White	57	72	1	1	1
All other	51	52	-	-	-
Black	51	52	-	-	-
Wilkinson	30	92	2	2	-
White	13	52	1	1	-
All other	17	40	1	1	-
Black	17	40	1	1	-
Worth	107	171	5	4	7
White	65	107	-	-	5
All other	42	64	5	4	2
Black	42	64	5	4	2
Hawaii	6,171	5,874	171	115	181
White	2,070	1,835	39	24	44
All other	4,101	4,039	132	91	137
Black	59	53	10	4	11
Hawaii-Con.					
Hawaii	676	732	12	8	13
White	249	252	4	3	4
All other	427	480	8	5	9
Black	2	2	-	-	-
Hilo#	---	286	2	-	6
White	---	76	1	-	2
All other	---	210	1	-	4
Black	---	1	-	-	-
Balance of county	---	446	10	8	7
White	---	176	3	3	2
All other	---	270	7	5	5
Black	---	1	-	-	-
Honolulu	4,670	4,304	143	95	144
White	1,511	1,333	30	17	31
All other	3,159	2,971	113	78	113
Black	54	49	10	4	11
Aiea#	---	129	5	4	5
White	---	35	2	1	1
All other	---	94	3	3	4
Black	---	2	1	1	-
Ewa Beach#	---	111	5	5	6
White	---	29	1	1	1
All other	---	82	4	4	5
Black	---	1	-	-	-
Honolulu#	---	2,538	54	37	57
White	---	805	10	8	10
All other	---	1,733	44	29	47
Black	---	18	3	3	5
Kailua#	---	226	16	11	10
White	---	125	6	3	4
All other	---	101	10	8	6
Black	---	-	-	-	-
Kaneohe#	---	268	6	6	4
White	---	106	1	1	-
All other	---	162	5	5	4
Black	---	1	-	-	-
Mililani Town#	---	54	4	2	6
White	---	22	1	-	3
All other	---	32	3	2	3
Black	---	3	1	-	-
Mokapu#	---	11	3	-	3
White	---	6	1	-	1
All other	---	5	2	-	2
Black	---	5	2	-	2
Pearl City#	---	137	7	5	5
White	---	21	2	1	1
All other	---	116	5	4	4
Black	---	1	1	-	-
Schofield Barracks#	---	10	4	1	6
White	---	6	2	1	4
All other	---	4	2	-	2
Black	---	2	1	-	2
Wahiawa#	---	150	11	7	5
White	---	38	2	-	2
All other	---	112	9	7	3
Black	---	3	-	-	-
Waipahu#	---	163	10	7	13
White	---	15	1	1	-
All other	---	148	9	6	13
Black	---	4	1	-	1
Balance of county	---	507	18	10	24
White	---	125	1	-	4
All other	---	382	17	10	20
Black	---	9	-	-	1
Kalawao	1	1	-	-	-
White	-	-	-	-	-
All other	1	1	-	-	-
Black	-	-	-	-	-
Kauai	303	318	6	4	7
White	88	74	2	1	2
All other	215	244	4	3	5
Black	2	1	-	-	-
Maui	521	519	10	8	17
White	222	176	3	3	7
All other	299	343	7	5	10
Black	1	1	-	-	-
Kahului#	---	110	2	2	4
White	---	31	1	1	1
All other	---	79	1	1	3
Black	---	1	-	-	-
Wailuku#	---	86	1	1	2
White	---	25	1	1	1
All other	---	61	-	-	1
Black	---	-	-	-	-
Balance of county	---	323	7	5	11
White	---	120	1	1	5
All other	---	203	6	4	6
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho	7,050	7,388	186	111	111
White	6,926	7,262	179	105	105
All other	124	126	7	6	6
Black	20	20	2	2	2
Ada	1,505	1,252	39	23	23
Boise City	---	934	27	16	15
Balance of county	---	318	12	7	8
Adams	14	18	-	-	-
Bannock	497	463	20	11	10
Pocatello	---	362	14	10	8
Balance of county	---	101	6	1	2
Bear Lake	53	57	-	-	2
Benewah	56	72	1	1	2
Bingham	161	245	3	1	4
Blackfoot	---	81	2	-	1
Balance of county	---	164	1	1	3
White	---	146	1	1	2
All other	---	18	-	-	1
Black	---	-	-	-	-
Blaine	50	58	2	1	-
Boise	21	28	1	1	-
Bonner	184	223	5	2	2
Bonneville	529	414	14	5	7
Idaho Falls	---	329	11	5	6
Balance of county	---	85	3	-	1
Boundary	52	58	1	-	1
Butte	27	21	-	-	-
Camas	4	6	-	-	-
Canyon	697	760	19	10	9
Caldwell	---	200	3	2	1
White	---	198	3	2	-
All other	---	2	-	-	1
Black	---	1	-	-	1
Nampa	---	298	7	3	4
Balance of county	---	262	9	5	4
Caribou	41	54	2	1	2
Cassia	124	132	3	1	2
Clark	8	7	-	-	-
Clearwater	67	79	3	1	-
Custer	15	32	3	1	-
Elmore	105	121	4	3	7
Franklin	43	63	3	3	2
Fremont	73	95	2	1	1
Gem	95	133	2	1	1
Gooding	75	126	1	1	1
Idaho	119	123	2	2	3
Jefferson	47	107	2	2	1
Jerome	98	130	5	2	2
Kootenai	465	524	9	8	4
Coeur d'Alene	---	275	2	2	2
Balance of county	---	249	7	6	2
Latah	169	163	5	4	3
Moscow	---	84	1	1	-
Balance of county	---	99	4	3	3
Lemhi	62	59	-	-	1
Lewis	11	38	-	-	-
Lincoln	23	28	1	1	1
Madison	70	73	4	3	1
Rexburg	---	43	3	2	1
Balance of county	---	30	1	1	-
Minidoka	107	137	4	1	2
Nez Perce	358	326	5	5	1
Lewiston	---	282	5	5	1
Balance of county	---	44	-	-	-
White	---	36	-	-	-
All other	---	8	-	-	-
Black	---	-	-	-	-
Oneida	24	31	-	-	-
Owyhee	43	66	4	2	1
Payette	55	135	3	3	2
Power	36	42	1	1	1
Shoshone	163	191	1	1	2
Teton	17	21	-	-	-
Twin Falls	552	512	11	8	7
Twin Falls	---	273	6	5	5
Balance of county	---	239	5	3	2
Valley	47	33	-	-	2
Washington	89	114	1	-	1
Illinois	100,577	103,371	2,144	1,437	1,330
White	85,457	88,034	1,260	863	854
All other	15,120	15,337	884	574	476
Black	14,686	14,907	860	558	446
Illinois-Con.					
Adams	876	793	10	1	6
Quincy	---	586	9	1	3
Balance of county	---	207	1	-	3
Alexander	88	161	1	1	5
White	51	108	-	-	2
All other	37	53	1	1	3
Black	37	53	1	1	3
Bond	173	199	2	1	1
Boone	218	231	3	2	3
Belvidere	---	144	2	1	2
Balance of county	---	87	1	1	1
Brown	13	54	-	-	-
Bureau	434	425	8	3	2
Calhoun	38	74	-	-	-
Carroll	140	224	6	4	2
Cass	106	177	2	2	2
Champaign	1,296	987	26	21	16
White	1,209	902	22	18	11
All other	87	85	4	3	5
Black	82	81	3	2	5
Champaign	---	347	9	6	7
White	---	294	6	4	4
All other	---	53	3	2	3
Black	---	52	3	2	3
Rantoul	---	70	2	1	2
White	---	68	2	1	1
All other	---	2	-	-	1
Black	---	1	-	-	1
Urbana	---	265	4	3	2
White	---	240	3	2	1
All other	---	25	1	1	1
Black	---	24	-	-	1
Balance of county	---	305	11	11	5
Christian	326	429	3	-	5
Taylorville	---	173	-	-	1
Balance of county	---	256	3	-	4
Clark	106	227	1	1	4
Clay	158	212	2	-	3
Clinton	140	229	3	3	2
Centralia, part	---	37	1	1	-
Balance of county	---	192	2	2	2
Coles	477	456	8	6	6
Charleston	---	120	1	-	2
Mattoon	---	247	6	5	2
Balance of county	---	89	1	1	2
Cook	48,608	49,151	1,189	788	721
White	35,976	36,468	498	353	359
All other	12,632	12,683	691	435	362
Black	12,291	12,345	673	424	339
Alsip	---	113	2	2	1
Arlington Heights, part	---	498	5	5	6
Arlington Heights, total	---	498	5	5	6
Bartlett, part	---	48	1	-	1
Bellwood	---	152	9	9	-
White	---	107	2	2	-
All other	---	45	7	7	-
Black	---	44	7	7	-
Bensenville, part	---	9	-	-	1
Berwyn	---	668	9	6	4
Blue Island	---	244	5	4	7
White	---	229	5	4	3
All other	---	15	-	-	4
Black	---	15	-	-	4
Bridgeview	---	160	2	1	-
Brookfield	---	180	3	3	4
Buffalo Grove, part	---	81	1	1	2
Buffalo Grove, total	---	112	5	3	3
Burbank	---	251	6	4	4
Calumet City	---	348	5	5	4
Chicago, part	---	29,522	892	574	488
White	---	18,105	286	196	187
All other	---	11,417	606	378	301
Black	---	11,165	593	368	289
Chicago, total	---	29,523	892	574	488
White	---	18,106	286	196	187
All other	---	11,417	606	378	301
Black	---	11,165	593	368	289
Chicago Heights	---	384	11	9	8
White	---	289	5	4	4
All other	---	95	6	5	4
Black	---	95	6	5	4
Chicago Ridge	---	100	3	2	1
Cicero	---	758	9	5	4
Country Club Hills	---	50	1	1	1
White	---	42	1	1	-
All other	---	8	-	-	1
Black	---	8	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Crestwood	---	136	1	1	1
Deerfield, part	---	3	–	–	–
Des Plaines	---	698	7	6	9
Dolton	---	217	4	4	3
Elgin, part	---	82	5	3	2
White	---	76	5	3	2
All other	---	6	–	–	–
Black	---	5	–	–	–
Elk Grove Village, part	---	135	4	4	2
Elk Grove Village, total	---	135	4	4	2
Elmwood Park	---	292	4	3	2
Evanston	---	694	5	4	8
White	---	552	2	1	5
All other	---	142	3	3	3
Black	---	139	3	3	2
Evergreen Park	---	314	3	2	1
Forest Park	---	191	1	1	5
White	---	185	1	1	2
All other	---	6	–	–	3
Black	---	3	–	–	2
Franklin Park	---	176	4	4	–
Glenview	---	311	4	2	3
Glenwood	---	108	–	–	1
White	---	96	–	–	1
All other	---	12	–	–	–
Black	---	12	–	–	–
Hanover Park, part	---	70	4	3	1
Hanover Park, total	---	94	4	3	3
Harvey	---	304	13	5	8
White	---	103	–	–	1
All other	---	201	13	5	7
Black	---	200	13	5	6
Hazel Crest	---	100	5	3	2
White	---	83	2	1	1
All other	---	17	3	2	1
Black	---	17	3	2	1
Hickory Hills	---	89	2	–	1
Hinsdale, part	---	15	–	–	–
Hoffman Estates	---	–	–	–	4
Homewood	---	221	1	1	1
Justice	---	77	1	–	5
White	---	75	1	–	5
All other	---	2	–	–	–
Black	---	2	–	–	–
La Grange	---	162	4	3	–
La Grange Park	---	157	–	–	–
Lansing	---	242	1	1	2
Lincolnwood	---	101	2	2	–
Markham	---	107	1	1	9
White	---	29	–	–	1
All other	---	78	1	1	8
Black	---	78	1	1	8
Matteson	---	71	4	4	1
White	---	64	2	2	–
All other	---	7	2	2	1
Black	---	5	1	1	1
Maywood	---	228	14	10	6
White	---	84	1	1	2
All other	---	144	13	9	4
Black	---	143	13	9	4
Melrose Park	---	221	2	–	1
Midlothian	---	97	4	4	1
Morton Grove	---	220	2	2	2
Mount Prospect	---	345	5	4	7
Niles	---	428	2	2	1
Norridge	---	232	4	4	1
Northbrook	---	272	1	–	2
Northlake	---	156	1	1	1
Oak Forest	---	141	1	–	2
Oak Lawn	---	715	5	4	3
Oak Park	---	491	6	5	9
White	---	462	3	2	7
All other	---	29	3	3	2
Black	---	26	3	3	1
Orland Park	---	172	1	1	2
Palatine	---	257	10	7	6
Palos Heights	---	119	–	–	1
Palos Hills	---	134	2	2	–
Park Forest, part	---	149	3	3	2
White	---	137	2	2	–
All other	---	12	1	1	2
Black	---	12	1	1	2
Park Forest, total	---	159	3	3	2
White	---	144	2	2	–
All other	---	15	1	1	2
Black	---	15	1	1	2
Park Ridge	---	363	1	1	2
Prospect Heights	---	55	–	–	1
Riverdale	---	156	4	4	1
River Forest	---	125	1	1	1
River Grove	---	118	2	2	1
Rolling Meadows	---	103	1	–	2
Roselle, part	---	15	–	–	–
Sauk Village	---	41	–	–	–
Schaumburg, part	---	311	4	3	4
Schaumburg, total	---	314	4	3	4
Schiller Park	---	62	1	–	–
Skokie	---	651	5	4	8
South Holland	---	270	3	2	4
Streamwood	---	98	2	1	2
Summit	---	77	1	–	2
White	---	68	–	–	1
All other	---	9	1	–	1
Black	---	9	1	–	1
Tinley Park, part	---	209	2	1	4
Tinley Park, total	---	209	2	1	4
Westchester	---	215	2	1	–
Western Springs	---	93	2	2	1
Wheeling, part	---	145	4	3	3
Wheeling, total	---	146	4	3	3
Wilmette	---	224	–	–	–
Winnetka	---	89	2	1	–
Worth	---	110	1	1	–
Balance of county	---	2,605	44	24	31
White	---	2,349	27	16	23
All other	---	256	17	8	8
Black	---	247	17	8	6
Crawford	192	240	2	2	1
Cumberland	40	112	–	–	1
De Kalb	465	480	15	5	6
De Kalb	---	132	6	1	1
Balance of county	---	348	9	4	5
De Witt	137	184	1	1	2
Douglas	141	202	5	3	5
Du Page	4,154	4,234	85	66	65
White	4,085	4,167	77	59	61
All other	69	67	8	7	4
Black	45	37	6	5	1
Addison	---	150	6	6	4
Aurora, part	---	10	3	3	2
Bartlett, part	---	17	–	–	1
Bartlett, total	---	65	1	–	2
Batavia, part	---	–	–	–	–
Bensenville, part	---	158	1	–	1
Bensenville, total	---	167	1	–	2
Bloomingdale	---	108	2	1	2
Bolingbrook, part	---	8	–	–	–
White	---	5	–	–	–
All other	---	3	–	–	–
Black	---	2	–	–	–
Carol Stream	---	82	5	2	2
Chicago, part	---	1	–	–	–
White	---	1	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Darien	---	65	–	–	2
Downers Grove	---	372	7	7	6
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	378	3	3	2
Glendale Heights	---	79	3	3	2
White	---	76	3	3	2
All other	---	3	–	–	–
Black	---	1	–	–	–
Glen Ellyn	---	147	1	–	3
Hanover Park, part	---	24	–	–	2
Hinsdale, part	---	106	2	2	1
Hinsdale, total	---	121	2	2	1
Lisle	---	81	4	2	1
Lombard	---	286	5	2	3
Naperville, part	---	300	14	11	3
Naperville, total	---	305	14	11	3
Roselle, part	---	87	1	1	2
Roselle, total	---	102	1	1	2
St. Charles, part	---	1	–	–	–
Schaumburg, part	---	3	–	–	–
Villa Park	---	159	1	1	4
West Chicago	---	90	5	5	–
White	---	88	5	5	–
All other	---	2	–	–	–
Black	---	2	–	–	–
Westmont	---	169	2	2	5
Wheaton	---	302	2	2	5
Wood Dale	---	86	2	1	–
Woodridge	---	82	3	2	1
Balance of county	---	885	13	10	11
Edgar	228	290	1	–	3
Edwards	21	87	2	2	–
Effingham	389	297	5	3	5
Effingham	---	149	4	3	2
Balance of county	---	148	1	–	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Fayette	181	263	2	2	2
Ford	164	183	–	–	3
Franklin	444	586	4	2	7
Fulton	335	439	1	–	4
Canton	---	155	1	–	2
Balance of county	---	284	–	–	2
Gallatin	50	103	3	2	–
Greene	159	199	–	–	2
Grundy	196	236	4	2	1
Hamilton	88	115	2	2	2
Hancock	179	285	7	5	2
Hardin	59	77	–	–	–
Henderson	19	81	1	1	1
Henry	411	528	10	7	9
Kewanee	---	186	3	2	4
Balance of county	---	342	7	5	5
Iroquois	242	337	4	4	2
Jackson	496	466	3	2	6
White	454	426	2	1	5
All other	42	40	1	1	1
Black	42	38	–	–	1
Carbondale	---	139	2	2	4
White	---	109	1	1	3
All other	---	30	1	1	1
Black	---	28	–	–	1
Balance of county	---	327	1	–	2
Jasper	38	100	1	1	1
Jefferson	409	410	9	7	6
Mount Vernon	---	243	7	6	3
Balance of county	---	167	2	1	3
Jersey	173	191	2	1	1
Jo Daviess	120	228	6	4	1
Johnson	50	111	2	–	–
Kane	2,507	2,192	65	48	33
White	2,409	2,090	52	38	24
All other	98	102	13	10	9
Black	89	94	12	9	9
Aurora, part	---	750	27	20	9
White	---	686	17	12	5
All other	---	64	10	8	4
Black	---	60	10	8	4
Aurora, total	---	760	30	23	11
White	---	695	19	14	7
All other	---	65	11	9	4
Black	---	61	11	9	4
Batavia, part	---	117	2	1	–
Batavia, total	---	117	2	1	–
Carpentersville	---	116	6	4	–
Elgin, part	---	542	19	15	16
White	---	512	16	13	11
All other	---	30	3	2	5
Black	---	26	2	1	5
Elgin, total	---	624	24	18	18
White	---	588	21	16	13
All other	---	36	3	2	5
Black	---	31	2	1	5
St. Charles, part	---	139	6	5	2
St. Charles, total	---	140	6	5	2
Balance of county	---	528	5	3	6
Kankakee	936	926	28	19	8
White	809	788	15	9	5
All other	127	138	13	10	3
Black	124	135	13	10	3
Bourbonnais	---	83	1	–	1
Bradley	---	95	2	2	2
Kankakee	---	375	14	10	2
White	---	308	3	2	–
All other	---	67	11	8	2
Black	---	66	11	8	2
Balance of county	---	373	11	7	3
White	---	307	9	5	3
All other	---	66	2	2	–
Black	---	66	2	2	–
Kendall	93	204	3	2	1
Knox	714	690	5	3	1
Galesburg	---	411	3	1	–
Balance of county	---	279	2	2	1
Lake	3,093	2,903	74	51	50
White	2,899	2,719	62	42	44
All other	194	184	12	9	6
Black	182	176	12	9	5
Arlington Heights, part	---	–	–	–	–
Buffalo Grove, part	---	31	4	2	1
Deerfield, part	---	101	5	3	–
Deerfield, total	---	104	5	3	–
Highland Park	---	183	4	3	–
Lake Forest	---	113	3	3	4
Libertyville	---	124	1	–	1
Mundelein	---	104	4	4	3
North Chicago	---	132	6	5	4
White	---	64	1	–	3
All other	---	68	5	5	1
Black	---	68	5	5	1
Round Lake Beach	---	73	2	1	–
Waukegan	---	553	13	11	10
White	---	466	8	8	8
All other	---	87	5	3	2
Black	---	84	5	3	1
Wheeling, part	---	1	–	–	–
Zion	---	189	3	2	4
White	---	170	2	2	3
All other	---	19	1	–	1
Black	---	18	1	–	1
Balance of county	---	1,299	29	17	23
La Salle	1,116	1,173	15	9	12
La Salle	---	143	2	2	1
Ottawa	---	234	2	1	2
Peru	---	105	1	1	1
Streator, part	---	201	2	2	3
Streator, total	---	201	2	2	3
Balance of county	---	490	8	3	5
Lawrence	195	226	–	–	1
Lee	300	335	4	4	1
Dixon	---	176	1	1	1
Balance of county	---	159	3	3	–
Livingston	335	418	6	3	3
Pontiac	---	128	–	–	–
White	---	127	–	–	–
All other	---	1	–	–	–
Black	---	1	–	–	–
Streator, part	---	–	–	–	–
Balance of county	---	290	6	3	3
Logan	296	356	2	1	1
Lincoln	---	207	2	1	–
Balance of county	---	149	–	–	1
McDonough	313	314	3	1	3
Macomb	---	166	2	1	2
Balance of county	---	148	1	–	1
McHenry	1,008	1,255	28	22	17
Crystal Lake	---	169	5	4	1
McHenry	---	219	2	2	3
Woodstock	---	139	2	1	–
Balance of county	---	728	19	15	13
McLean	874	882	9	7	12
Bloomington	---	446	5	3	6
Normal	---	155	1	1	4
Balance of county	---	281	3	3	2
Macon	1,360	1,204	22	17	16
White	1,282	1,120	13	9	10
All other	78	84	9	8	6
Black	78	83	9	8	6
Decatur	---	1,013	20	16	15
White	---	929	11	8	9
All other	---	84	9	8	6
Black	---	83	9	8	6
Balance of county	---	191	2	1	1
Macoupin	365	551	5	3	4
Madison	2,150	2,422	40	28	27
White	2,007	2,282	31	21	22
All other	143	140	9	7	5
Black	140	136	9	7	5
Alton	---	462	15	11	5
White	---	393	6	4	1
All other	---	69	9	7	4
Black	---	69	9	7	4
Collinsville, part	---	223	4	3	1
Collinsville, total	---	240	4	3	1
Edwardsville	---	177	1	–	3
Granite City	---	369	7	5	9
Wood River	---	107	3	2	1
Balance of county	---	1,084	10	7	8
Marion	501	487	9	4	2
Centralia, part	---	176	3	1	2
White	---	161	2	–	–
All other	---	15	1	1	2
Black	---	15	1	1	1
Centralia, total	---	213	4	2	2
White	---	195	3	1	–
All other	---	18	1	1	2
Black	---	18	1	1	1
Balance of county	---	311	6	3	–
Marshall	56	116	1	1	1
Mason	115	198	5	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Massac	159	183	2	–	1
Menard	70	121	4	4	1
Mercer	98	149	1	–	2
Monroe	97	221	1	1	1
Montgomery	408	374	5	4	–
Morgan	448	430	4	3	2
Jacksonville	– – –	313	4	3	1
Balance of county	– – –	117	–	–	1
Moultrie	116	222	–	–	1
Ogle	258	391	2	2	3
Peoria	2,376	1,676	31	23	6
White	2,241	1,546	17	11	2
All other	135	130	14	12	4
Black	134	129	14	12	4
Pekin, part	– – –	–	–	–	–
Peoria	– – –	1,079	21	17	4
White	– – –	956	9	7	–
All other	– – –	123	12	10	4
Black	– – –	122	12	10	4
Balance of county	– – –	597	10	6	2
Perry	213	248	5	5	2
Platt	81	138	2	–	–
Pike	181	247	6	5	1
Pope	17	45	–	–	1
Pulaski	37	122	5	3	3
White	21	78	1	1	1
All other	16	44	4	2	2
Black	16	44	4	2	2
Putnam	8	33	–	–	–
Randolph	400	369	3	2	4
Richland	229	186	2	2	–
Rock Island	1,567	1,556	28	21	12
White	1,505	1,488	25	18	8
All other	62	68	3	3	4
Black	61	66	3	3	4
East Moline	– – –	210	7	4	3
White	– – –	195	6	3	2
All other	– – –	15	1	1	1
Black	– – –	14	1	1	1
Moline	– – –	429	4	4	2
Rock Island	– – –	536	15	12	5
White	– – –	491	13	10	3
All other	– – –	45	2	2	2
Black	– – –	45	2	2	2
Balance of county	– – –	381	2	1	2
St. Clair	2,607	2,673	74	47	48
White	1,962	1,894	31	21	15
All other	645	779	43	26	33
Black	643	777	43	26	33
Belleville	– – –	614	8	5	3
Cahokia	– – –	154	5	5	2
Collinsville, part	– – –	17	–	–	–
East St. Louis	– – –	640	35	22	24
White	– – –	49	1	1	1
All other	– – –	591	34	21	23
Black	– – –	591	34	21	23
Fairview Heights	– – –	106	1	1	1
O'Fallon	– – –	114	3	3	2
Balance of county	– – –	1,028	22	11	16
White	– – –	867	13	6	8
All other	– – –	161	9	5	8
Black	– – –	161	9	5	8
Saline	404	385	5	2	1
Harrisburg	– – –	155	3	1	–
Balance of county	– – –	230	2	1	1
Sangamon	2,323	1,649	20	8	20
White	2,201	1,545	11	4	18
All other	122	104	9	4	2
Black	118	102	9	4	2
Springfield	– – –	1,149	18	8	15
White	– – –	1,047	9	4	13
All other	– – –	102	9	4	2
Black	– – –	100	9	4	2
Balance of county	– – –	500	2	–	5
Schuyler	129	98	–	–	–
Scott	18	67	–	–	–
Shelby	132	248	1	1	5
Stark	48	76	1	1	–
Stephenson	458	476	9	6	6
Freeport	– – –	309	7	5	3
White	– – –	289	6	5	2
All other	– – –	20	1	–	1
Black	– – –	20	1	–	1
Balance of county	– – –	167	2	1	3
Tazewell	656	1,024	17	12	11
East Peoria	– – –	196	–	–	3
Morton	– – –	131	1	–	1
Pekin, part	– – –	332	6	4	4
Pekin, total	– – –	332	6	4	4
Washington	– – –	96	3	3	1
Balance of county	– – –	269	7	5	2
Union	190	232	3	1	3
Vermilion	1,213	988	18	10	10
Danville	– – –	480	12	8	5
White	– – –	430	9	6	3
All other	– – –	50	3	2	2
Black	– – –	49	3	2	2
Balance of county	– – –	508	6	2	5
Wabash	136	127	2	1	–
Warren	216	214	3	1	1
Monmouth	– – –	128	3	1	1
Balance of county	– – –	86	–	–	–
Washington	159	203	1	1	–
Wayne	137	194	–	–	1
White	187	258	5	2	1
Whiteside	537	601	8	8	9
Rock Falls	– – –	103	2	2	1
Sterling	– – –	160	3	3	4
Balance of county	– – –	338	3	3	4
Will	1,876	2,195	56	39	42
White	1,728	2,023	38	23	35
All other	148	172	18	16	7
Black	142	163	18	16	7
Bolingbrook, part	– – –	106	10	7	5
White	– – –	98	7	5	4
All other	– – –	8	3	2	1
Black	– – –	6	3	2	1
Bolingbrook, total	– – –	114	10	7	5
White	– – –	103	7	5	4
All other	– – –	11	3	2	1
Black	– – –	8	3	2	1
Joliet	– – –	918	30	21	16
White	– – –	801	18	10	11
All other	– – –	117	12	11	5
Black	– – –	112	12	11	5
Naperville, part	– – –	5	–	–	–
Park Forest, part	– – –	10	–	–	–
White	– – –	7	–	–	–
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Romeoville	– – –	55	1	1	2
Tinley Park, part	– – –	–	–	–	–
Balance of county	– – –	1,101	15	10	19
White	– – –	1,057	12	7	18
All other	– – –	44	3	3	1
Black	– – –	42	3	3	1
Williamson	775	628	4	2	2
Herrin	– – –	141	–	–	1
Marion	– – –	187	1	1	–
Balance of county	– – –	300	3	1	1
Winnebago	2,329	2,103	47	33	18
White	2,189	1,969	34	23	12
All other	140	134	13	10	6
Black	132	129	12	10	6
Loves Park	– – –	112	6	4	–
Rockford	– – –	1,455	33	25	15
White	– – –	1,343	20	15	9
All other	– – –	112	13	10	6
Black	– – –	109	12	10	6
Balance of county	– – –	536	8	4	3
Woodford	182	276	4	4	2
Indiana	49,726	49,386	895	597	600
White	46,017	45,692	710	468	482
All other	3,709	3,674	185	129	118
Black	3,650	3,617	182	126	115
Adams	168	245	5	5	7
Allen	3,094	2,514	52	29	46
White	2,905	2,327	36	19	31
All other	189	187	16	10	15
Black	186	185	16	10	15
Fort Wayne	– – –	2,057	41	25	33
White	– – –	1,873	26	15	19
All other	– – –	184	15	10	14
Black	– – –	182	15	10	14
Balance of county	– – –	457	11	4	13
Bartholomew	516	504	8	5	3
Columbus	– – –	309	5	3	1
Balance of county	– – –	195	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Benton	35	109	1	–	–
Blackford	76	123	3	1	1
Boone	259	347	5	3	3
Lebanon	---	147	1	1	2
Balance of county	---	200	4	2	1
Brown	56	104	1	–	–
Carroll	88	178	–	–	2
Cass	363	434	4	2	3
Logansport	---	264	2	1	2
Balance of county	---	170	2	1	1
Clark	744	779	14	5	6
Clarksville	---	182	1	1	–
Jeffersonville	---	295	8	3	4
White	---	264	7	3	2
All other	---	31	1	–	2
Black	---	30	1	–	2
Balance of county	---	302	5	1	2
Clay	248	321	4	2	2
Clinton	262	347	10	10	7
Frankfort	---	198	6	6	4
Balance of county	---	149	4	4	3
Crawford	53	110	2	1	2
Daviess	305	304	1	1	4
Washington	---	162	–	–	1
Balance of county	---	142	1	1	3
Dearborn	319	337	4	2	3
Decatur	199	259	6	5	3
De Kalb	276	300	8	5	4
Delaware	1,186	1,058	17	12	13
Muncie	---	745	14	11	9
White	---	683	11	8	8
All other	---	62	3	3	1
Black	---	62	3	3	1
Balance of county	---	313	3	1	4
Dubois	291	255	4	4	2
Elkhart	1,155	1,126	18	9	20
Elkhart	---	440	10	6	8
White	---	402	8	5	3
All other	---	38	2	1	5
Black	---	37	2	1	5
Goshen	---	209	2	1	1
Balance of county	---	477	6	2	11
Fayette	208	244	2	1	6
Connersville	---	177	–	–	4
Balance of county	---	67	2	1	2
Floyd	619	568	11	10	7
New Albany	---	437	8	7	4
Balance of county	---	131	3	3	3
Fountain	89	189	6	5	3
Franklin	48	153	1	1	–
Fulton	153	207	4	2	2
Gibson	300	362	2	2	1
Grant	749	741	12	9	10
Marion	---	464	9	6	7
White	---	426	8	5	5
All other	---	38	1	1	2
Black	---	36	1	1	2
Balance of county	---	277	3	3	3
Greene	297	355	3	1	6
Hamilton	420	544	16	11	5
Carmel	---	167	3	2	–
Noblesville	---	115	3	2	–
Balance of county	---	262	10	7	5
Hancock	304	326	4	2	3
Greenfield	---	124	–	–	1
Balance of county	---	202	4	2	2
Harrison	173	214	5	4	3
Hendricks	439	520	9	8	5
Henry	420	524	9	7	5
New Castle	---	261	6	5	2
Balance of county	---	263	3	2	3
Howard	774	776	10	6	11
Kokomo	---	627	9	5	6
Balance of county	---	149	1	1	5
Huntington	278	382	5	4	1
Huntington	---	203	3	2	1
Balance of county	---	179	2	2	–
Jackson	321	349	4	2	8
Seymour	---	181	3	2	5
Balance of county	---	168	1	–	3
Jasper	141	196	2	1	3
Jay	156	217	3	2	1
Jefferson	388	287	2	1	5
Madison	---	164	1	–	1
Balance of county	---	123	1	1	4
Jennings	124	201	1	1	–
Johnson	538	686	15	10	7
Franklin	---	203	1	1	1
Greenwood	---	244	8	6	2
Balance of county	---	239	6	3	4
Knox	570	486	6	3	2
Vincennes	---	254	1	–	2
Balance of county	---	232	5	3	–
Kosciusko	390	488	8	5	6
Warsaw	---	101	–	–	2
Balance of county	---	387	8	5	4
Lagrange	176	209	7	5	4
Lake	4,821	4,363	103	69	70
White	3,802	3,306	53	39	34
All other	1,019	1,057	50	30	36
Black	1,011	1,051	50	30	36
Crown Point	---	217	4	3	1
East Chicago	---	359	8	6	7
White	---	241	4	3	2
All other	---	118	4	3	5
Black	---	117	4	3	5
Gary	---	1,303	56	32	31
White	---	414	14	6	2
All other	---	889	42	26	29
Black	---	889	42	26	29
Griffith	---	127	3	3	–
Hammond	---	818	11	10	7
White	---	785	9	9	5
All other	---	33	2	1	2
Black	---	31	2	1	2
Highland	---	180	1	1	3
Hobart	---	215	3	2	2
Lake Station	---	120	3	2	2
Merrillville	---	274	3	2	1
Munster	---	171	1	1	3
Schererville	---	56	–	–	–
Balance of county	---	523	10	7	13
La Porte	903	910	19	15	3
La Porte	---	254	7	4	1
Michigan City	---	363	9	8	1
White	---	309	5	4	1
All other	---	54	4	4	–
Black	---	52	4	4	–
Balance of county	---	293	3	3	1
Lawrence	441	459	6	3	1
Bedford	---	205	3	2	–
Balance of county	---	254	3	1	1
Madison	1,161	1,297	14	10	16
White	1,108	1,235	14	10	13
All other	53	62	–	–	3
Black	53	62	–	–	3
Anderson	---	711	5	3	11
White	---	651	5	3	8
All other	---	60	–	–	3
Black	---	60	–	–	3
Elwood, part	---	133	–	–	2
Elwood, total	---	134	–	–	2
Balance of county	---	453	9	7	3
Marion	9,094	7,055	195	135	101
White	7,535	5,545	109	74	63
All other	1,559	1,510	86	61	38
Black	1,539	1,496	85	60	36
Beech Grove	---	151	1	–	–
Indianapolis	---	6,680	189	132	95
White	---	5,180	105	72	58
All other	---	1,500	84	60	37
Black	---	1,487	83	59	35
Lawrence	---	48	1	–	3
White	---	46	–	–	2
All other	---	2	1	–	1
Black	---	2	1	–	1
Speedway	---	65	1	–	1
Balance of county	---	111	3	3	2
Marshall	311	365	3	3	5
Martin	50	113	2	1	–
Miami	237	341	1	1	5
Peru	---	180	1	1	2
Balance of county	---	161	–	–	3
Monroe	718	612	11	8	8
Bloomington	---	395	8	6	8
Balance of county	---	217	3	2	–
Montgomery	315	374	6	5	4
Crawfordsville	---	198	4	3	–
Balance of county	---	176	2	2	4
Morgan	300	416	7	6	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Martinsville	---	148	1	1	-
Balance of county	---	268	6	5	2
Newton	81	128	-	-	1
Noble	207	308	7	2	4
Ohio	24	52	-	-	-
Orange	137	191	3	3	5
Owen	72	171	6	5	2
Parke	63	197	2	2	3
Perry	125	166	2	2	2
Pike	67	141	-	-	1
Porter	846	893	17	9	9
Portage	---	224	3	2	4
Valparaiso	---	268	5	3	1
Balance of county	---	401	9	4	4
Posey	68	190	5	3	2
Pulaski	110	147	2	1	4
Putnam	243	289	3	2	4
Randolph	165	257	6	4	3
Ripley	174	228	3	2	4
Rush	145	205	2	1	2
St. Joseph	2,555	2,334	43	30	28
White	2,359	2,145	33	21	23
All other	196	189	10	9	5
Black	187	181	9	8	4
Mishawaka	---	419	8	4	9
South Bend	---	1,286	26	19	14
White	---	1,110	17	11	9
All other	---	176	9	8	5
Black	---	172	8	7	4
Balance of county	---	629	9	7	5
Scott	167	208	4	1	2
Shelby	257	349	5	3	4
Shelbyville	---	165	1	1	3
Balance of county	---	184	4	2	1
Spencer	83	163	1	1	1
Starke	195	243	6	4	-
Steuben	161	205	3	1	5
Sullivan	176	249	1	1	2
Switzerland	37	86	1	1	-
Tippecanoe	1,228	845	16	10	8
Lafayette	---	511	5	5	4
West Lafayette	---	130	4	1	1
Balance of county	---	204	7	4	3
Tipton	139	171	2	2	1
Elwood, part	---	1	-	-	-
Balance of county	---	170	2	2	1
Union	36	67	2	1	1
Vanderburgh	2,293	1,735	26	15	14
White	2,166	1,609	24	13	14
All other	127	126	2	2	-
Black	126	125	2	2	-
Evansville	---	1,611	22	11	13
White	---	1,485	20	9	13
All other	---	126	2	2	-
Black	---	125	2	2	-
Balance of county	---	124	4	4	1
Vermillion	229	217	-	-	2
Vigo	1,338	1,166	16	10	7
Terre Haute	---	812	9	5	6
Balance of county	---	354	7	5	1
Wabash	264	343	3	1	5
Wabash	---	125	1	-	2
Balance of county	---	218	2	1	3
Warren	64	73	-	-	1
Warrick	233	335	4	3	2
Washington	169	229	1	-	1
Wayne	774	774	6	5	10
Richmond	---	531	3	3	6
Balance of county	---	243	3	2	4
Wells	288	225	4	3	3
White	183	264	6	4	3
Whitley	213	239	6	5	4
Iowa	26,763	27,066	329	216	233
White	26,370	26,693	309	202	217
All other	393	373	20	14	16
Black	318	311	15	11	11
Adair	86	125	-	-	-
Adams	52	61	1	1	-
Allamakee	184	191	-	-	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Appanoose	145	164	-	-	2
Audubon	49	84	-	-	4
Benton	117	211	2	2	-
Black Hawk	1,235	1,037	11	8	7
Cedar Falls	---	198	2	2	-
Waterloo	---	703	6	3	6
White	---	649	4	2	3
All other	---	54	2	1	3
Black	---	52	2	1	3
Balance of county	---	136	3	3	1
Boone	244	268	3	2	-
Boone	---	155	2	1	-
Balance of county	---	113	1	1	-
Bremer	196	223	5	3	2
Buchanan	121	190	1	1	2
Buena Vista	174	210	1	1	1
Butler	97	209	1	1	1
Calhoun	144	157	3	3	1
Carroll	185	192	2	-	2
Cass	226	222	2	1	1
Cedar	105	174	2	-	1
Cerro Gordo	562	470	10	8	7
Mason City	---	327	7	6	5
Balance of county	---	143	3	2	2
Cherokee	147	157	1	-	2
Chickasaw	118	148	-	-	3
Clarke	76	87	1	-	1
Clay	179	201	2	1	-
Spencer	---	131	1	-	-
Balance of county	---	70	1	1	-
Clayton	165	236	1	-	1
Clinton	548	555	5	4	8
Clinton	---	357	3	2	5
Balance of county	---	198	2	2	3
Crawford	156	201	6	4	-
Dallas	154	267	5	4	2
Davis	110	96	1	-	-
Decatur	115	119	-	-	-
Delaware	151	178	5	2	2
Des Moines	564	494	5	4	3
Burlington	---	362	4	3	2
Balance of county	---	132	1	1	1
Dickinson	136	145	2	2	2
Dubuque	978	818	11	9	5
Dubuque	---	650	8	7	3
Balance of county	---	168	3	2	2
Emmet	129	124	4	2	1
Fayette	203	287	3	3	2
Floyd	204	212	-	-	1
Franklin	107	123	1	-	3
Fremont	108	125	2	2	1
Greene	144	137	1	1	-
Grundy	101	136	-	-	1
Guthrie	104	158	1	1	-
Hamilton	121	173	2	2	1
Hancock	88	125	1	1	2
Hardin	195	264	3	1	3
Harrison	125	174	2	1	2
Henry	165	185	1	1	2
Howard	108	130	2	2	-
Humboldt	99	126	-	-	1
Ida	113	109	-	-	1
Iowa	111	146	2	1	1
Jackson	189	221	3	-	1
Jasper	234	343	5	2	3
Newton	---	185	4	1	2
Balance of county	---	158	1	1	1
Jefferson	151	168	-	-	3
Johnson	1,404	445	7	5	6
Iowa City	---	285	4	2	3
Balance of county	---	160	3	3	3
Jones	138	203	2	2	1
Keokuk	73	147	3	1	1
Kossuth	127	208	1	1	1
Lee	445	447	6	6	3
Fort Madison	---	159	5	5	1
Keokuk	---	166	1	1	2
Balance of county	---	122	-	-	-
Linn	1,415	1,313	26	17	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Cedar Rapids	---	967	19	14	8
Marion	---	144	2	2	1
Balance of county	---	202	5	1	-
Louisa	69	119	3	1	1
Lucas	83	114	-	-	-
Lyon	87	138	2	1	-
Madison	119	156	1	1	2
Mahaska	206	261	1	1	-
Oskaloosa	---	149	1	1	-
Balance of county	---	112	-	-	-
Marion	300	297	5	3	1
Marshall	429	392	6	3	1
Marshalltown	---	268	6	3	1
Balance of county	---	124	-	-	-
Mills	66	140	1	1	1
Mitchell	124	108	1	1	-
Monona	145	149	1	1	2
Monroe	72	128	1	1	2
Montgomery	156	177	-	-	2
Muscatine	282	341	8	5	2
Muscatine	---	211	4	2	2
Balance of county	---	130	4	3	-
O'Brien	144	159	1	-	-
Osceola	72	98	-	-	-
Page	226	239	-	-	3
Palo Alto	121	140	2	2	2
Plymouth	154	210	1	1	4
Pocahontas	90	114	-	-	-
Polk	3,437	2,505	46	29	27
White	3,285	2,356	39	25	23
All other	152	149	7	4	4
Black	135	135	6	3	3
Ankeny	---	62	3	2	-
Des Moines	---	1,871	32	21	19
White	---	1,728	25	17	15
All other	---	143	7	4	4
Black	---	132	6	3	3
Urbandale	---	71	6	2	3
West Des Moines	---	187	1	-	1
Balance of county	---	314	4	4	4
Pottawattamie	652	745	12	8	7
Council Bluffs	---	558	11	8	5
Balance of county	---	187	1	-	2
Poweshiek	174	200	3	2	1
Ringgold	73	80	-	-	-
Sac	112	172	1	1	1
Scott	1,244	1,235	26	20	15
Bettendorf	---	175	2	2	1
Davenport	---	905	21	15	12
Balance of county	---	155	3	3	2
Shelby	137	151	-	-	-
Sioux	200	235	2	2	3
Story	436	419	7	4	3
Ames	---	165	5	3	2
Balance of county	---	254	2	1	1
Tama	114	211	1	-	2
Taylor	65	122	-	-	1
Union	151	169	1	-	3
Van Buren	72	116	-	-	2
Wapello	516	506	4	1	3
Ottumwa	---	392	3	-	1
Balance of county	---	114	1	1	2
Warren	118	246	4	3	2
Indianola	---	100	1	1	-
Balance of county	---	146	3	2	2
Washington	172	208	1	1	4
Wayne	83	125	-	-	-
Webster	446	448	5	2	4
Fort Dodge	---	335	3	-	4
Balance of county	---	113	2	2	-
Winnebago	91	120	5	2	1
Winneshiek	164	220	1	1	2
Woodbury	1,227	941	9	5	9
Sioux City	---	775	9	5	9
Balance of county	---	166	-	-	-
Worth	60	108	-	-	1
Wright	154	185	-	-	3
Kansas	21,642	22,298	350	200	244
White	20,499	21,142	292	166	205
All other	1,143	1,156	58	34	39
Black	1,056	1,067	52	32	36
Kansas-Con.					
Allen	173	183	1	1	2
Anderson	70	98	1	1	1
Atchison	163	201	-	-	1
Atchison	---	133	-	-	1
White	---	125	-	-	-
All other	---	8	-	-	1
Black	---	8	-	-	1
Balance of county	---	68	-	-	-
Barber	101	98	2	2	1
Barton	310	302	3	1	3
Great Bend	---	157	-	-	2
Balance of county	---	145	3	1	1
Bourbon	248	195	-	-	1
Brown	150	178	2	1	1
Butler	291	383	9	4	3
El Dorado	---	150	1	-	2
Balance of county	---	233	8	4	1
Chase	45	54	-	-	1
Chautauqua	82	81	-	-	1
Cherokee	186	267	4	2	1
Cheyenne	32	49	1	-	3
Clark	33	27	1	1	-
Clay	137	142	1	-	1
Cloud	178	165	1	-	-
Coffey	68	108	-	-	-
Comanche	37	43	-	-	1
Cowley	401	420	5	2	1
Arkansas City	---	177	3	2	-
Winfield	---	143	1	-	-
Balance of county	---	100	1	-	1
Crawford	432	468	3	-	5
Pittsburg	---	219	1	-	5
Balance of county	---	249	2	-	-
Decatur	53	59	-	-	-
Dickinson	201	234	3	2	1
Doniphan	90	100	-	-	-
Douglas	400	421	10	7	6
Lawrence	---	309	9	7	5
White	---	287	7	6	5
All other	---	22	2	1	-
Black	---	17	2	1	-
Balance of county	---	112	1	-	1
Edwards	37	54	-	-	-
Elk	27	66	-	-	-
Ellis	246	185	4	3	1
Hays	---	118	2	2	1
Balance of county	---	67	2	1	-
Ellsworth	80	109	1	-	1
Finney	177	164	9	6	5
Garden City	---	138	5	4	4
White	---	132	5	4	3
All other	---	6	-	-	1
Black	---	4	-	-	1
Balance of county	---	26	4	2	1
Ford	216	213	13	7	2
Dodge City	---	162	10	5	1
Balance of county	---	51	3	2	1
Franklin	152	224	-	-	-
Ottawa	---	136	-	-	-
Balance of county	---	88	-	-	-
Geary	187	194	12	9	6
White	159	152	4	3	1
All other	28	42	8	6	5
Black	25	38	8	6	4
Junction City	---	146	5	3	6
White	---	112	2	1	1
All other	---	34	3	2	5
Black	---	30	3	2	4
Balance of county	---	48	7	6	-
White	---	40	2	2	-
All other	---	8	5	4	-
Black	---	8	5	4	-
Gove	26	32	-	-	-
Graham	40	33	-	-	-
Grant	49	46	1	1	2
Gray	14	35	-	-	-
Greeley	19	18	-	-	-
Greenwood	103	135	1	1	-
Hamilton	26	32	-	-	1
Harper	93	112	2	-	-
Harvey	379	296	3	-	3
Newton	---	180	3	-	3
Balance of county	---	116	-	-	-
Haskell	25	32	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Hodgeman	19	25	–	–	–
Jackson	81	148	1	1	1
Jefferson	120	134	2	1	2
Jewell	38	77	–	–	1
Johnson	1,411	1,744	24	16	25
Leawood	– – –	105	–	–	–
Lenexa	– – –	95	1	1	2
Merriam	– – –	71	1	1	–
Olathe	– – –	227	7	3	9
Overland Park	– – –	505	8	6	4
Prairie Village	– – –	178	–	–	–
Shawnee	– – –	165	5	4	3
Balance of county	– – –	398	2	1	7
Kearny	20	31	1	1	1
Kingman	84	93	2	–	–
Kiowa	45	50	–	–	–
Labette	244	284	2	1	–
Parsons	– – –	152	2	1	–
White	– – –	142	2	1	–
All other	– – –	10	–	–	–
Black	– – –	10	–	–	–
Balance of county	– – –	132	–	–	–
Lane	18	30	–	–	2
Leavenworth	522	394	5	1	9
White	471	362	5	1	7
All other	51	32	–	–	2
Black	50	32	–	–	2
Leavenworth	– – –	260	1	–	2
White	– – –	231	1	–	2
All other	– – –	29	–	–	–
Black	– – –	29	–	–	–
Balance of county	– – –	134	4	1	7
Lincoln	64	76	–	–	–
Linn	67	122	1	1	1
Logan	45	46	–	–	1
Lyon	287	299	5	3	5
Emporia	– – –	215	4	2	3
Balance of county	– – –	84	1	1	2
McPherson	261	269	4	3	3
McPherson	– – –	115	1	1	–
Balance of county	– – –	154	3	2	3
Marion	184	211	–	–	–
Marshall	133	181	2	1	2
Meade	40	52	–	–	–
Miami	176	230	3	2	2
Mitchell	103	103	–	–	–
Montgomery	464	496	7	5	2
Coffeyville	– – –	181	3	1	–
White	– – –	160	3	1	–
All other	– – –	21	–	–	–
Black	– – –	21	–	–	–
Independence	– – –	144	2	2	1
White	– – –	137	2	2	1
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	171	2	2	1
Morris	61	78	–	–	–
Morton	31	29	–	–	1
Nemaha	142	124	1	1	3
Neosho	208	233	2	2	–
Chanute	– – –	157	1	1	–
Balance of county	– – –	76	1	1	–
Ness	33	43	–	–	2
Norton	75	90	1	1	–
Osage	126	177	3	2	1
Osborne	72	87	–	–	–
Ottawa	73	76	–	–	–
Pawnee	57	86	–	–	1
Phillips	94	101	–	–	–
Pottawatomie	117	160	4	3	3
Manhattan, part	– – –	–	–	–	–
Balance of county	– – –	160	4	3	3
Pratt	108	102	2	1	1
Rawlins	53	58	1	–	–
Reno	586	645	12	5	8
Hutchinson	– – –	436	10	4	5
Balance of county	– – –	209	2	1	3
Republic	106	105	–	–	–
Rice	109	141	1	1	2
Riley	224	262	8	4	8
White	218	252	6	3	3
All other	6	10	2	1	5
Black	5	8	2	1	5
Manhattan, part	– – –	190	7	4	5
Manhattan, total	– – –	190	7	4	5
Balance of county	– – –	72	1	–	3
White	– – –	70	1	–	–
All other	– – –	2	–	–	3
Black	– – –	1	–	–	3
Rooks	57	86	–	–	–
Rush	41	75	–	–	–
Russell	90	114	–	–	1
Saline	540	452	6	3	4
Salina	– – –	393	5	3	3
Balance of county	– – –	59	1	–	1
Scott	61	64	1	1	–
Sedgwick	3,562	2,982	78	50	48
White	3,300	2,725	62	39	38
All other	262	257	16	11	10
Black	244	240	15	11	9
Wichita	– – –	2,594	68	43	39
White	– – –	2,339	52	32	29
All other	– – –	255	16	11	10
Black	– – –	239	15	11	9
Balance of county	– – –	388	10	7	9
Seward	164	151	2	–	1
Liberal	– – –	135	2	–	1
White	– – –	129	2	–	1
All other	– – –	6	–	–	–
Black	– – –	6	–	–	–
Balance of county	– – –	16	–	–	–
Shawnee	1,809	1,397	25	15	17
White	1,661	1,258	21	12	15
All other	148	139	4	3	2
Black	139	134	4	3	2
Topeka	– – –	1,206	19	13	15
White	– – –	1,071	15	10	13
All other	– – –	135	4	3	2
Black	– – –	131	4	3	2
Balance of county	– – –	191	6	2	2
Sheridan	28	34	–	–	–
Sherman	71	87	–	–	1
Smith	71	82	–	–	–
Stafford	78	97	1	1	1
Stanton	9	15	1	–	–
Stevens	37	48	–	–	1
Sumner	238	286	5	3	6
Thomas	65	73	2	1	2
Trego	42	50	–	–	–
Wabaunsee	39	79	1	1	–
Wallace	6	19	–	–	–
Washington	82	127	–	–	1
Wichita	16	20	–	–	–
Wilson	153	182	1	–	–
Woodson	34	64	–	–	–
Wyandotte	1,936	1,766	39	18	19
White	1,519	1,345	24	10	11
All other	417	421	15	8	8
Black	410	415	15	8	8
Kansas City	– – –	1,645	35	15	18
White	– – –	1,229	21	8	10
All other	– – –	416	14	7	8
Black	– – –	410	14	7	8
Balance of county	– – –	121	4	3	1
Kentucky	34,173	34,818	509	330	414
White	31,566	32,152	444	291	341
All other	2,607	2,666	65	39	73
Black	2,581	2,639	63	38	71
Adair	159	168	1	1	3
Allen	107	185	1	–	–
Anderson	47	116	–	–	4
Ballard	32	91	–	–	1
Barren	514	394	–	–	7
Glasgow	– – –	179	–	–	2
Balance of county	– – –	215	–	–	5
Bath	42	106	1	1	2
Bell	347	367	5	2	8
Middlesborough	– – –	168	1	–	5
Balance of county	– – –	199	4	2	3
Boone	407	327	11	4	4
Florence	– – –	153	5	2	3
Balance of county	– – –	174	6	2	1
Bourbon	131	195	2	1	–
White	114	163	2	1	–
All other	17	32	–	–	–
Black	17	32	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Boyd	517	555	6	5	2
Ashland	---	336	4	3	1
Balance of county	---	219	2	2	1
Boyle	272	231	3	3	2
Danville	---	127	1	1	2
White	---	107	1	1	1
All other	---	20	-	-	1
Black	---	20	-	-	1
Balance of county	---	104	2	2	-
Bracken	30	102	-	-	1
Breathitt	95	166	2	-	1
Breckinridge	115	154	-	-	2
Bullitt	89	251	2	2	4
Butler	63	128	2	-	-
Caldwell	193	203	1	1	-
Calloway	286	298	4	3	2
Murray	---	124	1	1	2
Balance of county	---	174	3	2	-
Campbell	811	850	15	11	11
Fort Thomas	---	170	2	1	1
Newport	---	254	8	6	5
Balance of county	---	426	5	4	5
Carlisle	20	77	-	-	1
Carroll	79	119	3	2	3
Carter	82	233	5	4	1
Casey	66	149	5	2	-
Christian	581	548	14	5	10
White	465	416	8	3	3
All other	116	132	6	2	7
Black	116	131	6	2	7
Hopkinsville	---	349	4	2	3
White	---	251	2	1	-
All other	---	98	2	1	3
Black	---	97	2	1	3
Balance of county	---	199	10	3	7
White	---	165	6	2	3
All other	---	34	4	1	4
Black	---	34	4	1	4
Clark	236	248	-	-	4
Winchester	---	170	-	-	2
White	---	150	-	-	2
All other	---	20	-	-	-
Black	---	20	-	-	-
Balance of county	---	78	-	-	2
Clay	186	210	6	2	3
Clinton	85	113	-	-	-
Crittenden	94	118	3	2	-
Cumberland	84	104	2	2	1
Daviess	890	777	18	10	2
Owensboro	---	576	12	7	1
Balance of county	---	201	6	3	1
Edmonson	26	96	-	-	-
Elliott	25	54	-	-	-
Estill	95	166	1	1	2
Fayette, coext. with Lexington-Fayette	3,437	1,659	35	23	24
White	3,031	1,320	19	13	17
All other	406	339	16	10	7
Black	406	337	16	10	7
Fleming	109	133	2	1	3
Floyd	394	392	5	3	7
Franklin	311	368	3	2	4
Frankfort	---	269	3	2	2
White	---	258	3	2	2
All other	---	11	-	-	-
Black	---	11	-	-	-
Balance of county	---	99	-	-	2
Fulton	158	133	-	-	1
White	142	117	-	-	1
All other	16	16	-	-	-
Black	16	16	-	-	-
Gallatin	15	53	-	-	1
Garrard	95	129	1	1	2
Grant	78	143	2	1	1
Graves	353	469	5	5	1
Mayfield	---	213	1	1	1
White	---	197	1	1	-
All other	---	16	-	-	1
Black	---	16	-	-	1
Balance of county	---	256	4	4	-
Grayson	170	213	3	2	1
Green	86	109	1	1	1
Greenup	330	305	7	7	1
Hancock	12	73	-	-	1
Hardin	619	523	13	6	12
White	581	486	12	6	7
All other	38	37	1	-	5
Black	34	34	1	-	4
Elizabethtown	---	154	3	1	2
Radcliff	---	88	6	2	5
White	---	72	5	2	2
All other	---	16	1	-	3
Black	---	13	1	-	2
Balance of county	---	281	4	3	5
White	---	270	4	3	3
All other	---	11	-	-	2
Black	---	11	-	-	2
Harlan	356	418	6	4	8
Harrison	202	195	2	2	-
Hart	115	178	-	-	2
Henderson	376	379	5	4	9
Henderson	---	273	3	3	6
White	---	239	3	3	5
All other	---	34	-	-	1
Black	---	34	-	-	1
Balance of county	---	106	2	1	3
Henry	60	163	2	2	-
Hickman	45	100	3	3	1
White	40	89	3	3	-
All other	5	11	-	-	1
Black	4	10	-	-	1
Hopkins	697	498	5	4	7
Madisonville	---	219	1	-	4
White	---	194	-	-	2
All other	---	25	1	-	2
Black	---	25	1	-	2
Balance of county	---	279	4	4	3
Jackson	49	139	1	1	3
Jefferson	7,624	6,518	77	46	74
White	6,551	5,457	57	32	47
All other	1,073	1,061	20	14	27
Black	1,067	1,056	20	14	26
Jeffersontown	---	102	2	2	-
Louisville	---	3,788	45	27	49
White	---	2,872	28	14	26
All other	---	916	17	13	23
Black	---	915	17	13	23
St. Matthews	---	165	-	-	-
Shively	---	165	1	-	1
Balance of county	---	2,298	29	17	24
White	---	2,165	26	16	21
All other	---	133	3	1	3
Black	---	129	3	1	2
Jessamine	67	199	2	-	4
Nicholasville	---	93	1	-	2
Balance of county	---	106	1	-	2
Johnson	191	252	1	1	3
Kenton	1,178	1,237	26	16	17
Covington	---	589	11	8	6
Erlanger	---	92	4	3	1
Balance of county	---	556	11	5	10
Knott	68	137	3	3	2
Knox	163	310	4	3	9
Larue	42	118	-	-	3
Laurel	325	364	5	4	2
Lawrence	225	143	4	4	-
Lee	39	88	2	-	-
Leslie	65	107	3	2	2
Letcher	231	293	3	1	7
Lewis	47	134	4	2	2
Lincoln	139	212	3	2	1
Livingston	75	97	1	-	-
Logan	194	258	3	1	3
Lyon	45	91	-	-	2
McCracken	1,208	750	9	6	5
White	1,124	678	8	6	3
All other	84	72	1	-	2
Black	82	70	1	-	2
Paducah	---	467	4	2	3
White	---	403	3	2	1
All other	---	64	1	-	2
Black	---	62	1	-	2
Balance of county	---	283	5	4	2
McCreary	60	140	3	2	4
McLean	73	130	-	-	1
Madison	428	400	5	4	8
Richmond	---	168	-	-	5
White	---	135	-	-	4
All other	---	33	-	-	1
Black	---	33	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	232	5	4	3
Magoffin	55	134	1	1	-
Marion	163	176	1	1	1
Marshall	177	278	3	1	-
Martin	41	112	3	3	2
Mason	213	191	-	-	2
Meade	47	139	3	3	3
Menifee	22	52	2	2	-
Mercer	130	195	2	-	1
Metcalfe	28	95	2	2	-
Monroe	130	159	3	3	3
Montgomery	188	178	2	1	2
Morgan	89	123	4	4	1
Muhlenberg	300	362	8	5	4
Nelson	164	237	9	9	4
Nicholas	68	73	1	1	1
Ohio	203	255	1	1	3
Oldham	63	154	6	4	2
Owen	69	113	-	-	2
Owsley	22	65	1	-	-
Pendleton	34	118	4	3	-
Perry	311	299	6	4	2
Pike	671	684	12	7	14
Powell	39	106	1	-	1
Pulaski	560	492	5	2	7
Somerset	---	141	-	-	4
Balance of county	---	351	5	2	3
Robertson	10	26	-	-	-
Rockcastle	118	150	2	1	1
Rowan	310	166	7	4	1
Russell	107	140	-	-	2
Scott	173	216	4	3	3
Georgetown	---	127	3	2	1
White	---	110	3	2	1
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	89	1	1	2
Shelby	252	229	3	3	4
White	233	208	3	3	3
All other	19	21	-	-	1
Black	19	20	-	-	1
Simpson	89	148	4	3	-
White	79	130	3	3	-
All other	10	18	1	-	-
Black	10	18	1	-	-
Spencer	25	61	3	3	1
Taylor	194	193	2	2	1
Todd	43	128	2	1	-
White	35	111	2	1	-
All other	8	17	-	-	-
Black	8	17	-	-	-
Trigg	83	128	-	-	-
White	71	110	-	-	-
All other	12	18	-	-	-
Black	12	18	-	-	-
Trimble	22	59	-	-	-
Union	82	165	4	4	3
White	69	143	2	2	3
All other	13	22	2	2	-
Black	12	21	2	2	-
Warren	813	560	9	4	8
Bowling Green	---	374	4	-	4
White	---	331	3	-	2
All other	---	43	1	-	2
Black	---	42	1	-	2
Balance of county	---	186	5	4	4
Washington	62	120	3	3	3
White	58	107	2	2	3
All other	4	13	1	1	-
Black	4	13	1	1	-
Wayne	102	181	2	2	3
Webster	48	169	2	-	1
Whitley	342	356	7	5	4
Wolfe	31	56	2	1	1
Woodford	120	128	1	1	3
Louisiana *	36,691	36,373	927	605	656
White	25,036	24,768	395	271	285
All other	11,655	11,605	532	334	371
Black	11,539	11,495	524	329	369
Louisiana-Con.					
Acadia	387	542	10	3	13
White	321	439	6	1	10
All other	66	103	4	2	3
Black	66	103	4	2	3
Crowley	---	171	4	1	1
White	---	132	3	-	-
All other	---	39	1	1	1
Black	---	39	1	1	1
Eunice, part	---	-	-	-	-
Balance of parish	---	371	6	2	12
White	---	307	3	1	10
All other	---	64	3	1	2
Black	---	64	3	1	2
Allen	182	221	5	2	3
White	126	151	1	-	2
All other	56	70	4	2	1
Black	53	64	4	2	1
Ascension	266	362	12	10	9
White	198	281	9	8	5
All other	68	81	3	2	4
Black	68	80	3	2	4
Assumption	106	168	4	3	5
White	70	98	-	-	1
All other	36	70	4	3	4
Black	36	70	4	3	4
Avoyelles	370	483	6	3	7
White	284	372	4	2	5
All other	86	111	2	1	2
Black	86	111	2	1	2
Beauregard	230	273	12	11	6
White	196	234	7	6	6
All other	34	39	5	5	-
Black	34	39	5	5	-
De Ridder, part	---	114	8	7	4
White	---	79	6	5	4
All other	---	35	2	2	-
Black	---	35	2	2	-
De Ridder, total	---	114	8	7	4
White	---	79	6	5	4
All other	---	35	2	2	-
Black	---	35	2	2	-
Balance of parish	---	159	4	4	2
Bienville	109	216	4	1	4
White	68	135	-	-	-
All other	41	81	4	1	4
Black	41	81	4	1	4
Bossier	461	549	11	8	10
White	372	415	7	5	7
All other	89	134	4	3	3
Black	89	134	4	3	3
Bossier City	---	334	5	3	7
White	---	291	4	2	5
All other	---	43	1	1	2
Black	---	43	1	1	2
Shreveport, part	---	2	-	-	-
Balance of parish	---	213	6	5	3
White	---	122	3	3	2
All other	---	91	3	2	1
Black	---	91	3	2	1
Caddo	3,621	2,582	70	47	56
White	2,308	1,622	24	14	20
All other	1,313	960	46	33	36
Black	1,310	956	46	33	36
Shreveport, part	---	2,228	58	41	50
White	---	1,373	18	11	17
All other	---	855	40	30	33
Black	---	851	40	30	33
Shreveport, total	---	2,230	58	41	50
White	---	1,375	18	11	17
All other	---	855	40	30	33
Black	---	851	40	30	33
Balance of parish	---	354	12	6	6
White	---	249	6	3	3
All other	---	105	6	3	3
Black	---	105	6	3	3
Calcasieu	1,421	1,358	41	23	15
White	1,080	1,030	26	17	10
All other	341	328	15	6	5
Black	339	327	15	6	5
Lake Charles	---	702	20	7	10
White	---	447	8	4	5
All other	---	255	12	3	5
Black	---	255	12	3	5
Sulphur	---	191	6	4	3
Balance of parish	---	465	15	12	2
White	---	405	13	10	2
All other	---	60	2	2	-
Black	---	60	2	2	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Caldwell	91	110	1	–	1
White	75	95	–	–	–
All other	16	15	1	–	1
Black	16	15	1	–	1
Cameron	34	54	1	–	–
Catahoula	93	129	–	–	–
White	65	95	–	–	–
All other	28	34	–	–	–
Black	28	34	–	–	–
Claiborne	170	222	1	1	3
White	108	135	–	–	–
All other	62	87	1	1	3
Black	62	87	1	1	3
Concordia	147	218	2	1	2
White	83	127	1	1	–
All other	64	91	1	–	2
Black	64	91	1	–	2
De Soto	167	269	5	4	5
White	92	140	1	1	2
All other	75	129	4	3	3
Black	75	129	4	3	3
East Baton Rouge	3,074	2,475	89	65	59
White	1,958	1,516	26	18	24
All other	1,116	959	63	47	35
Black	1,111	954	61	46	35
Baker	– – –	85	4	2	2
White	– – –	69	4	2	2
All other	– – –	16	–	–	–
Black	– – –	16	–	–	–
Baton Rouge	– – –	2,025	74	53	48
White	– – –	1,154	14	9	15
All other	– – –	871	60	44	33
Black	– – –	866	58	43	33
Balance of parish	– – –	365	11	10	9
White	– – –	293	8	7	7
All other	– – –	72	3	3	2
Black	– – –	72	3	3	2
East Carroll	118	141	5	4	4
White	40	40	–	–	–
All other	78	101	5	4	4
Black	78	101	5	4	4
East Feliciana	146	159	2	1	2
White	77	89	1	1	1
All other	69	70	1	–	1
Black	69	70	1	–	1
Evangeline	305	332	4	1	4
White	232	268	3	1	2
All other	73	64	1	–	2
Black	72	64	1	–	2
Franklin	206	281	10	8	5
White	148	208	6	6	1
All other	58	73	4	2	4
Black	58	73	4	2	4
Grant	84	193	2	2	4
White	71	155	–	–	4
All other	13	38	2	2	–
Black	13	38	2	2	–
Iberia	445	527	10	5	14
White	299	350	5	3	6
All other	146	177	5	2	8
Black	146	177	5	2	8
New Iberia	– – –	266	5	3	5
White	– – –	182	1	1	2
All other	– – –	84	4	2	3
Black	– – –	84	4	2	3
Balance of parish	– – –	261	5	2	9
White	– – –	168	4	2	4
All other	– – –	93	1	–	5
Black	– – –	93	1	–	5
Iberville	209	269	3	1	5
White	107	146	1	–	2
All other	102	123	2	1	3
Black	101	123	2	1	3
Jackson	164	226	1	1	3
White	104	161	–	–	1
All other	60	65	1	1	2
Black	60	65	1	1	2
Jefferson	3,255	3,123	74	49	40
White	2,712	2,658	44	31	24
All other	543	465	30	18	16
Black	521	443	29	18	16
Gretna	– – –	321	11	5	4
White	– – –	257	5	3	2
All other	– – –	64	6	2	2
Black	– – –	60	5	2	2
Harahan	– – –	76	–	–	1
Kenner	– – –	372	15	10	8
White	– – –	299	11	7	6
All other	– – –	73	4	3	2
Black	– – –	70	4	3	2
Westwego	– – –	143	3	2	2
White	– – –	117	1	1	2
All other	– – –	26	2	1	–
Black	– – –	26	2	1	–
Balance of parish	– – –	2,211	45	32	25
White	– – –	1,909	27	20	13
All other	– – –	302	18	12	12
Black	– – –	287	18	12	12
Jefferson Davis	275	332	2	1	11
White	223	260	2	1	7
All other	52	72	–	–	4
Black	51	72	–	–	4
Jennings	– – –	146	1	1	5
White	– – –	103	1	1	2
All other	– – –	43	–	–	3
Black	– – –	43	–	–	3
Balance of parish	– – –	186	1	–	6
White	– – –	157	1	–	5
All other	– – –	29	–	–	1
Black	– – –	29	–	–	1
Lafayette	1,461	922	46	36	22
White	1,050	683	24	20	13
All other	411	239	22	16	9
Black	410	239	22	16	9
Lafayette	– – –	629	31	25	13
White	– – –	439	14	12	6
All other	– – –	190	17	13	7
Black	– – –	190	17	13	7
Balance of parish	– – –	293	15	11	9
White	– – –	244	10	8	7
All other	– – –	49	5	3	2
Black	– – –	49	5	3	2
Lafourche	526	555	22	16	10
White	454	485	14	10	9
All other	72	70	8	6	1
Black	70	68	8	6	1
Thibodaux	– – –	135	2	2	3
White	– – –	95	–	–	2
All other	– – –	40	2	2	1
Black	– – –	40	2	2	1
Balance of parish	– – –	420	20	14	7
La Salle	140	183	2	1	1
White	124	166	1	1	–
All other	16	17	1	–	1
Black	15	16	1	–	1
Lincoln	346	329	10	7	2
White	228	194	4	3	–
All other	118	135	6	4	2
Black	118	135	6	4	2
Ruston	– – –	147	4	3	–
White	– – –	92	2	2	–
All other	– – –	55	2	1	–
Black	– – –	55	2	1	–
Balance of parish	– – –	182	6	4	2
White	– – –	102	2	1	–
All other	– – –	80	4	3	2
Black	– – –	80	4	3	2
Livingston	244	433	12	11	2
Madison	122	167	4	4	4
White	44	65	–	–	1
All other	78	102	4	4	3
Black	78	102	4	4	3
Tallulah	– – –	126	4	4	4
White	– – –	38	–	–	1
All other	– – –	88	4	4	3
Black	– – –	88	4	4	3
Balance of parish	– – –	41	–	–	–
White	– – –	27	–	–	–
All other	– – –	14	–	–	–
Black	– – –	14	–	–	–
Morehouse	297	333	2	2	5
White	189	187	1	1	2
All other	108	146	1	1	3
Black	108	146	1	1	3
Bastrop	– – –	185	1	1	3
White	– – –	92	–	–	1
All other	– – –	93	1	1	2
Black	– – –	93	1	1	2
Balance of parish	– – –	148	1	1	2
White	– – –	95	1	1	1
All other	– – –	53	–	–	1
Black	– – –	53	–	–	1
Natchitoches	276	400	2	–	8
White	169	256	1	–	2
All other	107	144	1	–	6
Black	107	144	1	–	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Natchitoches	---	182	–	–	4
White	---	90	–	–	1
All other	---	92	–	–	3
Black	---	92	–	–	3
Balance of parish	---	218	2	–	4
White	---	166	1	–	1
All other	---	52	1	–	3
Black	---	52	1	–	3
Orleans, coext. with New Orleans city	6,641	5,857	156	99	114
White	3,452	2,876	29	25	18
All other	3,189	2,981	127	74	96
Black	3,150	2,948	124	71	95
Ouachita	1,492	1,225	39	26	17
White	1,032	862	13	7	11
All other	460	363	26	19	6
Black	459	362	26	19	6
Monroe	---	651	27	18	9
White	---	353	5	3	4
All other	---	298	22	15	5
Black	---	297	22	15	5
West Monroe	---	235	–	–	3
White	---	204	–	–	2
All other	---	31	–	–	1
Black	---	31	–	–	1
Balance of parish	---	339	12	8	5
White	---	305	8	4	5
All other	---	34	4	4	–
Black	---	34	4	4	–
Plaquemines	96	190	9	5	7
White	*69	133	4	3	3
All other	*27	57	5	2	4
Black	24	54	5	2	4
Pointe Coupee	159	203	8	6	4
White	97	122	1	1	1
All other	62	81	7	5	3
Black	62	81	7	5	3
Rapides	1,727	1,228	32	12	28
White	1,230	859	15	6	14
All other	497	369	17	6	14
Black	495	367	17	6	14
Alexandria	---	597	20	8	14
White	---	341	7	2	5
All other	---	256	13	6	9
Black	---	255	13	6	9
Pineville	---	150	1	–	4
White	---	121	–	–	3
All other	---	29	1	–	1
Black	---	29	1	–	1
Balance of parish	---	481	11	4	10
White	---	397	8	4	6
All other	---	84	3	–	4
Black	---	83	3	–	4
Red River	130	113	1	1	1
White	82	76	–	–	–
All other	48	37	1	1	1
Black	48	37	1	1	1
Richland	311	286	3	3	–
White	213	189	1	1	–
All other	98	97	2	2	–
Black	98	97	2	2	–
Sabine	228	285	4	3	4
White	183	237	4	3	4
All other	45	48	–	–	–
Black	45	48	–	–	–
St. Bernard	481	580	9	5	3
St. Charles	150	236	5	3	10
White	102	171	3	1	4
All other	48	65	2	2	6
Black	47	65	2	2	6
St. Helena	46	84	3	1	1
White	28	53	1	–	–
All other	18	31	2	1	1
Black	18	31	2	1	1
St. James	104	169	8	7	3
White	56	79	1	1	–
All other	48	90	7	6	3
Black	46	90	7	6	3
St. John the Baptist	184	242	11	8	7
White	120	143	8	6	1
All other	64	99	3	2	6
Black	62	97	3	2	6
St. Landry	656	803	17	12	12
White	415	476	6	6	3
All other	241	327	11	6	9
Black	241	327	11	6	9

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Eunice, part	---	120	2	2	1
White	---	86	–	–	1
All other	---	34	2	2	–
Black	---	34	2	2	–
Eunice, total	---	120	2	2	1
White	---	86	–	–	1
All other	---	34	2	2	–
Black	---	34	2	2	–
Opelousas	---	229	6	4	1
White	---	96	1	1	–
All other	---	133	5	3	1
Black	---	133	5	3	1
Balance of parish	---	454	9	8	10
White	---	294	5	5	2
All other	---	160	4	1	8
Black	---	160	4	1	8
St. Martin	174	322	12	9	8
White	120	209	3	3	3
All other	54	113	9	6	5
Black	50	108	9	6	5
St. Mary	350	460	14	8	11
White	242	317	6	4	5
All other	108	143	8	4	6
Black	103	138	7	4	6
Morgan City	---	126	3	2	5
White	---	104	2	1	1
All other	---	22	1	1	4
Black	---	22	1	1	4
Balance of parish	---	334	11	6	6
White	---	213	4	3	4
All other	---	121	7	3	2
Black	---	116	6	3	2
St. Tammany	818	896	24	12	15
White	717	774	19	11	13
All other	101	122	5	1	2
Black	100	121	5	1	2
Slidell	---	232	6	4	3
Balance of parish	---	664	18	8	12
White	---	559	13	7	10
All other	---	105	5	1	2
Black	---	104	5	1	2
Tangipahoa	800	792	25	13	17
White	581	544	12	7	6
All other	219	248	13	6	11
Black	219	248	13	6	11
Hammond	---	153	8	4	5
White	---	72	2	1	1
All other	---	81	6	3	4
Black	---	81	6	3	4
Balance of parish	---	639	17	9	12
White	---	472	10	6	5
All other	---	167	7	3	7
Black	---	167	7	3	7
Tensas	61	88	1	1	–
White	30	44	–	–	–
All other	31	44	1	1	–
Black	31	44	1	1	–
Terrebonne	666	614	18	13	15
White	516	486	12	8	8
All other	150	128	6	5	7
Black	141	116	5	4	6
Houma	---	267	6	5	9
White	---	203	4	4	4
All other	---	64	2	1	5
Black	---	62	2	1	5
Balance of parish	---	347	12	8	6
White	---	283	8	4	4
All other	---	64	4	4	2
Black	---	54	3	3	1
Union	179	264	4	2	5
White	120	184	1	1	1
All other	59	80	3	1	4
Black	59	80	3	1	4
Vermilion	338	424	8	7	6
White	290	367	5	4	4
All other	48	57	3	3	2
Black	47	56	3	3	2
Abbeville	---	141	4	4	2
White	---	105	2	2	1
All other	---	36	2	2	1
Black	---	35	2	2	1
Balance of parish	---	283	4	3	4
Vernon	220	323	4	1	8
White	180	270	3	1	6
All other	40	53	1	–	2
Black	38	51	1	–	2
De Ridder, part	---	–	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Balance of parish	---	323	4	1	8
White	---	270	3	1	6
All other	---	53	1	–	2
Black	---	51	1	–	2
Washington	428	488	5	4	8
White	306	329	2	2	4
All other	122	159	3	2	4
Black	121	159	3	2	4
Bogalusa	---	232	3	3	5
White	---	147	2	2	3
All other	---	85	1	1	2
Black	---	85	1	1	2
Balance of parish	---	256	2	1	3
White	---	182	–	–	1
All other	---	74	2	1	2
Black	---	74	2	1	2
Webster	370	480	8	3	2
White	247	316	3	1	1
All other	123	164	5	2	1
Black	123	164	5	2	1
Minden	---	200	2	2	1
White	---	114	1	1	–
All other	---	86	1	1	1
Black	---	86	1	1	1
Balance of parish	---	280	6	1	1
White	---	202	2	–	1
All other	---	78	4	1	–
Black	---	78	4	1	–
West Baton Rouge	48	159	6	6	2
White	29	86	1	1	1
All other	19	73	5	5	1
Black	19	73	5	5	1
West Carroll	96	156	2	1	1
White	80	133	1	1	–
All other	16	23	1	–	1
Black	16	23	1	–	1
West Feliciana	53	70	3	1	2
White	28	32	1	–	2
All other	25	38	2	1	–
Black	25	38	2	1	–
Winn	137	200	1	1	1
White	100	138	–	–	–
All other	37	62	1	1	1
Black	37	62	1	1	1
Maine	11,161	11,237	147	94	99
White	11,106	11,186	147	94	97
All other	55	51	–	–	2
Black	30	27	–	–	1
Androscoggin	1,063	997	17	10	11
Auburn	---	282	4	1	3
Lewiston	---	452	9	7	4
Balance of county	---	263	4	2	4
Aroostook	730	774	17	11	7
Presque Isle	---	105	5	3	1
Balance of county	---	669	12	8	6
Cumberland	2,588	2,112	32	21	23
Portland	---	765	13	8	5
South Portland	---	238	2	2	1
Westbrook	---	128	3	2	3
Balance of county	---	981	14	9	14
Franklin	223	234	1	–	1
Hancock	434	498	4	3	4
Kennebec	1,373	1,046	9	7	8
Augusta	---	259	1	1	1
Waterville	---	210	1	1	2
Balance of county	---	577	7	5	5
Knox	431	435	7	5	3
Lincoln	217	311	1	1	1
Oxford	410	533	4	2	7
Penobscot	1,355	1,211	19	16	10
Bangor	---	366	8	7	3
Balance of county	---	845	11	9	7
Piscataquis	186	217	4	1	1
Sagadahoc	180	244	4	4	2
Bath	---	112	2	2	1
Balance of county	---	132	2	2	1
Somerset	390	487	2	1	–
Waldo	208	311	4	3	3
Washington	311	405	2	1	4
York	1,062	1,422	20	8	14
Biddeford	---	212	4	1	1
Saco	---	115	2	–	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine-Con.					
Balance of county	---	1,095	14	7	9
Maryland	36,675	37,358	816	576	576
White	28,554	28,831	436	298	300
All other	8,121	8,527	380	278	276
Black	7,905	8,295	366	267	264
Allegany	1,134	960	11	7	6
Cumberland	---	435	1	1	4
Balance of county	---	525	10	6	2
Anne Arundel	2,061	2,688	70	48	43
White	1,803	2,346	56	39	34
All other	258	342	14	9	9
Black	249	328	14	9	9
Annapolis	---	377	13	7	5
White	---	261	8	6	3
All other	---	116	5	1	2
Black	---	115	5	1	2
Balance of county	---	2,311	57	41	38
White	---	2,085	48	33	31
All other	---	226	9	8	7
Black	---	213	9	8	7
Baltimore	5,043	6,005	76	54	76
White	4,673	5,607	58	40	61
All other	370	398	18	14	15
Black	356	374	17	13	15
Baltimore city	11,807	9,662	215	155	154
White	6,949	5,017	52	39	17
All other	4,858	4,645	163	116	137
Black	4,816	4,625	163	116	135
Calvert	255	288	5	4	1
White	205	228	4	4	1
All other	50	60	1	–	–
Black	50	60	1	–	–
Caroline	100	282	5	1	1
White	86	235	4	–	–
All other	14	47	1	1	1
Black	13	47	1	1	1
Carroll	664	855	17	14	16
Cecil	576	534	10	7	6
Charles	390	510	15	14	14
White	299	383	10	10	10
All other	91	127	5	4	4
Black	86	121	5	4	4
Dorchester	323	416	6	4	7
White	227	271	1	–	6
All other	96	145	5	4	1
Black	96	145	5	4	1
Cambridge	---	196	2	2	4
White	---	114	–	–	3
All other	---	82	2	2	1
Black	---	82	2	2	1
Balance of county	---	220	4	2	3
White	---	157	1	–	3
All other	---	63	3	2	–
Black	---	63	3	2	–
Frederick	858	942	25	18	14
Frederick	---	327	8	6	6
White	---	289	3	3	5
All other	---	38	5	3	1
Black	---	36	4	2	1
Balance of county	---	615	17	12	8
White	---	572	16	12	6
All other	---	43	1	–	2
Black	---	41	–	–	2
Garrett	265	279	4	2	5
Harford	904	974	24	18	22
White	816	877	18	12	17
All other	88	97	6	6	5
Black	85	94	6	6	4
Aberdeen	---	86	4	4	3
White	---	66	2	2	1
All other	---	20	2	2	2
Black	---	19	2	2	2
Balance of county	---	888	20	14	19
White	---	811	16	10	16
All other	---	77	4	4	3
Black	---	75	4	4	2
Howard	506	679	18	14	12
White	439	588	15	11	9
All other	67	91	3	3	3
Black	61	85	3	3	3
Kent	163	212	1	–	1
White	144	176	–	–	1
All other	19	36	1	–	–
Black	19	36	1	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Montgomery	4,523	4,237	103	76	69
White	3,991	3,800	65	46	48
All other	532	437	38	30	21
Black	450	346	34	27	18
Gaithersburg	---	312	14	12	12
White	---	275	11	9	7
All other	---	37	3	3	5
Black	---	31	3	3	5
Rockville	---	638	10	10	4
White	---	582	7	7	4
All other	---	56	3	3	-
Black	---	39	2	2	-
Takoma Park, part	---	103	10	9	2
White	---	76	2	1	1
All other	---	27	8	8	1
Black	---	23	7	7	1
Takoma Park, total	---	140	12	9	4
White	---	104	2	1	1
All other	---	36	10	8	3
Black	---	30	8	7	3
Balance of county	---	3,184	69	45	51
White	---	2,867	45	29	36
All other	---	317	24	16	15
Black	---	253	22	15	12
Prince George's	3,313	4,275	152	102	92
White	2,420	2,905	47	22	23
All other	893	1,370	105	80	69
Black	848	1,314	99	75	65
Bowie	---	186	3	3	1
College Park	---	139	2	2	3
White	---	128	2	2	2
All other	---	11	-	-	1
Black	---	9	-	-	1
Greenbelt	---	115	6	2	2
White	---	104	4	1	1
All other	---	11	2	1	1
Black	---	11	2	1	1
Hyattsville	---	495	17	7	11
White	---	385	7	1	3
All other	---	110	10	6	8
Black	---	100	10	6	5
Laurel	---	104	2	2	6
White	---	86	2	2	5
All other	---	18	-	-	1
Black	---	17	-	-	1
New Carrollton	---	49	5	5	1
White	---	37	1	1	-
All other	---	12	4	4	1
Black	---	11	4	4	1
Takoma Park, part	---	37	2	-	2
White	---	28	-	-	-
All other	---	9	2	-	2
Black	---	7	1	-	2
Balance of county	---	3,150	115	81	66
White	---	1,967	30	14	12
All other	---	1,183	85	67	54
Black	---	1,146	80	62	53
Queen Anne's	115	267	4	2	5
White	96	217	2	1	2
All other	19	50	2	1	3
Black	17	46	1	-	2
St. Mary's	407	482	19	10	5
White	319	367	14	7	4
All other	88	115	5	3	1
Black	87	114	5	3	1
Somerset	144	300	4	2	1
White	102	212	3	2	1
All other	42	88	1	-	-
Black	41	87	1	-	-
Talbot	601	349	6	5	1
White	479	282	4	4	1
All other	122	67	2	1	-
Black	122	67	2	1	-
Washington	1,084	1,059	9	7	18
Hagerstown	---	518	4	4	7
Balance of county	---	541	5	3	11
White	---	538	5	3	10
All other	---	3	-	-	1
Black	---	3	-	-	1
Wicomico	1,245	691	12	7	4
White	961	537	9	5	1
All other	284	154	3	2	3
Black	284	154	3	2	2
Salisbury	---	331	7	6	3
White	---	271	5	4	-
All other	---	60	2	2	3
Black	---	60	2	2	2
Maryland-Con.					
Balance of county	---	360	5	1	1
White	---	266	4	1	1
All other	---	94	1	-	-
Black	---	94	1	-	-
Worcester	194	412	5	5	3
White	153	320	4	4	3
All other	41	92	1	1	-
Black	41	92	1	1	-
Massachusetts	56,361	55,803	697	480	555
White	54,393	53,855	562	384	469
All other	1,968	1,948	135	96	86
Black	1,750	1,737	124	91	73
Barnstable	2,034	2,169	18	12	17
Barnstable town#	---	483	3	1	-
Balance of county	---	1,686	15	11	17
White	---	1,663	14	10	16
All other	---	23	1	1	1
Black	---	16	-	-	-
Berkshire	1,643	1,539	11	6	11
North Adams	---	223	1	-	-
Pittsfield	---	519	5	3	6
Balance of county	---	797	5	3	5
Bristol	4,143	4,552	53	40	44
White	4,046	4,441	47	35	39
All other	97	111	6	5	5
Black	89	101	6	5	3
Attleboro	---	305	7	5	8
Fairhaven town#	---	186	1	-	1
Fall River	---	1,108	10	9	6
New Bedford	---	1,126	13	11	14
White	---	1,061	9	8	13
All other	---	65	4	3	1
Black	---	65	4	3	-
North Attleborough town#	---	147	4	3	1
Somerset town#	---	183	-	-	1
Taunton	---	449	8	5	2
Balance of county	---	1,048	10	7	11
Dukes	126	125	-	-	-
Essex	6,054	6,429	78	52	68
White	6,005	6,384	72	51	63
All other	49	45	6	1	5
Black	42	38	6	1	2
Amesbury town#	---	170	3	2	2
Andover town#	---	215	2	-	2
Beverly	---	360	4	1	-
Danvers town#	---	286	2	1	-
Gloucester	---	276	4	3	2
Haverhill	---	574	6	6	5
Lawrence	---	735	25	19	14
White	---	726	24	18	13
All other	---	9	1	1	1
Black	---	7	1	1	1
Lynn	---	943	15	8	12
Lynnfield town#	---	104	-	-	1
Marblehead town#	---	163	1	1	-
Methuen town#	---	381	1	1	6
Newburyport	---	176	1	-	2
Peabody	---	382	3	2	4
Salem	---	375	1	-	7
Saugus town#	---	210	2	2	1
Swampscott town#	---	161	1	1	2
Balance of county	---	918	7	5	8
Franklin	587	699	13	8	5
Hampden	4,845	4,667	71	50	50
White	4,649	4,465	59	44	46
All other	196	202	12	6	4
Black	191	197	12	6	4
Agawam town#	---	260	2	1	4
Chicopee	---	665	8	4	3
Holyoke	---	625	8	8	5
White	---	620	8	8	5
All other	---	5	-	-	-
Black	---	4	-	-	-
Longmeadow town#	---	131	1	-	1
Springfield	---	1,620	32	22	22
White	---	1,432	20	16	18
All other	---	188	12	6	4
Black	---	185	12	6	4
Westfield	---	363	6	5	3
West Springfield town#	---	263	6	3	3
Balance of county	---	740	8	7	9
Hampshire	852	1,060	14	10	7
Amherst town#	---	96	1	-	-
Easthampton town#	---	148	1	1	1
Northampton	---	287	2	2	-
Balance of county	---	529	10	7	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Middlesex	11,604	12,000	119	85	124
White	11,419	11,772	111	79	110
All other	185	228	8	6	14
Black	147	179	6	5	11
Arlington town#	---	512	3	3	3
Belmont town#	---	286	1	1	-
Billerica town#	---	208	2	2	1
Burlington town#	---	140	-	-	4
Cambridge	---	811	12	9	11
White	---	725	11	8	8
All other	---	86	1	1	3
Black	---	79	1	1	3
Chelmsford town#	---	230	3	3	1
Dracut town#	---	146	3	2	2
Everett	---	390	1	1	3
Framingham town#	---	586	8	6	2
Hudson town#	---	122	4	4	3
Lexington town#	---	244	2	1	2
Lowell	---	1,021	13	8	14
Malden	---	555	6	3	6
Marlborough	---	283	3	1	3
Medford	---	615	2	-	5
Melrose	---	344	4	3	5
Natick town#	---	264	2	-	2
Newton	---	684	-	-	4
Reading town#	---	172	4	3	-
Somerville	---	786	10	9	8
Stoneham town#	---	198	1	1	1
Tewksbury town#	---	169	3	2	2
Wakefield town#	---	235	5	3	5
Waltham	---	513	2	2	6
Watertown town#	---	378	2	2	1
Wilmington town#	---	100	1	1	2
Winchester town#	---	172	1	1	2
Woburn	---	304	4	3	8
Balance of county	---	1,532	17	11	18
White	---	1,516	17	11	16
All other	---	16	-	-	2
Black	---	10	-	-	2
Nantucket	58	68	1	-	-
Norfolk	4,852	5,789	59	38	48
White	4,801	5,730	52	34	43
All other	51	59	7	4	5
Black	48	41	3	3	3
Braintree town#	---	397	3	2	2
Brookline town#	---	596	5	3	2
Dedham town#	---	236	1	1	2
Holbrook town#	---	91	-	-	1
Milton town#	---	322	2	-	2
Needham town#	---	303	1	1	1
Norwood town#	---	305	1	-	4
Quincy	---	1,003	10	6	7
Randolph town#	---	302	1	1	6
Stoughton town#	---	227	5	4	5
Wellesley town#	---	219	2	1	2
Westwood town#	---	97	-	-	-
Weymouth town#	---	505	6	5	3
Balance of county	---	1,186	22	14	11
White	---	1,177	20	12	11
All other	---	9	2	2	-
Black	---	7	1	1	-
Plymouth	3,084	3,570	47	33	41
White	3,016	3,486	42	28	36
All other	68	84	5	5	5
Black	63	79	5	5	5
Abington town#	---	137	-	-	1
Brockton	---	950	19	14	7
Plymouth town#	---	381	3	2	5
Rockland town#	---	108	-	-	1
Scituate town#	---	102	2	1	1
Whitman town#	---	110	2	2	2
Balance of county	---	1,782	21	14	24
Suffolk	10,034	6,716	141	101	84
White	8,880	5,653	55	36	41
All other	1,154	1,063	86	65	43
Black	1,027	969	82	63	41
Boston	---	5,704	127	94	79
White	---	4,647	42	30	37
All other	---	1,057	85	64	42
Black	---	964	81	62	40
Chelsea	---	329	5	2	2
Revere	---	437	5	2	-
Winthrop town#	---	246	4	3	3
Worcester	6,445	6,420	72	45	56
White	6,379	6,357	68	42	52
All other	66	63	4	3	4
Black	54	52	4	3	4
Clinton town#	---	139	2	1	-
Fitchburg	---	425	5	1	4
Gardner	---	223	1	1	-
Leominster	---	321	4	2	5
Milford town#	---	185	2	2	2
Shrewsbury town#	---	206	-	-	3
Webster town#	---	205	1	1	-
Worcester	---	1,963	29	19	15
Balance of county	---	2,753	28	18	27
Michigan	79,004	80,222	1,564	1,080	729
White	67,464	68,667	1,002	671	525
All other	11,540	11,555	562	409	204
Black	11,263	11,282	549	399	196
Alcona	57	144	1	1	-
Alger	105	105	-	-	2
Allegan	414	613	12	6	8
Holland, part	---	44	1	1	2
Balance of county	---	569	11	5	6
Alpena	352	306	3	3	-
Alpena	---	140	1	1	-
Balance of county	---	166	2	2	-
Antrim	119	218	3	2	2
Arenac	117	155	1	-	-
Baraga	92	101	2	1	-
Barry	316	383	10	7	5
Bay	923	983	15	11	5
Bangor twp#	---	116	2	1	-
Bay City	---	449	6	6	2
Midland, part	---	1	-	-	-
Balance of county	---	417	7	4	3
Benzie	106	132	2	1	2
Berrien	1,496	1,587	26	17	14
White	1,285	1,381	16	10	6
All other	211	206	10	7	8
Black	207	205	10	7	7
Benton Harbor	---	128	6	4	7
White	---	41	-	-	-
All other	---	87	6	4	7
Black	---	87	6	4	7
Niles	---	206	2	1	1
White	---	187	2	1	1
All other	---	19	-	-	-
Black	---	19	-	-	-
Balance of county	---	1,253	18	12	6
White	---	1,153	14	9	5
All other	---	100	4	3	1
Black	---	99	4	3	-
Branch	352	379	8	7	1
Calhoun	1,377	1,323	19	10	22
White	1,266	1,199	13	7	16
All other	111	124	6	3	6
Black	107	120	5	2	6
Albion	---	99	1	-	1
White	---	72	1	-	-
All other	---	27	-	-	1
Black	---	27	-	-	1
Battle Creek	---	629	11	7	14
White	---	545	5	4	9
All other	---	84	6	3	5
Black	---	82	5	2	5
Balance of county	---	595	7	3	7
Cass	273	425	8	5	4
Charlevoix	144	199	1	-	-
Cheboygan	187	223	4	1	4
Chippewa	238	292	2	-	-
Sault Ste. Marie	---	176	1	-	-
Balance of county	---	116	1	-	-
White	---	114	1	-	-
All other	---	2	-	-	-
Black	---	1	-	-	-
Clare	244	277	4	3	3
Clinton	195	366	7	7	6
Lansing, part	---	2	-	-	-
Balance of county	---	364	7	7	6
White	---	364	7	7	6
All other	---	-	-	-	-
Black	---	-	-	-	-
Crawford	210	117	1	-	-
Delta	303	383	3	2	1
Escanaba	---	186	-	-	-
Balance of county	---	197	3	2	1
Dickinson	458	339	2	2	-
Eaton	455	591	7	7	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Lansing, part	---	7	-	-	-
White	---	5	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	584	7	7	6
Emmet	528	229	2	2	3
Genesee	3,589	3,502	95	71	26
White	3,008	2,890	46	30	19
All other	581	612	49	41	7
Black	572	603	49	41	7
Burton	---	245	1	1	1
Flint	---	1,625	61	48	10
White	---	1,062	17	9	4
All other	---	563	44	39	6
Black	---	557	44	39	6
Flint twp#	---	237	4	4	1
Genesee twp#	---	120	1	1	1
Mount Morris twp#	---	151	8	6	1
White	---	142	7	6	-
All other	---	9	1	-	1
Black	---	8	1	-	1
Balance of county	---	1,124	20	11	12
White	---	1,093	17	10	12
All other	---	31	3	1	-
Black	---	29	3	1	-
Gladwin	104	218	1	1	1
Gogebic	260	296	5	2	1
Grand Traverse	787	475	10	3	1
Traverse City	---	178	2	1	-
Balance of county	---	297	8	2	1
Gratiot	412	404	3	2	5
Hillsdale	211	382	5	2	1
Houghton	391	445	3	1	1
Huron	297	419	6	5	3
Ingham	2,145	1,754	45	35	32
White	2,024	1,635	40	31	24
All other	121	119	5	4	8
Black	115	112	5	4	7
East Lansing	---	141	3	3	2
Lansing, part	---	957	23	18	22
White	---	853	20	15	14
All other	---	104	3	3	8
Black	---	100	3	3	7
Lansing, total	---	966	23	18	22
White	---	859	20	15	14
All other	---	107	3	3	8
Black	---	103	3	3	7
Meridian twp#	---	189	5	4	2
Balance of county	---	467	14	10	6
Ionia	269	417	13	6	3
Iosco	246	300	10	6	1
Iron	201	230	-	-	-
Isabella	312	340	1	1	3
Mount Pleasant	---	130	-	-	-
Balance of county	---	210	1	1	3
Jackson	1,244	1,319	35	17	17
White	1,157	1,236	33	17	14
All other	87	83	2	-	3
Black	87	83	2	-	3
Jackson	---	459	13	4	9
White	---	394	11	4	6
All other	---	65	2	-	3
Black	---	65	2	-	3
Balance of county	---	860	22	13	8
Kalamazoo	2,116	1,659	46	29	17
White	1,986	1,555	30	16	14
All other	130	101	16	13	3
Black	124	97	14	11	3
Kalamazoo	---	700	21	14	9
White	---	621	7	3	6
All other	---	79	14	11	3
Black	---	76	12	9	3
Kalamazoo twp#	---	177	2	2	1
Portage	---	220	10	4	2
Balance of county	---	559	13	9	5
Kalkaska	59	118	3	1	-
Kent	4,213	3,637	84	44	38
White	3,952	3,379	64	35	28
All other	261	258	20	9	10
Black	247	241	19	9	10
East Grand Rapids	---	43	-	-	-
Grand Rapids	---	1,991	52	26	20
White	---	1,751	32	17	10
All other	---	240	20	9	10
Black	---	228	19	9	10
Grandville	---	88	1	1	1
Kentwood	---	125	4	3	2
Walker	---	113	-	-	-
Wyoming	---	329	13	7	4
Balance of county	---	948	14	7	11
Keweenaw	2	31	-	-	-
Lake	40	122	3	2	-
White	26	88	2	2	-
All other	14	34	1	-	-
Black	14	33	1	-	-
Lapeer	454	508	7	6	3
Leelanau	79	132	3	2	1
Lenawee	601	759	9	7	5
Adrian	---	263	1	1	2
Balance of county	---	496	8	6	3
Livingston	493	641	12	8	13
Luce	56	64	1	1	-
Mackinac	91	150	-	-	2
Macomb	4,346	5,688	77	57	44
White	4,248	5,588	69	50	42
All other	98	100	8	7	2
Black	88	79	7	6	1
Clinton twp#	---	360	10	8	1
East Detroit	---	436	3	3	1
Fraser	---	129	3	3	-
Harrison twp#	---	118	1	-	1
Mount Clemens	---	366	11	10	6
White	---	322	6	6	5
All other	---	44	5	4	1
Black	---	43	5	4	1
Roseville	---	497	7	5	3
St. Clair Shores	---	805	5	3	1
Shelby twp#	---	165	3	2	2
Sterling Heights	---	609	7	6	3
Warren	---	1,479	14	7	13
Balance of county	---	724	13	10	13
Manistee	255	290	3	2	3
Marquette	659	538	7	4	7
Marquette	---	169	2	1	3
Balance of county	---	369	5	3	4
Mason	247	272	2	2	3
Mecosta	179	247	4	2	8
Big Rapids	---	61	-	-	3
Balance of county	---	186	4	2	5
Menominee	219	276	8	7	2
Menominee	---	109	1	1	-
Balance of county	---	167	7	6	2
Midland	558	469	7	3	6
Midland, part	---	271	4	1	3
Midland, total	---	272	4	1	3
Balance of county	---	198	3	2	3
Missaukee	61	111	3	1	1
Monroe	632	980	25	19	9
Monroe	---	279	4	2	4
Balance of county	---	701	21	17	5
Montcalm	371	487	5	4	3
Montmorency	65	115	1	1	2
Muskegon	1,382	1,383	25	14	13
White	1,235	1,228	17	9	7
All other	147	155	8	5	6
Black	143	150	8	5	6
Muskegon	---	477	11	9	8
White	---	413	7	6	4
All other	---	64	4	3	4
Black	---	63	4	3	4
Muskegon Heights	---	153	6	3	1
White	---	72	2	1	1
All other	---	81	4	2	-
Black	---	80	4	2	-
Norton Shores	---	157	1	-	-
Balance of county	---	596	7	2	4
Newaygo	269	346	7	4	2
Oakland	8,475	7,978	142	104	70
White	7,887	7,593	118	86	57
All other	588	385	24	18	13
Black	558	356	23	18	11
Avon twp#	---	-	-	-	-
Berkley	---	153	1	1	1
Beverly Hills	---	92	1	-	-
Birmingham	---	226	5	4	4
Bloomfield twp#	---	253	1	1	-
Clawson	---	109	2	2	-
Farmington	---	180	2	1	1
Farmington Hills	---	447	4	3	1
Ferndale	---	306	2	1	-
Hazel Park	---	205	2	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Madison Heights	---	269	5	2	2
Novi	---	136	1	–	–
Oak Park	---	259	6	6	5
White	---	236	4	4	3
All other	---	23	2	2	2
Black	---	21	2	2	2
Pontiac	---	742	29	23	13
White	---	519	13	10	4
All other	---	223	16	13	9
Black	---	221	16	13	8
Royal Oak	---	636	11	9	6
Southfield	---	813	5	1	2
White	---	770	3	–	1
All other	---	43	2	1	1
Black	---	40	2	1	1
Troy	---	392	13	11	1
West Bloomfield twp#	---	206	3	2	1
Balance of county	---	2,554	49	37	33
White	---	2,519	48	37	32
All other	---	35	1	–	1
Black	---	27	1	–	–
Oceana	156	207	4	3	2
Ogemaw	297	203	–	–	1
Ontonagon	77	105	2	2	–
Osceola	179	221	6	5	1
Oscoda	59	98	–	–	–
Otsego	148	123	2	2	2
Ottawa	1,019	1,096	19	13	13
Georgetown twp#	---	88	1	–	–
Grand Haven	---	163	2	2	–
Holland, part	---	222	6	6	5
Holland, total	---	268	7	7	7
Balance of county	---	623	10	5	8
Presque Isle	111	149	1	1	1
Roscommon	74	266	1	1	1
Saginaw	2,097	1,838	38	27	21
White	1,829	1,554	18	11	14
All other	268	284	20	16	7
Black	261	280	20	16	6
Saginaw	---	827	23	18	9
White	---	580	3	2	3
All other	---	247	20	16	6
Black	---	246	20	16	6
Saginaw twp#	---	257	1	1	7
Balance of county	---	754	14	8	5
White	---	723	14	8	5
All other	---	31	–	–	–
Black	---	29	–	–	–
St. Clair	1,186	1,287	19	15	6
Port Huron	---	408	9	6	2
Balance of county	---	879	10	9	4
St. Joseph	414	523	10	8	7
Sanilac	308	474	5	4	1
Schoolcraft	114	116	1	1	1
Shiawassee	463	569	9	2	5
Owosso	---	198	1	–	–
Balance of county	---	371	8	2	5
Tuscola	279	415	5	3	1
Van Buren	434	644	16	8	5
Washtenaw	3,161	1,553	38	30	18
White	2,820	1,370	21	16	13
All other	341	183	17	14	5
Black	318	168	17	14	5
Ann Arbor	---	534	17	12	9
White	---	466	10	7	6
All other	---	68	7	5	3
Black	---	61	7	5	3
Ypsilanti	---	217	9	9	2
White	---	154	3	3	1
All other	---	63	6	6	1
Black	---	59	6	6	1
Ypsilanti twp#	---	210	5	5	2
White	---	182	2	2	2
All other	---	28	3	3	–
Black	---	28	3	3	–
Balance of county	---	592	7	4	5
White	---	568	6	4	4
All other	---	24	1	–	1
Black	---	20	1	–	1
Wayne	22,673	22,689	526	382	207
White	14,432	14,157	165	121	85
All other	8,241	8,532	361	261	122
Black	8,180	8,481	360	260	121
Allen Park	---	344	2	1	3
Canton twp#	---	198	9	9	1
Dearborn	---	1,002	11	10	6
Dearborn Heights	---	614	6	4	4
Detroit	---	12,878	386	271	127
White	---	5,075	44	27	23
All other	---	7,803	342	244	104
Black	---	7,776	342	244	104
Ecorse	---	150	2	2	3
White	---	87	–	–	3
All other	---	63	2	2	–
Black	---	63	2	2	–
Garden City	---	250	3	2	–
Grosse Pointe Farms	---	101	–	–	–
Grosse Pointe Park	---	107	1	1	–
Grosse Pointe Woods	---	217	5	2	–
Hamtramck	---	283	2	1	2
White	---	244	2	1	2
All other	---	39	–	–	–
Black	---	39	–	–	–
Harper Woods	---	264	1	1	–
Highland Park	---	320	8	6	1
White	---	78	1	1	–
All other	---	242	7	5	1
Black	---	241	7	5	1
Inkster	---	327	6	6	8
White	---	149	2	2	1
All other	---	178	4	4	7
Black	---	178	4	4	7
Lincoln Park	---	484	4	4	5
Livonia	---	835	11	10	3
Melvindale	---	117	1	1	–
Plymouth twp#	---	121	2	1	–
Redford twp#	---	521	4	–	–
River Rouge	---	137	6	6	2
White	---	84	3	3	1
All other	---	53	3	3	1
Black	---	53	3	3	1
Riverview	---	125	–	–	2
Romulus	---	183	4	4	4
White	---	145	4	4	4
All other	---	38	–	–	–
Black	---	37	–	–	–
Southgate	---	239	–	–	2
Taylor	---	520	12	8	4
Tronton	---	197	7	7	2
Wayne	---	223	2	2	1
Westland	---	676	9	7	7
Woodhaven	---	54	4	4	–
Wyandotte	---	366	8	5	3
Balance of county	---	836	10	7	17
Wexford	324	277	3	2	1
Cadillac	---	138	1	1	1
Balance of county	---	139	2	1	–
Minnesota	35,245	35,082	606	365	396
White	34,501	34,360	536	334	368
All other	744	722	70	31	28
Black	373	368	35	16	14
Aitkin	135	164	1	–	1
Anoka	915	889	28	16	11
Anoka	---	132	1	1	1
Blaine, part	---	75	5	4	3
Blaine, total	---	75	5	4	3
Columbia Heights	---	176	4	4	1
Coon Rapids	---	158	3	–	1
Fridley	---	146	4	3	2
Ramsey	---	11	–	–	–
Balance of county	---	191	11	4	3
Becker	247	296	7	4	5
Beltrami	272	289	6	1	6
White	237	245	3	1	3
All other	35	44	3	–	3
Black	–	–	–	–	–
Bemidji	---	124	4	1	2
Balance of county	---	165	2	–	4
White	---	127	–	–	3
All other	---	38	2	–	1
Black	---	–	–	–	–
Benton	172	252	6	4	5
St. Cloud, part	---	41	–	–	–
Balance of county	---	211	6	4	5
Big Stone	83	83	–	–	–
Blue Earth	490	420	9	5	6
Mankato, part	---	232	6	2	4
Mankato, total	---	232	6	2	4
Balance of county	---	188	3	3	2
Brown	272	248	3	2	4
New Ulm	---	116	3	2	4
Balance of county	---	132	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Minnesota-Con.					
Carlton	293	295	6	3	–
Cloquet	---	131	2	2	–
Balance of county	---	164	4	1	–
Carver	229	254	6	4	3
Cass	171	307	4	2	–
Chippewa	151	169	1	–	–
Chisago	191	244	6	1	4
Clay	264	393	9	7	7
Moorhead	---	234	6	4	6
Balance of county	---	159	3	3	1
Clearwater	102	106	1	1	2
Cook	49	57	–	–	–
Cottonwood	135	164	2	2	–
Crow Wing	489	466	4	1	2
Brainerd	---	174	3	–	1
Balance of county	---	292	1	1	1
Dakota	751	1,051	31	20	17
Apple Valley	---	72	3	1	2
Burnsville	---	111	8	6	1
Eagan	---	60	5	4	2
Hastings, part	---	122	4	2	2
Hastings, total	---	123	4	2	2
Inver Grove Heights	---	80	4	2	1
Lakeville	---	47	2	1	3
Northfield, part	---	–	–	–	–
South St. Paul	---	178	3	3	2
West St. Paul	---	221	1	1	2
Balance of county	---	160	1	–	2
Dodge	75	131	3	2	–
Douglas	301	294	5	4	2
Faribault	164	204	1	1	2
Fillmore	210	293	7	3	1
Freeborn	338	336	2	1	3
Albert Lea	---	202	2	1	2
Balance of county	---	134	–	–	1
Goodhue	384	436	10	8	3
Red Wing	---	166	2	1	1
Balance of county	---	270	8	7	2
Grant	77	88	1	–	1
Hennepin	9,024	7,848	148	85	80
White	8,631	7,499	107	66	67
All other	393	349	41	19	13
Black	244	238	26	13	8
Bloomington	---	530	7	6	7
Brooklyn Center	---	201	6	3	–
Brooklyn Park	---	149	8	3	9
Crystal	---	172	–	–	–
Eden Prairie	---	74	–	–	1
Edina	---	407	2	2	2
Golden Valley	---	177	2	2	1
Hopkins	---	189	1	–	–
Maple Grove	---	61	3	2	3
Minneapolis	---	3,930	81	45	35
White	---	3,626	48	31	25
All other	---	304	33	14	10
Black	---	217	20	10	7
Minnetonka	---	199	4	2	4
New Hope	---	279	2	–	2
Plymouth	---	134	8	7	6
Richfield	---	272	3	1	4
Robbinsdale	---	172	5	3	–
St. Louis Park	---	422	4	3	4
Balance of county	---	480	12	6	2
Houston	113	162	1	1	2
Hubbard	187	163	1	–	1
Isanti	206	190	5	4	5
Itasca	384	407	5	4	4
Jackson	109	144	3	2	–
Kanabec	95	107	1	1	–
Kandiyohi	406	355	9	7	10
Willmar	---	175	3	2	4
Balance of county	---	180	6	5	6
Kittson	100	96	1	1	2
Koochiching	108	137	2	1	2
Lac qui Parle	113	137	2	1	–
Lake	100	111	2	2	–
Lake of the Woods	35	44	–	–	–
Le Sueur	150	226	3	1	6
Lincoln	95	83	1	1	–
Lyon	196	233	1	–	2
Marshall	---	78	–	–	1
Balance of county	---	155	1	–	1
McLeod	279	281	4	2	6
Mahnomen	42	61	–	–	–
White	34	53	–	–	–
All other	8	8	–	–	–
Black	–	–	–	–	–
Marshall	76	149	1	–	–
Martin	259	272	–	–	–
Fairmont	---	129	–	–	–
Balance of county	---	143	–	–	–
Meeker	181	210	2	2	2
Mille Lacs	188	197	3	3	5
Morrison	228	257	6	4	3
Mower	328	416	3	3	2
Austin	---	288	–	–	1
Balance of county	---	128	3	3	1
Murray	89	120	1	–	2
Nicollet	149	220	3	1	4
Mankato, part	---	–	–	–	–
Balance of county	---	220	3	1	4
Nobles	176	204	2	1	3
Worthington	---	102	–	–	2
Balance of county	---	102	2	1	1
Norman	90	131	2	1	1
Olmsted	1,471	580	9	8	8
Rochester	---	450	8	7	4
Balance of county	---	130	1	1	4
Otter Tail	557	641	7	2	4
Fergus Falls	---	187	2	1	1
Balance of county	---	454	5	1	3
Pennington	227	172	1	–	–
Pine	131	223	4	2	5
Pipestone	111	136	1	–	1
Polk	345	389	7	2	4
Pope	146	157	–	–	–
Ramsey	4,323	3,981	89	58	54
White	4,178	3,828	72	50	46
All other	145	153	17	8	8
Black	107	113	7	1	6
Blaine, part	---	–	–	–	–
Maplewood	---	216	2	1	4
Mounds View	---	44	2	1	2
New Brighton	---	155	3	2	2
North St. Paul	---	82	1	–	–
Roseville	---	276	2	1	3
St. Paul	---	2,734	61	41	32
White	---	2,601	48	35	24
All other	---	133	13	6	8
Black	---	103	7	1	6
Shoreview	---	76	6	6	1
White Bear Lake, part	---	170	4	1	3
White Bear Lake, total	---	171	4	1	3
Balance of county	---	226	8	5	7
Red Lake	32	74	1	1	1
Redwood	190	229	5	4	–
Renville	160	209	1	–	–
Rice	370	371	3	3	2
Faribault	---	201	1	1	2
Northfield, part	---	99	1	1	–
Northfield, total	---	99	1	1	–
Balance of county	---	71	1	1	–
Rock	82	94	–	–	1
Roseau	99	135	4	1	2
St. Louis	2,458	2,246	21	12	21
Duluth	---	1,148	13	8	15
Hibbing	---	203	1	–	–
Virginia	---	161	1	–	–
Balance of county	---	736	6	4	6
Scott	280	257	4	3	5
Sherburne	159	253	6	2	1
St. Cloud, part	---	72	–	–	–
Balance of county	---	181	6	2	1
Sibley	107	163	2	2	2
Stearns	827	638	16	11	14
St. Cloud, part	---	210	8	7	4
St. Cloud, total	---	323	8	7	4
Balance of county	---	428	8	4	10
Steele	198	251	2	1	3
Owatonna	---	166	2	1	2
Balance of county	---	85	–	–	1
Stevens	106	109	3	2	–
Swift	118	156	–	–	1
Todd	137	218	4	2	3
Traverse	63	73	1	–	2
Wabasha	181	192	1	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Wadena	232	191	3	2	1
Waseca	135	192	2	1	5
Washington	415	622	19	13	13
Cottage Grove	---	49	3	2	2
Hastings, part	---	1	-	-	-
Oakdale	---	43	3	3	2
Stillwater	---	152	-	-	2
White Bear Lake, part	---	1	-	-	-
Woodbury	---	83	3	3	2
Balance of county	---	293	10	5	5
Watonwan	116	142	2	2	1
Wilkin	109	67	-	-	-
Winona	373	391	10	8	5
Winona	---	267	2	2	3
Balance of county	---	124	8	6	2
Wright	358	466	7	3	7
Yellow Medicine	163	172	-	-	1
Mississippi	23,584	24,429	518	324	480
White	15,114	15,760	198	134	163
All other	8,470	8,669	320	190	317
Black	8,398	8,596	314	187	309
Adams	463	443	12	9	11
White	226	207	3	3	1
All other	237	236	9	6	10
Black	237	236	9	6	10
Natchez	---	320	8	6	7
White	---	148	1	1	-
All other	---	172	7	5	7
Black	---	172	7	5	7
Balance of county	---	123	4	3	4
White	---	59	2	2	1
All other	---	64	2	1	3
Black	---	64	2	1	3
Alcorn	275	299	3	1	4
White	248	266	2	1	2
All other	27	33	1	-	2
Black	27	33	1	-	2
Corinth	---	146	1	-	3
White	---	124	-	-	1
All other	---	22	1	-	2
Black	---	22	1	-	2
Balance of county	---	153	2	1	1
Amite	53	128	3	2	-
White	25	67	1	1	-
All other	28	61	2	1	-
Black	28	61	2	1	-
Attala	176	248	1	1	1
White	122	166	1	1	-
All other	54	82	-	-	1
Black	54	82	-	-	1
Benton	34	76	-	-	2
White	24	48	-	-	-
All other	10	28	-	-	2
Black	10	28	-	-	2
Bolivar	435	495	9	5	18
White	176	211	2	2	2
All other	259	284	7	3	16
Black	258	283	7	3	16
Cleveland	---	158	4	2	6
White	---	88	2	2	1
All other	---	70	2	-	5
Black	---	70	2	-	5
Balance of county	---	337	5	3	12
White	---	123	-	-	1
All other	---	214	5	3	11
Black	---	213	5	3	11
Calhoun	100	184	-	-	-
White	81	150	-	-	-
All other	19	34	-	-	-
Black	19	34	-	-	-
Carroll	36	98	1	1	-
White	23	61	-	-	-
All other	13	37	1	1	-
Black	13	37	1	1	-
Chickasaw	131	177	6	2	4
White	92	128	2	1	2
All other	39	49	4	1	2
Black	39	49	4	1	2
Choctaw	63	79	1	1	3
White	42	56	-	-	2
All other	21	23	1	1	1
Black	21	23	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Claiborne	66	98	2	-	1
White	16	29	-	-	-
All other	50	69	2	-	1
Black	50	69	2	-	1
Clarke	144	189	2	2	4
White	96	134	2	2	2
All other	48	55	-	-	2
Black	48	55	-	-	2
Clay	145	197	3	2	6
White	91	124	-	-	1
All other	54	73	3	2	5
Black	54	73	3	2	5
Coahoma	413	405	8	7	9
White	162	147	-	-	1
All other	251	258	8	7	8
Black	251	258	8	7	8
Clarksdale	---	279	4	3	5
White	---	108	-	-	-
All other	---	171	4	3	5
Black	---	171	4	3	5
Balance of county	---	126	4	4	4
White	---	39	-	-	1
All other	---	87	4	4	3
Black	---	87	4	4	3
Copiah	200	304	13	9	6
White	108	160	1	1	2
All other	92	144	12	8	4
Black	92	144	12	8	4
Covington	126	154	2	1	-
White	94	109	2	1	-
All other	32	45	-	-	-
Black	32	45	-	-	-
De Soto	131	404	12	10	6
White	97	321	11	9	5
All other	34	83	1	1	1
Black	34	83	1	1	1
Forrest	868	734	9	3	10
White	621	522	5	3	3
All other	247	212	4	-	7
Black	246	211	4	-	7
Hattiesburg, part	---	531	4	1	8
White	---	351	1	1	2
All other	---	180	3	-	6
Black	---	179	3	-	6
Hattiesburg, total	---	534	4	1	8
White	---	353	1	1	2
All other	---	181	3	-	6
Black	---	180	3	-	6
Balance of county	---	203	5	2	2
White	---	171	4	2	1
All other	---	32	1	-	1
Black	---	32	1	-	1
Franklin	69	97	1	1	2
White	49	63	-	-	1
All other	20	34	1	1	1
Black	20	34	1	1	1
George	100	153	4	3	3
Greene	52	113	-	-	3
White	44	98	-	-	1
All other	8	15	-	-	2
Black	8	15	-	-	2
Grenada	219	238	5	3	5
White	133	141	-	-	1
All other	86	97	5	3	4
Black	86	97	5	3	4
Grenada	---	168	5	3	2
White	---	102	-	-	-
All other	---	66	5	3	2
Black	---	66	5	3	2
Balance of county	---	70	-	-	3
White	---	39	-	-	1
All other	---	31	-	-	2
Black	---	31	-	-	2
Hancock	188	269	7	6	3
White	169	244	7	6	3
All other	19	25	-	-	-
Black	18	24	-	-	-
Harrison	1,698	1,415	35	24	31
White	1,373	1,143	23	17	17
All other	325	272	12	7	14
Black	313	261	10	7	12
Biloxi	---	389	25	18	11
White	---	313	18	14	8
All other	---	76	7	4	3
Black	---	71	5	4	2
Gulfport	---	506	4	2	12
White	---	391	3	1	4
All other	---	115	1	1	8
Black	---	113	1	1	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Balance of county	---	520	6	4	8
White	---	439	2	2	5
All other	---	81	4	2	3
Black	---	77	4	2	3
Hinds	3,794	2,068	50	28	59
White	2,122	1,135	11	5	14
All other	1,672	933	39	23	45
Black	1,657	931	39	23	45
Clinton	---	116	2	2	3
Jackson, part	---	1,669	43	23	47
White	---	931	10	4	11
All other	---	738	33	19	36
Black	---	736	33	19	36
Jackson, total	---	1,670	43	23	47
White	---	932	10	4	11
All other	---	738	33	19	36
Black	---	736	33	19	36
Balance of county	---	283	5	3	9
White	---	124	-	-	2
All other	---	159	5	3	7
Black	---	159	5	3	7
Holmes	155	220	6	3	6
White	45	71	1	-	-
All other	110	149	5	3	6
Black	110	149	5	3	6
Humphreys	104	147	6	4	1
White	31	56	-	-	-
All other	73	91	6	4	1
Black	73	91	6	4	1
Issaquena	13	22	-	-	-
White	7	10	-	-	-
All other	6	12	-	-	-
Black	6	12	-	-	-
Itawamba	127	231	6	5	2
Jackson	689	792	21	14	13
White	565	654	12	8	8
All other	124	138	9	6	5
Black	122	135	9	6	3
Moss Point	---	136	7	5	1
White	---	64	1	1	-
All other	---	72	6	4	1
Black	---	72	6	4	1
Ocean Springs	---	143	-	-	-
Pascagoula	---	223	7	4	4
White	---	192	5	2	2
All other	---	31	2	2	2
Black	---	31	2	2	-
Balance of county	---	290	7	5	8
Jasper	97	174	4	4	5
White	63	95	1	1	1
All other	34	79	3	3	4
Black	34	78	3	3	4
Jefferson	60	96	2	1	1
White	13	27	1	-	-
All other	47	69	1	1	1
Black	47	69	1	1	1
Jefferson Davis	100	154	2	2	2
White	48	80	-	-	1
All other	52	74	2	2	1
Black	52	74	2	2	1
Jones	569	648	7	6	10
White	407	472	-	-	4
All other	162	176	7	6	6
Black	161	174	7	6	6
Laurel	---	285	5	4	5
White	---	175	-	-	1
All other	---	120	5	4	4
Black	---	120	5	4	4
Balance of county	---	353	2	2	5
White	---	297	-	-	3
All other	---	56	2	2	2
Black	---	54	2	2	2
Kemper	59	100	2	1	6
White	32	53	1	1	2
All other	27	47	1	-	4
Black	27	46	1	-	4
Lafayette	275	231	4	2	3
White	182	142	2	1	-
All other	93	89	2	1	3
Black	93	89	2	1	3
Lamar	304	193	1	1	3
White	245	165	1	1	3
All other	59	28	-	-	-
Black	58	27	-	-	-
Hattiesburg, part	---	3	-	-	-
Mississippi-Con.					
Balance of county	---	190	1	1	3
White	---	163	1	1	3
All other	---	27	-	-	-
Black	---	26	-	-	-
Lauderdale	1,031	770	13	9	12
White	706	525	7	5	2
All other	325	245	6	4	10
Black	323	245	6	4	10
Meridian	---	500	6	4	7
White	---	308	2	2	1
All other	---	192	4	2	6
Black	---	192	4	2	6
Balance of county	---	270	7	5	5
White	---	217	5	3	1
All other	---	53	2	2	4
Black	---	53	2	2	4
Lawrence	91	138	3	2	2
White	60	91	-	-	1
All other	31	47	3	2	1
Black	31	47	3	2	1
Leake	185	246	4	2	5
White	119	154	-	-	3
All other	66	92	4	2	2
Black	64	84	3	1	2
Lee	966	527	15	9	11
White	763	395	7	6	7
All other	203	132	8	3	4
Black	203	132	8	3	4
Tupelo	---	251	5	3	4
White	---	187	3	2	3
All other	---	64	2	1	1
Black	---	64	2	1	1
Balance of county	---	276	10	6	7
White	---	208	4	4	4
All other	---	68	6	2	3
Black	---	68	6	2	3
Leflore	465	441	11	6	10
White	234	217	1	-	2
All other	231	224	10	6	8
Black	230	223	10	6	8
Greenwood	---	291	5	3	5
White	---	149	1	-	1
All other	---	142	4	3	4
Black	---	142	4	3	4
Balance of county	---	150	6	3	5
White	---	68	-	-	1
All other	---	82	6	3	4
Black	---	81	6	3	4
Lincoln	279	288	2	1	2
White	197	212	1	1	-
All other	82	76	1	-	2
Black	81	75	1	-	2
Brookhaven	---	158	-	-	1
White	---	110	-	-	-
All other	---	48	-	-	1
Black	---	48	-	-	1
Balance of county	---	130	2	1	1
White	---	102	1	1	-
All other	---	28	1	-	1
Black	---	27	1	-	1
Lowndes	481	462	12	9	10
White	317	298	5	4	4
All other	164	164	7	5	6
Black	164	164	7	5	6
Columbus	---	271	6	5	5
White	---	165	2	2	1
All other	---	106	4	3	4
Black	---	106	4	3	4
Balance of county	---	191	6	4	5
White	---	133	3	2	3
All other	---	58	3	2	2
Black	---	58	3	2	2
Madison	228	351	11	4	13
White	81	149	3	2	4
All other	147	202	8	2	9
Black	147	202	8	2	9
Canton	---	147	6	1	5
White	---	53	1	-	1
All other	---	94	5	1	4
Black	---	94	5	1	4
Balance of county	---	204	5	3	8
White	---	96	2	2	3
All other	---	108	3	1	5
Black	---	108	3	1	5
Marion	229	307	5	2	6
White	161	215	3	1	3
All other	68	92	2	1	3
Black	68	92	2	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Marshall	168	283	5	3	9
White	69	129	1	–	2
All other	99	154	4	3	7
Black	99	154	4	3	7
Monroe	348	412	7	3	6
White	244	287	3	2	5
All other	104	125	4	1	1
Black	104	125	4	1	1
Montgomery	181	187	1	–	2
White	107	104	–	–	2
All other	74	83	1	–	–
Black	74	83	1	–	–
Neshoba	162	269	7	5	6
White	119	202	2	1	3
All other	43	67	5	4	3
Black	20	40	2	2	1
Newton	156	226	4	4	2
White	112	167	3	3	1
All other	44	59	1	1	1
Black	44	58	1	1	1
Noxubee	105	132	5	3	5
White	33	42	1	1	–
All other	72	90	4	2	5
Black	72	90	4	2	5
Oktibbeha	244	257	3	–	3
White	134	144	1	–	–
All other	110	113	2	–	3
Black	110	113	2	–	2
Starkville	– – –	135	1	–	3
White	– – –	92	1	–	–
All other	– – –	43	–	–	3
Black	– – –	43	–	–	2
Balance of county	– – –	122	2	–	–
White	– – –	52	–	–	–
All other	– – –	70	2	–	–
Black	– – –	70	2	–	–
Panola	236	300	5	2	6
White	131	169	2	1	2
All other	105	131	3	1	4
Black	105	131	3	1	4
Pearl River	284	366	5	4	7
White	241	312	3	2	4
All other	43	54	2	2	3
Black	43	54	2	2	3
Picayune	– – –	140	2	2	3
White	– – –	104	2	2	1
All other	– – –	36	–	–	2
Black	– – –	36	–	–	2
Balance of county	– – –	226	3	2	4
Perry	75	102	2	–	1
White	60	79	2	–	–
All other	15	23	–	–	1
Black	15	23	–	–	1
Pike	415	401	10	8	5
White	252	240	6	4	1
All other	163	161	4	4	4
Black	162	160	4	4	4
McComb	– – –	181	3	3	2
White	– – –	114	–	–	–
All other	– – –	67	3	3	2
Black	– – –	67	3	3	2
Balance of county	– – –	220	7	5	3
White	– – –	126	6	4	1
All other	– – –	94	1	1	2
Black	– – –	93	1	1	2
Pontotoc	133	227	3	2	1
White	120	204	1	1	1
All other	13	23	2	1	–
Black	13	23	2	1	–
Prentiss	168	249	4	3	4
White	152	232	3	2	1
All other	16	17	1	1	3
Black	16	17	1	1	3
Quitman	92	121	3	2	2
White	26	59	–	–	–
All other	66	62	3	2	2
Black	65	61	3	2	2
Rankin	393	570	7	4	13
White	289	424	6	3	7
All other	104	146	1	1	6
Black	104	146	1	1	6
Jackson, part	– – –	1	–	–	–
Pearl	– – –	95	–	–	5
White	– – –	84	–	–	4
All other	– – –	11	–	–	1
Black	– – –	11	–	–	1
Balance of county	– – –	474	7	4	8
White	– – –	339	6	3	3
All other	– – –	135	1	1	5
Black	– – –	135	1	1	5
Scott	220	268	9	4	9
White	147	173	5	1	4
All other	73	95	4	3	5
Black	73	94	4	3	5
Sharkey	75	103	7	6	1
White	34	41	2	2	–
All other	41	62	5	4	1
Black	41	62	5	4	1
Simpson	197	251	2	–	2
White	130	164	1	–	–
All other	67	87	1	–	2
Black	67	87	1	–	2
Smith	59	139	2	1	2
White	49	118	1	1	1
All other	10	21	1	–	1
Black	10	21	1	–	1
Stone	86	109	2	2	2
White	62	83	1	1	1
All other	24	26	1	1	1
Black	24	26	1	1	1
Sunflower	257	311	9	8	11
White	105	121	–	–	–
All other	152	190	9	8	11
Black	151	189	9	8	11
Tallahatchie	104	170	11	8	8
White	51	81	2	1	1
All other	53	89	9	7	7
Black	53	89	9	7	7
Tate	128	182	3	3	1
White	82	116	2	2	1
All other	46	66	1	1	–
Black	46	66	1	1	–
Tippah	163	211	6	5	6
White	133	176	6	5	2
All other	30	35	–	–	4
Black	30	35	–	–	4
Tishomingo	125	190	1	1	–
Tunica	59	100	2	1	–
White	21	40	1	1	–
All other	38	60	1	–	–
Black	38	60	1	–	–
Union	242	224	2	2	2
White	204	193	1	1	2
All other	38	31	1	1	–
Black	38	31	1	1	–
Walthall	116	148	3	1	2
White	82	104	1	–	2
All other	34	44	2	1	–
Black	34	44	2	1	–
Warren	524	506	17	10	10
White	264	261	3	2	3
All other	260	245	14	8	7
Black	260	245	14	8	7
Vicksburg	– – –	337	11	9	8
White	– – –	155	2	2	2
All other	– – –	182	9	7	6
Black	– – –	182	9	7	6
Balance of county	– – –	169	6	1	2
White	– – –	106	1	–	1
All other	– – –	63	5	1	1
Black	– – –	63	5	1	1
Washington	722	713	24	11	16
White	282	283	5	4	4
All other	440	430	19	7	12
Black	439	429	19	7	12
Greenville	– – –	502	13	5	7
White	– – –	198	3	2	1
All other	– – –	304	10	3	6
Black	– – –	304	10	3	6
Balance of county	– – –	211	11	6	9
White	– – –	85	2	2	3
All other	– – –	126	9	4	6
Black	– – –	125	9	4	6
Wayne	153	176	6	3	7
White	105	122	3	1	2
All other	48	54	3	2	5
Black	48	54	3	2	5
Webster	100	114	1	–	1
White	83	95	–	–	–
All other	17	19	1	–	1
Black	17	19	1	–	1
Wilkinson	142	136	1	1	2
White	68	59	–	–	–
All other	74	77	1	1	2
Black	74	77	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Winston	154	202	3	2	5
White	102	125	1	1	2
All other	52	77	2	1	3
Black	47	72	2	1	2
Yalobusha	80	148	1	–	2
White	54	101	–	–	–
All other	26	47	1	–	2
Black	26	47	1	–	2
Yazoo	232	323	9	4	5
White	135	169	3	1	–
All other	97	154	6	3	5
Black	97	154	6	3	5
Yazoo City	---	172	4	1	4
White	---	80	1	–	–
All other	---	92	3	1	4
Black	---	92	3	1	4
Balance of county	---	151	5	3	1
White	---	89	2	1	–
All other	---	62	3	2	1
Black	---	62	3	2	1
Missouri	51,350	50,180	805	512	473
White	46,060	45,071	580	372	350
All other	5,290	5,109	225	140	123
Black	5,210	5,036	219	136	120
Adair	301	196	2	2	1
Kirksville	---	144	2	2	–
Balance of county	---	52	–	–	1
Andrew	85	131	–	–	–
Atchison	124	113	–	–	–
Audrain	303	245	–	–	1
Mexico	---	140	–	–	–
Balance of county	---	105	–	–	1
Barry	248	348	3	3	3
Barton	109	161	2	1	–
Bates	162	219	4	4	–
Benton	82	206	1	1	1
Bollinger	63	133	1	1	1
Boone	1,532	596	15	11	9
Columbia	---	393	12	9	9
White	---	358	12	9	5
All other	---	35	–	–	4
Black	---	33	–	–	4
Balance of county	---	203	3	2	–
Buchanan	1,101	1,018	8	8	4
St. Joseph	---	929	8	8	4
Balance of county	---	89	–	–	–
Butler	794	474	2	1	5
Poplar Bluff	---	270	–	–	2
Balance of county	---	204	2	1	3
Caldwell	55	109	–	–	–
Callaway	170	274	3	3	3
Fulton	---	125	2	2	–
White	---	115	2	2	–
All other	---	10	–	–	–
Black	---	10	–	–	–
Jefferson City, part	---	–	–	–	–
Balance of county	---	149	1	1	3
Camden	259	261	–	–	1
Cape Girardeau	925	530	8	6	4
Cape Girardeau	---	326	6	4	3
Balance of county	---	204	2	2	1
Carroll	108	165	1	–	2
Carter	42	75	–	–	–
Cass	264	431	13	8	6
Belton	---	94	4	2	1
Lee's Summit, part	---	–	–	–	–
Balance of county	---	337	9	6	5
Cedar	139	189	1	–	1
Chariton	58	135	3	2	–
Christian	89	206	3	1	5
Clark	35	88	1	1	–
Clay	1,108	1,008	21	8	7
Excelsior Springs, part	---	120	2	–	–
Excelsior Springs, total	---	121	2	–	–
Gladstone	---	150	4	1	2
Independence, part	---	–	–	–	–
Kansas City, part	---	402	14	6	2
Liberty	---	110	–	–	–
Balance of county	---	226	1	1	3
Clinton	182	173	2	2	2
Cole	764	512	2	–	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Jefferson City, part	---	399	2	–	3
White	---	369	1	–	3
All other	---	30	1	–	–
Black	---	27	–	–	–
Jefferson City, total	---	399	2	–	3
White	---	369	1	–	3
All other	---	30	1	–	–
Black	---	27	–	–	–
Balance of county	---	113	–	–	5
Cooper	144	163	1	1	–
Crawford	175	215	3	1	4
Dade	81	108	–	–	1
Dallas	66	149	3	3	–
Daviess	50	104	–	–	–
De Kalb	44	106	–	–	–
Dent	127	155	–	–	–
Douglas	55	124	2	2	1
Dunklin	277	433	4	2	5
Kennett	---	122	1	–	1
Balance of county	---	311	3	2	4
Franklin	520	671	16	13	9
Gasconade	142	194	–	–	2
Gentry	102	102	–	–	–
Greene	2,818	1,771	28	17	20
Springfield	---	1,444	26	15	13
Balance of county	---	327	2	2	7
Grundy	195	177	–	–	–
Harrison	93	146	1	–	–
Henry	294	294	5	3	–
Hickory	41	111	–	–	–
Holt	43	108	1	1	–
Howard	88	122	2	1	–
Howell	445	363	5	3	7
Iron	111	126	2	2	2
Jackson	7,389	6,073	143	95	53
White	6,202	4,899	77	52	26
All other	1,187	1,174	66	43	27
Black	1,174	1,162	64	41	26
Blue Springs	---	155	5	3	2
Grandview	---	131	4	2	5
Independence, part	---	913	14	13	3
Independence, total	---	913	14	13	3
Kansas City, part	---	4,041	109	70	37
White	---	2,885	43	27	14
All other	---	1,156	66	43	23
Black	---	1,146	64	41	22
Kansas City, total	---	4,549	126	78	39
White	---	3,393	60	35	16
All other	---	1,156	66	43	23
Black	---	1,146	64	41	22
Lee's Summit, part	---	322	4	3	2
Lee's Summit, total	---	322	4	3	2
Raytown	---	281	3	2	1
Balance of county	---	230	4	2	3
Jasper	1,062	1,043	11	7	6
Carthage	---	162	1	1	1
Joplin, part	---	510	5	2	–
Joplin, total	---	554	5	2	–
Balance of county	---	371	5	4	5
Jefferson	691	1,043	24	16	7
Arnold	---	131	3	3	1
Balance of county	---	912	21	13	6
Johnson	245	260	6	5	10
Warrensburg	---	110	1	1	5
Balance of county	---	150	5	4	5
Knox	34	72	–	–	2
Laclede	210	259	6	5	2
Lafayette	222	326	2	2	4
Lawrence	378	380	5	3	5
Lewis	76	138	2	1	–
Lincoln	229	256	3	1	2
Linn	185	234	2	–	1
Livingston	162	168	1	1	2
McDonald	76	194	8	2	–
Macon	200	245	1	–	2
Madison	93	133	2	2	3
Maries	34	93	–	–	–
Marion	393	362	6	2	1
Hannibal, part	---	255	5	2	–
Hannibal, total	---	260	5	2	–
Balance of county	---	107	1	–	1
Mercer	30	73	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Miller	80	217	3	3	2
Mississippi	96	204	3	2	2
White	83	175	2	1	2
All other	13	29	1	1	-
Black	13	29	1	1	-
Moniteau	78	159	2	1	1
Monroe	46	114	1	1	1
Montgomery	85	164	-	-	1
Morgan	126	211	1	-	1
New Madrid	128	250	3	3	2
White	108	207	3	3	-
All other	20	43	-	-	2
Black	20	43	-	-	2
Sikeston, part	- - -	2	-	-	-
Balance of county	- - -	248	3	3	2
White	- - -	205	3	3	-
All other	- - -	43	-	-	2
Black	- - -	43	-	-	2
Newton	590	414	6	5	2
Joplin, part	- - -	44	-	-	-
Balance of county	- - -	370	6	5	2
Nodaway	162	209	1	1	1
Oregon	62	147	-	-	1
Osage	40	122	1	1	1
Ozark	29	96	1	1	1
Pemiscot	230	291	10	4	8
White	163	210	3	1	5
All other	67	81	7	3	3
Black	67	81	7	3	3
Perry	150	175	1	-	2
Pettis	504	453	8	4	5
Sedalia	- - -	327	6	3	2
Balance of county	- - -	126	2	1	3
Phelps	459	352	3	2	3
Rolla	- - -	121	1	-	2
Balance of county	- - -	231	2	2	1
Pike	185	228	2	2	3
Platte	130	260	7	6	1
Kansas City, part	- - -	106	3	2	-
Balance of county	- - -	154	4	4	1
Polk	221	250	3	2	2
Pulaski	165	245	7	4	2
White	161	238	5	3	1
All other	4	7	2	1	1
Black	2	4	2	1	1
Putnam	43	66	1	1	1
Ralls	29	85	-	-	1
Hannibal, part	- - -	5	-	-	-
Balance of county	- - -	80	-	-	1
Randolph	248	253	4	1	2
Moberly	- - -	168	1	-	1
Balance of county	- - -	85	3	1	1
Ray	144	227	4	1	2
Excelsior Springs, part	- - -	1	-	-	-
Balance of county	- - -	226	4	1	2
Reynolds	50	74	1	-	-
Ripley	96	180	3	1	-
St. Charles	850	898	25	20	24
St. Charles	- - -	371	9	8	6
St. Peters	- - -	69	1	1	3
Balance of county	- - -	458	15	11	15
St. Clair	136	135	3	3	-
Ste. Genevieve	92	126	2	-	2
St. Francois	514	526	4	3	3
St. Louis	8,666	8,352	126	80	76
White	7,972	7,575	87	53	55
All other	694	777	39	27	21
Black	684	761	38	27	20
Ballwin	- - -	72	2	2	2
Bellefontaine Neighbors	- - -	150	-	-	-
Berkeley	- - -	109	6	4	2
White	- - -	63	1	-	1
All other	- - -	46	5	4	1
Black	- - -	45	5	4	1
Bridgeton	- - -	141	1	1	-
Clayton	- - -	103	-	-	-
Crestwood	- - -	121	1	1	-
Creve Coeur	- - -	140	-	-	2
Ferguson	- - -	242	5	2	2
White	- - -	229	4	1	1
All other	- - -	13	1	1	1
Black	- - -	13	1	1	1
Florissant	- - -	436	4	3	6
Hazelwood	- - -	87	1	1	-
Jennings	- - -	204	4	4	1
White	- - -	178	1	1	-
All other	- - -	26	3	3	1
Black	- - -	26	3	3	1
Kirkwood	- - -	272	4	3	4
Maplewood	- - -	105	4	2	1
Overland	- - -	182	1	-	5
Richmond Heights	- - -	132	1	1	1
White	- - -	108	1	1	1
All other	- - -	24	-	-	-
Black	- - -	24	-	-	-
St. Ann	- - -	141	1	-	2
University City	- - -	396	7	5	3
White	- - -	276	4	4	2
All other	- - -	120	3	1	1
Black	- - -	120	3	1	1
Webster Groves	- - -	246	1	1	1
Balance of county	- - -	5,073	83	50	44
White	- - -	4,594	59	34	31
All other	- - -	479	24	16	13
Black	- - -	467	23	16	13
St. Louis city	7,719	6,195	136	82	84
White	5,093	3,793	39	26	25
All other	2,626	2,402	97	56	59
Black	2,608	2,395	96	55	59
Saline	242	298	8	7	2
Marshall	- - -	138	7	6	1
Balance of county	- - -	160	1	1	1
White	- - -	151	1	1	1
All other	- - -	9	-	-	-
Black	- - -	9	-	-	-
Schuyler	36	66	-	-	-
Scotland	67	81	2	2	1
Scott	457	414	5	4	3
Sikeston, part	- - -	215	4	3	3
White	- - -	183	4	3	2
All other	- - -	32	-	-	1
Black	- - -	32	-	-	1
Sikeston, total	- - -	217	4	3	3
White	- - -	185	4	3	2
All other	- - -	32	-	-	1
Black	- - -	32	-	-	1
Balance of county	- - -	199	1	1	-
White	- - -	194	1	1	-
All other	- - -	5	-	-	-
Black	- - -	5	-	-	-
Shannon	28	79	1	1	-
Shelby	65	103	-	-	1
Stoddard	235	338	4	2	3
Stone	88	189	1	-	1
Sullivan	87	115	-	-	1
Taney	242	278	-	-	1
Texas	160	234	3	-	-
Vernon	237	260	6	1	-
Warren	63	168	1	1	-
Washington	151	176	2	1	2
Wayne	64	151	1	1	1
Webster	86	214	4	3	3
Worth	21	45	-	-	-
Wright	146	203	4	1	2
Montana	6,621	6,754	122	71	95
White	6,348	6,465	97	59	75
All other	273	289	25	12	20
Black	6	7	-	-	-
Beaverhead	51	60	-	-	1
Big Horn	59	81	5	2	2
White	35	45	-	-	1
All other	24	36	5	2	1
Black	-	-	-	-	-
Blaine	37	71	-	-	-
White	27	52	-	-	-
All other	10	19	-	-	-
Black	-	-	-	-	-
Broadwater	27	33	1	-	1
Carbon	81	108	1	-	-
Carter	10	14	-	-	-
Cascade	719	645	13	8	9
Great Falls	- - -	539	13	8	8
Balance of county	- - -	106	-	-	1
Chouteau	50	61	1	-	-
Custer	185	138	-	-	2
Daniels	22	26	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Dawson	64	76	1	1	5
Deer Lodge, coext. with Anaconda-Deer Lodge	113	142	4	3	2
Fallon	22	27	–	–	1
Fergus	129	136	–	–	2
Flathead	512	500	9	6	3
Kalispell	– – –	169	2	1	1
Balance of county	– – –	331	7	5	2
Gallatin	225	224	4	2	4
Bozeman	– – –	138	3	2	2
Balance of county	– – –	86	1	–	2
Garfield	9	16	–	–	–
Glacier	83	106	5	2	5
White	45	52	–	–	1
All other	38	54	5	2	4
Black	–	–	–	–	–
Golden Valley	–	11	–	–	–
Granite	24	31	–	–	–
Hill	159	153	2	2	4
White	136	133	1	1	1
All other	24	20	1	1	3
Black	–	–	–	–	–
Havre	– – –	112	1	1	–
Balance of county	– – –	41	1	1	4
White	– – –	26	–	–	1
All other	– – –	15	1	1	3
Black	– – –	–	–	–	–
Jefferson	41	66	3	2	1
Judith Basin	4	17	1	1	1
Lake	147	188	3	–	2
White	133	171	2	–	–
All other	14	17	1	–	2
Black	1	1	–	–	–
Lewis and Clark	405	318	10	6	7
Helena	– – –	217	7	5	7
Balance of county	– – –	101	3	1	–
Liberty	27	25	1	1	–
Lincoln	92	135	3	1	1
McCone	24	28	–	–	–
Madison	57	69	1	1	–
Meagher	20	22	–	–	–
Mineral	23	31	–	–	–
Missoula	640	531	11	4	4
Missoula	– – –	389	8	2	2
Balance of county	– – –	142	3	2	2
Musselshell	26	39	1	–	1
Park	135	152	1	1	–
Petroleum	1	4	–	–	–
Phillips	46	54	–	–	–
Pondera	63	69	–	–	2
Powder River	16	26	–	–	–
Powell	71	79	–	–	1
Prairie	10	16	–	–	–
Ravalli	194	227	6	5	3
Richland	92	102	4	4	4
Roosevelt	87	98	5	4	1
White	57	58	1	1	–
All other	30	40	4	3	1
Black	–	–	–	–	–
Rosebud	65	86	3	2	4
White	51	64	–	–	2
All other	14	22	3	2	2
Black	1	1	–	–	–
Sanders	65	96	1	1	2
Sheridan	45	54	–	–	–
Silver Bow	435	428	5	3	2
Butte-Silver Bow	– – –	415	5	3	2
Balance of county	– – –	13	–	–	–
Stillwater	57	60	1	1	1
Sweet Grass	21	33	–	–	–
Teton	38	56	–	–	–
Toole	48	59	–	–	3
Treasure	2	14	–	–	–
Valley	65	73	1	–	3
Wheatland	28	30	–	–	–
Wibaux	9	13	–	–	–
Yellowstone	947	797	15	8	10
Billings	– – –	598	10	4	8
Balance of county	– – –	199	5	4	2
Yellowstone National Park	–	–	–	–	–
Nebraska	14,889	14,678	247	162	179
White	14,430	14,210	208	139	154
All other	459	468	39	23	25
Black	377	379	27	15	20
Adams	379	326	3	1	2
Hastings	– – –	271	3	1	2
Balance of county	– – –	55	–	–	–
Antelope	89	100	1	1	–
Arthur	–	1	–	–	–
Banner	2	6	–	–	–
Blaine	–	3	–	–	–
Boone	65	85	3	3	1
Box Butte	123	140	2	1	–
Boyd	34	46	1	1	–
Brown	46	58	–	–	–
Buffalo	361	311	4	3	4
Kearney	– – –	175	4	3	1
Balance of county	– – –	136	–	–	3
Burt	89	122	1	1	3
Butler	91	108	3	2	1
Cass	80	178	5	1	3
Cedar	94	158	3	2	1
Chase	51	48	–	–	1
Cherry	51	51	–	–	–
Cheyenne	104	120	3	–	5
Clay	38	79	2	1	–
Colfax	75	112	–	–	1
Cuming	89	111	1	1	3
Custer	165	201	1	–	1
Dakota	69	123	2	2	–
Dawes	98	101	5	3	2
Dawson	214	219	2	1	2
Deuel	7	32	1	1	1
Dixon	41	80	–	–	1
Dodge	340	358	9	6	5
Fremont	– – –	223	7	5	4
Balance of county	– – –	135	2	1	1
Douglas	4,437	3,353	79	47	55
White	4,077	3,001	53	32	36
All other	360	352	26	15	19
Black	335	338	24	13	18
Omaha	– – –	3,155	71	43	54
White	– – –	2,806	45	28	35
All other	– – –	349	26	15	19
Black	– – –	336	24	13	18
Balance of county	– – –	198	8	4	1
Dundy	35	40	–	–	–
Fillmore	90	101	–	–	2
Franklin	42	55	–	–	–
Frontier	13	32	1	1	–
Furnas	102	125	–	–	1
Gage	261	295	3	1	4
Beatrice	– – –	183	2	1	2
Balance of county	– – –	112	1	–	2
Garden	49	45	–	–	–
Garfield	45	45	2	–	1
Gosper	12	23	–	–	–
Grant	1	9	–	–	–
Greeley	30	62	1	–	–
Hall	591	459	6	6	7
Grand Island	– – –	383	6	6	5
Balance of county	– – –	76	–	–	2
Hamilton	72	87	–	–	1
Harlan	41	51	–	–	–
Hayes	1	7	–	–	–
Hitchcock	18	49	–	–	1
Holt	125	150	2	–	1
Hooker	8	11	–	–	–
Howard	87	75	–	–	1
Jefferson	96	134	–	–	–
Johnson	65	75	1	1	1
Kearney	48	61	1	1	–
Keith	82	92	–	–	–
Keya Paha	2	8	–	–	–
Kimball	46	50	–	–	1
Knox	91	135	1	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Lancaster	1,823	1,418	30	22	19
Lincoln	---	1,302	29	21	19
Balance of county	---	116	1	1	-
Lincoln	298	302	5	4	6
North Platte	---	228	3	3	4
Balance of county	---	74	2	1	2
Logan	3	6	-	-	-
Loup	1	9	-	-	-
McPherson	1	4	-	-	-
Madison	388	358	6	4	3
Norfolk	---	233	4	2	2
Balance of county	---	125	2	2	1
Merrick	74	82	-	-	-
Morrill	41	60	1	1	-
Nance	43	48	1	1	-
Nemaha	81	115	4	2	-
Nuckolls	63	71	-	-	1
Otoe	151	187	-	-	2
Pawnee	32	47	2	1	1
Perkins	30	29	1	1	-
Phelps	127	131	1	-	1
Pierce	119	88	2	2	2
Platte	244	282	6	3	1
Columbus	---	208	6	3	1
Balance of county	---	74	-	-	-
Polk	53	76	-	-	-
Red Willow	114	134	2	1	-
Richardson	169	201	-	-	1
Rock	29	31	-	-	-
Saline	153	187	-	-	2
Sarpy	239	330	11	10	11
Bellevue	---	149	3	3	2
Balance of county	---	181	8	7	9
Saunders	111	201	4	4	3
Scotts Bluff	447	384	10	8	3
Scottsbluff	---	175	6	5	2
Balance of county	---	209	4	3	1
Seward	115	137	3	2	3
Sheridan	66	79	1	1	-
Sherman	25	45	-	-	1
Sioux	4	12	-	-	-
Stanton	20	51	-	-	1
Thayer	61	94	2	2	-
Thomas	1	7	-	-	-
Thurston	63	85	4	2	2
White	50	57	1	1	-
All other	13	28	3	1	2
Black	-	-	-	-	-
Valley	57	73	1	1	-
Washington	142	141	-	-	-
Wayne	55	62	-	-	2
Webster	46	69	-	-	-
Wheeler	2	6	-	-	-
York	113	130	1	1	1
Nevada	8,063	7,410	145	78	122
White	7,496	6,901	111	64	94
All other	567	509	34	14	28
Black	368	341	26	12	18
Carson City city	336	326	2	1	4
Churchill	134	155	5	-	4
Clark	4,698	4,296	89	48	63
White	4,306	3,928	63	35	43
All other	392	368	26	13	20
Black	312	299	24	11	17
Henderson	---	243	7	2	7
Las Vegas	---	1,807	36	19	28
White	---	1,595	26	14	18
All other	---	212	10	5	10
Black	---	179	10	5	9
North Las Vegas	---	281	13	5	11
White	---	194	3	1	4
All other	---	87	10	4	7
Black	---	84	10	4	7
Balance of county	---	1,965	33	22	17
White	---	1,899	27	18	14
All other	---	66	6	4	3
Black	---	34	4	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nevada-Con.					
Douglas	83	156	3	2	2
Elko	132	125	3	-	5
Esmeralda	7	18	2	2	1
Eureka	5	9	-	-	-
Humboldt	59	84	2	2	-
Lander	23	28	-	-	1
Lincoln	31	36	1	1	1
Lyon	91	169	3	1	6
Mineral	55	63	-	-	2
White	51	55	-	-	-
All other	4	8	-	-	2
Black	3	5	-	-	-
Nye	78	105	1	1	2
Pershing	21	25	-	-	-
Storey	6	14	-	-	-
Washoe	2,218	1,719	34	20	28
White	2,104	1,644	30	19	26
All other	114	75	4	1	2
Black	38	28	2	1	1
Reno	---	1,141	19	14	22
Sparks	---	358	8	2	-
Balance of county	---	220	7	4	6
White	---	206	6	4	6
All other	---	14	1	-	-
Black	---	1	-	-	-
White Pine	86	82	-	-	3
New Hampshire	8,420	8,592	144	93	83
White	8,391	8,561	142	91	82
All other	29	31	2	2	1
Black	17	20	2	2	-
Belknap	442	498	10	7	5
Laconia	---	193	5	3	-
Balance of county	---	305	5	4	5
Carroll	329	369	8	5	3
Cheshire	460	586	8	5	5
Keene	---	218	4	3	-
Balance of county	---	368	4	2	5
Coos	389	408	4	2	-
Berlin	---	156	2	1	-
Balance of county	---	252	2	1	-
Grafton	975	604	7	4	9
Lebanon	---	106	-	-	1
Balance of county	---	498	7	4	8
Hillsborough	2,522	2,405	50	37	22
Manchester	---	1,072	17	12	12
Nashua	---	545	13	9	2
Balance of county	---	788	20	16	8
Merrimack	1,070	1,042	15	9	5
Concord	---	402	4	3	2
Balance of county	---	640	11	6	3
Rockingham	1,181	1,529	26	17	19
Portsmouth	---	209	1	-	1
Balance of county	---	1,320	25	17	18
Strafford	794	790	9	5	11
Dover	---	230	2	1	1
Rochester	---	254	2	2	4
Somersworth	---	89	1	-	2
Balance of county	---	217	4	2	4
Sullivan	258	361	7	2	4
Claremont	---	149	2	1	1
Balance of county	---	212	5	1	3
New Jersey	70,078	71,655	1,062	715	872
White	61,522	62,921	661	459	593
All other	8,556	8,734	401	256	279
Black	8,241	8,415	388	246	262
Atlantic	2,672	2,416	41	25	29
White	2,220	1,992	19	8	12
All other	452	424	22	17	17
Black	440	414	21	16	17
Atlantic City	---	698	13	10	10
White	---	431	2	2	-
All other	---	267	11	8	10
Black	---	263	11	8	10
Hammonton	---	156	-	-	-
Pleasantville	---	209	7	5	3
White	---	129	1	-	1
All other	---	80	6	5	2
Black	---	78	5	4	2
Somers Point	---	145	4	1	1
Ventnor City	---	167	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,041	16	9	13
Bergen	6,548	7,872	62	46	50
White	6,281	7,549	56	43	41
All other	267	323	6	3	9
Black	233	276	5	3	7
Bergenfield	---	244	3	2	5
Cliffside Park	---	250	1	1	-
Dumont	---	191	2	2	-
Elmwood Park	---	215	2	1	1
Englewood	---	234	2	2	5
White	---	139	-	-	1
All other	---	95	2	2	4
Black	---	91	2	2	2
Fair Lawn	---	350	-	-	2
Fairview	---	145	2	-	1
Fort Lee	---	319	2	-	1
White	---	310	1	-	1
All other	---	9	1	-	-
Black	---	4	-	-	-
Garfield	---	313	3	1	-
Glen Rock	---	95	2	2	-
Hackensack	---	382	4	3	3
White	---	319	2	2	2
All other	---	63	2	1	1
Black	---	58	2	1	1
Hasbrouck Heights	---	118	1	1	-
Hillsdale	---	73	1	1	2
Lodi	---	242	1	1	1
Lyndhurst twp#	---	224	1	1	2
New Milford	---	202	-	-	-
North Arlington	---	166	2	2	-
Oakland	---	56	2	2	1
Palisades Park	---	133	-	-	-
Paramus	---	230	1	1	-
Ramsey	---	85	2	2	-
Ridgefield	---	126	1	1	-
Ridgefield Park	---	90	-	-	2
Ridgewood	---	208	3	2	-
River Edge	---	119	-	-	-
Rutherford	---	182	1	1	-
Saddle Brook twp#	---	146	-	-	3
Teaneck twp#	---	337	5	3	2
White	---	270	5	3	1
All other	---	67	-	-	1
Black	---	63	-	-	1
Tenafly	---	128	1	1	-
Waldwick	---	75	-	-	1
Wallington	---	124	1	-	-
Westwood	---	115	2	1	1
Wyckoff twp#	---	128	-	-	1
Balance of county	---	1,827	14	12	16
White	---	1,791	14	12	14
All other	---	36	-	-	2
Black	---	21	-	-	2
Burlington	2,698	2,780	53	39	39
White	2,427	2,476	36	27	29
All other	271	304	17	12	10
Black	261	292	17	12	10
Burlington	---	162	5	3	3
White	---	122	3	2	1
All other	---	40	2	1	2
Black	---	40	2	1	2
Cinnaminson twp#	---	112	1	-	1
Delran twp#	---	69	1	1	1
Maple Shade twp#	---	231	2	2	3
Moorestown twp#	---	151	1	-	-
Mount Holly twp#	---	155	1	1	2
White	---	138	1	1	1
All other	---	17	-	-	1
Black	---	17	-	-	1
Pemberton twp#	---	164	6	4	1
White	---	134	4	2	1
All other	---	30	2	2	-
Black	---	27	2	2	-
Willingboro twp#	---	213	11	9	9
White	---	123	2	2	6
All other	---	90	9	7	3
Black	---	88	9	7	3
Balance of county	---	1,523	25	19	19
White	---	1,425	22	17	16
All other	---	98	3	2	3
Black	---	92	3	2	3
Camden	4,533	4,558	94	62	70
White	3,828	3,877	59	43	47
All other	705	681	35	19	23
Black	686	667	35	19	23
Bellmawr	---	122	2	1	2
Camden	---	873	39	25	23
White	---	405	15	13	10
All other	---	468	24	12	13
Black	---	467	24	12	13
Cherry Hill twp#	---	572	2	2	5
Collingswood	---	184	2	1	1
Gloucester twp#	---	257	5	1	1
Gloucester City	---	187	2	2	4
Haddon twp#	---	177	4	4	2
Haddonfield	---	94	-	-	-
Lindenwold	---	151	2	2	3
White	---	134	2	2	3
All other	---	17	-	-	-
Black	---	16	-	-	-
Pennsauken twp#	---	392	6	6	2
Voorhees twp#	---	108	-	-	2
White	---	94	-	-	2
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	1,441	30	18	25
White	---	1,324	23	15	17
All other	---	117	7	3	8
Black	---	113	7	3	8
Cape May	1,060	1,210	9	7	12
Ocean City	---	199	-	-	1
Balance of county	---	1,011	9	7	11
Cumberland	1,382	1,377	35	25	19
White	1,198	1,189	16	12	11
All other	184	188	19	13	8
Black	173	178	19	13	8
Bridgeton	---	288	12	11	9
White	---	204	3	3	3
All other	---	84	9	8	6
Black	---	81	9	8	6
Millville	---	319	6	2	4
Vineland	---	495	12	10	3
White	---	460	9	8	3
All other	---	35	3	2	-
Black	---	35	3	2	-
Balance of county	---	275	5	2	3
White	---	224	1	-	1
All other	---	51	4	2	2
Black	---	44	4	2	2
Essex	9,626	8,809	173	111	142
White	6,525	5,777	49	35	54
All other	3,101	3,032	124	76	88
Black	3,062	2,992	120	73	86
Belleville	---	359	1	1	7
Bloomfield	---	481	2	2	3
Cedar Grove twp#	---	121	1	1	2
East Orange	---	816	21	13	20
White	---	259	3	3	5
All other	---	557	18	10	15
Black	---	555	18	10	15
Irvington	---	665	13	11	7
White	---	475	4	3	1
All other	---	190	9	8	6
Black	---	187	9	8	6
Livingston twp#	---	204	1	1	6
Maplewood twp#	---	243	2	2	1
Millburn twp#	---	170	-	-	1
Montclair	---	425	2	1	1
White	---	294	-	-	-
All other	---	131	2	1	1
Black	---	131	2	1	1
Newark	---	3,487	110	69	75
White	---	1,577	30	19	21
All other	---	1,910	80	44	54
Black	---	1,892	78	42	54
Nutley	---	287	2	1	-
Orange	---	347	11	10	10
White	---	186	-	-	1
All other	---	161	11	10	9
Black	---	161	11	10	8
South Orange Village twp#	---	140	-	-	-
White	---	126	-	-	-
All other	---	14	-	-	-
Black	---	12	-	-	-
Verona	---	131	-	-	2
West Caldwell	---	96	-	-	-
West Orange	---	488	5	3	2
Balance of county	---	349	2	2	5
Gloucester	1,511	1,714	29	18	23
White	1,354	1,525	20	11	18
All other	157	189	9	7	5
Black	155	186	9	7	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Deptford twp#	---	167	3	1	2
White	---	152	3	1	2
All other	---	15	-	-	-
Black	---	15	-	-	-
Glassboro	---	117	1	-	1
White	---	88	1	-	-
All other	---	29	-	-	1
Black	---	29	-	-	1
Washington twp#	---	93	5	4	-
West Deptford twp#	---	110	2	-	-
Woodbury	---	158	5	3	2
White	---	136	2	1	2
All other	---	22	3	2	-
Black	---	21	3	2	-
Balance of county	---	1,069	13	10	18
White	---	958	8	6	14
All other	---	111	5	4	4
Black	---	109	5	4	4
Hudson	5,185	5,731	106	67	63
White	4,557	5,050	64	45	41
All other	628	681	42	22	22
Black	582	632	38	19	18
Bayonne	---	852	7	5	3
Harrison	---	112	1	1	3
Hoboken	---	357	5	4	4
White	---	337	5	4	3
All other	---	20	-	-	1
Black	---	17	-	-	1
Jersey City	---	2,403	67	37	31
White	---	1,786	26	16	14
All other	---	617	41	21	17
Black	---	586	38	19	15
Kearny	---	360	5	4	4
North Bergen twp#	---	502	6	3	7
Secaucus	---	155	1	1	-
Union City	---	430	8	7	6
White	---	425	8	7	5
All other	---	5	-	-	1
Black	---	2	-	-	1
Weehawken twp#	---	124	-	-	-
West New York	---	346	4	4	2
White	---	344	4	4	1
All other	---	2	-	-	1
Black	---	2	-	-	-
Balance of county	---	90	2	1	3
Hunterdon	563	697	10	7	12
Mercer	3,255	2,950	50	32	53
White	2,702	2,414	23	14	31
All other	553	536	27	18	22
Black	539	525	27	18	21
East Windsor twp#	---	101	1	1	6
Ewing twp#	---	294	2	1	1
White	---	256	2	1	1
All other	---	38	-	-	-
Black	---	37	-	-	-
Hamilton twp#	---	758	8	7	5
Princeton	---	137	-	-	3
White	---	119	-	-	3
All other	---	18	-	-	-
Black	---	16	-	-	-
Trenton	---	1,151	34	21	31
White	---	746	10	5	14
All other	---	405	24	16	17
Black	---	401	24	16	17
Balance of county	---	509	5	2	7
White	---	468	3	1	6
All other	---	41	2	1	1
Black	---	40	2	1	1
Middlesex	4,431	4,958	69	47	65
White	4,105	4,674	51	34	54
All other	326	294	18	13	11
Black	288	259	16	11	5
Carteret	---	226	1	1	2
East Brunswick twp#	---	224	7	6	3
Edison twp#	---	553	11	7	6
Highland Park	---	124	2	2	5
White	---	115	2	2	4
All other	---	9	-	-	1
Black	---	8	-	-	-
Metuchen	---	148	1	1	3
Middlesex	---	136	2	2	3
New Brunswick	---	362	9	4	4
White	---	268	4	1	2
All other	---	94	5	3	2
Black	---	94	5	3	1
North Brunswick twp#	---	165	8	5	4
Old Bridge twp#	---	295	-	-	1
Perth Amboy	---	423	7	3	10
White	---	393	5	1	10
All other	---	30	2	2	-
Black	---	29	2	2	-
Piscataway twp#	---	208	3	2	2
White	---	170	2	1	1
All other	---	38	1	1	1
Black	---	29	1	1	1
Sayreville	---	298	6	5	3
South Plainfield	---	132	-	-	1
South River	---	156	-	-	1
Woodbridge twp#	---	745	9	7	9
Balance of county	---	773	3	2	8
White	---	755	2	1	8
All other	---	18	1	1	-
Black	---	12	1	1	-
Monmouth	5,013	5,020	66	42	64
White	4,603	4,572	47	30	49
All other	410	448	19	12	15
Black	396	432	19	12	14
Aberdeen twp#	---	88	5	5	-
White	---	74	2	2	-
All other	---	14	3	3	-
Black	---	14	3	3	-
Asbury Park	---	302	9	6	6
White	---	198	6	4	-
All other	---	104	3	2	6
Black	---	103	3	2	6
Eatontown	---	109	1	-	1
White	---	102	1	-	1
All other	---	7	-	-	-
Black	---	7	-	-	-
Freehold	---	94	-	-	2
White	---	89	-	-	2
All other	---	5	-	-	-
Black	---	5	-	-	-
Hazlet twp#	---	182	2	1	-
Howell twp#	---	206	3	1	7
Keansburg	---	174	4	1	-
Long Branch	---	333	7	5	4
White	---	281	2	2	3
All other	---	52	5	3	1
Black	---	52	5	3	1
Middletown twp#	---	471	3	2	10
Neptune twp#	---	450	5	3	4
White	---	349	2	1	-
All other	---	101	3	2	4
Black	---	100	3	2	4
Ocean twp#	---	164	3	3	-
Red Bank	---	208	3	-	-
White	---	169	1	-	-
All other	---	39	2	-	-
Black	---	39	2	-	-
Balance of county	---	2,239	21	15	30
White	---	2,129	19	14	26
All other	---	110	2	1	4
Black	---	99	2	1	3
Morris	3,362	2,947	41	29	31
White	3,258	2,849	35	25	31
All other	104	98	6	4	-
Black	88	82	5	3	-
Denville twp#	---	127	-	-	1
Dover	---	159	2	2	5
Hanover twp#	---	70	-	-	-
Madison	---	124	2	1	2
Morris twp#	---	95	1	1	2
Morristown	---	275	4	1	2
White	---	235	4	1	2
All other	---	40	-	-	-
Black	---	36	-	-	-
Parsippany-Troy Hills twp#	---	274	5	3	1
Pequannock twp#	---	120	-	-	-
Balance of county	---	1,703	27	21	18
White	---	1,675	24	18	18
All other	---	28	3	3	-
Black	---	18	2	2	-
Ocean	5,046	5,362	41	29	26
White	4,953	5,284	41	29	26
All other	93	78	-	-	-
Black	79	67	-	-	-
Brick twp#	---	637	10	9	3
Dover twp#	---	908	2	2	1
Jackson twp#	---	254	3	1	4
Lakewood twp#	---	673	4	4	5
White	---	635	4	4	5
All other	---	38	-	-	-
Black	---	35	-	-	-
Manchester twp#	---	658	1	1	-
Point Pleasant	---	285	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,947	20	12	13
White	---	1,928	20	12	13
All other	---	19	-	-	-
Black	---	17	-	-	-
Passaic	4,515	4,266	72	53	70
White	4,031	3,743	46	35	47
All other	484	523	26	18	23
Black	463	504	26	18	23
Clifton	---	939	7	6	4
Hawthorne	---	205	2	2	3
Little Falls twp#	---	105	1	1	-
Passaic	---	504	11	8	14
White	---	424	8	6	8
All other	---	80	3	2	6
Black	---	75	3	2	6
Paterson	---	1,316	38	26	38
White	---	900	17	12	23
All other	---	416	21	14	15
Black	---	411	21	14	15
Pompton Lakes	---	97	1	-	-
Ringwood	---	62	-	-	1
Totowa	---	97	-	-	-
Wanaque	---	82	-	-	1
Wayne twp#	---	362	2	1	2
West Paterson	---	84	2	2	-
Balance of county	---	413	8	7	7
Salem	600	643	15	9	11
White	518	540	12	7	7
All other	82	103	3	2	4
Black	81	101	3	2	4
Somerset	1,409	1,592	18	12	20
White	1,353	1,512	11	7	16
All other	56	80	7	5	4
Black	52	76	7	5	4
Bridgewater twp#	---	197	1	-	2
Franklin twp#	---	232	6	4	1
White	---	184	-	-	1
All other	---	48	6	4	-
Black	---	47	6	4	-
Manville	---	113	1	1	-
North Plainfield	---	141	3	3	2
Somerville	---	182	3	2	1
White	---	163	2	1	1
All other	---	19	1	1	-
Black	---	19	1	1	-
Balance of county	---	727	4	2	14
White	---	719	4	2	11
All other	---	8	-	-	3
Black	---	5	-	-	3
Sussex	772	836	13	11	9
Hopatcong	---	63	1	1	1
Balance of county	---	773	12	10	8
Union	5,125	5,054	54	35	57
White	4,518	4,386	36	23	42
All other	607	668	18	12	15
Black	589	655	18	12	14
Berkeley Heights twp#	---	89	-	-	-
Clark twp#	---	130	1	-	1
Cranford twp#	---	233	2	1	2
Elizabeth	---	1,127	16	9	18
White	---	971	11	6	14
All other	---	156	5	3	4
Black	---	152	5	3	3
Hillside twp#	---	215	1	1	2
White	---	178	-	-	1
All other	---	37	1	1	1
Black	---	37	1	1	1
Linden	---	415	5	3	1
White	---	371	5	3	-
All other	---	44	-	-	1
Black	---	44	-	-	1
New Providence	---	73	-	-	-
Plainfield	---	436	13	7	11
White	---	218	4	2	6
All other	---	218	9	5	5
Black	---	217	9	5	5
Rahway	---	260	8	8	6
White	---	221	5	5	6
All other	---	39	3	3	-
Black	---	37	3	3	-
Roselle	---	229	-	-	2
White	---	172	-	-	1
All other	---	57	-	-	1
Black	---	57	-	-	1
Roselle Park	---	131	1	1	-
Scotch Plains twp#	---	165	-	-	1
White	---	149	-	-	1
All other	---	16	-	-	-
Black	---	13	-	-	-
Springfield twp#	---	183	-	-	2
Summit	---	182	2	1	7
Union twp#	---	682	3	3	2
Westfield	---	241	1	-	1
Balance of county	---	263	1	1	1
White	---	257	1	1	1
All other	---	6	-	-	-
Black	---	5	-	-	-
Warren	772	853	11	9	7
Phillipsburg	---	252	1	-	1
Balance of county	---	601	10	9	6
New Mexico [6]	10,075	10,114	261	148	118
White	9,166	9,252	204	124	97
All other	909	862	57	24	21
Black	165	171	12	6	5
Bernalillo	3,914	3,203	89	60	30
White	3,705	3,081	76	51	26
All other	209	122	13	9	4
Black	65	61	5	4	3
Albuquerque	---	2,972	81	54	27
White	---	2,871	70	46	23
All other	---	101	11	8	4
Black	---	60	5	4	3
Balance of county	---	231	8	6	3
White	---	210	6	5	3
All other	---	21	2	1	-
Black	---	1	-	-	-
Catron	10	22	-	-	-
Chaves	472	494	11	4	3
Roswell	---	419	9	4	2
White	---	408	9	4	2
All other	---	11	-	-	-
Black	---	10	-	-	-
Balance of county	---	75	2	-	1
Cibola	141	164	3	2	2
White	79	96	3	2	1
All other	62	68	-	-	1
Black	2	1	-	-	-
Colfax	119	121	2	2	4
Curry	294	298	9	5	5
Clovis	---	262	9	5	3
White	---	248	7	4	3
All other	---	14	2	1	-
Black	---	13	2	1	-
Balance of county	---	36	-	-	2
White	---	34	-	-	1
All other	---	2	-	-	1
Black	---	2	-	-	1
De Baca	31	28	-	-	-
Dona Ana	610	664	13	6	12
Las Cruces	---	434	8	3	7
White	---	420	6	2	7
All other	---	14	2	1	-
Black	---	11	2	1	-
Balance of county	---	230	5	3	5
White	---	223	4	2	5
All other	---	7	1	1	-
Black	---	6	-	-	-
Eddy	422	480	11	7	2
Artesia	---	109	8	4	-
White	---	106	7	4	-
All other	---	3	1	-	-
Black	---	3	1	-	-
Carlsbad	---	293	3	3	2
White	---	286	3	3	2
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	78	-	-	-
White	---	78	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Grant	247	233	3	3	4
Guadalupe	35	36	-	-	-
Harding	2	6	-	-	1
Hidalgo	29	54	1	-	-
Lea	320	367	7	3	6
Hobbs	---	239	4	2	3
White	---	218	4	2	3
All other	---	21	-	-	-
Black	---	20	-	-	-
Balance of county	---	128	3	1	3
White	---	124	3	1	3
All other	---	4	-	-	-
Black	---	3	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Lincoln	88	91	3	2	1
Los Alamos	65	60	2	2	–
Luna	195	229	1	1	–
McKinley	346	345	19	5	9
White	106	104	1	–	4
All other	240	241	18	5	5
Black	1	2	–	–	–
Gallup	---	121	3	–	2
White	---	86	1	–	1
All other	---	35	2	–	1
Black	---	2	–	–	–
Balance of county	---	224	16	5	7
White	---	18	–	–	3
All other	---	206	16	5	4
Black	---	–	–	–	–
Mora	14	47	3	–	1
Otero	257	284	12	4	3
White	237	256	9	4	2
All other	20	28	3	–	1
Black	7	8	1	–	–
Alamogordo	---	174	5	2	2
White	---	168	5	2	2
All other	---	6	–	–	–
Black	---	6	–	–	–
Balance of county	---	110	7	2	1
White	---	88	4	2	–
All other	---	22	3	–	1
Black	---	2	1	–	–
Quay	89	107	–	–	2
Rio Arriba	206	266	5	2	3
White	193	236	2	1	2
All other	13	30	3	1	1
Black	–	–	–	–	–
Roosevelt	97	136	3	2	1
Sandoval	145	317	9	7	3
White	112	241	5	4	1
All other	33	76	4	3	2
Black	2	4	–	–	–
San Juan	514	499	17	9	10
White	315	324	8	6	4
All other	199	175	9	3	6
Black	5	3	–	–	1
Farmington	---	182	7	4	4
White	---	158	4	3	2
All other	---	24	3	1	2
Black	---	3	–	–	1
Balance of county	---	317	10	5	6
White	---	166	4	3	2
All other	---	151	6	2	4
Black	---	–	–	–	–
San Miguel	225	219	5	2	2
Las Vegas	---	143	3	1	1
White	---	143	3	1	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	76	2	1	1
White	---	75	2	1	1
All other	---	1	–	–	–
Black	---	–	–	–	–
Santa Fe	574	530	11	7	10
Santa Fe	---	431	6	4	6
White	---	428	6	4	6
All other	---	3	–	–	–
Black	---	–	–	–	–
Balance of county	---	99	5	3	4
White	---	95	5	3	4
All other	---	4	–	–	–
Black	---	–	–	–	–
Sierra	162	162	4	3	–
Socorro	94	98	3	1	–
White	90	93	3	1	–
All other	4	5	–	–	–
Black	2	3	–	–	–
Taos	98	141	3	2	3
Torrance	35	75	3	1	–
Union	52	60	2	1	–
Valencia	173	278	7	5	1
White	171	275	7	5	1
All other	2	3	–	–	–
Black	1	1	–	–	–
New York	172,866	173,540	2,824	1,937	2,554
White	148,327	149,062	1,788	1,265	1,685
All other	24,539	24,478	1,036	672	869
Black	23,010	22,983	999	643	823

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Albany	3,701	2,951	39	32	48
White	3,480	2,782	26	22	38
All other	221	169	13	10	10
Black	215	166	13	10	9
Albany	---	1,256	21	17	48
White	---	1,107	9	7	38
All other	---	149	12	10	10
Black	---	147	12	10	9
Cohoes	---	227	2	2	–
Watervliet	---	163	1	–	–
Balance of county	---	1,305	15	13	–
Allegany	350	456	10	6	4
Broome	2,370	2,222	42	27	30
Binghamton	---	814	19	13	9
Endicott	---	196	1	–	–
Johnson City	---	209	5	4	20
Vestal town#	---	206	2	1	–
Balance of county	---	797	15	9	1
Cattaraugus	772	842	12	3	10
Olean	---	209	–	–	8
Balance of county	---	633	12	3	2
Cayuga	780	814	9	3	5
Auburn	---	416	3	1	4
Balance of county	---	398	6	2	1
Chautauqua	1,517	1,578	28	20	26
Dunkirk	---	194	6	6	9
Fredonia	---	89	2	–	–
Jamestown	---	434	5	3	15
Balance of county	---	861	15	11	2
Chemung	1,024	946	6	6	14
Elmira	---	421	2	2	13
White	---	396	1	1	8
All other	---	25	1	1	5
Black	---	25	1	1	4
Balance of county	---	525	4	4	1
Chenango	364	482	9	5	8
Clinton	636	563	12	7	8
Plattsburgh	---	171	3	3	7
Balance of county	---	392	9	4	1
Columbia	632	670	7	6	3
Cortland	495	460	6	4	10
Cortland	---	215	1	1	10
Balance of county	---	235	5	3	–
Delaware	520	561	10	6	3
Dutchess	2,228	2,215	26	18	20
White	2,093	2,076	21	17	18
All other	135	139	5	1	2
Black	129	134	5	1	2
Beacon	---	143	1	1	2
White	---	121	1	1	–
All other	---	22	–	–	2
Black	---	20	–	–	2
Poughkeepsie	---	396	7	3	12
White	---	333	4	3	12
All other	---	63	3	–	–
Black	---	62	3	–	–
Balance of county	---	1,676	18	14	6
White	---	1,622	16	13	6
All other	---	54	2	1	–
Black	---	52	2	1	–
Erie	10,898	10,412	128	96	129
White	9,838	9,394	74	56	95
All other	1,060	1,018	54	40	34
Black	1,027	982	51	38	33
Buffalo	---	4,403	81	61	107
White	---	3,447	30	23	75
All other	---	956	51	38	32
Black	---	942	50	37	32
Depew	---	171	1	1	–
Hamburg	---	97	–	–	–
Kenmore	---	224	3	3	–
Lackawanna	---	267	3	2	–
White	---	255	3	2	–
All other	---	12	–	–	–
Black	---	12	–	–	–
Lancaster	---	126	1	1	–
Tonawanda	---	206	4	2	–
West Seneca town#	---	420	5	4	–
Balance of county	---	4,498	30	22	22
White	---	4,456	28	21	20
All other	---	42	2	1	2
Black	---	23	–	–	1
Essex	304	417	3	3	1
Franklin	477	512	7	5	7
Fulton	505	596	4	4	2
Gloversville	---	250	1	1	2
Balance of county	---	346	3	3	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Genesee	568	554	6	5	6
Batavia	---	214	–	–	5
Balance of county	---	340	6	5	1
Greene	365	514	6	3	3
Hamilton	28	67	–	–	1
Herkimer	574	743	7	6	8
Jefferson	980	926	19	14	20
Watertown	---	365	6	5	20
Balance of county	---	561	13	9	–
Lewis	155	225	4	3	7
Livingston	347	481	6	3	4
Madison	444	566	6	4	2
Oneida	---	132	2	1	2
Balance of county	---	434	4	3	–
Monroe	6,465	6,058	111	76	117
White	5,990	5,576	71	50	90
All other	475	482	40	26	27
Black	460	468	40	26	27
Brighton town#	---	327	2	2	–
Gates town#	---	227	–	–	–
Greece town#	---	637	7	5	–
Henrietta town#	---	140	–	–	–
Irondequoit town#	---	578	1	1	–
Penfield town#	---	169	2	2	–
Rochester	---	2,693	72	48	114
White	---	2,246	33	23	87
All other	---	447	39	25	27
Black	---	444	39	25	27
Balance of county	---	1,287	27	18	3
White	---	1,271	27	18	3
All other	---	16	–	–	–
Black	---	11	–	–	–
Montgomery	576	629	9	6	6
Amsterdam	---	300	5	2	–
Balance of county	---	329	4	4	6
Nassau	11,627	11,770	160	129	188
White	10,792	10,954	112	90	132
All other	835	816	48	39	56
Black	778	757	47	38	52
East Rockaway	---	95	1	–	–
Floral Park	---	190	–	–	–
Freeport	---	348	14	9	–
White	---	260	8	6	–
All other	---	88	6	3	–
Black	---	85	6	3	–
Garden City	---	218	–	–	1
Glen Cove	---	255	2	2	9
White	---	233	1	1	9
All other	---	22	1	1	–
Black	---	21	1	1	–
Hempstead	---	427	18	15	–
White	---	209	6	5	–
All other	---	218	12	10	–
Black	---	215	12	10	–
Long Beach	---	503	2	1	–
White	---	485	2	1	–
All other	---	18	–	–	–
Black	---	18	–	–	–
Lynbrook	---	215	–	–	–
Massapequa Park	---	170	3	3	–
Mineola	---	202	3	2	23
Rockville Centre	---	331	3	2	13
Valley Stream	---	392	2	2	2
Westbury	---	159	8	8	–
White	---	127	2	2	–
All other	---	32	6	6	–
Black	---	30	6	6	–
Balance of county	---	8,265	104	85	140
White	---	7,872	83	68	99
All other	---	393	21	17	41
Black	---	351	20	16	39
New York city	75,624	75,694	1,467	999	1,246
White	56,438	56,541	736	534	636
All other	19,186	19,153	731	465	610
Black	17,990	17,984	701	440	581
Bronx borough, Bronx county	---	12,908	308	199	225
White	---	9,331	171	114	120
All other	---	3,577	137	85	105
Black	---	3,505	132	81	103
Brooklyn borough, Kings county	---	22,895	570	388	484
White	---	16,303	249	176	217
All other	---	6,592	321	212	267
Black	---	6,374	312	204	261
Manhattan borough, New York county	---	16,650	280	190	216
White	---	11,476	147	108	112
All other	---	5,174	133	82	104
Black	---	4,717	130	80	99
Queens borough, Queens county	---	19,918	261	188	259
White	---	16,355	131	105	139
All other	---	3,563	130	83	120
Black	---	3,182	117	72	106
Staten Island borough, Richmond county	---	3,323	48	34	62
White	---	3,076	38	31	48
All other	---	247	10	3	14
Black	---	206	10	3	12
Niagara	2,012	2,157	21	15	33
White	1,941	2,070	18	12	29
All other	71	87	3	3	4
Black	60	77	3	3	3
Lockport	---	290	6	3	4
Niagara Falls	---	818	7	6	10
White	---	757	6	5	6
All other	---	61	1	1	4
Black	---	58	1	1	3
North Tonawanda	---	333	2	2	6
Balance of county	---	716	6	4	13
White	---	699	6	4	13
All other	---	17	–	–	–
Black	---	11	–	–	–
Oneida	2,745	2,714	36	17	25
Rome	---	465	8	3	5
Utica	---	1,085	17	6	12
Balance of county	---	1,164	11	8	8
White	---	1,157	11	8	7
All other	---	7	–	–	1
Black	---	5	–	–	1
Onondaga	4,747	4,128	72	42	74
White	4,528	3,903	50	30	72
All other	219	225	22	12	2
Black	196	197	22	12	1
Syracuse	---	1,893	42	23	64
White	---	1,691	22	13	62
All other	---	202	20	10	2
Black	---	188	20	10	1
Balance of county	---	2,235	30	19	10
White	---	2,212	28	17	10
All other	---	23	2	2	–
Black	---	9	2	2	–
Ontario	959	750	14	7	16
Canandaigua	---	121	4	3	9
Geneva, part	---	160	4	2	6
Geneva, total	---	161	4	2	6
Balance of county	---	469	6	2	1
White	---	465	6	2	1
All other	---	4	–	–	–
Black	---	2	–	–	–
Orange	2,487	2,433	36	24	35
White	2,369	2,304	31	21	27
All other	118	129	5	3	8
Black	112	122	5	3	8
Middletown	---	241	2	1	7
White	---	228	2	1	6
All other	---	13	–	–	1
Black	---	12	–	–	1
Newburgh	---	274	7	5	11
White	---	207	2	2	7
All other	---	67	5	3	4
Black	---	66	5	3	4
Balance of county	---	1,918	27	18	17
White	---	1,869	27	18	14
All other	---	49	–	–	3
Black	---	44	–	–	3
Orleans	299	367	6	4	10
Oswego	662	967	18	12	5
Fulton	---	128	2	2	–
Oswego	---	224	1	1	4
Balance of county	---	615	15	9	1
White	---	614	15	9	1
All other	---	1	–	–	–
Black	---	1	–	–	–
Otsego	746	638	5	4	6
Oneonta	---	144	–	–	3
Balance of county	---	494	5	4	3
White	---	493	5	4	3
All other	---	1	–	–	–
Black	---	1	–	–	–
Putnam	455	562	9	8	7
Carmel town#	---	200	5	5	4
Balance of county	---	362	4	3	3
White	---	360	4	3	3
All other	---	2	–	–	–
Black	---	2	–	–	–
Rensselaer	1,393	1,505	24	16	14
Troy	---	674	13	8	14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Balance of county	---	831	11	8	-
White	---	822	11	8	-
All other	---	9	-	-	-
Black	---	9	-	-	-
Rockland	2,065	2,055	35	20	39
White	1,923	1,920	26	14	28
All other	142	135	9	6	11
Black	121	113	9	6	11
Spring Valley	---	171	8	4	3
White	---	132	4	1	3
All other	---	39	4	3	-
Black	---	37	4	3	-
Suffern	---	113	-	-	23
Balance of county	---	1,771	27	16	13
White	---	1,676	22	13	6
All other	---	95	5	3	7
Black	---	75	5	3	7
St. Lawrence	983	1,038	11	6	12
Massena	---	194	3	2	-
Ogdensburg	---	158	2	-	8
Potsdam	---	67	-	-	2
Balance of county	---	619	6	4	2
Saratoga	733	1,247	26	17	2
Saratoga Springs	---	264	4	2	2
Balance of county	---	983	22	15	-
Schenectady	1,809	1,727	20	12	33
Niskayuna town#	---	131	2	2	15
Rotterdam town#	---	281	2	1	-
Schenectady	---	964	11	7	18
Balance of county	---	351	5	2	-
Schoharie	249	326	1	-	4
Schuyler	129	180	1	-	1
Seneca	201	293	5	4	-
Geneva, part	---	1	-	-	-
Balance of county	---	292	5	4	-
White	---	291	5	4	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Steuben	922	1,025	11	8	11
Corning	---	170	-	-	3
Hornell	---	138	2	2	4
Balance of county	---	717	9	6	4
Suffolk	10,557	10,471	134	97	136
White	10,024	9,917	100	76	110
All other	533	554	34	21	26
Black	505	529	34	21	24
Babylon	---	123	2	2	-
Lindenhurst	---	227	-	-	-
Patchogue	---	93	4	2	-
Balance of county	---	10,028	128	93	136
White	---	9,479	95	72	110
All other	---	549	33	21	26
Black	---	524	33	21	24
Sullivan	638	749	12	9	8
Tioga	205	389	10	5	3
Tompkins	537	562	13	8	3
Ithaca	---	212	5	2	-
White	---	201	4	2	-
All other	---	11	1	-	-
Black	---	10	1	-	-
Balance of county	---	370	8	6	3
Ulster	1,253	1,611	16	13	22
Kingston	---	346	4	2	15
Balance of county	---	1,265	12	11	7
Warren	856	556	10	8	1
Glens Falls	---	186	4	2	1
Balance of county	---	370	6	6	-
Washington	319	555	8	5	-
Wayne	569	776	10	7	3
Newark	---	129	2	2	-
Balance of county	---	647	8	5	3
Westchester	8,524	8,214	94	64	109
White	7,525	7,218	54	38	63
All other	999	996	40	26	46
Black	969	963	39	25	45
Dobbs Ferry	---	89	-	-	-
Harrison	---	160	1	1	1
Mamaroneck	---	170	3	1	-
Mount Vernon	---	708	17	11	11
White	---	436	5	2	2
All other	---	272	12	9	9
Black	---	270	12	9	9
New Rochelle	---	770	7	5	12
White	---	604	2	1	3
All other	---	166	5	4	9
Black	---	163	5	4	8
Ossining	---	207	1	1	1
White	---	173	1	1	1
All other	---	34	-	-	-
Black	---	34	-	-	-
Peekskill	---	187	4	1	-
White	---	162	2	1	-
All other	---	25	2	-	-
Black	---	24	2	-	-
Port Chester	---	254	1	1	5
White	---	227	1	1	4
All other	---	27	-	-	1
Black	---	25	-	-	1
Rye	---	129	-	-	1
Scarsdale	---	156	-	-	1
Tarrytown	---	103	1	1	-
White	---	92	-	-	-
All other	---	11	1	1	-
Black	---	10	1	1	-
White Plains	---	528	2	2	14
White	---	440	2	2	8
All other	---	88	-	-	6
Black	---	87	-	-	6
Yonkers	---	2,043	33	24	26
White	---	1,864	21	16	17
All other	---	179	12	8	9
Black	---	174	11	7	9
Yorktown town#	---	221	1	1	-
Balance of county	---	2,489	23	15	37
White	---	2,326	16	11	25
All other	---	163	7	4	12
Black	---	148	7	4	12
Wyoming	305	371	5	5	5
Yates	181	240	2	1	1
North Carolina	54,935	54,609	1,042	691	787
White	41,676	41,327	570	384	440
All other	13,259	13,282	472	307	347
Black	12,795	12,816	454	298	330
Alamance	831	993	13	9	9
White	674	784	7	4	3
All other	157	209	6	5	6
Black	157	209	6	5	6
Burlington	---	418	7	4	6
White	---	334	5	2	2
All other	---	84	2	2	4
Black	---	84	2	2	4
Balance of county	---	575	6	5	3
White	---	450	2	2	1
All other	---	125	4	3	2
Black	---	125	4	3	2
Alexander	152	203	5	3	4
Alleghany	104	105	-	-	-
Anson	186	279	7	2	5
White	101	159	1	-	2
All other	85	120	6	2	3
Black	85	120	6	2	3
Ashe	156	234	-	-	-
Avery	150	125	1	-	2
Beaufort	491	473	4	1	6
White	339	328	2	-	2
All other	152	145	2	1	4
Black	152	145	2	1	4
Bertie	125	243	5	2	5
White	57	112	-	-	-
All other	68	131	5	2	5
Black	68	131	5	2	5
Bladen	174	306	6	4	4
White	98	160	3	3	1
All other	76	146	3	1	3
Black	75	145	3	1	3
Brunswick	234	382	6	4	10
White	182	309	3	2	8
All other	52	73	3	2	2
Black	52	73	3	2	2
Buncombe	2,501	1,744	18	15	21
White	2,282	1,571	14	12	15
All other	219	173	4	3	6
Black	215	171	4	3	6
Asheville	---	838	7	5	10
White	---	678	4	3	6
All other	---	162	3	2	4
Black	---	160	3	2	4
Balance of county	---	906	11	10	11
Burke	621	639	4	3	11
Hickory, part	---	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Morganton	---	206	-	-	1
White	---	181	-	-	1
All other	---	25	-	-	-
Black	---	25	-	-	-
Balance of county	---	431	4	3	10
Cabarrus	856	854	14	12	10
White	734	723	8	7	7
All other	122	131	6	5	3
Black	122	131	6	5	3
Concord	---	287	3	3	4
White	---	222	-	-	3
All other	---	65	3	3	1
Black	---	65	3	3	1
Balance of county	---	567	11	9	6
White	---	501	8	7	4
All other	---	66	3	2	2
Black	---	66	3	2	2
Caldwell	424	574	8	5	11
Lenoir	---	192	1	1	3
White	---	168	-	-	1
All other	---	24	1	1	2
Black	---	23	-	-	2
Balance of county	---	382	7	4	8
Camden	19	61	-	-	-
White	13	45	-	-	-
All other	6	16	-	-	-
Black	6	16	-	-	-
Elizabeth City, part	---	-	-	-	-
Balance of county	---	61	-	-	-
White	---	45	-	-	-
All other	---	16	-	-	-
Black	---	16	-	-	-
Carteret	437	454	5	2	2
White	388	404	5	2	2
All other	49	50	-	-	-
Black	49	50	-	-	-
Caswell	58	182	2	1	2
White	34	103	-	-	1
All other	24	79	2	1	1
Black	24	78	2	1	1
Catawba	963	929	13	9	16
White	885	855	10	7	12
All other	78	74	3	2	4
Black	77	73	3	2	4
Hickory, part	---	314	5	3	7
White	---	278	4	2	6
All other	---	36	1	1	1
Black	---	36	1	1	1
Hickory, total	---	316	5	3	7
White	---	280	4	2	6
All other	---	36	1	1	1
Black	---	36	1	1	1
Balance of county	---	615	8	6	9
Chatham	234	323	4	3	4
White	186	240	3	3	3
All other	48	83	1	-	1
Black	47	83	1	-	1
Cherokee	195	219	2	1	-
Chowan	251	182	3	1	-
White	153	110	2	-	-
All other	98	72	1	1	-
Black	98	72	1	1	-
Clay	22	74	-	-	-
Cleveland	840	805	14	7	7
White	688	648	7	3	6
All other	152	157	7	4	1
Black	151	166	7	4	1
Shelby	---	231	4	2	1
White	---	168	1	-	-
All other	---	63	3	2	1
Black	---	63	3	2	1
Balance of county	---	574	10	5	6
White	---	480	6	3	6
All other	---	94	4	2	-
Black	---	93	4	2	-
Columbus	419	562	7	4	4
White	279	386	4	2	3
All other	140	176	3	2	1
Black	135	170	3	2	1
Craven	649	567	20	15	15
White	459	396	11	8	9
All other	190	171	9	7	6
Black	188	169	9	7	6
Havelock	---	43	11	7	7
White	---	38	8	5	5
All other	---	5	3	2	2
Black	---	4	3	2	2
New Bern	---	247	5	5	6
White	---	163	2	2	3
All other	---	84	3	3	3
Black	---	83	3	3	3
Balance of county	---	277	4	3	2
White	---	195	1	1	1
All other	---	82	3	2	1
Black	---	82	3	2	1
Cumberland	1,699	1,446	65	39	56
White	1,057	947	34	22	25
All other	642	499	31	17	31
Black	597	479	30	16	28
Fayetteville	---	705	28	17	22
White	---	428	15	10	6
All other	---	277	13	7	16
Black	---	273	13	7	15
Balance of county	---	741	37	22	34
White	---	519	19	12	19
All other	---	222	18	10	15
Black	---	206	17	9	13
Currituck	43	114	3	-	1
White	38	95	3	-	1
All other	5	19	-	-	-
Black	5	19	-	-	-
Dare	100	141	2	-	3
Davidson	676	961	15	11	7
White	597	859	12	10	5
All other	79	102	3	1	2
Black	78	101	3	1	2
High Point, part	---	2	-	-	-
Lexington	---	166	2	1	1
White	---	129	-	-	1
All other	---	37	2	1	-
Black	---	37	2	1	-
Thomasville	---	211	5	4	1
White	---	160	4	4	-
All other	---	51	1	-	1
Black	---	51	1	-	1
Balance of county	---	582	8	6	5
Davie	145	234	3	3	4
White	131	205	2	2	4
All other	14	29	1	1	-
Black	14	29	1	1	-
Duplin	252	416	7	5	5
White	169	267	3	2	1
All other	83	149	4	3	4
Black	83	148	4	3	4
Durham	2,829	1,386	27	20	20
White	1,940	891	16	13	5
All other	889	495	11	7	15
Black	871	494	11	7	15
Chapel Hill, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	1,105	23	18	16
White	---	657	12	11	3
All other	---	448	11	7	13
Black	---	447	11	7	13
Balance of county	---	279	4	2	4
White	---	232	4	2	2
All other	---	47	-	-	2
Black	---	47	-	-	2
Edgecombe	396	590	14	9	8
White	198	270	2	-	2
All other	198	320	12	9	6
Black	198	320	12	9	6
Rocky Mount, part	---	199	2	1	2
White	---	59	-	-	-
All other	---	140	2	1	2
Black	---	140	2	1	2
Balance of county	---	391	12	8	6
White	---	211	2	-	2
All other	---	180	10	8	4
Black	---	180	10	8	4
Forsyth	3,502	2,331	53	38	28
White	2,728	1,656	23	19	14
All other	774	675	30	19	14
Black	769	673	30	19	14
Winston-Salem	---	1,575	34	24	17
White	---	945	7	6	3
All other	---	630	27	18	14
Black	---	628	27	18	14
Balance of county	---	756	19	14	11
Franklin	197	332	10	7	8
White	125	220	6	6	2
All other	72	112	4	1	6
Black	70	112	4	1	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Gaston	1,279	1,623	35	27	20
White	1,099	1,398	24	18	15
All other	180	225	11	9	5
Black	180	225	11	9	4
Gastonia	---	671	19	15	6
White	---	530	8	6	2
All other	---	141	11	9	4
Black	---	141	11	9	3
Balance of county	---	952	16	12	14
White	---	868	16	12	13
All other	---	84	-	-	1
Black	---	84	-	-	1
Gates	44	108	2	2	4
White	25	61	-	-	3
All other	19	47	2	2	1
Black	19	47	2	2	1
Graham	20	66	-	-	1
Granville	318	404	7	6	6
White	173	221	2	1	2
All other	145	183	5	5	4
Black	145	182	5	5	4
Greene	34	121	3	1	-
White	14	73	1	-	-
All other	20	48	2	1	-
Black	20	48	2	1	-
Guilford	3,104	2,815	63	44	28
White	2,420	2,154	38	24	14
All other	684	661	25	20	14
Black	679	656	25	20	14
Greensboro	---	1,636	45	29	15
White	---	1,082	26	14	6
All other	---	454	19	15	9
Black	---	452	19	15	9
High Point, part	---	720	8	7	9
White	---	569	4	3	4
All other	---	151	4	4	5
Black	---	150	4	4	5
High Point, total	---	722	8	7	9
White	---	570	4	3	4
All other	---	152	4	4	5
Black	---	151	4	4	5
Balance of county	---	559	10	8	4
White	---	503	8	7	4
All other	---	56	2	1	-
Black	---	54	2	1	-
Halifax	546	595	12	9	7
White	285	306	4	4	1
All other	261	289	8	5	6
Black	256	280	8	5	6
Roanoke Rapids	---	165	3	3	2
White	---	141	3	3	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	430	9	6	5
White	---	165	1	1	-
All other	---	265	8	5	5
Black	---	256	8	5	5
Harnett	505	644	16	7	12
White	362	472	7	2	9
All other	143	172	9	5	3
Black	136	164	9	5	3
Haywood	455	487	1	1	2
Henderson	627	695	8	4	7
Hertford	322	286	2	2	7
White	155	126	-	-	2
All other	167	160	2	2	5
Black	167	160	2	2	5
Hoke	56	135	3	3	3
White	26	63	2	2	1
All other	30	72	1	1	2
Black	23	61	-	-	1
Hyde	25	80	1	1	-
White	20	57	-	-	-
All other	5	23	1	1	-
Black	5	23	1	1	-
Iredell	752	821	17	6	6
White	627	678	9	2	3
All other	125	143	8	4	3
Black	124	142	8	4	3
Statesville	---	242	2	1	2
White	---	176	-	-	1
All other	---	66	2	1	1
Black	---	66	2	1	1
Balance of county	---	579	15	5	4
White	---	502	9	2	2
All other	---	77	6	3	2
Black	---	76	6	3	2
Jackson	175	220	5	5	2
White	168	197	3	3	1
All other	9	23	2	2	1
Black	4	5	1	1	1
Johnston	474	729	7	3	11
White	373	587	4	1	8
All other	101	142	3	2	3
Black	101	142	3	2	3
Jones	19	86	3	3	4
White	12	43	-	-	1
All other	7	43	3	3	3
Black	7	43	3	3	3
Lee	325	355	3	3	4
White	246	270	-	-	1
All other	79	85	3	3	3
Black	78	83	3	3	3
Sanford	---	158	2	2	4
White	---	107	-	-	1
All other	---	51	2	2	3
Black	---	51	2	2	3
Balance of county	---	197	1	1	-
White	---	163	-	-	-
All other	---	34	1	1	-
Black	---	32	1	1	-
Lenoir	597	594	8	4	8
White	340	337	3	1	4
All other	257	257	5	3	4
Black	256	257	5	3	4
Kinston	---	346	2	1	3
White	---	163	-	-	-
All other	---	183	2	1	3
Black	---	183	2	1	3
Balance of county	---	248	6	3	5
White	---	174	3	1	4
All other	---	74	3	2	1
Black	---	74	3	2	1
Lincoln	267	341	4	3	4
McDowell	279	366	8	6	2
Macon	209	240	3	2	3
Madison	77	157	1	1	2
Martin	197	279	6	4	2
White	101	165	1	1	1
All other	96	114	5	3	1
Black	96	114	5	3	1
Mecklenburg	4,171	3,318	77	56	50
White	3,114	2,361	37	25	30
All other	1,057	957	40	31	20
Black	1,042	943	40	31	20
Charlotte	---	2,728	64	45	44
White	---	1,847	26	15	25
All other	---	881	38	30	19
Black	---	870	38	30	19
Balance of county	---	590	13	11	6
White	---	514	11	10	5
All other	---	76	2	1	1
Black	---	73	2	1	1
Mitchell	130	158	-	-	-
Montgomery	162	225	1	1	3
White	132	173	1	1	2
All other	30	52	-	-	1
Black	30	52	-	-	1
Moore	746	592	11	5	10
White	575	473	7	4	6
All other	171	119	4	1	4
Black	168	119	4	1	4
Nash	759	676	15	12	15
White	442	448	2	1	6
All other	317	228	13	11	9
Black	315	228	13	11	9
Rocky Mount, part	---	320	6	4	8
White	---	215	1	-	5
All other	---	105	5	4	3
Black	---	105	5	4	3
Rocky Mount, total	---	519	8	5	10
White	---	274	1	-	5
All other	---	245	7	5	5
Black	---	245	7	5	5
Balance of county	---	356	9	8	7
White	---	233	1	1	1
All other	---	123	8	7	6
Black	---	123	8	7	6
New Hanover	1,245	945	16	12	16
White	909	676	7	6	7
All other	336	269	9	6	9
Black	336	268	9	6	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Wilmington	---	649	11	8	8
White	---	423	3	3	1
All other	---	226	8	5	7
Black	---	225	8	5	7
Balance of county	---	296	5	4	6
Northampton	81	260	1	1	3
White	39	121	-	-	1
All other	42	139	1	1	2
Black	42	139	1	1	2
Onslow	507	542	45	31	23
White	379	430	34	23	16
All other	128	112	11	8	7
Black	127	111	11	8	7
Jacksonville	---	163	18	12	7
White	---	118	9	6	4
All other	---	45	9	6	3
Black	---	45	9	6	3
Balance of county	---	379	27	19	16
White	---	312	25	17	12
All other	---	67	2	2	4
Black	---	66	2	2	4
Orange	1,040	505	11	6	14
White	649	379	7	3	6
All other	391	126	4	3	8
Black	381	126	4	3	8
Chapel Hill, part	---	165	3	2	6
White	---	134	-	-	2
All other	---	31	3	2	4
Black	---	31	3	2	4
Chapel Hill, total	---	167	3	2	6
White	---	136	-	-	2
All other	---	31	3	2	4
Black	---	31	3	2	4
Balance of county	---	340	8	4	8
White	---	245	7	3	4
All other	---	95	1	1	4
Black	---	95	1	1	4
Pamlico	51	116	2	2	1
White	39	83	1	1	-
All other	12	33	1	1	1
Black	12	33	1	1	1
Pasquotank	387	318	9	5	5
White	260	200	3	3	2
All other	127	118	6	2	3
Black	127	118	6	2	3
Elizabeth City, part	---	190	4	1	5
White	---	108	-	-	2
All other	---	82	4	1	3
Black	---	82	4	1	3
Elizabeth City, total	---	190	4	1	5
White	---	108	-	-	2
All other	---	82	4	1	3
Black	---	82	4	1	3
Balance of county	---	128	5	4	-
White	---	92	3	3	-
All other	---	36	2	1	-
Black	---	36	2	1	-
Pender	177	249	4	3	4
White	106	163	3	2	3
All other	71	86	1	1	1
Black	71	86	1	1	1
Perquimans	37	109	1	-	4
White	21	61	1	-	2
All other	16	48	-	-	2
Black	16	48	-	-	2
Person	211	294	3	1	4
White	146	207	-	-	1
All other	65	87	3	1	3
Black	65	87	3	1	3
Pitt	1,257	765	21	13	4
White	708	422	5	4	3
All other	549	343	16	9	1
Black	547	341	16	9	1
Greenville	---	267	10	8	2
White	---	133	3	2	2
All other	---	134	7	6	-
Black	---	133	7	6	-
Balance of county	---	498	11	5	2
White	---	289	2	2	1
All other	---	209	9	3	1
Black	---	208	9	3	1
Polk	181	181	2	-	-
Randolph	482	763	12	8	10
Asheboro	---	206	2	1	3
White	---	181	1	-	2
All other	---	25	1	1	1
Black	---	24	1	1	1
High Point, part	---	-	-	-	-
Balance of county	---	557	10	7	7
Richmond	328	497	8	8	6
White		229	355	4	4	4
All other		99	142	4	4	2
Black		99	141	4	4	2
Robeson		915	968	27	16	17
White		437	425	8	6	6
All other		478	543	19	10	11
Black		256	273	10	7	4
Lumberton	---		242	7	4	5
White	---		152	2	1	4
All other	---		90	5	3	1
Black	---		89	4	2	1
Balance of county	---		726	20	12	12
White	---		273	6	5	2
All other	---		453	14	7	10
Black	---		204	6	5	3
Rockingham	726		940	12	8	6
White	564		750	8	5	5
All other	162		190	4	3	1
Black	162		190	4	3	1
Eden	---		231	4	4	-
White	---		210	3	3	-
All other	---		21	1	1	-
Black	---		21	1	1	-
Reidsville	---		211	3	2	1
White	---		133	1	-	1
All other	---		78	2	2	-
Black	---		78	2	2	-
Balance of county	---		498	5	2	5
White	---		407	4	2	4
All other	---		91	1	-	1
Black	---		91	1	-	1
Rowan	1,173		1,088	13	9	15
White	964		919	8	6	9
All other	209		169	5	3	6
Black	208		168	5	3	6
Salisbury	---		368	4	2	5
White	---		274	-	-	1
All other	---		94	4	2	4
Black	---		93	4	2	4
Balance of county	---		720	9	7	10
White	---		645	8	6	8
All other	---		75	1	1	2
Black	---		75	1	1	2
Rutherford	497		615	2	1	8
White	437		551	2	1	7
All other	60		64	-	-	1
Black	60		64	-	-	1
Sampson	367		512	7	5	3
White	234		332	4	3	-
All other	133		180	3	2	3
Black	125		170	3	2	3
Scotland	289		301	8	2	10
White	167		176	1	-	3
All other	122		125	7	2	7
Black	99		110	4	1	6
Laurinburg	---		147	3	1	5
White	---		75	-	-	1
All other	---		72	3	1	4
Black	---		67	3	1	4
Balance of county	---		154	5	1	5
White	---		101	1	-	2
All other	---		53	4	1	3
Black	---		43	1	-	2
Stanly	342		478	3	2	8
White	303		430	2	1	4
All other	39		48	1	1	4
Black	38		47	1	1	3
Albemarle	---		166	1	1	1
White	---		145	1	1	-
All other	---		21	-	-	1
Black	---		20	-	-	1
Balance of county	---		312	2	1	7
White	---		285	1	-	4
All other	---		27	1	1	3
Black	---		27	1	1	2
Stokes	179		287	3	2	4
Surry	551		599	9	6	6
Swain	165		127	1	1	1
White	124		99	1	1	1
All other	41		28	-	-	-
Black	2		1	-	-	-
Transylvania	189		224	2	1	3
Tyrrell	14		49	-	-	1
White	10		38	-	-	-
All other	4		11	-	-	1
Black	4		11	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Union	437	573	14	10	7
White	350	468	8	6	5
All other	87	105	6	4	2
Black	87	105	6	4	2
Monroe	---	186	3	1	-
White	---	135	-	-	-
All other	---	53	3	1	-
Black	---	53	3	1	-
Balance of county	---	385	11	9	7
White	---	333	8	6	5
All other	---	52	3	3	2
Black	---	52	3	3	2
Vance	396	426	7	5	5
White	213	254	1	1	2
All other	183	172	6	4	3
Black	183	172	6	4	3
Henderson	---	238	4	3	3
White	---	129	-	-	1
All other	---	109	4	3	2
Black	---	109	4	3	2
Balance of county	---	188	3	2	2
White	---	125	1	1	1
All other	---	63	2	1	1
Black	---	63	2	1	1
Wake	2,424	2,138	70	49	43
White	1,803	1,556	40	30	20
All other	621	582	30	19	23
Black	611	570	29	18	21
Cary	---	108	8	5	3
Garner	---	54	3	3	4
Raleigh	---	1,235	36	26	21
White	---	860	21	15	8
All other	---	375	15	11	13
Black	---	367	15	11	12
Balance of county	---	741	23	15	15
White	---	552	11	9	9
All other	---	189	12	6	6
Black	---	188	12	6	6
Warren	86	206	4	2	4
White	43	88	-	-	-
All other	43	118	4	2	4
Black	43	116	4	2	4
Washington	97	152	5	4	1
White	59	89	3	2	-
All other	38	63	2	2	1
Black	38	63	2	2	1
Watauga	285	218	3	1	5
Boone	---	52	-	-	1
Balance of county	---	166	3	1	4
Wayne	819	836	15	7	14
White	537	539	9	6	6
All other	282	297	6	1	8
Black	280	294	6	1	8
Goldsboro	---	331	8	4	9
White	---	160	3	3	2
All other	---	171	5	1	7
Black	---	170	5	1	7
Balance of county	---	505	7	3	5
White	---	379	6	3	4
All other	---	126	1	-	1
Black	---	124	1	-	1
Wilkes	429	560	7	6	6
Wilson	715	619	6	4	7
White	498	401	1	1	4
All other	217	218	5	3	3
Black	216	217	5	3	3
Wilson	---	379	5	3	4
White	---	214	-	-	2
All other	---	165	5	3	2
Black	---	165	5	3	2
Balance of county	---	240	1	1	3
White	---	187	1	1	2
All other	---	53	-	-	1
Black	---	52	-	-	1
Yadkin	185	322	4	1	4
Yancey	66	148	3	3	4
North Dakota	5,692	5,289	91	44	74
White	5,514	5,141	81	40	63
All other	178	148	10	4	11
Black	9	8	-	-	-
Adams	80	47	2	1	1
Barnes	144	151	-	-	3
Benson	18	68	2	1	3
White	8	47	-	-	-
All other	10	21	2	1	3
Black	-	-	-	-	-
Billings	-	5	-	-	-
Bottineau	77	107	-	-	-
Bowman	42	44	-	-	-
Burke	9	40	-	-	-
Burleigh	650	348	6	1	5
Bismarck	---	300	5	1	3
Balance of county	---	48	1	-	2
Cass	1,209	568	8	5	18
Fargo	---	433	6	4	10
West Fargo	---	34	-	-	5
Balance of county	---	101	2	1	3
Cavalier	75	90	1	1	-
Dickey	92	92	4	-	-
Divide	33	32	-	-	-
Dunn	10	35	-	-	-
Eddy	43	57	1	1	1
Emmons	50	59	1	-	-
Foster	49	58	-	-	1
Golden Valley	5	15	-	-	-
Grand Forks	556	398	14	6	4
Grand Forks	---	291	10	4	3
Balance of county	---	107	4	2	1
Grant	31	48	-	-	1
Griggs	33	48	1	1	-
Hettinger	12	44	-	-	1
Kidder	10	31	-	-	1
La Moure	19	76	3	3	-
Logan	6	27	-	-	1
McHenry	16	85	-	-	1
McIntosh	59	59	-	-	-
McKenzie	29	43	-	-	-
White	27	38	-	-	-
All other	2	5	-	-	-
Black	-	-	-	-	-
McLean	80	100	1	1	-
Mercer	36	55	3	2	-
Morton	103	192	4	2	5
Mandan	---	122	2	1	3
Balance of county	---	70	2	1	2
Mountrail	51	78	2	1	1
White	46	69	1	-	-
All other	5	9	1	1	1
Black	-	-	-	-	-
Nelson	47	77	1	1	-
Oliver	4	6	-	-	-
Pembina	96	111	2	2	-
Pierce	107	77	1	-	-
Ramsey	132	131	-	-	3
Ransom	54	82	2	1	-
Renville	15	39	1	1	1
Richland	77	156	1	-	-
Rolette	84	98	2	-	5
White	46	56	-	-	1
All other	38	42	2	-	4
Black	-	-	-	-	-
Sargent	19	55	-	-	1
Sheridan	3	15	-	-	1
Sioux	22	36	3	1	1
White	2	9	-	-	-
All other	20	27	3	1	1
Black	-	-	-	-	-
Slope	1	7	-	-	-
Stark	164	155	4	2	1
Dickinson	---	119	2	1	1
Balance of county	---	36	2	1	-
Steele	2	22	-	-	-
Stutsman	205	192	4	2	4
Jamestown	---	160	2	1	2
Balance of county	---	32	2	1	2
Towner	43	45	1	1	-
Traill	119	117	-	-	-
Walsh	138	176	2	-	2
Ward	505	367	14	7	5
Minot	---	269	9	3	2
Balance of county	---	98	5	4	3
Wells	68	74	-	-	1
Williams	160	151	-	-	2
Williston	---	109	-	-	2
Balance of county	---	42	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	99,542	99,716	1,660	1,086	1,131
White	89,173	89,308	1,259	815	878
All other	10,369	10,408	421	271	253
Black	10,181	10,225	407	262	236
Adams	189	271	6	5	5
Allen	1,225	984	17	9	11
White	1,145	896	10	5	10
All other	80	88	7	4	1
Black	78	85	7	4	1
Lima	---	597	13	8	9
White	---	513	7	4	8
All other	---	84	6	4	1
Black	---	82	6	4	1
Balance of county	---	387	4	1	2
Ashland	376	412	4	–	2
Ashland	---	196	3	–	–
Balance of county	---	216	1	–	2
Ashtabula	877	1,003	11	7	8
Ashtabula	---	263	3	2	–
Conneaut	---	144	3	2	2
Balance of county	---	596	5	3	6
Athens	386	444	6	1	1
Athens	---	76	1	–	1
White	---	71	–	–	1
All other	---	5	1	–	–
Black	---	3	–	–	–
Balance of county	---	368	5	1	–
Auglaize	331	401	7	5	6
Belmont	738	845	9	7	10
Brown	237	291	4	1	2
Butler	2,307	2,183	40	24	25
White	2,175	2,063	33	21	20
All other	132	120	7	3	5
Black	131	118	7	3	5
Fairfield	---	201	8	4	2
Hamilton	---	713	15	10	10
Middletown	---	511	7	3	7
White	---	460	5	2	5
All other	---	51	2	1	2
Black	---	51	2	1	2
Oxford	---	74	–	–	–
Balance of county	---	684	10	7	6
Carroll	98	200	7	2	4
Champaign	230	312	8	5	4
Urbana	---	113	5	4	3
Balance of county	---	199	3	1	1
Clark	1,453	1,520	22	14	15
White	1,288	1,356	17	10	14
All other	165	164	5	4	1
Black	164	163	5	4	1
Springfield	---	921	15	11	11
White	---	768	10	7	10
All other	---	153	5	4	1
Black	---	152	5	4	1
Balance of county	---	599	7	3	4
Clermont	542	942	17	11	16
Clinton	311	341	4	3	2
Wilmington	---	130	1	1	–
Balance of county	---	211	3	2	2
Columbiana	1,067	1,132	9	7	16
East Liverpool	---	222	1	–	3
Salem	---	142	1	1	3
Balance of county	---	768	7	6	10
Coshocton	319	362	5	5	2
Coshocton	---	195	2	2	1
Balance of county	---	167	3	3	1
Crawford	455	503	7	4	9
Bucyrus	---	145	1	–	2
Galion	---	163	5	4	2
Balance of county	---	195	1	–	5
Cuyahoga	17,080	15,997	246	160	156
White	13,554	12,520	112	73	95
All other	3,526	3,477	134	87	61
Black	3,462	3,418	129	82	59
Bay Village	---	125	1	1	–
Bedford	---	163	1	1	2
Bedford Heights	---	111	1	1	–
White	---	87	–	–	–
All other	---	24	1	1	–
Black	---	21	1	1	–
Berea	---	148	1	1	–
Brecksville	---	91	1	1	2
Broadview Heights	---	87	–	–	1
Brooklyn	---	164	3	3	–
Brook Park	---	163	1	1	6
Cleveland	---	6,806	166	99	85
White	---	4,057	57	32	39
All other	---	2,749	109	67	46
Black	---	2,725	107	65	44
Ohio-Con.					
Cleveland Heights	---	530	5	2	6
White	---	431	3	1	3
All other	---	99	2	1	3
Black	---	94	2	1	3
East Cleveland	---	355	9	5	1
White	---	85	–	–	–
All other	---	270	9	5	1
Black	---	270	9	5	1
Euclid	---	704	2	1	4
Fairview Park	---	211	–	–	2
Garfield Heights	---	407	4	3	6
White	---	369	3	2	5
All other	---	38	1	1	1
Black	---	38	1	1	1
Lakewood	---	666	6	3	8
Lyndhurst	---	182	3	3	–
Maple Heights	---	311	2	1	3
Mayfield Heights	---	316	1	1	1
Middleburg Heights	---	120	–	–	1
North Olmsted	---	253	1	–	1
North Royalton	---	145	1	1	1
Parma	---	952	7	4	6
Parma Heights	---	324	4	3	–
Richmond Heights	---	77	–	–	–
Rocky River	---	261	–	–	–
Seven Hills	---	145	–	–	–
Shaker Heights	---	259	3	3	2
White	---	193	1	1	2
All other	---	66	2	2	–
Black	---	64	2	2	–
Solon	---	103	–	–	–
South Euclid	---	275	4	4	1
Strongsville	---	159	5	5	7
University Heights	---	120	3	3	–
White	---	108	2	2	–
All other	---	12	1	1	–
Black	---	11	1	1	–
Warrensville Heights	---	133	5	5	2
White	---	52	1	1	–
All other	---	81	4	4	2
Black	---	81	4	4	2
Westlake	---	236	–	–	2
Balance of county	---	895	6	5	6
Darke	420	521	6	4	8
Greenville	---	177	–	–	2
Balance of county	---	344	6	4	6
Defiance	320	347	1	1	2
Defiance	---	179	1	1	2
Balance of county	---	168	–	–	–
Delaware	409	443	3	2	7
Delaware	---	190	–	–	3
Westerville, part	---	28	–	–	–
Balance of county	---	225	3	2	4
Erie	735	755	14	11	9
Sandusky	---	368	9	6	8
White	---	333	6	4	5
All other	---	35	3	2	3
Black	---	35	3	2	3
Vermilion, part	---	50	–	–	–
Vermilion, total	---	80	–	–	–
Balance of county	---	337	5	5	1
Fairfield	673	773	17	10	5
Columbus, part	---	–	–	–	–
Lancaster	---	353	5	3	3
Reynoldsburg, part	---	–	–	–	–
Balance of county	---	420	12	7	2
Fayette	279	297	9	7	4
Washington	---	186	5	3	1
Balance of county	---	111	4	4	3
Franklin	8,368	7,155	173	98	92
White	7,208	5,983	130	74	64
All other	1,160	1,172	43	24	28
Black	1,137	1,152	41	23	25
Bexley	---	116	3	3	–
Columbus, part	---	4,851	132	71	72
White	---	3,724	89	47	45
All other	---	1,127	43	24	27
Black	---	1,114	41	23	24
Columbus, total	---	4,851	132	71	72
White	---	3,724	89	47	45
All other	---	1,127	43	24	27
Black	---	1,114	41	23	24
Gahanna	---	98	3	2	–
Grove City	---	131	3	1	3
Reynoldsburg, part	---	116	1	1	2
Reynoldsburg, total	---	121	1	1	2
Upper Arlington	---	352	–	–	–
Westerville, part	---	164	3	2	–
Westerville, total	---	192	3	2	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Whitehall	---	163	3	3	1
Worthington	---	145	1	1	2
Balance of county	---	1,019	24	14	12
Fulton	220	286	4	3	3
Gallia	407	269	4	3	2
Geauga	414	540	6	5	3
Greene	834	908	10	8	9
White	761	833	9	7	9
All other	73	75	1	1	-
Black	72	73	1	1	-
Beavercreek	---	166	-	-	1
Dayton, part	---	1	-	-	-
Fairborn	---	180	3	3	1
Xenia	---	243	4	3	2
White	---	197	4	3	2
All other	---	46	-	-	-
Black	---	45	-	-	-
Balance of county	---	318	3	2	5
White	---	292	3	2	5
All other	---	26	-	-	-
Black	---	26	-	-	-
Guernsey	409	406	3	1	5
Cambridge	---	166	2	1	1
Balance of county	---	240	1	-	4
Hamilton	9,557	8,479	174	116	108
White	7,914	6,834	98	62	60
All other	1,643	1,645	76	54	48
Black	1,625	1,629	76	54	46
Cincinnati	---	4,446	127	84	64
White	---	3,075	62	38	27
All other	---	1,371	65	46	37
Black	---	1,364	65	46	37
Forest Park	---	94	6	6	2
White	---	61	2	2	-
All other	---	33	4	4	2
Black	---	32	4	4	2
Montgomery	---	71	-	-	1
North College Hill	---	154	2	1	2
Norwood	---	281	3	2	1
Reading	---	107	1	1	1
Sharonville	---	79	1	1	-
Springdale	---	86	-	-	2
Balance of county	---	3,161	34	21	35
White	---	2,925	27	17	26
All other	---	236	7	4	9
Black	---	229	7	4	7
Hancock	628	570	11	7	6
Findlay	---	356	10	7	3
Fostoria, part	---	38	-	-	-
Balance of county	---	176	1	-	3
Hardin	201	296	3	2	2
Harrison	146	207	2	2	2
Henry	195	262	6	3	2
Highland	271	373	3	2	1
Hocking	191	218	7	6	1
Holmes	245	219	9	6	3
Huron	446	516	12	9	3
Norwalk	---	157	3	2	3
Balance of county	---	359	9	7	-
Jackson	193	296	2	1	2
Jefferson	895	972	8	5	14
Steubenville	---	356	3	1	2
White	---	317	1	-	2
All other	---	39	2	1	-
Black	---	37	2	1	-
Balance of county	---	616	5	4	12
Knox	428	459	6	5	2
Mount Vernon	---	203	3	2	1
Balance of county	---	256	3	3	1
Lake	1,420	1,604	28	20	26
Eastlake	---	168	2	1	3
Mentor	---	285	7	7	4
Painesville	---	183	3	2	1
White	---	167	3	2	1
All other	---	16	-	-	-
Black	---	16	-	-	-
Wickliffe	---	125	-	-	-
Willoughby	---	193	4	2	7
Willowick	---	138	3	2	-
Balance of county	---	512	9	6	11
Lawrence	329	597	12	7	7
Ironton	---	180	5	2	1
Balance of county	---	417	7	5	6
Licking	937	1,070	12	7	11
Newark	---	508	6	5	4
Reynoldsburg, part	---	5	-	-	-
Balance of county	---	557	6	2	7
Logan	305	386	3	1	3
Bellefontaine	---	106	1	-	-
Balance of county	---	280	2	1	3
Lorain	1,987	2,084	38	27	35
White	1,851	1,935	30	24	30
All other	136	149	8	3	5
Black	131	145	7	3	5
Amherst	---	107	2	2	-
Avon Lake	---	114	-	-	-
Elyria	---	510	10	8	11
White	---	457	8	7	10
All other	---	53	2	1	1
Black	---	53	2	1	1
Lorain	---	651	10	6	13
White	---	591	7	6	10
All other	---	60	3	-	3
Black	---	58	3	-	3
North Ridgeville	---	109	5	3	4
Sheffield Lake	---	64	1	1	2
Vermilion, part	---	30	-	-	-
Balance of county	---	499	10	7	5
Lucas	5,567	4,646	74	52	58
White	4,948	4,029	55	39	42
All other	619	617	19	13	16
Black	600	605	16	12	15
Maumee	---	122	4	3	7
Oregon	---	196	4	4	2
Sylvania	---	110	2	2	1
Toledo	---	3,689	59	40	42
White	---	3,093	40	27	26
All other	---	596	19	13	16
Black	---	585	16	12	15
Balance of county	---	529	5	3	6
Madison	179	274	5	2	4
Mahoning	2,905	3,080	38	27	30
White	2,524	2,624	22	17	15
All other	381	456	16	10	15
Black	380	454	16	10	15
Alliance, part	---	1	-	-	-
Campbell	---	127	1	1	1
White	---	111	1	1	1
All other	---	16	-	-	-
Black	---	16	-	-	-
Struthers	---	141	1	-	1
Youngstown, part	---	1,392	22	15	21
White	---	969	6	5	6
All other	---	423	16	10	15
Black	---	422	16	10	15
Youngstown, total	---	1,392	22	15	21
White	---	969	6	5	6
All other	---	423	16	10	15
Black	---	422	16	10	15
Balance of county	---	1,419	14	11	7
Marion	695	651	11	7	8
Marion	---	406	9	5	7
Balance of county	---	245	2	2	1
Medina	813	805	9	6	7
Brunswick	---	129	3	2	2
Medina	---	150	1	1	-
Wadsworth	---	156	1	1	1
Balance of county	---	370	4	2	4
Meigs	195	276	4	2	1
Mercer	247	314	5	4	6
Miami	749	813	14	10	9
Piqua	---	226	3	2	4
Troy	---	193	3	3	2
Balance of county	---	394	8	5	3
Monroe	82	180	2	1	1
Montgomery	6,063	5,252	100	61	80
White	5,105	4,337	64	36	53
All other	958	915	36	25	27
Black	942	903	35	24	24
Centerville	---	156	3	1	1
Dayton, part	---	2,186	47	31	44
White	---	1,422	22	11	20
All other	---	764	25	20	24
Black	---	762	25	20	24
Dayton, total	---	2,187	47	31	44
White	---	1,423	22	11	20
All other	---	764	25	20	24
Black	---	762	25	20	24
Englewood	---	84	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Huber Heights	---	202	7	5	3
Kettering	---	591	7	4	5
Miamisburg	---	166	4	3	2
Vandalia	---	87	–	–	–
West Carrollton	---	78	–	–	3
Balance of county	---	1,702	31	16	21
White	---	1,568	23	12	20
All other	---	134	8	4	1
Black	---	128	8	4	–
Morgan	116	165	6	3	1
Morrow	147	202	1	–	2
Muskingum	1,019	822	13	7	5
Zanesville	---	408	6	3	1
White	---	379	6	3	1
All other	---	29	–	–	–
Black	---	28	–	–	–
Balance of county	---	414	7	4	4
Noble	47	119	2	2	2
Ottawa	275	384	3	3	3
Paulding	95	181	4	3	5
Perry	101	304	7	5	1
Pickaway	277	396	9	6	4
Circleville	---	146	5	3	2
Balance of county	---	250	4	3	2
Pike	187	257	4	2	1
Portage	772	938	23	14	13
Kent	---	149	5	3	1
Ravenna	---	149	4	2	3
Balance of county	---	640	14	9	9
Preble	140	317	7	6	7
Putnam	144	251	4	3	2
Richland	1,125	1,140	18	11	13
Mansfield	---	654	9	5	7
White	---	591	7	3	1
All other	---	63	2	2	6
Black	---	62	2	2	4
Balance of county	---	486	9	6	6
Ross	725	573	9	6	2
Chillicothe	---	303	5	3	1
Balance of county	---	270	4	3	1
Sandusky	533	570	11	5	9
Fremont	---	192	6	3	3
White	---	183	4	3	2
All other	---	9	2	–	1
Black	---	9	2	–	1
Balance of county	---	378	5	2	6
Scioto	974	948	10	7	11
Portsmouth	---	388	2	2	5
Balance of county	---	560	8	5	6
Seneca	396	521	7	5	7
Fostoria, part	---	123	2	2	3
White	---	118	2	2	3
All other	---	5	–	–	–
Black	---	5	–	–	–
Fostoria, total	---	176	2	2	3
White	---	169	2	2	3
All other	---	7	–	–	–
Black	---	7	–	–	–
Tiffin	---	184	1	1	2
Balance of county	---	214	4	2	2
Shelby	313	374	12	8	6
Sidney	---	201	6	2	4
Balance of county	---	173	6	6	2
Stark	3,761	3,466	53	38	28
White	3,549	3,241	44	34	23
All other	212	225	9	4	5
Black	211	222	9	4	5
Alliance, part	---	302	3	2	2
White	---	275	2	1	2
All other	---	27	1	1	–
Black	---	26	1	1	–
Alliance, total	---	303	3	2	2
White	---	276	2	1	2
All other	---	27	1	1	–
Black	---	26	1	1	–
Canton	---	1,072	27	17	8
White	---	930	20	15	5
All other	---	142	7	2	3
Black	---	141	7	2	3
Massillon	---	341	5	4	9
White	---	314	4	3	8
All other	---	27	1	1	1
Black	---	27	1	1	1
North Canton	---	154	1	1	1
Balance of county	---	1,597	17	14	8
Summit	4,879	4,931	89	62	47
White	4,432	4,469	61	43	33
All other	447	462	28	19	14
Black	444	461	28	19	14
Akron	---	2,598	58	41	28
White	---	2,172	33	24	15
All other	---	426	25	17	13
Black	---	426	25	17	13
Barberton	---	345	3	3	4
Cuyahoga Falls	---	380	4	4	3
Norton	---	75	1	–	1
Stow	---	112	5	3	–
Tallmadge	---	98	–	–	–
Balance of county	---	1,323	18	11	11
Trumbull	2,168	2,117	32	23	23
White	1,973	1,977	26	18	16
All other	195	140	6	5	7
Black	195	140	6	5	7
Girard	---	115	1	1	–
Niles	---	252	3	2	5
Warren	---	644	11	7	7
White	---	543	8	4	2
All other	---	101	3	3	5
Black	---	101	3	3	5
Youngstown, part	---	–	–	–	–
White	---	–	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	1,106	17	13	11
Tuscarawas	736	892	11	7	8
Dover	---	158	–	–	–
New Philadelphia	---	199	5	3	3
Balance of county	---	535	6	4	5
Union	247	286	8	4	3
Van Wert	259	286	2	–	4
Van Wert	---	120	1	–	1
Balance of county	---	166	1	–	3
Vinton	36	120	2	2	1
Warren	378	725	14	7	16
Franklin	---	95	3	2	5
Balance of county	---	630	11	5	11
Washington	524	580	4	3	11
Marietta	---	207	2	1	5
Balance of county	---	373	2	2	6
Wayne	653	809	10	8	5
Wooster	---	239	2	1	1
Balance of county	---	570	8	7	4
Williams	281	316	6	3	3
Wood	489	754	17	9	10
Bowling Green	---	115	1	–	3
Fostoria, part	---	15	–	–	–
Perrysburg	---	103	3	1	2
Balance of county	---	521	13	8	5
Wyandot	167	220	5	3	3
Oklahoma	29,045	29,950	525	312	395
White	26,087	26,938	397	237	299
All other	2,958	3,012	128	75	96
Black	1,951	1,969	92	54	59
Adair	139	229	2	–	3
White	107	175	1	–	1
All other	32	54	1	–	2
Black	–	–	–	–	–
Alfalfa	68	104	–	–	–
Atoka	98	127	1	1	–
White	82	107	1	1	–
All other	16	20	–	–	–
Black	7	9	–	–	–
Beaver	65	81	–	–	3
Beckham	261	255	1	1	3
Blaine	158	184	4	2	1
White	146	163	4	2	1
All other	12	21	–	–	–
Black	8	11	–	–	–
Bryan	277	399	5	3	1
Durant	---	185	2	1	–
White	---	179	2	1	–
All other	---	6	–	–	–
Black	---	–	–	–	–
Balance of county	---	214	3	2	1
Caddo	278	385	2	–	7
White	242	322	–	–	7
All other	36	63	2	–	–
Black	6	9	–	–	–
Canadian	227	398	5	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
El Reno	---	170	3	2	-
White	---	155	3	2	-
All other	---	15	-	-	-
Black	---	13	-	-	-
Oklahoma City, part	---	5	-	-	-
Yukon	---	138	1	-	3
Balance of county	---	85	1	1	-
Carter	533	533	9	6	5
White	484	470	5	3	5
All other	49	63	4	3	-
Black	32	46	3	3	-
Ardmore	---	347	4	2	3
White	---	296	3	2	3
All other	---	51	1	-	-
Black	---	35	-	-	-
Balance of county	---	186	5	4	2
White	---	174	2	1	2
All other	---	12	3	3	-
Black	---	11	3	3	-
Cherokee	258	304	3	3	4
White	186	241	2	2	-
All other	72	63	1	1	4
Black	1	-	-	-	-
Choctaw	139	216	4	2	3
White	122	183	2	1	1
All other	17	33	2	1	2
Black	11	22	2	1	1
Cimarron	41	54	-	-	-
Cleveland	711	742	17	11	15
Moore	---	145	4	2	4
Norman	---	435	12	9	9
Oklahoma City, part	---	48	-	-	1
Balance of county	---	114	1	-	1
Coal	61	84	-	-	-
White	57	78	-	-	-
All other	4	6	-	-	-
Black	2	2	-	-	-
Comanche	694	661	23	15	28
White	589	561	13	9	13
All other	105	100	10	6	15
Black	73	82	9	6	8
Lawton	---	542	23	15	20
White	---	452	13	9	8
All other	---	90	10	6	12
Black	---	80	9	6	7
Balance of county	---	119	-	-	8
White	---	109	-	-	5
All other	---	10	-	-	3
Black	---	2	-	-	1
Cotton	43	98	-	-	1
Craig	198	246	2	2	1
White	176	219	2	2	-
All other	22	27	-	-	1
Black	12	11	-	-	-
Creek	433	568	10	7	10
Sapulpa	---	222	3	1	5
White	---	203	3	1	4
All other	---	19	-	-	1
Black	---	15	-	-	-
Balance of county	---	346	7	6	5
Custer	212	221	3	1	1
Delaware	269	336	-	-	3
White	245	297	-	-	3
All other	24	39	-	-	-
Black	-	-	-	-	-
Dewey	69	108	-	-	-
Ellis	64	64	-	-	-
Garfield	745	641	8	4	5
Enid	---	522	8	4	3
Balance of county	---	119	-	-	2
Garvin	291	378	2	2	7
Grady	341	395	8	4	4
Chickasha	---	194	3	1	1
White	---	179	3	1	1
All other	---	15	-	-	-
Black	---	14	-	-	-
Balance of county	---	201	5	3	3
Grant	55	89	-	-	-
Greer	85	101	-	-	-
Harmon	44	64	1	1	2
Harper	32	45	1	-	-
Haskell	87	152	1	-	1
Hughes	170	217	2	1	2
White	158	195	1	-	-
All other	12	22	1	1	2
Black	3	5	-	-	-
Jackson	257	262	4	3	5
White	241	243	3	3	4
All other	16	19	1	-	1
Black	15	18	1	-	1
Altus	---	202	4	3	3
White	---	183	3	3	2
All other	---	19	1	-	1
Black	---	18	1	-	1
Balance of county	---	60	-	-	2
Jefferson	69	106	-	-	2
Johnston	84	131	2	1	1
White	74	119	2	1	1
All other	10	12	-	-	-
Black	2	2	-	-	-
Kay	564	605	10	7	6
Ponca City	---	329	4	3	4
Balance of county	---	276	6	4	2
Kingfisher	108	141	2	1	-
Kiowa	128	170	-	-	-
Latimer	119	113	1	1	1
White	86	102	1	1	1
All other	33	11	-	-	-
Black	2	2	-	-	-
Le Flore	308	485	8	6	6
White	298	456	7	5	6
All other	10	29	1	1	-
Black	5	11	1	1	-
Lincoln	207	300	4	3	-
Logan	233	313	9	8	3
White	203	270	6	5	2
All other	30	43	3	3	1
Black	29	41	3	3	1
Guthrie	---	189	6	5	-
White	---	158	4	3	-
All other	---	31	2	2	-
Black	---	30	2	2	-
Balance of county	---	124	3	3	3
White	---	112	2	2	2
All other	---	12	1	1	1
Black	---	11	1	1	1
Love	87	107	1	-	-
McClain	126	184	3	1	1
Oklahoma City, part	---	1	-	-	-
Balance of county	---	183	3	1	1
McCurtain	268	397	6	5	3
White	224	335	6	5	2
All other	44	62	-	-	1
Black	31	36	-	-	-
McIntosh	124	220	-	-	2
White	100	176	-	-	2
All other	24	44	-	-	-
Black	12	18	-	-	-
Major	61	72	-	-	1
Marshall	138	163	-	-	1
Mayes	297	386	6	2	7
White	284	365	4	-	6
All other	13	21	2	2	1
Black	-	-	-	-	-
Murray	125	158	2	1	1
Muskogee	1,090	811	18	8	13
White	895	637	13	4	9
All other	195	174	5	4	4
Black	162	148	5	4	3
Muskogee	---	541	8	3	7
White	---	411	6	1	4
All other	---	130	2	2	3
Black	---	115	2	2	3
Balance of county	---	270	10	5	6
White	---	226	7	3	5
All other	---	44	3	2	1
Black	---	33	3	2	-
Noble	123	156	-	-	-
Nowata	99	133	-	-	1
White	85	115	-	-	1
All other	14	18	-	-	-
Black	12	13	-	-	-
Okfuskee	74	148	3	2	-
White	46	105	3	2	-
All other	28	43	-	-	-
Black	10	24	-	-	-
Oklahoma	6,692	5,170	154	95	83
White	5,865	4,494	109	66	62
All other	827	676	45	29	21
Black	702	608	39	23	19
Bethany	---	186	2	-	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Del City	---	185	3	2	1
White	---	175	2	2	1
All other	---	10	1	-	-
Black	---	8	1	-	-
Edmond	---	260	10	3	5
Midwest City	---	368	6	3	6
White	---	349	6	3	5
All other	---	19	-	-	1
Black	---	13	-	-	1
Oklahoma City, part	---	3,802	121	80	63
White	---	3,241	79	52	43
All other	---	561	42	28	20
Black	---	508	36	22	18
Oklahoma City, total	---	3,856	121	80	64
White	---	3,294	79	52	44
All other	---	562	42	28	20
Black	---	508	36	22	18
The Village	---	8	-	-	-
Balance of county	---	361	12	7	5
White	---	281	10	6	5
All other	---	80	2	1	-
Black	---	75	2	1	-
Okmulgee	436	506	6	3	7
White	367	412	4	1	7
All other	69	94	2	2	-
Black	53	72	1	1	-
Okmulgee	---	251	4	2	3
White	---	184	2	-	3
All other	---	67	2	2	-
Black	---	55	1	1	-
Balance of county	---	255	2	1	4
White	---	228	2	1	4
All other	---	27	-	-	-
Black	---	17	-	-	-
Osage	208	327	4	1	4
White	187	292	2	1	3
All other	21	35	2	-	1
Black	6	9	1	-	-
Bartlesville, part	---	2	-	-	-
Sand Springs, part	---	1	-	-	-
Tulsa, part	---	14	1	-	-
White	---	10	-	-	-
All other	---	4	1	-	-
Black	---	4	1	-	-
Balance of county	---	310	3	1	4
White	---	279	2	1	3
All other	---	31	1	-	1
Black	---	5	-	-	-
Ottawa	320	390	2	-	5
White	297	360	2	-	5
All other	23	30	-	-	-
Black	-	-	-	-	-
Miami	---	200	2	-	3
White	---	187	2	-	3
All other	---	13	-	-	-
Black	---	-	-	-	-
Balance of county	---	190	-	-	2
White	---	173	-	-	2
All other	---	17	-	-	-
Black	---	-	-	-	-
Pawnee	104	167	4	3	1
Payne	372	435	8	3	6
Stillwater	---	214	4	2	2
Balance of county	---	221	4	1	4
Pittsburg	476	495	11	7	4
White	440	451	8	6	3
All other	36	44	3	1	1
Black	23	26	-	-	1
McAlester	---	251	6	2	2
White	---	221	3	1	1
All other	---	30	3	1	1
Black	---	21	-	-	1
Balance of county	---	244	5	5	2
White	---	230	5	5	2
All other	---	14	-	-	-
Black	---	5	-	-	-
Pontotoc	422	389	2	2	3
White	360	353	2	2	2
All other	62	36	-	-	1
Black	11	12	-	-	-
Ada	---	244	1	1	2
White	---	224	1	1	1
All other	---	20	-	-	1
Black	---	9	-	-	-
Balance of county	---	145	1	1	1
Pottawatomie	555	639	13	8	5
Oklahoma City, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	379	7	5	4
White	---	346	6	4	2
All other	---	33	1	1	2
Black	---	9	-	-	2
Balance of county	---	260	6	3	1
Pushmataha	109	134	1	-	2
White	103	125	-	-	2
All other	6	9	1	-	-
Black	2	1	-	-	-
Roger Mills	34	58	-	-	-
Rogers	342	405	9	5	3
White	295	378	8	4	2
All other	47	27	1	1	1
Black	8	9	-	-	-
Claremore	---	201	4	3	-
White	---	185	3	2	-
All other	---	16	1	1	-
Black	---	5	-	-	-
Balance of county	---	204	5	2	3
Seminole	247	372	6	5	4
White	188	288	2	2	3
All other	59	84	4	3	1
Black	35	44	1	1	-
Sequoyah	197	306	3	-	5
White	175	277	3	-	3
All other	22	29	-	-	2
Black	3	7	-	-	-
Stephens	396	449	2	1	2
Duncan	---	265	2	1	1
Balance of county	---	184	-	-	1
Texas	102	146	3	2	5
Tillman	111	144	2	1	5
White	99	126	2	1	4
All other	12	18	-	-	1
Black	11	15	-	-	1
Tulsa	5,029	4,136	85	49	66
White	4,471	3,690	60	39	50
All other	558	446	25	10	16
Black	441	398	20	7	13
Broken Arrow, part	---	268	9	8	9
Broken Arrow, total	---	279	9	8	10
Sand Springs, part	---	151	1	1	4
Sand Springs, total	---	152	1	1	4
Tulsa, part	---	3,305	68	35	45
White	---	2,883	46	28	30
All other	---	422	22	7	15
Black	---	386	19	6	12
Tulsa, total	---	3,319	69	35	45
White	---	2,893	46	28	30
All other	---	426	23	7	15
Black	---	390	20	6	12
Balance of county	---	412	7	5	8
White	---	400	5	3	8
All other	---	12	2	2	-
Black	---	3	-	-	-
Wagoner	175	285	1	-	5
White	158	255	1	-	4
All other	17	30	-	-	1
Black	15	23	-	-	1
Broken Arrow, part	---	11	-	-	1
Balance of county	---	274	1	-	4
White	---	245	1	-	3
All other	---	29	-	-	1
Black	---	23	-	-	1
Washington	536	494	9	5	5
Bartlesville, part	---	362	7	3	2
Bartlesville, total	---	364	7	3	2
Balance of county	---	132	2	2	3
White	---	116	2	2	3
All other	---	16	-	-	-
Black	---	5	-	-	-
Washita	91	143	2	2	3
Woods	106	149	-	-	1
Woodward	150	169	5	2	4
Woodward	---	130	4	1	4
Balance of county	---	39	1	1	-
Oregon	23,439	23,381	366	183	266
White	22,859	22,817	335	164	241
All other	580	564	31	19	25
Black	289	291	18	12	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Baker	168	184	2	–	2
Benton	394	367	8	3	8
Albany, part	---	3	–	–	–
White	---	3	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Corvallis	---	224	4	1	6
Balance of county	---	140	4	2	2
Clackamas	1,752	1,843	30	14	23
Lake Oswego, part	---	152	1	–	1
Lake Oswego, total	---	154	1	–	1
Milwaukie, part	---	243	6	4	–
Milwaukie, total	---	243	6	4	–
Oregon City	---	155	2	–	2
Portland, part	---	13	1	–	–
West Linn	---	68	1	–	3
Balance of county	---	1,212	19	10	17
Clatsop	280	327	4	–	3
Columbia	178	306	5	4	1
Coos	582	627	12	5	3
Coos Bay	---	183	5	3	2
Balance of county	---	444	7	2	1
Crook	110	132	2	1	–
Curry	134	198	–	–	2
Deschutes	586	537	10	4	4
Bend	---	161	4	–	–
Balance of county	---	376	6	4	4
Douglas	888	800	12	8	9
Roseburg	---	240	3	2	1
Balance of county	---	560	9	6	8
Gilliam	5	12	–	–	–
Grant	68	79	1	1	–
Harney	57	63	–	–	2
Hood River	152	163	2	–	3
Jackson	1,287	1,281	21	12	13
Ashland	---	112	–	–	–
Medford	---	449	11	9	7
Balance of county	---	720	10	3	6
Jefferson	71	88	4	2	1
White	57	72	3	2	1
All other	14	16	1	–	–
Black	1	1	–	–	–
Josephine	683	686	14	8	4
Grants Pass	---	227	6	4	–
Balance of county	---	459	8	4	4
Klamath	494	495	10	5	6
Klamath Falls	---	178	2	–	2
Balance of county	---	317	8	5	4
Lake	52	59	–	–	–
Lane	2,145	2,157	24	14	26
Eugene	---	849	10	7	13
Springfield	---	355	7	3	6
Balance of county	---	953	7	4	7
Lincoln	370	431	3	2	8
Linn	646	783	11	5	8
Albany, part	---	259	6	2	2
Albany, total	---	262	6	2	2
Lebanon	---	127	–	–	2
Balance of county	---	397	5	3	4
Malheur	303	259	8	6	2
Marion	1,917	1,900	32	16	28
Salem, part	---	938	21	11	19
Salem, total	---	1,055	22	11	19
Woodburn	---	193	1	–	1
White	---	193	1	–	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	769	10	5	8
Morrow	33	51	1	–	–
Multnomah	6,687	5,700	74	36	52
White	6,308	5,322	56	24	46
All other	379	378	18	12	6
Black	247	264	15	11	5
Gresham	---	313	4	2	5
Lake Oswego, part	---	1	–	–	–
Milwaukie, part	---	–	–	–	–
Portland, part	---	4,141	54	26	33
White	---	3,797	36	14	27
All other	---	344	18	12	6
Black	---	251	15	11	5
Portland, total	---	4,163	55	26	34
White	---	3,819	37	14	28
All other	---	344	18	12	6
Black	---	251	15	11	5
Balance of county	---	1,245	16	8	14
Polk	250	371	4	1	6
Salem, part	---	117	1	–	–
Balance of county	---	254	3	1	6
Sherman	6	13	–	–	–
Tillamook	205	236	3	2	2
Umatilla	437	524	13	5	9
Pendleton	---	126	2	1	1
Balance of county	---	398	11	4	8
Union	155	170	5	2	4
La Grande	---	99	2	–	2
Balance of county	---	71	3	2	2
Wallowa	58	78	–	–	–
Wasco	224	228	1	–	2
City of the Dalles	---	144	–	–	1
Balance of county	---	84	1	–	1
Washington	1,674	1,751	41	22	27
Beaverton	---	272	12	8	3
Forest Grove	---	137	3	1	1
Hillsboro	---	230	10	4	8
Lake Oswego, part	---	1	–	–	–
Portland, part	---	9	–	–	1
Tigard	---	207	2	1	3
Balance of county	---	895	14	8	11
Wheeler	5	12	–	–	–
Yamhill	383	470	9	5	8
McMinnville	---	153	2	1	1
Newberg	---	120	2	1	4
Balance of county	---	197	5	3	3
Pennsylvania	124,766	124,395	1,640	1,092	1,426
White	113,204	112,930	1,162	769	1,095
All other	11,562	11,465	478	323	331
Black	11,343	11,253	468	315	325
Adams	512	667	9	5	3
Allegheny	17,725	15,748	199	152	164
White	15,948	14,051	124	94	106
All other	1,777	1,697	75	58	58
Black	1,749	1,675	74	57	58
Baldwin	---	221	1	1	2
Bellevue	---	138	1	1	–
Bethel Park	---	255	2	2	1
Brentwood	---	154	4	4	–
Carnegie	---	163	2	2	1
Castle Shannon	---	96	–	–	1
Clairton	---	188	2	2	5
White	---	144	1	1	1
All other	---	44	1	1	4
Black	---	43	1	1	4
Dormont	---	97	2	1	–
Duquesne	---	134	4	3	1
White	---	113	–	–	–
All other	---	21	4	3	1
Black	---	20	4	3	1
Elizabeth twp#	---	137	–	–	1
Harrison twp#	---	158	–	–	–
McCandless twp#	---	214	2	–	5
McKeesport	---	515	4	1	1
White	---	460	1	–	1
All other	---	55	3	1	–
Black	---	54	3	1	–
Monroeville	---	237	2	2	3
Mount Lebanon twp#	---	331	3	2	2
Munhall	---	179	–	–	2
North Versailles twp#	---	118	1	–	2
Penn Hills twp#	---	478	7	5	2
White	---	437	5	4	–
All other	---	41	2	1	2
Black	---	40	2	1	2
Pittsburgh	---	5,304	90	68	77
White	---	4,108	37	25	35
All other	---	1,196	53	43	42
Black	---	1,187	53	43	42
Plum	---	139	4	3	4
Ross twp#	---	378	6	4	2
Scott twp#	---	188	1	1	1
Shaler twp#	---	281	5	4	1
South Park twp#	---	62	1	1	3
Swissvale	---	145	1	–	1
Upper St. Clair twp#	---	111	–	–	2
West Mifflin	---	257	3	3	2
Whitehall	---	140	1	–	–
Wilkinsburg	---	310	4	4	3
White	---	233	2	2	2
All other	---	77	2	2	1
Black	---	76	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	4,620	47	38	39
White	---	4,448	39	32	34
All other	---	172	8	6	5
Black	---	167	7	5	5
Armstrong	713	908	12	7	8
Beaver	1,641	1,944	20	9	18
White	1,540	1,823	18	9	14
All other	101	121	2	-	4
Black	100	120	2	-	4
Aliquippa	---	217	4	3	5
White	---	166	3	3	1
All other	---	51	1	-	4
Black	---	51	1	-	4
Beaver Falls	---	170	1	-	2
White	---	145	1	-	2
All other	---	25	-	-	-
Black	---	25	-	-	-
Balance of county	---	1,557	15	6	11
Bedford	323	465	5	4	4
Berks	3,166	3,348	45	26	36
Muhlenberg twp#	---	139	-	-	-
Reading	---	1,001	21	10	15
White	---	938	20	9	11
All other	---	63	1	1	4
Black	---	61	1	1	3
Balance of county	---	2,208	24	16	21
Blair	1,840	1,620	18	13	20
Altoona	---	748	6	4	8
Balance of county	---	872	12	9	12
Bradford	836	619	5	4	10
Bucks	3,872	3,971	39	27	48
White	3,784	3,882	35	24	43
All other	88	89	4	3	5
Black	79	72	3	2	3
Bensalem twp#	---	363	7	5	4
Bristol	---	138	3	2	2
Bristol twp#	---	399	3	1	6
Falls twp#	---	205	5	3	3
Lower Southampton twp#	---	151	-	-	4
Middletown twp#	---	248	2	1	4
Northampton twp#	---	162	2	1	-
Upper Southampton twp#	---	142	1	1	1
Warminster twp#	---	282	2	2	5
Balance of county	---	1,881	14	11	19
White	---	1,851	13	10	18
All other	---	30	1	1	1
Black	---	24	1	1	-
Butler	1,185	1,402	19	16	10
Butler	---	222	4	3	2
Balance of county	---	1,180	15	13	8
Cambria	1,888	1,942	19	11	13
Johnstown	---	547	9	5	2
Balance of county	---	1,395	10	6	11
Cameron	19	64	-	-	3
Carbon	460	679	5	4	5
Centre	798	748	14	9	9
State College	---	118	1	1	2
Balance of county	---	630	13	8	7
Chester	2,404	2,625	41	25	46
White	2,215	2,428	35	20	42
All other	189	197	6	5	4
Black	186	192	6	5	4
Coatesville	---	168	2	1	3
White	---	125	1	-	-
All other	---	43	1	1	3
Black	---	43	1	1	3
Phoenixville	---	182	4	1	1
Tredyffrin twp#	---	167	1	-	1
West Chester	---	223	4	4	2
White	---	189	1	1	2
All other	---	34	3	3	-
Black	---	34	3	3	-
West Goshen twp#	---	96	4	4	-
Balance of county	---	1,789	26	15	39
White	---	1,697	24	14	38
All other	---	92	2	1	1
Black	---	89	2	1	1
Clarion	283	386	5	2	5
Clearfield	814	876	13	9	15
Clinton	323	379	3	3	4
Columbia	623	649	5	1	8
Berwick	---	161	1	-	1
Bloomsburg	---	144	-	-	2
Balance of county	---	344	4	1	5
Crawford	804	898	16	10	5
Meadville	---	198	6	6	2
Balance of county	---	700	10	4	3
Cumberland	1,599	1,556	17	10	15
Carlisle	---	236	3	1	2
East Pennsboro twp#	---	149	2	2	1
Lower Allen twp#	---	119	1	1	-
Balance of county	---	1,052	11	6	12
Dauphin	3,039	2,422	37	28	39
White	2,776	2,142	26	23	27
All other	263	280	11	5	12
Black	259	277	11	5	12
Harrisburg	---	730	18	12	16
White	---	495	7	7	5
All other	---	235	11	5	11
Black	---	233	11	5	11
Lower Paxton twp#	---	324	4	3	3
Middletown	---	3	-	-	-
Susquehanna twp#	---	170	-	-	3
White	---	167	-	-	2
All other	---	3	-	-	1
Black	---	2	-	-	1
Swatara twp#	---	202	2	2	4
Balance of county	---	993	13	11	13
Delaware	5,548	5,734	55	41	60
White	4,997	5,201	36	26	47
All other	551	533	19	15	13
Black	542	523	18	15	13
Aston twp#	---	122	2	2	-
Chester	---	550	15	11	13
White	---	261	2	1	5
All other	---	289	13	10	8
Black	---	288	13	10	8
Darby	---	181	1	1	3
White	---	146	1	1	2
All other	---	35	-	-	1
Black	---	35	-	-	1
Darby twp#	---	57	1	1	3
White	---	33	1	1	2
All other	---	24	-	-	1
Black	---	24	-	-	1
Haverford twp#	---	482	1	1	2
Lansdowne	---	129	1	1	-
Marple twp#	---	290	1	1	-
Middletown twp#	---	191	1	1	-
Nether Providence twp#	---	122	2	1	1
Newtown twp#	---	138	1	-	1
Radnor twp#	---	214	3	1	-
Ridley twp#	---	250	2	1	1
Springfield twp#	---	255	2	2	1
Upper Chichester twp#	---	134	3	2	2
Upper Darby twp#	---	915	8	5	9
Yeadon	---	127	1	1	1
White	---	98	-	-	-
All other	---	29	1	1	1
Black	---	29	1	1	1
Balance of county	---	1,577	10	9	23
White	---	1,495	7	6	22
All other	---	82	3	3	1
Black	---	81	3	3	1
Elk	335	374	5	3	7
Erie	2,844	2,584	32	20	49
White	2,757	2,497	25	14	40
All other	87	87	7	6	9
Black	81	80	7	6	9
Erie	---	1,295	19	13	30
White	---	1,221	12	7	21
All other	---	74	7	6	9
Black	---	68	7	6	9
Millcreek twp#	---	309	-	-	1
Balance of county	---	980	13	7	18
Fayette	1,382	1,773	13	7	25
Connellsville	---	142	3	3	5
Uniontown	---	244	3	1	6
Balance of county	---	1,387	7	3	14
Forest	23	71	2	2	-
Franklin	1,027	1,049	17	9	9
Chambersburg	---	275	5	2	3
Balance of county	---	774	12	7	6
Fulton	93	114	1	-	2
Greene	322	456	9	5	6
Huntingdon	298	410	2	1	9
Indiana	597	814	19	13	8
Indiana	---	92	-	-	-
Balance of county	---	722	19	13	8
Jefferson	424	559	11	9	3
Juniata	123	191	3	1	6
Lackawanna	3,016	2,835	18	8	23
Carbondale	---	176	-	-	4
Dunmore	---	197	-	-	1
Scranton	---	1,256	8	2	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	1,206	10	6	9
Lancaster	3,377	3,366	62	42	60
Columbia	---	154	2	2	4
Ephrata	---	95	1	1	3
Lancaster	---	648	17	11	15
White	---	607	16	10	11
All other	---	41	1	1	4
Black	---	38	1	1	3
Lancaster twp#	---	193	-	-	2
Manheim twp#	---	299	2	-	2
Balance of county	---	1,977	40	28	34
Lawrence	1,085	1,174	15	6	9
New Castle	---	516	5	2	3
Balance of county	---	658	10	4	6
Lebanon	1,321	1,211	8	5	9
Lebanon	---	362	3	2	3
Balance of county	---	849	5	3	6
Lehigh	3,899	2,805	36	29	30
Allentown	---	1,278	20	17	21
Bethlehem, part	---	261	2	2	-
Emmaus	---	111	-	-	2
Salisbury twp#	---	69	-	-	-
Whitehall twp#	---	187	1	1	1
Balance of county	---	899	13	9	6
Luzerne	4,318	4,233	30	22	29
Hazleton	---	411	3	3	1
Kingston	---	221	2	2	1
Nanticoke	---	213	2	2	1
Wilkes-Barre	---	753	4	1	6
Balance of county	---	2,635	19	14	20
Lycoming	1,272	1,146	12	6	19
Williamsport	---	305	3	3	8
Balance of county	---	841	9	3	11
McKean	459	578	7	4	6
Bradford	---	181	2	1	3
Balance of county	---	397	5	3	3
Mercer	1,382	1,324	10	5	16
Sharon	---	233	1	1	2
Balance of county	---	1,091	9	4	14
Mifflin	545	492	3	2	3
Monroe	700	743	9	5	3
Montgomery	6,921	6,213	70	45	63
White	6,408	5,920	56	34	50
All other	513	293	14	11	13
Black	489	268	13	10	13
Abington twp#	---	541	5	2	3
Cheltenham twp#	---	430	4	3	6
East Norriton twp#	---	123	-	-	1
Hatfield twp#	---	75	1	1	1
Lansdale	---	211	5	3	-
Lower Merion twp#	---	621	5	4	5
Lower Moreland twp#	---	91	1	-	-
Lower Providence twp#	---	89	1	-	2
Norristown	---	470	12	9	7
White	---	384	7	6	4
All other	---	86	5	3	3
Black	---	85	5	3	3
Plymouth twp#	---	143	2	1	-
Pottstown	---	304	5	4	4
White	---	288	4	3	4
All other	---	16	1	1	-
Black	---	16	1	1	-
Springfield twp#	---	263	2	1	2
Towamencin twp#	---	51	-	-	2
Upper Dublin twp#	---	161	-	-	1
Upper Merion twp#	---	162	1	1	4
Upper Moreland twp#	---	249	3	1	-
West Norriton twp#	---	98	1	1	2
Whitemarsh twp#	---	154	1	1	1
Balance of county	---	1,977	21	13	22
White	---	1,920	19	11	19
All other	---	57	2	2	3
Black	---	49	1	1	3
Montour	914	214	3	2	-
Northampton	1,364	2,232	28	16	21
Bethlehem, part	---	574	9	3	7
Bethlehem, total	---	835	11	5	7
Easton	---	320	5	4	3
White	---	305	4	3	1
All other	---	15	1	1	2
Black	---	15	1	1	2
Palmer twp#	---	101	1	-	-
Balance of county	---	1,237	13	9	11
Northumberland	876	1,259	6	2	17
Shamokin	---	158	2	1	3
Sunbury	---	165	2	1	3
Pennsylvania-Con.					
Balance of county	---	936	2	-	11
Perry	138	337	6	3	3
Philadelphia, coext. with Philadelphia city	20,838	20,298	436	287	281
White	13,716	12,990	126	91	100
All other	7,122	7,308	310	196	181
Black	7,032	7,234	309	195	180
Pike	109	247	2	1	2
Potter	222	170	6	1	-
Schuylkill	1,667	2,157	12	7	18
Pottsville	---	272	1	-	7
Balance of county	---	1,885	11	7	11
Snyder	143	328	6	5	4
Somerset	757	875	6	4	11
Sullivan	82	99	-	-	2
Susquehanna	273	385	5	4	11
Tioga	372	420	5	4	6
Union	397	396	8	5	5
Venango	699	639	5	5	12
Oil City	---	153	2	2	3
Balance of county	---	486	3	3	9
Warren	440	511	5	5	4
Warren	---	141	-	-	2
Balance of county	---	370	5	5	2
Washington	2,248	2,270	22	18	17
Canonsburg	---	120	1	-	-
Washington	---	274	4	2	-
White	---	245	3	1	-
All other	---	29	1	1	-
Black	---	29	1	1	-
Balance of county	---	1,876	17	16	17
Wayne	361	441	6	6	7
Westmoreland	3,622	4,002	40	33	27
Greensburg	---	274	1	1	2
Hempfield twp#	---	385	4	3	2
Jeannette	---	168	3	1	2
Latrobe	---	143	1	-	1
Lower Burrell	---	148	1	1	-
Monessen	---	142	3	3	-
White	---	127	3	3	-
All other	---	15	-	-	-
Black	---	15	-	-	-
Municipality of Murrysville	---	118	-	-	-
New Kensington	---	232	1	1	3
North Huntingdon twp#	---	276	5	4	2
Balance of county	---	2,116	21	19	15
Wyoming	179	246	6	2	1
York	2,687	2,794	32	17	35
White	2,614	2,716	29	15	31
All other	73	78	3	2	4
Black	71	75	3	2	4
Hanover	---	208	-	-	1
Springettsbury twp#	---	273	1	1	1
Spring Garden twp#	---	150	-	-	1
York	---	549	11	8	15
White	---	482	8	6	11
All other	---	67	3	2	4
Black	---	66	3	2	4
Balance of county	---	1,614	20	8	17
Rhode Island	9,931	9,718	126	87	107
White	9,622	9,422	106	73	91
All other	309	296	20	14	16
Black	264	254	16	12	12
Bristol	221	452	4	3	4
Barrington town#	---	118	2	1	2
Bristol town#	---	211	-	-	2
Warren town#	---	123	2	2	-
Balance of county	---	-	-	-	-
Kent	1,281	1,483	14	8	12
Coventry town#	---	221	2	1	4
Warwick	---	879	9	5	2
West Warwick town#	---	245	2	1	5
Balance of county	---	138	1	1	1
Newport	512	697	11	9	7
Middletown town#	---	113	3	1	1
Newport	---	272	7	7	4
White	---	252	6	6	4
All other	---	20	1	1	-
Black	---	20	1	1	-
Balance of county	---	312	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Rhode Island-Con.					
Providence	7,120	6,260	81	55	74
White	6,854	6,009	63	43	59
All other	266	251	18	12	15
Black	226	217	14	10	11
Central Falls	---	239	5	4	9
Cranston	---	780	6	4	5
Cumberland town#	---	239	4	4	1
East Providence	---	616	6	3	5
Johnston town#	---	224	3	3	-
North Providence town#	---	329	2	2	2
Pawtucket	---	844	11	7	4
Providence	---	1,712	30	19	28
White	---	1,513	15	9	17
All other	---	199	15	10	11
Black	---	173	13	9	8
Woonsocket	---	553	7	4	7
Balance of county	---	724	7	5	13
Washington	797	826	16	12	10
South Carolina	27,334	26,141	684	456	521
White	18,535	19,115	317	216	230
All other	8,799	9,026	367	240	291
Black	8,765	8,996	363	236	286
Abbeville	123	210	3	2	4
White	83	142	1	1	3
All other	40	68	2	1	1
Black	40	68	2	1	1
Aiken	637	1,024	20	12	26
White	444	755	12	7	18
All other	193	269	8	5	8
Black	193	269	8	5	8
Aiken	---	261	3	1	4
White	---	175	-	-	3
All other	---	86	3	1	1
Black	---	86	3	1	1
North Augusta	---	168	3	3	4
White	---	136	3	3	2
All other	---	32	-	-	2
Black	---	32	-	-	2
Balance of county	---	595	14	8	18
White	---	444	9	4	13
All other	---	151	5	4	5
Black	---	151	5	4	5
Allendale	91	115	3	3	3
White	31	39	-	-	-
All other	60	76	3	3	3
Black	60	76	3	3	3
Anderson	1,170	1,191	26	18	10
White	962	974	13	8	4
All other	208	217	13	10	6
Black	207	217	13	10	6
Anderson	---	432	11	9	3
White	---	328	4	3	1
All other	---	104	7	6	2
Black	---	104	7	6	2
Balance of county	---	759	15	9	7
White	---	646	9	5	3
All other	---	113	6	4	4
Black	---	113	6	4	4
Bamberg	177	191	2	2	3
White	90	102	1	1	1
All other	87	89	1	1	2
Black	86	88	1	1	2
Barnwell	168	215	5	2	6
White	88	119	-	-	2
All other	80	96	5	2	4
Black	80	96	5	2	4
Beaufort	436	469	12	10	6
White	261	275	6	5	2
All other	175	194	6	5	4
Black	173	193	6	5	4
Berkeley	225	608	25	16	19
White	138	385	19	12	14
All other	87	223	6	4	5
Black	86	219	6	4	5
Goose Creek	---	65	8	7	5
White	---	58	8	7	4
All other	---	7	-	-	1
Black	---	6	-	-	1
Hanahan	---	58	1	1	1
North Charleston, part	---	-	-	-	-
Balance of county	---	485	16	8	13
White	---	271	10	4	9
All other	---	214	6	4	4
Black	---	211	6	4	4
South Carolina-Con.					
Calhoun	42	108	3	2	2
White	21	49	1	1	-
All other	21	59	2	1	2
Black	21	59	2	1	2
Charleston	3,308	2,227	74	50	76
White	2,009	1,325	25	18	31
All other	1,299	902	49	32	45
Black	1,292	898	49	32	45
Charleston	---	815	27	15	24
White	---	401	6	4	8
All other	---	414	21	11	16
Black	---	412	21	11	16
Mount Pleasant	---	191	2	2	3
North Charleston, part	---	335	19	13	19
White	---	250	8	6	9
All other	---	85	11	7	10
Black	---	84	11	7	10
North Charleston, total	---	335	19	13	19
White	---	250	8	6	9
All other	---	85	11	7	10
Black	---	84	11	7	10
Balance of county	---	886	26	20	30
White	---	516	10	7	12
All other	---	370	16	13	18
Black	---	369	16	13	18
Cherokee	290	387	10	6	3
White	234	306	5	3	3
All other	56	81	5	3	-
Black	56	81	5	3	-
Gaffney	---	192	6	3	1
White	---	138	1	-	1
All other	---	54	5	3	-
Black	---	54	5	3	-
Balance of county	---	195	4	3	2
White	---	168	4	3	2
All other	---	27	-	-	-
Black	---	27	-	-	-
Chester	241	349	7	4	7
White	140	206	2	1	2
All other	101	143	5	3	5
Black	101	143	5	3	5
Chesterfield	237	367	11	6	4
White	156	251	5	3	-
All other	81	116	6	3	4
Black	81	116	6	3	4
Clarendon	203	240	5	5	5
White	79	101	-	-	-
All other	124	139	5	5	5
Black	124	139	5	5	5
Colleton	305	326	6	5	7
White	161	177	2	1	2
All other	144	149	4	4	5
Black	144	149	4	4	5
Darlington	494	632	19	11	6
White	319	406	8	5	1
All other	175	226	11	6	4
Black	175	226	11	6	4
Dillon	238	319	5	1	7
White	142	195	-	-	-
All other	96	124	5	1	7
Black	93	123	5	1	7
Dorchester	198	464	11	7	9
White	147	326	8	4	5
All other	51	138	3	3	4
Black	51	138	3	3	4
Edgefield	111	153	3	2	1
White	62	83	2	2	-
All other	49	70	1	-	1
Black	49	70	1	-	1
Fairfield	189	261	6	3	3
White	99	132	1	1	-
All other	90	129	5	2	3
Black	90	129	5	2	3
Florence	1,360	1,058	31	21	14
White	808	647	11	10	3
All other	552	411	20	11	11
Black	550	411	20	11	11
Florence	---	364	14	12	2
White	---	178	4	4	-
All other	---	186	10	8	2
Black	---	186	10	8	2
Balance of county	---	694	17	9	12
White	---	469	7	6	3
All other	---	225	10	3	9
Black	---	225	10	3	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Georgetown	355	399	12	9	9
White	187	212	7	5	3
All other	168	187	5	4	6
Black	168	187	5	4	6
Georgetown	---	116	1	1	2
White	---	56	1	1	-
All other	---	60	-	-	2
Black	---	60	-	-	2
Balance of county	---	283	11	8	7
White	---	156	6	4	3
All other	---	127	5	4	4
Black	---	127	5	4	4
Greenville	2,653	2,447	48	38	44
White	2,165	2,012	29	23	33
All other	488	435	19	15	11
Black	487	433	19	15	10
Greenville	---	704	18	15	4
White	---	461	8	8	-
All other	---	243	10	7	4
Black	---	243	10	7	3
Greer, part	---	152	-	-	1
White	---	138	-	-	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Greer, total	---	183	-	-	1
White	---	156	-	-	1
All other	---	27	-	-	-
Black	---	27	-	-	-
Balance of county	---	1,591	30	23	39
White	---	1,413	21	15	32
All other	---	178	9	8	7
Black	---	176	9	8	7
Greenwood	728	573	18	13	13
White	501	412	7	6	8
All other	227	161	11	7	5
Black	227	161	11	7	5
Greenwood	---	288	7	3	6
White	---	198	-	-	4
All other	---	90	7	3	2
Black	---	90	7	3	2
Balance of county	---	285	11	10	7
White	---	214	7	6	4
All other	---	71	4	4	3
Black	---	71	4	4	3
Hampton	129	202	6	2	4
White	60	92	2	1	1
All other	69	110	4	1	3
Black	69	110	4	1	3
Horry	992	973	24	6	21
White	807	792	16	4	11
All other	185	181	8	2	10
Black	183	180	8	2	10
Conway	---	137	-	-	4
White	---	90	-	-	-
All other	---	47	-	-	4
Black	---	47	-	-	4
Myrtle Beach	---	141	1	-	4
White	---	125	1	-	2
All other	---	16	-	-	2
Black	---	15	-	-	2
Balance of county	---	695	23	6	13
White	---	577	15	4	9
All other	---	118	8	2	4
Black	---	118	8	2	4
Jasper	124	159	-	-	1
White	53	65	-	-	-
All other	71	94	-	-	1
Black	71	94	-	-	1
Kershaw	242	324	4	2	3
White	153	222	2	2	-
All other	89	102	2	-	3
Black	89	102	2	-	3
Lancaster	409	484	10	7	8
White	307	368	8	5	4
All other	102	116	2	2	4
Black	101	115	2	2	4
Laurens	416	571	11	7	8
White	305	409	8	6	6
All other	111	162	3	1	2
Black	111	162	3	1	2
Laurens	---	173	2	1	3
White	---	114	1	1	3
All other	---	59	1	-	-
Black	---	59	1	-	-
Balance of county	---	398	9	6	5
White	---	295	7	5	3
All other	---	103	2	1	2
Black	---	103	2	1	2
Lee	85	157	5	3	3
White	30	62	-	-	-
All other	55	95	5	3	3
Black	55	95	5	3	3
Lexington	859	1,029	26	21	13
White	729	886	19	15	9
All other	130	143	7	6	4
Black	128	139	6	5	4
Cayce	---	67	1	1	2
White	---	52	-	-	2
All other	---	15	1	1	-
Black	---	15	1	1	-
West Columbia	---	149	2	2	1
White	---	136	2	2	-
All other	---	13	-	-	1
Black	---	13	-	-	1
Balance of county	---	813	23	18	10
White	---	698	17	13	7
All other	---	115	6	5	3
Black	---	111	5	4	3
McCormick	28	76	-	-	1
White	11	27	-	-	-
All other	17	49	-	-	1
Black	17	49	-	-	1
Marion	350	354	10	6	8
White	182	173	2	1	-
All other	168	181	8	5	8
Black	168	181	8	5	8
Marlboro	232	293	5	2	2
White	123	160	-	-	1
All other	109	133	5	2	1
Black	108	132	5	2	1
Newberry	273	366	6	5	5
White	186	244	2	2	3
All other	87	122	4	3	2
Black	87	122	4	3	2
Oconee	445	488	8	6	6
White	393	436	5	3	6
All other	52	52	3	3	-
Black	52	52	3	3	-
Orangeburg	824	887	22	14	19
White	406	439	7	6	7
All other	418	448	15	8	12
Black	418	448	15	8	12
Orangeburg	---	211	5	3	4
White	---	115	2	1	2
All other	---	96	3	2	2
Black	---	96	3	2	2
Balance of county	---	676	17	11	15
White	---	324	5	5	5
All other	---	352	12	6	10
Black	---	352	12	6	10
Pickens	498	648	13	11	4
Easley	---	174	5	4	1
White	---	156	4	3	1
All other	---	18	1	1	-
Black	---	18	1	1	-
Balance of county	---	474	8	7	3
Richland	3,380	2,304	58	40	50
White	2,141	1,394	15	8	14
All other	1,239	910	43	32	36
Black	1,233	907	42	31	35
Columbia	---	1,241	28	21	35
White	---	783	2	-	10
All other	---	458	26	21	25
Black	---	458	26	21	24
Balance of county	---	1,063	30	19	15
White	---	611	13	8	4
All other	---	452	17	11	11
Black	---	449	16	10	11
Saluda	91	172	3	3	1
White	72	132	2	2	1
All other	19	40	1	1	-
Black	19	40	1	1	-
Spartanburg	2,025	1,968	38	25	28
White	1,599	1,557	26	16	12
All other	426	411	12	9	16
Black	423	409	11	8	16
Greer, part	---	31	-	-	-
White	---	18	-	-	-
All other	---	13	-	-	-
Black	---	13	-	-	-
Spartanburg	---	577	8	6	8
White	---	383	3	1	1
All other	---	194	5	5	7
Black	---	194	5	5	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	1,360	30	19	20
White	---	1,156	23	15	11
All other	---	204	7	4	9
Black	---	202	6	3	9
Sumter	700	756	34	24	14
White	331	353	10	7	4
All other	369	403	24	17	10
Black	369	401	23	16	10
Sumter	---	358	12	10	7
White	---	186	5	4	1
All other	---	172	7	6	6
Black	---	171	7	6	6
Balance of county	---	398	22	14	7
White	---	167	5	3	3
All other	---	231	17	11	4
Black	---	230	16	10	4
Union	256	342	8	7	1
White	192	250	5	4	1
All other	64	92	3	3	-
Black	64	92	3	3	-
Union	---	151	2	2	1
White	---	108	-	-	1
All other	---	43	2	2	-
Black	---	43	2	2	-
Balance of county	---	191	6	5	-
White	---	142	5	4	-
All other	---	49	1	1	-
Black	---	49	1	1	-
Williamsburg	211	333	11	7	15
White	82	132	4	4	1
All other	129	201	7	3	14
Black	129	201	7	3	14
York	786	922	17	10	20
White	592	705	8	4	11
All other	194	217	9	6	9
Black	193	215	9	6	8
Rock Hill	---	367	9	6	13
White	---	235	-	-	7
All other	---	132	9	6	6
Black	---	131	9	6	6
Balance of county	---	555	8	4	7
White	---	470	8	4	4
All other	---	85	-	-	3
Black	---	84	-	-	2
South Dakota *	6,592	6,579	155	83	74
White	6,209	6,151	100	59	60
All other	383	428	55	24	14
Black	12	13	3	1	2
Aurora	17	36	-	-	-
Beadle	210	198	2	1	1
Huron	---	156	2	1	-
Balance of county	---	42	-	-	1
Bennett	25	24	3	2	-
White	15	17	1	1	-
All other	10	7	2	1	-
Black	-	-	-	-	-
Bon Homme	81	93	1	-	-
Brookings	156	170	3	1	1
Brookings	---	94	2	-	1
Balance of county	---	76	1	1	-
Brown	340	301	6	4	-
Aberdeen	---	236	6	4	-
Balance of county	---	65	-	-	-
Brule	51	53	1	-	1
Buffalo	2	7	2	-	1
White	1	2	-	-	-
All other	1	5	2	-	1
Black	-	-	-	-	-
Butte	74	91	1	-	2
Campbell	-	18	1	-	-
Charles Mix	96	110	3	2	-
White	77	85	1	1	-
All other	19	25	2	1	-
Black	-	-	-	-	-
Clark	33	65	1	-	-
Clay	71	89	1	1	1
Vermillion	---	44	-	-	-
Balance of county	---	45	1	1	1
Codington	231	216	3	1	1
Watertown	---	177	2	1	1
Balance of county	---	39	1	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Corson	19	43	1	-	-
White	6	25	-	-	-
All other	13	18	1	-	-
Black	-	-	-	-	-
Custer	47	55	2	1	1
Davison	212	194	4	2	4
Mitchell	---	170	2	2	1
Balance of county	---	24	2	-	3
Day	72	107	-	-	-
Deuel	48	65	2	1	-
Dewey	23	43	7	6	2
White	8	18	2	1	1
All other	15	25	5	5	1
Black	-	-	-	-	-
Douglas	42	52	1	1	-
Edmunds	61	62	1	1	2
Fall River	164	143	1	-	1
Faulk	23	36	-	-	-
Grant	70	87	2	1	4
Gregory	69	82	1	-	-
Haakon	25	24	1	1	-
Hamlin	47	67	1	1	2
Hand	49	54	-	-	-
Hanson	8	25	1	-	1
Harding	2	9	1	1	1
Hughes	156	120	2	1	-
Pierre	---	95	1	-	-
Balance of county	---	25	1	1	-
Hutchinson	119	126	1	1	1
Hyde	4	14	-	-	-
Jackson	19	26	2	2	-
White	17	17	-	-	-
All other	2	9	2	2	-
Black	-	-	-	-	-
Jerauld	23	31	-	-	-
Jones	4	16	-	-	-
Kingsbury	85	98	2	1	-
Lake	105	104	-	-	1
Lawrence	161	202	4	2	3
Lincoln	91	132	1	1	1
Sioux Falls, part	---	1	-	-	-
Balance of county	---	131	1	1	1
Lyman	7	20	-	-	1
White	6	17	-	-	1
All other	1	3	-	-	-
Black	-	-	-	-	-
McCook	45	69	1	1	-
McPherson	27	45	-	-	-
Marshall	42	66	1	1	-
Meade	192	115	2	1	5
Mellette	8	23	-	-	1
White	5	10	-	-	-
All other	3	13	-	-	1
Black	-	-	-	-	-
Miner	26	50	1	-	-
Minnehaha	1,505	866	20	13	8
Sioux Falls, part	---	726	18	11	6
Sioux Falls, total	---	727	18	11	6
Balance of county	---	140	2	2	2
Moody	50	77	-	-	-
Pennington	652	562	25	14	10
Rapid City	---	442	21	13	7
Balance of county	---	120	4	1	3
Perkins	23	45	-	-	-
Potter	25	42	-	-	-
Roberts	111	143	4	1	3
White	91	116	1	-	2
All other	20	27	3	1	1
Black	-	-	-	-	-
Sanborn	8	31	1	-	-
Shannon	52	101	11	4	5
White	2	6	-	-	-
All other	50	95	11	4	5
Black	-	-	-	-	-
Spink	73	101	-	-	-
Stanley	1	14	-	-	-
Sully	2	11	-	-	-
Todd	46	79	11	3	2
White	3	5	-	-	-
All other	43	74	11	3	2
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Tripp	72	83	1	1	4
Turner	73	123	1	1	2
Union	54	116	–	–	1
Walworth	114	101	2	1	–
Yankton	245	192	6	5	–
Yankton	---	144	5	4	–
Balance of county	---	48	1	1	–
Ziebach	4	16	2	1	–
White	1	5	–	–	–
All other	3	11	2	1	–
Black	–	–	–	–	–
Tennessee [4]	47,218	44,250	727	457	468
White	39,217	36,687	438	282	302
All other	8,001	7,563	289	175	166
Black	7,936	7,507	283	173	163
Anderson	618	637	8	6	4
Oak Ridge, part	---	231	3	3	3
Oak Ridge, total	---	234	3	3	3
Balance of county	---	406	5	3	1
Bedford	234	298	4	2	1
White	208	266	3	1	1
All other	26	32	1	1	–
Black	26	32	1	1	–
Shelbyville	---	155	4	2	–
White	---	131	3	1	–
All other	---	24	1	1	–
Black	---	24	1	1	–
Balance of county	---	143	–	–	1
Benton	149	183	1	–	–
Bledsoe	64	93	–	–	–
Blount	680	740	9	5	7
Maryville	---	246	4	3	2
Balance of county	---	494	5	2	5
Bradley	534	532	10	6	7
Cleveland	---	288	6	3	3
Balance of county	---	244	4	3	4
Campbell	394	400	4	–	4
Cannon	83	105	–	–	1
Carroll	276	364	2	2	2
White	251	332	2	2	2
All other	25	32	–	–	–
Black	25	32	–	–	–
Carter	372	530	4	4	3
Elizabethton	---	167	2	2	–
Johnson City, part	---	4	–	–	–
Balance of county	---	359	2	2	3
Cheatham	78	179	2	1	3
Chester	56	122	2	1	–
White	48	107	–	–	–
All other	8	15	2	1	–
Black	8	15	2	1	–
Claiborne	227	259	4	2	1
Clay	59	91	–	–	–
Cocke	248	316	2	–	3
Coffee	323	341	5	1	4
Tullahoma, part	---	131	2	1	2
Tullahoma, total	---	132	2	1	2
Balance of county	---	210	3	–	2
Crockett	38	159	–	–	–
White	35	132	–	–	–
All other	3	27	–	–	–
Black	3	27	–	–	–
Cumberland	351	294	4	1	2
Davidson	6,260	4,423	89	48	54
White	5,025	3,341	40	26	32
All other	1,225	1,082	49	22	22
Black	1,212	1,073	49	22	21
Nashville-Davidson	---	4,345	89	48	44
White	---	3,269	40	26	23
All other	---	1,076	49	22	21
Black	---	1,067	49	22	20
Balance of county	---	78	–	–	10
Decatur	82	111	3	1	3
De Kalb	147	153	2	2	2
Dickson	342	341	5	2	1
Dyer	340	351	2	1	4
White	290	306	–	–	–
All other	50	45	2	1	4
Black	50	45	2	1	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Dyersburg	---	179	2	1	3
White	---	147	–	–	–
All other	---	32	2	1	3
Black	---	32	2	1	3
Balance of county	---	172	–	–	1
Fayette	135	249	6	4	6
White	71	133	4	3	1
All other	64	116	2	1	5
Black	64	116	2	1	5
Fentress	146	179	1	1	2
Franklin	309	306	3	3	2
Tullahoma, part	---	1	–	–	–
Balance of county	---	305	3	3	2
Gibson	497	644	8	2	13
White	391	523	3	1	6
All other	106	121	5	1	7
Black	106	121	5	1	7
Humboldt	---	127	5	1	3
White	---	85	1	–	1
All other	---	42	4	1	2
Black	---	42	4	1	2
Balance of county	---	517	3	1	10
White	---	438	2	1	5
All other	---	79	1	–	5
Black	---	79	1	–	5
Giles	200	275	5	2	6
White	157	219	2	2	4
All other	43	56	3	–	2
Black	43	56	3	–	2
Grainger	77	184	1	1	1
Greene	524	542	8	7	7
Greeneville	---	186	1	1	2
Balance of county	---	356	7	6	5
Grundy	57	153	–	–	2
Hamblen	389	404	5	3	3
Morristown	---	258	4	2	3
Balance of county	---	146	1	1	–
Hamilton	3,052	2,700	48	33	31
White	2,520	2,168	30	21	20
All other	532	532	18	12	11
Black	530	530	18	12	11
Chattanooga	---	1,780	35	23	23
White	---	1,265	17	11	12
All other	---	515	18	12	11
Black	---	513	18	12	11
East Ridge	---	185	–	–	2
Red Bank	---	102	–	–	–
Balance of county	---	633	13	10	6
Hancock	47	70	1	–	–
Hardeman	175	257	4	3	5
White	125	175	2	2	4
All other	50	82	2	1	1
Black	50	82	2	1	1
Hardin	185	256	4	2	2
Hawkins	205	377	3	2	4
Kingsport, part	---	17	–	–	–
White	---	15	–	–	–
All other	---	2	–	–	–
Black	---	2	–	–	–
Balance of county	---	360	3	2	4
Haywood	179	237	3	2	2
White	89	108	1	1	–
All other	90	129	2	1	2
Black	90	129	2	1	2
Henderson	173	248	1	–	2
Henry	319	373	5	2	2
White	282	325	5	2	1
All other	37	48	–	–	1
Black	37	47	–	–	1
Paris	---	172	–	–	–
White	---	138	–	–	–
All other	---	34	–	–	–
Black	---	33	–	–	–
Balance of county	---	201	5	2	2
Hickman	110	170	–	–	1
Houston	96	78	–	–	1
Humphreys	88	178	2	2	–
Jackson	72	104	–	–	1
Jefferson	216	284	1	1	8
Johnson	98	158	3	2	3
Knox	4,186	3,063	40	26	18
White	3,858	2,761	37	24	15
All other	328	302	3	2	3
Black	321	296	3	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Knoxville	---	2,081	24	15	10
White	---	1,799	21	13	8
All other	---	282	3	2	2
Black	---	276	3	2	2
Balance of county	---	982	16	11	8
Lake	11	75	-	-	1
White	10	58	-	-	-
All other	1	17	-	-	1
Black	1	17	-	-	1
Lauderdale	208	289	6	4	3
White	128	191	1	1	-
All other	80	98	5	3	3
Black	80	97	5	3	3
Lawrence	303	348	3	3	6
Lawrenceburg	---	143	-	-	2
Balance of county	---	205	3	3	4
Lewis	66	92	1	1	-
Lincoln	240	267	4	2	1
White	211	231	3	1	1
All other	29	36	1	1	-
Black	29	36	1	1	-
Loudon	196	286	2	-	2
McMinn	424	407	3	1	1
Athens	---	134	1	-	1
Balance of county	---	273	2	1	-
McNairy	181	260	1	1	1
Macon	95	146	3	3	2
Madison	1,345	721	11	8	9
White	1,015	471	6	5	4
All other	330	250	5	3	5
Black	329	250	5	3	5
Jackson	---	544	9	7	7
White	---	351	6	5	2
All other	---	193	3	2	5
Black	---	193	3	2	5
Balance of county	---	177	2	1	2
White	---	120	-	-	2
All other	---	57	2	1	-
Black	---	57	2	1	-
Marion	203	242	-	-	2
Marshall	190	240	2	2	-
White	176	222	1	1	-
All other	14	18	1	1	-
Black	14	18	1	1	-
Maury	549	556	2	-	10
White	464	462	1	-	6
All other	85	94	1	-	4
Black	85	94	1	-	4
Columbia	---	316	2	-	6
White	---	250	1	-	3
All other	---	66	1	-	3
Black	---	66	1	-	3
Balance of county	---	240	-	-	4
White	---	212	-	-	3
All other	---	28	-	-	1
Black	---	28	-	-	1
Meigs	19	64	1	1	-
Monroe	202	280	2	-	4
Montgomery	593	622	21	14	5
White	473	494	12	8	2
All other	120	128	9	6	3
Black	117	125	8	6	3
Clarksville	---	391	20	13	4
White	---	284	11	7	1
All other	---	107	9	6	3
Black	---	104	8	6	3
Balance of county	---	231	1	1	1
White	---	210	1	1	1
All other	---	21	-	-	-
Black	---	21	-	-	-
Moore	3	39	-	-	1
Morgan	56	145	2	1	3
Obion	376	388	6	4	5
Union City	---	154	3	1	3
White	---	124	1	1	2
All other	---	30	2	-	1
Black	---	30	2	-	1
Balance of county	---	234	3	3	2
Overton	179	175	1	1	-
Perry	65	79	-	-	-
Pickett	6	52	-	-	-
Polk	89	137	3	2	1
Putnam	443	463	5	3	3
Cookeville	---	195	4	2	2
Balance of county	---	268	1	1	1
Rhea	167	255	4	3	3
Roane	355	426	6	5	-
Oak Ridge, part	---	3	-	-	-
Balance of county	---	423	6	5	-
Robertson	365	396	4	-	2
White	309	332	1	-	2
All other	56	64	3	-	-
Black	56	64	3	-	-
Springfield	---	152	3	-	1
White	---	100	-	-	1
All other	---	52	3	-	-
Black	---	52	3	-	-
Balance of county	---	244	1	-	1
Rutherford	743	654	21	12	10
White	657	573	16	10	9
All other	86	81	5	2	1
Black	86	81	5	2	1
Murfreesboro	---	309	7	2	6
White	---	260	6	2	5
All other	---	49	1	-	1
Black	---	49	1	-	1
Balance of county	---	345	14	10	4
Scott	143	173	7	2	1
Sequatchie	66	71	-	-	-
Sevier	301	415	6	3	1
Shelby	9,337	7,157	199	141	96
White	5,489	3,858	53	39	23
All other	3,848	3,299	146	102	73
Black	3,822	3,278	142	100	73
Bartlett	---	51	2	2	-
Germantown	---	84	1	1	2
Memphis	---	6,668	181	128	86
White	---	3,496	43	31	17
All other	---	3,172	138	97	69
Black	---	3,152	134	95	69
Millington	---	73	4	3	2
White	---	59	4	3	1
All other	---	14	-	-	1
Black	---	14	-	-	1
Balance of county	---	281	11	7	6
White	---	178	4	3	3
All other	---	103	7	4	3
Black	---	103	7	4	3
Smith	134	152	1	1	3
Stewart	38	107	-	-	-
Sullivan	2,012	1,293	15	11	14
Bristol [7]	---	273	5	4	5
Kingsport, part	---	415	4	3	4
Kingsport, total	---	492	4	3	4
Balance of county	---	605	6	4	5
Sumner	547	688	11	7	14
Gallatin	---	201	5	3	3
White	---	158	3	2	1
All other	---	43	2	1	2
Black	---	43	2	1	2
Hendersonville	---	189	3	2	4
Balance of county	---	298	3	2	7
Tipton	243	321	6	5	4
White	148	215	1	1	2
All other	95	106	5	4	2
Black	95	106	5	4	2
Trousdale	52	65	1	-	-
White	48	59	1	-	-
All other	4	6	-	-	-
Black	4	6	-	-	-
Unicoi	112	170	2	1	-
Union	56	102	-	-	3
Van Buren	5	33	-	-	-
Warren	297	328	3	2	2
McMinnville	---	139	1	-	1
Balance of county	---	189	2	2	1
Washington	1,394	861	15	12	10
Johnson City, part	---	503	7	6	3
Johnson City, total	---	507	7	6	3
Balance of county	---	358	8	6	7
Wayne	96	159	5	2	3
Weakley	280	375	5	3	2
White	165	210	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Williamson	384	447	11	5	5
Franklin	---	190	6	4	3
White	---	149	3	3	2
All other	---	41	3	1	1
Black	---	41	3	1	1
Balance of county	---	257	5	1	2
Wilson	404	508	11	8	5
Lebanon	---	203	4	4	4
White	---	173	2	2	4
All other	---	30	2	2	-
Black	---	30	2	2	-
Balance of county	---	305	7	4	1
Texas	120,261	118,747	2,921	1,838	2,156
White	103,925	102,451	2,218	1,398	1,675
All other	16,336	16,296	703	440	481
Black	15,832	15,823	671	420	440
Anderson	366	445	8	6	3
White	276	350	6	5	2
All other	90	95	2	1	1
Black	90	95	2	1	1
Palestine	---	248	4	3	1
White	---	180	3	2	1
All other	---	68	1	1	-
Black	---	68	1	1	-
Balance of county	---	197	4	3	2
White	---	170	3	3	1
All other	---	27	1	-	1
Black	---	27	1	-	1
Andrews	78	84	7	4	1
Andrews	---	66	6	4	1
White	---	65	6	4	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	18	1	-	-
Angelina	664	609	16	7	8
White	556	522	13	7	8
All other	108	87	3	-	-
Black	105	84	3	-	-
Lufkin	---	320	8	3	5
White	---	254	6	3	5
All other	---	66	2	-	-
Black	---	64	2	-	-
Balance of county	---	289	8	4	3
White	---	268	7	4	3
All other	---	21	1	-	-
Black	---	20	1	-	-
Aransas	32	130	5	4	-
Archer	40	54	-	-	1
Wichita Falls, part	---	-	-	-	-
Balance of county	---	54	-	-	1
White	---	54	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Armstrong	31	24	-	-	-
Atascosa	198	258	3	2	4
Austin	191	225	1	-	2
White	163	196	1	-	1
All other	28	29	-	-	1
Black	28	29	-	-	1
Bailey	37	53	-	-	-
Bandera	45	100	-	-	2
Bastrop	197	302	14	8	4
White	168	252	12	6	2
All other	29	50	2	2	2
Black	29	50	2	2	2
Baylor	75	78	-	-	1
Bee	171	219	4	2	1
Beeville	---	142	3	1	1
White	---	138	3	1	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	77	1	1	-
White	---	76	1	1	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Bell	1,771	1,144	46	28	37
White	1,560	1,011	34	19	17
All other	211	133	12	9	20
Black	201	127	12	9	19
Belton	---	103	2	2	2
White	---	96	1	1	1
All other	---	7	1	1	1
Black	---	7	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Killeen	---	229	20	12	18
White	---	187	12	6	5
All other	---	42	8	6	13
Black	---	37	8	6	12
Temple	---	478	4	2	3
White	---	417	3	1	3
All other	---	61	1	1	-
Black	---	61	1	1	-
Balance of county	---	334	20	12	14
White	---	311	18	11	8
All other	---	23	2	1	6
Black	---	22	2	1	6
Bexar	9,232	7,894	216	134	159
White	8,490	7,210	191	116	139
All other	742	684	25	18	20
Black	713	658	24	17	20
San Antonio	---	6,611	179	110	131
White	---	5,981	154	92	115
All other	---	630	25	18	16
Black	---	611	24	17	16
Universal City	---	76	2	1	-
White	---	75	2	1	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	1,207	35	23	28
White	---	1,154	35	23	24
All other	---	53	-	-	4
Black	---	46	-	-	4
Blanco	36	72	1	-	-
Borden	6	10	-	-	-
Bosque	193	206	2	2	3
Bowie	762	799	7	4	13
White	591	625	3	2	8
All other	171	174	4	2	5
Black	168	171	4	2	5
Texarkana *	---	321	2	-	9
White	---	226	-	-	5
All other	---	95	2	-	4
Black	---	93	2	-	4
Balance of county	---	478	5	4	4
White	---	399	3	2	3
All other	---	79	2	2	1
Black	---	78	2	2	1
Brazoria	802	1,125	31	20	18
White	701	999	24	16	16
All other	101	126	7	4	2
Black	99	123	7	4	2
Alvin	---	135	5	2	4
Angleton	---	118	2	1	2
White	---	102	1	1	2
All other	---	16	1	-	-
Black	---	16	1	-	-
Freeport	---	96	4	2	3
White	---	81	-	-	2
All other	---	15	4	2	1
Black	---	15	4	2	1
Lake Jackson	---	101	3	2	1
Pearland, part	---	98	6	6	-
Pearland, total	---	101	6	6	-
Balance of county	---	577	11	7	8
White	---	494	9	5	6
All other	---	83	2	2	-
Black	---	82	2	2	-
Brazos	587	553	17	10	7
White	459	421	13	8	7
All other	128	132	4	2	-
Black	127	129	4	2	-
Bryan	---	392	7	5	4
White	---	284	4	3	4
All other	---	108	3	2	-
Black	---	107	3	2	-
College Station	---	94	6	4	2
Balance of county	---	67	4	1	1
White	---	58	4	1	1
All other	---	9	-	-	-
Black	---	9	-	-	-
Brewster	95	75	1	1	1
Briscoe	10	29	-	-	1
Brooks	63	67	1	1	1
Brown	364	400	6	4	7
Brownwood	---	244	5	3	2
White	---	235	5	3	2
All other	---	9	-	-	-
Black	---	9	-	-	-
Balance of county	---	156	1	1	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Burleson	109	167	1	1	1
White	87	129	–	–	1
All other	22	38	1	1	–
Black	22	38	1	1	–
Burnet	233	302	4	2	1
Caldwell	198	256	5	5	3
White	172	226	3	3	3
All other	26	30	2	2	–
Black	26	30	2	2	–
Calhoun	116	154	3	1	3
Port Lavaca	– – –	100	2	1	3
White	– – –	92	2	1	3
All other	– – –	8	–	–	–
Black	– – –	8	–	–	–
Balance of county	– – –	54	1	–	–
Callahan	63	136	2	1	1
Cameron	1,664	1,536	52	36	38
Brownsville	– – –	575	27	20	12
White	– – –	571	27	20	12
All other	– – –	4	–	–	–
Black	– – –	4	–	–	–
Harlingen	– – –	372	8	3	10
White	– – –	367	8	3	10
All other	– – –	5	–	–	–
Black	– – –	4	–	–	–
San Benito	– – –	155	4	3	5
White	– – –	155	4	3	5
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	434	13	10	11
White	– – –	432	13	10	11
All other	– – –	2	–	–	–
Black	– – –	1	–	–	–
Camp	97	118	6	5	4
White	70	87	4	4	3
All other	27	31	2	1	1
Black	27	31	2	1	1
Carson	15	46	1	–	–
Cass	284	352	4	3	8
White	220	277	1	1	5
All other	64	75	3	2	3
Black	64	75	3	2	3
Castro	41	64	1	1	2
Chambers	90	156	1	1	4
White	70	131	–	–	2
All other	20	25	1	1	2
Black	20	25	1	1	2
Baytown, part	– – –	–	–	–	–
Balance of county	– – –	156	1	1	4
White	– – –	131	–	–	2
All other	– – –	25	1	1	2
Black	– – –	25	1	1	2
Cherokee	418	458	2	1	2
White	338	381	2	1	1
All other	80	77	–	–	1
Black	80	77	–	–	1
Jacksonville	– – –	159	1	–	2
White	– – –	127	1	–	1
All other	– – –	32	–	–	1
Black	– – –	32	–	–	1
Balance of county	– – –	299	1	1	–
White	– – –	254	1	1	–
All other	– – –	45	–	–	–
Black	– – –	45	–	–	–
Childress	96	101	1	–	3
Clay	71	100	–	–	–
Cochran	14	34	–	–	–
Coke	24	45	1	–	–
Coleman	113	155	–	–	1
Collin	836	964	23	18	21
Carrollton, part	– – –	1	–	–	–
Dallas, part	– – –	20	1	1	1
Garland, part	– – –	–	–	–	–
McKinney	– – –	195	2	1	5
White	– – –	172	1	–	4
All other	– – –	23	1	1	1
Black	– – –	23	1	1	1
Plano, part	– – –	295	14	11	5
Plano, total	– – –	295	14	11	5
Richardson, part	– – –	17	–	–	–
Balance of county	– – –	436	6	5	10
Collingsworth	45	61	–	–	1
Colorado	216	221	1	1	1
White	177	166	1	1	1
All other	39	55	–	–	–
Black	39	55	–	–	–
Comal	413	440	6	5	5
New Braunfels, part	– – –	284	5	4	4
White	– – –	276	3	2	4
All other	– – –	8	2	2	–
Black	– – –	7	2	2	–
New Braunfels, total	– – –	288	6	5	4
White	– – –	280	4	3	4
All other	– – –	8	2	2	–
Black	– – –	7	2	2	–
Balance of county	– – –	156	1	1	1
Comanche	169	194	–	–	5
Concho	29	45	–	–	–
Cooke	268	303	5	4	6
Gainesville	– – –	194	4	3	3
White	– – –	177	4	3	2
All other	– – –	17	–	–	1
Black	– – –	17	–	–	–
Balance of county	– – –	109	1	1	3
Coryell	169	270	9	5	7
White	163	252	7	3	5
All other	6	18	2	2	2
Black	6	15	2	2	2
Copperas Cove	– – –	88	8	4	3
White	– – –	74	6	2	2
All other	– – –	14	2	2	1
Black	– – –	11	2	2	1
Balance of county	– – –	182	1	1	4
White	– – –	178	1	1	3
All other	– – –	4	–	–	1
Black	– – –	4	–	–	1
Cottle	26	43	1	–	–
Crane	29	35	3	1	1
Crockett	33	41	2	–	–
Crosby	68	78	4	2	2
Culberson	14	15	–	–	–
Dallam	12	57	2	2	–
Dallas	13,342	12,035	379	232	281
White	10,671	9,531	237	142	186
All other	2,671	2,504	142	90	95
Black	2,592	2,431	135	86	85
Balch Springs	– – –	89	4	2	1
Carrollton, part	– – –	171	11	4	5
Carrollton, total	– – –	214	14	7	5
Dallas, part	– – –	8,024	244	158	162
White	– – –	5,728	128	84	85
All other	– – –	2,296	116	74	77
Black	– – –	2,258	111	71	74
Dallas, total	– – –	8,048	245	159	163
White	– – –	5,752	129	85	86
All other	– – –	2,296	116	74	77
Black	– – –	2,258	111	71	74
De Soto	– – –	127	3	2	4
Duncanville	– – –	163	6	4	4
Farmers Branch	– – –	142	4	3	3
Garland, part	– – –	755	30	18	18
White	– – –	698	23	13	11
All other	– – –	57	7	5	7
Black	– – –	51	7	5	3
Garland, total	– – –	755	30	18	18
White	– – –	698	23	13	11
All other	– – –	57	7	5	7
Black	– – –	51	7	5	3
Grand Prairie, part	– – –	384	16	8	14
White	– – –	352	15	7	12
All other	– – –	32	1	1	2
Black	– – –	31	1	1	2
Grand Prairie, total	– – –	425	17	8	14
White	– – –	386	16	7	12
All other	– – –	39	1	1	2
Black	– – –	38	1	1	2
Grapevine, part	– – –	–	–	–	–
Irving	– – –	668	32	22	20
Lancaster	– – –	181	1	1	1
White	– – –	165	–	–	–
All other	– – –	16	1	1	1
Black	– – –	16	1	1	1
Mesquite	– – –	427	11	4	22
Richardson, part	– – –	317	6	3	10
Richardson, total	– – –	334	6	3	10
University Park	– – –	141	–	–	3
Balance of county	– – –	446	11	3	14
White	– – –	423	9	3	13
All other	– – –	23	2	–	1
Black	– – –	20	2	–	1
Dawson	109	146	4	–	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Lamesa	---	134	4	-	3
White	---	120	4	-	3
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	12	-	-	1
White	---	11	-	-	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Deaf Smith	112	127	6	5	2
Hereford	---	104	6	5	2
White	---	100	6	5	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	23	-	-	-
White	---	23	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Delta	32	85	-	-	-
Denton	905	952	34	18	24
Carrollton, part	---	42	3	3	-
Dallas, part	---	4	-	-	-
Denton	---	374	8	5	7
White	---	347	8	5	5
All other	---	27	-	-	2
Black	---	21	-	-	1
Lewisville	---	169	8	2	5
Plano, part	---	-	-	-	-
The Colony	---	42	5	3	3
Balance of county	---	321	10	5	9
De Witt	172	241	4	3	2
White	140	194	3	2	2
All other	32	47	1	1	-
Black	32	47	1	1	-
Dickens	17	35	1	1	-
Dimmit	83	68	2	2	1
Donley	23	56	1	1	1
Duval	12	124	2	1	2
Eastland	208	269	1	1	2
Ector	914	828	20	12	25
Odessa	---	674	15	9	19
White	---	631	13	7	18
All other	---	43	2	2	1
Black	---	42	2	2	1
Balance of county	---	154	5	3	6
Edwards	5	24	1	-	-
Ellis	530	680	10	8	8
White	466	595	9	8	7
All other	64	85	1	-	1
Black	64	85	1	-	1
Ennis	---	159	4	3	1
White	---	129	3	3	1
All other	---	30	1	-	-
Black	---	30	1	-	-
Grand Prairie, part	---	-	-	-	-
Waxahachie	---	203	3	2	1
White	---	168	3	2	1
All other	---	35	-	-	-
Black	---	35	-	-	-
Balance of county	---	318	3	3	6
White	---	298	3	3	5
All other	---	20	-	-	1
Black	---	20	-	-	1
El Paso	3,221	2,988	126	89	72
White	3,102	2,886	110	80	69
All other	119	102	16	9	3
Black	101	91	16	9	3
El Paso	---	2,842	116	84	66
White	---	2,747	103	77	63
All other	---	95	13	7	3
Black	---	84	13	7	3
Balance of county	---	146	10	5	6
White	---	139	7	3	6
All other	---	7	3	2	-
Black	---	7	3	2	-
Erath	265	307	2	2	4
Stephenville	---	168	-	-	2
Balance of county	---	139	2	2	2
Falls	302	270	3	2	4
White	234	209	2	2	3
All other	68	61	1	-	1
Black	68	61	1	-	1
Fannin	357	364	5	4	3
Fayette	187	284	1	1	5
Fisher	53	70	1	1	2
Floyd	76	84	-	-	-
Foard	29	40	-	-	-
Fort Bend	608	752	30	16	23
White	498	610	21	11	15
All other	108	142	9	5	8
Black	103	129	8	4	6
Houston, part	---	11	2	-	2
White	---	10	1	-	2
All other	---	1	1	-	-
Black	---	1	1	-	-
Missouri City, part	---	104	7	4	7
White	---	72	3	1	3
All other	---	32	4	3	4
Black	---	28	4	3	3
Missouri City, total	---	110	8	5	7
White	---	73	3	1	3
All other	---	37	5	4	4
Black	---	32	5	4	3
Rosenberg	---	132	1	-	3
White	---	119	1	-	2
All other	---	13	-	-	1
Black	---	12	-	-	1
Balance of county	---	505	20	12	11
White	---	409	16	10	8
All other	---	96	4	2	3
Black	---	88	3	1	2
Franklin	68	80	1	1	-
Freestone	182	197	1	-	3
White	132	143	1	-	2
All other	50	54	-	-	1
Black	50	54	-	-	1
Frio	84	100	3	2	-
Gaines	39	98	4	3	3
Galveston	1,875	1,691	26	15	20
White	1,420	1,311	16	8	15
All other	455	380	10	7	5
Black	450	374	9	7	5
Friendswood, part	---	69	1	-	1
Friendswood, total	---	89	1	-	1
Galveston	---	658	10	7	6
White	---	456	6	3	5
All other	---	202	4	4	1
Black	---	200	4	4	1
La Marque	---	99	-	-	2
White	---	73	-	-	-
All other	---	26	-	-	2
Black	---	26	-	-	2
League City	---	95	1	1	3
Texas City	---	367	4	1	3
White	---	264	1	-	1
All other	---	103	3	1	2
Black	---	99	2	1	2
Balance of county	---	403	10	6	5
White	---	358	8	5	5
All other	---	45	2	1	-
Black	---	45	2	1	-
Garza	33	55	2	2	-
Gillespie	190	198	1	-	1
Glasscock	2	3	-	-	1
Goliad	41	58	-	-	1
Gonzales	184	243	4	4	1
White	158	211	3	3	-
All other	26	32	1	1	1
Black	26	32	1	1	1
Gray	208	243	3	3	2
Pampa	---	205	3	3	2
Balance of county	---	38	-	-	-
Grayson	1,137	1,020	9	4	14
Denison	---	305	2	2	6
White	---	267	2	2	4
All other	---	38	-	-	2
Black	---	38	-	-	2
Sherman	---	299	3	-	6
White	---	261	1	-	5
All other	---	38	2	-	1
Black	---	37	2	-	1
Balance of county	---	416	4	2	2
Gregg	1,057	979	12	7	18
White	831	766	7	5	17
All other	226	213	5	2	1
Black	226	213	5	2	1
Kilgore, part	---	115	-	-	2
White	---	98	-	-	2
All other	---	17	-	-	-
Black	---	17	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Kilgore, total	---	154	-	-	2
White	---	137	-	-	2
All other	---	17	-	-	-
Black	---	17	-	-	-
Longview, part	---	589	8	6	13
White	---	448	4	4	13
All other	---	141	4	2	-
Black	---	141	4	2	-
Longview, total	---	592	8	6	13
White	---	450	4	4	13
All other	---	142	4	2	-
Black	---	142	4	2	-
Balance of county	---	275	4	1	3
White	---	220	3	1	2
All other	---	55	1	-	1
Black	---	55	1	-	1
Grimes	165	206	1	-	2
White	107	142	1	-	2
All other	58	64	-	-	-
Black	58	64	-	-	-
Guadalupe	284	410	7	3	6
New Braunfels, part	---	4	1	1	-
Seguin	---	171	3	1	4
White	---	150	3	1	3
All other	---	21	-	-	1
Black	---	20	-	-	1
Balance of county	---	235	3	1	2
Hale	249	281	7	5	7
Plainview	---	198	5	4	6
White	---	186	5	4	6
All other	---	12	-	-	-
Black	---	12	-	-	-
Balance of county	---	83	2	1	1
White	---	82	2	1	1
All other	---	1	-	-	-
Black	---	-	-	-	-
Hall	67	80	1	1	1
Hamilton	148	145	2	2	1
Hansford	39	54	1	1	1
Hardeman	90	100	2	1	2
Hardin	217	362	3	1	1
White	189	319	3	1	-
All other	28	43	-	-	1
Black	28	42	-	-	1
Harris	16,200	15,600	518	348	395
White	13,955	11,695	323	220	260
All other	4,245	3,905	195	128	135
Black	4,046	3,737	183	121	117
Baytown, part	---	436	9	3	6
White	---	396	9	3	6
All other	---	40	-	-	-
Black	---	40	-	-	-
Baytown, total	---	436	9	3	6
White	---	396	9	3	6
All other	---	40	-	-	-
Black	---	40	-	-	-
Bellaire	---	120	-	-	2
Deer Park	---	83	2	2	4
Friendswood, part	---	20	-	-	-
Houston, part	---	11,822	409	276	292
White	---	8,117	221	152	175
All other	---	3,705	188	124	117
Black	---	3,561	177	117	102
Houston, total	---	11,833	411	276	294
White	---	8,127	222	152	177
All other	---	3,706	189	124	117
Black	---	3,562	178	117	102
La Porte	---	137	5	2	4
White	---	128	2	1	4
All other	---	9	3	1	-
Black	---	9	3	1	-
Missouri City, part	---	6	1	1	-
White	---	1	-	-	-
All other	---	5	1	1	-
Black	---	4	1	1	-
Pasadena	---	630	22	15	10
White	---	621	22	15	8
All other	---	9	-	-	2
Black	---	4	-	-	-
Pearland, part	---	3	-	-	-
South Houston	---	91	-	-	1
White	---	90	-	-	1
All other	---	1	-	-	-
Black	---	1	-	-	-
West University Place	---	48	1	1	-
Balance of county	---	2,204	69	48	76
White	---	2,070	66	46	60
All other	---	134	3	2	16
Black	---	117	2	2	15
Harrison	466	574	8	6	9
White	296	372	6	5	4
All other	170	202	2	1	5
Black	169	202	2	1	5
Longview, part	---	3	-	-	-
Marshall	---	345	2	1	4
White	---	221	1	1	1
All other	---	124	1	-	3
Black	---	124	1	-	3
Balance of county	---	226	6	5	5
White	---	149	5	4	3
All other	---	77	1	1	2
Black	---	77	1	1	2
Hartley	67	40	-	-	-
Haskell	81	100	1	1	-
Hays	260	323	9	4	2
San Marcos	---	172	6	2	1
White	---	159	4	2	1
All other	---	13	2	-	-
Black	---	13	2	-	-
Balance of county	---	151	3	2	1
White	---	147	3	2	1
All other	---	4	-	-	-
Black	---	3	-	-	-
Hemphill	34	31	-	-	-
Henderson	378	588	8	4	5
White	334	524	5	3	5
All other	44	64	3	1	-
Black	44	63	3	1	-
Athens	---	138	3	2	2
White	---	111	2	2	2
All other	---	27	1	-	-
Black	---	27	1	-	-
Balance of county	---	450	5	2	3
Hidalgo	1,811	1,798	57	35	45
Edinburg	---	173	8	2	6
White	---	173	8	2	6
All other	---	-	-	-	-
Black	---	-	-	-	-
McAllen	---	433	13	9	6
White	---	430	13	9	6
All other	---	3	-	-	-
Black	---	2	-	-	-
Mercedes	---	88	2	2	2
White	---	87	2	2	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Mission	---	177	3	1	1
Pharr	---	123	6	2	5
White	---	122	6	2	5
All other	---	1	-	-	-
Black	---	1	-	-	-
Weslaco	---	174	2	2	4
White	---	173	2	2	4
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	630	23	17	21
White	---	629	23	17	21
All other	---	1	-	-	-
Black	---	1	-	-	-
Hill	297	358	4	4	3
White	271	326	4	4	1
All other	26	32	-	-	2
Black	25	32	-	-	2
Hockley	125	180	3	-	-
Levelland	---	113	3	-	-
White	---	109	3	-	-
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	67	-	-	-
White	---	65	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Hood	183	237	9	6	3
Hopkins	274	294	4	3	2
White	254	267	2	1	2
All other	20	27	2	2	-
Black	20	27	2	2	-
Sulphur Springs	---	180	2	1	1
White	---	158	1	-	1
All other	---	22	1	1	-
Black	---	22	1	1	-
Balance of county	---	114	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Houston	255	279	4	2	1
White	197	209	2	1	–
All other	58	70	2	1	1
Black	58	70	2	1	1
Howard	441	361	11	8	5
Big Spring	---	289	10	7	5
White	---	273	8	6	5
All other	---	16	2	1	–
Black	---	16	2	1	–
Balance of county	---	72	1	1	–
White	---	72	1	1	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Hudspeth	11	13	–	–	–
Hunt	538	631	7	3	5
White	475	564	5	3	3
All other	63	67	2	–	2
Black	62	67	2	–	2
Greenville	---	276	4	2	2
White	---	231	3	2	1
All other	---	45	1	–	1
Black	---	45	1	–	1
Balance of county	---	355	3	1	3
Hutchinson	181	261	7	5	1
Borger	---	176	3	3	1
Balance of county	---	85	4	2	–
Irion	5	12	–	–	–
Jack	75	99	2	2	–
Jackson	101	140	3	2	2
White	87	117	–	–	1
All other	14	23	3	2	1
Black	14	23	3	2	1
Jasper	284	372	9	8	4
White	222	297	9	8	3
All other	62	75	–	–	1
Black	61	75	–	–	1
Jeff Davis	5	12	–	–	–
Jefferson	2,772	2,349	29	13	38
White	2,072	1,634	13	7	20
All other	700	715	16	6	18
Black	684	702	15	6	17
Beaumont	---	1,109	15	5	14
White	---	664	6	3	6
All other	---	445	9	2	8
Black	---	443	9	2	8
Groves	---	140	–	–	2
Nederland	---	124	3	1	2
Port Arthur	---	754	9	5	16
White	---	497	2	1	6
All other	---	257	7	4	10
Black	---	247	6	4	9
Port Neches	---	87	2	2	1
Balance of county	---	135	–	–	3
White	---	123	–	–	3
All other	---	12	–	–	–
Black	---	12	–	–	–
Jim Hogg	5	42	1	1	1
Jim Wells	291	284	4	2	3
Alice	---	168	3	1	3
White	---	164	3	1	3
All other	---	4	–	–	–
Black	---	4	–	–	–
Balance of county	---	116	1	1	–
White	---	116	1	1	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Johnson	524	675	9	5	8
Burleson, part	---	106	1	1	1
Burleson, total	---	120	1	1	1
Cleburne	---	254	1	1	1
Balance of county	---	315	7	3	6
Jones	180	220	2	–	1
Abilene, part	---	1	–	–	–
Balance of county	---	219	2	–	1
White	---	206	2	–	1
All other	---	13	–	–	–
Black	---	13	–	–	–
Karnes	107	149	2	1	2
Kaufman	501	563	9	4	7
White	426	463	6	3	6
All other	75	100	3	1	1
Black	74	99	3	1	1
Dallas, part	---	–	–	–	–
Terrell	---	202	3	1	2
White	---	140	1	–	1
All other	---	62	2	1	1
Black	---	62	2	1	1
Balance of county	---	361	6	3	5
White	---	323	5	3	5
All other	---	38	1	–	–
Black	---	37	1	–	–
Kendall	93	151	1	1	1
Kenedy	2	6	–	–	–
Kent	5	15	–	–	–
Kerr	605	464	6	4	3
Kerrville	---	298	–	–	–
White	---	288	–	–	–
All other	---	10	–	–	–
Black	---	10	–	–	–
Balance of county	---	166	6	4	3
Kimble	35	46	–	–	–
King	–	1	–	–	–
Kinney	14	31	–	–	–
Kleberg	142	192	4	–	2
Corpus Christi, part	---	–	–	–	–
Kingsville	---	167	4	–	2
White	---	161	4	–	2
All other	---	6	–	–	–
Black	---	6	–	–	–
Balance of county	---	25	–	–	–
White	---	25	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Knox	38	69	1	–	1
Lamar	618	503	8	3	5
White	533	432	5	3	5
All other	85	71	3	–	–
Black	82	68	3	–	–
Paris	---	348	4	1	3
White	---	290	1	1	3
All other	---	58	3	–	–
Black	---	56	3	–	–
Balance of county	---	155	4	2	2
Lamb	107	161	2	2	–
Lampasas	96	128	1	1	–
La Salle	15	48	1	1	–
Lavaca	250	260	1	–	1
Lee	84	137	3	1	5
White	70	115	3	1	3
All other	14	22	–	–	2
Black	14	22	–	–	2
Leon	87	162	2	–	3
White	66	122	1	–	3
All other	21	40	1	–	–
Black	21	40	1	–	–
Liberty	374	496	12	7	5
White	329	423	12	7	3
All other	45	73	–	–	2
Black	44	72	–	–	2
Limestone	230	300	1	–	5
White	180	231	1	–	4
All other	50	69	–	–	1
Black	49	68	–	–	1
Lipscomb	12	32	–	–	2
Live Oak	44	82	2	2	–
Llano	145	194	3	2	2
Loving	1	–	–	–	–
Lubbock	1,948	1,463	60	33	16
White	1,799	1,329	46	26	14
All other	149	134	14	7	2
Black	145	132	14	7	2
Lubbock	---	1,215	54	33	12
White	---	1,097	41	26	10
All other	---	118	13	7	2
Black	---	116	13	7	2
Balance of county	---	248	6	–	4
White	---	232	5	–	4
All other	---	16	1	–	–
Black	---	16	1	–	–
Lynn	46	68	1	1	–
McCulloch	116	135	–	–	–
McLennan	1,774	1,732	36	28	26
White	1,455	1,407	21	16	19
All other	319	325	15	12	9
Black	318	324	15	12	9
Waco	---	1,198	28	22	22
White	---	916	15	12	16
All other	---	282	13	10	6
Black	---	281	13	10	6
Balance of county	---	534	8	6	6
White	---	491	6	4	3
All other	---	43	2	2	3
Black	---	43	2	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
McMullen	3	10	1	–	–
Madison	129	122	2	–	1
White	98	100	–	–	1
All other	31	22	2	–	–
Black	31	22	2	–	–
Marion	80	137	1	–	2
White	51	87	–	–	1
All other	29	50	1	–	1
Black	29	50	1	–	1
Martin	31	33	–	–	–
Mason	31	49	–	–	–
Matagorda	273	314	7	2	7
White	211	246	6	2	6
All other	62	68	1	–	1
Black	61	67	1	–	1
Bay City	– – –	161	2	1	5
White	– – –	122	2	1	5
All other	– – –	39	–	–	–
Black	– – –	39	–	–	–
Balance of county	– – –	153	5	1	2
White	– – –	124	4	1	1
All other	– – –	29	1	–	1
Black	– – –	28	1	–	1
Maverick	108	147	6	3	9
Eagle Pass	– – –	107	3	1	7
White	– – –	106	3	1	7
All other	– – –	1	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	40	3	2	2
White	– – –	40	3	2	2
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Medina	161	248	2	–	–
Menard	17	46	1	–	1
Midland	548	604	20	12	11
Midland	– – –	542	17	11	11
White	– – –	483	16	10	8
All other	– – –	59	1	1	3
Black	– – –	58	1	1	3
Balance of county	– – –	62	3	1	–
Milam	212	288	2	1	3
White	183	251	1	1	2
All other	29	37	1	–	1
Black	29	37	1	–	1
Mills	75	76	2	2	–
Mitchell	83	101	1	1	1
Montague	253	302	1	1	–
Montgomery	700	1,042	25	14	18
Conroe	– – –	218	9	6	3
White	– – –	177	8	5	2
All other	– – –	41	1	1	1
Black	– – –	41	1	1	1
Houston, part	– – –	–	–	–	–
Balance of county	– – –	824	16	8	15
Moore	100	126	3	2	–
Dumas	– – –	85	2	1	–
Balance of county	– – –	41	1	1	–
Morris	129	165	–	–	1
White	102	123	–	–	1
All other	27	42	–	–	–
Black	27	42	–	–	–
Motley	5	25	–	–	–
Nacogdoches	511	442	6	4	9
White	408	348	4	3	7
All other	103	94	2	1	2
Black	103	94	2	1	2
Nacogdoches	– – –	231	2	–	2
White	– – –	170	1	–	2
All other	– – –	61	1	–	–
Black	– – –	61	1	–	–
Balance of county	– – –	211	4	4	7
White	– – –	178	3	3	5
All other	– – –	33	1	1	2
Black	– – –	33	1	1	2
Navarro	424	460	4	2	4
White	354	381	4	2	3
All other	70	79	–	–	1
Black	70	79	–	–	1
Corsicana	– – –	290	4	2	3
White	– – –	233	4	2	2
All other	– – –	57	–	–	1
Black	– – –	57	–	–	1
Balance of county	– – –	170	–	–	1
White	– – –	148	–	–	1
All other	– – –	22	–	–	–
Black	– – –	22	–	–	–
Newton	91	121	1	–	1
White	76	100	1	–	–
All other	15	21	–	–	1
Black	15	21	–	–	1
Nolan	139	181	1	1	4
Sweetwater	– – –	139	–	–	3
White	– – –	133	–	–	3
All other	– – –	6	–	–	–
Black	– – –	6	–	–	–
Balance of county	– – –	42	1	1	1
White	– – –	41	1	1	1
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Nueces	2,312	1,923	51	36	44
White	2,191	1,811	50	35	40
All other	121	112	1	1	4
Black	117	108	–	–	3
Corpus Christi, part	– – –	1,667	44	31	37
White	– – –	1,563	43	30	33
All other	– – –	104	1	1	4
Black	– – –	100	–	–	3
Corpus Christi, total	– – –	1,667	44	31	37
White	– – –	1,563	43	30	33
All other	– – –	104	1	1	4
Black	– – –	100	–	–	3
Portland, part	– – –	3	–	–	–
Robstown	– – –	115	3	3	4
White	– – –	108	3	3	4
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	138	4	2	3
White	– – –	137	4	2	3
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Ochiltree	60	74	2	2	3
Oldham	15	18	–	–	2
Orange	370	658	8	4	6
Orange	– – –	236	4	2	3
White	– – –	162	1	–	2
All other	– – –	74	3	2	1
Black	– – –	74	3	2	1
Vidor	– – –	136	2	1	1
Balance of county	– – –	286	2	1	2
Palo Pinto	234	285	3	1	3
Mineral Wells, part	– – –	148	1	–	2
White	– – –	143	1	–	2
All other	– – –	5	–	–	–
Black	– – –	5	–	–	–
Mineral Wells, total	– – –	148	1	–	4
White	– – –	143	1	–	4
All other	– – –	5	–	–	–
Black	– – –	5	–	–	–
Balance of county	– – –	137	2	1	1
Panola	184	220	2	1	2
White	146	176	–	–	1
All other	38	44	2	1	1
Black	38	44	2	1	1
Parker	296	422	4	2	2
Mineral Wells, part	– – –	–	–	–	2
White	– – –	–	–	–	2
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Weatherford	– – –	188	1	1	–
Balance of county	– – –	234	3	1	–
Parmer	69	86	–	–	1
Pecos	81	89	6	5	3
Polk	206	373	5	1	3
White	180	316	4	1	3
All other	26	57	1	–	–
Black	25	53	1	–	–
Potter	1,708	900	27	14	23
White	1,608	820	22	11	19
All other	100	80	5	3	4
Black	85	74	5	3	4
Amarillo, part	– – –	876	25	12	23
White	– – –	797	20	9	19
All other	– – –	79	5	3	4
Black	– – –	73	5	3	4
Amarillo, total	– – –	1,294	34	18	26
White	– – –	1,214	29	15	21
All other	– – –	80	5	3	4
Black	– – –	74	5	3	4
Balance of county	– – –	24	2	2	–
Presidio	13	51	–	–	1
Rains	31	84	–	–	1
Randall	187	542	13	9	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Amarillo, part	---	418	9	6	2
Canyon	---	70	3	2	-
Balance of county	---	54	1	1	1
Reagan	18	17	1	-	-
Real	9	34	-	-	-
Red River	133	216	5	5	2
White	102	159	1	1	2
All other	31	57	4	4	-
Black	30	56	4	4	-
Reeves	65	117	4	4	2
Pecos	---	94	3	3	1
White	---	88	3	3	-
All other	---	6	-	-	1
Black	---	6	-	-	1
Balance of county	---	23	1	1	1
White	---	23	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	65	107	-	-	1
Roberts	2	7	-	-	-
Robertson	132	212	-	-	1
White	87	148	-	-	1
All other	45	64	-	-	-
Black	45	64	-	-	-
Rockwall	73	136	7	6	3
Dallas, part	---	-	-	-	-
Garland, part	---	-	-	-	-
Balance of county	---	136	7	6	3
White	---	128	6	6	3
All other	---	8	1	-	-
Black	---	7	1	-	-
Runnels	124	162	-	-	2
Rusk	390	560	7	5	7
White	309	441	5	4	4
All other	81	119	2	1	3
Black	81	119	2	1	3
Henderson	---	178	3	2	2
White	---	137	2	2	1
All other	---	41	1	-	1
Black	---	41	1	-	1
Kilgore, part	---	39	-	-	-
Balance of county	---	343	4	3	5
White	---	265	3	2	3
All other	---	78	1	1	2
Black	---	78	1	1	2
Sabine	101	158	-	-	-
White	92	140	-	-	-
All other	9	18	-	-	-
Black	9	18	-	-	-
San Augustine	106	138	2	1	-
White	79	104	1	-	-
All other	27	34	1	1	-
Black	27	34	1	1	-
San Jacinto	80	162	2	1	2
White	63	125	1	-	2
All other	17	37	1	1	-
Black	17	37	1	1	-
San Patricio	324	421	13	10	11
Corpus Christi, part	---	-	-	-	-
Portland, part	---	54	2	1	2
Portland, total	---	57	2	1	2
Balance of county	---	367	11	9	9
White	---	363	11	9	7
All other	---	4	-	-	2
Black	---	4	-	-	2
San Saba	61	85	1	-	-
Schleicher	26	37	2	1	1
Scurry	111	149	9	4	8
Snyder	---	116	8	4	4
White	---	112	8	4	4
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	33	1	-	4
White	---	33	1	-	4
All other	---	-	-	-	-
Black	---	-	-	-	-
Shackelford	34	44	1	1	3
Shelby	224	308	5	3	10
White	185	251	3	2	8
All other	39	57	2	1	2
Black	39	57	2	1	2
Sherman	9	24	-	-	-
Smith	1,908	1,272	15	10	24
White	1,558	995	6	4	16
All other	350	277	9	6	8
Black	347	276	9	6	8
Tyler	---	717	7	5	11
White	---	533	-	-	7
All other	---	184	7	5	4
Black	---	183	7	5	4
Balance of county	---	555	8	5	13
White	---	462	6	4	9
All other	---	93	2	1	4
Black	---	93	2	1	4
Somervell	32	40	-	-	-
Starr	96	159	8	5	-
Stephens	137	164	1	1	2
Sterling	11	12	1	-	-
Stonewall	22	29	-	-	1
Sutton	25	43	1	-	1
Swisher	59	95	2	1	2
Tarrant	8,004	7,357	252	165	139
White	6,929	6,299	173	108	109
All other	1,075	1,058	79	57	30
Black	1,044	1,023	76	54	29
Arlington	---	942	48	30	26
White	---	914	39	23	23
All other	---	28	9	7	3
Black	---	20	9	7	3
Bedford	---	137	6	5	-
Benbrook	---	73	-	-	1
Burleson, part	---	14	-	-	-
Euless	---	122	9	6	3
Forest Hill	---	76	5	4	2
White	---	51	2	1	1
All other	---	25	3	3	1
Black	---	25	3	3	1
Fort Worth	---	4,110	131	87	79
White	---	3,146	68	42	53
All other	---	964	63	45	26
Black	---	950	62	44	25
Grand Prairie, part	---	41	1	-	-
White	---	34	1	-	-
All other	---	7	-	-	-
Black	---	7	-	-	-
Grapevine, part	---	125	8	5	1
Grapevine, total	---	125	8	5	1
Haltom City	---	263	5	3	2
Hurst	---	174	4	2	4
North Richland Hills	---	186	8	4	2
Watauga	---	46	8	8	4
White Settlement	---	139	4	2	1
Balance of county	---	909	15	9	14
Taylor	1,202	965	16	11	21
Abilene, part	---	837	14	9	18
White	---	785	13	8	13
All other	---	52	1	1	5
Black	---	51	1	1	5
Abilene, total	---	838	14	9	18
White	---	786	13	8	13
All other	---	52	1	1	5
Black	---	51	1	1	5
Balance of county	---	128	2	2	3
Terrell	5	14	-	-	-
Terry	99	116	2	1	2
Brownfield	---	101	2	1	2
White	---	94	2	1	2
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	15	-	-	-
White	---	15	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Throckmorton	14	32	1	1	-
Titus	299	270	1	1	2
White	249	235	-	-	1
All other	50	35	1	1	1
Black	50	35	1	1	1
Mount Pleasant	---	156	1	1	2
White	---	122	-	-	1
All other	---	34	1	1	1
Black	---	34	1	1	1
Balance of county	---	114	-	-	-
Tom Green	960	820	11	7	16
San Angelo	---	735	10	6	16
White	---	693	8	5	14
All other	---	42	2	1	2
Black	---	41	2	1	2
Balance of county	---	85	1	1	-
Travis	3,299	2,917	73	42	43
White	2,844	2,494	52	28	34
All other	455	423	21	14	9
Black	445	411	19	13	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Austin, part	---	2,576	63	37	38
White	---	2,173	42	23	29
All other	---	403	21	14	9
Black	---	392	19	13	9
Austin, total	---	2,579	63	37	38
White	---	2,176	42	23	29
All other	---	403	21	14	9
Black	---	392	19	13	9
Round Rock, part	---	1	-	-	-
Balance of county	---	340	10	5	5
White	---	320	10	5	5
All other	---	20	-	-	-
Black	---	19	-	-	-
Trinity	102	173	1	1	2
White	81	140	-	-	2
All other	21	33	1	1	-
Black	21	33	1	1	-
Tyler	136	186	3	1	-
White	120	166	2	1	-
All other	16	20	1	-	-
Black	16	20	1	-	-
Upshur	197	348	5	4	3
White	176	304	5	4	3
All other	21	44	-	-	-
Black	21	44	-	-	-
Upton	33	44	1	1	-
Uvalde	189	193	4	3	3
Uvalde	---	131	4	3	2
White	---	130	4	3	2
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	62	-	-	1
White	---	62	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Val Verde	221	245	9	5	5
Del Rio	---	211	9	5	5
White	---	206	9	5	5
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	34	-	-	-
White	---	34	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Van Zandt	246	455	1	-	6
Victoria	700	527	12	12	7
Victoria	---	411	9	9	6
White	---	367	7	7	6
All other	---	44	2	2	-
Black	---	43	2	2	-
Balance of county	---	116	3	3	1
White	---	112	3	3	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Walker	302	260	2	-	5
White	229	190	2	-	4
All other	73	70	-	-	1
Black	73	70	-	-	1
Huntsville	---	117	1	-	3
White	---	92	1	-	2
All other	---	25	-	-	1
Black	---	25	-	-	1
Balance of county	---	143	1	-	2
White	---	98	1	-	2
All other	---	45	-	-	-
Black	---	45	-	-	-
Waller	60	156	1	1	3
White	45	113	1	1	2
All other	15	43	-	-	1
Black	15	43	-	-	1
Ward	74	121	8	4	1
Washington	355	315	2	-	3
White	289	243	1	-	3
All other	66	72	1	-	-
Black	64	71	1	-	-
Brenham	---	160	1	-	1
White	---	126	1	-	1
All other	---	34	-	-	-
Black	---	33	-	-	-
Balance of county	---	155	1	-	2
White	---	117	-	-	2
All other	---	38	1	-	-
Black	---	38	1	-	-
Webb	677	634	20	12	13
Laredo	---	605	20	12	13
Balance of county	---	29	-	-	-
Wharton	346	432	13	9	5
White	274	338	9	7	3
All other	72	94	4	2	2
Black	72	94	4	2	2
El Campo	---	128	4	3	2
White	---	104	3	3	2
All other	---	24	1	-	-
Black	---	24	1	-	-
Balance of county	---	304	9	6	3
White	---	234	6	4	1
All other	---	70	3	2	2
Black	---	70	3	2	2
Wheeler	78	85	2	2	3
Wichita	1,327	1,190	26	16	18
White	1,211	1,069	20	14	16
All other	116	121	6	2	2
Black	113	117	6	2	2
Burkburnett	---	88	1	1	1
Wichita Falls, part	---	943	21	12	16
White	---	827	15	10	14
All other	---	116	6	2	2
Black	---	113	6	2	2
Wichita Falls, total	---	943	21	12	16
White	---	827	15	10	14
All other	---	116	6	2	2
Black	---	113	6	2	2
Balance of county	---	159	4	3	1
Wilbarger	181	224	-	-	6
Vernon	---	195	-	-	5
White	---	187	-	-	4
All other	---	8	-	-	1
Black	---	8	-	-	1
Balance of county	---	29	-	-	1
Willacy	88	159	4	1	2
Williamson	560	680	18	10	22
Austin, part	---	3	-	-	-
Round Rock, part	---	101	4	2	6
White	---	96	4	2	5
All other	---	5	-	-	1
Black	---	4	-	-	1
Round Rock, total	---	102	4	2	6
White	---	97	4	2	5
All other	---	5	-	-	1
Black	---	4	-	-	1
Taylor	---	163	1	1	3
White	---	134	1	1	1
All other	---	29	-	-	2
Black	---	29	-	-	2
Balance of county	---	413	13	7	13
White	---	390	13	7	10
All other	---	23	-	-	3
Black	---	21	-	-	3
Wilson	95	160	-	-	-
Winkler	65	82	4	4	2
Wise	185	257	3	2	3
Wood	328	442	4	-	1
White	309	413	4	-	1
All other	19	29	-	-	-
Black	19	29	-	-	-
Yoakum	32	47	2	1	-
Young	227	244	4	1	-
Zapata	30	58	2	1	2
Zavala	8	72	6	2	1
Utah	9,330	8,939	312	184	232
White	9,060	8,697	296	175	215
All other	270	242	16	9	17
Black	69	64	3	-	3
Beaver	35	44	-	-	-
Box Elder	196	229	5	4	5
Brigham City	---	112	3	2	2
White	---	110	3	2	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Balance of county	---	117	2	2	3
Cache	283	304	14	8	7
Logan	---	167	10	7	3
Balance of county	---	137	4	1	4
Carbon	175	167	5	3	2
Daggett	4	3	-	-	-
Davis	554	664	33	23	23
Bountiful	---	202	7	4	7
Clearfield	---	86	3	2	3
White	---	85	3	2	3
All other	---	1	-	-	-
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Utah-Con.					
Layton	---	125	6	3	3
Balance of county	---	251	17	14	10
Duchesne	72	73	5	4	5
Emery	39	66	2	1	2
Garfield	29	27	1	1	2
Grand	42	49	2	2	1
Iron	105	112	1	1	4
Cedar City	---	62	-	-	-
Balance of county	---	50	1	1	4
Juab	37	36	1	1	2
Kane	46	32	1	-	-
Millard	87	92	5	2	1
Morgan	8	17	-	-	-
Piute	6	19	-	-	-
Rich	8	15	1	1	1
Salt Lake	4,412	3,811	129	73	93
White	4,268	3,702	120	69	85
All other	144	109	9	4	8
Black	43	44	3	-	3
Midvale	---	67	7	1	4
Murray	---	195	4	2	8
Salt Lake City	---	1,671	29	18	30
White	---	1,603	26	16	25
All other	---	68	3	2	5
Black	---	27	1	-	2
Sandy City	---	133	10	8	10
South Salt Lake	---	93	7	5	1
West Jordan	---	82	11	7	9
Balance of county	---	1,570	61	32	31
White	---	1,539	56	30	29
All other	---	31	5	2	2
Black	---	15	2	-	1
San Juan	69	63	3	2	5
White	35	31	2	1	1
All other	34	32	1	1	4
Black	-	-	-	-	-
Sanpete	84	142	2	2	3
Sevier	102	115	2	1	1
Summit	25	54	1	-	2
Tooele	110	147	3	1	1
Tooele	---	104	2	-	-
Balance of county	---	43	1	1	1
Uintah	87	139	7	3	-
Utah	1,169	1,089	53	28	44
American Fork	---	84	3	2	-
Orem	---	229	16	9	12
Pleasant Grove	---	73	3	1	3
Provo	---	309	17	11	14
Springville	---	85	4	-	1
Balance of county	---	309	10	5	14
Wasatch	86	75	1	-	-
Washington	326	308	5	3	9
St. George	---	183	2	2	5
Balance of county	---	123	3	1	4
Wayne	5	16	1	-	-
Weber	1,129	1,033	29	20	19
Ogden	---	612	15	11	10
White	---	587	15	11	9
All other	---	25	-	-	1
Black	---	14	-	-	-
Roy	---	113	3	1	4
South Ogden	---	75	3	2	1
Balance of county	---	233	8	6	4
Vermont	4,856	4,760	81	61	44
White	4,842	4,747	78	59	44
All other	14	13	3	2	-
Black	10	8	1	1	-
Addison	182	228	5	4	1
Bennington	413	352	4	4	3
Caledonia	181	238	3	2	1
Chittenden	1,108	788	21	17	12
Burlington	---	335	6	4	3
South Burlington	---	73	3	2	-
Balance of county	---	380	12	11	9
Essex	20	70	-	-	1
Franklin	295	354	5	3	3
Grand Isle	16	49	-	-	1
Lamoille	153	150	2	2	2
Orange	121	178	2	2	2
Orleans	242	256	2	2	-
Rutland	669	643	11	10	6
Vermont-Con.					
Rutland	---	284	6	6	3
Balance of county	---	359	5	4	3
Washington	542	549	8	7	5
Windham	391	390	11	4	3
Windsor	523	521	7	4	4
Virginia	45,734	46,516	965	651	941
White	35,287	36,085	571	379	585
All other	10,447	10,431	394	272	356
Black	10,222	10,196	378	263	343
Accomack	175	432	6	6	5
White	128	301	2	2	2
All other	47	131	4	4	3
Black	47	131	4	4	3
Albemarle	1,035	367	7	2	7
White	777	303	6	2	6
All other	258	64	1	-	1
Black	254	63	1	-	1
Alexandria city	852	875	24	14	31
White	692	694	16	8	15
All other	160	181	8	6	16
Black	139	168	8	6	15
Alleghany	256	141	1	1	1
Amelia	38	91	2	1	-
White	20	47	1	1	-
All other	18	44	1	-	-
Black	18	44	1	-	-
Amherst	108	241	3	2	5
White	87	192	2	2	4
All other	21	49	1	-	1
Black	21	49	1	-	1
Appomattox	46	110	1	1	-
White	32	79	-	-	-
All other	14	31	1	1	-
Black	14	31	1	1	-
Arlington#	1,514	1,189	24	20	20
White	1,315	1,069	17	14	16
All other	199	126	7	6	4
Black	173	111	6	6	3
Augusta	119	441	7	6	7
Bath	34	61	-	-	-
Bedford	119	321	4	3	1
White	107	287	3	2	1
All other	12	34	1	1	-
Black	12	34	1	1	-
Bedford city [9]	164	93	-	-	1
White	139	77	-	-	1
All other	25	16	-	-	-
Black	25	16	-	-	-
Bland	14	59	-	-	-
Botetourt	72	198	1	1	3
Bristol city [10]	105	253	3	3	-
Brunswick	67	191	7	7	6
White	26	77	-	-	1
All other	41	114	7	7	5
Black	41	114	7	7	5
Buchanan	214	274	4	3	5
Buckingham	57	142	4	-	3
White	35	83	1	-	-
All other	22	59	3	-	3
Black	22	59	3	-	3
Buena Vista city [9]	16	66	-	-	1
Campbell	128	357	5	2	6
White	94	285	3	1	4
All other	34	72	2	1	2
Black	34	72	2	1	2
Caroline	61	173	3	2	3
White	33	97	1	1	1
All other	28	76	2	1	2
Black	26	73	2	1	1
Carroll	70	260	3	2	3
Charles City	19	65	3	3	3
White	3	12	-	-	-
All other	16	53	3	3	3
Black	14	47	2	2	3
Charlotte	39	138	3	1	1
White	20	85	-	-	1
All other	19	53	3	1	-
Black	19	53	3	1	-
Charlottesville city	504	411	4	1	10
White	421	315	3	1	3
All other	83	96	1	-	7
Black	83	96	1	-	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Chesapeake city	758	992	22	15	13
White	566	694	12	9	6
All other	192	298	10	6	7
Black	192	296	10	6	7
Chesterfield	534	800	27	20	26
White	463	698	22	18	21
All other	71	102	5	2	5
Black	70	100	5	2	5
Clarke	57	115	–	–	1
White	54	95	–	–	1
All other	3	20	–	–	–
Black	3	20	–	–	–
Clifton Forge city *	64	98	–	–	–
White	57	83	–	–	–
All other	7	15	–	–	–
Black	7	15	–	–	–
Colonial Heights city	64	143	3	2	5
Covington city *	25	87	–	–	1
White	20	71	–	–	1
All other	5	16	–	–	–
Black	5	16	–	–	–
Craig	12	36	–	–	–
Culpeper	251	265	4	2	5
White	207	211	4	2	3
All other	44	54	–	–	2
Black	43	53	–	–	2
Cumberland	23	81	3	3	1
White	10	30	1	1	1
All other	13	51	2	2	–
Black	13	51	2	2	–
Danville city	997	592	4	4	7
White	733	429	–	–	3
All other	264	163	4	4	4
Black	264	162	4	4	4
Dickenson	60	154	2	1	4
Dinwiddie	85	188	4	4	4
White	49	104	–	–	1
All other	36	84	4	4	3
Black	36	84	4	4	3
Emporia city *	210	74	2	2	2
White	90	40	–	–	–
All other	120	34	2	2	2
Black	120	34	2	2	2
Essex	153	99	–	–	–
White	96	68	–	–	–
All other	57	31	–	–	–
Black	56	30	–	–	–
Fairfax	2,255	2,992	82	53	78
White	2,066	2,747	61	38	62
All other	189	245	21	15	16
Black	144	171	15	12	14
Herndon	– – –	46	4	1	2
White	– – –	42	4	1	2
All other	– – –	4	–	–	–
Black	– – –	2	–	–	–
Vienna	– – –	117	3	3	–
Balance of county	– – –	2,829	75	49	76
White	– – –	2,605	55	35	60
All other	– – –	224	20	14	16
Black	– – –	156	15	12	14
Fairfax city	315	164	2	1	1
Falls Church city *	20	72	1	1	4
Fauquier	296	300	7	4	8
White	237	232	4	3	5
All other	59	68	3	1	3
Black	57	67	2	1	3
Floyd	42	126	1	1	4
Fluvanna	30	92	2	1	–
White	21	64	1	–	–
All other	9	28	1	1	–
Black	9	28	1	1	–
Franklin	204	305	5	3	12
White	176	265	2	2	11
All other	28	40	3	1	1
Black	28	40	3	1	1
Franklin city *	179	97	3	3	2
White	99	47	1	1	1
All other	80	50	2	2	1
Black	80	50	2	2	1
Frederick	71	257	6	3	8
Fredericksburg city	571	186	2	2	4
White	448	136	2	2	4
All other	123	50	–	–	–
Black	121	49	–	–	–
Galax city *	294	95	1	1	–
Giles	136	177	–	–	3
Gloucester	271	232	3	1	3
White	208	176	1	–	2
All other	63	56	2	1	1
Black	63	56	2	1	1
Goochland	49	108	2	1	–
White	28	65	–	–	–
All other	21	43	2	1	–
Black	21	43	2	1	–
Grayson	57	175	3	3	1
Greene	24	58	2	1	2
Greensville	26	87	1	1	2
White	8	41	–	–	1
All other	18	46	1	1	1
Black	18	46	1	1	1
Halifax	104	326	2	–	4
White	70	211	–	–	3
All other	34	115	2	–	1
Black	34	115	2	–	1
Hampton city	1,051	929	30	20	29
White	596	620	15	12	11
All other	455	309	15	8	18
Black	451	305	15	8	16
Hanover	153	430	7	5	7
White	131	363	6	4	6
All other	22	67	1	1	1
Black	22	66	1	1	1
Harrisonburg city	617	210	4	1	–
Henrico	1,983	1,792	35	25	21
White	1,681	1,579	23	17	16
All other	302	213	12	8	5
Black	292	204	11	8	5
Henry	77	507	8	5	10
White	67	404	4	2	7
All other	10	103	4	3	3
Black	10	102	4	3	3
Highland	8	26	1	–	–
Hopewell city	300	264	12	11	5
White	223	216	5	4	3
All other	77	48	7	7	2
Black	77	48	7	7	2
Isle of Wight	66	191	4	2	2
White	45	110	1	–	2
All other	21	81	3	2	–
Black	21	81	3	2	–
James City	93	164	4	1	3
White	70	117	2	–	1
All other	23	47	2	1	2
Black	23	46	2	1	2
King and Queen	18	79	3	2	1
White	9	39	1	–	–
All other	9	40	2	2	1
Black	9	39	2	2	1
King George	51	99	2	–	4
White	40	77	2	–	1
All other	11	22	–	–	3
Black	11	22	–	–	3
King William	40	94	1	–	1
White	20	54	1	–	–
All other	20	40	–	–	1
Black	20	36	–	–	1
Lancaster	231	172	–	–	2
White	175	118	–	–	–
All other	56	54	–	–	2
Black	56	54	–	–	2
Lee	164	269	4	2	3
Lexington city *	121	59	1	1	–
White	110	50	1	1	–
All other	11	9	–	–	–
Black	11	9	–	–	–
Loudoun	346	402	13	12	15
Louisa	77	198	5	3	7
White	53	123	2	2	5
All other	24	75	3	1	2
Black	24	75	3	1	2
Lunenburg	56	148	1	–	1
White	30	86	–	–	1
All other	26	62	1	–	–
Black	26	62	1	–	–
Lynchburg city	1,279	762	10	8	9
White	1,013	587	7	5	5
All other	266	175	3	3	4
Black	266	175	3	3	4
Madison	55	96	–	–	3
White	45	74	–	–	2
All other	10	22	–	–	1
Black	10	22	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Manassas city	302	105	3	3	6
White	268	93	3	3	6
All other	34	12	–	–	–
Black	28	10	–	–	–
Manassas Park city [9]	2	32	–	–	–
Martinsville city	568	222	3	1	1
White	438	156	3	1	–
All other	130	66	–	–	1
Black	129	66	–	–	1
Mathews	20	121	–	–	–
White	18	95	–	–	–
All other	2	26	–	–	–
Black	2	26	–	–	–
Mecklenburg	317	366	6	2	6
White	187	230	3	1	2
All other	130	136	3	1	4
Black	130	136	3	1	4
Middlesex	52	114	–	–	–
White	35	81	–	–	–
All other	17	33	–	–	–
Black	16	33	–	–	–
Montgomery	282	359	5	2	5
Blacksburg	– – –	84	2	1	–
Christiansburg	– – –	82	–	–	–
Balance of county	– – –	193	3	1	5
White	– – –	183	3	1	5
All other	– – –	10	–	–	–
Black	– – –	9	–	–	–
Nelson	74	139	3	1	1
White	58	108	2	1	1
All other	16	31	1	–	–
Black	16	31	1	–	–
New Kent	32	73	–	–	1
White	24	46	–	–	–
All other	8	27	–	–	1
Black	7	26	–	–	1
Newport News city	1,559	1,259	43	29	39
White	1,078	766	18	13	16
All other	481	493	25	16	23
Black	476	488	25	16	23
Norfolk city	3,073	2,315	79	55	80
White	1,826	1,308	28	18	42
All other	1,247	1,007	51	37	38
Black	1,231	995	51	37	37
Northampton	336	179	6	5	2
White	192	87	2	2	1
All other	144	92	4	3	1
Black	144	92	4	3	1
Northumberland	59	152	–	–	1
White	43	111	–	–	–
All other	16	41	–	–	1
Black	16	41	–	–	1
Norton city [9]	230	56	–	–	–
Nottoway	138	227	3	1	3
White	88	144	3	1	3
All other	50	83	–	–	–
Black	50	83	–	–	–
Orange	88	241	5	4	8
White	73	205	4	3	6
All other	15	36	1	1	2
Black	15	36	1	1	2
Page	111	201	1	1	4
Patrick	107	172	1	1	2
Petersburg city	656	440	11	10	10
White	350	201	4	4	1
All other	306	239	7	6	9
Black	305	238	7	6	9
Pittsylvania	181	620	14	12	14
White	122	450	9	7	6
All other	59	170	5	5	8
Black	59	170	5	5	8
Poquoson city [9]	8	60	1	1	1
Portsmouth city	1,357	1,104	26	20	24
White	804	592	9	7	4
All other	553	512	17	13	20
Black	540	506	17	13	20
Powhatan	37	93	1	1	1
White	26	64	1	1	1
All other	11	29	–	–	–
Black	11	29	–	–	–
Prince Edward	252	164	4	3	–
White	150	91	3	3	–
All other	102	73	1	–	–
Black	102	73	1	–	–
Prince George	78	140	2	1	5
White	59	92	2	1	2
All other	19	48	–	–	3
Black	18	47	–	–	3
Prince William	330	604	37	28	26
White	287	533	32	24	23
All other	43	71	5	4	3
Black	38	59	4	3	3
Pulaski	232	340	3	1	3
Pulaski	– – –	132	2	1	1
Balance of county	– – –	208	1	–	2
White	– – –	190	1	–	1
All other	– – –	18	–	–	1
Black	– – –	18	–	–	1
Radford city	224	100	1	1	–
Rappahannock	27	79	–	–	2
White	20	69	–	–	2
All other	7	10	–	–	–
Black	5	10	–	–	–
Richmond	79	83	2	1	1
White	61	62	1	–	–
All other	18	21	1	1	1
Black	18	21	1	1	1
Richmond city	4,233	2,614	67	48	51
White	2,501	1,347	11	7	8
All other	1,732	1,267	56	41	43
Black	1,715	1,259	56	41	43
Roanoke	380	689	8	4	6
Roanoke city	1,658	1,202	12	8	22
White	1,408	936	9	6	18
All other	250	266	3	2	4
Black	249	265	3	2	4
Rockbridge	55	151	4	2	2
Rockingham	199	479	5	2	10
Russell	175	278	4	2	2
Salem city	997	244	3	2	1
Scott	98	328	2	1	2
Shenandoah	310	369	5	2	5
Smyth	365	362	3	–	4
Southampton	56	218	2	1	2
White	25	114	–	–	–
All other	31	104	2	1	2
Black	31	104	2	1	2
South Boston city [9]	299	81	–	–	1
White	210	61	–	–	–
All other	89	20	–	–	1
Black	89	20	–	–	1
Spotsylvania	104	254	4	4	2
White	86	205	3	3	1
All other	18	49	1	1	1
Black	18	48	1	1	1
Stafford	103	255	7	5	8
Staunton city	395	274	2	1	7
White	360	232	2	1	6
All other	35	42	–	–	1
Black	34	42	–	–	1
Suffolk city	475	539	12	8	11
White	238	266	2	2	3
All other	237	273	10	6	8
Black	237	273	10	6	8
Surry	23	75	1	1	1
White	10	38	–	–	1
All other	13	37	1	1	–
Black	13	37	1	1	–
Sussex	33	127	1	1	6
White	14	53	–	–	–
All other	19	74	1	1	6
Black	19	74	1	1	6
Tazewell	392	473	2	1	8
Virginia Beach city	1,283	1,630	67	43	58
White	1,101	1,394	45	28	43
All other	182	236	22	15	15
Black	163	210	18	12	14
Warren	190	228	4	2	1
Front Royal	– – –	143	1	1	–
Balance of county	– – –	85	3	1	1
White	– – –	82	3	1	1
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Washington	378	410	8	6	6
Waynesboro city	336	186	2	2	4
Westmoreland	59	171	1	1	5
White	40	115	1	1	3
All other	19	56	–	–	2
Black	18	55	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents: Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Williamsburg city *	210	82	2	–	–
White	143	63	–	–	–
All other	67	19	2	–	–
Black	66	19	2	–	–
Winchester city	671	264	4	2	4
Wise	302	480	7	1	10
Wythe	261	290	3	3	5
York	34	180	3	2	1
White	22	130	1	1	1
All other	12	50	2	1	–
Black	12	50	2	1	–
Washington	34,415	34,253	678	375	439
White	32,837	32,691	593	319	383
All other	1,578	1,562	85	56	56
Black	753	749	45	29	23
Adams	97	106	3	–	1
Asotin	157	184	3	2	4
Benton	597	619	13	9	13
Kennewick	– – –	274	6	5	7
Richland	– – –	192	3	2	4
Balance of county	– – –	153	4	2	2
Chelan	553	430	6	5	6
Wenatchee	– – –	233	1	1	5
Balance of county	– – –	197	5	4	1
Clallam	504	538	6	2	5
Port Angeles	– – –	196	2	1	1
Balance of county	– – –	342	4	1	4
Clark	1,305	1,457	28	8	16
Vancouver	– – –	641	14	3	6
Balance of county	– – –	816	14	5	10
Columbia	44	56	–	–	–
Cowlitz	680	637	6	2	1
Kelso	– – –	112	2	–	1
Longview	– – –	332	2	1	–
Balance of county	– – –	193	2	1	–
Douglas	72	165	1	1	–
Ferry	25	47	–	–	–
White	23	36	–	–	–
All other	2	11	–	–	–
Black	–	–	–	–	–
Franklin	219	250	10	5	3
Pasco	– – –	179	4	1	1
White	– – –	160	4	1	1
All other	– – –	19	–	–	–
Black	– – –	17	–	–	–
Balance of county	– – –	71	6	4	2
Garfield	30	32	–	–	–
Grant	319	387	8	5	13
Moses Lake	– – –	92	4	3	2
White	– – –	91	4	3	2
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Balance of county	– – –	295	4	2	11
Grays Harbor	551	659	12	5	6
Aberdeen	– – –	200	3	1	3
Balance of county	– – –	459	9	4	3
Island	271	387	17	10	4
Oak Harbor	– – –	84	8	4	1
White	– – –	81	8	4	1
All other	– – –	3	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	303	9	6	3
Jefferson	148	185	1	–	1
King	11,069	10,262	195	106	146
White	10,194	9,415	156	81	119
All other	875	847	39	25	27
Black	462	460	24	16	12
Auburn	– – –	269	6	1	3
Bellevue	– – –	511	10	3	9
Kent	– – –	179	9	5	9
Kirkland	– – –	186	4	–	5
Mercer Island	– – –	124	3	2	2
Redmond	– – –	123	5	3	7
Renton	– – –	282	5	4	7
Seattle	– – –	5,173	72	43	64
White	– – –	4,481	47	26	46
All other	– – –	692	25	17	18
Black	– – –	402	19	13	11
Balance of county	– – –	3,415	81	45	40
White	– – –	3,303	73	41	36
All other	– – –	112	8	4	4
Black	– – –	42	5	3	–
Kitsap	1,067	1,124	29	21	17

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Washington-Con.					
Bremerton	– – –	369	11	9	7
White	– – –	354	11	9	6
All other	– – –	15	–	–	1
Black	– – –	11	–	–	–
Balance of county	– – –	755	18	12	10
Kittitas	201	225	2	1	1
Ellensburg	– – –	98	1	–	1
Balance of county	– – –	127	1	1	–
Klickitat	106	143	3	1	2
Lewis	488	545	11	7	2
Centralia	– – –	157	3	2	1
Balance of county	– – –	388	8	5	1
Lincoln	81	114	1	1	–
Mason	243	348	3	1	2
Okanogan	267	314	4	2	10
White	250	296	4	2	9
All other	17	18	–	–	1
Black	–	–	–	–	–
Pacific	186	247	2	1	2
Pend Oreille	68	89	–	–	–
Pierce	4,009	3,876	97	55	48
White	3,766	3,633	73	37	35
All other	243	243	24	18	13
Black	154	156	17	11	6
Puyallup	– – –	224	3	3	1
Tacoma	– – –	1,799	30	14	18
White	– – –	1,639	20	8	12
All other	– – –	160	10	6	6
Black	– – –	112	6	2	2
Balance of county	– – –	1,853	64	38	29
White	– – –	1,775	50	26	22
All other	– – –	78	14	12	7
Black	– – –	44	11	9	4
San Juan	38	60	2	1	–
Skagit	711	698	8	4	4
Mount Vernon	– – –	136	–	–	2
Balance of county	– – –	562	8	4	2
Skamania	15	40	–	–	–
Snohomish	2,267	2,496	52	32	41
White	2,229	2,448	49	30	38
All other	38	48	3	2	3
Black	9	10	–	–	1
Edmonds	– – –	267	3	2	3
Everett	– – –	668	12	5	15
Lynnwood	– – –	196	9	7	4
Mountlake Terrace	– – –	79	2	1	2
Balance of county	– – –	1,292	26	17	17
Spokane	3,642	3,159	65	40	28
White	3,561	3,098	59	38	28
All other	81	61	6	2	–
Black	31	30	2	–	–
Spokane	– – –	2,097	36	23	16
Balance of county	– – –	1,062	29	17	12
Stevens	176	220	3	–	2
Thurston	1,114	1,058	25	12	18
Lacey	– – –	190	4	3	4
Olympia	– – –	342	8	4	5
Balance of county	– – –	526	13	5	9
Wahkiakum	18	36	–	–	–
Walla Walla	551	462	5	3	9
Walla Walla	– – –	308	4	2	6
Balance of county	– – –	154	1	1	3
Whatcom	887	858	18	7	8
Bellingham	– – –	456	8	3	3
Balance of county	– – –	402	10	4	5
Whitman	143	198	4	3	1
Pullman	– – –	50	4	3	1
Balance of county	– – –	148	–	–	–
Yakima	1,496	1,542	35	23	25
Yakima	– – –	603	15	11	11
White	– – –	578	14	10	9
All other	– – –	25	1	1	2
Black	– – –	15	–	–	1
Balance of county	– – –	939	20	12	14
White	– – –	874	16	9	13
All other	– – –	65	4	3	1
Black	– – –	3	–	–	–
West Virginia	19,845	19,868	238	154	186
White	18,943	18,969	214	137	182
All other	902	899	24	17	4
Black	895	894	24	17	4
Barbour	104	161	1	–	4
Berkeley	752	501	4	2	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia-Con.					
Martinsburg	---	239	2	1	2
Balance of county	---	262	2	1	3
Boone	191	284	4	1	1
Braxton	126	163	1	–	4
Brooke	349	320	4	2	1
Weirton, part	---	56	1	1	–
Balance of county	---	264	3	1	1
Cabell	1,803	1,210	18	14	7
Huntington, part	---	827	13	10	3
Huntington, total	---	882	13	10	3
Balance of county	---	383	5	4	4
Calhoun	61	84	1	–	2
Clay	32	95	1	–	4
Doddridge	25	86	1	1	–
Fayette	543	693	5	3	6
Gilmer	23	63	1	–	2
Grant	94	95	2	1	–
Greenbrier	371	432	3	1	6
Hampshire	90	149	–	–	4
Hancock	82	382	3	2	1
Weirton, part	---	223	2	1	1
Weirton, total	---	279	3	2	1
Balance of county	---	159	1	1	–
Hardy	44	126	–	–	–
Harrison	1,051	891	15	14	7
Clarksburg	---	345	–	–	1
Balance of county	---	546	15	14	6
Jackson	165	213	3	2	1
Jefferson	211	296	9	8	4
Kanawha	2,770	2,415	19	11	23
White	2,571	2,215	16	10	20
All other	199	200	3	1	3
Black	199	200	3	1	3
Charleston	---	851	7	5	11
White	---	720	6	5	8
All other	---	131	1	–	3
Black	---	131	1	–	3
St. Albans	---	167	2	2	–
South Charleston	---	144	–	–	1
Balance of county	---	1,253	10	4	11
Lewis	160	229	5	1	3
Lincoln	71	188	–	–	3
Logan	450	482	3	1	4
McDowell	301	485	7	7	2
White	246	388	4	4	2
All other	55	97	3	3	–
Black	55	97	3	3	–
Marion	565	711	10	9	5
Fairmont	---	344	4	3	2
Balance of county	---	367	6	6	3
Marshall	317	390	3	2	4
Moundsville	---	178	1	1	2
Wheeling, part	---	–	–	–	–
Balance of county	---	212	2	1	2
Mason	226	284	2	1	1
Mercer	972	778	12	7	10
Bluefield [1]	---	216	4	3	2
White	---	177	3	3	1
All other	---	39	1	–	1
Black	---	39	1	–	1
Balance of county	---	562	8	4	8
Mineral	145	267	2	2	4
Mingo	194	386	6	4	10
Monongalia	1,268	613	11	9	5
Morgantown	---	299	3	2	3
Balance of county	---	314	8	7	2
Monroe	46	147	3	2	3
Morgan	113	122	1	1	3
Nicholas	189	240	9	3	4
Ohio	1,111	705	8	6	3
Wheeling, part	---	594	8	6	3
Wheeling, total	---	594	8	6	3
Balance of county	---	111	–	–	–
Pendleton	43	71	4	1	3
Pleasants	19	70	1	1	1
Pocahontas	100	136	1	1	1
Preston	181	292	6	5	2
Putnam	221	267	4	3	4
Raleigh	1,264	928	11	6	4
Beckley	---	369	4	2	–
White	---	279	4	2	–
All other	---	90	–	–	–
Black	---	90	–	–	–
Balance of county	---	559	7	4	4
Randolph	348	293	4	4	2
Ritchie	57	136	1	1	–
Roane	146	166	3	1	2
Summers	156	181	1	1	3
Taylor	141	180	2	1	2
Tucker	55	91	–	–	–
Tyler	69	116	–	–	1
Upshur	169	226	2	1	1
Wayne	303	411	4	1	4
Huntington, part	---	55	–	–	–
Balance of county	---	356	4	1	4
Webster	100	128	3	2	2
Wetzel	180	222	2	1	2
Wirt	15	52	–	–	–
Wood	1,153	921	11	6	6
Parkersburg	---	572	9	5	3
Vienna	---	108	–	–	–
Balance of county	---	241	2	1	3
Wyoming	110	295	1	1	–
Wisconsin	42,048	42,114	668	411	465
White	40,613	40,685	542	333	375
All other	1,433	1,429	126	78	90
Black	1,176	1,162	104	68	81
Adams	130	165	–	–	1
Ashland	257	223	2	2	4
Barron	405	417	5	3	1
Bayfield	65	138	1	–	–
Brown	1,555	1,259	28	21	11
Allouez town#	---	93	3	2	–
Ashwaubenon	---	97	2	1	–
De Pere	---	99	–	–	1
Green Bay	---	780	20	15	9
Balance of county	---	190	3	3	1
Buffalo	86	161	1	1	2
Burnett	104	141	4	1	3
Calumet	176	210	3	3	3
Appleton, part	---	23	–	–	–
Balance of county	---	187	3	3	3
Chippewa	454	485	4	1	3
Chippewa Falls	---	153	1	–	1
Eau Claire, part	---	4	–	–	–
Balance of county	---	328	3	1	2
Clark	220	341	2	1	4
Columbia	408	442	6	1	7
Crawford	158	169	2	1	2
Dane	2,843	2,099	40	25	31
White	2,802	2,078	36	22	28
All other	41	21	4	3	3
Black	29	12	3	3	3
Madison	---	1,212	23	16	20
Middleton	---	61	–	–	–
Sun Prairie	---	80	2	–	3
Balance of county	---	746	15	9	8
Dodge	725	704	8	5	9
Beaver Dam	---	170	3	2	3
Watertown, part	---	106	–	–	2
Balance of county	---	428	5	3	4
Door	208	251	2	1	2
Douglas	382	477	5	2	3
Superior	---	360	3	–	1
Balance of county	---	117	2	2	2
Dunn	178	282	6	3	1
Menomonie	---	111	1	–	–
Balance of county	---	171	5	3	1
Eau Claire	804	635	5	1	10
Eau Claire, part	---	438	3	–	4
Eau Claire, total	---	442	3	–	4
Balance of county	---	197	2	1	6
Florence	29	36	–	–	–
Fond du Lac	848	876	19	13	8
Fond du Lac	---	450	9	4	8
Balance of county	---	426	10	9	–
Forest	43	94	3	1	–
Grant	408	471	10	9	3
Green	360	326	3	2	1
Monroe	---	131	1	–	–
Balance of county	---	194	2	2	1
Green Lake	214	218	1	1	2
Iowa	141	195	2	2	6
Iron	43	85	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Jackson	147	175	3	1	2
Jefferson	420	589	8	8	2
Watertown, part	---	125	4	4	-
Watertown, total	---	231	4	4	2
Whitewater, part	---	3	-	-	-
Balance of county	---	461	4	4	2
Juneau	138	215	1	-	1
Kenosha	906	1,051	17	11	17
Kenosha	---	728	12	8	13
Balance of county	---	323	5	3	4
Kewaunee	129	177	6	6	4
La Crosse	1,176	805	13	8	12
La Crosse	---	549	6	1	9
Balance of county	---	256	7	7	3
Lafayette	110	166	1	-	-
Langlade	204	220	2	1	2
Lincoln	253	289	3	2	3
Manitowoc	701	786	10	2	6
Manitowoc	---	429	5	2	1
Two Rivers	---	120	-	-	2
Balance of county	---	237	5	-	3
Marathon	854	905	10	5	7
Marshfield, part	---	-	-	-	-
Wausau	---	436	6	3	5
Balance of county	---	469	4	2	2
Marinette	369	429	4	2	4
Marinette	---	143	1	-	-
Balance of county	---	286	3	2	4
Marquette	39	121	1	1	-
Menominee	8	30	4	3	-
White	1	3	-	-	-
All other	7	27	4	3	-
Black	-	-	-	-	-
Milwaukee	10,166	9,419	172	115	126
White	9,110	8,391	83	59	57
All other	1,056	1,028	89	56	69
Black	995	979	87	55	64
Brown Deer	---	85	-	-	1
Cudahy	---	171	2	1	-
Franklin	---	85	2	2	2
Glendale	---	269	-	-	-
Greendale	---	93	1	-	-
Greenfield	---	354	5	5	-
Milwaukee, part	---	6,084	148	94	106
White	---	5,086	61	40	38
All other	---	998	87	54	68
Black	---	957	85	53	63
Milwaukee, total	---	6,084	148	94	106
White	---	5,086	61	40	38
All other	---	998	87	54	68
Black	---	957	85	53	63
Oak Creek	---	99	-	-	1
St. Francis	---	76	-	-	2
Shorewood	---	187	-	-	-
South Milwaukee	---	186	-	-	2
Wauwatosa	---	622	4	4	4
West Allis	---	776	6	5	8
Whitefish Bay	---	121	2	2	-
Balance of county	---	211	2	2	-
Monroe	366	383	1	-	1
Oconto	230	275	6	5	3
Oneida	462	370	4	2	1
Outagamie	1,073	969	20	13	10
Appleton, part	---	493	7	4	6
Appleton, total	---	481	7	4	6
Kaukauna	---	121	2	1	1
Balance of county	---	395	11	8	3
Ozaukee	310	437	5	3	3
Mequon	---	115	1	-	-
Balance of county	---	322	4	3	3
Pepin	82	81	-	-	2
Pierce	140	235	4	4	3
Polk	299	333	5	3	2
Portage	352	383	6	5	6
Stevens Point	---	179	2	1	3
Balance of county	---	204	4	4	3
Price	157	171	2	1	2
Racine	1,380	1,433	26	15	21
White	1,311	1,357	19	10	14
All other	69	76	7	5	7
Black	68	75	7	5	7
Racine	---	859	22	12	12
White	---	788	15	7	5
All other	---	71	7	5	7
Black	---	70	7	5	7
Balance of county	---	574	4	3	9
Richland	144	182	4	2	2
Rock	1,174	1,250	29	13	14
Beloit	---	336	11	4	7
White	---	295	8	2	4
All other	---	41	3	2	3
Black	---	41	3	2	3
Janesville	---	425	13	7	2
Balance of county	---	489	5	2	5
Rusk	145	172	3	3	3
St. Croix	441	379	7	4	6
Sauk	459	456	8	6	7
Sawyer	113	140	3	1	-
White	102	127	-	-	-
All other	11	13	3	1	-
Black	-	-	-	-	-
Shawano	341	411	5	3	3
Sheboygan	961	1,006	14	7	6
Sheboygan	---	639	8	4	4
Balance of county	---	367	6	3	2
Taylor	128	163	2	1	1
Trempealeau	242	303	-	-	2
Vernon	291	317	4	3	-
Vilas	131	210	1	1	-
Walworth	575	697	9	7	10
Whitewater, part	---	58	-	-	1
Whitewater, total	---	61	-	-	1
Balance of county	---	639	9	7	9
Washburn	154	162	4	3	3
Washington	459	566	13	8	4
Germantown	---	36	1	1	-
Milwaukee, part	---	-	-	-	-
West Bend	---	178	5	2	1
Balance of county	---	352	7	5	3
Waukesha	1,836	1,849	28	14	21
Brookfield	---	216	1	-	3
Menomonee Falls	---	170	-	-	2
Muskego	---	89	1	1	1
New Berlin	---	129	4	3	1
Waukesha	---	432	11	4	4
Balance of county	---	813	11	6	10
Waupaca	505	601	7	4	7
Waushara	117	206	1	-	-
Winnebago	1,106	1,087	23	12	14
Appleton, part	---	5	-	-	-
Menasha	---	131	4	3	1
Neenah	---	175	3	3	4
Oshkosh	---	471	12	5	9
Balance of county	---	305	4	1	-
Wood	1,029	611	7	3	5
Marshfield, part	---	166	3	1	3
Marshfield, total	---	166	3	1	3
Wisconsin Rapids	---	191	2	1	-
Balance of county	---	254	2	1	2
Wyoming	3,050	3,218	94	50	59
White	2,986	3,144	88	50	56
All other	64	74	6	-	3
Black	18	22	-	-	1
Albany	150	149	2	1	4
Laramie	---	123	1	1	4
Balance of county	---	26	1	-	-
Big Horn	120	149	3	1	-
Campbell	118	121	4	3	3
Gillette	---	85	3	2	3
Balance of county	---	36	1	1	-
Carbon	122	122	2	2	2
Rawlins	---	72	1	1	1
White	---	71	1	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	50	1	1	1
Converse	57	89	2	2	3
Crook	19	38	2	2	1
Fremont	239	255	11	2	3
White	208	214	5	2	1
All other	31	41	6	-	2
Black	-	-	-	-	-
Goshen	112	139	2	-	-
Hot Springs	43	60	1	-	1
Johnson	74	77	4	1	-
Laramie	553	525	13	7	12
Cheyenne	---	432	9	5	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1986—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming-Con.					
Balance of county	---	93	4	2	1
Lincoln	65	93	4	2	2
Natrona	432	403	14	10	13
Casper	---	341	11	8	10
Balance of county	---	62	3	2	3
Niobrara	17	29	-	-	-
Park	183	161	5	2	2
Platte	71	89	1	1	-
Sheridan	224	217	5	3	2
Sheridan	---	179	4	3	2
Balance of county	---	38	1	-	-
Sublette	29	37	-	-	-
Sweetwater	187	203	9	3	4
Green River	---	50	3	2	1
Rock Springs	---	121	4	1	2
Balance of county	---	32	2	-	1
Teton	67	47	2	2	-
Uinta	68	85	5	3	7
Washakie	54	69	1	1	-
Weston	46	61	2	2	-

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for La Paz which became a new county on January 1, 1983.
[3] Includes data for Texarkana, Ark., only.
[4] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[5] Areas shown are parishes, the equivalent of counties.
[6] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] Independent city having population of less than 10,000 according to the 1980 census.
[10] Includes data for Bristol, Va., only.
[11] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	2,105,361	38,891	10.4	25,212	6.7	28,972	7.7
White	1,831,083	26,564	8.9	17,256	5.8	20,146	6.8
All other	274,278	12,327	15.7	7,956	10.1	8,826	11.2
Black	250,326	11,204	18.0	7,297	11.7	7,856	12.6
Urban places	1,199,106	24,282	11.0	15,888	7.2	17,631	8.0
White	995,783	14,818	9.2	9,700	6.0	11,115	6.9
All other	203,323	9,464	15.9	6,188	10.4	6,516	10.9
Black	187,767	8,774	18.2	5,751	11.9	5,868	12.2
Balance of area	906,255	14,609	9.4	9,324	6.0	11,341	7.3
White	835,300	11,746	8.6	7,556	5.6	9,031	6.6
All other	70,955	2,863	15.0	1,768	9.3	2,310	12.1
Black	62,559	2,430	17.4	1,546	11.0	1,988	14.2
Metropolitan counties	1,533,914	30,188	10.4	19,912	6.8	22,091	7.6
White	1,317,590	19,941	8.8	13,158	5.8	14,959	6.6
All other	216,324	10,247	15.8	6,754	10.4	7,132	11.0
Black	198,977	9,481	18.3	6,259	12.1	6,403	12.3
Urban places	1,077,500	22,330	11.0	14,728	7.3	16,048	7.9
White	888,410	13,347	9.1	8,826	6.0	9,950	6.8
All other	189,090	8,983	16.1	5,902	10.6	6,098	10.9
Black	174,569	8,349	18.5	5,492	12.1	5,492	12.1
Balance of area	456,414	7,858	8.9	5,184	5.8	6,043	6.8
White	429,180	6,594	8.3	4,332	5.4	5,009	6.3
All other	27,234	1,264	14.0	852	9.4	1,034	11.5
Black	24,408	1,132	17.1	767	11.6	911	13.7
Nonmetropolitan counties	571,447	8,703	10.3	5,300	6.2	6,881	8.1
White	513,493	6,623	9.3	4,099	5.8	5,187	7.3
All other	57,954	2,080	15.2	1,202	8.8	1,694	12.4
Black	51,349	1,723	16.8	1,038	10.1	1,453	14.1
Urban places [1]	121,606	1,952	10.5	1,160	6.2	1,583	8.5
White	107,373	1,471	9.8	874	5.8	1,165	7.8
All other	14,233	481	13.2	286	7.9	418	11.5
Black	13,198	425	14.6	259	8.9	376	12.9
Balance of area	449,841	6,751	10.2	4,140	6.3	5,298	8.0
White	406,120	5,152	9.2	3,224	5.7	4,022	7.2
All other	43,721	1,599	15.9	916	9.1	1,276	12.7
Black	38,151	1,298	17.6	779	10.6	1,077	14.6
Alabama	37,718	790	13.3	541	9.1	668	11.2
White	27,561	378	9.8	265	6.9	338	8.8
All other	10,157	412	19.8	276	13.2	330	15.8
Black	10,131	408	20.0	272	13.4	330	16.2
Urban places	16,655	386	14.5	273	10.2	300	11.2
White	10,703	125	8.9	82	5.9	117	8.4
All other	5,952	261	20.6	191	15.1	183	14.4
Black	5,943	258	20.8	188	15.2	183	14.8
Balance of area	21,063	404	12.3	268	8.2	368	11.2
White	16,858	253	10.3	183	7.4	221	9.0
All other	4,205	151	18.5	85	10.4	147	18.0
Black	4,188	150	18.8	84	10.5	147	18.5
Metropolitan counties	22,859	506	13.4	360	9.5	403	10.6
White	16,680	243	9.6	172	7.0	213	8.6
All other	6,279	263	20.0	188	14.3	190	14.4
Black	6,262	260	20.3	185	14.4	190	14.8
Urban places	13,411	330	15.4	231	10.8	242	11.3
White	8,447	104	9.6	68	6.3	86	7.9
All other	4,964	226	21.5	163	15.5	156	14.8
Black	4,957	224	21.8	161	15.6	156	15.2
Balance of area	9,548	176	10.7	129	7.8	161	9.7
White	8,233	139	10.0	104	7.5	127	9.2
All other	1,315	37	14.0	25	9.5	34	12.9
Black	1,305	36	14.2	24	9.4	34	13.4
Nonmetropolitan counties	14,759	284	13.2	181	8.4	265	12.3
White	10,861	135	9.7	93	6.7	125	9.0
All other	3,878	149	19.4	88	11.4	140	18.2
Black	3,869	148	19.7	87	11.6	140	18.6
Urban places	3,244	56	10.6	42	7.9	58	10.9
White	2,256	21	6.7	14	4.5	31	9.9
All other	988	35	16.1	28	12.9	27	12.4
Black	986	34	16.2	27	12.9	27	12.9
Balance of area	11,515	228	14.0	139	8.5	207	12.7
White	8,625	114	10.6	79	7.4	94	8.7
All other	2,890	114	20.7	60	10.9	113	20.5
Black	2,883	114	21.0	60	11.1	113	20.8

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Alaska	2,090	131	10.8	78	6.2	92	7.6
White	1,501	85	10.1	50	6.0	50	6.0
All other	589	46	12.2	28	6.9	42	11.2
Black	53	7	11.0	2	3.1	6	9.4
Urban places	1,023	75	11.0	42	6.2	41	6.0
White	837	58	11.0	32	6.1	24	4.6
All other	186	17	11.2	10	6.6	17	11.2
Black	46	7	12.9	2	3.7	5	9.2
Balance of area	1,067	56	10.4	34	6.3	51	9.5
White	664	27	8.6	18	5.8	26	8.3
All other	403	29	12.9	16	7.1	25	11.1
Black	7	–	–	–	–	1	10.3
Metropolitan census areas [2]	729	48	9.6	29	5.8	32	6.4
White	607	38	9.7	21	5.4	18	4.6
All other	122	10	9.0	8	7.2	14	12.5
Black	31	4	9.2	2	4.6	5	11.5
Urban places	729	48	9.6	29	5.8	32	6.4
White	607	38	9.7	21	5.4	18	4.6
All other	122	10	9.0	8	7.2	14	12.5
Black	31	4	9.2	2	4.6	5	11.5
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,361	83	11.6	47	6.6	60	8.4
White	894	47	10.5	29	6.5	32	7.1
All other	467	36	13.6	18	6.8	28	10.6
Black	22	3	14.6	–	–	1	4.9
Urban places	294	27	15.3	13	7.4	9	5.1
White	230	20	14.6	11	8.1	6	4.4
All other	64	7	17.5	2	5.0	3	7.5
Black	15	3	27.8	–	–	–	–
Balance of area	1,067	56	10.4	34	6.3	51	9.5
White	664	27	8.6	18	5.8	26	8.3
All other	403	29	12.9	16	7.1	25	11.1
Black	7	–	–	–	–	1	10.3
Arizona	25,569	571	9.4	332	5.5	374	6.1
White	23,780	462	9.0	276	5.4	299	5.8
All other	1,789	109	11.2	56	5.8	75	7.7
Black	603	40	14.7	25	9.2	26	9.6
Urban places	16,292	399	9.2	241	5.6	246	5.7
White	15,571	352	9.1	216	5.6	213	5.5
All other	721	47	11.0	25	5.9	33	7.7
Black	519	34	14.6	21	9.0	20	8.6
Balance of area	9,277	172	9.7	91	5.1	128	7.2
White	8,209	110	9.0	60	4.9	86	7.0
All other	1,068	62	11.4	31	5.7	42	7.7
Black	84	6	15.5	4	10.3	6	15.5
Metropolitan counties	19,239	434	9.5	269	5.9	272	5.9
White	18,359	377	9.2	235	5.7	230	5.6
All other	880	57	11.9	34	7.1	42	8.7
Black	517	36	15.6	23	10.0	19	8.2
Urban places	14,720	375	9.6	231	5.9	228	5.8
White	14,055	329	9.3	206	5.8	198	5.6
All other	665	46	11.9	25	6.5	30	7.8
Black	490	34	15.9	21	9.8	17	7.9
Balance of area	4,519	59	9.0	38	5.8	44	6.7
White	4,304	48	8.5	29	5.2	32	5.7
All other	215	11	11.7	9	9.6	12	12.8
Black	27	2	11.8	2	11.8	2	11.8
Nonmetropolitan counties	6,330	137	9.1	63	4.2	102	6.8
White	5,421	85	8.3	41	4.0	69	6.8
All other	909	52	10.6	22	4.5	33	6.7
Black	86	4	9.8	2	4.9	7	17.2
Urban places	1,572	24	6.1	10	2.5	18	4.5
White	1,516	23	6.5	10	2.8	15	4.2
All other	56	1	2.5	–	–	3	7.5
Black	29	–	–	–	–	3	16.0
Balance of area	4,758	113	10.1	53	4.8	84	7.5
White	3,905	62	9.3	31	4.7	54	8.1
All other	853	51	11.3	22	4.9	30	6.7
Black	57	4	18.3	2	9.1	4	18.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Arkansas	23,968	355	10.3	196	5.7	279	8.1
White	19,978	230	8.9	136	5.3	184	7.1
All other	3,990	125	14.7	60	7.1	95	11.2
Black	3,858	124	15.3	59	7.3	92	11.4
Urban places	9,048	152	10.7	86	6.0	109	7.6
White	7,139	88	9.1	55	5.7	63	6.5
All other	1,909	64	13.9	31	6.7	46	10.0
Black	1,894	63	14.4	30	6.9	44	10.1
Balance of area	14,920	203	10.1	110	5.5	170	8.4
White	12,839	142	8.7	81	5.0	121	7.5
All other	2,081	61	15.7	29	7.5	49	12.6
Black	2,064	61	16.3	29	7.7	48	12.8
Metropolitan counties	8,307	151	10.1	93	6.2	121	8.1
White	6,769	96	8.8	61	5.6	79	7.2
All other	1,538	55	13.7	32	8.0	42	10.5
Black	1,520	54	14.4	31	8.3	40	10.7
Urban places	5,723	117	11.7	72	7.2	85	8.5
White	4,496	66	9.7	44	6.5	49	7.2
All other	1,227	51	15.7	28	8.6	36	11.1
Black	1,216	50	16.4	27	8.9	34	11.2
Balance of area	2,584	34	6.9	21	4.3	36	7.3
White	2,273	30	7.3	17	4.1	30	7.3
All other	311	4	5.1	4	5.1	6	7.7
Black	304	4	5.6	4	5.6	6	8.4
Nonmetropolitan counties	15,661	204	10.5	103	5.3	158	8.1
White	13,209	134	8.9	75	5.0	105	7.0
All other	2,452	70	15.6	28	6.3	53	11.8
Black	2,438	70	16.1	28	6.4	52	12.0
Urban places	3,325	35	8.2	14	3.3	24	5.7
White	2,643	22	7.6	11	3.8	14	4.9
All other	682	13	9.5	3	2.2	10	7.3
Black	678	13	9.8	3	2.3	10	7.6
Balance of area	12,336	169	11.1	89	5.9	134	8.8
White	10,566	112	9.3	64	5.3	91	7.5
All other	1,770	57	18.3	25	8.0	43	13.8
Black	1,760	57	18.8	25	8.3	42	13.9
California	203,293	4,315	8.9	2,711	5.6	3,245	6.7
White	179,856	3,246	8.6	2,059	5.4	2,430	6.4
All other	23,437	1,069	10.4	652	6.3	815	7.9
Black	15,886	784	16.2	481	9.9	560	11.6
Urban places	166,371	3,593	8.9	2,293	5.7	2,754	6.8
White	144,512	2,590	8.3	1,674	5.4	1,984	6.4
All other	21,859	1,003	10.7	619	6.6	770	8.2
Black	15,075	744	16.5	459	10.2	537	11.9
Balance of area	36,922	722	9.3	418	5.4	491	6.3
White	35,344	656	9.5	385	5.6	446	6.5
All other	1,578	66	7.5	33	3.7	45	5.1
Black	811	40	12.3	22	6.8	23	7.1
Metropolitan counties	191,488	4,098	8.9	2,601	5.7	3,082	6.7
White	168,581	3,051	8.5	1,956	5.4	2,284	6.4
All other	22,907	1,047	10.4	645	6.4	798	7.9
Black	15,651	760	16.3	481	10.1	553	11.6
Urban places	162,736	3,518	8.9	2,252	5.7	2,681	6.8
White	141,115	2,527	8.4	1,637	5.4	1,919	6.3
All other	21,621	991	10.7	615	6.6	762	8.2
Black	14,930	742	16.6	459	10.3	532	11.9
Balance of area	28,752	580	9.0	349	5.4	401	6.2
White	27,466	524	9.2	319	5.6	365	6.4
All other	1,286	56	7.4	30	3.9	36	4.7
Black	721	38	12.6	22	7.3	21	7.0
Nonmetropolitan counties	11,805	217	9.6	110	4.8	163	7.2
White	11,275	195	9.6	103	5.1	146	7.2
All other	530	22	8.9	7	2.8	17	6.9
Black	235	4	6.6	–	–	7	11.5
Urban places	3,635	75	8.1	41	4.4	73	7.9
White	3,397	63	7.9	37	4.6	65	8.1
All other	238	12	9.8	4	3.3	8	6.6
Black	145	2	5.2	–	–	5	13.1
Balance of area	8,170	142	10.5	69	5.1	90	6.7
White	7,878	132	10.8	66	5.4	81	6.6
All other	292	10	8.0	3	2.4	9	7.2
Black	90	2	8.8	–	–	2	8.8
Colorado	20,810	476	8.8	293	5.3	433	7.9
White	19,946	418	8.3	257	5.1	387	7.7
All other	864	58	11.9	36	7.4	46	9.5
Black	693	53	17.2	32	10.4	36	11.7
Urban places	14,203	345	9.6	209	5.8	272	7.6
White	13,425	296	9.3	181	5.7	237	7.5
All other	778	49	11.9	28	6.8	35	8.5
Black	656	44	15.8	24	8.6	30	10.7
Balance of area	6,607	131	6.8	84	4.3	161	8.3
White	6,521	122	6.6	76	4.1	150	8.1
All other	86	9	12.2	8	10.8	11	14.9
Black	37	9	30.8	8	27.2	6	20.4
Metropolitan counties	16,178	406	8.8	248	5.4	349	7.6
White	15,356	348	8.4	212	5.1	304	7.3
All other	822	58	12.5	36	7.8	45	9.7
Black	686	53	17.4	32	10.5	36	11.8
Urban places	13,420	336	9.8	204	5.9	262	7.5
White	12,644	287	9.3	176	5.7	227	7.4
All other	776	49	12.0	28	6.8	35	8.5
Black	655	44	15.8	24	8.6	30	10.8
Balance of area	2,758	70	6.2	44	3.9	87	7.7
White	2,712	61	5.7	36	3.4	77	7.2
All other	46	9	16.7	8	14.8	10	18.6
Black	31	9	33.1	8	29.4	6	22.1
Nonmetropolitan counties	4,632	70	7.8	45	5.0	84	9.3
White	4,590	70	8.0	45	5.1	83	9.4
All other	42	–	–	–	–	1	4.3
Black	7	–	–	–	–	–	–
Urban places	783	9	9.2	5	5.1	10	10.2
White	781	9	9.5	5	5.3	10	10.5
All other	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	3,849	61	7.6	40	5.0	74	9.2
White	3,809	61	7.8	40	5.1	73	9.3
All other	40	–	–	–	–	1	5.0
Black	6	–	–	–	–	–	–
Connecticut	28,096	406	9.1	303	6.8	284	6.3
White	26,295	301	7.8	225	5.9	207	5.4
All other	1,801	105	16.3	78	12.1	77	11.9
Black	1,747	103	18.4	78	13.9	70	12.5
Urban places	20,451	317	10.0	237	7.5	217	6.9
White	18,767	215	8.4	161	6.3	143	5.6
All other	1,684	102	17.0	76	12.7	74	12.3
Black	1,699	101	18.9	76	14.2	68	12.7
Balance of area	7,645	89	6.7	66	5.0	67	5.1
White	7,528	86	6.7	64	5.0	64	5.0
All other	117	3	6.8	2	4.6	3	6.8
Black	108	2	8.1	2	8.1	2	8.1
Metropolitan counties	25,733	383	9.3	267	6.9	264	6.4
White	23,947	278	8.0	209	6.0	187	5.4
All other	1,786	105	16.5	78	12.3	77	12.1
Black	1,795	103	18.5	78	14.0	70	12.6
Urban places	20,070	313	10.0	233	7.5	213	6.8
White	18,389	211	8.4	157	6.2	139	5.5
All other	1,681	102	17.0	76	12.7	74	12.4
Black	1,636	101	18.9	76	14.2	68	12.7
Balance of area	5,663	70	6.9	34	5.4	51	5.1
White	5,558	67	6.9	52	5.4	48	4.9
All other	105	3	8.0	2	5.3	3	8.0
Black	99	2	9.3	2	9.3	2	9.3
Nonmetropolitan counties	2,363	23	6.5	16	4.5	20	5.6
White	2,348	23	6.6	16	4.6	20	5.8
All other	15	–	–	–	–	–	–
Black	12	–	–	–	–	–	–
Urban places	381	4	9.9	4	9.9	4	9.9
White	378	4	10.2	4	10.2	4	10.2
All other	3	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
Balance of area	1,982	19	6.0	12	3.8	16	5.1
White	1,970	19	6.2	12	3.9	16	5.2
All other	12	–	–	–	–	–	–
Black	9	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Delaware	5,631	112	11.5	86	8.8	78	8.0
White	4,694	70	9.6	54	7.4	46	6.3
All other	937	42	17.0	32	13.0	32	13.0
Black	908	41	17.6	31	13.3	31	13.3
Urban places	1,403	45	18.5	32	13.1	32	13.1
White	943	24	19.0	16	12.7	13	10.3
All other	460	21	17.9	16	13.6	19	16.2
Black	453	21	18.4	16	14.0	18	15.7
Balance of area	4,228	67	9.2	54	7.4	46	6.3
White	3,751	46	7.7	38	6.3	33	5.5
All other	477	21	16.3	16	12.4	13	10.1
Black	455	20	16.8	15	12.6	13	10.9
Metropolitan counties	3,525	79	12.7	61	9.8	40	6.4
White	2,947	47	10.0	36	7.6	26	5.5
All other	578	32	21.2	25	16.8	14	9.3
Black	566	31	21.8	24	16.9	14	9.8
Urban places	1,177	36	18.3	27	13.7	20	10.2
White	774	17	17.2	13	13.1	8	8.1
All other	403	19	19.5	14	14.4	12	12.3
Black	399	19	19.9	14	14.7	12	12.6
Balance of area	2,348	43	10.1	34	8.0	20	4.7
White	2,173	30	8.1	23	6.2	18	4.8
All other	175	13	24.4	11	20.7	2	3.8
Black	167	12	25.5	10	21.2	2	4.2
Nonmetropolitan counties	2,106	33	9.4	25	7.2	38	10.9
White	1,747	23	9.1	18	7.1	20	7.9
All other	359	10	10.4	7	7.3	18	18.8
Black	342	10	11.0	7	7.7	17	18.6
Urban places	226	9	19.1	5	10.6	12	25.4
White	169	7	25.7	3	11.0	5	18.4
All other	57	2	10.0	2	10.0	7	35.0
Black	54	2	10.5	2	10.5	6	31.4
Balance of area	1,880	24	7.9	20	6.6	26	8.6
White	1,578	16	7.1	15	6.6	15	6.6
All other	302	8	10.6	5	6.6	11	14.5
Black	288	8	11.1	5	6.9	11	15.3
District of Columbia	7,284	212	21.1	162	16.1	127	12.6
White	1,871	22	13.3	17	10.3	9	5.4
All other	5,413	190	22.6	145	17.3	118	14.1
Black	5,374	189	24.0	145	18.4	116	14.7
Urban places	7,284	212	21.1	162	16.1	127	12.6
White	1,871	22	13.3	17	10.3	9	5.4
All other	5,413	190	22.6	145	17.3	118	14.1
Black	5,374	189	24.0	145	18.4	116	14.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	7,284	212	21.1	162	16.1	127	12.6
White	1,871	22	13.3	17	10.3	9	5.4
All other	5,413	190	22.6	145	17.3	118	14.1
Black	5,374	189	24.0	145	18.4	116	14.7
Urban places	7,284	212	21.1	162	16.1	127	12.6
White	1,871	22	13.3	17	10.3	9	5.4
All other	5,413	190	22.6	145	17.3	118	14.1
Black	5,374	189	24.0	145	18.4	116	14.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Florida	123,504	1,837	11.0	1,216	7.3	1,417	8.5
White	110,088	1,096	6.8	744	5.9	842	6.7
All other	13,416	741	17.4	472	11.1	575	13.5
Black	13,225	731	18.2	468	11.6	563	14.0
Urban places	64,094	981	10.2	655	6.8	749	7.8
White	55,719	499	7.8	348	5.4	377	5.9
All other	8,375	482	15.0	307	9.6	372	11.6
Black	8,277	473	15.4	304	9.9	367	12.0
Balance of area	59,410	856	12.0	561	7.9	668	9.4
White	54,369	597	9.8	396	6.5	465	7.6
All other	5,041	259	24.8	165	15.8	203	19.5
Black	4,948	258	27.1	164	17.2	196	20.6
Metropolitan counties	105,997	1,609	10.9	1,073	7.3	1,234	8.4
White	94,487	941	8.8	651	5.9	728	6.6
All other	11,510	668	17.6	422	11.1	506	13.3
Black	11,339	659	18.3	419	11.7	496	13.8
Urban places	61,879	948	10.2	634	6.8	719	7.7
White	53,824	477	7.7	335	5.4	356	5.7
All other	8,055	471	15.1	299	9.6	363	11.7
Black	7,960	462	15.5	296	9.9	358	12.0
Balance of area	44,118	661	12.2	439	8.1	515	9.5
White	40,663	464	9.8	316	6.7	372	7.8
All other	3,455	197	28.6	123	17.9	143	20.8
Black	3,379	197	31.9	123	19.9	138	22.3
Nonmetropolitan counties	17,507	228	11.5	143	7.2	183	9.2
White	15,601	155	10.0	93	6.0	114	7.4
All other	1,906	73	16.4	50	11.2	69	15.5
Black	1,888	72	17.0	49	11.6	67	15.8
Urban places	2,215	33	11.8	21	7.5	30	10.7
White	1,895	22	11.8	13	8.9	21	11.1
All other	320	11	12.1	8	8.8	9	9.9
Black	317	11	12.5	8	9.1	9	10.2
Balance of area	15,292	195	11.4	122	7.1	153	9.0
White	13,708	133	9.8	80	5.9	93	6.9
All other	1,586	62	17.5	42	11.9	60	17.0
Black	1,569	61	18.2	41	12.2	58	17.3
Georgia	49,347	1,224	12.5	835	8.5	1,104	11.2
White	35,528	591	9.4	406	6.5	555	8.8
All other	13,819	633	17.9	429	12.1	549	15.5
Black	13,732	625	18.4	423	12.4	539	15.8
Urban places	18,457	497	14.7	329	9.8	472	14.0
White	10,294	132	9.7	92	6.7	145	10.6
All other	8,163	365	18.2	237	11.8	327	16.3
Black	8,134	363	18.5	235	12.0	323	16.5
Balance of area	30,890	727	11.3	506	7.9	632	9.8
White	25,234	459	9.3	314	6.4	410	8.3
All other	5,656	268	17.6	192	12.6	222	14.6
Black	5,598	262	18.1	188	13.0	216	14.9
Metropolitan counties	27,020	770	12.5	533	8.6	643	10.4
White	19,015	367	9.3	259	6.6	294	7.5
All other	8,005	403	18.0	275	12.3	349	15.6
Black	7,938	395	18.5	269	12.6	342	16.0
Urban places	13,791	405	15.5	267	10.2	363	13.9
White	7,225	98	9.8	72	7.2	99	9.9
All other	6,566	307	19.0	195	12.0	264	16.3
Black	6,544	305	19.3	193	12.2	261	16.5
Balance of area	13,229	365	10.3	266	7.5	280	7.9
White	11,790	269	9.2	186	6.4	195	6.7
All other	1,439	96	15.5	80	12.9	85	13.7
Black	1,384	90	16.2	76	13.7	81	14.6
Nonmetropolitan counties	22,327	454	12.4	302	8.3	461	12.6
White	16,513	224	9.5	148	6.3	281	11.1
All other	5,814	230	17.8	154	11.9	200	15.5
Black	5,794	230	18.1	154	12.1	197	15.5
Urban places	4,656	92	12.2	62	8.2	109	14.4
White	3,069	34	9.2	20	5.4	46	12.5
All other	1,597	58	15.0	42	10.9	63	16.3
Black	1,590	58	15.4	42	11.1	62	16.4
Balance of area	17,661	362	12.5	240	8.3	352	12.2
White	13,444	190	9.5	128	6.4	215	10.8
All other	4,217	172	19.0	112	12.4	137	15.1
Black	4,204	172	19.3	112	12.6	135	15.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	5,874	171	9.3	115	6.3	181	9.9
White	1,835	39	8.6	24	5.3	44	9.7
All other	4,039	132	9.6	91	6.6	137	9.9
Black	53	10	11.9	4	4.7	11	13.0
Urban places	4,279	130	10.2	88	6.9	132	10.4
White	1,340	32	10.0	19	5.9	31	9.7
All other	2,939	98	10.3	69	7.2	101	10.6
Black	42	10	13.5	4	5.4	10	13.5
Balance of area	1,595	41	7.4	27	4.9	49	8.8
White	495	7	5.3	5	3.8	13	9.9
All other	1,100	34	8.0	22	5.2	36	8.5
Black	11	–	–	–	–	1	9.8
Metropolitan counties	4,304	143	10.1	95	6.7	144	10.2
White	1,333	30	8.2	17	4.7	31	8.5
All other	2,971	113	10.8	78	7.5	113	10.6
Black	49	10	12.2	4	4.9	11	13.4
Urban places	3,797	125	10.7	85	7.3	120	10.3
White	1,208	29	9.3	17	5.5	27	8.7
All other	2,589	96	11.2	68	8.0	93	10.9
Black	40	10	13.6	4	5.4	10	13.6
Balance of area	507	18	7.3	10	4.1	24	9.8
White	125	1	1.8	–	–	4	7.4
All other	382	17	8.9	10	5.2	20	10.5
Black	9	–	–	–	–	1	12.2
Nonmetropolitan counties	1,570	28	6.7	20	4.8	37	8.8
White	502	9	10.4	7	8.1	13	15.0
All other	1,068	19	5.7	13	3.9	24	7.2
Black	4	–	–	–	–	–	–
Urban places	482	5	4.6	3	2.8	12	11.0
White	132	3	33.7	2	22.5	4	44.9
All other	350	2	2.0	1	1.0	8	8.0
Black	2	–	–	–	–	–	–
Balance of area	1,088	23	7.4	17	5.5	25	8.1
White	370	6	7.7	5	6.4	9	11.6
All other	718	17	7.3	12	5.2	16	6.9
Black	2	–	–	–	–	–	–
Idaho	7,388	186	11.3	111	6.7	111	6.7
White	7,262	179	11.3	105	6.6	105	6.6
All other	126	7	10.7	6	9.1	6	9.1
Black	20	2	26.3	2	26.3	2	26.3
Urban places	3,161	81	11.9	51	7.5	44	6.5
White	3,121	78	12.0	49	7.5	41	6.3
All other	40	3	10.4	2	6.9	3	10.4
Black	14	1	25.0	1	25.0	1	25.0
Balance of area	4,227	105	10.9	60	6.2	67	7.0
White	4,141	101	10.9	56	6.0	64	6.9
All other	86	4	10.9	4	10.9	3	8.2
Black	6	1	27.8	1	27.8	1	27.8
Metropolitan counties	1,252	39	12.8	23	7.5	23	7.5
White	1,237	37	12.7	22	7.5	23	7.9
All other	15	2	14.7	1	7.4	–	–
Black	4	1	33.3	1	33.3	–	–
Urban places	934	27	12.9	16	7.7	15	7.2
White	921	25	12.6	15	7.6	15	7.5
All other	13	2	18.5	1	9.3	–	–
Black	4	1	38.5	1	38.5	–	–
Balance of area	318	12	12.5	7	7.3	8	8.3
White	316	12	12.8	7	7.5	8	8.6
All other	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	6,136	147	11.0	88	6.6	88	6.6
White	6,025	142	11.0	83	6.4	82	6.4
All other	111	5	9.6	5	9.6	6	11.5
Black	16	1	21.7	1	21.7	2	43.5
Urban places	2,227	54	11.4	35	7.4	29	6.1
White	2,200	53	11.7	34	7.5	26	5.7
All other	27	1	5.5	1	5.5	3	16.6
Black	10	–	–	–	–	1	71.4
Balance of area	3,909	93	10.7	53	6.1	59	6.8
White	3,825	89	10.7	49	5.9	56	6.7
All other	84	4	11.8	4	11.8	3	8.8
Black	6	1	31.3	1	31.3	1	31.3
Illinois	103,371	2,144	12.1	1,437	8.1	1,330	7.5
White	88,034	1,260	9.3	863	6.4	854	6.3
All other	15,337	884	21.1	574	13.7	476	11.4
Black	14,907	860	22.3	558	14.4	446	11.5
Urban places	72,575	1,721	13.4	1,172	9.1	1,024	8.0
White	58,110	883	9.9	625	7.0	577	6.5
All other	14,465	838	21.4	547	14.0	447	11.4
Black	14,068	814	22.4	531	14.6	420	11.6
Balance of area	30,796	423	8.7	265	5.5	306	6.3
White	29,924	377	8.2	238	5.2	277	6.0
All other	872	46	16.7	27	9.8	29	10.5
Black	839	46	19.7	27	11.5	26	11.1
Metropolitan counties	80,638	1,864	12.5	1,271	8.5	1,140	7.6
White	65,790	1,009	9.2	709	6.5	680	6.2
All other	14,908	861	21.2	562	13.8	460	11.3
Black	14,487	838	22.3	547	14.5	433	11.5
Urban places	66,708	1,632	13.5	1,119	9.2	976	8.0
White	52,451	807	9.7	580	7.0	537	6.5
All other	14,257	825	21.5	539	14.1	439	11.5
Black	13,864	802	22.5	524	14.7	414	11.6
Balance of area	13,930	232	8.2	152	5.4	164	5.8
White	13,279	196	7.5	129	4.9	143	5.5
All other	651	36	15.6	23	9.9	21	9.1
Black	623	36	18.2	23	11.6	19	9.6
Nonmetropolitan counties	22,733	280	10.3	166	8.1	190	7.0
White	22,304	257	9.9	154	6.0	174	6.7
All other	429	23	18.9	12	9.8	16	13.1
Black	420	22	21.4	11	10.7	13	12.6
Urban places	5,867	89	12.9	53	7.7	48	7.0
White	5,659	76	12.4	45	7.4	40	6.5
All other	208	13	16.6	8	10.2	8	10.2
Black	204	12	17.9	7	10.4	6	8.9
Balance of area	16,866	191	9.5	113	5.6	142	7.0
White	16,645	181	9.2	109	5.5	134	6.8
All other	221	10	23.0	4	9.2	8	18.4
Black	216	10	27.9	4	11.2	7	19.6
Indiana	49,366	895	11.3	597	7.5	600	7.6
White	45,692	710	10.1	468	6.7	482	6.9
All other	3,674	185	20.3	129	14.2	118	13.0
Black	3,617	182	21.5	126	14.9	115	13.6
Urban places	28,184	555	12.8	372	8.6	347	8.0
White	24,627	378	10.9	247	7.1	231	6.6
All other	3,557	177	20.4	125	14.4	116	13.3
Black	3,516	174	21.2	122	14.9	113	13.8
Balance of area	21,182	340	9.5	225	6.3	253	7.1
White	21,065	332	9.4	221	6.2	251	7.1
All other	117	8	19.3	4	9.6	2	4.8
Black	101	8	32.3	4	16.1	2	8.1
Metropolitan counties	33,626	666	11.7	441	7.8	427	7.5
White	30,177	488	10.1	319	6.6	314	6.5
All other	3,449	178	20.9	122	14.3	113	13.3
Black	3,406	176	22.1	120	15.1	110	13.8
Urban places	23,590	491	12.9	326	8.6	303	8.0
White	20,215	320	10.7	207	7.0	192	6.4
All other	3,375	171	20.8	119	14.5	111	13.5
Black	3,343	169	21.8	117	15.1	108	13.9
Balance of area	10,036	175	9.3	115	6.1	124	6.6
White	9,962	168	9.0	112	6.0	122	6.6
All other	74	7	23.8	3	10.2	2	6.8
Black	63	7	36.6	3	15.7	2	10.5
Nonmetropolitan counties	15,740	229	10.2	156	7.0	173	7.7
White	15,515	222	10.2	149	6.8	168	7.7
All other	225	7	11.7	7	11.7	5	8.4
Black	211	6	12.0	6	12.0	5	10.0
Urban places	4,594	64	11.6	46	8.4	44	8.0
White	4,412	58	11.6	40	8.0	39	7.8
All other	182	6	12.6	6	12.6	5	10.5
Black	173	5	11.3	5	11.3	5	11.3
Balance of area	11,146	165	9.7	110	6.5	129	7.6
White	11,103	164	9.8	109	6.5	129	7.7
All other	43	1	8.3	1	8.3	–	–
Black	38	1	17.5	1	17.5	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Iowa	27,066	329	8.5	216	5.6	233	6.0
White	26,693	309	8.3	202	5.5	217	5.9
All other	373	20	11.5	14	8.0	16	9.2
Black	311	15	13.9	11	10.2	11	10.2
Urban places	11,013	176	9.8	114	6.4	98	5.5
White	10,667	158	9.7	101	6.2	83	5.1
All other	346	18	11.6	13	8.4	15	9.7
Black	300	15	14.7	11	10.8	11	10.8
Balance of area	16,053	153	7.3	102	4.9	135	6.5
White	16,026	151	7.3	101	4.9	134	6.5
All other	27	2	10.2	1	5.1	1	5.1
Black	11	–	–	–	–	–	–
Metropolitan counties	9,285	152	8.8	104	6.0	87	5.0
White	8,992	139	8.7	95	6.0	73	4.6
All other	293	13	9.6	9	6.7	14	10.3
Black	257	12	12.9	8	8.6	11	11.9
Urban places	7,651	127	9.3	86	6.3	71	5.2
White	7,361	114	9.2	77	6.2	57	4.6
All other	290	13	10.0	9	6.9	14	10.7
Black	255	12	13.3	8	8.9	11	12.2
Balance of area	1,634	25	6.9	18	5.0	16	4.4
White	1,631	25	7.0	18	5.0	16	4.5
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	17,781	177	8.2	112	5.2	146	6.8
White	17,701	170	8.1	107	5.1	144	6.8
All other	80	7	17.9	5	12.8	2	5.1
Black	54	3	19.4	3	19.4	–	–
Urban places	3,362	49	11.7	28	6.7	27	6.4
White	3,306	44	11.1	24	6.1	26	6.6
All other	56	5	20.7	4	16.6	1	4.1
Black	45	3	24.2	3	24.2	–	–
Balance of area	14,419	128	7.4	84	4.9	119	6.9
White	14,395	126	7.4	83	4.9	118	6.9
All other	24	2	13.3	1	6.7	1	6.7
Black	9	–	–	–	–	–	–
Kansas	22,298	350	8.9	200	5.1	244	6.2
White	21,142	292	8.4	166	4.8	205	5.9
All other	1,156	58	12.4	34	7.3	39	8.4
Black	1,067	52	15.0	32	9.2	36	10.4
Urban places	11,337	222	9.3	128	5.3	140	5.8
White	10,302	175	8.8	101	5.1	108	5.4
All other	1,035	47	11.5	27	6.6	32	7.9
Black	986	44	14.0	26	8.3	30	9.6
Balance of area	10,961	128	8.4	72	4.7	104	6.8
White	10,840	117	7.9	65	4.4	97	6.6
All other	121	11	18.6	7	11.8	7	11.8
Black	81	8	24.5	6	18.3	6	18.3
Metropolitan counties	9,004	190	9.5	113	5.7	121	6.1
White	8,140	152	9.1	90	5.4	101	6.0
All other	864	38	12.1	23	7.3	20	6.4
Black	825	37	14.6	23	9.1	19	7.5
Urban places	7,250	154	9.5	93	5.7	97	6.0
White	6,401	117	8.9	71	5.4	77	5.8
All other	849	37	12.2	22	7.3	20	6.6
Black	813	36	14.6	22	8.9	19	7.7
Balance of area	1,754	36	9.7	20	5.4	24	6.5
White	1,739	35	9.7	19	5.3	24	6.7
All other	15	1	8.8	1	8.8	–	–
Black	12	1	18.9	1	18.9	–	–
Nonmetropolitan counties	13,294	160	8.3	87	4.5	123	6.4
White	13,002	140	7.8	76	4.3	104	5.8
All other	292	20	13.1	11	7.2	19	12.4
Black	242	15	16.0	9	9.6	17	18.1
Urban places	4,097	68	8.8	35	4.5	43	5.5
White	3,901	58	8.7	30	4.5	31	4.6
All other	196	10	9.5	5	4.8	12	11.4
Black	173	8	12.1	4	6.0	11	16.6
Balance of area	9,207	92	7.9	52	4.5	80	6.9
White	9,101	82	7.4	46	4.1	73	6.6
All other	106	10	20.9	6	12.5	7	14.6
Black	69	7	25.5	5	18.2	6	21.9

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	34,816	509	9.8	330	6.4	414	8.0
White	32,152	444	9.6	291	6.3	341	7.3
All other	2,666	65	12.2	39	7.3	73	13.7
Black	2,639	63	12.7	38	7.7	71	14.3
Urban places	11,752	165	9.8	98	5.8	147	8.6
White	9,941	120	9.0	71	5.3	95	7.2
All other	1,811	45	12.8	28	8.0	52	14.9
Black	1,798	43	12.9	27	8.1	51	15.4
Balance of area	23,066	344	9.8	231	6.6	267	7.6
White	22,211	324	9.8	220	6.6	248	7.4
All other	855	20	11.0	11	6.1	21	11.6
Black	843	20	12.2	11	6.7	20	12.2
Metropolitan counties	14,546	231	9.6	142	5.9	174	7.3
White	12,751	183	9.0	112	5.5	127	6.3
All other	1,795	48	12.9	30	8.1	47	12.6
Black	1,782	46	13.2	29	8.3	46	13.2
Urban places	9,061	140	10.7	89	6.8	106	8.1
White	7,529	99	9.7	61	6.0	68	6.7
All other	1,532	41	14.4	28	9.9	38	13.4
Black	1,523	39	14.3	27	9.9	38	14.0
Balance of area	5,485	91	8.3	53	4.9	68	6.2
White	5,222	84	8.4	51	5.1	59	5.9
All other	263	7	8.0	2	2.3	9	10.3
Black	259	7	9.0	2	2.6	8	10.3
Nonmetropolitan counties	20,272	278	10.0	188	6.8	240	8.6
White	19,401	261	9.9	179	6.8	214	8.2
All other	871	17	10.6	9	5.6	26	16.2
Black	857	17	11.6	9	6.1	25	17.1
Urban places	2,691	25	6.7	10	2.7	41	10.9
White	2,412	21	6.8	10	3.2	27	8.8
All other	279	4	8.0	–	–	14	21.0
Black	273	4	6.6	–	–	13	21.8
Balance of area	17,581	253	10.5	178	7.4	199	8.3
White	16,989	240	10.4	169	7.3	187	8.1
All other	592	13	13.8	9	9.6	12	12.8
Black	584	13	15.1	9	10.5	12	13.9
Louisiana	36,373	927	11.9	605	7.8	656	8.4
White	24,768	395	8.7	271	5.9	285	6.2
All other	11,605	532	16.5	334	10.3	371	11.5
Black	11,495	524	17.0	329	10.7	369	12.0
Urban places	17,770	500	14.1	329	9.3	353	10.0
White	10,642	158	10.0	109	6.9	123	7.8
All other	7,128	342	17.4	220	11.2	230	11.7
Black	7,073	336	17.9	216	11.5	229	12.2
Balance of area	18,603	427	10.0	276	6.5	303	7.1
White	14,126	237	7.9	162	5.4	162	5.4
All other	4,477	190	15.0	114	9.0	141	11.1
Black	4,422	188	15.7	113	9.4	140	11.7
Metropolitan parishes [2]	22,422	631	12.9	414	8.5	398	8.1
White	15,087	260	9.3	180	6.5	170	6.1
All other	7,335	371	17.6	234	11.1	228	10.8
Black	7,264	385	18.2	230	11.5	227	11.3
Urban places	15,030	439	14.7	283	9.5	296	9.9
White	8,926	132	10.2	89	6.9	99	7.7
All other	6,104	307	18.1	194	11.5	197	11.6
Black	6,052	301	18.6	190	11.7	196	12.1
Balance of area	7,392	192	10.0	131	6.9	102	5.3
White	6,161	128	8.6	91	6.1	71	4.8
All other	1,231	64	15.3	40	9.6	31	7.4
Black	1,212	64	16.8	40	10.5	31	8.1
Nonmetropolitan parishes [2]	13,951	296	10.2	191	6.6	258	8.9
White	9,681	135	7.6	91	5.1	115	6.5
All other	4,270	161	14.4	100	8.9	143	12.8
Black	4,231	159	14.8	99	9.2	142	13.2
Urban places	2,740	61	11.0	46	8.3	57	10.3
White	1,716	26	9.1	20	7.0	24	8.4
All other	1,024	35	13.0	26	9.7	33	12.3
Black	1,021	35	13.6	26	10.1	33	12.8
Balance of area	11,211	235	10.0	145	6.2	201	8.6
White	7,965	109	7.3	71	4.7	91	6.1
All other	3,246	126	14.8	74	8.7	110	12.9
Black	3,210	124	15.2	73	9.0	109	13.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Maine	11,237	147	8.8	94	5.6	99	5.9	Massachusetts	55,803	697	8.5	480	5.8	555	6.8
White	11,186	147	9.0	94	5.8	97	5.9	White	53,855	562	7.7	384	5.3	469	6.4
All other	51	–	–	–	–	2	5.5	All other	1,948	135	14.6	96	10.4	86	9.3
Black	27	–	–	–	–	1	10.3	Black	1,737	124	18.5	91	13.6	73	10.9
Urban places	3,244	54	12.3	35	8.0	29	6.6	Urban places	41,940	540	9.1	375	6.3	414	7.0
White	3,225	54	12.7	35	8.2	28	6.6	White	40,144	410	8.0	284	5.6	336	6.6
All other	19	–	–	–	–	1	9.1	All other	1,796	130	15.2	91	10.6	78	9.1
Black	13	–	–	–	–	1	33.3	Black	1,814	121	19.0	88	13.8	66	10.4
Balance of area	7,993	93	7.5	59	4.8	70	5.7	Balance of area	13,863	157	8.9	105	4.6	141	6.2
White	7,961	93	7.7	59	4.9	69	5.7	White	13,711	152	8.9	100	4.6	133	6.1
All other	32	–	–	–	–	1	3.9	All other	152	5	7.3	5	7.3	8	11.7
Black	14	–	–	–	–	–	–	Black	123	3	8.5	3	8.5	7	19.8
Metropolitan counties	5,986	92	9.6	59	6.2	60	6.3	Metropolitan counties	52,742	665	8.4	460	5.8	539	6.8
White	5,953	92	9.8	59	6.3	59	6.3	White	50,857	531	7.6	365	5.2	448	6.4
All other	33	–	–	–	–	1	5.2	All other	1,885	134	14.7	95	10.5	85	9.4
Black	19	–	–	–	–	1	17.9	Black	1,684	124	18.7	91	13.8	73	11.0
Urban places	2,670	47	12.7	30	8.1	25	6.8	Urban places	41,457	537	9.1	374	6.3	414	7.0
White	2,652	47	13.1	30	8.3	24	6.7	White	39,681	407	8.1	283	5.6	338	6.7
All other	18	–	–	–	–	1	10.5	All other	1,776	130	15.2	91	10.7	78	9.1
Black	12	–	–	–	–	1	35.7	Black	1,595	121	19.1	88	13.9	66	10.4
Balance of area	3,316	45	7.7	29	4.9	35	6.0	Balance of area	11,285	128	6.4	86	4.3	119	6.0
White	3,301	45	7.8	29	5.0	35	6.1	White	11,176	124	6.4	82	4.2	112	5.8
All other	15	–	–	–	–	–	–	All other	109	4	7.2	4	7.2	7	12.6
Black	7	–	–	–	–	–	–	Black	89	3	10.7	3	10.7	7	25.0
Nonmetropolitan counties	5,251	55	7.7	35	4.9	39	5.5	Nonmetropolitan counties	3,061	32	9.7	20	6.1	22	6.7
White	5,233	55	7.9	35	5.0	38	5.4	White	2,998	31	9.9	19	6.1	21	6.7
All other	18	–	–	–	–	1	5.8	All other	63	1	6.0	1	6.0	1	6.0
Black	8	–	–	–	–	–	–	Black	53	–	–	–	–	–	–
Urban places	574	7	10.2	5	7.3	4	5.8	Urban places	483	3	6.0	1	2.0	–	–
White	573	7	10.4	5	7.5	4	6.0	White	463	3	6.5	1	2.2	–	–
All other	1	–	–	–	–	–	–	All other	20	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	Black	19	–	–	–	–	–	–
Balance of area	4,677	48	7.4	30	4.8	35	5.4	Balance of area	2,578	29	10.4	19	6.8	22	7.9
White	4,660	48	7.6	30	4.8	34	5.4	White	2,535	28	10.5	18	6.8	21	7.9
All other	17	–	–	–	–	1	6.4	All other	43	1	7.9	1	7.9	1	7.9
Black	7	–	–	–	–	–	–	Black	34	–	–	–	–	–	–
Maryland	37,358	816	11.7	576	8.3	576	8.3	Michigan	80,222	1,564	11.4	1,080	7.8	729	5.3
White	28,831	436	9.5	298	6.5	300	6.5	White	68,667	1,002	9.0	671	6.0	525	4.7
All other	8,527	380	16.1	278	11.8	276	11.7	All other	11,555	562	21.2	409	15.4	204	7.7
Black	8,295	366	17.3	267	12.6	264	12.5	Black	11,282	549	22.8	398	16.6	196	8.1
Urban places	14,110	325	14.3	237	10.4	230	10.1	Urban places	47,843	1,033	12.8	735	9.1	434	5.4
White	8,810	112	10.5	84	7.9	63	5.9	White	36,968	494	8.8	340	6.1	242	4.3
All other	5,300	213	17.6	153	12.7	167	13.8	All other	10,875	539	21.8	395	16.0	192	7.8
Black	5,229	209	18.6	150	13.4	161	14.3	Black	10,723	532	23.1	390	16.9	188	8.2
Balance of area	23,248	491	10.5	339	7.2	346	7.4	Balance of area	32,379	531	9.3	345	6.1	295	5.2
White	20,021	324	9.2	214	6.1	237	6.7	White	31,699	508	9.2	331	6.0	283	5.1
All other	3,227	167	14.5	125	10.9	109	9.5	All other	680	23	12.8	14	7.8	12	6.7
Black	3,066	157	15.9	117	11.8	103	10.4	Black	559	17	16.0	9	8.5	8	7.5
Metropolitan counties	32,438	720	11.7	516	8.4	528	8.5	Metropolitan counties	64,579	1,359	11.8	949	8.3	620	5.4
White	24,846	368	9.2	254	6.4	264	6.6	White	53,274	808	9.1	548	6.1	418	4.7
All other	7,592	352	16.1	262	12.0	264	12.0	All other	11,305	551	21.4	401	15.6	202	7.9
Black	7,370	341	17.4	253	12.9	254	13.0	Black	11,122	544	22.8	396	16.6	195	8.2
Urban places	13,256	308	14.4	223	10.4	217	10.1	Urban places	45,978	1,019	13.0	727	9.3	420	5.4
White	8,136	104	10.7	77	7.9	55	5.7	White	35,123	480	9.0	332	6.2	228	4.3
All other	5,120	204	17.5	146	12.5	162	13.9	All other	10,855	539	22.0	395	16.1	192	7.8
Black	5,051	201	18.6	144	13.3	157	14.5	Black	10,715	532	23.1	390	17.0	188	8.2
Balance of area	19,182	412	10.2	293	7.3	311	7.7	Balance of area	18,601	340	9.2	222	6.0	200	5.4
White	16,710	264	8.8	177	5.9	209	6.9	White	18,151	328	9.2	216	6.1	190	5.3
All other	2,472	148	14.4	116	11.3	102	10.0	All other	450	12	10.0	6	5.0	10	8.3
Black	2,319	140	16.1	109	12.5	97	11.1	Black	407	12	14.2	6	7.1	7	8.3
Nonmetropolitan counties	4,920	96	12.4	60	7.7	48	6.2	Nonmetropolitan counties	15,643	205	9.0	131	5.8	109	4.8
White	3,985	68	11.2	44	7.2	36	5.9	White	15,393	194	8.8	123	5.6	107	4.9
All other	935	28	16.9	16	9.6	12	7.2	All other	250	11	14.5	8	10.5	2	2.6
Black	925	25	15.9	14	8.9	10	6.4	Black	160	5	19.2	3	11.5	1	3.8
Urban places	854	17	12.4	14	10.2	13	9.5	Urban places	1,865	14	5.2	8	3.0	14	5.2
White	674	8	8.5	7	7.4	8	8.5	White	1,845	14	5.6	8	3.2	14	5.6
All other	180	9	21.3	7	16.6	5	11.8	All other	20	–	–	–	–	–	–
Black	178	8	20.1	6	15.0	4	10.0	Black	8	–	–	–	–	–	–
Balance of area	4,066	79	12.4	46	7.2	35	5.5	Balance of area	13,778	191	9.5	123	6.1	95	4.7
White	3,311	60	11.7	37	7.2	28	5.5	White	13,548	180	9.2	115	5.9	93	4.8
All other	755	19	15.3	9	7.3	7	5.6	All other	230	11	18.6	8	13.6	2	3.4
Black	747	17	14.5	8	6.8	6	5.1	Black	152	5	22.9	3	13.8	1	4.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	35,082	606	9.2	365	5.5	396	6.0
White	34,360	536	8.9	334	5.5	368	6.1
All other	722	70	13.1	31	5.8	28	5.2
Black	368	35	16.4	16	7.5	14	6.6
Urban places	18,397	343	7.2	215	5.8	215	5.8
White	17,838	282	8.6	185	5.6	193	5.9
All other	559	61	13.7	30	6.7	22	4.9
Black	361	34	16.3	16	7.7	14	6.7
Balance of area	16,685	263	9.3	150	5.3	181	6.4
White	16,522	254	9.2	149	5.4	175	6.4
All other	163	9	10.3	1	1.1	6	6.9
Black	7	1	19.2	–	–	–	–
Metropolitan counties	20,365	412	9.0	249	5.5	254	5.6
White	19,805	350	8.5	219	5.3	232	5.6
All other	560	62	13.6	30	6.6	22	4.8
Black	363	35	16.7	16	7.6	14	6.7
Urban places	15,560	310	9.3	198	5.9	185	5.5
White	15,024	251	8.6	168	5.8	165	5.7
All other	536	59	13.7	30	6.9	20	4.6
Black	361	34	16.5	16	7.8	14	6.8
Balance of area	4,805	102	8.4	51	4.2	69	5.7
White	4,781	99	8.3	51	4.3	67	5.6
All other	24	3	12.3	–	–	2	8.2
Black	2	1	29.4	–	–	–	–
Nonmetropolitan counties	14,717	194	9.6	116	5.8	142	7.1
White	14,555	186	9.6	115	5.9	136	7.0
All other	162	8	10.3	1	1.3	6	7.7
Black	5	–	–	–	–	–	–
Urban places	2,837	33	8.4	17	4.4	30	7.7
White	2,814	31	8.2	17	4.5	28	7.4
All other	23	2	13.5	–	–	2	13.5
Black	–	–	–	–	–	–	–
Balance of area	11,880	161	9.9	99	6.1	112	6.9
White	11,741	155	9.9	98	6.3	108	6.9
All other	139	6	9.5	1	1.6	4	6.4
Black	5	–	–	–	–	–	–
Mississippi	24,429	518	12.4	324	7.7	480	11.5
White	15,760	198	9.0	134	6.1	163	7.4
All other	8,669	320	16.2	190	9.6	317	16.0
Black	8,596	314	16.2	187	9.7	309	16.0
Urban places	8,263	181	13.0	109	7.8	173	12.4
White	4,997	60	9.7	39	6.3	46	7.5
All other	3,266	121	15.6	70	9.0	127	16.4
Black	3,254	119	15.8	70	9.3	122	16.2
Balance of area	16,166	337	12.0	215	7.7	307	11.0
White	10,763	138	8.7	95	6.0	117	7.4
All other	5,403	199	16.5	120	9.9	190	15.7
Black	5,342	195	16.5	117	9.9	187	15.8
Metropolitan counties	5,627	134	11.2	88	7.4	127	10.6
White	4,004	71	9.6	49	6.6	55	7.4
All other	1,623	63	14.0	39	8.7	72	16.0
Black	1,606	61	14.2	39	9.1	68	15.8
Urban places	3,278	68	12.6	54	7.8	83	11.9
White	2,184	38	10.7	23	6.5	30	8.4
All other	1,094	50	14.7	31	9.1	53	15.6
Black	1,083	48	14.8	31	9.6	49	15.1
Balance of area	2,349	46	9.3	34	6.8	44	8.9
White	1,820	33	8.5	26	6.7	25	6.5
All other	529	13	11.9	8	7.3	19	17.3
Black	523	13	12.3	8	7.5	19	17.9
Nonmetropolitan counties	18,802	384	12.8	236	7.9	353	11.8
White	11,756	127	8.7	85	5.8	108	7.4
All other	7,046	257	16.8	151	9.9	245	16.0
Black	6,990	253	16.8	148	9.8	241	16.0
Urban places	4,985	93	13.4	55	7.9	90	13.0
White	2,813	22	8.4	16	6.1	16	6.1
All other	2,172	71	16.4	39	9.0	74	17.1
Black	2,171	71	16.6	39	9.1	73	17.0
Balance of area	13,817	291	12.6	181	7.9	263	11.4
White	8,943	105	8.7	69	5.7	92	7.6
All other	4,874	186	17.0	112	10.2	171	15.6
Black	4,819	182	16.9	109	10.1	168	15.6

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Missouri	50,180	805	10.7	512	6.8	473	6.3
White	45,071	560	9.3	372	6.0	350	5.6
All other	5,109	225	17.6	140	10.9	123	9.6
Black	5,036	219	18.5	136	11.5	120	10.1
Urban places	23,220	448	12.7	286	8.1	231	6.5
White	19,021	260	10.3	170	6.7	131	5.2
All other	4,199	188	18.7	116	11.5	100	10.0
Black	4,156	183	18.3	112	11.8	97	10.2
Balance of area	26,960	357	8.9	226	5.7	242	6.1
White	26,050	320	8.6	202	5.4	219	5.9
All other	910	37	13.4	24	8.7	23	8.3
Black	880	36	15.3	24	10.2	23	9.8
Metropolitan counties	30,337	586	11.3	378	7.3	315	6.1
White	25,803	380	9.4	249	6.2	203	5.0
All other	4,534	206	17.9	129	11.2	112	9.8
Black	4,482	201	18.8	125	11.7	109	10.2
Urban places	20,353	410	12.8	263	8.2	208	6.5
White	16,358	229	10.2	151	6.7	110	4.9
All other	3,995	181	18.8	112	11.8	98	10.2
Black	3,960	177	19.5	108	11.9	85	10.4
Balance of area	9,984	176	8.9	115	5.8	107	5.4
White	9,445	151	8.4	98	5.5	93	5.2
All other	539	25	13.5	17	9.2	14	7.6
Black	522	24	14.9	17	10.6	14	8.7
Nonmetropolitan counties	19,843	219	9.4	134	5.7	158	6.7
White	19,268	200	9.1	123	5.6	147	6.7
All other	575	19	14.3	11	8.3	11	8.3
Black	554	18	16.1	11	9.8	11	9.8
Urban places	2,867	38	11.5	23	7.0	23	7.0
White	2,663	31	10.8	19	6.6	21	7.3
All other	204	7	16.7	4	9.5	2	4.8
Black	196	6	16.1	4	10.7	2	5.4
Balance of area	16,976	181	9.0	111	5.5	135	6.7
White	16,605	169	8.8	104	5.4	126	6.6
All other	371	12	13.2	7	7.7	9	9.9
Black	358	12	16.1	7	9.4	9	12.0
Montana	6,754	122	9.6	71	5.6	95	7.5
White	6,465	97	8.7	59	5.3	75	6.7
All other	289	25	15.6	12	7.5	20	12.5
Black	7	–	–	–	–	–	–
Urban places	2,719	53	11.8	29	6.5	32	7.1
White	2,675	49	11.8	28	6.7	27	6.5
All other	44	4	12.2	1	3.1	5	15.3
Black	4	–	–	–	–	–	–
Balance of area	4,035	69	8.4	42	5.1	63	7.6
White	3,790	48	6.9	31	4.4	48	6.9
All other	245	21	16.5	11	8.6	15	11.8
Black	3	–	–	–	–	–	–
Metropolitan counties	1,442	28	8.7	16	5.0	19	5.9
White	1,410	26	8.7	16	5.3	18	6.0
All other	32	2	8.8	–	–	1	4.4
Black	5	–	–	–	–	–	–
Urban places	1,137	23	10.2	12	5.3	16	7.1
White	1,110	21	10.1	12	5.8	15	7.2
All other	27	2	11.5	–	–	1	5.7
Black	4	–	–	–	–	–	–
Balance of area	305	5	5.1	4	4.1	3	3.1
White	300	5	5.4	4	4.4	3	3.3
All other	5	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Nonmetropolitan counties	5,312	94	9.9	55	5.8	76	8.0
White	5,055	71	8.7	43	5.3	57	7.0
All other	257	23	16.7	12	8.7	19	13.8
Black	2	–	–	–	–	–	–
Urban places	1,582	30	13.5	17	7.6	16	7.2
White	1,565	28	13.5	16	7.7	12	5.8
All other	17	2	13.1	1	6.5	4	26.1
Black	–	–	–	–	–	–	–
Balance of area	3,730	64	8.8	38	5.2	60	8.2
White	3,490	43	7.1	27	4.5	45	7.4
All other	240	21	17.2	11	9.0	15	12.3
Black	2	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Nebraska	14,678	247	10.1	162	6.6	179	7.3
White	14,210	208	9.2	139	6.2	154	6.8
All other	468	39	20.2	23	11.9	25	12.9
Black	379	27	20.3	15	11.3	20	15.0
Urban places	6,685	144	11.9	95	7.9	98	8.1
White	6,282	110	10.4	76	7.2	75	7.1
All other	403	34	22.2	20	13.1	23	15.0
Black	371	27	22.0	15	12.2	20	16.3
Balance of area	7,993	103	8.4	66	5.4	81	6.6
White	7,928	98	8.2	63	5.3	79	6.6
All other	65	5	12.5	3	7.5	2	5.0
Black	8	–	–	–	–	–	–
Metropolitan counties	5,224	122	10.2	81	6.8	85	7.1
White	4,828	89	8.6	61	5.9	64	6.2
All other	396	33	20.6	20	12.5	21	13.1
Black	369	27	20.7	15	11.5	20	15.4
Urban places	4,606	103	11.6	67	7.6	75	8.5
White	4,219	71	9.6	48	6.5	54	7.3
All other	387	32	22.2	19	13.2	21	14.6
Black	365	27	22.2	15	12.3	20	16.5
Balance of area	618	19	6.2	14	4.6	10	3.3
White	609	18	6.2	13	4.5	10	3.4
All other	9	1	6.2	1	6.2	–	–
Black	4	–	–	–	–	–	–
Nonmetropolitan counties	9,454	125	10.0	81	6.5	94	7.5
White	9,382	119	9.8	78	6.4	90	7.4
All other	72	6	18.1	3	9.1	4	12.1
Black	10	–	–	–	–	–	–
Urban places	2,079	41	12.7	29	9.0	23	7.1
White	2,063	39	12.4	28	8.9	21	6.7
All other	16	2	22.0	1	11.0	2	22.0
Black	6	–	–	–	–	–	–
Balance of area	7,375	84	9.1	52	5.6	71	7.7
White	7,319	80	8.9	50	5.6	69	7.7
All other	56	4	16.7	2	8.3	2	8.3
Black	4	–	–	–	–	–	–
Nevada	7,410	145	9.1	78	4.9	122	7.7
White	6,901	111	8.6	64	4.9	94	7.2
All other	509	34	11.7	14	4.8	28	9.6
Black	341	26	15.9	12	7.3	18	11.0
Urban places	4,156	85	7.7	43	3.9	72	6.5
White	3,781	62	7.2	33	3.8	53	6.1
All other	375	23	9.7	10	4.2	19	8.1
Black	295	22	14.5	10	6.6	17	11.2
Balance of area	3,254	60	12.3	35	7.2	50	10.2
White	3,120	49	11.3	31	7.2	41	9.5
All other	134	11	19.7	4	7.2	9	16.1
Black	46	4	33.3	2	16.7	1	8.3
Metropolitan counties	6,015	123	9.3	68	5.1	91	6.9
White	5,572	93	8.8	54	5.1	69	6.5
All other	443	30	11.5	14	5.3	22	8.4
Black	327	26	16.1	12	7.4	18	11.1
Urban places	3,830	83	7.9	42	4.0	68	6.5
White	3,467	60	7.3	32	3.9	49	6.0
All other	383	23	10.0	10	4.4	19	8.3
Black	292	22	14.5	10	6.6	17	11.2
Balance of area	2,185	40	14.8	26	9.6	23	8.5
White	2,105	33	13.9	22	9.2	20	8.4
All other	80	7	21.4	4	12.2	3	9.2
Black	35	4	38.5	2	19.2	1	9.6
Nonmetropolitan counties	1,395	22	8.2	10	3.7	31	11.5
White	1,329	18	7.5	10	4.2	25	10.5
All other	66	4	13.3	–	–	6	20.0
Black	14	–	–	–	–	–	–
Urban places	326	2	3.9	1	1.9	4	7.8
White	314	2	4.5	1	2.2	4	9.0
All other	12	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
Balance of area	1,069	20	9.2	9	4.1	27	12.4
White	1,015	16	8.2	9	4.6	21	10.8
All other	54	4	17.2	–	–	6	25.9
Black	11	–	–	–	–	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	8,592	144	9.1	93	5.9	83	5.2
White	8,581	142	9.1	91	5.8	82	5.3
All other	31	2	6.7	2	6.7	1	3.3
Black	20	2	16.1	2	16.1	–	–
Urban places	3,623	53	8.9	35	5.9	26	4.4
White	3,608	52	9.1	34	5.9	26	4.5
All other	15	1	5.4	1	5.4	–	–
Black	10	1	11.0	1	11.0	–	–
Balance of area	4,969	91	9.1	58	5.8	57	5.7
White	4,953	90	9.1	57	5.8	56	5.7
All other	16	1	8.8	1	8.8	1	8.8
Black	10	1	30.3	1	30.3	–	–
Metropolitan counties	4,724	85	8.3	59	5.7	52	5.1
White	4,704	84	8.4	58	5.8	51	5.1
All other	20	1	4.1	1	4.1	1	4.1
Black	14	1	9.4	1	9.4	–	–
Urban places	2,399	36	8.2	24	5.5	22	5.0
White	2,386	36	8.5	24	5.7	22	5.2
All other	13	–	–	–	–	–	–
Black	9	–	–	–	–	–	–
Balance of area	2,325	49	8.3	35	5.9	30	5.1
White	2,318	48	8.3	34	5.8	29	5.0
All other	7	1	12.0	1	12.0	1	12.0
Black	5	1	43.5	1	43.5	–	–
Nonmetropolitan counties	3,868	59	10.5	34	6.1	31	5.5
White	3,857	58	10.4	33	5.9	31	5.6
All other	11	1	18.2	1	18.2	–	–
Black	6	1	55.6	1	55.6	–	–
Urban places	1,224	17	11.0	11	7.1	4	2.6
White	1,222	16	10.5	10	6.6	4	2.6
All other	2	1	40.0	1	40.0	–	–
Black	1	1	125.0	1	125.0	–	–
Balance of area	2,644	42	10.3	23	5.6	27	6.6
White	2,635	42	10.4	23	5.7	27	6.7
All other	9	–	–	–	–	–	–
Black	5	–	–	–	–	–	–
New Jersey	71,655	1,062	9.8	715	6.6	872	8.0
White	62,921	661	7.8	459	5.4	593	7.0
All other	8,734	401	16.4	256	10.5	279	11.4
Black	8,415	388	18.5	246	11.7	262	12.5
Urban places	51,741	810	10.5	538	7.0	624	8.1
White	43,908	446	8.1	307	5.5	386	7.0
All other	7,833	364	16.8	231	10.7	238	11.0
Black	7,594	352	18.5	222	11.7	222	11.7
Balance of area	19,914	252	7.9	177	5.6	248	7.8
White	19,013	215	7.4	152	5.2	207	7.1
All other	901	37	13.4	25	9.1	41	14.9
Black	821	36	18.2	24	12.1	40	20.2
Metropolitan counties	63,550	989	10.0	661	6.7	813	8.2
White	54,969	591	7.9	408	5.4	536	7.1
All other	8,581	398	16.6	253	10.6	277	11.6
Black	8,279	385	18.7	243	11.8	260	12.7
Urban places	48,064	788	10.8	520	7.1	609	8.3
White	40,297	424	8.2	289	5.6	371	7.2
All other	7,767	364	17.0	231	10.8	238	11.1
Black	7,538	352	18.7	222	11.8	222	11.8
Balance of area	15,486	201	7.7	141	5.4	204	7.8
White	14,672	167	7.1	119	5.0	165	7.0
All other	814	34	13.6	22	8.8	39	15.6
Black	741	33	18.7	21	11.9	38	21.5
Nonmetropolitan counties	8,105	73	7.5	54	5.6	59	6.1
White	7,952	70	7.6	51	5.6	57	6.2
All other	153	3	5.9	3	5.9	2	4.0
Black	136	3	7.1	3	7.1	2	4.7
Urban places [1]	3,677	22	5.6	18	4.6	15	3.8
White	3,611	22	6.0	18	4.9	15	4.1
All other	66	–	–	–	–	–	–
Black	56	–	–	–	–	–	–
Balance of area	4,428	51	8.9	36	6.3	44	7.7
White	4,341	48	8.8	33	6.0	42	7.7
All other	87	3	11.5	3	11.5	2	7.8
Black	80	3	13.9	3	13.9	2	9.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Mexico [3]	10,114	261	9.5	148	5.4	118	4.3
White	9,252	204	9.0	124	5.5	97	4.3
All other	862	57	12.0	24	5.0	21	4.4
Black	171	12	17.4	6	8.7	5	7.3
Urban places	5,779	146	9.9	86	5.9	59	4.0
White	5,540	125	9.5	75	5.7	52	4.0
All other	239	21	13.5	11	7.1	7	4.5
Black	135	10	19.2	6	11.6	4	7.7
Balance of area	4,335	115	9.0	62	4.9	59	4.6
White	3,712	79	8.3	49	6.2	45	4.7
All other	623	36	11.2	13	4.1	14	4.4
Black	36	2	12.0	–	–	1	6.0
Metropolitan counties	4,184	111	9.7	73	6.4	45	3.9
White	3,965	91	8.9	59	5.8	39	3.8
All other	219	20	16.4	14	11.5	6	4.9
Black	82	7	23.1	5	16.5	3	8.9
Urban places	3,405	89	10.3	57	6.6	34	3.9
White	3,291	76	9.6	48	6.1	30	3.8
All other	115	13	17.6	9	12.2	4	5.4
Black	71	7	26.5	5	18.9	3	11.4
Balance of area	778	22	7.8	16	5.7	11	3.9
White	674	15	6.4	11	4.7	9	3.9
All other	104	7	14.6	5	10.4	2	4.2
Black	11	–	–	–	–	–	–
Nonmetropolitan counties	5,930	150	9.4	75	4.7	73	4.6
White	5,287	113	9.1	65	5.2	58	4.7
All other	643	37	10.4	10	2.8	15	4.2
Black	89	5	13.0	1	2.6	2	5.2
Urban places	2,373	57	9.5	29	4.8	25	4.1
White	2,249	49	9.4	27	5.2	22	4.2
All other	124	8	9.8	2	2.5	3	3.7
Black	64	3	11.7	1	3.9	1	3.9
Balance of area	3,557	93	9.4	46	4.6	48	4.8
White	3,038	64	8.9	38	5.3	36	5.0
All other	519	29	10.6	8	2.9	12	4.4
Black	25	2	15.6	–	–	1	7.8
New York	173,540	2,824	10.7	1,937	7.3	2,554	9.7
White	148,062	1,788	9.2	1,265	6.5	1,685	8.7
All other	24,478	1,036	15.0	672	9.7	869	12.5
Black	22,983	999	16.7	643	10.8	823	13.8
Urban places	113,647	2,046	11.9	1,392	8.1	2,026	11.8
White	90,873	1,094	10.2	779	7.2	1,257	11.7
All other	22,774	952	14.9	613	9.6	769	12.0
Black	21,489	919	16.4	586	10.5	729	13.0
Balance of area	59,893	778	8.4	545	5.9	528	5.7
White	58,189	694	8.0	486	5.6	428	4.9
All other	1,704	84	15.8	59	11.1	100	18.8
Black	1,494	80	21.5	57	15.3	94	25.3
Metropolitan counties	156,260	2,590	10.8	1,762	7.4	2,357	9.8
White	132,056	1,566	9.1	1,120	6.5	1,498	8.8
All other	24,204	1,024	15.0	662	9.7	859	12.6
Black	22,766	988	16.7	633	10.7	814	13.8
Urban places	109,660	2,003	12.0	1,364	8.2	1,911	11.5
White	86,972	1,055	10.2	754	7.3	1,146	11.1
All other	22,688	948	14.9	610	9.6	765	12.0
Black	21,416	915	16.4	583	10.5	725	13.0
Balance of area	46,600	587	8.0	418	5.7	446	6.1
White	45,084	511	7.5	366	5.4	352	5.2
All other	1,516	76	16.1	52	11.0	94	20.0
Black	1,348	73	21.7	60	14.8	89	26.4
Nonmetropolitan counties	17,280	234	9.5	155	6.3	197	8.0
White	17,006	222	9.4	145	6.2	187	7.9
All other	274	12	12.4	10	10.3	10	10.3
Black	217	11	17.7	10	16.1	9	14.5
Urban places	3,987	43	8.4	28	5.5	115	22.5
White	3,901	39	8.2	25	5.3	111	23.4
All other	86	4	11.1	3	8.3	4	11.1
Black	71	4	14.9	3	11.2	4	14.9
Balance of area	13,293	191	9.8	127	6.5	82	4.2
White	13,105	183	9.7	120	6.4	76	4.0
All other	188	8	13.2	7	11.5	6	9.9
Black	146	7	19.9	7	19.9	5	14.2
North Carolina	54,609	1,042	11.5	691	7.7	787	8.7
White	41,327	570	9.2	384	6.2	440	7.1
All other	13,282	472	16.8	307	10.8	347	12.2
Black	12,816	454	17.4	298	11.5	330	12.7
Urban places	19,219	425	13.4	293	9.3	290	9.2
White	13,216	185	10.5	126	7.1	122	6.9
All other	6,003	240	17.2	167	12.0	168	12.0
Black	5,934	237	18.0	164	12.4	164	12.4
Balance of area	35,390	617	10.5	398	6.8	497	8.5
White	28,111	385	8.7	258	5.8	318	7.2
All other	7,279	232	16.0	140	9.6	179	12.3
Black	6,882	217	16.9	134	10.4	166	12.9
Metropolitan counties	26,419	596	11.8	416	8.2	418	8.3
White	20,647	356	9.9	250	7.0	237	6.6
All other	5,772	240	16.4	166	11.4	181	12.4
Black	5,708	238	17.5	164	12.1	175	12.9
Urban places	14,414	338	13.7	235	9.5	215	8.7
White	10,129	157	11.1	106	7.5	88	6.2
All other	4,285	181	17.1	129	12.2	127	12.0
Black	4,248	180	18.0	128	12.8	123	12.3
Balance of area	12,005	258	10.0	181	7.0	203	7.9
White	10,518	199	9.2	144	6.6	149	6.9
All other	1,487	59	14.6	37	9.2	54	13.4
Black	1,460	58	16.1	36	10.0	52	14.4
Nonmetropolitan counties	28,190	446	11.2	275	6.9	369	9.3
White	20,680	214	8.3	134	5.2	203	7.8
All other	7,510	232	16.7	141	10.1	166	11.9
Black	7,108	216	17.4	134	10.8	155	12.5
Urban places	4,805	87	12.5	58	8.4	75	10.8
White	3,087	28	7.9	20	5.7	34	9.6
All other	1,718	59	17.3	38	11.2	41	12.0
Black	1,686	57	17.7	36	11.2	41	12.7
Balance of area	23,385	359	10.9	217	6.6	294	8.9
White	17,593	186	8.3	114	5.1	169	7.6
All other	5,792	173	16.5	103	9.8	125	11.9
Black	5,422	159	17.2	98	10.6	114	12.4
North Dakota	5,289	91	8.4	44	4.1	74	6.8
White	5,141	81	8.3	40	4.1	63	6.5
All other	148	10	9.4	4	3.8	11	10.4
Black	8	–	–	–	–	–	–
Urban places	1,837	36	7.8	15	3.3	31	6.8
White	1,825	35	8.0	15	3.4	29	6.6
All other	12	1	4.3	–	–	2	8.7
Black	2	–	–	–	–	–	–
Balance of area	3,452	55	8.8	29	4.7	43	6.9
White	3,316	46	8.5	25	4.6	34	6.3
All other	136	9	10.8	4	4.8	9	10.8
Black	6	–	–	–	–	–	–
Metropolitan counties	1,506	32	7.7	14	3.4	32	7.7
White	1,496	31	7.9	14	3.6	31	7.9
All other	10	1	4.6	–	–	1	4.6
Black	4	–	–	–	–	–	–
Urban places	1,180	23	7.4	10	3.2	24	7.8
White	1,172	22	7.5	10	3.4	23	7.8
All other	8	1	6.8	–	–	1	6.8
Black	2	–	–	–	–	–	–
Balance of area	326	9	8.6	4	3.8	8	7.6
White	324	9	9.2	4	4.1	8	8.2
All other	2	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	3,783	59	8.8	30	4.5	42	8.3
White	3,645	50	8.6	28	4.5	32	5.5
All other	138	9	10.7	4	4.7	10	11.8
Black	4	–	–	–	–	–	–
Urban places	657	13	8.7	5	3.3	7	4.7
White	653	13	9.2	5	3.5	6	4.2
All other	4	–	–	–	–	1	11.9
Black	–	–	–	–	–	–	–
Balance of area	3,126	46	8.9	25	4.8	35	6.8
White	2,992	37	8.4	21	4.8	26	5.9
All other	134	9	11.8	4	5.3	9	11.8
Black	4	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	99,716	1,680	10.6	1,086	6.9	1,131	7.2
White	89,308	1,259	9.5	815	6.1	878	6.6
All other	10,408	421	16.7	271	10.8	253	10.1
Black	10,225	407	17.4	262	11.2	236	10.1
Urban places	59,459	1,092	12.0	705	7.8	712	7.8
White	49,970	704	10.4	455	6.7	480	7.1
All other	9,489	388	16.9	250	10.9	232	10.1
Black	9,357	377	17.5	243	11.3	221	10.3
Balance of area	40,257	588	8.7	381	5.7	419	6.2
White	39,338	555	8.5	360	5.5	398	6.1
All other	919	33	14.6	21	9.3	21	9.3
Black	868	30	16.8	19	10.6	15	8.4
Metropolitan counties	79,450	1,373	10.8	888	7.0	936	7.4
White	69,383	967	9.4	626	6.1	692	6.7
All other	10,067	406	16.8	262	10.9	244	10.1
Black	9,903	393	17.4	253	11.2	231	10.2
Urban places	52,996	993	12.1	646	7.9	647	7.9
White	43,704	614	10.3	400	6.7	421	7.0
All other	9,292	379	17.0	246	11.1	226	10.2
Black	9,167	369	17.6	239	11.4	216	10.3
Balance of area	26,454	380	8.4	242	5.4	289	6.4
White	25,679	353	8.2	226	5.2	271	6.3
All other	775	27	14.5	16	8.6	18	9.7
Black	736	24	15.6	14	9.1	15	9.8
Nonmetropolitan counties	20,266	307	10.0	198	6.4	195	6.3
White	19,925	292	9.8	189	6.4	186	6.3
All other	341	15	14.4	9	8.6	9	8.6
Black	322	14	17.7	9	11.4	5	6.3
Urban places	6,463	99	11.5	59	6.9	65	7.6
White	6,266	90	11.3	55	6.9	59	7.4
All other	197	9	13.8	4	6.1	6	9.2
Black	190	8	14.8	4	7.4	5	9.3
Balance of area	13,803	208	9.4	139	6.3	130	5.9
White	13,659	202	9.3	134	6.2	127	5.8
All other	144	6	15.3	5	12.8	3	7.7
Black	132	6	23.9	5	19.9	–	–
Oklahoma	29,950	525	10.4	312	6.2	395	7.8
White	26,938	397	10.1	237	6.0	299	7.6
All other	3,012	128	11.4	75	6.7	96	8.5
Black	1,969	92	17.3	54	10.2	59	11.1
Urban places	15,273	347	11.8	203	6.9	223	7.6
White	13,580	253	11.3	150	6.7	162	7.2
All other	1,693	94	13.7	53	7.7	61	8.9
Black	1,418	75	17.0	41	9.3	48	10.9
Balance of area	14,677	178	8.4	109	5.1	172	8.1
White	13,358	144	8.5	87	5.1	137	8.1
All other	1,319	34	7.8	22	5.0	35	8.0
Black	551	17	18.5	13	14.2	11	12.0
Metropolitan counties	15,333	349	10.8	207	6.4	246	7.6
White	13,777	258	10.4	155	6.2	184	7.4
All other	1,556	91	12.4	52	7.1	62	8.5
Black	1,232	72	17.4	38	9.2	44	10.6
Urban places	11,369	286	11.8	173	7.1	186	7.7
White	10,122	203	11.0	127	6.9	134	7.3
All other	1,247	83	14.4	46	8.0	52	9.0
Black	1,078	69	18.1	36	9.5	41	10.8
Balance of area	3,964	63	7.9	34	4.3	60	7.6
White	3,655	55	8.6	28	4.4	50	7.8
All other	309	8	5.2	6	3.9	10	6.5
Black	154	3	8.8	2	5.8	3	8.8
Nonmetropolitan counties	14,617	176	9.5	105	5.7	149	8.1
White	13,161	139	9.6	82	5.6	115	7.9
All other	1,456	37	9.4	23	5.8	34	8.6
Black	737	20	17.1	16	13.7	15	12.8
Urban places	3,904	61	12.0	30	5.9	37	7.3
White	3,458	50	12.6	23	5.8	28	7.0
All other	446	11	10.0	7	6.4	9	8.2
Black	340	6	10.1	5	8.4	7	11.7
Balance of area	10,713	115	8.6	75	5.6	112	8.4
White	9,703	89	8.4	59	5.6	87	8.3
All other	1,010	26	9.2	16	5.6	25	8.8
Black	397	14	24.3	11	19.1	8	13.9
Oregon	23,381	366	9.4	183	4.7	266	6.8
White	22,817	335	9.3	164	4.6	241	6.7
All other	564	31	10.4	19	6.4	25	8.4
Black	291	18	18.8	12	12.6	11	11.5
Urban places	11,199	185	9.7	91	4.8	130	6.8
White	10,789	160	9.4	74	4.3	113	6.6
All other	410	25	12.2	17	8.3	17	8.3
Black	268	17	19.5	12	13.8	9	10.3
Balance of area	12,182	181	9.1	92	4.6	136	6.9
White	12,028	175	9.3	90	4.8	128	6.8
All other	154	6	6.4	2	2.1	8	8.6
Black	23	1	11.8	–	–	2	23.5
Metropolitan counties	15,003	226	8.7	115	4.5	175	6.8
White	14,544	203	8.6	100	4.2	156	6.6
All other	459	23	10.2	15	6.6	19	8.4
Black	282	16	17.6	11	12.1	9	9.9
Urban places	8,955	147	9.6	76	5.0	106	6.9
White	8,560	125	9.3	61	4.5	90	6.7
All other	395	22	12.0	15	8.2	16	8.8
Black	266	15	17.8	11	13.0	9	10.7
Balance of area	6,048	79	7.5	39	3.7	69	6.5
White	5,984	78	7.7	39	3.9	66	6.5
All other	64	1	2.3	–	–	3	6.9
Black	16	1	15.2	–	–	–	–
Nonmetropolitan counties	8,378	140	10.7	68	5.2	91	7.0
White	8,273	132	10.7	64	5.2	85	6.9
All other	105	8	11.2	4	5.6	6	8.4
Black	9	2	43.5	1	21.7	2	43.5
Urban places	2,244	38	10.0	15	4.0	24	6.3
White	2,229	35	9.8	13	3.6	23	6.4
All other	15	3	13.9	2	9.3	1	4.6
Black	2	2	74.1	1	37.0	–	–
Balance of area	6,134	102	11.0	53	5.7	67	7.2
White	6,044	97	11.1	51	5.8	62	7.1
All other	90	5	10.0	2	4.0	5	10.0
Black	7	–	–	–	–	2	105.3
Pennsylvania	124,385	1,640	10.2	1,092	6.8	1,426	8.9
White	112,930	1,162	8.6	769	5.7	1,095	8.1
All other	11,465	478	18.4	323	12.5	331	12.8
Black	11,253	468	19.8	315	13.3	325	13.7
Urban places	64,183	971	12.0	652	8.1	785	9.7
White	53,571	520	9.1	350	6.1	475	8.3
All other	10,592	451	19.0	302	12.7	310	13.1
Black	10,430	445	20.2	297	13.5	306	13.9
Balance of area	60,202	669	8.4	440	5.5	641	8.0
White	59,359	642	8.3	419	5.4	620	8.0
All other	873	27	12.1	21	9.4	21	9.4
Black	823	23	14.0	18	10.9	19	11.5
Metropolitan counties	101,446	1,372	10.2	924	6.9	1,174	8.7
White	90,200	901	8.3	605	5.6	851	7.8
All other	11,246	471	18.5	319	12.5	323	12.7
Black	11,042	462	19.8	311	13.3	317	13.6
Urban places	60,737	932	12.0	628	8.1	737	9.5
White	50,219	485	8.9	328	6.0	428	7.9
All other	10,518	447	19.0	300	12.8	309	13.1
Black	10,357	441	20.2	295	13.5	305	13.9
Balance of area	40,709	440	7.8	296	5.2	437	7.7
White	39,981	416	7.6	277	5.1	423	7.8
All other	728	24	12.4	19	9.8	14	7.3
Black	685	21	14.3	16	10.9	12	8.2
Nonmetropolitan counties	22,949	268	10.0	168	6.3	252	9.4
White	22,730	261	9.9	164	6.3	244	9.3
All other	219	7	14.4	4	8.2	8	16.5
Black	211	6	17.5	4	11.7	6	23.4
Urban places	3,426	39	12.4	24	7.6	48	15.3
White	3,352	35	11.9	22	7.5	47	15.9
All other	74	4	21.1	2	10.5	1	5.3
Black	73	4	25.2	2	12.6	1	6.3
Balance of area	19,523	229	9.7	144	6.1	204	8.7
White	19,378	226	9.7	142	6.1	197	8.5
All other	145	3	10.2	2	8.8	7	23.7
Black	138	2	10.9	2	10.9	7	38.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Rhode Island	9,718	126	9.4	87	6.5	107	8.0
White	9,422	108	8.8	73	6.1	91	7.6
All other	296	20	13.7	14	9.6	16	10.9
Black	254	16	16.7	12	12.5	12	12.6
Urban places	7,718	101	9.6	68	6.5	81	7.7
White	7,441	82	9.0	55	6.0	65	7.1
All other	277	19	13.9	13	9.5	16	11.7
Black	242	15	16.0	11	11.7	12	12.8
Balance of area	2,000	25	8.5	19	6.5	26	8.8
White	1,981	24	8.4	18	6.3	26	9.1
All other	19	1	10.9	1	10.9	–	–
Black	12	1	55.6	1	55.6	–	–
Metropolitan counties	9,021	115	9.3	76	6.3	100	8.1
White	8,751	96	8.8	65	5.9	85	7.8
All other	270	19	13.9	13	9.5	15	11.0
Black	228	15	16.8	11	12.3	11	12.3
Urban places	7,333	91	9.3	60	6.1	76	7.7
White	7,076	73	8.6	48	5.6	61	7.2
All other	257	18	14.0	12	9.3	15	11.7
Black	222	14	16.0	10	11.4	11	12.6
Balance of area	1,688	24	9.6	18	7.2	24	9.6
White	1,675	23	9.5	17	7.0	24	9.9
All other	13	1	11.9	1	11.9	–	–
Black	6	1	62.5	1	62.5	–	–
Nonmetropolitan counties	697	11	9.7	9	7.9	7	6.1
White	671	10	9.6	8	7.7	6	5.7
All other	26	1	10.6	1	10.6	1	10.6
Black	26	1	15.2	1	15.2	1	15.2
Urban places	385	10	14.4	8	11.5	5	7.2
White	365	9	14.8	7	11.5	4	6.6
All other	20	1	11.6	1	11.6	1	11.6
Black	20	1	15.6	1	15.6	1	15.6
Balance of area	312	1	2.3	1	2.3	2	4.5
White	306	1	2.3	1	2.3	2	4.6
All other	6	–	–	–	–	–	–
Black	6	–	–	–	–	–	–
South Carolina	28,141	684	13.2	456	8.8	521	10.1
White	19,115	317	10.1	216	6.9	230	7.4
All other	9,026	367	17.9	240	11.7	291	14.2
Black	8,996	363	18.1	236	11.8	288	14.4
Urban places	7,918	195	14.3	141	10.3	162	11.9
White	5,232	65	9.2	50	7.1	66	9.3
All other	2,686	130	19.8	91	13.9	96	14.6
Black	2,679	130	20.4	91	14.3	94	14.8
Balance of area	20,223	489	12.8	315	8.3	359	9.4
White	13,883	252	10.4	166	6.9	164	6.8
All other	6,340	237	16.9	149	10.7	195	13.9
Black	6,317	233	17.1	145	10.6	194	14.2
Metropolitan counties	15,690	387	12.4	269	8.6	313	10.1
White	11,552	196	9.5	134	6.5	157	7.6
All other	4,338	191	18.2	135	12.8	156	14.8
Black	4,316	188	18.5	132	13.0	153	15.0
Urban places	6,151	159	14.5	116	10.7	130	11.8
White	4,102	54	9.3	43	7.4	52	9.0
All other	2,049	105	20.2	75	14.4	78	15.0
Black	2,044	105	20.8	75	14.9	76	15.1
Balance of area	9,739	228	11.3	151	7.5	183	9.1
White	7,450	142	9.6	91	6.1	105	7.1
All other	2,289	86	16.2	60	11.3	78	14.7
Black	2,272	83	16.2	57	11.1	77	15.0
Nonmetropolitan counties	12,251	297	14.4	187	9.0	208	10.1
White	7,563	121	11.4	82	7.7	73	6.9
All other	4,688	176	17.5	105	10.5	135	13.4
Black	4,680	175	17.8	104	10.6	135	13.7
Urban places	1,767	36	13.5	23	8.6	32	12.0
White	1,130	11	8.4	7	5.4	14	10.7
All other	637	25	18.4	16	11.8	18	13.2
Black	635	25	18.8	16	12.1	18	13.6
Balance of area	10,484	261	14.5	164	9.1	176	9.8
White	6,433	110	11.8	75	8.0	59	6.3
All other	4,051	151	17.4	89	10.3	117	13.5
Black	4,045	150	17.6	88	10.3	117	13.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota [3]	6,579	155	13.3	83	7.1	74	6.4
White	6,151	100	10.4	59	6.1	60	6.2
All other	428	55	27.5	24	12.0	14	7.0
Black	13	3	25.2	1	8.4	2	16.8
Urban places	2,285	59	13.6	36	8.3	16	3.7
White	2,225	49	12.5	31	7.9	16	4.1
All other	60	10	24.2	5	12.1	–	–
Black	9	3	57.7	1	19.2	–	–
Balance of area	4,294	96	13.2	47	6.4	58	8.0
White	3,926	51	8.9	28	4.9	44	7.7
All other	368	45	28.3	19	11.9	14	8.8
Black	4	–	–	–	–	2	29.9
Metropolitan counties	866	20	10.1	13	6.6	8	4.0
White	860	19	10.1	13	6.9	8	4.2
All other	6	1	10.1	–	–	–	–
Black	2	1	41.7	–	–	–	–
Urban places	726	18	11.3	11	6.9	6	3.8
White	721	17	11.3	11	7.3	6	4.0
All other	5	1	10.9	–	–	–	–
Black	2	1	47.6	–	–	–	–
Balance of area	140	2	5.1	2	5.1	2	5.1
White	139	2	5.2	2	5.2	2	5.2
All other	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	5,713	135	14.0	70	7.3	66	6.9
White	5,291	81	10.5	46	6.0	52	6.7
All other	422	54	28.4	24	12.6	14	7.4
Black	11	2	21.1	1	10.5	2	21.1
Urban places	1,559	41	15.0	25	9.2	10	3.7
White	1,504	32	13.3	20	8.3	10	4.1
All other	55	9	28.0	5	15.6	–	–
Black	7	2	64.5	1	32.3	–	–
Balance of area	4,154	94	13.6	45	6.5	56	8.1
White	3,787	49	9.2	26	4.9	42	7.9
All other	367	45	28.4	19	12.0	14	8.8
Black	4	–	–	–	–	2	31.3
Tennessee [3]	44,250	727	11.0	457	8.9	468	7.1
White	36,687	438	8.7	282	5.6	302	6.0
All other	7,563	289	18.9	175	11.1	166	10.5
Black	7,507	283	18.6	173	11.3	163	10.7
Urban places	21,985	453	13.5	290	8.6	249	7.4
White	15,997	205	10.1	138	6.8	119	5.9
All other	5,988	248	18.8	152	11.5	130	9.8
Black	5,943	242	18.9	150	11.7	128	10.0
Balance of area	22,265	274	8.4	167	5.1	219	6.7
White	20,690	233	7.7	144	4.8	183	6.1
All other	1,575	41	15.8	23	8.9	36	13.9
Black	1,564	41	18.6	23	9.3	35	14.2
Metropolitan counties	26,522	524	11.7	343	7.7	295	6.6
White	20,559	276	8.8	187	6.0	171	5.5
All other	5,963	248	18.7	156	11.8	124	9.4
Black	5,914	242	18.9	154	12.1	121	9.5
Urban places	18,960	409	13.7	269	9.0	211	7.1
White	13,365	177	10.1	123	7.0	96	5.5
All other	5,495	232	18.8	146	11.8	115	9.3
Black	5,452	226	18.9	144	12.1	113	9.5
Balance of area	7,562	115	7.8	74	5.0	84	5.7
White	7,194	99	7.1	64	4.6	75	5.4
All other	468	16	17.8	10	11.1	9	10.0
Black	462	16	19.1	10	11.9	8	9.6
Nonmetropolitan counties	17,728	203	9.4	114	5.3	173	8.0
White	16,128	162	8.5	95	5.0	131	6.9
All other	1,600	41	16.0	19	7.4	42	16.4
Black	1,593	41	16.5	19	7.7	42	16.9
Urban places	3,125	44	11.8	21	5.6	38	10.2
White	2,632	28	9.8	15	5.2	23	8.0
All other	493	16	18.3	6	6.9	15	17.2
Black	491	16	18.8	6	7.1	15	17.6
Balance of area	14,603	159	8.9	93	5.2	135	7.5
White	13,496	134	8.3	80	4.9	108	6.7
All other	1,107	25	14.8	13	7.7	27	16.0
Black	1,102	25	15.3	13	8.0	27	16.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Texas	118,747	2,921	9.5	1,838	6.0	2,156	7.0
White	102,451	2,218	8.6	1,398	5.4	1,675	6.5
All other	16,296	703	14.3	440	9.0	481	9.8
Black	15,823	671	15.9	420	9.9	440	10.4
Urban places	75,617	2,134	10.0	1,351	6.3	1,516	7.1
White	62,973	1,522	8.8	961	5.6	1,136	6.6
All other	12,644	612	15.1	390	9.6	380	9.3
Black	12,252	583	16.6	372	10.6	345	9.8
Balance of area	43,130	787	8.4	487	5.2	640	6.8
White	39,478	696	8.1	437	5.1	539	6.3
All other	3,652	91	10.7	50	5.9	101	11.9
Black	3,571	88	12.2	48	6.7	95	13.2
Metropolitan counties	87,111	2,438	9.4	1,550	6.0	1,785	6.9
White	74,009	1,810	8.4	1,148	5.4	1,357	6.3
All other	13,102	628	14.3	402	9.1	428	9.7
Black	12,667	597	15.9	383	10.2	389	10.4
Urban places	68,395	1,997	10.0	1,277	6.4	1,413	7.1
White	56,559	1,401	8.7	892	5.5	1,042	6.5
All other	11,836	596	15.3	385	9.9	371	9.5
Black	11,455	568	17.0	368	11.0	337	10.1
Balance of area	18,716	441	7.5	273	4.7	372	6.4
White	17,450	409	7.6	256	4.8	315	5.9
All other	1,266	32	6.4	17	3.4	57	11.4
Black	1,212	29	7.4	15	3.8	52	13.2
Nonmetropolitan counties	31,636	483	9.9	288	5.9	371	7.6
White	28,442	408	9.3	250	5.7	318	7.3
All other	3,194	75	14.6	38	7.4	53	10.3
Black	3,156	74	15.4	37	7.7	51	10.6
Urban places	7,222	137	10.3	74	5.6	103	7.8
White	6,414	121	10.4	69	6.0	94	8.1
All other	808	16	9.5	5	3.0	9	5.3
Black	797	15	9.7	4	2.6	8	5.1
Balance of area	24,414	346	9.7	214	6.0	268	7.5
White	22,028	287	8.9	181	5.6	224	7.0
All other	2,386	59	17.1	33	9.6	44	12.8
Black	2,359	59	18.1	33	10.1	43	13.2
Utah	8,939	312	8.6	184	5.1	232	6.4
White	8,697	298	8.6	175	5.1	216	6.3
All other	242	18	7.7	9	4.3	17	8.2
Black	64	3	9.3	–	–	3	9.3
Urban places	4,862	165	9.0	98	5.3	130	7.1
White	4,737	160	9.3	95	5.5	121	7.0
All other	125	5	4.3	3	2.6	9	7.7
Black	47	1	4.4	–	–	2	8.8
Balance of area	4,077	147	8.1	86	4.8	102	5.6
White	3,960	136	7.9	80	4.7	94	5.5
All other	117	11	12.2	6	6.6	8	8.8
Black	17	2	20.8	–	–	1	10.4
Metropolitan counties	6,744	247	8.6	145	5.0	180	6.3
White	6,589	234	8.6	138	5.1	168	6.2
All other	155	13	8.4	7	4.5	12	7.8
Black	63	3	9.9	–	–	3	9.9
Urban places	4,338	150	9.1	87	5.3	120	7.3
White	4,222	145	9.4	84	5.5	111	7.2
All other	116	5	4.8	3	2.9	9	8.6
Black	47	1	4.7	–	–	2	9.3
Balance of area	2,406	97	7.8	58	4.7	60	4.9
White	2,367	89	7.5	54	4.5	57	4.8
All other	39	8	16.2	4	8.1	3	6.1
Black	16	2	22.7	–	–	1	11.4
Nonmetropolitan counties	2,195	65	8.5	39	5.1	52	6.8
White	2,108	62	8.7	37	5.2	47	6.6
All other	87	3	5.7	2	3.8	5	9.5
Black	1	–	–	–	–	–	–
Urban places	524	15	7.8	11	5.7	10	5.2
White	515	15	8.3	11	6.1	10	5.5
All other	9	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	1,671	50	8.8	28	4.9	42	7.4
White	1,593	47	8.9	26	4.9	37	7.0
All other	78	3	7.3	2	4.9	5	12.2
Black	1	–	–	–	–	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Vermont	4,760	81	10.0	61	7.5	44	5.4
White	4,747	78	9.7	59	7.3	44	5.5
All other	13	3	33.3	2	22.2	–	–
Black	8	1	38.5	1	38.5	–	–
Urban places	692	15	16.6	12	13.3	6	6.6
White	690	15	16.8	12	13.5	6	6.7
All other	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	4,068	66	9.1	49	6.8	38	5.3
White	4,057	63	8.8	47	6.6	38	5.3
All other	11	3	38.5	2	25.6	–	–
Black	7	1	43.5	1	43.5	–	–
Metropolitan counties	788	21	11.3	17	9.1	12	6.4
White	784	21	11.5	17	9.3	12	6.6
All other	4	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
Urban places	408	9	14.8	6	9.9	3	4.9
White	406	9	15.0	6	10.0	3	5.0
All other	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	380	12	9.6	11	8.8	9	7.2
White	378	12	9.7	11	8.9	9	7.3
All other	2	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	3,972	60	9.6	44	7.0	32	5.1
White	3,963	57	9.2	42	6.8	32	5.1
All other	9	3	50.0	2	33.3	–	–
Black	5	1	59.8	1	58.8	–	–
Urban places	284	6	20.3	6	20.3	3	10.1
White	284	6	20.5	6	20.5	3	10.3
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,688	54	9.0	38	6.4	29	4.8
White	3,679	51	8.6	36	6.1	29	4.9
All other	9	3	53.6	2	35.7	–	–
Black	5	1	62.5	1	62.5	–	–
Virginia	46,516	965	11.1	651	7.5	841	10.8
White	36,085	571	9.0	379	6.0	585	9.2
All other	10,431	394	16.7	272	11.5	356	15.1
Black	10,196	378	18.0	263	12.5	349	16.3
Urban places	20,072	491	12.4	342	8.8	455	11.5
White	14,048	242	9.7	165	6.6	230	9.2
All other	6,024	249	17.1	177	12.1	225	15.4
Black	5,914	243	18.3	173	13.0	219	16.5
Balance of area	26,444	474	10.0	309	6.5	486	10.2
White	22,037	329	8.5	214	5.6	355	9.2
All other	4,407	145	16.1	95	10.6	131	14.6
Black	4,282	135	17.4	90	11.6	124	16.0
Metropolitan counties	30,041	741	11.3	517	7.9	682	10.4
White	22,607	422	9.1	291	6.3	397	8.6
All other	7,434	319	16.5	226	11.7	285	14.8
Black	7,223	304	18.0	217	12.9	276	16.4
Urban places	18,189	468	12.6	329	8.9	434	11.7
White	12,418	221	9.6	152	6.6	212	9.2
All other	5,771	247	17.5	177	12.5	222	15.7
Black	5,666	241	18.7	173	13.5	216	16.8
Balance of area	11,852	273	9.6	188	6.6	248	8.7
White	10,189	201	8.6	139	5.9	185	7.9
All other	1,663	72	13.9	49	9.5	63	12.2
Black	1,557	63	15.7	44	11.0	60	15.0
Nonmetropolitan counties	16,475	224	10.4	134	6.2	259	12.1
White	13,478	149	8.7	88	5.1	188	11.0
All other	2,997	75	17.5	46	10.7	71	16.5
Black	2,973	74	17.8	46	11.1	67	16.1
Urban places	1,883	23	9.3	13	5.2	21	8.4
White	1,630	21	10.4	13	6.4	18	8.9
All other	253	2	4.3	–	–	3	6.5
Black	248	2	4.8	–	–	3	7.2
Balance of area	14,592	201	10.6	121	6.4	238	12.6
White	11,848	128	8.5	75	5.0	170	11.2
All other	2,744	73	19.1	46	12.0	68	17.7
Black	2,725	72	19.3	46	12.3	64	17.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	34,253	678	9.8	375	5.4	439	6.3
White	32,691	593	9.8	319	5.3	383	6.3
All other	1,562	85	9.7	56	6.4	56	6.4
Black	749	45	13.5	29	8.7	23	6.9
Urban places	17,415	316	10.8	175	6.0	237	8.1
White	16,317	271	11.2	144	5.9	209	8.2
All other	1,098	45	8.8	31	6.1	37	7.3
Black	627	26	11.9	16	7.3	17	7.8
Balance of area	16,838	362	9.0	200	5.0	202	5.0
White	16,374	322	8.9	175	4.8	183	5.0
All other	464	40	10.8	25	6.7	19	5.1
Black	122	19	16.8	13	11.5	6	5.3
Metropolitan counties	26,701	567	9.9	318	5.8	363	6.3
White	25,278	486	9.9	264	5.4	308	6.3
All other	1,423	81	10.2	54	6.8	55	6.8
Black	734	45	13.9	29	9.0	23	7.1
Urban places	15,417	282	10.9	157	6.1	213	8.2
White	14,342	237	11.2	126	6.0	176	8.4
All other	1,075	45	9.3	31	6.4	37	7.6
Black	622	26	12.2	16	7.5	17	8.0
Balance of area	11,284	285	9.1	161	5.1	150	4.8
White	10,936	249	8.8	138	4.9	132	4.7
All other	348	36	11.5	23	7.4	18	5.8
Black	112	19	17.3	13	11.9	6	5.5
Nonmetropolitan counties	7,552	111	9.1	57	4.8	76	6.2
White	7,413	107	9.4	55	4.8	75	6.6
All other	139	4	4.8	2	2.4	1	1.2
Black	15	–	–	–	–	–	–
Urban places	1,998	34	9.9	18	5.2	24	7.0
White	1,975	34	10.7	18	5.6	24	7.5
All other	23	–	–	–	–	–	–
Black	5	–	–	–	–	–	–
Balance of area	5,554	77	8.7	39	4.4	52	5.9
White	5,438	73	8.9	37	4.5	51	6.2
All other	116	4	6.8	2	3.4	1	1.7
Black	10	–	–	–	–	–	–
West Virginia	19,868	238	10.2	154	6.6	186	8.0
White	18,969	214	9.6	137	6.2	182	8.2
All other	899	24	23.4	17	16.6	4	3.9
Black	894	24	25.9	17	18.4	4	4.3
Urban places	5,587	60	11.7	42	8.2	34	6.6
White	5,150	46	10.0	33	7.2	30	6.5
All other	437	14	25.9	9	16.7	4	7.4
Black	435	14	28.6	9	18.4	4	8.2
Balance of area	14,281	178	9.8	112	6.2	152	8.4
White	13,819	168	9.5	104	5.9	152	8.6
All other	462	10	20.7	8	16.5	–	–
Black	459	10	22.9	8	16.3	–	–
Metropolitan counties	7,340	75	9.1	49	5.9	57	6.8
White	7,014	64	8.1	41	5.2	54	6.8
All other	326	12	30.7	8	20.5	3	7.7
Black	323	12	34.4	8	22.9	3	8.6
Urban places	3,775	43	12.3	31	8.9	24	6.9
White	3,529	33	10.3	24	7.5	21	6.6
All other	246	10	35.7	7	25.0	3	10.7
Black	244	10	39.4	7	27.6	3	11.8
Balance of area	3,565	33	6.8	18	3.7	33	6.8
White	3,485	31	6.6	17	3.6	33	7.0
All other	80	2	18.0	1	9.0	–	–
Black	79	2	21.1	1	10.5	–	–
Nonmetropolitan counties	12,528	162	10.9	105	7.0	129	8.7
White	11,955	150	10.5	98	6.7	128	9.0
All other	573	12	19.0	9	14.2	1	1.6
Black	571	12	20.8	9	15.6	1	1.7
Urban places	1,812	17	10.3	11	6.7	10	6.1
White	1,621	13	9.4	9	6.5	9	6.5
All other	191	4	15.4	2	7.7	1	3.8
Black	191	4	17.0	2	8.5	1	4.3
Balance of area	10,716	145	10.9	94	7.1	119	9.0
White	10,334	137	10.6	87	6.7	119	9.2
All other	382	8	21.4	7	18.8	–	–
Black	380	8	23.5	7	20.5	–	–
Wisconsin	42,114	668	9.2	411	5.7	465	6.4
White	40,685	542	8.5	333	5.2	375	5.9
All other	1,429	126	15.3	78	9.4	90	10.9
Black	1,162	104	17.3	68	11.3	81	13.5
Urban places	21,683	388	10.3	226	6.0	273	7.2
White	20,443	275	9.1	158	5.2	183	6.0
All other	1,240	113	15.3	70	9.5	90	12.2
Black	1,135	103	17.5	67	11.4	81	13.7
Balance of area	20,431	280	8.1	183	5.3	192	5.5
White	20,242	267	7.9	175	5.2	192	5.7
All other	189	13	15.0	8	9.2	–	–
Black	27	1	9.3	1	9.3	–	–
Metropolitan counties	26,321	462	9.3	281	5.7	322	6.5
White	25,028	347	8.3	209	5.0	233	5.6
All other	1,293	115	15.3	72	9.6	89	11.8
Black	1,150	104	17.5	68	11.4	81	13.6
Urban places	19,301	357	10.3	213	6.2	250	7.2
White	18,067	245	9.0	143	5.2	161	5.9
All other	1,234	112	15.4	70	9.6	89	12.2
Black	1,134	103	17.5	67	11.4	81	13.8
Balance of area	7,020	105	7.1	68	4.6	72	4.9
White	6,961	102	7.0	66	4.5	72	4.9
All other	59	3	12.9	2	8.6	–	–
Black	16	1	13.2	1	13.2	–	–
Nonmetropolitan counties	15,793	206	9.0	130	5.7	143	6.2
White	15,657	195	8.8	124	5.6	142	6.4
All other	136	11	14.7	6	8.0	1	1.3
Black	12	–	–	–	–	–	–
Urban places	2,382	31	10.0	15	4.9	23	7.4
White	2,376	30	10.1	15	5.0	22	7.4
All other	6	1	8.8	–	–	1	8.8
Black	1	–	–	–	–	–	–
Balance of area	13,411	175	8.8	115	5.8	120	6.1
White	13,281	165	8.6	109	5.7	120	6.3
All other	130	10	15.8	6	9.5	–	–
Black	11	–	–	–	–	–	–
Wyoming	3,218	94	10.9	50	5.8	59	6.8
White	3,144	88	10.8	50	6.1	56	6.9
All other	74	6	13.1	–	–	3	6.5
Black	22	–	–	–	–	1	11.4
Urban places	1,403	36	9.0	23	5.8	34	8.5
White	1,378	36	9.5	23	6.0	33	8.7
All other	25	–	–	–	–	1	5.5
Black	21	–	–	–	–	1	13.2
Balance of area	1,815	58	12.5	27	5.8	25	5.4
White	1,766	52	11.9	27	6.2	23	5.3
All other	49	6	21.7	–	–	2	7.2
Black	1	–	–	–	–	–	–
Metropolitan counties	403	14	11.9	10	8.5	13	11.1
White	400	14	12.2	10	8.7	13	11.3
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Urban places	341	11	11.7	8	8.5	10	10.6
White	338	11	12.0	8	8.7	10	10.9
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Balance of area	62	3	13.0	2	8.7	3	13.0
White	62	3	13.2	2	8.8	3	13.2
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	2,815	80	10.7	40	5.4	46	6.2
White	2,744	74	10.5	40	5.7	43	6.1
All other	71	6	13.9	–	–	3	6.9
Black	20	–	–	–	–	1	13.0
Urban places	1,062	25	8.2	15	4.9	24	7.9
White	1,040	25	8.7	15	5.2	23	8.0
All other	22	–	–	–	–	1	6.3
Black	19	–	–	–	–	1	15.4
Balance of area	1,753	55	12.5	25	5.7	22	5.0
White	1,704	49	11.8	25	6.0	20	4.8
All other	49	6	22.0	–	–	2	7.3
Black	1	–	–	–	–	–	–

[1] Includes data for Brick Township and Dover Township (Ocean County), New Jersey, which had 1980 populations of 53,629 and 64,455, respectively. Ocean county is not designated as metropolitan.
[2] County equivalents.
[3] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,105,361	38,891	7,480	8,788	39,929	56,530	70,393	115,161	279,029	485,539	575,149	427,473	999
Male	1,104,005	22,224	4,262	5,503	29,834	41,226	46,923	72,339	172,331	283,046	282,831	142,953	533
Female	1,001,356	16,667	3,218	3,285	10,095	15,304	23,470	42,822	106,698	202,493	292,318	284,520	466
White	1,831,083	26,564	5,426	6,662	31,758	41,487	52,546	90,377	234,467	425,823	519,336	395,825	812
Male	952,554	15,284	3,119	4,189	23,763	30,711	35,206	57,221	146,145	249,926	255,423	131,147	420
Female	878,529	11,280	2,307	2,473	7,995	10,776	17,340	33,156	88,322	175,897	263,913	264,678	392
All other	274,278	12,327	2,054	2,126	8,171	15,043	17,847	24,784	44,562	59,716	55,813	31,648	187
Male	151,451	6,940	1,143	1,314	6,071	10,515	11,717	15,118	26,186	33,120	27,408	11,808	113
Female	122,827	5,387	911	812	2,100	4,528	6,130	9,666	18,376	26,596	28,405	19,842	74
Black	250,326	11,204	1,801	1,817	7,081	13,692	16,299	22,648	41,184	55,136	50,782	28,517	165
Male	137,214	6,305	992	1,119	5,256	9,594	10,767	13,830	24,208	30,320	24,342	10,377	104
Female	113,112	4,899	809	698	1,825	4,098	5,532	8,818	16,976	24,816	26,440	18,140	61
Metropolitan counties	1,533,914	30,188	5,465	6,177	29,179	44,517	55,049	87,047	208,990	351,380	409,849	305,245	828
Male	796,831	17,221	3,104	3,847	21,844	32,495	36,869	54,511	128,164	201,980	196,986	99,414	416
Female	737,083	12,967	2,361	2,330	7,335	12,022	18,180	32,536	80,826	149,400	212,863	205,831	412
White	1,317,590	19,941	3,875	4,569	22,689	31,969	40,084	66,657	172,749	304,838	367,698	281,849	674
Male	677,180	11,433	2,213	2,858	17,009	23,711	26,984	42,053	106,785	176,350	176,562	90,911	321
Female	640,400	8,508	1,662	1,711	5,680	8,258	13,100	24,604	65,964	128,486	191,136	190,938	353
All other	216,324	10,247	1,590	1,608	6,490	12,548	14,965	20,390	36,241	46,544	42,151	23,396	154
Male	119,641	5,788	891	989	4,635	8,784	9,885	12,458	21,379	25,630	20,404	8,503	95
Female	96,683	4,459	699	619	1,855	3,764	5,080	7,932	14,862	20,914	21,747	14,893	59
Black	198,977	9,481	1,436	1,415	5,861	11,685	13,866	18,830	33,732	43,068	38,366	21,100	137
Male	109,389	5,359	799	864	4,372	8,213	9,222	11,530	19,909	23,487	18,069	7,478	87
Female	89,588	4,122	637	551	1,489	3,472	4,644	7,300	13,823	19,581	20,297	13,622	50
Nonmetropolitan counties	571,447	8,703	2,015	2,611	10,750	12,013	15,344	28,114	70,039	134,159	165,300	122,228	171
Male	307,174	5,003	1,158	1,656	7,990	8,731	10,054	17,828	44,167	81,066	85,865	43,539	117
Female	264,273	3,700	857	955	2,760	3,282	5,290	10,286	25,872	53,093	79,435	78,689	54
White	513,493	6,623	1,551	2,093	9,069	9,518	12,462	23,720	61,718	120,987	151,638	113,976	138
Male	275,364	3,851	906	1,331	6,754	7,000	8,222	15,168	39,360	73,576	78,861	40,236	99
Female	238,129	2,772	645	762	2,315	2,518	4,240	8,552	22,358	47,411	72,777	73,740	39
All other	57,954	2,080	464	518	1,681	2,495	2,882	4,394	8,321	13,172	13,662	8,252	33
Male	31,810	1,152	252	325	1,236	1,731	1,832	2,660	4,807	7,490	7,004	3,303	18
Female	26,144	928	212	193	445	764	1,050	1,734	3,514	5,682	6,658	4,949	15
Black	51,349	1,723	365	402	1,220	2,007	2,433	3,818	7,452	12,068	12,416	7,417	28
Male	27,825	946	193	255	884	1,381	1,545	2,300	4,299	6,833	6,273	2,899	17
Female	23,524	777	172	147	336	626	888	1,518	3,153	5,235	6,143	4,518	11
Alabama	37,718	790	143	215	750	1,041	1,259	2,361	5,332	8,891	10,338	6,597	1
Male	20,163	443	83	133	552	731	847	1,522	3,329	5,284	5,071	2,167	1
Female	17,555	347	60	82	198	310	412	839	2,003	3,607	5,267	4,430	-
White	27,561	378	79	133	532	615	794	1,643	3,826	6,616	7,818	5,127	-
Male	14,855	212	48	86	394	452	550	1,085	2,506	4,045	3,859	1,621	-
Female	12,703	166	31	47	138	163	244	558	1,320	2,571	3,959	3,506	-
All other	10,157	412	64	82	218	426	465	718	1,506	2,275	2,520	1,470	1
Male	5,305	231	35	47	158	279	297	437	823	1,239	1,212	546	1
Female	4,852	181	29	35	60	147	168	281	683	1,036	1,308	924	-
Black	10,131	408	64	82	214	424	465	717	1,503	2,269	2,516	1,468	1
Male	5,291	229	35	47	155	278	297	437	822	1,235	1,210	545	1
Female	4,840	179	29	35	59	146	168	280	681	1,034	1,306	923	-
Metropolitan counties	22,959	506	93	128	447	644	778	1,454	3,395	5,442	6,183	3,888	1
Male	12,165	290	49	80	327	455	540	929	2,090	3,193	2,980	1,231	1
Female	10,794	216	44	48	120	189	238	525	1,305	2,249	3,203	2,657	-
White	16,680	243	50	84	316	383	482	1,023	2,386	4,016	4,662	3,035	-
Male	8,906	143	27	54	228	282	342	672	1,545	2,428	2,261	924	-
Female	7,774	100	23	30	88	101	140	351	841	1,588	2,401	2,111	-
All other	6,279	263	43	44	131	261	296	431	1,009	1,426	1,521	853	1
Male	3,259	147	22	26	99	173	198	257	545	765	719	307	1
Female	3,020	116	21	18	32	88	98	174	464	661	802	546	-
Black	5,262	260	43	44	130	259	296	430	1,007	1,424	1,517	851	1
Male	3,250	146	22	26	98	172	198	257	544	783	717	306	1
Female	3,012	114	21	18	32	87	98	173	463	661	800	545	-
Nonmetropolitan counties	14,759	284	50	87	303	397	481	907	1,937	3,449	4,155	2,709	-
Male	7,998	153	34	53	225	276	307	593	1,239	2,091	2,091	936	-
Female	6,761	131	16	34	78	121	174	314	698	1,358	2,064	1,773	-
White	10,881	135	29	49	216	232	312	620	1,440	2,600	3,156	2,092	-
Male	5,952	89	21	32	166	170	208	413	961	1,617	1,598	697	-
Female	4,929	66	8	17	50	62	104	207	479	983	1,558	1,395	-
All other	3,878	149	21	38	87	165	169	287	497	849	999	617	-
Male	2,046	84	13	21	59	106	99	180	278	474	493	239	-
Female	1,832	65	8	17	28	59	70	107	219	375	506	378	-
Black	3,869	148	21	38	84	165	169	287	496	845	999	617	-
Male	2,041	83	13	21	57	106	99	180	278	472	493	239	-
Female	1,828	65	8	17	27	59	70	107	218	373	506	378	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	2,090	131	26	38	158	197	173	215	328	371	300	151	2
Male	1,304	72	15	27	119	153	133	141	215	204	161	62	2
Female	786	59	11	11	39	44	40	74	113	167	139	89	–
White	1,501	85	15	24	98	122	125	153	265	296	213	104	1
Male	945	45	8	16	72	98	97	104	179	165	116	44	1
Female	556	40	7	8	26	24	28	49	86	131	97	60	–
All other	589	46	11	14	60	75	48	62	63	75	87	47	1
Male	359	27	7	11	47	55	36	37	36	39	45	18	1
Female	230	19	4	3	13	20	12	25	27	36	42	29	–
Black	53	7	1	2	3	8	3	6	7	10	4	1	1
Male	34	4	1	2	1	5	3	6	3	6	2	–	1
Female	19	3	–	–	2	3	–	–	4	4	2	1	–
Metropolitan census areas [1]	729	46	9	9	42	67	67	86	133	134	88	46	–
Male	419	22	6	6	31	45	49	52	82	72	38	16	–
Female	310	26	3	3	11	22	18	34	51	62	50	30	–
White	607	38	7	8	35	51	51	65	119	120	71	41	–
Male	351	17	4	5	27	36	36	43	76	66	27	14	–
Female	256	21	3	3	8	15	15	23	43	54	44	27	–
All other	122	10	2	1	7	16	16	20	14	14	17	5	–
Male	68	5	2	1	4	9	13	9	6	6	11	2	–
Female	54	5	–	–	3	7	3	11	8	8	6	3	–
Black	31	4	–	–	2	6	3	2	4	6	3	1	–
Male	18	2	–	–	–	4	3	2	2	3	2	–	–
Female	13	2	–	–	2	2	–	–	2	3	1	1	–
Nonmetropolitan census areas [1]	1,361	83	17	29	116	130	106	129	195	237	212	105	2
Male	885	50	9	21	88	108	84	89	133	132	123	46	2
Female	476	33	8	8	28	22	22	40	62	105	89	59	–
White	894	47	8	16	63	71	74	87	146	176	142	83	1
Male	594	28	4	11	45	62	61	61	103	99	89	30	1
Female	300	19	4	5	18	9	13	26	43	77	53	33	–
All other	467	36	9	13	53	59	32	42	49	61	70	42	1
Male	291	22	5	10	43	46	23	28	30	33	34	16	1
Female	176	14	4	3	10	13	9	14	19	28	36	26	–
Black	22	3	1	2	1	2	–	4	3	4	1	–	1
Male	16	2	1	2	1	1	–	4	1	3	–	–	1
Female	6	1	–	–	–	1	–	–	2	1	1	–	–
Arizona	25,569	571	167	148	687	860	995	1,428	3,313	6,309	6,908	4,134	49
Male	14,381	340	98	97	508	613	662	936	2,019	3,820	3,663	1,583	42
Female	11,188	231	69	51	179	247	333	492	1,294	2,489	3,245	2,551	7
White	23,780	462	136	117	545	705	815	1,259	3,098	6,040	6,639	3,922	42
Male	13,290	274	76	79	402	500	540	824	1,907	3,656	3,517	1,477	38
Female	10,490	188	60	38	143	205	275	435	1,191	2,384	3,122	2,445	4
All other	1,789	109	31	31	142	155	180	169	215	269	269	212	7
Male	1,091	66	22	18	106	113	122	112	112	184	146	106	4
Female	698	43	9	13	36	42	58	57	103	105	123	106	3
Black	603	40	7	6	31	41	47	52	88	104	107	75	5
Male	369	28	5	3	19	31	32	41	47	67	61	31	4
Female	234	12	2	3	12	10	15	11	41	37	46	44	1
Metropolitan counties	19,239	434	114	102	474	636	732	1,037	2,420	4,667	5,318	3,284	21
Male	10,593	253	63	69	344	448	492	672	1,456	2,807	2,745	1,228	18
Female	8,646	181	51	33	130	188	240	365	964	1,860	2,573	2,056	3
White	18,359	377	101	93	412	571	642	962	2,304	4,515	5,178	3,185	19
Male	10,073	220	53	64	301	402	426	625	1,397	2,710	2,673	1,186	16
Female	8,286	157	48	29	111	169	216	337	907	1,805	2,505	1,999	3
All other	880	57	13	9	62	65	90	75	116	152	140	99	2
Male	520	33	10	5	43	46	66	47	59	97	72	40	2
Female	360	24	3	4	19	19	24	28	57	55	68	59	–
Black	517	36	6	5	28	39	40	40	75	87	96	63	2
Male	313	25	4	3	17	29	28	30	41	57	55	22	2
Female	204	11	2	2	11	10	12	10	34	30	41	41	–
Nonmetropolitan counties	6,330	137	53	46	213	224	263	391	893	1,642	1,590	850	28
Male	3,788	87	35	28	164	165	170	284	563	1,013	918	357	24
Female	2,542	50	18	18	49	59	93	127	330	629	672	493	4
White	5,421	85	35	24	133	134	173	297	794	1,525	1,461	737	23
Male	3,217	54	23	15	101	98	114	199	510	946	844	291	22
Female	2,204	31	12	9	32	36	59	98	284	579	617	446	1
All other	909	52	18	22	80	90	90	94	99	117	129	113	5
Male	571	33	12	13	63	67	56	65	53	67	74	66	2
Female	338	19	6	9	17	23	34	29	46	50	55	47	3
Black	86	4	1	1	3	2	7	12	13	17	11	12	3
Male	56	3	1	–	2	2	4	11	6	10	6	9	2
Female	30	1	–	1	1	–	3	1	7	7	5	3	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	23,968	355	86	138	436	492	704	1,215	2,887	5,704	7,226	4,719	6
Male	13,063	192	54	84	317	354	457	795	1,819	3,427	3,755	1,808	1
Female	10,905	163	32	54	119	138	247	420	1,068	2,277	3,471	2,911	5
White	19,978	230	54	103	334	356	528	965	2,419	4,870	6,157	3,961	1
Male	10,928	128	39	61	243	260	338	654	1,551	2,968	3,209	1,477	-
Female	9,050	102	15	42	91	96	190	311	868	1,902	2,948	2,484	1
All other	3,990	125	32	35	102	136	176	250	468	834	1,069	758	5
Male	2,135	64	15	23	74	94	119	141	268	459	546	331	1
Female	1,855	61	17	12	28	42	57	109	200	375	523	427	4
Black	3,958	124	31	35	99	130	174	247	465	830	1,065	753	5
Male	2,119	64	14	23	74	90	118	140	267	456	544	328	1
Female	1,839	60	17	12	25	40	56	107	198	374	521	425	4
Metropolitan counties	8,307	151	33	50	179	179	294	458	1,086	1,995	2,349	1,529	4
Male	4,451	82	21	26	133	119	188	320	674	1,196	1,151	540	1
Female	3,856	69	12	24	46	60	106	138	412	799	1,198	989	3
White	6,769	98	15	37	128	118	218	363	893	1,672	1,960	1,288	1
Male	3,627	50	10	17	96	82	140	266	560	1,016	957	433	-
Female	3,142	48	5	20	32	36	78	97	333	656	1,003	835	1
All other	1,538	55	18	13	51	61	76	95	193	323	389	241	3
Male	824	32	11	9	37	37	48	54	114	180	194	107	1
Female	714	23	7	4	14	24	28	41	79	143	195	134	2
Black	1,520	54	18	13	49	58	74	93	190	321	388	259	3
Male	816	32	11	9	37	35	47	53	113	179	193	106	1
Female	704	22	7	4	12	23	27	40	77	142	195	153	2
Nonmetropolitan counties	15,661	204	53	88	257	313	410	757	1,801	3,709	4,877	3,190	2
Male	8,612	110	33	58	184	235	269	475	1,145	2,231	2,604	1,288	-
Female	7,049	94	20	30	73	78	141	282	656	1,478	2,273	1,922	2
White	13,209	134	39	66	206	238	310	602	1,526	3,199	4,197	2,693	-
Male	7,301	78	29	44	147	178	198	388	991	1,952	2,252	1,044	-
Female	5,908	56	10	22	59	60	112	214	535	1,246	1,945	1,649	-
All other	2,452	70	14	22	51	75	100	155	275	511	680	497	2
Male	1,311	32	4	14	37	57	71	87	154	279	352	224	-
Female	1,141	38	10	8	14	18	29	68	121	232	328	273	2
Black	2,438	70	13	22	50	72	100	154	275	509	677	494	2
Male	1,303	32	3	14	37	55	71	87	154	277	351	222	-
Female	1,135	38	10	8	13	17	29	67	121	232	326	272	2
California	203,293	4,315	853	892	4,753	7,482	8,640	11,816	26,576	45,095	52,120	40,190	561
Male	107,500	2,445	496	574	3,700	5,662	6,052	7,449	16,133	25,832	25,672	13,255	230
Female	95,793	1,870	357	318	1,053	1,820	2,588	4,367	10,443	19,263	26,448	26,935	331
White	179,858	3,246	671	723	3,859	6,073	7,007	9,678	22,801	40,230	47,441	37,612	515
Male	93,855	1,854	390	466	2,988	4,651	4,985	6,116	13,864	23,011	23,085	12,236	209
Female	86,001	1,392	281	257	871	1,422	2,022	3,562	8,937	17,219	24,356	25,376	306
All other	23,437	1,069	182	169	894	1,409	1,633	2,138	3,775	4,865	4,679	2,578	46
Male	13,645	591	106	106	712	1,011	1,067	1,333	2,269	2,821	2,587	1,019	21
Female	9,792	478	76	61	182	398	566	805	1,506	2,044	2,092	1,559	25
Black	15,886	784	122	98	657	1,082	1,185	1,543	2,719	3,321	2,832	1,531	32
Male	9,086	431	70	61	529	778	800	979	1,635	1,872	1,384	533	14
Female	6,800	353	52	37	128	284	385	564	1,084	1,449	1,448	998	18
Metropolitan counties	191,488	4,098	806	838	4,488	7,145	8,222	11,231	25,074	42,113	48,921	38,044	508
Male	100,944	2,311	469	542	3,490	5,405	5,768	7,094	15,224	24,069	23,916	12,460	196
Female	90,544	1,787	337	296	998	1,740	2,454	4,137	9,850	18,044	25,005	25,584	312
White	168,561	3,051	629	672	3,618	5,767	6,613	9,135	21,375	37,352	44,363	35,540	466
Male	87,630	1,732	368	435	2,796	4,415	4,717	5,787	12,995	21,320	21,411	11,477	177
Female	80,951	1,319	261	237	822	1,352	1,896	3,348	8,380	16,032	22,952	24,063	289
All other	22,907	1,047	177	166	870	1,378	1,609	2,096	3,699	4,761	4,558	2,504	42
Male	13,314	579	101	107	694	990	1,051	1,307	2,229	2,749	2,505	983	19
Female	9,593	468	76	59	176	388	558	789	1,470	2,012	2,053	1,521	23
Black	15,651	780	119	98	646	1,052	1,178	1,522	2,683	3,263	2,781	1,500	29
Male	8,933	430	67	61	520	771	794	964	1,615	1,824	1,352	523	12
Female	6,718	350	52	37	126	281	384	558	1,068	1,439	1,429	977	17
Nonmetropolitan counties	11,805	217	47	54	265	337	418	585	1,502	2,982	3,199	2,146	53
Male	6,556	134	27	32	210	257	294	355	909	1,763	1,756	795	34
Female	5,249	83	20	22	55	80	124	230	593	1,219	1,443	1,351	19
White	11,275	185	42	51	241	306	394	543	1,426	2,876	3,078	2,072	49
Male	6,225	122	22	31	192	236	268	329	869	1,691	1,674	759	32
Female	5,050	73	20	20	49	70	126	214	557	1,187	1,404	1,313	17
All other	530	22	5	3	24	31	24	42	76	104	121	74	4
Male	331	12	5	1	18	21	18	26	40	72	82	38	2
Female	199	10	-	2	6	10	6	16	36	32	39	36	2
Black	235	4	3	-	11	10	7	21	38	58	51	31	3
Male	153	1	3	-	9	7	6	15	20	48	32	10	2
Female	82	3	-	-	2	3	1	6	18	10	19	21	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	20,810	476	102	111	574	743	849	1,144	2,686	4,373	5,292	4,460	-
Male	10,841	276	61	76	435	552	542	690	1,622	2,532	2,584	1,471	-
Female	9,969	200	41	35	139	191	307	454	1,064	1,841	2,708	2,989	-
White	19,946	418	94	101	533	665	781	1,067	2,545	4,217	5,154	4,371	-
Male	10,335	243	56	69	405	492	501	640	1,531	2,441	2,514	1,443	-
Female	9,611	175	38	32	128	173	280	427	1,014	1,776	2,640	2,928	-
All other	864	58	8	10	41	78	68	77	141	156	138	89	-
Male	506	33	5	7	30	60	41	50	91	91	70	28	-
Female	358	25	3	3	11	18	27	27	50	65	68	61	-
Black	693	53	6	7	30	68	50	53	114	124	120	68	-
Male	417	29	4	5	22	53	33	37	79	74	60	21	-
Female	276	24	2	2	8	15	17	16	35	50	60	47	-
Metropolitan counties	16,178	406	81	79	455	613	685	933	2,162	3,388	3,977	3,389	-
Male	8,334	233	47	56	344	451	442	561	1,295	1,953	1,876	1,076	-
Female	7,844	173	34	23	111	162	253	372	867	1,435	2,101	2,313	-
White	15,356	348	73	70	419	539	634	862	2,027	3,236	3,844	3,304	-
Male	7,851	200	42	49	317	395	403	517	1,207	1,863	1,808	1,050	-
Female	7,505	148	31	21	102	144	231	345	820	1,373	2,036	2,254	-
All other	822	58	8	9	36	74	51	71	135	152	133	85	-
Male	483	33	5	7	27	56	39	44	88	90	68	26	-
Female	339	25	3	2	9	18	22	27	47	62	65	59	-
Black	686	53	6	7	30	68	49	51	114	124	117	67	-
Male	414	29	4	5	22	53	33	35	79	74	59	21	-
Female	272	24	2	2	8	15	16	16	35	50	58	46	-
Nonmetropolitan counties	4,632	70	21	32	119	130	154	211	524	985	1,315	1,071	-
Male	2,507	43	14	20	91	101	100	129	327	579	708	395	-
Female	2,125	27	7	12	28	29	54	82	197	406	607	676	-
White	4,590	70	21	31	114	126	147	205	518	981	1,310	1,067	-
Male	2,484	43	14	20	88	97	98	123	324	578	706	393	-
Female	2,106	27	7	11	26	29	49	82	194	403	604	674	-
All other	42	-	-	1	5	4	7	6	6	4	5	4	-
Male	23	-	-	-	3	4	2	6	3	1	2	2	-
Female	19	-	-	1	2	-	5	-	3	3	3	2	-
Black	7	-	-	-	-	-	1	2	-	-	3	1	-
Male	3	-	-	-	-	-	-	2	-	-	1	-	-
Female	4	-	-	-	-	-	1	-	-	-	2	1	-
Connecticut	28,096	406	73	99	425	650	839	1,335	3,600	6,570	7,577	6,517	5
Male	14,123	209	41	59	309	457	556	814	2,218	3,805	3,600	2,054	1
Female	13,973	197	32	40	116	193	283	521	1,382	2,765	3,977	4,463	4
White	26,295	301	58	76	371	524	665	1,124	3,299	6,203	7,333	6,336	5
Male	13,100	154	35	45	271	372	436	690	2,029	3,590	3,481	1,996	1
Female	13,195	147	23	31	100	152	229	434	1,270	2,613	3,852	4,340	4
All other	1,801	105	15	23	54	126	174	211	301	367	244	181	-
Male	1,023	55	6	14	38	85	120	124	189	215	119	58	-
Female	778	50	9	9	16	41	54	87	112	152	125	123	-
Black	1,747	103	14	22	52	119	167	205	294	356	237	178	-
Male	992	53	5	13	36	79	115	121	189	209	115	57	-
Female	755	50	9	9	16	40	52	84	105	147	122	121	-
Metropolitan counties	25,733	383	65	95	394	602	771	1,228	3,334	6,009	6,902	5,946	4
Male	12,911	195	35	57	286	422	510	752	2,054	3,466	3,282	1,871	1
Female	12,822	188	30	38	108	180	261	476	1,280	2,543	3,640	4,075	3
White	23,947	278	51	72	341	476	600	1,021	3,035	5,643	6,661	5,766	4
Male	11,897	140	29	43	249	337	393	631	1,865	3,251	3,145	1,813	1
Female	12,050	138	22	29	92	139	207	390	1,170	2,392	3,516	3,952	3
All other	1,786	105	14	23	53	126	171	207	299	366	241	181	-
Male	1,014	55	6	14	37	85	117	121	189	215	117	58	-
Female	772	50	8	9	16	41	54	86	110	151	124	123	-
Black	1,735	103	13	22	52	119	185	202	292	355	234	178	-
Male	986	53	5	13	36	79	113	119	189	209	113	57	-
Female	749	50	8	9	16	40	52	83	103	146	121	121	-
Nonmetropolitan counties	2,363	23	6	4	31	48	68	107	266	561	675	571	1
Male	1,212	14	6	2	23	35	46	62	164	339	338	183	-
Female	1,151	9	2	2	8	13	22	45	102	222	337	388	1
White	2,348	23	7	4	30	48	65	103	264	560	672	571	1
Male	1,203	14	6	2	22	35	43	59	164	339	336	183	-
Female	1,145	9	1	2	8	13	22	44	100	221	336	388	1
All other	15	-	1	-	1	-	3	4	2	1	3	-	-
Male	9	-	-	-	1	-	3	3	-	-	2	-	-
Female	6	-	1	-	-	-	-	1	2	1	1	-	-
Black	12	-	1	-	-	-	2	3	2	1	3	-	-
Male	6	-	-	-	-	-	2	2	-	-	2	-	-
Female	6	-	1	-	-	-	-	1	2	1	1	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,631	112	19	21	108	132	191	294	823	1,386	1,436	1,107	2
Male	2,854	64	9	12	81	101	114	196	519	812	689	355	2
Female	2,677	48	10	9	27	31	77	98	304	574	747	752	-
White	4,694	70	12	12	78	95	138	213	650	1,172	1,255	998	1
Male	2,438	39	7	7	57	71	83	145	417	702	597	312	1
Female	2,256	31	5	5	21	24	55	68	233	470	658	686	-
All other	937	42	7	9	30	37	53	81	173	214	181	109	1
Male	516	25	2	5	24	30	31	51	102	110	92	43	1
Female	421	17	5	4	6	7	22	30	71	104	89	66	-
Black	908	41	7	9	30	36	52	79	171	210	169	103	1
Male	498	25	2	5	24	29	31	50	100	108	83	40	1
Female	410	16	5	4	6	7	21	29	71	102	86	63	-
Metropolitan counties	3,525	79	13	14	54	80	116	196	526	860	877	688	2
Male	1,811	48	6	11	44	60	70	127	328	503	394	218	2
Female	1,714	31	7	3	10	20	46	69	198	377	483	470	-
White	2,947	47	9	8	38	63	84	137	428	739	762	631	1
Male	1,493	29	5	6	31	48	52	92	266	435	335	193	1
Female	1,454	18	4	2	7	15	32	45	162	304	427	438	-
All other	578	32	4	6	16	17	32	59	98	141	115	57	1
Male	318	19	1	5	13	12	18	35	62	68	59	25	1
Female	260	13	3	1	3	5	14	24	36	73	56	32	-
Black	566	31	4	6	16	17	32	58	98	138	110	55	1
Male	311	19	1	5	13	12	18	35	62	67	55	23	1
Female	255	12	3	1	3	5	14	23	36	71	55	32	-
Nonmetropolitan counties	2,106	33	6	7	54	52	75	98	297	506	559	419	-
Male	1,143	16	3	1	37	41	44	69	191	309	295	137	-
Female	963	17	3	6	17	11	31	29	106	197	264	282	-
White	1,747	23	3	4	40	32	54	76	222	433	493	367	-
Male	945	10	2	1	26	23	31	53	151	267	262	119	-
Female	802	13	1	3	14	9	23	23	71	166	231	248	-
All other	359	10	3	3	14	20	21	22	75	73	66	52	-
Male	198	6	1	-	11	18	13	16	40	42	33	18	-
Female	161	4	2	3	3	2	8	6	35	31	33	34	-
Black	342	10	3	3	14	19	20	21	73	72	59	48	-
Male	187	6	1	-	11	17	13	15	38	41	28	17	-
Female	155	4	2	3	3	2	7	6	35	31	31	31	-
District of Columbia	7,284	212	13	22	132	354	487	619	1,144	1,577	1,631	1,075	18
Male	3,886	127	10	13	92	269	345	398	696	852	737	334	13
Female	3,398	85	3	9	40	85	142	221	448	725	894	741	5
White	1,871	22	1	1	17	62	79	102	170	325	550	538	4
Male	880	16	1	1	13	53	61	72	105	165	231	158	4
Female	991	6	-	-	4	9	18	30	65	160	319	380	-
All other	5,413	190	12	21	115	292	408	517	974	1,252	1,081	537	14
Male	3,006	111	9	12	79	216	284	326	591	687	506	176	9
Female	2,407	79	3	9	36	76	124	191	383	565	575	361	5
Black	5,374	189	12	21	113	290	408	514	970	1,245	1,069	529	14
Male	2,976	111	9	12	77	214	284	323	588	682	496	171	9
Female	2,398	78	3	9	36	76	124	191	382	563	573	358	5
Metropolitan counties	7,284	212	13	22	132	354	487	619	1,144	1,577	1,631	1,075	18
Male	3,886	127	10	13	92	269	345	398	696	852	737	334	13
Female	3,398	85	3	9	40	85	142	221	448	725	894	741	5
White	1,871	22	1	1	17	62	79	102	170	325	550	538	4
Male	880	16	1	1	13	53	61	72	105	165	231	158	4
Female	991	6	-	-	4	9	18	30	65	160	319	380	-
All other	5,413	190	12	21	115	292	408	517	974	1,252	1,081	537	14
Male	3,006	111	9	12	79	216	284	326	591	687	506	176	9
Female	2,407	79	3	9	36	76	124	191	383	565	575	361	5
Black	5,374	189	12	21	113	290	408	514	970	1,245	1,069	529	14
Male	2,976	111	9	12	77	214	284	323	588	682	496	171	9
Female	2,398	78	3	9	36	76	124	191	382	563	573	358	5
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	123,504	1,837	402	407	1,920	2,942	3,564	5,858	14,995	28,998	37,570	23,966	45
Male	67,729	1,052	226	255	1,419	2,144	2,411	3,801	9,291	17,743	19,980	9,373	34
Female	55,775	785	176	152	501	798	1,153	2,057	5,704	12,255	17,590	14,593	11
White	110,088	1,096	255	279	1,459	2,089	2,653	4,600	12,791	27,087	34,983	22,763	33
Male	60,209	621	139	176	1,104	1,569	1,820	3,014	7,960	16,085	18,738	8,956	25
Female	49,879	475	116	103	355	520	833	1,586	4,831	11,002	16,245	13,805	8
All other	13,416	741	147	128	461	853	911	1,258	2,204	2,911	2,587	1,203	12
Male	7,520	431	87	79	315	575	591	787	1,331	1,658	1,242	415	9
Female	5,896	310	60	49	146	278	320	471	873	1,253	1,345	788	3
Black	13,225	731	145	121	453	835	888	1,230	2,179	2,884	2,562	1,185	12
Male	7,413	426	86	73	309	564	579	771	1,317	1,644	1,229	408	9
Female	5,812	305	59	48	144	271	309	459	862	1,240	1,333	779	3
Metropolitan counties	105,997	1,609	343	346	1,646	2,544	3,101	5,050	12,721	25,083	32,416	21,105	33
Male	57,701	918	197	219	1,229	1,851	2,102	3,276	7,854	14,691	17,058	8,283	23
Female	48,296	691	146	127	417	693	999	1,774	4,867	10,392	15,358	12,822	10
White	94,487	941	219	236	1,239	1,805	2,304	3,947	10,801	22,598	30,240	20,132	25
Male	51,250	524	122	152	951	1,351	1,581	2,591	6,708	13,282	16,010	7,960	18
Female	43,237	417	97	84	288	454	723	1,356	4,093	9,316	14,230	12,172	7
All other	11,510	668	124	110	407	739	797	1,103	1,920	2,485	2,176	973	8
Male	6,451	394	75	67	278	500	521	685	1,146	1,409	1,048	323	5
Female	5,059	274	49	43	129	239	276	418	774	1,076	1,128	650	3
Black	11,339	659	123	103	400	723	776	1,079	1,899	2,459	2,152	958	8
Male	6,355	389	75	61	273	490	509	673	1,135	1,395	1,035	315	5
Female	4,984	270	48	42	127	233	267	406	764	1,064	1,117	643	3
Nonmetropolitan counties	17,507	228	59	61	274	398	463	808	2,274	4,915	5,154	2,861	12
Male	10,028	134	29	36	190	293	309	525	1,437	3,052	2,922	1,090	11
Female	7,479	94	30	25	84	105	154	283	837	1,863	2,232	1,771	1
White	15,601	155	36	43	220	284	349	653	1,990	4,489	4,743	2,631	8
Male	8,959	97	17	24	153	218	239	423	1,252	2,803	2,728	998	7
Female	6,642	58	19	19	67	66	110	230	738	1,686	2,015	1,633	1
All other	1,906	73	23	18	54	114	114	155	284	426	411	230	4
Male	1,069	37	12	12	37	75	70	102	185	249	194	92	4
Female	837	36	11	6	17	39	44	53	99	177	217	138	-
Black	1,886	72	22	18	53	112	112	151	280	425	410	227	4
Male	1,058	37	11	12	36	74	70	98	182	249	194	91	4
Female	828	35	11	6	17	38	42	53	98	176	216	136	-
Georgia	49,347	1,224	222	304	1,123	1,638	2,192	3,529	7,188	11,735	12,523	7,670	1
Male	26,119	696	120	198	815	1,191	1,433	2,275	4,472	6,813	5,603	2,302	1
Female	23,228	528	102	106	308	445	759	1,254	2,716	4,922	6,720	5,368	-
White	35,528	591	112	191	777	931	1,293	2,218	5,038	8,499	8,623	6,255	-
Male	18,790	348	58	126	571	701	876	1,462	3,234	5,083	4,473	1,858	-
Female	16,738	243	54	65	206	230	417	756	1,804	3,416	5,150	4,397	-
All other	13,819	633	110	113	346	705	899	1,311	2,150	3,236	2,900	1,415	1
Male	7,329	348	62	72	244	490	557	813	1,238	1,730	1,330	444	1
Female	6,490	285	48	41	102	215	342	498	912	1,506	1,570	971	-
Black	13,732	625	104	111	341	693	897	1,302	2,138	3,224	2,888	1,409	-
Male	7,277	341	60	70	240	483	555	809	1,231	1,723	1,324	441	-
Female	6,455	284	44	41	101	210	342	493	907	1,501	1,564	968	-
Metropolitan counties	27,020	770	131	176	645	1,015	1,364	2,099	4,079	6,229	6,424	4,088	-
Male	14,187	442	77	110	467	758	903	1,360	2,507	3,527	2,880	1,156	-
Female	12,833	328	54	66	178	257	461	739	1,572	2,702	3,544	2,932	-
White	19,015	367	67	110	436	563	779	1,273	2,838	4,449	4,867	3,266	-
Male	9,941	217	36	71	319	433	532	845	1,784	2,605	2,180	909	-
Female	9,074	150	31	39	117	130	247	428	1,044	1,844	2,687	2,357	-
All other	8,005	403	64	66	209	452	585	826	1,241	1,780	1,557	822	-
Male	4,246	225	41	39	148	325	371	515	713	922	700	247	-
Female	3,759	178	23	27	61	127	214	311	528	858	857	575	-
Black	7,938	395	61	64	205	447	583	818	1,232	1,770	1,547	816	-
Male	4,207	218	40	37	145	322	369	512	709	916	695	244	-
Female	3,731	177	21	27	60	125	214	306	523	854	852	572	-
Nonmetropolitan counties	22,327	454	91	128	478	621	828	1,430	3,109	5,506	6,099	3,582	1
Male	11,932	254	43	88	348	493	530	915	1,965	3,286	2,923	1,146	1
Female	10,395	200	48	40	130	188	298	515	1,144	2,220	3,176	2,436	-
White	16,513	224	45	81	341	368	514	945	2,200	4,050	4,756	2,989	-
Male	8,849	131	22	55	252	268	344	617	1,440	2,478	2,293	949	-
Female	7,664	93	23	26	89	100	170	328	760	1,572	2,463	2,040	-
All other	5,814	230	46	47	137	253	314	485	909	1,456	1,343	593	1
Male	3,083	123	21	33	96	165	186	298	525	808	630	197	1
Female	2,731	107	25	14	41	88	128	187	384	648	713	396	-
Black	5,794	230	43	47	136	246	314	484	906	1,454	1,341	593	-
Male	3,070	123	20	33	95	161	186	297	522	807	629	197	-
Female	2,724	107	23	14	41	85	128	187	384	647	712	396	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	5,874	171	28	34	122	192	231	382	890	1,365	1,418	1,060	1
Male	3,409	105	16	22	86	142	146	228	548	844	828	444	-
Female	2,465	66	12	12	36	50	85	134	342	521	590	616	1
White	1,635	39	8	4	39	81	83	91	271	485	463	271	-
Male	1,034	25	4	3	31	59	50	62	180	286	242	92	-
Female	601	14	4	1	8	22	33	29	91	199	221	179	-
All other	4,039	132	20	30	83	111	148	271	619	880	955	789	1
Male	2,375	80	12	19	55	83	96	166	368	558	586	352	-
Female	1,664	52	8	11	28	28	52	105	251	322	369	437	1
Black	53	10	1	1	2	8	10	1	7	8	3	2	-
Male	39	6	1	1	2	7	9	1	4	7	-	1	-
Female	14	4	-	-	-	1	1	-	3	1	3	1	-
Metropolitan counties	4,304	143	22	22	103	142	175	261	676	997	1,000	763	-
Male	2,460	89	14	16	72	105	109	170	405	621	555	304	-
Female	1,844	54	8	6	31	37	66	91	271	376	445	459	-
White	1,333	30	5	2	36	54	61	60	194	340	342	209	-
Male	754	20	2	2	28	39	38	43	129	200	177	76	-
Female	579	10	3	-	8	15	23	17	65	140	165	133	-
All other	2,971	113	17	20	67	88	114	201	482	657	658	554	-
Male	1,706	69	12	14	44	66	71	127	276	421	378	228	-
Female	1,265	44	5	6	23	22	43	74	206	236	280	326	-
Black	49	10	1	1	2	8	8	1	7	7	3	1	-
Male	36	6	1	1	2	7	7	1	4	6	-	1	-
Female	13	4	-	-	-	1	1	-	3	1	3	-	-
Nonmetropolitan counties	1,570	28	6	12	19	50	56	101	214	368	418	297	1
Male	949	16	2	6	14	37	37	58	143	223	273	140	-
Female	621	12	4	6	5	13	19	43	71	145	145	157	1
White	502	9	3	2	3	27	22	31	77	145	121	62	-
Male	280	5	2	1	3	20	12	19	51	86	65	16	-
Female	222	4	1	1	-	7	10	12	26	59	56	46	-
All other	1,068	19	3	10	16	23	34	70	137	223	297	235	1
Male	669	11	-	5	11	17	25	39	92	137	208	124	-
Female	399	8	3	5	5	6	9	31	45	86	89	111	1
Black	4	-	-	-	-	-	2	-	-	1	-	1	-
Male	3	-	-	-	-	-	2	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Idaho	7,388	186	34	47	194	162	247	343	832	1,757	2,021	1,561	4
Male	4,056	94	22	35	148	118	165	224	511	1,067	1,093	576	3
Female	3,332	92	12	12	46	44	82	119	321	690	928	985	1
White	7,202	179	30	45	186	154	238	327	818	1,738	1,998	1,547	4
Male	3,988	93	20	33	141	112	161	214	502	1,056	1,082	571	3
Female	3,214	86	10	12	45	42	77	113	316	680	916	976	1
All other	126	7	4	2	8	8	9	16	14	21	23	14	-
Male	68	1	2	2	7	6	4	10	9	11	11	5	-
Female	58	6	2	-	1	2	5	6	5	10	12	9	-
Black	20	2	1	1	1	1	-	2	5	3	4	-	-
Male	10	-	1	1	1	-	-	1	5	-	1	-	-
Female	10	2	-	-	-	1	-	1	-	3	3	-	-
Metropolitan counties	1,252	39	6	8	34	36	49	63	150	300	308	258	1
Male	634	20	4	7	23	23	31	39	93	168	151	74	1
Female	618	19	2	1	11	13	18	24	57	132	157	184	-
White	1,237	37	5	8	32	35	48	59	149	297	308	258	1
Male	625	19	4	7	21	22	31	37	92	166	151	74	1
Female	612	18	1	1	11	13	17	22	57	131	157	184	-
All other	15	2	1	-	2	1	1	4	1	3	-	-	-
Male	9	1	-	-	2	1	-	2	1	2	-	-	-
Female	6	1	1	-	-	-	1	2	-	1	-	-	-
Black	4	1	-	-	1	-	-	-	1	1	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Nonmetropolitan counties	6,136	147	28	39	160	126	198	280	682	1,457	1,713	1,303	3
Male	3,422	74	18	28	125	95	134	185	418	899	942	502	2
Female	2,714	73	10	11	35	31	64	95	264	558	771	801	1
White	6,025	142	25	37	154	119	190	268	669	1,439	1,690	1,289	3
Male	3,363	74	16	26	120	90	130	177	410	890	931	497	2
Female	2,662	68	9	11	34	29	60	91	259	549	759	792	1
All other	111	5	3	2	6	7	8	12	13	18	23	14	-
Male	59	-	2	2	5	5	4	8	8	9	11	5	-
Female	52	5	1	-	1	2	4	4	5	9	12	9	-
Black	16	1	1	1	-	1	-	2	4	2	4	-	-
Male	8	-	1	1	-	-	-	1	4	-	1	-	-
Female	8	1	-	-	-	1	-	1	-	2	3	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	103,371	2,144	343	407	1,796	2,500	3,249	5,695	13,914	23,704	28,030	21,584	5
Male	53,194	1,223	188	255	1,333	1,808	2,131	3,546	8,614	13,727	13,395	6,973	1
Female	50,177	921	155	152	463	692	1,118	2,149	5,300	9,977	14,635	14,611	4
White	88,034	1,260	227	277	1,324	1,628	2,221	4,193	11,235	20,519	25,136	20,010	4
Male	44,746	725	124	168	988	1,189	1,445	2,598	7,035	12,001	12,083	6,382	-
Female	43,288	535	103	109	338	439	776	1,595	4,200	8,518	13,053	13,618	4
All other	15,337	884	116	130	472	872	1,028	1,502	2,679	3,185	2,894	1,574	1
Male	8,448	498	64	87	347	619	686	948	1,579	1,726	1,312	581	1
Female	6,889	386	52	43	125	253	342	554	1,100	1,459	1,582	993	-
Black	14,907	860	113	124	464	858	988	1,468	2,607	3,099	2,802	1,512	1
Male	8,209	484	63	84	340	609	667	923	1,530	1,686	1,265	558	1
Female	6,698	376	50	40	124	250	331	546	1,077	1,413	1,537	954	-
Metropolitan counties	80,638	1,884	276	324	1,453	2,138	2,825	4,735	11,446	18,676	21,145	15,753	3
Male	41,579	1,069	148	204	1,077	1,537	1,857	2,942	7,095	10,697	9,918	5,034	1
Female	39,059	795	128	120	376	601	968	1,793	4,351	7,979	11,227	10,719	2
White	65,730	1,003	165	200	991	1,280	1,814	3,268	8,815	15,583	18,346	14,263	2
Male	33,368	585	88	121	737	928	1,184	2,019	5,538	9,021	8,656	4,491	-
Female	32,362	418	77	79	254	352	630	1,249	3,277	6,562	9,690	9,772	2
All other	14,908	881	111	124	462	858	1,011	1,467	2,631	3,093	2,799	1,490	1
Male	8,211	484	60	83	340	609	673	923	1,557	1,676	1,262	543	1
Female	6,697	377	51	41	122	249	338	544	1,074	1,417	1,537	947	-
Black	14,487	838	108	118	456	845	982	1,434	2,560	3,007	2,710	1,428	1
Male	7,979	471	59	80	335	598	655	898	1,509	1,636	1,217	520	1
Female	6,508	367	49	38	121	247	327	536	1,051	1,371	1,493	908	-
Nonmetropolitan counties	22,733	280	67	83	343	362	424	960	2,468	5,028	6,885	5,831	2
Male	11,615	154	40	51	256	271	274	604	1,519	3,030	3,477	1,939	-
Female	11,118	126	27	32	87	91	150	356	949	1,998	3,408	3,892	2
White	22,304	257	62	77	333	348	407	925	2,420	4,936	6,790	5,747	2
Male	11,378	140	36	47	249	261	261	579	1,497	2,980	3,427	1,901	-
Female	10,926	117	26	30	84	87	146	346	923	1,956	3,363	3,846	2
All other	429	23	5	6	10	14	17	35	48	92	95	84	-
Male	237	14	4	4	7	10	13	25	22	50	50	38	-
Female	192	9	1	2	3	4	4	10	26	42	45	46	-
Black	420	22	5	6	8	13	16	35	47	92	82	84	-
Male	230	13	4	4	5	10	12	25	21	50	48	38	-
Female	190	9	1	2	3	3	4	10	26	42	44	46	-
Indiana	49,366	695	180	204	844	1,029	1,357	2,598	6,787	11,447	13,638	10,384	3
Male	25,705	518	108	128	633	756	903	1,642	4,189	6,683	6,727	3,406	2
Female	23,661	377	72	76	211	273	454	956	2,598	4,764	6,911	6,978	1
White	45,692	719	146	180	753	971	1,176	2,319	6,147	10,608	12,874	9,913	1
Male	23,669	416	91	117	563	637	788	1,457	3,815	6,236	6,332	3,216	1
Female	22,023	294	55	63	190	234	388	856	2,332	4,372	6,542	6,697	-
All other	3,674	185	34	24	91	158	181	285	640	839	764	471	2
Male	2,036	102	17	11	70	119	115	185	374	457	385	190	1
Female	1,638	83	17	13	21	39	66	100	266	382	379	281	1
Black	3,617	182	34	21	86	152	178	281	631	829	755	466	2
Male	2,006	100	17	11	68	115	113	182	369	453	389	188	1
Female	1,611	82	17	10	18	37	65	99	262	376	366	278	1
Metropolitan counties	33,626	866	133	144	555	749	995	1,810	4,800	7,773	9,161	6,837	3
Male	17,439	388	80	92	422	564	661	1,143	2,926	4,503	4,458	2,200	2
Female	16,187	278	53	52	133	185	334	667	1,874	3,270	4,703	4,637	1
White	30,177	488	99	123	469	598	822	1,535	4,200	6,988	8,456	6,398	1
Male	15,534	290	63	83	356	450	551	964	2,575	4,078	4,096	2,027	1
Female	14,643	198	36	40	113	148	271	571	1,625	2,910	4,360	4,371	-
All other	3,449	178	34	21	86	151	173	275	600	785	705	439	2
Male	1,905	98	17	9	66	114	110	179	351	425	362	173	1
Female	1,544	80	17	12	20	37	63	96	249	360	343	266	1
Black	3,406	176	34	18	82	145	170	273	595	776	700	435	2
Male	1,884	97	17	9	64	110	108	178	348	422	359	171	1
Female	1,522	79	17	9	18	35	62	95	247	354	341	264	1
Nonmetropolitan counties	15,740	229	47	60	289	280	362	788	1,987	3,674	4,477	3,547	-
Male	8,266	130	28	36	211	192	242	499	1,263	2,190	2,269	1,206	-
Female	7,474	99	19	24	78	88	120	289	724	1,484	2,208	2,341	-
White	15,515	222	47	57	284	273	354	778	1,947	3,620	4,418	3,515	-
Male	8,135	126	28	34	207	187	237	493	1,240	2,158	2,236	1,189	-
Female	7,380	96	19	23	77	86	117	285	707	1,462	2,182	2,326	-
All other	225	7	-	3	5	7	8	10	40	54	59	32	-
Male	131	4	-	2	4	5	5	6	23	32	33	17	-
Female	94	3	-	1	1	2	3	4	17	22	26	15	-
Black	211	6	-	3	4	7	8	8	36	53	55	31	-
Male	122	3	-	2	4	5	5	4	21	31	30	17	-
Female	89	3	-	1	-	2	3	4	15	22	25	14	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,066	329	91	89	392	390	511	959	2,832	5,514	8,140	7,819	-
Male	13,697	197	52	58	287	264	337	616	1,781	3,332	4,156	2,615	-
Female	13,369	132	39	31	105	126	174	343	1,051	2,182	3,982	5,204	-
White	26,693	309	87	84	377	374	482	927	2,771	5,442	8,082	7,758	-
Male	13,506	187	50	56	279	253	320	599	1,743	3,299	4,130	2,590	-
Female	13,187	122	37	28	98	121	162	328	1,028	2,143	3,952	5,168	-
All other	373	20	4	5	15	16	29	32	61	72	58	61	-
Male	191	10	2	2	8	11	17	17	38	33	28	25	-
Female	182	10	2	3	7	5	12	15	23	39	30	36	-
Black	311	15	3	1	10	12	24	23	52	64	53	54	-
Male	156	8	2	-	5	9	15	12	32	28	24	21	-
Female	155	7	1	1	5	3	9	11	20	36	29	33	-
Metropolitan counties	9,285	152	38	28	159	198	228	409	1,195	2,001	2,557	2,320	-
Male	4,641	82	26	16	117	126	136	263	737	1,163	1,258	717	-
Female	4,644	70	12	12	42	72	92	146	458	838	1,299	1,603	-
White	8,992	139	35	26	147	186	203	386	1,150	1,940	2,509	2,271	-
Male	4,493	74	24	16	110	118	121	248	710	1,137	1,235	700	-
Female	4,499	65	11	10	37	68	82	138	440	803	1,274	1,571	-
All other	293	13	3	2	12	12	25	23	45	61	48	49	-
Male	148	8	2	-	7	6	15	15	27	26	23	17	-
Female	145	5	1	2	5	4	10	8	18	35	25	32	-
Black	257	12	3	1	9	10	22	16	40	55	44	45	-
Male	128	8	2	-	5	7	14	10	23	23	20	16	-
Female	129	4	1	1	4	3	8	6	17	32	24	29	-
Nonmetropolitan counties	17,781	177	53	61	233	192	283	550	1,637	3,513	5,583	5,499	-
Male	9,056	115	26	42	170	138	201	353	1,044	2,169	2,900	1,898	-
Female	8,725	62	27	19	63	54	82	197	593	1,344	2,683	3,601	-
White	17,701	170	52	58	230	188	279	541	1,621	3,502	5,573	5,487	-
Male	9,013	113	26	40	169	135	199	351	1,033	2,162	2,895	1,890	-
Female	8,688	57	26	18	61	53	80	190	588	1,340	2,678	3,597	-
All other	80	7	1	3	3	4	4	9	16	11	10	12	-
Male	43	2	-	2	1	3	2	2	11	7	5	8	-
Female	37	5	1	1	2	1	2	7	5	4	5	4	-
Black	54	3	-	-	1	2	2	7	12	9	9	9	-
Male	28	-	-	-	-	2	1	2	9	5	4	5	-
Female	26	3	-	-	1	-	1	5	3	4	5	4	-
Kansas	22,298	350	88	103	362	431	508	942	2,475	4,678	6,490	5,871	-
Male	11,329	204	50	65	264	310	309	614	1,536	2,762	3,237	1,958	-
Female	10,969	146	38	38	98	121	199	328	939	1,896	3,253	3,913	-
White	21,142	292	68	89	332	369	454	856	2,309	4,453	6,228	5,892	-
Male	10,712	173	41	57	245	267	272	561	1,437	2,653	3,117	1,689	-
Female	10,430	119	27	32	87	102	182	295	872	1,800	3,111	3,803	-
All other	1,156	58	20	14	30	62	54	86	166	225	262	179	-
Male	617	31	9	8	19	43	37	53	99	129	120	69	-
Female	539	27	11	6	11	19	17	33	67	96	142	110	-
Black	1,067	52	16	13	23	53	47	76	155	211	250	171	-
Male	567	28	7	8	15	38	33	46	95	120	111	66	-
Female	500	24	9	5	8	15	14	30	60	91	139	105	-
Metropolitan counties	9,004	190	36	48	155	237	257	501	1,250	1,964	2,401	1,965	-
Male	4,625	120	21	31	114	171	162	323	777	1,153	1,145	608	-
Female	4,379	70	15	17	41	66	95	178	473	811	1,256	1,357	-
White	8,140	152	27	34	134	187	211	434	1,123	1,784	2,204	1,840	-
Male	4,158	97	17	23	102	135	130	284	701	1,055	1,057	557	-
Female	3,982	55	10	11	32	52	81	150	422	739	1,147	1,283	-
All other	864	38	9	14	21	50	46	67	127	170	197	125	-
Male	467	23	4	8	12	36	32	39	76	98	88	51	-
Female	397	15	5	6	9	14	14	28	51	72	109	74	-
Black	825	37	8	13	18	45	42	61	124	166	188	123	-
Male	444	22	4	8	10	32	30	35	75	96	82	50	-
Female	381	15	4	5	8	13	12	26	49	70	106	73	-
Nonmetropolitan counties	13,294	160	52	55	207	194	251	441	1,225	2,714	4,089	3,906	-
Male	6,704	84	29	34	150	139	147	291	759	1,629	2,092	1,350	-
Female	6,590	76	23	21	57	55	104	150	466	1,085	1,997	2,556	-
White	13,002	140	41	55	198	182	243	422	1,186	2,659	4,024	3,852	-
Male	6,554	76	24	34	143	132	142	277	738	1,598	2,060	1,332	-
Female	6,448	64	17	21	55	50	101	145	450	1,061	1,964	2,520	-
All other	292	20	11	-	9	12	8	19	39	55	65	54	-
Male	150	8	5	-	7	7	5	14	23	31	32	18	-
Female	142	12	6	-	2	5	3	5	16	24	33	36	-
Black	242	15	8	-	5	8	5	15	31	45	62	48	-
Male	123	6	3	-	5	6	3	11	20	24	29	16	-
Female	119	9	5	-	-	2	2	4	11	21	33	32	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	34,818	509	98	149	647	787	1,072	2,082	4,868	8,129	9,751	6,725	1
Male	18,692	279	52	98	491	585	676	1,348	3,115	4,829	4,859	2,379	1
Female	16,126	230	46	51	156	222	396	734	1,753	3,300	4,892	4,346	–
White	32,152	444	87	133	597	689	963	1,890	4,448	7,504	9,107	6,289	1
Male	17,327	240	46	88	452	503	619	1,229	2,864	4,500	4,553	2,232	1
Female	14,825	204	41	45	145	186	344	661	1,584	3,004	4,554	4,057	–
All other	2,666	65	11	16	50	98	109	192	420	625	644	436	–
Male	1,365	39	6	10	39	62	57	119	251	329	306	147	–
Female	1,301	26	5	6	11	36	52	73	169	296	338	289	–
Black	2,639	63	11	16	46	98	105	190	415	622	638	434	–
Male	1,353	39	6	10	36	62	56	119	248	326	304	147	–
Female	1,286	24	5	6	10	36	50	71	167	296	334	287	–
Metropolitan counties	14,546	231	31	54	245	330	459	868	2,202	3,446	3,944	2,735	1
Male	7,463	120	15	39	183	231	272	562	1,398	1,964	1,840	840	1
Female	7,083	111	16	15	62	99	187	306	808	1,482	2,104	1,895	–
White	12,751	183	26	42	205	261	381	735	1,900	3,024	3,514	2,479	1
Male	6,547	95	12	31	153	190	236	480	1,212	1,747	1,635	755	1
Female	6,204	88	14	11	52	71	145	255	688	1,277	1,879	1,724	–
All other	1,795	48	5	12	40	69	78	133	302	422	430	256	–
Male	916	25	3	8	30	41	36	82	184	217	205	85	–
Female	879	23	2	4	10	28	42	51	118	205	225	171	–
Black	1,782	46	5	12	37	69	77	133	299	422	426	256	–
Male	910	25	3	8	28	41	36	82	182	217	203	85	–
Female	872	21	2	4	9	28	41	51	117	205	223	171	–
Nonmetropolitan counties	20,272	278	67	95	402	457	613	1,214	2,666	4,683	5,807	3,990	–
Male	11,229	159	37	59	308	334	404	786	1,719	2,865	3,019	1,539	–
Female	9,043	119	30	36	94	123	209	428	947	1,818	2,788	2,451	–
White	19,401	261	61	91	392	428	582	1,155	2,548	4,480	5,593	3,810	–
Male	10,780	145	34	57	299	313	383	749	1,652	2,753	2,918	1,477	–
Female	8,621	116	27	34	93	115	199	406	896	1,727	2,675	2,333	–
All other	871	17	6	4	10	29	31	59	118	203	214	180	–
Male	449	14	3	2	9	21	21	37	67	112	101	62	–
Female	422	3	3	2	1	8	10	22	51	91	113	118	–
Black	857	17	6	4	9	29	29	57	116	200	212	178	–
Male	443	14	3	2	8	21	20	37	66	109	101	62	–
Female	414	3	3	2	1	8	9	20	50	91	111	116	–
Louisiana	35,373	927	180	248	921	1,221	1,423	2,403	5,440	8,537	9,399	5,667	7
Male	19,434	528	103	178	709	892	959	1,497	3,291	4,883	4,525	1,864	5
Female	16,939	399	77	70	212	329	464	906	2,149	3,654	4,874	3,803	2
White	24,769	395	96	139	546	666	823	1,444	3,626	5,979	6,878	4,184	2
Male	13,197	217	48	99	417	502	577	944	2,295	3,505	3,296	1,295	2
Female	11,571	178	38	40	129	164	246	500	1,331	2,474	3,582	2,889	–
All other	11,605	532	84	109	375	555	600	959	1,814	2,558	2,521	1,483	5
Male	6,237	311	55	79	292	390	382	553	996	1,378	1,229	569	3
Female	5,368	221	29	30	83	165	218	406	818	1,180	1,292	914	2
Black	11,495	524	92	101	368	541	589	950	1,801	2,547	2,503	1,474	5
Male	6,166	308	54	72	285	377	376	547	986	1,370	1,220	568	3
Female	5,329	216	38	29	83	164	213	403	815	1,177	1,283	906	2
Metropolitan parishes [1]	22,422	631	105	141	553	818	925	1,500	3,486	5,197	5,658	3,403	5
Male	11,824	374	59	102	421	613	636	948	2,087	2,940	2,612	1,029	3
Female	10,598	257	46	39	132	205	289	552	1,399	2,257	3,046	2,374	2
White	15,087	280	49	76	297	424	509	882	2,295	3,597	4,125	2,572	1
Male	7,884	150	23	58	222	331	360	589	1,427	2,098	1,894	731	1
Female	7,203	110	26	18	75	93	149	293	868	1,499	2,231	1,841	–
All other	7,335	371	56	65	256	394	416	618	1,191	1,600	1,533	831	4
Male	3,940	224	36	44	189	282	276	359	660	842	718	298	2
Female	3,395	147	20	21	67	112	140	259	531	758	815	533	2
Black	7,264	365	54	63	251	387	410	612	1,182	1,592	1,520	624	4
Male	3,895	222	35	43	194	276	270	355	653	837	711	297	2
Female	3,369	143	19	20	57	111	140	257	529	755	809	527	2
Nonmetropolitan parishes [1]	13,951	296	75	107	368	403	498	903	1,954	3,340	3,741	2,264	2
Male	7,610	154	44	76	288	279	323	549	1,204	1,943	1,913	835	2
Female	6,341	142	31	31	80	124	175	354	750	1,397	1,828	1,429	–
White	9,681	135	37	63	249	242	314	562	1,331	2,382	2,753	1,612	1
Male	5,313	67	25	41	195	171	217	355	868	1,407	1,402	564	1
Female	4,368	68	12	22	54	71	97	207	463	975	1,351	1,048	–
All other	4,270	161	38	44	119	161	184	341	623	958	988	652	1
Male	2,297	87	19	35	93	108	108	194	336	536	511	271	1
Female	1,973	74	19	9	26	53	78	147	287	422	477	381	–
Black	4,231	159	38	38	117	154	179	338	619	955	983	650	1
Male	2,271	86	19	29	91	101	106	192	333	533	509	271	1
Female	1,960	73	19	9	26	53	73	146	286	422	474	379	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	11,237	147	25	29	141	165	247	527	1,350	2,511	3,381	2,714	-
Male	5,621	75	14	24	105	118	164	322	841	1,447	1,655	858	-
Female	5,616	72	11	5	36	47	83	205	509	1,064	1,726	1,856	-
White	11,186	147	22	28	138	163	243	518	1,343	2,503	3,374	2,707	-
Male	5,590	75	12	23	103	116	161	317	837	1,443	1,648	855	-
Female	5,596	72	10	5	35	47	82	201	506	1,060	1,726	1,852	-
All other	51	-	3	1	3	2	4	9	7	8	7	7	-
Male	31	-	2	1	2	2	3	5	4	4	7	1	-
Female	20	-	1	-	1	-	1	4	3	4	-	6	-
Black	27	-	1	1	-	-	3	4	4	5	5	4	-
Male	19	-	1	1	-	-	2	4	3	2	5	1	-
Female	8	-	-	-	-	-	1	-	1	3	-	3	-
Metropolitan counties	5,986	92	15	17	78	89	148	277	706	1,319	1,785	1,460	-
Male	2,925	44	8	13	57	66	95	171	438	746	844	443	-
Female	3,061	48	7	4	21	23	53	106	268	573	941	1,017	-
White	5,953	92	15	16	76	88	145	271	700	1,314	1,779	1,457	-
Male	2,902	44	8	12	56	65	93	166	434	743	838	443	-
Female	3,051	48	7	4	20	23	52	105	266	571	941	1,014	-
All other	33	-	-	1	2	1	3	6	6	5	6	3	-
Male	23	-	-	1	1	1	2	5	4	3	6	-	-
Female	10	-	-	-	1	-	1	1	2	2	-	3	-
Black	19	-	-	1	-	-	2	4	4	3	4	1	-
Male	15	-	-	1	-	-	1	4	3	2	4	-	-
Female	4	-	-	-	-	-	1	-	1	1	-	1	-
Nonmetropolitan counties	5,251	55	10	12	63	76	99	250	644	1,192	1,596	1,254	-
Male	2,696	31	6	11	48	52	69	151	403	701	811	413	-
Female	2,555	24	4	1	15	24	30	99	241	491	785	841	-
White	5,233	55	7	12	62	75	98	247	643	1,189	1,595	1,250	-
Male	2,688	31	4	11	47	51	68	151	403	700	810	412	-
Female	2,545	24	3	1	15	24	30	96	240	489	785	838	-
All other	18	-	3	-	1	1	1	3	1	3	1	4	-
Male	8	-	2	-	1	1	1	-	-	1	1	1	-
Female	10	-	1	-	-	-	-	3	1	2	-	3	-
Black	8	-	1	-	-	-	1	-	-	2	1	3	-
Male	4	-	1	-	-	-	1	-	-	-	1	1	-
Female	4	-	-	-	-	-	-	-	-	2	-	2	-
Maryland	37,358	816	119	136	730	1,090	1,334	2,337	5,607	9,066	9,572	6,536	15
Male	19,424	458	69	78	554	756	874	1,455	3,519	5,170	4,476	2,006	11
Female	17,934	358	50	60	176	334	460	882	2,088	3,896	5,096	4,530	4
White	28,831	438	61	81	478	591	766	1,519	4,098	7,125	7,857	5,713	6
Male	14,721	238	31	44	363	410	489	950	2,618	4,128	3,700	1,736	3
Female	14,110	198	30	37	115	181	267	569	1,479	2,997	4,257	3,977	3
All other	8,527	380	58	55	252	499	568	818	1,509	1,941	1,815	823	9
Male	4,703	220	38	32	191	346	375	505	900	1,042	776	270	8
Female	3,824	160	20	23	61	153	193	313	609	899	839	553	1
Black	8,295	366	56	49	243	490	544	797	1,469	1,892	1,573	807	9
Male	4,574	212	36	30	183	340	362	491	879	1,015	755	283	8
Female	3,721	154	20	19	60	150	182	306	590	877	818	544	1
Metropolitan counties	32,438	720	101	120	630	973	1,208	2,072	4,951	7,862	8,185	5,602	14
Male	16,824	403	60	65	477	666	789	1,285	3,114	4,462	3,812	1,681	10
Female	15,614	317	41	55	153	307	419	787	1,837	3,400	4,373	3,921	4
White	24,846	368	51	68	405	507	671	1,325	3,594	6,156	6,798	4,897	6
Male	12,633	204	27	34	306	344	432	823	2,304	3,545	3,155	1,456	3
Female	12,213	164	24	34	99	163	239	502	1,290	2,611	3,643	3,441	3
All other	7,592	352	50	52	225	466	537	747	1,357	1,706	1,387	705	8
Male	4,191	199	33	31	171	322	357	462	810	917	657	225	7
Female	3,401	153	17	21	54	144	180	285	547	789	730	480	1
Black	7,370	341	48	47	218	457	515	727	1,317	1,657	1,346	689	8
Male	4,069	194	31	29	165	316	346	448	789	890	636	218	7
Female	3,301	147	17	18	53	141	169	279	528	767	710	471	1
Nonmetropolitan counties	4,920	96	18	16	100	117	126	265	656	1,204	1,387	934	1
Male	2,600	55	9	11	77	90	85	170	405	708	664	325	1
Female	2,320	41	9	5	23	27	41	95	251	498	723	609	-
White	3,985	68	10	13	73	84	95	194	504	968	1,159	816	-
Male	2,088	34	4	10	57	66	67	127	315	583	545	280	-
Female	1,897	34	6	3	16	18	28	67	189	386	614	536	-
All other	935	28	8	3	27	33	31	71	152	235	228	118	1
Male	512	21	5	1	20	24	18	43	90	125	119	45	1
Female	423	7	3	2	7	9	13	28	62	110	109	73	-
Black	925	25	8	2	25	33	29	70	152	235	227	118	1
Male	505	18	5	1	18	24	16	43	90	125	119	45	1
Female	420	7	3	1	7	9	13	27	62	110	108	73	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	55,803	697	133	125	731	1,042	1,442	2,502	6,642	12,636	15,960	13,895	8
Male	27,110	376	68	79	548	755	927	1,571	4,114	7,182	7,401	4,083	6
Female	28,693	321	65	46	183	287	515	931	2,528	5,454	8,559	9,802	2
White	53,855	562	115	110	665	916	1,288	2,332	6,305	12,286	15,620	13,648	7
Male	26,027	307	59	69	501	667	817	1,467	3,897	6,990	7,256	4,002	5
Female	27,828	255	56	41	164	249	471	865	2,409	5,305	8,364	9,646	2
All other	1,948	135	18	15	66	126	154	170	336	350	340	237	1
Male	1,083	69	9	10	47	88	110	104	217	202	145	81	1
Female	865	66	9	5	19	38	44	66	119	148	195	156	–
Black	1,737	124	14	13	57	109	144	152	305	317	284	217	1
Male	950	66	6	10	40	77	103	94	198	181	104	70	1
Female	787	58	8	3	17	32	41	58	107	136	180	147	–
Metropolitan counties	52,742	665	128	119	697	991	1,380	2,412	6,350	11,901	14,899	13,092	8
Male	25,651	387	65	77	520	719	891	1,513	3,946	6,774	6,937	3,836	6
Female	27,091	298	63	42	177	272	489	899	2,404	5,127	8,062	9,256	2
White	50,857	531	110	105	631	869	1,227	2,244	6,022	11,563	14,677	12,871	7
Male	24,600	298	56	67	473	633	781	1,410	3,736	6,579	6,799	3,763	5
Female	26,257	233	54	38	158	236	446	834	2,286	4,984	7,878	9,108	2
All other	1,885	134	18	14	66	122	153	168	328	338	322	221	1
Male	1,051	69	9	10	47	86	110	103	210	195	138	73	1
Female	834	65	9	4	19	36	43	65	118	143	184	148	–
Black	1,684	124	14	12	57	106	143	151	301	305	268	202	1
Male	924	66	6	10	40	75	103	94	194	174	99	62	1
Female	760	58	8	2	17	31	40	57	107	131	169	140	–
Nonmetropolitan counties	3,061	32	5	6	34	51	62	90	292	735	961	793	–
Male	1,459	9	3	2	28	36	36	58	168	408	464	247	–
Female	1,602	23	2	4	6	15	26	32	124	327	497	546	–
White	2,998	31	5	5	34	47	61	88	284	723	943	777	–
Male	1,427	9	3	2	28	34	36	57	161	401	457	239	–
Female	1,571	22	2	3	6	13	25	31	123	322	486	538	–
All other	63	1	–	1	–	4	1	2	8	12	18	16	–
Male	32	–	–	–	–	2	–	1	7	7	7	8	–
Female	31	1	–	1	–	2	1	1	1	5	11	8	–
Black	53	–	–	1	–	3	1	1	4	12	16	15	–
Male	26	–	–	–	–	2	–	–	4	7	5	8	–
Female	27	–	–	1	–	1	1	1	–	5	11	7	–
Michigan	80,222	1,564	278	382	1,819	2,112	2,718	4,360	11,144	18,606	21,261	16,188	10
Male	42,068	924	155	212	1,210	1,522	1,754	2,668	6,844	10,809	10,477	5,482	9
Female	38,156	640	123	150	409	590	964	1,692	4,300	7,797	10,784	10,706	1
White	66,667	1,002	207	258	1,184	1,392	1,832	3,326	9,234	16,133	19,102	14,987	10
Male	35,537	603	114	153	865	1,021	1,183	2,045	5,711	9,412	9,386	5,045	9
Female	33,130	399	93	105	319	371	669	1,281	3,523	6,721	9,716	9,942	1
All other	11,555	562	71	104	435	720	886	1,034	1,910	2,473	2,159	1,201	–
Male	6,529	321	41	59	345	501	591	623	1,133	1,397	1,081	437	–
Female	5,026	241	30	45	90	219	295	411	777	1,076	1,078	764	–
Black	11,282	549	70	100	428	701	865	998	1,871	2,423	2,110	1,167	–
Male	6,374	313	40	57	340	491	579	598	1,110	1,371	1,054	421	–
Female	4,908	236	30	43	88	210	286	400	761	1,052	1,056	746	–
Metropolitan counties	64,579	1,359	228	293	1,337	1,854	2,376	3,700	9,286	14,745	16,609	12,803	9
Male	33,624	805	129	172	1,008	1,344	1,534	2,259	5,663	8,468	7,990	4,244	8
Female	30,955	554	99	121	329	510	842	1,441	3,603	6,277	8,619	8,559	1
White	53,274	808	157	190	905	1,146	1,496	2,688	7,387	12,320	14,511	11,657	9
Male	27,231	489	88	114	665	852	948	1,654	4,549	7,096	6,944	3,824	8
Female	26,043	319	69	76	240	294	548	1,034	2,838	5,224	7,567	7,833	1
All other	11,305	551	71	103	432	708	880	1,012	1,879	2,425	2,098	1,146	–
Male	6,393	316	41	58	343	492	586	605	1,114	1,372	1,046	420	–
Female	4,912	235	30	45	89	216	294	407	765	1,053	1,052	726	–
Black	11,122	544	70	100	426	693	863	987	1,860	2,389	2,063	1,127	–
Male	6,293	313	40	57	339	485	577	590	1,103	1,352	1,027	410	–
Female	4,829	231	30	43	87	208	286	397	757	1,037	1,036	717	–
Nonmetropolitan counties	15,643	205	50	69	282	258	342	660	1,878	3,861	4,652	3,385	1
Male	8,442	119	26	40	202	176	220	409	1,181	2,341	2,487	1,238	1
Female	7,201	86	24	29	80	80	122	251	697	1,520	2,165	2,147	–
White	15,393	194	50	68	279	246	336	638	1,847	3,813	4,591	3,330	1
Male	8,306	114	26	39	200	169	215	391	1,162	2,316	2,452	1,221	1
Female	7,087	80	24	29	79	77	121	247	685	1,497	2,139	2,109	–
All other	250	11	–	1	3	12	6	22	31	48	61	55	–
Male	136	5	–	1	2	9	5	18	19	25	35	17	–
Female	114	6	–	–	1	3	1	4	12	23	26	38	–
Black	160	5	–	–	2	8	2	11	11	34	47	40	–
Male	81	–	–	–	1	6	2	8	7	19	27	11	–
Female	79	5	–	–	1	2	–	3	4	15	20	29	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	35,082	606	102	142	589	600	817	1,493	3,620	7,191	10,080	9,840	2
Male	18,182	361	65	92	423	435	515	907	2,296	4,391	5,184	3,511	2
Female	16,900	245	37	50	166	165	302	586	1,324	2,800	4,896	6,329	-
White	34,360	536	82	129	545	553	757	1,425	3,528	7,081	9,967	9,755	2
Male	17,752	324	50	82	393	406	471	859	2,240	4,323	5,124	3,476	2
Female	16,608	212	32	47	152	147	286	566	1,288	2,758	4,843	6,277	-
All other	722	70	20	13	44	47	60	68	92	110	113	85	-
Male	430	37	15	10	30	29	44	48	56	68	60	33	-
Female	292	33	5	3	14	18	16	20	36	42	53	52	-
Black	368	35	9	6	15	23	32	32	49	61	50	56	-
Male	220	17	6	5	11	16	26	24	30	39	25	21	-
Female	148	18	3	1	4	7	6	8	19	22	25	35	-
Metropolitan counties	20,365	412	67	84	359	438	594	1,005	2,342	4,153	5,512	5,397	2
Male	10,301	244	39	52	247	313	379	612	1,469	2,481	2,882	1,781	2
Female	10,064	168	28	32	112	125	215	393	873	1,672	2,630	3,616	-
White	19,805	350	55	74	331	396	542	949	2,267	4,072	5,435	5,332	2
Male	9,968	210	31	44	228	287	341	574	1,425	2,430	2,840	1,758	2
Female	9,837	140	24	30	103	109	201	375	842	1,642	2,795	3,576	-
All other	560	62	12	10	28	42	52	56	75	81	77	65	-
Male	333	34	6	8	19	26	38	38	44	51	42	25	-
Female	227	28	4	2	9	16	14	18	31	30	35	40	-
Black	363	35	9	5	15	23	32	32	48	60	50	54	-
Male	216	17	6	4	11	16	26	24	29	38	25	20	-
Female	147	18	3	1	4	7	6	8	19	22	25	34	-
Nonmetropolitan counties	14,717	194	35	58	230	162	223	488	1,278	3,038	4,568	4,443	-
Male	7,881	117	26	40	176	122	136	295	827	1,910	2,502	1,730	-
Female	6,836	77	9	18	54	40	87	193	451	1,128	2,066	2,713	-
White	14,555	186	27	55	214	157	215	476	1,261	3,009	4,532	4,423	-
Male	7,784	114	19	38	165	119	130	285	815	1,893	2,484	1,722	-
Female	6,771	72	8	17	49	38	85	191	446	1,116	2,048	2,701	-
All other	162	8	8	3	16	5	8	12	17	29	36	20	-
Male	97	3	7	2	11	3	6	10	12	17	18	8	-
Female	65	5	1	1	5	2	2	2	5	12	18	12	-
Black	5	-	-	1	-	-	-	-	1	1	-	2	-
Male	4	-	-	1	-	-	-	-	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Mississippi	24,429	518	120	140	572	659	868	1,516	3,357	5,525	6,735	4,412	7
Male	13,078	300	65	87	402	469	553	922	2,102	3,251	3,408	1,514	5
Female	11,351	218	55	53	170	190	315	594	1,255	2,274	3,327	2,898	2
White	15,760	198	48	79	330	316	463	926	2,208	3,679	4,506	3,007	-
Male	8,470	122	29	49	239	232	306	615	1,450	2,224	2,246	958	-
Female	7,290	76	19	30	91	84	157	311	758	1,455	2,260	2,049	-
All other	8,669	320	72	61	242	343	405	590	1,149	1,846	2,229	1,405	7
Male	4,608	178	36	38	163	237	247	307	652	1,027	1,162	558	5
Female	4,061	142	36	23	79	106	158	283	497	819	1,067	849	2
Black	8,596	314	70	60	228	337	399	584	1,140	1,832	2,222	1,403	7
Male	4,568	175	35	37	155	233	244	304	648	1,020	1,158	554	5
Female	4,028	139	35	23	73	104	155	280	492	812	1,064	849	2
Metropolitan counties	5,627	134	39	31	141	184	219	382	927	1,318	1,341	908	3
Male	3,029	81	21	19	108	140	145	227	585	766	652	283	2
Female	2,598	53	18	12	33	44	74	155	342	552	689	625	1
White	4,004	71	24	18	100	103	138	245	670	881	974	680	-
Male	2,167	46	14	12	80	80	95	148	428	583	485	196	-
Female	1,837	25	10	6	20	23	43	97	242	298	489	484	-
All other	1,623	63	15	13	41	81	81	137	257	337	367	228	3
Male	862	35	7	7	28	60	50	79	157	183	167	87	2
Female	761	28	8	6	13	21	31	58	100	154	200	141	1
Black	1,606	61	14	13	39	79	80	136	256	333	365	227	3
Male	853	34	7	7	26	59	50	78	157	181	166	86	2
Female	753	27	7	6	13	20	30	58	99	152	199	141	1
Nonmetropolitan counties	18,802	384	81	109	431	475	649	1,134	2,430	4,207	5,394	3,504	4
Male	10,049	219	44	68	294	329	408	695	1,517	2,485	2,756	1,231	3
Female	8,753	165	37	41	137	146	241	439	913	1,722	2,638	2,273	1
White	11,756	127	24	61	230	213	325	681	1,538	2,698	3,532	2,327	-
Male	6,303	76	15	37	159	152	211	467	1,022	1,641	1,761	762	-
Female	5,453	51	9	24	71	61	114	214	516	1,057	1,771	1,565	-
All other	7,046	257	57	48	201	262	324	453	892	1,509	1,862	1,177	4
Male	3,746	143	29	31	135	177	197	228	495	844	995	469	3
Female	3,300	114	28	17	66	85	127	225	397	665	867	708	1
Black	6,990	253	56	47	189	258	319	448	884	1,499	1,857	1,176	4
Male	3,715	141	28	30	129	174	194	228	491	839	992	468	3
Female	3,275	112	28	17	60	84	125	222	393	660	865	708	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	50,160	805	144	187	886	1,093	1,264	2,365	6,016	11,213	14,556	11,626	15
Male	25,804	459	76	115	691	790	827	1,505	3,693	6,619	7,172	3,850	7
Female	24,376	346	68	72	205	303	437	860	2,323	4,594	7,384	7,776	8
White	45,071	580	109	156	742	829	992	1,952	5,205	10,099	13,475	10,924	8
Male	23,007	333	60	99	587	597	649	1,263	3,219	6,014	6,650	3,552	4
Female	22,064	247	49	57	175	232	343	689	1,986	4,085	6,825	7,372	4
All other	5,109	225	35	31	154	264	272	413	811	1,114	1,081	702	7
Male	2,797	126	16	16	124	193	178	242	474	605	522	298	3
Female	2,312	99	19	15	30	71	94	171	337	509	559	404	4
Black	5,036	219	35	31	149	258	268	404	801	1,095	1,073	696	7
Male	2,751	123	16	16	121	187	178	236	467	593	517	294	3
Female	2,285	96	19	15	28	71	90	168	334	502	556	402	4
Metropolitan counties	30,337	586	96	120	563	771	883	1,553	3,878	6,655	8,549	6,671	12
Male	15,313	318	50	73	435	557	591	987	2,364	3,625	4,020	2,087	6
Female	15,024	268	46	47	128	214	292	566	1,514	2,830	4,529	4,584	6
White	25,803	380	65	90	424	521	625	1,177	3,148	5,689	7,599	6,079	6
Male	12,811	206	35	58	321	371	421	768	1,936	3,299	3,559	1,834	3
Female	12,992	174	30	32	103	150	204	409	1,212	2,390	4,040	4,245	3
All other	4,534	206	31	30	139	250	258	376	730	966	950	592	6
Male	2,502	112	15	15	114	186	170	219	428	526	461	253	3
Female	2,032	94	16	15	25	64	88	157	302	440	489	339	3
Black	4,482	201	31	30	136	247	257	368	720	953	945	588	6
Male	2,466	109	15	15	112	183	170	214	421	517	457	250	3
Female	2,016	92	16	15	24	64	87	154	299	436	488	338	3
Nonmetropolitan counties	19,843	219	48	67	333	322	381	812	2,138	4,558	6,007	4,955	3
Male	10,491	141	26	42	256	233	236	518	1,329	2,794	3,152	1,763	1
Female	9,352	78	22	25	77	89	145	294	809	1,764	2,855	3,192	2
White	19,268	200	44	66	318	308	367	775	2,057	4,410	5,876	4,845	2
Male	10,196	127	25	41	246	226	228	495	1,283	2,715	3,091	1,718	1
Female	9,072	73	19	25	72	82	139	280	774	1,695	2,785	3,127	1
All other	575	19	4	1	15	14	14	37	81	148	131	110	1
Male	295	14	1	1	10	7	8	23	46	79	61	45	–
Female	280	5	3	–	5	7	6	14	35	69	70	65	1
Black	554	18	4	1	13	11	11	36	81	142	128	108	1
Male	285	14	1	1	9	4	8	22	46	76	60	44	–
Female	269	4	3	–	4	7	3	14	35	66	68	64	1
Montana	6,754	122	25	47	161	180	221	342	605	1,494	1,815	1,542	–
Male	3,721	76	16	32	114	127	142	200	509	926	978	601	–
Female	3,033	46	9	15	47	53	79	142	295	568	837	941	–
White	6,465	97	21	39	124	153	197	318	772	1,464	1,769	1,511	–
Male	3,536	62	14	27	88	108	123	184	490	904	952	584	–
Female	2,929	35	7	12	36	45	74	134	282	560	817	927	–
All other	289	25	4	8	37	27	24	24	33	30	46	31	–
Male	185	14	2	5	26	19	19	16	19	22	26	17	–
Female	104	11	2	3	11	8	5	8	14	8	20	14	–
Black	7	–	–	–	1	1	–	1	1	1	2	–	–
Male	5	–	–	–	1	1	–	1	–	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Metropolitan counties	1,442	28	4	13	39	41	56	88	174	311	377	311	–
Male	803	21	1	9	30	30	35	48	108	202	196	123	–
Female	639	7	3	4	9	11	21	40	66	109	181	188	–
White	1,410	26	4	13	33	36	53	87	168	307	374	309	–
Male	780	20	1	9	25	27	32	47	106	198	194	121	–
Female	630	6	3	4	8	9	21	40	62	109	180	188	–
All other	32	2	–	–	6	5	3	1	6	4	3	2	–
Male	23	1	–	–	5	3	3	1	2	4	2	2	–
Female	9	1	–	–	1	2	–	–	4	–	1	–	–
Black	5	–	–	–	1	1	–	1	1	1	–	–	–
Male	4	–	–	–	1	1	–	1	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Nonmetropolitan counties	5,312	94	21	34	122	139	165	254	631	1,183	1,438	1,231	–
Male	2,918	55	15	23	84	97	107	152	401	724	782	478	–
Female	2,394	39	6	11	38	42	58	102	230	459	656	753	–
White	5,055	71	17	26	91	117	144	231	604	1,157	1,395	1,202	–
Male	2,756	42	13	18	63	81	91	137	364	706	758	463	–
Female	2,299	29	4	8	28	36	53	94	220	451	637	739	–
All other	257	23	4	8	31	22	21	23	27	26	43	29	–
Male	162	13	2	5	21	16	16	15	17	18	24	15	–
Female	95	10	2	3	10	6	5	8	10	8	19	14	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,678	247	48	50	246	254	303	614	1,538	3,004	4,287	4,086	1
Male	7,627	129	27	33	184	188	195	368	1,002	1,872	2,191	1,437	1
Female	7,051	118	21	17	62	66	108	246	536	1,132	2,096	2,649	-
White	14,210	208	42	45	232	224	283	570	1,465	2,911	4,206	4,023	1
Male	7,362	111	23	29	175	172	180	345	950	1,812	2,154	1,410	1
Female	6,848	97	19	16	57	52	103	225	515	1,099	2,052	2,613	-
All other	468	39	6	5	14	30	20	44	73	93	81	63	-
Male	265	18	4	4	9	16	15	23	52	60	37	27	-
Female	203	21	2	1	5	14	5	21	21	33	44	36	-
Black	379	27	6	3	12	22	17	32	63	77	67	53	-
Male	213	13	4	3	7	11	12	14	45	50	32	22	-
Female	166	14	2	-	5	11	5	18	18	27	35	31	-
Metropolitan counties	5,224	122	28	21	102	130	153	282	685	1,127	1,396	1,177	1
Male	2,683	67	18	11	72	85	88	177	432	674	676	372	1
Female	2,541	55	10	10	30	45	65	105	253	453	720	805	-
White	4,828	89	22	18	90	107	135	244	621	1,047	1,328	1,126	1
Male	2,454	50	14	8	65	73	85	158	386	821	642	351	1
Female	2,374	39	8	10	25	34	50	86	235	426	686	775	-
All other	396	33	6	3	12	23	18	38	64	80	68	51	-
Male	229	17	4	3	7	12	13	19	46	53	34	21	-
Female	167	16	2	-	5	11	5	19	18	27	34	30	-
Black	369	27	6	3	12	22	17	31	62	75	64	50	-
Male	209	13	4	3	7	11	12	14	44	48	32	21	-
Female	160	14	2	-	5	11	5	17	18	27	32	29	-
Nonmetropolitan counties	9,454	125	20	29	144	124	150	332	853	1,877	2,891	2,909	-
Male	4,944	62	9	22	112	103	97	191	570	1,198	1,515	1,065	-
Female	4,510	63	11	7	32	21	53	141	283	679	1,376	1,844	-
White	9,382	119	20	27	142	117	148	326	844	1,864	2,878	2,897	-
Male	4,908	61	9	21	110	99	95	187	564	1,191	1,512	1,059	-
Female	4,474	58	11	6	32	18	53	139	280	673	1,366	1,838	-
All other	72	6	-	2	2	7	2	6	9	13	13	12	-
Male	36	1	-	1	2	4	2	4	6	7	3	6	-
Female	36	5	-	1	-	3	-	2	3	6	10	6	-
Black	10	-	-	-	-	-	-	1	1	2	3	3	-
Male	4	-	-	-	-	-	-	-	1	2	-	1	-
Female	6	-	-	-	-	-	-	1	-	-	3	2	-
Nevada	7,410	145	26	30	180	257	351	592	1,256	1,981	1,683	898	11
Male	4,255	85	12	18	131	192	243	374	792	1,189	893	319	7
Female	3,155	60	14	12	49	65	108	218	464	792	790	579	4
White	6,901	111	21	29	147	220	315	523	1,162	1,889	1,606	867	11
Male	3,945	67	10	17	104	165	223	330	732	1,135	848	307	7
Female	2,956	44	11	12	43	55	92	193	430	754	758	560	4
All other	509	34	5	1	33	37	36	69	94	92	77	31	-
Male	310	18	2	1	27	27	20	44	60	54	45	12	-
Female	199	16	3	-	6	10	16	25	34	38	32	19	-
Black	341	26	3	-	21	21	24	47	65	61	52	21	-
Male	213	14	1	-	18	18	15	32	44	35	28	8	-
Female	128	12	2	-	3	3	9	15	21	26	24	13	-
Metropolitan counties	6,015	123	20	21	143	227	306	491	1,037	1,615	1,326	696	10
Male	3,436	72	9	13	105	167	211	314	653	970	680	236	6
Female	2,579	51	11	8	38	60	95	177	384	645	646	460	4
White	5,572	93	15	21	115	191	274	427	953	1,538	1,264	671	10
Male	3,165	56	7	13	82	141	192	273	597	925	645	228	6
Female	2,407	37	8	8	33	50	82	154	356	613	619	443	4
All other	443	30	5	-	28	36	32	64	84	77	62	25	-
Male	271	16	2	-	23	26	19	41	58	45	35	8	-
Female	172	14	3	-	5	10	13	23	28	32	27	17	-
Black	327	26	3	-	20	21	24	46	65	56	46	20	-
Male	204	14	1	-	17	18	15	31	44	32	25	7	-
Female	123	12	2	-	3	3	9	15	21	24	21	13	-
Nonmetropolitan counties	1,395	22	6	9	37	30	45	101	219	366	357	202	1
Male	819	13	3	5	26	25	32	60	139	219	213	83	1
Female	576	9	3	4	11	5	13	41	80	147	144	119	-
White	1,329	18	5	8	32	29	41	96	209	351	342	196	1
Male	780	11	3	4	22	24	31	57	135	210	203	79	1
Female	549	7	3	4	10	5	10	39	74	141	139	117	-
All other	66	4	-	1	5	1	4	5	10	15	15	6	-
Male	39	2	-	1	4	1	1	3	4	9	10	4	-
Female	27	2	-	-	1	-	3	2	6	6	5	2	-
Black	14	-	-	-	1	-	-	1	-	5	6	1	-
Male	9	-	-	-	1	-	-	1	-	3	3	1	-
Female	5	-	-	-	-	-	-	-	-	2	3	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	8,592	144	15	34	140	159	228	374	1,048	1,941	2,476	2,032	1
Male	4,298	86	7	20	101	121	151	242	649	1,095	1,203	622	1
Female	4,294	58	8	14	39	38	77	132	399	846	1,273	1,410	–
White	8,561	142	14	34	138	158	224	369	1,039	1,937	2,474	2,031	1
Male	4,280	84	6	20	100	120	147	239	646	1,093	1,202	622	1
Female	4,281	58	8	14	38	38	77	130	393	844	1,272	1,409	–
All other	31	2	1	–	2	1	4	5	9	4	2	1	–
Male	18	2	1	–	1	1	4	3	3	2	1	–	–
Female	13	–	–	–	1	–	–	2	6	2	1	1	–
Black	20	2	–	–	–	1	3	3	6	3	1	1	–
Male	14	2	–	–	–	1	3	2	3	2	1	–	–
Female	6	–	–	–	–	–	–	1	3	1	–	1	–
Metropolitan counties	4,724	85	10	14	91	92	143	211	605	1,059	1,345	1,068	1
Male	2,344	48	4	7	64	66	98	136	379	577	647	317	1
Female	2,380	37	6	7	27	26	45	75	226	482	698	751	–
White	4,704	84	9	14	90	92	139	208	600	1,057	1,343	1,067	1
Male	2,331	47	3	7	63	66	94	134	377	576	646	317	1
Female	2,373	37	6	7	27	26	45	74	223	481	697	750	–
All other	20	1	1	–	1	–	4	3	5	2	2	1	–
Male	13	1	1	–	1	–	4	2	2	1	1	–	–
Female	7	–	–	–	–	–	–	1	3	1	1	1	–
Black	14	1	–	–	–	–	3	3	3	2	1	1	–
Male	10	1	–	–	–	–	3	2	2	1	1	–	–
Female	4	–	–	–	–	–	–	1	1	1	–	1	–
Nonmetropolitan counties	3,868	59	5	20	49	67	85	163	443	882	1,131	964	–
Male	1,954	38	3	13	37	55	53	108	270	518	556	305	–
Female	1,914	21	2	7	12	12	32	57	173	364	575	659	–
White	3,857	58	5	20	48	66	85	161	439	880	1,131	964	–
Male	1,949	37	3	13	37	54	53	105	269	517	556	305	–
Female	1,908	21	2	7	11	12	32	56	170	363	575	659	–
All other	11	1	–	–	1	1	–	2	4	2	–	–	–
Male	5	1	–	–	–	1	–	1	1	1	–	–	–
Female	6	–	–	–	1	–	–	1	3	1	–	–	–
Black	6	1	–	–	–	1	–	–	3	1	–	–	–
Male	4	1	–	–	–	1	–	–	1	1	–	–	–
Female	2	–	–	–	–	–	–	–	2	–	–	–	–
New Jersey	71,655	1,062	180	245	934	1,935	2,416	3,800	9,947	16,967	19,654	14,472	43
Male	36,529	618	106	151	696	1,397	1,598	2,325	6,090	9,696	9,301	4,523	28
Female	35,126	444	74	94	238	538	818	1,475	3,857	7,271	10,353	9,949	15
White	62,921	661	133	171	705	1,247	1,605	2,811	8,492	15,223	18,201	13,646	26
Male	31,645	371	69	102	539	926	1,064	1,720	5,214	8,737	8,638	4,230	15
Female	31,276	290	44	69	166	321	541	1,091	3,278	6,486	9,563	9,416	11
All other	8,734	401	47	74	229	688	811	989	1,455	1,744	1,453	826	17
Male	4,884	247	17	49	157	471	534	605	876	959	663	293	13
Female	3,850	154	30	25	72	217	277	384	579	785	790	533	4
Black	8,415	388	45	67	221	676	792	953	1,406	1,678	1,376	796	17
Male	4,716	237	16	44	152	464	525	592	856	925	621	281	13
Female	3,699	151	29	23	69	212	267	371	550	753	755	515	4
Metropolitan counties	63,550	989	161	225	848	1,816	2,262	3,504	9,062	14,875	16,929	12,838	43
Male	32,241	576	94	138	632	1,316	1,497	2,144	5,533	8,498	7,821	3,964	28
Female	31,309	413	67	87	216	500	765	1,360	3,529	6,377	9,108	8,872	15
White	54,969	591	114	152	626	1,132	1,458	2,533	7,630	13,163	15,514	12,030	26
Male	27,435	332	77	89	480	848	969	1,551	4,667	7,558	7,173	3,676	15
Female	27,534	259	37	63	146	284	489	982	2,963	5,605	8,341	8,354	11
All other	8,581	398	47	73	222	684	804	971	1,432	1,712	1,415	806	17
Male	4,806	244	17	49	152	468	528	593	866	940	648	288	13
Female	3,775	154	30	24	70	216	276	378	566	772	767	518	4
Black	8,279	385	45	66	216	672	786	937	1,385	1,646	1,345	779	17
Male	4,647	234	16	44	149	461	520	571	846	906	610	277	13
Female	3,632	151	29	22	67	211	266	366	539	740	735	502	4
Nonmetropolitan counties	8,105	73	19	20	86	119	154	296	885	2,092	2,725	1,636	–
Male	4,288	42	12	13	64	81	101	161	557	1,198	1,480	559	–
Female	3,817	31	7	7	22	38	53	115	328	894	1,245	1,077	–
White	7,952	70	19	19	79	115	147	278	862	2,060	2,687	1,616	–
Male	4,210	39	12	13	59	78	95	169	547	1,179	1,465	554	–
Female	3,742	31	7	6	20	37	52	109	315	881	1,222	1,062	–
All other	153	3	–	1	7	4	7	18	23	32	38	20	–
Male	78	3	–	–	5	3	6	12	10	19	15	5	–
Female	75	–	–	1	2	1	1	6	13	13	23	15	–
Black	136	3	–	1	5	4	6	16	21	32	31	17	–
Male	69	3	–	–	3	3	5	11	10	19	11	4	–
Female	67	–	–	1	2	1	1	5	11	13	20	13	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	10,114	261	68	67	400	460	442	611	1,365	2,165	2,567	1,699	9
Male	5,738	150	36	40	308	351	308	407	840	1,282	1,343	665	6
Female	4,376	111	32	27	92	109	134	204	525	883	1,224	1,034	1
White	9,252	204	57	45	324	375	378	538	1,257	2,051	2,422	1,593	8
Male	5,200	120	29	30	243	290	267	355	774	1,215	1,285	604	6
Female	4,052	84	28	15	81	85	111	183	483	836	1,137	989	-
All other	862	57	11	22	76	85	64	73	108	114	145	106	1
Male	538	30	7	10	65	61	41	52	66	67	78	61	-
Female	324	27	4	12	11	24	23	21	42	47	67	45	1
Black	171	12	3	4	7	13	6	13	28	33	34	18	-
Male	99	7	2	2	6	10	3	8	17	15	17	12	-
Female	72	5	1	2	1	3	3	5	11	18	17	6	-
Metropolitan counties	4,184	111	23	25	169	206	210	256	575	920	1,002	682	5
Male	2,372	63	10	18	127	162	150	172	369	544	501	252	4
Female	1,812	48	13	7	42	44	60	84	206	376	501	430	1
White	3,965	91	20	19	153	182	194	234	540	867	975	666	4
Male	2,237	54	8	15	113	146	138	158	344	526	488	243	4
Female	1,728	37	12	4	40	36	56	76	196	361	487	423	-
All other	219	20	3	6	16	24	16	22	35	33	27	16	1
Male	135	9	2	3	14	16	12	14	25	18	13	9	-
Female	84	11	1	3	2	8	4	8	10	15	14	7	1
Black	82	7	3	4	4	8	2	9	15	13	12	5	-
Male	51	5	2	2	3	6	2	5	12	6	5	3	-
Female	31	2	1	2	1	2	-	4	3	7	7	2	-
Nonmetropolitan counties	5,930	150	45	42	231	254	232	355	790	1,245	1,565	1,017	4
Male	3,366	87	26	22	161	189	158	235	471	738	842	413	4
Female	2,564	63	19	20	50	65	74	120	319	507	723	604	-
White	5,287	113	37	26	171	183	184	304	717	1,164	1,447	927	4
Male	2,863	66	21	15	130	144	129	197	430	689	777	361	4
Female	2,324	47	16	11	41	49	55	107	287	475	670	566	-
All other	643	37	8	16	60	61	48	51	73	81	118	90	-
Male	403	21	5	7	51	45	29	38	41	49	65	52	-
Female	240	16	3	9	9	16	19	13	32	32	53	38	-
Black	89	5	-	-	3	5	4	4	13	20	22	13	-
Male	48	2	-	-	3	4	1	3	5	9	12	9	-
Female	41	3	-	-	-	1	3	1	8	11	10	4	-
New York	173,540	2,824	478	565	2,700	5,432	7,213	9,849	22,652	38,246	46,842	36,712	27
Male	88,407	1,582	258	336	2,007	3,943	5,087	6,158	13,708	21,373	22,077	11,858	20
Female	85,133	1,242	220	229	693	1,489	2,126	3,691	8,944	16,873	24,765	24,854	7
White	149,062	1,788	317	415	1,965	3,586	4,850	7,064	18,476	33,290	42,813	34,480	18
Male	74,873	1,010	171	246	1,458	2,683	3,418	4,450	11,284	18,757	20,255	11,127	14
Female	74,189	778	146	169	507	903	1,432	2,614	7,192	14,533	22,558	23,353	4
All other	24,478	1,036	161	150	735	1,846	2,363	2,785	4,176	4,956	4,029	2,232	9
Male	13,534	572	87	90	549	1,260	1,669	1,708	2,424	2,616	1,822	731	6
Female	10,944	464	74	60	186	586	694	1,077	1,752	2,340	2,207	1,501	3
Black	22,983	999	154	136	689	1,783	2,287	2,621	3,856	4,618	3,688	2,043	9
Male	12,596	553	83	82	518	1,217	1,620	1,606	2,286	2,388	1,607	630	6
Female	10,387	446	71	54	171	566	667	1,015	1,570	2,230	2,081	1,413	3
Metropolitan counties	156,260	2,590	423	502	2,435	5,131	6,847	9,114	20,540	34,229	41,738	32,685	26
Male	79,502	1,448	225	299	1,825	3,709	4,851	5,710	12,388	19,008	19,455	10,565	19
Female	76,758	1,142	198	203	610	1,422	1,996	3,404	8,152	15,221	22,283	22,120	7
White	132,058	1,566	267	355	1,713	3,298	4,497	6,358	16,404	29,338	37,762	30,461	17
Male	66,140	882	141	210	1,285	2,460	3,192	4,020	9,993	16,436	17,683	9,845	13
Female	65,918	684	126	145	428	838	1,305	2,338	6,411	12,902	20,079	20,616	4
All other	24,204	1,024	156	147	722	1,833	2,350	2,756	4,136	4,891	3,976	2,204	9
Male	13,362	566	84	89	540	1,249	1,659	1,690	2,395	2,572	1,792	720	6
Female	10,842	458	72	58	182	584	691	1,066	1,741	2,319	2,184	1,484	3
Black	22,766	988	149	133	678	1,774	2,275	2,596	3,924	4,567	3,651	2,022	9
Male	12,462	548	80	81	511	1,210	1,610	1,591	2,261	2,354	1,588	622	6
Female	10,304	440	69	52	167	564	665	1,005	1,663	2,213	2,063	1,400	3
Nonmetropolitan counties	17,280	234	55	63	265	301	366	735	2,112	4,017	5,104	4,027	1
Male	8,905	134	33	37	182	234	236	448	1,320	2,365	2,622	1,293	1
Female	8,375	100	22	26	83	67	130	287	792	1,652	2,482	2,734	-
White	17,006	222	50	60	252	288	353	705	2,072	3,952	5,051	3,999	1
Male	8,733	128	30	36	173	223	226	430	1,291	2,321	2,592	1,282	1
Female	8,273	94	20	24	79	65	127	278	781	1,631	2,459	2,717	-
All other	274	12	5	3	13	13	13	29	40	65	53	28	-
Male	172	6	3	1	9	11	10	18	29	44	30	11	-
Female	102	6	2	2	4	2	3	11	11	21	23	17	-
Black	217	11	5	3	11	9	12	25	32	51	37	21	-
Male	134	5	3	1	7	7	10	15	25	34	19	8	-
Female	83	6	2	2	4	2	2	10	7	17	18	13	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	54,609	1,042	186	271	1,142	1,509	2,081	3,607	8,199	13,367	14,087	9,117	1
Male	29,283	587	112	161	844	1,092	1,354	2,362	5,227	7,891	6,708	2,944	1
Female	25,326	455	74	110	298	417	727	1,245	2,972	5,476	7,379	6,173	-
White	41,327	570	113	170	810	898	1,257	2,478	5,985	10,203	11,188	7,654	1
Male	21,970	330	69	102	601	663	822	1,648	3,887	6,103	5,318	2,426	1
Female	19,357	240	44	68	209	235	435	830	2,098	4,100	5,870	5,228	-
All other	13,282	472	73	101	332	611	824	1,129	2,214	3,164	2,899	1,463	-
Male	7,313	257	43	59	243	429	532	714	1,340	1,788	1,390	518	-
Female	5,969	215	30	42	89	182	292	415	874	1,376	1,509	945	-
Black	12,816	454	64	91	304	566	787	1,090	2,136	3,072	2,826	1,426	-
Male	7,052	244	37	54	225	398	508	688	1,289	1,745	1,359	505	-
Female	5,764	210	27	37	79	168	279	402	847	1,327	1,467	921	-
Metropolitan counties	26,419	596	97	118	566	752	1,060	1,819	3,928	6,297	6,756	4,430	-
Male	13,981	340	57	63	423	552	688	1,178	2,509	3,665	3,127	1,379	-
Female	12,438	256	40	55	143	200	372	641	1,419	2,632	3,629	3,051	-
White	20,647	356	67	82	430	469	659	1,278	2,977	5,002	5,522	3,805	-
Male	10,847	215	42	42	322	349	424	831	1,934	2,950	2,565	1,173	-
Female	9,800	141	25	40	108	120	235	447	1,043	2,052	2,957	2,632	-
All other	5,772	240	30	36	136	283	401	541	951	1,295	1,234	625	-
Male	3,134	125	15	21	101	203	264	347	575	715	562	206	-
Female	2,638	115	16	15	35	80	137	194	376	580	672	419	-
Black	5,708	238	28	35	129	281	394	531	942	1,284	1,223	623	-
Male	3,096	123	14	21	97	201	259	340	569	711	556	205	-
Female	2,612	115	14	14	32	80	135	191	373	573	667	418	-
Nonmetropolitan counties	28,190	446	89	153	576	757	1,021	1,788	4,271	7,070	7,331	4,687	1
Male	15,302	247	55	98	421	540	666	1,184	2,718	4,226	3,581	1,565	1
Female	12,888	199	34	55	155	217	355	604	1,553	2,844	3,750	3,122	-
White	20,680	214	46	88	380	429	598	1,200	3,008	5,201	5,666	3,849	1
Male	11,123	115	27	60	279	314	398	817	1,953	3,153	2,753	1,253	1
Female	9,557	99	19	28	101	115	200	383	1,055	2,048	2,913	2,596	-
All other	7,510	232	43	65	196	328	423	588	1,263	1,869	1,665	838	-
Male	4,179	132	28	38	142	226	268	367	765	1,073	828	312	-
Female	3,331	100	15	27	54	102	155	221	498	796	837	526	-
Black	7,108	216	36	56	175	285	393	559	1,194	1,788	1,603	803	-
Male	3,956	121	23	33	128	197	249	348	720	1,034	803	300	-
Female	3,152	95	13	23	47	88	144	211	474	754	800	503	-
North Dakota	5,289	91	21	25	80	95	118	215	511	1,083	1,583	1,467	-
Male	2,959	48	10	19	59	59	73	134	338	705	902	612	-
Female	2,330	43	11	6	21	36	45	81	173	378	681	855	-
White	5,141	81	17	22	65	80	104	206	497	1,052	1,565	1,452	-
Male	2,870	44	9	16	49	51	62	129	332	684	889	605	-
Female	2,271	37	8	6	16	29	42	77	165	368	676	847	-
All other	148	10	4	3	15	15	14	9	14	31	18	15	-
Male	89	4	1	3	10	8	11	5	6	21	13	7	-
Female	59	6	3	-	5	7	3	4	8	10	5	8	-
Black	8	-	-	-	3	3	-	1	-	-	-	1	-
Male	6	-	-	-	3	1	-	1	-	-	-	1	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
Metropolitan counties	1,508	32	5	8	16	34	43	63	153	312	422	418	-
Male	799	19	1	7	13	21	24	37	101	195	233	148	-
Female	707	13	4	1	3	13	19	26	52	117	189	270	-
White	1,496	31	5	8	14	30	43	62	153	312	421	417	-
Male	792	19	1	7	11	18	24	36	101	195	233	147	-
Female	704	12	4	1	3	12	19	26	52	117	188	270	-
All other	10	1	-	-	2	4	-	1	-	-	1	1	-
Male	7	-	-	-	2	3	-	1	-	-	-	1	-
Female	3	1	-	-	-	1	-	-	-	-	1	-	-
Black	4	-	-	-	1	1	-	1	-	-	-	1	-
Male	3	-	-	-	1	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Nonmetropolitan counties	3,783	59	16	17	64	61	75	152	358	771	1,161	1,049[1]	-
Male	2,160	29	9	12	46	38	49	97	237	510	669	464	-
Female	1,623	30	7	5	18	23	26	55	121	261	492	585	-
White	3,645	50	12	14	51	50	61	144	344	740	1,144	1,035	-
Male	2,078	25	8	9	38	33	38	93	231	489	656	458	-
Female	1,567	25	4	5	13	17	23	51	113	251	488	577	-
All other	138	9	4	3	13	11	14	8	14	31	17	14	-
Male	82	4	1	3	8	5	11	4	6	21	13	6	-
Female	56	5	3	-	5	6	3	4	8	10	4	8	-
Black	4	-	-	-	2	2	-	-	-	-	-	-	-
Male	3	-	-	-	2	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	99,716	1,680	284	355	1,520	2,032	2,678	5,210	14,221	23,905	27,030	20,798	3
Male	51,000	1,001	167	235	1,128	1,424	1,642	3,149	8,671	13,802	12,933	6,846	2
Female	48,716	679	117	120	392	608	1,036	2,061	5,550	10,103	14,097	13,952	1
White	89,308	1,259	203	291	1,310	1,598	2,130	4,295	12,316	21,464	24,944	19,495	3
Male	45,429	754	121	194	967	1,134	1,321	2,627	7,547	12,486	11,935	6,341	2
Female	43,879	505	82	97	343	464	809	1,668	4,769	8,978	13,009	13,154	1
All other	10,408	421	81	64	210	434	548	915	1,905	2,441	2,086	1,303	-
Male	5,571	247	46	41	161	290	321	522	1,124	1,316	998	505	-
Female	4,837	174	35	23	49	144	227	393	781	1,125	1,088	798	-
Black	10,225	407	78	64	201	424	538	901	1,872	2,402	2,057	1,283	-
Male	5,471	240	45	41	155	285	316	514	1,105	1,289	983	498	-
Female	4,754	167	33	23	46	139	220	387	767	1,113	1,074	785	-
Metropolitan counties	79,450	1,373	212	272	1,179	1,703	2,149	4,272	11,663	19,052	21,348	16,225	2
Male	40,440	819	123	178	866	1,187	1,309	2,575	7,068	10,907	10,106	5,300	2
Female	39,010	554	89	94	313	516	840	1,697	4,595	8,145	11,242	10,925	-
White	69,383	967	133	209	978	1,280	1,621	3,384	9,806	16,690	19,332	14,981	2
Male	35,057	580	79	138	713	902	999	2,067	5,974	9,637	9,145	4,821	2
Female	34,326	387	54	71	265	378	622	1,317	3,832	7,053	10,187	10,160	-
All other	10,067	406	79	63	201	423	528	888	1,857	2,362	2,016	1,244	-
Male	5,383	239	44	40	153	285	310	508	1,094	1,270	961	479	-
Female	4,684	167	35	23	48	138	218	380	763	1,092	1,055	765	-
Black	9,903	393	76	63	193	414	516	878	1,828	2,328	1,990	1,224	-
Male	5,293	232	43	40	148	280	305	502	1,076	1,247	948	472	-
Female	4,610	161	33	23	45	134	211	376	752	1,081	1,042	752	-
Nonmetropolitan counties	20,266	307	72	83	341	329	529	938	2,558	4,853	5,682	4,573	1
Male	10,560	182	44	57	262	237	333	574	1,603	2,895	2,827	1,546	-
Female	9,706	125	28	26	79	92	196	364	955	1,958	2,855	3,027	1
White	19,925	292	70	82	332	318	509	911	2,510	4,774	5,612	4,514	1
Male	10,372	174	42	56	254	232	322	560	1,573	2,849	2,790	1,520	-
Female	9,553	118	28	26	78	86	187	351	937	1,925	2,822	2,994	1
All other	341	15	2	1	9	11	20	27	48	79	70	59	-
Male	188	8	2	1	8	5	11	14	30	46	37	26	-
Female	153	7	-	-	1	6	9	13	18	33	33	33	-
Black	322	14	2	1	8	10	20	23	44	74	67	59	-
Male	178	8	2	1	7	5	11	12	29	42	35	26	-
Female	144	6	-	-	1	5	9	11	15	32	32	33	-
Oklahoma	29,950	525	119	119	542	733	900	1,655	3,876	6,414	8,684	6,359	24
Male	15,788	303	69	82	384	543	594	1,022	2,384	3,853	4,357	2,185	12
Female	14,162	222	50	37	158	190	306	633	1,492	2,561	4,327	4,174	12
White	26,938	397	94	97	446	596	751	1,412	3,429	5,844	7,932	5,923	17
Male	14,139	226	56	65	316	441	501	878	2,136	3,534	3,964	2,014	8
Female	12,799	171	38	32	130	155	250	534	1,293	2,310	3,968	3,909	9
All other	3,012	128	25	22	96	137	149	243	447	570	752	436	7
Male	1,649	77	13	17	68	102	93	144	248	319	393	171	4
Female	1,363	51	12	5	28	35	56	99	199	251	359	265	3
Black	1,869	92	20	14	56	97	99	130	263	367	496	329	6
Male	1,052	58	10	9	37	68	64	78	139	202	257	128	3
Female	917	34	10	5	19	29	35	52	125	165	239	201	3
Metropolitan counties	15,333	349	78	54	295	451	539	990	2,133	3,273	4,138	3,020	13
Male	7,989	196	42	35	204	333	363	615	1,294	1,929	1,976	994	8
Female	7,344	153	36	19	91	118	176	375	839	1,344	2,162	2,026	5
White	13,777	258	58	38	240	359	455	855	1,905	3,005	3,781	2,814	9
Male	7,138	143	32	23	168	262	308	535	1,169	1,783	1,793	917	5
Female	6,639	115	26	15	72	97	147	320	736	1,222	1,988	1,897	4
All other	1,556	91	20	16	55	92	84	135	228	268	357	206	4
Male	851	53	10	12	36	71	55	80	125	146	183	77	3
Female	705	38	10	4	19	21	29	55	103	122	174	129	1
Black	1,232	72	19	12	43	74	70	96	170	223	273	177	3
Male	672	44	9	8	29	56	47	59	86	121	145	66	2
Female	560	28	10	4	14	18	23	37	84	102	128	111	1
Nonmetropolitan counties	14,617	176	41	65	247	282	361	665	1,743	3,141	4,546	3,339	11
Male	7,799	107	27	47	180	210	231	407	1,090	1,924	2,381	1,191	4
Female	6,818	69	14	18	67	72	130	258	653	1,217	2,165	2,148	7
White	13,161	139	36	59	206	237	296	557	1,524	2,839	4,151	3,109	8
Male	7,001	83	24	42	148	179	193	343	967	1,751	2,171	1,097	3
Female	6,160	56	12	17	58	58	103	214	557	1,088	1,980	2,012	5
All other	1,456	37	5	6	41	45	65	108	219	302	395	230	3
Male	798	24	3	5	32	31	38	64	123	173	210	94	1
Female	658	13	2	1	9	14	27	44	96	129	185	136	2
Black	737	20	1	2	13	23	29	34	93	144	223	152	3
Male	380	14	1	1	8	12	17	19	52	81	112	62	1
Female	357	6	-	1	5	11	12	15	41	63	111	90	2

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	23,381	366	88	85	425	558	676	1,101	2,776	5,521	6,548	5,235	4
Male	12,540	214	53	49	315	415	440	690	1,743	3,330	3,447	1,841	3
Female	10,841	152	35	36	110	143	236	411	1,033	2,191	3,099	3,394	1
White	22,817	335	82	79	404	528	626	1,046	2,688	5,403	6,448	5,176	2
Male	12,207	199	49	47	299	399	405	653	1,691	3,256	3,381	1,813	2
Female	10,610	136	33	32	105	129	220	393	997	2,145	3,067	3,363	-
All other	564	31	6	6	21	30	50	55	88	118	98	59	2
Male	333	15	4	2	16	16	34	37	52	72	56	28	1
Female	231	16	2	4	5	14	16	18	36	46	42	31	1
Black	291	18	2	3	6	14	32	33	41	67	42	31	2
Male	165	10	2	1	4	6	24	22	23	39	19	14	1
Female	126	8	-	2	2	8	8	11	18	28	23	17	1
Metropolitan counties	15,003	226	53	55	276	379	462	745	1,770	3,379	4,092	3,563	3
Male	7,814	133	35	30	201	284	304	461	1,088	2,003	2,082	1,191	2
Female	7,189	93	18	25	75	95	158	284	682	1,376	2,010	2,372	1
White	14,544	203	50	49	264	356	419	695	1,699	3,278	4,017	3,513	1
Male	7,545	122	33	28	192	271	274	428	1,047	1,944	2,039	1,166	1
Female	6,999	81	17	21	72	85	145	267	652	1,334	1,978	2,347	-
All other	459	23	3	6	12	23	43	50	71	101	75	50	2
Male	269	11	2	2	9	13	30	33	41	59	43	25	1
Female	190	12	1	4	3	10	13	17	30	42	32	25	1
Black	282	16	1	3	6	14	31	32	40	66	40	31	2
Male	159	9	1	1	4	6	23	21	22	39	18	14	1
Female	123	7	-	2	2	8	8	11	18	27	22	17	1
Nonmetropolitan counties	8,378	140	35	30	149	179	214	356	1,006	2,142	2,454	1,672	1
Male	4,726	81	18	19	114	131	136	229	655	1,327	1,365	650	1
Female	3,652	59	17	11	35	48	78	127	351	815	1,089	1,022	-
White	8,273	132	32	30	140	172	207	351	989	2,125	2,431	1,663	1
Male	4,662	77	16	19	107	128	132	225	644	1,314	1,352	647	1
Female	3,611	55	16	11	33	44	75	126	345	811	1,079	1,016	-
All other	105	8	3	-	9	7	7	5	17	17	23	9	-
Male	64	4	2	-	7	3	4	4	11	13	13	3	-
Female	41	4	1	-	2	4	3	1	6	4	10	6	-
Black	9	2	1	-	-	-	1	1	1	1	2	-	-
Male	6	1	1	-	-	-	1	1	1	-	1	-	-
Female	3	1	-	-	-	-	-	-	-	1	1	-	-
Pennsylvania	124,395	1,640	274	344	1,636	2,281	2,938	5,727	16,784	31,403	35,928	25,418	22
Male	63,475	962	154	199	1,216	1,637	1,903	3,512	10,289	18,024	17,256	8,311	12
Female	60,920	678	120	145	420	644	1,035	2,215	6,495	13,379	18,672	17,107	10
White	112,930	1,162	204	299	1,415	1,761	2,297	4,699	14,731	28,726	33,540	24,083	13
Male	57,296	685	120	174	1,051	1,264	1,497	2,901	9,084	16,572	16,140	7,810	8
Female	55,634	477	84	125	364	497	810	1,798	5,647	12,154	17,400	16,273	5
All other	11,465	478	70	45	221	520	641	1,028	2,053	2,677	2,388	1,335	9
Male	6,179	277	34	25	165	373	416	611	1,205	1,452	1,116	501	4
Female	5,286	201	36	20	56	147	225	417	848	1,225	1,272	834	5
Black	11,253	488	69	41	215	509	627	996	2,026	2,630	2,347	1,318	7
Male	6,049	271	33	23	160	365	409	588	1,192	1,423	1,091	490	4
Female	5,204	197	36	18	55	144	218	408	834	1,207	1,256	828	3
Metropolitan counties	101,446	1,372	224	272	1,296	1,945	2,449	4,609	13,840	25,546	29,097	20,575	21
Male	51,443	801	122	157	959	1,397	1,589	2,942	8,449	14,520	13,819	6,676	12
Female	50,003	571	102	115	337	548	860	1,667	5,391	11,026	15,278	13,899	9
White	90,200	901	154	227	1,079	1,433	1,816	3,793	11,821	22,919	26,760	19,284	13
Male	45,392	529	88	132	797	1,030	1,178	2,339	7,264	13,104	12,731	6,192	8
Female	44,808	372	66	95	282	403	638	1,454	4,557	9,815	14,029	13,092	5
All other	11,246	471	70	45	217	512	633	1,016	2,019	2,627	2,337	1,291	8
Male	6,051	272	34	25	162	367	411	603	1,185	1,416	1,088	484	4
Female	5,195	199	36	20	55	145	222	413	834	1,211	1,249	807	4
Black	11,042	462	69	41	212	501	619	984	1,994	2,582	2,297	1,275	6
Male	5,924	266	33	23	158	359	404	580	1,172	1,389	1,063	473	4
Female	5,118	196	36	18	54	142	215	404	822	1,193	1,234	802	2
Nonmetropolitan counties	22,949	268	50	72	340	336	489	918	2,944	5,857	6,831	4,843	1
Male	12,032	161	32	42	257	240	314	570	1,840	3,504	3,437	1,635	-
Female	10,917	107	18	30	83	96	175	348	1,104	2,353	3,394	3,208	1
White	22,730	261	50	72	336	328	481	906	2,910	5,807	6,780	4,799	-
Male	11,904	156	32	42	254	234	309	562	1,820	3,468	3,409	1,618	-
Female	10,826	105	18	30	82	94	172	344	1,090	2,339	3,371	3,181	-
All other	219	7	-	-	4	8	8	12	34	50	51	44	1
Male	128	5	-	-	3	6	5	8	20	36	28	17	-
Female	91	2	-	-	1	2	3	4	14	14	23	27	1
Black	211	6	-	-	3	8	8	12	32	48	50	43	1
Male	125	5	-	-	2	6	5	8	20	34	28	17	-
Female	86	1	-	-	1	2	3	4	12	14	22	26	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,718	126	16	19	102	198	234	431	1,221	2,308	2,764	2,294	5
Male	4,803	73	8	11	77	146	160	265	749	1,335	1,287	698	4
Female	4,915	53	8	8	25	52	74	166	472	973	1,477	1,606	1
White	9,422	106	14	14	96	173	213	403	1,173	2,243	2,720	2,262	5
Male	4,638	60	7	7	73	132	145	247	719	1,303	1,264	677	4
Female	4,784	46	7	7	23	41	68	156	454	940	1,456	1,585	1
All other	296	20	2	5	6	25	21	28	48	65	44	32	-
Male	165	13	1	4	4	14	15	18	30	32	23	11	-
Female	131	7	1	1	2	11	6	10	18	33	21	21	-
Black	254	16	1	5	4	22	19	26	45	52	37	27	-
Male	140	9	1	4	3	12	13	17	28	26	18	9	-
Female	114	7	-	1	1	10	6	9	17	26	19	18	-
Metropolitan counties	9,021	115	16	19	89	189	217	396	1,130	2,126	2,563	2,156	5
Male	4,431	66	8	11	65	140	145	242	697	1,220	1,185	648	4
Female	4,590	49	8	8	24	49	72	154	433	906	1,378	1,508	1
White	8,751	96	14	14	83	164	197	369	1,091	2,086	2,525	2,127	5
Male	4,278	53	7	7	61	126	131	225	673	1,189	1,164	638	4
Female	4,473	43	7	7	22	38	66	144	418	877	1,361	1,489	1
All other	270	19	2	5	6	25	20	27	39	60	38	29	-
Male	153	13	1	4	4	14	14	17	24	31	21	10	-
Female	117	6	1	1	2	11	6	10	15	29	17	19	-
Black	228	15	1	5	4	22	18	25	38	47	31	24	-
Male	128	9	1	4	3	12	12	16	22	25	16	8	-
Female	100	6	-	1	1	10	6	9	14	22	15	16	-
Nonmetropolitan counties	697	11	-	-	13	9	17	35	91	182	201	138	-
Male	372	7	-	-	12	6	15	23	52	115	102	40	-
Female	325	4	-	-	1	3	2	12	39	67	99	98	-
White	671	10	-	-	13	9	16	34	82	177	195	135	-
Male	360	7	-	-	12	6	14	22	46	114	100	39	-
Female	311	3	-	-	1	3	2	12	36	63	95	96	-
All other	26	1	-	-	-	-	1	1	9	5	6	3	-
Male	12	-	-	-	-	-	1	1	6	1	2	1	-
Female	14	1	-	-	-	-	-	-	3	4	4	2	-
Black	26	1	-	-	-	-	1	1	9	5	6	3	-
Male	12	-	-	-	-	-	1	1	6	1	2	1	-
Female	14	1	-	-	-	-	-	-	3	4	4	2	-
South Carolina	28,141	684	145	184	684	908	1,203	2,040	4,401	7,139	6,780	3,973	-
Male	15,100	382	86	105	487	622	811	1,338	2,680	4,163	3,230	1,196	-
Female	13,041	302	59	79	197	286	392	702	1,721	2,976	3,550	2,777	-
White	19,115	317	70	96	460	484	631	1,249	2,872	4,832	4,983	3,121	-
Male	10,284	181	44	56	334	337	436	830	1,858	2,906	2,390	912	-
Female	8,831	136	26	40	126	147	195	419	1,014	1,926	2,593	2,209	-
All other	9,026	367	75	88	224	424	572	791	1,529	2,307	1,797	852	-
Male	4,816	201	42	49	153	285	375	508	822	1,257	840	284	-
Female	4,210	166	33	39	71	139	197	283	707	1,050	957	568	-
Black	8,996	363	75	87	223	423	569	784	1,526	2,302	1,794	950	-
Male	4,798	198	42	48	153	285	372	506	821	1,252	839	282	-
Female	4,198	165	33	39	70	138	197	278	705	1,050	955	668	-
Metropolitan counties	15,890	387	76	90	410	531	630	1,165	2,493	3,964	3,845	2,299	-
Male	8,467	222	43	53	290	359	424	766	1,514	2,309	1,805	682	-
Female	7,423	165	33	37	120	172	206	399	979	1,655	2,040	1,617	-
White	11,552	196	42	50	302	322	381	771	1,740	2,902	2,978	1,888	-
Male	6,168	111	25	34	223	219	250	514	1,115	1,733	1,396	548	-
Female	5,384	85	17	16	79	103	111	257	625	1,169	1,582	1,340	-
All other	4,338	191	34	40	108	209	249	394	753	1,062	867	411	-
Male	2,299	111	18	19	67	140	174	252	399	576	409	134	-
Female	2,039	80	16	21	41	69	95	142	354	486	458	277	-
Black	4,316	188	34	39	107	208	267	389	751	1,058	866	409	-
Male	2,285	108	18	18	67	140	172	250	399	572	409	132	-
Female	2,031	80	16	21	40	68	95	139	352	486	457	277	-
Nonmetropolitan counties	12,251	297	69	94	274	377	573	875	1,908	3,175	2,935	1,674	-
Male	6,633	160	43	52	197	263	387	572	1,166	1,854	1,425	514	-
Female	5,618	137	26	42	77	114	186	303	742	1,321	1,510	1,160	-
White	7,563	121	28	46	158	162	270	478	1,132	1,930	2,005	1,233	-
Male	4,116	70	18	22	111	118	188	316	743	1,173	994	364	-
Female	3,447	51	9	24	47	44	84	162	389	757	1,011	869	-
All other	4,688	176	41	48	116	215	303	397	776	1,245	930	441	-
Male	2,517	90	24	30	86	145	201	256	423	681	431	150	-
Female	2,171	86	17	18	30	70	102	141	353	564	499	291	-
Black	4,680	175	41	48	116	215	302	395	775	1,244	928	441	-
Male	2,513	90	24	30	86	145	200	256	422	680	430	150	-
Female	2,167	85	17	18	30	70	102	139	353	564	498	291	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,579	155	38	26	122	139	145	287	695	1,374	1,855	1,743	-
Male	3,578	95	16	12	88	98	93	172	442	879	1,015	668	-
Female	3,001	60	22	14	34	41	52	115	253	495	840	1,075	-
White	6,151	100	29	20	95	100	108	246	642	1,286	1,802	1,715	-
Male	3,316	62	10	10	69	71	64	150	412	825	990	653	-
Female	2,835	38	19	10	26	29	42	96	230	471	812	1,062	-
All other	428	55	9	6	27	39	39	41	53	78	53	28	-
Male	262	33	6	2	19	27	29	22	30	54	25	15	-
Female	166	22	3	4	8	12	10	19	23	24	28	13	-
Black	13	3	-	-	1	1	1	2	2	-	2	1	-
Male	8	1	-	-	1	1	1	1	2	-	-	1	-
Female	5	2	-	-	-	-	-	1	-	-	2	-	-
Metropolitan counties	666	20	6	-	13	24	25	40	100	205	214	219	-
Male	437	10	3	-	6	19	16	22	60	122	107	70	-
Female	429	10	3	-	7	5	7	18	40	83	107	149	-
White	860	19	6	-	12	24	25	39	99	204	214	218	-
Male	435	10	3	-	6	19	18	22	59	121	107	70	-
Female	425	9	3	-	6	5	7	17	40	83	107	148	-
All other	6	1	-	-	1	-	-	1	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	4	1	-	-	1	-	-	1	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,713	135	32	26	109	115	120	247	595	1,169	1,641	1,524	-
Male	3,141	85	13	12	82	79	75	150	382	757	908	598	-
Female	2,572	50	19	14	27	36	45	97	213	412	733	926	-
White	5,291	81	23	20	83	76	81	207	543	1,092	1,588	1,497	-
Male	2,881	52	7	10	63	52	46	126	353	704	883	583	-
Female	2,410	29	16	10	20	24	35	79	190	388	705	914	-
All other	422	54	9	6	26	39	39	40	52	77	53	27	-
Male	260	33	6	2	19	27	29	22	29	53	25	15	-
Female	162	21	3	4	7	12	10	18	23	24	28	12	-
Black	11	2	-	-	1	1	1	2	1	-	2	1	-
Male	7	1	-	-	1	1	1	1	1	-	-	1	-
Female	4	1	-	-	-	-	-	1	-	-	2	-	-
Tennessee	44,250	727	124	188	934	1,141	1,519	2,683	6,102	10,325	12,338	8,158	13
Male	23,584	410	71	116	707	838	990	1,686	3,874	6,186	5,995	2,703	10
Female	20,666	317	53	70	227	305	529	997	2,228	4,139	6,343	5,455	3
White	36,687	438	87	148	744	823	1,117	2,093	4,990	8,597	10,543	7,102	5
Male	19,515	248	52	94	559	610	747	1,339	3,246	5,227	5,091	2,298	4
Female	17,172	190	35	54	185	213	370	754	1,744	3,370	5,452	4,804	1
All other	7,563	289	37	38	190	318	402	590	1,112	1,728	1,795	1,056	8
Male	4,069	162	19	22	148	226	243	347	628	959	904	405	6
Female	3,494	127	18	16	42	92	159	243	484	769	891	651	2
Black	7,507	283	36	36	184	313	391	588	1,106	1,721	1,788	1,053	8
Male	4,034	159	18	20	143	223	237	346	624	952	903	403	6
Female	3,473	124	18	16	41	90	154	242	482	769	885	650	2
Metropolitan counties	26,522	524	82	109	598	762	1,000	1,669	3,727	6,111	7,197	4,731	12
Male	13,863	293	45	70	455	551	648	1,022	2,321	3,553	3,393	1,503	9
Female	12,659	231	37	39	143	211	352	647	1,406	2,558	3,804	3,228	3
White	20,559	276	51	80	436	500	668	1,168	2,816	4,774	5,829	3,957	4
Male	10,650	153	30	54	326	364	446	724	1,808	2,818	2,717	1,207	3
Female	9,909	123	21	26	110	136	222	444	1,008	1,956	3,112	2,750	1
All other	5,963	248	31	29	162	262	332	501	911	1,337	1,368	774	8
Male	3,213	140	15	16	129	187	202	298	513	735	678	296	6
Female	2,750	108	16	13	33	75	130	203	398	602	692	478	2
Black	5,914	242	30	27	158	258	322	499	906	1,331	1,362	771	8
Male	3,184	137	14	14	126	185	197	297	510	729	675	294	6
Female	2,730	105	16	13	32	73	125	202	396	602	687	477	2
Nonmetropolitan counties	17,728	203	42	77	336	379	519	1,014	2,375	4,214	5,141	3,427	1
Male	9,721	117	26	46	252	285	342	664	1,553	2,633	2,602	1,200	1
Female	8,007	86	16	31	84	94	177	350	822	1,581	2,539	2,227	-
White	16,128	162	36	68	308	323	449	925	2,174	3,823	4,714	3,145	1
Male	8,865	95	22	40	233	246	301	615	1,438	2,409	2,374	1,091	1
Female	7,263	67	14	28	75	77	148	310	736	1,414	2,340	2,054	-
All other	1,600	41	6	9	28	56	70	89	201	391	427	282	-
Male	856	22	4	6	19	39	41	49	115	224	228	109	-
Female	744	19	2	3	9	17	29	40	86	167	199	173	-
Black	1,593	41	6	9	26	55	69	89	200	390	426	282	-
Male	850	22	4	6	17	38	40	49	114	223	228	109	-
Female	743	19	2	3	9	17	29	40	86	167	198	173	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	118,747	2,921	692	685	3,348	4,422	4,806	7,409	16,534	25,954	30,904	21,056	16
Male	64,666	1,621	399	424	2,534	3,395	3,279	4,696	10,383	15,409	15,393	7,120	13
Female	54,081	1,300	293	261	814	1,027	1,527	2,713	6,151	10,545	15,511	13,936	3
White	102,451	2,219	546	536	2,808	3,501	3,846	5,908	13,967	22,619	27,402	19,085	13
Male	55,563	1,236	320	335	2,130	2,720	2,647	3,788	8,834	13,517	13,663	6,360	11
Female	46,888	980	228	201	678	781	1,199	2,120	5,133	9,102	13,739	12,725	2
All other	16,296	703	144	149	540	921	960	1,501	2,567	3,335	3,502	1,971	3
Male	9,103	383	79	89	404	675	632	908	1,549	1,892	1,730	760	2
Female	7,193	320	65	60	136	246	328	593	1,018	1,443	1,772	1,211	1
Black	15,823	671	130	141	498	871	906	1,445	2,514	3,251	3,452	1,941	3
Male	8,825	382	70	82	373	642	605	878	1,524	1,840	1,696	751	2
Female	6,998	309	60	59	125	229	301	567	990	1,411	1,756	1,190	1
Metropolitan counties	87,111	2,438	558	529	2,663	3,697	3,982	5,888	12,719	18,768	21,367	14,495	9
Male	47,296	1,351	326	324	2,018	2,838	2,724	3,713	7,912	10,979	10,357	4,747	7
Female	39,815	1,087	232	205	645	859	1,258	2,175	4,807	7,787	11,010	9,748	2
White	74,009	1,810	441	406	2,203	2,892	3,132	4,617	10,568	16,117	19,730	13,085	8
Male	39,928	1,011	260	251	1,675	2,253	2,166	2,940	6,599	9,480	9,073	4,214	6
Female	34,081	799	181	155	528	639	966	1,677	3,969	6,637	9,657	8,871	2
All other	13,102	628	117	123	460	805	850	1,271	2,151	2,649	2,637	1,410	1
Male	7,368	340	66	73	343	585	558	773	1,313	1,499	1,284	533	1
Female	5,734	288	51	50	117	220	292	498	838	1,150	1,353	877	-
Black	12,667	597	107	115	427	758	797	1,222	2,102	2,572	2,589	1,380	1
Male	7,111	320	60	66	320	553	531	745	1,289	1,451	1,251	524	1
Female	5,556	277	47	49	107	205	266	477	813	1,121	1,338	856	-
Nonmetropolitan counties	31,636	483	134	156	685	725	824	1,521	3,815	7,188	9,537	6,561	7
Male	17,370	270	73	100	516	557	555	983	2,471	4,430	5,036	2,973	6
Female	14,266	213	61	56	169	168	269	538	1,344	2,758	4,501	4,188	1
White	28,442	408	107	130	605	609	714	1,291	3,399	6,502	8,672	6,000	5
Male	15,635	227	60	84	455	467	481	848	2,235	4,037	4,590	2,146	5
Female	12,807	181	47	46	150	142	233	443	1,164	2,465	4,082	3,854	-
All other	3,194	75	27	26	80	116	110	230	416	686	865	561	2
Male	1,735	43	13	16	61	90	74	135	236	393	446	227	1
Female	1,459	32	14	10	19	26	36	95	180	293	419	334	1
Black	3,156	74	23	26	71	113	109	223	412	679	863	561	2
Male	1,714	42	10	16	53	89	74	133	235	389	445	227	1
Female	1,442	32	13	10	18	24	35	90	177	290	418	334	1
Utah	8,939	312	72	70	257	304	297	437	999	1,927	2,419	1,840	5
Male	4,850	196	42	46	190	206	196	269	627	1,133	1,260	681	4
Female	4,089	116	30	24	67	98	101	168	372	794	1,159	1,159	1
White	8,697	286	69	68	244	283	273	420	973	1,887	2,380	1,799	5
Male	4,709	187	41	45	179	190	181	256	609	1,111	1,239	667	4
Female	3,988	109	28	23	65	93	92	164	364	776	1,141	1,132	1
All other	242	16	3	2	13	21	24	17	26	40	39	41	-
Male	141	9	1	1	11	16	15	13	18	22	21	14	-
Female	101	7	2	1	2	5	9	4	8	18	18	27	-
Black	64	3	1	-	4	4	3	8	5	13	13	10	-
Male	33	1	-	-	3	2	1	6	3	6	7	4	-
Female	31	2	1	-	1	2	2	2	2	7	6	6	-
Metropolitan counties	6,744	247	42	52	199	237	230	355	769	1,463	1,784	1,364	2
Male	3,603	156	26	33	145	163	153	216	470	840	906	494	1
Female	3,141	91	16	19	54	74	77	139	299	623	878	870	1
White	6,589	234	41	50	192	228	217	348	754	1,435	1,758	1,334	2
Male	3,512	147	26	32	139	155	144	209	460	825	889	485	1
Female	3,077	87	15	18	53	71	73	137	294	610	869	849	1
All other	155	13	1	2	7	11	13	8	15	28	26	30	-
Male	91	9	-	1	6	8	9	7	10	15	17	9	-
Female	64	4	1	1	1	3	4	2	5	13	9	21	-
Black	63	3	1	-	4	4	3	7	5	13	13	10	-
Male	32	1	-	-	3	2	1	5	3	6	7	4	-
Female	31	2	1	-	1	2	2	2	2	7	6	6	-
Nonmetropolitan counties	2,195	65	30	18	58	67	67	82	230	464	635	478	3
Male	1,247	40	16	13	45	43	43	53	157	293	354	187	3
Female	948	25	14	5	13	24	24	29	73	171	281	289	-
White	2,109	62	28	18	52	57	56	74	219	452	622	465	3
Male	1,197	40	15	13	40	35	37	47	149	286	350	182	3
Female	911	22	13	5	12	22	19	27	70	166	272	283	-
All other	87	3	2	-	6	10	11	8	11	12	13	11	-
Male	50	-	1	-	5	8	6	6	8	7	4	5	-
Female	37	3	1	-	1	2	5	2	3	5	9	6	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,760	81	17	21	86	81	115	225	517	1,066	1,364	1,185	2
Male	2,374	47	12	13	63	54	76	146	307	624	667	364	1
Female	2,386	34	5	8	23	27	39	79	210	442	697	821	1
White	4,747	78	16	19	86	81	114	225	516	1,066	1,362	1,182	2
Male	2,366	45	11	11	63	54	75	146	306	624	666	364	1
Female	2,381	33	5	8	23	27	39	79	210	442	696	818	1
All other	13	3	1	2	–	–	1	–	1	–	2	3	–
Male	8	2	1	2	–	–	1	–	1	–	1	–	–
Female	5	1	–	–	–	–	–	–	–	–	1	3	–
Black	8	1	1	1	–	–	1	–	1	–	1	2	–
Male	4	–	1	1	–	–	1	–	1	–	–	–	–
Female	4	1	–	–	–	–	–	–	–	–	1	2	–
Metropolitan counties	788	21	3	5	21	15	24	41	94	170	215	179	–
Male	393	11	2	1	11	7	16	28	56	108	101	52	–
Female	395	10	1	4	10	8	8	13	38	62	114	127	–
White	784	21	2	5	21	15	23	41	93	170	214	179	–
Male	389	11	1	1	11	7	15	28	55	108	100	52	–
Female	395	10	1	4	10	8	8	13	38	62	114	127	–
All other	4	–	1	–	–	–	1	–	1	–	1	–	–
Male	4	–	1	–	–	–	1	–	1	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	1	–	–	–	1	–	1	–	–	–	–
Male	3	–	1	–	–	–	1	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	3,972	60	14	16	65	66	91	184	423	896	1,149	1,006	2
Male	1,981	36	10	12	52	47	60	118	251	516	566	312	1
Female	1,991	24	4	4	13	19	31	66	172	380	583	694	1
White	3,963	57	14	14	65	66	91	184	423	896	1,148	1,003	2
Male	1,977	34	10	10	52	47	60	118	251	516	566	312	1
Female	1,986	23	4	4	13	19	31	66	172	380	582	691	1
All other	9	3	–	2	–	–	–	–	–	–	1	3	–
Male	4	2	–	2	–	–	–	–	–	–	–	–	–
Female	5	1	–	–	–	–	–	–	–	–	1	3	–
Black	5	1	–	1	–	–	–	–	–	–	1	2	–
Male	1	–	–	1	–	–	–	–	–	–	–	–	–
Female	4	1	–	–	–	–	–	–	–	–	1	2	–
Virginia	46,516	965	163	160	895	1,265	1,620	2,876	6,981	11,284	11,984	8,396	27
Male	24,537	552	99	103	656	910	1,054	1,786	4,311	6,625	5,759	2,665	17
Female	21,979	413	64	57	239	355	566	1,090	2,670	4,659	6,225	5,731	10
White	36,085	571	114	119	688	838	1,113	2,002	5,100	8,654	9,711	7,157	18
Male	18,722	341	67	77	503	606	730	1,262	3,220	5,112	4,599	2,195	10
Female	17,363	230	47	42	185	232	383	740	1,880	3,542	5,112	4,962	8
All other	10,431	394	49	41	207	427	507	874	1,781	2,630	2,273	1,239	9
Male	5,815	211	32	26	153	304	324	524	1,091	1,513	1,160	470	7
Female	4,616	183	17	15	54	123	183	350	690	1,117	1,113	769	2
Black	10,196	378	46	38	201	412	484	836	1,751	2,586	2,236	1,219	9
Male	5,704	203	29	25	148	300	314	508	1,075	1,489	1,145	463	7
Female	4,492	175	17	13	53	112	170	330	676	1,097	1,091	756	2
Metropolitan counties	30,041	741	118	118	611	908	1,162	1,896	4,573	7,129	7,507	5,267	13
Male	15,503	421	75	75	445	640	726	1,158	2,798	4,080	3,476	1,601	8
Female	14,538	320	43	43	166	268	436	738	1,775	3,049	4,031	3,666	5
White	22,607	422	81	87	452	584	774	1,260	3,271	5,278	5,955	4,438	5
Male	11,428	255	48	56	330	416	492	773	2,012	3,050	2,702	1,292	2
Female	11,179	167	33	31	122	168	282	487	1,259	2,228	3,253	3,146	3
All other	7,434	319	37	31	159	322	388	636	1,302	1,851	1,552	829	8
Male	4,075	166	27	19	115	224	234	385	786	1,030	774	309	6
Female	3,359	153	10	12	44	98	154	251	516	821	778	520	2
Black	7,223	304	34	28	153	308	366	603	1,274	1,811	1,523	811	8
Male	3,972	159	24	18	110	220	224	368	770	1,009	761	303	6
Female	3,251	145	10	10	43	88	142	235	504	802	762	508	2
Nonmetropolitan counties	16,475	224	45	42	284	359	458	980	2,308	4,155	4,477	3,129	14
Male	9,034	131	24	28	211	270	328	628	1,513	2,545	2,283	1,064	9
Female	7,441	93	21	14	73	89	130	352	795	1,610	2,194	2,065	5
White	13,478	149	33	32	236	254	339	742	1,829	3,376	3,756	2,719	13
Male	7,294	86	19	21	173	190	238	489	1,208	2,062	1,897	903	8
Female	6,184	63	14	11	63	64	101	253	621	1,314	1,859	1,816	5
All other	2,997	75	12	10	48	105	119	238	479	779	721	410	1
Male	1,740	45	5	7	38	80	90	139	305	483	386	161	1
Female	1,257	30	7	3	10	25	29	99	174	296	335	249	–
Black	2,973	74	12	10	46	104	118	233	477	775	713	408	1
Male	1,732	44	5	7	38	80	90	138	305	480	384	160	1
Female	1,241	30	7	3	10	24	28	95	172	295	329	248	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	34,253	678	120	155	696	883	1,054	1,691	4,223	7,939	9,338	7,466	8
Male	17,995	405	70	95	517	621	661	1,070	2,568	4,703	4,802	2,478	5
Female	16,258	273	50	60	179	262	393	621	1,655	3,236	4,536	4,990	3
White	32,691	593	105	136	624	773	941	1,565	3,989	7,602	9,044	7,311	8
Male	17,088	353	64	81	466	557	585	990	2,426	4,497	4,623	2,421	5
Female	15,623	240	41	55	158	216	356	575	1,563	3,105	4,421	4,890	3
All other	1,562	85	15	19	72	110	113	126	234	337	294	157	-
Male	927	52	6	14	51	84	76	80	142	206	179	57	-
Female	635	33	9	5	21	46	37	46	92	131	115	100	-
Black	749	45	6	9	23	57	60	58	116	206	108	61	-
Male	460	31	2	8	13	35	41	46	79	127	55	23	-
Female	289	14	4	1	10	22	19	12	37	79	53	38	-
Metropolitan counties	26,701	567	98	119	548	710	886	1,354	3,345	6,085	7,232	5,752	5
Male	13,949	333	55	73	408	508	553	850	2,044	3,620	3,644	1,858	3
Female	12,752	234	43	46	140	202	333	504	1,301	2,465	3,588	3,894	2
White	25,278	486	83	103	490	615	778	1,241	3,129	5,772	6,963	5,513	5
Male	13,094	284	49	60	367	454	480	779	1,913	3,424	3,476	1,805	3
Female	12,184	202	34	43	123	161	298	462	1,216	2,348	3,487	3,708	2
All other	1,423	81	15	16	58	95	108	113	216	313	269	139	-
Male	855	49	6	13	41	54	73	71	131	198	168	53	-
Female	568	32	9	3	17	41	35	42	85	117	101	86	-
Black	734	45	8	8	22	56	60	56	115	204	103	59	-
Male	449	31	2	7	12	34	41	44	78	127	52	21	-
Female	285	14	4	1	10	22	19	12	37	77	51	38	-
Nonmetropolitan counties	7,552	111	22	36	148	173	168	337	878	1,854	2,106	1,716	3
Male	4,046	72	15	22	109	113	108	220	524	1,083	1,158	620	2
Female	3,506	39	7	14	39	60	60	117	354	771	948	1,096	1
White	7,413	107	22	33	134	158	163	324	880	1,830	2,081	1,698	3
Male	3,974	69	15	21	99	103	105	211	513	1,073	1,147	616	2
Female	3,439	38	7	12	35	55	58	113	367	757	934	1,082	1
All other	139	4	-	3	14	15	5	13	18	24	25	18	-
Male	72	3	-	1	10	10	3	9	11	10	11	4	-
Female	67	1	-	2	4	5	2	4	7	14	14	14	-
Black	15	-	-	1	1	1	-	2	1	2	5	2	-
Male	11	-	-	1	1	1	-	2	1	-	3	2	-
Female	4	-	-	-	-	-	-	-	-	2	2	-	-
West Virginia	19,868	238	53	76	311	402	554	1,085	2,811	4,914	5,686	3,731	5
Male	10,421	136	30	46	224	280	377	679	1,674	2,862	2,729	1,382	2
Female	9,447	102	23	30	87	122	177	406	1,137	2,052	2,959	2,349	3
White	18,969	214	50	68	295	377	523	1,032	2,706	4,719	5,426	3,555	4
Male	9,956	125	27	41	210	260	354	650	1,618	2,758	2,600	1,311	2
Female	9,013	89	23	27	85	117	169	382	1,088	1,961	2,826	2,244	2
All other	899	24	3	8	16	25	31	53	105	195	262	176	1
Male	465	11	3	5	14	20	23	29	56	104	129	71	-
Female	434	13	-	3	2	5	8	24	49	91	133	105	1
Black	894	24	3	8	16	25	31	52	105	195	259	175	1
Male	463	11	3	5	14	20	23	29	56	104	127	71	-
Female	431	13	-	3	2	5	8	23	49	91	132	104	1
Metropolitan counties	7,340	76	15	25	98	149	169	392	1,057	1,798	2,138	1,422	1
Male	3,761	36	10	15	67	105	109	252	627	1,056	993	488	1
Female	3,579	40	5	10	31	44	60	140	430	740	1,145	934	-
White	7,014	64	14	23	92	139	162	387	1,008	1,735	2,047	1,362	1
Male	3,607	30	9	14	62	97	105	241	604	1,025	955	464	1
Female	3,407	34	5	9	30	42	57	126	404	710	1,092	898	-
All other	326	12	1	2	6	10	7	25	49	63	91	60	-
Male	154	6	1	1	5	8	4	11	23	33	38	24	-
Female	172	6	-	1	1	2	3	14	26	30	53	36	-
Black	323	12	1	2	6	10	7	24	49	63	89	60	-
Male	152	6	1	1	5	8	4	11	23	33	36	24	-
Female	171	6	-	1	1	2	3	13	26	30	53	36	-
Nonmetropolitan counties	12,528	162	38	51	213	253	385	693	1,754	3,116	3,550	2,309	4
Male	6,660	100	20	31	157	175	268	427	1,047	1,804	1,736	894	1
Female	5,868	62	18	20	56	78	117	266	707	1,312	1,814	1,415	3
White	11,955	150	36	45	203	238	361	665	1,698	2,984	3,379	2,193	3
Male	6,349	95	18	27	148	163	249	409	1,014	1,733	1,645	847	1
Female	5,606	55	18	18	55	75	112	256	684	1,251	1,734	1,346	2
All other	573	12	2	6	10	15	24	28	56	132	171	116	1
Male	311	5	2	4	9	12	19	18	33	71	91	47	-
Female	262	7	-	2	1	3	5	10	23	61	80	69	1
Black	571	12	2	6	10	15	24	28	56	132	170	115	1
Male	311	5	2	4	9	12	19	18	33	71	91	47	-
Female	260	7	-	2	1	3	5	10	23	61	79	68	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1986—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	42,114	668	133	155	653	775	975	1,837	4,645	9,236	12,399	10,694	4
Male	21,840	396	73	99	488	548	614	1,115	2,917	5,514	6,340	3,733	3
Female	20,274	272	60	56	165	227	361	722	1,728	3,722	5,999	6,961	1
White	40,685	542	112	135	589	678	877	1,687	4,414	8,979	12,096	10,572	4
Male	21,025	319	61	86	444	476	552	1,030	2,778	5,363	6,228	3,685	3
Female	19,660	223	51	49	145	202	325	657	1,636	3,616	5,868	6,887	1
All other	1,429	126	21	20	64	97	98	150	231	257	243	122	-
Male	815	77	12	13	44	72	62	85	139	151	112	46	-
Female	614	49	9	7	20	25	36	65	92	106	131	74	-
Black	1,162	104	18	15	47	87	81	116	186	212	204	92	-
Male	651	61	11	9	31	65	50	62	113	122	93	34	-
Female	511	43	7	6	16	22	31	54	73	90	111	58	-
Metropolitan counties	26,321	462	88	97	439	548	676	1,243	3,065	5,659	7,493	6,547	4
Male	13,345	268	49	59	332	391	427	736	1,905	3,284	3,730	2,161	3
Female	12,976	194	39	38	107	157	249	507	1,160	2,375	3,763	4,386	1
White	25,028	347	69	81	382	455	584	1,106	2,860	5,432	7,271	6,437	4
Male	12,614	198	38	48	294	322	371	661	1,780	3,151	3,630	2,118	3
Female	12,414	149	31	33	88	133	213	445	1,080	2,281	3,641	4,319	1
All other	1,293	115	19	16	57	93	92	137	205	227	222	110	-
Male	731	70	11	11	38	69	56	75	125	133	100	43	-
Female	562	45	8	5	19	24	36	62	80	94	122	67	-
Black	1,150	104	18	14	47	86	81	116	184	208	201	91	-
Male	644	61	11	9	31	64	50	62	111	120	92	33	-
Female	506	43	7	5	16	22	31	54	73	88	109	58	-
Nonmetropolitan counties	15,793	206	45	58	214	227	299	594	1,580	3,577	4,846	4,147	-
Male	8,495	128	24	40	156	157	187	379	1,012	2,230	2,610	1,572	-
Female	7,298	78	21	18	58	70	112	215	568	1,347	2,236	2,575	-
White	15,657	195	43	54	207	223	293	581	1,554	3,547	4,825	4,135	-
Male	8,411	121	23	38	150	154	181	369	988	2,212	2,598	1,567	-
Female	7,246	74	20	16	57	69	112	212	566	1,335	2,227	2,568	-
All other	136	11	2	4	7	4	6	13	26	30	21	12	-
Male	84	7	1	2	6	3	6	10	14	18	12	5	-
Female	52	4	1	2	1	1	-	3	12	12	9	7	-
Black	12	-	-	1	-	1	-	-	2	4	3	1	-
Male	7	-	-	-	-	1	-	-	2	2	1	1	-
Female	5	-	-	1	-	-	-	-	-	2	2	-	-
Wyoming	3,218	94	26	17	113	125	125	165	376	694	841	642	-
Male	1,773	53	13	6	85	94	90	92	230	425	455	230	-
Female	1,445	41	13	11	28	31	35	73	146	269	386	412	-
White	3,144	88	24	15	105	123	116	157	367	685	826	638	-
Male	1,729	50	13	5	78	92	84	88	225	422	444	228	-
Female	1,415	38	11	10	27	31	32	69	142	263	382	410	-
All other	74	6	2	2	8	2	9	8	9	9	15	4	-
Male	44	3	-	1	7	2	6	4	5	3	11	2	-
Female	30	3	2	1	1	-	3	4	4	6	4	2	-
Black	22	-	1	2	1	-	-	1	4	4	6	3	-
Male	9	-	-	1	-	-	-	1	2	1	3	1	-
Female	13	-	1	1	1	-	-	-	2	3	3	2	-
Metropolitan counties	403	14	3	2	17	15	21	25	54	85	88	79	-
Male	202	6	2	1	13	7	12	12	34	55	39	21	-
Female	201	8	1	1	4	8	9	13	20	30	49	58	-
White	400	14	3	2	17	15	21	25	53	85	86	79	-
Male	200	6	2	1	13	7	12	12	34	55	37	21	-
Female	200	8	1	1	4	8	9	13	19	30	49	58	-
All other	3	-	-	-	-	-	-	-	1	-	2	-	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Nonmetropolitan counties	2,815	80	23	15	96	110	104	140	322	609	753	563	-
Male	1,571	47	11	5	72	87	78	80	196	370	416	209	-
Female	1,244	33	12	10	24	23	26	60	126	239	337	354	-
White	2,744	74	21	13	88	108	95	132	314	600	740	559	-
Male	1,529	44	11	4	65	85	72	76	191	367	407	207	-
Female	1,215	30	10	9	23	23	23	56	123	233	333	352	-
All other	71	6	2	2	8	2	9	8	8	9	13	4	-
Male	42	3	-	1	7	2	6	4	5	3	9	2	-
Female	29	3	2	1	1	-	3	4	3	6	4	2	-
Black	20	-	1	2	1	-	-	1	3	4	5	3	-
Male	8	-	-	1	-	-	-	1	2	1	2	1	-
Female	12	-	1	1	1	-	-	-	1	3	3	2	-

[1] County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,533,914	30,188	5,465	6,177	29,179	44,517	55,049	87,047	208,990	351,380	409,849	305,245	828
Male	796,831	17,221	3,104	3,847	21,844	32,495	36,889	54,511	128,164	201,980	196,866	99,414	416
Female	737,083	12,967	2,361	2,330	7,335	12,022	18,160	32,536	80,826	149,400	212,983	205,831	412
White	1,317,590	19,941	3,875	4,569	22,689	31,969	40,084	66,657	172,749	304,836	367,698	291,849	674
Male	677,190	11,433	2,213	2,858	17,009	23,711	26,984	42,053	106,785	176,350	176,562	90,911	321
Female	640,400	8,508	1,662	1,711	5,680	8,258	13,100	24,604	65,964	128,486	191,136	190,938	353
All other	216,324	10,247	1,590	1,608	6,490	12,548	14,965	20,390	36,241	46,544	42,151	23,396	154
Male	119,641	5,788	891	989	4,835	8,784	9,885	12,458	21,379	25,630	20,404	8,503	95
Female	96,683	4,459	699	619	1,655	3,764	5,080	7,932	14,862	20,914	21,747	14,893	59
Black	199,977	9,481	1,496	1,415	5,861	11,685	13,866	18,830	33,792	43,068	38,366	21,100	137
Male	109,389	5,359	799	864	4,372	8,213	9,222	11,530	19,909	23,487	18,069	7,478	87
Female	89,588	4,122	697	551	1,489	3,472	4,644	7,300	13,823	19,581	20,297	13,622	50
Abilene, Tex	1,321	20	5	3	24	36	47	64	150	300	381	291	-
Male	688	8	4	1	20	24	27	37	93	191	181	102	-
Female	633	12	1	2	4	12	20	27	57	109	200	189	-
White	1,255	19	4	3	20	32	41	58	143	285	367	283	-
Male	651	8	3	1	16	21	23	34	89	183	174	99	-
Female	604	11	1	2	4	11	18	24	54	102	193	184	-
All other	66	1	1	-	4	4	6	6	7	15	14	8	-
Male	37	-	1	-	4	3	4	3	4	8	7	3	-
Female	29	1	-	-	-	1	2	3	3	7	7	5	-
Black	65	1	1	-	4	4	6	6	7	14	14	8	-
Male	36	-	1	-	4	3	4	3	4	7	7	3	-
Female	29	1	-	-	-	1	2	3	3	7	7	5	-
Akron, Ohio	5,869	112	17	21	74	123	168	269	847	1,465	1,578	1,194	-
Male	3,005	64	8	16	51	92	105	160	505	854	738	412	-
Female	2,864	48	9	5	23	31	63	109	342	611	841	782	-
White	5,381	82	12	19	64	104	142	231	766	1,344	1,481	1,136	-
Male	2,745	53	6	15	43	78	88	136	453	786	693	394	-
Female	2,636	29	6	4	21	26	54	95	313	558	788	742	-
All other	488	30	5	2	10	19	26	38	81	121	98	58	-
Male	260	11	2	1	8	14	17	24	52	68	45	18	-
Female	228	19	3	1	2	5	9	14	29	53	53	40	-
Black	482	30	5	2	10	19	24	37	80	120	97	58	-
Male	256	11	2	1	8	14	16	23	51	67	45	18	-
Female	226	19	3	1	2	5	8	14	29	53	52	40	-
Albany, Ga	840	25	5	9	18	36	42	57	140	191	202	115	-
Male	429	13	1	5	13	25	29	32	91	102	84	34	-
Female	411	12	4	4	5	11	13	25	49	89	118	81	-
White	476	6	2	2	11	19	21	29	84	108	119	75	-
Male	249	3	-	1	7	14	16	18	57	62	50	21	-
Female	227	3	2	1	4	5	5	11	27	46	69	54	-
All other	364	19	3	7	7	17	21	28	56	83	83	40	-
Male	180	10	1	4	6	11	13	14	34	40	34	13	-
Female	184	9	2	3	1	6	8	14	22	43	49	27	-
Black	363	18	3	7	7	17	21	28	56	83	83	40	-
Male	179	9	1	4	6	11	13	14	34	40	34	13	-
Female	184	9	2	3	1	6	8	14	22	43	49	27	-
Albany-Schenectady-Troy, N.Y	8,059	118	16	32	109	96	201	334	1,037	1,940	2,344	1,830	2
Male	3,852	58	10	22	79	61	125	198	629	1,059	1,047	563	1
Female	4,207	60	6	10	30	35	76	136	408	881	1,297	1,267	1
White	7,797	97	16	29	102	84	175	307	992	1,882	2,303	1,809	1
Male	3,708	46	10	20	74	52	109	187	601	1,025	1,031	552	1
Female	4,089	51	6	9	28	32	66	120	391	857	1,272	1,257	-
All other	262	21	-	3	7	12	26	27	45	58	41	21	1
Male	144	12	-	2	5	9	16	11	28	34	16	11	-
Female	118	9	-	1	2	3	10	16	17	24	25	10	1
Black	255	20	-	3	7	12	25	26	45	55	41	20	1
Male	140	11	-	2	5	9	15	11	28	32	16	11	-
Female	115	9	-	1	2	3	10	15	17	23	25	9	1
Albuquerque, N. Mex	3,520	98	17	20	133	173	187	209	496	767	833	582	5
Male	1,992	53	9	14	99	137	133	139	316	454	415	219	4
Female	1,528	45	8	6	34	36	54	70	180	313	418	363	1
White	3,322	81	15	16	116	150	172	188	466	739	807	566	4
Male	1,871	47	8	12	86	122	122	126	295	437	402	210	4
Female	1,451	34	7	4	32	28	50	62	171	302	405	356	-
All other	198	17	2	4	15	23	15	21	30	28	26	16	1
Male	121	6	1	2	13	15	11	13	21	17	13	9	-
Female	77	11	1	2	2	8	4	8	9	11	13	7	1
Black	65	5	2	2	3	7	2	8	11	9	11	5	-
Male	40	3	1	1	2	5	2	4	8	6	5	3	-
Female	25	2	1	1	1	2	-	4	3	3	6	2	-
Alexandria, La	1,421	34	9	8	37	36	49	93	223	327	376	229	-
Male	749	16	4	7	29	27	35	63	109	193	189	77	-
Female	672	18	5	1	8	9	14	30	114	134	187	152	-
White	1,014	15	6	3	21	23	30	59	145	248	279	185	-
Male	541	6	3	2	17	16	24	43	73	158	140	59	-
Female	473	9	3	1	4	7	6	16	72	90	139	126	-
All other	407	19	3	5	16	13	19	34	78	79	97	44	-
Male	208	10	1	5	12	11	11	20	36	35	49	18	-
Female	199	9	2	-	4	2	8	14	42	44	48	26	-
Black	405	19	3	5	16	13	19	34	76	79	97	44	-
Male	208	10	1	5	12	11	11	20	36	35	49	18	-
Female	197	9	2	-	4	2	8	14	40	44	48	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Allentown-Bethlehem-Easton, Pa.-N.J	6,569	80	18	22	79	106	139	292	652	1,718	1,889	1,373	1
Male	3,342	54	10	10	55	87	82	189	530	974	912	438	1
Female	3,227	26	8	12	24	19	57	103	322	744	977	935	-
White	6,486	74	16	22	77	100	134	287	639	1,703	1,878	1,365	1
Male	3,302	51	9	10	54	82	78	186	524	965	905	437	1
Female	3,194	23	7	12	23	18	56	101	315	738	973	928	-
All other	73	6	2	-	2	6	5	5	13	15	11	8	-
Male	40	3	1	-	1	5	4	3	6	9	7	1	-
Female	33	3	1	-	1	1	1	2	7	6	4	7	-
Black	62	3	2	-	1	5	5	3	11	14	10	8	-
Male	36	1	1	-	1	5	4	2	5	9	7	1	-
Female	26	2	1	-	-	-	1	1	6	5	3	7	-
Altoona, Pa	1,620	18	1	5	19	19	33	66	211	387	498	365	-
Male	830	12	1	2	14	10	21	40	123	234	249	124	-
Female	790	6	-	3	5	9	12	26	88	153	247	241	-
White	1,608	18	1	5	19	19	33	65	209	386	492	361	-
Male	824	12	1	2	14	10	21	40	122	233	247	122	-
Female	784	6	-	3	5	9	12	25	87	153	245	239	-
All other	12	-	-	-	-	-	-	1	2	1	4	4	-
Male	6	-	-	-	-	-	-	-	1	1	2	2	-
Female	6	-	-	-	-	-	-	1	1	-	2	2	-
Black	11	-	-	-	-	-	-	1	2	1	3	4	-
Male	6	-	-	-	-	-	-	-	1	1	2	2	-
Female	5	-	-	-	-	-	-	1	1	-	1	2	-
Amarillo, Tex	1,442	40	4	9	41	46	30	72	225	341	396	236	-
Male	774	23	3	5	31	38	22	42	141	188	204	77	-
Female	668	17	1	4	10	10	8	30	84	153	192	159	-
White	1,381	35	4	7	40	46	28	65	209	321	382	228	-
Male	726	20	3	4	30	36	19	41	129	175	197	72	-
Female	635	15	1	3	10	10	7	24	80	146	185	154	-
All other	61	5	-	2	1	2	4	7	16	20	14	10	-
Male	48	3	-	1	1	2	3	1	12	13	7	5	-
Female	33	2	-	1	-	-	1	6	4	7	7	5	-
Black	75	5	-	2	1	1	4	6	16	16	14	10	-
Male	45	3	-	1	1	1	3	1	12	11	7	5	-
Female	30	2	-	1	-	-	1	5	4	5	7	5	-
Anaheim-Santa Ana-Garden Grove, Calif	13,637	246	55	56	378	454	478	800	1,876	2,896	3,483	2,892	23
Male	6,928	139	35	36	293	331	325	506	1,142	1,589	1,607	919	6
Female	6,709	107	20	20	85	123	153	294	734	1,307	1,876	1,973	17
White	13,137	222	49	51	345	425	441	740	1,794	2,800	3,400	2,846	22
Male	6,632	124	30	32	264	309	304	467	1,093	1,533	1,568	902	6
Female	6,505	98	19	19	81	116	137	273	701	1,267	1,832	1,946	16
All other	500	24	6	5	33	29	37	60	82	96	83	44	1
Male	296	15	5	4	29	22	21	39	49	56	39	17	-
Female	204	9	1	1	4	7	16	21	33	40	44	27	1
Black	105	10	3	-	9	11	10	17	18	15	7	4	1
Male	75	8	3	-	8	10	8	13	11	12	2	-	-
Female	30	2	-	-	1	1	2	4	7	3	5	4	1
Anchorage, Alaska	729	48	9	9	42	67	67	86	133	134	88	46	-
Male	419	22	6	6	31	45	49	52	82	72	38	16	-
Female	310	26	3	3	11	22	18	34	51	62	50	30	-
White	607	38	7	6	35	51	51	66	119	120	71	41	-
Male	351	17	4	5	27	36	36	43	76	66	27	14	-
Female	256	21	3	3	8	15	15	23	43	54	44	27	-
All other	122	10	2	1	7	16	16	20	14	14	17	5	-
Male	68	5	2	1	4	9	13	9	6	6	11	2	-
Female	54	5	-	-	3	7	3	11	8	8	6	3	-
Black	31	4	-	-	2	6	3	2	4	6	3	1	-
Male	18	2	-	-	-	4	3	2	2	3	2	-	-
Female	13	2	-	-	2	2	-	-	2	3	1	1	-
Anderson, Ind	1,297	14	1	3	18	22	39	89	185	332	357	237	-
Male	665	8	-	2	15	19	28	60	115	189	182	67	-
Female	632	6	1	1	3	3	11	29	70	143	195	170	-
White	1,235	14	1	3	17	19	32	84	172	314	346	233	-
Male	632	8	-	2	14	17	27	55	109	180	155	65	-
Female	603	6	1	1	3	2	5	29	63	134	191	168	-
All other	62	-	-	-	1	3	7	5	13	18	11	4	-
Male	33	-	-	-	1	2	1	5	6	9	7	2	-
Female	29	-	-	-	-	1	6	-	7	9	4	2	-
Black	62	-	-	-	1	3	7	5	13	18	11	4	-
Male	33	-	-	-	1	2	1	5	6	9	7	2	-
Female	29	-	-	-	-	1	6	-	7	9	4	2	-
Anderson, S.C	1,191	26	4	3	32	30	43	90	166	304	307	186	-
Male	616	8	2	2	25	22	29	60	96	177	138	57	-
Female	575	18	2	1	7	8	14	30	70	127	169	129	-
White	974	13	3	3	26	19	30	70	138	252	263	159	-
Male	502	4	2	2	20	13	21	43	81	146	118	52	-
Female	472	9	1	1	6	6	9	27	55	106	145	107	-
All other	217	13	1	-	6	11	13	20	30	52	44	27	-
Male	114	4	-	-	5	9	8	17	15	31	20	5	-
Female	103	9	1	-	1	2	5	3	15	21	24	22	-
Black	217	13	1	-	6	11	13	20	30	52	44	27	-
Male	114	4	-	-	5	9	8	17	15	31	20	5	-
Female	103	9	1	-	1	2	5	3	15	21	24	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ann Arbor, Mich	1,553	38	8	9	37	40	63	85	176	316	404	377	-
Male	764	23	4	5	22	24	43	54	103	189	186	111	-
Female	789	15	4	4	15	16	20	31	73	127	218	266	-
White	1,370	21	4	7	33	31	53	68	153	280	361	359	-
Male	666	13	3	4	22	19	34	44	91	163	166	107	-
Female	704	8	1	3	11	12	19	24	62	117	195	252	-
All other	183	17	4	2	4	9	10	17	23	36	43	18	-
Male	98	10	1	1	-	5	9	10	12	26	20	4	-
Female	85	7	3	1	4	4	1	7	11	10	23	14	-
Black	168	17	4	1	4	8	10	14	23	33	39	15	-
Male	93	10	1	1	-	5	9	8	12	25	18	4	-
Female	75	7	3	-	4	3	1	6	11	8	21	11	-
Anniston, Ala	1,106	26	3	5	22	27	46	83	174	264	287	169	-
Male	584	16	2	4	15	16	30	56	106	152	139	52	-
Female	522	10	1	1	7	9	16	27	68	112	154	117	-
White	913	19	3	4	18	18	37	67	143	221	250	133	-
Male	496	13	2	3	11	13	26	48	89	133	115	43	-
Female	417	6	1	1	7	5	11	19	54	88	135	90	-
All other	193	7	-	1	4	9	9	16	31	43	37	36	-
Male	88	3	-	1	4	5	4	8	17	19	18	9	-
Female	105	4	-	-	-	4	5	8	14	24	19	27	-
Black	193	7	-	1	4	9	9	16	31	43	37	36	-
Male	88	3	-	1	4	5	4	8	17	19	18	9	-
Female	105	4	-	-	-	4	5	8	14	24	19	27	-
Appleton-Oshkosh, Wis	2,266	45	7	10	38	46	52	109	250	486	643	581	-
Male	1,160	29	3	7	32	30	33	69	141	282	347	187	-
Female	1,106	17	4	3	4	16	19	40	109	204	296	394	-
White	2,234	42	6	10	34	45	50	106	247	482	638	574	-
Male	1,142	26	3	7	31	30	31	66	140	280	345	183	-
Female	1,092	16	3	3	3	15	19	40	107	202	293	391	-
All other	32	4	1	-	2	1	2	3	3	4	5	7	-
Male	18	3	-	-	1	-	2	3	1	2	2	4	-
Female	14	1	1	-	1	1	-	-	2	2	3	3	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, N.C	1,901	19	5	9	31	34	59	106	243	457	539	399	-
Male	998	10	3	6	21	26	41	66	148	276	262	139	-
Female	903	9	2	3	10	8	18	40	95	181	277	260	-
White	1,726	15	4	9	30	26	52	97	216	411	490	376	-
Male	911	9	2	6	21	21	39	62	132	248	240	131	-
Female	815	6	2	3	9	5	13	35	84	163	250	245	-
All other	175	4	1	-	1	8	7	9	27	46	49	23	-
Male	87	1	1	-	-	5	2	4	16	28	22	8	-
Female	88	3	-	-	1	3	5	5	11	18	27	15	-
Black	173	4	1	-	1	8	7	9	27	46	47	23	-
Male	85	1	1	-	-	5	2	4	16	28	20	8	-
Female	88	3	-	-	1	3	5	5	11	18	27	15	-
Athens, Ga	1,036	24	6	3	22	30	40	70	141	216	304	180	-
Male	508	13	3	2	14	23	27	40	84	124	136	42	-
Female	528	11	3	1	8	7	13	30	57	92	168	138	-
White	824	15	5	1	15	18	28	49	106	171	255	161	-
Male	396	6	2	-	10	14	19	29	67	104	110	35	-
Female	428	9	3	1	5	4	9	20	39	67	145	126	-
All other	212	9	1	2	7	12	12	21	35	45	49	19	-
Male	112	7	1	2	4	9	8	11	17	20	26	7	-
Female	100	2	-	-	3	3	4	10	18	25	23	12	-
Black	212	9	1	2	7	12	12	21	35	45	49	19	-
Male	112	7	1	2	4	9	8	11	17	20	26	7	-
Female	100	2	-	-	3	3	4	10	18	25	23	12	-
Atlanta, Ga	16,163	475	69	106	442	674	883	1,308	2,384	3,624	3,716	2,462	-
Male	8,476	274	43	68	312	514	604	862	1,458	2,015	1,647	661	-
Female	7,685	201	26	38	130	160	279	446	926	1,609	2,069	1,801	-
White	11,630	233	34	71	310	374	515	798	1,685	2,656	2,913	2,041	-
Male	6,031	140	20	47	224	291	364	533	1,051	1,522	1,286	553	-
Female	5,599	93	14	24	86	83	151	265	634	1,134	1,627	1,488	-
All other	4,533	242	35	35	132	300	368	510	699	968	803	441	-
Male	2,447	134	23	21	88	223	240	329	407	493	361	128	-
Female	2,086	108	12	14	44	77	128	181	292	475	442	313	-
Black	4,480	236	32	33	128	296	366	504	692	961	786	436	-
Male	2,414	129	22	19	85	220	238	326	403	489	357	126	-
Female	2,066	107	10	14	43	76	128	178	289	472	429	310	-
Atlantic City, N.J	2,416	41	9	10	32	53	68	120	335	537	684	524	3
Male	1,235	23	6	7	21	39	41	72	202	321	317	184	2
Female	1,181	18	3	3	11	14	27	48	133	216	367	340	1
White	1,992	19	7	6	27	33	38	82	275	455	587	461	2
Male	1,014	9	5	3	18	25	24	55	166	277	275	156	1
Female	978	10	2	3	9	8	14	27	109	178	312	305	1
All other	424	22	2	4	5	20	30	38	60	82	97	63	1
Male	221	14	1	4	3	14	17	17	36	44	42	28	1
Female	203	8	1	-	2	6	13	21	24	38	55	35	-
Black	414	21	2	4	5	19	30	36	59	81	94	62	1
Male	217	13	1	4	3	14	17	17	35	44	41	27	1
Female	197	8	1	-	2	5	13	19	24	37	53	35	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Augusta, Ga.-S.C	2,916	79	14	22	49	115	138	223	462	731	658	425	–
Male	1,601	48	8	15	40	86	85	134	287	443	316	139	–
Female	1,315	31	6	7	9	29	53	89	175	288	342	286	–
White	2,003	51	7	13	35	72	72	137	309	507	479	321	–
Male	1,107	31	4	11	29	49	42	89	204	319	226	103	–
Female	896	20	3	2	6	23	30	48	105	188	253	218	–
All other	913	28	7	9	14	43	66	86	153	224	179	104	–
Male	494	17	4	4	11	37	43	45	89	124	90	36	–
Female	419	11	3	5	3	6	23	41	70	100	89	68	–
Black	907	27	7	9	14	43	66	85	152	223	178	109	–
Male	491	16	4	4	11	37	43	45	83	123	90	35	–
Female	416	11	3	5	3	6	23	40	69	100	88	68	–
Austin, Tex	3,920	100	20	28	141	209	209	239	496	805	954	719	–
Male	2,090	57	12	16	109	163	150	145	309	482	446	201	–
Female	1,830	43	8	12	32	46	59	94	187	323	508	518	–
White	3,423	77	16	23	129	183	185	187	414	702	852	655	–
Male	1,815	44	9	13	98	141	135	117	261	423	393	181	–
Female	1,608	33	7	10	31	42	50	70	153	279	459	474	–
All other	497	23	4	5	12	26	24	52	82	103	102	64	–
Male	275	13	3	3	11	22	15	28	46	59	53	20	–
Female	222	10	1	2	1	4	9	24	34	44	49	44	–
Black	481	21	4	4	11	23	22	48	81	102	102	63	–
Male	267	12	3	2	10	19	14	28	47	59	53	20	–
Female	214	9	1	2	1	4	8	20	34	43	49	43	–
Bakersfield, Calif	3,678	122	26	31	108	184	161	231	515	870	902	538	10
Male	2,066	56	16	17	80	120	107	152	319	511	478	207	3
Female	1,612	66	10	14	28	44	54	79	196	359	424	331	7
White	3,371	109	24	27	101	146	142	213	472	793	831	504	9
Male	1,870	52	16	14	74	108	91	139	289	466	435	184	2
Female	1,501	57	8	13	27	38	51	74	183	327	396	320	7
All other	307	13	2	4	7	18	19	18	43	77	71	34	1
Male	196	4	–	3	6	12	16	13	30	45	43	23	1
Female	111	9	2	1	1	6	3	5	13	32	28	11	–
Black	228	12	2	3	5	15	12	14	35	62	46	22	–
Male	134	4	–	2	5	10	10	9	25	36	21	12	–
Female	94	8	2	1	–	5	2	5	10	26	25	10	–
Baltimore, Md	20,863	420	60	60	392	629	765	1,325	3,218	5,226	5,331	3,425	12
Male	10,855	239	35	37	299	434	508	821	1,961	2,956	2,523	1,034	8
Female	10,008	181	25	23	93	195	257	504	1,257	2,270	2,808	2,391	4
White	15,271	216	28	35	232	293	413	804	2,201	3,912	4,251	2,881	5
Male	7,782	117	13	20	178	197	270	499	1,372	2,245	2,011	858	2
Female	7,489	99	15	15	54	96	143	305	829	1,667	2,240	2,023	3
All other	5,592	204	32	25	160	336	352	521	1,017	1,314	1,080	544	7
Male	3,073	122	22	17	121	237	238	322	589	711	512	176	6
Female	2,519	82	10	8	39	99	114	199	428	603	568	368	1
Black	5,524	203	32	23	157	331	343	513	1,006	1,303	1,068	598	7
Male	3,037	121	22	16	119	234	235	316	584	705	506	173	6
Female	2,487	82	10	7	38	97	108	197	422	598	562	365	1
Bangor, Maine	1,211	19	2	6	17	22	33	56	159	283	331	283	–
Male	607	6	1	6	14	16	21	35	105	168	151	84	–
Female	604	13	1	–	3	6	12	21	54	115	180	199	–
White	1,197	19	2	6	15	21	32	55	156	281	329	281	–
Male	599	6	1	6	13	15	20	34	104	167	149	84	–
Female	598	13	1	–	2	6	12	21	52	114	180	197	–
All other	14	–	–	–	2	1	1	1	3	2	2	2	–
Male	8	–	–	–	1	1	1	1	1	1	2	–	–
Female	6	–	–	–	1	–	–	–	2	1	–	2	–
Black	3	–	–	–	–	–	–	1	1	–	–	1	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	–	–	1	–
Baton Rouge, La	3,429	119	21	37	96	146	141	258	568	750	811	481	1
Male	1,830	69	11	28	65	112	91	147	349	414	396	148	–
Female	1,599	50	10	9	31	34	50	111	219	336	415	333	1
White	2,279	48	9	20	54	79	83	143	382	525	581	355	–
Male	1,235	28	3	15	34	63	54	89	247	311	286	105	–
Female	1,044	20	6	5	20	16	29	54	135	214	295	250	–
All other	1,150	71	12	17	42	67	58	115	186	225	230	126	1
Male	595	41	8	13	31	49	37	58	102	103	110	43	–
Female	555	30	4	4	11	18	21	57	84	122	120	83	1
Black	1,144	69	12	16	41	66	58	115	166	224	230	126	1
Male	592	41	8	12	30	48	37	58	102	103	110	43	–
Female	552	28	4	4	11	18	21	57	84	121	120	83	1
Battle Creek, Mich	1,706	29	7	6	25	38	46	88	254	361	470	382	–
Male	877	19	3	5	14	32	25	49	163	206	222	139	–
Female	829	10	4	1	11	6	21	39	91	155	248	243	–
White	1,579	23	7	5	21	32	40	76	222	336	443	374	–
Male	803	16	3	4	12	27	20	43	142	187	212	137	–
Female	776	7	4	1	9	5	20	33	80	149	231	237	–
All other	127	6	–	1	4	6	6	12	32	25	27	8	–
Male	74	3	–	1	2	5	5	6	21	19	10	2	–
Female	53	3	–	–	2	1	1	6	11	6	17	6	–
Black	122	5	–	1	4	5	5	11	31	25	27	8	–
Male	72	3	–	1	2	5	4	5	21	19	10	2	–
Female	50	2	–	–	2	–	1	6	10	6	17	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bay City, Mich	983	15	2	4	22	18	26	39	136	237	302	182	-
Male	524	13	1	4	17	16	15	23	78	135	156	65	-
Female	459	2	1	-	5	2	11	16	57	102	146	117	-
White	978	14	2	3	22	18	26	39	135	236	301	182	-
Male	519	12	1	3	17	16	15	23	78	134	155	65	-
Female	459	2	1	-	5	2	11	16	57	102	146	117	-
All other	5	1	-	1	-	-	-	-	1	1	1	-	-
Male	5	1	-	1	-	-	-	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	1	-	-	-	-	-	-	1	-	-
Male	3	1	-	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaumont-Port Arthur-Orange, Tex	3,369	40	12	18	60	82	101	209	573	772	958	544	-
Male	1,809	20	5	9	40	66	61	133	359	437	492	187	-
Female	1,560	20	7	9	20	16	40	76	214	335	466	357	-
White	2,535	20	9	12	41	52	56	137	396	583	765	464	-
Male	1,355	11	4	8	30	42	36	95	249	327	394	159	-
Female	1,180	9	5	4	11	10	20	42	147	256	371	305	-
All other	834	20	3	6	19	30	45	72	177	189	193	80	-
Male	454	9	1	1	10	24	25	38	110	110	98	28	-
Female	380	11	2	5	9	6	20	34	67	79	95	52	-
Black	818	18	3	6	17	27	45	72	175	184	192	79	-
Male	444	8	1	1	8	21	25	38	109	108	87	28	-
Female	374	10	2	5	9	6	20	34	66	76	95	51	-
Bellingham, Wash	858	18	4	2	10	21	24	31	80	191	249	228	-
Male	448	15	2	1	8	15	17	21	48	115	124	82	-
Female	410	3	2	1	2	6	7	10	32	76	125	146	-
White	835	17	3	2	9	16	23	29	75	187	246	228	-
Male	437	14	2	1	7	13	16	21	45	113	123	82	-
Female	398	3	1	1	2	3	7	8	30	74	123	146	-
All other	23	1	1	-	1	5	1	2	5	4	3	-	-
Male	11	1	-	-	1	2	1	-	3	2	1	-	-
Female	12	-	1	-	-	3	-	2	2	2	2	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Benton Harbor, Mich	1,597	26	4	8	25	34	43	94	205	364	440	344	-
Male	798	12	3	3	18	24	25	55	132	197	213	116	-
Female	799	14	1	5	7	10	18	39	73	167	227	228	-
White	1,381	16	3	5	22	27	32	67	176	326	393	314	-
Male	682	6	2	3	16	19	19	37	115	179	185	101	-
Female	699	10	1	2	6	8	13	30	61	147	208	213	-
All other	206	10	1	3	3	7	11	27	29	38	47	30	-
Male	116	6	1	-	2	5	6	18	17	18	28	15	-
Female	90	4	-	3	1	2	5	9	12	20	19	15	-
Black	205	10	1	3	3	7	11	26	29	36	47	30	-
Male	116	6	1	-	2	5	6	18	17	18	28	15	-
Female	89	4	-	3	1	2	5	8	12	20	19	15	-
Billings, Mont	797	15	3	10	24	25	38	58	93	159	200	172	-
Male	447	12	-	7	19	17	27	33	58	106	104	64	-
Female	350	3	3	3	5	8	11	25	35	53	96	108	-
White	781	14	3	10	21	23	36	57	89	159	198	171	-
Male	436	11	-	7	17	16	25	32	56	106	103	63	-
Female	345	3	3	3	4	7	11	25	33	53	95	108	-
All other	16	1	-	-	3	2	2	1	4	-	2	1	-
Male	11	1	-	-	2	1	2	1	2	-	1	1	-
Female	5	-	-	-	1	1	-	-	2	-	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Biloxi-Gulfport, Miss	1,793	44	23	12	39	49	62	123	306	439	427	269	-
Male	985	28	12	8	31	36	37	71	202	264	213	83	-
Female	808	16	11	4	8	13	25	52	104	175	214	186	-
White	1,470	31	16	8	26	39	43	90	255	382	346	234	-
Male	815	19	10	5	23	29	28	55	170	231	173	72	-
Female	655	12	6	3	3	10	15	35	85	151	173	162	-
All other	323	13	7	4	13	10	19	33	51	57	81	35	-
Male	170	9	2	3	8	7	9	16	32	33	40	11	-
Female	153	4	5	1	5	3	10	17	19	24	41	24	-
Black	311	11	6	4	11	8	18	33	51	54	80	35	-
Male	164	8	2	3	6	6	9	16	32	31	40	11	-
Female	147	3	4	1	5	2	9	17	19	23	40	24	-
Binghamton, N.Y.-Pa	2,996	57	7	15	44	45	59	118	372	703	855	721	-
Male	1,540	35	2	12	38	33	40	71	231	428	418	232	-
Female	1,456	22	5	3	6	12	19	47	141	275	437	489	-
White	2,962	55	7	15	43	43	56	114	368	694	850	717	-
Male	1,523	33	2	12	38	32	37	69	229	424	415	232	-
Female	1,439	22	5	3	5	11	19	45	139	270	435	485	-
All other	34	2	-	-	1	2	3	4	4	9	5	4	-
Male	17	2	-	-	-	1	3	2	2	4	3	-	-
Female	17	-	-	-	1	1	-	2	2	5	2	4	-
Black	30	2	-	-	1	1	3	2	4	8	5	4	-
Male	16	2	-	-	-	1	3	1	2	4	3	-	-
Female	14	-	-	-	1	-	-	1	2	4	2	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Birmingham, Ala	8,666	162	23	49	147	252	305	506	1,254	2,036	2,359	1,573	-
Male	4,459	88	9	28	97	177	219	324	738	1,162	1,107	510	-
Female	4,207	74	14	21	50	75	86	182	516	874	1,252	1,063	-
White	5,936	76	10	29	99	132	179	326	800	1,418	1,684	1,183	-
Male	3,052	46	6	18	66	98	128	210	504	832	780	364	-
Female	2,884	30	4	11	33	34	51	116	296	586	904	819	-
All other	2,730	86	13	20	48	120	126	180	454	618	675	390	-
Male	1,407	42	3	10	31	79	91	114	234	330	327	146	-
Female	1,323	44	10	10	17	41	35	66	220	288	348	244	-
Black	2,727	85	13	20	48	119	126	180	454	618	674	390	-
Male	1,404	41	3	10	31	78	91	114	234	330	326	146	-
Female	1,323	44	10	10	17	41	35	66	220	288	348	244	-
Bismarck, N.Dak	540	10	3	6	7	9	19	26	57	110	158	135	-
Male	289	6	1	6	5	4	10	15	36	65	89	52	-
Female	251	4	2	-	2	5	9	11	21	45	69	83	-
White	536	9	3	6	6	7	18	26	57	110	158	135	-
Male	286	6	1	6	4	2	10	15	36	65	89	52	-
Female	250	3	2	-	2	5	8	11	21	45	69	83	-
All other	4	1	-	-	1	2	-	-	-	-	-	-	-
Male	3	-	-	-	1	2	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	612	11	3	2	8	24	16	24	65	145	184	110	-
Male	346	6	3	1	5	17	14	17	63	82	92	46	-
Female	266	5	-	1	3	7	2	7	22	63	92	64	-
White	608	11	3	2	8	23	16	24	64	144	183	110	-
Male	342	6	3	1	5	16	14	17	62	81	91	46	-
Female	266	5	-	1	3	7	2	7	22	63	92	64	-
All other	4	-	-	-	-	1	-	-	1	1	1	-	-
Male	4	-	-	-	-	1	-	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington-Normal, Ill	882	9	2	3	11	12	25	38	87	210	232	253	-
Male	428	4	-	1	11	8	16	21	56	121	112	78	-
Female	454	5	2	2	-	4	9	17	31	89	120	175	-
White	856	7	1	2	10	10	24	34	86	201	228	253	-
Male	412	3	-	1	10	7	15	17	55	116	110	78	-
Female	444	4	1	1	-	3	9	17	31	85	118	175	-
All other	26	2	1	1	1	2	1	4	1	9	4	-	-
Male	16	1	-	-	1	1	1	4	1	5	2	-	-
Female	10	1	1	1	-	1	-	-	-	4	2	-	-
Black	24	2	1	-	1	2	1	4	1	8	4	-	-
Male	15	1	-	-	1	1	1	4	1	4	2	-	-
Female	9	1	1	-	-	1	-	-	-	4	2	-	-
Boise City, Idaho	1,252	39	6	8	34	38	49	63	150	300	308	258	1
Male	634	20	4	7	23	23	31	39	93	168	151	74	1
Female	618	19	2	1	11	13	18	24	57	132	157	184	-
White	1,237	37	5	8	32	35	48	59	149	297	308	258	1
Male	625	19	4	7	21	22	31	37	92	166	151	74	1
Female	612	18	1	1	11	13	17	22	57	131	157	184	-
All other	15	2	1	-	2	1	1	4	1	3	-	-	-
Male	9	1	-	-	2	1	-	2	1	2	-	-	-
Female	6	1	1	-	-	-	1	2	-	1	-	-	-
Black	4	1	-	-	1	-	-	-	1	1	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	34,504	444	85	69	455	709	932	1,638	4,222	7,511	9,807	8,625	7
Male	16,637	230	43	51	341	515	598	1,033	2,615	4,188	4,514	2,495	6
Female	17,867	214	42	18	114	194	334	605	1,607	3,315	5,293	6,130	1
White	33,025	332	74	61	406	604	813	1,497	3,970	7,264	9,549	8,455	6
Male	15,808	175	37	45	303	443	512	948	2,447	4,054	4,401	2,438	5
Female	17,217	157	37	16	97	161	301	549	1,523	3,210	5,148	6,017	1
All other	1,479	112	11	8	55	105	119	141	252	247	258	170	1
Male	829	55	6	6	38	72	88	85	168	142	113	57	1
Female	650	57	5	2	17	33	33	56	84	105	145	113	-
Black	1,306	102	7	8	49	91	110	127	230	219	209	163	1
Male	717	52	3	6	34	63	80	78	153	124	76	47	1
Female	589	50	4	2	15	28	30	49	77	95	133	106	-
Bradenton, Fla	2,576	23	3	3	30	31	54	91	277	662	813	589	-
Male	1,450	17	3	1	25	22	39	62	172	409	449	251	-
Female	1,126	6	-	2	5	9	15	29	105	253	364	338	-
White	2,433	19	2	3	22	23	44	75	243	630	793	579	-
Male	1,360	14	2	1	19	18	31	50	151	385	442	247	-
Female	1,073	5	-	2	3	5	13	25	92	245	351	332	-
All other	143	4	1	-	8	8	10	16	34	32	20	10	-
Male	90	3	1	-	6	4	8	12	21	24	7	4	-
Female	53	1	-	-	2	4	2	4	13	8	13	6	-
Black	141	4	1	-	8	8	10	16	33	31	20	10	-
Male	88	3	1	-	6	4	8	12	20	23	7	4	-
Female	53	1	-	-	2	4	2	4	13	8	13	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bremerton, Wash	1,124	29	3	10	20	23	31	54	145	254	298	256	1
Male	604	19	2	8	17	19	25	33	88	149	152	92	-
Female	520	10	1	2	3	4	6	21	57	105	146	164	1
White	1,091	29	2	10	20	21	31	49	141	246	289	252	1
Male	582	19	2	8	17	19	25	30	86	142	145	89	-
Female	509	10	-	2	3	2	6	19	55	104	144	163	1
All other	33	-	1	-	-	2	-	5	4	8	9	4	-
Male	22	-	-	-	-	-	-	3	2	7	7	3	-
Female	11	-	1	-	-	2	-	2	2	1	2	1	-
Black	18	-	1	-	-	2	-	1	3	6	4	1	-
Male	10	-	-	-	-	-	-	-	2	5	3	-	-
Female	8	-	1	-	-	2	-	1	1	1	1	1	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	7,016	84	15	30	101	177	223	369	940	1,581	1,690	1,604	2
Male	3,449	41	9	18	70	130	138	221	570	888	887	477	-
Female	3,567	43	6	12	31	47	85	148	370	693	1,003	1,127	2
White	6,490	64	12	20	83	124	170	309	850	1,483	1,615	1,558	2
Male	3,154	29	7	13	58	94	108	185	514	830	856	460	-
Female	3,336	35	5	7	25	30	62	124	336	653	959	1,098	2
All other	526	20	3	10	18	53	53	60	90	98	75	46	-
Male	295	12	2	5	12	36	30	36	56	58	31	17	-
Female	231	8	1	5	6	17	23	24	34	40	44	29	-
Black	509	19	3	9	18	49	53	57	87	95	73	46	-
Male	285	11	2	4	12	32	30	35	56	56	30	17	-
Female	224	8	1	5	6	17	23	22	31	39	43	29	-
Brownsville-Harlingen-San Benito, Tex	1,536	52	23	10	47	43	44	74	208	357	425	253	-
Male	867	30	11	10	39	35	32	54	122	212	240	82	-
Female	669	22	12	-	8	8	12	20	86	145	185	171	-
White	1,525	52	23	10	47	43	42	74	206	352	425	251	-
Male	863	30	11	10	39	35	31	54	121	210	240	82	-
Female	662	22	12	-	8	8	11	20	85	142	185	169	-
All other	11	-	-	-	-	-	2	-	2	5	-	2	-
Male	4	-	-	-	-	-	1	-	1	2	-	-	-
Female	7	-	-	-	-	-	1	-	1	3	-	2	-
Black	9	-	-	-	-	-	1	-	2	4	-	2	-
Male	4	-	-	-	-	-	1	-	1	2	-	-	-
Female	5	-	-	-	-	-	-	-	1	2	-	2	-
Bryan-College Station, Tex	553	17	-	5	20	23	16	27	73	99	164	109	-
Male	304	9	-	4	11	21	11	16	54	54	87	37	-
Female	249	8	-	1	9	2	5	11	19	45	77	72	-
White	421	13	-	4	15	19	14	21	44	72	125	94	-
Male	230	7	-	3	10	17	9	13	32	41	66	32	-
Female	191	6	-	1	5	2	5	8	12	31	59	62	-
All other	132	4	-	1	5	4	2	6	29	27	39	15	-
Male	74	2	-	1	1	4	2	3	22	13	21	5	-
Female	58	2	-	-	4	-	-	3	7	14	18	10	-
Black	129	4	-	1	5	3	2	5	28	27	39	15	-
Male	72	2	-	1	1	3	2	3	21	13	21	5	-
Female	57	2	-	-	4	-	-	2	7	14	18	10	-
Buffalo, N.Y	12,569	149	25	32	138	216	277	595	1,741	3,202	3,490	2,699	5
Male	6,225	82	10	24	96	146	172	362	1,061	1,822	1,603	849	4
Female	6,344	67	15	8	42	70	105	233	680	1,380	1,887	1,856	1
White	11,464	92	17	24	118	157	208	479	1,528	2,962	3,286	2,593	2
Male	5,615	50	8	18	83	110	124	288	931	1,687	1,518	796	2
Female	5,849	42	9	6	35	47	82	191	597	1,275	1,768	1,797	-
All other	1,105	57	8	8	20	59	71	116	213	240	204	106	3
Male	610	32	2	6	13	36	48	74	130	135	85	47	2
Female	495	25	6	2	7	23	23	42	83	105	119	59	1
Black	1,059	54	8	8	16	57	68	107	206	232	197	103	3
Male	585	31	2	6	12	35	46	67	126	131	80	47	2
Female	474	23	6	2	4	22	22	40	80	101	117	56	1
Burlington, N.C	993	13	2	4	17	20	32	53	149	270	262	171	-
Male	529	7	1	3	15	12	23	37	101	154	131	45	-
Female	464	6	1	1	2	8	9	16	48	116	131	126	-
White	784	7	2	3	12	10	19	36	112	214	220	146	-
Male	407	5	1	2	11	7	13	26	73	121	108	40	-
Female	377	2	1	1	1	3	6	13	39	93	112	106	-
All other	209	6	-	1	5	10	13	14	37	56	42	25	-
Male	122	2	-	1	4	5	10	11	28	33	23	5	-
Female	87	4	-	-	1	5	3	3	9	23	19	20	-
Black	209	6	-	1	5	10	13	14	37	56	42	25	-
Male	122	2	-	1	4	5	10	11	28	33	23	5	-
Female	87	4	-	-	1	5	3	3	9	23	19	20	-
Burlington, Vt	788	21	3	5	21	15	24	41	94	170	215	179	-
Male	393	11	2	1	11	7	16	28	56	108	101	52	-
Female	395	10	1	4	10	8	8	13	38	62	114	127	-
White	784	21	2	5	21	15	23	41	93	170	214	179	-
Male	389	11	1	1	11	7	15	28	55	108	100	52	-
Female	395	10	1	4	10	8	8	13	38	62	114	127	-
All other	4	-	1	-	-	-	1	-	1	-	1	-	-
Male	4	-	1	-	-	-	1	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	1	-	-	-	1	-	1	-	-	-	-
Male	3	-	1	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Canton, Ohio	3,666	60	8	13	49	66	89	175	502	881	1,025	798	-
Male	1,849	35	5	9	37	45	44	108	301	496	487	282	-
Female	1,817	25	3	4	12	21	45	67	201	385	538	516	-
White	3,440	51	5	12	43	58	79	162	463	815	987	765	-
Male	1,741	30	3	8	32	41	40	101	283	467	468	268	-
Female	1,699	21	2	4	11	17	39	61	180	348	519	497	-
All other	226	9	3	1	6	8	10	13	39	66	38	33	-
Male	108	5	2	1	5	4	4	7	18	29	19	14	-
Female	118	4	1	-	1	4	6	6	21	37	19	19	-
Black	223	9	3	1	6	8	10	13	37	65	38	32	-
Male	105	5	2	1	5	4	4	7	16	29	19	13	-
Female	118	4	1	-	1	4	6	6	21	37	19	19	-
Casper, Wyo	403	14	3	2	17	15	21	25	54	85	88	79	-
Male	202	6	2	1	13	7	12	12	34	55	39	21	-
Female	201	8	1	1	4	8	9	13	20	30	49	58	-
White	400	14	3	2	17	15	21	25	53	85	86	79	-
Male	200	6	2	1	13	7	12	12	34	55	37	21	-
Female	200	8	1	1	4	8	9	13	19	30	49	58	-
All other	3	-	-	-	-	-	-	-	1	-	2	-	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Cedar Rapids, Iowa	1,313	26	7	8	19	28	30	57	169	287	329	355	-
Male	656	17	4	5	16	18	17	36	107	179	148	109	-
Female	657	9	3	1	3	10	13	21	62	108	181	246	-
White	1,293	26	7	6	18	27	26	55	168	282	326	352	-
Male	645	17	4	5	16	18	15	34	107	175	147	107	-
Female	648	9	3	1	2	9	11	21	61	107	179	245	-
All other	20	-	-	-	1	1	4	2	1	5	3	3	-
Male	11	-	-	-	-	-	2	2	-	4	1	2	-
Female	9	-	-	-	1	1	2	-	1	1	2	1	-
Black	17	-	-	-	-	1	4	2	-	5	2	3	-
Male	10	-	-	-	-	-	2	2	-	4	-	2	-
Female	7	-	-	-	-	1	2	-	-	1	2	1	-
Champaign-Urbana-Rantoul, Ill	987	26	4	10	31	28	20	49	118	217	255	229	-
Male	512	15	3	6	24	21	14	34	67	136	117	75	-
Female	475	11	1	4	7	7	6	15	51	81	138	154	-
White	902	22	3	8	27	24	18	40	105	197	240	218	-
Male	463	12	2	5	20	19	12	29	59	123	112	70	-
Female	439	10	1	3	7	5	6	11	46	74	128	148	-
All other	85	4	1	2	4	4	2	9	13	20	15	11	-
Male	49	3	1	1	4	2	2	5	8	13	5	5	-
Female	36	1	-	1	-	2	-	4	5	7	10	6	-
Black	81	3	1	2	3	4	2	8	13	20	15	10	-
Male	46	2	1	1	3	2	2	4	8	13	5	5	-
Female	35	1	-	1	-	2	-	4	5	7	10	5	-
Charleston-North Charleston, S.C	3,299	110	18	24	104	153	140	271	539	859	717	370	-
Male	1,757	71	13	11	69	101	99	190	315	477	308	103	-
Female	1,542	39	5	13	35	52	41	81	218	382	409	267	-
White	2,036	52	9	9	63	77	77	148	315	533	479	274	-
Male	1,079	32	7	5	50	49	55	105	194	311	202	69	-
Female	957	20	2	4	13	28	22	43	121	222	277	205	-
All other	1,263	58	9	15	41	76	63	123	218	326	238	96	-
Male	678	39	6	6	19	52	44	85	121	166	106	34	-
Female	585	19	3	9	22	24	19	38	97	160	132	62	-
Black	1,255	58	9	15	40	75	63	120	218	324	237	96	-
Male	675	39	6	6	19	52	44	84	121	164	106	34	-
Female	580	19	3	9	21	23	19	36	97	160	131	62	-
Charleston, W. Va	2,682	23	5	12	42	63	69	152	410	663	774	468	1
Male	1,394	14	4	9	30	45	45	93	239	403	361	150	1
Female	1,288	9	1	3	12	18	24	59	171	260	413	318	-
White	2,460	20	4	10	37	54	64	132	379	624	721	434	1
Male	1,292	12	3	8	26	37	42	84	222	379	340	138	1
Female	1,168	8	1	2	11	17	22	48	157	245	381	296	-
All other	202	3	1	2	5	9	5	20	31	39	53	34	-
Male	102	2	1	1	4	8	3	9	17	24	21	12	-
Female	100	1	-	1	1	1	2	11	14	15	32	22	-
Black	202	3	1	2	5	9	5	20	31	39	53	34	-
Male	102	2	1	1	4	8	3	9	17	24	21	12	-
Female	100	1	-	1	1	1	2	11	14	15	32	22	-
Charlotte-Gastonia, N.C	5,514	126	20	25	112	163	211	439	856	1,278	1,425	859	-
Male	2,868	71	11	12	84	125	139	285	542	748	609	242	-
Female	2,646	55	9	13	28	38	72	154	314	530	816	617	-
White	4,227	69	12	16	86	93	127	286	651	987	1,170	730	-
Male	2,155	40	9	8	65	75	75	180	429	577	501	196	-
Female	2,072	29	3	8	21	18	52	106	222	410	669	534	-
All other	1,287	57	8	9	26	70	84	153	205	291	255	129	-
Male	713	31	2	4	19	50	64	105	113	171	108	46	-
Female	574	26	6	5	7	20	20	48	92	120	147	83	-
Black	1,273	57	6	8	25	69	81	152	203	280	253	129	-
Male	706	31	1	4	19	49	61	104	112	171	108	46	-
Female	567	26	5	4	6	20	20	48	91	119	145	83	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlottesville, Va	928	15	4	3	16	25	30	48	127	190	289	201	-
Male	475	11	3	2	10	19	15	26	76	114	132	67	-
Female	453	4	1	1	6	6	15	22	51	76	157	134	-
White	737	12	2	2	13	19	24	33	95	154	211	172	-
Male	383	8	2	2	9	14	13	19	58	93	109	56	-
Female	354	4	-	-	4	5	11	14	37	61	102	116	-
All other	191	3	2	1	3	6	6	15	32	36	58	29	-
Male	92	3	1	-	1	5	2	7	18	21	23	11	-
Female	99	-	1	1	2	1	4	8	14	15	35	18	-
Black	190	3	2	1	3	6	6	15	31	36	58	29	-
Male	92	3	1	-	1	5	2	7	18	21	23	11	-
Female	98	-	1	1	2	1	4	8	13	15	35	18	-
Chattanooga, Tenn.-Ga	4,017	61	10	20	61	98	132	246	594	942	1,101	752	-
Male	2,102	31	7	11	45	75	88	159	353	550	544	241	-
Female	1,915	30	3	9	16	23	46	87	241	392	557	511	-
White	3,432	40	10	19	52	75	104	183	494	807	973	675	-
Male	1,803	18	7	11	38	59	71	120	306	482	479	212	-
Female	1,629	22	3	8	14	16	33	63	188	325	494	463	-
All other	585	21	-	1	9	23	28	63	100	135	128	77	-
Male	299	13	-	-	7	16	15	39	47	68	65	29	-
Female	286	8	-	1	2	7	13	24	53	67	63	48	-
Black	583	21	-	1	9	23	28	63	99	135	128	76	-
Male	297	13	-	-	7	16	15	39	46	68	65	28	-
Female	286	8	-	1	2	7	13	24	53	67	63	48	-
Chicago, Ill	61,930	1,497	210	244	1,141	1,755	2,319	3,850	9,060	14,460	15,800	11,592	2
Male	32,024	852	112	148	842	1,269	1,532	2,406	5,644	8,222	7,309	3,888	-
Female	29,906	645	98	96	299	486	787	1,444	3,416	6,238	8,491	7,904	2
White	48,722	755	120	144	737	990	1,405	2,532	6,691	11,715	13,334	10,297	2
Male	24,749	438	63	82	547	727	912	1,571	4,239	6,741	6,201	3,228	-
Female	23,973	317	57	62	190	263	493	961	2,452	4,974	7,133	7,069	2
All other	13,208	742	90	100	404	765	914	1,318	2,369	2,745	2,466	1,295	-
Male	7,275	414	49	66	295	542	620	835	1,405	1,481	1,108	460	-
Female	5,933	328	41	34	109	223	294	483	964	1,264	1,358	835	-
Black	12,815	721	87	95	399	753	888	1,289	2,303	2,663	2,381	1,236	-
Male	7,060	403	48	63	291	532	603	814	1,361	1,443	1,065	437	-
Female	5,755	318	39	32	108	221	285	475	942	1,220	1,316	799	-
Chico, Calif	1,706	20	5	4	45	35	49	83	199	406	534	339	7
Male	937	7	4	2	30	29	31	41	120	253	286	133	1
Female	769	13	1	2	15	6	18	22	79	153	248	206	6
White	1,675	20	5	4	41	32	48	61	195	399	528	335	7
Male	914	7	4	2	27	27	30	39	117	247	283	130	1
Female	761	13	1	2	14	5	18	22	78	152	245	205	6
All other	31	-	-	-	4	3	1	2	4	7	6	4	-
Male	23	-	-	-	3	2	1	2	3	6	3	3	-
Female	8	-	-	-	1	1	-	-	1	1	3	1	-
Black	14	-	-	-	1	2	-	-	-	3	5	3	-
Male	10	-	-	-	1	1	-	-	-	3	3	2	-
Female	4	-	-	-	-	1	-	-	-	-	2	1	-
Cincinnati, Ohio-Ky.-Ind	12,897	261	38	44	193	239	353	700	1,778	2,977	3,573	2,741	-
Male	6,446	145	22	29	141	161	202	422	1,080	1,691	1,711	842	-
Female	6,451	116	16	15	52	78	151	278	698	1,286	1,862	1,899	-
White	11,166	178	22	36	160	193	284	560	1,486	2,533	3,200	2,514	-
Male	5,515	95	13	26	118	133	172	334	902	1,453	1,509	760	-
Female	5,651	83	9	10	42	60	112	226	584	1,080	1,691	1,754	-
All other	1,731	83	16	8	33	46	69	140	292	444	373	227	-
Male	931	50	9	3	23	28	30	88	178	238	202	82	-
Female	800	33	7	5	10	18	39	52	114	206	171	145	-
Black	1,710	81	16	8	32	46	69	138	290	437	370	223	-
Male	924	50	9	3	23	28	30	88	178	234	201	80	-
Female	786	31	7	5	9	18	39	50	112	203	169	143	-
Clarksville-Hopkinsville, Tenn.-Ky	1,170	35	7	9	44	29	46	81	154	240	280	245	-
Male	636	23	5	5	37	22	29	59	98	133	148	77	-
Female	534	12	2	4	7	7	17	22	56	107	132	168	-
White	910	20	6	5	35	24	33	58	115	192	228	194	-
Male	494	13	4	4	28	19	23	43	75	110	118	57	-
Female	416	7	2	1	7	5	10	15	40	82	110	137	-
All other	260	15	1	4	9	5	13	23	39	48	52	51	-
Male	142	10	1	1	9	3	6	16	23	23	30	20	-
Female	118	5	-	3	-	2	7	7	16	25	22	31	-
Black	256	14	1	4	9	5	10	23	39	48	52	51	-
Male	141	9	1	1	9	3	6	16	23	23	30	20	-
Female	115	5	-	3	-	2	4	7	16	25	22	31	-
Cleveland, Ohio	18,946	289	47	52	245	400	510	994	2,841	4,782	4,985	3,800	1
Male	9,597	177	27	35	180	301	306	582	1,689	2,708	2,344	1,247	1
Female	9,349	112	20	17	65	99	204	412	1,152	2,074	2,641	2,553	-
White	15,421	155	24	31	174	231	306	673	2,162	4,004	4,319	3,341	1
Male	7,718	93	14	20	126	182	188	401	1,295	2,298	2,041	1,059	1
Female	7,703	62	10	11	48	49	118	272	867	1,706	2,278	2,282	-
All other	3,525	134	23	21	71	169	204	321	679	778	666	459	-
Male	1,879	84	13	15	54	119	118	181	394	410	303	188	-
Female	1,646	50	10	6	17	50	86	140	285	368	363	271	-
Black	3,461	129	22	21	68	167	201	316	668	768	653	448	-
Male	1,844	81	13	15	52	118	118	177	386	402	298	184	-
Female	1,617	48	9	6	16	49	83	139	282	366	355	264	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area; race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado Springs, Colo	2,072	75	11	21	79	102	87	131	266	417	502	381	–
Male	1,069	44	7	15	57	84	55	80	158	233	219	117	–
Female	1,003	31	4	6	22	18	32	51	108	184	283	264	–
White	1,954	58	10	20	68	88	79	114	252	404	487	374	–
Male	998	38	6	14	49	71	51	68	150	223	213	115	–
Female	956	20	4	6	19	17	28	46	102	181	274	259	–
All other	118	17	1	1	11	14	8	17	14	13	15	7	–
Male	71	6	1	1	8	13	4	12	8	10	6	2	–
Female	47	11	–	–	3	1	4	5	6	3	9	5	–
Black	98	17	1	1	10	13	7	11	11	8	13	6	–
Male	60	6	1	1	7	12	4	8	7	6	6	2	–
Female	38	11	–	–	3	1	3	3	4	2	7	4	–
Columbia, Mo	596	15	4	3	20	15	28	33	74	113	150	141	–
Male	318	5	4	2	12	14	19	16	43	74	90	39	–
Female	278	10	–	1	8	1	9	17	31	39	60	102	–
White	559	15	3	3	19	11	26	32	67	105	146	132	–
Male	292	5	3	2	12	11	17	15	39	67	87	34	–
Female	267	10	–	1	7	–	9	17	28	38	59	98	–
All other	37	–	1	–	1	4	2	1	7	8	4	9	–
Male	26	–	1	–	–	3	2	1	4	7	3	5	–
Female	11	–	–	–	1	1	–	–	3	1	1	4	–
Black	35	–	1	–	1	3	2	1	7	7	4	9	–
Male	25	–	1	–	–	2	2	1	4	7	3	5	–
Female	10	–	–	–	1	1	–	–	3	–	1	4	–
Columbia, S.C	3,333	84	20	21	78	114	161	239	523	827	779	487	–
Male	1,744	49	9	12	52	72	103	153	315	477	367	135	–
Female	1,589	35	11	9	26	42	58	86	208	350	412	352	–
White	2,280	34	8	10	52	62	80	148	343	607	570	366	–
Male	1,183	17	3	6	34	42	52	100	219	348	265	97	–
Female	1,097	17	5	4	18	20	28	48	124	259	305	269	–
All other	1,053	50	12	11	26	52	81	91	180	220	209	121	–
Male	561	32	6	6	18	30	51	53	86	129	102	38	–
Female	492	18	6	5	8	22	30	38	94	91	107	83	–
Black	1,046	48	12	11	26	52	79	89	180	220	209	120	–
Male	555	30	6	6	18	30	49	52	96	129	102	37	–
Female	491	18	6	5	8	22	30	37	84	91	107	83	–
Columbus, Ga.-Ala	2,077	69	11	12	97	78	79	162	316	523	534	261	–
Male	1,092	37	9	8	29	49	51	108	176	299	242	84	–
Female	985	32	2	4	8	24	28	54	140	224	292	177	–
White	1,296	32	6	8	17	39	38	90	197	324	356	189	–
Male	684	19	5	5	13	29	26	55	122	192	163	56	–
Female	612	13	1	3	4	10	13	35	75	132	193	133	–
All other	781	37	5	4	20	34	41	72	119	199	178	72	–
Male	408	18	4	3	16	20	26	53	54	107	79	28	–
Female	373	19	1	1	4	14	15	19	65	92	99	44	–
Black	778	37	5	4	20	34	41	72	118	199	176	72	–
Male	407	18	4	3	16	20	26	53	54	107	78	28	–
Female	371	19	1	1	4	14	15	19	64	92	98	44	–
Columbus, Ohio	9,041	207	24	38	173	234	310	548	1,392	1,985	2,384	1,746	–
Male	4,539	127	17	29	129	165	202	333	850	1,098	1,082	507	–
Female	4,502	80	7	9	44	69	108	215	542	887	1,302	1,239	–
White	7,837	162	17	26	150	181	230	443	1,165	1,706	2,142	1,615	–
Male	3,888	100	11	19	107	127	150	282	717	952	959	464	–
Female	3,949	62	6	7	43	54	80	161	448	754	1,183	1,151	–
All other	1,204	45	7	12	23	53	80	105	227	279	242	131	–
Male	651	27	6	10	22	38	52	51	133	146	123	43	–
Female	553	18	1	2	1	15	28	54	94	133	119	88	–
Black	1,182	43	7	12	20	52	79	105	222	273	240	129	–
Male	638	27	6	10	20	37	51	51	131	141	121	43	–
Female	544	16	1	2	–	15	28	54	91	132	119	86	–
Corpus Christi, Tex	2,344	64	19	8	71	98	108	158	341	502	580	395	–
Male	1,347	39	12	4	57	75	73	108	222	291	307	159	–
Female	997	25	7	4	14	23	35	50	119	211	273	236	–
White	2,227	63	17	7	70	95	103	149	324	474	544	381	–
Male	1,289	38	10	4	57	73	69	102	211	282	290	153	–
Female	938	25	7	3	13	22	34	47	113	192	254	228	–
All other	117	1	2	1	1	3	5	9	17	28	36	14	–
Male	58	1	2	–	–	2	4	6	11	9	17	6	–
Female	59	–	–	1	1	1	1	3	6	19	19	8	–
Black	113	–	2	1	1	3	4	8	17	27	36	14	–
Male	54	–	2	–	–	2	3	5	11	8	17	6	–
Female	59	–	–	1	1	1	1	3	6	19	19	8	–
Cumberland, Md.-W. Va	1,227	13	2	5	12	17	17	57	157	314	370	263	–
Male	626	5	1	3	7	14	11	37	108	166	181	93	–
Female	601	8	1	2	5	3	6	20	49	148	189	170	–
White	1,205	13	2	5	12	17	15	56	154	309	364	258	–
Male	610	5	1	3	7	14	10	36	105	162	178	89	–
Female	595	8	1	2	5	3	5	20	49	147	186	169	–
All other	22	–	–	–	–	–	2	1	3	5	6	5	–
Male	16	–	–	–	–	–	1	1	3	4	3	4	–
Female	6	–	–	–	–	–	1	–	–	1	3	1	–
Black	21	–	–	–	–	–	2	–	3	5	6	5	–
Male	15	–	–	–	–	–	1	–	3	4	3	4	–
Female	6	–	–	–	–	–	1	–	–	1	3	1	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	24,278	739	135	159	806	1,115	1,228	1,717	3,409	5,125	5,739	4,102	4
Male	13,014	431	82	101	600	838	835	1,083	2,110	2,990	2,682	1,259	3
Female	11,264	308	53	58	206	277	393	634	1,299	2,135	3,057	2,843	1
White	20,388	509	101	110	628	828	916	1,307	2,820	4,385	5,039	3,739	4
Male	10,787	297	61	69	468	641	628	825	1,742	2,570	2,350	1,132	3
Female	9,601	212	40	41	160	187	290	481	1,078	1,815	2,689	2,607	1
All other	3,890	230	34	49	178	287	310	410	589	740	700	363	-
Male	2,227	134	21	32	132	197	207	257	368	420	332	127	-
Female	1,663	96	13	17	46	90	103	153	221	320	368	236	-
Black	3,765	219	31	45	160	270	297	396	578	719	691	359	-
Male	2,149	125	19	29	121	168	199	246	363	405	327	127	-
Female	1,616	94	12	16	39	82	98	150	215	314	364	232	-
Danville, Va	1,212	18	1	4	16	30	35	52	168	311	348	227	2
Male	632	11	-	3	10	20	21	29	105	182	168	82	1
Female	580	7	1	1	6	10	14	23	63	129	180	145	1
White	879	9	-	2	12	16	15	26	113	227	264	194	1
Male	461	6	-	1	9	11	10	17	75	136	125	71	-
Female	418	3	-	1	3	5	5	9	38	91	139	123	1
All other	333	9	1	2	4	14	20	26	55	84	84	33	1
Male	171	5	-	2	1	9	11	12	30	46	43	11	1
Female	162	4	1	-	3	5	9	14	25	38	41	22	-
Black	332	9	1	2	4	13	20	26	55	84	84	33	1
Male	171	5	-	2	1	9	11	12	30	46	43	11	1
Female	161	4	1	-	3	4	9	14	25	38	41	22	-
Davenport-Rock Island-Moline, Iowa-Ill	3,319	64	7	14	51	60	81	166	463	742	935	736	-
Male	1,662	40	4	7	37	38	50	107	285	413	464	217	-
Female	1,657	24	3	7	14	22	31	59	178	329	471	519	-
White	3,210	57	6	13	47	54	75	155	445	720	919	719	-
Male	1,610	36	3	7	35	33	45	100	277	405	458	211	-
Female	1,600	21	3	6	12	21	30	55	168	315	461	508	-
All other	109	7	1	1	4	6	6	11	18	22	16	17	-
Male	52	4	1	-	2	5	5	7	8	8	6	6	-
Female	57	3	-	1	2	1	1	4	10	14	10	11	-
Black	106	7	1	1	4	6	6	10	18	20	16	17	-
Male	51	4	1	-	2	5	5	6	8	8	6	6	-
Female	55	3	-	1	2	1	1	4	10	12	10	11	-
Dayton, Ohio	7,290	131	22	26	119	197	221	432	1,168	1,656	1,905	1,412	1
Male	3,811	78	13	16	91	123	142	245	721	1,030	907	444	1
Female	3,479	53	9	10	28	74	79	187	447	626	998	968	-
White	6,280	94	13	22	92	144	168	336	967	1,421	1,702	1,320	1
Male	3,247	57	10	14	69	94	104	193	595	884	810	416	1
Female	3,033	37	3	8	23	50	64	143	372	537	892	904	-
All other	1,010	37	9	4	27	53	53	96	201	235	203	92	-
Male	564	21	3	2	22	29	38	52	126	146	97	28	-
Female	446	16	6	2	5	24	15	44	75	89	106	64	-
Black	995	36	8	4	27	52	52	96	198	231	201	90	-
Male	559	20	3	2	22	29	38	52	125	144	96	28	-
Female	436	16	5	2	5	23	14	44	73	87	105	62	-
Daytona Beach, Fla	4,116	34	5	8	49	82	106	150	488	1,047	1,272	876	1
Male	2,204	15	3	5	31	61	75	95	304	621	673	320	1
Female	1,914	19	2	3	18	21	31	55	184	426	599	556	-
White	3,784	27	4	6	40	67	90	124	433	959	1,196	837	1
Male	2,021	13	2	5	26	49	66	78	269	588	640	304	1
Female	1,763	14	2	1	14	18	24	46	164	391	556	533	-
All other	334	7	1	2	9	15	16	26	55	88	76	39	-
Male	183	2	1	-	5	12	9	17	35	53	33	16	-
Female	151	5	-	2	4	3	7	9	20	35	43	23	-
Black	331	7	1	2	9	14	16	25	54	88	76	39	-
Male	181	2	1	-	5	11	9	16	35	53	33	16	-
Female	150	5	-	2	4	3	7	9	19	35	43	23	-
Decatur, Ill	1,204	22	5	3	14	25	31	57	149	256	360	282	-
Male	609	15	2	3	11	16	21	36	96	152	169	88	-
Female	595	7	3	-	3	9	10	21	53	104	191	194	-
White	1,120	13	4	3	14	21	24	48	133	241	346	273	-
Male	549	8	1	3	11	12	17	29	85	140	159	84	-
Female	571	5	3	-	3	9	7	19	48	101	187	189	-
All other	84	9	1	-	-	4	7	9	16	15	14	9	-
Male	60	7	1	-	-	4	4	7	11	12	10	4	-
Female	24	2	-	-	-	-	3	2	5	3	4	5	-
Black	83	9	1	-	-	4	7	9	15	15	14	9	-
Male	59	7	1	-	-	4	4	7	10	12	10	4	-
Female	24	2	-	-	-	-	3	2	5	3	4	5	-
Denver-Boulder, Colo	11,045	271	57	49	306	435	499	661	1,552	2,309	2,616	2,290	-
Male	5,669	152	32	35	231	310	329	396	920	1,322	1,232	710	-
Female	5,376	119	25	14	75	125	170	265	632	987	1,384	1,580	-
White	10,372	232	50	41	282	377	446	609	1,434	2,180	2,504	2,217	-
Male	5,273	126	28	29	213	269	294	364	842	1,248	1,172	688	-
Female	5,099	106	22	12	69	108	152	245	592	932	1,332	1,529	-
All other	673	39	7	8	24	58	53	52	118	129	112	73	-
Male	396	26	4	6	18	41	35	32	78	74	60	22	-
Female	277	13	3	2	6	17	18	20	40	55	52	51	-
Black	569	34	5	6	20	54	42	40	101	109	99	59	-
Male	342	22	3	4	15	40	29	27	70	83	51	18	-
Female	227	12	2	2	5	14	13	13	31	46	48	41	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, Iowa	2,751	50	9	4	51	73	80	114	388	570	746	666	-
Male	1,347	19	5	1	37	48	46	72	230	332	364	193	-
Female	1,404	31	4	3	14	25	34	42	158	238	382	473	-
White	2,602	43	8	4	45	67	68	103	384	541	719	640	-
Male	1,272	15	5	1	33	43	39	68	215	319	350	186	-
Female	1,330	28	3	3	12	24	29	37	149	222	369	454	-
All other	149	7	1	-	6	6	12	11	24	29	27	26	-
Male	75	4	-	-	4	5	7	6	15	13	14	7	-
Female	74	3	1	-	2	1	5	5	9	16	13	19	-
Black	135	6	1	-	5	6	11	8	21	28	25	24	-
Male	66	4	-	-	3	5	7	5	12	12	12	6	-
Female	69	2	1	-	2	1	4	3	9	16	13	18	-
Detroit, Mich	38,791	783	120	181	839	1,207	1,583	2,332	5,896	9,079	9,582	7,211	4
Male	20,404	467	68	89	637	873	1,034	1,497	3,581	5,207	4,582	2,416	3
Female	18,387	316	52	72	198	334	549	895	2,315	3,872	4,990	4,795	1
White	29,731	389	82	92	480	634	846	1,528	4,413	7,093	7,698	6,272	4
Male	15,284	245	45	49	343	476	549	939	2,710	4,104	3,749	2,072	3
Female	14,447	144	37	43	137	158	297	589	1,703	2,989	4,149	4,200	1
All other	9,060	394	38	89	359	573	737	804	1,483	1,986	1,884	939	-
Male	5,120	222	23	40	294	397	485	488	871	1,103	843	344	-
Female	3,940	172	15	29	59	176	252	306	612	883	841	595	-
Black	8,955	391	37	66	349	566	722	784	1,470	1,966	1,663	929	-
Male	5,060	221	22	40	292	393	478	482	863	1,092	830	337	-
Female	3,895	170	15	26	57	173	244	302	607	874	833	592	-
Dubuque, Iowa	818	11	1	4	10	11	12	36	99	165	235	214	-
Male	397	7	-	3	9	4	7	25	61	108	120	53	-
Female	421	4	1	1	1	7	5	11	38	77	115	161	-
White	816	11	1	4	10	11	12	35	99	164	235	214	-
Male	396	7	-	3	9	4	7	24	61	108	120	53	-
Female	420	4	1	1	1	7	5	11	38	76	115	161	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Duluth-Superior, Minn.-Wis	2,725	26	-	8	45	35	53	104	282	617	816	739	-
Male	1,420	18	-	4	34	27	35	68	196	349	429	260	-
Female	1,305	8	-	4	11	8	18	36	86	268	387	479	-
White	2,711	25	-	8	43	32	51	103	281	615	814	739	-
Male	1,409	17	-	4	32	24	34	67	195	348	428	260	-
Female	1,302	8	-	4	11	8	17	36	86	267	386	479	-
All other	14	1	-	-	2	3	2	1	1	2	2	-	-
Male	11	1	-	-	2	3	1	1	1	1	1	-	-
Female	3	-	-	-	-	-	1	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Eau Claire, Wis	1,120	9	4	6	13	16	29	40	116	244	330	313	-
Male	566	4	1	4	11	8	23	21	70	130	170	124	-
Female	554	5	3	2	2	8	6	19	46	114	160	189	-
White	1,113	9	4	6	12	16	28	40	115	243	327	313	-
Male	563	4	1	4	10	8	22	21	70	129	170	124	-
Female	550	5	3	2	2	8	6	19	45	114	157	189	-
All other	7	-	-	-	1	-	1	-	1	1	3	-	-
Male	3	-	-	-	1	-	1	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	3	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
El Paso, Tex	2,988	126	30	18	110	112	116	211	435	639	665	524	2
Male	1,637	73	20	9	67	83	81	136	248	398	325	175	2
Female	1,351	53	10	9	23	29	35	75	187	241	340	349	-
White	2,886	110	27	18	103	106	110	198	421	618	654	517	2
Male	1,580	63	19	9	80	83	76	129	241	386	321	171	2
Female	1,306	47	8	9	23	25	34	69	180	232	333	346	-
All other	102	16	3	-	7	4	6	13	14	21	11	7	-
Male	57	10	1	-	7	-	5	7	7	12	4	4	-
Female	45	6	2	-	-	4	1	6	7	9	7	3	-
Black	91	16	2	-	7	3	5	12	12	18	9	7	-
Male	53	10	-	-	7	-	5	7	7	10	3	4	-
Female	38	6	2	-	-	3	-	5	5	8	6	3	-
Elkhart, Ind	1,126	18	5	7	27	30	34	58	165	219	286	277	-
Male	567	10	4	5	21	26	21	37	84	127	137	85	-
Female	559	8	1	2	6	4	13	21	71	92	149	192	-
White	1,083	16	4	7	25	30	32	54	156	209	278	272	-
Male	538	9	3	5	21	26	19	34	88	119	132	82	-
Female	545	7	1	2	4	4	13	20	68	90	146	190	-
All other	43	2	1	-	2	-	2	4	9	10	8	5	-
Male	29	1	1	-	-	-	2	3	6	8	5	3	-
Female	14	1	-	-	2	-	-	1	3	2	3	2	-
Black	41	2	1	-	1	-	1	4	9	10	8	5	-
Male	28	1	1	-	-	-	1	3	8	8	5	3	-
Female	13	1	-	-	1	-	-	1	3	2	3	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elmira, N.Y	948	6	–	1	10	15	10	43	109	233	281	238	–
Male	441	3	–	1	7	13	7	22	70	138	111	69	–
Female	505	3	–	–	3	2	3	21	39	95	170	169	–
White	916	5	–	1	10	15	9	36	104	228	275	233	–
Male	427	3	–	1	7	13	6	19	66	134	111	67	–
Female	489	2	–	–	3	2	3	17	38	94	164	166	–
All other	30	1	–	–	–	–	1	7	5	5	6	5	–
Male	14	–	–	–	–	–	1	3	4	4	–	2	–
Female	16	1	–	–	–	–	–	4	1	1	6	3	–
Black	29	1	–	–	–	–	1	7	5	5	5	5	–
Male	14	–	–	–	–	–	1	3	4	4	–	2	–
Female	15	1	–	–	–	–	–	4	1	1	5	3	–
Enid, Okla	641	8	1	3	12	20	16	34	77	125	168	176	1
Male	323	5	1	1	9	13	10	25	52	73	77	56	1
Female	318	3	–	2	3	7	6	9	25	52	91	120	–
White	621	7	1	2	11	17	14	34	76	119	164	176	–
Male	309	4	1	–	9	10	9	25	51	69	75	56	–
Female	312	3	–	2	2	7	5	9	25	50	89	120	–
All other	20	1	–	1	1	3	2	–	1	6	4	–	1
Male	14	1	–	1	–	3	1	–	1	4	2	–	1
Female	6	–	–	–	1	–	1	–	–	2	2	–	–
Black	17	1	–	–	1	2	2	–	1	6	3	–	1
Male	12	1	–	–	–	2	1	–	1	4	2	–	1
Female	5	–	–	–	1	–	1	–	–	2	1	–	–
Erie, Pa	2,584	32	5	5	33	41	61	127	384	674	689	533	–
Male	1,299	19	5	2	24	31	37	81	227	383	326	164	–
Female	1,285	13	–	3	9	10	24	46	157	291	363	369	–
White	2,497	25	5	5	32	39	57	115	369	655	673	522	–
Male	1,239	13	5	2	24	30	33	71	217	371	316	157	–
Female	1,258	12	–	3	8	9	24	44	152	284	357	365	–
All other	87	7	–	–	1	2	4	12	15	19	16	11	–
Male	60	6	–	–	–	1	4	10	10	12	10	7	–
Female	27	1	–	–	1	1	–	2	5	7	6	4	–
Black	80	7	–	–	1	1	4	8	15	17	16	11	–
Male	54	6	–	–	–	–	4	6	10	11	10	7	–
Female	26	1	–	–	1	1	–	2	5	6	6	4	–
Eugene-Springfield, Oreg	2,157	24	9	4	31	51	70	114	241	535	603	474	1
Male	1,192	12	5	2	21	37	52	73	151	317	347	174	1
Female	965	12	4	2	10	14	18	41	90	218	256	300	–
White	2,144	23	9	4	31	49	69	114	240	530	602	472	1
Male	1,185	12	5	2	21	35	51	73	150	315	346	174	1
Female	959	11	4	2	10	14	18	41	90	215	256	298	–
All other	13	1	–	–	–	2	1	–	1	5	1	2	–
Male	7	–	–	–	–	2	1	–	1	2	1	–	–
Female	6	1	–	–	–	–	–	–	–	3	–	2	–
Black	3	–	–	–	–	–	1	–	–	1	–	1	–
Male	2	–	–	–	–	–	1	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Evansville, Ind.-Ky	3,001	42	11	13	35	50	71	142	361	696	908	672	–
Male	1,519	26	5	9	24	39	39	90	217	403	445	222	–
Female	1,482	16	6	4	11	11	32	52	144	293	463	450	–
White	2,621	39	9	11	34	41	68	129	333	663	853	641	–
Male	1,430	24	4	7	23	34	38	83	202	382	421	212	–
Female	1,391	15	5	4	11	7	30	46	131	281	432	429	–
All other	180	3	2	2	1	9	3	13	28	33	55	31	–
Male	89	2	1	2	1	5	1	7	15	21	24	10	–
Female	91	1	1	–	–	4	2	6	13	12	31	21	–
Black	179	3	2	2	–	9	3	13	28	33	55	31	–
Male	88	2	1	2	–	5	1	7	15	21	24	10	–
Female	91	1	1	–	–	4	2	6	13	12	31	21	–
Fargo-Moorhead, N.Dak.-Minn	961	17	4	2	7	27	30	41	100	191	248	294	–
Male	499	11	–	1	7	22	17	22	84	123	135	97	–
Female	462	6	4	1	–	5	13	19	36	68	113	197	–
White	959	17	4	2	7	27	30	40	100	191	247	294	–
Male	498	11	–	1	7	22	17	21	64	123	135	97	–
Female	461	6	4	1	–	5	13	19	36	68	112	197	–
All other	2	–	–	–	–	–	–	1	–	–	1	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Fayetteville, N.C	1,446	65	10	15	57	62	90	141	256	318	286	148	–
Male	804	41	5	9	42	44	64	100	161	169	120	49	–
Female	642	24	5	6	15	18	26	41	95	147	166	99	–
White	947	34	6	5	42	30	47	77	165	231	201	109	–
Male	514	22	3	4	30	19	32	57	102	129	80	36	–
Female	433	12	3	1	12	11	15	20	63	102	121	73	–
All other	499	31	4	10	15	32	43	64	91	85	85	39	–
Male	290	19	2	5	12	25	32	43	59	40	40	13	–
Female	209	12	2	5	3	7	11	21	32	45	45	26	–
Black	479	30	4	10	12	31	42	60	87	82	83	38	–
Male	277	18	2	5	10	24	31	40	57	39	39	12	–
Female	202	12	2	5	2	7	11	20	30	43	44	26	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville-Springdale, Ark	1,752	20	7	9	33	29	63	82	221	416	562	310	–
Male	967	8	4	4	23	20	48	58	134	266	292	110	–
Female	785	12	3	5	10	9	15	24	87	150	270	200	–
White	1,742	20	5	9	31	28	63	81	220	415	561	309	–
Male	964	8	3	4	22	19	48	58	134	266	292	110	–
Female	778	12	2	5	9	9	15	23	86	149	269	199	–
All other	10	–	2	–	2	1	–	1	1	1	1	1	–
Male	3	–	1	–	1	1	–	–	–	–	–	–	–
Female	7	–	1	–	1	–	–	1	1	1	1	1	–
Black	5	–	2	–	1	–	–	–	–	1	1	–	–
Male	2	–	1	–	1	–	–	–	–	–	–	–	–
Female	3	–	1	–	–	–	–	–	–	1	1	–	–
Flint, Mich	4,071	104	21	26	100	160	156	268	615	904	1,019	698	–
Male	2,125	59	13	17	74	122	93	149	380	482	496	240	–
Female	1,946	45	8	9	26	38	63	119	235	422	523	458	–
White	3,459	55	14	17	71	104	108	214	504	801	915	656	–
Male	1,779	30	10	12	50	81	64	130	309	422	445	226	–
Female	1,680	25	4	5	21	23	44	84	195	379	470	430	–
All other	612	49	7	9	29	56	48	54	111	103	104	42	–
Male	346	29	3	5	24	41	29	19	71	60	51	14	–
Female	266	20	4	4	5	15	19	35	40	43	53	28	–
Black	603	49	7	9	29	55	48	54	110	100	102	40	–
Male	341	29	3	5	24	41	29	19	70	58	50	13	–
Female	262	20	4	4	5	14	19	35	40	42	52	27	–
Florence, Ala	1,187	16	4	6	15	32	23	77	174	273	337	230	–
Male	646	8	2	4	13	23	17	50	127	156	168	78	–
Female	541	8	2	2	2	9	6	27	47	117	169	152	–
White	1,014	10	4	4	12	24	20	62	149	227	302	200	–
Male	550	4	2	3	10	17	16	41	107	131	150	69	–
Female	464	6	2	1	2	7	4	21	42	96	152	131	–
All other	173	6	–	2	3	8	3	15	25	46	35	30	–
Male	96	4	–	1	3	6	1	9	20	25	18	9	–
Female	77	2	–	1	–	2	2	6	5	21	17	21	–
Black	172	6	–	2	3	8	3	14	25	46	35	30	–
Male	96	4	–	1	3	6	1	9	20	25	18	9	–
Female	76	2	–	1	–	2	2	5	5	21	17	21	–
Florence, S.C	1,058	31	5	9	26	30	36	77	179	277	258	130	–
Male	563	17	1	6	18	20	20	51	102	162	125	41	–
Female	495	14	4	3	8	10	16	26	77	115	133	89	–
White	647	11	3	6	17	16	14	41	102	162	174	101	–
Male	351	7	1	3	12	12	9	30	63	100	83	31	–
Female	296	4	2	3	5	4	5	11	39	62	91	70	–
All other	411	20	2	3	9	14	22	36	77	115	84	29	–
Male	212	10	–	3	6	8	11	21	39	62	42	10	–
Female	199	10	2	–	3	6	11	15	38	53	42	19	–
Black	411	20	2	3	9	14	22	36	77	115	84	29	–
Male	212	10	–	3	6	8	11	21	39	62	42	10	–
Female	199	10	2	–	3	6	11	15	38	53	42	19	–
Fort Collins, Colo	1,091	24	6	3	20	28	39	55	103	209	316	288	–
Male	529	13	4	3	14	20	22	28	61	125	138	101	–
Female	562	11	2	–	6	8	17	27	42	84	178	187	–
White	1,087	24	6	3	19	27	39	54	103	208	316	288	–
Male	526	13	4	3	13	19	22	28	61	124	138	101	–
Female	561	11	2	–	6	8	17	26	42	84	178	187	–
All other	4	–	–	–	1	1	–	1	–	1	–	–	–
Male	3	–	–	–	1	1	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Fort Lauderdale-Hollywood, Fla	13,176	173	32	31	144	273	348	562	1,395	3,112	4,519	2,562	5
Male	7,271	92	23	20	109	201	235	366	867	1,765	2,484	1,105	4
Female	5,905	81	9	11	35	72	113	196	528	1,347	2,035	1,477	1
White	12,213	87	17	19	110	198	275	444	1,250	2,912	4,374	2,523	4
Male	6,697	47	11	12	84	152	192	282	776	1,647	2,414	1,077	3
Female	5,516	40	6	7	26	46	83	162	474	1,265	1,960	1,446	1
All other	963	86	15	12	34	75	73	118	145	200	145	59	1
Male	574	45	12	8	25	49	43	84	91	118	70	28	1
Female	389	41	3	4	9	26	30	34	54	82	75	31	–
Black	944	85	15	12	33	73	69	115	145	197	141	58	1
Male	563	45	12	8	24	48	41	82	91	117	67	27	1
Female	381	40	3	4	9	25	28	33	54	80	74	31	–
Fort Myers-Cape Coral, Fla	3,322	33	9	13	57	73	74	114	396	699	1,072	561	1
Male	1,919	17	4	8	47	49	56	82	238	555	613	249	1
Female	1,403	16	5	5	10	24	18	32	158	344	459	332	–
White	3,163	24	8	10	46	51	58	101	376	872	1,040	577	–
Male	1,822	13	4	6	38	34	44	74	226	538	597	248	–
Female	1,341	11	4	4	8	17	14	27	150	334	443	329	–
All other	159	9	1	3	11	22	16	13	20	27	32	4	1
Male	97	4	–	2	9	15	12	8	12	17	16	1	1
Female	62	5	1	1	2	7	4	5	8	10	16	3	–
Black	155	9	1	2	11	22	15	13	20	25	32	4	1
Male	93	4	–	1	9	15	11	8	12	15	16	1	1
Female	62	5	1	1	2	7	4	5	8	10	16	3	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla	2,092	25	6	8	50	43	59	118	280	487	615	401	-
Male	1,170	16	4	4	37	32	39	68	186	308	300	156	-
Female	922	9	2	4	13	11	20	50	94	179	315	245	-
White	1,966	24	4	7	47	35	51	110	263	463	564	378	-
Male	1,099	15	3	3	35	27	34	83	176	293	285	145	-
Female	867	9	1	4	12	8	17	27	87	170	299	233	-
All other	126	1	2	1	3	8	8	8	17	24	31	23	-
Male	71	1	1	1	2	5	5	5	10	15	15	11	-
Female	55	-	1	-	1	3	3	3	7	9	16	12	-
Black	80	1	2	1	2	4	6	4	10	16	18	16	-
Male	45	1	1	1	2	3	4	4	4	10	8	7	-
Female	35	-	1	-	-	1	2	-	6	6	10	9	-
Fort Walton Beach, Fla	809	16	4	4	25	32	31	76	137	178	191	115	-
Male	424	9	-	2	17	21	22	42	89	105	88	29	-
Female	385	7	4	2	8	11	9	34	48	73	103	86	-
White	748	14	3	4	22	29	29	68	124	171	178	108	-
Male	394	7	-	2	16	20	21	36	82	101	83	26	-
Female	354	7	3	2	6	9	8	30	42	70	95	82	-
All other	61	2	1	-	3	3	2	10	13	7	13	7	-
Male	30	2	-	-	1	1	1	6	7	4	5	3	-
Female	31	-	1	-	2	2	1	4	6	3	8	4	-
Black	57	2	1	-	3	3	2	9	12	7	12	6	-
Male	28	2	-	-	1	1	1	6	6	4	4	3	-
Female	29	-	1	-	2	2	1	3	6	3	8	3	-
Fort Wayne, Ind	3,284	69	13	19	64	65	94	168	396	706	913	777	-
Male	1,710	38	10	13	43	49	57	111	247	426	448	268	-
Female	1,574	31	3	6	21	16	37	57	149	280	465	509	-
White	3,097	53	10	17	59	56	79	147	367	671	882	756	-
Male	1,606	29	8	13	40	45	50	94	229	403	435	260	-
Female	1,491	24	2	4	19	11	29	53	138	268	447	496	-
All other	187	16	3	2	5	9	15	21	29	35	31	21	-
Male	104	9	2	-	3	4	7	17	18	23	13	8	-
Female	83	7	1	2	2	5	8	4	11	12	18	13	-
Black	185	16	3	2	5	8	15	21	28	35	31	21	-
Male	103	9	2	-	3	4	7	17	17	23	13	8	-
Female	82	7	1	2	2	4	8	4	11	12	18	13	-
Fresno, Calif	4,413	114	21	26	133	163	139	237	526	1,009	1,157	868	20
Male	2,458	65	15	18	101	124	94	154	331	623	582	343	8
Female	1,955	49	6	8	32	39	45	83	195	386	575	525	12
White	3,940	88	19	24	111	138	112	194	468	911	1,059	797	19
Male	2,179	52	15	16	86	105	76	127	298	560	524	312	8
Female	1,761	36	4	8	25	33	36	67	170	351	535	485	11
All other	473	26	2	2	22	25	27	43	58	98	98	71	1
Male	279	13	-	2	15	19	18	27	33	63	58	31	-
Female	194	13	2	-	7	6	9	16	25	35	40	40	1
Black	284	13	-	-	12	16	20	28	37	58	62	37	1
Male	165	6	-	-	11	11	14	19	17	37	29	21	-
Female	119	7	-	-	1	5	6	9	20	21	33	16	1
Gadsden, Ala	1,086	14	1	5	14	26	22	61	143	297	310	193	-
Male	614	9	1	3	12	19	12	40	88	184	173	83	-
Female	472	5	-	2	2	7	10	21	45	113	137	130	-
White	936	9	1	5	11	19	14	50	123	253	274	177	-
Male	524	4	1	3	10	13	6	30	85	162	153	57	-
Female	412	5	-	2	1	6	8	20	38	91	121	120	-
All other	150	5	-	-	3	7	8	11	20	44	36	16	-
Male	90	5	-	-	2	6	6	10	13	22	20	6	-
Female	60	-	-	-	1	1	2	1	7	22	16	10	-
Black	150	5	-	-	3	7	8	11	20	44	36	16	-
Male	90	5	-	-	2	6	6	10	13	22	20	6	-
Female	60	-	-	-	1	1	2	1	7	22	16	10	-
Gainesville, Fla	1,119	27	9	9	19	36	52	55	144	263	308	196	1
Male	581	20	4	7	10	25	34	35	83	152	144	66	1
Female	538	7	5	2	9	11	18	20	61	111	164	130	-
White	825	12	7	6	15	24	32	34	104	190	245	156	-
Male	434	11	3	5	8	18	20	21	64	109	119	56	-
Female	391	1	4	1	7	6	12	13	40	81	126	100	-
All other	294	15	2	3	4	12	20	21	40	73	63	40	1
Male	147	9	1	2	2	7	14	14	19	43	25	10	1
Female	147	6	1	1	2	5	6	7	21	30	38	30	-
Black	291	15	2	2	4	12	20	21	39	72	63	40	1
Male	146	9	1	2	2	7	14	14	18	43	25	10	1
Female	145	6	1	-	2	5	6	7	21	29	38	30	-
Galveston-Texas City, Tex	1,691	26	8	4	36	63	57	134	283	446	395	239	-
Male	898	15	4	2	27	46	32	74	175	265	185	73	-
Female	793	11	4	2	9	17	25	60	108	181	210	166	-
White	1,311	16	4	4	30	40	39	110	205	358	306	201	-
Male	676	10	3	2	21	28	20	59	129	202	145	57	-
Female	635	6	1	2	9	12	19	51	76	154	161	144	-
All other	380	10	4	-	6	23	18	24	78	90	89	38	-
Male	222	5	1	-	6	18	12	15	46	63	40	16	-
Female	158	5	3	-	-	5	6	9	32	27	49	22	-
Black	374	9	3	-	6	22	16	24	78	90	88	38	-
Male	219	4	1	-	6	18	11	15	46	63	39	16	-
Female	155	5	2	-	-	4	5	9	32	27	49	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gary-Hammond-East Chicago, Ind	5,256	120	17	26	83	157	169	321	845	1,367	1,327	821	3
Male	2,825	71	9	14	64	117	115	202	497	802	646	286	2
Female	2,431	49	8	12	19	40	54	119	348	565	681	535	1
White	4,194	70	12	18	57	100	118	227	644	1,119	1,115	713	1
Male	2,241	43	7	10	45	73	80	140	387	670	545	240	1
Female	1,953	27	5	8	12	27	38	87	257	449	570	473	-
All other	1,062	50	5	8	26	57	51	94	201	248	212	108	2
Male	584	28	2	4	19	44	35	62	110	132	101	46	1
Female	478	22	3	4	7	13	16	32	91	116	111	62	1
Black	1,053	50	5	7	26	57	51	93	199	247	210	106	2
Male	582	28	2	4	19	44	35	61	110	132	100	46	1
Female	471	22	3	3	7	13	16	32	89	115	110	60	1
Glens Falls, N.Y	1,111	18	6	2	21	17	19	52	125	257	340	254	-
Male	592	11	5	1	20	11	10	35	73	167	176	83	-
Female	519	7	1	1	1	6	9	17	52	90	164	171	-
White	1,104	18	6	2	21	17	18	50	123	255	340	254	-
Male	587	11	5	1	20	11	9	33	71	167	176	83	-
Female	517	7	1	1	1	6	9	17	52	88	164	171	-
All other	7	-	-	-	-	-	1	2	2	2	-	-	-
Male	5	-	-	-	-	-	1	2	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Black	7	-	-	-	-	-	1	2	2	2	-	-	-
Male	5	-	-	-	-	-	1	2	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Grand Forks, N.Dak.-Minn	787	21	1	1	15	13	11	31	75	167	224	228	-
Male	440	10	1	1	12	8	7	22	56	110	118	95	-
Female	347	11	-	-	3	5	4	9	19	57	106	133	-
White	779	21	1	1	14	11	11	29	75	167	222	227	-
Male	433	10	1	1	11	7	7	20	56	110	116	94	-
Female	346	11	-	-	3	4	4	9	19	57	106	133	-
All other	8	-	-	-	1	2	-	2	-	-	2	1	-
Male	7	-	-	-	1	1	-	2	-	-	2	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	4	-	-	-	1	1	-	1	-	-	-	1	-
Male	3	-	-	-	1	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Grand Rapids, Mich	4,733	103	22	24	92	97	119	228	593	983	1,303	1,168	1
Male	2,344	65	10	13	72	73	68	132	358	562	632	358	1
Female	2,389	38	12	11	20	24	51	96	235	421	671	810	-
White	4,467	83	18	20	84	85	98	197	549	934	1,258	1,140	1
Male	2,199	52	8	11	66	65	55	119	331	530	611	350	1
Female	2,268	31	10	9	18	20	43	78	218	404	647	790	-
All other	266	20	4	4	8	12	21	31	44	49	45	28	-
Male	145	13	2	2	6	8	13	13	27	32	21	8	-
Female	121	7	2	2	2	4	8	18	17	17	24	20	-
Black	245	19	4	3	6	9	20	25	42	46	45	26	-
Male	130	13	2	1	4	6	12	8	26	30	21	7	-
Female	115	6	2	2	2	3	8	17	16	16	24	19	-
Great Falls, Mont	645	13	1	3	15	16	18	30	81	152	177	139	-
Male	356	9	1	2	11	13	8	15	50	96	92	59	-
Female	289	4	-	1	4	3	10	15	31	56	85	80	-
White	629	12	1	3	12	13	17	30	79	148	176	138	-
Male	344	9	1	2	8	11	7	15	50	92	91	58	-
Female	285	3	-	1	4	2	10	15	29	56	85	80	-
All other	16	1	-	-	3	3	1	-	2	4	1	1	-
Male	12	-	-	-	3	2	1	-	-	4	1	1	-
Female	4	1	-	-	-	1	-	-	2	-	-	-	-
Black	3	-	-	-	1	1	-	-	-	1	-	-	-
Male	3	-	-	-	1	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley, Colo	843	17	3	6	27	27	34	32	105	175	231	186	-
Male	459	12	2	3	25	22	16	18	68	105	128	61	-
Female	384	5	1	3	2	5	18	14	39	70	102	125	-
White	835	16	3	6	27	27	34	32	104	172	230	184	-
Male	457	12	2	3	25	22	16	18	66	103	129	61	-
Female	378	4	1	3	2	5	18	14	38	69	101	123	-
All other	8	1	-	-	-	-	-	-	1	3	1	2	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	6	1	-	-	-	-	-	-	1	1	1	2	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Green Bay, Wis	1,259	28	1	7	23	26	31	58	158	269	353	305	-
Male	674	16	1	3	20	19	21	31	108	161	188	106	-
Female	585	12	-	4	3	7	10	27	50	108	165	199	-
White	1,240	27	1	7	22	26	28	53	153	268	352	303	-
Male	663	16	1	3	19	19	20	28	105	160	188	104	-
Female	577	11	-	4	3	7	8	25	48	108	164	199	-
All other	19	1	-	-	1	-	3	5	5	1	1	2	-
Male	11	-	-	-	1	-	1	3	3	1	-	2	-
Female	8	1	-	-	-	-	2	2	2	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro--Winston-Salem--High Point, N.C	7,479	150	28	23	163	192	279	478	1,103	1,756	1,964	1,343	-
Male	3,946	89	12	13	121	140	172	310	715	1,018	921	435	-
Female	3,533	61	16	10	42	52	107	168	388	738	1,043	908	-
White	5,942	90	21	20	123	128	167	335	843	1,432	1,608	1,177	-
Male	3,150	58	8	11	91	94	106	224	559	851	765	384	-
Female	2,792	32	13	9	32	32	61	111	285	581	843	793	-
All other	1,537	60	7	3	40	66	112	143	260	324	356	166	-
Male	796	31	4	2	30	46	66	86	157	167	156	51	-
Female	741	29	3	1	10	20	46	57	103	157	200	115	-
Black	1,526	60	7	3	38	66	111	140	258	321	356	166	-
Male	790	31	4	2	29	46	66	85	155	165	156	51	-
Female	736	29	3	1	9	20	45	55	103	156	200	115	-
Greenville-Spartanburg, S.C	5,063	99	21	16	122	137	182	351	763	1,226	1,304	842	-
Male	2,728	58	12	12	90	100	120	221	482	738	633	262	-
Female	2,335	41	9	4	32	37	62	130	281	488	671	580	-
White	4,155	66	14	12	103	101	115	266	601	999	1,115	763	-
Male	2,243	41	9	10	76	75	81	166	401	611	544	229	-
Female	1,912	25	5	2	27	26	34	100	200	388	571	534	-
All other	908	33	7	4	19	36	67	85	162	227	189	79	-
Male	485	17	3	2	14	25	39	55	81	127	89	33	-
Female	423	16	4	2	5	11	28	30	81	100	100	46	-
Black	903	32	7	3	19	36	67	85	160	226	189	79	-
Male	482	16	3	1	14	25	39	55	81	126	89	33	-
Female	421	16	4	2	5	11	28	30	79	100	100	46	-
Hagerstown, Md	1,059	9	3	7	15	15	30	51	157	261	286	224	1
Male	548	6	3	3	9	10	21	37	108	156	127	67	1
Female	511	3	-	4	6	5	9	14	49	105	159	157	-
White	1,040	9	2	7	15	15	29	50	155	253	284	221	-
Male	536	6	2	3	9	10	20	36	106	152	126	66	-
Female	504	3	-	4	6	5	9	14	49	101	158	155	-
All other	19	-	1	-	-	-	1	1	2	8	2	3	1
Male	12	-	1	-	-	-	1	1	2	4	1	1	1
Female	7	-	-	-	-	-	-	-	-	4	1	2	-
Black	19	-	1	-	-	-	1	1	2	8	2	3	1
Male	12	-	1	-	-	-	1	1	2	4	1	1	1
Female	7	-	-	-	-	-	-	-	-	4	1	2	-
Hamilton-Middletown, Ohio	2,183	40	10	8	41	60	63	134	325	506	555	441	-
Male	1,120	21	7	4	32	41	41	85	188	290	258	153	-
Female	1,063	19	3	4	9	19	22	49	137	216	297	288	-
White	2,063	33	10	6	40	56	58	130	299	477	532	422	-
Male	1,060	18	7	3	31	39	38	83	173	274	250	144	-
Female	1,003	15	3	3	9	17	20	47	126	203	282	278	-
All other	120	7	-	2	1	4	5	4	26	29	23	19	-
Male	60	3	-	1	1	2	3	2	15	16	8	9	-
Female	60	4	-	1	-	2	2	2	11	13	15	10	-
Black	118	7	-	2	1	4	5	4	25	29	22	19	-
Male	59	3	-	1	1	2	3	2	14	16	8	9	-
Female	59	4	-	1	-	2	2	2	11	13	14	10	-
Harrisburg, Pa	4,315	60	5	8	52	80	104	192	622	1,060	1,225	904	3
Male	2,190	31	2	3	38	53	69	116	390	609	594	282	3
Female	2,125	29	3	5	14	27	35	76	232	451	631	622	-
White	4,012	49	5	5	48	62	89	165	561	986	1,173	866	3
Male	2,021	27	2	2	34	41	62	95	350	567	572	266	3
Female	1,991	22	3	3	14	21	27	70	211	419	601	600	-
All other	303	11	-	3	4	18	15	27	61	74	52	38	-
Male	169	4	-	1	4	12	7	21	40	42	22	16	-
Female	134	7	-	2	-	6	8	6	21	32	30	22	-
Black	297	11	-	3	2	18	15	27	60	72	51	38	-
Male	166	4	-	1	2	12	7	21	39	42	22	16	-
Female	131	7	-	2	-	6	8	6	21	30	29	22	-
Hartford-New Britain-Bristol, Conn	9,237	139	24	36	141	190	248	441	1,207	2,136	2,484	2,190	1
Male	4,641	69	10	21	100	135	154	276	746	1,249	1,192	688	1
Female	4,596	70	14	15	41	55	94	165	461	887	1,292	1,502	-
White	8,644	103	19	26	124	165	201	367	1,093	2,017	2,406	2,122	1
Male	4,310	48	8	15	90	116	123	236	674	1,175	1,156	668	1
Female	4,334	55	11	11	34	49	78	131	419	842	1,250	1,454	-
All other	593	36	5	10	17	25	47	74	114	119	78	68	-
Male	331	21	2	6	10	19	31	40	72	74	38	20	-
Female	262	15	3	4	7	6	16	34	42	45	42	48	-
Black	569	35	4	10	16	22	42	73	111	115	78	65	-
Male	319	20	1	6	9	17	27	40	72	72	38	19	-
Female	250	15	3	4	7	5	15	33	39	43	40	46	-
Hickory, N.C	1,132	18	6	3	25	33	43	89	166	264	308	177	-
Male	616	11	6	2	19	24	29	54	111	160	141	59	-
Female	516	7	-	1	6	9	14	35	55	104	167	118	-
White	1,043	15	6	3	21	26	38	79	153	244	290	168	-
Male	567	9	6	2	16	20	26	51	105	148	132	52	-
Female	476	6	-	1	5	6	12	28	48	96	158	116	-
All other	89	3	-	-	4	7	5	10	13	20	18	9	-
Male	49	2	-	-	3	4	3	3	6	12	9	7	-
Female	40	1	-	-	1	3	2	7	7	8	9	2	-
Black	88	3	-	-	3	7	5	10	13	20	18	9	-
Male	48	2	-	-	2	4	3	3	6	12	9	7	-
Female	40	1	-	-	1	3	2	7	7	8	9	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Honolulu, Hawaii	4,304	143	22	22	103	142	175	261	676	997	1,000	763	-
Male	2,460	89	14	16	72	105	109	170	405	621	555	304	-
Female	1,844	54	8	6	31	37	66	91	271	376	445	459	-
White	1,333	30	5	2	36	54	61	60	194	340	342	209	-
Male	754	20	2	2	28	39	38	43	129	200	177	76	-
Female	579	10	3	-	8	15	23	17	65	140	165	133	-
All other	2,971	113	17	20	67	88	114	201	482	657	658	554	-
Male	1,706	69	12	14	44	66	71	127	276	421	378	228	-
Female	1,265	44	5	6	23	22	43	74	206	236	280	326	-
Black	49	10	1	1	2	8	8	1	7	7	3	1	-
Male	36	6	1	1	2	7	7	1	4	6	-	1	-
Female	13	4	-	-	-	1	1	-	3	1	3	-	-
Houston, Tex	19,171	617	145	123	612	1,109	1,134	1,548	3,085	3,971	4,222	2,603	2
Male	10,696	334	87	74	472	875	787	991	1,824	2,289	1,991	860	2
Female	8,475	283	58	49	140	234	347	557	1,161	1,672	2,231	1,743	-
White	14,789	404	107	90	471	806	815	1,086	2,341	3,106	3,396	2,166	1
Male	8,193	223	64	53	363	648	578	705	1,481	1,805	1,583	689	1
Female	6,596	181	43	37	108	158	237	381	860	1,301	1,813	1,477	-
All other	4,382	213	38	33	141	303	319	462	744	865	826	437	1
Male	2,503	111	23	21	109	227	209	286	443	494	408	171	1
Female	1,879	102	15	12	32	76	110	176	301	371	418	266	-
Black	4,194	200	35	32	132	285	291	442	720	833	803	420	1
Male	2,388	104	21	20	102	213	193	273	430	477	389	165	1
Female	1,806	96	14	12	30	72	98	169	290	356	414	255	-
Huntington-Ashland, W. Va.-Ky.-Ohio	3,078	47	6	7	33	59	72	179	460	730	869	616	-
Male	1,597	28	4	4	22	39	44	122	284	415	417	218	-
Female	1,481	19	2	3	11	20	28	57	176	315	452	398	-
White	2,990	45	6	7	33	58	69	176	449	710	840	597	-
Male	1,560	26	4	4	22	39	42	120	280	407	405	211	-
Female	1,430	19	2	3	11	19	27	56	169	303	435	386	-
All other	88	2	-	-	-	1	3	3	11	20	29	19	-
Male	37	2	-	-	-	-	2	2	4	8	12	7	-
Female	51	-	-	-	-	1	1	1	7	12	17	12	-
Black	88	2	-	-	-	1	3	3	11	20	29	19	-
Male	37	2	-	-	-	-	2	2	4	8	12	7	-
Female	51	-	-	-	-	1	1	1	7	12	17	12	-
Huntsville, Ala	2,585	54	16	14	82	73	97	194	382	604	686	383	-
Male	1,464	31	8	9	65	54	68	128	255	374	339	133	-
Female	1,121	23	8	5	17	19	29	66	127	230	347	250	-
White	2,270	36	14	10	68	64	75	171	343	535	617	337	-
Male	1,289	24	6	7	54	46	56	112	230	332	309	113	-
Female	981	12	8	3	14	18	19	59	113	203	308	224	-
All other	315	18	2	4	14	9	22	23	39	69	69	46	-
Male	175	7	2	2	11	6	12	16	25	42	30	20	-
Female	140	11	-	2	3	1	10	7	14	27	39	26	-
Black	312	18	2	4	14	9	22	23	37	68	69	46	-
Male	173	7	2	2	11	6	12	16	24	41	30	20	-
Female	139	11	-	2	3	1	10	7	13	27	39	26	-
Indianapolis, Ind	10,243	256	44	46	184	240	318	602	1,526	2,306	2,670	2,051	-
Male	5,282	153	29	27	141	177	206	372	927	1,292	1,290	668	-
Female	4,961	103	15	19	43	63	112	230	599	1,014	1,380	1,383	-
White	8,718	169	29	35	143	160	250	486	1,268	1,959	2,359	1,840	-
Male	4,436	104	20	22	108	131	162	299	769	1,114	1,124	583	-
Female	4,282	65	9	13	35	49	88	187	499	845	1,235	1,257	-
All other	1,525	87	15	11	41	80	68	116	258	347	311	211	-
Male	846	49	9	5	33	46	44	73	158	178	166	85	-
Female	679	38	6	6	8	14	24	43	100	169	145	126	-
Black	1,508	86	15	9	39	60	66	116	256	342	310	209	-
Male	835	48	9	5	32	46	43	73	156	175	165	83	-
Female	673	38	6	4	7	14	23	43	100	167	145	126	-
Iowa City, Iowa	445	7	4	-	13	11	12	25	36	83	123	131	-
Male	220	5	4	-	7	7	9	18	26	48	55	41	-
Female	225	2	-	-	6	4	3	7	10	35	68	90	-
White	441	7	4	-	13	10	12	24	36	82	123	130	-
Male	218	5	4	-	7	6	9	17	26	48	55	41	-
Female	223	2	-	-	6	4	3	7	10	34	68	89	-
All other	4	-	-	-	-	1	-	1	-	1	-	1	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Jackson, Mich	1,319	35	3	4	20	27	46	68	159	299	382	275	1
Male	679	23	2	3	16	21	36	44	95	173	187	78	1
Female	640	12	1	1	4	6	10	24	64	126	195	197	-
White	1,236	33	2	4	16	21	40	59	144	278	372	266	1
Male	630	22	2	3	15	17	30	39	85	157	185	74	1
Female	606	11	-	1	1	4	10	20	59	121	187	192	-
All other	83	2	1	-	4	6	6	9	15	21	10	9	-
Male	49	1	-	-	1	4	6	5	10	16	2	4	-
Female	34	1	1	-	3	2	-	4	5	5	8	5	-
Black	83	2	1	-	4	6	6	9	15	21	10	9	-
Male	49	1	-	-	1	4	6	5	10	16	2	4	-
Female	34	1	1	-	3	2	-	4	5	5	8	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Miss	2,638	57	10	12	51	95	103	172	416	608	646	465	3
Male	1,404	34	6	7	38	75	71	107	273	336	321	134	2
Female	1,234	23	4	5	13	20	32	65	143	272	325	331	1
White	1,559	17	3	5	31	41	54	85	241	372	407	303	-
Male	826	10	2	4	23	35	40	54	161	217	208	72	-
Female	733	7	1	1	8	6	14	31	80	155	199	231	-
All other	1,079	40	7	7	20	54	49	87	175	236	239	162	3
Male	578	24	4	3	15	40	31	53	112	119	113	82	2
Female	501	16	3	4	5	14	18	34	63	117	126	100	1
Black	1,077	40	7	7	20	54	49	86	175	236	238	162	3
Male	578	24	4	3	15	40	31	52	112	119	112	82	2
Female	501	16	3	4	5	14	18	34	63	117	126	100	1
Jacksonville, Fla	7,773	199	41	43	195	228	291	527	1,233	1,844	1,985	1,184	3
Male	4,174	115	24	30	145	166	190	329	737	1,078	978	381	1
Female	3,599	84	17	13	50	62	101	198	496	766	1,007	803	2
White	5,957	116	25	32	144	152	201	373	901	1,425	1,584	1,004	-
Male	3,205	63	14	26	109	108	135	242	537	857	784	330	-
Female	2,752	53	11	6	35	44	66	131	364	568	800	674	-
All other	1,816	83	16	11	51	76	90	154	332	419	401	180	3
Male	969	52	10	4	36	58	55	87	200	221	194	51	1
Female	847	31	6	7	15	18	35	67	132	198	207	129	2
Black	1,802	83	16	11	50	75	88	152	330	418	398	178	3
Male	966	52	10	4	36	58	55	86	199	221	194	50	1
Female	836	31	6	7	14	17	33	66	131	197	204	128	2
Jacksonville, N.C	542	45	6	6	35	22	30	45	104	109	90	50	-
Male	305	21	5	5	29	16	19	28	62	59	40	21	-
Female	237	24	1	1	6	6	11	17	42	50	50	29	-
White	430	34	5	3	25	16	23	33	78	94	74	45	-
Male	234	19	4	3	20	10	14	21	43	48	32	20	-
Female	196	15	1	-	5	6	9	12	35	46	42	25	-
All other	112	11	1	3	10	6	7	12	26	15	16	5	-
Male	71	2	1	2	9	6	5	7	19	11	8	1	-
Female	41	9	-	1	1	-	2	5	7	4	8	4	-
Black	111	11	1	3	10	6	6	12	26	15	16	5	-
Male	71	2	1	2	9	6	5	7	19	11	8	1	-
Female	40	9	-	1	1	-	1	5	7	4	8	4	-
Janesville-Beloit, Wis	1,250	29	3	2	16	20	27	74	156	250	377	296	-
Male	651	18	1	2	13	14	20	48	103	131	206	97	-
Female	599	11	2	-	3	6	7	26	53	119	171	199	-
White	1,202	26	1	2	13	16	24	70	146	242	370	292	-
Male	623	17	-	2	10	11	20	44	96	125	202	96	-
Female	579	9	1	-	3	5	4	26	50	117	168	196	-
All other	48	3	2	-	3	4	3	4	10	8	7	4	-
Male	28	1	1	-	3	3	-	2	7	6	4	1	-
Female	20	2	1	-	-	1	3	2	3	2	3	3	-
Black	46	3	2	-	2	4	2	4	10	8	7	4	-
Male	27	1	1	-	2	3	-	2	7	6	4	1	-
Female	19	2	1	-	-	1	2	2	3	2	3	3	-
Jersey City, N.J	5,731	106	14	16	77	252	271	327	801	1,354	1,539	965	9
Male	2,982	65	10	11	58	198	180	190	498	737	707	322	8
Female	2,749	41	4	5	21	54	91	137	303	617	832	643	1
White	5,050	84	12	13	56	168	185	249	703	1,232	1,434	917	7
Male	2,575	39	10	8	41	140	130	142	435	671	652	300	7
Female	2,475	25	2	5	15	28	65	107	268	561	782	617	-
All other	681	42	2	3	21	84	76	78	98	122	105	48	2
Male	407	26	-	3	15	58	50	48	63	66	55	22	1
Female	274	16	2	-	6	26	26	30	35	56	50	26	1
Black	632	38	2	3	20	81	74	75	91	107	93	48	2
Male	374	23	-	3	15	56	50	46	60	53	46	21	1
Female	258	15	2	-	5	25	24	29	31	54	47	25	1
Johnson City-Kingsport-Bristol, Tenn.-Va	4,222	52	10	20	83	79	120	240	623	884	1,227	783	1
Male	2,289	28	3	17	55	57	72	143	400	593	633	287	1
Female	1,933	24	7	3	28	22	48	97	223	291	594	496	-
White	4,111	50	10	20	81	77	115	230	607	955	1,199	766	1
Male	2,224	28	3	17	53	55	69	137	391	573	621	276	1
Female	1,887	22	7	3	28	22	46	93	216	382	578	490	-
All other	111	2	-	-	2	2	5	10	16	29	28	17	-
Male	65	-	-	-	2	2	3	6	9	20	12	11	-
Female	46	2	-	-	-	-	2	4	7	9	16	6	-
Black	107	1	-	-	-	2	5	9	16	29	28	17	-
Male	63	-	-	-	-	2	3	6	9	20	12	11	-
Female	44	1	-	-	-	-	2	3	7	9	16	6	-
Johnstown, Pa	2,817	25	5	11	32	32	58	110	384	803	767	590	-
Male	1,487	15	3	7	23	22	41	62	236	481	399	198	-
Female	1,330	10	2	4	9	10	17	48	148	322	368	392	-
White	2,776	23	5	11	28	31	56	105	377	795	759	586	-
Male	1,464	14	3	7	20	21	40	58	232	477	394	198	-
Female	1,312	9	2	4	8	10	16	47	145	318	365	388	-
All other	41	2	-	-	4	1	2	5	7	8	8	4	-
Male	23	1	-	-	3	1	1	4	4	4	5	-	-
Female	18	1	-	-	1	-	1	1	3	4	3	4	-
Black	40	2	-	-	4	1	2	5	7	8	7	4	-
Male	22	1	-	-	3	1	1	4	4	4	4	-	-
Female	18	1	-	-	1	-	1	1	3	4	3	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, Mo	1,457	17	6	7	28	32	32	82	158	315	447	333	-
Male	730	9	2	4	16	23	17	51	91	178	227	112	-
Female	727	8	4	3	12	9	15	31	67	137	220	221	-
White	1,437	17	6	7	28	30	32	82	154	309	443	329	-
Male	716	9	2	4	16	21	17	51	89	173	224	110	-
Female	721	8	4	3	12	9	15	31	65	136	219	219	-
All other	20	-	-	-	-	2	-	-	4	6	4	4	-
Male	14	-	-	-	-	2	-	-	2	5	3	2	-
Female	6	-	-	-	-	-	-	-	2	1	1	2	-
Black	12	-	-	-	-	1	-	-	1	4	4	2	-
Male	8	-	-	-	-	1	-	-	-	3	3	1	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
Kalamazoo-Portage, Mich	2,300	62	10	9	44	53	63	83	274	513	632	556	1
Male	1,160	38	7	6	35	36	40	45	176	300	287	189	1
Female	1,140	24	3	3	9	17	23	38	98	213	345	367	-
White	2,132	44	3	7	39	48	58	75	245	487	594	531	1
Male	1,068	26	1	5	31	33	35	40	161	286	269	180	1
Female	1,064	18	2	2	8	15	23	35	84	201	325	351	-
All other	168	18	7	2	5	5	5	8	29	26	38	25	-
Male	92	12	6	1	4	3	5	5	15	14	18	9	-
Female	76	6	1	1	1	2	-	3	14	12	20	16	-
Black	163	16	7	2	5	5	5	8	28	26	37	24	-
Male	88	10	6	1	4	3	5	5	15	14	17	8	-
Female	75	6	1	1	1	2	-	3	13	12	20	16	-
Kankakee, Ill	926	28	3	7	10	19	29	46	130	222	251	181	-
Male	498	10	1	5	8	13	16	30	75	136	142	62	-
Female	428	18	2	2	2	6	13	16	55	86	109	119	-
White	788	15	1	6	6	10	24	39	106	190	227	164	-
Male	429	6	1	5	5	6	15	26	61	115	133	56	-
Female	359	9	-	1	1	4	9	13	45	75	94	108	-
All other	138	13	2	1	4	9	5	7	24	32	24	17	-
Male	69	4	-	-	3	7	1	4	14	21	9	6	-
Female	69	9	2	1	1	2	4	3	10	11	15	11	-
Black	135	13	2	1	4	9	5	6	24	32	23	16	-
Male	67	4	-	-	3	7	1	3	14	21	8	6	-
Female	68	9	2	1	1	2	4	3	10	11	15	10	-
Kansas City, Mo.-Kans	11,509	251	39	48	220	323	362	651	1,601	2,552	3,016	2,442	4
Male	5,917	153	20	29	164	226	234	408	988	1,499	1,408	786	2
Female	5,592	98	19	19	56	97	128	243	613	1,053	1,608	1,656	2
White	9,866	169	31	35	162	236	269	514	1,338	2,217	2,693	2,199	3
Male	5,003	103	15	21	118	169	173	333	846	1,306	1,253	665	1
Female	4,863	66	16	14	44	67	96	181	492	911	1,440	1,534	2
All other	1,643	82	8	13	58	87	93	137	263	335	323	243	1
Male	914	50	5	8	46	57	61	75	142	193	155	121	1
Female	729	32	3	5	12	30	32	62	121	142	168	122	-
Black	1,616	80	8	13	57	84	92	134	258	328	320	241	1
Male	900	49	5	8	45	55	61	74	140	189	153	120	1
Female	716	31	3	5	12	29	31	60	118	139	167	121	-
Kenosha, Wis	1,051	17	4	2	19	23	26	56	127	240	290	247	-
Male	525	12	3	1	14	17	17	34	76	138	130	83	-
Female	526	5	1	1	5	6	9	22	51	102	160	164	-
White	1,022	15	3	1	19	23	24	51	121	235	285	245	-
Male	504	10	2	-	14	17	17	30	71	134	127	82	-
Female	518	5	1	1	5	6	7	21	50	101	158	163	-
All other	29	2	1	1	-	-	2	5	6	5	5	2	-
Male	21	2	1	1	-	-	-	4	5	4	3	1	-
Female	8	-	-	-	-	-	2	1	1	1	2	1	-
Black	24	2	1	1	-	-	2	3	4	5	5	1	-
Male	17	2	1	1	-	-	-	3	3	4	3	-	-
Female	7	-	-	-	-	-	2	-	1	1	2	1	-
Killeen-Temple, Tex	1,414	55	9	11	62	55	44	99	192	295	311	281	-
Male	783	32	6	6	45	42	29	60	116	199	156	92	-
Female	631	23	3	5	17	13	15	39	76	96	155	189	-
White	1,263	41	5	5	50	38	37	88	173	274	287	265	-
Male	693	24	4	2	35	30	25	53	103	185	146	86	-
Female	570	17	1	3	15	8	12	35	70	89	141	179	-
All other	151	14	4	6	12	17	7	11	19	21	24	16	-
Male	90	8	2	4	10	12	4	7	13	14	10	6	-
Female	61	6	2	2	2	5	3	4	6	7	14	10	-
Black	142	14	4	6	10	17	6	9	19	21	20	16	-
Male	84	8	2	4	9	12	4	6	13	14	6	6	-
Female	58	6	2	2	1	5	2	3	6	7	14	10	-
Knoxville, Tenn	4,542	57	9	20	111	105	136	271	621	1,104	1,312	796	-
Male	2,347	35	6	14	87	64	91	159	396	640	602	253	-
Female	2,195	22	3	6	24	41	45	112	225	464	710	543	-
White	4,182	53	7	15	104	93	120	244	568	1,009	1,217	752	-
Male	2,149	31	5	10	80	55	78	142	383	587	561	237	-
Female	2,033	22	2	5	24	38	42	102	205	422	656	515	-
All other	360	4	2	5	7	12	16	27	53	95	95	44	-
Male	198	4	1	4	7	9	13	17	33	53	41	16	-
Female	162	-	1	1	-	3	3	10	20	42	54	28	-
Black	352	4	2	4	7	11	15	26	52	93	94	44	-
Male	194	4	1	3	7	9	13	16	33	51	41	16	-
Female	158	-	1	1	-	2	2	10	19	42	53	28	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	947	12	5	3	20	14	38	62	143	223	230	197	-
Male	496	4	3	3	15	7	30	45	94	139	110	46	-
Female	451	8	2	-	5	7	8	17	49	84	120	151	-
White	916	11	4	3	20	14	34	59	137	216	226	192	-
Male	477	4	3	3	15	7	26	42	90	134	108	45	-
Female	439	7	1	-	5	7	8	17	47	82	118	147	-
All other	31	1	1	-	-	-	4	3	6	7	4	5	-
Male	19	-	-	-	-	-	4	3	4	5	2	1	-
Female	12	1	1	-	-	-	-	-	2	2	2	4	-
Black	31	1	1	-	-	-	4	3	6	7	4	5	-
Male	19	-	-	-	-	-	4	3	4	5	2	1	-
Female	12	1	1	-	-	-	-	-	2	2	2	4	-
La Crosse, Wis	805	13	1	4	10	10	16	29	62	164	261	235	-
Male	407	8	-	2	7	5	10	18	46	100	133	78	-
Female	398	5	1	2	3	5	6	11	16	64	128	157	-
White	801	12	1	4	9	10	16	27	62	164	261	235	-
Male	406	7	-	2	7	5	10	18	46	100	133	78	-
Female	395	5	1	2	2	5	6	9	16	64	128	157	-
All other	4	1	-	-	1	-	-	2	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	2	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	922	46	5	2	24	38	40	67	138	203	231	130	-
Male	480	26	2	1	16	22	29	42	84	108	111	41	-
Female	442	20	3	1	8	14	11	25	54	97	120	89	-
White	683	24	2	2	17	19	21	47	98	158	187	108	-
Male	348	9	1	1	11	14	16	29	62	83	90	32	-
Female	335	15	1	1	6	5	5	18	36	75	97	76	-
All other	239	22	3	-	7	17	19	20	40	45	44	22	-
Male	132	17	1	-	5	8	13	13	22	23	21	9	-
Female	107	5	2	-	2	9	6	7	18	22	23	13	-
Black	239	22	3	-	7	17	19	20	40	45	44	22	-
Male	132	17	1	-	5	8	13	13	22	23	21	9	-
Female	107	5	2	-	2	9	6	7	18	22	23	13	-
Lafayette-West Lafayette, Ind	845	16	3	3	11	13	19	33	130	181	254	182	-
Male	428	7	-	2	9	7	14	20	78	113	122	56	-
Female	417	9	3	1	2	6	5	13	52	68	132	126	-
White	838	15	3	3	11	11	19	33	128	177	254	182	-
Male	423	7	-	2	9	6	14	20	77	110	122	56	-
Female	413	8	3	1	2	5	5	13	51	67	132	126	-
All other	9	1	-	-	-	2	-	-	2	4	-	-	-
Male	5	-	-	-	-	1	-	-	1	3	-	-	-
Female	4	1	-	-	-	1	-	-	1	1	-	-	-
Black	8	1	-	-	-	1	-	-	2	4	-	-	-
Male	4	-	-	-	-	-	-	-	1	3	-	-	-
Female	4	1	-	-	-	1	-	-	1	1	-	-	-
Lake Charles, La	1,358	41	13	8	43	47	52	72	209	341	333	199	-
Male	737	26	9	6	34	31	30	42	116	208	168	67	-
Female	621	15	4	2	9	16	22	30	93	133	165	132	-
White	1,030	26	10	4	29	29	37	52	154	263	261	165	-
Male	542	16	6	3	22	19	22	30	90	153	130	51	-
Female	488	10	4	1	7	10	15	22	64	110	131	114	-
All other	328	15	3	4	14	18	15	20	55	78	72	34	-
Male	195	10	3	3	12	12	8	12	26	55	38	16	-
Female	133	5	-	1	2	6	7	8	29	23	34	18	-
Black	327	15	3	4	14	17	15	20	55	78	72	34	-
Male	194	10	3	3	12	11	8	12	26	55	38	16	-
Female	133	5	-	1	2	6	7	8	29	23	34	18	-
Lakeland-Winter Haven, Fla	3,730	82	17	26	71	93	101	192	467	960	1,050	677	-
Male	2,097	49	11	10	52	68	69	121	311	592	549	265	-
Female	1,633	33	6	10	19	25	32	71	156	368	501	412	-
White	3,238	51	15	15	57	68	69	154	387	839	950	633	-
Male	1,828	28	10	6	46	54	50	101	259	525	502	247	-
Female	1,410	23	5	9	11	14	19	53	128	314	448	386	-
All other	492	31	2	5	14	25	32	38	80	121	100	44	-
Male	269	21	1	4	6	14	19	20	52	67	47	18	-
Female	223	10	1	1	8	11	13	18	28	54	53	26	-
Black	485	30	2	5	14	25	31	38	80	117	99	44	-
Male	266	20	1	4	6	14	19	20	52	66	46	18	-
Female	219	10	1	1	8	11	12	18	28	51	53	26	-
Lancaster, Pa	3,366	62	17	20	42	59	62	121	371	727	1,023	861	1
Male	1,661	38	9	14	30	40	40	82	201	429	476	301	1
Female	1,705	24	8	6	12	19	22	39	170	298	547	560	-
White	3,302	61	16	18	41	57	59	114	360	709	1,013	854	-
Male	1,625	37	9	13	29	38	38	78	197	417	471	298	-
Female	1,677	24	7	5	12	19	21	36	163	292	542	556	-
All other	64	1	1	2	1	2	3	7	11	18	10	7	1
Male	36	1	-	1	1	2	2	4	4	12	5	3	1
Female	28	-	1	1	-	-	1	3	7	6	5	4	-
Black	58	1	1	2	1	2	3	6	10	15	9	7	1
Male	31	1	-	1	1	2	2	3	4	9	4	3	1
Female	27	-	1	1	-	-	1	3	6	6	5	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing-East Lansing, Mich	3,128	72	13	15	58	83	98	189	379	656	856	709	-
Male	1,660	41	7	10	41	55	64	126	246	402	425	241	-
Female	1,468	31	6	5	17	28	34	61	133	254	431	468	-
White	2,997	67	9	14	53	74	91	177	361	620	835	696	-
Male	1,580	36	5	10	40	48	58	122	234	381	413	233	-
Female	1,417	31	4	4	13	26	33	55	127	239	422	463	-
All other	131	5	4	1	5	9	7	12	18	36	21	13	-
Male	80	5	2	-	1	7	6	6	12	21	12	8	-
Female	51	-	2	1	4	2	1	6	6	15	9	5	-
Black	123	5	4	1	5	7	7	10	18	34	20	12	-
Male	77	5	2	-	1	6	6	6	12	20	11	8	-
Female	46	-	2	1	4	1	1	4	6	14	9	4	-
Laredo, Tex	634	20	4	5	27	20	17	34	86	137	167	117	-
Male	329	8	4	4	22	16	9	16	51	78	86	35	-
Female	305	12	-	1	5	4	8	18	35	59	81	82	-
White	632	20	4	5	27	20	16	34	85	137	167	117	-
Male	328	8	4	4	22	16	8	16	51	78	86	35	-
Female	304	12	-	1	5	4	8	18	34	59	81	82	-
All other	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, N.Mex	664	13	6	5	36	33	23	47	79	153	169	100	-
Male	380	10	1	4	28	25	17	33	53	90	86	33	-
Female	284	3	5	1	8	8	6	14	26	63	83	67	-
White	643	10	5	3	35	32	22	46	74	148	168	100	-
Male	366	7	-	3	27	24	16	32	49	89	88	33	-
Female	277	3	5	-	8	8	6	14	25	59	82	67	-
All other	21	3	1	2	1	1	1	1	5	5	1	-	-
Male	14	3	1	1	1	1	1	1	4	1	-	-	-
Female	7	-	-	1	-	-	-	-	1	4	1	-	-
Black	17	2	1	2	1	1	-	1	4	4	1	-	-
Male	11	2	1	1	1	1	-	1	4	-	-	-	-
Female	6	-	-	1	-	-	-	-	-	4	1	-	-
Las Vegas, Nev	4,296	89	17	15	99	166	233	365	739	1,180	936	1 449	8
Male	2,506	52	8	10	68	121	160	233	485	723	486	154	6
Female	1,790	37	9	5	31	45	73	132	254	457	450	295	2
White	3,928	63	12	15	78	136	204	313	668	1,117	886	428	8
Male	2,287	38	6	10	52	99	143	199	440	687	460	147	6
Female	1,641	25	6	5	26	37	61	114	228	430	426	281	2
All other	368	26	5	-	21	30	29	52	71	63	50	21	-
Male	219	14	2	-	16	22	17	34	45	36	26	7	-
Female	149	12	3	-	5	8	12	18	26	27	24	14	-
Black	298	24	3	-	18	21	23	41	60	49	40	20	-
Male	183	12	1	-	15	18	14	29	39	28	20	7	-
Female	116	12	2	-	3	3	9	12	21	21	20	13	-
Lawrence, Kans	421	10	-	2	8	14	11	26	47	80	116	107	-
Male	214	7	-	2	4	11	5	20	29	40	62	34	-
Female	207	3	-	-	4	3	6	6	18	40	54	73	-
White	399	8	-	2	7	13	8	24	45	80	110	102	-
Male	202	5	-	2	4	10	3	18	28	40	59	33	-
Female	197	3	-	-	3	3	5	6	17	40	51	69	-
All other	22	2	-	-	1	1	3	2	2	-	6	5	-
Male	12	2	-	-	-	1	2	2	1	-	3	1	-
Female	10	-	-	-	1	-	1	-	1	-	3	4	-
Black	17	2	-	-	-	-	2	1	2	-	5	5	-
Male	8	2	-	-	-	-	1	1	1	-	2	1	-
Female	9	-	-	-	-	-	1	-	1	-	3	4	-
Lawton, Okla	661	23	4	2	18	28	22	66	88	144	157	109	-
Male	369	14	3	1	14	24	16	37	50	92	85	33	-
Female	292	9	1	1	4	4	6	29	38	52	72	76	-
White	561	13	4	1	14	22	17	49	72	130	137	102	-
Male	308	7	3	-	10	19	11	29	39	85	75	30	-
Female	253	6	1	1	4	3	6	20	33	45	62	72	-
All other	100	10	-	1	4	6	5	17	16	14	20	7	-
Male	61	7	-	1	4	5	5	8	11	7	10	3	-
Female	39	3	-	-	-	1	-	9	5	7	10	4	-
Black	82	9	-	1	3	5	5	15	14	12	14	4	-
Male	53	6	-	1	3	4	5	8	9	7	8	2	-
Female	29	3	-	-	-	1	-	7	5	5	6	2	-
Lewiston-Auburn, Maine	997	17	2	3	13	14	21	41	111	226	294	255	-
Male	459	9	1	3	6	9	13	28	67	119	127	77	-
Female	538	8	1	-	7	5	8	13	44	107	167	178	-
White	993	17	2	2	13	14	21	40	111	226	292	255	-
Male	455	9	1	2	6	9	13	27	67	119	125	77	-
Female	538	8	1	-	7	5	8	13	44	107	167	178	-
All other	4	-	-	1	-	-	-	1	-	-	2	-	-
Male	4	-	-	1	-	-	-	1	-	-	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	-	-	-	-	-	-	2	-	-
Male	3	-	-	1	-	-	-	-	-	-	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lexington-Fayette, Ky	2,645	44	5	14	55	60	101	140	415	609	679	522	1
Male	1,356	22	3	12	38	42	59	88	255	346	309	181	1
Female	1,289	22	2	2	17	18	42	52	160	263	370	341	-
White	2,198	28	4	12	48	44	85	112	340	504	570	450	1
Male	1,128	14	2	10	33	31	50	75	208	293	256	155	1
Female	1,070	14	2	2	15	13	35	37	132	211	314	295	-
All other	447	16	1	2	7	16	16	28	75	105	109	72	-
Male	228	8	1	2	5	11	9	13	47	53	53	26	-
Female	219	8	-	-	2	5	7	15	28	52	56	46	-
Black	445	16	1	2	7	16	16	28	74	105	108	72	-
Male	226	8	1	2	5	11	9	13	46	53	52	26	-
Female	219	8	-	-	2	5	7	15	28	52	56	46	-
Lima, Ohio	1,922	30	6	10	41	26	40	88	250	446	511	474	-
Male	995	20	3	4	26	19	24	55	158	266	247	173	-
Female	927	10	3	6	15	7	16	33	92	180	264	301	-
White	1,831	23	3	10	37	22	36	78	234	424	496	468	-
Male	941	15	1	4	26	15	22	46	147	253	242	170	-
Female	890	8	2	6	11	7	14	32	87	171	254	298	-
All other	91	7	3	-	4	4	4	10	16	22	15	6	-
Male	54	5	2	-	-	4	2	9	11	13	5	3	-
Female	37	2	1	-	4	-	2	1	5	9	10	3	-
Black	88	7	2	-	4	3	4	10	15	22	15	6	-
Male	51	5	1	-	-	3	2	9	10	13	5	3	-
Female	37	2	1	-	4	-	2	1	5	9	10	3	-
Lincoln, Nebr	1,418	30	8	3	28	30	39	57	178	290	396	359	-
Male	702	18	5	2	22	19	23	30	103	177	186	117	-
Female	716	12	3	1	6	11	16	27	75	113	210	242	-
White	1,383	24	6	2	28	27	38	55	172	285	391	355	-
Male	677	13	4	1	22	16	22	29	101	172	182	115	-
Female	706	11	2	1	6	11	16	26	71	113	209	240	-
All other	35	6	2	1	-	3	1	2	6	5	5	4	-
Male	25	5	1	1	-	3	1	1	2	5	4	2	-
Female	10	1	1	-	-	-	-	1	4	-	1	2	-
Black	26	3	2	1	-	3	1	-	5	3	5	3	-
Male	18	2	1	1	-	3	1	-	1	3	4	2	-
Female	8	1	1	-	-	-	-	-	4	-	1	1	-
Little Rock-North Little Rock, Ark	3,318	82	13	19	74	90	124	200	458	763	883	609	3
Male	1,734	46	8	12	59	58	74	133	284	453	401	205	1
Female	1,584	36	5	7	15	32	50	67	174	310	482	404	2
White	2,579	49	4	11	49	53	82	147	358	613	718	494	1
Male	1,319	25	2	6	38	34	45	100	217	371	320	161	-
Female	1,260	24	2	5	11	19	37	47	141	242	398	333	1
All other	739	33	9	8	25	37	42	53	100	150	165	115	2
Male	415	21	6	6	21	24	29	33	67	82	81	44	1
Female	324	12	3	2	4	13	13	20	33	68	84	71	1
Black	736	33	9	8	24	37	42	52	100	150	165	114	2
Male	413	21	6	6	21	24	29	32	67	82	81	43	1
Female	323	12	3	2	3	13	13	20	33	68	84	71	1
Long Branch-Asbury Park, N.J	5,020	66	5	14	53	99	137	235	715	1,138	1,474	1,082	2
Male	2,492	43	3	8	37	72	92	147	438	648	658	346	-
Female	2,528	23	2	6	16	27	45	88	277	490	816	736	2
White	4,572	47	4	13	47	80	106	193	634	1,046	1,375	1,026	1
Male	2,244	29	3	7	34	59	68	125	389	597	607	326	-
Female	2,328	18	1	6	13	21	38	68	245	449	768	700	1
All other	448	19	1	1	6	19	31	42	81	92	99	56	1
Male	248	14	-	1	3	13	24	22	49	51	51	20	-
Female	200	5	1	-	3	6	7	20	32	41	48	36	1
Black	432	19	1	1	6	18	30	41	79	90	95	51	1
Male	238	14	-	1	3	13	23	21	48	50	47	18	-
Female	194	5	1	-	3	5	7	20	31	40	48	33	1
Longview-Marshall, Tex	1,553	20	11	12	30	40	57	92	217	344	469	261	-
Male	821	10	4	6	18	33	37	57	141	180	239	96	-
Female	732	10	7	6	12	7	20	35	76	164	230	165	-
White	1,138	13	7	6	24	31	35	59	157	248	347	211	-
Male	598	7	3	3	15	28	24	34	102	133	176	73	-
Female	540	6	4	3	9	3	11	25	55	115	171	138	-
All other	415	7	4	6	6	9	22	33	60	96	122	50	-
Male	223	3	1	3	3	5	13	23	39	47	63	23	-
Female	192	4	3	3	3	4	9	10	21	49	59	27	-
Black	415	7	4	6	6	9	22	33	60	96	122	50	-
Male	223	3	1	3	3	5	13	23	39	47	63	23	-
Female	192	4	3	3	3	4	9	10	21	49	59	27	-
Lorain-Elyria, Ohio	2,084	38	7	6	38	59	61	127	315	505	530	398	-
Male	1,085	20	3	3	34	41	42	78	184	295	257	128	-
Female	999	18	4	3	4	18	19	49	131	210	273	270	-
White	1,935	30	6	5	36	53	54	111	298	472	499	373	-
Male	1,008	15	3	3	32	36	36	69	175	278	241	120	-
Female	927	15	3	2	4	17	18	42	121	194	258	253	-
All other	149	8	1	1	2	6	7	16	19	33	31	25	-
Male	77	5	-	-	2	5	6	9	9	17	16	8	-
Female	72	3	1	1	-	1	1	7	10	16	15	17	-
Black	145	7	1	1	2	4	7	16	18	33	31	25	-
Male	74	4	-	-	2	4	6	9	8	17	16	8	-
Female	71	3	1	1	-	-	1	7	10	16	15	17	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, Calif	62,940	1,530	296	287	1,591	2,609	2,917	3,976	8,482	13,283	15,356	12,459	154
Male	32,843	860	173	185	1,281	2,047	2,084	2,539	5,132	7,528	7,161	3,612	41
Female	30,097	670	123	102	310	562	833	1,437	3,350	5,755	8,195	8,647	113
White	51,987	1,018	201	209	1,136	1,960	2,145	2,961	6,643	11,035	13,298	11,247	134
Male	26,619	579	119	136	921	1,573	1,570	1,891	4,032	6,261	6,117	3,385	35
Female	25,368	439	82	73	215	387	575	1,070	2,611	4,774	7,181	7,862	99
All other	10,953	512	95	78	455	649	772	1,015	1,839	2,248	2,058	1,212	20
Male	6,224	281	54	49	360	474	514	648	1,100	1,267	1,044	427	6
Female	4,729	231	41	29	95	175	258	367	739	981	1,014	785	14
Black	8,585	438	73	53	390	554	638	819	1,492	1,720	1,501	876	15
Male	4,808	242	39	31	311	405	425	523	892	948	699	288	5
Female	3,757	194	34	22	79	149	211	296	600	772	802	588	10
Louisville, Ky.-Ind	8,270	110	16	24	132	202	262	507	1,273	1,968	2,227	1,549	-
Male	4,242	63	7	15	103	138	161	335	819	1,118	1,038	445	-
Female	4,028	47	9	9	29	64	101	172	454	850	1,189	1,104	-
White	7,127	87	12	18	105	157	211	421	1,069	1,700	1,947	1,400	-
Male	3,678	52	5	12	84	112	137	282	693	984	914	403	-
Female	3,449	35	7	6	21	45	74	139	376	716	1,033	997	-
All other	1,143	23	4	6	27	45	51	86	204	268	280	149	-
Male	564	11	2	3	19	26	24	53	126	134	124	42	-
Female	579	12	2	3	8	19	27	33	78	134	156	107	-
Black	1,136	23	4	6	24	45	51	85	204	267	278	149	-
Male	561	11	2	3	17	26	24	53	126	134	123	42	-
Female	575	12	2	3	7	19	27	32	78	133	155	107	-
Lubbock, Tex	1,463	60	15	7	34	45	45	81	224	303	414	235	-
Male	824	32	9	4	26	36	35	52	141	190	206	93	-
Female	639	28	6	3	8	9	10	29	83	113	208	142	-
White	1,329	46	11	7	30	36	36	75	198	277	391	222	-
Male	750	25	7	4	24	29	29	48	129	177	192	86	-
Female	579	21	4	3	6	7	7	27	69	100	199	136	-
All other	134	14	4	-	4	9	9	6	26	26	23	13	-
Male	74	7	2	-	2	7	6	4	12	13	14	7	-
Female	60	7	2	-	2	2	3	2	14	13	9	6	-
Black	132	14	4	-	4	9	9	6	25	25	23	13	-
Male	72	7	2	-	2	7	6	4	11	12	14	7	-
Female	60	7	2	-	2	2	3	2	14	13	9	6	-
Lynchburg, Va	1,470	19	5	4	24	32	43	81	207	352	407	296	-
Male	748	10	5	3	20	19	25	55	125	212	176	98	-
Female	722	9	-	1	4	13	18	26	82	140	231	198	-
White	1,143	12	3	3	20	23	28	58	152	275	330	239	-
Male	584	6	3	2	17	13	20	38	96	168	141	80	-
Female	559	6	-	1	3	10	8	20	56	107	189	159	-
All other	327	7	2	1	4	9	15	23	55	77	77	57	-
Male	164	4	2	1	3	6	5	17	29	44	35	18	-
Female	163	3	-	-	1	3	10	6	26	33	42	39	-
Black	327	7	2	1	4	9	15	23	55	77	77	57	-
Male	164	4	2	1	3	6	5	17	29	44	35	18	-
Female	163	3	-	-	1	3	10	6	26	33	42	39	-
Macon, Ga	2,260	50	14	14	45	53	103	176	357	555	544	349	-
Male	1,138	32	5	5	33	33	65	115	225	301	233	91	-
Female	1,122	18	9	9	12	20	38	61	132	254	311	258	-
White	1,460	18	7	9	26	18	56	100	233	366	382	244	-
Male	748	12	2	2	18	15	36	70	151	208	169	65	-
Female	712	6	5	7	8	4	20	30	82	158	213	179	-
All other	800	32	7	5	19	34	47	76	124	189	162	105	-
Male	390	20	3	3	15	18	29	45	74	93	64	26	-
Female	410	12	4	2	4	16	18	31	50	96	98	79	-
Black	799	32	7	5	19	34	47	75	124	189	162	105	-
Male	390	20	3	3	15	18	29	45	74	93	64	26	-
Female	409	12	4	2	4	16	18	30	50	96	98	79	-
Madison, Wis	2,099	40	9	9	52	52	71	88	237	402	561	578	-
Male	1,020	19	6	4	36	36	46	54	129	230	269	191	-
Female	1,079	21	3	5	16	16	25	34	108	172	292	387	-
White	2,078	36	9	9	51	50	70	86	236	400	556	575	-
Male	1,009	16	6	4	35	35	46	52	129	229	267	190	-
Female	1,069	20	3	5	16	15	24	34	107	171	289	385	-
All other	21	4	-	-	1	2	1	2	1	2	5	3	-
Male	11	3	-	-	1	1	-	2	-	1	2	1	-
Female	10	1	-	-	-	1	1	-	1	1	3	2	-
Black	12	3	-	-	-	1	1	-	-	1	4	2	-
Male	4	2	-	-	-	-	-	-	-	-	1	1	-
Female	8	1	-	-	-	1	1	-	-	1	3	1	-
Manchester-Nashua, N.H	2,405	50	4	9	34	40	72	120	290	530	699	556	1
Male	1,160	27	1	6	23	28	46	80	191	273	321	163	1
Female	1,245	23	3	3	11	12	26	40	99	257	378	393	-
White	2,396	49	3	9	33	40	71	119	287	529	699	556	1
Male	1,153	26	-	6	22	28	45	79	189	273	321	163	1
Female	1,243	23	3	3	11	12	26	40	98	256	378	393	-
All other	9	1	1	-	1	-	1	1	3	1	-	-	-
Male	7	1	1	-	1	-	1	1	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black	6	1	-	-	-	-	1	1	2	1	-	-	-
Male	5	1	-	-	-	-	1	1	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, Ohio	1,140	18	3	4	11	26	28	69	149	258	334	240	-
Male	588	10	2	4	7	17	19	44	97	153	161	74	-
Female	552	8	1	-	4	9	9	25	52	105	173	166	-
White	1,073	16	3	3	10	26	25	60	136	242	316	236	-
Male	550	9	2	3	6	17	17	40	90	142	152	72	-
Female	523	7	1	-	4	9	8	20	46	100	164	164	-
All other	67	2	-	1	1	-	3	9	13	16	18	4	-
Male	38	1	-	1	1	-	2	4	7	11	9	2	-
Female	29	1	-	-	-	-	1	5	6	5	9	2	-
Black	65	2	-	1	1	-	3	9	13	15	17	4	-
Male	38	1	-	1	1	-	2	4	7	11	9	2	-
Female	27	1	-	-	-	-	1	5	6	4	8	2	-
McAllen-Pharr-Edinburg, Tex	1,798	57	15	17	48	64	62	92	242	435	489	277	-
Male	1,033	32	10	11	36	55	36	52	154	254	276	117	-
Female	765	25	5	6	12	9	26	40	88	181	213	160	-
White	1,791	57	15	17	48	64	62	92	240	431	489	276	-
Male	1,028	32	10	11	36	55	36	52	152	251	276	117	-
Female	763	25	5	6	12	9	26	40	88	180	213	159	-
All other	7	-	-	-	-	-	-	-	2	4	-	1	-
Male	5	-	-	-	-	-	-	-	2	3	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black	5	-	-	-	-	-	-	-	2	3	-	-	-
Male	4	-	-	-	-	-	-	-	2	2	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Medford, Oreg	1,281	21	3	3	22	25	45	58	160	319	356	267	-
Male	721	11	2	1	17	20	32	39	102	198	193	106	-
Female	560	10	1	2	5	5	13	19	58	121	165	161	-
White	1,278	21	3	3	22	25	45	57	160	317	358	267	-
Male	720	11	2	1	17	20	32	39	102	197	193	106	-
Female	558	10	1	2	5	5	13	18	58	120	165	161	-
All other	3	-	-	-	-	-	-	1	-	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	3,058	36	8	7	56	89	78	168	478	846	830	461	1
Male	1,748	19	3	5	48	64	56	117	318	507	450	160	1
Female	1,310	17	5	2	8	25	22	51	160	339	380	301	-
White	2,857	29	4	7	45	76	59	147	446	808	788	445	1
Male	1,625	15	1	5	40	58	39	103	298	480	429	156	1
Female	1,232	14	3	2	5	20	20	44	148	328	359	289	-
All other	201	7	4	-	11	11	19	21	32	38	42	16	-
Male	123	4	2	-	8	6	17	14	20	27	21	4	-
Female	78	3	2	-	3	5	2	7	12	11	21	12	-
Black	193	7	4	-	11	10	14	21	31	37	42	16	-
Male	117	4	2	-	8	5	13	14	20	26	21	4	-
Female	76	3	2	-	3	5	1	7	11	11	21	12	-
Memphis, Tenn.-Ark.-Miss	8,338	225	33	43	203	277	390	525	1,197	1,925	2,129	1,380	11
Male	4,378	129	16	24	155	202	241	322	713	1,104	1,008	456	8
Female	3,960	96	17	19	48	75	149	203	484	821	1,121	924	3
White	4,633	69	13	22	98	108	168	246	631	1,123	1,252	900	3
Male	2,350	44	8	13	74	83	106	156	398	650	559	257	2
Female	2,283	25	5	9	24	25	62	90	233	473	693	643	1
All other	3,705	156	20	21	105	169	222	279	566	802	877	480	8
Male	2,028	85	8	11	81	119	135	168	315	454	449	199	6
Female	1,677	71	12	10	24	50	87	113	251	348	428	281	2
Black	3,683	152	20	20	104	166	219	278	566	797	873	479	8
Male	2,013	83	8	10	80	117	132	166	315	449	449	198	6
Female	1,670	69	12	10	24	49	87	113	251	348	424	281	2
Miami, Fla	17,304	314	75	61	288	599	655	994	2,001	3,422	5,210	3,676	9
Male	9,294	190	39	39	225	446	461	664	1,223	1,926	2,611	1,462	8
Female	8,010	124	36	22	63	153	194	330	778	1,496	2,599	2,214	1
White	14,676	143	33	30	190	339	403	703	1,553	2,929	4,831	3,514	8
Male	7,784	87	14	20	152	266	287	478	964	1,655	2,438	1,416	7
Female	6,892	56	19	10	38	73	116	225	589	1,274	2,393	2,098	1
All other	2,628	171	42	31	98	260	252	291	448	493	379	162	1
Male	1,510	103	25	19	73	180	174	186	259	271	173	46	1
Female	1,118	68	17	12	25	80	78	105	189	222	206	116	-
Black	2,589	169	42	31	97	255	250	285	444	489	370	156	1
Male	1,492	102	25	19	73	176	173	185	258	268	168	44	1
Female	1,097	67	17	12	24	79	77	100	186	221	202	112	-
Midland, Tex	604	20	7	6	12	24	25	44	105	126	139	96	-
Male	328	13	3	3	7	22	18	31	60	79	64	28	-
Female	276	7	4	3	5	2	7	13	45	47	75	68	-
White	545	19	7	6	12	22	21	39	90	114	128	87	-
Male	292	13	3	3	7	20	15	27	51	70	60	23	-
Female	253	6	4	3	5	2	6	12	39	44	68	64	-
All other	59	1	-	-	-	2	4	5	15	12	11	9	-
Male	36	-	-	-	-	2	3	4	9	9	4	5	-
Female	23	1	-	-	-	-	1	1	6	3	7	4	-
Black	58	1	-	-	-	2	3	5	15	12	11	9	-
Male	36	-	-	-	-	2	3	4	9	9	4	5	-
Female	22	1	-	-	-	-	-	1	6	3	7	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee, Wis	12,271	218	48	40	182	276	329	597	1,479	2,724	3,462	2,913	3
Male	6,127	132	28	22	131	204	196	341	921	1,578	1,655	917	2
Female	6,144	86	20	18	51	72	133	256	558	1,146	1,807	1,996	1
White	11,227	127	39	28	138	194	256	489	1,311	2,540	3,282	2,826	3
Male	5,534	77	19	15	109	142	148	285	818	1,472	1,569	884	2
Female	5,693	50	14	13	35	52	108	204	493	1,068	1,713	1,942	1
All other	1,044	91	15	12	44	82	73	108	168	184	180	87	-
Male	593	55	9	7	28	62	48	56	103	106	86	33	-
Female	451	36	6	5	16	20	25	52	65	78	94	54	-
Black	989	89	15	10	43	77	68	102	159	176	170	80	-
Male	558	53	9	5	28	58	44	53	96	101	81	30	-
Female	431	36	6	5	15	19	24	49	63	75	89	50	-
Minneapolis-St. Paul, Minn.-Wis	15,991	345	54	72	292	359	497	810	1,890	3,183	4,281	4,206	2
Male	7,950	199	32	46	196	250	322	484	1,151	1,892	2,026	1,350	2
Female	8,041	146	22	26	96	109	175	326	739	1,291	2,255	2,856	-
White	15,460	287	43	62	265	323	448	756	1,818	3,105	4,209	4,142	2
Male	7,636	168	24	38	178	228	286	446	1,109	1,842	1,988	1,325	2
Female	7,824	119	19	24	87	95	162	308	709	1,263	2,221	2,817	-
All other	531	58	11	10	27	36	49	54	72	78	72	64	-
Male	314	31	8	8	18	22	36	36	42	50	38	25	-
Female	217	27	3	2	9	14	13	18	30	28	34	39	-
Black	354	33	9	5	15	23	31	32	47	58	48	53	-
Male	214	16	6	4	11	16	25	24	29	38	25	20	-
Female	140	17	3	1	4	7	6	8	18	20	23	33	-
Mobile, Ala	4,197	110	18	19	92	119	158	246	679	989	1,116	650	1
Male	2,223	61	10	13	66	80	108	155	410	573	556	190	1
Female	1,974	49	8	6	26	39	50	91	269	416	560	460	-
White	2,935	47	9	12	62	66	88	171	456	706	809	509	-
Male	1,567	22	5	7	43	47	63	116	283	431	407	143	-
Female	1,368	25	4	5	19	19	25	55	173	275	402	366	-
All other	1,262	63	9	7	30	53	70	75	223	283	307	141	1
Male	656	39	5	6	23	33	45	39	127	142	149	47	1
Female	606	24	4	1	7	20	25	36	96	141	158	94	-
Black	1,253	62	9	7	29	52	70	75	223	282	304	139	1
Male	652	39	5	6	22	33	45	39	127	141	148	46	1
Female	601	23	4	1	7	19	25	36	96	141	156	93	-
Modesto, Calif	2,510	56	12	19	66	78	96	122	323	580	660	493	5
Male	1,334	33	4	13	51	52	66	66	208	321	344	176	-
Female	1,176	23	8	6	15	26	30	56	115	259	316	317	5
White	2,447	52	12	18	62	74	91	120	312	564	652	485	5
Male	1,289	30	4	12	47	50	61	65	201	310	338	171	-
Female	1,158	22	8	6	15	24	30	55	111	254	314	314	5
All other	63	4	-	1	4	4	5	2	11	16	8	8	-
Male	45	3	-	1	4	2	5	1	7	11	6	5	-
Female	18	1	-	-	-	2	-	1	4	5	2	3	-
Black	27	1	-	-	3	2	2	-	6	8	3	2	-
Male	19	1	-	-	3	1	2	-	4	4	2	2	-
Female	8	-	-	-	-	1	-	-	2	4	1	-	-
Monroe, La	1,225	39	8	12	26	23	33	67	180	276	371	190	-
Male	629	24	4	7	20	14	22	45	115	157	164	57	-
Female	596	15	4	5	6	9	11	22	65	119	207	133	-
White	862	13	5	8	18	11	19	43	133	193	279	140	-
Male	453	5	2	5	15	9	15	29	91	113	128	41	-
Female	409	8	3	3	3	2	4	14	42	80	151	99	-
All other	363	26	3	4	8	12	14	24	47	83	92	50	-
Male	176	19	2	2	5	5	7	16	24	44	36	16	-
Female	187	7	1	2	3	7	7	8	23	39	56	34	-
Black	362	26	3	4	8	12	14	24	46	83	92	50	-
Male	175	19	2	2	5	5	7	16	23	44	36	16	-
Female	187	7	1	2	3	7	7	8	23	39	56	34	-
Montgomery, Ala	2,470	71	19	18	55	73	72	166	339	575	651	429	-
Male	1,280	44	11	13	40	51	47	105	213	339	293	124	-
Female	1,190	27	8	5	15	22	25	63	126	236	358	305	-
White	1,573	22	7	10	32	34	39	98	223	381	421	306	-
Male	818	15	4	9	21	27	25	65	154	224	193	81	-
Female	755	7	3	1	11	7	14	33	69	157	228	225	-
All other	897	49	12	8	23	39	33	70	116	194	230	123	-
Male	462	29	7	4	19	24	22	40	59	115	100	43	-
Female	435	20	5	4	4	15	11	30	57	79	130	80	-
Black	896	48	12	8	23	39	33	70	116	194	230	123	-
Male	462	29	7	4	19	24	22	40	59	115	100	43	-
Female	434	19	5	4	4	15	11	30	57	79	130	80	-
Muncie, Ind	1,058	17	5	3	15	16	37	46	139	267	304	209	-
Male	552	9	3	3	13	13	23	32	91	160	154	51	-
Female	506	8	2	-	2	3	14	14	48	107	150	158	-
White	995	14	4	3	13	15	29	44	134	248	285	198	-
Male	515	8	3	3	11	12	18	32	86	147	146	47	-
Female	480	6	1	-	2	3	11	12	48	101	139	149	-
All other	63	3	1	-	2	1	8	2	5	19	9	13	-
Male	37	1	-	-	2	1	5	-	3	13	8	4	-
Female	26	2	1	-	-	-	3	2	2	6	1	9	-
Black	63	3	1	-	2	1	8	2	5	19	9	13	-
Male	37	1	-	-	2	1	5	-	3	13	8	4	-
Female	26	2	1	-	-	-	3	2	2	6	1	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Muskegon-Norton Shores-Muskegon Heights, Mich	1,590	29	6	11	21	31	42	76	191	380	467	336	-
Male	794	11	3	6	15	22	28	47	117	212	231	102	-
Female	796	18	3	5	6	9	14	29	74	168	236	234	-
White	1,432	21	6	5	17	24	32	67	164	341	434	321	-
Male	708	8	3	2	14	18	21	38	98	190	216	97	-
Female	726	13	3	3	3	5	11	29	66	151	218	224	-
All other	158	8	-	6	4	7	10	9	27	39	33	15	-
Male	88	3	-	4	1	3	7	9	19	22	15	5	-
Female	70	5	-	2	3	4	3	-	8	17	18	10	-
Black	150	8	-	6	4	7	10	8	27	36	29	15	-
Male	85	3	-	4	1	3	7	8	19	20	15	5	-
Female	65	5	-	2	3	4	3	-	8	16	14	10	-
Nashville-Davidson, Tenn	7,636	154	24	26	184	243	287	511	1,033	1,714	2,087	1,392	1
Male	4,023	84	14	17	140	184	195	309	672	1,031	958	418	1
Female	3,613	70	10	9	44	59	92	202	361	683	1,109	974	-
White	6,204	90	15	22	141	179	214	379	836	1,368	1,745	1,215	1
Male	3,261	50	8	14	106	139	150	235	557	836	806	359	1
Female	2,943	40	7	8	35	40	64	144	278	532	939	856	-
All other	1,432	64	9	4	43	64	73	132	198	346	322	177	-
Male	762	34	6	3	34	45	45	74	115	195	152	59	-
Female	670	30	3	1	9	19	28	58	83	151	170	118	-
Black	1,421	64	8	4	42	64	69	132	195	348	321	176	-
Male	756	34	5	3	34	45	44	74	113	195	151	59	-
Female	665	30	3	1	8	19	26	58	82	151	170	117	-
Nassau-Suffolk, N.Y	22,241	294	38	60	335	471	726	1,225	3,256	5,083	5,902	4,844	7
Male	11,127	175	22	33	243	330	473	722	1,954	2,936	2,752	1,482	5
Female	11,114	119	16	27	92	141	253	503	1,302	2,147	3,150	3,362	2
White	20,871	212	28	50	285	399	613	1,087	2,989	4,805	5,683	4,714	6
Male	10,375	124	14	28	207	284	401	646	1,802	2,782	2,642	1,441	4
Female	10,496	88	14	22	78	115	212	441	1,187	2,023	3,041	3,273	2
All other	1,370	82	10	10	50	72	113	138	267	278	219	130	1
Male	752	51	8	5	36	46	72	76	152	154	110	41	1
Female	618	31	2	5	14	26	41	62	115	124	109	89	-
Black	1,286	81	10	9	45	67	109	128	253	258	206	119	1
Male	702	50	8	5	33	43	70	70	144	138	103	37	1
Female	584	31	2	4	12	24	39	58	109	120	103	82	-
New Bedford-Fall River, Mass	4,552	53	8	12	58	67	108	204	535	1,107	1,345	1,055	-
Male	2,268	32	5	7	38	44	71	132	338	643	641	317	-
Female	2,284	21	3	5	20	23	37	72	197	464	704	738	-
White	4,441	47	6	12	54	66	99	198	513	1,086	1,324	1,036	-
Male	2,204	30	4	7	34	44	64	128	327	628	628	310	-
Female	2,237	17	2	5	20	22	35	70	186	458	696	726	-
All other	111	6	2	-	4	1	9	6	22	21	21	19	-
Male	64	2	1	-	4	-	7	4	11	15	13	7	-
Female	47	4	1	-	-	1	2	2	11	6	8	12	-
Black	101	6	2	-	2	1	8	5	21	20	18	18	-
Male	57	2	1	-	2	-	6	3	11	15	11	6	-
Female	44	4	1	-	-	1	2	2	10	5	7	12	-
New Brunswick-Perth Amboy-Sayreville, N.J	4,988	69	13	18	71	119	166	307	803	1,325	1,226	849	2
Male	2,681	42	9	11	54	89	112	196	497	775	602	274	-
Female	2,307	27	4	7	17	30	54	111	306	550	624	575	2
White	4,674	51	11	11	58	98	140	268	752	1,270	1,185	828	2
Male	2,495	30	8	5	44	73	94	170	470	752	588	281	-
Female	2,179	21	3	6	14	25	46	98	282	518	597	547	2
All other	294	18	2	7	13	21	26	39	51	55	41	21	-
Male	186	12	1	6	10	16	18	26	27	23	14	13	-
Female	128	6	1	1	3	5	8	13	24	32	27	8	-
Black	259	16	1	6	12	20	23	36	48	47	32	18	-
Male	151	10	1	5	9	16	17	23	26	21	11	12	-
Female	108	6	-	1	3	4	6	13	22	26	21	6	-
New Haven-Waterbury-Meriden, Conn	7,440	121	22	28	116	176	234	320	861	1,675	1,985	1,681	1
Male	3,780	62	14	18	89	117	169	199	545	1,099	924	544	-
Female	3,660	59	8	10	27	59	65	121	336	776	1,061	1,137	1
White	6,837	74	17	25	100	134	170	257	793	1,741	1,905	1,620	1
Male	3,425	40	12	15	75	90	118	161	488	1,024	877	525	-
Female	3,412	34	5	10	25	44	52	96	305	717	1,028	1,095	1
All other	603	47	5	3	16	42	64	63	68	134	80	61	-
Male	355	22	2	3	14	27	51	38	57	75	47	19	-
Female	248	25	3	-	2	15	13	25	31	59	33	42	-
Black	595	47	5	3	16	42	63	62	88	131	77	61	-
Male	349	22	2	3	14	27	51	37	57	73	44	19	-
Female	246	25	3	-	2	15	12	25	31	58	33	42	-
New London-Norwich, Conn	2,040	39	4	1	36	59	66	98	306	417	543	471	-
Male	1,041	23	2	-	27	40	49	56	193	230	259	162	-
Female	999	16	2	1	9	19	17	42	113	187	284	309	-
White	1,976	37	3	1	34	53	59	88	299	402	535	465	-
Male	1,008	23	2	-	26	37	44	49	189	222	256	160	-
Female	968	14	1	1	8	16	15	39	110	180	279	305	-
All other	64	2	1	-	2	6	7	10	7	15	8	6	-
Male	33	-	-	-	1	3	5	7	4	8	3	2	-
Female	31	2	1	-	1	3	2	3	3	7	5	4	-
Black	62	2	1	-	2	6	7	10	6	14	8	6	-
Male	33	-	-	-	1	3	5	7	4	8	3	2	-
Female	29	2	1	-	1	3	2	3	2	6	5	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Orleans, La	10,456	263	33	56	259	408	491	740	1,647	2,432	2,606	1,517	4
Male	5,548	161	21	39	204	317	346	477	1,011	1,389	1,153	447	3
Female	4,908	102	12	17	55	91	145	263	636	1,063	1,453	1,070	1
White	6,866	100	12	26	128	197	255	421	1,047	1,606	1,896	1,177	1
Male	3,579	65	7	22	99	158	183	289	666	924	832	327	1
Female	3,293	35	5	4	29	39	72	132	381	682	1,064	850	-
All other	3,590	163	21	30	131	211	236	319	600	826	710	340	3
Male	1,975	96	14	17	105	159	163	188	345	445	321	120	2
Female	1,615	67	7	13	26	52	73	131	255	381	389	220	1
Black	3,533	159	20	29	127	208	231	313	594	819	699	333	3
Male	1,937	94	13	17	101	155	158	184	339	440	315	119	2
Female	1,596	65	7	12	26	51	73	129	255	379	384	214	1
New York, N.Y.-N.J	94,397	1,667	273	292	1,517	3,990	5,181	5,998	12,168	19,647	24,793	18,883	10
Male	48,475	902	143	169	1,147	2,908	3,783	3,826	7,281	10,680	11,371	6,257	8
Female	45,922	765	130	123	370	1,082	1,378	2,170	4,887	8,967	13,422	12,626	2
White	73,788	881	148	176	900	2,363	3,089	3,636	8,715	15,512	21,381	16,983	6
Male	37,164	486	75	101	677	1,800	2,307	2,369	5,306	8,539	9,847	5,652	5
Female	36,624	395	71	75	223	563	782	1,267	3,409	6,973	11,534	11,331	1
All other	20,609	786	127	116	617	1,627	2,072	2,360	3,453	4,135	3,412	1,900	4
Male	11,311	416	68	68	470	1,108	1,476	1,457	1,975	2,141	1,524	605	3
Female	9,298	370	59	48	147	519	596	903	1,478	1,994	1,888	1,295	1
Black	19,338	754	121	105	584	1,578	2,004	2,227	3,265	3,844	3,118	1,734	4
Male	10,511	401	64	62	446	1,074	1,431	1,376	1,856	1,949	1,337	512	3
Female	8,827	353	57	43	138	504	573	851	1,409	1,895	1,781	1,222	1
Newark, N.J	18,402	286	49	55	288	629	807	1,141	2,620	3,999	4,739	3,789	20
Male	9,296	160	23	37	206	443	535	698	1,605	2,273	2,166	1,135	15
Female	9,106	126	26	18	82	186	272	443	1,015	1,726	2,573	2,654	5
White	14,524	131	26	27	156	278	389	665	1,977	3,260	4,157	3,451	7
Male	7,143	71	18	17	127	211	258	411	1,208	1,675	1,915	1,028	4
Female	7,381	60	8	10	29	67	131	254	769	1,585	2,242	2,423	3
All other	3,878	155	23	28	112	351	418	476	643	739	582	338	13
Male	2,153	89	5	20	79	232	277	287	397	398	251	107	11
Female	1,725	66	18	8	33	119	141	189	246	341	331	231	2
Black	3,805	150	23	24	110	349	412	468	631	727	568	330	13
Male	2,112	85	5	17	77	231	275	282	390	392	243	104	11
Female	1,693	65	18	7	33	118	137	186	241	335	325	226	2
Newark, Ohio	1,070	12	6	6	18	15	28	49	151	252	302	231	-
Male	569	10	4	3	15	9	15	34	93	146	151	89	-
Female	501	2	2	3	3	6	13	15	58	106	151	142	-
White	1,050	12	6	6	16	14	28	48	147	247	298	228	-
Male	559	10	4	3	14	9	15	33	90	143	150	88	-
Female	491	2	2	3	2	5	13	15	57	104	148	140	-
All other	20	-	-	-	2	1	-	1	4	5	4	3	-
Male	10	-	-	-	1	-	-	1	3	3	1	1	-
Female	10	-	-	-	1	1	-	-	1	2	3	2	-
Black	18	-	-	-	2	-	-	1	3	5	4	3	-
Male	9	-	-	-	1	-	-	1	2	3	1	1	-
Female	9	-	-	-	1	-	-	-	1	2	3	2	-
Newburgh-Middletown, N.Y	2,433	36	4	17	47	57	104	133	314	558	672	491	-
Male	1,260	22	3	11	32	44	59	89	184	305	346	165	-
Female	1,173	14	1	6	15	13	45	44	130	253	326	326	-
White	2,304	31	2	15	40	46	93	122	295	529	649	482	-
Male	1,182	18	1	9	26	35	53	82	171	289	335	163	-
Female	1,122	13	1	6	14	11	40	40	124	240	314	319	-
All other	129	5	2	2	7	11	11	11	19	29	23	9	-
Male	78	4	2	2	6	9	6	7	13	16	11	2	-
Female	51	1	-	-	1	2	5	4	6	13	12	7	-
Black	122	5	2	1	7	11	11	10	18	27	22	8	-
Male	74	4	2	1	6	9	6	6	13	15	10	2	-
Female	48	1	-	-	1	2	5	4	5	12	12	6	-
Newport News-Hampton, Va	2,906	86	11	8	63	81	114	173	457	759	728	426	-
Male	1,534	48	8	4	47	52	73	111	258	433	362	138	-
Female	1,372	38	3	4	16	29	41	62	199	326	366	288	-
White	1,932	38	6	4	43	40	61	103	285	527	505	320	-
Male	1,011	27	4	2	34	27	40	66	160	308	249	94	-
Female	921	11	2	2	9	13	21	37	125	219	256	226	-
All other	974	48	5	4	20	41	53	70	172	232	223	106	-
Male	523	21	4	2	13	25	33	45	98	125	113	44	-
Female	451	27	1	2	7	16	20	25	74	107	110	62	-
Black	964	48	5	4	19	40	49	70	171	230	222	106	-
Male	521	21	4	2	13	25	32	45	98	124	113	44	-
Female	443	27	1	2	6	15	17	25	73	106	109	62	-
Norfolk-Virginia Beach-Portsmouth, Va.-N.C	6,694	209	31	36	152	229	257	451	1,112	1,684	1,518	1,011	4
Male	3,547	129	18	24	112	175	155	261	678	954	732	306	3
Female	3,147	80	13	12	40	54	102	190	434	730	786	705	1
White	4,349	99	19	27	96	147	145	248	658	1,038	1,081	790	1
Male	2,226	64	9	19	70	112	93	140	403	591	500	224	1
Female	2,123	35	10	8	26	35	52	108	255	447	581	566	-
All other	2,345	110	12	9	56	82	112	203	454	646	437	221	3
Male	1,321	65	9	5	42	63	62	121	275	363	232	82	2
Female	1,024	45	3	4	14	19	50	82	179	283	205	139	1
Black	2,299	106	12	8	56	81	109	199	449	634	424	218	3
Male	1,293	63	9	4	42	63	61	119	273	355	223	79	2
Female	1,006	43	3	4	14	18	48	80	176	279	201	139	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Northeast Pennsylvania	7,811	57	17	19	94	99	144	308	1,047	2,103	2,483	1,440	-
Male	3,889	30	10	9	72	73	94	210	640	1,189	1,141	421	-
Female	3,922	27	7	10	22	26	50	98	407	914	1,342	1,019	-
White	7,779	55	17	18	89	96	142	306	1,042	2,098	2,479	1,437	-
Male	3,889	29	10	8	68	70	93	208	636	1,188	1,140	419	-
Female	3,910	26	7	10	21	26	49	98	406	910	1,339	1,018	-
All other	32	2	-	1	5	3	2	2	5	5	4	3	-
Male	20	1	-	1	4	3	1	2	4	1	1	2	-
Female	12	1	-	-	1	-	1	-	1	4	3	1	-
Black	31	2	-	1	5	3	2	1	5	5	4	3	-
Male	19	1	-	1	4	3	1	1	4	1	1	2	-
Female	12	1	-	-	1	-	1	-	1	4	3	1	-
Ocala, Fla	1,923	22	4	11	35	28	44	91	289	560	568	270	1
Male	1,090	11	2	6	26	20	23	62	180	340	331	89	-
Female	833	11	2	5	9	8	21	29	109	220	237	181	1
White	1,698	13	4	6	29	24	37	73	257	507	513	234	1
Male	964	7	2	4	22	16	20	53	160	309	292	79	-
Female	734	6	2	2	7	8	17	20	97	198	221	155	1
All other	225	9	-	5	6	4	7	18	32	53	55	36	-
Male	126	4	-	2	4	4	3	9	20	31	39	10	-
Female	99	5	-	3	2	-	4	9	12	22	16	26	-
Black	224	9	-	5	6	4	7	17	32	53	55	36	-
Male	126	4	-	2	4	4	3	9	20	31	39	10	-
Female	98	5	-	3	2	-	4	8	12	22	16	26	-
Odessa, Tex	828	20	7	6	31	37	45	76	153	163	186	104	-
Male	472	12	2	3	24	26	31	49	93	99	95	38	-
Female	356	8	5	3	7	11	14	27	60	64	91	66	-
White	784	18	7	6	31	32	44	69	145	153	178	101	-
Male	442	10	2	3	24	23	31	44	87	91	91	36	-
Female	342	8	5	3	7	9	13	25	58	62	87	65	-
All other	44	2	-	-	-	5	1	7	8	10	8	3	-
Male	30	2	-	-	-	3	-	5	6	8	4	2	-
Female	14	-	-	-	-	2	1	2	2	2	4	1	-
Black	43	2	-	-	-	5	1	7	8	10	8	2	-
Male	30	2	-	-	-	3	-	5	6	8	4	2	-
Female	13	-	-	-	-	2	1	2	2	2	4	-	-
Oklahoma City, Okla	7,133	192	40	27	149	231	273	465	1,038	1,514	1,877	1,317	10
Male	3,766	116	21	20	100	173	179	297	625	892	911	427	5
Female	3,367	76	19	7	49	58	94	168	413	622	966	890	5
White	6,352	143	26	17	116	181	227	399	912	1,389	1,716	1,218	8
Male	3,331	84	13	11	80	131	150	257	583	825	824	389	4
Female	3,021	59	13	6	36	50	77	142	349	564	892	829	4
All other	781	49	14	10	33	50	46	66	126	125	161	99	2
Male	435	32	8	9	20	42	29	40	62	67	87	38	1
Female	346	17	6	1	13	8	17	26	64	58	74	61	1
Black	649	40	13	7	28	40	35	47	100	108	139	91	1
Male	355	26	7	6	18	33	24	29	45	57	73	36	-
Female	294	14	6	1	10	7	11	18	54	51	66	55	1
Olympia, Wash	1,058	25	2	5	14	22	32	51	137	252	283	235	-
Male	567	14	1	1	11	15	15	37	76	170	143	84	-
Female	491	11	1	4	3	7	17	14	61	82	140	151	-
White	1,039	23	2	5	13	22	32	50	132	250	279	231	-
Male	559	14	1	1	10	15	15	37	74	169	141	82	-
Female	480	9	1	4	3	7	17	13	58	81	138	149	-
All other	19	2	-	-	1	-	-	1	5	2	4	4	-
Male	8	-	-	-	1	-	-	-	2	1	2	2	-
Female	11	2	-	-	-	-	-	1	3	1	2	2	-
Black	6	1	-	-	-	-	-	-	1	1	2	2	-
Male	3	-	-	-	-	-	-	-	1	1	-	1	-
Female	3	1	-	-	-	-	-	-	-	-	1	1	-
Omaha, Nebr.-Iowa	4,428	102	25	18	90	112	124	255	589	989	1,167	956	1
Male	2,282	55	18	9	57	75	82	166	376	576	573	294	1
Female	2,146	47	7	9	33	37	42	89	213	413	594	662	-
White	4,066	75	21	16	78	92	107	219	531	914	1,104	908	1
Male	2,080	43	15	7	50	66	70	148	332	529	544	275	1
Female	1,986	32	6	9	28	26	37	71	199	385	560	633	-
All other	362	27	4	2	12	20	17	36	58	75	63	48	-
Male	202	12	3	2	7	9	12	18	44	47	29	19	-
Female	160	15	1	-	5	11	5	18	14	28	34	29	-
Black	346	24	4	2	12	19	16	31	57	73	60	48	-
Male	191	11	3	2	7	8	11	14	43	45	28	19	-
Female	155	13	1	-	5	11	5	17	14	28	32	29	-
Orlando, Fla	6,883	152	29	27	146	209	253	422	994	1,853	1,820	1,278	-
Male	3,658	84	22	14	109	151	164	273	614	958	891	478	-
Female	3,225	68	7	13	37	58	89	149	380	695	929	800	-
White	6,102	95	22	18	119	175	204	329	846	1,442	1,642	1,210	-
Male	3,272	53	17	9	91	130	133	221	526	836	796	460	-
Female	2,830	42	5	9	28	45	71	108	320	606	846	750	-
All other	881	57	7	9	27	34	49	93	148	211	178	88	-
Male	486	31	5	5	18	21	31	52	88	122	95	18	-
Female	395	26	2	4	9	13	18	41	60	89	83	50	-
Black	862	56	7	9	26	34	48	91	145	205	174	67	-
Male	475	30	5	5	17	21	30	51	86	120	93	17	-
Female	387	26	2	4	9	13	18	40	59	85	81	50	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Owensboro, Ky	777	18	5	2	14	12	32	58	108	180	204	144	-
Male	401	7	2	1	12	7	18	37	70	108	91	50	-
Female	376	11	3	1	2	5	14	21	38	74	113	94	-
White	743	18	5	2	14	12	29	54	101	171	197	140	-
Male	382	7	2	1	12	7	17	33	66	100	87	50	-
Female	361	11	3	1	2	5	12	21	35	71	110	90	-
All other	34	-	-	-	-	-	3	4	7	9	7	4	-
Male	19	-	-	-	-	-	1	4	4	6	4	-	-
Female	15	-	-	-	-	-	2	-	3	3	3	4	-
Black	32	-	-	-	-	-	3	4	5	9	7	4	-
Male	18	-	-	-	-	-	1	4	3	6	4	-	-
Female	14	-	-	-	-	-	2	-	2	3	3	4	-
Oxnard-Simi Valley-Ventura, Calif	3,718	63	14	20	94	131	136	226	479	821	1,004	720	10
Male	1,969	38	8	19	79	94	91	132	306	464	508	227	3
Female	1,749	25	6	1	15	37	45	94	173	357	496	493	7
White	3,589	56	14	16	89	128	129	207	455	798	980	709	10
Male	1,898	36	8	15	74	90	88	123	291	449	499	222	3
Female	1,691	20	6	1	15	38	41	84	164	349	481	487	7
All other	129	7	-	4	5	5	7	19	24	23	24	11	-
Male	71	2	-	4	5	4	3	9	15	15	9	5	-
Female	58	5	-	-	-	1	4	10	9	8	15	6	-
Black	66	5	-	2	2	3	4	11	14	12	10	3	-
Male	42	2	-	2	2	3	2	7	11	8	4	1	-
Female	24	3	-	-	-	-	2	4	3	4	6	2	-
Panama City, Fla	955	13	8	5	29	30	38	68	153	242	256	111	1
Male	509	7	6	2	21	21	18	40	94	134	133	32	1
Female	446	6	2	3	8	9	21	28	59	108	123	79	-
White	814	6	6	5	23	19	31	60	138	214	213	98	1
Male	439	3	4	2	16	14	16	34	85	123	115	28	1
Female	375	3	2	3	7	5	15	26	53	91	98	72	-
All other	141	7	2	-	6	11	8	8	15	28	43	13	-
Male	70	4	2	-	5	7	2	6	9	11	18	6	-
Female	71	3	-	-	1	4	6	2	6	17	25	7	-
Black	138	6	2	-	6	11	6	8	15	28	43	13	-
Male	68	3	2	-	5	7	1	6	9	11	18	6	-
Female	70	3	-	-	1	4	5	2	6	17	25	7	-
Parkersburg-Marietta, W. Va.-Ohio	1,553	15	7	4	29	41	42	84	209	349	439	340	-
Male	793	6	5	1	21	33	30	52	140	205	198	102	-
Female	760	9	2	3	8	8	12	32	69	144	235	238	-
White	1,531	15	7	4	28	41	42	81	206	346	428	333	-
Male	784	6	5	1	20	33	30	51	138	205	196	99	-
Female	747	9	2	3	8	8	12	30	68	141	232	234	-
All other	22	-	-	-	1	-	-	3	3	3	5	7	-
Male	9	-	-	-	1	-	-	1	2	-	2	3	-
Female	13	-	-	-	-	-	-	2	1	3	3	4	-
Black	21	-	-	-	1	-	-	2	3	3	5	7	-
Male	9	-	-	-	1	-	-	1	2	-	2	3	-
Female	12	-	-	-	-	-	-	1	1	3	3	4	-
Pascagoula-Moss Point, Miss	792	21	4	3	27	32	38	59	143	172	181	112	-
Male	411	9	2	1	19	22	26	38	77	101	76	42	-
Female	381	12	2	2	8	10	12	23	66	71	105	70	-
White	654	12	3	2	20	18	29	45	123	147	157	98	-
Male	340	7	1	1	15	11	20	28	67	84	70	36	-
Female	314	5	2	1	5	7	9	17	56	63	87	62	-
All other	138	9	1	1	7	14	9	14	20	25	24	14	-
Male	71	2	1	-	4	11	6	8	10	17	6	6	-
Female	67	7	-	1	3	3	3	6	10	8	18	8	-
Black	135	9	1	1	7	14	9	14	19	24	24	13	-
Male	70	2	1	-	4	11	6	8	10	17	6	5	-
Female	65	7	-	1	3	3	3	6	9	7	18	8	-
Paterson-Clifton-Passaic, N.J	4,266	72	10	24	46	142	166	225	568	931	1,163	917	2
Male	2,118	40	4	14	30	105	111	143	319	520	544	288	-
Female	2,148	32	6	10	16	37	55	82	249	411	619	629	2
White	3,743	46	6	21	32	79	91	164	471	847	1,102	982	2
Male	1,823	25	3	12	23	60	60	104	266	482	513	275	-
Female	1,920	21	3	9	9	19	31	60	205	365	589	607	2
All other	523	26	4	3	14	63	75	61	97	84	61	35	-
Male	295	15	1	2	7	45	51	39	53	38	31	13	-
Female	228	11	3	1	7	18	24	22	44	46	30	22	-
Black	504	26	4	3	13	62	74	61	94	79	56	32	-
Male	284	15	1	2	7	44	50	39	51	35	29	11	-
Female	220	11	3	1	6	18	24	22	43	44	27	21	-
Pensacola, Fla	2,564	50	15	13	60	79	117	157	434	588	645	405	1
Male	1,326	21	8	7	48	61	75	110	249	326	288	133	-
Female	1,238	29	7	6	12	18	42	47	185	262	357	272	1
White	2,090	30	13	9	49	62	88	123	356	479	526	354	1
Male	1,091	10	8	5	39	46	56	92	210	269	243	113	-
Female	999	20	5	4	10	16	32	31	146	210	283	241	1
All other	474	20	2	4	11	17	29	34	78	109	119	51	-
Male	235	11	-	2	9	15	19	18	39	57	45	20	-
Female	239	9	2	2	2	2	10	16	39	52	74	31	-
Black	468	20	2	3	9	17	29	33	77	108	119	51	-
Male	230	11	-	1	7	15	19	17	39	56	45	20	-
Female	238	9	2	2	2	2	10	16	38	52	74	31	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	2,976	52	11	11	40	49	69	147	342	630	938	687	-
Male	1,509	39	4	8	28	29	39	87	200	384	468	223	-
Female	1,467	13	7	3	12	20	30	60	142	246	470	464	-
White	2,844	38	8	8	39	38	60	137	319	608	915	674	-
Male	1,434	27	4	6	28	23	37	82	186	369	457	215	-
Female	1,410	11	4	2	11	15	23	55	133	239	458	459	-
All other	132	14	3	3	1	11	9	10	23	22	23	13	-
Male	75	12	-	2	-	6	2	5	14	15	11	8	-
Female	57	2	3	1	1	5	7	5	9	7	12	5	-
Black	131	14	3	3	1	11	8	10	23	22	23	13	-
Male	75	12	-	2	-	6	2	5	14	15	11	8	-
Female	56	2	3	1	1	5	6	5	9	7	12	5	-
Petersburg-Colonial Heights-Hopewell, Va	1,175	32	4	4	15	30	34	79	186	310	289	192	-
Male	621	16	2	3	13	23	22	52	125	169	135	61	-
Female	554	16	2	1	2	7	12	27	61	141	154	131	-
White	749	14	1	3	9	14	19	39	112	203	197	138	-
Male	373	7	-	2	8	10	13	22	75	114	87	35	-
Female	376	7	1	1	1	4	6	17	37	89	110	103	-
All other	426	18	3	1	6	16	15	40	74	107	92	54	-
Male	248	9	2	1	5	13	9	30	50	55	48	26	-
Female	178	9	1	-	1	3	6	10	24	52	44	28	-
Black	424	18	3	1	6	15	15	40	73	107	92	54	-
Male	247	9	2	1	5	13	9	30	49	55	48	26	-
Female	177	9	1	-	1	2	6	10	24	52	44	28	-
Philadelphia, Pa.-N.J	47,893	617	125	150	673	1,189	1,461	2,654	6,810	11,673	12,871	9,457	13
Male	24,177	479	71	89	511	856	943	1,614	4,175	6,572	5,898	2,964	5
Female	23,716	338	54	61	162	333	518	1,040	2,635	5,101	6,973	6,493	8
White	38,299	403	67	108	490	720	889	1,730	5,082	9,411	10,955	8,425	9
Male	19,032	231	38	66	373	519	581	1,076	3,162	5,334	5,037	2,610	5
Female	19,267	172	29	42	117	201	308	654	1,930	4,077	5,918	5,815	4
All other	9,594	414	58	42	183	469	572	924	1,718	2,262	1,916	1,032	4
Male	5,145	248	33	23	138	337	362	538	1,013	1,238	861	354	-
Female	4,449	166	25	19	45	132	210	386	705	1,024	1,055	678	4
Black	9,434	410	56	39	180	462	561	902	1,694	2,225	1,885	1,018	2
Male	5,052	245	31	21	136	332	357	522	1,003	1,216	843	348	-
Female	4,382	165	25	18	44	130	204	380	691	1,009	1,042	672	2
Phoenix, Ariz	14,158	341	98	82	361	469	557	777	1,612	3,454	3,880	2,309	18
Male	7,837	202	54	54	262	338	360	506	1,069	2,070	2,022	864	16
Female	6,321	139	44	28	99	131	177	271	743	1,384	1,858	1,445	2
White	13,565	297	88	76	313	423	496	727	1,739	3,352	3,789	2,249	16
Male	7,477	176	45	50	228	306	335	475	1,032	2,004	1,970	842	14
Female	6,088	121	43	26	85	117	161	252	707	1,348	1,819	1,407	2
All other	593	44	10	6	48	46	61	50	73	102	91	60	2
Male	360	26	9	4	34	32	45	31	37	66	52	22	2
Female	233	18	1	2	14	14	16	19	36	36	39	38	-
Black	381	28	5	5	25	32	31	24	54	66	69	40	2
Male	234	20	4	3	16	23	22	17	30	43	42	12	2
Female	147	8	1	2	9	9	9	7	24	23	27	28	-
Pine Bluff, Ark	920	22	5	4	17	19	27	36	109	239	249	192	1
Male	461	15	4	-	11	10	17	25	69	123	115	72	-
Female	459	7	1	4	6	9	10	11	40	116	134	120	1
White	534	6	1	4	3	9	13	18	72	157	142	109	-
Male	280	6	1	-	3	6	8	16	49	67	66	37	-
Female	254	-	-	4	-	3	4	2	23	70	76	72	-
All other	386	16	4	-	14	10	14	18	37	82	107	83	1
Male	181	9	3	-	8	4	8	9	20	36	49	35	-
Female	205	7	1	-	6	6	6	9	17	46	58	48	1
Black	384	16	4	-	14	10	14	18	37	81	106	83	1
Male	180	9	3	-	8	4	8	9	20	36	48	35	-
Female	204	7	1	-	6	6	6	9	17	45	58	48	1
Pittsburgh, Pa	23,964	281	41	56	254	388	429	1,038	3,326	6,464	6,959	4,721	7
Male	12,203	155	18	32	176	267	289	617	2,043	3,664	3,343	1,595	4
Female	11,761	126	23	24	78	121	140	421	1,283	2,800	3,616	3,126	3
White	21,972	199	28	50	218	324	359	904	2,974	5,997	6,474	4,440	5
Male	11,124	111	14	29	151	223	239	538	1,841	3,416	3,093	1,467	2
Female	10,848	88	14	21	67	101	120	366	1,133	2,581	3,381	2,973	3
All other	1,992	82	13	6	36	64	70	134	352	467	485	281	2
Male	1,079	44	4	3	25	44	50	79	202	248	250	128	2
Female	913	38	9	3	11	20	20	55	150	219	235	153	-
Black	1,966	81	13	5	36	64	69	130	348	465	475	278	2
Male	1,063	43	4	3	25	44	49	77	200	247	244	125	2
Female	903	38	9	2	11	20	20	53	148	218	231	153	-
Pittsfield, Mass	1,539	11	2	5	17	21	29	51	176	352	452	423	-
Male	739	8	2	2	13	18	16	28	105	208	213	126	-
Female	800	3	-	3	4	3	13	23	71	144	239	297	-
White	1,512	11	2	4	17	21	27	51	170	346	448	415	-
Male	724	8	2	1	13	18	15	28	101	204	211	123	-
Female	788	3	-	3	4	3	12	23	69	142	237	292	-
All other	27	-	-	1	-	-	2	-	6	6	4	8	-
Male	15	-	-	1	-	-	1	-	4	4	2	3	-
Female	12	-	-	-	-	-	1	-	2	2	2	5	-
Black	25	-	-	1	-	-	2	-	4	6	4	8	-
Male	14	-	-	1	-	-	1	-	3	4	2	3	-
Female	11	-	-	-	-	-	1	-	1	2	2	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, Maine	2,356	36	6	4	29	33	60	107	263	499	720	599	-
Male	1,139	20	3	2	22	24	36	70	153	282	353	172	-
Female	1,217	16	3	2	7	9	22	37	110	217	367	427	-
White	2,344	36	6	4	29	33	58	104	261	496	719	598	-
Male	1,130	20	3	2	22	24	37	67	151	280	352	172	-
Female	1,214	16	3	2	7	9	21	37	110	216	367	426	-
All other	12	-	-	-	-	-	2	3	2	3	1	1	-
Male	9	-	-	-	-	-	1	3	2	2	1	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
Black	11	-	-	-	-	-	2	3	2	3	1	-	-
Male	9	-	-	-	-	-	1	3	2	2	1	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
Portland, Oreg.-Wash	10,751	173	45	47	220	283	344	564	1,314	2,350	2,869	2,540	2
Male	5,469	101	31	25	156	210	215	342	811	1,373	1,406	798	1
Female	5,282	72	14	22	64	73	129	222	503	977	1,463	1,742	1
White	10,312	152	41	42	207	267	301	514	1,244	2,259	2,795	2,490	-
Male	5,210	91	29	23	147	201	186	308	770	1,320	1,364	771	-
Female	5,102	61	12	19	60	66	115	206	474	939	1,431	1,719	-
All other	439	21	4	5	13	16	43	50	70	91	74	50	2
Male	259	10	2	2	9	9	29	34	41	53	42	27	1
Female	180	11	2	3	4	7	14	16	29	38	32	23	1
Black	280	16	1	2	6	10	30	34	41	65	41	32	2
Male	162	9	1	1	4	4	22	24	23	38	19	16	1
Female	118	7	-	1	2	6	8	10	18	27	22	16	1
Portsmouth-Dover-Rochester, N.H.-Maine	3,741	55	11	9	76	72	105	164	488	840	1,086	835	-
Male	1,904	30	6	3	56	55	75	94	301	481	539	264	-
Female	1,837	25	5	6	20	17	30	70	187	359	547	571	-
White	3,727	55	11	9	76	72	102	161	485	839	1,083	834	-
Male	1,896	30	6	3	56	55	72	93	300	480	537	264	-
Female	1,831	25	5	6	20	17	30	68	185	359	546	570	-
All other	14	-	-	-	-	-	3	3	3	1	3	1	-
Male	8	-	-	-	-	-	3	1	1	1	2	-	-
Female	6	-	-	-	-	-	-	2	2	-	1	1	-
Black	10	-	-	-	-	-	2	2	2	1	2	1	-
Male	7	-	-	-	-	-	2	1	1	1	2	-	-
Female	3	-	-	-	-	-	-	1	1	-	-	1	-
Poughkeepsie, N.Y	2,215	26	5	3	40	54	84	118	288	514	582	500	1
Male	1,129	15	4	-	30	38	61	79	173	289	285	154	1
Female	1,086	11	1	3	10	16	23	39	115	225	297	346	-
White	2,076	21	3	3	35	46	69	101	270	483	559	485	1
Male	1,049	11	3	-	26	30	47	69	166	270	275	151	1
Female	1,027	10	-	3	9	16	22	32	104	213	284	334	-
All other	139	5	2	-	5	8	15	17	18	31	23	15	-
Male	80	4	1	-	4	8	14	10	7	19	10	3	-
Female	59	1	1	-	1	-	1	7	11	12	13	12	-
Black	134	5	2	-	5	8	15	17	16	31	20	15	-
Male	76	4	1	-	4	8	14	10	5	19	8	3	-
Female	58	1	1	-	1	-	1	7	11	12	12	12	-
Providence-Warwick-Pawtucket, R.I	9,021	115	16	19	89	189	217	396	1,130	2,126	2,563	2,158	5
Male	4,431	66	8	11	65	140	145	242	697	1,220	1,185	648	4
Female	4,590	49	8	8	24	49	72	154	433	906	1,378	1,508	1
White	8,751	96	14	14	83	164	197	368	1,091	2,066	2,525	2,127	5
Male	4,278	53	7	7	61	126	131	225	673	1,189	1,164	638	4
Female	4,473	43	7	7	22	38	66	144	418	877	1,361	1,489	1
All other	270	19	2	5	6	25	20	27	39	60	38	29	-
Male	153	13	1	4	4	14	14	17	24	31	21	10	-
Female	117	6	1	1	2	11	6	10	15	29	17	19	-
Black	228	15	1	5	4	22	18	25	36	47	31	24	-
Male	128	9	1	4	3	12	12	16	22	25	16	8	-
Female	100	6	-	1	1	10	6	9	14	22	15	16	-
Provo-Orem, Utah	1,089	53	5	15	25	25	26	57	101	240	303	239	-
Male	573	29	2	11	21	20	15	37	60	140	146	92	-
Female	516	24	3	4	4	5	11	20	41	100	157	147	-
White	1,083	51	5	14	25	25	25	57	101	239	303	238	-
Male	569	28	2	10	21	20	14	37	60	139	146	92	-
Female	514	23	3	4	4	5	11	20	41	100	157	146	-
All other	6	2	-	1	-	-	1	-	-	1	-	1	-
Male	4	1	-	1	-	-	1	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
**Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,127	19	4	-	23	21	36	54	136	278	312	244	-
Male	608	12	2	-	17	15	20	39	90	168	158	87	-
Female	519	7	2	-	6	6	16	15	46	110	154	157	-
White	1,108	18	4	-	23	20	36	53	134	272	307	241	-
Male	597	11	2	-	17	14	20	39	88	165	156	85	-
Female	511	7	2	-	6	6	16	14	46	107	151	156	-
All other	19	1	-	-	-	1	-	1	2	6	5	3	-
Male	11	1	-	-	-	1	-	-	2	3	2	2	-
Female	8	-	-	-	-	-	-	1	-	3	3	1	-
Black	16	1	-	-	-	1	-	-	2	5	5	2	-
Male	10	1	-	-	-	1	-	-	2	3	2	1	-
Female	6	-	-	-	-	-	-	-	-	2	3	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, Wis	1,433	26	4	8	29	35	41	88	186	304	380	331	1
Male	771	12	2	7	20	28	23	53	126	185	197	117	1
Female	662	14	2	1	9	7	18	35	60	119	183	214	-
White	1,357	19	4	5	27	31	36	81	176	285	365	327	1
Male	735	9	2	4	19	25	20	49	121	175	194	116	1
Female	622	10	2	1	8	6	16	32	55	110	171	211	-
All other	76	7	-	3	2	4	5	7	10	19	15	4	-
Male	36	3	-	3	1	3	3	4	5	10	3	1	-
Female	40	4	-	-	1	1	2	3	5	9	12	3	-
Black	75	7	-	3	2	4	5	7	10	18	15	4	-
Male	35	3	-	3	1	3	3	4	5	9	3	1	-
Female	40	4	-	-	1	1	2	3	5	9	12	3	-
Raleigh-Durham, N.C	4,029	108	14	16	80	130	201	272	558	925	1,014	711	-
Male	2,096	65	11	7	56	98	128	178	339	532	466	216	-
Female	1,933	43	3	9	24	34	73	94	219	393	548	493	-
White	2,828	63	8	11	56	72	117	181	372	636	741	567	-
Male	1,445	40	8	4	39	50	73	116	235	373	339	168	-
Female	1,381	23	-	7	17	22	44	65	137	265	402	399	-
All other	1,203	45	6	5	24	58	84	91	186	287	273	144	-
Male	651	25	3	3	17	46	55	62	104	159	127	50	-
Female	552	20	3	2	7	12	29	29	82	128	146	94	-
Black	1,190	44	6	5	24	58	83	89	185	283	270	143	-
Male	643	24	3	3	17	46	54	60	103	158	125	50	-
Female	547	20	3	2	7	12	29	29	82	125	145	93	-
Reading, Pa	3,348	45	11	7	45	55	74	147	408	811	1,051	694	-
Male	1,752	29	9	4	36	38	51	96	249	477	536	227	-
Female	1,596	16	2	3	9	17	23	51	159	334	515	467	-
White	3,273	44	7	6	44	51	68	139	382	788	1,036	688	-
Male	1,711	29	7	4	36	34	47	89	239	469	531	228	-
Female	1,562	15	-	2	8	17	21	50	153	329	505	462	-
All other	75	1	4	1	1	4	6	8	16	13	15	6	-
Male	41	-	2	-	-	4	4	7	10	8	5	1	-
Female	34	1	2	1	1	-	2	1	6	5	10	5	-
Black	70	1	4	-	1	3	5	8	16	13	13	6	-
Male	39	-	2	-	-	3	4	7	10	8	4	1	-
Female	31	1	2	-	1	-	1	1	6	5	9	5	-
Redding, Calif	1,249	20	8	8	30	33	48	76	169	328	335	191	3
Male	680	10	7	7	25	23	29	48	100	199	169	63	-
Female	569	10	1	1	5	10	19	28	69	129	166	128	3
White	1,211	19	7	8	24	31	43	75	167	317	332	185	3
Male	651	9	6	7	20	21	27	47	99	189	167	59	-
Female	560	10	1	1	4	10	16	28	68	128	165	126	3
All other	38	1	1	-	6	2	5	1	2	11	3	6	-
Male	29	1	1	-	5	2	2	1	1	10	2	4	-
Female	9	-	-	-	1	-	3	-	1	1	1	2	-
Black	10	-	-	-	1	1	-	-	1	5	-	2	-
Male	7	-	-	-	1	1	-	-	-	4	-	1	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Reno, Nev	1,719	34	3	6	44	61	73	128	298	435	390	247	2
Male	930	20	1	3	37	46	51	81	168	247	194	82	-
Female	789	14	2	3	7	15	22	45	130	188	196	165	2
White	1,644	30	3	6	37	55	70	114	285	421	378	243	2
Male	878	18	1	3	30	42	49	74	157	238	185	81	-
Female	766	12	2	3	7	13	21	40	128	183	193	162	2
All other	75	4	-	-	7	6	3	12	13	14	12	4	-
Male	52	2	-	-	7	4	2	7	11	9	9	1	-
Female	23	2	-	-	-	2	1	5	2	5	3	3	-
Black	28	2	-	-	2	-	1	5	5	7	6	-	-
Male	21	2	-	-	2	-	1	2	5	4	5	-	-
Female	7	-	-	-	-	-	-	3	-	3	1	-	-
Richland-Kennewick-Pasco, Wash	869	23	7	7	22	36	36	63	135	175	226	139	-
Male	465	13	3	2	17	28	22	41	83	106	106	44	-
Female	404	10	4	5	5	8	14	22	52	69	120	95	-
White	832	23	6	7	21	29	33	61	132	165	219	136	-
Male	443	13	2	2	17	22	20	40	82	102	102	41	-
Female	389	10	4	5	4	7	13	21	50	63	117	95	-
All other	37	-	1	-	1	7	3	2	3	10	7	3	-
Male	22	-	1	-	-	6	2	1	1	4	4	3	-
Female	15	-	-	-	1	1	1	1	2	6	3	-	-
Black	22	-	-	-	-	1	2	1	1	9	5	3	-
Male	12	-	-	-	-	1	1	1	1	3	2	3	-
Female	10	-	-	-	-	-	1	-	-	6	3	-	-
Richmond, Va	5,975	142	17	16	110	185	206	344	898	1,408	1,511	1,133	5
Male	3,020	74	12	12	86	123	133	216	569	786	678	327	3
Female	2,955	68	5	4	24	62	73	128	329	622	832	806	2
White	4,174	63	13	12	67	87	110	196	609	960	1,144	912	1
Male	2,029	36	10	8	51	57	69	130	363	537	499	249	-
Female	2,145	27	3	4	16	30	41	66	226	423	645	663	1
All other	1,801	79	4	4	43	98	96	148	289	448	367	221	4
Male	991	38	2	4	35	66	64	86	186	249	180	78	3
Female	810	41	2	-	8	32	32	62	103	199	187	143	1
Black	1,774	77	4	4	42	94	94	142	285	446	365	217	4
Male	976	37	2	4	34	64	63	83	183	247	179	77	3
Female	798	40	2	-	8	30	31	59	102	199	186	140	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Riverside-San Bernardino-Ontario, Calif	16,300	385	88	80	400	593	585	884	2,012	3,891	4,314	3,022	46
Male	8,895	226	54	53	301	428	396	552	1,230	2,277	2,217	1,145	17
Female	7,404	159	34	27	99	165	189	332	782	1,614	2,097	1,877	29
White	15,412	333	80	69	365	508	522	801	1,885	3,730	4,144	2,934	41
Male	8,371	193	49	46	274	366	350	505	1,152	2,181	2,129	1,113	13
Female	7,041	140	31	23	91	142	172	296	733	1,549	2,015	1,821	28
All other	888	52	8	11	35	85	63	83	127	161	170	88	5
Male	525	33	5	7	27	62	46	47	78	96	88	32	4
Female	363	19	3	4	8	23	17	36	49	65	82	56	1
Black	733	44	6	10	21	70	50	73	112	129	142	72	4
Male	426	27	4	6	15	51	37	44	72	74	68	25	3
Female	307	17	2	4	6	19	13	29	40	55	74	47	1
Roanoke, Va	2,369	24	4	4	29	45	83	133	351	521	694	481	–
Male	1,215	11	3	2	22	31	55	95	222	314	324	136	–
Female	1,154	13	1	2	7	14	28	38	129	207	370	345	–
White	2,048	21	3	3	25	37	66	106	300	446	606	435	–
Male	1,044	9	2	1	19	28	40	78	193	269	285	120	–
Female	1,004	12	1	2	6	9	26	28	107	177	321	315	–
All other	321	3	1	1	4	8	17	27	51	75	88	46	–
Male	171	2	1	1	3	3	15	17	29	45	39	16	–
Female	150	1	–	–	1	5	2	10	22	30	49	30	–
Black	320	3	1	1	4	7	17	27	51	75	88	46	–
Male	171	2	1	1	3	3	15	17	29	45	39	16	–
Female	149	1	–	–	1	4	2	10	22	30	49	30	–
Rochester, Minn	580	9	4	4	5	13	15	26	56	117	172	159	–
Male	279	6	2	1	3	9	8	16	33	75	83	41	–
Female	301	1	2	3	2	4	7	10	23	42	89	118	–
White	567	7	3	4	5	10	14	26	55	115	170	158	–
Male	273	6	2	1	3	8	7	18	33	74	82	41	–
Female	294	1	1	3	2	2	7	10	22	41	88	117	–
All other	13	2	1	–	–	3	1	–	1	2	2	1	–
Male	6	2	–	–	–	1	1	–	–	1	1	–	–
Female	7	–	1	–	–	2	–	–	1	1	1	1	–
Black	6	1	–	–	–	–	1	–	1	1	1	1	–
Male	2	1	–	–	–	–	1	–	–	–	–	–	–
Female	4	–	–	–	–	–	–	–	1	1	1	1	–
Rochester, N.Y	8,432	147	27	36	142	172	224	414	1,094	1,845	2,300	2,030	1
Male	4,229	88	15	20	105	122	145	242	696	1,028	1,128	642	–
Female	4,203	59	12	16	37	50	79	172	398	817	1,174	1,388	1
White	7,892	104	20	27	125	136	173	350	983	1,741	2,234	1,998	1
Male	3,888	60	11	14	97	98	110	199	622	960	1,088	631	–
Female	4,004	44	9	13	28	40	63	151	361	781	1,146	1,367	1
All other	540	43	7	9	17	36	51	64	111	104	66	32	–
Male	341	28	4	6	8	26	35	43	74	68	38	11	–
Female	199	15	3	3	9	10	16	21	37	36	28	21	–
Black	519	43	6	9	16	34	50	63	107	100	60	31	–
Male	331	28	4	6	7	24	35	43	70	67	36	11	–
Female	188	15	2	3	9	10	15	20	37	33	24	20	–
Rockford, Ill	2,334	50	11	11	51	58	61	107	289	513	654	529	–
Male	1,216	25	8	6	39	42	40	72	177	297	327	183	–
Female	1,118	25	3	5	12	16	21	35	112	216	327	346	–
White	2,198	37	10	9	43	47	52	92	274	483	635	516	–
Male	1,136	17	7	4	33	35	35	62	167	284	315	177	–
Female	1,062	20	3	5	10	12	17	30	107	199	320	339	–
All other	136	13	1	2	8	11	9	15	15	30	19	13	–
Male	80	8	1	2	6	7	5	10	10	13	12	6	–
Female	56	5	–	–	2	4	4	5	5	17	7	7	–
Black	129	12	1	2	8	10	7	15	14	29	19	12	–
Male	76	7	1	2	6	6	4	10	9	13	12	6	–
Female	53	5	–	–	2	4	3	5	5	16	7	6	–
Rock Hill, S.C	922	17	5	13	24	26	30	65	167	209	232	134	–
Male	491	8	4	7	18	15	23	50	97	130	106	33	–
Female	431	9	1	6	6	11	7	15	70	79	126	101	–
White	705	8	3	8	22	17	22	45	129	159	187	105	–
Male	384	4	2	6	17	9	16	39	75	102	88	28	–
Female	321	4	1	2	5	8	6	6	54	57	101	77	–
All other	217	9	2	5	2	9	8	20	38	50	45	29	–
Male	107	4	2	1	1	6	7	11	22	28	20	5	–
Female	110	5	–	4	1	3	1	9	16	22	25	24	–
Black	215	9	2	5	2	9	8	20	38	49	45	28	–
Male	105	4	2	1	1	6	7	11	22	27	20	4	–
Female	110	5	–	4	1	3	1	9	16	22	25	24	–
Sacramento, Calif	9,146	191	33	49	202	312	373	516	1,278	2,172	2,292	1,701	27
Male	4,874	113	15	22	144	229	240	322	759	1,292	1,175	545	18
Female	4,272	78	18	27	58	83	133	194	519	880	1,117	1,156	9
White	8,298	151	27	43	165	247	300	447	1,129	2,005	2,144	1,615	25
Male	4,369	90	11	18	115	182	197	280	662	1,191	1,100	506	17
Female	3,929	61	16	25	50	65	103	167	467	814	1,044	1,109	8
All other	848	40	6	6	37	65	73	69	149	167	148	86	2
Male	505	23	4	4	29	47	43	42	97	101	75	39	1
Female	343	17	2	2	8	18	30	27	52	66	73	47	1
Black	511	24	3	4	25	49	50	51	104	105	67	29	–
Male	318	13	3	2	20	38	35	35	68	67	28	9	–
Female	193	11	–	2	5	11	15	16	36	38	39	20	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw, Mich	1,838	38	9	13	40	45	63	90	235	423	500	382	-
Male	975	21	5	9	29	33	45	57	136	267	244	129	-
Female	863	17	4	4	11	12	18	33	99	156	256	253	-
White	1,554	18	4	8	29	28	46	64	172	360	459	366	-
Male	806	10	2	6	22	19	32	43	101	228	221	122	-
Female	748	8	2	2	7	9	14	21	71	132	238	244	-
All other	284	20	5	5	11	17	17	26	63	63	41	16	-
Male	169	11	3	3	7	14	13	14	35	39	23	7	-
Female	115	9	2	2	4	3	4	12	28	24	18	9	-
Black	200	20	5	5	11	17	17	25	63	62	39	16	-
Male	168	11	3	3	7	14	13	14	35	39	22	7	-
Female	112	9	2	2	4	3	4	11	28	23	17	9	-
St. Cloud, Minn	1,143	28	6	2	26	29	23	66	116	255	279	313	-
Male	645	18	4	2	19	22	13	44	87	159	156	121	-
Female	498	10	2	-	7	7	10	22	29	96	123	192	-
White	1,140	27	6	2	25	29	23	66	115	255	279	313	-
Male	643	18	4	2	18	22	13	44	86	159	156	121	-
Female	497	9	2	-	7	7	10	22	29	96	123	192	-
All other	3	1	-	-	1	-	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Joseph, Mo	1,149	8	1	8	14	13	23	38	128	253	345	318	-
Male	574	5	-	4	11	10	19	28	78	148	175	98	-
Female	575	3	1	4	3	3	4	10	52	105	170	220	-
White	1,128	7	1	8	13	12	23	38	125	247	340	314	-
Male	563	5	-	4	10	9	19	28	75	145	171	97	-
Female	565	2	1	4	3	3	4	10	50	102	169	217	-
All other	21	1	-	-	1	1	-	-	3	6	5	4	-
Male	11	-	-	-	1	1	-	-	1	3	4	1	-
Female	10	1	-	-	-	-	-	-	2	3	1	3	-
Black	21	1	-	-	1	1	-	-	3	6	5	4	-
Male	11	-	-	-	1	1	-	-	1	3	4	1	-
Female	10	1	-	-	-	-	-	-	2	3	1	3	-
St. Louis, Mo.-Ill	22,704	445	77	89	412	582	674	1,145	2,984	5,049	6,445	4,793	9
Male	11,416	238	44	57	322	418	456	714	1,809	2,876	3,002	1,475	5
Female	11,288	207	33	32	90	164	218	431	1,175	2,173	3,443	3,318	4
White	18,560	254	42	52	284	364	435	802	2,324	4,164	5,553	4,283	3
Male	9,178	139	27	35	221	252	304	512	1,423	2,408	2,584	1,271	2
Female	9,382	115	15	17	63	112	131	290	901	1,756	2,969	3,012	1
All other	4,144	191	35	37	128	218	239	343	660	885	892	510	6
Male	2,238	99	17	22	101	166	152	202	386	468	418	204	3
Female	1,906	92	18	15	27	52	87	141	274	417	474	306	3
Black	4,112	188	35	37	126	218	238	337	654	878	887	508	6
Male	2,214	97	17	22	100	166	152	197	381	463	414	202	3
Female	1,898	91	18	15	26	52	86	140	273	415	473	306	3
Salem, Oreg	2,271	36	6	8	32	49	57	100	262	520	659	542	-
Male	1,194	26	3	5	27	37	37	66	146	311	344	192	-
Female	1,077	10	3	3	5	12	20	34	116	209	315	350	-
White	2,245	34	6	7	31	44	56	96	257	515	657	542	-
Male	1,177	24	3	5	26	35	36	64	144	306	342	192	-
Female	1,068	10	3	2	5	9	20	32	113	209	315	350	-
All other	26	2	-	1	1	5	1	4	5	5	2	-	-
Male	17	2	-	-	1	2	1	2	2	5	2	-	-
Female	9	-	-	1	-	3	-	2	3	-	-	-	-
Black	12	1	-	1	-	4	1	1	2	2	-	-	-
Male	7	1	-	-	-	2	1	-	1	2	-	-	-
Female	5	-	-	1	-	2	-	1	1	-	-	-	-
Salinas-Seaside-Monterey, Calif	2,236	66	6	10	64	69	97	98	290	487	610	435	4
Male	1,194	42	3	8	55	52	69	55	176	284	311	138	1
Female	1,042	24	3	2	9	17	28	43	114	203	299	297	3
White	2,057	56	5	10	56	59	90	84	259	450	567	418	3
Male	1,077	35	3	8	47	44	64	49	153	262	284	128	-
Female	980	21	2	2	9	15	26	35	106	188	283	290	3
All other	179	10	1	-	8	10	7	14	31	37	43	17	1
Male	117	7	-	-	8	8	5	6	23	22	27	10	1
Female	62	3	1	-	-	2	2	8	8	15	16	7	-
Black	96	6	-	-	7	6	5	9	19	23	17	3	1
Male	60	6	-	-	7	5	4	4	15	12	5	1	1
Female	36	-	-	-	-	1	1	5	4	11	12	2	-
Salisbury-Concord, N.C	1,942	27	3	11	24	38	48	115	276	524	528	348	-
Male	1,042	10	1	5	19	28	32	74	187	315	261	110	-
Female	900	17	2	6	5	10	16	41	89	209	267	238	-
White	1,642	16	3	8	19	31	32	86	228	443	469	307	-
Male	877	6	1	2	16	24	22	55	152	271	229	99	-
Female	765	10	2	6	3	7	10	31	76	172	240	208	-
All other	300	11	-	3	5	7	16	29	48	81	59	41	-
Male	165	4	-	3	3	4	10	19	35	44	32	11	-
Female	135	7	-	-	2	3	6	10	13	37	27	30	-
Black	299	11	-	3	5	7	16	29	48	81	58	41	-
Male	164	4	-	3	3	4	10	19	35	44	31	11	-
Female	135	7	-	-	2	3	6	10	13	37	27	30	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City-Ogden, Utah	5,655	194	37	37	174	212	204	298	668	1,223	1,481	1,125	2
Male	3,030	127	24	22	124	143	138	179	410	700	760	402	1
Female	2,625	67	13	15	50	69	66	119	258	523	721	723	1
White	5,506	183	36	36	167	201	192	289	653	1,196	1,455	1,096	2
Male	2,943	119	24	22	118	135	130	172	400	686	743	393	1
Female	2,563	64	12	14	49	66	62	117	253	510	712	703	1
All other	149	11	1	1	7	11	12	9	15	27	26	29	-
Male	87	8	-	-	6	8	8	7	10	14	17	9	-
Female	62	3	1	1	1	3	4	2	5	13	9	20	-
Black	69	3	1	-	4	4	3	7	5	13	13	10	-
Male	32	1	-	-	3	2	1	5	3	6	7	4	-
Female	31	2	1	-	1	2	2	2	2	7	6	6	-
San Angelo, Tex	820	11	4	4	22	17	27	36	108	176	244	171	-
Male	414	4	1	1	16	12	18	22	68	98	110	64	-
Female	406	7	3	3	6	5	9	14	40	78	134	107	-
White	777	9	3	4	21	17	25	34	102	169	229	164	-
Male	395	2	1	1	15	12	17	21	66	94	104	62	-
Female	382	7	2	3	6	5	8	13	36	75	125	102	-
All other	43	2	1	-	1	-	2	2	6	7	15	7	-
Male	19	2	-	-	1	-	1	1	2	4	6	2	-
Female	24	-	1	-	-	-	1	1	4	3	9	5	-
Black	42	2	1	-	1	-	2	2	5	7	15	7	-
Male	18	2	-	-	1	-	1	1	1	4	6	2	-
Female	24	-	1	-	-	-	1	1	4	3	9	5	-
San Antonio, Tex	8,744	229	56	49	293	312	355	515	1,256	1,889	2,186	1,593	1
Male	4,637	114	31	32	229	220	250	323	792	1,088	1,072	486	-
Female	4,107	115	25	17	64	92	105	192	464	801	1,124	1,107	1
White	8,021	202	50	42	261	269	328	460	1,132	1,749	2,047	1,490	1
Male	4,263	103	28	29	205	190	233	285	718	1,017	1,005	450	-
Female	3,758	99	22	13	56	79	95	185	414	732	1,042	1,040	1
All other	723	27	6	7	32	43	27	55	124	140	149	103	-
Male	374	11	3	3	24	30	17	38	74	71	67	36	-
Female	349	16	3	4	8	13	10	27	50	69	82	67	-
Black	694	26	5	7	31	41	25	61	120	136	142	100	-
Male	362	11	3	3	23	29	17	37	73	67	65	34	-
Female	332	15	2	4	8	12	8	24	47	69	77	66	-
San Diego, Calif	15,608	356	66	58	335	551	583	767	1,892	3,559	4,141	3,237	63
Male	8,119	198	42	35	261	413	413	465	1,111	1,997	2,074	1,074	38
Female	7,489	158	24	23	74	138	170	302	781	1,562	2,067	2,163	27
White	14,571	275	54	47	281	482	504	654	1,742	3,359	3,954	3,159	60
Male	7,512	155	33	30	219	365	360	405	1,031	1,883	1,962	1,036	33
Female	7,059	120	21	17	62	117	144	249	711	1,476	1,992	2,123	27
All other	1,037	81	12	11	54	69	79	113	150	200	187	78	3
Male	607	43	9	5	42	48	53	60	80	114	112	38	3
Female	430	38	3	6	12	21	26	53	70	86	75	40	-
Black	618	51	8	4	30	49	46	72	87	124	102	42	3
Male	354	26	5	2	24	38	31	44	43	67	54	17	3
Female	264	25	3	2	6	11	15	28	44	57	48	25	-
San Francisco-Oakland, Calif	29,389	442	68	77	484	1,106	1,578	1,851	3,939	6,292	7,547	5,925	80
Male	15,595	247	33	47	363	950	1,168	1,239	2,426	3,553	3,681	1,850	38
Female	13,794	195	35	30	121	256	410	612	1,513	2,739	3,866	3,975	42
White	23,724	263	44	54	395	795	1,187	1,345	3,018	4,995	6,301	5,315	74
Male	12,277	146	22	33	243	629	914	913	1,874	2,801	2,961	1,704	37
Female	11,447	117	22	21	92	166	273	432	1,142	2,194	3,340	3,611	37
All other	5,665	179	24	23	149	311	391	506	923	1,297	1,246	610	6
Male	3,318	101	11	14	120	221	254	326	552	752	720	246	1
Female	2,347	78	13	9	29	90	137	180	371	545	526	364	5
Black	3,640	131	17	15	116	224	280	360	645	853	676	319	4
Male	2,098	72	9	9	92	164	190	230	383	475	362	112	-
Female	1,542	59	8	6	24	60	90	130	262	378	314	207	4
San Jose, Calif	8,014	198	34	31	183	301	340	547	1,102	1,704	1,901	1,654	19
Male	4,026	105	20	22	136	208	219	321	661	985	866	478	7
Female	3,988	93	14	9	47	95	121	226	441	719	1,035	1,176	12
White	7,322	147	24	22	156	257	297	478	999	1,577	1,773	1,577	17
Male	3,613	78	14	15	113	178	194	281	593	909	787	448	5
Female	3,709	69	10	7	43	81	103	195	406	668	986	1,129	12
All other	692	51	10	9	27	44	43	71	103	127	128	77	2
Male	413	27	6	7	23	30	25	40	68	76	79	30	2
Female	279	24	4	2	4	14	18	31	35	51	49	47	-
Black	191	21	3	2	9	13	18	24	21	32	22	26	-
Male	106	10	2	2	8	9	10	12	14	19	10	10	-
Female	85	11	1	-	1	4	8	12	7	13	12	16	-
Santa Barbara-Santa Maria-Lompoc, Calif	2,556	23	6	11	46	70	84	110	283	565	731	621	6
Male	1,287	14	1	10	38	51	50	60	163	314	369	216	1
Female	1,269	9	5	1	8	19	34	50	120	251	362	405	5
White	2,465	22	6	11	43	64	77	105	269	548	712	602	6
Male	1,234	13	1	10	35	48	48	56	154	306	354	208	1
Female	1,231	9	5	1	8	16	29	49	115	242	358	394	5
All other	91	1	-	-	3	6	7	5	14	17	19	19	-
Male	53	1	-	-	3	3	2	4	9	8	15	8	-
Female	38	-	-	-	-	3	5	1	5	9	4	11	-
Black	47	-	-	-	1	4	4	2	7	11	8	12	-
Male	23	-	-	-	1	2	1	2	5	3	4	5	-
Female	24	-	-	-	-	2	3	-	2	8	2	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Cruz, Calif	1,740	31	8	9	30	61	66	59	172	347	507	445	5
Male	851	19	5	4	23	48	48	36	92	184	249	142	1
Female	889	12	3	5	7	13	18	23	80	163	258	303	4
White	1,697	29	8	9	29	59	65	56	168	338	494	437	5
Male	821	17	5	4	22	46	47	34	89	182	238	136	1
Female	876	12	3	5	7	13	18	22	79	156	256	301	4
All other	43	2	–	–	1	2	1	3	4	9	13	8	–
Male	30	2	–	–	1	2	1	2	3	2	11	6	–
Female	13	–	–	–	–	–	–	1	1	7	2	2	–
Black	11	1	–	–	1	1	–	2	1	2	2	1	–
Male	8	1	–	–	1	1	–	1	1	1	1	1	–
Female	3	–	–	–	–	–	–	1	–	1	1	–	–
Santa Rosa, Calif	3,092	33	9	7	67	81	98	135	330	714	895	716	7
Male	1,636	18	5	5	51	63	74	80	203	395	475	265	2
Female	1,456	15	4	2	16	18	24	55	127	319	420	451	5
White	3,044	32	8	7	66	79	96	132	322	702	887	706	7
Male	1,610	18	5	5	51	61	73	79	199	387	469	261	2
Female	1,434	14	3	2	15	18	23	53	123	315	418	445	5
All other	48	1	1	–	1	2	2	3	8	12	8	10	–
Male	26	–	–	–	–	2	1	1	4	8	6	4	–
Female	22	1	1	–	1	–	1	2	4	4	2	6	–
Black	15	–	1	–	–	1	1	–	4	3	3	2	–
Male	8	–	–	–	–	1	–	–	3	1	2	1	–
Female	7	–	1	–	–	–	1	–	1	2	1	1	–
Sarasota, Fla	3,677	31	1	6	24	41	56	81	314	902	1,317	904	–
Male	1,978	18	1	3	18	33	38	62	194	525	723	363	–
Female	1,699	13	–	3	6	8	18	19	120	377	594	541	–
White	3,566	25	1	4	24	38	48	77	290	871	1,296	892	–
Male	1,916	15	1	2	18	31	33	59	181	501	714	361	–
Female	1,650	10	–	2	6	7	15	18	109	370	582	531	–
All other	111	6	–	2	–	3	8	4	24	31	21	12	–
Male	62	3	–	1	–	2	5	3	13	24	9	2	–
Female	49	3	–	1	–	1	3	1	11	7	12	10	–
Black	111	6	–	2	–	3	8	4	24	31	21	12	–
Male	62	3	–	1	–	2	5	3	13	24	9	2	–
Female	49	3	–	1	–	1	3	1	11	7	12	10	–
Savannah, Ga	2,251	70	17	13	46	65	106	157	355	545	573	304	–
Male	1,218	39	11	9	40	48	63	97	227	329	262	93	–
Female	1,033	31	6	4	6	17	43	60	128	216	311	211	–
White	1,400	22	8	6	27	37	51	88	218	357	366	220	–
Male	769	13	4	5	24	28	31	57	145	224	169	69	–
Female	631	9	4	1	3	9	20	31	73	133	197	151	–
All other	851	48	9	7	19	28	55	69	137	188	207	84	–
Male	449	26	7	4	16	20	32	40	82	105	93	24	–
Female	402	22	2	3	3	8	23	29	55	83	114	60	–
Black	848	48	9	7	19	27	55	69	137	186	207	84	–
Male	448	26	7	4	16	20	32	40	82	104	93	24	–
Female	400	22	2	3	3	7	23	29	55	82	114	60	–
Seattle-Everett, Wash	12,758	247	39	48	257	354	444	665	1,572	2,891	3,458	2,782	1
Male	6,550	141	21	29	188	258	271	407	954	1,706	1,731	844	–
Female	6,208	106	18	19	69	96	173	258	618	1,185	1,727	1,938	1
White	11,863	205	33	40	230	310	375	599	1,428	2,696	3,265	2,681	1
Male	6,004	111	17	23	171	233	224	366	864	1,577	1,609	809	–
Female	5,859	94	16	17	59	77	151	233	564	1,119	1,656	1,872	1
All other	895	42	6	8	27	44	69	66	144	195	193	101	–
Male	546	30	4	6	17	25	47	41	90	129	122	35	–
Female	349	12	2	2	10	19	22	25	54	66	71	66	–
Black	470	24	2	6	14	32	43	33	78	131	69	38	–
Male	289	19	1	5	8	20	29	25	51	84	36	11	–
Female	181	5	1	1	6	12	14	8	27	47	33	27	–
Sharon, Pa	1,324	10	–	4	14	12	40	53	150	328	396	317	–
Male	659	4	–	3	11	9	24	25	86	175	212	110	–
Female	665	6	–	1	3	3	16	28	64	153	184	207	–
White	1,274	8	–	2	13	11	33	52	146	321	379	309	–
Male	634	2	–	1	11	9	20	24	85	174	202	106	–
Female	640	6	–	1	2	2	13	28	61	147	177	203	–
All other	50	2	–	2	1	1	7	1	4	7	17	8	–
Male	25	2	–	2	–	–	4	1	1	1	10	4	–
Female	25	–	–	–	1	1	3	–	3	6	7	4	–
Black	48	2	–	2	1	1	7	1	3	7	16	8	–
Male	24	2	–	2	–	–	4	1	1	1	9	4	–
Female	24	–	–	–	1	1	3	–	2	6	7	4	–
Sheboygan, Wis	1,006	14	3	4	19	14	21	27	105	200	349	250	–
Male	524	5	1	3	15	10	13	17	62	125	178	95	–
Female	482	9	2	1	4	4	8	10	43	75	171	155	–
White	1,002	14	3	4	19	14	20	27	105	198	349	249	–
Male	522	5	1	3	15	10	12	17	62	124	178	95	–
Female	480	9	2	1	4	4	8	10	43	74	171	154	–
All other	4	–	–	–	–	–	1	–	–	2	–	1	–
Male	2	–	–	–	–	–	1	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sherman-Denison, Tex	1,020	9	3	5	21	28	28	48	124	240	283	231	-
Male	550	6	2	3	16	22	16	34	78	142	145	86	-
Female	470	3	1	2	5	6	12	14	46	98	138	145	-
White	933	7	3	4	18	24	24	40	117	220	256	220	-
Male	502	5	2	2	14	19	13	28	75	133	129	82	-
Female	431	2	1	2	4	5	11	12	42	87	127	138	-
All other	87	2	-	1	3	4	4	8	7	20	27	11	-
Male	48	1	-	1	2	3	3	6	3	9	16	4	-
Female	39	1	-	-	1	1	1	2	4	11	11	7	-
Black	86	2	-	-	3	4	4	8	7	20	27	11	-
Male	47	1	-	-	2	3	3	6	3	9	16	4	-
Female	39	1	-	-	1	1	1	2	4	11	11	7	-
Shreveport, La	3,611	89	16	18	68	122	119	203	521	868	930	657	-
Male	1,851	52	8	14	53	90	83	132	303	493	431	192	-
Female	1,760	37	8	4	15	32	36	71	218	375	499	465	-
White	2,353	34	5	13	30	66	64	117	336	604	642	442	-
Male	1,192	21	1	10	24	52	46	80	198	356	288	116	-
Female	1,161	13	4	3	6	14	18	37	138	248	354	326	-
All other	1,258	55	11	5	38	56	55	86	185	264	288	215	-
Male	659	31	7	4	29	38	37	52	105	137	143	76	-
Female	599	24	4	1	9	18	18	34	80	127	145	139	-
Black	1,254	55	10	5	38	56	54	86	185	264	286	215	-
Male	657	31	7	4	29	38	36	52	105	137	142	76	-
Female	597	24	3	1	9	18	18	34	80	127	144	139	-
Sioux City, Iowa-Nebr	1,064	11	4	4	10	15	27	38	121	213	323	298	-
Male	547	5	3	2	9	10	15	23	72	129	173	106	-
Female	517	6	1	2	1	5	12	15	49	84	150	192	-
White	1,040	11	4	3	10	14	26	36	116	207	318	295	-
Male	531	5	3	2	9	10	14	21	69	124	169	105	-
Female	509	6	1	1	1	4	12	15	47	83	149	190	-
All other	24	-	-	1	-	1	1	2	5	6	5	3	-
Male	16	-	-	-	-	-	1	2	3	5	4	1	-
Female	8	-	-	1	-	1	-	-	2	1	1	2	-
Black	11	-	-	-	-	-	-	-	4	2	3	2	-
Male	8	-	-	-	-	-	-	-	2	2	3	1	-
Female	3	-	-	-	-	-	-	-	2	-	-	1	-
Sioux Falls, S. Dak	866	20	6	-	13	24	25	40	100	205	214	219	-
Male	437	10	3	-	6	19	18	22	60	122	107	70	-
Female	429	10	3	-	7	5	7	18	40	83	107	149	-
White	860	19	6	-	12	24	25	39	99	204	214	218	-
Male	435	10	3	-	6	19	18	22	59	121	107	70	-
Female	425	9	3	-	6	5	7	17	40	83	107	148	-
All other	6	1	-	-	1	-	-	1	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	4	1	-	-	1	-	-	1	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
South Bend, Ind	2,699	46	14	10	38	55	66	116	410	566	778	600	-
Male	1,356	26	8	7	31	40	48	65	246	326	377	184	-
Female	1,343	20	8	3	7	15	18	51	164	240	401	416	-
White	2,509	36	9	10	30	44	55	103	376	524	744	578	-
Male	1,244	20	5	7	24	30	42	57	225	300	357	177	-
Female	1,265	16	4	3	6	14	13	46	151	224	387	401	-
All other	190	10	5	-	8	11	11	13	34	42	34	22	-
Male	112	6	1	-	7	10	6	8	21	26	20	7	-
Female	78	4	4	-	1	1	5	5	13	16	14	15	-
Black	182	9	5	-	8	8	11	13	34	40	32	22	-
Male	109	6	1	-	7	8	8	8	21	26	19	7	-
Female	73	3	4	-	1	-	5	5	13	14	13	15	-
Spokane, Wash	3,159	65	8	11	70	68	83	124	374	720	895	738	3
Male	1,644	41	5	9	51	46	48	76	226	427	462	250	3
Female	1,515	24	3	2	19	22	35	48	148	293	433	488	-
White	3,098	59	8	10	68	62	80	119	367	704	885	733	3
Male	1,609	39	5	8	50	45	46	72	222	417	454	248	3
Female	1,489	20	3	2	18	17	34	47	145	287	431	485	-
All other	61	6	-	1	2	6	3	5	7	16	10	5	-
Male	35	2	-	1	1	1	2	4	4	10	8	2	-
Female	26	4	-	-	1	5	1	1	3	6	2	3	-
Black	30	2	-	1	1	3	2	3	1	9	5	3	-
Male	18	-	-	1	-	-	2	3	1	6	4	1	-
Female	12	2	-	-	1	3	-	-	-	3	1	2	-
Springfield, Ill	1,770	24	7	3	25	34	48	68	206	432	506	416	-
Male	892	17	4	3	20	26	36	40	137	247	226	138	-
Female	878	7	3	-	5	8	12	29	69	185	280	280	-
White	1,666	15	6	3	24	29	40	63	194	407	481	404	-
Male	837	12	3	3	19	21	30	39	129	236	212	133	-
Female	829	3	3	-	5	8	10	24	65	171	269	271	-
All other	104	9	1	-	1	5	8	6	12	25	25	12	-
Male	55	5	1	-	1	5	6	1	8	11	14	3	-
Female	49	4	-	-	-	-	2	5	4	14	11	9	-
Black	102	9	1	-	1	5	8	6	11	25	24	12	-
Male	54	5	1	-	1	5	6	1	7	11	14	3	-
Female	48	4	-	-	-	-	2	5	4	14	10	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, Mo	1,977	31	3	6	36	37	53	86	225	426	594	480	-
Male	1,001	17	2	3	26	27	36	58	132	256	289	157	-
Female	976	14	1	3	10	10	17	30	93	170	305	323	-
White	1,942	31	2	6	35	33	51	83	219	422	586	474	-
Male	978	17	1	3	25	23	34	55	127	254	285	154	-
Female	964	14	1	3	10	10	17	28	92	168	301	320	-
All other	35	-	1	-	1	4	2	3	6	4	8	6	-
Male	23	-	1	-	1	4	2	1	5	2	4	3	-
Female	12	-	-	-	-	-	-	2	1	2	4	3	-
Black	34	-	1	-	1	4	2	2	6	4	8	6	-
Male	22	-	1	-	1	4	2	-	5	2	4	3	-
Female	12	-	-	-	-	-	-	2	1	2	4	3	-
Springfield, Ohio	1,832	30	2	5	31	30	49	90	239	413	558	385	-
Male	946	18	2	2	23	23	32	56	153	234	278	125	-
Female	886	12	-	3	8	7	17	34	86	179	280	260	-
White	1,661	25	2	5	30	26	40	76	209	370	518	360	-
Male	860	14	2	2	22	19	27	45	136	213	264	116	-
Female	801	11	-	3	8	7	13	31	73	157	254	244	-
All other	171	5	-	-	1	4	9	14	30	43	40	25	-
Male	86	4	-	-	1	4	5	11	17	21	14	9	-
Female	85	1	-	-	-	-	4	3	13	22	26	16	-
Black	169	5	-	-	1	4	7	14	30	43	40	25	-
Male	86	4	-	-	1	4	5	11	17	21	14	9	-
Female	83	1	-	-	-	-	2	3	13	22	26	16	-
Springfield-Chicopee-Holyoke, Mass	5,727	85	21	16	84	84	141	248	680	1,436	1,565	1,367	-
Male	2,794	57	10	7	65	63	93	150	426	833	700	390	-
Female	2,933	28	11	9	19	21	48	98	254	603	865	977	-
White	5,522	73	17	12	81	73	123	233	645	1,382	1,534	1,349	-
Male	2,690	49	8	4	63	54	81	141	408	805	693	384	-
Female	2,832	24	9	8	18	19	42	92	237	577	841	965	-
All other	205	12	4	4	3	11	18	15	35	54	31	16	-
Male	104	8	2	3	2	9	12	9	18	28	7	6	-
Female	101	4	2	1	1	2	6	6	17	26	24	12	-
Black	200	12	4	3	3	10	18	15	34	54	29	18	-
Male	103	8	2	3	2	8	12	9	18	28	7	6	-
Female	97	4	2	-	1	2	6	6	16	26	22	12	-
State College, Pa	748	14	1	2	12	10	17	43	89	197	215	148	-
Male	397	8	1	1	8	9	14	30	51	118	113	44	-
Female	351	6	-	1	4	1	3	13	38	79	102	104	-
White	742	13	1	2	12	10	16	42	88	196	214	148	-
Male	396	8	1	1	8	9	13	30	51	118	113	44	-
Female	346	5	-	1	4	1	3	12	37	78	101	104	-
All other	6	1	-	-	-	-	1	1	1	1	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	1	-	-	-	-	-	1	1	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Steubenville-Weirton, Ohio-W. Va	1,674	15	5	2	23	16	23	82	265	457	495	291	-
Male	871	8	2	1	18	11	15	52	164	256	237	107	-
Female	803	7	3	1	5	5	8	30	101	201	258	184	-
White	1,603	13	3	2	22	16	21	80	255	498	474	279	-
Male	827	7	1	1	17	11	13	51	157	246	226	97	-
Female	776	6	2	1	5	5	8	29	98	192	248	182	-
All other	71	2	2	-	1	-	2	2	10	19	21	12	-
Male	44	1	1	-	1	-	2	1	7	10	11	10	-
Female	27	1	1	-	-	-	-	1	3	9	10	2	-
Black	67	2	2	-	1	-	1	2	10	19	18	12	-
Male	40	1	1	-	1	-	1	1	7	10	8	10	-
Female	27	1	1	-	-	-	-	1	3	9	10	2	-
Stockton, Calif	3,498	71	16	19	90	131	156	210	444	802	888	666	5
Male	1,952	36	9	14	65	101	108	123	278	489	494	233	4
Female	1,546	35	7	5	25	30	48	87	168	313	394	433	1
White	3,026	46	10	11	80	104	120	175	385	731	765	593	5
Male	1,683	27	6	9	58	83	87	102	240	444	408	195	4
Female	1,363	19	4	2	22	21	33	73	145	287	358	398	1
All other	472	25	6	8	10	27	36	35	59	71	122	73	-
Male	289	9	3	5	7	18	21	21	38	45	88	38	-
Female	183	16	3	3	3	9	15	14	23	26	36	35	-
Black	241	14	1	4	5	19	21	24	34	40	51	28	-
Male	127	4	-	4	3	13	12	12	22	23	24	10	-
Female	114	10	1	-	2	6	9	12	12	17	27	18	-
Syracuse, N.Y	5,661	96	31	20	77	98	132	296	760	1,350	1,572	1,229	-
Male	2,969	66	15	12	61	72	84	185	480	801	801	392	-
Female	2,692	30	16	8	16	26	48	111	280	549	771	837	-
White	5,428	74	29	19	72	85	114	260	723	1,301	1,541	1,210	-
Male	2,829	50	15	11	58	61	74	162	455	774	783	386	-
Female	2,599	24	14	8	14	24	40	98	268	527	758	824	-
All other	233	22	2	1	5	13	18	36	37	49	31	19	-
Male	140	16	-	1	3	11	10	23	25	27	18	6	-
Female	93	6	2	-	2	2	8	13	12	22	13	13	-
Black	200	22	2	-	4	11	15	27	35	41	26	17	-
Male	119	16	-	-	3	10	8	17	25	21	14	5	-
Female	81	6	2	-	1	1	7	10	10	20	12	12	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, Wash	3,876	97	16	20	82	105	129	197	521	933	992	784	–
Male	2,032	54	8	12	58	71	86	122	333	559	473	256	–
Female	1,844	43	8	8	24	34	43	75	188	374	519	528	–
White	3,633	73	13	15	71	81	111	179	481	874	967	774	–
Male	1,892	40	7	8	51	56	72	105	308	528	463	254	–
Female	1,741	33	6	7	20	25	39	68	173	346	504	520	–
All other	243	24	3	5	11	24	18	24	40	59	25	10	–
Male	140	14	1	4	7	15	14	17	25	31	10	2	–
Female	103	10	2	1	4	9	4	7	15	28	15	8	–
Black	156	17	3	1	7	16	10	15	27	41	12	7	–
Male	97	11	1	1	4	12	8	12	20	24	3	1	–
Female	59	6	2	–	3	4	2	3	7	17	9	6	–
Tallahassee, Fla	1,046	19	6	8	35	36	47	72	153	230	259	181	–
Male	576	10	4	7	25	26	33	39	109	142	128	53	–
Female	470	9	2	1	10	10	14	33	44	88	131	128	–
White	777	7	2	6	24	27	35	47	111	171	168	159	–
Male	418	4	1	5	18	20	26	25	80	105	92	42	–
Female	359	3	1	1	6	7	9	22	31	66	96	117	–
All other	269	12	4	2	11	9	12	25	42	59	71	22	–
Male	158	6	3	2	7	6	7	14	29	37	36	11	–
Female	111	6	1	–	4	3	5	11	13	22	35	11	–
Black	267	12	4	2	11	8	12	25	41	59	71	22	–
Male	157	6	3	2	7	5	7	14	29	37	36	11	–
Female	110	6	1	–	4	3	5	11	12	22	35	11	–
Tampa-St. Petersburg, Fla	22,902	268	59	55	255	381	528	903	2,449	5,542	7,306	5,151	5
Male	12,341	159	27	40	191	273	355	567	1,525	3,278	3,880	2,043	3
Female	10,561	109	32	15	64	108	173	336	924	2,264	3,426	3,108	2
White	21,405	183	42	41	196	306	435	765	2,215	5,203	7,005	5,009	5
Male	11,498	104	19	29	150	228	294	460	1,384	3,086	3,727	1,994	3
Female	9,907	79	23	12	46	78	141	285	831	2,117	3,278	3,015	2
All other	1,497	85	17	14	59	75	93	138	234	339	301	142	–
Male	843	55	8	11	41	45	61	87	141	192	153	49	–
Female	654	30	9	3	18	30	32	51	93	147	148	93	–
Black	1,462	82	16	10	58	70	91	131	230	337	299	138	–
Male	820	54	8	7	40	43	60	82	138	190	152	46	–
Female	642	28	8	3	18	27	31	49	92	147	147	92	–
Terre Haute, Ind	1,953	21	6	6	29	39	44	90	234	433	614	437	–
Male	981	13	3	4	23	33	29	55	134	249	302	136	–
Female	972	8	3	2	6	6	15	35	100	184	312	301	–
White	1,893	19	6	6	29	38	42	86	231	422	593	421	–
Male	953	12	3	4	23	32	27	53	133	246	290	130	–
Female	940	7	3	2	6	6	15	33	98	176	303	291	–
All other	60	2	–	–	–	1	2	4	3	11	21	16	–
Male	28	1	–	–	–	1	2	2	1	3	12	6	–
Female	32	1	–	–	–	–	–	2	2	8	9	10	–
Black	60	2	–	–	–	1	2	4	3	11	21	16	–
Male	28	1	–	–	–	1	2	2	1	3	12	6	–
Female	32	1	–	–	–	–	–	2	2	8	9	10	–
Texarkana, Tex.-Texarkana, Ark	1,359	12	9	8	29	24	44	77	184	321	379	272	–
Male	752	5	5	7	21	19	27	55	115	186	206	106	–
Female	607	7	4	1	8	5	17	22	69	135	173	166	–
White	1,067	6	4	6	19	16	34	58	149	268	299	208	–
Male	596	2	3	5	14	13	23	46	96	155	161	78	–
Female	471	4	1	1	5	3	11	12	53	113	138	130	–
All other	292	6	5	2	10	8	10	19	35	53	80	64	–
Male	156	3	2	2	7	6	4	9	19	31	45	28	–
Female	136	3	3	–	3	2	6	10	16	22	35	36	–
Black	288	5	5	1	10	8	9	18	35	53	80	64	–
Male	154	3	2	1	7	6	4	8	19	31	45	28	–
Female	134	2	3	–	3	2	5	10	16	22	35	36	–
Toledo, Ohio-Mich	7,050	123	13	33	107	136	173	388	990	1,697	1,918	1,470	2
Male	3,563	69	8	18	71	97	108	237	614	957	894	488	2
Female	3,487	54	5	15	36	39	65	151	376	740	1,024	982	–
White	6,402	102	8	24	96	105	144	327	870	1,554	1,779	1,391	2
Male	3,234	59	5	14	67	76	90	206	550	877	833	455	2
Female	3,168	43	3	10	29	29	54	121	320	677	946	936	–
All other	648	21	5	9	11	31	29	61	120	143	139	79	–
Male	329	10	3	4	4	21	18	31	64	80	61	33	–
Female	319	11	2	5	7	10	11	30	56	63	78	46	–
Black	632	17	5	9	11	30	27	59	119	139	137	79	–
Male	318	8	3	4	4	20	16	30	64	77	59	33	–
Female	314	9	2	5	7	10	11	29	55	62	78	46	–
Topeka, Kans	1,708	30	9	6	26	35	49	78	207	363	480	425	–
Male	896	20	5	5	23	27	31	56	132	224	242	131	–
Female	812	10	4	1	3	8	18	22	75	139	238	294	–
White	1,568	26	6	3	24	28	42	68	193	333	439	406	–
Male	818	18	3	3	21	22	25	50	121	204	226	125	–
Female	750	8	3	–	3	6	17	18	72	129	213	281	–
All other	140	4	3	3	2	7	7	10	14	30	41	19	–
Male	78	2	2	2	2	5	6	6	11	20	16	6	–
Female	62	2	1	1	–	2	1	4	3	10	25	13	–
Black	135	4	3	3	2	6	6	9	14	30	39	19	–
Male	74	2	2	2	2	4	5	5	11	20	16	6	–
Female	61	2	1	1	–	2	1	4	3	10	24	13	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,950	50	7	13	38	100	96	136	427	713	765	605	-
Male	1,489	32	4	7	31	75	57	86	267	408	358	164	-
Female	1,461	18	3	6	7	25	39	50	160	305	407	441	-
White	2,414	23	4	6	29	63	52	83	319	599	675	561	-
Male	1,167	14	2	3	25	47	28	47	202	343	311	145	-
Female	1,247	9	2	3	4	16	24	36	117	256	364	416	-
All other	536	27	3	7	9	37	44	53	108	114	90	44	-
Male	322	18	2	4	6	26	29	39	65	65	47	19	-
Female	214	9	1	3	3	9	15	14	43	49	43	25	-
Black	525	27	3	6	9	36	44	50	105	112	89	44	-
Male	314	18	2	3	6	27	29	36	64	64	46	19	-
Female	211	9	1	3	3	9	15	14	41	48	43	25	-
Tucson, Ariz	5,081	93	16	20	113	167	175	260	608	1,213	1,438	975	3
Male	2,756	51	9	15	82	110	112	168	387	737	723	362	2
Female	2,325	42	7	5	31	57	63	94	221	476	715	613	1
White	4,794	80	13	17	99	149	146	235	565	1,183	1,389	936	3
Male	2,596	44	8	14	73	96	91	150	365	706	703	344	2
Female	2,198	36	5	3	26	52	55	85	200	457	686	592	1
All other	287	13	3	3	14	18	29	25	43	50	49	39	-
Male	160	7	1	1	9	14	21	18	22	31	20	16	-
Female	127	6	2	2	5	5	8	9	21	19	29	21	-
Black	136	8	1	-	3	7	9	16	21	21	27	23	-
Male	79	5	-	-	1	6	6	13	11	14	13	10	-
Female	57	3	1	-	2	1	3	3	10	7	14	13	-
Tulsa, Okla	6,107	115	32	22	102	154	207	381	810	1,312	1,691	1,279	2
Male	3,067	54	16	13	72	110	144	226	478	754	786	412	2
Female	3,040	61	16	9	30	44	63	155	332	558	905	867	-
White	5,510	85	26	18	86	124	178	334	731	1,201	1,536	1,190	1
Male	2,761	42	14	12	60	91	126	196	433	694	710	382	1
Female	2,749	43	12	6	26	33	52	138	298	507	826	808	-
All other	597	30	6	4	16	30	29	47	79	111	155	89	1
Male	306	12	2	1	12	19	18	30	45	60	76	30	1
Female	291	18	4	3	4	11	11	17	34	51	79	59	-
Black	466	21	6	4	11	26	26	33	54	93	113	78	1
Male	240	10	2	1	8	16	15	21	29	50	61	26	1
Female	226	11	4	3	3	10	11	12	25	43	52	52	-
Tuscaloosa, Ala	1,159	38	5	7	12	30	35	79	178	270	299	206	-
Male	617	24	4	4	12	25	25	42	106	167	147	61	-
Female	542	14	1	3	-	5	10	37	72	103	152	145	-
White	812	16	-	6	10	20	22	57	115	192	222	152	-
Male	440	9	-	3	10	16	15	34	71	129	110	43	-
Female	372	7	-	3	-	4	7	23	44	63	112	109	-
All other	347	22	5	1	2	10	13	22	63	78	77	54	-
Male	177	15	4	1	2	9	10	8	35	38	37	18	-
Female	170	7	1	-	-	1	3	14	28	40	40	36	-
Black	347	22	5	1	2	10	13	22	63	78	77	54	-
Male	177	15	4	1	2	9	10	8	35	38	37	18	-
Female	170	7	1	-	-	1	3	14	28	40	40	36	-
Tyler, Tex	1,272	15	4	6	32	28	42	78	157	291	357	262	-
Male	670	8	2	4	27	22	31	48	97	176	171	84	-
Female	602	7	2	2	5	6	11	30	60	115	186	178	-
White	995	6	2	4	24	23	32	56	126	234	279	209	-
Male	521	3	1	3	20	18	24	33	77	144	133	65	-
Female	474	3	1	1	4	5	8	23	49	90	146	144	-
All other	277	9	2	2	8	5	10	22	31	57	78	53	-
Male	149	5	1	1	7	4	7	15	20	32	38	19	-
Female	128	4	1	1	1	1	3	7	11	25	40	34	-
Black	276	9	2	2	8	5	10	22	31	56	78	53	-
Male	148	5	1	1	7	4	7	15	20	31	38	19	-
Female	128	4	1	1	1	1	3	7	11	25	40	34	-
Utica-Rome, N.Y	3,457	43	7	8	35	49	75	144	412	840	974	870	-
Male	1,725	26	4	5	25	34	44	85	250	483	486	283	-
Female	1,732	17	3	3	10	15	31	59	162	357	488	587	-
White	3,387	37	7	8	33	46	73	137	397	823	963	863	-
Male	1,684	23	4	5	23	32	43	81	237	475	481	280	-
Female	1,703	14	3	3	10	14	30	56	160	348	482	583	-
All other	70	6	-	-	2	3	2	7	15	17	11	7	-
Male	41	3	-	-	2	2	1	4	13	8	5	3	-
Female	29	3	-	-	-	1	1	3	2	9	6	4	-
Black	64	6	-	-	2	3	2	5	15	16	8	7	-
Male	39	3	-	-	2	2	1	3	13	7	5	3	-
Female	25	3	-	-	-	1	1	2	2	9	3	4	-
Vallejo-Fairfield-Napa, Calif	2,909	55	11	16	49	78	111	167	397	687	799	533	6
Male	1,595	39	7	11	38	55	75	105	254	416	398	195	4
Female	1,314	16	4	5	11	23	36	62	143	271	403	338	2
White	2,621	43	9	15	45	64	91	145	344	622	730	507	6
Male	1,425	29	5	10	36	46	64	92	221	379	355	184	4
Female	1,196	14	4	5	9	18	27	53	123	243	375	323	2
All other	288	12	2	1	4	14	20	22	53	65	69	26	-
Male	170	10	2	1	2	9	11	13	33	37	41	11	-
Female	118	2	-	-	2	5	9	9	20	28	28	15	-
Black	192	10	2	1	3	11	16	13	35	47	40	14	-
Male	113	8	2	1	2	7	11	9	22	25	22	4	-
Female	79	2	-	-	1	4	5	4	13	22	18	10	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Victoria, Tex	527	12	4	2	16	12	20	40	62	130	136	83	-
Male	293	5	2	2	14	11	16	26	40	82	60	35	-
Female	234	7	2	-	2	1	4	14	22	48	76	58	-
White	478	10	3	2	14	11	19	37	57	114	127	85	-
Male	264	5	1	2	13	10	15	23	36	70	58	31	-
Female	215	5	2	-	1	1	4	14	21	44	69	54	-
All other	48	2	1	-	2	1	1	3	5	16	9	8	-
Male	29	-	1	-	1	1	1	3	4	12	2	4	-
Female	19	2	-	-	1	-	-	-	1	4	7	4	-
Black	47	2	-	-	2	1	1	3	5	16	9	8	-
Male	28	-	-	-	1	1	1	3	4	12	2	4	-
Female	19	2	-	-	1	-	-	-	1	4	7	4	-
Vineland-Millville-Bridgeton, N.J	1,377	35	3	5	31	39	41	75	192	328	391	237	-
Male	746	19	3	4	24	32	29	50	116	205	184	80	-
Female	631	16	-	1	7	7	12	25	76	123	207	157	-
White	1,189	16	3	3	23	25	32	54	168	285	359	221	-
Male	638	7	3	2	19	22	25	36	100	182	170	72	-
Female	551	9	-	1	4	3	7	18	68	103	189	149	-
All other	188	19	-	2	8	14	9	21	24	43	32	16	-
Male	108	12	-	2	5	10	4	14	16	23	14	8	-
Female	80	7	-	-	3	4	5	7	8	20	18	8	-
Black	178	19	-	2	8	14	9	20	23	41	27	15	-
Male	101	12	-	2	5	10	4	13	16	21	11	7	-
Female	77	7	-	-	3	4	5	7	7	20	16	8	-
Visalia-Tulare-Porterville, Calif	2,202	49	20	15	70	90	91	113	254	478	612	406	4
Male	1,185	26	10	12	59	64	58	69	145	270	331	139	2
Female	1,017	23	10	3	11	26	33	44	109	208	281	267	2
White	2,106	46	20	13	67	84	85	104	246	464	576	397	4
Male	1,125	24	10	11	56	62	55	65	142	260	303	135	2
Female	981	22	10	2	11	22	30	39	104	204	273	262	2
All other	96	3	-	2	3	6	6	9	8	14	36	9	-
Male	60	2	-	1	3	2	3	4	3	10	28	4	-
Female	36	1	-	1	-	4	3	5	5	4	8	5	-
Black	32	-	-	-	3	1	1	2	4	7	13	1	-
Male	20	-	-	-	3	-	1	-	2	4	9	1	-
Female	12	-	-	-	-	1	-	2	2	3	4	-	-
Waco, Tex	1,732	36	3	6	26	29	60	82	218	398	513	359	-
Male	921	22	3	5	19	22	46	43	146	233	251	131	-
Female	811	14	-	1	9	7	14	39	72	165	262	228	-
White	1,407	21	3	4	23	17	51	57	175	318	431	307	-
Male	746	14	3	4	17	11	38	32	117	188	209	113	-
Female	661	7	-	-	6	6	13	25	58	130	222	194	-
All other	325	15	-	2	5	12	9	25	43	80	82	52	-
Male	175	8	-	1	2	11	8	11	29	45	42	18	-
Female	150	7	-	1	3	1	1	14	14	35	40	34	-
Black	324	15	-	2	5	12	9	25	43	80	81	52	-
Male	175	8	-	1	2	11	8	11	28	45	42	18	-
Female	149	7	-	1	3	1	1	14	14	35	39	34	-
Washington, D.C.-Md.-Va	22,741	668	85	101	507	892	1,213	1,730	3,431	4,990	5,251	3,853	20
Male	11,738	378	53	50	364	639	808	1,060	2,138	2,786	2,316	1,122	14
Female	11,003	290	32	51	143	253	405	670	1,293	2,194	2,935	2,731	6
White	14,685	289	49	45	307	421	570	907	2,011	3,221	3,753	3,107	6
Male	7,260	171	28	21	222	303	374	547	1,264	1,832	1,611	882	5
Female	7,425	117	21	24	85	118	196	360	747	1,389	2,142	2,225	1
All other	8,056	380	36	56	200	471	643	823	1,420	1,769	1,498	746	14
Male	4,478	207	25	28	142	338	434	513	874	964	705	240	9
Female	3,578	173	11	27	58	135	209	310	546	805	793	506	5
Black	7,741	360	31	51	190	460	617	786	1,371	1,700	1,444	717	14
Male	4,306	199	20	28	132	329	419	491	845	928	677	229	9
Female	3,435	161	11	23	58	131	198	295	526	772	767	488	5
Waterloo-Cedar Falls, Iowa	1,037	11	4	4	15	15	25	36	121	248	309	249	-
Male	550	7	2	3	15	11	13	21	76	141	161	100	-
Female	487	4	2	1	-	4	12	15	45	107	148	149	-
White	982	9	3	3	12	14	20	32	114	236	299	240	-
Male	519	5	1	3	12	11	11	19	69	136	156	96	-
Female	463	4	2	-	-	3	9	13	45	100	143	144	-
All other	55	2	1	1	3	1	5	4	7	12	10	9	-
Male	31	2	1	-	3	-	2	2	7	5	5	4	-
Female	24	-	-	1	-	1	3	2	-	7	5	5	-
Black	52	2	1	1	2	1	4	4	7	11	10	9	-
Male	30	2	1	-	2	-	2	2	7	5	5	4	-
Female	22	-	-	1	-	1	2	2	-	6	5	5	-
Wausau, Wis	905	10	4	2	18	17	22	41	108	201	243	239	-
Male	498	6	3	2	17	12	16	30	70	127	136	79	-
Female	407	4	1	-	1	5	6	11	38	74	107	160	-
White	901	8	4	2	18	17	21	41	107	201	243	239	-
Male	495	4	3	2	17	12	16	30	69	127	136	79	-
Female	406	4	1	-	1	5	5	11	38	74	107	160	-
All other	4	2	-	-	-	-	1	-	1	-	-	-	-
Male	3	2	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach-Boca Raton, Fla	8,962	117	18	22	128	204	227	327	919	2,133	2,995	1,868	4
Male	4,961	65	13	13	82	143	159	210	547	1,278	1,645	804	2
Female	4,001	52	5	9	46	61	68	117	372	855	1,350	1,064	2
White	8,141	60	11	15	84	125	166	252	771	1,976	2,878	1,800	3
Male	4,482	30	9	8	59	89	118	162	456	1,188	1,583	778	2
Female	3,659	30	2	7	25	36	48	90	315	788	1,295	1,022	1
All other	821	57	7	7	44	79	61	75	148	157	117	68	1
Male	479	35	4	5	23	54	41	48	91	90	62	28	-
Female	342	22	3	2	21	25	20	27	57	67	55	42	1
Black	819	57	7	7	44	79	60	75	147	157	117	68	1
Male	477	35	4	5	23	54	40	48	90	90	62	26	-
Female	342	22	3	2	21	25	20	27	57	67	55	42	1
Wheeling, W. Va.-Ohio	1,940	20	3	4	16	29	33	81	274	513	582	385	-
Male	974	8	1	4	8	19	17	57	163	289	279	129	-
Female	966	12	2	-	8	10	16	24	111	224	303	256	-
White	1,887	12	3	4	16	29	33	80	264	500	566	380	-
Male	952	5	1	4	8	19	17	56	160	284	271	127	-
Female	935	7	2	-	8	10	16	24	104	216	295	253	-
All other	53	8	-	-	-	-	-	1	10	13	16	5	-
Male	22	3	-	-	-	-	-	1	3	5	8	2	-
Female	31	5	-	-	-	-	-	-	7	8	8	3	-
Black	52	8	-	-	-	-	-	1	10	13	15	5	-
Male	21	3	-	-	-	-	-	1	3	5	7	2	-
Female	31	5	-	-	-	-	-	-	7	8	8	3	-
Wichita, Kans	3,365	87	13	23	58	88	82	194	485	725	896	714	-
Male	1,724	52	7	17	45	66	51	119	317	419	408	223	-
Female	1,641	35	6	6	13	22	31	75	168	306	488	491	-
White	3,105	71	10	18	53	69	71	167	439	683	836	688	-
Male	1,577	42	7	14	42	51	44	102	285	396	380	214	-
Female	1,528	29	3	4	11	18	27	65	154	287	456	474	-
All other	260	16	3	5	5	19	11	27	46	42	60	26	-
Male	147	10	-	3	3	15	7	17	32	23	28	9	-
Female	113	6	3	2	2	4	4	10	14	19	32	17	-
Black	243	15	2	4	3	18	10	24	45	41	55	28	-
Male	138	9	-	3	1	14	7	16	32	22	25	9	-
Female	105	6	2	1	2	4	3	8	13	19	30	17	-
Wichita Falls, Tex	1,290	26	8	5	19	29	42	74	186	303	365	233	-
Male	670	11	3	2	11	21	27	52	115	173	171	84	-
Female	620	15	5	3	8	8	15	22	71	130	194	149	-
White	1,169	20	6	4	14	23	36	64	154	279	347	222	-
Male	605	8	2	2	7	17	23	47	96	158	167	78	-
Female	564	12	4	2	7	6	13	17	58	121	180	144	-
All other	121	6	2	1	5	6	6	10	32	24	18	11	-
Male	63	3	1	-	4	4	4	5	19	15	4	6	-
Female	56	3	1	1	1	2	2	5	13	9	14	5	-
Black	117	6	2	1	5	6	6	10	31	23	18	9	-
Male	63	3	1	-	4	4	4	5	19	14	4	5	-
Female	54	3	1	1	1	2	2	5	12	9	14	4	-
Williamsport, Pa	1,146	12	5	-	24	14	24	54	135	250	389	239	-
Male	601	7	4	-	21	10	14	34	79	151	197	84	-
Female	545	5	1	-	3	4	10	20	56	99	192	155	-
White	1,132	12	5	-	24	14	24	53	133	247	386	234	-
Male	591	7	4	-	21	10	14	33	77	149	195	81	-
Female	541	5	1	-	3	4	10	20	56	98	191	153	-
All other	14	-	-	-	-	-	-	1	2	3	3	5	-
Male	10	-	-	-	-	-	-	1	2	2	2	3	-
Female	4	-	-	-	-	-	-	-	-	1	1	2	-
Black	14	-	-	-	-	-	-	1	2	3	3	5	-
Male	10	-	-	-	-	-	-	1	2	2	2	3	-
Female	4	-	-	-	-	-	-	-	-	1	1	2	-
Wilmington, Del.-N.J.-Md	4,702	104	17	19	76	107	129	268	716	1,192	1,180	892	2
Male	2,439	66	9	12	60	82	75	174	444	683	542	290	2
Female	2,263	38	8	7	16	25	54	94	272	509	638	602	-
White	3,991	69	13	10	57	86	94	200	594	1,014	1,038	815	1
Male	2,053	46	8	7	45	68	56	133	369	592	471	257	1
Female	1,938	23	5	3	12	18	38	67	225	422	567	558	-
All other	711	35	4	9	19	21	35	68	122	178	142	77	1
Male	386	20	1	5	15	14	19	41	75	91	71	33	1
Female	325	15	3	4	4	7	16	27	47	87	71	44	-
Black	697	34	4	9	19	21	35	66	122	174	137	75	1
Male	377	20	1	5	15	14	19	40	75	89	67	31	1
Female	320	14	3	4	4	7	16	26	47	85	70	44	-
Wilmington, N.C	1,327	22	3	5	19	54	65	73	199	362	318	207	-
Male	714	13	2	1	14	37	39	41	130	214	168	57	-
Female	613	9	1	4	5	17	26	32	69	148	152	150	-
White	985	10	-	3	14	36	36	58	143	279	240	166	-
Male	536	5	-	-	11	26	23	35	93	170	129	44	-
Female	449	5	-	3	3	10	13	23	50	109	111	122	-
All other	342	12	3	2	5	18	29	15	56	83	78	41	-
Male	178	8	2	1	3	11	16	6	37	44	37	13	-
Female	164	4	1	1	2*	7	13	9	19	39	41	28	-
Black	341	12	3	2	5	18	29	15	56	83	77	41	-
Male	178	8	2	1	3	11	16	6	37	44	37	13	-
Female	163	4	1	1	2	7	13	9	19	39	40	28	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Worcester-Fitchburg-Leominster, Mass	6,420	72	12	17	83	110	170	271	737	1,495	1,930	1,622	1
Male	3,213	40	5	10	63	79	113	170	462	894	869	508	–
Female	3,207	32	7	7	20	31	57	101	275	601	961	1,114	1
White	6,357	68	11	16	79	105	165	265	724	1,485	1,922	1,916	1
Male	3,174	36	5	10	60	74	109	165	453	888	866	508	–
Female	3,183	32	6	6	19	31	56	100	271	597	956	1,108	1
All other	63	4	1	1	4	5	5	6	13	10	8	6	–
Male	39	4	–	–	3	5	4	5	9	6	3	–	–
Female	24	–	1	1	1	–	1	1	4	4	5	6	–
Black	52	4	1	–	3	4	5	4	12	6	8	5	–
Male	33	4	–	–	2	4	4	4	9	3	3	–	–
Female	19	–	1	–	1	–	1	–	3	3	5	5	–
Yakima, Wash	1,542	35	9	9	44	52	53	78	174	324	434	330	–
Male	877	19	7	8	38	36	37	54	114	192	245	127	–
Female	665	16	2	1	6	16	16	24	60	132	189	203	–
White	1,452	30	7	7	31	45	41	75	171	307	418	320	–
Male	821	18	7	6	25	31	31	52	113	182	233	123	–
Female	631	12	–	1	6	14	10	23	58	125	185	197	–
All other	90	5	2	2	13	7	12	3	3	17	16	10	–
Male	56	1	–	2	13	5	6	2	1	10	12	4	–
Female	34	4	2	–	–	2	6	1	2	7	4	6	–
Black	18	–	–	–	–	1	2	–	1	5	6	3	–
Male	8	–	–	–	–	1	–	–	–	2	3	2	–
Female	10	–	–	–	–	–	2	–	1	3	3	1	–
York, Pa	3,461	41	7	14	67	62	90	152	423	788	1,051	775	1
Male	1,793	27	2	9	49	41	54	83	262	456	553	256	1
Female	1,668	14	5	5	18	21	28	69	161	332	498	519	–
White	3,376	38	7	13	66	59	76	142	410	766	1,034	765	–
Male	1,739	24	2	9	48	40	50	77	253	442	542	252	–
Female	1,637	14	5	4	18	19	26	65	157	324	492	513	–
All other	85	3	–	1	1	3	4	10	13	22	17	10	1
Male	54	3	–	–	1	1	4	6	9	14	11	4	1
Female	31	–	–	1	–	2	–	4	4	8	6	6	–
Black	82	3	–	1	1	2	4	9	13	21	17	10	1
Male	53	3	–	–	1	–	4	6	9	14	11	4	1
Female	29	–	–	1	–	2	–	3	4	7	6	6	–
Youngstown-Warren, Ohio	5,197	70	8	15	56	119	112	254	805	1,369	1,382	1,007	–
Male	2,711	43	4	13	44	75	67	154	493	785	669	364	–
Female	2,486	27	4	2	12	44	45	100	312	584	713	643	–
White	4,601	48	3	13	46	91	81	192	697	1,229	1,271	930	–
Male	2,389	29	1	11	35	57	50	114	429	716	618	329	–
Female	2,212	19	2	2	11	34	31	78	268	513	653	601	–
All other	596	22	5	2	10	28	31	62	108	140	111	77	–
Male	322	14	3	2	9	18	17	40	64	69	51	35	–
Female	274	8	2	–	1	10	14	22	44	71	60	42	–
Black	594	22	5	2	9	28	31	62	108	139	111	77	–
Male	321	14	3	2	8	18	17	40	64	69	51	35	–
Female	273	8	2	–	1	10	14	22	44	70	60	42	–
Yuba City, Calif	947	27	4	5	23	35	36	43	112	222	253	193	4
Male	519	20	3	2	16	25	23	28	70	125	143	60	3
Female	428	7	1	3	7	10	13	14	42	97	110	133	1
White	881	24	3	4	21	33	28	40	105	214	235	170	4
Male	481	18	2	2	14	24	17	28	65	120	130	58	3
Female	400	6	1	2	7	9	11	12	40	94	105	112	1
All other	66	3	1	1	2	2	8	3	7	8	18	13	–
Male	38	2	1	–	2	1	6	1	5	5	13	2	–
Female	28	1	–	1	–	1	2	2	2	3	5	11	–
Black	25	1	–	–	2	–	2	1	7	4	6	2	–
Male	12	–	–	–	2	–	1	–	5	1	3	–	–
Female	13	1	–	–	–	–	1	1	2	3	3	2	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,105,361	38,891	2,899	1,916	1,463	1,202	46,371	4,082	4,706	16,224	23,705	26,474	30,056	33,496
Male	1,104,005	22,224	1,583	1,098	875	706	26,486	2,437	3,066	11,786	18,048	19,595	21,631	23,027
Female	1,001,356	16,667	1,316	818	588	496	19,885	1,645	1,640	4,438	5,657	6,879	8,425	10,469
White	1,831,083	26,564	2,097	1,377	1,067	885	31,990	2,998	3,664	13,293	18,465	19,663	21,804	24,609
Male	952,554	15,284	1,164	788	642	525	18,403	1,814	2,375	9,638	14,125	14,733	15,978	17,045
Female	878,529	11,280	933	589	425	360	13,587	1,184	1,289	3,655	4,340	4,950	5,826	7,564
All other	274,278	12,327	802	539	396	317	14,381	1,084	1,042	2,931	5,240	6,791	8,252	8,887
Male	151,451	6,940	419	310	233	181	8,083	623	691	2,148	3,923	4,862	5,653	5,982
Female	122,827	5,387	383	229	163	136	6,298	461	351	783	1,317	1,929	2,599	2,905
Black	250,326	11,204	704	470	349	278	13,005	929	888	2,519	4,562	6,117	7,575	8,102
Male	137,214	6,305	376	268	193	155	7,297	528	591	1,647	3,409	4,384	5,210	5,491
Female	113,112	4,899	328	202	156	123	5,708	401	297	672	1,153	1,733	2,365	2,611
Shigellosis and amebiasis (004,006)	12	–	–	–	–	–	–	1	–	–	–	1	2	–
Male	9	–	–	–	–	–	–	–	–	–	–	–	2	–
Female	3	–	–	–	–	–	–	1	–	–	–	1	–	–
White	11	–	–	–	–	–	–	1	–	–	–	1	2	–
Male	8	–	–	–	–	–	–	–	–	–	–	–	2	–
Female	3	–	–	–	–	–	–	1	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	347	114	6	2	1	–	123	2	1	–	3	8	9	12
Male	192	75	2	2	1	–	80	2	–	–	3	6	9	11
Female	155	39	4	–	–	–	43	–	1	–	–	–	–	1
White	257	54	6	2	–	–	62	–	–	–	3	7	7	12
Male	134	36	2	2	–	–	40	–	–	–	3	7	7	11
Female	123	18	4	–	–	–	22	–	–	–	–	–	–	1
All other	90	60	–	–	1	–	61	2	1	–	–	1	2	–
Male	58	39	–	–	1	–	40	2	–	–	–	1	2	–
Female	32	21	–	–	–	–	21	–	1	–	–	–	–	–
Black	82	54	–	–	1	–	55	2	1	–	–	1	2	–
Male	53	35	–	–	1	–	36	2	–	–	–	1	2	–
Female	29	19	–	–	–	–	19	–	1	–	–	–	–	–
Tuberculosis (010-018)	1,782	1	2	–	1	–	4	4	–	2	16	37	70	97
Male	1,157	1	–	–	–	–	1	1	–	1	6	24	49	80
Female	625	–	2	–	1	–	3	3	–	1	10	13	21	17
White	1,065	–	1	–	–	–	1	1	–	1	5	9	26	31
Male	679	–	–	–	–	–	–	–	–	1	2	4	18	27
Female	386	–	1	–	–	–	1	1	–	–	3	5	8	4
All other	717	1	1	–	1	–	3	3	–	1	11	28	44	66
Male	478	1	–	–	–	–	1	1	–	–	4	20	31	53
Female	239	–	1	–	1	–	2	2	–	1	7	8	13	13
Black	628	–	1	–	1	–	2	2	–	1	9	28	42	61
Male	424	–	–	–	–	–	–	1	–	–	4	19	29	48
Female	204	–	1	–	1	–	2	1	–	1	5	7	13	13
Tuberculosis of respiratory system (010-012)	1,407	–	1	–	–	–	1	1	–	1	11	16	44	67
Male	948	–	–	–	–	–	–	–	–	1	5	11	31	58
Female	459	–	1	–	–	–	1	1	–	–	6	5	13	9
White	859	–	1	–	–	–	1	–	–	1	4	4	15	21
Male	564	–	–	–	–	–	–	–	–	1	2	1	10	18
Female	295	–	1	–	–	–	1	–	–	–	2	3	5	3
All other	548	–	–	–	–	–	–	1	–	–	7	12	29	46
Male	384	–	–	–	–	–	–	–	–	–	3	10	21	40
Female	164	–	–	–	–	–	–	1	–	–	4	2	8	6
Black	478	–	–	–	–	–	–	–	–	–	6	12	27	41
Male	339	–	–	–	–	–	–	–	–	–	3	10	19	35
Female	139	–	–	–	–	–	–	–	–	–	3	2	8	6
Other tuberculosis (013-016)	375	1	1	–	1	–	3	3	–	1	5	21	26	30
Male	209	1	–	–	–	–	1	1	–	–	1	13	18	22
Female	166	–	1	–	1	–	2	2	–	1	4	8	8	8
White	206	–	–	–	–	–	–	1	–	–	1	5	11	10
Male	115	–	–	–	–	–	–	–	–	–	–	3	8	9
Female	91	–	–	–	–	–	–	1	–	–	1	2	3	1
All other	169	1	1	–	1	–	3	2	–	1	4	16	15	20
Male	94	1	–	–	–	–	1	1	–	–	1	10	10	13
Female	75	–	1	–	1	–	2	1	–	1	3	6	5	7
Black	150	–	1	–	1	–	2	2	–	1	3	14	15	20
Male	85	–	–	–	–	–	–	1	–	–	1	9	10	13
Female	65	–	1	–	1	–	2	1	–	1	2	5	5	7
Whooping cough (033)	6	5	–	–	–	–	5	–	–	–	–	–	–	–
Male	4	3	–	–	–	–	3	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	2	–	–	–	–	–	–	–
White	3	2	–	–	–	–	2	–	–	–	–	–	–	–
Male	3	2	–	–	–	–	2	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	3	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	3	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	2	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	36,897	46,415	68,746	110,323	168,706	218,649	266,890	293,520	281,629	227,470	140,840	49,640	9,523	999
Male	23,896	29,361	42,978	69,198	103,133	130,613	152,433	154,284	128,547	85,145	43,378	12,448	1,882	533
Female	13,001	17,054	25,768	41,125	65,573	88,036	114,457	139,236	153,082	142,325	97,462	37,192	7,541	466
White	27,937	35,906	54,471	91,491	142,976	189,952	235,871	262,791	256,545	210,027	131,815	45,878	8,105	812
Male	18,161	22,869	34,352	57,922	88,223	114,255	135,671	138,505	116,916	77,896	40,216	11,338	1,597	420
Female	9,776	13,037	20,119	33,569	54,753	75,697	100,200	124,286	139,627	132,031	91,599	34,540	6,508	392
All other	8,960	10,509	14,275	18,832	25,730	28,697	31,019	30,729	25,084	17,443	9,025	3,762	1,418	187
Male	5,735	6,492	8,626	11,276	14,910	16,358	16,762	15,779	11,629	7,149	3,162	1,110	385	113
Female	3,225	4,017	5,649	7,556	10,820	12,339	14,257	14,950	13,455	10,294	5,863	2,652	1,033	74
Black	8,197	9,615	13,033	17,395	23,789	26,604	28,532	28,086	22,696	15,731	8,095	3,373	1,318	165
Male	5,276	5,948	7,882	10,460	13,748	15,074	15,246	14,147	10,195	6,269	2,805	956	347	104
Female	2,921	3,667	5,151	6,935	10,041	11,530	13,286	13,939	12,501	9,462	5,290	2,417	971	61
Shigellosis and amebiasis (004,006)	3	1	–	–	–	1	–	1	2	–	–	–	–	–
Male	3	1	–	–	–	1	–	1	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	1	–	–	–	–	–
White	2	1	–	–	–	1	–	1	2	–	–	–	–	–
Male	2	1	–	–	–	1	–	1	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	1	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	7	10	6	9	10	14	19	26	17	43	18	8	3	1
Male	6	5	3	4	6	6	10	11	4	16	5	1	2	–
Female	1	5	3	5	4	8	9	15	13	27	11	7	1	1
White	7	5	2	7	7	11	18	26	16	40	16	7	3	1
Male	6	3	1	2	4	4	10	11	4	13	5	1	2	–
Female	1	2	1	5	3	7	8	15	12	27	11	6	1	1
All other	–	5	4	2	3	3	1	–	1	3	–	1	–	–
Male	–	2	2	2	2	2	–	–	–	3	–	–	–	–
Female	–	3	2	–	1	1	1	–	1	–	–	1	–	–
Black	–	5	3	2	3	3	1	–	1	2	–	1	–	–
Male	–	2	2	2	2	2	–	–	–	2	–	–	–	–
Female	–	3	1	–	1	1	1	–	1	–	–	1	–	–
Tuberculosis (010-018)	87	75	108	114	165	185	188	230	186	141	54	14	2	3
Male	71	57	90	83	100	119	119	138	110	78	20	8	1	3
Female	16	18	18	31	65	66	69	94	76	63	34	6	1	–
White	33	36	45	72	100	113	132	167	132	110	37	11	2	1
Male	28	26	36	54	63	74	90	96	75	62	15	6	1	1
Female	5	10	9	18	37	39	42	71	57	48	22	5	1	–
All other	54	39	63	42	65	72	56	63	54	31	17	3	–	2
Male	43	31	54	29	37	45	29	40	35	16	5	2	–	2
Female	11	8	9	13	28	27	27	23	19	15	12	1	–	–
Black	50	38	58	34	54	68	49	49	41	28	12	2	–	2
Male	40	30	52	26	30	44	24	30	25	15	4	1	–	2
Female	10	8	6	8	24	24	25	19	16	13	8	1	–	–
Tuberculosis of respiratory system (010-012)	68	57	85	91	135	151	152	191	152	120	47	12	2	3
Male	56	44	75	70	89	101	102	121	92	62	19	7	1	3
Female	12	13	10	21	46	50	50	70	60	58	28	5	1	–
White	24	27	36	55	83	96	111	137	108	92	32	9	2	1
Male	20	21	30	46	56	64	77	85	64	48	14	5	1	1
Female	4	6	6	9	27	32	34	52	44	44	18	4	1	–
All other	44	30	49	36	52	55	41	54	44	28	15	3	–	2
Male	36	23	45	24	33	37	25	36	28	14	5	2	–	2
Female	8	7	4	12	19	18	16	18	16	14	10	1	–	–
Black	40	29	47	28	44	52	36	41	35	26	10	2	–	2
Male	33	22	44	21	28	36	21	26	21	13	4	1	–	2
Female	7	7	3	7	16	16	15	15	14	13	6	1	–	–
Other tuberculosis (013-018)	19	18	23	23	30	34	36	39	34	21	7	2	–	–
Male	15	13	15	13	11	18	17	15	18	16	1	1	–	–
Female	4	5	8	10	19	16	19	24	16	5	6	1	–	–
White	9	9	9	17	17	17	21	30	24	18	5	2	–	–
Male	8	5	6	8	7	10	13	11	11	14	1	1	–	–
Female	1	4	3	9	10	7	8	19	13	4	4	1	–	–
All other	10	9	14	6	13	17	15	9	10	3	2	–	–	–
Male	7	8	9	5	4	8	4	4	7	2	–	–	–	–
Female	3	1	5	1	9	9	11	5	3	1	2	–	–	–
Black	10	9	11	6	10	16	13	8	6	2	2	–	–	–
Male	7	8	8	5	2	8	3	4	4	2	–	–	–	–
Female	3	1	3	1	8	8	10	4	2	–	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	12	–	–	–	–	–	–	1	–	2	–	–	–	–
Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	7	–	–	–	–	–	–	1	–	1	–	–	–	–
White	10	–	–	–	–	–	–	1	–	1	–	–	–	–
Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Meningococcal infection (036)	286	62	26	24	10	4	126	11	9	25	13	15	9	9
Male	146	37	14	12	5	3	71	7	4	9	7	10	4	6
Female	140	25	12	12	5	1	55	4	5	16	6	5	5	3
White	216	49	18	19	4	2	92	9	6	18	7	9	7	7
Male	113	31	9	10	2	2	54	5	2	6	4	8	3	5
Female	103	18	9	9	2	–	38	4	4	12	3	1	4	2
All other	70	13	8	5	6	2	34	2	3	7	6	6	2	2
Male	33	6	5	2	3	1	17	2	2	3	3	2	1	1
Female	37	7	3	3	3	1	17	–	1	4	3	4	1	1
Black	66	11	8	4	6	2	31	2	3	7	6	5	2	2
Male	31	5	5	1	3	1	15	2	2	3	3	2	1	1
Female	35	6	3	3	3	1	16	–	1	4	3	3	1	1
Septicemia (038)	18,795	302	45	17	13	15	392	23	21	38	49	92	163	209
Male	8,786	179	24	9	8	9	229	16	10	22	20	56	89	121
Female	10,009	123	21	8	5	6	163	7	11	16	29	36	74	88
White	15,156	189	39	9	7	11	255	14	17	31	32	47	99	133
Male	6,962	103	20	4	3	7	137	8	6	17	14	29	61	81
Female	8,194	86	19	5	4	4	118	6	11	14	18	18	38	52
All other	3,639	113	6	8	6	4	137	9	4	7	17	45	64	76
Male	1,824	76	4	5	5	2	92	8	4	5	6	27	28	40
Female	1,815	37	2	3	1	2	45	1	–	2	11	18	36	36
Black	3,417	104	4	8	5	4	125	8	4	5	16	44	63	74
Male	1,697	70	3	5	4	2	84	7	4	4	5	26	28	39
Female	1,720	34	1	3	1	2	41	1	–	1	11	18	35	35
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	2	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1,006	10	1	2	3	2	18	8	2	9	36	54	53	67
Male	619	4	–	1	2	1	8	2	2	1	16	32	37	48
Female	387	6	1	1	1	1	10	6	–	8	20	22	16	19
White	830	3	1	1	2	2	9	6	1	6	23	37	39	58
Male	517	–	–	–	2	1	3	1	1	1	11	24	30	41
Female	313	3	1	1	–	1	6	5	–	5	12	13	9	17
All other	176	7	–	1	1	–	9	2	1	3	13	17	14	9
Male	102	4	–	1	–	–	5	1	1	–	5	8	7	7
Female	74	3	–	–	1	–	4	1	–	3	8	9	7	2
Black	126	5	–	1	–	–	6	2	1	3	13	16	12	8
Male	66	2	–	1	–	–	3	1	1	–	5	7	5	6
Female	60	3	–	–	–	–	3	1	–	3	8	9	7	2
Syphilis (090-097)	80	5	–	–	–	–	5	–	–	–	–	1	1	1
Male	42	2	–	–	–	–	2	–	–	–	–	1	1	1
Female	38	3	–	–	–	–	3	–	–	–	–	–	–	–
White	43	4	–	–	–	–	4	–	–	–	–	1	1	–
Male	22	2	–	–	–	–	2	–	–	–	–	1	1	–
Female	21	2	–	–	–	–	2	–	–	–	–	–	–	–
All other	37	1	–	–	–	–	1	–	–	–	–	–	–	1
Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	17	1	–	–	–	–	1	–	–	–	–	–	–	–
Black	37	1	–	–	–	–	1	–	–	–	–	–	–	1
Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	17	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	2	–	2	–	–	–	1	2	–	1	–	–
Male	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Female	–	1	–	–	1	–	–	–	1	2	–	–	–	–
White	–	–	2	–	2	–	–	–	1	2	–	1	–	–
Male	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	1	–	–	–	1	2	–	–	–	–
All other	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	7	9	3	5	12	8	8	6	6	2	3	–	–	–
Male	2	5	2	2	5	6	2	–	2	1	1	–	–	–
Female	5	4	1	3	7	2	6	6	4	1	2	–	–	–
White	7	7	3	4	11	7	7	4	6	2	3	–	–	–
Male	2	4	2	2	5	5	2	–	2	1	1	–	–	–
Female	5	3	1	2	6	2	5	4	4	1	2	–	–	–
All other	–	2	–	1	1	1	1	2	–	–	–	–	–	–
Male	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	1	–	1	1	–	1	2	–	–	–	–	–	–
Black	–	2	–	1	1	1	1	2	–	–	–	–	–	–
Male	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	1	–	1	1	–	1	2	–	–	–	–	–	–
Septicemia (038)	253	301	443	784	1,220	1,721	2,194	2,837	3,020	2,693	1,676	581	99	6
Male	133	175	261	441	714	958	1,177	1,402	1,299	950	538	157	16	2
Female	120	126	182	323	506	763	1,017	1,435	1,721	1,743	1,138	424	83	4
White	153	196	280	545	887	1,375	1,784	2,350	2,570	2,398	1,476	503	66	5
Male	76	113	165	308	530	771	947	1,155	1,118	825	460	131	8	2
Female	77	83	115	237	357	604	837	1,195	1,452	1,573	1,016	372	58	3
All other	100	105	163	219	333	346	410	487	450	355	200	78	33	1
Male	57	62	96	133	184	187	230	247	181	125	78	26	8	–
Female	43	43	67	86	149	159	180	240	269	230	122	52	25	1
Black	96	94	157	202	325	325	384	461	419	331	185	69	29	1
Male	55	57	91	125	180	172	214	230	164	111	72	22	7	–
Female	41	37	66	77	145	153	170	231	255	220	113	47	22	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	1	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	52	50	60	82	92	117	115	96	55	24	13	1	2	–
Male	41	37	38	60	65	66	71	50	24	13	6	1	1	–
Female	11	13	22	22	27	51	44	46	31	11	7	–	1	–
White	49	37	49	69	76	101	96	87	51	20	13	1	2	–
Male	38	27	31	50	56	58	59	47	21	10	6	1	1	–
Female	11	10	18	19	20	43	37	40	30	10	7	–	1	–
All other	3	13	11	13	16	16	19	9	4	4	–	–	–	–
Male	3	10	7	10	9	8	12	3	3	3	–	–	–	–
Female	–	3	4	3	7	8	7	6	1	1	–	–	–	–
Black	2	9	6	9	5	13	13	3	3	2	–	–	–	–
Male	2	7	4	6	1	6	8	1	2	1	–	–	–	–
Female	–	2	2	3	4	7	5	2	1	1	–	–	–	–
Syphilis (090-097)	3	–	3	3	2	5	12	16	15	8	3	2	–	–
Male	2	–	1	1	1	3	7	10	7	4	1	–	–	–
Female	1	–	2	2	1	2	5	6	8	4	2	2	–	–
White	1	–	3	2	1	3	4	8	9	3	1	2	–	–
Male	1	–	1	1	–	2	1	5	4	2	1	–	–	–
Female	–	–	2	1	1	1	3	3	5	1	–	2	–	–
All other	2	–	–	1	1	2	8	8	6	5	2	–	–	–
Male	1	–	–	–	1	1	6	5	3	2	–	–	–	–
Female	1	–	–	1	–	1	2	3	3	3	2	–	–	–
Black	2	–	–	1	1	2	8	8	6	5	2	–	–	–
Male	1	–	–	–	1	1	6	5	3	2	–	–	–	–
Female	1	–	–	1	–	1	2	3	3	3	2	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	9,295	219	40	26	21	20	326	52	44	63	229	658	1,044	1,023
Male	6,307	130	25	10	12	10	187	28	21	37	176	545	895	903
Female	2,988	89	15	16	9	10	139	24	23	26	53	113	149	120
White	7,305	139	29	17	18	16	219	43	35	54	185	484	738	732
Male	4,980	83	20	6	10	8	127	25	18	34	131	398	666	674
Female	2,325	56	9	11	8	8	92	18	17	20	34	66	72	58
All other	1,990	80	11	9	3	4	107	9	9	9	64	194	306	291
Male	1,327	47	5	4	2	2	60	3	3	3	45	147	229	229
Female	663	33	6	5	1	2	47	6	6	6	19	47	77	62
Black	1,831	68	10	9	3	3	93	7	7	9	61	186	298	278
Male	1,222	40	5	4	2	2	53	2	2	3	43	143	224	220
Female	609	28	5	5	1	1	40	5	5	6	18	45	74	58
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	469,376	97	116	150	157	146	666	622	543	847	1,268	2,127	3,477	5,888
Male	250,559	53	58	83	92	80	376	355	302	516	786	1,177	1,692	2,570
Female	218,817	44	58	67	65	66	290	267	241	331	482	950	1,785	3,316
White	412,352	82	102	119	126	126	555	514	443	709	1,060	1,753	2,857	4,735
Male	216,381	47	52	71	75	81	326	295	249	428	675	1,005	1,447	2,082
Female	193,971	35	50	48	51	45	229	219	194	281	385	748	1,410	2,653
All other	57,024	15	14	31	31	20	111	108	100	138	208	374	620	1,151
Male	32,178	6	6	12	17	9	50	60	53	88	111	172	245	488
Female	24,846	9	8	19	14	11	61	48	47	50	97	202	375	663
Black	51,979	13	13	23	26	18	93	92	85	121	186	322	530	992
Male	29,363	5	6	9	12	7	39	54	47	76	98	148	205	417
Female	22,616	8	7	14	14	11	54	38	38	45	88	174	325	575
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,292	1	1	1	–	–	3	2	4	6	19	22	46	110
Male	5,514	–	–	–	–	–	–	1	3	4	15	18	31	71
Female	2,778	1	1	1	–	–	3	1	1	2	4	4	15	39
White	6,879	1	1	–	–	–	2	2	1	6	13	17	38	67
Male	4,476	–	–	–	–	–	–	1	–	4	11	13	26	40
Female	2,403	1	1	–	–	–	2	1	1	2	2	4	12	27
All other	1,413	–	–	1	–	–	1	–	3	–	6	5	8	43
Male	1,038	–	–	–	–	–	–	–	3	–	4	5	5	31
Female	375	–	–	1	–	–	1	–	–	–	2	–	3	12
Black	1,289	–	–	1	–	–	1	–	3	–	4	3	4	37
Male	956	–	–	–	–	–	–	–	3	–	2	3	3	28
Female	333	–	–	1	–	–	1	–	–	–	2	–	1	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,508	5	10	4	1	5	25	7	7	31	94	219	425	894
Male	61,137	2	9	1	1	3	16	6	4	16	57	132	234	546
Female	55,371	3	1	3	–	2	9	1	3	15	37	87	191	348
White	100,884	3	10	4	1	5	23	6	5	21	62	160	319	689
Male	52,533	2	9	1	1	3	16	5	3	11	40	97	177	410
Female	48,351	1	1	3	–	2	7	1	2	10	22	63	142	259
All other	15,624	2	–	–	–	–	2	1	2	10	32	59	106	225
Male	8,604	–	–	–	–	–	–	1	1	5	17	35	57	136
Female	7,020	2	–	–	–	–	2	–	1	5	15	24	49	89
Black	13,658	1	–	–	–	–	1	1	2	9	26	48	84	172
Male	7,554	–	–	–	–	–	–	1	1	4	14	32	44	105
Female	6,304	1	–	–	–	–	1	–	1	5	12	16	40	67
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	130,450	4	–	1	–	1	6	1	2	16	36	80	237	670
Male	88,813	1	–	1	–	1	3	1	1	12	26	54	152	389
Female	41,637	3	–	–	–	–	3	–	1	4	10	26	85	281
White	115,179	4	–	1	–	1	6	1	2	13	29	62	191	512
Male	77,647	1	–	1	–	1	3	1	1	10	22	40	122	288
Female	37,532	3	–	–	–	–	3	–	1	3	7	22	69	224
All other	15,271	–	–	–	–	–	–	–	–	3	7	18	46	158
Male	11,166	–	–	–	–	–	–	–	–	2	4	14	30	101
Female	4,105	–	–	–	–	–	–	–	–	1	3	4	16	57
Black	14,112	–	–	–	–	–	–	–	–	1	6	15	37	141
Male	10,368	–	–	–	–	–	–	–	–	1	4	11	25	89
Female	3,744	–	–	–	–	–	–	–	–	–	2	4	12	52
Malignant neoplasm of breast (174-175)	40,789	–	–	–	–	–	–	1	–	1	13	134	520	1,261
Male	250	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	40,539	–	–	–	–	–	–	1	–	1	13	134	520	1,258
White	36,998	–	–	–	–	–	–	1	–	1	9	91	396	987
Male	215	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	36,183	–	–	–	–	–	–	1	–	1	9	91	396	984
All other	4,391	–	–	–	–	–	–	–	–	–	4	43	124	274
Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4,356	–	–	–	–	–	–	–	–	–	4	43	124	274
Black	4,076	–	–	–	–	–	–	–	–	–	4	40	118	247
Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4,045	–	–	–	–	–	–	–	–	–	4	40	118	247
Malignant neoplasms of genital organs (179-187)	51,247	–	2	1	2	1	6	2	1	33	101	225	372	539
Male	27,878	–	1	1	2	1	5	–	1	13	58	67	76	55
Female	23,369	–	1	–	–	–	1	2	–	20	43	158	296	484
White	43,437	–	2	1	2	1	6	1	1	28	88	183	289	435
Male	23,257	–	1	1	2	1	5	–	1	10	56	60	74	49
Female	20,180	–	1	–	–	–	1	1	–	18	32	123	215	386
All other	7,810	–	–	–	–	–	–	1	–	5	13	42	83	104
Male	4,621	–	–	–	–	–	–	–	–	3	2	7	2	6
Female	3,189	–	–	–	–	–	–	1	–	2	11	35	81	98
Black	7,322	–	–	–	–	–	–	1	–	5	11	34	70	94
Male	4,420	–	–	–	–	–	–	–	–	3	2	6	2	5
Female	2,902	–	–	–	–	–	–	1	–	2	9	28	68	89

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	691	543	441	552	584	694	652	612	474	338	198	63	13	1
Male	564	426	315	372	354	393	348	324	220	118	67	10	3	1
Female	127	117	126	180	230	301	304	288	254	220	131	53	10	-
White	497	404	332	442	475	602	574	539	431	305	184	59	11	-
Male	431	333	245	300	290	348	302	288	195	103	60	9	3	-
Female	66	71	87	142	185	254	272	251	236	202	124	50	8	-
All other	194	139	109	110	109	92	78	73	43	33	14	4	2	1
Male	133	93	70	72	64	45	46	36	25	15	7	1	-	1
Female	61	46	39	38	45	47	32	37	18	18	7	3	2	-
Black	189	131	100	99	90	77	65	58	38	27	10	3	2	1
Male	129	86	64	67	51	35	36	25	20	12	5	1	-	1
Female	60	45	36	32	39	42	29	33	18	15	5	2	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,105	14,241	23,559	39,755	59,050	71,134	75,669	67,004	49,628	29,021	12,320	3,075	333	46
Male	4,074	6,827	12,110	21,799	33,009	40,486	42,633	36,936	25,557	13,278	4,898	1,050	106	22
Female	5,031	7,414	11,449	17,956	26,041	30,648	33,036	30,068	24,071	15,743	7,422	2,025	227	24
White	7,375	11,533	19,407	33,998	51,086	62,690	67,444	60,279	45,071	26,475	11,321	2,761	253	33
Male	3,255	5,448	9,867	18,530	28,317	35,388	37,724	32,933	23,010	11,948	4,422	939	75	18
Female	4,120	6,085	9,540	15,468	22,769	27,302	29,720	27,346	22,061	14,527	6,899	1,822	178	15
All other	1,730	2,708	4,152	5,757	7,964	8,444	8,225	6,725	4,557	2,546	999	314	80	13
Male	819	1,379	2,243	3,269	4,692	5,098	4,909	4,003	2,547	1,330	476	111	31	4
Female	911	1,329	1,909	2,488	3,272	3,346	3,316	2,722	2,010	1,216	523	203	49	9
Black	1,522	2,446	3,769	5,278	7,318	7,809	7,558	6,153	4,117	2,315	904	281	75	13
Male	720	1,268	2,047	3,042	4,338	4,712	4,499	3,639	2,254	1,194	435	101	26	4
Female	802	1,178	1,722	2,236	2,980	3,097	3,059	2,514	1,863	1,121	469	180	49	9
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	183	387	582	956	1,326	1,333	1,195	883	601	391	186	59	4	-
Male	151	304	421	693	924	913	781	530	363	180	80	21	-	-
Female	32	83	161	263	402	420	414	353	238	201	106	32	4	-
White	99	246	385	765	1,090	1,161	1,062	794	553	353	174	48	3	-
Male	80	194	269	549	743	785	695	477	330	165	74	20	-	-
Female	19	52	116	216	347	376	367	317	223	188	100	28	3	-
All other	84	141	197	191	236	172	133	89	48	38	12	5	1	-
Male	71	110	152	144	181	128	86	53	33	25	6	1	-	-
Female	13	31	45	47	55	44	47	36	15	13	6	4	1	-
Black	80	134	184	181	216	155	116	79	40	35	12	4	1	-
Male	70	107	143	140	164	112	75	47	29	23	6	1	-	-
Female	10	27	41	41	52	43	41	32	11	12	6	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,518	2,685	4,759	8,538	13,258	16,936	19,345	18,279	14,675	9,443	4,198	1,074	107	13
Male	924	1,590	2,847	5,228	8,006	9,894	10,647	9,245	6,511	3,571	1,317	312	27	7
Female	594	1,075	1,912	3,310	5,252	7,042	8,698	9,034	8,164	5,872	2,879	762	80	6
White	1,150	2,034	3,761	7,090	11,156	14,578	16,943	16,219	13,177	8,589	3,877	946	85	10
Male	699	1,209	2,252	4,343	6,725	8,517	9,327	8,163	5,844	3,189	1,201	279	20	6
Female	451	825	1,509	2,747	4,433	6,061	7,616	8,056	7,333	5,400	2,676	669	65	4
All other	368	631	998	1,448	2,100	2,358	2,402	2,060	1,498	854	319	126	22	3
Male	225	381	595	885	1,281	1,377	1,320	1,082	667	382	116	33	7	1
Female	143	250	403	563	819	981	1,082	978	831	472	203	93	15	2
Black	305	535	863	1,287	1,889	2,105	2,158	1,870	1,320	770	279	111	20	3
Male	186	333	514	793	1,157	1,217	1,170	953	558	336	101	29	5	1
Female	119	202	349	494	732	888	988	917	762	434	178	82	15	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,927	3,949	7,853	14,204	20,876	23,992	23,093	17,622	9,908	4,288	1,360	265	33	12
Male	1,209	2,515	5,167	9,590	14,378	16,510	15,851	12,365	6,865	2,800	773	128	16	8
Female	718	1,434	2,686	4,614	6,498	7,482	7,242	5,257	3,043	1,488	587	137	17	4
White	1,520	3,184	6,476	12,205	18,173	21,300	20,876	16,070	9,102	3,938	1,253	236	20	10
Male	919	1,987	4,170	8,186	12,373	14,473	14,198	11,192	6,284	2,556	692	112	11	7
Female	601	1,197	2,306	4,019	5,800	6,827	6,678	4,878	2,818	1,382	561	124	9	3
All other	407	765	1,377	1,999	2,703	2,692	2,217	1,552	806	350	127	29	13	2
Male	290	528	997	1,404	2,005	2,037	1,653	1,173	581	244	81	16	5	1
Female	117	237	380	595	698	655	564	379	225	106	46	13	8	1
Black	378	724	1,267	1,881	2,510	2,529	2,027	1,403	717	304	113	24	13	2
Male	267	501	933	1,334	1,874	1,921	1,512	1,074	515	214	73	14	5	1
Female	111	223	354	547	636	608	515	329	202	90	40	10	8	1
Malignant neoplasm of breast (174-175)	1,812	2,285	3,065	4,213	5,364	5,485	5,237	4,412	3,375	2,175	1,070	321	40	5
Male	7	6	16	21	30	47	35	37	24	18	6	-	-	-
Female	1,805	2,279	3,049	4,192	5,334	5,438	5,202	4,375	3,351	2,157	1,064	321	40	5
White	1,493	1,893	2,587	3,716	4,801	4,993	4,803	4,096	3,172	2,027	997	298	34	3
Male	6	6	13	20	25	39	30	30	22	16	5	-	-	-
Female	1,487	1,887	2,574	3,696	4,776	4,954	4,773	4,066	3,150	2,011	992	298	34	3
All other	319	392	478	497	563	492	434	316	203	148	73	23	6	2
Male	1	-	3	1	5	8	5	7	2	2	1	-	-	-
Female	318	392	475	496	558	484	429	309	201	146	72	23	6	2
Black	293	361	437	454	518	464	410	298	192	141	68	23	6	2
Male	-	-	2	1	5	7	5	6	2	2	1	-	-	-
Female	293	361	435	453	513	457	405	292	190	139	67	23	6	2
Malignant neoplasms of genital organs (179-187)	770	1,098	1,588	2,765	4,865	6,936	8,629	8,678	7,466	4,712	1,966	446	44	5
Male	44	80	244	753	1,863	3,500	5,104	5,794	5,189	3,332	1,358	294	27	1
Female	726	1,018	1,344	2,012	2,992	3,436	3,525	2,884	2,277	1,380	608	152	17	4
White	628	870	1,279	2,306	4,052	5,813	7,234	7,428	6,497	4,133	1,749	387	28	3
Male	38	56	182	598	1,510	2,834	4,154	4,848	4,436	2,887	1,191	251	15	1
Female	589	814	1,097	1,708	2,542	2,979	3,080	2,580	2,061	1,246	557	136	13	2
All other	142	228	309	459	813	1,123	1,395	1,250	969	578	218	59	16	2
Male	5	24	62	155	373	666	950	946	753	445	167	43	12	-
Female	137	204	247	304	440	457	445	304	216	134	51	16	4	2
Black	123	199	274	410	760	1,087	1,335	1,192	913	531	211	56	14	2
Male	4	23	60	148	359	651	920	903	712	408	163	41	10	-
Female	119	176	214	262	401	436	415	289	201	123	48	15	4	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	19,113	4	3	9	5	3	24	40	4	7	18	29	59	125
Male	12,153	2	2	3	2	3	12	15	3	2	9	9	39	74
Female	6,960	2	1	6	3	-	12	25	1	5	9	20	20	51
White	17,435	4	2	3	4	3	16	34	1	6	7	17	41	92
Male	11,218	2	2	1	1	3	9	13	-	2	3	6	28	58
Female	6,217	2	-	2	3	-	7	21	1	4	4	11	13	34
All other	1,678	-	1	6	1	-	8	6	3	1	11	12	18	33
Male	935	-	-	2	1	-	3	2	3	-	6	3	11	16
Female	743	-	1	4	-	-	5	4	-	1	5	9	7	17
Black	1,536	-	1	5	1	-	7	6	3	1	11	12	17	30
Male	855	-	-	2	1	-	3	2	3	-	6	3	10	15
Female	681	-	1	3	-	-	4	4	-	1	5	9	7	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	59,446	55	50	81	94	71	351	280	249	352	438	739	1,011	1,361
Male	31,663	30	25	42	53	41	191	145	132	218	267	451	655	861
Female	27,783	25	25	38	41	30	160	135	117	136	171	282	356	500
White	53,038	48	46	64	71	61	290	231	202	294	376	640	893	1,197
Male	28,284	27	22	37	41	36	163	120	113	179	237	401	585	754
Female	24,754	21	24	27	30	25	127	111	89	115	139	239	308	443
All other	6,408	7	4	17	23	10	61	49	47	58	62	93	118	164
Male	3,379	3	3	5	12	5	28	25	19	37	30	50	70	107
Female	3,029	4	1	12	11	5	33	24	28	21	32	43	48	57
Black	5,813	6	4	12	18	9	49	42	41	54	55	78	99	144
Male	3,055	2	3	3	7	4	19	23	16	34	25	42	59	96
Female	2,758	4	1	9	11	5	30	19	25	20	30	36	40	48
Leukemia (204-208)	17,365	25	45	46	48	55	219	236	212	276	298	313	356	386
Male	9,565	17	19	30	28	32	126	148	109	177	208	190	198	203
Female	7,800	8	26	16	20	23	93	88	103	99	90	123	160	183
White	15,709	19	38	40	42	47	186	196	179	235	254	257	302	317
Male	8,685	14	17	26	25	30	112	123	93	150	178	161	164	169
Female	7,024	5	21	14	17	17	74	73	86	85	76	96	138	148
All other	1,656	6	7	6	6	8	33	40	33	41	44	56	54	69
Male	880	3	2	4	3	2	14	25	16	27	30	29	32	34
Female	776	3	5	2	3	6	19	15	17	14	14	27	22	35
Black	1,460	6	6	4	6	8	30	32	26	34	41	48	44	55
Male	771	3	2	3	3	2	13	21	15	22	28	24	27	28
Female	689	3	4	1	3	6	17	11	11	12	13	24	17	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26,166	3	5	7	7	10	32	53	64	125	251	372	451	540
Male	13,586	1	2	5	6	9	23	39	49	76	146	256	309	368
Female	12,580	2	3	2	1	1	9	14	15	49	105	116	142	172
White	23,393	3	3	6	6	8	26	42	52	105	222	326	388	459
Male	12,066	1	1	4	5	7	18	32	38	62	128	227	271	311
Female	11,327	2	2	2	1	1	8	10	14	43	94	99	117	148
All other	2,773	-	2	1	1	2	6	11	12	20	29	46	63	81
Male	1,520	-	1	1	1	2	5	7	11	14	18	29	38	57
Female	1,253	-	1	-	-	-	1	4	1	6	11	17	25	24
Black	2,513	-	2	1	1	1	5	10	10	17	28	44	57	72
Male	1,353	-	1	1	1	1	4	7	9	12	17	27	35	51
Female	1,160	-	1	-	-	-	1	3	1	5	11	17	22	21
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,730	78	19	15	9	13	134	47	43	55	77	75	128	131
Male	3,114	37	7	8	7	6	65	17	29	34	46	45	72	75
Female	3,616	41	12	7	2	7	69	30	14	21	31	30	56	56
White	5,895	65	16	11	7	10	109	38	36	38	65	65	109	105
Male	2,740	31	6	7	6	4	54	15	22	24	37	38	62	63
Female	3,155	34	10	4	1	6	55	23	14	14	28	27	47	42
All other	835	13	3	4	2	3	25	9	7	17	12	10	19	26
Male	374	6	1	1	1	2	11	2	7	10	9	7	10	12
Female	461	7	2	3	1	1	14	7	-	7	3	3	9	14
Black	756	11	3	4	2	3	23	9	5	11	10	8	17	18
Male	332	4	1	1	1	2	9	2	5	6	7	5	8	11
Female	424	7	2	3	1	1	14	7	-	5	3	3	9	7
Diabetes mellitus (250)	37,184	2	4	2	2	1	11	10	15	30	110	223	411	542
Male	15,369	-	3	1	-	1	5	4	6	15	57	117	238	317
Female	21,815	2	1	1	2	-	6	6	9	15	53	106	173	225
White	30,284	1	4	2	2	1	10	8	13	21	90	179	337	400
Male	12,788	-	3	1	-	1	5	3	5	8	47	93	197	235
Female	17,496	1	1	1	2	-	5	5	8	13	43	86	140	165
All other	6,900	1	-	-	-	-	1	2	2	9	20	44	74	142
Male	2,581	-	-	-	-	-	-	1	1	7	10	24	41	82
Female	4,319	1	-	-	-	-	1	1	1	2	10	20	33	60
Black	6,299	1	-	-	-	-	1	2	2	9	20	39	72	135
Male	2,295	-	-	-	-	-	-	1	1	7	10	23	40	77
Female	4,004	1	-	-	-	-	1	1	1	2	10	16	32	58
Nutritional deficiencies (280-269)	2,862	24	-	-	-	-	24	2	1	1	5	8	9	10
Male	1,088	7	-	-	-	-	7	1	-	1	1	3	6	6
Female	1,774	17	-	-	-	-	17	1	1	-	4	5	3	4
White	2,438	12	-	-	-	-	12	2	1	1	4	4	6	7
Male	883	4	-	-	-	-	4	1	-	1	1	-	4	3
Female	1,555	8	-	-	-	-	8	1	1	-	3	4	2	4
All other	424	12	-	-	-	-	12	-	-	-	1	4	3	3
Male	205	3	-	-	-	-	3	-	-	-	-	3	2	3
Female	219	9	-	-	-	-	9	-	-	-	1	1	1	-
Black	392	12	-	-	-	-	12	-	-	-	1	4	3	3
Male	190	3	-	-	-	-	3	-	-	-	-	3	2	3
Female	202	9	-	-	-	-	9	-	-	-	1	1	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	211	429	754	1,336	2,029	2,538	3,101	3,108	2,694	1,624	764	194	25	2
Male	143	279	535	924	1,354	1,765	2,034	1,922	1,659	886	391	84	13	1
Female	68	150	219	412	675	773	1,067	1,184	1,035	738	373	110	12	1
White	173	368	664	1,182	1,840	2,323	2,836	2,862	2,528	1,515	727	181	20	2
Male	116	238	465	836	1,241	1,645	1,883	1,775	1,574	839	372	80	12	1
Female	57	130	179	344	599	678	953	1,087	954	676	355	101	8	1
All other	38	61	90	154	189	215	265	244	166	109	37	13	5	-
Male	27	41	50	86	113	120	151	147	85	47	19	4	1	-
Female	11	20	40	68	76	95	114	97	81	62	18	9	4	-
Black	35	56	75	145	167	187	252	225	149	98	32	13	5	-
Male	26	39	44	80	99	107	144	136	75	40	18	4	1	-
Female	9	17	31	65	68	80	108	89	74	58	14	9	4	-
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	1,667	2,193	3,201	4,975	7,124	8,110	8,551	7,564	5,815	3,399	1,554	456	54	8
Male	959	1,307	1,882	2,988	4,060	4,596	4,605	3,792	2,594	1,295	527	122	14	4
Female	708	886	1,319	1,987	3,064	3,514	3,946	3,772	3,221	2,104	1,027	334	40	4
White	1,447	1,887	2,755	4,322	6,249	7,280	7,761	6,866	5,338	3,119	1,427	415	45	4
Male	852	1,105	1,627	2,595	3,587	4,153	4,193	3,456	2,376	1,187	478	111	10	2
Female	595	782	1,128	1,727	2,662	3,127	3,568	3,410	2,962	1,932	949	304	35	2
All other	220	326	446	653	875	830	770	698	477	280	127	41	9	4
Male	107	202	255	393	473	443	412	336	218	108	49	11	4	2
Female	113	124	191	260	402	387	358	362	259	172	78	30	5	2
Black	179	295	419	602	812	758	707	627	433	260	114	33	8	4
Male	92	184	239	364	442	405	377	295	186	99	44	9	3	2
Female	87	111	180	238	370	353	330	332	247	161	70	24	5	2
Leukemia (204-208)	424	474	627	1,021	1,511	2,003	2,370	2,439	2,120	1,328	596	143	12	1
Male	245	264	342	590	883	1,193	1,408	1,363	1,060	575	236	41	7	1
Female	179	210	285	431	628	810	962	1,076	1,060	753	360	102	5	-
White	366	420	548	903	1,332	1,824	2,193	2,276	1,969	1,254	554	135	8	1
Male	211	233	305	529	787	1,088	1,307	1,277	988	546	218	40	5	1
Female	155	187	243	374	545	736	886	999	981	708	336	95	3	-
All other	58	54	79	118	179	179	177	163	151	74	42	8	4	-
Male	34	31	37	61	96	105	101	86	72	29	18	1	2	-
Female	24	23	42	57	83	74	76	77	79	45	24	7	2	-
Black	45	40	69	105	161	163	157	147	144	70	38	7	4	-
Male	24	24	31	54	85	98	88	76	67	28	15	1	2	-
Female	21	16	38	51	76	65	69	71	77	42	23	6	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	593	761	1,130	1,747	2,697	3,801	4,148	4,021	2,974	1,661	608	123	14	-
Male	392	482	656	1,012	1,491	2,068	2,168	1,888	1,292	611	210	48	2	-
Female	201	279	474	735	1,206	1,733	1,980	2,133	1,682	1,050	398	75	12	-
White	499	651	952	1,509	2,391	3,418	3,716	3,668	2,735	1,547	564	113	10	-
Male	333	420	564	872	1,326	1,854	1,937	1,715	1,156	563	191	46	2	-
Female	166	231	388	637	1,065	1,564	1,779	1,953	1,579	984	373	67	8	-
All other	94	110	178	238	306	383	432	353	239	114	44	10	4	-
Male	59	62	92	140	165	214	231	173	136	48	19	2	-	-
Female	35	48	86	98	141	169	201	180	103	66	25	8	4	-
Black	84	102	161	213	285	351	396	312	209	106	37	10	4	-
Male	51	57	81	128	153	194	208	149	110	44	14	2	-	-
Female	33	45	80	85	132	157	188	163	99	62	23	8	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	131	187	252	365	553	656	885	1,020	943	670	286	77	13	2
Male	71	106	138	187	298	296	428	486	381	231	97	27	3	2
Female	60	81	114	178	255	360	457	554	562	439	189	50	10	-
White	111	148	200	311	461	571	782	907	867	627	262	70	11	2
Male	62	86	108	169	255	258	378	424	352	213	91	25	2	2
Female	49	62	92	142	206	313	404	483	515	414	171	45	9	-
All other	20	39	52	54	92	85	103	113	76	43	24	7	2	-
Male	9	20	30	18	43	38	50	42	29	18	6	2	1	-
Female	11	19	22	36	49	47	53	71	47	25	18	5	1	-
Black	19	37	45	51	83	82	91	107	68	40	23	7	2	-
Male	9	18	26	17	37	37	46	40	23	17	6	2	1	-
Female	10	19	19	34	46	45	45	67	45	23	17	5	1	-
Diabetes mellitus (250)	632	842	1,316	2,234	3,546	4,682	5,607	5,858	5,190	3,805	1,797	467	70	6
Male	363	491	841	1,136	1,646	2,127	2,437	2,311	1,815	1,069	450	111	10	3
Female	269	351	675	1,098	1,900	2,535	3,170	3,547	3,375	2,736	1,347	356	60	3
White	458	598	916	1,632	2,693	3,729	4,577	4,954	4,448	3,159	1,595	411	53	3
Male	269	372	471	889	1,312	1,774	2,061	2,000	1,580	956	402	101	7	1
Female	189	226	445	743	1,381	1,955	2,516	2,954	2,868	2,203	1,193	310	46	2
All other	174	244	400	602	853	953	1,030	904	742	446	202	56	17	3
Male	94	119	170	247	334	353	376	311	235	113	48	10	3	2
Female	80	125	230	355	519	600	654	593	507	333	154	46	14	1
Black	160	228	368	548	778	844	952	818	663	407	184	51	17	3
Male	89	111	153	225	301	304	334	268	199	99	41	7	3	2
Female	71	117	213	323	477	540	618	550	464	308	143	44	14	1
Nutritional deficiencies (260-269)	24	18	23	50	86	137	260	345	481	607	502	211	57	1
Male	15	9	11	28	44	76	133	159	194	195	135	47	17	-
Female	9	9	12	22	42	61	127	186	287	412	367	164	40	1
White	17	10	17	34	73	106	216	274	411	542	461	189	50	1
Male	12	3	6	20	34	62	107	122	161	166	119	41	16	-
Female	5	7	11	14	39	44	109	152	250	376	342	148	34	1
All other	7	8	6	16	13	31	44	71	70	65	41	22	7	-
Male	3	6	5	8	10	14	26	37	33	29	16	6	1	-
Female	4	2	1	8	3	17	18	34	37	36	25	16	6	-
Black	7	8	6	16	13	30	40	66	65	58	33	20	7	-
Male	3	6	5	8	10	13	23	35	32	25	12	6	1	-
Female	4	2	1	8	3	17	17	31	33	33	21	14	6	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,708	21	25	12	13	11	82	38	22	41	73	74	102	71
Male	1,633	8	14	7	7	4	40	21	13	25	43	47	47	33
Female	2,075	13	11	5	6	7	42	17	9	16	30	27	55	38
White	2,949	6	10	4	4	5	29	18	13	18	22	12	23	25
Male	1,272	4	5	2	1	2	14	11	7	13	10	5	12	12
Female	1,677	2	5	2	3	3	15	7	6	5	12	7	11	13
All other	759	15	15	8	9	6	53	20	9	23	51	62	79	46
Male	361	4	9	5	6	2	26	10	6	12	33	42	35	21
Female	398	11	6	3	3	4	27	10	3	11	18	20	44	25
Black	706	8	13	8	9	6	44	17	9	22	50	61	79	44
Male	334	2	8	5	6	2	23	7	6	12	32	41	35	20
Female	372	6	5	3	3	4	21	10	3	10	18	20	44	24
Meningitis (320-322)	1,160	220	73	37	22	12	364	14	13	6	19	30	32	27
Male	624	123	51	29	13	7	223	9	8	5	13	16	23	18
Female	536	97	22	8	9	5	141	5	5	1	6	14	9	9
White	827	135	51	29	17	7	239	11	8	6	14	23	22	16
Male	445	77	38	23	11	5	154	7	5	5	9	14	14	10
Female	382	58	13	6	6	2	85	4	3	1	5	9	8	6
All other	333	85	22	8	5	5	125	3	5	-	5	7	10	11
Male	179	46	13	6	2	2	69	2	3	-	4	2	9	8
Female	154	39	9	2	3	3	56	1	2	-	1	5	1	3
Black	305	74	21	8	5	5	113	2	5	-	4	6	10	11
Male	165	40	12	6	2	2	62	1	3	-	3	2	9	8
Female	140	34	9	2	3	3	51	1	2	-	1	4	1	3
Major cardiovascular diseases (390-448)	968,240	1,116	202	96	67	50	1,531	179	223	508	944	1,720	3,152	5,722
Male	475,591	639	107	52	38	20	856	94	121	320	566	1,033	2,118	4,079
Female	492,649	477	95	44	29	30	675	85	102	188	378	687	1,034	1,643
White	858,820	773	124	68	49	36	1,050	132	163	368	639	1,142	2,075	4,078
Male	421,230	454	71	33	27	14	599	72	92	239	391	704	1,441	3,053
Female	437,590	319	53	35	22	22	451	60	71	129	248	438	634	1,025
All other	109,420	343	78	28	18	14	481	47	60	140	305	578	1,077	1,644
Male	54,361	185	36	19	11	6	257	22	29	81	175	329	677	1,026
Female	55,059	158	42	9	7	8	224	25	31	59	130	249	400	618
Black	100,891	311	71	25	14	11	432	39	54	125	277	534	1,010	1,536
Male	49,375	170	35	18	8	4	235	18	25	74	157	297	629	951
Female	51,516	141	36	7	6	7	197	21	29	51	120	237	381	585
Diseases of heart (390-398,402,404-429)	765,490	882	182	84	56	44	1,348	150	160	391	705	1,274	2,417	4,523
Male	390,912	563	96	46	30	17	752	80	90	257	439	812	1,706	3,418
Female	374,578	419	86	38	26	27	596	70	70	134	266	462	711	1,105
White	681,363	691	111	61	40	31	934	108	114	281	468	855	1,596	3,311
Male	347,967	407	63	29	20	12	531	60	66	193	297	559	1,167	2,612
Female	333,396	284	48	32	20	19	403	48	48	88	171	296	429	699
All other	84,127	291	71	23	16	13	414	42	46	110	237	419	821	1,212
Male	42,945	156	33	17	10	5	221	20	24	64	142	253	539	806
Female	41,182	135	38	6	6	8	193	22	22	46	95	166	282	406
Black	77,726	265	65	21	13	10	374	35	41	98	218	388	768	1,137
Male	39,076	144	32	16	7	3	202	16	21	58	128	230	499	748
Female	38,650	121	33	5	6	7	172	19	20	40	90	158	269	389
Rheumatic fever and rheumatic heart disease (390-398)	6,441	5	1	1	-	-	7	2	4	14	38	53	85	103
Male	2,054	5	-	1	-	-	6	2	1	6	18	25	39	51
Female	4,387	-	1	-	-	-	1	-	3	8	20	28	46	52
White	5,872	3	1	1	-	-	5	1	-	5	18	32	56	64
Male	1,842	3	-	1	-	-	4	1	-	4	10	14	24	33
Female	4,030	-	1	-	-	-	1	-	-	1	8	18	32	31
All other	569	2	-	-	-	-	2	1	4	9	20	21	29	39
Male	212	2	-	-	-	-	2	1	1	2	8	11	15	18
Female	357	-	-	-	-	-	-	-	3	7	12	10	14	21
Black	470	2	-	-	-	-	2	1	3	8	15	18	21	33
Male	177	2	-	-	-	-	2	1	-	2	7	10	12	14
Female	293	-	-	-	-	-	-	-	3	6	8	8	9	19
Hypertensive heart disease (402)	20,509	1	1	1	-	-	3	-	-	2	17	31	88	184
Male	8,614	-	-	1	-	-	1	-	-	1	14	16	70	120
Female	11,895	1	1	-	-	-	2	-	-	1	3	15	18	64
White	14,982	1	1	1	-	-	3	-	-	2	11	11	45	73
Male	6,043	-	-	1	-	-	1	-	-	1	10	7	38	52
Female	8,939	1	1	-	-	-	2	-	-	1	1	4	7	21
All other	5,527	-	-	-	-	-	-	-	-	-	6	20	43	111
Male	2,571	-	-	-	-	-	-	-	-	-	4	9	32	68
Female	2,956	-	-	-	-	-	-	-	-	-	2	11	11	43
Black	5,312	-	-	-	-	-	-	-	-	-	6	19	43	108
Male	2,465	-	-	-	-	-	-	-	-	-	4	8	32	65
Female	2,847	-	-	-	-	-	-	-	-	-	2	11	11	43
Hypertensive heart and renal disease (404)	2,496	-	-	-	-	-	-	-	-	-	2	9	17	18
Male	1,017	-	-	-	-	-	-	-	-	-	2	9	12	12
Female	1,479	-	-	-	-	-	-	-	-	-	-	-	5	6
White	1,831	-	-	-	-	-	-	-	-	-	1	4	6	7
Male	721	-	-	-	-	-	-	-	-	-	1	4	4	3
Female	1,110	-	-	-	-	-	-	-	-	-	-	-	2	4
All other	665	-	-	-	-	-	-	-	-	-	1	5	11	11
Male	296	-	-	-	-	-	-	-	-	-	1	5	8	9
Female	369	-	-	-	-	-	-	-	-	-	-	-	3	2
Black	634	-	-	-	-	-	-	-	-	-	1	5	11	10
Male	279	-	-	-	-	-	-	-	-	-	1	5	8	8
Female	355	-	-	-	-	-	-	-	-	-	-	-	3	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	47	58	60	98	146	222	353	495	628	576	357	142	25	-
Male	27	37	31	45	67	109	169	236	259	216	121	41	6	-
Female	20	19	29	53	79	113	184	259	369	360	236	101	19	-
White	18	30	40	75	118	187	319	428	568	523	332	132	19	-
Male	11	20	23	36	56	93	157	208	236	194	112	38	4	-
Female	7	10	17	39	62	94	162	220	332	329	220	94	15	-
All other	29	26	20	23	28	35	34	67	60	53	25	10	6	-
Male	16	17	8	9	11	16	12	28	23	22	9	3	2	-
Female	13	9	12	14	17	19	22	39	37	31	16	7	4	-
Black	28	25	20	23	26	33	31	57	54	46	23	9	5	-
Male	15	16	8	9	10	16	10	23	20	20	8	2	1	-
Female	13	9	12	14	16	17	21	34	34	26	15	7	4	-
Meningitis (320-322)	35	33	36	61	93	81	94	85	67	38	25	6	1	-
Male	23	16	16	31	53	44	36	42	28	10	9	1	-	-
Female	12	17	20	30	40	37	58	43	39	28	16	5	1	-
White	16	19	26	45	65	64	74	67	56	30	20	6	-	-
Male	9	10	10	24	35	36	28	32	25	8	9	1	-	-
Female	7	9	16	21	30	28	46	35	31	22	11	5	-	-
All other	19	14	10	16	28	17	20	18	11	8	5	-	1	-
Male	14	6	6	7	18	8	8	10	3	2	-	-	-	-
Female	5	8	4	9	10	9	12	8	8	6	5	-	1	-
Black	19	12	10	12	24	17	19	18	10	8	4	-	1	-
Male	14	6	6	6	16	8	7	10	2	2	-	-	-	-
Female	5	6	4	6	8	9	12	8	8	6	4	-	1	-
Major cardiovascular diseases (390-448)	9,532	14,476	24,377	41,858	68,761	95,192	125,413	150,230	157,664	136,680	90,027	33,076	6,556	419
Male	6,809	10,340	17,359	29,288	45,607	59,680	72,380	76,500	67,578	46,789	25,114	7,528	1,227	145
Female	2,523	4,136	7,018	12,570	23,154	35,532	53,053	73,730	90,086	89,891	64,913	25,548	5,329	274
White	7,045	11,095	19,079	34,392	57,838	82,233	110,540	134,453	144,072	126,938	84,697	30,773	5,667	351
Male	5,270	8,245	14,086	24,741	39,311	52,586	64,884	69,086	61,814	43,150	23,449	6,913	1,011	113
Female	1,775	2,850	4,993	9,651	18,527	29,667	45,656	65,367	82,258	83,788	61,248	23,860	4,656	238
All other	2,487	3,381	5,298	7,466	10,923	12,959	14,873	15,777	13,592	9,742	5,330	2,303	889	68
Male	1,539	2,095	3,273	4,547	6,296	7,094	7,476	7,414	5,764	3,639	1,665	615	216	32
Female	848	1,286	2,025	2,919	4,627	5,865	7,397	8,363	7,828	6,103	3,665	1,688	673	36
Black	2,335	3,142	4,892	6,989	10,181	12,077	13,725	14,486	12,381	8,840	4,830	2,107	840	59
Male	1,529	1,925	3,002	4,225	5,818	6,539	6,792	6,625	5,063	3,200	1,495	545	202	28
Female	806	1,217	1,890	2,764	4,363	5,538	6,933	7,861	7,318	5,640	3,335	1,562	638	30
Diseases of heart (390-398,402,404-429)	7,892	12,186	20,796	35,945	58,367	79,264	101,508	118,292	120,664	102,358	67,143	24,799	4,981	327
Male	6,031	9,120	15,404	25,925	39,640	50,797	59,833	61,522	52,783	36,044	19,357	5,818	965	119
Female	1,861	3,066	5,392	10,020	18,727	28,467	41,675	56,770	67,881	66,314	47,786	18,981	4,016	208
White	5,988	9,544	16,632	29,886	49,625	69,052	90,097	106,386	110,509	95,092	63,145	23,053	4,306	281
Male	4,717	7,426	12,749	22,214	34,492	45,110	53,966	55,857	48,410	33,244	18,084	5,332	797	94
Female	1,271	2,118	3,883	7,772	15,143	23,942	36,131	50,529	62,099	61,848	45,061	17,721	3,509	187
All other	1,904	2,642	4,164	5,959	8,742	10,212	11,411	11,906	10,155	7,266	3,998	1,746	675	46
Male	1,314	1,694	2,655	3,711	5,158	5,687	5,867	5,665	4,373	2,800	1,273	486	168	25
Female	590	948	1,509	2,248	3,584	4,525	5,544	6,241	5,782	4,466	2,725	1,260	507	21
Black	1,786	2,447	3,864	5,594	8,164	9,544	10,556	10,953	9,255	6,590	3,644	1,594	635	41
Male	1,221	1,543	2,444	3,455	4,770	5,255	5,336	5,078	3,849	2,461	1,151	431	157	23
Female	565	904	1,420	2,139	3,394	4,289	5,220	5,875	5,406	4,129	2,493	1,163	478	18
Rheumatic fever and rheumatic heart disease (390-398)	145	198	279	437	683	826	1,022	1,040	789	463	195	48	8	2
Male	68	72	103	180	258	287	314	288	189	99	41	6	1	-
Female	77	126	176	257	425	539	708	752	600	364	154	42	7	2
White	99	168	236	382	618	774	960	1,003	758	448	188	47	8	2
Male	47	60	90	162	232	272	294	274	181	95	39	5	1	-
Female	52	108	146	220	386	502	666	729	577	353	149	42	7	2
All other	46	30	43	55	65	52	62	37	31	15	7	1	-	-
Male	21	12	13	18	26	15	20	14	8	4	2	1	-	-
Female	25	18	30	37	39	37	42	23	23	11	5	-	-	-
Black	42	26	37	46	58	36	52	28	26	10	7	1	-	-
Male	20	11	12	15	24	11	15	11	5	2	2	1	-	-
Female	22	15	25	31	34	25	37	17	21	8	5	-	-	-
Hypertensive heart disease (402)	344	513	836	1,255	1,822	2,256	2,706	3,060	2,938	2,399	1,454	529	63	9
Male	220	330	508	801	1,039	1,235	1,292	1,196	910	526	254	68	9	6
Female	124	183	328	454	783	1,021	1,414	1,864	2,028	1,873	1,200	463	54	3
White	149	222	420	740	1,148	1,573	1,950	2,348	2,408	2,058	1,306	460	51	4
Male	115	163	264	526	689	871	978	903	727	421	220	49	7	1
Female	34	59	156	214	459	702	972	1,445	1,681	1,637	1,086	411	44	3
All other	195	291	416	515	674	683	756	712	530	341	148	69	12	5
Male	105	167	244	275	350	364	314	293	183	105	34	17	2	5
Female	90	124	172	240	324	319	442	419	347	236	114	52	10	-
Black	192	281	404	505	658	662	723	678	499	318	138	63	12	3
Male	102	160	239	271	343	353	299	270	174	94	33	13	2	3
Female	90	121	165	234	315	309	424	408	325	224	105	50	10	-
Hypertensive heart and renal disease (404)	23	19	45	66	148	219	311	385	432	426	268	85	15	-
Male	13	7	28	33	70	117	158	173	179	121	65	15	3	-
Female	10	12	17	33	76	102	153	212	253	305	203	80	12	-
White	5	4	19	35	84	122	212	294	343	364	234	85	12	-
Male	3	-	12	17	46	70	112	139	139	102	54	12	3	-
Female	2	4	7	18	38	52	100	155	204	262	180	73	9	-
All other	18	15	26	31	62	97	99	91	89	62	34	10	3	-
Male	10	7	16	16	24	47	46	34	40	19	11	3	-	-
Female	8	8	10	15	38	50	53	57	49	43	23	7	3	-
Black	16	15	26	31	61	94	93	84	84	59	32	9	3	-
Male	9	7	16	16	23	46	43	29	36	19	10	3	-	-
Female	7	8	10	15	38	48	50	55	48	40	22	6	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	520,729	23	4	1	1	2	31	7	9	35	84	322	950	2,457
Male	274,184	14	2	1	–	–	17	4	9	24	57	249	747	2,025
Female	246,545	9	2	–	1	2	14	3	–	11	27	73	203	432
White	475,398	19	3	–	–	2	24	7	8	19	63	247	715	2,010
Male	251,111	12	2	–	–	–	14	4	8	13	41	191	583	1,700
Female	224,287	7	1	–	–	2	10	3	–	6	22	56	132	310
All other	45,331	4	1	1	1	–	7	–	1	16	21	75	235	447
Male	23,073	2	–	1	–	–	3	–	1	11	16	58	164	325
Female	22,258	2	1	–	1	–	4	–	–	5	5	17	71	122
Black	41,201	4	1	1	1	–	7	–	1	12	18	64	216	415
Male	20,498	2	–	1	–	–	3	–	1	8	13	48	146	296
Female	20,703	2	1	–	1	–	4	–	–	4	5	16	70	119
Acute myocardial infarction (410)	261,002	16	2	–	1	1	20	4	6	19	43	194	560	1,451
Male	145,795	11	2	–	–	–	13	1	6	11	33	147	439	1,206
Female	115,207	5	–	–	1	1	7	3	–	8	10	47	121	245
White	238,218	12	2	–	–	1	15	4	5	10	28	151	424	1,214
Male	133,980	9	2	–	–	–	11	1	5	8	22	114	342	1,026
Female	104,258	3	–	–	–	1	4	3	–	4	6	37	82	188
All other	22,784	4	–	–	1	–	5	–	1	9	15	43	136	237
Male	11,835	2	–	–	–	–	2	–	1	5	11	33	97	180
Female	10,949	2	–	–	1	–	3	–	–	4	4	10	39	57
Black	20,684	4	–	–	1	–	5	–	1	7	14	37	129	224
Male	10,525	2	–	–	–	–	2	–	1	4	10	28	91	168
Female	10,159	2	–	–	1	–	3	–	–	3	4	9	38	56
Other acute and subacute forms of ischemic heart disease (411)	3,856	–	–	–	–	–	–	1	–	2	5	6	21	55
Male	2,352	–	–	–	–	–	–	1	–	2	3	5	15	42
Female	1,504	–	–	–	–	–	–	–	–	–	2	1	6	13
White	3,296	–	–	–	–	–	–	1	–	1	5	4	15	42
Male	2,014	–	–	–	–	–	–	1	–	1	3	3	12	36
Female	1,282	–	–	–	–	–	–	–	–	–	2	1	3	6
All other	560	–	–	–	–	–	–	–	–	–	1	–	2	6	13
Male	338	–	–	–	–	–	–	–	–	–	1	–	2	3	6
Female	222	–	–	–	–	–	–	–	–	–	–	–	3	7
Black	517	–	–	–	–	–	–	–	–	–	1	–	1	6	11
Male	307	–	–	–	–	–	–	–	–	–	1	–	1	3	5
Female	210	–	–	–	–	–	–	–	–	–	–	–	–	3	6
Angina pectoris (413)	990	1	–	–	–	–	1	–	–	–	1	1	1	4
Male	445	–	–	–	–	–	–	–	–	–	–	1	1	2
Female	545	1	–	–	–	–	1	–	–	–	1	–	–	2
White	882	1	–	–	–	–	1	–	–	–	1	1	1	3
Male	399	–	–	–	–	–	–	–	–	–	–	1	1	2
Female	483	1	–	–	–	–	1	–	–	–	1	–	–	1
All other	108	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	46	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	62	–	–	–	–	–	–	–	–	–	–	–	–	1
Black	101	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	43	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	58	–	–	–	–	–	–	–	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	254,881	6	2	1	–	1	10	2	3	14	35	121	368	947
Male	125,592	3	–	1	–	–	4	2	3	11	21	96	292	775
Female	129,289	3	2	–	–	1	6	–	–	3	14	25	76	172
White	233,002	6	1	–	–	1	8	2	3	8	29	91	275	751
Male	114,738	3	–	–	–	–	3	2	3	6	16	73	228	636
Female	118,264	3	1	–	–	1	5	–	–	2	13	18	47	115
All other	21,879	–	1	1	–	–	2	–	–	6	6	30	93	196
Male	10,854	–	–	1	–	–	1	–	–	5	5	23	84	139
Female	11,025	–	1	–	–	–	1	–	–	1	1	7	29	57
Black	19,899	–	1	1	–	–	2	–	–	4	4	26	81	179
Male	9,623	–	–	1	–	–	1	–	–	3	3	19	52	123
Female	10,276	–	1	–	–	–	1	–	–	1	1	7	29	56
Other diseases of endocardium (424)	10,130	13	1	4	2	–	20	4	6	16	27	54	64	86
Male	4,586	8	1	1	2	–	12	2	3	10	15	24	46	51
Female	5,544	5	–	3	–	–	8	2	3	6	12	30	18	35
White	9,283	10	1	4	2	–	17	3	6	15	16	36	43	54
Male	4,176	7	1	1	2	–	11	2	3	9	8	18	32	32
Female	5,107	3	–	3	–	–	6	1	3	6	8	18	11	22
All other	847	3	–	–	–	–	3	1	–	1	11	18	21	32
Male	410	1	–	–	–	–	1	–	–	1	7	6	14	19
Female	437	2	–	–	–	–	2	1	–	–	4	12	7	13
Black	754	2	–	–	–	–	2	1	–	1	10	17	19	29
Male	356	1	–	–	–	–	1	–	–	1	6	5	14	17
Female	398	1	–	–	–	–	1	1	–	–	4	12	5	12
All other forms of heart disease (415-423,425-429)	205,185	940	175	77	53	42	1,287	137	141	324	537	805	1,213	1,675
Male	100,457	536	93	42	28	17	716	72	77	216	333	489	792	1,159
Female	104,728	404	82	35	25	25	571	65	64	108	204	316	421	516
White	173,997	658	105	55	38	29	885	97	100	240	359	525	731	1,103
Male	84,074	385	60	26	18	12	501	53	55	168	227	325	486	792
Female	89,923	273	45	29	20	17	384	44	45	74	132	200	245	311
All other	31,188	282	70	22	15	13	402	40	41	84	178	280	482	572
Male	16,383	151	33	16	10	5	215	19	22	50	106	164	306	367
Female	14,805	131	37	6	5	8	187	21	19	34	72	116	176	205
Black	29,355	257	64	20	12	10	363	33	37	77	168	265	458	542
Male	15,301	139	32	15	7	3	196	15	20	47	97	154	287	348
Female	14,054	118	32	5	5	7	167	18	17	30	71	111	171	194

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,961	7,941	13,945	24,580	40,456	55,578	71,533	82,769	83,030	68,668	43,914	16,113	3,126	220
Male	4,033	6,298	10,864	18,335	28,295	36,374	43,185	44,089	37,249	24,878	12,874	3,896	613	69
Female	928	1,643	3,081	6,245	12,161	19,204	28,348	38,680	45,781	43,790	31,040	12,217	2,513	151
White	4,075	6,653	11,825	21,475	35,636	49,830	65,137	76,036	77,323	64,560	41,654	15,121	2,777	203
Male	3,375	5,448	9,463	16,375	25,435	33,195	39,883	40,910	34,805	23,301	12,154	3,621	530	62
Female	700	1,205	2,362	5,100	10,201	16,635	25,254	35,126	42,518	41,259	28,500	11,500	2,247	141
All other	886	1,288	2,120	3,105	4,820	5,748	6,396	6,733	5,707	4,108	2,260	992	349	17
Male	658	850	1,401	1,960	2,860	3,179	3,302	3,179	2,444	1,577	720	275	83	7
Female	228	438	719	1,145	1,960	2,569	3,094	3,554	3,263	2,531	1,540	717	266	10
Black	814	1,162	1,925	2,868	4,392	5,297	5,822	6,100	5,109	3,692	2,036	903	332	16
Male	597	748	1,256	1,778	2,568	2,878	2,942	2,781	2,086	1,389	653	242	78	7
Female	217	414	669	1,090	1,824	2,419	2,880	3,319	3,023	2,303	1,383	661	254	9
Acute myocardial infarction (410)	3,028	4,970	8,635	14,968	24,171	32,552	40,205	43,936	39,575	27,454	14,200	4,229	724	58
Male	2,450	3,924	6,720	11,087	16,796	21,131	24,065	23,469	18,142	10,441	4,400	1,144	151	19
Female	578	1,046	1,915	3,881	7,375	11,421	16,140	20,467	21,433	17,013	9,800	3,085	573	39
White	2,541	4,247	7,417	13,219	21,498	29,379	36,840	40,516	36,917	25,796	13,425	3,907	621	54
Male	2,088	3,455	5,931	9,991	15,255	19,398	22,349	21,850	16,975	9,786	4,158	1,056	126	17
Female	453	792	1,486	3,228	6,233	9,983	14,491	18,666	19,942	16,010	9,267	2,851	495	37
All other	487	723	1,218	1,749	2,673	3,173	3,365	3,420	2,658	1,658	775	322	103	4
Male	362	469	789	1,096	1,541	1,735	1,716	1,619	1,167	655	242	88	25	2
Female	125	254	429	653	1,142	1,438	1,649	1,801	1,491	1,003	533	234	78	2
Black	445	641	1,100	1,585	2,431	2,926	3,069	3,098	2,359	1,495	707	296	101	4
Male	328	404	700	979	1,378	1,574	1,541	1,418	997	572	225	79	24	2
Female	117	237	400	616	1,053	1,352	1,528	1,680	1,362	923	482	217	77	2
Other acute and subacute forms of ischemic heart disease (411)	85	126	186	319	440	485	531	500	445	352	166	93	16	2
Male	72	103	150	243	327	336	337	300	216	129	49	14	6	2
Female	13	23	36	76	113	149	194	200	229	223	137	79	10	-
White	67	100	149	266	378	389	453	435	398	316	176	85	14	2
Male	56	86	123	207	281	276	287	266	195	114	47	13	5	2
Female	11	14	26	59	97	113	166	169	203	202	129	72	9	-
All other	18	26	37	53	62	96	78	65	47	36	10	8	2	-
Male	16	17	27	36	45	60	50	34	21	15	2	1	1	-
Female	2	9	10	17	16	36	28	31	26	21	8	7	1	-
Black	17	25	36	48	61	88	70	58	44	34	10	7	2	-
Male	15	17	26	31	45	53	45	28	20	13	2	1	1	-
Female	2	8	10	17	16	33	25	30	24	21	8	6	1	-
Angina pectoris (413)	13	16	18	44	66	123	142	155	164	121	85	30	5	-
Male	9	11	11	30	40	65	66	76	67	36	21	7	2	-
Female	4	5	7	14	26	58	76	79	97	85	64	23	3	-
White	9	14	13	37	57	101	125	140	152	115	81	27	4	-
Male	6	9	7	25	36	59	58	71	61	35	20	6	2	-
Female	3	5	6	12	21	42	67	69	91	80	61	21	2	-
All other	4	2	5	7	9	22	17	15	12	6	4	3	1	-
Male	3	2	4	5	4	6	8	5	6	1	1	1	-	-
Female	1	-	1	2	5	16	9	10	6	5	3	2	1	-
Black	4	2	5	7	8	22	15	14	10	5	4	3	1	-
Male	3	2	4	5	3	6	7	5	5	1	1	1	-	-
Female	1	-	1	2	5	16	8	9	5	4	3	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,835	2,829	5,106	9,249	15,779	22,418	30,655	38,178	42,846	40,741	29,443	11,761	2,381	160
Male	1,502	2,260	3,983	6,975	11,132	14,842	18,717	20,244	18,824	14,272	8,404	2,731	454	48
Female	333	569	1,123	2,274	4,647	7,576	11,938	17,934	24,022	26,469	21,039	9,030	1,927	112
White	1,458	2,292	4,246	7,953	13,713	19,961	27,719	34,845	39,856	38,333	27,972	11,102	2,138	147
Male	1,225	1,898	3,402	6,152	9,863	13,464	17,189	18,723	17,574	13,366	7,929	2,546	397	43
Female	233	394	844	1,801	3,850	6,497	10,530	16,222	22,282	24,967	20,043	8,556	1,741	104
All other	377	537	860	1,296	2,066	2,457	2,936	3,233	2,990	2,408	1,471	659	243	13
Male	277	362	581	823	1,269	1,378	1,528	1,521	1,250	906	475	185	57	5
Female	100	175	279	473	797	1,079	1,408	1,712	1,740	1,502	996	474	186	8
Black	348	494	784	1,218	1,892	2,269	2,668	2,930	2,696	2,158	1,315	597	228	12
Male	251	325	526	763	1,142	1,245	1,349	1,330	1,064	783	425	161	53	5
Female	97	169	258	455	750	1,018	1,319	1,600	1,632	1,375	890	436	175	7
Other diseases of endocardium (424)	106	124	196	354	581	890	1,308	1,753	1,865	1,512	891	241	32	-
Male	81	78	130	227	344	504	680	845	748	489	245	49	3	-
Female	25	46	66	127	237	386	628	908	1,117	1,023	646	192	29	-
White	76	97	160	304	506	812	1,186	1,628	1,771	1,434	859	231	29	-
Male	60	60	106	196	306	470	621	782	706	465	239	47	3	-
Female	16	37	54	108	200	342	565	846	1,065	969	620	184	26	-
All other	30	27	36	50	75	78	122	125	94	78	32	10	3	-
Male	21	18	24	31	38	34	59	63	42	24	6	2	-	-
Female	9	9	12	19	37	44	63	62	52	54	26	8	3	-
Black	30	27	33	49	67	74	110	108	74	66	25	9	3	-
Male	21	18	21	30	32	32	52	53	29	17	5	2	-	-
Female	9	9	12	19	35	42	58	55	45	49	20	7	3	-
All other forms of heart disease (415-423,425-429)	2,313	3,391	5,495	9,253	14,679	19,495	24,628	29,285	31,610	26,890	20,421	7,773	1,737	96
Male	1,616	2,335	3,771	6,349	9,634	12,280	14,204	14,931	13,508	9,931	5,878	1,786	336	44
Female	697	1,056	1,724	2,904	5,045	7,215	10,424	14,354	18,102	16,959	14,543	5,987	1,401	52
White	1,584	2,400	3,972	7,050	11,833	15,941	20,652	25,077	27,906	26,228	18,904	7,109	1,429	72
Male	1,117	1,685	2,814	4,938	7,774	10,232	12,078	12,849	11,852	8,860	5,378	1,598	253	31
Female	467	705	1,158	2,112	3,859	5,709	8,574	12,228	16,054	17,368	13,526	5,511	1,176	41
All other	729	991	1,523	2,203	3,046	3,554	3,976	4,208	3,704	2,662	1,517	664	308	24
Male	499	640	957	1,411	1,860	2,048	2,126	2,082	1,656	1,071	500	188	83	13
Female	230	351	566	792	1,186	1,506	1,850	2,126	2,048	1,591	1,017	476	225	11
Black	692	936	1,439	2,095	2,928	3,381	3,756	3,955	3,463	2,445	1,406	609	285	22
Male	472	589	900	1,345	1,780	1,935	1,985	1,934	1,519	960	448	170	77	13
Female	220	337	539	750	1,148	1,446	1,771	2,021	1,944	1,485	958	439	208	9

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,984	5	–	–	–	1	6	–	1	2	5	20	34	54
Male	3,403	2	–	–	–	–	2	–	1	2	4	10	27	30
Female	4,581	3	–	–	–	1	4	–	–	–	1	10	7	24
White	6,171	4	–	–	–	1	5	–	1	–	2	6	15	18
Male	2,639	2	–	–	–	–	2	–	1	–	2	2	12	14
Female	3,532	2	–	–	–	1	3	–	–	–	–	4	3	4
All other	1,813	1	–	–	–	–	1	–	–	2	3	14	19	36
Male	764	–	–	–	–	–	–	–	–	2	2	8	15	18
Female	1,049	1	–	–	–	–	1	–	–	–	1	6	4	20
Black	1,732	1	–	–	–	–	1	–	–	2	3	13	17	34
Male	719	–	–	–	–	–	–	–	–	2	2	7	14	15
Female	1,013	1	–	–	–	–	1	–	–	–	1	6	3	19
Cerebrovascular diseases (430-438)	149,643	109	15	11	7	4	146	25	48	81	182	362	598	984
Male	59,164	64	8	6	4	2	84	12	23	43	99	176	314	533
Female	90,479	45	7	5	3	2	62	13	25	38	83	186	284	451
White	130,006	86	8	7	5	4	90	20	38	65	129	234	397	634
Male	50,365	39	5	4	3	2	53	10	19	33	73	119	208	350
Female	79,641	27	3	3	2	2	37	10	19	32	56	115	179	284
All other	19,637	43	7	4	2	–	56	5	10	16	53	128	211	350
Male	8,799	25	3	2	1	–	31	2	4	10	26	57	106	183
Female	10,838	18	4	2	1	–	25	3	6	6	27	71	105	167
Black	17,952	38	6	3	1	–	48	4	9	15	44	117	204	324
Male	7,938	23	3	2	1	–	29	2	3	9	22	50	102	169
Female	10,014	15	3	1	–	–	19	2	6	6	22	67	102	155
Intracerebral and other intracranial hemorrhage (431-432)	20,479	52	5	4	1	–	62	11	21	37	69	126	198	368
Male	9,122	30	1	3	1	–	35	5	9	22	36	67	113	226
Female	11,357	22	4	1	–	–	27	6	12	15	33	59	85	142
White	16,816	27	1	3	–	–	31	7	18	28	50	72	118	210
Male	7,280	17	–	3	–	–	20	3	9	17	29	42	65	128
Female	9,536	10	1	–	–	–	11	4	9	11	21	30	53	82
All other	3,663	25	4	1	1	–	31	4	3	9	19	54	80	158
Male	1,842	13	1	–	1	–	15	2	–	5	7	25	48	98
Female	1,821	12	3	1	–	–	16	2	3	4	12	29	32	60
Black	3,220	22	3	–	1	–	26	4	3	8	15	52	76	151
Male	1,594	12	1	–	1	–	14	2	–	4	5	24	45	92
Female	1,626	10	2	–	–	–	12	2	3	4	10	28	31	59
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23,467	13	1	2	2	1	19	5	3	2	16	20	35	49
Male	9,206	9	1	1	1	1	13	2	–	1	10	7	20	30
Female	14,261	4	–	1	1	–	6	3	3	1	6	13	15	19
White	20,878	8	1	2	2	1	14	5	2	2	9	12	22	34
Male	8,086	5	1	1	1	1	9	2	–	1	7	6	11	25
Female	12,792	3	–	1	1	–	5	3	2	1	2	6	11	9
All other	2,589	5	–	–	–	–	5	–	1	–	7	8	13	15
Male	1,120	4	–	–	–	–	4	–	–	–	3	1	9	5
Female	1,469	1	–	–	–	–	1	–	1	–	4	7	4	10
Black	2,385	5	–	–	–	–	5	–	1	–	6	7	13	15
Male	1,023	4	–	–	–	–	4	–	–	–	3	1	9	5
Female	1,362	1	–	–	–	–	1	–	1	–	3	6	4	10
Cerebral embolism (434.1)	784	1	–	–	1	–	2	1	1	2	1	2	3	2
Male	314	1	–	–	1	–	2	–	1	–	–	1	2	1
Female	470	–	–	–	–	–	–	1	–	2	1	1	1	1
White	713	1	–	–	1	–	2	1	1	2	1	1	3	1
Male	284	1	–	–	1	–	2	–	1	–	–	1	2	–
Female	429	–	–	–	–	–	–	1	–	2	1	–	1	1
All other	71	–	–	–	–	–	–	–	–	–	–	1	–	1
Male	30	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	41	–	–	–	–	–	–	–	–	–	–	1	–	–
Black	64	–	–	–	–	–	–	–	–	–	–	1	–	1
Male	28	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	36	–	–	–	–	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	104,913	43	9	5	3	3	63	8	23	40	96	214	362	585
Male	40,522	24	6	2	1	1	34	5	13	20	53	101	179	276
Female	64,391	19	3	3	2	2	29	3	10	20	43	113	183	289
White	91,599	30	6	2	2	3	43	7	17	33	69	149	244	389
Male	34,715	16	4	–	1	1	22	5	9	15	37	70	130	197
Female	56,884	14	2	2	1	2	21	2	8	18	32	79	114	192
All other	13,314	13	3	3	1	–	20	1	6	7	27	65	118	176
Male	5,807	8	2	2	–	–	12	–	4	5	16	31	49	79
Female	7,507	5	1	1	1	–	8	1	2	2	11	34	69	97
Black	12,283	11	3	3	–	–	17	–	5	7	23	57	115	157
Male	5,293	7	2	2	–	–	11	–	3	5	14	25	48	71
Female	6,990	4	1	1	–	–	6	–	2	2	9	32	67	86
Atherosclerosis (440)	22,706	–	–	–	–	–	–	–	–	–	1	2	8	12
Male	8,587	–	–	–	–	–	–	–	–	–	–	2	7	9
Female	14,119	–	–	–	–	–	–	–	–	–	1	–	1	3
White	20,858	–	–	–	–	–	–	–	–	–	–	1	7	9
Male	7,767	–	–	–	–	–	–	–	–	–	–	1	6	7
Female	13,091	–	–	–	–	–	–	–	–	–	–	–	1	2
All other	1,848	–	–	–	–	–	–	–	–	–	1	1	1	3
Male	820	–	–	–	–	–	–	–	–	–	–	1	1	2
Female	1,028	–	–	–	–	–	–	–	–	–	1	–	–	1
Black	1,720	–	–	–	–	–	–	–	–	–	1	1	1	3
Male	756	–	–	–	–	–	–	–	–	–	–	1	1	2
Female	964	–	–	–	–	–	–	–	–	–	1	–	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	69	119	240	336	542	766	1,051	1,267	1,380	1,129	688	249	42	4
Male	40	71	134	190	299	406	492	557	505	375	183	69	6	-
Female	29	48	106	146	243	360	559	710	855	754	505	180	36	4
White	29	64	133	199	362	546	809	1,005	1,123	982	620	217	32	3
Male	18	42	73	121	206	317	403	452	417	326	163	63	5	-
Female	11	22	60	78	156	229	406	553	706	656	457	154	27	3
All other	40	55	107	137	180	220	242	262	257	147	68	32	10	1
Male	22	29	61	69	93	89	89	105	88	49	20	6	1	-
Female	18	26	46	68	87	131	153	157	149	98	48	26	9	1
Black	39	55	102	132	175	210	235	248	223	140	63	29	10	1
Male	21	29	56	66	89	83	86	97	82	45	19	5	1	-
Female	18	26	46	66	86	127	149	151	141	95	44	24	9	1
Cerebrovascular diseases (430-438)	1,367	1,869	2,779	4,441	7,339	11,233	17,211	23,784	28,188	25,870	16,494	5,552	915	65
Male	729	961	1,441	2,365	3,898	5,774	8,373	10,526	10,778	7,766	3,997	1,122	134	16
Female	638	908	1,338	2,076	3,441	5,459	8,838	13,258	17,410	18,204	12,497	4,430	781	49
White	876	1,269	1,883	3,270	5,652	9,082	14,503	20,777	25,540	24,081	15,505	5,144	781	46
Male	452	641	956	1,727	3,045	4,674	7,114	9,181	9,720	7,137	3,711	1,024	109	9
Female	424	628	927	1,543	2,607	4,408	7,389	11,596	15,820	16,944	11,794	4,120	672	37
All other	491	600	896	1,171	1,687	2,151	2,708	3,017	2,648	1,789	989	408	134	19
Male	277	320	485	638	853	1,100	1,259	1,345	1,058	629	286	98	25	7
Female	214	280	411	533	834	1,051	1,449	1,672	1,590	1,280	703	310	109	12
Black	461	561	809	1,079	1,556	1,976	2,466	2,754	2,424	1,705	877	376	128	15
Male	264	304	441	589	783	1,001	1,137	1,190	932	552	244	86	23	6
Female	197	257	368	490	773	975	1,329	1,564	1,492	1,153	633	290	105	9
Intracerebral and other intracranial hemorrhage (431-432)	524	702	953	1,330	1,755	2,339	2,796	3,195	2,819	1,993	923	207	38	13
Male	317	371	518	697	926	1,170	1,310	1,382	1,014	613	228	49	7	7
Female	207	331	435	633	829	1,169	1,486	1,813	1,805	1,380	695	158	31	6
White	279	428	579	952	1,319	1,968	2,420	2,832	2,562	1,850	863	189	33	8
Male	165	228	302	496	699	979	1,136	1,214	914	566	215	44	6	3
Female	114	200	277	456	620	989	1,284	1,618	1,648	1,284	648	145	27	5
All other	245	274	374	378	436	371	376	363	257	143	60	18	5	5
Male	152	143	216	201	227	191	174	168	100	47	13	5	1	4
Female	93	131	158	177	209	180	202	195	157	96	47	13	4	1
Black	232	253	331	337	389	317	315	302	216	113	54	16	5	5
Male	146	135	189	179	195	161	142	133	77	32	10	4	1	4
Female	86	118	142	158	194	156	173	169	139	81	44	12	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	86	139	278	548	1,003	1,670	2,670	3,757	4,650	4,442	2,857	1,046	161	11
Male	50	87	162	335	586	912	1,336	1,682	1,764	1,306	668	206	20	1
Female	36	52	116	213	407	758	1,334	2,075	2,886	3,136	2,191	840	141	10
White	53	104	198	411	776	1,360	2,284	3,333	4,266	4,168	2,710	968	139	8
Male	29	69	115	264	477	749	1,150	1,510	1,614	1,215	629	187	17	-
Female	24	35	83	147	299	611	1,134	1,823	2,652	2,953	2,081	781	122	8
All other	33	35	80	137	227	310	386	424	384	274	147	78	22	3
Male	21	18	47	71	119	163	186	172	150	91	37	19	3	1
Female	12	17	33	66	108	147	200	252	234	183	110	59	19	2
Black	33	34	72	128	209	298	358	388	353	241	130	70	22	2
Male	21	17	44	65	107	157	170	150	135	83	33	15	3	1
Female	12	17	28	63	102	141	188	238	218	158	97	55	19	1
Cerebral embolism (434.1)	7	12	6	25	41	80	115	154	143	110	62	11	4	-
Male	5	4	5	6	20	40	54	79	49	31	11	3	-	-
Female	2	8	1	19	21	40	61	75	94	79	51	8	4	-
White	5	8	5	22	39	71	98	145	132	103	59	10	4	-
Male	4	4	5	6	18	36	49	73	45	26	10	2	-	-
Female	1	4	-	16	21	35	49	72	87	77	49	8	4	-
All other	2	4	1	3	2	9	17	9	11	7	3	1	-	-
Male	1	-	-	-	2	4	5	6	4	5	1	1	-	-
Female	1	4	1	3	-	5	12	3	7	2	2	-	-	-
Black	2	3	1	3	2	9	13	8	10	7	3	1	-	-
Male	1	-	-	-	2	4	3	6	4	5	1	1	-	-
Female	1	3	1	3	-	5	10	2	6	2	2	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	750	1,016	1,542	2,538	4,540	7,144	11,630	16,688	20,576	19,425	12,652	4,288	712	41
Male	357	499	756	1,327	2,356	3,652	5,673	7,383	7,951	5,816	3,092	864	107	8
Female	393	517	786	1,211	2,184	3,492	5,957	9,305	12,625	13,609	9,560	3,424	605	33
White	539	729	1,101	1,885	3,518	5,683	9,701	14,467	18,580	17,960	11,873	3,977	605	30
Male	254	340	534	961	1,851	2,910	4,779	6,384	7,147	5,330	2,857	791	86	6
Female	285	389	567	924	1,667	2,773	4,922	8,083	11,433	12,630	9,016	3,186	519	24
All other	211	287	441	653	1,022	1,461	1,929	2,221	1,996	1,465	779	311	107	11
Male	103	159	222	366	505	742	894	999	804	486	235	73	21	2
Female	108	128	219	287	517	719	1,035	1,222	1,192	979	544	238	86	9
Black	194	271	405	611	956	1,352	1,780	2,056	1,845	1,344	690	289	101	8
Male	96	152	208	345	479	679	822	901	716	432	200	66	19	1
Female	98	119	197	266	477	673	958	1,155	1,129	912	490	223	82	7
Atherosclerosis (440)	28	58	132	270	619	984	1,781	2,780	4,001	4,879	4,476	2,102	552	21
Male	17	47	88	182	403	599	998	1,339	1,620	1,574	1,169	415	109	9
Female	11	11	44	88	216	385	783	1,441	2,381	3,305	3,307	1,687	443	12
White	25	43	106	214	519	844	1,553	2,487	3,679	4,561	4,270	2,009	493	19
Male	15	33	74	143	342	523	883	1,201	1,479	1,466	1,103	393	89	9
Female	10	10	31	71	177	321	670	1,286	2,200	3,115	3,167	1,616	404	10
All other	3	15	27	56	100	140	228	293	322	298	206	93	59	2
Male	2	14	14	39	61	76	115	138	141	108	66	22	20	-
Female	1	1	13	17	39	64	113	155	181	190	140	71	39	2
Black	3	15	27	54	85	130	215	276	269	278	186	87	56	2
Male	2	14	14	37	57	69	109	128	121	100	61	21	19	-
Female	1	1	13	17	38	61	106	148	168	179	125	66	37	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	22,417	20	5	1	4	1	31	4	14	34	51	62	95	149
Male	13,525	10	3	–	4	1	18	2	7	18	24	33	64	89
Female	8,892	10	2	1	–	–	13	2	7	16	27	29	31	60
White	20,422	12	5	–	4	–	21	4	10	22	40	46	70	105
Male	12,492	6	3	–	4	–	13	2	6	13	19	23	48	70
Female	7,930	6	2	–	–	–	8	2	4	9	21	23	22	36
All other	1,995	8	–	1	–	1	10	–	4	12	11	16	25	43
Male	1,033	4	–	–	–	1	5	–	1	5	5	10	16	19
Female	962	4	–	1	–	–	5	–	3	7	6	6	9	24
Black	1,761	7	–	1	–	1	9	–	4	10	11	15	20	38
Male	886	3	–	–	–	1	4	–	1	5	5	9	13	17
Female	875	4	–	1	–	–	5	–	3	5	6	6	7	21
Acute bronchitis and bronchiolitis (466)	588	59	8	4	2	–	73	3	2	1	5	–	4	5
Male	280	38	5	–	1	–	44	1	1	1	3	–	2	5
Female	308	21	3	4	1	–	29	2	1	–	2	–	2	–
White	537	43	7	2	2	–	54	2	1	1	4	–	4	5
Male	251	27	4	–	1	–	32	1	1	1	2	–	2	5
Female	286	16	3	2	1	–	22	1	–	–	2	–	2	–
All other	51	16	1	2	–	–	19	1	1	–	1	–	–	–
Male	29	11	1	–	–	–	12	–	–	–	1	–	–	–
Female	22	5	–	2	–	–	7	1	1	–	–	–	–	–
Black	47	15	1	2	–	–	18	1	1	–	1	–	–	–
Male	27	10	1	–	–	–	11	–	–	–	1	–	–	–
Female	20	5	–	2	–	–	7	1	1	–	–	–	–	–
Pneumonia and influenza (480-487)	69,812	663	85	59	26	29	862	76	71	117	159	269	467	574
Male	34,203	387	47	33	15	15	497	30	41	70	95	149	304	384
Female	35,609	276	38	26	11	14	365	46	30	47	64	120	163	190
White	62,323	421	54	38	21	20	554	55	62	94	111	176	297	327
Male	29,891	251	33	21	12	11	328	23	37	59	63	102	198	214
Female	32,432	170	21	17	9	9	226	32	25	35	48	74	99	113
All other	7,489	242	31	21	5	9	308	21	9	23	48	93	170	247
Male	4,312	136	14	12	3	4	169	7	4	11	32	47	106	170
Female	3,177	106	17	9	2	5	139	14	5	12	16	46	64	77
Black	6,700	223	25	18	5	9	280	18	8	22	44	90	162	236
Male	3,836	123	13	11	3	4	154	6	4	10	29	44	98	160
Female	2,864	100	12	7	2	5	126	12	4	12	15	46	64	76
Pneumonia (480-486)	67,974	656	82	56	25	28	847	71	62	109	158	265	459	564
Male	33,527	382	45	31	15	14	487	26	36	67	94	148	300	382
Female	34,447	274	37	25	10	14	360	45	26	42	64	117	159	182
White	60,569	415	52	37	20	19	543	51	53	88	111	175	290	318
Male	29,247	246	31	21	12	10	320	20	32	56	63	102	194	212
Female	31,322	169	21	16	8	9	223	31	21	32	48	73	96	106
All other	7,405	241	30	19	5	9	304	20	9	21	47	90	169	246
Male	4,280	136	14	10	3	4	167	6	4	11	31	46	106	170
Female	3,125	105	16	9	2	5	137	14	5	10	16	44	63	76
Black	6,631	222	25	16	5	9	277	17	8	20	44	87	161	235
Male	3,812	123	13	9	3	4	152	5	4	10	29	43	98	160
Female	2,819	99	12	7	2	5	125	12	4	10	15	44	63	75
Influenza (487)	1,838	7	3	3	1	1	15	5	9	8	1	4	8	10
Male	676	5	2	2	–	1	10	4	5	3	1	1	4	2
Female	1,162	2	1	1	1	–	5	1	4	5	–	3	4	8
White	1,754	6	2	1	1	1	11	4	9	6	–	1	7	9
Male	644	5	2	–	–	1	8	3	5	3	–	–	4	2
Female	1,110	1	–	1	1	–	3	1	4	3	–	1	3	7
All other	84	1	1	2	–	–	4	1	–	2	1	3	1	1
Male	32	–	–	2	–	–	2	1	–	–	1	1	–	–
Female	52	1	1	–	–	–	2	–	–	2	–	2	1	1
Black	69	1	–	2	–	–	3	1	–	2	–	3	1	1
Male	24	–	–	2	–	–	2	1	–	–	–	1	–	–
Female	45	1	–	–	–	–	1	–	–	2	–	2	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	76,559	60	18	7	6	3	94	29	77	95	96	116	131	205
Male	47,058	43	12	3	2	2	62	15	43	60	54	64	55	107
Female	29,501	17	6	4	4	1	32	14	34	35	42	52	76	98
White	71,122	38	12	6	5	1	62	15	45	48	60	76	80	134
Male	43,341	28	7	3	2	–	40	6	21	32	33	42	33	71
Female	27,781	10	5	3	3	1	22	9	24	16	27	34	47	63
All other	5,437	22	6	1	1	2	32	14	32	47	36	40	51	71
Male	3,717	15	5	–	–	2	22	9	22	28	21	22	22	36
Female	1,720	7	1	1	1	–	10	5	10	19	15	18	29	35
Black	4,856	19	5	1	1	2	28	14	32	40	36	38	46	64
Male	3,302	12	4	–	–	2	18	9	22	24	21	21	20	33
Female	1,554	7	1	1	1	–	10	5	10	16	15	17	26	31
Bronchitis, chronic and unspecified (490-491)	3,750	40	6	3	2	1	52	2	3	3	6	4	8	14
Male	2,079	27	4	1	1	1	34	–	2	2	5	2	3	8
Female	1,671	13	2	2	1	–	18	2	1	1	1	2	5	6
White	3,531	27	6	2	1	–	36	2	2	1	6	3	6	13
Male	1,931	19	4	1	1	–	25	–	1	1	5	2	1	7
Female	1,600	8	2	1	–	–	11	2	1	–	1	1	5	6
All other	219	13	–	1	1	1	16	–	1	2	–	1	2	1
Male	148	8	–	–	–	1	9	–	1	1	–	–	2	1
Female	71	5	–	1	1	–	7	–	–	1	–	1	–	–
Black	184	11	–	1	1	1	14	–	1	2	–	1	1	1
Male	121	6	–	–	–	1	7	–	1	1	–	–	1	1
Female	63	5	–	1	1	–	7	–	–	1	–	1	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	176	244	430	866	1,894	2,945	3,862	4,097	3,451	2,344	1,226	374	66	2
Male	92	141	292	626	1,367	2,084	2,664	2,556	1,892	1,030	408	104	13	1
Female	84	103	138	240	527	861	1,198	1,541	1,559	1,314	818	270	53	1
White	127	175	326	723	1,680	2,709	3,578	3,798	3,221	2,202	1,157	350	55	2
Male	68	103	234	536	1,236	1,942	2,518	2,395	1,788	977	388	101	11	1
Female	59	72	92	187	444	767	1,060	1,403	1,433	1,225	769	249	44	1
All other	49	69	104	143	214	236	284	299	230	142	69	24	11	-
Male	24	38	58	90	131	142	146	161	104	53	20	3	2	-
Female	25	31	46	53	83	94	138	138	126	89	49	21	9	-
Black	46	64	90	130	191	217	253	255	190	126	60	21	11	-
Male	21	35	47	78	119	131	124	132	79	42	20	2	2	-
Female	25	29	43	52	72	86	129	123	111	84	40	19	9	-
Acute bronchitis and bronchiolitis (466)	5	7	7	13	23	32	66	78	98	77	54	27	7	1
Male	2	3	2	7	16	18	44	41	38	23	20	8	1	-
Female	3	4	5	6	7	14	22	37	60	54	34	19	6	1
White	5	5	5	11	20	31	60	74	93	75	52	27	7	1
Male	2	1	1	6	14	17	40	39	36	23	19	8	1	-
Female	3	4	4	5	6	14	20	35	57	52	33	19	6	1
All other	-	2	2	2	3	1	6	4	5	2	2	-	-	-
Male	-	2	1	1	2	1	4	2	2	-	1	-	-	-
Female	-	-	1	1	1	-	2	2	3	2	1	-	-	-
Black	-	2	2	1	3	1	5	4	4	2	2	-	-	-
Male	-	2	1	1	2	1	3	2	2	-	1	-	-	-
Female	-	-	1	-	1	-	2	2	2	2	1	-	-	-
Pneumonia and influenza (480-487)	626	705	895	1,513	2,631	3,957	6,197	9,735	12,260	13,452	10,227	4,107	866	46
Male	402	436	582	956	1,709	2,485	3,762	5,506	6,082	5,579	3,703	1,219	198	16
Female	224	269	313	557	922	1,472	2,435	4,229	6,178	7,873	6,524	2,888	670	30
White	385	472	646	1,176	2,130	3,352	5,445	8,780	11,281	12,564	9,716	3,884	779	37
Male	240	284	419	730	1,389	2,100	3,290	4,843	5,559	5,145	3,460	1,124	174	10
Female	145	188	227	446	741	1,252	2,155	3,937	5,722	7,418	6,256	2,760	605	27
All other	241	233	249	337	501	605	752	955	979	888	511	223	87	9
Male	162	152	163	226	320	385	472	563	523	434	243	95	22	6
Female	79	81	86	111	181	220	280	392	456	454	268	128	65	3
Black	225	217	235	318	472	562	683	897	852	752	421	182	78	6
Male	153	143	153	215	301	363	430	480	440	368	188	73	19	5
Female	72	74	82	103	171	199	253	357	412	384	233	109	59	1
Pneumonia (480-486)	613	687	877	1,493	2,594	3,880	6,065	9,492	11,959	13,079	9,880	3,943	831	46
Male	399	425	571	942	1,698	2,447	3,687	5,395	5,952	5,466	3,618	1,191	190	16
Female	214	262	306	551	906	1,433	2,378	4,097	6,007	7,613	6,262	2,752	641	30
White	374	456	629	1,157	2,098	3,280	5,320	8,548	10,996	12,197	9,377	3,724	747	37
Male	237	273	409	716	1,372	2,064	3,219	4,836	5,436	5,033	3,378	1,097	168	10
Female	137	183	220	441	726	1,216	2,101	3,712	5,560	7,164	5,999	2,627	579	27
All other	239	231	248	336	496	600	745	944	963	882	503	219	84	9
Male	162	152	162	226	316	383	468	559	516	433	240	94	22	6
Female	77	79	86	110	180	217	277	385	447	449	263	125	62	3
Black	223	215	234	317	467	558	678	829	838	748	416	178	75	6
Male	153	143	152	215	297	361	428	477	434	368	187	72	19	5
Female	70	72	82	102	170	197	250	352	404	380	229	106	56	1
Influenza (487)	13	18	18	20	37	77	132	243	301	373	347	164	35	-
Male	3	11	11	14	21	38	75	111	130	113	85	28	6	-
Female	10	7	7	6	16	39	57	132	171	260	262	136	29	-
White	11	16	17	19	32	72	125	232	285	367	339	160	32	-
Male	3	11	10	14	17	36	71	107	123	112	82	27	6	-
Female	8	5	7	5	15	36	54	125	162	255	257	133	26	-
All other	2	2	1	1	5	5	7	11	16	6	8	4	3	-
Male	-	-	1	-	4	2	4	4	7	1	3	1	-	-
Female	2	2	-	1	1	3	3	7	9	5	5	3	3	-
Black	2	2	1	1	5	4	5	8	14	4	5	4	3	-
Male	-	-	1	-	4	2	2	3	6	-	1	1	-	-
Female	2	2	-	1	1	2	3	5	8	4	4	3	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	337	671	1,564	3,532	6,953	10,975	14,891	15,289	11,419	6,614	2,716	641	104	10
Male	183	370	849	2,042	4,157	6,747	9,390	9,742	7,254	3,996	1,496	322	44	6
Female	154	301	715	1,490	2,796	4,228	5,501	5,547	4,165	2,618	1,220	319	60	4
White	245	519	1,318	3,101	6,311	10,163	13,965	14,513	10,863	6,302	2,609	599	85	9
Male	129	294	690	1,775	3,734	6,176	8,718	9,149	6,862	3,775	1,428	295	33	5
Female	116	225	628	1,326	2,577	3,987	5,247	5,364	4,001	2,527	1,181	304	52	4
All other	92	152	246	431	642	812	926	776	556	312	107	42	19	1
Male	54	76	159	267	423	571	672	593	392	221	68	27	11	1
Female	38	76	87	164	219	241	254	183	164	91	39	15	8	-
Black	85	141	228	386	594	745	833	667	468	266	88	31	15	1
Male	50	72	150	246	390	522	605	509	322	183	55	20	9	1
Female	35	69	78	150	204	223	228	158	146	83	33	11	6	-
Bronchitis, chronic and unspecified (490-491)	19	29	69	136	286	420	626	676	605	423	266	74	27	2
Male	14	17	34	70	168	255	355	410	357	199	119	20	4	1
Female	5	12	35	66	118	165	271	266	248	224	147	54	23	1
White	16	25	64	120	270	380	597	639	575	409	261	70	24	2
Male	11	16	30	56	156	234	337	385	335	191	116	17	4	1
Female	5	9	34	64	114	156	260	254	240	218	145	53	20	1
All other	3	4	5	16	16	30	29	37	30	14	5	4	3	-
Male	3	1	4	14	12	21	18	25	22	8	3	3	-	-
Female	-	3	1	2	4	9	11	12	8	6	2	1	3	-
Black	3	4	5	15	14	29	26	26	26	10	3	1	2	-
Male	3	1	4	13	11	20	16	17	19	4	2	-	-	-
Female	-	3	1	2	3	9	10	9	7	6	1	1	2	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	14,471	4	–	–	–	–	4	–	1	–	2	5	6	15
Male	9,396	2	–	–	–	–	2	–	1	–	1	5	4	13
Female	5,075	2	–	–	–	–	2	–	–	–	1	–	2	2
White	13,687	2	–	–	–	–	2	–	–	–	2	5	4	8
Male	8,781	1	–	–	–	–	1	–	–	–	1	5	2	6
Female	4,906	1	–	–	–	–	1	–	–	–	1	–	2	2
All other	784	2	–	–	–	–	2	–	1	–	–	–	2	7
Male	615	1	–	–	–	–	1	–	1	–	–	–	2	7
Female	169	1	–	–	–	–	1	–	–	–	–	–	–	–
Black	704	2	–	–	–	–	2	–	1	–	–	–	2	7
Male	553	1	–	–	–	–	1	–	1	–	–	–	2	7
Female	151	1	–	–	–	–	1	–	–	–	–	–	–	–
Asthma (493)	3,955	13	8	4	3	2	30	23	69	84	82	94	103	130
Male	1,584	11	6	2	1	1	21	13	38	51	43	53	40	58
Female	2,371	2	2	2	2	1	9	10	31	33	39	41	63	72
White	3,036	7	3	4	3	1	18	10	39	39	47	59	61	78
Male	1,178	6	2	2	1	–	11	4	18	24	23	33	25	38
Female	1,858	1	1	2	2	1	7	6	21	15	24	26	36	40
All other	919	6	5	–	–	1	12	13	30	45	35	35	42	52
Male	406	5	4	–	–	1	10	9	20	27	20	20	15	20
Female	513	1	1	–	–	–	2	4	10	18	15	15	27	32
Black	828	5	4	–	–	1	10	13	30	38	35	34	39	47
Male	360	4	3	–	–	1	8	9	20	23	20	20	14	18
Female	468	1	1	–	–	–	2	4	10	15	15	14	25	29
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54,383	3	4	–	1	–	8	4	4	8	6	13	14	46
Male	33,999	3	2	–	–	–	5	2	2	7	5	4	8	28
Female	20,384	–	2	–	1	–	3	2	2	1	1	9	6	18
White	50,868	2	3	–	1	–	6	3	4	8	5	9	9	35
Male	31,451	2	1	–	–	–	3	2	2	7	4	2	5	20
Female	19,417	–	2	–	1	–	3	1	2	1	1	7	4	15
All other	3,515	1	1	–	–	–	2	1	–	–	1	4	5	11
Male	2,548	1	1	–	–	–	2	–	–	–	1	2	3	8
Female	967	–	–	–	–	–	–	1	–	–	–	2	2	3
Black	3,140	1	1	–	–	–	2	1	–	–	1	3	4	9
Male	2,268	1	1	–	–	–	2	–	–	–	1	1	3	7
Female	872	–	–	–	–	–	–	1	–	–	–	2	1	2
Ulcer of stomach and duodenum (531-533)	6,477	9	–	–	–	1	10	1	2	4	11	18	41	66
Male	3,108	6	–	–	–	1	7	1	1	3	5	8	25	51
Female	3,369	3	–	–	–	–	3	–	1	1	6	8	16	15
White	5,794	7	–	–	–	1	8	1	2	3	10	11	25	45
Male	2,726	4	–	–	–	1	5	1	1	2	5	5	16	34
Female	3,068	3	–	–	–	–	3	–	1	1	5	6	9	11
All other	683	2	–	–	–	–	2	–	–	1	1	5	16	21
Male	382	2	–	–	–	–	2	–	–	1	–	3	9	17
Female	301	–	–	–	–	–	–	–	–	–	1	2	7	4
Black	600	2	–	–	–	–	2	–	–	1	1	4	15	20
Male	333	2	–	–	–	–	2	–	–	1	–	2	9	16
Female	267	–	–	–	–	–	–	–	–	–	1	2	7	4
Appendicitis (540-543)	512	6	2	–	2	2	12	14	3	10	6	5	10	6
Male	280	4	1	–	2	–	7	5	2	5	4	5	6	3
Female	232	2	1	–	–	2	5	9	1	5	2	–	4	3
White	394	5	1	–	1	–	7	9	2	5	3	4	8	3
Male	215	3	–	–	1	–	4	3	1	3	3	4	4	1
Female	179	2	1	–	–	–	3	6	1	2	–	–	2	2
All other	118	1	1	–	1	2	5	5	1	5	3	1	4	3
Male	65	1	1	–	1	–	3	2	1	2	1	1	2	2
Female	53	–	–	–	–	2	2	3	–	3	2	–	2	1
Black	109	1	1	–	1	2	5	4	1	5	3	1	4	3
Male	59	1	1	–	1	–	3	2	1	2	1	1	2	2
Female	50	–	–	–	–	2	2	2	–	3	2	–	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,445	104	15	8	7	1	135	17	8	15	12	14	25	27
Male	2,072	65	9	6	4	1	85	7	5	9	8	8	16	9
Female	3,373	39	6	2	3	–	50	10	3	6	4	6	9	18
White	4,725	71	11	8	5	1	96	14	6	12	7	10	18	18
Male	1,744	46	7	6	4	1	64	7	3	6	5	5	12	5
Female	2,981	25	4	2	1	–	32	7	3	6	2	5	6	13
All other	720	33	4	–	2	–	39	3	2	3	5	4	7	9
Male	328	19	2	–	–	–	21	–	2	3	3	3	4	4
Female	392	14	2	–	2	–	18	3	–	–	2	1	3	5
Black	673	27	4	–	2	–	33	3	2	3	5	4	5	9
Male	306	17	2	–	–	–	19	–	2	3	3	3	3	4
Female	367	10	2	–	2	–	14	3	–	–	2	1	2	5
Chronic liver disease and cirrhosis (571)	26,159	20	5	3	2	–	30	1	3	12	57	274	908	1,429
Male	16,797	9	2	1	1	–	13	1	3	8	35	172	621	1,062
Female	9,362	11	3	2	1	–	17	–	–	4	22	102	287	367
White	21,916	12	3	3	2	–	20	1	2	10	37	166	565	969
Male	14,099	4	1	1	1	–	7	1	2	6	26	111	407	750
Female	7,817	8	2	2	1	–	13	–	–	4	11	55	158	219
All other	4,243	8	2	–	–	–	10	–	1	2	20	108	343	460
Male	2,698	5	1	–	–	–	6	–	1	2	9	61	214	312
Female	1,545	3	1	–	–	–	4	–	–	–	11	47	129	148
Black	3,745	7	2	–	–	–	9	–	1	2	16	98	304	414
Male	2,404	4	1	–	–	–	5	–	1	2	6	54	195	285
Female	1,341	3	1	–	–	–	4	–	–	–	10	44	109	129

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	48	145	341	753	1,521	2,304	3,047	2,943	1,967	971	324	60	13	1
Male	33	93	198	475	928	1,449	2,013	1,972	1,328	640	203	32	5	1
Female	15	52	143	278	593	855	1,034	971	639	331	121	28	8	–
White	39	122	308	674	1,420	2,171	2,903	2,828	1,888	933	315	55	9	1
Male	26	80	175	417	850	1,350	1,897	1,868	1,262	614	196	28	2	1
Female	13	42	133	257	570	821	1,006	960	626	319	119	27	7	–
All other	9	23	33	79	101	133	144	115	79	38	9	5	4	–
Male	7	13	23	58	78	99	116	104	66	26	7	4	3	–
Female	2	10	10	21	23	34	28	11	13	12	2	1	1	–
Black	8	20	32	73	96	124	131	97	63	31	8	5	4	–
Male	6	12	23	54	74	94	105	88	52	21	6	4	3	–
Female	2	8	9	19	22	30	26	9	11	10	2	1	1	–
Asthma (493)	121	156	200	308	380	454	528	474	369	211	108	30	1	–
Male	46	59	86	135	155	166	207	190	125	60	27	11	–	–
Female	75	97	114	173	225	288	321	284	244	151	81	19	1	–
White	77	90	128	211	286	368	439	424	336	198	102	28	–	–
Male	28	34	55	94	115	131	176	170	109	55	25	10	–	–
Female	49	56	73	117	171	237	263	254	227	141	77	18	–	–
All other	44	66	72	97	94	86	89	50	33	15	6	2	1	–
Male	18	25	31	41	40	35	31	20	16	5	2	1	–	–
Female	26	41	41	56	54	51	58	30	17	10	4	1	1	–
Black	42	61	65	89	87	74	80	39	27	12	4	1	1	–
Male	18	23	29	38	37	27	28	14	11	2	1	–	–	–
Female	24	38	36	51	50	47	52	25	16	10	3	1	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	149	341	954	2,395	4,766	7,797	10,690	11,196	8,478	5,009	2,018	477	69	7
Male	90	201	531	1,362	2,906	4,877	6,815	7,170	5,444	3,097	1,147	259	35	4
Female	59	140	423	973	1,860	2,920	3,875	4,026	3,034	1,912	871	218	28	3
White	113	282	818	2,096	4,335	7,234	10,026	10,622	8,064	4,764	1,931	446	62	6
Male	64	164	430	1,208	2,613	4,461	6,308	6,726	5,156	2,915	1,091	240	27	3
Female	49	118	388	888	1,722	2,773	3,718	3,896	2,908	1,849	840	206	25	3
All other	36	59	136	299	431	563	664	574	414	245	87	31	11	1
Male	26	37	101	154	293	416	507	444	288	182	56	19	8	1
Female	10	22	35	85	139	147	157	130	126	63	31	12	3	–
Black	32	56	126	219	397	518	596	505	352	213	73	24	8	1
Male	23	36	94	141	268	361	456	390	240	156	46	16	6	1
Female	9	20	32	78	129	137	140	115	112	57	27	8	2	–
Ulcer of stomach and duodenum (531-533)	76	99	149	286	450	612	811	1,028	1,102	939	559	188	24	3
Male	48	71	96	194	272	343	470	499	446	330	185	47	5	1
Female	28	28	53	92	178	269	341	529	656	609	374	141	19	2
White	55	73	122	234	378	532	728	930	1,018	890	528	175	24	2
Male	35	49	79	159	232	295	421	448	403	313	175	42	5	1
Female	20	24	43	75	146	237	307	482	615	577	353	133	19	1
All other	21	26	27	52	72	80	83	98	84	49	31	13	–	1
Male	13	22	17	35	40	48	49	51	43	17	10	5	–	–
Female	8	4	10	17	32	32	34	47	41	32	21	8	–	1
Black	20	26	20	48	65	75	74	80	71	41	26	9	–	1
Male	12	22	15	32	35	45	42	39	35	14	9	3	–	–
Female	8	4	5	16	30	30	32	41	36	27	17	6	–	1
Appendicitis (540-543)	10	6	18	40	47	61	65	58	74	38	25	6	–	–
Male	5	2	9	21	31	36	38	27	40	18	13	3	–	–
Female	5	4	9	19	16	25	27	29	34	20	12	3	–	–
White	6	5	6	31	35	46	53	49	61	33	24	6	–	–
Male	5	2	2	16	25	28	28	24	31	15	13	3	–	–
Female	1	3	4	15	10	18	25	25	30	18	11	3	–	–
All other	4	1	12	9	12	15	12	7	13	5	1	–	–	–
Male	–	–	7	5	6	8	10	3	9	3	–	–	–	–
Female	4	1	5	4	6	7	2	4	4	2	1	–	–	–
Black	4	1	10	9	11	14	12	5	11	5	1	–	–	–
Male	–	–	5	5	5	8	10	2	7	3	–	–	–	–
Female	4	1	5	4	6	6	2	3	4	2	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	47	88	136	266	362	562	806	1,006	991	624	218	39	2
Male	27	25	42	67	130	154	258	354	360	292	155	53	8	–
Female	18	22	46	69	136	208	304	452	646	699	469	165	31	2
White	29	37	66	99	211	290	476	688	904	908	593	206	35	2
Male	16	17	31	51	105	120	218	298	318	264	144	48	7	–
Female	13	20	35	48	106	170	258	390	586	644	449	158	28	2
All other	16	10	22	37	55	72	86	118	102	83	31	12	4	–
Male	11	8	11	16	25	34	40	56	42	28	11	5	1	–
Female	5	2	11	21	30	38	46	62	60	55	20	7	3	–
Black	16	10	19	34	53	69	79	110	97	79	27	12	4	–
Male	11	8	8	15	24	32	37	52	39	27	10	5	1	–
Female	5	2	11	19	29	37	42	58	58	52	17	7	3	–
Chronic liver disease and cirrhosis (571)	1,759	2,013	2,619	3,327	3,836	3,563	2,892	1,999	951	426	134	17	1	8
Male	1,219	1,430	1,772	2,289	2,433	2,259	1,713	1,035	461	211	49	3	1	7
Female	540	583	847	1,038	1,403	1,304	1,179	864	490	215	85	14	–	1
White	1,242	1,557	2,055	2,830	3,374	3,217	2,662	1,763	892	405	127	17	1	4
Male	872	1,123	1,410	1,960	2,151	2,051	1,586	956	428	200	45	3	1	3
Female	370	434	645	870	1,223	1,166	1,076	807	464	205	82	14	–	1
All other	517	456	564	497	462	346	230	136	59	21	7	–	–	4
Male	347	307	362	329	282	208	127	79	33	11	4	–	–	4
Female	170	149	202	168	180	138	103	57	26	10	3	–	–	–
Black	473	402	486	448	407	313	196	118	38	12	4	–	–	4
Male	319	267	318	300	245	195	107	70	21	10	2	–	–	4
Female	154	135	170	148	162	118	89	48	17	2	2	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	2,956	4	–	–	1	–	5	1	1	4	3	9	7	10
Male	1,344	1	–	–	–	–	1	–	1	2	–	2	3	4
Female	1,612	3	–	–	1	–	4	1	–	2	3	7	4	6
White	2,673	2	–	–	–	–	2	–	–	2	3	6	4	9
Male	1,224	–	–	–	–	–	–	–	–	1	–	2	3	4
Female	1,449	2	–	–	–	–	2	–	–	1	3	4	1	5
All other	283	2	–	–	1	–	3	1	1	2	–	3	3	1
Male	120	1	–	–	–	–	1	–	1	1	–	–	–	–
Female	163	1	–	–	1	–	2	1	–	1	–	3	3	1
Black	230	2	–	–	1	–	3	1	1	2	–	3	2	1
Male	92	1	–	–	–	–	1	–	1	1	–	–	–	–
Female	138	1	–	–	1	–	2	1	–	1	–	3	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,767	251	9	8	4	7	279	13	20	16	63	79	162	195
Male	10,863	150	5	5	2	2	164	4	9	11	35	48	89	123
Female	10,904	101	4	3	2	5	115	9	11	5	28	31	73	72
White	17,446	164	7	6	3	3	183	11	15	9	41	43	95	105
Male	8,754	101	4	4	2	–	111	2	8	6	22	25	50	59
Female	8,692	63	3	2	1	3	72	9	7	3	19	18	45	46
All other	4,321	87	2	2	1	4	96	2	5	7	22	36	67	90
Male	2,109	49	1	1	–	2	53	2	1	5	13	23	39	64
Female	2,212	38	1	1	1	2	43	–	4	2	9	13	28	26
Black	4,020	82	1	2	1	4	90	2	4	7	19	35	60	88
Male	1,963	46	–	1	–	2	49	2	1	5	11	22	35	62
Female	2,057	36	1	1	1	2	41	–	3	2	8	13	25	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	293	8	–	2	1	2	13	1	–	1	5	5	3	7
Male	133	6	–	1	–	1	8	–	–	–	2	3	1	4
Female	160	2	–	1	1	1	5	1	–	1	3	2	2	3
White	243	8	–	2	–	–	10	1	–	–	2	3	1	3
Male	107	6	–	1	–	–	7	–	–	–	1	2	–	1
Female	136	2	–	1	–	–	3	1	–	–	1	1	1	2
All other	50	–	–	–	1	2	3	–	–	1	3	2	2	4
Male	26	–	–	–	–	1	1	–	–	–	1	1	1	3
Female	24	–	–	–	1	1	2	–	–	1	2	1	1	1
Black	49	–	–	–	1	2	3	–	–	1	3	2	2	4
Male	25	–	–	–	–	1	1	–	–	–	1	1	1	3
Female	24	–	–	–	1	1	2	–	–	1	2	1	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,505	2	1	1	–	–	4	4	4	5	7	9	23	25
Male	785	2	1	1	–	–	4	2	1	5	5	6	14	20
Female	720	–	–	–	–	–	–	2	3	–	2	3	9	5
White	1,180	2	–	–	–	–	2	3	2	1	5	4	16	11
Male	610	2	–	–	–	–	2	1	–	1	3	2	8	8
Female	570	–	–	–	–	–	–	2	2	–	2	2	8	3
All other	325	–	1	1	–	–	2	1	2	4	2	5	7	14
Male	175	–	1	1	–	–	2	1	1	4	2	4	6	12
Female	150	–	–	–	–	–	–	–	1	–	–	1	1	2
Black	299	–	–	1	–	–	1	1	1	4	2	5	6	14
Male	166	–	–	1	–	–	1	1	1	4	2	4	5	12
Female	133	–	–	–	–	–	–	–	–	–	–	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,969	241	8	5	3	5	262	8	16	10	51	65	136	183
Male	9,945	142	4	3	2	1	152	2	8	6	28	39	74	99
Female	10,024	99	4	2	1	4	110	6	8	4	23	26	62	84
White	16,023	154	7	4	3	3	171	7	13	8	34	36	78	91
Male	8,037	93	4	3	2	–	102	1	8	5	18	21	42	50
Female	7,986	61	3	1	1	3	69	6	5	3	16	15	36	41
All other	3,946	87	1	1	–	2	91	1	3	2	17	29	58	72
Male	1,908	49	–	–	–	1	50	1	–	1	10	18	32	49
Female	2,038	38	1	1	–	1	41	–	3	1	7	11	26	23
Black	3,672	82	1	1	–	2	86	1	3	2	14	28	52	70
Male	1,772	46	–	–	–	1	47	1	–	1	8	17	29	47
Female	1,900	36	1	1	–	1	39	–	3	1	6	11	23	23
Infections of kidney (590)	1,870	4	–	1	1	1	7	1	–	1	3	8	10	16
Male	562	1	–	–	–	–	1	–	–	1	1	2	5	4
Female	1,308	3	–	1	1	1	6	1	–	–	2	6	5	12
White	1,623	3	–	1	1	1	6	–	–	1	2	5	7	8
Male	479	–	–	–	–	–	–	–	–	1	1	2	4	3
Female	1,144	3	–	1	1	1	6	–	–	–	1	3	3	5
All other	247	1	–	–	–	–	1	1	–	–	1	3	3	8
Male	83	1	–	–	–	–	1	–	–	–	–	–	1	1
Female	164	–	–	–	–	–	–	1	–	–	1	3	2	7
Black	223	–	–	–	–	–	–	1	–	–	1	3	2	8
Male	76	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	147	–	–	–	–	–	–	1	–	–	1	3	2	7
Hyperplasia of prostate (600)	508	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	508	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
White	439	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	439	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
All other	69	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	69	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
Black	65	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	65	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	23	24	47	85	140	250	365	482	578	471	327	103	19	2
Male	10	19	28	53	84	137	188	256	264	165	102	23	2	–
Female	13	5	19	32	56	113	177	226	314	306	225	80	17	2
White	18	15	39	74	124	215	330	432	524	450	313	96	15	2
Male	10	12	23	46	75	125	172	234	236	161	98	21	1	–
Female	8	3	16	28	49	90	158	198	288	289	215	75	14	2
All other	5	9	8	11	16	35	35	50	54	21	14	7	4	–
Male	–	7	5	7	9	12	16	22	28	4	4	2	1	–
Female	5	2	3	4	7	23	19	28	26	17	10	5	3	–
Black	5	8	5	10	12	27	28	39	44	17	12	7	3	–
Male	–	6	3	6	7	7	12	15	23	4	3	2	1	–
Female	5	2	2	4	5	20	16	24	21	13	9	5	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	240	310	422	726	1,389	1,931	2,718	3,496	3,700	3,246	1,978	657	125	2
Male	139	180	249	393	771	1,034	1,504	1,801	1,814	1,441	765	244	44	1
Female	101	130	173	333	618	897	1,214	1,695	1,886	1,805	1,213	413	81	1
White	139	189	256	474	994	1,457	2,169	2,855	3,172	2,824	1,761	567	92	1
Male	80	104	155	263	581	802	1,233	1,495	1,572	1,261	678	216	31	–
Female	59	79	101	211	413	655	936	1,360	1,600	1,563	1,083	351	61	1
All other	101	127	166	252	395	474	549	641	528	422	217	90	33	1
Male	59	76	94	130	190	232	271	306	242	180	87	28	13	1
Female	42	51	72	122	205	242	278	335	286	242	130	62	20	–
Black	95	116	149	226	371	452	514	596	498	388	203	75	32	–
Male	58	72	85	116	180	224	252	284	230	162	81	20	12	–
Female	37	44	64	110	191	228	262	312	268	226	122	55	20	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	4	12	24	30	29	40	55	37	16	4	1	–
Male	4	–	2	4	12	16	12	19	23	14	8	1	–	–
Female	1	1	2	8	12	14	17	21	32	23	8	3	1	–
White	3	–	2	11	23	25	25	35	50	30	15	3	1	–
Male	2	–	1	3	11	12	10	16	20	12	8	1	–	–
Female	1	–	1	8	12	13	15	19	30	18	7	2	1	–
All other	2	1	2	1	1	5	4	5	5	7	1	1	–	–
Male	2	–	1	1	1	4	2	3	3	2	–	–	–	–
Female	–	1	1	–	–	1	2	2	2	5	1	1	–	–
Black	2	1	2	1	1	5	4	5	5	6	1	1	–	–
Male	2	–	1	1	1	4	2	3	3	1	–	–	–	–
Female	–	1	1	–	–	1	2	2	2	5	1	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	24	32	63	101	136	211	243	238	188	109	47	8	–
Male	12	14	18	38	60	74	114	129	107	94	47	18	3	–
Female	10	10	14	25	41	64	97	114	131	94	62	29	5	–
White	15	20	23	39	75	107	157	200	200	161	93	39	7	–
Male	8	11	13	23	47	60	87	109	91	80	39	14	3	–
Female	7	9	10	16	28	47	70	91	109	81	54	25	4	–
All other	7	4	9	24	26	31	54	43	38	27	16	8	1	–
Male	4	3	5	15	13	14	27	20	16	14	8	4	–	–
Female	3	1	4	9	13	17	27	23	22	13	8	4	1	–
Black	7	2	8	21	23	30	53	40	35	25	14	6	1	–
Male	4	2	5	15	12	13	27	19	15	13	7	4	–	–
Female	3	–	3	6	11	17	26	21	20	12	7	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	213	285	386	651	1,264	1,763	2,478	3,213	3,407	3,021	1,853	606	116	2
Male	123	166	229	351	689	944	1,378	1,653	1,684	1,333	710	225	41	1
Female	90	119	157	300	565	819	1,100	1,560	1,723	1,688	1,143	381	75	1
White	121	163	231	424	896	1,325	1,987	2,620	2,922	2,633	1,653	525	84	1
Male	70	93	141	237	523	730	1,136	1,370	1,461	1,169	631	201	28	–
Female	51	70	90	187	373	595	851	1,250	1,461	1,464	1,022	324	56	1
All other	92	122	155	227	368	438	491	593	485	388	200	81	32	1
Male	53	73	88	114	176	214	242	283	223	164	79	24	13	1
Female	39	49	67	113	192	224	249	310	262	224	121	57	19	–
Black	86	113	139	204	347	417	457	551	458	357	188	68	31	–
Male	52	70	79	100	167	207	223	262	212	148	74	16	12	–
Female	34	43	60	104	180	210	234	289	246	209	114	52	19	–
Infections of kidney (590)	12	20	36	51	74	130	168	246	358	396	239	79	13	2
Male	3	11	11	16	25	38	63	83	122	101	59	10	4	2
Female	9	9	25	35	49	92	105	163	236	295	180	69	9	–
White	9	13	23	38	59	111	141	208	324	382	224	69	11	2
Male	1	11	9	13	18	35	50	69	108	87	55	8	3	2
Female	8	2	14	25	41	76	91	140	216	275	169	61	8	–
All other	3	7	13	13	15	19	27	38	34	34	15	10	2	–
Male	2	–	2	3	7	3	13	15	14	14	4	2	1	–
Female	1	7	11	10	8	16	14	23	20	20	11	8	1	–
Black	3	5	13	11	13	17	24	36	32	31	12	9	2	–
Male	2	–	2	3	7	3	11	14	13	13	4	2	1	–
Female	1	5	11	8	6	14	13	22	19	18	8	7	1	–
Hyperplasia of prostate (600)	–	–	–	9	15	30	53	85	90	111	80	28	6	1
Male	–	–	–	9	15	30	53	85	90	111	80	28	6	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	–	7	13	21	42	68	79	102	75	27	5	–
Male	–	–	–	7	13	21	42	68	79	102	75	27	5	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	2	2	9	11	17	11	9	5	1	1	1
Male	–	–	–	2	2	9	11	17	11	9	5	1	1	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	2	2	9	11	16	9	9	5	1	–	1
Male	–	–	–	2	2	9	11	16	9	9	5	1	–	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	272	...	...	...	...	...	...	...	-	28	63	69	56	44
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	272	...	...	...	...	...	...	...	-	28	63	69	56	44
White	146	...	...	...	...	...	...	...	-	13	32	36	31	26
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	146	...	...	...	...	...	...	...	-	13	32	36	31	26
All other	126	...	...	...	...	...	...	...	-	15	31	33	25	18
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	126	...	...	...	...	...	...	...	-	15	31	33	25	18
Black	117	...	...	...	...	...	...	...	-	15	29	30	24	16
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	117	...	...	...	...	...	...	...	-	15	29	30	24	16
Pregnancy with abortive outcome (630-638)	51	...	...	...	...	...	...	...	-	7	13	11	7	11
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	51	...	...	...	...	...	...	...	-	7	13	11	7	11
White	24	...	...	...	...	...	...	...	-	2	9	6	1	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	24	...	...	...	...	...	...	...	-	2	9	6	1	5
All other	27	...	...	...	...	...	...	...	-	5	4	5	6	6
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	...	...	...	...	...	...	...	-	5	4	5	6	6
Black	26	...	...	...	...	...	...	...	-	5	4	5	6	6
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	26	...	...	...	...	...	...	...	-	5	4	5	6	6
Other complications of pregnancy, childbirth, and the puerperium (640-676)	221	...	...	...	...	...	...	...	-	21	50	58	49	33
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	221	...	...	...	...	...	...	...	-	21	50	58	49	33
White	122	...	...	...	...	...	...	...	-	11	23	30	30	21
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	122	...	...	...	...	...	...	...	-	11	23	30	30	21
All other	99	...	...	...	...	...	...	...	-	10	27	28	19	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	99	...	...	...	...	...	...	...	-	10	27	28	19	12
Black	91	...	...	...	...	...	...	...	-	10	25	25	18	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	91	...	...	...	...	...	...	...	-	10	25	25	18	10
Congenital anomalies (740-759)	12,638	8,244	440	200	137	102	9,123	259	194	259	252	195	203	203
Male	6,744	4,459	220	122	71	51	4,923	145	106	161	138	103	129	116
Female	5,894	3,785	220	78	66	51	4,200	114	88	98	114	92	74	87
White	10,188	6,519	337	157	109	81	7,203	204	155	204	199	155	158	165
Male	5,444	3,561	169	91	52	41	3,914	116	88	125	106	78	100	97
Female	4,744	2,958	168	66	57	40	3,289	88	67	79	93	77	58	68
All other	2,450	1,725	103	43	28	21	1,920	55	39	55	53	40	45	38
Male	1,300	898	51	31	19	10	1,009	29	18	36	32	25	29	19
Female	1,150	827	52	12	9	11	911	26	21	19	21	15	16	19
Black	2,061	1,442	90	37	22	16	1,607	44	36	51	45	37	41	31
Male	1,096	753	47	26	13	6	845	22	17	32	28	23	26	15
Female	965	689	43	11	9	10	762	22	19	19	17	14	15	16
Certain conditions originating in the perinatal period (760-779)	18,391	18,226	84	23	14	11	18,358	8	5	5	1	5	2	-
Male	10,563	10,465	49	17	10	7	10,548	3	-	3	1	4	2	-
Female	7,828	7,761	35	6	4	4	7,810	5	5	2	-	1	-	-
White	11,814	11,691	62	13	11	9	11,786	7	5	5	1	3	1	-
Male	6,815	6,743	38	10	7	5	6,803	3	-	3	1	3	1	-
Female	4,999	4,948	24	3	4	4	4,983	4	5	2	-	-	-	-
All other	6,577	6,535	22	10	3	2	6,572	1	-	-	-	2	1	-
Male	3,748	3,722	11	7	3	2	3,745	-	-	-	-	1	1	-
Female	2,829	2,813	11	3	-	-	2,827	1	-	-	-	1	-	-
Black	6,149	6,109	21	9	3	2	6,144	1	-	-	-	2	1	-
Male	3,501	3,477	10	6	3	2	3,498	-	-	-	-	1	1	-
Female	2,648	2,632	11	3	-	-	2,646	1	-	-	-	1	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4,693	4,652	15	7	3	3	4,680	4	4	2	-	2	-	-
Male	2,791	2,772	7	5	2	1	2,787	1	-	1	-	2	-	-
Female	1,902	1,880	8	2	1	2	1,893	3	4	1	-	-	-	-
White	3,303	3,268	12	7	2	2	3,291	3	4	2	-	2	-	-
Male	1,952	1,936	6	5	1	-	1,948	1	-	1	-	2	-	-
Female	1,351	1,332	6	2	1	2	1,343	2	4	1	-	-	-	-
All other	1,390	1,384	3	-	1	1	1,389	1	-	-	-	-	-	-
Male	839	836	1	-	1	1	839	-	-	-	-	-	-	-
Female	551	548	2	-	-	-	550	1	-	-	-	-	-	-
Black	1,272	1,267	2	-	1	1	1,271	1	-	-	-	-	-	-
Male	767	765	-	-	1	1	767	-	-	-	-	-	-	-
Female	505	502	2	-	-	-	504	1	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	13,698	13,574	69	16	11	8	13,678	4	1	3	1	3	2	-
Male	7,772	7,693	42	12	8	6	7,761	2	-	2	1	2	2	-
Female	5,926	5,881	27	4	3	2	5,917	2	1	1	-	1	-	-
White	8,511	8,423	50	6	9	7	8,495	4	1	3	1	1	1	-
Male	4,863	4,807	32	5	6	5	4,855	2	-	2	1	1	1	-
Female	3,648	3,616	18	1	3	2	3,640	2	1	1	-	-	-	-
All other	5,187	5,151	19	10	2	1	5,183	-	-	-	-	2	1	-
Male	2,909	2,886	10	7	2	1	2,906	-	-	-	-	1	1	-
Female	2,278	2,265	9	3	-	-	2,277	-	-	-	-	1	-	-
Black	4,877	4,842	19	9	2	1	4,873	-	-	-	-	2	1	-
Male	2,734	2,712	10	6	2	1	2,731	-	-	-	-	1	1	-
Female	2,143	2,130	9	3	-	-	2,142	-	-	-	-	1	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	11	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	11	1	–	...	...	...	...	...	...	...	...	...	...	–
White	8	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	3	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	1	–	...	...	...	...	...	...	...	...	...	...	–
Black	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	2	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	–	–	...	...	...	...	...	...	...	...	...	...	–
White	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Black	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	1	–	...	...	...	...	...	...	...	...	...	...	–
White	7	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Black	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Congenital anomalies (740-759)	180	145	170	199	247	244	235	182	183	100	44	14	5	2
Male	102	87	92	89	108	126	110	69	80	40	15	4	–	1
Female	78	58	78	110	139	118	125	113	103	60	29	10	5	1
White	152	130	138	170	226	221	215	168	173	92	42	13	3	2
Male	88	76	78	73	100	112	99	63	76	36	15	3	–	1
Female	64	54	60	97	126	109	116	105	97	56	27	10	3	1
All other	28	15	32	29	21	23	20	14	10	8	2	1	2	–
Male	14	11	14	16	8	14	11	6	4	4	–	1	–	–
Female	14	4	18	13	13	9	9	8	6	4	2	–	2	–
Black	21	13	26	25	18	22	15	10	9	6	2	1	1	–
Male	11	9	13	13	7	13	9	5	4	3	–	1	–	–
Female	10	4	13	12	11	9	6	5	5	3	2	–	1	–
Certain conditions originating in the perinatal period (760-779)	1	2	–	–	–	1	–	1	–	1	–	–	–	1
Male	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	1	–	–	–	1	–	–	–	1	–	–	–	1
White	1	2	–	–	–	1	–	–	–	1	–	–	–	1
Male	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	1	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	1	1	–	–	–	1	–	1	–	1	–	–	–	1
Male	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	1	–	–	–	1
White	1	1	–	–	–	1	–	–	–	1	–	–	–	1
Male	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	31,390	6,038	193	68	29	27	6,355	59	87	282	588	795	1,050	976
Male	17,587	3,652	107	38	15	15	3,827	43	54	171	393	549	770	684
Female	13,803	2,386	86	30	14	12	2,528	16	33	111	195	246	280	292
White	24,304	4,138	134	46	12	17	4,347	40	59	208	449	562	720	648
Male	13,465	2,566	78	28	6	6	2,684	28	37	136	311	398	543	455
Female	10,839	1,572	56	18	6	11	1,663	11	22	72	138	164	177	193
All other	7,086	1,900	59	22	17	10	2,008	19	28	74	139	233	330	328
Male	4,122	1,086	29	10	9	9	1,143	14	17	35	82	151	227	229
Female	2,964	814	30	12	8	1	865	5	11	39	57	82	103	99
Black	6,642	1,711	50	22	17	9	1,809	19	24	68	128	217	314	310
Male	3,865	974	26	10	9	9	1,028	14	13	32	75	140	216	216
Female	2,777	737	24	12	8	–	781	5	11	36	53	77	98	94
All other diseases (Residual)	158,102	1,689	397	219	182	123	2,610	453	520	853	1,356	2,497	3,933	4,430
Male	78,129	972	218	123	100	67	1,480	245	299	509	878	1,718	2,891	3,247
Female	79,973	717	179	96	82	56	1,130	208	221	344	478	779	1,042	1,183
White	134,409	1,147	294	160	125	91	1,817	359	413	662	979	1,715	2,484	2,918
Male	65,120	652	163	86	72	50	1,023	193	239	407	665	1,217	1,903	2,205
Female	69,289	495	131	74	53	41	794	166	174	255	314	498	581	713
All other	23,693	542	103	59	57	32	793	94	107	191	377	782	1,449	1,512
Male	13,009	320	55	37	28	17	457	52	60	102	213	501	988	1,042
Female	10,684	222	48	22	29	15	336	42	47	89	164	281	461	470
Black	21,911	483	95	48	51	29	706	77	92	166	351	743	1,403	1,443
Male	12,004	283	50	32	23	15	403	42	54	87	198	476	958	1,001
Female	9,907	200	45	16	28	14	303	35	38	79	153	267	445	442
Accidents and adverse effects (E800-E949)	95,277	909	926	809	643	556	3,843	1,983	2,243	8,988	10,987	9,351	7,555	5,991
Male	65,570	492	515	465	414	350	2,236	1,304	1,810	6,680	8,786	7,515	5,996	4,675
Female	29,707	417	411	344	229	206	1,607	679	633	2,308	2,201	1,836	1,559	1,316
White	80,315	602	702	606	482	405	2,797	1,405	1,766	7,996	9,479	7,782	6,141	4,823
Male	54,864	324	392	349	315	257	1,637	943	1,257	5,898	7,566	6,276	4,918	3,746
Female	25,451	278	310	257	167	148	1,160	462	509	2,098	1,913	1,506	1,223	1,077
All other	14,962	307	224	203	161	151	1,046	578	477	992	1,508	1,569	1,414	1,168
Male	10,706	168	123	116	99	83	589	361	353	782	1,220	1,239	1,078	829
Female	4,256	139	101	87	62	58	447	217	124	210	288	330	336	239
Black	12,585	268	186	172	139	128	883	495	392	777	1,171	1,283	1,201	985
Male	9,035	146	103	94	79	78	500	304	293	618	953	1,024	925	805
Female	3,550	122	83	78	60	50	393	191	99	159	218	259	276	180
Motor vehicle accidents (E810-E825)	47,865	183	275	271	209	250	1,188	1,069	1,281	6,997	8,230	6,030	4,328	3,243
Male	34,088	94	142	154	128	148	666	689	852	5,004	6,459	4,724	3,337	2,415
Female	13,777	89	133	117	81	102	522	380	429	1,993	1,771	1,306	991	828
White	41,189	133	213	202	158	189	895	784	1,086	6,376	7,227	5,115	3,594	2,680
Male	29,163	64	109	110	92	109	484	511	713	4,532	5,662	4,016	2,773	1,991
Female	12,026	69	104	92	66	80	411	273	373	1,844	1,565	1,099	821	689
All other	6,676	50	62	69	51	61	293	285	195	621	1,003	915	734	563
Male	4,925	30	33	44	36	39	182	178	139	472	797	706	564	424
Female	1,751	20	29	25	15	22	111	107	56	149	206	207	170	139
Black	5,287	38	45	55	39	51	228	231	150	468	766	727	600	448
Male	3,974	23	24	35	24	34	140	146	110	358	617	570	468	353
Female	1,313	15	21	20	15	17	88	85	40	110	149	157	132	95
All other accidents and adverse effects (E800-E807,E826-E949)	47,412	726	651	538	434	306	2,655	914	962	1,991	2,757	3,321	3,227	2,748
Male	31,482	398	373	311	286	202	1,570	615	758	1,676	2,327	2,791	2,659	2,260
Female	15,930	328	278	227	148	104	1,085	299	204	315	430	530	568	488
White	39,126	469	489	404	324	216	1,902	621	680	1,620	2,252	2,667	2,547	2,143
Male	25,701	260	283	239	223	148	1,153	432	544	1,366	1,904	2,260	2,145	1,755
Female	13,425	209	206	165	101	68	749	189	136	254	348	407	402	388
All other	8,286	257	162	134	110	90	753	293	282	371	505	654	680	605
Male	5,781	138	90	72	63	54	417	183	214	310	423	531	514	505
Female	2,505	119	72	62	47	36	336	110	68	61	82	123	166	100
Black	7,298	230	141	117	100	77	665	264	242	309	405	556	601	537
Male	5,061	123	79	59	55	44	360	158	183	260	336	454	457	452
Female	2,237	107	62	58	45	33	305	106	59	49	69	102	144	85
Suicide (E950-E959)	30,904	...	...	...	...	...	...	5	250	1,896	3,224	3,429	3,282	2,852
Male	24,226	...	...	...	...	...	...	3	196	1,552	2,724	2,825	2,625	2,190
Female	6,678	...	...	...	...	...	...	2	54	344	500	604	657	662
White	28,437	...	...	...	...	...	...	2	212	1,716	2,875	3,004	2,915	2,572
Male	22,270	...	...	...	...	...	...	2	166	1,414	2,427	2,471	2,336	1,953
Female	6,167	...	...	...	...	...	...	–	46	302	448	533	579	619
All other	2,467	...	...	...	...	...	...	3	38	180	349	425	367	280
Male	1,956	...	...	...	...	...	...	1	30	138	297	354	289	237
Female	511	...	...	...	...	...	...	2	8	42	52	71	78	43
Black	1,892	...	...	...	...	...	...	2	25	128	252	332	303	218
Male	1,537	...	...	...	...	...	...	1	20	99	217	284	245	191
Female	355	...	...	...	...	...	...	1	5	29	35	48	58	27
Homicide and legal intervention (E960-E978)	21,731	278	137	104	81	60	660	134	245	1,862	3,660	3,813	3,091	2,282
Male	16,595	152	76	59	47	41	375	68	147	1,432	2,909	2,990	2,475	1,810
Female	5,136	126	61	45	34	19	285	66	98	430	751	823	616	472
White	11,690	160	62	45	49	38	354	68	155	919	1,797	1,866	1,578	1,221
Male	8,567	84	35	26	27	27	199	38	84	670	1,364	1,421	1,243	941
Female	3,123	76	27	19	22	11	155	30	71	249	433	445	335	280
All other	10,041	118	75	59	32	22	306	66	90	943	1,863	1,947	1,513	1,061
Male	8,028	68	41	33	20	14	176	30	63	762	1,545	1,569	1,232	869
Female	2,013	50	34	26	12	8	130	36	27	181	318	378	281	192
Black	9,485	113	69	54	30	21	287	60	86	889	1,755	1,865	1,435	1,001
Male	7,634	65	39	30	20	13	167	26	60	721	1,463	1,511	1,177	825
Female	1,851	48	30	24	10	8	120	34	26	168	292	354	258	176

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	787	795	951	1,293	1,812	2,188	2,512	2,777	2,728	2,474	1,740	763	289	89
Male	547	511	634	857	1,171	1,375	1,463	1,493	1,248	951	530	204	61	51
Female	240	284	317	436	641	813	1,049	1,284	1,480	1,523	1,210	559	228	38
White	515	543	683	1,003	1,423	1,768	2,060	2,310	2,309	2,143	1,552	661	223	78
Male	350	346	446	657	922	1,113	1,209	1,245	1,048	810	465	178	39	44
Female	165	197	237	346	501	655	851	1,065	1,261	1,333	1,087	483	184	34
All other	272	252	268	290	389	420	452	467	419	331	188	102	66	11
Male	197	165	188	200	249	262	254	248	200	141	65	26	22	7
Female	75	87	80	90	140	158	198	219	219	190	123	76	44	4
Black	259	237	258	278	378	403	436	448	403	316	172	94	60	11
Male	188	155	180	193	242	250	243	239	193	135	62	24	20	7
Female	71	82	78	85	136	153	193	209	210	181	110	70	40	4
All other diseases (Residual)	3,971	4,037	4,804	6,738	9,929	13,224	17,293	21,876	22,868	19,352	12,326	4,270	710	52
Male	2,758	2,653	2,954	4,034	5,687	7,278	9,235	10,710	9,700	6,887	3,721	1,051	170	24
Female	1,213	1,384	1,850	2,704	4,242	5,946	8,058	11,166	13,168	12,465	8,605	3,219	540	28
White	2,798	2,847	3,554	5,276	8,170	11,304	15,128	19,478	20,828	17,771	11,465	3,885	578	40
Male	1,939	1,878	2,178	3,173	4,686	6,214	8,066	9,507	8,794	6,305	3,443	940	130	17
Female	799	969	1,376	2,103	3,484	5,090	7,062	9,971	12,034	11,466	8,022	2,945	448	23
All other	1,233	1,190	1,250	1,462	1,759	1,920	2,165	2,398	2,040	1,581	861	385	132	12
Male	819	775	778	861	1,001	1,064	1,169	1,203	906	582	278	111	40	7
Female	414	415	472	601	758	856	996	1,195	1,134	999	583	274	92	5
Black	1,164	1,121	1,169	1,368	1,630	1,775	2,003	2,234	1,836	1,403	760	338	119	10
Male	783	735	726	810	927	979	1,062	1,101	797	488	245	92	33	7
Female	381	386	443	558	703	796	941	1,133	1,039	915	515	246	86	3
Accidents and adverse effects (E800-E949)	4,304	3,552	3,453	3,666	4,062	4,004	4,495	4,878	4,755	3,774	2,324	764	140	165
Male	3,257	2,673	2,556	2,614	2,734	2,492	2,602	2,654	2,254	1,609	908	222	47	146
Female	1,047	879	897	1,052	1,328	1,512	1,893	2,224	2,501	2,165	1,416	542	93	19
White	3,484	2,851	2,925	2,976	3,405	3,454	3,920	4,308	4,313	3,482	2,163	691	109	135
Male	2,651	2,123	2,092	2,096	2,312	2,114	2,270	2,301	2,013	1,458	840	184	36	123
Female	843	728	733	880	1,093	1,340	1,650	2,007	2,300	2,024	1,323	497	73	12
All other	810	701	628	690	657	550	575	570	442	292	161	73	31	30
Male	606	550	464	518	422	378	332	353	241	151	68	28	11	23
Female	204	151	164	172	235	172	243	217	201	141	93	45	20	7
Black	682	586	533	603	589	489	515	494	386	259	138	60	26	24
Male	517	470	401	463	378	337	296	313	203	123	58	24	10	20
Female	165	126	132	140	211	152	219	181	183	130	80	36	16	4
Motor vehicle accidents (E810-E825)	2,243	1,781	1,661	1,691	1,666	1,519	1,577	1,512	1,100	513	159	28	2	47
Male	1,627	1,281	1,149	1,128	1,069	884	863	857	627	296	100	18	1	42
Female	616	500	512	563	597	635	714	655	473	217	59	10	1	5
White	1,889	1,488	1,373	1,420	1,429	1,358	1,429	1,357	1,019	462	146	24	1	37
Male	1,370	1,062	944	935	918	774	765	747	568	256	82	16	–	34
Female	519	426	429	485	511	584	664	610	451	206	64	8	1	3
All other	354	293	288	271	237	161	148	155	81	51	13	4	1	10
Male	257	219	205	193	151	110	98	110	59	40	8	2	1	8
Female	97	74	83	78	86	51	50	45	22	11	5	2	–	2
Black	277	233	227	225	204	134	121	122	60	43	11	3	1	8
Male	206	179	164	171	132	90	82	93	46	32	7	2	1	7
Female	71	54	63	54	72	44	39	29	14	11	4	1	–	1
All other accidents and adverse effects (E800-E807,E826-E949)	2,061	1,771	1,792	1,975	2,396	2,485	2,918	3,366	3,655	3,261	2,165	736	138	118
Male	1,630	1,392	1,407	1,486	1,665	1,608	1,739	1,797	1,627	1,313	808	204	46	104
Female	431	379	385	489	731	877	1,179	1,569	2,028	1,948	1,357	532	92	14
White	1,605	1,383	1,452	1,556	1,976	2,096	2,491	2,951	3,294	3,020	2,017	667	108	98
Male	1,281	1,061	1,148	1,161	1,384	1,340	1,505	1,554	1,445	1,202	748	178	38	89
Female	324	322	304	395	592	756	986	1,397	1,849	1,818	1,269	489	72	9
All other	456	408	340	419	420	389	427	415	361	241	148	69	30	20
Male	349	331	259	325	271	268	234	243	182	111	60	26	10	15
Female	107	77	81	94	149	121	193	172	179	130	88	43	20	5
Black	405	383	306	378	385	355	394	372	326	210	127	57	25	16
Male	311	291	237	292	246	247	214	220	157	91	51	22	9	13
Female	94	72	69	86	139	108	180	152	169	119	76	35	16	3
Suicide (E950-E959)	2,161	1,885	1,841	1,916	1,866	1,707	1,707	1,433	850	434	122	21	1	12
Male	1,552	1,380	1,328	1,417	1,371	1,344	1,368	1,161	695	365	100	18	1	11
Female	609	515	513	499	495	363	339	272	155	69	22	3	–	1
White	2,012	1,768	1,736	1,821	1,775	1,615	1,633	1,390	824	419	119	20	1	8
Male	1,441	1,283	1,254	1,354	1,309	1,269	1,313	1,128	674	352	98	17	1	7
Female	571	485	482	467	466	346	320	261	150	67	21	3	–	1
All other	149	127	105	95	91	92	74	43	26	15	3	1	–	4
Male	111	97	74	63	62	75	55	32	21	13	2	1	–	4
Female	38	30	31	32	29	17	19	11	5	2	1	–	–	–
Black	113	101	82	72	70	70	56	33	20	10	2	–	–	3
Male	87	79	61	48	46	59	43	25	17	10	2	–	–	3
Female	26	22	21	24	24	11	13	8	3	–	–	–	–	–
Homicide and legal intervention (E960-E978)	1,501	1,070	825	687	508	437	321	241	176	94	26	10	–	88
Male	1,165	850	640	548	360	298	193	134	85	38	7	5	–	66
Female	336	220	185	139	148	139	128	107	91	56	19	5	–	22
White	916	637	474	430	326	270	216	169	130	66	19	6	–	73
Male	699	481	352	337	218	172	123	85	55	23	5	3	–	54
Female	217	156	122	93	108	98	93	84	75	43	14	3	–	19
All other	585	433	351	257	182	167	105	72	46	28	7	4	–	15
Male	466	369	288	211	142	126	70	49	30	15	2	2	–	12
Female	119	64	63	46	40	41	35	23	16	13	5	2	–	3
Black	546	402	328	242	173	162	103	66	44	25	7	4	–	15
Male	440	344	271	201	136	122	68	45	28	13	2	2	–	12
Female	106	58	57	41	37	40	35	21	16	12	5	2	–	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,120	51	21	20	7	5	104	11	38	149	316	407	457	378
Male	2,270	30	12	12	6	3	63	5	32	121	238	319	335	285
Female	850	21	9	8	1	2	41	6	6	28	78	88	122	93
White	2,326	27	10	5	3	1	46	7	28	113	246	310	327	274
Male	1,689	16	7	4	3	1	31	3	23	90	189	241	240	205
Female	643	11	3	1	-	-	15	4	5	23	57	69	87	69
All other	794	24	11	15	4	4	58	4	10	36	70	97	130	104
Male	587	14	5	8	3	2	32	2	9	31	49	78	95	80
Female	207	10	6	7	1	2	26	2	1	5	21	19	35	24
Black	684	24	10	15	4	4	57	3	7	29	52	78	112	92
Male	510	14	4	8	3	2	31	2	6	25	36	61	83	73
Female	174	10	6	7	1	2	26	1	1	4	16	17	29	19

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	239	173	168	158	135	112	69	71	56	32	18	3	–	28
Male	173	127	116	115	89	69	48	49	35	20	8	1	–	22
Female	66	46	52	41	46	43	21	22	21	12	10	2	–	6
White	179	130	124	112	109	91	60	64	46	24	15	3	–	18
Male	131	93	81	80	70	51	42	45	28	15	8	1	–	16
Female	48	37	43	32	39	40	18	19	18	9	7	2	–	2
All other	60	43	44	44	26	21	9	7	10	8	3	–	–	10
Male	42	34	35	35	19	18	6	4	7	5	–	–	–	6
Female	18	9	9	9	7	3	3	3	3	3	3	–	–	4
Black	54	38	38	39	25	18	8	6	8	7	3	–	–	10
Male	38	31	32	33	19	15	6	4	5	4	–	–	–	6
Female	16	7	6	6	6	3	2	2	3	3	3	–	–	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	20,163	443	83	133	552	731	947	1,522	3,329	5,284	5,071	2,167	17,555	347	60	82	198	310	412	839	2,003	3,607	5,267	4,430
White	14,858	212	48	86	394	452	550	1,085	2,506	4,045	3,859	1,621	12,703	166	31	47	138	163	244	558	1,320	2,571	3,959	3,506
All other	5,305	231	35	47	158	279	297	437	823	1,239	1,212	546	4,852	181	29	35	60	147	168	281	683	1,036	1,308	924
Black	5,291	229	35	47	155	278	297	437	822	1,235	1,210	545	4,840	179	29	35	59	146	168	280	681	1,034	1,306	923
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	32	-	-	-	-	3	4	4	5	5	8	3	21	-	1	-	-	1	-	2	5	5	6	1
White	17	-	-	-	-	-	2	1	3	3	5	2	9	-	-	-	-	-	-	1	3	3	2	-
All other	15	-	-	-	-	3	2	3	2	2	2	1	12	-	1	-	-	1	-	1	2	2	4	1
Black	15	-	-	-	-	3	2	3	2	2	2	1	12	-	1	-	-	1	-	1	2	2	4	1
Tuberculosis of respiratory system (010-012)	26	-	-	-	-	2	2	3	4	5	7	3	16	-	-	-	-	1	-	2	3	4	5	1
White	15	-	-	-	-	-	1	1	3	3	5	2	7	-	-	-	-	-	-	1	2	2	2	-
All other	11	-	-	-	-	2	1	2	1	2	2	1	9	-	-	-	-	1	-	1	1	2	3	1
Black	11	-	-	-	-	2	1	2	1	2	2	1	9	-	-	-	-	1	-	1	1	2	3	1
Other tuberculosis (013-018)	6	-	-	-	-	1	2	1	1	-	1	-	5	-	1	-	-	-	-	-	2	1	1	-
White	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	4	-	-	-	-	1	1	1	1	-	-	-	3	-	1	-	-	-	-	-	1	-	1	-
Black	4	-	-	-	-	1	1	1	1	-	-	-	3	-	1	-	-	-	-	-	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	150	2	1	-	-	3	2	14	24	33	42	29	158	1	1	-	-	4	4	5	13	23	58	49
White	99	1	1	-	-	2	1	5	15	23	28	23	96	1	1	-	-	2	-	1	7	15	33	36
All other	51	1	-	-	-	1	1	9	9	10	14	6	62	-	-	-	-	2	4	4	6	8	25	13
Black	51	1	-	-	-	1	1	9	9	10	14	6	62	-	-	-	-	2	4	4	6	8	25	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	-	-	1	1	2	2	4	2	-	10	-	-	-	2	2	-	-	1	2	3	-
White	12	-	-	-	-	1	1	2	2	4	2	-	6	-	-	-	-	1	-	-	-	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	1	-	-	1	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	48	-	2	1	2	9	9	4	3	11	7	-	69	2	-	2	-	8	5	9	10	14	11	8
White	32	-	1	1	1	6	5	2	3	8	5	-	40	-	-	1	-	4	1	5	3	10	10	6
All other	16	-	1	-	1	3	4	2	-	3	2	-	29	2	-	1	-	4	4	4	7	4	1	2
Black	16	-	1	-	1	3	4	2	-	3	2	-	29	2	-	1	-	4	4	4	7	4	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,674	-	1	8	26	54	102	357	1,074	1,625	1,136	291	3,501	-	5	8	14	51	144	336	701	962	872	408
White	3,557	-	-	6	20	39	73	275	840	1,248	853	203	2,605	-	3	7	12	29	95	245	520	727	654	313
All other	1,117	-	1	2	6	15	29	82	234	377	283	88	896	-	2	1	2	22	49	91	181	235	218	95
Black	1,114	-	1	2	6	15	29	82	234	376	282	87	893	-	2	1	2	22	49	90	179	235	218	95

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	108	-	-	-	-	-	8	12	36	29	15	8	31	-	-	-	-	-	-	3	8	10	7	3
White	78	-	-	-	-	-	4	5	27	20	14	8	27	-	-	-	-	-	-	2	7	8	7	3
All other	30	-	-	-	-	-	4	7	9	9	1	-	4	-	-	-	-	-	-	1	1	2	-	-
Black	30	-	-	-	-	-	4	7	9	9	1	-	4	-	-	-	-	-	-	1	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,010	-	-	1	1	10	26	75	236	327	258	76	884	-	1	-	2	7	13	46	139	229	294	153
White	716	-	-	1	-	7	16	54	177	231	180	50	634	-	1	-	1	4	9	30	98	161	212	120
All other	294	-	-	-	1	3	10	21	59	96	78	26	250	-	-	-	1	3	4	16	43	68	82	33
Black	293	-	-	-	1	3	10	21	59	96	78	25	249	-	-	-	1	3	4	15	43	68	82	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,811	-	-	-	-	-	20	159	542	702	338	50	614	-	-	-	-	1	12	75	164	208	118	36
White	1,460	-	-	-	-	-	14	128	443	570	270	35	494	-	-	-	-	1	5	56	135	175	95	27
All other	351	-	-	-	-	-	6	31	99	132	68	15	120	-	-	-	-	-	7	19	29	33	23	9
Black	350	-	-	-	-	-	6	31	99	132	67	15	120	-	-	-	-	-	7	19	29	33	23	9
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	1	1	-	-	-	557	-	-	-	-	9	52	86	136	140	87	47
White	2	-	-	-	-	-	-	1	1	-	-	-	412	-	-	-	-	5	32	69	103	102	68	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	145	-	-	-	-	4	20	17	33	38	19	14
Black	-	-	-	-	-	-	-	-	-	-	-	-	144	-	-	-	-	4	20	17	32	38	19	14
Malignant neoplasms of genital organs (179-187)	520	-	-	-	1	2	2	9	42	166	223	75	391	-	-	-	2	5	21	38	80	120	79	46
White	333	-	-	-	1	2	1	4	24	102	149	50	278	-	-	-	2	1	15	27	53	84	61	35
All other	187	-	-	-	-	-	1	5	18	64	74	25	113	-	-	-	-	4	6	11	27	36	18	11
Black	186	-	-	-	-	-	1	5	18	63	74	25	113	-	-	-	-	4	6	11	27	36	18	11
Malignant neoplasms of urinary organs (188-189)	162	-	-	-	1	1	3	9	24	54	58	12	89	-	-	-	-	-	5	9	15	24	24	12
White	131	-	-	-	-	1	3	7	18	42	51	9	58	-	-	-	-	-	4	5	10	15	16	8
All other	31	-	-	-	1	-	-	2	6	12	7	3	31	-	-	-	-	-	1	4	5	9	8	4
Black	31	-	-	-	1	-	-	2	6	12	7	3	31	-	-	-	-	-	1	4	5	9	8	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	669	-	1	4	10	15	28	60	140	234	141	36	599	-	2	6	4	17	26	44	110	151	169	70
White	525	-	-	2	8	14	24	48	107	194	104	24	449	-	2	5	3	11	17	31	87	117	124	52
All other	144	-	1	2	2	1	4	12	33	40	37	12	150	-	-	1	1	6	9	13	23	34	45	18
Black	144	-	1	2	2	1	4	12	33	40	37	12	149	-	-	1	1	6	9	13	22	34	45	18
Leukemia (204-208)	174	-	-	3	7	10	7	12	25	42	49	19	125	-	2	2	3	11	7	11	15	22	34	18
White	144	-	-	3	5	4	6	10	21	37	42	16	94	-	-	2	3	6	5	9	10	17	28	14
All other	30	-	-	-	2	6	1	2	4	5	7	3	31	-	2	-	-	5	2	2	5	5	6	4
Black	30	-	-	-	2	6	1	2	4	5	7	3	31	-	2	-	-	5	2	2	5	5	6	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	218	-	-	-	6	16	8	20	28	71	54	15	211	-	-	-	3	1	8	24	34	58	60	23
White	168	-	-	-	6	11	5	18	22	52	43	11	159	-	-	-	3	1	8	16	19	48	43	21
All other	50	-	-	-	-	5	3	2	6	19	11	4	52	-	-	-	-	-	-	8	15	10	17	2
Black	50	-	-	-	-	5	3	2	6	19	11	4	52	-	-	-	-	-	-	8	15	10	17	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	1	1	-	-	1	2	7	8	7	9	8	63	1	1	-	1	-	1	7	5	16	24	7
White	27	-	1	-	-	-	1	4	4	4	7	6	41	-	-	-	-	-	1	5	2	11	16	6
All other	17	1	-	-	-	1	1	3	4	3	2	2	22	1	1	-	1	-	-	2	3	5	8	1
Black	17	1	-	-	-	1	1	3	4	3	2	2	22	1	1	-	1	-	-	2	3	5	8	1
Diabetes mellitus (250)	237	-	-	-	-	7	9	21	46	65	65	24	482	-	-	-	-	4	10	29	69	128	146	98
White	163	-	-	-	-	4	4	14	32	50	41	18	255	-	-	-	-	2	4	12	29	60	88	60
All other	74	-	-	-	-	3	5	7	14	15	24	6	227	-	-	-	-	2	6	17	40	68	58	38
Black	74	-	-	-	-	3	5	7	14	15	24	6	226	-	-	-	-	2	6	17	40	67	58	36
Nutritional deficiencies (260-269)	27	-	-	-	-	-	2	1	2	6	8	6	27	-	-	1	-	-	-	-	-	2	9	15
White	14	-	-	-	-	-	1	-	1	5	3	4	18	-	-	1	-	-	-	-	-	2	4	11
All other	13	-	-	-	-	-	1	1	1	1	5	4	9	-	-	-	-	-	-	-	-	-	5	4
Black	13	-	-	-	-	-	1	1	1	1	5	4	9	-	-	-	-	-	-	-	-	-	5	4
Anemias (280-285)	35	1	1	3	1	4	2	1	1	7	10	4	49	-	2	-	1	3	-	1	5	4	10	23
White	19	-	-	1	-	-	-	1	1	5	9	2	35	-	1	-	-	-	-	-	2	2	8	22
All other	16	1	1	2	1	4	2	-	-	2	1	2	14	-	1	-	1	3	-	1	3	2	2	1
Black	16	1	1	2	1	4	2	-	-	2	1	2	14	-	1	-	1	3	-	1	3	2	2	1
Meningitis (320-322)	13	5	1	-	-	-	2	2	2	-	-	1	7	1	1	-	-	-	1	-	-	2	2	-
White	6	1	1	-	-	-	1	2	1	-	-	-	4	1	-	-	-	-	1	-	-	1	1	-
All other	7	4	-	-	-	-	1	-	1	-	-	1	3	-	1	-	-	-	-	-	-	1	1	-
Black	7	4	-	-	-	-	1	-	1	-	-	1	3	-	1	-	-	-	-	-	-	1	1	-
Major cardiovascular diseases (390-448)	8,333	13	7	4	16	60	233	608	1,384	2,301	2,521	1,186	8,642	19	8	2	11	45	87	253	747	1,727	2,969	2,774
White	6,224	4	6	2	8	29	146	423	1,006	1,754	1,941	905	6,280	9	2	2	6	23	38	148	441	1,196	2,211	2,207
All other	2,109	9	1	2	8	31	87	185	378	547	580	281	2,362	11	6	-	5	22	49	107	306	531	758	567
Black	2,107	9	1	2	8	31	87	185	377	546	580	281	2,359	11	6	-	5	22	49	107	306	530	758	567

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,556	13	6	3	13	46	190	511	1,157	1,796	1,825	894	6,390	16	8	2	9	31	69	189	554	1,322	2,188	2,002
White	4,993	4	5	1	8	25	122	362	869	1,413	1,502	682	4,731	7	2	2	5	13	28	107	350	949	1,662	1,606
All other	1,563	9	1	2	5	23	68	149	288	383	423	212	1,659	9	6	–	4	18	41	82	204	373	526	396
Black	1,562	9	1	2	5	23	68	149	287	383	423	212	1,657	9	6	–	4	18	41	82	204	372	525	396
Rheumatic fever and rheumatic heart disease (390-398)	24	–	–	–	–	2	1	1	8	7	5	–	45	–	–	–	–	–	3	7	3	16	13	3
White	21	–	–	–	–	1	1	1	6	7	5	–	32	–	–	–	–	–	–	5	2	13	11	1
All other	3	–	–	–	–	1	–	–	2	–	–	–	13	–	–	–	–	–	3	2	1	3	2	2
Black	3	–	–	–	–	1	–	–	2	–	–	–	13	–	–	–	–	–	3	2	1	3	2	2
Hypertensive heart disease (402)	156	–	–	–	–	2	5	14	21	48	45	21	228	–	–	–	–	1	2	5	24	52	64	80
White	75	–	–	–	–	1	1	2	7	26	23	15	137	–	–	–	–	–	–	–	8	25	40	64
All other	81	–	–	–	–	1	4	12	14	22	22	6	91	–	–	–	–	1	2	5	16	27	24	16
Black	81	–	–	–	–	1	4	12	14	22	22	6	91	–	–	–	–	1	2	5	16	27	24	16
Hypertensive heart and renal disease (404)	25	–	–	–	1	1	–	1	5	7	7	3	27	–	–	–	–	1	1	–	4	7	8	6
White	15	–	–	–	1	–	–	1	2	4	5	2	10	–	–	–	–	–	–	–	2	1	4	3
All other	10	–	–	–	–	1	–	–	3	3	2	1	17	–	–	–	–	1	1	–	2	6	4	3
Black	10	–	–	–	–	1	–	–	3	3	2	1	17	–	–	–	–	1	1	–	2	6	4	3
Ischemic heart disease (410-414)	4,070	–	–	–	1	16	106	349	733	1,148	1,212	511	3,569	–	1	–	1	10	28	86	308	781	1,288	1,066
White	3,348	–	–	–	–	10	78	282	594	966	1,012	406	2,856	–	–	–	1	7	15	58	224	607	1,049	895
All other	722	–	–	–	1	6	28	67	139	182	200	105	713	–	1	–	–	3	13	28	84	174	239	171
Black	722	–	–	–	1	6	28	67	139	182	200	105	712	–	1	–	–	3	13	28	84	173	239	171
Acute myocardial infarction (410)	2,777	–	–	–	–	13	89	266	546	804	782	277	2,219	–	1	–	–	7	17	66	238	543	815	532
White	2,286	–	–	–	–	8	66	225	446	678	645	218	1,772	–	–	–	–	6	10	48	179	424	661	446
All other	491	–	–	–	–	5	23	41	100	126	137	59	447	–	1	–	–	1	7	20	59	119	154	86
Black	491	–	–	–	–	5	23	41	100	126	137	59	446	–	1	–	–	1	7	20	59	118	154	86
Other acute and subacute forms of ischemic heart disease (411)	22	–	–	–	–	2	1	5	6	6	–	2	10	–	–	–	–	1	1	–	3	1	3	1
White	19	–	–	–	–	2	1	5	5	5	–	1	5	–	–	–	–	–	–	–	3	–	1	1
All other	3	–	–	–	–	–	–	–	1	1	–	1	5	–	–	–	–	1	1	–	–	1	2	–
Black	3	–	–	–	–	–	–	–	1	1	–	1	5	–	–	–	–	1	1	–	–	1	2	–
Angina pectoris (413)	8	–	–	–	–	–	–	–	3	2	1	2	11	–	–	–	–	–	–	–	–	3	6	2
White	7	–	–	–	–	–	–	–	3	2	1	1	9	–	–	–	–	–	–	–	–	2	5	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,263	–	–	–	1	1	16	72	178	336	429	230	1,329	–	–	–	1	2	10	20	67	234	464	531
White	1,036	–	–	–	–	–	11	52	140	281	366	186	1,070	–	–	–	1	1	5	12	42	181	382	446
All other	227	–	–	–	1	1	5	20	38	55	63	44	259	–	–	–	–	1	5	8	25	53	82	85
Black	227	–	–	–	1	1	5	20	38	55	63	44	259	–	–	–	–	1	5	8	25	53	82	85
Other diseases of endocardium (424)	64	–	–	–	1	1	3	6	3	20	18	12	88	–	–	1	–	–	–	4	5	23	26	29
White	50	–	–	–	1	–	3	3	3	17	12	11	75	–	–	1	–	–	–	3	3	21	22	25
All other	14	–	–	–	–	1	–	3	–	3	6	1	13	–	–	–	–	–	–	1	2	2	4	4
Black	14	–	–	–	–	1	–	3	–	3	6	1	13	–	–	–	–	–	–	1	2	2	4	4
All other forms of heart disease (415-423,425-429)	2,217	13	6	3	10	28	75	146	387	586	636	347	2,433	16	7	1	8	19	35	87	210	449	789	816
White	1,484	4	5	1	6	13	39	73	257	393	445	248	1,621	7	2	1	4	6	13	41	111	282	536	618
All other	733	9	1	2	4	13	36	73	130	173	193	99	812	9	5	–	4	13	22	46	99	161	253	200
Black	732	9	1	2	4	13	36	73	129	173	193	99	811	9	5	–	4	13	22	46	99	161	252	200
Hypertension with or without renal disease (401,403)	79	–	–	–	–	2	2	5	16	27	20	7	122	–	–	–	–	–	2	4	21	28	37	30
White	29	–	–	–	–	–	1	2	5	13	6	2	54	–	–	–	–	–	–	1	6	11	21	15
All other	50	–	–	–	–	2	1	3	11	14	14	5	68	–	–	–	–	–	2	3	15	17	16	15
Black	50	–	–	–	–	2	1	3	11	14	14	5	68	–	–	–	–	–	2	3	15	17	16	15
Cerebrovascular diseases (430-438)	1,244	–	1	1	2	9	34	67	141	318	440	231	1,747	2	–	–	1	12	15	52	139	303	614	609
White	871	–	1	1	–	3	17	42	83	207	338	181	1,241	1	–	–	1	8	9	34	70	192	435	491
All other	373	–	–	–	2	6	17	25	58	111	104	50	506	1	–	–	–	4	6	18	69	111	179	118
Black	373	–	–	–	2	6	17	25	58	111	104	50	506	1	–	–	–	4	6	18	69	111	179	118
Intracerebral and other intracranial hemorrhage (431-432)	193	–	1	–	1	3	15	22	41	44	50	16	201	1	–	–	–	4	6	10	35	50	64	31
White	123	–	1	–	1	1	7	10	24	32	37	11	136	1	–	–	–	2	4	2	18	36	44	29
All other	70	–	–	–	1	2	8	12	17	12	13	5	65	–	–	–	–	2	2	8	17	14	20	2
Black	70	–	–	–	1	2	8	12	17	12	13	5	65	–	–	–	–	2	2	8	17	14	20	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	171	–	–	–	–	–	1	3	19	49	63	36	272	1	–	–	–	–	–	2	18	47	95	109
White	129	–	–	–	–	–	–	3	14	33	50	29	206	–	–	–	–	–	–	1	7	35	72	91
All other	42	–	–	–	–	–	1	–	5	16	13	7	66	1	–	–	–	–	–	1	11	12	23	18
Black	42	–	–	–	–	–	1	–	5	16	13	7	66	1	–	–	–	–	–	1	11	12	23	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	9	–	–	–	–	–	1	–	–	1	5	2	5	–	–	–	–	1	–	–	–	1	2	1
White	7	–	–	–	–	–	–	–	–	1	5	1	5	–	–	–	–	1	–	–	–	1	2	1
All other	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	871	–	–	1	1	6	17	42	81	224	322	177	1,269	–	–	–	1	7	9	40	88	205	453	468
White	612	–	–	1	–	2	10	29	45	141	244	140	894	–	–	–	1	5	5	31	45	120	317	370
All other	259	–	–	–	1	4	7	13	36	83	78	37	375	–	–	–	–	2	4	9	41	85	136	98
Black	259	–	–	–	1	4	7	13	36	83	78	37	375	–	–	–	–	2	4	9	41	85	136	98
Atherosclerosis (440)	219	–	–	–	–	–	1	12	32	69	72	33	239	–	–	–	–	–	–	3	18	31	89	98
White	133	–	–	–	–	–	1	8	17	35	46	26	150	–	–	–	–	–	–	2	7	16	60	65
All other	86	–	–	–	–	–	–	4	15	28	26	13	89	–	–	–	–	–	–	1	11	15	29	33
Black	85	–	–	–	–	–	–	4	15	27	26	13	88	–	–	–	–	–	–	1	11	15	28	33
Other diseases of arteries, arterioles, and capillaries (441-448)	235	–	–	–	1	1	6	13	38	97	64	15	144	1	–	–	1	2	1	5	15	43	41	35
White	198	–	–	–	–	1	5	9	32	86	51	14	104	–	–	–	–	2	1	2	8	28	33	30
All other	37	–	–	–	1	–	1	4	6	11	13	1	40	1	–	–	1	–	–	3	7	15	8	5
Black	37	–	–	–	1	–	1	4	6	11	13	1	40	1	–	–	1	–	–	3	7	15	8	5
Acute bronchitis and bronchiolitis (466)	4	1	–	–	–	–	–	–	–	1	2	–	7	–	–	–	–	–	–	–	–	1	2	4
White	3	–	–	–	–	–	–	–	–	1	2	–	7	–	–	–	–	–	–	–	–	1	2	4
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	516	5	–	1	5	4	13	23	43	122	156	144	445	4	2	–	–	1	7	9	18	59	134	211
White	388	3	–	1	3	1	8	14	31	89	125	113	369	1	–	–	–	1	6	7	13	44	112	185
All other	128	2	–	–	2	3	5	9	12	33	31	31	76	3	2	–	–	–	1	2	5	15	22	26
Black	128	2	–	–	2	3	5	9	12	33	31	31	76	3	2	–	–	–	1	2	5	15	22	26
Pneumonia (480-486)	508	5	–	1	5	4	13	23	42	120	152	143	432	4	2	–	–	1	7	8	18	59	127	208
White	380	3	–	1	3	1	8	14	30	87	121	112	356	1	–	–	–	1	6	6	13	44	107	180
All other	128	2	–	–	2	3	5	9	12	33	31	31	74	3	2	–	–	–	1	2	5	15	20	26
Black	128	2	–	–	2	3	5	9	12	33	31	31	74	3	2	–	–	–	1	2	5	15	20	26
Influenza (487)	8	–	–	–	–	–	–	–	1	2	4	1	13	–	–	–	–	–	–	1	–	–	7	5
White	8	–	–	–	–	–	–	–	1	2	4	1	11	–	–	–	–	–	–	1	–	–	5	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	893	1	1	1	1	1	5	28	140	339	278	98	450	–	–	2	1	4	3	18	78	136	144	64
White	759	–	–	–	–	–	4	20	118	295	238	84	402	–	–	1	–	3	2	16	63	124	137	56
All other	134	1	1	1	1	1	1	8	22	44	40	14	48	–	–	1	1	1	1	2	15	12	7	8
Black	134	1	1	1	1	1	1	8	22	44	40	14	48	–	–	1	1	1	1	2	15	12	7	8
Bronchitis, chronic and unspecified (490-491)	28	–	–	–	–	–	1	–	4	11	9	3	20	–	–	1	–	–	–	–	2	3	5	9
White	24	–	–	–	–	–	1	–	4	10	7	2	18	–	–	1	–	–	–	–	2	3	4	8
All other	4	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	4	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Emphysema (492)	192	–	–	–	–	–	1	9	33	73	58	20	69	–	–	–	–	–	1	5	13	25	19	6
White	169	–	–	–	–	–	1	6	28	66	50	18	67	–	–	–	–	–	1	5	13	24	19	5
All other	23	–	–	–	–	–	–	3	5	7	6	2	2	–	–	–	–	–	–	–	–	1	–	1
Black	23	–	–	–	–	–	–	3	5	7	6	2	2	–	–	–	–	–	–	–	–	1	–	1
Asthma (493)	24	–	–	1	1	1	–	5	5	8	3	–	34	–	–	1	1	4	1	1	8	7	8	3
White	10	–	–	–	–	–	–	2	2	5	1	–	18	–	–	–	–	3	–	–	3	4	6	2
All other	14	–	–	1	1	1	–	3	3	3	2	–	16	–	–	1	1	1	1	1	5	3	2	1
Black	14	–	–	1	1	1	–	3	3	3	2	–	16	–	–	1	1	1	1	1	5	3	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	649	1	1	–	–	–	3	14	98	247	210	75	327	–	–	–	–	–	1	12	55	101	112	46
White	556	–	–	–	–	–	2	12	84	214	180	64	299	–	–	–	–	–	1	11	45	93	108	41
All other	93	1	1	–	–	–	1	2	14	33	30	11	28	–	–	–	–	–	–	1	10	8	4	5
Black	93	1	1	–	–	–	1	2	14	33	30	11	28	–	–	–	–	–	–	1	10	8	4	5
Ulcer of stomach and duodenum (531-533)	52	–	–	–	–	–	1	6	11	13	17	4	57	–	–	–	–	–	–	3	3	16	16	19
White	39	–	–	–	–	–	1	4	6	10	13	3	48	–	–	–	–	–	–	2	2	13	14	17
All other	13	–	–	–	–	–	–	2	3	3	4	1	9	–	–	–	–	–	–	1	1	3	2	2
Black	13	–	–	–	–	–	–	2	3	3	4	1	9	–	–	–	–	–	–	1	1	3	2	2
Appendicitis (540-543)	9	–	–	–	–	–	–	1	1	4	–	3	12	–	–	1	–	–	1	1	2	4	2	1
White	3	–	–	–	–	–	–	–	1	–	–	2	6	–	–	–	–	–	–	1	2	2	–	1
All other	6	–	–	–	–	–	–	1	–	4	–	1	6	–	–	1	–	–	1	–	–	2	2	–
Black	6	–	–	–	–	–	–	1	–	4	–	1	6	–	–	1	–	–	1	–	–	2	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	–	–	–	–	1	–	1	4	7	9	7	52	1	–	1	–	–	–	1	6	9	17	17
White	18	–	–	–	–	1	–	–	3	5	5	4	40	1	–	–	–	–	–	1	4	6	13	15
All other	11	–	–	–	–	–	–	1	1	2	4	3	12	–	–	1	–	–	–	–	2	3	4	2
Black	11	–	–	–	–	–	–	1	1	2	4	3	12	–	–	1	–	–	–	–	2	3	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	234	–	–	–	–	13	31	57	65	48	17	3	124	–	–	–	–	2	11	11	45	36	16	3
White	190	–	–	–	–	5	22	49	56	41	13	2	92	–	–	–	–	1	4	9	29	32	14	3
All other	44	–	–	–	–	8	9	8	7	7	4	1	32	–	–	–	–	1	7	2	16	4	2	–
Black	44	–	–	–	–	8	9	8	7	7	4	1	32	–	–	–	–	1	7	2	16	4	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	25	–	–	–	–	–	–	2	1	4	15	3	32	1	–	–	–	–	–	1	2	7	13	8
White	19	–	–	–	–	–	–	1	1	4	11	2	27	–	–	–	–	–	–	–	2	6	11	8
All other	6	–	–	–	–	–	–	1	–	–	4	1	5	1	–	–	–	–	–	1	–	1	2	–
Black	5	–	–	–	–	–	–	1	–	–	3	1	5	1	–	–	–	–	–	1	–	1	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	199	4	1	–	1	3	7	12	28	56	57	30	228	1	–	3	2	4	1	8	22	45	76	66
White	122	3	1	–	1	1	4	4	19	38	35	18	129	–	–	3	–	1	1	5	11	18	49	41
All other	77	1	1	–	1	2	3	8	9	18	22	12	99	1	–	–	2	3	–	3	11	27	27	25
Black	77	1	1	–	1	2	3	8	9	18	22	12	99	1	–	–	2	3	–	3	11	27	27	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	1	–	–	–	–	–	1	–	1	–	6	–	–	–	2	–	–	–	1	2	1	–
White	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	2	–	–	–	1	2	1	–
All other	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–
Black	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	1	2	1	–	3	4	3	1	16	–	–	1	–	–	–	–	2	5	3	5
White	10	–	–	–	–	1	1	–	2	4	2	–	8	–	–	1	–	–	–	–	–	2	2	3
All other	5	–	–	–	1	1	–	–	1	–	1	1	8	–	–	–	–	–	–	–	2	3	1	2
Black	5	–	–	–	1	1	–	–	1	–	1	1	8	–	–	–	–	–	–	–	2	3	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	181	4	–	–	–	1	6	12	24	52	53	29	206	1	–	2	–	4	1	8	19	38	72	61
White	111	3	–	–	–	–	3	4	16	34	33	18	117	–	–	2	–	1	1	5	10	14	46	38
All other	70	1	–	–	–	1	3	8	8	18	20	11	89	1	–	–	–	3	–	3	9	24	26	23
Black	70	1	–	–	–	1	3	8	8	18	20	11	89	1	–	–	–	3	–	3	9	24	26	23
Infections of kidney (590)	19	–	–	–	–	–	–	–	–	3	9	7	51	–	–	–	–	–	–	–	4	9	18	20
White	13	–	–	–	–	–	–	–	–	2	7	4	39	–	–	–	–	–	–	–	4	6	13	16
All other	6	–	–	–	–	–	–	–	–	1	2	3	12	–	–	–	–	–	–	–	–	3	5	4
Black	6	–	–	–	–	–	–	–	–	1	2	3	11	–	–	–	–	–	–	–	–	3	5	3
Hyperplasia of prostate (600)	10	–	–	–	–	–	–	–	1	1	5	3	...	...	...	...	...	...	...	...	...	...	...	...
White	5	–	–	–	–	–	–	–	1	–	2	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	–	–	–	–	–	–	–	–	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	–	–	–	–	–	–	–	–	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	3	6	3	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	1	5	3	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	1	5	3	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	2	5	2	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	5	2	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	5	2	1	...	...	...	...
Congenital anomalies (740-759)	121	81	6	3	5	6	5	3	3	5	3	1	104	71	7	1	4	2	5	1	3	4	3	3
White	77	47	4	3	3	4	5	3	2	4	1	1	66	43	5	1	4	1	3	1	1	3	3	1
All other	44	34	2	–	2	2	–	–	1	1	2	–	38	28	2	–	–	1	2	–	2	1	–	2
Black	43	33	2	–	2	2	–	–	1	1	2	–	37	27	2	–	–	1	2	–	2	1	–	2
Certain conditions originating in the perinatal period (760-779)	226	226	–	–	–	–	–	–	–	–	–	–	178	178	–	–	–	–	–	–	–	–	–	–
White	99	99	–	–	–	–	–	–	–	–	–	–	82	82	–	–	–	–	–	–	–	–	–	–
All other	127	127	–	–	–	–	–	–	–	–	–	–	96	96	–	–	–	–	–	–	–	–	–	–
Black	126	126	–	–	–	–	–	–	–	–	–	–	95	95	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	57	57	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
White	22	22	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
All other	35	35	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Black	35	35	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	169	169	–	–	–	–	–	–	–	–	–	–	127	127	–	–	–	–	–	–	–	–	–	–
White	77	77	–	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
All other	92	92	–	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–
Black	91	91	–	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	485	69	4	1	5	11	18	39	72	105	105	55	409	42	2	2	7	7	7	11	35	69	110	117
White	313	39	1	–	4	7	11	28	44	71	68	40	241	19	–	2	1	2	2	8	25	35	69	78
All other	172	30	3	1	1	4	7	11	28	34	37	15	168	23	2	–	6	5	5	3	10	34	41	39
Black	172	30	3	1	1	4	7	11	28	34	37	15	168	23	2	–	6	5	5	3	10	34	41	39
All other diseases (Residual)	1,375	15	15	14	28	50	71	85	190	300	412	195	1,468	15	7	11	7	33	32	65	142	230	498	428
White	976	7	9	10	15	26	41	63	143	217	308	137	1,101	7	4	4	3	14	14	39	95	177	396	348
All other	399	8	6	4	13	24	30	22	47	83	104	58	367	8	3	7	4	19	18	26	47	53	102	80
Black	399	8	6	4	13	24	30	22	47	83	104	58	367	8	3	7	4	19	18	26	47	53	102	80
Accidents and adverse effects (E800-E949)	1,520	14	36	89	324	296	177	143	127	137	120	57	677	7	18	44	120	79	59	35	57	76	96	86
White	1,100	7	23	56	253	211	125	100	94	102	86	43	511	2	12	22	98	52	48	26	38	58	85	70
All other	420	7	13	33	71	85	52	43	33	35	34	14	166	5	6	22	22	27	11	9	19	18	11	16
Black	417	7	13	33	68	85	52	43	33	35	34	14	164	5	6	22	21	26	11	9	19	18	11	16
Motor vehicle accidents (E810-E825)	824	7	8	48	243	184	91	67	71	54	40	11	368	1	9	23	106	66	42	24	29	30	33	5
White	625	4	5	34	196	127	72	48	54	45	30	10	297	1	6	14	91	47	37	19	23	27	29	3
All other	199	3	3	14	47	57	19	19	17	9	10	1	71	–	3	9	15	19	5	5	6	3	4	2
Black	196	3	3	14	44	57	19	19	17	9	10	1	69	–	3	9	14	18	5	5	6	3	4	2
All other accidents and adverse effects (E800-E807, E826-E949)	696	7	28	41	81	112	86	76	56	83	80	46	309	6	9	21	14	13	17	11	28	46	63	81
White	475	3	18	22	57	84	53	52	40	57	56	33	214	1	6	8	7	5	11	7	15	31	56	67
All other	221	4	10	19	24	28	33	24	16	26	24	13	95	5	3	13	7	8	6	4	13	15	7	14
Black	221	4	10	19	24	28	33	24	16	26	24	13	95	5	3	13	7	8	6	4	13	15	7	14
Suicide (E950-E959)	405	...	...	2	59	70	72	44	57	51	48	2	99	...	...	1	7	16	14	22	23	10	6	–
White	365	...	...	2	54	59	64	41	53	46	44	2	92	...	...	1	5	15	14	22	20	9	6	–
All other	40	...	...	–	5	11	8	3	4	5	4	–	7	...	...	–	2	1	–	–	3	1	–	–
Black	37	...	...	–	5	10	8	3	4	3	4	–	7	...	...	–	2	1	–	–	3	1	–	–
Homicide and legal intervention (E960-E978)	367	2	4	5	64	121	70	48	30	17	5	1	95	–	3	2	17	35	15	6	4	6	5	2
White	147	1	1	3	23	47	23	21	17	9	1	1	42	–	3	1	6	10	8	3	2	3	4	2
All other	220	1	3	2	41	74	47	27	13	8	4	–	53	–	–	1	11	25	7	3	2	3	1	–
Black	220	1	3	2	41	74	47	27	13	8	4	–	53	–	–	1	11	25	7	3	2	3	1	–
All other external causes (E980-E999)	65	1	2	1	15	13	9	9	5	6	4	–	18	–	2	–	1	3	2	3	3	4	–	–
White	50	–	–	1	10	9	7	8	5	6	4	–	13	–	–	–	1	1	2	3	2	4	–	–
All other	15	1	2	–	5	4	2	1	–	–	–	–	5	–	2	–	–	2	–	–	1	–	–	–
Black	15	1	2	–	5	4	2	1	–	–	–	–	5	–	2	–	–	2	–	–	1	–	–	–
ALASKA																								
All causes	1,304	72	15	27	119	153	133	141	215	204	161	62	786	59	11	11	39	44	40	74	113	167	139	89
White	945	45	8	16	72	98	97	104	179	165	116	44	556	40	7	8	26	24	28	49	86	131	97	60
All other	359	27	7	11	47	55	36	37	36	39	45	18	230	19	4	3	13	20	12	25	27	36	42	29
Black	34	4	1	2	1	5	3	6	3	6	2	–	19	3	–	–	2	3	–	–	4	4	2	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	1	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	1
White	3	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	7	-	-	-	-	1	2	-	2	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
White	6	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	216	-	2	1	4	2	10	35	49	65	39	9	226	-	-	3	5	7	16	41	61	48	35	10
White	169	-	1	1	3	2	9	25	44	53	25	6	174	-	-	2	5	6	14	31	49	38	24	7
All other	47	-	1	-	1	-	1	10	5	12	14	3	52	-	-	1	-	1	2	10	12	12	11	3
Black	5	-	-	-	-	-	-	1	-	2	2	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	51	-	-	-	2	1	-	11	12	13	10	2	43	-	-	-	-	1	1	7	9	13	10	2
White	41	-	-	-	1	1	-	8	12	9	8	2	23	-	-	-	-	-	1	2	6	7	5	2
All other	10	-	-	-	1	-	-	3	-	4	2	-	20	-	-	-	-	1	-	5	3	6	5	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	89	-	-	-	-	-	4	19	26	24	15	1	62	-	-	-	-	-	4	11	25	12	9	1
White	68	-	-	-	-	-	4	14	22	18	9	1	46	-	-	-	-	-	4	7	20	8	6	1
All other	21	-	-	-	-	-	-	5	4	6	6	-	16	-	-	-	-	-	-	4	5	4	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	1	6	13	14	4	5	1
White	-	-	-	-	-	-	-	-	-	-	-	-	42	-	-	-	-	1	5	13	13	4	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	15	-	-	1	-	-	-	1	2	4	5	2	14	-	-	-	-	1	2	1	2	4	4	-
White	11	-	-	1	-	-	-	-	2	4	3	1	10	-	-	-	-	1	1	1	1	4	2	-
All other	4	-	-	-	-	-	-	1	-	-	2	1	4	-	-	-	-	-	1	-	1	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	4	-	-	-	-	-	1	-	2	1	-	-	11	-	-	1	-	-	-	2	5	2	1	-
White	3	-	-	-	-	-	1	-	1	1	-	-	9	-	-	1	-	-	-	1	4	2	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	-	2	-	2	1	2	3	4	11	6	2	31	-	-	1	2	2	2	4	3	8	4	5
White	26	-	1	-	2	1	1	2	4	10	4	1	25	-	-	-	2	2	2	4	3	7	3	2
All other	7	-	1	-	-	-	1	1	-	1	2	1	6	-	-	1	-	-	-	-	-	1	1	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	8	-	-	-	-	-	-	-	-	4	3	1	12	-	-	1	3	1	1	1	-	3	1	1
White	6	-	-	-	-	-	-	-	-	4	1	1	11	-	-	1	3	1	1	1	-	2	1	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	-	-	-	-	-	2	1	2	5	-	1	9	-	-	-	-	1	-	2	3	2	1	-
White	10	-	-	-	-	-	2	1	2	5	-	-	8	-	-	-	-	1	-	2	2	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	-	-	-	-	1	-	1	-	6	-	1	1	-	-	-	-	-	3	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	5	-	1	1	-	-	-	-	-	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	14	-	-	-	-	2	-	1	4	6	1	-	14	-	-	-	1	1	1	-	2	6	3	-
White	12	-	-	-	-	2	-	-	4	5	1	-	12	-	-	-	1	-	1	-	2	6	2	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	384	2	-	1	2	2	24	55	102	93	70	33	212	3	-	-	-	5	4	7	23	60	62	48
White	304	-	-	-	1	1	17	43	88	75	53	26	155	3	-	-	-	1	3	4	16	49	46	33
All other	80	2	-	1	1	1	7	12	14	18	17	7	57	-	-	-	-	4	1	3	7	11	16	15
Black	15	2	-	1	1	1	3	3	1	3	-	-	6	-	-	-	-	1	-	-	3	1	1	-
Diseases of heart (390-398,402,404-429)	324	2	-	1	2	1	21	53	93	69	59	23	150	3	-	-	-	1	3	5	19	43	43	33
White	258	-	-	-	1	-	15	41	81	57	43	20	115	3	-	-	-	1	3	2	14	35	32	25
All other	66	2	-	1	1	1	6	12	12	12	16	3	35	-	-	-	-	-	-	3	5	8	11	8
Black	12	2	-	1	1	1	2	3	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	1	-	-	-	1	1	-	-	5	-	-	-	-	-	-	1	-	2	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	1	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-	-	-	-	-	3	-	4
White	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	3	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	251	-	-	-	-	-	14	49	76	56	42	14	80	-	-	-	-	1	1	1	13	27	24	13
White	209	-	-	-	-	-	13	37	68	47	31	12	68	-	-	-	-	1	1	1	11	23	21	10
All other	42	-	-	-	-	-	1	12	7	9	11	2	12	-	-	-	-	-	-	-	2	4	3	3
Black	5	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute myocardial infarction (410)	105	-	-	-	-	-	6	21	29	22	20	7	34	-	-	-	-	1	-	1	8	10	9	5
White	84	-	-	-	-	-	5	14	25	18	16	6	31	-	-	-	-	1	-	1	7	9	8	5
All other	21	-	-	-	-	-	1	7	4	4	4	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	146	-	-	-	-	-	8	28	47	34	22	7	45	-	-	-	-	-	1	-	5	16	15	8
White	125	-	-	-	-	-	8	23	44	29	15	6	36	-	-	-	-	-	1	-	4	13	13	5
All other	21	-	-	-	-	-	-	5	3	5	7	1	9	-	-	-	-	-	-	-	1	3	2	3
Black	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of endocardium (424)	7	-	-	-	-	-	-	-	1	2	3	1	5	-	-	-	-	-	-	-	-	1	2	2
White	5	-	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	62	2	-	1	1	1	7	4	14	10	14	8	52	3	-	-	-	-	2	3	6	10	15	13
White	42	-	-	-	1	-	2	4	10	9	9	7	34	3	-	-	-	-	2	1	3	7	8	10
All other	20	2	-	1	-	1	5	-	4	1	5	1	18	-	-	-	-	-	-	2	3	3	7	3
Black	6	2	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	1	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	41	-	-	-	-	1	1	2	7	14	7	9	44	-	-	-	-	3	1	1	3	11	15	10
White	29	-	-	-	-	1	1	2	5	9	6	5	29	-	-	-	-	-	1	1	1	8	12	7
All other	12	-	-	-	-	-	-	-	2	5	1	4	15	-	-	-	-	3	1	-	2	3	3	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	4	-	-	-	-	1	-	-	2	1	-	-	4	-	-	-	-	1	-	-	-	1	2	-
White	3	-	-	-	-	1	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	-	-	-	-	-	-	-	1	3	2	2	7	-	-	-	-	-	-	-	1	3	1	2
White	6	-	-	-	-	-	-	-	1	3	1	1	4	-	-	-	-	-	-	-	-	2	1	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	29	-	-	-	-	-	1	2	4	10	5	7	33	-	-	-	-	2	1	1	2	7	12	8
White	20	-	-	-	-	-	1	2	3	5	5	4	22	-	-	-	-	-	1	1	1	5	9	6
All other	9	-	-	-	-	-	-	-	1	5	-	3	11	-	-	-	-	2	1	-	1	2	3	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Atherosclerosis (440)	4	-	-	-	-	-	-	-	-	3	1	-	6	-	-	-	-	-	-	-	-	1	-	5
White	4	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	11	-	-	-	-	-	1	-	1	5	3	1	9	-	-	-	-	1	-	1	1	4	2	-
White	11	-	-	-	-	-	1	-	1	5	3	1	7	-	-	-	-	-	-	1	1	4	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	15	-	-	-	-	1	1	1	-	1	6	5	18	-	2	-	-	-	-	1	-	3	5	7
White	9	-	-	-	-	-	-	1	-	1	4	3	11	-	1	-	-	-	-	-	-	1	4	5
All other	6	-	-	-	-	1	1	-	-	-	2	2	7	-	1	-	-	-	-	1	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	14	-	-	-	-	1	1	1	-	1	5	5	18	-	2	-	-	-	-	1	-	3	5	7
White	9	-	-	-	-	-	-	1	-	1	4	3	11	-	1	-	-	-	-	-	-	1	4	5
All other	5	-	-	-	-	1	1	-	-	-	1	2	7	-	1	-	-	-	-	1	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	1	-	-	1	1	1	1	8	11	10	1	27	-	-	-	-	1	1	2	6	7	6	4
White	27	-	-	-	-	1	1	-	6	10	8	1	24	-	-	-	-	-	1	2	5	7	6	3
All other	8	1	-	-	1	-	-	1	2	1	2	-	3	-	-	-	-	1	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	8	-	-	-	-	-	-	-	3	2	3	-	5	-	-	-	-	-	-	1	1	1	-	2
White	8	-	-	-	-	-	-	-	3	2	3	-	5	-	-	-	-	-	-	1	1	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	1	1	1	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
White	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	20	-	-	-	-	-	-	1	5	8	5	1	19	-	-	-	-	1	-	-	5	6	6	1
White	15	-	-	-	-	-	-	-	3	7	4	1	17	-	-	-	-	-	-	-	4	6	6	1
All other	5	-	-	-	-	-	-	1	2	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	16	-	-	-	-	1	3	5	6	2	1	-	14	-	-	-	-	2	1	3	4	3	1	-
White	15	-	-	-	-	-	2	4	6	2	1	-	11	-	-	-	-	1	-	2	4	3	1	-
All other	3	-	-	-	-	1	1	1	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	1	-	-	2	-	1	2	-	-	-	-	-	-	1	-	1	-	-
White	3	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	-	-	-	-	1	-	-	1	-	2	-	7	-	-	-	-	-	-	-	-	2	2	3
White	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	2	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	–	–	–	–	–	–	–	1	–	2	–	6	–	–	–	–	–	–	–	–	2	2	2
White	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	2	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
White	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	22	16	3	1	–	1	–	–	1	–	–	–	13	11	–	–	1	–	1	–	–	–	–	–
White	10	7	1	–	–	1	–	–	1	–	–	–	11	10	–	–	1	–	–	–	–	–	–	–
All other	12	9	2	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	29	28	1	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
White	22	22	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
All other	7	6	1	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-7 3,770-779)	16	15	1	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
White	12	12	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
All other	4	3	1	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	29	16	1	–	2	3	1	1	1	–	3	1	28	14	–	–	1	1	1	–	1	3	3	4
White	17	10	1	–	1	2	1	–	–	–	2	–	19	10	–	–	–	–	–	–	1	2	3	3
All other	12	6	–	–	1	1	–	1	1	–	1	1	9	4	–	–	1	1	1	–	–	1	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	100	4	1	1	4	11	14	11	11	15	21	7	67	1	–	–	1	3	5	2	7	24	14	10
White	68	4	1	–	2	7	9	7	8	11	15	4	41	–	–	–	–	–	3	1	5	17	8	7
All other	32	–	–	1	2	4	5	4	3	4	6	3	26	1	–	–	1	3	2	1	2	7	6	3
Black	2	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	1	–	1
Accidents and adverse effects (E800-E949)	275	2	5	19	67	91	51	23	13	6	4	2	87	3	8	6	20	16	8	9	5	5	5	2
White	189	–	3	14	42	59	36	18	8	5	2	1	52	1	5	4	14	10	5	3	3	4	2	1
All other	86	2	2	5	25	32	15	5	5	1	2	1	35	2	3	2	6	6	3	6	2	1	3	1
Black	4	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	62	-	1	7	21	12	12	6	2	-	1	-	40	-	2	3	12	10	4	6	-	3	-	-
White	48	-	-	6	18	10	8	4	2	-	-	-	29	-	2	2	10	8	2	3	-	2	-	-
All other	14	-	1	1	3	2	4	2	-	-	1	-	11	-	-	1	2	2	2	3	-	1	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	213	2	4	12	46	69	39	17	11	6	3	2	47	3	6	3	8	6	4	3	5	2	5	2
White	141	-	3	8	24	49	28	14	6	5	2	1	23	1	3	2	4	2	3	-	3	2	2	1
All other	72	2	1	4	22	20	11	3	5	1	1	1	24	2	3	1	4	4	1	3	2	-	3	1
Black	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	69	...	...	2	21	24	8	6	8	-	-	-	10	...	...	-	-	2	1	6	1	-	-	-
White	42	...	...	-	14	12	6	4	6	-	-	-	8	...	...	-	-	2	-	5	1	-	-	-
All other	27	...	...	2	7	12	2	2	2	-	-	-	2	...	...	-	-	-	1	1	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	30	-	1	2	6	10	8	1	2	-	-	-	14	-	-	-	9	3	1	1	-	-	-	-
White	20	-	-	1	4	4	8	1	2	-	-	-	9	-	-	-	4	3	1	1	-	-	-	-
All other	10	-	1	1	2	6	-	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	34	-	-	-	12	11	8	1	2	-	-	-	3	-	-	-	1	1	-	1	-	-	-	-
White	16	-	-	-	5	6	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	18	-	-	-	7	5	4	-	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	14,381	340	98	97	508	613	662	936	2,019	3,820	3,663	1,583	11,188	231	69	51	179	247	333	492	1,294	2,489	3,245	2,551
White	13,290	274	76	79	402	500	540	824	1,907	3,658	3,517	1,477	10,490	188	60	38	143	205	275	435	1,191	2,384	3,122	2,445
All other	1,091	66	22	18	106	113	122	112	112	164	146	106	698	43	9	13	36	42	58	57	103	105	123	106
Black	369	28	5	3	19	31	32	41	47	67	61	31	234	12	2	3	12	10	15	11	41	37	46	44
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	21	-	-	-	-	-	2	1	5	5	5	3	8	-	-	-	-	-	1	1	1	2	2	1
White	14	-	-	-	-	-	1	1	4	4	2	2	4	-	-	-	-	-	1	-	-	1	1	1
All other	7	-	-	-	-	-	1	-	1	1	3	1	4	-	-	-	-	-	-	1	1	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	-	2	1	3	4	5	3	8	-	-	-	-	-	1	1	1	2	2	1
White	11	-	-	-	-	-	1	1	2	3	2	2	4	-	-	-	-	-	1	-	-	1	1	1
All other	7	-	-	-	-	-	1	-	1	1	3	1	4	-	-	-	-	-	-	1	1	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
White	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	81	3	-	1	2	1	7	2	10	17	25	13	78	1	-	-	-	-	2	5	8	16	26	20
White	69	1	-	1	2	1	6	1	10	15	22	10	71	1	-	-	-	-	2	4	6	15	25	18
All other	12	2	-	-	-	-	1	1	-	2	3	3	7	-	-	-	-	-	-	1	2	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	12	–	1	–	–	1	2	2	3	1	2	–	7	–	–	–	–	1	1	–	2	–	2	1
White	11	–	1	–	–	1	2	2	2	1	2	–	7	–	–	–	–	1	1	–	2	–	2	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	87	2	2	2	3	16	14	9	11	11	12	5	49	2	–	1	2	1	3	5	6	13	10	6
White	74	1	2	2	3	14	10	7	11	9	11	4	41	1	–	1	2	1	3	4	4	11	10	4
All other	13	1	–	–	–	2	4	2	–	2	1	1	8	1	–	–	–	–	–	1	2	2	–	2
Black	7	–	–	–	–	2	4	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,189	–	9	11	21	29	67	228	652	1,085	842	225	2,659	1	6	11	14	44	109	198	580	829	658	229
White	3,028	–	8	10	20	28	61	209	620	1,052	812	208	2,525	1	6	10	11	39	97	184	524	808	629	216
All other	141	–	1	1	1	1	6	19	32	33	30	17	134	–	–	1	3	5	12	14	36	21	29	13
Black	77	–	–	–	–	1	3	11	22	16	18	6	54	–	–	–	1	3	4	4	16	8	11	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	–	–	–	–	–	–	3	21	23	6	5	24	–	–	–	–	–	–	2	9	10	1	2
White	52	–	–	–	–	–	–	3	17	22	6	4	22	–	–	–	–	–	–	2	8	9	1	2
All other	6	–	–	–	–	–	–	–	4	1	–	1	2	–	–	–	–	–	–	–	1	1	–	–
Black	4	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	724	–	–	–	1	6	15	54	156	261	180	51	609	–	–	–	1	3	13	41	92	197	183	79
White	675	–	–	–	1	6	13	46	145	250	169	45	561	–	–	–	–	3	11	37	81	187	168	74
All other	49	–	–	–	–	–	2	8	11	11	11	6	48	–	–	–	1	–	2	4	11	10	15	5
Black	22	–	–	–	–	–	–	3	7	6	5	1	15	–	–	–	–	–	–	1	2	2	8	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,023	–	–	–	–	–	10	81	250	389	252	41	548	–	–	–	–	2	8	44	149	210	112	23
White	998	–	–	–	–	–	9	78	243	380	250	38	536	–	–	–	–	2	8	43	142	209	110	22
All other	25	–	–	–	–	–	1	3	7	9	2	3	12	–	–	–	–	–	–	1	7	1	2	1
Black	18	–	–	–	–	–	1	3	7	5	1	1	8	–	–	–	–	–	–	1	5	1	1	–
Malignant neoplasm of breast (174-175)	7	–	–	–	–	–	2	–	3	2	–	–	491	–	–	–	–	10	36	39	131	138	104	33
White	6	–	–	–	–	–	2	–	3	1	–	–	473	–	–	–	–	8	33	37	125	137	102	31
All other	1	–	–	–	–	–	–	–	–	1	–	–	18	–	–	–	–	2	3	2	6	1	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	1	2	2	3	1	1	2
Malignant neoplasms of genital organs (179-187)	392	–	–	–	2	5	3	6	35	125	161	55	275	–	–	–	–	10	16	22	57	75	73	22
White	372	–	–	–	2	5	3	5	32	122	150	53	256	–	–	–	–	9	14	20	53	72	68	20
All other	20	–	–	–	–	–	–	1	3	3	11	2	19	–	–	–	–	1	2	2	4	3	5	2
Black	15	–	–	–	–	–	–	1	1	2	9	2	10	–	–	–	–	1	2	–	1	3	1	2
Malignant neoplasms of urinary organs (188-189)	181	–	–	–	–	–	2	14	37	50	57	21	97	–	–	2	–	–	2	9	13	23	38	10
White	176	–	–	–	–	–	2	12	37	48	56	21	95	–	–	2	–	–	2	9	12	23	37	10
All other	5	–	–	–	–	–	–	2	–	2	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	467	–	3	3	5	9	25	46	103	144	104	25	370	–	4	4	9	12	24	25	77	102	74	39
White	450	–	2	3	5	9	24	44	101	140	101	21	351	–	4	4	8	11	19	23	73	99	72	38
All other	17	–	1	–	–	–	1	2	2	4	3	4	19	–	–	–	1	1	5	2	4	3	2	1
Black	7	–	–	–	–	–	1	2	1	1	1	1	2	–	–	–	–	–	–	–	2	–	–	–
Leukemia (204-208)	133	–	5	6	11	4	5	11	15	32	28	16	98	1	2	5	3	3	6	6	8	24	33	7
White	125	–	5	6	10	3	4	9	14	30	28	16	92	1	2	4	2	3	6	4	7	23	33	7
All other	8	–	–	–	1	1	1	2	1	2	–	–	6	–	–	1	1	–	–	2	1	1	–	–
Black	4	–	–	–	–	1	–	1	–	2	–	–	2	–	–	–	1	–	–	–	1	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	184	–	1	2	2	5	5	13	32	59	54	11	147	–	–	–	1	4	4	10	24	50	40	14
White	174	–	1	1	2	5	4	12	28	59	52	10	139	–	–	–	1	3	4	9	23	49	38	12
All other	10	–	–	1	–	–	1	1	4	–	2	1	8	–	–	–	–	1	–	1	1	1	2	2
Black	5	–	–	–	–	–	1	–	2	–	1	1	3	–	–	–	–	1	–	–	–	1	–	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	41	–	–	1	2	1	2	5	5	13	9	3	47	1	–	1	–	2	1	1	5	8	20	8
White	40	–	–	1	1	1	2	5	5	13	9	3	44	1	–	–	–	2	1	1	4	8	19	8
All other	1	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	235	-	-	-	2	6	14	20	36	75	61	21	231	-	-	1	1	5	5	17	29	62	70	41
White	208	-	-	-	2	6	10	17	30	69	55	19	197	-	-	1	1	4	4	13	20	52	63	39
All other	27	-	-	-	-	-	4	3	6	6	6	2	34	-	-	-	-	1	1	4	9	10	7	2
Black	10	-	-	-	-	-	1	1	2	2	2	2	3	-	-	-	-	-	-	1	-	-	1	1
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	1	5	6	7	20	-	-	-	-	-	-	1	-	2	8	9
White	18	-	-	-	-	-	-	-	1	5	5	7	19	-	-	-	-	-	-	1	-	2	8	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	16	-	-	-	2	1	-	2	-	5	6	-	15	-	1	-	-	-	-	1	3	2	6	2
White	13	-	-	-	-	-	-	2	-	5	6	-	15	-	1	-	-	-	-	1	3	2	6	2
All other	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	16	5	1	-	-	2	-	1	-	2	5	-	7	3	-	-	-	1	-	-	1	-	2	-
White	15	4	1	-	-	2	-	1	-	2	5	-	6	2	-	-	-	1	-	-	1	-	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,501	7	3	3	15	37	118	318	790	1,672	1,712	822	4,701	9	3	1	4	20	29	105	340	987	1,637	1,584
White	5,254	5	2	1	14	31	96	291	756	1,608	1,658	788	4,512	6	2	1	3	18	21	94	322	919	1,589	1,536
All other	247	2	1	2	1	6	22	27	34	64	54	34	189	3	1	-	1	2	8	11	18	48	48	48
Black	112	1	-	-	-	2	12	14	16	30	23	14	91	2	1	-	1	2	3	2	8	21	24	27
Diseases of heart (390-398,402,404-429)	4,559	5	3	2	14	28	105	277	700	1,401	1,397	623	3,579	8	2	1	2	12	16	78	262	756	1,258	1,184
White	4,361	4	2	-	13	22	88	256	670	1,354	1,350	598	3,435	6	1	1	1	10	10	71	247	721	1,221	1,146
All other	198	1	1	2	1	6	17	21	30	47	47	25	144	2	1	-	1	2	6	7	15	35	37	38
Black	88	-	-	-	-	2	10	10	14	24	18	10	73	2	1	-	1	2	2	2	6	17	16	22
Rheumatic fever and rheumatic heart disease (390-398)	28	-	-	1	-	2	-	2	4	9	9	1	53	-	-	-	-	1	-	3	9	18	17	5
White	23	-	-	-	-	-	-	1	4	9	9	-	52	-	-	-	-	1	-	3	8	18	17	5
All other	5	-	-	1	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	65	-	-	-	-	-	4	3	7	21	17	13	70	-	-	-	-	-	-	-	6	17	30	17
White	58	-	-	-	-	-	2	1	7	19	16	13	67	-	-	-	-	-	-	-	6	15	29	17
All other	7	-	-	-	-	-	2	2	-	2	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	5	-	-	-	-	-	1	2	-	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	2	4	2	13	-	-	-	-	-	-	1	2	4	2	4
White	7	-	-	-	-	-	-	-	-	2	4	1	11	-	-	-	-	-	-	1	2	3	1	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,406	-	-	-	2	14	84	211	556	1,092	1,023	422	2,382	-	-	-	-	4	8	45	187	530	861	747
White	3,305	-	-	-	2	14	73	204	537	1,060	999	414	2,300	-	-	-	-	4	5	39	176	508	841	727
All other	101	-	-	-	-	-	11	7	19	32	24	8	82	-	-	-	-	-	3	6	11	22	20	20
Black	54	-	-	-	-	-	7	4	11	17	10	5	42	-	-	-	-	-	-	1	6	14	10	11
Acute myocardial infarction (410)	1,559	-	-	-	2	11	46	94	254	517	488	146	960	-	-	-	-	2	7	22	101	265	354	209
White	1,520	-	-	-	2	11	41	89	246	508	478	144	927	-	-	-	-	2	5	18	97	253	346	206
All other	39	-	-	-	-	-	5	5	8	9	10	2	33	-	-	-	-	-	2	4	4	12	8	3
Black	19	-	-	-	-	-	4	2	3	3	5	2	14	-	-	-	-	-	-	1	2	7	3	1
Other acute and subacute forms of ischemic heart disease (411)	272	-	-	-	-	1	11	46	86	78	39	10	72	-	-	-	-	1	-	7	14	24	21	5
White	262	-	-	-	-	1	10	45	82	76	37	10	70	-	-	-	-	1	-	7	13	24	20	5
All other	10	-	-	-	-	-	1	1	4	2	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	7	-	-	-	-	-	1	1	4	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	1	1	-	1	7	-	-	-	-	-	-	-	-	1	5	1
White	3	-	-	-	-	-	-	-	1	1	-	1	7	-	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,572	-	-	-	-	2	27	71	215	496	496	265	1,343	-	-	-	-	1	1	16	72	240	481	532
White	1,520	-	-	-	-	2	22	70	208	475	484	259	1,296	-	-	-	-	1	-	14	68	230	470	515
All other	52	-	-	-	-	-	5	1	7	21	12	6	47	-	-	-	-	-	1	2	4	10	11	17
Black	28	-	-	-	-	-	2	1	4	13	5	3	26	-	-	-	-	-	-	-	3	7	6	10
Other diseases of endocardium (424)	68	-	-	-	1	-	2	2	8	17	25	13	74	-	-	-	-	-	1	3	4	14	26	26
White	66	-	-	-	1	-	2	2	8	17	24	12	73	-	-	-	-	-	-	3	4	14	26	26
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	984	5	3	1	11	12	15	59	125	260	319	172	987	8	2	1	2	7	7	26	54	173	322	385
White	902	4	2	–	10	8	11	48	114	247	298	158	932	6	1	1	1	5	5	25	51	163	307	367
All other	82	1	1	1	1	4	4	11	11	13	21	14	55	2	1	–	1	2	2	1	3	10	15	18
Black	28	–	–	–	–	2	2	4	3	5	8	4	28	2	1	–	1	2	1	1	–	2	7	11
Hypertension with or without renal disease (401,403)	37	1	–	–	–	1	–	3	6	11	7	8	45	–	–	–	–	–	1	–	3	3	21	17
White	34	1	–	–	–	1	–	2	4	11	7	8	45	–	–	–	–	–	1	–	3	3	21	17
All other	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	622	1	–	1	–	7	11	30	52	161	213	146	818	1	1	–	1	7	11	24	64	160	272	275
White	583	–	–	1	–	7	7	26	50	146	207	139	776	–	1	–	1	7	9	20	62	148	262	265
All other	39	1	–	–	–	–	4	4	2	15	6	7	42	1	–	–	–	–	2	4	2	12	10	10
Black	17	1	–	–	–	–	1	3	1	4	4	3	16	–	–	–	–	–	1	–	1	3	6	5
Intracerebral and other intracranial hemorrhage (431-432)	103	1	–	1	–	1	4	13	15	32	25	11	134	1	–	–	–	3	3	8	20	37	45	17
White	93	–	–	1	–	1	3	10	15	29	25	9	122	–	–	–	–	3	3	6	19	32	42	17
All other	10	1	–	–	–	–	1	3	–	3	–	2	12	1	–	–	–	–	–	2	1	5	3	–
Black	5	1	–	–	–	–	–	2	–	1	–	1	3	–	–	–	–	–	–	–	–	1	2	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	72	–	–	–	–	–	–	3	4	17	28	20	97	–	–	–	–	–	–	3	3	23	33	35
White	69	–	–	–	–	–	–	3	4	16	27	19	86	–	–	–	–	–	–	3	3	22	33	35
All other	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	2	–	1
White	4	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	443	–	–	–	–	6	7	14	33	110	158	115	584	–	1	–	1	4	8	13	41	98	194	222
White	417	–	–	–	–	6	4	13	31	99	153	111	555	–	1	–	1	4	6	11	40	92	187	212
All other	26	–	–	–	–	–	3	1	2	11	5	4	29	–	–	–	–	–	2	2	1	6	7	10
Black	11	–	–	–	–	–	1	1	1	3	4	1	13	–	–	–	–	–	1	–	1	2	4	5
Atherosclerosis (440)	109	–	–	–	–	–	–	3	8	23	41	34	157	–	–	–	–	–	–	–	3	18	48	88
White	104	–	–	–	–	–	–	2	8	22	40	32	154	–	–	–	–	–	–	–	2	17	47	88
All other	5	–	–	–	–	–	–	1	–	1	1	2	3	–	–	–	–	–	–	–	1	1	1	–
Black	4	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–	1	1	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	174	–	–	–	1	1	2	5	24	76	54	11	102	–	–	–	1	1	1	3	8	30	38	20
White	172	–	–	–	1	1	1	5	24	75	54	11	102	–	–	–	1	1	1	3	8	30	38	20
All other	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	7	–	–	–	–	–	–	1	1	3	1	1	3	2	–	–	–	–	–	–	–	–	–	1
White	6	–	–	–	–	–	–	–	1	3	1	1	2	1	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	425	4	3	–	1	5	10	9	40	86	160	107	419	6	4	1	2	4	5	6	21	51	130	189
White	383	3	2	–	1	4	5	7	36	77	154	94	392	5	3	1	2	4	3	6	19	50	123	176
All other	42	1	1	–	–	1	5	2	4	9	6	13	27	1	1	–	–	–	2	–	2	1	7	13
Black	14	–	–	–	–	–	2	1	–	5	1	5	7	–	–	–	–	–	–	–	2	1	2	2
Pneumonia (480-486)	416	4	3	–	1	5	10	9	40	85	155	104	413	6	4	1	2	4	4	6	21	50	129	186
White	374	3	2	–	1	4	5	7	36	78	149	91	386	5	3	1	2	4	2	6	19	49	122	173
All other	42	1	1	–	–	1	5	2	4	9	6	13	27	1	1	–	–	–	2	–	2	1	7	13
Black	14	–	–	–	–	–	2	1	–	5	1	5	7	–	–	–	–	–	–	–	2	1	2	2
Influenza (487)	9	–	–	–	–	–	–	–	–	1	5	3	6	–	–	–	–	–	1	–	–	1	1	3
White	9	–	–	–	–	–	–	–	–	1	5	3	6	–	–	–	–	–	1	–	–	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	866	–	2	1	2	1	3	31	111	330	301	84	530	1	–	–	1	2	1	14	70	186	178	77
White	844	–	2	1	2	1	3	30	109	323	295	78	519	1	–	–	–	2	1	14	65	186	176	74
All other	22	–	–	–	–	–	–	1	2	7	6	6	11	–	–	–	1	–	–	–	5	–	2	3
Black	8	–	–	–	–	–	–	1	–	2	3	2	6	–	–	–	1	–	–	–	3	–	1	1
Bronchitis, chronic and unspecified (490-491)	27	–	1	–	–	–	1	1	2	9	8	5	33	1	–	–	–	–	–	1	3	13	9	6
White	25	–	1	–	–	–	1	1	2	9	7	4	33	1	–	–	–	–	–	1	3	13	9	6
All other	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	222	–	–	–	–	–	1	7	33	96	69	16	105	–	–	–	–	–	–	4	13	39	37	12
White	220	–	–	–	–	–	1	6	33	96	68	16	105	–	–	–	–	–	–	4	13	39	37	12
All other	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	41	–	1	1	2	1	–	3	7	12	12	2	46	–	–	–	1	2	–	4	8	13	12	6
White	38	–	1	1	2	1	–	3	6	11	11	2	44	–	–	–	–	2	–	4	7	13	12	6
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	1	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	576	–	–	–	–	–	1	20	69	213	212	61	346	–	–	–	–	–	1	5	46	121	120	53
White	561	–	–	–	–	–	1	20	68	207	209	56	337	–	–	–	–	–	1	5	42	121	118	50
All other	15	–	–	–	–	–	–	–	1	6	3	5	9	–	–	–	–	–	–	–	4	–	2	3
Black	6	–	–	–	–	–	–	–	–	2	2	2	5	–	–	–	–	–	–	–	3	–	1	1
Ulcer of stomach and duodenum (531-533)	40	–	–	–	–	–	1	2	7	13	13	4	45	–	–	–	–	–	1	2	5	8	13	16
White	40	–	–	–	–	–	1	2	7	13	13	4	42	–	–	–	–	–	–	2	5	8	12	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1
Appendicitis (540-543)	5	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	–	2	1	1	–
White	4	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	–	2	1	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	1	–	–	–	–	–	–	1	6	6	4	31	–	–	–	–	–	–	1	1	7	14	8
White	16	1	–	–	–	–	–	–	1	5	5	4	29	–	–	–	–	–	–	1	1	6	13	8
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic liver disease and cirrhosis (571)	236	–	–	–	–	12	40	55	55	54	20	2	135	–	–	–	1	8	16	27	42	24	16	1
White	195	–	–	–	–	5	27	44	49	50	18	2	117	–	–	–	–	5	11	23	38	23	16	1
All other	43	–	–	–	–	7	13	11	6	4	2	–	18	–	–	–	1	3	5	4	4	1	–	–
Black	6	–	–	–	–	–	2	2	2	–	–	–	3	–	–	–	–	–	–	–	3	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	21	–	–	–	–	–	–	2	1	6	8	2	15	–	–	–	–	–	–	–	–	3	8	4
White	20	–	–	–	–	–	–	2	1	6	7	2	12	–	–	–	–	–	–	–	–	2	6	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	120	2	–	1	1	1	3	6	16	24	36	30	135	1	–	–	1	2	6	7	19	32	42	25
White	107	1	–	1	1	1	2	3	13	23	35	27	119	–	–	–	1	2	5	3	15	30	39	24
All other	13	1	–	–	–	–	1	3	3	1	1	3	16	1	–	–	–	–	1	4	4	2	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	–	–	–	–	–	–	–	2	4	–	4	–	–	–	–	–	–	–	1	1	1	1
White	6	–	–	–	–	–	–	–	–	2	4	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	113	2	–	1	1	1	3	6	16	22	32	29	130	1	–	–	1	2	6	7	18	31	40	24
White	100	1	–	1	1	1	2	3	13	21	31	26	116	–	–	–	1	2	5	3	15	30	37	23
All other	13	1	–	–	–	–	1	3	3	1	1	3	14	1	–	–	–	–	1	4	3	1	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Infections of kidney (590)	4	–	–	–	–	1	–	1	–	1	–	1	12	–	–	–	–	–	–	–	3	–	6	3
White	3	–	–	–	–	–	–	1	–	1	–	1	10	–	–	–	–	–	–	–	2	–	5	3
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	–	–	3	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	–	–	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	101	69	7	6	3	4	2	2	2	2	2	2	88	58	9	3	1	4	4	3	2	4	-	-
White	86	55	7	5	3	4	2	2	2	2	2	2	76	49	9	1	1	3	4	3	2	4	-	-
All other	15	14	-	1	-	-	-	-	-	-	-	-	12	9	-	2	-	1	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	157	157	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
White	135	135	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	36	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	33	33	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	121	121	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
White	102	102	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	166	64	5	2	2	4	13	12	13	18	10	17	144	51	2	-	6	3	5	4	5	11	17	38
White	126	52	4	1	1	4	8	8	11	13	7	12	121	44	2	-	4	2	5	3	4	9	13	34
All other	40	12	1	1	1	-	5	4	2	5	3	5	23	7	-	-	2	1	-	1	1	2	4	4
Black	8	4	1	-	1	-	-	-	-	-	-	1	5	3	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	1,128	12	6	9	23	63	80	67	135	247	307	176	960	5	8	6	14	19	50	41	109	176	291	239
White	1,006	8	5	8	17	55	60	53	123	228	289	158	889	5	7	6	10	18	34	33	100	168	281	226
All other	122	4	1	1	6	8	20	14	12	19	18	18	71	-	1	-	4	1	16	8	9	8	10	13
Black	34	-	1	1	2	3	4	1	2	10	8	1	23	-	1	-	2	1	4	3	2	2	4	4
Accidents and adverse effects (E800-E949)	1,128	8	53	50	272	230	155	95	67	72	60	44	519	11	32	23	89	75	51	24	30	66	72	46
White	919	3	40	39	215	179	128	77	60	63	54	41	435	7	27	14	74	56	43	17	24	61	69	43
All other	209	5	13	11	57	51	27	18	7	9	6	3	84	4	5	9	15	19	8	7	6	5	3	3
Black	26	2	2	2	4	6	3	3	1	-	1	-	9	-	-	1	4	-	1	-	1	2	-	-
Motor vehicle accidents (E810-E825)	665	3	20	33	209	161	80	61	33	29	22	8	291	2	14	13	79	59	34	17	15	35	18	5
White	528	1	15	27	157	121	64	48	30	23	19	8	232	-	10	8	66	42	29	10	12	33	17	5
All other	137	2	5	6	42	40	16	13	3	6	3	-	59	2	4	5	13	17	5	7	3	2	1	-
Black	10	-	-	1	2	3	1	2	-	-	-	-	5	-	-	-	3	-	1	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	463	5	33	17	63	69	75	34	34	43	38	36	228	9	18	10	10	16	17	7	15	31	54	41
White	391	2	25	12	48	58	64	29	30	40	35	33	203	7	17	6	8	14	14	7	12	28	52	38
All other	72	3	8	5	15	11	11	5	4	3	3	3	25	2	1	4	2	2	3	-	3	3	2	3
Black	16	2	2	1	2	3	2	1	1	-	1	-	4	-	-	1	1	-	-	-	1	1	-	-
Suicide (E950-E959)	478	...	...	8	87	112	82	41	46	51	44	6	154	...	...	-	21	33	30	20	23	14	12	1
White	442	...	...	7	77	96	78	40	45	50	42	6	144	...	...	-	18	30	28	20	22	13	12	1
All other	36	...	...	1	10	16	4	1	1	1	2	-	10	...	...	-	3	3	2	-	1	1	-	-
Black	10	...	...	-	3	4	-	1	1	-	1	-	4	...	...	-	1	1	-	-	1	1	-	-
Homicide and legal intervention (E960-E978)	251	3	4	2	62	82	45	23	8	11	5	1	80	1	4	3	18	21	10	7	5	4	4	2
White	190	3	1	2	38	64	36	18	7	11	4	1	65	1	3	3	14	16	8	6	4	4	3	2
All other	61	-	3	-	24	18	9	5	1	-	1	-	15	-	1	-	4	5	2	1	1	-	1	-
Black	27	-	1	-	7	12	1	5	1	-	-	-	6	-	-	-	2	1	1	1	-	-	1	-
All other external causes (E980-E999)	21	-	1	-	8	4	1	1	1	1	3	-	10	-	-	-	1	2	3	2	1	1	-	-
White	16	-	-	-	5	3	1	1	1	1	3	-	8	-	-	-	-	1	3	2	1	1	-	-
All other	5	-	1	-	3	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	13,063	192	54	84	317	354	457	795	1,819	3,427	3,755	1,808	10,905	163	32	54	119	138	247	420	1,068	2,277	3,471	2,911
White	10,928	128	39	61	243	260	338	654	1,551	2,988	3,209	1,477	9,050	102	15	42	91	96	190	311	868	1,902	2,948	2,484
All other	2,135	64	15	23	74	94	119	141	288	459	546	331	1,855	61	17	12	28	42	57	109	200	375	523	427
Black	2,119	64	14	23	74	90	118	140	287	456	544	328	1,839	60	17	12	25	40	56	107	198	374	521	425
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	23	-	-	-	-	-	-	2	3	5	7	6	8	-	-	-	-	-	-	-	-	1	3	4
White	20	-	-	-	-	-	-	1	3	5	6	5	5	-	-	-	-	-	-	-	-	1	2	2
All other	3	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	3	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	-	-	2	3	5	6	6	5	-	-	-	-	-	-	-	-	-	2	3
White	19	-	-	-	-	-	-	1	3	5	5	5	3	-	-	-	-	-	-	-	-	-	2	1
All other	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
White	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	113	7	-	3	1	2	3	2	7	23	43	22	124	-	-	-	3	2	2	2	4	24	50	37
White	89	4	-	1	1	1	3	2	4	16	39	18	106	-	-	-	1	2	2	2	4	21	44	30
All other	24	3	-	2	-	1	-	-	3	7	4	4	18	-	-	-	2	-	-	-	-	3	6	7
Black	24	3	-	2	-	1	-	-	3	7	4	4	18	-	-	-	2	-	-	-	-	3	6	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	1	1	1	-	3	-	-	6	-	-	-	-	1	-	2	-	3	-	-
White	4	-	-	-	-	1	1	1	-	1	-	-	3	-	-	-	-	1	-	2	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	-	-	2	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	37	1	-	-	1	4	7	1	2	12	9	-	28	-	-	-	1	1	1	3	2	13	6	1
White	29	-	-	-	1	3	4	-	2	10	9	-	23	-	-	-	-	-	-	2	2	12	6	1
All other	8	1	-	-	-	1	3	1	-	2	-	-	5	-	-	-	1	1	1	1	-	1	-	-
Black	8	1	-	-	-	1	3	1	-	2	-	-	5	-	-	-	1	1	1	1	-	1	-	-
Malignant neoplasms, *including neoplasms of* lymphatic and hematopoietic tissues (140-208)	2,936	1	1	7	13	26	62	207	575	998	801	245	2,140	-	3	2	6	26	85	166	391	641	559	261
White	2,494	1	-	5	11	20	50	176	489	863	683	196	1,852	-	3	2	3	18	74	134	339	562	497	220
All other	442	-	1	2	2	6	12	31	86	135	118	49	288	-	-	-	3	8	11	32	52	79	62	41
Black	440	-	1	2	2	6	12	30	86	134	118	49	284	-	-	-	2	8	10	31	51	78	62	41

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	50	-	-	-	-	1	2	5	9	18	8	7	30	-	-	-	-	-	1	2	3	10	9	5
White	36	-	-	-	-	1	1	4	7	14	6	3	26	-	-	-	-	-	-	2	3	9	8	4
All other	14	-	-	-	-	-	1	1	2	4	2	4	4	-	-	-	-	-	1	-	-	1	1	1
Black	14	-	-	-	-	-	1	1	2	4	2	4	3	-	-	-	-	-	-	-	-	1	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	573	-	-	-	-	3	13	40	109	178	171	59	508	-	-	-	-	3	16	23	78	130	157	99
White	475	-	-	-	-	2	9	35	85	153	143	48	418	-	-	-	-	3	14	16	67	107	132	79
All other	98	-	-	-	-	1	4	5	24	25	28	11	88	-	-	-	-	-	2	7	11	23	25	20
Black	97	-	-	-	-	1	4	4	24	25	28	11	88	-	-	-	-	-	2	7	11	23	25	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,211	-	-	-	1	-	19	106	294	456	291	44	403	-	-	-	1	1	13	28	106	149	85	20
White	1,054	-	-	-	1	-	16	91	253	396	261	36	369	-	-	-	-	1	10	25	94	141	79	19
All other	157	-	-	-	-	-	3	15	41	60	30	8	34	-	-	-	1	-	3	3	12	8	6	1
Black	156	-	-	-	-	-	3	15	41	59	30	8	33	-	-	-	-	-	3	3	12	8	6	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	-	1	351	-	-	-	-	6	22	48	79	103	64	29
White	2	-	-	-	-	-	-	-	-	1	-	1	305	-	-	-	-	4	18	40	68	93	58	24
All other	1	-	-	-	-	-	-	-	-	1	-	-	46	-	-	-	-	2	4	8	11	10	6	5
Black	1	-	-	-	-	-	-	-	-	1	-	-	46	-	-	-	-	2	4	8	11	10	6	5
Malignant neoplasms of genital organs (179-187)	329	-	-	-	-	2	-	-	17	94	137	70	209	-	-	-	-	6	10	21	27	71	56	18
White	261	-	-	-	-	1	-	-	16	78	110	56	164	-	-	-	-	5	9	16	18	52	50	14
All other	68	-	-	-	-	1	-	-	1	16	27	14	45	-	-	-	-	1	1	5	9	19	6	4
Black	59	-	-	-	-	1	-	-	1	16	27	14	44	-	-	-	-	1	1	4	9	19	6	4
Malignant neoplasms of urinary organs (188-189)	115	-	-	-	-	1	1	5	21	38	31	18	68	-	-	-	-	1	3	4	8	18	22	14
White	98	-	-	-	-	-	1	4	19	36	27	11	62	-	-	-	-	-	3	4	6	15	20	14
All other	17	-	-	-	-	1	-	1	2	2	4	7	6	-	-	-	-	1	-	-	-	3	2	-
Black	17	-	-	-	-	1	-	1	2	2	4	7	6	-	-	-	-	1	-	-	-	3	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	415	-	-	2	6	9	17	35	86	132	108	20	369	-	2	1	3	6	13	29	58	100	105	52
White	358	-	-	2	5	7	14	27	76	120	89	18	330	-	2	1	1	4	13	23	53	92	97	44
All other	57	-	-	-	1	2	3	8	10	12	19	2	39	-	-	-	2	2	-	6	5	8	8	8
Black	57	-	-	-	1	2	3	8	10	12	19	2	39	-	-	-	2	2	-	6	5	8	8	8
Leukemia (204-208)	105	1	-	5	5	4	4	5	14	31	27	9	75	-	-	1	2	1	-	6	15	19	24	7
White	94	1	-	3	4	3	4	5	13	29	23	9	66	-	-	1	2	-	-	5	14	18	20	6
All other	11	-	-	2	1	1	-	-	1	2	4	-	9	-	-	-	-	1	-	1	1	1	4	1
Black	11	-	-	2	1	1	-	-	1	2	4	-	9	-	-	-	-	1	-	1	1	1	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	144	-	1	-	1	6	6	11	25	49	28	17	129	-	1	-	-	2	7	5	19	41	37	17
White	116	-	-	-	1	6	5	10	20	36	24	14	112	-	1	-	-	1	7	3	16	35	33	16
All other	28	-	1	-	-	-	1	1	5	13	4	3	17	-	-	-	-	1	-	2	3	6	4	1
Black	28	-	1	-	-	-	1	1	5	13	4	3	16	-	-	-	-	1	-	2	2	6	4	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	34	-	1	1	-	-	1	3	3	9	13	3	35	1	-	1	1	-	-	3	8	5	11	5
White	33	-	1	1	-	-	1	3	3	9	12	3	30	1	-	1	-	-	-	3	7	5	8	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	1	-	-	-	1	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Diabetes mellitus (250)	117	-	-	-	-	6	5	3	24	36	31	12	219	-	-	-	2	4	3	11	27	61	71	40
White	92	-	-	-	-	6	4	3	15	28	27	9	148	-	-	-	2	3	2	5	14	42	50	30
All other	25	-	-	-	-	-	1	-	9	8	4	3	71	-	-	-	-	1	1	6	13	19	21	10
Black	25	-	-	-	-	-	1	-	9	8	4	3	71	-	-	-	-	1	1	6	13	19	21	10
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	1	1	3	5	5	17	-	-	-	-	-	1	1	-	4	6	5
White	12	-	-	-	-	-	-	1	1	2	4	4	16	-	-	-	-	-	1	1	-	4	5	5
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	23	-	-	2	1	-	2	1	-	6	6	5	19	-	-	-	2	-	-	-	1	6	7	3
White	17	-	-	1	1	-	-	-	-	5	5	5	15	-	-	-	1	-	-	-	1	6	5	2
All other	6	-	-	1	-	-	2	1	-	1	1	-	4	-	-	-	1	-	-	-	-	-	2	1
Black	6	-	-	1	-	-	2	1	-	1	1	-	4	-	-	-	1	-	-	-	-	-	2	1
Meningitis (320-322)	5	-	1	-	-	-	1	-	2	-	1	-	8	3	-	-	-	-	-	-	-	2	3	-
White	3	-	1	-	-	-	1	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	2	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	2	-	-	-	-	-	-	-	2	1	-
Major cardiovascular diseases (390-448)	5,999	17	2	5	10	36	140	351	790	1,631	1,975	1,042	5,581	9	1	5	2	19	71	134	425	1,056	1,994	1,860
White	5,047	9	2	3	7	23	102	286	683	1,409	1,679	844	4,639	4	-	5	1	10	46	86	339	858	1,683	1,606
All other	952	8	-	2	3	13	38	65	107	222	296	198	942	5	1	-	1	9	25	48	86	198	311	254
Black	950	8	-	2	3	13	38	65	107	222	295	197	934	5	1	-	1	8	25	47	85	197	309	252

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,878	17	2	4	8	29	119	299	681	1,347	1,577	795	4,214	9	1	3	2	15	54	108	340	838	1,470	1,372
White	4,155	9	2	2	6	20	90	251	592	1,178	1,356	649	3,518	4	–	3	1	7	35	67	278	686	1,249	1,187
All other	723	8	–	2	2	9	29	48	89	169	221	146	696	5	1	–	1	8	19	41	62	152	221	185
Black	723	8	–	2	2	9	29	48	89	169	221	146	689	5	1	–	1	7	19	40	62	151	219	183
Rheumatic fever and rheumatic heart disease (390-398)	13	–	–	–	1	–	–	2	1	5	3	1	19	–	–	–	–	–	1	1	3	4	6	4
White	11	–	–	–	–	–	–	2	1	5	2	1	18	–	–	–	–	–	1	1	2	4	6	4
All other	2	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart disease (402)	46	–	–	–	–	2	1	3	6	13	15	6	77	–	–	–	–	2	1	5	4	16	31	18
White	29	–	–	–	–	–	–	2	5	10	10	2	48	–	–	–	–	1	–	–	1	9	22	15
All other	17	–	–	–	–	2	1	1	1	3	5	4	29	–	–	–	–	1	1	5	3	7	9	3
Black	17	–	–	–	–	2	1	1	1	3	5	4	29	–	–	–	–	1	1	5	3	7	9	3
Hypertensive heart and renal disease (404)	8	–	–	–	–	–	–	–	1	2	3	2	10	–	–	–	–	–	–	2	–	3	1	4
White	6	–	–	–	–	–	–	–	1	–	3	2	5	–	–	–	–	–	–	–	–	1	1	3
All other	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	2	–	2	–	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	2	–	2	–	1
Ischemic heart disease (410-414)	2,863	–	–	–	–	7	71	182	416	608	936	443	2,310	–	–	–	–	1	19	52	195	483	826	733
White	2,515	–	–	–	–	7	53	159	376	725	831	364	1,876	–	–	–	–	–	15	37	159	406	710	648
All other	348	–	–	–	–	–	18	23	40	83	105	79	334	–	–	–	–	1	4	15	36	77	116	85
Black	348	–	–	–	–	–	18	23	40	83	105	79	331	–	–	–	–	1	4	15	36	76	115	84
Acute myocardial infarction (410)	1,893	–	–	–	–	7	54	148	312	561	592	219	1,295	–	–	–	–	1	17	45	138	341	461	292
White	1,664	–	–	–	–	7	40	128	280	499	520	190	1,104	–	–	–	–	–	14	33	112	287	394	264
All other	229	–	–	–	–	–	14	20	32	62	72	29	191	–	–	–	–	1	3	12	26	54	67	28
Black	229	–	–	–	–	–	14	20	32	62	72	29	189	–	–	–	–	1	3	12	26	53	66	28
Other acute and subacute forms of ischemic heart disease (411)	6	–	–	–	–	–	–	–	3	–	2	1	5	–	–	–	–	–	–	–	1	–	1	3
White	6	–	–	–	–	–	–	–	3	–	2	1	4	–	–	–	–	–	–	–	–	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	1	–	–	–	1	2	4	–	–	–	–	–	–	1	–	1	2	–
White	4	–	–	–	–	–	1	–	–	–	1	2	4	–	–	–	–	–	–	1	–	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	960	–	–	–	–	–	16	34	101	247	341	221	1,006	–	–	–	–	–	2	6	56	141	362	439
White	841	–	–	–	–	–	12	31	93	226	308	171	864	–	–	–	–	–	1	3	47	118	313	381
All other	119	–	–	–	–	–	4	3	8	21	33	50	142	–	–	–	–	–	1	3	9	23	49	57
Black	119	–	–	–	–	–	4	3	8	21	33	50	141	–	–	–	–	–	1	3	9	23	49	56
Other diseases of endocardium (424)	33	–	–	–	–	–	–	1	3	8	11	10	36	–	–	–	–	–	–	–	–	4	18	14
White	29	–	–	–	–	–	–	1	3	6	11	8	34	–	–	–	–	–	–	–	–	3	17	14
All other	4	–	–	–	–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	1	1	–
Black	4	–	–	–	–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	1	1	–
All other forms of heart disease (415-423,425-429)	1,915	17	2	4	7	20	47	111	254	511	609	333	1,762	9	1	3	2	12	33	48	138	328	588	599
White	1,565	9	2	2	6	13	37	87	206	432	499	272	1,437	4	–	3	1	6	19	29	116	263	493	503
All other	350	8	–	2	1	7	10	24	48	79	110	61	325	5	1	–	1	6	14	19	22	65	95	96
Black	350	8	–	2	1	7	10	24	48	79	110	61	321	5	1	–	1	5	14	18	22	65	94	95
Hypertension with or without renal disease (401,403)	31	–	–	–	–	1	1	–	1	15	8	5	35	–	–	–	–	–	2	–	1	13	11	8
White	22	–	–	–	–	–	1	–	1	9	7	4	19	–	–	–	–	–	–	–	1	5	7	6
All other	9	–	–	–	–	1	–	–	–	6	1	1	16	–	–	–	–	–	2	–	–	8	4	2
Black	9	–	–	–	–	1	–	–	–	6	1	1	16	–	–	–	–	–	2	–	–	8	4	2
Cerebrovascular diseases (430-438)	865	–	–	1	1	5	19	44	82	210	317	186	1,125	–	–	2	–	3	12	25	78	176	439	389
White	670	–	–	1	1	2	10	27	65	169	250	145	924	–	–	2	–	2	9	19	53	141	363	335
All other	195	–	–	–	–	3	9	17	17	41	67	41	201	–	–	–	–	1	3	6	23	35	76	54
Black	194	–	–	–	–	3	9	17	17	41	66	41	200	–	–	–	–	1	3	6	22	35	76	54
Intracerebral and other intracranial hemorrhage (431-432)	100	–	–	1	–	1	7	13	13	29	28	8	118	–	–	1	–	–	2	6	13	20	46	30
White	71	–	–	1	–	–	2	8	10	24	21	5	103	–	–	1	–	–	2	4	10	18	42	26
All other	29	–	–	–	–	1	5	5	3	5	7	3	15	–	–	–	–	–	–	2	3	2	4	4
Black	28	–	–	–	–	1	5	5	3	5	6	3	15	–	–	–	–	–	–	2	3	2	4	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	113	–	–	–	–	1	1	4	7	32	44	24	133	–	–	–	–	1	–	1	11	23	50	47
White	87	–	–	–	–	1	1	3	5	25	31	21	100	–	–	–	–	1	–	1	5	16	36	41
All other	26	–	–	–	–	–	–	1	2	7	13	3	33	–	–	–	–	–	–	–	6	7	14	6
Black	26	–	–	–	–	–	–	1	2	7	13	3	33	–	–	–	–	–	–	–	6	7	14	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-	-	-	-	2	2	2
White	3	-	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-436)	649	-	-	-	1	3	11	27	62	149	243	153	868	-	-	1	-	2	10	18	52	131	341	310
White	509	-	-	-	1	1	7	16	50	120	196	118	715	-	-	1	-	1	7	14	38	105	283	266
All other	140	-	-	-	-	2	4	11	12	29	47	35	153	-	-	-	-	1	3	4	14	26	58	44
Black	140	-	-	-	-	2	4	11	12	29	47	35	152	-	-	-	-	1	3	4	13	26	58	44
Atherosclerosis (440)	83	-	-	-	-	-	-	-	6	11	29	37	125	-	-	-	-	-	-	-	-	12	38	75
White	70	-	-	-	-	-	-	-	6	9	26	29	106	-	-	-	-	-	-	-	-	10	33	63
All other	13	-	-	-	-	-	-	-	-	2	3	8	19	-	-	-	-	-	-	-	-	2	5	12
Black	12	-	-	-	-	-	-	-	-	2	3	7	19	-	-	-	-	-	-	-	-	2	5	12
Other diseases of arteries, arterioles, and capillaries (441-448)	142	-	-	-	1	1	1	8	20	48	44	19	82	-	-	-	-	1	3	1	8	17	36	16
White	130	-	-	-	-	1	1	8	19	44	40	17	72	-	-	-	-	1	2	-	7	16	31	15
All other	12	-	-	-	1	-	-	-	1	4	4	2	10	-	-	-	-	-	1	1	1	1	5	1
Black	12	-	-	-	1	-	-	-	1	4	4	2	10	-	-	-	-	-	1	1	1	1	5	1
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
White	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	413	5	-	-	2	5	4	7	34	87	143	126	370	2	1	4	-	2	3	9	10	46	115	178
White	353	3	-	-	1	4	2	6	23	74	131	109	318	1	1	3	-	2	2	7	7	40	98	157
All other	60	2	-	-	1	1	2	1	11	13	12	17	52	1	-	1	-	-	1	2	3	6	17	21
Black	59	2	-	-	1	1	2	1	11	13	12	16	52	1	-	1	-	-	1	2	3	6	17	21
Pneumonia (480-486)	400	4	-	-	2	5	4	7	34	85	136	123	380	2	1	4	-	2	3	9	10	46	111	172
White	341	2	-	-	1	4	2	6	23	72	124	107	308	1	1	3	-	2	2	7	7	40	94	151
All other	59	2	-	-	1	1	2	1	11	13	12	16	52	1	-	1	-	-	1	2	3	6	17	21
Black	58	2	-	-	1	1	2	1	11	13	12	15	52	1	-	1	-	-	1	2	3	6	17	21
Influenza (487)	13	1	-	-	-	-	-	-	-	2	7	3	10	-	-	-	-	-	-	-	-	-	4	6
White	12	1	-	-	-	-	-	-	-	2	7	2	10	-	-	-	-	-	-	-	-	-	4	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	518	-	-	-	1	3	3	11	65	187	189	59	250	-	-	1	2	-	1	9	38	91	79	29
White	478	-	-	-	-	1	1	10	52	172	176	56	232	-	-	-	1	-	1	8	35	86	74	27
All other	40	-	-	-	1	2	2	1	3	15	13	3	18	-	-	1	1	-	-	1	3	5	5	2
Black	37	-	-	-	1	1	2	1	3	14	13	2	18	-	-	1	1	-	-	1	3	5	5	2
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	1	-	1	3	6	10	3	14	-	-	-	-	-	-	1	4	3	5	1
White	22	-	-	-	-	-	-	1	3	5	10	3	13	-	-	-	-	-	-	1	4	3	4	1
All other	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	106	-	-	-	-	2	1	4	19	38	36	6	50	-	-	-	-	-	-	-	10	21	11	8
White	94	-	-	-	-	1	-	4	17	33	33	6	50	-	-	-	-	-	-	-	10	21	11	8
All other	12	-	-	-	-	1	1	-	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	12	-	-	-	-	1	1	-	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	16	-	-	-	1	-	1	1	-	6	4	3	18	-	-	1	2	-	1	1	4	3	6	-
White	12	-	-	-	-	-	-	1	-	5	3	3	10	-	-	-	1	-	1	1	2	1	4	-
All other	4	-	-	-	1	-	1	-	-	1	1	-	8	-	-	1	1	-	-	-	2	2	2	-
Black	4	-	-	-	1	-	1	-	-	1	1	-	8	-	-	1	1	-	-	-	2	2	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	372	-	-	-	-	-	1	5	43	137	139	47	168	-	-	-	-	-	-	7	20	64	57	20
White	350	-	-	-	-	-	1	4	42	129	130	44	159	-	-	-	-	-	-	6	19	61	55	18
All other	22	-	-	-	-	-	-	1	1	8	9	3	9	-	-	-	-	-	-	1	1	3	2	2
Black	20	-	-	-	-	-	-	1	1	7	9	2	9	-	-	-	-	-	-	1	1	3	2	2
Ulcer of stomach and duodenum (531-533)	34	-	-	-	-	-	-	4	6	7	14	3	39	-	-	-	-	-	-	-	2	7	16	14
White	31	-	-	-	-	-	-	3	6	6	13	3	37	-	-	-	-	-	-	-	2	7	15	13
All other	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Appendicitis (540-543)	3	-	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	1	-	-	-	-	1	1
White	2	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	-	-	-	-	-	-	-	-	4	9	7	35	1	-	-	-	-	1	2	3	6	15	7
White	13	-	-	-	-	-	-	-	-	3	4	6	28	-	-	-	-	-	1	1	2	5	13	6
All other	7	-	-	-	-	-	-	-	-	1	5	1	7	1	-	-	-	-	-	1	1	1	2	1
Black	7	-	-	-	-	-	-	-	-	1	5	1	7	1	-	-	-	-	-	1	1	1	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	113	-	-	-	-	3	11	27	25	30	15	2	37	-	-	-	-	1	4	5	8	13	4	2
White	96	-	-	-	-	3	9	23	21	27	12	1	30	-	-	-	-	-	3	3	6	12	4	2
All other	17	-	-	-	-	-	2	4	4	3	3	1	7	-	-	-	-	1	1	2	2	1	-	-
Black	16	-	-	-	-	-	2	4	4	2	3	1	7	-	-	-	-	1	1	2	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	-	1	6	5	5	20	-	-	-	-	-	1	-	1	5	10	3
White	16	-	-	-	-	-	-	-	1	6	4	5	18	-	-	-	-	-	1	-	1	5	9	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	138	3	-	-	1	3	2	3	8	22	53	43	162	1	-	-	1	1	-	2	9	36	59	53
White	99	2	-	-	-	3	1	3	6	15	39	30	120	-	-	-	1	1	-	1	7	19	50	41
All other	39	1	-	-	1	-	1	-	2	7	14	13	42	1	-	-	-	-	-	1	2	17	9	12
Black	39	1	-	-	1	-	1	-	2	7	14	13	42	1	-	-	-	-	-	1	2	17	9	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	-	1	1	-	-	-	1	2	3	9	-	-	-	-	-	-	-	-	3	6	-
White	6	-	-	-	-	1	-	-	-	-	2	3	7	-	-	-	-	-	-	-	-	3	4	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	129	3	-	-	-	2	2	3	8	21	50	40	149	1	-	-	1	1	-	2	9	31	52	52
White	92	2	-	-	-	2	1	3	6	15	36	27	109	-	-	-	1	1	-	1	7	14	45	40
All other	37	1	-	-	-	-	1	-	2	6	14	13	40	1	-	-	-	-	-	1	2	17	7	12
Black	37	1	-	-	-	-	1	-	2	6	14	13	40	1	-	-	-	-	-	1	2	17	7	12
Infections of kidney (590)	7	-	-	-	-	-	-	-	2	-	3	2	16	-	-	-	1	-	-	1	-	1	9	10
White	5	-	-	-	-	-	-	-	2	-	2	1	15	-	-	-	1	-	-	1	-	1	2	10
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	56	39	3	-	2	3	1	1	-	6	-	1	51	32	3	3	4	1	1	2	1	1	2	1
White	46	32	2	-	2	3	-	1	-	5	-	1	41	27	-	3	4	-	-	2	1	1	2	1
All other	10	7	1	-	-	-	1	-	-	1	-	-	10	5	3	-	-	1	1	-	-	-	-	-
Black	10	7	1	-	-	-	1	-	-	1	-	-	10	5	3	-	-	1	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	70	68	-	-	-	2	-	-	-	-	-	-	69	68	1	-	-	-	-	-	-	-	-	-
White	44	44	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	26	24	-	-	-	2	-	-	-	-	-	-	28	27	1	-	-	-	-	-	-	-	-	-
Black	26	24	-	-	-	2	-	-	-	-	-	-	27	26	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	25	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	45	43	-	-	-	2	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	17	15	-	-	-	2	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	17	15	-	-	-	2	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	327	29	1	1	-	3	6	20	42	72	98	55	314	31	1	1	1	2	4	8	29	39	88	110
White	243	18	1	1	-	3	4	14	35	60	71	36	235	15	1	-	1	2	3	4	20	31	69	89
All other	84	11	-	-	-	-	2	6	7	12	27	19	78	16	-	1	-	-	1	4	9	8	19	21
Black	84	11	-	-	-	-	2	6	7	12	27	19	79	16	-	1	-	-	1	4	9	8	19	21
All other diseases (Residual)	747	13	8	6	12	16	34	41	106	161	233	117	824	5	2	8	6	17	24	29	55	158	294	226
White	637	11	4	3	8	12	25	32	90	144	202	106	673	4	1	7	2	11	18	21	39	134	251	185
All other	110	2	4	3	4	4	9	9	16	17	31	11	151	1	1	1	4	6	6	8	16	24	43	41
Black	108	2	4	3	4	4	9	9	15	17	30	11	151	1	1	1	4	6	6	8	16	24	43	41
Accidents and adverse effects (E800-E949)	849	6	33	55	203	141	100	61	73	65	72	40	397	7	18	28	61	28	32	9	39	43	66	56
White	700	3	25	42	168	110	85	51	62	57	64	32	302	5	8	20	51	23	26	7	28	37	50	47
All other	149	3	8	13	35	31	14	10	11	8	8	8	95	2	10	8	10	5	6	2	11	6	16	9
Black	145	3	7	13	35	28	14	10	11	8	8	8	84	2	10	8	9	5	6	2	11	6	16	9
Motor vehicle accidents (E810-E825)	437	1	14	19	136	80	69	31	30	28	22	7	167	1	8	16	53	16	19	2	22	23	5	2
White	375	1	9	15	120	69	60	26	25	25	20	5	143	1	5	14	47	13	17	1	19	22	4	-
All other	62	-	5	4	16	11	9	5	5	3	2	2	24	-	3	2	6	3	2	1	3	1	1	2
Black	60	-	4	4	16	10	9	5	5	3	2	2	23	-	3	2	5	3	2	1	3	1	1	2
All other accidents and adverse effects (E800-E807, E826-E949)	412	5	19	36	67	61	31	30	43	37	50	33	220	6	10	12	8	12	13	7	17	20	61	54
White	325	2	16	27	48	41	26	25	37	32	44	27	159	4	3	6	4	10	9	6	9	15	46	47
All other	87	3	3	9	19	20	5	5	6	5	6	6	61	2	7	6	4	2	4	1	8	5	15	7
Black	85	3	3	9	19	18	5	5	6	5	6	6	61	2	7	6	4	2	4	1	8	5	15	7
Suicide (E950-E959)	255	...	...	-	31	50	33	33	37	42	23	6	66	...	...	-	9	12	4	16	9	8	7	1
White	239	...	...	-	29	44	30	32	34	41	23	6	65	...	...	-	9	12	4	16	9	8	6	1
All other	16	...	...	-	2	6	3	1	3	1	-	-	1	...	...	-	-	-	-	-	-	-	1	-
Black	16	...	...	-	2	6	3	1	3	1	-	-	1	...	...	-	-	-	-	-	-	-	1	-
Homicide and legal intervention (E960-E978)	169	1	2	3	37	47	39	15	13	7	4	-	82	2	2	-	14	19	7	6	5	4	1	2
White	72	-	2	3	12	20	14	6	8	6	1	-	39	2	1	-	10	10	4	5	4	2	-	1
All other	97	1	-	-	25	27	25	9	5	1	3	-	23	-	1	-	4	9	3	1	1	2	1	1
Black	97	1	-	-	25	27	25	9	5	1	3	-	22	-	1	-	4	8	3	1	1	2	1	1
All other external causes (E980-E999)	11	-	-	1	1	3	2	-	-	4	-	-	7	1	-	-	2	1	1	-	1	1	-	-
White	9	-	-	1	1	3	-	-	-	4	-	-	6	1	-	-	2	1	1	-	1	-	-	-
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA																								
All causes	107,500	2,445	496	574	3,700	5,662	6,052	7,449	16,133	25,832	25,672	13,255	95,793	1,870	357	318	1,053	1,820	2,588	4,367	10,443	19,263	26,448	26,935
White	93,855	1,954	390	466	2,988	4,651	4,985	6,116	13,864	23,011	23,085	12,236	86,001	1,392	281	257	871	1,422	2,022	3,562	8,937	17,219	24,356	25,376
All other	13,645	591	106	108	712	1,011	1,067	1,333	2,269	2,821	2,587	1,019	9,792	478	76	61	182	398	566	805	1,506	2,044	2,092	1,559
Black	9,086	431	70	61	529	776	800	979	1,635	1,872	1,384	533	6,800	353	52	37	128	284	385	564	1,084	1,449	1,448	996
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	44	10	1	1	-	6	13	2	1	4	2	4	25	6	4	-	-	-	-	2	1	3	6	3
White	36	6	1	-	-	5	13	1	1	4	2	3	20	3	4	-	-	-	-	-	1	3	6	3
All other	8	4	-	1	-	1	-	1	-	-	-	1	5	3	-	-	-	-	-	2	-	-	-	-
Black	5	2	-	1	-	1	-	1	-	-	-	-	4	3	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	92	1	-	-	-	7	8	12	18	11	25	10	75	-	-	-	1	4	4	4	11	17	16	18
White	57	-	-	-	-	2	5	6	12	9	17	6	54	-	-	-	-	1	3	3	5	14	13	15
All other	35	1	-	-	-	5	3	6	6	2	8	4	21	-	-	-	1	3	1	1	6	3	3	3
Black	19	-	-	-	-	3	2	4	4	2	1	3	9	-	-	-	-	2	1	-	2	2	2	-
Tuberculosis of respiratory system (010-012)	73	-	-	-	-	5	5	10	12	10	21	10	60	-	-	-	-	3	1	3	10	16	12	15
White	44	-	-	-	-	1	2	5	7	9	14	6	46	-	-	-	-	1	1	3	5	13	10	13
All other	29	-	-	-	-	4	3	5	5	1	7	4	14	-	-	-	-	2	-	-	5	3	2	2
Black	17	-	-	-	-	2	2	4	4	1	1	3	6	-	-	-	-	2	-	-	1	2	1	-
Other tuberculosis (013-018)	19	1	-	-	-	2	3	2	6	1	4	-	15	-	-	-	1	1	3	1	1	1	4	3
White	13	-	-	-	-	1	3	1	5	-	3	-	8	-	-	-	-	-	2	-	-	1	3	2
All other	6	1	-	-	-	1	-	1	1	1	1	-	7	-	-	-	1	1	1	1	1	-	1	1
Black	2	-	-	-	-	1	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	26	4	8	2	2	2	4	2	-	1	1	-	16	3	7	1	4	-	1	-	-	-	-	-
White	17	3	4	1	2	-	3	2	-	1	1	-	10	2	3	-	4	-	1	-	-	-	-	-
All other	9	1	4	1	-	2	1	-	-	-	-	-	6	1	4	1	-	-	-	-	-	-	-	-
Black	9	1	4	1	-	2	1	-	-	-	-	-	5	-	4	1	-	-	-	-	-	-	-	-
Septicemia (038)	480	16	4	3	3	5	16	23	59	94	149	87	430	10	2	-	1	8	14	13	32	86	127	134
White	389	10	4	2	2	4	14	15	50	80	135	72	372	7	1	-	1	7	11	10	27	75	105	125
All other	71	6	-	1	1	1	2	8	9	14	14	15	58	3	1	-	-	1	3	3	5	11	22	9
Black	44	6	-	-	1	1	2	6	6	9	7	6	35	3	1	-	-	1	2	-	2	8	14	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	140	1	1	-	4	20	23	19	25	29	15	3	62	-	1	1	7	6	7	5	10	13	10	2
White	113	-	1	-	2	17	22	16	19	22	12	2	51	-	1	1	6	5	7	3	8	9	9	2
All other	27	1	-	-	2	3	1	3	6	7	3	1	11	-	-	-	1	1	-	2	2	4	1	-
Black	8	1	-	-	2	2	-	-	1	2	-	-	3	-	-	-	1	1	-	-	-	1	-	-
Syphilis (090-097)	6	2	-	-	-	-	1	-	-	-	1	2	5	1	-	-	-	-	-	-	-	-	2	2
White	5	2	-	-	-	-	1	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	1,379	20	5	5	42	354	414	213	148	95	63	20	341	10	5	3	5	32	18	25	57	76	63	47
White	1,190	11	5	5	37	305	366	185	125	83	51	17	301	6	4	2	4	25	15	23	53	69	55	45
All other	189	9	-	-	5	49	48	28	23	12	12	3	40	4	1	1	1	7	3	2	4	7	8	2
Black	140	7	-	-	3	46	42	21	18	3	2	1	30	3	1	1	1	6	3	2	1	5	6	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	24,088	12	36	79	175	411	808	1,871	5,098	7,859	5,894	1,840	22,377	6	29	61	87	324	928	1,942	4,605	6,571	5,320	2,492
White	21,094	12	33	68	156	350	651	1,550	4,348	6,948	5,293	1,680	20,136	5	22	53	75	259	743	1,647	4,061	6,024	4,939	2,298
All other	2,994	-	3	11	19	61	157	321	750	911	601	160	2,241	1	7	8	12	65	185	295	544	547	381	194
Black	1,973	-	-	6	12	32	87	221	541	628	357	89	1,466	-	6	3	10	37	110	189	355	367	257	130
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	568	-	-	1	3	8	15	57	168	201	65	32	340	-	-	-	1	2	12	20	107	102	64	32
White	485	-	-	-	3	5	10	45	137	161	76	28	305	-	-	-	1	2	8	13	95	96	59	31
All other	83	-	-	1	-	3	5	12	29	20	9	4	35	-	-	-	-	-	4	7	12	6	5	1
Black	57	-	-	1	-	1	3	9	22	12	5	4	18	-	-	-	-	-	1	4	6	4	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,001	-	1	2	7	45	162	449	1,306	2,001	1,498	527	5,449	1	2	-	4	36	117	302	881	1,542	1,614	945
White	5,098	-	1	2	6	29	107	354	1,090	1,711	1,318	477	4,812	-	2	-	4	26	84	256	749	1,362	1,456	869
All other	903	-	-	-	1	16	55	95	216	290	180	50	637	1	-	-	-	10	33	46	132	180	158	76
Black	502	-	-	-	1	8	22	52	138	172	90	19	381	-	-	-	-	3	15	24	81	105	104	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,803	-	1	-	5	24	143	648	2,050	2,815	1,746	369	4,756	-	-	-	-	10	113	455	1,232	1,709	978	257
White	6,651	-	1	-	5	18	105	524	1,757	2,516	1,582	338	4,359	-	-	-	-	9	90	399	1,106	1,597	926	230
All other	952	-	-	-	-	5	38	124	293	297	164	31	397	-	-	-	-	1	23	56	126	112	52	27
Black	687	-	-	-	-	3	26	96	224	215	109	14	271	-	-	-	-	-	21	40	90	79	30	11
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	-	2	3	8	9	3	4,106	-	-	-	5	88	319	547	975	1,084	758	327
White	22	-	-	-	-	-	-	2	3	7	8	2	3,714	-	-	-	3	63	257	463	878	1,020	716	312
All other	3	-	-	-	-	-	-	-	-	1	1	1	392	-	-	-	2	25	62	84	97	64	42	15
Black	2	-	-	-	-	-	-	-	-	1	-	1	291	-	-	-	2	23	40	58	72	46	37	12
Malignant neoplasms of genital organs (179-187)	2,716	-	-	-	8	17	12	30	252	878	1,055	464	2,354	-	1	-	7	37	129	230	497	730	500	222
White	2,365	-	-	-	8	17	9	27	208	747	936	413	2,099	-	1	-	6	29	114	185	432	662	466	203
All other	351	-	-	-	-	-	3	3	44	131	119	51	255	-	-	-	1	8	15	45	65	68	34	19
Black	275	-	-	-	-	-	1	3	35	115	85	36	162	-	-	-	1	2	10	25	31	54	22	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,112	-	2	1	-	3	26	102	208	340	315	115	662	1	1	2	3	6	14	45	105	155	200	129
White	1,027	-	2	-	-	2	20	92	185	321	296	109	587	1	-	2	2	5	9	35	93	140	180	119
All other	85	-	-	1	-	1	6	10	23	19	19	6	75	-	1	-	1	1	5	10	12	15	20	10
Black	58	-	-	1	-	-	5	7	17	13	12	3	52	-	1	-	1	1	3	6	9	12	12	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,374	10	19	34	72	185	276	377	700	925	619	157	2,713	2	20	27	31	85	148	230	497	691	659	323
White	3,019	10	17	29	63	161	245	328	604	848	568	148	2,437	2	14	23	27	75	114	200	434	629	622	297
All other	355	-	2	5	9	24	31	49	96	79	51	9	276	-	6	4	4	10	34	30	63	62	37	26
Black	223	-	-	2	6	13	14	34	69	55	23	7	178	-	5	2	4	3	17	22	47	37	24	17
Leukemia (204-208)	1,020	2	10	29	52	54	57	64	158	278	231	85	748	1	5	26	21	30	35	37	101	186	200	106
White	931	2	10	27	47	48	50	53	141	258	214	81	680	1	5	22	17	23	30	33	90	176	185	98
All other	89	-	-	2	5	6	7	11	17	20	17	4	68	-	-	4	4	7	5	4	11	10	15	8
Black	54	-	-	1	4	3	5	4	12	11	12	2	38	-	-	1	2	3	1	-	5	7	13	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,469	-	3	12	28	75	117	142	255	413	336	88	1,249	1	-	6	15	30	41	76	210	372	347	151
White	1,296	-	2	10	24	69	105	125	223	359	295	84	1,143	1	-	6	15	27	37	63	184	342	329	139
All other	173	-	1	2	4	6	12	17	32	54	41	4	106	-	-	-	-	3	4	13	26	30	18	12
Black	115	-	-	1	1	4	11	16	24	34	21	3	75	-	-	-	-	2	2	10	14	23	13	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	283	6	4	3	9	12	10	24	47	68	72	27	297	1	-	-	6	10	13	20	27	69	81	70
White	255	5	4	2	7	11	8	21	42	64	63	27	261	1	-	-	6	9	9	18	20	58	78	64
All other	28	1	-	1	2	1	2	3	5	4	9	-	36	-	-	-	-	1	4	2	7	11	5	6
Black	13	-	-	-	1	-	2	2	3	2	3	-	26	-	-	-	-	1	-	-	6	9	5	5
Diabetes mellitus (250)	1,288	-	1	-	3	42	68	101	243	379	333	116	1,743	-	-	1	4	26	47	81	280	457	513	333
White	1,093	-	1	-	1	39	58	78	210	319	283	103	1,441	-	-	1	4	23	35	60	221	366	439	291
All other	195	-	-	-	2	3	10	23	33	60	50	13	302	-	-	-	-	3	12	21	59	91	74	42
Black	115	-	-	-	2	3	8	20	22	34	23	2	229	-	-	-	-	2	10	16	50	70	51	30
Nutritional deficiencies (260-269)	76	1	-	-	-	-	-	2	2	16	26	29	132	3	-	-	-	-	2	1	4	14	33	74
White	63	1	-	-	-	-	-	1	2	14	19	25	120	2	-	-	-	-	1	1	4	13	28	70
All other	13	-	-	-	-	-	-	1	-	2	7	3	12	1	-	-	-	-	1	-	-	1	5	4
Black	9	-	-	-	-	-	-	1	-	-	7	1	7	1	-	-	-	-	1	-	-	1	3	1
Anemias (280-285)	133	1	4	2	2	16	6	5	12	21	26	38	141	6	-	2	2	6	5	3	10	20	37	50
White	106	-	3	2	1	5	3	2	10	21	22	37	110	1	-	2	-	-	2	3	7	16	33	46
All other	27	1	1	-	1	11	3	3	2	-	4	1	31	5	-	-	2	6	3	-	3	4	4	4
Black	20	-	-	-	1	10	3	3	2	-	-	1	22	2	-	-	2	6	3	-	2	3	2	2
Meningitis (320-322)	68	12	14	1	4	5	3	4	11	4	5	3	57	11	2	3	1	4	1	4	6	12	8	5
White	48	9	12	1	2	4	-	3	6	3	5	3	43	8	1	2	1	4	-	1	6	9	8	3
All other	18	3	2	-	2	1	3	1	5	1	-	-	14	3	1	1	-	-	1	3	-	3	-	2
Black	14	3	1	-	1	1	3	1	4	-	-	-	11	2	1	1	-	-	1	2	-	3	-	1
Major cardiovascular diseases (390-448)	43,381	63	17	18	101	326	1,018	2,450	6,823	11,798	13,015	7,678	45,245	45	18	22	47	150	410	1,045	3,140	7,868	14,352	17,942
White	38,477	52	12	16	71	234	800	1,994	5,882	10,529	11,700	7,118	40,977	34	15	16	32	104	288	789	2,544	6,843	13,157	16,953
All other	4,904	11	5	2	30	92	218	456	941	1,269	1,315	560	4,268	11	3	6	15	46	122	256	596	1,015	1,195	989
Black	3,109	7	4	2	19	60	162	335	679	831	699	309	3,069	7	1	4	9	41	101	201	472	747	842	654
Diseases of heart (390-398,402,404-429)	35,016	55	16	15	75	259	854	2,155	5,934	9,781	10,051	5,759	33,201	41	16	18	33	100	266	738	2,514	5,997	10,481	12,829
White	31,164	47	11	13	53	186	686	1,788	5,155	8,772	9,067	5,328	30,127	32	15	12	21	66	198	584	2,050	5,262	9,629	12,119
All other	3,852	8	5	2	22	73	168	367	779	1,009	984	431	3,074	9	1	6	12	34	68	174	464	735	852	710
Black	2,515	5	4	2	14	47	125	274	576	679	544	243	2,299	6	1	4	7	29	58	148	386	557	808	488
Rheumatic fever and rheumatic heart disease (390-398)	246	-	-	-	2	7	15	25	46	71	59	21	532	-	-	-	7	11	17	26	80	159	156	76
White	218	-	-	-	1	4	15	21	38	66	53	20	486	-	-	-	3	6	14	24	67	146	152	74
All other	28	-	-	-	1	3	-	4	8	5	6	1	46	-	-	-	4	5	3	2	13	13	4	2
Black	17	-	-	-	1	2	-	4	7	2	1	-	23	-	-	-	1	3	2	1	8	6	1	1
Hypertensive heart disease (402)	1,237	-	-	-	1	8	32	110	306	362	302	114	1,441	-	-	-	1	3	17	57	161	304	439	456
White	947	-	-	-	1	6	17	76	221	285	240	101	1,154	-	-	-	1	2	7	29	107	220	371	414
All other	290	-	-	-	-	2	15	34	85	77	62	13	287	-	-	-	-	1	10	28	54	84	68	42
Black	234	-	-	-	-	1	15	30	77	61	44	6	242	-	-	-	-	1	10	25	46	73	55	32
Hypertensive heart and renal disease (404)	120	-	-	-	-	2	7	7	11	32	40	21	135	-	-	-	-	3	3	2	15	25	36	51
White	85	-	-	-	-	2	3	3	7	20	32	18	97	-	-	-	-	2	1	1	8	16	28	41
All other	35	-	-	-	-	-	4	4	4	12	8	3	38	-	-	-	-	1	2	1	7	9	8	10
Black	27	-	-	-	-	-	2	4	3	10	5	3	33	-	-	-	-	1	2	1	7	8	8	6
Ischemic heart disease (410-414)	24,991	4	1	1	7	102	534	1,476	4,113	7,099	7,467	4,146	22,885	1	-	-	1	17	124	431	1,597	4,110	7,398	9,078
White	22,627	3	1	1	6	75	438	1,272	3,677	6,460	6,798	3,856	21,000	1	-	-	1	13	103	343	1,332	3,655	6,812	8,618
All other	2,364	1	-	-	1	27	96	204	436	639	669	290	1,885	-	-	-	-	4	21	88	265	455	586	460
Black	1,439	1	-	-	-	13	67	135	271	413	361	176	1,382	-	-	-	-	4	20	73	217	335	410	318
Acute myocardial infarction (410)	11,038	3	1	-	4	40	225	723	1,988	3,412	3,284	1,347	9,206	-	-	-	-	5	46	214	667	2,089	3,208	2,749
White	10,035	2	1	-	4	32	189	640	1,792	3,123	2,997	1,245	8,403	-	-	-	-	3	37	177	728	1,861	2,959	2,610
All other	1,003	1	-	-	-	8	36	83	196	289	287	102	803	-	-	-	-	2	9	37	139	228	249	139
Black	584	1	-	-	-	6	24	50	108	187	144	63	555	-	-	-	-	2	8	27	106	153	160	99

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	154	-	-	-	-	6	21	15	37	38	27	10	71	-	-	-	-	-	3	5	9	14	16	24
White	133	-	-	-	-	5	14	11	34	34	25	10	66	-	-	-	-	-	3	3	7	13	16	24
All other	21	-	-	-	-	1	7	4	3	4	2	-	5	-	-	-	-	-	-	2	2	1	-	-
Black	14	-	-	-	-	-	5	3	2	3	1	-	5	-	-	-	-	-	-	2	2	1	-	-
Angina pectoris (413)	25	-	-	-	-	-	1	1	5	6	8	4	36	-	-	-	-	-	-	-	3	11	6	16
White	24	-	-	-	-	-	1	1	5	5	8	4	33	-	-	-	-	-	-	-	3	11	5	14
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,774	1	-	1	3	58	287	737	2,083	3,643	4,148	2,785	13,572	1	-	-	1	12	75	212	718	1,996	4,168	6,289
White	12,435	1	-	1	2	38	234	620	1,846	3,298	3,768	2,597	12,498	1	-	-	1	10	63	163	594	1,770	3,832	5,970
All other	1,339	-	-	-	1	18	53	117	237	345	380	188	1,074	-	-	-	-	2	12	49	124	226	336	319
Black	840	-	-	-	-	7	38	83	161	222	216	113	820	-	-	-	-	2	12	44	109	181	249	218
Other diseases of endocardium (424)	543	-	-	1	2	7	9	22	60	131	190	121	645	1	1	1	1	8	13	8	39	107	236	230
White	500	-	-	1	-	5	9	20	55	123	173	114	594	1	1	-	1	5	10	4	35	93	225	219
All other	43	-	-	-	2	2	-	2	5	8	17	7	51	-	-	1	-	3	3	4	4	14	11	11
Black	19	-	-	-	1	1	-	2	4	4	5	2	40	-	-	1	-	3	3	4	4	12	7	6
All other forms of heart disease (415-423,425-429)	7,879	51	15	13	63	133	257	515	1,398	2,086	1,893	1,336	7,553	39	15	17	23	58	92	214	622	1,292	2,216	2,938
White	6,787	44	10	11	45	94	204	396	1,157	1,818	1,771	1,219	6,796	30	14	12	15	36	63	163	501	1,132	2,041	2,753
All other	1,092	7	5	2	18	39	53	119	241	268	222	117	767	9	1	5	8	20	29	51	121	160	175	185
Black	779	4	4	2	12	30	41	98	214	189	128	56	579	6	1	3	6	17	21	44	104	123	127	125
Hypertension with or without renal disease (401,403)	304	-	-	1	2	4	10	10	38	61	108	70	412	-	-	-	-	-	4	11	31	80	195	149
White	241	-	-	1	1	1	5	5	24	53	86	65	343	-	-	-	-	-	1	10	20	60	116	135
All other	63	-	-	-	1	3	5	5	14	8	22	5	69	-	-	-	-	-	3	1	11	20	19	14
Black	41	-	-	-	1	2	4	4	10	4	13	3	55	-	-	-	-	-	3	1	10	18	11	11
Cerebrovascular diseases (430-438)	5,884	6	-	2	23	56	134	223	603	1,344	2,119	1,370	9,213	4	2	3	9	44	122	263	492	1,412	3,023	3,804
White	5,092	4	-	2	16	41	91	158	482	1,137	1,884	1,276	8,264	2	-	3	8	33	77	187	388	1,190	2,758	3,586
All other	792	2	-	-	7	15	43	67	121	207	235	94	949	2	2	-	1	11	45	76	104	222	265	218
Black	443	2	-	-	4	11	32	45	75	121	108	45	617	1	-	-	1	11	35	49	65	144	184	126
Intracerebral and other intracranial hemorrhage (431-432)	961	4	-	1	10	22	44	87	166	253	273	100	1,235	2	2	1	4	9	30	90	145	298	391	261
White	787	2	-	1	8	16	26	57	125	221	241	89	1,055	-	-	1	4	8	14	55	114	256	358	241
All other	174	2	-	-	2	6	18	30	41	32	32	11	180	2	2	-	-	1	16	35	31	40	33	20
Black	82	2	-	-	-	3	15	19	24	10	8	1	98	1	-	-	-	1	12	22	20	17	16	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	923	-	-	-	2	2	12	32	85	213	341	236	1,568	-	-	-	-	1	4	18	51	212	522	752
White	818	-	-	-	1	1	9	23	65	187	307	225	1,435	-	-	-	-	1	3	12	36	179	478	718
All other	105	-	-	-	1	1	3	9	20	26	34	11	133	-	-	-	-	-	1	6	15	33	43	34
Black	71	-	-	-	1	1	3	7	13	20	17	9	91	-	-	-	-	-	1	3	13	22	34	18
Cerebral embolism (434.1)	30	1	-	-	-	-	-	-	1	8	15	5	51	-	-	-	-	-	-	1	4	10	20	16
White	26	1	-	-	-	-	-	-	1	6	13	5	45	-	-	-	-	-	-	-	4	8	17	16
All other	4	-	-	-	-	-	-	-	-	2	2	-	6	-	-	-	-	-	-	1	-	2	3	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,970	1	-	1	11	32	78	104	351	870	1,490	1,029	6,359	2	-	2	5	34	88	154	292	894	2,090	2,775
White	3,461	1	-	1	7	24	56	76	291	723	1,323	957	5,729	2	-	2	4	24	60	120	234	747	1,904	2,611
All other	509	-	-	-	4	8	22	28	60	147	167	72	630	-	-	-	1	10	28	34	58	147	186	164
Black	287	-	-	-	3	7	14	19	38	90	81	35	426	-	-	-	1	10	22	24	32	104	133	99
Atherosclerosis (440)	801	-	-	-	-	1	1	10	52	129	278	322	1,494	-	-	-	-	-	3	5	26	130	393	927
White	728	-	-	-	-	1	1	7	46	114	246	305	1,408	-	-	-	-	-	1	4	24	119	358	893
All other	73	-	-	-	-	-	-	3	6	15	32	17	86	-	-	-	-	-	2	1	2	11	35	34
Black	49	-	-	-	-	-	-	3	5	10	18	13	65	-	-	-	-	-	2	1	1	11	26	23
Other diseases of arteries, arterioles, and capillaries (441-448)	1,376	2	1	-	1	6	19	52	186	483	459	157	925	-	-	1	5	6	15	28	77	239	320	233
White	1,252	1	1	-	1	5	17	38	175	453	417	144	835	-	-	1	3	5	11	24	62	212	296	220
All other	124	1	-	-	-	1	2	14	21	30	42	13	90	-	-	-	2	1	4	4	15	27	24	13
Black	61	-	-	-	-	-	1	9	13	17	16	5	53	-	-	-	1	1	3	2	10	17	13	6
Acute bronchitis and bronchiolitis (466)	25	5	-	-	1	-	1	-	3	5	8	2	43	5	-	1	1	-	-	2	1	7	11	14
White	20	4	-	-	1	-	1	-	2	3	7	2	40	4	-	-	1	-	-	2	1	7	11	13
All other	5	1	-	-	-	-	-	-	1	2	1	-	3	1	-	1	-	-	-	-	-	-	-	1
Black	4	1	-	-	-	-	-	-	1	1	1	-	3	1	-	1	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	3,549	54	14	6	13	41	82	111	245	668	1,181	1,123	4,048	35	11	9	10	29	30	58	152	486	1,168	2,052
White	3,167	43	10	5	10	33	61	93	204	603	1,056	1,040	3,767	27	7	9	8	25	22	47	130	424	1,079	1,984
All other	382	11	4	1	3	8	21	18	41	65	125	83	281	8	4	-	2	4	8	11	22	42	89	88
Black	231	5	4	-	2	4	17	15	34	46	82	41	178	6	2	-	2	4	5	7	15	29	55	52

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	3,517	54	14	6	13	41	80	109	245	664	1,168	1,112	3,991	35	10	7	10	29	29	57	152	462	1,158	2,014
White	3,135	43	10	5	10	33	59	91	204	599	1,043	1,029	3,713	27	7	7	8	25	21	47	130	420	1,069	1,927
All other	382	11	4	1	3	8	21	18	41	65	125	83	278	8	3	–	2	4	8	10	22	42	89	87
Black	231	5	4	–	2	4	17	15	34	48	62	41	177	6	2	–	2	4	5	6	15	29	55	52
Influenza (487)	32	–	–	–	–	–	2	2	–	4	13	11	57	–	1	2	–	–	1	1	–	4	10	36
White	32	–	–	–	–	–	2	2	–	4	13	11	54	–	–	2	–	–	1	–	–	4	10	37
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,726	8	2	9	11	17	41	119	601	1,564	1,728	622	3,752	3	1	3	8	16	25	112	471	1,174	1,357	579
White	4,304	6	1	6	6	12	31	88	525	1,442	1,607	576	3,549	3	1	2	6	13	18	88	434	1,114	1,308	559
All other	422	2	1	3	5	5	10	31	76	122	121	46	203	–	–	1	2	3	7	24	37	60	49	20
Black	269	1	–	3	4	4	7	28	60	85	55	22	153	–	–	1	1	2	5	19	29	45	36	15
Bronchitis, chronic and unspecified (490-491)	249	3	–	1	–	1	4	6	19	71	89	54	220	3	–	–	–	1	2	6	20	49	77	61
White	231	2	–	1	–	1	4	4	18	68	83	49	215	3	–	–	–	1	2	5	20	47	76	60
All other	18	1	–	–	–	–	–	2	1	3	6	5	5	–	–	–	–	–	–	1	–	2	1	1
Black	9	1	–	–	–	–	–	2	1	2	2	1	4	–	–	–	–	–	–	1	–	2	–	1
Emphysema (492)	1,206	–	–	–	–	1	7	44	179	429	429	116	811	–	–	–	–	–	1	24	107	286	314	79
White	1,105	–	–	–	–	–	5	34	152	400	404	109	782	–	–	–	–	–	1	21	101	274	309	76
All other	101	–	–	–	–	1	2	10	27	29	25	7	29	–	–	–	–	–	–	3	6	12	5	3
Black	72	–	–	–	–	1	1	9	22	23	12	4	23	–	–	–	–	–	–	3	5	9	3	3
Asthma (493)	179	4	2	7	10	12	21	17	28	38	35	5	285	–	1	3	8	13	20	25	56	75	64	20
White	129	3	1	4	5	10	15	10	18	30	30	3	233	–	1	2	6	10	13	13	45	65	59	19
All other	50	1	1	3	5	2	6	7	10	8	5	2	52	–	–	1	2	3	7	12	11	10	5	1
Black	32	–	–	3	4	2	5	5	8	4	–	1	35	–	–	1	1	2	5	8	8	7	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,092	1	–	1	1	3	9	52	375	1,026	1,175	447	2,436	–	–	–	–	2	2	57	288	764	902	419
White	2,839	1	–	1	1	1	7	40	337	944	1,090	415	2,319	–	–	–	–	2	2	49	268	728	884	404
All other	253	–	–	–	–	2	2	12	38	82	85	32	117	–	–	–	–	–	–	8	20	36	38	15
Black	156	–	–	–	–	1	1	12	29	56	41	16	91	–	–	–	–	–	–	7	16	27	30	11
Ulcer of stomach and duodenum (531-533)	373	–	–	1	–	6	17	25	42	102	118	61	424	2	–	–	2	4	8	16	39	75	135	142
White	327	–	–	1	–	4	15	22	34	88	105	57	383	2	–	–	2	3	4	16	33	68	123	132
All other	46	–	–	–	–	2	2	3	8	14	13	4	41	–	–	–	–	1	4	–	6	7	12	10
Black	26	–	–	–	–	1	2	2	7	9	4	1	27	–	–	–	–	1	4	–	4	5	7	5
Appendicitis (540-543)	36	–	–	–	1	5	3	2	4	8	8	5	26	–	1	3	–	1	1	–	5	7	5	3
White	33	–	–	–	1	5	3	–	4	8	7	5	21	–	1	1	–	1	1	–	4	5	5	3
All other	3	–	–	–	–	–	–	2	–	–	1	–	5	–	–	2	–	–	–	–	1	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	206	9	3	1	1	–	2	8	18	38	78	48	328	6	1	3	–	5	3	10	18	40	111	129
White	179	5	3	1	1	–	2	4	15	34	68	46	301	2	1	2	–	4	3	10	16	31	106	124
All other	27	4	–	–	–	–	–	4	3	4	10	2	27	4	–	1	–	1	–	–	2	9	5	5
Black	20	3	–	–	–	–	–	2	3	3	8	1	20	2	–	1	–	–	–	–	2	6	5	4
Chronic liver disease and cirrhosis (571)	2,579	2	–	1	5	143	460	543	695	531	164	33	1,394	1	–	–	6	71	142	251	383	338	160	42
White	2,267	1	–	1	5	125	395	450	621	488	148	31	1,232	1	–	–	6	58	117	209	347	308	149	37
All other	312	1	–	–	–	18	65	93	74	43	16	2	162	–	–	–	–	13	25	42	36	30	11	5
Black	234	1	–	–	–	14	55	69	55	36	4	–	110	–	–	–	–	10	19	32	25	16	7	1
Cholelithiasis and other disorders of gallbladder (574-575)	104	–	–	–	–	–	1	7	8	30	37	21	138	–	–	–	1	1	1	5	7	27	45	49
White	95	–	–	–	–	–	1	5	7	26	35	21	125	–	–	–	1	1	1	5	6	22	40	47
All other	9	–	–	–	–	–	–	2	1	4	2	–	13	–	–	–	–	–	–	–	1	5	5	2
Black	5	–	–	–	–	–	–	1	1	3	–	–	6	–	–	–	–	–	–	–	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	692	14	1	1	3	11	22	37	95	152	220	135	704	12	–	3	1	10	14	25	56	152	223	207
White	568	10	–	1	1	7	14	24	76	127	188	120	596	9	–	2	1	9	10	17	48	129	184	186
All other	124	4	1	–	2	4	8	13	19	25	32	15	108	3	–	1	–	1	4	8	8	23	39	21
Black	76	3	–	–	2	4	8	8	10	17	17	7	79	3	–	–	–	–	4	6	7	18	27	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	1	–	–	–	–	–	–	–	1	3	2	14	–	–	–	1	–	–	–	4	4	4	1
White	5	1	–	–	–	–	–	–	–	1	3	–	13	–	–	–	1	–	–	–	4	3	4	1
All other	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	69	–	1	–	2	2	3	2	11	14	22	12	68	–	–	1	–	1	2	4	1	13	28	18
White	61	–	–	–	–	1	2	2	10	14	20	12	58	–	–	–	–	1	2	2	1	11	24	17
All other	8	–	1	–	2	1	1	–	1	–	2	–	10	–	–	1	–	–	–	2	–	2	4	1
Black	6	–	–	–	2	1	1	–	–	–	2	–	5	–	–	–	–	–	–	1	–	2	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	616	13	–	1	1	9	19	35	84	137	195	121	622	12	–	2	–	9	12	21	51	135	191	188
White	502	9	–	1	1	6	12	22	66	112	165	108	525	9	–	2	–	8	8	15	43	115	156	168
All other	114	4	–	–	–	3	7	13	18	25	30	13	97	3	–	–	–	1	4	6	8	20	35	20
Black	69	3	–	–	–	3	7	8	10	17	15	6	73	3	–	–	–	–	4	5	7	15	25	14
Infections of kidney (590)	50	1	–	–	–	1	2	3	2	12	11	18	158	–	1	–	–	1	5	3	10	19	51	68
White	45	–	–	–	–	1	2	3	2	10	9	18	143	–	1	–	–	1	5	2	8	18	48	64
All other	5	1	–	–	–	–	–	–	–	2	2	–	15	–	–	–	–	–	–	1	2	3	5	4
Black	2	–	–	–	–	–	–	–	–	1	1	–	8	–	–	–	–	–	–	–	1	1	5	1
Hyperplasia of prostate (600)	60	–	–	–	–	–	–	–	4	9	25	22	...	...	...	...	...	...	...	...	...	...	...	...
White	51	–	–	–	–	–	–	–	3	7	20	21	...	...	...	...	...	...	...	...	...	...	...	...
All other	9	–	–	–	–	–	–	–	1	2	5	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	–	–	–	–	–	–	–	1	2	3	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	32	...	...	–	6	18	8	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	24	...	...	–	4	15	5	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	3	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	28	...	...	–	5	16	7	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	21	...	...	–	3	13	5	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	2	3	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
Congenital anomalies (740-759)	817	545	64	27	33	22	26	23	26	23	19	9	706	452	58	28	26	13	20	13	16	35	26	18
White	683	454	50	22	27	19	21	20	24	19	18	9	566	349	50	21	22	12	16	8	16	31	23	17
All other	134	91	14	5	6	3	5	3	2	4	1	–	140	103	8	7	4	1	4	5	–	4	3	1
Black	72	52	6	1	4	3	2	1	–	2	1	–	83	64	4	6	2	1	–	2	–	2	1	1
Certain conditions originating in the perinatal period (760-779)	1,067	1,052	13	1	–	1	–	–	–	–	–	–	827	818	6	2	–	–	–	–	–	1	–	–
White	764	754	8	1	–	1	–	–	–	–	–	–	609	602	4	2	–	–	–	–	–	1	–	–
All other	303	298	5	–	–	–	–	–	–	–	–	–	218	216	2	–	–	–	–	–	–	–	–	–
Black	244	239	5	–	–	–	–	–	–	–	–	–	174	172	2	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	317	315	2	–	–	–	–	–	–	–	–	–	222	217	3	2	–	–	–	–	–	–	–	–
White	241	240	1	–	–	–	–	–	–	–	–	–	185	180	3	2	–	–	–	–	–	–	–	–
All other	76	75	1	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Black	57	56	1	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	750	737	11	1	–	1	–	–	–	–	–	–	605	601	3	–	–	–	–	–	–	1	–	–
White	523	514	7	1	–	1	–	–	–	–	–	–	424	422	1	–	–	–	–	–	–	1	–	–
All other	227	223	4	–	–	–	–	–	–	–	–	–	181	179	2	–	–	–	–	–	–	–	–	–
Black	187	183	4	–	–	–	–	–	–	–	–	–	147	145	2	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	928	437	11	9	60	114	75	48	47	39	34	32	594	275	12	5	26	43	39	22	32	38	38	48
White	746	339	7	7	51	92	62	37	36	35	29	30	486	207	10	4	21	33	32	17	31	36	35	43
All other	182	98	4	2	9	22	13	11	11	4	5	2	108	68	2	1	5	10	7	5	1	2	1	5
Black	128	71	4	2	8	16	8	6	9	1	1	1	77	51	–	1	5	6	7	5	–	1	–	–
All other diseases (Residual)	7,348	105	50	55	136	587	817	653	823	1,408	1,720	984	6,974	83	45	45	84	174	211	314	633	1,243	2,034	2,088
White	6,441	79	42	49	114	480	690	542	712	1,252	1,566	906	6,286	60	36	36	66	129	164	254	536	1,121	1,903	1,962
All other	907	26	8	6	22	107	127	111	111	156	154	78	688	23	9	9	18	45	47	60	97	122	131	126
Black	653	16	5	3	20	92	107	91	86	100	92	40	486	17	6	4	14	36	38	49	89	86	100	67
Accidents and adverse effects (E800-E949)	7,803	45	206	308	1,813	1,950	1,163	608	557	470	418	200	3,049	61	133	98	424	467	344	207	265	311	422	302
White	6,747	38	168	245	1,600	1,715	988	513	472	414	362	179	2,644	47	108	82	383	390	277	176	223	280	382	289
All other	1,056	9	40	63	213	235	177	95	85	56	56	21	399	14	25	16	41	77	67	31	42	31	40	13
Black	656	6	24	34	122	155	126	68	54	33	24	5	230	11	17	9	19	48	36	15	29	19	19	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	4,093	15	64	178	1,374	1,024	536	283	213	181	147	40	1,430	16	55	73	323	267	187	98	120	124	133	35
White	3,570	13	66	137	1,234	894	463	240	184	164	125	34	1,248	16	47	62	291	232	154	80	101	113	117	34
All other	523	2	18	41	140	130	73	43	29	17	22	6	182	–	8	11	32	35	33	18	19	11	16	1
Black	288	1	8	21	74	79	40	30	18	6	7	2	80	–	4	6	17	17	10	5	10	5	6	–
All other accidents and adverse effects (E800-E807, E826-E949)	3,710	30	122	130	439	926	627	325	344	289	271	160	1,613	45	78	25	101	200	157	111	145	187	289	287
White	3,177	23	100	108	366	821	523	273	288	250	237	145	1,396	31	61	20	92	158	123	96	122	167	265	255
All other	533	7	22	22	73	105	104	52	56	39	34	15	217	14	17	5	9	42	34	15	23	20	24	12
Black	368	5	16	13	48	76	86	38	36	27	17	3	150	11	13	3	2	31	26	10	19	14	13	6
Suicide (E950-E959)	3,030	...	...	16	486	729	492	312	355	324	234	77	830	...	...	4	117	192	160	123	125	101	73	15
White	2,786	...	...	13	432	655	443	292	334	311	227	75	838	...	...	4	107	166	159	112	110	96	70	15
All other	244	...	...	3	54	74	49	20	21	13	7	2	92	...	...	–	10	26	22	11	15	5	3	–
Black	137	...	...	1	29	46	33	16	7	3	1	1	40	...	...	–	5	12	11	5	5	1	1	–
Homicide and legal intervention (E980-E978)	2,475	15	37	23	761	795	411	200	107	63	38	3	655	14	18	19	167	191	93	52	39	28	19	4
White	1,553	11	23	15	434	499	274	135	74	42	25	2	433	9	11	15	101	111	65	33	30	26	18	3
All other	922	4	14	8	327	296	137	65	33	21	13	1	222	5	7	4	66	80	28	19	9	2	1	1
Black	818	3	13	7	291	274	119	50	29	17	11	1	173	4	5	3	56	65	20	12	6	1	1	–
All other external causes (E880-E899)	167	4	–	2	30	34	45	21	14	7	3	3	70	1	2	1	9	14	14	9	8	5	4	2
White	133	1	–	2	23	27	40	13	12	5	3	3	58	–	–	–	8	14	9	8	7	5	4	2
All other	34	3	–	–	7	7	5	8	2	2	–	–	12	1	2	1	–	–	5	1	1	–	–	–
Black	28	3	–	–	5	4	4	7	1	2	–	–	8	1	2	–	–	–	3	1	–	–	–	–
COLORADO																								
All causes	10,841	276	61	76	435	552	542	680	1,622	2,532	2,584	1,471	9,969	200	41	35	139	191	307	454	1,084	1,841	2,709	2,989
White	10,335	243	56	69	405	492	501	640	1,531	2,441	2,514	1,443	9,611	175	38	32	128	173	280	427	1,014	1,776	2,640	2,928
All other	506	33	5	7	30	60	41	50	91	91	70	28	358	25	3	3	11	18	27	27	50	65	68	61
Black	417	29	4	5	22	53	33	37	79	74	60	21	276	24	2	2	8	15	17	16	35	50	60	47
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	–	1	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
White	4	–	1	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	6	–	–	–	–	–	–	2	1	3	–	–	6	–	–	–	–	–	–	–	1	2	3	–
White	5	–	–	–	–	–	–	2	–	3	–	–	6	–	–	–	–	–	–	–	1	2	3	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	5	–	–	–	–	–	–	2	1	2	–	–	5	–	–	–	–	–	–	–	1	2	2	–
White	4	–	–	–	–	–	–	2	–	2	–	–	5	–	–	–	–	–	–	–	1	2	2	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	1	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	91	2	1	–	–	1	3	3	12	25	24	20	94	2	–	1	1	1	1	1	11	10	39	27
White	86	2	1	–	–	–	2	3	11	25	23	19	89	2	–	1	–	1	1	–	10	9	38	27
All other	5	–	–	–	–	1	1	–	1	–	1	1	5	–	–	–	1	–	–	1	1	1	1	–
Black	5	–	–	–	–	1	1	–	1	–	1	1	5	–	–	–	1	–	–	1	1	1	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	4	-	-	-	1	-	1	1	-	-	-	1	4	-	-	-	-	-	-	1	1	-	2	-
White	3	-	-	-	1	-	1	-	-	-	-	1	4	-	-	-	-	-	-	1	1	-	2	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	67	1	2	1	2	16	11	5	8	10	7	4	30	1	2	-	-	3	1	1	5	7	5	5
White	65	1	2	1	2	15	10	5	8	10	7	4	28	-	2	-	-	3	1	1	4	7	5	5
All other	2	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,208	-	4	8	22	52	65	160	475	686	559	177	2,148	1	7	5	5	33	105	214	465	584	481	248
White	2,107	-	4	7	20	49	57	146	448	663	542	171	2,070	1	7	4	5	30	99	204	449	563	469	239
All other	101	-	-	1	2	3	8	14	27	23	17	6	78	-	-	1	-	3	6	10	16	21	12	9
Black	86	-	-	1	2	2	7	11	24	19	15	5	52	-	-	1	-	3	4	3	8	14	12	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	-	-	1	1	3	5	12	12	4	2	22	-	-	-	-	-	1	3	5	5	5	3
White	34	-	-	-	1	1	2	3	10	11	4	2	20	-	-	-	-	-	1	2	5	5	4	3
All other	6	-	-	-	-	-	1	2	2	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	5	-	-	-	-	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	537	-	1	-	-	7	13	39	115	175	148	39	534	-	-	-	-	3	11	36	95	133	171	85
White	514	-	1	-	-	7	13	36	107	167	145	38	507	-	-	-	-	3	10	32	90	124	166	82
All other	23	-	-	-	-	-	-	3	8	8	3	1	27	-	-	-	-	-	1	4	5	9	5	3
Black	18	-	-	-	-	-	-	2	7	6	2	1	13	-	-	-	-	-	-	-	1	5	5	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	704	-	-	-	-	1	14	59	191	254	160	25	394	-	-	-	-	1	6	49	98	143	70	27
White	673	-	-	-	-	1	9	52	183	247	156	25	384	-	-	-	-	1	6	46	98	139	67	27
All other	31	-	-	-	-	-	5	7	8	7	4	-	10	-	-	-	-	-	-	3	-	4	3	-
Black	26	-	-	-	-	-	5	6	6	6	3	-	9	-	-	-	-	-	-	3	-	3	3	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	434	-	-	-	-	12	48	59	111	86	69	49
White	1	-	-	-	-	-	-	-	-	1	-	-	426	-	-	-	-	11	48	58	107	85	69	48
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	1	-	1	4	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	3	1	-	1
Malignant neoplasms of genital organs (179-187)	280	-	-	-	1	2	1	1	35	84	100	56	241	-	-	-	1	5	15	27	64	68	41	20
White	263	-	-	-	1	2	1	1	30	81	94	53	228	-	-	-	1	4	13	26	60	67	39	18
All other	17	-	-	-	-	-	-	-	5	3	6	3	13	-	-	-	-	1	2	1	4	1	2	2
Black	17	-	-	-	-	-	-	-	5	3	6	3	10	-	-	-	-	1	1	-	3	1	2	2
Malignant neoplasms of urinary organs (188-189)	105	-	-	-	-	2	2	7	24	27	30	13	75	-	-	-	-	-	2	6	14	27	14	12
White	103	-	-	-	-	2	1	7	24	27	30	12	70	-	-	-	-	-	2	6	11	25	14	12
All other	2	-	-	-	-	-	1	-	-	-	-	1	5	-	-	-	-	-	-	-	3	2	-	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	307	-	1	2	7	24	21	34	60	73	60	25	234	1	4	3	3	6	19	15	39	68	53	23
White	296	-	1	2	6	23	21	32	57	71	59	24	226	1	4	2	3	5	17	15	39	67	52	21
All other	11	-	-	-	1	1	-	2	3	2	1	1	8	-	-	1	-	1	2	-	-	1	1	2
Black	7	-	-	-	1	-	-	1	3	1	1	-	7	-	-	1	-	1	2	-	-	1	1	1
Leukemia (204-208)	103	-	2	5	10	11	4	6	16	24	19	6	72	-	3	2	1	2	1	8	9	18	15	13
White	98	-	2	4	9	9	4	6	16	23	19	6	72	-	3	2	1	2	1	8	9	18	15	13
All other	5	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	131	-	-	1	3	4	7	9	22	36	38	11	142	-	-	-	-	4	2	11	30	36	43	16
White	125	-	-	1	3	4	6	9	21	35	35	11	137	-	-	-	-	4	1	11	30	33	43	15
All other	6	-	-	-	-	-	1	-	1	1	3	-	5	-	-	-	-	-	1	-	-	3	-	1
Black	6	-	-	-	-	-	1	-	1	1	3	-	4	-	-	-	-	-	1	-	-	2	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	-	2	-	1	3	5	7	4	23	-	-	-	2	-	1	3	2	3	7	5
White	22	-	-	-	-	2	-	1	3	5	7	4	23	-	-	-	2	-	1	3	2	3	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	142	-	-	1	-	7	5	18	23	36	27	25	205	-	-	-	1	7	9	9	20	50	70	39
White	136	-	-	1	-	6	5	17	21	36	25	25	194	-	-	-	1	6	9	8	18	48	67	37
All other	6	-	-	-	-	1	-	1	2	-	2	-	11	-	-	-	-	1	-	1	2	2	3	2
Black	5	-	-	-	-	1	-	1	1	-	2	-	8	-	-	-	-	1	-	1	1	1	2	2
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	1	1	4	40	1	-	1	-	-	-	-	3	3	10	22
White	6	-	-	-	-	-	-	-	-	1	1	4	40	1	-	1	-	-	-	-	3	3	10	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	14	-	-	-	1	-	-	1	1	3	4	4	24	-	-	-	1	-	2	-	2	4	7	8
White	13	-	-	-	1	-	-	-	1	3	4	4	23	-	-	-	-	-	2	-	2	4	7	8
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	-	-	-	-	1	-	-	-	-	8	3	1	-	-	-	1	1	-	-	-	2
White	3	1	1	-	-	-	-	1	-	-	-	-	6	3	-	-	-	-	1	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	4,111	19	5	6	9	45	109	242	665	1,069	1,174	768	4,349	15	3	3	3	13	46	89	285	677	1,331	1,874
White	3,952	15	5	4	8	35	102	225	627	1,027	1,148	756	4,214	15	2	3	3	12	38	82	278	649	1,292	1,839
All other	159	4	-	2	1	10	7	17	38	42	26	12	135	-	1	-	-	1	8	7	18	28	39	35
Black	130	3	-	1	1	10	6	13	32	34	21	9	114	-	-	-	-	1	6	5	15	24	34	29
Diseases of heart (390-398,402,404-429)	3,353	18	4	5	5	38	96	219	590	883	925	560	3,103	13	3	3	3	10	34	66	222	500	967	1,282
White	3,220	14	4	3	5	29	90	203	555	859	904	554	3,008	13	2	3	3	9	28	61	208	484	940	1,257
All other	133	4	-	2	-	9	6	16	35	34	21	6	95	-	1	-	-	1	6	5	14	16	27	25
Black	108	3	-	1	-	9	6	13	29	26	17	4	80	-	-	-	-	1	6	4	13	13	23	20
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	-	-	-	2	3	3	12	2	7	72	-	-	-	-	1	2	4	11	23	18	13
White	29	-	-	-	-	-	2	3	3	12	2	7	67	-	-	-	-	1	2	2	9	22	16	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	2	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	2	2	1	-	-
Hypertensive heart disease (402)	53	-	-	-	-	-	1	5	8	15	19	5	71	-	-	-	-	-	-	1	8	11	18	33
White	43	-	-	-	-	-	-	3	7	11	17	5	66	-	-	-	-	-	-	-	6	9	18	33
All other	10	-	-	-	-	-	1	2	1	4	2	-	5	-	-	-	-	-	-	1	2	2	-	-
Black	10	-	-	-	-	-	1	2	1	4	2	-	5	-	-	-	-	-	-	1	2	2	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	1	2	2	1	18	-	-	-	-	-	-	-	-	3	6	9
White	6	-	-	-	-	-	-	-	1	2	2	1	16	-	-	-	-	-	-	-	-	2	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Ischemic heart disease (410-414)	2,577	-	-	-	1	22	78	172	493	716	695	400	2,081	-	-	-	-	4	15	43	150	363	653	853
White	2,494	-	-	-	1	19	73	162	469	694	680	396	2,020	-	-	-	-	4	13	41	143	352	633	834
All other	83	-	-	-	-	3	5	10	24	22	15	4	61	-	-	-	-	-	2	2	7	11	20	19
Black	62	-	-	-	-	3	5	7	18	15	11	3	51	-	-	-	-	-	2	1	6	8	18	16
Acute myocardial infarction (410)	1,386	-	-	-	1	16	53	116	312	388	352	148	929	-	-	-	-	3	10	26	87	207	329	267
White	1,344	-	-	-	1	13	49	113	300	376	347	145	898	-	-	-	-	3	8	26	82	202	316	261
All other	42	-	-	-	-	3	4	3	12	12	5	3	31	-	-	-	-	-	2	-	5	5	13	6
Black	30	-	-	-	-	3	4	2	9	6	4	2	26	-	-	-	-	-	2	-	4	3	12	5
Other acute and subacute forms of ischemic heart disease (411)	29	-	-	-	-	1	-	1	6	11	9	1	18	-	-	-	-	-	-	-	4	3	8	3
White	27	-	-	-	-	1	-	-	5	11	9	1	18	-	-	-	-	-	-	-	4	3	8	3
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	1	-	10	-	-	-	-	-	-	-	1	2	2	5
White	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	-	-	-	1	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,180	-	-	-	-	5	25	55	175	316	333	251	1,124	-	-	-	-	1	5	17	58	151	314	578
White	1,121	-	-	-	-	5	24	49	164	306	323	250	1,095	-	-	-	-	1	5	15	56	146	307	565
All other	39	-	-	-	-	-	1	6	11	10	10	1	29	-	-	-	-	-	-	2	2	5	7	13
Black	31	-	-	-	-	-	1	4	9	9	7	1	24	-	-	-	-	-	-	1	2	4	6	11
Other diseases of endocardium (424)	41	-	1	-	-	1	1	2	4	11	14	7	73	-	-	-	1	1	1	3	7	10	23	27
White	40	-	1	-	-	-	1	2	4	11	14	7	72	-	-	-	1	1	1	3	7	10	22	27
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	647	18	3	5	4	15	14	37	81	137	193	140	788	13	3	3	2	4	16	15	46	90	249	347
White	608	14	3	3	4	10	14	33	71	129	189	138	767	13	2	3	2	3	12	15	43	89	243	342
All other	39	4	-	2	-	5	-	4	10	8	4	2	21	-	1	-	-	1	4	-	3	1	6	5
Black	35	3	-	1	-	5	-	4	10	7	4	1	16	-	-	-	-	1	4	-	3	1	4	3
Hypertension with or without renal disease (401,403)	40	-	-	-	-	-	2	1	5	8	10	14	57	-	-	-	-	-	-	-	5	8	25	19
White	37	-	-	-	-	-	1	1	5	8	8	14	52	-	-	-	-	-	-	-	4	7	23	18
All other	3	-	-	-	-	-	1	-	-	-	2	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	1	2	1
Cerebrovascular diseases (430-438)	471	1	1	1	3	7	10	18	47	109	158	116	838	1	-	-	-	3	12	19	55	134	236	378
White	452	1	1	1	2	6	10	17	45	101	157	111	810	1	-	-	-	3	10	18	54	124	228	372
All other	19	-	-	-	1	1	-	1	2	8	1	5	28	-	-	-	-	-	2	1	1	10	8	6
Black	18	-	-	-	1	1	-	-	2	8	1	5	23	-	-	-	-	-	-	-	1	9	7	6
Intracerebral and other intracranial hemorrhage (431-432)	80	-	-	-	2	1	5	6	9	24	22	11	104	1	-	-	-	-	4	10	14	26	25	24
White	75	-	-	-	1	-	5	6	8	22	22	11	99	1	-	-	-	-	3	9	14	24	24	24
All other	5	-	-	-	1	1	-	-	1	2	-	-	5	-	-	-	-	-	1	1	-	2	1	-
Black	5	-	-	-	1	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	58	-	-	1	-	-	1	1	5	10	17	23	79	-	-	-	-	-	-	2	3	14	20	40
White	56	-	-	1	-	-	1	1	5	9	17	22	77	-	-	-	-	-	-	2	3	14	18	40
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	-	3	3
White	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	332	1	1	-	1	6	4	11	33	75	118	82	649	-	-	-	-	3	8	7	38	94	188	311
White	320	1	1	-	1	6	4	10	32	70	117	78	628	-	-	-	-	3	7	7	37	86	183	305
All other	12	-	-	-	-	-	-	1	1	5	1	4	21	-	-	-	-	-	1	-	1	8	5	6
Black	11	-	-	-	-	-	-	-	1	5	1	4	20	-	-	-	-	-	-	-	1	8	5	6
Atherosclerosis (440)	102	-	-	-	-	-	-	-	7	12	31	52	247	-	-	-	-	-	-	-	5	13	84	165
White	101	-	-	-	-	-	-	-	7	12	30	52	242	-	-	-	-	-	-	-	5	12	83	162
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	145	-	-	-	1	-	1	4	16	47	50	26	104	1	-	-	-	-	-	4	8	22	39	30
White	142	-	-	-	1	-	1	4	15	47	49	25	102	1	-	-	-	-	-	3	8	22	38	30
All other	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	2	-
White	3	-	1	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	386	5	1	2	1	4	15	12	31	63	108	144	477	1	1	-	4	3	2	7	24	60	145	230
White	369	4	1	2	-	4	13	12	25	60	106	142	467	-	1	-	4	3	2	7	23	58	143	226
All other	17	1	-	-	1	-	2	-	6	3	2	2	10	1	-	-	-	-	-	-	1	2	2	4
Black	13	1	-	-	1	-	1	-	5	2	2	1	8	1	-	-	-	-	-	-	1	2	2	2
Pneumonia (480-486)	378	5	1	2	1	4	15	10	30	63	105	142	455	1	1	-	3	3	2	6	23	57	138	221
White	361	4	1	2	-	4	13	10	24	60	103	140	445	-	1	-	3	3	2	6	22	55	136	217
All other	17	1	-	-	1	-	2	-	6	3	2	2	10	1	-	-	-	-	-	-	1	2	2	4
Black	13	1	-	-	1	-	1	-	5	2	2	1	8	1	-	-	-	-	-	-	1	2	2	2
Influenza (487)	8	-	-	-	-	-	-	2	1	-	3	2	22	-	-	-	1	-	-	1	1	3	7	9
White	8	-	-	-	-	-	-	2	1	-	3	2	22	-	-	-	1	-	-	1	1	3	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	701	1	-	-	2	2	4	17	98	252	256	69	440	-	1	-	-	2	3	17	56	157	149	55
White	680	1	-	-	-	1	2	17	96	246	248	69	435	-	1	-	-	2	3	17	55	155	147	55
All other	21	-	-	-	2	1	2	-	2	6	8	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	18	-	-	-	2	1	1	-	2	5	7	-	4	-	-	-	-	-	-	-	1	1	2	-
Bronchitis, chronic and unspecified (490-491)	27	1	-	-	-	-	-	1	-	13	11	1	23	-	1	-	-	-	-	1	-	7	9	5
White	27	1	-	-	-	-	-	1	-	13	11	1	23	-	1	-	-	-	-	1	-	7	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	128	-	-	-	-	-	1	1	24	42	51	9	77	-	-	-	-	-	-	3	12	35	22	5
White	124	-	-	-	-	-	1	1	24	41	48	9	76	-	-	-	-	-	-	3	12	34	22	5
All other	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																							
Asthma (493)	30	-	-	-	2	2	2	1	8	6	8	1	42	-	-	-	-	2	2	1	7	13	11	6
White	25	-	-	-	-	1	1	1	8	6	7	1	41	-	-	-	-	2	2	1	7	12	11	6
All other	5	-	-	-	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	516	-	-	-	-	-	1	14	66	191	186	58	298	-	-	-	-	-	1	12	37	102	107	39
White	504	-	-	-	-	-	-	14	64	186	182	58	295	-	-	-	-	-	1	12	36	102	105	39
All other	12	-	-	-	-	-	1	-	2	5	4	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	10	-	-	-	-	-	-	-	2	4	4	-	3	-	-	-	-	-	-	-	1	-	2	-
Ulcer of stomach and duodenum (531-533)	43	1	-	-	-	-	2	3	6	9	13	9	63	-	-	-	-	-	-	2	1	14	19	27
White	41	1	-	-	-	-	2	3	5	9	13	8	61	-	-	-	-	-	-	2	1	13	19	26
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	-	-	1	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	1	-	-	-	1	-	1	3	3	8	6	46	-	-	-	-	-	-	-	2	10	14	20
White	22	1	-	-	-	1	-	1	2	3	8	6	44	-	-	-	-	-	-	-	2	9	14	19
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic liver disease and cirrhosis (571)	197	-	-	-	-	16	28	36	58	35	17	7	112	-	-	-	-	1	12	15	38	27	16	3
White	190	-	-	-	-	15	27	36	56	32	17	7	104	-	-	-	-	1	10	13	36	27	14	3
All other	7	-	-	-	-	1	1	-	2	3	-	-	8	-	-	-	-	-	2	2	2	-	2	-
Black	6	-	-	-	-	1	1	-	2	2	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	23	-	-	-	-	-	1	-	2	4	12	4	10	-	-	-	-	-	-	1	-	2	3	4
White	22	-	-	-	-	-	1	-	1	4	12	4	10	-	-	-	-	-	-	1	-	2	3	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	97	1	-	1	1	1	1	2	11	23	29	27	73	-	1	-	-	1	-	2	6	13	24	26
White	93	1	-	1	1	-	1	2	11	22	27	27	70	-	1	-	-	-	-	2	6	12	24	25
All other	4	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	1	-	-	-	1	-	1
Black	4	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	1	-	-	-	1	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	-	-	-	1	8	6	1	6	-	-	-	-	-	-	1	-	2	2	1
White	16	-	-	-	-	-	-	-	1	8	6	1	6	-	-	-	-	-	-	1	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	80	1	-	1	1	1	1	2	10	15	22	26	63	-	1	-	-	1	-	1	6	10	20	24
White	76	1	-	1	1	-	1	2	10	14	20	26	60	-	1	-	-	-	-	1	6	9	20	23
All other	4	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	1	-	-	-	1	-	1
Black	4	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	1	-	-	-	1	-	1
Infections of kidney (590)	8	-	-	-	-	-	-	1	-	1	5	1	16	-	-	-	-	-	-	1	1	3	3	5
White	8	-	-	-	-	-	-	1	-	1	5	1	15	-	-	-	-	-	-	-	1	3	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	3	3	---	---	---	---	---	---	---	---	---	---	---	---
White	6	-	-	-	-	-	-	-	-	1	2	3	---	---	---	---	---	---	---	---	---	---	---	---
All other	1	-	-	-	-	-	-	-	-	-	1	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	1	-	-	-	-	-	-	-	-	-	1	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	85	56	8	2	4	3	1	1	3	5	1	1	62	45	2	2	2	3	-	-	2	1	3	2
White	81	54	7	2	3	3	1	1	3	5	1	1	61	45	2	2	2	3	-	-	1	1	3	2
All other	4	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	115	114	1	-	-	-	-	-	-	-	-	-	74	72	2	-	-	-	-	-	-	-	-	-
White	99	98	1	-	-	-	-	-	-	-	-	-	59	57	2	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	33	33	-	-	-	-	-	-	-	-	-	-	12	11	1	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	10	9	1	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	82	81	1	-	-	-	-	-	-	-	-	-	62	61	1	-	-	-	-	-	-	-	-	-
White	73	72	1	-	-	-	-	-	-	-	-	-	49	48	1	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	103	54	2	-	1	8	3	2	12	6	6	9	83	34	1	-	2	3	1	4	2	7	9	20
White	92	45	1	-	1	8	3	2	11	6	6	9	78	31	1	-	2	3	1	4	2	7	8	19
All other	11	9	1	-	-	-	-	-	1	-	-	-	5	3	-	-	-	-	-	-	-	-	1	1
Black	10	8	1	-	-	-	-	-	1	-	-	-	5	3	-	-	-	-	-	-	-	-	1	1
All other diseases (Residual)	852	9	8	6	27	45	49	58	99	185	227	139	958	14	4	7	11	21	31	42	79	150	300	299
White	811	8	8	6	24	43	49	51	93	175	219	135	923	11	4	6	11	16	28	38	73	148	295	293
All other	41	1	-	-	3	2	-	7	6	10	8	4	35	3	-	1	-	5	3	4	6	2	5	6
Black	36	1	-	-	2	2	-	6	6	10	6	3	26	3	-	-	-	5	3	2	3	2	5	3
Accidents and adverse effects (E800-E949)	847	8	23	42	235	173	114	54	57	51	57	33	408	5	16	14	75	55	41	19	23	37	62	59
White	797	8	22	39	223	157	108	48	55	50	55	32	381	4	15	13	70	51	36	19	21	33	61	58
All other	50	-	1	3	12	16	6	6	2	1	2	1	25	1	1	1	5	4	5	-	2	4	1	1
Black	32	-	-	2	8	12	4	2	1	-	2	1	17	1	1	1	2	3	2	-	2	3	1	1
Motor vehicle accidents (E810-E825)	444	-	9	22	174	106	53	22	16	18	19	5	194	2	11	6	67	37	27	8	9	14	10	3
White	411	-	9	21	164	93	51	17	15	18	19	4	179	1	10	6	62	35	23	8	8	13	10	3
All other	33	-	-	1	10	13	2	5	1	-	-	1	15	1	1	-	5	2	4	-	1	1	-	-
Black	20	-	-	-	7	9	1	2	-	-	-	1	7	1	1	-	2	1	1	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	403	8	14	20	61	67	61	32	41	33	38	28	212	3	5	8	8	18	14	11	14	23	52	56
White	386	8	13	18	59	64	57	31	40	32	36	28	202	3	5	7	8	16	13	11	13	20	51	55
All other	17	-	1	2	2	3	4	1	1	1	2	-	10	-	-	1	-	2	1	-	1	3	1	1
Black	12	-	-	2	1	3	3	-	1	-	2	-	10	-	-	1	-	2	1	-	1	3	1	1
Suicide (E950-E959)	444	...	...	4	82	105	85	49	35	47	29	8	130	...	...	-	17	21	32	20	20	17	2	1
White	429	...	...	4	79	100	82	48	34	46	29	7	128	...	...	-	16	21	31	20	20	17	2	1
All other	15	...	...	-	3	5	3	1	1	1	-	1	2	...	...	-	1	-	1	-	-	-	-	-
Black	9	...	...	-	1	4	2	-	1	1	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	181	2	3	3	37	60	33	19	14	7	2	1	56	3	-	1	12	15	13	4	4	3	-	1
White	148	2	1	2	32	43	26	18	14	7	2	1	51	3	-	1	10	14	11	4	4	3	-	1
All other	33	-	2	1	5	17	7	1	-	-	-	-	5	-	-	-	2	1	2	-	-	-	-	-
Black	31	-	2	1	4	17	6	1	-	-	-	-	5	-	-	-	2	1	2	-	-	-	-	-
All other external causes (E980-E999)	42	-	-	-	10	10	12	3	3	3	1	-	20	1	-	-	3	7	6	1	2	-	-	-
White	38	-	-	-	10	10	9	2	3	3	1	-	16	-	-	-	2	6	6	1	1	-	-	-
All other	4	-	-	-	-	-	3	1	-	-	-	-	4	1	-	-	1	1	-	-	1	-	-	-
Black	4	-	-	-	-	-	3	1	-	-	-	-	3	1	-	-	1	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	14,123	209	41	59	309	457	556	814	2,218	3,805	3,600	2,054	13,973	197	32	40	116	193	283	521	1,382	2,765	3,977	4,463
White	13,100	154	35	45	271	372	436	690	2,029	3,590	3,461	1,996	13,195	147	23	31	100	152	229	434	1,270	2,613	3,852	4,340
All other	1,023	55	6	14	38	85	120	124	189	215	119	58	778	50	9	9	16	41	54	87	112	152	125	123
Black	992	53	5	13	36	79	115	121	189	209	115	57	755	50	9	9	16	40	52	84	105	147	122	121
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-016)	7	-	-	-	-	1	-	1	-	2	3	-	11	-	-	-	-	-	-	-	2	3	5	1
White	6	-	-	-	-	1	-	-	-	2	3	-	10	-	-	-	-	-	-	-	2	3	4	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	-	-	3	-	8	-	-	-	-	-	-	-	1	3	4	-
White	3	-	-	-	-	-	-	-	-	-	3	-	7	-	-	-	-	-	-	-	1	3	3	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	3	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
White	3	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	152	2	-	1	1	3	6	7	14	38	48	32	179	-	-	-	-	5	1	9	13	26	51	74
White	136	2	-	1	1	2	4	4	12	34	44	32	164	-	-	-	-	3	-	7	11	22	49	72
All other	16	-	-	-	-	1	2	3	2	4	4	-	15	-	-	-	-	2	1	2	2	4	2	2
Black	16	-	-	-	-	1	2	3	2	4	4	-	15	-	-	-	-	2	1	2	2	4	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	-	-	1	4	-	1	-	6	-	-	-	-	2	-	-	-	3	1	-
White	4	-	-	-	-	-	-	-	3	-	1	-	6	-	-	-	-	2	-	-	-	3	1	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	71	2	1	1	2	10	19	8	9	13	5	1	44	3	-	2	1	6	2	1	3	8	9	9
White	57	2	1	1	2	7	14	5	8	11	5	1	39	2	-	2	1	3	1	1	3	8	9	9
All other	14	-	-	-	-	3	5	3	1	2	-	-	5	1	-	-	-	3	1	-	-	-	-	-
Black	14	-	-	-	-	3	5	3	1	2	-	-	5	1	-	-	-	3	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,526	2	5	4	18	25	102	245	748	1,188	868	311	3,324	1	5	9	10	28	116	252	640	994	846	423
White	3,292	1	5	3	18	23	89	207	684	1,129	835	298	3,156	1	4	6	8	26	108	224	611	945	816	407
All other	234	1	-	1	-	2	13	38	64	59	33	13	168	-	1	3	2	2	8	28	29	49	30	16
Black	226	1	-	1	-	2	11	37	64	56	32	12	161	-	1	3	2	2	7	27	28	45	30	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	69	–	–	–	–	–	3	11	33	21	15	6	41	–	–	–	–	–	1	1	7	13	9	10
White	60	–	–	–	–	–	3	9	27	20	15	6	40	–	–	–	–	–	1	1	7	13	9	9
All other	9	–	–	–	–	–	–	2	6	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	9	–	–	–	–	–	–	2	6	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	979	1	–	–	1	5	26	68	221	323	251	83	834	–	–	–	–	3	16	40	120	256	269	130
White	916	1	–	–	1	3	24	54	205	302	244	82	786	–	–	–	–	3	12	32	114	243	258	124
All other	63	–	–	–	–	2	2	14	16	21	7	1	48	–	–	–	–	–	4	8	6	13	11	6
Black	61	–	–	–	–	2	2	14	16	21	6	–	45	–	–	–	–	–	3	8	5	12	11	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,084	–	–	–	–	2	22	88	265	416	233	58	608	–	–	–	–	3	12	63	152	209	121	48
White	1,018	–	–	–	–	2	19	77	241	387	226	56	575	–	–	–	–	3	12	56	144	198	117	45
All other	66	–	–	–	–	–	3	11	24	19	7	2	33	–	–	–	–	–	–	7	8	11	4	3
Black	64	–	–	–	–	–	3	11	24	17	7	2	31	–	–	–	–	–	–	6	8	10	4	3
Malignant neoplasm of breast (174-175)	4	–	–	–	–	–	–	–	–	2	1	1	656	–	–	–	2	6	47	77	155	178	119	72
White	4	–	–	–	–	–	–	–	–	2	1	1	626	–	–	–	1	6	45	71	149	167	116	71
All other	–	–	–	–	–	–	–	–	–	–	–	–	30	–	–	–	1	–	2	6	6	11	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	30	–	–	–	1	–	2	6	6	11	3	1
Malignant neoplasms of genital organs (179-187)	410	–	–	–	–	–	2	3	43	128	160	74	361	–	–	–	–	3	15	35	74	118	79	37
White	380	–	–	–	–	–	2	2	39	116	151	70	337	–	–	–	–	3	14	30	70	111	74	35
All other	30	–	–	–	–	–	–	1	4	12	9	4	24	–	–	–	–	–	1	5	4	7	5	2
Black	30	–	–	–	–	–	–	1	4	12	9	4	22	–	–	–	–	–	1	5	4	5	5	2
Malignant neoplasms of urinary organs (188-189)	184	–	–	–	–	–	2	15	29	61	62	25	100	–	1	1	–	1	1	4	11	24	37	20
White	174	–	–	–	–	–	2	14	27	55	51	25	94	–	–	1	–	1	1	3	11	23	35	19
All other	10	–	–	–	–	–	–	1	2	6	1	–	6	–	1	–	–	–	–	1	–	1	2	1
Black	10	–	–	–	–	–	–	1	2	6	1	–	6	–	1	–	–	–	–	1	–	1	2	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	460	1	1	1	6	9	27	42	116	150	77	30	411	1	2	4	5	8	12	21	78	114	112	54
White	427	–	1	1	6	9	23	35	109	145	71	27	393	1	2	1	4	7	11	21	74	110	109	53
All other	33	1	–	–	–	–	4	7	7	5	6	3	18	–	–	3	1	1	1	–	4	4	3	1
Black	31	1	–	–	–	–	4	6	7	4	6	3	18	–	–	3	1	1	1	–	4	4	3	1
Leukemia (204-208)	120	–	4	2	4	2	7	5	10	34	35	17	113	–	2	3	1	2	5	6	19	22	33	20
White	112	–	4	1	4	2	5	4	8	33	34	17	108	–	2	3	1	2	5	5	18	20	33	19
All other	8	–	–	1	–	–	2	1	2	1	1	–	5	–	–	–	–	–	–	1	1	2	–	1
Black	7	–	–	1	–	–	1	1	2	1	1	–	5	–	–	–	–	–	–	1	1	2	–	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	196	–	–	1	7	7	13	13	31	63	44	17	200	–	–	1	2	2	7	5	24	60	67	32
White	181	–	–	1	7	7	11	12	28	59	42	14	197	–	–	1	2	1	7	5	24	60	65	32
All other	15	–	–	–	–	–	2	1	3	4	2	3	3	–	–	–	–	1	–	–	–	–	2	–
Black	14	–	–	–	–	–	1	1	3	4	2	3	3	–	–	–	–	1	–	–	–	–	2	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	–	–	1	–	1	1	3	9	13	11	9	57	–	–	–	–	1	2	3	6	14	19	12
White	48	–	–	1	–	1	1	3	9	13	11	9	53	–	–	–	–	1	2	3	5	13	17	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	2	–
Diabetes mellitus (250)	226	–	–	–	–	5	5	7	37	82	59	31	291	–	–	–	–	3	5	6	35	56	112	74
White	216	–	–	–	–	4	5	6	37	77	56	31	272	–	–	–	–	3	4	5	30	50	109	71
All other	10	–	–	–	–	1	–	1	–	5	3	–	19	–	–	–	–	–	1	1	5	6	3	3
Black	9	–	–	–	–	1	–	1	–	5	2	–	19	–	–	–	–	–	1	1	5	6	3	3
Nutritional deficiencies (260-269)	9	–	–	–	–	–	1	–	–	2	5	1	20	–	–	–	–	–	–	1	2	1	4	12
White	9	–	–	–	–	–	1	–	–	2	5	1	20	–	–	–	–	–	–	1	2	1	4	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	21	–	–	–	3	1	–	1	3	2	7	4	35	–	–	–	2	–	3	–	2	4	15	9
White	17	–	–	–	2	–	–	–	3	1	7	4	31	–	–	–	1	–	–	–	2	4	15	9
All other	4	–	–	–	1	1	–	1	–	1	–	–	4	–	–	–	1	–	3	–	–	–	–	–
Black	4	–	–	–	1	1	–	1	–	1	–	–	4	–	–	–	1	–	3	–	–	–	–	–
Meningitis (320-322)	6	–	3	–	1	–	–	–	1	–	–	1	6	–	–	–	–	–	–	1	1	3	–	1
White	5	–	2	–	1	–	–	–	1	–	–	1	5	–	–	–	–	–	–	1	–	3	–	1
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	6,213	6	2	2	9	38	142	316	961	1,797	1,813	1,127	6,753	7	1	3	6	29	41	120	430	1,158	2,088	2,868
White	5,875	6	2	2	6	31	106	282	893	1,699	1,756	1,092	6,443	7	–	3	5	19	30	90	380	1,093	2,025	2,789
All other	338	–	–	–	3	7	35	34	68	98	57	35	310	–	1	–	1	10	11	30	50	65	63	79
Black	332	–	–	–	3	6	35	33	68	97	55	35	300	–	1	–	1	9	11	30	46	64	60	78

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,184	3	2	2	7	26	125	276	853	1,535	1,460	895	5,235	7	1	2	4	21	31	92	357	919	1,641	2,159
White	4,908	3	2	2	4	21	97	249	786	1,451	1,416	867	4,996	7	-	2	4	14	24	71	313	869	1,591	2,100
All other	276	-	-	-	3	5	28	27	67	84	44	28	239	-	1	-	-	7	7	21	44	50	50	59
Black	271	-	-	-	3	5	27	26	57	83	42	28	232	-	1	-	-	6	7	21	41	50	47	59
Rheumatic fever and rheumatic heart disease (390-398)	24	-	-	-	1	-	1	4	4	9	3	2	69	-	-	-	-	2	2	9	13	20	18	10
White	23	-	-	-	1	-	-	4	4	9	3	2	67	-	-	-	-	1	1	3	13	20	18	10
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Hypertensive heart disease (402)	86	-	-	-	1	1	4	5	24	30	15	6	132	-	-	-	-	-	4	10	15	30	36	37
White	73	-	-	-	1	1	2	4	19	27	15	4	114	-	-	-	-	-	2	6	10	27	33	36
All other	13	-	-	-	-	-	2	1	5	3	-	2	18	-	-	-	-	-	2	4	5	3	3	1
Black	13	-	-	-	-	-	2	1	5	3	-	2	18	-	-	-	-	-	2	4	5	3	3	1
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	1	1	4	2	12	-	-	-	-	-	-	-	1	4	2	5
White	7	-	-	-	-	-	-	-	1	1	3	2	11	-	-	-	-	-	-	-	-	4	2	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Ischemic heart disease (410-414)	3,577	-	-	1	1	5	76	171	581	1,054	1,042	646	3,494	-	-	-	-	3	10	47	203	620	1,141	1,470
White	3,425	-	-	1	-	4	62	161	544	1,000	1,024	629	3,360	-	-	-	-	2	8	39	182	591	1,110	1,428
All other	152	-	-	-	1	1	14	10	37	54	18	17	134	-	-	-	-	1	2	8	21	29	31	42
Black	148	-	-	-	1	1	13	9	37	53	17	17	130	-	-	-	-	-	2	8	20	29	29	42
Acute myocardial infarction (410)	1,579	-	-	1	1	3	44	85	283	502	439	221	1,401	-	-	-	-	2	4	27	119	312	507	430
White	1,515	-	-	1	-	2	40	79	268	476	434	215	1,361	-	-	-	-	1	4	25	108	302	497	424
All other	64	-	-	-	1	1	4	6	15	26	5	6	40	-	-	-	-	1	-	2	11	10	10	6
Black	60	-	-	-	1	1	3	5	15	25	4	6	38	-	-	-	-	-	-	2	10	10	10	6
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	-	2	3	2	1	8	-	-	-	-	-	1	-	1	1	1	4
White	8	-	-	-	-	-	-	-	2	3	2	1	7	-	-	-	-	-	1	-	1	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Angina pectoris (413)	20	-	-	-	-	-	-	1	3	8	4	4	14	-	-	-	-	-	-	-	1	4	2	7
White	20	-	-	-	-	-	-	1	3	8	4	4	14	-	-	-	-	-	-	-	1	4	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,970	-	-	-	-	2	32	85	283	541	597	420	2,071	-	-	-	-	1	5	20	82	303	631	1,029
White	1,882	-	-	-	-	2	22	81	271	513	584	409	1,978	-	-	-	-	1	3	14	72	284	610	994
All other	88	-	-	-	-	-	10	4	22	28	13	11	93	-	-	-	-	-	2	6	10	19	21	35
Black	88	-	-	-	-	-	10	4	22	28	13	11	91	-	-	-	-	-	2	6	10	19	19	35
Other diseases of endocardium (424)	77	-	-	-	1	3	5	3	9	22	22	12	88	-	-	-	-	1	2	1	7	5	35	37
White	71	-	-	-	-	2	3	2	9	21	22	12	85	-	-	-	-	1	1	1	7	5	34	36
All other	6	-	-	-	1	1	2	1	-	1	-	-	3	-	-	-	-	-	1	-	-	-	1	1
Black	6	-	-	-	1	1	2	1	-	1	-	-	3	-	-	-	-	-	1	-	-	-	1	1
All other forms of heart disease (415-423,425-429)	1,412	3	2	1	3	17	39	93	234	419	374	227	1,440	7	1	2	4	15	13	31	118	240	409	600
White	1,309	3	2	1	2	14	30	78	219	393	349	218	1,359	7	-	2	4	10	12	22	101	222	394	585
All other	103	-	-	-	1	3	9	15	15	26	25	9	81	-	1	-	-	5	1	9	17	18	15	15
Black	102	-	-	-	1	3	9	15	15	26	24	9	78	-	1	-	-	5	1	9	15	18	14	15
Hypertension with or without renal disease (401,403)	41	-	-	-	-	-	3	5	6	9	13	5	71	-	-	-	-	1	1	4	4	13	20	28
White	35	-	-	-	-	-	1	5	4	8	13	4	65	-	-	-	-	1	-	2	3	11	20	28
All other	6	-	-	-	-	-	2	-	2	1	-	1	6	-	-	-	-	-	1	2	1	2	-	-
Black	6	-	-	-	-	-	2	-	2	1	-	1	6	-	-	-	-	-	1	2	1	2	-	-
Cerebrovascular diseases (430-438)	713	3	-	-	1	11	13	31	78	174	241	161	1,126	-	-	1	2	6	8	20	53	180	344	511
White	667	3	-	-	1	9	8	25	70	164	230	157	1,077	-	-	1	1	4	6	15	50	171	333	495
All other	46	-	-	-	-	2	5	6	8	10	11	4	49	-	-	-	1	2	2	5	3	9	11	16
Black	45	-	-	-	-	1	5	6	8	10	11	4	46	-	-	-	1	2	2	5	2	8	11	15
Intracerebral and other intracranial hemorrhage (431-432)	114	1	-	-	-	3	5	14	21	33	28	9	154	-	-	1	-	2	3	9	14	41	48	35
White	99	1	-	-	-	2	3	10	18	29	27	9	144	-	-	1	-	1	2	6	13	40	46	34
All other	15	-	-	-	-	1	2	4	3	4	1	-	10	-	-	-	-	1	1	3	1	1	2	1
Black	15	-	-	-	-	1	2	4	3	4	1	-	9	-	-	-	-	1	1	3	1	-	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	131	-	-	-	-	1	4	4	11	33	50	28	189	-	-	-	-	-	-	3	3	22	59	102
White	121	-	-	-	-	1	1	4	10	30	49	25	182	-	-	-	-	-	-	1	3	22	57	99
All other	10	-	-	-	-	-	3	-	1	3	1	2	7	-	-	-	-	-	-	2	-	-	2	3
Black	10	-	-	-	-	-	3	-	1	3	1	2	6	-	-	-	-	-	-	2	-	-	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	3	2	-	7	-	-	-	-	-	1	-	1	1	2	2
White	6	-	-	-	-	-	-	-	1	3	2	-	7	-	-	-	-	-	1	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	462	2	-	-	1	7	4	13	45	105	161	124	776	-	-	-	2	4	4	8	35	116	235	372
White	441	2	-	-	1	6	4	11	41	102	152	122	744	-	-	-	1	3	3	8	33	108	228	360
All other	21	-	-	-	-	1	-	2	4	3	9	2	32	-	-	-	1	1	1	-	2	8	7	12
Black	20	-	-	-	-	-	-	2	4	3	9	2	31	-	-	-	1	1	1	-	1	8	7	12
Atherosclerosis (440)	97	-	-	-	-	-	-	1	7	22	27	40	195	-	-	-	-	-	-	1	5	17	42	130
White	94	-	-	-	-	-	-	1	6	20	27	40	188	-	-	-	-	-	-	1	3	16	41	127
All other	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	-	-	-	2	1	1	3
Black	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	-	-	-	2	1	1	3
Other diseases of arteries, arterioles, and capillaries (441-448)	178	-	-	-	1	1	1	3	17	57	72	26	126	-	-	-	-	1	1	3	11	29	41	40
White	171	-	-	-	1	1	-	2	17	56	70	24	117	-	-	-	-	-	-	1	11	26	40	39
All other	7	-	-	-	-	-	1	1	-	1	2	2	9	-	-	-	-	1	1	2	-	3	1	1
Black	7	-	-	-	-	-	1	1	-	1	2	2	9	-	-	-	-	1	1	2	-	3	1	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	-	1	1	-	3
White	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	-	1	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	461	4	1	-	-	8	10	13	21	76	156	172	552	4	-	1	4	5	7	10	18	54	157	302
White	433	2	1	-	-	5	4	11	16	74	152	168	536	2	-	-	3	3	3	9	17	51	153	295
All other	28	2	-	-	-	3	6	2	5	2	4	4	26	2	-	1	1	2	4	1	1	3	4	7
Black	28	2	-	-	-	3	6	2	5	2	4	4	26	2	-	1	1	2	4	1	1	3	4	7
Pneumonia (480-486)	451	4	1	-	-	7	10	13	21	75	154	166	544	4	-	1	4	5	7	10	18	52	155	288
White	423	2	1	-	-	4	4	11	16	73	150	162	518	2	-	-	3	3	3	9	17	49	151	281
All other	28	2	-	-	-	3	6	2	5	2	4	4	26	2	-	1	1	2	4	1	1	3	4	7
Black	28	2	-	-	-	3	6	2	5	2	4	4	26	2	-	1	1	2	4	1	1	3	4	7
Influenza (487)	10	-	-	-	-	1	-	-	-	1	2	6	18	-	-	-	-	-	-	-	-	2	2	14
White	10	-	-	-	-	1	-	-	-	1	2	6	18	-	-	-	-	-	-	-	-	2	2	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	480	-	-	-	1	1	3	10	51	154	192	68	389	-	-	1	1	-	4	7	46	117	137	76
White	461	-	-	-	1	1	2	8	46	147	188	68	378	-	-	-	1	-	4	7	43	112	137	74
All other	19	-	-	-	-	-	1	2	5	7	4	-	11	-	-	1	-	-	-	-	3	5	-	2
Black	19	-	-	-	-	-	1	2	5	7	4	-	11	-	-	1	-	-	-	-	3	5	-	2
Bronchitis, chronic and unspecified (490-491)	22	-	-	-	-	-	1	2	3	6	6	4	26	-	-	-	-	-	-	-	2	1	6	17
White	20	-	-	-	-	-	1	1	2	6	6	4	26	-	-	-	-	-	-	-	2	1	6	17
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	77	-	-	-	-	-	-	1	16	30	24	6	46	-	-	-	-	-	-	1	9	20	12	4
White	75	-	-	-	-	-	-	1	16	29	23	6	45	-	-	-	-	-	-	1	8	20	12	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	12	-	-	-	-	-	1	1	1	5	3	1	34	-	-	1	1	-	3	2	6	8	6	7
White	10	-	-	-	-	-	1	1	-	5	2	1	31	-	-	-	1	-	3	2	4	8	6	7
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	1	-	-	-	-	2	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	1	-	-	-	-	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	369	-	-	-	1	1	1	6	31	113	159	57	283	-	-	-	-	-	1	4	29	88	113	48
White	356	-	-	-	1	1	-	5	28	107	157	57	276	-	-	-	-	-	1	4	29	83	113	46
All other	13	-	-	-	-	-	1	1	3	6	2	-	7	-	-	-	-	-	-	-	-	5	-	2
Black	13	-	-	-	-	-	1	1	3	6	2	-	7	-	-	-	-	-	-	-	-	5	-	2
Ulcer of stomach and duodenum (531-533)	38	-	-	-	-	2	1	4	4	5	13	9	42	-	-	-	-	-	-	-	2	6	17	17
White	36	-	-	-	-	1	-	4	4	5	13	9	42	-	-	-	-	-	-	-	2	6	17	17
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	-	-	-	1	1	2	-	2	2	11	5	42	-	-	-	-	-	-	1	2	10	10	19
White	21	-	-	-	1	1	1	-	1	2	10	5	42	-	-	-	-	-	-	1	2	10	10	19
All other	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	212	–	–	–	–	5	24	33	69	57	23	1	111	–	–	–	–	–	8	13	27	40	22	1
White	194	–	–	–	–	3	21	30	62	55	22	1	101	–	–	–	–	–	7	10	21	40	22	1
All other	18	–	–	–	–	2	3	3	7	2	1	–	10	–	–	–	–	–	1	3	6	–	–	–
Black	18	–	–	–	–	2	3	3	7	2	1	–	8	–	–	–	–	–	1	2	5	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	17	–	–	–	–	–	–	1	–	6	5	5	22	–	–	–	–	–	1	–	1	1	7	12
White	16	–	–	–	–	–	–	–	–	6	5	5	21	–	–	–	–	–	1	–	1	1	7	11
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	149	1	1	1	1	1	3	2	22	30	48	39	128	1	1	–	–	–	6	1	10	25	42	42
White	133	1	1	1	1	1	1	1	19	26	45	36	114	–	1	–	–	–	3	1	9	20	40	40
All other	16	–	–	–	–	–	2	1	3	4	3	3	14	1	–	–	–	–	3	–	1	5	2	2
Black	15	–	–	–	–	–	2	1	3	3	3	3	14	1	–	–	–	–	3	–	1	5	2	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	–	–	–	1	–	1	–	–	2	2	4	7	–	–	–	–	–	–	–	–	1	3	3
White	9	–	–	–	1	–	1	–	–	2	2	3	6	–	–	–	–	–	–	–	–	1	3	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	139	1	1	1	–	1	2	2	22	28	45	35	120	1	1	–	–	–	6	1	10	24	39	38
White	123	1	1	1	–	1	–	1	19	24	42	33	107	–	1	–	–	–	3	1	9	19	37	37
All other	15	–	–	–	–	–	2	1	3	4	3	2	13	1	–	–	–	–	3	–	1	5	2	1
Black	14	–	–	–	–	–	2	1	3	3	3	2	13	1	–	–	–	–	3	–	1	5	2	1
Infections of kidney (590)	2	–	–	–	–	–	–	–	1	–	–	1	7	–	–	–	–	–	–	–	1	1	1	4
White	2	–	–	–	–	–	–	–	1	–	–	1	6	–	–	–	–	–	–	–	–	1	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	1	–	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	1	–	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Congenital anomalies (740-759)	73	46	8	2	3	2	1	–	6	3	2	–	80	51	5	2	1	3	3	–	3	5	6	1
White	65	40	7	2	3	2	1	–	5	3	2	–	66	41	3	2	1	3	2	–	2	5	6	1
All other	8	6	1	–	–	–	–	–	1	–	–	–	14	10	2	–	–	–	1	–	1	–	–	–
Black	7	5	1	–	–	–	–	–	1	–	–	–	14	10	2	–	–	–	1	–	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	107	106	1	–	–	–	–	–	–	–	–	–	113	113	–	–	–	–	–	–	–	–	–	–
White	73	72	1	–	–	–	–	–	–	–	–	–	81	81	–	–	–	–	–	–	–	–	–	–
All other	34	34	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
Black	33	33	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	28	28	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
White	21	21	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
All other	7	7	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	79	78	1	–	–	–	–	–	–	–	–	–	90	80	–	–	–	–	–	–	–	–	–	–
White	52	51	1	–	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
All other	27	27	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Black	26	26	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	224	32	1	3	24	59	41	20	10	15	9	9	147	11	1	1	16	15	18	16	11	9	24	24
White	188	24	1	1	20	50	31	17	10	15	9	9	132	10	1	1	15	12	14	14	9	8	24	23
All other	36	8	–	2	4	9	10	3	–	–	–	–	15	1	–	–	1	3	4	2	2	1	–	1
Black	35	8	–	2	4	8	10	3	–	–	–	–	15	1	–	–	1	3	4	2	2	1	–	1
All other diseases (Residual)	1,037	3	1	10	16	58	64	54	161	220	261	189	1,123	2	4	3	7	22	29	56	80	161	338	400
White	934	3	1	9	12	40	46	39	140	203	255	186	1,044	1	3	2	7	14	18	39	73	172	324	390
All other	103	–	–	1	4	18	18	15	21	17	6	3	79	1	1	1	–	8	11	17	7	9	14	10
Black	102	–	–	1	3	18	18	15	21	17	6	3	77	1	1	1	–	8	11	16	7	9	14	9
Accidents and adverse effects (E800-E949)	646	1	15	30	153	135	67	49	53	72	49	29	346	4	13	13	46	44	14	11	30	35	61	75
White	576	1	11	24	141	120	57	39	46	68	41	28	319	2	10	11	42	39	13	10	28	31	58	75
All other	70	–	4	6	12	15	10	10	7	4	2	–	27	2	3	2	4	5	1	1	2	4	3	–
Black	61	–	3	5	11	13	8	9	7	3	2	–	27	2	3	2	4	5	1	1	2	4	3	–
Motor vehicle accidents (E810-E825)	334	–	5	14	117	84	37	26	17	19	11	4	123	2	3	8	39	30	6	8	9	10	6	2
White	301	–	4	13	107	77	33	20	15	17	11	4	110	1	1	7	36	27	5	7	8	9	6	2
All other	33	–	1	1	10	7	4	6	2	2	–	–	13	1	2	1	3	3	–	1	1	1	–	–
Black	29	–	–	1	9	7	2	5	2	2	–	–	13	1	2	1	3	3	–	1	1	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	312	1	10	16	36	51	30	23	36	53	32	24	223	2	10	5	7	14	8	3	21	25	55	73
White	275	1	7	11	34	43	24	19	31	51	30	24	209	1	9	4	6	12	7	3	20	22	52	73
All other	37	–	3	5	2	8	6	4	5	2	2	–	14	1	1	1	1	2	1	–	1	3	3	–
Black	33	–	3	4	2	6	6	4	5	1	2	–	14	1	1	1	1	2	1	–	1	3	3	–
Suicide (E950-E959)	247	...	...	–	51	67	39	29	27	16	11	7	58	...	...	–	8	14	10	9	6	7	–	2
White	232	...	...	–	47	60	35	29	27	16	11	7	55	...	...	–	7	14	9	8	6	7	–	2
All other	15	...	...	–	4	7	4	–	–	–	–	–	3	...	...	–	1	–	1	1	–	–	–	–
Black	13	...	...	–	4	5	4	–	–	–	–	–	2	...	...	–	1	–	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	99	1	1	4	24	28	23	10	4	1	2	1	50	–	2	5	11	12	6	2	6	2	2	–
White	52	–	1	–	14	13	15	5	1	1	1	1	38	–	1	4	8	7	7	2	6	2	1	–
All other	47	1	–	4	10	15	8	5	3	–	1	–	12	–	1	1	3	5	1	–	–	–	1	–
Black	47	1	–	4	10	15	8	5	3	–	1	–	12	–	1	1	3	5	1	–	–	–	1	–
All other external causes (E980-E999)	8	–	–	–	1	4	2	–	1	–	–	–	11	–	–	–	–	3	2	1	1	1	2	1
White	8	–	–	–	1	4	2	–	1	–	–	–	10	–	–	–	–	3	2	–	1	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
DELAWARE																								
All causes	2,954	64	9	12	81	101	114	196	519	812	689	355	2,677	48	10	9	27	31	77	98	304	574	747	752
White	2,438	39	7	7	57	71	83	145	417	702	597	312	2,256	31	5	5	21	24	55	68	233	470	658	686
All other	516	25	2	5	24	30	31	51	102	110	92	43	421	17	5	4	6	7	22	30	71	104	89	66
Black	498	25	2	5	24	29	31	50	100	108	83	40	410	16	5	4	6	7	21	29	71	102	86	63
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	6	–	–	–	–	1	1	–	–	1	2	1	3	–	–	–	–	–	–	2	–	–	–	1
White	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–
All other	4	–	–	–	–	1	1	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	1
Black	3	–	–	–	–	1	1	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Tuberculosis of respiratory system (010-012)	6	–	–	–	–	1	1	–	–	1	2	1	2	–	–	–	–	–	–	2	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–
All other	4	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	3	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	28	1	-	-	-	-	1	-	4	6	11	5	27	-	-	-	1	1	2	1	3	5	5	9
White	23	-	-	-	-	-	1	-	3	6	9	4	21	-	-	-	1	1	1	1	1	4	5	7
All other	5	1	-	-	-	-	-	-	1	-	2	1	6	-	-	-	-	-	1	-	2	1	-	2
Black	5	1	-	-	-	-	-	-	1	-	2	1	6	-	-	-	-	-	1	-	2	1	-	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 088-139)	19	1	-	-	1	6	3	2	3	3	-	-	5	-	-	-	-	-	-	-	-	2	2	1
White	17	1	-	-	1	5	3	2	3	2	-	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	710	-	-	1	2	8	9	57	181	239	161	51	624	-	1	2	3	5	31	44	124	186	154	74
White	588	-	-	1	1	6	7	38	142	212	136	44	538	-	1	2	1	4	25	32	105	161	139	68
All other	122	-	-	-	1	2	2	19	39	27	25	7	86	-	-	-	2	1	6	12	19	25	15	6
Black	120	-	-	-	1	2	2	18	39	27	24	7	86	-	-	-	2	1	6	12	19	25	15	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	-	-	-	-	-	1	2	3	6	6	1	8	-	-	-	-	-	-	-	2	2	1	3
White	15	-	-	-	-	-	1	1	2	4	6	1	5	-	-	-	-	-	-	-	1	-	1	3
All other	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	157	-	-	-	-	1	2	17	41	57	32	6	146	-	-	-	-	1	1	3	29	42	45	25
White	128	-	-	-	-	-	1	12	31	52	27	4	130	-	-	-	-	1	1	3	24	39	39	23
All other	29	-	-	-	-	1	1	5	10	5	5	2	16	-	-	-	-	-	-	-	5	3	6	2
Black	29	-	-	-	-	1	1	5	10	5	5	2	16	-	-	-	-	-	-	-	5	3	6	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	263	-	-	-	-	-	2	24	80	96	47	14	122	-	-	-	-	1	6	8	28	43	29	7
White	206	-	-	-	-	-	2	13	58	82	39	12	106	-	-	-	-	1	4	7	23	36	28	7
All other	57	-	-	-	-	-	-	11	22	14	8	2	16	-	-	-	-	-	2	1	5	7	1	-
Black	55	-	-	-	-	-	-	10	22	14	7	2	16	-	-	-	-	-	2	1	5	7	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	131	-	-	-	-	1	11	17	36	32	23	11
White	-	-	-	-	-	-	-	-	-	-	-	-	109	-	-	-	-	-	9	12	33	26	19	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	1	2	5	3	6	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	1	2	5	3	6	4	1
Malignant neoplasms of genital organs (179-187)	81	-	-	-	-	-	1	-	9	19	37	15	65	-	-	-	1	1	2	7	8	24	17	5
White	67	-	-	-	-	-	1	-	8	15	30	13	54	-	-	-	-	1	2	5	4	22	15	5
All other	14	-	-	-	-	-	-	-	1	4	7	2	11	-	-	-	1	-	-	2	4	2	2	-
Black	14	-	-	-	-	-	-	-	1	4	7	2	11	-	-	-	1	-	-	2	4	2	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	25	-	-	-	-	-	-	1	3	13	5	3	22	-	-	-	1	-	1	1	4	4	6	5
White	24	-	-	-	-	-	-	1	3	13	4	3	20	-	-	-	1	-	1	-	4	4	6	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	111	-	-	-	-	2	1	11	36	28	25	8	77	-	-	-	-	1	6	4	13	26	17	10
White	102	-	-	-	-	2	1	10	31	27	23	8	69	-	-	-	-	1	4	2	12	25	16	9
All other	9	-	-	-	-	-	-	1	5	1	2	-	8	-	-	-	-	-	2	2	1	1	1	1
Black	9	-	-	-	-	-	-	1	5	1	2	-	8	-	-	-	-	-	2	2	1	1	1	1
Leukemia (204-208)	20	-	-	1	1	2	1	1	3	5	5	1	31	-	1	2	1	-	3	2	3	6	7	6
White	18	-	-	1	1	1	1	-	3	5	5	1	28	-	1	2	-	-	3	2	3	5	6	6
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	1	1	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	-	-	-	1	3	1	1	6	15	4	3	22	-	-	-	-	-	1	2	1	7	9	2
White	28	-	-	-	-	3	-	1	6	14	2	2	17	-	-	-	-	-	1	1	1	4	9	1
All other	6	-	-	-	1	-	1	-	-	1	2	1	5	-	-	-	-	-	-	1	-	3	-	1
Black	6	-	-	-	1	-	1	-	-	1	2	1	5	-	-	-	-	-	-	1	-	3	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	-	1	-	-	1	2	-	13	-	-	1	-	-	1	-	3	2	5	1
White	3	-	-	-	-	-	1	-	-	-	2	-	12	-	-	1	-	-	1	-	3	2	4	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	68	-	-	-	1	2	5	3	10	25	18	4	90	-	-	-	-	-	3	3	11	28	22	23
White	50	-	-	-	1	1	2	1	9	19	13	4	65	-	-	-	-	-	2	2	5	22	17	17
All other	18	-	-	-	-	1	3	2	1	6	5	-	25	-	-	-	-	-	1	1	6	6	5	6
Black	18	-	-	-	-	1	3	2	1	6	5	-	25	-	-	-	-	-	1	1	6	6	5	6
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	1	1	-	-	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	1	1	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	4	-	-	-	-	-	-	-	-	3	1	-	5	-	-	1	-	1	-	-	-	2	1	-
White	4	-	-	-	-	-	-	-	-	3	1	-	4	-	-	1	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	1	-	1	-	-	-
White	2	-	1	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	1	-	1	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,229	1	1	-	5	4	36	72	224	371	323	191	1,251	-	1	-	-	3	12	22	100	241	367	485
White	1,048	-	-	-	2	3	28	58	185	320	285	167	1,080	-	1	-	-	1	6	15	71	190	341	455
All other	181	1	1	-	3	1	8	14	39	51	38	24	171	-	-	-	-	2	6	7	29	51	46	30
Black	171	1	1	-	3	1	8	14	37	49	33	23	166	-	-	-	-	2	6	6	29	49	45	29
Diseases of heart (390-398,402,404-429)	1,041	1	1	-	3	4	34	65	199	317	259	157	1,020	-	1	-	-	2	6	17	88	203	323	380
White	890	-	-	-	1	3	28	55	166	271	231	135	888	-	1	-	-	1	3	12	64	164	286	357
All other	151	1	1	-	2	1	6	10	33	46	28	22	132	-	-	-	-	1	3	5	24	39	37	23
Black	143	1	1	-	2	1	6	10	31	45	24	21	128	-	-	-	-	1	3	4	24	38	36	22
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	2	1	1	-	12	-	-	-	-	-	1	-	3	6	2	-
White	4	-	-	-	-	-	-	-	2	1	1	-	11	-	-	-	-	-	1	-	2	6	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	49	-	-	-	-	-	2	6	11	19	7	3	57	-	-	-	-	-	3	1	8	14	19	12
White	35	-	-	-	-	-	1	3	10	15	4	2	46	-	-	-	-	-	2	-	7	9	17	11
All other	14	-	-	-	-	-	1	3	1	4	3	1	11	-	-	-	-	-	1	1	1	5	2	1
Black	13	-	-	-	-	-	1	3	1	4	2	1	11	-	-	-	-	-	1	1	1	5	2	1
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	608	-	-	-	-	2	20	32	128	198	162	66	519	-	-	-	-	2	1	10	49	117	174	166
White	533	-	-	-	-	2	19	28	107	172	149	56	455	-	-	-	-	1	-	8	36	98	156	156
All other	75	-	-	-	-	-	1	4	21	26	13	10	64	-	-	-	-	1	1	2	13	19	18	10
Black	69	-	-	-	-	-	1	4	19	25	11	9	61	-	-	-	-	1	1	1	13	18	17	10
Acute myocardial infarction (410)	343	-	-	-	-	-	12	16	76	118	94	27	257	-	-	-	-	1	-	7	32	68	91	58
White	303	-	-	-	-	-	12	15	66	101	87	22	224	-	-	-	-	1	-	5	25	57	80	56
All other	40	-	-	-	-	-	-	1	10	17	7	5	33	-	-	-	-	-	-	2	7	11	11	2
Black	37	-	-	-	-	-	-	1	9	17	5	5	31	-	-	-	-	-	-	1	7	11	10	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	-	2	3	-	3	-	-	-	-	-	-	-	-	2	1
White	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	2	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	260	-	-	-	-	2	8	16	52	78	85	39	256	-	-	-	-	1	1	3	17	48	80	106
White	227	-	-	-	-	2	7	13	41	69	61	34	226	-	-	-	-	-	-	3	11	41	73	98
All other	33	-	-	-	-	-	1	3	11	9	4	5	30	-	-	-	-	1	1	-	6	7	7	8
Black	30	-	-	-	-	-	1	3	10	8	4	4	29	-	-	-	-	1	1	-	6	6	7	8
Other diseases of endocardium (424)	16	-	-	-	-	-	-	1	3	4	6	4	11	-	-	-	-	-	-	-	2	4	2	3
White	15	-	-	-	-	-	-	-	3	4	5	3	9	-	-	-	-	-	-	-	1	3	2	3
All other	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	-
All other forms of heart disease (415-423,425-429)	359	1	1	-	3	2	12	26	55	93	82	84	420	-	1	-	-	-	1	6	26	62	125	199
White	300	-	-	-	1	1	8	24	44	77	71	74	367	-	1	-	-	-	-	4	18	48	109	187
All other	59	1	1	-	2	1	4	2	11	16	11	10	53	-	-	-	-	-	1	2	8	14	16	12
Black	58	1	1	-	2	1	4	2	11	16	10	10	52	-	-	-	-	-	1	2	8	14	16	11
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	1	-	1	1	2	4	11	-	-	-	-	-	-	-	1	5	3	2
White	6	-	-	-	-	-	-	-	-	1	1	4	6	-	-	-	-	-	-	-	-	3	1	2
All other	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Cerebrovascular diseases (430-438)	112	-	-	-	2	-	1	7	15	32	40	15	161	-	-	-	-	1	6	4	10	28	39	73
White	89	-	-	-	1	-	-	3	12	28	32	13	132	-	-	-	-	-	3	3	8	19	35	68
All other	23	-	-	-	1	-	1	4	3	4	8	2	29	-	-	-	-	1	3	1	4	9	4	7
Black	22	-	-	-	1	-	1	4	3	4	7	2	28	-	-	-	-	1	3	1	4	8	4	7
Intracerebral and other intracranial hemorrhage (431-432)	14	-	-	-	1	-	-	4	2	2	5	-	10	-	-	-	-	-	1	-	2	3	2	2
White	9	-	-	-	1	-	-	1	1	2	4	-	7	-	-	-	-	-	-	-	1	2	2	2
All other	5	-	-	-	-	-	-	3	1	-	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	5	-	-	-	-	-	-	3	1	-	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	-	-	-	-	-	-	1	3	4	5	3	30	-	-	-	-	1	1	1	1	8	3	15
White	14	-	-	-	-	-	-	-	3	4	4	3	24	-	-	-	-	-	-	1	1	4	3	15
All other	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	1	1	-	-	4	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	1	1	-	-	4	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	82	-	-	-	1	-	1	2	10	26	30	12	120	-	-	-	-	-	4	3	7	17	33	56
White	66	-	-	-	-	-	-	2	8	22	24	10	100	-	-	-	-	-	3	2	4	13	29	49
All other	16	-	-	-	1	-	1	-	2	4	6	2	20	-	-	-	-	-	1	1	3	4	4	7
Black	15	-	-	-	1	-	1	-	2	4	5	2	19	-	-	-	-	-	1	1	3	3	4	7
Atherosclerosis (440)	18	-	-	-	-	-	-	-	1	2	6	9	36	-	-	-	-	-	-	-	1	2	13	20
White	17	-	-	-	-	-	-	-	1	2	5	9	34	-	-	-	-	-	-	-	1	2	11	20
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Other diseases of arteries, arterioles, and capillaries (441-448)	49	-	-	-	-	-	-	-	8	19	16	6	23	-	-	-	-	-	-	1	-	3	9	10
White	46	-	-	-	-	-	-	-	8	18	16	6	20	-	-	-	-	-	-	-	-	2	8	10
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	80	-	1	-	-	-	3	7	10	13	26	20	78	-	1	-	1	-	-	3	6	16	15	37
White	69	-	1	-	-	-	2	4	7	12	24	19	70	-	-	-	1	-	-	2	4	15	13	35
All other	11	-	-	-	-	-	1	3	3	1	2	1	9	-	1	-	-	-	-	1	2	1	2	2
Black	11	-	-	-	-	-	1	3	3	1	2	1	8	-	1	-	-	-	-	1	2	1	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	79	-	1	-	-	-	3	7	10	12	26	20	78	-	1	-	1	-	-	3	6	16	14	37
White	68	-	1	-	-	-	2	4	7	11	24	19	70	-	-	-	1	-	-	2	4	15	13	35
All other	11	-	-	-	-	-	1	3	3	1	2	1	8	-	1	-	-	-	-	1	2	1	1	2
Black	11	-	-	-	-	-	1	3	3	1	2	1	7	-	1	-	-	-	-	1	2	1	1	1
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	121	-	-	-	-	-	-	4	13	47	42	15	65	-	-	-	-	-	-	2	10	17	33	3
White	104	-	-	-	-	-	-	4	10	41	37	12	58	-	-	-	-	-	-	-	8	15	32	3
All other	17	-	-	-	-	-	-	-	3	6	5	3	7	-	-	-	-	-	-	2	2	2	1	-
Black	16	-	-	-	-	-	-	-	3	6	4	3	7	-	-	-	-	-	-	2	2	2	1	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	25	-	-	-	-	-	-	2	2	13	7	1	13	-	-	-	-	-	-	-	4	3	6	-
White	22	-	-	-	-	-	-	2	2	12	6	-	12	-	-	-	-	-	-	-	3	3	6	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	2	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	90	-	-	-	-	-	-	1	10	32	33	14	47	-	-	-	-	-	-	-	6	12	26	3
White	78	-	-	-	-	-	-	1	7	27	31	12	44	-	-	-	-	-	-	-	5	11	25	3
All other	12	-	-	-	-	-	-	-	3	5	2	2	3	-	-	-	-	-	-	-	1	1	1	-
Black	12	-	-	-	-	-	-	-	3	5	2	2	3	-	-	-	-	-	-	-	1	1	1	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	1	-	3	2	1	8	-	-	-	-	-	1	-	-	3	2	2
White	7	-	-	-	-	-	-	1	-	3	2	1	7	-	-	-	-	-	1	-	-	3	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	2	3	1	7	-	-	-	-	-	-	-	1	-	2	4
White	5	-	-	-	-	-	-	-	-	1	3	1	5	-	-	-	-	-	-	-	1	-	1	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic liver disease and cirrhosis (571)	50	-	-	-	-	1	6	8	17	13	4	1	37	-	-	-	1	2	5	7	7	8	6	1
White	36	-	-	-	-	1	4	4	13	10	3	1	31	-	-	-	1	1	3	6	6	7	6	1
All other	14	-	-	-	-	-	2	4	4	3	1	-	6	-	-	-	-	1	2	1	1	1	-	-
Black	14	-	-	-	-	-	2	4	4	3	1	-	6	-	-	-	-	1	2	1	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	57	-	-	-	-	-	2	1	9	14	16	15	51	-	-	-	-	-	-	1	3	14	20	13
White	48	-	-	-	-	-	-	-	6	13	15	14	34	-	-	-	-	-	-	-	2	8	15	9
All other	9	-	-	-	-	-	2	1	3	1	1	1	17	-	-	-	-	-	-	1	1	6	5	4
Black	9	-	-	-	-	-	2	1	3	1	1	1	16	-	-	-	-	-	-	1	1	6	4	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	
All other	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	54	-	-	-	-	-	1	1	9	14	15	14	49	-	-	-	-	-	-	1	3	14	19	12
White	47	-	-	-	-	-	-	-	6	13	14	14	32	-	-	-	-	-	-	-	2	8	14	8
All other	7	-	-	-	-	-	1	1	3	1	1	-	17	-	-	-	-	-	-	1	1	6	5	4
Black	7	-	-	-	-	-	1	1	3	1	1	-	16	-	-	-	-	-	-	1	1	6	4	4
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	1	1	-	2	3
White	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	1	1	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	18	12	1	1	1	1	1	-	-	1	-	-	19	14	2	-	-	-	2	-	-	-	1	-
White	14	10	1	-	-	1	1	-	-	1	-	-	15	11	1	-	-	-	2	-	-	-	1	-
All other	4	2	-	1	1	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Black	4	2	-	1	1	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	30	30	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	17	8	-	-	-	1	2	1	1	2	2	-	14	2	-	-	-	-	-	-	-	1	3	8
White	13	5	-	-	-	1	2	1	-	2	2	-	10	-	-	-	-	-	-	-	-	-	3	7
All other	4	3	-	-	-	-	-	-	1	-	-	-	4	2	-	-	-	-	-	-	-	1	-	1
Black	4	3	-	-	-	-	-	-	1	-	-	-	4	2	-	-	-	-	-	-	-	1	-	1
All other diseases (Residual)	212	3	2	1	6	7	8	17	27	48	54	39	224	4	-	1	3	4	7	6	25	38	66	70
White	175	3	1	1	3	3	5	11	25	40	47	36	178	4	-	1	1	4	2	3	18	30	57	58
All other	37	-	1	-	3	4	3	6	2	8	7	3	46	-	-	-	2	-	5	3	7	8	9	12
Black	35	-	1	-	3	4	3	6	2	8	7	1	43	-	-	-	2	-	4	3	7	8	8	11
Accidents and adverse effects (E800-E949)	174	-	2	4	47	42	19	15	16	10	12	7	76	-	2	4	15	5	4	4	6	7	14	15
White	122	-	2	2	35	25	11	14	10	8	9	6	62	-	1	-	13	5	4	3	4	6	11	15
All other	52	-	-	2	12	17	8	1	6	2	3	1	14	-	1	4	2	-	-	1	2	1	3	-
Black	50	-	-	2	12	16	8	1	6	2	2	1	14	-	1	4	2	-	-	1	2	1	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	116	–	–	2	39	33	15	10	12	4	1	–	35	–	2	3	14	3	3	2	2	2	4	1
White	83	–	–	1	29	21	10	10	8	3	1	–	28	–	1	–	12	3	3	2	1	2	3	1
All other	33	–	–	1	10	12	5	–	4	1	–	–	8	–	1	3	2	–	–	–	1	–	1	–
Black	32	–	–	1	10	11	5	–	4	1	–	–	8	–	1	3	2	–	–	–	1	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	58	–	2	2	8	9	4	5	4	6	11	7	40	–	–	1	1	2	1	2	4	5	10	14
White	39	–	2	1	6	4	1	4	2	5	8	6	34	–	–	–	1	2	1	1	3	4	8	14
All other	19	–	–	1	2	5	3	1	2	1	3	1	6	–	–	1	–	–	–	1	1	1	2	–
Black	19	–	–	1	2	5	3	1	2	1	2	1	6	–	–	1	–	–	–	1	1	1	2	–
Suicide (E950-E959)	67	...	...	2	11	16	12	7	3	7	9	–	17	...	...	–	1	5	5	1	2	1	2	–
White	64	...	...	2	10	16	12	7	3	7	7	–	16	...	...	–	1	5	4	1	2	1	2	–
All other	3	...	...	–	1	–	–	–	–	–	2	–	1	...	...	–	–	–	1	–	–	–	–	–
Black	3	...	...	–	1	–	–	–	–	–	2	–	1	...	...	–	–	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	23	–	–	1	5	10	4	1	–	2	–	–	13	1	2	–	1	4	2	–	–	1	2	–
White	15	–	–	1	3	7	3	–	–	1	–	–	9	1	–	–	1	2	2	–	–	1	2	–
All other	8	–	–	–	2	3	1	1	–	1	–	–	4	–	2	–	–	2	–	–	–	–	–	–
Black	8	–	–	–	2	3	1	1	–	1	–	–	4	–	2	–	–	2	–	–	–	–	–	–
All other external causes (E980-E999)	6	1	1	–	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	6	1	1	–	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISTRICT OF COLUMBIA																								
All causes	3,866	127	10	13	92	269	345	388	696	852	737	334	3,388	85	3	9	40	85	142	221	448	725	894	741
White	880	16	1	1	13	53	61	72	105	165	231	158	991	6	–	–	4	9	18	30	65	160	319	380
All other	3,006	111	9	12	79	216	284	326	591	687	506	176	2,407	79	3	9	36	76	124	191	383	565	575	361
Black	2,978	111	9	12	77	214	284	323	568	662	496	171	2,398	78	3	9	36	76	124	191	382	563	573	358
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	2	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	5	2	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Black	5	2	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	7	–	–	–	–	–	2	3	–	1	–	1	4	–	–	–	–	–	1	–	–	2	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	6	–	–	–	–	–	2	3	–	1	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Black	6	–	–	–	–	–	2	3	–	1	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Tuberculosis of respiratory system (010-012)	6	–	–	–	–	–	2	2	–	1	–	1	3	–	–	–	–	–	1	–	–	2	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	5	–	–	–	–	–	2	2	–	1	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Black	5	–	–	–	–	–	2	2	–	1	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	72	1	–	1	–	3	4	9	10	14	20	10	74	1	–	–	1	–	1	1	8	19	28	14
White	12	–	–	–	–	2	–	1	–	3	5	1	13	–	–	–	–	–	–	–	4	4	5	4
All other	60	1	–	1	–	1	4	8	10	11	15	9	61	1	–	–	1	–	1	1	8	15	23	10
Black	60	1	–	1	–	1	4	8	10	11	15	9	61	1	–	–	1	–	1	1	8	15	23	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	4	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	60	1	–	–	6	15	19	9	6	3	1	–	27	–	–	2	1	3	8	1	3	4	3	2
White	21	–	–	–	2	5	5	6	2	1	–	–	7	–	–	–	–	1	2	–	1	1	–	2
All other	39	1	–	–	4	10	14	3	4	2	1	–	20	–	–	2	1	2	6	1	2	3	3	–
Black	39	1	–	–	4	10	14	3	4	2	1	–	20	–	–	2	1	2	6	1	2	3	3	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	895	–	–	1	4	12	29	109	232	246	211	51	771	–	–	–	5	7	31	84	154	224	172	93
White	199	–	–	1	1	5	9	15	38	44	67	19	220	–	–	–	–	–	5	14	25	55	76	45
All other	696	–	–	–	3	7	20	94	194	202	144	32	551	–	–	–	5	7	26	70	129	169	96	48
Black	688	–	–	–	3	7	20	92	193	199	142	32	550	–	–	–	5	7	26	70	129	169	96	48
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	–	–	–	–	–	3	12	12	11	4	1	12	–	–	–	–	–	–	3	3	6	–	–
White	9	–	–	–	–	–	–	2	2	3	1	1	3	–	–	–	–	–	–	–	–	3	–	–
All other	34	–	–	–	–	–	3	10	10	8	3	–	9	–	–	–	–	–	–	3	3	3	–	–
Black	34	–	–	–	–	–	3	10	10	8	3	–	9	–	–	–	–	–	–	3	3	3	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	232	–	–	–	–	1	8	30	60	71	46	16	207	–	–	–	–	1	4	12	34	69	50	38
White	34	–	–	–	–	1	1	2	6	7	13	4	57	–	–	–	–	–	–	2	3	14	19	19
All other	198	–	–	–	–	–	7	28	54	64	33	12	150	–	–	–	–	1	4	10	31	54	31	19
Black	194	–	–	–	–	–	7	27	54	62	32	12	150	–	–	–	–	1	4	10	31	54	31	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	278	–	–	–	–	2	5	39	89	80	55	8	148	–	–	–	1	–	3	25	42	39	30	8
White	54	–	–	–	–	–	–	5	12	16	19	2	32	–	–	–	–	–	–	6	4	9	12	1
All other	224	–	–	–	–	2	5	34	77	64	36	6	116	–	–	–	1	–	3	19	38	30	18	7
Black	220	–	–	–	–	2	5	33	76	63	35	6	115	–	–	–	1	–	3	19	38	29	18	7
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	1	1	–	–	123	–	–	–	–	1	8	20	30	30	26	8
White	1	–	–	–	–	–	–	–	1	–	–	–	35	–	–	–	–	–	2	1	6	9	14	3
All other	1	–	–	–	–	–	–	–	–	1	–	–	88	–	–	–	–	1	6	19	24	21	12	5
Black	1	–	–	–	–	–	–	–	–	1	–	–	88	–	–	–	–	1	6	19	24	21	12	5
Malignant neoplasms of genital organs (179-187)	128	–	–	–	–	–	–	1	21	33	59	14	93	–	–	–	–	2	5	10	27	25	16	8
White	30	–	–	–	–	–	–	–	3	6	15	6	26	–	–	–	–	–	–	1	9	7	4	5
All other	98	–	–	–	–	–	–	1	18	27	44	8	67	–	–	–	–	2	5	9	18	18	12	3
Black	98	–	–	–	–	–	–	1	18	27	44	8	67	–	–	–	–	2	5	9	18	18	12	3
Malignant neoplasms of urinary organs (188-189)	20	–	–	–	–	–	–	1	8	5	4	4	26	–	–	–	–	–	1	1	2	9	11	2
White	7	–	–	–	–	–	–	–	1	3	1	2	9	–	–	–	–	–	–	–	–	–	8	1
All other	13	–	–	–	–	–	–	1	5	2	3	2	17	–	–	–	–	–	1	1	2	9	3	1
Black	13	–	–	–	–	–	–	1	5	2	3	2	17	–	–	–	–	–	1	1	2	9	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	112	–	–	1	1	5	7	19	30	23	20	6	90	–	–	–	2	1	1	12	10	31	20	12
White	32	–	–	1	–	2	4	3	10	2	7	3	30	–	–	–	–	–	1	4	1	10	9	5
All other	80	–	–	–	1	3	3	16	20	21	13	3	60	–	–	–	2	1	–	8	9	21	11	7
Black	80	–	–	–	1	3	3	16	20	21	13	3	60	–	–	–	2	1	–	8	9	21	11	7
Leukemia (204-208)	21	–	–	–	2	1	1	1	5	3	7	1	28	–	–	–	1	1	6	–	3	5	8	4
White	11	–	–	–	–	1	–	1	2	3	4	–	12	–	–	–	–	–	1	–	2	1	5	3
All other	10	–	–	–	2	–	1	–	3	–	3	1	16	–	–	–	1	1	5	–	1	4	3	1
Black	10	–	–	–	2	–	1	–	3	–	3	1	16	–	–	–	1	1	5	–	1	4	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	–	–	–	1	3	5	6	8	19	16	1	44	–	–	–	1	1	3	1	3	11	11	13
White	21	–	–	–	1	1	4	2	1	4	7	1	16	–	–	–	–	–	1	–	–	2	5	8
All other	38	–	–	–	–	2	1	4	7	15	9	–	28	–	–	–	1	1	2	1	3	9	6	5
Black	38	–	–	–	–	2	1	4	7	15	9	–	28	–	–	–	1	1	2	1	3	9	6	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	–	–	–	1	–	2	–	2	3	3	2	12	–	–	–	–	–	–	1	1	2	6	2
White	3	–	–	–	1	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–	3	–
All other	10	–	–	–	–	–	2	–	–	3	3	2	9	–	–	–	–	–	–	1	1	2	3	2
Black	10	–	–	–	–	–	2	–	–	3	3	2	9	–	–	–	–	–	–	1	1	2	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	65	–	–	–	–	2	2	7	20	21	10	3	78	–	–	–	1	4	1	6	10	30	19	7
White	16	–	–	–	–	–	–	–	3	7	3	3	8	–	–	–	–	–	–	–	2	2	3	1
All other	49	–	–	–	–	2	2	7	17	14	7	–	70	–	–	–	1	4	1	6	8	28	16	6
Black	48	–	–	–	–	2	2	7	16	14	7	–	70	–	–	–	1	4	1	6	8	28	16	6
Nutritional deficiencies (260-269)	3	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	1	1	1	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	1	–	–	2
Black	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	1	–	–	2
Anemias (280-285)	7	–	–	–	–	1	–	2	–	1	2	1	11	–	–	–	1	1	1	1	1	1	3	2
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	6	–	–	–	–	1	–	2	–	1	1	1	8	–	–	–	1	1	1	1	1	1	1	1
Black	6	–	–	–	–	1	–	2	–	1	1	1	8	–	–	–	1	1	1	1	1	1	1	1
Meningitis (320-322)	3	–	1	–	–	–	1	–	1	–	–	–	7	1	–	–	–	–	–	–	4	1	1	–
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	1	–	–	–	1	–	–	–	–	–	6	1	–	–	–	–	–	–	4	1	–	–
Black	2	–	1	–	–	–	1	–	–	–	–	–	6	1	–	–	–	–	–	–	4	1	–	–
Major cardiovascular diseases (390-448)	1,295	2	1	1	3	18	53	111	239	363	323	178	1,442	3	–	1	4	9	23	58	153	297	471	422
White	311	2	–	–	–	2	4	17	30	63	104	88	470	–	–	–	–	1	2	1	19	69	147	231
All other	984	–	1	1	3	16	49	94	209	300	219	90	972	3	–	1	4	8	21	57	134	228	324	191
Black	973	–	1	1	3	15	49	94	208	298	214	88	972	3	–	1	4	8	21	57	134	228	324	191
Diseases of heart (390-398,402,404-429)	1,068	2	1	–	2	14	43	97	197	307	260	141	1,109	3	–	1	4	6	12	45	123	241	368	305
White	244	2	–	–	–	1	4	16	22	53	80	65	344	–	–	–	–	1	2	1	14	58	113	155
All other	822	–	1	–	2	13	39	81	175	254	180	76	765	3	–	1	4	5	10	44	109	183	255	150
Black	813	–	1	–	2	13	39	81	174	253	175	74	765	3	–	1	4	5	10	44	109	183	255	150
Rheumatic fever and rheumatic heart disease (390-398)	3	–	–	–	–	–	1	–	–	–	1	1	11	–	–	–	–	–	–	1	1	3	6	–
White	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	2	5	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	4	–	–	–	–	–	–	1	1	1	1	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	4	–	–	–	–	–	–	1	1	1	1	–
Hypertensive heart disease (402)	105	–	–	–	–	–	3	18	26	35	17	6	87	–	–	–	–	–	–	4	19	25	26	12
White	11	–	–	–	–	–	–	3	1	3	2	2	13	–	–	–	–	–	–	–	2	4	3	4
All other	94	–	–	–	–	–	3	15	25	32	15	4	74	–	–	–	–	–	–	4	17	22	23	8
Black	94	–	–	–	–	–	3	15	25	32	15	4	74	–	–	–	–	–	–	4	17	22	23	8
Hypertensive heart and renal disease (404)	5	–	–	–	–	–	–	1	1	2	–	1	9	–	–	–	–	–	1	–	1	2	3	2
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	4	–	–	–	–	–	–	1	1	1	–	1	8	–	–	–	–	–	1	–	1	2	2	2
Black	4	–	–	–	–	–	–	1	1	1	–	1	8	–	–	–	–	–	1	–	1	2	2	2
Ischemic heart disease (410-414)	386	–	–	–	1	3	18	20	66	95	102	60	435	–	–	–	1	2	3	15	35	85	155	139
White	124	–	–	–	–	–	2	5	11	26	44	35	154	–	–	–	–	1	–	1	1	21	57	73
All other	242	–	–	–	1	3	16	15	55	69	58	25	281	–	–	–	1	1	3	14	34	64	98	66
Black	236	–	–	–	1	3	16	15	54	69	56	24	281	–	–	–	1	1	3	14	34	64	98	66
Acute myocardial infarction (410)	173	–	–	–	1	1	6	9	36	49	49	22	195	–	–	–	1	1	2	7	21	40	79	44
White	52	–	–	–	–	–	1	2	5	16	16	12	57	–	–	–	–	1	–	1	1	9	27	18
All other	121	–	–	–	1	1	5	7	31	33	33	10	138	–	–	–	1	–	2	6	20	31	52	26
Black	120	–	–	–	1	1	5	7	31	33	32	10	138	–	–	–	1	–	2	6	20	31	52	26
Other acute and subacute forms of ischemic heart disease (411)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	191	–	–	–	–	2	12	11	30	45	52	38	238	–	–	–	–	1	1	8	14	44	76	94
White	72	–	–	–	–	–	1	3	6	10	28	23	95	–	–	–	–	–	–	–	–	11	30	54
All other	119	–	–	–	–	2	11	8	24	35	24	15	143	–	–	–	–	1	1	8	14	33	46	40
Black	116	–	–	–	–	2	11	8	23	35	23	14	143	–	–	–	–	1	1	8	14	33	46	40
Other diseases of endocardium (424)	8	–	–	–	–	1	–	–	2	2	2	1	14	–	–	–	1	–	–	–	3	2	3	5
White	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	–	–	–	2	4
All other	6	–	–	–	–	1	–	–	2	2	1	–	8	–	–	–	1	–	–	–	3	2	1	1
Black	6	–	–	–	–	1	–	–	2	2	1	–	8	–	–	–	1	–	–	–	3	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	579	2	1	–	1	10	21	58	102	173	138	72	553	3	–	1	2	4	8	25	64	123	175	147
White	105	2	–	–	–	1	2	8	10	23	33	26	163	–	–	–	–	–	2	–	11	31	45	74
All other	474	–	1	–	1	9	19	50	92	150	105	46	390	3	–	1	2	4	6	25	53	92	130	73
Black	469	–	1	–	1	9	19	50	92	149	102	45	390	3	–	1	2	4	6	25	53	92	130	73
Hypertension with or without renal disease (401,403)	14	–	–	–	–	–	–	–	4	5	2	3	22	–	–	–	–	–	–	3	–	6	8	5
White	2	–	–	–	–	–	–	–	–	1	–	1	5	–	–	–	–	–	–	–	–	1	3	1
All other	12	–	–	–	–	–	–	–	4	4	2	2	17	–	–	–	–	–	–	3	–	5	5	4
Black	12	–	–	–	–	–	–	–	4	4	2	2	17	–	–	–	–	–	–	3	–	5	5	4
Cerebrovascular diseases (430-438)	162	–	–	1	1	3	8	11	28	40	45	23	248	–	–	–	–	3	11	9	25	45	71	84
White	50	–	–	–	–	1	–	1	6	6	18	18	95	–	–	–	–	–	–	–	4	9	23	59
All other	112	–	–	1	1	2	8	10	23	34	27	5	153	–	–	–	–	3	11	9	21	36	48	25
Black	110	–	–	1	1	1	8	10	23	33	27	5	153	–	–	–	–	3	11	9	21	36	48	25
Intracerebral and other intracranial hemorrhage (431-432)	40	–	–	–	–	1	2	6	12	11	6	1	48	–	–	–	–	–	8	5	9	13	8	7
White	9	–	–	–	–	–	–	1	2	3	2	1	13	–	–	–	–	–	–	–	2	3	2	6
All other	31	–	–	–	–	1	2	5	10	8	4	–	35	–	–	–	–	–	6	5	7	10	6	1
Black	29	–	–	–	–	–	2	5	10	7	4	–	35	–	–	–	–	–	6	5	7	10	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	–	–	–	–	1	–	–	3	9	6	4	32	–	–	–	–	–	–	1	3	2	8	18
White	8	–	–	–	–	1	–	–	1	1	2	3	15	–	–	–	–	–	–	–	–	–	2	13
All other	15	–	–	–	–	–	–	–	2	8	4	1	17	–	–	–	–	–	–	1	3	2	6	5
Black	15	–	–	–	–	–	–	–	2	8	4	1	17	–	–	–	–	–	–	1	3	2	6	5
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	99	–	–	1	1	1	8	5	14	20	33	18	166	–	–	–	–	3	5	3	11	30	55	59
White	33	–	–	–	–	–	–	–	3	2	14	14	66	–	–	–	–	–	–	–	1	6	19	40
All other	66	–	–	1	1	1	6	5	11	18	19	4	100	–	–	–	–	3	5	3	10	24	36	19
Black	66	–	–	1	1	1	6	5	11	18	19	4	100	–	–	–	–	3	5	3	10	24	36	19
Atherosclerosis (440)	21	–	–	–	–	–	–	–	3	3	6	9	30	–	–	–	–	–	–	–	1	1	10	18
White	6	–	–	–	–	–	–	–	–	1	2	3	15	–	–	–	–	–	–	–	–	–	3	12
All other	15	–	–	–	–	–	–	–	3	2	4	6	15	–	–	–	–	–	–	–	1	1	7	6
Black	15	–	–	–	–	–	–	–	3	2	4	6	15	–	–	–	–	–	–	–	1	1	7	6
Other diseases of arteries, arterioles, and capillaries (441-448)	32	–	–	–	–	1	2	3	6	8	10	2	33	–	–	–	–	–	–	1	4	4	14	10
White	9	–	–	–	–	–	–	–	2	2	4	1	11	–	–	–	–	–	–	–	1	1	5	4
All other	23	–	–	–	–	1	2	3	4	6	6	1	22	–	–	–	–	–	–	1	3	3	9	6
Black	23	–	–	–	–	1	2	3	4	6	6	1	22	–	–	–	–	–	–	1	3	3	9	6
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	126	1	–	1	–	6	9	6	15	24	38	24	113	1	–	–	1	2	5	6	8	17	30	43
White	32	–	–	–	–	3	1	–	2	13	13	45	–	–	–	–	–	–	1	2	1	3	12	26
All other	94	1	–	1	–	3	8	6	15	22	25	11	68	1	–	–	1	2	4	4	7	14	18	17
Black	92	1	–	1	–	3	8	6	15	22	24	10	66	1	–	–	1	2	4	4	6	14	18	16
Pneumonia (480-486)	126	1	–	1	–	6	9	6	15	24	38	24	112	1	–	–	1	2	5	6	8	17	29	43
White	32	–	–	–	–	3	1	–	–	2	13	13	45	–	–	–	–	–	1	2	1	3	12	26
All other	94	1	–	1	–	3	8	6	15	22	25	11	67	1	–	–	1	2	4	4	7	14	17	17
Black	92	1	–	1	–	3	8	6	15	22	24	10	65	1	–	–	1	2	4	4	6	14	17	16
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	83	–	–	–	–	–	1	5	14	36	23	4	63	–	–	–	–	–	3	5	11	14	22	8
White	27	–	–	–	–	–	1	3	13	9	1	29	–	–	–	–	–	–	–	1	3	4	18	3
All other	56	–	–	–	–	–	1	4	11	23	14	3	34	–	–	–	–	–	3	4	8	10	4	5
Black	56	–	–	–	–	–	1	4	11	23	14	3	34	–	–	–	–	–	3	4	8	10	4	5
Bronchitis, chronic and unspecified (490-491)	5	–	–	–	–	–	–	1	2	–	2	–	5	–	–	–	–	–	–	–	–	–	2	3
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	4	–	–	–	–	–	–	1	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	4	–	–	–	–	–	–	1	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
Emphysema (492)	21	–	–	–	–	–	–	–	2	12	6	1	12	–	–	–	–	–	–	1	3	2	5	1
White	10	–	–	–	–	–	–	–	–	4	5	1	4	–	–	–	–	–	–	–	–	–	3	1
All other	11	–	–	–	–	–	–	–	2	8	1	–	8	–	–	–	–	–	–	1	3	2	2	–
Black	11	–	–	–	–	–	–	–	2	8	1	–	8	–	–	–	–	–	–	1	3	2	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	8	–	–	–	–	–	1	–	2	3	2	–	9	–	–	–	–	–	1	1	3	3	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	6	–	–	–	–	–	1	–	2	2	1	–	9	–	–	–	–	–	1	1	3	3	1	–
Black	6	–	–	–	–	–	1	–	2	2	1	–	9	–	–	–	–	–	1	1	3	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	49	–	–	–	–	–	–	4	8	21	13	3	37	–	–	–	–	–	2	3	5	9	14	4
White	14	–	–	–	–	–	–	1	3	8	2	–	22	–	–	–	–	–	–	1	3	4	13	1
All other	35	–	–	–	–	–	–	3	5	13	11	3	15	–	–	–	–	–	2	2	2	5	1	3
Black	35	–	–	–	–	–	–	3	5	13	11	3	15	–	–	–	–	–	2	2	2	5	1	3
Ulcer of stomach and duodenum (531-533)	8	–	–	–	–	–	–	–	3	3	2	1	8	–	–	–	–	–	–	–	1	3	2	2
White	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	7	–	–	–	–	–	–	–	3	1	2	1	7	–	–	–	–	–	–	–	1	3	2	1
Black	7	–	–	–	–	–	–	–	3	1	2	1	7	–	–	–	–	–	–	–	1	3	2	1
Appendicitis (540-543)	2	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	–	–	–	1	–	1	–	–	–	3	–	14	–	–	–	–	–	–	–	2	2	3	7
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
All other	4	–	–	–	1	–	1	–	–	–	2	–	11	–	–	–	–	–	–	–	2	1	3	5
Black	4	–	–	–	1	–	1	–	–	–	2	–	10	–	–	–	–	–	–	–	2	1	3	4
Chronic liver disease and cirrhosis (571)	140	1	–	–	–	6	27	37	36	25	7	1	63	–	–	–	–	6	10	13	16	17	1	–
White	28	–	–	–	–	1	2	8	6	7	4	–	12	–	–	–	–	–	1	3	4	4	–	–
All other	112	1	–	–	–	5	25	29	30	18	3	1	51	–	–	–	–	6	9	10	12	13	1	–
Black	112	1	–	–	–	5	25	29	30	18	3	1	51	–	–	–	–	6	9	10	12	13	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	50	–	–	–	1	2	4	3	5	16	13	6	54	–	–	–	–	–	2	3	10	14	18	7
White	18	–	–	–	1	–	1	–	2	2	7	5	9	–	–	–	–	–	–	1	–	2	4	2
All other	32	–	–	–	–	2	3	3	3	14	6	1	45	–	–	–	–	–	2	2	10	12	14	5
Black	31	–	–	–	–	1	3	3	3	14	6	1	45	–	–	–	–	–	2	2	10	12	14	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	44	–	–	–	1	2	3	3	4	16	10	5	53	–	–	–	–	–	2	3	9	14	18	7
White	15	–	–	–	1	–	1	–	1	2	6	4	9	–	–	–	–	–	–	1	–	2	4	2
All other	29	–	–	–	–	2	2	3	3	14	4	1	44	–	–	–	–	–	2	2	9	12	14	5
Black	26	–	–	–	–	1	2	3	3	14	4	1	44	–	–	–	–	–	2	2	9	12	14	5
Infections of kidney (590)	2	–	–	–	–	–	–	–	1	–	1	–	8	–	–	–	–	–	–	–	1	1	5	1
White	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	3	1
All other	2	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	1	1	2	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	1	1	2	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	13	10	1	1	–	–	–	–	1	–	–	–	7	6	–	–	1	–	–	–	–	–	–	–
White	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
All other	10	7	1	1	–	–	–	–	1	–	–	–	4	3	–	–	1	–	–	–	–	–	–	–
Black	10	7	1	1	–	–	–	–	1	–	–	–	4	3	–	–	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	83	83	–	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	73	73	–	–	–	–	–	–	–	–	–	–	52	52	–	–	–	–	–	–	–	–	–	–
Black	73	73	–	–	–	–	–	–	–	–	–	–	52	52	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	24	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	22	22	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Black	22	22	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	59	59	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
White	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	51	51	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
Black	51	51	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	160	17	4	1	3	43	42	22	12	3	7	6	88	12	1	1	3	19	21	13	5	5	3	5
White	19	–	1	–	1	1	5	6	1	–	2	2	17	1	–	–	1	2	2	4	2	3	–	2
All other	141	17	3	1	2	42	37	16	11	3	5	4	71	11	1	1	2	17	19	9	3	2	3	3
Black	141	17	3	1	2	42	37	16	11	3	5	4	70	10	1	1	2	17	19	9	3	2	3	3
All other diseases (Residual)	432	6	1	3	6	69	84	47	59	64	55	37	356	4	–	1	3	13	19	18	47	60	86	103
White	113	1	–	–	1	18	27	12	6	16	11	21	97	1	–	–	–	2	3	1	3	6	32	49
All other	319	5	1	3	5	51	57	35	53	48	44	16	259	3	–	1	3	11	16	18	44	54	54	54
Black	317	5	1	3	5	51	57	35	53	48	43	15	258	3	–	1	3	11	16	18	44	54	53	54
Accidents and adverse effects (E800-E949)	111	–	–	2	16	17	15	6	23	17	9	4	73	1	1	4	5	3	6	4	6	8	14	20
White	26	–	–	–	5	4	2	2	5	1	2	3	27	–	–	–	1	1	–	1	3	3	9	9
All other	85	–	–	2	11	13	13	4	18	16	7	1	46	1	1	4	4	2	6	3	3	5	5	11
Black	84	–	–	2	11	13	13	3	18	16	7	1	44	1	1	4	4	2	6	3	3	4	5	10
Motor vehicle accidents (E810-E825)	34	–	–	2	12	9	2	1	7	1	–	–	18	–	–	2	3	2	2	3	–	2	3	1
White	5	–	–	–	2	2	–	–	1	–	–	–	6	–	–	–	1	1	–	1	–	–	2	1
All other	29	–	–	2	10	7	2	1	6	1	–	–	12	–	–	2	2	1	2	2	–	2	1	–
Black	28	–	–	2	10	7	2	–	6	1	–	–	11	–	–	2	2	1	2	2	–	1	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	77	–	–	–	4	8	13	5	16	16	9	4	55	1	1	2	2	1	4	1	6	6	11	19
White	21	–	–	–	3	2	2	2	4	1	2	3	21	–	–	–	–	–	–	–	3	3	7	8
All other	56	–	–	–	1	6	11	3	12	15	7	1	34	1	1	2	2	1	4	1	3	3	4	11
Black	56	–	–	–	1	6	11	3	12	15	7	1	33	1	1	2	2	1	4	1	3	3	4	10
Suicide (E950-E959)	56	...	...	–	12	15	8	6	6	6	3	–	19	...	...	–	1	7	3	3	3	1	–	1
White	15	...	...	–	1	6	2	1	2	2	1	–	9	...	...	–	–	2	2	2	2	–	–	1
All other	41	...	...	–	11	9	6	5	4	4	2	–	10	...	...	–	1	5	1	1	1	1	–	–
Black	40	...	...	–	11	9	6	5	4	4	1	–	10	...	...	–	1	5	1	1	1	1	–	–
Homicide and legal intervention (E960-E978)	142	1	–	1	36	51	31	14	2	3	2	1	34	1	1	–	9	8	5	3	3	1	2	–
White	9	–	–	–	–	3	2	2	1	1	–	–	3	–	–	–	1	–	–	–	–	1	1	–
All other	133	1	–	1	36	48	29	12	1	2	2	1	31	1	1	–	8	8	5	3	3	–	1	–
Black	131	1	–	1	35	48	29	12	1	2	2	–	30	1	1	–	8	9	5	3	3	–	–	–
All other external causes (E980-E999)	38	2	2	1	2	8	11	1	6	–	1	–	8	1	–	–	4	1	1	–	–	1	–	–
White	7	–	–	–	–	3	1	–	2	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
All other	31	2	2	1	2	5	10	1	4	–	1	–	6	1	–	–	3	1	1	–	–	–	–	–
Black	30	2	2	1	1	5	10	1	4	–	1	–	6	1	–	–	3	1	1	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	67,729	1,052	226	255	1,419	2,144	2,411	3,801	9,291	17,743	19,980	9,373	55,775	785	176	152	501	798	1,153	2,057	5,704	12,255	17,590	14,583
White	60,209	621	199	176	1,104	1,569	1,826	3,014	7,960	16,086	18,738	8,958	49,879	475	116	109	355	520	833	1,586	4,831	11,002	16,245	13,805
All other	7,520	431	87	79	315	575	591	787	1,331	1,658	1,242	415	5,896	310	60	49	146	278	320	471	873	1,253	1,345	788
Black	7,413	428	86	73	309	564	579	771	1,317	1,644	1,229	406	5,812	305	59	48	144	271	309	459	862	1,240	1,333	779
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	5	-	-	-	2	1	-	-	1	1	1	7	2	-	-	-	-	-	-	1	-	3	1
White	7	3	-	-	-	1	1	-	-	-	1	1	5	-	-	-	-	-	-	-	1	-	3	1
All other	4	2	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	2	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	87	-	-	-	1	9	10	15	15	22	10	5	33	-	-	-	2	3	1	-	12	3	8	4
White	50	-	-	-	-	2	3	7	10	14	10	4	18	-	-	-	-	2	-	-	6	1	5	4
All other	37	-	-	-	1	7	7	8	5	8	-	1	15	-	-	-	2	1	1	-	6	2	3	-
Black	36	-	-	-	1	7	7	8	4	8	-	1	15	-	-	-	2	1	1	-	6	2	3	-
Tuberculosis of respiratory system (010-012)	72	-	-	-	1	7	8	13	13	18	10	2	21	-	-	-	1	1	-	-	9	1	6	3
White	43	-	-	-	-	2	3	6	9	12	10	1	14	-	-	-	-	1	-	-	6	1	3	3
All other	29	-	-	-	1	5	5	7	4	6	-	1	7	-	-	-	1	-	-	-	3	-	3	-
Black	28	-	-	-	1	5	5	7	3	6	-	1	7	-	-	-	1	-	-	-	3	-	3	-
Other tuberculosis (013-018)	15	-	-	-	-	2	2	2	2	4	-	3	12	-	-	-	1	2	1	-	3	2	2	1
White	7	-	-	-	-	-	-	1	1	2	-	3	4	-	-	-	-	1	-	-	-	-	2	1
All other	8	-	-	-	-	2	2	1	1	2	-	-	8	-	-	-	1	1	1	-	3	2	-	-
Black	8	-	-	-	-	2	2	1	1	2	-	-	8	-	-	-	1	1	1	-	3	2	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	2	-	-	1	-	-	-	-	-	-	9	1	2	-	1	1	-	1	-	-	2	1
White	4	2	1	-	-	1	-	-	-	-	-	-	7	1	2	-	1	-	-	1	-	-	2	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Septicemia (038)	429	9	3	-	2	4	11	24	48	108	156	64	430	6	3	-	2	3	9	12	33	76	144	142
White	356	4	2	-	-	3	4	16	34	95	138	60	374	4	3	-	2	1	3	6	23	65	133	134
All other	73	5	1	-	2	1	7	8	14	13	18	4	56	2	-	-	-	2	6	6	10	11	11	8
Black	73	5	1	-	2	1	7	8	14	13	18	4	54	2	-	-	-	2	6	5	10	11	11	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	47	-	-	-	-	6	7	4	9	9	11	1	25	-	1	-	2	2	-	3	1	8	8	-
White	45	-	-	-	-	4	7	4	9	9	11	1	19	-	1	-	-	1	-	2	1	7	7	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	2	1	-	1	-	1	1	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	2	1	-	1	-	1	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	-	2	-	3	-
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	373	11	4	2	10	88	91	37	34	40	44	12	141	7	7	1	3	18	13	9	16	26	24	17
White	267	2	2	1	7	53	57	31	26	35	42	11	85	5	3	-	1	3	3	4	13	17	21	15
All other	106	9	2	1	3	35	34	6	8	5	2	1	56	2	4	1	2	15	10	5	3	9	3	2
Black	104	9	2	1	3	35	33	6	7	5	2	1	56	2	4	1	2	15	10	5	3	9	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	16,114	2	11	18	55	123	346	1,033	2,939	5,501	4,700	1,382	13,051	3	6	29	25	132	386	873	2,436	4,264	3,541	1,376
White	14,574	1	10	17	45	101	281	849	2,555	4,996	4,408	1,309	12,004	1	5	21	19	100	300	738	2,199	3,969	3,344	1,308
All other	1,540	1	1	1	10	22	67	184	384	505	292	73	1,047	2	1	8	6	32	66	135	237	295	197	68
Black	1,523	1	1	1	10	21	66	182	380	501	289	71	1,028	2	1	7	6	30	65	129	235	292	195	66

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	384	-	-	-	2	2	10	50	102	122	75	21	198	-	-	-	-	-	6	24	39	60	50	19
White	321	-	-	-	1	2	5	34	82	104	73	20	180	-	-	-	-	-	4	20	36	57	45	18
All other	63	-	-	-	1	-	5	16	20	18	2	1	18	-	-	-	-	-	2	4	3	3	5	1
Black	63	-	-	-	1	-	5	16	20	18	2	1	18	-	-	-	-	-	2	4	3	3	5	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,970	-	-	-	1	18	73	206	679	1,374	1,210	409	3,305	-	-	-	3	18	38	136	443	1,034	1,126	507
White	3,585	-	-	-	1	11	58	156	588	1,249	1,130	392	3,035	-	-	-	2	14	31	111	393	940	1,062	482
All other	385	-	-	-	-	7	15	50	91	125	80	17	270	-	-	-	1	4	7	25	50	94	64	25
Black	382	-	-	-	-	7	15	50	90	123	80	17	262	-	-	-	1	3	7	22	49	92	64	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,900	-	-	-	1	13	100	476	1,371	2,189	1,452	296	2,904	-	-	-	-	5	44	214	706	1,125	644	166
White	5,348	-	-	-	1	12	79	403	1,189	2,002	1,379	281	2,749	-	-	-	-	3	37	196	651	1,080	620	162
All other	552	-	-	-	-	1	21	73	182	187	73	15	155	-	-	-	-	2	7	18	55	45	24	4
Black	546	-	-	-	-	1	21	71	180	186	72	15	151	-	-	-	-	2	7	17	54	45	23	3
Malignant neoplasm of breast (174-175)	19	-	-	-	-	-	-	1	5	6	5	2	2,333	-	-	-	1	31	142	220	492	747	511	189
White	18	-	-	-	-	-	-	1	4	6	5	2	2,152	-	-	-	1	24	114	182	464	702	487	178
All other	1	-	-	-	-	-	-	-	1	-	-	-	181	-	-	-	-	7	28	38	28	45	24	11
Black	1	-	-	-	-	-	-	-	1	-	-	-	181	-	-	-	-	7	28	38	28	45	24	11
Malignant neoplasms of genital organs (179-187)	1,862	-	-	-	1	9	9	19	140	583	788	333	1,281	-	-	-	4	20	52	111	268	412	308	106
White	1,606	-	-	-	-	8	9	11	110	471	695	302	1,106	-	-	-	3	13	40	87	227	358	281	97
All other	256	-	-	-	1	1	-	8	30	92	93	31	175	-	-	-	1	7	12	24	41	54	27	9
Black	255	-	-	-	1	1	-	8	30	92	93	30	170	-	-	-	1	6	11	22	41	53	27	9
Malignant neoplasms of urinary organs (188-189)	771	-	1	2	-	4	10	36	110	237	285	86	395	-	1	3	-	3	6	12	58	112	130	70
White	733	-	1	2	-	4	9	33	104	223	272	85	360	-	1	1	-	1	4	11	52	100	122	68
All other	38	-	-	-	-	-	1	3	6	14	13	1	35	-	-	2	-	2	2	1	6	12	8	2
Black	38	-	-	-	-	-	1	3	6	14	13	1	35	-	-	2	-	2	2	1	6	12	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,812	1	5	6	24	36	91	164	323	577	461	124	1,473	2	1	11	6	29	54	98	245	427	420	180
White	1,683	1	5	6	21	33	78	140	291	542	448	118	1,354	-	1	10	4	23	50	83	212	409	392	170
All other	129	-	-	-	3	3	13	24	32	35	13	6	119	2	-	1	2	6	4	15	33	18	28	10
Black	127	-	-	-	3	3	13	24	31	35	13	5	119	2	-	1	2	6	4	15	33	18	28	10
Leukemia (204-208)	579	1	5	6	16	18	23	30	70	173	181	56	441	1	4	13	9	12	12	27	70	111	126	56
White	539	-	4	5	13	15	20	28	66	156	178	56	398	1	3	9	7	10	8	23	60	105	119	53
All other	40	1	1	1	3	3	3	4	4	17	3	-	43	-	1	4	2	2	4	4	10	6	7	3
Black	38	1	1	1	3	2	2	4	4	17	3	-	42	-	1	3	2	2	4	4	10	6	7	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	817	-	-	4	10	23	32	51	139	260	243	55	721	-	-	2	2	14	12	31	115	236	226	83
White	741	-	-	4	8	16	23	45	121	243	228	53	670	-	-	1	2	12	12	25	104	218	216	80
All other	76	-	-	-	2	7	9	6	18	17	15	2	51	-	-	1	-	2	-	6	11	18	10	3
Black	73	-	-	-	2	7	9	6	18	16	13	2	50	-	-	1	-	2	-	6	11	18	9	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	212	-	3	1	4	-	6	14	29	46	86	23	227	2	1	4	4	3	6	12	26	51	74	44
White	182	-	3	1	2	-	6	7	24	40	78	21	203	2	1	3	2	3	3	10	21	47	68	43
All other	30	-	-	-	2	-	-	7	5	6	8	2	24	-	-	1	2	-	3	2	5	4	6	1
Black	30	-	-	-	2	-	-	7	5	6	8	2	23	-	-	1	2	-	3	2	5	3	6	1
Diabetes mellitus (250)	912	-	-	-	2	13	33	49	138	274	314	89	1,056	-	-	2	2	10	22	53	140	259	374	200
White	798	-	-	-	2	10	21	30	114	241	292	88	819	-	-	1	2	8	13	25	90	189	323	168
All other	114	-	-	-	-	3	12	19	24	33	22	1	237	-	-	1	-	2	9	28	50	64	51	32
Black	113	-	-	-	-	3	12	19	24	32	22	1	235	-	-	1	-	2	9	27	50	63	51	32
Nutritional deficiencies (260-269)	56	-	-	-	-	-	2	1	5	15	16	17	85	-	-	-	-	-	-	1	5	14	20	45
White	45	-	-	-	-	-	2	-	3	10	13	17	68	-	-	-	-	-	-	-	3	10	16	39
All other	11	-	-	-	-	-	-	1	2	5	3	-	17	-	-	-	-	-	-	1	2	4	4	6
Black	11	-	-	-	-	-	-	1	2	5	3	-	17	-	-	-	-	-	-	1	2	4	4	6
Anemias (280-285)	117	-	1	2	5	5	2	5	3	14	41	39	123	-	3	1	2	4	6	3	5	22	36	41
White	97	-	-	1	1	1	1	3	2	13	39	36	90	-	-	-	-	1	2	-	5	18	31	35
All other	20	-	1	1	4	4	1	2	1	1	2	3	33	-	3	1	2	3	4	3	-	6	5	6
Black	19	-	1	-	4	4	1	2	1	1	2	3	33	-	3	1	2	3	4	3	-	6	5	6
Meningitis (320-322)	35	9	8	-	1	2	3	2	3	5	2	-	25	4	3	-	-	2	1	3	3	3	5	1
White	21	6	4	-	1	2	1	1	1	3	2	-	15	1	2	-	-	1	-	3	-	3	4	1
All other	14	3	4	-	-	-	2	1	2	2	-	-	10	3	1	-	-	1	1	-	3	-	1	-
Black	14	3	4	-	-	-	2	1	2	2	-	-	10	3	1	-	-	1	1	-	3	-	1	-
Major cardiovascular diseases (390-448)	29,704	16	11	7	35	126	501	1,269	3,944	8,158	10,199	5,432	27,249	15	15	8	18	62	188	509	1,745	5,058	9,812	9,816
White	27,205	12	8	5	27	85	388	1,005	3,409	7,455	9,585	5,223	24,628	9	10	4	10	37	113	352	1,376	4,422	8,962	9,312
All other	2,499	4	3	2	8	41	113	264	535	703	614	209	2,621	6	5	4	8	25	75	157	369	636	850	504
Black	2,464	4	3	2	8	37	111	259	529	698	606	204	2,598	5	5	4	8	25	74	157	364	632	823	499

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	24,349	14	8	3	27	89	431	1,093	3,410	6,849	8,150	4,269	20,709	13	13	5	11	39	127	373	1,371	3,981	7,458	7,316
White	22,435	11	6	2	20	63	340	897	2,997	6,308	7,673	4,115	18,814	7	8	3	5	23	78	257	1,102	3,500	6,859	6,971
All other	1,914	3	2	1	7	26	91	196	413	541	477	154	1,895	6	5	2	6	16	49	116	269	481	599	345
Black	1,883	3	2	1	7	24	89	191	407	536	470	150	1,877	5	5	2	6	16	49	116	264	479	592	342
Rheumatic fever and rheumatic heart disease (390-398)	147	–	–	–	1	–	9	11	20	54	37	15	301	–	–	–	3	4	5	18	46	83	111	31
White	134	–	–	–	1	–	5	8	16	52	37	15	286	–	–	–	–	2	3	15	43	83	109	31
All other	13	–	–	–	–	–	4	3	4	2	–	–	15	–	–	–	3	2	2	3	3	–	2	–
Black	13	–	–	–	–	–	4	3	4	2	–	–	15	–	–	–	3	2	2	3	3	–	2	–
Hypertensive heart disease (402)	552	–	–	–	–	2	18	55	126	150	134	66	733	–	–	–	–	1	14	34	83	167	248	186
White	404	–	–	–	–	1	10	24	76	120	113	59	552	–	–	–	–	–	3	13	46	116	206	168
All other	148	–	–	–	–	1	8	31	50	30	21	7	181	–	–	–	–	1	11	21	37	51	42	18
Black	147	–	–	–	–	1	8	31	50	29	21	7	180	–	–	–	–	1	11	21	38	51	42	18
Hypertensive heart and renal disease (404)	52	–	–	–	–	–	–	2	5	17	22	6	63	–	–	–	–	–	1	2	7	13	22	18
White	39	–	–	–	–	–	–	2	4	10	17	6	43	–	–	–	–	–	–	1	2	9	18	13
All other	13	–	–	–	–	–	–	–	1	7	5	–	20	–	–	–	–	–	1	1	5	4	4	5
Black	13	–	–	–	–	–	–	–	1	7	5	–	20	–	–	–	–	–	1	1	5	4	4	5
Ischemic heart disease (410-414)	17,800	–	–	–	3	40	275	720	2,458	5,049	6,142	3,109	14,091	–	2	–	–	7	51	197	884	2,742	5,216	4,991
White	16,745	–	–	–	2	32	235	628	2,244	4,732	5,857	3,013	13,064	–	2	–	–	7	38	146	744	2,473	4,868	4,785
All other	1,055	–	–	–	1	8	40	92	214	317	285	96	1,027	–	–	–	–	–	13	51	140	269	348	206
Black	1,031	–	–	–	1	7	39	87	209	313	279	94	1,018	–	–	–	–	–	13	51	138	267	344	205
Acute myocardial infarction (410)	8,496	–	–	–	2	20	130	390	1,297	2,584	2,937	1,135	6,220	–	–	–	–	4	33	104	509	1,513	2,399	1,658
White	8,030	–	–	–	1	14	114	345	1,194	2,447	2,812	1,102	5,758	–	–	–	–	4	28	83	434	1,374	2,249	1,586
All other	466	–	–	–	1	6	16	45	103	137	125	33	462	–	–	–	–	–	5	21	75	139	150	72
Black	455	–	–	–	1	5	16	41	102	135	123	32	455	–	–	–	–	–	5	21	73	137	148	71
Other acute and subacute forms of ischemic heart disease (411)	106	–	–	–	1	–	3	3	30	25	30	14	86	–	–	–	–	–	–	1	5	11	27	42
White	98	–	–	–	1	–	2	3	27	22	29	14	80	–	–	–	–	–	–	1	5	9	24	41
All other	8	–	–	–	–	–	1	–	3	3	1	–	6	–	–	–	–	–	–	–	–	2	3	1
Black	8	–	–	–	–	–	1	–	3	3	1	–	6	–	–	–	–	–	–	–	–	2	3	1
Angina pectoris (413)	29	–	–	–	–	–	1	5	2	12	6	3	23	–	–	–	–	–	–	1	1	3	14	4
White	25	–	–	–	–	–	1	4	1	11	5	3	20	–	–	–	–	–	–	–	1	2	13	4
All other	4	–	–	–	–	–	–	1	1	1	1	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	4	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	9,169	–	–	–	–	20	141	322	1,129	2,428	3,169	1,957	7,762	–	2	–	–	3	18	91	369	1,215	2,776	3,287
White	8,592	–	–	–	–	18	118	276	1,022	2,252	3,011	1,894	7,206	–	2	–	–	3	10	62	304	1,088	2,582	3,154
All other	577	–	–	–	–	2	23	46	107	176	158	63	556	–	–	–	–	–	8	29	65	127	194	133
Black	564	–	–	–	–	2	22	45	103	174	154	62	555	–	–	–	–	–	8	29	65	127	193	133
Other diseases of endocardium (424)	318	1	–	–	2	8	11	14	22	92	120	49	325	–	–	–	–	5	4	6	20	81	117	92
White	296	1	–	–	1	6	6	11	21	86	114	48	302	–	–	–	–	3	2	6	16	71	113	91
All other	23	–	–	–	1	–	5	3	1	6	6	1	23	–	–	–	–	2	2	–	4	10	4	1
Black	23	–	–	–	1	–	5	3	1	6	6	1	23	–	–	–	–	2	2	–	4	10	4	1
All other forms of heart disease (415-423,425-429)	5,479	13	8	3	21	39	116	291	779	1,467	1,695	1,024	5,196	13	11	5	8	22	52	116	331	895	1,744	1,998
White	4,817	10	6	2	16	22	84	224	636	1,308	1,535	974	4,567	7	6	3	5	11	32	76	251	748	1,545	1,883
All other	662	3	2	1	5	17	34	67	143	179	160	50	629	6	5	2	3	11	20	40	80	147	199	115
Black	656	3	2	1	5	16	33	67	142	179	159	48	621	5	5	2	3	11	20	40	78	147	198	113
Hypertension with or without renal disease (401,403)	273	–	–	–	–	2	3	16	39	59	96	58	262	–	–	–	1	1	3	13	28	53	91	72
White	209	–	–	–	–	–	1	7	22	47	82	50	196	–	–	–	–	–	2	9	13	38	75	59
All other	64	–	–	–	–	2	2	9	17	12	14	8	66	–	–	–	1	1	1	4	15	15	16	13
Black	64	–	–	–	–	2	2	9	17	12	14	8	66	–	–	–	1	1	1	4	15	15	16	13
Cerebrovascular diseases (430-438)	3,673	2	2	3	7	30	61	145	353	831	1,423	816	5,017	1	1	3	5	19	47	107	296	811	1,848	1,878
White	3,225	1	1	2	6	17	42	88	265	697	1,326	782	4,456	1	1	1	4	12	26	74	225	692	1,662	1,758
All other	448	1	1	1	1	13	19	59	88	134	97	34	561	–	–	2	1	7	21	33	71	119	186	120
Black	444	1	1	1	1	11	19	59	88	134	96	33	557	–	–	2	1	7	20	33	71	117	186	119
Intracerebral and other intracranial hemorrhage (431-432)	561	1	–	–	1	9	17	58	83	155	174	63	673	1	–	3	–	4	20	33	87	180	218	127
White	466	1	–	–	1	4	10	31	63	132	164	60	572	1	–	1	–	2	10	19	65	159	198	117
All other	95	–	–	–	–	5	7	27	20	23	10	3	101	–	–	2	–	2	10	14	22	21	20	10
Black	95	–	–	–	–	5	7	27	20	23	10	3	100	–	–	2	–	2	10	14	22	20	20	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	740	–	1	1	–	3	3	22	57	141	309	203	1,039	–	–	–	–	2	3	13	40	136	370	474
White	670	–	1	1	–	1	2	14	49	114	291	197	936	–	–	–	–	1	2	9	29	115	334	446
All other	70	–	–	–	–	2	1	8	8	27	18	6	103	–	–	–	–	1	1	4	11	21	36	28
Black	70	–	–	–	–	2	1	8	8	27	18	6	103	–	–	–	–	1	1	4	11	21	36	28

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	20	-	-	-	-	-	-	-	5	5	10	-	32	-	-	-	-	-	-	1	2	4	11	14
White	20	-	-	-	-	-	-	-	5	5	10	-	31	-	-	-	-	-	-	-	2	4	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,352	1	1	2	6	18	41	65	208	530	930	550	3,273	-	1	-	5	13	24	60	167	491	1,249	1,263
White	2,089	-	-	1	5	12	30	41	148	446	861	525	2,917	-	1	-	4	9	14	46	129	414	1,118	1,181
All other	263	1	1	1	1	6	11	24	60	84	69	25	356	-	-	-	1	4	10	14	38	77	130	82
Black	279	1	1	1	1	4	11	24	60	84	68	24	353	-	-	-	1	4	9	14	38	76	130	81
Atherosclerosis (440)	471	-	-	-	-	-	1	3	18	90	177	182	736	-	-	-	-	-	-	1	19	71	212	433
White	443	-	-	-	-	-	1	3	15	86	165	173	679	-	-	-	-	-	-	1	10	60	197	411
All other	28	-	-	-	-	-	-	-	3	4	12	9	57	-	-	-	-	-	-	-	9	11	15	22
Black	28	-	-	-	-	-	-	-	3	4	12	9	56	-	-	-	-	-	-	-	9	11	15	21
Other diseases of arteries, arterioles, and capillaries (441-448)	938	-	1	1	1	5	5	12	124	329	353	107	525	1	1	-	1	3	11	15	31	142	203	117
White	893	-	1	1	1	5	4	12	110	317	339	103	483	1	1	-	1	2	7	11	26	132	189	113
All other	45	-	-	-	-	-	1	-	14	12	14	4	42	-	-	-	-	1	4	4	5	10	14	4
Black	45	-	-	-	-	-	1	-	14	12	14	4	42	-	-	-	-	1	4	4	5	10	14	4
Acute bronchitis and bronchiolitis (466)	14	4	-	-	1	-	-	-	1	3	3	2	22	3	-	-	-	-	-	-	2	2	7	8
White	10	2	-	-	1	-	-	-	-	3	2	2	19	1	-	-	-	-	-	-	2	1	7	8
All other	4	2	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	4	2	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	1,568	20	3	4	8	20	33	54	122	291	546	466	1,300	10	5	3	3	8	17	33	80	157	421	563
White	1,400	13	1	3	3	14	24	34	92	256	508	450	1,179	3	2	3	3	2	9	25	63	134	402	533
All other	168	7	2	1	5	6	9	20	30	33	36	16	121	7	3	-	-	6	8	8	17	23	19	30
Black	165	7	2	1	5	5	9	20	29	33	37	16	119	7	3	-	-	6	8	8	17	22	18	30
Pneumonia (480-486)	1,559	20	3	3	6	20	33	54	121	289	544	483	1,290	10	5	3	3	8	17	33	80	156	417	558
White	1,392	13	1	2	3	14	24	34	92	256	506	447	1,170	3	2	3	3	2	9	25	63	133	399	528
All other	167	7	2	1	5	6	9	20	29	33	38	16	120	7	3	-	-	6	8	8	17	23	18	30
Black	164	7	2	1	5	5	9	20	28	33	37	16	118	7	3	-	-	6	8	8	17	22	17	30
Influenza (487)	9	-	-	1	-	-	-	-	1	2	2	3	10	-	-	-	-	-	-	-	-	1	4	5
White	8	-	-	1	-	-	-	-	-	2	2	3	9	-	-	-	-	-	-	-	-	1	3	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,939	-	1	3	5	8	12	69	340	974	1,147	380	1,916	1	-	1	5	3	9	54	240	653	694	256
White	2,725	-	-	-	4	5	9	57	292	892	1,106	360	1,833	-	-	-	1	1	7	48	218	631	679	248
All other	214	-	1	3	1	3	3	12	48	82	41	20	83	1	-	1	4	2	2	6	22	22	15	8
Black	214	-	1	3	1	3	3	12	48	82	41	20	83	1	-	1	4	2	2	6	22	22	15	8
Bronchitis, chronic and unspecified (490-491)	135	-	-	-	-	-	1	2	14	46	50	22	98	1	-	-	-	-	-	3	11	33	31	19
White	126	-	-	-	-	-	1	2	11	41	49	22	95	-	-	-	-	-	-	3	11	31	31	19
All other	9	-	-	-	-	-	-	-	3	5	1	-	3	1	-	-	-	-	-	-	-	2	-	-
Black	9	-	-	-	-	-	-	-	3	5	1	-	3	1	-	-	-	-	-	-	-	2	-	-
Emphysema (492)	640	-	-	-	-	-	1	24	90	234	238	55	355	-	-	-	-	-	-	11	45	139	129	31
White	601	-	-	-	-	-	1	21	80	218	231	50	350	-	-	-	-	-	-	10	44	136	129	29
All other	39	-	-	-	-	-	-	3	10	16	5	5	5	-	-	-	-	-	-	1	1	1	-	2
Black	39	-	-	-	-	-	-	3	10	16	5	5	5	-	-	-	-	-	-	1	1	1	-	2
Asthma (493)	71	-	1	3	4	7	3	3	9	17	17	7	113	-	-	1	5	3	6	7	22	31	30	8
White	54	-	-	-	3	5	2	2	5	14	16	7	84	-	-	-	1	1	4	5	13	23	29	8
All other	17	-	1	3	1	2	1	1	4	3	1	-	29	-	-	1	4	2	2	2	9	8	1	-
Black	17	-	1	3	1	2	1	1	4	3	1	-	29	-	-	1	4	2	2	2	9	8	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,093	-	-	-	1	1	7	40	227	677	844	296	1,350	-	-	-	-	-	3	33	162	450	504	196
White	1,944	-	-	-	1	-	5	32	196	619	810	281	1,304	-	-	-	-	-	3	30	150	439	490	192
All other	149	-	-	-	-	1	2	8	31	58	34	15	46	-	-	-	-	-	-	3	12	11	14	6
Black	149	-	-	-	-	1	2	8	31	58	34	15	46	-	-	-	-	-	-	3	12	11	14	6
Ulcer of stomach and duodenum (531-533)	176	-	-	-	-	2	4	6	20	47	59	38	147	-	-	-	-	2	2	6	14	30	51	42
White	153	-	-	-	-	1	3	5	17	37	52	38	133	-	-	-	-	-	1	5	11	27	48	41
All other	23	-	-	-	-	1	1	1	3	10	7	-	14	-	-	-	-	2	1	1	3	3	3	1
Black	23	-	-	-	-	1	1	1	3	10	7	-	14	-	-	-	-	2	1	1	3	3	3	1
Appendicitis (540-543)	12	1	-	-	-	-	-	-	1	7	3	-	4	-	-	-	-	-	-	-	1	1	1	1
White	10	1	-	-	-	-	-	-	1	5	3	-	4	-	-	-	-	-	-	-	1	1	1	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	103	2	-	-	1	-	1	2	9	22	44	23	165	2	-	-	1	-	2	-	8	19	60	73
White	93	1	-	-	1	-	1	1	8	19	41	21	143	-	-	-	-	-	2	-	4	16	52	69
All other	10	1	-	-	-	-	-	1	-	3	3	2	22	2	-	-	1	-	-	-	4	3	8	4
Black	10	1	-	-	-	-	-	1	-	3	3	2	22	2	-	-	1	-	-	-	4	3	8	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,029	1	-	-	-	17	85	180	292	288	131	35	650	2	-	-	1	19	55	86	172	182	103	30
White	934	-	-	-	-	12	69	163	259	269	128	34	592	1	-	-	-	11	39	68	156	177	100	30
All other	95	1	-	-	-	5	16	17	33	19	3	1	58	1	-	-	1	8	16	18	16	5	3	-
Black	93	1	-	-	-	5	16	15	33	19	3	1	64	1	-	-	1	7	16	16	16	5	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	81	-	-	-	-	-	-	1	7	19	39	15	78	-	-	-	-	-	-	2	4	18	31	23
White	77	-	-	-	-	-	-	1	6	18	38	14	72	-	-	-	-	-	-	1	4	17	27	23
All other	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	-	1	4	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	-	1	4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	602	7	-	-	-	7	12	20	54	129	229	144	481	4	1	-	1	4	6	15	37	92	164	157
White	505	4	-	-	-	3	8	17	41	103	201	130	388	2	1	-	-	3	4	10	19	73	139	137
All other	97	3	-	-	-	4	6	3	13	26	28	14	93	2	-	-	1	1	2	5	18	19	25	20
Black	97	3	-	-	-	4	6	3	13	26	28	14	93	2	-	-	1	1	2	5	18	19	25	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	-	-	-	-	-	1	1	1	-	2	4	15	-	1	-	1	-	1	1	1	4	4	2
White	9	-	-	-	-	-	1	1	1	-	2	4	12	-	1	-	-	-	-	1	1	3	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	64	-	-	-	-	1	3	3	7	16	21	13	37	-	-	-	-	2	-	1	2	3	18	11
White	50	-	-	-	-	1	-	3	5	11	19	11	35	-	-	-	-	2	-	1	1	3	17	11
All other	14	-	-	-	-	-	3	-	2	5	2	2	2	-	-	-	-	-	-	-	1	-	1	-
Black	14	-	-	-	-	-	3	-	2	5	2	2	2	-	-	-	-	-	-	-	1	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	529	7	-	-	-	6	8	16	46	113	206	127	429	4	-	-	-	2	5	13	34	85	142	144
White	446	4	-	-	-	2	5	13	35	92	180	115	341	2	-	-	-	1	4	8	17	67	118	124
All other	83	3	-	-	-	4	3	3	11	21	26	12	88	2	-	-	-	1	1	5	17	18	24	20
Black	83	3	-	-	-	4	3	3	11	21	26	12	88	2	-	-	-	1	1	5	17	18	24	20
Infections of kidney (590)	36	-	-	-	-	-	-	2	1	11	14	8	57	-	-	-	-	-	-	-	6	8	19	24
White	31	-	-	-	-	-	-	2	1	8	13	7	49	-	-	-	-	-	-	-	3	8	17	21
All other	5	-	-	-	-	-	-	-	-	3	1	1	8	-	-	-	-	-	-	-	3	-	2	3
Black	5	-	-	-	-	-	-	-	-	3	1	1	8	-	-	-	-	-	-	-	3	-	2	3
Hyperplasia of prostate (600)	26	-	-	-	-	-	-	-	-	4	12	10	...	...	...	...	...	...	...	...	...	...	...	...
White	22	-	-	-	-	-	-	-	-	1	11	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	3	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	3	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	5	8	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	2	6	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	6	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	5	6	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	5	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	5	-	-	...	...	...	...
Congenital anomalies (740-759)	313	189	22	12	17	9	12	10	13	12	12	5	291	175	27	10	4	9	11	3	10	19	16	7
White	231	127	12	10	15	9	9	8	12	12	12	5	226	130	22	7	2	9	8	3	8	15	16	6
All other	82	62	10	2	2	-	3	2	1	-	-	-	65	45	5	3	2	-	3	-	2	4	-	1
Black	77	59	10	2	1	-	2	2	1	-	-	-	61	44	4	3	2	-	2	-	2	3	-	1
Certain conditions originating in the perinatal period (760-779)	527	522	5	-	-	-	-	-	-	-	-	-	383	381	1	1	-	-	-	-	-	-	-	-
White	305	304	1	-	-	-	-	-	-	-	-	-	228	227	-	1	-	-	-	-	-	-	-	-
All other	222	218	4	-	-	-	-	-	-	-	-	-	155	154	1	-	-	-	-	-	-	-	-	-
Black	221	217	4	-	-	-	-	-	-	-	-	-	153	152	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	137	136	1	-	-	-	-	-	-	-	-	-	91	90	-	1	-	-	-	-	-	-	-	-
White	84	84	-	-	-	-	-	-	-	-	-	-	61	60	-	1	-	-	-	-	-	-	-	-
All other	53	52	1	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Black	53	52	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	390	386	4	-	-	-	-	-	-	-	-	-	292	291	1	-	-	-	-	-	-	-	-	-
White	221	220	1	-	-	-	-	-	-	-	-	-	167	167	-	-	-	-	-	-	-	-	-	-
All other	169	166	3	-	-	-	-	-	-	-	-	-	125	124	1	-	-	-	-	-	-	-	-	-
Black	168	165	3	-	-	-	-	-	-	-	-	-	124	123	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,453	161	24	7	48	121	103	117	199	223	257	184	1,079	110	13	5	29	53	54	42	89	159	236	285
White	1,156	92	12	4	41	85	79	85	158	196	231	165	879	60	6	5	13	34	42	31	76	136	212	260
All other	297	69	12	3	7	36	24	32	41	27	26	18	200	50	7	-	16	19	12	11	13	23	24	25
Black	294	68	12	3	7	36	23	31	41	27	26	18	198	50	7	-	16	18	12	11	12	22	24	24
All other diseases (Residual)	4,712	52	23	31	77	252	285	307	496	1,015	1,404	770	4,324	32	13	13	39	91	117	149	372	836	1,406	1,256
White	4,056	26	14	24	51	162	201	225	410	909	1,302	732	3,781	15	7	8	17	40	61	102	306	745	1,291	1,189
All other	656	26	9	7	26	90	84	82	86	106	102	38	543	17	6	5	22	51	56	47	66	91	115	67
Black	652	26	9	6	26	90	84	82	86	105	101	37	539	16	6	5	22	51	55	47	65	91	114	67
Accidents and adverse effects (E800-E949)	3,473	33	90	139	723	685	493	297	320	267	304	175	1,534	18	70	62	225	178	106	105	147	197	262	161
White	2,892	19	62	88	627	573	345	240	257	226	261	168	1,311	10	49	42	189	142	84	79	129	176	250	159
All other	581	14	28	51	96	112	88	57	63	41	23	7	223	8	21	20	36	36	22	26	18	21	12	2
Black	560	14	27	48	92	110	86	53	62	38	23	6	215	8	21	20	35	36	18	25	16	21	12	2
Motor vehicle accidents (E810-E825)	1,971	7	21	83	555	453	263	154	172	111	107	44	807	8	15	36	197	132	70	71	75	98	81	21
White	1,693	3	10	57	501	394	216	126	141	100	101	43	689	3	11	29	172	106	56	53	66	89	81	21
All other	278	4	11	26	54	59	47	28	31	11	6	1	118	5	4	7	25	26	14	18	9	9	-	-
Black	261	4	11	23	51	58	45	24	30	8	6	1	111	5	4	7	24	26	11	17	7	9	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,502	26	69	56	168	232	170	143	148	156	197	131	727	10	55	26	28	46	36	34	72	99	181	140
White	1,199	16	52	31	126	179	129	114	116	126	160	125	622	7	38	13	17	36	28	26	63	87	169	138
All other	303	10	17	25	42	53	41	29	32	30	17	6	105	3	17	13	11	10	8	8	9	12	12	2
Black	299	10	16	25	41	52	41	29	32	30	17	5	104	3	17	13	11	10	7	8	9	12	12	2
Suicide (E950-E959)	1,409	...	...	11	178	258	203	166	171	198	178	48	467	...	...	1	46	72	88	55	72	78	43	12
White	1,336	...	...	10	169	239	179	161	165	193	172	48	450	...	...	1	43	65	86	52	71	77	43	12
All other	73	...	...	1	9	19	24	5	6	5	4	-	17	...	...	-	3	7	2	3	1	1	-	-
Black	69	...	...	-	9	18	22	5	6	5	4	-	13	...	...	-	3	5	2	2	1	-	-	-
Homicide and legal intervention (E960-E978)	1,084	4	15	17	230	367	208	110	71	36	15	2	362	7	5	10	79	104	64	25	19	22	20	6
White	563	-	7	11	93	187	118	58	48	21	13	-	227	3	2	6	45	50	44	19	15	18	18	6
All other	521	4	8	6	137	180	90	52	23	15	2	2	135	4	3	4	34	54	20	6	4	4	2	-
Black	515	4	8	6	136	179	88	50	23	15	2	2	130	4	3	4	33	53	17	6	4	4	2	-
All other external causes (E980-E999)	68	2	-	1	16	19	5	6	8	4	4	3	34	-	-	1	2	7	8	3	6	4	2	1
White	57	2	-	1	14	16	5	3	6	4	4	2	31	-	-	1	2	4	8	3	6	4	2	1
All other	11	-	-	-	2	3	-	3	2	-	-	1	3	-	-	-	-	3	-	-	-	-	-	-
Black	10	-	-	-	2	2	-	3	2	-	-	1	3	-	-	-	-	3	-	-	-	-	-	-
GEORGIA																								
All causes	26,119	686	120	198	815	1,191	1,433	2,275	4,472	6,813	5,803	2,302	23,228	528	102	108	308	445	759	1,254	2,716	4,922	6,720	5,368
White	18,790	348	58	126	571	701	876	1,462	3,234	5,083	4,473	1,858	16,738	243	54	65	206	230	417	756	1,804	3,416	5,150	4,397
All other	7,329	348	62	72	244	490	557	813	1,238	1,730	1,330	444	6,490	285	48	41	102	215	342	498	912	1,506	1,570	971
Black	7,277	341	60	70	240	483	555	809	1,231	1,723	1,324	441	6,455	284	44	41	101	210	342	493	907	1,501	1,564	968
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	-	1	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	1	2
White	4	2	-	-	-	1	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	41	-	-	-	-	1	7	7	10	9	7	-	30	-	-	-	-	1	6	4	3	7	7	2
White	17	-	-	-	-	-	-	3	6	3	5	-	12	-	-	-	-	-	1	1	1	2	5	2
All other	24	-	-	-	-	1	7	4	4	6	2	-	18	-	-	-	-	1	5	3	2	5	2	-
Black	24	-	-	-	-	1	7	4	4	6	2	-	18	-	-	-	-	1	5	3	2	5	2	-
Tuberculosis of respiratory system (010-012)	33	-	-	-	-	-	5	4	10	7	7	-	20	-	-	-	-	1	2	2	2	6	5	2
White	16	-	-	-	-	-	-	3	6	2	5	-	8	-	-	-	-	-	1	-	-	2	3	2
All other	17	-	-	-	-	-	5	1	4	5	2	-	12	-	-	-	-	1	1	2	2	4	2	-
Black	17	-	-	-	-	-	5	1	4	5	2	-	12	-	-	-	-	1	1	2	2	4	2	-
Other tuberculosis (013-018)	8	-	-	-	-	1	2	3	-	2	-	-	10	-	-	-	-	-	4	2	1	1	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	2	-
All other	7	-	-	-	-	1	2	3	-	1	-	-	6	-	-	-	-	-	4	1	-	1	-	-
Black	7	-	-	-	-	1	2	3	-	1	-	-	6	-	-	-	-	-	4	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	-	-	-	-	-	4	-	2	-	1	-	-	-	-	-	1	-
White	1	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Septicemia (038)	210	4	1	1	3	6	7	12	37	57	48	34	257	3	-	2	2	3	7	7	20	42	95	76
White	117	2	-	1	1	3	-	4	19	32	30	26	172	2	-	1	1	-	4	5	8	27	69	55
All other	93	2	1	1	2	3	7	8	18	25	18	8	85	1	-	1	1	3	3	2	12	15	26	21
Black	93	2	1	1	2	3	7	8	18	25	18	8	84	1	-	1	1	3	3	2	12	15	25	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	-	-	-	-	4	3	5	4	-	1	15	-	1	-	1	1	-	2	1	5	3	1
White	13	-	-	-	-	-	3	1	4	4	-	1	9	-	-	-	1	-	-	-	1	3	3	1
All other	4	-	-	-	-	-	1	2	1	-	-	-	6	-	1	-	-	1	-	2	-	2	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	5	-	-	-	-	1	-	2	-	2	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	175	1	1	-	4	49	41	18	19	21	18	3	81	3	1	1	3	6	5	9	3	15	11	4
White	120	-	-	-	2	32	30	14	13	15	13	1	41	-	-	1	3	3	2	4	3	13	9	3
All other	55	1	1	-	2	17	11	4	6	6	5	2	20	3	1	-	-	3	3	5	-	2	2	1
Black	55	1	1	-	2	17	11	4	6	6	5	2	20	3	1	-	-	3	3	5	-	2	2	1
Malignant neoplasms, *including neoplasms of* lymphatic and hematopoietic tissues (140-208)	5,696	1	6	20	34	75	176	553	1,346	1,953	1,265	267	4,588	1	4	15	10	77	216	478	970	1,314	1,043	460
White	4,239	1	3	12	24	51	117	374	1,019	1,471	957	210	3,494	-	1	8	7	50	144	351	749	997	814	373
All other	1,457	-	3	8	10	24	59	179	327	482	308	57	1,094	1	3	7	3	27	72	127	221	317	229	87
Black	1,447	-	3	8	10	24	58	178	324	480	305	57	1,087	1	3	7	3	27	72	125	218	315	229	87
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	151	-	-	-	-	1	7	30	44	49	18	2	68	-	-	-	-	-	6	7	14	16	14	11
White	96	-	-	-	-	1	4	13	26	37	13	2	45	-	-	-	-	-	3	4	8	10	11	9
All other	55	-	-	-	-	-	3	17	18	12	5	-	23	-	-	-	-	-	3	3	6	6	3	2
Black	55	-	-	-	-	-	3	17	18	12	5	-	23	-	-	-	-	-	3	3	6	6	3	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,196	-	-	1	5	12	33	114	268	425	273	65	1,074	-	-	-	-	5	20	72	176	311	336	152
White	844	-	-	1	1	8	20	64	191	311	196	52	761	-	-	-	-	3	12	46	123	214	245	118
All other	352	-	-	-	4	4	13	50	77	114	77	13	313	-	-	-	-	2	8	26	55	97	91	34
Black	348	-	-	-	4	4	13	49	76	113	76	13	312	-	-	-	-	2	8	26	54	97	91	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,275	-	-	-	2	7	67	238	649	842	426	44	814	-	-	-	2	2	27	104	224	282	132	41
White	1,770	-	-	-	2	1	42	168	505	668	346	38	680	-	-	-	1	2	23	77	189	242	109	37
All other	505	-	-	-	-	6	25	70	144	174	80	6	134	-	-	-	1	-	4	27	35	40	23	4
Black	502	-	-	-	-	6	25	70	143	173	79	6	134	-	-	-	1	-	4	27	35	40	23	4
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	3	1	1	-	841	-	-	-	1	16	81	141	212	201	137	52
White	1	-	-	-	-	-	-	-	1	-	-	-	635	-	-	-	1	8	49	108	163	155	108	43
All other	4	-	-	-	-	-	-	-	2	1	1	-	206	-	-	-	-	8	32	33	49	46	29	9
Black	4	-	-	-	-	-	-	-	2	1	1	-	202	-	-	-	-	8	32	32	47	45	29	9
Malignant neoplasms of genital organs (179-187)	627	-	-	-	1	4	-	13	70	220	243	76	517	-	-	-	-	19	31	57	109	153	99	49
White	370	-	-	-	1	4	-	9	43	116	147	50	366	-	-	-	-	11	17	42	73	113	75	35
All other	257	-	-	-	-	-	-	4	27	104	96	26	151	-	-	-	-	8	14	15	36	40	24	14
Black	257	-	-	-	-	-	-	4	27	104	96	26	151	-	-	-	-	8	14	15	36	40	24	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	239	–	1	–	–	2	9	14	51	79	69	14	161	–	–	1	1	–	–	8	33	53	46	19
White	196	–	–	–	–	2	4	8	41	70	57	14	124	–	–	1	–	–	–	5	23	41	39	15
All other	43	–	1	–	–	–	5	6	10	9	12	–	37	–	–	–	1	–	–	3	10	12	7	4
Black	43	–	1	–	–	–	5	6	10	9	12	–	37	–	–	–	1	–	–	3	10	12	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	742	1	4	10	13	26	43	99	166	211	138	31	656	1	2	9	3	20	27	61	131	174	146	82
White	599	1	2	7	11	21	33	76	137	165	119	27	523	–	–	4	2	15	22	49	112	131	117	71
All other	143	–	2	3	2	5	10	23	29	46	19	4	133	1	2	5	1	5	5	12	19	43	29	11
Black	142	–	2	3	2	5	10	23	28	46	19	4	133	1	2	5	1	5	5	12	19	43	29	11
Leukemia (204-208)	194	–	1	5	8	13	7	18	48	34	44	16	174	–	2	5	1	11	14	9	18	36	52	26
White	154	–	1	1	5	7	6	15	38	27	40	14	140	–	1	3	1	9	12	6	14	27	46	21
All other	40	–	–	4	3	6	1	3	10	7	4	2	34	–	1	2	–	2	2	3	4	9	6	5
Black	39	–	–	4	3	6	–	3	10	7	4	2	32	–	1	2	–	2	2	2	4	8	6	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	267	–	–	4	5	10	10	27	47	82	53	19	283	–	–	–	2	4	10	19	51	88	81	28
White	209	–	–	3	4	7	8	21	37	77	39	13	220	–	–	–	2	2	6	14	44	64	64	24
All other	58	–	–	1	1	3	2	6	10	15	14	6	63	–	–	–	–	2	4	5	7	24	17	4
Black	57	–	–	1	1	3	2	6	10	15	13	6	63	–	–	–	–	2	4	5	7	24	17	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	80	2	–	3	2	5	4	7	11	19	23	4	103	1	1	–	–	2	1	8	7	28	37	18
White	59	2	–	2	1	2	3	2	11	15	19	2	72	–	–	–	–	2	1	4	3	20	27	15
All other	21	–	–	1	1	3	1	5	–	4	4	2	31	1	1	–	–	–	–	4	4	8	10	3
Black	20	–	–	–	1	3	1	5	–	4	4	2	30	1	1	–	–	–	–	4	4	7	10	3
Diabetes mellitus (250)	351	–	–	–	3	8	23	40	78	99	76	24	506	–	–	1	–	8	13	28	78	153	146	79
White	229	–	–	–	2	5	14	20	48	69	60	17	294	–	–	1	–	7	4	8	32	85	102	55
All other	122	–	–	–	1	3	9	20	30	36	16	7	212	–	–	–	–	1	9	20	46	68	44	24
Black	122	–	–	–	1	3	9	20	30	36	16	7	211	–	–	–	–	1	9	19	46	68	44	24
Nutritional deficiencies (260-269)	23	1	–	–	–	–	–	1	4	3	7	7	36	–	–	–	2	–	1	1	3	2	8	19
White	14	1	–	–	–	–	–	–	2	3	4	4	21	–	–	–	1	–	1	1	–	2	3	13
All other	9	–	–	–	–	–	–	1	2	–	3	3	15	–	–	–	1	–	–	–	3	–	5	6
Black	9	–	–	–	–	–	–	1	2	–	3	3	15	–	–	–	1	–	–	–	3	–	5	6
Anemias (280-285)	39	–	2	–	1	6	2	2	2	8	10	6	59	–	3	–	1	5	3	–	7	8	18	14
White	23	–	–	–	–	–	1	1	2	5	10	4	32	–	–	–	–	–	–	–	4	6	10	12
All other	16	–	2	–	1	6	1	1	–	3	–	2	27	–	3	–	1	5	3	–	3	2	8	2
Black	16	–	2	–	1	6	1	1	–	3	–	2	26	–	3	–	1	5	3	–	3	2	7	2
Meningitis (320-322)	23	4	5	–	2	3	2	–	2	2	3	–	6	–	1	–	–	–	1	–	1	–	2	1
White	14	2	3	–	1	2	2	–	1	1	2	–	5	–	1	–	–	–	1	–	1	–	2	–
All other	9	2	2	–	1	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	9	2	2	–	1	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Major cardiovascular diseases (390-448)	10,654	21	7	5	26	97	361	905	1,936	3,077	2,916	1,301	11,309	17	4	8	20	60	184	360	993	2,327	3,888	3,448
White	7,919	13	3	3	16	49	204	606	1,398	2,320	2,252	1,055	8,226	9	2	6	9	20	84	175	587	1,519	2,960	2,855
All other	2,735	8	4	2	10	48	157	299	540	757	664	246	3,083	8	2	2	11	40	100	185	406	808	928	593
Black	2,723	8	4	2	10	48	157	297	537	754	661	245	3,072	8	2	2	11	38	100	184	404	807	926	590
Diseases of heart (390-398,402,404-429)	8,553	17	6	5	22	82	312	776	1,664	2,475	2,232	962	8,227	13	4	5	17	40	129	270	763	1,740	2,821	2,425
White	6,472	13	2	3	14	36	184	547	1,249	1,907	1,741	776	6,011	6	2	4	8	14	64	130	471	1,167	2,158	1,987
All other	2,081	4	4	2	8	46	128	229	415	568	491	186	2,216	7	2	1	9	26	65	140	292	573	663	438
Black	2,070	4	4	2	8	46	128	228	412	565	488	185	2,209	7	2	1	9	25	65	140	290	572	661	437
Rheumatic fever and rheumatic heart disease (390-398)	40	–	–	–	2	1	2	4	12	9	6	4	65	–	1	–	–	3	5	4	13	20	12	7
White	33	–	–	–	–	–	1	4	10	8	6	4	45	–	1	–	–	1	3	1	7	15	10	7
All other	7	–	–	–	2	1	1	–	2	1	–	–	20	–	–	–	–	2	2	3	6	5	2	–
Black	7	–	–	–	2	1	1	–	2	1	–	–	19	–	–	–	–	1	2	3	6	5	2	–
Hypertensive heart disease (402)	254	–	–	–	1	3	21	28	60	66	52	23	330	–	–	–	–	3	9	19	37	84	105	73
White	114	–	–	–	1	–	6	9	25	30	29	14	150	–	–	–	–	–	1	2	12	31	53	51
All other	140	–	–	–	–	3	15	19	35	36	23	9	180	–	–	–	–	3	8	17	25	53	52	22
Black	138	–	–	–	–	3	15	19	33	36	23	9	180	–	–	–	–	3	8	17	25	53	52	22
Hypertensive heart and renal disease (404)	33	–	–	–	–	–	–	5	5	8	13	2	48	–	–	–	–	–	1	–	4	9	17	15
White	15	–	–	–	–	–	–	3	3	3	5	1	28	–	–	–	–	–	1	–	1	3	10	13
All other	18	–	–	–	–	–	–	2	2	5	8	1	18	–	–	–	–	–	–	–	3	6	7	2
Black	18	–	–	–	–	–	–	2	2	5	8	1	18	–	–	–	–	–	–	–	3	6	7	2
Ischemic heart disease (410-414)	5,534	1	–	2	1	24	174	521	1,122	1,653	1,463	573	4,810	–	–	–	3	8	73	147	454	1,095	1,717	1,313
White	4,530	1	–	2	1	11	116	408	907	1,373	1,226	485	3,758	–	–	–	2	4	41	83	306	804	1,400	1,118
All other	1,004	–	–	–	–	13	58	113	215	280	237	88	1,052	–	–	–	1	4	32	64	148	291	317	195
Black	999	–	–	–	–	13	58	112	214	279	235	88	1,048	–	–	–	1	4	32	64	146	290	316	195
Acute myocardial infarction (410)	3,700	1	–	1	1	18	140	404	816	1,126	912	281	2,956	–	–	–	1	6	51	117	338	753	1,075	615
White	3,003	1	–	1	1	8	91	322	647	935	767	230	2,285	–	–	–	–	4	28	67	227	562	871	526
All other	697	–	–	–	–	10	49	82	169	191	145	51	671	–	–	–	1	2	23	50	111	191	204	89
Black	695	–	–	–	–	10	49	81	169	191	144	51	670	–	–	–	1	2	23	50	111	190	204	89

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	77	-	-	-	-	-	3	10	19	26	14	5	43	-	-	-	-	-	1	2	3	10	12	15
White	48	-	-	-	-	-	2	6	13	14	11	2	27	-	-	-	-	-	1	2	2	3	8	11
All other	29	-	-	-	-	-	1	4	6	12	3	3	16	-	-	-	-	-	-	-	1	7	4	4
Black	29	-	-	-	-	-	1	4	6	12	3	3	16	-	-	-	-	-	-	-	1	7	4	4
Angina pectoris (413)	13	-	-	-	-	-	-	-	3	4	3	3	23	-	-	-	-	-	-	-	3	8	8	6
White	11	-	-	-	-	-	-	-	2	3	3	3	21	-	-	-	-	-	-	-	3	4	8	6
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,744	-	-	1	-	6	31	107	284	497	534	284	1,788	-	-	-	2	2	21	28	110	326	622	677
White	1,468	-	-	1	-	3	23	80	245	421	445	250	1,425	-	-	-	2	-	12	14	74	295	513	575
All other	276	-	-	-	-	3	8	27	39	76	89	34	363	-	-	-	-	2	9	14	36	91	109	102
Black	273	-	-	-	-	3	8	27	38	75	88	34	360	-	-	-	-	2	9	14	34	91	108	102
Other diseases of endocardium (424)	86	1	-	-	3	2	4	6	12	30	21	7	114	-	-	-	-	2	-	5	11	20	35	41
White	72	1	-	-	3	1	3	5	11	24	18	6	90	-	-	-	-	1	-	3	7	13	32	34
All other	14	-	-	-	-	1	1	1	1	6	3	1	24	-	-	-	-	1	-	2	4	7	3	7
Black	14	-	-	-	-	1	1	1	1	6	3	1	24	-	-	-	-	1	-	2	4	7	3	7
All other forms of heart disease (415-423,425-429)	2,606	15	6	3	15	52	111	212	453	709	677	353	2,662	13	3	5	14	24	41	95	244	512	935	976
White	1,708	11	2	1	9	24	58	116	293	469	457	266	1,940	6	1	4	6	8	18	41	138	301	653	764
All other	898	4	4	2	6	28	53	96	160	240	220	87	922	7	2	1	8	16	23	54	106	211	282	212
Black	894	4	4	2	6	28	53	94	160	238	219	86	920	7	2	1	8	16	23	54	106	211	281	211
Hypertension with or without renal disease (401,403)	97	-	-	-	-	-	3	15	21	26	18	14	119	1	-	-	-	2	7	3	19	25	36	26
White	57	-	-	-	-	-	-	6	10	17	15	9	52	1	-	-	-	1	1	1	6	8	19	15
All other	40	-	-	-	-	-	3	9	11	9	3	5	67	-	-	-	-	1	6	2	13	17	17	11
Black	40	-	-	-	-	-	3	9	11	9	3	5	67	-	-	-	-	1	6	2	13	17	17	11
Cerebrovascular diseases (430-438)	1,617	4	1	-	3	12	43	103	206	435	543	267	2,548	3	-	2	2	18	43	81	187	501	877	834
White	1,085	-	1	-	2	11	17	45	104	281	403	221	1,842	2	-	1	-	5	16	41	92	304	669	712
All other	532	4	-	-	1	1	26	58	102	154	140	46	706	1	-	1	2	13	27	40	95	197	208	122
Black	531	4	-	-	1	1	26	57	102	154	140	46	702	1	-	1	2	12	27	39	95	197	208	120
Intracerebral and other intracranial hemorrhage (431-432)	248	3	-	-	1	3	25	35	43	68	49	21	334	1	-	2	1	6	15	29	51	75	98	56
White	141	-	-	-	1	3	8	11	17	47	36	18	220	-	-	1	-	2	5	15	23	52	78	44
All other	107	3	-	-	-	-	17	24	26	21	13	3	114	1	-	1	1	4	10	14	28	23	20	12
Black	106	3	-	-	-	-	17	23	26	21	13	3	113	1	-	1	1	4	10	13	28	23	20	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	248	-	1	-	-	1	3	2	27	70	88	56	365	-	-	-	1	1	1	-	12	51	147	152
White	179	-	1	-	-	1	2	1	13	48	69	44	287	-	-	-	-	-	-	-	4	33	119	131
All other	69	-	-	-	-	-	1	1	14	22	19	12	78	-	-	-	1	1	1	-	8	18	28	21
Black	69	-	-	-	-	-	1	1	14	22	19	12	77	-	-	-	1	-	1	-	8	18	28	21
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	1	1	1	1
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,116	1	-	-	2	8	15	66	136	296	403	189	1,845	2	-	-	-	11	27	52	123	374	631	625
White	762	-	-	-	1	7	7	33	74	185	296	159	1,332	2	-	-	-	9	11	26	64	219	471	536
All other	354	1	-	-	1	1	8	33	62	111	107	30	513	-	-	-	-	8	16	26	59	155	160	89
Black	354	1	-	-	1	1	8	33	62	111	107	30	511	-	-	-	-	8	16	26	59	155	160	87
Atherosclerosis (440)	134	-	-	-	-	-	2	2	10	34	50	36	244	-	-	-	-	-	-	-	7	23	91	123
White	99	-	-	-	-	-	2	1	9	22	36	29	195	-	-	-	-	-	-	-	4	13	68	110
All other	35	-	-	-	-	-	-	1	1	12	14	7	49	-	-	-	-	-	-	-	3	10	23	13
Black	35	-	-	-	-	-	-	1	1	12	14	7	49	-	-	-	-	-	-	-	3	10	23	13
Other diseases of arteries, arterioles, and capillaries (441-448)	253	-	-	-	1	3	1	9	37	107	73	22	171	-	-	1	1	-	5	6	17	38	63	40
White	206	-	-	-	-	2	1	7	26	93	57	20	126	-	-	1	1	-	3	3	14	27	46	31
All other	47	-	-	-	1	1	-	2	11	14	16	2	45	-	-	-	-	-	2	3	3	11	17	9
Black	47	-	-	-	1	1	-	2	11	14	16	2	45	-	-	-	-	-	2	3	3	11	17	9
Acute bronchitis and bronchiolitis (466)	5	1	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-	-	1	2	1
White	4	1	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	743	18	4	-	5	11	26	38	60	163	250	170	767	10	3	4	1	10	19	16	39	102	245	318
White	537	6	1	-	4	5	11	27	35	119	188	141	597	4	1	2	1	4	7	9	23	72	196	278
All other	206	10	3	-	1	6	15	11	25	44	62	29	170	6	2	2	-	6	12	7	16	30	49	40
Black	205	10	3	-	1	6	15	11	25	44	62	28	169	6	1	2	-	6	12	7	16	30	49	40

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	732	16	4	–	5	11	25	38	60	162	243	168	750	9	3	4	1	8	18	16	39	99	242	311
White	527	6	1	–	4	5	10	27	35	118	182	139	586	4	1	2	1	4	6	9	23	69	194	273
All other	205	10	3	–	1	6	15	11	25	44	61	29	164	5	2	2	–	4	12	7	16	30	48	38
Black	204	10	3	–	1	6	15	11	25	44	61	28	163	5	1	2	–	4	12	7	16	30	48	38
Influenza (487)	11	–	–	–	–	–	1	–	–	1	7	2	17	1	–	–	–	2	1	–	–	3	3	7
White	10	–	–	–	–	–	1	–	–	1	6	2	11	–	–	–	–	–	1	–	–	3	2	5
All other	1	–	–	–	–	–	–	–	–	–	1	–	6	1	–	–	–	2	–	–	–	–	1	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	6	1	–	–	–	2	–	–	–	–	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,147	1	–	2	2	3	13	54	182	442	359	89	575	–	–	3	1	2	12	30	117	180	175	55
White	960	1	–	–	–	2	8	34	145	369	323	78	510	–	–	2	1	1	5	19	101	162	167	52
All other	187	–	–	2	2	1	5	20	37	73	36	11	65	–	–	1	–	1	7	11	16	18	8	3
Black	186	–	–	2	2	1	5	20	37	73	36	10	64	–	–	1	–	1	7	11	16	17	8	3
Bronchitis, chronic and unspecified (490-491)	57	1	–	–	–	–	–	3	11	26	12	4	35	–	–	–	1	–	–	2	7	6	13	6
White	47	1	–	–	–	–	–	3	7	22	10	4	33	–	–	–	1	–	–	1	7	6	12	6
All other	10	–	–	–	–	–	–	–	4	4	2	–	2	–	–	–	–	–	–	1	–	–	1	–
Black	10	–	–	–	–	–	–	–	4	4	2	–	2	–	–	–	–	–	–	1	–	–	1	–
Emphysema (492)	272	–	–	–	–	2	4	13	51	104	86	12	112	–	–	–	–	–	2	7	27	38	26	12
White	244	–	–	–	–	2	2	11	44	94	79	12	107	–	–	–	–	–	2	6	27	35	26	11
All other	28	–	–	–	–	–	2	2	7	10	7	–	5	–	–	–	–	–	–	1	–	3	–	1
Black	28	–	–	–	–	–	2	2	7	10	7	–	5	–	–	–	–	–	–	1	–	3	–	1
Asthma (493)	47	–	–	2	2	1	2	13	11	6	7	3	60	–	–	1	–	2	8	8	12	15	11	3
White	23	–	–	–	–	–	2	4	6	3	6	2	33	–	–	1	–	1	2	2	5	9	10	3
All other	24	–	–	2	2	1	–	9	5	3	1	1	27	–	–	–	–	1	6	6	7	6	1	–
Black	23	–	–	2	2	1	–	9	5	3	1	–	27	–	–	–	–	1	6	6	7	6	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	771	–	–	–	–	–	7	25	109	306	254	70	368	–	–	2	–	–	2	13	71	121	125	34
White	648	–	–	–	–	–	4	16	88	250	228	60	337	–	–	1	–	–	1	10	62	112	119	32
All other	125	–	–	–	–	–	3	9	21	56	26	10	31	–	–	1	–	–	1	3	9	9	6	2
Black	125	–	–	–	–	–	3	9	21	56	26	10	30	–	–	1	–	–	1	3	9	8	6	2
Ulcer of stomach and duodenum (531-533)	85	–	–	–	–	3	3	7	19	22	23	8	69	–	–	–	–	–	2	4	4	17	25	17
White	65	–	–	–	–	2	1	4	16	18	16	8	50	–	–	–	–	–	2	4	1	11	21	11
All other	20	–	–	–	–	1	2	3	3	4	7	–	19	–	–	–	–	–	–	–	3	6	4	6
Black	19	–	–	–	–	1	2	3	2	4	7	–	19	–	–	–	–	–	–	–	3	6	4	6
Appendicitis (540-543)	6	–	–	–	–	–	–	1	1	1	3	–	7	–	–	–	–	–	1	4	–	–	1	1
White	3	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	1	–	–	1	1
All other	3	–	–	–	–	–	–	1	–	1	1	–	4	–	–	–	–	–	1	3	–	–	–	–
Black	3	–	–	–	–	–	–	1	–	1	1	–	4	–	–	–	–	–	1	3	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	58	3	1	–	1	1	1	2	8	12	19	10	90	–	1	–	–	–	1	1	6	16	34	31
White	35	1	1	–	–	1	1	–	4	5	14	8	68	–	1	–	–	–	–	1	3	11	24	28
All other	23	2	–	–	1	–	–	2	4	7	5	2	22	–	–	–	–	–	1	–	3	5	10	3
Black	23	2	–	–	1	–	–	2	4	7	5	2	22	–	–	–	–	–	1	–	3	5	10	3
Chronic liver disease and cirrhosis (571)	348	–	1	–	–	18	44	68	110	81	23	3	217	–	–	–	1	10	32	41	62	40	25	6
White	269	–	–	–	–	8	32	49	89	69	19	3	137	–	–	–	–	2	16	17	40	35	21	6
All other	79	–	1	–	–	10	12	19	21	12	4	–	80	–	–	–	1	8	16	24	22	5	4	–
Black	79	–	1	–	–	10	12	19	21	12	4	–	80	–	–	–	1	8	16	24	22	5	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	31	–	–	–	–	1	1	2	3	9	8	7	48	–	–	–	–	1	–	1	4	14	18	10
White	29	–	–	–	–	1	1	1	3	8	8	7	33	–	–	–	–	–	–	1	2	9	12	9
All other	2	–	–	–	–	–	–	1	–	1	–	–	15	–	–	–	–	1	–	–	2	5	6	1
Black	2	–	–	–	–	–	–	1	–	1	–	–	15	–	–	–	–	1	–	–	2	5	6	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	261	1	2	1	1	5	9	17	37	76	73	39	310	1	1	–	2	6	7	21	36	59	107	70
White	145	–	1	1	–	2	4	7	20	40	44	26	160	–	1	–	1	1	1	4	12	28	63	49
All other	116	1	1	–	1	3	5	10	17	36	29	13	150	1	–	–	1	5	6	17	24	31	44	21
Black	116	1	1	–	1	3	5	10	17	36	29	13	150	1	–	–	1	5	6	17	24	31	44	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	–	–	–	–	1	1	–	–	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	3	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	-	1	-	-	-	1	-	3	6	9	2	28	-	-	-	-	-	1	1	4	10	6	6
White	10	-	-	-	-	-	-	-	2	1	5	2	16	-	-	-	-	-	1	1	2	7	2	4
All other	12	-	1	-	-	-	1	-	1	5	4	-	12	-	-	-	-	-	1	-	2	3	4	2
Black	12	-	1	-	-	-	1	-	1	5	4	-	12	-	-	-	-	-	1	-	2	3	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	234	1	1	1	1	4	7	17	34	69	62	37	281	1	1	-	2	6	6	19	32	49	101	64
White	133	-	1	1	-	2	3	7	18	39	36	24	144	-	1	-	1	1	1	3	10	21	61	45
All other	101	1	-	-	1	2	4	10	16	30	24	13	137	1	-	-	1	5	5	16	22	28	40	19
Black	101	1	-	-	1	2	4	10	16	30	24	13	137	1	-	-	1	5	5	16	22	28	40	19
Infections of kidney (590)	19	-	-	-	-	-	-	1	2	4	5	7	31	-	-	-	-	1	1	1	2	4	12	10
White	10	-	-	-	-	-	-	1	2	1	2	4	23	-	-	-	-	1	-	1	2	2	9	8
All other	9	-	-	-	-	-	-	-	-	3	3	3	8	-	-	-	-	-	1	-	-	2	3	2
Black	9	-	-	-	-	-	-	-	-	3	3	3	8	-	-	-	-	-	1	-	-	2	3	2
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	4	6	3	7	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	3	2	-	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	9	-	-	-	-	-	-	-	1	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	9	-	-	-	-	-	-	-	1	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	8	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	6	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	6	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Congenital anomalies (740-759)	195	124	15	12	10	7	4	6	4	11	2	-	150	102	11	6	8	2	5	2	6	2	5	1
White	123	77	7	8	4	5	3	5	3	9	2	-	90	58	8	5	3	1	3	2	4	2	3	1
All other	72	47	8	4	6	2	1	1	1	2	-	-	60	44	3	1	5	1	2	-	2	-	2	-
Black	70	46	8	3	6	2	1	1	1	2	-	-	58	43	2	1	5	1	2	-	2	-	2	-
Certain conditions originating in the perinatal period (760-779)	362	361	-	-	-	1	-	-	-	-	-	-	284	282	1	1	-	-	-	-	-	-	-	-
White	156	155	-	-	-	1	-	-	-	-	-	-	130	130	-	-	-	-	-	-	-	-	-	-
All other	206	206	-	-	-	-	-	-	-	-	-	-	154	152	1	1	-	-	-	-	-	-	-	-
Black	201	201	-	-	-	-	-	-	-	-	-	-	154	152	1	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	114	113	-	-	-	1	-	-	-	-	-	-	77	76	-	1	-	-	-	-	-	-	-	-
White	60	59	-	-	-	1	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
All other	54	54	-	-	-	-	-	-	-	-	-	-	41	40	-	1	-	-	-	-	-	-	-	-
Black	53	53	-	-	-	-	-	-	-	-	-	-	41	40	-	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	248	248	-	-	-	-	-	-	-	-	-	-	207	206	1	-	-	-	-	-	-	-	-	-
White	96	96	-	-	-	-	-	-	-	-	-	-	94	94	-	-	-	-	-	-	-	-	-	-
All other	152	152	-	-	-	-	-	-	-	-	-	-	113	112	1	-	-	-	-	-	-	-	-	-
Black	148	148	-	-	-	-	-	-	-	-	-	-	113	112	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	282	100	5	2	3	9	14	18	32	38	36	25	259	62	2	-	3	4	8	11	20	36	38	75
White	155	62	4	2	1	6	7	6	17	13	23	14	145	22	1	-	2	2	2	6	11	19	24	56
All other	127	38	1	-	2	3	7	12	15	25	13	11	114	40	1	-	1	2	6	5	9	17	14	19
Black	127	38	1	-	2	3	7	12	15	25	13	11	114	40	1	-	1	2	6	5	9	17	14	19
All other diseases (Residual)	2,017	32	18	22	37	120	195	188	259	472	458	216	2,145	25	11	12	24	51	86	112	207	410	654	553
White	1,342	15	8	10	30	51	109	92	154	333	355	185	1,512	7	7	9	8	17	36	63	130	290	501	444
All other	675	17	10	12	7	69	86	96	105	139	103	31	633	18	4	3	16	34	50	49	77	120	153	109
Black	670	16	9	12	7	68	86	96	105	137	103	31	631	18	4	3	16	34	50	49	77	120	151	109
Accidents and adverse effects (E800-E949)	1,950	15	46	106	443	418	247	187	174	142	117	54	900	17	49	44	153	105	82	67	82	104	107	90
White	1,374	7	26	71	351	294	166	119	117	100	82	41	658	9	28	25	128	71	64	42	58	78	90	67
All other	576	8	20	35	92	124	81	68	57	42	35	13	242	8	21	19	25	34	18	25	26	26	17	23
Black	567	8	19	35	89	120	81	68	57	42	35	13	238	8	20	19	24	33	18	24	26	26	17	23

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	1,087	4	15	54	343	269	131	96	65	57	42	10	470	2	20	26	135	75	53	42	42	34	31	10
White	830	2	8	36	284	204	98	67	50	45	30	6	369	2	13	15	117	54	43	31	29	31	27	7
All other	257	2	7	18	59	65	33	29	15	12	12	4	101	–	7	11	18	21	10	11	13	3	4	3
Black	251	2	7	18	57	62	33	29	15	12	12	4	98	–	7	11	17	20	10	10	13	3	4	3
All other accidents and adverse effects (E800-E807, E826-E949)	883	11	31	52	100	149	116	91	109	85	75	44	430	15	29	18	18	30	29	25	40	70	78	80
White	544	5	18	35	67	90	68	52	67	55	52	35	289	7	15	10	11	17	21	11	27	47	63	60
All other	319	6	13	17	33	59	48	39	42	30	23	9	141	8	14	8	7	13	8	14	13	23	13	20
Black	316	6	12	17	32	58	48	39	42	30	23	9	140	8	13	8	7	13	8	14	13	23	13	20
Suicide (E950-E959)	639	...	...	8	118	133	121	73	77	60	38	11	154	...	...	2	22	26	27	24	28	21	4	–
White	559	...	...	6	98	109	107	64	75	53	37	10	133	...	...	1	20	22	23	23	24	16	4	–
All other	80	...	...	2	20	24	14	9	2	7	1	1	21	...	...	1	2	4	4	1	4	5	–	–
Black	77	...	...	2	19	23	13	9	2	7	1	1	20	...	...	1	2	3	4	1	4	5	–	–
Homicide and legal intervention (E960-E978)	584	5	6	13	114	194	120	62	42	16	8	4	197	3	5	7	42	52	33	21	14	11	5	4
White	210	–	1	8	34	57	47	26	25	6	3	3	80	2	–	4	15	21	12	13	5	4	4	–
All other	374	5	5	5	80	137	73	36	17	10	5	1	117	1	5	3	27	31	21	8	9	7	1	4
Black	373	5	5	5	80	136	73	36	17	10	5	1	117	1	5	3	27	31	21	8	9	7	1	4
All other external causes (E980-E999)	52	1	–	2	6	16	8	3	6	5	2	3	31	1	1	–	3	8	6	1	2	4	3	2
White	34	–	–	2	2	12	5	2	2	5	2	2	17	–	1	–	3	3	4	1	–	2	3	–
All other	18	1	–	–	4	4	3	1	4	–	–	1	14	1	–	–	–	5	2	–	2	2	–	2
Black	18	1	–	–	4	4	3	1	4	–	–	1	13	1	–	–	–	4	2	–	2	2	–	2
HAWAII																								
All causes	3,409	105	16	22	86	142	146	228	548	844	828	444	2,465	66	12	12	36	58	85	134	342	521	590	616
White	1,034	25	4	3	31	59	50	62	180	286	242	92	801	14	4	1	8	22	33	29	91	199	221	179
All other	2,375	80	12	19	55	83	96	166	368	558	586	352	1,664	52	8	11	28	28	52	105	251	322	369	437
Black	39	5	1	1	2	7	9	1	4	7	–	1	14	4	–	–	–	1	1	–	3	1	3	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	5	–	–	–	–	–	–	–	–	2	3	–	3	–	–	–	–	–	–	–	–	–	1	2
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	1	2
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	32	–	1	1	1	–	1	1	4	11	7	5	25	–	–	–	–	–	1	–	3	4	8	9
White	5	–	–	–	–	–	–	–	1	2	2	–	5	–	–	–	–	–	1	–	–	1	1	2
All other	27	–	1	1	1	–	1	1	3	9	5	5	20	–	–	–	–	–	–	–	3	3	7	7
Black	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	4	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	1	–	–	1	3	1	3	4	5	–	–	11	–	–	–	1	2	–	–	5	2	1	–
White	6	–	–	–	1	2	1	2	–	–	–	–	3	–	–	–	–	1	–	–	2	–	–	–
All other	12	1	–	–	–	1	–	1	4	5	–	–	8	–	–	–	1	1	–	–	3	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	804	–	3	4	5	13	25	58	192	247	204	53	615	–	2	2	6	7	37	52	140	178	133	58
White	262	–	1	–	3	6	7	14	65	85	66	15	225	–	1	–	3	4	12	15	39	81	56	14
All other	542	–	2	4	2	7	18	44	127	162	138	38	390	–	1	2	3	3	25	37	101	97	77	44
Black	7	–	1	–	–	1	2	–	1	2	–	–	3	–	–	–	–	1	–	–	2	–	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	–	–	–	1	–	2	1	12	9	3	1	15	–	–	–	–	–	1	1	3	4	5	1
White	7	–	–	–	–	–	–	–	4	2	1	–	8	–	–	–	–	–	1	1	2	1	2	1
All other	22	–	–	–	1	–	2	1	8	7	2	1	7	–	–	–	–	–	–	–	1	3	3	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	271	–	–	–	–	1	5	19	62	93	75	16	170	–	–	–	2	–	4	15	35	52	40	22
White	67	–	–	–	–	–	1	1	14	27	19	5	54	–	–	–	–	–	–	1	10	21	19	3
All other	204	–	–	–	–	1	4	18	48	66	56	11	116	–	–	–	2	–	4	14	25	31	21	19
Black	3	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	242	–	–	–	–	1	8	20	75	79	50	9	121	–	–	–	–	–	6	6	35	42	29	3
White	85	–	–	–	–	–	1	6	31	28	17	2	58	–	–	–	–	–	3	4	14	24	12	1
All other	157	–	–	–	–	1	7	14	44	51	33	7	63	–	–	–	–	–	3	2	21	18	17	2
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	1	–	–	–	–	–	103	–	–	–	–	4	13	16	26	22	15	7
White	–	–	–	–	–	–	–	–	–	–	–	–	97	–	–	–	–	2	4	5	4	12	6	4
All other	1	–	–	–	–	–	1	–	–	–	–	–	66	–	–	–	–	2	9	11	22	10	9	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	75	–	–	–	–	1	–	1	4	18	32	19	65	–	–	–	–	1	5	5	17	23	10	4
White	31	–	–	–	–	–	–	–	2	9	13	7	19	–	–	–	–	–	–	–	5	10	3	1
All other	44	–	–	–	–	1	–	1	2	9	19	12	46	–	–	–	–	1	5	5	12	13	7	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	35	–	1	–	–	–	–	1	6	15	9	1	19	–	–	–	–	–	1	1	2	4	6	5
White	18	–	1	–	–	–	–	–	5	8	4	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	17	–	–	–	–	–	–	1	3	7	5	1	15	–	–	–	–	–	1	1	2	3	4	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	75	–	–	2	1	4	4	10	15	17	19	3	79	–	2	2	3	2	5	7	13	19	18	8
White	28	–	–	–	1	3	6	5	6	6	1	33	–	1	–	2	2	4	4	4	9	6	1	
All other	47	–	–	2	1	3	1	4	10	11	13	2	46	–	1	2	1	–	1	3	9	10	12	7
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	29	–	2	2	1	2	1	3	7	6	4	1	13	–	–	–	–	–	1	–	4	4	2	2
White	10	–	–	–	1	2	1	–	1	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	19	–	2	2	–	–	–	3	6	3	2	1	12	–	–	–	–	–	1	–	4	3	2	2
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	–	–	–	2	4	4	3	9	10	12	3	30	–	–	–	1	–	1	1	5	8	8	6
White	16	–	–	–	2	3	1	1	3	2	4	–	11	–	–	–	1	–	–	–	–	2	6	2
All other	31	–	–	–	–	1	3	2	6	8	8	3	19	–	–	–	–	–	1	1	5	6	2	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	1	–	–	2	3	1	2	2	2	5	–	7	–	–	–	–	–	1	1	–	3	–	2
White	5	–	–	–	–	–	–	1	–	1	3	–	3	–	–	–	–	–	–	–	–	1	–	2
All other	13	1	–	–	2	3	1	1	2	1	2	–	4	–	–	–	–	–	1	1	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	82	-	-	-	-	1	4	7	13	30	21	6	83	-	-	-	-	3	-	3	20	18	26	15
White	14	-	-	-	-	-	-	-	4	5	4	1	13	-	-	-	-	1	-	-	1	5	5	1
All other	68	-	-	-	-	1	4	7	9	25	17	5	70	-	-	-	-	2	-	3	19	11	21	14
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	1	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	2	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,409	1	1	1	3	19	50	98	222	385	402	227	1,024	2	2	-	2	4	14	40	102	209	302	346
White	413	-	-	-	1	8	11	24	72	130	118	49	322	-	-	-	-	-	2	5	23	71	110	111
All other	996	1	1	1	2	11	39	74	150	255	284	178	702	2	2	-	2	4	12	35	79	138	192	235
Black	11	-	-	-	-	1	3	-	3	4	-	-	7	1	-	-	-	-	-	-	1	1	3	1
Diseases of heart (390-398,402,404-429)	1,130	1	1	1	3	18	40	87	187	320	292	180	777	1	2	-	1	2	11	30	80	160	220	269
White	350	-	-	-	1	7	11	22	63	117	89	40	247	-	-	-	-	-	1	5	20	56	78	87
All other	780	1	1	1	2	11	29	65	124	203	203	140	530	1	2	-	1	2	10	25	60	104	142	182
Black	10	-	-	-	-	1	2	-	3	4	-	-	5	-	-	-	-	-	-	-	1	1	2	1
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	2	2	1	5	1	1	-	11	-	-	-	-	1	1	1	3	2	2	1
White	4	-	-	-	-	1	-	-	2	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	8	-	-	-	-	1	2	1	3	1	-	-	9	-	-	-	-	1	1	1	2	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	22	-	-	-	-	-	1	4	1	5	6	5	34	-	-	-	-	-	-	3	7	6	10	8
White	5	-	-	-	-	-	-	1	1	2	-	1	6	-	-	-	-	-	-	1	2	2	-	1
All other	17	-	-	-	-	-	1	3	-	3	6	4	28	-	-	-	-	-	-	2	5	4	10	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	1	4	1	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	-	-	-	1	4	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	702	-	-	-	1	7	22	49	109	207	185	112	464	-	-	-	-	-	5	15	46	94	129	175
White	216	-	-	-	-	2	5	12	28	79	63	27	142	-	-	-	-	-	-	2	11	31	44	54
All other	486	-	-	-	1	5	17	37	81	128	122	85	322	-	-	-	-	-	5	13	35	63	85	121
Black	4	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	365	-	-	-	1	3	8	31	64	120	99	39	234	-	-	-	-	-	4	13	31	62	61	63
White	117	-	-	-	-	1	-	8	17	55	27	9	72	-	-	-	-	-	-	2	7	21	19	23
All other	248	-	-	-	1	2	8	23	47	65	72	30	162	-	-	-	-	-	4	11	24	41	42	40
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	333	-	-	-	-	4	14	18	45	85	95	72	228	-	-	-	-	-	1	2	15	31	66	111
White	98	-	-	-	-	1	5	4	11	24	35	18	69	-	-	-	-	-	-	-	4	10	25	30
All other	235	-	-	-	-	3	9	14	34	61	60	54	159	-	-	-	-	-	1	2	11	21	43	81
Black	3	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	16	-	-	-	-	-	-	1	2	4	6	3	20	-	-	-	-	-	-	-	-	2	10	8
White	6	-	-	-	-	-	-	1	-	2	2	1	7	-	-	-	-	-	-	-	-	-	4	3
All other	10	-	-	-	-	-	-	-	2	2	4	2	13	-	-	-	-	-	-	-	-	2	6	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	372	1	1	1	2	9	15	32	70	102	80	59	246	1	2	–	1	1	5	11	24	55	69	76
White	119	–	–	–	1	4	6	8	32	34	23	11	90	–	–	–	–	–	1	2	6	23	30	28
All other	253	1	1	1	1	5	9	24	38	68	57	48	156	1	2	–	1	1	4	9	18	32	39	48
Black	6	–	–	–	–	–	1	–	1	4	–	–	3	–	–	–	–	–	–	–	1	–	1	1
Hypertension with or without renal disease (401,403)	7	–	–	–	–	–	–	–	–	2	3	2	11	–	–	–	–	–	1	–	–	5	3	2
White	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	2	1	–
All other	4	–	–	–	–	–	–	–	–	–	2	2	8	–	–	–	–	–	1	–	–	3	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	204	–	–	–	–	–	8	8	23	47	78	40	200	1	–	–	1	–	3	8	20	39	66	62
White	39	–	–	–	–	–	–	1	5	9	18	6	64	–	–	–	–	–	1	–	3	12	28	20
All other	165	–	–	–	–	–	8	7	18	38	60	34	136	1	–	–	1	–	2	8	17	27	38	42
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Intracerebral and other intracranial hemorrhage (431-432)	56	–	–	–	–	–	5	5	11	14	17	4	35	–	–	–	–	–	1	1	5	11	12	5
White	2	–	–	–	–	–	–	–	–	2	–	–	11	–	–	–	–	–	1	–	1	4	4	1
All other	54	–	–	–	–	–	5	5	11	12	17	4	24	–	–	–	–	–	–	1	4	7	8	4
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	–	–	–	–	–	–	–	1	6	6	4	34	–	–	–	1	–	–	1	4	3	11	14
White	2	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	–	1	2	2
All other	15	–	–	–	–	–	–	–	1	5	5	4	29	–	–	–	1	–	–	1	4	2	9	12
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	131	–	–	–	–	–	3	3	11	27	55	32	130	1	–	–	–	–	2	6	11	24	43	43
White	35	–	–	–	–	–	–	1	5	6	17	6	48	–	–	–	–	–	–	–	2	7	22	17
All other	96	–	–	–	–	–	3	2	6	21	38	26	82	1	–	–	–	–	2	6	9	17	21	26
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Atherosclerosis (440)	19	–	–	–	–	–	–	–	1	2	11	5	13	–	–	–	–	–	–	–	–	2	1	10
White	10	–	–	–	–	–	–	–	1	–	6	3	6	–	–	–	–	–	–	–	–	1	1	4
All other	9	–	–	–	–	–	–	–	–	2	5	2	7	–	–	–	–	–	–	–	–	1	–	6
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	49	–	–	–	–	1	2	3	11	14	18	–	23	–	–	–	–	1	–	2	2	3	12	3
White	11	–	–	–	–	1	–	1	3	2	4	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	38	–	–	–	–	–	2	2	8	12	14	–	21	–	–	–	–	1	–	2	2	3	10	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	129	3	–	–	–	–	–	7	10	21	38	50	99	2	–	–	–	–	–	1	4	21	21	50
White	30	1	–	–	–	–	–	2	4	8	5	10	30	–	–	–	–	–	–	–	–	8	9	13
All other	99	2	–	–	–	–	–	5	6	13	33	40	69	2	–	–	–	–	–	1	4	13	12	37
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	127	3	–	–	–	–	–	7	10	20	38	49	98	2	–	–	–	–	–	1	4	21	21	49
White	29	1	–	–	–	–	–	2	4	8	5	9	30	–	–	–	–	–	–	–	–	8	9	13
All other	98	2	–	–	–	–	–	5	6	12	33	40	68	2	–	–	–	–	–	1	4	13	12	36
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	112	–	–	–	2	–	2	3	16	39	34	16	69	–	–	–	1	1	1	3	10	19	26	8
White	53	–	–	–	1	–	–	2	4	25	13	8	33	–	–	–	–	–	–	1	2	12	13	5
All other	59	–	–	–	1	–	2	1	12	14	21	8	36	–	–	–	1	1	1	2	8	7	13	3
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	6	–	–	–	–	–	–	–	1	–	2	3	6	–	–	–	–	–	–	–	–	–	6	–
White	5	–	–	–	–	–	–	–	1	–	1	3	3	–	–	–	–	–	–	–	–	–	3	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	3	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	20	–	–	–	–	–	–	1	2	9	6	2	8	–	–	–	–	–	–	–	2	3	2	1
White	12	–	–	–	–	–	–	1	1	8	1	1	5	–	–	–	–	–	–	–	1	2	2	–
All other	8	–	–	–	–	–	–	–	1	1	5	1	3	–	–	–	–	–	–	–	1	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	13	-	-	-	2	-	1	2	1	3	3	1	16	-	-	-	1	1	-	1	3	7	2	1
White	4	-	-	-	1	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	9	-	-	-	1	-	1	1	1	3	2	-	13	-	-	-	1	1	-	1	3	5	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	-	-	-	-	-	1	-	12	27	23	10	39	-	-	-	-	-	1	2	5	9	16	6
White	32	-	-	-	-	-	-	-	2	17	10	3	22	-	-	-	-	-	-	1	1	8	8	4
All other	41	-	-	-	-	-	1	-	10	10	13	7	17	-	-	-	-	-	1	1	4	1	8	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	1	1	3	6	-	4	-	-	-	-	-	-	3	-	-	-	1
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	8	-	-	-	-	-	-	1	1	1	5	-	4	-	-	-	-	-	-	3	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	-	-	1	2	2	-	6	1	-	-	-	-	-	-	-	1	1	3
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	3	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	38	-	-	-	-	2	2	6	18	6	3	1	29	-	-	-	-	-	1	6	7	8	4	3
White	25	-	-	-	-	2	2	4	11	3	2	1	16	-	-	-	-	-	1	4	4	5	2	-
All other	13	-	-	-	-	-	-	2	7	3	1	-	13	-	-	-	-	-	-	2	3	3	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	-	6	1	4	-	-	-	-	-	-	-	-	2	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	7	-	-	-	-	-	-	-	-	-	6	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	1	-	-	-	1	-	1	4	4	10	9	23	1	-	-	-	-	2	2	2	5	2	9
White	7	1	-	-	-	-	-	-	1	1	4	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	23	-	-	-	-	1	-	1	3	3	6	9	20	-	-	-	-	-	2	2	2	4	2	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	1	-	-	-	1	-	1	4	3	8	8	22	1	-	-	-	-	2	2	2	5	2	8
White	6	1	-	-	-	-	-	-	1	1	3	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	20	-	-	-	-	1	-	1	3	2	5	8	19	-	-	-	-	-	2	2	2	4	2	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	1	1	1	2
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
White	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	32	25	–	1	2	1	1	–	1	–	–	1	20	16	–	–	–	–	–	–	1	–	2	1
White	6	5	–	–	–	1	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	1	–
All other	26	20	–	1	2	–	1	–	1	–	–	1	16	13	–	–	–	–	–	–	1	–	1	1
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	55	54	1	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
White	13	12	1	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
All other	42	42	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	18	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
White	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
All other	15	15	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	37	36	1	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
White	10	9	1	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
All other	27	27	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	32	14	1	–	2	2	3	1	3	1	1	4	35	9	1	–	–	2	2	2	2	3	7	7
White	13	6	–	–	1	1	2	–	2	1	–	–	10	2	–	–	–	1	1	1	1	1	1	2
All other	19	8	1	–	1	1	1	1	1	–	1	4	25	7	1	–	–	1	1	1	1	2	6	5
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	254	3	2	4	5	8	15	19	29	55	61	53	216	2	2	3	4	4	9	10	29	33	41	79
White	65	–	–	–	1	5	10	4	11	9	19	6	67	–	–	–	1	1	4	–	12	9	20	20
All other	189	3	2	4	4	3	5	15	18	46	42	47	149	2	2	3	3	3	5	10	17	24	21	59
Black	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E948)	187	2	6	11	39	44	18	10	17	14	16	10	86	–	5	6	10	16	6	3	8	9	8	15
White	56	–	2	3	17	14	7	5	1	5	1	1	25	–	3	–	1	7	4	1	3	1	1	4
All other	131	2	4	8	22	30	11	5	16	9	15	9	61	–	2	6	9	9	2	2	5	8	7	11
Black	6	1	–	–	2	2	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Motor vehicle accidents (E810-E825)	77	–	1	6	25	16	9	6	6	3	3	2	38	–	1	4	8	8	5	–	5	5	2	–
White	22	–	–	2	9	5	2	3	–	1	–	–	10	–	1	–	1	4	3	–	1	–	–	–
All other	55	–	1	4	16	11	7	3	6	2	3	2	28	–	–	4	7	4	2	–	4	5	2	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	110	2	5	5	14	28	9	4	11	11	13	8	48	–	4	2	2	8	1	3	3	4	6	15
White	34	–	2	1	8	9	5	2	1	4	1	1	15	–	2	–	–	3	1	1	2	1	1	4
All other	76	2	3	4	6	19	4	2	10	7	12	7	33	–	2	2	2	5	–	2	1	3	5	11
Black	4	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	73	...	...	–	13	21	10	8	7	11	3	–	34	...	...	–	4	7	7	2	4	5	3	2
White	26	...	...	–	3	10	2	1	2	6	2	–	15	...	...	–	–	4	5	–	3	1	1	1
All other	47	...	...	–	10	11	8	7	5	5	1	–	19	...	...	–	4	3	2	2	1	4	2	1
Black	3	...	...	–	–	2	1	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	37	–	1	–	8	12	8	3	2	–	1	2	18	–	–	1	6	4	2	3	2	–	–	–
White	16	–	–	–	2	5	4	3	1	–	–	1	10	–	–	1	2	3	2	1	1	–	–	–
All other	21	–	1	–	6	7	4	–	1	–	1	1	8	–	–	–	4	1	–	2	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	23	–	–	–	3	12	3	–	–	2	2	1	7	–	–	–	2	–	1	3	–	1	–	–
White	9	–	–	–	1	5	3	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
All other	14	–	–	–	2	7	–	–	–	2	2	1	5	–	–	–	1	–	1	2	–	1	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	4,056	94	22	35	148	118	165	224	511	1,067	1,093	576	3,332	92	12	12	46	44	82	119	321	690	928	985
White	3,988	93	20	33	141	112	161	214	502	1,056	1,082	571	3,274	86	10	12	45	42	77	113	316	680	916	976
All other	68	1	2	2	7	6	4	10	9	11	11	5	58	6	2	–	1	2	5	6	5	10	12	9
Black	10	–	1	1	1	–	–	1	5	–	1	–	10	2	–	–	–	1	–	1	–	3	3	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	21	–	–	–	–	1	1	–	3	5	6	5	16	1	–	–	–	–	1	–	2	–	6	6
White	21	–	–	–	–	1	1	–	3	5	6	5	15	1	–	–	–	–	1	–	2	–	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	13	–	–	1	–	1	1	–	3	4	3	–	13	–	1	–	–	2	–	1	2	2	2	3
White	12	–	–	1	–	1	1	–	3	4	2	–	11	–	–	–	–	1	–	1	2	2	2	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	865	1	–	4	9	8	29	53	148	306	241	66	726	–	–	1	4	6	28	56	151	249	154	79
White	852	1	–	4	9	6	28	52	145	304	237	66	717	–	–	1	4	6	28	55	151	244	152	78
All other	13	–	–	–	–	2	1	1	3	2	4	–	9	–	–	–	–	–	–	1	–	5	2	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	–	–	–	–	–	2	1	6	5	–	1	12	–	–	–	–	–	–	–	4	6	1	1
White	15	–	–	–	–	–	2	1	6	5	–	1	12	–	–	–	–	–	–	–	4	6	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	207	–	–	–	–	–	4	9	37	80	64	13	157	–	–	–	–	–	1	10	25	52	54	25
White	203	–	–	–	–	–	3	9	35	80	63	13	164	–	–	–	–	–	1	9	25	51	54	24
All other	4	–	–	–	–	–	1	–	2	–	1	–	3	–	–	–	–	–	–	1	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	270	–	–	–	–	1	7	18	59	104	69	12	128	–	–	–	–	1	2	13	32	57	17	6
White	267	–	–	–	–	1	7	17	59	104	67	12	127	–	–	–	–	1	2	13	32	56	17	6
All other	3	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	1	–	–	–	–	113	–	–	–	–	1	8	12	26	38	18	10
White	1	–	–	–	–	–	–	1	–	–	–	–	112	–	–	–	–	1	8	12	26	37	18	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of genital organs (179-187)	119	–	–	–	–	2	–	1	6	43	46	19	92	–	–	–	–	–	4	8	19	35	19	7
White	118	–	–	–	–	2	–	1	6	43	45	19	90	–	–	–	–	–	4	8	19	34	18	7
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	47	–	–	–	–	–	1	3	8	10	17	8	29	–	–	–	–	–	–	–	5	8	7	9
White	46	–	–	–	–	–	1	3	8	9	17	8	29	–	–	–	–	–	–	–	5	8	7	9
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	123	–	–	2	8	4	9	14	20	34	23	9	106	–	–	1	2	3	7	4	29	33	16	11
White	121	–	–	2	8	3	9	14	20	33	23	9	105	–	–	1	2	3	7	4	29	32	16	11
All other	2	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	29	1	–	1	1	1	2	2	3	11	5	2	32	–	–	–	–	–	–	6	4	11	7	4
White	28	1	–	1	1	–	2	2	3	11	5	2	32	–	–	–	–	–	–	6	4	11	7	4
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	54	–	–	1	–	–	4	4	7	19	17	2	47	–	–	–	2	1	4	3	7	9	15	6
White	53	–	–	1	–	–	4	4	6	19	17	2	46	–	–	–	2	1	4	3	7	9	14	6
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	–	–	–	–	–	3	1	1	2	2	3	9	–	–	–	–	–	–	1	2	2	2	2
White	12	–	–	–	–	–	3	1	1	2	2	3	9	–	–	–	–	–	–	1	2	2	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	51	–	–	–	1	1	2	3	10	10	14	10	74	–	–	–	1	3	3	5	9	17	24	12
White	50	–	–	–	1	1	2	2	10	10	14	10	72	–	–	–	1	3	3	5	8	17	24	11
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	8	–	–	–	–	–	–	1	1	2	–	4	1	–	–	–	–	–	–	–	–	–	–	1
White	8	–	–	–	–	–	–	1	1	2	–	4	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	8	1	–	1	–	–	–	–	–	2	1	3	8	–	–	–	–	–	–	1	–	2	2	3
White	8	1	–	1	–	–	–	–	–	2	1	3	8	–	–	–	–	–	–	1	–	2	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	4	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	4	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,661	5	3	1	1	5	31	74	225	456	524	336	1,528	7	–	–	1	3	12	24	80	263	501	637
White	1,643	5	2	1	1	5	31	70	222	452	522	332	1,511	7	–	–	1	3	11	22	79	258	496	634
All other	18	–	1	–	–	–	–	4	3	4	2	4	17	–	–	–	–	–	1	2	1	5	5	3
Black	3	–	1	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	1	–	1	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,305	4	3	-	-	4	26	65	166	379	389	247	1,091	7	-	-	1	2	8	15	63	208	362	425
White	1,292	4	2	-	-	4	26	62	166	376	387	245	1,079	7	-	-	1	2	8	13	62	205	358	423
All other	13	-	1	-	-	-	-	3	2	3	2	2	12	-	-	-	-	-	-	2	1	3	4	2
Black	2	-	1	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	1	-	1	2	-
Rheumatic fever and rheumatic heart disease (390-398)	15	-	-	-	-	-	2	-	3	3	6	1	19	-	-	-	-	-	-	-	2	5	7	5
White	15	-	-	-	-	-	2	-	3	3	6	1	18	-	-	-	-	-	-	-	2	4	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	4	-	-	-	-	-	-	-	-	1	2	1	23	-	-	-	-	-	-	-	2	2	9	10
White	4	-	-	-	-	-	-	-	-	1	2	1	23	-	-	-	-	-	-	-	2	2	9	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	-	2	3
White	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	911	-	-	-	-	1	19	56	138	272	262	163	659	-	-	-	-	1	6	6	34	139	235	238
White	904	-	-	-	-	1	19	53	138	270	261	162	651	-	-	-	-	1	6	6	33	137	232	236
All other	7	-	-	-	-	-	-	3	-	2	1	1	8	-	-	-	-	-	-	-	1	2	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Acute myocardial infarction (410)	556	-	-	-	-	-	15	44	92	189	152	64	336	-	-	-	-	1	5	5	25	86	127	87
White	552	-	-	-	-	-	15	42	92	187	152	64	331	-	-	-	-	1	5	5	24	86	124	86
All other	4	-	-	-	-	-	-	2	-	2	-	-	5	-	-	-	-	-	-	-	1	-	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	1	1	-
White	4	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	348	-	-	-	-	1	4	12	45	82	108	96	320	-	-	-	-	-	1	1	9	52	107	150
White	345	-	-	-	-	1	4	11	45	82	107	95	317	-	-	-	-	-	1	1	9	50	107	149
All other	3	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	12	-	-	-	-	-	-	-	2	2	4	4	26	-	-	-	-	-	-	-	2	7	6	11
White	12	-	-	-	-	-	-	-	2	2	4	4	26	-	-	-	-	-	-	-	2	7	6	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	360	4	3	-	-	3	5	9	45	100	113	78	359	7	-	-	1	1	2	9	23	55	103	158
White	354	4	2	-	-	3	5	9	43	99	112	77	356	7	-	-	1	1	2	7	23	55	102	158
All other	6	-	1	-	-	-	-	-	2	1	1	1	3	-	-	-	-	-	-	2	-	-	1	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	1	2	5	3	3	12	-	-	-	-	-	-	2	-	2	4	4
White	14	-	-	-	-	-	-	1	2	5	3	3	12	-	-	-	-	-	-	2	-	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	259	-	-	1	1	1	5	8	26	50	97	70	335	-	-	-	-	1	3	7	15	46	104	159
White	254	-	-	1	1	1	5	7	25	49	97	68	330	-	-	-	-	1	2	7	15	44	103	158
All other	5	-	-	-	-	-	-	1	1	1	-	2	5	-	-	-	-	-	1	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	28	-	-	-	1	-	2	2	2	8	9	4	29	-	-	-	-	-	1	1	5	3	10	9
White	27	-	-	-	1	-	2	1	2	8	9	4	28	-	-	-	-	-	1	1	5	2	10	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	-	-	-	-	-	-	2	5	7	13	6	32	-	-	-	-	1	-	1	-	5	10	15
White	33	-	-	-	-	-	-	2	5	7	13	6	32	-	-	-	-	1	-	1	-	5	10	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	197	-	-	1	-	1	3	4	18	34	75	60	274	-	-	-	-	-	2	5	10	38	84	135
White	193	-	-	1	-	1	3	4	18	33	75	58	270	-	-	-	-	-	1	5	10	37	83	134
All other	4	-	-	-	-	-	-	-	1	1	-	2	4	-	-	-	-	-	1	-	-	1	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	25	-	-	-	-	-	-	-	2	5	8	10	58	-	-	-	-	-	-	-	1	2	15	38
White	25	-	-	-	-	-	-	-	2	5	8	10	56	-	-	-	-	-	-	-	1	2	15	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-446)	58	1	-	-	-	-	-	-	7	17	27	6	34	-	-	-	-	-	1	-	1	5	16	11
White	58	1	-	-	-	-	-	-	7	17	27	6	34	-	-	-	-	-	1	-	1	5	16	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	94	3	-	-	-	-	1	1	6	21	28	34	115	1	1	-	2	-	2	1	1	13	38	56
White	92	3	-	-	-	-	1	1	5	21	27	34	113	1	-	-	2	-	2	1	-	13	38	56
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	90	3	-	-	-	-	1	1	6	20	27	32	109	1	1	-	2	-	2	1	1	12	37	52
White	88	3	-	-	-	-	1	1	5	20	26	32	107	1	-	-	2	-	2	1	-	12	37	52
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	-	-	-	-	-	-	-	-	1	1	2	6	-	-	-	-	-	-	-	-	1	1	4
White	4	-	-	-	-	-	-	-	-	1	1	2	6	-	-	-	-	-	-	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	261	-	-	-	1	-	-	2	23	105	103	27	112	-	-	-	-	-	1	4	21	40	34	12
White	258	-	-	-	1	-	-	2	23	103	102	27	111	-	-	-	-	-	1	3	21	40	34	12
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	-	-	1	5	6	2	3	-	-	-	-	-	-	-	1	1	-	1
White	14	-	-	-	-	-	-	-	1	5	6	2	3	-	-	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	58	-	-	-	-	-	-	-	3	27	24	4	28	-	-	-	-	-	-	-	7	13	6	2
White	56	-	-	-	-	-	-	-	3	26	23	4	28	-	-	-	-	-	-	-	7	13	6	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	11	-	-	-	1	-	-	-	-	3	5	2	6	-	-	-	-	-	-	1	1	2	2	-
White	11	-	-	-	1	-	-	-	-	3	5	2	5	-	-	-	-	-	-	-	1	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	178	-	-	-	-	-	-	2	19	70	68	19	75	-	-	-	-	-	1	3	12	24	26	9
White	177	-	-	-	-	-	-	2	19	69	68	19	75	-	-	-	-	-	1	3	12	24	26	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	2	3	4	4	19	-	-	-	-	-	-	-	1	2	6	10
White	13	-	-	-	-	-	-	-	2	3	4	4	19	-	-	-	-	-	-	-	1	2	6	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	1	-	-	4	1	1	26	-	-	-	-	-	-	-	-	4	4	18
White	7	-	-	-	-	-	1	-	-	4	1	1	26	-	-	-	-	-	-	-	-	4	4	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	44	1	–	–	–	–	3	11	8	18	3	–	22	–	–	–	–	1	4	2	8	5	2	–
White	41	–	–	–	–	–	3	10	8	17	3	–	19	–	–	–	–	1	3	2	6	5	2	–
All other	3	1	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	1	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	–	–	–	–	–	–	–	2	1	–	7	–	–	–	–	–	–	–	–	1	1	5
White	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	–	1	1	4
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	–	1	–	–	1	–	1	5	7	10	10	26	–	–	–	–	–	2	–	1	5	10	8
White	33	–	1	–	–	1	–	1	4	7	10	9	25	–	–	–	–	–	2	–	1	5	10	8
All other	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	4	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	–	1	–	–	1	–	1	2	5	10	10	25	–	–	–	–	–	1	–	1	5	10	8
White	29	–	1	–	–	1	–	1	2	5	10	9	25	–	–	–	–	–	1	–	1	5	10	8
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	4	–	–	–	–	–	–	–	1	–	1	2	3	–	–	–	–	–	–	1	–	1	–	1
White	4	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	26	19	2	1	2	–	–	–	1	1	–	–	27	23	1	1	–	–	1	–	–	1	–	–
White	26	19	2	1	2	–	–	–	1	1	–	–	26	22	1	1	–	–	1	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	33	33	–	–	–	–	–	–	–	–	–	–	36	36	–	–	–	–	–	–	–	–	–	–
White	33	33	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	9	9	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	24	24	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
White	24	24	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	55	23	–	–	–	1	1	2	4	5	7	12	50	14	–	–	–	–	–	1	2	7	9	17
White	55	23	–	–	–	1	1	2	4	5	7	12	50	14	–	–	–	–	–	1	2	7	9	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	273	4	2	4	7	3	7	16	24	66	93	47	320	7	1	–	2	5	6	11	27	58	107	96
White	267	4	2	4	6	3	6	15	23	66	91	47	311	6	1	–	2	5	4	11	27	58	103	94
All other	6	–	–	–	1	–	1	1	1	–	2	–	9	1	–	–	–	–	2	–	–	–	4	2
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Accidents and adverse effects (E800-E949)	381	3	12	18	87	69	58	34	26	27	35	10	147	2	7	10	31	15	15	5	8	14	21	19
White	370	3	11	17	84	66	57	33	26	26	35	10	144	2	7	10	30	15	14	4	8	14	21	19
All other	11	–	1	1	3	3	1	1	–	1	–	–	3	–	–	–	1	–	1	1	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Motor vehicle accidents (E810-E825)	193	–	5	8	63	41	30	16	6	10	12	–	78	–	3	7	30	11	8	4	4	6	5	–
White	185	–	4	7	62	38	29	15	6	10	12	–	75	–	3	7	29	11	7	3	4	6	5	–
All other	8	–	1	1	1	3	1	1	–	–	–	–	3	–	–	–	1	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	188	3	7	10	24	28	28	18	20	17	23	10	69	2	4	3	1	4	7	1	4	8	16	19
White	185	3	7	10	22	28	28	18	20	16	23	10	69	2	4	3	1	4	7	1	4	8	16	19
All other	3	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	148	...	...	3	34	20	23	23	16	18	10	1	29	...	...	–	3	6	4	6	6	1	3	–
White	142	...	...	3	31	19	22	22	16	18	10	1	29	...	...	–	3	6	4	6	6	1	3	–
All other	6	...	...	–	3	1	1	1	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	24	1	1	1	5	7	4	–	2	–	2	–	13	1	1	–	1	2	5	–	–	2	–	–
White	23	1	1	–	5	7	4	–	2	–	2	–	12	1	1	–	1	1	5	–	–	2	–	–
All other	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other external causes (E980-E999)	7	–	–	–	1	1	–	1	1	1	2	–	2	–	–	–	1	–	–	–	–	–	1	–
White	7	–	–	–	1	1	–	1	1	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ILLINOIS																								
All causes	53,194	1,223	188	255	1,333	1,808	2,131	3,546	8,614	13,727	13,395	6,973	50,177	921	155	152	463	692	1,118	2,149	5,300	9,977	14,635	14,611
White	44,746	725	124	168	986	1,189	1,445	2,588	7,035	12,001	12,083	6,392	43,288	535	103	109	338	439	776	1,595	4,200	8,518	13,053	13,618
All other	8,448	498	64	87	347	619	686	948	1,579	1,726	1,312	581	6,889	386	52	43	125	253	342	554	1,100	1,459	1,582	993
Black	8,209	464	63	84	340	608	667	923	1,530	1,686	1,265	558	6,698	376	50	40	124	250	331	546	1,077	1,413	1,537	954
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	7	2	–	–	–	–	1	1	1	1	–	1	8	3	–	–	–	–	1	1	1	–	2	–
White	4	1	–	–	–	–	1	1	–	–	–	1	6	1	–	–	–	–	1	1	1	–	2	–
All other	3	1	–	–	–	–	–	–	1	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	3	1	–	–	–	–	–	–	1	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	51	–	–	–	–	4	9	6	10	10	8	5	20	–	–	–	1	1	1	1	2	2	8	4
White	36	–	–	–	–	1	4	5	8	7	6	5	13	–	–	–	1	–	–	–	2	2	6	2
All other	15	–	–	–	–	3	4	1	2	3	2	–	7	–	–	–	–	1	1	1	–	–	2	2
Black	15	–	–	–	–	3	4	1	2	3	2	–	7	–	–	–	–	1	1	1	–	–	2	2
Tuberculosis of respiratory system (010-012)	47	–	–	–	–	4	6	6	10	8	8	5	12	–	–	–	–	1	1	–	–	2	5	3
White	32	–	–	–	–	1	2	5	8	5	6	5	7	–	–	–	–	–	–	–	–	2	3	2
All other	15	–	–	–	–	3	4	1	2	3	2	–	5	–	–	–	–	1	1	–	–	–	2	1
Black	15	–	–	–	–	3	4	1	2	3	2	–	5	–	–	–	–	1	1	–	–	–	2	1
Other tuberculosis (013-018)	4	–	–	–	–	–	2	–	–	2	–	–	8	–	–	–	1	–	–	1	2	–	3	1
White	4	–	–	–	–	–	2	–	–	2	–	–	6	–	–	–	1	–	–	–	2	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	3	3	1	-	1	-	-	-	-	-	-	9	1	2	-	2	1	1	1	1	-	-	-
White	7	3	2	1	-	1	-	-	-	-	-	-	6	1	2	-	1	-	1	1	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
Septicemia (038)	419	5	3	1	-	7	11	20	59	107	125	81	497	7	2	-	3	2	6	13	39	87	150	188
White	320	2	2	-	-	4	6	13	41	84	104	64	409	6	2	-	1	1	5	9	27	71	124	163
All other	99	3	1	1	-	3	5	7	18	23	21	17	88	1	-	-	2	1	1	4	12	16	26	25
Black	99	3	1	1	-	3	5	7	18	23	21	17	88	1	-	-	2	1	1	4	12	16	26	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	23	-	-	1	-	-	3	2	4	5	7	1	18	1	-	-	2	2	1	4	-	5	2	1
White	19	-	-	-	-	-	2	1	4	4	7	1	15	-	-	-	1	1	1	4	-	5	2	1
All other	4	-	-	1	-	-	1	1	-	1	-	-	3	1	-	-	1	1	-	-	-	-	-	-
Black	3	-	-	1	-	-	1	1	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	236	6	4	4	5	48	61	30	23	27	19	9	123	1	-	3	3	8	14	11	21	22	21	19
White	170	4	4	3	2	26	41	21	20	24	17	8	98	1	-	2	3	5	7	7	18	20	19	16
All other	66	2	-	1	3	22	20	9	3	3	2	1	25	-	-	1	-	3	7	4	3	2	2	3
Black	63	2	-	-	3	22	19	9	2	3	2	1	25	-	-	1	-	3	7	4	3	2	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,125	2	13	29	55	134	295	977	2,764	4,034	2,911	911	10,894	1	15	26	46	126	402	992	2,184	3,162	2,695	1,245
White	10,301	2	11	22	47	110	222	733	2,273	3,469	2,610	802	9,424	1	12	19	40	89	316	791	1,840	2,764	2,406	1,146
All other	1,824	-	2	7	8	24	73	244	491	565	301	109	1,470	-	3	7	6	37	86	201	344	398	289	99
Black	1,761	-	2	7	8	21	68	235	475	548	292	105	1,428	-	2	6	6	37	82	195	336	385	284	95
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	262	-	-	-	1	3	12	43	78	79	37	9	122	-	-	-	1	1	3	12	23	44	25	13
White	207	-	-	-	1	3	5	29	58	70	34	7	100	-	-	-	-	1	1	4	20	41	22	11
All other	55	-	-	-	-	-	7	14	20	9	3	2	22	-	-	-	1	-	2	8	3	3	3	2
Black	54	-	-	-	-	-	7	13	20	9	3	2	21	-	-	-	1	-	1	8	3	3	3	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,177	-	-	1	5	16	69	226	717	1,095	776	272	2,848	-	-	-	1	11	37	175	416	821	882	503
White	2,685	-	-	1	2	10	49	169	577	941	695	241	2,429	-	-	-	1	7	26	127	343	702	770	453
All other	492	-	-	-	3	6	20	57	140	154	81	31	417	-	-	-	-	4	11	48	73	119	112	50
Black	485	-	-	-	3	4	16	52	134	146	79	31	398	-	-	-	-	4	9	46	70	111	110	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,315	-	-	-	1	7	67	409	1,186	1,560	900	175	1,957	-	-	-	-	6	52	205	565	668	385	96
White	3,652	-	-	-	1	5	49	297	985	1,341	823	151	1,708	-	-	-	-	5	45	174	480	591	324	89
All other	663	-	-	-	-	2	18	112	211	219	77	24	249	-	-	-	-	1	7	31	85	77	41	7
Black	641	-	-	-	-	1	18	110	204	212	75	21	246	-	-	-	-	1	7	31	84	77	41	6
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	1	-	4	4	3	2,102	-	-	-	1	24	144	280	500	551	418	184
White	9	-	-	-	-	-	-	1	-	3	3	2	1,822	-	-	-	1	13	110	226	441	477	379	175
All other	3	-	-	-	-	-	-	-	-	1	1	1	280	-	-	-	-	11	34	54	59	74	39	9
Black	3	-	-	-	-	-	-	-	-	1	1	1	274	-	-	-	-	11	33	52	57	74	38	9
Malignant neoplasms of genital organs (179-187)	1,226	-	-	-	1	5	4	12	126	386	466	226	1,225	-	-	-	4	28	64	136	262	375	261	95
White	892	-	-	-	1	3	2	6	94	308	378	200	1,056	-	-	-	4	20	51	109	219	327	237	89
All other	234	-	-	-	-	2	2	6	32	78	88	26	169	-	-	-	-	8	13	27	43	48	24	6
Black	232	-	-	-	-	2	2	6	31	78	87	26	165	-	-	-	-	8	13	26	42	46	24	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	625	-	-	-	1	4	11	47	117	188	187	70	350	-	1	-	-	3	5	15	44	94	128	59
White	569	-	-	-	1	1	6	42	105	172	177	65	301	-	-	-	-	-	3	13	35	80	114	56
All other	56	-	-	-	-	3	5	5	12	16	10	5	49	-	1	-	-	3	2	3	9	14	14	3
Black	54	-	-	-	-	3	5	5	12	16	8	5	48	-	-	-	-	3	2	3	9	14	14	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,405	1	12	11	20	45	85	140	332	397	279	83	1,279	1	8	13	19	24	56	113	237	326	320	182
White	1,216	1	11	7	16	38	72	106	284	356	255	72	1,104	1	6	8	15	20	46	92	190	293	287	146
All other	187	-	1	4	4	7	13	34	48	41	24	11	175	-	2	5	4	4	10	21	47	33	33	16
Black	183	-	1	4	4	7	13	33	47	41	23	10	172	-	2	5	4	4	10	21	46	32	32	16
Leukemia (204-208)	471	1	1	15	20	19	15	34	74	119	129	44	385	-	6	11	7	13	20	16	55	90	105	72
White	421	1	-	12	20	16	13	30	63	107	121	38	350	-	5	10	6	11	18	12	41	85	96	67
All other	50	-	1	3	-	3	2	4	11	12	8	6	45	-	-	1	1	2	4	4	14	5	9	5
Black	49	-	1	3	-	3	2	4	10	12	8	6	41	-	-	1	1	2	4	3	14	3	8	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	632	-	-	2	6	35	32	65	124	206	133	29	618	-	-	2	13	16	21	39	82	193	191	61
White	548	-	-	2	5	34	26	53	107	171	124	26	554	-	-	1	13	12	18	34	71	168	177	60
All other	84	-	-	-	1	1	6	12	17	35	9	3	64	-	-	1	-	4	3	5	11	25	14	1
Black	80	-	-	-	1	1	5	12	17	33	8	3	63	-	-	-	-	4	3	5	11	25	14	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	155	1	3	1	3	4	9	13	26	38	42	15	177	2	-	-	3	7	2	6	19	42	67	29
White	137	1	2	1	1	4	8	11	22	35	38	14	158	2	-	-	2	6	2	4	16	38	61	27
All other	18	-	1	-	2	-	1	2	4	3	4	1	19	-	-	-	1	1	-	2	3	4	6	2
Black	17	-	1	-	1	-	1	2	4	3	4	1	19	-	-	-	1	1	-	2	3	4	6	2
Diabetes mellitus (250)	693	-	-	-	1	17	35	43	114	214	193	76	1,029	-	-	-	2	17	27	54	168	249	320	192
White	581	-	-	-	-	11	20	33	88	185	174	70	817	-	-	-	2	11	18	33	113	198	267	175
All other	112	-	-	-	1	6	15	10	26	29	19	6	212	-	-	-	-	6	9	21	55	51	53	17
Black	110	-	-	-	1	6	15	10	26	28	18	6	208	-	-	-	-	6	8	21	54	50	52	17
Nutritional deficiencies (260-269)	46	-	-	-	-	-	3	-	6	5	18	14	105	-	-	-	-	-	1	1	4	11	27	61
White	39	-	-	-	-	-	2	-	6	4	13	14	86	-	-	-	-	-	1	1	4	6	22	52
All other	7	-	-	-	-	-	1	-	-	1	5	-	19	-	-	-	-	-	-	-	-	5	5	9
Black	7	-	-	-	-	-	1	-	-	1	5	-	19	-	-	-	-	-	-	-	-	5	5	9
Anemias (280-285)	83	-	3	1	4	6	2	3	6	17	23	18	115	-	1	1	3	6	2	3	7	19	30	43
White	65	-	-	-	1	2	-	1	5	16	23	17	94	-	1	-	1	1	1	1	6	17	27	39
All other	18	-	3	1	3	4	2	2	1	1	-	1	21	-	-	1	2	5	1	2	1	2	3	4
Black	18	-	3	1	3	4	2	2	1	1	-	1	21	-	-	1	2	5	1	2	1	2	3	4
Meningitis (320-322)	26	4	5	1	-	1	1	-	5	6	2	1	22	4	3	1	-	1	1	1	5	1	2	3
White	15	1	4	1	-	-	-	-	3	5	1	-	15	1	1	1	-	-	1	1	5	1	1	3
All other	11	3	1	-	-	1	1	-	2	1	1	1	7	3	2	-	-	1	-	-	-	-	1	-
Black	11	3	1	-	-	1	1	-	2	1	1	1	6	2	2	-	-	1	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	23,898	37	6	14	52	198	561	1,416	3,867	6,610	7,052	4,085	25,768	24	11	11	44	87	246	610	1,676	4,513	8,491	9,853
White	20,895	16	5	10	32	113	386	1,065	3,192	5,867	6,423	3,784	22,719	14	9	9	25	54	144	397	1,398	3,809	7,617	9,240
All other	3,003	21	1	4	20	85	173	351	675	743	629	301	3,049	10	2	2	19	33	102	213	477	704	874	613
Black	2,907	19	1	4	20	84	169	340	651	728	601	290	2,954	10	2	2	19	33	100	213	468	678	845	584
Diseases of heart (390-398,402,404-429)	19,906	32	5	12	43	158	486	1,259	3,395	5,583	5,697	3,236	20,194	22	9	9	34	56	176	479	1,528	3,660	6,600	7,618
White	17,403	15	4	8	26	91	348	955	2,819	4,957	5,194	2,988	17,771	14	8	7	20	36	102	314	1,128	3,084	5,919	7,139
All other	2,503	17	1	4	17	67	138	304	576	626	503	250	2,423	8	1	2	14	20	74	165	403	576	681	479
Black	2,428	15	1	4	17	66	134	294	556	615	484	242	2,351	8	1	2	14	20	73	165	396	557	662	453
Rheumatic fever and rheumatic heart disease (390-398)	106	-	-	-	1	5	9	9	22	29	24	7	174	-	-	-	2	4	5	13	29	50	52	19
White	94	-	-	-	1	2	5	8	22	27	22	7	160	-	-	-	-	3	3	13	28	45	49	19
All other	12	-	-	-	-	3	4	1	-	2	2	-	14	-	-	-	2	1	2	-	1	5	3	-
Black	12	-	-	-	-	3	4	1	-	2	2	-	13	-	-	-	2	1	2	-	1	4	3	-
Hypertensive heart disease (402)	536	-	-	-	1	2	26	72	113	168	103	51	710	1	-	-	-	3	23	35	79	171	218	180
White	343	-	-	-	-	-	8	34	67	110	83	41	504	1	-	-	-	2	6	12	35	115	169	164
All other	193	-	-	-	1	2	18	38	46	58	20	10	206	-	-	-	-	1	17	23	44	56	49	16
Black	190	-	-	-	1	2	18	37	46	57	20	9	203	-	-	-	-	1	17	23	44	53	49	16
Hypertensive heart and renal disease (404)	50	-	-	-	-	3	1	1	6	14	17	8	78	-	-	-	-	-	1	4	7	11	19	36
White	41	-	-	-	-	1	1	-	3	12	16	8	58	-	-	-	-	-	-	2	3	6	16	32
All other	9	-	-	-	-	2	-	1	3	2	1	-	20	-	-	-	-	-	1	2	4	5	4	4
Black	8	-	-	-	-	2	-	1	3	1	1	-	20	-	-	-	-	-	1	2	4	5	4	4
Ischemic heart disease (410-414)	13,576	2	-	-	3	60	305	765	2,129	3,843	4,138	2,331	13,831	2	-	-	2	10	77	255	889	2,443	4,679	5,472
White	12,474	1	-	-	3	43	251	653	1,910	3,556	3,870	2,187	12,619	2	-	-	2	4	48	187	724	2,155	4,319	5,176
All other	1,102	1	-	-	-	17	54	112	219	287	268	144	1,212	-	-	-	-	6	29	68	165	288	360	296
Black	1,050	1	-	-	-	16	51	105	204	281	252	140	1,166	-	-	-	-	6	28	68	159	277	351	277
Acute myocardial infarction (410)	7,103	1	-	-	-	30	169	501	1,296	2,217	2,082	827	6,066	-	-	-	1	4	45	167	575	1,392	2,187	1,693
White	6,571	-	-	-	-	19	148	436	1,166	2,080	1,950	772	5,497	-	-	-	1	3	29	125	475	1,245	2,013	1,604
All other	532	1	-	-	-	11	21	65	130	137	112	55	569	-	-	-	-	1	16	42	100	147	174	89
Black	509	1	-	-	-	10	20	60	121	136	107	54	550	-	-	-	-	1	15	42	95	141	171	85

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	90	–	–	–	–	1	3	14	16	26	24	6	67	–	–	–	–	–	–	3	7	17	15	25
White	83	–	–	–	–	1	3	12	14	24	23	6	59	–	–	–	–	–	–	1	6	15	13	24
All other	7	–	–	–	–	–	–	2	2	2	1	–	8	–	–	–	–	–	–	2	1	2	2	1
Black	7	–	–	–	–	–	–	2	2	2	1	–	8	–	–	–	–	–	–	2	1	2	2	1
Angina pectoris (413)	18	–	–	–	–	1	–	1	1	6	5	4	27	–	–	–	1	–	1	2	1	5	6	11
White	15	–	–	–	–	1	–	1	1	4	5	3	24	–	–	–	1	–	–	2	1	4	6	10
All other	3	–	–	–	–	–	–	–	–	2	–	1	3	–	–	–	–	–	1	–	–	1	–	1
Black	3	–	–	–	–	–	–	–	–	2	–	1	3	–	–	–	–	–	1	–	–	1	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,365	1	–	–	3	28	133	249	816	1,594	2,047	1,494	7,671	2	–	–	–	6	31	83	306	1,029	2,471	3,743
White	5,805	1	–	–	3	22	100	204	729	1,448	1,892	1,406	7,039	2	–	–	–	1	19	59	242	891	2,287	3,538
All other	560	–	–	–	–	6	33	45	87	146	155	88	632	–	–	–	–	5	12	24	64	138	184	205
Black	531	–	–	–	–	6	31	43	81	141	144	85	605	–	–	–	–	5	12	24	63	133	178	190
Other diseases of endocardium (424)	201	2	–	–	2	4	8	8	26	59	67	25	228	1	–	–	2	4	4	7	15	40	82	61
White	181	2	–	–	–	2	5	5	22	56	65	24	202	1	–	–	1	3	2	3	12	37	84	59
All other	20	–	–	–	2	2	3	3	4	3	2	1	24	–	–	–	1	1	2	4	3	3	8	2
Black	20	–	–	–	2	2	3	3	4	3	2	1	23	–	–	–	1	1	2	4	3	2	8	2
All other forms of heart disease (415-423,425-429)	5,437	28	5	12	36	84	137	404	1,099	1,470	1,348	814	5,175	18	9	9	28	35	66	165	510	845	1,540	1,850
White	4,270	12	4	8	22	43	78	255	795	1,196	1,138	719	4,228	10	8	7	17	24	43	97	324	726	1,283	1,689
All other	1,167	16	1	4	14	41	59	149	304	274	210	95	947	8	1	2	11	11	23	68	186	219	257	161
Black	1,148	14	1	4	14	41	58	147	299	271	207	92	928	8	1	2	11	11	23	68	185	216	247	154
Hypertension with or without renal disease (401,403)	187	–	–	–	–	2	2	5	24	45	64	45	255	–	–	–	–	2	3	12	21	43	93	81
White	153	–	–	–	–	1	1	2	14	38	57	40	206	–	–	–	–	1	1	8	12	32	80	72
All other	34	–	–	–	–	1	1	3	10	7	7	5	49	–	–	–	–	1	2	4	9	11	13	9
Black	34	–	–	–	–	1	1	3	10	7	7	5	48	–	–	–	–	1	2	4	8	11	13	9
Cerebrovascular diseases (430-436)	2,778	3	1	2	4	31	62	123	321	673	977	581	4,316	2	2	1	7	27	63	107	272	659	1,496	1,680
White	2,370	1	1	2	3	16	34	81	243	576	870	543	3,828	–	1	1	4	15	38	68	213	563	1,343	1,582
All other	408	2	–	–	1	15	28	42	78	97	107	38	488	2	1	–	3	12	25	39	59	96	153	98
Black	388	2	–	–	1	15	28	41	74	93	99	35	469	2	1	–	3	12	24	39	58	90	145	95
Intracerebral and other intracranial hemorrhage (431-432)	490	1	–	1	1	11	29	49	93	136	115	54	620	2	1	1	5	8	19	43	77	150	196	118
White	390	1	–	1	1	4	14	31	70	117	101	50	515	–	–	1	3	3	11	27	57	126	176	111
All other	100	–	–	–	–	7	15	18	23	19	14	4	105	2	1	–	2	5	8	16	20	24	20	7
Black	94	–	–	–	–	7	15	18	21	16	13	4	100	2	1	–	2	5	8	16	19	22	18	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	502	–	–	–	–	4	4	14	48	139	178	115	816	–	–	–	–	2	5	10	35	108	303	353
White	438	–	–	–	–	1	3	10	34	124	160	106	747	–	–	–	–	2	1	7	30	97	275	335
All other	64	–	–	–	–	3	1	4	14	15	18	9	69	–	–	–	–	–	4	3	5	11	28	18
Black	59	–	–	–	–	3	1	4	13	14	17	7	65	–	–	–	–	–	4	3	5	11	26	16
Cerebral embolism (434.1)	17	–	–	–	–	–	–	–	2	6	4	5	18	–	–	–	–	–	–	–	3	2	8	5
White	12	–	–	–	–	–	–	–	2	5	3	2	15	–	–	–	–	–	–	–	3	1	6	5
All other	5	–	–	–	–	–	–	–	–	1	1	3	3	–	–	–	–	–	–	–	–	1	2	–
Black	5	–	–	–	–	–	–	–	–	1	1	3	3	–	–	–	–	–	–	–	–	1	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,769	2	1	1	3	16	29	60	178	392	680	407	2,862	–	1	–	2	17	39	54	157	399	989	1,204
White	1,530	–	1	1	2	11	17	40	137	330	606	385	2,551	–	1	–	1	10	26	34	123	339	886	1,131
All other	239	2	–	–	1	5	12	20	41	62	74	22	311	–	–	–	1	7	13	20	34	60	103	73
Black	230	2	–	–	1	5	12	19	40	62	68	21	301	–	–	–	1	7	12	20	34	58	99	72
Atherosclerosis (440)	384	–	–	–	–	1	1	4	20	79	125	154	598	–	–	–	–	–	1	2	13	53	159	370
White	369	–	–	–	–	1	1	4	19	76	121	147	558	–	–	–	–	–	1	1	11	45	149	351
All other	15	–	–	–	–	–	–	–	1	3	4	7	40	–	–	–	–	–	–	1	2	8	10	19
Black	15	–	–	–	–	–	–	–	1	3	4	7	38	–	–	–	–	–	–	1	2	7	9	19
Other diseases of arteries, arterioles, and capillaries (441-448)	643	2	–	–	5	6	10	25	107	230	189	69	405	–	–	1	3	2	3	10	41	98	143	104
White	600	–	–	–	3	4	4	23	97	220	181	68	356	–	–	1	1	2	2	6	37	85	126	95
All other	43	2	–	–	2	2	6	2	10	10	8	1	49	–	–	–	2	–	1	4	4	13	17	8
Black	42	2	–	–	2	2	6	2	10	10	7	1	48	–	–	–	2	–	1	4	4	13	16	8
Acute bronchitis and bronchiolitis (466)	10	–	–	–	–	–	–	–	2	3	4	1	16	–	–	–	1	–	1	–	–	–	8	8
White	10	–	–	–	–	–	–	–	2	3	4	1	16	–	–	–	1	–	1	–	–	–	8	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,807	26	4	8	10	16	48	63	175	343	595	519	1,882	21	10	4	4	13	25	32	87	204	538	944
White	1,504	6	2	5	4	6	25	36	132	281	531	476	1,658	6	3	3	2	5	14	19	67	167	481	891
All other	303	20	2	3	6	10	23	27	43	62	64	43	224	15	7	1	2	8	11	13	20	37	57	53
Black	295	20	2	3	5	10	23	27	42	60	63	40	222	15	7	1	2	8	10	13	20	37	56	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-488)	1,780	26	4	8	9	15	48	81	173	337	584	515	1,829	21	10	4	4	12	24	31	85	201	520	917
White	1,480	6	2	5	4	5	25	34	131	276	520	472	1,607	6	3	3	2	5	14	18	65	164	463	864
All other	300	20	2	3	5	10	23	27	42	61	64	43	222	15	7	1	2	7	10	13	20	37	57	53
Black	293	20	2	3	5	10	23	27	41	59	63	40	220	15	7	1	2	7	9	13	20	37	56	53
Influenza (487)	27	–	–	–	1	1	–	2	2	6	11	4	53	–	–	–	–	1	1	1	2	3	18	27
White	24	–	–	–	–	1	–	2	1	5	11	4	51	–	–	–	–	–	–	1	2	3	18	27
All other	3	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,149	2	–	1	3	7	14	49	290	733	784	266	1,266	1	1	2	4	9	12	45	190	422	386	194
White	1,913	1	–	1	1	5	10	34	236	655	720	250	1,130	1	1	1	–	5	6	35	161	383	357	180
All other	236	1	–	–	2	2	4	15	54	78	64	16	136	–	–	1	4	4	6	10	29	39	29	14
Black	227	1	–	–	2	2	4	15	53	76	60	14	128	–	–	1	4	4	5	10	27	37	27	13
Bronchitis, chronic and unspecified (490-491)	106	2	–	–	1	1	2	1	11	36	36	16	78	1	1	–	–	1	–	2	6	19	23	25
White	97	1	–	–	1	1	2	1	11	31	33	16	72	1	1	–	–	–	–	1	5	19	21	24
All other	9	1	–	–	–	–	–	–	–	5	3	–	6	–	–	–	–	1	–	1	1	–	2	1
Black	9	1	–	–	–	–	–	–	–	5	3	–	5	–	–	–	–	1	–	1	–	–	2	1
Emphysema (492)	458	–	–	–	–	–	2	18	64	171	166	37	225	–	–	–	–	–	2	10	40	91	57	25
White	418	–	–	–	–	–	1	16	53	155	157	36	213	–	–	–	–	–	1	9	38	85	55	25
All other	40	–	–	–	–	–	1	2	11	16	9	1	12	–	–	–	–	–	1	1	2	6	2	–
Black	38	–	–	–	–	–	1	2	11	16	7	1	12	–	–	–	–	–	1	1	2	6	2	–
Asthma (493)	68	–	–	1	1	6	5	8	17	17	10	3	114	–	–	2	4	7	7	12	19	26	24	13
White	49	–	–	1	–	4	4	2	12	14	9	3	76	–	–	1	–	4	2	5	10	19	23	12
All other	19	–	–	–	1	2	1	6	5	3	1	–	38	–	–	1	4	3	5	7	9	7	1	1
Black	19	–	–	–	1	2	1	6	5	3	1	–	36	–	–	1	4	3	4	7	8	7	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,517	–	–	–	1	–	5	22	198	509	572	210	849	–	–	–	–	1	3	21	125	286	282	131
White	1,349	–	–	–	–	–	3	15	160	455	521	195	769	–	–	–	–	1	3	20	108	260	258	119
All other	168	–	–	–	1	–	2	7	38	54	51	15	80	–	–	–	–	–	–	1	17	26	24	12
Black	161	–	–	–	1	–	2	7	37	52	49	13	75	–	–	–	–	–	–	1	17	24	22	11
Ulcer of stomach and duodenum (531-533)	126	–	–	1	2	1	4	4	19	42	32	21	185	–	–	1	–	3	2	1	13	35	66	64
White	108	–	–	1	1	1	2	3	13	37	30	18	167	–	–	1	–	1	2	–	9	33	61	60
All other	20	–	–	–	1	–	2	1	6	5	2	3	18	–	–	–	–	2	–	1	4	2	5	4
Black	19	–	–	–	1	–	2	1	6	5	2	3	17	–	–	–	–	2	–	1	4	2	4	4
Appendicitis (540-543)	15	–	–	1	–	–	1	1	1	5	5	1	11	–	–	–	2	–	–	–	2	4	3	–
White	12	–	–	1	–	–	1	1	1	2	5	1	8	–	–	–	1	–	–	–	1	3	3	–
All other	3	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	1	–	–	–	1	1	–	–
Black	3	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	1	–	–	–	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	102	4	1	3	–	2	–	3	10	19	43	17	181	3	–	–	1	–	6	3	14	24	62	68
White	86	3	–	2	–	–	–	1	9	18	35	17	159	2	–	–	–	–	3	2	11	19	57	65
All other	17	1	1	1	–	2	–	2	1	1	8	–	22	1	–	–	1	–	3	1	3	5	5	3
Black	17	1	1	1	–	2	–	2	1	1	8	–	22	1	–	–	1	–	3	1	3	5	5	3
Chronic liver disease and cirrhosis (571)	339	–	–	–	1	63	139	166	207	182	70	11	495	–	1	–	1	22	58	79	105	133	76	20
White	659	–	–	–	1	35	79	118	182	169	64	11	392	–	–	–	1	12	36	64	78	114	67	20
All other	180	–	–	–	–	28	60	48	25	13	6	–	103	–	1	–	–	10	22	15	27	19	9	–
Black	175	–	–	–	–	28	59	45	24	13	6	–	103	–	1	–	–	10	22	15	27	19	9	–
Cholelithiasis and other disorders of gallbladder (574-575)	71	–	–	–	–	1	1	2	8	18	26	15	92	–	–	–	–	1	1	2	9	16	28	35
White	67	–	–	–	–	1	1	2	7	17	25	14	86	–	–	–	–	1	1	2	8	13	27	34
All other	4	–	–	–	–	–	–	–	1	1	1	1	6	–	–	–	–	–	–	–	1	3	1	1
Black	4	–	–	–	–	–	–	–	1	1	1	1	5	–	–	–	–	–	–	–	1	3	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	588	7	–	–	1	6	16	38	72	140	180	128	558	3	–	–	2	8	5	17	52	117	183	171
White	461	6	–	–	1	1	6	25	52	106	151	113	432	1	–	–	2	3	3	10	29	88	146	150
All other	127	1	–	–	–	5	10	13	20	34	29	15	126	2	–	–	–	5	2	7	23	29	37	21
Black	126	1	–	–	–	5	10	13	20	34	29	14	123	2	–	–	–	5	2	7	22	28	36	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	1	–	–	–	–	1	–	1	5	2	1	7	–	–	–	–	–	–	–	1	2	1	3
White	9	1	–	–	–	–	–	–	1	4	2	1	7	–	–	–	–	–	–	–	1	2	1	3
All other	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	–	–	–	–	1	–	3	4	5	9	7	36	–	–	–	1	–	1	2	5	9	10	6
White	23	–	–	–	–	1	–	2	3	3	7	7	28	–	–	–	1	–	1	1	4	9	7	5
All other	6	–	–	–	–	–	–	1	1	2	2	–	8	–	–	–	–	–	–	1	1	–	3	3
Black	6	–	–	–	–	–	–	1	1	2	2	–	8	–	–	–	–	–	–	1	1	–	3	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	548	6	–	–	1	5	15	35	67	130	169	120	515	3	–	–	1	8	4	15	46	106	172	160
White	429	5	–	–	1	–	6	23	48	99	142	105	397	1	–	–	1	3	2	9	24	77	138	142
All other	119	1	–	–	–	5	9	12	19	31	27	15	118	2	–	–	–	5	2	6	22	29	34	18
Black	118	1	–	–	–	5	9	12	19	31	27	14	115	2	–	–	–	5	2	6	21	28	33	18
Infections of kidney (590)	26	–	–	–	–	–	–	4	2	6	9	5	70	–	–	–	–	–	1	4	2	8	21	34
White	26	–	–	–	–	–	–	4	2	6	9	5	66	–	–	–	–	–	–	3	2	8	19	34
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	–	–	2	–
Hyperplasia of prostate (600)	29	–	–	–	–	–	–	–	2	6	11	10	...	...	...	...	...	...	...	...	...	...	...	...
White	28	–	–	–	–	–	–	–	1	6	11	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	1	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	1	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	6	8	6	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	1	4	3	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	5	2	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	5	2	3	–	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	5	6	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	4	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	2	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	2	2	–	...	...	...	...
Congenital anomalies (740-759)	321	205	26	13	9	15	14	11	9	7	5	6	271	175	22	11	10	10	3	6	12	9	9	4
White	261	168	17	9	8	12	13	9	9	7	4	5	201	126	15	9	6	9	2	5	9	8	8	4
All other	60	38	9	4	1	3	1	2	–	–	1	1	70	49	7	2	4	1	1	1	3	1	1	–
Black	57	36	8	4	1	3	–	2	–	–	1	1	65	45	6	2	4	1	1	1	3	1	1	–
Certain conditions originating in the perinatal period (760-779)	621	617	4	–	–	–	–	–	–	–	–	–	481	476	5	–	–	–	–	–	–	–	–	–
White	352	349	3	–	–	–	–	–	–	–	–	–	265	262	3	–	–	–	–	–	–	–	–	–
All other	269	268	1	–	–	–	–	–	–	–	–	–	216	214	2	–	–	–	–	–	–	–	–	–
Black	264	263	1	–	–	–	–	–	–	–	–	–	213	211	2	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	170	168	2	–	–	–	–	–	–	–	–	–	117	116	1	–	–	–	–	–	–	–	–	–
White	108	106	2	–	–	–	–	–	–	–	–	–	77	76	1	–	–	–	–	–	–	–	–	–
All other	62	62	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
Black	62	62	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	451	449	2	–	–	–	–	–	–	–	–	–	364	360	4	–	–	–	–	–	–	–	–	–
White	244	243	1	–	–	–	–	–	–	–	–	–	188	186	2	–	–	–	–	–	–	–	–	–
All other	207	206	1	–	–	–	–	–	–	–	–	–	176	174	2	–	–	–	–	–	–	–	–	–
Black	202	201	1	–	–	–	–	–	–	–	–	–	173	171	2	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	525	211	6	4	43	49	32	34	32	48	33	33	365	130	11	3	15	11	21	8	16	32	45	71
White	365	114	2	3	32	37	21	23	27	44	31	31	257	64	7	–	10	7	14	4	14	30	37	68
All other	160	97	4	1	11	12	11	11	5	4	2	2	108	66	4	3	5	4	7	4	2	2	8	3
Black	156	94	4	1	11	12	10	11	5	4	2	2	106	64	4	3	5	4	7	4	2	2	8	3
All other diseases (Residual)	3,460	45	27	26	63	136	243	243	460	740	917	560	3,717	37	19	26	38	78	103	135	328	657	1,130	1,166
White	2,814	31	18	17	47	81	165	159	351	636	791	518	3,180	30	13	22	24	49	71	100	263	562	988	1,058
All other	646	14	9	9	16	55	78	84	109	104	126	42	537	7	6	4	14	29	32	35	65	95	142	108
Black	636	13	8	9	16	55	78	84	105	104	124	40	523	7	6	4	14	27	31	34	65	93	139	103
Accidents and adverse effects (E800-E949)	2,726	35	67	118	616	534	310	228	269	223	193	133	1,235	21	41	47	165	142	89	63	93	167	220	187
White	2,215	14	48	73	543	436	222	170	215	201	176	117	1,016	10	31	35	144	99	65	51	70	130	204	177
All other	511	21	19	45	73	98	88	58	54	22	17	16	219	11	10	12	21	43	24	12	23	37	16	10
Black	494	20	19	43	69	97	83	57	54	20	16	16	212	11	10	11	21	43	23	11	21	36	15	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,270	4	14	57	445	300	127	89	99	62	53	20	489	4	9	22	128	89	45	35	39	51	54	13
White	1,107	1	10	39	406	258	109	78	85	57	48	16	419	3	7	17	118	67	36	31	30	45	53	12
All other	163	3	4	18	39	42	18	11	14	5	5	4	70	1	2	5	10	22	9	4	9	6	1	1
Black	154	3	4	17	37	41	15	10	14	4	5	4	65	1	2	5	10	22	8	3	7	5	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,456	31	53	61	171	234	183	139	170	161	140	113	746	17	32	25	37	53	44	28	54	116	166	174
White	1,108	13	38	34	137	178	113	92	130	144	128	101	597	7	24	18	26	32	29	20	40	85	151	165
All other	348	18	15	27	34	56	70	47	40	17	12	12	149	10	8	7	11	21	15	8	14	31	15	9
Black	340	17	15	26	32	56	68	47	40	16	11	12	147	10	8	6	11	21	15	8	14	31	14	9
Suicide (E950-E959)	1,003	...	...	12	176	243	148	104	115	109	71	25	272	...	...	2	35	52	48	38	39	27	25	6
White	892	...	...	10	158	199	129	96	106	101	70	23	244	...	...	1	29	43	43	36	36	26	24	6
All other	111	...	...	2	18	44	19	8	9	8	1	2	28	...	...	1	6	9	5	2	3	1	1	–
Black	107	...	...	2	18	41	19	8	9	8	–	2	26	...	...	–	5	9	5	2	3	1	1	–
Homicide and legal intervention (E960-E978)	904	7	9	14	274	288	154	73	44	24	12	4	244	8	10	14	64	69	29	11	9	8	19	3
White	317	1	2	7	95	89	62	24	21	9	6	1	119	5	3	6	34	27	15	7	8	2	11	1
All other	587	6	7	7	179	199	92	49	23	15	6	3	125	3	7	8	30	42	14	4	1	6	8	2
Black	582	6	7	7	178	196	91	49	23	15	6	3	125	3	7	8	30	42	14	4	1	6	8	2
All other external causes (E980-E999)	99	3	4	1	15	27	17	12	12	3	4	1	30	2	1	–	6	9	3	7	1	1	–	–
White	69	2	2	1	12	14	15	9	7	2	4	1	21	1	–	–	6	5	–	7	1	1	–	–
All other	30	1	2	–	3	13	2	3	5	1	–	–	9	1	1	–	–	4	3	–	–	–	–	–
Black	29	1	2	–	3	13	2	2	5	1	–	–	8	1	1	–	–	3	3	–	–	–	–	–
INDIANA																								
All causes	25,705	518	108	128	633	756	903	1,642	4,189	6,893	6,727	3,406	23,661	377	72	76	211	273	454	956	2,588	4,754	6,911	6,978
White	23,669	416	91	117	563	637	788	1,457	3,815	6,236	6,332	3,216	22,023	294	55	63	190	234	388	856	2,332	4,372	6,542	6,697
All other	2,036	102	17	11	70	119	115	185	374	457	395	190	1,638	83	17	13	21	39	66	100	256	382	369	281
Black	2,006	100	17	11	68	115	113	182	369	453	389	188	1,611	82	17	10	18	37	65	99	252	376	366	278
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	3	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1
White	3	2	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	20	–	–	–	–	–	2	3	6	6	3	10	–	–	–	–	–	2	2	2	3	1		
White	15	–	–	–	–	–	1	3	5	4	2	10	–	–	–	–	–	2	2	2	3	1		
All other	5	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–		
Black	5	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–		
Tuberculosis of respiratory system (010-012)	16	–	–	–	–	–	–	3	4	6	3	6	–	–	–	–	–	1	1	1	2	1		
White	13	–	–	–	–	–	–	3	4	4	2	6	–	–	–	–	–	1	1	1	2	1		
All other	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–		
Black	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–		
Other tuberculosis (013-018)	4	–	–	–	–	–	–	2	–	2	–	–	4	–	–	–	–	–	–	1	1	1	1	–
White	2	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	1	1	1	1	–
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	2	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	197	3	1	–	1	4	5	10	29	53	46	45	254	4	1	–	–	1	3	5	17	44	81	98
White	176	3	1	–	1	1	4	9	28	49	41	41	233	3	1	–	–	1	3	3	15	41	76	91
All other	19	–	–	–	–	3	1	1	1	4	5	4	21	1	1	–	–	–	–	2	2	3	5	7
Black	19	–	–	–	–	3	1	1	1	4	5	4	21	1	1	–	–	–	–	2	2	3	5	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	4	-	-	-	1	-	-	-	1	2	-	-	6	-	-	-	-	-	1	-	1	4	1	1
White	3	-	-	-	1	-	-	-	-	2	-	-	6	-	-	-	-	-	1	-	1	4	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	87	1	1	-	5	10	19	7	16	15	7	6	55	2	-	3	2	4	2	5	3	16	8	10
White	78	1	1	-	5	10	15	4	14	13	7	6	50	1	-	3	2	4	1	5	2	15	8	9
All other	11	-	-	-	-	-	4	3	2	2	-	-	5	1	-	-	-	-	1	-	1	1	-	1
Black	11	-	-	-	-	-	4	3	2	2	-	-	5	1	-	-	-	-	1	-	1	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,005	-	11	22	34	66	153	460	1,420	1,951	1,458	430	5,139	2	5	6	26	55	202	439	1,088	1,456	1,239	621
White	5,534	-	8	20	33	61	135	416	1,288	1,807	1,366	400	4,782	2	4	6	24	48	187	402	993	1,352	1,179	585
All other	471	-	3	2	1	5	18	44	132	144	92	30	357	-	1	-	2	7	15	37	95	104	60	36
Black	467	-	3	2	-	5	18	43	131	144	91	30	350	-	1	-	2	7	14	38	93	103	60	34
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	113	-	-	-	-	1	5	9	36	40	18	4	55	-	-	-	-	-	1	5	12	21	12	4
White	107	-	-	-	-	1	4	8	34	38	18	4	46	-	-	-	-	-	1	4	8	18	11	4
All other	6	-	-	-	-	-	1	1	2	2	-	-	9	-	-	-	-	-	-	1	4	3	1	-
Black	6	-	-	-	-	-	1	1	2	2	-	-	9	-	-	-	-	-	-	1	4	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,364	-	-	-	2	7	44	98	310	459	337	107	1,334	1	-	-	1	8	27	83	212	353	404	245
White	1,256	-	-	-	2	6	38	85	280	426	315	104	1,207	1	-	-	-	7	21	68	183	325	376	226
All other	108	-	-	-	-	1	6	13	30	33	22	3	127	-	-	-	1	1	6	15	29	28	28	19
Black	106	-	-	-	-	1	6	13	29	33	21	3	124	-	-	-	1	1	6	14	28	27	28	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,263	-	-	1	1	6	40	212	661	798	466	78	973	-	-	-	1	1	17	96	319	307	186	46
White	2,073	-	-	1	1	5	32	186	604	735	437	72	919	-	-	-	1	1	17	93	293	287	182	45
All other	190	-	-	-	-	1	8	26	57	63	29	6	54	-	-	-	-	-	-	3	26	20	4	1
Black	190	-	-	-	-	1	8	26	57	63	29	6	53	-	-	-	-	-	-	3	25	20	4	1
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	2	2	-	944	-	-	-	-	11	79	124	210	242	197	81
White	6	-	-	-	-	-	-	1	1	2	2	-	878	-	-	-	-	9	75	114	194	221	189	78
All other	-	-	-	-	-	-	-	-	-	-	-	-	66	-	-	-	-	2	4	10	16	21	8	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	64	-	-	-	-	2	4	10	16	21	8	3
Malignant neoplasms of genital organs (179-187)	641	-	-	-	2	3	1	8	62	191	253	121	544	-	-	-	-	14	32	46	124	174	99	55
White	567	-	-	-	2	3	1	8	51	170	227	105	509	-	-	-	-	12	28	43	118	163	93	52
All other	74	-	-	-	-	-	-	-	11	21	26	16	35	-	-	-	-	2	4	3	6	11	6	3
Black	74	-	-	-	-	-	-	-	11	21	26	16	34	-	-	-	-	2	3	3	6	11	6	3
Malignant neoplasms of urinary organs (188-189)	317	-	-	-	1	4	6	22	63	95	100	26	177	-	-	-	-	-	2	11	33	44	55	32
White	301	-	-	-	1	3	6	22	56	91	96	26	169	-	-	-	-	-	2	11	31	40	53	32
All other	16	-	-	-	-	1	-	-	7	4	4	-	8	-	-	-	-	-	-	-	2	4	2	-
Black	16	-	-	-	-	1	-	-	7	4	4	-	8	-	-	-	-	-	-	-	2	4	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	731	-	7	7	13	22	26	71	169	208	155	53	655	1	2	3	12	14	29	47	104	203	155	85
White	685	-	5	7	12	21	25	69	156	192	148	50	621	1	1	3	11	12	29	45	98	190	152	81
All other	46	-	2	-	1	1	1	2	13	16	7	3	34	-	1	-	1	2	-	2	8	13	3	4
Black	45	-	2	-	1	1	1	2	13	16	7	3	34	-	1	-	1	2	-	2	8	13	3	4
Leukemia (204-208)	230	-	1	10	12	8	20	16	43	53	45	22	187	-	3	3	8	2	6	10	20	44	48	43
White	218	-	1	9	12	7	19	15	38	51	44	22	184	-	3	3	8	2	6	9	20	44	48	41
All other	12	-	-	1	-	1	1	1	5	2	1	-	3	-	-	-	-	-	-	1	-	-	-	2
Black	12	-	-	1	-	1	1	1	5	2	1	-	3	-	-	-	-	-	-	1	-	-	-	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	340	-	3	4	3	15	11	23	75	105	82	19	270	-	-	-	4	5	9	17	54	68	63	30
White	321	-	2	3	3	15	10	22	68	102	79	17	249	-	-	-	4	5	8	15	50	64	75	28
All other	19	-	1	1	-	-	1	1	7	3	3	2	21	-	-	-	-	-	1	2	4	4	8	2
Black	18	-	1	1	-	-	1	-	7	3	3	2	21	-	-	-	-	-	1	2	4	4	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	77	-	-	3	5	4	3	4	14	18	19	7	66	1	-	-	-	-	1	2	5	19	21	17
White	71	-	-	3	5	4	2	3	14	17	17	6	61	-	-	-	-	-	1	2	5	17	20	16
All other	6	-	-	-	-	-	1	1	-	1	2	1	5	1	-	-	-	-	-	-	-	2	1	1
Black	6	-	-	-	-	-	1	1	-	1	2	1	5	1	-	-	-	-	-	-	-	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	406	-	-	-	4	9	19	26	70	119	119	40	574	-	-	1	3	10	9	19	75	154	199	104
White	359	-	-	-	3	7	17	19	57	105	113	38	502	-	-	1	3	10	8	15	56	130	184	95
All other	47	-	-	-	1	2	2	7	13	14	6	2	72	-	-	-	-	-	1	4	19	24	15	9
Black	47	-	-	-	1	2	2	7	13	14	6	2	72	-	-	-	-	-	1	4	19	24	15	9
Nutritional deficiencies (260-269)	26	-	-	-	-	-	1	-	-	3	9	13	53	-	-	-	-	1	-	-	1	2	11	38
White	23	-	-	-	-	-	-	-	-	3	7	13	48	-	-	-	-	1	-	-	1	2	9	35
All other	3	-	-	-	-	-	1	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	2	3
Black	3	-	-	-	-	-	1	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	2	3
Anemias (280-285)	42	1	-	-	-	-	1	2	-	6	25	7	42	-	-	1	-	1	-	-	5	7	6	22
White	39	-	-	-	-	-	1	1	-	6	24	7	42	-	-	1	-	1	-	-	5	7	6	22
All other	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	13	4	1	-	-	2	1	-	2	1	1	1	4	-	1	-	-	-	-	-	1	1	1	-
White	11	3	1	-	-	2	1	-	2	1	1	1	2	-	1	-	-	-	-	-	-	1	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Major cardiovascular diseases (390-448)	11,569	19	1	5	12	66	259	726	1,855	3,186	3,483	1,956	12,009	16	2	6	14	32	97	247	888	2,094	3,934	4,668
White	10,798	16	1	5	11	54	235	645	1,695	2,985	3,292	1,858	11,258	12	2	3	11	25	65	214	802	1,904	3,708	4,512
All other	771	3	-	-	1	12	24	81	160	201	191	98	751	4	-	3	3	7	32	33	86	190	226	156
Black	763	3	-	-	1	12	24	80	158	199	190	96	741	4	-	2	3	7	32	33	85	186	223	155
Diseases of heart (390-398,402,404-429)	8,389	17	-	5	11	49	228	642	1,626	2,640	2,721	1,449	8,917	13	2	4	9	20	68	196	710	1,636	2,953	3,305
White	8,786	14	-	5	10	41	208	576	1,501	2,462	2,569	1,379	8,372	10	2	1	6	13	47	175	633	1,494	2,792	3,199
All other	603	3	-	-	1	8	20	66	125	158	152	70	545	3	-	3	3	7	21	21	77	142	161	106
Black	600	3	-	-	1	8	20	66	125	157	151	69	538	3	-	2	3	7	21	21	76	139	160	105
Rheumatic fever and rheumatic heart disease (390-398)	47	1	-	-	1	2	2	6	7	11	13	4	112	-	-	1	1	2	5	9	23	23	37	11
White	43	1	-	-	1	1	2	6	6	10	12	4	107	-	-	-	-	1	4	9	22	23	37	11
All other	4	-	-	-	-	1	-	-	1	1	1	-	5	-	-	1	1	1	1	-	1	-	-	-
Black	4	-	-	-	-	1	-	-	1	1	1	-	5	-	-	1	1	1	1	-	1	-	-	-
Hypertensive heart disease (402)	127	-	-	-	-	-	3	7	29	50	21	17	220	-	-	-	-	-	1	9	20	39	74	77
White	104	-	-	-	-	-	2	7	23	41	17	14	181	-	-	-	-	-	1	4	16	31	59	70
All other	23	-	-	-	-	-	1	-	6	9	4	3	39	-	-	-	-	-	-	5	4	8	15	7
Black	23	-	-	-	-	-	1	-	6	9	4	3	38	-	-	-	-	-	-	5	4	8	14	7
Hypertensive heart and renal disease (404)	39	-	-	-	-	1	-	-	2	6	15	15	74	-	-	-	-	-	1	-	4	5	22	42
White	34	-	-	-	-	1	-	-	2	5	14	12	70	-	-	-	-	-	1	-	3	4	22	40
All other	5	-	-	-	-	-	-	-	-	1	1	3	4	-	-	-	-	-	-	-	1	1	-	2
Black	5	-	-	-	-	-	-	-	-	1	1	3	4	-	-	-	-	-	-	-	1	1	-	2
Ischemic heart disease (410-414)	6,978	-	-	1	2	23	175	490	1,274	2,005	2,003	1,004	6,072	-	-	-	1	5	37	121	487	1,160	2,083	2,177
White	6,582	-	-	1	2	20	161	444	1,186	1,890	1,912	965	5,757	-	-	-	1	2	28	114	441	1,066	1,985	2,120
All other	396	-	-	-	-	3	14	46	88	115	91	39	315	-	-	-	-	3	9	7	46	94	98	57
Black	394	-	-	-	-	3	14	46	88	114	90	39	313	-	-	-	-	3	9	7	46	93	98	56
Acute myocardial infarction (410)	3,818	-	-	-	2	17	117	314	807	1,172	1,013	376	2,745	-	-	-	1	5	24	75	278	659	1,013	689
White	3,622	-	-	-	2	15	110	292	760	1,107	970	366	2,616	-	-	-	1	2	21	71	255	620	978	668
All other	196	-	-	-	-	2	7	22	47	65	43	10	129	-	-	-	-	3	3	4	23	39	35	21
Black	195	-	-	-	-	2	7	22	47	64	43	10	128	-	-	-	-	3	3	4	23	38	35	21
Other acute and subacute forms of ischemic heart disease (411)	31	-	-	-	-	-	4	3	8	11	3	2	21	-	-	-	-	-	1	1	3	4	11	1
White	27	-	-	-	-	-	3	2	7	11	2	2	18	-	-	-	-	-	1	-	2	4	10	1
All other	4	-	-	-	-	-	1	1	1	-	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	4	-	-	-	-	-	1	1	1	-	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Angina pectoris (413)	7	-	-	-	-	-	-	1	1	1	3	1	10	-	-	-	-	-	-	1	1	2	4	2
White	7	-	-	-	-	-	-	1	1	1	3	1	10	-	-	-	-	-	-	1	1	2	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,122	-	-	1	-	6	54	172	458	821	984	625	3,286	-	-	-	-	-	12	44	205	495	1,055	1,485
White	2,926	-	-	1	-	5	48	149	418	771	937	596	3,113	-	-	-	-	-	6	42	183	440	993	1,449
All other	196	-	-	-	-	1	6	23	40	50	47	29	183	-	-	-	-	-	6	2	22	55	62	36
Black	195	-	-	-	-	1	6	23	40	50	46	29	182	-	-	-	-	-	6	2	22	55	62	35
Other diseases of endocardium (424)	105	-	-	-	-	-	2	5	12	29	41	16	139	-	-	1	1	1	2	3	10	24	47	50
White	100	-	-	-	-	-	2	5	10	28	41	16	133	-	-	1	1	1	1	3	10	22	45	49
All other	5	-	-	-	-	-	-	-	2	3	-	-	6	-	-	-	-	-	1	-	-	2	2	1
Black	5	-	-	-	-	-	-	-	2	3	-	-	6	-	-	-	-	-	1	-	-	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	2,093	16	–	4	8	23	46	134	302	539	628	393	2,300	13	2	2	6	12	22	54	166	385	690	948
White	1,923	13	–	4	7	19	41	114	274	510	573	388	2,124	10	2	–	4	9	12	45	141	348	644	909
All other	170	3	–	–	1	4	5	20	28	29	55	25	176	3	–	2	2	3	10	9	25	37	46	39
Black	169	3	–	–	1	4	5	20	28	29	55	24	172	3	–	1	2	3	10	9	24	35	46	39
Hypertension with or without renal disease (401,403)	86	–	–	–	–	–	1	3	10	31	29	12	103	1	–	–	–	–	–	3	10	21	32	36
White	78	–	–	–	–	–	1	2	9	27	28	11	89	–	–	–	–	–	–	1	8	18	31	31
All other	8	–	–	–	–	–	–	1	1	4	1	1	14	1	–	–	–	–	–	2	2	3	1	5
Black	7	–	–	–	–	–	–	1	–	4	1	1	14	1	–	–	–	–	–	2	2	3	1	5
Cerebrovascular diseases (430-438)	1,549	2	–	–	–	13	21	66	152	367	559	369	2,371	1	–	1	3	9	25	43	149	355	777	1,008
White	1,414	2	–	–	–	9	17	53	122	340	524	347	2,214	1	–	1	3	9	17	35	132	318	725	973
All other	135	–	–	–	–	4	4	13	30	27	35	22	157	–	–	–	–	–	8	8	17	37	52	35
Black	131	–	–	–	–	4	4	12	29	26	35	21	154	–	–	–	–	–	8	8	17	36	50	35
Intracerebral and other intracranial hemorrhage (431-432)	214	1	–	–	–	5	6	20	40	68	51	23	263	–	–	–	1	4	5	13	35	66	77	62
White	187	1	–	–	–	4	5	14	30	64	47	22	245	–	–	–	1	4	4	12	30	59	74	61
All other	27	–	–	–	–	1	1	6	10	4	4	1	18	–	–	–	–	–	1	1	5	7	3	1
Black	24	–	–	–	–	1	1	5	9	3	4	1	18	–	–	–	–	–	1	1	5	7	3	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	192	1	–	–	–	1	1	6	28	42	66	47	293	–	–	–	–	–	–	1	18	50	95	129
White	174	1	–	–	–	–	1	6	22	37	62	45	280	–	–	–	–	–	–	–	15	45	93	127
All other	18	–	–	–	–	1	–	–	6	5	4	2	13	–	–	–	–	–	–	1	3	5	2	2
Black	17	–	–	–	–	1	–	–	6	5	4	1	13	–	–	–	–	–	–	1	3	5	2	2
Cerebral embolism (434.1)	14	–	–	–	–	–	–	–	3	5	5	1	5	–	–	–	–	–	–	–	–	2	1	2
White	14	–	–	–	–	–	–	–	3	5	5	1	5	–	–	–	–	–	–	–	–	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,129	–	–	–	–	7	14	40	81	252	437	298	1,810	1	–	1	2	5	20	29	96	237	604	815
White	1,039	–	–	–	–	5	11	33	67	234	410	279	1,684	1	–	1	2	5	13	23	87	212	557	783
All other	90	–	–	–	–	2	3	7	14	18	27	19	126	–	–	–	–	–	7	6	9	25	47	32
Black	90	–	–	–	–	2	3	7	14	18	27	19	123	–	–	–	–	–	7	6	9	24	45	32
Atherosclerosis (440)	218	–	–	–	–	–	2	3	10	31	85	87	412	–	–	–	–	–	–	–	9	32	102	269
White	208	–	–	–	–	–	2	3	9	29	82	83	392	–	–	–	–	–	–	–	9	27	92	264
All other	10	–	–	–	–	–	–	–	1	2	3	4	20	–	–	–	–	–	–	–	–	5	10	5
Black	10	–	–	–	–	–	–	–	1	2	3	4	20	–	–	–	–	–	–	–	–	5	10	5
Other diseases of arteries, arterioles, and capillaries (441-448)	327	–	1	–	1	4	7	12	57	117	89	39	206	1	–	1	2	3	4	5	20	50	70	50
White	312	–	1	–	1	4	7	11	54	107	89	38	191	1	–	1	2	3	1	3	20	47	68	45
All other	15	–	–	–	–	–	–	1	3	10	–	1	15	–	–	–	–	–	3	2	–	3	2	5
Black	15	–	–	–	–	–	–	1	3	10	–	1	15	–	–	–	–	–	3	2	–	3	2	5
Acute bronchitis and bronchiolitis (466)	7	–	–	–	–	–	1	–	2	2	–	2	5	1	–	–	–	–	–	1	–	–	2	1
White	6	–	–	–	–	–	1	–	2	1	–	2	5	1	–	–	–	–	–	1	–	–	2	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	720	6	6	6	6	7	10	11	60	122	260	226	756	4	1	2	1	7	7	11	26	81	247	369
White	672	5	5	5	5	6	7	10	54	116	246	213	716	4	1	2	1	5	6	11	25	74	233	354
All other	48	1	1	1	1	1	3	1	6	6	14	13	40	–	–	–	–	2	1	–	1	7	14	15
Black	46	1	1	1	1	1	2	1	6	6	13	13	40	–	–	–	–	2	1	–	1	7	14	15
Pneumonia (480-486)	701	6	5	5	6	7	9	10	59	122	255	217	727	4	1	2	1	7	7	11	25	80	237	352
White	653	5	4	4	5	6	6	9	53	116	241	204	687	4	1	2	1	5	6	11	24	73	223	337
All other	48	1	1	1	1	1	3	1	6	6	14	13	40	–	–	–	–	2	1	–	1	7	14	15
Black	46	1	1	1	1	1	2	1	6	6	13	13	40	–	–	–	–	2	1	–	1	7	14	15
Influenza (487)	19	–	1	1	–	–	1	1	1	–	5	9	29	–	–	–	–	–	–	–	1	1	10	17
White	19	–	1	1	–	–	1	1	1	–	5	9	29	–	–	–	–	–	–	–	1	1	10	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,251	–	–	2	6	2	7	25	165	428	473	143	723	–	–	2	3	2	10	32	125	246	231	72
White	1,187	–	–	2	4	2	7	23	153	409	450	137	701	–	–	2	2	1	10	32	119	241	225	69
All other	64	–	–	–	2	–	–	2	12	19	23	6	22	–	–	–	1	1	–	–	6	5	6	3
Black	62	–	–	–	2	–	–	2	11	19	22	6	22	–	–	–	1	1	–	–	6	5	6	3
Bronchitis, chronic and unspecified (490-491)	38	–	–	–	1	–	–	–	5	11	12	9	32	–	–	1	–	–	–	–	5	15	5	6
White	38	–	–	–	1	–	–	–	5	11	12	9	32	–	–	1	–	–	–	–	5	15	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	246	–	–	–	–	–	1	5	36	93	90	23	129	–	–	–	–	1	–	9	24	42	43	10
White	240	–	–	–	–	–	1	5	33	91	88	22	126	–	–	–	–	1	–	9	23	41	43	9
All other	6	–	–	–	–	–	–	–	3	2	2	1	3	–	–	–	–	–	–	–	1	1	–	1
Black	6	–	–	–	–	–	–	–	3	2	2	1	3	–	–	–	–	–	–	–	1	1	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	41	-	-	2	5	2	2	2	10	7	9	2	42	-	-	1	3	-	4	2	5	10	13	4
White	33	-	-	2	3	2	2	1	8	4	9	2	38	-	-	1	2	-	4	2	5	9	13	2
All other	8	-	-	-	2	-	-	1	2	3	-	-	4	-	-	-	1	-	-	-	-	1	-	2
Black	7	-	-	-	2	-	-	1	1	3	-	-	4	-	-	-	1	-	-	-	-	1	-	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	924	-	-	-	-	-	4	18	114	317	362	109	520	-	-	-	-	1	6	21	91	179	170	52
White	876	-	-	-	-	-	4	17	107	303	341	104	505	-	-	-	-	-	6	21	86	176	164	52
All other	48	-	-	-	-	-	-	1	7	14	21	5	15	-	-	-	-	1	-	-	5	3	6	-
Black	47	-	-	-	-	-	-	1	7	14	20	5	15	-	-	-	-	1	-	-	5	3	6	-
Ulcer of stomach and duodenum (531-533)	68	-	-	-	1	-	-	2	10	19	24	12	81	-	-	-	-	1	-	4	8	13	23	32
White	65	-	-	-	1	-	-	2	10	19	22	11	77	-	-	-	-	1	-	4	8	12	23	29
All other	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	1	-	3
Black	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	1	-	3
Appendicitis (540-543)	6	-	-	-	-	-	1	-	2	-	2	1	2	-	1	-	-	-	-	-	-	-	-	1
White	6	-	-	-	-	-	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	-	-	-	-	-	1	1	5	9	19	12	82	-	-	2	-	-	-	2	2	19	30	33
White	46	-	-	-	-	-	1	1	5	8	19	12	77	-	-	2	-	-	-	2	2	11	27	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Chronic liver disease and cirrhosis (571)	286	-	-	-	1	9	27	57	79	76	34	3	141	-	-	-	1	1	7	15	36	53	18	10
White	259	-	-	-	1	6	18	54	71	73	33	3	122	-	-	-	-	1	7	10	29	48	17	10
All other	27	-	-	-	-	3	9	3	8	3	1	-	19	-	-	-	1	-	-	5	7	5	1	-
Black	27	-	-	-	-	3	9	3	8	3	1	-	19	-	-	-	1	-	-	5	7	5	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	1	-	1	5	10	12	5	33	-	-	-	-	-	1	-	1	8	11	12
White	33	-	-	-	-	1	-	1	5	10	11	5	32	-	-	-	-	-	1	-	-	8	11	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	306	4	1	-	4	4	8	11	23	59	93	99	309	1	-	-	1	3	2	10	19	60	108	105
White	264	-	1	-	3	4	8	6	20	48	84	90	281	1	-	-	1	3	-	9	15	54	102	96
All other	42	4	-	-	1	-	-	5	3	11	9	9	28	-	-	-	-	-	2	1	4	6	6	9
Black	41	4	-	-	1	-	-	5	3	11	8	9	28	-	-	-	-	-	2	1	4	6	6	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	1	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	1	2	1
White	5	-	1	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	1	2	1	3	2	7	4	17	-	-	-	-	1	-	-	2	3	5	6
White	17	-	-	-	-	1	2	-	2	2	7	3	16	-	-	-	-	1	-	-	2	3	5	5
All other	3	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	281	4	-	-	4	3	6	10	19	56	85	94	288	1	-	-	1	2	2	10	17	56	101	98
White	242	-	-	-	3	3	6	6	17	45	76	86	261	1	-	-	1	2	-	9	13	50	95	90
All other	39	4	-	-	1	-	-	4	2	11	9	8	27	-	-	-	-	-	2	1	4	6	6	8
Black	38	4	-	-	1	-	-	4	2	11	8	8	27	-	-	-	-	-	2	1	4	6	6	8
Infections of kidney (590)	15	-	-	-	-	-	2	1	-	4	5	3	34	-	-	-	-	-	1	-	2	5	11	15
White	13	-	-	-	-	-	2	1	-	3	5	2	33	-	-	-	-	-	1	-	2	5	11	14
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	2	3	7	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	-	2	3	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	161	117	6	3	13	2	4	5	3	4	2	2	115	79	8	2	4	4	-	4	5	5	3	1
White	142	102	6	3	11	2	4	5	2	3	2	2	106	73	6	2	4	4	-	3	5	5	3	1
All other	19	15	-	-	2	-	-	-	1	1	-	-	9	6	2	-	-	-	-	1	-	-	-	-
Black	18	14	-	-	2	-	-	-	1	1	-	-	9	6	2	-	-	-	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	233	232	1	-	-	-	-	-	-	-	-	-	188	185	2	-	-	-	-	-	-	-	-	1
White	186	185	1	-	-	-	-	-	-	-	-	-	132	129	2	-	-	-	-	-	-	-	-	1
All other	47	47	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
Black	46	46	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	57	57	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	50	50	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	176	175	1	-	-	-	-	-	-	-	-	-	154	151	2	-	-	-	-	-	-	-	-	1
White	136	135	1	-	-	-	-	-	-	-	-	-	107	104	2	-	-	-	-	-	-	-	-	1
All other	40	40	-	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Black	39	39	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	267	90	6	1	7	22	12	11	17	40	30	31	248	52	1	1	4	9	8	10	13	24	38	86
White	226	69	4	1	6	18	8	10	17	37	28	28	223	41	1	-	4	8	6	10	11	22	37	83
All other	41	21	2	-	1	4	4	1	-	3	2	3	23	11	-	1	-	1	2	-	2	2	1	3
Black	38	21	2	-	1	3	4	-	-	3	1	3	23	11	-	1	-	1	2	-	2	2	1	3
All other diseases (Residual)	1,847	23	15	15	25	57	67	95	235	372	461	282	1,859	18	9	16	18	24	40	73	181	347	573	560
White	1,477	20	14	15	21	45	51	80	206	339	422	264	1,732	17	9	14	16	19	36	61	156	325	551	528
All other	170	3	1	-	4	12	16	15	29	33	39	18	127	1	-	2	2	5	4	12	25	22	22	32
Black	167	3	1	-	3	12	16	15	28	32	39	18	123	1	-	1	1	5	4	12	24	21	22	32
Accidents and adverse effects (E800-E949)	1,381	9	44	63	345	282	167	112	90	115	92	62	666	9	37	29	97	71	41	46	53	81	105	97
White	1,295	7	39	56	326	258	154	105	88	110	91	61	617	8	28	22	94	65	36	44	49	77	99	95
All other	86	2	5	7	19	24	13	7	2	5	1	1	49	1	9	7	3	6	5	2	4	4	6	2
Black	85	2	5	7	19	23	13	7	2	5	1	1	46	1	9	6	2	5	5	2	4	4	6	2
Motor vehicle accidents (E810-E825)	768	-	15	31	264	196	99	57	43	30	22	11	314	2	10	14	83	51	30	35	31	35	20	3
White	735	-	15	29	254	183	95	54	42	30	22	11	299	2	10	12	80	49	27	34	28	34	20	3
All other	33	-	-	2	10	13	4	3	1	-	-	-	15	-	-	2	3	2	3	1	3	1	-	-
Black	32	-	-	2	10	12	4	3	1	-	-	-	12	-	-	1	2	1	3	1	3	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	613	9	29	32	81	86	68	55	47	85	70	51	352	7	27	15	14	20	11	11	22	48	85	94
White	560	7	24	27	72	75	59	51	46	80	69	50	318	6	18	10	14	16	9	10	21	43	79	92
All other	53	2	5	5	9	11	9	4	1	5	1	1	34	1	9	5	-	4	2	1	1	3	6	2
Black	53	2	5	5	9	11	9	4	1	5	1	1	34	1	9	5	-	4	2	1	1	3	6	2
Suicide (E950-E959)	535	...	...	4	97	133	85	47	67	58	39	5	110	...	...	1	18	20	15	17	21	13	4	1
White	509	...	...	4	91	119	82	46	67	56	39	5	104	...	...	1	16	19	14	16	21	12	4	1
All other	26	...	...	-	6	14	3	1	-	2	-	-	6	...	...	-	2	1	1	1	-	1	-	-
Black	23	...	...	-	6	12	2	1	-	2	-	-	5	...	...	-	2	-	1	1	-	1	-	-
Homicide and legal intervention (E960-E978)	232	4	12	4	56	70	44	21	7	10	2	1	69	1	3	4	17	19	3	7	7	5	2	1
White	129	1	9	3	28	32	30	12	4	6	2	1	46	1	1	4	11	13	1	5	5	2	2	1
All other	103	3	3	1	27	38	14	9	3	4	-	-	23	-	2	-	6	6	2	2	2	3	-	-
Black	102	3	3	1	27	38	14	9	3	3	-	-	22	-	2	-	5	6	2	2	2	3	-	-
All other external causes (E980-E999)	44	1	2	-	10	6	6	4	8	4	1	2	19	1	1	-	-	5	3	5	3	1	-	-
White	31	1	1	-	6	5	4	2	7	3	1	1	15	-	-	-	-	3	3	5	3	1	-	-
All other	13	-	1	-	4	1	2	2	1	1	-	1	4	1	1	-	-	2	-	-	-	-	-	-
Black	13	-	1	-	4	1	2	2	1	1	-	1	4	1	1	-	-	2	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	13,697	197	52	58	287	264	397	616	1,781	3,332	4,156	2,615	13,389	132	39	31	105	120	174	343	1,051	2,162	3,882	5,204
White	13,506	187	50	56	279	253	320	599	1,743	3,299	4,130	2,590	13,187	122	37	28	98	121	162	328	1,028	2,143	3,952	5,168
All other	191	10	2	2	8	11	17	17	38	33	26	25	182	10	2	3	7	5	12	15	23	39	30	36
Black	156	8	2	–	5	9	15	12	32	28	24	21	155	7	1	1	5	3	9	11	20	36	29	33
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	1	–	–	2	4	–	–	–	–	–	–	1	–	–	1	2
White	2	–	–	–	–	–	–	–	1	–	–	1	4	–	–	–	–	–	–	1	–	–	1	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	1	–	–	1	4	–	–	–	–	–	–	1	–	–	1	2
White	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	1	–	–	1	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	91	1	–	–	–	–	1	6	8	21	26	28	61	1	1	–	–	–	1	1	8	11	14	24
White	89	1	–	–	–	–	1	6	8	20	26	27	57	1	1	–	–	–	1	–	6	10	14	24
All other	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	1	2	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	1	2	1	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	47	2	–	1	1	2	8	2	9	8	10	4	35	–	1	1	3	–	3	4	5	5	8	5
White	45	2	–	1	–	2	7	2	9	8	10	4	34	–	1	–	3	–	3	4	5	5	8	5
All other	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,179	5	7	10	13	22	68	180	630	1,024	885	335	2,681	1	7	7	7	32	67	162	470	715	754	460
White	3,128	5	7	10	13	22	64	176	616	1,008	878	329	2,633	–	7	7	7	28	60	156	463	698	747	460
All other	51	–	–	–	–	–	4	4	14	16	7	6	48	–	–	–	–	4	7	6	7	17	7	–
Black	47	–	–	–	–	–	4	4	13	14	6	6	38	–	–	–	–	2	5	5	5	14	7	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	71	-	-	-	-	-	1	4	24	29	8	5	36	-	-	-	-	-	1	3	7	12	6	7
White	66	-	-	-	-	-	-	3	22	28	8	5	36	-	-	-	-	-	1	3	7	12	6	7
All other	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	777	-	-	-	-	3	13	41	134	271	229	86	814	-	-	-	1	1	6	40	107	183	261	195
White	761	-	-	-	-	3	13	40	129	265	227	84	797	-	-	-	1	1	5	37	106	174	278	195
All other	16	-	-	-	-	-	-	1	5	6	2	2	17	-	-	-	-	-	1	3	1	9	3	-
Black	15	-	-	-	-	-	-	1	5	6	1	2	11	-	-	-	-	-	-	2	-	6	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,112	1	-	-	-	3	17	71	288	406	275	51	412	-	-	-	-	-	8	27	103	145	102	27
White	1,097	1	-	-	-	3	17	71	282	402	272	49	404	-	-	-	-	-	6	26	101	144	100	27
All other	15	-	-	-	-	-	-	-	6	4	3	2	8	-	-	-	-	-	2	1	2	1	2	-
Black	14	-	-	-	-	-	-	-	5	4	3	2	7	-	-	-	-	-	2	1	1	1	2	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	1	1	480	-	-	-	-	7	31	48	93	138	99	64
White	2	-	-	-	-	-	-	-	-	-	1	1	474	-	-	-	-	7	31	46	91	136	99	64
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	2	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	2	2	2	-	-
Malignant neoplasms of genital organs (179-187)	393	-	-	-	-	-	2	5	33	101	185	87	285	-	-	-	-	7	10	19	66	68	74	41
White	387	-	-	-	-	-	1	4	33	99	164	86	278	-	-	-	-	5	8	19	64	68	73	41
All other	6	-	-	-	-	-	1	1	-	2	1	1	7	-	-	-	-	2	2	-	2	-	1	-
Black	6	-	-	-	-	-	1	1	-	2	1	1	5	-	-	-	-	-	2	-	2	-	1	-
Malignant neoplasms of urinary organs (188-189)	178	-	-	-	-	1	1	7	35	48	46	40	79	-	-	1	-	-	-	3	9	18	26	22
White	178	-	-	-	-	1	1	7	35	48	46	40	79	-	-	1	-	-	-	3	9	18	26	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	328	3	6	7	5	9	19	34	61	89	61	34	311	-	6	4	3	12	6	14	52	81	72	61
White	322	3	6	7	5	9	19	33	60	87	60	33	305	-	6	4	3	10	5	14	52	78	72	61
All other	6	-	-	-	-	-	-	1	1	2	1	1	6	-	-	-	-	2	1	-	-	3	-	-
Black	4	-	-	-	-	-	-	1	1	-	1	1	6	-	-	-	-	2	1	-	-	3	-	-
Leukemia (204-208)	114	1	1	1	3	3	5	6	21	25	36	12	87	-	1	2	-	1	3	5	11	12	35	17
White	114	1	1	1	3	3	5	6	21	25	36	12	86	-	1	2	-	1	2	5	11	12	35	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	204	-	-	2	5	3	10	12	34	55	64	19	177	-	-	-	3	4	2	3	22	58	59	26
White	201	-	-	2	5	3	8	12	34	54	64	19	174	-	-	-	3	4	2	3	22	56	58	26
All other	3	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	3	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	-	-	1	-	1	-	-	6	10	5	41	-	-	-	-	-	-	1	4	10	15	11
White	23	-	-	-	1	-	1	-	-	6	10	5	41	-	-	-	-	-	-	1	4	10	15	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	190	-	-	-	1	2	7	6	15	54	71	34	254	-	-	-	-	6	4	7	33	56	83	65
White	186	-	-	-	1	2	7	4	14	53	71	34	252	-	-	-	-	6	4	6	33	56	82	65
All other	4	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	-	-	3	4	7	31	-	-	-	-	-	-	-	1	1	9	20
White	14	-	-	-	-	-	-	-	-	3	4	7	30	-	-	-	-	-	-	-	1	1	9	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	13	-	-	1	-	-	-	-	1	1	5	5	20	-	-	-	1	-	-	-	1	3	7	8
White	13	-	-	1	-	-	-	-	1	1	5	5	19	-	-	-	1	-	-	-	1	3	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis (320-322)	9	3	-	-	-	-	-	-	2	2	2	-	5	-	-	-	-	-	-	-	-	1	4	-
White	9	3	-	-	-	-	-	-	2	2	2	-	5	-	-	-	-	-	-	-	-	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,299	3	2	2	8	27	95	244	776	1,535	2,144	1,463	7,238	6	3	4	2	17	27	67	333	951	2,338	3,470
White	6,231	3	2	2	8	24	92	236	758	1,526	2,128	1,452	7,169	5	3	3	2	17	25	65	323	935	2,320	3,451
All other	68	-	-	-	-	3	3	8	18	9	16	11	69	1	-	1	-	-	2	2	10	16	18	19
Black	59	-	-	-	-	3	3	5	15	9	14	10	65	1	-	1	-	-	2	1	10	16	18	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,078	3	2	-	6	20	83	223	672	1,295	1,666	1,106	5,264	6	3	2	1	14	21	73	278	752	1,713	2,401
White	5,028	3	2	-	6	17	81	218	658	1,286	1,659	1,098	5,210	5	3	2	1	14	20	71	270	739	1,698	2,387
All other	50	-	-	-	-	3	2	5	14	9	9	8	54	1	-	-	-	-	1	2	8	13	15	14
Black	44	-	-	-	-	3	2	3	11	9	9	7	50	1	-	-	-	-	1	1	8	13	15	11
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	-	-	1	8	3	4	1	41	-	-	-	-	1	1	4	4	6	15	10
White	16	-	-	-	-	-	-	1	7	3	4	1	41	-	-	-	-	1	1	4	4	6	15	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	73	-	-	-	-	2	5	6	12	22	18	8	159	-	-	-	-	1	-	2	10	25	51	70
White	70	-	-	-	-	2	4	5	12	21	18	8	153	-	-	-	-	1	-	1	9	23	50	69
All other	3	-	-	-	-	-	1	1	-	1	-	-	6	-	-	-	-	-	-	1	1	2	1	1
Black	3	-	-	-	-	-	1	1	-	1	-	-	5	-	-	-	-	-	-	-	1	2	1	1
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	-	-	-	4	10	7	36	-	-	-	-	-	-	-	-	1	8	27
White	21	-	-	-	-	-	-	-	-	4	10	7	36	-	-	-	-	-	-	-	-	1	8	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,449	-	-	-	1	3	52	159	473	902	1,182	697	3,186	-	-	-	-	4	11	40	183	496	1,083	1,389
White	3,432	-	-	-	1	3	52	157	468	900	1,158	693	3,165	-	-	-	-	4	11	40	179	490	1,057	1,384
All other	17	-	-	-	-	-	-	2	5	2	4	4	21	-	-	-	-	-	-	-	4	6	6	5
Black	14	-	-	-	-	-	-	1	3	2	4	4	18	-	-	-	-	-	-	-	4	6	6	3
Acute myocardial infarction (410)	1,949	-	-	-	2	42	109	308	558	645	285	1,559	-	-	-	-	4	6	27	131	311	586	484	
White	1,943	-	-	-	2	42	107	305	557	645	285	1,546	-	-	-	-	4	6	27	128	306	582	483	
All other	6	-	-	-	-	-	2	3	1	-	-	13	-	-	-	-	-	-	-	3	5	4	1	
Black	4	-	-	-	-	-	1	2	1	-	-	12	-	-	-	-	-	-	-	3	5	4	-	
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	-	1	1	5	3	2	4	-	-	-	-	-	-	-	1	-	1	2
White	12	-	-	-	-	-	-	1	1	5	3	2	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	1	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	-	4
White	6	-	-	-	-	1	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,482	-	-	-	1	-	10	49	163	339	511	409	1,619	-	-	-	-	-	5	13	51	185	466	899
White	1,471	-	-	-	1	-	10	49	161	338	507	405	1,611	-	-	-	-	-	5	13	50	184	464	895
All other	11	-	-	-	-	-	-	-	2	1	4	4	8	-	-	-	-	-	-	-	1	1	2	4
Black	10	-	-	-	-	-	-	-	1	1	4	4	7	-	-	-	-	-	-	-	1	1	2	3
Other diseases of endocardium (424)	66	1	-	-	-	1	-	2	6	17	23	16	101	-	-	-	-	-	-	1	2	17	49	32
White	66	1	-	-	-	1	-	2	6	17	23	16	100	-	-	-	-	-	-	1	2	16	49	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	1,452	2	2	-	5	14	26	55	173	347	451	377	1,741	6	3	2	1	8	9	26	79	207	527	873
White	1,423	2	2	-	5	11	25	53	165	341	446	379	1,715	5	3	2	1	8	8	25	76	203	519	865
All other	29	-	-	-	-	3	1	2	8	6	5	4	26	1	-	-	-	-	1	1	3	4	8	8
Black	26	-	-	-	-	3	1	1	7	6	5	3	25	1	-	-	-	-	1	1	3	4	8	7
Hypertension with or without renal disease (401,403)	46	-	-	-	-	-	-	-	6	12	16	12	52	-	-	-	-	1	-	-	1	5	20	25
White	46	-	-	-	-	-	-	-	6	12	16	12	52	-	-	-	-	1	-	-	1	5	20	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	778	-	-	2	1	6	9	15	58	148	322	217	1,452	-	-	2	-	1	5	13	43	163	494	731
White	766	-	-	2	1	6	9	12	55	148	317	216	1,439	-	-	1	-	1	4	13	41	160	491	728
All other	12	-	-	-	-	-	-	3	3	-	5	1	13	-	-	1	-	-	1	-	2	3	3	3
Black	10	-	-	-	-	-	-	2	3	-	4	1	13	-	-	1	-	-	1	-	2	3	3	3
Intracerebral and other intracranial hemorrhage (431-432)	102	-	-	2	-	3	4	6	17	19	40	11	128	-	-	1	-	-	3	5	13	31	45	30
White	100	-	-	2	-	3	4	4	17	19	40	11	126	-	-	-	-	-	2	5	13	31	45	30
All other	2	-	-	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	122	-	-	-	-	-	1	3	7	23	58	30	205	-	-	1	-	-	1	-	5	26	79	93
White	121	-	-	-	-	-	1	3	7	23	57	30	205	-	-	1	-	-	1	-	5	26	79	93
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	-	-	-	1	-	2
White	4	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	550	-	-	-	1	3	4	6	33	106	222	175	1,116	-	-	-	-	1	1	8	25	105	370	606
White	541	-	-	-	1	3	4	5	30	106	218	174	1,105	-	-	-	-	1	1	8	23	102	367	603
All other	9	-	-	-	-	-	-	1	3	-	4	1	11	-	-	-	-	-	-	-	2	3	3	3
Black	8	-	-	-	-	-	-	1	3	-	3	1	11	-	-	-	-	-	-	-	2	3	3	3
Atherosclerosis (440)	181	-	-	-	-	-	-	2	7	13	67	92	328	-	-	-	-	-	-	-	3	10	69	246
White	178	-	-	-	-	-	-	2	7	13	66	90	326	-	-	-	-	-	-	-	3	10	69	244
All other	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	216	-	-	-	1	1	3	4	33	67	71	36	142	-	-	-	1	1	1	1	8	21	42	67
White	213	-	-	-	1	1	2	4	32	67	70	36	142	-	-	-	1	1	1	1	8	21	42	67
All other	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	329	3	1	-	1	1	-	14	21	72	204	212	559	2	1	1	1	-	3	2	17	39	133	350
White	327	3	-	-	1	1	-	14	21	72	204	211	552	2	1	1	1	-	1	2	17	38	132	357
All other	2	-	1	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	2	-	-	1	1	3
Black	1	-	1	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	1	1	3
Pneumonia (480-486)	491	3	1	-	1	1	-	13	21	66	186	199	518	2	1	1	1	-	3	2	16	37	122	333
White	489	3	-	-	1	1	-	13	21	66	186	198	511	2	1	1	1	-	1	2	16	36	121	330
All other	2	-	1	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	2	-	-	1	1	3
Black	1	-	1	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	1	1	3
Influenza (487)	38	-	-	-	-	-	-	1	-	6	18	13	41	-	-	-	-	-	-	-	1	2	11	27
White	38	-	-	-	-	-	-	1	-	6	18	13	41	-	-	-	-	-	-	-	1	2	11	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	705	1	-	1	1	2	1	9	75	209	274	132	343	-	1	-	1	1	2	6	52	113	109	58
White	701	1	-	1	1	2	1	9	75	207	273	131	340	-	1	-	1	1	2	6	51	111	109	58
All other	4	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Bronchitis, chronic and unspecified (490-491)	38	1	-	-	-	-	-	2	2	11	14	8	28	-	1	-	-	-	-	-	-	5	13	9
White	38	1	-	-	-	-	-	2	2	11	14	8	28	-	1	-	-	-	-	-	-	5	13	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	108	-	-	-	-	1	-	-	14	34	39	20	54	-	-	-	-	-	-	1	12	22	15	4
White	108	-	-	-	-	1	-	-	14	34	39	20	53	-	-	-	-	-	-	1	12	21	15	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	25	-	-	1	1	1	-	-	3	4	10	5	17	-	-	-	1	1	1	-	1	5	4	4
White	24	-	-	1	1	1	-	-	3	4	9	5	17	-	-	-	1	1	1	-	1	5	4	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	534	-	-	-	-	-	1	7	56	160	211	99	244	-	-	-	-	-	1	5	39	81	77	41
White	531	-	-	-	-	-	1	7	56	158	211	98	242	-	-	-	-	-	1	5	38	80	77	41
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Ulcer of stomach and duodenum (531-533)	41	-	-	-	-	-	-	-	4	11	10	16	42	-	-	-	-	-	-	-	1	5	14	22
White	40	-	-	-	-	-	-	-	3	11	10	16	42	-	-	-	-	-	-	-	1	5	14	22
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	-	-	1	1	2	2
White	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	1	-	-	-	1	1	1	2	11	10	11	67	-	-	-	1	-	1	1	1	12	20	31
White	36	1	-	-	-	-	1	1	2	10	10	11	67	-	-	-	1	-	1	1	1	12	20	31
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	120	-	-	-	-	-	5	26	36	32	17	4	69	-	-	-	-	1	6	10	12	23	17	-
White	116	-	-	-	-	-	4	25	34	32	17	4	66	-	-	-	-	1	6	8	11	23	17	-
All other	4	-	-	-	-	-	1	1	2	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	29	-	-	-	-	-	-	-	3	5	18	3	28	-	-	-	-	-	-	-	1	3	5	19
White	29	-	-	-	-	-	-	-	3	5	18	3	28	-	-	-	-	-	-	-	1	3	5	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	101	2	-	-	-	-	2	2	3	21	37	34	132	1	-	-	1	2	1	1	3	17	37	69
White	99	1	-	-	-	-	2	2	3	21	37	33	130	1	-	-	1	1	1	1	3	17	37	68
All other	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	1	-	-	4	1	-	6	-	-	-	-	-	-	-	-	-	2	4
White	6	-	-	-	-	-	1	-	-	4	1	-	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	93	2	-	-	-	-	1	2	3	17	35	33	123	1	-	-	1	2	1	1	3	15	35	64
White	91	1	-	-	-	-	1	2	3	17	35	32	121	1	-	-	1	1	1	1	3	15	35	63
All other	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Infections of kidney (590)	8	-	-	-	-	-	-	-	-	-	5	3	14	-	-	-	-	-	-	-	-	4	2	8
White	8	-	-	-	-	-	-	-	-	-	5	3	14	-	-	-	-	-	-	-	-	4	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	-	4	14	...	...	...	...	...	...	...	...	...	...	...	...
White	18	-	-	-	-	-	-	-	-	-	4	14	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	68	45	8	-	1	2	2	1	1	2	4	2	60	37	5	2	4	2	-	-	4	4	2	-
White	65	44	8	-	-	2	1	1	1	2	4	2	57	34	5	2	4	2	-	-	4	4	2	-
All other	3	1	-	-	1	-	1	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	63	61	1	1	-	-	-	-	-	-	-	-	59	57	2	-	-	-	-	-	-	-	-	-
White	78	76	1	1	-	-	-	-	-	-	-	-	54	52	2	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	25	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	58	56	1	1	-	-	-	-	-	-	-	-	45	44	1	-	-	-	-	-	-	-	-	-
White	54	52	1	1	-	-	-	-	-	-	-	-	40	39	1	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	94	41	1	-	1	7	1	2	4	10	10	17	64	16	-	-	-	2	1	-	3	4	10	28
White	90	38	1	-	1	7	1	2	4	10	10	16	63	15	-	-	-	2	1	-	3	4	10	28
All other	4	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black	4	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	936	4	6	4	17	23	33	44	81	195	305	224	1,086	8	3	5	9	16	18	31	72	151	327	446
White	922	4	6	4	16	22	30	44	79	194	301	222	1,064	8	3	5	7	16	17	29	71	149	324	435
All other	14	-	-	-	1	1	3	-	2	1	4	2	22	-	-	-	2	-	1	2	1	2	3	11
Black	8	-	-	-	-	1	3	-	1	-	3	-	20	-	-	-	1	-	1	2	1	2	2	11
Accidents and adverse effects (E800-E949)	697	5	23	31	164	124	59	41	68	60	75	47	352	3	13	11	55	31	20	12	17	40	58	92
White	683	5	22	31	159	122	56	40	68	58	75	47	346	3	13	10	52	31	20	11	16	40	58	92
All other	14	-	1	-	5	2	3	1	-	2	-	-	6	-	-	1	3	-	-	1	1	-	-	-
Black	8	-	1	-	3	1	2	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	315	-	5	7	118	78	33	16	21	13	18	6	147	-	3	6	46	20	13	8	14	14	18	5
White	309	-	5	7	116	77	30	16	21	13	18	6	145	-	3	6	45	20	13	8	13	14	18	5
All other	6	-	-	-	2	1	3	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	4	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	382	5	18	24	46	46	26	25	47	47	57	41	205	3	10	5	9	11	7	4	3	26	40	87
White	374	5	17	24	43	45	26	24	47	45	57	41	201	3	10	4	7	11	7	3	3	26	40	87
All other	8	-	1	-	3	1	-	1	-	2	-	-	4	-	-	1	2	-	-	1	-	-	-	-
Black	4	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	293	...	...	3	66	37	46	30	35	44	24	8	75	...	...	-	11	11	14	13	9	8	8	1
White	292	...	...	3	66	36	46	30	35	44	24	8	74	...	...	-	10	11	14	13	9	8	8	1
All other	1	...	...	-	-	1	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	42	-	1	3	11	10	5	6	4	2	-	-	22	1	2	-	7	3	3	3	2	1	-	-
White	35	-	1	1	11	7	4	5	4	2	-	-	19	1	-	-	6	3	3	3	2	1	-	-
All other	7	-	-	2	-	3	1	1	-	-	-	-	3	-	2	-	1	-	-	-	-	-	-	-
Black	4	-	-	-	-	3	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	16	-	-	1	1	4	2	1	2	1	2	2	13	-	-	-	1	2	2	1	1	3	3	-
White	16	-	-	1	1	4	2	1	2	1	2	2	13	-	-	-	1	2	2	1	1	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,329	204	50	65	284	310	309	614	1,536	2,782	3,237	1,958	10,969	146	38	38	98	121	199	328	939	1,896	3,253	3,913
White	10,712	173	41	57	245	267	272	561	1,437	2,653	3,117	1,889	10,430	119	27	32	87	102	182	295	872	1,800	3,111	3,803
All other	617	31	9	8	19	43	37	53	99	129	120	69	539	27	11	6	11	19	17	33	67	96	142	110
Black	567	28	7	8	15	38	33	46	95	120	111	66	500	24	9	5	8	15	14	30	60	91	139	105
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	-	-	1	1	3	1	3	-	-	-	-	-	-	-	-	1	1	1
White	4	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	1	-	3	1	3	-	-	-	-	-	-	-	-	1	1	1
White	4	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	71	1	1	-	-	1	3	3	12	12	19	19	94	1	-	-	-	-	1	4	5	16	29	44
White	65	1	1	-	-	1	1	3	10	12	18	18	90	1	-	-	-	-	1	3	5	15	22	43
All other	6	-	-	-	-	-	2	-	2	-	1	1	4	-	-	-	-	-	-	1	-	1	1	1
Black	4	-	-	-	-	-	1	-	1	-	1	1	3	-	-	-	-	-	-	1	-	-	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	45	2	1	2	3	3	8	3	3	12	5	3	31	3	-	1	-	-	2	3	7	6	4	5
White	41	2	1	2	3	2	8	3	2	11	5	2	26	1	-	-	-	-	2	3	5	6	4	5
All other	4	-	-	-	-	1	-	-	1	1	-	1	5	2	-	1	-	-	-	-	2	-	-	-
Black	3	-	-	-	-	1	-	-	1	-	-	1	4	1	-	1	-	-	-	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,476	1	2	8	6	14	48	156	478	838	695	230	2,216	1	2	5	6	21	73	140	396	627	590	355
White	2,355	1	2	8	5	12	45	148	451	794	668	221	2,113	1	2	5	6	17	67	126	374	603	573	339
All other	121	-	-	-	1	2	3	8	27	44	27	9	103	-	-	-	-	4	6	14	22	24	17	16
Black	115	-	-	-	1	2	2	7	27	41	26	9	95	-	-	-	-	4	5	12	20	23	16	15
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	-	1	3	10	20	8	1	33	-	-	-	-	-	-	4	9	10	3	7
White	40	-	-	-	-	-	1	3	10	17	8	1	32	-	-	-	-	-	-	4	8	10	3	7
All other	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	624	-	-	-	1	3	11	43	108	208	180	72	559	-	-	-	-	1	7	19	80	147	167	138
White	592	-	-	-	1	2	10	39	103	198	171	68	527	-	-	-	-	1	5	13	74	140	160	134
All other	32	-	-	-	-	1	1	4	5	8	9	4	32	-	-	-	-	-	2	6	6	7	7	4
Black	29	-	-	-	-	1	1	3	5	7	8	4	27	-	-	-	-	-	2	5	4	7	6	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	866	-	-	-	-	2	10	54	219	333	201	47	346	-	-	-	-	1	4	23	84	134	77	23
White	823	-	-	-	-	2	9	52	207	313	195	45	333	-	-	-	-	1	4	22	79	131	76	20
All other	43	-	-	-	-	-	1	2	12	20	6	2	13	-	-	-	-	-	-	1	5	3	1	3
Black	40	-	-	-	-	-	-	2	12	18	6	2	13	-	-	-	-	-	-	1	5	3	1	3
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	2	-	428	-	-	-	-	9	27	42	84	107	95	64
White	2	-	-	-	-	-	-	-	-	-	2	-	412	-	-	-	-	7	26	39	80	104	94	62
All other	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	2	1	3	4	3	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	2	-	3	4	3	1	2
Malignant neoplasms of genital organs (179-187)	280	-	-	-	-	2	-	3	17	68	133	57	278	-	-	-	1	2	12	24	56	89	64	30
White	262	-	-	-	-	2	-	3	17	62	124	54	265	-	-	-	1	2	12	21	54	87	60	28
All other	18	-	-	-	-	-	-	-	-	6	9	3	13	-	-	-	-	-	-	3	2	2	4	2
Black	18	-	-	-	-	-	-	-	-	6	9	3	12	-	-	-	-	-	-	2	2	2	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	146	-	-	-	-	-	1	11	26	54	37	17	98	-	-	-	-	1	-	2	13	20	40	22
White	144	-	-	-	-	-	1	11	25	53	37	17	91	-	-	-	-	-	-	2	12	17	39	21
All other	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	1	-	-	1	3	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	1	-	-	1	2	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	254	1	-	3	1	5	18	24	51	74	58	19	246	1	1	2	3	2	15	14	39	70	70	29
White	242	1	-	3	1	4	17	24	46	71	56	19	235	1	1	2	3	2	14	14	38	65	68	27
All other	12	-	-	-	-	1	1	-	5	3	2	-	11	-	-	-	-	-	1	-	1	5	2	2
Black	12	-	-	-	-	1	1	-	5	3	2	-	11	-	-	-	-	-	1	-	1	5	2	2
Leukemia (204-208)	113	-	2	2	3	-	2	5	20	37	32	10	77	-	1	2	1	3	3	9	7	12	26	13
White	110	-	2	2	2	-	2	5	19	36	32	10	73	-	1	2	1	2	2	8	6	12	26	13
All other	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Black	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	148	-	-	3	1	2	5	13	27	46	44	7	151	-	-	1	1	2	5	3	24	38	48	29
White	140	-	-	3	1	2	5	11	24	44	43	7	145	-	-	1	1	2	4	3	23	37	47	27
All other	8	-	-	-	-	-	-	2	3	2	1	-	6	-	-	-	-	-	1	-	1	1	1	2
Black	8	-	-	-	-	-	-	2	3	2	1	-	6	-	-	-	-	-	1	-	1	1	1	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	-	-	-	1	1	-	1	3	4	4	5	34	-	-	1	-	2	-	1	4	6	12	8
White	19	-	-	-	1	1	-	1	3	4	4	5	33	-	-	1	-	2	-	1	4	6	11	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	152	-	-	-	2	1	3	11	24	39	48	24	217	-	-	1	1	2	5	12	21	51	77	47
White	138	-	-	-	2	1	2	8	20	37	46	22	195	-	-	1	-	2	4	11	17	47	69	44
All other	14	-	-	-	-	-	1	3	4	2	2	2	22	-	-	-	1	-	1	1	4	4	8	3
Black	14	-	-	-	-	-	1	3	4	2	2	2	22	-	-	-	1	-	1	1	4	4	8	3
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	-	3	5	5	45	1	-	-	-	-	-	-	1	2	12	29
White	11	-	-	-	-	-	-	-	-	2	5	4	45	1	-	-	-	-	-	-	1	2	12	29
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	18	-	1	-	-	1	1	2	-	1	5	7	27	-	1	-	-	1	1	-	3	4	9	8
White	17	-	1	-	-	1	-	2	-	1	5	7	25	-	1	-	-	-	1	-	3	4	8	8
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis (320-322)	3	-	2	-	-	-	-	-	-	-	1	-	7	-	2	-	-	-	-	-	1	3	-	1
White	3	-	2	-	-	-	-	-	-	-	1	-	5	-	2	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Major cardiovascular diseases (390-448)	4,989	11	1	2	7	27	77	220	659	1,217	1,664	1,104	5,444	5	1	1	6	12	35	78	293	771	1,773	2,469
White	4,772	10	-	2	6	25	70	199	623	1,165	1,602	1,070	5,202	4	1	-	4	7	32	70	265	727	1,687	2,405
All other	217	1	1	-	1	2	7	21	36	52	62	34	242	1	-	1	2	5	3	8	28	44	86	64
Black	202	1	1	-	1	2	7	19	33	49	57	32	226	-	-	-	1	4	3	7	23	42	84	62
Diseases of heart (390-398,402,404-429)	4,043	9	1	2	5	23	68	196	581	1,028	1,297	833	4,042	5	1	1	4	9	25	57	240	614	1,310	1,776
White	3,871	8	-	2	4	21	62	180	553	984	1,246	811	3,866	4	1	-	3	5	23	50	217	581	1,250	1,732
All other	172	1	1	-	1	2	6	16	28	44	51	22	176	1	-	1	1	4	2	7	23	33	60	44
Black	159	1	1	-	1	2	6	14	26	41	46	21	165	-	-	-	1	3	2	6	19	32	60	42
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	-	-	2	4	7	6	3	34	-	-	-	-	1	1	-	3	7	14	8
White	20	-	-	-	-	-	-	2	4	6	6	2	33	-	-	-	-	-	1	-	3	7	14	8
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	48	-	-	-	-	-	1	2	5	17	20	3	102	-	-	-	-	-	-	2	6	17	39	36
White	43	-	-	-	-	-	1	1	5	16	17	3	92	-	-	-	-	-	-	2	3	15	35	37
All other	5	-	-	-	-	-	-	1	-	1	3	-	10	-	-	-	-	-	-	-	3	2	4	1
Black	5	-	-	-	-	-	-	1	-	1	3	-	10	-	-	-	-	-	-	-	3	2	4	1
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	1	2	4	13	-	-	-	-	-	-	-	-	-	5	8
White	7	-	-	-	-	-	-	-	-	1	2	4	12	-	-	-	-	-	-	-	-	-	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	2,908	-	-	-	1	12	45	144	460	783	908	557	2,642	-	-	-	1	3	12	33	150	436	875	1,130
White	2,807	-	-	-	-	11	41	136	441	754	880	544	2,552	-	-	-	1	2	11	30	140	425	840	1,103
All other	101	-	-	-	1	1	4	8	19	29	26	13	90	-	-	-	-	1	1	3	10	13	35	27
Black	90	-	-	-	1	1	4	7	17	27	21	12	87	-	-	-	-	1	1	3	9	12	35	26
Acute myocardial infarction (410)	1,715	-	-	-	1	9	28	111	341	495	497	233	1,320	-	-	-	-	1	7	26	101	272	498	415
White	1,646	-	-	-	-	8	25	105	326	473	483	226	1,285	-	-	-	-	1	7	23	96	264	483	411
All other	69	-	-	-	1	1	3	6	15	22	14	7	35	-	-	-	-	-	-	3	5	8	15	4
Black	60	-	-	-	1	1	3	5	13	20	10	7	34	-	-	-	-	-	-	3	5	7	15	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	–	–	–	–	–	–	–	–	4	4	1	10	–	–	–	–	–	–	–	1	–	4	5
White	7	–	–	–	–	–	–	–	–	3	3	1	9	–	–	–	–	–	–	–	1	–	4	4
All other	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Angina pectoris (413)	4	–	–	–	–	–	–	1	–	–	3	–	3	–	–	–	–	–	–	1	–	–	1	1
White	4	–	–	–	–	–	–	1	–	–	3	–	3	–	–	–	–	–	–	1	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,180	–	–	–	–	3	17	32	119	284	402	323	1,309	–	–	–	1	2	4	7	48	166	372	709
White	1,150	–	–	–	–	3	16	30	115	278	391	317	1,255	–	–	–	1	1	3	7	43	161	352	687
All other	30	–	–	–	–	–	1	2	4	6	11	6	54	–	–	–	–	1	1	–	5	5	20	22
Black	28	–	–	–	–	–	1	2	4	6	10	5	52	–	–	–	–	1	1	–	4	5	20	21
Other diseases of endocardium (424)	54	1	–	–	–	–	1	3	3	10	27	9	61	–	–	–	–	–	–	1	2	11	22	25
White	53	1	–	–	–	–	1	3	3	10	26	9	59	–	–	–	–	–	–	1	2	10	21	25
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
All other forms of heart disease (415-423,425-429)	1,004	8	1	2	4	11	21	45	109	210	336	257	1,190	5	1	1	3	5	12	21	79	141	355	587
White	941	7	–	2	4	10	19	38	100	197	315	249	1,118	4	1	–	2	3	11	17	69	124	335	552
All other	63	1	1	–	–	1	2	7	9	13	21	8	72	1	–	1	1	2	1	4	10	17	20	15
Black	62	1	1	–	–	1	2	6	9	13	21	8	65	–	–	–	1	2	1	3	7	17	20	14
Hypertension with or without renal disease (401,403)	38	–	–	–	–	–	–	–	3	9	18	8	42	–	–	–	–	–	–	2	3	10	11	16
White	37	–	–	–	–	–	–	–	3	9	17	8	37	–	–	–	–	–	–	2	2	8	10	15
All other	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	1	2	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	1	2	1	1
Cerebrovascular diseases (430-438)	651	2	–	–	2	4	8	17	53	121	266	178	1,059	–	–	–	2	3	9	14	43	118	365	505
White	617	2	–	–	2	4	7	15	45	115	257	170	1,006	–	–	–	1	2	8	13	39	111	342	490
All other	34	–	–	–	–	–	1	2	8	6	9	8	53	–	–	–	1	1	1	1	4	7	23	15
Black	33	–	–	–	–	–	1	2	7	6	9	8	49	–	–	–	–	1	1	1	3	6	22	15
Intracerebral and other intracranial hemorrhage (431-432)	77	1	–	–	–	2	5	4	12	17	23	13	104	–	–	–	–	2	5	6	10	15	40	26
White	73	1	–	–	–	2	4	4	11	17	21	13	97	–	–	–	–	1	5	6	9	13	37	26
All other	4	–	–	–	–	–	1	–	1	–	2	–	7	–	–	–	–	1	–	–	1	2	3	–
Black	4	–	–	–	–	–	1	–	1	–	2	–	5	–	–	–	–	1	–	–	–	1	3	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	–	–	–	1	–	1	3	7	8	48	28	152	–	–	–	–	–	–	–	4	20	50	78
White	91	–	–	–	1	–	1	3	6	8	45	27	136	–	–	–	–	–	–	–	3	16	44	73
All other	5	–	–	–	–	–	–	–	1	–	3	1	16	–	–	–	–	–	–	–	1	4	6	5
Black	4	–	–	–	–	–	–	–	–	–	3	1	16	–	–	–	–	–	–	–	1	4	6	5
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	1	–	2	1	6	–	–	–	–	–	–	–	–	1	1	4
White	4	–	–	–	–	–	–	–	1	–	2	1	5	–	–	–	–	–	–	–	–	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	474	1	–	–	1	2	2	10	33	96	193	136	797	–	–	–	2	1	4	8	29	82	274	397
White	449	1	–	–	1	2	2	8	27	90	189	129	768	–	–	–	1	1	3	7	27	81	260	388
All other	25	–	–	–	–	–	–	2	6	6	4	7	29	–	–	–	1	–	1	1	2	1	14	9
Black	25	–	–	–	–	–	–	2	6	6	4	7	27	–	–	–	–	–	1	1	2	1	13	9
Atherosclerosis (440)	102	–	–	–	–	–	–	–	2	10	34	56	203	–	–	–	–	–	–	–	1	13	53	136
White	98	–	–	–	–	–	–	–	2	9	33	54	198	–	–	–	–	–	–	–	1	13	52	132
All other	4	–	–	–	–	–	–	–	–	1	1	2	5	–	–	–	–	–	–	–	–	–	1	4
Black	3	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–	4
Other diseases of arteries, arterioles, and capillaries (441-448)	155	–	–	–	–	–	1	7	20	49	49	29	98	–	–	–	–	–	1	5	6	16	34	36
White	149	–	–	–	–	–	1	4	20	48	49	27	95	–	–	–	–	–	1	5	6	14	33	35
All other	6	–	–	–	–	–	–	3	–	1	–	2	3	–	–	–	–	–	–	–	–	2	1	–
Black	6	–	–	–	–	–	–	3	–	1	–	2	3	–	–	–	–	–	–	–	–	2	1	–
Acute bronchitis and bronchiolitis (466)	3	1	–	–	–	–	–	–	–	1	–	1	5	–	1	–	–	–	–	–	–	1	3	–
White	2	1	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–	1	2	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	1	–
Pneumonia and influenza (480-487)	388	4	1	3	–	5	2	8	25	66	144	128	488	2	–	1	–	3	3	3	13	44	126	293
White	374	3	1	3	–	5	2	6	22	66	142	124	478	2	–	1	–	3	3	3	12	44	125	285
All other	14	1	–	–	–	–	–	2	3	2	2	4	10	–	–	–	–	–	–	–	1	–	1	8
Black	14	1	–	–	–	–	–	2	3	2	2	4	10	–	–	–	–	–	–	–	1	–	1	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	374	4	1	2	-	5	2	7	24	64	139	126	454	2	-	1	-	3	3	3	13	40	120	269
White	360	3	1	2	-	5	2	5	21	62	137	122	444	2	-	1	-	3	3	3	12	40	119	261
All other	14	1	-	-	-	-	-	2	3	2	2	4	10	-	-	-	-	-	-	-	1	-	1	8
Black	14	1	-	-	-	-	-	2	3	2	2	4	10	-	-	-	-	-	-	-	1	-	1	8
Influenza (487)	14	-	-	1	-	-	-	1	1	4	5	2	34	-	-	-	-	-	-	-	-	4	6	24
White	14	-	-	1	-	-	-	1	1	4	5	2	34	-	-	-	-	-	-	-	-	4	6	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	584	1	-	-	-	1	1	14	73	198	214	82	318	-	-	-	-	1	1	9	54	107	100	46
White	567	1	-	-	-	1	1	14	69	194	207	80	313	-	-	-	-	1	1	7	54	105	99	46
All other	17	-	-	-	-	-	-	-	4	4	7	2	5	-	-	-	-	-	-	2	-	2	1	-
Black	16	-	-	-	-	-	-	-	4	3	7	2	5	-	-	-	-	-	-	2	-	2	1	-
Bronchitis, chronic and unspecified (490-491)	35	-	-	-	-	-	-	1	4	6	18	6	25	-	-	-	-	-	-	-	6	11	6	2
White	34	-	-	-	-	-	-	1	3	6	18	6	24	-	-	-	-	-	-	-	6	10	6	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	90	1	-	-	-	-	-	5	20	31	26	7	33	-	-	-	-	-	-	2	5	12	11	3
White	87	1	-	-	-	-	-	5	19	31	25	6	32	-	-	-	-	-	-	1	5	12	11	3
All other	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Asthma (493)	13	-	-	-	-	1	-	-	3	5	2	2	21	-	-	-	-	1	1	1	2	4	5	7
White	13	-	-	-	-	1	-	-	3	5	2	2	20	-	-	-	-	1	1	-	2	4	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	446	-	-	-	-	-	1	8	46	156	168	67	239	-	-	-	-	-	-	6	41	80	78	34
White	433	-	-	-	-	-	1	8	44	152	162	66	237	-	-	-	-	-	-	6	41	79	77	34
All other	13	-	-	-	-	-	-	-	2	4	6	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	12	-	-	-	-	-	-	-	2	3	6	1	2	-	-	-	-	-	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	44	-	-	-	-	-	1	-	5	12	15	11	37	-	-	-	-	-	1	-	1	4	14	17
White	44	-	-	-	-	-	1	-	5	12	15	11	37	-	-	-	-	-	1	-	1	4	14	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	1	2	-	-	-	-	-	1	6	14	12	43	-	-	-	-	-	-	1	1	7	18	16
White	34	1	2	-	-	-	-	-	1	4	14	12	41	-	-	-	-	-	-	1	1	5	18	16
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Chronic liver disease and cirrhosis (571)	110	-	-	-	-	3	8	19	36	29	10	5	67	-	-	-	-	1	5	9	20	19	11	2
White	104	-	-	-	-	2	6	17	35	29	10	5	61	-	-	-	-	1	4	7	20	16	11	2
All other	6	-	-	-	-	1	2	2	1	-	-	-	6	-	-	-	-	-	1	2	-	3	-	-
Black	6	-	-	-	-	1	2	2	1	-	-	-	5	-	-	-	-	-	-	2	-	3	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	2	1	3	2	3	13	-	-	-	-	-	-	-	-	1	8	4
White	9	-	-	-	-	-	-	1	-	3	2	3	12	-	-	-	-	-	-	-	-	1	7	4
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	120	1	-	-	-	-	2	3	6	27	51	30	127	3	1	-	-	-	1	1	4	19	52	46
White	113	1	-	-	-	-	1	1	5	25	50	30	112	2	1	-	-	-	1	1	4	17	45	41
All other	7	-	-	-	-	-	1	2	1	2	1	-	15	1	-	-	-	-	-	-	-	2	7	5
Black	7	-	-	-	-	-	1	2	1	2	1	-	15	1	-	-	-	-	-	-	-	2	7	5
Acute glomerulonephritis and nephritic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	-	-	2	1	3	4	11	-	-	-	-	-	-	-	-	1	7	3
White	9	-	-	-	-	-	-	-	2	1	2	4	11	-	-	-	-	-	-	-	-	1	7	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	109	1	-	-	-	-	2	3	4	26	47	26	113	3	1	-	-	-	1	1	4	16	43	42
White	103	1	-	-	-	-	1	1	3	24	47	26	99	2	1	-	-	-	1	1	4	16	36	38
All other	6	-	-	-	-	-	1	2	1	2	-	-	14	1	-	-	-	-	-	-	-	2	7	4
Black	6	-	-	-	-	-	1	2	1	2	-	-	14	1	-	-	-	-	-	-	-	2	7	4
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	2	3	1	17	-	-	-	1	-	-	-	1	-	6	9
White	6	-	-	-	-	-	-	-	-	2	3	1	15	-	-	-	-	-	-	-	1	-	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	72	47	9	4	1	1	1	2	1	2	3	1	61	38	4	2	2	2	1	4	1	4	3	-
White	66	44	8	3	-	1	1	2	1	2	3	1	58	35	4	2	2	2	1	4	1	4	3	-
All other	6	3	1	1	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	5	2	1	1	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	71	71	-	-	-	-	-	-	-	-	-	-	53	52	1	-	-	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	41	40	1	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	61	61	-	-	-	-	-	-	-	-	-	-	40	39	1	-	-	-	-	-	-	-	-	-
White	46	46	-	-	-	-	-	-	-	-	-	-	29	28	1	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	219	47	2	-	4	1	7	13	22	46	43	34	213	25	1	-	-	2	4	3	13	27	55	83
White	186	40	1	-	4	1	6	10	16	39	40	29	189	19	1	-	-	2	3	2	10	23	49	80
All other	33	7	1	-	-	-	1	3	6	7	3	5	24	6	-	-	-	-	1	1	3	4	6	3
Black	33	7	1	-	-	-	1	3	6	7	3	5	23	6	-	-	-	-	1	1	3	4	6	2
All other diseases (Residual)	784	9	5	4	17	33	21	45	95	158	199	198	935	7	3	4	10	14	21	28	60	134	287	367
White	740	9	4	4	16	30	18	43	88	151	187	190	892	5	2	4	8	11	18	26	55	128	276	359
All other	44	-	1	-	1	3	3	2	7	7	12	8	43	2	1	-	2	3	3	2	5	6	11	8
Black	40	-	-	-	1	3	3	2	7	7	10	7	43	2	1	-	2	3	3	2	5	6	11	8
Accidents and adverse effects (E800-E949)	701	5	21	38	153	136	71	62	51	65	58	41	362	5	13	19	58	38	29	21	29	30	59	61
White	641	4	17	31	142	119	62	59	50	62	55	40	343	5	9	18	56	35	28	19	28	28	59	60
All other	60	1	4	7	11	17	9	3	1	3	3	1	19	-	4	3	2	3	1	2	1	2	-	1
Black	48	-	3	7	8	13	8	2	1	3	2	1	12	-	3	3	-	2	-	2	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	370	2	6	23	113	85	39	29	27	26	18	2	179	1	4	11	55	25	20	10	17	15	18	3
White	339	2	5	19	106	73	35	29	26	24	18	2	172	1	4	10	53	24	19	9	16	15	18	3
All other	31	–	1	4	7	12	4	–	1	2	–	–	7	–	–	1	2	1	1	1	1	–	–	–
Black	27	–	–	4	6	10	4	–	1	2	–	–	3	–	–	1	–	–	–	1	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	331	3	15	15	40	51	32	33	24	39	40	39	183	4	9	8	3	13	9	11	12	15	41	58
White	302	2	12	12	36	46	27	30	24	38	37	38	171	4	5	6	3	11	9	10	12	13	41	57
All other	29	1	3	3	4	5	5	3	–	1	3	1	12	–	4	2	–	2	–	1	–	2	–	1
Black	21	–	3	3	2	3	4	2	–	1	2	1	9	–	3	2	–	2	–	1	–	1	–	–
Suicide (E950-E959)	275	...	...	3	49	51	41	41	31	30	24	5	59	...	...	–	3	10	15	8	8	6	7	–
White	265	...	...	3	49	45	40	40	30	29	24	5	58	...	...	–	3	9	15	8	8	6	7	–
All other	10	...	...	–	–	6	1	1	1	1	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Black	8	...	...	–	–	5	1	1	1	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	80	–	2	1	18	28	12	6	6	4	2	1	43	1	7	3	11	10	1	3	1	3	1	2
White	51	–	1	1	14	17	6	2	3	4	2	1	31	1	3	2	8	8	–	3	–	3	1	2
All other	29	–	1	–	4	11	6	4	3	–	–	–	12	–	4	1	3	2	1	–	1	–	–	–
Black	25	–	1	–	3	11	5	2	3	–	–	–	9	–	3	1	3	–	1	–	1	–	–	–
All other external causes (E980-E999)	14	–	–	–	3	3	2	2	2	–	–	2	4	1	–	–	–	1	–	–	2	–	–	–
White	13	–	–	–	3	3	2	1	2	–	–	2	4	1	–	–	–	1	–	–	2	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
KENTUCKY																								
All causes	18,692	279	52	98	481	565	676	1,348	3,115	4,829	4,859	2,379	16,126	230	46	51	156	222	396	734	1,753	3,300	4,892	4,346
White	17,327	240	46	88	452	503	619	1,229	2,864	4,500	4,553	2,232	14,825	204	41	45	145	186	344	661	1,584	3,004	4,554	4,057
All other	1,365	39	6	10	39	62	57	119	251	329	306	147	1,301	26	5	6	11	36	52	73	169	296	338	289
Black	1,353	39	6	10	36	62	56	119	248	326	304	147	1,286	24	5	6	10	36	50	71	167	296	334	287
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	20	–	–	–	–	–	–	2	1	9	6	2	12	–	–	–	–	–	–	1	2	2	2	5
White	18	–	–	–	–	–	–	1	1	9	5	2	11	–	–	–	–	–	–	1	2	1	2	5
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of respiratory system (010-012)	16	–	–	–	–	–	–	2	1	7	4	2	10	–	–	–	–	–	–	1	2	1	1	5
White	14	–	–	–	–	–	–	1	1	7	3	2	9	–	–	–	–	–	–	1	2	–	1	5
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Other tuberculosis (013-018)	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	1	1	–
White	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	1	–	1	–
White	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	158	2	1	1	2	–	1	9	22	31	57	32	184	2	1	1	2	2	3	6	15	33	84	55
White	136	2	1	1	1	–	1	6	19	27	50	28	163	1	1	1	2	1	2	5	14	29	56	51
All other	22	–	–	–	1	–	–	3	3	4	7	4	21	1	–	–	–	1	1	1	1	4	8	4
Black	22	–	–	–	1	–	–	3	3	4	7	4	21	1	–	–	–	1	1	1	1	4	8	4
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	8	-	1	-	-	2	-	-	3	-	2	-	11	-	-	1	2	-	2	-	-	2	4	-
White	7	-	1	-	-	2	-	-	3	-	1	-	9	-	-	-	2	-	2	-	-	2	3	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	57	3	1	1	1	4	11	5	9	9	12	1	42	1	-	-	1	4	5	2	8	12	6	5
White	53	3	1	1	1	4	10	5	7	9	11	1	38	1	-	-	1	4	5	2	5	10	5	5
All other	4	-	-	-	-	-	1	-	2	-	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	4	-	-	-	-	-	1	-	2	-	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,206	-	2	9	24	42	124	376	974	1,342	998	315	3,350	1	3	2	8	57	151	333	686	941	810	358
White	3,887	-	2	7	22	37	115	348	901	1,240	926	289	3,064	1	2	1	8	50	135	305	633	859	746	324
All other	319	-	-	2	2	5	9	28	73	102	72	26	286	-	1	1	-	7	16	28	53	82	64	34
Black	317	-	-	2	2	5	9	28	73	100	72	26	283	-	1	1	-	7	15	27	53	82	64	33
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	74	-	-	-	-	-	1	8	25	17	17	6	30	-	-	-	-	-	1	2	6	11	6	4
White	66	-	-	-	-	-	1	5	23	15	16	6	28	-	-	-	-	-	1	2	6	10	5	4
All other	8	-	-	-	-	-	-	3	2	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	8	-	-	-	-	-	-	3	2	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	906	-	1	-	2	9	27	67	213	295	219	73	827	-	-	-	1	8	24	44	119	244	261	126
White	824	-	1	-	2	8	26	60	190	273	198	66	740	-	-	-	1	7	20	38	110	224	231	109
All other	82	-	-	-	-	1	1	7	23	22	21	7	87	-	-	-	-	1	4	6	9	20	30	17
Black	81	-	-	-	-	1	1	7	23	21	21	7	86	-	-	-	-	1	3	6	9	20	30	17
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,803	-	-	-	1	7	50	199	513	636	339	58	686	-	-	-	-	1	28	75	209	228	108	39
White	1,673	-	-	-	1	7	45	187	478	590	315	50	625	-	-	-	-	1	23	67	191	208	101	34
All other	130	-	-	-	-	-	5	12	35	46	24	8	61	-	-	-	-	-	3	8	18	20	7	5
Black	130	-	-	-	-	-	5	12	35	46	24	8	61	-	-	-	-	-	3	8	18	20	7	5
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	-	4	1	2	584	-	-	-	-	13	51	91	111	154	113	51
White	6	-	-	-	-	-	-	-	-	3	1	2	544	-	-	-	-	11	48	86	105	143	104	47
All other	1	-	-	-	-	-	-	-	-	1	-	-	40	-	-	-	-	2	3	5	6	11	9	4
Black	1	-	-	-	-	-	-	-	-	1	-	-	40	-	-	-	-	2	3	5	6	11	9	4
Malignant neoplasms of genital organs (179-187)	415	-	-	-	1	3	1	3	38	110	166	93	386	-	-	-	-	13	21	52	80	97	93	30
White	374	-	-	-	1	3	1	3	34	95	150	87	360	-	-	-	-	11	20	49	75	90	88	27
All other	41	-	-	-	-	-	-	-	4	15	16	6	26	-	-	-	-	2	1	3	5	7	5	3
Black	41	-	-	-	-	-	-	-	4	15	16	6	26	-	-	-	-	2	1	3	5	7	5	3
Malignant neoplasms of urinary organs (188-189)	202	-	-	-	-	-	5	18	38	63	60	18	119	-	-	-	-	1	2	11	17	31	36	21
White	194	-	-	-	-	-	4	18	36	60	59	17	108	-	-	-	-	1	1	9	17	25	35	20
All other	8	-	-	-	-	-	1	-	2	3	1	1	11	-	-	-	-	-	1	2	-	6	1	1
Black	8	-	-	-	-	-	1	-	2	3	1	1	9	-	-	-	-	-	1	1	-	6	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	471	-	1	6	10	10	32	56	103	125	96	32	426	1	2	2	4	12	19	39	98	103	96	50
White	447	-	1	4	9	10	30	52	100	117	93	31	394	1	1	1	4	11	18	37	90	94	90	47
All other	24	-	-	2	1	-	2	4	3	8	3	1	32	-	1	1	-	1	1	2	8	9	6	3
Black	24	-	-	2	1	-	2	4	3	8	3	1	32	-	1	1	-	1	1	2	8	9	6	3
Leukemia (204-208)	133	-	-	3	6	3	4	6	17	33	48	13	114	-	1	-	2	7	4	5	19	23	33	20
White	123	-	-	3	5	1	4	6	16	31	46	11	106	-	1	-	2	6	4	5	15	22	32	19
All other	10	-	-	-	1	2	-	-	1	2	2	2	8	-	-	-	-	1	-	-	4	1	1	1
Black	9	-	-	-	1	2	-	-	1	1	2	2	8	-	-	-	-	1	-	-	4	1	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	195	-	-	-	4	10	4	19	27	59	52	20	178	-	-	-	1	2	3	14	27	50	64	17
White	180	-	-	-	4	8	4	17	24	56	48	19	159	-	-	-	1	2	-	12	24	43	60	17
All other	15	-	-	-	-	2	-	2	3	3	4	1	19	-	-	-	-	-	3	2	3	7	4	-
Black	15	-	-	-	-	2	-	2	3	3	4	1	19	-	-	-	-	-	3	2	3	7	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	45	1	-	3	-	2	2	4	5	7	12	9	44	3	-	1	-	-	1	2	3	9	9	16
White	41	1	-	2	-	2	2	4	5	6	11	8	43	3	-	1	-	-	1	2	3	9	9	15
All other	4	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	249	–	–	–	3	3	7	28	42	76	66	21	372	–	–	–	4	2	9	13	52	112	128	54
White	214	–	–	–	2	3	7	25	35	66	56	20	315	–	–	–	4	2	7	9	42	97	106	48
All other	32	–	–	–	1	–	–	3	7	10	10	1	57	–	–	–	–	–	2	4	10	15	20	6
Black	32	–	–	–	1	–	–	3	7	10	10	1	57	–	–	–	–	–	2	4	10	15	20	6
Nutritional deficiencies (260-269)	20	–	–	–	–	–	–	–	3	7	5	5	25	–	–	–	–	–	–	1	1	3	8	12
White	16	–	–	–	–	–	–	–	3	6	2	5	22	–	–	–	–	–	–	1	1	2	7	11
All other	4	–	–	–	–	–	–	–	–	1	3	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	4	–	–	–	–	–	–	–	–	1	3	–	3	–	–	–	–	–	–	–	–	1	1	1
Anemias (280-285)	29	–	–	1	1	–	–	1	1	6	10	9	40	–	1	–	–	4	–	1	4	8	10	12
White	25	–	–	1	–	–	–	1	–	6	9	8	33	–	1	–	–	2	–	1	3	7	9	10
All other	4	–	–	–	1	–	–	–	1	–	1	1	7	–	–	–	–	2	–	–	1	1	1	2
Black	4	–	–	–	1	–	–	–	1	–	1	1	7	–	–	–	–	2	–	–	1	1	1	2
Meningitis (320-322)	10	1	–	–	–	1	1	–	3	2	2	–	8	2	1	–	–	1	–	2	1	1	–	–
White	8	1	–	–	–	1	–	–	2	2	2	–	6	2	–	–	–	1	–	1	1	1	–	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
Major cardiovascular diseases (390-448)	8,191	6	1	3	14	54	188	550	1,377	2,253	2,428	1,317	8,078	2	4	4	15	23	82	207	622	1,514	2,814	2,791
White	7,643	4	1	3	10	48	176	486	1,269	2,108	2,289	1,241	7,465	1	4	3	14	18	65	184	548	1,372	2,635	2,621
All other	548	2	–	–	4	6	12	64	108	145	139	76	613	1	–	1	1	5	17	23	74	142	179	170
Black	544	2	–	–	4	6	12	64	106	144	138	76	608	1	–	1	1	5	16	23	74	142	175	170
Diseases of heart (390-398,402,404-429)	6,742	6	1	2	11	49	167	496	1,220	1,876	1,913	1,001	6,061	2	3	4	9	17	57	164	506	1,199	2,112	1,988
White	6,300	4	1	2	8	44	157	455	1,129	1,762	1,797	941	5,595	1	3	3	9	12	47	145	447	1,090	1,975	1,863
All other	442	2	–	–	3	5	10	41	91	114	116	60	466	1	–	1	–	5	10	19	59	109	137	125
Black	438	2	–	–	3	5	10	41	89	113	115	60	461	1	–	1	–	5	9	19	59	109	133	125
Rheumatic fever and rheumatic heart disease (390-398)	25	–	–	–	–	–	–	5	6	7	6	1	66	–	–	–	1	2	2	6	15	16	19	5
White	23	–	–	–	–	–	–	4	5	7	6	1	63	–	–	–	1	2	1	6	15	15	18	5
All other	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Hypertensive heart disease (402)	79	–	–	–	1	–	–	8	9	19	28	14	140	–	–	–	–	1	1	3	13	23	55	44
White	61	–	–	–	1	–	–	5	4	15	23	13	112	–	–	–	–	–	1	3	7	21	44	36
All other	18	–	–	–	–	–	–	3	5	4	5	1	28	–	–	–	–	1	–	–	6	2	11	8
Black	18	–	–	–	–	–	–	3	5	4	5	1	28	–	–	–	–	1	–	–	6	2	11	8
Hypertensive heart and renal disease (404)	13	–	–	–	–	–	–	1	3	6	1	2	26	–	–	–	–	–	–	–	2	7	7	10
White	9	–	–	–	–	–	–	–	2	5	1	1	20	–	–	–	–	–	–	–	2	5	5	8
All other	4	–	–	–	–	–	–	1	1	1	–	1	6	–	–	–	–	–	–	–	–	2	2	2
Black	4	–	–	–	–	–	–	1	1	1	–	1	6	–	–	–	–	–	–	–	–	2	2	2
Ischemic heart disease (410-414)	4,690	–	–	–	3	24	119	367	906	1,360	1,305	606	3,823	–	–	–	1	4	27	99	332	799	1,388	1,173
White	4,427	–	–	–	1	23	112	345	845	1,299	1,232	570	3,551	–	–	–	1	2	23	87	294	737	1,309	1,098
All other	263	–	–	–	2	1	7	22	61	61	73	36	272	–	–	–	–	2	4	12	38	62	79	75
Black	260	–	–	–	2	1	7	22	59	61	72	36	269	–	–	–	–	2	4	12	38	62	76	75
Acute myocardial infarction (410)	3,184	–	–	–	2	19	102	290	666	986	839	300	2,314	–	–	–	–	3	23	78	243	566	861	540
White	3,020	–	–	–	–	18	97	275	628	921	795	286	2,141	–	–	–	–	2	20	69	213	528	810	499
All other	164	–	–	–	2	1	5	15	38	45	44	14	173	–	–	–	–	1	3	9	30	38	51	41
Black	163	–	–	–	2	1	5	15	37	45	44	14	171	–	–	–	–	1	3	9	30	38	49	41
Other acute and subacute forms of ischemic heart disease (411)	19	–	–	–	–	1	–	–	7	5	5	1	10	–	–	–	–	–	–	2	1	1	3	3
White	19	–	–	–	–	1	–	–	7	5	5	1	9	–	–	–	–	–	–	2	–	1	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	–	1	1	2	–	8	–	–	–	–	–	–	–	–	3	4	1
White	4	–	–	–	–	–	–	–	1	1	2	–	6	–	–	–	–	–	–	–	–	3	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,483	–	–	–	1	4	17	77	232	368	459	305	1,491	–	–	–	1	1	4	19	88	229	520	629
White	1,384	–	–	–	1	4	15	70	209	372	430	283	1,393	–	–	–	1	–	3	16	81	205	492	595
All other	99	–	–	–	–	–	2	7	23	16	29	22	98	–	–	–	–	1	1	3	7	24	28	34
Black	97	–	–	–	–	–	2	7	22	16	28	22	97	–	–	–	–	1	1	3	7	24	27	34
Other diseases of endocardium (424)	66	–	–	–	–	1	1	3	8	20	26	7	60	–	–	–	1	1	2	2	7	14	17	16
White	64	–	–	–	–	1	1	3	8	19	25	7	57	–	–	–	1	1	1	2	7	13	16	16
All other	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	1	–	–	1	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,869	6	1	2	7	24	47	112	288	464	547	371	1,946	2	3	4	6	9	25	54	137	340	626	740
White	1,716	4	1	2	6	20	44	98	285	417	510	349	1,792	1	3	3	6	7	21	47	122	299	583	700
All other	153	2	–	–	1	4	3	14	23	47	37	22	154	1	–	1	–	2	4	7	15	41	43	40
Black	152	2	–	–	1	4	3	14	23	46	37	22	153	1	–	1	–	2	4	7	15	41	42	40
Hypertension with or without renal disease (401,403)	43	–	–	–	–	–	1	4	10	10	10	8	58	–	–	–	–	–	1	3	5	5	24	20
White	38	–	–	–	–	–	1	1	8	10	10	8	42	–	–	–	–	–	–	2	2	2	19	17
All other	5	–	–	–	–	–	–	3	2	–	–	–	16	–	–	–	–	–	1	1	3	3	5	3
Black	5	–	–	–	–	–	–	3	2	–	–	–	16	–	–	–	–	–	1	1	3	3	5	3
Cerebrovascular diseases (430-438)	1,033	–	–	1	1	3	13	42	98	261	384	232	1,599	–	–	–	2	6	17	30	94	262	589	599
White	951	–	–	1	1	2	11	33	85	233	366	219	1,496	–	–	–	2	6	13	28	88	236	557	568
All other	82	–	–	–	–	1	2	9	11	28	18	13	103	–	–	–	–	–	4	2	6	26	32	31
Black	82	–	–	–	–	1	2	9	11	28	18	13	103	–	–	–	–	–	4	2	6	26	32	31
Intracerebral and other intracranial *hemorrhage (431-432)*	135	–	–	–	1	2	6	12	19	45	39	10	149	–	–	–	1	4	3	6	12	46	63	14
White	120	–	–	–	1	1	5	10	18	40	35	10	140	–	–	–	1	4	2	6	12	43	58	14
All other	15	–	–	–	–	1	1	2	1	6	4	–	9	–	–	–	–	–	1	–	–	3	5	–
Black	15	–	–	–	–	1	1	2	1	6	4	–	9	–	–	–	–	–	1	–	–	3	5	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	151	–	–	–	–	–	–	4	10	40	53	44	234	–	–	–	–	1	–	–	8	28	97	100
White	140	–	–	–	–	–	–	4	10	37	48	41	218	–	–	–	–	1	–	–	7	24	90	96
All other	11	–	–	–	–	–	–	–	–	3	5	3	16	–	–	–	–	–	–	–	1	4	7	4
Black	11	–	–	–	–	–	–	–	–	3	5	3	16	–	–	–	–	–	–	–	1	4	7	4
Cerebral embolism (434.1)	5	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	1	1	–	1
White	4	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	1	1	–	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular *diseases (430,433,435-438)*	742	–	–	1	–	1	7	26	66	173	290	178	1,213	–	–	–	1	1	14	24	73	187	429	484
White	687	–	–	1	–	1	6	19	57	154	281	168	1,135	–	–	–	1	1	11	22	66	168	409	457
All other	55	–	–	–	–	–	1	7	9	19	9	10	78	–	–	–	–	–	3	2	7	19	20	27
Black	55	–	–	–	–	–	1	7	9	19	9	10	78	–	–	–	–	–	3	2	7	19	20	27
Atherosclerosis (440)	149	–	–	–	–	–	1	4	13	28	56	47	205	–	–	–	–	–	2	1	4	16	52	130
White	139	–	–	–	–	–	1	4	11	26	53	44	199	–	–	–	–	–	2	1	3	16	51	126
All other	10	–	–	–	–	–	–	–	2	2	3	3	6	–	–	–	–	–	–	–	1	–	1	4
Black	10	–	–	–	–	–	–	–	2	2	3	3	6	–	–	–	–	–	–	–	1	–	1	4
Other diseases of arteries, arterioles, and capillaries (441-448)	224	–	–	–	2	2	6	4	38	78	65	29	155	–	1	–	4	–	5	9	13	32	37	54
White	215	–	–	–	1	–	6	3	36	77	63	29	133	–	1	–	3	–	3	8	10	28	33	47
All other	9	–	–	–	1	2	–	1	2	1	2	–	22	–	–	–	1	–	2	1	3	4	4	7
Black	9	–	–	–	1	2	–	1	2	1	2	–	22	–	–	–	1	–	2	1	3	4	4	7
Acute bronchitis and bronchiolitis (466)	4	3	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	2	1	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	631	6	–	2	3	6	6	16	57	105	221	209	611	8	2	1	2	3	5	11	24	75	195	285
White	592	4	–	2	3	4	5	14	52	100	212	196	570	5	2	1	1	1	5	9	19	71	185	271
All other	39	2	–	–	–	2	1	2	5	5	9	13	41	3	–	–	1	2	–	2	5	4	10	14
Black	39	2	–	–	–	2	1	2	5	5	9	13	40	3	–	–	1	2	–	1	5	4	10	14
Pneumonia (480-486)	620	6	–	2	3	6	6	14	56	104	218	205	603	8	2	1	2	3	5	11	24	72	192	283
White	581	4	–	2	3	4	5	12	51	99	209	192	562	5	2	1	1	1	5	9	18	68	182	269
All other	39	2	–	–	–	2	1	2	5	5	9	13	41	3	–	–	1	2	–	2	5	4	10	14
Black	39	2	–	–	–	2	1	2	5	5	9	13	40	3	–	–	1	2	–	1	5	4	10	14
Influenza (487)	11	–	–	–	–	–	–	2	1	1	3	4	8	–	–	–	–	–	–	–	–	3	3	2
White	11	–	–	–	–	–	–	2	1	1	3	4	8	–	–	–	–	–	–	–	–	3	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,006	1	–	1	2	–	4	31	158	350	359	100	540	1	1	3	–	3	5	22	104	196	133	72
White	959	1	–	1	2	–	4	29	147	336	343	96	518	1	1	2	–	3	5	21	102	188	128	67
All other	47	–	–	–	–	–	–	2	11	14	16	4	22	–	–	1	–	–	–	1	2	8	5	5
Black	46	–	–	–	–	–	–	2	11	14	15	4	22	–	–	1	–	–	–	1	2	8	5	5
Bronchitis, chronic and unspecified (490-491)	49	1	–	–	–	–	–	–	6	13	18	11	27	1	–	–	–	–	–	1	1	7	8	9
White	47	1	–	–	–	–	–	–	5	13	17	11	24	1	–	–	–	–	–	1	1	6	8	7
All other	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
Emphysema (492)	182	–	–	–	1	–	2	9	33	62	59	16	90	–	–	–	–	–	1	3	20	45	16	5
White	174	–	–	–	1	–	2	9	32	58	57	15	88	–	–	–	–	–	1	3	20	43	16	5
All other	8	–	–	–	–	–	–	–	1	4	2	1	2	–	–	–	–	–	–	–	–	2	–	–
Black	8	–	–	–	–	–	–	–	1	4	2	1	2	–	–	–	–	–	–	–	–	2	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	18	-	-	1	1	-	-	5	4	4	2	1	37	-	1	3	-	2	2	3	3	9	10	4
White	16	-	-	1	1	-	-	5	3	3	2	1	33	-	1	2	-	2	2	3	3	9	8	3
All other	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	1	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	1	-	-	-	-	-	-	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	757	-	-	-	-	-	2	17	115	271	280	72	386	-	-	-	-	1	2	15	80	135	99	54
White	722	-	-	-	-	-	2	15	107	262	267	69	373	-	-	-	-	1	2	14	78	130	96	52
All other	35	-	-	-	-	-	-	2	8	9	13	3	13	-	-	-	-	-	-	1	2	5	3	2
Black	34	-	-	-	-	-	-	2	8	9	12	3	13	-	-	-	-	-	-	1	2	5	3	2
Ulcer of stomach and duodenum (531-533)	46	-	-	-	1	-	5	2	10	8	12	8	40	-	-	-	-	1	2	1	3	12	11	10
White	45	-	-	-	1	-	5	2	10	7	12	8	38	-	-	-	-	1	2	1	2	11	11	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	-	2	2	1	-	5	-	-	1	1	-	-	-	-	2	-	1
White	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	1	-	-	-	-	-	2	-	1
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	-	-	-	-	1	-	1	5	10	11	10	51	-	-	-	-	-	-	1	1	11	17	21
White	35	-	-	-	-	1	-	-	4	10	11	9	44	-	-	-	-	-	-	1	1	10	14	18
All other	3	-	-	-	-	-	-	1	1	-	-	1	7	-	-	-	-	-	-	-	-	1	3	3
Black	3	-	-	-	-	-	-	1	1	-	-	1	7	-	-	-	-	-	-	-	-	1	3	3
Chronic liver disease and cirrhosis (571)	191	-	-	-	-	4	19	38	57	54	18	1	115	-	-	-	-	3	8	19	30	28	21	6
White	182	-	-	-	-	4	17	35	54	54	17	1	108	-	-	-	-	2	7	18	28	27	20	6
All other	9	-	-	-	-	-	2	3	3	-	1	-	7	-	-	-	-	1	1	1	2	1	1	-
Black	8	-	-	-	-	-	2	3	2	-	1	-	7	-	-	-	-	1	1	1	2	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	-	-	2	3	5	16	8	38	-	-	-	-	-	-	-	2	8	16	12
White	32	-	-	-	-	-	-	2	3	4	15	8	35	-	-	-	-	-	-	-	2	6	15	12
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	181	-	-	1	2	3	5	5	18	48	65	34	202	2	-	1	1	1	4	4	15	36	69	69
White	160	-	-	-	2	3	2	3	13	43	61	33	178	2	-	1	1	1	4	1	12	30	62	64
All other	21	-	-	1	-	-	3	2	5	5	4	1	24	-	-	-	-	-	-	3	3	6	7	5
Black	21	-	-	1	-	-	3	2	5	5	4	1	24	-	-	-	-	-	-	3	3	6	7	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	1	-	-	-	1	1	1	2	2	12	-	-	-	-	-	-	-	-	3	4	5
White	6	-	-	-	-	-	-	-	1	1	2	2	9	-	-	-	-	-	-	-	-	3	2	4
All other	2	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	173	-	-	-	2	3	5	4	17	47	83	32	188	2	-	1	1	1	4	4	15	33	63	64
White	154	-	-	-	2	3	2	3	12	42	59	31	167	2	-	1	1	1	4	1	12	27	58	60
All other	19	-	-	-	-	-	3	1	5	5	4	1	21	-	-	-	-	-	-	3	3	6	5	4
Black	18	-	-	-	-	-	3	1	5	5	4	1	21	-	-	-	-	-	-	3	3	6	5	4
Infections of kidney (590)	20	-	-	-	-	-	-	-	2	8	2	8	37	-	-	-	-	-	3	-	3	9	13	15
White	17	-	-	-	-	-	-	-	1	8	2	6	33	-	-	-	-	-	1	-	3	3	12	14
All other	3	-	-	-	-	-	-	-	1	-	-	2	4	-	-	-	-	-	2	-	-	-	1	1
Black	3	-	-	-	-	-	-	-	1	-	-	2	4	-	-	-	-	-	2	-	-	-	1	1
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	1	2	4	3	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	1	2	4	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	116	78	9	5	6	2	3	4	1	6	1	1	94	61	2	4	2	6	5	4	5	2	2	1
White	105	70	7	5	6	2	3	4	1	6	1	-	89	58	2	4	2	6	5	3	4	2	2	1
All other	11	8	2	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-	1	1	-	-	-
Black	11	8	2	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	112	111	1	-	-	-	-	-	-	-	-	-	93	92	1	-	-	-	-	-	-	-	-	-
White	97	96	1	-	-	-	-	-	-	-	-	-	82	81	1	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	31	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	81	80	1	-	-	-	-	-	-	-	-	-	67	66	1	-	-	-	-	-	-	-	-	-
White	70	69	1	-	-	-	-	-	-	-	-	-	59	58	1	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	109	41	2	-	4	3	2	6	11	9	17	14	122	34	3	-	2	1	4	4	7	7	20	40
White	96	36	2	-	3	2	2	5	11	7	16	12	117	30	2	-	2	1	4	4	7	7	20	40
All other	13	5	-	-	1	1	-	1	-	2	1	2	5	4	1	-	-	-	-	-	-	-	-	-
Black	13	5	-	-	1	1	-	1	-	2	1	2	5	4	1	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1,331	15	10	14	18	39	58	74	177	307	395	223	1,331	10	4	4	11	14	39	40	98	219	450	442
White	1,218	12	9	14	16	33	51	69	157	281	364	212	1,215	9	3	4	10	10	30	35	90	196	425	403
All other	113	3	1	-	2	6	7	5	20	26	32	11	116	1	1	-	1	4	9	5	8	23	25	39
Black	113	3	1	-	2	6	7	5	20	26	32	11	114	1	1	-	1	4	9	5	7	23	25	38
Accidents and adverse effects (E800-E949)	1,222	11	23	54	283	250	136	108	119	106	98	39	488	7	22	25	81	52	33	33	40	53	81	61
White	1,146	9	20	49	274	236	125	101	105	97	93	36	455	6	21	23	77	47	33	32	35	51	73	57
All other	76	2	3	5	9	14	11	7	8	9	5	3	33	1	1	2	4	5	-	1	5	2	8	4
Black	73	2	3	5	7	14	10	7	8	9	5	3	32	1	1	2	3	5	-	1	5	2	8	4
Motor vehicle accidents (E810-E825)	621	2	9	29	196	148	76	49	48	35	24	5	228	-	8	20	67	36	22	25	14	20	13	3
White	586	2	9	27	189	138	69	46	48	32	23	3	220	-	7	20	64	34	22	25	14	19	12	3
All other	35	-	-	2	7	10	7	3	-	3	1	2	8	-	1	-	3	2	-	-	-	1	1	-
Black	32	-	-	2	5	10	6	3	-	3	1	2	7	-	1	-	2	2	-	-	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	601	9	14	25	87	102	60	59	65	71	74	34	260	7	14	5	14	16	11	8	26	33	68	58
White	560	7	11	22	85	98	56	55	57	65	70	33	235	6	14	3	13	13	11	7	21	32	61	54
All other	41	2	3	3	2	4	4	4	8	6	4	1	25	1	-	2	1	3	-	1	5	1	7	4
Black	41	2	3	3	2	4	4	4	8	6	4	1	25	1	-	2	1	3	-	1	5	1	7	4
Suicide (E950-E959)	420	...	...	-	77	71	67	59	43	62	34	7	108	...	...	2	13	21	21	19	20	6	5	1
White	407	...	...	-	71	68	64	58	43	62	34	7	107	...	...	2	12	21	21	19	20	6	5	1
All other	13	...	...	-	6	3	3	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	12	...	...	-	5	3	3	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	200	-	1	2	44	66	35	25	15	5	5	2	65	3	1	1	9	22	10	7	6	3	3	-
White	148	-	1	1	32	44	28	19	13	3	5	2	47	2	1	1	7	14	8	5	5	3	1	-
All other	52	-	-	1	12	22	7	6	2	2	-	-	18	1	-	-	2	8	2	2	1	-	2	-
Black	52	-	-	1	12	22	7	6	2	2	-	-	18	1	-	-	2	8	2	2	1	-	2	-
All other external causes (E980-E999)	24	-	-	-	6	12	2	2	1	-	1	-	11	1	-	-	1	2	2	1	2	2	-	-
White	23	-	-	-	6	11	2	2	1	-	1	-	9	1	-	-	1	1	2	1	1	2	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,434	528	103	178	709	892	959	1,497	3,291	4,883	4,525	1,864	16,939	399	77	70	212	329	464	906	2,149	3,654	4,874	3,803
White	13,197	217	48	99	417	502	577	944	2,295	3,505	3,296	1,295	11,571	178	38	40	129	164	246	500	1,331	2,474	3,582	2,889
All other	6,237	311	55	79	292	390	382	553	996	1,378	1,229	569	5,368	221	39	30	83	165	218	406	818	1,180	1,292	914
Black	6,166	308	54	72	285	377	376	547	986	1,370	1,220	568	5,329	216	38	29	83	164	213	403	815	1,177	1,283	906
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	3	–	–	–	–	–	1	–	–	–	1	4	1	–	–	–	–	–	–	1	1	1	–
White	2	1	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	1	1	–	–
All other	3	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Tuberculosis (010-018)	29	–	–	–	1	–	3	5	4	6	7	3	10	–	1	–	1	2	–	1	2	–	–	3
White	10	–	–	–	–	–	1	1	–	4	2	2	2	–	1	–	–	–	–	–	–	–	–	–
All other	19	–	–	–	1	–	2	4	4	2	5	1	8	–	–	–	1	1	–	1	2	–	–	3
Black	19	–	–	–	1	–	2	4	4	2	5	1	8	–	–	–	1	1	–	1	2	–	–	3
Tuberculosis of respiratory system (010-012)	28	–	–	–	1	–	3	4	4	6	7	3	7	–	1	–	–	1	–	1	1	–	–	3
White	10	–	–	–	–	–	1	1	–	4	2	2	1	–	1	–	–	–	–	–	–	–	–	–
All other	18	–	–	–	1	–	2	3	4	2	5	1	6	–	–	–	–	1	–	1	1	–	–	3
Black	18	–	–	–	1	–	2	3	4	2	5	1	6	–	–	–	–	1	–	1	1	–	–	3
Other tuberculosis (013-018)	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	1	1	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	224	8	4	2	1	6	6	17	35	44	65	36	284	6	–	–	3	3	13	14	34	47	76	88
White	118	1	1	1	–	2	4	9	15	20	38	26	155	4	–	–	1	–	3	4	11	27	48	57
All other	106	7	3	1	1	4	2	8	20	24	26	10	129	2	–	–	2	3	10	10	23	20	28	31
Black	103	7	3	1	1	4	2	8	19	23	25	10	129	2	–	–	2	3	10	10	23	20	28	31
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Viral hepatitis (070)	13	–	–	–	–	–	4	1	2	3	1	2	9	–	–	–	–	2	1	–	3	1	–	2
White	11	–	–	–	–	–	4	1	1	2	1	2	5	–	–	–	–	–	1	–	2	–	–	2
All other	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	2	–	–	1	1	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	2	–	–	1	1	–	–
Syphilis (090-097)	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	1	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	1	2	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	69	3	–	–	3	13	12	8	13	8	9	–	38	1	1	–	2	1	3	7	6	7	8	2
White	51	2	–	–	2	12	8	5	8	5	9	–	23	1	1	–	2	–	1	6	3	2	6	1
All other	18	1	–	–	1	1	4	3	5	3	–	–	15	–	–	–	–	1	2	1	3	5	2	1
Black	17	–	–	–	1	1	4	3	5	3	–	–	15	–	–	–	–	1	2	1	3	5	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,510	–	4	20	23	45	146	415	1,085	1,490	1,018	264	3,546	–	9	12	21	48	145	336	750	1,022	852	342
White	3,149	–	4	13	15	26	87	274	786	1,063	713	168	2,504	–	4	8	10	21	96	212	532	732	639	250
All other	1,361	–	–	7	8	19	59	141	299	427	305	96	1,042	–	5	4	11	25	49	124	218	290	223	92
Black	1,349	–	–	7	8	16	59	140	298	425	302	96	1,034	–	4	4	11	25	48	121	217	290	221	92

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	113	-	-	-	-	2	5	24	34	27	15	6	35	-	-	-	-	1	1	1	10	6	9	7
White	64	-	-	-	-	1	1	9	25	16	8	4	27	-	-	-	-	1	-	1	8	3	8	6
All other	49	-	-	-	-	1	4	15	9	11	7	2	8	-	-	-	-	-	1	-	2	3	1	1
Black	48	-	-	-	-	1	4	15	9	10	7	2	8	-	-	-	-	-	1	-	2	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,013	-	1	2	3	9	44	79	240	330	239	66	934	-	-	1	4	6	15	57	141	283	290	137
White	676	-	1	-	3	4	18	49	159	235	164	43	633	-	-	1	3	5	5	24	42	94	94	33
All other	337	-	-	2	-	5	26	30	81	95	75	23	301	-	-	1	3	5	4	23	42	94	93	33
Black	335	-	-	2	-	5	26	30	80	95	74	23	298	-	-	1	3	5	4	23	42	94	93	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,809	-	-	-	1	5	42	193	533	657	328	50	663	-	-	-	-	-	20	70	190	227	124	32
White	1,313	-	-	-	1	1	25	121	401	487	243	35	499	-	-	-	-	-	13	47	144	161	93	21
All other	496	-	-	-	1	4	17	72	132	170	85	15	164	-	-	-	-	-	7	23	46	46	31	11
Black	493	-	-	-	1	3	17	71	132	169	85	16	164	-	-	-	-	-	7	23	46	46	31	11
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	-	2	1	-	562	-	-	-	-	8	54	97	130	144	91	37
White	3	-	-	-	-	-	-	1	-	1	1	-	388	-	-	-	-	5	34	60	88	106	74	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	174	-	-	-	-	3	20	37	42	38	17	16
Black	1	-	-	-	-	-	-	-	-	1	-	-	174	-	-	-	-	3	20	37	42	38	17	16
Malignant neoplasms of genital organs (179-187)	448	-	-	-	1	-	5	5	39	141	181	76	375	-	-	-	3	13	20	43	87	106	79	24
White	243	-	-	-	1	-	5	1	22	70	106	38	236	-	-	-	2	3	16	21	57	68	51	18
All other	205	-	-	-	-	-	-	4	17	71	75	38	139	-	-	-	1	10	4	22	30	38	28	6
Black	205	-	-	-	-	-	-	4	17	71	75	38	136	-	-	-	1	10	4	20	29	38	28	6
Malignant neoplasms of urinary organs (188-189)	188	-	-	1	-	-	6	26	27	49	81	18	104	-	-	-	-	-	3	6	17	26	31	21
White	150	-	-	1	-	-	4	21	26	40	44	14	89	-	-	-	-	-	3	5	15	22	28	16
All other	38	-	-	-	-	-	2	5	1	9	17	4	15	-	-	-	-	-	-	1	2	4	3	5
Black	37	-	-	-	-	-	2	5	1	9	16	4	14	-	-	-	-	-	-	1	2	4	2	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	598	-	2	10	9	14	31	64	148	181	107	32	532	-	5	7	6	12	22	45	124	126	135	50
White	447	-	2	6	5	11	25	54	103	138	83	22	379	-	3	6	4	9	16	30	87	88	100	36
All other	151	-	-	4	4	3	6	10	45	45	24	10	153	-	2	1	2	3	6	15	37	38	35	14
Black	147	-	-	4	4	2	6	10	43	45	23	10	153	-	2	1	2	3	6	15	37	38	35	14
Leukemia (204-208)	133	-	1	6	9	5	4	5	19	39	36	9	131	-	4	3	4	4	6	13	18	30	31	18
White	108	-	1	6	6	2	1	5	17	30	33	7	91	-	1	2	1	2	2	12	13	20	25	13
All other	25	-	-	-	3	3	3	-	2	9	3	2	40	-	3	1	3	2	4	1	5	10	6	5
Black	25	-	-	-	3	3	3	-	2	9	3	2	39	-	2	1	3	2	4	1	5	10	6	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	204	-	-	1	-	10	9	18	45	64	50	7	210	-	-	1	4	2	4	4	33	74	72	16
White	145	-	-	-	-	7	8	13	33	48	31	5	162	-	-	-	2	-	2	3	21	55	64	15
All other	59	-	-	1	-	3	1	5	12	16	19	2	48	-	-	1	2	2	2	1	12	19	8	1
Black	58	-	-	1	-	2	1	5	12	16	19	2	48	-	-	1	2	2	2	1	12	19	8	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	67	-	-	1	3	-	5	6	13	13	17	9	68	-	-	1	-	3	5	4	9	17	20	9
White	48	-	-	-	2	-	4	4	7	9	13	9	50	-	-	1	-	3	4	2	6	12	16	6
All other	19	-	-	1	1	-	1	2	6	4	4	-	18	-	-	-	-	-	1	2	3	5	4	3
Black	18	-	-	1	1	-	1	2	5	4	4	-	17	-	-	-	-	-	1	2	3	5	4	2
Diabetes mellitus (250)	310	-	-	-	3	4	18	24	46	109	75	31	517	-	-	-	2	6	10	33	81	140	160	85
White	186	-	-	-	1	3	10	12	23	68	49	20	264	-	-	-	2	3	4	11	33	69	101	41
All other	124	-	-	-	2	1	8	12	23	41	26	11	253	-	-	-	-	3	6	22	48	71	59	44
Black	124	-	-	-	2	1	8	12	23	41	26	11	253	-	-	-	-	3	6	22	48	71	59	44
Nutritional deficiencies (260-269)	23	-	-	-	-	1	-	1	2	6	3	10	33	1	-	-	-	-	-	-	1	1	15	15
White	12	-	-	-	-	-	-	1	1	3	3	4	17	-	-	-	-	-	-	-	-	-	7	10
All other	11	-	-	-	-	1	-	-	1	3	-	6	16	1	-	-	-	-	-	-	1	1	8	5
Black	11	-	-	-	-	1	-	-	1	3	-	6	16	1	-	-	-	-	-	-	1	1	8	5
Anemias (280-285)	37	-	5	1	4	2	3	-	4	3	6	9	48	1	1	1	-	3	-	1	5	5	17	14
White	17	-	-	-	1	-	1	-	3	3	2	7	26	-	-	1	-	-	-	-	1	3	12	9
All other	20	-	5	1	3	2	2	-	1	-	4	2	22	1	1	-	-	3	-	1	4	2	5	5
Black	20	-	5	1	3	2	2	-	1	-	4	2	21	1	1	-	-	3	-	1	4	2	4	5
Meningitis (320-322)	16	6	1	-	1	3	-	1	-	4	1	-	9	2	3	-	-	1	-	-	-	-	3	-
White	11	4	1	-	1	-	-	-	-	4	1	-	4	1	2	-	-	-	-	-	-	-	1	-
All other	5	1	-	-	-	3	-	1	-	-	-	-	5	1	1	-	-	1	-	-	-	-	2	-
Black	5	1	-	-	-	3	-	1	-	-	-	-	5	1	1	-	-	1	-	-	-	-	2	-
Major cardiovascular diseases (390-448)	7,979	10	6	9	22	77	250	572	1,420	2,255	2,323	1,033	8,274	10	5	2	15	56	106	296	842	1,748	2,762	2,432
White	5,616	2	2	6	13	34	147	353	990	1,646	1,718	705	5,708	3	2	1	5	19	40	134	471	1,110	2,038	1,685
All other	2,363	8	4	3	9	43	103	219	430	609	605	328	2,566	7	3	1	10	37	66	162	371	638	724	747
Black	2,348	8	4	3	9	42	103	218	425	606	601	327	2,549	7	3	1	10	37	66	162	370	635	718	540

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,398	9	4	6	15	59	219	484	1,205	1,838	1,777	781	6,345	9	5	2	8	39	74	231	670	1,392	2,121	1,794
White	4,600	2	1	3	8	26	129	320	876	1,363	1,339	533	4,423	2	2	1	2	13	29	107	381	898	1,593	1,395
All other	1,798	7	3	3	7	33	90	164	329	475	438	248	1,922	7	3	1	6	26	45	124	289	494	528	399
Black	1,787	7	3	3	7	32	90	163	326	472	435	248	1,910	7	3	1	6	26	45	124	288	492	523	395
Rheumatic fever and rheumatic heart disease (390-398)	25	-	-	-	2	3	3	2	5	5	4	1	47	-	-	-	-	1	2	12	7	14	8	3
White	17	-	-	-	1	1	2	-	4	5	4	-	35	-	-	-	-	1	1	9	4	11	8	1
All other	8	-	-	-	1	2	1	2	1	-	-	1	12	-	-	-	-	-	1	3	3	3	-	2
Black	8	-	-	-	1	2	1	2	1	-	-	1	12	-	-	-	-	-	1	3	3	3	-	2
Hypertensive heart disease (402)	244	-	-	-	-	3	14	20	38	89	64	16	309	-	-	-	-	-	5	21	48	76	108	53
White	102	-	-	-	-	1	4	8	16	39	29	5	131	-	-	-	-	-	1	2	14	31	54	29
All other	142	-	-	-	-	2	10	12	22	50	35	11	178	-	-	-	-	-	4	19	34	45	52	24
Black	141	-	-	-	-	2	10	12	22	49	35	11	177	-	-	-	-	-	4	19	34	45	52	23
Hypertensive heart and renal disease (404)	29	-	-	-	-	-	3	2	-	9	7	8	28	-	-	-	-	-	-	1	3	5	11	8
White	8	-	-	-	-	-	-	-	-	3	3	2	16	-	-	-	-	-	-	-	2	1	7	6
All other	21	-	-	-	-	-	3	2	-	6	4	6	12	-	-	-	-	-	-	1	1	4	4	2
Black	21	-	-	-	-	-	3	2	-	6	4	6	12	-	-	-	-	-	-	1	1	4	4	2
Ischemic heart disease (410-414)	4,189	-	-	-	3	27	145	355	861	1,238	1,110	450	3,655	1	-	-	-	15	41	120	406	858	1,229	985
White	3,190	-	-	-	2	17	99	251	663	973	875	310	2,675	-	-	-	-	5	16	65	251	588	958	792
All other	999	-	-	-	1	10	46	104	198	265	235	140	980	1	-	-	-	10	25	55	155	270	271	193
Black	994	-	-	-	1	10	46	103	197	263	234	140	972	1	-	-	-	10	25	55	154	269	268	190
Acute myocardial infarction (410)	2,588	-	-	-	2	24	110	260	605	784	620	183	2,000	1	-	-	-	12	35	82	288	538	651	373
White	1,991	-	-	-	1	15	74	192	475	614	487	133	1,456	-	-	-	-	4	14	55	182	376	517	308
All other	597	-	-	-	1	9	36	68	130	170	133	50	544	1	-	-	-	8	21	27	116	162	134	65
Black	595	-	-	-	1	9	36	67	130	169	133	50	540	1	-	-	-	8	21	27	115	162	133	63
Other acute and subacute forms of ischemic heart disease (411)	25	-	-	-	-	-	2	1	3	5	10	4	27	-	-	-	-	1	-	-	1	10	6	9
White	16	-	-	-	-	-	2	-	3	1	9	1	20	-	-	-	-	-	-	-	-	7	6	7
All other	9	-	-	-	-	-	-	1	-	4	1	3	7	-	-	-	-	1	-	-	1	3	-	2
Black	9	-	-	-	-	-	-	1	-	4	1	3	7	-	-	-	-	1	-	-	1	3	-	2
Angina pectoris (413)	15	-	-	-	-	-	1	1	3	3	5	2	24	-	-	-	-	-	-	-	2	10	5	7
White	14	-	-	-	-	-	1	1	2	3	5	2	19	-	-	-	-	-	-	-	2	6	5	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	4	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	4	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,561	-	-	-	1	3	32	93	250	446	475	261	1,604	-	-	-	-	2	6	28	105	300	567	596
White	1,169	-	-	-	1	2	22	58	183	355	374	174	1,180	-	-	-	-	1	2	10	67	199	430	471
All other	392	-	-	-	-	1	10	35	67	91	101	87	424	-	-	-	-	1	4	18	38	101	137	125
Black	389	-	-	-	-	1	10	35	66	90	100	87	420	-	-	-	-	1	4	18	38	100	135	124
Other diseases of endocardium (424)	50	-	-	-	-	1	3	-	8	17	14	7	75	-	-	-	1	-	1	-	7	15	28	23
White	36	-	-	-	-	1	2	-	5	13	10	5	60	-	-	-	-	-	-	-	3	13	25	19
All other	14	-	-	-	-	-	1	-	3	4	4	2	15	-	-	-	1	-	1	-	4	2	3	4
Black	14	-	-	-	-	-	1	-	3	4	4	2	15	-	-	-	1	-	1	-	4	2	3	4
All other forms of heart disease (415-423,425-429)	1,861	9	4	6	10	25	51	105	293	480	578	299	2,231	8	5	2	7	23	25	77	199	424	739	722
White	1,247	2	1	3	5	6	22	81	188	330	418	211	1,506	2	2	1	2	7	11	31	107	254	541	548
All other	614	7	3	3	5	19	29	44	105	150	160	88	725	6	3	1	5	16	14	46	92	170	198	174
Black	609	7	3	3	5	18	29	44	103	150	158	88	722	6	3	1	5	16	14	46	92	169	196	174
Hypertension with or without renal disease (401,403)	82	-	-	-	-	1	2	3	16	12	20	8	89	-	-	-	-	1	4	4	18	20	24	18
White	33	-	-	-	-	-	-	3	5	8	10	7	38	-	-	-	-	-	1	-	6	10	11	10
All other	29	-	-	-	-	1	2	-	11	4	10	1	51	-	-	-	-	1	3	4	12	10	13	8
Black	29	-	-	-	-	1	2	-	11	4	10	1	51	-	-	-	-	1	3	4	12	10	13	8
Cerebrovascular diseases (430-438)	1,122	1	2	2	7	16	26	70	138	292	393	174	1,458	1	-	-	6	16	24	50	133	276	489	463
White	687	-	1	2	5	7	16	22	69	185	265	115	959	1	-	-	3	6	8	21	72	160	336	352
All other	435	1	1	-	2	9	10	48	69	107	128	59	499	-	-	-	3	10	16	29	61	116	153	111
Black	431	1	1	-	2	9	10	48	67	107	127	58	495	-	-	-	3	10	16	29	61	115	152	109
Intracerebral and other intracranial hemorrhage (431-432)	186	-	-	2	3	10	8	18	33	45	40	6	186	-	-	-	3	6	9	15	35	39	54	25
White	99	-	-	2	3	3	5	6	18	33	27	2	113	-	-	-	1	1	3	6	19	23	41	19
All other	87	-	-	-	-	7	3	12	15	12	13	4	73	-	-	-	2	5	6	9	16	16	13	6
Black	87	-	-	-	-	7	3	12	15	12	13	4	72	-	-	-	2	5	6	9	16	16	12	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	146	1	1	-	-	3	1	10	18	38	52	24	222	-	-	-	-	1	-	4	14	34	75	94
White	103	-	1	-	-	2	1	3	11	29	36	20	160	-	-	-	-	1	-	1	9	23	53	73
All other	43	1	-	-	-	1	-	7	5	9	16	4	62	-	-	-	-	-	-	3	5	11	22	21
Black	42	1	-	-	-	1	-	7	4	9	16	4	62	-	-	-	-	-	-	3	5	11	22	21

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	6	-	-	-	-	-	-	2	-	1	3	-	6	-	-	-	-	-	-	-	-	2	2	2
White	6	-	-	-	-	-	-	2	-	1	3	-	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-436)	804	-	1	-	4	3	17	40	89	208	298	144	1,044	1	-	-	3	9	15	31	84	201	358	342
White	479	-	-	-	2	2	10	11	40	122	199	93	680	1	-	-	2	4	5	14	44	112	240	258
All other	325	-	1	-	2	1	7	29	49	86	99	51	364	-	-	-	1	5	10	17	40	89	118	84
Black	322	-	1	-	2	1	7	29	48	86	98	50	361	-	-	-	1	5	10	17	40	88	118	82
Atherosclerosis (440)	191	-	-	-	-	-	1	6	27	34	62	61	244	-	-	-	1	-	1	4	5	23	79	131
White	136	-	-	-	-	-	-	3	15	27	48	43	186	-	-	-	-	-	1	2	2	15	59	107
All other	55	-	-	-	-	-	1	3	12	7	14	18	58	-	-	-	1	-	-	2	3	8	20	24
Black	55	-	-	-	-	-	1	3	12	7	14	18	57	-	-	-	1	-	-	2	3	8	20	23
Other diseases of arteries, arterioles, and capillaries (441-448)	206	-	-	1	-	1	2	9	34	79	71	9	138	-	-	-	-	-	3	7	16	37	49	26
White	160	-	-	1	-	1	2	5	25	63	56	7	102	-	-	-	-	-	1	4	10	27	39	21
All other	46	-	-	-	-	-	-	4	9	16	15	2	36	-	-	-	-	-	2	3	6	10	10	5
Black	46	-	-	-	-	-	-	4	9	16	15	2	36	-	-	-	-	-	2	3	6	10	10	5
Acute bronchitis and bronchiolitis (466)	6	-	-	-	-	1	1	-	-	3	1	-	2	1	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	1	1	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	455	19	1	-	4	5	5	16	47	75	165	118	466	8	-	-	4	3	4	11	24	58	154	200
White	309	6	1	-	1	4	-	6	26	50	127	88	356	3	-	-	1	1	2	5	15	44	119	166
All other	146	13	-	-	3	1	5	10	21	25	38	30	110	5	-	-	3	2	2	6	9	14	35	34
Black	145	13	-	-	3	-	5	10	21	25	38	30	110	5	-	-	3	2	2	6	9	14	35	34
Pneumonia (480-486)	450	19	1	-	4	5	5	16	47	74	162	117	458	8	-	-	4	3	4	11	24	57	151	196
White	304	6	1	-	1	4	-	6	26	49	124	87	350	3	-	-	1	1	2	5	15	43	117	163
All other	146	13	-	-	3	1	5	10	21	25	38	30	108	5	-	-	3	2	2	6	9	14	34	33
Black	145	13	-	-	3	-	5	10	21	25	38	30	108	5	-	-	3	2	2	6	9	14	34	33
Influenza (487)	5	-	-	-	-	-	-	-	-	1	3	1	8	-	-	-	-	-	-	-	-	1	3	4
White	5	-	-	-	-	-	-	-	-	1	3	1	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	627	-	-	-	3	3	3	17	99	224	218	60	387	2	-	1	2	3	5	18	75	139	111	31
White	497	-	-	-	1	-	1	8	73	169	189	56	332	1	-	1	1	1	1	12	61	120	106	28
All other	130	-	-	-	2	3	2	9	26	55	29	4	55	1	-	-	1	2	4	6	14	19	5	3
Black	129	-	-	-	2	2	2	9	26	55	29	4	55	1	-	-	1	2	4	6	14	19	5	3
Bronchitis, chronic and unspecified (490-491)	16	-	-	-	-	-	-	2	2	6	5	1	17	2	-	-	1	-	-	-	5	3	5	1
White	12	-	-	-	-	-	-	2	2	4	3	1	15	1	-	-	-	-	-	-	5	3	5	1
All other	4	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	1	-	-	-	-	-	-	-
Emphysema (492)	161	-	-	-	-	-	-	4	30	59	54	14	71	-	-	-	-	-	-	3	14	29	22	3
White	139	-	-	-	-	-	-	4	24	46	51	14	64	-	-	-	-	-	-	2	11	27	21	3
All other	22	-	-	-	-	-	-	-	6	13	3	-	7	-	-	-	-	-	-	1	3	2	1	-
Black	22	-	-	-	-	-	-	-	6	13	3	-	7	-	-	-	-	-	-	1	3	2	1	-
Asthma (493)	23	-	-	-	3	3	-	1	4	8	4	-	46	-	-	-	1	3	4	3	10	15	7	3
White	11	-	-	-	1	-	-	-	2	4	4	-	25	-	-	-	1	1	1	1	4	8	6	3
All other	12	-	-	-	2	3	-	1	2	4	-	-	21	-	-	-	-	2	3	2	6	7	1	-
Black	11	-	-	-	2	2	-	1	2	4	-	-	21	-	-	-	-	2	3	2	6	7	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	427	-	-	-	-	-	3	10	63	151	155	45	253	-	-	1	-	-	1	12	46	92	77	24
White	335	-	-	-	-	-	1	2	45	115	131	41	228	-	-	1	-	-	-	9	41	82	74	21
All other	92	-	-	-	-	-	2	8	18	36	24	4	25	-	-	-	-	-	1	3	5	10	3	3
Black	92	-	-	-	-	-	2	8	18	36	24	4	25	-	-	-	-	-	1	3	5	10	3	3
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	1	1	2	5	19	12	6	35	-	-	-	-	-	-	2	2	6	16	9
White	30	-	-	-	-	-	-	-	3	13	10	4	31	-	-	-	-	-	-	1	1	6	15	8
All other	16	-	-	-	-	1	1	2	2	6	2	2	4	-	-	-	-	-	-	1	1	-	1	1
Black	16	-	-	-	-	1	1	2	2	6	2	2	4	-	-	-	-	-	-	1	1	-	1	1
Appendicitis (540-543)	5	1	-	-	-	-	-	-	-	1	2	1	10	-	-	-	1	-	2	-	2	2	2	1
White	3	1	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	1	-	1	2	1	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	1	-	1	-	1	-	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	1	-	1	-	1	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	2	-	-	-	-	1	1	4	9	10	6	56	1	1	-	-	-	-	-	4	12	16	22
White	23	1	-	-	-	-	-	1	2	6	8	5	41	1	1	-	-	-	-	-	3	7	13	16
All other	10	1	-	-	-	-	1	-	2	3	2	1	15	-	-	-	-	-	-	-	1	5	3	6
Black	10	1	-	-	-	-	1	-	2	3	2	1	15	-	-	-	-	-	-	-	1	5	3	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	233	-	-	-	2	10	29	50	72	51	18	2	145	-	1	-	-	6	7	28	41	35	20	7
White	171	-	-	-	1	3	16	37	57	42	13	2	100	-	1	-	-	-	3	17	25	29	18	7
All other	62	-	-	-	1	7	13	13	15	9	3	-	45	-	-	-	-	6	4	11	16	6	2	-
Black	60	-	-	-	1	7	13	11	15	9	3	-	45	-	-	-	-	6	4	11	16	6	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	1	-	-	-	2	7	6	7	3	32	-	-	1	-	1	2	-	3	5	11	9
White	17	-	-	-	-	-	-	1	6	5	3	2	24	-	-	-	-	-	1	-	3	4	8	8
All other	9	-	-	1	-	-	-	1	1	1	4	1	8	-	-	1	-	1	1	-	-	1	3	1
Black	9	-	-	1	-	-	-	1	1	1	4	1	8	-	-	1	-	1	1	-	-	1	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	240	5	-	-	1	4	6	9	40	66	74	35	288	4	-	1	2	4	4	9	27	54	85	78
White	135	2	-	-	-	2	2	1	19	43	43	23	161	2	-	1	1	1	2	6	8	35	50	55
All other	105	3	-	-	1	2	4	8	21	23	31	12	107	2	-	-	1	3	2	3	19	19	35	23
Black	105	3	-	-	1	2	4	8	21	23	31	12	106	2	-	-	1	3	2	3	18	19	35	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	3	-	-	-	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	1	-	-	-	-	1	-	3	1	4	3	14	-	-	-	-	-	-	1	1	2	8	2
White	7	1	-	-	-	-	1	-	2	-	2	1	7	-	-	-	-	-	-	1	1	-	4	1
All other	6	-	-	-	-	-	-	-	1	1	2	2	7	-	-	-	-	-	-	-	-	2	4	1
Black	6	-	-	-	-	-	-	-	1	1	2	2	7	-	-	-	-	-	-	-	-	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	224	4	-	-	-	4	5	9	36	64	70	32	250	4	-	1	2	4	4	8	26	52	76	73
White	128	1	-	-	-	2	1	1	17	43	41	22	152	2	-	1	1	1	2	5	7	35	46	52
All other	96	3	-	-	-	2	4	8	19	21	29	10	98	2	-	-	1	3	2	3	19	17	30	21
Black	96	3	-	-	-	2	4	8	19	21	29	10	97	2	-	-	1	3	2	3	18	17	30	21
Infections of kidney (590)	13	-	-	-	-	-	1	-	-	1	4	6	21	-	-	-	-	-	-	1	2	2	6	10
White	10	-	-	-	-	-	-	-	-	1	3	5	15	-	-	-	-	-	-	-	2	1	5	7
All other	3	-	-	-	-	-	1	-	-	-	1	1	6	-	-	-	-	-	-	1	-	1	1	3
Black	3	-	-	-	-	-	1	-	-	-	1	1	6	-	-	-	-	-	-	1	-	1	1	3
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	-	-	-	-	-	-	-	-	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	-	-	-	-	-	-	-	-	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Congenital anomalies (740-759)	141	94	14	11	4	2	5	7	1	1	1	1	127	66	4	3	4	3	7	1	8	7	1	1
White	81	50	7	9	2	2	5	2	1	1	1	1	71	47	2	2	3	2	4	-	4	6	1	-
All other	60	44	7	2	2	-	-	5	-	-	-	-	56	41	2	1	1	1	3	1	4	1	-	1
Black	59	44	7	2	1	-	-	5	-	-	-	-	54	39	2	1	1	1	3	1	4	1	-	1
Certain conditions originating in the perinatal period (760-779)	282	282	-	-	-	-	-	-	-	-	-	-	190	189	1	-	-	-	-	-	-	-	-	-
White	116	116	-	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
All other	166	166	-	-	-	-	-	-	-	-	-	-	108	107	1	-	-	-	-	-	-	-	-	-
Black	165	165	-	-	-	-	-	-	-	-	-	-	105	104	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	88	88	-	-	-	-	-	-	-	-	-	-	67	67	-	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	47	47	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
Black	47	47	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	194	194	–	–	–	–	–	–	–	–	–	–	123	122	1	–	–	–	–	–	–	–	–	–
White	75	75	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
All other	119	119	–	–	–	–	–	–	–	–	–	–	72	71	1	–	–	–	–	–	–	–	–	–
Black	118	118	–	–	–	–	–	–	–	–	–	–	69	68	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	205	38	3	–	5	10	17	17	27	30	34	24	175	39	2	–	8	3	11	7	14	16	32	43
White	130	16	1	–	3	6	8	10	21	24	24	17	115	18	–	–	2	3	6	5	9	12	25	35
All other	75	22	2	–	2	4	9	7	6	6	10	7	60	21	2	–	6	–	5	2	5	4	7	8
Black	74	22	2	–	2	4	9	7	6	5	10	7	60	21	2	–	6	–	5	2	5	4	7	8
All other diseases (Residual)	1,352	38	14	15	27	98	103	112	172	286	331	158	1,355	28	11	11	16	38	50	77	144	247	388	345
White	873	10	8	10	11	52	60	68	104	199	233	118	910	7	6	8	10	17	15	41	85	190	273	258
All other	479	28	6	5	16	44	43	44	68	87	98	40	445	21	5	3	6	21	35	36	59	57	115	87
Black	473	28	6	5	14	43	43	43	68	86	97	40	443	21	5	3	6	20	34	36	59	57	115	87
Accidents and adverse effects (E800-E949)	1,462	18	43	104	377	302	185	114	112	81	90	35	555	15	36	32	76	71	43	33	43	63	92	51
White	977	4	18	52	258	209	134	81	81	51	64	24	385	5	18	13	60	49	31	21	36	46	68	38
All other	485	14	25	52	119	93	51	33	31	30	26	11	170	10	18	19	16	22	12	12	7	17	24	13
Black	469	13	24	45	116	91	50	32	31	30	26	11	167	10	18	18	16	22	10	12	7	17	24	13
Motor vehicle accidents (E810-E825)	734	2	15	46	251	175	108	49	40	20	23	5	249	3	12	15	63	47	28	19	21	22	16	3
White	509	1	5	23	180	122	77	38	29	13	19	4	190	3	9	7	53	33	22	11	17	20	12	3
All other	225	1	10	23	71	53	31	13	11	7	4	1	59	–	3	8	10	14	6	8	4	2	4	–
Black	220	1	10	22	70	52	30	12	11	7	4	1	57	–	3	7	10	14	5	8	4	2	4	–
All other accidents and adverse effects (E800-E807, E826-E949)	728	16	28	58	126	127	77	65	72	61	67	30	306	12	24	17	13	24	15	14	22	41	76	48
White	468	3	13	29	76	87	57	45	52	38	45	20	195	2	9	6	7	16	9	10	19	28	56	35
All other	260	13	15	29	48	40	20	20	20	23	22	10	111	10	15	11	6	8	6	4	3	15	20	13
Black	249	12	14	23	46	39	20	20	20	23	22	10	110	10	15	11	6	8	5	4	3	15	20	13
Suicide (E950-E959)	510	...	...	7	93	124	69	55	61	68	27	6	130	...	...	3	20	26	24	19	16	11	11	–
White	426	...	...	6	73	93	53	48	57	64	25	6	116	...	...	3	17	21	23	18	12	11	11	–
All other	84	...	...	1	20	31	16	7	4	4	1	–	14	...	...	–	3	5	1	1	4	–	–	–
Black	81	...	...	1	20	30	14	7	4	4	1	–	14	...	...	–	3	5	1	1	4	–	–	–
Homicide and legal intervention (E960-E978)	489	2	6	6	129	179	83	42	19	17	4	2	132	1	1	2	35	42	21	7	9	7	3	3
White	150	1	4	1	30	50	28	19	10	7	–	–	59	1	–	1	14	19	7	4	6	5	1	1
All other	339	1	2	5	99	129	55	23	9	10	4	2	73	–	1	1	21	23	14	3	3	2	2	2
Black	332	1	2	5	98	126	52	23	9	10	4	2	72	–	1	1	21	23	13	3	3	2	2	2
All other external causes (E980-E999)	14	–	1	–	3	4	2	2	1	–	–	1	3	–	–	–	–	1	1	1	–	–	–	–
White	11	–	1	–	2	3	2	2	1	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
All other	3	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
MAINE																								
All causes	5,621	75	14	24	105	118	164	322	841	1,447	1,655	856	5,616	72	11	5	36	47	83	205	509	1,084	1,726	1,858
White	5,590	75	12	23	103	116	161	317	837	1,443	1,648	855	5,596	72	10	5	35	47	82	201	506	1,080	1,726	1,852
All other	31	–	2	1	2	2	3	5	4	4	7	1	20	–	1	–	1	–	1	4	3	4	–	6
Black	19	–	1	1	–	–	2	4	3	2	5	1	8	–	–	–	–	–	1	–	1	3	–	3
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	33	-	-	-	-	-	-	-	2	12	8	11	52	-	-	-	-	-	-	-	2	11	9	30
White	33	-	-	-	-	-	-	-	2	12	8	11	51	-	-	-	-	-	-	-	2	10	9	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	1	-	-	1	2	-
White	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	1	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	12	-	-	1	-	1	3	1	1	1	4	-	12	1	1	-	-	-	1	-	2	4	2	1
White	10	-	-	1	-	-	2	1	1	1	4	-	12	1	1	-	-	-	1	-	2	4	2	1
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,357	-	1	2	5	10	33	109	284	438	355	120	1,300	-	2	1	5	12	46	112	225	375	351	171
White	1,349	-	-	2	5	10	32	107	283	437	353	120	1,293	-	2	1	5	12	45	108	225	374	351	170
All other	8	-	1	-	-	-	1	2	1	1	2	-	7	-	-	-	-	-	1	4	-	1	-	1
Black	7	-	1	-	-	-	-	2	1	1	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	47	-	-	-	-	-	3	7	12	18	5	2	12	-	-	-	-	-	-	1	2	5	4	-
White	47	-	-	-	-	-	3	7	12	18	5	2	12	-	-	-	-	-	-	1	2	5	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	324	-	-	1	-	1	5	26	54	113	93	31	348	-	-	-	-	-	2	17	46	106	114	63
White	322	-	-	1	-	1	5	25	54	112	93	31	348	-	-	-	-	-	2	17	46	106	114	63
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	475	-	-	-	-	-	7	39	137	168	102	22	254	-	-	-	-	-	4	28	56	87	62	16
White	475	-	-	-	-	-	7	39	137	168	102	22	252	-	-	-	-	-	4	28	56	87	62	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	2	-	-	209	-	-	-	-	3	20	27	48	47	43	21
White	2	-	-	-	-	-	-	-	-	2	-	-	208	-	-	-	-	3	19	27	48	47	43	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	135	-	-	-	-	1	2	4	12	35	53	28	134	-	-	-	-	4	10	17	26	40	24	13
White	133	-	-	-	-	1	2	3	12	35	52	28	132	-	-	-	-	4	10	15	26	40	24	13
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	88	-	-	-	-	-	1	4	19	25	28	11	53	-	-	-	-	-	1	2	5	17	22	6
White	88	-	-	-	-	-	1	4	19	25	28	11	53	-	-	-	-	-	1	2	5	17	22	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	171	-	-	-	1	6	14	17	32	38	49	14	155	-	1	1	1	4	5	10	22	38	40	33
White	170	-	-	-	1	6	14	17	32	38	48	14	154	-	1	1	1	4	5	9	22	38	40	33
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	51	-	-	1	3	-	-	6	8	18	9	6	51	-	1	-	3	1	1	2	9	12	10	12
White	51	-	-	1	3	-	-	6	8	18	9	6	51	-	1	-	3	1	1	2	9	12	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	64	-	1	-	1	2	1	6	10	21	16	6	84	-	-	-	1	-	3	7	11	23	32	7
White	61	-	-	-	1	2	-	6	9	21	16	6	83	-	-	-	1	-	3	7	11	22	32	7
All other	3	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	-	-	-	-	1	2	1	6	3	6	2	17	-	1	-	-	-	-	1	2	3	5	4
White	21	-	-	-	-	1	2	1	6	3	6	2	17	-	1	-	-	-	-	1	2	3	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	72	-	-	-	-	1	3	3	10	24	23	8	110	-	-	-	-	2	1	2	14	27	39	25
White	71	-	-	-	-	1	3	3	10	23	23	8	110	-	-	-	-	2	1	2	14	27	39	25
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	2	-	2	11	-	-	-	-	-	-	-	-	1	3	7
White	4	-	-	-	-	-	-	-	-	2	-	2	11	-	-	-	-	-	-	-	-	1	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	-	-	-	1	2	4	2	12	-	-	-	-	-	-	-	-	-	3	9
White	9	-	-	-	-	-	-	-	1	2	4	2	12	-	-	-	-	-	-	-	-	-	3	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-
White	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,558	2	1	1	1	13	60	125	364	684	829	478	2,788	3	1	-	1	3	9	47	149	461	934	1,180
White	2,549	2	1	1	1	13	60	124	362	683	825	477	2,782	3	1	-	1	3	9	47	147	460	934	1,177
All other	9	-	-	-	-	-	-	1	2	1	4	1	6	-	-	-	-	-	-	-	2	1	-	3
Black	6	-	-	-	-	-	-	1	2	-	2	1	3	-	-	-	-	-	-	-	1	-	-	2
Diseases of heart (390-398,402,404-429)	2,136	2	-	-	1	9	56	114	328	576	672	378	2,064	3	1	-	1	2	9	39	120	360	692	837
White	2,128	2	-	-	1	9	56	113	326	575	668	378	2,060	3	1	-	1	2	9	39	119	360	692	834
All other	8	-	-	-	-	-	-	1	2	1	4	-	4	-	-	-	-	-	-	-	1	-	-	3
Black	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	1	-	-	2
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	-	1	1	3	1	16	-	-	-	-	-	-	1	1	7	5	2
White	6	-	-	-	-	-	-	-	1	1	3	1	16	-	-	-	-	-	-	1	1	7	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	25	-	-	-	-	1	1	5	6	4	3	5	56	-	-	-	-	-	1	3	1	7	16	28
White	25	-	-	-	-	1	1	5	6	4	3	5	56	-	-	-	-	-	1	3	1	7	16	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,628	-	-	-	-	4	43	88	253	450	526	264	1,417	-	-	-	-	1	4	24	91	263	487	547
White	1,621	-	-	-	-	4	43	88	251	449	522	264	1,414	-	-	-	-	1	4	24	91	263	487	544
All other	7	-	-	-	-	-	-	-	2	1	4	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	4	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2
Acute myocardial infarction (410)	695	-	-	-	-	3	30	63	152	273	268	106	698	-	-	-	-	-	4	15	55	149	271	204
White	691	-	-	-	-	3	30	63	151	272	266	106	698	-	-	-	-	-	4	15	55	149	271	204
All other	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	1	3	3	4	2	1	12	-	-	-	-	-	-	1	1	5	2	3
White	14	-	-	-	-	-	1	3	3	4	2	1	12	-	-	-	-	-	-	1	1	5	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	2	-	-	1	4	-	-	-	-	-	-	-	-	1	1	2
White	3	-	-	-	-	-	-	-	2	-	-	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	716	-	-	-	-	1	12	22	96	173	256	156	703	-	-	-	-	1	-	8	35	108	213	338
White	713	-	-	-	-	1	12	22	95	173	254	156	700	-	-	-	-	1	-	8	35	108	213	335
All other	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of endocardium (424)	26	-	-	-	-	-	-	1	4	8	7	6	41	-	-	-	-	-	-	-	1	6	25	9
White	26	-	-	-	-	-	-	1	4	8	7	6	41	-	-	-	-	-	-	-	1	6	25	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	450	2	-	-	1	4	12	20	64	113	132	102	529	3	1	-	1	1	4	11	26	77	158	247
White	449	2	-	-	1	4	12	19	64	113	132	102	528	3	1	-	1	1	4	11	25	77	158	247
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertension with or without renal disease (401,403)	21	-	-	-	-	-	-	-	1	9	4	7	21	-	-	-	-	-	-	-	-	4	10	7
White	21	-	-	-	-	-	-	-	1	9	4	7	21	-	-	-	-	-	-	-	-	4	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	262	-	-	1	-	4	4	9	20	58	100	66	506	-	-	-	-	1	-	8	23	76	174	226
White	262	-	-	1	-	4	4	9	20	58	100	66	504	-	-	-	-	1	-	6	22	75	174	226
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	41	-	-	-	-	1	-	5	5	12	13	5	53	-	-	-	-	-	-	2	6	17	14	14
White	41	-	-	-	-	1	-	5	5	12	13	5	53	-	-	-	-	-	-	2	6	17	14	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	1	-	-	4	7	10	9	56	-	-	-	-	-	-	-	-	8	20	28
White	31	-	-	-	-	1	-	-	4	7	10	9	56	-	-	-	-	-	-	-	-	8	20	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	3	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1	-
White	3	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	187	-	-	-	-	2	4	4	11	39	77	50	395	-	-	-	-	1	-	4	16	51	139	184
White	187	-	-	-	-	2	4	4	11	39	77	50	393	-	-	-	-	1	-	4	15	50	139	184
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	60	-	-	-	-	-	-	1	7	10	21	21	123	-	-	-	-	-	-	1	3	7	24	88
White	59	-	-	-	-	-	-	1	7	10	21	20	123	-	-	-	-	-	-	1	3	7	24	88
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	79	-	1	-	-	-	-	1	8	31	32	6	74	-	-	-	-	-	-	1	3	14	34	22
White	79	-	1	-	-	-	-	1	8	31	32	6	74	-	-	-	-	-	-	1	3	14	34	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	187	-	1	-	-	1	1	3	16	35	68	62	242	-	-	-	-	-	1	4	10	21	56	150
White	187	-	1	-	-	1	1	3	16	35	68	62	240	-	-	-	-	-	1	4	10	20	56	149
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	176	-	1	-	-	1	1	3	16	32	63	59	211	-	-	-	-	-	1	3	10	16	51	126
White	176	-	1	-	-	1	1	3	16	32	63	59	209	-	-	-	-	-	1	3	10	17	51	127
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Influenza (487)	11	-	-	-	-	-	-	-	-	3	5	3	31	-	-	-	-	-	-	1	-	3	5	22
White	11	-	-	-	-	-	-	-	-	3	5	3	31	-	-	-	-	-	-	1	-	3	5	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	328	-	-	-	-	-	1	9	46	92	135	45	193	-	-	-	-	1	1	4	25	60	77	25
White	327	-	-	-	-	-	1	8	46	92	135	45	193	-	-	-	-	1	1	4	25	60	77	25
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	23	-	-	-	-	-	-	-	3	7	10	3	15	-	-	-	-	-	-	-	2	8	4	1
White	23	-	-	-	-	-	-	-	3	7	10	3	15	-	-	-	-	-	-	-	2	8	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	49	-	-	-	-	-	-	1	11	16	18	3	17	-	-	-	-	-	-	-	3	4	5	5
White	49	-	-	-	-	-	-	1	11	16	18	3	17	-	-	-	-	-	-	-	3	4	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	11	-	-	-	-	-	-	1	5	3	2	-	16	-	-	-	-	-	1	1	2	2	3	5	2
White	11	-	-	-	-	-	-	1	5	3	2	-	16	-	-	-	-	-	1	1	2	2	3	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	245	-	-	-	-	-	1	7	27	66	105	39	145	-	-	-	-	-	-	2	18	45	63	17
White	244	-	-	-	-	-	1	6	27	66	105	39	145	-	-	-	-	-	-	2	18	45	63	17
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	18	-	-	-	-	-	1	1	1	4	10	1	16	-	-	-	-	-	-	-	1	5	6	4
White	18	-	-	-	-	-	1	1	1	4	10	1	16	-	-	-	-	-	-	-	1	5	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	-	-	-	3	2	2	4	22	-	-	-	-	-	-	1	3	1	6	11
White	11	-	-	-	-	-	-	-	3	2	2	4	22	-	-	-	-	-	-	1	3	1	6	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	73	1	-	-	-	2	4	10	20	21	14	1	44	-	-	-	-	1	1	8	12	9	12	1
White	71	1	-	-	-	1	4	9	20	21	14	1	44	-	-	-	-	1	1	8	12	9	12	1
All other	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	2	1	2	2	10	-	-	-	-	-	-	-	-	1	3	6
White	7	-	-	-	-	-	-	-	2	1	2	2	10	-	-	-	-	-	-	-	-	1	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	57	2	-	-	-	-	-	2	4	6	27	16	43	-	-	-	-	-	-	1	-	-	7	17	18
White	57	2	-	-	-	-	-	2	4	6	27	16	43	-	-	-	-	-	-	1	-	-	7	17	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	–	–	1	–	2	1	6	–	–	–	–	–	1	–	–	1	2	1
White	4	–	–	–	–	–	–	–	1	–	2	1	5	–	–	–	–	–	1	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	53	2	–	–	–	–	–	2	3	6	25	15	38	–	–	–	–	–	–	–	–	6	15	17
White	53	2	–	–	–	–	–	2	3	6	25	15	38	–	–	–	–	–	–	–	–	6	15	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	4	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–	1	1	–	–	–	2	–
White	4	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–	1	1	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	32	18	2	1	2	1	2	2	–	2	1	1	31	23	1	–	–	1	–	–	3	2	–	1
White	32	18	2	1	2	1	2	2	–	2	1	1	31	23	1	–	–	1	–	–	3	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	27	27	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
White	27	27	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	6	6	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	21	21	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
White	21	21	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	38	19	–	–	2	2	–	–	5	4	5	1	37	10	–	–	1	–	–	–	7	1	6	12
White	38	19	–	–	2	2	–	–	5	4	5	1	37	10	–	–	1	–	–	–	7	1	6	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	364	6	3	3	4	3	10	16	46	72	118	81	462	3	–	1	5	4	10	13	37	48	159	182
White	361	6	3	3	4	3	10	16	47	71	117	81	460	3	–	1	5	4	10	13	36	48	159	181
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Accidents and adverse effects (E800-E949)	278	–	5	15	70	49	28	20	19	31	27	14	131	1	5	3	20	13	6	6	10	21	27	19
White	274	–	4	15	68	49	27	20	18	31	27	14	129	1	4	3	19	13	6	6	10	21	27	19
All other	4	–	1	–	2	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	141	-	1	6	55	29	13	9	5	13	9	1	64	-	2	2	18	12	3	6	6	11	4	-
White	138	-	1	6	53	29	12	9	5	13	9	1	63	-	2	2	17	12	3	6	6	11	4	-
All other	3	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	137	-	4	9	15	20	15	11	14	18	18	13	67	1	3	1	2	1	3	-	4	10	23	19
White	136	-	3	9	15	20	15	11	14	18	18	13	66	1	2	1	2	1	3	-	4	10	23	19
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	102	...	...	1	18	25	14	17	7	10	8	2	28	...	...	-	2	7	3	5	5	4	2	-
White	101	...	...	-	18	25	14	17	7	10	8	2	28	...	...	-	2	7	3	5	5	4	2	-
All other	1	...	...	1	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	1	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	17	-	1	-	2	7	2	3	1	-	1	-	4	-	-	-	1	2	-	-	-	-	-	1
White	17	-	1	-	2	7	2	3	1	-	1	-	4	-	-	-	1	2	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND																								
All causes	19,424	458	69	76	554	756	874	1,455	3,519	5,170	4,476	2,006	17,934	358	50	60	176	334	460	882	2,088	3,896	5,098	4,530
White	14,721	238	31	44	363	410	499	950	2,619	4,128	3,700	1,736	14,110	198	30	37	115	181	267	569	1,479	2,997	4,257	3,977
All other	4,703	220	38	32	191	346	375	505	900	1,042	776	270	3,824	160	20	23	61	153	193	313	609	899	839	553
Black	4,574	212	36	30	183	340	362	491	879	1,015	755	263	3,721	154	20	19	60	150	182	306	590	877	818	544
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	1	2	2	1	6	2	9	-	-	-	-	1	-	-	1	1	5	1
White	9	-	-	-	-	-	-	1	2	-	5	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	5	-	-	-	-	-	1	1	-	1	1	1	5	-	-	-	-	1	-	-	1	-	2	1
Black	4	-	-	-	-	-	1	1	-	-	1	1	5	-	-	-	-	1	-	-	1	-	2	1
Tuberculosis of respiratory system (010-012)	12	-	-	-	-	-	1	2	2	-	6	1	7	-	-	-	-	-	-	-	1	1	4	1
White	8	-	-	-	-	-	-	1	2	-	5	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	4	-	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	-	-	1	-	2	1
Black	4	-	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	-	-	1	-	2	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	251	2	1	-	-	2	9	11	30	71	87	38	336	3	1	-	2	6	5	19	25	72	103	100
White	183	-	1	-	-	2	4	7	15	57	64	33	253	1	1	-	2	2	2	12	20	50	80	83
All other	68	2	-	-	-	-	5	4	15	14	23	5	83	2	-	-	-	4	3	7	5	22	23	17
Black	67	2	-	-	-	-	5	4	15	13	23	5	81	2	-	-	-	4	3	7	5	22	22	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	12	-	-	-	1	1	-	2	4	1	2	1	6	-	-	-	2	2	-	-	1	1	-	-
White	9	-	-	-	-	-	-	2	3	1	2	1	3	-	-	-	1	1	-	-	-	1	-	-
All other	3	-	-	-	1	1	-	-	1	-	-	-	3	-	-	-	1	1	-	-	1	-	-	-
Black	3	-	-	-	1	1	-	-	1	-	-	-	3	-	-	-	1	1	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	94	2	1	-	4	18	20	14	11	8	10	6	67	2	-	1	3	5	5	3	10	17	12	9
White	55	1	-	-	3	8	10	6	9	6	9	3	49	-	-	1	2	3	-	-	8	15	11	9
All other	39	1	1	-	1	10	10	8	2	2	1	3	18	2	-	-	1	2	5	3	2	2	1	-
Black	37	1	1	-	1	10	9	8	2	2	1	2	18	2	-	-	1	2	5	3	2	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,828	-	3	11	22	55	128	437	1,195	1,615	1,059	300	4,183	2	3	10	20	57	171	403	883	1,297	915	421
White	3,731	-	3	7	14	42	87	301	906	1,246	868	255	3,281	2	3	8	11	37	111	285	652	1,025	783	364
All other	1,097	-	-	4	8	13	41	136	289	369	191	45	902	-	-	2	9	20	60	118	231	272	132	57
Black	1,064	-	-	4	7	12	38	130	284	362	182	44	874	-	-	2	9	20	55	113	224	264	130	56
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	100	-	-	1	-	3	3	25	28	20	16	4	61	1	-	-	-	1	1	6	18	14	14	6
White	62	-	-	-	-	2	1	9	22	14	12	2	48	1	-	-	-	1	-	5	12	12	11	6
All other	38	-	-	1	-	1	2	16	6	6	4	2	13	-	-	-	-	-	1	1	6	2	3	-
Black	37	-	-	1	-	1	2	15	6	6	4	2	13	-	-	-	-	-	1	1	6	2	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,219	-	1	-	1	8	33	115	306	400	281	73	1,057	-	-	-	1	12	21	54	173	340	291	164
White	907	-	1	-	1	7	20	78	228	293	220	59	802	-	-	-	-	8	12	33	111	247	246	145
All other	312	-	-	-	-	1	13	37	78	107	61	14	255	-	-	-	1	4	9	21	62	93	45	19
Black	298	-	-	-	-	1	11	36	76	103	57	13	244	-	-	-	1	4	9	17	59	90	44	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,668	-	-	-	1	4	32	154	496	600	309	71	854	-	-	-	1	2	20	86	228	316	143	48
White	1,282	-	-	-	-	3	19	106	371	466	256	60	695	-	-	-	1	-	14	69	184	266	121	40
All other	386	-	-	-	1	1	13	48	125	134	53	11	159	-	-	-	-	2	6	27	44	50	22	8
Black	377	-	-	-	-	1	13	47	123	132	50	11	155	-	-	-	-	2	6	26	44	48	22	7
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	3	1	1	-	764	-	-	-	-	14	57	111	199	215	115	53
White	4	-	-	-	-	-	-	-	2	1	1	-	604	-	-	-	-	11	35	79	150	178	107	44
All other	1	-	-	-	-	-	-	-	1	-	-	-	160	-	-	-	-	3	22	32	49	37	8	9
Black	1	-	-	-	-	-	-	-	1	-	-	-	159	-	-	-	-	3	22	32	49	37	8	9
Malignant neoplasms of genital organs (179-187)	479	-	-	-	1	4	-	10	57	160	176	71	385	-	-	-	1	6	24	39	87	126	73	29
White	361	-	-	-	1	4	-	9	37	114	137	59	296	-	-	-	-	2	15	31	66	94	63	25
All other	118	-	-	-	-	-	-	1	20	46	39	12	89	-	-	-	1	4	9	8	21	32	10	4
Black	117	-	-	-	-	-	-	1	20	46	38	12	85	-	-	-	1	4	7	8	19	32	10	4
Malignant neoplasms of urinary organs (188-189)	231	-	-	-	-	1	-	16	47	81	60	25	123	-	-	1	1	2	3	6	15	30	42	23
White	200	-	-	-	-	-	-	13	38	69	56	23	94	-	-	-	-	-	1	5	12	24	34	18
All other	31	-	-	-	-	1	-	3	9	12	4	2	29	-	-	1	1	2	2	1	3	6	8	5
Black	31	-	-	-	-	1	-	3	9	12	4	2	29	-	-	1	1	2	2	1	3	6	8	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	705	-	-	4	12	22	34	80	174	213	131	35	564	1	2	6	8	7	29	63	114	150	127	57
White	573	-	-	3	8	16	27	59	141	175	112	32	444	1	2	5	5	5	24	43	81	120	105	53
All other	132	-	-	1	4	6	7	21	33	38	19	3	120	-	-	1	3	2	5	20	33	30	22	4
Black	128	-	-	1	4	5	6	21	32	38	18	3	115	-	-	1	3	2	4	20	32	28	21	4
Leukemia (204-208)	160	-	1	4	4	5	7	12	35	53	29	10	127	-	1	1	2	6	6	4	20	26	43	18
White	133	-	1	3	2	5	6	8	30	43	25	10	100	-	1	1	1	5	4	4	14	22	34	14
All other	27	-	-	1	2	-	1	4	5	10	4	-	27	-	-	-	1	1	2	-	6	4	9	4
Black	26	-	-	1	2	-	1	4	5	9	4	-	26	-	-	-	1	1	1	-	6	4	9	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	261	-	1	2	3	8	19	25	49	67	56	11	248	-	-	2	6	7	10	24	29	60	67	23
White	209	-	1	1	2	5	14	19	37	71	49	10	198	-	-	2	4	5	6	16	22	62	62	19
All other	52	-	-	1	1	3	5	6	12	16	7	1	50	-	-	-	2	2	4	8	7	18	5	4
Black	49	-	-	1	1	3	5	3	12	16	7	1	48	-	-	-	2	2	3	8	7	17	5	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	74	-	-	1	3	2	1	10	20	19	12	6	80	3	-	3	-	3	4	7	11	19	23	7
White	62	-	-	1	3	1	1	7	16	15	12	6	69	2	-	2	-	3	3	7	9	18	20	7
All other	12	-	-	-	-	1	-	3	4	4	-	-	11	1	-	1	-	-	1	-	2	3	3	-
Black	12	-	-	-	-	1	-	3	4	4	-	-	11	1	-	1	-	-	1	-	2	3	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	300	-	-	-	2	6	10	19	73	99	70	20	398	-	-	-	1	6	10	16	56	114	132	63
White	210	-	-	-	1	6	7	9	49	70	54	14	277	-	-	-	-	5	6	9	35	75	97	50
All other	90	-	-	-	1	-	3	10	24	29	16	6	121	-	-	-	1	1	4	7	21	39	35	13
Black	87	-	-	-	1	-	3	10	23	27	16	6	121	-	-	-	1	1	4	7	21	39	35	13
Nutritional deficiencies (260-269)	19	-	-	-	-	-	1	-	1	5	6	6	32	-	-	-	-	-	-	-	3	5	10	14
White	14	-	-	-	-	-	1	-	-	4	3	6	28	-	-	-	-	-	-	-	2	4	8	14
All other	5	-	-	-	-	-	-	-	1	1	3	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	5	-	-	-	-	-	-	-	1	1	3	-	3	-	-	-	-	-	-	-	1	1	1	-
Anemias (280-285)	26	-	-	-	5	1	-	3	1	7	4	5	34	-	-	-	1	3	2	1	2	4	12	9
White	14	-	-	-	1	-	-	1	1	6	3	2	26	-	-	-	-	1	1	1	2	3	10	8
All other	12	-	-	-	4	1	-	2	-	1	1	3	8	-	-	-	1	2	1	-	-	1	2	1
Black	11	-	-	-	3	1	-	2	-	1	1	3	8	-	-	-	1	2	1	-	-	1	2	1
Meningitis (320-322)	15	2	3	-	-	-	-	2	2	4	1	1	11	1	1	-	-	-	1	1	1	4	1	1
White	7	-	1	-	-	-	-	2	1	1	1	1	7	1	-	-	-	-	-	1	-	3	1	1
All other	8	2	2	-	-	-	-	-	1	3	-	-	4	-	1	-	-	-	1	-	1	1	-	-
Black	8	2	2	-	-	-	-	-	1	3	-	-	4	-	1	-	-	-	1	-	1	1	-	-
Major cardiovascular diseases (390-448)	8,006	7	5	2	22	75	242	563	1,487	2,364	2,183	1,052	8,315	4	4	7	16	47	85	243	721	1,601	2,759	2,825
White	6,399	3	3	2	12	37	138	389	1,118	1,937	1,829	930	6,727	1	4	2	12	26	43	137	503	1,196	2,313	2,487
All other	1,607	4	2	-	10	38	104	174	369	427	354	122	1,588	3	-	5	4	21	42	108	218	405	446	338
Black	1,570	4	2	-	10	38	101	172	360	416	344	120	1,552	3	-	4	4	21	41	104	212	397	433	333
Diseases of heart (390-398,402,404-429)	6,703	7	4	2	17	56	203	488	1,313	2,010	1,775	824	6,457	3	4	4	11	32	62	191	599	1,308	2,130	2,110
White	5,397	3	2	2	9	31	126	349	998	1,657	1,486	733	5,224	1	4	-	8	17	33	108	427	994	1,791	1,838
All other	1,306	4	2	-	8	25	77	139	315	353	289	91	1,233	2	-	4	3	15	29	83	172	314	339	272
Black	1,281	4	2	-	8	25	75	137	309	346	281	91	1,213	2	-	3	3	15	29	81	171	311	330	268
Rheumatic fever and rheumatic heart disease (390-398)	24	-	-	-	1	2	-	-	10	4	5	2	76	-	-	-	-	3	2	12	13	18	20	7
White	20	-	-	-	-	2	-	-	8	4	4	2	66	-	-	-	-	2	1	9	11	17	19	6
All other	4	-	-	-	1	-	-	-	2	-	1	-	10	-	-	-	-	1	1	3	2	1	1	1
Black	4	-	-	-	1	-	-	-	2	-	1	-	9	-	-	-	-	1	1	3	2	1	1	-
Hypertensive heart disease (402)	234	-	-	-	-	1	13	32	60	65	47	14	288	-	-	-	1	1	7	19	32	71	97	60
White	131	-	-	-	-	-	5	13	26	40	34	13	184	-	-	-	1	1	1	6	6	44	74	51
All other	103	-	-	-	-	1	8	19	34	25	13	1	104	-	-	-	-	-	6	13	26	27	23	9
Black	102	-	-	-	-	1	7	19	34	25	13	1	104	-	-	-	-	-	6	13	26	27	23	9
Hypertensive heart and renal disease (404)	17	-	-	-	-	-	-	-	1	3	11	2	27	-	-	-	-	-	1	1	2	5	9	9
White	10	-	-	-	-	-	-	-	-	1	8	1	13	-	-	-	-	-	-	-	-	1	4	8
All other	7	-	-	-	-	-	-	-	1	2	3	1	14	-	-	-	-	-	1	1	2	4	5	1
Black	7	-	-	-	-	-	-	-	1	2	3	1	14	-	-	-	-	-	1	1	2	4	5	1
Ischemic heart disease (410-414)	3,433	1	-	-	1	7	62	248	669	1,094	935	416	3,177	-	1	-	1	7	14	59	311	703	1,113	967
White	2,998	1	-	-	1	7	49	208	584	960	810	378	2,713	-	1	-	-	4	13	39	248	560	983	864
All other	435	-	-	-	-	-	13	40	85	134	125	38	464	-	-	-	1	3	1	20	63	143	130	103
Black	419	-	-	-	-	-	13	40	81	127	120	38	454	-	-	-	1	3	1	19	62	141	125	102
Acute myocardial infarction (410)	2,059	1	-	-	-	4	39	157	422	676	565	196	1,776	-	1	-	1	4	12	41	213	437	640	426
White	1,803	1	-	-	-	4	32	135	366	586	493	186	1,486	-	1	-	-	2	12	27	169	347	564	363
All other	256	-	-	-	-	-	6	22	56	90	72	10	290	-	-	-	1	2	-	14	44	90	76	63
Black	246	-	-	-	-	-	6	22	53	85	70	10	283	-	-	-	1	2	-	14	43	88	72	63
Other acute and subacute forms of ischemic heart disease (411)	29	-	-	-	1	-	1	3	4	9	7	4	25	-	-	-	-	-	-	-	2	6	7	10
White	26	-	-	-	1	-	1	2	4	8	6	4	21	-	-	-	-	-	-	-	2	3	7	9
All other	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-	3	-	1
Black	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-	3	-	1
Angina pectoris (413)	16	-	-	-	-	-	-	4	2	5	4	1	15	-	-	-	-	-	-	-	3	3	5	4
White	12	-	-	-	-	-	-	1	2	5	3	1	12	-	-	-	-	-	-	-	3	2	3	4
All other	4	-	-	-	-	-	-	3	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	4	-	-	-	-	-	-	3	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,329	-	-	-	-	3	23	84	241	404	359	215	1,361	-	-	-	-	3	2	18	93	257	461	527
White	1,157	-	-	-	-	3	16	70	212	361	308	187	1,194	-	-	-	-	2	1	12	74	208	409	488
All other	172	-	-	-	-	-	7	14	29	43	51	28	167	-	-	-	-	1	1	6	19	49	52	39
Black	166	-	-	-	-	-	7	14	28	41	48	28	164	-	-	-	-	1	1	5	19	49	51	38
Other diseases of endocardium (424)	56	-	-	-	1	2	3	3	13	15	15	4	79	-	-	-	1	1	1	-	10	14	30	22
White	45	-	-	-	-	1	3	2	10	12	13	4	66	-	-	-	1	1	-	-	8	13	24	19
All other	11	-	-	-	1	1	-	1	3	3	2	-	13	-	-	-	-	-	1	-	2	1	6	3
Black	11	-	-	-	1	1	-	1	3	3	2	-	12	-	-	-	-	-	1	-	2	1	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,939	6	4	2	14	44	125	205	560	829	762	386	2,810	3	3	4	8	20	37	100	231	497	861	1,045
White	2,193	2	2	2	8	21	69	126	370	640	617	335	2,182	1	3	–	6	9	18	54	154	359	687	890
All other	746	4	2	–	6	23	56	79	190	189	145	51	628	2	–	4	2	11	19	46	77	138	174	155
Black	738	4	2	–	6	23	55	77	188	189	142	51	620	2	–	3	2	11	19	45	77	137	171	153
Hypertension with or without renal disease (401,403)	78	–	–	–	–	–	5	9	11	15	23	15	92	–	–	–	–	1	–	1	6	19	33	32
White	53	–	–	–	–	–	2	6	3	12	18	12	70	–	–	–	–	1	–	–	4	11	24	30
All other	25	–	–	–	–	–	3	3	8	3	5	3	22	–	–	–	–	–	–	1	2	8	9	2
Black	25	–	–	–	–	–	3	3	8	3	5	3	22	–	–	–	–	–	–	1	2	8	9	2
Cerebrovascular diseases (430-438)	891	–	1	–	2	14	28	52	106	235	294	159	1,422	1	–	3	4	10	20	47	94	217	483	543
White	661	–	1	–	1	3	8	23	69	176	244	136	1,145	–	–	2	3	5	8	28	58	143	405	493
All other	230	–	–	–	1	11	20	29	37	59	50	23	277	1	–	1	1	5	12	19	36	74	78	50
Black	222	–	–	–	1	11	20	29	35	55	49	22	262	1	–	1	1	5	11	19	31	69	75	49
Intracerebral and other intracranial hemorrhage (431-432)	186	–	1	–	–	9	20	22	32	47	40	15	206	1	–	2	2	3	9	13	28	33	70	45
White	121	–	1	–	–	1	2	10	22	39	32	14	153	–	–	1	1	1	2	9	17	24	61	37
All other	65	–	–	–	–	8	18	12	10	8	8	1	53	1	–	1	1	2	7	4	11	9	9	8
Black	63	–	–	–	–	8	18	12	10	6	8	1	50	1	–	1	1	2	7	4	9	9	8	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	112	–	–	–	–	–	1	2	19	29	41	20	201	–	–	–	–	–	1	4	7	21	71	97
White	91	–	–	–	–	–	1	–	12	24	36	18	174	–	–	–	–	–	1	2	6	15	63	87
All other	21	–	–	–	–	–	–	2	7	5	5	2	27	–	–	–	–	–	–	2	1	6	8	10
Black	19	–	–	–	–	–	–	2	6	5	4	2	27	–	–	–	–	–	–	2	1	6	8	10
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	1	–	1	–	1	2	3	–
White	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	1	–	–	–	1	1	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	592	–	–	–	2	5	7	28	55	159	212	124	1,007	–	–	1	1	7	9	30	58	161	339	401
White	448	–	–	–	1	2	5	13	35	113	175	104	812	–	–	1	1	4	5	17	34	103	278	369
All other	144	–	–	–	1	3	2	15	20	46	37	20	195	–	–	–	–	3	4	13	24	58	61	32
Black	140	–	–	–	1	3	2	15	19	44	37	19	183	–	–	–	–	3	3	13	21	53	59	31
Atherosclerosis (440)	90	–	–	–	–	1	2	4	13	22	20	28	177	–	–	–	–	–	–	–	3	17	48	109
White	73	–	–	–	–	–	1	3	10	17	16	26	155	–	–	–	–	–	–	–	1	15	40	99
All other	17	–	–	–	–	1	1	1	3	5	4	2	22	–	–	–	–	–	–	–	2	2	8	10
Black	16	–	–	–	–	1	1	1	3	5	4	1	22	–	–	–	–	–	–	–	2	2	8	10
Other diseases of arteries, arterioles, and capillaries (441-448)	244	–	–	–	3	4	4	10	44	82	71	26	167	–	–	–	1	4	3	4	19	40	65	31
White	215	–	–	–	2	3	1	8	38	75	65	23	133	–	–	–	1	3	2	1	13	33	53	27
All other	29	–	–	–	1	1	3	2	6	7	6	3	34	–	–	–	–	1	1	3	6	7	12	4
Black	26	–	–	–	1	1	2	2	5	7	5	3	33	–	–	–	–	1	1	3	6	7	11	4
Acute bronchitis and bronchiolitis (466)	2	1	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–	–	–	–	–	–	2	1
White	2	1	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	518	5	4	1	3	5	13	20	51	98	172	146	543	3	–	1	–	6	5	5	26	59	155	263
White	412	5	2	1	1	3	6	10	40	77	141	126	454	2	–	–	–	2	5	1	12	48	129	255
All other	106	–	2	–	2	2	7	10	11	21	31	20	89	1	–	1	–	4	–	4	14	11	26	28
Black	103	–	2	–	2	2	7	10	10	21	31	18	83	1	–	–	–	4	–	4	13	11	24	26
Pneumonia (480-486)	505	5	3	–	3	5	13	20	51	96	170	139	531	3	–	1	–	6	5	5	26	57	155	273
White	401	5	2	–	1	3	6	10	40	75	139	120	443	2	–	–	–	2	5	1	12	47	129	245
All other	104	–	1	–	2	2	7	10	11	21	31	19	88	1	–	1	–	4	–	4	14	10	26	28
Black	102	–	1	–	2	2	7	10	10	21	31	18	82	1	–	–	–	4	–	4	13	10	24	26
Influenza (487)	13	–	1	1	–	–	–	–	–	2	2	7	12	–	–	–	–	–	–	–	–	2	–	10
White	11	–	–	1	–	–	–	–	–	2	2	6	11	–	–	–	–	–	–	–	–	1	–	10
All other	2	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	701	2	1	2	1	2	1	21	122	228	245	76	499	–	–	–	2	3	4	18	68	163	170	73
White	602	1	1	1	1	–	1	14	97	201	218	67	443	–	–	–	–	–	2	16	50	150	157	68
All other	99	1	–	1	–	2	–	7	25	27	27	9	56	–	–	–	2	3	2	2	16	13	13	5
Black	98	1	–	1	–	2	–	7	24	27	27	9	55	–	–	–	2	3	2	2	16	12	13	5
Bronchitis, chronic and unspecified (490-491)	32	–	1	–	–	–	1	1	7	6	14	2	27	–	–	–	–	–	–	3	–	5	11	8
White	30	–	1	–	–	–	1	1	7	6	13	1	26	–	–	–	–	–	–	3	–	5	10	8
All other	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Emphysema (492)	118	–	–	–	–	–	–	5	21	42	33	17	76	–	–	–	–	–	–	3	9	28	31	5
White	103	–	–	–	–	–	–	3	17	36	30	17	72	–	–	–	–	–	–	3	9	26	30	4
All other	15	–	–	–	–	–	–	2	4	6	3	–	4	–	–	–	–	–	–	–	–	2	1	1
Black	15	–	–	–	–	–	–	2	4	6	3	–	4	–	–	–	–	–	–	–	–	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	21	2	–	1	1	2	–	2	6	3	3	1	40	–	–	–	2	3	3	3	6	13	7	3
White	9	1	–	–	1	–	–	–	2	1	3	1	28	–	–	–	–	–	2	3	3	11	6	3
All other	12	1	–	1	–	2	–	2	4	2	–	–	12	–	–	–	2	3	1	–	3	2	1	–
Black	11	1	–	1	–	2	–	2	3	2	–	–	12	–	–	–	2	3	1	–	3	2	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	530	–	–	1	–	–	–	13	88	177	195	56	356	–	–	–	–	–	1	9	51	117	121	57
White	460	–	–	1	–	–	–	10	71	158	172	48	317	–	–	–	–	–	–	7	38	108	111	53
All other	70	–	–	–	–	–	–	3	17	19	23	8	39	–	–	–	–	–	1	2	13	9	10	4
Black	70	–	–	–	–	–	–	3	17	19	23	8	38	–	–	–	–	–	1	2	13	8	10	4
Ulcer of stomach and duodenum (531-533)	61	1	–	–	–	–	2	5	9	15	20	9	46	–	–	–	–	–	–	1	3	12	15	15
White	49	–	–	–	–	–	1	2	9	13	16	8	42	–	–	–	–	–	–	–	3	10	15	14
All other	12	1	–	–	–	–	1	3	–	2	4	1	4	–	–	–	–	–	–	1	–	2	–	1
Black	12	1	–	–	–	–	1	3	–	2	4	1	4	–	–	–	–	–	–	1	–	2	–	1
Appendicitis (540-543)	1	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	–	–	1	2	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	2	–	1	–	1	–	4	3	7	13	12	78	1	–	2	–	3	–	–	6	15	24	27
White	32	2	–	–	–	–	–	2	3	6	9	10	63	1	–	1	–	2	–	–	4	14	19	22
All other	11	–	–	1	–	1	–	2	–	1	4	2	15	–	–	1	–	1	–	–	2	1	5	5
Black	11	–	–	1	–	1	–	2	–	1	4	2	15	–	–	1	–	1	–	–	2	1	5	5
Chronic liver disease and cirrhosis (571)	250	–	–	–	1	12	36	33	71	69	22	6	141	–	–	–	1	8	13	25	39	42	10	3
White	165	–	–	–	–	2	15	19	51	55	19	5	96	–	–	–	–	2	5	14	30	34	8	3
All other	84	–	–	–	1	10	21	14	20	14	3	1	45	–	–	–	1	6	8	11	9	8	2	–
Black	77	–	–	–	1	10	21	11	18	13	3	–	44	–	–	–	1	6	8	11	9	7	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	15	–	–	–	–	–	–	–	1	6	3	5	22	–	–	–	–	–	–	–	2	3	7	10
White	13	–	–	–	–	–	–	–	–	5	3	5	18	–	–	–	–	–	–	–	1	2	4	9
All other	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	1	1	3	1
Black	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	1	1	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	237	3	–	–	1	3	3	11	24	68	83	41	242	1	–	–	2	8	2	8	24	58	77	62
White	147	3	–	–	1	–	–	3	15	45	51	29	152	–	–	–	1	8	1	3	14	32	51	44
All other	90	–	–	–	–	3	3	8	9	23	32	12	90	1	–	–	1	2	1	5	10	26	26	18
Black	89	–	–	–	–	3	3	8	9	22	32	12	87	1	–	–	1	2	1	5	10	24	25	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	–	–	–	–	–	–	–	1	2	3	2	9	–	–	–	–	1	–	–	2	2	2	2
White	4	–	–	–	–	–	–	–	1	1	1	1	7	–	–	–	–	1	–	–	2	1	1	2
All other	4	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	4	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	229	3	–	–	1	3	3	11	23	66	80	39	230	1	–	–	2	7	2	8	21	56	75	58
White	143	3	–	–	1	–	–	3	14	44	50	28	142	–	–	–	1	5	1	3	11	31	50	40
All other	86	–	–	–	–	3	3	8	9	22	30	11	88	1	–	–	1	2	1	5	10	25	25	18
Black	85	–	–	–	–	3	3	8	9	21	30	11	85	1	–	–	1	2	1	5	10	23	24	18
Infections of kidney (590)	9	–	–	–	–	–	–	–	–	3	5	1	15	–	–	–	–	2	–	–	–	5	6	2
White	8	–	–	–	–	–	–	–	–	3	4	1	10	–	–	–	–	1	–	–	–	3	4	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	1	–	–	–	2	2	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	1	–	–	–	2	2	–
Hyperplasia of prostate (600)	8	–	–	–	–	–	–	–	3	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
White	7	–	–	–	–	–	–	–	2	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	1	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	1	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	1	4	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	3	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Congenital anomalies (740-759)	108	76	8	2	5	4	3	-	6	3	1	-	129	84	7	3	5	2	1	2	5	8	7	5
White	69	52	3	1	1	1	2	-	5	3	1	-	84	56	5	1	4	-	1	2	5	8	7	5
All other	39	24	5	1	4	3	1	-	1	-	-	-	35	28	2	2	1	2	-	-	-	-	-	-
Black	34	22	4	1	4	1	1	-	1	-	-	-	34	27	2	2	1	2	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	256	254	1	-	-	-	-	-	-	-	1	-	190	188	2	-	-	-	-	-	-	-	-	-
White	116	115	1	-	-	-	-	-	-	-	-	-	97	96	1	-	-	-	-	-	-	-	-	-
All other	140	139	-	-	-	-	-	-	-	-	1	-	93	92	1	-	-	-	-	-	-	-	-	-
Black	136	135	-	-	-	-	-	-	-	-	1	-	90	89	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	60	60	-	-	-	-	-	-	-	-	-	-	43	42	1	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	33	32	1	-	-	-	-	-	-	-	-	-
All other	28	28	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	196	194	1	-	-	-	-	-	-	-	1	-	147	146	1	-	-	-	-	-	-	-	-	-
White	84	83	1	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
All other	112	111	-	-	-	-	-	-	-	-	1	-	83	82	1	-	-	-	-	-	-	-	-	-
Black	108	107	-	-	-	-	-	-	-	-	1	-	80	79	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	169	63	2	3	3	16	24	10	11	10	16	11	141	50	2	2	4	9	5	7	4	19	18	21
White	86	30	1	1	2	5	6	3	7	9	11	11	102	28	2	2	3	4	5	4	3	17	15	19
All other	83	33	1	2	1	11	18	7	4	1	5	-	39	22	-	-	1	5	-	3	1	2	3	2
Black	78	31	1	1	1	10	18	7	4	-	5	-	37	20	-	-	1	5	-	3	1	2	3	2
All other diseases (Residual)	1,569	22	8	10	26	104	138	132	227	333	355	213	1,642	8	9	6	13	54	51	64	137	297	522	481
White	1,089	16	2	8	15	41	62	68	150	257	289	181	1,262	5	2	3	7	21	26	33	82	223	432	428
All other	480	6	6	2	11	63	76	64	77	76	66	32	380	3	7	3	6	33	25	31	55	74	90	53
Black	473	6	5	2	11	63	74	64	76	74	65	32	374	3	7	2	6	33	25	31	52	73	89	53
Accidents and adverse effects (E800-E949)	997	12	31	34	251	188	105	77	104	85	70	39	514	5	15	22	65	49	40	34	41	58	94	91
White	733	6	13	17	208	131	77	50	76	65	59	31	393	3	10	16	55	33	21	25	28	47	76	79
All other	264	6	18	17	43	57	28	27	28	20	11	8	121	2	5	6	10	16	19	9	13	11	18	12
Black	253	6	18	16	39	56	25	26	28	20	10	8	116	2	5	5	10	16	17	9	12	10	18	12
Motor vehicle accidents (E810-E825)	573	2	10	18	212	126	60	40	47	33	21	3	221	1	2	15	55	36	30	21	20	24	14	3
White	437	1	2	9	176	96	45	29	35	26	16	2	171	1	1	11	48	26	17	14	15	21	13	3
All other	136	1	8	9	36	30	15	11	12	7	5	1	50	-	1	4	6	10	13	7	5	3	1	-
Black	128	1	8	9	32	29	13	10	12	7	5	1	46	-	1	3	6	10	11	7	4	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	424	10	21	16	39	62	45	37	57	52	49	36	293	4	13	7	10	13	10	13	21	34	60	66
White	296	5	11	8	32	35	32	21	41	39	43	29	222	2	9	5	6	7	4	11	13	26	53	76
All other	128	5	10	8	7	27	13	16	16	13	6	7	71	2	4	2	4	6	6	2	8	8	17	12
Black	125	5	10	7	7	27	12	16	16	13	5	7	70	2	4	2	4	6	6	2	8	7	17	12
Suicide (E950-E959)	431	...	...	3	88	116	68	47	35	44	25	4	114	...	...	-	10	27	25	14	14	14	8	2
White	365	...	...	2	71	92	56	42	32	42	24	4	95	...	...	-	7	19	23	12	11	14	7	2
All other	66	...	...	1	17	24	12	5	3	2	1	-	19	...	...	-	3	8	2	2	3	-	1	-
Black	62	...	...	1	15	23	11	5	3	2	1	-	16	...	...	-	3	6	2	2	2	-	1	-
Homicide and legal intervention (E960-E978)	320	3	1	4	101	114	45	24	21	3	2	2	102	3	3	3	26	24	19	7	4	5	7	1
White	78	3	-	1	16	23	15	7	9	-	2	2	43	-	1	1	9	8	8	3	4	4	4	1
All other	242	-	1	3	85	91	30	17	12	3	-	-	59	3	2	2	17	16	11	4	-	1	3	-
Black	239	-	1	3	85	91	30	15	11	3	-	-	55	3	2	2	16	15	9	4	-	1	3	-
All other external causes (E980-E999)	88	1	-	2	14	31	24	7	5	3	1	-	23	-	1	-	2	5	11	3	1	-	-	-
White	52	-	-	2	12	16	10	5	3	3	1	-	13	-	-	-	1	4	4	3	1	-	-	-
All other	36	1	-	-	2	15	14	2	2	-	-	-	10	-	1	-	1	1	7	-	-	-	-	-
Black	36	1	-	-	2	15	14	2	2	-	-	-	10	-	1	-	1	1	7	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	27,110	376	68	79	548	755	927	1,571	4,114	7,182	7,401	4,089	28,693	321	65	46	189	287	515	931	2,529	5,454	8,559	9,802
White	26,027	307	59	69	501	667	817	1,467	3,897	6,980	7,256	4,002	27,828	255	56	41	164	249	471	865	2,409	5,306	8,364	9,646
All other	1,083	69	9	10	47	88	110	104	217	202	145	81	865	66	9	5	19	38	44	66	119	148	195	156
Black	950	66	6	10	40	77	103	94	198	181	104	70	787	58	8	3	17	32	41	58	107	136	180	147
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	22	-	-	-	-	1	1	5	3	2	7	3	10	-	-	-	1	1	-	-	-	4	2	2
White	19	-	-	-	-	1	1	4	3	2	5	3	8	-	-	-	-	1	-	-	-	3	2	2
All other	3	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	20	-	-	-	-	-	1	4	3	2	7	3	9	-	-	-	1	-	-	-	-	4	2	2
White	17	-	-	-	-	-	1	3	3	2	5	3	7	-	-	-	-	-	-	-	-	3	2	2
All other	3	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	-	1	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
White	5	2	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	279	1	3	-	-	5	10	13	28	63	99	57	348	1	2	-	1	5	4	6	32	64	101	132
White	258	-	2	-	-	2	7	10	25	61	95	56	331	-	2	-	1	3	4	6	30	60	96	129
All other	21	1	1	-	-	3	3	3	3	2	4	1	17	1	-	-	-	2	-	-	2	4	5	3
Black	19	1	1	-	-	3	2	3	3	2	3	1	16	1	-	-	-	1	-	-	2	4	5	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	-	-	-	2	4	1	6	2	3	-	5	1	-	-	-	-	1	-	-	1	2	-
White	18	-	-	-	-	2	4	1	6	2	3	-	4	-	-	-	-	-	1	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	122	3	-	1	3	25	24	9	15	18	17	7	78	1	2	-	2	7	5	4	5	14	23	15
White	110	3	-	1	3	20	19	8	14	16	17	7	74	-	2	-	2	6	3	4	5	14	23	15
All other	12	-	-	-	-	5	5	1	1	-	-	-	4	1	-	-	-	1	2	-	-	-	-	-
Black	12	-	-	-	-	5	5	1	1	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,556	1	5	13	34	62	154	411	1,365	2,160	1,715	635	6,522	2	5	8	17	57	208	474	1,124	1,877	1,779	971
White	6,337	1	5	12	32	55	145	390	1,303	2,097	1,676	620	6,345	2	5	7	14	55	197	445	1,081	1,832	1,744	963
All other	219	-	-	1	2	7	9	21	62	63	39	15	177	-	-	1	3	2	11	29	43	45	35	8
Black	169	-	-	1	2	4	8	15	56	57	31	15	154	-	-	-	3	2	9	24	35	40	34	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	162	–	–	–	–	1	4	15	46	56	28	12	76	–	–	–	–	–	–	4	13	29	17	13
White	157	–	–	–	–	1	4	14	42	56	28	12	73	–	–	–	–	–	–	3	13	28	16	13
All other	5	–	–	–	–	–	–	1	4	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	5	–	–	–	–	–	–	1	4	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,741	–	–	–	1	8	24	97	376	573	504	158	1,778	–	–	–	2	3	18	61	241	496	574	383
White	1,671	–	–	–	1	6	19	92	358	552	487	156	1,727	–	–	–	–	3	15	56	232	478	561	382
All other	70	–	–	–	–	2	5	5	18	21	17	2	51	–	–	–	2	–	3	5	9	18	13	1
Black	50	–	–	–	–	–	4	2	16	16	10	2	44	–	–	–	2	–	2	3	8	15	13	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,182	–	–	–	–	–	49	149	549	808	506	121	1,177	–	–	–	–	3	36	109	261	397	293	78
White	2,116	–	–	–	–	–	47	144	525	786	496	118	1,143	–	–	–	–	3	32	104	250	389	287	78
All other	66	–	–	–	–	–	2	5	24	22	10	3	34	–	–	–	–	–	4	5	11	8	6	–
Black	63	–	–	–	–	–	2	4	23	21	10	3	30	–	–	–	–	–	3	5	9	8	5	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	1	–	1,248	–	–	–	–	13	83	152	223	356	275	146
White	1	–	–	–	–	–	–	–	–	–	1	–	1,217	–	–	–	–	13	79	143	215	350	272	145
All other	–	–	–	–	–	–	–	–	–	–	–	–	31	–	–	–	–	–	4	9	8	6	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	26	–	–	–	–	–	4	6	6	6	3	1
Malignant neoplasms of genital organs (179-187)	722	–	–	–	2	1	1	10	66	218	261	163	666	–	–	–	–	10	22	57	149	181	168	79
White	696	–	–	–	2	1	1	9	61	209	256	157	646	–	–	–	–	8	22	54	144	177	164	77
All other	26	–	–	–	–	–	–	1	5	9	5	6	20	–	–	–	–	2	–	3	5	4	4	2
Black	26	–	–	–	–	–	–	1	5	9	5	6	19	–	–	–	–	2	–	3	4	4	4	2
Malignant neoplasms of urinary organs (188-189)	339	–	1	–	1	–	5	19	59	113	90	51	202	–	–	–	–	1	2	5	28	59	64	43
White	335	–	1	–	1	–	5	19	58	111	89	51	201	–	–	–	–	1	2	5	28	59	63	43
All other	4	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	4	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	880	1	3	8	16	26	43	80	200	243	188	71	789	1	3	3	6	17	27	43	130	216	215	128
White	852	1	3	7	15	23	41	75	193	239	186	68	768	1	3	3	5	17	27	41	123	211	211	125
All other	28	–	–	1	1	3	2	5	7	4	2	3	21	–	–	–	1	–	–	2	7	5	4	2
Black	24	–	–	1	1	3	2	4	5	4	1	3	18	–	–	–	1	–	–	2	6	3	4	2
Leukemia (204-208)	208	–	1	3	7	12	12	14	21	50	62	26	237	1	2	4	4	5	11	17	28	52	64	49
White	201	–	1	3	7	10	12	12	21	49	61	25	230	1	2	3	4	5	11	15	27	51	63	48
All other	7	–	–	–	–	2	–	2	–	1	1	1	7	–	–	1	–	–	–	2	1	1	1	1
Black	6	–	–	–	–	1	–	2	–	1	1	1	4	–	–	–	–	–	–	2	–	1	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	321	–	–	2	7	14	16	27	48	99	75	33	349	–	–	1	5	5	9	26	51	91	109	52
White	308	–	–	2	6	14	16	25	45	95	72	33	340	–	–	1	5	5	9	24	49	89	107	51
All other	13	–	–	–	1	–	–	2	3	4	3	–	9	–	–	–	–	–	–	2	2	2	2	1
Black	11	–	–	–	1	–	–	1	2	4	3	–	9	–	–	–	–	–	–	2	2	2	2	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	110	1	1	1	2	6	4	9	15	29	30	12	132	–	1	1	5	2	3	6	23	31	33	27
White	106	1	1	1	2	6	3	9	14	28	29	12	127	–	1	1	4	2	3	6	19	31	33	27
All other	4	–	–	–	–	–	1	–	1	1	1	–	5	–	–	–	1	–	–	–	4	–	–	–
Black	4	–	–	–	–	–	1	–	1	1	1	–	4	–	–	–	–	–	–	–	4	–	–	–
Diabetes mellitus (250)	417	–	–	1	1	9	26	31	56	112	127	54	561	–	1	–	1	6	11	22	57	127	173	163
White	396	–	–	–	1	9	24	28	50	110	123	51	535	–	1	–	1	5	11	19	53	122	166	157
All other	21	–	–	1	–	–	2	3	6	2	4	3	26	–	–	–	–	1	–	3	4	5	7	6
Black	19	–	–	1	–	–	2	3	5	2	3	3	24	–	–	–	–	1	–	3	4	5	5	6
Nutritional deficiencies (260-269)	23	1	–	–	–	1	–	–	1	5	6	9	50	–	–	–	–	–	–	1	1	5	9	34
White	22	1	–	–	–	1	–	–	1	5	6	8	47	–	–	–	–	–	–	1	1	4	9	32
All other	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	1	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2
Anemias (280-285)	39	–	1	–	–	1	2	2	3	9	11	10	52	–	1	–	2	3	1	1	2	8	11	23
White	37	–	1	–	–	1	1	2	2	9	11	10	47	–	1	–	2	1	1	1	1	8	10	22
All other	2	–	–	–	–	–	1	–	1	–	–	–	5	–	–	–	–	2	–	–	1	–	1	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	2	–	–	1	–	1	1
Meningitis (320-322)	9	2	–	–	–	–	–	1	3	–	2	1	14	–	–	–	–	1	–	1	3	3	2	4
White	8	2	–	–	–	–	–	1	2	–	2	1	14	–	–	–	–	1	–	1	3	3	2	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	11,961	14	5	1	25	74	243	656	1,853	3,422	3,564	2,104	14,014	5	9	2	7	33	73	198	811	2,256	4,580	6,040
White	11,607	13	4	1	24	64	218	619	1,763	3,324	3,503	2,074	13,679	3	8	2	6	27	66	179	771	2,198	4,476	5,943
All other	354	1	1	–	1	10	25	37	90	98	61	30	335	2	1	–	1	6	7	19	40	58	104	97
Black	309	1	1	–	1	10	24	34	83	89	42	24	311	1	–	–	1	5	7	17	39	54	96	91

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	9,988	13	3	-	23	65	217	602	1,670	2,901	2,862	1,642	10,726	5	7	1	4	21	51	152	670	1,801	3,512	4,502
White	9,699	12	3	-	22	55	192	572	1,594	2,815	2,813	1,621	10,464	3	6	1	4	16	47	140	636	1,751	3,432	4,428
All other	289	1	-	-	1	10	25	30	76	86	49	21	262	2	1	-	-	5	4	12	34	50	80	74
Black	262	1	-	-	1	10	24	28	72	77	34	15	245	1	-	-	-	4	4	12	33	46	75	70
Rheumatic fever and rheumatic heart disease (390-398)	55	-	-	-	2	-	1	1	17	25	9	-	113	-	-	-	-	2	-	2	13	30	46	20
White	53	-	-	-	2	-	-	1	17	24	9	-	111	-	-	-	-	-	-	2	13	30	46	20
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Hypertensive heart disease (402)	196	-	-	-	-	-	10	20	45	59	49	13	259	-	-	-	-	-	1	6	23	38	92	93
White	170	-	-	-	-	-	8	11	37	54	47	13	237	-	-	-	-	-	-	4	20	34	88	91
All other	26	-	-	-	-	-	2	9	8	5	2	-	16	-	-	-	-	-	1	2	3	4	4	2
Black	26	-	-	-	-	-	2	9	8	5	2	-	15	-	-	-	-	-	1	2	3	3	4	2
Hypertensive heart and renal disease (404)	17	-	-	-	-	1	1	-	3	1	7	4	34	-	-	-	-	1	-	-	2	3	10	18
White	14	-	-	-	-	-	-	-	3	1	6	4	31	-	-	-	-	-	-	-	2	2	9	18
All other	3	-	-	-	-	1	1	-	-	-	1	-	3	-	-	-	-	1	-	-	-	1	1	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Ischemic heart disease (410-414)	7,385	-	-	-	3	31	154	473	1,254	2,156	2,159	1,155	7,602	-	-	-	1	2	24	104	449	1,302	2,520	3,200
White	7,250	-	-	-	3	27	144	461	1,218	2,117	2,137	1,143	7,467	-	-	-	1	1	22	99	435	1,275	2,479	3,155
All other	135	-	-	-	-	4	10	12	36	39	22	12	135	-	-	-	-	1	2	5	14	27	41	45
Black	112	-	-	-	-	4	9	10	32	34	13	10	126	-	-	-	-	1	2	5	13	24	38	43
Acute myocardial infarction (410)	3,867	-	-	-	3	22	89	296	763	1,267	1,100	427	3,458	-	-	-	-	2	19	67	261	737	1,275	1,097
White	3,896	-	-	-	3	18	85	288	743	1,247	1,090	422	3,388	-	-	-	-	1	19	64	252	721	1,252	1,077
All other	71	-	-	-	-	4	4	8	20	20	10	5	72	-	-	-	-	1	-	3	9	16	23	20
Black	57	-	-	-	-	4	3	6	17	18	5	4	65	-	-	-	-	1	-	3	8	14	21	18
Other acute and subacute forms of ischemic heart disease (411)	13	-	-	-	-	-	-	2	2	4	4	1	14	-	-	-	-	-	-	-	2	5	6	1
White	13	-	-	-	-	-	-	2	2	4	4	1	14	-	-	-	-	-	-	-	2	5	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	-	2	4	3	-	20	-	-	-	-	-	-	-	-	5	9	6
White	9	-	-	-	-	-	-	-	2	4	3	-	20	-	-	-	-	-	-	-	-	5	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,396	-	-	-	-	9	65	175	487	881	1,052	727	4,110	-	-	-	1	-	5	37	186	555	1,230	2,096
White	3,332	-	-	-	-	9	59	171	471	862	1,040	720	4,047	-	-	-	1	-	3	35	181	544	1,212	2,071
All other	64	-	-	-	-	-	6	4	16	19	12	7	63	-	-	-	-	-	2	2	5	11	18	25
Black	55	-	-	-	-	-	6	4	15	16	8	6	61	-	-	-	-	-	2	2	5	10	17	25
Other diseases of endocardium (424)	154	-	-	-	2	3	4	7	16	35	54	33	187	-	-	-	-	1	1	3	6	25	70	81
White	152	-	-	-	2	3	4	7	16	34	53	33	184	-	-	-	-	1	-	3	5	25	69	81
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	1	-	1	-
All other forms of heart disease (415-423,425-429)	2,191	13	3	-	16	30	47	101	335	625	584	437	2,537	5	7	1	3	15	25	37	177	403	774	1,090
White	2,060	12	3	-	15	25	36	92	303	585	561	428	2,434	3	6	1	3	14	25	32	161	385	741	1,063
All other	131	1	-	-	1	5	11	9	32	40	23	9	103	2	1	-	-	1	-	5	16	18	33	27
Black	118	1	-	-	1	5	11	9	32	36	18	5	96	1	-	-	-	-	-	5	16	18	31	25
Hypertension with or without renal disease (401,403)	72	-	-	-	-	-	-	4	6	26	21	15	127	-	1	-	-	-	-	3	6	20	36	61
White	68	-	-	-	-	-	-	2	6	26	19	15	120	-	1	-	-	-	-	3	5	18	33	60
All other	4	-	-	-	-	-	-	2	-	-	2	-	7	-	-	-	-	-	-	-	1	2	3	1
Black	4	-	-	-	-	-	-	2	-	-	2	-	6	-	-	-	-	-	-	-	1	2	3	-
Cerebrovascular diseases (430-438)	1,313	1	2	1	2	8	23	37	121	319	480	319	2,451	-	1	1	2	12	18	38	108	338	840	1,097
White	1,274	1	1	1	2	8	23	34	109	310	474	311	2,399	-	1	1	1	11	17	32	104	331	822	1,079
All other	39	-	1	-	-	-	-	3	12	9	6	8	52	-	-	-	1	1	1	4	4	5	18	18
Black	33	-	1	-	-	-	-	2	9	9	4	8	47	-	-	-	1	1	1	3	4	5	15	17
Intracerebral and other intracranial hemorrhage (431-432)	226	-	1	-	1	3	7	13	36	71	61	33	370	-	-	-	-	1	9	17	32	85	118	106
White	216	-	-	-	1	3	7	11	33	69	60	32	358	-	-	-	-	1	9	14	30	83	115	106
All other	10	-	1	-	-	-	-	2	3	2	1	1	12	-	-	-	-	-	-	3	2	2	3	2
Black	8	-	1	-	-	-	-	1	2	2	1	1	9	-	-	-	-	-	-	2	2	2	1	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	229	1	-	-	-	2	-	3	19	58	89	57	446	-	1	-	-	1	1	2	16	39	157	229
White	223	1	-	-	-	2	-	3	16	56	89	56	439	-	1	-	-	1	1	2	15	39	153	227
All other	6	-	-	-	-	-	-	-	3	2	-	1	7	-	-	-	-	-	-	-	1	-	4	2
Black	5	-	-	-	-	-	-	-	2	2	-	1	6	-	-	-	-	-	-	-	1	-	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	11	-	-	-	-	-	-	-	1	3	5	2	16	-	-	-	-	-	-	-	1	4	4	7
White	11	-	-	-	-	-	-	-	1	3	5	2	16	-	-	-	-	-	-	-	1	4	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	647	-	1	1	1	3	16	21	65	187	325	227	1,619	-	-	1	2	10	8	17	59	208	561	753
White	624	-	1	1	1	3	16	20	59	182	320	221	1,586	-	-	1	1	9	7	16	58	205	550	739
All other	23	-	-	-	-	-	-	1	6	5	5	6	33	-	-	-	1	1	1	1	1	3	11	14
Black	20	-	-	-	-	-	-	1	5	5	3	6	32	-	-	-	1	1	1	1	1	3	10	14
Atherosclerosis (440)	198	-	-	-	-	-	-	3	10	41	70	74	380	-	-	-	-	-	1	-	9	25	76	269
White	195	-	-	-	-	-	-	3	10	40	69	73	378	-	-	-	-	-	1	-	9	25	75	268
All other	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	380	-	-	-	-	1	3	10	46	135	131	54	330	-	-	-	1	-	3	7	18	74	116	111
White	371	-	-	-	-	1	3	8	44	133	128	54	318	-	-	-	1	-	1	4	17	73	114	108
All other	9	-	-	-	-	-	-	2	2	2	3	-	12	-	-	-	-	-	2	3	1	1	2	3
Black	7	-	-	-	-	-	-	2	2	2	1	-	11	-	-	-	-	-	2	2	1	1	2	3
Acute bronchitis and bronchiolitis (466)	7	-	-	-	-	-	-	-	-	1	4	2	8	1	-	-	-	-	-	-	-	1	5	1
White	7	-	-	-	-	-	-	-	-	1	4	2	8	1	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,104	6	2	-	2	10	19	24	73	172	391	405	1,383	2	1	-	3	2	13	8	35	135	368	816
White	1,067	4	1	-	2	9	16	19	67	167	386	396	1,352	-	1	-	2	1	11	7	32	132	358	808
All other	37	2	1	-	-	1	3	5	6	5	5	9	31	2	-	-	1	1	2	1	3	3	10	8
Black	30	2	-	-	-	1	3	5	6	4	1	8	29	2	-	-	1	1	2	1	3	2	9	8
Pneumonia (480-486)	1,091	6	2	-	2	10	19	24	71	169	386	400	1,345	2	1	-	3	2	13	7	35	133	358	791
White	1,054	4	1	-	2	9	16	19	65	164	383	391	1,315	-	1	-	2	1	11	6	32	130	349	783
All other	37	2	1	-	-	1	3	5	6	5	5	9	30	2	-	-	1	1	2	1	3	3	9	8
Black	30	2	-	-	-	1	3	5	6	4	1	8	28	2	-	-	1	1	2	1	3	2	8	8
Influenza (487)	13	-	-	-	-	-	-	-	2	3	3	5	38	-	-	-	-	-	-	1	-	2	10	25
White	13	-	-	-	-	-	-	-	2	3	3	5	37	-	-	-	-	-	-	1	-	2	9	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,091	-	-	-	-	2	10	30	141	300	429	179	636	-	1	-	1	3	3	28	85	252	284	178
White	1,071	-	-	-	-	2	9	28	138	295	423	176	624	-	1	-	1	-	3	27	83	248	282	178
All other	20	-	-	-	-	-	1	2	3	5	6	3	12	-	-	-	-	3	-	1	2	4	2	-
Black	18	-	-	-	-	-	1	2	2	5	6	2	12	-	-	-	-	3	-	1	2	4	2	-
Bronchitis, chronic and unspecified (490-491)	48	-	-	-	-	-	-	-	3	11	21	13	61	-	-	-	-	-	2	-	6	16	19	18
White	48	-	-	-	-	-	-	-	3	11	21	13	61	-	-	-	-	-	2	-	6	16	19	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	211	-	-	-	-	-	3	4	32	71	81	20	123	-	-	-	-	-	-	7	13	45	47	11
White	208	-	-	-	-	-	3	4	32	70	80	19	122	-	-	-	-	-	-	7	13	44	47	11
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	38	-	-	-	-	2	5	2	10	4	15	-	77	-	1	-	1	3	1	8	10	16	17	20
White	35	-	-	-	-	2	4	2	9	4	14	-	71	-	1	-	1	-	1	8	9	15	16	20
All other	3	-	-	-	-	-	1	-	1	-	1	-	6	-	-	-	-	3	-	-	1	1	1	-
Black	3	-	-	-	-	-	1	-	1	-	1	-	6	-	-	-	-	3	-	-	1	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	794	-	-	-	-	-	2	24	96	214	312	146	575	-	-	-	-	-	-	13	56	175	201	129
White	780	-	-	-	-	-	2	22	94	210	308	144	570	-	-	-	-	-	-	12	55	173	200	129
All other	14	-	-	-	-	-	-	2	2	4	4	2	5	-	-	-	-	-	-	1	1	2	1	-
Black	12	-	-	-	-	-	-	2	1	4	4	1	5	-	-	-	-	-	-	1	1	2	1	-
Ulcer of stomach and duodenum (531-533)	66	-	-	-	-	-	1	4	10	14	18	19	79	-	-	-	-	-	1	1	4	15	24	34
White	60	-	-	-	-	-	1	2	9	14	17	17	76	-	-	-	-	-	1	1	3	13	24	34
All other	6	-	-	-	-	-	-	2	1	-	1	2	3	-	-	-	-	-	-	-	1	2	-	-
Black	6	-	-	-	-	-	-	2	1	-	1	2	3	-	-	-	-	-	-	-	1	2	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	1	1	1	-	-	-	5	3	9	19	10	91	-	1	-	-	-	-	1	5	8	25	51
White	48	1	1	1	-	-	-	4	3	9	19	10	89	-	1	-	-	-	-	-	5	8	24	51
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	440	-	-	-	-	13	50	89	113	132	33	10	311	1	1	-	-	9	28	38	79	81	59	15
White	414	-	-	-	-	12	45	82	107	129	32	7	303	1	1	-	-	7	25	38	77	80	59	15
All other	26	-	-	-	-	1	5	7	6	3	1	3	8	-	-	-	-	2	3	-	2	1	-	-
Black	24	-	-	-	-	1	4	7	6	2	1	3	8	-	-	-	-	2	3	-	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	45	-	-	-	-	-	-	1	4	10	22	8	44	-	-	-	-	-	-	-	1	2	16	25
White	42	-	-	-	-	-	-	-	4	10	20	8	43	-	-	-	-	-	-	-	1	1	16	25
All other	3	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	289	2	-	2	1	2	11	6	27	70	105	63	345	4	-	-	-	1	6	6	25	67	110	126
White	272	1	-	2	1	1	10	5	22	66	102	60	329	3	-	-	-	1	5	6	24	65	102	123
All other	17	1	-	-	-	1	1	1	5	2	3	3	16	1	-	-	-	-	1	-	1	2	8	3
Black	15	1	-	-	-	1	1	1	4	2	3	2	13	1	-	-	-	-	1	-	1	1	6	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	1	-	4	1	6	-	-	-	-	-	-	-	2	-	3	1
White	6	-	-	-	-	-	-	-	1	-	4	1	6	-	-	-	-	-	-	-	2	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	-	-	-	-	7	3	4	21	-	-	-	-	1	1	1	2	3	6	7
White	13	-	-	-	-	-	-	-	-	6	3	4	20	-	-	-	-	1	1	1	2	3	5	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	269	2	-	2	1	2	11	6	26	63	98	58	318	4	-	-	-	5	5	21	64	101	118
White	253	1	-	2	1	1	10	5	21	62	95	55	303	3	-	-	-	4	5	20	62	94	115
All other	16	1	-	-	-	1	1	1	5	1	3	3	15	1	-	-	-	1	-	1	2	7	3
Black	14	1	-	-	-	1	1	1	4	1	3	2	13	1	-	-	-	1	-	1	1	6	3
Infections of kidney (590)	10	-	-	-	-	-	-	-	-	-	7	3	17	-	-	-	-	-	-	-	3	5	2	7
White	10	-	-	-	-	-	-	-	-	-	7	3	17	-	-	-	-	-	-	-	3	5	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	2	5	5	...	...	...	...	...	...	...	...	...	...	...	...
White	12	-	-	-	-	-	-	-	-	2	5	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	127	81	14	6	6	2	3	2	4	5	4	-	126	82	8	5	3	3	3	5	4	5	6	2
White	113	72	11	6	6	2	2	2	3	5	4	-	118	76	8	4	3	3	3	5	4	4	6	2
All other	14	9	3	-	-	-	1	-	1	-	-	-	8	6	-	1	-	-	-	-	-	1	-	-
Black	10	8	1	-	-	-	1	-	-	-	-	-	7	5	-	1	-	-	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	194	192	1	-	-	1	-	-	-	-	-	-	164	160	3	-	1	-	-	-	-	-	-	-
White	150	148	1	-	-	1	-	-	-	-	-	-	121	117	3	-	1	-	-	-	-	-	-	-
All other	44	44	-	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
Black	42	42	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	38	1	-	-	1	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	33	31	1	-	-	1	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	154	154	-	-	-	-	-	-	-	-	-	-	143	139	3	-	1	-	-	-	-	-	-	-
White	117	117	-	-	-	-	-	-	-	-	-	-	102	98	3	-	1	-	-	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	192	49	2	3	13	25	33	5	13	16	20	13	172	44	2	1	6	9	7	6	7	15	29	46
White	174	40	2	3	12	23	30	4	11	16	20	13	156	36	-	1	4	8	7	6	6	15	29	44
All other	18	9	-	-	1	2	3	1	2	-	-	-	16	8	2	-	2	1	-	-	1	-	-	2
Black	16	9	-	-	1	2	3	1	2	-	-	-	14	7	2	-	2	-	-	-	1	-	-	2
All other diseases (Residual)	2,040	14	19	7	31	68	100	111	224	472	595	379	2,444	13	7	7	17	33	58	74	153	389	769	924
White	1,938	12	17	6	28	75	83	101	211	457	580	368	2,348	12	6	7	15	29	47	66	143	372	751	900
All other	102	2	2	1	3	13	17	10	13	15	15	11	96	1	1	-	2	4	11	8	10	17	18	24
Black	87	2	2	1	3	13	16	9	11	11	9	10	92	1	1	-	2	3	11	8	10	16	17	23
Accidents and adverse effects (E800-E949)	1,190	5	13	36	286	210	117	82	98	111	145	85	644	1	16	21	78	42	43	27	49	73	133	161
White	1,132	5	12	30	273	199	106	79	89	108	144	85	619	1	14	19	76	40	38	24	45	71	131	160
All other	58	-	1	6	13	11	11	3	9	3	1	-	25	-	2	2	2	2	5	3	4	2	2	1
Black	48	-	1	5	9	6	10	3	9	3	1	-	20	-	2	1	2	2	4	3	1	2	2	1
Motor vehicle accidents (E810-E825)	582	-	6	25	221	128	61	37	35	33	26	10	229	1	3	14	61	23	26	13	23	30	25	10
White	557	-	5	21	213	123	55	37	34	33	26	10	217	1	3	13	61	22	21	12	19	30	25	10
All other	25	-	1	4	8	5	6	-	1	-	-	-	12	-	-	1	-	1	5	1	4	-	-	-
Black	19	-	1	4	5	2	6	-	1	-	-	-	7	-	-	-	-	1	4	1	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	608	5	7	11	65	82	56	45	63	78	119	75	415	-	13	7	17	19	17	14	26	43	108	151
White	575	5	7	9	60	76	51	42	55	75	118	75	402	-	11	6	15	18	17	12	26	41	106	150
All other	33	-	-	2	5	6	5	3	8	3	1	-	13	-	2	1	2	1	-	2	-	2	2	1
Black	29	-	-	2	4	4	4	3	8	3	1	-	13	-	2	1	2	1	-	2	-	2	2	1
Suicide (E950-E959)	407	...	...	2	78	114	55	46	48	35	19	9	132	...	...	-	19	27	29	20	14	10	10	3
White	384	...	...	2	71	106	51	45	47	34	19	9	126	...	...	-	17	26	29	19	14	10	9	2
All other	23	...	...	-	7	8	4	1	1	1	-	-	6	...	...	-	2	1	-	1	-	-	1	1
Black	19	...	...	-	4	7	4	1	1	1	-	-	3	...	...	-	2	-	-	-	-	-	1	-
Homicide and legal intervention (E960-E978)	160	1	-	3	51	54	23	17	5	4	1	-	62	1	3	1	17	21	9	2	2	3	2	1
White	103	1	-	2	31	36	12	14	2	3	1	-	46	1	1	-	13	15	8	2	1	2	2	1
All other	57	-	-	1	20	18	11	3	3	1	-	-	16	-	2	1	4	6	1	-	1	1	-	-
Black	56	-	-	1	20	17	11	3	3	1	-	-	15	-	2	1	4	5	1	-	1	1	-	-
All other external causes (E980-E999)	118	-	1	1	15	47	36	11	2	1	2	1	44	-	-	-	2	22	9	1	4	3	2	-
White	100	-	1	1	15	39	29	10	-	1	2	1	38	-	-	-	2	18	8	1	4	3	1	-
All other	18	-	-	-	-	8	7	1	2	-	-	-	6	-	-	-	-	4	1	-	-	-	1	-
Black	17	-	-	-	-	7	7	1	2	-	-	-	6	-	-	-	-	4	1	-	-	-	1	-
MICHIGAN																								
All causes	42,066	924	155	212	1,210	1,522	1,754	2,668	6,844	10,809	10,477	5,482	38,156	640	123	150	409	590	964	1,692	4,300	7,797	10,784	10,706
White	35,537	603	114	153	865	1,021	1,163	2,045	5,711	9,412	9,396	5,045	33,130	399	93	105	319	371	669	1,281	3,523	6,721	9,706	9,942
All other	6,529	321	41	59	345	501	591	623	1,133	1,397	1,081	437	5,026	241	30	45	90	219	295	411	777	1,076	1,078	764
Black	6,374	313	40	57	340	491	579	598	1,110	1,371	1,054	421	4,908	236	30	43	88	210	286	400	761	1,052	1,056	746
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	2	-	-	-	-	-	-	1	1	2	-	7	1	-	-	-	-	-	-	-	1	3	2
White	4	1	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	22	-	-	-	-	-	2	1	2	4	10	3	22	-	-	1	-	-	1	-	3	7	5	5
White	14	-	-	-	-	-	1	-	2	2	6	3	11	-	-	-	-	-	-	-	1	2	3	5
All other	8	-	-	-	-	-	1	1	-	2	4	-	11	-	-	1	-	-	1	-	2	5	2	-
Black	8	-	-	-	-	-	1	1	-	2	4	-	10	-	-	-	-	-	1	-	2	5	2	-
Tuberculosis of respiratory system (010-012)	16	-	-	-	-	-	-	1	1	3	8	3	20	-	-	1	-	-	1	-	2	6	5	5
White	9	-	-	-	-	-	-	-	1	1	4	3	11	-	-	-	-	-	-	-	1	2	3	5
All other	7	-	-	-	-	-	-	1	-	2	4	-	9	-	-	1	-	-	1	-	1	4	2	-
Black	7	-	-	-	-	-	-	1	-	2	4	-	8	-	-	-	-	-	1	-	1	4	2	-
Other tuberculosis (013-018)	6	-	-	-	-	-	2	-	1	1	2	-	2	-	-	-	-	-	-	-	1	1	-	-
White	5	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	3	2	-	-	-	1	-	1	1	-	-	7	2	-	-	1	-	2	-	-	-	2	-
White	5	1	1	-	-	-	1	-	1	1	-	-	5	1	-	-	1	-	2	-	-	-	1	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Septicemia (038)	286	2	2	-	3	6	4	11	36	56	97	69	372	4	1	1	-	3	7	20	26	58	111	141
White	237	1	-	-	3	2	2	5	27	47	88	62	296	3	1	1	-	-	3	12	22	44	90	120
All other	49	1	2	-	-	4	2	6	9	9	9	7	76	1	-	-	-	3	4	8	4	14	21	21
Black	48	1	1	-	-	4	2	6	9	9	9	7	74	1	-	-	-	3	4	7	4	14	20	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	1	-	-	2	1	-	2	5	2	-	11	-	-	-	1	-	-	2	2	3	2	1
White	8	-	-	-	-	2	-	-	1	4	1	-	10	-	-	-	-	-	-	2	2	3	2	1
All other	5	-	1	-	-	-	1	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	5	-	1	-	-	-	1	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	128	3	6	1	7	31	17	11	14	13	19	6	83	4	1	1	6	5	4	10	14	12	16	10
White	96	2	3	1	7	21	9	7	12	12	17	5	70	3	1	1	3	1	3	9	12	12	15	10
All other	32	1	3	-	-	10	8	4	2	1	2	1	13	1	-	-	3	4	1	1	2	-	1	-
Black	31	1	3	-	-	10	8	4	2	1	1	1	13	1	-	-	3	4	1	1	2	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,407	1	11	25	63	112	242	713	2,224	3,119	2,169	728	7,917	1	11	30	32	110	332	717	1,692	2,391	1,779	822
White	8,070	1	10	19	53	104	196	560	1,868	2,683	1,920	656	6,905	1	10	22	29	80	260	584	1,446	2,117	1,605	752
All other	1,337	-	1	6	10	8	46	153	356	436	249	72	1,011	-	1	8	3	30	72	133	246	274	174	70
Black	1,306	-	1	6	10	7	45	150	348	429	241	69	977	-	1	7	3	26	70	129	237	267	170	67
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	205	-	-	-	1	2	14	33	64	56	30	5	104	-	1	1	-	2	6	8	20	40	13	13
White	165	-	-	-	1	1	4	25	48	52	29	5	88	-	1	1	-	1	3	7	16	33	13	13
All other	40	-	-	-	-	1	10	8	16	4	1	-	16	-	-	-	-	1	3	1	4	7	-	-
Black	37	-	-	-	-	-	10	8	15	3	1	-	15	-	-	-	-	-	3	1	4	7	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,279	-	1	-	3	13	56	171	549	771	526	189	1,913	-	-	-	2	16	31	114	345	579	520	306
White	1,915	-	1	-	2	10	45	134	445	655	456	167	1,631	-	-	-	2	10	17	84	288	504	449	277
All other	364	-	-	-	1	3	11	37	104	116	70	22	282	-	-	-	-	6	14	30	57	75	71	29
Black	355	-	-	-	1	3	11	36	102	112	69	21	270	-	-	-	-	4	14	28	54	74	69	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,349	-	-	-	1	12	54	297	969	1,197	654	165	1,407	-	-	-	-	6	40	149	410	477	266	59
White	2,834	-	-	-	1	10	46	217	811	1,018	581	150	1,224	-	-	-	-	4	32	119	351	415	246	57
All other	515	-	-	-	-	2	8	80	158	179	73	15	183	-	-	-	-	2	8	30	59	62	20	2
Black	506	-	-	-	-	2	8	79	155	179	68	15	178	-	-	-	-	2	8	30	57	60	19	2
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	1	1	3	6	1	1,544	-	-	-	-	31	150	217	340	397	298	111
White	9	-	-	-	-	-	-	-	1	3	4	1	1,362	-	-	-	-	22	119	191	294	356	275	105
All other	3	-	-	-	-	-	-	1	-	-	2	-	182	-	-	-	-	9	31	26	46	41	23	6
Black	3	-	-	-	-	-	-	1	-	-	2	-	178	-	-	-	-	9	31	25	44	40	23	6
Malignant neoplasms of genital organs (179-187)	1,028	-	1	-	3	6	5	10	103	307	407	186	886	-	-	-	4	11	25	85	211	302	169	79
White	855	-	1	-	3	6	5	5	89	239	341	166	757	-	-	-	4	7	20	64	180	267	149	66
All other	173	-	-	-	-	-	-	5	14	68	66	20	129	-	-	-	-	4	5	21	31	35	20	13
Black	169	-	-	-	-	-	-	5	14	67	64	19	125	-	-	-	-	3	5	20	30	35	20	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	480	-	-	3	-	1	9	29	100	151	137	50	286	1	1	2	-	2	6	17	54	78	72	53
White	448	-	-	3	-	1	7	25	89	145	131	47	260	1	1	1	-	2	4	15	43	75	67	51
All other	32	-	-	-	-	-	2	4	11	6	6	3	26	-	-	1	-	-	2	2	11	3	5	2
Black	32	-	-	-	-	-	2	4	11	6	6	3	23	-	-	1	-	-	1	2	10	2	5	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,129	1	3	10	18	37	63	105	255	351	215	71	1,031	-	5	18	13	23	39	83	200	288	241	121
White	1,018	1	3	8	15	37	60	91	220	320	198	65	918	-	4	12	12	17	35	70	178	263	217	110
All other	111	-	-	2	3	-	3	14	35	31	17	6	113	-	1	6	1	6	4	13	22	25	24	11
Black	107	-	-	2	3	-	3	13	33	31	17	5	109	-	1	5	1	6	3	13	22	23	24	11
Leukemia (204-208)	407	-	4	8	23	17	20	24	72	121	83	35	264	-	4	8	8	13	19	15	48	61	63	25
White	365	-	3	6	19	16	16	23	62	112	76	32	226	-	4	7	7	12	14	11	39	53	59	20
All other	42	-	1	2	4	1	4	1	10	9	7	3	38	-	-	1	1	1	5	4	9	8	4	5
Black	41	-	1	2	4	1	3	1	10	9	7	3	38	-	-	1	1	1	5	4	9	8	4	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	518	-	2	4	14	24	21	43	111	162	111	26	482	-	-	1	5	6	16	29	64	169	137	55
White	481	-	2	2	12	23	13	40	103	139	104	23	440	-	-	1	4	5	16	23	57	151	130	53
All other	57	-	-	2	2	1	8	3	8	23	7	3	42	-	-	-	1	1	-	6	7	18	7	2
Black	56	-	-	2	2	1	8	3	8	22	7	3	41	-	-	-	1	1	-	6	7	18	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	53	3	-	-	2	-	3	8	8	16	13	10	88	2	-	1	1	2	4	4	15	24	23	12
White	53	3	-	-	1	-	2	6	6	13	12	10	82	2	-	1	1	1	4	2	14	23	23	11
All other	10	-	-	-	1	-	1	2	2	3	1	-	6	-	-	-	-	1	-	2	1	1	-	1
Black	9	-	-	-	1	-	1	1	2	3	1	-	6	-	-	-	-	1	-	2	1	1	-	1
Diabetes mellitus (250)	630	-	-	-	2	15	30	53	124	181	163	62	865	-	-	-	2	12	29	42	120	233	275	152
White	526	-	-	-	1	12	19	48	98	152	143	53	730	-	-	-	2	7	22	28	90	197	245	139
All other	104	-	-	-	1	3	11	5	26	29	20	9	135	-	-	-	-	5	7	14	30	36	30	13
Black	99	-	-	-	1	3	11	4	24	29	19	8	134	-	-	-	-	5	7	14	30	36	30	12
Nutritional deficiencies (260-269)	46	-	-	-	-	1	1	2	6	10	17	9	79	1	-	-	-	1	3	-	3	3	19	49
White	34	-	-	-	-	-	1	-	4	9	13	7	72	-	-	-	-	1	1	-	2	2	19	47
All other	12	-	-	-	-	1	-	2	2	1	4	2	7	1	-	-	-	-	2	-	1	1	-	2
Black	12	-	-	-	-	1	-	2	2	1	4	2	6	1	-	-	-	-	2	-	1	1	-	1
Anemias (280-285)	53	1	-	3	2	1	3	4	1	8	21	9	66	-	-	1	-	4	-	2	5	11	18	25
White	43	1	-	1	1	1	-	3	1	5	21	9	56	-	-	-	-	1	-	1	4	8	17	25
All other	10	-	-	2	1	-	3	1	-	3	-	-	10	-	-	1	-	3	-	1	1	3	1	-
Black	10	-	-	2	1	-	3	1	-	3	-	-	10	-	-	1	-	3	-	1	1	3	1	-
Meningitis (320-322)	19	2	6	1	-	-	-	-	1	2	5	2	17	2	5	-	-	-	1	1	1	3	4	-
White	18	2	5	1	-	-	-	-	1	2	5	2	15	2	4	-	-	-	1	1	1	3	3	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	19,091	23	8	5	40	122	469	1,083	3,083	5,334	5,637	3,286	19,949	11	7	8	22	73	173	470	1,542	3,610	6,564	7,466
White	16,729	16	5	4	27	78	338	855	2,601	4,689	5,070	3,045	17,590	5	5	7	20	44	108	335	1,204	3,034	5,877	6,950
All other	2,362	7	3	1	13	44	131	228	482	645	567	241	2,359	6	2	1	2	29	65	135	338	576	687	518
Black	2,304	7	3	1	12	42	125	217	473	633	555	236	2,316	6	2	1	2	27	64	134	333	564	674	509
Diseases of heart (390-398,402,404-429)	15,828	18	8	3	33	91	411	959	2,712	4,490	4,510	2,592	15,474	9	6	4	16	53	129	366	1,247	2,901	5,139	5,603
White	13,876	14	5	3	21	58	305	769	2,304	3,957	4,055	2,384	13,629	4	4	3	15	32	84	259	989	2,454	4,583	5,201
All other	1,952	4	3	-	12	33	106	190	408	533	455	208	1,845	5	2	1	1	21	45	107	258	447	556	402
Black	1,902	4	3	-	11	32	100	181	401	521	445	204	1,817	5	2	1	1	20	44	106	254	442	547	395
Rheumatic fever and rheumatic heart disease (390-398)	73	-	-	-	-	6	3	9	20	19	11	5	147	-	-	-	-	5	5	8	31	24	51	23
White	68	-	-	-	-	4	2	9	19	19	10	5	135	-	-	-	-	5	2	7	26	24	49	22
All other	5	-	-	-	-	2	1	-	1	-	1	-	12	-	-	-	-	-	3	1	5	-	2	1
Black	5	-	-	-	-	2	1	-	1	-	1	-	10	-	-	-	-	-	3	1	4	-	1	1
Hypertensive heart disease (402)	260	-	-	-	-	7	12	25	53	70	65	28	367	-	-	-	-	2	10	26	40	72	114	103
White	171	-	-	-	-	4	5	11	30	49	48	24	275	-	-	-	-	-	3	7	24	52	98	91
All other	89	-	-	-	-	3	7	14	23	21	17	4	92	-	-	-	-	2	7	19	16	20	16	12
Black	87	-	-	-	-	3	6	14	23	20	17	4	92	-	-	-	-	2	7	19	16	20	16	12
Hypertensive heart and renal disease (404)	33	-	-	-	-	1	-	1	1	11	14	5	57	-	-	-	-	-	-	1	4	14	12	26
White	22	-	-	-	-	1	-	-	-	6	11	4	46	-	-	-	-	-	-	-	1	13	8	24
All other	11	-	-	-	-	-	-	1	1	5	3	1	11	-	-	-	-	-	-	1	3	1	4	2
Black	11	-	-	-	-	-	-	1	1	5	3	1	11	-	-	-	-	-	-	1	3	1	4	2
Ischemic heart disease (410-414)	11,174	-	-	-	2	22	223	616	1,699	3,281	3,271	1,860	10,713	-	-	1	2	6	59	216	818	2,036	3,677	3,898
White	10,275	-	-	-	1	18	189	549	1,724	3,010	3,038	1,746	9,664	-	-	1	2	5	48	167	676	1,799	3,318	3,648
All other	899	-	-	-	1	4	34	67	175	271	233	114	1,049	-	-	-	-	1	11	49	142	237	359	250
Black	867	-	-	-	1	4	30	61	170	265	226	110	1,032	-	-	-	-	1	11	49	140	232	353	248
Acute myocardial infarction (410)	5,965	-	-	-	1	13	159	430	1,177	1,885	1,615	685	4,820	-	-	1	1	6	42	141	504	1,148	1,737	1,242
White	5,548	-	-	-	-	10	132	386	1,097	1,746	1,524	653	4,396	-	-	1	1	5	37	110	428	1,033	1,607	1,174
All other	417	-	-	-	1	3	27	44	80	139	91	32	424	-	-	-	-	1	5	31	76	113	130	68
Black	402	-	-	-	1	3	24	42	79	136	87	30	415	-	-	-	-	1	5	31	74	111	126	67

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	38	–	–	–	–	–	–	2	7	12	15	2	24	–	–	–	–	–	–	2	4	6	8	4
White	34	–	–	–	–	–	–	2	6	11	13	2	20	–	–	–	–	–	–	1	4	5	6	4
All other	4	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	1	–	1	2	–
Black	4	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	1	–	1	2	–
Angina pectoris (413)	20	–	–	–	–	–	–	1	3	8	6	2	22	–	–	–	–	–	2	–	4	5	8	3
White	14	–	–	–	–	–	–	1	1	5	5	2	16	–	–	–	–	–	2	–	2	4	6	2
All other	6	–	–	–	–	–	–	–	2	3	1	–	6	–	–	–	–	–	–	–	2	1	2	1
Black	6	–	–	–	–	–	–	–	2	3	1	–	6	–	–	–	–	–	–	–	2	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,151	–	–	–	1	9	64	183	712	1,376	1,635	1,171	5,847	–	–	–	1	–	15	73	306	879	1,924	2,649
White	4,679	–	–	–	1	8	57	160	620	1,248	1,496	1,089	5,232	–	–	–	1	–	9	56	242	757	1,699	2,468
All other	472	–	–	–	–	1	7	23	92	128	139	82	615	–	–	–	–	–	6	17	64	122	225	181
Black	455	–	–	–	–	1	6	19	88	125	136	80	607	–	–	–	–	–	6	17	64	119	223	178
Other diseases of endocardium (424)	144	–	–	–	1	1	4	7	18	45	47	21	190	–	–	–	–	–	1	6	23	35	63	62
White	130	–	–	–	1	–	2	4	16	42	46	19	177	–	–	–	–	–	1	6	19	31	60	60
All other	14	–	–	–	–	1	2	3	2	3	1	2	13	–	–	–	–	–	–	–	4	4	3	2
Black	13	–	–	–	–	1	2	3	2	2	1	2	12	–	–	–	–	–	–	–	3	4	3	2
All other forms of heart disease (415-423,425-429)	4,144	18	8	3	30	54	169	301	721	1,064	1,102	673	4,000	9	6	3	14	40	54	109	331	720	1,222	1,491
White	3,210	14	5	3	19	31	107	196	515	831	902	586	3,332	4	4	2	13	22	30	72	243	595	1,050	1,356
All other	934	4	3	–	11	23	62	105	206	233	200	87	668	5	2	1	1	18	24	37	88	185	172	135
Black	919	4	3	–	10	22	61	102	204	229	197	87	660	5	2	1	1	17	23	36	88	185	170	132
Hypertension with or without renal disease (401,403)	105	–	–	–	–	–	2	5	14	37	31	17	151	–	–	–	–	1	2	2	14	29	53	50
White	80	–	–	–	–	–	1	2	10	28	23	16	111	–	–	–	–	–	–	–	7	20	41	43
All other	26	–	–	–	–	–	1	3	4	9	8	1	40	–	–	–	–	1	2	2	7	9	12	7
Black	26	–	–	–	–	–	1	3	4	9	8	1	40	–	–	–	–	1	2	2	7	9	12	7
Cerebrovascular diseases (430-438)	2,170	5	–	2	5	21	51	93	248	548	760	437	3,257	1	1	3	5	16	37	87	233	528	1,068	1,278
White	1,867	2	–	1	4	14	30	63	195	463	679	416	2,863	1	1	3	5	11	21	63	167	427	965	1,199
All other	303	3	–	1	1	7	21	30	53	85	81	21	394	–	–	–	–	5	16	24	66	101	103	79
Black	297	3	–	1	1	7	21	29	51	85	79	20	381	–	–	–	–	4	16	24	65	96	99	77
Intracerebral and other intracranial hemorrhage (431-432)	348	2	–	1	3	8	25	29	80	92	76	32	420	1	–	1	3	5	11	31	64	86	152	66
White	269	1	–	–	3	6	11	15	59	75	68	31	346	1	–	1	3	2	4	23	44	72	134	62
All other	79	1	–	1	–	2	14	14	21	17	8	1	74	–	–	–	–	3	7	8	20	14	18	4
Black	79	1	–	1	–	2	14	14	21	17	8	1	74	–	–	–	–	3	7	8	20	14	18	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	409	1	–	–	2	1	1	18	44	102	142	98	646	–	–	1	–	–	1	5	33	101	206	299
White	349	–	–	–	1	1	–	13	35	83	126	90	565	–	–	1	–	–	–	3	20	79	184	278
All other	60	1	–	–	1	–	1	5	9	19	16	8	81	–	–	–	–	–	1	2	13	22	22	21
Black	58	1	–	–	1	–	1	4	9	19	16	7	79	–	–	–	–	–	1	2	13	22	21	20
Cerebral embolism (434.1)	13	–	–	–	–	1	–	–	1	5	5	1	16	–	–	–	–	–	–	1	1	5	6	3
White	13	–	–	–	–	1	–	–	1	5	5	1	14	–	–	–	–	–	–	1	1	4	6	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,400	2	–	1	–	11	25	46	123	349	537	306	2,175	–	1	1	2	11	25	50	135	336	704	910
White	1,238	1	–	1	–	6	19	35	100	300	480	294	1,938	–	1	1	2	9	17	36	102	272	641	857
All other	164	1	–	–	–	5	6	11	23	49	57	12	237	–	–	–	–	2	8	14	33	64	63	53
Black	160	1	–	–	–	5	6	11	21	49	55	12	226	–	–	–	–	1	8	14	32	59	60	52
Atherosclerosis (440)	461	–	–	–	–	1	–	7	23	67	184	179	755	–	–	–	–	–	1	3	17	72	213	449
White	419	–	–	–	–	–	–	5	19	59	167	169	711	–	–	–	–	–	1	3	14	65	204	424
All other	42	–	–	–	–	1	–	2	4	8	17	10	44	–	–	–	–	–	–	–	3	7	9	25
Black	42	–	–	–	–	1	–	2	4	8	17	10	43	–	–	–	–	–	–	–	3	6	9	25
Other diseases of arteries, arterioles, and capillaries (441-446)	526	–	–	–	2	9	5	19	88	192	152	61	312	1	–	1	1	3	4	12	31	80	91	88
White	487	–	–	–	2	6	2	16	79	182	148	60	276	–	–	1	–	1	2	10	27	66	84	83
All other	39	–	–	–	–	3	3	3	13	10	6	1	36	1	–	–	1	2	2	2	4	12	7	5
Black	37	–	–	–	–	2	3	2	13	10	6	1	35	1	–	–	1	2	2	2	4	11	7	5
Acute bronchitis and bronchiolitis (466)	13	1	–	–	–	–	1	–	1	4	4	2	10	–	–	–	–	–	–	–	–	1	3	6
White	13	1	–	–	–	–	1	–	1	4	4	2	10	–	–	–	–	–	–	–	–	1	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,223	7	3	1	7	16	27	37	104	215	444	362	1,288	6	3	3	10	18	15	31	63	130	374	635
White	1,074	5	3	1	6	11	10	26	85	180	410	337	1,158	4	1	2	9	14	10	17	44	111	347	599
All other	149	2	–	–	1	5	17	11	19	35	34	25	130	2	2	1	1	4	5	14	19	19	27	36
Black	144	2	–	–	1	5	17	11	19	33	34	22	128	2	2	1	1	4	5	14	18	18	27	36

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	1,187	6	3	1	7	16	27	37	104	212	425	349	1,200	6	3	3	10	16	14	31	61	127	346	583
White	1,040	4	3	1	6	11	10	26	85	178	391	325	1,070	4	1	2	9	12	9	17	42	108	319	547
All other	147	2	–	–	1	5	17	11	19	34	34	24	130	2	2	1	1	4	5	14	19	19	27	36
Black	144	2	–	–	1	5	17	11	19	33	34	22	128	2	2	1	1	4	5	14	18	18	27	36
Influenza (487)	36	1	–	–	–	–	–	–	–	3	19	13	88	–	–	–	–	2	1	–	2	3	28	52
White	34	1	–	–	–	–	–	–	–	2	19	12	88	–	–	–	–	2	1	–	2	3	28	52
All other	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,792	–	1	3	2	3	14	50	238	616	617	248	1,084	1	1	3	7	6	13	35	157	371	335	155
White	1,632	–	–	–	–	1	8	36	207	573	577	230	1,002	–	1	2	5	2	8	31	146	339	321	147
All other	160	–	1	3	2	2	6	14	31	43	40	18	82	1	–	1	2	4	5	4	11	32	14	8
Black	152	–	1	3	2	2	6	13	31	41	38	15	75	1	–	1	2	4	5	4	10	29	12	7
Bronchitis, chronic and unspecified (490-491)	76	–	–	–	–	–	–	3	13	19	32	9	72	1	–	–	–	–	3	2	6	22	16	22
White	71	–	–	–	–	–	–	3	12	19	29	8	65	–	–	–	–	–	3	2	6	18	15	21
All other	5	–	–	–	–	–	–	–	1	–	3	1	7	1	–	–	–	–	–	–	–	4	1	1
Black	5	–	–	–	–	–	–	–	1	–	3	1	5	1	–	–	–	–	–	–	–	3	1	–
Emphysema (492)	467	–	–	–	–	–	1	16	65	185	145	56	236	–	–	–	1	–	1	11	42	93	68	20
White	436	–	–	–	–	–	1	11	60	176	134	54	225	–	–	–	1	–	1	11	39	86	67	20
All other	31	–	–	–	–	–	–	4	5	9	11	2	11	–	–	–	–	–	–	–	3	7	1	–
Black	29	–	–	–	–	–	–	4	5	9	10	1	10	–	–	–	–	–	–	–	2	7	1	–
Asthma (493)	49	–	1	3	2	3	6	5	8	7	10	2	81	–	–	3	6	5	4	8	10	20	16	7
White	29	–	–	–	–	1	5	3	3	6	9	2	58	–	–	2	4	2	–	6	9	15	15	5
All other	20	–	1	3	2	2	3	2	5	1	1	–	23	–	–	1	2	3	4	2	1	5	3	2
Black	20	–	1	3	2	2	3	2	5	1	1	–	22	–	–	1	2	3	4	2	1	5	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,200	–	–	–	–	–	5	27	152	405	430	181	695	–	1	–	–	1	5	14	99	236	233	106
White	1,096	–	–	–	–	–	2	19	132	372	405	166	654	–	1	–	–	–	4	12	92	220	224	101
All other	104	–	–	–	–	–	3	8	20	33	25	15	41	–	–	–	–	1	1	2	7	16	9	5
Black	98	–	–	–	–	–	3	7	20	31	24	13	38	–	–	–	–	1	1	2	7	14	8	5
Ulcer of stomach and duodenum (531-533)	138	–	–	–	–	5	5	7	27	38	33	23	139	–	–	–	–	1	2	4	19	24	43	46
White	121	–	–	–	–	4	3	4	22	33	33	22	128	–	–	–	–	–	1	4	18	22	39	44
All other	17	–	–	–	–	1	2	3	5	5	–	1	11	–	–	–	–	1	1	–	1	2	4	2
Black	17	–	–	–	–	1	2	3	5	5	–	1	11	–	–	–	–	1	1	–	1	2	4	2
Appendicitis (540-543)	12	–	1	–	2	–	1	–	3	2	–	3	4	–	–	–	–	1	–	–	–	1	1	1
White	8	–	1	–	2	–	–	–	1	1	–	3	3	–	–	–	–	–	–	–	–	1	1	1
All other	4	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	4	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	72	1	1	–	2	1	1	4	5	14	26	17	116	1	1	1	–	–	2	4	8	17	38	44
White	59	1	1	–	1	1	–	4	4	9	23	15	96	1	–	1	–	–	2	3	5	11	33	40
All other	13	–	–	–	1	–	1	–	1	5	3	2	20	–	1	–	–	–	–	1	3	6	5	4
Black	13	–	–	–	1	–	1	–	1	5	3	2	19	–	1	–	–	–	–	1	3	6	5	3
Chronic liver disease and cirrhosis (571)	762	–	–	2	2	39	123	136	205	176	64	15	356	–	–	–	2	21	34	54	102	92	39	14
White	564	–	–	1	2	13	65	95	161	154	58	15	284	–	–	–	1	9	17	39	88	81	35	14
All other	198	–	–	1	–	26	58	41	44	22	6	–	74	–	–	–	1	12	17	15	14	11	4	–
Black	195	–	–	1	–	26	58	39	44	21	6	–	73	–	–	–	1	12	16	15	14	11	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	34	–	–	–	–	–	1	–	4	10	11	8	50	–	–	–	1	–	–	–	3	11	11	24
White	31	–	–	–	–	–	1	–	4	9	10	7	47	–	–	–	–	–	–	–	3	11	9	24
All other	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	1	–	–	–	–	–	2	–
Black	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	1	–	–	–	–	–	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	415	6	–	–	2	6	13	10	50	93	137	98	423	3	–	1	–	8	10	16	42	84	122	137
White	322	2	–	–	1	2	7	7	38	76	105	86	330	1	–	–	–	5	6	9	26	60	104	119
All other	93	4	–	–	1	4	6	3	14	17	32	12	93	2	–	1	–	3	4	7	16	24	18	18
Black	89	4	–	–	1	4	6	3	12	17	31	11	92	2	–	1	–	3	4	6	16	24	18	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	–	–	–	–	–	1	–	–	3	1	2	4	–	–	–	–	1	–	–	2	1	–	–
White	5	–	–	–	–	–	–	–	–	2	1	2	3	–	–	–	–	–	–	–	2	1	–	–
All other	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	28	-	-	-	-	-	1	-	5	8	8	6	32	-	-	-	-	2	2	1	3	11	9	4
White	22	-	-	-	-	-	1	-	2	7	7	5	26	-	-	-	-	2	1	1	2	8	8	4
All other	6	-	-	-	-	-	-	-	3	1	1	1	6	-	-	-	-	-	1	-	1	3	1	-
Black	5	-	-	-	-	-	-	-	3	1	-	1	6	-	-	-	-	-	1	-	1	3	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	380	6	-	-	2	6	11	10	45	82	128	90	387	3	-	1	-	5	8	15	37	72	113	133
White	295	2	-	-	1	2	6	7	34	67	97	79	301	1	-	-	-	3	5	8	22	51	98	115
All other	85	4	-	-	1	4	5	3	11	15	31	11	86	2	-	1	-	2	3	7	15	21	17	18
Black	82	4	-	-	1	4	5	3	9	15	31	10	85	2	-	1	-	2	3	6	15	21	17	18
Infections of kidney (590)	10	-	-	-	-	-	-	-	1	1	6	2	40	-	-	-	-	1	-	-	4	4	11	20
White	8	-	-	-	-	-	-	-	-	1	5	2	39	-	-	-	-	1	-	-	4	4	10	20
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	-	3	5	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	6	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	4	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	4	1	-	-	...	...	...	...
Congenital anomalies (740-759)	293	176	20	12	13	11	12	15	9	9	12	4	212	117	25	11	11	8	8	4	11	8	8	1
White	248	143	19	10	11	10	10	14	8	7	12	4	178	92	22	8	10	6	8	4	11	8	8	1
All other	45	33	1	2	2	1	2	1	1	2	-	-	34	25	3	3	1	2	-	-	-	-	-	-
Black	42	31	1	2	2	1	1	1	1	2	-	-	34	25	3	3	1	2	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	499	453	5	-	1	-	-	-	-	-	-	-	351	349	-	1	-	-	1	-	-	-	-	-
White	286	282	3	-	1	-	-	-	-	-	-	-	206	204	-	1	-	-	1	-	-	-	-	-
All other	213	211	2	-	-	-	-	-	-	-	-	-	145	145	-	-	-	-	-	-	-	-	-	-
Black	208	206	2	-	-	-	-	-	-	-	-	-	141	141	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	123	122	-	-	1	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
White	86	85	-	-	1	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	376	371	5	-	-	-	-	-	-	-	-	-	272	270	-	1	-	-	1	-	-	-	-	-
White	200	197	3	-	-	-	-	-	-	-	-	-	156	154	-	1	-	-	1	-	-	-	-	-
All other	176	174	2	-	-	-	-	-	-	-	-	-	116	116	-	-	-	-	-	-	-	-	-	-
Black	172	170	2	-	-	-	-	-	-	-	-	-	113	113	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	233	152	3	-	3	9	8	6	11	22	14	5	174	102	5	1	2	1	2	6	4	8	15	28
White	173	105	3	-	3	7	4	4	9	20	13	5	120	58	4	1	1	1	1	4	3	7	15	25
All other	60	47	-	-	-	2	4	2	2	2	1	-	54	44	1	-	1	-	1	2	1	1	-	3
Black	59	47	-	-	-	1	4	2	2	2	1	-	53	43	1	-	1	-	1	2	1	1	-	3
All other diseases (Residual)	2,783	27	18	17	66	203	220	198	360	588	703	382	2,837	17	16	21	38	105	115	130	322	502	780	793
White	2,246	19	14	15	51	123	113	143	286	501	625	345	2,395	12	12	11	24	53	69	83	255	445	711	720
All other	537	8	4	2	15	80	107	55	84	87	78	37	442	5	4	10	12	52	46	47	67	57	79	63
Black	528	7	4	2	13	79	107	54	82	86	77	37	436	5	4	10	12	52	44	46	67	57	78	61
Accidents and adverse effects (E800-E949)	2,163	13	57	126	525	420	255	160	169	167	166	104	1,042	10	40	53	180	104	80	70	86	148	151	120
White	1,845	12	43	94	477	383	198	130	142	144	144	97	929	8	30	40	167	86	65	58	75	139	146	115
All other	318	1	14	32	48	37	57	30	27	23	22	7	113	2	10	13	13	18	15	12	11	9	5	5
Black	302	1	14	30	47	54	53	26	27	22	21	7	105	2	10	13	12	15	13	12	11	8	4	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,182	2	12	66	404	270	139	82	76	53	63	14	556	1	17	36	151	82	54	43	39	69	48	16
White	1,044	2	8	54	378	241	112	66	67	47	56	12	509	1	14	30	145	70	46	38	34	69	46	16
All other	138	–	4	12	26	29	27	16	9	6	7	2	47	–	3	6	6	12	8	5	5	–	2	–
Black	132	–	4	12	25	28	24	16	9	6	6	2	42	–	3	6	5	9	7	5	5	–	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	981	11	45	60	121	150	116	78	93	114	103	90	486	9	23	17	29	22	26	27	47	79	103	104
White	801	10	35	40	99	122	86	64	75	97	88	85	420	7	16	10	22	16	19	20	41	70	100	99
All other	180	1	10	20	22	28	30	14	18	17	15	5	66	2	7	7	7	6	7	7	6	9	3	5
Black	170	1	10	18	22	26	29	10	18	16	15	5	63	2	7	7	7	6	6	7	6	8	2	5
Suicide (E950-E959)	865	...	...	4	184	224	129	83	95	78	70	18	258	...	...	1	30	41	55	52	37	25	15	2
White	779	...	...	3	147	196	112	74	89	73	66	17	229	...	...	1	25	36	50	45	31	24	15	2
All other	86	...	...	1	17	28	17	9	6	5	2	1	29	...	...	–	5	5	5	7	6	1	–	–
Black	84	...	...	1	17	26	17	9	6	5	2	1	25	...	...	–	4	5	4	5	6	1	–	–
Homicide and legal intervention (E960-E978)	680	8	10	11	289	264	140	68	53	21	10	1	236	6	6	9	56	53	57	13	15	12	6	3
White	223	5	3	2	61	52	44	19	19	4	8	1	95	2	2	4	17	16	19	7	12	8	5	3
All other	657	3	7	9	228	212	96	49	34	17	2	–	141	4	4	5	39	37	38	6	3	4	1	–
Black	655	3	7	9	227	212	96	48	34	17	2	–	141	4	4	5	39	37	38	6	3	4	1	–
All other external causes (E980-E999)	98	–	–	1	13	31	31	8	6	5	2	–	39	–	1	2	3	7	14	5	4	3	–	–
White	61	–	–	1	9	18	18	5	5	3	1	–	26	–	–	2	2	4	8	3	4	3	–	–
All other	37	–	–	–	4	13	13	3	1	2	1	–	13	–	1	–	1	3	6	2	–	–	–	–
Black	37	–	–	–	4	13	13	3	1	2	1	–	12	–	1	–	1	3	6	1	–	–	–	–
MINNESOTA																								
All causes	18,182	361	65	92	423	435	515	907	2,296	4,391	5,184	3,511	16,900	245	37	50	166	165	302	586	1,324	2,800	4,896	6,329
White	17,752	324	50	82	393	406	471	859	2,240	4,323	5,124	3,478	16,608	212	32	47	152	147	286	566	1,288	2,758	4,843	6,277
All other	430	37	15	10	30	29	44	48	56	68	60	33	292	33	5	3	14	18	16	20	36	42	53	52
Black	220	17	6	5	11	16	26	24	30	39	25	21	148	18	3	1	4	7	6	8	19	22	25	35
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	3	2	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–	–	–	1	–	1	1	2
White	4	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–	–	–	1	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	1	1	1
White	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	–	1
White	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
White	2	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	92	1	1	–	–	1	1	2	8	20	30	28	115	3	–	1	–	2	2	1	9	18	30	49
White	87	1	1	–	–	1	1	2	7	20	28	26	111	3	–	1	–	1	2	1	8	18	30	49
All other	5	–	–	–	–	–	–	–	1	–	2	2	4	–	–	–	–	1	–	–	1	2	–	–
Black	3	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	4	-	-	-	-	-	2	1	-	1	-	-	3	-	-	-	-	1	-	-	1	-	1	-
White	4	-	-	-	-	-	2	1	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	72	2	1	2	3	16	5	7	5	12	9	10	56	1	1	2	1	1	3	3	7	10	13	14
White	70	2	1	2	3	15	5	6	5	12	9	10	55	1	1	2	1	1	3	3	7	10	13	13
All other	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,067	-	3	10	19	49	82	250	780	1,271	1,132	461	3,606	2	1	4	26	38	121	293	618	957	993	553
White	3,997	-	3	8	18	46	76	243	771	1,257	1,118	457	3,553	2	1	4	25	34	116	287	603	947	987	547
All other	70	-	-	2	1	3	6	7	19	14	14	4	53	-	-	-	1	4	5	6	15	10	6	6
Black	38	-	-	2	-	2	3	3	10	5	10	3	30	-	-	-	1	2	3	4	9	5	2	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	80	-	-	-	-	1	2	7	29	24	11	6	39	-	-	-	-	1	-	3	10	10	6	9
White	79	-	-	-	-	1	2	7	29	23	11	6	38	-	-	-	-	-	-	3	10	10	6	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,090	-	-	-	2	8	21	78	194	360	314	115	945	-	-	-	-	6	13	42	120	235	325	204
White	1,070	-	-	-	1	5	20	78	187	354	311	114	933	-	-	-	-	5	12	41	117	234	323	201
All other	20	-	-	-	1	1	1	-	7	6	3	1	12	-	-	-	-	1	1	1	3	1	2	3
Black	8	-	-	-	-	1	-	-	2	2	2	1	6	-	-	-	-	-	1	1	1	-	1	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,180	-	-	-	-	1	18	69	315	421	291	65	546	-	-	-	-	2	14	71	133	182	105	39
White	1,153	-	-	-	-	-	15	65	307	416	285	65	532	-	-	-	-	2	13	71	128	178	102	38
All other	27	-	-	-	-	1	3	4	8	5	6	-	14	-	-	-	-	-	1	-	5	4	3	1
Black	14	-	-	-	-	-	2	2	6	1	3	-	6	-	-	-	-	-	1	-	2	2	-	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	2	1	1	-	689	-	-	-	-	8	46	87	147	177	151	73
White	4	-	-	-	-	-	-	-	2	1	1	-	679	-	-	-	-	8	45	84	143	176	151	72
All other	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	3	4	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	4	-	-	-
Malignant neoplasms of genital organs (179-187)	562	-	-	-	1	1	1	7	38	159	222	133	391	-	-	-	1	3	14	33	63	122	102	53
White	558	-	-	-	1	1	1	7	38	158	221	131	384	-	-	-	1	2	12	32	63	121	102	53
All other	4	-	-	-	-	-	-	-	-	1	1	2	7	-	-	-	1	2	2	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	1	2	1	1	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	227	-	-	-	-	1	3	16	36	63	75	33	142	-	-	-	-	1	3	12	20	28	48	30
White	225	-	-	-	-	1	3	16	36	63	73	33	142	-	-	-	-	1	3	12	20	28	48	30
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	491	-	2	4	10	26	19	43	111	121	107	48	449	1	-	-	14	6	16	31	72	112	126	71
White	483	-	2	2	10	25	19	43	108	120	106	48	444	1	-	-	14	6	16	31	71	110	125	70
All other	8	-	-	2	-	1	-	-	3	1	1	-	5	-	-	-	-	-	-	-	1	2	1	1
Black	6	-	-	2	-	1	-	-	2	-	1	-	4	-	-	-	-	-	-	-	1	1	1	1
Leukemia (204-208)	193	-	1	6	5	6	8	13	24	50	46	34	151	-	-	2	6	4	6	3	17	34	45	34
White	188	-	1	6	5	6	7	11	23	50	46	33	151	-	-	2	6	4	6	3	17	34	45	34
All other	5	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	240	-	-	-	1	7	10	17	41	72	65	27	254	1	1	2	5	7	9	11	36	57	85	40
White	237	-	-	-	1	7	9	16	41	72	64	27	250	1	1	2	5	7	9	10	34	56	85	40
All other	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	2	1	2	-	3	1	3	10	10	19	8	73	2	-	-	-	1	3	6	5	12	19	25
White	59	2	1	2	-	3	1	3	10	10	19	8	70	2	-	-	-	1	3	6	5	12	17	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	266	–	–	–	1	7	7	17	28	77	83	46	347	–	–	1	–	3	12	18	34	82	88	109
White	257	–	–	–	1	5	7	15	28	73	82	46	336	–	–	1	–	3	11	17	32	80	86	106
All other	9	–	–	–	–	2	–	2	–	4	1	–	11	–	–	–	–	–	1	1	2	2	2	3
Black	6	–	–	–	–	2	–	1	–	2	1	–	6	–	–	–	–	–	–	1	1	1	1	2
Nutritional deficiencies (260-269)	24	–	–	–	–	–	–	–	1	1	8	14	43	–	–	–	–	–	–	–	1	1	15	26
White	23	–	–	–	–	–	–	–	1	1	7	14	42	–	–	–	–	–	–	–	1	1	14	26
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	27	–	–	–	–	1	1	2	2	3	10	8	35	1	–	–	–	2	–	1	2	2	11	16
White	27	–	–	–	–	1	1	2	2	3	10	8	34	–	–	–	–	2	–	1	2	2	11	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	7	1	–	1	–	–	–	–	4	1	–	–	7	–	–	–	–	–	–	–	2	3	1	1
White	6	1	–	–	–	–	–	–	4	1	–	–	7	–	–	–	–	–	–	–	2	3	1	1
All other	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	8,158	11	4	10	13	41	153	374	993	2,036	2,631	1,892	8,222	5	3	2	8	27	47	128	367	1,117	2,601	3,917
White	8,041	11	3	10	11	40	141	360	976	2,009	2,603	1,877	8,137	4	3	2	7	26	46	124	356	1,104	2,576	3,889
All other	117	–	1	–	2	1	12	14	17	27	28	15	85	1	–	–	1	1	1	4	11	13	25	28
Black	56	–	1	–	–	1	5	10	6	17	9	7	51	–	–	–	1	1	1	1	6	7	14	20
Diseases of heart (390-398,402,404-429)	6,388	10	4	7	8	33	135	333	876	1,638	2,003	1,341	5,744	4	1	2	5	17	31	87	285	867	1,854	2,591
White	6,297	10	3	7	7	32	124	321	861	1,620	1,980	1,332	5,685	3	1	2	4	16	30	85	276	856	1,838	2,574
All other	91	–	1	–	1	1	11	12	15	18	23	9	59	1	–	–	1	1	1	2	9	11	16	17
Black	41	–	1	–	–	1	5	8	4	9	8	5	32	–	–	–	1	1	1	–	5	5	8	11
Rheumatic fever and rheumatic heart disease (390-398)	38	–	–	–	–	1	4	1	11	9	8	4	79	–	–	–	–	2	1	4	10	20	28	14
White	38	–	–	–	–	1	3	1	11	9	7	4	78	–	–	–	–	2	1	4	10	20	28	13
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Hypertensive heart disease (402)	60	–	–	–	–	–	1	1	9	17	21	11	118	–	–	–	–	–	–	1	4	10	44	59
White	60	–	–	–	–	–	1	1	9	17	21	11	115	–	–	–	–	–	–	1	4	10	42	58
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
Hypertensive heart and renal disease (404)	11	–	–	–	–	1	–	–	1	1	5	3	15	–	–	–	–	–	–	–	–	2	3	10
White	10	–	–	–	–	–	–	–	1	1	5	3	15	–	–	–	–	–	–	–	–	2	3	10
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	4,697	–	–	–	2	22	104	279	681	1,255	1,463	891	3,758	–	–	–	–	8	13	51	189	587	1,283	1,627
White	4,637	–	–	–	1	22	97	267	669	1,243	1,450	888	3,725	–	–	–	–	7	13	50	181	582	1,273	1,619
All other	60	–	–	–	1	–	7	12	12	12	13	3	33	–	–	–	–	1	–	1	8	5	10	8
Black	24	–	–	–	–	–	3	8	3	4	4	2	16	–	–	–	–	1	–	–	5	2	4	4
Acute myocardial infarction (410)	2,253	–	–	–	1	9	47	136	358	639	722	341	1,597	–	–	–	–	5	8	28	102	310	617	529
White	2,226	–	–	–	1	9	45	128	354	633	717	339	1,582	–	–	–	–	5	8	26	98	308	610	527
All other	27	–	–	–	–	–	2	8	4	6	5	2	15	–	–	–	–	–	–	–	4	2	7	2
Black	6	–	–	–	–	–	–	4	–	–	1	1	4	–	–	–	–	–	–	–	1	–	3	–
Other acute and subacute forms of ischemic heart disease (411)	27	–	–	–	–	–	1	–	4	7	9	6	15	–	–	–	–	–	1	–	–	2	4	8
White	27	–	–	–	–	–	1	–	4	7	9	6	15	–	–	–	–	–	1	–	–	2	4	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	11	–	–	–	–	–	–	–	1	4	5	1	12	–	–	–	–	–	–	–	1	4	6	1
White	10	–	–	–	–	–	–	–	–	4	5	1	12	–	–	–	–	–	–	–	1	4	6	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,406	–	–	–	1	13	56	143	318	605	727	543	2,134	–	–	–	–	3	4	25	86	271	656	1,089
White	2,374	–	–	–	–	13	51	139	311	599	719	542	2,116	–	–	–	–	2	4	24	82	268	653	1,083
All other	32	–	–	–	1	–	5	4	7	6	8	1	18	–	–	–	–	1	–	1	4	3	3	6
Black	18	–	–	–	–	–	3	4	3	4	3	1	12	–	–	–	–	1	–	–	4	2	1	4
Other diseases of endocardium (424)	90	–	–	–	–	–	–	2	15	28	21	26	142	–	–	–	–	–	1	2	4	20	44	71
White	90	–	–	–	–	–	–	2	15	28	21	26	142	–	–	–	–	–	1	2	4	20	44	71
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,492	10	4	7	6	9	26	50	159	330	485	406	1,632	4	1	2	5	7	16	29	78	228	452	810
White	1,464	10	3	7	6	9	23	50	156	324	476	400	1,610	3	1	2	4	7	15	28	77	222	448	803
All other	28	-	1	-	-	-	3	-	3	6	9	6	22	1	-	-	1	-	1	1	1	6	4	7
Black	16	-	1	-	-	-	2	-	1	5	4	3	12	-	-	-	1	-	1	-	-	3	2	5
Hypertension with or without renal disease (401,403)	80	-	-	-	-	-	-	4	11	26	21	18	115	-	-	-	-	1	-	3	5	12	39	55
White	78	-	-	-	-	-	-	4	11	24	21	18	112	-	-	-	-	1	-	2	5	12	37	55
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	2	-
Cerebrovascular diseases (430-438)	1,248	1	-	2	3	7	16	26	73	254	445	421	1,858	1	2	-	2	7	13	34	60	187	572	980
White	1,227	1	-	2	2	7	15	25	71	247	441	416	1,838	1	2	-	2	7	13	33	59	185	565	971
All other	21	-	-	-	1	-	1	1	2	7	4	5	20	-	-	-	-	-	-	1	1	2	7	9
Black	12	-	-	-	-	-	-	1	2	7	-	2	15	-	-	-	-	-	-	-	1	2	4	6
Intracerebral and other intracranial hemorrhage (431-432)	128	-	-	-	1	1	4	11	21	40	37	13	149	-	1	-	-	3	3	10	11	23	63	35
White	125	-	-	-	1	1	3	11	20	40	37	12	145	-	1	-	-	3	3	9	11	22	62	34
All other	3	-	-	-	-	-	1	-	1	-	-	1	4	-	-	-	-	-	-	1	-	1	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	155	-	-	-	1	-	2	1	4	39	47	61	208	-	1	-	1	-	1	3	6	20	57	119
White	154	-	-	-	1	-	2	1	4	38	47	61	206	-	1	-	1	-	1	3	6	20	55	119
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	1	-	1	3	3	5
White	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	1	-	1	3	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	965	1	-	2	1	6	10	14	48	175	361	347	1,488	1	-	-	1	4	8	21	42	141	449	821
White	948	1	-	2	-	6	10	13	47	169	357	343	1,474	1	-	-	1	4	8	21	41	140	445	813
All other	17	-	-	-	1	-	-	1	1	6	4	4	14	-	-	-	-	-	-	-	1	1	4	8
Black	10	-	-	-	-	-	-	1	1	6	-	2	12	-	-	-	-	-	-	-	1	1	3	7
Atherosclerosis (440)	187	-	-	-	-	-	-	2	4	29	70	82	295	-	-	-	-	-	-	1	5	12	67	211
White	186	-	-	-	-	-	-	2	4	29	70	81	295	-	-	-	-	-	-	1	5	12	67	210
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	255	-	-	1	2	1	2	9	29	89	92	30	208	-	-	-	1	2	3	3	12	39	69	80
White	253	-	-	1	2	1	2	8	29	89	91	30	207	-	-	-	1	2	3	3	11	39	69	79
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis and bronchiolitis (466)	5	1	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
White	5	1	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	735	6	2	1	2	2	14	11	28	91	223	355	763	4	2	3	-	3	3	9	11	47	195	486
White	718	5	2	1	2	2	9	10	28	89	221	349	749	4	1	3	-	3	3	7	11	44	193	480
All other	17	1	-	-	-	-	5	1	-	2	2	6	14	-	1	-	-	-	-	2	-	3	2	6
Black	10	1	-	-	-	-	4	-	-	1	-	4	7	-	-	-	-	-	-	1	-	2	1	3
Pneumonia (480-486)	683	6	2	1	2	2	14	10	27	84	210	325	681	4	1	2	-	3	2	9	9	42	176	433
White	666	5	2	1	2	2	9	9	27	82	208	319	667	4	-	2	-	3	2	7	9	39	174	427
All other	17	1	-	-	-	-	5	1	-	2	2	6	14	-	1	-	-	-	-	2	-	3	2	6
Black	10	1	-	-	-	-	4	-	-	1	-	4	7	-	-	-	-	-	-	1	-	2	1	3
Influenza (487)	52	-	-	-	-	-	-	1	1	7	13	30	82	-	1	1	-	-	1	-	2	5	19	53
White	52	-	-	-	-	-	-	1	1	7	13	30	82	-	1	1	-	-	1	-	2	5	19	53
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	728	-	-	-	1	-	1	10	83	220	280	133	430	-	-	1	1	1	3	11	62	135	127	89
White	713	-	-	-	1	-	1	9	81	214	276	131	428	-	-	1	1	1	3	11	62	134	127	88
All other	15	-	-	-	-	-	-	1	2	6	4	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	5	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis, chronic and unspecified (490-491)	33	-	-	-	-	-	-	-	3	7	18	7	25	-	-	-	-	-	-	-	4	5	7	9
White	33	-	-	-	-	-	-	-	3	7	16	7	25	-	-	-	-	-	-	-	4	5	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	116	-	-	-	-	-	1	-	17	40	41	17	50	-	-	-	-	-	-	-	11	16	15	8
White	115	-	-	-	-	-	1	-	17	39	41	17	50	-	-	-	-	-	-	-	11	16	15	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	31	-	-	-	1	-	-	1	6	7	10	6	51	-	-	1	1	1	2	3	7	9	13	14
White	28	-	-	-	1	-	-	1	6	6	9	5	51	-	-	1	1	1	2	3	7	9	13	14
All other	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	548	-	-	-	-	-	-	9	57	166	213	103	304	-	-	-	-	-	1	8	40	105	92	58
White	537	-	-	-	-	-	-	8	55	162	210	102	302	-	-	-	-	-	1	8	40	104	92	57
All other	11	-	-	-	-	-	-	1	2	4	3	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	5	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	38	-	-	-	-	-	1	1	6	13	8	9	57	-	-	-	-	1	-	-	1	7	28	20
White	38	-	-	-	-	-	1	1	6	13	8	9	56	-	-	-	-	1	-	-	1	6	28	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	6	-	-	1	-	-	-	-	-	1	1	3	5	-	-	-	-	-	-	-	-	2	2	1
White	6	-	-	1	-	-	-	-	-	1	1	3	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	1	1	1	1	1	-	1	3	6	13	17	70	4	-	1	-	-	-	2	3	7	27	26
White	44	1	1	1	1	1	-	1	3	6	12	17	69	4	-	1	-	-	-	2	2	7	27	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	181	-	-	-	-	5	16	23	48	63	21	5	123	-	-	-	-	1	6	12	40	40	18	6
White	175	-	-	-	-	5	14	21	46	63	21	5	115	-	-	-	-	1	4	10	37	39	18	6
All other	6	-	-	-	-	-	2	2	2	-	-	-	8	-	-	-	-	-	2	2	3	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	27	-	-	-	-	-	1	-	1	6	12	7	33	-	-	-	-	-	-	-	2	5	11	15
White	27	-	-	-	-	-	1	-	1	6	12	7	33	-	-	-	-	-	-	-	2	5	11	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	167	-	1	-	1	3	-	8	12	37	55	50	140	-	-	-	-	2	1	3	5	20	53	56
White	160	-	1	-	1	3	-	6	8	36	55	50	135	-	-	-	-	1	1	2	4	20	52	55
All other	7	-	-	-	-	-	-	2	4	1	-	-	5	-	-	-	-	1	-	1	1	-	1	1
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	-	1	1	1	6	1	14	-	-	-	-	-	1	1	1	4	3	4
White	9	-	-	-	-	-	-	-	1	1	6	1	14	-	-	-	-	-	1	1	1	4	3	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	156	-	1	-	1	3	-	7	11	36	48	49	124	-	-	-	-	2	-	2	4	15	49	52
White	150	-	1	-	1	3	-	6	7	35	48	49	119	-	-	-	-	1	-	1	3	15	48	51
All other	6	-	-	-	-	-	-	1	4	1	-	-	5	-	-	-	-	1	-	1	1	-	1	1
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	-	3	3	14	-	1	-	-	-	1	-	-	2	2	8
White	6	-	-	-	-	-	-	-	-	-	3	3	14	-	1	-	-	-	1	-	-	2	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	-	3	7	***	***	***	***	***	***	***	***	***	***	***	***
White	10	-	-	-	-	-	-	-	-	-	3	7	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	137	98	8	2	5	1	8	3	4	3	3	2	101	61	5	2	4	1	3	3	9	8	3	2
White	131	92	8	2	5	1	8	3	4	3	3	2	92	53	5	1	4	1	3	3	9	8	3	2
All other	6	6	-	-	-	-	-	-	-	-	-	-	9	8	-	1	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	138	137	1	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
White	123	123	-	-	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
All other	15	14	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	55	54	1	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
White	48	48	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	83	83	-	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
White	75	75	-	-	-	-	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	412	75	3	-	7	3	8	12	37	92	87	88	431	46	2	1	3	2	7	4	14	62	96	194
White	389	63	3	-	6	2	8	10	36	88	87	86	409	36	2	1	3	2	7	4	14	57	92	191
All other	23	12	-	-	1	1	-	2	1	4	-	2	22	10	-	-	-	-	-	-	-	5	4	3
Black	14	6	-	-	-	1	-	1	1	3	-	2	13	7	-	-	-	-	-	-	-	3	2	1
All other diseases (Residual)	1,264	15	7	9	12	36	49	54	111	278	401	292	1,458	13	7	4	8	9	20	52	82	208	485	590
White	1,231	13	5	8	12	33	47	49	107	269	388	290	1,437	11	6	4	7	9	19	49	81	205	458	588
All other	33	2	2	1	-	3	2	5	4	9	3	2	21	2	1	-	1	-	1	3	1	3	7	2
Black	18	-	-	-	-	2	1	2	3	7	1	2	11	2	-	-	1	-	-	1	1	2	2	2
Accidents and adverse effects (E800-E949)	964	6	30	44	224	155	88	75	84	98	113	66	501	10	14	25	79	39	36	20	31	42	87	118
White	910	4	20	41	213	146	81	68	81	98	111	66	472	5	11	24	74	32	31	20	30	42	85	118
All other	54	2	10	3	11	9	7	7	3	-	2	-	29	5	3	1	5	7	5	-	1	-	2	-
Black	23	-	4	2	4	3	6	2	1	-	1	-	9	2	3	-	1	1	1	-	-	-	1	-
Motor vehicle accidents (E810-E825)	438	1	8	22	156	92	46	33	25	27	30	8	193	3	4	14	62	29	21	15	11	13	20	1
White	419	1	6	22	149	79	44	29	25	27	29	8	182	2	3	14	60	25	18	15	11	13	20	1
All other	19	-	2	-	7	3	2	4	-	-	1	-	11	1	1	-	2	4	3	-	-	-	-	-
Black	9	-	-	-	4	1	2	1	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	528	5	22	22	68	73	42	42	39	71	83	59	308	7	10	11	17	10	15	5	20	29	67	117
White	491	3	14	19	64	67	37	39	36	71	82	58	290	3	8	10	14	7	13	5	19	29	65	117
All other	35	2	8	3	4	6	5	3	3	-	1	-	18	4	2	1	3	3	2	-	1	-	2	-
Black	14	-	4	2	-	2	4	1	1	-	-	-	7	2	2	-	1	1	-	-	-	-	1	-
Suicide (E950-E959)	420	...	...	6	108	83	57	42	48	42	32	2	121	...	...	1	27	20	29	16	14	7	3	4
White	403	...	...	4	103	79	53	41	47	42	32	2	113	...	...	1	21	19	29	15	14	7	3	4
All other	17	...	...	2	5	4	4	1	1	-	-	-	8	...	...	-	6	1	-	1	-	-	-	-
Black	7	...	...	-	1	2	2	1	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	76	1	2	2	18	21	14	7	4	4	3	-	33	1	1	2	7	8	5	2	2	3	1	1
White	47	1	1	1	8	16	9	4	2	3	2	-	26	-	1	1	7	5	4	2	2	2	1	1
All other	29	-	1	1	10	5	5	3	2	1	1	-	7	1	-	1	-	3	1	-	-	1	-	-
Black	20	-	1	1	6	2	4	2	2	1	1	-	6	1	-	1	-	2	1	-	-	1	-	-
All other external causes (E980-E999)	36	1	-	1	8	7	6	3	4	4	1	-	7	1	-	-	2	1	-	-	1	1	1	-
White	35	1	-	1	8	7	5	3	4	4	1	-	7	1	-	-	2	1	-	-	1	1	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	13,078	300	65	87	402	469	553	922	2,102	3,251	3,408	1,514	11,351	218	55	53	170	190	315	594	1,255	2,274	3,327	2,898
White	8,470	122	29	49	239	232	306	615	1,450	2,224	2,246	958	7,290	78	19	30	91	84	157	311	758	1,455	2,260	2,049
All other	4,608	178	36	38	163	237	247	307	652	1,027	1,162	556	4,061	142	36	23	79	106	158	283	497	819	1,067	849
Black	4,568	175	35	37	155	233	244	304	648	1,020	1,158	554	4,028	139	35	23	73	104	155	280	492	812	1,064	849
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	20	-	-	-	-	-	-	1	3	8	6	1	6	-	-	-	-	-	-	-	-	1	3	2
White	10	-	-	-	-	-	-	-	1	6	2	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	10	-	-	-	-	-	-	1	2	2	4	-	5	-	-	-	-	-	-	-	-	1	2	2
Black	10	-	-	-	-	-	-	1	2	2	4	-	5	-	-	-	-	-	-	-	-	1	2	2
Tuberculosis of respiratory system (010-012)	19	-	-	-	-	-	-	1	2	8	6	1	5	-	-	-	-	-	-	-	-	1	2	2
White	9	-	-	-	-	-	-	-	-	6	2	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	10	-	-	-	-	-	-	1	2	2	4	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	10	-	-	-	-	-	-	1	2	2	4	-	4	-	-	-	-	-	-	-	-	1	1	2
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	82	4	-	-	-	-	2	2	14	19	33	8	80	1	2	-	1	-	2	1	9	14	25	25
White	49	1	-	-	-	-	1	1	10	12	22	2	49	-	1	-	-	-	-	1	3	7	20	17
All other	33	3	-	-	-	-	1	1	4	7	11	6	31	1	1	-	1	-	2	-	6	7	5	8
Black	33	3	-	-	-	-	1	1	4	7	11	6	31	1	1	-	1	-	2	-	6	7	5	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	1	-	-	-	1	3	1	-	4	1	-	8	-	-	-	-	2	1	1	-	2	2	-
White	7	-	-	-	-	1	2	1	-	3	1	-	5	-	-	-	-	-	1	1	-	2	2	-
All other	4	1	-	-	-	-	1	-	-	2	-	-	3	-	-	-	-	2	1	-	-	-	-	-
Black	4	1	-	-	-	-	1	-	-	2	-	-	3	-	-	-	-	2	1	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	60	2	1	-	2	2	8	7	11	15	9	3	46	3	2	2	1	4	3	5	6	9	8	3
White	41	1	-	-	2	2	6	3	7	11	7	2	25	2	2	1	-	-	2	1	4	7	4	2
All other	19	1	1	-	-	-	2	4	4	4	2	1	21	1	-	1	1	4	1	4	2	2	4	1
Black	19	1	1	-	-	-	2	4	4	4	2	1	20	1	-	1	1	4	1	4	2	2	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,811	1	2	5	10	22	83	215	620	917	716	220	2,174	-	2	3	12	33	106	222	446	575	509	266
White	1,911	-	1	3	6	14	56	143	438	653	474	123	1,473	-	2	1	7	18	66	137	308	400	353	181
All other	900	1	1	2	4	8	27	72	182	264	242	97	701	-	-	2	5	15	40	85	138	175	156	85
Black	897	1	1	2	4	7	27	71	181	264	242	97	698	-	-	2	5	14	40	84	138	174	156	85

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	-	-	-	1	-	3	8	18	15	8	2	26	-	-	-	-	-	-	3	7	5	5	6
White	37	-	-	-	1	-	1	6	11	13	5	-	18	-	-	-	-	-	-	1	5	3	3	6
All other	18	-	-	-	-	-	2	2	7	2	3	2	8	-	-	-	-	-	-	2	2	2	2	-
Black	18	-	-	-	-	-	2	2	7	2	3	2	8	-	-	-	-	-	-	2	2	2	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	610	-	-	-	-	5	23	52	127	168	151	64	562	-	-	-	-	3	15	36	79	135	194	100
White	388	-	-	-	-	3	16	32	85	127	93	32	383	-	-	-	-	2	8	25	48	90	136	72
All other	222	-	-	-	-	2	7	20	42	61	58	32	179	-	-	-	-	1	7	11	31	45	56	28
Black	221	-	-	-	-	2	7	19	42	61	58	32	179	-	-	-	-	1	7	11	31	45	56	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,094	-	-	-	1	6	24	96	306	380	233	48	371	-	-	-	1	1	13	49	124	114	51	18
White	786	-	-	-	-	4	13	62	220	286	168	35	271	-	-	-	1	1	8	27	93	92	39	10
All other	308	-	-	-	1	2	11	34	86	94	67	13	100	-	-	-	-	-	5	22	31	22	12	8
Black	306	-	-	-	1	1	11	34	85	94	67	13	100	-	-	-	-	-	5	22	31	22	12	8
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	3	-	-	358	-	-	-	-	13	34	55	98	92	42	24
White	2	-	-	-	-	-	-	-	-	2	-	-	246	-	-	-	-	7	21	34	72	66	34	12
All other	2	-	-	-	-	-	-	-	1	1	-	-	112	-	-	-	-	6	13	21	26	26	8	12
Black	2	-	-	-	-	-	-	-	1	1	-	-	110	-	-	-	-	6	13	20	26	25	8	12
Malignant neoplasms of genital organs (179-187)	326	-	-	-	-	-	1	5	29	99	136	56	239	-	-	-	1	4	14	29	35	81	52	23
White	163	-	-	-	-	-	-	2	16	51	69	23	130	-	-	-	-	2	6	16	17	46	25	18
All other	163	-	-	-	-	-	1	3	11	48	67	33	109	-	-	-	1	2	8	13	18	35	27	5
Black	163	-	-	-	-	-	1	3	11	48	67	33	109	-	-	-	1	2	8	13	18	35	27	5
Malignant neoplasms of urinary organs (188-189)	111	-	-	-	2	-	1	7	21	30	37	13	66	-	-	-	-	1	2	3	8	24	20	8
White	87	-	-	-	1	-	1	4	16	25	30	10	41	-	-	-	-	-	1	3	7	14	12	4
All other	24	-	-	-	1	-	-	3	5	5	7	3	25	-	-	-	-	1	1	-	1	10	8	4
Black	24	-	-	-	1	-	-	3	5	5	7	3	25	-	-	-	-	1	1	-	1	10	8	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	367	-	1	2	3	8	25	28	75	126	72	27	360	-	-	3	6	8	20	27	69	78	93	56
White	259	-	-	2	1	5	19	21	56	91	48	16	250	-	-	1	3	4	15	18	48	59	64	38
All other	108	-	1	-	2	3	6	7	19	35	24	11	110	-	-	2	3	4	5	9	21	19	29	18
Black	108	-	1	-	2	3	6	7	19	35	24	11	109	-	-	2	3	3	5	9	21	19	29	18
Leukemia (204-208)	111	1	1	2	2	1	1	9	17	32	39	6	80	-	2	-	3	1	6	8	6	19	22	13
White	88	-	1	1	2	-	1	7	14	25	32	5	59	-	2	-	2	-	6	5	4	16	16	8
All other	23	1	-	1	-	1	-	2	3	7	7	1	21	-	-	-	1	1	-	3	2	3	6	5
Black	23	1	-	1	-	1	-	2	3	7	7	1	21	-	-	-	1	1	-	3	2	3	6	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	133	-	-	1	1	2	5	10	26	44	40	4	112	-	-	-	1	2	2	12	20	27	30	18
White	101	-	-	-	1	2	5	9	18	33	31	2	75	-	-	-	1	2	1	8	14	14	22	13
All other	32	-	-	1	-	-	-	1	8	11	9	2	37	-	-	-	-	-	1	4	6	13	8	5
Black	32	-	-	1	-	-	-	1	8	11	9	2	37	-	-	-	-	-	1	4	6	13	8	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	-	-	-	1	3	-	3	6	6	5	3	28	-	-	1	1	-	-	3	6	5	7	5
White	20	-	-	-	1	1	-	2	6	4	5	1	14	-	-	1	-	-	-	-	1	3	4	5
All other	7	-	-	-	-	2	-	1	-	2	-	2	14	-	-	-	1	-	-	3	5	2	3	-
Black	7	-	-	-	-	2	-	1	-	2	-	2	14	-	-	-	1	-	-	3	5	2	3	-
Diabetes mellitus (250)	150	-	-	-	2	2	6	14	20	49	36	21	252	-	-	-	1	5	7	14	32	74	76	43
White	83	-	-	-	1	-	4	8	10	32	17	11	116	-	-	-	1	3	2	6	13	32	35	24
All other	67	-	-	-	1	2	2	6	10	17	19	10	136	-	-	-	-	2	5	8	19	42	41	19
Black	66	-	-	-	1	2	2	5	10	17	19	10	135	-	-	-	-	2	5	8	19	41	41	19
Nutritional deficiencies (260-269)	20	1	-	-	-	-	-	-	2	5	4	8	19	-	-	-	-	-	-	-	-	2	8	9
White	9	1	-	-	-	-	-	-	1	2	2	3	13	-	-	-	-	-	-	-	-	1	6	6
All other	11	-	-	-	-	-	-	-	1	3	2	5	6	-	-	-	-	-	-	-	-	1	2	3
Black	11	-	-	-	-	-	-	-	1	3	2	5	6	-	-	-	-	-	-	-	-	1	2	3
Anemias (280-285)	29	-	-	1	1	3	3	1	-	4	12	4	28	-	1	1	1	-	1	2	1	2	16	3
White	13	-	-	-	-	-	-	-	-	3	8	2	18	-	-	-	-	-	-	-	1	2	13	2
All other	16	-	-	1	1	3	3	1	-	1	4	2	10	-	1	1	1	-	1	2	-	-	3	1
Black	15	-	-	1	1	3	3	1	-	1	4	2	9	-	1	1	1	-	1	2	-	-	3	1
Meningitis (320-322)	14	6	2	-	1	-	-	-	3	1	1	-	4	2	1	-	-	-	-	-	-	-	1	-
White	4	1	1	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	10	5	1	-	-	-	-	-	3	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	10	5	1	-	-	-	-	-	3	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,573	9	3	3	17	45	147	369	921	1,480	1,775	802	5,703	5	2	-	10	35	74	191	495	1,088	1,972	1,829
White	3,670	4	1	-	8	17	75	242	616	1,005	1,168	534	3,691	1	-	-	2	7	24	79	286	660	1,343	1,309
All other	1,903	5	2	3	9	28	72	127	305	475	607	268	2,012	4	2	-	8	28	50	112	229	428	629	520
Black	1,893	5	2	3	9	28	72	127	303	471	604	267	2,005	3	2	-	8	28	50	112	226	426	628	520

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,522	8	3	1	14	34	126	332	782	1,212	1,380	628	4,328	3	1	–	6	24	53	142	391	883	1,474	1,370
White	3,059	3	1	–	6	12	69	223	552	836	939	418	2,827	1	–	–	1	5	16	55	217	534	1,017	981
All other	1,463	5	2	1	8	22	57	109	230	376	441	210	1,501	2	1	–	5	19	37	87	174	329	457	389
Black	1,456	5	2	1	8	22	57	109	228	374	439	209	1,496	1	1	–	5	19	37	87	172	327	457	389
Rheumatic fever and rheumatic heart disease (390-398)	7	–	–	–	–	–	1	–	–	2	2	2	22	–	–	–	–	1	1	5	4	6	4	1
White	6	–	–	–	–	–	–	–	–	2	2	2	19	–	–	–	–	1	–	5	3	6	3	1
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Hypertensive heart disease (402)	168	–	–	–	1	3	7	15	32	38	49	23	216	–	–	–	–	1	4	12	31	49	60	59
White	71	–	–	–	1	2	4	4	8	15	25	12	102	–	–	–	–	–	1	2	11	18	31	39
All other	97	–	–	–	–	1	3	11	24	23	24	11	114	–	–	–	–	1	3	10	20	31	29	20
Black	97	–	–	–	–	1	3	11	24	23	24	11	113	–	–	–	–	1	3	10	20	30	29	20
Hypertensive heart and renal disease (404)	11	–	–	–	–	–	1	1	3	4	1	1	22	–	–	–	–	–	–	–	4	4	7	7
White	4	–	–	–	–	–	1	–	1	1	1	–	12	–	–	–	–	–	–	–	1	2	4	5
All other	7	–	–	–	–	–	–	1	2	3	–	1	10	–	–	–	–	–	–	–	3	2	3	2
Black	7	–	–	–	–	–	–	1	2	3	–	1	10	–	–	–	–	–	–	–	3	2	3	2
Ischemic heart disease (410-414)	2,489	–	–	–	2	12	67	193	437	686	762	330	2,202	–	–	–	–	7	24	57	187	468	825	634
White	1,857	–	–	–	–	4	43	143	335	527	566	239	1,538	–	–	–	–	3	4	17	122	316	608	468
All other	632	–	–	–	2	8	24	50	102	159	196	91	664	–	–	–	–	4	20	40	65	152	217	166
Black	627	–	–	–	2	8	24	50	100	158	194	91	662	–	–	–	–	4	20	40	64	151	217	166
Acute myocardial infarction (410)	1,671	–	–	–	2	9	55	152	331	479	483	160	1,315	–	–	–	–	7	14	46	142	340	493	273
White	1,254	–	–	–	–	4	34	115	249	362	368	122	870	–	–	–	–	3	2	12	91	221	351	190
All other	417	–	–	–	2	5	21	37	82	117	115	38	445	–	–	–	–	4	12	34	51	119	142	83
Black	414	–	–	–	2	5	21	37	81	116	114	38	444	–	–	–	–	4	12	34	50	119	142	83
Other acute and subacute forms of ischemic heart disease (411)	7	–	–	–	–	–	–	–	1	2	3	1	10	–	–	–	–	–	–	–	–	2	3	5
White	4	–	–	–	–	–	–	–	1	1	2	–	6	–	–	–	–	–	–	–	–	2	1	3
All other	3	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	2	2
Black	3	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	2	2
Angina pectoris (413)	5	–	–	–	–	–	–	1	1	1	1	1	4	–	–	–	–	–	–	–	1	2	–	1
White	5	–	–	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	806	–	–	–	–	3	12	40	104	204	275	168	873	–	–	–	–	–	10	11	44	124	329	355
White	594	–	–	–	–	–	9	27	84	163	195	116	660	–	–	–	–	–	2	5	31	92	256	274
All other	212	–	–	–	–	3	3	13	20	41	80	52	213	–	–	–	–	–	8	6	13	32	73	81
Black	210	–	–	–	–	3	3	13	19	41	79	52	212	–	–	–	–	–	8	6	13	31	73	81
Other diseases of endocardium (424)	31	–	–	–	1	–	2	1	6	5	13	3	39	1	–	–	–	1	3	1	1	9	14	10
White	22	–	–	–	1	–	–	1	4	2	11	3	31	–	–	–	–	–	2	1	1	5	12	10
All other	9	–	–	–	–	–	2	–	2	3	2	–	8	1	–	–	–	1	1	–	–	3	2	–
Black	9	–	–	–	–	–	2	–	2	3	2	–	7	–	–	–	–	1	1	–	–	3	2	–
All other forms of heart disease (415-423,425-429)	1,816	8	3	1	10	10	48	122	304	477	553	269	1,827	2	1	–	6	14	21	67	164	328	564	659
White	1,098	3	1	–	4	6	21	75	204	289	334	162	1,125	1	–	–	1	1	9	30	79	187	359	458
All other	717	5	2	1	6	13	27	47	100	188	219	107	702	1	1	–	5	13	12	37	85	141	205	201
Black	715	5	2	1	6	13	27	47	100	187	219	106	701	1	1	–	5	13	12	37	84	141	205	201
Hypertension with or without renal disease (401,403)	55	–	–	–	–	1	2	6	6	10	22	6	73	–	–	–	–	–	2	5	12	17	18	21
White	25	–	–	–	–	–	–	4	3	7	9	2	32	–	–	–	–	–	–	1	2	5	10	14
All other	30	–	–	–	–	1	2	2	5	3	13	4	41	–	–	–	–	–	2	4	10	12	8	7
Black	30	–	–	–	–	1	2	2	5	3	13	4	41	–	–	–	–	–	2	4	10	12	8	7
Cerebrovascular diseases (430-439)	806	1	–	2	2	9	14	28	101	209	307	133	1,107	2	1	–	3	11	17	40	80	182	416	354
White	442	1	–	–	1	4	1	14	40	120	170	91	686	–	–	–	1	2	8	20	37	101	266	251
All other	364	–	–	2	1	5	13	14	61	89	137	42	421	2	1	–	2	9	9	20	43	81	150	103
Black	361	–	–	2	1	5	13	14	61	87	136	42	420	2	1	–	2	9	9	20	42	81	150	103
Intracerebral and other intracranial hemorrhage (431-432)	124	1	–	1	1	5	8	6	23	42	34	3	116	2	–	–	2	5	4	12	19	18	39	15
White	65	1	–	–	–	2	–	3	10	25	22	2	83	–	–	–	–	1	2	6	8	11	27	8
All other	59	–	–	1	1	3	8	3	13	17	12	1	53	2	–	–	2	4	2	6	11	7	12	7
Black	59	–	–	1	1	3	8	3	13	17	12	1	53	2	–	–	2	4	2	6	11	7	12	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	106	–	–	–	–	1	–	5	19	30	36	15	139	–	–	–	–	–	1	2	7	27	55	47
White	65	–	–	–	–	–	–	2	9	16	26	12	98	–	–	–	–	–	–	–	4	16	38	40
All other	41	–	–	–	–	1	–	3	10	14	10	3	41	–	–	–	–	–	1	2	3	11	17	7
Black	41	–	–	–	–	1	–	3	10	14	10	3	41	–	–	–	–	–	1	2	3	11	17	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	–	2	2	–	9	–	–	–	–	–	–	1	2	1	2	3
White	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	1	–	2	2
All other	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	1	1	1	–	1
Black	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	1	1	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	572	–	–	1	1	3	6	17	59	135	235	115	843	–	1	–	1	6	12	25	52	136	320	289
White	310	–	–	–	1	2	1	9	21	77	122	77	520	–	–	–	1	1	6	14	24	74	199	201
All other	262	–	–	1	–	1	5	8	38	58	113	38	323	–	1	–	–	5	6	11	28	62	121	88
Black	259	–	–	1	–	1	5	8	38	56	112	38	322	–	1	–	–	5	6	11	27	62	121	88
Atherosclerosis (440)	71	–	–	–	–	–	–	1	8	9	32	21	123	–	–	–	–	–	–	1	4	9	42	67
White	45	–	–	–	–	–	–	–	4	7	21	13	90	–	–	–	–	–	–	1	3	6	31	49
All other	26	–	–	–	–	–	–	1	4	2	11	8	33	–	–	–	–	–	–	–	1	3	11	18
Black	26	–	–	–	–	–	–	1	4	2	11	8	32	–	–	–	–	–	–	–	1	3	10	18
Other diseases of arteries, arterioles, and capillaries (441-448)	119	–	–	–	1	1	5	2	22	40	34	14	72	–	–	–	1	–	2	3	8	17	24	17
White	99	–	–	–	1	1	5	1	17	35	29	10	56	–	–	–	–	–	–	2	7	14	19	14
All other	20	–	–	–	–	–	–	1	5	5	5	4	16	–	–	–	1	–	2	1	1	3	5	3
Black	20	–	–	–	–	–	–	1	5	5	5	4	16	–	–	–	1	–	2	1	1	3	5	3
Acute bronchitis and bronchiolitis (466)	4	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–	1	1	–
White	4	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia and influenza (480-487)	345	5	3	1	1	5	8	13	26	73	118	92	341	4	–	1	1	3	7	8	20	34	105	158
White	221	1	2	1	–	3	5	5	19	48	78	61	253	1	–	–	–	1	4	7	10	26	80	124
All other	124	4	1	–	1	2	3	8	7	25	42	31	88	3	–	1	1	2	3	1	10	8	25	34
Black	124	4	1	–	1	2	3	8	7	25	42	31	86	3	–	1	1	2	2	1	10	8	24	34
Pneumonia (480-486)	330	5	3	1	1	5	8	13	23	67	112	92	332	4	–	1	1	3	6	7	20	32	103	155
White	209	1	2	1	–	3	5	5	16	43	72	61	245	1	–	–	–	1	3	6	10	24	78	122
All other	121	4	1	–	1	2	3	8	7	24	40	31	87	3	–	1	1	2	3	1	10	8	25	33
Black	121	4	1	–	1	2	3	8	7	24	40	31	85	3	–	1	1	2	2	1	10	8	24	33
Influenza (487)	15	–	–	–	–	–	–	–	3	6	6	–	9	–	–	–	–	–	1	1	–	2	2	3
White	12	–	–	–	–	–	–	–	3	5	4	–	8	–	–	–	–	–	1	1	–	2	2	2
All other	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	473	1	–	–	1	4	3	18	80	160	148	58	221	–	–	1	3	–	9	6	33	80	63	26
White	387	–	–	–	1	1	2	15	68	128	124	48	190	–	–	1	2	–	4	3	28	73	58	21
All other	86	1	–	–	–	3	1	3	12	32	24	10	31	–	–	–	1	–	5	3	5	7	5	5
Black	86	1	–	–	–	3	1	3	12	32	24	10	30	–	–	–	1	–	4	3	5	7	5	5
Bronchitis, chronic and unspecified (490-491)	19	1	–	–	–	–	–	1	3	4	5	5	10	–	–	–	–	–	–	–	–	3	3	4
White	18	–	–	–	–	–	–	1	3	4	5	5	7	–	–	–	–	–	–	–	–	1	3	3
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1
Emphysema (492)	66	–	–	–	–	–	1	1	17	25	19	3	26	–	–	–	–	–	–	1	8	6	9	2
White	56	–	–	–	–	–	1	1	17	20	15	3	25	–	–	–	–	–	–	1	7	6	9	2
All other	10	–	–	–	–	–	1	–	–	5	4	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	10	–	–	–	–	–	1	–	–	5	4	–	1	–	–	–	–	–	–	–	1	–	–	–
Asthma (493)	20	–	–	–	1	3	–	2	4	5	5	–	25	–	–	1	2	–	7	3	3	5	3	1
White	11	–	–	–	1	–	–	1	2	4	3	–	14	–	–	1	1	–	3	2	2	3	1	1
All other	9	–	–	–	–	3	–	1	2	1	2	–	11	–	–	–	1	–	4	1	1	2	2	–
Black	9	–	–	–	–	3	–	1	2	1	2	–	10	–	–	–	1	–	3	1	1	2	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	388	–	–	–	–	1	2	14	56	126	119	50	160	–	–	–	1	–	2	2	22	66	46	19
White	302	–	–	–	–	1	2	12	46	100	101	40	144	–	–	–	1	–	1	–	19	63	45	15
All other	66	–	–	–	–	–	–	2	10	26	18	10	16	–	–	–	–	–	1	2	3	3	3	4
Black	66	–	–	–	–	–	–	2	10	26	18	10	16	–	–	–	–	–	1	2	3	3	3	4
Ulcer of stomach and duodenum (531-533)	31	–	–	–	–	–	1	3	6	4	11	6	22	–	–	–	–	–	1	–	–	4	2	6	9
White	20	–	–	–	–	–	1	1	3	3	7	5	15	–	–	–	–	–	1	–	–	3	1	4	6
All other	11	–	–	–	–	–	–	2	3	1	4	1	7	–	–	–	–	–	–	–	–	1	1	2	3
Black	11	–	–	–	–	–	–	2	3	1	4	1	7	–	–	–	–	–	–	–	–	1	1	2	3
Appendicitis (540-543)	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	1	–	1	–
White	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	1	–	–	–	–	2	2	8	8	7	8	42	–	1	–	–	1	1	1	1	10	14	13
White	17	–	–	–	–	–	–	1	4	3	4	5	32	–	–	–	–	1	1	–	1	7	13	9
All other	17	1	–	–	–	–	2	1	2	5	3	3	10	–	1	–	–	–	–	1	–	3	1	4
Black	17	1	–	–	–	–	2	1	2	5	3	3	10	–	1	–	–	–	–	1	–	3	1	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	139	–	–	–	1	4	13	26	50	31	10	4	99	1	–	–	–	3	8	16	25	30	15	1
White	105	–	–	–	–	–	7	17	41	26	10	4	73	–	–	–	–	2	4	11	19	23	13	1
All other	34	–	–	–	1	4	6	9	9	5	–	–	26	1	–	–	–	1	4	5	6	7	2	–
Black	31	–	–	–	1	4	5	9	8	4	–	–	24	1	–	–	–	1	3	5	6	6	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	15	–	–	–	–	–	–	–	4	4	6	1	23	–	–	–	–	–	–	–	–	5	4	14
White	12	–	–	–	–	–	–	–	4	2	5	1	17	–	–	–	–	–	–	–	–	5	3	9
All other	3	–	–	–	–	–	–	–	–	2	1	–	6	–	–	–	–	–	–	–	–	–	1	5
Black	3	–	–	–	–	–	–	–	–	2	1	–	6	–	–	–	–	–	–	–	–	–	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	145	1	–	–	–	1	5	5	17	34	55	27	143	–	1	1	3	1	1	7	15	19	45	50
White	74	–	–	–	–	1	2	3	5	19	30	14	65	–	–	1	–	–	–	–	3	7	23	31
All other	71	1	–	–	–	–	3	2	12	15	25	13	78	–	1	–	3	1	1	7	12	12	22	19
Black	70	1	–	–	–	–	2	2	12	15	25	13	74	–	1	–	2	1	1	5	12	11	22	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	–	–	1	–	–	2	1	–	4	–	–	–	–	–	–	–	–	–	1	3
White	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	3	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	–	–	–	–	–	–	–	–	3	5	2	16	–	–	1	–	–	–	1	3	3	4	4
White	5	–	–	–	–	–	–	–	–	1	3	1	5	–	–	1	–	–	–	–	1	–	1	2
All other	5	–	–	–	–	–	–	–	–	2	2	1	11	–	–	–	–	–	–	1	2	3	3	2
Black	5	–	–	–	–	–	–	–	–	2	2	1	10	–	–	–	–	–	–	–	2	3	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	131	1	–	–	–	1	4	5	17	29	49	25	123	–	1	–	3	1	1	6	12	16	40	43
White	68	–	–	–	–	1	2	3	5	17	27	13	57	–	–	–	–	–	–	–	2	7	21	27
All other	63	1	–	–	–	–	2	2	12	12	22	12	66	–	1	–	3	1	1	6	10	9	19	16
Black	62	1	–	–	–	–	1	2	12	12	22	12	63	–	1	–	2	1	1	5	10	8	19	16
Infections of kidney (590)	10	–	–	–	–	–	–	–	–	–	6	4	26	–	–	–	–	–	1	–	–	3	8	14
White	7	–	–	–	–	–	–	–	–	–	4	3	18	–	–	–	–	–	–	–	–	2	6	10
All other	3	–	–	–	–	–	–	–	–	–	2	1	8	–	–	–	–	–	1	–	–	1	2	4
Black	3	–	–	–	–	–	–	–	–	–	2	1	8	–	–	–	–	–	1	–	–	1	2	4
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	1	3	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	5	–	–	–	–	–	–	–	1	3	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Congenital anomalies (740-759)	89	65	6	4	3	4	1	–	1	5	–	–	61	46	2	3	5	–	–	4	1	–	–	–
White	49	35	1	3	1	4	–	–	1	4	–	–	34	27	–	1	2	–	–	3	1	–	–	–
All other	40	30	5	1	2	–	1	–	–	1	–	–	27	19	2	2	3	–	–	1	–	–	–	–
Black	39	29	5	1	2	–	1	–	–	1	–	–	26	18	2	2	3	–	–	1	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	121	121	–	–	–	–	–	–	–	–	–	–	99	99	–	–	–	–	–	–	–	–	–	–
White	47	47	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
All other	74	74	–	–	–	–	–	–	–	–	–	–	71	71	–	–	–	–	–	–	–	–	–	–
Black	73	73	–	–	–	–	–	–	–	–	–	–	71	71	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
White	20	20	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
All other	20	20	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
Black	20	20	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																							
Other conditions originating in the perinatal period (760-766,770-779)	81	81	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	54	54	-	-	-	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
Black	53	53	-	-	-	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	501	53	2	3	5	15	22	38	67	102	115	81	413	36	3	1	3	2	8	15	26	66	116	137
White	240	18	-	1	2	6	6	24	42	48	55	37	194	13	-	-	-	2	4	6	14	29	54	72
All other	261	34	2	2	3	9	16	12	25	54	60	44	219	23	3	1	3	-	4	9	12	37	62	65
Black	258	33	2	2	2	9	16	12	25	54	59	44	218	23	3	1	2	-	4	9	12	37	62	65
All other diseases (Residual)	835	15	11	8	15	40	42	61	105	190	229	118	870	8	4	5	12	19	28	39	82	178	254	241
White	536	7	5	3	10	18	22	42	71	128	161	69	576	1	3	2	1	7	11	17	53	113	183	185
All other	299	8	6	5	5	22	20	19	34	62	68	49	294	7	1	3	11	12	17	22	29	65	71	56
Black	297	8	6	5	5	22	20	19	34	61	68	48	293	6	1	3	11	12	17	22	29	65	71	56
Accidents and adverse effects (E800-E949)	1,016	11	31	58	229	201	120	82	90	80	75	38	462	5	31	31	83	55	28	37	35	51	58	48
White	633	5	18	37	150	117	72	63	63	47	36	25	287	1	11	20	59	34	16	23	15	38	36	34
All other	383	6	13	21	79	84	48	19	27	33	39	13	175	4	20	11	24	21	12	14	20	13	22	14
Black	370	6	12	21	72	81	47	19	27	32	39	13	168	4	20	11	21	20	12	14	18	12	22	14
Motor vehicle accidents (E810-E825)	557	3	11	22	171	132	70	48	39	29	25	7	226	2	11	24	66	38	21	17	24	13	7	3
White	379	2	6	17	122	84	45	35	32	19	12	5	150	1	3	17	49	27	11	10	11	11	7	3
All other	178	1	5	5	49	48	25	13	7	10	13	2	76	1	8	7	17	11	10	7	13	2	-	-
Black	170	1	4	5	44	46	25	13	7	10	13	2	71	1	8	7	15	10	10	7	11	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	459	8	20	36	58	69	50	34	51	51	50	31	236	3	20	7	17	17	7	20	11	38	51	45
White	254	3	12	20	28	33	27	28	31	28	24	20	137	-	8	3	10	7	5	13	4	27	29	31
All other	205	5	8	16	30	36	23	6	20	23	26	11	99	3	12	4	7	10	2	7	7	11	22	14
Black	200	5	8	16	28	35	22	6	20	22	26	11	97	3	12	4	6	10	2	7	7	10	22	14
Suicide (E950-E959)	219	...	...	1	46	32	26	30	28	32	20	4	73	...	...	2	8	8	14	12	14	11	4	-
White	185	...	...	-	33	27	23	27	26	27	18	4	61	...	...	1	7	4	13	11	13	10	2	-
All other	34	...	...	1	13	5	3	3	2	5	2	-	12	...	...	1	1	4	1	1	1	1	2	-
Black	33	...	...	1	13	5	3	2	2	5	2	-	12	...	...	1	1	4	1	1	1	1	2	-
Homicide and legal intervention (E960-E978)	261	-	2	2	61	80	54	27	17	13	4	1	83	3	1	1	22	13	16	8	3	10	4	2
White	92	-	-	1	20	18	22	13	10	4	3	1	34	1	-	1	9	2	8	5	2	5	2	1
All other	169	-	2	1	41	62	32	14	7	9	1	-	49	2	1	-	13	11	8	3	1	5	2	1
Black	169	-	2	1	41	62	32	14	7	9	1	-	49	2	1	-	13	11	10	3	1	5	2	1
All other external causes (E980-E999)	29	1	2	-	4	5	4	6	3	1	3	-	11	1	2	-	2	3	-	2	-	-	1	-
White	15	-	-	-	2	2	-	4	3	1	3	-	3	-	-	-	1	2	-	-	-	-	-	-
All other	14	1	2	-	2	3	4	2	-	-	-	-	8	1	2	-	1	1	-	2	-	-	1	-
Black	14	1	2	-	2	3	4	2	-	-	-	-	7	1	2	-	-	1	-	2	-	-	1	-
MISSOURI																								
All causes	25,804	459	76	115	691	790	827	1,505	3,693	6,619	7,172	3,850	24,376	346	68	72	205	303	437	880	2,323	4,594	7,384	7,776
White	23,007	333	60	99	567	597	649	1,263	3,218	6,014	6,650	3,552	22,064	247	49	57	175	232	343	689	1,988	4,085	6,825	7,372
All other	2,797	126	16	16	124	193	178	242	474	605	522	298	2,312	99	19	15	30	71	94	171	337	509	559	404
Black	2,751	123	16	16	121	187	178	236	467	593	517	294	2,265	96	19	15	28	71	90	168	334	502	556	402
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	24	-	-	-	1	1	-	1	4	5	10	2	15	-	-	-	-	-	-	-	2	2	8	3
White	18	-	-	-	1	-	-	1	4	4	7	1	11	-	-	-	-	-	-	-	-	2	8	1
All other	6	-	-	-	-	1	-	-	-	1	3	1	4	-	-	-	-	-	-	-	2	-	-	2
Black	6	-	-	-	-	1	-	-	-	1	3	1	4	-	-	-	-	-	-	-	2	-	-	2
Tuberculosis of respiratory system (010-012)	21	-	-	-	1	-	-	1	4	4	9	2	10	-	-	-	-	-	-	-	1	-	6	3
White	16	-	-	-	1	-	-	1	4	3	6	1	7	-	-	-	-	-	-	-	-	-	6	1
All other	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	1	-	-	2
Black	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	1	-	-	2
Other tuberculosis (013-018)	3	-	-	-	-	1	-	-	-	1	1	-	5	-	-	-	-	-	-	-	1	2	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	2	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	1	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Septicemia (038)	224	3	1	-	-	5	5	9	35	51	63	52	213	-	1	-	1	2	4	3	19	44	58	81
White	185	2	-	-	-	3	4	7	26	42	57	44	179	-	1	-	1	-	2	1	16	37	52	69
All other	39	1	1	-	-	2	1	2	9	9	6	8	34	-	-	-	-	2	2	2	3	7	6	12
Black	39	1	1	-	-	2	1	2	9	9	6	8	34	-	-	-	-	2	2	2	3	7	6	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	-	1	1	-	2	2	3	2	3	-	-	-	-	-	-	1	-	2	-	-
White	10	-	-	-	-	1	1	-	2	2	2	2	3	-	-	-	-	-	-	1	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	102	4	1	2	2	15	7	10	7	25	23	6	69	4	1	-	1	5	6	2	8	17	12	13
White	87	3	1	2	2	14	4	7	6	23	19	6	59	2	1	-	1	4	3	1	6	16	12	13
All other	15	1	-	-	-	1	3	3	1	2	4	-	10	2	-	-	-	1	3	1	2	1	-	-
Black	15	1	-	-	-	1	3	3	1	2	4	-	10	2	-	-	-	1	3	1	2	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,782	2	9	11	25	54	112	415	1,197	1,904	1,513	540	5,040	1	6	12	12	50	147	346	981	1,409	1,374	701
White	5,142	2	7	9	21	48	92	355	1,043	1,722	1,363	480	4,541	1	5	11	10	43	118	290	875	1,255	1,272	661
All other	640	-	2	2	4	6	20	60	154	182	150	60	499	-	1	1	2	7	29	56	106	154	102	40
Black	627	-	2	2	4	5	20	58	151	179	147	59	488	-	1	1	2	7	28	53	103	150	102	40
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	110	-	-	-	-	2	4	10	31	35	18	10	66	-	-	-	-	1	-	5	19	17	19	5
White	96	-	-	-	-	2	2	7	26	34	15	10	56	-	-	-	-	-	-	2	17	16	18	5
All other	14	-	-	-	-	-	2	3	5	1	3	-	10	-	-	-	-	1	-	3	2	1	3	-
Black	14	-	-	-	-	-	2	3	5	1	3	-	10	-	-	-	-	1	-	3	2	1	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,255	-	-	-	2	6	29	85	250	395	365	123	1,265	-	-	-	-	5	14	49	177	339	435	246
White	1,093	-	-	-	1	5	23	70	207	346	331	110	1,126	-	-	-	-	4	10	39	154	288	395	236
All other	162	-	-	-	1	1	6	15	43	49	34	13	139	-	-	-	-	1	4	10	23	51	40	10
Black	160	-	-	-	1	1	6	15	42	49	33	13	135	-	-	-	-	1	3	9	21	51	40	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,231	-	-	-	1	4	18	198	522	838	513	137	997	-	-	-	-	3	14	101	275	335	203	65
White	1,995	-	-	-	-	3	14	172	458	763	462	123	896	-	-	-	-	3	12	81	252	296	193	59
All other	236	-	-	-	1	1	4	26	64	75	51	14	101	-	-	-	-	-	2	20	23	39	10	6
Black	230	-	-	-	1	-	4	25	62	75	49	14	98	-	-	-	-	-	2	20	22	37	10	6
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	1	1	-	1	862	-	-	-	1	8	46	79	206	219	194	119
White	2	-	-	-	-	-	-	-	1	1	-	-	790	-	-	-	1	7	39	69	183	207	168	116
All other	1	-	-	-	-	-	-	-	-	-	-	1	72	-	-	-	-	1	7	10	23	12	16	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	71	-	-	-	-	1	7	10	23	11	16	3
Malignant neoplasms of genital organs (179-187)	650	-	-	-	-	1	3	7	65	178	260	136	537	-	-	-	1	7	25	45	107	150	144	58
White	565	-	-	-	-	1	3	4	55	158	228	116	486	-	-	-	1	5	19	42	94	132	137	56
All other	85	-	-	-	-	-	-	3	10	20	32	20	51	-	-	-	-	2	6	3	13	18	7	2
Black	85	-	-	-	-	-	-	3	10	20	32	20	50	-	-	-	-	2	6	2	13	18	7	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	283	-	-	1	1	2	4	19	59	90	72	35	142	-	-	1	-	-	2	1	24	30	57	27
White	247	-	-	-	-	2	2	18	50	80	63	32	127	-	-	1	-	-	2	-	21	26	55	22
All other	36	-	-	1	1	-	2	1	9	10	9	3	15	-	-	-	-	-	-	1	3	4	2	5
Black	35	-	-	1	1	-	2	-	9	10	9	3	15	-	-	-	-	-	-	1	3	4	2	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	746	2	5	2	11	24	36	67	182	206	159	52	678	1	4	5	6	12	35	39	117	178	180	103
White	678	2	4	2	10	21	31	61	164	190	145	48	607	1	3	5	6	11	27	35	102	158	165	94
All other	68	-	1	-	1	3	5	6	18	16	14	4	71	-	1	-	-	1	8	4	15	18	15	9
Black	67	-	1	-	1	3	5	6	18	15	14	4	71	-	1	-	-	1	8	4	15	18	15	9
Leukemia (204-208)	200	-	3	6	5	3	6	9	33	58	61	16	187	-	2	5	3	9	5	12	15	45	59	32
White	184	-	2	5	5	3	6	6	30	55	58	16	172	-	2	4	1	8	5	9	15	41	56	31
All other	16	-	1	1	-	-	-	3	3	3	5	-	15	-	-	1	2	1	-	3	-	4	3	1
Black	15	-	1	1	-	-	-	3	3	2	5	-	13	-	-	1	2	1	-	2	-	3	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	304	-	1	2	5	12	12	20	54	103	65	30	306	-	-	1	1	5	6	15	41	88	93	46
White	282	-	1	2	5	11	11	17	52	95	63	25	281	-	-	1	1	5	4	13	37	91	87	42
All other	22	-	-	-	-	1	1	3	2	8	2	5	25	-	-	-	-	-	2	2	4	7	6	4
Black	20	-	-	-	-	1	1	3	2	7	2	4	25	-	-	-	-	-	2	2	4	7	6	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	-	1	-	1	1	2	2	3	12	19	9	62	3	2	-	-	1	1	3	10	14	19	9
White	50	-	1	-	1	1	2	2	3	12	19	9	53	3	1	-	-	1	-	3	7	13	16	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	-	1	-	3	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	-	1	-	3	1	3	-
Diabetes mellitus (250)	333	-	-	-	7	8	10	23	48	97	94	46	527	-	-	1	1	8	8	30	60	125	185	109
White	281	-	-	-	7	7	6	18	41	80	77	45	450	-	-	1	1	8	7	18	47	103	165	100
All other	52	-	-	-	-	1	4	5	7	17	17	1	77	-	-	-	-	-	1	12	13	22	20	9
Black	52	-	-	-	-	1	4	5	7	17	17	1	77	-	-	-	-	-	1	12	13	22	20	9
Nutritional deficiencies (260-269)	44	-	-	-	-	-	-	1	3	7	13	20	68	-	-	-	-	-	-	-	-	9	24	35
White	40	-	-	-	-	-	-	1	3	5	13	18	65	-	-	-	-	-	-	-	-	7	23	35
All other	4	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	2	1	-
Black	4	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	2	1	-
Anemias (280-285)	43	-	-	1	3	2	1	2	3	5	17	9	54	-	-	-	-	2	-	1	2	5	18	26
White	34	-	-	-	-	1	1	2	3	5	17	8	46	-	-	-	-	-	-	-	2	4	15	25
All other	9	-	-	1	3	2	-	1	1	-	-	1	8	-	-	-	-	2	-	1	-	1	3	1
Black	9	-	-	1	3	2	-	1	1	-	-	1	8	-	-	-	-	2	-	1	-	1	3	1
Meningitis (320-322)	15	1	4	1	-	1	-	-	5	2	1	-	20	1	1	-	-	1	2	-	6	3	4	2
White	14	1	4	1	-	1	-	-	5	1	1	-	14	1	-	-	-	1	1	-	4	2	4	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	1	-	-	-	1	-	2	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	6	-	1	-	-	-	1	-	2	1	-	1
Major cardiovascular diseases (390-448)	10,984	7	9	4	17	56	214	574	1,484	2,956	3,580	2,080	12,006	11	6	6	9	36	78	208	732	1,987	3,986	4,942
White	10,064	5	6	4	15	41	179	484	1,307	2,704	3,384	1,934	11,038	8	5	4	8	26	60	150	606	1,761	3,696	4,711
All other	920	2	3	-	2	15	35	90	177	252	196	146	968	3	1	2	1	10	18	58	126	226	290	231
Black	906	2	3	-	2	14	35	86	176	247	195	144	961	3	1	2	-	10	18	58	126	224	288	229
Diseases of heart (390-398,402,404-429)	9,054	7	8	3	15	44	187	514	1,295	2,502	2,862	1,614	9,107	11	6	4	6	30	52	149	572	1,569	3,029	3,676
White	8,308	5	5	3	13	31	160	438	1,153	2,284	2,702	1,503	8,372	8	5	3	6	22	41	109	477	1,398	2,805	3,496
All other	746	2	3	-	2	13	27	76	142	208	160	111	735	3	1	1	-	8	11	40	95	171	224	180
Black	735	2	3	-	2	13	27	72	142	204	159	110	730	3	1	1	-	8	11	40	95	170	222	178
Rheumatic fever and rheumatic heart disease (390-398)	42	-	-	-	-	-	2	-	9	16	12	3	92	-	-	-	-	1	2	8	12	23	32	14
White	40	-	-	-	-	-	2	-	9	14	12	3	87	-	-	-	-	1	1	7	11	21	32	14
All other	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	1	1	1	2	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	1	1	1	2	-	-
Hypertensive heart disease (402)	157	-	-	-	-	4	6	16	33	47	31	20	239	-	-	-	-	-	1	11	18	37	79	93
White	103	-	-	-	-	1	1	6	18	38	23	16	197	-	-	-	-	-	1	6	9	30	67	84
All other	54	-	-	-	-	3	5	10	15	9	8	4	42	-	-	-	-	-	-	5	9	7	12	9
Black	53	-	-	-	-	3	5	9	15	9	8	4	42	-	-	-	-	-	-	5	9	7	12	9
Hypertensive heart and renal disease (404)	26	-	-	-	-	1	-	2	2	4	11	6	34	-	-	-	-	-	-	1	3	3	10	17
White	20	-	-	-	-	-	-	-	1	3	10	6	28	-	-	-	-	-	-	-	3	2	8	15
All other	6	-	-	-	-	1	-	2	1	1	1	-	6	-	-	-	-	-	-	1	-	1	2	2
Black	6	-	-	-	-	1	-	2	1	1	1	-	6	-	-	-	-	-	-	1	-	1	2	2
Ischemic heart disease (410-414)	6,585	-	-	-	2	18	136	375	950	1,879	2,111	1,114	6,206	-	-	-	2	11	33	81	395	1,101	2,128	2,453
White	6,137	-	-	-	2	15	123	326	870	1,737	2,019	1,043	5,769	-	-	-	2	8	26	68	339	998	1,986	2,341
All other	449	-	-	-	-	3	13	47	80	142	92	71	437	-	-	-	-	3	7	13	56	103	142	112
Black	442	-	-	-	-	3	13	45	80	139	91	70	435	-	-	-	-	3	7	13	56	102	141	112
Acute myocardial infarction (410)	3,595	-	-	-	1	8	83	228	566	1,142	1,137	440	2,858	-	-	-	2	6	23	53	245	660	1,046	822
White	3,387	-	-	-	1	6	77	216	522	1,072	1,084	409	2,672	-	-	-	2	4	21	45	215	602	998	785
All other	208	-	-	-	-	2	6	12	34	70	53	31	186	-	-	-	-	2	2	8	30	58	48	37
Black	205	-	-	-	-	2	6	11	34	69	53	30	186	-	-	-	-	2	2	8	30	58	48	37

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	1	1	2	4	16	4	17	-	-	-	-	-	-	1	3	3	4	6
White	27	-	-	-	-	-	1	1	2	4	15	4	16	-	-	-	-	-	-	-	3	3	4	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	2	1	3	-	4	-	-	-	-	-	-	-	-	2	1	1
White	5	-	-	-	-	-	-	-	2	-	3	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,957	-	-	-	1	10	52	146	390	732	955	670	3,327	-	-	-	-	5	10	27	147	436	1,077	1,624
White	2,718	-	-	-	1	9	45	111	344	661	917	630	3,077	-	-	-	-	4	5	23	121	391	983	1,549
All other	239	-	-	-	-	1	7	35	46	71	38	40	250	-	-	-	-	1	5	4	26	45	94	75
Black	235	-	-	-	-	1	7	34	46	69	37	40	248	-	-	-	-	1	5	4	26	44	93	75
Other diseases of endocardium (424)	91	-	-	-	-	2	3	1	8	24	38	15	139	-	1	-	-	1	-	1	4	29	53	50
White	83	-	-	-	-	2	3	-	5	23	35	15	133	-	1	-	-	1	-	1	4	27	51	48
All other	8	-	-	-	-	-	-	1	3	1	3	-	6	-	-	-	-	-	-	-	-	2	2	2
Black	8	-	-	-	-	-	-	1	3	1	3	-	6	-	-	-	-	-	-	-	-	2	2	2
All other forms of heart disease (415-423,425-429)	2,152	7	8	3	13	19	40	120	293	532	659	456	2,397	11	5	4	4	17	16	47	140	376	727	1,049
White	1,925	5	5	3	11	13	31	104	250	479	603	420	2,158	8	4	3	4	12	13	27	111	320	661	994
All other	227	2	3	-	2	6	9	16	43	53	56	36	239	3	1	1	-	5	3	20	29	56	66	55
Black	225	2	3	-	2	6	9	15	43	52	56	36	236	3	1	1	-	5	3	20	29	56	65	53
Hypertension with or without renal disease (401,403)	80	-	-	-	-	1	3	3	12	19	32	10	100	-	-	-	-	-	-	5	5	17	35	37
White	70	-	-	-	-	-	3	3	11	16	30	7	88	-	-	-	-	-	-	3	4	14	29	37
All other	10	-	-	-	-	1	-	-	1	3	2	3	12	-	-	-	-	-	-	2	1	3	6	-
Black	9	-	-	-	-	1	-	-	1	2	2	3	12	-	-	-	-	-	-	2	1	3	6	-
Cerebrovascular diseases (430-438)	1,346	-	1	-	1	9	22	41	125	292	515	340	2,264	-	-	2	-	3	22	50	132	341	769	945
White	1,214	-	1	-	1	8	15	29	101	257	486	316	2,077	-	-	1	-	2	16	36	107	294	717	904
All other	132	-	-	-	-	1	7	12	24	35	29	24	187	-	-	1	-	1	6	14	25	47	52	41
Black	129	-	-	-	-	-	7	12	23	35	29	23	186	-	-	1	-	1	6	14	25	46	52	41
Intracerebral and other intracranial hemorrhage (431-432)	177	-	1	-	-	6	10	16	24	48	53	19	281	-	-	1	-	-	6	12	33	73	92	64
White	150	-	1	-	-	6	5	8	19	43	49	19	247	-	-	1	-	-	5	9	26	60	88	60
All other	27	-	-	-	-	-	5	8	5	5	4	-	34	-	-	-	-	-	1	3	7	13	6	4
Black	26	-	-	-	-	-	5	8	4	5	4	-	33	-	-	-	-	-	1	3	7	12	6	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	206	-	-	-	-	-	1	6	29	45	79	46	369	-	-	-	-	1	2	4	17	56	137	152
White	187	-	-	-	-	-	1	5	27	39	75	40	341	-	-	-	-	1	-	4	13	50	127	146
All other	19	-	-	-	-	-	-	1	2	6	4	6	28	-	-	-	-	-	2	-	4	6	10	6
Black	19	-	-	-	-	-	-	1	2	6	4	6	28	-	-	-	-	-	2	-	4	6	10	6
Cerebral embolism (434.1)	11	-	-	-	-	-	1	-	1	5	2	2	12	-	-	-	-	-	-	2	1	1	3	5
White	9	-	-	-	-	-	1	-	1	3	2	2	10	-	-	-	-	-	-	-	1	1	3	5
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	952	-	-	-	1	3	10	19	71	194	381	273	1,602	-	-	1	-	2	14	32	61	211	537	724
White	868	-	-	-	1	2	8	16	54	172	360	255	1,479	-	-	-	-	1	11	23	67	183	501	693
All other	84	-	-	-	-	1	2	3	17	22	21	18	123	-	-	1	-	1	3	9	14	28	36	31
Black	82	-	-	-	-	-	2	3	17	22	21	17	123	-	-	1	-	1	3	9	14	28	36	31
Atherosclerosis (440)	186	-	-	-	-	1	-	5	7	37	64	72	306	-	-	-	-	1	1	-	3	15	56	229
White	177	-	-	-	-	1	-	5	7	35	61	68	294	-	-	-	-	1	1	-	3	13	54	222
All other	9	-	-	-	-	-	-	-	-	2	3	4	12	-	-	-	-	-	-	-	-	2	2	7
Black	9	-	-	-	-	-	-	-	-	2	3	4	12	-	-	-	-	-	-	-	-	2	2	7
Other diseases of arteries, arterioles, and capillaries (441-448)	318	-	-	1	1	1	2	11	45	106	107	44	229	-	-	-	3	2	3	4	20	45	97	55
White	295	-	-	1	1	1	1	9	35	102	105	40	207	-	-	-	2	1	2	2	15	42	91	52
All other	23	-	-	-	-	-	1	2	10	4	2	4	22	-	-	-	1	1	1	2	5	3	6	3
Black	23	-	-	-	-	-	1	2	10	4	2	4	21	-	-	-	-	1	1	2	5	3	6	3
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	-	-	2	-	-	7	-	-	-	-	-	-	1	-	-	5	1
White	2	-	-	-	-	-	-	-	-	2	-	-	7	-	-	-	-	-	-	1	-	-	5	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	805	7	2	-	8	1	11	12	69	154	271	270	925	4	-	3	3	1	8	10	33	88	246	529
White	718	5	2	-	7	1	6	9	60	137	245	246	870	3	-	3	2	1	5	6	28	80	231	511
All other	87	2	-	-	1	-	5	3	9	17	26	24	55	1	-	-	1	-	3	4	5	8	15	18
Black	87	2	-	-	1	-	5	3	9	17	26	24	54	1	-	-	1	-	3	4	5	7	15	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	788	7	2	–	8	1	11	11	68	152	264	264	899	4	–	3	3	1	7	10	32	84	240	515
White	702	5	2	–	7	1	6	8	59	135	238	241	844	3	–	3	2	1	4	6	27	76	225	497
All other	86	2	–	–	1	–	5	3	9	17	26	23	55	1	–	–	1	–	3	4	5	8	15	18
Black	86	2	–	–	1	–	5	3	9	17	26	23	54	1	–	–	1	–	3	4	5	7	15	18
Influenza (487)	17	–	–	–	–	–	–	1	1	2	7	6	28	–	–	–	–	–	1	–	1	4	6	14
White	16	–	–	–	–	–	–	1	1	2	7	5	26	–	–	–	–	–	1	–	1	4	6	14
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,204	1	–	–	4	–	4	30	139	426	451	149	688	–	–	3	–	1	7	24	93	216	238	106
White	1,142	1	–	–	2	–	4	21	131	404	433	146	658	–	–	1	–	1	6	24	89	207	228	102
All other	62	–	–	–	2	–	–	9	8	22	18	3	30	–	–	2	–	–	1	–	4	9	10	4
Black	61	–	–	–	2	–	–	9	8	21	18	3	29	–	–	2	–	–	–	–	4	9	10	4
Bronchitis, chronic and unspecified (490-491)	45	1	–	–	–	–	–	2	5	9	19	9	34	–	–	–	–	–	–	–	3	14	8	9
White	44	1	–	–	–	–	–	2	5	9	19	8	34	–	–	–	–	–	–	–	3	14	8	9
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	183	–	–	–	–	–	–	4	17	73	72	17	72	–	–	–	–	–	1	2	18	30	17	4
White	176	–	–	–	–	–	–	4	17	69	69	17	70	–	–	–	–	–	1	2	17	29	17	4
All other	7	–	–	–	–	–	–	–	–	4	3	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	7	–	–	–	–	–	–	–	–	4	3	–	2	–	–	–	–	–	–	–	1	1	–	–
Asthma (493)	21	–	–	–	2	–	1	5	3	4	6	–	37	–	–	3	–	1	1	2	2	11	11	6
White	12	–	–	–	–	–	1	1	3	3	4	–	32	–	–	1	–	1	1	2	2	9	11	5
All other	9	–	–	–	2	–	–	4	–	1	2	–	5	–	–	2	–	–	–	–	–	2	–	1
Black	9	–	–	–	2	–	–	4	–	1	2	–	5	–	–	2	–	–	–	–	–	2	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	955	–	–	–	2	–	3	19	114	340	354	123	545	–	–	–	–	–	5	20	70	161	202	87
White	910	–	–	–	2	–	3	14	106	323	341	121	522	–	–	–	–	–	4	20	67	155	192	84
All other	45	–	–	–	–	–	–	5	8	17	13	2	23	–	–	–	–	–	1	–	3	6	10	3
Black	44	–	–	–	–	–	–	5	8	16	13	2	22	–	–	–	–	–	–	–	3	6	10	3
Ulcer of stomach and duodenum (531-533)	74	–	–	–	–	–	1	1	9	22	24	17	82	–	–	–	–	–	3	–	1	14	33	31
White	69	–	–	–	–	–	1	1	7	21	23	16	77	–	–	–	–	–	2	–	1	14	29	31
All other	5	–	–	–	–	–	–	–	2	1	1	1	5	–	–	–	–	–	1	–	–	–	4	–
Black	5	–	–	–	–	–	–	–	2	1	1	1	5	–	–	–	–	–	1	–	–	–	4	–
Appendicitis (540-543)	5	–	–	–	–	–	1	–	2	–	2	–	8	–	–	–	–	–	–	–	1	2	5	–
White	3	–	–	–	–	–	–	–	2	–	1	–	7	–	–	–	–	–	–	–	–	2	5	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	[5]	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	48	–	–	1	–	–	–	1	3	9	20	14	84	–	1	–	–	–	–	–	2	12	32	37
White	42	–	–	1	–	–	–	1	3	8	18	11	77	–	–	–	–	–	–	–	2	11	29	35
All other	6	–	–	–	–	–	–	–	–	1	2	3	7	–	1	–	–	–	–	–	–	1	3	2
Black	6	–	–	–	–	–	–	–	–	1	2	3	7	–	1	–	–	–	–	–	–	1	3	2
Chronic liver disease and cirrhosis (571)	230	–	–	–	2	6	23	41	67	52	34	5	168	–	–	–	–	4	12	29	37	48	34	6
White	193	–	–	–	2	4	17	30	55	49	31	5	144	–	–	–	–	3	6	20	34	44	31	6
All other	37	–	–	–	–	2	6	11	12	3	3	–	24	–	–	–	–	1	6	9	3	2	3	–
Black	36	–	–	–	–	2	6	11	11	3	3	–	24	–	–	–	–	1	6	9	3	2	3	–
Cholelithiasis and other disorders of gallbladder (574-575)	21	–	–	–	–	–	–	1	2	7	7	4	58	–	–	–	–	–	–	–	4	10	17	27
White	20	–	–	–	–	–	–	1	2	7	6	4	52	–	–	–	–	–	–	–	3	8	15	26
All other	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	2	2	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	278	1	–	–	1	3	4	10	24	50	102	83	318	1	–	–	1	2	6	13	20	50	103	122
White	240	–	–	–	–	2	4	6	14	48	91	75	268	1	–	–	1	2	4	8	13	36	89	114
All other	38	1	–	–	1	1	–	4	10	2	11	8	50	–	–	–	–	–	2	5	7	14	14	8
Black	37	1	–	–	–	1	–	4	10	2	11	8	50	–	–	–	–	–	2	5	7	14	14	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	1	–
White	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	2	-	1	3	3	5	6	16	-	-	-	-	-	1	-	1	4	7	3
White	17	-	-	-	-	1	-	1	2	3	5	5	13	-	-	-	-	-	1	-	1	4	7	2
All other	3	-	-	-	-	1	-	-	1	-	-	1	3	-	-	-	-	-	1	-	1	-	-	1
Black	3	-	-	-	-	1	-	-	1	-	-	1	3	-	-	-	-	-	1	-	1	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	255	1	-	-	1	1	4	9	21	46	95	77	300	1	-	-	1	2	5	13	19	45	95	119
White	220	-	-	-	-	1	4	5	12	44	84	70	254	1	-	-	1	2	4	8	13	32	81	112
All other	35	1	-	-	1	-	-	4	9	2	11	7	46	-	-	-	-	-	1	5	6	13	14	7
Black	34	1	-	-	-	-	-	4	9	2	11	7	46	-	-	-	-	-	1	5	6	13	14	7
Infections of kidney (590)	13	-	-	-	1	-	-	1	-	3	4	4	18	-	-	-	-	-	-	-	2	4	6	6
White	12	-	-	-	1	-	-	1	-	3	4	3	14	-	-	-	-	-	-	-	1	3	6	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	1	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	1	-	2
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	1	1	-	5	***	***	***	***	***	***	***	***	***	***	***	***
White	7	-	-	-	-	-	-	-	1	1	-	5	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	2	2	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	1	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	1	2	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	2	2	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	1	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	1	2	-	***	***	***	***
Congenital anomalies (740-759)	148	98	6	6	9	8	2	5	5	5	3	1	128	80	6	2	2	3	3	4	13	5	7	3
White	121	80	6	5	8	6	2	3	3	5	2	1	105	67	4	1	2	3	2	3	11	5	4	3
All other	27	18	-	1	1	2	-	2	2	-	1	-	23	13	2	1	-	-	1	1	2	-	3	-
Black	26	17	-	1	1	2	-	2	2	-	1	-	22	12	2	1	-	-	1	1	2	-	3	-
Certain conditions originating in the perinatal period (760-779)	226	226	-	-	-	-	-	-	-	-	-	-	149	149	-	-	-	-	-	-	-	-	-	-
White	153	153	-	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
All other	73	73	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Black	71	71	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	72	72	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	18	18	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	154	154	-	-	-	-	-	-	-	-	-	-	113	113	-	-	-	-	-	-	-	-	-	-
White	99	99	-	-	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
All other	55	55	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
Black	54	54	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	846	79	3	4	4	20	24	50	132	217	197	114	697	64	3	2	3	3	10	31	63	124	169	225
White	757	55	3	4	3	14	22	44	122	198	187	104	618	40	2	1	2	3	9	26	52	113	157	213
All other	89	24	-	-	1	6	2	6	10	19	10	10	79	24	1	1	1	-	1	5	11	11	12	12
Black	86	24	-	-	1	5	2	6	9	18	10	10	78	23	1	1	1	-	1	5	11	11	12	12
All other diseases (Residual)	1,720	16	2	6	33	61	85	107	212	362	520	316	1,875	13	8	6	14	30	39	85	145	289	644	622
White	1,478	14	1	5	28	43	59	79	172	311	472	294	1,662	13	6	5	9	18	30	55	115	252	589	570
All other	242	2	1	1	5	18	26	28	40	51	48	22	213	-	2	1	5	12	9	10	30	37	55	52
Black	238	2	1	1	5	17	26	28	40	49	48	21	212	-	2	1	5	12	9	10	30	37	54	52
Accidents and adverse effects (E800-E949)	1,557	7	35	89	371	288	174	110	130	148	136	87	810	12	29	29	116	76	62	52	64	91	145	134
White	1,384	6	28	60	341	255	149	101	111	131	117	83	737	8	22	26	109	66	55	50	56	85	134	126
All other	173	1	7	9	30	33	25	9	19	17	19	4	73	4	7	3	7	10	7	2	8	6	11	8
Black	170	1	7	9	30	31	25	9	19	17	18	4	70	4	7	3	6	10	5	2	8	6	11	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	800	–	11	29	284	193	90	40	47	56	40	9	359	1	12	22	103	51	43	25	31	37	28	6
White	737	–	9	27	264	180	80	38	44	50	36	8	337	1	10	20	99	48	39	24	29	34	27	6
All other	63	–	2	2	20	13	10	2	3	6	4	1	22	–	2	2	4	3	4	1	2	3	1	–
Black	60	–	2	2	20	11	10	2	3	6	3	1	20	–	2	2	3	3	3	1	2	3	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	757	7	24	40	87	95	84	70	83	92	96	78	451	11	17	7	13	25	19	27	33	54	117	128
White	647	6	19	33	77	75	69	69	67	81	81	75	400	7	12	6	10	18	16	26	27	51	107	120
All other	110	1	5	7	10	20	15	7	16	11	15	3	51	4	5	1	3	7	3	1	6	3	10	8
Black	110	1	5	7	10	20	15	7	16	11	15	3	50	4	5	1	3	7	2	1	6	3	10	8
Suicide (E950-E959)	581	...	...	4	95	120	60	72	79	79	59	13	139	...	...	1	15	28	24	27	19	15	8	2
White	550	...	...	4	87	108	55	71	77	79	57	12	130	...	...	1	14	24	24	26	16	15	8	2
All other	31	...	...	–	8	12	5	1	2	–	2	1	9	...	...	–	1	4	–	1	3	–	–	–
Black	30	...	...	–	8	12	5	1	1	–	2	1	9	...	...	–	1	4	–	1	3	–	–	–
Homicide and legal intervention (E960-E978)	380	5	2	4	99	131	76	22	23	11	5	2	117	2	2	7	20	42	15	7	5	10	3	3
White	152	4	1	2	33	42	32	16	13	6	3	–	63	2	1	3	8	23	9	3	2	7	2	2
All other	228	1	1	2	66	89	44	6	10	5	2	2	54	–	1	4	12	19	6	4	3	3	1	1
Black	226	1	1	2	64	89	44	6	10	5	2	2	54	–	1	4	12	19	6	4	3	3	1	1
All other external causes (E980-E999)	42	1	–	2	8	8	10	4	5	3	1	–	16	1	–	–	5	5	–	3	1	–	–	–
White	37	1	–	2	8	6	9	3	4	3	1	–	13	1	–	–	5	4	–	3	–	–	–	–
All other	5	–	–	–	–	2	1	1	1	–	–	–	3	–	–	–	–	1	–	–	1	–	–	–
Black	5	–	–	–	–	2	1	1	1	–	–	–	3	–	–	–	–	1	–	–	1	–	–	–
MONTANA																								
All causes	3,721	76	16	32	114	127	142	200	509	926	978	601	3,033	46	9	15	47	53	79	142	296	568	837	941
White	3,536	62	14	27	98	108	123	184	490	904	952	584	2,929	35	7	12	36	45	74	134	282	560	817	927
All other	185	14	2	5	26	19	19	16	19	22	26	17	104	11	2	3	11	8	5	8	14	8	20	14
Black	5	–	–	–	1	1	–	1	–	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, *scarlatina, and* erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	26	2	1	–	–	–	–	–	3	4	5	11	19	–	–	–	–	–	1	2	–	3	7	6
White	24	1	1	–	–	–	–	–	3	4	4	11	19	–	–	–	–	–	1	2	–	3	7	6
All other	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,038-041, 046-054,056-066,071-088, 098-139)	10	-	-	-	1	3	-	1	1	2	1	1	9	-	-	-	-	-	-	-	2	1	3	3
White	9	-	-	-	1	3	-	1	1	2	-	1	8	-	-	-	-	-	-	-	1	1	3	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	785	-	3	3	2	5	17	40	142	281	209	83	678	-	-	1	2	9	32	68	135	193	151	87
White	761	-	3	3	2	5	16	39	137	270	205	81	663	-	-	1	2	7	32	65	133	191	149	83
All other	24	-	-	-	-	-	1	1	5	11	4	2	15	-	-	-	-	2	-	3	2	2	2	4
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	-	-	-	-	-	1	1	2	5	3	-	11	-	-	-	-	1	-	1	4	2	2	1
White	12	-	-	-	-	-	1	1	2	5	3	-	11	-	-	-	-	1	-	1	4	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	186	-	-	-	1	-	5	14	30	62	53	21	167	-	-	-	-	3	5	12	28	40	50	28
White	182	-	-	-	1	-	4	14	29	61	52	21	163	-	-	-	-	3	5	11	28	39	49	28
All other	4	-	-	-	-	-	1	-	1	1	1	-	4	-	-	-	-	-	-	1	-	1	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	242	-	-	-	-	-	3	12	61	99	58	9	125	-	-	-	-	-	2	13	37	49	15	9
White	231	-	-	-	-	-	3	12	59	91	57	9	121	-	-	-	-	-	2	12	35	49	14	9
All other	11	-	-	-	-	-	-	-	2	8	1	-	4	-	-	-	-	-	-	1	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	130	-	-	-	-	-	6	23	23	34	29	15
White	-	-	-	-	-	-	-	-	-	-	-	-	129	-	-	-	-	-	6	23	23	34	29	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	133	-	1	-	-	-	-	2	9	43	47	31	87	-	-	-	-	3	9	9	20	26	9	11
White	130	-	1	-	-	-	-	2	8	42	46	31	82	-	-	-	-	1	9	9	20	25	9	9
All other	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	2	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	51	-	-	-	-	-	-	-	7	20	13	11	22	-	-	-	-	-	-	1	1	7	9	4
White	50	-	-	-	-	-	-	-	7	20	13	10	22	-	-	-	-	-	-	1	1	7	9	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	95	-	1	1	1	2	2	5	26	30	24	3	60	-	-	1	1	1	8	5	16	20	18	10
White	92	-	1	1	1	2	2	5	25	30	23	2	79	-	-	1	1	1	8	4	16	20	18	10
All other	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	34	-	-	1	-	1	3	2	5	9	6	7	25	-	-	-	-	1	-	4	2	7	6	5
White	34	-	-	1	-	1	3	2	5	9	6	7	25	-	-	-	-	1	-	4	2	7	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	1	1	-	2	3	4	2	13	5	1	31	-	-	-	1	-	2	-	4	8	13	3
White	30	-	1	1	-	2	3	3	2	12	5	1	31	-	-	-	1	-	2	-	4	8	13	3
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	-	-	-	-	-	1	-	-	5	1	-	10	-	-	-	1	-	1	-	2	1	3	2
White	7	-	-	-	-	-	1	-	-	5	1	-	10	-	-	-	1	-	1	-	2	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	52	-	-	-	2	1	4	4	6	17	12	6	57	-	-	-	-	1	2	4	7	13	15	15
White	51	-	-	-	2	1	4	4	6	16	12	6	54	-	-	-	-	1	2	4	5	13	14	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	1	1	3	6	-	-	-	-	-	-	-	-	1	-	5
White	5	-	-	-	-	-	-	-	-	1	1	3	6	-	-	-	-	-	-	-	-	1	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	1	1	-	-	-	-	1	1	-	2	7	-	-	-	-	-	-	-	-	1	4	2
White	6	-	1	1	-	-	-	-	1	1	-	2	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	-	1	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
White	2	-	-	1	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,504	3	1	-	3	4	27	74	227	378	479	308	1,392	2	2	3	4	7	9	31	95	223	447	569
White	1,456	3	-	-	3	2	24	70	217	369	470	298	1,361	2	1	3	3	7	8	30	90	218	438	561
All other	48	-	1	-	-	2	3	4	10	9	9	10	31	-	1	-	1	-	1	1	5	5	9	8
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of heart (390-398,402,404-429)	1,202	3	1	-	2	4	22	69	200	312	363	226	999	2	1	3	1	5	5	23	79	174	326	380
White	1,162	3	-	-	2	2	20	65	192	305	356	217	976	2	1	3	1	5	4	22	77	170	319	372
All other	40	-	1	-	-	2	2	4	8	7	7	9	23	-	-	-	-	-	1	1	2	4	7	8
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	11	-	-	-	-	-	1	1	2	4	3	-	25	-	-	-	-	1	-	1	2	10	8	3
White	10	-	-	-	-	-	-	1	2	4	3	-	24	-	-	-	-	1	-	1	2	9	8	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	15	-	-	-	-	-	-	-	-	5	5	5	28	-	-	-	-	-	-	-	3	1	8	16
White	15	-	-	-	-	-	-	-	-	5	5	5	27	-	-	-	-	-	-	-	2	1	8	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	1	4
White	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	807	-	-	-	-	2	19	47	146	213	240	140	600	-	-	-	-	2	2	16	59	114	201	206
White	784	-	-	-	-	1	18	45	142	207	238	133	588	-	-	-	-	2	2	16	58	112	198	200
All other	23	-	-	-	-	1	1	2	4	6	2	7	12	-	-	-	-	-	-	-	1	2	3	6
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	464	-	-	-	-	2	12	28	95	141	133	53	297	-	-	-	-	-	2	12	42	70	108	63
White	450	-	-	-	-	1	11	27	92	137	132	50	291	-	-	-	-	-	2	12	42	68	107	60
All other	14	-	-	-	-	1	1	1	3	4	1	3	6	-	-	-	-	-	-	-	-	2	1	3
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	2	1	3	-	3	-	-	-	-	-	-	-	1	-	-	2
White	6	-	-	-	-	-	-	-	2	1	3	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	335	-	-	-	-	-	7	19	49	70	103	87	300	-	-	-	-	-	2	-	4	16	44	93	141
White	326	-	-	-	-	-	7	18	48	68	102	83	294	-	-	-	-	-	2	-	4	15	44	91	138
All other	9	-	-	-	-	-	-	1	1	2	1	4	6	-	-	-	-	-	-	-	-	1	-	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	18	-	-	-	-	-	-	-	2	4	6	6	30	-	-	-	-	-	1	-	-	5	12	12
White	18	-	-	-	-	-	-	-	2	4	6	6	29	-	-	-	-	-	1	-	-	5	11	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	349	3	1	-	2	2	2	21	50	86	108	74	311	2	1	3	1	2	2	6	15	44	96	139
White	333	3	-	-	2	1	2	19	46	85	103	72	303	2	1	3	1	2	1	5	15	43	93	137
All other	16	-	1	-	-	1	-	2	4	1	5	2	8	-	-	-	-	-	1	1	-	1	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	16	-	-	-	-	-	-	1	2	4	5	4	14	-	-	-	-	-	-	-	1	4	5	4
White	15	-	-	-	-	-	-	1	1	4	5	4	14	-	-	-	-	-	-	-	1	4	5	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	186	-	-	-	1	-	4	3	17	32	75	54	308	-	1	-	3	2	3	6	10	35	95	153
White	180	-	-	-	1	-	3	3	16	30	73	54	303	-	-	-	2	2	3	6	8	34	95	153
All other	6	-	-	-	-	-	1	-	1	2	2	-	5	-	1	-	1	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	17	-	-	-	-	-	-	1	3	4	8	1	21	-	-	-	-	-	-	1	2	4	10	4
White	17	-	-	-	-	-	-	1	3	4	8	1	20	-	-	-	-	-	-	1	1	4	10	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	-	-	-	1	-	-	1	3	1	9	6	44	-	-	-	-	-	-	1	1	3	13	26
White	21	-	-	-	1	-	-	1	3	1	9	6	44	-	-	-	-	-	-	1	1	3	13	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
White	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	146	-	-	-	-	-	4	1	11	27	57	46	239	-	1	-	3	2	3	4	7	28	70	121
White	140	-	-	-	-	-	3	1	10	25	55	46	235	-	-	-	2	2	3	4	6	27	70	121
All other	6	-	-	-	-	-	1	-	1	2	2	-	4	-	1	-	1	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	42	-	-	-	-	-	-	-	-	9	16	17	46	-	-	-	-	-	-	2	-	2	14	28
White	42	-	-	-	-	-	-	-	-	9	16	17	45	-	-	-	-	-	-	2	-	2	13	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	58	-	-	-	-	-	1	1	8	21	20	7	25	-	-	-	-	-	1	-	5	8	7	4
White	57	-	-	-	-	-	1	1	8	21	20	6	23	-	-	-	-	-	1	-	4	8	6	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	115	1	-	-	-	-	1	4	4	19	42	44	118	1	1	-	1	-	2	1	3	8	26	75
White	106	-	-	-	-	-	-	3	4	18	39	42	115	1	1	-	-	-	2	1	3	8	25	74
All other	9	1	-	-	-	-	1	1	-	1	3	2	3	-	-	-	1	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	108	1	-	-	-	-	1	4	4	17	39	42	102	1	1	-	1	-	1	1	3	8	22	64
White	99	-	-	-	-	-	-	3	4	16	36	40	99	1	1	-	-	-	1	1	3	8	21	63
All other	9	1	-	-	-	-	1	1	-	1	3	2	3	-	-	-	1	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	7	-	-	-	-	-	-	-	2	3	2	-	16	-	-	-	-	-	-	1	-	-	4	11
White	7	-	-	-	-	-	-	-	2	3	2	-	16	-	-	-	-	-	-	1	-	-	4	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	228	-	-	-	-	-	-	3	31	78	93	23	119	-	-	-	-	-	-	3	12	42	49	13
White	222	-	-	-	-	-	-	2	31	78	88	23	117	-	-	-	-	-	-	3	12	42	47	13
All other	6	-	-	-	-	-	-	1	-	-	5	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	12	-	-	-	-	-	-	-	2	4	5	1	5	-	-	-	-	-	-	-	-	1	3	1
White	12	-	-	-	-	-	-	-	2	4	5	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	-	-	7	13	14	3	22	-	-	-	-	-	-	1	2	10	8	1
White	35	-	-	-	-	-	-	-	7	13	12	3	21	-	-	-	-	-	-	1	2	10	7	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	7	-	-	-	-	-	-	-	-	2	5	-	10	-	-	-	-	-	-	1	4	4	1	-
White	7	-	-	-	-	-	-	-	-	2	5	-	10	-	-	-	-	-	-	1	4	4	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	172	-	-	-	-	-	-	3	22	59	69	19	82	-	-	-	-	-	-	1	6	27	37	11
White	168	-	-	-	-	-	-	2	22	59	66	19	81	-	-	-	-	-	-	1	6	27	36	11
All other	4	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	-	1	-	3	5	5	11	-	-	-	-	-	-	1	-	2	3	5
White	14	-	-	-	-	-	-	1	-	3	5	5	11	-	-	-	-	-	-	1	-	2	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	-	-	2	1	3	4	21	-	-	-	-	-	-	1	1	4	4	11
White	10	-	-	-	-	-	-	-	2	1	3	4	20	-	-	-	-	-	-	1	1	4	3	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	48	-	-	-	-	3	3	9	11	15	6	1	29	-	-	-	-	3	2	4	6	9	4	1
White	45	-	-	-	-	1	3	8	11	15	6	1	23	-	-	-	-	1	1	3	4	9	4	1
All other	3	-	-	-	-	2	-	1	-	-	-	-	6	-	-	-	-	2	1	1	2	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	1	-	1	4	4	-	-	-	-	-	-	-	-	-	1	3
White	6	-	-	-	-	-	-	-	1	-	1	4	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	27	-	-	-	-	-	1	1	3	9	9	4	17	-	-	-	-	-	-	-	1	2	6	8
White	26	-	-	-	-	-	1	1	3	9	8	4	16	-	-	-	-	-	-	-	1	2	6	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	-	-	-	-	-	1	1	3	8	8	4	18	-	-	-	-	-	-	-	1	2	5	8
White	24	-	-	-	-	-	1	1	3	8	7	4	15	-	-	-	-	-	-	-	1	2	5	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	25	17	-	2	1	1	3	1	-	-	-	-	13	11	-	-	-	-	-	-	1	-	1	-
White	24	16	-	2	1	1	3	1	-	-	-	-	10	8	-	-	-	-	-	-	1	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	26	26	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	22	22	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	53	18	1	-	-	3	1	-	6	5	7	12	46	7	-	-	-	1	2	2	2	3	9	20
White	47	13	1	-	-	3	1	-	5	5	7	12	43	5	-	-	-	1	2	2	1	3	9	20
All other	6	5	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	282	4	2	3	5	7	15	13	29	59	76	69	282	4	1	3	5	6	5	11	19	45	85	98
White	267	4	2	3	4	6	11	11	26	59	74	67	273	4	1	2	5	6	4	9	18	44	82	98
All other	15	-	-	-	1	1	4	2	3	-	2	2	9	-	-	1	-	-	1	2	1	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	296	4	7	17	69	58	37	31	21	21	18	13	115	1	3	8	24	17	14	7	5	11	12	13
White	256	3	6	13	53	51	33	25	21	21	18	12	99	1	2	6	17	14	12	6	5	11	12	13
All other	40	1	1	4	16	7	4	6	-	-	-	1	16	-	1	2	7	3	2	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	158	1	5	8	46	33	19	13	13	8	10	2	70	-	2	3	20	14	10	5	3	7	5	1
White	136	1	4	8	35	27	17	11	13	8	10	2	60	-	1	2	16	12	9	4	3	7	5	1
All other	22	-	1	-	11	6	2	2	-	-	-	-	10	-	1	1	4	2	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	138	3	2	9	23	25	18	18	8	13	8	11	45	1	1	5	4	3	4	2	2	4	7	12
White	120	2	2	5	18	24	16	14	8	13	8	10	39	1	1	4	1	2	3	2	2	4	7	12
All other	18	1	-	4	5	1	2	4	-	-	-	1	6	-	-	1	3	1	1	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	150	...	...	3	22	34	23	14	17	25	8	4	27	...	...	-	3	6	5	6	4	-	2	1
White	140	...	...	3	19	31	19	14	17	25	8	4	27	...	...	-	3	6	5	6	4	-	2	1
All other	10	...	...	-	3	3	4	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	26	-	-	2	8	4	7	3	1	1	-	-	15	-	-	-	5	3	3	1	1	2	-	-
White	16	-	-	1	3	1	6	3	1	1	-	-	12	-	-	-	3	2	3	1	1	2	-	-
All other	10	-	-	1	5	3	1	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	8	-	-	-	1	3	2	-	1	-	1	-	7	-	1	-	2	-	1	-	-	2	-	1
White	6	-	-	-	-	3	1	-	1	-	1	-	7	-	1	-	2	-	1	-	-	2	-	1
All other	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,627	129	27	33	184	188	195	368	1,002	1,872	2,191	1,437	7,051	118	21	17	62	66	108	246	538	1,132	2,096	2,649
White	7,362	111	23	29	175	172	180	345	950	1,812	2,154	1,410	6,848	97	19	16	57	52	103	225	515	1,099	2,052	2,613
All other	265	18	4	4	9	16	15	23	52	60	37	27	203	21	2	1	5	14	5	21	21	33	44	36
Black	213	13	4	3	7	11	12	14	45	50	32	22	166	14	2	–	5	11	5	18	18	27	35	31
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	1	–	1	–	1
White	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	1	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	1	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	32	–	–	–	–	–	1	–	5	10	10	6	39	1	1	–	–	–	3	3	4	4	15	8
White	31	–	–	–	–	–	1	–	5	10	9	6	38	1	1	–	–	–	3	2	4	4	15	8
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	21	–	–	–	2	5	1	–	1	7	3	2	21	1	–	1	–	1	1	2	4	3	4	4
White	20	–	–	–	2	4	1	–	1	7	3	2	18	1	–	1	–	–	1	2	3	3	4	4
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,714	–	3	5	8	14	35	99	305	558	492	197	1,432	–	3	1	2	12	38	122	250	367	411	226
White	1,650	–	3	5	6	14	33	97	288	530	460	194	1,397	–	3	1	2	11	37	116	242	360	399	226
All other	64	–	–	–	–	–	2	2	17	28	12	3	35	–	–	–	–	1	1	6	8	7	12	–
Black	60	–	–	–	–	–	2	2	16	25	12	3	30	–	–	–	–	–	1	6	7	6	10	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	-	-	-	-	-	1	2	12	7	9	3	17	-	-	-	-	-	1	2	3	6	3	2
White	32	-	-	-	-	-	1	2	12	6	8	3	17	-	-	-	-	-	1	2	3	6	3	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	440	-	-	-	-	1	3	25	67	143	142	59	379	-	-	-	-	3	6	16	66	82	126	80
White	426	-	-	-	-	1	2	25	63	140	138	57	368	-	-	-	-	3	6	14	63	81	121	80
All other	14	-	-	-	-	-	1	-	4	3	4	2	11	-	-	-	-	-	-	2	3	1	5	-
Black	12	-	-	-	-	-	1	-	4	1	4	2	11	-	-	-	-	-	-	2	3	1	5	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	577	-	-	-	-	2	5	41	128	225	146	30	241	-	-	-	1	-	6	25	47	60	57	25
White	550	-	-	-	-	2	4	40	120	211	143	30	234	-	-	-	1	-	5	25	46	78	54	25
All other	27	-	-	-	-	-	1	1	8	14	3	-	7	-	-	-	-	-	1	-	1	2	3	-
Black	27	-	-	-	-	-	1	1	8	14	3	-	6	-	-	-	-	-	1	-	1	2	2	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	269	-	-	-	-	2	10	33	56	79	63	26
White	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-	2	10	33	55	78	62	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of genital organs (179-187)	188	-	1	-	-	1	-	-	10	46	83	47	141	-	-	-	-	2	5	20	30	31	37	16
White	180	-	1	-	-	1	-	-	8	44	80	46	135	-	-	-	-	1	5	18	28	31	36	16
All other	8	-	-	-	-	-	-	-	2	2	3	1	6	-	-	-	-	1	-	2	2	-	1	-
Black	7	-	-	-	-	-	-	-	2	1	3	1	5	-	-	-	-	-	-	2	2	-	1	-
Malignant neoplasms of urinary organs (188-189)	83	-	-	-	-	-	2	3	16	28	21	13	50	-	-	-	-	-	-	2	6	8	20	14
White	81	-	-	-	-	-	2	3	14	28	21	13	49	-	-	-	-	-	-	2	6	7	20	14
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	217	-	2	3	3	7	15	18	46	58	40	25	177	-	1	1	1	3	7	12	25	41	54	32
White	210	-	2	3	3	7	15	17	46	53	39	25	173	-	1	1	1	3	7	11	25	40	52	32
All other	7	-	-	-	-	-	-	1	-	5	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	7	-	-	-	-	-	-	1	-	5	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Leukemia (204-208)	75	-	-	1	2	2	3	3	11	15	26	12	62	-	2	-	-	-	2	3	7	10	22	16
White	74	-	-	1	2	2	3	3	11	14	26	12	62	-	2	-	-	-	2	3	7	10	22	16
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	100	-	-	1	1	1	6	7	15	36	25	8	96	-	-	-	-	2	1	9	10	30	29	15
White	97	-	-	1	1	1	6	7	14	34	25	8	93	-	-	-	-	2	1	8	9	29	29	15
All other	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	-	-	1	1	-	4	3	3	3	8	3	22	-	-	-	1	1	2	2	-	3	9	4
White	25	-	-	1	1	-	4	2	3	3	8	3	22	-	-	-	1	1	2	2	-	3	9	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	127	-	-	-	-	2	4	13	16	37	38	17	159	-	-	-	1	6	4	8	10	34	49	47
White	116	-	-	-	-	2	4	11	14	33	35	17	146	-	-	-	1	5	4	7	9	29	46	45
All other	11	-	-	-	-	-	-	2	2	4	3	-	13	-	-	-	-	1	-	1	1	5	3	2
Black	10	-	-	-	-	-	-	2	2	4	2	-	12	-	-	-	-	1	-	1	1	5	2	2
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	-	2	1	2	6	14	-	-	-	-	-	-	-	-	1	3	10
White	11	-	-	-	-	-	-	-	2	1	2	6	14	-	-	-	-	-	-	-	-	1	3	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	13	-	-	-	1	-	-	-	1	3	2	6	17	-	-	-	-	-	1	2	1	3	4	6
White	13	-	-	-	1	-	-	-	1	3	2	6	16	-	-	-	-	-	1	1	1	3	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
White	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,445	5	3	1	5	11	45	144	444	864	1,128	795	3,551	3	-	-	4	7	20	45	151	471	1,149	1,701
White	3,369	5	2	1	5	10	43	139	423	844	1,116	781	3,477	3	-	-	4	5	18	38	144	458	1,131	1,676
All other	76	-	1	-	-	1	2	5	21	20	12	14	74	-	-	-	-	2	2	7	7	13	18	25
Black	62	-	1	-	-	-	2	2	19	16	11	11	66	-	-	-	-	2	2	7	7	10	14	24

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,732	4	3	1	4	9	37	125	386	712	856	595	2,600	3	–	–	1	6	10	34	119	368	852	1,207
White	2,668	4	2	1	4	8	35	120	368	697	847	582	2,542	3	–	–	1	4	9	27	114	358	837	1,189
All other	64	–	1	–	–	1	2	5	18	15	9	13	58	–	–	–	–	2	1	7	5	10	15	18
Black	54	–	1	–	–	–	2	2	17	13	9	10	55	–	–	–	–	2	1	7	5	9	13	18
Rheumatic fever and rheumatic heart disease (390-398)	12	–	–	–	–	–	–	1	4	–	6	1	19	–	–	–	–	–	–	2	1	5	8	3
White	12	–	–	–	–	–	–	1	4	–	6	1	19	–	–	–	–	–	–	2	1	5	8	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	38	–	–	–	–	1	–	1	8	9	9	10	43	–	–	–	–	–	–	2	1	8	15	17
White	35	–	–	–	–	1	–	1	7	8	8	10	40	–	–	–	–	–	–	2	1	8	13	16
All other	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	2	1
Black	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	2	1
Hypertensive heart and renal disease (404)	8	–	–	–	–	–	–	–	1	1	1	5	15	–	–	–	–	–	–	–	1	1	4	9
White	8	–	–	–	–	–	–	–	1	1	1	5	15	–	–	–	–	–	–	–	1	1	4	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,947	–	–	–	–	2	27	88	287	548	622	373	1,697	–	–	–	–	–	6	21	74	277	564	755
White	1,906	–	–	–	–	2	25	85	274	537	618	367	1,663	–	–	–	–	–	6	16	69	271	557	744
All other	41	–	–	–	–	–	2	3	13	11	6	6	34	–	–	–	–	–	–	5	5	6	7	11
Black	34	–	–	–	–	–	2	1	12	9	6	4	31	–	–	–	–	–	–	5	5	5	5	11
Acute myocardial infarction (410)	1,139	–	–	–	–	2	14	64	172	358	381	168	851	–	–	–	–	–	3	15	46	186	317	284
White	1,125	–	–	–	–	2	14	61	168	352	360	168	834	–	–	–	–	–	3	13	45	182	311	280
All other	14	–	–	–	–	–	–	3	4	6	1	–	17	–	–	–	–	–	–	2	1	4	6	4
Black	9	–	–	–	–	–	–	1	3	4	1	–	15	–	–	–	–	–	–	2	1	4	4	4
Other acute and subacute forms of ischemic heart disease (411)	6	–	–	–	–	–	–	–	2	1	2	1	7	–	–	–	–	–	–	–	–	2	2	3
White	6	–	–	–	–	–	–	–	2	1	2	1	7	–	–	–	–	–	–	–	–	2	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
White	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	800	–	–	–	–	–	13	24	113	189	257	204	837	–	–	–	–	–	3	6	28	89	245	466
White	773	–	–	–	–	–	11	24	104	184	252	198	820	–	–	–	–	–	3	3	24	87	244	459
All other	27	–	–	–	–	–	2	–	9	5	5	6	17	–	–	–	–	–	–	3	4	2	1	7
Black	25	–	–	–	–	–	2	–	9	5	5	4	16	–	–	–	–	–	–	3	4	1	1	7
Other diseases of endocardium (424)	32	–	–	–	–	–	1	1	2	7	10	11	37	–	–	–	–	1	–	1	–	4	12	19
White	32	–	–	–	–	–	1	1	2	7	10	11	36	–	–	–	–	1	–	1	–	4	12	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other forms of heart disease (415-423,425-429)	695	4	3	1	4	6	9	34	84	147	208	195	788	3	–	–	1	5	4	8	42	73	249	404
White	675	4	2	1	4	5	9	32	80	144	206	188	769	3	–	–	1	3	3	6	42	69	243	399
All other	20	–	1	–	–	1	–	2	4	3	2	7	20	–	–	–	–	2	1	2	–	4	6	5
Black	17	–	1	–	–	–	–	1	4	3	2	6	20	–	–	–	–	2	1	2	–	4	6	5
Hypertension with or without renal disease (401,403)	30	–	–	–	–	–	1	2	6	8	9	4	30	–	–	–	–	–	–	–	–	3	11	16
White	28	–	–	–	–	–	1	2	5	7	9	4	29	–	–	–	–	–	–	–	–	3	11	15
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Cerebrovascular diseases (430-436)	477	1	–	–	1	1	5	10	39	94	194	132	701	–	–	–	2	1	9	11	25	78	230	345
White	468	1	–	–	1	1	5	10	37	90	191	132	690	–	–	–	2	1	8	11	24	78	228	340
All other	9	–	–	–	–	–	–	–	2	4	3	–	11	–	–	–	–	–	1	–	1	2	2	5
Black	5	–	–	–	–	–	–	–	1	2	2	–	8	–	–	–	–	–	1	–	1	1	1	4
Intracerebral and other intracranial hemorrhage (431-432)	63	–	–	–	1	1	–	4	11	19	21	6	61	–	–	–	–	1	1	2	6	10	26	15
White	61	–	–	–	1	1	–	4	10	19	20	6	61	–	–	–	–	1	1	2	6	10	26	15
All other	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	69	1	–	–	–	–	–	2	6	18	26	16	85	–	–	–	–	–	1	–	2	12	27	43
White	67	1	–	–	–	–	–	2	5	17	26	16	82	–	–	–	–	–	1	–	1	12	27	41
All other	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	–	–	2
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	341	-	-	-	-	-	5	3	22	55	146	110	554	-	-	-	2	-	7	9	17	55	177	287
White	336	-	-	-	-	-	5	3	22	52	144	110	547	-	-	-	2	-	6	9	17	54	175	284
All other	5	-	-	-	-	-	-	-	-	3	2	-	7	-	-	-	-	-	1	-	-	1	2	3
Black	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	1	-	-	-	1	3
Atherosclerosis (440)	88	-	-	-	-	1	-	2	1	11	31	42	156	-	-	-	-	-	-	-	2	7	36	111
White	87	-	-	-	-	1	-	2	1	11	31	41	154	-	-	-	-	-	-	-	2	6	36	110
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	118	-	-	-	-	-	2	5	12	39	38	22	64	-	-	-	1	-	1	-	5	15	20	22
White	118	-	-	-	-	-	2	5	12	39	38	22	62	-	-	-	1	-	1	-	4	15	19	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	5	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	295	4	-	-	-	2	2	5	21	41	86	134	294	3	-	-	-	-	-	3	11	25	75	177
White	285	4	-	-	-	2	-	5	20	40	85	129	285	2	-	-	-	-	-	2	11	24	72	174
All other	10	-	-	-	-	-	2	-	1	1	1	5	9	1	-	-	-	-	-	1	-	1	3	3
Black	8	-	-	-	-	-	2	-	1	-	1	4	6	1	-	-	-	-	-	1	-	1	2	1
Pneumonia (480-486)	289	4	-	-	-	1	2	5	20	40	82	129	279	3	-	-	-	-	-	3	11	25	70	167
White	273	4	-	-	-	1	-	5	19	39	81	124	270	2	-	-	-	-	-	2	11	24	67	164
All other	10	-	-	-	-	-	2	-	1	1	1	5	9	1	-	-	-	-	-	1	-	1	3	3
Black	8	-	-	-	-	-	2	-	1	-	1	4	6	1	-	-	-	-	-	1	-	1	2	1
Influenza (487)	12	-	-	-	-	1	-	-	1	1	4	5	15	-	-	-	-	-	-	-	-	-	5	10
White	12	-	-	-	-	1	-	-	1	1	4	5	15	-	-	-	-	-	-	-	-	-	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	334	-	-	-	1	2	3	5	38	106	129	50	173	-	-	-	1	1	1	5	17	69	51	28
White	329	-	-	-	1	2	3	5	38	105	127	48	172	-	-	-	1	1	1	5	16	69	51	28
All other	5	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	18	-	-	-	1	-	-	-	1	5	11	-	12	-	-	-	-	-	-	-	-	5	2	5
White	18	-	-	-	1	-	-	-	1	5	11	-	12	-	-	-	-	-	-	-	-	5	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	59	-	-	-	-	-	-	1	9	21	23	5	23	-	-	-	-	-	-	3	3	9	5	3
White	59	-	-	-	-	-	-	1	9	21	23	5	23	-	-	-	-	-	-	3	3	9	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	15	-	-	-	-	2	3	-	2	2	4	2	22	-	-	-	1	-	1	1	1	8	4	6
White	15	-	-	-	-	2	3	-	2	2	4	2	22	-	-	-	1	-	1	1	1	8	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	242	-	-	-	-	-	-	4	26	76	91	43	116	-	-	-	-	-	1	-	1	13	47	40	14
White	237	-	-	-	-	-	-	4	26	77	89	41	115	-	-	-	-	-	1	-	1	12	47	40	14
All other	5	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Ulcer of stomach and duodenum (531-533)	18	-	-	-	-	-	-	-	1	7	4	6	29	-	-	-	-	-	-	1	1	3	12	12
White	18	-	-	-	-	-	-	-	1	7	4	6	29	-	-	-	-	-	-	1	1	3	12	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	-	-	-	-	-	-	-	1	4	4	7	29	-	-	-	-	-	-	-	2	2	11	14
White	16	-	-	-	-	-	-	-	1	4	4	7	29	-	-	-	-	-	-	-	2	2	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	76	–	–	–	–	5	5	14	19	23	4	6	41	–	–	–	–	1	3	8	10	12	6	1
White	63	–	–	–	–	3	2	9	17	22	4	6	38	–	–	–	–	–	3	7	9	12	6	1
All other	13	–	–	–	–	2	3	5	2	1	–	–	3	–	–	–	–	1	–	1	1	–	–	–
Black	7	–	–	–	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	–	–	1	2	4	7	13	–	–	–	–	–	–	–	–	4	3	6
White	14	–	–	–	–	–	–	–	1	2	4	7	13	–	–	–	–	–	–	–	–	4	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	60	1	–	–	1	–	–	2	4	13	20	19	86	–	1	–	2	–	1	1	5	9	25	42
White	57	1	–	–	1	–	–	2	4	13	18	18	81	–	1	–	1	–	1	1	4	8	23	42
All other	3	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	1	–	–	–	1	1	2	–
Black	3	–	–	–	–	–	–	–	–	–	2	1	4	–	–	–	1	–	–	–	–	1	2	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	–	–	–	2	2	–	5	–	–	–	1	–	–	–	1	–	3	–
White	4	–	–	–	–	–	–	–	–	2	2	–	4	–	–	–	1	–	–	–	1	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	55	1	–	–	1	–	–	2	4	11	17	19	81	–	1	–	1	–	1	1	4	9	22	42
White	52	1	–	–	1	–	–	2	4	11	15	18	77	–	1	–	–	–	1	1	3	8	21	42
All other	3	–	–	–	–	–	–	–	–	–	2	1	4	–	–	–	1	–	–	–	1	1	1	–
Black	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	1	–	–	–	–	1	1	–
Infections of kidney (590)	4	–	–	–	1	–	–	1	–	–	–	2	8	–	–	–	–	–	–	1	–	–	1	6
White	4	–	–	–	1	–	–	1	–	–	–	2	7	–	–	–	–	–	–	–	–	–	1	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hyperplasia of prostate (600)	6	–	–	–	–	–	–	–	–	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	59	41	3	1	3	1	1	1	3	–	5	–	52	41	2	–	–	1	1	1	1	1	2	2
White	57	39	3	1	3	1	1	1	3	–	5	–	49	38	2	–	–	1	1	1	1	1	2	2
All other	2	2	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	51	51	–	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
White	44	44	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
All other	7	7	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	16	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
White	15	15	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-765,770-779)	35	35	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
White	29	29	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	152	17	-	-	2	2	5	6	11	39	36	34	151	17	-	-	1	-	2	1	6	17	42	65
White	141	11	-	-	2	2	5	4	11	37	36	33	146	14	-	-	1	-	2	1	6	17	41	64
All other	11	6	-	-	-	-	-	2	-	2	-	1	5	3	-	-	-	-	-	-	-	-	1	1
Black	7	5	-	-	-	-	1	-	1	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	485	5	2	3	5	9	23	16	60	101	153	107	579	5	2	3	2	5	7	19	33	88	176	239
White	470	4	2	3	4	7	21	15	56	100	151	106	558	5	2	3	-	4	6	17	33	82	172	234
All other	15	1	-	-	1	2	2	1	4	1	2	1	21	-	-	-	2	1	1	2	-	6	4	5
Black	10	1	-	-	1	2	2	-	2	-	1	1	16	-	-	-	2	1	1	1	-	4	3	4
Accidents and adverse effects (E800-E949)	428	1	15	19	112	77	39	33	44	25	42	21	214	1	11	10	34	17	14	12	15	13	42	45
White	406	-	12	16	110	73	37	31	40	25	41	21	204	-	9	9	34	14	13	12	14	13	41	45
All other	22	1	3	3	2	4	2	2	4	-	1	-	10	1	2	1	-	3	1	-	1	-	1	-
Black	16	1	3	2	1	2	2	1	3	-	1	-	7	-	2	-	-	2	1	-	1	-	1	-
Motor vehicle accidents (E810-E825)	209	-	6	16	84	41	15	14	16	7	9	1	86	-	2	7	27	13	7	8	10	4	5	3
White	200	-	5	13	84	39	13	14	15	7	9	1	82	-	1	6	27	11	7	8	10	4	5	3
All other	9	-	1	3	-	2	2	-	1	-	-	-	4	-	1	1	-	2	-	-	-	-	-	-
Black	7	-	1	2	-	1	2	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	219	1	9	3	28	36	24	19	28	18	33	20	128	1	9	3	7	4	7	4	5	9	37	42
White	206	-	7	3	26	34	24	17	25	18	32	20	122	-	8	3	7	3	6	4	4	9	36	42
All other	13	1	2	-	2	2	-	2	3	-	1	-	6	1	1	-	-	1	1	-	1	-	1	-
Black	9	1	2	-	1	1	-	1	2	-	1	-	5	-	1	-	-	1	1	-	1	-	1	-
Suicide (E950-E959)	183	...	...	1	27	46	25	22	18	21	15	8	46	...	...	1	6	6	6	8	11	2	5	1
White	178	...	...	1	26	45	23	21	18	21	15	8	45	...	...	1	6	5	6	8	11	2	5	1
All other	5	...	...	-	1	1	2	1	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	3	...	...	-	-	1	1	1	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	33	1	-	1	14	9	2	4	-	1	1	-	18	-	1	-	7	7	3	-	-	-	-	-
White	21	1	-	1	9	5	2	2	-	1	-	-	13	-	1	-	5	4	3	-	-	-	-	-
All other	12	-	-	-	5	4	-	2	-	-	1	-	5	-	-	-	2	3	-	-	-	-	-	-
Black	10	-	-	-	5	3	-	2	-	-	-	-	5	-	-	-	2	3	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	3	3	-	-	2	1	1	-	6	1	-	-	1	-	1	-	2	-	-	1
White	8	-	-	-	3	2	-	-	1	1	1	-	6	1	-	-	1	-	1	-	2	-	-	1
All other	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA																								
All causes	4,255	85	12	18	131	192	243	374	792	1,189	883	319	3,155	60	14	12	49	65	108	218	464	792	790	579
White	3,945	67	10	17	104	165	223	330	732	1,135	848	307	2,956	44	11	12	43	55	92	193	430	754	758	560
All other	310	18	2	1	27	27	20	44	60	54	45	12	199	16	3	-	6	10	16	25	34	38	32	19
Black	213	14	1	-	18	18	15	32	44	35	28	8	128	12	2	-	3	3	9	15	21	26	24	13
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	2	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	30	-	-	-	-	-	1	2	6	9	8	4	27	1	-	-	-	-	1	1	3	6	9	6
White	27	-	-	-	-	-	1	2	6	8	7	3	26	1	-	-	-	-	1	1	3	6	8	6
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	-	1	-	3	3	-	-	2	-	-	-	1	-	-	-	1	-	-	-
White	7	-	-	-	-	-	1	-	3	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	-	-	-	-	7	3	-	6	2	-	-	8	-	-	-	-	-	1	-	1	3	2	1
White	14	-	-	-	-	5	3	-	4	2	-	-	7	-	-	-	-	-	1	-	1	2	2	1
All other	4	-	-	-	-	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	997	-	5	2	5	10	31	96	236	367	200	45	779	-	-	1	4	12	31	110	187	242	146	46
White	926	-	4	2	4	10	29	85	219	342	188	43	728	-	-	1	4	10	26	100	171	228	142	46
All other	71	-	1	-	1	-	2	11	17	25	12	2	51	-	-	-	-	2	5	10	16	14	4	-
Black	51	-	-	-	1	-	2	9	13	16	9	1	32	-	-	-	-	-	2	7	9	10	4	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	-	-	-	-	-	-	7	6	7	1	1	12	-	-	-	-	-	-	3	3	1	3	2
White	21	-	-	-	-	-	-	6	6	7	1	1	12	-	-	-	-	-	-	3	3	1	3	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	225	-	1	-	-	-	12	23	51	63	48	7	160	-	-	-	-	1	1	19	34	44	44	17
White	207	-	1	-	-	-	10	21	47	75	46	7	148	-	-	-	-	-	-	17	31	42	41	17
All other	18	-	-	-	-	-	2	2	4	8	2	-	12	-	-	-	-	1	1	2	3	2	3	-
Black	13	-	-	-	-	-	2	1	3	5	2	-	10	-	-	-	-	-	-	2	3	2	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	382	-	-	-	1	-	3	35	114	157	72	10	214	-	-	-	-	1	3	28	56	86	35	5
White	359	-	-	-	1	-	3	30	103	147	67	8	202	-	-	-	-	1	2	26	50	83	35	5
All other	33	-	-	-	-	-	-	5	11	10	5	2	12	-	-	-	-	-	1	2	6	3	-	-
Black	23	-	-	-	-	-	-	4	8	7	3	1	4	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	1	-	-	-	1	-	134	-	-	-	-	3	11	25	32	37	21	5
White	2	-	-	-	-	-	1	-	-	-	1	-	125	-	-	-	-	3	9	22	30	35	21	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	2	3	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	3	1	1	-	-
Malignant neoplasms of genital organs (179-187)	72	-	-	-	-	-	1	1	6	21	34	9	74	-	-	-	1	1	6	11	16	24	11	4
White	65	-	-	-	-	-	1	1	6	17	31	9	70	-	-	-	1	-	6	11	16	22	10	4
All other	7	-	-	-	-	-	-	-	-	4	3	-	4	-	-	-	-	1	-	-	-	2	1	-
Black	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	-	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	46	–	–	–	–	–	1	2	12	16	12	3	24	–	–	–	–	–	1	3	8	6	5	1
White	44	–	–	–	–	–	1	1	12	16	11	3	21	–	–	–	–	–	1	3	8	3	5	1
All other	2	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–	3	–	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–	3	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	143	–	4	2	2	4	8	18	28	50	17	10	110	–	–	1	2	3	6	13	29	31	17	8
White	135	–	3	2	1	4	8	17	27	47	16	10	102	–	–	1	2	3	5	12	25	29	17	8
All other	8	–	1	–	1	–	–	1	1	3	1	–	8	–	–	–	–	–	1	1	4	2	–	–
Black	6	–	–	–	1	–	–	1	1	2	1	–	6	–	–	–	–	–	1	1	3	1	–	–
Leukemia (204-208)	34	–	–	–	2	1	3	–	3	14	8	3	25	–	–	–	–	3	2	6	3	5	3	3
White	34	–	–	–	2	1	3	–	3	14	8	3	23	–	–	–	–	3	2	5	2	5	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	61	–	–	–	–	5	2	10	16	19	7	2	26	–	–	–	1	–	1	2	6	8	7	1
White	59	–	–	–	–	5	2	9	15	19	7	2	25	–	–	–	1	–	1	1	6	8	7	1
All other	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	–	–	–	1	–	–	–	2	5	3	1	11	–	–	–	–	–	–	–	2	3	5	1
White	12	–	–	–	1	–	–	–	2	5	3	1	11	–	–	–	–	–	–	–	2	3	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	38	–	–	–	1	–	3	5	9	6	12	2	51	–	–	–	1	4	2	–	6	19	13	6
White	32	–	–	–	1	–	3	5	7	5	10	1	43	–	–	–	1	4	1	–	5	15	12	5
All other	6	–	–	–	–	–	–	–	2	1	2	1	8	–	–	–	–	–	1	–	1	4	1	1
Black	3	–	–	–	–	–	–	–	1	–	1	1	5	–	–	–	–	–	–	–	1	2	1	1
Nutritional deficiencies (260-269)	8	–	–	–	–	–	–	–	1	2	4	1	8	1	–	–	–	–	–	–	2	2	2	1
White	7	–	–	–	–	–	–	–	–	2	4	1	7	–	–	–	–	–	–	–	2	2	2	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	5	1	–	–	1	–	–	–	–	2	1	–	4	–	–	–	–	–	–	–	–	–	3	1
White	4	–	–	–	1	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	3	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Meningitis (320-322)	5	1	–	–	–	–	2	–	1	–	–	1	6	1	2	1	–	–	–	–	1	1	–	–
White	5	1	–	–	–	–	2	–	1	–	–	1	6	1	2	1	–	–	–	–	1	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,704	2	–	1	1	12	57	150	326	534	446	174	1,310	3	–	–	3	2	19	48	139	316	411	369
White	1,593	2	–	–	1	10	49	127	301	514	420	168	1,243	3	–	–	2	2	15	40	133	306	388	354
All other	111	–	–	1	–	2	8	23	25	20	26	6	67	–	–	–	1	–	4	8	6	10	23	15
Black	78	–	–	–	–	2	7	17	18	16	13	5	47	–	–	–	1	–	4	4	4	8	18	10
Diseases of heart (390-398,402,404-429)	1,417	2	–	1	1	10	50	135	281	444	353	139	1,043	2	–	–	3	1	9	40	111	256	330	291
White	1,328	2	–	–	1	8	45	116	259	426	336	134	995	2	–	–	2	1	8	34	107	248	313	280
All other	89	–	–	1	–	2	5	19	22	18	17	5	48	–	–	–	1	–	1	6	4	8	17	11
Black	64	–	–	–	–	2	4	15	17	14	7	5	32	–	–	–	1	–	1	3	3	7	10	7
Rheumatic fever and rheumatic heart disease (390-398)	6	–	–	–	–	–	–	1	–	3	2	–	21	–	–	–	–	–	1	3	3	6	8	–
White	5	–	–	–	–	–	–	–	–	3	2	–	20	–	–	–	–	–	1	2	3	6	8	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	103	–	–	–	–	2	5	12	29	37	15	3	95	–	–	–	–	–	1	8	10	33	30	13
White	88	–	–	–	–	1	3	7	25	35	14	3	89	–	–	–	–	–	–	7	9	32	28	13
All other	15	–	–	–	–	1	2	5	4	2	1	–	6	–	–	–	–	–	1	1	1	1	2	–
Black	14	–	–	–	–	1	1	5	4	2	1	–	5	–	–	–	–	–	1	–	1	1	2	–
Hypertensive heart and renal disease (404)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Ischemic heart disease (410-414)	761	–	–	–	–	3	32	71	152	238	194	71	479	–	–	–	–	1	3	13	54	129	156	123
White	724	–	–	–	–	2	30	63	143	231	188	69	456	–	–	–	–	1	3	13	52	123	149	117
All other	37	–	–	–	–	1	2	8	9	7	6	2	21	–	–	–	–	–	–	–	2	6	7	6
Black	27	–	–	–	–	1	2	5	7	6	4	2	12	–	–	–	–	–	–	–	2	5	3	2
Acute myocardial infarction (410)	399	–	–	–	–	3	17	52	82	117	94	33	232	–	–	–	–	1	1	6	24	78	72	50
White	376	–	–	–	–	2	16	47	78	114	87	32	220	–	–	–	–	1	1	6	23	72	69	49
All other	22	–	–	–	–	1	1	5	4	3	7	1	12	–	–	–	–	–	–	–	1	6	4	1
Black	14	–	–	–	–	1	1	3	3	2	3	1	8	–	–	–	–	–	–	–	1	5	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	1	2	-	2	1	4	-	-	-	-	-	-	-	1	1	-	2
White	5	-	-	-	-	-	-	1	1	-	2	1	4	-	-	-	-	-	-	-	1	1	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	355	-	-	-	-	-	15	18	67	120	98	37	241	-	-	-	-	-	2	7	29	48	84	71
White	341	-	-	-	-	-	14	15	63	116	97	36	232	-	-	-	-	-	2	7	28	48	81	68
All other	14	-	-	-	-	-	1	3	4	4	1	1	9	-	-	-	-	-	-	-	1	-	3	5
Black	13	-	-	-	-	-	1	2	4	4	1	1	4	-	-	-	-	-	-	-	1	-	1	2
Other diseases of endocardium (424)	15	-	-	-	-	-	-	1	2	4	7	1	24	-	-	-	-	-	-	1	-	5	10	8
White	15	-	-	-	-	-	-	1	2	4	7	1	24	-	-	-	-	-	-	1	-	5	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	532	2	-	1	1	5	13	50	98	162	135	64	422	2	-	-	3	-	4	14	43	83	126	147
White	496	2	-	-	1	5	12	45	89	153	127	61	403	2	-	-	2	-	4	11	42	82	118	142
All other	36	-	-	1	-	-	1	5	9	9	8	3	19	-	-	-	1	-	-	3	1	1	8	5
Black	22	-	-	-	-	-	1	4	6	6	2	3	14	-	-	-	1	-	-	2	-	1	5	5
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	1	3	1	2	1	7	-	-	-	-	-	-	-	1	2	2	2
White	7	-	-	-	-	-	-	-	3	1	2	1	7	-	-	-	-	-	-	-	1	2	2	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	203	-	-	-	-	2	6	12	31	63	66	23	216	1	-	-	-	1	10	7	22	49	67	59
White	188	-	-	-	-	2	3	10	29	61	60	23	200	1	-	-	-	1	7	5	20	47	64	55
All other	15	-	-	-	-	-	3	2	2	2	6	-	16	-	-	-	-	-	3	2	2	2	3	4
Black	12	-	-	-	-	-	3	2	1	2	4	-	12	-	-	-	-	-	3	1	1	1	3	3
Intracerebral and other intracranial hemorrhage (431-432)	35	-	-	-	-	1	3	4	9	9	8	1	31	-	-	-	-	-	3	1	5	8	8	6
White	29	-	-	-	-	1	-	3	8	9	7	1	28	-	-	-	-	-	1	1	4	8	8	6
All other	6	-	-	-	-	-	3	1	1	-	1	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	4	-	-	-	-	-	3	1	-	-	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	-	-	-	-	-	1	-	5	12	10	2	14	-	-	-	-	-	-	1	1	2	5	5
White	30	-	-	-	-	-	1	-	5	12	10	2	12	-	-	-	-	-	-	1	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	137	-	-	-	-	1	2	8	16	42	48	20	169	1	-	-	-	1	7	5	16	38	53	48
White	128	-	-	-	-	1	2	7	15	40	43	20	159	1	-	-	-	1	6	3	15	37	51	45
All other	9	-	-	-	-	-	-	1	1	2	5	-	10	-	-	-	-	-	1	2	1	1	2	3
Black	8	-	-	-	-	-	-	1	1	2	4	-	7	-	-	-	-	-	1	1	-	-	2	3
Atherosclerosis (440)	18	-	-	-	-	-	1	-	1	6	5	5	21	-	-	-	-	-	-	-	2	2	5	12
White	17	-	-	-	-	-	1	-	-	6	5	5	19	-	-	-	-	-	-	-	2	2	3	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Other diseases of arteries, arterioles, and capillaries (441-448)	58	-	-	-	-	-	-	2	10	20	20	6	23	-	-	-	-	-	-	1	3	7	7	5
White	53	-	-	-	-	-	-	1	10	20	17	5	22	-	-	-	-	-	-	1	3	7	6	5
All other	5	-	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	91	1	-	1	1	2	3	4	12	19	30	18	102	1	1	-	-	1	1	4	10	16	26	42
White	87	1	-	1	1	2	3	4	10	18	29	18	101	1	1	-	-	1	1	4	10	16	26	41
All other	4	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	90	1	–	1	1	2	3	4	12	19	29	18	101	1	1	–	–	1	1	4	10	18	26	41
White	86	1	–	1	1	2	3	4	10	18	28	18	100	1	1	–	–	1	1	4	10	18	26	40
All other	4	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	206	1	–	–	–	1	2	12	25	65	79	21	172	–	–	–	1	–	1	6	23	71	55	15
White	199	1	–	–	–	1	1	12	24	62	77	21	169	–	–	–	1	–	1	6	22	69	55	15
All other	7	–	–	–	–	–	1	–	1	3	2	–	3	–	–	–	–	–	–	–	1	2	–	–
Black	5	–	–	–	–	–	1	–	1	1	2	–	2	–	–	–	–	–	–	–	1	1	–	–
Bronchitis, chronic and unspecified (490-491)	10	1	–	–	–	–	1	–	2	1	5	–	6	–	–	–	–	–	–	–	1	3	2	–
White	9	1	–	–	–	–	–	–	2	1	5	–	6	–	–	–	–	–	–	–	1	3	2	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	43	–	–	–	–	–	–	2	6	15	19	1	31	–	–	–	–	–	–	2	2	18	6	3
White	43	–	–	–	–	–	–	2	6	15	19	1	31	–	–	–	–	–	–	2	2	18	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	8	–	–	–	–	1	–	1	1	2	2	1	12	–	–	–	1	–	1	3	2	1	2	2
White	7	–	–	–	–	1	–	1	1	1	2	1	12	–	–	–	1	–	1	3	2	1	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	145	–	–	–	–	–	1	9	16	47	53	19	123	–	–	–	–	–	–	1	18	49	45	10
White	140	–	–	–	–	–	1	9	15	45	51	19	120	–	–	–	–	–	–	1	17	47	45	10
All other	5	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	1	2	–	–
Black	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	1	1	–	–
Ulcer of stomach and duodenum (531-533)	11	–	–	–	–	–	–	–	2	5	1	3	15	–	–	–	–	–	1	2	1	2	8	1
White	11	–	–	–	–	–	–	–	2	5	1	3	15	–	–	–	–	–	1	2	1	2	8	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	–	–	–	–	–	–	1	–	2	1	1	7	–	–	–	–	–	–	–	1	2	3	1
White	5	–	–	–	–	–	–	1	–	2	1	1	7	–	–	–	–	–	–	–	1	2	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	108	–	–	–	1	2	13	19	38	28	7	–	62	–	–	–	–	2	6	13	17	20	4	–
White	102	–	–	–	–	1	13	17	36	28	7	–	59	–	–	–	–	1	6	12	17	19	4	–
All other	6	–	–	–	1	1	–	2	2	–	–	–	3	–	–	–	–	1	–	1	–	1	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	5	–	–	–	–	–	–	–	2	1	–	2	5	–	–	–	–	1	–	–	2	1	–	1
White	5	–	–	–	–	–	–	–	2	1	–	2	4	–	–	–	–	–	–	–	2	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	46	–	–	–	1	1	–	4	4	11	17	8	40	–	–	–	–	2	1	–	6	9	12	10
White	43	–	–	–	1	–	–	4	4	11	16	7	35	–	–	–	–	1	–	–	5	9	11	9
All other	3	–	–	–	–	1	–	–	–	–	1	1	5	–	–	–	–	1	1	–	1	–	1	1
Black	2	–	–	–	–	1	–	–	–	–	1	–	5	–	–	–	–	1	1	–	1	–	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
White	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	44	–	–	–	–	1	–	3	4	11	17	8	37	–	–	–	–	1	1	–	6	8	11	10
White	41	–	–	–	–	–	–	3	4	11	16	7	32	–	–	–	–	–	–	–	5	8	10	9
All other	3	–	–	–	–	1	–	–	–	–	1	1	5	–	–	–	–	1	1	–	1	–	1	1
Black	2	–	–	–	–	1	–	–	–	–	1	–	5	–	–	–	–	1	1	–	1	–	1	1
Infections of kidney (590)	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	31	22	–	1	2	2	–	–	1	3	–	–	17	13	2	–	–	–	–	–	1	1	–	–
White	28	20	–	1	1	2	–	–	1	3	–	–	14	10	2	–	–	–	–	–	1	1	–	–
All other	3	2	–	–	1	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	29	28	–	1	–	–	–	–	–	–	–	–	20	20	–	–	–	–	–	–	–	–	–	–
White	23	22	–	1	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	7	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
White	5	4	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	21	21	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
White	18	18	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	64	25	–	–	2	4	2	3	3	10	6	8	51	12	1	–	1	2	2	–	2	4	7	17
White	54	17	–	–	2	3	2	2	3	10	6	8	45	8	–	–	1	2	2	–	2	3	7	17
All other	10	8	–	–	–	1	–	1	–	–	–	–	6	4	1	–	–	–	–	–	–	1	–	–
Black	8	6	–	–	–	1	–	1	–	–	–	–	3	1	1	–	–	–	–	–	–	1	–	–
All other diseases (Residual)	259	4	1	1	3	11	28	18	57	59	55	22	254	7	2	1	3	5	9	13	41	58	62	53
White	249	3	1	1	2	11	27	15	54	59	55	21	239	5	1	1	3	5	8	9	38	54	62	53
All other	10	1	–	–	1	–	1	3	3	–	–	1	15	2	1	–	–	–	1	4	3	4	–	–
Black	5	1	–	–	1	–	–	2	1	–	–	–	11	2	–	–	–	–	–	4	3	2	–	–
Accidents and adverse effects (E800-E949)	277	–	5	7	69	74	39	22	26	17	11	7	113	–	5	7	22	14	10	9	10	11	19	6
White	251	–	5	7	59	67	36	20	22	17	11	7	105	–	5	7	20	13	10	8	9	10	17	6
All other	26	–	–	–	10	7	3	2	4	–	–	–	8	–	–	–	2	1	–	1	1	1	2	–
Black	17	–	–	–	7	4	1	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	152	-	1	4	52	39	19	12	14	7	3	1	68	-	2	5	20	10	5	8	6	6	6	-
White	136	-	1	4	44	37	17	10	12	7	3	1	62	-	2	5	18	9	5	7	5	6	5	-
All other	16	-	-	-	8	2	2	2	2	-	-	-	6	-	-	-	2	1	-	1	1	-	1	-
Black	10	-	-	-	7	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	125	-	4	3	17	35	20	10	12	10	8	6	45	-	3	2	2	4	5	1	4	5	13	6
White	115	-	4	3	15	30	19	10	10	10	8	6	43	-	3	2	2	4	5	1	4	4	12	6
All other	10	-	-	-	2	5	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	7	-	-	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	183	...	...	1	27	33	31	30	25	25	9	1	50	...	...	1	7	8	15	10	3	3	3	-
White	172	...	...	1	21	32	29	29	25	24	9	1	46	...	...	1	6	5	15	10	3	3	3	-
All other	11	...	...	-	6	1	2	1	-	1	-	-	4	...	...	-	1	3	-	-	-	-	-	-
Black	5	...	...	-	4	-	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	90	-	1	3	15	31	17	7	4	8	1	-	27	-	1	1	5	9	5	2	2	1	-	1
White	65	-	-	3	8	20	14	6	3	7	1	-	19	-	-	1	4	8	2	1	1	1	-	1
All other	25	-	1	-	7	11	3	1	1	1	-	-	8	-	1	-	1	1	3	1	1	-	-	-
Black	20	-	1	-	5	8	3	1	1	1	-	-	6	-	1	-	1	1	2	-	1	-	-	-
All other external causes (E980-E999)	17	-	-	-	1	2	10	1	1	1	-	-	8	-	-	-	1	3	3	-	-	-	-	-
White	16	-	-	-	1	1	10	1	1	1	-	-	6	-	-	-	-	3	2	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	4,298	86	7	20	101	121	151	242	649	1,095	1,203	622	4,294	58	8	14	39	38	77	132	399	846	1,273	1,410
White	4,280	84	6	20	100	120	147	239	646	1,093	1,202	622	4,281	58	8	14	38	38	77	130	393	844	1,272	1,409
All other	18	2	1	-	1	1	4	3	3	2	1	-	13	-	-	-	1	-	-	2	6	2	1	1
Black	14	2	-	-	-	1	3	2	3	2	1	-	6	-	-	-	-	-	-	1	3	1	-	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	
White	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	25	-	-	-	-	1	1	2	3	4	9	5	37	-	-	-	-	-	1	2	2	3	12	17
White	25	-	-	-	-	1	1	2	3	4	9	5	37	-	-	-	-	-	1	2	2	3	12	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	1	-	-	-	3	1	1	1	3	2	-	12	1	-	-	-	-	-	-	-	2	5	4
White	11	1	-	-	-	3	-	1	1	3	2	-	12	1	-	-	-	-	-	-	-	2	5	4
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,044	-	1	3	5	13	32	69	185	360	284	82	1,013	-	-	5	1	11	23	66	194	290	271	152
White	1,042	-	1	3	5	13	32	69	184	359	284	82	1,007	-	-	5	1	11	23	64	193	288	270	152
All other	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	-	2	1	2	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	-	-	-	-	-	-	1	4	3	4	1	8	-	-	-	-	-	-	-	4	1	1	2
White	13	-	-	-	-	-	-	1	4	3	4	1	8	-	-	-	-	-	-	-	4	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	272	-	-	-	-	-	6	24	40	100	75	27	261	-	-	-	-	1	1	9	36	56	87	71
White	272	-	-	-	-	-	6	24	40	100	75	27	261	-	-	-	-	1	1	9	36	56	87	71
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	360	-	-	-	-	-	8	25	94	143	78	12	186	-	-	-	-	1	3	14	44	70	41	13
White	359	-	-	-	-	-	8	25	93	143	78	12	184	-	-	-	-	1	3	13	44	69	41	13
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	177	-	-	-	-	5	8	21	46	46	32	19
White	1	-	-	-	-	-	-	-	1	-	-	-	175	-	-	-	-	5	8	20	46	46	31	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of genital organs (179-187)	121	-	-	-	1	-	1	-	10	31	60	18	130	-	-	-	-	1	5	10	24	41	35	14
White	121	-	-	-	1	-	1	-	10	31	60	18	128	-	-	-	-	1	5	10	23	40	35	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	60	-	-	-	-	-	1	5	10	18	20	6	31	-	-	-	-	-	1	1	4	6	12	7
White	59	-	-	-	-	-	1	5	10	17	20	6	31	-	-	-	-	-	1	1	4	6	12	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	130	-	-	2	2	7	13	11	24	36	25	10	131	-	-	2	-	1	3	9	24	44	33	15
White	130	-	-	2	2	7	13	11	24	36	25	10	131	-	-	2	-	1	3	9	24	44	33	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	34	-	1	-	-	4	2	-	4	7	13	3	35	-	-	2	1	2	2	-	6	5	12	5
White	34	-	1	-	-	4	2	-	4	7	13	3	35	-	-	2	1	2	2	-	6	5	12	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	1	2	2	1	3	8	22	9	5	54	-	-	1	-	-	-	2	6	21	18	6
White	53	-	-	1	2	2	1	3	8	22	9	5	54	-	-	1	-	-	-	2	6	21	18	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	1	-	1	-	1	1	1	3	1	4	4	17	-	-	-	-	-	2	1	2	2	7	3
White	17	1	-	1	-	1	1	1	3	1	4	4	17	-	-	-	-	-	2	1	2	2	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	72	-	-	-	-	1	1	4	13	19	28	6	117	-	-	1	-	-	2	3	6	38	36	33
White	71	-	-	-	-	1	-	4	13	19	28	6	117	-	-	1	-	-	2	3	6	36	36	33
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	3	-	3	8	-	-	-	-	-	-	1	-	1	1	5
White	6	-	-	-	-	-	-	-	-	3	-	3	8	-	-	-	-	-	-	1	-	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	1	-	1	4	7	-	-	-	-	-	-	-	1	1	2	3
White	6	-	-	-	-	-	-	-	1	-	1	4	7	-	-	-	-	-	-	-	1	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,896	1	1	-	4	9	40	105	299	496	601	340	2,049	2	-	1	2	4	23	29	128	342	662	856
White	1,891	1	1	-	4	9	40	102	299	495	600	340	2,047	2	-	1	2	4	23	29	127	342	662	855
All other	5	-	-	-	-	-	-	3	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	4	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,577	1	1	-	2	7	36	96	266	427	483	258	1,534	2	-	1	2	4	15	17	106	283	487	817
White	1,573	1	1	-	2	7	36	94	266	426	482	258	1,532	2	-	1	2	4	15	17	105	283	487	816
All other	4	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	4	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	-	3	1	-	21	-	-	-	-	-	-	-	1	3	14	3
White	4	-	-	-	-	-	-	-	-	3	1	-	21	-	-	-	-	-	-	-	1	3	14	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	20	-	-	-	-	-	-	1	-	9	7	3	36	-	-	-	-	-	-	2	3	4	9	18
White	20	-	-	-	-	-	-	1	-	9	7	3	36	-	-	-	-	-	-	2	3	4	9	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	-	-	-	1	1	4	4
White	2	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	-	-	-	1	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,127	-	-	-	-	5	22	73	193	318	346	172	1,023	-	-	-	-	-	6	7	75	195	333	407
White	1,126	-	-	-	-	5	22	72	193	318	346	172	1,021	-	-	-	-	-	6	7	74	195	333	406
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	669	-	-	-	-	3	16	53	140	194	201	62	486	-	-	-	-	-	5	5	43	123	178	132
White	669	-	-	-	-	3	16	53	140	194	201	62	484	-	-	-	-	-	5	5	42	123	178	131
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	1	-	4	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	6	-	-	-	-	-	1	-	4	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	452	-	-	-	-	2	5	20	49	122	144	110	532	-	-	-	-	-	1	2	32	71	152	274
White	451	-	-	-	-	2	5	19	49	122	144	110	532	-	-	-	-	-	1	2	32	71	152	274
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	18	-	-	-	-	-	1	-	1	5	9	2	29	-	-	-	-	-	1	-	1	6	8	13
White	18	-	-	-	-	-	1	-	1	5	9	2	29	-	-	-	-	-	1	-	1	6	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	408	1	1	-	2	2	13	22	72	94	119	80	415	2	-	1	2	4	8	8	25	74	119	172
White	403	1	1	-	2	2	13	21	72	93	118	80	415	2	-	1	2	4	8	8	25	74	119	172
All other	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	1	2	1	2	3	22	-	-	-	-	-	-	2	-	4	9	7
White	9	-	-	-	-	-	-	1	2	1	2	3	22	-	-	-	-	-	-	2	-	4	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	201	-	-	-	2	2	3	7	19	33	85	50	386	-	-	-	-	-	8	8	14	42	135	179
White	200	-	-	-	2	2	3	6	19	33	85	50	386	-	-	-	-	-	8	8	14	42	135	179
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	40	-	-	-	-	1	2	2	4	8	15	8	37	-	-	-	-	-	4	4	4	7	6	12
White	40	-	-	-	-	1	2	2	4	8	15	8	37	-	-	-	-	-	4	4	4	7	6	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	-	-	-	-	-	-	1	5	6	11	2	76	-	-	-	-	-	-	2	3	7	27	36
White	25	-	-	-	-	-	-	1	5	6	11	2	75	-	-	-	-	-	-	2	3	7	27	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	135	-	-	-	2	1	1	4	10	19	58	40	273	-	-	-	-	-	4	2	7	28	102	130
White	134	-	-	-	2	1	1	3	10	19	58	40	273	-	-	-	-	-	4	2	7	28	102	130
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	50	-	-	-	-	-	1	-	2	14	14	19	70	-	-	-	-	-	-	1	3	1	18	47
White	50	-	-	-	-	-	1	-	2	14	14	19	70	-	-	-	-	-	-	1	3	1	18	47
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	59	-	-	-	-	-	-	1	10	21	17	10	37	-	-	-	-	-	-	1	5	12	13	6
White	59	-	-	-	-	-	-	1	10	21	17	10	37	-	-	-	-	-	-	1	5	12	13	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	1	3
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	124	2	-	-	1	-	-	2	15	15	38	51	157	1	-	-	-	1	-	2	3	17	47	68
White	123	2	-	-	-	-	-	2	15	15	38	51	156	1	-	-	-	1	-	2	2	17	47	68
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (480-486)	119	2	-	-	1	-	-	2	15	15	36	48	142	1	-	-	-	1	-	2	3	17	42	76
White	118	2	-	-	-	-	-	2	15	15	36	48	141	1	-	-	-	1	-	2	2	17	42	76
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	-	2	3	15	-	-	-	-	-	-	-	-	-	5	10
White	5	-	-	-	-	-	-	-	-	-	2	3	15	-	-	-	-	-	-	-	-	-	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	204	-	-	-	-	-	-	3	23	65	79	34	128	1	-	1	-	-	-	1	11	40	48	26
White	204	-	-	-	-	-	-	3	23	65	79	34	128	1	-	1	-	-	-	1	11	40	48	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	13	-	-	-	-	-	-	1	-	4	6	2	10	1	-	-	-	-	-	-	-	2	3	4
White	13	-	-	-	-	-	-	1	-	4	6	2	10	1	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	39	-	-	-	-	-	-	-	5	11	19	4	20	-	-	-	-	-	-	-	2	8	5	5
White	39	-	-	-	-	-	-	-	5	11	19	4	20	-	-	-	-	-	-	-	2	8	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	6	-	-	-	-	-	-	1	3	-	-	2	7	-	-	1	-	-	-	-	-	2	3	1
White	6	-	-	-	-	-	-	1	3	-	-	2	7	-	-	1	-	-	-	-	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	148	-	-	-	-	-	-	1	15	50	54	26	91	-	-	-	-	-	-	1	9	28	37	16
White	148	-	-	-	-	-	-	1	15	50	54	26	91	-	-	-	-	-	-	1	9	28	37	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	20	-	-	-	-	1	-	1	3	5	6	4	24	-	-	-	-	1	-	-	2	5	5	11
White	19	-	-	-	-	1	-	1	2	5	6	4	24	-	-	-	-	1	-	-	2	5	5	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	-	1	-	-	-	-	-	-	1	4	9	-	-	-	-	-	-	-	-	2	1	6
White	7	1	-	1	-	-	-	-	-	-	1	4	9	-	-	-	-	-	-	-	-	2	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	66	-	-	-	-	3	3	13	18	21	8	-	36	-	-	-	-	-	2	6	10	11	6	1
White	65	-	-	-	-	2	3	13	18	21	8	-	34	-	-	-	-	-	2	6	8	11	6	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	1	-	-	-	1	1	1	9	-	-	-	-	-	-	-	-	1	5	3
White	4	-	-	-	-	1	-	-	-	1	1	1	9	-	-	-	-	-	-	-	-	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	48	1	-	-	-	-	1	1	3	9	19	14	48	1	1	-	-	-	-	1	1	8	15	21
White	48	1	-	-	-	-	1	1	3	9	19	14	48	1	1	-	-	-	-	1	1	8	15	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	1	-	2	2	1	3	-	-	-	-	-	-	-	-	-	1	2
White	6	-	-	-	-	-	-	1	-	2	2	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	42	1	-	-	-	-	1	-	3	7	17	13	45	1	1	-	-	-	-	1	1	8	14	19
White	42	1	-	-	-	-	1	-	3	7	17	13	45	1	1	-	-	-	-	1	1	8	14	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	2	2	4
White	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	24	20	-	1	1	-	2	-	-	-	-	-	27	17	3	1	1	1	1	-	1	-	2	-
White	24	20	-	1	1	-	2	-	-	-	-	-	26	17	3	1	-	1	1	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	38	38	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
White	36	36	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	29	29	-	-	-	-	-	-	-	-	-	-	21	20	1	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	21	20	1	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	30	12	-	1	-	1	1	1	3	5	2	3	31	7	-	-	-	1	-	-	1	5	5	12
White	30	12	-	1	-	1	1	1	3	5	2	3	31	7	-	-	-	1	-	-	1	5	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	282	6	-	3	9	8	15	9	33	59	88	52	390	4	2	-	8	4	10	13	27	62	117	143
White	281	6	-	3	9	8	15	9	32	59	88	52	389	4	2	-	8	4	10	13	26	62	117	143
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Accidents and adverse effects (E800-E949)	220	1	5	7	47	44	36	12	19	20	18	11	106	1	-	5	24	7	6	5	7	13	20	18
White	217	1	4	7	47	44	34	12	19	20	18	11	106	1	-	5	24	7	6	5	7	13	20	18
All other	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	118	-	1	5	41	30	20	3	8	6	4	-	49	1	-	4	21	6	3	2	5	4	3	-
White	116	-	1	5	41	30	18	3	8	6	4	-	49	1	-	4	21	6	3	2	5	4	3	-
All other	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	102	1	4	2	6	14	16	9	11	14	14	11	57	-	-	1	3	1	3	3	2	9	17	18
White	101	1	3	2	6	14	16	9	11	14	14	11	57	-	-	1	3	1	3	3	2	9	17	18
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	115	...	...	1	31	26	13	18	12	5	7	2	18	...	...	-	2	3	6	1	2	3	1	-
White	115	...	...	1	31	26	13	18	12	5	7	2	18	...	...	-	2	3	6	1	2	3	1	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	-	-	2	2	5	3	-	2	1	-	-	8	-	1	-	-	4	1	1	1	-	-	-
White	15	-	-	2	2	5	3	-	2	1	-	-	8	-	1	-	-	4	1	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	7	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	36,529	618	106	151	696	1,397	1,598	2,325	6,090	9,696	9,301	4,523	35,126	444	74	94	238	538	818	1,475	3,857	7,271	10,363	9,949
White	31,645	371	89	102	539	926	1,064	1,720	5,214	8,737	8,638	4,230	31,276	290	44	69	166	321	541	1,091	3,278	6,486	9,563	9,416
All other	4,884	247	17	49	157	471	534	605	876	959	663	293	3,850	154	30	25	72	217	277	384	579	785	790	533
Black	4,716	237	16	44	152	464	525	582	856	925	621	281	3,699	151	29	23	69	212	267	371	550	753	755	515
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	9	3	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-	-	-	-	1	-	1	1
White	7	1	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-	-	-	-	1	-	1	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	51	-	-	-	-	9	12	5	9	7	6	3	20	-	-	-	-	1	1	1	1	7	8	1
White	23	-	-	-	-	4	3	1	6	2	4	3	14	-	-	-	-	-	-	-	1	5	7	1
All other	28	-	-	-	-	5	9	4	3	5	2	-	6	-	-	-	-	1	1	1	-	2	1	-
Black	28	-	-	-	-	5	9	4	3	5	2	-	6	-	-	-	-	1	1	1	-	2	1	-
Tuberculosis of respiratory system (010-012)	36	-	-	-	-	4	6	4	7	7	5	3	14	-	-	-	-	-	1	1	1	4	6	1
White	15	-	-	-	-	1	1	1	4	2	3	3	11	-	-	-	-	-	-	-	1	3	6	1
All other	21	-	-	-	-	3	5	3	3	5	2	-	3	-	-	-	-	-	1	1	-	1	-	-
Black	21	-	-	-	-	3	5	3	3	5	2	-	3	-	-	-	-	-	1	1	-	1	-	-
Other tuberculosis (013-018)	15	-	-	-	-	5	6	1	2	-	1	-	6	-	-	-	-	1	-	-	-	3	2	-
White	8	-	-	-	-	3	2	-	2	-	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	7	-	-	-	-	2	4	1	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Black	7	-	-	-	-	2	4	1	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	1	1	1	1	1	1	1	-	-	-	-	5	1	-	1	-	1	-	-	1	-	1	-
White	6	1	1	1	1	1	1	-	-	-	-	-	5	1	-	1	-	1	-	-	1	-	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	442	7	2	1	3	16	15	26	55	106	138	72	547	9	1	1	4	11	7	18	38	97	178	183
White	347	2	2	1	3	7	5	10	43	87	122	64	469	5	1	1	3	4	4	8	26	69	159	169
All other	95	5	-	-	-	9	10	16	12	19	16	8	78	4	-	-	1	7	3	10	12	8	19	14
Black	92	5	-	-	-	9	10	15	12	18	16	7	78	4	-	-	1	7	3	10	12	8	19	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	25	-	-	1	1	5	5	3	5	5	-	-	14	-	1	-	-	1	-	3	-	6	3	-
White	19	-	-	1	-	4	4	1	5	4	-	-	11	-	1	-	-	1	-	2	-	5	2	-
All other	6	-	-	-	1	1	1	2	-	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	6	-	-	-	1	1	1	2	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	297	5	3	1	14	35	73	35	31	19	15	5	111	1	3	-	3	28	12	10	15	13	15	11
White	185	3	2	-	9	46	37	23	26	19	15	5	64	-	-	-	2	10	1	4	11	12	14	10
All other	112	2	1	1	5	49	36	12	5	-	-	-	47	1	3	-	1	18	11	6	4	1	1	1
Black	111	2	1	1	5	48	36	12	5	-	-	-	45	1	3	-	1	18	10	5	4	1	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,856	-	12	21	44	102	235	630	2,036	2,921	2,202	653	8,237	1	6	20	19	67	300	725	1,716	2,399	2,016	947
White	7,855	-	11	16	34	82	187	494	1,770	2,629	2,030	602	7,422	-	6	20	15	76	231	581	1,528	2,195	1,893	877
All other	1,001	-	1	5	10	20	48	136	266	292	172	51	815	1	-	-	4	11	69	144	188	204	123	70
Black	960	-	1	5	10	20	43	126	262	284	163	46	769	1	-	-	4	8	62	139	175	194	116	69

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	210	-	-	-	-	-	12	22	62	65	37	12	104	-	-	-	-	-	2	15	29	26	20	12
White	178	-	-	-	-	-	6	16	49	59	36	12	89	-	-	-	-	-	2	10	24	23	19	11
All other	32	-	-	-	-	-	6	6	13	6	1	-	15	-	-	-	-	-	-	5	5	3	1	1
Black	31	-	-	-	-	-	6	5	13	6	1	-	15	-	-	-	-	-	-	5	5	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,356	-	-	-	1	13	42	167	514	816	624	179	2,070	-	1	-	2	8	30	106	364	570	614	375
White	2,099	-	-	-	1	8	32	123	450	744	579	162	1,863	-	1	-	1	5	23	84	323	511	565	350
All other	257	-	-	-	-	5	10	44	64	72	45	17	207	-	-	-	1	3	7	22	41	59	49	25
Black	246	-	-	-	-	5	9	39	64	71	49	15	194	-	-	-	1	3	6	19	38	57	46	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,036	-	1	-	1	10	62	244	850	1,035	698	135	1,577	-	-	-	-	4	47	157	406	541	329	93
White	2,664	-	1	-	1	9	49	197	724	921	639	123	1,410	-	-	-	-	3	39	120	358	497	303	90
All other	372	-	-	-	-	1	13	47	126	114	59	12	167	-	-	-	-	1	8	37	48	44	26	3
Black	359	-	-	-	-	1	12	53	113	112	57	11	158	-	-	-	-	-	8	37	45	43	22	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	2	2	1	-	1,613	-	-	-	-	18	101	219	388	427	312	148
White	5	-	-	-	-	-	-	1	2	2	-	-	1,475	-	-	-	-	15	77	177	357	410	302	137
All other	1	-	-	-	-	-	-	-	-	-	1	-	138	-	-	-	-	3	24	42	31	17	10	11
Black	1	-	-	-	-	-	-	-	-	-	1	-	129	-	-	-	-	2	20	41	31	14	10	11
Malignant neoplasms of genital organs (179-187)	948	-	-	-	4	6	2	10	107	335	335	149	912	-	-	-	-	16	68	95	206	267	187	72
White	816	-	-	-	4	6	2	9	87	280	292	136	787	-	-	-	-	13	49	78	174	235	173	65
All other	132	-	-	-	-	-	-	1	20	55	43	13	125	-	-	-	-	3	19	17	32	32	14	7
Black	130	-	-	-	-	-	-	1	20	55	41	13	117	-	-	-	-	2	17	17	28	31	14	7
Malignant neoplasms of urinary organs (188-189)	443	-	-	-	-	3	7	27	85	141	129	51	254	-	-	-	3	-	7	10	28	81	77	48
White	416	-	-	-	-	2	6	21	79	134	125	49	231	-	-	-	2	-	4	8	25	74	74	44
All other	27	-	-	-	-	1	1	6	6	7	4	2	23	-	-	-	1	-	3	2	3	7	3	4
Black	26	-	-	-	-	1	1	6	5	7	4	2	23	-	-	-	1	-	3	2	3	7	3	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,070	-	6	6	16	30	59	97	267	299	211	79	988	1	3	10	7	23	20	73	182	291	269	110
White	971	-	5	4	11	27	49	85	233	279	204	74	895	-	3	10	5	23	15	57	163	264	258	97
All other	99	-	1	2	5	3	10	12	34	20	7	5	93	1	-	-	2	-	5	16	19	27	10	13
Black	93	-	1	2	5	3	9	12	34	18	8	3	87	1	-	-	2	-	5	15	16	25	10	13
Leukemia (204-208)	322	-	4	14	9	13	21	18	55	86	76	26	280	-	1	10	2	9	13	18	37	66	88	36
White	291	-	4	11	8	10	16	17	51	76	72	26	259	-	1	10	2	8	12	18	33	61	81	33
All other	31	-	-	3	1	3	5	1	4	10	4	-	21	-	-	-	-	1	1	-	4	5	7	3
Black	29	-	-	3	1	3	4	1	4	9	4	-	20	-	-	-	-	1	1	-	4	4	7	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	465	-	1	1	13	27	30	44	94	142	91	22	439	-	1	-	5	9	12	32	76	130	121	53
White	415	-	1	1	9	20	27	35	85	134	83	20	413	-	1	-	5	9	10	29	71	120	116	50
All other	50	-	-	-	4	7	3	9	9	8	8	2	26	-	-	-	-	-	2	3	5	10	3	3
Black	45	-	-	-	4	7	2	9	9	6	6	2	26	-	-	-	-	-	2	3	5	10	3	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	146	1	2	-	2	8	4	13	20	42	38	18	163	2	-	6	-	6	2	9	11	41	59	27
White	131	1	1	-	1	7	4	10	18	38	34	17	140	2	-	5	-	4	2	5	9	37	51	25
All other	15	-	1	-	1	1	-	3	2	4	2	1	23	-	-	1	-	2	-	4	2	4	8	2
Black	14	-	1	-	1	1	-	2	2	4	2	1	23	-	-	1	-	2	-	4	2	4	8	2
Diabetes mellitus (250)	820	-	-	-	1	9	29	47	129	192	165	48	836	-	-	-	2	5	21	46	111	224	241	186
White	516	-	-	-	-	7	19	33	100	163	151	43	676	-	-	-	1	3	11	29	79	181	206	166
All other	104	-	-	-	1	2	10	14	29	29	14	5	160	-	-	-	1	2	10	17	32	43	35	20
Black	100	-	-	-	1	2	10	14	29	27	12	5	150	-	-	-	1	2	10	14	30	41	32	20
Nutritional deficiencies (260-269)	26	-	-	-	-	-	-	-	2	4	12	6	56	-	-	-	-	1	-	-	2	4	13	36
White	24	-	-	-	-	-	-	-	2	4	10	6	50	-	-	-	-	-	-	-	2	3	12	33
All other	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	1	-	-	-	1	1	3
Black	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	1	-	-	-	1	1	3
Anemias (280-285)	56	-	1	-	4	2	3	3	3	11	16	13	63	-	-	-	5	2	-	1	7	10	20	18
White	45	-	1	-	3	-	2	3	10	15	11	53	-	-	-	2	1	-	-	6	8	18	18	
All other	11	-	-	-	1	2	3	1	-	1	1	2	10	-	-	-	3	1	-	1	1	2	2	-
Black	10	-	-	-	1	2	3	1	-	-	1	2	9	-	-	-	3	1	-	1	1	2	1	-
Meningitis (320-322)	13	2	-	-	-	-	2	1	2	5	1	-	18	3	-	1	-	-	1	2	1	6	-	4
White	8	-	-	-	-	-	2	-	2	3	1	-	13	1	-	1	-	-	-	1	1	6	-	3
All other	5	2	-	-	-	-	-	1	-	2	-	-	5	2	-	-	-	-	1	1	-	-	-	1
Black	5	2	-	-	-	-	-	1	-	2	-	-	5	2	-	-	-	-	1	1	-	-	-	1
Major cardiovascular diseases (390-448)	16,098	16	6	6	26	101	347	885	2,702	4,635	4,750	2,615	17,488	15	6	4	20	58	143	333	1,268	3,167	5,836	6,630
White	14,547	10	5	3	19	64	249	698	2,357	4,227	4,446	2,463	15,906	10	2	3	10	32	94	216	1,038	2,788	5,388	6,316
All other	1,551	6	1	3	7	37	98	187	345	408	304	152	1,582	5	4	1	10	26	49	117	230	379	448	312
Black	1,497	6	1	2	7	37	97	179	339	394	284	148	1,529	5	4	1	10	26	49	115	223	365	433	297

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	13,607	14	5	5	22	83	291	782	2,389	3,947	3,924	2,139	13,962	14	6	3	13	35	88	257	1,025	2,551	4,637	5,327
White	12,355	9	4	2	15	52	214	631	2,100	3,621	3,682	2,021	12,746	9	2	2	6	19	56	170	850	2,259	4,285	5,073
All other	1,252	5	1	3	7	31	77	151	289	326	242	118	1,216	5	4	1	7	16	32	87	175	292	342	254
Black	1,207	5	1	2	7	31	76	145	284	315	224	115	1,176	5	4	1	7	16	32	86	169	283	331	241
Rheumatic fever and rheumatic heart disease (390-398)	94	-	-	-	-	6	6	4	18	34	24	2	228	-	-	-	2	2	2	12	32	83	71	24
White	83	-	-	-	-	4	4	4	16	30	23	2	215	-	-	-	1	1	-	9	29	82	70	23
All other	11	-	-	-	-	2	2	-	2	4	1	-	13	-	-	-	1	1	2	3	3	1	1	1
Black	11	-	-	-	-	2	2	-	2	4	1	-	13	-	-	-	1	1	2	3	3	1	1	1
Hypertensive heart disease (402)	360	-	-	-	1	3	11	32	74	104	93	42	441	-	-	-	-	-	9	23	49	90	131	139
White	279	-	-	-	1	1	6	13	57	80	84	37	343	-	-	-	-	-	3	12	30	66	107	125
All other	81	-	-	-	-	2	5	19	17	24	9	5	98	-	-	-	-	-	6	11	19	24	24	14
Black	79	-	-	-	-	2	5	18	17	24	8	5	98	-	-	-	-	-	6	11	19	24	24	14
Hypertensive heart and renal disease (404)	40	-	-	-	-	2	-	2	4	10	11	11	50	-	-	-	-	-	1	4	4	6	20	15
White	30	-	-	-	-	-	-	-	2	9	8	11	39	-	-	-	-	-	-	2	3	2	17	15
All other	10	-	-	-	-	2	-	2	2	1	3	-	11	-	-	-	-	-	1	2	1	4	3	-
Black	10	-	-	-	-	2	-	2	2	1	3	-	11	-	-	-	-	-	1	2	1	4	3	-
Ischemic heart disease (410-414)	10,181	-	-	-	1	25	199	560	1,828	3,014	2,973	1,578	9,894	-	-	-	1	6	35	144	711	1,826	3,344	3,822
White	9,465	-	-	-	1	19	165	481	1,649	2,827	2,816	1,504	9,180	-	-	-	-	5	28	105	618	1,648	3,114	3,658
All other	716	-	-	-	-	6	34	79	179	187	157	74	714	-	-	-	1	1	7	39	93	178	230	164
Black	684	-	-	-	-	6	34	74	177	179	143	71	682	-	-	-	1	1	7	38	89	171	221	159
Acute myocardial infarction (410)	5,248	-	-	-	-	15	127	342	1,087	1,703	1,425	549	4,284	-	-	-	1	2	19	89	446	1,012	1,536	1,178
White	4,880	-	-	-	-	12	105	300	990	1,592	1,357	524	3,971	-	-	-	-	2	16	62	399	925	1,440	1,126
All other	368	-	-	-	-	3	22	42	97	111	68	25	313	-	-	-	1	-	3	27	47	87	96	52
Black	351	-	-	-	-	3	22	40	95	105	62	24	298	-	-	-	1	-	3	27	45	83	93	46
Other acute and subacute forms of ischemic heart disease (411)	80	-	-	-	-	-	3	10	24	21	13	9	60	-	-	-	-	1	2	3	4	11	15	24
White	68	-	-	-	-	-	3	8	19	18	11	9	58	-	-	-	-	1	2	3	4	11	15	22
All other	12	-	-	-	-	-	-	2	5	3	2	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	12	-	-	-	-	-	-	2	5	3	2	-	2	-	-	-	-	-	-	-	-	-	-	2
Angina pectoris (413)	15	-	-	-	-	-	-	1	6	2	6	-	21	-	-	-	-	-	-	-	-	9	6	6
White	14	-	-	-	-	-	-	1	5	2	6	-	19	-	-	-	-	-	-	-	-	8	6	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,838	-	-	-	1	10	69	207	711	1,288	1,529	1,020	5,529	-	-	-	-	3	14	52	261	794	1,787	2,614
White	4,503	-	-	-	1	7	57	172	635	1,215	1,442	971	5,132	-	-	-	-	2	10	40	215	704	1,653	2,505
All other	335	-	-	-	-	3	12	35	76	73	87	49	397	-	-	-	-	1	4	12	46	90	134	109
Black	320	-	-	-	-	3	12	32	76	71	79	47	380	-	-	-	-	1	4	11	44	87	128	104
Other diseases of endocardium (424)	170	-	-	-	-	3	3	11	29	43	64	17	206	-	-	-	-	4	2	2	18	37	73	70
White	156	-	-	-	-	2	2	11	22	41	61	17	193	-	-	-	-	2	2	-	16	34	72	67
All other	14	-	-	-	-	1	1	-	7	2	3	-	13	-	-	-	-	2	-	2	2	3	1	3
Black	14	-	-	-	-	1	1	-	7	2	3	-	13	-	-	-	-	2	-	2	2	3	1	3
All other forms of heart disease (415-423,425-429)	2,762	14	5	5	20	44	72	173	436	742	759	489	3,143	14	6	3	10	23	39	72	211	509	998	1,257
White	2,342	9	4	2	13	26	37	122	354	634	690	450	2,776	9	2	2	5	11	23	42	154	427	915	1,185
All other	420	5	1	3	7	18	35	51	82	108	69	39	367	5	4	1	5	12	16	30	57	82	83	72
Black	409	5	1	2	7	18	34	51	79	105	66	39	359	5	4	1	5	12	16	30	55	80	81	70
Hypertension with or without renal disease (401,403)	89	-	-	-	-	2	3	6	13	27	26	12	128	-	-	-	-	1	3	4	10	26	51	33
White	73	-	-	-	-	-	2	4	10	22	24	11	106	-	-	-	-	-	-	2	6	23	43	32
All other	16	-	-	-	-	2	1	2	3	5	2	1	22	-	-	-	-	1	3	2	4	3	8	1
Black	16	-	-	-	-	2	1	2	3	5	2	1	21	-	-	-	-	1	3	2	4	2	8	1
Cerebrovascular diseases (430-438)	1,730	2	1	1	4	15	45	78	208	441	580	355	2,697	1	-	1	6	21	44	64	194	475	934	956
White	1,497	1	1	1	4	11	27	50	168	377	528	327	2,417	1	-	1	3	12	34	40	149	407	856	913
All other	233	1	-	-	-	4	18	28	40	64	51	28	280	-	-	-	3	9	10	24	45	68	78	43
Black	225	1	-	-	-	4	18	24	39	61	50	27	271	-	-	-	3	9	10	23	44	66	75	41
Intracerebral and other intracranial hemorrhage (431-432)	329	1	-	1	1	4	19	27	57	101	78	39	384	-	-	-	4	8	15	24	58	92	114	71
White	265	-	-	1	1	2	9	13	44	87	72	36	324	-	-	-	3	4	9	13	41	82	103	69
All other	64	1	-	-	-	2	10	14	13	14	6	3	60	-	-	-	1	4	6	11	15	10	11	2
Black	50	1	-	-	-	2	10	12	12	13	6	3	57	-	-	-	1	4	6	11	14	10	9	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	348	-	-	-	1	-	3	8	38	89	127	82	501	1	-	-	-	-	3	4	21	92	183	196
White	313	-	-	-	1	-	3	6	33	75	117	78	456	1	-	-	-	-	3	3	15	82	169	182
All other	35	-	-	-	-	-	-	2	5	14	10	4	45	-	-	-	-	-	-	1	6	10	14	14
Black	33	-	-	-	-	-	-	2	5	12	10	4	42	-	-	-	-	-	-	1	6	10	13	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	10	-	-	-	-	-	1	-	1	3	4	1	15	-	-	-	-	-	-	-	3	4	5	3
White	5	-	-	-	-	-	-	-	-	1	4	-	14	-	-	-	-	-	-	-	3	4	4	3
All other	5	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,043	1	1	-	2	11	22	41	112	248	371	233	1,797	-	-	1	2	13	26	36	114	287	632	686
White	914	1	1	-	2	9	15	31	81	214	336	213	1,623	-	-	1	-	8	22	24	90	239	580	659
All other	129	-	-	-	-	2	7	10	21	34	35	20	174	-	-	-	2	5	4	12	24	48	52	27
Black	127	-	-	-	-	2	7	10	21	34	34	19	171	-	-	-	2	5	4	11	24	46	52	27
Atherosclerosis (440)	239	-	-	-	-	-	1	8	26	54	77	67	407	-	-	-	-	-	-	-	2	15	37	111	241
White	212	-	-	-	-	-	1	5	21	50	73	62	378	-	-	-	-	-	-	-	15	28	103	231
All other	21	-	-	-	-	-	-	3	5	4	4	5	29	-	-	-	-	-	-	2	-	9	8	10
Black	20	-	-	-	-	-	-	3	5	4	3	5	28	-	-	-	-	-	-	2	-	8	8	10
Other diseases of arteries, arterioles, and capillaries (441-448)	439	-	-	-	-	1	7	13	66	166	143	42	294	-	-	-	1	1	8	6	24	78	103	73
White	410	-	-	-	-	1	5	8	58	157	138	42	259	-	-	-	1	1	4	4	18	71	91	69
All other	29	-	-	-	-	-	2	5	8	9	5	-	35	-	-	-	-	-	4	2	6	7	12	4
Black	29	-	-	-	-	-	2	5	8	9	5	-	33	-	-	-	-	-	4	2	6	6	11	4
Acute bronchitis and bronchiolitis (466)	12	-	2	-	-	-	-	-	1	5	3	1	15	2	-	1	-	-	-	-	1	2	2	7
White	12	-	2	-	-	-	-	-	1	5	3	1	12	2	-	-	-	-	-	-	1	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	1	-	1
Pneumonia and influenza (480-487)	1,045	7	-	4	4	29	49	38	83	180	343	307	1,136	8	-	-	2	20	24	14	48	146	335	538
White	889	4	-	2	4	15	25	19	63	153	320	283	1,032	5	-	-	2	7	13	10	37	128	312	517
All other	156	3	-	2	-	14	24	19	20	27	23	24	104	3	-	-	-	13	11	4	11	18	23	21
Black	152	3	-	2	-	14	24	18	20	27	21	23	101	3	-	-	-	13	11	4	11	17	22	20
Pneumonia (480-486)	1,032	7	-	3	4	28	49	38	81	176	343	302	1,113	8	-	-	2	20	24	14	48	145	329	522
White	878	4	-	2	4	15	25	19	61	149	320	278	1,010	5	-	-	2	7	13	10	37	127	306	502
All other	154	3	-	1	-	13	24	19	20	27	23	24	103	3	-	-	-	13	11	4	11	18	23	20
Black	150	3	-	1	-	13	24	18	20	27	21	23	100	3	-	-	-	13	11	4	11	17	22	19
Influenza (487)	13	-	-	1	-	1	-	-	2	4	-	5	23	-	-	-	-	-	-	-	-	1	6	16
White	11	-	-	-	-	-	-	-	2	4	-	5	22	-	-	-	-	-	-	-	-	1	6	15
All other	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,243	3	-	1	1	2	12	26	139	430	462	167	912	1	-	-	1	3	4	27	112	292	315	157
White	1,129	1	-	1	1	2	4	18	120	395	430	157	854	-	-	-	-	2	2	22	102	274	298	154
All other	114	2	-	-	-	-	8	8	19	35	32	10	58	1	-	-	1	1	2	5	10	18	17	3
Black	109	2	-	-	-	-	8	8	18	33	31	9	55	1	-	-	1	1	2	5	10	17	15	3
Bronchitis, chronic and unspecified (490-491)	59	1	-	-	-	-	3	-	5	20	23	7	46	-	-	-	-	-	-	-	5	8	18	15
White	49	1	-	-	-	-	-	-	4	16	21	7	42	-	-	-	-	-	-	-	5	7	15	15
All other	10	-	-	-	-	-	3	-	1	4	2	-	4	-	-	-	-	-	-	-	-	1	3	-
Black	8	-	-	-	-	-	3	-	-	3	2	-	4	-	-	-	-	-	-	-	-	1	3	-
Emphysema (492)	275	1	-	-	-	2	4	7	32	93	110	26	189	1	-	-	-	-	-	6	29	64	69	20
White	256	-	-	-	-	2	1	5	31	89	103	25	180	-	-	-	-	-	-	5	27	61	67	20
All other	19	1	-	-	-	-	3	2	1	4	7	1	9	1	-	-	-	-	-	1	2	3	2	-
Black	17	1	-	-	-	-	3	2	1	3	6	1	9	1	-	-	-	-	-	1	2	3	2	-
Asthma (493)	30	1	-	1	1	-	2	3	8	10	2	2	60	-	-	-	1	2	3	9	10	17	11	7
White	23	-	-	1	1	-	2	2	7	7	2	1	44	-	-	-	-	1	2	5	8	13	8	7
All other	7	1	-	-	-	-	-	1	1	3	-	1	16	-	-	-	1	1	1	4	2	4	3	-
Black	7	1	-	-	-	-	-	1	1	3	-	1	15	-	-	-	1	1	1	4	2	4	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	879	-	-	-	-	-	3	16	94	307	327	132	617	-	-	-	-	1	1	12	68	203	217	115
White	801	-	-	-	-	-	1	11	78	283	304	124	588	-	-	-	-	1	-	12	62	193	208	112
All other	78	-	-	-	-	-	2	5	16	24	23	8	29	-	-	-	-	-	1	-	6	10	9	3
Black	77	-	-	-	-	-	2	5	16	24	23	7	27	-	-	-	-	-	1	-	6	9	8	3
Ulcer of stomach and duodenum (531-533)	107	-	-	-	-	2	3	5	15	30	28	24	108	-	-	-	1	-	1	2	14	22	38	30
White	95	-	-	-	-	-	1	4	12	28	26	24	102	-	-	-	1	-	1	2	12	20	36	30
All other	12	-	-	-	-	2	2	1	3	2	2	-	6	-	-	-	-	-	-	-	2	2	2	-
Black	10	-	-	-	-	2	2	1	2	2	1	-	6	-	-	-	-	-	-	-	2	2	2	-
Appendicitis (540-543)	11	-	-	-	-	-	-	1	3	2	4	1	7	-	-	-	-	-	-	1	3	-	1	2	-
White	11	-	-	-	-	-	-	1	3	2	4	1	4	-	-	-	-	-	-	1	1	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	68	2	1	-	1	1	2	1	8	16	19	17	106	3	1	-	-	-	-	1	2	8	17	25	49
White	54	1	1	-	-	-	1	1	5	10	18	17	90	2	-	-	-	-	-	1	1	5	15	23	44
All other	14	1	-	-	1	1	1	-	3	6	1	-	16	1	1	-	-	-	-	1	1	3	2	2	5
Black	13	1	-	-	1	1	1	-	3	5	1	-	16	1	1	-	-	-	-	1	1	3	2	2	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	696	–	1	–	1	50	86	110	185	188	66	7	351	1	–	–	–	16	39	47	99	94	44	10
White	576	–	1	–	1	31	59	79	159	176	63	7	284	1	–	–	–	10	20	33	83	84	42	10
All other	120	–	–	–	–	19	27	31	26	12	3	–	67	–	–	–	–	6	19	14	16	10	2	–
Black	117	–	–	–	–	19	26	30	25	12	3	–	64	–	–	–	–	6	19	14	14	9	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	46	–	–	–	1	–	–	1	6	11	19	8	53	–	–	–	–	–	2	1	–	11	16	23
White	43	–	–	–	1	–	–	–	6	10	18	8	46	–	–	–	–	–	1	1	–	8	16	20
All other	3	–	–	–	–	–	–	1	–	1	1	–	7	–	–	–	–	–	1	–	–	3	–	3
Black	2	–	–	–	–	–	–	1	–	–	1	–	7	–	–	–	–	–	1	–	–	3	–	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	432	6	–	–	3	12	10	22	57	93	143	86	447	1	–	1	–	5	9	10	41	99	153	126
White	349	5	–	–	2	5	3	10	34	79	131	80	371	1	–	1	–	3	4	7	34	84	124	113
All other	83	1	–	–	1	7	7	12	23	14	12	6	76	–	–	–	–	2	5	3	7	15	29	15
Black	82	1	–	–	1	7	7	12	22	14	12	6	75	–	–	–	–	2	5	3	7	14	29	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	–	–	–	–	3	–	–	1	–	2	–	7	–	–	–	–	–	–	–	3	–	4	–
White	4	–	–	–	–	2	–	–	1	–	1	–	7	–	–	–	–	–	–	–	3	–	4	–
All other	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	–	–	–	–	1	1	3	3	2	1	3	18	–	–	–	–	1	–	–	2	2	9	4
White	9	–	–	–	–	–	–	2	2	1	1	3	14	–	–	–	–	–	–	–	2	1	8	3
All other	5	–	–	–	–	1	1	1	1	1	–	–	4	–	–	–	–	1	–	–	–	1	1	1
Black	5	–	–	–	–	1	1	1	1	1	–	–	4	–	–	–	–	1	–	–	–	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	412	6	–	–	3	8	9	19	53	91	140	83	422	1	–	1	–	4	9	10	36	97	140	124
White	336	5	–	–	2	3	3	8	31	78	129	77	350	1	–	1	–	3	4	7	29	83	112	110
All other	76	1	–	–	1	5	6	11	22	13	11	6	72	–	–	–	–	1	5	3	7	14	28	14
Black	75	1	–	–	1	5	6	11	21	13	11	6	71	–	–	–	–	1	5	3	7	13	28	14
Infections of kidney (590)	8	–	–	–	–	–	1	–	2	1	2	2	23	–	–	–	–	–	1	1	1	1	10	9
White	6	–	–	–	–	–	–	–	2	1	1	2	21	–	–	–	–	–	–	–	1	1	10	9
All other	2	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	1	1	–	–	–	–
Hyperplasia of prostate (600)	11	–	–	–	–	–	–	–	1	1	3	6	...	...	...	...	...	...	...	...	...	...	...	...
White	9	–	–	–	–	–	–	–	1	1	2	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	2	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	3	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	203	125	12	11	6	11	7	3	10	11	4	2	174	97	14	7	5	9	3	8	8	8	9	6
White	151	88	11	9	4	7	6	3	7	10	3	2	140	81	8	4	3	7	2	7	7	6	9	6
All other	52	37	1	2	2	4	1	–	3	1	1	–	34	16	6	3	2	2	1	1	1	2	–	–
Black	45	32	–	2	2	4	1	–	3	1	–	–	33	16	6	2	2	2	1	1	1	2	–	–
Certain conditions originating in the perinatal period (760-779)	327	324	3	–	–	–	–	–	–	–	–	–	215	215	–	–	–	–	–	–	–	–	–	–
White	192	190	2	–	–	–	–	–	–	–	–	–	134	134	–	–	–	–	–	–	–	–	–	–
All other	135	134	1	–	–	–	–	–	–	–	–	–	81	81	–	–	–	–	–	–	–	–	–	–
Black	131	130	1	–	–	–	–	–	–	–	–	–	81	81	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	105	105	–	–	–	–	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
White	66	66	–	–	–	–	–	–	–	–	–	–	43	43	–	–	–	–	–	–	–	–	–	–
All other	39	39	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
Black	39	39	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	222	219	3	–	–	–	–	–	–	–	–	–	149	149	–	–	–	–	–	–	–	–	–	–
White	126	124	2	–	–	–	–	–	–	–	–	–	91	91	–	–	–	–	–	–	–	–	–	–
All other	96	95	1	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
Black	92	91	1	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	567	81	7	3	51	141	104	45	31	48	32	24	343	50	6	4	16	47	41	23	37	26	45	48
White	412	41	7	3	42	107	68	29	27	35	30	23	246	24	3	2	9	22	27	17	31	24	42	45
All other	155	40	–	–	9	34	36	16	4	13	2	1	97	26	3	2	7	25	14	6	6	2	3	3
Black	152	39	–	–	9	34	35	16	4	12	2	1	96	25	3	2	7	25	14	6	6	2	3	3
All other diseases (Residual)	2,775	22	15	14	38	271	293	213	361	543	657	346	2,694	24	14	10	24	104	109	115	224	471	616	782
White	2,175	15	11	8	25	144	164	125	283	480	588	321	2,312	15	8	8	18	47	52	82	184	417	751	730
All other	600	7	4	6	13	127	129	88	78	63	59	25	382	9	6	2	6	57	57	33	40	54	65	52
Black	588	7	4	5	13	126	129	88	75	61	54	25	371	8	6	2	5	57	56	33	38	53	61	51
Accidents and adverse effects (E800-E949)	1,528	8	37	74	333	296	181	124	133	132	134	70	746	10	20	33	89	90	58	46	60	86	136	115
White	1,245	6	31	51	282	227	140	92	107	117	124	65	644	6	15	19	79	68	48	38	51	78	132	109
All other	283	2	6	23	51	69	41	32	26	15	10	5	102	4	5	14	10	22	10	8	9	8	6	6
Black	268	2	6	20	47	64	41	32	25	14	9	5	91	3	4	13	8	21	10	6	7	8	5	6
Motor vehicle accidents (E810-E825)	762	1	8	51	238	176	78	52	56	45	46	9	328	4	5	19	79	60	33	25	36	34	33	6
White	628	1	4	42	204	145	65	38	43	39	40	7	284	2	4	13	65	49	28	21	33	30	33	6
All other	134	–	4	9	34	33	13	14	13	6	6	2	44	2	1	6	8	11	5	4	3	4	–	–
Black	126	–	4	7	32	30	13	14	12	6	6	2	36	1	1	5	6	11	5	2	1	4	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	768	7	29	23	95	118	103	72	77	87	88	61	418	6	15	14	16	30	25	21	24	52	105	109
White	617	5	27	9	78	82	75	54	64	78	84	58	380	4	11	6	14	19	20	17	18	48	99	103
All other	149	2	2	14	17	36	28	18	13	9	4	3	58	2	4	8	2	11	5	4	6	4	6	6
Black	142	2	2	13	15	34	28	18	13	8	3	3	55	2	3	8	2	10	5	4	6	4	5	6
Suicide (E950-E959)	470	...	...	7	81	127	63	49	48	44	38	12	111	...	...	2	12	9	20	20	23	16	6	1
White	430	...	...	5	74	116	58	43	47	40	36	11	102	...	...	2	11	7	17	19	23	14	6	1
All other	40	...	...	2	7	11	5	6	1	4	2	1	9	...	...	–	1	2	3	1	–	2	–	–
Black	36	...	...	2	6	11	4	5	–	4	2	1	8	...	...	–	1	2	3	1	–	1	–	–
Homicide and legal intervention (E960-E978)	296	5	1	6	74	93	54	34	11	11	2	4	111	–	2	2	32	29	17	8	8	4	5	2
White	130	2	–	1	28	39	21	23	4	7	2	3	47	–	–	1	9	13	9	5	3	1	4	1
All other	166	3	1	5	46	54	33	11	7	4	–	1	64	–	2	1	23	16	8	3	5	3	1	1
Black	165	3	1	5	46	54	33	11	6	4	–	1	61	–	2	1	23	15	7	3	4	3	1	1
All other external causes (E980-E999)	38	–	–	–	6	14	7	4	2	2	–	–	6	–	–	–	–	3	1	–	1	–	1	–
White	24	–	–	–	5	11	3	1	1	1	–	–	6	–	–	–	–	3	1	–	1	–	1	–
All other	14	–	–	–	1	3	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	14	–	–	–	1	3	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW MEXICO																								
All causes	5,738	150	36	40	308	351	308	407	840	1,282	1,343	665	4,376	111	32	27	92	109	134	204	525	883	1,224	1,034
White	5,200	120	29	30	243	290	267	355	774	1,215	1,265	604	4,052	84	28	15	81	85	111	183	483	836	1,157	989
All other	538	30	7	10	65	61	41	52	66	67	78	61	324	27	4	12	11	24	23	21	42	47	67	45
Black	99	7	2	2	6	10	3	6	17	15	17	12	72	5	1	2	1	3	3	5	11	18	17	6
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	3	–	–	–	–	1	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	1	–
White	3	2	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	7	–	–	–	–	–	–	1	4	1	–	1	3	–	–	–	–	–	–	–	–	1	1	1
White	4	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	3	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	7	–	–	–	–	–	–	1	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	4	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	38	1	–	–	–	–	–	1	3	8	14	9	24	2	–	–	–	–	1	–	2	9	7	3
White	31	1	–	–	–	–	–	1	3	8	11	7	22	1	–	–	–	–	1	–	2	8	7	3
All other	5	–	–	–	–	–	–	–	–	–	3	2	2	1	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	–	–	–	–	1	1	2	1	–	–	–	4	–	–	–	–	–	–	2	–	–	1	1
White	4	–	–	–	–	1	1	2	–	–	–	–	4	–	–	–	–	–	–	2	–	–	1	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	30	2	1	–	1	2	7	3	4	9	1	–	14	–	–	1	–	–	–	1	3	3	5	1
White	28	1	1	–	1	2	7	3	4	8	1	–	13	–	–	1	–	–	–	1	2	3	5	1
All other	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,053	3	2	6	9	12	22	78	220	343	268	90	1,028	–	–	3	6	15	51	89	242	278	249	95
White	1,000	3	2	5	8	10	22	72	210	331	255	82	974	–	–	1	6	13	45	81	223	269	242	94
All other	53	–	–	1	1	2	–	6	10	12	13	8	54	–	–	2	–	2	6	8	19	9	7	1
Black	15	–	–	1	–	1	–	2	4	3	3	1	15	–	–	1	–	–	1	1	6	5	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	–	–	–	–	2	1	1	10	9	5	1	6	–	–	–	–	–	–	1	2	2	1	–
White	27	–	–	–	–	1	1	1	9	9	5	1	6	–	–	–	–	–	–	1	2	2	1	–
All other	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	287	–	–	–	1	1	5	19	65	110	59	27	268	–	–	–	1	1	6	14	50	79	86	31
White	273	–	–	–	1	1	5	16	62	106	56	26	253	–	–	–	1	1	6	11	41	78	85	30
All other	14	–	–	–	–	–	–	3	3	4	3	1	15	–	–	–	–	–	–	3	9	1	1	1
Black	5	–	–	–	–	–	–	2	2	1	–	–	3	–	–	–	–	–	–	1	1	1	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	310	–	–	–	–	1	3	37	72	108	73	16	175	–	–	–	–	1	5	11	49	55	42	12
White	298	–	–	–	–	–	3	36	68	105	71	15	170	–	–	–	–	1	5	11	47	54	40	12
All other	12	–	–	–	–	1	–	1	4	3	2	1	5	–	–	–	–	–	–	–	2	1	2	–
Black	5	–	–	–	–	1	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	1	2	–	–	180	–	–	–	–	5	15	27	56	46	17	14
White	3	–	–	–	–	–	–	–	1	2	–	–	172	–	–	–	–	4	14	26	54	44	16	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	1	1	1	2	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Malignant neoplasms of genital organs (179-187)	133	–	–	–	1	–	–	1	11	34	58	27	122	–	–	–	–	2	11	15	25	37	24	8
White	124	–	–	–	1	–	–	1	11	33	55	23	112	–	–	–	–	2	9	14	23	33	23	8
All other	9	–	–	–	–	–	–	–	–	1	4	4	10	–	–	–	–	–	2	1	2	4	1	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	1	1	–	–

Table 8-6: Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	36	-	-	-	-	-	3	4	8	8	12	3	38	-	-	-	-	-	-	2	10	7	12	7
White	33	-	-	-	-	-	3	3	6	8	12	1	35	-	-	-	-	-	-	-	10	7	11	7
All other	3	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	2	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	144	1	1	1	2	2	4	12	33	41	35	12	149	-	-	-	3	3	5	13	39	29	39	18
White	136	1	1	1	2	2	4	11	32	37	33	12	142	-	-	-	3	2	3	13	36	28	39	18
All other	8	-	-	-	-	-	-	1	1	4	2	-	7	-	-	-	-	1	2	-	3	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	3	1	-	-
Leukemia (204-208)	53	1	-	4	3	3	5	2	8	15	12	-	31	-	-	3	1	3	5	3	2	5	7	2
White	52	1	-	4	2	3	5	2	8	15	12	-	28	-	-	1	1	3	4	3	2	5	7	2
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	2	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	58	1	1	1	2	3	1	2	14	16	13	4	59	-	-	-	1	-	4	3	9	18	21	3
White	54	1	1	-	2	3	1	2	13	16	11	4	56	-	-	-	1	-	4	2	8	18	20	3
All other	4	-	-	1	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	1	-	-	-	2	-	1	-	9	2	16	-	-	1	-	1	1	1	1	2	6	3
White	15	-	1	-	-	-	2	-	1	-	9	2	15	-	-	1	-	1	1	1	1	2	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	104	-	-	-	-	1	5	8	30	21	25	14	137	-	-	-	1	2	2	7	20	36	46	23
White	85	-	-	-	-	1	5	7	21	18	21	12	123	-	-	-	1	2	2	7	16	33	40	22
All other	19	-	-	-	-	-	-	1	9	3	4	2	14	-	-	-	-	-	-	-	4	3	6	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	-	-	2	4	9	15	-	-	-	1	-	-	-	-	2	7	5
White	14	-	-	-	-	-	-	-	-	2	4	8	13	-	-	-	1	-	-	-	-	1	6	5
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	13	-	-	-	-	-	-	-	2	2	7	2	9	-	-	-	-	-	-	-	-	1	5	3
White	13	-	-	-	-	-	-	-	2	2	7	2	9	-	-	-	-	-	-	-	-	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	8	6	-	-	-	-	1	1	-	-	-	-	4	-	-	1	-	-	-	-	1	1	1	-
White	4	2	-	-	-	-	1	1	-	-	-	-	3	-	-	1	-	-	-	-	1	1	1	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,954	3	2	-	6	13	43	126	337	545	589	288	1,694	4	-	1	3	3	17	42	152	330	533	609
White	1,833	2	2	-	5	12	40	112	318	513	563	264	1,611	3	-	1	3	3	14	35	143	311	508	590
All other	121	1	-	-	1	1	3	14	19	32	26	24	83	1	-	-	-	-	3	7	9	19	25	19
Black	41	-	-	-	-	1	1	4	9	9	9	8	36	-	-	-	-	-	2	4	5	10	11	4
Diseases of heart (390-398,402,404-429)	1,616	2	2	-	6	11	37	107	296	466	469	218	1,245	3	-	1	3	2	14	33	119	250	374	446
White	1,517	1	2	-	5	10	34	96	279	441	450	197	1,181	2	-	1	3	2	11	28	112	234	357	431
All other	99	1	-	-	1	1	3	11	17	25	19	21	64	1	-	-	-	-	3	5	7	16	17	15
Black	32	-	-	-	-	1	1	3	7	8	5	7	28	-	-	-	-	-	2	3	4	8	8	3
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	1	1	-	4	-	6	1	27	-	-	-	-	1	3	2	5	9	7	-
White	13	-	-	-	-	1	1	-	4	-	6	1	24	-	-	-	-	1	1	2	4	9	7	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart disease (402)	42	-	-	-	-	-	2	2	18	10	9	1	46	-	-	-	-	-	1	6	8	7	11	13
White	41	-	-	-	-	-	2	2	17	10	9	1	42	-	-	-	-	-	1	3	8	7	11	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	3	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	3	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	831	-	-	-	1	3	14	57	125	263	259	108	645	-	-	-	1	-	7	13	60	128	213	223
White	790	-	-	-	1	3	13	52	120	249	251	100	620	-	-	-	1	-	6	12	56	120	205	220
All other	41	-	-	-	-	-	1	5	5	14	8	8	25	-	-	-	-	-	1	1	4	8	8	3
Black	10	-	-	-	-	-	1	1	1	3	2	2	14	-	-	-	-	-	1	-	4	4	4	1
Acute myocardial infarction (410)	455	-	-	-	-	2	9	37	83	158	126	41	330	-	-	-	-	-	6	10	42	81	107	84
White	434	-	-	-	-	2	8	33	80	149	121	40	312	-	-	-	-	-	5	9	39	76	101	82
All other	21	-	-	-	-	-	1	4	3	7	5	1	18	-	-	-	-	-	1	1	3	5	6	2
Black	6	-	-	-	-	-	1	1	-	2	2	-	9	-	-	-	-	-	1	-	3	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	375	-	-	-	1	1	5	20	42	107	133	66	314	-	-	-	1	-	1	2	18	47	106	139
White	355	-	-	-	1	1	5	19	40	100	130	59	307	-	-	-	1	-	1	2	17	44	104	138
All other	20	-	-	-	-	-	-	1	2	7	3	7	7	-	-	-	-	-	-	-	1	3	2	1
Black	4	-	-	-	-	-	-	-	1	1	-	2	5	-	-	-	-	-	-	-	1	2	2	-
Other diseases of endocardium (424)	15	-	-	-	-	-	-	1	2	3	8	1	15	-	-	-	-	-	-	-	1	2	6	6
White	14	-	-	-	-	-	-	1	2	3	7	1	15	-	-	-	-	-	-	-	1	2	6	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	714	2	2	-	5	7	20	47	147	190	187	106	508	3	-	1	2	1	3	12	45	104	135	202
White	658	1	2	-	4	6	18	41	136	179	177	93	476	2	-	1	2	1	3	11	43	96	126	191
All other	56	1	-	-	1	1	2	6	11	11	10	13	32	1	-	-	-	-	-	1	2	8	9	11
Black	20	-	-	-	-	1	-	2	5	5	2	5	10	-	-	-	-	-	-	-	-	4	4	2
Hypertension with or without renal disease (401,403)	16	-	-	-	-	-	-	3	3	7	3	-	25	-	-	-	-	-	-	1	1	7	9	7
White	14	-	-	-	-	-	-	3	3	5	3	-	24	-	-	-	-	-	-	1	-	7	9	7
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	240	1	-	-	-	2	5	14	28	53	86	51	326	1	-	-	-	-	2	7	28	56	121	111
White	224	1	-	-	-	2	5	11	26	49	81	49	310	1	-	-	-	-	2	5	27	54	114	107
All other	16	-	-	-	-	-	-	3	2	4	5	2	16	-	-	-	-	-	-	2	1	2	7	4
Black	7	-	-	-	-	-	-	1	2	-	4	-	6	-	-	-	-	-	-	1	-	1	3	1
Intracerebral and other intracranial hemorrhage (431-432)	32	1	-	-	-	-	1	4	5	11	7	3	42	-	-	-	-	-	-	1	8	9	16	8
White	26	1	-	-	-	-	1	2	5	9	6	2	41	-	-	-	-	-	-	1	8	8	16	8
All other	6	-	-	-	-	-	-	2	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	-	-	-	-	-	-	1	3	7	8	6	38	-	-	-	-	-	-	-	1	8	10	19
White	23	-	-	-	-	-	-	-	3	7	7	6	37	-	-	-	-	-	-	-	1	8	9	19
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	182	-	-	-	-	2	4	8	20	35	71	42	244	1	-	-	-	-	2	6	19	37	95	84
White	174	-	-	-	-	2	4	8	18	33	68	41	230	1	-	-	-	-	2	4	18	36	89	80
All other	8	-	-	-	-	-	-	-	2	2	3	1	14	-	-	-	-	-	-	2	1	1	6	4
Black	4	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-	1	-	-	2	1
Atherosclerosis (440)	29	-	-	-	-	-	-	-	1	3	10	15	66	-	-	-	-	-	-	-	-	13	18	35
White	25	-	-	-	-	-	-	-	1	2	8	14	66	-	-	-	-	-	-	-	-	13	18	35
All other	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	53	-	-	-	-	-	1	2	9	16	21	4	32	-	-	-	-	1	1	1	4	4	11	10
White	53	-	-	-	-	-	1	2	9	16	21	4	30	-	-	-	-	1	1	1	4	3	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	203	5	-	1	1	4	1	9	18	30	69	65	141	1	1	1	1	1	1	2	2	17	52	62
White	186	4	-	1	1	4	1	8	17	27	65	58	133	1	1	1	1	1	1	2	2	15	51	57
All other	17	1	-	-	-	-	-	1	1	3	4	7	8	-	-	-	-	-	-	-	-	2	1	5
Black	4	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	198	4	–	1	1	4	1	9	17	30	66	65	135	1	1	1	–	1	1	2	1	17	49	61
White	181	3	–	1	1	4	1	8	16	27	62	58	128	1	1	1	–	1	1	2	1	15	49	56
All other	17	1	–	–	–	–	–	1	1	3	4	7	7	–	–	–	–	–	–	–	–	2	–	5
Black	4	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	1	–	–
Influenza (487)	5	1	–	–	–	–	–	–	1	–	3	–	6	–	–	–	1	–	–	–	1	–	3	1
White	5	1	–	–	–	–	–	–	1	–	3	–	5	–	–	–	1	–	–	–	1	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	323	–	–	–	2	–	2	8	42	95	119	55	188	–	–	–	–	1	1	6	21	61	69	29
White	308	–	–	–	2	–	2	7	40	93	112	52	185	–	–	–	–	1	1	6	21	61	67	28
All other	15	–	–	–	–	–	–	1	2	2	7	3	3	–	–	–	–	–	–	–	–	–	2	1
Black	5	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	10	–	–	–	–	–	–	–	–	1	5	4	9	–	–	–	–	–	–	–	–	4	1	4
White	7	–	–	–	–	–	–	–	–	1	4	2	9	–	–	–	–	–	–	–	–	4	1	4
All other	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	68	–	–	–	–	–	–	2	9	20	26	11	49	–	–	–	–	–	–	–	9	18	17	5
White	66	–	–	–	–	–	–	2	8	19	26	11	49	–	–	–	–	–	–	–	9	18	17	5
All other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	17	–	–	–	1	–	–	2	4	3	4	3	19	–	–	–	–	1	1	3	2	7	3	2
White	16	–	–	–	1	–	–	1	4	3	4	3	19	–	–	–	–	1	1	3	2	7	3	2
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	228	–	–	–	1	–	2	4	29	71	84	37	111	–	–	–	–	–	–	3	10	32	48	18
White	219	–	–	–	1	–	2	4	28	70	78	36	108	–	–	–	–	–	–	3	10	32	46	17
All other	9	–	–	–	–	–	–	–	1	1	6	1	3	–	–	–	–	–	–	–	–	–	2	1
Black	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	16	–	–	–	–	–	1	–	2	3	4	6	11	–	–	–	1	–	–	–	–	–	4	6
White	16	–	–	–	–	–	1	–	2	3	4	6	11	–	–	–	1	–	–	–	–	–	4	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	–	–	–	–	–	–	2	1	2	–	17	–	–	–	–	–	1	2	–	5	1	8
White	5	1	–	–	–	–	–	–	1	1	2	–	16	–	–	–	–	–	1	2	–	4	1	8
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	157	–	–	–	1	9	21	40	43	32	10	–	62	–	1	–	–	2	5	13	14	16	11	–
White	131	–	–	–	1	5	8	35	40	31	10	–	52	–	1	–	–	–	4	11	11	15	10	–
All other	26	–	–	–	–	4	13	5	3	1	–	–	10	–	–	–	–	2	1	2	3	1	1	–
Black	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	12	–	–	–	–	–	–	1	2	3	3	3	11	–	–	–	–	–	–	–	1	2	4	4
White	9	–	–	–	–	–	–	1	–	3	2	3	11	–	–	–	–	–	–	–	1	2	4	4
All other	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	53	–	–	–	–	–	1	1	1	20	18	12	42	–	–	–	–	–	1	2	6	9	11	13
White	48	–	–	–	–	–	1	1	1	18	16	11	36	–	–	–	–	–	–	2	4	9	10	11
All other	5	–	–	–	–	–	–	–	–	2	2	1	6	–	–	–	–	–	1	–	2	–	1	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	1	1	–	1	1
White	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	1	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	51	–	–	–	–	–	1	1	1	19	18	11	36	–	–	–	–	–	1	1	5	8	9	12
White	46	–	–	–	–	–	1	1	1	17	16	10	31	–	–	–	–	–	–	1	4	8	8	10
All other	5	–	–	–	–	–	–	–	–	2	2	1	5	–	–	–	–	–	1	–	1	–	1	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	2	3	1
White	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	46	30	4	2	2	1	2	–	1	2	1	1	41	30	4	2	2	–	1	–	–	1	1	–
White	44	28	4	2	2	1	2	–	1	2	1	1	26	18	4	–	2	–	1	–	–	1	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	15	12	–	2	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	58	58	2	–	–	–	–	–	–	–	–	–	46	46	–	–	–	–	–	–	–	–	–	–
White	49	47	2	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	18	1	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	14	13	1	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	39	38	1	–	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
White	35	34	1	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	82	25	–	–	4	5	3	4	6	8	12	15	64	19	–	–	1	–	1	–	3	3	7	30
White	54	20	–	–	2	4	3	4	3	8	8	12	53	14	–	–	1	–	1	–	2	2	6	27
All other	18	5	–	–	2	1	–	–	3	–	4	3	11	5	–	–	–	–	–	–	1	1	1	3
Black	3	1	–	–	–	–	–	–	1	–	–	1	3	2	–	–	–	–	–	–	–	1	–	–
All other diseases (Residual)	509	5	3	6	16	46	48	35	51	97	127	75	451	3	2	5	5	11	16	15	36	86	159	113
White	460	5	1	5	12	39	44	28	47	91	121	67	406	2	2	3	5	8	13	13	34	79	145	102
All other	49	–	2	1	4	7	4	7	4	6	6	8	45	1	–	2	–	3	3	2	2	7	14	11
Black	5	–	1	–	1	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Accidents and adverse effects (E800-E949)	601	7	13	21	165	132	77	49	39	39	41	15	221	1	20	8	47	42	12	12	12	14	30	22
White	482	3	10	14	130	105	62	40	32	35	34	14	178	1	16	3	39	32	6	10	11	14	26	20
All other	119	4	3	7	35	27	15	9	7	4	7	1	43	–	4	5	8	10	6	2	1	–	4	2
Black	7	–	–	–	2	2	–	–	1	–	2	–	3	–	1	–	1	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	359	3	9	15	120	89	51	23	12	16	16	2	147	–	13	7	41	32	11	7	10	6	14	3
White	283	–	8	10	93	74	41	20	8	13	11	2	110	–	10	2	33	23	6	6	9	6	10	3
All other	76	3	1	5	27	15	10	3	4	3	5	–	37	–	3	5	8	9	5	1	1	–	4	–
Black	5	–	–	–	1	1	–	–	1	–	2	–	2	–	1	–	1	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	242	4	4	6	45	43	26	26	27	23	25	13	74	1	7	1	6	10	1	5	2	6	16	19
White	199	3	2	4	37	31	21	20	24	22	23	12	68	1	6	1	6	9	–	4	2	6	16	17
All other	43	1	2	2	8	12	5	6	3	1	2	1	6	–	1	–	–	1	1	1	–	–	–	2
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Suicide (E950-E959)	236	...	...	2	56	69	34	21	21	13	17	3	51	...	...	2	11	8	11	4	5	3	6	1
White	213	...	...	2	47	61	33	19	20	12	17	2	50	...	...	2	11	7	11	4	5	3	6	1
All other	23	...	...	–	9	8	1	2	1	1	–	1	1	...	...	–	–	1	–	–	–	–	–	–
Black	3	...	...	–	2	1	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	150	3	7	2	40	44	24	15	9	3	2	–	51	2	4	1	8	15	9	5	3	–	3	1
White	112	1	5	1	27	34	20	11	8	3	1	–	42	2	4	1	7	10	7	5	3	–	2	1
All other	38	2	2	1	13	10	4	4	1	–	1	–	9	–	–	–	1	5	2	–	–	–	1	–
Black	7	1	1	1	1	2	1	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	–
All other external causes (E980-E999)	41	–	1	–	5	11	12	4	1	5	1	–	14	1	–	–	4	6	2	1	–	–	–	–
White	38	–	1	–	5	10	11	3	1	5	1	–	10	1	–	–	2	5	1	1	–	–	–	–
All other	3	–	–	–	–	1	1	1	–	–	–	–	4	–	–	–	2	1	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW YORK																								
All causes	88,407	1,582	258	336	2,007	3,943	5,087	6,158	13,708	21,373	22,077	11,858	85,133	1,24'	220	229	693	1,489	2,126	3,691	8,944	16,673	24,765	24,854
White	74,873	1,010	171	246	1,458	2,683	3,418	4,450	11,284	18,757	20,255	11,127	74,189	778	146	169	507	903	1,432	2,614	7,192	14,533	22,558	23,353
All other	13,534	572	87	90	549	1,260	1,669	1,708	2,424	2,616	1,822	731	10,944	464	74	60	186	586	694	1,077	1,752	2,140	2,207	1,501
Black	12,596	553	83	82	518	1,217	1,620	1,606	2,286	2,388	1,607	630	10,387	446	71	54	171	566	667	1,015	1,670	2,230	2,081	1,413
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	13	6	–	–	2	2	–	1	1	1	–	–	16	6	–	–	–	–	–	1	1	1	–	5
White	10	3	–	–	2	2	–	1	1	1	–	–	12	4	–	–	–	–	–	1	1	1	–	5
All other	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	164	–	–	–	2	17	55	30	26	20	9	4	75	–	–	–	4	13	10	5	8	17	14	4
White	67	–	–	–	–	5	19	9	13	14	5	2	38	–	–	–	1	5	2	2	5	10	11	3
All other	97	–	–	–	2	12	36	21	13	6	4	2	36	–	–	–	3	8	8	3	3	7	3	1
Black	83	–	–	–	2	12	35	21	12	6	3	1	34	–	–	–	3	8	8	3	3	6	2	1
Tuberculosis of respiratory system (010-012)	133	–	–	–	1	10	42	25	24	18	9	3	55	–	–	–	3	8	8	4	5	12	11	4
White	54	–	–	–	–	3	14	7	11	13	5	1	30	–	–	–	1	4	2	2	2	8	8	3
All other	79	–	–	–	1	7	28	18	13	5	4	2	25	–	–	–	2	4	6	2	3	4	3	1
Black	75	–	–	–	1	7	27	18	12	5	3	1	23	–	–	–	2	4	6	2	3	3	2	1
Other tuberculosis (013-018)	31	–	–	–	1	7	13	5	2	2	–	1	20	–	–	–	1	5	2	1	3	5	3	–
White	13	–	–	–	–	2	5	2	2	1	–	1	9	–	–	–	–	1	–	–	3	2	3	–
All other	18	–	–	–	1	5	8	3	–	1	–	–	11	–	–	–	1	4	2	1	–	3	–	–
Black	18	–	–	–	1	5	8	3	–	1	–	–	11	–	–	–	1	4	2	1	–	3	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	15	3	4	–	3	1	–	2	–	2	–	–	16	2	4	1	5	–	1	–	–	3	–	–
White	13	3	3	–	2	1	–	2	–	2	–	–	11	2	3	1	2	–	1	–	–	2	–	–
All other	2	–	1	–	1	–	–	–	–	–	–	–	5	–	1	–	3	–	–	–	–	1	–	–
Black	2	–	1	–	1	–	–	–	–	–	–	–	5	–	1	–	3	–	–	–	–	1	–	–
Septicemia (038)	739	8	3	2	3	13	44	46	78	170	232	140	920	7	4	2	4	12	25	27	67	166	275	331
White	575	2	1	1	3	6	26	27	56	133	196	124	761	3	3	2	3	6	19	18	49	138	238	286
All other	164	6	2	1	–	7	18	19	22	37	36	16	159	4	1	–	1	6	6	11	18	30	37	45
Black	153	6	2	1	–	7	18	18	22	34	31	14	153	3	1	–	1	6	6	11	17	27	36	45
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	34	–	–	–	1	6	7	5	6	6	1	–	21	1	–	–	2	2	2	2	5	5	2	–
White	29	–	–	–	1	4	7	4	4	6	1	–	16	1	–	–	1	1	1	2	4	4	2	–
All other	5	–	–	–	–	2	–	1	2	–	–	–	5	–	–	–	1	1	1	–	1	1	–	–
Black	3	–	–	–	–	2	–	1	–	–	–	–	5	–	–	–	1	1	1	–	1	1	–	–
Syphilis (080-097)	5	–	–	–	–	–	–	–	2	–	3	–	2	–	–	–	–	–	–	–	–	–	–	2
White	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	916	12	3	4	33	263	282	130	88	44	39	18	300	7	2	4	10	57	50	25	31	47	36	31
White	643	6	3	3	22	177	188	95	63	38	33	15	200	6	2	3	6	31	23	10	23	40	29	27
All other	273	6	–	1	11	86	94	35	25	6	6	3	100	1	–	1	4	26	27	15	8	7	7	4
Black	267	6	–	1	11	85	91	35	25	6	4	3	96	1	–	1	4	25	26	14	8	7	7	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,549	4	15	54	117	260	629	1,487	4,236	6,220	4,931	1,594	18,888	3	14	35	71	221	702	1,644	3,761	5,401	4,854	2,181
White	16,909	3	12	44	97	218	463	1,125	3,538	5,470	4,480	1,457	16,603	2	10	27	55	159	556	1,275	3,172	4,932	4,470	2,046
All other	2,640	1	3	10	20	42	166	362	697	750	451	137	2,285	1	4	8	16	63	146	369	589	569	384	135
Black	2,407	1	3	10	18	40	150	329	652	674	407	122	2,159	1	4	8	15	57	135	343	557	547	362	129
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	506	–	–	1	1	5	27	62	155	151	77	27	255	–	–	–	–	2	7	29	52	73	58	34
White	393	–	–	–	1	5	11	38	123	125	65	25	214	–	–	–	–	2	5	18	41	65	55	28
All other	113	–	–	1	–	–	16	24	32	26	12	2	41	–	–	–	–	–	2	11	11	8	3	6
Black	108	–	–	1	–	–	16	22	31	25	11	2	37	–	–	–	–	–	2	9	10	8	2	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,537	1	1	–	8	24	123	411	1,206	1,806	1,471	486	5,162	1	1	–	5	20	90	288	787	1,445	1,659	866
White	4,762	1	1	–	4	19	82	315	980	1,581	1,330	449	4,523	–	1	–	3	12	66	209	698	1,273	1,507	815
All other	775	–	–	–	4	5	41	96	226	225	141	37	639	1	–	–	2	8	24	80	149	172	152	51
Black	681	–	–	–	3	5	33	82	207	195	124	32	598	1	–	–	2	7	21	71	139	166	144	47
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,247	–	–	1	4	20	149	520	1,842	2,189	1,414	307	3,491	–	–	–	1	15	97	352	863	1,238	732	193
White	5,419	–	–	1	4	16	97	374	1,378	1,951	1,310	287	3,086	–	–	–	1	9	81	285	734	1,113	683	180
All other	828	–	–	–	–	4	52	146	464	238	104	20	405	–	–	–	–	6	16	67	129	125	49	13
Black	763	–	–	–	–	4	48	137	249	212	95	18	381	–	–	–	–	5	15	66	125	116	42	12
Malignant neoplasm of breast (174-175)	30	–	–	–	–	–	1	5	8	6	7	3	3,769	–	–	–	–	52	249	464	942	960	755	347
White	28	–	–	–	–	–	1	4	7	6	7	3	3,347	–	–	–	–	34	198	369	812	891	714	329
All other	2	–	–	–	–	–	–	1	1	–	–	–	422	–	–	–	–	18	51	95	130	69	41	18
Black	1	–	–	–	–	–	–	–	1	–	–	–	399	–	–	–	–	17	47	88	121	68	40	18
Malignant neoplasms of genital organs (179-187)	2,120	–	–	–	8	8	11	32	200	657	626	369	1,901	–	–	–	8	36	108	208	433	566	458	163
White	1,761	–	–	–	7	8	10	24	161	526	710	315	1,687	–	–	–	4	24	84	147	365	493	418	152
All other	359	–	–	–	1	–	1	8	48	131	116	54	294	–	–	–	4	12	24	61	68	73	40	11
Black	348	–	–	–	1	–	1	8	47	127	113	51	281	–	–	–	3	12	22	54	67	72	39	11
Malignant neoplasms of urinary organs (188-189)	1,072	–	1	5	1	6	16	67	191	329	309	147	604	–	2	1	1	3	10	30	88	173	196	100
White	986	–	–	3	–	4	11	55	179	302	291	141	538	–	2	1	–	2	9	23	74	153	181	93
All other	86	–	1	2	1	2	5	12	12	27	18	6	66	–	–	–	1	1	1	7	14	20	15	7
Black	81	–	1	2	1	2	5	12	10	26	17	5	65	–	–	–	1	1	1	7	13	20	15	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,130	–	8	23	40	90	142	221	484	578	402	143	2,013	2	4	17	26	39	83	171	355	531	535	250
White	1,865	–	7	20	36	76	119	172	416	519	369	131	1,771	2	3	12	23	33	71	144	299	461	492	231
All other	265	–	1	3	4	14	23	49	68	57	33	12	242	–	1	5	3	6	12	27	56	70	43	19
Black	236	–	1	3	4	14	22	43	65	49	23	11	228	–	1	5	3	5	11	27	50	66	42	18
Leukemia (204-208)	720	3	4	17	26	40	52	57	122	185	174	40	596	–	6	16	13	19	21	43	92	119	167	100
White	651	2	3	15	22	30	40	53	105	174	167	40	543	–	3	13	11	15	15	40	79	112	155	100
All other	69	1	1	2	4	10	12	4	17	11	7	–	53	–	3	3	2	4	6	3	13	7	12	–
Black	60	1	1	2	3	8	11	4	14	9	7	–	52	–	3	3	2	3	6	3	13	7	12	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,187	–	1	7	29	67	108	112	219	321	251	72	1,017	–	1	1	17	35	37	59	149	296	294	128
White	1,044	–	1	5	23	60	92	90	190	286	231	66	894	–	1	1	13	27	27	41	130	271	265	118
All other	143	–	–	2	6	7	16	22	29	35	20	6	123	–	–	–	4	8	10	18	19	25	29	10
Black	129	–	–	2	6	7	14	21	28	31	17	3	118	–	–	–	4	7	10	18	19	24	26	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	265	2	2	2	5	5	14	19	44	75	71	26	337	4	2	6	5	10	12	15	48	75	91	69
White	237	2	2	1	4	5	12	15	41	67	64	24	287	3	1	5	4	7	7	10	38	68	80	66
All other	28	–	–	1	1	–	2	4	3	8	7	2	50	1	1	1	1	3	5	5	12	7	11	3
Black	25	–	–	1	–	–	2	4	3	7	7	1	48	1	1	1	1	3	5	5	12	6	10	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																							
Diabetes mellitus (250)	1,297	–	2	–	5	21	51	106	277	388	300	147	1,779	1	–	1	4	12	30	87	243	424	574	403
White	1,069	–	2	–	4	15	36	81	212	323	260	130	1,403	–	–	1	1	11	19	53	173	343	455	347
All other	234	–	–	–	1	6	15	25	65	65	40	17	376	1	–	–	3	1	11	34	70	81	119	56
Black	218	–	–	–	1	6	15	23	62	60	35	16	361	1	–	–	3	1	10	33	69	78	113	53
Nutritional deficiencies (260-269)	58	1	–	–	–	1	3	2	3	9	20	19	71	2	–	–	1	1	–	4	1	6	20	36
White	51	–	–	–	–	–	2	1	3	9	19	17	64	1	–	–	1	–	–	2	1	6	18	35
All other	7	1	–	–	–	1	1	1	–	–	1	2	7	1	–	–	–	1	–	2	–	–	2	1
Black	7	1	–	–	–	1	1	1	–	–	1	2	7	1	–	–	–	1	–	2	–	–	2	1
Anemias (280-285)	106	–	3	3	7	10	5	4	8	14	29	23	159	1	5	5	4	9	9	7	9	19	40	51
White	78	–	–	2	4	1	4	3	4	14	25	21	119	–	4	3	1	2	2	6	7	18	33	43
All other	28	–	3	1	3	9	1	1	4	–	4	2	40	1	1	2	3	7	7	1	2	1	7	8
Black	26	–	3	–	3	9	1	1	4	–	3	2	38	1	1	2	2	7	7	1	2	1	6	8
Meningitis (320-322)	57	4	5	–	3	5	11	6	4	9	8	2	58	10	2	–	2	4	3	6	6	16	4	5
White	37	4	3	–	2	3	3	4	3	8	5	2	33	3	2	–	2	2	1	3	6	11	2	1
All other	20	–	2	–	1	2	8	2	1	1	3	–	25	7	–	–	–	2	2	3	–	5	2	4
Black	20	–	2	–	1	2	8	2	1	1	3	–	23	7	–	–	–	1	2	2	–	5	2	4
Major cardiovascular diseases (390-448)	39,205	35	10	14	63	265	920	2,226	6,165	10,556	11,820	7,121	43,770	36	15	8	36	143	330	924	3,085	7,716	14,481	16,992
White	34,918	26	7	11	46	176	668	1,709	5,188	9,388	10,957	6,739	39,093	21	10	5	22	70	209	603	2,368	6,514	13,219	16,049
All other	4,287	9	3	3	17	89	252	517	977	1,168	863	388	4,677	15	5	3	14	73	121	321	717	1,202	1,262	943
Black	3,943	9	2	3	13	86	247	483	918	1,076	763	342	4,441	15	5	3	13	73	116	300	686	1,143	1,200	886
Diseases of heart (390-398,402,404-429)	33,489	29	9	11	44	202	775	1,977	5,471	9,134	9,912	5,917	35,583	27	14	8	26	88	217	706	2,542	6,423	11,844	13,684
White	29,954	22	6	8	33	143	576	1,563	4,654	8,169	9,195	5,578	31,854	18	10	5	13	45	135	472	1,966	5,454	10,811	12,922
All other	3,535	7	3	3	11	59	199	414	817	965	717	339	3,729	9	4	3	13	44	82	234	576	969	1,033	762
Black	3,259	7	2	3	8	57	194	388	773	888	637	297	3,543	9	4	3	12	44	81	218	553	922	982	715
Rheumatic fever and rheumatic heart disease (390-398)	185	–	–	–	1	6	20	20	39	51	36	12	433	–	–	–	6	8	11	22	71	130	137	50
White	168	–	–	–	–	5	10	18	36	49	36	12	398	–	–	–	2	4	6	17	66	120	133	50
All other	19	–	–	–	1	1	10	2	3	2	–	–	35	–	–	–	4	2	5	5	5	10	4	–
Black	17	–	–	–	–	1	10	2	2	2	–	–	30	–	–	–	4	2	5	2	5	9	3	–
Hypertensive heart disease (402)	570	–	–	–	1	4	32	51	127	158	147	50	896	–	1	–	1	1	13	42	89	172	292	285
White	443	–	–	–	1	3	19	27	93	132	122	46	726	–	1	–	–	–	4	25	54	123	259	260
All other	127	–	–	–	–	1	13	24	34	26	25	4	170	–	–	–	1	1	9	17	35	49	33	25
Black	123	–	–	–	–	1	13	24	34	26	21	4	165	–	–	–	1	1	9	17	35	47	30	25
Hypertensive heart and renal disease (404)	62	–	–	–	–	3	1	1	6	15	28	8	85	–	–	–	–	–	1	4	4	24	29	23
White	46	–	–	–	–	1	–	–	5	11	22	7	73	–	–	–	–	–	1	2	3	19	27	21
All other	16	–	–	–	–	2	1	1	1	4	6	1	12	–	–	–	–	–	–	2	1	5	2	2
Black	15	–	–	–	–	2	1	1	1	4	5	1	12	–	–	–	–	–	–	2	1	5	2	2
Ischemic heart disease (410-414)	27,080	–	–	1	6	83	504	1,558	4,416	7,504	8,141	4,860	28,174	–	–	–	4	31	115	477	1,909	5,086	9,550	11,000
White	24,581	–	–	1	3	62	408	1,283	3,838	6,779	7,595	4,606	25,416	–	–	–	2	18	86	316	1,493	4,358	8,738	10,403
All other	2,499	–	–	–	3	21	96	275	578	725	546	254	2,758	–	–	–	2	13	29	161	416	728	812	597
Black	2,276	–	–	–	2	19	93	254	537	662	487	221	2,617	–	–	–	1	13	29	150	397	689	775	563
Acute myocardial infarction (410)	12,485	–	–	1	3	51	268	789	2,296	3,677	3,732	1,668	11,329	–	–	–	1	19	67	251	977	2,582	4,098	3,334
White	11,490	–	–	1	1	39	224	669	2,046	3,417	3,498	1,593	10,242	–	–	–	–	10	53	179	796	2,270	3,780	3,154
All other	995	–	–	–	2	12	42	120	250	260	234	75	1,087	–	–	–	1	9	14	72	181	312	318	180
Black	872	–	–	–	2	11	39	108	220	228	202	62	1,019	–	–	–	–	9	14	67	166	296	300	167
Other acute and subacute forms of ischemic heart disease (411)	175	–	–	–	–	–	7	14	43	56	38	17	120	–	–	–	–	–	1	2	17	28	42	30
White	162	–	–	–	–	–	7	12	37	52	37	17	112	–	–	–	–	–	–	1	14	26	42	29
All other	13	–	–	–	–	–	–	2	6	4	1	–	8	–	–	–	–	–	1	1	3	2	–	1
Black	11	–	–	–	–	–	–	2	6	2	1	–	6	–	–	–	–	–	1	–	3	1	–	1
Angina pectoris (413)	19	–	–	–	–	–	1	–	2	8	4	4	25	–	–	–	–	–	–	1	1	3	9	11
White	18	–	–	–	–	–	–	–	2	8	4	4	22	–	–	–	–	–	–	1	1	2	7	11
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	14,401	–	–	–	3	32	230	755	2,075	3,763	4,367	3,171	16,700	–	–	–	3	12	47	223	914	2,473	5,401	7,625
White	12,911	–	–	–	2	23	177	602	1,753	3,302	4,056	2,992	15,040	–	–	–	2	8	33	135	682	2,060	4,909	7,209
All other	1,490	–	–	–	1	9	53	153	322	461	311	179	1,660	–	–	–	1	4	14	88	232	413	492	416
Black	1,392	–	–	–	–	8	53	144	311	432	284	159	1,590	–	–	–	1	4	14	83	226	391	474	395
Other diseases of endocardium (424)	298	–	1	1	–	6	21	24	41	69	93	42	383	–	1	–	1	3	5	8	30	77	135	123
White	271	–	1	1	–	5	13	16	36	66	92	41	352	–	1	–	1	1	2	6	24	71	128	118
All other	27	–	–	–	–	1	8	8	5	3	1	1	31	–	–	–	–	2	3	2	6	6	7	5
Black	26	–	–	–	–	1	8	8	5	2	1	1	29	–	–	–	–	2	3	2	5	6	6	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	5,294	29	8	9	36	100	197	323	842	1,337	1,467	945	5,612	27	12	8	14	48	72	153	439	934	1,701	2,203
White	4,447	22	5	6	29	67	126	219	646	1,132	1,328	866	4,889	18	8	5	8	22	36	106	326	763	1,526	2,070
All other	847	7	3	3	7	33	71	104	196	205	139	79	723	9	4	3	6	26	36	47	113	171	175	133
Black	796	7	2	3	6	33	69	97	194	192	123	70	690	9	4	3	6	26	35	45	110	166	166	120
Hypertension with or without renal disease (401,403)	251	–	–	–	–	4	8	19	39	65	69	47	353	–	–	–	–	–	3	9	33	68	113	127
White	189	–	–	–	–	3	3	8	26	48	60	41	268	–	–	–	–	–	2	3	22	40	93	108
All other	62	–	–	–	–	1	5	11	13	17	9	6	85	–	–	–	–	–	1	6	11	28	20	19
Black	61	–	–	–	–	1	5	10	13	17	9	6	81	–	–	–	–	–	–	6	11	27	20	17
Cerebrovascular diseases (430-438)	3,878	5	–	2	16	49	119	196	457	916	1,293	824	6,157	7	–	–	7	48	99	185	428	984	2,003	2,395
White	3,329	3	–	2	11	24	80	116	338	771	1,187	796	5,443	3	–	–	7	22	63	114	314	812	1,835	2,273
All other	549	2	–	–	5	25	39	80	119	145	106	28	714	4	–	–	–	26	36	71	114	172	168	122
Black	506	2	–	–	4	25	39	77	108	135	90	26	675	4	–	–	–	26	33	68	108	162	158	117
Intracerebral and other intracranial hemorrhage (431-432)	740	3	–	–	4	18	57	92	144	200	166	58	916	5	–	–	5	16	32	76	124	200	276	182
White	569	2	–	–	3	8	37	48	96	167	155	53	743	2	–	–	5	7	17	40	83	167	251	171
All other	171	1	–	–	1	10	20	44	48	33	11	3	173	3	–	–	–	9	15	36	41	33	25	11
Black	153	1	–	–	–	10	20	42	40	31	6	3	163	3	–	–	–	9	15	36	37	29	23	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	656	1	–	–	–	–	7	10	76	152	249	161	1,116	1	–	–	–	2	6	20	49	133	379	526
White	603	–	–	–	–	–	4	8	59	135	239	158	1,034	1	–	–	–	2	4	12	38	116	355	506
All other	53	1	–	–	–	–	3	2	17	17	10	3	82	–	–	–	–	–	2	8	11	17	24	20
Black	51	1	–	–	–	–	3	2	17	16	9	3	79	–	–	–	–	–	2	7	10	16	24	20
Cerebral embolism (434.1)	24	–	–	–	–	–	1	–	–	8	8	7	33	–	–	–	–	–	–	–	5	4	15	9
White	21	–	–	–	–	–	1	–	–	7	7	6	32	–	–	–	–	–	–	–	5	4	14	9
All other	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,458	1	–	2	12	31	54	94	237	556	870	600	4,092	1	–	–	2	30	61	89	250	647	1,333	1,678
White	2,136	1	–	2	8	16	38	60	183	462	786	579	3,634	–	–	–	2	13	42	62	188	525	1,215	1,567
All other	322	–	–	–	4	15	16	34	54	94	84	21	458	1	–	–	–	17	19	27	62	122	118	91
Black	300	–	–	–	4	15	16	33	51	88	74	19	432	1	–	–	–	17	16	23	61	117	110	86
Atherosclerosis (440)	595	–	–	–	–	–	–	8	49	128	197	212	964	–	–	–	–	–	2	5	17	91	269	580
White	542	–	–	–	–	–	–	6	39	111	184	201	898	–	–	–	–	–	2	4	15	77	248	552
All other	53	–	–	–	–	–	–	2	10	17	13	11	66	–	–	–	–	–	–	1	2	14	21	28
Black	49	–	–	–	–	–	–	2	9	17	12	9	62	–	–	–	–	–	–	1	2	13	20	26
Other diseases of arteries, arterioles, and capillaries (441-448)	992	1	1	1	3	10	18	26	149	313	349	121	713	2	1	–	3	6	9	19	65	150	252	206
White	904	1	1	1	2	6	9	16	131	289	331	117	630	–	–	–	2	3	7	10	51	131	232	194
All other	88	–	–	–	1	4	9	10	18	24	18	4	83	2	1	–	1	3	2	9	14	19	20	12
Black	74	–	–	–	1	3	9	8	15	19	15	4	80	2	1	–	1	3	2	9	12	19	20	11
Acute bronchitis and bronchiolitis (466)	34	5	–	2	–	–	1	1	3	4	10	8	28	–	–	–	–	1	1	2	1	2	9	12
White	32	5	–	2	–	–	1	–	2	4	10	8	23	–	–	–	–	1	1	1	–	2	7	11
All other	2	–	–	–	–	–	–	1	1	–	–	–	5	–	–	–	–	–	–	1	1	–	2	1
Black	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
Pneumonia and influenza (480-487)	3,192	34	14	5	27	100	168	135	288	537	974	910	3,330	27	11	7	15	54	80	79	170	355	903	1,629
White	2,670	19	9	5	22	56	85	74	213	449	877	861	2,952	15	11	4	9	36	40	43	136	293	825	1,540
All other	522	15	5	–	5	44	83	61	75	88	97	49	378	12	–	3	6	18	40	36	34	62	78	89
Black	478	14	5	–	5	44	82	60	73	85	76	34	356	12	–	2	6	18	40	36	33	56	71	82
Pneumonia (480-486)	3,155	34	14	3	27	100	168	134	286	533	963	893	3,270	27	11	7	14	54	79	79	170	349	890	1,590
White	2,635	19	9	3	22	56	85	73	212	445	867	844	2,896	15	11	4	9	36	39	43	136	289	812	1,502
All other	520	15	5	–	5	44	83	61	74	88	96	49	374	12	–	3	5	18	40	36	34	60	78	88
Black	476	14	5	–	5	44	82	60	72	85	75	34	353	12	–	2	5	18	40	36	33	55	71	81
Influenza (487)	37	–	–	2	–	–	–	1	2	4	11	17	60	–	–	–	1	–	1	–	–	6	13	39
White	35	–	–	2	–	–	–	1	1	4	10	17	56	–	–	–	–	–	1	–	–	4	13	38
All other	2	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	1	–	–	–	–	2	–	1
Black	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	1	–	–	–	–	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,149	4	3	7	21	23	36	92	410	972	1,152	429	2,248	1	1	6	10	21	29	84	317	703	737	339
White	2,832	2	2	4	9	13	23	63	341	872	1,088	415	2,078	1	1	5	6	16	18	62	284	653	701	331
All other	317	2	1	3	12	10	13	29	69	100	64	14	170	–	–	1	4	5	11	22	33	50	36	8
Black	280	2	1	3	12	10	13	28	63	86	51	11	164	–	–	1	4	4	11	20	33	48	35	8
Bronchitis, chronic and unspecified (490-491)	128	–	–	–	1	2	1	3	17	36	44	24	111	–	–	–	–	1	–	5	8	25	35	37
White	113	–	–	–	–	1	1	3	12	32	40	24	108	–	–	–	–	1	–	5	8	23	34	37
All other	15	–	–	–	1	1	–	–	5	4	4	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	13	–	–	–	1	1	–	–	5	4	2	–	3	–	–	–	–	–	–	–	–	2	1	–
Emphysema (492)	591	–	–	–	–	1	3	15	75	209	220	68	379	–	–	–	–	–	2	11	61	134	128	43
White	546	–	–	–	–	1	2	13	63	184	208	65	369	–	–	–	–	–	2	9	58	132	126	42
All other	45	–	–	–	–	–	1	2	12	15	12	3	10	–	–	–	–	–	–	2	3	2	2	1
Black	40	–	–	–	–	–	1	2	12	12	10	3	10	–	–	–	–	–	–	2	3	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	187	4	2	7	16	17	20	23	41	30	20	5	217	1	–	6	10	16	22	27	47	43	32	13
White	115	2	1	4	7	10	12	15	23	21	16	4	156	1	–	5	6	11	12	14	36	34	24	13
All other	72	2	1	3	11	7	8	8	18	8	4	1	61	–	–	1	4	5	10	13	11	9	8	–
Black	69	2	1	3	11	7	8	8	18	8	3	–	59	–	–	1	4	4	10	12	11	9	8	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,243	–	1	–	2	3	12	51	277	697	868	332	1,541	–	1	–	–	4	5	41	201	501	542	246
White	2,058	–	1	–	2	1	8	32	243	625	824	322	1,445	–	1	–	–	4	4	34	182	464	517	239
All other	185	–	–	–	–	2	4	19	34	72	44	10	96	–	–	–	–	–	1	7	19	37	25	7
Black	158	–	–	–	–	2	4	18	28	62	36	8	92	–	–	–	–	–	1	6	19	35	24	7
Ulcer of stomach and duodenum (531-533)	341	2	–	–	1	5	16	16	45	83	114	59	327	1	–	–	–	3	2	7	26	54	125	109
White	290	1	–	–	1	4	8	10	34	72	105	55	296	1	–	–	–	2	2	6	20	47	111	107
All other	51	1	–	–	–	1	8	6	11	11	9	4	31	–	–	–	–	1	–	1	6	7	14	2
Black	42	1	–	–	–	1	7	6	11	9	4	3	28	–	–	–	–	1	–	1	6	7	12	2
Appendicitis (540-543)	25	1	1	1	–	1	–	–	6	2	10	3	16	–	–	–	–	–	–	–	2	4	7	3
White	19	1	–	–	–	1	–	–	3	2	9	3	13	–	–	–	–	–	–	–	1	4	6	2
All other	6	–	1	1	–	–	–	–	3	–	1	–	3	–	–	–	–	–	–	–	1	–	1	1
Black	6	–	1	1	–	–	–	–	3	–	1	–	3	–	–	–	–	–	–	–	1	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	133	4	2	–	–	1	7	6	17	20	43	33	243	5	–	1	2	2	3	7	14	34	82	93
White	119	4	1	–	–	1	5	5	14	19	38	32	209	2	–	1	2	1	2	4	8	25	75	89
All other	14	–	1	–	–	–	2	1	3	1	5	1	34	3	–	–	–	1	1	3	6	9	7	4
Black	14	–	1	–	–	–	2	1	3	1	5	1	33	3	–	–	–	1	1	3	6	9	6	4
Chronic liver disease and cirrhosis (571)	1,838	–	1	1	15	138	352	333	469	331	151	27	859	2	1	–	4	67	122	128	184	208	119	24
White	1,370	–	1	1	10	81	221	217	397	285	131	26	647	2	1	–	2	27	65	87	152	174	115	22
All other	468	–	–	–	5	57	131	116	92	46	20	1	212	–	–	–	2	40	57	41	32	34	4	2
Black	453	–	–	–	4	57	131	111	88	43	18	1	206	–	–	–	2	40	56	41	29	33	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	106	–	–	–	–	1	1	5	16	19	43	21	115	–	–	–	–	3	2	4	8	26	31	41
White	84	–	–	–	–	1	1	3	14	17	37	21	100	–	–	–	–	2	2	3	6	22	27	38
All other	12	–	–	–	–	–	–	2	2	2	6	–	15	–	–	–	–	1	–	1	2	4	4	3
Black	11	–	–	–	–	–	–	2	2	1	6	–	12	–	–	–	–	1	–	1	1	4	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	860	16	–	1	3	15	23	33	90	214	283	202	872	15	–	2	1	10	16	28	99	149	272	280
White	717	11	–	1	2	7	7	15	66	173	249	186	700	9	–	2	–	5	10	20	67	109	233	245
All other	163	5	–	–	1	8	16	18	24	41	34	16	172	6	–	–	1	5	6	8	32	40	39	35
Black	152	5	–	–	1	8	15	18	24	37	30	14	155	5	–	–	1	5	6	7	29	37	32	33
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	–	–	–	–	–	–	–	1	2	3	1	17	1	–	–	–	1	–	1	2	2	7	3
White	7	–	–	–	–	–	–	–	1	2	3	1	13	1	–	–	–	–	–	–	2	2	6	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	1	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	1	–	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	54	–	–	–	–	2	3	1	10	8	16	14	44	–	–	–	–	–	–	1	6	8	13	16
White	43	–	–	–	–	–	1	–	7	7	15	13	38	–	–	–	–	–	–	1	3	5	13	16
All other	11	–	–	–	–	2	2	1	3	1	1	1	6	–	–	–	–	–	–	–	3	3	–	–
Black	11	–	–	–	–	2	2	1	3	1	1	1	5	–	–	–	–	–	–	–	2	3	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	819	16	–	1	3	13	20	32	79	204	264	187	811	14	–	2	1	9	16	26	91	139	252	261
White	667	11	–	1	2	7	6	15	58	184	231	172	649	8	–	2	–	5	10	19	62	102	214	227
All other	152	5	–	–	1	6	14	17	21	40	33	15	162	6	–	–	1	4	6	7	29	37	38	34
Black	141	5	–	–	1	6	13	17	21	36	29	13	146	5	–	–	1	4	6	6	27	34	31	32
Infections of kidney (590)	29	–	–	–	–	1	–	–	4	7	9	8	76	–	–	–	–	4	3	5	4	16	26	18
White	26	–	–	–	–	1	–	–	3	7	7	8	59	–	–	–	–	1	1	1	2	12	24	18
All other	3	–	–	–	–	–	–	–	1	–	2	–	17	–	–	–	–	3	2	4	2	4	2	–
Black	3	–	–	–	–	–	–	–	1	–	2	–	17	–	–	–	–	3	2	4	2	4	2	–
Hyperplasia of prostate (600)	50	–	–	–	–	–	–	–	1	10	20	19	...	...	...	...	...	...	...	...	...	...	...	...
White	43	–	–	–	–	–	–	–	1	9	16	17	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	–	–	–	–	–	–	–	–	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	–	–	–	–	–	–	–	–	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	30	...	...	–	6	18	6	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	2	6	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	4	12	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	–	4	10	2	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	3	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	3	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	3	2	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	–	5	15	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	1	6	3	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	4	9	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	4	7	–	–	...	...	...	...
Congenital anomalies (740-759)	464	295	28	25	23	16	15	13	19	18	9	2	432	270	31	16	12	12	12	14	23	16	16	10
White	367	232	19	20	17	13	12	11	16	16	9	2	336	201	23	11	10	8	9	10	23	15	16	10
All other	97	64	9	5	6	3	3	2	3	2	–	–	96	69	8	5	2	4	3	4	–	1	–	–
Black	90	57	9	5	6	3	3	2	3	2	–	–	88	62	8	5	2	4	3	3	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	806	797	9	–	–	–	–	–	–	–	–	–	627	625	1	1	–	–	–	–	–	–	–	–
White	495	488	7	–	–	–	–	–	–	–	–	–	377	376	–	1	–	–	–	–	–	–	–	–
All other	311	309	2	–	–	–	–	–	–	–	–	–	250	249	1	–	–	–	–	–	–	–	–	–
Black	302	300	2	–	–	–	–	–	–	–	–	–	243	242	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	175	172	3	–	–	–	–	–	–	–	–	–	150	149	–	1	–	–	–	–	–	–	–	–
White	113	110	3	–	–	–	–	–	–	–	–	–	89	88	–	1	–	–	–	–	–	–	–	–
All other	62	62	–	–	–	–	–	–	–	–	–	–	61	61	–	–	–	–	–	–	–	–	–	–
Black	60	60	–	–	–	–	–	–	–	–	–	–	61	61	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	631	625	6	–	–	–	–	–	–	–	–	–	477	476	1	–	–	–	–	–	–	–	–	–
White	382	378	4	–	–	–	–	–	–	–	–	–	288	288	–	–	–	–	–	–	–	–	–	–
All other	249	247	2	–	–	–	–	–	–	–	–	–	189	188	1	–	–	–	–	–	–	–	–	–
Black	242	240	2	–	–	–	–	–	–	–	–	–	182	181	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,142	246	14	9	99	263	246	90	66	56	36	17	640	136	19	6	59	112	77	56	42	46	43	42
White	759	139	9	4	74	185	148	58	47	47	32	16	442	74	13	4	43	68	45	37	33	40	43	41
All other	383	107	5	5	25	78	98	32	19	9	4	1	198	62	6	2	16	44	32	19	9	6	–	1
Black	372	106	4	3	24	76	95	31	19	9	4	1	190	60	6	2	14	44	29	18	9	6	–	1
All other diseases (Residual)	7,261	62	39	33	133	970	1,268	739	821	1,102	1,332	761	6,122	44	42	28	97	327	312	320	545	1,018	1,594	1,795
White	5,452	34	22	26	102	602	789	448	598	903	1,216	711	5,062	32	24	24	63	171	165	193	416	862	1,444	1,668
All other	1,809	28	17	7	31	368	479	291	223	199	116	50	1,060	12	18	4	34	156	147	127	129	156	150	127
Black	1,754	27	17	7	29	365	478	283	213	185	106	44	1,029	12	16	3	33	155	145	125	125	152	142	121
Accidents and adverse effects (E800-E949)	3,567	25	75	143	754	669	443	323	277	313	318	224	1,942	19	52	78	202	180	159	121	174	281	353	323
White	2,925	18	54	106	641	533	339	247	231	267	285	202	1,647	11	34	58	181	141	129	95	143	235	323	297
All other	642	7	21	37	113	136	104	76	46	46	33	22	295	8	18	20	21	39	30	26	31	46	30	26
Black	571	7	19	34	102	120	95	64	42	40	32	15	266	8	17	17	17	35	28	24	29	43	26	22
Motor vehicle accidents (E810-E825)	1,552	2	15	71	523	331	192	128	93	81	86	28	711	1	13	54	153	100	88	47	73	91	73	20
White	1,331	2	10	60	464	284	155	98	85	72	76	24	632	1	11	43	143	86	69	42	67	82	70	18
All other	221	–	5	11	59	47	37	30	8	9	10	4	79	–	2	11	10	14	17	5	6	9	3	2
Black	177	–	5	9	52	36	29	22	7	6	9	1	66	–	1	8	7	14	15	4	6	8	1	2
All other accidents and adverse effects (E800-E807, E826-E949)	2,015	23	60	72	231	338	251	195	184	232	232	196	1,231	18	39	24	49	80	73	74	101	190	280	303
White	1,594	16	44	46	177	249	184	149	146	195	209	178	1,015	10	23	15	38	55	60	53	76	153	253	279
All other	421	7	16	26	54	89	67	46	38	37	23	18	216	8	16	9	11	25	13	21	25	37	27	24
Black	394	7	14	25	50	84	66	42	35	34	23	14	200	8	16	9	10	21	13	20	23	35	25	20
Suicide (E950-E959)	1,066	...	...	5	185	260	153	119	111	126	75	32	293	...	...	3	41	50	40	45	41	35	27	11
White	984	...	...	3	171	231	142	108	106	117	75	31	275	...	...	3	36	45	39	42	39	33	27	11
All other	82	...	...	2	14	29	11	11	5	9	–	1	18	...	...	–	5	5	1	3	2	2	–	–
Black	68	...	...	2	14	26	8	8	4	6	–	–	9	...	...	–	1	4	1	2	1	–	–	–
Homicide and legal intervention (E960-E978)	1,510	14	18	16	452	508	266	126	68	21	19	3	389	14	10	14	84	110	66	29	18	20	18	6
White	806	7	11	8	190	275	163	75	49	11	14	2	230	7	4	6	49	64	45	14	9	13	14	5
All other	704	7	7	8	262	231	103	51	19	10	5	1	159	7	6	8	35	46	21	15	9	7	4	1
Black	680	7	7	8	253	222	99	50	18	10	5	1	154	7	6	7	35	45	21	13	8	7	4	1
All other external causes (E980-E999)	390	1	7	9	50	105	70	53	39	22	16	6	132	1	4	5	12	31	22	15	11	10	12	9
White	240	–	3	4	32	66	46	40	21	12	10	6	88	1	–	3	5	18	15	13	8	9	10	8
All other	150	1	4	5	18	39	24	23	18	10	6	–	44	–	4	2	7	15	7	2	3	1	2	1
Black	142	1	4	3	18	35	23	23	18	9	6	–	40	–	4	2	6	13	6	2	3	1	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	29,283	587	112	161	844	1,092	1,354	2,362	5,227	7,891	6,708	2,944	25,326	455	74	110	298	417	727	1,245	2,972	5,476	7,379	6,173
White	21,970	330	69	102	601	663	822	1,648	3,887	6,103	5,318	2,426	19,357	240	44	68	209	235	435	830	2,098	4,100	5,870	5,226
All other	7,313	257	43	59	243	429	532	714	1,340	1,788	1,390	518	5,969	215	30	42	89	182	292	415	874	1,376	1,509	945
Black	7,052	244	37	54	225	398	508	688	1,289	1,745	1,359	505	5,764	210	27	37	79	168	279	402	847	1,327	1,467	921
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	–	–	–	–	–	–	2	–	1	–	5	–	–	–	–	–	–	–	1	1	1	2
White	2	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	–	–	–	1	1	1	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	38	–	–	–	–	1	2	6	3	15	9	2	22	–	–	–	–	1	–	–	3	6	8	4
White	13	–	–	–	–	–	–	1	1	4	6	1	9	–	–	–	–	–	–	–	1	2	4	2
All other	25	–	–	–	–	1	2	5	2	11	3	1	13	–	–	–	–	1	–	–	2	4	4	2
Black	24	–	–	–	–	1	2	5	2	10	3	1	13	–	–	–	–	1	–	–	2	4	4	2
Tuberculosis of respiratory system (010-012)	28	–	–	–	–	–	2	5	1	13	6	1	16	–	–	–	–	–	–	–	3	3	6	4
White	11	–	–	–	–	–	–	1	1	4	5	–	7	–	–	–	–	–	–	–	1	2	2	2
All other	17	–	–	–	–	–	2	4	–	9	1	1	9	–	–	–	–	–	–	–	2	1	4	2
Black	16	–	–	–	–	–	2	4	–	8	1	1	9	–	–	–	–	–	–	–	2	1	4	2
Other tuberculosis (013-018)	10	–	–	–	–	1	–	1	2	2	3	1	6	–	–	–	–	1	–	–	–	3	2	–
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	2	–
All other	8	–	–	–	–	1	–	1	2	2	2	–	4	–	–	–	–	1	–	–	–	3	–	–
Black	8	–	–	–	–	1	–	1	2	2	2	–	4	–	–	–	–	1	–	–	–	3	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	1	–	–	–	1	–	–	–	–	1	–	3	–	–	–	1	1	–	–	1	–	–	–
White	3	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	1	–	–	1	–	–	–
Septicemia (038)	321	12	–	–	2	8	15	13	49	92	92	38	309	2	–	3	–	3	8	13	32	64	106	78
White	204	8	–	–	–	4	6	7	28	61	68	22	212	1	–	3	–	1	5	8	16	45	72	61
All other	117	4	–	–	2	4	9	6	21	31	24	16	97	1	–	–	–	2	3	5	16	19	34	17
Black	113	4	–	–	1	4	9	5	21	30	24	15	94	1	–	–	–	2	3	5	15	19	34	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	23	–	–	–	1	3	1	5	5	5	3	–	13	1	–	–	–	1	–	2	4	2	1	2
White	17	–	–	–	–	2	1	3	4	4	3	–	11	1	–	–	–	1	–	2	3	1	1	2
All other	6	–	–	–	1	1	–	2	1	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	5	–	–	–	1	1	–	2	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	118	2	1	2	5	19	23	15	12	19	14	6	85	3	–	1	5	8	12	6	12	15	14	9
White	78	2	1	1	3	11	11	8	7	16	12	6	53	2	–	–	1	2	2	5	7	14	10	9
All other	40	–	–	1	2	8	12	7	5	3	2	–	32	1	–	1	4	6	10	–	5	1	4	–
Black	38	–	–	–	2	8	12	7	5	3	1	–	29	–	–	–	4	5	10	–	5	1	4	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,396	2	8	17	28	61	176	556	1,532	2,187	1,430	397	5,199	4	9	13	30	63	241	533	1,102	1,528	1,151	525
White	4,849	1	5	13	22	46	132	414	1,159	1,654	1,100	303	4,040	2	7	10	21	42	167	395	845	1,191	925	435
All other	1,547	1	3	4	6	15	44	144	373	533	330	94	1,159	2	2	3	9	21	74	138	257	337	226	90
Black	1,514	1	3	4	6	15	41	142	361	522	327	92	1,127	2	2	3	8	19	72	134	251	326	222	88

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	-	-	-	-	2	5	25	39	38	23	5	64	-	-	-	-	-	2	4	10	24	13	11
White	90	-	-	-	-	-	1	12	26	31	18	2	50	-	-	-	-	-	1	4	6	16	13	10
All other	47	-	-	-	-	2	4	13	13	7	5	3	14	-	-	-	-	-	1	-	4	8	-	1
Black	46	-	-	-	-	2	4	13	13	6	5	3	12	-	-	-	-	-	1	-	4	7	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,442	-	-	-	4	7	44	109	338	485	342	113	1,313	-	-	-	3	8	29	76	230	371	371	225
White	1,034	-	-	-	3	6	32	79	228	341	256	69	963	-	-	-	2	3	18	54	159	262	282	183
All other	408	-	-	-	1	1	12	30	110	144	86	24	350	-	-	-	1	5	11	22	71	109	89	42
Black	401	-	-	-	1	1	11	30	108	140	86	24	340	-	-	-	1	5	11	21	67	106	87	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,474	-	-	-	1	6	41	255	732	944	429	66	866	-	-	-	-	2	29	104	245	296	146	44
White	1,942	-	-	-	1	5	28	184	574	748	353	51	740	-	-	-	-	1	23	88	202	259	127	40
All other	532	-	-	-	-	1	13	71	158	198	76	15	126	-	-	-	-	1	6	16	43	37	19	4
Black	518	-	-	-	-	1	12	70	151	194	76	14	124	-	-	-	-	1	6	16	42	36	19	4
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	1	-	4	1	1	1,036	-	-	-	1	12	92	175	253	279	160	64
White	7	-	-	-	-	-	1	1	-	3	1	1	794	-	-	-	-	7	55	119	197	222	141	53
All other	1	-	-	-	-	-	-	-	-	1	-	-	242	-	-	-	1	5	37	56	56	57	19	11
Black	1	-	-	-	-	-	-	-	-	1	-	-	238	-	-	-	1	5	36	55	56	55	19	11
Malignant neoplasms of genital organs (179-187)	779	-	-	-	1	4	-	12	73	260	315	114	588	-	-	1	2	16	31	67	130	182	123	36
White	492	-	-	-	1	1	-	8	45	153	206	78	425	-	-	-	2	11	21	42	99	130	95	25
All other	287	-	-	-	-	3	-	4	28	107	109	36	163	-	-	1	-	5	10	25	31	52	28	11
Black	282	-	-	-	-	3	-	4	27	107	106	35	160	-	-	1	-	4	10	25	31	51	28	10
Malignant neoplasms of urinary organs (188-189)	278	-	-	1	2	-	8	24	59	94	71	19	164	-	-	2	1	-	3	8	38	50	41	21
White	233	-	-	1	1	-	8	21	50	81	53	18	127	-	-	2	1	-	3	5	27	39	33	17
All other	45	-	-	-	1	-	-	3	9	13	18	1	37	-	-	-	-	-	-	3	11	11	8	4
Black	43	-	-	-	1	-	-	3	7	13	18	1	37	-	-	-	-	-	-	3	11	11	8	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	738	1	5	8	9	21	46	90	182	203	131	42	683	2	6	6	11	18	34	69	124	197	153	69
White	625	-	4	8	7	18	40	76	152	173	113	34	554	2	5	4	8	15	27	55	100	156	120	62
All other	113	1	1	-	2	3	6	14	30	30	18	8	129	-	1	2	3	3	7	8	24	41	33	7
Black	112	1	1	-	2	3	6	14	30	29	18	8	122	-	1	2	3	2	6	6	24	39	32	7
Leukemia (204-208)	225	1	3	6	7	6	10	14	41	64	52	21	200	2	2	4	6	4	10	19	26	47	49	31
White	177	1	1	4	5	4	6	10	32	52	45	17	159	-	1	4	3	3	10	14	21	38	37	28
All other	48	-	2	2	2	2	4	4	9	12	7	4	41	2	1	-	3	1	-	5	5	9	12	3
Black	46	-	2	2	2	2	3	4	9	11	7	4	38	2	1	-	2	1	-	5	5	8	11	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	315	-	-	2	4	15	21	29	69	95	66	16	285	-	1	-	6	3	11	17	46	82	95	24
White	249	-	-	-	4	12	16	23	52	74	55	13	228	-	1	-	5	2	9	14	34	69	77	17
All other	66	-	-	2	-	3	5	5	16	21	11	3	57	-	-	-	1	1	2	3	12	13	18	7
Black	65	-	-	2	-	3	5	4	16	21	11	3	56	-	-	-	1	1	2	3	11	13	18	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	69	1	-	-	3	5	3	8	14	9	19	7	95	1	1	3	3	5	7	3	12	18	32	10
White	48	1	-	-	3	4	3	6	9	3	14	5	72	-	1	2	2	4	5	3	9	12	27	7
All other	21	-	-	-	-	1	-	2	5	6	5	2	23	1	-	1	1	1	2	-	3	6	5	3
Black	20	-	-	-	-	1	-	2	4	6	5	2	22	1	-	1	1	1	2	-	3	6	5	2
Diabetes mellitus (250)	381	-	1	1	1	13	28	33	64	119	99	23	565	-	-	1	-	5	16	32	99	159	170	89
White	251	-	1	1	1	6	17	18	40	76	73	18	344	-	-	1	-	3	9	17	41	96	112	65
All other	130	-	-	-	-	7	11	15	24	43	25	5	221	-	-	-	-	2	7	15	52	63	58	24
Black	127	-	-	-	-	7	11	14	24	41	25	5	213	-	-	-	-	2	7	15	51	58	56	24
Nutritional deficiencies (260-269)	28	-	-	-	-	-	1	-	1	7	9	10	33	2	-	-	-	1	-	-	4	4	12	10
White	17	-	-	-	-	-	1	-	-	4	6	6	19	-	-	-	-	1	-	-	2	3	8	5
All other	11	-	-	-	-	-	-	-	1	3	3	4	14	2	-	-	-	-	-	-	2	1	4	5
Black	11	-	-	-	-	-	-	-	1	3	3	4	14	2	-	-	-	-	-	-	2	1	4	5
Anemias (280-285)	39	-	2	2	3	4	2	-	1	11	9	5	51	-	1	1	2	2	2	-	1	8	15	19
White	22	-	-	1	1	1	-	-	1	9	5	4	36	-	-	-	-	1	-	-	-	7	11	17
All other	17	-	2	1	2	3	2	-	-	2	4	1	15	-	1	1	2	1	2	-	1	1	4	2
Black	16	-	2	1	2	3	2	-	-	2	4	-	15	-	1	1	2	1	2	-	1	1	4	2
Meningitis (320-322)	15	2	3	1	1	-	-	3	1	1	1	2	19	6	1	-	-	1	-	-	1	6	3	1
White	10	1	3	1	1	-	-	1	-	1	-	2	11	4	1	-	-	-	-	-	1	4	1	-
All other	5	1	-	-	-	-	-	2	1	-	1	-	8	2	-	-	-	1	-	-	-	2	2	1
Black	5	1	-	-	-	-	-	2	1	-	1	-	8	2	-	-	-	1	-	-	-	2	2	1
Major cardiovascular diseases (390-448)	12,677	11	4	5	25	75	365	968	2,375	3,755	3,444	1,650	12,593	6	5	6	18	60	140	342	1,084	2,593	4,347	3,992
White	9,690	8	1	4	11	38	227	682	1,797	2,981	2,762	1,379	9,736	1	2	1	12	26	74	189	711	1,888	3,440	3,392
All other	2,787	3	3	1	14	37	138	286	578	774	682	271	2,857	5	3	5	6	34	66	153	373	705	907	600
Black	2,697	3	3	1	14	33	131	275	555	757	661	264	2,765	5	2	5	5	33	61	149	359	680	882	584

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	10,138	10	4	5	21	59	299	840	2,039	3,073	2,585	1,193	9,250	6	5	3	14	42	103	253	859	2,019	3,165	2,781
White	8,054	7	1	4	9	27	199	619	1,584	2,483	2,123	998	7,219	1	2	–	9	19	53	145	584	1,502	2,549	2,355
All other	2,084	3	3	1	12	32	100	221	455	590	472	195	2,031	5	3	3	5	23	50	108	275	517	616	426
Black	2,010	3	3	1	12	28	94	211	436	575	458	189	1,962	5	2	3	4	22	48	106	263	500	596	413
Rheumatic fever and rheumatic heart disease (390-398)	55	–	–	1	2	2	6	6	13	13	10	2	101	–	–	–	–	3	10	11	14	27	26	10
White	41	–	–	–	1	1	2	4	11	12	8	2	77	–	–	–	–	1	4	7	11	21	24	9
All other	14	–	–	1	1	1	4	2	2	1	2	–	24	–	–	–	–	2	6	4	3	6	2	1
Black	13	–	–	1	1	1	3	2	2	1	2	–	22	–	–	–	–	2	5	4	3	5	2	1
Hypertensive heart disease (402)	275	–	–	–	1	3	10	30	65	84	68	14	377	–	–	–	–	2	10	14	37	74	128	112
White	139	–	–	–	–	–	2	9	36	42	41	9	219	–	–	–	–	–	3	3	9	38	81	85
All other	136	–	–	–	1	3	8	21	29	42	27	5	158	–	–	–	–	2	7	11	28	36	47	27
Black	135	–	–	–	1	3	8	21	28	42	27	5	155	–	–	–	–	2	7	11	28	35	45	27
Hypertensive heart and renal disease (404)	45	–	–	–	–	–	1	2	8	13	10	11	60	–	–	–	–	–	–	1	3	10	28	18
White	20	–	–	–	–	–	–	–	2	6	5	7	26	–	–	–	–	–	–	–	1	2	12	11
All other	25	–	–	–	–	–	1	2	6	7	5	4	34	–	–	–	–	–	–	1	2	8	16	7
Black	25	–	–	–	–	–	1	2	6	7	5	4	32	–	–	–	–	–	–	1	2	7	15	7
Ischemic heart disease (410-414)	7,336	1	–	–	1	25	203	651	1,531	2,325	1,849	750	5,910	–	–	–	1	11	45	147	593	1,412	2,054	1,647
White	6,065	1	–	–	1	14	148	514	1,251	1,939	1,559	638	4,761	–	–	–	1	6	28	91	440	1,098	1,685	1,412
All other	1,271	–	–	–	–	11	55	137	280	386	290	112	1,149	–	–	–	–	5	17	56	153	314	389	235
Black	1,225	–	–	–	–	8	52	130	269	377	280	109	1,111	–	–	–	–	5	17	56	145	305	357	226
Acute myocardial infarction (410)	4,262	1	–	–	1	16	127	418	938	1,384	1,030	347	3,353	–	–	–	–	5	26	94	379	903	1,187	759
White	3,559	1	–	–	1	9	94	331	779	1,167	879	298	2,740	–	–	–	–	4	18	59	294	723	998	644
All other	703	–	–	–	–	7	33	87	159	217	151	49	613	–	–	–	–	1	8	35	85	180	189	115
Black	672	–	–	–	–	4	32	80	148	213	147	48	593	–	–	–	–	1	8	35	80	177	181	111
Other acute and subacute forms of ischemic heart disease (411)	18	–	–	–	–	–	–	1	5	6	5	1	15	–	–	–	–	–	–	–	3	4	5	3
White	12	–	–	–	–	–	–	–	3	5	3	1	11	–	–	–	–	–	–	–	2	3	3	3
All other	6	–	–	–	–	–	–	1	2	1	2	–	4	–	–	–	–	–	–	–	1	1	2	–
Black	6	–	–	–	–	–	–	1	2	1	2	–	4	–	–	–	–	–	–	–	1	1	2	–
Angina pectoris (413)	12	–	–	–	–	–	–	–	1	3	7	1	17	–	–	–	–	–	–	2	1	5	6	3
White	7	–	–	–	–	–	–	–	1	2	3	1	15	–	–	–	–	–	–	2	–	4	6	3
All other	5	–	–	–	–	–	–	–	–	1	4	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	1	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,044	–	–	–	–	9	76	232	587	932	807	401	2,525	–	–	–	1	6	19	51	210	500	856	882
White	2,487	–	–	–	–	5	54	183	468	765	674	338	1,995	–	–	–	1	2	10	30	144	368	678	762
All other	557	–	–	–	–	4	22	49	119	167	133	63	530	–	–	–	–	4	9	21	66	132	176	120
Black	544	–	–	–	–	4	20	49	119	163	128	61	512	–	–	–	–	4	9	21	63	126	174	115
Other diseases of endocardium (424)	125	1	–	–	1	1	5	13	20	21	43	20	133	1	–	–	1	4	4	–	10	29	49	35
White	99	1	–	–	–	1	4	5	16	17	37	18	104	–	–	–	1	1	2	–	7	25	39	29
All other	26	–	–	–	1	–	1	8	4	4	6	2	29	1	–	–	–	3	2	–	3	4	10	6
Black	23	–	–	–	1	–	1	6	3	4	6	2	28	1	–	–	–	2	2	–	3	4	10	6
All other forms of heart disease (415-423,425-429)	2,302	8	4	4	16	28	74	138	402	617	615	396	2,669	5	5	3	12	22	34	80	202	467	880	959
White	1,690	5	1	4	7	11	43	87	268	467	473	324	2,032	1	2	–	7	11	16	44	116	318	708	809
All other	612	3	3	–	9	17	31	51	134	150	142	72	637	4	3	3	5	11	18	36	86	149	172	150
Black	589	3	3	–	9	16	29	50	128	144	138	69	614	4	2	3	4	11	17	34	82	144	167	148
Hypertension with or without renal disease (401,403)	126	–	–	–	–	1	2	17	19	38	36	13	142	–	–	–	–	–	–	4	22	41	47	28
White	67	–	–	–	–	–	–	5	10	21	21	10	68	–	–	–	–	–	–	–	15	13	24	16
All other	59	–	–	–	–	1	2	12	9	17	15	3	74	–	–	–	–	–	–	4	7	28	23	12
Black	59	–	–	–	–	1	2	12	9	17	15	3	74	–	–	–	–	–	–	4	7	28	23	12
Cerebrovascular diseases (430-438)	1,848	1	–	–	4	11	59	94	238	454	651	336	2,639	–	–	2	2	18	31	73	175	437	950	951
White	1,312	1	–	–	2	8	24	47	138	330	488	274	2,012	–	–	1	2	7	17	40	91	302	724	828
All other	536	–	–	–	2	3	35	47	100	124	163	62	627	–	–	1	–	11	14	33	84	135	226	123
Black	524	–	–	–	2	3	34	46	96	124	158	61	608	–	–	1	–	11	12	31	82	128	222	121
Intracerebral and other intracranial hemorrhage (431-432)	244	1	–	–	3	3	31	33	48	54	51	20	302	–	–	–	–	8	11	34	41	71	82	55
White	156	1	–	–	2	2	9	15	26	43	40	18	209	–	–	–	–	3	4	13	21	55	65	48
All other	88	–	–	–	1	1	22	18	22	11	11	2	93	–	–	–	–	5	7	21	20	16	17	7
Black	86	–	–	–	1	1	21	17	22	11	11	2	88	–	–	–	–	5	6	19	19	15	17	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	242	–	–	–	–	–	2	11	36	64	85	44	364	–	–	1	–	2	1	4	11	58	142	145
White	170	–	–	–	–	–	1	6	22	43	62	36	291	–	–	1	–	1	1	3	5	40	111	129
All other	72	–	–	–	–	–	1	5	14	21	23	8	73	–	–	–	–	1	–	1	6	18	31	16
Black	68	–	–	–	–	–	1	5	12	21	22	7	70	–	–	–	–	1	–	1	6	17	30	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	1	3	-	7	-	-	-	-	-	-	-	-	-	6	1
White	4	-	-	-	-	-	-	-	-	1	3	-	7	-	-	-	-	-	-	-	-	-	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,358	-	-	-	1	8	26	50	154	335	512	272	1,966	-	-	1	2	8	19	35	123	308	720	750
White	982	-	-	-	-	6	14	26	90	243	383	220	1,505	-	-	-	2	3	12	24	65	207	542	650
All other	376	-	-	-	1	2	12	24	64	92	129	52	461	-	-	1	-	5	7	11	58	101	178	100
Black	370	-	-	-	1	2	12	24	62	92	125	52	450	-	-	1	-	5	6	11	57	98	175	99
Atherosclerosis (440)	220	-	-	-	-	-	-	7	17	60	66	70	342	-	-	-	-	-	1	1	3	36	113	188
White	169	-	-	-	-	-	-	5	12	38	50	64	278	-	-	-	-	-	1	-	3	24	89	161
All other	51	-	-	-	-	-	-	2	5	22	16	6	64	-	-	-	-	-	-	1	-	12	24	27
Black	48	-	-	-	-	-	-	2	5	20	15	6	62	-	-	-	-	-	-	1	-	11	24	26
Other diseases of arteries, arterioles, and capillaries (441-448)	345	-	-	-	-	4	5	10	62	130	96	38	220	-	-	1	2	-	5	11	25	60	72	44
White	288	-	-	-	-	3	4	6	53	109	80	33	159	-	-	-	1	-	3	4	18	47	54	32
All other	57	-	-	-	-	1	1	4	9	21	16	5	61	-	-	1	1	-	2	7	7	13	18	12
Black	56	-	-	-	-	1	1	4	9	21	15	5	59	-	-	1	1	-	1	7	7	13	17	12
Acute bronchitis and bronchiolitis (466)	5	3	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	-	5	1
White	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	4	1
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	929	10	3	-	5	18	17	33	91	220	287	245	870	2	1	2	2	11	11	21	36	95	265	424
White	718	2	2	-	2	11	4	22	56	166	240	213	718	-	-	1	-	4	6	11	25	70	215	386
All other	211	8	1	-	3	7	13	11	35	54	47	32	152	2	1	1	2	7	5	10	11	25	50	38
Black	206	8	1	-	3	6	12	11	34	53	47	31	149	2	1	1	2	7	5	9	11	25	49	37
Pneumonia (480-486)	911	10	3	-	4	18	17	31	88	217	280	243	833	2	1	2	1	11	10	21	36	92	255	402
White	703	2	2	-	1	11	4	21	54	163	234	211	687	-	-	1	-	4	5	11	25	68	206	367
All other	208	8	1	-	3	7	13	10	34	54	46	32	146	2	1	1	1	7	5	10	11	24	49	35
Black	203	8	1	-	3	6	12	10	33	53	46	31	143	2	1	1	1	7	5	9	11	24	48	34
Influenza (487)	18	-	-	-	1	-	-	2	3	3	7	2	37	-	-	-	1	-	1	-	-	3	10	22
White	15	-	-	-	1	-	-	1	2	3	6	2	31	-	-	-	-	-	1	-	-	2	9	19
All other	3	-	-	-	-	-	-	1	1	-	1	-	6	-	-	-	1	-	-	-	-	1	1	3
Black	3	-	-	-	-	-	-	1	1	-	1	-	6	-	-	-	1	-	-	-	-	1	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,192	4	-	2	1	3	9	49	196	439	398	91	634	1	-	-	2	2	8	35	119	207	179	81
White	1,019	2	-	-	1	1	6	41	163	383	339	83	566	-	-	-	1	1	4	23	99	191	169	78
All other	173	2	-	2	-	2	3	8	33	56	59	8	68	1	-	-	1	1	4	12	20	16	10	3
Black	165	2	-	2	-	2	3	8	31	54	55	8	65	1	-	-	1	1	4	11	20	15	9	3
Bronchitis, chronic and unspecified (490-491)	68	4	-	-	-	-	2	1	9	29	18	5	52	-	-	-	-	-	-	4	8	15	11	14
White	54	2	-	-	-	-	2	1	9	29	16	5	50	-	-	-	-	-	-	3	7	15	11	14
All other	4	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	4	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Emphysema (492)	197	-	-	-	-	-	1	9	38	78	60	11	77	-	-	-	-	-	-	5	19	21	25	7
White	171	-	-	-	-	-	-	8	32	71	49	11	72	-	-	-	-	-	-	3	17	20	25	7
All other	26	-	-	-	-	-	1	1	6	7	11	-	5	-	-	-	-	-	-	2	2	1	-	-
Black	25	-	-	-	-	-	1	1	6	7	10	-	4	-	-	-	-	-	-	1	2	1	-	-
Asthma (493)	50	-	-	2	-	3	2	5	8	16	12	2	87	1	-	-	1	2	4	10	15	26	20	8
White	41	-	-	-	-	1	2	4	7	14	11	2	57	-	-	-	-	1	1	5	7	17	19	7
All other	9	-	-	2	-	2	-	1	1	2	1	-	30	1	-	-	1	1	3	5	8	9	1	1
Black	9	-	-	2	-	2	-	1	1	2	1	-	29	1	-	-	1	1	3	5	8	8	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	877	-	-	-	1	-	4	34	141	316	308	73	418	-	-	-	1	-	4	16	77	145	123	52
White	743	-	-	-	1	-	2	28	115	269	263	65	387	-	-	-	1	-	3	12	68	139	114	50
All other	134	-	-	-	-	-	2	6	26	47	45	8	31	-	-	-	-	-	1	4	9	6	9	2
Black	127	-	-	-	-	-	2	6	24	45	42	8	30	-	-	-	-	-	1	4	9	6	6	2
Ulcer of stomach and duodenum (531-533)	87	-	-	-	-	2	1	5	22	22	21	14	84	-	-	-	-	-	3	2	7	18	31	23
White	70	-	-	-	-	1	1	5	18	15	17	13	70	-	-	-	-	-	1	-	5	14	28	22
All other	17	-	-	-	-	1	-	-	4	7	4	1	14	-	-	-	-	-	2	2	2	4	3	1
Black	16	-	-	-	-	1	-	-	4	7	4	-	14	-	-	-	-	-	2	2	2	4	3	1
Appendicitis (540-543)	8	1	-	-	-	-	-	-	4	3	-	-	5	-	-	-	-	-	-	1	-	-	3	1
White	5	-	-	-	-	-	-	-	3	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	3	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	3	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	50	1	1	-	1	-	-	1	6	16	13	11	93	1	-	-	-	-	-	-	11	18	41	22
White	33	-	1	-	-	-	-	1	2	12	9	8	77	1	-	-	-	-	-	-	10	14	34	18
All other	17	1	-	-	1	-	-	-	4	4	4	3	16	-	-	-	-	-	-	-	1	4	7	4
Black	17	1	-	-	1	-	-	-	4	4	4	3	14	-	-	-	-	-	-	-	1	4	6	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	407	1	-	-	1	13	61	87	114	91	23	8	225	-	-	-	1	11	32	37	73	46	23	2
White	296	-	-	-	1	5	32	64	91	76	21	4	155	-	-	-	1	1	14	23	55	37	22	2
All other	111	1	-	-	-	8	29	33	23	13	2	2	70	-	-	-	-	10	18	14	18	9	1	-
Black	103	1	-	-	-	8	28	29	21	12	2	2	68	-	-	-	-	10	18	13	18	8	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	1	1	2	8	9	11	47	-	-	-	-	-	-	1	4	8	16	18
White	26	-	-	-	-	-	1	1	1	5	8	10	37	-	-	-	-	-	-	1	4	4	12	16
All other	6	-	-	-	-	-	-	-	1	3	1	1	10	-	-	-	-	-	-	-	-	4	4	2
Black	5	-	-	-	-	-	-	-	1	2	1	1	8	-	-	-	-	-	-	-	-	4	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	254	7	-	-	1	3	10	10	33	72	73	45	289	3	-	-	1	2	8	7	35	61	92	80
White	151	6	-	-	-	1	3	5	18	45	44	29	183	3	-	-	1	1	5	1	22	30	62	58
All other	103	1	-	-	1	2	7	5	15	27	29	16	106	-	-	-	-	1	3	6	13	31	30	22
Black	102	1	-	-	1	1	7	5	15	27	29	16	102	-	-	-	-	1	3	6	12	28	30	22
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	2	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	1	-	1	1	-	2
White	4	2	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	-	-	-	1	2	1	1	9	7	5	28	-	-	-	-	1	-	-	4	6	11	4
White	14	-	-	-	-	-	1	1	-	5	4	3	18	-	-	-	-	-	-	-	3	6	6	3
All other	12	-	-	-	-	1	1	-	1	4	3	2	10	-	-	-	-	1	-	-	1	2	5	1
Black	12	-	-	-	-	1	1	-	1	4	3	2	10	-	-	-	-	1	-	-	1	2	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	223	5	-	-	1	2	8	9	31	62	65	40	256	3	-	-	1	1	7	7	30	52	81	74
White	133	4	-	-	-	1	2	4	17	39	40	26	162	3	-	-	1	1	4	1	18	23	56	55
All other	90	1	-	-	1	1	6	5	14	23	25	14	94	-	-	-	-	-	3	6	12	29	25	19
Black	89	1	-	-	1	-	6	5	14	23	25	14	90	-	-	-	-	-	3	6	11	26	25	19
Infections of kidney (590)	18	-	-	-	-	-	-	1	2	3	7	5	46	-	-	-	-	-	-	2	3	15	9	17
White	16	-	-	-	-	-	-	1	1	3	7	4	34	-	-	-	-	-	-	-	1	10	8	15
All other	2	-	-	-	-	-	-	-	1	-	-	1	12	-	-	-	-	-	-	2	2	5	1	2
Black	2	-	-	-	-	-	-	-	1	-	-	1	12	-	-	-	-	-	-	2	2	5	1	2
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	2	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	-	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	-	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Congenital anomalies (740-759)	167	108	9	7	8	14	6	5	4	3	2	1	175	110	6	3	7	9	12	3	8	6	6	3
White	113	77	4	4	3	8	5	4	4	3	2	1	120	74	6	1	3	4	9	2	8	4	6	3
All other	54	31	5	3	5	6	1	1	-	-	-	-	55	36	2	2	4	5	3	1	-	2	-	-
Black	49	28	4	3	5	7	1	1	-	-	-	-	52	35	2	2	3	4	3	1	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	297	293	4	-	-	-	-	-	-	-	-	-	227	226	-	1	-	-	-	-	-	-	-	-
White	157	154	3	-	-	-	-	-	-	-	-	-	109	108	-	1	-	-	-	-	-	-	-	-
All other	140	139	1	-	-	-	-	-	-	-	-	-	118	118	-	-	-	-	-	-	-	-	-	-
Black	136	135	1	-	-	-	-	-	-	-	-	-	117	117	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	58	1	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	44	43	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	238	235	3	–	–	–	–	–	–	–	–	–	177	176	–	1	–	–	–	–	–	–	–	–
White	113	111	2	–	–	–	–	–	–	–	–	–	73	72	–	1	–	–	–	–	–	–	–	–
All other	125	124	1	–	–	–	–	–	–	–	–	–	104	104	–	–	–	–	–	–	–	–	–	–
Black	121	120	1	–	–	–	–	–	–	–	–	–	103	103	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	158	76	3	–	3	10	13	7	8	18	11	9	144	64	–	–	7	7	3	1	12	8	14	28
White	95	42	2	–	2	6	7	4	4	14	8	6	84	35	–	–	5	5	1	–	3	5	10	20
All other	63	34	1	–	1	4	6	3	4	4	3	3	60	29	–	–	2	2	2	1	9	3	4	8
Black	59	31	1	–	1	3	6	3	4	4	3	3	58	28	–	–	2	1	2	1	9	3	4	8
All other diseases (Residual)	2,235	30	21	18	37	101	143	199	349	509	551	277	2,222	9	9	20	14	36	73	106	206	453	884	610
White	1,560	13	13	12	23	45	65	117	239	371	429	233	1,695	2	7	14	7	7	28	71	143	348	560	510
All other	675	17	8	6	14	56	78	82	110	138	122	44	527	7	2	6	7	31	47	35	63	105	124	100
Black	660	15	7	6	14	56	78	82	106	132	120	44	509	6	2	5	7	30	43	35	61	102	118	100
Accidents and adverse effects (E800-E949)	2,242	16	51	96	520	483	284	201	222	183	132	74	938	10	34	52	143	118	78	61	79	111	134	118
White	1,553	9	33	58	400	309	179	129	150	122	100	64	713	6	18	32	116	84	53	46	61	88	112	97
All other	689	7	18	38	120	154	105	72	72	61	32	10	225	4	16	20	27	34	25	15	18	23	22	21
Black	643	7	14	35	108	140	98	70	68	61	32	10	210	4	16	18	23	29	24	14	17	23	22	20
Motor vehicle accidents (E810-E825)	1,235	6	18	59	390	322	152	80	97	65	37	9	477	3	14	34	128	88	58	35	44	37	33	3
White	882	4	10	39	303	217	101	54	69	48	30	7	375	2	9	23	103	66	43	28	37	31	31	2
All other	353	2	8	20	87	105	51	26	28	17	7	2	102	1	5	11	25	22	15	7	7	6	2	1
Black	321	2	6	18	80	93	47	24	25	17	7	2	91	1	5	9	22	18	14	7	6	6	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,007	10	33	37	130	141	132	121	125	118	95	65	461	7	20	18	15	30	20	26	35	74	101	115
White	671	5	23	19	97	92	78	75	81	74	70	57	338	4	9	9	13	18	10	18	24	57	81	95
All other	336	5	10	18	33	49	54	46	44	44	25	8	123	3	11	9	2	12	10	8	11	17	20	20
Black	322	5	8	17	28	47	51	46	43	44	25	8	119	3	11	9	1	11	10	7	11	17	20	19
Suicide (E950-E959)	598	...	...	4	89	124	98	90	81	65	37	10	172	...	...	2	28	28	37	26	22	18	9	2
White	522	...	...	4	74	102	83	82	78	59	34	8	160	...	...	2	24	27	35	24	21	18	7	2
All other	76	...	...	–	15	22	15	8	5	6	3	2	12	...	...	–	4	1	2	2	1	–	2	–
Black	68	...	...	–	13	20	13	6	5	6	3	2	8	...	...	–	3	–	1	1	1	–	2	–
Homicide and legal intervention (E960-E978)	451	5	1	5	107	142	88	48	28	15	9	2	136	1	5	2	29	35	31	10	6	8	7	2
White	202	3	–	2	51	56	34	29	11	10	4	1	69	–	2	–	14	15	16	7	3	3	7	2
All other	249	2	1	3	56	86	54	19	17	5	5	1	67	1	3	2	15	20	15	3	3	5	–	–
Black	234	2	1	2	53	79	52	18	18	5	5	1	60	1	1	1	13	19	15	3	2	5	–	–
All other external causes (E980-E999)	35	1	–	1	2	9	7	6	6	2	1	–	13	1	–	–	2	5	2	1	1	–	1	–
White	22	–	–	1	2	7	4	3	3	1	1	–	9	–	–	–	1	5	1	1	1	–	–	–
All other	13	1	–	–	–	2	3	3	3	1	–	–	4	1	–	–	1	–	1	–	–	–	1	–
Black	10	1	–	–	–	2	2	1	3	1	–	–	4	1	–	–	1	–	1	–	–	–	1	–
NORTH DAKOTA																								
All causes	2,959	48	10	19	59	59	73	134	338	705	902	612	2,330	43	11	6	21	36	45	81	173	378	681	855
White	2,870	44	9	16	49	51	62	129	332	684	889	605	2,271	37	8	6	16	29	42	77	165	368	676	847
All other	89	4	1	3	10	8	11	5	6	21	13	7	59	6	3	–	5	7	3	4	8	10	5	8
Black	6	–	–	–	3	1	–	1	–	–	–	1	2	–	–	–	–	2	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	13	–	–	–	–	–	1	1	1	3	6	1	13	–	–	–	–	–	1	–	1	3	3	5
White	13	–	–	–	–	–	1	1	1	3	6	1	13	–	–	–	–	–	1	–	1	3	3	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	14	–	–	–	–	–	–	1	1	5	5	2	9	–	–	–	–	–	1	1	1	4	2	–
White	14	–	–	–	–	–	–	1	1	5	5	2	9	–	–	–	–	–	1	1	1	4	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	683	1	1	3	2	4	9	27	124	219	206	87	521	–	–	–	2	12	19	39	82	130	149	88
White	675	–	1	3	2	4	8	27	123	217	204	86	510	–	–	–	1	11	19	37	80	126	148	88
All other	8	1	–	–	–	–	1	–	1	2	2	1	11	–	–	–	1	1	–	2	2	4	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	–	–	–	–	–	–	2	5	1	1	1	6	–	–	–	–	–	–	–	2	1	1	2
White	10	–	–	–	–	–	–	2	5	1	1	1	6	–	–	–	–	–	–	–	2	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	188	–	–	–	1	–	1	8	33	64	54	25	151	–	–	–	–	2	3	5	22	35	53	31
White	183	–	–	–	1	–	–	8	32	63	54	25	150	–	–	–	–	2	3	5	22	35	52	31
All other	3	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	204	–	–	–	–	–	2	7	53	74	54	14	65	–	–	–	–	–	1	8	20	18	13	5
White	202	–	–	–	–	–	2	7	53	73	54	13	62	–	–	–	–	–	1	8	18	17	13	5
All other	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	2	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	–	–	–	–	–	–	–	–	–	–	–	–	99	–	–	–	–	1	6	18	15	22	22	15
White	–	–	–	–	–	–	–	–	–	–	–	–	97	–	–	–	–	1	6	18	15	22	22	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	101	–	–	–	–	1	–	1	8	23	39	29	61	–	–	–	–	2	3	2	9	16	20	9
White	100	–	–	–	–	1	–	1	8	23	38	29	59	–	–	–	–	1	3	2	9	15	20	9
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	43	-	-	-	-	-	-	-	7	17	13	6	16	-	-	-	-	-	1	-	6	2	5	2
White	43	-	-	-	-	-	-	-	7	17	13	6	16	-	-	-	-	-	1	-	6	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61	1	-	1	-	2	3	4	8	19	18	5	59	-	-	-	1	4	2	5	4	18	13	12
White	60	-	-	1	-	2	3	4	8	19	18	5	58	-	-	-	-	4	2	5	4	18	13	12
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	-	2	1	-	1	2	2	7	19	4	34	-	-	-	-	3	2	-	3	10	9	7
White	37	-	-	2	1	-	1	2	2	7	18	4	32	-	-	-	-	3	2	-	3	8	9	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	-	1	-	-	1	2	3	8	14	8	3	30	-	-	-	1	-	1	1	1	8	13	5
White	40	-	1	-	-	1	2	3	8	14	8	3	30	-	-	-	1	-	1	1	1	8	13	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	1	-	-	-	-	1	1	2	1	4	-	-	-	1	-	-	-	-	-	3	-
White	6	-	-	1	-	-	-	-	1	1	2	1	4	-	-	-	1	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	40	-	-	-	-	2	2	2	3	10	11	10	48	-	-	-	-	1	1	1	8	8	10	19
White	40	-	-	-	-	2	2	2	3	10	11	10	44	-	-	-	-	1	1	-	6	8	10	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	-	2	11	-	-	-	-	-	-	-	-	1	1	9
White	2	-	-	-	-	-	-	-	-	-	-	2	11	-	-	-	-	-	-	-	-	1	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	-	1	1	2	-	4	8	-	-	-	-	-	-	-	1	-	1	6
White	6	-	-	-	-	-	-	1	1	2	-	3	6	-	-	-	-	-	-	-	1	-	1	6
All other	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,337	1	-	-	2	3	14	57	144	325	461	330	1,138	1	2	1	2	6	7	15	47	158	368	531
White	1,310	1	-	-	1	3	12	55	143	313	455	327	1,121	1	1	1	2	5	6	15	45	153	365	527
All other	27	-	-	-	1	-	2	2	1	12	6	3	17	-	1	-	-	1	1	-	2	5	3	4
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,064	1	-	-	2	2	12	52	125	273	361	236	827	1	2	1	1	3	2	11	38	129	285	354
White	1,043	1	-	-	1	2	11	50	124	264	355	235	816	1	1	1	1	2	2	11	38	128	283	352
All other	21	-	-	-	1	-	1	2	1	9	6	1	11	-	1	-	-	1	-	-	2	3	2	2
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	-	-	4	3	2	-	10	-	-	-	-	-	-	1	-	-	8	1
White	9	-	-	-	-	-	-	-	4	3	2	-	10	-	-	-	-	-	-	1	-	-	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	1	-	1	5	2	17	-	-	-	-	-	-	-	2	3	7	5
White	9	-	-	-	-	-	-	1	-	1	5	2	17	-	-	-	-	-	-	-	2	3	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	3
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	768	-	-	-	-	1	7	42	95	211	253	159	546	-	-	-	-	1	1	7	25	100	195	217
White	752	-	-	-	-	1	6	40	94	205	248	158	539	-	-	-	-	-	1	7	24	98	194	215
All other	16	-	-	-	-	-	1	2	1	6	5	1	7	-	-	-	-	1	-	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	465	-	-	-	-	1	7	31	73	134	156	63	290	-	-	-	-	1	1	4	18	64	123	79
White	453	-	-	-	-	1	6	30	72	129	152	63	283	-	-	-	-	-	1	4	17	62	122	77
All other	12	-	-	-	-	-	1	1	1	5	4	-	7	-	-	-	-	1	-	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	301	-	-	-	-	-	-	11	22	76	97	95	254	-	-	-	-	-	-	3	7	36	72	136
White	297	-	-	-	-	-	-	10	22	75	96	94	254	-	-	-	-	-	-	3	7	36	72	136
All other	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	10	-	-	-	-	-	1	-	3	2	1	3	20	-	-	-	-	-	-	-	-	3	5	12
White	10	-	-	-	-	-	1	-	3	2	1	3	20	-	-	-	-	-	-	-	-	3	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	267	1	-	-	2	1	4	9	23	56	100	71	231	1	2	1	1	2	1	3	11	23	70	116
White	262	1	-	-	1	1	4	9	23	53	99	71	227	1	1	1	1	2	1	3	10	22	69	116
All other	5	-	-	-	1	-	-	-	-	3	1	-	4	-	1	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	1	1	5	-	12	-	-	-	-	-	-	-	-	2	1	9
White	7	-	-	-	-	-	-	-	1	1	5	-	12	-	-	-	-	-	-	-	-	2	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	187	-	-	-	-	-	1	4	12	34	66	70	218	-	-	-	1	3	4	3	6	19	60	120
White	183	-	-	-	-	-	-	4	12	33	66	68	213	-	-	-	1	3	4	3	6	17	59	118
All other	4	-	-	-	-	-	1	-	-	1	-	2	5	-	-	-	-	-	-	-	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	34	-	-	-	-	-	1	1	5	11	10	6	22	-	-	-	-	-	1	-	2	2	9	8
White	33	-	-	-	-	-	-	1	5	11	10	6	21	-	-	-	-	-	1	-	2	1	9	8
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	-	-	-	-	-	-	1	-	5	10	11	21	-	-	-	-	-	1	-	-	5	15
White	27	-	-	-	-	-	-	1	-	5	10	11	21	-	-	-	-	-	1	-	-	5	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	125	-	-	-	-	-	-	2	7	18	45	53	171	-	-	-	1	3	2	3	6	17	44	95
White	122	-	-	-	-	-	-	2	7	17	45	51	167	-	-	-	1	3	2	3	6	16	43	93
All other	3	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	-	-	-	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	38	-	-	-	-	-	-	-	1	6	17	14	60	-	-	-	-	-	-	-	-	4	16	40
White	36	-	-	-	-	-	-	-	1	4	17	14	60	-	-	-	-	-	-	-	-	4	16	40
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	41	-	-	-	-	1	1	1	5	11	12	10	21	-	-	-	-	-	1	1	1	4	6	8
White	41	-	-	-	-	1	1	1	5	11	12	10	20	-	-	-	-	-	1	1	1	4	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	132	1	-	-	-	-	-	-	5	20	42	64	88	-	1	1	-	1	-	1	1	7	23	53
White	125	1	-	-	-	-	-	-	4	16	41	63	87	-	1	1	-	-	-	1	1	7	23	53
All other	7	-	-	-	-	-	-	-	1	4	1	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	121	1	–	–	–	–	–	–	5	17	40	58	80	–	1	1	–	1	–	1	1	7	23	45
White	114	1	–	–	–	–	–	–	4	13	39	57	79	–	1	1	–	–	–	1	1	7	23	45
All other	7	–	–	–	–	–	–	–	1	4	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza (487)	11	–	–	–	–	–	–	–	–	3	2	6	8	–	–	–	–	–	–	–	–	–	–	8
White	11	–	–	–	–	–	–	–	–	3	2	6	8	–	–	–	–	–	–	–	–	–	–	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	140	–	–	2	–	–	–	1	12	44	53	28	48	–	–	–	–	–	–	5	6	15	14	8
White	135	–	–	2	–	–	–	1	11	43	50	28	48	–	–	–	–	–	–	5	6	15	14	8
All other	5	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	8	–	–	–	–	–	–	–	3	–	4	1	4	–	–	–	–	–	–	1	–	1	1	1
White	8	–	–	–	–	–	–	–	3	–	4	1	4	–	–	–	–	–	–	1	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	20	–	–	–	–	–	–	1	2	8	7	2	6	–	–	–	–	–	–	1	3	–	2	–
White	20	–	–	–	–	–	–	1	2	8	7	2	6	–	–	–	–	–	–	1	3	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	11	–	–	2	–	–	–	–	1	2	4	2	11	–	–	–	–	–	–	3	–	2	3	3
White	11	–	–	2	–	–	–	–	1	2	4	2	11	–	–	–	–	–	–	3	–	2	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	101	–	–	–	–	–	–	–	6	34	38	23	27	–	–	–	–	–	–	–	3	12	8	4
White	96	–	–	–	–	–	–	–	5	33	35	23	27	–	–	–	–	–	–	–	3	12	8	4
All other	5	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	9	–	–	–	–	–	–	–	–	2	4	3	13	–	–	–	–	1	–	–	1	–	9	2
White	9	–	–	–	–	–	–	–	–	2	4	3	13	–	–	–	–	1	–	–	1	–	9	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	–	–	–	–	–	1	1	–	–	1	4	9	–	–	–	–	–	1	2	1	2	1	2
White	7	–	–	–	–	–	1	1	–	–	1	4	9	–	–	–	–	–	1	2	1	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	28	–	–	–	–	1	4	5	10	4	3	1	19	–	–	–	–	2	3	3	5	4	2	–
White	26	–	–	–	–	–	3	5	10	4	3	1	16	–	–	–	–	1	3	2	4	4	2	–
All other	2	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	1	–	1	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	1	2	
White	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	1	1	
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	45	1	–	–	–	–	–	2	1	9	21	11	31	–	–	–	–	–	–	1	–	3	18	11
White	45	1	–	–	–	–	–	2	1	9	21	11	30	–	–	–	–	–	–	1	–	3	16	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	–	–	–	–	–	1	–	1	–	2	5	–	–	–	–	–	–	1	–	–	3	1
White	4	–	–	–	–	–	–	1	–	1	–	2	5	–	–	–	–	–	–	1	–	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	41	1	–	–	–	–	–	1	1	8	21	9	26	–	–	–	–	–	–	–	–	3	13	10
White	41	1	–	–	–	–	–	1	1	8	21	9	25	–	–	–	–	–	–	–	–	3	13	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	18	12	1	1	2	1	–	–	1	–	–	–	9	7	1	–	–	–	–	–	–	–	1	–
White	18	12	1	1	2	1	–	–	1	–	–	–	8	6	1	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	14	14	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
White	11	11	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
White	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	11	11	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
White	8	8	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	47	13	1	–	1	2	–	1	3	3	12	11	62	9	–	–	–	–	–	–	–	4	11	38
White	45	13	1	–	1	1	–	1	3	3	12	10	57	5	–	–	–	–	–	–	–	4	11	37
All other	2	–	–	–	–	1	–	–	–	–	–	1	5	4	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	172	5	1	3	3	4	7	10	11	35	54	38	182	4	–	1	3	1	3	7	14	29	56	64
White	167	5	1	3	3	3	6	10	10	34	53	38	179	3	–	1	3	–	3	7	14	29	55	64
All other	5	–	–	–	–	1	1	–	1	1	1	–	3	1	–	–	–	1	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	161	–	6	5	33	26	26	17	10	14	12	11	69	1	7	3	9	4	7	2	3	6	10	17
White	140	–	5	4	27	22	21	16	9	13	12	11	63	1	5	3	6	4	6	2	3	6	10	17
All other	21	–	1	2	6	4	5	1	1	1	–	–	6	–	2	–	3	–	1	–	–	–	–	–
Black	3	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	86	-	3	3	24	17	12	9	3	8	5	2	32	-	3	3	8	3	5	-	3	3	3	1
White	74	-	2	3	21	13	10	8	3	7	5	2	28	-	2	3	5	3	5	-	3	3	3	1
All other	12	-	1	-	3	4	2	1	-	1	-	-	4	-	1	-	3	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	75	-	3	3	9	9	14	8	7	6	7	9	37	1	4	-	1	1	2	2	-	3	7	16
White	66	-	3	1	6	9	11	8	6	6	7	9	35	1	3	-	1	1	1	2	-	3	7	16
All other	9	-	-	2	3	-	3	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	57	...	...	1	12	11	6	8	8	5	6	-	16	...	...	-	4	5	1	2	1	3	-	-
White	54	...	...	1	10	11	6	7	8	5	6	-	13	...	...	-	3	4	-	2	1	3	-	-
All other	3	...	...	-	2	-	-	1	-	-	-	-	3	...	...	-	1	1	1	-	-	-	-	-
Black	1	...	...	-	-	-	-	1	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	6	-	-	-	1	1	3	-	-	1	-	-	3	-	-	-	-	1	1	1	-	-	-	-
White	4	-	-	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
All other	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	1	3	4	-	-	1	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-
White	8	-	-	-	3	3	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO																								
All causes	51,000	1,001	167	235	1,128	1,424	1,642	3,149	8,671	13,802	12,933	6,846	48,716	679	117	120	392	608	1,036	2,061	5,550	10,103	14,097	13,952
White	45,429	754	121	194	967	1,134	1,321	2,627	7,547	12,486	11,935	6,341	43,879	505	82	97	343	464	809	1,668	4,769	8,978	13,009	13,154
All other	5,571	247	46	41	161	290	321	522	1,124	1,316	998	505	4,837	174	35	23	49	144	227	393	781	1,125	1,088	798
Black	5,471	240	45	41	155	285	316	514	1,105	1,289	983	498	4,754	167	33	23	46	139	220	387	767	1,113	1,074	785
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	2	1	1	-	-	-	-	-	1	2	1	8	1	-	-	-	-	-	-	-	1	-	6
White	6	1	1	-	-	-	-	-	-	1	2	1	7	1	-	-	-	-	-	-	-	1	-	5
All other	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	15	-	-	-	-	2	-	2	2	5	2	2	21	-	-	-	-	-	-	1	8	3	7	2
White	8	-	-	-	-	-	-	2	2	4	-	-	17	-	-	-	-	-	-	1	7	1	6	2
All other	7	-	-	-	-	2	-	-	-	1	2	2	4	-	-	-	-	-	-	-	1	2	1	-
Black	6	-	-	-	-	2	-	-	-	-	2	2	4	-	-	-	-	-	-	-	1	2	1	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	2	-	1	2	4	1	1	14	-	-	-	-	-	-	-	4	2	7	1
White	6	-	-	-	-	-	-	1	2	3	-	-	11	-	-	-	-	-	-	-	3	1	6	1
All other	5	-	-	-	-	2	-	-	-	1	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	4	-	-	-	-	2	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	-	1	4	1	-	1
White	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	-	-	-	1	4	-	-	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	3	-	-	-	2	-	-	-	1	-	-	7	3	2	-	-	-	-	-	2	-	-	-
White	4	3	-	-	-	1	-	-	-	-	-	-	5	1	2	-	-	-	-	-	2	-	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	413	8	4	1	4	7	6	19	64	98	121	81	460	-	2	-	2	6	9	14	46	81	152	148
White	351	5	3	-	4	5	3	14	56	89	105	67	387	-	1	-	1	4	5	7	37	64	134	134
All other	62	3	1	1	-	2	3	5	8	9	16	14	73	-	1	-	1	2	4	7	9	17	18	14
Black	62	3	1	1	-	2	3	5	8	9	16	14	70	-	1	-	-	2	3	7	9	17	18	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	17	-	-	-	-	1	-	3	4	6	3	-	15	1	-	-	-	1	1	1	3	5	3	-
White	15	-	-	-	-	1	-	1	4	6	3	-	11	-	-	-	-	-	1	1	3	3	3	-
All other	2	-	-	-	-	-	-	2	-	-	-	-	4	1	-	-	-	1	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	4	1	-	-	-	1	-	-	-	2	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	165	6	3	2	7	29	19	9	34	33	13	10	132	3	2	3	4	5	9	13	21	34	18	20
White	139	4	2	2	6	25	17	8	27	28	11	9	102	3	2	3	3	2	3	6	18	27	16	19
All other	26	2	1	-	1	4	2	1	7	5	2	1	30	-	-	-	1	3	6	7	3	7	2	1
Black	26	2	1	-	1	4	2	1	7	5	2	1	30	-	-	-	1	3	6	7	3	7	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,010	1	20	35	46	133	308	918	2,811	4,015	2,825	894	10,748	2	9	21	30	133	416	906	2,317	3,139	2,570	1,211
White	10,595	1	15	30	42	120	261	783	2,420	3,603	2,541	799	9,689	2	5	19	28	118	364	771	2,036	2,848	2,369	1,129
All other	1,415	-	5	6	6	13	47	155	391	412	284	96	1,059	-	4	2	2	15	52	135	281	285	201	82
Black	1,396	-	4	6	6	13	45	154	387	408	278	95	1,039	-	4	2	1	12	50	134	275	281	198	82
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	252	-	-	-	3	6	9	33	77	74	36	14	119	-	1	-	1	1	5	9	37	41	12	13
White	202	-	-	-	3	5	5	13	61	70	33	12	97	-	-	-	1	1	3	4	29	34	12	13
All other	50	-	-	-	-	1	4	20	16	4	3	2	22	-	1	-	-	-	2	4	8	7	-	-
Black	50	-	-	-	-	1	4	20	16	4	3	2	21	-	1	-	-	-	1	4	8	7	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,808	-	-	-	-	20	68	198	669	978	719	254	2,687	-	-	1	1	11	48	150	449	770	817	440
White	2,560	-	-	-	-	16	60	168	572	865	653	225	2,377	-	-	1	1	10	42	125	372	680	740	406
All other	248	-	-	-	-	4	9	30	97	113	66	29	310	-	-	-	-	1	6	25	77	90	77	34
Black	239	-	-	-	-	4	9	30	93	110	64	29	305	-	-	-	-	-	6	25	75	89	76	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,372	-	-	-	2	10	74	389	1,265	1,565	904	163	2,095	1	-	-	2	4	48	199	612	754	370	105
White	3,868	-	-	-	1	8	56	326	1,086	1,414	830	147	1,892	1	-	-	1	3	42	164	547	691	345	98
All other	504	-	-	-	1	2	18	63	179	151	74	16	203	-	-	-	1	1	6	35	65	63	25	7
Black	499	-	-	-	1	2	16	63	179	151	71	16	199	-	-	-	-	1	6	34	64	63	24	7
Malignant neoplasm of breast (174-175)	17	-	-	-	-	-	2	3	3	4	4	1	2,067	-	-	-	-	31	161	272	500	509	381	213
White	15	-	-	-	-	-	2	3	3	3	3	1	1,874	-	-	-	-	25	141	234	460	461	355	198
All other	2	-	-	-	-	-	-	-	-	1	1	-	193	-	-	-	-	6	20	38	40	48	26	15
Black	2	-	-	-	-	-	-	-	-	1	1	-	191	-	-	-	-	6	20	38	39	48	25	15
Malignant neoplasms of genital organs (179-187)	1,272	-	-	-	2	13	7	24	134	368	476	248	1,196	-	-	-	5	26	58	107	252	350	277	121
White	1,060	-	-	-	2	13	7	17	109	308	394	210	1,087	-	-	-	5	24	49	95	225	324	253	112
All other	212	-	-	-	-	-	-	7	25	60	82	38	109	-	-	-	-	2	9	12	27	26	24	9
Black	211	-	-	-	-	-	-	7	25	60	82	37	107	-	-	-	-	2	9	12	26	25	24	9
Malignant neoplasms of urinary organs (188-189)	561	-	-	-	-	2	11	32	111	195	157	53	327	-	1	1	1	3	6	18	51	89	102	55
White	529	-	-	-	-	1	11	29	102	185	149	52	302	-	-	1	1	3	4	15	46	83	95	54
All other	32	-	-	-	-	1	-	3	9	10	8	1	25	-	1	-	-	-	2	3	5	6	7	1
Black	32	-	-	-	-	1	-	3	9	10	8	1	25	-	1	-	-	-	2	3	5	6	7	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,495	1	13	15	15	45	81	161	345	459	282	78	1,289	1	4	11	9	28	60	106	249	342	339	140
White	1,341	1	9	11	15	43	74	138	301	419	257	73	1,175	1	2	10	8	26	55	95	216	315	314	133
All other	154	-	4	4	-	2	7	23	44	40	25	5	114	-	2	1	1	2	5	11	33	27	25	7
Black	150	-	3	4	-	2	7	22	44	39	24	6	111	-	2	1	1	1	4	11	32	27	25	7
Leukemia (204-208)	445	-	6	17	17	15	23	22	69	131	105	40	380	-	3	7	8	13	15	20	65	90	99	63
White	405	-	5	16	13	15	19	20	62	120	96	39	352	-	3	6	6	12	14	19	55	87	92	58
All other	40	-	1	1	4	-	4	2	7	11	9	1	28	-	-	1	-	1	1	1	10	3	6	5
Black	40	-	1	1	4	-	4	2	7	11	9	1	28	-	-	1	-	1	1	1	10	3	6	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	688	-	1	4	9	22	32	56	138	241	142	43	588	-	-	1	5	16	15	26	102	188	174	61
White	615	-	1	3	8	19	27	49	124	219	126	39	533	-	-	1	5	14	14	20	88	173	163	57
All other	73	-	-	1	1	3	5	7	14	22	16	4	55	-	-	-	-	2	1	6	14	15	11	4
Black	73	-	-	1	1	3	5	7	14	22	16	4	52	-	-	-	-	1	1	6	14	13	11	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	159	-	1	3	1	6	10	20	27	34	41	14	204	1	1	-	4	4	6	10	26	46	49	57
White	144	-	-	3	1	7	8	19	24	30	38	14	183	1	1	-	4	4	4	7	19	41	47	55
All other	15	-	1	-	-	1	2	1	3	4	3	-	21	-	-	-	-	-	2	3	7	5	2	2
Black	14	-	1	-	-	1	2	-	3	4	3	-	21	-	-	-	-	-	2	3	7	5	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	785	-	1	2	2	17	18	57	140	240	214	94	1,256	-	-	-	3	9	27	49	161	347	424	236
White	693	-	1	1	1	14	14	43	124	215	193	87	1,092	-	-	-	3	6	20	40	130	284	389	220
All other	92	-	-	1	1	3	4	14	16	25	21	7	164	-	-	-	-	3	7	9	31	63	35	16
Black	90	-	-	1	1	3	4	14	16	23	21	7	161	-	-	-	-	3	7	9	30	62	34	16
Nutritional deficiencies (260-269)	57	-	-	-	-	-	-	1	2	18	18	18	89	-	-	-	-	-	-	-	2	8	28	61
White	48	-	-	-	-	-	-	-	1	15	17	15	82	-	-	-	-	-	-	-	2	6	27	57
All other	9	-	-	-	-	-	-	1	1	3	1	3	7	-	-	-	-	-	-	-	-	2	1	4
Black	9	-	-	-	-	-	-	1	1	3	1	3	7	-	-	-	-	-	-	-	-	2	1	4
Anemias (280-285)	76	-	-	-	1	6	5	3	5	8	29	19	112	-	3	1	4	1	3	3	2	23	36	36
White	65	-	-	-	1	-	3	2	5	8	28	18	95	-	-	-	2	-	1	2	2	19	33	36
All other	11	-	-	-	-	6	2	1	-	-	1	1	17	-	3	1	2	1	2	1	-	4	3	-
Black	11	-	-	-	-	6	2	1	-	-	1	1	17	-	3	1	2	1	2	1	-	4	3	-
Meningitis (320-322)	18	3	5	-	-	1	1	-	2	2	4	-	20	1	-	-	-	-	1	4	4	5	5	-
White	15	3	4	-	-	1	1	-	2	1	3	-	18	1	-	-	-	-	1	4	4	4	4	-
All other	3	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Major cardiovascular diseases (390-448)	23,114	23	11	9	29	126	474	1,309	3,892	6,562	6,717	3,962	24,698	21	5	6	30	79	187	567	1,947	4,510	8,065	9,280
White	21,007	15	8	8	27	97	392	1,116	3,410	5,967	6,266	3,701	22,469	19	3	4	25	58	127	425	1,640	3,963	7,438	8,766
All other	2,107	8	3	1	2	29	82	193	482	595	451	261	2,229	2	2	2	5	21	60	142	307	547	627	514
Black	2,060	8	3	1	2	27	81	188	471	579	443	257	2,200	1	2	2	5	20	60	138	305	542	620	505
Diseases of heart (390-398,402,404-429)	19,182	21	10	8	26	107	417	1,191	3,437	5,531	5,347	3,087	19,167	19	5	5	23	53	138	460	1,630	3,626	6,268	6,939
White	17,435	14	7	7	24	82	348	1,023	3,025	5,042	4,986	2,877	17,433	17	3	4	19	43	93	351	1,381	3,202	5,782	6,537
All other	1,747	7	3	1	2	25	69	168	412	489	361	210	1,734	2	2	1	4	10	45	109	249	424	486	402
Black	1,706	7	3	1	2	23	68	164	403	474	354	207	1,717	1	2	1	4	10	45	108	248	421	481	396
Rheumatic fever and rheumatic heart disease (390-398)	113	-	-	-	-	1	5	13	20	42	26	6	213	-	-	-	-	-	7	16	36	66	58	30
White	103	-	-	-	-	1	4	12	16	40	24	6	198	-	-	-	-	-	4	15	34	61	55	29
All other	10	-	-	-	-	-	1	1	4	2	2	-	15	-	-	-	-	-	3	1	2	5	3	1
Black	10	-	-	-	-	-	1	1	4	2	2	-	15	-	-	-	-	-	3	1	2	5	3	1
Hypertensive heart disease (402)	416	-	-	-	1	-	9	41	84	128	108	45	642	-	-	-	-	1	10	30	59	126	218	198
White	324	-	-	-	1	-	7	25	62	103	91	35	519	-	-	-	-	-	3	12	33	101	187	183
All other	92	-	-	-	-	-	2	16	22	25	17	10	123	-	-	-	-	1	7	18	26	25	31	15
Black	91	-	-	-	-	-	2	16	22	25	16	10	122	-	-	-	-	1	7	18	26	25	31	14
Hypertensive heart and renal disease (404)	58	-	-	-	-	1	1	1	8	16	16	15	104	-	-	-	-	-	1	-	4	15	33	31
White	40	-	-	-	-	-	-	-	5	10	13	12	74	-	-	-	-	-	-	-	3	6	25	40
All other	18	-	-	-	-	1	1	1	3	6	3	3	30	-	-	-	-	-	1	-	1	9	8	11
Black	18	-	-	-	-	1	1	1	3	6	3	3	30	-	-	-	-	-	1	-	1	9	8	11
Ischemic heart disease (410-414)	13,953	-	-	2	7	52	295	892	2,628	4,077	3,886	2,114	12,861	1	1	-	6	14	64	272	1,091	2,569	4,285	4,558
White	12,868	-	-	2	6	47	258	796	2,355	3,778	3,643	1,983	11,819	1	-	-	5	12	50	219	938	2,304	3,986	4,304
All other	1,085	-	-	-	1	5	37	96	273	299	243	131	1,042	-	1	-	1	2	14	53	153	265	299	254
Black	1,052	-	-	-	1	5	37	92	264	288	236	129	1,033	-	1	-	1	2	14	52	152	263	296	252
Acute myocardial infarction (410)	7,017	-	-	1	4	32	171	545	1,506	2,230	1,814	714	5,505	1	-	-	3	8	39	168	590	1,393	1,956	1,347
White	6,624	-	-	1	4	29	156	503	1,407	2,112	1,731	681	5,113	1	-	-	3	7	32	145	532	1,275	1,841	1,277
All other	393	-	-	-	-	3	15	42	99	118	83	33	392	-	-	-	-	1	7	23	58	118	115	70
Black	380	-	-	-	-	3	15	41	95	112	81	33	389	-	-	-	-	1	7	23	58	117	113	70
Other acute and subacute forms of ischemic heart disease (411)	55	-	-	1	-	-	2	5	10	19	13	5	41	-	-	-	-	-	-	-	4	9	14	14
White	54	-	-	1	-	-	2	4	10	19	13	5	38	-	-	-	-	-	-	-	3	9	13	13
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Angina pectoris (413)	24	-	-	-	-	-	1	-	3	9	6	5	29	-	-	-	-	-	-	1	3	7	12	6
White	23	-	-	-	-	-	1	-	3	8	6	5	22	-	-	-	-	-	-	1	1	6	10	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	2	1	2	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	2	1	2	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,857	-	-	-	3	20	121	342	1,109	1,619	2,053	1,390	7,286	-	1	-	3	6	25	103	494	1,160	2,303	3,191
White	6,167	-	-	-	2	18	99	289	935	1,639	1,893	1,292	6,646	-	-	-	2	5	18	73	402	1,014	2,122	3,010
All other	690	-	-	-	1	2	22	53	174	180	160	98	640	-	1	-	1	1	7	30	92	146	181	181
Black	670	-	-	-	1	2	22	50	169	173	157	96	634	-	1	-	1	1	7	29	91	145	180	179
Other diseases of endocardium (424)	240	-	-	-	1	8	5	7	31	62	89	37	267	1	-	-	1	-	2	7	22	46	116	72
White	221	-	-	-	1	6	4	4	27	57	85	37	252	1	-	-	1	-	2	7	21	43	109	68
All other	19	-	-	-	-	2	1	3	4	5	4	-	15	-	-	-	-	-	-	-	1	3	7	4
Black	19	-	-	-	-	2	1	3	4	5	4	-	15	-	-	-	-	-	-	-	1	3	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	4,402	21	10	6	17	45	102	237	666	1,206	1,222	870	5,080	17	4	5	16	38	54	135	418	804	1,658	2,030
White	3,879	14	7	5	16	28	75	186	560	1,054	1,130	804	4,571	15	3	4	13	31	34	98	352	687	1,420	1,913
All other	523	7	3	1	1	17	27	51	106	152	92	66	509	2	1	1	3	7	20	37	66	117	138	117
Black	516	7	3	1	1	15	26	51	106	150	91	65	502	1	1	1	3	7	20	37	66	116	136	114
Hypertension with or without renal disease (401,403)	150	-	-	-	-	-	-	5	20	39	56	30	227	-	-	-	-	1	3	7	11	46	78	81
White	119	-	-	-	-	-	-	1	16	29	47	26	187	-	-	-	-	-	-	4	9	36	65	73
All other	31	-	-	-	-	-	-	4	4	10	9	4	40	-	-	-	-	1	3	3	2	10	13	8
Black	31	-	-	-	-	-	-	4	4	10	9	4	38	-	-	-	-	1	3	3	1	10	13	7
Cerebrovascular diseases (430-438)	2,700	1	-	1	2	16	48	84	308	679	978	583	4,186	2	-	-	6	20	43	88	254	702	1,398	1,673
White	2,431	-	-	1	2	14	35	67	254	599	912	547	3,789	2	-	-	5	11	33	61	210	603	1,280	1,584
All other	269	1	-	-	-	2	13	17	54	80	66	36	397	-	-	-	1	9	10	27	44	99	118	89
Black	264	1	-	-	-	2	13	17	52	79	65	35	390	-	-	-	1	8	10	24	44	99	117	87
Intracerebral and other intracranial hemorrhage (431-432)	391	-	-	-	1	3	18	28	71	108	121	43	518	2	-	-	1	7	13	31	52	123	169	120
White	340	-	-	-	1	3	12	20	57	96	110	41	459	2	-	-	1	4	9	21	42	108	160	112
All other	51	-	-	-	-	-	6	8	14	10	11	2	59	-	-	-	-	3	4	10	10	15	9	8
Black	51	-	-	-	-	-	6	8	14	10	11	2	56	-	-	-	-	2	4	9	10	15	9	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	472	1	-	-	-	1	3	11	51	106	198	101	675	-	-	-	2	4	1	9	33	125	224	277
White	433	-	-	-	-	1	3	10	44	93	188	94	611	-	-	-	2	1	1	7	28	108	202	262
All other	39	1	-	-	-	-	-	1	7	13	10	7	64	-	-	-	-	3	-	2	5	17	22	15
Black	37	1	-	-	-	-	-	1	5	13	10	7	62	-	-	-	-	3	-	2	5	17	21	14
Cerebral embolism (434.1)	11	-	-	-	-	-	-	-	1	4	4	2	16	-	-	-	1	-	-	-	1	2	5	7
White	10	-	-	-	-	-	-	-	1	4	3	2	14	-	-	-	1	-	-	-	-	2	4	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,826	-	-	1	1	12	27	45	185	463	655	437	2,977	-	-	-	2	9	29	48	168	452	1,000	1,269
White	1,648	-	-	1	1	10	20	37	152	408	611	410	2,705	-	-	-	1	6	23	33	140	385	914	1,203
All other	178	-	-	-	-	2	7	8	33	57	44	27	272	-	-	-	1	3	6	15	28	67	86	66
Black	175	-	-	-	-	2	7	8	33	56	43	26	270	-	-	-	1	3	6	13	28	67	86	66
Atherosclerosis (440)	413	-	-	-	-	-	2	3	19	71	130	188	714	-	-	-	-	-	-	4	13	44	173	480
White	394	-	-	-	-	-	2	3	18	66	123	182	693	-	-	-	-	-	-	4	10	40	171	468
All other	19	-	-	-	-	-	-	-	1	5	7	6	21	-	-	-	-	-	-	-	3	4	2	12
Black	19	-	-	-	-	-	-	-	1	5	7	6	20	-	-	-	-	-	-	-	3	4	1	12
Other diseases of arteries, arterioles, and capillaries (441-448)	669	1	1	-	1	3	7	26	108	242	206	74	404	-	-	1	1	5	3	8	39	92	148	107
White	628	1	1	-	1	1	7	22	97	231	198	69	367	-	-	-	1	4	1	5	30	82	140	104
All other	41	-	-	-	-	2	-	4	11	11	8	5	37	-	-	1	-	1	2	3	9	10	8	3
Black	40	-	-	-	-	2	-	3	11	11	8	5	35	-	-	1	-	1	2	3	9	8	8	3
Acute bronchitis and bronchiolitis (466)	17	3	-	-	1	1	-	1	-	2	6	3	20	-	2	1	-	-	-	2	-	1	8	6
White	14	2	-	-	-	1	-	-	-	2	6	3	20	-	2	1	-	-	-	2	-	1	8	6
All other	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,482	14	5	3	8	19	24	40	112	292	498	467	1,530	15	2	1	3	6	20	26	68	183	447	759
White	1,336	13	4	3	8	16	16	31	102	256	459	428	1,420	11	1	1	3	5	14	23	57	167	413	725
All other	146	1	1	-	-	3	8	9	10	36	39	39	110	4	1	-	-	1	6	3	11	16	34	34
Black	144	1	1	-	-	3	8	9	10	36	39	37	108	4	1	-	-	1	6	3	11	16	34	33
Pneumonia (480-486)	1,456	13	4	3	8	18	24	40	112	288	490	456	1,486	15	2	-	3	5	19	25	65	179	437	736
White	1,311	12	3	3	8	15	16	31	102	253	451	417	1,376	11	1	-	3	4	13	22	54	163	403	702
All other	145	1	1	-	-	3	8	9	10	35	39	39	110	4	1	-	-	1	6	3	11	16	34	34
Black	143	1	1	-	-	3	8	9	10	35	39	37	108	4	1	-	-	1	6	3	11	16	34	33
Influenza (487)	26	1	1	-	-	1	-	-	-	4	8	11	44	-	-	1	-	1	1	1	3	4	10	23
White	25	1	1	-	-	1	-	-	-	3	8	11	44	-	-	1	-	1	1	1	3	4	10	23
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,384	3	1	2	6	3	15	59	338	831	812	314	1,379	1	-	1	3	8	11	44	221	438	458	186
White	2,227	3	-	-	3	3	11	56	309	774	771	297	1,305	-	-	1	-	4	9	36	202	415	446	192
All other	157	-	1	2	3	-	4	3	29	57	41	17	74	1	-	-	3	2	2	8	19	23	12	4
Black	154	-	1	2	3	-	4	3	28	55	41	17	72	1	-	-	3	2	2	8	18	22	12	4
Bronchitis, chronic and unspecified (490-491)	131	3	-	-	-	-	3	5	17	41	43	19	80	1	-	-	-	1	1	-	10	24	23	20
White	122	3	-	-	-	-	3	5	16	36	40	19	75	-	-	-	-	1	1	-	9	23	21	20
All other	9	-	-	-	-	-	-	-	1	5	3	-	5	1	-	-	-	-	-	-	1	1	2	-
Black	9	-	-	-	-	-	-	-	1	5	3	-	5	1	-	-	-	-	-	-	1	1	2	-
Emphysema (492)	440	-	-	1	-	-	3	14	71	165	143	43	246	-	-	-	-	-	2	8	50	81	78	27
White	418	-	-	-	-	-	3	14	63	159	137	43	237	-	-	-	-	-	1	7	48	79	76	26
All other	21	-	-	1	-	-	-	-	8	6	6	-	9	-	-	-	-	-	1	1	2	2	2	1
Black	21	-	-	1	-	-	-	-	8	6	6	-	9	-	-	-	-	-	1	1	2	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	60	-	1	1	6	3	2	5	7	14	14	7	89	-	-	1	3	5	6	5	18	22	16	13
White	50	-	-	-	3	3	1	5	6	13	13	6	72	-	-	1	-	3	5	2	13	20	16	12
All other	10	-	1	1	3	-	1	-	1	1	1	1	17	-	-	-	3	2	1	3	5	2	-	1
Black	10	-	1	1	3	-	1	-	1	1	1	1	17	-	-	-	3	2	1	3	5	2	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,763	-	-	-	-	-	7	35	243	611	612	245	964	-	-	-	-	-	2	31	143	311	341	136
White	1,636	-	-	-	-	-	4	32	224	566	581	229	921	-	-	-	-	-	2	27	132	293	333	134
All other	117	-	-	-	-	-	3	3	19	45	31	16	43	-	-	-	-	-	-	4	11	18	8	2
Black	114	-	-	-	-	-	3	3	18	43	31	16	41	-	-	-	-	-	-	4	10	17	8	2
Ulcer of stomach and duodenum (531-533)	127	-	-	-	1	-	5	10	21	32	38	20	137	-	-	-	-	1	-	-	10	23	53	50
White	111	-	-	-	1	-	3	9	20	26	34	18	121	-	-	-	-	1	-	-	8	20	47	45
All other	16	-	-	-	-	-	2	1	1	6	4	2	16	-	-	-	-	-	-	-	2	3	6	5
Black	16	-	-	-	-	-	2	1	1	6	4	2	16	-	-	-	-	-	-	-	2	3	6	5
Appendicitis (540-543)	12	-	-	-	1	1	-	-	4	4	2	-	11	-	-	-	-	-	-	-	3	1	4	3
White	10	-	-	-	-	1	-	-	4	3	2	-	11	-	-	-	-	-	-	-	3	1	4	3
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	104	2	3	-	2	2	2	2	13	17	34	27	168	1	-	-	-	-	2	2	11	18	59	75
White	92	2	3	-	1	1	1	2	10	15	32	25	151	1	-	-	-	-	1	2	9	18	47	73
All other	12	-	-	-	1	1	1	-	3	2	2	2	17	-	-	-	-	-	1	-	2	-	12	2
Black	12	-	-	-	1	1	1	-	3	2	2	2	16	-	-	-	-	-	1	-	2	-	11	2
Chronic liver disease and cirrhosis (571)	660	1	-	-	1	19	57	104	197	195	79	7	351	-	-	-	-	5	24	49	83	114	61	15
White	578	1	-	-	1	14	44	82	170	182	77	7	301	-	-	-	-	2	16	39	75	105	56	14
All other	82	-	-	-	-	5	13	22	27	13	2	-	50	-	-	-	-	3	14	10	8	9	5	1
Black	82	-	-	-	-	5	13	22	27	13	2	-	46	-	-	-	-	3	13	9	8	8	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	60	-	-	-	-	-	-	3	9	14	21	13	61	-	1	-	-	-	1	-	2	9	26	22
White	58	-	-	-	-	-	-	3	9	14	19	13	56	-	-	-	-	-	-	-	2	9	25	20
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	1	-	-	-	1	-	-	-	1	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	1	-	-	-	1	-	-	-	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	573	8	-	1	1	4	8	26	63	152	177	133	531	3	1	-	1	3	5	10	43	114	168	183
White	489	6	-	-	1	3	5	20	45	125	159	125	438	2	-	-	1	2	4	6	26	88	147	162
All other	84	2	-	1	-	1	3	6	18	27	18	8	93	1	1	-	-	1	1	4	17	26	21	21
Black	83	2	-	1	-	1	3	6	17	27	18	8	91	1	1	-	-	1	1	4	16	26	21	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	-	-	1	-	1	1	2	3	5	-	-	-	-	-	-	-	2	1	1	1
White	6	-	-	-	-	-	-	-	-	1	2	3	5	-	-	-	-	-	-	-	2	1	1	1
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	50	1	-	1	1	-	2	4	6	10	14	11	31	-	-	-	-	1	-	-	1	11	9	9
White	41	1	-	-	1	-	2	2	3	8	14	10	25	-	-	-	-	1	-	-	-	7	8	9
All other	9	-	-	1	-	-	-	2	3	2	-	1	6	-	-	-	-	-	-	-	1	4	1	-
Black	9	-	-	1	-	-	-	2	3	2	-	1	5	-	-	-	-	-	-	-	-	4	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	515	7	-	-	-	4	5	22	58	141	161	119	495	3	1	-	1	2	5	10	40	102	158	173
White	442	5	-	-	-	3	3	18	42	118	143	112	408	2	-	-	1	1	4	6	24	80	136	152
All other	73	2	-	-	-	1	2	4	14	25	18	7	87	1	1	-	-	1	1	4	16	22	20	21
Black	72	2	-	-	-	1	2	4	13	25	18	7	86	1	1	-	-	1	1	4	16	22	20	20
Infections of kidney (590)	40	-	-	-	-	1	1	1	4	3	18	12	56	-	-	-	-	1	-	2	1	10	18	24
White	33	-	-	-	-	1	-	1	3	2	15	11	50	-	-	-	-	-	-	1	1	10	16	22
All other	7	-	-	-	-	-	1	-	1	1	3	1	6	-	-	-	-	1	-	1	-	-	2	2
Black	7	-	-	-	-	-	1	-	1	1	3	1	6	-	-	-	-	1	-	1	-	-	2	2
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	-	5	7	8	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	4	5	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	3	4	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	4	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	2	4	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	4	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
Congenital anomalies (740-759)	286	191	12	10	15	7	9	11	8	11	7	5	253	161	17	8	9	8	6	8	9	12	10	5
White	257	168	12	10	14	5	9	9	7	11	7	5	209	132	12	6	8	5	5	7	9	11	9	5
All other	29	23	-	-	1	2	-	2	1	-	-	-	44	29	5	2	1	3	1	1	-	1	1	-
Black	26	20	-	-	1	2	-	2	1	-	-	-	40	26	4	2	1	3	1	1	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	487	482	5	-	-	-	-	-	-	-	-	-	318	310	4	1	1	1	-	1	-	-	-	-
White	348	343	5	-	-	-	-	-	-	-	-	-	229	223	3	1	1	-	-	1	-	-	-	-
All other	139	139	-	-	-	-	-	-	-	-	-	-	89	87	1	-	-	1	-	-	-	-	-	-
Black	136	136	-	-	-	-	-	-	-	-	-	-	88	86	1	-	-	1	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	143	142	1	-	-	-	-	-	-	-	-	-	85	82	1	-	1	-	-	1	-	-	-	-
White	101	100	1	-	-	-	-	-	-	-	-	-	69	67	-	-	1	-	-	1	-	-	-	-
All other	42	42	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-	-
Black	40	40	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	344	340	4	-	-	-	-	-	-	-	-	-	233	228	3	1	-	1	-	-	-	-	-	-
White	247	243	4	-	-	-	-	-	-	-	-	-	160	156	3	1	-	-	-	-	-	-	-	-
All other	97	97	-	-	-	-	-	-	-	-	-	-	73	72	-	-	-	1	-	-	-	-	-	-
Black	96	96	-	-	-	-	-	-	-	-	-	-	72	71	-	-	-	1	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,046	155	21	29	79	138	114	75	116	123	120	76	713	80	13	4	32	59	54	55	73	106	108	119
White	859	123	15	21	64	102	87	56	95	110	112	74	601	64	8	3	28	38	40	44	67	96	101	112
All other	187	32	6	8	15	36	27	19	21	13	8	2	112	26	5	1	4	21	14	11	6	10	7	7
Black	184	31	6	8	14	36	26	19	21	13	8	2	108	25	4	1	4	21	13	11	5	10	7	7
All other diseases (Residual)	3,135	70	14	24	57	86	128	191	431	753	853	528	3,782	48	18	24	36	62	83	154	327	693	1,085	1,252
White	2,740	44	9	22	51	67	88	149	368	684	774	484	3,380	32	15	21	32	45	61	129	265	594	1,001	1,195
All other	395	26	5	2	6	19	40	42	63	69	79	44	402	16	3	3	4	17	22	25	62	99	84	77
Black	390	26	5	2	6	17	40	42	63	67	78	44	396	15	3	3	4	17	21	25	60	89	83	78
Accidents and adverse effects (E800-E949)	2,307	18	48	97	602	461	226	158	194	197	191	115	1,134	13	31	39	175	101	84	73	93	147	206	172
White	2,070	14	36	83	552	409	193	137	176	181	177	112	1,024	11	25	30	162	90	62	61	83	140	196	164
All other	237	4	12	14	50	52	33	21	18	16	14	3	110	2	6	9	13	11	22	12	10	7	10	8
Black	235	4	12	14	48	52	33	21	18	16	14	3	109	2	6	9	13	11	21	12	10	7	10	8
Motor vehicle accidents (E810-E825)	1,213	3	17	50	460	285	124	78	78	49	52	17	436	3	11	21	144	70	38	26	38	37	43	5
White	1,115	3	16	44	434	252	111	70	73	46	50	16	406	2	10	20	136	63	34	23	37	36	40	5
All other	98	-	1	6	26	33	13	8	5	3	2	1	30	1	1	1	8	7	4	3	1	1	3	-
Black	97	-	1	6	25	33	13	8	5	3	2	1	29	1	1	1	8	7	3	3	1	1	3	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,094	15	31	47	142	176	102	80	116	148	139	98	698	10	20	18	31	31	46	47	55	110	163	167
White	955	11	20	39	118	157	82	67	103	135	127	96	618	9	15	10	26	27	28	38	46	104	156	159
All other	139	4	11	8	24	19	20	13	13	13	12	2	80	1	5	8	5	4	18	9	9	6	7	8
Black	138	4	11	8	23	19	20	13	13	13	12	2	80	1	5	8	5	4	18	9	9	6	7	8
Suicide (E950-E959)	939	...	...	7	160	192	145	84	135	123	72	21	307	...	...	1	32	52	50	47	52	34	17	2
White	866	...	...	6	144	170	130	81	127	117	71	20	282	...	...	1	28	56	57	39	49	33	17	2
All other	73	...	...	1	16	22	15	3	8	6	1	1	25	...	...	-	4	6	3	8	3	1	-	-
Black	70	...	...	1	14	22	15	3	7	6	1	1	23	...	...	-	3	5	3	8	3	1	-	-
Homicide and legal intervention (E960-E978)	408	6	9	7	98	142	54	34	29	22	5	1	153	3	4	8	20	49	22	14	11	12	10	-
White	188	3	2	5	42	60	25	17	16	11	4	1	92	1	2	5	12	18	17	10	10	8	9	-
All other	220	3	7	2	56	82	28	17	13	11	1	-	61	2	2	3	8	31	5	4	1	4	1	-
Black	217	3	7	2	56	81	27	17	12	11	1	-	61	2	2	3	8	31	5	4	1	4	1	-
All other external causes (E980-E999)	66	1	3	1	4	16	13	9	13	3	2	1	19	1	-	1	-	2	1	6	4	2	1	1
White	44	-	1	-	3	10	9	6	10	2	2	1	13	-	-	1	-	2	1	4	3	1	1	-
All other	22	1	2	1	1	6	4	3	3	1	-	-	6	1	-	-	-	-	-	2	1	1	-	1
Black	21	1	2	1	-	6	4	3	3	1	-	-	6	1	-	-	-	-	-	2	1	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,788	303	69	82	384	543	594	1,022	2,384	3,859	4,357	2,185	14,162	222	50	37	158	190	306	633	1,492	2,561	4,327	4,174
White	14,139	226	56	65	316	441	501	878	2,136	3,534	3,964	2,014	12,799	171	38	32	130	155	250	534	1,293	2,310	3,968	3,909
All other	1,649	77	13	17	68	102	93	144	248	319	393	171	1,363	51	12	5	28	35	56	99	199	251	359	265
Black	1,052	58	10	9	37	68	64	78	138	202	257	128	917	34	10	5	19	29	35	52	125	165	239	201
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	4	2	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	-	-	-	-	-	-	4	3	-	2	-	9	-	-	-	-	-	1	1	1	2	2	2
White	4	-	-	-	-	-	-	2	2	-	-	-	8	-	-	-	-	-	1	-	1	2	2	2
All other	5	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	-	4	3	-	2	-	7	-	-	-	-	-	1	-	1	2	1	2
White	4	-	-	-	-	-	-	2	2	-	-	-	7	-	-	-	-	-	1	-	1	2	1	2
All other	5	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	131	3	1	1	1	-	4	4	18	32	34	33	139	4	-	1	1	1	4	4	15	18	43	50
White	106	1	1	-	1	-	4	2	15	27	26	29	126	4	-	1	1	1	4	3	12	15	41	44
All other	25	2	-	1	-	-	-	2	3	5	8	4	13	-	-	-	-	-	-	1	3	1	2	6
Black	17	2	-	1	-	-	-	1	1	4	5	3	9	-	-	-	-	-	-	1	1	1	1	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	1	-	-	2	-	2	7	1	1	9	-	-	-	-	-	1	-	2	3	3	-
White	14	-	-	1	-	-	2	-	2	7	1	1	9	-	-	-	-	-	1	-	2	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	45	-	-	-	-	8	4	7	12	7	5	2	27	1	-	-	1	-	1	3	4	6	9	2
White	40	-	-	-	-	7	3	7	10	6	5	2	23	1	-	-	1	-	1	3	3	5	7	2
All other	5	-	-	-	-	1	1	-	2	1	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	3	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,454	-	6	8	22	38	71	266	757	1,105	898	284	2,933	-	2	4	16	35	113	297	571	769	767	356
White	3,127	-	6	7	17	32	61	233	692	1,017	798	263	2,664	-	-	4	13	31	99	269	512	712	698	323
All other	327	-	-	1	5	6	10	33	65	88	98	21	269	-	2	-	3	4	14	28	59	57	69	33
Black	214	-	-	-	5	5	7	23	35	59	64	16	185	-	2	-	2	4	9	17	38	37	49	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	70	-	-	1	-	-	2	5	16	29	16	1	33	-	-	-	1	-	1	1	4	8	10	8
White	56	-	-	1	-	-	-	5	10	24	15	1	31	-	-	-	-	-	1	1	4	8	10	7
All other	14	-	-	-	-	-	2	-	6	5	1	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	8	-	-	-	-	-	2	-	5	1	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	758	-	-	-	-	4	17	62	157	238	207	73	745	-	-	-	-	4	9	48	110	193	248	133
White	665	-	-	-	-	2	15	49	136	215	183	65	679	-	-	-	-	4	9	46	99	177	223	121
All other	93	-	-	-	-	2	2	13	21	23	24	8	66	-	-	-	-	-	-	2	11	16	25	12
Black	58	-	-	-	-	2	1	10	8	17	14	6	44	-	-	-	-	-	-	1	5	11	18	9
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,371	-	-	-	1	1	23	118	368	486	310	64	613	-	-	-	-	1	12	70	155	211	131	33
White	1,262	-	-	-	1	-	22	103	343	450	283	60	561	-	-	-	-	1	9	63	141	200	116	31
All other	109	-	-	-	-	1	1	15	25	36	27	4	52	-	-	-	-	-	3	7	14	11	15	2
Black	64	-	-	-	-	1	-	9	14	25	13	2	38	-	-	-	-	-	2	6	12	7	9	2
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	2	1	-	-	488	-	-	-	-	9	49	78	111	113	88	39
White	3	-	-	-	-	-	-	-	2	1	-	-	437	-	-	-	-	8	39	69	100	101	81	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	51	-	-	-	-	1	10	9	11	12	7	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	1	7	8	7	9	4	1
Malignant neoplasms of genital organs (179-187)	365	-	-	-	-	3	-	-	41	98	153	70	322	-	-	-	2	5	15	43	65	80	72	39
White	326	-	-	-	-	3	-	-	39	86	133	63	286	-	-	-	1	5	15	34	57	75	68	32
All other	39	-	-	-	-	-	-	-	2	10	20	7	34	-	-	-	1	-	-	9	8	5	4	7
Black	33	-	-	-	-	-	-	-	2	8	17	6	20	-	-	-	-	-	-	2	5	3	4	6
Malignant neoplasms of urinary organs (188-189)	154	-	1	1	-	2	-	13	30	42	49	16	88	-	1	-	-	-	1	4	15	24	25	18
White	143	-	1	1	-	2	-	12	27	40	45	15	77	-	-	-	-	-	1	4	14	21	22	15
All other	11	-	-	-	-	-	-	1	3	2	4	1	11	-	1	-	-	-	-	-	1	3	3	3
Black	5	-	-	-	-	-	-	1	-	1	2	1	9	-	1	-	-	-	-	-	-	2	3	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	402	-	3	4	5	16	13	42	88	121	82	27	348	-	-	4	4	9	22	37	63	72	85	41
White	372	-	3	4	4	15	10	38	84	115	71	27	325	-	-	4	4	8	21	36	55	70	88	38
All other	30	-	-	-	1	1	3	4	4	6	11	-	23	-	-	-	-	1	1	1	8	2	7	3
Black	22	-	-	-	1	1	3	3	3	2	9	-	11	-	-	-	-	1	-	-	3	1	5	1
Leukemia (204-208)	155	-	2	2	11	5	3	10	20	45	40	17	118	-	1	-	5	3	1	4	21	23	39	21
White	139	-	2	1	9	5	2	10	19	42	33	16	110	-	-	-	5	2	1	4	20	22	36	20
All other	16	-	-	1	2	-	1	-	1	3	7	1	8	-	1	-	-	1	-	-	1	1	3	1
Black	11	-	-	-	2	-	-	-	-	3	5	1	7	-	1	-	-	1	-	-	1	1	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	176	-	-	-	5	7	13	16	35	45	39	16	178	-	-	-	4	4	3	12	27	45	59	24
White	161	-	-	-	3	5	12	16	32	42	35	16	156	-	-	-	3	3	3	12	22	38	54	21
All other	15	-	-	-	2	2	1	-	3	3	4	-	22	-	-	-	1	1	-	-	5	7	5	3
Black	13	-	-	-	2	1	1	-	3	2	4	-	17	-	-	-	1	1	-	-	5	3	4	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	-	-	1	1	-	3	3	7	13	3	41	1	-	-	1	1	1	3	5	11	11	7
White	30	-	-	-	1	1	-	3	2	7	12	3	36	1	-	-	1	1	-	2	5	9	11	6
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	1	1	-	2	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	1	1	-	1	-	1
Diabetes mellitus (250)	202	-	-	1	1	3	11	15	38	55	56	22	301	-	-	-	-	9	9	13	40	77	104	49
White	161	-	-	1	1	3	7	11	28	48	44	18	229	-	-	-	-	8	5	7	24	58	84	43
All other	41	-	-	-	-	-	4	4	10	7	12	4	72	-	-	-	-	1	4	6	16	19	20	6
Black	22	-	-	-	-	-	4	1	4	4	7	2	44	-	-	-	-	1	2	3	6	13	14	5
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	1	2	9	5	25	1	-	-	-	-	-	-	1	2	6	15
White	13	-	-	-	-	-	-	-	1	1	7	4	21	1	-	-	-	-	-	-	1	1	4	14
All other	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	1	2	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Anemias (280-285)	18	-	-	-	1	1	-	-	-	5	6	5	26	-	-	-	-	1	1	-	2	3	13	6
White	12	-	-	-	-	-	-	-	-	4	5	3	23	-	-	-	-	-	1	-	2	3	12	5
All other	6	-	-	-	1	1	-	-	-	1	1	2	3	-	-	-	-	1	-	-	-	-	1	1
Black	6	-	-	-	1	1	-	-	-	1	1	2	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis (320-322)	9	2	1	1	-	-	-	-	2	2	1	-	8	2	1	-	-	1	-	-	-	-	2	2
White	4	1	-	-	-	-	-	-	-	2	1	-	7	1	1	-	-	1	-	-	-	-	2	2
All other	5	1	1	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,102	6	4	4	10	44	167	397	1,046	1,881	2,299	1,259	7,117	6	1	1	3	16	62	154	536	1,172	2,454	2,707
White	6,453	6	3	2	6	36	136	344	940	1,705	2,113	1,157	6,531	3	1	1	2	14	47	118	470	1,057	2,267	2,549
All other	649	-	1	2	4	8	31	53	106	156	186	102	588	3	-	-	1	2	15	36	66	115	187	158
Black	425	-	1	1	4	6	24	27	66	96	118	82	412	2	-	-	1	2	13	17	48	75	125	126

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,713	8	3	3	7	34	146	350	918	1,529	1,801	911	5,244	4	1	1	2	10	46	122	431	893	1,828	1,903
White	5,206	8	2	2	4	29	120	308	829	1,411	1,658	832	4,811	3	1	1	1	9	33	91	379	806	1,684	1,801
All other	507	–	1	1	3	5	26	42	89	118	143	79	433	1	–	–	1	1	13	31	52	87	144	102
Black	321	–	1	1	3	4	19	19	54	70	85	65	294	1	–	–	1	1	11	14	36	54	93	82
Rheumatic fever and rheumatic heart disease (390-398)	19	–	–	–	–	–	–	–	6	4	8	1	40	–	–	–	–	–	3	4	12	6	11	4
White	19	–	–	–	–	–	–	–	6	4	8	1	38	–	–	–	–	–	2	3	12	6	9	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Hypertensive heart disease (402)	68	–	–	–	–	2	2	4	18	17	15	10	86	–	–	–	–	–	3	8	11	12	31	21
White	54	–	–	–	–	2	2	–	17	15	13	5	69	–	–	–	–	–	1	3	8	11	25	21
All other	14	–	–	–	–	–	–	4	1	2	2	5	17	–	–	–	–	–	2	5	3	1	6	–
Black	13	–	–	–	–	–	–	3	1	2	2	5	15	–	–	–	–	–	2	3	3	1	6	–
Hypertensive heart and renal disease (404)	8	–	–	–	–	–	–	–	1	2	2	1	9	–	–	–	–	–	–	–	1	1	4	3
White	6	–	–	–	–	–	–	–	1	2	2	1	9	–	–	–	–	–	–	–	1	1	4	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	4,192	1	–	–	–	16	104	277	695	1,146	1,334	616	3,470	–	–	–	–	6	24	81	288	633	1,227	1,210
White	3,848	1	–	–	–	14	88	249	634	1,066	1,228	565	3,199	–	–	–	–	5	17	63	256	575	1,139	1,143
All other	344	–	–	–	–	2	16	28	61	80	106	51	271	–	–	–	–	1	7	18	32	58	88	67
Black	206	–	–	–	–	2	12	12	34	44	60	42	182	–	–	–	–	1	5	7	21	36	56	56
Acute myocardial infarction (410)	2,371	–	–	–	–	9	45	165	415	698	744	295	1,779	–	–	–	–	3	13	49	162	394	676	482
White	2,171	–	–	–	–	9	40	142	377	653	680	270	1,622	–	–	–	–	2	8	41	140	362	621	448
All other	200	–	–	–	–	–	5	23	38	45	64	25	157	–	–	–	–	1	5	8	22	32	55	34
Black	118	–	–	–	–	–	3	8	20	26	40	21	107	–	–	–	–	1	4	2	15	22	36	27
Other acute and subacute forms of ischemic heart disease (411)	275	–	–	–	–	1	16	31	67	65	69	25	169	–	–	–	–	–	2	5	21	37	52	52
White	248	–	–	–	–	–	15	29	61	58	63	21	156	–	–	–	–	–	2	3	21	31	49	50
All other	27	–	–	–	–	1	1	2	6	7	6	4	13	–	–	–	–	–	–	2	–	6	3	2
Black	17	–	–	–	–	1	1	2	3	4	3	3	8	–	–	–	–	–	–	2	–	3	2	1
Angina pectoris (413)	8	–	–	–	–	–	2	–	–	1	1	4	10	–	–	–	–	–	–	1	–	3	4	2
White	7	–	–	–	–	–	1	–	–	1	1	4	9	–	–	–	–	–	–	1	–	2	4	2
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,538	1	–	–	–	6	41	81	213	382	520	292	1,512	–	–	–	–	3	9	26	105	199	495	674
White	1,422	1	–	–	–	5	32	78	196	354	484	270	1,412	–	–	–	–	3	7	18	95	180	465	643
All other	116	–	–	–	–	1	9	3	17	28	36	22	100	–	–	–	–	–	2	8	10	19	30	31
Black	70	–	–	–	–	1	7	2	11	14	17	18	66	–	–	–	–	–	1	3	6	10	18	28
Other diseases of endocardium (424)	50	–	–	–	1	–	4	3	8	10	11	13	58	–	–	–	–	–	–	3	6	10	22	17
White	42	–	–	–	1	–	2	3	7	8	10	11	54	–	–	–	–	–	–	3	6	9	21	15
All other	8	–	–	–	–	–	2	–	1	2	1	2	4	–	–	–	–	–	–	–	–	1	1	2
Black	6	–	–	–	–	–	1	–	1	2	–	2	4	–	–	–	–	–	–	–	–	1	1	2
All other forms of heart disease (415-423,425-429)	1,378	7	3	3	6	16	36	66	190	350	431	270	1,561	4	1	1	2	4	16	26	113	231	533	648
White	1,237	7	2	2	3	13	28	56	164	316	397	249	1,444	3	1	1	1	4	13	19	96	204	486	615
All other	141	–	1	1	3	3	8	10	26	34	34	21	137	1	–	–	1	–	3	7	17	27	47	33
Black	96	–	1	1	3	2	6	4	18	22	23	16	91	1	–	–	1	–	3	4	12	16	29	24
Hypertension with or without renal disease (401,403)	44	–	–	–	–	2	–	1	7	9	16	9	52	–	–	–	–	1	–	–	4	12	15	20
White	34	–	–	–	–	1	–	–	7	7	13	6	44	–	–	–	–	1	–	–	4	10	12	17
All other	10	–	–	–	–	1	–	1	–	2	3	3	8	–	–	–	–	–	–	–	–	2	3	3
Black	5	–	–	–	–	–	–	–	–	1	3	1	7	–	–	–	–	–	–	–	–	2	2	3
Cerebrovascular diseases (430-438)	998	–	1	1	2	6	20	40	86	220	359	263	1,462	2	–	–	1	4	14	30	86	219	499	605
White	891	–	1	–	1	5	15	31	71	191	330	246	1,343	–	–	–	1	3	12	25	73	200	466	563
All other	107	–	–	1	1	1	5	9	15	29	29	17	119	2	–	–	–	1	2	5	13	19	33	42
Black	81	–	–	–	1	1	5	7	11	20	23	13	90	1	–	–	–	1	2	3	11	13	25	32
Intracerebral and other intracranial hemorrhage (431-432)	111	–	–	–	1	2	7	14	17	29	28	13	130	–	–	–	–	3	5	10	15	31	42	23
White	91	–	–	–	–	2	6	9	11	26	24	13	113	–	–	–	–	2	3	7	12	27	40	22
All other	20	–	–	–	1	–	1	5	6	3	4	–	17	–	–	–	–	1	2	3	3	4	2	1
Black	16	–	–	–	1	–	1	4	5	1	4	–	13	–	–	–	–	1	2	1	3	3	1	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	104	–	–	–	–	–	2	3	5	22	38	34	153	–	–	–	–	–	–	–	8	19	52	74
White	99	–	–	–	–	–	2	3	5	20	35	34	145	–	–	–	–	–	–	–	8	17	49	71
All other	5	–	–	–	–	–	–	–	–	2	3	–	8	–	–	–	–	–	–	–	–	2	3	3
Black	4	–	–	–	–	–	–	–	–	2	2	–	5	–	–	–	–	–	–	–	–	1	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	3	-	1	-	-	-	-	1	-	1	-	-	8	-	-	-	-	-	-	-	-	3	3	2
White	3	-	1	-	-	-	-	1	-	1	-	-	7	-	-	-	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	780	-	-	1	1	4	11	22	64	168	293	216	1,171	2	-	-	1	1	9	20	63	166	402	506
White	698	-	-	-	1	3	7	18	55	144	271	199	1,078	-	-	-	1	1	9	18	53	154	374	468
All other	82	-	-	1	-	1	4	4	9	24	22	17	93	2	-	-	-	-	-	2	10	12	28	38
Black	61	-	-	-	-	1	4	3	6	17	17	13	71	1	-	-	-	-	-	2	8	8	23	28
Atherosclerosis (440)	153	-	-	-	-	-	-	1	10	35	55	52	236	-	-	-	-	-	-	-	7	17	74	138
White	136	-	-	-	-	-	-	1	9	32	47	49	215	-	-	-	-	-	-	-	6	12	68	129
All other	15	-	-	-	-	-	-	-	1	3	8	3	21	-	-	-	-	-	-	-	1	5	6	9
Black	10	-	-	-	-	-	-	-	-	2	5	3	17	-	-	-	-	-	-	-	1	4	4	8
Other diseases of arteries, arterioles, and capillaries (441-448)	194	-	-	-	1	2	1	5	25	68	68	24	123	-	-	-	-	1	2	2	8	31	38	41
White	184	-	-	-	1	1	1	4	24	64	65	24	118	-	-	-	-	1	2	2	8	29	37	39
All other	10	-	-	-	-	1	-	1	1	4	3	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	8	-	-	-	-	1	-	1	1	3	2	-	4	-	-	-	-	-	-	-	-	2	1	1
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	1
White	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	550	3	1	3	3	1	6	14	41	100	211	167	514	2	-	1	1	3	4	7	18	50	177	251
White	511	3	1	2	3	1	5	10	38	95	194	161	491	2	-	1	1	2	4	7	16	46	169	243
All other	39	-	-	1	-	-	1	4	3	5	17	6	23	-	-	-	-	1	-	-	2	4	8	8
Black	26	-	-	1	-	-	1	4	1	3	11	5	15	-	-	-	-	1	-	-	2	3	5	4
Pneumonia (480-486)	542	3	1	3	3	1	6	14	41	98	208	164	506	2	-	1	1	2	4	7	17	50	176	246
White	503	3	1	2	3	1	5	10	38	93	191	158	483	2	-	1	1	1	4	7	15	46	168	238
All other	39	-	-	1	-	-	1	4	3	5	17	6	23	-	-	-	-	1	-	-	2	4	8	8
Black	26	-	-	1	-	-	1	4	1	3	11	5	15	-	-	-	-	1	-	-	2	3	5	4
Influenza (487)	8	-	-	-	-	-	-	-	-	2	3	3	8	-	-	-	-	1	-	-	1	-	1	5
White	8	-	-	-	-	-	-	-	-	2	3	3	8	-	-	-	-	1	-	-	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	683	1	1	1	4	-	5	23	99	209	265	75	359	-	-	-	-	2	4	14	62	108	116	53
White	648	1	1	-	2	-	5	22	95	199	254	69	341	-	-	-	-	1	4	12	57	104	110	53
All other	35	-	-	1	2	-	-	1	4	10	11	6	18	-	-	-	-	1	-	2	5	4	6	-
Black	25	-	-	1	1	-	-	-	4	9	7	3	12	-	-	-	-	1	-	1	3	2	5	-
Bronchitis, chronic and unspecified (490-491)	16	-	1	-	-	-	-	1	3	5	3	3	14	-	-	-	-	-	-	1	2	5	5	1
White	15	-	1	-	-	-	-	1	2	5	3	3	14	-	-	-	-	-	-	1	2	5	5	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	134	-	-	-	-	-	-	1	20	40	59	14	69	-	-	-	-	1	2	6	13	22	18	7
White	126	-	-	-	-	-	-	1	18	39	55	13	65	-	-	-	-	1	2	5	12	21	17	7
All other	8	-	-	-	-	-	-	-	2	1	4	1	4	-	-	-	-	-	-	1	1	1	1	-
Black	7	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	21	-	-	1	4	-	3	1	3	7	2	-	24	-	-	-	-	1	-	2	2	5	11	3
White	17	-	-	-	2	-	3	1	3	6	2	-	21	-	-	-	-	1	-	2	2	4	11	3
All other	4	-	-	1	2	-	-	-	-	1	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Black	3	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	512	1	-	-	-	-	2	20	73	157	201	58	252	-	-	-	-	-	2	5	45	76	82	42
White	490	1	-	-	-	-	2	19	72	149	194	53	241	-	-	-	-	-	2	5	41	74	77	42
All other	22	-	-	-	-	-	-	1	1	8	7	5	11	-	-	-	-	-	-	-	4	2	5	-
Black	14	-	-	-	-	-	-	-	1	7	4	2	9	-	-	-	-	-	-	-	2	2	5	-
Ulcer of stomach and duodenum (531-533)	42	-	-	-	-	-	3	-	11	12	12	4	38	-	-	-	-	-	-	1	2	5	14	16
White	39	-	-	-	-	-	2	-	10	12	11	4	35	-	-	-	-	-	-	1	2	5	14	13
All other	3	-	-	-	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	-	-	1	1	2	1	1	5	-	-	-	1	-	-	-	1	-	2	1
White	5	-	-	-	-	-	-	1	-	2	1	1	5	-	-	-	1	-	-	-	1	-	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	1	-	-	-	1	2	-	1	3	12	6	53	1	1	-	-	-	1	-	3	9	15	23
White	22	1	-	-	-	1	2	-	1	2	10	5	48	1	1	-	-	-	-	-	1	9	15	21
All other	4	-	-	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-	1	-	2	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	173	-	-	-	-	2	24	37	49	41	16	4	108	-	-	-	-	2	9	20	21	37	15	4
White	146	-	-	-	-	2	16	32	41	38	13	4	84	-	-	-	-	2	3	15	17	29	14	4
All other	27	-	-	-	-	-	8	5	8	3	3	-	24	-	-	-	-	-	6	5	4	8	1	-
Black	13	-	-	-	-	-	6	-	5	-	2	-	11	-	-	-	-	-	2	2	3	4	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	19	1	-	-	-	-	-	-	1	5	7	5	16	-	-	-	-	-	-	-	1	-	5	10
White	16	-	-	-	-	-	-	-	1	5	5	5	16	-	-	-	-	-	-	-	1	-	5	10
All other	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	193	3	1	-	1	1	5	10	15	30	78	49	210	1	-	-	-	1	2	3	18	31	78	76
White	164	1	-	-	1	1	4	8	13	24	71	41	168	1	-	-	-	-	-	1	9	24	66	67
All other	29	2	1	-	-	-	1	2	2	6	7	8	42	-	-	-	-	1	2	2	9	7	12	9
Black	21	2	1	-	-	-	1	1	1	5	5	5	24	-	-	-	-	1	-	1	4	5	6	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	1	-	-	1	1	6	6	3	9	-	-	-	-	-	-	1	2	-	4	2
White	15	-	-	-	1	-	-	1	1	4	6	2	7	-	-	-	-	-	-	1	1	-	3	2
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	172	3	1	-	-	1	5	9	13	24	70	46	200	1	-	-	-	1	2	2	16	31	73	74
White	146	1	-	-	-	1	4	7	11	20	63	39	160	1	-	-	-	-	-	-	8	24	62	65
All other	26	2	1	-	-	-	1	2	2	4	7	7	40	-	-	-	-	1	2	2	8	7	11	9
Black	19	2	1	-	-	-	1	1	1	3	5	5	23	-	-	-	-	1	-	1	4	5	5	7
Infections of kidney (590)	17	-	-	-	-	-	-	-	2	1	10	4	39	-	-	-	-	-	-	-	3	6	9	21
White	16	-	-	-	-	-	-	-	2	1	10	3	35	-	-	-	-	-	-	-	1	6	8	20
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	2	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	2	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	2	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	88	66	5	2	2	2	6	3	-	2	-	-	57	48	3	1	5	2	-	1	2	2	2	1
White	78	57	5	2	2	2	5	3	-	2	-	-	56	40	2	1	5	1	-	-	2	2	2	1
All other	10	9	-	-	-	-	1	-	-	-	-	-	11	8	1	-	-	1	-	1	-	-	-	-
Black	5	4	-	-	-	-	1	-	-	-	-	-	7	5	1	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	128	125	3	-	-	-	-	-	-	-	-	-	96	94	2	-	-	-	-	-	-	-	-	-
White	86	84	2	-	-	-	-	-	-	-	-	-	74	72	2	-	-	-	-	-	-	-	-	-
All other	42	41	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	34	33	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	34	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	29	29	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	94	91	3	-	-	-	-	-	-	-	-	-	75	73	2	-	-	-	-	-	-	-	-	-
White	57	55	2	-	-	-	-	-	-	-	-	-	58	56	2	-	-	-	-	-	-	-	-	-
All other	37	36	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	30	29	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	209	62	2	-	12	34	18	10	16	21	14	20	193	41	3	-	4	9	7	6	13	15	28	65
White	180	51	2	-	9	27	15	9	14	19	14	20	159	29	1	-	3	5	7	5	11	12	26	58
All other	29	11	-	-	3	7	3	1	2	2	-	-	34	12	2	-	1	4	-	1	2	3	2	7
Black	20	9	-	-	2	6	1	1	1	-	-	-	20	7	1	-	1	3	-	-	-	2	2	4
All other diseases (Residual)	978	15	6	5	10	30	46	65	127	216	285	173	1,180	9	7	4	16	14	27	45	116	184	370	388
White	870	11	4	3	9	25	42	57	107	195	257	160	1,037	7	5	3	12	9	21	36	95	161	327	361
All other	108	4	2	2	1	5	4	8	20	21	28	13	143	2	2	1	4	5	6	9	21	23	43	27
Black	57	2	-	-	1	1	1	2	10	12	21	7	96	1	1	1	2	4	5	5	14	18	27	18
Accidents and adverse effects (E800-E949)	1,000	9	34	40	213	204	103	83	90	74	91	54	465	7	27	18	72	53	30	30	39	50	75	62
White	852	4	28	33	179	167	90	70	79	66	81	52	414	7	23	14	61	45	26	26	34	44	72	60
All other	148	5	6	7	34	37	13	13	11	8	10	2	51	-	4	4	11	8	4	4	5	6	3	2
Black	78	3	5	4	15	18	7	4	5	6	8	2	32	-	4	4	8	5	2	2	3	3	-	1
Motor vehicle accidents (E810-E825)	505	2	15	17	158	122	61	40	32	25	24	9	232	1	8	9	62	38	23	18	22	17	27	7
White	424	-	11	14	132	101	54	34	25	22	22	9	202	1	6	6	52	32	20	16	20	17	25	7
All other	81	2	4	3	26	21	7	6	7	3	2	-	30	-	2	3	10	6	3	2	2	-	2	-
Black	40	2	4	1	12	9	4	2	3	1	2	-	19	-	2	3	7	4	1	1	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	495	7	19	23	55	82	42	43	58	49	67	45	233	6	19	9	10	15	7	12	17	33	48	55
White	428	4	17	19	47	66	36	36	54	44	59	43	212	6	17	8	9	13	6	10	14	27	47	53
All other	67	3	2	4	8	16	6	7	4	5	8	2	21	-	2	1	1	2	1	2	3	6	1	2
Black	38	1	1	3	3	9	3	2	2	5	6	2	13	-	2	1	1	1	1	1	2	3	-	1
Suicide (E950-E959)	392	...	...	11	63	92	71	49	29	44	26	7	80	...	...	3	17	20	13	21	10	2	3	1
White	366	...	...	10	58	85	68	45	27	41	25	7	85	...	...	3	16	18	12	21	9	2	3	1
All other	26	...	...	1	5	7	3	4	2	3	1	-	5	...	...	-	1	2	1	-	1	-	-	-
Black	11	...	...	-	1	4	1	3	-	1	1	-	4	...	...	-	1	2	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	220	3	3	3	38	76	42	28	15	8	2	-	82	1	3	4	18	19	15	10	4	1	4	3
White	147	2	2	3	26	48	30	17	13	7	1	-	65	-	2	4	11	15	13	8	4	1	4	3
All other	73	1	1	-	12	30	12	11	2	1	1	-	17	1	1	-	7	4	2	2	-	-	-	-
Black	57	1	1	-	8	28	9	9	1	1	1	-	11	1	1	-	4	3	-	2	-	-	-	-
All other external causes (E980-E999)	16	-	-	1	1	5	4	3	1	-	1	-	4	-	-	-	1	-	1	-	2	-	-	-
White	15	-	-	1	1	5	4	2	1	-	1	-	3	-	-	-	1	-	1	-	1	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OREGON																								
All causes	12,540	214	53	49	315	415	440	690	1,743	3,330	3,447	1,841	10,841	152	35	38	110	143	236	411	1,033	2,191	3,099	3,394
White	12,207	199	49	47	299	399	406	653	1,691	3,258	3,391	1,813	10,610	136	33	32	105	129	220	393	997	2,145	3,057	3,363
All other	333	15	4	2	16	16	34	37	52	72	56	28	231	16	2	4	5	14	16	18	36	46	42	31
Black	165	10	2	1	4	6	24	22	23	39	19	14	126	8	-	2	2	8	8	11	18	26	23	17
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	1	-	-	1	3	-	2	-	-	-	-	-	-	-	-	1	-	1
White	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	30	2	-	-	-	2	1	2	7	6	6	4	50	1	1	-	2	2	-	3	6	6	14	15
White	29	2	-	-	-	2	1	1	7	6	6	4	49	1	1	-	2	2	-	2	6	6	14	15
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	-	1	1	-	1	3	2	4	-	5	-	-	-	-	-	-	1	-	3	1	-
White	11	-	-	-	1	-	-	1	3	2	4	-	4	-	-	-	-	-	-	-	-	3	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	55	1	-	-	2	15	13	4	8	8	3	1	30	-	2	-	1	1	3	2	4	4	6	7
White	54	1	-	-	2	15	13	4	7	8	3	1	27	-	2	-	1	1	3	1	3	4	6	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,850	-	8	5	9	26	56	182	555	1,021	742	246	2,410	-	5	5	10	32	85	196	450	733	589	305
White	2,778	-	8	5	7	26	55	170	543	996	726	242	2,362	-	5	5	10	30	81	191	437	716	585	302
All other	72	-	-	-	2	-	1	12	12	25	16	4	48	-	-	-	-	2	4	5	13	17	4	3
Black	37	-	-	-	-	-	-	5	6	16	7	3	26	-	-	-	-	2	3	4	6	8	2	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	51	-	-	-	-	-	-	3	14	22	8	4	21	-	-	-	-	1	1	-	6	6	4	3
White	48	-	-	-	-	-	-	3	13	20	8	4	21	-	-	-	-	1	1	-	6	6	4	3
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	657	-	1	-	-	1	15	31	138	248	173	50	577	-	-	-	-	3	6	23	77	173	187	108
White	627	-	1	-	-	1	14	25	132	242	163	49	561	-	-	-	-	2	5	22	75	168	185	106
All other	30	-	-	-	-	-	1	6	6	6	10	1	16	-	-	-	-	1	1	1	2	7	2	2
Black	12	-	-	-	-	-	-	2	3	3	3	1	5	-	-	-	-	1	1	-	1	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,067	-	-	-	-	1	12	85	245	418	247	59	561	-	-	-	-	3	12	61	143	211	106	25
White	1,043	-	-	-	-	1	12	80	241	408	244	57	554	-	-	-	-	3	12	59	141	208	106	25
All other	24	-	-	-	-	-	-	5	4	10	3	2	7	-	-	-	-	-	-	2	2	3	-	-
Black	18	-	-	-	-	-	-	3	3	8	2	2	4	-	-	-	-	-	-	2	1	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	440	-	-	1	-	6	32	53	88	122	96	42
White	-	-	-	-	-	-	-	-	-	-	-	-	428	-	-	1	-	6	31	51	84	118	95	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	1	2	4	4	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	1	2	2	4	-	-
Malignant neoplasms of genital organs (179-187)	382	-	1	-	1	3	1	1	28	112	149	66	234	-	-	-	-	4	13	15	47	63	62	30
White	355	-	1	-	1	3	1	1	27	109	147	65	229	-	-	-	-	4	12	15	44	62	62	30
All other	7	-	-	-	-	-	-	-	1	3	2	1	5	-	-	-	-	-	1	-	3	1	-	-
Black	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	139	–	–	–	–	–	2	11	24	45	43	14	57	–	–	–	–	–	–	5	15	17	7	13
White	137	–	–	–	–	–	2	10	24	44	43	14	55	–	–	–	–	–	–	5	15	16	7	12
All other	2	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	298	–	1	2	3	12	19	31	59	87	62	22	280	–	2	2	4	10	14	26	42	78	58	44
White	295	–	1	2	1	12	19	31	59	86	62	22	277	–	2	2	4	9	14	26	41	78	57	44
All other	3	–	–	–	2	–	–	–	–	1	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Leukemia (204-208)	116	–	4	2	3	5	3	7	14	36	26	16	84	–	3	1	4	3	4	4	10	16	23	16
White	116	–	4	2	3	5	3	7	14	36	26	16	82	–	3	1	4	3	3	4	9	16	23	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	160	–	1	1	2	4	4	13	33	53	34	15	156	–	–	1	2	2	3	9	22	47	46	24
White	157	–	1	1	2	4	4	13	33	51	33	15	155	–	–	1	2	2	3	9	22	46	46	24
All other	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	1	–	–	1	1	1	–	1	9	6	7	31	1	–	–	–	–	–	–	5	5	12	8
White	27	1	–	–	1	1	1	–	1	9	6	7	30	1	–	–	–	–	–	–	4	5	12	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	153	–	–	–	1	2	8	11	26	42	50	13	178	1	–	–	–	3	5	7	24	43	57	38
White	140	–	–	–	1	2	8	11	23	38	46	11	172	1	–	–	–	3	4	6	23	42	56	37
All other	13	–	–	–	–	–	–	–	3	4	4	2	6	–	–	–	–	–	1	1	1	1	1	1
Black	6	–	–	–	–	–	–	–	2	1	2	1	5	–	–	–	–	–	1	1	1	1	1	1
Nutritional deficiencies (260-269)	7	–	–	–	–	–	–	–	–	2	1	4	14	–	–	–	–	–	–	1	–	3	2	8
White	7	–	–	–	–	–	–	–	–	2	1	4	13	–	–	–	–	–	–	1	–	3	2	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Anemias (280-285)	13	–	–	1	–	–	1	–	1	2	3	5	13	–	–	–	1	–	–	–	1	2	4	5
White	13	–	–	1	–	–	1	–	1	2	3	5	13	–	–	–	1	–	–	–	1	2	4	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	5	–	1	–	–	–	–	–	1	2	1	–	8	1	–	–	–	–	1	2	–	1	–	3
White	5	–	1	–	–	–	–	–	1	2	1	–	8	1	–	–	–	–	1	2	–	1	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	5,346	6	5	1	7	29	80	250	708	1,464	1,761	1,035	5,214	–	1	2	5	10	21	80	306	878	1,681	2,230
White	5,231	5	3	1	7	29	74	239	684	1,433	1,736	1,020	5,123	–	1	2	5	8	19	77	289	855	1,657	2,210
All other	115	1	2	–	–	–	6	11	24	31	25	15	91	–	–	–	–	2	2	3	17	23	24	20
Black	54	1	1	–	–	–	5	6	9	17	9	6	56	–	–	–	–	1	1	2	9	16	15	12
Diseases of heart (390-398,402,404-429)	4,236	6	5	1	7	27	65	222	620	1,191	1,330	762	3,618	–	1	–	5	9	14	58	234	650	1,183	1,464
White	4,154	5	3	1	7	27	61	215	600	1,169	1,314	752	3,554	–	1	–	5	7	13	57	222	634	1,167	1,448
All other	82	1	2	–	–	–	4	7	20	22	16	10	64	–	–	–	–	2	1	1	12	16	16	16
Black	38	1	1	–	–	–	3	4	9	11	6	3	36	–	–	–	–	1	–	1	6	10	9	9
Rheumatic fever and rheumatic heart disease (390-398)	33	–	–	–	–	–	–	2	5	12	9	5	69	–	–	–	2	–	2	2	11	13	24	15
White	33	–	–	–	–	–	–	2	5	12	9	5	67	–	–	–	2	–	1	2	10	13	24	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart disease (402)	66	–	–	–	–	2	2	2	7	16	24	13	97	–	–	–	–	1	–	1	6	20	34	35
White	62	–	–	–	–	2	2	2	6	15	24	11	93	–	–	–	–	–	–	1	6	19	32	35
All other	4	–	–	–	–	–	–	–	1	1	–	2	4	–	–	–	–	1	–	–	–	1	2	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	1	–	–	–	–	2	–
Hypertensive heart and renal disease (404)	14	–	–	–	–	–	–	–	1	1	9	3	22	–	–	–	–	–	–	–	1	2	8	11
White	14	–	–	–	–	–	–	–	1	1	9	3	21	–	–	–	–	–	–	–	1	2	7	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Ischemic heart disease (410-414)	3,275	–	–	–	1	9	47	179	511	949	1,039	540	2,556	–	–	–	–	–	8	40	170	478	857	1,003
White	3,216	–	–	–	1	9	44	174	493	932	1,030	533	2,512	–	–	–	–	–	8	39	161	466	846	992
All other	59	–	–	–	–	–	3	5	18	17	9	7	44	–	–	–	–	–	–	1	9	12	11	11
Black	31	–	–	–	–	–	2	3	8	9	6	3	26	–	–	–	–	–	–	1	4	9	4	8
Acute myocardial infarction (410)	1,234	–	–	–	–	3	11	81	212	366	406	155	943	–	–	–	–	–	2	15	84	206	355	281
White	1,214	–	–	–	–	3	11	79	207	359	404	151	923	–	–	–	–	–	2	15	78	199	349	280
All other	20	–	–	–	–	–	–	2	5	7	2	4	20	–	–	–	–	–	–	–	6	7	6	1
Black	8	–	–	–	–	–	–	1	1	3	2	1	10	–	–	–	–	–	–	–	2	5	3	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	–	–	–	1	2	4	1	5	–	–	–	–	–	–	–	1	–	1	3
White	8	–	–	–	–	–	–	–	1	2	4	1	5	–	–	–	–	–	–	–	1	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	5	–	–	–	–	–	–	–	2	1	2	–	7	–	–	–	–	–	–	–	1	–	4	2
White	5	–	–	–	–	–	–	–	2	1	2	–	7	–	–	–	–	–	–	–	1	–	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,028	–	–	–	1	6	36	98	296	580	627	384	1,601	–	–	–	–	–	6	25	84	272	497	717
White	1,989	–	–	–	1	6	33	95	283	570	620	381	1,577	–	–	–	–	–	6	24	81	267	492	707
All other	39	–	–	–	–	–	3	3	13	10	7	3	24	–	–	–	–	–	–	1	3	5	5	10
Black	23	–	–	–	–	–	2	2	7	6	4	2	16	–	–	–	–	–	–	1	2	4	1	6
Other diseases of endocardium (424)	75	–	–	–	–	1	1	1	7	17	30	18	86	–	–	–	–	2	–	2	2	18	26	36
White	72	–	–	–	–	1	–	1	7	17	28	18	84	–	–	–	–	1	–	2	2	17	26	36
All other	3	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	1	–	–	–	1	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other forms of heart disease (415-423,425-429)	773	6	5	1	6	15	15	38	89	196	219	183	788	–	1	–	3	6	4	13	44	119	234	364
White	757	5	3	1	6	15	15	36	88	192	214	182	777	–	1	–	3	6	4	13	42	117	232	359
All other	16	1	2	–	–	–	–	2	1	4	5	1	11	–	–	–	–	–	–	–	2	2	2	5
Black	5	1	1	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	–	1	–	2	1
Hypertension with or without renal disease (401,403)	52	–	–	–	–	–	–	1	3	14	23	11	61	–	–	–	–	–	1	3	3	10	23	21
White	51	–	–	–	–	–	–	1	3	14	22	11	61	–	–	–	–	–	1	3	3	10	23	21
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	725	–	–	–	–	2	13	22	51	159	287	191	1,187	–	–	2	–	1	4	16	52	173	377	562
White	703	–	–	–	–	2	11	19	49	153	280	189	1,168	–	–	2	–	1	3	15	48	168	371	560
All other	22	–	–	–	–	–	2	3	2	6	7	2	19	–	–	–	–	–	1	1	4	5	6	2
Black	9	–	–	–	–	–	2	1	–	3	2	1	12	–	–	–	–	–	1	–	2	4	4	1
Intracerebral and other intracranial hemorrhage (431-432)	82	–	–	–	–	–	5	5	14	22	28	10	128	–	–	2	–	–	–	6	11	28	46	35
White	74	–	–	–	–	–	5	3	12	20	24	10	125	–	–	2	–	–	–	6	10	28	44	35
All other	8	–	–	–	–	–	–	2	2	2	2	–	3	–	–	–	–	–	–	–	1	–	2	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	114	–	–	–	–	–	–	5	6	23	49	31	179	–	–	–	–	–	1	1	4	28	63	82
White	112	–	–	–	–	–	–	5	6	23	47	31	176	–	–	–	–	–	1	1	3	27	63	82
All other	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	1	–	1	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–
Cerebral embolism (434.1)	3	–	–	–	–	1	–	–	–	–	1	1	4	–	–	–	–	–	–	–	1	2	1	–
White	3	–	–	–	–	1	–	–	–	–	1	1	4	–	–	–	–	–	–	–	1	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	526	–	–	–	–	1	8	12	31	114	211	149	876	–	–	–	–	1	3	9	36	115	267	445
White	514	–	–	–	–	1	6	11	31	110	208	147	863	–	–	–	–	1	3	8	34	111	263	443
All other	12	–	–	–	–	–	2	1	–	4	3	2	13	–	–	–	–	–	–	1	2	4	4	2
Black	7	–	–	–	–	–	2	1	–	2	1	1	9	–	–	–	–	–	–	–	1	4	3	1
Atherosclerosis (440)	164	–	–	–	–	–	–	3	11	36	60	54	237	–	–	–	–	–	–	2	8	25	54	148
White	159	–	–	–	–	–	–	3	10	35	60	51	232	–	–	–	–	–	–	1	7	24	52	148
All other	5	–	–	–	–	–	–	–	1	1	–	3	5	–	–	–	–	–	–	1	1	1	2	–
Black	3	–	–	–	–	–	–	–	–	1	–	2	5	–	–	–	–	–	–	1	1	1	2	–
Other diseases of arteries, arterioles, and capillaries (441-448)	169	–	–	–	–	–	2	2	23	64	61	17	111	–	–	–	–	–	2	1	9	20	44	35
White	164	–	–	–	–	–	2	1	22	62	60	17	108	–	–	–	–	–	2	1	9	19	44	33
All other	5	–	–	–	–	–	–	1	1	2	1	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	3	–	–	–	–	–	–	1	–	2	–	–	3	–	–	–	–	–	–	–	–	1	–	2
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1	1	–	–
White	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	372	–	1	–	1	–	2	10	19	74	126	139	376	1	2	1	1	3	1	3	6	39	90	229
White	365	–	1	–	1	–	2	9	18	72	124	138	372	1	2	1	1	2	–	3	6	38	89	229
All other	7	–	–	–	–	–	–	1	1	2	2	1	4	–	–	–	–	1	1	–	–	1	1	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	4	–	–	–	–	1	1	–	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	358	–	1	–	1	–	2	8	18	72	119	137	361	1	2	–	1	3	1	3	6	38	86	220
White	352	–	1	–	1	–	2	7	17	70	118	136	357	1	2	–	1	2	–	3	6	37	85	220
All other	6	–	–	–	–	–	–	1	1	2	1	1	4	–	–	–	–	1	1	–	–	1	1	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	4	–	–	–	–	1	1	–	–	1	1	–
Influenza (487)	14	–	–	–	–	–	–	2	1	2	7	2	15	–	–	1	–	–	–	–	–	1	4	9
White	13	–	–	–	–	–	–	2	1	2	6	2	15	–	–	1	–	–	–	–	–	1	4	9
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	663	–	–	2	–	2	2	17	77	245	236	82	412	–	–	–	1	–	2	19	62	149	138	41
White	650	–	–	1	–	2	–	15	75	243	233	81	408	–	–	–	1	–	2	19	61	149	136	40
All other	13	–	–	1	–	–	2	2	2	2	3	1	4	–	–	–	–	–	–	–	1	–	2	1
Black	8	–	–	1	–	–	2	2	1	1	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Bronchitis, chronic and unspecified (490-491)	19	–	–	–	–	–	–	–	9	6	5	5	29	–	–	–	–	–	–	1	7	5	8	8
White	18	–	–	–	–	–	–	–	2	6	5	5	29	–	–	–	–	–	–	1	7	5	8	8
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	165	–	–	–	–	–	–	2	20	69	53	21	72	–	–	–	–	–	–	4	13	29	22	4
White	162	–	–	–	–	–	–	1	20	68	52	21	72	–	–	–	–	–	–	4	13	29	22	4
All other	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	25	–	–	1	–	1	2	2	3	10	1	5	28	–	–	–	1	–	1	3	4	8	6	3
White	22	–	–	–	–	1	–	2	3	10	1	5	25	–	–	–	1	–	1	3	4	8	5	3
All other	3	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	454	–	–	1	–	1	–	13	51	160	177	51	285	–	–	–	–	–	1	11	38	107	102	28
White	448	–	–	1	–	1	–	12	50	159	175	50	282	–	–	–	–	–	1	11	37	107	101	25
All other	6	–	–	–	–	–	–	1	1	1	2	1	3	–	–	–	–	–	–	–	1	–	1	1
Black	4	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Ulcer of stomach and duodenum (531-533)	36	1	–	–	–	–	1	1	7	7	10	9	43	–	–	–	–	–	3	1	3	5	18	13
White	34	1	–	–	–	–	–	1	6	7	10	9	43	–	–	–	–	–	3	1	3	5	18	13
All other	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	3	–	–	–	–	–	–	–	1	–	–	2	5	1	–	–	–	–	–	–	1	–	2	1
White	3	–	–	–	–	–	–	–	1	–	–	2	5	1	–	–	–	–	–	–	1	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	25	4	–	1	–	–	1	–	1	8	6	4	31	–	–	–	–	–	–	–	2	4	14	11
White	25	4	–	1	–	–	1	–	1	8	6	4	31	–	–	–	–	–	–	–	2	4	14	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	208	1	–	–	2	6	21	26	75	61	13	3	90	1	–	–	–	3	14	12	23	18	16	3
White	199	1	–	–	1	5	17	26	73	61	12	3	82	1	–	–	–	2	11	10	23	18	14	3
All other	9	–	–	–	1	1	4	–	2	–	1	–	8	–	–	–	–	1	3	2	–	–	2	–
Black	7	–	–	–	–	1	4	–	2	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	9	–	–	–	–	–	–	–	–	1	7	1	19	–	–	–	–	–	–	–	1	8	3	7
White	9	–	–	–	–	–	–	–	–	1	7	1	19	–	–	–	–	–	–	–	1	8	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	64	–	–	–	–	–	3	3	5	13	23	17	54	–	–	–	–	–	–	–	2	16	14	22
White	62	–	–	–	–	–	2	3	4	13	23	17	52	–	–	–	–	–	–	–	2	16	12	22
All other	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	–	–	–	–	–	–	2	1	4	5	2	6	–	–	–	–	–	–	–	–	3	1	2
White	14	–	–	–	–	–	–	2	1	4	5	2	5	–	–	–	–	–	–	–	–	3	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	48	–	–	–	–	–	3	1	4	8	18	14	47	–	–	–	–	–	–	–	2	13	13	19
White	46	–	–	–	–	–	2	1	3	8	18	14	46	–	–	–	–	–	–	–	2	13	12	19
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Infections of kidney (590)	8	–	–	–	–	–	–	–	–	1	3	4	20	–	–	–	–	–	–	–	3	4	4	9
White	7	–	–	–	–	–	–	–	–	1	2	4	20	–	–	–	–	–	–	–	3	4	4	9
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	–	2	5	---	---	---	---	---	---	---	---	---	---	---	---
White	7	–	–	–	–	–	–	–	–	–	2	5	---	---	---	---	---	---	---	---	---	---	---	---
All other	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Black	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	–	1	1	1	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	1	–	1	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	–	1	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	–	1	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	1	1	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	1	–	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Congenital anomalies (740-759)	48	29	2	2	4	2	2	1	1	4	1	–	77	48	3	2	2	4	4	4	4	3	2	1
White	47	29	2	2	4	2	2	1	1	3	1	–	69	43	2	1	2	3	4	4	4	3	2	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	8	5	1	1	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	6	4	–	1	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	70	68	1	–	1	–	–	–	–	–	–	–	46	46	–	–	–	–	–	–	–	–	–	–
White	62	60	1	–	1	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	6	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	9	1	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
White	10	9	1	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	60	59	–	–	1	–	–	–	–	–	–	–	35	35	–	–	–	–	–	–	–	–	–	–
White	52	51	–	–	1	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	6	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	258	84	–	–	2	3	6	11	25	45	47	34	230	41	1	1	1	2	7	6	17	19	61	74
White	248	79	–	–	1	3	5	10	25	43	47	34	220	37	1	1	1	2	5	6	17	18	60	72
All other	10	5	–	–	1	–	1	1	–	2	–	–	10	4	–	–	–	–	2	–	–	1	1	2
Black	6	2	–	–	1	–	1	1	–	1	–	–	4	2	–	–	–	–	–	–	–	1	–	1
All other diseases (Residual)	879	6	7	7	11	36	40	36	90	193	285	167	944	1	2	3	6	15	18	24	74	189	299	313
White	859	6	7	7	11	34	38	35	87	189	281	164	931	1	2	3	5	14	18	23	73	188	294	312
All other	20	–	–	–	–	2	2	1	3	4	4	3	13	–	–	–	1	1	2	1	1	1	5	1
Black	7	–	–	–	–	1	1	1	–	1	1	1	6	–	–	–	–	1	1	–	1	1	2	–
Accidents and adverse effects (E800-E949)	866	9	23	24	198	166	100	85	81	68	68	43	370	7	15	18	60	28	40	26	25	40	63	48
White	831	8	21	23	189	161	93	80	79	67	68	41	354	6	14	16	58	25	39	24	24	38	63	47
All other	35	1	2	1	9	5	7	5	2	1	–	2	16	1	1	2	2	3	1	2	1	2	–	1
Black	16	1	1	–	1	1	4	4	1	1	–	2	4	–	–	1	1	–	–	1	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	446	3	7	6	139	98	52	36	37	32	28	10	195	3	5	10	48	21	25	15	14	23	20	11
White	427	3	5	6	131	94	47	35	36	32	28	10	182	2	5	8	46	18	24	13	14	22	20	10
All other	21	–	2	–	8	4	5	1	1	–	–	–	13	1	–	2	2	3	1	2	–	1	–	1
Black	7	–	1	–	1	1	2	1	1	–	–	–	4	–	–	1	1	–	–	1	–	–	–	1
All other accidents and adverse effects (E800-E807, E826-E849)	418	6	16	18	59	68	48	49	44	36	40	33	175	4	10	8	12	7	15	11	11	17	43	37
White	404	5	16	17	58	67	46	45	43	35	40	31	172	4	9	8	12	7	15	11	10	16	43	37
All other	14	1	–	1	1	1	2	4	1	1	–	2	3	–	1	–	–	–	–	–	1	1	–	–
Black	9	1	–	–	–	–	2	3	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	364	. . .	. . .	3	58	65	67	41	38	43	36	13	87	. . .	. . .	1	8	16	18	13	12	14	3	2
White	359	. . .	. . .	3	57	65	64	40	38	43	36	13	86	. . .	. . .	–	8	16	18	13	12	14	3	2
All other	5	. . .	. . .	–	1	–	3	1	–	–	–	–	1	. . .	. . .	1	–	–	–	–	–	–	–	–
Black	2	. . .	. . .	–	–	–	2	–	–	–	–	–	–	. . .	. . .	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	113	2	5	1	14	39	24	8	9	7	2	2	63	2	2	2	11	18	12	8	1	2	5	–
White	100	2	5	1	12	33	20	7	9	7	2	2	59	2	2	2	9	16	12	8	1	2	5	–
All other	13	–	–	–	2	6	4	1	–	–	–	–	4	–	–	–	2	2	–	–	–	–	–	–
Black	8	–	–	–	2	3	3	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
All other external causes (E980-E999)	41	–	–	2	3	20	10	1	3	–	2	–	12	–	1	–	–	5	1	3	–	1	–	–
White	38	–	–	2	3	19	9	–	3	–	2	–	10	–	1	–	–	5	1	2	–	1	–	–
All other	3	–	–	–	–	1	1	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
PENNSYLVANIA																								
All causes	63,475	962	154	199	1,216	1,637	1,903	3,512	10,288	18,024	17,256	8,311	60,920	678	120	145	420	644	1,035	2,215	6,495	13,379	18,672	17,107
White	57,296	685	120	174	1,051	1,264	1,487	2,901	9,084	16,572	16,140	7,810	55,634	477	84	125	364	497	810	1,788	5,647	12,154	17,400	16,273
All other	6,179	277	34	25	165	373	416	611	1,205	1,452	1,116	501	5,286	201	36	20	56	147	225	417	848	1,225	1,272	834
Black	6,049	271	33	23	160	365	409	588	1,192	1,423	1,091	490	5,204	197	36	18	55	144	218	408	834	1,207	1,256	828
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	3	–	–	–	–	–	–	–	1	2	4	–	–	–	–	–	–	1	–	–	–	3	
White	5	3	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	1	–	–	–	3	
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
Tuberculosis (010-018)	56	–	–	–	–	–	7	5	7	15	17	5	20	–	–	–	–	–	–	3	2	7	4	4
White	41	–	–	–	–	–	3	1	6	11	15	5	14	–	–	–	–	–	–	1	2	5	4	2
All other	15	–	–	–	–	–	4	4	1	4	2	–	6	–	–	–	–	–	–	2	–	2	–	2
Black	15	–	–	–	–	–	4	4	1	4	2	–	6	–	–	–	–	–	–	2	–	2	–	2
Tuberculosis of respiratory system (010-012)	46	–	–	–	–	–	4	4	6	14	15	3	15	–	–	–	–	–	–	2	1	4	4	4
White	36	–	–	–	–	–	2	1	6	11	13	3	11	–	–	–	–	–	–	1	1	3	4	2
All other	10	–	–	–	–	–	2	3	–	3	2	–	4	–	–	–	–	–	–	1	–	1	–	2
Black	10	–	–	–	–	–	2	3	–	3	2	–	4	–	–	–	–	–	–	1	–	1	–	2
Other tuberculosis (013-018)	10	–	–	–	–	–	3	1	1	1	2	2	5	–	–	–	–	–	–	1	1	3	–	–
White	5	–	–	–	–	–	1	–	–	–	2	2	3	–	–	–	–	–	–	–	1	2	–	–
All other	5	–	–	–	–	–	2	1	1	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	5	–	–	–	–	–	2	1	1	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Whooping cough (033)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	8	1	3	–	1	1	–	–	1	1	–	–	6	–	–	–	2	–	–	–	–	3	1	–
White	8	1	3	–	1	1	–	–	1	1	–	–	6	–	–	–	2	–	–	–	–	3	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	765	11	3	–	2	4	11	30	95	204	263	142	934	7	3	2	4	4	12	19	72	182	317	312
White	628	10	3	–	2	3	7	18	67	171	223	124	772	6	2	2	4	2	8	13	54	148	263	270
All other	137	1	–	–	–	1	4	12	28	33	40	18	162	1	1	–	–	2	4	6	18	34	54	42
Black	135	1	–	–	–	1	4	11	28	33	39	18	160	1	1	–	–	2	4	6	18	33	54	41
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	12	-	-	-	2	2	1	1	2	2	2	-	9	-	-	-	-	2	2	-	2	1	2	-
White	12	-	-	-	2	2	1	1	2	2	2	-	8	-	-	-	-	2	2	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Syphilis (090-097)	6	-	-	-	-	-	2	-	-	1	2	1	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	4	-	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	182	1	1	2	5	31	32	20	21	40	19	10	150	1	2	2	-	5	6	9	27	36	31	31
White	144	1	1	2	4	21	23	14	18	35	16	9	129	1	2	2	-	-	6	3	23	34	30	28
All other	38	-	-	-	1	10	9	6	3	5	3	1	21	-	-	-	-	5	-	6	4	2	1	3
Black	38	-	-	-	1	10	9	6	3	5	3	1	21	-	-	-	-	5	-	6	4	2	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,643	1	9	27	67	118	309	957	3,286	5,118	3,637	1,113	13,485	-	14	27	46	158	399	1,023	2,716	4,043	3,455	1,604
White	13,221	1	9	23	53	112	259	794	2,896	4,660	3,375	1,039	12,305	-	11	25	43	140	329	870	2,421	3,707	3,233	1,526
All other	1,422	-	-	4	14	6	51	163	390	458	262	74	1,180	-	3	2	3	18	70	153	295	336	222	78
Black	1,391	-	-	4	14	4	49	160	386	447	253	74	1,161	-	3	1	3	17	67	150	292	331	219	78
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	301	-	-	-	2	1	15	44	79	91	51	18	150	-	-	-	-	1	4	16	39	36	41	13
White	257	-	-	-	1	1	14	33	67	85	42	14	129	-	-	-	-	1	2	10	33	32	39	12
All other	44	-	-	-	1	-	1	11	12	6	9	4	21	-	-	-	-	-	2	6	6	4	2	1
Black	43	-	-	-	1	-	1	11	12	6	8	4	21	-	-	-	-	-	2	6	6	4	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,714	-	3	-	3	16	71	235	849	1,322	910	305	3,635	-	1	1	3	17	54	168	558	1,083	1,125	625
White	3,368	-	3	-	3	15	61	190	740	1,213	859	284	3,271	-	1	1	3	15	42	135	479	971	1,026	598
All other	346	-	-	-	-	1	10	45	109	109	51	21	364	-	-	-	-	2	12	33	79	112	99	27
Black	332	-	-	-	-	-	9	44	105	105	48	21	356	-	-	-	-	2	11	31	78	109	98	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,987	-	-	-	2	7	74	389	1,355	1,888	1,087	185	2,288	-	-	1	1	5	35	188	627	856	470	105
White	4,461	-	-	-	2	7	58	315	1,178	1,719	1,010	172	2,046	-	-	1	1	4	28	154	543	775	439	101
All other	526	-	-	-	-	-	16	74	177	169	77	13	242	-	-	-	-	1	7	34	84	81	31	4
Black	518	-	-	-	-	-	16	73	177	164	75	13	241	-	-	-	-	1	7	34	84	81	30	4
Malignant neoplasm of breast (174-175)	15	-	-	-	-	-	-	-	3	7	5	-	2,455	-	-	-	-	30	144	272	614	675	490	230
White	13	-	-	-	-	-	-	-	3	6	4	-	2,264	-	-	-	-	25	117	234	571	632	471	214
All other	2	-	-	-	-	-	-	-	-	1	1	-	191	-	-	-	-	5	27	38	43	43	19	16
Black	2	-	-	-	-	-	-	-	-	1	1	-	190	-	-	-	-	5	27	37	43	43	19	16
Malignant neoplasms of genital organs (179-187)	1,580	-	-	-	8	8	4	13	157	509	590	291	1,389	-	-	-	1	26	61	146	306	398	317	134
White	1,389	-	-	-	7	8	4	10	136	430	524	270	1,275	-	-	-	1	24	52	131	277	366	300	124
All other	191	-	-	-	1	-	-	3	21	79	66	21	114	-	-	-	-	2	9	15	29	32	17	10
Black	190	-	-	-	1	-	-	3	21	78	66	21	110	-	-	-	-	2	9	15	28	30	16	10
Malignant neoplasms of urinary organs (188-189)	734	-	-	-	-	1	11	47	151	249	195	80	421	-	-	3	-	5	6	16	66	111	139	75
White	689	-	-	-	-	1	8	43	141	235	182	79	390	-	-	3	-	5	4	14	58	101	133	72
All other	45	-	-	-	-	-	3	4	10	14	13	1	31	-	-	-	-	-	2	2	8	10	6	3
Black	45	-	-	-	-	-	3	4	10	14	13	1	31	-	-	-	-	-	2	2	8	10	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,972	1	3	13	22	52	83	158	460	604	449	127	1,844	-	11	12	15	37	57	133	304	529	500	246
White	1,798	1	3	9	17	50	69	136	415	558	424	116	1,713	-	9	12	13	35	52	117	273	500	467	235
All other	174	-	-	4	5	2	14	22	45	46	25	11	131	-	2	-	2	2	5	16	31	29	33	11
Black	172	-	-	4	5	2	14	22	45	45	24	11	129	-	2	-	2	2	4	16	30	29	33	11
Leukemia (204-208)	571	-	3	9	17	19	21	27	91	180	152	51	501	-	1	8	16	19	21	33	70	124	124	85
White	539	-	3	9	12	17	20	25	85	174	144	49	469	-	1	7	15	17	17	30	65	116	119	82
All other	32	-	-	-	5	2	1	2	6	6	8	2	32	-	-	1	1	2	4	3	5	8	5	3
Black	30	-	-	-	5	1	1	2	6	6	7	2	29	-	-	-	1	1	3	3	5	8	5	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	769	-	-	5	13	14	30	44	141	268	198	56	802	-	1	2	10	18	17	51	132	231	249	91
White	707	-	-	5	11	13	24	42	131	240	186	55	748	-	-	1	10	14	15	45	122	214	239	88
All other	62	-	-	-	2	1	6	2	10	28	12	1	54	-	1	1	-	4	2	6	10	17	10	3
Black	59	-	-	-	2	1	5	1	10	28	11	1	54	-	1	1	-	4	2	6	10	17	10	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	187	2	2	3	6	3	10	14	34	41	41	31	232	4	1	3	3	1	5	15	28	65	79	28
White	171	2	2	2	6	3	8	10	31	40	40	27	216	3	-	3	3	1	5	12	27	62	72	26
All other	16	-	-	1	-	-	2	4	3	1	1	4	16	1	1	-	-	-	-	3	1	3	7	-
Black	16	-	-	1	-	-	2	4	3	1	1	4	16	1	1	-	-	-	-	3	1	3	7	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	897	–	–	2	–	23	25	78	182	298	288	101	1,516	–	1	–	2	16	17	51	196	427	490	316
White	890	–	–	2	–	20	21	63	158	269	262	95	1,368	–	1	–	1	13	14	39	175	375	453	297
All other	107	–	–	–	–	3	4	15	24	29	26	6	148	–	–	–	1	3	3	12	21	52	37	19
Black	105	–	–	–	–	3	4	15	24	28	25	6	147	–	–	–	1	3	3	12	20	52	37	19
Nutritional deficiencies (260-269)	75	1	–	–	–	2	2	1	5	10	33	21	110	–	–	–	–	2	3	–	5	20	26	54
White	60	–	–	–	–	1	2	–	5	7	28	19	102	–	–	–	–	2	3	–	5	17	22	53
All other	15	1	–	–	–	1	–	1	–	3	7	2	8	–	–	–	–	–	–	–	–	3	4	1
Black	14	1	–	–	–	1	–	1	–	3	7	1	8	–	–	–	–	–	–	–	–	3	4	1
Anemias (280-285)	97	–	3	1	4	5	1	3	9	21	28	22	143	–	1	–	1	4	4	3	7	19	42	62
White	83	–	1	1	1	1	–	3	9	20	25	22	125	–	–	–	1	2	2	2	4	18	39	57
All other	14	–	2	–	3	4	1	–	–	1	3	–	18	–	1	–	–	2	2	1	3	1	3	5
Black	14	–	2	–	3	4	1	–	–	1	3	–	17	–	1	–	–	2	2	1	3	1	3	4
Meningitis (320-322)	26	4	1	–	–	3	4	1	2	7	3	1	25	5	2	2	–	1	–	3	2	3	7	–
White	20	4	1	–	–	1	2	–	1	7	3	1	23	5	1	2	–	1	–	3	1	3	7	–
All other	6	–	–	–	–	2	2	1	1	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–
Black	6	–	–	–	–	2	2	1	1	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–
Major cardiovascular diseases (390-448)	28,419	29	7	5	42	159	516	1,382	4,440	8,428	8,770	4,639	30,713	13	7	4	32	76	209	591	2,193	5,963	10,471	11,151
White	26,516	19	6	5	30	122	431	1,225	4,045	7,921	8,302	4,412	28,682	12	2	3	22	56	169	489	1,900	5,471	9,841	10,715
All other	1,901	11	1	–	12	37	85	157	395	507	468	227	2,031	1	5	1	10	20	40	102	293	492	630	436
Black	1,869	11	1	–	12	36	84	153	382	497	461	221	2,001	1	5	1	9	20	38	100	286	485	622	433
Diseases of heart (390-398,402,404-429)	23,862	25	7	4	31	128	444	1,244	3,906	7,206	7,135	3,730	24,332	10	6	3	21	55	150	463	1,817	4,825	8,261	8,698
White	22,362	16	6	4	21	102	379	1,119	3,588	6,800	6,772	3,554	22,780	9	2	2	15	39	121	389	1,595	4,447	7,798	8,361
All other	1,500	9	1	–	10	26	65	125	318	406	363	176	1,552	1	4	1	6	16	29	74	222	378	463	337
Black	1,479	9	1	–	10	25	65	123	317	399	357	172	1,533	1	4	1	6	16	28	72	219	376	475	334
Rheumatic fever and rheumatic heart disease (390-398)	142	1	–	–	4	5	6	14	29	38	37	8	307	–	–	–	–	2	7	24	52	92	93	37
White	133	1	–	–	4	5	5	11	28	36	36	7	297	–	–	–	–	2	7	22	49	92	88	37
All other	9	–	–	–	–	–	1	3	1	2	1	1	10	–	–	–	–	–	–	2	3	–	5	–
Black	8	–	–	–	–	–	1	3	1	1	1	1	10	–	–	–	–	–	–	2	3	–	5	–
Hypertensive heart disease (402)	373	–	–	–	2	4	12	22	80	120	100	33	591	–	–	–	–	1	6	7	52	111	216	198
White	314	–	–	–	2	1	6	17	62	106	91	29	525	–	–	–	–	–	2	7	36	96	199	185
All other	59	–	–	–	–	3	6	5	18	14	9	4	66	–	–	–	–	1	4	–	16	15	17	13
Black	58	–	–	–	–	3	6	5	18	14	9	3	66	–	–	–	–	1	4	–	16	15	17	13
Hypertensive heart and renal disease (404)	69	–	–	–	–	–	1	2	5	23	23	15	86	–	–	–	–	–	3	3	3	8	36	33
White	61	–	–	–	–	–	–	2	5	19	21	14	75	–	–	–	–	–	2	2	2	8	31	30
All other	8	–	–	–	–	–	1	–	–	4	2	1	11	–	–	–	–	–	1	1	1	–	5	3
Black	8	–	–	–	–	–	1	–	–	4	2	1	10	–	–	–	–	–	–	1	1	–	5	3
Ischemic heart disease (410-414)	16,205	–	–	–	4	57	289	866	2,781	5,079	4,808	2,321	15,044	–	–	–	3	12	67	252	1,164	3,179	5,330	5,035
White	15,441	–	–	–	1	51	265	794	2,618	4,866	4,613	2,233	14,232	–	–	–	2	10	58	213	1,051	2,972	5,067	4,857
All other	764	–	–	–	3	6	24	72	163	213	195	88	812	–	–	–	1	2	9	39	113	207	263	178
Black	753	–	–	–	3	6	24	72	162	209	189	88	798	–	–	–	1	2	9	37	111	206	258	176
Acute myocardial infarction (410)	9,200	–	–	–	1	32	197	595	1,842	3,041	2,555	937	7,467	–	–	–	3	9	42	187	782	1,985	2,765	1,692
White	8,765	–	–	–	–	31	180	545	1,742	2,905	2,465	897	7,049	–	–	–	2	8	37	163	712	1,860	2,636	1,629
All other	435	–	–	–	1	1	17	50	100	136	90	40	418	–	–	–	1	1	5	24	70	125	129	63
Black	429	–	–	–	1	1	17	50	99	134	87	40	408	–	–	–	1	1	5	22	69	124	124	62
Other acute and subacute forms of ischemic heart disease (411)	61	–	–	–	–	1	2	1	7	22	13	15	65	–	–	–	–	–	–	2	7	14	16	26
White	59	–	–	–	–	1	2	1	6	22	12	15	58	–	–	–	–	–	–	1	6	14	13	24
All other	2	–	–	–	–	–	–	–	1	–	1	–	7	–	–	–	–	–	–	1	1	–	3	2
Black	2	–	–	–	–	–	–	–	1	–	1	–	7	–	–	–	–	–	–	1	1	–	3	2
Angina pectoris (413)	26	–	–	–	–	–	–	–	1	10	10	5	31	–	–	–	–	–	–	–	1	6	8	16
White	26	–	–	–	–	–	–	–	1	10	10	5	30	–	–	–	–	–	–	–	1	6	8	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,918	–	–	–	3	24	90	270	931	2,006	2,230	1,364	7,461	–	–	–	–	3	25	63	374	1,174	2,541	3,301
White	6,591	–	–	–	1	19	83	248	869	1,929	2,126	1,316	7,095	–	–	–	–	2	21	49	332	1,092	2,410	3,169
All other	327	–	–	–	2	5	7	22	62	77	104	48	366	–	–	–	–	1	4	14	42	82	131	112
Black	322	–	–	–	2	5	7	22	62	75	101	48	382	–	–	–	–	1	4	14	41	82	129	111
Other diseases of endocardium (424)	298	1	–	2	–	2	7	13	41	77	109	46	380	–	–	–	–	2	1	7	23	73	134	140
White	276	–	–	2	–	1	4	12	40	74	100	43	358	–	–	–	–	1	1	7	21	64	131	133
All other	22	1	–	–	–	1	3	1	1	3	9	3	22	–	–	–	–	1	–	–	2	9	3	7
Black	22	1	–	–	–	1	3	1	1	3	9	3	22	–	–	–	–	1	–	–	2	9	3	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-429,425-429)	6,775	23	7	2	21	60	129	327	970	1,869	2,058	1,307	7,924	10	6	3	18	38	66	170	523	1,362	2,472	3,255
White	6,137	15	6	2	14	44	99	283	835	1,699	1,911	1,228	7,293	9	2	2	13	26	51	138	436	1,215	2,282	3,119
All other	638	8	1	–	7	16	30	44	135	170	147	79	631	1	4	1	5	12	15	32	87	147	190	136
Black	630	8	1	–	7	15	30	42	135	168	147	76	627	1	4	1	5	12	15	32	86	146	189	135
Hypertension with or without renal disease (401,403)	188	–	–	–	3	1	–	14	31	59	50	30	275	–	–	–	–	–	2	8	19	68	99	79
White	162	–	–	–	1	1	–	10	25	54	42	29	237	–	–	–	–	–	1	4	16	59	83	74
All other	26	–	–	–	2	–	–	4	6	5	8	1	38	–	–	–	–	–	1	4	3	9	16	5
Black	26	–	–	–	2	–	–	4	6	5	8	1	38	–	–	–	–	–	1	4	3	9	16	5
Cerebrovascular diseases (430-438)	3,138	4	–	–	6	23	55	97	356	836	1,144	617	4,847	3	1	1	10	18	48	109	304	878	1,705	1,770
White	2,831	2	–	–	6	13	38	73	297	760	1,065	577	4,474	3	–	1	6	14	40	87	244	789	1,590	1,700
All other	307	2	–	–	–	10	17	24	59	76	79	40	373	–	1	–	4	4	8	22	60	89	115	70
Black	297	2	–	–	–	10	16	22	57	73	79	38	363	–	1	–	3	4	7	22	56	85	115	70
Intracerebral and other intracranial hemorrhage (431-432)	466	1	–	–	2	3	26	28	90	129	136	49	647	1	–	–	3	5	15	40	87	170	211	115
White	400	–	–	–	2	–	18	16	79	116	127	48	573	1	–	–	1	3	14	31	68	156	194	105
All other	66	1	–	–	–	3	10	12	17	13	9	1	74	–	–	–	2	2	1	9	19	14	17	10
Black	61	1	–	–	–	3	9	11	16	11	9	1	71	–	–	–	1	2	1	9	18	13	17	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	549	–	–	–	2	2	4	10	53	160	214	104	826	1	–	–	1	2	4	12	43	150	302	313
White	510	–	–	–	2	1	4	6	45	149	205	98	772	1	–	–	–	2	2	9	32	132	286	308
All other	39	–	–	–	–	1	–	4	8	11	9	6	56	–	–	–	1	–	2	3	11	18	16	5
Black	38	–	–	–	–	1	–	4	7	11	9	6	55	–	–	–	1	–	2	3	10	18	16	5
Cerebral embolism (434.1)	22	–	–	–	–	–	1	–	2	7	9	3	29	–	–	–	–	–	–	1	2	8	11	7
White	21	–	–	–	–	–	1	–	2	7	8	3	29	–	–	–	–	–	–	1	2	8	11	7
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,101	3	–	–	2	18	22	59	211	540	765	461	3,343	1	1	1	6	11	29	56	172	550	1,181	1,335
White	1,900	2	–	–	2	12	15	51	177	488	725	428	3,100	1	–	1	5	9	24	46	142	493	1,099	1,280
All other	201	1	–	–	–	6	7	8	34	52	60	33	243	–	1	–	1	2	5	10	30	57	82	55
Black	197	1	–	–	–	6	7	7	34	51	60	31	237	–	1	–	1	2	4	10	28	54	82	55
Atherosclerosis (440)	401	–	–	–	–	2	3	3	18	55	151	169	723	–	–	–	–	–	1	–	18	54	202	448
White	384	–	–	–	–	2	2	3	17	54	142	164	692	–	–	–	–	–	1	–	15	50	193	433
All other	17	–	–	–	–	–	1	–	1	1	9	5	31	–	–	–	–	–	–	–	3	4	9	15
Black	16	–	–	–	–	–	1	–	1	1	8	5	30	–	–	–	–	–	–	–	3	3	9	15
Other diseases of arteries, arterioles, and capillaries (441-448)	830	–	–	1	2	5	14	24	129	272	290	93	536	–	–	–	1	3	8	11	35	138	184	156
White	779	–	–	1	2	4	12	20	118	253	281	88	489	–	–	–	1	3	6	9	30	126	177	147
All other	51	–	–	–	–	1	2	4	11	19	9	5	37	–	–	–	–	–	2	2	5	12	7	9
Black	51	–	–	–	–	1	2	4	11	19	9	5	37	–	–	–	–	–	2	2	5	12	7	9
Acute bronchitis and bronchiolitis (466)	20	–	–	–	–	–	–	–	4	6	6	4	16	1	2	–	–	–	–	–	–	5	2	6
White	20	–	–	–	–	–	–	–	4	6	6	4	16	1	2	–	–	–	–	–	–	5	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,711	16	5	3	4	19	24	33	113	347	615	532	1,924	12	2	3	6	12	12	23	78	256	623	897
White	1,567	12	4	3	3	13	17	25	94	308	577	511	1,786	11	1	2	6	7	8	17	68	229	578	859
All other	144	4	1	–	1	6	7	8	19	39	38	21	138	1	1	1	–	5	4	6	10	27	45	38
Black	140	4	1	–	1	5	6	8	19	39	37	20	135	1	1	1	–	5	4	6	9	26	45	37
Pneumonia (480-486)	1,698	16	4	3	4	19	23	32	112	342	609	524	1,871	12	2	3	6	12	11	22	77	250	608	868
White	1,544	12	3	3	3	13	16	24	93	303	571	503	1,734	11	1	2	6	7	7	16	67	223	563	831
All other	144	4	1	–	1	6	7	8	19	39	38	21	137	1	1	1	–	5	4	6	10	27	45	37
Black	140	4	1	–	1	5	6	8	19	39	37	20	134	1	1	1	–	5	4	6	9	26	45	36
Influenza (487)	23	–	1	–	–	–	1	1	1	5	6	8	53	–	–	–	–	–	1	1	1	6	15	29
White	23	–	1	–	–	–	1	1	1	5	6	8	52	–	–	–	–	–	1	1	1	6	15	28
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,638	1	1	2	3	6	12	57	275	939	994	347	1,637	–	1	2	4	2	8	38	215	598	552	217
White	2,495	–	1	2	3	3	11	46	250	892	953	332	1,554	–	1	2	2	2	6	31	194	569	535	212
All other	143	1	–	–	–	3	1	9	25	47	41	15	83	–	–	–	2	–	2	7	21	29	17	5
Black	133	1	–	–	–	3	–	9	22	44	38	15	81	–	–	–	2	–	2	7	21	27	17	5
Bronchitis, chronic and unspecified (490-491)	93	1	1	–	–	–	–	1	8	25	43	14	79	–	–	–	–	1	–	2	6	22	29	19
White	88	–	1	–	–	–	–	1	8	23	41	14	78	–	–	–	–	1	–	2	6	21	28	18
All other	5	1	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	3	1	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Emphysema (492)	400	–	–	–	–	–	2	14	60	141	144	39	211	–	–	–	–	–	–	1	38	96	58	18
White	377	–	–	–	–	–	2	13	53	134	136	37	202	–	–	–	–	–	–	–	35	92	57	18
All other	23	–	–	–	–	–	–	1	7	7	6	2	9	–	–	–	–	–	–	1	3	4	1	–
Black	22	–	–	–	–	–	–	1	6	7	6	2	9	–	–	–	–	–	–	1	3	4	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	56	-	-	1	3	6	1	7	7	16	13	2	107	-	-	2	4	1	4	4	25	31	29	7
White	50	-	-	1	3	3	1	6	5	16	13	2	90	-	-	2	2	1	2	1	20	25	29	7
All other	6	-	-	-	-	3	-	1	2	-	-	-	17	-	-	-	2	-	2	3	5	5	-	-
Black	6	-	-	-	-	3	-	1	2	-	-	-	17	-	-	-	2	-	2	3	5	5	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,089	-	-	1	-	-	9	35	200	757	794	292	1,240	-	1	-	-	-	4	31	146	449	436	173
White	1,980	-	-	1	-	-	8	28	184	719	761	279	1,186	-	1	-	-	-	4	28	133	430	421	169
All other	109	-	-	-	-	-	1	7	16	38	33	13	54	-	-	-	-	-	-	3	13	19	15	4
Black	102	-	-	-	-	-	-	7	14	36	31	13	52	-	-	-	-	-	-	3	13	17	15	4
Ulcer of stomach and duodenum (531-533)	141	-	-	-	-	1	3	5	22	29	50	31	175	-	-	-	-	-	-	2	13	33	64	63
White	130	-	-	-	-	1	3	4	21	26	45	30	161	-	-	-	-	-	-	2	10	29	61	59
All other	11	-	-	-	-	-	-	1	1	3	5	1	14	-	-	-	-	-	-	-	3	4	3	4
Black	11	-	-	-	-	-	-	1	1	3	5	1	14	-	-	-	-	-	-	-	3	4	3	4
Appendicitis (540-543)	11	-	-	-	1	-	1	1	4	3	-	1	18	-	-	-	-	1	-	-	5	6	3	3
White	10	-	-	-	1	-	1	-	4	3	-	1	17	-	-	-	-	-	-	-	5	6	3	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	100	3	1	-	2	1	2	6	11	19	31	24	172	-	1	-	-	-	2	2	11	38	44	78
White	83	3	1	-	2	1	1	6	9	15	25	20	157	-	1	-	-	-	2	2	9	32	41	70
All other	17	-	-	-	-	-	1	-	2	4	6	4	15	-	-	-	-	-	-	-	2	4	3	6
Black	17	-	-	-	-	-	1	-	2	4	6	4	15	-	-	-	-	-	-	-	2	4	3	6
Chronic liver disease and cirrhosis (571)	792	-	-	-	1	29	73	106	254	229	88	11	448	-	1	-	-	12	36	47	116	141	77	18
White	699	-	-	-	1	20	53	86	231	213	85	10	385	-	1	-	-	9	22	32	103	133	77	18
All other	93	-	-	-	-	9	20	20	23	16	3	1	53	-	-	-	-	3	14	15	13	8	-	-
Black	91	-	-	-	-	9	20	19	23	15	3	1	53	-	-	-	-	3	14	15	13	8	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	74	-	-	-	-	-	-	4	4	20	31	15	88	-	-	-	1	2	2	-	3	18	31	33
White	71	-	-	-	-	-	-	4	3	19	30	15	83	-	-	-	1	1	2	-	3	15	29	32
All other	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	1	-	-	-	1	2	1
Black	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	1	-	-	-	1	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	765	7	1	1	4	2	16	24	79	182	283	186	773	3	1	2	2	6	11	12	70	161	256	249
White	669	5	1	1	3	2	7	17	66	163	241	163	672	3	-	1	2	3	5	9	54	139	226	230
All other	96	2	-	-	1	-	9	7	13	19	22	23	101	-	1	1	-	3	6	3	16	22	30	19
Black	96	2	-	-	1	-	9	7	13	19	22	23	100	-	1	1	-	2	6	3	16	22	30	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	1	-	-	-	-	1	-	1	2	2	2	9	1	1	-	-	-	-	-	1	4	2	
White	8	1	-	-	-	-	-	-	1	2	2	2	6	1	-	-	-	-	-	-	1	2	2	
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	2	-	
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	2	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	39	-	-	-	1	1	3	1	4	11	9	9	31	-	-	-	-	-	1	-	6	9	4	11
White	22	-	-	-	-	1	-	1	2	7	7	4	29	-	-	-	-	-	-	-	6	8	4	11
All other	17	-	-	-	1	-	3	-	2	4	2	5	2	-	-	-	-	-	1	-	-	1	-	-
Black	17	-	-	-	1	-	3	-	2	4	2	5	2	-	-	-	-	-	1	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	717	6	1	1	3	1	12	23	74	169	252	175	733	2	-	2	2	6	10	12	64	151	248	236
White	639	4	1	1	3	1	7	16	63	154	232	157	637	2	-	1	2	3	5	9	48	130	220	217
All other	78	2	-	-	-	-	5	7	11	15	20	18	96	-	-	1	-	3	5	3	16	21	28	19
Black	78	2	-	-	-	-	5	7	11	15	20	18	95	-	-	1	-	2	5	3	16	21	28	19
Infections of kidney (590)	21	-	-	-	-	-	-	1	2	3	9	6	47	-	-	-	-	-	-	1	4	3	17	22
White	18	-	-	-	-	-	-	1	2	1	8	6	46	-	-	-	-	-	-	1	4	3	16	22
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	28	-	-	-	-	-	-	-	1	7	8	12	...	...	...	...	...	...	...	...	...	...	...	...
White	26	-	-	-	-	-	-	-	1	7	8	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	3	10	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	2	8	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	1	8	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	7	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Congenital anomalies (740-759)	281	175	16	11	12	10	9	8	16	17	4	3	261	155	20	16	8	10	6	6	16	7	12	5
White	234	149	13	9	7	6	7	7	15	15	3	3	225	127	16	15	7	9	6	6	15	7	12	5
All other	47	26	3	2	5	4	2	1	1	2	1	–	36	28	4	1	1	1	–	–	1	–	–	–
Black	47	26	3	2	5	4	2	1	1	2	1	–	35	27	4	1	1	1	–	–	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	508	504	3	–	1	–	–	–	–	–	–	–	328	327	1	–	–	–	–	–	–	–	–	–
White	340	338	1	–	1	–	–	–	–	–	–	–	213	213	–	–	–	–	–	–	–	–	–	–
All other	168	166	2	–	–	–	–	–	–	–	–	–	115	114	1	–	–	–	–	–	–	–	–	–
Black	163	161	2	–	–	–	–	–	–	–	–	–	114	113	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	109	109	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	–
White	80	80	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
All other	29	29	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	28	28	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	399	395	3	–	1	–	–	–	–	–	–	–	255	254	1	–	–	–	–	–	–	–	–	–
White	260	258	1	–	1	–	–	–	–	–	–	–	156	156	–	–	–	–	–	–	–	–	–	–
All other	139	137	2	–	–	–	–	–	–	–	–	–	99	98	1	–	–	–	–	–	–	–	–	–
Black	135	133	2	–	–	–	–	–	–	–	–	–	98	97	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,596	135	7	2	9	30	77	146	333	434	295	128	1,112	87	7	–	4	15	25	78	142	238	282	233
White	1,052	94	5	1	8	12	33	66	215	303	216	99	764	57	6	–	4	11	12	37	79	151	218	189
All other	544	41	2	1	1	18	44	80	118	131	79	29	348	30	1	–	–	4	13	41	63	87	64	44
Black	538	41	2	1	1	17	44	77	117	130	79	29	346	30	1	–	–	4	13	40	63	87	63	44
All other diseases (Residual)	4,709	37	22	18	66	162	216	230	644	1,173	1,395	746	4,636	37	16	16	48	79	106	146	383	859	1,506	1,436
White	4,161	22	17	16	51	112	152	180	550	1,061	1,313	687	4,104	27	11	16	36	51	64	109	318	764	1,385	1,922
All other	548	15	5	2	15	50	64	50	94	112	82	59	532	10	5	–	12	28	42	38	65	95	121	116
Black	535	14	4	2	15	50	64	48	92	110	79	57	525	8	5	–	12	28	41	38	63	94	120	116
Accidents and adverse effects (E800-E949)	2,819	19	63	109	657	539	271	217	252	277	261	153	1,423	20	30	58	183	136	82	77	118	195	249	273
White	2,512	15	48	96	621	474	232	177	218	247	242	140	1,277	10	23	46	177	111	72	68	109	178	224	250
All other	307	4	15	13	36	65	39	40	34	30	19	11	146	10	7	12	6	25	10	9	9	17	25	14
Black	294	4	15	12	32	65	38	34	34	30	19	10	136	10	7	11	6	24	9	7	9	16	23	14
Motor vehicle accidents (E810-E825)	1,445	–	13	68	521	331	121	101	100	97	72	19	564	1	12	29	147	77	49	51	62	68	53	15
White	1,342	–	11	62	496	303	112	90	90	91	68	17	536	–	11	26	146	69	48	47	60	64	50	15
All other	103	–	2	6	25	28	9	11	10	6	4	2	28	1	1	3	1	8	1	4	2	4	3	–
Black	96	–	2	6	22	28	9	7	10	6	4	2	21	1	1	2	1	7	–	2	2	4	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,374	19	50	41	136	208	150	116	152	180	189	132	859	19	18	29	36	59	33	26	56	127	196	258
White	1,170	15	37	34	125	171	120	87	128	156	174	123	741	10	12	20	31	42	24	21	49	114	174	244
All other	204	4	13	7	11	37	30	29	24	24	15	9	118	9	6	9	5	17	9	5	7	13	22	14
Black	198	4	13	6	10	37	29	27	24	24	15	8	115	9	6	9	5	17	9	5	7	12	22	14
Suicide (E950-E959)	1,174	...	...	7	190	278	180	126	153	129	88	23	278	...	...	3	28	45	51	45	52	29	20	4
White	1,076	...	...	6	177	234	163	118	145	126	84	23	261	...	...	1	25	40	51	41	52	28	18	4
All other	98	...	...	1	13	44	17	8	8	3	4	–	17	...	...	2	3	5	–	4	–	1	2	–
Black	94	...	...	1	12	43	17	6	8	3	4	–	15	...	...	2	3	5	–	3	–	1	1	–
Homicide and legal intervention (E960-E978)	479	9	6	5	111	165	80	42	34	15	9	1	184	6	6	4	37	36	31	16	13	21	9	5
White	224	4	3	4	51	66	39	21	13	14	7	–	108	1	3	4	22	17	17	9	6	17	8	4
All other	255	5	3	1	60	99	41	21	21	1	2	1	76	5	3	–	15	19	14	7	7	4	1	1
Black	250	5	3	–	60	97	40	20	21	1	2	1	76	5	3	–	15	19	14	7	7	4	1	1
All other external causes (E980-E999)	128	3	–	1	26	44	19	14	4	8	5	2	36	–	1	1	6	9	4	4	6	4	–	–
White	105	3	–	1	23	33	12	12	4	8	5	2	29	–	–	1	4	9	4	2	5	4	–	–
All other	23	–	–	–	3	11	7	2	–	–	–	–	7	–	1	–	2	–	–	2	1	–	–	–
Black	23	–	–	–	3	11	7	2	–	–	–	–	7	–	1	–	2	–	–	2	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,803	73	8	11	77	146	160	265	749	1,335	1,287	688	4,915	53	8	8	25	52	74	166	472	973	1,477	1,606
White	4,638	60	7	7	73	132	145	247	719	1,303	1,264	677	4,784	46	7	7	23	41	68	156	454	940	1,456	1,585
All other	165	13	1	4	4	14	15	18	30	32	23	11	131	7	1	1	2	11	6	10	18	33	21	21
Black	140	9	1	4	3	12	13	17	28	26	18	9	114	7	–	1	1	10	6	9	17	26	19	18
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	1	–	1	–
White	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	49	1	–	1	–	–	–	3	6	15	11	12	59	–	–	–	–	–	–	–	3	11	20	25
White	48	1	–	1	–	–	–	3	5	15	11	12	56	–	–	–	–	–	–	–	2	9	20	25
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	–	–	–	1	1	–	–	1	–	1	3	–	–	–	–	–	–	–	1	–	1	1
White	4	–	–	–	–	1	1	–	–	1	–	1	3	–	–	–	–	–	–	–	1	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	17	3	–	–	–	3	2	1	2	5	1	–	18	2	1	–	–	–	2	1	3	2	3	4
White	14	1	–	–	–	2	2	1	2	5	1	–	17	2	–	–	–	–	2	1	3	2	3	4
All other	3	2	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,204	–	3	1	4	19	27	87	246	403	308	106	1,127	–	1	–	1	15	33	78	231	308	295	165
White	1,172	–	3	1	3	19	24	83	239	395	302	103	1,099	–	1	–	1	13	31	72	226	302	291	162
All other	32	–	–	–	1	–	3	4	7	8	6	3	28	–	–	–	–	2	2	6	5	6	4	3
Black	25	–	–	–	–	–	2	4	6	6	5	2	25	–	–	–	–	1	2	6	4	6	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	30	-	-	-	1	-	-	5	8	8	6	2	22	-	-	-	-	-	1	1	5	3	7	5
White	29	-	-	-	1	-	-	4	8	8	6	2	21	-	-	-	-	-	1	-	5	3	7	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	318	-	-	-	-	2	7	20	64	103	88	34	302	-	-	-	-	1	2	6	41	86	91	75
White	307	-	-	-	-	2	6	20	63	100	84	32	297	-	-	-	-	1	2	5	40	85	90	74
All other	11	-	-	-	-	-	1	-	1	3	4	2	5	-	-	-	-	-	-	1	1	1	1	1
Black	7	-	-	-	-	-	1	-	-	1	4	1	5	-	-	-	-	-	-	1	1	1	1	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	411	-	-	-	-	-	6	39	101	149	93	23	198	-	-	-	-	2	5	12	44	69	54	12
White	401	-	-	-	-	-	6	37	98	145	92	23	191	-	-	-	-	2	4	12	42	66	54	11
All other	10	-	-	-	-	-	-	2	3	4	1	-	7	-	-	-	-	-	1	-	2	3	-	1
Black	9	-	-	-	-	-	-	2	3	4	-	-	6	-	-	-	-	-	1	-	1	3	-	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	229	-	-	-	-	5	10	27	70	55	43	19
White	1	-	-	-	-	-	-	-	1	-	-	-	224	-	-	-	-	4	9	26	68	55	43	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	1	1	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Malignant neoplasms of genital organs (179-187)	145	-	-	-	-	2	-	-	15	54	46	28	124	-	-	-	1	3	5	13	29	36	22	15
White	142	-	-	-	-	2	-	-	13	54	45	28	121	-	-	-	1	2	5	12	29	35	22	15
All other	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	1	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	1	-	1	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	64	-	-	-	-	-	1	1	9	17	26	10	36	-	-	-	-	-	1	2	9	5	14	5
White	63	-	-	-	-	-	1	1	9	16	26	10	35	-	-	-	-	-	1	2	9	5	13	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	139	-	1	1	1	10	6	15	28	42	26	7	121	-	1	-	-	1	5	13	18	32	32	19
White	135	-	1	1	1	10	7	14	27	42	26	6	119	-	1	-	-	1	5	12	18	32	32	18
All other	4	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-	1
Black	3	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Leukemia (204-208)	36	-	1	-	1	2	3	3	5	10	10	1	32	-	-	-	-	2	1	4	4	9	6	6
White	34	-	1	-	-	2	2	3	5	10	10	1	30	-	-	-	-	2	1	3	4	8	6	6
All other	2	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	60	-	1	-	1	3	2	4	15	20	13	1	63	-	-	-	-	1	3	-	11	13	26	9
White	60	-	1	-	1	3	2	4	15	20	13	1	61	-	-	-	-	1	3	-	11	13	24	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	1	-	-	2	1	-	-	2	1	1	2	11	-	-	-	-	-	-	-	2	-	4	5
White	10	1	-	-	2	1	-	-	2	1	1	2	10	-	-	-	-	-	-	-	1	-	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diabetes mellitus (250)	68	-	-	-	-	-	3	1	16	27	13	8	101	-	-	-	-	1	-	2	11	26	40	21
White	63	-	-	-	-	-	3	1	14	24	13	8	98	-	-	-	-	1	-	2	10	25	39	21
All other	5	-	-	-	-	-	-	-	2	3	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	5	-	-	-	-	-	-	-	2	3	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	-	4	2	2	10	-	-	-	-	-	-	-	-	1	2	1	6
White	8	-	-	-	-	-	-	-	-	4	2	2	10	-	-	-	-	-	-	-	-	1	2	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	1	-	-	-	-	-	-	2	2	3	1	9	-	-	-	-	-	-	-	-	1	4	4
White	9	1	-	-	-	-	-	-	2	2	3	1	9	-	-	-	-	-	-	-	-	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	-	1	-	-	-	-	1	1	-	-	4	-	-	-	1	-	-	-	-	1	-	2
White	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	1	-	-	-	-	1	-	2
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,184	1	-	1	2	15	50	109	339	653	649	363	2,502	-	-	-	1	2	13	43	143	435	826	1,038
White	2,124	1	-	1	2	14	47	100	321	640	637	359	2,440	-	-	-	1	1	11	41	135	415	813	1,022
All other	60	-	-	-	-	1	3	9	18	13	12	4	62	-	-	-	-	1	2	2	8	20	13	16
Black	53	-	-	-	-	1	3	9	17	11	9	3	55	-	-	-	-	1	2	1	8	16	12	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,836	–	–	1	2	14	45	102	306	567	525	273	1,977	–	–	–	–	1	11	31	117	358	643	815
White	1,786	–	–	1	2	13	43	93	288	556	517	272	1,930	–	–	–	–	–	9	30	112	340	633	805
All other	50	–	–	–	–	1	2	9	18	11	8	1	47	–	–	–	–	1	2	1	5	18	10	10
Black	44	–	–	–	–	1	2	9	17	9	5	1	41	–	–	–	–	1	2	1	5	14	9	9
Rheumatic fever and rheumatic heart disease (390-398)	8	–	–	–	–	–	–	–	3	4	1	–	19	–	–	–	–	–	–	1	–	9	8	1
White	8	–	–	–	–	–	–	–	3	4	1	–	19	–	–	–	–	–	–	1	–	9	8	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	29	–	–	–	–	1	1	9	4	2	6	6	49	–	–	–	–	–	1	2	2	10	17	17
White	28	–	–	–	–	1	1	6	4	2	6	6	45	–	–	–	–	–	–	2	1	9	16	17
All other	3	–	–	–	–	–	–	3	–	–	–	–	4	–	–	–	–	–	1	–	1	1	1	–
Black	3	–	–	–	–	–	–	3	–	–	–	–	4	–	–	–	–	–	1	–	1	1	1	–
Hypertensive heart and renal disease (404)	3	–	–	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
White	3	–	–	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,482	–	–	–	–	6	36	73	252	462	436	216	1,582	–	–	–	–	–	6	21	98	281	528	647
White	1,447	–	–	–	–	6	35	69	237	452	431	216	1,546	–	–	–	–	–	5	20	94	267	522	637
All other	35	–	–	–	–	–	1	4	15	10	5	–	36	–	–	–	–	–	1	1	4	14	6	10
Black	32	–	–	–	–	–	1	4	14	8	5	–	32	–	–	–	–	–	1	1	4	11	6	8
Acute myocardial infarction (410)	752	–	–	–	–	3	18	39	142	252	220	77	698	–	–	–	–	–	4	15	53	166	263	196
White	735	–	–	–	–	3	18	36	135	247	216	77	681	–	–	–	–	–	3	14	50	161	259	193
All other	17	–	–	–	–	–	–	3	7	5	2	–	17	–	–	–	–	–	1	1	3	5	4	3
Black	16	–	–	–	–	–	–	3	7	4	2	–	15	–	–	–	–	–	1	1	3	3	4	3
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	1	–	2	1	–	5	–	–	–	–	–	–	–	–	–	1	4
White	4	–	–	–	–	–	–	1	–	2	1	–	5	–	–	–	–	–	–	–	–	–	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	1	2	–	7	–	–	–	–	–	–	–	–	3	2	2
White	3	–	–	–	–	–	–	–	–	1	2	–	7	–	–	–	–	–	–	–	–	3	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	723	–	–	–	–	3	18	33	110	207	213	139	872	–	–	–	–	–	2	6	45	112	262	445
White	705	–	–	–	–	3	17	32	102	202	210	139	853	–	–	–	–	–	2	6	44	103	260	438
All other	18	–	–	–	–	–	1	1	8	5	3	–	19	–	–	–	–	–	–	–	1	9	2	7
Black	16	–	–	–	–	–	1	1	7	4	3	–	17	–	–	–	–	–	–	–	1	8	2	6
Other diseases of endocardium (424)	30	–	–	–	–	1	1	–	6	7	11	4	28	–	–	–	–	–	–	–	1	3	11	13
White	29	–	–	–	–	1	1	–	6	7	10	4	28	–	–	–	–	–	–	–	1	3	11	13
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	284	–	–	1	2	6	7	19	41	90	71	47	295	–	–	–	–	1	4	7	16	54	77	136
White	273	–	–	1	2	5	6	17	38	88	69	46	288	–	–	–	–	–	4	7	16	51	74	136
All other	11	–	–	–	–	1	1	2	3	1	2	1	7	–	–	–	–	1	–	–	–	3	3	–
Black	9	–	–	–	–	1	1	2	3	1	–	1	5	–	–	–	–	1	–	–	–	2	2	–
Hypertension with or without renal disease (401,403)	9	–	–	–	–	–	–	–	1	1	3	4	16	–	–	–	–	–	–	–	3	3	5	5
White	8	–	–	–	–	–	–	–	1	1	3	3	16	–	–	–	–	–	–	–	3	3	5	5
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	235	1	–	–	–	1	3	6	18	55	88	62	392	–	–	–	–	–	1	10	18	52	139	172
White	229	1	–	–	–	1	2	6	18	53	87	60	379	–	–	–	–	–	1	9	16	50	136	167
All other	6	–	–	–	–	–	1	–	–	2	1	2	13	–	–	–	–	–	–	1	2	2	3	5
Black	5	–	–	–	–	–	1	–	–	2	1	1	12	–	–	–	–	–	–	–	2	2	3	5
Intracerebral and other intracranial hemorrhage (431-432)	39	–	–	–	–	1	1	4	4	9	13	6	62	–	–	–	–	–	–	6	10	14	15	17
White	38	–	–	–	–	1	–	4	4	9	13	6	59	–	–	–	–	–	–	5	9	14	14	17
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	43	–	–	–	–	–	–	–	2	12	18	11	68	–	–	–	–	–	–	1	2	9	20	36
White	41	–	–	–	–	–	–	–	2	11	18	10	68	–	–	–	–	–	–	1	2	9	20	36
All other	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	152	1	-	-	-	-	2	2	12	34	56	45	259	-	-	-	-	-	1	3	6	27	103	119
White	149	1	-	-	-	-	2	2	12	33	55	44	249	-	-	-	-	-	1	3	5	25	101	114
All other	3	-	-	-	-	-	-	-	-	1	1	1	10	-	-	-	-	-	-	-	1	2	2	5
Black	3	-	-	-	-	-	-	-	-	1	1	1	10	-	-	-	-	-	-	-	1	2	2	5
Atherosclerosis (440)	37	-	-	-	-	-	-	-	6	7	13	11	82	-	-	-	-	-	-	1	-	8	28	25
White	35	-	-	-	-	-	-	-	6	7	11	11	81	-	-	-	-	-	-	1	-	8	28	24
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	67	-	-	-	-	-	2	1	8	23	20	13	55	-	-	-	1	1	1	1	5	14	11	21
White	66	-	-	-	-	-	2	1	8	23	19	13	54	-	-	-	1	1	1	1	4	14	11	21
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	133	2	-	-	-	1	-	-	10	20	48	52	136	-	-	1	-	1	-	2	4	14	33	81
White	126	-	-	-	-	1	-	-	9	20	46	50	135	-	-	1	-	-	-	2	4	14	33	81
All other	7	2	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-
Black	5	1	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (480-486)	133	2	-	-	-	1	-	-	10	20	48	52	128	-	-	1	-	1	-	2	4	13	29	78
White	126	-	-	-	-	1	-	-	9	20	46	50	127	-	-	1	-	-	-	2	4	13	29	78
All other	7	2	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-
Black	5	1	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1	4	3
White	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	216	1	-	1	-	1	2	7	25	67	70	42	141	-	-	-	-	-	-	4	13	52	40	32
White	207	1	-	-	-	-	2	7	24	64	69	42	139	-	-	-	-	-	-	4	13	52	39	31
All other	9	-	-	1	-	1	2	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	9	-	-	1	-	1	2	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis, chronic and unspecified (490-491)	8	1	-	1	-	-	-	-	-	2	3	1	6	-	-	-	-	-	-	-	-	-	3	3
White	7	1	-	-	-	-	-	-	-	2	3	1	6	-	-	-	-	-	-	-	-	-	3	3
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	26	-	-	-	-	-	-	1	5	9	9	2	16	-	-	-	-	-	-	-	3	5	4	4
White	26	-	-	-	-	-	-	1	5	9	9	2	16	-	-	-	-	-	-	-	3	5	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	1	2	-	-	1	1	1	5	-	-	-	-	-	-	1	1	2	-	1
White	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	1	1	2	-	1
All other	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	176	-	-	-	-	-	-	6	20	55	57	38	114	-	-	-	-	-	-	3	9	45	33	24
White	171	-	-	-	-	-	-	6	19	52	56	38	112	-	-	-	-	-	-	3	9	45	32	23
All other	5	-	-	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	5	-	-	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	-	-	1	1	3	1	20	-	-	-	-	-	-	-	-	1	13	6
White	6	-	-	-	-	-	-	-	1	1	3	1	20	-	-	-	-	-	-	-	-	1	13	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	-	-	1	-	-	-	-	-	7	1	19	-	-	1	-	-	-	-	1	4	3	10
White	8	-	-	-	1	-	-	-	-	-	6	1	19	-	-	1	-	-	-	-	1	4	3	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	56	–	–	–	–	–	5	11	12	17	10	1	53	–	–	–	–	–	2	8	9	25	5	4
White	55	–	–	–	–	–	5	10	12	17	10	1	51	–	–	–	–	–	2	7	9	24	5	4
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	1	–	–	1	6	6	8	–	–	–	–	–	–	–	–	2	1	5
White	13	–	–	–	–	–	1	–	–	1	6	5	7	–	–	–	–	–	–	–	–	1	1	5
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	1	–	–	–	1	1	1	5	8	18	9	53	–	–	1	–	1	–	3	5	8	14	21
White	43	1	–	–	–	1	1	1	5	7	18	9	51	–	–	–	–	1	–	3	5	8	13	21
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	–	1
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	42	1	–	–	–	1	1	1	5	8	17	8	50	–	–	1	–	1	–	3	4	7	14	20
White	41	1	–	–	–	1	1	1	5	7	17	8	48	–	–	–	–	1	–	3	4	7	13	20
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	2	–	4
White	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	2	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	–	–	3	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	–	–	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	24	16	–	–	2	1	–	2	–	2	1	–	25	15	1	1	3	1	2	–	–	–	1	1
White	21	14	–	–	2	–	–	2	–	2	1	–	22	12	1	1	3	1	2	–	–	–	1	1
All other	3	2	–	–	–	1	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	3	2	–	–	–	1	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	31	31	–	–	–	–	–	–	–	–	–	–	24	23	1	–	–	–	–	–	–	–	–	–
White	26	26	–	–	–	–	–	–	–	–	–	–	21	20	1	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	20	20	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	24	5	-	-	2	5	3	1	2	2	3	1	15	6	-	-	1	1	-	2	-	2	2	1
White	20	3	-	-	2	4	2	1	2	2	3	1	13	5	-	-	-	1	-	2	-	2	2	1
All other	4	2	-	-	-	1	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
All other diseases (Residual)	359	5	1	1	3	17	23	15	45	75	109	65	426	2	2	2	3	6	7	11	37	62	146	148
White	347	5	1	1	3	14	21	12	45	72	109	64	415	2	2	2	3	3	6	10	35	60	145	147
All other	12	-	-	-	-	3	2	3	-	3	-	1	11	-	-	-	-	3	1	1	2	2	1	1
Black	10	-	-	-	-	3	2	3	-	1	-	1	9	-	-	-	-	3	1	1	2	1	1	-
Accidents and adverse effects (E800-E949)	207	2	4	5	37	38	26	16	24	23	19	11	101	1	1	2	9	13	6	8	4	13	23	21
White	196	2	3	3	36	36	24	15	24	22	19	11	98	1	1	2	8	12	5	8	4	13	23	21
All other	11	-	1	2	1	2	2	1	-	1	-	-	3	-	-	-	1	1	1	-	-	-	-	-
Black	10	-	1	2	1	2	2	1	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Motor vehicle accidents (E810-E825)	104	1	1	2	30	21	18	10	9	6	5	1	37	-	-	1	7	8	5	4	2	5	5	-
White	88	1	-	1	30	20	16	9	9	6	5	1	36	-	-	1	7	7	5	4	2	5	5	-
All other	6	-	1	1	-	1	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	5	-	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	103	1	3	3	7	18	8	6	15	17	14	10	64	1	1	1	2	5	1	4	2	8	18	21
White	98	1	3	2	6	16	8	6	15	16	14	10	62	1	1	1	1	5	-	4	2	8	18	21
All other	5	-	-	1	1	2	-	-	-	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	5	-	-	1	1	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Suicide (E950-E959)	80	...	...	-	19	28	10	8	8	5	2	-	19	...	...	-	1	5	6	4	2	1	-	-
White	77	...	...	-	18	27	9	8	8	5	2	-	18	...	...	-	1	4	6	4	2	1	-	-
All other	3	...	...	-	1	1	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	3	...	...	-	1	1	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	26	2	-	-	3	10	6	2	2	-	-	-	16	2	-	-	5	6	1	-	1	-	1	-
White	22	2	-	-	2	8	5	2	2	-	-	-	14	2	-	-	5	4	1	-	1	-	1	-
All other	4	-	-	-	1	2	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	4	-	-	-	1	2	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	2	4	-	-	1	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
White	7	-	-	-	2	4	-	-	1	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	15,100	382	86	105	487	622	811	1,338	2,680	4,163	3,230	1,196	13,041	302	59	79	197	286	392	702	1,721	2,976	3,550	2,777
White	10,284	181	44	56	334	397	436	830	1,858	2,906	2,390	912	8,831	136	26	40	126	147	195	419	1,014	1,926	2,593	2,209
All other	4,816	201	42	49	153	285	375	508	822	1,257	840	284	4,210	166	33	39	71	139	197	283	707	1,050	957	568
Black	4,798	198	42	48	153	285	372	506	821	1,252	839	282	4,198	165	33	39	70	138	197	278	705	1,050	955	568
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	26	-	-	1	-	2	3	2	5	4	6	3	10	-	-	-	-	-	2	-	1	3	3	1
White	5	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	21	-	-	1	-	2	3	2	5	4	2	2	8	-	-	-	-	-	2	-	1	3	2	-
Black	21	-	-	1	-	2	3	2	5	4	2	2	8	-	-	-	-	-	2	-	1	3	2	-
Tuberculosis of respiratory system (010-012)	20	-	-	-	-	1	3	1	4	3	5	3	9	-	-	-	-	-	2	-	1	2	3	1
White	5	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	15	-	-	-	-	1	3	1	4	3	1	2	7	-	-	-	-	-	2	-	1	2	2	-
Black	15	-	-	-	-	1	3	1	4	3	1	2	7	-	-	-	-	-	2	-	1	2	2	-
Other tuberculosis (013-018)	6	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	-	-	1	1	1	-	-	1	-	-	3	-	1	-	1	-	1	-	-	-	-	-
White	4	-	-	-	1	1	1	-	-	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	97	2	-	-	1	2	1	11	14	26	26	14	129	2	-	-	-	1	5	5	18	26	44	28
White	55	-	-	-	1	2	1	5	8	13	15	10	82	1	-	-	-	1	2	3	6	17	30	22
All other	42	2	-	-	-	-	-	6	6	13	11	4	47	1	-	-	-	-	3	2	12	9	14	6
Black	41	2	-	-	-	-	-	5	6	13	11	4	47	1	-	-	-	-	3	2	12	9	14	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	2	-	-	2	-	-	5	-	-	-	1	1	1	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	3	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-	1	1	-	-	-	-	1	-
Black	3	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-	1	1	-	-	-	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	65	-	1	1	4	7	7	6	20	8	8	3	54	4	4	-	2	4	6	4	8	8	9	5
White	41	-	1	-	2	4	4	4	13	5	6	2	28	2	2	-	1	-	1	2	5	6	6	3
All other	24	-	-	1	2	3	3	2	7	3	2	1	26	2	2	-	1	4	5	2	3	2	3	2
Black	24	-	-	1	2	3	3	2	7	3	2	1	26	2	2	-	1	4	5	2	3	2	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,250	-	7	9	14	32	112	302	774	1,135	709	156	2,530	1	6	11	8	43	116	253	569	755	544	230
White	2,299	-	6	7	11	26	65	191	548	809	517	119	1,820	1	4	7	3	24	72	178	386	554	405	186
All other	951	-	1	2	3	6	47	111	226	326	192	37	710	-	2	4	5	19	44	75	177	201	139	44
Black	949	-	1	2	3	6	46	111	226	326	191	37	706	-	2	4	5	18	44	73	176	201	139	44
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	101	-	-	-	-	-	10	21	22	33	13	2	37	-	-	-	-	-	1	5	8	7	8	8
White	60	-	-	-	-	-	1	8	10	26	13	2	24	-	-	-	-	-	-	2	5	5	6	6
All other	41	-	-	-	-	-	9	13	12	7	-	-	13	-	-	-	-	-	1	3	3	2	2	2
Black	41	-	-	-	-	-	9	13	12	7	-	-	13	-	-	-	-	-	1	3	3	2	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	716	-	-	-	3	3	30	66	192	243	138	41	643	-	-	-	2	2	15	43	103	208	180	90
White	470	-	-	-	2	2	16	39	134	149	96	32	435	-	-	-	1	1	10	27	67	130	126	73
All other	246	-	-	-	1	1	14	27	58	94	42	9	208	-	-	-	1	1	5	16	36	78	54	17
Black	246	-	-	-	1	1	14	27	58	94	42	9	208	-	-	-	1	1	5	16	36	78	54	17
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,282	-	-	-	-	5	24	137	369	465	251	31	448	-	-	-	-	3	11	42	136	156	79	21
White	971	-	-	-	-	4	14	92	272	360	206	23	368	-	-	-	-	3	8	31	112	130	67	17
All other	311	-	-	-	-	1	10	45	97	105	45	8	80	-	-	-	-	-	3	11	24	26	12	4
Black	311	-	-	-	-	1	10	45	97	105	45	8	77	-	-	-	-	-	3	9	23	26	12	4
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	2	2	1	-	472	-	-	-	1	13	49	77	123	98	86	27
White	4	-	-	-	-	-	-	-	2	2	-	-	353	-	-	-	1	5	31	56	88	81	67	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	119	-	-	-	-	8	18	21	35	15	19	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	119	-	-	-	-	8	18	21	35	15	19	3
Malignant neoplasms of genital organs (179-187)	413	-	-	-	-	4	3	5	42	157	153	49	312	-	-	-	-	6	16	32	93	100	43	22
White	235	-	-	-	-	3	2	3	20	81	91	35	190	-	-	-	-	4	8	22	53	62	28	15
All other	178	-	-	-	-	1	1	2	22	76	62	14	122	-	-	-	-	2	8	10	40	38	17	7
Black	178	-	-	-	-	1	1	2	22	76	62	14	121	-	-	-	-	1	8	10	40	38	17	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	147	-	-	-	1	1	3	14	26	54	38	10	70	-	-	-	-	1	-	5	16	17	22	9
White	116	-	-	-	-	-	2	10	23	44	30	7	52	-	-	-	-	-	-	5	12	12	16	7
All other	31	-	-	-	1	1	1	4	3	10	8	3	18	-	-	-	-	1	-	-	4	5	6	2
Black	30	-	-	-	1	1	1	4	3	10	7	3	18	-	-	-	-	1	-	-	4	5	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	326	-	4	5	4	12	27	39	76	92	59	14	296	1	2	8	3	12	11	27	54	99	53	26
White	250	-	4	4	4	11	20	22	54	76	42	13	211	1	1	5	-	8	7	20	33	78	36	22
All other	76	-	-	1	-	1	7	11	22	16	17	1	85	-	1	3	3	4	4	7	21	21	17	4
Black	75	-	-	1	-	1	6	11	22	16	17	1	85	-	1	3	3	4	4	7	21	21	17	4
Leukemia (204-208)	112	-	3	3	6	3	5	9	17	37	23	6	105	-	4	2	1	3	7	12	8	23	34	11
White	91	-	2	2	5	3	4	8	14	32	16	5	79	-	3	1	1	2	4	8	4	18	30	8
All other	21	-	1	1	1	-	1	1	3	5	7	1	26	-	1	1	-	1	3	4	4	5	4	3
Black	21	-	1	1	1	-	1	1	3	5	7	1	26	-	1	1	-	1	3	4	4	5	4	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	148	-	-	1	-	4	10	17	28	52	33	3	147	-	-	1	1	3	6	10	22	49	39	16
White	102	-	-	1	-	3	6	9	19	39	23	2	108	-	-	1	-	1	4	7	12	38	31	14
All other	46	-	-	-	-	1	4	8	9	13	10	1	39	-	-	-	1	2	2	3	10	11	8	2
Black	46	-	-	-	-	1	4	8	9	13	10	1	39	-	-	-	1	2	2	3	10	11	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	2	-	1	-	2	2	1	5	13	7	2	39	-	-	-	2	1	2	3	5	7	13	6
White	20	1	-	-	-	1	2	-	3	8	4	1	27	-	-	-	1	-	2	2	3	4	11	4
All other	15	1	-	1	-	1	-	1	2	5	3	1	12	-	-	-	1	1	-	1	2	3	2	2
Black	15	1	-	1	-	1	-	1	2	5	3	1	12	-	-	-	1	1	-	1	2	3	2	2
Diabetes mellitus (250)	212	-	-	-	2	7	12	17	52	61	47	14	332	-	-	1	-	5	6	23	77	96	83	41
White	110	-	-	-	1	5	7	9	24	29	27	8	167	-	-	-	-	4	3	11	27	50	43	29
All other	102	-	-	-	1	2	5	8	28	32	20	6	165	-	-	1	-	1	3	12	50	46	40	12
Black	100	-	-	-	1	2	5	8	27	31	20	6	165	-	-	1	-	1	3	12	50	46	40	12
Nutritional deficiencies (260-269)	22	1	-	-	-	-	2	-	3	5	4	7	22	1	-	-	-	-	1	-	-	5	9	6
White	7	-	-	-	-	-	-	-	-	1	-	6	6	-	-	-	-	-	-	-	-	1	3	2
All other	15	1	-	-	-	-	2	-	3	4	4	1	16	1	-	-	-	-	1	-	-	4	6	4
Black	15	1	-	-	-	-	2	-	3	4	4	1	16	1	-	-	-	-	1	-	-	4	6	4
Anemias (280-285)	27	-	1	2	-	1	2	2	3	6	7	3	25	1	-	2	-	4	2	-	5	3	3	5
White	15	-	-	-	-	-	-	-	1	6	6	2	10	-	-	-	-	-	-	-	3	3	1	3
All other	12	-	1	2	-	1	2	2	2	-	1	1	15	1	-	2	-	4	2	-	2	-	2	2
Black	12	-	1	2	-	1	2	2	2	-	1	1	15	1	-	2	-	4	2	-	2	-	2	2
Meningitis (320-322)	9	3	1	-	-	-	-	2	1	1	-	1	8	1	3	-	-	-	-	1	2	1	-	-
White	6	2	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	-	2	1	-	-
All other	3	1	1	-	-	-	-	1	-	-	-	-	5	1	3	-	-	-	-	1	-	-	-	-
Black	3	1	1	-	-	-	-	1	-	-	-	-	5	1	3	-	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	6,453	10	5	2	11	53	220	570	1,215	2,061	1,852	654	6,585	13	3	3	14	38	98	237	692	1,492	2,120	1,875
White	4,535	3	2	-	4	17	120	366	848	1,438	1,230	507	4,449	5	-	1	7	15	37	110	353	884	1,545	1,492
All other	1,918	7	3	2	7	36	100	204	367	623	422	147	2,136	8	3	2	7	23	61	127	339	608	575	383
Black	1,909	7	3	1	7	36	98	204	367	619	422	145	2,131	8	3	2	7	23	61	125	338	608	573	383
Diseases of heart (390-398,402,404-429)	5,140	10	5	2	9	42	176	481	1,025	1,651	1,272	467	4,758	13	2	3	11	29	59	161	548	1,111	1,531	1,290
White	3,749	3	2	-	2	16	104	327	748	1,203	977	367	3,301	5	-	1	5	11	26	84	294	682	1,157	1,036
All other	1,391	7	3	2	7	26	72	154	277	448	295	100	1,457	8	2	2	6	18	33	77	254	429	374	254
Black	1,383	7	3	1	7	26	70	154	277	445	295	98	1,454	8	2	2	6	18	33	76	254	429	372	254
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	1	2	1	1	3	5	4	-	42	-	-	-	1	1	-	3	10	10	15	2
White	11	-	-	-	-	-	-	1	2	4	4	-	34	-	-	-	-	1	-	2	9	8	12	2
All other	6	-	-	-	1	2	1	-	1	1	-	-	8	-	-	-	1	-	-	1	1	2	3	-
Black	6	-	-	-	1	2	1	-	1	1	-	-	8	-	-	-	1	-	-	1	1	2	3	-
Hypertensive heart disease (402)	119	-	-	-	1	-	8	11	16	42	34	7	209	-	-	-	-	2	1	5	26	39	82	54
White	51	-	-	-	-	-	1	1	5	21	20	3	95	-	-	-	-	-	-	-	5	10	47	33
All other	68	-	-	-	1	-	7	10	11	21	14	4	114	-	-	-	-	2	1	5	21	29	35	21
Black	67	-	-	-	1	-	7	10	11	20	14	4	114	-	-	-	-	2	1	5	21	29	35	21
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	3	-	3	6	10	1	22	-	-	-	-	-	-	-	3	10	4	5
White	9	-	-	-	-	-	-	-	-	2	6	1	7	-	-	-	-	-	-	-	-	4	-	3
All other	14	-	-	-	-	-	3	-	3	4	4	-	15	-	-	-	-	-	-	-	3	6	4	2
Black	14	-	-	-	-	-	3	-	3	4	4	-	15	-	-	-	-	-	-	-	3	6	4	2
Ischemic heart disease (410-414)	3,499	-	-	-	2	18	111	337	738	1,156	857	280	2,924	-	-	-	2	9	31	99	347	721	947	768
White	2,754	-	-	-	1	9	79	252	575	905	700	233	2,183	-	-	-	2	5	18	63	201	488	764	642
All other	745	-	-	-	1	9	32	85	163	251	157	47	741	-	-	-	-	4	13	36	146	233	183	126
Black	741	-	-	-	1	9	31	85	163	250	157	45	738	-	-	-	-	4	13	35	145	233	181	126
Acute myocardial infarction (410)	2,259	-	-	-	1	13	82	252	517	756	510	128	1,699	-	-	-	-	6	20	77	248	459	547	342
White	1,759	-	-	-	1	6	59	185	397	595	409	107	1,254	-	-	-	-	4	13	47	132	318	452	288
All other	500	-	-	-	-	7	23	67	120	161	101	21	445	-	-	-	-	2	7	30	116	141	95	54
Black	498	-	-	-	-	7	22	67	120	160	101	21	443	-	-	-	-	2	7	29	116	141	94	54

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	51	–	–	–	1	1	4	7	13	13	10	2	54	–	–	–	2	2	3	3	7	12	15	10
White	29	–	–	–	–	–	4	5	8	4	7	1	25	–	–	–	2	1	–	3	4	6	5	4
All other	22	–	–	–	1	1	–	2	5	9	3	1	29	–	–	–	–	1	3	–	3	6	10	6
Black	22	–	–	–	1	1	–	2	5	9	3	1	28	–	–	–	–	1	3	–	3	6	9	6
Angina pectoris (413)	14	–	–	–	–	–	–	–	3	5	4	2	10	–	–	–	–	–	1	1	–	5	2	1
White	9	–	–	–	–	–	–	–	2	4	2	1	5	–	–	–	–	–	1	–	–	2	2	–
All other	5	–	–	–	–	–	–	–	1	1	2	1	5	–	–	–	–	–	1	–	–	3	–	1
Black	5	–	–	–	–	–	–	–	1	1	2	1	5	–	–	–	–	–	1	–	–	3	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,175	–	–	–	–	4	25	78	205	382	333	148	1,161	–	–	–	–	1	7	18	92	245	383	415
White	957	–	–	–	–	3	16	62	168	302	282	124	899	–	–	–	–	–	5	12	65	162	305	350
All other	218	–	–	–	–	1	9	16	37	80	51	24	262	–	–	–	–	1	2	6	27	83	78	65
Black	216	–	–	–	–	1	8	16	37	80	51	22	262	–	–	–	–	1	2	6	27	83	78	65
Other diseases of endocardium (424)	51	–	–	–	–	–	–	4	8	21	17	1	47	–	–	–	–	–	1	1	2	10	17	16
White	36	–	–	–	–	–	–	4	1	16	14	1	37	–	–	–	–	–	–	–	2	6	16	13
All other	15	–	–	–	–	–	–	–	7	5	3	–	10	–	–	–	–	–	1	1	–	4	1	3
Black	15	–	–	–	–	–	–	–	7	5	3	–	10	–	–	–	–	–	1	1	–	4	1	3
All other forms of heart disease (415-423,425-429)	1,431	10	5	2	5	22	53	128	257	421	350	178	1,514	13	2	3	8	17	26	53	160	321	466	445
White	889	3	2	1	1	7	24	69	185	255	233	129	945	5	1	1	3	5	8	19	77	166	318	343
All other	543	7	3	2	4	15	29	59	92	166	117	49	569	8	2	2	5	12	18	34	83	155	148	102
Black	540	7	3	1	4	15	28	59	92	165	117	49	569	8	2	2	5	12	18	34	83	155	148	102
Hypertension with or without renal disease (401,403)	76	–	–	–	–	3	4	9	12	25	20	3	106	–	–	–	–	–	2	10	15	25	33	21
White	35	–	–	–	–	–	1	3	4	14	12	1	47	–	–	–	–	–	1	2	6	7	18	13
All other	41	–	–	–	–	3	3	6	8	11	8	2	59	–	–	–	–	–	1	8	9	18	15	8
Black	41	–	–	–	–	3	3	6	8	11	8	2	59	–	–	–	–	–	1	8	9	18	15	8
Cerebrovascular diseases (430-438)	982	–	–	–	2	6	36	62	139	303	290	144	1,466	–	1	–	3	9	35	63	114	302	485	455
White	552	–	–	–	2	1	13	24	65	154	188	105	926	–	–	–	2	3	10	23	49	162	323	354
All other	430	–	–	–	–	5	23	38	74	149	102	39	540	–	1	–	1	5	25	40	65	140	162	101
Black	429	–	–	–	–	5	23	38	74	148	102	39	538	–	1	–	1	5	25	39	64	140	162	101
Intracerebral and other intracranial hemorrhage (431-432)	173	–	–	–	1	5	17	28	32	48	30	12	190	–	1	–	1	3	15	27	28	43	48	26
White	87	–	–	–	1	–	4	12	16	27	17	10	107	–	–	–	1	3	1	10	11	28	33	20
All other	86	–	–	–	–	5	13	16	16	21	13	2	83	–	1	–	–	–	14	17	17	15	13	6
Black	86	–	–	–	–	5	13	16	16	21	13	2	81	–	1	–	–	–	14	16	16	15	13	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	131	–	–	–	–	–	3	5	17	38	50	18	187	–	–	–	1	2	2	5	12	47	59	59
White	94	–	–	–	–	–	1	2	11	26	38	16	120	–	–	–	–	–	–	1	3	26	43	47
All other	37	–	–	–	–	–	2	3	6	12	12	2	67	–	–	–	1	2	2	4	9	21	16	12
Black	36	–	–	–	–	–	2	3	6	11	12	2	67	–	–	–	1	2	2	4	9	21	16	12
Cerebral embolism (434.1)	4	–	–	–	–	–	–	–	1	2	1	–	11	–	–	–	–	–	–	–	–	3	2	6
White	4	–	–	–	–	–	–	–	1	2	1	–	10	–	–	–	–	–	–	–	–	2	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	674	–	–	–	1	1	16	29	89	215	209	114	1,078	–	–	–	1	3	18	31	74	209	378	364
White	367	–	–	–	1	1	8	10	37	99	132	79	689	–	–	–	1	–	9	12	35	106	245	281
All other	307	–	–	–	–	–	8	19	52	116	77	35	389	–	–	–	–	3	9	19	39	103	133	83
Black	307	–	–	–	–	–	8	19	52	116	77	35	389	–	–	–	–	3	9	19	39	103	133	83
Atherosclerosis (440)	94	–	–	–	–	–	1	1	8	25	30	29	157	–	–	–	–	–	–	1	4	25	42	85
White	68	–	–	–	–	–	1	1	7	15	19	25	114	–	–	–	–	–	–	–	3	14	23	74
All other	26	–	–	–	–	–	–	–	1	10	11	4	43	–	–	–	–	–	–	1	1	11	19	11
Black	26	–	–	–	–	–	–	–	1	10	11	4	43	–	–	–	–	–	–	1	1	11	19	11
Other diseases of arteries, arterioles, and capillaries (441-448)	161	–	–	–	–	2	3	17	31	57	40	11	88	–	–	–	–	1	2	2	11	29	29	24
White	131	–	–	–	–	–	1	11	24	52	34	9	61	–	–	–	–	1	–	1	1	19	24	15
All other	30	–	–	–	–	2	2	6	7	5	6	2	37	–	–	–	–	–	2	1	10	10	5	9
Black	30	–	–	–	–	2	2	6	7	5	6	2	37	–	–	–	–	–	2	1	10	10	5	9
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	419	8	1	–	3	6	15	14	35	93	152	92	415	8	2	1	3	7	8	9	32	73	133	139
White	283	4	–	–	2	1	1	6	23	64	111	71	303	6	–	–	–	2	2	4	19	49	102	119
All other	136	4	1	–	1	5	14	8	12	29	41	21	112	2	2	1	3	5	6	5	13	24	31	20
Black	136	4	1	–	1	5	14	8	12	29	41	21	112	2	2	1	3	5	6	5	13	24	31	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	409	8	1	-	3	6	15	14	35	91	145	91	391	8	2	1	3	7	8	8	32	68	123	131
White	275	4	-	-	2	1	1	6	23	62	106	70	281	6	-	-	-	2	2	4	19	44	93	111
All other	134	4	1	-	1	5	14	8	12	29	39	21	110	2	2	1	3	5	6	4	13	24	30	20
Black	134	4	1	-	1	5	14	8	12	29	39	21	110	2	2	1	3	5	6	4	13	24	30	20
Influenza (487)	10	-	-	-	-	-	-	-	-	2	7	1	24	-	-	-	-	-	-	1	-	5	10	8
White	8	-	-	-	-	-	-	-	-	2	5	1	22	-	-	-	-	-	-	-	-	5	9	8
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	590	-	2	1	1	-	3	18	124	227	169	45	287	-	-	1	2	3	6	14	68	86	77	30
White	481	-	1	-	-	-	1	12	95	180	154	38	253	-	-	-	1	-	4	13	57	77	72	29
All other	109	-	1	1	1	-	2	6	29	47	15	7	34	-	-	1	1	3	2	1	11	9	5	1
Black	108	-	1	1	1	-	2	5	29	47	15	7	34	-	-	1	1	3	2	1	11	9	5	1
Bronchitis, chronic and unspecified (490-491)	23	-	2	-	-	-	1	-	2	9	8	1	18	-	-	-	-	-	1	1	5	3	4	4
White	19	-	1	-	-	-	1	-	2	8	6	1	17	-	-	-	-	-	1	1	4	3	4	4
All other	4	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	106	-	-	-	-	-	1	4	18	44	33	6	33	-	-	-	-	-	-	3	12	7	9	2
White	87	-	-	-	-	-	-	3	14	37	29	4	32	-	-	-	-	-	-	3	11	7	9	2
All other	19	-	-	-	-	-	1	1	4	7	4	2	1	-	-	-	-	-	-	-	1	-	-	-
Black	19	-	-	-	-	-	1	1	4	7	4	2	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	21	-	-	1	1	-	1	2	6	10	-	-	31	-	-	1	2	3	4	1	4	9	3	4
White	9	-	-	-	-	-	-	-	2	7	-	-	14	-	-	-	1	-	2	1	1	4	2	3
All other	12	-	-	1	1	-	1	2	4	3	-	-	17	-	-	1	1	3	2	-	3	5	1	1
Black	12	-	-	1	1	-	1	2	4	3	-	-	17	-	-	1	1	3	2	-	3	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	440	-	-	-	-	-	-	12	98	164	128	38	205	-	-	-	-	-	-	1	9	47	67	61	20
White	366	-	-	-	-	-	-	9	77	128	119	33	190	-	-	-	-	-	-	1	8	41	63	57	20
All other	74	-	-	-	-	-	-	3	21	36	9	5	15	-	-	-	-	-	-	-	1	6	4	4	-
Black	73	-	-	-	-	-	-	2	21	36	9	5	15	-	-	-	-	-	-	-	1	6	4	4	-
Ulcer of stomach and duodenum (531-533)	42	-	-	-	-	-	2	6	11	8	12	3	35	-	-	-	-	-	-	-	3	10	13	9
White	30	-	-	-	-	-	2	3	8	6	9	2	26	-	-	-	-	-	-	-	2	5	10	9
All other	12	-	-	-	-	-	-	3	3	2	3	1	9	-	-	-	-	-	-	-	1	5	3	-
Black	12	-	-	-	-	-	-	3	3	2	3	1	9	-	-	-	-	-	-	-	1	5	3	-
Appendicitis (540-543)	5	-	1	1	-	1	-	1	1	-	-	-	4	-	-	-	1	-	-	-	1	2	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	1	1	-	1	-	1	-	-	-	-	4	-	-	-	1	-	-	-	1	2	-	-
Black	4	-	1	1	-	1	-	1	-	-	-	-	4	-	-	-	1	-	-	-	1	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	2	-	-	-	-	2	1	3	8	12	8	41	-	-	-	-	1	1	1	5	10	11	12
White	19	-	-	-	-	-	-	-	1	4	8	6	27	-	-	-	-	-	-	-	1	9	7	10
All other	17	2	-	-	-	-	2	1	2	4	4	2	14	-	-	-	-	1	1	1	4	1	4	2
Black	17	2	-	-	-	-	2	1	2	4	4	2	14	-	-	-	-	1	1	1	4	1	4	2
Chronic liver disease and cirrhosis (571)	192	-	-	-	-	6	31	45	56	38	15	1	119	1	-	-	1	13	12	18	30	27	17	-
White	141	-	-	-	-	3	13	33	50	28	13	1	87	-	-	-	-	5	3	15	26	23	15	-
All other	51	-	-	-	-	3	18	12	6	10	2	-	32	1	-	-	1	8	9	3	4	4	2	-
Black	51	-	-	-	-	3	18	12	6	10	2	-	32	1	-	-	1	8	9	3	4	4	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	-	1	1	3	9	1	21	-	-	-	-	-	2	-	2	3	8	6
White	14	-	-	-	-	-	-	1	1	3	8	1	18	-	-	-	-	-	1	-	2	3	7	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	114	3	1	1	1	-	2	3	20	33	35	15	132	3	1	1	-	-	5	4	13	39	37	29
White	56	1	1	-	-	-	1	2	7	17	21	6	71	1	-	1	-	-	2	2	4	16	23	20
All other	58	2	-	1	1	-	1	1	13	16	14	9	61	2	1	-	-	-	3	2	9	23	14	9
Black	58	2	-	1	1	-	1	1	13	16	14	9	61	2	1	-	-	-	3	2	9	21	14	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (562-563,587)	16	-	-	-	-	-	1	-	4	6	3	2	27	-	-	-	-	-	1	1	2	10	7	6
White	9	-	-	-	-	-	-	-	2	3	2	2	16	-	-	-	-	-	-	1	1	4	5	5
All other	7	-	-	-	-	-	1	-	2	3	1	-	11	-	-	-	-	-	1	-	1	6	2	1
Black	7	-	-	-	-	-	1	-	2	3	1	-	11	-	-	-	-	-	1	-	1	6	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	98	3	1	1	1	-	1	3	16	27	32	13	105	3	1	1	-	-	4	3	11	29	30	23
White	47	1	1	-	-	-	1	2	5	14	19	4	55	1	-	1	-	-	2	1	3	14	18	15
All other	51	2	-	1	1	-	-	1	11	13	13	9	50	2	1	-	-	-	2	2	8	15	12	8
Black	51	2	-	1	1	-	-	1	11	13	13	9	50	2	1	-	-	-	2	2	8	15	12	8
Infections of kidney (590)	6	-	-	-	-	-	-	-	2	3	-	1	30	-	-	1	-	-	-	3	3	7	9	7
White	4	-	-	-	-	-	-	-	1	2	-	1	21	-	-	-	-	-	-	1	1	5	9	5
All other	2	-	-	-	-	-	-	-	1	1	-	-	9	-	-	1	-	-	-	2	2	2	-	2
Black	2	-	-	-	-	-	-	-	1	1	-	-	9	-	-	1	-	-	-	2	2	2	-	2
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	3	3	3	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	-	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	3	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	3	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	4	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	4	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	4	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	4	-	-	...	...	...	...
Congenital anomalies (740-759)	113	75	7	2	5	6	2	2	6	4	4	-	99	66	1	5	8	2	1	1	3	9	1	2
White	68	42	6	1	2	4	-	1	5	3	4	-	68	40	-	4	5	2	1	1	3	9	1	2
All other	45	33	1	1	3	2	2	1	1	1	-	-	31	26	1	1	3	-	-	-	-	-	-	-
Black	45	33	1	1	3	2	2	1	1	1	-	-	30	25	1	1	3	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	196	196	-	-	-	-	-	-	-	-	-	-	156	156	-	-	-	-	-	-	-	-	-	-
White	89	89	-	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
All other	107	107	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
Black	104	104	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	32	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	164	164	-	-	-	-	-	-	-	-	-	-	125	125	-	-	-	-	-	-	-	-	-	-
White	73	73	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
All other	91	91	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
Black	89	89	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	145	45	3	1	4	9	11	9	21	16	19	7	103	32	1	-	4	8	5	3	12	17	21	
White	62	22	2	1	2	4	3	4	8	7	9	-	49	13	1	-	-	2	3	1	8	9	14	
All other	83	23	1	-	2	5	8	5	13	9	10	7	54	19	-	-	4	6	2	2	6	8	7	
Black	83	23	1	-	2	5	8	5	13	9	10	7	54	19	-	-	4	6	2	2	6	8	7	
All other diseases (Residual)	1,110	22	7	8	18	52	67	131	154	261	243	127	1,147	10	19	14	17	35	43	68	117	223	330	279
White	719	12	6	6	10	25	34	67	107	174	179	99	757	3	7	8	7	10	15	36	63	143	243	222
All other	391	10	1	2	8	27	33	64	47	87	64	28	390	7	6	6	10	25	28	30	54	80	87	57
Black	391	10	1	2	8	27	33	64	47	87	64	28	388	7	6	6	9	25	28	29	54	80	87	57
Accidents and adverse effects (E800-E949)	1,337	8	42	71	313	289	195	112	106	97	69	35	528	2	20	35	100	76	41	27	54	66	64	43
White	842	5	18	38	220	168	122	68	64	68	45	26	368	1	11	18	79	51	30	16	35	48	48	31
All other	495	3	24	33	93	121	73	44	42	29	24	9	162	1	9	17	21	25	11	11	19	18	18	12
Black	495	3	24	33	93	121	73	44	42	29	24	9	162	1	9	17	21	25	11	11	19	18	18	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	762	1	17	34	231	183	111	55	49	46	25	10	285	1	7	21	85	55	23	18	30	30	12	5
White	500	1	5	23	167	104	71	40	30	33	20	6	215	1	4	12	69	39	17	12	21	24	12	4
All other	262	–	12	11	64	79	40	15	19	13	5	4	70	–	3	9	16	16	6	4	9	6	–	1
Black	262	–	12	11	64	79	40	15	19	13	5	4	70	–	3	9	16	16	6	4	9	6	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	575	7	25	37	82	106	84	57	57	51	44	25	243	1	13	14	15	21	18	11	24	36	52	38
White	342	4	13	15	53	64	51	28	34	35	25	20	151	–	7	6	10	12	13	4	14	24	34	27
All other	233	3	12	22	29	42	33	29	23	16	19	5	92	1	6	8	5	9	5	7	10	12	18	11
Black	233	3	12	22	29	42	33	29	23	16	19	5	92	1	6	8	5	9	5	7	10	12	18	11
Suicide (E950-E959)	302	...	...	1	51	66	48	52	29	38	16	1	83	...	...	1	8	22	14	17	12	7	2	–
White	272	...	...	1	45	56	44	47	28	34	16	1	76	...	...	1	7	19	11	17	12	7	2	–
All other	30	...	...	–	6	10	4	5	1	4	–	–	7	...	...	–	1	3	3	–	–	–	–	–
Black	30	...	...	–	6	10	4	5	1	4	–	–	7	...	...	–	1	3	3	–	–	–	–	–
Homicide and legal intervention (E960-E978)	248	1	7	3	55	75	49	28	19	6	5	–	78	1	4	3	22	20	9	10	4	2	1	2
White	91	–	1	2	31	17	15	8	13	3	1	–	39	–	1	–	12	12	4	5	3	–	1	1
All other	157	1	6	1	24	58	34	20	6	3	4	–	39	1	3	3	10	8	5	5	1	2	–	1
Black	157	1	6	1	24	58	34	20	6	3	4	–	39	1	3	3	10	8	5	5	1	2	–	1
All other external causes (E980-E999)	11	–	–	–	3	5	–	1	–	1	1	–	6	–	–	–	1	2	2	–	–	–	1	–
White	7	–	–	–	2	3	–	1	–	–	1	–	5	–	–	–	1	2	1	–	–	–	1	–
All other	4	–	–	–	1	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	4	–	–	–	1	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
SOUTH DAKOTA																								
All causes	3,578	95	16	12	88	98	93	172	442	879	1,015	668	3,001	60	22	14	34	41	52	115	253	495	840	1,075
White	3,316	62	10	10	68	71	64	150	412	825	990	653	2,835	38	19	10	26	29	42	96	230	471	812	1,062
All other	262	33	6	2	19	27	29	22	30	54	25	15	166	22	3	4	8	12	10	19	23	24	28	13
Black	8	1	–	–	1	1	1	1	2	–	–	1	5	2	–	–	–	–	–	1	–	–	2	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	17	–	–	–	–	–	–	–	1	5	4	7	20	–	–	–	–	–	–	–	–	3	6	11
White	15	–	–	–	–	–	–	–	1	4	4	6	18	–	–	–	–	–	–	–	–	3	5	10
All other	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	13	-	-	-	-	1	-	-	1	5	2	4	9	-	-	-	-	-	1	1	1	2	2	2
White	12	-	-	-	-	1	-	-	1	4	2	4	8	-	-	-	-	-	1	1	1	1	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	774	1	-	2	8	7	10	48	125	251	249	73	665	-	1	1	4	9	18	54	112	173	196	97
White	752	1	-	2	8	7	10	44	122	243	245	70	642	-	1	1	4	9	16	50	109	169	188	95
All other	22	-	-	-	-	-	-	4	3	8	4	3	23	-	-	-	-	-	2	4	3	4	8	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	-	-	1	2	5	1	1	13	-	-	-	-	1	1	-	2	1	6	2
White	9	-	-	-	-	-	-	-	2	5	1	1	13	-	-	-	-	1	1	-	2	1	6	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	193	-	-	-	-	1	-	9	32	63	66	22	177	-	-	-	-	-	1	12	25	47	59	33
White	189	-	-	-	-	1	-	8	32	61	65	22	170	-	-	-	-	-	1	10	24	44	58	33
All other	4	-	-	-	-	-	-	1	-	2	1	-	7	-	-	-	-	-	-	2	1	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	260	-	-	-	-	-	7	20	55	93	75	10	98	-	-	-	-	-	1	-	3	11	26	28	23	6
White	251	-	-	-	-	-	7	19	53	89	74	9	94	-	-	-	-	-	1	-	2	11	25	27	22	6
All other	9	-	-	-	-	-	-	1	2	4	1	1	4	-	-	-	-	-	-	-	1	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	134	-	-	-	-	-	3	8	14	28	31	32	18
White	-	-	-	-	-	-	-	-	-	-	-	-	130	-	-	-	-	-	3	8	12	28	31	30	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	115	-	-	-	1	-	-	1	9	30	52	22	60	-	-	-	-	-	1	5	12	19	16	7
White	111	-	-	-	1	-	-	-	9	30	51	20	57	-	-	-	-	-	1	5	11	19	16	5
All other	4	-	-	-	-	-	-	1	-	-	1	2	3	-	-	-	-	-	-	-	1	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	-	-	2	9	12	13	5	25	-	-	-	-	-	1	3	1	4	12	4
White	41	-	-	-	-	-	-	2	9	12	13	5	25	-	-	-	-	-	1	3	1	4	12	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	75	1	-	-	3	4	1	9	12	23	18	4	73	-	-	-	1	2	1	4	9	27	21	8
White	72	1	-	-	3	4	1	9	11	21	18	4	71	-	-	-	1	2	1	4	9	27	19	8
All other	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	33	-	-	1	3	1	1	2	-	10	12	3	27	-	1	1	-	1	1	2	2	7	6	6
White	33	-	-	1	3	1	1	2	-	10	12	3	26	-	1	1	-	1	-	2	2	7	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	-	-	1	1	1	1	4	6	15	12	6	58	-	-	-	2	2	1	3	7	9	21	13
White	46	-	-	1	1	1	1	4	6	15	11	6	56	-	-	-	2	2	1	3	7	9	19	13
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	1	-	-	3	1
White	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	1	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	40	-	-	-	-	1	1	5	10	8	11	6	65	-	-	-	-	1	-	-	10	13	19	22
White	38	-	-	-	-	1	-	5	9	5	10	6	58	-	-	-	-	1	-	-	7	11	17	22
All other	4	-	-	-	-	-	1	-	1	1	1	-	7	-	-	-	-	-	-	-	3	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	3	-	8	-	-	-	-	-	-	-	-	3	2	3
White	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	-	3	1	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	1	4	1		7	-	-	-	-	-	-	-	-	2	5	
White	6	-	-	-	-	-	-	-	1	4	1		6	-	-	-	-	-	-	-	-	2	4	
All other	-	-	-	-	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1	-	1
White	2	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,700	3	1	-	-	12	21	85	216	425	539	418	1,527	2	1	2	2	6	12	25	81	214	473	709
White	1,629	3	-	-	-	9	17	56	201	400	528	414	1,482	1	1	1	2	4	11	20	75	204	461	702
All other	72	-	1	-	-	3	4	9	15	25	11	4	45	1	-	1	-	2	1	5	6	10	12	7
Black	3	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of heart (390-398,402,404-429)	1,377	2	1	-	-	9	21	56	189	366	429	304	1,125	2	1	-	2	4	9	18	61	171	361	496
White	1,310	2	-	-	-	6	17	49	174	342	420	300	1,089	1	1	-	2	3	8	13	55	162	353	491
All other	67	-	1	-	-	3	4	7	15	24	9	4	36	1	-	-	-	1	1	5	6	9	8	5
Black	3	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	1	1	3	2	-	13	-	-	-	-	-	-	-	1	1	6	5
White	7	-	-	-	-	-	-	1	1	3	2	-	11	-	-	-	-	-	-	-	1	-	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	1	1	1	2	4	17	-	-	-	-	-	-	-	-	1	9	7
White	8	-	-	-	-	-	-	1	1	1	2	4	16	-	-	-	-	-	-	-	-	1	8	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	971	-	-	-	-	3	18	41	138	277	304	195	766	1	-	-	-	-	5	10	40	129	252	329
White	929	-	-	-	-	1	9	39	128	260	298	194	751	1	-	-	-	-	5	8	36	124	249	328
All other	42	-	-	-	-	2	4	2	10	17	6	1	15	-	-	-	-	-	-	2	4	5	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	697	-	-	-	-	2	11	33	97	203	167	104	390	1	-	-	-	-	4	7	26	89	137	125
White	664	-	-	-	-	-	7	32	89	189	184	103	380	1	-	-	-	-	4	5	25	86	134	125
All other	33	-	-	-	-	2	4	1	8	14	3	1	10	-	-	-	-	-	-	2	1	3	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	327	-	-	-	-	1	2	8	41	71	115	89	373	-	-	-	-	-	1	3	14	39	115	201
White	318	-	-	-	-	1	2	7	39	68	112	89	368	-	-	-	-	-	1	3	11	37	115	201
All other	9	-	-	-	-	-	-	1	2	3	3	-	5	-	-	-	-	-	-	-	3	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	10	-	-	-	-	-	-	-	-	-	6	4	12	-	-	-	-	-	-	-	-	1	6	5
White	10	-	-	-	-	-	-	-	-	-	6	4	12	-	-	-	-	-	-	-	-	1	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	378	2	1	-	-	6	8	13	48	84	115	101	316	1	1	-	2	4	4	8	20	39	68	149
White	354	2	-	-	-	5	8	9	43	77	112	98	298	-	1	-	2	3	3	5	18	36	64	146
All other	24	-	1	-	-	1	-	4	5	7	3	3	18	1	-	-	-	1	1	3	2	3	4	3
Black	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	1	-	-	1	2	3	2	23	-	-	-	-	-	-	1	1	5	8	8
White	9	-	-	-	-	1	-	-	1	2	3	2	22	-	-	-	-	-	-	1	1	5	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	229	1	-	-	-	2	-	7	18	39	78	84	306	-	-	2	-	1	3	5	13	32	94	156
White	225	1	-	-	-	2	-	5	18	38	77	84	299	-	-	1	-	-	3	5	13	31	92	154
All other	4	-	-	-	-	-	-	2	-	1	1	-	7	-	-	1	-	1	-	-	-	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	18	-	-	-	-	-	-	4	3	1	6	4	22	-	-	-	-	-	1	2	7	1	7	4
White	17	-	-	-	-	-	-	3	3	1	6	4	21	-	-	-	-	-	1	2	7	1	7	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	-	-	-	-	-	-	-	1	7	15	11	36	-	-	1	-	-	-	1	-	2	9	23
White	32	-	-	-	-	-	-	-	1	6	14	11	36	-	-	1	-	-	-	1	-	2	9	23
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	177	1	-	-	-	2	-	3	14	31	57	69	247	-	-	1	-	1	2	2	6	29	78	128
White	176	1	-	-	-	2	-	2	14	31	57	69	241	-	-	-	-	-	2	2	6	28	76	127
All other	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	1	-	1	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	31	-	-	-	-	-	-	1	3	2	8	17	45	-	-	-	-	-	-	1	2	2	1	39
White	30	-	-	-	-	-	-	1	3	2	7	17	44	-	-	-	-	-	-	1	2	2	-	39
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	64	-	-	-	-	-	-	1	5	16	21	11	28	-	-	-	-	-	1	-	-	4	4	9	10
White	54	-	-	-	-	-	-	1	5	16	21	11	28	-	-	-	-	-	1	-	-	4	4	9	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	142	-	1	-	-	1	3	5	8	18	50	56	130	1	-	-	-	-	1	3	1	9	36	79
White	130	-	1	-	-	1	2	4	7	16	45	54	127	-	-	-	-	-	1	3	1	7	36	79
All other	12	-	-	-	-	-	1	1	1	2	5	2	3	1	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	134	-	1	-	-	1	3	5	6	17	49	52	120	1	-	-	-	-	1	3	1	9	33	72
White	122	-	1	-	-	1	2	4	5	15	44	50	117	-	-	-	-	-	1	3	1	7	33	72
All other	12	-	-	-	-	-	1	1	1	2	5	2	3	1	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza (487)	8	-	-	-	-	-	-	-	2	1	1	4	10	-	-	-	-	-	-	-	-	-	3	7
White	8	-	-	-	-	-	-	-	2	1	1	4	10	-	-	-	-	-	-	-	-	-	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	168	1	-	-	1	2	1	2	16	68	52	25	54	-	-	1	1	-	-	1	6	19	18	8
White	162	-	-	-	1	2	1	2	16	65	52	23	52	-	-	1	-	-	-	-	6	19	18	8
All other	6	1	-	-	-	-	-	-	-	3	-	2	2	-	-	-	1	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	1	-	-	-	-	-	-	1	3	1	4	2	-	-	-	-	-	-	-	-	1	1	-
White	8	-	-	-	-	-	-	-	1	3	1	3	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	33	-	-	-	-	-	-	1	1	19	9	3	13	-	-	-	-	-	-	-	2	4	4	3
White	33	-	-	-	-	-	-	1	1	19	9	3	13	-	-	-	-	-	-	-	2	4	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	7	-	-	-	1	2	-	-	1	2	1	-	4	-	-	1	1	-	-	-	-	-	1	1
White	7	-	-	-	1	2	-	-	1	2	1	-	3	-	-	1	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	118	-	-	-	-	-	1	1	13	44	41	18	35	-	-	-	-	-	-	1	4	14	12	4
White	114	-	-	-	-	-	1	1	13	41	41	17	34	-	-	-	-	-	-	-	4	14	12	4
All other	4	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	-	-	1	3	-	2	15	-	-	-	-	-	-	1	3	2	4	5
White	5	-	-	-	-	-	-	-	1	2	-	2	13	-	-	-	-	-	-	1	3	1	3	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	-	1	-	1	1	2	16	-	-	-	-	-	-	1	-	-	7	8
White	5	-	-	-	-	-	-	1	-	1	1	2	16	-	-	-	-	-	-	1	-	-	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	32	-	-	-	-	4	5	3	9	7	3	1	31	-	-	-	-	2	4	9	4	6	4	2
White	22	-	-	-	-	1	3	1	8	5	3	1	19	-	-	-	-	-	1	4	3	5	4	2
All other	10	-	-	-	-	3	2	2	1	2	-	-	12	-	-	-	-	2	3	5	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	-	-	-	-	1	5	3	4	8	-	-	-	-	-	-	1	1	-	2	4
White	10	-	-	-	-	-	-	-	-	3	3	4	7	-	-	-	-	-	-	1	-	-	2	4
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	-	-	-	-	-	-	-	1	1	9	7	23	-	-	-	-	-	-	-	4	2	5	12
White	18	-	-	-	-	-	-	-	1	1	9	7	20	-	-	-	-	-	-	-	1	2	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	1	-	-	-
White	4	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	-	-	-	-	-	-	-	1	1	7	5	22	-	-	-	-	-	-	-	3	2	5	12
White	14	-	-	-	-	-	-	-	1	1	7	5	19	-	-	-	-	-	-	-	-	2	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	1	3	***	***	***	***	***	***	***	***	***	***	***	***
White	5	-	-	-	-	-	-	-	-	1	1	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	24	19	2	–	1	–	1	–	–	1	–	–	26	16	4	1	–	–	2	2	–	–	–	1
White	21	16	2	–	1	–	1	–	–	1	–	–	18	10	3	1	–	–	2	2	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	8	6	1	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	37	36	1	–	–	–	–	–	–	–	–	–	23	22	1	–	–	–	–	–	–	–	–	–
White	26	25	1	–	–	–	–	–	–	–	–	–	17	16	1	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	10	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
White	8	7	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	26	26	–	–	–	–	–	–	–	–	–	–	21	20	1	–	–	–	–	–	–	–	–	–
White	18	18	–	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	46	25	1	–	–	1	3	2	3	8	2	3	26	10	–	–	–	2	–	–	–	2	3	9
White	28	11	1	–	–	–	2	2	2	6	1	3	20	4	–	–	–	2	–	–	–	2	3	9
All other	20	14	–	–	–	1	1	–	1	2	1	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	198	5	–	1	4	6	7	12	23	42	54	42	198	7	3	–	4	2	5	5	18	38	47	71
White	176	3	–	1	2	6	3	11	20	38	52	40	183	6	3	–	4	2	3	2	14	34	44	71
All other	22	2	–	–	2	2	4	1	3	4	2	2	15	1	–	–	–	–	2	3	4	2	3	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	201	1	9	7	40	40	23	21	15	18	17	10	104	2	9	6	14	10	6	7	11	9	7	21
White	161	1	5	6	34	29	13	18	13	16	17	9	84	1	7	5	11	5	4	6	10	8	7	20
All other	40	–	4	1	6	11	10	3	2	2	–	1	20	1	2	3	3	5	2	1	1	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Motor vehicle accidents (E810-E825)	89	–	5	5	24	20	9	8	2	11	4	1	46	1	3	5	12	4	6	3	6	3	2	1
White	66	–	2	4	20	11	7	6	2	9	4	1	35	1	2	2	10	2	4	2	6	3	2	1
All other	23	–	3	1	4	9	2	2	–	2	–	–	11	–	1	3	2	2	2	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	112	1	4	2	16	20	14	13	13	7	13	9	58	1	6	3	2	6	–	4	5	6	5	20
White	95	1	3	2	14	18	6	12	11	7	13	8	49	–	5	3	1	3	–	4	4	5	5	19
All other	17	–	1	–	2	2	8	1	2	–	–	1	9	1	1	–	1	3	–	–	1	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	86	...	...	1	28	12	16	5	7	11	4	2	15	...	...	–	3	5	2	3	–	–	2	–
White	72	...	...	–	21	10	12	5	7	11	4	2	13	...	...	–	3	3	2	3	–	–	2	–
All other	14	...	...	1	7	2	4	–	–	–	–	–	2	...	...	–	–	2	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	14	–	–	1	4	5	1	1	2	–	–	–	16	–	2	1	6	3	1	1	–	1	–	1
White	7	–	–	1	2	3	–	–	1	–	–	–	11	–	2	1	2	2	1	1	–	1	–	1
All other	7	–	–	–	2	2	1	1	1	–	–	–	5	–	–	–	4	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	8	–	–	–	2	3	1	–	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	1
White	3	–	–	–	–	1	–	–	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	1
All other	5	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	23,584	410	71	116	707	838	990	1,686	3,874	6,186	5,995	2,703	20,666	317	53	70	227	305	529	997	2,228	4,139	6,343	5,455
White	19,515	248	52	94	559	610	747	1,339	3,246	5,227	5,091	2,288	17,172	190	35	54	185	213	370	754	1,744	3,370	5,452	4,804
All other	4,069	162	19	22	148	226	243	347	628	959	904	405	3,494	127	18	16	42	92	159	243	484	769	891	651
Black	4,034	159	18	20	143	223	237	346	624	952	903	403	3,473	124	18	16	41	90	154	242	482	769	885	650
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	34	-	-	-	-	4	3	5	4	8	5	5	23	-	-	-	1	-	-	1	3	5	10	3
White	21	-	-	-	-	1	1	2	3	6	4	4	14	-	-	-	1	-	-	-	-	3	9	1
All other	13	-	-	-	-	3	2	3	1	2	1	1	9	-	-	-	-	-	-	1	3	2	1	2
Black	13	-	-	-	-	3	2	3	1	2	1	1	9	-	-	-	-	-	-	1	3	2	1	2
Tuberculosis of respiratory system (010-012)	25	-	-	-	-	-	3	4	4	7	3	4	19	-	-	-	1	-	-	1	2	5	7	3
White	17	-	-	-	-	-	1	2	3	5	3	3	11	-	-	-	1	-	-	-	-	3	6	1
All other	8	-	-	-	-	-	2	2	1	2	-	1	8	-	-	-	-	-	-	1	2	2	1	2
Black	8	-	-	-	-	-	2	2	1	2	-	1	8	-	-	-	-	-	-	1	2	2	1	2
Other tuberculosis (013-018)	9	-	-	-	-	4	-	1	-	1	2	1	4	-	-	-	-	-	-	-	1	-	3	-
White	4	-	-	-	-	1	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	5	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	5	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	5	2	1	1	-	-	-	-	1	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Septicemia (038)	172	5	-	-	-	6	2	5	24	43	52	35	183	6	-	-	1	2	10	9	16	21	53	65
White	121	3	-	-	-	5	-	5	11	32	37	28	131	3	-	-	1	1	5	8	7	15	42	48
All other	51	2	-	-	-	1	2	-	13	11	15	7	52	3	-	-	-	1	5	1	9	5	11	17
Black	51	2	-	-	-	1	2	-	13	11	15	7	51	3	-	-	-	1	4	1	9	5	11	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	1	2	1	2	-	2	1	-	11	-	-	1	2	1	3	1	-	2	1	-
White	8	-	-	-	1	2	1	1	-	2	1	-	9	-	-	1	1	-	3	1	-	2	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	77	3	-	-	1	15	16	6	6	19	8	3	62	-	1	2	2	6	3	5	9	15	12	7
White	63	3	-	-	1	9	13	2	6	18	8	3	50	-	1	1	1	6	1	2	7	12	12	7
All other	14	-	-	-	-	6	3	4	-	1	-	-	12	-	-	1	1	-	2	3	2	3	-	-
Black	14	-	-	-	-	6	3	4	-	1	-	-	12	-	-	1	1	-	2	3	2	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,318	2	6	13	22	46	144	465	1,240	1,811	1,245	323	4,171	-	3	7	14	52	175	404	878	1,198	1,014	425
White	4,419	2	6	10	18	39	117	369	1,045	1,514	1,042	257	3,467	-	2	6	12	39	124	330	732	1,005	858	359
All other	899	-	-	3	4	7	27	96	195	297	203	66	704	-	1	1	2	13	51	74	146	193	156	66
Black	894	-	-	3	4	7	27	95	193	295	203	66	701	-	1	1	2	13	50	74	146	193	155	65

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	98	–	–	–	–	–	3	19	18	35	18	5	51	–	–	–	–	–	–	4	12	17	12	6
White	82	–	–	–	–	–	2	14	15	31	16	4	42	–	–	–	–	–	–	3	9	15	9	6
All other	16	–	–	–	–	–	1	5	3	4	2	1	9	–	–	–	–	–	–	1	3	2	3	–
Black	16	–	–	–	–	–	1	5	3	4	2	1	9	–	–	–	–	–	–	1	3	2	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,126	–	–	–	2	7	29	90	252	378	285	83	1,027	–	–	–	2	8	23	57	159	302	319	157
White	895	–	–	–	2	6	23	64	210	302	221	67	845	–	–	–	2	6	18	47	123	245	277	127
All other	231	–	–	–	–	1	6	26	42	76	64	16	182	–	–	–	–	2	5	10	36	57	42	30
Black	226	–	–	–	–	1	6	25	41	75	64	16	182	–	–	–	–	2	5	10	36	57	42	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,214	–	–	–	1	9	44	215	645	807	429	63	763	–	–	–	–	2	25	87	236	234	142	37
White	1,874	–	–	–	1	8	32	169	547	683	383	51	665	–	–	–	–	2	16	74	206	210	127	30
All other	340	–	–	–	–	1	12	46	98	124	46	12	98	–	–	–	–	–	9	13	30	24	15	7
Black	339	–	–	–	–	1	12	46	98	123	46	12	97	–	–	–	–	–	8	13	30	24	15	7
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	–	1	2	–	702	–	–	–	–	9	59	108	181	181	118	46
White	3	–	–	–	–	–	–	–	–	1	2	–	580	–	–	–	–	5	38	89	156	159	98	35
All other	–	–	–	–	–	–	–	–	–	–	–	–	122	–	–	–	–	4	21	19	25	22	20	11
Black	–	–	–	–	–	–	–	–	–	–	–	–	122	–	–	–	–	4	21	19	25	22	20	11
Malignant neoplasms of genital organs (179-187)	534	–	–	–	2	1	2	8	57	174	199	91	446	–	–	–	3	11	28	55	92	134	84	39
White	393	–	–	–	2	1	2	3	41	129	147	68	337	–	–	–	3	9	20	37	69	100	65	34
All other	141	–	–	–	–	–	–	5	16	45	52	23	109	–	–	–	–	2	8	18	23	34	19	5
Black	141	–	–	–	–	–	–	5	16	45	52	23	108	–	–	–	–	2	8	18	23	34	19	4
Malignant neoplasms of urinary organs (188-189)	219	1	–	–	–	–	4	17	38	72	66	21	157	–	–	1	–	–	3	13	22	32	61	25
White	196	1	–	–	–	–	2	16	34	62	64	17	129	–	–	1	–	–	1	11	18	25	51	22
All other	23	–	–	–	–	–	2	1	4	10	2	4	28	–	–	–	–	–	2	2	4	7	10	3
Black	23	–	–	–	–	–	2	1	4	10	2	4	27	–	–	–	–	–	2	2	4	7	9	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	631	–	–	4	7	20	35	79	153	188	116	29	571	–	2	3	6	13	22	52	109	150	144	69
White	547	–	–	4	6	16	33	69	131	169	96	23	480	–	2	2	4	9	20	45	91	124	121	62
All other	84	–	–	–	1	4	2	10	22	19	20	6	91	–	–	1	2	4	2	7	18	26	23	7
Black	83	–	–	–	1	4	2	10	21	19	20	6	91	–	–	1	2	4	2	7	18	26	23	7
Leukemia (204-208)	221	1	6	8	8	4	10	16	31	57	61	19	169	–	1	3	1	5	9	11	19	45	51	18
White	191	1	6	5	5	4	8	15	27	51	53	16	141	–	–	3	1	5	8	9	18	38	42	17
All other	30	–	–	3	3	–	2	1	4	6	8	3	28	–	1	–	–	–	1	2	1	7	9	1
Black	30	–	–	3	3	–	2	1	4	6	8	3	22	–	1	–	–	–	1	2	1	7	9	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	272	–	–	1	2	5	17	21	46	99	69	12	291	–	–	–	2	4	6	17	48	103	83	28
White	238	–	–	1	2	4	15	19	40	86	60	11	248	–	–	–	2	3	3	15	42	89	68	26
All other	34	–	–	–	–	1	2	2	6	13	9	1	43	–	–	–	–	1	3	2	6	14	15	2
Black	34	–	–	–	–	1	2	2	6	13	9	1	43	–	–	–	–	1	3	2	6	14	15	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	60	1	1	2	2	1	2	6	9	19	13	4	82	1	1	1	–	3	2	5	10	19	25	15
White	50	–	1	2	–	1	2	6	8	15	11	4	62	1	1	–	–	3	2	5	7	15	17	11
All other	10	1	–	–	2	–	–	–	1	4	2	–	20	–	–	1	–	–	–	–	3	4	8	4
Black	10	1	–	–	2	–	–	–	1	4	2	–	20	–	–	1	–	–	–	–	3	4	8	4
Diabetes mellitus (250)	253	–	–	–	5	6	12	25	50	65	62	28	415	–	1	–	2	6	7	28	61	112	128	69
White	203	–	–	–	5	6	10	17	39	53	50	23	299	–	1	–	1	6	5	19	40	77	95	54
All other	50	–	–	–	–	–	2	8	11	12	12	5	116	–	–	–	1	–	2	9	21	35	33	15
Black	49	–	–	–	–	–	2	8	11	11	12	5	116	–	–	–	1	–	2	9	21	35	33	15
Nutritional deficiencies (260-269)	32	–	–	1	–	–	–	1	1	4	13	12	23	–	–	–	–	1	–	1	1	2	3	15
White	24	–	–	1	–	–	–	–	–	4	10	9	21	–	–	–	–	1	–	1	1	1	2	15
All other	8	–	–	–	–	–	–	1	1	–	3	3	2	–	–	–	–	–	–	–	–	1	1	–
Black	8	–	–	–	–	–	–	1	1	–	3	3	2	–	–	–	–	–	–	–	–	1	1	–
Anemias (280-285)	36	1	1	1	3	2	–	1	2	2	14	9	38	–	1	–	–	1	2	4	2	7	12	9
White	22	1	–	–	–	–	–	1	2	1	10	7	28	–	–	–	–	–	–	2	2	6	10	8
All other	14	–	1	1	3	2	–	–	–	1	4	2	10	–	1	–	–	1	2	2	–	1	2	1
Black	13	–	1	1	3	2	–	–	–	1	3	2	10	–	1	–	–	1	2	2	–	1	2	1
Meningitis (320-322)	8	2	–	–	–	–	1	–	2	2	1	–	6	2	–	–	–	1	1	–	1	1	1	1
White	7	2	–	–	–	–	1	–	1	2	1	–	4	–	–	–	–	1	1	–	1	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	4	2	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	4	2	–	–	–	–	–	–	–	1	–	1
Major cardiovascular diseases (390-448)	10,007	13	3	4	18	86	294	657	1,653	2,768	3,050	1,455	10,366	4	2	5	9	36	104	293	797	1,888	3,679	3,548
White	8,344	8	2	2	13	49	220	510	1,378	2,338	2,590	1,232	8,646	–	1	4	2	19	62	180	594	1,469	3,165	3,130
All other	1,663	5	1	2	5	37	74	147	275	430	460	223	1,720	4	1	1	7	17	42	113	203	399	514	418
Black	1,657	4	1	2	5	36	74	147	274	429	460	221	1,714	4	1	1	7	17	42	112	202	399	510	418

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	8,134	11	3	4	13	71	250	593	1,478	2,305	2,326	1,077	7,733	4	2	4	5	27	77	220	653	1,487	2,748	2,505
White	6,808	7	2	2	9	38	188	465	1,241	1,968	1,986	902	6,437	–	1	4	1	15	43	135	489	1,180	2,363	2,206
All other	1,326	4	1	2	4	33	62	128	237	337	340	175	1,296	4	1	–	4	12	34	85	164	307	385	299
Black	1,322	3	1	2	4	32	62	128	236	337	340	174	1,291	4	1	–	4	12	34	84	164	307	381	299
Rheumatic fever and rheumatic heart disease (390-398)	30	–	–	–	–	1	3	7	11	4	4	–	60	–	–	–	–	2	2	2	12	22	13	7
White	27	–	–	–	–	1	3	5	10	4	4	–	51	–	–	–	–	2	2	1	11	18	11	6
All other	3	–	–	–	–	–	–	2	1	–	–	–	9	–	–	–	–	–	–	1	1	4	2	1
Black	3	–	–	–	–	–	–	2	1	–	–	–	9	–	–	–	–	–	–	1	1	4	2	1
Hypertensive heart disease (402)	233	–	–	–	–	9	14	26	48	62	51	23	321	–	–	–	1	1	12	19	30	63	104	91
White	112	–	–	–	–	4	8	5	22	35	26	12	186	–	–	–	–	1	1	5	8	33	69	69
All other	121	–	–	–	–	5	6	21	26	27	25	11	135	–	–	–	1	–	11	14	22	30	35	22
Black	121	–	–	–	–	5	6	21	26	27	25	11	134	–	–	–	1	–	11	14	22	30	34	22
Hypertensive heart and renal disease (404)	18	–	–	–	–	1	–	1	2	8	3	3	27	–	–	–	–	–	–	–	2	5	13	7
White	12	–	–	–	–	1	–	–	2	6	2	1	16	–	–	–	–	–	–	–	–	2	7	7
All other	6	–	–	–	–	–	–	1	–	2	1	2	11	–	–	–	–	–	–	–	2	3	6	–
Black	6	–	–	–	–	–	–	1	–	2	1	2	11	–	–	–	–	–	–	–	2	3	6	–
Ischemic heart disease (410-414)	5,465	–	–	–	1	30	157	413	1,042	1,585	1,569	667	4,817	–	–	–	–	4	27	106	390	945	1,806	1,539
White	4,900	–	–	–	–	19	134	359	945	1,441	1,416	587	4,219	–	–	–	–	3	15	72	324	801	1,609	1,395
All other	565	–	–	–	1	11	23	54	97	144	154	80	598	–	–	–	–	1	12	34	66	144	197	144
Black	564	–	–	–	1	11	23	54	96	144	154	80	596	–	–	–	–	1	12	34	66	144	195	144
Acute myocardial infarction (410)	3,316	–	–	–	–	16	114	277	687	1,012	902	308	2,649	–	–	–	–	4	11	69	244	585	1,037	699
White	3,032	–	–	–	–	11	102	249	636	934	820	280	2,362	–	–	–	–	3	8	50	208	513	941	639
All other	284	–	–	–	–	5	12	28	51	78	82	28	287	–	–	–	–	1	3	19	36	72	96	60
Black	284	–	–	–	–	5	12	28	51	78	82	28	287	–	–	–	–	1	3	19	36	72	96	60
Other acute and subacute forms of ischemic heart disease (411)	51	–	–	–	–	1	3	8	22	8	8	1	40	–	–	–	–	–	2	2	7	11	11	7
White	44	–	–	–	–	1	3	6	20	7	7	–	31	–	–	–	–	–	–	–	6	9	9	7
All other	7	–	–	–	–	–	–	2	2	1	1	1	9	–	–	–	–	–	2	2	1	2	2	–
Black	7	–	–	–	–	–	–	2	2	1	1	1	9	–	–	–	–	–	2	2	1	2	2	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	2	1	–	–	8	–	–	–	–	–	–	–	2	4	2	–
White	3	–	–	–	–	–	–	–	2	1	–	–	7	–	–	–	–	–	–	–	2	3	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,095	–	–	–	1	13	49	128	331	564	659	358	2,120	–	–	–	–	–	14	35	137	345	756	833
White	1,821	–	–	–	–	7	29	104	287	499	588	307	1,819	–	–	–	–	–	7	22	108	276	657	749
All other	274	–	–	–	1	6	11	24	44	65	71	51	301	–	–	–	–	–	7	13	29	69	99	84
Black	273	–	–	–	1	6	11	24	43	65	71	51	299	–	–	–	–	–	7	13	29	69	97	84
Other diseases of endocardium (424)	75	–	–	–	1	1	3	6	4	14	33	13	87	–	–	–	1	–	1	3	8	22	28	24
White	65	–	–	–	1	1	1	5	3	11	30	13	72	–	–	–	1	–	1	3	7	20	21	19
All other	10	–	–	–	–	–	2	1	1	3	3	–	15	–	–	–	–	–	–	–	1	2	7	5
Black	10	–	–	–	–	–	2	1	1	3	3	–	15	–	–	–	–	–	–	–	1	2	7	5
All other forms of heart disease (415-423,425-429)	2,313	11	3	4	11	29	73	140	371	632	666	371	2,421	4	2	4	3	20	35	90	211	430	784	837
White	1,692	7	2	2	8	12	42	91	259	471	509	289	1,693	–	1	4	–	9	24	54	139	306	646	710
All other	621	4	1	2	3	17	31	49	112	161	157	82	528	4	1	–	3	11	11	36	72	124	138	127
Black	618	3	1	2	3	16	31	49	112	161	157	81	526	4	1	–	3	11	11	35	72	124	137	127
Hypertension with or without renal disease (401,403)	59	–	–	–	1	1	1	2	8	11	22	13	83	–	–	–	–	–	–	5	9	20	28	21
White	40	–	–	–	–	1	–	2	5	7	16	9	54	–	–	–	–	–	–	1	5	10	19	19
All other	19	–	–	–	1	–	1	–	3	4	6	4	29	–	–	–	–	–	–	4	4	10	9	2
Black	19	–	–	–	1	–	1	–	3	4	6	4	29	–	–	–	–	–	–	4	4	10	9	2
Cerebrovascular diseases (430-438)	1,444	–	–	–	3	12	37	51	122	338	577	301	2,149	–	–	–	3	9	24	62	115	327	770	839
White	1,174	–	–	–	3	8	27	34	90	266	478	266	1,808	–	–	–	1	4	17	40	82	254	670	740
All other	270	–	–	–	–	4	10	17	32	72	99	35	341	–	–	–	2	5	7	22	33	73	100	99
Black	269	–	–	–	–	4	10	17	32	71	99	35	340	–	–	–	2	5	7	22	32	73	100	99
Intracerebral and other intracranial hemorrhage (431-432)	166	–	–	–	3	2	12	16	21	45	48	17	236	–	–	–	2	1	5	19	31	48	88	42
White	139	–	–	–	3	1	8	11	16	40	42	17	182	–	–	–	1	–	3	8	16	41	75	38
All other	27	–	–	–	–	1	4	5	5	5	6	–	54	–	–	–	1	1	2	11	15	7	13	4
Black	27	–	–	–	–	1	4	5	5	5	6	–	53	–	–	–	1	1	2	11	14	7	13	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	202	–	–	–	–	–	4	6	16	49	81	46	326	–	–	–	–	–	–	5	11	47	115	148
White	161	–	–	–	–	–	2	4	9	36	69	41	285	–	–	–	–	–	–	5	8	34	103	135
All other	41	–	–	–	–	–	2	2	7	13	12	5	41	–	–	–	–	–	–	–	3	13	12	13
Black	40	–	–	–	–	–	2	2	7	12	12	5	41	–	–	–	–	–	–	–	3	13	12	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	8	–	–	–	–	1	–	–	–	2	5	–	15	–	–	–	–	–	–	1	1	4	8	1
White	7	–	–	–	–	1	–	–	–	1	5	–	13	–	–	–	–	–	–	1	1	2	8	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,088	–	–	–	–	9	21	29	85	242	443	238	1,572	–	–	–	1	8	19	37	72	228	559	648
White	867	–	–	–	–	6	17	19	65	189	362	208	1,328	–	–	–	–	4	14	26	57	177	484	566
All other	201	–	–	–	–	3	4	10	20	53	81	30	244	–	–	–	1	4	5	11	15	51	75	82
Black	201	–	–	–	–	3	4	10	20	53	81	30	244	–	–	–	1	4	5	11	15	51	75	82
Atherosclerosis (440)	149	–	–	–	–	–	3	2	12	26	53	53	259	–	–	–	–	–	–	3	3	21	84	148
White	120	–	–	–	–	–	2	1	11	19	42	45	230	–	–	–	–	–	–	2	3	15	76	134
All other	29	–	–	–	–	–	1	1	1	7	11	8	29	–	–	–	–	–	–	1	–	6	8	14
Black	29	–	–	–	–	–	1	1	1	7	11	8	29	–	–	–	–	–	–	1	–	6	8	14
Other diseases of arteries, arterioles, and capillaries (441-448)	221	2	–	–	1	2	3	9	33	88	72	11	142	–	–	1	1	–	3	3	17	33	49	35
White	202	1	–	–	1	2	3	8	31	78	68	10	117	–	–	–	1	–	2	2	15	30	37	31
All other	19	1	–	–	–	–	–	1	2	10	4	1	25	–	–	1	1	–	1	1	2	3	12	4
Black	18	1	–	–	–	–	–	1	2	10	4	–	25	–	–	1	1	–	1	1	2	3	12	4
Acute bronchitis and bronchiolitis (466)	3	–	–	–	1	–	–	–	–	–	–	2	9	1	–	–	–	–	–	–	–	–	3	5
White	3	–	–	–	1	–	–	–	–	–	–	2	9	1	–	–	–	–	–	–	–	–	3	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	742	4	1	4	1	3	10	18	57	139	278	227	707	6	–	–	4	4	3	9	38	71	249	323
White	640	3	1	3	1	2	8	15	45	114	245	203	627	4	–	–	3	2	2	8	33	54	225	296
All other	102	1	–	1	–	1	2	3	12	25	33	24	80	2	–	–	1	2	1	1	5	17	24	27
Black	102	1	–	1	–	1	2	3	12	25	33	24	80	2	–	–	1	2	1	1	5	17	24	27
Pneumonia (480-486)	727	4	1	3	1	3	10	17	56	136	271	225	683	6	–	–	3	4	3	9	37	68	239	314
White	628	3	1	2	1	2	8	14	44	111	239	201	605	4	–	–	2	2	2	8	32	51	215	289
All other	101	1	–	1	–	1	2	3	12	25	32	24	78	2	–	–	1	2	1	1	5	17	24	25
Black	101	1	–	1	–	1	2	3	12	25	32	24	78	2	–	–	1	2	1	1	5	17	24	25
Influenza (487)	15	–	–	1	–	–	–	1	1	3	7	2	24	–	–	–	1	–	–	–	1	3	10	9
White	14	–	–	1	–	–	–	1	1	3	6	2	22	–	–	–	1	–	–	–	1	3	10	7
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,113	–	1	1	2	3	12	35	170	439	349	101	546	–	1	–	–	3	7	24	93	172	160	86
White	1,017	–	1	–	1	2	8	32	157	398	323	95	512	–	–	–	–	1	5	21	86	161	157	81
All other	96	–	–	1	1	1	4	3	13	41	26	6	34	–	1	–	–	2	2	3	7	11	3	5
Black	96	–	–	1	1	1	4	3	13	41	26	6	34	–	1	–	–	2	2	3	7	11	3	5
Bronchitis, chronic and unspecified (490-491)	39	–	–	–	–	–	–	2	7	14	12	4	37	–	1	–	–	–	–	2	8	11	7	8
White	38	–	–	–	–	–	–	1	6	14	11	4	34	–	–	–	–	–	–	2	7	11	7	7
All other	3	–	–	–	–	–	–	1	1	–	1	–	3	–	1	–	–	–	–	–	1	–	–	1
Black	3	–	–	–	–	–	–	1	1	–	1	–	3	–	1	–	–	–	–	–	1	–	–	1
Emphysema (492)	163	–	–	–	–	–	–	8	28	61	53	15	76	–	–	–	–	–	1	4	16	27	20	8
White	154	–	–	–	–	–	–	8	25	55	52	14	73	–	–	–	–	–	1	4	16	24	20	8
All other	9	–	–	–	–	–	–	–	1	6	1	1	3	–	–	–	–	–	–	–	–	3	–	–
Black	9	–	–	–	–	–	–	–	1	6	1	1	3	–	–	–	–	–	–	–	–	3	–	–
Asthma (493)	25	–	1	1	1	2	7	1	1	8	3	–	43	–	–	–	–	3	3	3	10	14	7	3
White	17	–	1	–	–	1	4	–	1	7	3	–	30	–	–	–	–	1	1	1	6	12	7	2
All other	8	–	–	1	1	1	3	1	–	1	–	–	13	–	–	–	–	2	2	2	4	2	–	1
Black	8	–	–	1	1	1	3	1	–	1	–	–	13	–	–	–	–	2	2	2	4	2	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	888	–	–	–	1	1	5	24	136	356	281	82	390	–	–	–	–	–	3	15	59	120	126	67
White	810	–	–	–	1	1	4	23	125	322	257	77	375	–	–	–	–	–	3	14	57	114	123	64
All other	78	–	–	–	–	–	1	1	11	34	24	5	15	–	–	–	–	–	–	1	2	6	3	3
Black	78	–	–	–	–	–	1	1	11	34	24	5	15	–	–	–	–	–	–	1	2	6	3	3
Ulcer of stomach and duodenum (531-533)	71	1	–	–	–	2	3	4	13	23	18	7	69	–	–	–	1	–	2	2	7	12	25	20
White	61	1	–	–	–	1	2	4	11	19	16	7	63	–	–	–	1	–	1	2	6	11	24	18
All other	10	–	–	–	–	1	1	–	2	4	2	–	6	–	–	–	–	–	1	–	1	1	1	2
Black	9	–	–	–	–	1	1	–	1	4	2	–	6	–	–	–	–	–	1	–	1	1	1	2
Appendicitis (540-543)	4	–	–	–	–	–	–	–	1	1	2	–	4	–	1	–	–	–	–	–	–	1	2	–
White	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	1	2	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	50	1	–	–	–	–	1	–	7	11	17	13	67	1	–	–	–	–	2	3	3	14	19	25
White	37	–	–	–	–	–	–	–	4	8	14	11	53	–	–	–	–	–	2	3	2	11	13	22
All other	13	1	–	–	–	–	1	–	3	3	3	2	14	1	–	–	–	–	–	–	1	3	6	3
Black	13	1	–	–	–	–	1	–	3	3	3	2	13	–	–	–	–	–	–	–	1	3	6	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	224	–	–	–	–	11	29	41	76	43	18	6	154	–	–	–	–	3	15	20	33	43	31	9
White	199	–	–	–	–	10	22	36	72	38	16	5	124	–	–	–	–	1	9	15	24	40	26	9
All other	25	–	–	–	–	1	7	5	4	5	2	1	30	–	–	–	–	2	6	5	9	3	5	–
Black	25	–	–	–	–	1	7	5	4	5	2	1	30	–	–	–	–	2	6	5	9	3	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	35	–	–	–	–	–	–	3	4	7	14	7	59	–	–	–	–	–	2	2	2	7	20	28
White	30	–	–	–	–	–	–	3	4	6	11	6	51	–	–	–	–	–	1	1	2	6	17	24
All other	5	–	–	–	–	–	–	–	–	1	3	1	8	–	–	–	–	–	1	1	–	1	3	2
Black	5	–	–	–	–	–	–	–	–	1	3	1	8	–	–	–	–	–	1	1	–	1	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	224	2	–	–	–	2	8	6	21	60	71	54	227	8	–	–	1	1	7	4	19	43	85	59
White	166	–	–	–	–	–	4	6	13	50	49	44	170	3	–	–	1	1	6	2	10	31	68	48
All other	58	2	–	–	–	2	4	–	8	10	22	10	57	5	–	–	–	–	1	2	9	12	17	11
Black	58	2	–	–	–	2	4	–	8	10	22	10	57	5	–	–	–	–	1	2	9	12	17	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	1	–	–	–	3	–
White	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	1	–	–	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	28	–	–	–	–	1	1	1	5	8	7	5	24	–	–	–	–	–	1	–	2	6	10	5
White	20	–	–	–	–	–	1	1	3	7	3	5	18	–	–	–	–	–	1	–	1	4	10	2
All other	8	–	–	–	–	1	–	–	2	1	4	–	6	–	–	–	–	–	–	–	1	2	–	3
Black	8	–	–	–	–	1	–	–	2	1	4	–	6	–	–	–	–	–	–	–	1	2	–	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	194	2	–	–	–	1	7	5	16	51	64	48	199	8	–	–	1	1	5	4	17	37	72	54
White	144	–	–	–	–	–	3	5	10	42	48	38	148	3	–	–	1	1	4	2	9	27	55	46
All other	50	2	–	–	–	1	4	–	6	9	16	10	51	5	–	–	–	–	1	2	8	10	17	8
Black	50	2	–	–	–	1	4	–	6	9	16	10	51	5	–	–	–	–	1	2	8	10	17	8
Infections of kidney (590)	13	–	–	–	–	–	–	–	1	3	5	4	29	–	1	–	–	–	–	1	1	1	12	13
White	13	–	–	–	–	–	–	–	1	3	5	4	27	–	1	–	–	–	–	1	1	1	10	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	–	3	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	–	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	129	90	6	2	6	8	3	–	3	6	4	1	117	73	7	5	6	3	4	2	3	7	6	1
White	88	60	3	2	5	5	3	–	3	4	3	–	91	54	3	5	5	3	4	2	1	7	6	1
All other	41	30	3	–	1	3	–	–	–	2	1	1	26	19	4	–	1	–	–	–	2	–	–	–
Black	39	28	3	–	1	3	–	–	–	2	1	1	25	18	4	–	1	–	–	–	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	194	191	3	–	–	–	–	–	–	–	–	–	138	135	1	–	–	–	–	–	–	–	–	–
White	113	111	2	–	–	–	–	–	–	–	–	–	84	83	1	–	–	–	–	–	–	–	–	–
All other	81	80	1	–	–	–	–	–	–	–	–	–	52	52	–	–	–	–	–	–	–	–	–	–
Black	81	80	1	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	59	–	–	–	–	–	–	–	–	–	–	36	35	1	–	–	–	–	–	–	–	–	–
White	37	37	–	–	–	–	–	–	–	–	–	–	25	24	1	–	–	–	–	–	–	–	–	–
All other	22	22	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	22	22	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	135	132	3	–	–	–	–	–	–	–	–	–	100	100	–	–	–	–	–	–	–	–	–	–
White	76	74	2	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
All other	59	58	1	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–
Black	59	58	1	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	810	69	2	–	4	17	17	49	91	150	142	68	507	57	1	1	4	12	9	23	39	93	138	130
White	504	39	1	–	2	11	12	42	81	135	118	62	404	32	–	–	2	7	7	22	33	79	114	108
All other	106	30	1	–	2	6	5	7	10	15	24	6	103	25	1	1	2	5	2	1	6	14	24	22
Black	104	30	–	–	2	6	5	7	10	14	24	6	103	25	1	1	2	5	2	1	6	14	24	22
All other diseases (Residual)	1,520	9	7	7	33	51	85	116	204	336	413	259	1,625	9	9	10	19	23	41	66	133	311	507	497
White	1,249	7	6	5	27	38	56	89	166	280	351	224	1,378	4	8	8	13	13	25	49	100	262	444	452
All other	271	2	1	2	6	13	29	27	38	56	62	35	247	5	1	2	6	10	16	17	33	49	63	45
Black	267	2	1	1	6	13	26	27	38	56	62	35	246	5	1	2	6	10	16	17	33	49	62	45
Accidents and adverse effects (E800-E949)	1,682	11	36	75	409	339	185	142	133	142	140	69	750	9	22	33	124	82	67	56	52	73	130	102
White	1,419	6	27	65	362	285	150	119	111	117	120	57	633	2	16	26	116	66	54	50	32	63	115	93
All other	263	5	9	10	47	54	35	23	22	25	20	12	117	7	6	7	8	16	13	6	20	10	15	9
Black	254	5	9	9	43	53	34	23	22	23	20	12	114	7	6	7	8	16	11	6	19	10	15	9
Motor vehicle accidents (E810-E825)	896	1	15	42	314	210	108	60	52	50	38	6	372	1	8	20	105	67	42	35	18	39	29	8
White	777	1	11	38	283	181	89	51	42	41	34	6	331	1	7	18	99	56	35	32	12	36	27	8
All other	119	–	4	4	31	29	19	9	10	9	4	–	41	–	1	2	6	11	7	3	6	3	2	–
Black	113	–	4	4	27	28	19	9	10	8	4	–	40	–	1	2	6	11	6	3	6	3	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	786	10	21	33	95	129	77	82	81	92	102	69	378	8	14	13	19	15	25	21	34	34	101	94
White	642	5	16	27	79	104	61	68	69	76	86	51	302	1	9	8	17	10	19	18	20	27	88	85
All other	144	5	5	6	16	25	16	14	12	16	16	12	76	7	5	5	2	5	6	3	14	7	13	9
Black	141	5	5	5	16	25	15	14	12	15	16	12	74	7	5	5	2	5	5	3	13	7	13	9
Suicide (E950-E959)	481	...	...	3	70	94	76	57	60	66	48	6	137	...	...	1	14	30	34	17	20	13	8	–
White	440	...	...	2	60	87	68	53	57	61	45	6	122	...	...	–	12	26	33	15	18	11	7	–
All other	41	...	...	1	10	7	8	4	3	5	3	–	15	...	...	1	2	4	1	2	2	2	1	–
Black	39	...	...	1	9	7	7	4	3	5	3	–	15	...	...	1	2	4	1	2	2	2	1	–
Homicide and legal intervention (E960-E978)	412	–	3	3	116	131	75	33	32	17	2	–	104	2	–	3	17	31	19	14	4	6	7	1
White	188	–	2	2	50	50	39	18	18	8	1	–	58	–	–	2	8	14	8	12	3	4	6	1
All other	224	–	1	1	66	81	36	15	14	9	1	–	46	2	–	1	9	17	11	2	1	2	1	–
Black	222	–	1	1	66	80	35	15	14	9	1	–	42	2	–	1	8	15	10	2	1	2	1	–
All other external causes (E980-E999)	58	1	1	–	12	7	11	9	10	–	7	–	26	1	–	–	4	3	9	3	2	2	2	–
White	54	1	–	–	11	7	10	9	10	–	6	–	25	1	–	–	4	2	9	3	2	2	2	–
All other	4	–	1	–	1	–	1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	4	–	1	–	1	–	1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
TEXAS																								
All causes	64,666	1,821	399	424	2,534	3,395	3,279	4,696	10,383	15,409	15,393	7,120	54,081	1,300	283	261	814	1,027	1,527	2,713	6,151	10,545	15,511	13,936
White	55,563	1,238	320	335	2,130	2,720	2,647	3,788	8,834	13,517	13,683	6,360	46,888	980	228	201	678	781	1,199	2,120	5,133	9,102	13,739	12,725
All other	9,103	583	79	89	404	675	632	908	1,549	1,892	1,730	760	7,193	320	55	60	136	246	328	593	1,018	1,443	1,772	1,211
Black	8,825	362	70	82	373	642	605	878	1,524	1,840	1,696	751	6,998	309	60	59	125	229	301	567	990	1,411	1,756	1,190
Shigellosis and amebiasis (004,006)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	12	4	–	–	–	4	1	–	–	1	–	2	11	1	–	1	–	–	–	1	–	3	–	5
White	9	1	–	–	–	4	1	–	–	1	–	2	8	1	–	–	–	–	–	–	–	2	–	5
All other	3	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	1	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	1	–	–
Tuberculosis (010-018)	97	–	–	–	2	6	12	10	17	23	19	8	39	–	1	2	–	3	3	2	9	6	9	4
White	72	–	–	–	2	4	9	6	11	20	14	6	25	–	–	1	–	1	1	2	8	4	6	2
All other	25	–	–	–	–	2	3	4	6	3	5	2	14	–	1	1	–	2	2	–	1	2	3	2
Black	21	–	–	–	–	2	1	4	6	2	4	2	12	–	1	1	–	2	2	–	1	2	2	1
Tuberculosis of respiratory system (010-012)	79	–	–	–	2	3	10	8	15	19	15	7	24	–	–	–	–	1	1	–	7	5	6	4
White	58	–	–	–	2	2	7	4	10	16	11	6	18	–	–	–	–	1	1	–	6	4	4	2
All other	21	–	–	–	–	1	3	4	5	3	4	1	6	–	–	–	–	–	–	–	1	1	2	2
Black	17	–	–	–	–	1	1	4	5	2	3	1	4	–	–	–	–	–	–	–	1	1	1	1
Other tuberculosis (013-016)	18	–	–	–	–	3	2	2	2	4	4	1	15	–	1	2	–	2	2	2	2	1	3	–
White	14	–	–	–	–	2	2	2	1	4	3	–	7	–	–	1	–	–	–	2	2	–	2	–
All other	4	–	–	–	–	1	–	–	1	–	1	1	8	–	1	1	–	2	2	–	–	1	1	–
Black	4	–	–	–	–	1	–	–	1	–	1	1	8	–	1	1	–	2	2	–	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	1	2	-	2	1	-	-	-	1	-	-	5	1	1	1	-	-	-	-	1	-	1	-
White	5	1	2	-	-	1	-	-	-	1	-	-	5	1	1	1	-	-	-	-	1	-	1	-
All other	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	581	18	4	1	3	13	18	32	93	149	160	90	624	13	4	3	1	6	17	22	57	100	196	205
White	484	14	2	-	2	12	18	27	72	118	140	79	507	12	4	3	1	3	11	16	42	84	159	172
All other	97	4	2	1	1	1	-	5	21	31	20	11	117	1	-	-	-	3	6	6	15	16	37	33
Black	93	4	2	1	1	1	-	5	20	28	20	11	116	1	-	-	-	3	6	6	14	16	37	33
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	1	-	-	2	2	3	5	6	5	3	2	20	1	-	2	1	4	2	2	-	2	3	3
White	27	-	-	-	2	2	3	5	6	4	3	2	19	1	-	2	1	3	2	2	-	2	3	3
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	438	9	5	6	17	131	93	45	47	42	31	10	153	9	1	2	2	14	14	15	21	32	26	17
White	380	7	3	6	14	112	82	41	41	38	26	10	124	6	-	2	1	11	9	12	17	29	22	16
All other	56	2	2	-	3	19	11	4	6	4	5	-	29	3	1	-	1	3	6	3	4	3	4	1
Black	55	2	2	-	3	19	11	3	6	4	5	-	29	3	1	-	1	3	6	3	4	3	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,550	1	34	49	78	223	434	1,161	3,126	4,264	3,270	910	11,063	2	18	35	54	164	523	1,100	2,282	3,097	2,630	1,158
White	11,587	1	30	42	70	194	354	954	2,677	3,715	2,869	781	9,718	1	14	26	47	130	434	903	1,985	2,764	2,363	1,051
All other	1,863	-	4	7	8	29	80	207	449	549	401	129	1,345	1	4	9	7	34	89	197	297	333	267	107
Black	1,816	-	3	7	7	27	73	202	446	533	391	127	1,301	1	3	9	7	30	82	185	289	326	265	104
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	274	-	-	-	-	4	9	38	71	76	58	18	159	-	-	1	1	1	-	16	40	46	38	15
White	225	-	-	-	-	4	5	22	58	63	55	18	139	-	-	1	1	1	-	8	34	43	36	15
All other	49	-	-	-	-	-	4	16	13	13	3	-	20	-	-	-	-	-	-	8	6	3	2	1
Black	47	-	-	-	-	-	4	16	12	13	2	-	18	-	-	-	-	-	-	7	6	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,022	-	1	1	3	29	98	266	708	956	729	231	2,472	-	-	1	5	9	63	161	411	668	758	396
White	2,541	-	1	1	2	23	80	210	593	804	632	195	2,121	-	-	1	3	8	50	128	342	569	665	355
All other	481	-	-	-	1	6	18	56	115	152	97	36	351	-	-	-	2	1	13	33	69	99	93	41
Black	463	-	-	-	1	5	15	54	114	146	92	36	337	-	-	-	2	-	10	30	66	97	92	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,918	-	-	-	3	10	103	469	1,377	1,710	1,059	187	2,188	-	-	-	1	6	57	246	575	782	416	105
White	4,271	-	-	-	3	9	73	381	1,181	1,512	942	170	1,969	-	-	-	1	4	48	209	507	720	385	95
All other	647	-	-	-	-	1	30	88	196	198	117	17	219	-	-	-	-	2	9	37	68	62	31	10
Black	635	-	-	-	-	1	29	87	195	193	114	16	213	-	-	-	-	1	9	34	67	61	31	10
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	3	-	2	-	2	2,015	-	-	-	1	41	183	301	490	505	352	142
White	6	-	-	-	-	-	-	2	-	2	-	2	1,759	-	-	-	1	30	145	244	433	454	324	128
All other	1	-	-	-	-	-	-	1	-	-	-	-	256	-	-	-	-	11	38	57	57	51	28	14
Black	1	-	-	-	-	-	-	1	-	-	-	-	246	-	-	-	-	10	37	54	56	48	28	13
Malignant neoplasms of genital organs (179-187)	1,355	-	1	-	5	8	7	15	138	413	549	219	1,119	-	-	-	4	38	74	129	228	323	235	88
White	1,091	-	1	-	4	8	6	13	110	331	446	172	947	-	-	-	4	31	61	107	192	273	201	78
All other	264	-	-	-	1	-	1	2	28	82	103	47	172	-	-	-	-	7	13	22	36	50	34	10
Black	263	-	-	-	1	-	1	2	28	81	103	47	168	-	-	-	-	7	12	22	35	49	33	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	601	1	–	2	–	3	19	41	127	163	187	58	365	–	1	1	1	4	7	22	61	98	110	60
White	538	1	–	1	–	2	17	36	114	144	171	52	334	–	1	1	1	2	7	20	52	92	105	53
All other	63	–	–	1	–	1	2	5	13	19	16	6	31	–	–	–	–	2	–	2	9	6	5	7
Black	61	–	–	1	–	1	2	5	13	18	16	5	30	–	–	–	–	2	–	1	9	6	5	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,145	–	16	19	33	102	127	224	474	607	418	125	1,690	1	10	17	15	35	87	150	325	429	405	216
White	1,916	–	13	18	30	87	113	198	415	552	380	110	1,502	1	6	13	13	31	76	126	290	387	359	200
All other	229	–	3	1	3	15	14	26	59	55	38	15	188	–	4	4	2	4	11	24	35	42	46	16
Black	224	–	2	1	3	14	13	26	59	53	38	15	184	–	3	4	2	4	10	23	34	42	46	16
Leukemia (204-208)	526	–	15	19	24	35	20	45	89	122	117	40	436	1	6	13	17	21	31	33	55	89	113	57
White	476	–	15	16	23	33	16	41	79	112	109	32	388	–	6	9	16	14	29	26	47	82	106	53
All other	50	–	–	3	1	2	4	4	10	10	8	8	48	1	–	4	1	7	2	7	8	7	7	4
Black	49	–	–	3	–	2	3	4	10	10	8	8	46	1	–	4	1	6	2	7	7	7	7	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	702	–	1	8	10	32	51	60	142	215	153	30	619	–	1	2	9	9	21	42	97	157	203	78
White	623	–	–	6	8	28	44	51	127	185	134	30	559	–	1	1	7	9	18	35	88	144	182	74
All other	79	–	1	2	2	4	7	9	15	30	19	–	60	–	–	1	2	–	3	7	9	13	21	4
Black	74	–	1	2	2	4	6	7	15	19	18	–	59	–	–	1	2	–	2	7	9	13	21	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	185	4	–	4	4	15	11	10	33	38	54	12	215	3	10	3	4	7	12	10	32	36	68	30
White	156	3	–	3	3	13	10	6	30	29	50	9	185	3	9	3	4	6	10	8	28	29	61	24
All other	29	1	–	1	1	2	1	4	3	9	4	3	30	–	1	–	–	1	2	2	4	7	7	6
Black	28	1	–	1	1	2	1	4	3	8	4	3	27	–	1	–	–	1	1	2	3	6	7	6
Diabetes mellitus (250)	792	–	–	2	2	29	47	59	150	223	190	90	1,167	–	–	–	6	11	36	68	167	312	370	199
White	668	–	–	2	1	26	35	46	124	190	168	76	952	–	–	–	4	8	26	48	124	251	315	176
All other	124	–	–	–	1	3	12	13	26	33	22	14	215	–	–	–	2	3	10	18	43	61	55	23
Black	123	–	–	–	1	3	12	13	26	33	21	14	211	–	–	–	2	3	9	17	42	60	55	23
Nutritional deficiencies (260-269)	57	–	–	–	2	2	2	2	4	8	15	22	100	1	–	–	–	–	–	3	5	12	33	46
White	49	–	–	–	2	1	2	1	3	6	13	21	93	1	–	–	–	–	–	3	5	11	31	42
All other	8	–	–	–	–	1	–	1	1	2	2	1	7	–	–	–	–	–	–	–	–	1	2	4
Black	8	–	–	–	–	1	–	1	1	2	2	1	7	–	–	–	–	–	–	–	–	1	2	4
Anemias (280-285)	98	–	–	2	4	8	3	4	10	15	32	20	127	–	1	2	5	3	4	2	10	19	41	40
White	72	–	–	1	1	1	1	4	7	11	27	19	105	–	1	1	2	1	1	1	8	18	34	38
All other	26	–	–	1	3	7	2	–	3	4	5	1	22	–	–	1	3	2	3	1	2	1	7	2
Black	25	–	–	1	3	7	2	–	2	4	5	1	21	–	–	1	3	2	2	1	2	1	7	2
Meningitis (320-322)	57	15	9	1	2	7	3	3	5	4	7	1	36	16	1	1	1	–	1	2	5	3	2	4
White	37	9	7	1	2	6	–	1	5	2	3	1	20	9	1	–	1	–	–	1	3	2	–	3
All other	20	6	2	–	–	1	3	2	–	2	4	–	16	7	–	1	–	–	1	1	2	1	2	1
Black	20	6	2	–	–	1	3	2	–	2	4	–	15	7	–	1	–	–	1	1	1	1	2	1
Major cardiovascular diseases (390-448)	25,639	66	23	20	78	224	762	1,765	4,461	7,003	7,562	3,874	24,974	52	16	20	49	144	297	761	2,082	4,536	8,359	8,658
White	22,431	51	16	15	53	150	590	1,441	3,761	6,162	6,711	3,481	21,583	42	11	12	33	98	214	531	1,622	3,769	7,332	7,919
All other	3,407	15	7	5	25	74	172	324	700	841	851	393	3,391	10	5	8	16	46	83	230	460	767	1,027	739
Black	3,332	14	7	5	24	73	168	314	688	820	831	388	3,332	10	5	8	16	44	79	223	449	748	1,022	728
Diseases of heart (390-398,402,404-429)	21,304	54	18	19	59	189	668	1,582	3,912	5,898	6,001	2,904	18,717	47	13	16	35	104	213	590	1,640	3,605	6,228	6,225
White	18,588	43	14	14	40	123	523	1,305	3,326	5,210	5,369	2,621	16,159	38	8	8	22	67	153	415	1,278	3,014	5,469	5,667
All other	2,716	11	4	5	19	66	145	277	586	688	632	283	2,558	9	5	8	13	37	60	175	362	591	760	538
Black	2,665	11	4	5	18	66	142	270	579	673	616	281	2,516	9	5	8	13	35	58	171	354	577	756	530
Rheumatic fever and rheumatic heart disease (390-398)	73	1	–	1	–	3	5	2	19	21	14	7	144	–	–	2	1	2	6	22	19	36	37	19
White	61	–	–	1	–	–	4	2	18	17	13	6	126	–	–	–	–	1	6	17	16	32	35	19
All other	12	1	–	–	–	3	1	–	1	4	1	1	18	–	–	2	1	1	–	5	3	4	2	–
Black	11	1	–	–	–	3	1	–	1	3	1	1	16	–	–	2	1	–	–	5	3	3	2	–
Hypertensive heart disease (402)	520	–	1	–	2	9	28	68	128	129	124	31	671	–	–	–	–	4	14	30	92	152	212	167
White	366	–	1	–	1	4	17	43	95	86	93	24	489	–	–	–	–	2	6	13	56	100	167	145
All other	154	–	–	–	1	5	11	25	33	41	31	7	182	–	–	–	–	2	8	17	36	52	45	22
Black	153	–	–	–	1	5	10	25	33	41	31	7	181	–	–	–	–	2	8	17	36	51	45	22
Hypertensive heart and renal disease (404)	38	–	–	–	1	3	3	–	5	12	4	10	59	–	–	–	–	–	–	1	4	14	18	22
White	27	–	–	–	–	1	1	–	2	9	4	10	40	–	–	–	–	–	–	–	1	10	14	15
All other	11	–	–	–	1	2	2	–	3	3	–	–	19	–	–	–	–	–	–	1	3	4	4	7
Black	11	–	–	–	1	2	2	–	3	3	–	–	19	–	–	–	–	–	–	1	3	4	4	7
Ischemic heart disease (410-414)	12,811	3	–	1	4	65	387	987	2,393	3,662	3,638	1,671	10,334	2	–	–	1	23	91	294	905	2,081	3,577	3,360
White	11,565	3	–	1	3	49	317	846	2,097	3,347	3,365	1,538	9,163	1	–	–	–	17	72	210	723	1,801	3,233	3,106
All other	1,246	–	–	–	1	17	70	141	296	315	273	133	1,171	1	–	–	1	6	19	84	182	280	344	254
Black	1,218	–	–	–	1	17	70	138	289	306	265	132	1,153	1	–	–	1	6	18	82	177	275	341	252
Acute myocardial infarction (410)	7,749	3	–	1	2	38	249	591	1,530	2,359	2,162	814	5,788	1	–	–	1	12	55	179	585	1,368	2,081	1,506
White	7,055	3	–	1	1	28	210	523	1,367	2,162	2,008	752	5,144	–	–	–	–	11	49	128	479	1,191	1,892	1,394
All other	694	–	–	–	1	10	39	68	163	197	154	62	642	1	–	–	1	1	6	51	106	175	189	112
Black	685	–	–	–	1	10	39	66	161	194	152	62	632	1	–	–	1	1	6	50	104	172	186	111

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	49	–	–	–	–	–	3	4	7	16	12	7	24	–	–	–	–	–	–	3	1	4	6	10
White	43	–	–	–	–	–	2	4	6	14	11	6	20	–	–	–	–	–	–	3	1	2	6	8
All other	6	–	–	–	–	–	1	–	1	2	1	1	4	–	–	–	–	–	–	–	–	2	–	2
Black	6	–	–	–	–	–	1	–	1	2	1	1	4	–	–	–	–	–	–	–	–	2	–	2
Angina pectoris (413)	28	–	–	–	–	–	–	1	2	8	14	3	26	1	–	–	–	–	–	–	2	2	10	11
White	25	–	–	–	–	–	–	1	2	7	12	3	23	1	–	–	–	–	–	–	2	1	8	11
All other	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	1	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,985	–	–	–	2	27	135	391	854	1,279	1,450	847	4,498	–	–	–	–	11	36	112	317	709	1,480	1,833
White	4,442	–	–	–	2	20	105	318	722	1,164	1,334	777	3,976	–	–	–	–	6	23	79	241	607	1,327	1,693
All other	543	–	–	–	–	7	30	73	132	115	116	70	522	–	–	–	–	5	13	33	76	102	153	140
Black	524	–	–	–	–	7	30	72	127	109	110	69	514	–	–	–	–	5	12	32	73	100	159	139
Other diseases of endocardium (424)	227	–	1	1	2	5	8	7	31	58	78	36	228	–	–	1	3	3	5	10	19	43	79	65
White	190	–	1	1	2	2	5	6	28	49	68	34	200	–	–	1	2	1	4	7	13	36	74	62
All other	37	–	–	–	–	3	3	1	3	9	10	2	28	–	–	–	1	2	1	3	6	7	5	3
Black	29	–	–	–	–	3	3	–	3	9	9	2	27	–	–	–	1	2	1	3	6	6	5	3
All other forms of heart disease (415-423,425-429)	7,635	50	16	16	50	104	237	518	1,336	2,016	2,143	1,149	7,281	45	13	13	30	72	97	233	601	1,279	2,306	2,592
White	6,373	40	12	11	34	68	179	408	1,086	1,700	1,826	1,009	6,141	37	8	7	20	46	65	168	469	1,035	1,946	2,340
All other	1,262	10	4	5	16	36	58	110	250	316	317	140	1,140	8	5	6	10	26	32	65	132	244	360	252
Black	1,243	10	4	5	15	36	56	107	250	311	310	139	1,120	8	5	6	10	25	31	63	129	238	359	246
Hypertension with or without renal disease (401,403)	137	–	–	–	–	3	4	9	19	38	37	27	185	–	–	–	–	2	2	7	16	31	76	51
White	113	–	–	–	–	2	4	4	15	33	29	26	138	–	–	–	–	–	–	5	12	22	57	42
All other	24	–	–	–	–	1	–	5	4	5	8	1	47	–	–	–	–	2	2	2	4	9	19	9
Black	23	–	–	–	–	1	–	5	4	5	7	1	46	–	–	–	–	2	2	2	4	8	19	9
Cerebrovascular diseases (430-438)	3,284	11	4	1	16	28	83	148	394	761	1,153	687	5,002	4	3	4	9	33	70	148	359	766	1,735	1,871
White	2,733	7	2	1	11	23	57	112	307	632	976	605	4,325	3	3	4	7	28	52	100	275	621	1,522	1,710
All other	551	4	2	–	5	5	26	34	87	129	177	82	677	1	–	–	2	5	18	48	84	145	213	161
Black	531	3	2	–	5	5	25	31	84	123	174	79	662	1	–	–	2	5	16	45	81	141	212	159
Intracerebral and other intracranial hemorrhage (431-432)	553	6	1	–	8	14	41	61	108	142	125	47	656	1	–	2	3	12	24	58	99	140	198	119
White	456	3	–	–	6	12	25	46	82	125	113	44	556	1	–	2	1	9	17	34	79	123	180	110
All other	97	3	1	–	2	2	16	15	26	17	12	3	100	–	–	–	2	3	7	24	20	17	18	9
Black	90	2	1	–	2	2	16	14	25	14	12	2	95	–	–	–	2	3	6	23	18	17	18	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	486	2	1	–	1	2	7	10	58	121	162	122	673	–	–	1	–	1	5	9	44	108	245	260
White	407	2	1	–	–	2	3	9	50	93	142	105	581	–	–	1	–	1	4	7	32	84	213	239
All other	79	–	–	–	1	–	4	1	8	28	20	17	92	–	–	–	–	–	1	2	12	24	32	21
Black	75	–	–	–	1	–	4	1	8	27	18	16	92	–	–	–	–	–	1	2	12	24	32	21
Cerebral embolism (434.1)	21	–	–	–	–	–	–	2	2	6	8	3	37	–	–	–	–	–	–	1	2	6	16	12
White	21	–	–	–	–	–	–	2	2	6	8	3	33	–	–	–	–	–	–	1	2	5	14	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,224	3	2	1	7	12	35	73	226	482	858	515	3,636	3	3	1	6	20	41	80	214	512	1,276	1,480
White	1,849	2	1	1	5	9	29	55	173	408	713	453	3,155	2	3	1	6	18	31	58	162	409	1,115	1,350
All other	375	1	1	–	2	3	6	18	53	84	145	62	481	1	–	–	–	2	10	22	52	103	161	130
Black	366	1	1	–	2	3	5	16	51	82	144	61	471	1	–	–	–	2	9	20	51	99	160	129
Atherosclerosis (440)	503	–	–	–	–	–	1	7	46	92	164	193	686	–	–	–	–	–	–	4	20	55	194	413
White	444	–	–	–	–	–	1	4	38	83	146	172	621	–	–	–	–	–	–	2	18	42	169	390
All other	59	–	–	–	–	–	–	3	8	9	18	21	65	–	–	–	–	–	–	2	2	13	25	23
Black	59	–	–	–	–	–	–	3	8	9	18	21	65	–	–	–	–	–	–	2	2	13	25	23
Other diseases of arteries, arterioles, and capillaries (441-448)	610	1	1	–	3	4	6	21	90	214	207	63	384	1	–	–	5	5	12	12	47	79	125	98
White	553	1	–	–	2	2	5	16	75	204	191	57	340	1	–	–	4	3	9	9	39	70	115	90
All other	57	–	1	–	1	2	1	5	15	10	16	6	44	–	–	–	1	2	3	3	8	9	10	8
Black	54	–	1	–	1	1	1	5	13	10	16	6	43	–	–	–	1	2	3	3	8	9	10	7
Acute bronchitis and bronchiolitis (466)	13	2	1	–	–	–	–	–	4	4	2	1	11	1	–	–	–	–	–	–	1	2	3	4
White	12	2	1	–	–	–	–	–	4	3	2	1	11	1	–	–	–	–	–	–	1	2	3	4
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	1,813	23	12	2	9	38	52	61	160	341	619	496	1,693	23	7	11	8	14	26	33	85	160	52	799
White	1,590	20	8	2	6	27	38	46	130	296	562	455	1,542	14	5	6	8	7	19	24	72	142	48	758
All other	223	3	4	–	3	11	14	15	30	45	57	41	151	9	2	5	–	7	7	9	13	18	40	41
Black	220	3	4	–	2	10	13	15	30	45	57	41	144	9	2	4	–	7	7	8	12	16	40	39

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,792	22	11	2	8	38	62	59	158	337	616	489	1,658	23	7	11	8	14	24	31	84	157	520	779
White	1,571	19	8	2	5	27	38	44	128	293	559	448	1,510	14	5	6	8	7	17	22	71	139	482	739
All other	221	3	3	-	3	11	14	15	30	44	57	41	148	9	2	5	-	7	7	9	13	18	38	40
Black	218	3	3	-	2	10	13	15	30	44	57	41	141	9	2	4	-	7	7	8	12	16	38	38
Influenza (487)	21	1	1	-	1	-	-	2	2	4	3	7	35	-	-	-	-	-	2	2	1	3	7	20
White	19	1	-	-	1	-	-	2	2	3	3	7	32	-	-	-	-	-	2	2	1	3	5	19
All other	2	-	1	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	1	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,225	2	1	6	11	3	12	56	299	800	800	235	1,446	1	5	5	2	8	12	59	211	495	476	172
White	2,060	2	1	2	6	2	6	45	276	748	757	215	1,372	1	3	3	2	6	11	49	200	472	459	166
All other	165	-	-	4	5	1	6	11	23	52	43	20	74	-	2	2	-	2	1	10	11	23	17	6
Black	161	-	-	4	5	1	6	11	23	48	43	20	72	-	2	2	-	2	1	9	10	23	17	6
Bronchitis, chronic and unspecified (490-491)	93	2	-	-	2	-	-	3	11	19	40	16	66	-	1	1	-	-	-	3	15	21	25	22
White	87	2	-	-	2	-	-	3	9	18	38	15	89	-	-	1	-	-	-	3	15	19	23	22
All other	6	-	-	-	-	-	-	-	2	1	2	1	5	-	1	-	-	-	-	-	-	2	2	-
Black	6	-	-	-	-	-	-	-	2	1	2	1	5	-	1	-	-	-	-	-	-	2	2	-
Emphysema (492)	454	-	-	-	-	-	3	11	77	165	165	33	239	1	-	-	-	-	-	13	40	83	76	26
White	425	-	-	-	-	-	2	11	75	157	152	28	229	1	-	-	-	-	-	12	38	82	73	23
All other	29	-	-	-	-	-	1	-	2	8	13	5	10	-	-	-	-	-	-	1	2	1	3	3
Black	28	-	-	-	-	-	1	-	2	7	13	5	10	-	-	-	-	-	-	1	2	1	3	3
Asthma (493)	68	-	1	6	8	3	3	7	13	18	9	-	113	-	4	4	2	7	6	13	17	24	28	8
White	46	-	1	2	3	2	-	5	11	16	6	-	90	-	3	2	2	5	5	6	13	22	25	7
All other	22	-	-	4	5	1	3	2	2	2	3	-	23	-	1	2	-	2	1	7	4	2	3	1
Black	22	-	-	4	5	1	3	2	2	2	3	-	22	-	1	2	-	2	1	6	4	2	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,610	-	-	-	1	-	6	35	198	598	586	186	1,006	-	-	-	-	1	6	30	139	367	347	116
White	1,502	-	-	-	1	-	4	28	181	557	561	172	970	-	-	-	-	1	6	28	134	349	338	114
All other	108	-	-	-	-	-	2	9	17	41	25	14	36	-	-	-	-	-	-	2	5	18	9	2
Black	105	-	-	-	-	-	2	9	17	38	25	14	35	-	-	-	-	-	-	2	4	18	9	2
Ulcer of stomach and duodenum (531-533)	141	-	-	-	-	-	7	12	25	37	45	15	156	-	-	-	1	2	4	3	20	27	52	46
White	128	-	-	-	-	-	5	9	22	36	42	14	138	-	-	-	-	-	3	3	15	26	47	43
All other	13	-	-	-	-	-	2	3	3	1	3	1	18	-	-	-	1	2	1	-	5	1	5	3
Black	13	-	-	-	-	-	2	3	3	1	3	1	18	-	-	-	1	2	1	-	5	1	5	3
Appendicitis (540-543)	21	-	-	2	2	1	-	1	-	9	2	4	11	-	-	-	1	-	-	1	-	5	1	3
White	14	-	-	1	1	-	-	1	-	8	-	3	8	-	-	-	-	-	-	1	-	3	1	3
All other	7	-	-	1	1	1	-	-	-	1	2	1	3	-	-	-	1	-	-	-	-	2	-	-
Black	7	-	-	1	1	1	-	-	-	1	2	1	3	-	-	-	1	-	-	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	123	3	1	-	1	4	1	4	9	26	45	29	181	1	-	1	2	2	5	5	14	24	57	70
White	98	2	1	-	1	3	-	3	8	20	36	24	159	1	-	1	2	2	4	3	13	20	46	67
All other	25	1	-	-	-	1	1	1	1	6	9	5	22	-	-	-	-	-	1	2	1	4	11	3
Black	23	1	-	-	-	-	1	1	1	6	8	5	22	-	-	-	-	-	1	2	1	4	11	3
Chronic liver disease and cirrhosis (571)	887	-	1	-	-	42	122	196	247	196	72	11	485	-	-	-	3	15	40	70	141	113	82	21
White	784	-	1	-	-	34	97	159	227	187	68	11	429	-	-	-	2	10	33	55	133	103	74	19
All other	103	-	-	-	-	8	25	37	20	9	4	-	56	-	-	-	1	5	7	15	8	10	8	2
Black	99	-	-	-	-	8	25	35	19	9	3	-	51	-	-	-	1	5	7	14	7	10	6	1
Cholelithiasis and other disorders of gallbladder (574-575)	64	-	-	-	-	-	1	-	9	16	24	14	92	1	-	-	1	-	1	1	8	13	37	30
White	58	-	-	-	-	-	1	-	8	14	21	14	85	1	-	-	1	-	-	1	7	12	36	27
All other	6	-	-	-	-	-	-	-	1	2	3	-	7	-	-	-	-	-	1	-	1	1	1	3
Black	6	-	-	-	-	-	-	-	1	2	3	-	6	-	-	-	-	-	1	-	1	1	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	702	18	-	1	2	12	16	30	57	168	227	173	728	13	2	2	2	5	9	26	59	121	239	251
White	565	17	-	1	-	8	11	14	46	126	192	150	603	10	1	2	2	5	7	18	44	93	202	219
All other	137	1	-	-	2	4	5	16	11	40	35	23	126	3	1	-	-	-	2	8	15	28	37	32
Black	135	1	-	-	2	4	5	16	11	39	35	22	125	3	1	-	-	-	2	8	15	28	36	32
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	1	-	-	-	-	1	1	1	2	2	2	11	-	1	1	-	2	1	-	-	1	1	4
White	8	1	-	-	-	-	1	-	1	1	2	2	9	-	-	1	-	2	1	-	-	1	1	3
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	42	–	–	1	1	2	2	–	4	11	12	9	28	–	–	1	–	–	–	4	1	4	7	11
White	34	–	–	1	–	1	2	–	4	8	10	8	19	–	–	1	–	–	–	3	–	2	4	9
All other	8	–	–	–	1	1	–	–	–	3	2	1	9	–	–	–	–	–	–	1	1	2	3	2
Black	8	–	–	–	1	1	–	–	–	3	2	1	9	–	–	–	–	–	–	1	1	2	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	650	17	–	–	1	10	13	29	52	153	213	162	690	13	1	–	2	3	8	22	58	116	231	236
White	523	16	–	–	–	7	8	14	41	117	180	140	575	10	1	–	2	3	6	15	44	90	197	207
All other	127	1	–	–	1	3	5	15	11	36	33	22	115	3	–	–	–	–	2	7	14	26	34	29
Black	125	1	–	–	1	3	5	15	11	35	33	21	114	3	–	–	–	–	2	7	14	26	33	29
Infections of kidney (590)	38	–	–	–	–	–	–	1	2	7	11	17	112	2	–	–	–	–	2	3	4	14	35	52
White	34	–	–	–	–	–	–	–	1	7	10	16	101	2	–	–	–	–	2	1	4	12	32	48
All other	4	–	–	–	–	–	–	1	1	–	1	1	11	–	–	–	–	–	–	2	–	2	3	4
Black	4	–	–	–	–	–	–	1	1	–	1	1	11	–	–	–	–	–	–	2	–	2	3	4
Hyperplasia of prostate (600)	31	–	–	–	–	–	–	–	1	4	9	17	...	...	...	...	...	...	...	...	...	...	...	...
White	27	–	–	–	–	–	–	–	1	3	7	16	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	–	–	–	–	–	–	–	–	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	–	–	–	–	–	–	–	–	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	26	...	...	–	13	9	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	–	9	5	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	4	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	4	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	3	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	3	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	21	...	...	–	11	6	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	–	7	5	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	4	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	4	1	–	–	...	...	...	...
Congenital anomalies (740-759)	482	333	37	15	16	21	12	17	7	11	10	3	449	315	32	15	14	10	11	8	16	12	12	4
White	397	279	29	13	12	12	10	16	6	9	9	2	376	258	26	12	13	9	7	7	16	12	11	3
All other	85	54	8	2	4	9	2	1	1	2	1	1	73	57	4	3	1	1	4	1	–	–	1	1
Black	82	53	7	2	4	8	2	1	1	2	1	1	67	51	4	3	1	1	4	1	–	–	1	1
Certain conditions originating in the perinatal period (760-779)	769	762	6	–	–	–	–	1	–	–	–	–	562	555	5	1	–	–	–	–	–	–	–	–
White	566	560	5	–	–	–	–	1	–	–	–	–	397	391	4	1	–	–	–	–	–	–	–	–
All other	203	202	1	–	–	–	–	–	–	–	–	–	165	164	1	–	–	–	–	–	–	–	–	–
Black	190	189	1	–	–	–	–	–	–	–	–	–	160	159	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	196	196	–	–	–	–	–	–	–	–	–	–	135	132	2	1	–	–	–	–	–	–	–	–
White	159	159	–	–	–	–	–	–	–	–	–	–	112	109	2	1	–	–	–	–	–	–	–	–
All other	37	37	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
Black	33	33	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	573	566	6	–	–	–	–	1	–	–	–	–	427	423	3	–	–	–	–	–	–	–	–	–
White	407	401	5	–	–	–	–	1	–	–	–	–	285	282	2	–	–	–	–	–	–	–	–	–
All other	166	165	1	–	–	–	–	–	–	–	–	–	142	141	1	–	–	–	–	–	–	–	–	–
Black	157	156	1	–	–	–	–	–	–	–	–	–	139	138	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	2,594	215	11	9	32	64	70	153	403	595	667	376	2,161	161	11	4	21	22	32	85	234	398	602	580
White	2,145	163	9	2	27	56	55	124	342	508	578	280	1,819	119	9	3	14	18	23	77	201	342	509	504
All other	388	52	2	1	5	8	15	29	61	87	89	38	342	42	2	1	7	4	9	18	33	57	93	76
Black	384	50	2	1	5	8	15	29	61	85	89	38	337	42	1	1	7	4	9	16	33	57	92	75
All other diseases (Residual)	4,380	79	47	47	107	316	337	333	549	893	1,106	565	4,363	67	40	30	51	100	137	176	420	748	1,328	1,266
White	3,748	55	40	35	83	257	270	260	465	777	995	510	3,671	56	31	28	35	77	100	134	356	673	1,213	1,168
All other	632	24	7	12	24	59	67	73	84	116	111	55	492	11	9	2	16	23	37	42	64	75	115	98
Black	618	22	6	11	23	58	67	71	82	113	111	54	482	11	9	2	14	21	37	42	63	73	112	98
Accidents and adverse effects (E800-E949)	4,986	45	176	231	1,324	1,133	599	366	366	308	277	154	2,033	44	120	106	389	243	155	116	154	189	283	254
White	4,286	35	148	185	1,191	962	515	287	304	279	238	136	1,768	37	95	86	334	200	133	100	126	167	255	235
All other	700	10	28	46	133	171	84	79	62	29	39	18	265	7	25	20	55	43	22	16	28	22	28	19
Black	646	9	22	40	113	159	79	77	60	29	39	18	240	7	22	20	27	37	18	15	27	22	27	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	2,701	7	64	120	937	679	296	197	165	115	95	25	1,014	12	50	63	310	172	91	75	78	78	67	20
White	2,350	6	58	101	857	578	254	152	136	108	80	20	896	10	43	56	281	144	75	67	67	73	62	18
All other	351	1	6	19	80	101	42	45	29	7	15	5	118	2	7	7	29	28	16	8	11	3	5	2
Black	313	–	5	15	63	93	39	43	27	7	15	5	97	2	5	7	21	23	13	6	10	3	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	2,285	38	112	111	387	454	303	169	201	193	182	129	1,019	32	70	43	59	71	64	41	76	113	216	234
White	1,936	29	90	84	334	384	261	135	168	171	158	116	872	27	52	30	53	56	58	33	59	94	193	217
All other	349	9	22	27	53	70	42	34	33	22	24	13	147	5	18	13	6	15	6	8	17	19	23	17
Black	333	9	17	25	50	66	40	34	33	22	24	13	143	5	17	13	6	14	5	7	17	19	23	17
Suicide (E950-E959)	1,778	...	...	19	351	435	273	191	200	174	111	24	500	...	...	2	73	89	99	85	82	43	23	4
White	1,657	...	...	16	326	385	258	179	194	167	108	24	472	...	...	2	65	83	92	84	79	40	23	4
All other	121	...	...	3	25	50	15	12	6	7	3	–	28	...	...	–	8	6	7	1	3	3	–	–
Black	109	...	...	3	20	47	13	11	5	7	3	–	22	...	...	–	7	5	3	1	3	3	–	–
Homicide and legal intervention (E960-E978)	1,849	18	28	13	472	633	365	168	91	38	19	2	497	14	18	12	120	145	73	42	28	21	15	8
White	1,232	15	16	8	314	422	254	103	62	24	11	1	347	11	11	6	90	93	49	33	20	17	13	4
All other	617	3	12	5	158	211	111	65	29	14	8	1	150	3	7	6	30	52	24	9	8	4	2	4
Black	590	3	12	5	156	201	105	58	27	14	8	1	143	3	7	6	30	50	19	9	8	4	2	4
All other external causes (E980-E999)	89	2	1	–	11	27	23	10	6	6	1	–	37	1	–	–	10	7	6	3	3	1	1	3
White	82	1	1	–	11	25	22	9	5	7	1	–	26	–	–	–	7	5	5	2	3	1	1	2
All other	7	1	–	–	–	2	1	1	1	1	–	–	11	1	–	–	3	2	3	1	–	–	–	1
Black	6	1	–	–	–	1	1	1	1	1	–	–	11	1	–	–	3	2	3	1	–	–	–	1
UTAH																								
All causes	4,850	196	42	46	190	206	196	269	627	1,133	1,260	681	4,089	116	30	24	67	98	101	168	372	794	1,159	1,159
White	4,709	187	41	45	179	190	181	256	609	1,111	1,239	687	3,998	109	28	23	65	93	92	164	364	776	1,141	1,132
All other	141	9	1	1	11	16	15	13	18	22	21	14	101	7	2	1	2	5	9	4	8	18	18	27
Black	33	1	–	–	3	2	1	6	3	6	7	4	31	2	1	–	1	2	2	2	2	7	6	6
Shigellosis and amebiasis (004,006)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	1	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	21	–	–	1	–	1	1	1	5	2	8	2	24	–	–	–	–	–	1	–	2	3	12	6
White	20	–	–	1	–	1	1	1	5	1	8	2	22	–	–	–	–	–	1	–	2	3	11	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	22	–	–	–	1	4	4	2	2	5	4	–	16	1	1	1	–	–	2	–	2	3	2	4
White	19	–	–	–	1	3	4	1	2	5	3	–	15	1	1	1	–	–	2	–	2	2	2	4
All other	3	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	914	1	6	6	6	19	36	63	176	306	221	74	724	1	–	4	6	13	34	65	140	208	171	80
White	888	1	6	6	6	19	34	61	173	300	219	73	712	1	–	3	6	13	32	64	138	205	169	79
All other	16	–	–	–	–	–	2	2	3	6	2	1	12	–	–	1	–	–	2	1	2	3	2	1
Black	3	–	–	–	–	–	–	1	–	1	1	–	4	–	–	–	–	–	1	1	–	1	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	17	–	–	–	–	1	–	3	5	7	–	1	10	–	–	–	–	–	1	1	5	–	2	1
White	16	–	–	–	–	1	–	3	5	6	–	1	10	–	–	–	–	–	1	1	5	–	2	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	222	–	–	1	1	3	9	16	37	76	53	26	186	–	–	–	–	1	1	11	27	61	56	29
White	214	–	–	1	1	3	9	15	35	72	53	25	181	–	–	–	–	1	1	10	26	60	54	29
All other	8	–	–	–	–	–	–	1	2	4	–	1	5	–	–	–	–	–	–	1	1	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	207	–	–	–	1	–	3	13	54	77	49	10	82	–	–	–	–	–	3	6	18	33	16	6
White	207	–	–	–	1	–	3	13	54	77	49	10	82	–	–	–	–	–	3	6	18	33	16	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	1	–	–	–	153	–	–	–	–	6	15	22	42	33	21	14
White	1	–	–	–	–	–	–	–	1	–	–	–	153	–	–	–	–	6	15	22	42	33	21	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	136	–	–	–	–	–	–	1	16	51	46	22	87	–	–	–	1	1	5	10	13	29	18	10
White	133	–	–	–	–	–	–	1	16	50	44	22	85	–	–	–	1	1	5	10	13	28	18	9
All other	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of urinary organs (188-189)	37	–	–	–	–	–	–	5	5	12	12	3	19	–	–	–	–	–	–	1	1	3	10	4
White	37	–	–	–	–	–	–	5	5	12	12	3	19	–	–	–	–	–	–	1	1	3	10	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	165	–	5	1	3	10	16	10	38	45	33	4	106	–	–	3	5	4	4	6	21	25	32	6
White	163	–	5	1	3	10	15	9	38	45	33	4	102	–	–	3	5	4	2	6	20	24	32	6
All other	2	–	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–	–	2	–	1	1	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Leukemia (204-208)	60	1	1	3	1	–	6	9	8	11	16	4	26	1	–	1	2	1	3	1	1	8	5	3
White	59	1	1	3	1	–	5	9	8	11	16	4	25	1	–	–	2	1	3	1	1	8	5	3
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	69	–	–	1	–	5	2	6	12	27	12	4	55	–	–	–	–	–	2	7	12	16	11	7
White	68	–	–	1	–	5	2	6	11	27	12	4	55	–	–	–	–	–	2	7	12	16	11	7
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	2	1	1	–	1	1	1	1	2	8	1	20	–	1	1	–	–	1	1	2	4	5	5
White	19	2	1	1	–	1	1	1	1	2	8	1	20	–	1	1	–	–	1	1	2	4	5	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	98	–	–	–	–	2	4	1	17	37	18	19	124	–	–	–	1	5	3	4	16	35	40	20
White	94	–	–	–	–	2	4	1	17	34	18	18	115	–	–	–	1	5	3	3	15	33	36	19
All other	4	–	–	–	–	–	–	–	–	3	–	1	9	–	–	–	–	–	–	1	1	2	4	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Nutritional deficiencies (260-269)	6	–	–	–	–	–	–	–	–	–	3	3	5	–	–	–	–	–	–	–	–	1	1	3
White	5	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	–	–	–	1	1	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	7	–	–	–	–	–	1	–	3	1	2	–	10	–	–	1	–	1	1	–	1	1	1	4
White	7	–	–	–	–	–	1	–	3	1	2	–	9	–	–	1	–	1	1	–	1	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,933	4	1	2	6	11	38	112	267	487	652	352	1,841	2	1	1	3	9	17	44	110	329	620	705
White	1,895	4	1	2	5	10	35	108	260	480	642	347	1,801	2	1	1	3	9	17	43	108	318	613	688
All other	38	–	–	–	1	1	3	4	7	7	10	5	40	–	–	–	–	–	–	1	4	11	7	17
Black	15	–	–	–	–	–	1	3	3	4	3	1	14	–	–	–	–	–	–	1	2	4	2	5
Diseases of heart (390-398,402,404-429)	1,577	3	1	2	6	9	29	98	239	410	516	262	1,379	1	1	1	3	5	11	40	85	259	467	506
White	1,545	3	1	2	5	8	27	95	232	405	509	257	1,351	1	1	1	3	5	11	39	82	252	464	492
All other	32	–	–	–	1	1	2	4	7	5	7	5	28	–	–	–	–	–	–	1	3	7	3	14
Black	12	–	–	–	–	–	1	3	3	2	2	1	11	–	–	–	–	–	–	1	1	4	–	5
Rheumatic fever and rheumatic heart disease (390-398)	18	–	–	–	–	–	1	1	2	7	6	1	52	–	–	–	–	–	1	5	9	22	12	3
White	18	–	–	–	–	–	1	1	2	7	6	1	52	–	–	–	–	–	1	5	9	22	12	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	34	–	–	–	–	–	–	2	9	9	11	3	62	–	–	–	–	–	–	–	3	9	27	23
White	34	–	–	–	–	–	–	2	9	9	11	3	59	–	–	–	–	–	–	–	2	8	27	22
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Hypertensive heart and renal disease (404)	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	1	2
White	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	959	–	–	1	2	4	15	54	140	267	323	153	722	–	–	–	–	1	2	14	39	129	265	272
White	938	–	–	1	1	4	13	50	135	265	319	150	704	–	–	–	–	1	2	13	38	125	264	261
All other	21	–	–	–	1	–	2	4	5	2	4	3	18	–	–	–	–	–	–	1	1	4	1	11
Black	8	–	–	–	–	–	1	3	3	–	1	–	8	–	–	–	–	–	–	1	–	3	–	4
Acute myocardial infarction (410)	522	–	–	–	1	3	8	30	94	157	180	49	348	–	–	–	–	1	1	11	31	71	141	82
White	515	–	–	–	1	3	8	29	92	157	177	48	341	–	–	–	–	1	1	11	31	69	140	88
All other	7	–	–	–	–	–	–	1	2	–	3	1	7	–	–	–	–	–	–	–	–	2	1	4
Black	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	2	–	1
Other acute and subacute forms of ischemic heart disease (411)	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
White	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	433	–	–	1	1	1	7	24	45	108	142	104	371	–	–	–	–	–	1	3	8	57	124	178
White	419	–	–	1	–	1	5	21	42	106	141	102	360	–	–	–	–	–	1	2	7	55	124	171
All other	14	–	–	–	1	–	2	3	3	2	1	2	11	–	–	–	–	–	–	1	1	2	–	7
Black	6	–	–	–	–	–	1	3	2	–	–	–	5	–	–	–	–	–	–	1	–	1	–	3
Other diseases of endocardium (424)	16	–	1	–	–	–	–	–	2	3	6	4	21	–	–	–	1	–	–	1	1	4	5	9
White	16	–	1	–	–	–	–	–	2	3	6	4	20	–	–	–	1	–	–	1	1	4	5	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	548	3	-	1	4	5	13	42	86	124	169	100	519	1	1	1	2	4	8	20	33	95	157	197
White	537	3	-	1	4	4	13	42	84	121	166	98	513	1	1	1	2	4	8	20	32	93	155	196
All other	11	-	-	-	-	1	-	-	2	3	3	2	6	-	-	-	-	-	-	-	1	2	2	1
Black	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Hypertension with or without renal disease (401,403)	3	-	-	-	-	-	-	-	1	-	-	2	15	-	-	-	-	-	-	-	4	-	5	6
White	3	-	-	-	-	-	-	-	1	-	-	2	13	-	-	-	-	-	-	-	3	-	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Cerebrovascular diseases (430-438)	264	1	-	-	-	2	3	10	19	57	104	68	386	1	-	-	-	4	6	4	18	62	131	159
White	260	1	-	-	-	2	3	10	19	56	101	68	377	1	-	-	-	4	6	4	19	58	128	157
All other	4	-	-	-	-	-	-	-	-	1	3	-	9	-	-	-	-	-	-	-	-	4	3	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	32	-	-	-	-	-	2	3	3	8	13	3	40	-	-	-	-	2	3	1	4	13	11	6
White	32	-	-	-	-	-	2	3	3	8	13	3	36	-	-	-	-	2	3	1	4	11	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	-	-	-	-	-	-	2	4	11	10	13	50	-	-	-	-	-	-	1	2	6	19	22
White	40	-	-	-	-	-	-	2	4	11	10	13	49	-	-	-	-	-	-	1	2	6	19	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	6	-	-	-	-	-	1	1	-	2	1	1	4	-	-	-	-	-	-	-	1	2	1	-
White	6	-	-	-	-	-	1	1	-	2	1	1	4	-	-	-	-	-	-	-	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	186	1	-	-	-	2	-	4	12	36	80	51	292	1	-	-	-	2	3	2	12	41	100	131
White	182	1	-	-	-	2	-	4	12	35	77	51	288	1	-	-	-	2	3	2	12	39	99	130
All other	4	-	-	-	-	-	-	-	-	1	3	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Atherosclerosis (440)	35	-	-	-	-	-	-	-	3	8	12	12	41	-	-	-	-	-	-	-	-	3	11	27
White	35	-	-	-	-	-	-	-	3	8	12	12	41	-	-	-	-	-	-	-	-	3	11	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	54	-	-	-	-	-	6	3	5	12	20	8	20	-	-	-	-	-	-	-	2	5	6	7
White	52	-	-	-	-	-	5	3	5	11	20	8	19	-	-	-	-	-	-	-	2	5	6	6
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	168	4	1	-	2	3	5	2	6	28	63	54	188	3	-	-	1	1	-	3	9	17	60	94
White	162	4	1	-	2	3	4	1	6	28	63	50	186	3	-	-	1	1	-	3	9	16	60	93
All other	6	-	-	-	-	-	1	1	-	-	-	4	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	163	4	1	-	2	3	5	2	6	25	63	52	179	3	-	-	1	1	-	3	9	16	60	86
White	157	4	1	-	2	3	4	1	6	25	63	48	177	3	-	-	1	1	-	3	9	15	60	85
All other	6	-	-	-	-	-	1	1	-	-	-	4	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	3	-	2	9	-	-	-	-	-	-	-	-	1	-	8
White	5	-	-	-	-	-	-	-	-	3	-	2	9	-	-	-	-	-	-	-	-	1	-	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	249	-	-	-	1	-	-	4	40	88	80	36	113	-	-	-	-	-	-	3	15	38	42	14
White	242	-	-	-	-	-	-	3	40	85	79	35	112	-	-	-	-	-	-	3	14	38	42	14
All other	7	-	-	-	1	-	-	1	-	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	-	1	2	2	2	6	-	-	-	-	1	-	-	-	1	2	2
White	7	-	-	-	-	-	-	-	1	2	2	2	6	-	-	-	-	1	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	64	-	-	-	-	-	-	-	9	30	20	5	18	-	-	-	-	-	-	1	5	7	5	-
White	63	-	-	-	-	-	-	-	9	30	20	4	18	-	-	-	-	-	-	1	5	7	5	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	8	-	-	-	1	-	-	-	-	4	2	1	18	-	-	-	-	-	-	-	1	5	7	5
White	7	-	-	-	-	-	-	-	-	4	2	1	18	-	-	-	-	-	-	-	1	5	7	5
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	170	-	-	-	-	-	-	4	30	52	56	28	71	-	-	-	-	-	-	2	9	25	28	7
White	165	-	-	-	-	-	-	3	30	49	55	28	70	-	-	-	-	-	-	2	8	25	28	7
All other	5	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	-	5	5	3	20	-	-	-	-	-	-	1	2	6	5	6
White	13	-	-	-	-	-	-	-	-	5	5	3	18	-	-	-	-	-	-	-	2	6	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	-	-	-	1	1	-	-	1	4	3	5	25	2	-	-	-	-	-	-	3	4	7	9
White	15	-	-	-	1	1	-	-	1	4	3	5	25	2	-	-	-	-	-	-	3	4	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	55	-	-	-	2	4	8	11	12	12	6	-	34	-	-	-	-	4	4	4	9	7	5	1
White	51	-	-	-	2	3	6	10	12	12	6	-	31	-	-	-	-	3	3	4	9	7	4	1
All other	4	-	-	-	-	1	2	1	-	-	-	-	3	-	-	-	-	1	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	2	-	1	11	-	-	-	-	-	-	-	-	2	4	5
White	3	-	-	-	-	-	-	-	-	2	-	1	11	-	-	-	-	-	-	-	-	2	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	51	1	1	-	-	1	1	-	3	11	19	14	33	1	-	-	-	-	-	1	5	5	11	10
White	49	1	1	-	-	-	1	-	3	10	19	14	33	1	-	-	-	-	-	1	5	5	11	10
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	-	3	3	-	4	-	-	-	-	-	-	1	1	1	1	-
White	6	-	-	-	-	-	-	-	-	3	3	-	4	-	-	-	-	-	-	1	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	45	1	1	-	-	1	1	-	3	8	16	14	29	1	-	-	-	-	-	-	4	4	10	10
White	43	1	1	-	-	-	1	-	3	7	16	14	29	1	-	-	-	-	-	-	4	4	10	10
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
White	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	49	39	3	1	3	2	-	-	-	-	1	-	51	33	6	1	1	-	1	2	2	3	1	1
White	45	36	3	1	3	1	-	-	-	-	1	-	49	32	6	1	1	-	1	2	2	3	1	1
All other	4	3	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	83	80	3	-	-	-	-	-	-	-	-	-	43	41	2	-	-	-	-	-	-	-	-	-
White	80	77	3	-	-	-	-	-	-	-	-	-	40	38	2	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	20	20	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	63	60	3	-	-	-	-	-	-	-	-	-	35	33	2	-	-	-	-	-	-	-	-	-
White	62	59	3	-	-	-	-	-	-	-	-	-	33	31	2	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	96	56	1	3	1	6	1	1	7	3	3	13	70	20	2	-	3	6	1	3	1	6	10	17
White	93	54	1	3	1	6	1	1	6	3	3	13	66	19	2	-	3	6	-	3	1	6	10	15
All other	3	2	-	-	-	-	-	-	1	-	-	-	4	1	-	-	-	-	1	-	-	-	-	2
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	373	3	1	6	8	10	17	16	43	88	107	74	451	7	2	3	6	8	13	21	30	88	130	143
White	363	2	1	6	8	9	17	15	40	88	104	73	442	6	2	3	6	7	10	21	30	88	128	141
All other	10	1	-	-	-	1	-	1	3	-	3	1	9	1	-	-	-	1	3	-	-	-	2	2
Black	3	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Accidents and adverse effects (E800-E949)	410	3	23	23	99	76	37	28	24	33	42	24	194	2	12	9	34	20	8	10	14	25	31	29
White	381	3	22	22	93	69	32	24	20	32	41	23	188	2	11	9	33	18	7	10	14	25	31	28
All other	29	-	1	1	6	7	5	2	4	1	1	1	6	-	1	-	1	2	1	-	-	-	-	1
Black	4	-	-	-	2	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	231	1	12	18	74	48	21	13	15	11	13	5	97	1	7	7	31	15	5	6	3	11	8	1
White	210	1	11	17	70	41	18	11	12	11	13	5	94	1	6	7	30	14	5	6	3	11	8	1
All other	21	-	1	1	4	7	3	2	3	-	-	-	3	-	1	-	1	1	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	179	2	11	5	25	28	16	13	9	22	29	19	97	1	5	2	3	5	3	2	11	14	23	28
White	171	2	11	5	23	28	14	13	8	21	28	18	94	1	5	2	3	4	2	2	11	14	23	27
All other	8	-	-	-	2	-	2	-	1	1	1	1	3	-	-	-	-	1	1	-	-	-	-	1
Black	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	196	...	...	1	51	39	35	25	18	14	10	3	49	...	...	1	4	18	10	5	5	6	-	-
White	192	...	...	1	48	39	34	25	18	14	10	3	48	...	...	1	4	17	10	5	5	6	-	-
All other	4	...	...	-	3	-	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	35	2	-	1	8	14	4	2	-	1	1	-	20	3	2	2	3	6	2	-	1	1	-	-
White	31	2	-	1	8	12	3	2	-	1	-	-	17	2	1	2	2	6	2	-	1	1	-	-
All other	4	-	-	-	-	2	1	-	-	-	1	-	3	1	1	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	19	-	-	1	1	11	3	1	1	1	-	-	12	-	-	-	2	5	2	1	-	1	-	1
White	18	-	-	1	1	10	3	1	1	1	-	-	12	-	-	-	2	5	2	1	-	1	-	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,374	47	12	13	63	54	76	146	307	624	667	384	2,386	34	5	8	23	27	39	79	210	442	697	821
White	2,365	45	11	11	63	54	75	146	306	624	666	384	2,381	33	5	8	23	27	39	79	210	442	696	818
All other	8	2	1	2	–	–	1	–	1	–	1	–	5	1	–	–	–	–	–	–	–	–	1	3
Black	4	–	1	1	–	–	1	–	1	–	–	–	4	1	–	–	–	–	–	–	–	–	1	2
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	16	–	–	–	–	–	1	1	2	4	5	3	19	–	–	–	–	–	–	–	1	4	4	10
White	16	–	–	–	–	–	1	1	2	4	5	3	19	–	–	–	–	–	–	–	1	4	4	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	–	–	–	–	1	1	2	–	2	1	1	11	–	–	–	1	–	–	1	1	2	5	1
White	8	–	–	–	–	1	1	2	–	2	1	1	11	–	–	–	1	–	–	1	1	2	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	566	–	1	3	–	5	15	34	110	183	162	53	500	–	–	1	1	6	19	39	90	147	138	59
White	565	–	1	3	–	5	15	34	109	183	162	53	499	–	–	1	1	6	19	39	90	147	138	58
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	1	2	1	1	-
White	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	1	2	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	144	-	-	-	-	-	3	10	30	55	32	14	118	-	-	-	-	-	2	3	18	39	36	20
White	143	-	-	-	-	-	3	10	29	55	32	14	118	-	-	-	-	-	2	3	18	39	36	20
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	190	-	-	-	-	-	3	11	47	66	55	8	98	-	-	-	-	-	-	14	20	35	24	5
White	190	-	-	-	-	-	3	11	47	66	55	8	98	-	-	-	-	-	-	14	20	35	24	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	103	-	-	-	-	-	11	13	20	23	25	11
White	-	-	-	-	-	-	-	-	-	-	-	-	103	-	-	-	-	-	11	13	20	23	25	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms. of genital organs (179-187)	72	-	-	-	-	1	-	1	5	18	31	16	53	-	-	-	-	1	2	2	13	20	12	3
White	72	-	-	-	-	1	-	1	5	18	31	16	53	-	-	-	-	1	2	2	13	20	12	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	37	-	1	1	-	-	3	1	5	10	13	3	17	-	-	-	-	-	-	1	4	3	5	4
White	37	-	1	1	-	-	3	1	5	10	13	3	17	-	-	-	-	-	-	1	4	3	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	58	-	-	1	-	3	1	5	13	18	11	6	59	-	-	-	-	5	2	4	8	10	21	9
White	58	-	-	1	-	3	1	5	13	18	11	6	58	-	-	-	-	5	2	4	8	10	21	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Leukemia (204-208)	30	-	-	1	-	-	2	3	-	9	12	3	18	-	-	1	1	-	1	-	2	8	2	3
White	30	-	-	1	-	-	2	3	-	9	12	3	18	-	-	1	1	-	1	-	2	8	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	-	-	-	1	3	3	8	7	7	3	29	-	-	-	-	-	1	1	3	8	12	4
White	32	-	-	-	-	1	3	3	8	7	7	3	29	-	-	-	-	-	1	1	3	8	12	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	-	-	-	3	1	-	3	1	2	2	13	-	-	-	-	-	1	2	-	2	4	4
White	12	-	-	-	-	3	1	-	3	1	2	2	13	-	-	-	-	-	1	2	-	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	23	-	-	-	-	1	1	-	4	5	8	4	53	-	-	-	-	-	-	1	8	12	20	12
White	23	-	-	-	-	1	1	-	4	5	8	4	53	-	-	-	-	-	-	1	8	12	20	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	2	2	10	-	-	-	-	-	-	-	-	1	1	8
White	4	-	-	-	-	-	-	-	-	-	2	2	10	-	-	-	-	-	-	-	-	1	1	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,053	-	-	-	-	5	21	60	126	318	329	194	1,144	-	-	1	-	2	7	19	71	188	371	485
White	1,052	-	-	-	-	5	20	60	126	318	329	194	1,142	-	-	1	-	2	7	19	71	188	370	484
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	882	-	-	-	-	4	19	55	116	271	265	152	860	-	-	1	-	1	5	14	59	152	282	348
White	881	-	-	-	-	4	18	55	116	271	265	152	859	-	-	1	-	1	5	14	59	152	281	348
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	-	2	-	3	-	13	-	-	-	-	-	1	1	3	2	5	1
White	5	-	-	-	-	-	-	-	2	-	3	-	13	-	-	-	-	-	1	1	3	2	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	28	-	-	-	-	-	1	4	2	11	5	3	31	-	-	-	-	-	-	2	4	5	6	14
White	26	-	-	-	-	-	1	4	2	11	5	3	31	-	-	-	-	-	-	2	4	5	6	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	-	2	3
White	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	574	-	-	-	-	3	13	43	89	177	166	83	500	-	-	-	-	-	3	8	38	108	183	160
White	573	-	-	-	-	3	12	43	89	177	166	83	499	-	-	-	-	-	3	8	38	108	182	160
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	323	-	-	-	-	2	10	31	52	110	90	28	250	-	-	-	-	-	1	3	23	63	103	57
White	322	-	-	-	-	2	9	31	52	110	90	28	250	-	-	-	-	-	1	3	23	63	103	57
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	3	1	1	-	7	-	-	-	-	-	-	1	2	2	2	-
White	5	-	-	-	-	-	-	-	3	1	1	-	7	-	-	-	-	-	-	1	2	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	-	-	1	3	1	3
White	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	-	-	1	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	244	-	-	-	-	1	3	12	34	65	74	55	235	-	-	-	-	-	2	4	12	40	77	100
White	244	-	-	-	-	1	3	12	34	65	74	55	234	-	-	-	-	-	2	4	12	40	76	100
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	14	-	-	-	-	-	-	-	1	5	4	4	21	-	-	-	-	-	-	-	1	5	6	9
White	14	-	-	-	-	-	-	-	1	5	4	4	21	-	-	-	-	-	-	-	1	5	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	261	-	-	-	-	1	5	8	22	76	87	62	290	-	-	1	-	1	1	3	13	32	80	159
White	261	-	-	-	-	1	5	8	22	76	87	62	290	-	-	1	-	1	1	3	13	32	80	159
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	1	-	3	1	2	8	-	-	-	-	-	1	-	-	-	5	2
White	7	-	-	-	-	-	-	1	-	3	1	2	8	-	-	-	-	-	1	-	-	-	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	104	-	-	-	-	1	1	3	5	27	43	24	216	-	-	-	-	1	-	4	9	27	64	111
White	104	-	-	-	-	1	1	3	5	27	43	24	215	-	-	-	-	1	-	4	9	27	64	110
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	13	-	-	-	-	1	-	-	1	6	4	1	13	-	-	-	-	-	-	1	-	3	6	3
White	13	-	-	-	-	1	-	-	1	6	4	1	13	-	-	-	-	-	-	1	-	3	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	-	-	-	-	-	-	1	2	2	4	3	38	-	-	-	-	-	-	-	2	3	11	22
White	12	-	-	-	-	-	-	1	2	2	4	3	38	-	-	-	-	-	-	-	2	3	11	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	79	-	-	-	-	-	1	2	2	19	35	20	164	-	-	-	-	1	-	3	7	20	47	86
White	79	-	-	-	-	-	1	2	2	19	35	20	163	-	-	-	-	1	-	3	7	20	47	85
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Atherosclerosis (440)	19	-	-	-	-	-	-	-	1	4	6	8	28	-	-	-	-	-	-	1	-	4	8	15
White	19	-	-	-	-	-	-	-	1	4	6	8	28	-	-	-	-	-	-	1	-	4	8	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	41	-	-	-	-	-	1	1	4	13	14	8	32	-	-	-	-	-	1	-	3	5	12	11
White	41	-	-	-	-	-	1	1	4	13	14	8	32	-	-	-	-	-	1	-	3	5	12	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	85	1	-	1	1	-	-	4	5	12	29	32	129	1	-	-	-	-	-	-	1	11	32	84
White	85	1	-	1	1	-	-	4	5	12	29	32	129	1	-	-	-	-	-	-	1	11	32	84
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	80	1	-	1	-	-	-	4	4	12	29	29	113	1	-	-	-	-	-	-	1	10	28	73
White	80	1	-	1	-	-	-	4	4	12	29	29	113	1	-	-	-	-	-	-	1	10	28	73
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	1	-	-	-	1	-	-	3	16	-	-	-	-	-	-	-	-	1	4	11
White	5	-	-	-	1	-	-	-	1	-	-	3	16	-	-	-	-	-	-	-	-	1	4	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	118	-	-	1	-	-	-	2	15	35	42	23	81	-	-	-	-	-	-	2	9	27	29	14
White	118	-	-	1	-	-	-	2	15	35	42	23	81	-	-	-	-	-	-	2	9	27	29	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	-	1	2	3	8	-	-	-	-	-	-	-	-	3	3	2
White	6	-	-	-	-	-	-	-	-	1	2	3	8	-	-	-	-	-	-	-	-	3	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	17	-	-	-	-	-	-	2	-	2	10	3	5	-	-	-	-	-	-	1	1	2	1	-
White	17	-	-	-	-	-	-	2	-	2	10	3	5	-	-	-	-	-	-	1	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	5	-	-	1	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	2	1	-
White	5	-	-	1	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	90	-	-	-	-	-	-	-	15	31	30	14	65	-	-	-	-	-	-	1	8	20	24	12
White	90	-	-	-	-	-	-	-	15	31	30	14	65	-	-	-	-	-	-	1	8	20	24	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	1	-	-	-	-	1	-	3	-	2	9	-	-	-	-	-	-	-	2	3	1	3
White	7	-	1	-	-	-	-	1	-	3	-	2	9	-	-	-	-	-	-	-	2	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	-	1	-	2	3
White	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	-	1	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	32	-	-	-	-	-	1	10	10	9	2	-	23	-	-	-	-	-	-	1	4	11	7	-
White	32	-	-	-	-	-	1	10	10	9	2	-	23	-	-	-	-	-	-	1	4	11	7	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	1	1	3
White	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	-	-	-	-	1	-	-	2	3	4	6	24	-	-	-	-	-	-	-	1	4	8	11
White	16	-	-	-	-	1	-	-	2	3	4	6	24	-	-	-	-	-	-	-	1	4	8	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	-	-	-	-	1	-	-	2	3	4	6	24	-	-	-	-	-	-	-	1	4	8	11
White	16	-	-	-	-	1	-	-	2	3	4	6	24	-	-	-	-	-	-	-	1	4	8	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	30	20	2	-	2	-	2	1	-	1	2	-	16	10	-	1	1	1	1	-	-	-	1	1
White	29	19	2	-	2	-	2	1	-	1	2	-	16	10	-	1	1	1	1	-	-	-	1	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	20	20	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	17	17	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	10	5	-	-	1	-	1	1	-	-	2	-	12	2	-	-	-	-	-	-	1	-	2	7
White	10	5	-	-	1	-	1	1	-	-	2	-	12	2	-	-	-	-	-	-	1	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	147	-	1	1	3	3	6	5	14	30	57	27	204	1	2	2	-	3	4	7	12	26	57	90
White	146	-	1	1	3	3	6	5	14	30	56	27	203	1	2	2	-	3	4	7	12	26	57	89
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	141	1	7	6	40	24	16	11	7	9	11	9	73	1	2	3	13	11	3	3	8	2	10	17
White	139	1	6	5	40	24	16	11	7	9	11	9	73	1	2	3	13	11	3	3	8	2	10	17
All other	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	66	-	3	2	27	12	6	3	3	4	3	3	30	-	1	3	9	9	-	1	4	-	2	1
White	65	-	2	2	27	12	6	3	3	4	3	3	30	-	1	3	9	9	-	1	4	-	2	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	75	1	4	4	13	12	10	8	4	5	8	6	43	1	1	-	4	2	3	2	4	2	8	16
White	74	1	4	3	13	12	10	8	4	5	8	6	43	1	1	-	4	2	3	2	4	2	8	16
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	63	...	...	-	14	10	8	12	6	7	4	2	13	...	...	-	5	1	2	3	-	-	2	-
White	63	...	...	-	14	10	8	12	6	7	4	2	13	...	...	-	5	1	2	3	-	-	2	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	8	-	-	-	2	1	2	1	-	1	-	-	8	-	1	-	1	3	1	1	-	-	-	-
White	8	-	-	-	2	1	2	1	-	1	-	-	8	-	1	-	1	3	1	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	24,537	552	99	103	656	910	1,054	1,786	4,311	6,625	5,759	2,665	21,979	413	64	57	239	355	566	1,090	2,570	4,659	6,225	5,731
White	18,722	341	67	77	503	605	730	1,262	3,220	5,112	4,589	2,195	17,363	230	47	42	185	232	383	740	1,880	3,542	5,112	4,962
All other	5,815	211	32	26	153	304	324	524	1,091	1,513	1,160	470	4,616	183	17	15	54	123	183	350	690	1,117	1,113	769
Black	5,704	203	29	25	148	300	314	506	1,075	1,489	1,145	463	4,492	175	17	13	53	112	170	330	676	1,097	1,091	756
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	32	-	-	-	-	3	5	2	4	1	13	3	17	-	-	-	-	-	-	-	2	6	6	3
White	15	-	-	-	-	1	1	1	1	1	6	3	11	-	-	-	-	-	-	-	-	2	6	3
All other	17	-	-	-	-	2	4	1	3	-	7	-	6	-	-	-	-	-	-	-	2	4	-	-
Black	14	-	-	-	-	2	2	1	3	-	6	-	6	-	-	-	-	-	-	-	2	4	-	-
Tuberculosis of respiratory system (010-012)	28	-	-	-	-	3	5	2	4	1	10	2	12	-	-	-	-	-	-	-	2	4	3	3
White	13	-	-	-	-	1	1	1	1	1	5	2	6	-	-	-	-	-	-	-	-	2	3	3
All other	15	-	-	-	-	2	4	1	3	-	5	-	4	-	-	-	-	-	-	-	2	2	-	-
Black	12	-	-	-	-	2	2	1	3	-	4	-	4	-	-	-	-	-	-	-	2	2	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	2	3	-
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	256	3	1	1	-	1	6	15	44	80	67	38	278	4	3	-	2	4	4	5	21	59	92	84
White	162	1	1	1	-	1	3	10	22	48	48	27	206	2	2	-	2	2	1	3	13	41	89	71
All other	94	2	-	-	-	-	3	5	22	32	19	11	72	2	1	-	-	2	3	2	8	18	23	13
Black	93	2	-	-	-	-	3	5	22	32	18	11	70	1	1	-	-	2	3	2	8	17	23	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	2	1	1	1	2	1	-	5	-	-	-	-	-	-	-	1	1	1	2
White	7	-	-	-	-	1	1	1	1	2	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	111	4	2	1	4	16	26	9	9	14	22	4	76	2	3	1	4	4	6	12	7	13	13	11
White	83	3	2	1	2	7	20	7	8	11	20	2	54	1	3	1	3	1	3	4	4	12	11	11
All other	28	1	-	-	2	9	6	2	1	3	2	2	22	1	-	-	1	3	3	8	3	1	2	-
Black	27	1	-	-	2	9	6	2	1	2	2	2	22	1	-	-	1	3	3	8	3	1	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,907	2	5	12	26	67	153	501	1,414	2,052	1,312	359	4,925	1	6	10	28	61	223	482	1,072	1,395	1,192	513
White	4,534	2	3	10	19	54	112	340	1,069	1,588	1,045	289	3,921	1	5	9	18	41	168	359	836	1,116	929	437
All other	1,373	-	2	2	7	13	41	161	345	464	267	70	1,004	-	1	1	10	20	55	123	236	279	203	76
Black	1,344	-	1	2	7	13	37	154	337	459	264	69	966	-	1	1	10	19	51	110	228	273	198	75
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	117	-	-	-	-	-	3	16	47	32	15	4	58	-	-	-	1	-	-	4	13	24	12	4
White	81	-	-	-	-	-	2	5	30	28	13	3	44	-	-	-	1	-	-	3	9	20	9	2
All other	36	-	-	-	-	-	1	11	17	4	2	1	14	-	-	-	-	-	-	1	4	4	3	2
Black	35	-	-	-	-	-	1	11	17	4	2	1	11	-	-	-	-	-	-	-	3	4	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,345	-	-	-	2	12	41	124	317	434	329	85	1,157	-	-	-	1	4	23	96	207	314	329	183
White	989	-	-	-	1	8	25	71	234	322	256	71	867	-	-	-	-	3	15	56	143	237	259	154
All other	356	-	-	-	1	4	16	53	83	112	73	14	290	-	-	-	1	1	8	40	64	77	70	29
Black	345	-	-	-	1	4	13	47	82	112	72	14	275	-	-	-	1	1	7	33	61	75	69	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,308	-	-	-	1	3	41	216	645	867	441	73	1,017	1	-	-	-	-	35	90	273	355	216	46
White	1,798	-	-	-	-	1	29	152	498	696	360	61	862	1	-	-	-	-	33	74	220	306	186	41
All other	510	-	-	-	1	2	12	64	147	191	81	12	155	-	-	-	-	-	2	16	53	49	30	5
Black	502	-	-	-	1	2	12	64	143	187	81	12	154	-	-	-	-	-	2	16	53	48	30	5
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	1	-	1	1	1	1	885	-	-	-	-	20	84	144	219	223	148	57
White	4	-	-	-	-	-	1	-	1	-	1	1	732	-	-	-	-	10	63	111	167	192	121	48
All other	1	-	-	-	-	-	-	-	-	1	-	-	163	-	-	-	-	10	21	33	32	31	27	9
Black	1	-	-	-	-	-	-	-	-	1	-	-	160	-	-	-	-	10	21	31	32	31	26	9
Malignant neoplasms of genital organs (179-187)	651	-	-	-	3	2	1	8	77	228	228	103	550	-	-	1	4	6	36	67	123	133	130	50
White	434	-	-	-	2	2	1	6	47	141	163	71	413	-	-	1	3	5	25	51	95	88	102	43
All other	217	-	-	-	1	-	-	2	30	87	65	32	137	-	-	-	1	1	11	16	28	45	28	7
Black	214	-	-	-	1	-	-	2	29	87	64	31	131	-	-	-	1	1	10	14	26	44	28	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	260	-	-	-	-	2	8	17	59	98	61	15	147	-	-	2	1	1	-	6	20	45	43	29
White	225	-	-	-	-	1	4	16	48	88	54	14	114	-	-	2	-	-	-	4	13	38	33	24
All other	35	-	-	-	-	1	4	1	11	10	7	1	33	-	-	-	1	1	-	2	7	7	10	5
Black	33	-	-	-	-	1	3	1	10	10	7	1	32	-	-	-	1	1	-	2	7	6	10	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	757	2	3	7	11	26	34	80	181	233	138	41	858	-	2	4	10	16	29	45	141	190	137	83
White	618	2	1	6	11	24	30	59	140	192	116	35	533	-	2	4	7	12	23	38	111	149	116	70
All other	139	-	2	1	-	2	4	21	41	41	20	6	125	-	-	-	3	4	6	7	30	41	21	13
Black	137	-	1	1	-	2	4	21	41	40	20	6	119	-	-	-	3	3	5	6	29	40	20	13
Leukemia (204-208)	180	-	2	5	5	4	9	9	32	58	38	18	164	-	4	3	7	7	7	8	29	42	38	19
White	146	-	2	4	3	3	7	8	28	45	30	16	130	-	3	2	4	6	5	7	22	28	34	19
All other	34	-	-	1	2	1	2	1	4	13	8	2	34	-	1	1	3	1	2	1	7	14	4	-
Black	33	-	-	1	2	1	2	-	4	13	8	2	33	-	1	1	3	1	1	1	7	14	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	284	-	-	-	4	18	15	31	55	81	61	19	279	-	-	-	4	7	9	22	47	69	79	42
White	239	-	-	-	2	15	13	23	43	76	50	17	226	-	-	-	3	5	4	15	36	58	69	36
All other	45	-	-	-	2	3	2	8	12	5	11	2	53	-	-	-	1	2	5	7	11	11	10	6
Black	43	-	-	-	2	3	2	8	11	5	10	2	51	-	-	-	1	2	5	7	10	11	9	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	-	-	2	3	3	6	4	14	12	10	5	89	-	3	3	1	2	3	5	11	24	21	16
White	43	-	-	1	1	3	4	4	10	6	10	4	74	-	2	3	1	2	1	5	9	19	18	14
All other	16	-	-	1	2	-	2	-	4	6	-	1	15	-	1	-	-	-	2	-	2	5	3	2
Black	16	-	-	1	2	-	2	-	4	6	-	1	12	-	1	-	-	-	-	-	2	5	2	2
Diabetes mellitus (250)	295	-	-	-	2	6	14	19	66	72	79	37	408	-	-	2	3	1	10	19	58	139	124	52
White	196	-	-	-	1	3	9	13	45	54	44	27	267	-	-	2	3	1	7	11	35	84	87	37
All other	99	-	-	-	1	3	5	6	21	18	35	10	141	-	-	-	-	-	3	8	23	55	37	15
Black	99	-	-	-	1	3	5	6	21	18	35	10	140	-	-	-	-	-	3	7	23	55	37	15
Nutritional deficiencies (260-269)	20	-	-	-	-	-	-	-	1	4	9	6	39	1	-	-	-	-	-	-	-	6	12	20
White	17	-	-	-	-	-	-	-	1	4	9	3	31	-	-	-	-	-	-	-	-	5	9	17
All other	3	-	-	-	-	-	-	-	-	-	-	3	8	1	-	-	-	-	-	-	-	1	3	3
Black	2	-	-	-	-	-	-	-	-	-	-	2	8	1	-	-	-	-	-	-	-	1	3	3
Anemias (280-285)	33	-	-	1	1	1	2	2	3	7	11	5	49	-	1	2	3	5	2	3	2	9	13	9
White	21	-	-	1	-	1	-	2	1	5	7	4	31	-	1	2	1	-	1	2	-	5	12	7
All other	12	-	-	-	1	-	2	-	2	2	4	1	18	-	-	-	2	5	1	1	2	4	1	2
Black	12	-	-	-	1	-	2	-	2	2	4	1	17	-	-	-	2	5	1	1	2	3	1	2
Meningitis (320-322)	15	3	5	2	1	1	-	-	2	-	1	-	14	3	1	-	1	-	1	1	3	-	3	1
White	11	1	5	1	1	1	-	-	1	-	1	-	8	2	-	-	-	-	1	-	2	-	2	1
All other	4	2	-	1	-	-	-	-	1	-	-	-	6	1	1	-	1	-	-	1	1	-	1	-
Black	4	2	-	1	-	-	-	-	1	-	-	-	5	-	1	-	1	-	-	1	1	-	1	-
Major cardiovascular diseases (390-448)	10,179	31	8	6	30	87	267	714	1,836	2,983	2,797	1,413	10,510	14	6	4	15	42	117	291	870	2,081	3,462	3,603
White	7,954	20	1	5	19	58	189	522	1,408	2,310	2,246	1,172	8,329	6	5	3	8	27	65	174	581	1,512	2,831	3,113
All other	2,225	11	7	1	11	29	78	192	428	673	551	241	2,181	8	1	1	7	15	52	117	289	569	631	490
Black	2,194	10	7	1	11	29	75	188	427	664	542	237	2,144	7	1	1	6	15	51	116	283	560	619	484
Diseases of heart (390-398,402,404-429)	8,300	31	7	6	23	73	231	637	1,592	2,493	2,167	1,036	7,698	13	6	3	9	29	78	207	688	1,606	2,571	2,475
White	6,559	20	1	5	14	52	165	476	1,240	1,963	1,754	868	6,122	5	5	2	3	19	45	120	472	1,181	2,102	2,186
All other	1,741	11	6	1	9	21	66	161	352	530	413	170	1,574	8	1	1	6	10	31	87	226	425	469	309
Black	1,720	10	6	1	9	21	63	159	351	524	408	167	1,547	7	1	1	5	10	30	86	222	417	462	305
Rheumatic fever and rheumatic heart disease (390-398)	26	2	-	-	-	1	-	3	7	4	5	4	71	-	-	-	-	2	5	3	15	23	15	6
White	18	1	-	-	-	1	-	2	4	3	4	3	53	-	-	-	-	2	4	3	7	17	14	6
All other	8	1	-	-	-	-	-	1	3	1	1	1	18	-	-	-	-	-	1	-	8	6	1	2
Black	8	1	-	-	-	-	-	1	3	1	1	1	17	-	-	-	-	-	1	-	7	6	1	2
Hypertensive heart disease (402)	174	-	-	-	-	1	3	10	45	53	51	11	272	-	-	-	-	-	2	9	25	54	97	85
White	94	-	-	-	-	1	1	2	21	30	31	8	177	-	-	-	-	-	-	3	6	31	68	69
All other	80	-	-	-	-	-	2	8	24	23	20	3	95	-	-	-	-	-	2	6	19	23	29	16
Black	80	-	-	-	-	-	2	8	24	23	20	3	93	-	-	-	-	-	2	6	19	22	28	16
Hypertensive heart and renal disease (404)	32	-	-	-	-	-	1	1	1	15	12	2	40	-	-	-	-	-	-	-	4	12	16	8
White	11	-	-	-	-	-	-	-	-	6	4	1	23	-	-	-	-	-	-	-	1	3	12	7
All other	21	-	-	-	-	-	1	1	1	9	8	1	17	-	-	-	-	-	-	-	3	9	4	1
Black	21	-	-	-	-	-	1	1	1	9	8	1	17	-	-	-	-	-	-	-	3	9	4	1
Ischemic heart disease (410-414)	5,514	-	1	1	5	34	158	458	1,138	1,750	1,374	592	4,449	1	-	1	-	6	35	118	422	1,038	1,557	1,268
White	4,527	-	-	1	4	24	125	365	918	1,421	1,189	498	3,611	1	-	1	-	4	23	73	309	794	1,303	1,101
All other	987	-	1	-	1	10	33	93	220	329	205	94	838	-	-	-	-	2	12	45	113	244	254	167
Black	976	-	1	-	1	10	32	91	219	325	203	93	823	-	-	-	-	2	11	45	111	237	250	166
Acute myocardial infarction (410)	2,947	-	-	1	2	15	85	248	665	961	727	241	2,210	1	-	1	-	2	14	69	260	599	811	451
White	2,454	-	-	1	2	11	70	197	546	787	640	199	1,773	1	-	1	-	1	11	42	197	462	676	380
All other	493	-	-	-	-	4	15	51	119	174	87	42	437	-	-	-	-	1	3	27	63	137	135	71
Black	487	-	-	-	-	4	15	49	118	172	87	41	430	-	-	-	-	1	3	27	61	135	133	70

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	394	-	-	-	2	4	17	55	102	117	71	26	251	-	-	-	-	1	8	11	40	82	66	83
White	275	-	-	-	2	2	10	38	73	74	53	23	181	-	-	-	-	1	6	6	26	40	47	55
All other	119	-	-	-	-	2	7	17	29	43	18	3	70	-	-	-	-	-	2	5	14	22	19	8
Black	116	-	-	-	-	2	7	17	29	41	17	3	66	-	-	-	-	-	1	5	14	20	16	8
Angina pectoris (413)	16	-	-	-	-	-	1	2	4	5	5	1	15	-	-	-	-	-	-	-	1	3	9	2
White	13	-	-	-	-	-	-	-	3	4	5	1	11	-	-	-	-	-	-	-	1	3	6	1
All other	5	-	-	-	-	-	1	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	3	1
Black	5	-	-	-	-	-	1	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,155	-	1	-	1	15	55	153	367	667	571	324	1,973	-	-	-	-	3	13	38	121	374	671	752
White	1,785	-	-	-	-	11	45	130	296	556	471	275	1,646	-	-	-	-	2	6	25	85	289	574	665
All other	370	-	1	-	1	4	10	23	71	111	100	49	327	-	-	-	-	1	7	13	36	85	97	87
Black	368	-	1	-	1	4	9	23	71	111	99	49	323	-	-	-	-	1	7	13	36	82	96	87
Other diseases of endocardium (424)	96	-	-	-	1	3	-	6	15	24	31	16	108	-	-	-	-	-	-	2	9	17	44	36
White	84	-	-	-	1	2	-	5	13	21	27	15	86	-	-	-	-	-	-	-	7	12	36	31
All other	12	-	-	-	-	1	-	1	2	3	4	1	22	-	-	-	-	-	-	2	2	5	8	5
Black	12	-	-	-	-	1	-	1	2	3	4	1	22	-	-	-	-	-	-	2	2	5	8	5
All other forms of heart disease (415-423,425-429)	2,456	29	6	5	17	34	69	159	386	647	694	411	2,756	12	6	2	9	21	34	75	223	462	842	1,070
White	1,825	19	1	4	9	24	39	102	284	482	519	341	2,172	4	5	1	3	13	18	41	142	324	669	952
All other	633	10	5	1	8	10	30	57	102	165	175	70	584	8	1	1	6	8	16	34	81	138	173	118
Black	623	9	5	1	8	10	28	57	102	163	172	68	575	7	1	1	5	8	16	33	80	138	171	115
Hypertension with or without renal disease (401,403)	68	-	-	-	-	1	1	2	11	20	23	10	106	-	-	-	-	-	3	5	5	27	39	27
White	39	-	-	-	-	-	-	2	6	12	12	7	68	-	-	-	-	-	1	3	2	16	24	22
All other	29	-	-	-	-	1	1	-	5	8	11	3	38	-	-	-	-	-	2	2	3	11	15	5
Black	29	-	-	-	-	1	1	-	5	8	11	3	38	-	-	-	-	-	2	2	3	11	15	5
Cerebrovascular diseases (430-438)	1,357	-	1	-	4	11	32	64	167	329	466	280	2,194	1	-	-	6	13	33	71	137	384	696	851
White	977	-	-	-	3	5	21	36	111	213	350	227	1,706	1	-	-	5	8	16	47	83	264	571	709
All other	380	-	1	-	1	6	11	28	56	116	106	53	488	-	-	-	1	5	17	24	54	120	125	142
Black	370	-	1	-	1	6	11	26	55	113	102	52	479	-	-	-	1	5	17	24	52	119	120	141
Intracerebral and other intracranial hemorrhage (431-432)	193	-	-	-	2	6	15	26	40	49	42	13	256	-	-	-	3	1	13	18	35	65	66	55
White	130	-	-	-	1	3	9	12	27	34	34	10	194	-	-	-	2	1	3	10	25	47	57	49
All other	63	-	-	-	1	3	6	14	13	15	8	3	62	-	-	-	1	-	10	8	10	18	9	6
Black	57	-	-	-	1	3	6	13	13	13	5	3	60	-	-	-	1	-	10	8	9	18	8	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	192	-	-	-	-	-	3	7	24	55	62	40	323	-	-	-	-	-	3	6	20	58	107	129
White	151	-	-	-	-	-	1	5	17	41	52	35	249	-	-	-	-	-	1	5	10	36	89	108
All other	41	-	-	-	-	-	2	2	7	14	10	5	74	-	-	-	-	-	2	1	10	22	18	21
Black	40	-	-	-	-	-	2	2	7	14	10	4	73	-	-	-	-	-	2	1	10	22	17	21
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	3	1	1	12	-	-	-	-	1	-	-	1	4	3	3
White	4	-	-	-	-	-	-	-	-	3	-	1	9	-	-	-	-	1	-	-	1	2	3	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	967	-	1	-	2	5	14	31	103	222	361	226	1,603	1	-	-	3	11	17	47	81	257	520	664
White	692	-	-	-	2	2	11	19	67	135	274	181	1,254	1	-	-	3	7	12	32	47	179	422	549
All other	275	-	1	-	-	3	3	12	36	87	87	45	349	-	-	-	-	4	5	15	34	78	98	115
Black	272	-	1	-	-	3	3	11	36	86	86	45	343	-	-	-	-	4	5	15	33	77	95	114
Atherosclerosis (440)	206	-	-	-	-	1	-	5	22	49	63	66	321	-	-	-	-	-	-	2	12	27	94	186
White	164	-	-	-	-	1	-	4	14	41	50	54	277	-	-	-	-	-	-	2	10	24	78	163
All other	42	-	-	-	-	-	-	1	8	8	13	12	44	-	-	-	-	-	-	-	2	3	16	23
Black	42	-	-	-	-	-	-	1	8	8	13	12	43	-	-	-	-	-	-	-	2	3	16	22
Other diseases of arteries, arterioles, and capillaries (441-448)	249	-	-	-	3	1	3	6	44	92	78	21	193	-	-	1	-	-	5	6	18	37	62	64
White	215	-	-	-	2	-	3	4	37	81	70	18	156	-	-	1	-	-	3	2	14	27	56	53
All other	33	-	-	-	1	1	-	2	7	11	8	3	37	-	-	-	-	-	2	4	4	10	6	11
Black	33	-	-	-	1	1	-	2	7	11	8	3	37	-	-	-	-	-	2	4	4	10	6	11
Acute bronchitis and bronchiolitis (466)	6	2	-	-	-	-	-	-	-	1	2	1	7	-	-	-	-	-	-	-	2	2	1	2
White	6	2	-	-	-	-	-	-	-	1	2	1	6	-	-	-	-	-	-	-	1	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	824	6	2	3	3	9	21	17	74	171	266	251	774	3	1	1	-	6	7	10	41	80	241	384
White	653	4	1	3	2	6	11	10	51	129	221	215	681	1	1	1	-	4	3	7	31	69	210	354
All other	171	2	1	-	1	3	10	7	23	42	45	36	93	2	-	-	-	2	4	3	10	11	31	30
Black	170	2	1	-	1	3	10	7	23	41	45	36	91	2	-	-	-	2	4	3	10	11	29	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	817	6	2	2	3	9	21	17	73	169	264	250	745	3	1	1	-	6	5	9	39	74	234	373
White	646	4	1	2	2	6	11	10	50	127	219	214	660	1	1	1	-	4	3	6	31	65	204	344
All other	171	2	1	-	1	3	10	7	23	42	45	36	85	2	-	-	-	2	2	3	8	9	30	29
Black	170	2	1	-	1	3	10	7	23	41	45	36	83	2	-	-	-	2	2	3	8	9	28	29
Influenza (487)	7	-	-	1	-	-	-	-	1	2	2	1	29	-	-	-	-	-	2	1	2	6	7	11
White	7	-	-	1	-	-	-	-	1	2	2	1	21	-	-	-	-	-	-	1	-	4	6	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	2	-	2	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	2	-	2	2	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	952	1	1	2	1	2	6	19	137	344	332	107	676	1	-	1	-	4	7	31	124	230	189	91
White	817	1	1	-	1	1	3	14	116	296	291	93	617	-	-	1	-	1	5	27	104	214	176	89
All other	135	-	-	2	-	1	3	5	21	48	41	14	61	1	-	-	-	3	2	4	20	16	13	2
Black	132	-	-	2	-	1	3	5	20	46	41	14	58	1	-	-	-	3	1	3	20	15	13	2
Bronchitis, chronic and unspecified (490-491)	38	1	1	-	1	-	-	-	1	11	12	11	36	1	-	-	-	-	-	2	2	7	12	12
White	36	1	1	-	1	-	-	-	1	10	11	11	34	-	-	-	-	-	-	2	1	7	12	12
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	164	-	-	-	-	-	-	2	21	69	58	14	123	-	-	-	-	-	1	7	31	42	33	9
White	150	-	-	-	-	-	-	2	18	62	54	14	119	-	-	-	-	-	1	7	28	41	33	9
All other	14	-	-	-	-	-	-	-	3	7	4	-	4	-	-	-	-	-	-	-	3	1	-	-
Black	14	-	-	-	-	-	-	-	3	7	4	-	4	-	-	-	-	-	-	-	3	1	-	-
Asthma (493)	39	-	-	2	-	2	2	1	14	7	6	5	62	-	-	1	-	3	4	10	7	16	13	8
White	29	-	-	-	-	1	-	-	11	7	5	5	46	-	-	1	-	1	3	7	5	14	8	7
All other	10	-	-	2	-	1	2	1	3	-	1	-	16	-	-	-	-	2	1	3	2	2	5	1
Black	10	-	-	2	-	1	2	1	3	-	1	-	15	-	-	-	-	2	-	3	2	2	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	711	-	-	-	-	-	4	16	101	257	258	77	457	-	-	-	-	1	2	12	84	165	131	62
White	602	-	-	-	-	-	3	12	86	217	221	63	418	-	-	-	-	-	1	11	70	152	123	61
All other	109	-	-	-	-	-	1	4	15	40	35	14	39	-	-	-	-	1	1	1	14	13	8	1
Black	106	-	-	-	-	-	1	4	14	38	35	14	37	-	-	-	-	1	1	-	14	12	8	1
Ulcer of stomach and duodenum (531-533)	56	-	-	-	-	-	2	3	8	15	17	11	67	-	-	-	1	1	-	3	7	17	22	16
White	43	-	-	-	-	-	1	3	7	10	12	10	55	-	-	-	1	1	-	2	4	14	18	15
All other	13	-	-	-	-	-	1	-	1	5	5	1	12	-	-	-	-	-	-	1	3	3	4	1
Black	11	-	-	-	-	-	1	-	-	4	5	1	12	-	-	-	-	-	-	1	3	3	4	1
Appendicitis (540-543)	5	-	-	-	-	-	-	-	2	2	-	1	5	-	-	-	-	-	-	-	1	-	2	2
White	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	6	-	-	-	1	-	-	6	5	17	12	61	-	-	-	1	1	-	2	4	9	16	28
White	35	4	-	-	-	1	-	-	5	2	13	10	46	-	-	-	1	1	-	1	-	5	13	25
All other	12	2	-	-	-	-	-	-	1	3	4	2	15	-	-	-	-	-	-	1	4	4	3	3
Black	12	2	-	-	-	-	-	-	1	3	4	2	15	-	-	-	-	-	-	1	4	4	3	3
Chronic liver disease and cirrhosis (571)	312	-	-	-	1	11	34	71	89	75	28	3	186	-	-	-	1	5	15	36	53	46	25	5
White	250	-	-	-	-	8	22	58	71	65	23	3	142	-	-	-	1	2	12	17	43	38	24	5
All other	62	-	-	-	1	3	12	13	18	10	5	-	44	-	-	-	-	3	3	19	10	8	1	-
Black	60	-	-	-	1	3	12	12	17	10	5	-	42	-	-	-	-	2	3	18	10	8	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	1	-	-	1	2	7	13	10	33	-	-	-	-	1	-	-	2	4	13	13
White	31	-	-	-	-	-	-	1	2	7	12	9	27	-	-	-	-	-	-	-	2	1	12	12
All other	3	-	-	-	1	-	-	-	-	-	1	1	6	-	-	-	-	1	-	-	-	3	1	1
Black	3	-	-	-	1	-	-	-	-	-	1	1	6	-	-	-	-	1	-	-	-	3	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	250	3	1	-	1	5	12	11	39	59	72	47	211	3	-	-	1	-	4	3	15	51	78	56
White	166	1	1	-	-	3	8	4	29	36	51	35	134	1	-	-	1	-	3	1	7	28	52	41
All other	84	2	-	-	1	2	6	7	10	23	21	12	77	2	-	-	-	-	1	2	8	23	26	15
Black	79	1	-	-	1	2	6	7	10	19	21	12	76	2	-	-	-	-	1	2	8	23	26	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	–	–	–	–	–	1	1	3	1	3	7	20	–	–	–	–	–	1	–	1	6	8	4
White	11	–	–	–	–	–	–	1	3	1	1	5	12	–	–	–	–	–	1	–	1	1	5	4
All other	5	–	–	–	–	–	1	–	–	–	2	2	8	–	–	–	–	–	–	–	–	5	3	–
Black	5	–	–	–	–	–	1	–	–	–	2	2	8	–	–	–	–	–	–	–	–	5	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	233	3	1	–	1	5	11	10	35	58	69	40	189	3	–	–	1	–	3	3	14	44	69	52
White	154	1	1	–	–	3	6	3	25	35	50	30	120	1	–	–	1	–	2	1	6	26	46	37
All other	79	2	–	–	1	2	5	7	10	23	19	10	69	2	–	–	–	–	1	2	8	18	23	15
Black	74	1	–	–	1	2	5	7	10	19	19	10	66	2	–	–	–	–	1	2	8	18	23	14
Infections of kidney (590)	16	–	–	–	–	–	–	1	3	2	8	1	23	–	–	–	–	–	–	–	4	4	7	8
White	6	–	–	–	–	–	–	–	1	1	3	–	20	–	–	–	–	–	–	–	4	2	7	7
All other	10	–	–	–	–	–	–	1	2	1	5	1	3	–	–	–	–	–	–	–	–	2	–	1
Black	10	–	–	–	–	–	–	1	2	1	5	1	3	–	–	–	–	–	–	–	–	2	–	1
Hyperplasia of prostate (600)	11	–	–	–	–	–	–	–	1	3	6	1	...	...	...	...	...	...	...	...	...	...	...	...
White	10	–	–	–	–	–	–	–	1	2	6	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	165	105	18	9	6	2	9	2	2	7	3	–	110	62	10	4	3	5	3	7	9	2	5	–
White	123	76	15	7	6	2	7	1	2	5	2	–	79	42	9	3	3	3	2	5	6	2	4	–
All other	42	29	3	2	2	–	2	1	–	2	1	–	31	20	1	1	–	2	1	2	3	–	1	–
Black	39	28	3	2	1	–	2	–	–	2	1	–	31	20	1	1	–	2	1	2	3	–	1	–
Certain conditions originating in the perinatal period (760-779)	277	275	2	–	–	–	–	–	–	–	–	–	230	229	1	–	–	–	–	–	–	–	–	–
White	158	156	2	–	–	–	–	–	–	–	–	–	117	117	–	–	–	–	–	–	–	–	–	–
All other	119	119	–	–	–	–	–	–	–	–	–	–	113	112	1	–	–	–	–	–	–	–	–	–
Black	116	116	–	–	–	–	–	–	–	–	–	–	110	109	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	58	58	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
White	40	40	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
All other	18	18	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	17	17	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	219	217	2	–	–	–	–	–	–	–	–	–	196	195	1	–	–	–	–	–	–	–	–	–
White	118	116	2	–	–	–	–	–	–	–	–	–	94	94	–	–	–	–	–	–	–	–	–	–
All other	101	101	–	–	–	–	–	–	–	–	–	–	102	101	1	–	–	–	–	–	–	–	–	–
Black	99	99	–	–	–	–	–	–	–	–	–	–	99	98	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	245	73	2	1	1	9	9	15	19	38	38	42	273	59	2	–	3	8	7	2	9	27	53	103
White	168	50	2	1	–	2	4	8	12	24	28	37	208	36	2	–	2	6	7	2	5	24	40	84
All other	77	23	–	–	1	7	5	7	7	12	10	5	65	23	–	–	1	2	–	–	4	3	13	19
Black	75	21	–	–	1	7	5	7	7	12	10	5	61	21	–	–	1	2	–	–	4	3	12	18
All other diseases (Residual)	1,611	22	7	11	22	74	115	140	283	440	461	229	1,938	15	9	7	14	26	53	91	166	357	585	614
White	1,318	13	5	9	17	44	77	89	174	336	365	188	1,527	9	5	4	9	14	28	53	124	266	482	533
All other	493	9	2	2	5	30	38	51	109	110	96	41	411	6	4	3	5	12	25	38	42	91	103	81
Black	487	9	2	2	5	28	38	49	108	110	95	40	403	6	4	3	5	12	24	36	42	90	102	78
Accidents and adverse effects (E800-E949)	1,614	9	40	49	369	343	191	129	146	138	135	64	664	9	17	12	109	90	53	45	55	80	102	93
White	1,178	5	25	34	310	249	129	89	92	99	97	49	532	6	12	7	93	65	37	33	45	65	89	80
All other	436	4	15	15	59	94	62	40	54	39	38	15	132	2	5	5	16	25	16	12	10	15	13	13
Black	426	4	13	14	57	93	62	38	52	39	38	15	124	2	5	5	16	21	14	12	10	14	13	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	611	4	12	24	276	204	87	49	59	43	44	8	311	–	7	6	96	59	30	24	27	37	22	3
White	617	1	8	16	238	152	58	39	35	27	36	7	251	–	4	4	83	45	22	17	24	30	20	2
All other	194	3	4	8	38	52	29	10	24	16	8	1	60	–	3	2	13	14	8	7	3	7	2	1
Black	189	3	4	7	37	51	29	9	23	16	8	1	56	–	3	2	13	11	7	7	3	7	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	803	5	28	25	93	139	104	80	87	95	91	56	353	8	10	6	13	31	23	21	28	43	80	90
White	561	4	17	18	72	97	71	50	57	72	61	42	261	6	8	3	10	20	15	16	21	35	69	78
All other	242	1	11	7	21	42	33	30	30	23	30	14	72	2	2	3	3	11	8	5	7	8	11	12
Black	237	1	9	7	20	42	33	29	29	23	30	14	68	2	2	3	3	10	7	5	7	7	11	11
Suicide (E950-E959)	644	...	...	2	107	140	115	78	79	72	38	13	171	...	...	6	20	46	30	24	24	14	6	1
White	562	...	...	2	92	113	104	69	74	62	35	11	148	...	...	4	20	36	26	22	21	12	6	1
All other	82	...	...	–	15	27	11	9	5	10	3	2	23	...	...	2	–	10	4	2	3	2	–	–
Black	76	...	...	–	14	25	10	8	4	9	3	2	16	...	...	–	–	7	3	1	3	2	–	–
Homicide and legal intervention (E960-E978)	329	5	4	1	72	124	57	28	23	12	–	2	122	7	1	4	26	40	19	16	6	2	–	–
White	137	–	2	1	30	46	25	14	11	7	–	1	75	5	–	2	17	23	12	11	2	2	–	–
All other	192	5	2	–	42	78	32	14	12	5	–	1	47	2	1	2	9	17	7	5	4	–	–	–
Black	190	5	2	–	41	77	32	14	12	5	–	1	45	2	1	2	9	16	6	5	4	–	–	–
All other external causes (E980-E999)	19	–	1	–	3	3	3	2	4	2	1	–	10	–	–	–	2	3	1	–	1	1	1	1
White	13	–	1	–	2	1	2	1	4	1	1	–	6	–	–	–	1	2	–	–	1	1	1	–
All other	6	–	–	–	1	2	1	1	–	1	–	–	4	–	–	–	1	1	1	–	–	–	–	1
Black	6	–	–	–	1	2	1	1	–	1	–	–	3	–	–	–	1	–	1	–	–	–	–	1
WASHINGTON																								
All causes	17,995	405	70	95	517	621	661	1,070	2,568	4,703	4,802	2,478	16,258	273	50	60	179	282	393	621	1,655	3,236	4,536	4,890
White	17,068	353	64	81	466	557	585	990	2,426	4,497	4,623	2,421	15,623	240	41	55	158	216	356	575	1,563	3,105	4,421	4,890
All other	927	52	6	14	51	64	76	80	142	206	179	57	635	33	9	5	21	46	37	46	92	131	115	100
Black	460	31	2	8	13	35	41	46	79	127	55	23	289	14	4	1	10	22	19	12	37	79	53	38
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	13	–	–	–	–	–	1	–	3	3	3	3	7	–	–	–	–	–	–	1	2	1	3	–
White	11	–	–	–	–	–	–	–	2	3	3	3	5	–	–	–	–	–	–	1	1	1	2	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	12	–	–	–	–	–	1	–	3	3	2	3	6	–	–	–	–	–	–	1	2	1	2	–
White	10	–	–	–	–	–	–	–	2	3	2	3	5	–	–	–	–	–	–	1	1	1	2	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	2	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
White	4	2	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	85	7	–	–	1	1	1	1	8	27	21	18	111	2	1	–	–	2	–	3	12	24	28	39
White	80	3	–	–	1	1	1	1	8	27	20	18	100	2	1	–	–	–	–	3	11	21	27	35
All other	5	4	–	–	–	–	–	–	–	–	1	–	11	–	–	–	–	2	–	–	1	3	1	4
Black	1	1	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	2	–	–	–	2	1	2
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	18	-	-	-	1	2	3	3	2	5	1	1	13	-	-	-	2	1	2	-	2	3	2	1
White	15	-	-	-	1	2	2	2	1	5	1	1	12	-	-	-	2	1	2	-	2	3	1	1
All other	3	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	86	3	1	-	3	18	13	11	12	17	7	1	51	1	-	2	2	1	3	3	8	12	9	10
White	83	2	1	-	3	17	13	11	12	17	6	1	46	1	-	2	2	1	1	3	7	11	9	9
All other	3	1	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	2	-	1	1	-	1
Black	3	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,204	-	9	11	29	47	109	286	852	1,394	1,121	346	3,706	3	4	12	9	40	145	287	727	1,148	880	451
White	3,998	-	8	10	25	44	94	263	810	1,328	1,079	337	3,578	3	4	9	9	36	139	268	700	1,114	855	442
All other	206	-	1	1	4	3	15	23	42	66	42	9	128	-	-	3	-	4	7	19	27	34	25	9
Black	108	-	1	-	-	1	6	15	23	42	16	4	55	-	-	-	-	1	4	5	11	15	13	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	74	-	-	-	1	-	2	9	22	17	20	3	50	-	-	-	-	-	-	3	10	17	17	3
White	70	-	-	-	-	-	2	7	22	16	20	3	49	-	-	-	-	-	-	3	10	17	16	3
All other	4	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	967	-	1	-	2	8	23	77	203	311	261	81	913	-	-	-	2	4	19	39	126	271	273	179
White	916	-	1	-	1	5	20	69	195	295	253	77	879	-	-	-	2	3	18	36	122	260	285	173
All other	51	-	-	-	1	3	3	8	8	16	8	4	34	-	-	-	-	1	1	3	4	11	8	6
Black	20	-	-	-	-	1	1	4	1	8	3	2	19	-	-	-	-	-	-	1	3	6	4	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,550	-	-	-	3	6	24	114	386	576	375	66	797	1	-	-	-	2	10	69	211	311	150	43
White	1,473	-	-	-	3	6	19	102	363	548	366	66	781	1	-	-	-	2	10	67	205	304	149	43
All other	77	-	-	-	-	-	5	12	23	28	9	-	16	-	-	-	-	-	-	2	6	7	1	-
Black	48	-	-	-	-	-	2	9	16	18	3	-	6	-	-	-	-	-	-	1	2	2	1	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	660	-	-	-	-	11	60	72	161	184	123	69
White	2	-	-	-	-	-	-	-	-	1	1	-	654	-	-	-	-	10	56	70	154	176	121	67
All other	-	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	1	4	2	7	8	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	1	3	2	3	4	1	1
Malignant neoplasms of genital organs (179-187)	506	-	-	-	5	2	2	5	39	150	197	106	385	-	-	-	-	3	16	41	88	120	79	38
White	481	-	-	-	5	2	2	5	37	139	188	103	369	-	-	-	-	3	15	36	82	119	77	37
All other	25	-	-	-	-	-	-	-	2	11	9	3	16	-	-	-	-	-	1	5	6	1	2	1
Black	16	-	-	-	-	-	-	-	-	8	6	2	5	-	-	-	-	-	-	1	1	1	2	-
Malignant neoplasms of urinary organs (188-189)	208	-	1	-	-	-	1	11	37	66	68	24	98	-	-	-	-	-	1	6	16	27	30	18
White	203	-	-	-	-	-	1	11	37	65	65	24	95	-	-	-	-	-	1	5	16	27	28	18
All other	5	-	1	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	4	-	1	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	465	-	3	4	5	15	35	43	101	138	88	34	453	2	4	8	4	8	22	36	70	129	115	55
White	442	-	3	4	4	15	32	43	94	132	82	33	434	2	4	6	4	7	21	33	67	125	110	55
All other	23	-	-	-	1	-	3	-	7	4	7	1	19	-	-	2	-	1	1	3	3	4	5	-
Black	12	-	-	-	-	-	3	-	5	2	2	-	5	-	-	-	-	-	1	-	1	2	1	-
Leukemia (204-208)	169	-	4	5	7	6	7	9	20	48	50	13	131	-	-	4	2	7	5	13	17	35	33	15
White	157	-	4	4	6	6	5	8	20	44	48	12	126	-	-	3	2	6	5	12	17	34	32	15
All other	12	-	-	1	1	-	2	1	-	4	2	1	5	-	-	1	-	1	-	1	-	1	1	-
Black	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	263	-	-	2	6	10	15	18	44	89	60	19	199	-	-	-	1	5	12	8	28	54	60	31
White	254	-	-	2	6	10	13	18	42	88	59	19	191	-	-	-	1	5	12	6	27	52	57	31
All other	9	-	-	-	-	-	2	-	2	1	4	-	8	-	-	-	-	-	-	2	1	2	3	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	1	1	2	2	1	5	3	6	12	19	9	61	-	-	-	-	5	3	1	9	13	15	15
White	60	1	1	2	2	1	5	3	5	12	19	9	55	-	-	-	-	4	3	1	6	11	15	15
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	1	-	-	3	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	291	–	–	–	4	11	19	21	44	93	70	29	365	–	–	–	4	4	13	16	49	91	110	78
White	273	–	–	–	4	10	18	18	39	89	66	29	341	–	–	–	4	4	13	15	42	85	105	73
All other	18	–	–	–	–	1	1	3	5	4	4	–	24	–	–	–	–	–	–	1	7	6	5	5
Black	9	–	–	–	–	–	1	2	3	3	–	–	13	–	–	–	–	–	–	–	3	4	4	2
Nutritional deficiencies (260-269)	13	–	–	–	–	–	–	–	–	2	4	7	32	–	–	–	–	–	–	–	2	4	1	25
White	13	–	–	–	–	–	–	–	–	2	4	7	29	–	–	–	–	–	–	–	2	3	1	23
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	33	–	–	–	1	–	1	1	6	8	7	9	39	2	1	–	1	–	–	–	1	2	15	17
White	29	–	–	–	–	–	–	1	5	8	6	9	38	1	1	–	1	–	–	–	1	2	15	17
All other	4	–	–	–	1	–	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	11	2	4	1	–	–	–	–	–	2	2	–	7	2	–	–	–	–	1	–	–	1	2	1
White	10	1	4	1	–	–	–	–	–	2	2	–	7	2	–	–	–	–	1	–	–	1	2	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	7,632	16	3	6	10	29	143	437	1,108	2,151	2,337	1,392	7,500	10	3	2	15	29	54	140	487	1,217	2,402	3,140
White	7,315	14	3	6	8	25	129	408	1,049	2,058	2,257	1,358	7,267	8	2	2	12	26	45	129	453	1,181	2,340	3,088
All other	317	2	–	–	2	4	14	29	59	93	80	34	233	2	1	–	3	3	9	11	34	56	62	52
Black	150	1	–	–	1	1	8	16	34	51	28	12	113	1	–	–	1	1	7	4	15	38	27	19
Diseases of heart (390-398,402,404-429)	6,217	13	2	3	10	23	127	395	980	1,820	1,806	1,038	5,402	8	3	2	10	20	40	109	379	912	1,714	2,204
White	5,979	12	2	3	8	21	115	371	928	1,754	1,748	1,017	5,238	6	2	2	8	18	33	100	357	873	1,665	2,173
All other	238	1	–	–	2	2	12	24	52	66	58	21	164	2	1	–	2	2	7	9	22	39	49	31
Black	121	1	–	–	1	1	6	12	31	41	21	7	78	1	–	–	1	–	5	4	10	27	20	10
Rheumatic fever and rheumatic heart disease (390-398)	43	–	–	–	–	1	2	3	6	16	13	2	90	–	–	–	1	3	2	3	6	27	28	20
White	42	–	–	–	–	1	2	3	6	15	13	2	86	–	–	–	–	2	1	3	6	26	28	20
All other	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	1	1	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Hypertensive heart disease (402)	116	–	–	–	–	1	3	12	12	42	26	20	157	–	–	–	–	1	1	6	6	21	50	72
White	102	–	–	–	–	1	1	7	10	38	26	19	147	–	–	–	–	1	–	4	5	18	48	71
All other	14	–	–	–	–	–	2	5	2	4	–	1	10	–	–	–	–	–	1	2	1	3	2	1
Black	11	–	–	–	–	–	2	4	2	3	–	–	7	–	–	–	–	–	1	1	1	3	1	–
Hypertensive heart and renal disease (404)	13	–	–	–	–	–	–	–	2	3	4	4	24	–	–	–	–	–	–	–	1	5	7	11
White	13	–	–	–	–	–	–	–	2	3	4	4	22	–	–	–	–	–	–	–	1	3	7	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	4,288	–	1	1	2	9	88	290	696	1,263	1,257	681	3,295	–	–	1	2	2	19	58	248	596	1,107	1,261
White	4,152	–	1	1	1	9	84	275	671	1,230	1,211	669	3,206	–	–	1	1	2	18	52	231	573	1,078	1,249
All other	136	–	–	–	1	–	4	15	25	33	46	12	89	–	–	–	1	–	1	6	17	23	29	12
Black	65	–	–	–	–	–	–	8	16	20	18	3	45	–	–	–	1	–	1	2	7	14	15	5
Acute myocardial infarction (410)	2,049	–	1	–	1	5	43	166	368	661	583	221	1,422	–	–	1	1	1	9	25	140	347	523	375
White	1,984	–	1	–	–	5	41	159	352	645	561	220	1,382	–	–	1	–	1	9	22	133	336	510	370
All other	65	–	–	–	1	–	2	7	16	16	22	1	40	–	–	–	1	–	–	3	7	11	13	5
Black	24	–	–	–	–	–	–	2	8	9	5	–	19	–	–	–	1	–	–	1	4	7	6	–
Other acute and subacute forms of ischemic heart disease (411)	11	–	–	–	–	–	–	–	3	3	4	1	3	–	–	–	–	–	–	1	–	–	1	1
White	11	–	–	–	–	–	–	–	3	3	4	1	3	–	–	–	–	–	–	1	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	9	–	–	–	–	–	1	–	–	3	3	2	11	–	–	–	–	–	–	–	3	–	1	7
White	9	–	–	–	–	–	1	–	–	3	3	2	11	–	–	–	–	–	–	–	3	–	1	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,219	–	–	1	1	4	44	124	325	596	667	457	1,859	–	–	–	1	1	10	32	105	249	582	878
White	2,148	–	–	1	1	4	42	116	318	579	643	448	1,810	–	–	–	1	1	9	29	95	237	566	871
All other	71	–	–	–	–	–	2	8	9	17	24	11	49	–	–	–	–	–	1	3	10	12	16	7
Black	41	–	–	–	–	–	–	6	8	11	13	3	28	–	–	–	–	–	1	1	3	7	9	5
Other diseases of endocardium (424)	119	–	–	–	–	–	2	5	21	36	33	22	137	–	–	–	1	2	–	4	7	16	52	55
White	114	–	–	–	–	–	1	5	19	35	32	22	135	–	–	–	1	2	–	4	7	15	51	55
All other	5	–	–	–	–	–	1	–	2	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,638	13	1	2	8	12	32	65	243	460	473	309	1,699	8	3	1	6	12	18	38	111	247	470	785
White	1,556	12	1	2	7	10	27	61	220	433	462	301	1,642	6	2	1	6	11	14	37	107	238	453	767
All other	82	1	-	-	1	2	5	4	23	27	11	8	57	2	1	-	-	1	4	1	4	9	17	18
Black	44	1	-	-	1	1	4	-	13	17	3	4	23	1	-	-	-	-	2	1	2	8	4	5
Hypertension with or without renal disease (401,403)	40	1	-	-	-	-	1	2	2	8	20	6	69	-	-	-	-	-	-	-	5	18	22	24
White	38	1	-	-	-	-	1	2	2	8	18	6	65	-	-	-	-	-	-	-	4	17	20	24
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Cerebrovascular diseases (430-438)	970	2	1	1	-	4	12	29	86	214	372	249	1,592	-	-	-	5	8	13	30	91	227	524	694
White	905	1	1	1	-	2	10	26	80	189	356	239	1,599	-	-	-	4	7	11	28	80	215	513	681
All other	65	1	-	-	-	2	2	3	6	25	16	10	53	-	-	-	1	1	2	2	11	12	11	13
Black	23	-	-	-	-	-	2	3	3	9	3	3	25	-	-	-	-	1	2	-	4	7	5	6
Intracerebral and other intracranial hemorrhage (431-432)	141	1	-	1	-	-	6	11	24	38	44	16	188	-	-	-	4	3	3	5	25	48	58	42
White	126	1	-	1	-	-	4	9	21	34	41	15	179	-	-	-	3	2	3	4	23	47	56	41
All other	15	-	-	-	-	-	2	2	3	4	3	1	9	-	-	-	1	1	-	1	2	1	2	1
Black	4	-	-	-	-	-	2	2	-	-	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	119	-	-	-	-	-	-	2	16	28	40	33	179	-	-	-	-	-	3	1	6	18	62	89
White	111	-	-	-	-	-	-	2	16	26	35	32	176	-	-	-	-	-	3	1	4	18	62	88
All other	8	-	-	-	-	-	-	-	-	2	5	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Cerebral embolism (434.1)	5	-	-	-	-	-	-	1	-	2	1	1	8	-	-	-	-	1	-	-	1	3	2	1
White	5	-	-	-	-	-	-	1	-	2	1	1	8	-	-	-	-	1	-	-	1	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	705	1	1	-	-	4	6	15	46	146	287	199	1,217	-	-	-	-	5	7	24	59	158	402	562
White	663	-	1	-	-	2	6	14	43	127	279	191	1,176	-	-	-	-	5	5	23	52	147	393	551
All other	42	1	-	-	-	2	-	1	3	19	8	8	41	-	-	-	-	-	2	1	7	11	9	11
Black	16	-	-	-	-	-	-	1	3	7	2	3	20	-	-	-	-	-	2	-	2	6	5	5
Atherosclerosis (440)	172	-	-	-	-	-	1	3	11	29	59	69	285	-	-	-	-	-	-	-	7	29	78	171
White	169	-	-	-	-	-	1	3	11	29	59	68	278	-	-	-	-	-	-	-	7	26	78	165
All other	3	-	-	-	-	-	-	-	-	-	-	3	9	-	-	-	-	-	-	-	-	3	-	6
Black	2	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	2	-	3
Other diseases of arteries, arterioles, and capillaries (441-446)	233	-	-	2	-	2	2	8	29	80	80	30	152	2	-	-	-	1	1	1	5	31	64	47
White	224	-	-	2	-	2	2	6	28	78	76	30	149	2	-	-	-	1	1	1	5	30	64	45
All other	9	-	-	-	-	-	-	2	1	2	4	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	4	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	4	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	516	5	1	3	3	5	5	9	28	84	192	181	590	2	1	-	-	3	4	7	10	60	139	364
White	492	5	1	3	3	4	3	5	25	80	185	178	560	1	1	-	-	3	4	7	10	60	137	357
All other	24	-	-	-	-	1	2	4	3	4	7	3	10	1	-	-	-	-	-	-	-	-	2	7
Black	13	-	-	-	-	1	1	3	2	3	1	2	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (480-486)	495	5	1	3	3	5	5	9	27	84	180	173	546	2	1	-	-	3	4	7	9	59	132	329
White	472	5	1	3	3	4	3	5	24	80	173	171	536	1	1	-	-	3	4	7	9	59	130	322
All other	23	-	-	-	-	1	2	4	3	4	7	2	10	1	-	-	-	-	-	-	-	-	2	7
Black	13	-	-	-	-	1	1	3	2	3	1	2	3	-	-	-	-	-	-	-	-	-	1	2
Influenza (487)	21	-	-	-	-	-	-	-	1	-	12	8	44	-	-	-	-	-	-	-	1	1	7	35
White	20	-	-	-	-	-	-	-	1	-	12	7	44	-	-	-	-	-	-	-	1	1	7	35
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	982	-	-	-	1	1	1	22	123	342	361	131	706	-	-	2	2	-	2	23	98	257	227	95
White	958	-	-	-	1	1	1	21	119	331	355	129	685	-	-	2	2	-	2	20	94	251	224	90
All other	24	-	-	-	-	-	-	1	4	11	6	2	21	-	-	-	-	-	-	3	4	6	3	5
Black	12	-	-	-	-	-	-	1	3	6	1	1	12	-	-	-	-	-	-	2	4	5	1	-
Bronchitis, chronic and unspecified (490-491)	35	-	-	-	-	-	-	-	4	7	15	9	22	-	-	-	-	-	-	1	3	4	8	6
White	35	-	-	-	-	-	-	-	4	7	15	9	22	-	-	-	-	-	-	1	3	4	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	191	-	-	-	-	-	1	7	27	68	75	15	116	-	-	-	-	-	-	4	21	51	29	11
White	188	-	-	-	-	-	1	6	25	68	75	15	112	-	-	-	-	-	-	2	20	51	29	10
All other	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	2	1	-	-	1
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	28	-	-	-	1	1	-	2	5	7	10	2	50	-	-	1	2	-	1	4	5	17	16	4
White	27	-	-	-	1	1	-	2	5	6	10	2	47	-	-	1	2	-	1	3	5	15	16	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	728	-	-	-	-	-	-	13	87	262	261	105	518	-	-	1	-	-	1	14	69	185	174	74
White	708	-	-	-	-	-	-	13	85	252	255	103	504	-	-	1	-	-	1	14	66	181	171	70
All other	20	-	-	-	-	-	-	-	2	10	6	2	14	-	-	-	-	-	-	-	3	4	3	4
Black	9	-	-	-	-	-	-	-	2	5	1	1	7	-	-	-	-	-	-	-	3	3	1	-
Ulcer of stomach and duodenum (531-533)	35	-	-	-	-	-	-	2	7	11	8	7	70	-	-	-	-	-	2	1	3	12	22	30
White	34	-	-	-	-	-	-	2	6	11	8	7	68	-	-	-	-	-	2	1	3	12	21	29
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	1	-	-	1	-	1	-	4	-	-	3	-	-	-	1	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	4	-	-	3	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	40	-	1	1	-	1	-	2	3	8	10	14	48	1	-	-	1	-	-	1	1	8	12	24
White	37	-	1	1	-	1	-	1	3	8	9	13	47	1	-	-	1	-	-	1	1	8	12	23
All other	3	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis (571)	254	-	-	-	2	8	27	47	83	56	30	1	161	-	-	-	-	9	15	21	43	48	22	3
White	229	-	-	-	2	6	24	42	72	54	28	1	147	-	-	-	-	5	13	19	43	42	22	3
All other	25	-	-	-	-	2	3	5	11	2	2	-	14	-	-	-	-	4	2	2	-	6	-	-
Black	10	-	-	-	-	2	-	3	2	2	1	-	5	-	-	-	-	1	-	-	-	4	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	22	-	-	-	-	-	-	1	4	7	5	5	16	-	-	-	-	-	-	-	-	2	8	6
White	20	-	-	-	-	-	-	-	4	6	5	5	16	-	-	-	-	-	-	-	-	2	8	6
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	124	2	-	-	2	2	1	4	13	24	50	26	100	-	-	1	1	-	1	2	10	15	38	32
White	116	1	-	-	1	2	1	2	12	24	47	26	92	-	-	1	1	-	1	1	8	13	37	30
All other	8	1	-	-	1	-	-	2	1	-	3	-	8	-	-	-	-	-	-	1	2	2	1	2
Black	4	1	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	-	3	5	3	-	14	-	-	1	-	-	-	-	2	3	7	1
White	10	-	-	-	-	-	-	-	2	5	3	-	13	-	-	1	-	-	-	-	2	3	7	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	111	2	-	-	2	2	1	4	10	17	47	26	84	-	-	-	1	-	1	2	8	12	30	30
White	104	1	-	-	1	2	1	2	10	17	44	26	77	-	-	-	1	-	1	1	6	10	29	29
All other	7	1	-	-	1	-	-	2	-	-	3	-	7	-	-	-	-	-	-	1	2	2	1	1
Black	3	1	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Infections of kidney (590)	14	-	-	-	-	3	-	1	-	2	3	5	22	-	-	-	-	-	-	-	1	5	7	9
White	12	-	-	-	-	3	-	1	-	2	3	3	22	-	-	-	-	-	-	-	1	5	7	9
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
White	7	-	-	-	-	-	-	-	-	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	1	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	1	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	120	77	8	5	3	2	9	2	5	5	4	–	103	56	11	2	6	3	2	3	8	6	4	2
White	109	72	4	4	3	2	8	2	5	5	4	–	97	53	9	2	5	3	2	3	8	6	4	2
All other	11	5	4	1	–	–	1	–	–	–	–	–	6	3	2	–	1	–	–	–	–	–	–	–
Black	5	2	1	1	–	–	1	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	143	143	–	–	–	–	–	–	–	–	–	–	113	112	–	1	–	–	–	–	–	–	–	–
White	116	116	–	–	–	–	–	–	–	–	–	–	96	95	–	1	–	–	–	–	–	–	–	–
All other	27	27	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	17	17	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	–	–	–	–	–	–	–	–	–	–	42	41	–	1	–	–	–	–	–	–	–	–
White	34	34	–	–	–	–	–	–	–	–	–	–	34	33	–	1	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	103	103	–	–	–	–	–	–	–	–	–	–	71	71	–	–	–	–	–	–	–	–	–	–
White	82	82	–	–	–	–	–	–	–	–	–	–	62	62	–	–	–	–	–	–	–	–	–	–
All other	21	21	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	15	15	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	174	117	1	–	2	5	3	4	6	15	14	7	144	65	3	1	2	4	2	2	7	7	18	31
White	166	112	1	–	2	5	3	4	3	14	14	7	133	59	1	1	–	4	2	2	7	7	17	31
All other	8	5	–	–	–	–	–	–	2	1	–	–	11	6	2	–	2	–	–	–	–	–	1	–
Black	6	3	–	–	–	–	–	–	2	1	–	–	6	4	1	–	1	–	–	–	–	–	–	–
All other diseases (Residual)	1,275	16	7	7	24	65	72	74	115	289	382	224	1,487	9	8	6	12	16	41	44	116	229	482	524
White	1,212	15	7	7	22	61	65	72	111	273	360	219	1,430	8	7	6	8	14	35	39	109	216	472	516
All other	63	1	–	–	2	4	7	2	4	16	22	5	57	1	1	–	4	2	6	5	7	13	10	8
Black	33	–	–	–	1	2	3	2	3	14	6	2	27	–	–	–	3	1	3	–	1	8	5	6
Accidents and adverse effects (E800-E949)	1,135	7	29	49	292	243	137	67	78	87	98	44	515	6	14	23	76	70	47	31	28	57	80	83
White	1,045	6	28	39	270	224	126	61	74	84	82	43	474	4	13	22	69	59	40	28	24	56	78	81
All other	90	1	1	10	22	19	17	6	4	3	6	1	41	2	1	1	7	11	7	3	4	1	2	2
Black	31	1	–	5	1	7	11	1	3	2	–	–	14	1	–	–	4	5	3	–	–	–	1	–
Motor vehicle accidents (E810-E825)	561	–	7	28	211	136	55	30	30	29	30	3	249	2	5	14	65	48	25	19	15	27	22	7
White	519	–	7	24	188	122	50	27	29	29	28	3	231	2	4	14	59	44	23	17	12	27	22	7
All other	42	–	–	4	13	14	5	3	1	–	2	–	18	–	1	–	6	4	2	2	3	–	–	–
Black	14	–	–	2	1	5	4	1	1	–	–	–	6	–	–	–	3	2	1	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	574	7	22	21	81	107	82	37	48	58	68	41	266	4	9	9	11	22	22	12	13	30	58	76
White	526	6	21	15	72	102	76	34	45	55	64	40	243	2	9	8	10	15	17	11	12	29	56	74
All other	48	1	1	6	9	5	12	3	3	3	4	1	23	2	–	1	1	7	5	1	1	1	2	2
Black	17	1	–	3	–	2	7	–	2	2	–	–	8	1	–	–	1	3	2	–	–	–	1	–
Suicide (E950-E958)	512	...	...	4	94	110	79	61	59	49	48	13	170	...	...	1	21	33	43	27	23	9	8	5
White	482	...	...	4	84	99	73	60	59	48	42	13	157	...	...	–	19	28	40	26	23	9	8	4
All other	30	...	...	–	10	11	6	1	–	1	1	–	13	...	...	1	2	5	3	1	–	–	–	1
Black	15	...	...	–	4	7	3	1	–	–	–	–	5	...	...	1	–	1	2	1	–	–	–	–
Homicide and legal intervention (E960-E978)	144	6	4	5	36	47	24	7	3	8	4	–	88	2	4	4	25	27	8	4	5	4	1	2
White	101	3	4	4	27	32	17	6	1	4	3	–	71	2	2	4	23	16	8	4	5	4	1	2
All other	43	3	–	1	9	15	7	1	2	4	1	–	15	–	2	–	2	11	–	–	–	–	–	–
Black	30	2	–	1	5	10	5	1	2	3	1	–	8	–	2	–	–	6	–	–	–	–	–	–
All other external causes (E980-E999)	39	–	1	1	5	19	7	3	–	–	2	1	22	–	–	–	–	12	3	3	3	1	–	–
White	35	–	1	–	5	16	7	3	–	–	2	1	17	–	–	–	–	9	2	3	2	1	–	–
All other	4	–	–	1	–	3	–	–	–	–	–	–	5	–	–	–	–	3	1	–	1	–	–	–
Black	4	–	–	1	–	3	–	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,421	136	30	46	224	280	377	679	1,674	2,862	2,729	1,382	9,447	102	23	30	87	122	177	406	1,197	2,052	2,959	2,349
White	9,956	125	27	41	210	260	354	650	1,618	2,758	2,600	1,311	9,013	89	23	27	85	117	169	382	1,088	1,961	2,826	2,244
All other	465	11	3	5	14	20	23	29	56	104	129	71	434	13	–	3	2	5	8	24	49	91	133	105
Black	463	11	3	5	14	20	23	29	56	104	127	71	431	13	–	3	2	5	8	23	49	91	132	104
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	8	–	–	–	–	–	–	–	1	3	2	2	11	–	–	–	–	1	–	–	1	3	3	3
White	8	–	–	–	–	–	–	–	1	3	2	2	9	–	–	–	–	1	–	–	1	2	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Tuberculosis of respiratory system (010-012)	7	–	–	–	–	–	–	–	1	3	2	1	10	–	–	–	–	1	–	–	1	2	3	3
White	7	–	–	–	–	–	–	–	1	3	2	1	9	–	–	–	–	1	–	–	1	2	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	81	5	1	–	–	2	2	7	8	15	23	18	101	–	–	–	–	1	1	3	10	14	39	33
White	73	4	1	–	–	2	2	7	6	14	21	16	93	–	–	–	–	1	1	3	9	13	37	29
All other	8	1	–	–	–	–	–	–	2	1	2	2	8	–	–	–	–	–	–	–	1	1	2	4
Black	8	1	–	–	–	–	–	–	2	1	2	2	8	–	–	–	–	–	–	–	1	1	2	4
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	–	–	–	–	1	–	–	3	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
White	4	–	–	–	–	1	–	–	3	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	27	1	–	1	–	2	1	1	4	10	6	1	20	–	–	–	–	–	–	1	5	3	10	1
White	26	1	–	1	–	2	1	–	4	10	6	1	19	–	–	–	–	–	–	1	5	2	10	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,317	–	4	6	8	19	55	155	519	787	562	182	1,993	–	–	3	5	27	63	172	493	565	507	218
White	2,210	–	4	6	8	19	54	148	499	760	543	169	1,910	–	–	3	5	26	63	162	421	543	478	209
All other	107	–	–	–	–	–	1	7	20	27	39	13	83	–	–	–	–	1	–	10	12	22	29	9
Black	106	–	–	–	–	–	1	7	20	27	38	13	82	–	–	–	–	1	–	9	12	22	29	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	-	-	-	-	3	5	12	11	8	1	19	-	-	-	-	1	-	2	3	4	6	3
White	38	-	-	-	-	-	3	4	10	10	8	1	18	-	-	-	-	1	-	2	3	4	5	3
All other	4	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	482	-	-	-	1	2	13	37	105	158	118	48	443	-	-	-	-	2	6	28	57	116	159	81
White	457	-	-	-	1	2	13	35	101	152	111	42	418	-	-	-	-	2	6	25	56	109	144	77
All other	25	-	-	-	-	-	-	2	4	6	7	6	25	-	-	-	-	-	-	3	1	8	9	4
Black	25	-	-	-	-	-	-	2	4	6	7	6	25	-	-	-	-	-	-	3	1	8	9	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	924	-	-	-	-	4	15	63	247	367	197	31	445	-	-	-	-	1	7	33	127	153	96	28
White	894	-	-	-	-	4	14	61	238	358	189	30	430	-	-	-	-	1	7	33	124	147	92	26
All other	30	-	-	-	-	-	1	2	9	9	8	1	15	-	-	-	-	-	-	-	3	6	4	2
Black	30	-	-	-	-	-	1	2	9	9	8	1	15	-	-	-	-	-	-	-	3	6	4	2
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	-	1	323	-	-	-	-	6	25	44	82	84	52	30
White	2	-	-	-	-	-	-	-	-	1	-	1	310	-	-	-	-	5	25	40	80	82	48	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	1	-	4	2	2	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	1	-	3	2	2	4	-
Malignant neoplasms of genital organs (179-187)	251	-	-	-	2	-	-	2	20	72	107	48	231	-	-	-	-	5	12	25	57	59	57	16
White	227	-	-	-	2	-	-	2	19	68	93	43	220	-	-	-	-	5	12	24	55	56	52	16
All other	24	-	-	-	-	-	-	-	1	4	14	5	11	-	-	-	-	-	-	1	2	3	5	-
Black	24	-	-	-	-	-	-	-	1	4	14	5	11	-	-	-	-	-	-	1	2	3	5	-
Malignant neoplasms of urinary organs (188-189)	97	-	-	-	-	1	1	3	16	29	35	12	59	-	-	-	-	-	-	3	12	19	16	9
White	94	-	-	-	-	1	1	3	16	27	34	12	57	-	-	-	-	-	-	3	12	18	15	9
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	331	-	2	3	2	3	14	31	77	103	74	22	270	-	-	2	-	7	10	22	58	78	67	34
White	315	-	2	3	2	3	14	29	74	98	68	22	258	-	-	2	-	7	10	21	54	77	66	31
All other	16	-	-	-	-	-	-	2	3	5	6	-	10	-	-	-	-	-	-	1	4	1	1	3
Black	16	-	-	-	-	-	-	2	3	5	6	-	10	-	-	-	-	-	-	1	4	1	1	3
Leukemia (204-208)	84	-	2	2	3	3	4	7	22	19	13	9	81	-	-	1	4	3	2	5	19	16	22	9
White	84	-	2	2	3	3	4	7	22	19	13	9	77	-	-	1	4	3	2	5	19	15	19	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	108	-	-	1	-	6	5	7	20	27	30	10	114	-	-	-	1	2	1	10	18	36	38	8
White	101	-	-	1	-	6	5	7	19	27	27	9	112	-	-	-	1	2	1	9	18	36	37	8
All other	5	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	1	-	-	1	-
Benign neoplasms; carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	-	1	-	-	2	2	2	2	12	12	6	39	-	-	-	1	-	2	-	7	12	12	5
White	38	-	-	-	-	2	2	2	2	12	12	6	38	-	-	-	1	-	2	-	7	12	12	4
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	152	-	-	-	-	1	5	11	32	43	42	18	248	-	-	-	4	2	5	12	36	63	82	43
White	141	-	-	-	-	1	5	10	29	39	39	18	226	-	-	-	4	2	5	8	34	61	76	36
All other	11	-	-	-	-	-	-	1	3	4	3	-	22	-	-	-	-	-	-	4	2	2	6	7
Black	11	-	-	-	-	-	-	1	3	4	3	-	22	-	-	-	-	-	-	4	2	2	6	7
Nutritional deficiencies (260-269)	11	-	-	-	-	1	-	1	1	1	3	4	21	-	-	-	-	-	-	-	1	3	8	9
White	11	-	-	-	-	1	-	1	1	1	3	4	20	-	-	-	-	-	-	-	1	3	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	20	-	-	-	-	-	-	1	1	5	7	6	28	-	-	1	-	-	-	-	2	6	13	6
White	19	-	-	-	-	-	-	1	1	5	6	6	27	-	-	-	-	-	-	-	2	6	13	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis (320-322)	8	2	1	1	-	-	1	-	1	2	-	-	3	-	1	-	-	1	-	-	-	1	-	-
White	7	2	1	-	-	-	1	-	1	2	-	-	3	-	1	-	-	1	-	-	-	1	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,762	4	-	5	3	28	107	317	757	1,375	1,387	778	4,828	1	4	2	5	14	42	133	406	984	1,716	1,520
White	4,584	4	-	4	3	24	103	302	739	1,327	1,339	738	4,618	1	4	2	5	13	40	127	384	938	1,649	1,456
All other	178	-	-	1	-	4	4	15	18	48	48	40	210	-	-	-	-	1	2	6	22	46	67	64
Black	177	-	-	1	-	4	4	15	18	48	47	40	209	-	-	-	-	1	2	6	22	48	67	63

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	3,971	4	–	3	1	25	99	286	686	1,139	1,120	607	3,766	1	4	1	5	11	34	98	340	802	1,331	1,139
White	3,820	4	–	2	1	22	96	275	671	1,097	1,078	573	3,608	1	4	1	5	11	32	95	323	786	1,282	1,088
All other	151	–	–	1	–	3	3	11	15	42	42	34	158	–	–	–	–	–	2	3	17	36	49	51
Black	150	–	–	1	–	3	3	11	15	42	41	34	157	–	–	–	–	–	2	3	17	36	49	50
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	–	1	1	4	7	3	–	4	35	–	–	–	–	–	1	3	5	8	11	7
White	20	–	–	–	–	1	1	4	7	3	–	4	34	–	–	–	–	–	1	2	5	8	11	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hypertensive heart disease (402)	80	–	–	–	–	2	5	6	8	30	22	7	92	–	–	–	–	–	–	3	9	25	32	23
White	71	–	–	–	–	2	4	4	8	27	20	6	84	–	–	–	–	–	–	2	7	22	32	21
All other	9	–	–	–	–	–	1	2	–	3	2	1	8	–	–	–	–	–	–	1	2	3	–	2
Black	9	–	–	–	–	–	1	2	–	3	2	1	8	–	–	–	–	–	–	1	2	3	–	2
Hypertensive heart and renal disease (404)	7	–	–	–	–	–	–	–	1	1	4	1	18	–	–	–	–	–	–	–	2	5	4	7
White	5	–	–	–	–	–	–	–	–	–	4	1	17	–	–	–	–	–	–	–	1	5	4	7
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Ischemic heart disease (410-414)	2,555	–	–	1	–	9	61	201	450	764	712	357	2,309	–	–	–	–	1	11	60	226	514	801	696
White	2,471	–	–	–	–	9	60	195	441	740	689	337	2,217	–	–	–	–	1	11	60	216	493	773	663
All other	84	–	–	1	–	–	1	6	9	24	23	20	92	–	–	–	–	–	–	–	10	21	28	33
Black	83	–	–	1	–	–	1	6	9	24	22	20	92	–	–	–	–	–	–	–	10	21	28	33
Acute myocardial infarction (410)	1,449	–	–	1	–	3	44	148	296	451	370	133	1,144	–	–	–	–	–	8	40	138	320	384	254
White	1,398	–	–	–	–	3	43	144	293	437	354	124	1,107	–	–	–	–	–	8	40	133	308	378	240
All other	50	–	–	1	–	–	1	4	5	14	16	9	37	–	–	–	–	–	–	–	5	12	6	14
Black	49	–	–	1	–	–	1	4	5	14	15	9	37	–	–	–	–	–	–	–	5	12	6	14
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	–	–	1	–	4	3	–	4	–	–	–	–	–	–	–	1	2	–	1
White	8	–	–	–	–	–	–	1	–	4	3	–	4	–	–	–	–	–	–	–	1	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	1	–	–	–	2	5	–	–	–	–	–	–	–	–	1	–	4
White	3	–	–	–	–	–	–	1	–	–	–	2	5	–	–	–	–	–	–	–	–	1	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,096	–	–	–	–	6	17	51	152	309	339	222	1,156	–	–	–	–	1	3	20	87	191	417	437
White	1,062	–	–	–	–	6	17	49	148	298	332	211	1,101	–	–	–	–	1	3	20	82	182	395	418
All other	34	–	–	–	–	–	–	2	4	10	7	11	55	–	–	–	–	–	–	–	5	9	22	19
Black	34	–	–	–	–	–	–	2	4	10	7	11	55	–	–	–	–	–	–	–	5	9	22	19
Other diseases of endocardium (424)	45	–	–	–	–	–	–	1	7	17	14	6	56	–	–	–	–	–	–	–	4	12	28	12
White	45	–	–	–	–	–	–	1	7	17	14	6	54	–	–	–	–	–	–	–	4	12	27	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other forms of heart disease (415-423,425-429)	1,264	4	–	2	1	13	32	74	213	324	368	232	1,256	1	4	1	5	10	22	32	94	238	455	394
White	1,208	4	–	2	1	10	31	71	208	310	351	219	1,202	1	4	1	5	10	20	31	90	226	435	379
All other	56	–	–	–	–	3	1	3	5	14	17	13	54	–	–	–	–	–	2	1	4	12	20	15
Black	56	–	–	–	–	3	1	3	5	14	17	13	53	–	–	–	–	–	2	1	4	12	20	14
Hypertension with or without renal disease (401,403)	29	–	–	–	–	1	–	5	3	6	10	4	49	–	–	–	–	–	1	5	4	8	17	13
White	27	–	–	–	–	–	–	5	3	5	10	4	44	–	–	–	–	–	1	4	4	8	15	11
All other	2	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	–	1	–	–	2	2
Black	2	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	–	1	–	–	2	2
Cerebrovascular diseases (430-438)	568	–	–	2	1	2	8	17	48	159	197	134	791	–	–	1	–	2	4	23	50	136	295	280
White	547	–	–	2	1	2	7	14	45	155	192	129	752	–	–	1	–	1	4	21	45	126	282	272
All other	21	–	–	–	–	–	1	3	3	4	5	5	39	–	–	–	–	1	–	2	5	10	13	8
Black	21	–	–	–	–	–	1	3	3	4	5	5	39	–	–	–	–	1	–	2	5	10	13	8
Intracerebral and other intracranial hemorrhage (431-432)	81	–	–	2	–	1	2	8	14	24	20	10	82	–	–	–	–	–	–	1	14	24	28	15
White	77	–	–	2	–	1	2	7	12	23	20	10	79	–	–	–	–	–	–	1	12	23	28	15
All other	4	–	–	–	–	–	–	1	2	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Black	4	–	–	–	–	–	–	1	2	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	75	–	–	–	–	–	1	–	7	21	29	17	131	–	–	–	–	–	2	1	11	23	49	45
White	69	–	–	–	–	–	1	–	7	19	27	15	126	–	–	–	–	–	2	1	11	21	46	45
All other	6	–	–	–	–	–	–	–	–	2	2	2	5	–	–	–	–	–	–	–	–	2	3	–
Black	6	–	–	–	–	–	–	–	–	2	2	2	5	–	–	–	–	–	–	–	–	2	3	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	1	-	-	-	-	-	1	4	-
White	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	1	-	-	-	-	-	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	410	-	-	-	1	1	5	9	27	113	147	107	572	-	-	-	-	2	2	21	25	88	214	220
White	399	-	-	-	1	1	4	7	26	112	144	104	541	-	-	-	-	1	2	19	22	81	204	212
All other	11	-	-	-	-	-	1	2	1	1	3	3	31	-	-	-	-	1	-	2	3	7	10	8
Black	11	-	-	-	-	-	1	2	1	1	3	3	31	-	-	-	-	1	-	2	3	7	10	8
Atherosclerosis (440)	70	-	-	-	-	-	-	4	7	18	19	22	122	-	-	-	-	-	-	2	2	16	36	66
White	69	-	-	-	-	-	-	4	7	18	18	22	117	-	-	-	-	-	-	2	2	14	36	63
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	-	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	-	3
Other diseases of arteries, arterioles, and capillaries (441-448)	124	-	-	-	1	-	-	5	13	53	41	11	100	-	-	-	-	1	3	5	10	22	37	22
White	121	-	-	-	1	-	-	4	13	52	41	10	97	-	-	-	-	1	3	5	10	22	34	22
All other	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	3	-
Black	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	3	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	339	5	1	-	1	-	1	6	27	66	126	106	308	2	-	1	1	3	1	2	5	37	109	146
White	321	4	1	-	1	-	1	6	25	63	118	102	299	1	-	1	1	3	1	2	3	36	105	145
All other	18	1	-	-	-	-	-	-	2	3	8	4	9	1	-	-	-	-	-	-	2	1	4	1
Black	18	1	-	-	-	-	-	-	2	3	8	4	9	1	-	-	-	-	-	-	2	1	4	1
Pneumonia (480-486)	337	5	1	-	1	-	1	6	27	66	126	104	306	2	-	1	1	3	1	2	5	37	109	144
White	319	4	1	-	1	-	1	6	25	63	118	100	297	1	-	1	1	3	1	2	3	36	105	143
All other	18	1	-	-	-	-	-	-	2	3	8	4	9	1	-	-	-	-	-	-	2	1	4	1
Black	18	1	-	-	-	-	-	-	2	3	8	4	9	1	-	-	-	-	-	-	2	1	4	1
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	523	-	-	1	-	1	-	14	75	195	185	51	348	-	-	-	1	2	4	14	83	108	98	40
White	505	-	-	1	-	1	-	14	74	189	178	47	339	-	-	-	1	2	4	14	81	106	94	37
All other	18	-	-	-	-	-	-	-	1	6	7	4	9	-	-	-	-	-	-	-	2	-	4	3
Black	18	-	-	-	-	-	-	-	1	6	7	4	9	-	-	-	-	-	-	-	2	-	4	3
Bronchitis, chronic and unspecified (490-491)	42	-	-	-	-	-	-	2	10	14	14	2	28	-	-	-	-	1	-	2	7	7	8	3
White	41	-	-	-	-	-	-	2	10	14	13	2	28	-	-	-	-	1	-	2	7	7	8	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	72	-	-	-	-	-	-	3	8	30	26	5	59	-	-	-	-	-	-	2	10	23	17	7
White	67	-	-	-	-	-	-	3	7	28	25	4	59	-	-	-	-	-	-	2	10	23	17	7
All other	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	9	-	-	1	-	1	-	-	2	1	2	2	21	-	-	-	1	1	1	1	5	4	6	2
White	9	-	-	1	-	1	-	-	2	1	2	2	20	-	-	-	1	1	1	1	5	4	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	400	-	-	-	-	-	-	9	55	150	143	42	240	-	-	-	-	-	3	9	61	72	67	28
White	388	-	-	-	-	-	-	9	55	146	138	39	232	-	-	-	-	-	3	9	59	72	63	26
All other	12	-	-	-	-	-	-	-	-	4	5	3	8	-	-	-	-	-	-	-	2	-	4	2
Black	12	-	-	-	-	-	-	-	-	4	5	3	8	-	-	-	-	-	-	-	2	-	4	2
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	-	-	2	2	6	4	32	-	-	-	-	-	-	-	2	5	16	9
White	13	-	-	-	-	-	-	-	2	2	5	4	30	-	-	-	-	-	-	-	2	5	15	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Appendicitis (540-543)	3	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	1	-	-	-	-	-	1	3	4	8	5	33	-	-	-	-	-	-	1	3	1	15	13
White	22	1	-	-	-	-	-	1	3	4	8	5	31	-	-	-	-	-	-	1	3	1	13	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	136	-	-	-	-	8	19	32	30	25	20	2	69	1	-	-	-	3	3	7	18	19	15	3
White	130	-	-	-	-	6	16	31	30	25	20	2	65	1	-	-	-	3	3	6	16	18	15	3
All other	6	-	-	-	-	2	3	1	-	-	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	6	-	-	-	-	2	3	1	-	-	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	1	-	2	3	4	7	12	-	-	-	-	-	-	-	1	2	5	4
White	16	-	-	-	-	-	1	-	2	3	4	6	12	-	-	-	-	-	-	-	1	2	5	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	122	-	-	-	-	1	3	6	14	35	35	28	107	-	1	-	-	-	1	1	15	16	37	35
White	114	-	-	-	-	1	2	6	14	32	32	27	99	-	1	-	-	-	1	1	14	15	35	32
All other	8	-	-	-	-	-	1	-	-	3	3	1	8	-	-	-	-	-	-	-	1	1	2	4
Black	8	-	-	-	-	-	1	-	-	3	3	1	8	-	-	-	-	-	-	-	1	1	2	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	2	-	2	8	-	-	-	-	-	-	-	-	1	3	4
White	4	-	-	-	-	-	-	-	-	2	-	2	8	-	-	-	-	-	-	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	118	-	-	-	-	1	3	6	14	33	35	26	98	-	1	-	-	-	1	1	15	15	33	32
White	110	-	-	-	-	1	2	6	14	30	32	25	90	-	1	-	-	-	1	1	14	14	31	28
All other	8	-	-	-	-	-	1	-	-	3	3	1	8	-	-	-	-	-	-	-	1	1	2	4
Black	8	-	-	-	-	-	1	-	-	3	3	1	8	-	-	-	-	-	-	-	1	1	2	4
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	1	2	2	12	1	-	-	-	-	-	1	1	3	1	5
White	5	-	-	-	-	-	-	-	-	1	2	2	11	1	-	-	-	-	-	1	1	3	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	42	26	5	1	1	4	2	1	1	-	1	-	43	21	3	3	4	1	1	1	4	2	2	1
White	38	24	4	1	1	3	2	1	1	-	1	-	43	21	3	3	4	1	1	1	4	2	2	1
All other	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	59	59	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	55	55	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	20	20	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	39	39	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	74	18	2	1	2	4	5	4	9	11	9	9	70	18	1	-	-	1	2	2	2	15	9	20
White	67	17	2	-	2	4	5	4	8	9	8	8	68	17	1	-	-	1	1	2	2	15	9	20
All other	7	1	-	1	-	-	-	-	1	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-
Black	7	1	-	1	-	-	-	-	1	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	721	8	3	3	9	18	36	42	101	188	202	111	694	2	1	4	5	14	24	32	72	137	212	191
White	682	8	3	3	9	17	32	41	96	181	186	106	651	2	1	4	5	13	21	29	67	129	198	182
All other	39	-	-	-	-	1	4	1	5	7	16	5	43	-	-	-	-	1	3	3	5	8	14	9
Black	39	-	-	-	-	1	4	1	5	7	16	5	42	-	-	-	-	1	3	3	5	8	13	9
Accidents and adverse effects (E800-E949)	584	6	11	22	142	114	78	42	46	45	45	33	281	5	11	13	45	36	17	9	18	40	46	41
White	560	4	11	21	135	111	72	42	43	43	45	33	271	5	11	11	43	36	16	9	18	36	45	41
All other	24	2	-	1	7	3	6	-	3	2	-	-	10	-	-	2	2	-	1	-	-	4	1	-
Black	24	2	-	1	7	3	6	-	3	2	-	-	10	-	-	2	2	-	1	-	-	4	1	-
Motor vehicle accidents (E810-E825)	316	1	2	11	114	69	44	22	19	15	14	5	131	1	3	9	37	25	16	5	8	16	7	4
White	306	1	2	11	109	69	41	22	19	13	14	5	128	1	3	8	35	25	16	5	8	16	7	4
All other	10	-	-	-	5	-	3	-	-	2	-	-	3	-	-	1	2	-	-	-	-	-	-	-
Black	10	-	-	-	5	-	3	-	-	2	-	-	3	-	-	1	2	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	268	5	9	11	28	45	34	20	27	30	31	28	150	4	8	4	8	11	1	4	10	24	39	37
White	254	3	9	10	26	42	31	20	24	30	31	28	143	4	8	3	8	11	-	4	10	20	38	37
All other	14	2	-	1	2	3	3	-	3	-	-	-	7	-	-	1	-	-	1	-	-	4	1	-
Black	14	2	-	1	2	3	3	-	3	-	-	-	7	-	-	1	-	-	1	-	-	4	1	-
Suicide (E950-E959)	220	...	...	4	36	45	36	21	27	26	20	5	52	...	...	1	5	10	7	11	8	8	2	-
White	211	...	...	3	33	43	33	21	27	26	20	5	51	...	...	1	5	9	7	11	8	8	2	-
All other	9	...	...	1	3	2	3	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	8	...	...	1	3	2	3	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	91	1	1	-	17	26	22	13	4	6	1	-	28	1	-	1	7	6	3	1	3	4	-	2
White	77	1	-	-	15	20	21	10	4	5	1	-	25	1	-	1	7	5	2	1	3	3	-	2
All other	14	-	1	-	2	6	1	3	-	1	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Black	14	-	1	-	2	6	1	3	-	1	-	-	3	-	-	-	-	1	1	-	-	1	-	-
All other external causes (E980-E999)	14	-	-	-	5	3	1	2	2	1	-	-	11	-	-	-	3	-	1	2	1	2	2	-
White	11	-	-	-	3	3	1	2	1	1	-	-	11	-	-	-	3	-	1	2	1	2	2	-
All other	3	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,840	396	73	99	488	548	614	1,115	2,917	5,514	6,340	3,733	20,274	272	60	56	165	227	361	722	1,728	3,722	5,999	6,961
White	21,025	319	61	86	444	476	552	1,030	2,778	5,363	6,228	3,685	19,660	223	51	49	145	202	325	657	1,636	3,616	5,868	6,887
All other	815	77	12	13	44	72	62	85	139	151	112	48	614	49	9	7	20	25	36	65	92	106	131	74
Black	651	61	11	9	31	65	50	62	113	122	93	34	511	43	7	6	16	22	31	54	73	90	111	58
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
White	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	-	1	2	1	3	1	5	4	-	-	-	-	1	-	-	1	1	1	-
White	12	-	-	-	-	-	1	2	1	3	-	5	4	-	-	-	-	1	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	1	1	1	2	1	3	3	-	-	-	-	-	-	-	1	1	1	-
White	8	-	-	-	-	-	1	1	1	2	-	3	3	-	-	-	-	-	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
White	4	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	145	4	-	2	2	1	2	3	11	30	46	44	142	3	-	-	-	2	1	4	9	23	41	59
White	142	4	-	2	2	1	2	3	9	30	45	44	138	2	-	-	-	2	1	3	9	23	40	58
All other	3	-	-	-	-	-	-	-	2	-	1	-	4	1	-	-	-	-	-	1	-	-	1	1
Black	3	-	-	-	-	-	-	-	2	-	1	-	3	1	-	-	-	-	-	1	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	1	-	-	2	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	73	2	2	1	-	2	9	9	14	15	12	7	51	-	1	1	-	1	2	5	7	8	13	13
White	67	2	2	1	-	2	8	7	11	15	12	7	47	-	1	1	-	-	1	4	6	8	13	13
All other	6	-	-	-	-	-	1	2	3	-	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,949	1	4	13	19	60	109	319	973	1,613	1,355	483	4,461	-	5	14	10	61	151	380	743	1,259	1,178	660
White	4,758	1	4	13	18	57	100	294	920	1,562	1,317	472	4,331	-	3	13	8	57	135	358	713	1,233	1,159	652
All other	191	-	-	-	1	3	9	25	53	51	38	11	130	-	2	1	2	4	16	22	30	26	19	8
Black	174	-	-	-	1	2	8	24	50	47	33	9	109	-	1	1	1	3	13	17	24	23	18	8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	107	-	-	-	1	-	4	15	33	23	24	7	49	-	-	-	-	1	1	4	10	18	8	7
White	99	-	-	-	1	-	3	11	31	23	23	7	49	-	-	-	-	1	1	4	10	18	8	7
All other	8	-	-	-	-	-	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,271	-	-	-	-	8	22	78	240	452	338	135	1,185	-	-	-	-	4	13	60	154	348	373	233
White	1,224	-	-	-	-	8	20	71	226	437	332	130	1,152	-	-	-	-	3	11	55	152	339	363	229
All other	47	-	-	-	-	-	2	5	14	15	6	5	33	-	-	-	-	1	2	5	2	9	10	4
Black	41	-	-	-	-	-	2	5	14	14	3	3	28	-	-	-	-	1	-	4	2	8	9	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,498	-	-	-	-	3	18	107	386	548	361	75	689	-	-	-	-	5	19	77	179	236	129	44
White	1,425	-	-	-	-	3	15	100	364	525	344	74	663	-	-	-	-	5	15	74	167	233	125	44
All other	73	-	-	-	-	-	3	7	22	23	17	1	26	-	-	-	-	-	4	3	12	3	4	-
Black	69	-	-	-	-	-	2	7	21	21	17	1	21	-	-	-	-	-	4	2	8	3	4	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	1	-	1	2	1	-	856	-	-	-	-	15	56	114	159	222	192	98
White	5	-	-	-	-	-	1	-	1	2	1	-	837	-	-	-	-	15	50	109	154	219	192	98
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	-	6	5	5	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	5	4	4	3	-	-
Malignant neoplasms of genital organs (179-187)	623	-	-	-	1	5	1	7	50	182	254	123	453	-	-	-	-	8	19	37	75	131	127	56
White	603	-	-	-	1	5	1	6	48	175	248	119	433	-	-	-	-	7	17	34	71	125	123	56
All other	20	-	-	-	-	-	-	1	2	7	6	4	20	-	-	-	-	1	2	3	4	6	4	-
Black	19	-	-	-	-	-	-	1	2	7	5	4	16	-	-	-	-	-	2	2	4	4	4	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	305	-	-	-	-	-	3	16	57	79	91	59	167	-	-	-	-	-	3	8	27	42	63	24
White	301	-	-	-	-	-	3	16	56	78	89	59	161	-	-	-	-	-	3	7	23	41	63	24
All other	4	-	-	-	-	-	-	-	1	1	2	-	6	-	-	-	-	-	-	1	4	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	4	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	643	-	2	10	9	27	37	61	134	188	136	39	602	-	4	4	5	11	28	54	90	150	152	104
White	622	-	2	10	8	25	35	56	129	185	133	39	591	-	3	4	4	11	26	51	89	148	152	103
All other	21	-	-	-	1	2	2	5	5	3	3	-	11	-	1	-	1	-	2	3	1	2	-	1
Black	20	-	-	-	1	2	2	5	4	3	3	-	10	-	1	-	1	-	2	3	-	2	-	1
Leukemia (204-208)	209	1	2	2	8	10	6	12	21	58	63	26	185	-	1	10	3	8	8	11	14	35	49	46
White	205	1	2	2	8	9	6	11	20	58	62	26	181	-	-	9	3	7	8	11	14	35	49	45
All other	4	-	-	-	-	1	-	1	1	-	1	-	4	-	1	1	-	1	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	1	-	1	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	288	-	-	1	-	7	17	25	51	81	87	19	275	-	-	-	2	9	4	15	35	77	85	48
White	274	-	-	1	-	7	16	23	45	79	85	18	264	-	-	-	1	8	4	13	33	75	84	45
All other	14	-	-	-	-	-	1	2	6	2	2	1	11	-	-	-	1	1	-	2	2	2	1	2
Black	13	-	-	-	-	-	1	2	5	2	2	1	10	-	-	-	-	1	-	2	2	2	1	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	46	-	1	1	3	3	-	4	5	11	11	7	45	-	-	-	1	-	-	2	3	9	19	11
White	44	-	-	1	3	3	-	4	5	11	10	7	41	-	-	-	1	-	-	1	3	8	17	11
All other	2	-	1	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	2	-	1	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Diabetes mellitus (250)	297	-	-	-	2	8	12	11	54	80	88	32	410	-	1	-	2	6	11	13	41	94	140	102
White	281	-	-	-	2	8	10	11	46	87	86	31	390	-	1	-	2	6	11	13	35	88	134	100
All other	16	-	-	-	-	-	2	-	8	3	2	1	20	-	-	-	-	-	-	-	6	6	6	2
Black	15	-	-	-	-	-	2	-	7	3	2	1	19	-	-	-	-	-	-	-	6	6	5	2
Nutritional deficiencies (260-269)	23	-	-	-	-	-	-	1	2	3	6	11	44	-	-	-	-	-	-	1	2	4	10	27
White	23	-	-	-	-	-	-	1	2	3	6	11	43	-	-	-	-	-	-	1	2	4	10	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	33	-	2	1	1	1	3	1	4	4	8	8	52	1	-	1	-	-	-	-	2	5	19	24
White	31	-	2	1	-	-	3	1	4	4	8	8	49	-	-	-	-	-	-	-	2	5	19	23
All other	2	-	-	-	1	1	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	1
Black	2	-	-	-	1	1	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	1
Meningitis (320-322)	6	-	1	1	-	-	-	1	2	-	1	-	10	3	1	-	-	-	-	-	1	1	3	1
White	6	-	1	1	-	-	-	1	2	-	1	-	10	3	1	-	-	-	-	-	1	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,263	12	6	8	17	55	174	454	1,281	2,691	3,395	2,170	10,440	9	4	4	3	23	63	176	564	1,671	3,359	4,564
White	10,021	11	5	7	15	47	154	424	1,236	2,622	3,351	2,149	10,211	8	3	3	2	18	59	154	534	1,620	3,286	4,525
All other	242	1	1	1	2	8	20	30	45	69	44	21	229	1	1	1	1	5	5	22	30	51	73	39
Black	184	1	1	1	2	7	18	19	31	53	35	16	185	1	1	1	-	4	5	21	24	40	60	28
Diseases of heart (390-398,402,404-429)	8,308	12	6	7	12	41	150	411	1,106	2,241	2,681	1,641	7,775	8	4	3	3	12	45	131	454	1,323	2,511	3,281
White	8,113	11	5	7	11	34	136	385	1,068	2,183	2,650	1,623	7,602	7	3	3	2	11	41	114	429	1,264	2,455	3,253
All other	195	1	1	-	1	7	14	26	38	58	31	18	173	1	1	-	1	1	4	17	25	59	56	28
Black	145	1	1	-	1	6	12	16	26	44	25	13	140	1	1	-	-	1	4	16	20	29	50	18
Rheumatic fever and rheumatic heart disease (390-398)	34	-	1	-	1	1	1	2	3	7	14	4	92	-	-	-	1	1	1	5	7	30	29	18
White	33	-	1	-	1	-	1	2	3	7	14	4	90	-	-	-	-	1	-	5	7	30	29	18
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart disease (402)	80	-	-	-	-	1	1	10	16	17	19	16	147	-	-	-	-	-	-	3	11	27	46	60
White	75	-	-	-	-	1	1	9	15	17	17	15	141	-	-	-	-	-	-	3	10	25	44	59
All other	5	-	-	-	-	-	-	1	1	-	2	1	6	-	-	-	-	-	-	-	1	2	2	1
Black	5	-	-	-	-	-	-	1	1	-	2	1	6	-	-	-	-	-	-	-	1	2	2	1
Hypertensive heart and renal disease (404)	17	-	-	-	-	-	1	-	2	3	8	3	29	-	-	-	-	-	-	-	5	4	4	16
White	16	-	-	-	-	-	-	-	2	3	8	3	27	-	-	-	-	-	-	-	3	4	4	16
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Ischemic heart disease (410-414)	6,401	-	-	-	1	21	118	330	879	1,814	2,054	1,184	5,622	-	-	-	-	3	27	85	325	897	1,860	2,325
White	6,269	-	-	-	1	18	109	309	856	1,769	2,032	1,175	5,508	-	-	-	-	3	27	74	309	970	1,821	2,304
All other	132	-	-	-	-	3	9	21	23	45	22	9	114	-	-	-	-	-	-	11	16	27	39	21
Black	93	-	-	-	-	2	7	11	15	34	18	6	90	-	-	-	-	-	-	10	12	20	35	13
Acute myocardial infarction (410)	3,440	-	-	-	-	11	70	220	571	1,082	1,089	437	2,560	-	-	-	-	1	12	49	202	592	931	773
White	3,381	-	-	-	-	11	66	206	558	1,045	1,062	433	2,512	-	-	-	-	1	12	41	194	583	912	769
All other	59	-	-	-	-	-	4	14	13	17	7	4	48	-	-	-	-	-	-	8	8	9	19	4
Black	37	-	-	-	-	-	3	9	9	10	4	2	37	-	-	-	-	-	-	7	5	6	17	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	49	-	-	-	-	-	5	4	9	20	9	2	44	-	-	-	-	-	-	1	6	15	12	10
White	40	-	-	-	-	-	3	4	7	15	9	2	40	-	-	-	-	-	-	-	6	12	12	10
All other	9	-	-	-	-	-	2	-	2	5	-	-	4	-	-	-	-	-	-	1	-	3	-	-
Black	8	-	-	-	-	-	2	-	2	4	-	-	4	-	-	-	-	-	-	1	-	3	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	1	1	4	1	11	-	-	-	-	-	1	-	2	1	2	5
White	7	-	-	-	-	-	-	-	1	1	4	1	10	-	-	-	-	-	1	-	1	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,905	-	-	-	1	10	43	106	298	731	972	744	3,007	-	-	-	-	2	14	35	115	389	915	1,537
White	2,841	-	-	-	1	7	40	99	290	708	957	739	2,946	-	-	-	-	2	14	33	108	374	895	1,520
All other	64	-	-	-	-	3	3	7	8	23	15	5	61	-	-	-	-	-	-	2	7	15	20	17
Black	48	-	-	-	-	2	2	2	4	20	14	4	48	-	-	-	-	-	-	2	6	11	18	11
Other diseases of endocardium (424)	109	-	-	-	1	-	3	3	13	19	44	26	124	-	-	1	-	-	-	2	6	27	45	43
White	107	-	-	-	1	-	2	3	12	19	44	26	121	-	-	1	-	-	-	2	5	26	45	42
All other	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other forms of heart disease (415-423,425-429)	1,667	12	5	7	9	18	26	66	193	381	542	408	1,761	8	4	2	2	6	17	36	100	238	527	819
White	1,613	11	4	7	8	15	23	62	180	368	535	400	1,715	7	3	2	2	7	14	30	95	229	512	814
All other	54	1	1	-	1	3	3	4	13	13	7	8	46	1	1	-	-	-	3	6	5	9	15	5
Black	43	1	1	-	1	3	3	4	9	10	5	6	39	1	1	-	-	1	3	6	4	6	13	4
Hypertension with or without renal disease (401,403)	74	-	-	-	-	2	1	2	10	18	20	21	103	1	-	-	-	-	-	-	3	20	40	39
White	72	-	-	-	-	2	1	2	9	18	19	21	96	1	-	-	-	-	-	-	3	18	36	38
All other	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	-	-	2	4	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Cerebrovascular diseases (430-438)	1,322	-	-	-	4	5	18	30	117	291	515	342	1,997	-	-	1	-	11	16	37	87	275	642	928
White	1,287	-	-	-	3	5	13	27	113	280	507	339	1,958	-	-	1	-	7	15	34	83	267	630	922
All other	35	-	-	-	1	-	5	3	4	11	8	3	39	-	-	1	-	4	1	3	4	8	12	6
Black	29	-	-	-	1	-	5	3	3	9	5	3	32	-	-	1	-	3	1	3	4	7	8	5
Intracerebral and other intracranial hemorrhage (431-432)	201	-	-	-	3	3	12	9	37	48	63	26	239	-	-	-	-	3	6	10	21	61	84	54
White	191	-	-	-	2	3	9	8	35	46	62	26	233	-	-	-	-	2	5	9	21	59	83	54
All other	10	-	-	-	1	-	3	1	2	2	1	-	6	-	-	-	-	1	1	1	-	2	1	-
Black	8	-	-	-	1	-	3	1	1	2	-	-	5	-	-	-	-	1	1	1	-	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	179	-	-	-	-	-	1	3	15	45	70	45	286	-	-	1	-	2	-	3	11	46	98	125
White	175	-	-	-	-	-	-	3	15	43	70	44	277	-	-	-	-	-	-	3	10	45	96	123
All other	4	-	-	-	-	-	1	-	-	2	-	1	9	-	-	1	-	2	-	-	1	1	2	2
Black	3	-	-	-	-	-	1	-	-	1	-	1	7	-	-	1	-	2	-	-	1	1	1	1
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	11	-	-	-	-	-	-	-	-	1	5	5
White	2	-	-	-	-	-	-	-	-	-	2	-	11	-	-	-	-	-	-	-	-	1	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	940	-	-	-	1	2	5	18	65	198	380	271	1,461	-	-	-	-	6	10	24	55	167	455	744
White	919	-	-	-	1	2	4	16	63	191	373	269	1,437	-	-	-	-	5	10	22	52	162	446	740
All other	21	-	-	-	-	-	1	2	2	7	7	2	24	-	-	-	-	1	-	2	3	5	9	4
Black	18	-	-	-	-	-	1	2	2	6	5	2	20	-	-	-	-	-	-	2	3	5	6	4
Atherosclerosis (440)	232	-	-	-	-	-	-	4	11	37	69	111	324	-	-	-	-	-	-	-	1	16	82	225
White	229	-	-	-	-	-	-	4	10	37	67	111	323	-	-	-	-	-	-	-	1	16	82	224
All other	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	327	-	-	1	1	7	5	7	37	104	110	55	241	-	-	-	-	-	2	8	19	37	84	91
White	320	-	-	-	1	6	4	6	36	104	108	55	232	-	-	-	-	-	2	6	18	35	83	88
All other	7	-	-	1	-	1	1	1	1	-	2	-	9	-	-	-	-	-	-	2	1	2	1	3
Black	6	-	-	1	-	1	1	-	1	-	2	-	7	-	-	-	-	-	-	2	-	2	-	3
Acute bronchitis and bronchiolitis (466)	8	-	-	-	-	-	1	-	-	-	2	5	13	1	1	-	-	-	-	-	2	-	2	7
White	8	-	-	-	-	-	1	-	-	-	2	5	13	1	1	-	-	-	-	-	2	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	761	10	3	1	3	8	4	18	40	110	268	296	848	8	5	2	5	5	12	13	27	76	227	468
White	738	7	2	1	3	6	2	14	38	107	264	294	823	7	4	2	4	4	10	9	26	74	220	463
All other	23	3	1	-	-	2	2	4	2	3	4	2	25	1	1	-	1	1	2	4	1	2	7	5
Black	18	3	1	-	-	2	2	2	2	2	3	1	20	1	1	-	1	1	2	3	1	2	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	742	10	3	1	3	8	4	18	39	104	262	290	810	7	4	2	5	5	11	12	26	72	215	451
White	719	7	2	1	3	6	2	14	37	101	258	288	787	6	3	2	4	4	9	8	25	70	210	446
All other	23	3	1	-	-	2	2	4	2	3	4	2	23	1	1	-	1	1	2	4	1	2	5	5
Black	18	3	1	-	-	2	2	2	2	2	3	1	20	1	1	-	1	1	2	3	1	2	5	3
Influenza (487)	19	-	-	-	-	-	-	-	1	6	6	6	38	1	1	-	-	-	1	1	1	4	12	17
White	19	-	-	-	-	-	-	-	1	6	6	6	36	1	1	-	-	-	1	1	1	4	10	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	899	-	-	-	4	1	2	18	91	309	342	132	464	-	-	1	2	4	4	15	63	142	156	77
White	884	-	-	-	4	1	2	18	89	303	338	129	447	-	-	1	2	3	3	12	58	138	155	75
All other	15	-	-	-	-	-	-	-	2	6	4	3	17	-	-	-	-	1	1	3	5	4	1	2
Black	12	-	-	-	-	-	-	-	2	4	4	2	14	-	-	-	-	1	1	3	3	3	1	2
Bronchitis, chronic and unspecified (490-491)	31	-	-	-	-	-	-	1	2	9	15	4	21	-	-	-	-	-	-	-	3	6	7	5
White	31	-	-	-	-	-	-	1	2	9	15	4	20	-	-	-	-	-	-	-	3	5	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	189	-	-	-	-	-	1	7	21	66	62	32	85	-	-	-	-	-	-	3	14	37	25	6
White	186	-	-	-	-	-	1	7	20	64	62	32	85	-	-	-	-	-	-	3	14	37	25	6
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	38	-	-	-	4	-	-	2	5	14	9	4	53	-	-	1	2	4	4	1	8	15	12	6
White	36	-	-	-	4	-	-	2	5	13	9	3	48	-	-	1	2	3	3	-	6	15	12	6
All other	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	1	1	1	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	641	-	-	-	-	1	1	8	63	220	256	92	305	-	-	-	-	-	-	11	38	84	112	60
White	631	-	-	-	-	1	1	8	62	217	252	90	294	-	-	-	-	-	-	9	35	81	111	58
All other	10	-	-	-	-	-	-	-	1	3	4	2	11	-	-	-	-	-	-	2	3	3	1	2
Black	9	-	-	-	-	-	-	-	1	2	4	2	9	-	-	-	-	-	-	2	2	2	1	2
Ulcer of stomach and duodenum (531-533)	60	-	-	-	-	-	-	3	5	10	20	22	65	-	-	-	-	-	1	1	6	4	25	28
White	58	-	-	-	-	-	-	3	5	10	20	20	63	-	-	-	-	-	1	-	6	4	24	28
All other	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	57	1	-	1	-	-	1	2	4	15	21	12	86	2	1	-	1	-	-	2	4	11	31	34
White	56	1	-	1	-	-	1	2	4	15	20	12	84	2	1	-	1	-	-	2	4	10	30	34
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic liver disease and cirrhosis (571)	241	-	-	-	-	11	17	37	74	73	26	3	132	-	-	-	1	5	6	23	35	34	24	4
White	229	-	-	-	-	9	15	33	73	71	25	3	125	-	-	-	-	5	6	20	33	34	23	4
All other	12	-	-	-	-	2	2	4	1	2	1	-	7	-	-	-	1	-	-	3	2	-	1	-
Black	8	-	-	-	-	2	2	2	-	1	1	-	4	-	-	-	1	-	-	2	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	28	-	-	-	-	-	2	-	-	5	10	9	43	-	-	-	-	-	-	1	3	7	11	21
White	26	-	-	-	-	-	2	-	-	5	10	9	43	-	-	-	-	-	-	1	3	7	11	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	189	2	1	-	1	2	-	3	15	38	67	62	177	1	-	-	-	-	2	1	16	31	57	69
White	181	1	1	-	1	2	-	2	14	34	66	60	166	1	-	-	-	-	1	1	11	30	54	68
All other	8	1	-	-	-	-	-	1	1	2	1	2	11	-	-	-	-	-	1	-	5	1	3	1
Black	7	1	-	-	-	-	-	1	1	2	1	1	8	-	-	-	-	-	1	-	3	-	3	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	1	1	–	1	1	1	8	2	12	–	–	–	–	–	–	–	1	3	3	5
White	15	–	–	–	1	1	–	1	1	1	8	2	12	–	–	–	–	–	–	–	1	3	3	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	172	2	1	–	–	1	–	2	13	34	59	60	163	1	–	–	–	–	2	1	15	27	53	64
White	164	1	1	–	–	1	–	1	12	32	58	58	152	1	–	–	–	–	1	1	10	26	50	63
All other	8	1	–	–	–	–	–	1	1	2	1	2	11	–	–	–	–	–	1	–	5	1	3	1
Black	7	1	–	–	–	–	–	1	1	2	1	1	8	–	–	–	–	–	1	–	3	–	3	1
Infections of kidney (590)	9	–	–	–	–	–	–	–	1	1	4	3	28	–	–	–	–	–	–	–	2	7	6	13
White	9	–	–	–	–	–	–	–	1	1	4	3	27	–	–	–	–	–	–	–	2	7	5	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Hyperplasia of prostate (600)	15	–	–	–	–	–	–	–	–	2	7	6	---	---	---	---	---	---	---	---	---	---	---	---
White	15	–	–	–	–	–	–	–	–	2	7	6	---	---	---	---	---	---	---	---	---	---	---	---
All other	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Black	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	–	–	1	2	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	–	–	2	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Pregnancy with abortive outcome (630-636)	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	–	–	1	2	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	–	–	2	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Congenital anomalies (740-759)	125	87	6	2	12	3	1	2	3	4	5	–	113	75	8	1	7	2	4	–	5	6	3	2
White	113	78	6	1	10	3	1	2	3	4	5	–	103	66	8	1	6	2	4	–	5	6	3	2
All other	12	9	–	1	2	–	–	–	–	–	–	–	10	9	–	–	1	–	–	–	–	–	–	–
Black	6	3	–	1	2	–	–	–	–	–	–	–	7	6	–	–	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	166	164	–	–	1	1	–	–	–	–	–	–	110	109	1	–	–	–	–	–	–	–	–	–
White	126	124	–	–	1	1	–	–	–	–	–	–	88	87	1	–	–	–	–	–	–	–	–	–
All other	40	40	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	37	37	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	41	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
White	37	37	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	125	123	–	–	1	1	–	–	–	–	–	–	82	81	1	–	–	–	–	–	–	–	–	–
White	89	87	–	–	1	1	–	–	–	–	–	–	65	64	1	–	–	–	–	–	–	–	–	–
All other	36	36	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	34	34	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	136	82	2	–	–	2	6	2	4	13	14	10	111	47	–	1	1	4	2	4	6	10	13	23
White	114	66	1	–	–	2	4	2	3	13	13	9	97	37	–	1	1	4	1	4	5	9	13	22
All other	22	16	1	–	–	–	2	–	1	–	1	1	14	10	–	–	–	–	1	–	1	1	–	1
Black	18	12	1	–	–	–	2	–	1	–	1	1	12	8	–	–	–	–	1	–	1	1	–	1
All other diseases (Residual)	1,574	19	11	10	23	40	54	86	183	330	487	331	1,751	5	9	5	12	19	30	44	116	265	579	667
White	1,512	15	9	10	21	33	49	80	170	323	475	327	1,692	3	9	5	11	15	26	39	108	254	567	655
All other	62	4	2	–	2	7	5	6	13	7	12	4	59	2	–	–	1	4	4	5	8	11	12	12
Black	50	1	2	–	2	7	5	5	11	6	9	2	56	2	–	–	1	4	4	5	7	11	12	10
Accidents and adverse effects (E800-E949)	1,093	6	29	49	257	202	130	77	87	88	103	65	473	6	17	21	83	57	39	17	39	39	73	82
White	1,018	5	26	41	238	189	118	68	84	83	102	64	450	4	14	18	80	55	37	16	37	38	70	81
All other	75	1	3	8	19	13	12	9	3	5	1	1	23	2	3	3	3	2	2	1	2	1	3	1
Black	41	1	2	4	10	11	6	5	1	1	–	–	18	2	3	2	2	2	1	–	1	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	526	1	6	22	186	122	74	31	30	25	20	7	239	–	9	15	70	41	26	12	20	23	18	5
White	499	1	6	18	178	119	68	29	29	24	20	7	229	–	8	13	67	41	25	11	18	23	18	5
All other	27	–	–	4	10	3	6	2	1	1	–	–	10	–	1	2	3	–	1	1	2	–	–	–
Black	11	–	–	2	4	2	3	–	–	–	–	–	5	–	1	1	2	–	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	567	5	23	27	69	80	56	46	57	63	83	58	234	6	8	6	13	16	13	5	19	16	55	77
White	519	4	20	23	60	70	50	39	55	59	82	57	221	4	6	5	13	14	12	5	19	15	52	76
All other	48	1	3	4	9	10	6	7	2	4	1	1	13	2	2	1	–	2	1	–	–	1	3	1
Black	30	1	2	2	6	9	3	5	1	1	–	–	13	2	2	1	–	2	1	–	–	1	3	1
Suicide (E950-E959)	472	...	...	4	104	98	70	51	52	51	37	5	124	...	...	3	21	22	19	15	25	13	5	1
White	451	...	...	4	99	88	67	50	50	51	37	5	119	...	...	3	18	21	19	15	25	12	5	1
All other	21	...	...	–	5	10	3	1	2	–	–	–	5	...	...	–	3	1	–	–	–	1	–	–
Black	13	...	...	–	2	7	2	1	1	–	–	–	5	...	...	–	3	1	–	–	–	1	–	–
Homicide and legal intervention (E960-E978)	118	3	1	4	38	39	11	10	6	6	–	1	49	1	4	1	14	12	9	3	1	–	1	2
White	67	1	–	2	25	16	7	7	3	4	–	1	32	1	3	–	7	7	6	3	1	–	1	2
All other	51	2	1	2	11	23	4	3	3	2	–	–	17	–	1	1	7	5	3	–	–	–	–	–
Black	46	2	1	2	10	23	2	2	2	2	–	–	15	–	–	1	6	5	3	–	–	–	–	–
All other external causes (E980-E999)	27	1	2	1	3	9	5	1	2	–	2	–	17	1	1	1	2	2	3	2	4	1	–	–
White	22	1	1	–	2	7	5	1	2	–	2	–	14	1	–	1	2	2	3	1	3	1	–	–
All other	5	–	1	1	1	2	–	–	–	–	–	–	3	–	1	–	–	–	–	1	1	–	–	–
Black	5	–	1	1	1	2	–	–	–	–	–	–	3	–	1	–	–	–	–	1	1	–	–	–
WYOMING																								
All causes	1,773	53	13	6	85	94	80	92	230	425	455	230	1,445	41	13	11	28	31	35	73	146	269	386	412
White	1,729	50	13	5	78	92	84	88	225	422	444	228	1,415	38	11	10	27	31	32	69	142	263	382	410
All other	44	3	–	1	7	2	6	4	5	3	11	2	30	3	2	1	1	–	3	4	4	6	4	2
Black	9	–	–	1	–	–	–	1	2	1	3	1	13	–	1	1	1	–	–	–	2	3	3	2
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	13	–	–	–	–	1	–	1	1	2	4	4	17	–	2	–	–	–	–	2	2	2	1	8
White	12	–	–	–	–	–	–	1	1	2	4	4	15	–	1	–	–	–	–	2	2	2	–	8
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	1	-	-	-	-	2	-	-	1	-	-	4	-	1	-	-	-	-	-	1	1	-	1
White	4	1	-	-	-	-	2	-	-	1	-	-	4	-	1	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	362	1	-	1	3	4	10	29	83	94	92	45	283	-	1	-	-	3	16	26	62	77	57	41
White	355	1	-	-	3	4	10	28	82	93	90	44	282	-	1	-	-	3	16	25	62	77	57	41
All other	7	-	-	1	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	1	-	-	1	-	1
White	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	1	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	76	-	-	-	-	-	3	11	17	23	12	10	63	-	-	-	-	-	1	3	9	19	17	14
White	74	-	-	-	-	-	3	10	17	23	12	9	63	-	-	-	-	-	1	3	9	18	17	14
All other	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	112	-	-	-	-	-	2	6	32	37	24	11	52	-	-	-	-	-	-	8	13	22	9	-
White	110	-	-	-	-	-	2	6	32	36	23	11	51	-	-	-	-	-	-	7	13	22	9	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	63	-	-	-	-	3	4	7	15	12	11	11
White	-	-	-	-	-	-	-	-	-	-	-	-	63	-	-	-	-	3	4	7	15	12	11	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	53	-	-	-	-	-	-	-	2	10	30	11	23	-	-	-	-	-	3	1	6	7	3	3
White	53	-	-	-	-	-	-	-	2	10	30	11	23	-	-	-	-	-	3	1	6	7	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	22	-	-	-	-	-	2	2	3	5	5	5	9	-	-	-	-	-	-	2	2	2	-	3
White	22	-	-	-	-	-	2	2	3	5	5	5	9	-	-	-	-	-	-	2	2	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57	-	-	-	1	1	1	8	19	12	12	3	42	-	1	-	-	-	4	4	11	7	9	6
White	56	-	-	-	1	1	1	8	19	12	11	3	42	-	1	-	-	-	4	4	11	7	9	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	24	1	-	1	1	-	2	1	5	3	6	4	11	-	-	-	-	-	2	-	3	1	4	1
White	22	1	-	-	1	-	2	1	4	3	6	4	11	-	-	-	-	-	2	-	3	1	4	1
All other	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	-	-	-	1	3	-	1	3	4	3	1	17	-	-	-	-	-	1	1	3	6	4	2
White	16	-	-	-	1	3	-	1	3	4	3	1	17	-	-	-	-	-	1	1	3	6	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	1	1	-	1	1	1	1	4	5	-	-	-	-	-	-	-	2	2	-	1
White	10	-	-	-	1	1	-	1	1	1	1	4	5	-	-	-	-	-	-	-	2	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	27	-	-	-	-	2	5	1	2	10	3	4	32	-	-	-	1	1	1	1	6	4	8	10
White	26	-	-	-	-	2	4	1	2	10	3	4	30	-	-	-	-	1	1	1	5	4	8	10
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	-	1	1	5	1	-	-	-	-	-	-	-	1	1	2
White	2	-	-	-	-	-	-	-	1	-	-	1	5	1	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	3	2
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	656	4	1	-	3	7	22	25	85	189	204	106	611	-	-	-	1	2	2	15	36	102	222	231
White	645	3	1	-	3	7	22	25	82	198	199	105	600	-	-	-	1	2	1	15	35	97	219	230
All other	11	1	-	-	-	-	-	-	3	1	5	1	11	-	-	-	-	-	1	-	1	5	3	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	1	3	2	1
Diseases of heart (390-398,402,404-429)	532	4	-	-	3	5	21	22	74	166	155	82	458	-	-	-	1	1	1	10	30	79	164	172
White	524	3	-	-	3	5	21	22	71	166	152	81	450	-	-	-	1	1	1	10	29	75	161	172
All other	8	1	-	-	-	-	-	-	3	-	3	1	8	-	-	-	-	-	-	-	1	4	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	-	-	-	1	-	1	-	9	-	-	-	-	-	-	1	3	2	-	3
White	2	-	-	-	-	-	-	-	1	-	1	-	9	-	-	-	-	-	-	1	3	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	1	-	4
White	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	364	1	-	-	-	3	18	20	52	120	110	40	263	-	-	-	-	-	-	6	13	47	102	95
White	358	1	-	-	-	3	18	20	49	120	107	40	259	-	-	-	-	-	-	6	13	45	100	95
All other	6	-	-	-	-	-	-	-	3	-	3	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Acute myocardial infarction (410)	214	1	-	-	-	3	6	15	34	68	68	19	137	-	-	-	-	-	-	4	9	21	64	39
White	208	1	-	-	-	3	6	15	31	68	65	19	134	-	-	-	-	-	-	4	9	20	62	39
All other	6	-	-	-	-	-	-	-	3	-	3	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	149	-	-	-	-	-	12	5	18	51	42	21	125	-	-	-	-	-	-	2	4	26	37	56
White	149	-	-	-	-	-	12	5	18	51	42	21	124	-	-	-	-	-	-	2	4	25	37	56
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	4	-	-	-	-	1	-	-	-	1	1	1	9	-	-	-	-	-	-	1	1	1	3	3
White	4	-	-	-	-	1	-	-	-	1	1	1	9	-	-	-	-	-	-	1	1	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	160	3	-	-	3	1	3	2	21	44	43	40	171	-	-	-	1	1	1	2	13	28	59	66
White	158	2	-	-	3	1	3	2	21	44	43	39	168	-	-	-	1	1	1	2	12	27	58	66
All other	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertension with or without renal disease (401,403)	2	-	-	-	-	-	-	-	-	1	-	1	10	-	-	-	-	-	-	-	-	5	2	3
White	2	-	-	-	-	-	-	-	-	1	-	1	10	-	-	-	-	-	-	-	-	5	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	80	-	-	-	-	-	1	2	6	18	34	19	118	-	-	-	-	1	1	5	6	14	49	42
White	77	-	-	-	-	-	1	2	6	17	32	19	115	-	-	-	-	1	-	5	6	13	49	41
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	1	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Intracerebral and other intracranial hemorrhage (431-432)	12	-	-	-	-	-	-	-	3	2	5	2	10	-	-	-	-	1	1	1	-	2	4	1
White	12	-	-	-	-	-	-	-	3	2	5	2	9	-	-	-	-	1	-	1	-	2	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	-	-	-	2	1	4	-
White	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	-	-	-	2	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	66	-	-	-	-	-	-	2	3	16	28	17	101	-	-	-	-	-	-	4	4	11	41	41
White	63	-	-	-	-	-	-	2	3	15	26	17	99	-	-	-	-	-	-	4	4	10	41	40
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Atherosclerosis (440)	14	-	-	-	-	-	-	-	1	3	7	3	19	-	-	-	-	-	-	-	-	2	5	12
White	14	-	-	-	-	-	-	-	1	3	7	3	19	-	-	-	-	-	-	-	-	2	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	28	-	1	-	-	2	-	1	4	11	8	1	6	-	-	-	-	-	-	-	-	2	2	2
White	28	-	1	-	-	2	-	1	4	11	8	1	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	68	1	1	-	2	-	2	-	4	12	24	22	52	1	-	-	-	-	-	-	2	5	16	28
White	66	1	1	-	2	-	2	-	3	12	23	22	52	1	-	-	-	-	-	-	2	5	16	28
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	64	1	1	-	2	-	2	-	4	10	23	21	51	1	-	-	-	-	-	-	2	5	15	28
White	63	1	1	-	2	-	2	-	3	10	23	21	51	1	-	-	-	-	-	-	2	5	15	28
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	115	-	-	-	-	-	1	-	8	41	54	11	62	-	-	-	-	-	2	4	10	21	21	4
White	115	-	-	-	-	-	1	-	8	41	54	11	62	-	-	-	-	-	2	4	10	21	21	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	2	-	-	2	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	2	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	17	-	-	-	-	-	-	-	2	7	7	1	5	-	-	-	-	-	-	-	-	3	1	1
White	17	-	-	-	-	-	-	-	2	7	7	1	5	-	-	-	-	-	-	-	-	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	-	1	3	-
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	95	-	-	-	-	-	1	-	5	33	46	10	47	-	-	-	-	-	-	3	10	15	16	3
White	95	-	-	-	-	-	1	-	5	33	46	10	47	-	-	-	-	-	-	3	10	15	16	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	2	-	-	1	-	4	1	2	7	-	-	-	-	-	-	-	1	2	2	2
White	10	-	-	-	2	-	-	1	-	4	1	2	7	-	-	-	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	-	1	-	1	2	1
White	5	-	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	-	1	-	1	2	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	25	-	-	-	-	1	4	5	7	6	1	1	13	-	-	-	-	-	-	4	4	2	3	-
White	22	-	-	-	-	1	2	4	7	6	1	1	12	-	-	-	-	-	-	3	4	2	3	-
All other	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	2	-	-	4	1	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	-	2	-	-	4	1	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	-	-	-	-	-	-	1	1	3	4	2	16	-	-	-	-	-	-	1	-	3	4	8
White	11	-	-	-	-	-	-	1	1	3	4	2	15	-	-	-	-	-	-	1	-	2	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	-	-	-	-	-	-	-	1	3	4	2	14	-	-	-	-	-	-	1	-	2	3	8
White	10	-	-	-	-	-	-	-	1	3	4	2	13	-	-	-	-	-	-	1	-	1	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	16	10	2	-	-	1	1	1	-	1	-	-	10	8	-	1	-	-	-	-	-	-	1	-
White	16	10	2	-	-	1	1	1	-	1	-	-	9	7	-	1	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	19	18	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	19	18	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	14	13	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	14	13	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	16	11	-	-	-	-	-	-	-	1	2	2	37	14	-	-	-	1	-	-	1	3	3	15
White	15	10	-	-	-	-	-	-	-	1	2	2	36	13	-	-	-	1	-	-	1	3	3	15
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	128	3	1	-	2	6	4	8	17	27	42	18	141	2	1	2	-	3	2	6	11	34	35	45
White	123	3	1	-	2	6	3	7	17	26	40	18	139	2	1	2	-	3	2	5	10	34	35	45
All other	5	-	-	-	-	-	1	1	-	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	170	2	6	4	56	40	21	12	8	6	10	5	92	-	6	7	22	11	9	10	6	4	5	12
White	163	2	6	4	52	39	20	11	8	6	10	5	87	-	5	6	22	11	9	9	5	4	5	11
All other	7	-	-	-	4	1	1	1	-	-	-	-	5	-	1	1	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	1
Motor vehicle accidents (E810-E825)	95	1	4	3	40	27	8	6	3	1	2	-	57	-	3	5	21	7	6	8	1	3	-	3
White	90	1	4	3	36	26	8	6	3	1	2	-	53	-	2	4	21	7	6	7	1	3	-	2
All other	5	-	-	-	4	1	-	-	-	-	-	-	4	-	1	1	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	75	1	2	1	16	13	13	6	5	5	8	5	35	-	3	2	1	4	3	2	5	1	5	9
White	73	1	2	1	16	13	12	5	5	5	8	5	34	-	3	2	1	4	3	2	4	1	5	9
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	84	...	...	1	12	23	14	6	10	9	9	-	13	...	...	-	3	3	1	2	1	3	-	-
White	81	...	...	1	10	23	13	6	10	9	9	-	13	...	...	-	3	3	1	2	1	3	-	-
All other	3	...	...	-	2	-	1	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	17	-	-	-	4	7	4	1	-	1	-	-	11	-	1	-	1	6	1	1	-	1	-	-
White	16	-	-	-	3	7	4	1	-	1	-	-	10	-	1	-	1	6	-	1	-	1	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	-	-	1	-	-	2	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
White	3	-	-	-	-	1	-	-	2	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1986

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,108,384	37,597	2,113	26,404	23,898	204,020	21,260	28,175	5,715	9,230
Shigellosis and amebiasis (004,006)	13	1	–	1	–	1	1	–	–	–
Certain other intestinal infections (007-009)	347	6	1	4	3	69	5	5	–	6
Tuberculosis (010-018)	1,788	54	–	30	31	171	15	17	9	14
Tuberculosis of respiratory system (010-012)	1,409	42	–	26	27	134	13	11	8	12
Other tuberculosis (013-018)	379	12	–	4	4	37	2	6	1	2
Whooping cough (033)	6	–	–	–	–	–	1	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	12	1	–	–	–	3	–	1	–	–
Meningococcal infection (036)	287	2	2	4	5	43	4	4	4	2
Septicemia (038)	18,821	304	6	168	236	881	202	331	53	178
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	2	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1,014	21	3	20	12	203	8	13	2	10
Syphilis (090-097)	80	1	–	–	–	11	1	4	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9,313	121	6	139	56	1,729	97	115	26	116
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	469,772	8,091	418	5,890	4,981	46,684	4,427	6,903	1,398	2,344
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,301	144	5	83	75	909	64	131	30	75
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	1,874	92	1,356	1,072	11,507	1,080	1,844	331	574
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	130,528	2,407	143	1,574	1,575	12,609	1,127	1,708	399	560
Malignant neoplasm of breast (174-175)	40,814	546	43	501	340	4,143	445	665	132	205
Malignant neoplasms of genital organs (179-187)	51,279	903	28	691	519	5,096	521	772	156	308
Malignant neoplasms of urinary organs (188-189)	19,130	253	13	281	186	1,793	180	287	49	83
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	59,499	1,254	84	844	776	6,133	551	884	191	312
Leukemia (204-208)	17,414	292	15	227	175	1,774	175	221	49	99
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26,198	418	15	333	263	2,720	284	391	61	148
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,740	103	9	88	64	585	45	103	20	38
Diabetes mellitus (250)	37,213	726	26	477	336	3,021	349	519	165	156
Nutritional deficiencies (260-269)	2,863	57	2	41	34	206	48	31	7	11
Anemias (280-285)	3,715	84	3	34	38	273	38	57	9	13
Meningitis (320-322)	1,164	20	2	23	12	121	12	12	6	14
Major cardiovascular diseases (390-448)	969,566	16,966	640	10,650	11,631	88,939	8,663	12,951	2,473	3,210
Diseases of heart (390-398,402,404-429)	766,593	12,942	515	8,553	9,140	68,448	6,605	10,392	2,045	2,567
Rheumatic fever and rheumatic heart disease (390-398)	6,464	74	6	84	31	788	104	94	15	19
Hypertensive heart disease (402)	20,548	377	7	138	120	2,665	120	217	106	204
Hypertensive heart and renal disease (404)	2,497	53	1	20	15	256	25	20	5	14
Ischemic heart disease (410-414)	521,471	7,650	372	6,156	5,154	48,087	4,792	7,018	1,097	1,070
Acute myocardial infarction (410)	261,399	5,016	160	2,655	3,215	20,337	2,399	2,911	583	520
Other acute and subacute forms of ischemic heart disease (411)	3,873	29	1	431	9	211	49	13	7	2
Angina pectoris (413)	990	19	–	12	10	61	12	35	3	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	255,209	2,586	211	3,058	1,920	27,478	2,332	4,059	504	545
Other diseases of endocardium (424)	10,145	161	10	142	68	1,206	117	170	26	36
All other forms of heart disease (415-423,425-429)	205,468	4,627	117	2,013	3,752	15,446	1,447	2,873	796	1,224
Hypertension with or without renal disease (401,403)	7,988	201	7	83	66	720	100	110	21	37
Cerebrovascular diseases (430-438)	149,801	2,976	91	1,460	1,998	15,154	1,339	1,845	285	457
Intracerebral and other intracranial hemorrhage (431-432)	20,526	392	8	237	212	2,204	191	265	27	108
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23,486	440	17	173	241	2,509	141	312	49	57
Cerebral embolism (434.1)	785	14	–	7	8	80	7	11	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	105,002	2,130	66	1,043	1,537	10,361	1,000	1,257	208	289
Atherosclerosis (440)	22,720	468	10	277	203	2,296	354	296	54	51
Other diseases of arteries, arterioles, and capillaries (441-448)	22,464	379	17	277	224	2,321	265	308	68	98
Acute bronchitis and bronchiolitis (466)	589	11	–	10	6	70	6	8	–	–
Pneumonia and influenza (480-487)	69,861	959	35	846	790	7,624	867	1,038	163	276
Pneumonia (480-486)	68,022	936	34	830	767	7,535	838	1,011	162	275
Influenza (487)	1,839	23	1	16	23	89	29	27	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78,607	1,336	62	1,431	778	8,489	1,142	890	189	174
Bronchitis, chronic and unspecified (490-491)	3,753	47	5	58	40	472	51	52	5	11
Emphysema (492)	14,479	259	12	336	157	2,023	204	118	37	37
Asthma (493)	3,964	56	6	92	35	463	69	47	6	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54,411	974	39	945	546	5,531	818	673	141	107
Ulcer of stomach and duodenum (531-533)	6,484	108	4	88	72	814	106	81	15	24
Appendicitis (540-543)	514	18	3	9	6	64	6	4	2	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,449	79	6	50	54	527	69	69	14	25
Chronic liver disease and cirrhosis (571)	26,194	351	32	377	156	3,987	303	319	89	234
Cholelithiasis and other disorders of gallbladder (574-575)	2,958	56	6	36	34	249	34	39	3	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,787	418	11	263	306	1,393	174	275	110	122
Acute glomerulonephritis and nephrotic syndrome (580-581)	293	8	–	2	5	21	4	2	1	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,505	30	2	9	17	138	23	18	5	7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,989	380	9	252	284	1,234	147	255	104	112
Infections of kidney (590)	1,872	67	–	17	22	209	24	9	7	9
Hyperplasia of prostate (600)	508	10	–	3	2	60	6	4	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	273	12	1	2	1	32	1	5	–	2
Pregnancy with abortive outcome (630-638)	51	3	1	–	–	4	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	222	9	–	2	1	28	1	4	–	2
Congenital anomalies (740-759)	12,708	252	28	193	106	1,532	171	153	29	117
Certain conditions originating in the perinatal period (760-779)	18,404	405	49	233	122	1,889	214	220	65	248
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4,895	108	22	51	39	533	48	56	7	67
Other conditions originating in the perinatal period (760-766,770-779)	13,709	297	27	182	83	1,356	166	164	58	181
Symptoms, signs, and ill-defined conditions (780-799)	31,457	894	56	326	634	1,504	184	368	29	306
All other diseases (Residual)	158,277	2,831	159	2,121	1,547	14,370	1,834	2,177	442	952
Accidents and adverse effects (E800-E949)	95,823	2,183	388	1,812	1,251	10,909	1,312	982	253	269
Motor vehicle accidents (E810-E825)	48,140	1,180	98	1,073	624	5,523	657	448	160	86
All other accidents and adverse effects (E800-E807,E826-E949)	47,883	1,003	290	739	627	5,386	655	534	93	183
Suicide (E950-E959)	30,950	502	74	637	329	3,963	588	303	86	92
Homicide and legal intervention (E960-E978)	21,827	461	43	351	226	3,160	241	149	36	197
All other external causes (E980-E999)	3,126	86	38	28	17	235	62	18	10	58

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1986—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	124,734	50,022	6,171	7,050	100,577	49,726	26,763	21,642	34,173	38,891
Shigellosis and amebiasis (004,006)	1	–	–	–	2	–	–	–	–	1
Certain other intestinal infections (007-009)	20	8	1	–	16	5	1	2	2	8
Tuberculosis (010-018)	124	72	10	3	69	30	7	8	32	38
Tuberculosis of respiratory system (010-012)	97	53	7	2	58	22	6	7	26	35
Other tuberculosis (013-018)	27	19	3	1	11	8	1	1	6	3
Whooping cough (033)	–	–	–	–	–	–	–	1	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	1	–	–	–
Meningococcal infection (036)	14	6	–	–	15	3	2	1	4	3
Septicemia (038)	855	472	58	37	879	489	158	154	333	532
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	1
Viral hepatitis (070)	70	34	5	3	38	14	3	7	17	22
Syphilis (090-097)	7	1	–	–	4	2	1	–	–	6
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	527	236	33	21	339	136	73	65	93	110
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	28,615	10,449	1,443	1,501	22,433	11,196	5,791	4,505	7,411	8,125
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	582	223	47	27	370	167	104	71	105	144
Malignant neoplasms of digestive organs and peritoneum (150-159)	7,169	2,316	450	358	5,698	2,716	1,590	1,156	1,705	1,955
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	8,699	3,145	368	359	6,128	3,289	1,493	1,174	2,462	2,507
Malignant neoplasm of breast (174-175)	2,335	860	106	117	2,067	966	477	408	572	575
Malignant neoplasms of genital organs (179-187)	3,095	1,158	141	199	2,985	1,182	691	536	706	827
Malignant neoplasms of urinary organs (188-189)	1,144	400	55	74	961	501	257	231	307	293
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,241	1,421	154	221	2,600	1,386	634	483	853	1,148
Leukemia (204-208)	1,014	364	49	53	823	406	193	173	239	260
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,536	582	75	93	1,201	603	382	271	362	416
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	439	186	26	17	331	148	59	51	86	134
Diabetes mellitus (250)	1,991	867	168	122	1,678	995	440	369	619	830
Nutritional deficiencies (260-269)	140	58	6	7	146	81	45	55	45	56
Anemias (280-285)	232	96	10	12	192	82	36	44	70	88
Meningitis (320-322)	68	27	6	1	43	18	13	11	17	27
Major cardiovascular diseases (390-448)	57,975	22,239	2,606	3,074	48,358	23,820	13,402	10,199	16,049	16,370
Diseases of heart (390-398,402,404-429)	45,856	16,989	2,051	2,321	39,088	18,447	10,218	7,902	12,628	12,833
Rheumatic fever and rheumatic heart disease (390-398)	446	105	33	34	262	156	56	49	88	71
Hypertensive heart disease (402)	1,341	590	59	27	1,237	344	234	145	219	556
Hypertensive heart and renal disease (404)	116	76	8	8	122	116	59	19	36	58
Ischemic heart disease (410-414)	32,532	10,455	1,234	1,512	26,681	13,182	6,510	5,410	8,430	7,697
Acute myocardial infarction (410)	14,990	5,743	648	866	12,797	6,617	3,447	2,977	5,497	4,628
Other acute and subacute forms of ischemic heart disease (411)	185	124	4	3	143	45	9	18	27	50
Angina pectoris (413)	53	35	2	8	42	17	11	7	12	38
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	17,304	3,553	580	697	13,699	6,503	3,043	2,410	2,894	3,181
Other diseases of endocardium (424)	650	205	39	33	394	253	160	110	124	127
All other forms of heart disease (415-423,425-429)	10,871	5,558	678	707	10,392	4,396	3,199	2,169	3,731	4,124
Hypertension with or without renal disease (401,403)	538	214	18	24	442	190	99	74	100	151
Cerebrovascular diseases (430-438)	8,791	4,226	427	565	6,888	3,987	2,236	1,668	2,590	2,607
Intracerebral and other intracranial hemorrhage (431-432)	1,278	598	105	50	1,052	493	231	169	274	354
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,812	633	53	58	1,300	490	322	250	384	370
Cerebral embolism (434.1)	53	9	1	1	37	20	7	9	5	12
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,648	2,986	268	456	4,499	2,984	1,676	1,240	1,927	1,871
Atherosclerosis (440)	1,192	379	33	76	953	648	511	313	352	437
Other diseases of arteries, arterioles, and capillaries (441-448)	1,498	431	77	88	985	550	338	242	379	342
Acute bronchitis and bronchiolitis (466)	35	11	–	–	26	10	6	7	6	7
Pneumonia and influenza (480-487)	2,860	1,525	233	198	3,614	1,494	1,103	865	1,225	925
Pneumonia (480-486)	2,841	1,497	230	188	3,532	1,448	1,024	818	1,207	913
Influenza (487)	19	28	3	10	82	48	79	47	18	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,918	1,738	185	359	3,323	1,694	1,030	871	1,524	1,028
Bronchitis, chronic and unspecified (490-491)	239	91	12	15	178	71	63	60	76	34
Emphysema (492)	1,016	379	28	77	663	381	156	115	277	237
Asthma (493)	191	111	29	17	178	83	40	33	52	68
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,472	1,157	116	250	2,304	1,459	771	663	1,119	687
Ulcer of stomach and duodenum (531-533)	321	153	15	28	296	153	81	77	86	83
Appendicitis (540-543)	14	12	–	2	26	8	9	4	9	15
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	269	148	11	30	271	131	105	79	90	91
Chronic liver disease and cirrhosis (571)	1,710	566	73	56	1,290	427	184	172	297	391
Cholelithiasis and other disorders of gallbladder (574-575)	154	85	10	10	161	65	57	23	69	60
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1,071	589	56	53	1,115	618	233	231	373	514
Acute glomerulonephritis and nephrotic syndrome (580-581)	26	7	–	–	17	9	5	4	2	7
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	100	52	5	6	65	35	13	18	20	30
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	945	530	51	47	1,033	574	215	209	351	477
Infections of kidney (590)	92	48	7	7	84	51	22	21	56	35
Hyperplasia of prostate (600)	26	19	–	1	29	12	18	9	10	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	14	12	1	1	18	5	2	1	3	7
Pregnancy with abortive outcome (630-638)	3	3	1	–	3	–	1	–	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	11	9	–	1	15	5	1	1	2	6
Congenital anomalies (740-759)	601	345	57	53	564	252	115	120	188	272
Certain conditions originating in the perinatal period (760-779)	927	658	87	54	1,040	415	133	115	185	479
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	231	194	27	9	264	90	35	19	48	159
Other conditions originating in the perinatal period (760-766,770-779)	696	462	60	45	776	325	98	96	137	320
Symptoms, signs, and ill-defined conditions (780-799)	2,695	530	71	100	866	516	150	420	214	376
All other diseases (Residual)	9,047	4,235	499	561	7,006	3,536	2,018	1,673	2,602	2,731
Accidents and adverse effects (E800-E949)	5,225	2,919	289	519	3,770	2,039	1,019	1,013	1,659	2,028
Motor vehicle accidents (E810-E825)	2,925	1,604	124	273	1,633	1,077	446	519	829	987
All other accidents and adverse effects (E800-E807,E826-E949)	2,300	1,315	175	246	2,137	962	573	494	830	1,041
Suicide (E950-E959)	1,885	796	112	174	1,270	636	361	340	517	644
Homicide and legal intervention (E960-E978)	1,479	801	52	37	1,131	305	57	111	250	635
All other external causes (E980-E999)	102	83	33	9	126	60	30	18	32	14

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1986—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	11,161	36,675	56,361	79,004	35,245	23,584	51,350	6,621	14,889	8,069
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	2	4	13	5	7	3	1	2	2
Tuberculosis (010-018)	3	22	33	45	8	25	40	3	6	4
Tuberculosis of respiratory system (010-012)	2	18	30	37	4	23	32	3	4	3
Other tuberculosis (013-018)	1	4	3	8	4	2	8	–	2	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–	–	–
Meningococcal infection (036)	1	2	7	16	4	2	7	–	1	1
Septicemia (038)	85	583	629	645	206	143	462	44	73	63
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	1	–	–	–	–
Viral hepatitis (070)	7	13	22	25	7	16	14	5	3	10
Syphilis (090-097)	–	4	1	2	2	1	3	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	24	158	211	202	148	89	191	17	48	27
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,611	8,797	13,319	17,103	7,741	4,755	11,183	1,409	3,240	1,805
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	59	147	242	308	118	78	185	23	51	35
Malignant neoplasms of digestive organs and peritoneum (150-159)	654	2,235	3,573	4,169	2,056	1,125	2,504	348	824	398
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	723	2,455	3,399	4,695	1,727	1,398	3,304	362	853	614
Malignant neoplasm of breast (174-175)	210	744	1,270	1,537	698	343	890	126	277	135
Malignant neoplasms of genital organs (179-187)	266	835	1,422	1,885	951	555	1,219	211	340	147
Malignant neoplasms of urinary organs (188-189)	137	344	553	760	385	169	443	70	135	67
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	323	1,248	1,704	2,136	949	702	1,479	157	402	254
Leukemia (204-208)	97	277	464	647	363	162	407	54	148	64
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	142	512	692	968	514	223	642	58	210	91
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	36	157	247	142	135	54	114	17	59	23
Diabetes mellitus (250)	184	698	982	1,466	612	395	877	110	286	96
Nutritional deficiencies (260-269)	16	47	75	122	67	36	114	11	26	17
Anemias (280-285)	21	71	94	117	63	52	100	13	28	11
Meningitis (320-322)	4	24	23	34	13	16	36	4	4	9
Major cardiovascular diseases (390-448)	5,323	16,156	26,146	38,455	16,408	10,937	23,329	2,868	7,038	3,423
Diseases of heart (390-398,402,404-429)	4,102	13,005	20,842	30,866	12,136	8,599	18,412	2,178	5,365	2,814
Rheumatic fever and rheumatic heart disease (390-398)	23	99	170	216	127	23	138	33	31	32
Hypertensive heart disease (402)	78	520	455	615	172	379	387	43	79	266
Hypertensive heart and renal disease (404)	6	47	52	87	25	33	61	7	23	3
Ischemic heart disease (410-414)	3,054	6,409	15,071	21,605	8,461	4,531	12,998	1,404	3,670	1,385
Acute myocardial infarction (410)	1,601	3,728	7,488	10,642	3,841	2,912	6,529	761	1,993	716
Other acute and subacute forms of ischemic heart disease (411)	29	50	21	59	38	17	38	9	14	8
Angina pectoris (413)	7	29	30	41	20	10	10	2	4	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,417	2,602	7,532	10,863	4,562	1,592	6,419	632	1,659	657
Other diseases of endocardium (424)	61	130	352	320	243	61	247	47	70	35
All other forms of heart disease (415-423,425-429)	960	5,800	4,742	8,023	3,108	3,572	4,583	644	1,492	1,093
Hypertension with or without renal disease (401,403)	40	169	197	253	196	124	182	30	62	17
Cerebrovascular diseases (430-438)	765	2,316	3,803	5,394	3,124	1,837	3,670	493	1,174	456
Intracerebral and other intracranial hemorrhage (431-432)	93	398	604	757	283	224	475	39	129	76
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	91	320	685	1,043	369	224	577	66	154	46
Cerebral embolism (434.1)	5	9	30	29	12	14	24	6	5	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	576	1,599	2,484	3,505	2,460	1,375	2,594	382	886	331
Atherosclerosis (440)	181	274	580	1,203	479	192	491	89	243	40
Other diseases of arteries, arterioles, and capillaries (441-448)	155	392	724	799	473	185	574	79	194	96
Acute bronchitis and bronchiolitis (466)	3	9	15	22	9	8	11	1	5	1
Pneumonia and influenza (480-487)	425	1,065	2,498	2,496	1,492	669	1,746	228	589	201
Pneumonia (480-486)	385	1,038	2,446	2,372	1,355	648	1,703	206	562	199
Influenza (487)	40	27	52	124	137	22	43	23	27	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	519	1,195	1,948	2,624	1,158	676	1,947	339	519	400
Bronchitis, chronic and unspecified (490-491)	38	64	109	144	61	30	77	16	34	16
Emphysema (492)	68	195	333	694	175	61	270	58	86	74
Asthma (493)	27	61	120	129	81	44	61	17	35	22
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	386	875	1,386	1,857	841	521	1,539	248	364	288
Ulcer of stomach and duodenum (531-533)	33	101	147	271	98	47	163	23	48	26
Appendicitis (540-543)	3	6	7	16	10	9	13	1	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	31	119	140	181	116	76	136	31	44	14
Chronic liver disease and cirrhosis (571)	117	374	757	1,115	314	224	413	72	115	184
Cholelithiasis and other disorders of gallbladder (574-575)	17	35	87	85	57	35	86	10	26	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	102	471	646	828	293	277	624	44	148	87
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	11	12	2	8	7	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	16	36	59	25	25	36	3	6	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	93	453	599	757	266	244	581	41	139	83
Infections of kidney (590)	8	22	30	49	17	36	34	6	13	4
Hyperplasia of prostate (600)	2	8	11	8	10	5	7	1	6	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	5	–	11	1	3	6	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	5	–	10	1	2	6	–	1	–
Congenital anomalies (740-759)	53	171	303	491	274	133	307	29	112	45
Certain conditions originating in the perinatal period (760-779)	55	358	369	832	236	195	437	26	102	48
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	77	63	197	86	60	129	6	25	9
Other conditions originating in the perinatal period (760-766,770-779)	37	281	306	635	150	135	308	20	77	39
Symptoms, signs, and ill-defined conditions (780-799)	71	283	352	371	849	915	1,563	98	304	120
All other diseases (Residual)	833	3,201	4,535	5,549	2,761	1,631	3,714	548	1,088	532
Accidents and adverse effects (E800-E949)	416	1,487	1,800	3,113	1,439	1,452	2,410	431	662	477
Motor vehicle accidents (E810-E825)	218	798	773	1,866	608	785	1,205	240	311	274
All other accidents and adverse effects (E800-E807,E826-E949)	200	691	1,027	1,447	831	667	1,205	191	351	203
Suicide (E950-E959)	128	536	525	1,120	535	296	719	178	230	264
Homicide and legal intervention (E960-E978)	23	405	221	1,103	110	326	503	39	52	125
All other external causes (E980-E999)	3	110	176	132	46	41	58	13	17	29

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1986—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	8,420	70,078	10,075	172,866	54,935	5,692	99,542	29,045	23,439	124,768	9,931
Shigellosis and amebiasis (004,006)	–	–	–	1	–	–	1	1	–	–	–
Certain other intestinal infections (007-009)	4	11	7	30	9	1	17	4	1	8	1
Tuberculosis (010-018)	3	72	10	237	60	3	38	18	6	74	5
Tuberculosis of respiratory system (010-012)	3	51	7	186	44	2	25	16	5	59	3
Other tuberculosis (013-018)	–	21	3	51	16	1	13	2	1	15	2
Whooping cough (033)	–	–	–	–	1	–	1	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	2	–	–	–	–
Meningococcal infection (036)	–	11	4	26	6	–	11	2	2	15	2
Septicemia (038)	64	949	59	1,651	642	31	867	261	82	1,739	112
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	37	8	55	36	–	32	24	18	30	8
Syphilis (090-097)	–	1	–	4	–	–	2	–	–	9	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	22	367	43	1,218	201	23	301	68	88	341	35
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,028	16,394	2,014	38,756	11,663	1,328	22,798	6,149	5,253	28,302	2,381
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	305	33	764	204	19	375	102	71	454	58
Malignant neoplasms of digestive organs and peritoneum (150-159)	554	4,311	549	10,723	2,764	350	5,591	1,443	1,226	7,381	637
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	517	4,515	460	9,769	3,335	317	6,443	1,901	1,646	7,341	621
Malignant neoplasm of breast (174-175)	187	1,567	170	3,790	1,054	106	2,086	482	448	2,498	230
Malignant neoplasms of genital organs (179-187)	242	1,771	250	4,152	1,375	175	2,498	664	594	2,972	278
Malignant neoplasms of urinary organs (188-189)	88	656	75	1,703	451	69	801	234	193	1,158	109
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	254	1,935	281	4,203	1,446	133	2,784	721	567	3,847	260
Leukemia (204-208)	69	520	84	1,396	432	77	833	260	194	1,084	68
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	104	814	112	2,258	602	82	1,287	342	314	1,577	128
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	296	32	606	164	13	369	72	57	428	21
Diabetes mellitus (250)	187	1,449	247	3,066	953	101	2,043	481	330	2,493	170
Nutritional deficiencies (260-269)	11	83	31	121	59	11	162	39	19	185	18
Anemias (280-285)	11	111	21	274	94	15	190	43	26	237	18
Meningitis (320-322)	3	26	11	113	34	3	41	17	14	56	7
Major cardiovascular diseases (390-448)	3,884	33,285	3,648	82,329	25,414	2,612	47,594	13,839	10,559	59,074	4,758
Diseases of heart (390-398,402,404-429)	3,055	27,321	2,885	68,575	19,490	1,982	38,134	10,684	7,865	48,160	3,865
Rheumatic fever and rheumatic heart disease (390-398)	22	308	35	813	159	18	333	57	99	462	29
Hypertensive heart disease (402)	57	809	91	1,439	653	26	1,058	150	163	940	79
Hypertensive heart and renal disease (404)	13	91	5	146	105	4	168	14	36	151	8
Ischemic heart disease (410-414)	2,097	20,010	1,443	55,045	13,380	1,379	26,616	7,478	5,859	31,110	3,108
Acute myocardial infarction (410)	1,151	9,516	778	23,738	7,672	793	12,338	4,017	2,173	16,611	1,470
Other acute and subacute forms of ischemic heart disease (411)	1	138	–	295	32	2	91	461	9	120	9
Angina pectoris (413)	10	36	1	42	29	1	53	17	11	58	9
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	935	10,320	664	30,970	5,647	583	14,134	2,983	3,666	14,321	1,620
Other diseases of endocardium (424)	44	350	31	666	261	29	518	110	166	690	52
All other forms of heart disease (415-423,425-429)	622	5,753	1,260	10,666	4,932	525	9,441	2,875	1,542	14,807	589
Hypertension with or without renal disease (401,403)	30	217	41	603	270	19	378	91	113	454	30
Cerebrovascular diseases (430-438)	595	4,400	567	9,918	4,519	434	6,885	2,379	1,916	7,964	695
Intracerebral and other intracranial hemorrhage (431-432)	76	709	75	1,638	560	63	903	227	213	1,113	100
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	101	853	61	1,743	609	53	1,160	248	291	1,373	111
Cerebral embolism (434.1)	2	23	3	57	11	5	26	11	7	52	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	416	2,815	428	6,480	3,339	313	4,796	1,893	1,405	5,426	420
Atherosclerosis (440)	115	635	91	1,546	562	104	1,137	382	399	1,116	105
Other diseases of arteries, arterioles, and capillaries (441-448)	89	712	84	1,687	573	73	1,060	297	266	1,380	123
Acute bronchitis and bronchiolitis (466)	6	28	1	62	11	–	39	6	4	37	3
Pneumonia and influenza (480-487)	281	2,178	344	6,454	1,801	232	3,030	1,035	756	3,644	278
Pneumonia (480-486)	259	2,142	335	6,357	1,746	212	2,960	1,019	726	3,568	269
Influenza (487)	22	36	9	97	55	20	70	16	30	76	9
Chronic obstructive pulmonary diseases and allied conditions (490-496)	325	2,155	509	5,331	1,835	198	3,762	1,009	1,067	4,246	366
Bronchitis, chronic and unspecified (490-491)	25	101	19	236	120	10	210	30	49	169	15
Emphysema (492)	60	466	116	985	273	27	677	196	238	607	47
Asthma (493)	11	90	36	403	139	22	145	44	53	157	10
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	229	1,488	338	3,727	1,303	139	2,730	739	727	3,313	294
Ulcer of stomach and duodenum (531-533)	41	212	22	662	169	25	266	76	79	317	25
Appendicitis (540-543)	2	19	1	40	14	3	23	11	8	29	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	174	24	371	141	19	274	76	64	272	29
Chronic liver disease and cirrhosis (571)	92	1,023	210	2,687	643	54	1,006	273	299	1,266	113
Cholelithiasis and other disorders of gallbladder (574-575)	12	95	23	223	81	11	118	34	31	160	25
Nephritis, nephrotic syndrome, and nephrosis (580-589)	86	870	95	1,743	541	88	1,128	393	118	1,543	103
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	12	2	24	10	1	13	4	3	19	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	35	7	94	54	9	84	29	20	69	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	78	823	86	1,625	477	78	1,031	360	95	1,455	98
Infections of kidney (590)	10	31	6	106	62	3	93	56	28	68	6
Hyperplasia of prostate (600)	3	12	–	50	8	1	20	8	7	27	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	5	3	31	8	–	11	1	3	15	–
Pregnancy with abortive outcome (630-638)	–	4	1	7	1	–	1	–	1	5	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	2	24	5	–	10	1	2	10	–
Congenital anomalies (740-759)	39	313	80	912	349	33	557	151	125	621	52
Certain conditions originating in the perinatal period (760-779)	52	491	93	1,446	526	50	809	217	122	874	64
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	151	28	324	111	11	231	51	25	203	22
Other conditions originating in the perinatal period (760-766,770-779)	42	340	65	1,122	415	39	578	166	97	671	42
Symptoms, signs, and ill-defined conditions (780-799)	59	864	143	1,760	295	107	1,754	386	503	2,754	41
All other diseases (Residual)	842	5,297	967	13,304	4,499	374	6,939	2,075	1,834	9,429	815
Accidents and adverse effects (E800-E949)	343	2,224	866	5,399	3,208	257	3,378	1,426	1,244	4,198	322
Motor vehicle accidents (E810-E825)	181	1,059	539	2,163	1,727	120	1,609	725	649	1,968	155
All other accidents and adverse effects (E800-E807,E826-E949)	162	1,165	327	3,216	1,481	137	1,769	701	595	2,230	167
Suicide (E950-E959)	129	576	267	1,350	774	76	1,242	473	457	1,452	101
Homicide and legal intervention (E960-E978)	24	396	210	1,911	588	8	541	309	180	656	41
All other external causes (E980-E999)	2	22	56	537	48	12	83	18	55	166	6

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1986—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	27,334	6,592	47,218	120,261	9,330	4,856	45,734	34,415	19,845	42,048	3,050
Shigellosis and amebiasis (004,006)	–	–	–	1	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	1	4	23	1	2	6	3	1	5	–
Tuberculosis (010-018)	33	5	62	139	3	1	42	20	16	17	1
Tuberculosis of respiratory system (010-012)	27	3	50	105	1	1	33	18	15	12	1
Other tuberculosis (013-018)	6	2	12	34	2	–	9	2	1	5	–
Whooping cough (033)	–	–	–	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	1	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	2	8	10	4	2	3	6	2	5	1
Septicemia (038)	214	29	391	1,215	54	35	510	194	178	282	25
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	7	2	23	49	2	–	10	30	8	8	1
Syphilis (090-097)	1	–	2	4	–	–	1	1	1	2	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	112	22	167	596	39	18	168	154	43	128	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,508	1,477	10,375	24,989	1,698	1,060	10,497	8,062	4,299	9,395	598
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	128	21	162	440	28	9	166	126	57	158	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,304	361	2,301	5,554	415	249	2,446	1,897	941	2,445	128
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,647	374	3,273	7,188	302	295	3,260	2,369	1,391	2,175	154
Malignant neoplasm of breast (174-175)	462	136	793	2,049	157	102	860	685	317	851	61
Malignant neoplasms of genital organs (179-187)	704	174	1,058	2,517	234	124	1,153	888	470	1,085	74
Malignant neoplasms of urinary organs (188-189)	209	68	400	973	59	58	407	304	156	461	33
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	585	149	1,302	3,887	281	115	1,341	940	606	1,257	91
Leukemia (204-208)	197	68	452	1,008	91	46	320	366	147	399	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	272	106	634	1,372	131	62	544	487	214	564	28
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	69	11	153	403	44	25	142	123	69	91	12
Diabetes mellitus (250)	535	105	690	1,993	231	75	695	683	391	701	52
Nutritional deficiencies (260-269)	42	11	56	160	13	14	62	47	33	71	7
Anemias (280-285)	51	12	84	233	18	4	73	76	51	86	6
Meningitis (320-322)	15	6	17	95	3	3	28	21	11	16	2
Major cardiovascular diseases (390-448)	12,766	3,234	21,484	51,484	3,892	2,255	20,567	15,124	9,573	20,683	1,218
Diseases of heart (390-398,402,404-429)	9,730	2,512	16,695	40,553	3,050	1,795	15,820	11,576	7,713	16,051	963
Rheumatic fever and rheumatic heart disease (390-398)	56	21	99	240	73	20	89	130	53	129	9
Hypertensive heart disease (402)	322	22	564	1,208	94	56	434	274	172	230	7
Hypertensive heart and renal disease (404)	44	3	45	100	5	6	71	37	27	46	1
Ischemic heart disease (410-414)	6,315	1,732	10,844	23,484	1,719	1,111	9,916	7,527	4,827	12,035	611
Acute myocardial infarction (410)	3,934	1,035	6,294	13,888	901	584	5,123	3,464	2,584	5,980	338
Other acute and subacute forms of ischemic heart disease (411)	100	2	97	63	5	12	690	10	8	85	2
Angina pectoris (413)	25	5	12	54	3	9	32	20	8	20	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,256	690	4,441	9,679	810	508	4,071	4,033	2,227	5,950	271
Other diseases of endocardium (424)	91	23	170	477	40	38	201	251	94	233	13
All other forms of heart disease (415-423,425-429)	2,902	711	4,973	16,044	1,119	564	5,209	3,357	2,540	3,378	322
Hypertension with or without renal disease (401,403)	183	30	151	328	19	15	174	113	78	174	12
Cerebrovascular diseases (430-438)	2,357	528	3,816	8,359	665	319	3,518	2,581	1,372	3,329	183
Intracerebral and other intracranial hemorrhage (431-432)	344	39	467	1,219	73	23	420	331	168	433	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	295	64	558	1,167	94	49	512	298	196	461	5
Cerebral embolism (434.1)	15	1	23	59	11	1	18	13	6	14	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,703	424	2,768	5,914	487	246	2,568	1,939	1,002	2,421	161
Atherosclerosis (440)	245	77	421	1,202	78	50	530	460	190	572	31
Other diseases of arteries, arterioles, and capillaries (441-448)	251	87	401	1,042	80	76	425	394	220	557	29
Acute bronchitis and bronchiolitis (466)	2	1	13	23	3	5	11	6	4	22	1
Pneumonia and influenza (480-487)	805	268	1,550	3,520	368	220	1,574	1,114	632	1,614	116
Pneumonia (480-486)	771	252	1,509	3,463	352	199	1,539	1,049	629	1,559	111
Influenza (487)	34	16	41	57	14	21	35	65	3	55	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	856	234	1,735	3,700	366	210	1,599	1,699	889	1,361	171
Bronchitis, chronic and unspecified (490-491)	39	11	79	178	15	15	74	57	71	54	7
Emphysema (492)	138	47	255	698	80	21	280	311	133	278	22
Asthma (493)	53	14	74	185	26	9	98	77	29	91	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	626	162	1,327	2,639	245	165	1,147	1,254	656	940	136
Ulcer of stomach and duodenum (531-533)	80	20	150	306	35	19	121	106	50	125	16
Appendicitis (540-543)	9	1	8	35	1	2	11	5	3	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	75	19	123	308	43	9	109	84	51	148	11
Chronic liver disease and cirrhosis (571)	296	64	418	1,376	96	55	483	421	211	374	35
Cholelithiasis and other disorders of gallbladder (574-575)	32	21	108	154	14	6	65	36	31	66	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	237	37	486	1,452	89	45	448	227	222	366	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	6	21	–	–	3	4	–	4	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	42	5	53	70	9	–	34	25	11	27	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	195	32	427	1,361	80	45	411	198	211	335	23
Infections of kidney (590)	38	6	44	151	5	5	42	36	20	38	2
Hyperplasia of prostate (600)	9	6	7	31	4	1	10	7	2	15	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	10	–	4	24	2	–	1	3	1	3	–
Pregnancy with abortive outcome (630-638)	1	–	1	4	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	–	3	20	2	–	1	3	–	3	–
Congenital anomalies (740-759)	192	43	277	951	108	37	240	226	89	232	14
Certain conditions originating in the perinatal period (760-779)	339	50	380	1,347	152	35	481	267	130	269	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	58	14	108	339	43	3	86	92	40	66	2
Other conditions originating in the perinatal period (760-766,770-779)	281	36	272	1,008	109	32	395	175	90	203	14
Symptoms, signs, and ill-defined conditions (780-799)	242	72	1,137	4,780	168	21	505	299	138	230	52
All other diseases (Residual)	2,150	384	3,364	8,832	867	361	3,653	2,791	1,402	3,327	240
Accidents and adverse effects (E800-E949)	1,875	313	2,627	7,077	671	230	2,286	1,610	865	1,563	283
Motor vehicle accidents (E810-E825)	1,077	152	1,372	3,701	370	105	1,141	763	470	769	163
All other accidents and adverse effects (E800-E807,E826-E949)	798	161	1,255	3,376	301	125	1,145	847	415	794	120
Suicide (E950-E959)	382	100	635	2,281	250	84	819	573	272	589	98
Homicide and legal intervention (E960-E978)	324	27	549	2,387	58	14	448	218	117	168	28
All other external causes (E980-E999)	16	9	86	132	31	3	25	63	22	44	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,533,914	1,321	5,669	840	8,059	3,520	1,421
Shigellosis and amebiasis (004,006)	10	–	–	–	–	–	–
Certain other intestinal infections (007-009)	267	–	1	–	–	3	2
Tuberculosis (010-018)	1,342	1	2	–	2	1	–
Tuberculosis of respiratory system (010-012)	1,071	1	2	–	2	1	–
Other tuberculosis (013-018)	271	–	–	–	–	–	–
Whooping cough (033)	5	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	–	–	–	–	–	–
Meningococcal infection (036)	229	–	1	–	2	2	–
Septicemia (038)	14,447	9	52	4	72	20	27
Acute poliomyelitis (045)	–	–	–	–	–	–	–
Measles (055)	2	–	–	–	–	–	–
Viral hepatitis (070)	783	1	1	1	–	4	1
Syphilis (090-097)	60	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7,649	2	21	4	25	20	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	348,187	251	1,349	166	1,974	751	291
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,506	3	23	2	41	16	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	87,057	46	352	49	515	191	66
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	96,240	68	349	44	577	172	86
Malignant neoplasm of breast (174-175)	31,374	30	138	14	199	67	20
Malignant neoplasms of genital organs (179-187)	37,349	23	149	10	194	85	25
Malignant neoplasms of urinary organs (188-189)	14,052	9	62	3	92	30	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43,654	56	143	29	193	112	53
Leukemia (204-208)	12,513	6	48	2	64	36	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19,442	12	85	13	99	42	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,894	2	30	2	24	12	6
Diabetes mellitus (250)	27,127	12	141	15	122	80	42
Nutritional deficiencies (260-269)	1,928	3	12	2	7	6	2
Anemias (280-285)	2,664	5	9	–	16	7	3
Meningitis (320-322)	878	–	2	–	10	2	3
Major cardiovascular diseases (390-448)	696,865	619	2,540	344	3,663	1,245	620
Diseases of heart (390-398,402,404-429)	554,564	498	1,985	248	3,162	971	512
Rheumatic fever and rheumatic heart disease (390-398)	4,999	5	33	4	35	13	2
Hypertensive heart disease (402)	16,380	11	51	10	51	37	39
Hypertensive heart and renal disease (404)	1,770	2	7	–	8	1	–
Ischemic heart disease (410-414)	377,888	299	1,334	164	2,465	490	363
Acute myocardial infarction (410)	178,003	162	683	86	971	239	207
Other acute and subacute forms of ischemic heart disease (411)	2,675	1	3	1	35	–	1
Angina pectoris (413)	725	1	5	3	1	1	11
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	195,485	135	643	74	1,458	250	144
Other diseases of endocardium (424)	7,526	5	24	2	49	9	4
All other forms of heart disease (415-423,425-429)	146,001	176	536	68	554	421	104
Hypertension with or without renal disease (401,403)	5,843	7	24	7	28	12	3
Cerebrovascular diseases (430-438)	104,416	84	380	82	467	198	83
Intracerebral and other intracranial hemorrhage (431-432)	15,432	9	50	17	76	27	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17,179	26	66	9	85	14	10
Cerebral embolism (434.1)	546	–	–	–	6	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	71,259	59	264	56	320	156	63
Atherosclerosis (440)	15,796	10	85	2	102	39	8
Other diseases of arteries, arterioles, and capillaries (441-448)	16,248	10	66	5	84	25	14
Acute bronchitis and bronchiolitis (466)	441	–	2	1	2	–	1
Pneumonia and influenza (480-487)	50,065	40	183	35	322	108	34
Pneumonia (480-486)	49,057	39	178	34	318	104	33
Influenza (487)	1,008	1	5	1	4	4	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	55,110	48	189	29	291	178	59
Bronchitis, chronic and unspecified (490-491)	2,689	1	16	4	20	6	1
Emphysema (492)	10,577	13	31	6	61	24	15
Asthma (493)	2,937	1	4	–	14	11	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38,907	33	138	19	196	135	39
Ulcer of stomach and duodenum (531-533)	4,702	7	11	1	27	9	3
Appendicitis (540-543)	385	1	–	–	3	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,871	4	8	2	21	8	5
Chronic liver disease and cirrhosis (571)	20,822	18	66	6	89	82	18
Cholelithiasis and other disorders of gallbladder (574-575)	2,006	2	5	1	9	3	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,469	20	49	10	82	31	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	218	–	–	–	3	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,077	1	4	1	2	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14,174	19	45	9	77	29	12
Infections of kidney (590)	1,168	–	9	1	7	2	–
Hyperplasia of prostate (600)	332	2	1	–	2	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	210	–	–	–	2	3	–
Pregnancy with abortive outcome (630-638)	40	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	170	–	–	–	2	2	–
Congenital anomalies (740-759)	9,578	9	27	7	41	30	11
Certain conditions originating in the perinatal period (760-779)	14,737	9	59	13	57	47	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3,675	3	30	4	10	18	4
Other conditions originating in the perinatal period (760-766,770-779)	11,062	6	29	9	47	29	9
Symptoms, signs, and ill-defined conditions (780-799)	21,352	44	465	40	36	52	9
All other diseases (Residual)	117,441	100	439	75	589	360	126
Accidents and adverse effects (E800-E949)	65,040	68	116	49	250	244	72
Motor vehicle accidents (E810-E825)	31,867	33	63	31	108	154	40
All other accidents and adverse effects (E800-E807,E826-E949)	33,173	35	53	18	142	90	32
Suicide (E950-E959)	23,022	26	60	15	90	109	20
Homicide and legal intervention (E960-E978)	18,253	16	18	17	20	84	28
All other external causes (E980-E999)	2,464	2	–	–	2	16	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,569	1,620	1,442	13,837	729	1,297	1,191	1,553
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	2	1	-	-	1
Tuberculosis (010-018)	3	2	2	7	-	1	-	1
Tuberculosis of respiratory system (010-012)	3	1	2	7	-	1	-	1
Other tuberculosis (013-018)	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	6	1	-	2	-
Septicemia (038)	71	11	7	40	3	5	11	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	2	15	2	1	-	1
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-136)	13	6	6	55	3	1	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,520	332	324	3,313	171	312	279	378
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	5	6	77	2	-	5	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	414	86	73	833	32	78	74	106
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	361	86	88	876	58	77	65	86
Malignant neoplasm of breast (174-175)	122	36	30	299	26	40	22	42
Malignant neoplasms of genital organs (179-187)	148	34	41	354	15	27	39	41
Malignant neoplasms of urinary organs (188-189)	66	20	19	142	7	14	17	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	222	35	34	400	21	61	30	40
Leukemia (204-208)	56	15	15	131	5	8	11	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	99	15	18	201	5	17	16	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	5	5	53	4	6	3	2
Diabetes mellitus (250)	121	42	8	136	16	39	22	28
Nutritional deficiencies (260-269)	8	1	3	9	2	1	1	-
Anemias (280-285)	14	6	-	17	1	1	1	2
Meningitis (320-322)	1	-	-	9	-	1	1	-
Major cardiovascular diseases (390-448)	3,267	814	659	6,089	208	588	519	640
Diseases of heart (390-398,402,404-429)	2,713	681	539	4,700	166	475	386	494
Rheumatic fever and rheumatic heart disease (390-398)	20	3	4	56	3	2	2	2
Hypertensive heart disease (402)	40	15	-	116	3	17	10	6
Hypertensive heart and renal disease (404)	7	-	-	11	-	1	-	-
Ischemic heart disease (410-414)	1,597	502	267	3,504	121	329	275	364
Acute myocardial infarction (410)	669	266	182	1,628	39	149	174	155
Other acute and subacute forms of ischemic heart disease (411)	2	-	3	12	1	1	1	2
Angina pectoris (413)	6	1	-	4	-	2	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	720	235	82	1,860	81	177	99	205
Other diseases of endocardium (424)	41	8	5	68	4	5	3	7
All other forms of heart disease (415-423,425-429)	1,008	153	263	945	35	121	98	115
Hypertension with or without renal disease (401,403)	27	4	3	44	3	2	17	3
Cerebrovascular diseases (430-438)	394	96	69	1,014	34	103	93	103
Intracerebral and other intracranial hemorrhage (431-432)	54	6	11	147	1	13	7	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	67	17	7	127	8	10	12	20
Cerebral embolism (434.1)	8	1	4	8	-	2	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	265	72	47	732	25	78	73	68
Atherosclerosis (440)	52	11	32	142	1	9	10	23
Other diseases of arteries, arterioles, and capillaries (441-448)	81	22	16	169	4	9	13	17
Acute bronchitis and bronchiolitis (466)	3	-	-	2	-	-	1	1
Pneumonia and influenza (480-487)	194	47	50	525	10	34	54	62
Pneumonia (480-486)	191	45	50	518	10	34	52	56
Influenza (487)	3	2	-	7	-	-	2	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	290	72	68	609	28	51	49	65
Bronchitis, chronic and unspecified (490-491)	8	3	2	39	3	2	2	3
Emphysema (492)	29	11	12	139	6	7	11	12
Asthma (493)	11	-	-	23	3	1	4	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	182	58	54	402	14	41	26	46
Ulcer of stomach and duodenum (531-533)	17	9	3	62	1	3	5	6
Appendicitis (540-543)	1	-	-	4	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	5	8	36	2	5	5	6
Chronic liver disease and cirrhosis (571)	70	15	21	258	12	11	11	15
Cholelithiasis and other disorders of gallbladder (574-575)	6	4	1	15	2	3	4	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	67	17	12	57	2	19	11	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	3	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	-	9	-	1	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	63	16	12	45	2	18	9	15
Infections of kidney (590)	4	3	1	17	-	1	-	2
Hyperplasia of prostate (600)	-	1	-	4	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	4	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	4	-	-	-	1
Congenital anomalies (740-759)	31	10	14	120	14	6	6	14
Certain conditions originating in the perinatal period (760-779)	37	11	14	102	20	7	13	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	4	5	26	8	3	2	7
Other conditions originating in the perinatal period (760-766,770-779)	28	7	9	76	12	4	11	14
Symptoms, signs, and ill-defined conditions (780-799)	58	10	13	160	13	8	20	9
All other diseases (Residual)	468	122	99	817	68	86	82	148
Accidents and adverse effects (E800-E949)	209	52	69	694	96	72	62	74
Motor vehicle accidents (E810-E825)	121	22	33	367	39	27	40	35
All other accidents and adverse effects (E800-E807,E826-E949)	88	30	36	327	57	45	22	39
Suicide (E950-E959)	79	19	33	281	30	17	14	24
Homicide and legal intervention (E960-E978)	24	2	20	119	16	5	15	10
All other external causes (E980-E989)	1	1	-	6	3	3	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	1,106	2,266	1,901	1,036	16,163	2,416	2,916	3,920
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	3	1	–	–
Tuberculosis (010-018)	1	–	1	3	16	6	8	2
Tuberculosis of respiratory system (010-012)	1	–	1	3	12	1	7	1
Other tuberculosis (013-018)	–	–	–	–	4	5	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	–	1	–	1
Septicemia (038)	11	17	26	8	189	39	31	33
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	2	1	15	2	1	1
Syphilis (080-097)	–	–	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	7	5	4	113	9	18	26
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	247	552	387	227	3,491	526	627	819
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	11	17	7	93	9	9	17
Malignant neoplasms of digestive organs and peritoneum (150-159)	54	149	97	49	759	144	135	197
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	80	134	101	69	1,029	153	180	229
Malignant neoplasm of breast (174-175)	19	45	27	19	337	40	45	70
Malignant neoplasms of genital organs (179-187)	23	62	38	28	384	59	66	66
Malignant neoplasms of urinary organs (188-189)	8	23	13	7	119	23	32	38
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	81	50	20	437	57	95	132
Leukemia (204-208)	7	22	14	14	128	17	23	32
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	25	30	14	205	24	42	38
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	2	8	3	65	11	10	20
Diabetes mellitus (250)	14	47	31	14	272	39	44	65
Nutritional deficiencies (260-269)	1	2	2	2	13	6	5	12
Anemias (280-285)	6	5	3	1	28	7	2	3
Meningitis (320-322)	1	–	2	–	9	1	2	4
Major cardiovascular diseases (390-448)	517	1,040	802	493	6,688	1,163	1,220	1,618
Diseases of heart (390-398,402,404-429)	412	807	672	395	5,117	925	931	1,264
Rheumatic fever and rheumatic heart disease (390-398)	2	5	6	1	39	7	7	13
Hypertensive heart disease (402)	8	10	14	8	297	39	41	37
Hypertensive heart and renal disease (404)	1	3	2	1	18	5	2	1
Ischemic heart disease (410-414)	190	614	486	234	2,920	653	582	668
Acute myocardial infarction (410)	116	307	229	147	1,805	276	327	444
Other acute and subacute forms of ischemic heart disease (411)	–	3	3	–	4	2	1	5
Angina pectoris (413)	–	–	1	–	10	–	3	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	74	304	253	87	1,101	375	251	214
Other diseases of endocardium (424)	4	12	5	4	62	14	16	23
All other forms of heart disease (415-423,425-429)	207	163	159	147	1,781	207	283	522
Hypertension with or without renal disease (401,403)	3	10	11	5	69	5	7	4
Cerebrovascular diseases (430-438)	82	158	170	84	1,262	165	240	273
Intracerebral and other intracranial hemorrhage (431-432)	13	16	27	11	178	27	37	43
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	19	18	21	156	38	51	29
Cerebral embolism (434.1)	–	1	–	1	5	–	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	51	122	125	51	923	100	151	199
Atherosclerosis (440)	5	19	31	6	115	47	21	40
Other diseases of arteries, arterioles, and capillaries (441-448)	15	48	18	3	125	21	21	37
Acute bronchitis and bronchiolitis (466)	–	–	–	1	2	1	1	–
Pneumonia and influenza (480-487)	32	82	77	25	442	71	83	128
Pneumonia (480-486)	30	79	73	25	438	71	81	125
Influenza (487)	2	3	4	–	4	–	2	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	37	75	74	31	588	94	92	144
Bronchitis, chronic and unspecified (490-491)	3	–	5	–	32	2	6	11
Emphysema (492)	5	21	11	11	134	20	22	22
Asthma (493)	2	9	8	–	47	3	5	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27	45	50	20	375	69	59	104
Ulcer of stomach and duodenum (531-533)	4	7	7	2	44	6	6	14
Appendicitis (540-543)	2	–	1	–	5	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	6	5	41	3	9	4
Chronic liver disease and cirrhosis (571)	7	19	24	9	195	34	34	61
Cholelithiasis and other disorders of gallbladder (574-575)	2	7	1	3	20	3	5	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	20	11	7	172	38	30	37
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	1	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	2	2	–	15	3	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	18	9	7	156	34	28	35
Infections of kidney (590)	–	5	1	2	10	–	3	3
Hyperplasia of prostate (600)	–	1	–	–	5	1	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	–	–	3	–	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	3	–	–	–
Congenital anomalies (740-759)	9	15	7	10	144	14	22	46
Certain conditions originating in the perinatal period (760-779)	11	16	12	12	262	19	41	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	5	–	1	77	5	16	2
Other conditions originating in the perinatal period (760-766,770-779)	9	11	12	11	185	14	25	26
Symptoms, signs, and ill-defined conditions (780-799)	9	19	4	5	188	49	23	38
All other diseases (Residual)	68	194	166	85	1,505	150	301	320
Accidents and adverse effects (E800-E949)	72	89	97	52	946	83	197	309
Motor vehicle accidents (E810-E825)	47	46	41	31	541	49	98	159
All other accidents and adverse effects (E800-E807,E826-E949)	25	43	56	21	405	34	99	150
Suicide (E950-E959)	23	38	29	19	321	22	49	116
Homicide and legal intervention (E960-E978)	16	2	14	10	346	14	39	62
All other external causes (E980-E999)	–	–	1	2	21	2	9	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif.	Baltimore, Md.	Bangor, Maine	Baton Rouge, La.	Battle Creek, Mich.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Bellingham, Wash.
All causes	3,678	20,863	1,211	3,429	1,706	983	3,369	858
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	15	1	1	1	–	6	–
Tuberculosis of respiratory system (010-012)	1	13	–	1	1	–	4	–
Other tuberculosis (013-018)	–	2	1	–	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	1	–	–	–	1	–
Septicemia (038)	23	395	8	44	11	5	29	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	7	1	–	–	–	–	–
Syphilis (090-097)	1	2	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,098-139)	19	91	4	20	6	–	13	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	791	5,068	275	804	375	212	740	208
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	80	3	16	3	1	8	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	190	1,289	73	214	111	51	173	59
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	236	1,489	72	228	98	55	227	53
Malignant neoplasm of breast (174-175)	54	435	24	67	28	15	57	19
Malignant neoplasms of genital organs (179-187)	93	436	23	80	45	25	69	14
Malignant neoplasms of urinary organs (188-189)	34	207	18	32	15	13	24	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	103	713	36	99	35	32	125	36
Leukemia (204-208)	29	149	11	26	14	5	21	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	268	15	42	26	15	36	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	79	6	17	4	2	12	5
Diabetes mellitus (250)	58	379	21	72	32	17	57	24
Nutritional deficiencies (260-269)	12	20	1	3	4	–	2	1
Anemias (280-285)	3	36	3	15	2	1	8	1
Meningitis (320-322)	3	20	–	3	1	–	4	–
Major cardiovascular diseases (390-448)	1,474	9,014	568	1,478	782	544	1,547	395
Diseases of heart (390-398,402,404-429)	1,210	7,429	459	1,130	611	387	1,232	289
Rheumatic fever and rheumatic heart disease (390-398)	11	66	2	8	8	1	12	5
Hypertensive heart disease (402)	61	334	5	75	9	3	23	4
Hypertensive heart and renal disease (404)	18	23	–	6	2	–	1	–
Ischemic heart disease (410-414)	871	3,466	288	729	464	338	626	210
Acute myocardial infarction (410)	357	2,207	153	372	244	108	311	82
Other acute and subacute forms of ischemic heart disease (411)	5	40	–	–	–	–	5	–
Angina pectoris (413)	2	20	–	3	1	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	507	1,199	135	354	219	233	310	127
Other diseases of endocardium (424)	18	73	11	12	6	4	12	7
All other forms of heart disease (415-423,425-429)	231	3,467	153	300	122	40	558	63
Hypertension with or without renal disease (401,403)	12	103	3	33	7	3	18	3
Cerebrovascular diseases (430-438)	194	1,183	80	181	113	77	237	75
Intracerebral and other intracranial hemorrhage (431-432)	24	232	12	31	15	8	37	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	123	8	17	7	15	43	17
Cerebral embolism (434.1)	2	5	–	2	1	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	136	823	60	131	90	54	156	49
Atherosclerosis (440)	17	95	8	97	34	64	29	20
Other diseases of arteries, arterioles, and capillaries (441-448)	41	204	16	37	17	13	31	8
Acute bronchitis and bronchiolitis (466)	–	1	–	2	1	–	–	–
Pneumonia and influenza (480-487)	138	599	61	64	75	18	78	27
Pneumonia (480-486)	137	596	58	63	69	16	78	24
Influenza (487)	1	3	3	1	6	2	–	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	168	649	58	100	85	19	92	28
Bronchitis, chronic and unspecified (490-491)	3	30	2	3	2	–	1	–
Emphysema (492)	46	76	9	36	18	5	25	4
Asthma (493)	10	34	4	7	2	–	7	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	109	509	43	54	63	14	59	23
Ulcer of stomach and duodenum (531-533)	14	57	7	9	11	4	7	3
Appendicitis (540-543)	1	6	–	1	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	64	6	10	9	1	10	–
Chronic liver disease and cirrhosis (571)	70	226	13	27	23	16	35	3
Cholelithiasis and other disorders of gallbladder (574-575)	7	18	2	6	2	1	4	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	38	304	9	49	16	10	35	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	1	–	–	3	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	9	1	1	1	1	3	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	283	8	47	15	9	29	2
Infections of kidney (590)	3	11	1	1	1	–	5	3
Hyperplasia of prostate (600)	2	5	–	–	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	4	–	–	1	–	–	–
Pregnancy with abortive outcome (630-639)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	4	–	–	1	–	–	–
Congenital anomalies (740-759)	34	123	7	30	15	8	11	7
Certain conditions originating in the perinatal period (760-779)	63	233	10	75	14	7	13	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	51	3	15	4	–	–	2
Other conditions originating in the perinatal period (760-766,770-779)	47	182	7	60	10	7	13	1
Symptoms, signs, and ill-defined conditions (780-799)	21	156	7	19	7	3	176	12
All other diseases (Residual)	228	1,855	83	235	103	52	242	72
Accidents and adverse effects (E800-E949)	322	773	41	207	88	44	152	31
Motor vehicle accidents (E810-E825)	188	374	21	110	57	30	56	12
All other accidents and adverse effects (E800-E807,E826-E949)	134	399	20	97	31	14	96	19
Suicide (E950-E959)	87	272	16	62	20	19	44	16
Homicide and legal intervention (E960-E978)	53	308	3	73	15	–	43	1
All other external causes (E980-E999)	3	75	–	2	–	–	1	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,587	797	1,793	2,986	8,666	540	612	882
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	5	–	–	–
Tuberculosis (010-018)	2	–	2	–	12	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	2	–	10	–	–	–
Other tuberculosis (013-018)	–	–	–	–	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	1	–	–	–	–
Septicemia (038)	11	6	13	13	84	4	4	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	2	–	5	–	–	–
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,096-139)	3	2	8	7	28	1	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	357	200	392	640	1,932	123	133	218
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	5	10	10	29	3	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	93	43	105	198	442	31	25	57
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	99	53	114	148	575	34	38	64
Malignant neoplasm of breast (174-175)	23	23	28	55	156	15	10	15
Malignant neoplasms of genital organs (179-187)	41	24	47	62	225	14	17	26
Malignant neoplasms of urinary organs (188-189)	18	15	17	31	71	4	3	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43	20	38	65	237	9	18	26
Leukemia (204-208)	9	7	17	19	79	9	10	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	10	18	52	118	4	10	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	1	2	8	25	1	2	3
Diabetes mellitus (250)	34	9	27	79	187	9	13	13
Nutritional deficiencies (260-269)	5	2	5	6	15	4	2	2
Anemias (280-285)	1	1	4	3	24	1	–	1
Meningitis (320-322)	1	2	3	1	6	1	1	–
Major cardiovascular diseases (390-448)	755	322	814	1,486	3,610	241	298	436
Diseases of heart (390-398,402,404-429)	575	244	688	1,176	2,792	194	208	336
Rheumatic fever and rheumatic heart disease (390-398)	10	5	4	12	18	3	2	1
Hypertensive heart disease (402)	17	8	21	29	92	4	1	5
Hypertensive heart and renal disease (404)	1	1	–	2	13	–	–	3
Ischemic heart disease (410-414)	414	142	376	933	1,520	136	160	255
Acute myocardial infarction (410)	181	57	237	442	860	82	106	113
Other acute and subacute forms of ischemic heart disease (411)	2	1	2	–	7	–	–	1
Angina pectoris (413)	1	–	–	1	11	–	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	230	84	137	490	642	74	53	139
Other diseases of endocardium (424)	7	8	4	21	34	7	1	3
All other forms of heart disease (415-423,425-429)	126	79	283	179	1,117	44	44	69
Hypertension with or without renal disease (401,403)	3	2	3	9	70	2	2	2
Cerebrovascular diseases (430-438)	123	59	99	226	609	31	68	71
Intracerebral and other intracranial hemorrhage (431-432)	18	8	16	29	80	9	2	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	11	17	41	86	6	4	14
Cerebral embolism (434.1)	–	–	–	4	1	–	3	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	69	40	66	152	442	16	59	52
Atherosclerosis (440)	32	8	7	35	47	8	11	19
Other diseases of arteries, arterioles, and capillaries (441-448)	22	9	17	40	92	6	8	8
Acute bronchitis and bronchiolitis (466)	1	1	1	4	4	–	–	–
Pneumonia and influenza (480-487)	39	23	36	107	258	14	19	18
Pneumonia (480-486)	37	23	35	105	255	14	19	18
Influenza (487)	2	–	1	2	3	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	61	45	63	158	349	23	25	41
Bronchitis, chronic and unspecified (490-491)	1	4	3	5	13	2	1	1
Emphysema (492)	21	8	11	37	62	3	7	5
Asthma (493)	–	2	7	4	16	2	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	39	31	42	112	258	16	14	35
Ulcer of stomach and duodenum (531-533)	4	2	5	11	29	3	2	5
Appendicitis (540-543)	–	–	–	–	5	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	2	10	9	21	2	1	5
Chronic liver disease and cirrhosis (571)	16	9	38	26	86	5	3	9
Cholelithiasis and other disorders of gallbladder (574-575)	–	1	1	1	18	–	–	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	24	2	16	30	103	5	7	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	2	1	7	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	23	2	14	28	95	4	6	4
Infections of kidney (590)	1	–	1	6	17	–	2	–
Hyperplasia of prostate (600)	–	–	–	2	4	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	3	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	3	–	–	1
Congenital anomalies (740-759)	7	5	13	17	39	8	3	2
Certain conditions originating in the perinatal period (760-779)	16	5	21	28	93	–	7	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	3	4	6	7	22	–	1	2
Other conditions originating in the perinatal period (760-766,770-779)	13	1	15	21	71	–	6	3
Symptoms, signs, and ill-defined conditions (780-799)	11	8	9	21	234	8	4	4
All other diseases (Residual)	133	69	130	186	781	53	35	54
Accidents and adverse effects (E800-E949)	67	46	108	100	422	25	34	34
Motor vehicle accidents (E810-E825)	40	28	55	53	213	12	18	12
All other accidents and adverse effects (E800-E807,E826-E949)	27	18	53	47	209	13	16	22
Suicide (E950-E959)	15	25	31	35	116	9	9	11
Homicide and legal intervention (E960-E978)	9	6	34	8	136	–	3	1
All other external causes (E980-E999)	1	1	4	2	15	–	1	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,252	34,504	2,576	1,124	7,016	1,536	553	12,569
Shigellosis and amebiasis (004,006)	–	–	–	–	–	1	–	–
Certain other intestinal infections (007-009)	–	4	–	–	3	–	–	–
Tuberculosis (010-018)	–	24	4	–	7	3	1	5
Tuberculosis of respiratory system (010-012)	–	23	4	–	4	3	1	4
Other tuberculosis (013-018)	–	1	–	–	3	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	–	4	–	–	2	–	–	–
Septicemia (038)	7	380	17	9	79	15	3	131
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	14	2	1	4	2	1	1
Syphilis (090-097)	–	1	–	–	1	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	134	10	4	33	4	2	34
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	261	8,188	621	243	1,753	309	105	2,897
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	164	7	4	33	5	1	67
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	2,202	156	61	477	68	26	792
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	78	2,131	185	70	428	88	33	787
Malignant neoplasm of breast (174-175)	24	768	37	18	198	20	9	292
Malignant neoplasms of genital organs (179-187)	29	835	61	27	186	43	12	319
Malignant neoplasms of urinary organs (188-189)	9	341	29	11	64	12	3	127
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	34	1,093	91	23	208	51	14	254
Leukemia (204-208)	10	269	25	12	59	9	3	92
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	385	30	17	102	15	4	167
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	165	4	3	31	5	3	54
Diabetes mellitus (250)	15	606	40	20	142	41	9	256
Nutritional deficiencies (260-269)	1	39	1	4	8	–	–	14
Anemias (280-285)	2	60	3	3	14	2	–	16
Meningitis (320-322)	–	14	–	–	1	2	1	4
Major cardiovascular diseases (390-448)	559	15,657	1,203	480	3,245	570	230	6,403
Diseases of heart (390-398,402,404-429)	431	12,728	950	375	2,546	435	163	5,040
Rheumatic fever and rheumatic heart disease (390-398)	5	86	6	5	23	2	–	39
Hypertensive heart disease (402)	4	294	22	9	36	7	4	97
Hypertensive heart and renal disease (404)	1	26	3	3	6	1	–	17
Ischemic heart disease (410-414)	305	9,256	666	246	1,765	268	90	4,090
Acute myocardial infarction (410)	174	4,613	288	145	741	144	46	2,066
Other acute and subacute forms of ischemic heart disease (411)	1	17	3	1	4	1	–	22
Angina pectoris (413)	–	18	2	1	4	–	5	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	130	4,608	363	99	1,036	123	39	1,998
Other diseases of endocardium (424)	9	190	9	4	48	6	1	41
All other forms of heart disease (415-423,425-429)	107	2,866	244	108	648	151	68	756
Hypertension with or without renal disease (401,403)	9	104	12	2	21	2	2	40
Cerebrovascular diseases (430-438)	80	2,154	185	82	515	110	50	1,030
Intracerebral and other intracranial hemorrhage (431-432)	8	327	22	15	89	19	10	134
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	401	40	5	99	11	5	308
Cerebral embolism (434.1)	–	20	1	–	2	–	–	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	73	1,406	122	62	325	80	35	585
Atherosclerosis (440)	10	252	26	8	75	9	8	143
Other diseases of arteries, arterioles, and capillaries (441-448)	13	419	30	13	88	14	7	150
Acute bronchitis and bronchiolitis (466)	–	12	1	1	2	2	–	3
Pneumonia and influenza (480-487)	51	1,594	55	43	245	41	14	398
Pneumonia (480-486)	51	1,569	55	41	240	41	14	391
Influenza (487)	–	25	–	2	5	–	–	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	1,214	130	63	197	40	13	413
Bronchitis, chronic and unspecified (490-491)	2	73	5	1	14	2	1	21
Emphysema (492)	10	200	24	12	37	6	1	63
Asthma (493)	3	78	3	2	8	–	1	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	863	98	48	138	32	10	310
Ulcer of stomach and duodenum (531-533)	5	85	7	5	24	1	3	52
Appendicitis (540-543)	–	2	–	–	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	89	3	3	14	2	1	35
Chronic liver disease and cirrhosis (571)	13	516	27	15	74	27	3	199
Cholelithiasis and other disorders of gallbladder (574-575)	2	47	8	2	8	2	2	18
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	405	15	5	57	21	4	121
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	5	–	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	21	1	–	6	2	–	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	379	14	6	51	19	4	109
Infections of kidney (590)	–	17	3	–	3	3	–	10
Hyperplasia of prostate (600)	–	8	1	–	–	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	4	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	3	1	–	–
Congenital anomalies (740-759)	13	165	12	11	32	18	3	58
Certain conditions originating in the perinatal period (760-779)	11	237	9	13	42	27	8	71
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	38	1	3	16	9	2	10
Other conditions originating in the perinatal period (760-766,770-779)	10	199	8	10	26	18	6	61
Symptoms, signs, and ill-defined conditions (780-799)	19	217	106	15	78	162	60	45
All other diseases (Residual)	100	2,884	162	100	532	93	41	758
Accidents and adverse effects (E000-E949)	82	1,100	92	52	231	98	36	336
Motor vehicle accidents (E810-E825)	43	442	43	27	94	45	19	147
All other accidents and adverse effects (E800-E807,E826-E949)	39	658	49	25	137	53	17	189
Suicide (E950-E959)	32	340	24	22	83	16	6	130
Homicide and legal intervention (E960-E978)	7	174	11	6	58	24	3	58
All other external causes (E980-E999)	–	108	5	1	7	3	1	47

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	993	788	3,666	403	1,313	987	3,299	2,682
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	–	–	–
Tuberculosis (010-018)	–	–	2	–	–	–	8	1
Tuberculosis of respiratory system (010-012)	–	–	1	–	–	–	6	1
Other tuberculosis (013-018)	–	–	1	–	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	1	–
Septicemia (038)	12	2	20	2	15	4	35	32
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	–	–	–	2
Syphilis (090-097)	–	–	–	–	–	1	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	5	4	4	6	3	24	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	207	187	841	94	292	253	677	623
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	–	15	2	8	4	14	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	50	48	210	18	68	71	164	122
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	58	235	28	78	67	224	214
Malignant neoplasm of breast (174-175)	17	17	78	12	25	23	58	38
Malignant neoplasms of genital organs (179-187)	18	14	83	8	32	26	81	54
Malignant neoplasms of urinary organs (188-189)	7	9	30	4	17	13	24	27
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	20	88	16	41	28	65	101
Leukemia (204-208)	8	9	35	3	5	3	19	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	3	12	57	2	18	18	28	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	5	11	3	4	6	10	10
Diabetes mellitus (250)	15	17	93	12	23	20	72	58
Nutritional deficiencies (260-269)	1	–	5	1	3	5	10	7
Anemias (280-285)	–	1	9	–	–	4	7	7
Meningitis (320-322)	–	2	–	–	1	–	1	1
Major cardiovascular diseases (390-448)	475	351	1,776	146	618	402	1,418	1,272
Diseases of heart (390-398,402,404-429)	355	285	1,398	115	470	309	1,112	1,043
Rheumatic fever and rheumatic heart disease (390-398)	2	1	13	–	2	1	8	7
Hypertensive heart disease (402)	10	5	40	2	27	10	33	34
Hypertensive heart and renal disease (404)	–	–	6	–	1	1	1	10
Ischemic heart disease (410-414)	277	159	1,044	69	301	228	771	551
Acute myocardial infarction (410)	150	82	488	30	150	123	431	239
Other acute and subacute forms of ischemic heart disease (411)	–	1	3	–	–	3	84	2
Angina pectoris (413)	1	1	4	–	1	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	126	75	549	39	150	101	255	309
Other diseases of endocardium (424)	7	6	23	–	14	2	15	15
All other forms of heart disease (415-423,425-429)	59	114	272	44	125	61	284	426
Hypertension with or without renal disease (401,403)	6	–	26	–	5	20	21	12
Cerebrovascular diseases (430-438)	76	53	280	22	105	57	225	168
Intracerebral and other intracranial hemorrhage (431-432)	8	6	37	3	12	14	28	29
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	5	43	2	8	7	48	15
Cerebral embolism (434.1)	–	–	1	–	1	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	56	42	179	17	84	36	152	123
Atherosclerosis (440)	26	2	53	5	20	13	34	16
Other diseases of arteries, arterioles, and capillaries (441-448)	12	11	39	4	18	9	26	33
Acute bronchitis and bronchiolitis (466)	–	–	1	1	1	–	–	1
Pneumonia and influenza (480-487)	24	36	115	17	50	25	97	66
Pneumonia (480-486)	24	35	110	15	42	22	93	66
Influenza (487)	–	1	5	2	8	3	4	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34	29	154	19	40	48	111	99
Bronchitis, chronic and unspecified (490-491)	–	1	9	3	–	5	5	6
Emphysema (492)	2	5	27	7	4	15	24	17
Asthma (493)	–	–	3	2	–	2	7	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	32	23	115	7	36	26	75	72
Ulcer of stomach and duodenum (531-533)	2	2	8	3	6	3	7	4
Appendicitis (540-543)	–	–	1	1	1	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	–	17	2	6	3	11	8
Chronic liver disease and cirrhosis (571)	10	11	33	2	12	7	30	28
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	7	–	3	2	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	5	35	4	11	9	21	30
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	3	–	1	–	5	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	5	31	4	9	9	16	29
Infections of kidney (590)	1	2	–	–	1	–	6	1
Hyperplasia of prostate (600)	–	1	–	–	2	–	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	2	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	2	–
Congenital anomalies (740-759)	6	11	20	3	6	16	40	13
Certain conditions originating in the perinatal period (760-779)	7	13	30	7	12	11	52	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	1	10	2	6	1	6	4
Other conditions originating in the perinatal period (760-766,770-779)	4	12	20	5	6	10	46	5
Symptoms, signs, and ill-defined conditions (780-799)	5	–	40	5	10	10	30	15
All other diseases (Residual)	110	52	284	28	116	83	276	203
Accidents and adverse effects (E800-E949)	41	41	122	31	43	50	239	114
Motor vehicle accidents (E810-E825)	21	21	58	20	17	28	137	49
All other accidents and adverse effects (E800-E807,E826-E949)	20	20	64	11	26	22	102	65
Suicide (E950-E959)	14	12	43	15	27	13	58	44
Homicide and legal intervention (E960-E978)	8	3	13	3	3	6	46	20
All other external causes (E980-E999)	–	–	1	–	1	2	1	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-Gastonia, N.C.	Charlottesville, Va.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-Hopkinsville, Tenn.-Ky.	Cleveland, Ohio
All causes	5,514	928	4,017	61,930	1,706	12,897	1,170	18,946
Shigellosis and amebiasis (004,006)	–	–	–	2	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	9	–	–	–	3
Tuberculosis (010-018)	2	–	5	53	–	6	4	8
Tuberculosis of respiratory system (010-012)	2	–	5	43	–	4	4	6
Other tuberculosis (013-018)	–	–	–	10	–	2	–	2
Whooping cough (033)	–	–	–	–	–	–	–	1
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	1	–	–
Meningococcal infection (036)	–	–	1	11	–	2	–	5
Septicemia (038)	60	16	29	615	13	100	6	220
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	2	22	–	4	3	12
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	19	6	10	262	6	33	6	83
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,254	215	866	13,671	398	3,128	230	4,467
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	17	5	18	272	5	62	2	84
Malignant neoplasms of digestive organs and peritoneum (150-159)	288	44	178	3,713	102	764	54	1,154
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	399	69	278	3,749	126	933	66	1,174
Malignant neoplasm of breast (174-175)	120	18	62	1,344	38	282	21	434
Malignant neoplasms of genital organs (179-187)	128	21	98	1,422	45	358	26	492
Malignant neoplasms of urinary organs (188-189)	51	5	42	573	12	132	11	184
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	154	28	98	1,582	32	391	31	551
Leukemia (204-208)	37	8	35	499	15	120	8	148
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	62	17	59	717	23	146	11	266
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	1	18	188	3	42	2	73
Diabetes mellitus (250)	101	14	45	1,017	20	235	18	425
Nutritional deficiencies (260-269)	6	–	6	75	2	14	3	25
Anemias (280-285)	14	2	9	115	6	34	1	36
Meningitis (320-322)	3	2	1	33	1	5	–	6
Major cardiovascular diseases (390-448)	2,521	419	1,958	29,117	711	5,989	505	9,049
Diseases of heart (390-398,402,404-429)	1,979	285	1,582	24,061	537	4,849	390	7,444
Rheumatic fever and rheumatic heart disease (390-398)	21	6	10	189	7	41	2	77
Hypertensive heart disease (402)	70	3	76	981	7	238	8	185
Hypertensive heart and renal disease (404)	11	–	7	61	–	21	–	31
Ischemic heart disease (410-414)	1,357	188	921	15,517	355	3,326	271	5,522
Acute myocardial infarction (410)	684	119	443	7,139	159	1,203	145	1,992
Other acute and subacute forms of ischemic heart disease (411)	2	4	2	99	1	17	2	7
Angina pectoris (413)	4	–	1	17	1	5	1	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	667	65	475	8,262	194	2,101	123	3,516
Other diseases of endocardium (424)	31	1	16	239	16	68	7	97
All other forms of heart disease (415-423,425-429)	489	87	552	7,093	152	1,155	102	1,552
Hypertension with or without renal disease (401,403)	20	6	16	245	4	39	5	64
Cerebrovascular diseases (430-438)	403	94	299	3,806	125	855	86	1,191
Intracerebral and other intracranial hemorrhage (431-432)	46	11	32	707	13	123	6	186
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	56	13	24	762	18	141	8	208
Cerebral embolism (434.1)	1	–	1	20	–	1	–	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	300	70	242	2,317	94	590	72	793
Atherosclerosis (440)	46	27	28	420	23	119	6	132
Other diseases of arteries, arterioles, and capillaries (441-448)	73	7	32	585	22	127	18	218
Acute bronchitis and bronchiolitis (466)	–	–	2	13	2	4	2	1
Pneumonia and influenza (480-487)	160	41	137	2,277	70	443	45	545
Pneumonia (480-486)	155	41	134	2,257	69	440	44	533
Influenza (487)	5	–	3	20	1	3	1	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	164	32	159	1,803	102	516	37	580
Bronchitis, chronic and unspecified (490-491)	7	1	9	91	4	18	4	24
Emphysema (492)	27	9	18	321	20	61	7	108
Asthma (493)	13	1	4	106	4	27	1	38
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	117	21	128	1,285	74	410	25	410
Ulcer of stomach and duodenum (531-533)	22	3	12	188	10	42	5	48
Appendicitis (540-543)	1	–	–	17	–	2	1	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	2	10	151	3	41	5	32
Chronic liver disease and cirrhosis (571)	80	7	38	992	20	114	16	227
Cholelithiasis and other disorders of gallbladder (574-575)	6	1	12	81	5	22	4	16
Nephritis, nephrotic syndrome, and nephrosis (580-589)	48	8	34	704	18	123	11	255
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	6	–	2	–	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	3	35	3	10	1	17
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	41	8	31	663	15	111	10	235
Infections of kidney (590)	4	–	2	44	–	12	–	17
Hyperplasia of prostate (600)	–	–	–	17	–	5	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	14	–	4	1	5
Pregnancy with abortive outcome (630-636)	–	–	–	3	–	1	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	11	–	3	–	5
Congenital anomalies (740-759)	44	3	20	382	5	77	10	86
Certain conditions originating in the perinatal period (760-779)	67	3	23	794	7	136	16	143
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	1	3	204	1	25	6	39
Other conditions originating in the perinatal period (760-766,770-779)	58	2	20	590	6	111	10	104
Symptoms, signs, and ill-defined conditions (780-799)	30	6	39	495	15	63	26	123
All other diseases (Residual)	458	74	299	4,450	142	988	97	1,426
Accidents and adverse effects (E800-E949)	295	45	184	2,268	101	430	75	593
Motor vehicle accidents (E810-E825)	165	28	85	923	58	154	42	226
All other accidents and adverse effects (E800-E807,E826-E949)	131	17	99	1,343	45	276	33	367
Suicide (E950-E959)	73	21	48	794	35	170	25	205
Homicide and legal intervention (E960-E978)	74	7	41	968	8	94	16	171
All other external causes (E980-E999)	4	–	7	91	2	18	–	33

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	2,072	586	3,333	2,077	9,041	2,344	1,227	24,276
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	1	2	–	–	7
Tuberculosis (010-018)	1	–	3	4	5	2	–	23
Tuberculosis of respiratory system (010-012)	1	–	2	3	4	1	–	16
Other tuberculosis (013-018)	–	–	1	1	1	1	–	7
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	1
Septicemia (038)	15	8	28	23	113	18	18	208
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	1	2	2	–	–	11
Syphilis (090-097)	–	–	–	–	–	–	–	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	–	16	9	30	9	6	112
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	440	134	686	429	2,027	532	264	5,113
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	1	16	14	26	13	3	115
Malignant neoplasms of digestive organs and peritoneum (150-159)	107	34	163	92	490	116	74	1,064
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	111	36	204	112	635	177	70	1,526
Malignant neoplasm of breast (174-175)	31	10	66	41	194	36	21	452
Malignant neoplasms of genital organs (179-187)	57	16	76	51	188	53	29	534
Malignant neoplasms of urinary organs (188-189)	12	5	21	15	71	20	6	193
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	70	12	61	54	264	64	38	756
Leukemia (204-208)	23	8	29	15	62	25	8	200
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23	12	40	35	97	28	15	263
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	–	5	4	30	7	3	84
Diabetes mellitus (250)	32	6	60	50	168	56	27	378
Nutritional deficiencies (260-269)	2	1	4	5	12	1	9	30
Anemias (280-285)	1	3	10	5	14	8	2	47
Meningitis (320-322)	2	3	1	–	4	2	–	25
Major cardiovascular diseases (390-448)	797	219	1,379	943	4,041	960	629	10,287
Diseases of heart (390-398,402,404-429)	593	171	1,050	708	3,242	762	518	7,980
Rheumatic fever and rheumatic heart disease (390-398)	6	6	9	6	26	1	3	46
Hypertensive heart disease (402)	18	2	36	16	71	23	12	464
Hypertensive heart and renal disease (404)	1	1	3	2	29	5	–	20
Ischemic heart disease (410-414)	461	119	711	490	1,945	400	341	4,547
Acute myocardial infarction (410)	196	51	443	289	959	216	180	2,469
Other acute and subacute forms of ischemic heart disease (411)	23	1	2	47	5	5	2	14
Angina pectoris (413)	2	–	2	–	10	1	1	11
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	240	67	264	174	972	178	158	2,053
Other diseases of endocardium (424)	5	2	14	7	54	7	1	98
All other forms of heart disease (415-423,425-429)	102	41	277	187	1,116	326	161	2,805
Hypertension with or without renal disease (401,403)	12	3	21	8	52	7	3	81
Cerebrovascular diseases (430-438)	146	35	258	177	559	169	75	1,639
Intracerebral and other intracranial hemorrhage (431-432)	15	6	45	20	73	35	7	233
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	5	15	31	85	16	6	214
Cerebral embolism (434.1)	1	–	–	–	–	3	1	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	112	24	198	126	400	109	61	1,179
Atherosclerosis (440)	23	4	17	25	89	10	15	384
Other diseases of arteries, arterioles, and capillaries (441-448)	23	6	33	25	100	18	18	209
Acute bronchitis and bronchiolitis (466)	3	–	–	1	5	–	2	7
Pneumonia and influenza (480-487)	79	22	150	65	243	55	36	699
Pneumonia (480-486)	77	19	146	65	236	52	33	690
Influenza (487)	2	3	4	–	7	3	3	9
Chronic obstructive pulmonary diseases and allied conditions (490-496)	104	24	117	52	361	67	42	826
Bronchitis, chronic and unspecified (490-491)	5	–	4	1	19	2	6	56
Emphysema (492)	21	3	13	10	85	17	9	145
Asthma (493)	8	1	8	3	14	3	1	54
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	70	20	92	48	243	45	26	571
Ulcer of stomach and duodenum (531-533)	9	1	15	6	25	8	4	61
Appendicitis (540-543)	–	–	3	2	3	1	–	9
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	5	10	6	28	6	4	72
Chronic liver disease and cirrhosis (571)	35	4	48	23	106	40	11	278
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	3	1	6	7	1	30
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	6	35	26	94	25	14	282
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	1	–	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	6	4	6	2	–	14
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	6	29	22	88	22	14	244
Infections of kidney (590)	2	–	2	–	7	4	–	26
Hyperplasia of prostate (600)	1	–	–	1	1	2	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	8
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	3
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	5
Congenital anomalies (740-759)	22	7	17	28	57	24	8	202
Certain conditions originating in the perinatal period (760-779)	29	7	54	35	95	30	5	359
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	–	11	9	9	13	1	72
Other conditions originating in the perinatal period (760-766,770-779)	21	7	43	26	86	17	4	287
Symptoms, signs, and ill-defined conditions (780-799)	19	12	31	20	367	41	3	465
All other diseases (Residual)	173	75	320	159	775	211	88	1,875
Accidents and adverse effects (E800-E949)	145	42	203	90	264	136	42	1,466
Motor vehicle accidents (E810-E825)	95	25	112	50	135	77	19	814
All other accidents and adverse effects (E800-E807,E826-E949)	50	17	91	40	129	59	23	652
Suicide (E950-E959)	83	12	50	33	113	44	9	527
Homicide and legal intervention (E960-E978)	30	5	45	38	38	44	3	742
All other external causes (E980-E999)	8	–	7	6	5	3	2	32

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,212	3,319	7,290	4,119	1,204	11,045	2,751	38,791
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	2	–	5
Tuberculosis (010-018)	2	4	4	2	1	9	2	30
Tuberculosis of respiratory system (010-012)	1	4	3	2	1	8	2	24
Other tuberculosis (013-018)	1	–	1	–	–	1	–	6
Whooping cough (033)	–	–	–	–	–	1	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	1	–	3	–	8
Septicemia (038)	6	21	51	34	6	108	24	387
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	5	6	1	3	–	12
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	14	27	15	3	59	9	99
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	264	743	1,698	982	260	2,407	655	6,193
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	22	22	19	3	37	14	170
Malignant neoplasms of digestive organs and peritoneum (150-159)	60	195	380	265	50	597	167	2,040
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	78	197	514	274	91	608	200	2,273
Malignant neoplasm of breast (174-175)	19	54	157	81	28	249	49	748
Malignant neoplasms of genital organs (179-187)	39	64	180	113	26	309	67	869
Malignant neoplasms of urinary organs (188-189)	14	38	53	38	11	99	24	354
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	88	235	113	40	276	78	906
Leukemia (204-208)	9	34	61	37	7	89	13	310
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	51	96	42	14	143	43	443
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	9	25	15	5	21	1	68
Diabetes mellitus (250)	25	58	144	68	19	177	38	709
Nutritional deficiencies (260-269)	2	6	7	8	2	22	7	47
Anemias (280-285)	4	6	7	5	1	19	2	50
Meningitis (320-322)	2	1	–	–	2	7	–	15
Major cardiovascular diseases (390-448)	594	1,576	3,354	1,968	608	4,385	1,224	19,168
Diseases of heart (390-398,402,404-429)	475	1,239	2,706	1,517	471	3,304	1,005	15,912
Rheumatic fever and rheumatic heart disease (390-398)	1	5	19	14	3	50	4	110
Hypertensive heart disease (402)	13	28	67	52	10	54	36	355
Hypertensive heart and renal disease (404)	1	1	8	5	1	18	5	39
Ischemic heart disease (410-414)	290	831	1,799	1,085	313	2,362	385	10,624
Acute myocardial infarction (410)	157	437	889	483	124	1,134	208	5,130
Other acute and subacute forms of ischemic heart disease (411)	15	3	–	4	–	15	3	27
Angina pectoris (413)	3	1	6	3	1	3	1	27
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	115	380	904	595	188	1,210	173	5,440
Other diseases of endocardium (424)	10	12	36	22	8	57	16	139
All other forms of heart disease (415-423,425-429)	160	356	777	339	136	763	559	4,645
Hypertension with or without renal disease (401,403)	5	14	23	21	7	54	3	125
Cerebrovascular diseases (430-438)	104	242	471	322	104	683	153	2,379
Intracerebral and other intracranial hemorrhage (431-432)	8	32	73	38	13	106	32	399
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	43	67	61	24	65	18	550
Cerebral embolism (434.1)	–	–	–	4	–	4	–	11
All other and late effects of cerebrovascular diseases (430,433,435-438)	81	167	331	219	67	508	103	1,419
Atherosclerosis (440)	6	52	67	54	16	223	29	410
Other diseases of arteries, arterioles, and capillaries (441-448)	4	35	87	54	10	121	34	342
Acute bronchitis and bronchiolitis (466)	1	1	3	2	–	2	–	7
Pneumonia and influenza (480-487)	46	116	226	102	24	455	108	1,068
Pneumonia (480-486)	45	115	224	100	24	440	99	1,035
Influenza (487)	1	1	2	2	–	15	9	33
Chronic obstructive pulmonary diseases and allied conditions (490-496)	45	179	301	193	64	599	102	1,234
Bronchitis, chronic and unspecified (490-491)	2	6	25	5	2	24	3	51
Emphysema (492)	14	40	53	46	4	98	21	291
Asthma (493)	5	11	12	3	2	36	3	72
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	122	211	139	58	441	75	820
Ulcer of stomach and duodenum (531-533)	3	10	24	12	–	52	7	118
Appendicitis (540-543)	–	1	2	1	–	3	–	7
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	12	28	9	6	30	16	81
Chronic liver disease and cirrhosis (571)	11	23	63	58	8	178	25	694
Cholelithiasis and other disorders of gallbladder (574-575)	3	5	8	5	1	19	6	36
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	50	80	19	12	84	24	412
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	–	2	2	–	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	6	–	2	11	–	29
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	45	73	19	8	71	24	377
Infections of kidney (590)	1	2	5	7	–	11	1	20
Hyperplasia of prostate (600)	–	2	–	1	–	2	1	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	5
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	4
Congenital anomalies (740-759)	1	18	35	13	7	81	21	216
Certain conditions originating in the perinatal period (760-779)	18	32	58	14	14	109	19	455
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	11	22	2	3	25	5	101
Other conditions originating in the perinatal period (760-766,770-779)	8	21	36	12	11	84	14	354
Symptoms, signs, and ill-defined conditions (780-799)	6	25	230	37	16	97	26	170
All other diseases (Residual)	84	221	507	260	76	990	227	2,716
Accidents and adverse effects (E800-E949)	49	123	237	149	48	568	137	1,230
Motor vehicle accidents (E810-E825)	24	51	120	66	26	280	50	644
All other accidents and adverse effects (E800-E807,E826-E949)	25	72	117	83	22	308	87	586
Suicide (E950-E959)	13	53	93	86	11	329	45	674
Homicide and legal intervention (E960-E978)	11	8	66	37	6	145	21	841
All other external causes (E980-E999)	–	3	1	8	3	47	3	112

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	818	2,725	1,120	2,888	1,126	946	641	2,584
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	1	–	–	–	1
Tuberculosis (010-018)	1	2	–	10	–	1	1	1
Tuberculosis of respiratory system (010-012)	1	2	–	7	–	1	1	1
Other tuberculosis (013-018)	–	–	–	3	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	2
Septicemia (038)	–	16	11	41	10	4	5	23
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	–	1	–	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,088-139)	1	8	4	14	5	1	1	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	186	592	237	635	238	193	124	552
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	11	1	9	2	3	–	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	54	180	62	166	72	55	30	141
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	51	135	56	155	58	52	40	144
Malignant neoplasm of breast (174-175)	21	49	25	55	21	19	16	45
Malignant neoplasms of genital organs (179-187)	17	62	29	76	26	12	11	54
Malignant neoplasms of urinary organs (188-189)	7	24	13	31	11	10	5	23
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	14	70	29	85	29	22	13	86
Leukemia (204-208)	12	26	9	25	8	11	4	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	8	36	13	33	11	9	5	26
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	8	1	14	4	3	–	11
Diabetes mellitus (250)	16	43	21	70	25	27	12	76
Nutritional deficiencies (260-269)	1	5	5	10	–	–	–	4
Anemias (280-285)	–	6	3	9	2	1	2	5
Meningitis (320-322)	–	1	–	2	–	–	–	1
Major cardiovascular diseases (390-448)	426	1,320	542	1,144	561	487	318	1,309
Diseases of heart (390-398,402,404-429)	311	1,005	443	875	461	376	241	1,022
Rheumatic fever and rheumatic heart disease (390-398)	2	7	6	10	4	5	1	2
Hypertensive heart disease (402)	13	28	4	45	10	11	4	21
Hypertensive heart and renal disease (404)	2	1	2	–	–	–	–	2
Ischemic heart disease (410-414)	200	606	324	549	318	291	177	744
Acute myocardial infarction (410)	81	261	160	234	147	106	118	400
Other acute and subacute forms of ischemic heart disease (411)	1	7	6	4	–	4	3	7
Angina pectoris (413)	2	2	2	1	1	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	116	336	156	310	170	181	56	336
Other diseases of endocardium (424)	9	23	10	9	13	8	1	15
All other forms of heart disease (415-423,425-429)	85	340	97	262	116	61	58	238
Hypertension with or without renal disease (401,403)	3	15	2	9	9	6	4	8
Cerebrovascular diseases (430-438)	91	237	70	209	66	83	60	238
Intracerebral and other intracranial hemorrhage (431-432)	9	26	15	29	9	8	4	26
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	28	10	56	11	10	3	57
Cerebral embolism (434.1)	–	–	–	–	1	2	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	61	185	45	124	45	63	53	153
Atherosclerosis (440)	7	27	15	26	11	12	8	15
Other diseases of arteries, arterioles, and capillaries (441-448)	14	36	12	25	14	10	5	26
Acute bronchitis and bronchiolitis (466)	–	1	–	–	1	–	–	1
Pneumonia and influenza (480-487)	20	103	59	77	19	25	20	86
Pneumonia (480-486)	19	95	55	74	19	21	20	79
Influenza (487)	1	8	4	3	–	4	–	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	32	96	52	101	44	49	22	75
Bronchitis, chronic and unspecified (490-491)	–	6	1	5	–	4	1	2
Emphysema (492)	7	18	19	22	23	5	4	8
Asthma (493)	1	2	2	3	1	–	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	70	30	71	20	40	17	64
Ulcer of stomach and duodenum (531-533)	–	7	3	6	–	2	–	4
Appendicitis (540-543)	1	–	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	8	4	7	1	–	–	6
Chronic liver disease and cirrhosis (571)	8	30	8	59	5	6	5	27
Cholelithiasis and other disorders of gallbladder (574-575)	1	6	2	1	1	2	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	22	8	56	11	12	5	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	3	1	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	4	–	1	–	2	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	18	8	52	10	9	5	25
Infections of kidney (590)	–	1	–	4	1	–	–	1
Hyperplasia of prostate (600)	–	–	–	2	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	2	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	–
Congenital anomalies (740-759)	5	15	4	33	8	5	3	8
Certain conditions originating in the perinatal period (760-779)	7	6	2	68	7	2	2	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	–	16	1	–	1	2
Other conditions originating in the perinatal period (760-766,770-779)	4	5	2	52	6	2	1	9
Symptoms, signs, and ill-defined conditions (780-799)	3	83	5	34	3	6	11	25
All other diseases (Residual)	60	202	91	260	99	77	52	190
Accidents and adverse effects (E800-E949)	37	88	38	209	52	24	39	98
Motor vehicle accidents (E810-E825)	14	40	15	104	37	12	18	47
All other accidents and adverse effects (E800-E807,E826-E949)	23	48	21	105	15	12	21	49
Suicide (E950-E959)	6	41	16	66	22	14	7	26
Homicide and legal intervention (E960-E978)	–	7	5	49	5	2	9	8
All other external causes (E980-E999)	–	7	–	3	2	–	2	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	2,157	3,001	961	1,446	1,752	4,071	1,187	1,058
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	1	–	–	–
Tuberculosis (010-018)	1	1	–	–	1	1	2	–
Tuberculosis of respiratory system (010-012)	1	1	–	–	1	1	2	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	–	–	–	–
Septicemia (038)	7	37	6	13	16	20	8	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	–	2	2	–	1	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	11	2	8	4	11	6	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	512	692	219	266	414	890	263	193
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	17	2	10	5	9	9	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	129	174	63	61	117	194	66	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	162	201	51	71	97	262	79	55
Malignant neoplasm of breast (174-175)	40	53	14	32	32	89	18	19
Malignant neoplasms of genital organs (179-187)	59	60	27	35	45	93	25	34
Malignant neoplasms of urinary organs (188-189)	21	29	12	10	10	34	2	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39	94	22	28	58	128	40	13
Leukemia (204-208)	19	18	9	9	15	34	7	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	46	19	10	35	47	17	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	13	2	4	3	7	7	–
Diabetes mellitus (250)	37	59	20	28	15	78	9	20
Nutritional deficiencies (260-269)	1	1	–	1	6	4	1	1
Anemias (280-285)	4	6	1	3	–	7	–	3
Meningitis (320-322)	–	1	–	1	–	3	–	1
Major cardiovascular diseases (390-448)	886	1,418	463	647	816	1,962	546	553
Diseases of heart (390-398,402,404-429)	640	1,122	342	498	641	1,549	428	432
Rheumatic fever and rheumatic heart disease (390-398)	10	7	4	5	3	7	1	2
Hypertensive heart disease (402)	14	21	4	33	7	39	8	18
Hypertensive heart and renal disease (404)	3	13	2	3	–	8	–	2
Ischemic heart disease (410-414)	487	741	226	309	398	1,087	295	220
Acute myocardial infarction (410)	176	445	104	154	246	616	207	125
Other acute and subacute forms of ischemic heart disease (411)	1	3	–	–	–	2	–	1
Angina pectoris (413)	3	1	–	2	–	1	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	305	292	122	153	152	468	87	90
Other diseases of endocardium (424)	11	9	7	6	8	17	5	2
All other forms of heart disease (415-423,425-429)	115	331	99	140	225	391	119	188
Hypertension with or without renal disease (401,403)	12	7	2	10	3	13	3	6
Cerebrovascular diseases (430-438)	184	226	80	118	129	300	101	101
Intracerebral and other intracranial hemorrhage (431-432)	18	35	8	25	18	39	5	30
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	33	7	16	24	40	24	12
Cerebral embolism (434.1)	1	1	1	–	1	2	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	126	157	64	77	86	219	71	57
Atherosclerosis (440)	37	38	27	7	24	70	5	6
Other diseases of arteries, arterioles, and capillaries (441-448)	23	25	12	16	19	30	9	8
Acute bronchitis and bronchiolitis (466)	2	–	–	1	–	–	–	–
Pneumonia and influenza (480-487)	79	84	45	32	55	92	24	27
Pneumonia (480-486)	76	83	42	32	53	89	23	25
Influenza (487)	3	1	3	–	2	3	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	139	120	31	45	73	137	51	26
Bronchitis, chronic and unspecified (490-491)	3	5	1	2	3	16	2	5
Emphysema (492)	50	19	4	7	15	27	18	–
Asthma (493)	6	4	3	2	1	5	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	80	92	23	34	54	89	30	21
Ulcer of stomach and duodenum (531-533)	4	11	2	5	7	14	4	1
Appendicitis (540-543)	1	–	–	–	2	2	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	9	3	3	1	12	–	4
Chronic liver disease and cirrhosis (571)	24	26	7	29	16	46	9	16
Cholelithiasis and other disorders of gallbladder (574-575)	2	5	2	1	2	3	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	39	12	10	14	38	12	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	–	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	3	–	–	2	–	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	37	9	10	14	34	12	7
Infections of kidney (590)	3	2	1	–	–	4	2	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	9	17	4	19	6	30	6	11
Certain conditions originating in the perinatal period (760-779)	9	15	10	31	6	63	6	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	3	–	7	3	21	1	2
Other conditions originating in the perinatal period (760-766,770-779)	7	12	10	24	3	42	5	12
Symptoms, signs, and ill-defined conditions (780-799)	40	35	14	11	46	22	60	4
All other diseases (Residual)	182	237	62	121	107	262	89	75
Accidents and adverse effects (E800-E949)	107	109	36	107	89	223	55	66
Motor vehicle accidents (E810-E825)	54	52	16	57	45	137	30	42
All other accidents and adverse effects (E800-E807,E826-E949)	53	57	20	50	44	86	25	24
Suicide (E950-E959)	48	40	15	28	38	59	10	13
Homicide and legal intervention (E960-E978)	13	9	2	27	11	75	7	8
All other external causes (E980-E999)	7	1	2	3	1	6	6	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	1,091	13,176	3,322	2,092	809	3,284	4,413	1,066
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	–	1	–
Tuberculosis (010-018)	–	4	2	4	1	1	2	1
Tuberculosis of respiratory system (010-012)	–	3	1	3	1	1	2	1
Other tuberculosis (013-018)	–	1	1	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	2	–	1	–	–	–	–
Septicemia (038)	8	93	19	11	1	20	22	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	6	2	2	–	–	1	–
Syphilis (090-097)	–	1	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	3	41	13	2	2	14	18	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	238	3,280	849	415	199	756	935	257
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	56	19	11	5	7	14	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	54	867	206	103	39	181	235	61
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	57	826	252	127	65	215	239	81
Malignant neoplasm of breast (174-175)	25	278	78	30	10	75	67	15
Malignant neoplasms of genital organs (179-187)	27	350	97	37	19	98	99	15
Malignant neoplasms of urinary organs (188-189)	16	138	47	18	4	32	37	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	350	85	55	32	80	141	50
Leukemia (204-208)	7	120	21	13	10	33	41	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	185	44	21	15	35	62	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	57	10	7	2	13	9	4
Diabetes mellitus (250)	20	178	48	34	19	57	90	16
Nutritional deficiencies (260-269)	1	7	3	5	–	7	6	3
Anemias (280-285)	5	27	3	5	2	3	6	2
Meningitis (320-322)	1	8	–	1	–	1	1	–
Major cardiovascular diseases (390-448)	449	6,278	1,576	1,065	344	1,629	1,884	531
Diseases of heart (390-398,402,404-429)	345	5,290	1,286	863	286	1,199	1,479	433
Rheumatic fever and rheumatic heart disease (390-398)	10	59	30	4	2	9	17	3
Hypertensive heart disease (402)	7	87	36	4	8	20	70	6
Hypertensive heart and renal disease (404)	1	13	6	–	1	11	9	1
Ischemic heart disease (410-414)	242	4,000	911	521	188	872	1,102	270
Acute myocardial infarction (410)	114	1,864	326	303	80	372	423	162
Other acute and subacute forms of ischemic heart disease (411)	1	32	–	6	2	3	43	1
Angina pectoris (413)	1	7	2	3	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	126	2,097	583	209	108	497	635	107
Other diseases of endocardium (424)	11	61	22	7	5	19	29	4
All other forms of heart disease (415-423,425-429)	74	980	281	327	92	268	252	149
Hypertension with or without renal disease (401,403)	5	52	11	3	2	11	16	1
Cerebrovascular diseases (430-438)	72	791	213	161	31	338	300	80
Intracerebral and other intracranial hemorrhage (431-432)	12	104	30	11	4	30	51	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	135	23	7	4	39	46	22
Cerebral embolism (434.1)	–	4	–	–	–	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	53	548	160	143	23	288	202	46
Atherosclerosis (440)	13	82	24	12	8	43	46	6
Other diseases of arteries, arterioles, and capillaries (441-448)	14	153	42	26	7	38	43	11
Acute bronchitis and bronchiolitis (466)	–	4	–	1	–	3	1	1
Pneumonia and influenza (480-487)	52	265	77	70	23	79	147	43
Pneumonia (480-486)	52	264	77	68	23	76	144	42
Influenza (487)	–	1	–	2	–	3	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	62	486	104	62	23	126	170	23
Bronchitis, chronic and unspecified (490-491)	6	19	4	–	–	5	6	–
Emphysema (492)	13	113	23	16	2	31	35	2
Asthma (493)	1	21	4	4	–	9	5	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	333	73	42	21	81	124	21
Ulcer of stomach and duodenum (531-533)	5	38	4	5	1	15	14	6
Appendicitis (540-543)	–	1	–	–	–	3	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	21	5	4	2	12	16	1
Chronic liver disease and cirrhosis (571)	12	169	43	21	9	27	68	8
Cholelithiasis and other disorders of gallbladder (574-575)	1	18	1	8	1	–	8	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	160	17	29	5	39	53	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	3	–	1	1	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	12	–	1	–	2	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	145	17	27	4	37	50	9
Infections of kidney (590)	1	8	1	2	1	4	4	1
Hyperplasia of prostate (600)	–	2	1	–	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	1	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	1	–	–	–	–	–
Congenital anomalies (740-759)	6	58	15	7	5	28	43	2
Certain conditions originating in the perinatal period (760-779)	6	109	17	10	7	22	67	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	29	5	6	2	3	31	2
Other conditions originating in the perinatal period (760-766,770-779)	7	80	12	4	5	19	36	5
Symptoms, signs, and ill-defined conditions (780-799)	8	98	33	45	8	38	47	6
All other diseases (Residual)	105	998	245	107	60	167	319	83
Accidents and adverse effects (E800-E949)	55	388	157	120	63	138	315	43
Motor vehicle accidents (E810-E825)	30	194	88	65	32	64	172	25
All other accidents and adverse effects (E800-E807,E826-E949)	25	194	69	55	31	74	143	18
Suicide (E950-E959)	26	228	55	27	24	41	72	12
Homicide and legal intervention (E960-E978)	4	140	15	20	7	21	89	10
All other external causes (E980-E999)	1	–	6	2	–	–	6	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn.	Grand Rapids, Mich.	Great Falls, Mont.	Greeley, Colo.
All causes	1,119	1,691	5,256	1,111	787	4,733	845	843
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	–	–	2	–	–	–	–	1
Tuberculosis (010-018)	2	1	7	–	1	2	1	1
Tuberculosis of respiratory system (010-012)	2	1	4	–	1	1	1	1
Other tuberculosis (013-018)	–	–	3	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	5	19	36	10	4	24	4	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	3	–	–	3	1	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-065,071-088,088-139)	5	5	20	3	3	16	2	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	249	451	1,198	236	169	1,078	149	167
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	12	22	5	5	27	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	51	91	275	55	38	257	39	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	74	147	339	70	43	234	41	35
Malignant neoplasm of breast (174-175)	22	50	107	23	12	116	9	20
Malignant neoplasms of genital organs (179-187)	35	42	112	33	25	134	19	16
Malignant neoplasms of urinary organs (188-189)	10	19	58	10	13	52	13	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	57	176	17	16	148	18	26
Leukemia (204-208)	7	14	45	10	9	40	5	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	19	64	13	8	68	3	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	8	12	2	2	12	2	–
Diabetes mellitus (250)	20	21	159	17	14	86	6	17
Nutritional deficiencies (260-269)	3	1	11	3	4	10	2	3
Anemias (280-285)	3	2	12	–	2	3	–	–
Meningitis (320-322)	–	1	3	–	–	4	–	–
Major cardiovascular diseases (390-448)	470	748	2,491	512	366	2,218	288	357
Diseases of heart (390-398,402,404-429)	326	633	1,969	421	276	1,663	238	282
Rheumatic fever and rheumatic heart disease (390-398)	2	3	21	2	1	10	6	6
Hypertensive heart disease (402)	11	16	53	8	3	57	6	12
Hypertensive heart and renal disease (404)	1	1	5	–	1	12	1	–
Ischemic heart disease (410-414)	220	438	1,445	342	203	1,069	156	195
Acute myocardial infarction (410)	108	182	687	156	102	554	77	105
Other acute and subacute forms of ischemic heart disease (411)	1	1	17	1	2	4	1	–
Angina pectoris (413)	–	–	2	–	–	–	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	111	255	739	185	99	511	78	88
Other diseases of endocardium (424)	8	7	29	2	2	27	5	7
All other forms of heart disease (415-423,425-429)	84	168	416	67	66	488	64	62
Hypertension with or without renal disease (401,403)	8	3	17	5	2	14	3	3
Cerebrovascular diseases (430-438)	105	91	394	63	54	372	31	55
Intracerebral and other intracranial hemorrhage (431-432)	15	18	47	12	2	51	2	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	7	63	8	4	59	1	7
Cerebral embolism (434.1)	1	–	1	–	1	3	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	70	66	283	43	47	259	28	40
Atherosclerosis (440)	18	10	56	14	16	109	13	8
Other diseases of arteries, arterioles, and capillaries (441-448)	13	11	55	9	18	60	3	9
Acute bronchitis and bronchiolitis (466)	–	–	–	–	1	–	–	–
Pneumonia and influenza (480-487)	26	46	100	53	38	210	12	34
Pneumonia (480-486)	25	45	98	53	32	197	10	33
Influenza (487)	1	1	2	–	6	13	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	42	35	178	61	24	165	38	55
Bronchitis, chronic and unspecified (490-491)	2	1	4	6	1	18	3	2
Emphysema (492)	11	7	50	8	3	34	4	13
Asthma (493)	3	2	9	1	2	6	1	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	25	115	36	18	107	30	34
Ulcer of stomach and duodenum (531-533)	4	7	13	7	4	17	1	4
Appendicitis (540-543)	–	1	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	13	4	3	11	2	1
Chronic liver disease and cirrhosis (571)	12	18	60	13	7	52	9	11
Cholelithiasis and other disorders of gallbladder (574-575)	1	1	5	4	1	8	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	12	60	16	8	57	4	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	4	1	–	6	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	10	55	14	8	51	4	7
Infections of kidney (590)	1	–	4	1	–	3	–	–
Hyperplasia of prostate (600)	–	–	2	–	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–
Congenital anomalies (740-759)	9	10	33	8	3	43	4	–
Certain conditions originating in the perinatal period (760-779)	17	11	53	8	6	38	4	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	4	21	1	1	9	1	1
Other conditions originating in the perinatal period (760-766,770-779)	10	7	32	7	5	29	3	8
Symptoms, signs, and ill-defined conditions (780-799)	28	15	86	11	17	30	14	3
All other diseases (Residual)	116	119	369	94	74	348	51	64
Accidents and adverse effects (E800-E949)	57	94	190	44	24	203	25	60
Motor vehicle accidents (E810-E825)	27	49	83	18	12	114	12	37
All other accidents and adverse effects (E800-E807,E826-E949)	30	45	107	26	12	89	13	23
Suicide (E950-E959)	14	29	66	12	9	55	23	22
Homicide and legal intervention (E960-E978)	15	28	66	2	2	30	1	11
All other external causes (E980-E999)	2	4	4	–	–	5	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston-Salem–High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,259	7,479	5,063	1,059	2,183	4,315	9,237	1,132
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	3	1	1	–	–	–
Tuberculosis (010-018)	–	8	3	–	–	1	3	–
Tuberculosis of respiratory system (010-012)	–	5	3	–	–	1	2	–
Other tuberculosis (013-018)	–	3	–	–	–	–	1	–
Whooping cough (033)	–	1	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	–	1	–	–	–	–	1	–
Septicemia (038)	9	82	45	6	21	84	103	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	6	1	–	1	1	5	–
Syphilis (090-097)	–	–	–	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-136)	3	28	18	3	4	7	36	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	291	1,626	1,078	228	528	1,006	2,262	229
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	25	31	–	10	20	44	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	67	387	232	64	110	240	585	54
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	65	467	333	55	172	258	576	63
Malignant neoplasm of breast (174-175)	31	164	123	14	46	99	214	20
Malignant neoplasms of genital organs (179-187)	41	178	132	27	61	104	242	23
Malignant neoplasms of urinary organs (188-189)	14	65	48	12	13	51	96	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	40	192	89	26	74	135	300	37
Leukemia (204-208)	9	57	28	8	14	42	75	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	93	52	21	28	57	130	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	31	13	5	8	17	28	6
Diabetes mellitus (250)	13	124	82	21	43	68	153	18
Nutritional deficiencies (260-269)	2	5	7	3	2	11	8	1
Anemias (280-285)	5	12	6	2	10	11	23	–
Meningitis (320-322)	–	1	4	–	1	2	7	3
Major cardiovascular diseases (390-448)	618	3,433	2,363	531	964	2,084	4,241	534
Diseases of heart (390-398,402,404-429)	467	2,609	1,827	428	756	1,685	3,456	455
Rheumatic fever and rheumatic heart disease (390-398)	3	21	17	2	7	12	31	4
Hypertensive heart disease (402)	3	60	52	11	40	33	80	4
Hypertensive heart and renal disease (404)	6	15	15	–	4	8	7	1
Ischemic heart disease (410-414)	351	1,872	1,227	286	499	1,052	2,387	302
Acute myocardial infarction (410)	225	1,029	760	166	254	515	922	201
Other acute and subacute forms of ischemic heart disease (411)	–	3	1	–	2	4	3	–
Angina pectoris (413)	1	3	5	1	–	1	10	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	125	837	461	119	243	532	1,452	101
Other diseases of endocardium (424)	9	33	22	11	9	24	40	5
All other forms of heart disease (415-423,425-429)	85	588	494	116	197	556	911	139
Hypertension with or without renal disease (401,403)	7	29	27	5	15	18	34	5
Cerebrovascular diseases (430-438)	116	641	412	77	136	303	561	52
Intracerebral and other intracranial hemorrhage (431-432)	15	66	74	11	11	31	89	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	89	39	12	10	45	99	5
Cerebral embolism (434.1)	–	2	4	1	1	1	6	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	84	474	295	53	114	226	367	38
Atherosclerosis (440)	11	79	51	6	41	39	88	7
Other diseases of arteries, arterioles, and capillaries (441-448)	17	75	46	17	16	39	102	15
Acute bronchitis and bronchiolitis (466)	1	1	–	1	2	3	2	–
Pneumonia and influenza (480-487)	44	273	168	34	73	113	368	42
Pneumonia (480-486)	44	264	162	33	72	108	359	42
Influenza (487)	–	9	6	1	1	5	9	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	47	256	185	44	118	169	291	37
Bronchitis, chronic and unspecified (490-491)	1	20	6	3	9	5	15	1
Emphysema (492)	18	46	37	12	20	12	40	8
Asthma (493)	5	14	11	–	6	6	21	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	176	131	29	84	166	215	25
Ulcer of stomach and duodenum (531-533)	4	23	11	5	8	12	21	3
Appendicitis (540-543)	–	2	–	–	1	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	18	13	6	4	5	25	3
Chronic liver disease and cirrhosis (571)	10	94	60	10	32	31	104	13
Cholelithiasis and other disorders of gallbladder (574-575)	4	17	8	3	3	4	14	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	60	34	8	17	58	94	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	–	2	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	9	6	1	1	4	7	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	50	28	7	16	50	86	9
Infections of kidney (590)	–	9	8	1	1	2	3	2
Hyperplasia of prostate (600)	1	1	1	–	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	2	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	–	–	2	1	–
Congenital anomalies (740-759)	10	49	30	6	11	16	57	6
Certain conditions originating in the perinatal period (760-779)	12	80	60	3	18	30	78	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	18	7	–	6	10	13	2
Other conditions originating in the perinatal period (760-766,770-779)	8	62	53	3	12	20	65	6
Symptoms, signs, and ill-defined conditions (780-799)	7	37	24	3	14	45	132	6
All other diseases (Residual)	93	614	415	78	128	311	704	85
Accidents and adverse effects (E800-E949)	42	379	293	35	99	143	316	82
Motor vehicle accidents (E810-E825)	18	194	162	21	51	71	141	42
All other accidents and adverse effects (E800-E807,E826-E949)	24	185	131	14	48	72	175	40
Suicide (E950-E959)	19	114	72	14	45	49	105	18
Homicide and legal intervention (E960-E978)	4	85	55	7	29	8	44	8
All other external causes (E980-E999)	5	7	2	1	1	3	6	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	4,304	19,171	3,078	2,585	10,243	445	1,319	2,638
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	8	–	–	–	–	1	2
Tuberculosis (010-018)	6	29	3	2	6	–	–	4
Tuberculosis of respiratory system (010-012)	6	25	3	2	5	–	–	3
Other tuberculosis (013-018)	–	4	–	–	1	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	3	–	–	–	–	1	1
Septicemia (038)	47	228	27	18	149	2	7	20
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	7	3	1	4	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-068,071-088,088-139)	27	198	4	9	32	–	5	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,055	4,297	638	576	2,400	101	269	555
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	81	8	9	39	2	4	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	315	947	135	132	553	28	63	142
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	279	1,261	210	173	778	21	68	173
Malignant neoplasm of breast (174-175)	78	411	46	40	205	10	23	46
Malignant neoplasms of genital organs (179-187)	110	365	72	66	255	16	42	58
Malignant neoplasms of urinary organs (188-189)	40	154	24	19	98	9	19	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	117	629	94	84	278	12	39	74
Leukemia (204-208)	34	184	15	21	83	1	8	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	285	34	33	111	8	9	29
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	60	9	5	20	1	2	9
Diabetes mellitus (250)	118	317	57	55	193	9	20	39
Nutritional deficiencies (260-269)	4	13	3	3	15	1	3	5
Anemias (280-285)	7	42	4	4	16	–	3	6
Meningitis (320-322)	3	18	4	3	5	1	1	2
Major cardiovascular diseases (390-448)	1,755	7,801	1,523	1,197	4,409	212	624	1,168
Diseases of heart (390-398,402,404-429)	1,390	6,205	1,226	935	3,455	152	503	951
Rheumatic fever and rheumatic heart disease (390-398)	18	36	9	7	30	–	2	3
Hypertensive heart disease (402)	40	230	29	16	87	3	9	50
Hypertensive heart and renal disease (404)	6	16	3	3	9	1	1	4
Ischemic heart disease (410-414)	827	3,562	803	581	2,408	106	356	489
Acute myocardial infarction (410)	425	1,685	470	408	1,042	40	197	323
Other acute and subacute forms of ischemic heart disease (411)	4	5	2	3	3	1	–	–
Angina pectoris (413)	2	6	1	–	6	–	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	386	1,866	330	170	1,357	65	159	158
Other diseases of endocardium (424)	27	80	18	12	57	3	5	7
All other forms of heart disease (415-423,425-429)	472	2,281	364	316	864	39	130	404
Hypertension with or without renal disease (401,403)	14	53	10	11	52	1	7	10
Cerebrovascular diseases (430-438)	278	1,239	225	204	678	48	83	165
Intracerebral and other intracranial hemorrhage (431-432)	73	208	21	20	109	7	8	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35	185	37	53	85	17	12	15
Cerebral embolism (434.1)	–	7	1	2	1	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	170	839	166	129	483	23	63	126
Atherosclerosis (440)	22	138	28	23	124	5	21	16
Other diseases of arteries, arterioles, and capillaries (441-448)	51	166	34	24	100	6	10	26
Acute bronchitis and bronchiolitis (466)	–	7	3	–	–	–	–	–
Pneumonia and influenza (480-487)	147	530	109	48	359	14	46	66
Pneumonia (480-486)	147	523	108	45	355	13	45	62
Influenza (487)	–	7	1	3	4	1	1	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	137	487	169	82	458	18	90	77
Bronchitis, chronic and unspecified (490-491)	11	18	26	1	13	2	2	3
Emphysema (492)	21	109	37	18	71	2	33	10
Asthma (493)	22	16	6	2	17	–	4	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	83	344	100	61	357	14	51	60
Ulcer of stomach and duodenum (531-533)	11	48	6	6	34	1	2	5
Appendicitis (540-543)	–	5	1	–	1	–	–	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	42	9	2	26	–	2	17
Chronic liver disease and cirrhosis (571)	48	243	27	21	115	6	11	31
Cholelithiasis and other disorders of gallbladder (574-575)	5	26	4	2	9	1	–	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	231	22	35	149	5	19	33
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	11	5	4	8	1	–	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	218	17	30	141	4	19	29
Infections of kidney (590)	6	16	3	4	6	–	–	1
Hyperplasia of prostate (600)	–	5	–	–	3	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	5	–	–	4	1	1	–
Pregnancy with abortive outcome (630-636)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	5	–	–	4	1	1	–
Congenital anomalies (740-759)	44	203	17	18	66	3	9	17
Certain conditions originating in the perinatal period (760-779)	74	287	27	24	135	3	12	23
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	45	10	6	19	–	3	12
Other conditions originating in the perinatal period (760-766,770-779)	50	242	17	18	116	3	9	11
Symptoms, signs, and ill-defined conditions (780-799)	55	363	21	34	95	4	15	51
All other diseases (Residual)	341	1,398	216	192	843	37	95	236
Accidents and adverse effects (E800-E949)	168	1,166	113	157	404	21	54	160
Motor vehicle accidents (E810-E825)	78	602	54	95	231	8	35	73
All other accidents and adverse effects (E800-E807,E826-E949)	110	564	59	62	173	13	19	87
Suicide (E950-E959)	90	486	38	52	159	10	14	41
Homicide and legal intervention (E960-E978)	49	578	15	35	94	–	13	45
All other external causes (E980-E999)	25	26	3	10	34	–	–	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	7,779	542	1,250	5,791	4,222	2,817	1,457	2,300
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	–	–	3
Tuberculosis (010-018)	8	1	–	13	6	1	2	–
Tuberculosis of respiratory system (010-012)	4	1	–	9	4	1	2	–
Other tuberculosis (013-018)	4	–	–	4	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	1	1	–	–	–	1
Septicemia (038)	83	5	9	93	33	22	8	19
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	2	2	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	32	2	3	66	14	3	2	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,761	119	265	1,268	900	581	331	522
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	50	3	7	35	8	10	5	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	413	25	62	325	184	176	69	120
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	578	44	72	351	263	133	128	149
Malignant neoplasm of breast (174-175)	133	6	21	126	76	45	20	56
Malignant neoplasms of genital organs (179-187)	177	15	30	131	86	50	32	46
Malignant neoplasms of urinary organs (188-189)	53	4	13	41	45	31	15	28
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	198	15	34	141	134	87	31	64
Leukemia (204-208)	78	3	9	42	47	23	10	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	61	4	17	76	57	26	23	32
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	2	3	29	8	7	2	6
Diabetes mellitus (250)	141	11	13	121	69	75	24	45
Nutritional deficiencies (260-269)	10	1	–	1	8	5	13	8
Anemias (280-285)	17	2	4	13	8	3	–	2
Meningitis (320-322)	3	2	3	2	–	2	–	–
Major cardiovascular diseases (390-448)	3,331	186	626	2,583	1,934	1,448	667	1,025
Diseases of heart (390-398,402,404-429)	2,589	141	485	2,129	1,498	1,180	502	800
Rheumatic fever and rheumatic heart disease (390-398)	28	3	5	31	10	11	5	13
Hypertensive heart disease (402)	117	6	1	52	43	32	11	14
Hypertensive heart and renal disease (404)	10	1	3	12	4	10	–	2
Ischemic heart disease (410-414)	1,649	105	392	1,500	1,019	851	333	593
Acute myocardial infarction (410)	684	46	210	622	608	408	186	229
Other acute and subacute forms of ischemic heart disease (411)	6	1	2	9	2	3	2	4
Angina pectoris (413)	–	–	1	3	2	5	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	959	58	179	866	407	435	145	359
Other diseases of endocardium (424)	31	1	7	37	21	11	8	12
All other forms of heart disease (415-423,425-429)	754	25	77	497	401	265	145	166
Hypertension with or without renal disease (401,403)	34	3	3	11	16	15	5	11
Cerebrovascular diseases (430-438)	523	33	85	368	323	187	122	153
Intracerebral and other intracranial hemorrhage (431-432)	80	5	11	78	34	26	19	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	80	1	13	78	47	41	10	33
Cerebral embolism (434.1)	2	–	–	4	1	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	361	27	61	210	241	119	93	95
Atherosclerosis (440)	102	5	36	20	47	43	13	31
Other diseases of arteries, arterioles, and capillaries (441-448)	83	4	17	55	50	23	25	30
Acute bronchitis and bronchiolitis (466)	5	1	–	2	3	–	–	1
Pneumonia and influenza (480-487)	185	12	43	168	204	74	35	106
Pneumonia (480-486)	183	12	40	167	198	70	35	103
Influenza (487)	2	–	3	1	6	4	–	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	394	22	39	165	190	118	58	101
Bronchitis, chronic and unspecified (490-491)	12	3	2	3	8	7	–	2
Emphysema (492)	73	1	7	41	26	22	8	20
Asthma (493)	12	2	3	10	7	4	3	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	297	16	27	111	149	85	47	75
Ulcer of stomach and duodenum (531-533)	27	3	3	22	17	9	4	14
Appendicitis (540-543)	3	–	1	1	–	1	–	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	–	5	19	7	6	3	5
Chronic liver disease and cirrhosis (571)	146	8	8	115	36	28	14	16
Cholelithiasis and other disorders of gallbladder (574-575)	6	1	3	8	6	6	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	88	5	17	100	29	28	14	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	3	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	2	3	2	–	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	83	5	14	94	26	28	12	23
Infections of kidney (590)	9	–	1	4	3	3	–	2
Hyperplasia of prostate (600)	4	–	–	–	–	2	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	–	1	–	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	–	–	–	–	–	1
Congenital anomalies (740-759)	51	7	9	28	18	9	8	16
Certain conditions originating in the perinatal period (760-779)	95	25	8	54	29	10	8	36
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	19	5	1	23	7	3	2	6
Other conditions originating in the perinatal period (760-766,770-779)	76	20	7	31	22	7	6	30
Symptoms, signs, and ill-defined conditions (780-799)	109	6	8	56	94	11	47	8
All other diseases (Residual)	560	43	114	526	300	240	104	173
Accidents and adverse effects (E800-E949)	388	61	45	178	211	87	82	115
Motor vehicle accidents (E810-E825)	217	36	24	68	119	38	37	55
All other accidents and adverse effects (E800-E807,E826-E949)	171	25	21	110	92	49	45	60
Suicide (E950-E959)	112	8	13	38	62	32	21	27
Homicide and legal intervention (E960-E978)	146	8	5	46	22	2	7	14
All other external causes (E980-E999)	15	–	–	8	9	2	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Killeen-Temple, Tex.	Knoxville, Tenn.	Kokomo, Ind.	La Crosse, Wis.	Lafayette, La.
All causes	926	11,509	1,051	1,414	4,542	947	805	922
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	–	–	–
Tuberculosis (010-018)	1	10	–	–	11	1	–	2
Tuberculosis of respiratory system (010-012)	1	8	–	–	9	1	–	2
Other tuberculosis (013-018)	–	2	–	–	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	1	–	–	–
Septicemia (038)	10	95	4	12	30	11	6	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	5	–	1	5	–	–	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,098-139)	2	51	–	9	11	–	6	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	219	2,591	242	264	960	191	180	239
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	43	2	4	19	6	2	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	53	542	60	46	220	42	55	62
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	60	796	71	80	301	56	30	81
Malignant neoplasm of breast (174-175)	18	233	26	15	90	17	20	15
Malignant neoplasms of genital organs (179-187)	23	275	29	26	95	24	23	22
Malignant neoplasms of urinary organs (188-189)	10	110	8	7	33	9	8	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	25	343	26	64	107	18	24	28
Leukemia (204-208)	11	90	6	6	26	5	9	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	159	14	16	69	14	9	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	25	3	2	18	9	–	1
Diabetes mellitus (250)	18	187	18	11	71	15	5	22
Nutritional deficiencies (260-269)	1	35	3	1	5	–	1	3
Anemias (280-285)	1	21	2	1	5	2	2	2
Meningitis (320-322)	2	6	1	1	1	–	–	2
Major cardiovascular diseases (390-448)	401	4,924	527	609	1,832	457	384	357
Diseases of heart (390-398,402,404-429)	322	3,949	424	518	1,330	369	285	273
Rheumatic fever and rheumatic heart disease (390-398)	2	43	4	2	14	4	6	2
Hypertensive heart disease (402)	8	79	3	4	21	–	7	15
Hypertensive heart and renal disease (404)	1	12	5	1	7	–	1	1
Ischemic heart disease (410-414)	226	2,544	335	256	938	232	211	136
Acute myocardial infarction (410)	102	1,115	140	153	504	125	67	78
Other acute and subacute forms of ischemic heart disease (411)	–	10	–	–	1	1	–	1
Angina pectoris (413)	4	1	–	1	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	1,418	185	92	432	106	144	57
Other diseases of endocardium (424)	7	60	3	5	20	8	9	4
All other forms of heart disease (415-423,425-429)	78	1,211	74	250	330	125	51	115
Hypertension with or without renal disease (401,403)	4	41	2	2	14	3	2	7
Cerebrovascular diseases (430-438)	63	705	80	70	394	66	76	58
Intracerebral and other intracranial hemorrhage (431-432)	14	108	12	14	49	7	16	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	70	12	11	41	7	13	17
Cerebral embolism (434.1)	–	3	–	1	1	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	37	524	56	44	303	51	47	38
Atherosclerosis (440)	6	112	8	6	49	9	8	9
Other diseases of arteries, arterioles, and capillaries (441-448)	6	117	13	11	45	10	13	10
Acute bronchitis and bronchiolitis (466)	1	3	–	–	5	–	–	–
Pneumonia and influenza (480-487)	46	396	39	30	133	22	53	35
Pneumonia (480-486)	43	385	39	29	132	22	52	34
Influenza (487)	3	11	–	1	1	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	39	485	34	33	161	40	27	31
Bronchitis, chronic and unspecified (490-491)	3	19	1	1	9	–	–	3
Emphysema (492)	5	75	4	6	23	9	4	8
Asthma (493)	1	15	2	4	6	–	1	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	30	376	27	22	123	31	22	17
Ulcer of stomach and duodenum (531-533)	3	24	3	2	16	2	1	1
Appendicitis (540-543)	–	2	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	27	2	2	12	7	2	3
Chronic liver disease and cirrhosis (571)	8	117	9	16	36	7	8	11
Cholelithiasis and other disorders of gallbladder (574-575)	2	18	1	1	13	4	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	156	11	12	25	12	6	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	–	–	2	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	7	–	–	5	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	146	11	12	18	12	5	11
Infections of kidney (590)	2	12	–	2	7	2	–	2
Hyperplasia of prostate (600)	–	–	1	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	2	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	1	–	–	–	–
Congenital anomalies (740-759)	9	77	7	21	27	4	4	8
Certain conditions originating in the perinatal period (760-779)	13	104	8	20	26	5	7	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	38	1	1	11	1	3	10
Other conditions originating in the perinatal period (760-766,770-779)	13	66	7	19	15	4	4	18
Symptoms, signs, and ill-defined conditions (780-799)	3	273	4	129	378	35	2	6
All other diseases (Residual)	74	937	66	79	363	62	67	59
Accidents and adverse effects (E800-E949)	37	542	43	96	254	32	26	49
Motor vehicle accidents (E810-E825)	17	263	24	51	141	22	11	28
All other accidents and adverse effects (E800-E807,E826-E949)	20	279	19	45	113	10	14	21
Suicide (E950-E959)	10	200	17	37	72	22	14	22
Homicide and legal intervention (E960-E978)	7	168	5	19	53	3	3	20
All other external causes (E980-E999)	1	15	1	2	11	2	1	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind.	Lake Charles, La.	Lakeland-Winter Haven, Fla.	Lancaster, Pa.	Lansing-East Lansing, Mich.	Laredo, Tex.	Las Cruces, N.Mex.	Las Vegas, Nev.
All causes	845	1,358	3,730	3,366	3,128	534	664	4,296
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	2
Tuberculosis (010-018)	–	–	2	–	2	–	1	2
Tuberculosis of respiratory system (010-012)	–	–	1	–	2	–	–	2
Other tuberculosis (013-018)	–	–	1	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	1
Septicemia (038)	5	18	30	25	36	5	6	31
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	2	–	–	–	–	7
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	2	9	7	18	–	4	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	224	318	766	790	702	124	127	1,025
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	9	20	8	17	–	2	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	54	67	173	215	149	39	34	210
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	68	108	231	182	174	31	38	368
Malignant neoplasm of breast (174-175)	11	24	56	71	69	8	7	79
Malignant neoplasms of genital organs (179-187)	25	31	84	98	78	14	15	85
Malignant neoplasms of urinary organs (188-189)	10	6	36	30	28	4	2	46
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26	38	103	99	111	13	16	134
Leukemia (204-208)	8	14	23	35	33	5	6	37
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	21	40	54	43	10	7	53
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	7	18	15	6	1	2	10
Diabetes mellitus (250)	13	23	68	71	68	30	18	49
Nutritional deficiencies (260-269)	2	1	5	3	8	–	1	11
Anemias (280-285)	1	1	11	2	8	2	1	6
Meningitis (320-322)	–	1	–	–	3	1	1	6
Major cardiovascular diseases (390-448)	372	611	1,670	1,637	1,435	247	245	1,797
Diseases of heart (390-398,402,404-429)	275	486	1,250	1,302	1,094	205	175	1,509
Rheumatic fever and rheumatic heart disease (390-398)	5	3	2	6	9	–	2	15
Hypertensive heart disease (402)	2	19	36	23	19	3	8	136
Hypertensive heart and renal disease (404)	–	1	3	2	5	–	–	2
Ischemic heart disease (410-414)	214	309	946	829	763	123	91	673
Acute myocardial infarction (410)	95	160	436	445	390	77	37	335
Other acute and subacute forms of ischemic heart disease (411)	–	–	4	–	3	–	–	4
Angina pectoris (413)	1	2	1	3	2	–	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	118	147	505	381	368	46	54	331
Other diseases of endocardium (424)	4	6	11	22	16	3	1	23
All other forms of heart disease (415-423,425-429)	50	148	252	420	282	76	73	660
Hypertension with or without renal disease (401,403)	3	5	25	14	8	2	6	6
Cerebrovascular diseases (430-438)	81	90	297	229	237	35	43	217
Intracerebral and other intracranial hemorrhage (431-432)	9	10	47	30	28	5	5	40
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	9	59	35	32	12	2	29
Cerebral embolism (434.1)	1	–	3	–	–	–	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	61	71	188	164	177	18	36	146
Atherosclerosis (440)	6	13	47	54	65	2	15	22
Other diseases of arteries, arterioles, and capillaries (441-448)	7	17	51	38	31	3	6	43
Acute bronchitis and bronchiolitis (466)	–	–	1	3	4	–	–	1
Pneumonia and influenza (480-487)	18	39	98	101	87	16	20	93
Pneumonia (480-486)	17	39	95	98	77	16	19	93
Influenza (487)	1	–	1	5	10	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	42	39	169	115	112	14	42	203
Bronchitis, chronic and unspecified (490-491)	5	–	4	7	7	3	–	11
Emphysema (492)	13	5	33	11	33	1	12	45
Asthma (493)	–	2	5	4	5	1	4	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	32	127	93	67	9	26	133
Ulcer of stomach and duodenum (531-533)	1	2	11	13	14	1	3	11
Appendicitis (540-543)	–	1	1	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	4	10	12	11	3	2	9
Chronic liver disease and cirrhosis (571)	3	15	44	24	26	9	16	91
Cholelithiasis and other disorders of gallbladder (574-575)	–	3	–	3	5	2	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	17	35	59	33	13	5	60
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	2	3	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	7	2	2	1	–	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	11	16	26	54	31	12	5	55
Infections of kidney (590)	2	–	2	–	2	–	–	1
Hyperplasia of prostate (600)	–	–	1	2	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	2	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	2	–	–	–	–	–
Congenital anomalies (740-759)	3	12	21	24	26	3	3	29
Certain conditions originating in the perinatal period (760-779)	9	19	39	29	41	9	5	31
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	8	9	7	14	4	2	7
Other conditions originating in the perinatal period (760-766,770-779)	6	11	30	22	27	5	3	24
Symptoms, signs, and ill-defined conditions (780-799)	9	9	176	27	19	34	7	56
All other diseases (Residual)	83	97	264	239	219	52	61	286
Accidents and adverse effects (E800-E949)	25	78	168	120	160	46	60	216
Motor vehicle accidents (E810-E825)	14	33	107	73	81	19	37	121
All other accidents and adverse effects (E800-E807,E826-E949)	11	45	61	47	79	27	23	95
Suicide (E950-E959)	16	27	54	38	64	5	23	130
Homicide and legal intervention (E960-E978)	–	11	48	6	19	18	8	93
All other external causes (E980-E999)	–	2	7	–	1	1	2	17

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans.	Lawton, Okla.	Lewiston-Auburn, Maine	Lexington-Fayette, Ky.	Lima, Ohio	Lincoln, Nebr.	Little Rock-North Little Rock, Ark.	Long Branch-Asbury Park, N.J.
All causes	421	661	997	2,645	1,922	1,418	3,318	5,020
Shigellosis and amebiasis (004,006)	–	–	–	–	1	–	–	–
Certain other intestinal infections (007-009)	–	–	–	1	–	–	–	–
Tuberculosis (010-018)	–	–	–	1	–	–	4	7
Tuberculosis of respiratory system (010-012)	–	–	–	1	–	–	3	7
Other tuberculosis (013-018)	–	–	–	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	1	–	1	2	–
Septicemia (038)	4	4	11	27	10	10	43	71
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	2	–	–	1	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	–	1	7	7	8	15	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	87	135	207	605	450	342	720	1,226
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	1	8	7	8	8	16	24
Malignant neoplasms of digestive organs and peritoneum (150-159)	20	32	42	136	111	87	149	325
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	18	43	64	191	122	85	250	317
Malignant neoplasm of breast (174-175)	5	13	15	57	48	33	60	133
Malignant neoplasms of genital organs (179-187)	11	14	25	73	44	33	61	117
Malignant neoplasms of urinary organs (188-189)	6	4	6	25	25	22	25	55
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	12	15	31	76	46	37	98	149
Leukemia (204-208)	7	5	6	13	21	10	22	40
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	8	10	27	25	27	39	66
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	1	2	5	7	5	10	19
Diabetes mellitus (250)	7	5	17	52	31	31	36	115
Nutritional deficiencies (260-269)	–	–	2	3	3	2	5	6
Anemias (280-285)	1	1	2	5	5	2	5	9
Meningitis (320-322)	–	–	–	1	2	–	2	1
Major cardiovascular diseases (390-448)	159	284	492	1,184	928	600	1,535	2,393
Diseases of heart (390-398,402,404-429)	106	223	362	948	705	447	1,199	1,899
Rheumatic fever and rheumatic heart disease (390-398)	–	2	1	9	3	3	5	26
Hypertensive heart disease (402)	2	1	12	22	18	25	17	45
Hypertensive heart and renal disease (404)	–	1	1	4	2	2	5	6
Ischemic heart disease (410-414)	69	163	277	600	488	272	616	1,492
Acute myocardial infarction (410)	45	88	134	434	239	104	308	718
Other acute and subacute forms of ischemic heart disease (411)	–	5	20	–	2	2	–	8
Angina pectoris (413)	–	1	1	–	–	–	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	24	69	122	166	247	166	308	763
Other diseases of endocardium (424)	–	2	6	8	9	8	9	27
All other forms of heart disease (415-423,425-429)	35	54	69	305	185	197	547	303
Hypertension with or without renal disease (401,403)	2	4	4	13	3	6	10	17
Cerebrovascular diseases (430-438)	40	50	63	164	156	101	260	330
Intracerebral and other intracranial hemorrhage (431-432)	5	9	10	25	34	14	29	64
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	9	3	27	28	6	45	71
Cerebral embolism (434.1)	–	2	1	–	1	–	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	30	30	49	112	93	81	186	193
Atherosclerosis (440)	9	2	42	21	40	29	31	90
Other diseases of arteries, arterioles, and capillaries (441-448)	2	5	21	38	24	17	35	57
Acute bronchitis and bronchiolitis (466)	2	1	3	2	1	–	1	1
Pneumonia and influenza (480-487)	28	25	37	77	60	60	110	158
Pneumonia (480-486)	27	23	32	75	55	57	109	153
Influenza (487)	1	2	5	2	5	3	1	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	18	30	42	103	86	50	109	156
Bronchitis, chronic and unspecified (490-491)	1	–	1	5	4	6	8	8
Emphysema (492)	3	8	10	20	14	12	18	30
Asthma (493)	1	1	3	8	5	3	5	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	13	23	28	72	63	29	78	112
Ulcer of stomach and duodenum (531-533)	3	2	4	5	2	2	11	11
Appendicitis (540-543)	–	–	–	1	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	–	2	3	7	5	3	9	8
Chronic liver disease and cirrhosis (571)	4	11	13	34	21	13	28	70
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	1	5	4	2	5	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	7	25	19	18	49	57
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	1	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	1	4	3	–	4	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	2	6	22	15	18	43	53
Infections of kidney (590)	–	2	1	3	2	1	3	3
Hyperplasia of prostate (600)	–	–	–	–	3	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–
Congenital anomalies (740-759)	5	3	11	10	10	15	22	21
Certain conditions originating in the perinatal period (760-779)	4	12	4	21	11	11	38	35
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	–	–	8	4	–	12	16
Other conditions originating in the perinatal period (760-766,770-779)	2	12	4	13	7	11	26	19
Symptoms, signs, and ill-defined conditions (780-799)	18	4	5	24	15	34	52	36
All other diseases (Residual)	37	54	84	226	126	115	231	397
Accidents and adverse effects (E800-E949)	30	50	33	134	81	52	151	143
Motor vehicle accidents (E810-E825)	16	26	20	77	44	28	65	68
All other accidents and adverse effects (E800-E807,E826-E949)	14	24	13	57	37	24	86	75
Suicide (E950-E959)	4	22	12	40	26	32	55	37
Homicide and legal intervention (E960-E978)	4	9	2	30	4	3	62	11
All other external causes (E980-E999)	–	1	–	9	1	5	4	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,553	2,084	62,940	8,270	1,463	1,470	2,260	2,099
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–
Certain other intestinal infections (007-009)	1	2	34	–	–	–	1	–
Tuberculosis (010-018)	2	1	73	4	2	–	5	3
Tuberculosis of respiratory system (010-012)	2	1	57	4	1	–	3	2
Other tuberculosis (013-018)	–	–	16	–	1	–	2	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	21	1	–	–	2	–
Septicemia (038)	12	23	115	89	31	9	19	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	70	2	1	–	1	–
Syphilis (090-097)	–	–	6	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	6	688	27	6	4	16	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	323	506	13,607	1,986	248	330	485	461
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	11	267	33	2	6	8	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	61	121	3,438	478	58	73	113	100
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	87	144	3,615	842	63	105	152	117
Malignant neoplasm of breast (174-175)	30	41	1,313	158	16	30	35	50
Malignant neoplasms of genital organs (179-187)	54	60	1,537	202	24	37	44	65
Malignant neoplasms of urinary organs (188-189)	13	19	538	77	13	15	22	22
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	50	65	1,759	225	42	38	73	59
Leukemia (204-208)	7	19	537	60	17	11	10	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	26	805	111	12	15	28	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	8	127	16	8	5	7	1
Diabetes mellitus (250)	27	40	885	166	10	19	38	25
Nutritional deficiencies (260-269)	2	8	29	17	5	2	4	3
Anemias (280-285)	4	3	69	17	4	2	5	4
Meningitis (320-322)	2	–	40	3	1	2	1	2
Major cardiovascular diseases (390-448)	643	986	29,023	3,742	681	692	1,023	992
Diseases of heart (390-398,402,404-429)	481	798	22,888	2,899	584	528	737	761
Rheumatic fever and rheumatic heart disease (390-398)	2	5	255	25	6	3	4	1
Hypertensive heart disease (402)	7	23	1,283	59	5	17	15	7
Hypertensive heart and renal disease (404)	3	5	95	15	1	6	5	2
Ischemic heart disease (410-414)	304	611	14,813	1,835	293	339	499	578
Acute myocardial infarction (410)	180	303	6,292	1,046	159	199	325	252
Other acute and subacute forms of ischemic heart disease (411)	1	5	55	1	2	19	2	2
Angina pectoris (413)	–	1	16	5	–	–	4	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	123	302	8,450	783	132	121	168	324
Other diseases of endocardium (424)	8	8	296	28	7	4	8	14
All other forms of heart disease (415-423,425-429)	157	146	6,146	937	272	157	206	159
Hypertension with or without renal disease (401,403)	4	7	270	33	4	4	26	11
Cerebrovascular diseases (430-438)	135	138	4,558	637	70	132	205	167
Intracerebral and other intracranial hemorrhage (431-432)	10	11	716	86	15	16	30	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	29	790	99	3	29	12	36
Cerebral embolism (434.1)	2	–	19	2	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	103	98	3,033	450	52	87	162	108
Atherosclerosis (440)	11	17	779	74	11	11	34	26
Other diseases of arteries, arterioles, and capillaries (441-448)	12	26	528	89	12	19	21	27
Acute bronchitis and bronchiolitis (466)	–	2	18	–	–	–	–	1
Pneumonia and influenza (480-487)	22	57	2,245	280	49	43	63	75
Pneumonia (480-486)	22	56	2,223	272	49	42	63	73
Influenza (487)	–	1	22	8	–	1	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	46	79	2,215	361	53	61	71	94
Bronchitis, chronic and unspecified (490-491)	4	–	132	19	1	5	2	4
Emphysema (492)	8	19	517	70	7	12	18	14
Asthma (493)	2	2	123	11	1	3	7	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	32	58	1,443	261	44	41	44	69
Ulcer of stomach and duodenum (531-533)	2	4	255	16	2	4	7	10
Appendicitis (540-543)	–	2	27	3	1	1	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	10	120	16	6	1	6	6
Chronic liver disease and cirrhosis (571)	10	24	1,355	84	15	20	23	20
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	81	14	1	3	6	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	18	382	74	11	11	41	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	7	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	38	2	1	–	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	16	337	71	10	11	37	13
Infections of kidney (590)	1	1	56	6	2	1	5	2
Hyperplasia of prostate (600)	1	–	17	1	1	1	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	14	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	3	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	11	–	–	–	–	–
Congenital anomalies (740-759)	6	14	534	48	10	9	11	18
Certain conditions originating in the perinatal period (760-779)	8	15	759	41	27	8	35	23
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	7	204	9	13	2	11	2
Other conditions originating in the perinatal period (760-766,770-779)	6	8	555	32	14	6	24	21
Symptoms, signs, and ill-defined conditions (780-799)	154	23	295	69	45	9	12	6
All other diseases (Residual)	113	122	3,819	663	118	122	174	192
Accidents and adverse effects (E800-E949)	93	68	3,052	318	73	73	122	80
Motor vehicle accidents (E810-E825)	47	31	1,430	135	39	36	66	42
All other accidents and adverse effects (E800-E807,E826-E949)	46	37	1,622	183	34	37	56	38
Suicide (E950-E958)	25	42	1,038	138	23	22	38	36
Homicide and legal intervention (E960-E978)	24	16	1,506	66	27	15	31	8
All other external causes (E980-E999)	–	2	64	2	2	1	2	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,405	1,140	1,798	1,281	3,058	8,338	17,304	604
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	1	1	–	6	–
Tuberculosis (010-018)	–	1	5	–	1	10	39	1
Tuberculosis of respiratory system (010-012)	–	–	3	–	1	6	32	1
Other tuberculosis (013-018)	–	1	2	–	–	4	7	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	1	–	–
Meningococcal infection (036)	–	–	1	–	–	1	3	–
Septicemia (038)	20	5	18	2	19	118	131	2
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	–	1	2	7	14	–
Syphilis (090-097)	–	–	–	–	1	1	2	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	3	7	6	9	34	145	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	563	280	312	306	798	1,961	3,833	139
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	6	7	4	12	36	95	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	155	71	82	59	188	464	1,016	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	154	81	73	110	295	507	1,008	43
Malignant neoplasm of breast (174-175)	51	24	28	25	69	132	346	18
Malignant neoplasms of genital organs (179-187)	57	30	36	34	74	213	421	14
Malignant neoplasms of urinary organs (188-189)	15	9	16	11	26	88	157	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	80	35	45	36	74	265	421	20
Leukemia (204-208)	17	7	9	10	18	76	144	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	17	16	17	42	100	215	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	5	7	2	6	35	73	–
Diabetes mellitus (250)	46	30	48	19	52	132	340	6
Nutritional deficiencies (260-269)	2	–	1	1	2	5	11	4
Anemias (280-285)	4	3	3	–	4	15	44	1
Meningitis (320-322)	3	4	1	–	1	6	15	–
Major cardiovascular diseases (390-448)	1,126	562	660	568	1,365	3,778	7,775	246
Diseases of heart (390-398,402,404-429)	861	424	535	435	1,101	2,959	6,376	203
Rheumatic fever and rheumatic heart disease (390-398)	4	5	4	4	13	13	56	2
Hypertensive heart disease (402)	8	8	9	5	26	175	267	1
Hypertensive heart and renal disease (404)	2	–	–	1	2	9	12	–
Ischemic heart disease (410-414)	596	334	395	325	722	1,586	4,506	149
Acute myocardial infarction (410)	331	172	203	99	357	784	2,000	93
Other acute and subacute forms of ischemic heart disease (411)	1	1	–	1	1	4	12	–
Angina pectoris (413)	1	1	–	–	–	2	9	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	263	160	132	225	364	786	2,485	56
Other diseases of endocardium (424)	13	8	7	7	19	39	90	3
All other forms of heart disease (415-423,425-429)	238	69	180	93	319	1,137	1,445	48
Hypertension with or without renal disease (401,403)	6	1	6	5	10	38	95	2
Cerebrovascular diseases (430-438)	182	98	99	111	177	647	1,043	22
Intracerebral and other intracranial hemorrhage (431-432)	18	6	21	10	32	101	167	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	46	11	21	18	37	120	240	1
Cerebral embolism (434.1)	1	–	–	–	2	3	8	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	117	81	57	83	106	423	628	16
Atherosclerosis (440)	49	21	12	8	30	71	80	14
Other diseases of arteries, arterioles, and capillaries (441-448)	28	18	8	9	47	62	181	5
Acute bronchitis and bronchiolitis (466)	2	3	–	–	1	–	2	–
Pneumonia and influenza (480-487)	70	29	51	37	75	190	419	10
Pneumonia (480-486)	68	28	50	34	74	190	418	10
Influenza (487)	2	–	1	3	1	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	81	51	56	64	122	287	539	24
Bronchitis, chronic and unspecified (490-491)	1	9	2	5	4	12	26	1
Emphysema (492)	17	10	6	6	25	47	104	4
Asthma (493)	2	2	–	–	4	28	30	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	30	48	53	89	200	379	19
Ulcer of stomach and duodenum (531-533)	12	2	4	4	5	16	40	5
Appendicitis (540-543)	1	–	–	–	–	2	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	3	5	4	9	25	44	5
Chronic liver disease and cirrhosis (571)	25	12	29	20	52	74	245	7
Cholelithiasis and other disorders of gallbladder (574-575)	4	3	5	–	5	14	14	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	27	11	35	3	21	95	182	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	–	–	–	5	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	2	2	1	13	15	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	9	33	1	20	82	162	4
Infections of kidney (590)	4	–	1	3	4	2	16	1
Hyperplasia of prostate (600)	2	–	–	1	1	–	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	–	2	4	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	–	2	3	–
Congenital anomalies (740-759)	16	7	19	4	13	68	100	11
Certain conditions originating in the perinatal period (760-779)	25	8	23	9	22	109	153	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	1	15	1	6	24	36	2
Other conditions originating in the perinatal period (760-766,770-779)	20	7	8	8	16	85	117	5
Symptoms, signs, and ill-defined conditions (780-799)	15	7	212	41	20	115	241	8
All other diseases (Residual)	208	52	122	88	200	580	1,505	45
Accidents and adverse effects (E800-E949)	72	43	120	63	145	437	645	48
Motor vehicle accidents (E810-E825)	38	14	58	29	101	197	319	25
All other accidents and adverse effects (E800-E807,E826-E949)	34	29	62	34	44	240	326	23
Suicide (E950-E959)	37	13	22	25	61	124	299	19
Homicide and legal intervention (E960-E978)	8	2	30	8	40	191	421	3
All other external causes (E980-E999)	3	–	1	1	1	3	–	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	12,271	15,991	4,197	2,510	1,225	2,470	1,058	1,590
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–
Certain other intestinal infections (007-009)	1	2	–	1	–	–	–	–
Tuberculosis (010-018)	7	4	7	1	1	4	1	1
Tuberculosis of respiratory system (010-012)	5	1	5	1	1	4	1	1
Other tuberculosis (013-018)	2	3	2	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	1	3	–	–	–	–	–	–
Septicemia (038)	94	102	28	11	15	29	10	13
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	4	5	5	2	2	–	1
Syphilis (090-097)	1	1	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	37	64	9	8	4	12	6	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,849	3,678	986	536	250	518	235	324
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	52	69	19	5	5	5	7	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	728	940	236	132	56	123	56	79
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	701	875	301	152	72	157	69	89
Malignant neoplasm of breast (174-175)	281	351	72	31	21	34	22	35
Malignant neoplasms of genital organs (179-187)	315	432	125	60	24	49	24	44
Malignant neoplasms of urinary organs (188-189)	139	166	26	19	11	16	15	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	349	454	114	83	42	92	28	31
Leukemia (204-208)	114	159	27	21	8	16	6	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	169	232	46	33	11	26	8	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	64	12	7	1	5	3	1
Diabetes mellitus (250)	229	301	90	52	21	43	11	27
Nutritional deficiencies (260-269)	11	34	4	2	1	3	2	5
Anemias (280-285)	15	30	11	8	3	3	2	4
Meningitis (320-322)	2	7	–	–	1	2	–	–
Major cardiovascular diseases (390-448)	5,920	6,987	1,950	1,003	615	1,101	517	808
Diseases of heart (390-398,402,404-429)	4,649	5,137	1,267	727	497	853	405	639
Rheumatic fever and rheumatic heart disease (390-398)	38	56	14	13	2	4	3	5
Hypertensive heart disease (402)	101	92	63	15	3	34	10	16
Hypertensive heart and renal disease (404)	10	14	10	2	4	3	4	–
Ischemic heart disease (410-414)	3,483	3,638	839	528	199	464	315	507
Acute myocardial infarction (410)	1,513	1,389	456	287	116	303	117	248
Other acute and subacute forms of ischemic heart disease (411)	63	13	1	–	32	2	1	4
Angina pectoris (413)	2	7	2	1	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,885	2,229	380	240	51	159	197	254
Other diseases of endocardium (424)	67	107	22	17	4	14	5	2
All other forms of heart disease (415-423,425-429)	970	1,230	319	152	285	334	68	109
Hypertension with or without renal disease (401,403)	46	111	28	12	10	9	5	13
Cerebrovascular diseases (430-438)	922	1,352	295	210	69	196	78	118
Intracerebral and other intracranial hemorrhage (431-432)	133	137	55	13	10	34	11	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	145	118	55	61	7	16	10	19
Cerebral embolism (434.1)	4	6	3	3	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	640	1,091	179	133	72	146	57	87
Atherosclerosis (440)	134	176	223	22	10	16	13	25
Other diseases of arteries, arterioles, and capillaries (441-448)	169	211	39	32	9	27	16	13
Acute bronchitis and bronchiolitis (466)	2	4	2	1	1	2	–	1
Pneumonia and influenza (480-487)	475	634	52	146	49	68	32	57
Pneumonia (480-486)	462	607	51	145	47	67	31	56
Influenza (487)	13	27	1	1	2	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	341	542	168	134	29	88	43	55
Bronchitis, chronic and unspecified (490-491)	11	21	5	5	2	3	2	1
Emphysema (492)	63	79	22	31	9	23	11	23
Asthma (493)	21	34	10	6	–	1	–	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	246	408	131	92	18	61	30	30
Ulcer of stomach and duodenum (531-533)	27	37	11	10	1	6	4	6
Appendicitis (540-543)	–	6	2	–	–	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	47	12	12	1	2	6	2
Chronic liver disease and cirrhosis (571)	132	144	65	30	9	30	6	16
Cholelithiasis and other disorders of gallbladder (574-575)	13	27	7	3	3	2	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	93	126	39	17	15	18	12	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	9	4	1	–	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	85	117	34	16	15	16	11	13
Infections of kidney (590)	12	5	9	6	1	2	1	2
Hyperplasia of prostate (600)	3	5	–	2	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	3	1	–	2	–	1
Pregnancy with abortive outcome (630-638)	–	–	2	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	1	1	–	2	–	1
Congenital anomalies (740-759)	68	135	30	25	7	17	4	15
Certain conditions originating in the perinatal period (760-779)	103	134	73	18	24	37	9	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	43	20	3	8	14	2	2
Other conditions originating in the perinatal period (760-766,770-779)	87	91	53	15	16	23	7	13
Symptoms, signs, and ill-defined conditions (780-799)	80	443	53	6	13	62	8	6
All other diseases (Residual)	970	1,339	304	181	76	192	79	124
Accidents and adverse effects (E800-E949)	379	681	238	208	57	157	43	59
Motor vehicle accidents (E810-E825)	171	265	131	114	30	71	22	28
All other accidents and adverse effects (E800-E807,E826-E949)	208	416	107	94	27	86	21	31
Suicide (E950-E959)	206	306	67	50	15	25	15	19
Homicide and legal intervention (E960-E978)	95	77	69	25	9	34	9	9
All other external causes (E980-E999)	20	16	10	1	1	2	–	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn.	Nassau-Suffolk, N.Y.	New Bedford-Fall River, Mass.	New Brunswick-Perth Amboy-Sayreville, N.J.	New Haven-Waterbury-Meriden, Conn.	New London-Norwich, Conn.	New Orleans, La.	New York, N.Y.-N.J.
All causes	7,636	22,241	4,552	4,988	7,440	2,040	10,456	94,397
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	2	3	–	1	1	–	1	23
Tuberculosis (010-018)	7	10	1	3	5	2	14	208
Tuberculosis of respiratory system (010-012)	7	9	1	3	4	1	12	164
Other tuberculosis (013-018)	–	1	–	–	1	1	2	44
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	7	1	1	–	–	2	16
Septicemia (038)	62	248	42	71	117	16	163	962
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	7	2	4	–	–	7	37
Syphilis (090-097)	–	–	–	–	1	–	3	3
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	34	81	16	31	34	6	37	883
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,721	5,705	995	1,275	1,823	488	2,364	19,779
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	30	113	12	18	34	10	48	397
Malignant neoplasms of digestive organs and peritoneum (150-159)	381	1,575	287	343	470	145	594	5,682
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	581	1,440	259	349	439	123	747	4,675
Malignant neoplasm of breast (174-175)	139	603	98	109	163	35	152	1,971
Malignant neoplasms of genital organs (179-187)	153	580	102	130	223	53	238	2,146
Malignant neoplasms of urinary organs (188-189)	55	283	34	66	78	16	81	769
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	213	591	111	156	233	56	320	2,357
Leukemia (204-208)	70	200	28	49	85	15	56	656
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	99	320	64	55	118	15	128	1,126
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	92	11	33	20	10	41	320
Diabetes mellitus (250)	136	413	85	105	120	46	289	1,850
Nutritional deficiencies (260-269)	13	5	9	6	6	2	23	49
Anemias (280-285)	22	38	4	7	7	5	22	135
Meningitis (320-322)	1	4	1	2	1	–	8	85
Major cardiovascular diseases (390-448)	3,364	10,692	2,396	2,262	3,449	944	4,501	44,697
Diseases of heart (390-398,402,404-429)	2,677	9,026	1,773	1,861	2,822	737	3,574	38,349
Rheumatic fever and rheumatic heart disease (390-398)	16	100	19	21	23	5	24	304
Hypertensive heart disease (402)	140	275	17	47	71	19	267	761
Hypertensive heart and renal disease (404)	6	24	18	1	3	1	15	67
Ischemic heart disease (410-414)	1,548	7,205	1,461	1,475	1,750	524	2,148	31,378
Acute myocardial infarction (410)	907	2,550	890	641	769	236	1,107	13,197
Other acute and subacute forms of ischemic heart disease (411)	69	9	2	6	9	3	4	61
Angina pectoris (413)	3	6	1	2	12	4	7	19
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	569	4,640	568	827	968	281	1,030	18,101
Other diseases of endocardium (424)	23	104	23	24	43	20	39	307
All other forms of heart disease (415-423,425-429)	944	1,318	235	292	932	168	1,081	5,532
Hypertension with or without renal disease (401,403)	17	52	17	14	35	14	48	340
Cerebrovascular diseases (430-438)	551	1,246	483	242	442	150	701	4,511
Intracerebral and other intracranial hemorrhage (431-432)	72	200	125	42	52	18	115	905
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	79	328	100	37	68	31	131	618
Cerebral embolism (434.1)	5	5	1	–	5	–	6	14
All other and late effects of cerebrovascular diseases (430,433,435-438)	401	713	257	163	317	101	449	2,974
Atherosclerosis (440)	59	130	68	90	78	24	81	728
Other diseases of arteries, arterioles, and capillaries (441-448)	60	238	54	55	71	19	97	768
Acute bronchitis and bronchiolitis (466)	1	1	1	2	1	1	2	15
Pneumonia and influenza (480-487)	245	691	171	139	245	67	192	3,768
Pneumonia (480-486)	238	679	169	139	239	64	188	3,748
Influenza (487)	7	12	2	–	6	3	4	20
Chronic obstructive pulmonary diseases and allied conditions (490-496)	292	703	124	145	211	74	268	2,252
Bronchitis, chronic and unspecified (490-491)	9	30	8	7	12	1	12	95
Emphysema (492)	49	159	28	28	22	8	71	365
Asthma (493)	12	36	5	2	10	4	25	290
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	222	478	83	108	167	61	160	1,502
Ulcer of stomach and duodenum (531-533)	23	80	14	8	15	8	26	347
Appendicitis (540-543)	3	5	1	1	3	–	3	23
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	52	5	16	16	4	17	170
Chronic liver disease and cirrhosis (571)	75	285	61	66	88	34	154	1,764
Cholelithiasis and other disorders of gallbladder (574-575)	10	36	15	5	10	3	13	117
Nephritis, nephrotic syndrome, and nephrosis (580-589)	69	226	45	51	66	16	114	919
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	2	–	–	–	1	11
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	12	1	1	3	–	8	45
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	57	210	42	50	85	18	105	863
Infections of kidney (590)	9	18	4	4	2	–	6	44
Hyperplasia of prostate (600)	–	2	–	1	1	–	3	26
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	–	–	–	–	1	23
Pregnancy with abortive outcome (630-636)	–	–	–	–	–	–	–	7
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	3	–	–	–	–	1	16
Congenital anomalies (740-759)	56	97	18	25	40	12	87	471
Certain conditions originating in the perinatal period (760-779)	64	182	23	39	67	23	125	869
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	49	7	8	13	8	25	213
Other conditions originating in the perinatal period (760-766,770-779)	40	133	16	31	54	15	100	656
Symptoms, signs, and ill-defined conditions (780-799)	86	90	30	77	107	36	133	1,514
All other diseases (Residual)	582	1,366	279	336	604	141	886	8,023
Accidents and adverse effects (E800-E949)	459	703	139	185	246	82	493	2,740
Motor vehicle accidents (E810-E825)	254	385	75	84	118	46	225	834
All other accidents and adverse effects (E800-E807,E826-E949)	205	318	64	101	130	36	268	1,906
Suicide (E950-E959)	126	237	38	49	60	32	195	403
Homicide and legal intervention (E960-E978)	125	102	11	16	37	5	259	1,579
All other external causes (E980-E999)	13	57	10	2	4	1	4	392

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	18,402	1,070	2,433	2,906	6,694	7,811	1,923	828
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	–	–	1	–	1	1
Tuberculosis (010-018)	26	–	–	1	7	7	–	1
Tuberculosis of respiratory system (010-012)	18	–	–	–	6	6	–	1
Other tuberculosis (013-018)	8	–	–	1	1	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	–	–	1	1	–	–
Septicemia (038)	278	7	31	34	74	73	11	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	14	–	1	1	2	–	2	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	145	2	13	14	27	17	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,416	250	591	731	1,588	1,680	467	176
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	80	6	11	15	38	20	6	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,132	65	161	161	394	463	110	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,107	78	159	240	483	372	137	54
Malignant neoplasm of breast (174-175)	431	26	51	62	140	163	36	14
Malignant neoplasms of genital organs (179-187)	556	18	57	82	173	174	56	17
Malignant neoplasms of urinary organs (188-189)	202	10	29	30	64	77	20	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	522	30	71	95	187	248	58	25
Leukemia (204-208)	149	8	18	19	47	67	15	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	237	9	34	27	72	96	29	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	84	5	13	13	17	28	3	5
Diabetes mellitus (250)	356	11	29	53	115	166	35	10
Nutritional deficiencies (260-269)	21	–	4	2	4	7	7	1
Anemias (280-285)	37	3	7	5	8	15	4	–
Meningitis (320-322)	7	1	3	2	3	1	1	2
Major cardiovascular diseases (390-448)	8,263	542	1,157	1,240	2,895	4,064	938	240
Diseases of heart (390-398,402,404-429)	6,792	432	958	975	2,350	3,479	711	197
Rheumatic fever and rheumatic heart disease (390-398)	60	6	13	8	9	32	11	4
Hypertensive heart disease (402)	237	6	14	22	88	69	17	2
Hypertensive heart and renal disease (404)	30	2	–	6	16	10	–	–
Ischemic heart disease (410-414)	4,795	328	784	598	1,464	2,023	566	123
Acute myocardial infarction (410)	2,433	177	344	277	680	1,130	227	73
Other acute and subacute forms of ischemic heart disease (411)	24	–	8	65	130	6	9	1
Angina pectoris (413)	13	–	1	1	6	3	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,325	151	431	255	648	884	330	49
Other diseases of endocardium (424)	104	4	10	14	22	43	11	4
All other forms of heart disease (415-423,425-429)	1,546	86	137	327	751	1,302	106	64
Hypertension with or without renal disease (401,403)	51	6	7	13	31	31	9	3
Cerebrovascular diseases (430-438)	1,145	77	142	197	397	403	178	30
Intracerebral and other intracranial hemorrhage (431-432)	177	11	16	35	55	70	15	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	232	22	21	29	64	74	74	–
Cerebral embolism (434.1)	7	–	2	1	1	4	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	729	44	103	132	277	255	89	23
Atherosclerosis (440)	102	12	15	27	57	69	14	2
Other diseases of arteries, arterioles, and capillaries (441-448)	173	15	35	28	60	82	26	8
Acute bronchitis and bronchiolitis (466)	6	–	2	–	1	4	1	–
Pneumonia and influenza (480-487)	601	24	67	77	211	186	29	24
Pneumonia (480-486)	589	22	67	77	208	182	28	23
Influenza (487)	12	2	–	–	3	4	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	498	41	95	93	219	225	90	32
Bronchitis, chronic and unspecified (490-491)	22	5	5	5	10	14	8	–
Emphysema (492)	104	4	28	11	27	42	10	2
Asthma (493)	35	2	1	5	17	10	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	335	30	61	72	165	159	67	29
Ulcer of stomach and duodenum (531-533)	57	2	6	9	9	12	4	1
Appendicitis (540-543)	5	–	1	2	1	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	3	3	9	21	11	1	3
Chronic liver disease and cirrhosis (571)	285	12	37	28	74	76	26	17
Cholelithiasis and other disorders of gallbladder (574-575)	23	3	2	1	11	7	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	213	6	24	30	61	98	16	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	2	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	–	–	2	8	5	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	200	8	24	28	71	92	15	13
Infections of kidney (590)	7	–	4	2	6	6	–	1
Hyperplasia of prostate (600)	5	1	–	–	1	2	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	–	1	–	1	–	–	1
Pregnancy with abortive outcome (630-638)	3	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	1	–	1	–	–	1
Congenital anomalies (740-759)	109	2	11	15	48	25	8	5
Certain conditions originating in the perinatal period (760-779)	146	8	16	52	107	25	9	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	48	2	4	8	18	6	3	7
Other conditions originating in the perinatal period (760-766,770-779)	98	6	12	44	89	19	6	4
Symptoms, signs, and ill-defined conditions (780-799)	242	13	14	28	66	49	13	98
All other diseases (Residual)	1,559	71	144	249	522	694	117	67
Accidents and adverse effects (E800-E949)	574	40	111	129	338	241	94	56
Motor vehicle accidents (E810-E825)	251	15	60	62	150	118	56	41
All other accidents and adverse effects (E800-E807,E826-E949)	323	25	51	67	186	123	38	25
Suicide (E950-E959)	147	18	32	52	120	67	25	19
Homicide and legal intervention (E960-E978)	203	3	11	31	112	16	14	19
All other external causes (E980-E999)	12	–	3	3	5	7	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Simi Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	7,133	1,058	4,428	6,983	777	3,718	955	1,553
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	1	1	–	1	–	–
Tuberculosis (010-018)	3	–	3	5	1	5	1	1
Tuberculosis of respiratory system (010-012)	3	–	2	4	1	3	1	1
Other tuberculosis (013-018)	–	–	1	1	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	2	–	–	–	1
Septicemia (038)	80	5	27	59	4	17	10	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	9	1	1	7	–	4	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	20	2	17	27	3	21	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,552	246	1,051	1,636	194	874	228	344
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	4	23	30	–	16	6	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	361	60	243	378	34	231	37	76
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	455	76	336	450	64	235	94	106
Malignant neoplasm of breast (174-175)	143	21	79	156	29	85	15	36
Malignant neoplasms of genital organs (179-187)	164	22	103	169	28	93	23	30
Malignant neoplasms of urinary organs (188-189)	50	9	39	71	9	31	14	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	185	31	130	235	19	103	20	56
Leukemia (204-208)	75	11	41	56	4	31	9	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	94	12	57	91	7	49	10	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	3	7	27	3	8	4	3
Diabetes mellitus (250)	125	28	92	104	15	69	5	37
Nutritional deficiencies (260-269)	6	3	4	16	1	3	4	4
Anemias (280-285)	8	3	9	14	4	14	2	7
Meningitis (320-322)	6	1	2	6	1	4	–	–
Major cardiovascular diseases (390-448)	3,174	479	1,932	3,133	335	1,546	364	748
Diseases of heart (390-398,402,404-429)	2,420	373	1,512	2,511	254	1,190	281	583
Rheumatic fever and rheumatic heart disease (390-398)	14	6	10	24	–	18	2	–
Hypertensive heart disease (402)	36	9	35	67	3	27	–	5
Hypertensive heart and renal disease (404)	3	2	3	7	–	4	1	1
Ischemic heart disease (410-414)	1,629	245	1,109	1,653	144	820	182	394
Acute myocardial infarction (410)	824	129	491	765	53	305	87	218
Other acute and subacute forms of ischemic heart disease (411)	179	–	1	58	15	2	–	4
Angina pectoris (413)	8	2	2	4	–	1	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	618	114	615	826	76	512	95	170
Other diseases of endocardium (424)	41	8	15	33	5	26	7	2
All other forms of heart disease (415-423,425-429)	697	103	340	727	102	295	89	181
Hypertension with or without renal disease (401,403)	19	1	21	28	1	13	4	3
Cerebrovascular diseases (430-438)	539	84	279	452	67	270	60	119
Intracerebral and other intracranial hemorrhage (431-432)	65	10	42	59	4	38	13	20
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	66	6	52	66	7	32	6	12
Cerebral embolism (434.1)	1	1	2	2	1	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	407	67	183	325	55	198	41	87
Atherosclerosis (440)	110	9	59	64	8	31	7	21
Other diseases of arteries, arterioles, and capillaries (441-448)	86	12	61	78	5	42	12	22
Acute bronchitis and bronchiolitis (466)	2	–	4	3	–	1	–	1
Pneumonia and influenza (480-487)	225	35	184	166	26	131	19	70
Pneumonia (480-486)	224	33	179	164	25	128	19	69
Influenza (487)	1	2	5	2	1	3	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	246	56	200	276	30	164	43	61
Bronchitis, chronic and unspecified (490-491)	8	–	15	14	2	13	2	3
Emphysema (492)	56	11	33	47	6	60	7	9
Asthma (493)	15	2	10	7	2	10	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	167	43	142	208	20	81	31	48
Ulcer of stomach and duodenum (531-533)	25	3	12	19	–	13	2	4
Appendicitis (540-543)	2	–	1	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	3	15	19	1	2	2	3
Chronic liver disease and cirrhosis (571)	94	14	37	91	9	80	15	19
Cholelithiasis and other disorders of gallbladder (574-575)	12	1	6	11	3	6	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	86	3	42	52	11	33	13	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	1	2	8	–	5	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	82	2	39	44	11	28	13	17
Infections of kidney (590)	8	1	2	6	1	6	1	–
Hyperplasia of prostate (600)	3	–	1	–	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–
Congenital anomalies (740-759)	62	8	34	52	9	25	7	8
Certain conditions originating in the perinatal period (760-779)	82	6	47	70	4	28	6	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	2	12	13	–	5	2	2
Other conditions originating in the perinatal period (760-766,770-779)	66	4	35	57	4	23	4	4
Symptoms, signs, and ill-defined conditions (780-799)	101	11	57	97	8	24	50	22
All other diseases (Residual)	538	80	329	556	62	300	72	97
Accidents and adverse effects (E800-E949)	361	40	197	334	35	220	57	60
Motor vehicle accidents (E810-E825)	173	24	83	185	14	124	32	33
All other accidents and adverse effects (E800-E807,E826-E949)	188	16	114	149	21	96	35	27
Suicide (E950-E959)	140	16	71	124	14	70	21	27
Homicide and legal intervention (E960-E978)	109	9	37	66	3	41	16	3
All other external causes (E880-E999)	6	1	6	4	–	6	–	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	792	4,266	2,564	2,976	1,175	47,893	14,158	920
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	8	1	–
Tuberculosis (010-018)	1	4	4	–	5	33	15	3
Tuberculosis of respiratory system (010-012)	1	4	4	–	4	25	14	3
Other tuberculosis (013-018)	–	–	–	–	1	8	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	1	–	6	2	1
Septicemia (038)	–	42	18	32	18	852	81	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	–	–	–	10	10	–
Syphilis (090-097)	–	1	–	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	29	8	10	3	184	69	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	195	932	591	743	285	11,098	3,251	169
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	15	13	9	6	211	46	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	31	239	138	193	70	2,837	753	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	63	261	200	219	95	3,057	859	44
Malignant neoplasm of breast (174-175)	23	82	40	59	22	996	303	13
Malignant neoplasms of genital organs (179-187)	19	113	60	67	27	1,152	356	25
Malignant neoplasms of urinary organs (188-189)	5	33	28	31	12	400	152	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	96	79	79	28	1,476	469	23
Leukemia (204-208)	6	36	13	22	8	391	114	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	57	22	44	17	578	199	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	10	5	14	2	165	60	2
Diabetes mellitus (250)	6	132	39	45	23	804	238	14
Nutritional deficiencies (260-269)	–	3	–	4	2	76	21	2
Anemias (280-285)	–	6	7	4	1	87	21	5
Meningitis (320-322)	–	1	2	1	1	25	14	2
Major cardiovascular diseases (390-448)	366	2,030	1,165	1,373	508	20,939	5,713	470
Diseases of heart (390-398,402,404-429)	306	1,716	936	1,040	390	16,841	4,632	371
Rheumatic fever and rheumatic heart disease (390-398)	2	21	5	4	6	161	47	3
Hypertensive heart disease (402)	22	24	36	15	14	438	65	1
Hypertensive heart and renal disease (404)	3	5	7	–	4	57	12	1
Ischemic heart disease (410-414)	170	1,390	632	737	254	10,227	3,451	249
Acute myocardial infarction (410)	101	637	305	422	117	5,847	1,414	102
Other acute and subacute forms of ischemic heart disease (411)	–	5	1	2	25	67	263	1
Angina pectoris (413)	1	2	–	–	–	15	5	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	68	746	326	313	112	4,298	1,769	145
Other diseases of endocardium (424)	2	20	16	19	5	253	87	1
All other forms of heart disease (415-423,425-429)	107	258	240	265	107	5,705	970	116
Hypertension with or without renal disease (401,403)	2	15	8	9	4	197	38	–
Cerebrovascular diseases (430-438)	47	240	169	265	90	2,998	795	85
Intracerebral and other intracranial hemorrhage (431-432)	7	34	26	31	9	459	131	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	51	34	23	10	479	98	7
Cerebral embolism (434.1)	–	2	2	1	1	13	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	34	153	107	210	70	2,047	564	65
Atherosclerosis (440)	4	26	29	21	7	386	109	10
Other diseases of arteries, arterioles, and capillaries (441-448)	7	33	23	38	17	517	139	4
Acute bronchitis and bronchiolitis (466)	1	1	1	1	–	13	5	–
Pneumonia and influenza (480-487)	21	159	49	99	31	1,437	467	20
Pneumonia (480-486)	21	153	49	97	30	1,422	461	20
Influenza (487)	–	6	–	2	1	15	6	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	115	104	132	42	1,417	765	31
Bronchitis, chronic and unspecified (490-491)	1	5	2	12	3	86	40	1
Emphysema (492)	2	30	16	33	3	223	169	2
Asthma (493)	1	6	5	9	4	55	48	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	74	81	78	32	1,073	508	25
Ulcer of stomach and duodenum (531-533)	1	19	10	9	3	117	45	2
Appendicitis (540-543)	–	–	1	2	–	18	7	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	17	6	11	5	108	27	1
Chronic liver disease and cirrhosis (571)	11	88	34	18	15	558	200	7
Cholelithiasis and other disorders of gallbladder (574-575)	–	8	–	4	2	50	18	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	63	25	48	17	618	134	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	2	–	13	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	2	2	1	2	37	6	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	60	22	45	15	568	126	8
Infections of kidney (590)	1	–	6	1	–	21	9	–
Hyperplasia of prostate (600)	–	–	–	–	1	7	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	8	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	3	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	5	–	–
Congenital anomalies (740-759)	6	23	21	18	6	233	110	3
Certain conditions originating in the perinatal period (760-779)	10	37	26	29	25	430	147	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	13	8	5	2	81	26	3
Other conditions originating in the perinatal period (760-766,770-779)	6	24	18	24	23	349	121	8
Symptoms, signs, and ill-defined conditions (780-799)	21	62	12	25	5	1,927	151	22
All other diseases (Residual)	37	327	182	186	92	3,741	1,203	74
Accidents and adverse effects (E800-E949)	55	98	177	109	58	1,671	807	44
Motor vehicle accidents (E810-E825)	27	48	108	54	25	708	460	19
All other accidents and adverse effects (E800-E807,E826-E949)	28	50	69	55	33	963	347	25
Suicide (E950-E959)	11	28	40	49	16	578	358	2
Homicide and legal intervention (E960-E978)	8	28	28	6	8	468	191	9
All other external causes (E980-E999)	1	–	2	1	1	87	16	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y.	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	23,964	1,539	2,355	10,751	3,741	2,215	9,021	1,089
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	3	–	1	1
Tuberculosis (010-018)	11	2	1	2	1	1	5	–
Tuberculosis of respiratory system (010-012)	11	1	1	2	1	–	3	–
Other tuberculosis (013-018)	–	1	–	–	–	1	2	–
Whooping cough (033)	1	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	2	–	1	3	–
Septicemia (038)	274	22	19	38	26	20	102	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	7	–	–	5	1	2	6	–
Syphilis (090-097)	2	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	46	3	6	56	9	7	34	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,730	335	557	2,463	901	509	2,152	195
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	71	4	11	42	15	13	45	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,490	81	131	551	215	141	578	51
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,578	97	168	745	219	144	567	29
Malignant neoplasm of breast (174-175)	524	39	58	243	82	48	210	11
Malignant neoplasms of genital organs (179-187)	567	35	53	259	108	48	246	20
Malignant neoplasms of urinary organs (188-189)	240	13	24	102	53	18	94	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	744	40	69	270	117	50	233	37
Leukemia (204-208)	204	11	25	96	29	14	63	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	312	15	20	155	65	33	116	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	72	4	7	29	14	12	20	1
Diabetes mellitus (250)	533	26	36	137	74	30	158	16
Nutritional deficiencies (260-269)	26	4	4	13	6	3	18	1
Anemias (280-285)	44	–	6	17	5	6	17	1
Meningitis (320-322)	10	2	2	7	1	1	7	–
Major cardiovascular diseases (390-448)	11,593	761	1,118	4,887	1,792	1,066	4,328	447
Diseases of heart (390-398,402,404-429)	9,608	598	880	3,616	1,424	861	3,546	346
Rheumatic fever and rheumatic heart disease (390-398)	105	6	8	46	8	14	25	12
Hypertensive heart disease (402)	150	9	20	94	36	14	72	9
Hypertensive heart and renal disease (404)	21	1	2	26	5	1	6	–
Ischemic heart disease (410-414)	6,757	374	635	2,681	919	686	2,849	194
Acute myocardial infarction (410)	3,219	166	291	931	518	360	1,340	102
Other acute and subacute forms of ischemic heart disease (411)	19	1	–	3	–	1	8	–
Angina pectoris (413)	9	3	1	6	5	3	9	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,510	204	343	1,741	396	332	1,492	92
Other diseases of endocardium (424)	116	21	18	90	21	11	55	6
All other forms of heart disease (415-423,425-429)	2,459	187	197	677	435	125	539	125
Hypertension with or without renal disease (401,403)	67	6	13	54	7	5	24	4
Cerebrovascular diseases (430-438)	1,487	101	155	899	261	151	556	74
Intracerebral and other intracranial hemorrhage (431-432)	215	9	17	111	35	28	93	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	317	18	30	197	23	16	89	6
Cerebral embolism (434.1)	12	–	–	1	2	1	4	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	943	74	108	650	201	106	370	60
Atherosclerosis (440)	155	31	38	204	51	18	91	14
Other diseases of arteries, arterioles, and capillaries (441-448)	276	25	32	114	49	31	111	9
Acute bronchitis and bronchiolitis (466)	4	–	–	2	2	1	3	–
Pneumonia and influenza (480-487)	690	71	87	333	120	78	259	59
Pneumonia (480-486)	682	66	80	328	105	78	251	57
Influenza (487)	8	5	7	5	15	–	8	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	901	53	107	459	119	82	338	44
Bronchitis, chronic and unspecified (490-491)	26	1	12	23	9	4	13	2
Emphysema (492)	142	2	8	121	27	25	37	15
Asthma (493)	25	3	6	18	7	4	11	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	708	47	81	297	76	49	277	21
Ulcer of stomach and duodenum (531-533)	52	4	5	33	14	9	25	4
Appendicitis (540-543)	7	1	1	3	1	2	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	51	6	6	22	8	9	25	10
Chronic liver disease and cirrhosis (571)	264	17	27	168	38	39	98	12
Cholelithiasis and other disorders of gallbladder (574-575)	33	2	5	15	3	2	21	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	340	20	25	82	39	18	91	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	3	1	8	3	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	327	17	24	53	36	17	86	7
Infections of kidney (590)	10	1	–	13	2	2	7	2
Hyperplasia of prostate (600)	3	–	1	3	2	1	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	2	1	–	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	2	1	–	–	–
Congenital anomalies (740-759)	101	5	12	65	21	11	45	15
Certain conditions originating in the perinatal period (760-779)	162	3	16	55	21	7	49	23
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	–	5	8	5	4	18	6
Other conditions originating in the perinatal period (760-766,770-779)	121	3	11	47	16	3	31	17
Symptoms, signs, and ill-defined conditions (780-799)	236	9	24	204	22	7	36	21
All other diseases (Residual)	1,666	113	161	809	270	154	743	113
Accidents and adverse effects (E800-E949)	680	46	89	523	164	98	279	62
Motor vehicle accidents (E810-E825)	292	23	42	271	91	54	125	33
All other accidents and adverse effects (E800-E807,E826-E949)	368	23	47	252	73	44	154	29
Suicide (E950-E959)	271	23	29	202	51	28	98	33
Homicide and legal intervention (E960-E978)	90	2	3	87	10	7	41	2
All other external causes (E980-E999)	49	3	2	35	3	1	7	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo.	Racine, Wis.	Raleigh-Durham, N.C.	Reading, Pa.	Redding, Calif.	Reno, Nev.	Richland-Kennewick-Pasco, Wash.	Richmond, Va.
All causes	1,127	1,433	4,029	3,348	1,249	1,719	869	5,975
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	–	–	–
Tuberculosis (010-018)	1	1	2	1	–	3	–	2
Tuberculosis of respiratory system (010-012)	–	–	1	1	–	2	–	1
Other tuberculosis (013-018)	1	1	1	–	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	1	–	–	2
Septicemia (038)	11	12	68	29	3	14	4	90
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	3	1	2	2	1	1
Syphilis (090-097)	1	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,088-139)	4	6	14	7	4	4	2	23
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	208	307	895	789	312	418	196	1,392
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	5	20	7	6	9	4	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	65	227	190	60	95	45	326
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	62	88	238	202	104	129	58	430
Malignant neoplasm of breast (174-175)	15	24	96	62	30	35	13	103
Malignant neoplasms of genital organs (179-187)	16	37	87	81	31	37	22	149
Malignant neoplasms of urinary organs (188-189)	14	13	34	27	9	19	9	50
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	41	112	138	38	69	30	195
Leukemia (204-208)	8	8	36	40	12	9	8	42
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	28	47	44	22	16	9	78
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	4	18	11	5	10	3	16
Diabetes mellitus (250)	26	23	68	67	12	20	16	79
Nutritional deficiencies (260-269)	2	3	10	2	2	2	–	8
Anemias (280-285)	4	8	8	2	2	–	1	13
Meningitis (320-322)	1	2	5	1	1	2	2	6
Major cardiovascular diseases (390-448)	484	709	1,713	1,501	502	672	347	2,597
Diseases of heart (390-398,402,404-429)	372	547	1,284	1,174	394	530	265	1,913
Rheumatic fever and rheumatic heart disease (390-398)	5	3	19	20	2	9	4	10
Hypertensive heart disease (402)	11	8	28	22	9	58	7	67
Hypertensive heart and renal disease (404)	2	–	6	7	2	–	–	7
Ischemic heart disease (410-414)	251	424	802	703	271	397	180	1,093
Acute myocardial infarction (410)	133	152	408	372	136	129	76	534
Other acute and subacute forms of ischemic heart disease (411)	3	–	1	1	2	1	–	46
Angina pectoris (413)	3	–	1	–	1	1	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	112	272	392	330	132	176	104	510
Other diseases of endocardium (424)	8	3	16	20	11	11	4	28
All other forms of heart disease (415-423,425-429)	95	109	413	402	99	145	70	708
Hypertension with or without renal disease (401,403)	8	8	23	12	–	2	2	26
Cerebrovascular diseases (430-438)	69	116	310	233	78	116	63	508
Intracerebral and other intracranial hemorrhage (431-432)	12	14	46	30	10	13	7	65
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	28	28	35	11	9	10	52
Cerebral embolism (434.1)	–	3	1	–	–	1	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	45	73	235	168	57	95	46	389
Atherosclerosis (440)	13	17	58	36	6	7	5	102
Other diseases of arteries, arterioles, and capillaries (441-448)	22	19	38	46	24	15	12	48
Acute bronchitis and bronchiolitis (466)	–	7	–	4	–	2	–	3
Pneumonia and influenza (480-487)	45	51	126	112	55	49	32	183
Pneumonia (480-486)	41	45	125	111	54	48	24	182
Influenza (487)	4	6	1	1	1	1	8	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	71	33	131	126	72	108	54	231
Bronchitis, chronic and unspecified (490-491)	1	3	9	3	1	3	1	8
Emphysema (492)	14	9	23	20	15	10	5	41
Asthma (493)	6	1	4	11	2	4	2	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	50	20	95	92	54	91	46	164
Ulcer of stomach and duodenum (531-533)	10	5	8	12	3	9	–	15
Appendicitis (540-543)	–	–	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	7	16	7	3	3	1	12
Chronic liver disease and cirrhosis (571)	21	16	36	29	20	46	14	67
Cholelithiasis and other disorders of gallbladder (574-575)	3	2	5	4	2	3	1	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	10	50	25	5	8	5	51
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	2	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	2	–	1	–	–	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	9	48	23	4	8	5	43
Infections of kidney (590)	3	3	1	3	5	2	2	3
Hyperplasia of prostate (600)	–	–	1	1	–	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	–
Congenital anomalies (740-759)	10	8	34	14	5	12	9	36
Certain conditions originating in the perinatal period (760-779)	7	8	61	20	9	11	12	85
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	11	4	2	1	4	15
Other conditions originating in the perinatal period (760-766,770-779)	4	6	50	16	7	10	8	70
Symptoms, signs, and ill-defined conditions (780-799)	23	16	30	188	18	19	6	85
All other diseases (Residual)	100	113	376	203	89	127	65	507
Accidents and adverse effects (E800-E949)	48	51	243	126	79	92	57	283
Motor vehicle accidents (E810-E825)	23	26	131	61	41	48	32	133
All other accidents and adverse effects (E800-E807,E826-E949)	25	25	112	65	38	44	25	130
Suicide (E950-E959)	20	19	51	46	26	63	28	99
Homicide and legal intervention (E960-E978)	6	7	52	15	11	13	8	93
All other external causes (E880-E998)	–	1	3	1	1	5	1	9

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Bernardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	16,300	2,369	580	8,432	2,334	922	9,146	1,898
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	1	–	3	2
Tuberculosis (010-016)	8	1	–	4	1	1	4	–
Tuberculosis of respiratory system (010-012)	6	1	–	3	1	1	4	–
Other tuberculosis (013-016)	2	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	–	3	–	–	1	1
Septicemia (038)	54	27	2	97	18	10	57	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	15	–	–	2	2	–	7	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	104	6	5	24	8	2	48	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,542	509	135	1,934	576	198	2,125	413
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	61	10	4	33	5	4	28	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	928	119	32	487	138	48	509	91
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	997	168	30	506	142	49	627	118
Malignant neoplasm of breast (174-175)	286	33	15	195	65	14	169	39
Malignant neoplasms of genital organs (178-187)	349	51	21	207	69	30	235	54
Malignant neoplasms of urinary organs (188-189)	150	20	7	87	27	10	70	18
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	435	67	9	206	79	22	299	48
Leukemia (204-208)	119	15	9	76	23	10	78	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	217	26	8	137	28	11	110	25
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	8	4	25	9	3	25	6
Diabetes mellitus (250)	245	27	17	140	36	26	138	29
Nutritional deficiencies (260-269)	10	4	–	7	4	1	13	1
Anemias (280-285)	19	3	–	11	6	1	20	10
Meningitis (320-322)	12	–	–	1	–	–	7	–
Major cardiovascular diseases (390-448)	7,121	1,135	255	3,788	1,056	432	3,834	874
Diseases of heart (390-398,402,404-429)	5,440	902	201	2,943	822	324	2,915	664
Rheumatic fever and rheumatic heart disease (390-398)	42	3	4	34	8	1	39	2
Hypertensive heart disease (402)	84	16	4	65	10	8	58	7
Hypertensive heart and renal disease (404)	13	5	–	6	3	–	6	5
Ischemic heart disease (410-414)	4,355	566	155	2,152	645	224	2,116	497
Acute myocardial infarction (410)	1,958	256	76	1,159	247	145	837	230
Other acute and subacute forms of ischemic heart disease (411)	9	62	1	65	1	–	4	–
Angina pectoris (413)	3	1	–	1	1	–	4	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,385	247	78	927	396	79	1,271	266
Other diseases of endocardium (424)	90	11	4	20	7	3	70	8
All other forms of heart disease (415-423,425-429)	856	301	34	666	149	88	626	145
Hypertension with or without renal disease (401,403)	44	7	2	34	6	4	23	8
Cerebrovascular diseases (430-438)	1,259	173	44	623	177	76	672	145
Intracerebral and other intracranial hemorrhage (431-432)	156	18	5	88	25	11	84	20
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	214	30	7	78	20	8	83	28
Cerebral embolism (434.1)	8	–	1	2	1	1	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	881	125	31	457	131	56	503	99
Atherosclerosis (440)	186	28	5	94	22	17	102	30
Other diseases of arteries, arterioles, and capillaries (441-448)	192	25	3	94	29	11	122	27
Acute bronchitis and bronchiolitis (466)	3	1	–	10	–	–	2	–
Pneumonia and influenza (480-487)	761	83	17	337	67	20	333	55
Pneumonia (480-486)	755	79	16	319	65	19	329	48
Influenza (487)	6	4	1	18	2	1	4	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	746	83	19	365	90	34	474	83
Bronchitis, chronic and unspecified (490-491)	39	3	1	17	2	3	25	6
Emphysema (492)	153	14	3	54	19	2	99	20
Asthma (493)	40	2	2	10	3	3	19	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	514	64	13	284	66	26	331	52
Ulcer of stomach and duodenum (531-533)	89	10	3	47	5	3	34	7
Appendicitis (540-543)	5	–	–	1	1	–	5	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	5	3	19	7	3	19	5
Chronic liver disease and cirrhosis (571)	304	32	6	70	17	9	127	20
Cholelithiasis and other disorders of gallbladder (574-575)	15	4	1	10	4	–	10	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	94	16	4	109	20	3	72	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	–	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	1	1	3	2	1	8	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	62	14	3	105	18	2	63	14
Infections of kidney (590)	18	2	1	2	3	–	10	–
Hyperplasia of prostate (600)	5	–	–	3	–	1	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	–	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	–	–	–	–	1	–
Congenital anomalies (740-759)	113	13	5	60	20	8	66	6
Certain conditions originating in the perinatal period (760-779)	179	12	5	70	24	6	68	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	51	1	3	12	8	1	10	1
Other conditions originating in the perinatal period (760-766,770-779)	128	11	2	58	16	5	58	24
Symptoms, signs, and ill-defined conditions (780-799)	134	20	5	52	18	4	139	7
All other diseases (Residual)	1,055	219	52	751	177	75	685	116
Accidents and adverse effects (E800-E949)	987	96	32	304	100	59	461	67
Motor vehicle accidents (E810-E825)	641	35	12	166	62	39	244	39
All other accidents and adverse effects (E800-E807,E826-E949)	346	61	20	138	38	20	217	48
Suicide (E950-E959)	321	37	7	125	43	14	219	26
Homicide and legal intervention (E960-E978)	223	16	1	55	20	9	119	34
All other external causes (E980-E999)	15	–	1	6	1	–	17	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,143	1,149	22,704	2,271	2,236	1,942	5,655	820
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	–	–	2	–	–	1	–	–
Tuberculosis (010-018)	1	1	17	2	1	1	2	3
Tuberculosis of respiratory system (010-012)	–	1	15	1	1	1	1	3
Other tuberculosis (013-018)	1	–	2	1	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	5	–	2	–	4	1
Septicemia (038)	10	10	216	8	11	19	21	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	6	3	2	1	2	–
Syphilis (090-097)	1	–	3	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	2	85	3	16	6	23	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	236	208	5,189	481	482	452	1,042	167
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	3	87	5	11	5	19	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	67	50	1,312	125	128	115	261	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	44	60	1,561	137	124	112	198	38
Malignant neoplasm of breast (174-175)	27	19	418	36	51	35	113	12
Malignant neoplasms of genital organs (179-187)	32	22	563	67	54	59	132	15
Malignant neoplasms of urinary organs (188-189)	7	6	194	18	14	23	30	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	27	657	52	52	65	159	49
Leukemia (204-208)	7	6	168	16	24	16	54	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	15	239	25	24	22	76	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	2	64	9	7	5	27	3
Diabetes mellitus (250)	20	29	459	37	31	27	145	10
Nutritional deficiencies (260-269)	1	1	30	–	4	–	9	3
Anemias (280-285)	3	5	45	2	2	2	11	1
Meningitis (320-322)	1	–	11	1	–	–	–	1
Major cardiovascular diseases (390-448)	537	515	10,497	1,103	974	915	2,415	404
Diseases of heart (390-398,402,404-429)	400	403	8,386	830	722	672	1,900	277
Rheumatic fever and rheumatic heart disease (390-398)	4	1	64	10	6	5	50	4
Hypertensive heart disease (402)	8	4	260	17	14	27	77	3
Hypertensive heart and renal disease (404)	1	3	20	3	–	3	4	2
Ischemic heart disease (410-414)	290	294	6,259	610	537	485	1,062	128
Acute myocardial infarction (410)	113	127	2,954	265	247	334	517	73
Other acute and subacute forms of ischemic heart disease (411)	2	–	12	3	1	–	1	–
Angina pectoris (413)	–	1	7	2	1	5	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	175	166	3,286	340	288	146	544	54
Other diseases of endocardium (424)	7	5	107	13	11	5	24	4
All other forms of heart disease (415-423,425-429)	92	96	1,676	177	154	147	683	136
Hypertension with or without renal disease (401,403)	3	5	86	13	4	8	12	2
Cerebrovascular diseases (430-438)	99	81	1,584	189	181	187	412	101
Intracerebral and other intracranial hemorrhage (431-432)	7	13	219	31	26	29	50	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	9	324	28	34	40	65	9
Cerebral embolism (434.1)	–	–	13	–	1	–	7	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	78	59	1,028	130	120	118	290	83
Atherosclerosis (440)	21	16	199	36	24	23	48	17
Other diseases of arteries, arterioles, and capillaries (441-448)	14	10	242	35	43	25	43	7
Acute bronchitis and bronchiolitis (466)	–	–	4	–	–	–	3	1
Pneumonia and influenza (480-487)	42	42	708	74	90	80	192	16
Pneumonia (480-486)	39	35	704	71	90	79	188	16
Influenza (487)	3	7	4	3	–	1	4	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34	65	750	96	64	49	226	36
Bronchitis, chronic and unspecified (490-491)	1	6	30	5	3	3	9	1
Emphysema (492)	4	2	104	17	12	7	47	5
Asthma (493)	2	1	28	–	4	2	15	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27	57	588	74	45	37	155	28
Ulcer of stomach and duodenum (531-533)	3	2	82	8	11	8	20	3
Appendicitis (540-543)	–	–	8	2	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	5	67	2	8	8	22	–
Chronic liver disease and cirrhosis (571)	13	8	209	20	38	18	59	10
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	33	2	3	1	8	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	14	259	8	14	18	52	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	3	1	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	26	1	3	3	8	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	14	230	6	10	15	44	3
Infections of kidney (590)	–	2	14	3	3	2	1	1
Hyperplasia of prostate (600)	–	–	2	1	1	1	3	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	3	–	–	–	2	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	3	–	–	–	2	–
Congenital anomalies (740-759)	14	3	145	13	27	6	64	4
Certain conditions originating in the perinatal period (760-779)	8	6	227	9	20	15	75	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	–	59	1	6	3	18	2
Other conditions originating in the perinatal period (760-766,770-779)	5	6	168	8	14	12	57	5
Symptoms, signs, and ill-defined conditions (780-799)	16	74	302	42	15	14	106	7
All other diseases (Residual)	93	93	1,648	185	177	169	517	63
Accidents and adverse effects (E800-E949)	57	48	908	100	147	65	368	47
Motor vehicle accidents (E810-E825)	29	14	412	52	79	45	199	30
All other accidents and adverse effects (E800-E807,E826-E949)	28	32	496	48	68	40	169	17
Suicide (E950-E959)	18	11	324	34	52	27	165	9
Homicide and legal intervention (E960-E978)	3	2	346	21	31	12	46	2
All other external causes (E980-E999)	3	–	26	2	2	2	24	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	8,744	15,608	29,389	8,014	2,556	1,740	3,092	3,677
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	5	12	1	–	–	1	1
Tuberculosis (010-018)	17	20	22	2	3	2	–	1
Tuberculosis of respiratory system (010-012)	14	16	16	2	3	1	–	1
Other tuberculosis (013-018)	3	4	6	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	3	–	–	–	–	–
Septicemia (038)	168	79	223	47	14	9	25	27
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	8	8	35	6	2	–	2	–
Syphilis (090-097)	–	–	2	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	34	93	467	48	12	9	23	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,664	3,785	6,905	1,940	626	397	748	981
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	30	72	145	44	11	10	18	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	464	875	1,718	462	149	96	184	277
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	493	1,068	1,764	473	160	97	214	288
Malignant neoplasm of breast (174-175)	146	348	630	185	67	35	71	77
Malignant neoplasms of genital organs (179-187)	193	407	748	210	63	46	78	116
Malignant neoplasms of urinary organs (188-189)	78	145	245	81	22	17	25	30
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	262	493	965	283	98	46	100	89
Leukemia (204-208)	73	157	265	74	22	21	19	33
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	107	222	425	118	34	29	39	52
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	50	86	24	5	6	14	8
Diabetes mellitus (250)	189	188	435	142	32	19	40	49
Nutritional deficiencies (260-269)	8	16	49	3	5	–	10	6
Anemias (280-285)	10	16	35	11	5	1	7	5
Meningitis (320-322)	4	17	15	2	1	–	1	–
Major cardiovascular diseases (390-448)	3,505	6,531	12,479	3,343	1,123	741	1,291	1,655
Diseases of heart (390-398,402,404-429)	2,794	4,942	9,256	2,633	848	548	944	1,254
Rheumatic fever and rheumatic heart disease (390-398)	16	53	100	34	8	12	12	17
Hypertensive heart disease (402)	104	159	406	125	29	25	27	13
Hypertensive heart and renal disease (404)	2	26	41	9	1	–	2	4
Ischemic heart disease (410-414)	1,520	3,740	6,603	1,691	522	347	669	916
Acute myocardial infarction (410)	860	1,598	2,471	804	230	153	220	449
Other acute and subacute forms of ischemic heart disease (411)	3	14	17	4	1	1	–	5
Angina pectoris (413)	2	7	9	4	–	–	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	655	2,121	4,106	879	291	193	448	459
Other diseases of endocardium (424)	31	106	208	43	19	17	20	24
All other forms of heart disease (415-423,425-429)	1,121	858	1,898	731	269	147	214	280
Hypertension with or without renal disease (401,403)	23	60	101	25	8	7	7	11
Cerebrovascular diseases (430-438)	574	1,154	2,400	529	222	143	260	314
Intracerebral and other intracranial hemorrhage (431-432)	99	153	393	73	29	25	28	29
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	103	216	423	86	44	16	33	60
Cerebral embolism (434.1)	8	6	14	4	2	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	364	779	1,570	366	147	101	198	225
Atherosclerosis (440)	47	194	321	72	17	28	52	32
Other diseases of arteries, arterioles, and capillaries (441-448)	67	181	401	84	28	15	28	44
Acute bronchitis and bronchiolitis (466)	1	9	17	1	3	–	2	–
Pneumonia and influenza (480-487)	262	556	1,084	231	92	68	147	81
Pneumonia (480-486)	261	549	1,078	227	88	64	146	81
Influenza (487)	1	7	6	4	4	4	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	283	790	1,121	335	110	92	130	156
Bronchitis, chronic and unspecified (490-491)	9	40	76	23	4	4	12	6
Emphysema (492)	59	149	323	71	30	12	57	22
Asthma (493)	19	44	83	21	9	6	5	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	196	557	639	220	67	70	56	125
Ulcer of stomach and duodenum (531-533)	21	57	94	35	8	3	12	3
Appendicitis (540-543)	1	3	9	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	48	78	22	7	3	16	7
Chronic liver disease and cirrhosis (571)	123	294	629	181	41	39	37	50
Cholelithiasis and other disorders of gallbladder (574-575)	11	15	31	8	2	2	4	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	115	110	214	58	21	12	15	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	2	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	18	15	5	3	–	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	109	91	197	53	18	12	14	30
Infections of kidney (590)	12	23	23	5	2	–	4	3
Hyperplasia of prostate (600)	2	8	4	3	–	1	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	1	6	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	5	–	–	–	–	–
Congenital anomalies (740-759)	70	114	170	72	11	9	18	15
Certain conditions originating in the perinatal period (760-779)	113	161	174	82	6	9	6	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	45	61	24	3	2	3	3
Other conditions originating in the perinatal period (760-768,770-779)	82	116	113	58	3	7	3	12
Symptoms, signs, and ill-defined conditions (780-799)	176	95	212	66	13	21	24	123
All other diseases (Residual)	613	1,176	2,501	632	218	149	262	273
Accidents and adverse effects (E800-E949)	467	801	1,205	432	127	88	164	107
Motor vehicle accidents (E810-E825)	262	409	451	205	66	43	91	56
All other accidents and adverse effects (E800-E807,E826-E949)	205	392	754	227	61	45	73	51
Suicide (E950-E959)	172	347	581	204	51	44	62	41
Homicide and legal intervention (E960-E978)	231	178	408	69	15	15	22	15
All other external causes (E980-E999)	8	14	59	9	1	1	4	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga.	Seattle-Everett, Wash.	Sharon, Pa.	Sheboygan, Wis.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.	Sioux Falls, S.Dak.
All causes	2,251	12,758	1,324	1,006	1,020	3,611	1,064	866
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	2	11	–	–	1	6	–	–
Tuberculosis of respiratory system (010-012)	2	10	–	–	1	6	–	–
Other tuberculosis (013-018)	–	1	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	1	1	–	–	–	–
Septicemia (038)	25	92	16	8	4	69	5	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	1	–	–
Viral hepatitis (070)	–	13	–	–	–	3	1	–
Syphilis (090-097)	–	1	–	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	63	2	3	1	10	7	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	492	3,038	287	216	196	827	220	210
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	53	2	–	2	13	4	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	139	762	83	70	35	203	55	60
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	142	884	68	36	54	253	67	54
Malignant neoplasm of breast (174-175)	37	257	27	26	9	58	28	22
Malignant neoplasms of genital organs (179-187)	58	339	36	18	21	96	25	24
Malignant neoplasms of urinary organs (188-189)	18	112	18	13	8	21	11	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	49	387	28	26	48	101	15	15
Leukemia (204-208)	20	119	10	11	8	33	5	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	165	15	18	15	49	10	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	38	6	3	4	16	3	2
Diabetes mellitus (250)	34	238	23	19	12	47	26	13
Nutritional deficiencies (260-269)	2	19	1	–	–	2	1	3
Anemias (280-285)	5	26	2	2	3	8	2	3
Meningitis (320-322)	4	6	–	1	1	1	–	1
Major cardiovascular diseases (390-448)	979	5,401	665	512	537	1,601	548	411
Diseases of heart (390-398,402,404-429)	750	4,173	545	388	429	1,302	421	327
Rheumatic fever and rheumatic heart disease (390-398)	5	49	3	4	1	5	7	2
Hypertensive heart disease (402)	14	106	10	8	8	13	8	1
Hypertensive heart and renal disease (404)	–	10	3	1	1	3	4	–
Ischemic heart disease (410-414)	508	2,487	417	268	245	826	307	238
Acute myocardial infarction (410)	335	1,084	220	93	130	449	146	109
Other acute and subacute forms of ischemic heart disease (411)	3	4	1	–	3	–	–	1
Angina pectoris (413)	4	7	–	–	2	2	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	166	1,392	196	175	110	375	160	127
Other diseases of endocardium (424)	7	85	9	7	5	10	4	5
All other forms of heart disease (415-423,425-429)	218	1,434	103	100	180	445	91	81
Hypertension with or without renal disease (401,403)	5	44	5	1	1	6	7	6
Cerebrovascular diseases (430-438)	173	903	80	85	84	249	91	63
Intracerebral and other intracranial hemorrhage (431-432)	31	128	12	13	18	32	13	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	115	14	5	14	30	22	6
Cerebral embolism (434.1)	–	5	–	3	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	110	655	54	74	52	186	56	49
Atherosclerosis (440)	23	152	15	16	11	10	17	5
Other diseases of arteries, arterioles, and capillaries (441-448)	28	129	20	12	12	34	12	10
Acute bronchitis and bronchiolitis (466)	–	2	1	–	–	–	–	1
Pneumonia and influenza (480-487)	55	428	51	42	24	111	31	31
Pneumonia (480-486)	51	413	48	40	24	111	30	31
Influenza (487)	4	15	3	2	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	69	583	54	33	46	126	40	33
Bronchitis, chronic and unspecified (490-491)	9	24	2	3	3	3	1	2
Emphysema (492)	14	98	13	6	5	23	5	7
Asthma (493)	3	36	1	2	2	9	3	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	43	425	38	22	36	91	31	21
Ulcer of stomach and duodenum (531-533)	5	38	5	4	5	6	1	4
Appendicitis (540-543)	1	4	–	–	1	3	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	31	7	2	1	9	4	2
Chronic liver disease and cirrhosis (571)	35	176	13	9	6	34	7	10
Cholelithiasis and other disorders of gallbladder (574-575)	7	10	2	4	3	3	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	27	91	11	7	10	56	7	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	14	–	–	1	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	75	11	7	9	56	6	5
Infections of kidney (590)	3	14	1	1	1	2	1	–
Hyperplasia of prostate (600)	–	4	1	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	18	67	5	3	4	27	1	8
Certain conditions originating in the perinatal period (760-779)	35	99	6	5	2	48	7	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	27	2	3	1	39	1	2
Other conditions originating in the perinatal period (760-766,770-779)	28	72	4	2	1	9	6	7
Symptoms, signs, and ill-defined conditions (780-799)	21	113	3	5	23	26	8	10
All other diseases (Residual)	206	1,158	105	75	54	262	83	45
Accidents and adverse effects (E800-E949)	130	570	41	35	54	172	39	30
Motor vehicle accidents (E810-E825)	56	255	15	21	29	84	15	10
All other accidents and adverse effects (E800-E807,E826-E949)	74	315	26	14	25	88	24	20
Suicide (E950-E959)	32	302	11	12	15	63	17	14
Homicide and legal intervention (E960-E978)	44	86	3	2	10	70	4	5
All other external causes (E980-E999)	5	24	1	–	–	–	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass.	State College, Pa.	Steubenville-Weirton, Ohio-W. Va.
All causes	2,699	3,159	1,770	1,977	1,832	5,727	748	1,674
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	1	–	1	–	1	–	–
Tuberculosis of respiratory system (010-012)	–	1	–	1	–	1	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (035)	–	–	–	–	–	–	–	–
Septicemia (038)	16	15	14	15	9	57	6	14
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	1	–	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	11	3	12	9	13	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	641	700	415	413	398	1,294	187	401
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	11	6	10	9	27	5	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	158	146	112	90	93	354	49	97
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	169	204	113	109	116	318	46	122
Malignant neoplasm of breast (174-175)	53	69	36	36	28	117	16	37
Malignant neoplasms of genital organs (179-187)	74	96	44	40	59	146	22	38
Malignant neoplasms of urinary organs (188-189)	39	30	18	13	11	61	7	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	70	70	41	57	50	152	26	50
Leukemia (204-208)	32	29	16	18	7	39	6	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	45	29	40	25	80	8	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	14	5	6	7	20	2	9
Diabetes mellitus (250)	48	50	32	36	41	78	10	32
Nutritional deficiencies (260-269)	4	4	2	3	6	5	1	–
Anemias (280-285)	4	10	3	6	4	10	1	1
Meningitis (320-322)	1	3	–	2	2	–	–	1
Major cardiovascular diseases (390-448)	1,311	1,447	877	857	916	2,797	357	820
Diseases of heart (390-398,402,404-429)	973	1,071	674	634	713	2,202	286	658
Rheumatic fever and rheumatic heart disease (390-398)	8	12	6	4	5	12	4	4
Hypertensive heart disease (402)	21	16	15	7	24	52	5	12
Hypertensive heart and renal disease (404)	4	4	13	2	4	2	1	1
Ischemic heart disease (410-414)	705	704	464	428	505	1,487	192	437
Acute myocardial infarction (410)	346	398	224	207	267	674	133	214
Other acute and subacute forms of ischemic heart disease (411)	4	1	4	1	1	2	–	1
Angina pectoris (413)	–	1	1	1	1	3	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	355	364	235	219	238	808	59	221
Other diseases of endocardium (424)	7	28	7	9	13	43	3	7
All other forms of heart disease (415-423,425-429)	228	307	167	184	162	606	81	197
Hypertension with or without renal disease (401,403)	13	12	14	9	8	26	3	6
Cerebrovascular diseases (430-438)	256	263	142	175	158	398	51	137
Intracerebral and other intracranial hemorrhage (431-432)	30	36	35	25	17	50	5	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	25	23	29	43	59	8	27
Cerebral embolism (434.1)	–	–	–	–	5	3	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	207	202	84	121	91	286	38	92
Atherosclerosis (440)	39	56	24	24	18	87	8	8
Other diseases of arteries, arterioles, and capillaries (441-448)	30	45	23	15	21	64	9	11
Acute bronchitis and bronchiolitis (466)	–	2	–	2	–	1	–	–
Pneumonia and influenza (480-487)	80	103	59	72	55	236	32	49
Pneumonia (480-486)	79	97	55	71	53	230	32	48
Influenza (487)	1	6	4	1	2	6	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	92	181	59	63	76	222	23	69
Bronchitis, chronic and unspecified (490-491)	2	3	2	6	3	11	1	5
Emphysema (492)	15	43	21	10	14	40	1	7
Asthma (493)	7	9	10	3	1	12	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	68	126	26	52	58	159	20	56
Ulcer of stomach and duodenum (531-533)	5	5	6	2	5	23	4	1
Appendicitis (540-543)	2	–	–	1	–	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	13	6	7	6	19	4	4
Chronic liver disease and cirrhosis (571)	27	36	16	11	18	61	5	28
Cholelithiasis and other disorders of gallbladder (574-575)	3	4	4	1	3	9	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	20	9	9	22	67	7	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	1	–	–	5	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	27	17	8	9	22	61	7	26
Infections of kidney (590)	1	–	3	–	3	2	1	–
Hyperplasia of prostate (600)	1	–	–	2	1	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	10	28	5	7	4	28	6	7
Certain conditions originating in the perinatal period (760-779)	27	24	12	17	17	43	8	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	2	4	6	5	1	5
Other conditions originating in the perinatal period (760-766,770-779)	22	19	10	13	11	38	7	3
Symptoms, signs, and ill-defined conditions (780-799)	19	31	20	129	23	48	–	14
All other diseases (Residual)	193	231	121	160	117	401	52	105
Accidents and adverse effects (E800-E949)	114	154	65	84	63	201	24	54
Motor vehicle accidents (E810-E825)	56	61	35	50	37	98	18	18
All other accidents and adverse effects (E800-E807,E826-E949)	58	73	30	34	26	105	6	36
Suicide (E950-E959)	29	56	20	26	17	47	11	21
Homicide and legal intervention (E960-E978)	28	14	10	8	5	19	2	3
All other external causes (E980-E999)	–	3	3	4	3	23	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Texarkana, Ark.	Toledo, Ohio-Mich.
All causes	3,498	5,661	3,876	1,046	22,902	1,953	1,359	7,050
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	2	–	2	1	1	1
Tuberculosis (010-018)	3	3	3	2	12	1	1	3
Tuberculosis of respiratory system (010-012)	3	2	3	2	9	1	1	2
Other tuberculosis (013-018)	–	1	–	–	3	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	–	–	1	–	2	–	–	2
Septicemia (038)	25	29	17	17	136	19	14	53
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	1	5	–	14	–	–	1
Syphilis (090-097)	–	1	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	16	18	11	4	70	–	2	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	799	1,413	834	251	5,148	423	276	1,494
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	26	14	4	95	6	2	33
Malignant neoplasms of digestive organs and peritoneum (150-159)	197	343	197	64	1,256	109	52	339
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	227	429	256	71	1,631	132	76	467
Malignant neoplasm of breast (174-175)	55	129	78	16	411	31	23	129
Malignant neoplasms of genital organs (179-187)	87	139	89	32	556	38	23	162
Malignant neoplasms of urinary organs (188-189)	21	74	34	10	198	14	13	47
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	116	139	92	24	572	56	62	173
Leukemia (204-208)	31	55	22	14	166	8	15	56
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	79	52	16	263	29	10	88
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	20	10	5	75	9	5	28
Diabetes mellitus (250)	60	90	84	20	314	27	22	127
Nutritional deficiencies (260-269)	3	8	–	1	26	11	3	15
Anemias (280-285)	2	4	11	2	37	1	1	11
Meningitis (320-322)	2	5	–	–	12	–	2	4
Major cardiovascular diseases (390-448)	1,464	2,631	1,824	407	11,021	1,031	588	3,589
Diseases of heart (390-398,402,404-429)	1,101	2,037	1,412	303	8,568	769	465	2,850
Rheumatic fever and rheumatic heart disease (390-398)	13	22	12	5	78	4	–	14
Hypertensive heart disease (402)	29	54	61	19	221	6	14	124
Hypertensive heart and renal disease (404)	1	5	4	2	17	4	4	13
Ischemic heart disease (410-414)	791	1,376	877	183	5,933	565	283	1,951
Acute myocardial infarction (410)	283	600	374	107	2,769	298	186	934
Other acute and subacute forms of ischemic heart disease (411)	2	1	1	–	30	1	–	7
Angina pectoris (413)	2	1	5	–	10	2	–	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	494	774	497	76	3,124	264	97	1,005
Other diseases of endocardium (424)	25	30	33	5	125	9	5	30
All other forms of heart disease (415-423,425-429)	242	550	425	89	2,193	181	159	718
Hypertension with or without renal disease (401,403)	15	29	11	9	92	5	3	30
Cerebrovascular diseases (430-438)	262	437	279	79	1,769	189	112	582
Intracerebral and other intracranial hemorrhage (431-432)	38	57	34	9	246	15	20	65
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	67	29	17	437	26	13	130
Cerebral embolism (434.1)	–	5	1	1	9	–	–	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	190	308	215	52	1,077	148	79	383
Atherosclerosis (440)	44	68	83	11	323	43	3	62
Other diseases of arteries, arterioles, and capillaries (441-448)	42	66	39	5	269	25	15	86
Acute bronchitis and bronchiolitis (466)	1	5	–	1	3	–	–	2
Pneumonia and influenza (480-487)	140	191	111	20	608	53	41	205
Pneumonia (480-486)	137	187	111	20	608	44	41	202
Influenza (487)	3	4	–	–	–	9	–	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	147	262	206	40	937	80	43	290
Bronchitis, chronic and unspecified (490-491)	6	6	11	4	68	2	3	20
Emphysema (492)	32	45	32	11	177	8	5	63
Asthma (493)	8	3	12	3	35	1	6	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	101	208	153	22	657	69	29	198
Ulcer of stomach and duodenum (531-533)	15	29	8	4	59	3	3	23
Appendicitis (540-543)	–	–	2	–	5	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	11	4	2	59	5	1	17
Chronic liver disease and cirrhosis (571)	59	53	58	7	289	14	11	83
Cholelithiasis and other disorders of gallbladder (574-575)	4	8	4	1	34	1	2	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	57	19	11	172	17	20	63
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	6	1	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	9	1	–	25	4	–	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	48	18	11	141	12	19	58
Infections of kidney (590)	3	3	1	1	8	3	2	5
Hyperplasia of prostate (600)	2	4	1	–	6	1	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-758)	28	35	27	5	94	8	4	50
Certain conditions originating in the perinatal period (760-779)	25	43	46	10	125	8	5	54
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	5	19	–	44	3	–	25
Other conditions originating in the perinatal period (760-766,770-779)	21	38	27	10	81	5	5	29
Symptoms, signs, and ill-defined conditions (780-799)	36	47	26	29	883	12	100	46
All other diseases (Residual)	272	403	262	95	1,579	123	94	425
Accidents and adverse effects (E800-E949)	220	188	149	69	694	77	74	274
Motor vehicle accidents (E810-E825)	117	98	75	37	381	37	35	152
All other accidents and adverse effects (E800-E807,E826-E949)	103	90	74	32	313	40	39	122
Suicide (E950-E959)	62	71	89	30	277	20	17	108
Homicide and legal intervention (E960-E978)	38	17	39	9	183	6	15	37
All other external causes (E980-E999)	3	10	20	3	15	–	2	10

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,708	2,950	5,081	6,107	1,159	1,272	3,457	2,909	527
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	1	–	–	–	1	–
Tuberculosis (010-018)	1	–	4	4	2	2	1	1	–
Tuberculosis of respiratory system (010-012)	1	–	4	4	1	1	–	1	–
Other tuberculosis (013-018)	–	–	–	–	1	1	1	–	–
Whooping cough (033)	1	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	–	–	1	–
Septicemia (038)	17	24	33	58	8	13	26	14	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	3	1	–	–	3	1	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	12	34	16	5	4	13	12	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	345	674	1,143	1,432	276	278	782	707	106
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	21	19	28	6	6	8	21	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	86	189	288	399	57	61	212	200	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	87	174	318	461	88	87	221	186	39
Malignant neoplasm of breast (174-175)	28	51	87	121	14	31	69	54	5
Malignant neoplasms of genital organs (179-187)	44	70	142	151	29	28	89	76	11
Malignant neoplasms of urinary organs (188-189)	23	22	51	61	7	9	28	31	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39	81	142	168	45	31	78	94	13
Leukemia (204-208)	14	27	51	57	16	10	28	19	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	39	65	76	16	14	49	26	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	10	10	13	5	2	8	13	2
Diabetes mellitus (250)	29	65	81	82	36	24	58	35	13
Nutritional deficiencies (260-269)	1	2	9	8	2	–	8	4	1
Anemias (280-285)	6	2	4	9	3	3	7	4	1
Meningitis (320-322)	–	4	3	5	1	–	1	2	–
Major cardiovascular diseases (390-448)	787	1,393	2,107	2,760	474	571	1,822	1,238	248
Diseases of heart (390-398,402,404-429)	609	1,169	1,618	2,167	368	435	1,430	924	196
Rheumatic fever and rheumatic heart disease (390-398)	4	4	15	17	–	4	15	18	1
Hypertensive heart disease (402)	34	65	41	39	14	10	29	24	5
Hypertensive heart and renal disease (404)	2	2	6	2	2	5	5	4	2
Ischemic heart disease (410-414)	404	766	1,038	1,581	208	246	1,074	690	135
Acute myocardial infarction (410)	208	336	442	779	118	149	562	282	72
Other acute and subacute forms of ischemic heart disease (411)	1	41	2	47	5	–	11	2	–
Angina pectoris (413)	–	2	4	3	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	195	387	588	762	85	97	500	406	63
Other diseases of endocardium (424)	5	5	23	23	5	6	26	14	2
All other forms of heart disease (415-423,425-429)	160	327	497	505	129	184	281	176	51
Hypertension with or without renal disease (401,403)	12	11	25	18	5	3	12	8	2
Cerebrovascular diseases (430-438)	128	160	302	455	83	115	279	232	37
Intracerebral and other intracranial hemorrhage (431-432)	21	21	47	43	5	7	26	40	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	22	38	59	13	14	80	36	4
Cerebral embolism (434.1)	2	–	2	1	–	1	2	2	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	69	117	215	352	65	93	171	154	24
Atherosclerosis (440)	23	20	94	47	11	8	54	27	10
Other diseases of arteries, arterioles, and capillaries (441-448)	15	33	68	73	17	10	47	47	3
Acute bronchitis and bronchiolitis (466)	–	3	1	1	–	–	5	–	–
Pneumonia and influenza (480-487)	70	103	181	205	29	35	93	106	17
Pneumonia (480-486)	67	101	178	201	29	34	91	104	17
Influenza (487)	3	2	3	4	–	1	2	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68	104	299	223	95	48	193	141	16
Bronchitis, chronic and unspecified (490-491)	6	5	12	10	–	4	8	10	–
Emphysema (492)	6	21	60	37	5	10	36	34	1
Asthma (493)	3	2	17	5	1	2	3	10	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53	76	209	171	29	32	86	87	14
Ulcer of stomach and duodenum (531-533)	11	10	24	15	3	2	12	10	2
Appendicitis (540-543)	–	1	1	1	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	6	10	17	1	4	10	6	–
Chronic liver disease and cirrhosis (571)	19	40	60	55	7	11	35	54	3
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	4	6	1	2	3	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	28	38	68	20	19	37	22	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	1	10	1	1	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	27	37	58	19	18	35	19	6
Infections of kidney (590)	1	1	4	11	1	3	1	2	–
Hyperplasia of prostate (600)	1	–	1	2	–	1	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	13	11	29	30	13	3	17	22	7
Certain conditions originating in the perinatal period (760-779)	12	25	43	50	20	10	19	19	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	3	13	15	8	2	–	1	2
Other conditions originating in the perinatal period (760-766,770-779)	12	22	30	35	12	8	13	12	6
Symptoms, signs, and ill-defined conditions (780-799)	47	38	47	91	59	34	21	24	3
All other diseases (Residual)	127	233	424	481	78	82	203	244	34
Accidents and adverse effects (E800-E949)	68	112	301	286	58	77	97	146	32
Motor vehicle accidents (E810-E825)	30	41	170	152	35	36	46	83	21
All other accidents and adverse effects (E800-E807,E826-E949)	38	71	131	134	23	41	51	65	11
Suicide (E950-E959)	41	26	117	103	14	25	35	49	13
Homicide and legal intervention (E960-E978)	12	17	61	70	6	17	8	27	3
All other external causes (E980-E999)	–	2	3	3	4	2	3	5	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Portervilla, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,377	2,202	1,732	22,741	1,037	905	8,962	1,940	3,365
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	6	–	–	2	–	1
Tuberculosis (010-018)	1	2	–	24	–	–	12	–	3
Tuberculosis of respiratory system (010-012)	1	–	–	20	–	–	6	–	3
Other tuberculosis (013-018)	–	2	–	4	–	–	6	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	1	–	–	1	–	–
Septicemia (038)	15	15	21	327	3	5	54	17	26
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	7	–	20	–	–	5	–	3
Syphilis (090-097)	–	1	–	2	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	9	3	173	3	3	51	3	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	292	449	361	5,588	230	198	2,219	441	740
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	7	3	134	4	7	38	–	18
Malignant neoplasms of digestive organs and peritoneum (150-159)	87	106	81	1,377	51	62	562	97	161
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	85	115	101	1,459	74	90	660	130	218
Malignant neoplasm of breast (174-175)	22	38	29	518	14	19	177	49	84
Malignant neoplasms of genital organs (179-187)	24	54	40	651	26	19	236	49	80
Malignant neoplasms of urinary organs (188-189)	12	28	21	174	4	11	95	14	43
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	36	51	49	760	31	25	258	59	72
Leukemia (204-208)	14	14	14	186	8	14	74	18	33
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	36	23	329	18	9	119	25	51
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	12	6	98	2	2	40	6	7
Diabetes mellitus (250)	35	33	26	400	17	11	121	32	55
Nutritional deficiencies (260-269)	7	5	–	33	–	–	10	1	12
Anemias (280-285)	3	6	1	39	–	4	23	7	5
Meningitis (320-322)	1	–	3	17	1	–	3	1	2
Major cardiovascular diseases (390-448)	667	948	855	9,108	527	454	4,358	1,009	1,555
Diseases of heart (390-398,402,404-429)	561	770	673	7,084	406	352	3,477	830	1,189
Rheumatic fever and rheumatic heart disease (390-398)	9	13	2	51	4	3	37	8	9
Hypertensive heart disease (402)	14	23	15	354	3	5	101	10	28
Hypertensive heart and renal disease (404)	4	4	1	28	3	2	6	3	1
Ischemic heart disease (410-414)	349	577	454	3,480	289	264	2,436	622	779
Acute myocardial infarction (410)	218	246	322	1,573	156	145	1,069	324	448
Other acute and subacute forms of ischemic heart disease (411)	–	4	1	50	1	–	5	1	6
Angina pectoris (413)	–	–	3	8	–	1	7	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	131	327	128	1,849	132	118	1,355	297	325
Other diseases of endocardium (424)	9	11	3	86	11	6	64	7	20
All other forms of heart disease (415-423,425-429)	176	142	198	3,085	96	72	833	180	354
Hypertension with or without renal disease (401,403)	6	4	5	93	6	7	23	4	9
Cerebrovascular diseases (430-438)	80	129	144	1,435	86	67	671	127	266
Intracerebral and other intracranial hemorrhage (431-432)	6	13	22	252	8	14	105	15	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	19	25	202	9	8	184	9	62
Cerebral embolism (434.1)	1	–	–	7	–	–	7	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	56	97	97	974	69	45	375	102	176
Atherosclerosis (440)	7	23	12	231	17	13	74	27	46
Other diseases of arteries, arterioles, and capillaries (441-448)	13	22	21	265	12	15	113	21	45
Acute bronchitis and bronchiolitis (466)	–	–	–	4	1	–	6	–	–
Pneumonia and influenza (480-487)	38	88	49	668	28	29	176	58	85
Pneumonia (480-486)	37	87	49	653	25	23	173	58	81
Influenza (487)	1	1	–	15	3	6	3	–	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	95	46	647	50	27	320	77	132
Bronchitis, chronic and unspecified (490-491)	1	1	2	32	5	1	19	5	9
Emphysema (492)	6	27	10	127	9	3	96	15	20
Asthma (493)	–	5	2	51	2	–	9	4	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	28	62	32	437	34	23	196	53	97
Ulcer of stomach and duodenum (531-533)	3	5	5	57	2	2	21	3	10
Appendicitis (540-543)	–	–	–	5	2	–	2	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	7	1	64	4	3	18	9	14
Chronic liver disease and cirrhosis (571)	11	33	14	374	3	6	122	18	35
Cholelithiasis and other disorders of gallbladder (574-575)	3	7	–	21	3	1	18	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21	15	32	272	10	6	56	19	40
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	3	1	–	2	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	3	14	–	2	4	1	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	14	29	255	9	4	50	18	33
Infections of kidney (590)	–	1	2	18	2	1	2	1	4
Hyperplasia of prostate (600)	–	2	–	3	–	1	2	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	3	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	3	–	–	–	–	–
Congenital anomalies (740-759)	9	20	7	148	5	4	28	7	26
Certain conditions originating in the perinatal period (760-779)	21	17	21	382	5	4	63	13	37
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	10	2	92	2	–	15	4	5
Other conditions originating in the perinatal period (760-766,770-779)	13	7	19	290	3	4	48	9	32
Symptoms, signs, and ill-defined conditions (780-799)	13	25	33	440	7	6	99	28	47
All other diseases (Residual)	101	154	125	2,102	75	87	593	107	270
Accidents and adverse effects (E800-E949)	67	187	81	912	37	37	352	48	146
Motor vehicle accidents (E810-E825)	44	93	44	429	13	15	197	20	66
All other accidents and adverse effects (E800-E807,E826-E949)	23	74	37	483	24	22	155	28	80
Suicide (E950-E959)	10	46	20	405	15	16	106	21	63
Homicide and legal intervention (E960-E978)	9	31	19	305	1	–	74	10	25
All other external causes (E980-E999)	–	2	1	75	3	–	5	4	9

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex.	Williamsport, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester-Fitchburg-Leominster, Mass.	Yakima, Wash.	York, Pa.	Youngstown-Warren, Ohio	Yuba City, Calif.
All causes	1,290	1,146	4,702	1,327	6,420	1,542	3,461	5,197	947
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	2	–	–	–	–	–
Tuberculosis (010-018)	1	–	8	1	1	3	3	4	–
Tuberculosis of respiratory system (010-012)	1	–	7	–	1	3	1	2	–
Other tuberculosis (013-018)	–	–	1	1	–	–	2	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	4	1	1	1	–	–	–
Septicemia (038)	6	7	54	16	99	10	29	56	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	2	1	6	2	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	8	2	23	3	29	11	7	8	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	280	256	1,160	317	1,484	323	788	1,211	200
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	8	21	7	16	4	13	15	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	66	53	266	75	393	70	217	316	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	86	64	343	91	339	105	197	357	60
Malignant neoplasm of breast (174-175)	17	19	101	25	145	26	75	95	13
Malignant neoplasms of genital organs (179-187)	23	36	115	38	184	35	92	129	19
Malignant neoplasms of urinary organs (188-189)	12	15	48	14	60	11	29	38	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42	35	171	43	195	34	93	153	31
Leukemia (204-208)	12	8	45	10	59	16	28	45	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	18	50	14	73	22	44	63	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	3	17	6	24	6	24	18	4
Diabetes mellitus (250)	33	40	142	27	121	30	66	126	18
Nutritional deficiencies (260-269)	1	2	3	2	13	1	4	10	–
Anemias (280-285)	4	3	9	4	11	3	6	6	2
Meningitis (320-322)	1	–	6	–	5	2	2	1	–
Major cardiovascular diseases (390-448)	609	566	2,030	574	2,991	724	1,684	2,592	412
Diseases of heart (390-398,402,404-429)	488	453	1,699	433	2,418	552	1,352	2,063	312
Rheumatic fever and rheumatic heart disease (390-398)	1	6	17	3	27	7	14	23	5
Hypertensive heart disease (402)	11	9	97	5	29	5	34	40	6
Hypertensive heart and renal disease (404)	2	2	6	3	3	1	8	11	–
Ischemic heart disease (410-414)	242	279	942	287	1,710	414	859	1,506	224
Acute myocardial infarction (410)	139	156	519	123	748	221	568	891	99
Other acute and subacute forms of ischemic heart disease (411)	–	1	9	–	3	–	5	11	2
Angina pectoris (413)	1	–	2	–	3	1	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	102	116	412	164	956	192	285	603	123
Other diseases of endocardium (424)	7	3	24	8	49	8	20	20	5
All other forms of heart disease (415-423,425-429)	225	160	613	127	600	117	417	463	72
Hypertension with or without renal disease (401,403)	1	2	18	8	38	3	8	29	3
Cerebrovascular diseases (430-438)	99	84	217	111	380	130	231	356	77
Intracerebral and other intracranial hemorrhage (431-432)	15	9	33	12	54	13	37	39	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	17	38	22	60	20	32	61	22
Cerebral embolism (434.1)	–	3	1	–	2	–	2	3	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	62	55	145	77	264	97	160	253	47
Atherosclerosis (440)	12	12	45	14	69	17	50	93	13
Other diseases of arteries, arterioles, and capillaries (441-448)	9	15	53	10	86	22	43	51	7
Acute bronchitis and bronchiolitis (466)	1	–	1	1	1	–	1	1	1
Pneumonia and influenza (480-487)	32	24	128	42	290	41	105	132	36
Pneumonia (480-486)	29	23	127	41	285	38	94	131	36
Influenza (487)	3	1	1	1	5	3	11	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34	48	155	44	208	65	126	143	50
Bronchitis, chronic and unspecified (490-491)	4	5	5	1	11	3	4	1	1
Emphysema (492)	6	1	38	5	43	10	10	26	17
Asthma (493)	2	3	3	2	12	3	4	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22	39	109	36	142	49	108	111	31
Ulcer of stomach and duodenum (531-533)	3	3	17	2	18	8	7	19	6
Appendicitis (540-543)	–	–	2	1	1	–	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	2	18	3	16	2	7	7	5
Chronic liver disease and cirrhosis (571)	11	7	73	23	64	17	18	66	17
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	2	2	11	1	7	11	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	12	88	10	69	9	44	75	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	4	–	2	–	4	6	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	12	84	10	66	9	40	68	2
Infections of kidney (590)	–	1	8	3	3	2	2	3	–
Hyperplasia of prostate (600)	1	–	–	–	2	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–	1
Congenital anomalies (740-759)	8	3	30	5	28	11	16	25	7
Certain conditions originating in the perinatal period (760-779)	10	6	55	12	36	14	14	38	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	5	2	9	5	1	13	1
Other conditions originating in the perinatal period (760-766,770-779)	8	5	50	10	27	9	13	25	6
Symptoms, signs, and ill-defined conditions (780-799)	16	10	26	11	47	14	21	55	13
All other diseases (Residual)	116	87	365	93	520	108	245	315	62
Accidents and adverse effects (E800-E949)	71	50	185	85	251	88	152	165	66
Motor vehicle accidents (E810-E825)	35	24	108	55	133	47	77	77	31
All other accidents and adverse effects (E800-E807,E826-E949)	36	26	77	30	118	41	75	88	35
Suicide (E950-E959)	13	14	60	15	67	24	65	60	15
Homicide and legal intervention (E960-E978)	17	–	22	17	11	21	15	46	9
All other external causes (E980-E999)	1	–	8	4	14	–	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	2,105,361	1,782	80	29,761	468,378	116,508	130,450	40,789	51,247	19,113	17,365	93,904	37,184	968,240	765,490	6,441	23,005	520,729	215,315
Urban places	1,199,106	1,178	57	19,079	265,668	67,182	72,815	23,908	28,871	10,538	9,513	52,841	21,324	547,545	433,987	3,803	14,878	294,406	120,900
Balance of area	906,255	604	23	10,682	203,708	49,326	57,635	16,881	22,376	8,575	7,852	41,063	15,860	420,695	331,503	2,638	8,127	226,323	94,415
Metropolitan counties	1,533,914	1,342	60	23,401	348,187	87,057	96,240	31,374	37,349	14,052	12,513	69,602	27,127	696,865	554,564	4,999	18,150	377,888	153,527
Urban places	1,077,500	1,081	48	17,686	240,135	60,970	65,683	21,701	25,981	9,512	8,497	47,791	19,141	489,100	389,147	3,469	13,695	263,941	108,042
Balance of area	456,414	261	12	5,715	108,052	26,087	30,557	9,673	11,368	4,540	4,016	21,811	7,986	207,765	165,417	1,530	4,455	113,947	45,485
Nonmetropolitan counties	571,447	440	20	6,360	121,189	29,451	34,210	9,415	13,898	5,061	4,852	24,302	10,057	271,376	210,926	1,442	4,855	142,841	61,788
Urban places	121,606	97	9	1,393	25,533	6,212	7,132	2,207	2,890	1,026	1,016	5,050	2,183	58,445	44,840	334	1,183	30,465	12,858
Balance of area	449,841	343	11	4,967	95,656	23,239	27,078	7,208	11,008	4,035	3,836	19,252	7,874	212,930	166,086	1,108	3,672	112,376	48,930
Alabama	37,718	53	1	457	8,175	1,894	2,425	559	911	251	299	1,836	719	16,975	12,946	69	436	7,639	4,802
Urban places	16,655	28	–	231	3,675	870	1,069	288	411	112	134	791	344	7,418	5,514	32	232	3,158	2,094
Balance of area	21,063	25	1	226	4,500	1,024	1,356	271	500	139	165	1,045	375	9,557	7,432	37	204	4,483	2,708
Metropolitan counties	22,959	33	–	295	5,124	1,196	1,548	375	576	161	184	1,084	464	10,102	7,678	49	279	4,513	2,837
Urban places	13,411	23	–	192	2,950	707	869	228	336	92	104	614	299	5,917	4,390	27	197	2,479	1,687
Balance of area	9,548	10	–	103	2,174	489	679	147	240	69	80	470	165	4,185	3,288	22	82	2,034	1,150
Nonmetropolitan counties	14,759	20	1	162	3,051	698	877	184	335	90	115	752	255	6,873	5,268	20	157	3,126	1,965
Urban places	3,244	5	–	39	725	163	200	60	75	20	30	177	45	1,501	1,124	5	35	677	407
Balance of area	11,515	15	1	123	2,326	535	677	124	260	70	85	575	210	5,372	4,144	15	122	2,449	1,558
Autauga	281	1	–	6	58	16	19	2	5	1	1	14	4	122	105	1	4	60	40
Prattville, part	142	1	–	2	31	8	10	–	2	1	1	9	2	62	52	1	2	28	21
Prattville, total	143	1	–	2	31	8	10	–	2	1	1	9	2	62	52	1	2	28	21
Balance of county	139	–	–	4	27	8	9	2	3	–	–	5	2	60	53	–	2	32	19
Baldwin	864	2	–	3	221	57	60	19	25	6	9	51	16	387	309	1	14	215	79
Barbour	247	–	–	6	43	7	12	7	2	2	1	12	3	121	104	1	4	35	64
Eufaula	124	–	–	4	26	3	9	4	2	2	1	5	2	51	42	–	–	13	29
Balance of county	123	–	–	2	17	4	3	3	–	–	–	7	1	70	62	1	4	22	35
Bibb	163	–	–	6	35	6	15	2	5	2	2	3	2	62	51	–	–	36	15
Blount	319	–	–	2	72	18	26	2	8	2	3	13	3	141	97	2	–	84	31
Bullock	146	1	–	–	28	6	4	1	4	1	2	10	1	83	66	1	1	36	28
Butler	259	1	–	–	42	15	8	4	3	–	–	12	7	137	107	–	2	40	65
Calhoun	1,106	1	–	15	247	54	80	19	23	8	7	56	14	517	412	2	9	190	211
Anniston	461	–	–	6	105	22	36	8	10	2	5	22	6	225	182	–	5	65	112
Balance of county	645	1	–	9	142	32	44	11	13	6	2	34	8	292	230	2	4	125	99
Chambers	441	1	–	7	93	27	16	8	10	4	5	23	6	215	175	1	6	88	80
Cherokee	230	–	–	1	49	14	16	1	2	1	3	12	5	102	78	1	2	51	24
Chilton	348	–	–	3	67	12	23	3	5	1	3	20	6	198	160	–	4	103	53
Choctaw	179	–	–	1	42	11	13	2	7	2	1	6	3	74	54	1	4	29	20
Clarke	274	–	–	3	54	14	15	3	6	4	3	9	–	121	94	–	5	62	27
Clay	159	–	–	1	32	11	4	1	6	–	2	8	2	61	51	–	2	36	13
Cleburne	134	–	–	–	22	4	8	–	1	–	1	8	3	66	41	–	2	21	18
Coffee	361	–	–	5	75	12	27	3	12	2	2	17	7	153	128	–	8	70	50
Enterprise, part	154	–	–	1	31	7	12	1	4	–	2	5	3	61	50	–	6	26	18
Enterprise, total	155	–	–	1	31	7	12	1	4	–	2	5	3	62	51	–	6	26	19
Balance of county	207	–	–	4	44	5	15	2	8	2	–	12	4	92	78	–	2	44	32
Colbert	517	–	–	5	110	36	34	6	12	1	4	17	4	230	181	1	3	144	33
Sheffield	141	–	–	2	30	10	9	–	4	–	–	7	–	64	53	1	1	39	12
Balance of county	376	–	–	3	80	26	25	6	8	1	4	10	4	166	128	–	2	105	21
Conecuh	161	–	–	4	33	8	10	–	6	2	1	6	2	95	68	–	1	48	19
Coosa	106	–	–	–	19	3	6	1	1	2	–	6	4	48	39	–	1	12	26
Covington	432	–	–	4	80	20	10	6	13	3	3	25	5	173	114	–	2	69	43
Andalusia	111	–	–	–	19	5	4	2	1	–	–	7	1	43	30	–	–	18	12
Balance of county	321	–	–	4	61	15	6	4	12	3	3	18	4	130	84	–	2	51	31
Crenshaw	174	–	–	1	37	10	14	2	6	1	–	4	5	90	71	–	–	31	40
Cullman	606	2	–	8	130	37	35	8	16	5	7	22	7	268	187	–	2	113	72
Cullman	155	–	–	1	36	12	10	4	4	2	2	2	1	77	53	–	–	36	17
Balance of county	451	2	–	7	94	25	25	4	12	3	5	20	6	191	134	–	2	77	55
Dale	346	–	1	2	61	18	22	3	4	1	1	12	5	157	131	1	4	86	40
Dothan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enterprise, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ozark	141	–	–	1	29	7	14	1	2	–	1	4	1	70	57	–	2	37	18
Balance of county	204	–	1	1	32	11	8	2	2	1	–	8	4	86	73	1	2	49	21
Dallas	523	–	–	6	118	38	24	4	22	3	2	25	4	213	142	1	5	73	63
Selma	338	–	–	6	72	21	16	3	13	2	2	15	1	148	95	1	3	48	43
Balance of county	185	–	–	–	46	17	8	1	9	1	–	10	3	65	47	–	2	25	20
De Kalb	570	1	–	6	126	23	41	6	14	6	3	33	11	265	204	1	2	120	81
Fort Payne	144	–	–	1	30	7	9	2	3	–	2	7	1	71	58	1	–	35	22
Balance of county	426	1	–	5	96	16	32	4	11	6	1	26	10	194	146	–	2	85	59
Elmore	400	–	–	4	79	14	26	7	9	4	2	17	5	193	161	–	2	103	58
Prattville, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	399	–	–	4	79	14	26	7	9	4	2	17	5	193	161	–	2	103	58
Escambia	379	–	–	6	75	25	20	5	6	2	3	14	13	176	143	–	2	94	47
Etowah	1,086	1	–	11	257	61	81	15	15	10	9	66	16	531	433	3	7	270	153
Gadsden	658	–	–	9	149	34	49	7	8	7	5	38	12	316	261	1	6	172	82
Balance of county	428	1	–	2	108	27	32	8	7	3	4	27	4	215	172	2	1	98	71
Fayette	169	–	–	2	34	8	12	2	4	–	–	8	2	77	54	–	3	31	20
Franklin	333	–	–	4	65	12	22	7	8	1	5	10	6	154	132	–	3	84	35
Geneva	263	–	–	3	55	8	11	2	8	2	4	20	8	117	87	–	7	60	20
Greene	118	–	–	3	14	5	3	1	4	–	–	1	–	68	59	–	4	9	46
Hale	181	–	–	1	33	7	7	3	6	1	3	6	1	86	60	–	–	37	23
Henry	179	1	–	3	24	8	8	1	3	–	1	3	2	95	81	1	1	52	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	7,984	149,643	22,706	22,417	69,812	76,559	6,477	26,159	21,767	272	12,638	18,391	31,390	184,441	47,865	47,412	30,804	21,731	3,120
Urban places	4,733	83,767	12,577	12,481	40,474	42,345	3,773	17,041	12,472	183	7,375	11,916	17,417	109,321	20,994	26,000	16,987	15,942	2,015
Balance of area	3,251	65,876	10,129	9,936	29,338	34,214	2,704	9,118	9,295	89	5,263	6,475	13,973	75,120	26,871	21,412	13,917	5,789	1,105
Metropolitan counties	5,843	104,416	15,786	16,246	50,065	55,110	4,702	20,822	15,469	210	9,578	14,737	21,352	136,108	31,867	33,173	23,022	18,253	2,464
Urban places	4,250	73,481	11,034	11,188	36,279	37,667	3,394	15,756	11,154	170	6,736	11,080	15,343	98,313	18,630	23,367	15,381	15,167	1,872
Balance of area	1,593	30,935	4,752	5,058	13,786	17,443	1,308	5,066	4,315	40	2,842	3,657	6,009	37,795	13,237	9,806	7,641	3,086	592
Nonmetropolitan counties	2,141	45,227	6,910	6,171	19,747	21,449	1,775	5,337	6,298	62	3,060	3,654	10,038	48,333	15,998	14,239	7,782	3,478	656
Urban places	483	10,286	1,543	1,293	4,195	4,678	379	1,285	1,318	13	639	836	2,074	11,008	2,364	2,633	1,606	775	143
Balance of area	1,658	34,941	5,367	4,878	15,552	16,771	1,396	4,052	4,980	49	2,421	2,818	7,964	37,325	13,634	11,606	6,276	2,703	513
Alabama	201	2,991	458	379	961	1,343	109	358	427	13	225	404	894	3,358	1,192	1,005	504	462	83
Urban places	119	1,349	258	178	383	568	54	188	197	7	100	214	398	1,574	383	391	199	272	31
Balance of area	82	1,642	200	201	578	775	55	170	230	6	125	190	496	1,784	809	614	305	190	52
Metropolitan counties	131	1,710	343	240	566	842	71	238	249	9	140	278	521	2,109	659	569	323	319	48
Urban places	98	1,048	236	145	311	457	47	154	157	6	83	183	316	1,282	307	301	165	234	27
Balance of area	33	662	107	95	255	385	24	84	92	3	57	95	205	827	352	268	158	85	21
Nonmetropolitan counties	70	1,281	115	139	395	501	38	120	178	4	85	126	373	1,249	533	436	181	149	35
Urban places	21	301	22	33	72	111	7	34	40	1	17	31	82	292	76	90	34	38	4
Balance of area	49	980	93	106	323	390	31	86	138	3	68	95	291	957	457	346	147	105	31
Autauga	–	15	1	1	8	6	–	5	–	–	4	6	2	22	17	11	4	4	1
Prattville, part	–	9	–	1	4	2	–	4	–	–	2	4	1	10	8	4	2	2	1
Prattville, total	–	9	–	1	4	2	–	4	–	–	2	4	1	11	8	4	2	2	1
Balance of county	–	6	1	–	4	4	–	1	–	–	2	2	1	12	9	7	2	2	–
Baldwin	2	59	11	6	13	24	4	8	6	1	7	8	5	84	31	23	13	6	–
Barbour	2	11	–	4	6	8	–	3	2	–	1	2	7	27	6	7	5	–	–
Eufaula	–	5	–	4	4	5	–	2	1	–	1	2	4	13	2	4	3	–	–
Balance of county	2	6	–	–	2	3	–	1	1	–	–	–	3	14	4	3	2	–	–
Bibb	–	10	1	–	7	7	–	2	1	–	2	–	1	23	8	6	1	–	–
Blount	1	36	2	5	8	17	1	4	3	–	3	4	4	31	11	9	3	2	1
Bullock	2	14	1	–	2	1	–	1	3	–	–	1	6	8	4	5	1	–	1
Butler	2	25	1	2	9	7	1	2	3	–	2	3	8	19	4	7	2	5	–
Calhoun	3	82	5	15	32	37	4	7	7	1	9	11	9	84	47	25	23	16	–
Anniston	1	33	3	6	12	11	2	2	5	1	6	6	4	32	15	8	6	9	–
Balance of county	2	49	2	9	20	26	2	5	2	–	3	5	5	52	32	17	17	7	–
Chambers	2	32	2	4	15	14	1	4	4	–	2	6	5	34	10	10	9	5	–
Cherokee	1	18	3	2	9	4	1	2	2	–	–	2	12	23	7	7	2	2	–
Chilton	1	33	2	2	10	7	3	–	1	–	2	1	3	19	11	10	4	1	2
Choctaw	–	18	–	2	2	7	–	–	4	–	1	2	4	14	8	13	3	–	1
Clarke	2	16	5	4	6	14	–	1	6	1	1	4	3	25	12	14	6	3	–
Clay	–	8	–	2	5	3	–	2	1	–	2	–	6	22	8	5	7	1	1
Cleburne	2	19	2	2	–	8	–	–	2	–	–	1	5	10	9	2	5	1	–
Coffee	1	21	–	3	13	18	1	2	11	–	2	2	5	37	7	17	2	3	3
Enterprise, part	1	10	–	–	3	9	–	1	4	–	–	1	1	19	4	11	2	2	1
Enterprise, total	1	10	–	–	3	9	–	1	4	–	–	1	1	19	4	11	2	2	1
Balance of county	–	11	–	3	10	7	1	1	7	–	2	1	4	18	3	6	–	1	2
Colbert	2	42	3	2	5	22	1	4	7	–	1	4	50	38	12	10	6	4	4
Sheffield	1	9	–	1	–	7	–	1	1	–	–	2	17	11	1	2	2	–	1
Balance of county	1	33	3	1	5	15	1	3	6	–	1	2	33	27	11	8	4	4	3
Conecuh	1	22	1	3	5	8	2	3	–	–	–	–	1	15	2	7	1	2	1
Coosa	1	8	–	–	2	4	1	3	–	–	–	2	2	5	4	9	2	1	–
Covington	–	54	2	3	15	8	1	3	5	–	2	1	59	40	11	13	8	4	–
Andalusia	–	11	1	1	5	1	–	–	1	–	–	–	16	14	5	1	3	2	–
Balance of county	–	43	1	2	10	7	1	3	4	–	2	1	43	26	6	12	5	2	–
Crenshaw	–	16	1	2	1	6	1	1	3	–	3	–	3	7	3	5	4	3	1
Cullman	3	61	12	5	11	35	–	2	6	–	4	4	20	66	17	10	10	1	5
Cullman	2	21	1	–	1	7	–	–	1	–	–	–	6	16	3	4	2	–	–
Balance of county	1	40	11	5	10	28	–	2	5	–	4	4	14	50	14	6	8	1	5
Dale	2	14	4	6	9	19	2	5	5	–	3	5	8	32	9	10	6	4	3
Dothan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enterprise, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ozark	1	5	4	3	5	8	–	3	–	–	–	1	5	10	1	5	1	1	–
Balance of county	1	9	–	3	4	11	2	2	5	–	3	4	3	22	8	5	5	3	3
Dallas	14	48	6	3	20	12	–	11	8	1	7	6	13	55	23	12	3	11	–
Selma	10	35	5	3	13	10	–	8	6	1	4	4	4	38	8	8	1	8	–
Balance of county	4	13	1	–	7	2	–	3	2	–	3	2	9	19	15	4	2	3	–
De Kalb	1	47	7	6	19	16	1	6	3	–	6	3	9	46	26	13	6	7	–
Fort Payne	–	12	1	–	2	4	1	1	–	–	3	1	2	18	5	4	1	1	–
Balance of county	1	35	6	6	17	12	–	5	3	–	3	2	7	30	21	9	5	6	–
Elmore	2	25	2	3	11	20	1	4	3	1	2	1	9	30	9	19	2	7	–
Prattville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	2	25	2	3	11	20	1	4	3	1	2	1	9	29	9	19	2	7	–
Escambia	1	25	3	4	11	12	–	4	1	–	1	1	1	42	16	13	2	5	–
Etowah	1	80	6	11	43	23	6	8	10	–	2	7	6	99	25	18	12	10	1
Gadsden	–	46	4	5	25	14	3	6	5	–	–	4	5	71	14	11	8	5	1
Balance of county	1	34	2	6	18	9	3	2	5	–	2	3	1	28	11	7	4	5	–
Fayette	1	15	3	4	5	6	–	3	3	–	1	1	5	16	4	5	5	–	–
Franklin	–	18	3	1	9	9	–	–	4	–	2	2	29	26	12	6	4	1	–
Geneva	–	23	3	4	5	14	1	–	6	–	–	1	3	27	7	10	1	5	–
Greene	1	7	–	1	5	3	1	–	–	–	–	–	1	10	5	5	1	2	–
Hale	–	21	2	3	6	3	1	3	6	–	2	–	2	12	5	15	–	4	1
Henry	1	9	1	3	8	5	–	2	1	–	3	–	1	19	6	7	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	675	1	–	14	165	30	43	13	11	4	4	60	12	294	236	2	7	163	64
Dothan, part	450	1	–	10	106	23	19	7	10	3	3	41	6	193	157	2	5	110	40
Dothan, total	450	1	–	10	106	23	19	7	10	3	3	41	6	193	157	2	5	110	40
Balance of county	225	–	–	4	59	7	24	6	1	1	1	19	6	101	79	–	2	53	24
Jackson	460	1	–	1	100	18	31	10	10	4	5	22	18	214	170	–	2	133	35
Scottsboro	127	–	–	1	30	6	8	5	–	–	3	8	2	59	45	–	1	35	9
Balance of county	333	1	–	–	70	12	23	5	10	4	2	14	16	155	125	–	1	98	26
Jefferson	6,927	12	–	105	1,560	354	458	135	188	64	62	299	159	2,882	2,195	13	92	1,199	891
Bessemer	515	3	–	8	115	20	44	9	14	–	2	26	16	206	162	–	20	88	54
Birmingham	3,503	8	–	61	738	162	207	66	96	36	31	140	95	1,449	1,095	10	50	538	497
Fairfield	169	–	–	–	47	15	13	8	6	1	1	5	4	67	52	–	2	25	25
Homewood	182	–	–	1	43	11	6	5	4	2	3	12	4	85	64	–	2	43	19
Hoover, part	113	–	–	3	32	13	6	2	2	1	–	8	2	54	39	–	2	27	10
Hoover, total	117	–	–	3	33	14	6	2	2	1	–	8	2	55	40	–	2	27	11
Hueytown	141	–	–	3	35	6	7	4	6	1	1	10	2	59	45	1	2	27	15
Mountain Brook	148	–	–	–	29	7	5	4	1	1	1	10	2	72	53	–	1	35	17
Vestavia Hills	149	–	–	–	42	14	11	5	3	2	2	5	1	70	52	–	2	28	22
Balance of county	2,007	1	–	29	479	106	159	34	56	20	21	83	33	820	633	2	11	388	232
Lamar	181	1	–	3	38	8	14	1	5	2	2	6	2	84	70	–	–	33	37
Lauderdale	670	2	–	10	153	30	45	12	13	1	3	49	5	316	247	–	5	151	91
Florence	376	1	–	3	76	14	23	5	6	1	1	26	2	195	153	–	4	90	59
Balance of county	294	1	–	7	77	16	22	7	7	–	2	23	3	121	94	–	1	61	32
Lawrence	277	–	–	1	63	9	26	1	4	2	–	21	3	123	88	–	3	75	10
Lee	520	3	–	4	135	33	38	8	10	5	4	37	6	221	162	1	3	65	93
Auburn	125	1	–	1	36	8	7	1	4	2	2	12	–	50	40	–	1	16	23
Opelika	213	2	–	1	55	12	15	6	4	1	1	16	4	96	66	1	1	28	36
Phenix City, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	181	–	–	2	43	13	15	1	2	2	1	9	2	75	56	–	1	21	34
Limestone	421	–	–	3	94	20	31	9	11	2	3	18	6	221	179	1	1	128	49
Athens	163	–	–	1	35	9	13	3	2	2	3	3	2	89	69	–	1	49	19
Balance of county	258	–	–	2	59	11	18	6	9	–	–	15	4	132	110	1	–	79	30
Lowndes	116	1	–	1	21	3	5	1	1	2	2	7	3	58	39	1	3	23	12
Macon	289	1	–	1	61	13	12	4	8	1	4	19	6	146	117	–	7	56	54
Tuskegee	118	–	–	–	22	6	5	2	1	–	1	7	2	60	45	–	4	21	20
Balance of county	171	1	–	1	39	7	7	2	7	1	3	12	4	86	72	–	3	35	34
Madison	1,463	1	–	19	347	90	96	26	38	13	12	72	32	629	497	3	7	297	190
Huntsville	1,091	–	–	14	250	71	66	18	26	8	10	51	23	477	378	2	6	230	140
Balance of county	372	1	–	5	97	19	30	8	12	5	2	21	9	152	119	1	1	67	50
Marengo	254	1	–	2	56	20	14	2	5	1	1	13	6	116	73	–	5	34	34
Marion	326	–	–	4	66	15	27	2	2	1	2	17	5	156	125	–	7	81	37
Marshall	701	1	–	6	135	22	46	5	17	3	6	36	17	347	259	3	11	156	89
Albertville	120	–	–	1	21	5	6	2	2	1	–	5	1	65	45	–	1	25	19
Balance of county	581	1	–	5	114	17	40	3	15	2	6	31	16	282	214	3	10	131	70
Mobile	3,339	5	–	40	745	179	241	53	100	20	24	128	74	1,463	958	13	59	624	262
Mobile	2,077	3	–	25	467	111	149	37	63	10	15	82	46	903	588	9	43	378	158
Prichard	374	1	–	7	76	24	28	4	11	–	1	8	12	171	99	–	5	58	36
Balance of county	882	1	–	8	202	44	64	12	26	10	8	38	16	389	271	4	11	188	68
Monroe	221	–	–	2	36	9	7	2	5	–	1	12	12	101	79	–	–	32	47
Montgomery	1,789	3	–	33	381	93	112	25	35	11	13	92	34	786	587	3	31	301	252
Montgomery	1,613	3	–	30	344	84	106	19	34	10	11	80	33	701	519	1	27	270	221
Balance of county	176	–	–	3	37	9	6	6	1	1	2	12	1	85	68	2	4	31	31
Morgan	620	1	–	15	170	28	55	16	24	3	7	37	13	404	317	1	4	238	74
Decatur	369	–	–	8	75	12	27	8	14	2	2	10	6	189	142	–	3	109	30
Balance of county	451	1	–	7	95	16	28	8	10	1	5	27	7	215	175	1	1	129	44
Perry	150	–	–	7	29	7	5	1	5	–	1	10	4	71	50	–	1	30	19
Pickens	269	–	–	2	50	10	17	2	11	3	–	7	4	119	90	–	2	43	45
Pike	261	–	–	–	60	19	13	3	4	3	7	11	3	124	91	–	2	50	39
Troy	112	–	–	–	28	8	4	2	2	3	2	7	2	55	42	–	1	22	19
Balance of county	149	–	–	–	32	11	9	1	2	–	5	4	1	69	49	–	1	28	20
Randolph	263	–	–	1	55	12	17	5	4	–	4	13	–	138	97	1	2	76	18
Russell	503	2	–	5	89	25	16	7	19	3	2	17	14	276	200	2	5	146	47
Phenix City, part	327	1	–	5	57	15	9	6	16	1	–	10	9	183	125	1	2	97	25
Phenix City, total	328	1	–	5	58	15	10	6	16	1	–	10	9	183	125	1	2	97	25
Balance of county	176	1	–	–	32	10	7	1	3	2	2	7	5	93	75	1	3	49	22
St. Clair	415	–	–	3	98	26	25	4	10	1	6	26	6	190	148	2	–	98	48
Shelby	569	–	–	8	127	32	38	8	15	5	6	23	8	186	155	–	6	80	69
Hoover, part	4	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of county	565	–	–	8	126	31	38	8	15	5	6	23	8	185	154	–	6	80	68
Sumter	163	–	–	1	24	5	3	3	4	–	1	8	4	74	61	–	2	37	22
Talladega	701	3	–	9	158	34	46	14	11	1	4	48	15	327	251	–	8	155	88
Sylacauga	172	–	–	2	47	12	10	5	6	–	–	14	5	94	69	–	4	50	15
Talladega	211	1	–	1	40	8	13	6	2	–	3	8	3	90	67	–	2	33	32
Balance of county	318	2	–	6	71	14	23	3	3	1	1	26	7	143	115	–	2	72	41
Tallapoosa	457	–	–	2	97	16	39	4	8	4	4	22	8	231	178	1	3	104	70
Alexander City	178	–	–	1	42	6	17	1	3	3	3	9	5	93	65	–	2	40	23
Balance of county	279	–	–	1	55	10	22	3	5	1	1	13	3	138	113	1	1	64	47
Tuscaloosa	1,159	2	–	13	276	57	86	14	29	7	16	67	36	474	358	–	16	208	134
Northport	161	–	–	1	44	13	17	1	2	–	1	10	3	75	56	–	4	29	23
Tuscaloosa	641	2	–	8	153	32	42	13	14	5	9	38	19	266	195	–	8	114	73
Balance of county	357	–	–	4	79	12	27	–	13	2	6	19	14	133	107	–	4	65	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Alabama—Con.																			
Houston	4	46	2	6	8	20	2	2	9	–	3	11	17	62	26	20	5	4	–
Dothan, part	3	28	1	4	7	17	2	2	8	–	3	9	15	37	13	14	4	3	–
Dothan, total	3	28	1	4	7	17	2	2	8	–	3	9	15	37	13	14	4	3	–
Balance of county	1	18	1	2	1	3	–	–	1	–	–	2	2	25	13	6	1	1	–
Jackson	1	35	3	5	12	19	1	7	4	–	1	–	2	33	23	13	9	1	1
Scottsboro	–	11	1	2	3	4	–	2	2	–	–	–	1	12	4	3	4	–	–
Balance of county	1	24	2	3	9	15	1	5	2	–	1	–	1	21	19	10	5	1	1
Jefferson	66	508	41	72	207	254	25	71	87	2	27	73	185	767	139	162	78	123	9
Bessemer	4	33	3	4	11	20	2	4	7	–	2	4	11	59	14	21	3	9	–
Birmingham	46	255	13	40	102	116	17	38	48	2	17	43	120	403	57	72	29	81	7
Fairfield	–	13	1	1	7	3	–	2	4	–	1	–	1	24	4	3	–	2	–
Homewood	1	16	3	1	2	5	1	2	1	–	1	–	1	26	3	2	–	5	–
Hoover, part	–	13	1	1	1	8	–	1	1	–	–	–	1	2	2	4	1	1	–
Hoover, total	–	13	1	1	1	8	–	1	1	–	–	–	2	2	3	4	1	1	–
Hueytown	–	13	1	–	6	3	–	3	2	–	–	1	4	12	5	3	1	2	–
Mountain Brook	1	13	4	1	4	8	1	3	1	–	1	–	2	15	4	2	3	1	–
Vestavia Hills	2	14	–	2	3	7	1	2	1	–	–	1	1	10	2	2	5	1	–
Balance of county	12	138	15	22	71	84	3	16	22	–	5	24	44	216	48	53	36	21	2
Lamar	1	11	1	1	11	10	–	1	2	–	2	2	1	15	5	1	1	2	–
Lauderdale	1	59	2	7	19	28	3	5	5	–	5	2	10	64	18	15	4	3	2
Florence	–	38	1	3	9	14	2	3	4	–	2	–	3	37	9	9	2	3	2
Balance of county	1	21	1	4	10	15	1	2	1	–	3	2	7	27	9	6	2	–	–
Lawrence	–	34	1	–	2	7	–	1	5	–	1	3	20	16	15	8	5	2	1
Lee	–	52	4	3	7	22	1	7	5	–	3	11	2	49	20	12	4	5	3
Auburn	–	9	1	–	2	4	–	–	1	–	1	4	–	14	4	4	3	–	–
Opelika	–	28	1	1	3	9	1	3	3	–	1	3	–	18	6	5	1	2	–
Phenix City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	15	2	2	2	9	–	4	1	–	1	4	2	17	10	3	–	3	3
Limestone	1	31	7	3	5	5	3	1	5	–	1	7	4	31	16	7	8	4	–
Athens	–	13	5	2	3	3	3	–	1	–	1	4	1	14	3	2	1	–	–
Balance of county	1	18	2	1	2	2	–	1	4	–	–	3	3	17	13	5	7	4	–
Lowndes	–	19	–	–	2	1	–	–	–	–	–	3	2	10	2	3	2	7	–
Macon	2	19	3	5	10	8	1	4	3	–	1	2	12	10	9	7	2	5	–
Tuskegee	2	8	1	4	2	3	–	2	2	–	–	1	8	6	2	5	1	2	–
Balance of county	–	11	2	1	8	5	1	2	1	–	1	1	4	4	7	2	1	3	–
Madison	8	104	6	14	24	54	1	13	19	–	14	13	18	124	51	39	36	25	4
Huntsville	6	77	5	11	19	44	1	8	17	–	11	12	15	87	33	31	27	21	1
Balance of county	2	27	1	3	5	10	–	5	2	–	3	1	3	37	18	8	9	4	3
Marengo	1	27	12	3	11	9	–	2	4	–	2	3	6	20	6	6	2	1	1
Marion	1	23	2	5	8	10	2	1	8	–	–	2	–	28	18	10	5	2	1
Marshall	2	69	10	7	19	23	2	7	11	–	3	4	12	50	28	16	8	6	6
Albertville	2	17	–	1	4	2	–	2	1	–	–	–	2	8	4	4	3	2	–
Balance of county	–	52	10	6	15	21	2	5	10	–	3	4	10	42	24	12	5	4	6
Mobile	24	236	212	33	39	144	7	57	31	2	23	65	48	279	100	84	54	63	10
Mobile	15	153	125	22	25	91	3	44	19	1	9	41	30	186	55	40	41	42	6
Prichard	5	26	38	3	3	9	2	3	5	1	7	10	8	30	2	10	–	14	3
Balance of county	4	57	49	8	11	44	2	10	7	–	7	14	10	63	43	34	13	7	1
Monroe	1	19	1	1	5	10	–	2	4	–	–	3	5	19	9	9	–	4	–
Montgomery	7	156	13	23	49	62	5	21	15	1	11	30	51	163	45	56	19	23	1
Montgomery	6	143	12	21	44	55	4	20	13	1	9	30	46	149	38	52	18	22	1
Balance of county	1	13	1	2	5	7	1	1	2	–	2	–	5	14	7	4	1	1	–
Morgan	–	74	7	6	19	32	3	4	11	–	2	7	11	61	27	17	13	8	2
Decatur	–	38	5	4	6	10	1	3	6	–	–	3	6	28	7	9	4	7	1
Balance of county	–	36	2	2	13	22	2	1	5	–	2	4	5	33	20	8	9	1	1
Perry	2	16	3	–	3	4	–	–	1	1	1	1	5	11	5	3	1	3	–
Pickens	–	25	2	2	17	4	2	2	2	–	2	7	10	19	16	10	2	1	–
Pike	1	27	1	4	5	8	1	2	5	–	2	3	5	21	10	7	1	2	2
Troy	1	12	–	–	3	2	–	1	–	–	2	–	2	10	2	3	–	1	1
Balance of county	–	15	1	4	2	6	1	1	5	–	–	3	3	11	8	4	1	1	1
Randolph	3	30	4	4	9	7	3	2	4	–	2	–	1	16	9	9	4	2	1
Russell	3	60	7	6	12	9	2	5	5	–	6	7	4	31	12	14	4	6	–
Phenix City, part	2	46	6	4	7	4	2	3	2	–	4	4	2	23	7	5	3	6	–
Phenix City, total	2	46	6	4	7	4	2	3	2	–	4	4	2	23	7	5	3	6	–
Balance of county	1	14	1	2	5	5	–	2	3	–	2	3	2	8	5	9	1	–	–
St. Clair	–	33	–	9	14	16	2	6	3	1	2	–	4	38	11	12	7	2	–
Shelby	2	21	4	4	12	43	–	4	4	–	6	13	41	61	22	14	12	5	3
Hoover, part	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Balance of county	2	21	4	4	12	43	–	4	4	–	6	13	40	61	21	14	12	5	3
Sumter	1	12	–	–	3	4	–	–	4	–	–	3	21	16	6	2	–	1	–
Talladega	2	64	–	10	14	25	2	6	5	–	2	5	15	56	23	18	5	11	2
Sylacauga	1	20	–	4	3	4	1	–	–	–	–	–	1	9	2	3	–	–	1
Talladega	–	21	–	2	8	9	1	5	4	–	–	2	9	20	4	6	1	7	–
Balance of county	1	23	–	4	3	12	–	1	1	–	2	3	5	27	17	9	4	4	1
Tallapoosa	–	50	–	3	8	12	–	3	3	1	4	4	6	36	16	12	9	5	–
Alexander City	–	27	–	1	2	5	–	1	1	–	2	–	2	14	4	1	3	2	–
Balance of county	–	23	–	2	6	7	–	2	2	1	2	4	4	22	12	11	6	3	–
Tuscaloosa	5	83	11	17	29	35	3	7	20	–	13	20	59	90	35	23	14	6	4
Northport	–	11	3	5	2	4	1	–	2	–	3	5	7	7	2	3	2	–	–
Tuscaloosa	5	50	7	9	13	21	2	2	14	–	6	8	32	56	14	10	7	5	3
Balance of county	–	22	1	3	14	10	–	5	4	–	4	7	20	27	19	10	5	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	755	–	–	6	147	30	54	9	12	1	5	36	14	352	294	1	7	143	143
Jasper	141	–	–	2	30	6	7	4	4	–	1	8	3	62	52	–	1	24	27
Balance of county	614	–	–	4	117	24	47	5	8	1	4	28	11	290	242	1	6	119	116
Washington	150	–	–	1	22	3	6	1	1	1	–	10	2	79	55	1	1	41	12
Wilcox	162	–	–	2	31	9	10	1	2	2	–	7	2	72	49	1	2	16	30
Winston	224	–	–	1	56	10	17	2	8	1	1	17	4	105	92	–	16	41	35
Alaska	2,090	–	–	19	442	94	151	44	29	15	20	89	28	596	474	8	9	331	126
Urban places	1,023	–	–	12	227	39	74	30	21	9	11	43	18	293	233	3	5	161	64
Balance of area	1,067	–	–	7	215	55	77	14	8	6	9	46	10	303	241	5	4	170	62
Metropolitan census areas [3]	729	–	–	10	171	32	58	26	15	7	5	28	16	208	166	3	3	121	39
Urban places	729	–	–	10	171	32	58	26	15	7	5	28	16	208	166	3	3	121	39
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [3]	1,361	–	–	9	271	62	93	18	14	8	15	61	12	388	308	5	6	210	87
Urban places	294	–	–	2	56	7	16	4	6	2	6	15	2	85	67	–	2	40	25
Balance of area	1,067	–	–	7	215	55	77	14	8	6	9	46	10	303	241	5	4	170	62
Aleutian Islands	22	–	–	–	4	3	–	–	–	–	–	1	–	3	2	–	–	2	–
Anchorage, coext. with Anchorage city	729	–	–	10	171	32	58	26	15	7	5	28	16	208	166	3	3	121	39
Bethel	57	–	–	–	12	3	5	1	1	1	–	1	–	12	7	–	–	5	2
Bristol Bay borough	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dillingham	35	–	–	–	5	1	1	–	–	1	–	2	–	8	8	–	–	4	4
Fairbanks North Star borough	248	–	–	–	48	8	18	3	2	1	5	11	3	72	58	2	–	35	21
Fairbanks	200	–	–	–	38	5	14	2	2	1	4	10	1	59	47	–	–	29	18
Balance of area	48	–	–	–	10	3	4	1	–	–	1	1	2	13	11	2	–	6	3
Haines borough	13	–	–	–	3	–	2	–	–	–	–	1	–	3	2	–	–	1	1
Juneau, coext. with Juneau city	94	–	–	2	18	2	2	2	4	1	2	5	1	26	20	–	2	11	7
Kenai Peninsula borough	194	–	–	1	43	12	11	3	–	3	2	12	1	63	51	1	3	40	7
Ketchikan Gateway borough	84	–	–	–	19	3	8	3	2	–	1	2	1	31	22	–	–	15	7
Kobuk	41	–	–	1	8	3	4	–	–	–	–	1	–	6	6	–	–	2	4
Kodiak Island borough	73	–	–	–	16	4	4	2	–	–	–	6	–	17	13	–	–	10	3
Matanuska-Susitna borough	147	–	–	–	27	7	11	1	–	1	–	7	3	52	44	–	–	38	6
Nome	43	–	–	–	10	3	4	–	2	–	–	1	–	12	11	1	1	4	5
North Slope borough	26	–	–	–	5	–	3	–	1	–	–	1	–	3	–	–	–	–	–
Prince of Wales-Outer Ketchikan	13	–	–	–	2	1	1	–	–	–	–	–	1	4	4	–	–	4	–
Sitka borough	41	–	–	1	5	1	1	–	–	–	–	3	1	15	11	–	–	10	1
Skagway-Yakutat-Angoon	14	–	–	–	2	1	–	–	–	–	1	–	–	3	2	–	–	2	–
Southeast Fairbanks	18	–	–	–	6	1	3	1	–	–	–	1	1	7	6	–	–	4	2
Valdez-Cordova	46	–	–	2	12	2	6	1	1	–	1	1	–	13	12	–	–	9	3
Wade Hampton	41	–	–	–	3	–	2	–	–	–	–	1	–	6	6	–	–	2	4
Wrangell-Petersburg	42	–	–	1	12	5	2	–	–	–	2	3	–	17	12	1	–	6	5
Yukon-Koyukuk	67	–	–	1	10	2	5	–	1	–	1	1	–	15	11	–	–	6	5
Arizona	25,569	29	–	323	5,828	1,333	1,571	498	667	278	231	1,250	486	10,202	8,138	81	156	5,788	2,113
Urban places	16,292	17	–	207	3,664	832	1,003	331	406	163	140	789	272	6,567	5,212	48	107	3,715	1,342
Balance of area	9,277	12	–	116	2,164	501	568	167	261	115	91	461	194	3,635	2,926	33	49	2,073	771
Metropolitan counties	19,239	19	–	236	4,384	1,021	1,177	390	498	203	165	940	319	7,820	6,250	62	124	4,487	1,577
Urban places	14,720	16	–	184	3,384	758	901	311	361	135	123	715	239	5,908	4,707	44	97	3,365	1,201
Balance of area	4,519	3	–	52	1,090	263	276	79	137	68	42	225	80	1,912	1,543	18	27	1,122	376
Nonmetropolitan counties	6,330	10	–	87	1,434	312	394	108	169	75	66	310	147	2,382	1,888	19	32	1,301	536
Urban places	1,572	1	–	23	360	74	102	20	45	28	17	74	33	659	505	4	10	350	141
Balance of area	4,758	9	–	64	1,074	238	292	88	124	47	49	236	114	1,723	1,383	15	22	951	395
Apache	395	1	–	3	46	14	4	6	–	–	6	16	8	71	57	–	1	31	25
Cochise	663	–	–	7	158	30	42	16	23	8	11	28	13	267	221	–	5	133	83
Douglas	112	–	–	2	20	1	4	–	5	2	3	5	5	47	44	–	3	31	10
Sierra Vista	123	–	–	2	30	7	8	6	1	1	–	7	–	43	30	–	–	17	13
Balance of county	428	–	–	3	108	22	30	10	17	5	8	16	8	177	147	–	2	85	60
Coconino	383	2	–	3	72	16	20	5	12	2	4	13	8	119	88	1	4	49	34
Flagstaff	147	–	–	2	31	6	10	–	7	–	2	6	2	53	38	1	3	21	13
Balance of county	236	2	–	1	41	10	10	5	5	2	2	7	8	66	50	–	1	28	21
Gila	401	1	–	14	81	27	21	7	5	2	5	14	11	171	141	–	3	111	27
Graham	192	–	–	2	36	12	6	5	3	2	2	6	2	75	55	1	2	42	10
Greenlee	50	–	–	–	19	1	6	–	2	1	2	7	2	20	14	–	2	9	3
Maricopa	14,158	15	–	163	3,251	753	859	303	356	152	114	714	238	5,713	4,632	47	77	3,451	1,057
Chandler	264	–	–	4	60	9	20	3	12	1	2	13	3	95	85	–	–	66	19
Glendale	855	3	–	11	176	45	42	23	16	8	7	35	14	328	274	1	6	203	64
Mesa	1,777	1	–	16	406	108	101	36	38	15	15	93	31	752	588	3	6	466	111
Paradise Valley	71	–	–	–	18	1	5	5	2	1	–	4	1	29	25	–	2	15	8
Peoria	307	–	–	2	68	12	13	10	13	4	1	15	7	127	106	3	1	76	24
Phoenix	6,334	8	–	74	1,401	316	395	119	156	52	47	316	114	2,439	1,967	16	38	1,437	476
Scottsdale	1,052	1	–	17	287	58	75	41	21	14	10	68	14	458	357	6	5	257	89
Tempe	599	1	–	11	147	33	42	14	13	6	9	30	5	208	173	3	2	131	37
Balance of county	2,899	1	–	28	688	171	166	52	85	51	23	140	49	1,277	1,057	15	17	786	229
Mohave	889	1	–	8	260	39	97	15	22	19	5	63	16	344	257	–	4	180	73
Lake Havasu City	184	–	–	2	56	10	22	2	4	7	2	9	–	72	51	–	–	35	16
Balance of county	705	1	–	6	204	29	75	13	18	12	3	54	16	272	206	–	4	145	57
Navajo	486	1	–	12	87	19	20	11	10	2	3	22	18	143	115	5	1	75	34
Pima	5,081	4	–	73	1,143	268	318	87	142	51	51	226	81	2,107	1,618	15	47	1,036	520
Tucson	3,461	2	–	49	741	176	208	60	90	34	32	141	50	1,472	1,132	12	37	710	373
Balance of county	1,620	2	–	24	402	92	110	27	52	17	19	85	31	635	486	3	10	326	147

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	2	47	2	7	25	35	2	5	9	–	4	7	4	54	41	21	19	6	3
Jasper	1	7	1	1	5	6	–	1	3	–	1	4	1	9	10	1	1	1	1
Balance of county	1	40	1	6	20	30	2	4	6	–	3	3	3	45	31	20	18	5	2
Washington	2	21	1	–	4	7	1	1	2	–	1	1	–	13	9	4	2	1	–
Wilcox	6	16	–	1	9	2	–	1	2	–	3	1	5	15	9	7	–	1	–
Winston	–	12	1	–	5	7	–	3	1	–	1	–	1	13	15	5	5	1	1
Alaska	7	85	10	20	33	62	3	32	11	1	35	53	57	196	102	260	79	44	37
Urban places	4	45	2	9	11	35	2	16	3	–	20	31	26	113	57	88	36	22	13
Balance of area	3	40	8	11	22	27	1	16	8	1	15	22	31	83	45	172	43	22	24
Metropolitan census areas [1]	3	34	1	4	10	26	1	12	2	–	14	20	13	81	39	57	30	16	3
Urban places	3	34	1	4	10	26	1	12	2	–	14	20	13	81	39	57	30	16	3
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	4	51	9	16	23	36	2	20	9	1	21	33	44	115	63	203	49	28	34
Urban places	1	11	1	5	1	9	1	4	1	–	6	11	13	32	18	31	6	6	10
Balance of area	3	40	8	11	22	27	1	16	8	1	15	22	31	83	45	172	43	22	24
Aleutian Islands	–	1	–	–	2	3	–	–	–	–	1	–	–	–	–	6	3	–	–
Anchorage, coext. with Anchorage city	3	34	1	4	10	26	1	12	2	–	14	20	13	81	39	57	30	16	3
Bethel	–	5	–	–	1	–	–	1	–	–	1	–	4	9	1	5	7	3	1
Bristol Bay borough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dillingham	–	–	–	–	1	–	–	1	–	–	1	1	2	1	1	9	1	1	3
Fairbanks North Star borough	1	8	1	4	–	3	1	4	2	–	6	12	11	22	21	20	3	6	14
Fairbanks	1	8	1	2	–	3	1	4	1	–	5	9	10	20	17	15	3	5	9
Balance of area	–	–	–	2	–	–	–	–	1	–	1	3	1	2	4	5	–	1	5
Haines borough	–	–	–	1	–	1	–	–	–	–	–	–	1	1	1	2	1	–	–
Juneau, coext. with Juneau city	–	3	–	3	1	6	–	–	–	–	1	2	3	12	1	16	3	1	1
Kenai Peninsula borough	2	6	1	3	4	6	–	4	1	1	2	–	6	15	8	35	2	2	–
Ketchikan Gateway borough	–	8	1	–	4	5	–	1	–	–	1	–	1	10	–	9	1	1	–
Kobuk	–	–	–	–	–	1	–	1	2	–	–	2	–	2	1	16	–	–	1
Kodiak Island borough	–	2	–	2	–	–	–	1	–	–	4	6	1	5	1	20	2	–	–
Matanuska-Susitna borough	–	6	1	1	4	3	–	3	1	–	1	2	1	8	12	15	9	6	–
Nome	–	1	–	–	–	1	–	–	–	–	–	1	–	7	–	8	4	–	–
North Slope borough	–	–	2	1	1	1	–	–	–	–	2	–	1	5	2	1	–	1	4
Prince of Wales-Outer Ketchikan	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	1
Sitka borough	1	3	–	–	–	–	–	–	–	–	–	1	4	4	–	9	1	–	–
Skagway-Yakutat-Angoon	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	4	1	1	1
Southeast Fairbanks	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–
Valdez-Cordova	–	–	–	1	1	2	–	1	–	–	–	2	2	2	7	1	1	–	–
Wade Hampton	–	–	–	–	–	2	–	1	3	–	–	2	3	3	2	7	6	3	–
Wrangell-Petersburg	–	3	2	–	1	–	1	1	–	–	–	–	1	1	3	2	2	–	–
Yukon-Koyukuk	–	4	–	–	3	2	–	–	–	–	1	1	1	6	1	14	1	3	8
Arizona	82	1,440	266	276	844	1,396	85	373	255	2	189	234	310	2,392	956	691	632	331	31
Urban places	52	947	177	179	563	854	52	233	156	1	132	172	191	1,595	632	408	430	227	19
Balance of area	30	493	89	97	281	542	33	140	99	1	57	62	119	797	424	283	202	104	12
Metropolitan counties	63	1,097	203	207	646	1,063	69	260	172	–	139	190	198	1,858	630	478	475	252	19
Urban places	46	839	155	161	515	767	47	205	135	–	121	162	172	1,460	482	373	399	214	17
Balance of area	17	258	48	46	133	296	22	55	37	–	18	28	26	398	148	105	76	38	2
Nonmetropolitan counties	19	343	63	69	196	333	16	113	83	2	50	44	112	534	326	213	157	79	12
Urban places	6	108	22	18	48	87	5	28	21	1	11	10	19	135	50	35	31	13	2
Balance of area	13	235	41	51	148	246	11	85	62	1	39	34	93	399	276	178	126	66	10
Apache	2	12	–	–	12	9	–	8	8	–	7	4	19	45	46	25	12	10	1
Cochise	1	38	1	6	8	33	3	10	12	–	2	4	11	69	24	21	13	4	4
Douglas	–	3	–	–	–	4	–	4	–	–	1	–	–	13	5	5	3	2	1
Sierra Vista	1	11	–	1	1	10	2	2	3	–	1	–	4	16	3	5	1	–	–
Balance of county	–	24	1	5	7	19	1	4	9	–	–	4	7	40	16	11	9	2	3
Coconino	1	22	3	5	17	9	–	11	7	–	6	6	11	36	34	22	15	4	1
Flagstaff	–	9	3	3	5	5	–	4	3	–	2	2	4	13	7	4	8	1	1
Balance of county	1	13	–	2	12	4	–	7	4	–	4	4	7	23	27	18	7	3	–
Gila	2	23	–	5	11	20	–	9	2	–	3	3	9	35	13	8	6	3	1
Graham	–	10	6	4	10	9	2	3	1	–	2	2	2	24	11	6	2	1	2
Greenlee	–	6	–	–	1	3	–	1	–	–	–	1	–	1	–	1	–	1	–
Maricopa	38	795	109	139	467	765	45	200	134	–	110	147	151	1,387	460	347	358	191	16
Chandler	2	7	–	1	13	7	1	2	1	–	5	9	3	25	15	8	10	3	–
Glendale	1	38	8	7	42	49	3	10	7	–	8	10	7	94	26	27	30	9	1
Mesa	4	123	18	19	66	105	5	14	17	–	10	16	14	187	56	29	35	16	1
Paradise Valley	–	3	–	1	1	4	1	2	–	–	2	–	–	7	3	1	2	–	–
Peoria	1	18	1	1	15	16	–	3	6	–	1	2	3	36	7	5	7	2	–
Phoenix	16	339	47	70	212	312	21	119	60	–	55	79	97	630	231	161	187	125	9
Scottsdale	3	74	13	11	22	42	3	11	10	–	5	7	6	84	25	28	23	7	2
Tempe	2	24	3	6	17	30	–	8	6	–	11	5	6	72	20	23	22	6	1
Balance of county	9	169	19	23	78	200	11	31	27	–	13	19	15	252	77	65	42	23	2
Mohave	4	61	9	13	22	52	–	19	7	–	2	4	10	49	39	24	24	8	–
Lake Havasu City	–	15	2	4	6	12	–	2	–	–	–	1	4	13	8	4	3	1	–
Balance of county	4	46	7	9	16	40	–	17	7	–	2	3	6	36	31	20	21	7	–
Navajo	1	20	3	4	22	12	3	8	6	1	8	1	12	49	52	25	14	8	2
Pima	25	302	94	68	181	298	24	60	36	–	29	43	47	471	170	131	117	61	3
Tucson	17	213	65	45	127	202	13	36	26	–	24	34	36	325	89	91	83	46	3
Balance of county	8	89	29	23	54	96	11	24	10	–	5	9	11	146	71	40	34	15	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	942	2	–	17	198	46	50	11	33	12	3	41	28	348	294	6	5	196	87
Casa Grande	134	–	–	6	31	5	7	4	7	3	–	5	1	58	47	–	–	27	20
Balance of county	808	2	–	11	167	43	43	7	26	9	3	36	27	290	247	6	5	169	67
Santa Cruz	147	–	–	–	41	13	5	4	5	3	4	7	6	56	43	–	–	30	13
Nogales	95	–	–	–	21	7	3	3	1	3	2	2	5	39	28	–	–	21	7
Balance of county	52	–	–	–	20	6	2	1	4	–	2	5	1	17	15	–	–	9	6
Yavapai	1,041	1	–	11	262	55	73	14	37	14	14	55	14	447	352	3	3	264	82
Prescott	362	–	–	3	91	20	23	3	11	5	5	24	7	158	122	1	2	92	27
Balance of county	679	1	–	8	171	35	50	11	26	9	9	31	7	289	230	2	1	172	55
Yuma [2]	801	1	–	10	174	38	50	14	17	10	7	38	21	321	251	3	2	181	65
Yuma	415	1	–	6	80	18	25	2	9	7	3	16	13	189	145	2	2	106	35
Balance of county	386	–	–	4	94	20	25	12	8	3	4	22	8	132	106	1	–	75	30
Arkansas	23,968	31	–	321	5,076	1,079	1,614	354	529	183	180	1,137	336	11,580	9,092	32	141	5,173	3,748
Urban places	9,048	11	–	132	1,902	401	614	161	197	65	57	407	121	4,376	3,432	13	52	1,929	1,438
Balance of area	14,920	20	–	189	3,174	678	1,000	193	332	118	123	730	215	7,204	5,660	19	89	3,244	2,308
Metropolitan counties	8,307	12	–	120	1,772	411	529	142	172	62	57	399	100	3,987	3,144	14	46	1,771	1,313
Urban places	5,723	9	–	84	1,195	271	362	103	124	43	36	256	71	2,755	2,158	8	31	1,203	916
Balance of area	2,584	3	–	36	577	140	167	39	48	19	21	143	29	1,232	986	6	15	568	397
Nonmetropolitan counties	15,661	19	–	201	3,304	668	1,085	212	357	121	123	738	236	7,593	5,948	18	95	3,402	2,433
Urban places	3,325	2	–	48	707	130	252	58	73	22	21	151	50	1,621	1,274	5	21	728	522
Balance of area	12,336	17	–	153	2,597	538	833	154	284	99	102	587	186	5,972	4,674	13	74	2,676	1,911
Arkansas	260	–	–	4	58	13	19	3	5	–	3	15	2	115	68	1	–	40	27
Stuttgart	118	–	–	2	28	4	10	2	1	–	1	10	–	37	26	–	–	14	12
Balance of county	142	–	–	2	30	9	9	1	4	–	2	5	2	78	42	1	–	26	15
Ashley	262	–	–	2	51	11	15	1	7	–	2	15	8	122	94	–	1	57	36
Baxter	445	–	–	1	99	18	26	12	13	6	1	24	9	206	149	–	4	115	30
Benton	887	1	–	16	218	59	55	13	23	6	7	55	7	427	324	2	1	238	83
Rogers	241	–	–	7	54	12	14	4	5	2	2	15	1	121	86	–	–	59	27
Springdale, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	645	1	–	9	164	47	41	9	18	4	5	40	6	306	238	2	1	179	56
Boone	287	1	–	3	57	11	17	2	8	4	–	15	9	132	106	2	1	71	32
Bradley	199	1	–	1	39	5	12	1	7	2	3	9	3	101	72	–	–	64	6
Calhoun	65	–	–	1	13	2	4	2	2	1	–	2	1	30	22	–	–	8	14
Carroll	231	–	–	4	56	12	21	4	5	3	2	9	3	107	75	–	–	49	26
Chicot	221	–	–	5	32	4	14	2	2	1	1	8	8	95	73	1	1	40	31
Clark	246	–	–	5	45	14	12	4	3	–	3	9	4	127	89	–	1	57	31
Arkadelphia	82	–	–	1	13	4	4	1	–	–	2	2	1	45	35	–	–	24	11
Balance of county	164	–	–	4	32	10	8	3	3	–	1	7	3	82	54	–	1	33	20
Clay	255	–	–	4	49	14	15	1	9	1	3	6	1	145	124	–	–	65	59
Cleburne	227	–	–	2	54	13	14	5	4	2	4	12	3	122	91	–	–	56	35
Cleveland	73	–	–	1	13	4	4	1	1	–	–	3	2	36	28	–	–	12	16
Columbia	305	2	–	6	64	11	16	7	8	3	2	19	8	158	125	–	7	66	52
Magnolia	112	–	–	2	30	5	7	3	4	1	1	9	2	53	43	–	1	27	15
Balance of county	193	2	–	4	34	6	9	4	2	2	1	10	6	105	82	–	6	39	37
Conway	198	–	–	1	46	7	16	3	7	2	2	9	2	96	80	–	–	31	49
Craighead	550	1	–	15	121	17	40	14	12	5	4	29	11	255	190	1	2	128	59
Jonesboro	295	–	–	9	73	10	31	9	5	2	1	15	4	130	93	1	1	56	35
Balance of county	255	1	–	6	48	7	9	5	7	3	3	14	7	125	97	–	1	72	24
Crawford	345	1	–	1	64	10	24	5	7	1	2	15	8	184	151	–	–	53	98
Van Buren	138	1	–	–	24	5	7	3	5	1	–	3	2	77	61	–	–	18	43
Balance of county	207	–	–	1	40	5	17	2	2	–	2	12	6	107	90	–	–	35	55
Crittenden	456	–	–	10	87	17	23	7	10	2	4	24	5	214	156	–	4	79	73
West Memphis	267	–	–	6	52	11	13	4	7	1	1	15	2	125	91	–	1	46	44
Balance of county	189	–	–	4	35	6	10	3	3	1	3	9	3	89	65	–	3	33	29
Cross	231	–	–	9	50	9	19	3	8	–	3	8	5	90	69	1	1	42	25
Dallas	135	1	–	2	27	7	10	2	3	–	–	5	1	54	45	–	1	21	23
Desha	204	–	–	4	51	6	18	8	5	2	2	10	–	88	88	–	2	33	33
Drew	166	–	–	1	33	5	12	–	6	2	2	8	4	82	62	–	–	37	25
Faulkner	452	–	–	4	114	28	35	5	15	3	1	27	9	200	153	2	–	99	52
Conway	207	–	–	2	40	13	10	2	6	1	1	7	5	94	71	–	–	46	25
Balance of county	245	–	–	2	74	15	25	3	9	2	–	20	4	106	82	2	–	53	27
Franklin	159	1	–	2	33	12	10	1	2	3	1	4	6	78	63	–	3	43	17
Fulton	138	–	–	–	24	7	9	–	2	–	–	6	2	74	59	–	–	30	29
Garland	961	–	–	11	220	31	89	10	17	12	4	57	5	500	434	2	6	167	259
Hot Springs	664	–	–	10	143	18	60	8	10	7	2	38	4	356	306	1	5	108	192
Balance of county	297	–	–	1	77	13	29	2	7	5	2	19	1	144	128	1	1	59	67
Grant	150	–	–	3	30	8	11	2	1	1	1	6	1	78	66	–	–	45	21
Greene	338	1	–	1	73	10	23	7	7	5	1	20	5	161	125	1	2	85	37
Paragould	213	1	–	1	45	6	15	4	6	3	–	11	3	105	80	1	1	56	22
Balance of county	125	–	–	–	28	4	8	3	1	2	1	9	2	56	45	–	1	29	15
Hempstead	253	–	–	3	55	12	17	4	6	1	4	11	1	124	96	–	3	59	34
Hope	145	–	–	3	29	6	9	4	3	1	2	4	–	76	57	–	2	34	21
Balance of county	108	–	–	–	26	6	8	–	3	–	2	7	1	48	39	–	1	25	13
Hot Spring	314	–	–	4	63	12	27	–	7	–	2	15	4	153	114	–	2	72	40
Malvern	151	–	–	3	28	5	10	–	5	–	1	7	2	74	55	–	1	36	18
Balance of county	163	–	–	1	35	7	17	–	2	–	1	8	2	79	59	–	1	36	22
Howard	156	1	–	3	31	4	6	3	8	2	–	8	5	68	57	–	2	27	28
Independence	292	–	–	6	51	10	19	4	6	2	3	7	3	139	123	–	1	47	75

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	2	38	7	7	24	66	3	22	14	–	7	7	13	70	47	24	31	20	1
Casa Grande	1	7	1	2	3	10	–	–	2	–	1	–	2	6	4	2	6	2	–
Balance of county	1	31	6	5	21	56	3	22	12	–	6	7	11	64	43	22	25	18	1
Santa Cruz	–	11	–	2	5	6	–	1	3	–	–	4	4	11	4	3	1	2	–
Nogales	–	10	–	1	1	2	–	1	3	–	–	3	3	11	1	2	1	2	–
Balance of county	–	1	–	1	4	4	–	–	–	–	–	1	1	–	3	1	–	–	–
Yavapai	2	63	17	13	45	66	3	7	10	–	6	5	3	94	21	15	22	9	–
Prescott	2	24	7	3	22	13	1	5	4	–	2	2	–	32	8	5	6	3	–
Balance of county	–	39	10	10	23	53	2	2	6	–	4	3	3	62	13	10	16	6	–
Yuma [2]	4	39	17	10	19	48	2	14	11	1	7	3	18	51	35	39	17	9	–
Yuma	2	29	9	4	10	31	2	10	6	1	4	2	2	31	14	8	3	2	–
Balance of county	2	10	8	6	9	17	–	4	5	–	3	1	16	20	21	31	14	7	–
Arkansas	66	1,990	208	224	783	768	73	150	300	2	107	139	641	1,855	604	632	321	231	18
Urban places	28	749	83	84	270	309	30	69	116	1	42	67	205	742	175	232	120	121	7
Balance of area	38	1,241	125	140	513	459	43	81	184	1	65	72	436	1,113	429	400	201	110	11
Metropolitan counties	25	663	72	83	244	282	27	71	97	1	40	69	176	643	193	230	125	111	7
Urban places	16	468	54	59	169	196	19	44	76	1	27	58	122	468	104	156	78	86	5
Balance of area	9	195	18	24	75	86	8	27	21	–	13	11	54	175	89	74	47	25	2
Nonmetropolitan counties	41	1,327	136	141	539	486	46	79	203	1	67	70	465	1,212	411	402	196	120	11
Urban places	12	281	29	25	101	113	11	25	40	–	15	9	83	274	71	76	42	35	2
Balance of area	29	1,046	107	116	438	373	35	54	163	1	52	61	382	938	340	326	154	85	9
Arkansas	–	38	7	2	3	11	2	–	3	–	1	–	18	17	12	8	3	3	–
Stuttgart	–	10	1	–	1	6	1	–	3	–	–	–	14	10	7	4	2	3	–
Balance of county	–	28	6	2	2	5	1	–	–	–	1	–	4	7	5	4	1	–	–
Ashley	–	27	–	1	9	10	1	2	2	–	4	2	6	27	5	9	–	3	1
Baxter	–	44	6	7	18	16	1	3	4	–	3	1	14	43	11	6	9	1	–
Benton	–	77	14	12	29	38	5	5	7	–	3	2	15	52	24	19	15	3	1
Rogers	–	25	6	4	10	10	1	–	3	–	1	1	5	14	6	3	3	1	–
Springdale, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	52	8	8	19	28	4	4	4	–	2	1	10	38	18	16	12	2	1
Boone	1	21	1	3	15	18	3	2	1	–	1	–	3	28	6	5	3	–	–
Bradley	–	23	3	3	6	5	–	–	4	–	–	–	1	19	3	10	2	4	–
Calhoun	2	4	2	–	4	2	–	1	–	–	–	–	3	3	1	3	2	1	–
Carroll	1	25	4	2	18	8	1	–	3	–	1	1	1	21	3	2	2	–	–
Chicot	1	17	2	2	8	5	1	–	2	–	2	1	24	15	8	9	2	4	–
Clark	–	30	3	5	5	6	–	–	2	–	2	–	14	17	7	7	3	2	–
Arkadelphia	–	5	1	4	2	3	–	–	1	–	1	–	2	8	1	1	1	2	–
Balance of county	–	25	2	1	3	3	–	–	1	–	1	–	12	9	6	6	2	–	–
Clay	2	14	2	3	12	5	1	–	5	–	–	–	1	16	6	7	2	–	1
Cleburne	–	25	2	4	7	3	–	2	–	–	1	–	12	12	5	2	2	–	–
Cleveland	–	5	2	1	3	4	–	–	3	–	–	–	–	4	3	2	1	1	–
Columbia	1	27	4	1	8	6	2	–	4	–	–	1	2	23	11	4	3	3	–
Magnolia	1	8	1	–	2	3	1	–	2	–	–	–	–	8	3	4	–	2	–
Balance of county	–	19	3	1	6	3	1	–	2	–	–	1	2	15	8	–	3	1	–
Conway	–	15	–	1	5	4	1	3	4	–	–	–	3	17	9	4	3	–	–
Craighead	–	55	4	6	31	17	–	3	3	–	2	2	4	47	10	15	6	6	1
Jonesboro	–	31	3	3	16	9	–	1	2	–	–	1	1	27	3	9	6	4	–
Balance of county	–	24	1	3	15	8	–	2	1	–	2	1	3	20	7	6	–	2	1
Crawford	–	26	–	7	6	6	1	5	4	–	2	3	1	16	19	10	7	6	1
Van Buren	–	13	–	3	2	3	1	2	2	–	1	1	–	7	5	2	4	3	1
Balance of county	–	13	–	4	4	3	–	3	2	–	1	2	1	9	14	8	3	3	–
Crittenden	8	45	–	5	11	15	1	2	2	1	3	5	11	40	15	15	7	12	–
West Memphis	3	27	–	4	4	13	–	2	1	1	1	4	5	22	9	10	3	7	–
Balance of county	5	18	–	1	7	2	1	–	1	–	2	1	6	18	6	5	4	5	–
Cross	–	18	1	2	7	7	–	3	3	–	1	4	15	17	10	7	2	1	–
Dallas	–	6	2	1	6	5	–	–	3	–	–	2	12	9	6	6	–	1	–
Desha	–	18	2	–	7	4	–	–	3	–	1	1	15	14	7	5	1	3	–
Drew	–	15	2	3	7	7	2	–	2	–	1	–	6	9	4	5	2	1	–
Faulkner	1	41	2	3	13	12	2	1	11	–	–	1	15	27	17	21	5	–	–
Conway	1	21	–	1	10	7	1	1	4	–	–	1	7	17	8	7	3	–	–
Balance of county	–	20	2	2	3	5	1	–	7	–	–	–	8	10	9	14	2	–	–
Franklin	1	13	–	1	6	5	1	–	–	–	–	–	6	12	4	3	2	–	–
Fulton	1	7	4	3	9	2	–	1	1	–	–	–	3	7	3	8	3	–	2
Garland	2	52	9	3	23	33	1	6	5	–	8	1	7	74	17	22	18	8	2
Hot Springs	2	39	6	3	19	23	–	5	2	–	5	–	6	49	10	17	8	5	2
Balance of county	–	13	3	–	4	10	1	1	3	–	3	1	1	25	7	5	10	3	–
Grant	–	9	–	3	4	6	1	1	–	–	2	1	2	7	6	3	5	–	–
Greene	3	25	4	4	9	18	–	3	3	–	2	2	2	36	12	4	5	1	–
Paragould	3	17	4	1	2	13	–	2	2	–	2	1	2	22	7	2	3	–	–
Balance of county	–	8	–	3	7	5	–	1	1	–	–	1	–	14	5	2	2	1	–
Hempstead	–	23	1	4	6	8	1	1	6	–	1	1	6	18	8	10	1	3	–
Hope	–	17	–	2	2	5	–	1	5	–	1	–	3	9	4	4	1	2	–
Balance of county	–	6	1	2	4	3	1	–	1	–	–	1	3	9	4	6	–	1	–
Hot Spring	2	31	5	1	13	10	4	1	4	–	–	2	11	33	3	6	2	1	–
Malvern	1	14	3	1	4	3	4	1	2	–	–	1	5	19	2	1	1	1	–
Balance of county	1	17	2	–	9	7	–	–	2	–	–	1	6	14	1	5	1	–	–
Howard	1	9	1	–	4	7	–	1	6	–	–	1	4	17	4	3	1	–	–
Independence	–	12	–	4	18	11	3	4	6	–	2	–	8	21	8	7	3	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	151	–	–	4	25	7	11	1	1	–	1	4	–	84	66	–	2	35	29
Jackson	250	1	–	5	47	5	15	–	4	3	1	19	9	108	86	1	6	39	40
Jefferson	920	3	–	15	169	43	44	13	25	7	2	35	14	470	371	3	2	249	117
Pine Bluff	720	2	–	11	128	29	34	10	20	6	1	28	13	368	292	1	1	200	90
Balance of county	200	1	–	4	41	14	10	3	5	1	1	7	1	102	79	2	1	49	27
Johnson	191	–	–	–	42	9	23	3	1	1	3	2	3	89	78	–	1	49	28
Lafayette	117	–	–	1	24	4	8	2	5	1	–	4	–	56	34	–	2	23	9
Lawrence	248	–	–	8	59	12	17	3	9	4	1	13	–	116	96	1	1	50	44
Lee	173	–	–	1	37	6	16	3	2	–	3	7	2	72	60	–	–	33	27
Lincoln	119	–	–	–	24	6	8	1	2	1	–	6	1	70	54	–	2	23	29
Little River	134	–	–	1	28	8	6	1	1	–	1	11	1	76	62	–	–	44	18
Logan	233	–	–	3	39	8	13	1	9	1	–	7	3	128	110	1	–	52	57
Lonoke	303	–	–	3	60	12	14	4	4	5	3	18	2	150	106	–	–	59	47
Madison	126	–	–	–	28	5	4	3	3	1	2	10	–	62	41	–	–	19	22
Marion	142	–	–	–	36	11	10	–	1	–	2	12	–	64	51	–	–	33	18
Miller	426	–	–	4	95	19	25	8	7	7	5	23	11	198	152	–	8	95	49
Texarkana [3]	280	–	–	4	64	13	15	8	7	3	4	14	8	127	95	–	5	56	34
Balance of county	146	–	–	–	31	6	10	1	–	4	1	9	3	71	57	–	3	39	15
Mississippi	566	–	–	12	124	18	48	7	17	4	5	25	12	256	204	–	3	130	71
Blytheville	231	–	–	5	39	8	11	3	5	1	1	10	2	110	89	–	3	62	24
Balance of county	335	–	–	7	85	10	37	4	12	3	4	15	10	146	115	–	–	68	47
Monroe	176	1	–	2	34	9	13	1	2	5	–	4	1	93	74	–	4	44	26
Montgomery	102	–	–	1	26	6	6	1	3	2	–	8	–	46	37	–	–	19	18
Nevada	121	–	–	5	22	5	4	–	6	1	1	5	3	51	40	–	1	18	21
Newton	59	–	–	–	15	4	1	–	4	–	1	5	–	30	28	–	–	15	13
Ouachita	331	1	–	1	67	18	26	5	7	1	–	10	9	166	126	–	5	68	53
Camden	177	1	–	–	37	10	14	4	5	–	–	4	7	94	72	–	2	43	27
Balance of county	154	–	–	1	30	8	12	1	2	1	–	6	2	72	54	–	3	25	26
Perry	77	–	–	–	19	5	6	1	1	1	–	5	1	39	28	–	–	16	12
Phillips	399	–	–	3	76	21	27	4	8	3	4	11	7	203	155	–	7	89	59
West Helena	111	–	–	–	23	4	7	2	1	–	2	7	3	50	39	–	2	23	14
Balance of county	288	–	–	3	55	17	20	2	7	3	2	4	4	153	116	–	5	66	45
Pike	109	–	–	1	18	7	4	2	2	1	–	2	1	57	47	–	2	32	13
Poinsett	301	–	–	1	71	15	22	6	4	1	1	22	6	153	123	–	2	81	40
Polk	210	–	–	1	49	8	11	3	7	2	5	13	4	95	80	–	–	41	39
Pope	320	–	–	3	71	15	30	6	7	3	1	9	6	152	114	–	1	81	32
Russellville	159	–	–	2	31	7	13	4	3	3	–	1	3	79	56	–	–	40	16
Balance of county	161	–	–	1	40	8	17	2	4	–	1	8	3	73	58	–	1	41	16
Prairie	114	–	–	–	27	7	8	–	2	–	–	10	–	57	33	1	1	20	11
Pulaski	2,924	4	–	52	637	134	220	55	55	20	21	132	33	1,361	1,061	5	21	551	484
Jacksonville	134	–	–	–	39	5	19	3	2	1	–	9	2	56	42	1	–	19	22
Little Rock	1,616	4	–	32	306	65	108	31	31	9	12	50	16	779	588	1	11	324	262
North Little Rock	814	–	–	11	205	45	65	15	18	7	5	50	12	376	305	2	6	149	148
Sherwood	70	–	–	1	19	4	4	2	–	1	2	6	–	28	19	–	1	8	10
Balance of county	290	–	–	8	68	15	24	4	4	2	2	17	3	122	97	1	3	51	42
Randolph	219	1	–	4	45	11	11	1	3	5	1	13	–	102	81	1	–	48	32
St. Francis	342	–	–	4	70	16	24	4	6	1	1	18	14	159	136	–	1	106	31
Forrest City	185	–	–	2	33	8	10	2	4	–	–	9	11	84	75	–	1	58	16
Balance of county	157	–	–	2	37	8	14	2	2	1	1	9	3	75	61	–	–	48	15
Saline	394	–	–	9	83	15	30	5	6	5	1	21	3	174	136	–	1	65	72
Benton	205	–	–	5	42	10	15	3	3	2	–	9	2	93	69	–	–	35	34
Balance of county	189	–	–	4	41	5	15	2	3	3	1	12	1	81	69	–	1	30	38
Scott	127	–	–	1	20	4	8	2	–	–	–	6	–	67	53	–	–	27	26
Searcy	100	1	–	1	24	8	4	3	1	–	2	6	–	44	34	–	–	25	9
Sebastian	956	3	–	5	195	48	60	15	16	10	6	40	10	494	412	3	3	237	169
Fort Smith	733	2	–	4	141	33	45	9	11	8	5	30	8	385	318	3	3	192	120
Balance of county	223	1	–	1	54	15	15	6	5	2	1	10	2	109	94	–	–	45	49
Sevier	185	1	–	1	33	5	13	1	2	1	–	11	1	82	63	–	–	47	16
Sharp	216	1	–	6	39	11	10	2	5	1	4	6	3	109	99	–	–	34	65
Stone	115	–	–	1	27	2	8	3	4	–	3	7	–	70	61	–	1	23	37
Union	581	–	–	10	129	26	44	8	16	2	6	27	19	294	226	2	5	113	106
El Dorado	325	–	–	5	75	13	26	6	10	1	3	16	3	168	133	2	2	88	61
Balance of county	256	–	–	5	54	13	18	2	6	1	3	11	16	126	93	–	3	45	45
Van Buren	154	–	–	4	36	3	6	5	3	1	5	13	2	73	54	–	–	30	24
Washington	865	–	–	7	196	58	42	19	22	4	8	43	8	389	317	1	6	160	150
Fayetteville	264	–	–	1	61	24	13	3	8	1	1	11	2	110	90	–	2	49	39
Springdale, part	240	–	–	2	60	15	10	8	7	1	3	16	3	110	92	–	1	48	43
Springdale, total	241	–	–	2	60	15	10	8	7	1	3	16	3	110	92	–	1	48	43
Balance of county	361	–	–	4	75	19	19	8	7	2	4	16	3	169	135	1	3	63	68
White	550	2	–	6	121	26	42	11	14	3	9	18	–	245	178	–	4	106	68
Searcy	150	–	–	1	40	9	15	4	5	2	4	1	–	66	44	–	–	31	13
Balance of county	400	2	–	4	81	17	27	7	9	1	5	15	–	179	134	–	4	75	55
Woodruff	171	1	–	–	29	7	8	2	4	2	1	5	–	86	75	–	4	35	36
Yell	209	–	–	1	37	9	13	2	4	1	3	5	4	119	95	–	–	73	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	1	15	1	1	7	3	–	–	3	1	–	–	4	15	1	1	3	–	–
Jackson	–	19	–	3	7	8	1	–	5	–	–	2	8	31	9	5	3	1	–
Jefferson	–	85	10	4	20	31	2	7	9	–	3	11	22	86	19	25	2	9	1
Pine Bluff	–	66	9	1	16	24	2	5	4	–	1	9	20	73	14	20	1	8	1
Balance of county	–	19	1	3	4	7	–	2	5	–	2	2	2	15	5	5	1	1	–
Johnson	–	11	–	–	9	8	–	1	4	–	–	2	4	15	5	5	3	–	1
Lafayette	1	12	9	–	8	3	–	–	2	–	–	1	4	8	2	3	3	2	–
Lawrence	1	16	1	2	14	5	1	–	4	–	1	–	3	20	1	11	4	1	–
Lee	1	9	–	2	8	5	1	–	3	–	2	1	10	11	10	4	2	4	–
Lincoln	2	10	–	4	1	1	–	2	1	–	–	–	2	4	6	4	1	2	–
Little River	–	14	–	–	2	1	1	–	2	–	–	–	5	7	3	2	3	2	–
Logan	–	16	–	2	9	5	–	2	–	–	1	2	3	21	4	7	5	1	–
Lonoke	2	38	2	2	10	11	–	–	1	–	–	1	12	16	19	14	2	2	–
Madison	1	15	4	1	4	1	–	–	2	–	1	1	16	3	3	4	1	–	–
Marion	1	10	–	2	3	3	1	1	1	–	1	1	12	13	3	–	1	1	1
Miller	2	35	3	6	12	20	1	5	9	–	1	3	5	33	7	19	3	–	–
Texarkana [3]	1	25	3	3	6	16	1	5	8	–	1	3	4	19	3	11	–	–	–
Balance of county	1	10	–	3	6	4	–	–	1	–	–	–	1	14	4	8	3	–	–
Mississippi	–	40	8	4	15	24	–	2	6	–	2	4	20	47	15	17	5	5	–
Blytheville	–	18	2	1	7	11	–	1	1	–	1	2	10	20	7	10	2	3	–
Balance of county	–	22	6	3	8	13	–	1	5	–	1	2	10	27	8	7	3	2	–
Monroe	–	14	4	1	4	6	–	–	3	–	–	–	1	20	3	4	1	3	–
Montgomery	–	6	1	2	5	5	–	1	1	–	1	–	1	7	6	1	–	1	–
Nevada	–	8	1	2	6	6	–	1	–	–	–	1	5	7	6	5	2	1	–
Newton	–	1	1	–	2	1	–	–	1	–	1	1	–	1	2	3	1	1	–
Ouachita	–	30	5	5	9	11	2	2	5	–	1	1	15	21	3	10	1	6	–
Camden	–	18	3	1	8	4	2	2	2	–	1	–	5	7	1	3	–	3	–
Balance of county	–	12	2	4	1	7	–	–	3	–	–	1	10	14	2	7	1	3	–
Perry	–	11	–	–	6	1	–	–	2	–	1	1	–	3	2	2	–	–	–
Phillips	3	43	1	1	4	10	–	3	15	–	5	1	17	24	11	5	4	8	1
West Helena	1	10	–	–	2	3	–	1	5	–	1	1	7	5	5	1	2	2	–
Balance of county	2	33	1	1	2	7	–	2	10	–	4	–	10	19	6	4	2	6	1
Pike	–	8	1	1	8	4	–	–	–	–	1	2	1	4	3	5	2	2	–
Poinsett	–	24	4	2	12	8	1	2	4	–	–	1	4	20	5	9	6	–	–
Polk	–	11	1	3	4	8	1	5	–	–	1	1	3	23	5	5	4	1	–
Pope	1	30	2	5	10	13	1	–	6	–	2	5	6	29	9	5	–	2	–
Russellville	1	17	2	3	6	8	1	–	3	–	–	1	2	18	1	3	–	1	–
Balance of county	–	13	–	2	4	5	–	–	3	–	2	4	4	11	8	2	–	1	–
Prairie	–	23	1	–	1	2	1	–	1	–	1	–	6	10	3	2	1	2	–
Pulaski	8	236	25	31	92	94	10	21	44	–	19	36	41	243	56	72	45	60	3
Jacksonville	1	12	–	1	4	4	–	–	–	–	–	4	4	12	4	2	2	–	1
Little Rock	4	138	15	24	50	51	7	12	31	–	11	17	22	141	22	45	25	43	2
North Little Rock	2	59	7	3	27	27	3	4	11	–	5	10	12	62	8	17	10	14	–
Sherwood	–	6	2	1	3	2	–	1	–	–	–	1	–	3	6	1	5	–	–
Balance of county	1	21	1	2	8	10	–	4	2	–	3	4	3	25	16	7	4	3	–
Randolph	1	18	–	2	12	7	–	–	3	–	1	–	7	17	12	3	5	–	–
St. Francis	–	20	–	1	8	6	–	5	3	–	–	4	8	34	9	10	6	2	–
Forrest City	–	9	–	–	5	4	–	5	3	–	–	–	6	22	5	1	3	1	–
Balance of county	–	11	–	1	3	2	–	–	–	–	–	4	2	12	4	9	3	1	–
Saline	2	24	6	4	18	15	1	7	5	–	3	2	11	28	9	14	9	2	1
Benton	–	14	6	4	9	6	1	2	3	–	1	2	5	20	5	5	4	–	–
Balance of county	2	10	–	–	9	9	–	5	2	–	2	–	6	8	4	9	5	2	1
Scott	–	12	1	1	4	4	–	–	1	–	2	–	3	13	3	3	5	1	–
Searcy	1	9	–	–	8	1	–	–	3	–	–	–	7	6	2	1	1	1	–
Sebastian	2	69	4	7	28	27	3	8	8	–	3	3	34	67	20	29	10	9	–
Fort Smith	2	56	3	6	22	20	2	6	6	–	3	3	30	55	12	21	8	5	–
Balance of county	–	13	1	1	6	7	1	2	2	–	–	–	4	12	8	8	2	4	–
Sevier	1	16	1	1	7	9	–	1	4	–	–	–	3	10	4	5	3	1	–
Sharp	–	8	–	2	11	6	–	2	2	–	–	1	2	16	5	9	2	2	–
Stone	–	8	1	–	–	1	–	–	4	–	–	1	1	6	–	3	1	–	–
Union	3	54	4	7	11	19	1	5	2	–	3	2	6	42	9	12	7	10	–
El Dorado	2	27	3	3	7	9	1	3	1	–	1	1	4	22	5	8	8	6	–
Balance of county	1	27	1	4	4	10	–	2	1	–	2	1	2	20	4	4	1	4	–
Van Buren	–	19	–	–	6	3	1	1	–	–	–	–	3	17	4	4	–	–	–
Washington	3	52	10	7	26	35	2	11	7	–	3	4	31	69	21	25	23	8	–
Fayetteville	–	15	1	4	5	7	–	3	3	–	2	–	9	30	5	13	9	4	–
Springdale, part	3	12	2	1	11	13	1	1	4	–	–	3	6	10	5	6	4	1	–
Springdale, total	3	12	2	1	11	13	1	2	4	–	–	3	6	10	5	6	4	1	–
Balance of county	–	25	7	2	10	15	1	7	–	–	1	1	16	29	11	6	10	3	–
White	1	57	5	4	11	17	2	4	13	–	3	6	42	41	8	10	14	6	–
Searcy	–	20	–	2	8	2	–	2	2	–	2	–	9	11	2	1	4	–	–
Balance of county	1	37	5	2	3	15	2	2	11	–	1	6	33	30	6	9	10	6	–
Woodruff	1	16	2	2	3	2	–	1	3	–	–	3	7	13	5	6	1	1	–
Yell	–	21	–	3	8	6	4	–	2	–	1	–	1	14	5	2	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	203,293	167	11	2,927	46,465	11,450	12,559	4,131	5,070	1,774	1,768	9,713	3,031	88,626	68,217	778	2,933	47,876	16,630
Urban places	166,371	142	11	2,500	37,630	9,394	10,035	3,326	4,088	1,430	1,447	7,910	2,528	73,247	56,538	645	2,586	39,346	13,959
Balance of area	36,922	25	–	427	8,835	2,056	2,524	805	982	344	321	1,803	503	15,379	11,679	133	345	8,530	2,871
Metropolitan counties	191,488	157	10	2,806	43,671	10,812	11,693	3,919	4,738	1,680	1,666	9,163	2,838	83,731	64,480	732	2,845	45,126	15,777
Urban places	162,736	139	10	2,462	36,811	9,193	9,787	3,269	4,002	1,397	1,412	7,751	2,449	71,711	55,350	633	2,565	38,446	13,706
Balance of area	28,752	18	–	344	6,860	1,619	1,906	650	736	283	254	1,412	389	12,020	9,130	99	280	6,680	2,071
Nonmetropolitan counties	11,805	10	1	121	2,794	638	866	212	332	94	102	550	183	4,895	3,737	46	88	2,750	853
Urban places	3,635	3	1	38	819	201	248	57	86	33	35	159	79	1,536	1,188	12	23	900	253
Balance of area	8,170	7	–	83	1,975	437	618	155	246	61	67	391	114	3,359	2,549	34	65	1,850	600
Alameda	9,600	11	2	147	2,220	569	593	200	232	83	80	463	131	4,282	3,213	38	238	2,151	785
Alameda	552	–	–	8	122	22	33	10	12	5	8	32	8	266	204	5	11	146	42
Albany	141	–	–	6	34	9	10	3	1	2	3	6	1	80	41	1	2	23	15
Berkeley	789	1	1	8	194	57	47	21	21	5	7	36	8	366	265	7	26	175	57
Fremont	740	2	–	9	186	42	59	14	18	6	4	43	17	326	255	5	14	184	52
Hayward	1,075	1	–	12	251	62	71	34	22	12	6	44	25	475	370	3	19	267	81
Livermore	327	–	–	2	78	16	18	10	10	5	–	19	4	150	107	1	7	80	19
Newark	172	1	–	3	36	7	10	5	2	1	–	11	2	68	48	–	4	34	10
Oakland	3,720	3	1	70	780	213	209	58	88	29	25	158	41	1,621	1,218	10	103	747	358
Piedmont	88	–	–	2	26	5	4	2	8	1	3	3	1	40	29	–	3	19	7
Pleasanton	186	–	–	1	56	14	12	6	10	1	1	12	2	58	44	–	3	33	8
San Leandro	903	–	–	11	231	62	60	18	20	9	6	58	12	455	331	2	24	230	75
Union City	216	1	–	4	54	15	14	6	6	1	4	8	3	90	72	–	6	48	18
Balance of county	691	2	–	11	172	45	46	15	14	6	13	33	7	307	229	4	16	165	44
Alpine	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
Amador	214	–	–	7	58	15	19	7	7	1	1	8	1	92	59	–	2	40	17
Butte	1,706	–	–	20	398	102	126	38	45	12	15	60	20	711	537	7	7	355	168
Chico	504	–	–	7	98	31	29	8	8	3	4	15	10	208	155	1	4	101	49
Paradise	402	–	–	5	88	32	18	5	17	2	3	11	2	190	144	2	–	102	40
Balance of county	800	–	–	8	212	39	79	25	20	7	8	34	8	313	238	4	3	152	79
Calaveras	250	–	–	1	56	16	15	4	5	1	2	13	4	107	79	1	–	65	13
Colusa	151	–	–	2	32	10	6	3	5	1	1	6	3	58	46	–	1	37	8
Contra Costa	5,222	4	–	84	1,273	286	316	144	144	56	53	274	110	2,185	1,626	16	68	1,132	410
Antioch	317	–	–	7	75	12	27	8	1	11	3	13	12	125	103	2	4	73	24
Concord	662	–	–	10	170	42	47	16	16	5	7	37	8	282	227	2	9	163	53
El Cerrito	217	–	–	2	54	7	11	6	9	4	6	11	2	106	75	–	3	53	19
Lafayette	139	–	–	4	42	10	8	10	3	1	1	9	1	55	47	–	2	31	14
Martinez	253	–	–	4	54	10	18	7	6	1	2	10	8	114	79	1	1	51	26
Moraga Town	67	–	–	–	19	2	8	2	2	2	1	2	1	25	21	–	–	19	2
Pinole	88	–	–	2	24	5	5	1	4	1	1	7	1	32	30	–	1	15	14
Pittsburg	398	1	–	7	93	22	26	8	10	–	5	22	12	154	116	–	5	83	28
Pleasant Hill	234	–	–	6	50	13	7	4	7	2	2	15	3	105	77	–	1	57	19
Richmond	800	2	–	13	188	45	46	16	28	9	9	33	25	320	246	6	19	169	52
San Pablo	284	–	–	2	60	12	20	8	5	4	1	10	5	110	90	1	5	57	27
Walnut Creek	778	–	–	14	180	46	33	21	19	8	4	49	18	330	198	–	8	146	44
Balance of county	1,005	1	–	13	264	60	60	35	34	8	11	56	14	427	317	4	10	215	88
Del Norte	202	–	–	3	43	10	15	4	3	3	2	6	1	93	67	1	–	34	32
El Dorado	752	1	–	13	174	47	43	12	23	3	4	42	14	280	209	2	4	154	49
South Lake Tahoe	124	–	–	2	26	5	8	4	2	–	–	7	–	49	37	–	1	28	7
Balance of county	628	1	–	11	148	42	35	8	21	3	4	35	14	231	172	2	3	125	42
Fresno	4,413	2	–	42	935	235	239	67	99	37	41	217	80	1,884	1,478	17	79	1,102	281
Clovis	270	–	–	1	71	17	14	6	9	3	3	19	12	101	78	1	7	61	9
Fresno	2,981	1	–	34	636	159	158	44	72	25	27	151	54	1,295	1,011	11	52	749	199
Reedley	140	–	–	–	30	8	9	4	2	2	–	5	–	69	55	1	4	42	8
Sanger	184	–	–	2	41	15	9	3	3	1	3	7	11	73	59	–	5	47	7
Selma	165	–	–	–	32	11	10	1	5	–	–	5	3	69	51	1	5	30	15
Balance of county	673	1	–	5	125	25	39	9	8	6	8	30	10	277	225	3	6	173	43
Glenn	238	–	–	1	51	11	17	4	6	2	2	9	6	104	84	2	–	60	22
Humboldt	1,057	1	–	11	246	60	87	16	35	5	8	35	23	428	322	9	7	241	65
Arcata	148	–	–	1	30	11	6	5	2	–	–	6	5	60	42	1	1	36	4
Eureka	443	1	–	8	109	27	41	6	13	4	5	13	9	175	135	3	4	97	31
Balance of county	466	–	–	2	107	22	40	5	20	1	3	16	9	193	145	5	2	108	30
Imperial	748	1	–	8	160	32	48	8	13	7	6	46	13	298	224	2	6	166	50
Brawley	171	–	–	1	37	8	9	1	8	–	1	10	4	65	49	1	–	36	12
Calexico	95	–	–	1	15	5	3	1	–	1	–	5	3	33	23	–	–	18	5
El Centro	191	1	–	3	42	10	12	2	2	2	2	12	1	83	60	1	2	49	8
Balance of county	291	–	–	3	66	9	24	4	3	4	3	19	5	115	92	–	4	63	25
Inyo	218	–	–	2	47	10	13	5	3	4	–	12	2	103	80	–	3	56	21
Kern	3,678	1	1	52	791	190	236	54	93	34	29	155	58	1,474	1,210	11	79	871	249
Bakersfield	2,172	1	1	30	488	119	135	33	61	18	20	102	37	847	699	6	56	482	155
Delano	173	–	–	2	25	4	7	2	2	–	1	9	3	80	61	–	1	51	9
Ridgecrest	140	–	–	–	42	9	13	7	2	1	2	8	–	46	39	–	2	32	5
Balance of county	1,193	–	–	20	236	58	81	12	28	15	6	36	18	501	411	5	20	306	80
Kings	555	1	–	7	101	21	30	9	11	3	7	20	20	252	188	1	6	132	49
Hanford	310	1	–	4	54	10	15	5	4	1	5	14	11	149	112	–	3	74	35
Balance of county	245	–	–	3	47	11	15	4	7	2	2	6	9	103	76	1	3	58	14
Lake	597	–	–	1	153	38	59	9	26	2	–	19	10	249	178	6	4	135	33
Lassen	178	–	–	6	48	13	10	4	7	4	1	9	5	70	58	–	–	40	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California	716	15,097	2,295	2,301	7,597	8,478	797	3,973	1,396	32	1,523	1,884	1,522	16,681	5,523	5,323	3,960	3,130	237
Urban places	613	12,406	1,885	1,805	6,228	6,742	663	3,375	1,139	30	1,286	1,619	1,171	13,674	4,003	4,324	3,118	2,747	194
Balance of area	103	2,691	410	496	1,369	1,736	134	598	257	2	237	275	351	3,007	1,520	999	842	383	43
Metropolitan counties	680	14,269	2,169	2,133	7,189	7,923	760	3,754	1,291	32	1,468	1,820	1,403	15,688	5,045	4,959	3,712	3,029	222
Urban places	597	12,151	1,845	1,768	6,098	6,582	651	3,308	1,105	30	1,270	1,588	1,142	13,342	3,870	4,214	3,052	2,715	189
Balance of area	83	2,118	324	365	1,091	1,341	109	446	186	2	198	232	261	2,326	1,175	745	660	314	33
Nonmetropolitan counties	36	828	126	168	408	555	37	219	105	–	55	74	119	1,013	478	364	248	101	15
Urban places	16	255	40	37	130	160	12	69	34	–	16	31	29	332	133	110	66	32	5
Balance of area	20	573	86	131	278	395	25	150	71	–	39	43	90	681	345	254	182	69	10
Alameda	28	811	126	104	332	335	23	191	75	3	59	80	97	853	154	232	176	179	18
Alameda	3	44	6	9	21	16	1	13	2	–	3	4	2	48	7	18	11	4	–
Albany	–	15	1	3	8	4	1	4	2	–	–	–	3	10	1	2	2	3	–
Berkeley	–	88	5	8	30	17	–	14	8	–	2	4	9	79	9	20	9	7	3
Fremont	2	51	6	12	20	27	2	11	5	–	4	6	6	51	28	16	16	7	1
Hayward	3	77	14	11	37	51	5	26	9	–	7	7	11	91	12	24	22	8	1
Livermore	2	32	3	6	12	14	1	5	1	–	2	2	2	25	14	4	7	4	–
Newark	–	18	1	1	7	11	2	3	–	–	3	2	2	12	6	8	4	2	–
Oakland	9	313	57	24	128	117	7	77	28	2	21	46	55	371	47	101	67	127	10
Piedmont	–	9	1	1	2	6	–	1	–	–	1	–	–	6	–	2	1	–	–
Pleasanton	–	12	–	2	6	7	–	2	3	–	3	2	2	21	8	7	8	–	–
San Leandro	4	79	22	19	32	30	3	16	7	–	5	1	3	58	3	18	16	4	1
Union City	1	15	1	1	6	6	–	5	1	1	5	2	1	20	4	2	5	5	1
Balance of county	4	58	9	7	23	29	1	14	9	–	3	4	1	61	15	14	9	8	1
Alpine	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Amador	–	24	6	3	7	10	–	2	1	–	1	2	1	19	8	4	1	–	–
Butte	4	125	23	22	70	102	10	20	18	–	5	7	15	164	56	45	35	8	2
Chico	1	42	3	7	23	29	2	6	5	–	2	4	4	52	26	16	9	2	1
Paradise	1	36	3	6	15	32	3	2	6	–	1	–	2	43	2	7	4	–	–
Balance of county	2	47	17	9	32	41	5	12	7	–	2	3	9	69	28	22	22	6	1
Calaveras	2	20	1	5	12	13	1	1	6	–	2	1	2	18	10	4	6	4	2
Colusa	–	9	–	3	6	8	1	3	–	–	1	1	2	16	7	3	5	2	1
Contra Costa	32	387	65	75	198	217	12	93	46	1	33	30	37	486	120	130	104	57	2
Antioch	2	12	3	5	8	22	1	6	3	–	1	2	1	30	11	5	5	3	–
Concord	2	42	7	4	21	23	1	14	5	–	6	4	4	56	20	13	19	6	–
El Cerrito	1	23	1	6	4	8	–	1	1	–	2	–	–	24	3	7	3	–	–
Lafayette	1	5	–	2	4	7	–	1	–	–	1	–	1	14	4	3	2	–	–
Martinez	2	20	6	7	10	8	–	5	2	1	4	1	–	22	6	8	4	2	–
Moraga Town	–	3	1	–	3	2	1	–	–	–	–	–	–	8	4	2	1	1	–
Pinole	–	2	–	–	2	1	–	2	2	–	–	1	1	9	6	1	4	–	–
Pittsburg	2	24	9	3	16	13	2	12	4	–	5	6	4	27	13	9	12	8	–
Pleasant Hill	2	22	–	4	16	6	1	4	–	–	1	1	2	23	4	9	2	1	–
Richmond	5	51	6	12	28	33	2	21	7	–	4	10	8	81	13	20	6	18	1
San Pablo	2	15	2	1	6	19	–	8	4	–	2	2	1	26	1	10	5	3	–
Walnut Creek	9	90	19	14	49	33	1	6	6	–	4	2	3	86	6	19	19	2	–
Balance of county	4	78	11	17	31	42	3	13	12	–	3	1	12	60	28	24	22	13	1
Del Norte	–	19	6	1	3	17	1	2	–	–	1	3	4	14	6	5	5	–	1
El Dorado	2	43	9	17	24	30	2	21	7	–	3	7	20	61	41	25	23	6	–
South Lake Tahoe	1	9	1	1	6	1	–	6	–	–	–	2	4	11	5	6	6	–	–
Balance of county	1	34	8	16	18	29	2	15	7	–	3	5	16	50	36	19	17	6	–
Fresno	15	300	46	43	147	170	14	68	53	–	43	67	47	375	172	143	72	83	6
Clovis	–	18	2	3	10	12	2	2	2	–	1	2	3	27	12	5	5	2	–
Fresno	12	214	32	26	90	117	8	47	37	–	30	53	29	251	90	95	46	63	5
Reedley	–	9	2	3	6	4	1	2	1	–	–	2	–	9	10	4	2	–	–
Sanger	–	9	1	4	4	11	–	2	4	–	2	–	1	14	11	4	1	3	–
Selma	–	10	5	3	10	4	2	2	2	–	1	2	1	20	9	3	3	2	–
Balance of county	4	40	4	4	27	22	1	13	7	–	9	8	13	54	40	32	15	13	1
Glenn	1	12	4	3	15	7	1	1	2	–	1	–	3	22	12	7	4	–	1
Humboldt	2	76	11	17	36	62	2	23	8	–	6	1	5	106	33	38	19	6	3
Arcata	–	15	–	3	6	10	–	3	1	–	–	1	–	15	6	5	4	1	–
Eureka	1	29	7	3	14	23	1	12	2	–	3	–	4	44	10	18	8	1	1
Balance of county	1	32	4	11	16	29	1	8	5	–	3	–	1	47	17	15	7	4	2
Imperial	6	54	2	10	25	35	4	23	7	–	5	3	14	59	33	38	9	14	1
Brawley	–	13	–	3	6	4	1	3	2	–	2	–	6	16	6	7	3	7	1
Calexico	–	8	–	2	1	8	1	4	4	–	1	1	–	10	4	7	–	2	–
El Centro	4	14	2	3	8	9	2	7	1	–	1	1	2	13	8	3	2	4	–
Balance of county	2	19	–	2	10	14	–	9	–	–	1	1	6	20	15	21	4	1	–
Inyo	1	16	3	3	10	9	1	5	3	–	–	–	5	20	7	2	2	–	–
Kern	12	194	17	41	138	168	14	70	36	1	34	63	21	291	188	134	87	53	3
Bakersfield	5	116	11	16	90	87	6	44	19	1	23	39	15	181	90	83	55	33	2
Delano	4	13	1	1	5	10	–	4	3	–	2	4	1	13	13	4	1	2	1
Ridgecrest	–	3	1	3	8	4	1	2	2	–	1	1	4	11	7	8	6	1	–
Balance of county	3	62	4	21	37	67	7	20	12	–	8	19	1	86	78	41	25	17	–
Kings	3	47	12	2	10	22	–	8	8	–	7	6	3	43	33	17	9	5	3
Hanford	2	26	6	1	7	15	–	4	5	–	2	3	1	22	11	8	5	5	3
Balance of county	1	21	4	1	3	7	–	4	3	–	5	3	2	21	22	9	4	–	–
Lake	1	50	4	16	21	35	2	13	9	–	1	1	5	47	14	18	10	7	1
Lassen	1	7	2	2	7	10	1	2	1	–	2	1	1	6	6	7	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	62,940	73	6	929	13,807	3,436	3,615	1,313	1,537	538	537	2,831	985	29,023	22,888	255	1,378	14,813	6,442
Alhambra	664	1	–	6	141	38	28	17	20	1	2	35	8	346	289	2	13	213	61
Arcadia	488	–	–	4	119	32	35	10	13	5	3	21	4	254	195	3	16	125	49
Artesia	140	–	–	1	27	11	7	3	3	–	1	2	1	70	58	1	2	40	15
Azusa	270	1	–	4	62	13	22	7	6	2	1	11	3	112	86	–	3	56	27
Baldwin Park	349	1	–	3	63	7	24	8	9	1	3	11	10	162	126	4	7	78	37
Bell	192	–	–	1	30	7	8	3	5	–	1	6	2	93	70	–	5	49	16
Bellflower	480	1	–	4	104	26	30	10	7	3	1	27	5	237	198	–	14	133	51
Bell Gardens	208	–	–	3	40	11	12	2	2	2	2	9	8	81	70	2	3	49	16
Beverly Hills	447	1	–	10	135	37	24	10	16	8	8	32	5	188	155	4	6	108	37
Burbank	863	1	–	7	191	51	53	15	25	7	3	37	16	432	345	3	23	231	88
Carson	501	–	–	8	97	32	31	6	4	3	2	19	10	227	181	5	8	111	57
Cerritos	198	1	–	2	55	12	20	3	7	3	4	6	–	73	56	–	3	37	16
Claremont	261	–	–	5	55	10	11	5	11	3	3	12	3	149	110	2	6	69	33
Commerce	69	–	–	1	18	3	4	1	4	1	1	4	2	32	25	–	2	15	8
Compton	795	1	–	12	149	42	47	11	17	3	4	25	23	283	233	1	34	126	72
Covina	480	–	–	5	97	18	36	7	8	5	4	19	9	237	199	3	16	130	50
Cudahy	81	–	–	–	15	3	4	1	4	–	1	2	1	37	29	1	6	15	7
Culver City	378	–	–	6	93	20	24	8	11	9	6	15	6	175	137	3	9	89	36
Downey	756	–	–	7	190	47	55	24	18	6	8	32	11	367	284	5	16	194	69
Duarte	180	–	–	2	35	14	9	1	4	2	–	5	5	96	77	–	1	53	23
El Monte	611	–	–	8	115	27	43	9	11	3	2	20	12	278	234	1	14	141	78
El Segundo	103	–	–	1	26	7	6	2	1	1	2	7	2	42	30	–	–	19	11
Gardena	594	–	–	3	131	28	32	15	15	6	4	31	13	265	200	–	15	128	57
Glendale	1,446	1	1	25	305	75	71	37	30	19	12	61	20	743	579	4	29	388	160
Glendora	414	–	–	2	95	23	25	12	8	5	3	19	5	204	165	1	5	125	34
Hawaiian Gardens	61	–	–	–	19	4	5	1	3	–	2	4	2	24	17	1	–	15	1
Hawthorne	461	–	–	3	103	29	28	10	13	1	7	15	11	205	159	2	8	100	49
Hermosa Beach	94	–	–	5	21	6	2	5	5	–	1	2	–	39	30	1	–	22	7
Huntington Park	352	–	–	1	88	20	13	5	6	2	3	19	7	162	116	1	4	80	31
Inglewood	736	–	1	10	168	45	33	19	19	13	4	35	4	329	257	4	21	152	80
La Canada Flintridge	144	–	–	–	29	6	7	6	2	–	2	6	2	75	63	–	6	46	11
Lakewood	537	–	–	–	148	29	46	12	15	3	7	36	6	256	199	5	9	141	44
La Mirada	267	–	–	4	74	15	26	4	9	1	4	15	6	111	91	1	–	65	25
Lancaster	586	1	1	4	129	32	33	14	10	5	5	30	6	276	228	2	12	162	52
La Puente	401	2	–	5	92	23	19	6	11	3	5	25	5	163	134	3	5	85	41
La Verne	209	–	–	2	47	11	15	2	6	1	3	9	3	110	86	–	3	65	18
Lawndale	171	–	–	–	40	9	12	2	2	1	2	12	7	68	51	1	5	33	12
Lomita	183	–	–	1	43	13	14	1	1	2	3	9	2	84	61	–	2	49	10
Long Beach	3,874	2	–	43	810	175	244	75	86	23	40	167	42	1,875	1,475	18	74	920	463
Los Angeles	28,288	41	1	522	6,154	1,611	1,538	556	713	241	236	1,261	462	12,722	10,025	122	678	6,310	2,915
Lynwood	331	–	–	3	69	9	24	3	7	2	2	22	5	143	113	–	6	78	29
Manhattan Beach	187	–	–	–	52	10	16	5	5	3	4	9	–	81	64	1	8	40	15
Maywood	123	–	–	–	21	6	5	1	2	3	1	3	2	57	42	–	1	24	17
Monrovia	329	–	–	1	69	20	24	9	5	2	–	9	3	164	124	–	5	82	37
Montebello	466	–	–	3	96	28	19	10	15	4	3	17	15	241	186	–	9	127	50
Monterey Park	373	2	–	10	97	31	22	6	12	5	4	17	4	155	129	1	4	82	42
Norwalk	596	–	–	6	124	29	42	10	16	5	3	19	10	275	220	1	9	158	54
Palmdale	290	2	–	7	62	15	19	2	10	4	3	9	1	114	95	–	6	61	28
Palos Verdes Estates	90	–	–	–	33	5	8	2	1	1	3	13	1	43	28	–	1	17	10
Paramount	300	–	–	6	49	8	20	4	3	3	1	10	4	136	110	–	2	79	29
Pasadena	1,345	3	1	22	244	64	55	28	34	10	7	46	19	708	553	7	30	375	141
Pico Rivera	396	1	–	7	84	26	23	10	7	7	5	16	8	175	152	3	5	107	37
Pomona	855	–	–	9	160	39	50	11	16	7	6	31	6	385	298	–	13	218	67
Rancho Palos Verdes	189	2	–	2	42	12	8	8	4	1	2	7	1	94	65	2	2	46	15
Redondo Beach	409	–	–	4	101	18	26	13	14	2	–	28	9	192	155	4	9	87	55
Rosemead	347	–	–	3	63	20	13	7	3	1	5	14	6	173	146	1	7	93	45
San Dimas	186	–	–	4	43	9	17	4	4	1	–	8	1	92	83	–	4	62	17
San Fernando	201	–	–	3	37	8	7	8	3	–	2	9	2	86	72	1	4	45	22
San Gabriel	465	–	–	2	113	26	24	17	12	5	6	23	8	230	197	3	4	132	58
San Marino	106	–	–	–	31	8	6	4	6	–	1	6	–	61	46	–	3	33	10
Santa Fe Springs	85	–	–	1	16	6	2	–	1	–	1	6	3	50	43	–	4	29	10
Santa Monica	1,010	–	–	16	204	54	44	22	20	7	9	48	15	526	390	2	19	269	100
Sierra Madre	106	–	–	–	30	8	8	3	3	–	1	9	–	51	39	–	1	29	9
South El Monte	57	–	–	–	11	2	4	1	1	–	–	3	1	24	22	–	3	13	6
South Gate	503	1	1	3	95	20	16	7	17	5	5	25	8	255	194	4	13	128	51
South Pasadena	197	–	–	–	48	13	17	3	5	1	3	6	–	95	71	1	3	46	21
Temple City	309	–	–	5	69	12	20	7	3	2	4	11	7	166	124	2	3	84	35
Torrance	1,071	2	–	7	239	55	69	20	28	11	9	47	21	518	378	5	18	251	104
West Covina	549	–	–	6	143	29	33	17	22	6	6	30	13	245	203	2	10	133	58
Whittier	1,222	–	–	16	287	64	75	40	35	16	9	48	16	605	495	3	25	340	127
Balance of county	2,903	5	–	53	742	162	205	86	63	30	27	169	47	1,201	928	6	62	584	276
Madera	648	–	1	7	159	47	41	8	19	2	11	31	11	262	218	1	8	178	31
Madera	390	–	1	3	90	26	23	5	14	2	5	15	9	155	129	–	5	110	14
Balance of county	258	–	–	4	69	21	18	3	5	–	6	16	2	107	89	1	3	68	17
Marin	1,737	1	–	34	425	109	115	48	49	13	14	77	17	739	519	6	12	383	118
Larkspur	38	–	–	1	13	4	3	2	2	1	–	1	1	13	9	–	1	4	4
Mill Valley	231	–	–	8	56	19	10	6	7	–	3	11	2	100	72	–	4	52	16
Novato	328	–	–	5	81	19	25	8	8	5	2	14	3	149	108	–	1	84	23
San Anselmo	115	–	–	2	16	5	4	2	1	2	1	1	1	57	35	1	1	21	12
San Rafael	526	–	–	11	119	31	32	13	17	1	3	22	4	227	155	2	2	115	36
Balance of county	499	1	–	7	140	31	41	17	14	4	5	28	6	193	140	3	3	107	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	270	4,558	779	528	2,245	2,215	255	1,355	382	14	534	759	295	4,403	1,430	1,622	1,038	1,506	64
Alhambra	3	44	4	6	29	21	3	5	4	–	7	7	2	43	10	15	10	6	–
Arcadia	3	49	4	3	18	13	2	7	2	–	2	1	–	38	14	4	7	1	–
Artesia	–	10	1	1	5	5	1	5	–	–	–	2	–	9	4	5	2	2	1
Azusa	4	17	3	2	11	9	1	10	3	–	4	4	1	21	12	6	4	2	–
Baldwin Park	2	26	5	3	10	11	3	9	2	–	3	4	2	21	13	13	7	12	–
Bell	2	17	2	2	12	7	2	2	–	–	1	6	1	13	4	10	2	6	–
Bellflower	3	30	4	2	17	22	–	13	5	–	2	5	2	28	9	11	12	2	1
Bell Gardens	1	7	1	2	14	7	1	9	1	–	5	3	–	11	6	9	5	5	–
Beverly Hills	1	26	2	4	12	23	3	5	–	–	3	2	–	33	5	6	14	1	1
Burbank	1	56	22	8	34	51	3	12	7	–	3	3	1	61	10	11	12	8	–
Carson	–	31	11	4	16	25	2	20	1	–	5	12	4	27	10	12	10	15	–
Cerritos	2	11	2	2	2	6	–	4	–	–	2	2	2	10	8	25	4	2	–
Claremont	1	30	4	4	9	4	1	2	–	–	–	2	2	17	3	2	5	2	–
Commerce	–	5	1	1	1	3	–	1	–	–	–	2	2	3	2	–	–	2	–
Compton	4	39	4	3	16	29	3	20	6	–	14	28	7	80	20	25	9	70	–
Covina	2	30	2	4	14	17	6	9	4	1	–	2	1	44	13	8	10	3	–
Cudahy	–	6	1	1	4	5	–	2	1	–	2	2	–	10	2	5	1	4	–
Culver City	3	29	2	4	10	4	3	8	–	–	3	4	1	22	17	11	9	6	–
Downey	1	61	12	9	19	29	2	17	4	1	4	10	1	47	10	16	9	9	3
Duarte	–	14	2	3	11	7	1	2	1	–	1	1	1	9	3	1	2	2	–
El Monte	1	34	2	7	20	18	2	19	6	–	6	11	2	43	20	28	9	13	1
El Segundo	–	8	2	2	6	4	–	1	–	–	–	–	–	9	4	1	6	1	–
Gardena	5	43	10	7	21	29	2	8	5	–	7	8	4	40	13	17	16	10	2
Glendale	9	103	40	12	74	47	6	14	10	–	9	8	1	107	19	28	16	10	2
Glendora	–	33	3	3	21	19	1	7	3	–	4	1	2	23	5	10	10	2	–
Hawaiian Gardens	–	5	1	1	3	1	–	2	–	–	2	–	–	3	3	2	–	–	–
Hawthorne	–	36	7	3	14	21	–	13	3	1	4	5	1	32	9	17	10	9	–
Hermosa Beach	–	7	1	1	3	2	–	3	1	–	–	–	–	9	4	2	4	1	–
Huntington Park	4	34	6	2	12	14	1	6	3	–	8	6	1	24	6	9	8	15	1
Inglewood	2	57	8	5	19	22	5	16	5	–	4	15	3	45	22	20	8	42	–
La Canada Flintridge	–	7	4	1	8	5	1	2	–	–	–	3	–	11	2	3	3	–	–
Lakewood	3	42	9	3	18	23	2	4	–	–	3	4	1	38	10	15	9	1	1
La Mirada	–	11	5	4	7	8	–	7	1	–	5	3	1	12	12	9	4	3	–
Lancaster	1	35	7	5	24	23	–	10	2	–	4	11	2	26	32	18	13	4	–
La Puente	3	22	4	–	7	10	5	6	2	–	6	8	4	33	27	12	6	8	–
La Verne	–	21	3	–	10	4	1	1	–	–	1	2	1	13	2	6	4	1	1
Lawndale	–	15	2	–	5	7	1	3	1	–	2	2	1	17	6	3	3	5	–
Lomita	–	15	5	3	5	9	–	2	–	–	2	2	–	14	7	7	3	2	–
Long Beach	20	299	54	27	174	170	18	74	24	1	21	41	30	269	69	75	69	66	3
Los Angeles	132	2,005	332	228	948	912	118	579	188	6	244	360	137	2,041	583	755	462	927	25
Lynwood	1	21	4	4	13	12	2	4	3	–	3	9	3	20	10	9	4	17	2
Manhattan Beach	–	16	1	–	10	5	–	4	1	–	3	–	–	14	2	7	6	1	1
Maywood	1	9	1	4	6	5	–	5	3	–	1	3	–	6	3	4	2	5	–
Monrovia	2	32	4	2	15	11	1	8	2	–	3	2	2	20	4	10	9	4	1
Montebello	–	45	4	6	16	13	2	16	3	1	2	1	1	26	10	13	3	4	–
Monterey Park	–	19	–	7	13	20	1	6	2	2	2	1	3	29	7	11	5	2	1
Norwalk	5	38	7	5	25	25	3	18	3	–	6	10	3	32	19	18	6	13	–
Palmdale	1	10	1	7	13	9	–	5	1	–	4	5	3	19	29	6	4	5	1
Palos Verdes Estates	–	8	4	3	2	1	–	2	–	–	–	–	–	4	1	–	3	–	–
Paramount	1	19	4	2	18	13	–	9	3	–	5	3	1	19	10	7	6	11	–
Pasadena	3	114	22	16	53	56	12	21	4	–	9	17	5	97	16	25	13	17	3
Pico Rivera	–	20	1	2	12	6	3	13	5	–	5	5	–	21	8	18	7	8	–
Pomona	4	73	5	5	38	32	5	21	5	–	9	25	9	61	16	36	6	29	3
Rancho Palos Verdes	1	17	9	2	11	5	–	4	1	–	1	–	–	13	3	8	2	–	–
Redondo Beach	–	24	10	3	11	18	1	8	2	–	4	4	1	26	7	7	11	3	–
Rosemead	–	24	2	1	18	12	2	7	2	–	4	3	3	24	7	11	3	5	1
San Dimas	–	6	–	3	7	9	–	1	1	–	2	–	–	11	6	5	4	–	–
San Fernando	–	12	1	1	4	9	–	8	2	–	3	4	2	16	7	7	5	6	–
San Gabriel	5	27	1	–	17	18	4	11	3	–	8	4	1	27	6	10	3	1	1
San Marino	–	12	–	3	5	2	–	–	–	–	–	–	–	6	–	–	1	–	–
Santa Fe Springs	2	3	2	–	2	2	–	1	–	–	–	1	–	5	1	1	–	1	1
Santa Monica	4	107	21	4	38	31	4	18	4	1	5	5	2	76	23	16	18	7	1
Sierra Madre	–	11	1	–	3	2	–	3	–	–	1	1	–	8	2	2	2	1	–
South El Monte	–	1	1	–	–	2	–	5	1	–	1	1	–	4	–	2	3	2	–
South Gate	3	48	4	6	15	18	2	11	1	–	3	9	2	28	14	19	4	14	–
South Pasadena	1	20	–	3	9	7	–	3	3	–	–	–	–	15	5	4	6	2	–
Temple City	3	33	3	3	14	15	1	5	2	–	1	–	1	25	3	1	3	1	–
Torrance	7	84	33	16	54	47	3	21	6	–	10	8	3	66	22	22	15	7	–
West Covina	1	35	2	4	14	23	1	8	2	–	3	2	3	43	18	15	7	3	–
Whittier	3	85	12	10	39	48	3	19	8	–	14	12	3	77	21	28	9	16	1
Balance of county	9	215	25	24	88	95	7	51	14	–	29	32	23	211	120	68	71	41	5
Madera	2	31	7	4	12	28	2	7	10	–	2	8	9	61	32	11	19	7	–
Madera	1	18	6	1	9	17	2	5	6	–	1	7	3	38	22	8	9	5	–
Balance of county	1	13	1	3	3	11	–	2	4	–	1	1	6	23	10	3	10	2	–
Marin	4	158	31	27	87	70	6	34	6	1	8	10	5	163	29	39	45	10	8
Larkspur	–	4	–	–	2	–	1	1	–	–	–	–	–	3	–	2	1	–	–
Mill Valley	–	21	3	4	15	13	–	5	1	–	2	2	1	20	1	5	–	–	–
Novato	–	31	5	5	11	10	2	7	1	–	2	2	–	30	5	5	11	3	1
San Anselmo	2	18	2	–	7	6	–	3	–	1	1	1	–	8	2	5	4	–	–
San Rafael	2	52	10	8	29	23	1	8	2	–	1	3	1	61	10	7	13	3	3
Balance of county	–	32	11	10	23	18	2	10	2	–	2	2	3	40	11	15	16	4	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	152	–	–	–	38	6	11	5	4	3	1	8	1	62	49	–	2	38	9
Mendocino	732	1	–	7	164	38	58	13	10	6	8	31	11	306	237	6	4	183	44
Ukiah	283	–	–	5	51	10	21	5	4	1	2	8	5	127	102	2	–	79	21
Balance of county	449	1	–	2	113	28	37	8	6	5	6	23	6	179	135	4	4	104	23
Merced	1,041	1	–	5	248	55	82	18	29	16	9	39	26	418	326	1	5	244	76
Atwater	117	–	–	–	32	7	9	2	5	4	1	4	3	44	37	–	–	26	11
Los Banos	98	–	–	–	23	8	4	2	4	2	–	3	4	45	39	1	–	31	7
Merced	474	–	–	2	112	23	42	6	11	8	6	16	15	200	155	–	–	119	36
Balance of county	352	1	–	3	81	17	27	8	9	2	2	16	4	129	95	–	5	68	22
Modoc	110	–	–	–	21	2	5	1	5	–	3	5	3	47	35	1	–	23	11
Mono	42	–	–	–	6	3	1	–	1	–	–	1	–	12	9	–	–	9	–
Monterey	2,236	1	–	31	482	128	124	51	54	14	24	87	31	974	722	6	14	537	185
Marina	70	–	–	–	14	–	7	1	1	–	1	4	–	32	28	–	1	18	7
Monterey	288	–	–	3	61	20	14	1	7	3	2	14	3	147	105	2	3	71	29
Pacific Grove	203	–	–	1	46	9	8	12	3	–	1	13	–	95	74	1	1	55	17
Salinas	768	–	–	16	161	44	45	12	19	3	12	26	11	341	256	1	4	203	48
Seaside	213	1	–	1	44	13	15	4	5	–	1	6	2	80	54	–	1	44	9
Balance of county	694	–	–	10	156	42	35	21	19	8	7	24	15	279	207	2	4	146	55
Napa	1,034	1	–	9	244	52	72	26	25	13	6	50	12	466	352	8	17	255	72
Napa	684	1	–	5	167	34	52	17	20	8	4	32	7	314	236	5	11	175	45
Balance of county	350	–	–	4	77	18	20	9	5	5	2	18	5	152	116	3	6	80	27
Nevada	573	1	–	4	132	21	40	13	18	1	4	35	1	264	201	2	9	148	44
Orange	13,637	7	–	118	3,313	833	876	289	354	142	131	678	136	6,089	4,700	56	127	3,504	1,013
Anaheim	1,607	1	–	13	415	103	124	31	41	12	19	85	17	706	556	5	21	421	109
Brea	187	–	–	2	51	18	12	6	5	1	–	9	3	84	63	1	–	47	15
Buena Park	410	–	–	2	104	25	31	6	10	6	6	20	2	178	145	3	10	97	35
Costa Mesa	564	–	–	3	133	36	41	13	5	–	7	31	5	239	184	2	7	124	51
Cypress	218	–	–	2	66	18	25	4	3	1	–	15	4	88	71	1	–	56	14
Fountain Valley	244	–	–	2	55	14	8	8	4	5	2	14	1	96	77	1	2	63	11
Fullerton	726	1	–	7	170	40	48	18	19	4	10	31	7	339	256	4	8	196	48
Garden Grove	916	–	–	7	204	50	68	17	23	8	6	32	14	402	316	3	8	226	79
Huntington Beach	934	–	–	6	226	55	56	18	20	14	11	52	7	419	327	7	6	242	72
Irvine	347	–	–	4	98	21	22	12	13	8	5	17	1	139	117	3	1	90	23
Laguna Beach	184	–	–	5	52	14	11	4	8	4	2	9	2	84	47	–	3	30	14
La Habra	343	–	–	2	76	24	21	5	7	2	4	13	7	158	117	1	5	86	25
La Palma	59	–	–	2	20	8	4	1	3	–	–	4	2	22	16	–	–	15	1
Los Alamitos	148	–	–	–	45	6	15	2	6	5	2	9	1	66	57	–	1	46	10
Newport Beach	512	–	–	2	138	32	38	14	20	3	8	23	4	240	173	4	9	125	35
Orange	697	–	–	5	162	41	44	19	12	7	5	34	8	302	234	1	7	176	50
Placentia	171	–	–	4	44	13	13	5	3	3	1	6	–	71	56	1	–	40	15
San Clemente	288	–	–	–	60	14	14	3	12	3	–	14	3	156	110	1	–	88	21
San Juan Capistrano	166	–	–	4	47	12	14	5	9	2	1	4	–	75	58	1	3	45	9
Santa Ana	1,534	3	–	16	316	75	89	30	30	9	10	73	20	646	516	3	11	394	108
Seal Beach	554	–	–	4	124	25	33	11	13	12	5	25	4	282	222	2	2	173	45
Stanton	183	–	–	1	21	6	5	2	–	1	–	7	3	101	86	3	1	61	21
Tustin	282	–	–	2	70	18	11	2	12	4	5	18	1	127	96	1	2	67	26
Westminster	501	2	–	5	123	30	38	11	8	6	5	27	10	202	165	2	5	112	46
Yorba Linda	146	–	–	2	50	18	10	3	6	2	2	9	–	58	49	1	–	36	12
Balance of county	1,716	–	–	16	443	117	83	49	62	20	15	97	10	819	586	5	15	448	118
Placer	1,126	1	–	13	273	61	88	21	28	12	11	52	12	470	333	4	3	255	71
Roseville	340	–	–	6	84	21	28	6	5	3	2	19	3	141	103	2	1	84	16
Balance of county	786	1	–	7	189	40	60	15	23	9	9	33	9	329	230	2	2	171	55
Plumas	172	–	–	3	42	10	14	2	7	1	2	6	1	70	57	2	1	37	17
Riverside	7,908	5	–	97	1,786	473	491	148	174	63	66	371	103	3,525	2,646	19	53	2,093	481
Banning	219	1	–	2	50	14	13	2	2	1	1	17	3	109	86	–	6	69	17
Corona	346	1	–	3	72	15	19	10	8	3	2	15	10	133	97	2	2	79	14
Hemet	1,314	–	–	13	302	93	74	17	38	12	11	57	11	671	504	7	10	410	77
Indio	244	1	–	5	55	12	18	3	7	1	3	11	4	89	62	–	1	53	8
Norco	104	–	–	1	28	7	12	2	1	–	3	3	3	41	28	–	1	20	7
Palm Desert	246	–	–	3	62	19	14	4	5	1	5	14	1	118	84	–	–	67	17
Palm Springs	479	–	–	14	105	30	26	13	8	1	4	23	4	213	162	–	3	131	28
Riverside	1,732	–	–	19	352	90	98	40	34	12	11	67	23	773	565	4	12	436	113
Balance of county	3,224	2	–	37	760	193	217	57	71	32	26	164	44	1,378	1,058	6	18	834	200
Sacramento	7,087	3	–	84	1,656	397	484	133	187	53	59	343	115	2,976	2,291	33	59	1,666	533
Folsom	135	–	–	–	39	7	15	4	3	1	4	5	1	54	44	1	–	32	11
Sacramento	4,758	3	–	76	1,080	256	318	75	122	37	37	235	75	1,983	1,517	19	47	1,102	349
Balance of county	2,194	–	–	18	537	134	151	54	62	15	18	103	39	939	730	13	12	532	173
San Benito	198	–	–	5	44	12	11	8	3	2	1	7	4	81	63	–	1	48	14
Hollister	167	–	–	3	36	12	9	5	2	2	–	6	4	70	55	–	–	42	13
Balance of county	31	–	–	2	8	–	2	3	1	–	1	1	–	11	8	–	1	6	1
San Bernardino	8,392	3	–	81	1,758	455	506	138	175	87	53	342	142	3,596	2,794	23	44	2,282	485
Barstow	214	–	–	2	45	8	16	3	5	1	2	10	6	83	71	–	1	57	13
Chino	280	1	–	8	70	18	21	7	9	3	1	13	4	102	77	–	1	59	17
Colton	248	1	–	2	50	17	12	1	2	3	2	13	3	105	68	–	–	60	8
Fontana	549	–	–	5	102	27	26	8	11	4	7	19	13	242	183	5	3	151	34
Loma Linda	114	–	–	–	23	5	6	4	3	2	1	2	–	59	38	1	–	30	7
Montclair	169	–	–	4	39	10	14	6	–	1	–	8	2	79	66	1	1	49	17
Ontario	637	–	–	10	124	33	35	13	14	8	6	15	7	289	224	–	5	177	42
Rancho Cucamonga	205	–	–	–	49	11	16	2	1	4	2	13	–	90	73	1	2	63	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	–	8	2	3	5	5	–	2	–	–	–	1	5	17	9	5	2	–	–
Mendocino	2	49	8	10	40	34	3	15	9	–	2	6	1	62	23	23	16	9	–
Ukiah	1	16	4	4	20	15	2	3	5	–	–	3	1	27	9	9	1	–	–
Balance of county	1	33	4	6	20	19	1	12	4	–	2	3	–	35	14	14	15	9	–
Merced	4	67	9	12	40	36	3	23	8	–	4	11	13	92	47	37	21	8	–
Atwater	1	4	–	2	2	2	–	1	1	–	–	–	1	13	5	10	1	2	–
Los Banos	–	6	–	–	5	6	–	1	1	–	–	–	1	7	2	3	–	–	–
Merced	2	31	7	5	16	19	1	10	3	–	3	7	6	39	16	12	11	2	–
Balance of county	1	26	2	5	17	9	2	11	3	–	1	4	5	33	24	12	9	4	–
Modoc	–	9	2	1	5	5	–	4	–	–	–	–	3	9	6	1	3	3	–
Mono	–	3	–	–	1	4	–	–	1	–	–	–	–	3	9	3	2	–	1
Monterey	4	181	24	43	90	64	11	38	14	–	27	20	15	206	79	68	52	31	2
Marina	–	4	–	2	2	3	–	4	–	–	2	1	–	5	3	1	3	–	–
Monterey	–	31	1	10	17	4	2	–	3	–	1	1	1	21	5	9	8	1	1
Pacific Grove	–	17	2	2	10	7	–	3	–	–	2	–	2	22	2	8	4	1	–
Salinas	2	60	9	14	27	25	4	10	6	–	10	10	4	65	31	19	14	14	–
Seaside	–	18	3	5	5	4	1	7	1	–	5	6	2	26	9	5	9	3	–
Balance of county	2	51	9	10	29	21	4	14	4	–	7	–	6	67	29	26	14	12	1
Napa	3	85	13	13	41	58	4	18	6	–	9	2	8	90	27	16	17	5	1
Napa	2	56	8	12	25	42	3	12	3	–	7	1	4	58	14	9	8	3	1
Balance of county	1	29	5	1	16	16	1	6	3	–	2	1	4	32	13	7	9	2	–
Nevada	2	46	4	11	26	28	2	5	4	–	6	2	6	41	20	14	12	4	1
Orange	44	1,014	142	189	525	603	62	258	57	4	120	102	160	983	367	327	281	119	6
Anaheim	7	109	17	17	65	70	12	27	4	–	17	13	26	89	47	38	36	11	–
Brea	–	16	1	4	4	10	–	6	1	1	1	–	1	16	5	–	1	1	–
Buena Park	–	25	2	6	16	17	2	12	2	–	3	2	6	22	10	16	12	4	–
Costa Mesa	1	37	9	8	15	22	4	15	3	1	9	2	9	53	13	20	12	5	1
Cypress	–	14	–	3	5	10	–	4	–	–	3	2	1	14	3	6	8	2	–
Fountain Valley	–	14	–	5	9	16	5	5	1	–	2	4	4	19	11	4	8	2	–
Fullerton	–	67	8	8	29	26	3	11	3	–	4	8	8	54	25	16	13	4	–
Garden Grove	2	54	10	20	44	44	1	16	7	–	7	9	15	82	19	19	16	10	–
Huntington Beach	4	58	10	20	34	58	2	15	4	–	10	8	10	63	19	24	23	6	–
Irvine	–	14	4	4	10	9	1	7	1	–	3	6	2	29	8	10	17	1	1
Laguna Beach	1	10	5	1	8	6	–	5	1	–	1	1	4	20	8	2	3	2	–
La Habra	–	36	1	4	7	17	1	5	2	–	–	–	2	30	9	10	8	8	1
La Palma	–	5	1	–	–	6	1	–	–	–	–	–	1	1	–	3	1	–	–
Los Alamitos	1	5	–	3	6	5	–	2	1	–	2	2	1	8	3	3	1	2	–
Newport Beach	2	42	9	14	22	26	3	6	1	–	1	–	7	32	9	12	6	3	–
Orange	1	55	6	6	28	23	7	15	2	–	8	13	9	50	36	15	12	4	–
Placentia	–	12	–	3	7	6	1	6	–	–	2	–	1	7	12	7	1	2	–
San Clemente	1	34	6	5	7	17	1	6	–	–	1	1	3	19	4	1	8	1	–
San Juan Capistrano	–	14	–	3	5	9	–	3	2	–	–	1	1	7	2	4	5	1	–
Santa Ana	7	91	15	17	79	55	8	31	9	1	25	14	28	113	46	53	31	39	1
Seal Beach	2	53	10	5	38	27	1	6	–	–	1	–	2	38	3	4	7	2	1
Stanton	–	13	1	1	4	11	–	3	1	–	2	1	1	14	9	6	2	3	–
Tustin	2	24	3	2	11	10	–	8	–	1	5	2	1	25	8	3	7	1	–
Westminster	1	29	3	4	13	34	4	16	1	–	9	7	4	36	12	11	9	2	1
Yorba Linda	2	7	–	–	2	3	–	4	–	–	1	2	–	8	7	8	1	–	–
Balance of county	10	176	21	26	57	66	5	24	11	–	5	6	13	134	39	32	33	3	–
Placer	2	88	24	23	42	58	5	7	8	–	15	11	8	105	29	35	25	7	2
Roseville	1	26	6	5	10	21	4	1	4	–	4	5	2	32	4	8	8	2	1
Balance of county	1	62	18	18	32	37	1	6	4	–	11	6	6	73	25	27	17	5	1
Plumas	1	7	1	4	2	10	–	7	–	–	–	2	–	16	9	7	3	–	–
Riverside	21	650	99	109	368	373	45	132	40	–	53	82	79	554	279	153	140	92	2
Banning	1	17	–	5	8	6	1	3	1	–	–	2	1	20	6	3	1	2	–
Corona	1	27	5	3	19	10	3	11	3	–	6	4	5	29	19	4	9	5	–
Hemet	4	122	15	26	66	79	9	15	5	–	4	5	4	83	21	12	14	–	–
Indio	–	24	1	2	6	13	3	7	3	–	2	4	4	16	12	12	5	2	1
Norco	–	12	1	–	5	7	–	4	1	–	–	1	1	2	2	2	4	2	–
Palm Desert	2	25	1	6	11	15	3	2	1	–	2	1	3	11	3	4	4	2	–
Palm Springs	2	37	3	9	21	25	4	9	5	–	2	2	4	39	10	11	5	6	–
Riverside	6	149	39	14	94	66	8	33	6	–	13	26	20	119	68	38	41	33	–
Balance of county	5	237	34	44	138	152	14	48	15	–	24	37	37	235	138	67	57	40	1
Sacramento	19	512	68	86	248	361	27	104	55	–	41	51	123	607	189	161	163	99	14
Folsom	–	4	1	5	6	13	1	4	2	–	1	–	–	8	1	4	1	–	–
Sacramento	12	356	44	52	165	222	19	75	44	–	28	35	90	431	120	112	106	82	12
Balance of county	7	150	23	29	77	128	7	25	9	–	12	16	33	168	68	45	58	17	2
San Benito	–	16	2	–	7	8	1	2	2	–	–	4	1	13	14	7	3	2	–
Hollister	–	13	2	–	6	8	1	1	2	–	–	4	–	10	11	6	3	2	–
Balance of county	–	3	–	–	1	–	–	1	–	–	–	–	1	3	3	1	–	–	–
San Bernardino	23	609	87	63	393	373	44	172	54	2	60	97	55	684	362	193	181	131	13
Barstow	1	9	–	2	8	8	1	4	1	–	1	5	2	23	13	5	2	4	1
Chino	–	20	5	–	3	8	–	13	–	1	2	6	5	23	16	7	6	5	–
Colton	2	26	5	4	6	11	–	7	3	–	2	2	2	27	11	4	9	3	–
Fontana	1	40	2	6	32	28	2	8	2	–	2	6	5	32	35	16	14	7	–
Loma Linda	1	16	3	1	15	2	1	–	3	–	1	–	–	7	2	–	–	1	–
Montclair	–	9	1	1	2	6	1	5	1	–	–	4	1	12	4	4	3	2	–
Ontario	3	49	9	4	24	29	1	15	1	–	13	6	2	45	24	19	8	19	1
Rancho Cucamonga	–	13	1	3	8	12	2	4	1	–	–	5	2	12	10	6	3	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	419	–	–	1	106	29	19	14	10	9	2	23	8	172	134	3	4	108	19
Rialto	377	–	–	3	77	24	24	6	7	2	3	11	10	181	136	2	3	106	25
San Bernardino	1,607	–	–	14	294	70	87	28	34	13	4	58	37	681	523	1	5	440	77
Upland	398	–	–	2	81	22	27	8	6	3	2	13	3	196	160	2	2	137	19
Victorville	281	–	–	4	62	21	17	4	5	3	3	8	6	103	71	–	–	60	11
Balance of county	2,894	1	–	26	634	162	186	34	67	31	18	136	43	1,234	958	7	17	765	169
San Diego	15,608	20	–	187	3,785	875	1,066	348	407	145	157	787	188	6,531	4,942	53	185	3,740	964
Carlsbad	316	1	–	2	87	19	32	9	8	3	2	14	1	141	100	1	5	68	26
Chula Vista	914	1	–	3	221	48	64	19	26	7	5	52	11	399	316	3	9	232	72
Coronado	166	–	–	1	48	14	8	3	8	1	1	13	2	68	51	–	4	37	10
El Cajon	1,094	1	–	8	260	49	81	23	35	11	10	51	14	468	358	1	10	283	64
Escondido	910	–	–	7	227	44	71	25	18	6	17	46	5	409	303	7	12	228	56
Imperial Beach	125	–	–	1	24	8	9	1	–	2	–	4	2	47	38	2	2	23	11
La Mesa	649	–	–	3	164	32	41	17	23	11	10	30	7	304	239	2	12	180	45
Lemon Grove	245	–	–	1	43	7	16	5	3	3	2	7	4	128	89	1	1	75	12
National City	324	–	–	–	63	16	16	7	5	3	4	12	8	138	114	–	4	96	14
Oceanside	750	1	–	6	193	49	52	18	17	4	11	42	7	313	251	2	14	176	59
San Diego	6,922	14	–	114	1,801	392	449	139	152	59	63	337	101	2,843	2,155	23	83	1,612	437
San Marcos	248	–	–	6	76	19	15	8	10	6	3	15	1	105	86	3	4	64	15
Vista	544	1	–	6	145	39	37	7	20	3	7	32	3	221	157	2	7	119	29
Balance of county	2,401	1	–	27	639	139	175	67	72	26	22	132	22	927	685	6	18	547	114
San Francisco, coext. with San Francisco city	8,052	5	–	430	1,732	454	408	132	188	50	61	439	117	3,247	2,424	24	76	1,816	508
San Joaquin	3,498	3	–	46	799	197	227	55	87	21	31	181	60	1,464	1,101	13	30	791	267
Lodi	518	–	–	2	115	31	20	7	19	5	6	27	12	242	168	4	3	128	33
Manteca	262	–	–	3	62	12	21	3	6	3	–	17	1	108	86	–	6	57	25
Stockton	2,148	3	–	33	499	130	140	33	53	9	20	114	37	878	673	8	17	475	173
Tracy	250	–	–	5	44	11	22	3	4	–	–	4	7	109	81	–	–	62	19
Balance of county	320	–	–	3	79	13	24	9	5	4	5	19	3	127	81	1	4	69	17
San Luis Obispo	1,533	2	–	15	415	94	112	28	54	19	17	91	16	637	473	8	11	341	113
Arroyo Grande	192	–	–	2	54	14	17	4	5	3	2	9	2	79	63	–	2	50	11
Atascadero	160	–	–	1	43	7	10	1	6	2	3	14	2	68	55	2	1	40	12
San Luis Obispo	272	–	–	2	65	18	19	3	4	1	3	17	2	134	95	1	4	64	26
Balance of county	909	2	–	10	253	55	66	20	39	13	9	51	10	356	260	5	4	187	84
San Mateo	4,778	1	–	45	1,255	300	332	106	135	43	57	282	60	2,026	1,474	16	53	1,121	284
Belmont	188	–	–	2	49	12	17	6	2	–	2	10	2	64	43	1	–	35	7
Burlingame	283	–	–	5	68	17	15	6	4	3	4	17	3	122	96	–	3	81	12
Daly City	546	–	–	5	137	35	37	9	17	3	7	29	8	228	164	1	9	131	23
Foster City	111	–	–	2	37	6	10	5	5	–	2	9	2	37	29	1	1	23	4
Hillsborough	78	–	–	2	26	9	4	2	4	1	–	6	–	30	27	–	–	25	2
Menlo Park	379	–	–	3	99	19	25	7	11	4	5	28	9	166	109	2	4	70	33
Millbrae	207	–	–	2	53	12	12	7	7	1	–	14	–	101	73	1	1	57	14
Pacifica	211	–	–	2	68	19	15	3	6	6	4	15	3	73	61	1	–	49	11
Redwood City	570	1	–	5	144	33	40	13	16	4	6	32	6	233	169	3	6	127	33
San Bruno	280	–	–	3	76	17	21	7	8	3	2	18	5	130	92	1	2	68	21
San Carlos	248	–	–	1	70	17	20	5	6	1	3	18	2	119	89	–	3	71	15
San Mateo	817	–	–	7	217	54	53	23	23	9	11	44	7	347	248	2	9	188	49
South San Francisco	383	–	–	4	94	24	32	3	13	4	5	13	6	177	129	2	6	100	21
Balance of county	487	–	–	2	119	26	31	10	13	4	6	29	7	199	145	1	9	96	39
Santa Barbara	2,556	3	–	28	626	149	160	67	63	22	22	149	32	1,123	848	8	30	522	268
Carpinteria	112	–	–	4	24	8	5	4	3	–	–	4	1	49	43	–	–	24	19
Lompoc	296	1	–	3	76	20	21	6	6	2	3	18	3	136	110	1	5	66	38
Santa Barbara	1,228	1	–	11	290	64	64	31	35	11	12	73	18	567	412	5	9	265	133
Santa Maria	557	–	–	7	144	36	47	12	10	4	5	30	5	236	189	1	11	109	68
Balance of county	363	1	–	3	92	21	23	14	9	5	2	18	5	135	94	1	5	58	30
Santa Clara	8,014	2	–	102	1,940	462	473	185	210	81	74	455	142	3,343	2,633	34	134	1,691	774
Campbell	275	–	–	5	68	18	19	4	5	6	4	12	6	116	87	–	5	70	22
Cupertino	214	–	–	2	57	11	13	5	5	3	3	17	6	81	61	1	2	48	12
Gilroy	189	–	–	2	42	14	6	3	5	1	–	13	3	85	73	–	3	47	23
Los Altos	235	1	–	4	69	13	16	6	12	4	2	16	2	93	67	2	7	36	22
Los Gatos	302	–	–	3	72	8	14	13	10	–	2	25	5	149	118	2	8	73	35
Milpitas	160	1	–	3	35	9	9	4	3	3	–	7	2	57	48	–	1	37	10
Morgan Hill	148	–	–	1	32	6	9	2	1	1	–	13	4	59	48	–	1	38	9
Mountain View	386	–	–	8	86	24	19	5	6	4	1	27	4	164	125	–	10	76	39
Palo Alto	530	–	–	4	126	31	33	9	15	7	7	24	6	245	168	2	9	105	52
San Jose	3,981	–	–	51	948	229	234	92	98	35	38	222	77	1,627	1,299	20	64	826	389
Santa Clara	593	–	–	6	153	41	31	16	20	5	5	35	12	238	192	1	8	127	56
Saratoga	228	–	–	3	57	12	16	4	7	2	7	9	2	106	86	1	6	46	33
Sunnyvale	660	–	–	9	173	40	49	20	21	8	5	30	12	272	213	5	7	136	63
Balance of county	113	–	–	1	22	6	5	2	2	2	–	5	1	51	38	–	3	26	9
Santa Cruz	1,740	2	–	18	397	96	97	35	46	17	21	85	19	741	548	12	25	347	164
Santa Cruz	772	–	–	9	154	42	40	9	13	8	9	33	6	342	258	4	11	163	80
Watsonville	356	1	–	2	70	11	15	10	15	3	6	10	6	169	127	5	5	81	36
Balance of county	612	1	–	7	173	43	42	16	18	6	6	42	7	230	163	3	9	103	48
Shasta	1,249	–	–	10	312	60	104	30	31	9	12	68	12	502	394	2	11	271	110
Redding	684	–	–	7	181	32	65	15	15	7	8	39	8	281	217	–	7	152	58
Balance of county	565	–	–	3	131	28	39	15	16	2	4	27	4	221	177	2	4	119	52
Sierra	40	–	–	1	5	1	2	–	–	–	–	2	1	17	11	–	1	10	–
Siskiyou	458	–	–	5	103	18	35	13	15	2	3	17	6	174	139	–	6	102	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Redlands	–	32	5	1	17	18	2	12	4	–	–	1	5	38	10	8	9	8	–
Rialto	1	16	5	3	13	19	1	9	2	1	1	9	3	26	23	3	8	7	1
San Bernardino	8	112	17	21	100	60	9	35	13	–	16	23	14	143	44	46	36	38	4
Upland	–	28	5	3	15	16	–	8	3	–	1	8	1	36	12	7	6	2	1
Victorville	1	27	2	2	15	21	4	4	3	–	2	4	1	20	15	7	5	4	1
Balance of county	5	212	27	32	135	137	20	46	17	–	19	18	12	240	149	61	72	30	4
San Diego	60	1,154	194	181	556	790	57	294	110	1	114	161	95	1,361	409	392	347	176	14
Carlsbad	3	22	7	9	9	13	–	2	4	–	2	–	1	28	9	6	7	3	–
Chula Vista	3	57	10	13	38	45	4	20	6	–	7	10	7	76	19	20	19	8	–
Coronado	3	10	3	1	6	10	3	–	–	–	–	1	–	13	2	8	2	1	1
El Cajon	1	93	19	17	33	70	5	16	7	1	5	10	6	83	33	24	17	9	–
Escondido	3	86	10	7	38	41	3	19	7	–	6	4	3	88	14	15	16	8	–
Imperial Beach	1	3	3	2	8	7	–	4	1	–	3	3	1	11	4	2	6	1	–
La Mesa	4	44	15	2	24	30	3	11	8	–	2	6	2	48	11	12	9	5	–
Lemon Grove	4	28	3	4	7	17	–	6	–	–	2	3	1	21	5	1	4	2	–
National City	1	17	4	2	13	14	1	9	5	–	5	1	4	32	11	12	4	2	2
Oceanside	1	41	5	15	24	32	1	14	8	–	6	13	10	60	21	10	19	12	–
San Diego	28	513	78	71	256	342	23	143	45	–	54	81	39	651	158	200	155	92	10
San Marcos	1	12	2	4	4	12	1	4	2	–	–	–	1	19	6	5	6	–	–
Vista	2	54	4	4	11	21	1	9	2	–	6	7	2	63	16	14	10	4	–
Balance of county	7	174	31	30	85	136	12	35	15	–	18	22	16	188	100	63	73	29	1
San Francisco, coext. with San Francisco city	21	629	61	112	293	307	33	209	65	–	39	22	48	898	66	248	154	114	25
San Joaquin	15	262	44	42	140	147	15	59	39	–	28	25	36	314	117	103	62	38	3
Lodi	3	59	7	5	20	16	3	8	6	–	4	2	5	51	15	9	6	2	–
Manteca	1	15	1	3	6	10	1	7	1	–	3	–	3	20	16	7	10	4	–
Stockton	10	138	30	27	87	90	9	34	23	–	17	17	22	197	61	75	36	28	2
Tracy	1	24	3	–	13	16	–	5	6	–	1	2	3	23	7	3	4	1	1
Balance of county	–	26	3	7	14	15	2	5	3	–	3	4	3	23	18	9	6	3	–
San Luis Obispo	4	126	13	21	44	76	6	26	4	–	7	9	4	156	37	30	34	15	–
Arroyo Grande	1	12	1	2	7	12	–	2	–	–	–	1	–	21	4	3	4	1	–
Atascadero	1	11	–	1	6	4	–	3	1	–	2	–	–	19	4	2	5	–	–
San Luis Obispo	1	30	2	6	11	7	1	4	–	–	1	1	–	27	10	3	4	–	–
Balance of county	1	73	10	12	20	53	5	17	3	–	4	7	4	89	19	22	21	14	–
San Mateo	16	415	38	83	174	192	20	102	22	1	31	32	25	449	82	105	102	48	6
Belmont	–	18	2	1	13	8	–	2	–	–	–	1	–	19	2	3	1	2	–
Burlingame	1	20	3	2	12	9	1	10	2	1	–	2	1	33	2	5	7	2	–
Daly City	1	42	3	18	18	24	2	13	3	–	5	6	2	57	9	11	11	7	–
Foster City	–	7	–	1	6	–	1	3	–	–	2	–	2	9	1	5	3	1	–
Hillsborough	–	3	–	–	4	–	–	1	–	–	–	–	1	10	–	1	2	1	–
Menlo Park	3	42	6	6	13	12	–	5	1	–	2	1	–	42	7	8	7	2	2
Millbrae	1	24	2	1	6	8	–	4	1	–	2	–	1	19	2	6	2	–	–
Pacifica	–	9	2	1	10	10	3	5	–	–	2	2	–	11	6	7	8	1	–
Redwood City	3	50	–	11	16	33	3	18	–	–	4	5	4	59	8	13	15	3	–
San Bruno	1	26	1	10	13	11	1	7	–	–	2	1	1	20	4	5	7	4	–
San Carlos	–	24	1	5	12	7	–	5	–	–	–	1	1	21	2	–	5	2	–
San Mateo	1	73	13	12	29	26	4	14	6	–	5	4	6	81	16	14	24	9	1
South San Francisco	–	37	4	7	11	23	2	9	4	–	8	3	2	19	9	10	1	3	–
Balance of county	5	40	1	8	11	21	3	6	5	–	1	6	4	49	14	17	9	11	3
Santa Barbara	8	222	17	28	92	110	8	41	21	–	11	6	13	248	66	61	51	15	1
Carpinteria	–	6	–	–	2	2	–	4	–	–	1	1	–	12	2	6	4	–	–
Lompoc	–	19	3	4	3	7	1	5	3	–	1	–	1	19	12	11	9	5	–
Santa Barbara	4	127	10	14	62	42	7	17	7	–	5	–	5	133	19	20	17	6	1
Santa Maria	3	36	3	5	18	32	–	7	7	–	2	2	3	54	17	10	11	2	–
Balance of county	1	34	1	5	7	27	–	8	4	–	2	3	4	30	16	14	10	2	–
Santa Clara	25	529	72	84	231	395	35	181	58	–	72	82	66	711	205	227	204	69	9
Campbell	–	15	2	2	4	11	1	5	3	–	2	3	–	28	8	9	6	–	–
Cupertino	–	14	2	4	8	12	2	5	1	–	3	3	1	21	2	3	6	1	–
Gilroy	–	10	–	2	2	6	1	2	–	–	1	1	2	19	7	9	4	3	–
Los Altos	2	19	3	2	10	11	1	4	–	–	–	–	1	24	5	7	1	1	1
Los Gatos	1	25	2	3	8	9	1	6	1	–	–	1	4	23	5	6	8	1	–
Milpitas	–	8	–	1	3	3	–	5	4	–	3	5	2	19	5	6	5	2	–
Morgan Hill	1	8	–	2	9	3	–	2	4	–	2	3	–	13	8	7	3	–	–
Mountain View	1	29	5	4	10	12	4	13	6	–	6	5	3	31	11	9	12	2	–
Palo Alto	4	60	6	7	30	26	2	12	3	–	2	4	1	42	6	8	10	2	1
San Jose	9	246	33	40	94	165	17	91	28	–	36	48	45	352	113	130	109	46	6
Santa Clara	1	33	5	7	20	33	3	15	5	–	5	3	4	50	13	16	14	2	1
Saratoga	–	18	–	2	8	7	–	2	2	–	2	–	–	28	2	5	3	1	–
Sunnyvale	5	35	13	6	20	32	2	18	3	–	7	6	3	52	12	12	20	7	–
Balance of county	1	9	1	2	5	5	1	1	–	–	3	–	–	9	10	–	3	1	–
Santa Cruz	7	143	28	15	68	92	3	39	12	–	9	9	21	162	43	45	44	15	1
Santa Cruz	4	64	9	7	41	46	1	15	4	–	3	1	8	77	19	24	17	5	–
Watsonville	–	33	8	1	14	19	2	9	2	–	2	4	3	34	3	8	5	3	–
Balance of county	3	46	11	7	13	27	–	15	6	–	4	4	10	51	21	13	22	7	1
Shasta	–	78	6	24	55	72	3	20	5	–	5	9	18	109	41	38	26	11	1
Redding	–	48	3	13	29	32	2	11	5	–	1	3	9	65	19	10	14	7	–
Balance of county	–	30	3	11	26	40	1	9	–	–	4	6	9	44	22	28	12	4	1
Sierra	–	5	–	1	3	3	–	2	–	–	–	–	–	6	2	–	–	–	–
Siskiyou	1	27	4	3	26	24	2	7	8	–	2	3	5	43	14	25	6	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	1,875	–	–	20	463	148	114	28	51	18	13	91	23	772	572	8	11	435	118
Benicia	115	–	–	1	31	9	7	3	2	1	2	7	1	51	38	–	2	30	6
Fairfield	335	–	–	2	76	18	15	9	10	2	3	19	5	146	108	2	–	85	21
Suisun City	102	–	–	2	21	8	5	–	2	1	–	5	3	34	27	–	–	23	4
Vacaville	309	–	–	5	82	32	26	2	8	2	1	10	6	115	86	1	–	65	20
Vallejo	877	–	–	10	215	67	51	12	25	11	7	42	7	376	281	5	8	210	58
Balance of county	137	–	–	–	38	14	10	2	3	1	–	8	1	50	32	–	1	22	9
Sonoma	3,092	–	–	51	748	184	214	71	78	25	19	157	40	1,291	944	12	29	669	234
Petaluma	404	–	–	2	100	16	31	11	10	2	5	25	3	171	118	1	4	86	27
Rohnert Park	141	–	–	3	46	7	17	3	7	1	–	11	2	50	40	1	4	20	15
Santa Rosa	1,313	–	–	21	321	87	87	31	29	14	7	66	18	563	415	5	9	292	109
Balance of county	1,234	–	–	25	281	74	79	26	32	8	7	55	17	507	371	5	12	271	83
Stanislaus	2,510	1	–	25	536	132	152	31	60	19	21	121	52	1,009	727	13	17	528	169
Ceres	192	–	–	–	33	7	11	2	3	–	–	10	5	83	63	1	–	43	19
Modesto	1,395	1	–	13	297	74	87	16	36	7	9	66	25	555	386	9	12	280	85
Turlock	379	–	–	3	79	22	21	1	7	8	4	16	7	155	121	2	2	93	24
Balance of county	544	–	–	9	127	29	33	10	14	4	8	29	15	210	157	1	3	112	41
Sutter	492	–	–	6	105	24	29	6	10	3	3	28	11	216	162	2	4	120	36
Yuba City	383	–	–	3	82	20	20	7	7	3	3	22	9	171	128	2	3	92	31
Balance of county	109	–	–	3	23	4	9	1	3	–	–	6	2	45	34	–	1	28	5
Tehama	439	1	–	3	108	20	45	10	9	1	4	18	4	193	159	–	2	127	30
Trinity	125	–	–	1	32	3	13	1	5	1	1	8	2	53	41	–	2	32	7
Tulare	2,202	2	1	31	449	106	115	38	54	28	14	94	33	948	770	13	27	577	153
Porterville	401	–	–	4	82	22	25	5	6	2	1	21	3	165	127	3	3	93	28
Tulare	324	–	–	3	63	18	26	6	9	2	4	18	6	127	111	1	6	80	24
Visalia	591	1	1	8	126	32	25	11	13	12	3	30	10	261	205	5	8	145	47
Balance of county	886	1	–	16	158	34	39	16	26	12	6	25	14	395	327	4	10	259	54
Tuolumne	379	–	–	3	108	25	33	7	9	4	4	26	3	166	124	–	3	72	49
Ventura	3,718	5	–	43	874	231	235	85	93	31	31	168	69	1,546	1,190	18	31	820	321
Camarillo	404	1	–	6	109	25	28	13	11	3	7	22	2	173	134	1	3	81	49
Oxnard	773	1	–	12	158	47	39	15	21	3	5	28	17	295	211	1	3	150	57
Port Hueneme	106	–	–	2	31	6	10	4	2	–	–	9	2	34	26	1	1	19	5
San Buenaventura (Ventura)	758	2	–	5	163	47	43	9	20	7	3	34	17	337	261	7	3	194	57
Santa Paula	227	–	–	8	53	20	18	3	2	–	1	9	4	103	86	–	3	57	26
Simi Valley	404	1	–	3	91	18	37	11	3	4	4	14	6	174	133	3	9	88	33
Thousand Oaks	548	–	–	6	161	44	32	19	19	9	4	34	15	214	174	1	5	128	40
Balance of county	498	–	–	1	108	24	28	11	15	5	7	18	6	216	165	4	4	103	54
Yolo	933	–	–	9	196	51	55	15	20	5	8	42	11	388	291	2	2	195	92
Davis	190	–	–	1	41	12	8	4	4	3	2	8	4	73	49	–	1	28	20
Woodland	337	–	–	3	61	18	12	3	7	–	1	20	4	153	114	1	–	82	31
Balance of county	406	–	–	5	94	21	35	8	9	2	5	14	3	162	128	1	1	85	41
Yuba	455	–	–	4	95	17	31	5	9	6	3	24	7	196	150	3	2	104	41
Colorado	20,810	12	1	301	4,356	1,071	1,098	435	521	180	175	876	347	8,460	6,456	101	148	4,658	1,549
Urban places	14,203	11	1	219	2,955	714	758	294	373	126	111	579	224	5,775	4,357	62	111	3,119	1,065
Balance of area	6,607	1	–	82	1,401	357	340	141	148	54	64	297	123	2,685	2,099	39	37	1,539	484
Metropolitan counties	16,176	12	1	248	3,458	842	873	340	425	146	141	691	272	6,472	4,896	77	124	3,511	1,184
Urban places	13,420	11	1	209	2,801	681	709	282	348	119	107	555	213	5,432	4,084	56	107	2,919	1,002
Balance of area	2,756	1	–	39	657	161	164	58	77	27	34	136	59	1,040	812	21	17	592	182
Nonmetropolitan counties	4,632	–	–	53	898	229	225	95	96	34	34	185	75	1,988	1,560	24	24	1,147	365
Urban places	783	–	–	10	154	33	49	12	25	7	4	24	11	343	273	6	4	200	63
Balance of area	3,849	–	–	43	744	196	176	83	71	27	30	161	64	1,645	1,287	18	20	947	302
Adams	1,419	1	–	27	310	58	104	35	44	11	12	46	29	558	434	6	6	316	106
Arvada, part	9	–	–	–	3	1	–	1	1	–	–	–	–	1	1	–	–	1	–
Aurora, part	144	–	–	2	30	4	7	3	9	1	1	5	3	55	46	1	–	33	12
Brighton, part	104	–	–	2	16	3	3	2	3	–	1	4	2	40	31	–	1	22	8
Brighton, total	104	–	–	2	16	3	3	2	3	–	1	4	2	40	31	–	1	22	8
Broomfield, part	10	–	–	–	2	1	–	1	–	–	–	–	–	4	4	–	–	4	–
Commerce City	152	–	–	5	33	7	13	–	4	3	1	5	2	57	51	–	1	45	5
Northglenn	148	1	–	–	43	9	18	3	3	2	2	6	2	56	36	–	2	28	6
Thornton	183	–	–	5	41	3	14	8	5	2	1	8	5	80	67	–	1	42	24
Westminster, part	202	–	–	6	41	9	13	5	6	1	3	4	5	80	60	1	–	40	19
Westminster, total	223	–	–	6	46	10	14	5	6	1	3	7	6	85	64	1	–	43	20
Balance of county	457	–	–	7	101	21	36	12	13	2	3	14	10	185	138	4	1	101	32
Alamosa	84	–	–	1	15	4	2	4	–	1	1	3	2	38	31	1	2	19	9
Arapahoe	1,705	–	–	15	417	100	94	47	59	9	19	89	33	667	499	5	4	372	118
Aurora, part	782	–	–	8	190	46	41	24	23	4	9	43	12	289	231	1	1	173	56
Aurora, total	926	–	–	10	220	50	48	27	32	5	10	48	15	344	277	2	1	206	68
Englewood	382	–	–	4	93	16	27	13	14	–	4	19	8	157	112	3	–	86	23
Littleton, part	236	–	–	3	50	12	12	5	7	3	–	11	7	105	72	–	2	50	20
Littleton, total	236	–	–	3	50	12	12	5	7	3	–	11	7	105	72	–	2	50	20
Balance of county	305	–	–	–	84	26	14	5	15	2	6	16	6	118	84	1	1	63	19
Archuleta	40	–	–	–	7	1	2	1	1	1	–	1	–	18	16	–	–	10	6
Baca	57	–	–	1	13	3	4	2	1	–	–	3	–	27	25	–	–	22	3
Bent	66	–	–	2	12	5	5	1	1	–	–	–	–	27	24	–	–	21	3
Boulder	1,011	1	–	9	235	64	55	21	33	10	7	45	16	429	312	6	7	198	101
Boulder	389	–	–	2	88	22	22	6	16	2	1	19	9	169	109	1	3	70	35
Broomfield, part	47	–	–	–	12	4	3	2	1	–	1	1	–	18	15	–	1	13	1
Broomfield, total	67	–	–	–	18	5	6	3	1	–	2	1	–	27	23	–	1	20	2
Longmont	346	1	–	6	72	15	19	9	8	5	1	15	4	159	125	1	3	78	45
Balance of county	229	–	–	1	63	23	11	4	8	3	4	10	3	83	63	4	–	39	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-778)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	5	147	14	34	65	83	6	36	16	-	13	11	16	188	56	49	32	22	4
Benicia	-	10	-	3	5	2	-	-	1	-	1	-	3	10	2	2	1	4	-
Fairfield	1	26	2	9	16	15	1	4	2	-	-	-	1	40	8	5	9	3	2
Suisun City	1	2	-	4	3	7	-	3	-	-	1	-	2	11	8	5	2	-	-
Vacaville	-	24	1	4	7	18	1	7	1	-	2	2	6	26	9	14	5	3	-
Vallejo	2	70	11	12	30	32	4	21	11	-	6	6	3	92	20	21	12	9	2
Balance of county	1	15	-	2	4	9	-	1	1	-	3	3	1	9	9	2	3	3	-
Sonoma	7	260	52	28	147	130	12	37	15	-	18	6	24	321	91	73	62	22	4
Petaluma	1	43	5	4	19	14	3	7	1	-	2	1	1	49	12	5	10	2	2
Rohnert Park	-	8	2	-	7	5	-	4	1	-	2	1	-	9	3	3	3	2	-
Santa Rosa	3	117	15	13	60	59	5	13	6	-	6	2	11	125	29	33	26	14	1
Balance of county	3	92	30	11	61	52	4	13	7	-	8	2	12	138	47	32	23	4	1
Stanislaus	12	210	22	32	146	134	10	30	17	1	25	18	6	222	114	94	50	25	1
Ceres	-	19	-	1	13	13	1	5	-	-	2	2	-	11	15	6	3	-	-
Modesto	7	128	10	24	78	85	6	18	7	-	14	10	4	131	51	57	26	16	1
Turlock	3	26	3	2	29	15	3	2	5	1	2	1	1	34	13	17	7	5	-
Balance of county	2	37	9	5	26	21	-	5	5	-	7	5	1	46	35	14	14	4	-
Sutter	2	39	7	6	18	25	3	10	3	-	2	3	8	37	13	19	7	5	1
Yuba City	2	30	7	4	12	20	2	5	3	-	2	3	6	32	6	16	6	5	-
Balance of county	-	9	-	2	6	5	1	5	-	-	-	-	2	5	7	3	1	-	1
Tehama	-	19	8	7	13	18	-	7	5	-	1	2	3	30	22	15	14	-	-
Trinity	-	7	2	3	2	7	2	3	-	-	1	-	-	6	8	5	3	-	-
Tulare	4	129	23	22	88	95	5	33	15	-	20	17	25	194	93	74	46	31	2
Porterville	-	30	3	5	37	17	1	5	2	-	7	1	3	27	18	12	9	7	1
Tulare	2	12	2	-	8	12	1	8	-	-	3	2	7	27	18	11	6	2	-
Visalia	1	36	12	7	16	26	1	9	7	-	8	1	2	54	16	20	18	5	1
Balance of county	1	51	6	10	27	40	2	11	6	-	2	13	13	86	41	31	13	17	-
Tuolumne	1	31	4	6	6	11	-	5	2	-	-	-	4	27	15	13	13	3	-
Ventura	13	270	31	42	131	164	13	60	33	1	25	28	24	345	124	96	70	41	6
Camarillo	1	25	3	10	19	15	1	5	2	-	3	3	1	34	12	6	10	2	-
Oxnard	1	69	9	5	22	29	4	27	7	-	8	11	6	84	31	28	19	12	2
Port Hueneme	1	6	1	-	4	11	-	1	-	-	-	1	1	11	3	4	-	1	-
San Buenaventura (Ventura)	3	58	7	8	23	34	3	14	6	1	4	3	6	83	19	18	9	11	-
Santa Paula	-	15	1	1	11	8	2	5	4	-	-	-	2	17	3	6	-	1	-
Simi Valley	5	28	5	5	8	20	1	9	2	-	3	3	2	35	14	14	10	6	2
Thousand Oaks	1	28	4	7	21	27	1	5	6	-	5	3	2	44	16	9	6	3	-
Balance of county	1	43	1	6	23	20	1	14	4	-	2	4	4	37	26	11	14	5	2
Yolo	2	72	10	13	43	55	2	16	9	1	10	6	8	87	26	21	31	13	1
Davis	1	20	1	2	6	12	-	3	3	-	5	-	1	28	3	2	7	1	-
Woodland	1	27	6	5	17	14	1	4	3	-	3	3	3	36	8	8	13	3	-
Balance of county	-	25	3	6	20	29	1	9	3	1	2	3	4	23	15	11	11	9	1
Yuba	1	38	6	1	18	25	3	7	1	1	5	4	5	38	18	16	8	4	-
Colorado	97	1,309	349	249	869	1,141	106	309	170	1	147	189	186	2,095	638	615	574	237	62
Urban places	69	919	257	173	613	798	71	235	124	-	103	132	136	1,488	337	372	398	175	38
Balance of area	28	390	92	76	256	345	35	74	46	1	44	57	50	607	301	243	176	62	24
Metropolitan counties	82	1,025	280	189	665	891	80	257	126	1	119	162	151	1,634	465	431	480	196	57
Urban places	69	872	247	160	571	744	65	224	113	-	101	130	131	1,416	322	349	381	169	37
Balance of area	13	153	33	29	94	147	15	33	13	1	18	32	20	218	143	82	99	27	20
Nonmetropolitan counties	15	284	69	60	198	250	26	52	44	-	28	27	35	461	173	184	94	41	5
Urban places	-	47	10	13	42	52	6	11	11	-	2	2	5	72	15	23	17	6	1
Balance of area	15	237	59	47	156	198	20	41	33	-	26	25	30	389	158	161	77	35	4
Adams	3	88	15	18	50	79	4	21	11	-	10	25	17	133	32	47	44	18	3
Arvada, part	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-
Aurora, part	1	7	1	-	2	5	-	4	1	-	-	4	2	13	8	5	5	5	-
Brighton, part	-	6	1	2	6	6	-	2	3	-	1	2	1	10	4	5	2	2	-
Brighton, total	-	6	1	2	6	6	-	2	3	-	1	2	1	10	4	5	2	2	-
Broomfield, part	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Commerce City	-	3	1	2	7	8	1	3	2	-	1	5	-	17	3	2	3	2	1
Northglenn	-	12	5	3	3	6	1	2	1	-	-	1	2	17	2	4	4	3	-
Thornton	-	10	2	1	5	7	-	1	1	-	2	4	4	15	3	9	11	-	-
Westminster, part	1	14	2	3	9	11	-	3	2	-	3	3	4	17	5	3	9	1	-
Westminster, total	1	15	2	3	10	12	-	3	2	-	3	3	4	18	7	4	12	2	-
Balance of county	1	36	3	7	17	33	2	6	-	-	3	6	4	41	7	18	10	5	2
Alamosa	-	7	-	-	1	4	1	-	-	-	1	1	-	11	3	5	1	-	-
Arapahoe	8	119	25	16	58	86	10	23	8	-	17	28	8	151	50	42	54	18	20
Aurora, part	5	41	8	4	28	33	6	12	3	-	11	13	2	77	28	16	34	10	10
Aurora, total	6	48	9	4	30	38	6	16	4	-	11	17	4	90	36	21	39	15	10
Englewood	-	29	11	5	12	31	-	4	2	-	3	5	3	33	3	12	8	2	2
Littleton, part	1	28	1	3	9	10	1	5	2	-	1	5	2	23	6	5	1	1	-
Littleton, total	1	28	1	3	9	10	1	5	2	-	1	5	2	23	6	5	1	1	-
Balance of county	2	21	5	4	9	12	3	2	1	-	2	5	1	18	13	9	11	5	8
Archuleta	-	1	-	1	1	3	1	-	-	-	-	1	-	5	1	3	-	-	-
Baca	-	1	1	-	4	1	-	1	1	-	-	-	-	5	2	2	-	-	-
Bent	-	3	-	-	7	5	-	-	-	-	-	-	-	5	1	4	3	-	-
Boulder	7	73	25	12	33	45	-	14	11	-	11	7	8	95	30	27	32	5	3
Boulder	1	39	16	4	9	17	-	10	4	-	1	1	3	47	9	10	9	-	1
Broomfield, part	-	2	1	-	1	2	-	-	-	-	1	-	-	7	1	1	2	1	1
Broomfield, total	-	3	1	-	2	2	-	-	-	-	1	-	-	10	1	1	3	1	1
Longmont	2	22	5	5	13	17	-	3	4	-	5	4	3	22	12	9	8	4	-
Balance of county	4	10	3	3	10	9	-	1	3	-	4	2	2	19	8	7	13	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	136	–	–	1	12	3	2	1	3	1	–	2	5	67	59	1	4	49	5
Cheyenne	25	–	–	–	5	1	1	1	1	–	–	1	1	7	4	–	–	2	2
Clear Creek	37	–	–	3	4	1	–	1	1	–	–	1	1	19	13	1	–	10	2
Conejos	80	–	–	–	9	6	–	1	–	–	–	2	2	46	37	–	–	23	14
Costilla	36	–	–	1	5	2	–	1	1	–	–	1	1	17	11	–	–	5	6
Crowley	42	–	–	1	6	2	–	–	–	1	–	3	–	17	13	–	2	10	1
Custer	18	–	–	–	3	1	–	2	–	–	–	–	–	8	6	–	–	5	1
Delta	222	–	–	–	42	9	12	4	5	1	2	9	5	99	74	–	1	59	14
Denver, coext. with Denver city	4,634	5	–	90	936	241	237	82	122	49	35	170	66	1,864	1,422	23	44	1,002	353
Dolores	11	–	–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	1	–
Douglas	121	–	–	4	34	7	10	4	5	2	1	5	3	36	28	–	4	18	6
Littleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	121	–	–	4	34	7	10	4	5	2	1	5	3	36	28	–	4	18	6
Eagle	57	–	–	–	10	2	1	5	1	–	–	1	–	11	10	–	–	7	3
Elbert	49	–	–	–	13	3	5	–	1	–	–	4	1	15	12	–	–	7	5
El Paso	2,014	1	–	29	421	104	106	29	53	11	23	95	31	777	579	6	19	448	108
Colorado Springs	1,671	1	–	23	349	90	86	25	49	7	20	72	25	662	482	5	15	374	88
Balance of county	343	–	–	6	72	14	20	4	4	4	3	23	6	115	97	1	4	74	18
Fremont	346	–	–	4	74	17	24	6	11	–	2	14	4	161	132	2	1	93	36
Canon City	214	–	–	3	43	7	17	1	9	–	1	8	2	99	84	2	1	59	22
Balance of county	132	–	–	1	31	10	7	5	2	–	1	6	2	62	48	–	–	34	14
Garfield	173	–	–	1	42	9	8	5	5	–	1	14	2	70	60	–	–	34	26
Gilpin	12	–	–	–	2	–	–	1	–	–	–	1	–	5	2	–	–	1	1
Grand	31	–	–	–	6	2	–	–	1	–	–	3	–	10	9	–	–	7	2
Gunnison	52	–	–	–	5	2	–	–	1	–	–	2	2	18	14	–	–	5	9
Hinsdale	3	–	–	–	3	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Huerfano	60	–	–	–	19	3	5	3	1	–	1	6	1	39	36	–	1	30	5
Jackson	7	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Jefferson	2,143	2	–	31	473	127	108	59	46	18	15	100	30	626	607	10	7	455	135
Arvada, part	445	–	–	3	94	30	10	17	11	3	5	18	8	172	135	4	2	105	24
Arvada, total	454	–	–	3	97	31	10	18	12	3	5	18	8	173	136	4	2	106	24
Broomfield, part	10	–	–	–	4	–	3	–	–	–	1	–	–	5	4	–	–	3	1
Golden	182	–	–	5	48	11	15	2	5	1	2	12	–	57	42	–	–	35	7
Lakewood	800	1	–	13	156	37	41	20	21	6	2	29	13	324	226	2	2	166	56
Westminster, part	21	–	–	–	5	1	1	–	–	–	–	3	1	5	4	–	–	3	1
Wheat Ridge	263	–	–	3	60	17	11	7	3	3	–	19	–	107	77	1	3	54	19
Balance of county	422	1	–	7	106	31	27	13	6	5	5	19	8	158	119	3	–	89	27
Kiowa	15	–	–	–	3	1	–	–	–	–	1	1	–	8	8	–	–	8	–
Kit Carson	75	–	–	–	12	4	2	–	2	1	–	3	5	31	22	–	–	19	3
Lake	35	–	–	1	11	3	3	1	1	–	–	3	–	9	7	–	–	7	–
La Plata	205	–	–	2	46	8	11	4	7	2	3	11	3	80	58	2	2	41	13
Durango	107	–	–	1	21	5	5	3	2	–	2	4	1	54	40	2	2	27	9
Balance of county	98	–	–	1	25	3	6	1	5	2	1	7	2	26	18	–	–	14	4
Larimer	1,091	–	–	12	238	54	57	25	27	16	7	52	20	449	345	10	8	242	85
Fort Collins	474	–	–	6	89	22	22	9	10	5	4	17	7	211	160	5	6	108	41
Loveland	319	–	–	5	82	23	19	10	7	6	–	17	7	112	81	1	1	55	24
Balance of county	298	–	–	1	67	9	16	6	10	5	3	18	6	126	104	4	1	79	20
Las Animas	191	–	–	5	43	16	12	2	3	2	1	7	3	88	68	–	4	54	10
Lincoln	47	–	–	2	7	2	2	–	1	–	–	2	–	24	19	1	–	15	3
Logan	152	–	–	1	26	9	9	1	3	2	–	2	3	66	50	2	1	34	13
Sterling	108	–	–	1	18	6	7	1	2	2	–	–	2	46	34	1	1	24	8
Balance of county	44	–	–	–	8	3	2	–	1	–	–	2	1	20	16	1	–	10	5
Mesa	718	–	–	6	143	31	41	16	16	9	8	22	12	289	223	2	–	165	56
Grand Junction	354	–	–	5	72	15	20	7	12	5	1	12	6	144	115	1	–	90	24
Balance of county	364	–	–	1	71	16	21	9	4	4	7	10	6	145	108	1	–	75	32
Mineral	5	–	–	–	2	–	–	–	–	–	–	2	–	1	1	–	–	1	–
Moffat	60	–	–	2	10	3	3	2	2	–	–	–	–	24	21	2	–	16	3
Montezuma	149	–	–	1	35	11	6	5	4	1	2	6	5	53	41	2	–	31	8
Montrose	201	–	–	–	43	10	19	1	3	1	1	8	–	90	74	1	1	52	20
Morgan	224	–	–	3	35	8	10	3	2	3	3	6	6	122	89	4	–	70	15
Otero	213	–	–	6	37	8	7	3	3	2	1	13	4	97	71	2	–	52	17
Ouray	16	–	–	–	2	1	1	–	–	–	–	–	–	7	5	–	–	4	1
Park	25	–	–	–	5	3	–	–	–	1	–	1	–	4	3	–	–	1	2
Phillips	47	–	–	1	9	3	2	2	1	–	1	–	1	26	22	–	–	11	11
Pitkin	33	–	–	–	9	3	2	1	1	–	–	2	–	6	6	–	1	3	2
Prowers	127	–	–	2	26	8	5	4	1	1	–	7	–	65	48	–	–	37	11
Pueblo	1,127	1	1	15	206	49	62	15	16	14	8	42	26	484	372	5	13	251	103
Pueblo	1,004	1	1	14	180	42	55	13	15	13	8	34	21	444	341	3	13	227	98
Balance of county	123	–	–	1	26	7	7	2	1	1	–	8	5	40	31	2	–	24	5
Rio Blanco	30	–	–	–	9	–	2	1	–	2	2	2	–	15	14	1	–	11	2
Rio Grande	95	–	–	2	16	4	3	1	3	1	1	3	1	44	36	–	–	32	4
Routt	56	–	–	–	11	2	3	2	2	1	–	1	–	19	17	–	–	15	2
Saguache	41	–	–	1	4	1	1	–	–	–	–	2	1	16	10	–	–	5	5
San Juan	6	–	–	–	4	1	–	1	–	–	–	2	–	–	–	–	–	–	–
San Miguel	12	–	–	–	4	2	1	–	1	–	–	–	–	2	1	–	–	1	–
Sedgwick	27	–	–	1	4	1	–	1	–	–	1	1	–	12	8	–	–	6	2
Summit	17	–	–	–	2	–	–	1	–	–	1	–	–	1	1	–	–	1	–
Teller	58	–	–	2	19	3	5	2	4	1	–	4	1	20	14	–	–	13	1
Washington	52	–	–	1	13	4	–	3	1	–	–	5	1	21	17	–	–	16	1
Weld	843	1	–	14	167	35	35	20	16	5	14	42	17	357	282	6	12	195	69
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greeley	453	1	–	4	84	15	17	15	5	3	5	24	6	199	150	4	6	104	36
Balance of county	390	–	–	10	83	20	18	5	11	2	9	18	11	158	132	2	6	91	33
Yuma	108	–	–	1	19	5	7	1	4	–	1	1	1	53	33	–	4	20	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	–	6	–	2	9	7	2	5	1	–	–	–	–	13	4	8	3	1	–
Cheyenne	1	1	1	–	1	3	–	–	–	–	–	–	–	4	–	4	–	–	–
Clear Creek	–	2	2	2	1	2	–	1	–	–	1	–	1	1	2	–	1	–	–
Conejos	–	7	1	1	2	4	–	4	1	–	–	1	1	4	2	3	–	1	–
Costilla	1	4	–	1	–	1	–	–	–	–	–	–	–	5	6	–	–	–	–
Crowley	–	3	1	–	4	4	–	1	–	–	–	–	–	3	1	3	1	1	–
Custer	–	1	1	–	–	4	–	–	–	–	–	–	1	2	–	–	–	–	–
Delta	1	18	2	4	12	12	–	1	2	–	1	2	–	23	8	5	4	5	–
Denver, coext. with Denver city	30	271	86	55	208	248	26	95	41	–	27	32	45	531	85	125	110	84	16
Dolores	–	–	–	–	–	2	–	–	–	–	–	–	1	2	2	1	–	–	–
Douglas	–	7	–	1	1	5	–	1	–	–	2	–	3	7	10	6	6	3	–
Littleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	7	–	1	1	5	–	1	–	–	2	–	3	7	10	6	6	3	–
Eagle	–	1	–	–	1	2	–	1	–	–	1	1	–	6	10	9	4	1	–
Elbert	–	2	1	–	1	3	–	–	–	–	–	1	–	6	3	6	–	–	–
El Paso	12	141	22	23	77	102	9	35	14	–	22	29	19	186	93	49	82	30	8
Colorado Springs	12	126	21	21	66	87	7	30	13	–	18	18	16	161	64	43	56	28	4
Balance of county	–	15	1	2	11	15	2	5	1	–	4	11	3	25	29	6	26	2	4
Fremont	2	15	11	1	18	24	1	3	3	–	2	1	–	29	8	9	2	2	1
Canon City	–	9	5	1	11	18	1	1	3	–	–	–	–	17	5	7	1	2	1
Balance of county	2	6	6	–	7	6	–	2	–	–	2	1	–	12	3	2	1	–	–
Garfield	1	7	2	–	5	9	1	2	2	–	1	1	2	14	9	7	4	1	–
Gilpin	–	3	–	–	1	1	–	–	–	–	–	–	–	1	2	–	–	–	–
Grand	–	1	–	–	3	1	–	–	–	–	–	–	3	3	1	2	2	–	–
Gunnison	–	4	–	–	–	2	–	–	–	–	–	–	3	12	4	6	–	–	–
Hinsdale	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huerfano	–	2	1	–	2	3	–	2	1	–	–	–	–	8	1	2	1	1	–
Jackson	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–
Jefferson	6	122	72	19	104	135	12	24	13	1	14	17	16	208	71	61	83	17	5
Arvada, part	1	24	7	5	18	26	2	6	4	–	4	5	4	43	15	14	21	4	2
Arvada, total	1	24	7	5	18	29	2	6	5	–	4	5	4	43	15	15	21	4	2
Broomfield, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Golden	–	10	2	3	7	12	3	–	–	–	1	1	4	19	10	5	8	2	–
Lakewood	1	50	42	5	48	59	4	12	7	–	7	5	6	68	14	17	24	2	–
Westminster, part	–	1	–	–	1	1	–	–	–	–	–	–	–	1	2	1	3	1	–
Wheat Ridge	1	17	10	2	15	13	1	3	2	–	–	1	–	27	6	12	10	3	–
Balance of county	3	19	11	4	15	24	2	3	–	1	2	5	2	30	24	12	16	5	3
Kiowa	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–
Kit Carson	–	3	4	2	–	3	–	–	–	–	–	1	1	14	4	2	1	–	–
Lake	–	1	–	1	–	4	–	–	–	–	–	–	1	4	1	4	–	–	–
La Plata	1	19	1	1	11	2	1	3	3	–	2	–	2	17	15	8	9	1	–
Durango	–	12	1	1	5	–	1	2	2	–	1	–	2	8	3	2	3	1	–
Balance of county	1	7	–	–	6	2	–	1	1	–	1	–	–	9	12	6	6	–	–
Larimer	5	72	13	14	52	62	5	12	5	–	6	8	9	127	30	25	26	4	1
Fort Collins	4	37	5	5	26	29	1	5	3	–	1	4	5	54	8	12	11	2	–
Loveland	1	21	2	7	19	17	2	3	2	–	5	3	1	40	5	6	9	1	–
Balance of county	–	14	6	2	7	16	2	4	–	–	–	1	3	33	17	7	6	1	1
Las Animas	1	12	4	3	7	5	3	3	4	–	–	–	–	17	5	5	–	2	1
Lincoln	–	4	–	1	1	2	1	–	–	–	–	–	–	3	–	4	–	3	–
Logan	–	8	1	7	6	12	–	1	3	–	1	1	1	16	5	5	4	1	–
Sterling	–	6	1	5	6	7	–	1	3	–	–	–	1	14	1	5	2	1	–
Balance of county	–	2	–	2	–	5	–	–	–	–	1	1	–	2	4	–	2	–	–
Mesa	3	38	8	17	37	48	6	12	7	–	4	6	3	79	17	24	20	5	–
Grand Junction	–	20	3	8	20	27	4	7	3	–	1	2	2	33	6	9	11	2	–
Balance of county	3	18	5	11	17	21	2	5	4	–	3	4	1	46	11	15	9	3	–
Mineral	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Moffat	–	1	2	–	1	1	1	1	–	–	–	–	3	9	4	1	2	1	–
Montezuma	1	10	–	1	4	8	–	2	–	–	3	2	–	15	9	6	4	2	–
Montrose	–	14	1	1	7	8	–	1	2	–	2	–	4	24	6	4	6	2	2
Morgan	–	28	2	3	14	12	1	1	2	–	2	–	–	13	5	5	3	–	–
Otero	–	18	3	5	8	10	2	1	3	–	4	1	2	28	3	4	1	2	–
Ouray	–	1	–	1	–	1	–	–	1	–	–	–	1	1	2	–	1	–	–
Park	–	1	–	–	1	2	–	1	–	–	–	1	–	3	2	2	3	1	–
Phillips	–	2	2	–	3	2	–	–	1	–	–	–	–	2	–	1	1	–	–
Pitkin	–	–	–	–	1	1	–	–	–	–	–	1	–	3	4	8	–	–	–
Prowers	–	9	8	–	7	8	–	–	1	–	1	1	3	5	1	6	1	–	–
Pueblo	8	69	13	22	45	71	10	21	13	–	10	7	23	120	23	25	20	6	–
Pueblo	6	65	12	20	38	65	8	17	11	–	9	7	21	106	17	21	17	6	–
Balance of county	2	4	1	2	7	6	2	4	2	–	1	–	2	14	6	4	3	–	–
Rio Blanco	–	1	–	–	–	1	–	–	1	–	–	–	–	1	2	1	–	–	–
Rio Grande	–	6	1	1	3	4	1	1	1	–	–	4	–	8	4	1	3	2	–
Routt	–	1	–	1	2	3	–	–	2	–	–	–	1	8	5	3	2	–	–
Saguache	2	4	–	–	1	2	–	2	1	–	–	–	–	3	5	1	2	2	–
San Juan	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
San Miguel	–	1	–	–	–	–	1	–	–	–	1	–	–	–	1	2	1	–	–
Sedgwick	–	1	2	1	2	4	–	–	–	–	–	–	–	4	–	–	–	–	–
Summit	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	3	3	4	–
Teller	–	5	1	–	2	2	–	–	2	–	–	–	–	6	2	1	1	–	–
Washington	–	3	1	–	2	3	1	–	–	–	–	–	–	9	–	1	–	–	–
Weld	3	55	8	9	34	55	4	11	8	–	–	9	3	69	37	23	22	11	1
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greeley	2	36	6	5	20	31	2	4	4	–	–	7	3	45	12	11	15	5	–
Balance of county	1	19	2	4	14	24	2	7	4	–	–	2	–	24	25	12	7	6	1
Yuma	1	12	5	2	8	6	2	–	–	–	–	–	–	9	2	3	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	28,096	18	2	467	6,850	1,813	1,692	660	771	284	233	1,397	517	12,966	10,419	93	238	7,071	3,017
Urban places	20,451	14	2	368	4,828	1,310	1,236	485	559	193	151	994	382	9,497	7,630	62	172	5,173	2,223
Balance of area	7,645	4	–	99	1,922	503	456	175	212	91	82	403	135	3,469	2,789	31	66	1,898	794
Metropolitan counties	25,733	17	2	441	6,306	1,677	1,564	610	704	254	214	1,283	470	11,879	9,561	82	223	6,446	2,810
Urban places	20,070	14	2	361	4,852	1,296	1,222	474	550	187	148	975	374	9,308	7,489	62	172	5,070	2,185
Balance of area	5,663	3	–	80	1,454	381	342	136	154	67	66	308	96	2,571	2,072	20	51	1,376	625
Nonmetropolitan counties	2,363	1	–	26	544	136	128	50	67	30	19	114	47	1,087	858	11	15	625	207
Urban places	381	–	–	7	76	14	14	11	9	6	3	19	8	189	141	–	–	103	38
Balance of area	1,982	1	–	19	468	122	114	39	58	24	16	95	39	898	717	11	15	522	169
Fairfield	7,016	7	1	122	1,753	477	426	198	186	64	59	343	142	3,245	2,546	23	42	1,785	696
Bridgeport	1,638	–	–	36	362	95	89	31	45	9	11	82	40	756	599	4	10	453	132
Danbury	510	2	1	13	127	26	33	13	20	5	5	25	8	216	165	3	3	101	58
Darien town#	152	–	–	–	33	14	6	5	1	1	1	5	3	82	66	–	1	34	31
Fairfield town#	529	–	–	7	118	33	31	16	11	4	2	21	15	270	210	2	4	151	53
Greenwich town#	509	–	–	6	137	35	30	24	19	2	5	22	7	253	198	2	3	129	64
Norwalk	599	–	–	9	160	47	41	13	21	8	5	25	12	262	209	3	3	145	58
Shelton	261	1	–	3	62	19	15	7	4	4	2	11	3	132	103	–	1	76	26
Stamford	907	–	–	20	237	63	60	35	19	5	5	50	14	414	312	2	3	196	111
Stratford town#	553	–	–	10	151	48	36	21	5	7	8	26	11	258	210	2	3	151	54
Trumbull town#	270	1	–	4	61	20	9	4	9	2	3	14	10	135	103	–	2	91	10
Westport town#	178	2	–	2	50	10	12	8	2	1	3	14	1	79	57	1	1	43	12
Balance of county	910	1	–	12	255	67	64	21	30	16	9	48	18	388	314	4	8	215	87
Hartford	7,415	2	–	121	1,808	473	467	168	191	75	57	377	120	3,413	2,793	26	66	1,919	782
Bristol	496	–	–	4	130	41	38	16	9	4	2	20	11	236	182	1	–	145	36
East Hartford town#	476	–	–	6	122	25	34	9	21	7	3	23	12	198	156	–	5	124	27
Enfield town#	310	–	–	3	79	22	21	8	7	2	1	18	8	142	122	2	2	85	33
Hartford	1,387	–	–	34	271	77	82	20	20	11	7	54	24	604	504	4	16	345	139
Manchester town#	465	–	–	3	113	21	32	10	14	5	4	27	10	211	162	5	1	115	41
New Britain	797	–	–	12	186	48	52	18	22	5	4	37	11	405	341	2	13	210	116
Newington town#	238	–	–	2	72	25	13	4	13	2	–	15	2	105	89	–	5	63	21
Plainville town#	144	–	–	–	41	11	11	2	4	–	2	11	2	72	62	–	2	42	18
Rocky Hill town#	128	–	–	2	31	10	11	3	1	–	–	6	1	60	50	1	1	38	10
Southington town#	258	–	–	6	66	13	21	9	5	7	2	9	5	119	97	–	2	60	35
West Hartford town#	734	1	–	12	196	44	47	18	21	13	6	47	7	355	280	–	3	203	74
Wethersfield town#	321	–	–	7	84	28	19	5	9	5	1	19	1	145	122	1	1	82	38
Windsor town#	257	–	–	4	57	18	6	8	9	1	1	14	3	131	111	–	6	79	26
Windsor Locks town#	106	1	–	2	29	3	6	5	6	–	2	7	2	51	42	1	2	30	9
Balance of county	1,300	–	–	24	331	89	74	33	30	13	22	70	21	579	473	9	7	298	159
Litchfield	1,506	1	–	20	361	90	80	38	47	17	15	74	29	699	552	7	11	389	145
Torrington	379	–	–	7	76	14	14	11	9	6	3	19	8	189	141	–	–	103	38
Balance of county	1,127	1	–	13	285	76	66	27	38	11	12	55	21	510	411	7	11	286	107
Middlesex	1,111	1	–	19	269	62	68	25	32	11	11	60	19	536	429	3	11	297	118
Middletown	323	1	–	4	84	18	25	10	8	4	1	18	7	147	123	2	2	95	24
Balance of county	788	–	–	15	185	44	43	15	24	7	10	42	12	389	306	1	9	202	94
New Haven	7,440	5	1	152	1,823	470	439	163	223	78	65	385	129	3,449	2,822	23	74	1,750	975
Ansonia	188	–	–	5	45	11	9	4	5	5	3	8	2	89	75	1	2	52	20
Branford town#	231	–	–	5	64	18	11	7	17	2	1	8	6	100	79	–	3	51	25
Derby	120	–	–	3	23	7	7	2	3	–	1	3	2	61	51	–	–	35	16
East Haven town#	219	–	–	9	49	12	9	5	6	2	2	13	7	99	76	1	1	44	30
Hamden town#	576	–	1	13	154	44	33	24	12	7	4	30	7	301	239	1	8	136	94
Meriden	553	–	–	8	120	23	38	9	20	5	7	18	11	241	194	2	7	124	61
Milford	432	–	–	6	123	34	30	5	12	7	5	30	9	184	149	2	2	102	49
Naugatuck	248	–	–	3	56	11	19	5	4	2	2	13	4	115	89	–	5	51	33
New Haven	1,363	3	–	47	299	81	76	26	38	12	8	58	28	598	492	2	16	277	197
North Haven town#	180	1	–	–	42	10	12	1	7	–	4	8	4	92	71	1	2	40	28
Orange town#	106	–	–	–	23	6	5	1	2	1	1	7	–	56	49	–	2	33	14
Wallingford town#	370	–	–	6	105	25	26	8	16	3	6	23	5	153	126	–	2	93	31
Waterbury	1,246	1	–	19	289	80	70	26	33	12	6	62	16	614	511	7	9	311	184
West Haven	485	–	–	15	131	29	32	10	16	5	6	33	9	212	175	2	3	119	51
Balance of county	1,123	–	–	13	300	79	62	32	32	15	9	71	19	534	446	4	12	282	148
New London	2,040	2	–	22	468	145	123	35	53	16	15	81	46	944	737	5	20	524	188
Groton	272	–	–	3	66	20	19	6	8	2	3	8	8	105	80	–	3	58	19
New London	265	–	–	4	60	21	11	5	13	–	–	10	4	138	104	1	2	78	23
Norwich	431	–	–	3	79	26	23	4	7	4	2	13	18	214	173	3	8	112	50
Balance of county	1,072	2	–	12	263	78	70	20	25	10	10	50	18	487	380	1	7	276	96
Tolland	711	–	–	5	185	50	41	21	19	10	7	37	14	292	234	2	10	171	51
Vernon town#	241	–	–	1	65	26	12	6	6	4	1	10	6	98	81	1	2	68	10
Balance of county	470	–	–	4	120	24	29	15	13	6	6	27	8	194	153	1	8	103	41
Windham	857	–	–	6	183	46	48	12	20	13	4	40	18	388	306	4	4	236	62
Willimantic [4]	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	855	–	–	6	183	46	48	12	20	13	4	40	18	388	306	4	4	236	62
Delaware	5,631	9	–	85	1,334	303	385	131	146	47	51	271	158	2,480	2,061	16	110	1,127	808
Urban places	1,403	3	–	25	326	77	97	29	36	14	14	59	44	579	468	4	27	265	192
Balance of area	4,228	6	–	60	1,008	226	288	102	110	33	37	212	114	1,901	1,573	12	83	862	616
Metropolitan counties	3,525	8	–	64	885	209	253	84	87	38	35	179	115	1,473	1,221	14	87	619	501
Urban places	1,177	3	–	23	280	72	83	24	28	11	12	50	43	478	406	3	25	203	175
Balance of area	2,348	5	–	41	605	137	170	60	59	27	23	129	72	995	815	11	62	416	326
Nonmetropolitan counties	2,106	1	–	21	449	94	132	47	59	9	16	92	43	1,007	840	2	23	508	307
Urban places	226	–	–	2	46	5	14	5	8	3	2	9	1	101	82	1	2	62	17
Balance of area	1,880	1	–	19	403	89	118	42	51	6	14	83	42	906	758	1	21	446	290

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	112	1,839	292	304	1,023	869	80	323	277	5	153	220	371	2,490	457	535	305	149	19
Urban places	83	1,353	207	224	756	592	59	242	216	5	108	178	293	1,806	285	377	197	132	14
Balance of area	29	486	85	80	267	277	21	81	61	-	45	42	78	684	172	158	108	17	5
Metropolitan counties	104	1,668	266	280	925	773	68	300	257	5	141	210	353	2,267	399	478	280	144	18
Urban places	80	1,319	203	217	738	579	57	239	211	5	106	176	289	1,766	279	374	194	132	14
Balance of area	24	349	63	63	187	194	11	61	46	-	35	34	64	501	120	104	86	12	4
Nonmetropolitan counties	8	171	26	24	98	96	12	23	20	-	12	10	18	223	58	57	25	5	1
Urban places	3	34	4	7	18	13	2	3	5	-	2	2	4	40	6	3	3	-	-
Balance of area	5	137	22	17	80	83	10	20	15	-	10	8	14	183	52	54	22	5	1
Fairfield	21	515	75	86	245	197	24	74	57	4	32	42	78	614	94	137	83	58	7
Bridgeport	8	119	12	18	62	38	4	28	14	2	9	17	21	141	29	31	13	33	2
Danbury	1	36	5	9	14	24	2	2	6	-	2	5	7	48	5	20	5	2	1
Darien town#	1	12	2	1	6	-	-	3	1	-	-	-	4	14	3	2	1	-	-
Fairfield town#	1	45	5	9	21	8	-	2	5	-	2	3	3	55	8	7	3	2	-
Greenwich town#	1	40	8	6	26	11	-	5	4	-	-	-	5	37	3	9	5	-	1
Norwalk	2	40	3	8	21	25	5	8	2	1	2	4	12	43	12	9	7	5	-
Shelton	-	20	4	5	12	10	-	2	2	-	-	-	2	23	2	5	-	2	-
Stamford	4	73	16	9	24	20	3	5	9	1	6	1	10	84	15	21	16	6	1
Stratford town#	1	35	3	9	15	13	6	3	6	-	2	4	5	51	4	7	3	3	1
Trumbull town#	2	25	4	1	9	5	-	3	1	-	1	-	3	23	3	6	4	1	-
Westport town#	-	17	3	2	3	6	-	5	2	-	-	-	1	10	2	5	9	-	1
Balance of county	-	53	10	11	32	37	4	8	5	-	8	8	5	85	8	15	17	4	-
Hartford	26	445	75	74	293	230	19	81	83	1	46	70	109	665	98	130	78	41	6
Bristol	1	41	8	4	17	7	-	4	11	-	3	2	6	43	10	8	3	-	1
East Hartford town#	3	29	6	4	20	14	1	8	6	1	2	9	12	38	5	10	6	6	-
Enfield town#	-	15	1	4	12	6	1	6	3	-	3	3	4	25	5	3	6	-	1
Hartford	4	80	9	7	65	40	7	13	21	-	11	24	32	162	15	31	9	24	-
Manchester town#	2	32	9	6	23	21	2	5	2	-	2	3	4	46	9	6	3	1	1
New Britain	2	43	6	13	29	17	1	9	6	-	6	10	16	59	10	9	7	4	-
Newington town#	-	12	1	3	4	7	-	4	4	-	1	1	3	19	4	6	1	1	-
Plainville town#	1	6	-	3	5	2	-	3	2	-	2	1	-	10	1	2	1	-	-
Rocky Hill town#	-	8	1	1	5	9	-	-	-	-	-	-	1	16	2	1	-	-	-
Southington town#	1	18	-	3	7	9	-	5	4	-	2	-	2	21	5	2	5	-	-
West Hartford town#	4	52	12	7	35	22	3	4	7	-	2	4	7	48	8	14	8	1	-
Wethersfield town#	2	17	1	3	16	13	2	3	2	-	-	1	3	34	2	6	2	-	-
Windsor town#	2	17	-	1	8	10	-	6	-	-	-	5	4	19	1	4	5	-	-
Windsor Locks town#	-	6	2	1	4	3	-	2	-	-	1	-	-	7	1	2	1	-	-
Balance of county	4	69	19	14	43	50	2	9	15	-	11	7	15	118	20	26	22	4	3
Litchfield	6	114	9	18	63	52	8	13	16	-	9	6	9	136	32	31	16	4	1
Torrington	3	34	4	7	18	13	2	3	5	-	2	2	4	39	5	3	3	-	-
Balance of county	3	80	5	11	45	39	6	10	11	-	7	4	5	97	27	28	13	4	1
Middlesex	6	73	9	19	48	35	2	8	8	-	4	2	12	103	20	15	8	2	-
Middletown	1	17	-	6	12	11	2	3	3	-	-	1	6	30	3	5	3	1	-
Balance of county	5	56	9	13	36	24	-	5	5	-	4	1	6	73	17	10	5	1	-
New Haven	35	442	79	71	245	211	15	88	88	-	40	57	107	671	118	130	60	37	4
Ansonia	1	8	3	2	7	7	1	5	2	-	1	2	2	14	1	3	2	-	-
Branford town#	2	17	1	1	8	4	-	4	3	-	-	1	4	22	3	6	1	-	-
Derby	-	7	2	1	5	4	-	-	2	-	-	3	1	13	1	-	2	-	-
East Haven town#	-	19	3	1	5	6	1	2	2	-	-	2	6	18	3	3	2	3	-
Hamden town#	5	39	9	9	10	6	1	2	5	-	1	3	3	58	3	6	2	-	-
Meriden	1	37	4	5	27	18	3	13	7	-	3	4	8	60	10	9	9	2	-
Milford	1	32	1	1	14	16	1	11	9	-	2	3	2	37	7	3	2	2	1
Naugatuck	3	18	2	3	9	12	-	3	3	-	3	-	2	15	6	10	5	2	-
New Haven	9	79	7	11	44	34	2	9	18	-	7	26	33	142	23	27	8	14	1
North Haven town#	1	13	2	5	3	6	-	2	4	-	-	-	1	18	3	3	1	-	-
Orange town#	-	6	1	-	4	3	-	2	1	-	1	-	2	9	2	1	2	-	-
Wallingford town#	-	19	8	-	20	10	-	4	2	-	4	1	1	34	9	10	4	2	-
Waterbury	6	60	18	19	42	38	4	16	15	-	10	12	22	92	12	24	10	9	1
West Haven	2	25	4	6	18	16	2	3	6	-	4	3	5	47	7	3	2	2	-
Balance of county	4	63	14	7	29	31	-	12	9	-	4	7	13	92	28	22	8	1	1
New London	14	150	24	19	67	74	8	34	18	-	12	23	36	166	46	38	32	5	1
Groton	2	18	4	1	5	15	-	4	1	-	4	9	6	26	5	9	6	-	-
New London	1	30	2	1	11	6	2	9	1	-	-	1	1	12	3	6	4	2	1
Norwich	2	28	7	4	18	19	1	5	6	-	3	5	11	32	9	5	3	2	-
Balance of county	9	74	11	13	33	34	5	16	10	-	5	8	18	98	28	16	19	1	-
Tolland	2	43	4	8	27	28	-	15	3	-	7	6	11	48	23	30	18	1	-
Vernon town#	-	9	4	4	13	8	-	4	1	-	4	3	4	11	5	15	3	-	-
Balance of county	2	34	-	5	14	18	-	11	2	-	3	3	7	37	18	15	15	1	-
Windham	2	57	17	6	35	44	4	10	4	-	3	4	9	87	26	26	9	1	-
Willimantic [4]	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Balance of county	2	57	17	6	35	44	4	10	4	-	3	4	9	86	25	26	9	1	-
Delaware	20	273	54	72	159	186	15	87	108	-	37	63	31	501	152	98	84	36	8
Urban places	8	59	11	15	48	51	3	27	36	-	14	25	8	132	38	21	13	9	1
Balance of area	14	214	43	57	111	135	12	60	72	-	23	38	23	369	114	77	71	27	7
Metropolitan counties	11	156	40	45	88	117	11	61	74	-	26	42	18	341	88	56	51	20	6
Urban places	5	46	9	12	35	46	2	26	32	-	12	21	6	107	27	17	10	8	1
Balance of area	6	110	31	33	53	71	9	35	42	-	14	21	13	234	41	39	41	12	5
Nonmetropolitan counties	9	117	14	27	71	69	4	26	34	-	11	21	12	160	64	42	33	16	2
Urban places	1	13	2	3	13	5	1	1	4	-	2	4	2	25	11	4	3	1	-
Balance of area	8	104	12	24	58	64	3	25	30	-	9	17	10	135	73	38	30	15	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	885	1	–	11	176	32	47	20	32	6	6	33	14	424	366	2	4	214	148
Dover	226	–	–	2	46	5	14	5	8	3	2	9	1	101	82	1	2	62	17
Balance of county	659	1	–	9	130	27	33	15	24	3	4	24	13	323	284	1	2	152	129
New Castle	3,525	8	–	64	885	209	253	84	87	38	35	179	115	1,473	1,221	14	87	619	501
Newark	128	1	–	3	37	7	12	5	2	2	2	7	3	58	49	1	–	28	20
Wilmington	1,049	2	–	20	243	65	71	19	26	9	10	43	40	420	357	2	25	175	155
Balance of county	2,348	5	–	41	605	137	170	60	59	27	23	129	72	995	815	11	62	416	326
Sussex	1,221	–	–	10	273	62	85	27	27	3	10	59	29	583	474	–	19	294	161
District of Columbia	7,284	11	1	243	1,686	439	426	125	221	46	49	360	143	2,737	2,175	14	206	801	1,154
Florida	123,504	120	7	1,478	29,165	7,275	8,804	2,352	3,143	1,166	1,020	5,405	1,968	56,953	45,058	448	1,400	31,891	11,319
Urban places	64,094	67	3	862	14,539	3,736	4,183	1,211	1,591	577	525	2,716	997	29,993	23,735	222	785	16,646	6,102
Balance of area	59,410	53	4	616	14,626	3,539	4,621	1,141	1,552	589	495	2,689	971	26,960	21,323	226	635	15,245	5,217
Metropolitan counties	105,997	102	6	1,317	24,859	6,194	7,419	2,038	2,679	1,014	863	4,652	1,661	49,021	38,932	392	1,236	27,394	9,910
Urban places	61,879	62	3	830	14,006	3,602	4,027	1,161	1,529	558	503	2,626	963	28,980	22,946	216	747	16,035	5,948
Balance of area	44,118	40	3	487	10,853	2,592	3,392	877	1,150	456	360	2,026	698	20,041	15,986	176	489	11,359	3,962
Nonmetropolitan counties	17,507	18	1	161	4,306	1,081	1,385	314	464	152	157	753	307	7,932	6,126	56	164	4,497	1,409
Urban places	2,215	5	–	32	533	134	156	50	62	19	22	90	34	1,013	789	6	18	611	154
Balance of area	15,292	13	1	129	3,773	947	1,229	264	402	133	135	663	273	6,919	5,337	50	146	3,886	1,255
Alachua	1,119	2	–	10	249	51	74	22	35	10	7	50	20	470	326	2	12	220	92
Gainesville	633	2	–	4	151	29	37	17	22	6	3	37	12	261	176	1	6	129	40
Balance of county	486	–	–	6	98	22	37	5	13	4	4	13	8	209	150	1	6	91	52
Baker	120	–	–	2	26	4	10	1	1	5	2	3	1	48	36	–	1	26	9
Bay	955	1	–	12	228	37	94	15	23	14	9	36	5	364	281	2	1	182	96
Panama City	500	–	–	10	107	20	46	7	14	6	3	11	5	209	148	2	–	86	51
Balance of county	455	1	–	2	121	17	48	8	9	8	6	25	–	164	133	–	1	87	45
Bradford	206	–	–	2	45	14	15	3	7	2	1	3	9	94	68	–	1	54	13
Brevard	3,058	1	1	31	798	188	295	69	74	26	18	128	52	1,365	1,101	13	28	722	338
Cocoa	195	–	–	3	49	11	22	3	7	–	–	6	1	77	63	–	1	45	17
Cocoa Beach	150	–	–	2	55	9	21	7	9	3	1	5	–	58	37	–	–	24	13
Melbourne	550	–	1	9	147	40	43	11	11	7	6	29	14	238	194	2	4	128	60
Palm Bay	251	–	–	3	64	13	21	6	7	4	2	11	2	115	87	1	2	55	29
Rockledge	167	–	–	–	42	11	13	2	7	2	–	7	3	75	64	–	2	43	19
Titusville	397	1	–	4	89	21	22	6	13	4	2	21	5	184	144	4	4	96	40
Balance of county	1,348	–	–	10	352	83	153	34	20	6	7	49	27	618	512	6	15	331	160
Broward	13,176	4	1	143	3,280	867	926	278	350	138	120	601	178	6,278	5,200	59	100	4,000	1,041
Cooper City	74	–	–	–	20	6	5	2	2	1	1	3	2	33	26	2	–	17	7
Coral Springs	252	–	–	8	75	21	23	6	5	2	1	17	6	97	82	1	3	62	16
Dania	183	–	–	1	39	9	13	5	3	2	–	7	1	87	69	1	2	53	13
Davie	189	–	–	3	53	9	20	4	2	2	1	15	2	75	68	1	–	52	15
Deerfield Beach	708	–	–	9	184	47	51	15	23	11	7	30	9	353	287	4	5	223	55
Fort Lauderdale	2,321	2	–	22	526	143	145	55	66	20	12	85	25	1,059	841	8	24	627	182
Hallandale, part	743	1	–	6	186	57	49	11	13	6	8	42	12	402	330	2	3	275	50
Hallandale, total	746	1	–	6	186	57	49	11	13	6	8	42	12	404	332	2	3	277	50
Hollywood	1,704	–	–	18	395	113	102	38	37	16	16	73	26	836	715	9	15	554	137
Lauderdale Lakes	402	–	–	8	108	27	33	10	10	5	7	16	6	197	170	–	1	145	24
Lauderhill	424	–	–	5	106	26	30	9	8	5	5	23	5	204	168	2	3	132	31
Lighthouse Point	172	–	–	1	40	6	12	5	5	–	1	9	2	86	65	–	2	47	16
Margate	541	–	–	9	153	37	43	13	16	12	5	27	12	238	195	3	2	149	41
Miramar	268	–	–	3	67	18	24	6	7	2	3	7	5	130	111	2	4	82	23
North Lauderdale	107	–	–	2	37	7	11	2	3	2	1	11	2	40	32	–	–	26	6
Oakland Park	183	–	–	3	53	10	16	5	6	5	3	8	4	69	62	–	–	49	13
Pembroke Pines	404	–	–	4	111	28	39	7	9	5	3	20	5	191	163	–	3	126	34
Plantation	492	–	–	5	129	36	36	8	14	3	3	29	4	252	219	3	1	164	51
Pompano Beach	1,211	–	–	12	300	81	82	24	39	11	14	49	23	561	471	4	12	351	104
Sunrise	579	–	–	4	146	38	44	16	12	2	5	29	3	304	260	5	2	210	43
Tamarac	631	–	–	7	172	52	44	12	19	6	9	30	9	314	258	3	4	200	51
Wilton Manors	158	–	–	4	44	8	10	5	6	1	3	11	–	68	54	–	–	42	12
Balance of county	1,432	1	1	9	396	86	94	20	45	18	12	60	15	682	554	9	14	414	117
Calhoun	115	1	–	1	29	5	14	2	2	–	–	6	1	44	27	–	–	18	9
Charlotte	1,289	–	–	6	331	79	109	28	34	18	12	51	15	671	534	2	10	341	181
Citrus	1,248	–	–	6	325	85	114	25	29	11	10	51	12	626	481	6	8	382	85
Clay	575	–	–	7	124	31	36	6	11	3	7	30	9	277	230	2	5	174	49
Collier	1,218	5	1	16	323	86	96	31	35	8	16	51	23	508	369	5	8	287	69
Naples	377	1	–	7	99	25	28	12	12	3	4	15	4	170	118	1	3	95	19
Balance of county	841	4	1	9	224	61	68	19	23	5	12	36	19	338	251	4	5	192	50
Columbia	358	1	–	1	98	20	47	4	8	3	4	12	11	143	112	–	5	76	31
Dade	17,304	39	2	299	3,833	1,016	1,008	346	421	167	144	731	340	7,775	6,376	56	279	4,506	1,535
Coral Gables	361	1	–	6	84	25	23	4	6	8	2	16	3	166	144	–	3	101	40
Hallandale, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–
Hialeah	1,386	2	–	17	294	82	72	34	28	16	11	51	47	614	503	4	16	376	107
Homestead	217	–	–	6	38	8	10	2	7	3	–	8	6	90	76	2	1	53	20
Miami	4,857	16	1	107	1,013	269	261	83	116	39	32	213	110	2,027	1,642	8	101	1,118	415
Miami Beach	2,188	3	–	35	420	133	94	34	42	22	22	73	21	1,212	1,036	10	39	766	221
Miami Springs	133	–	–	–	31	6	13	2	2	2	–	6	1	66	56	–	–	41	15
North Miami	719	–	–	6	148	34	44	14	21	4	7	24	12	376	312	6	11	214	81
North Miami Beach	1,019	1	–	11	219	74	47	20	19	15	6	38	15	558	469	5	12	347	105
Opa-locka	155	–	–	2	31	8	5	3	6	–	1	8	2	62	52	1	9	28	14
South Miami	79	–	–	2	14	2	4	2	1	–	–	5	2	35	25	–	1	16	8
Balance of county	6,207	16	1	107	1,541	375	435	148	173	58	63	289	121	2,567	2,059	20	86	1,444	509
De Soto	241	–	–	3	60	17	19	2	5	2	2	13	3	107	86	–	2	70	14
Dixie	92	–	–	–	19	1	6	1	4	–	1	6	2	47	35	–	1	27	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied condi-tions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	2	45	4	7	34	20	2	11	13	–	4	8	6	77	40	18	18	8	–
Dover	1	13	2	3	13	5	1	1	4	–	2	4	2	25	11	4	3	1	–
Balance of county	1	32	2	4	21	15	1	10	9	–	2	4	4	52	29	14	15	7	–
New Castle	11	156	40	45	88	117	11	61	74	–	26	42	19	341	68	56	51	20	6
Newark	–	6	1	2	2	3	–	3	1	–	–	2	–	8	5	1	–	1	–
Wilmington	5	40	8	10	33	43	2	23	31	–	12	19	6	99	22	16	10	7	1
Balance of county	6	110	31	33	53	71	9	35	42	–	14	21	13	234	41	39	41	12	5
Sussex	7	72	10	20	37	49	2	15	21	–	7	13	6	83	44	24	15	8	2
District of Columbia	36	410	51	65	239	146	17	203	104	1	20	136	248	888	52	132	75	176	46
Florida	535	8,690	1,207	1,463	2,868	4,655	323	1,679	1,083	14	604	910	2,532	10,514	2,778	2,229	1,976	1,446	102
Urban places	280	4,601	644	793	1,586	2,389	171	885	642	8	308	501	1,251	5,833	1,157	1,100	931	825	45
Balance of area	255	4,089	563	730	1,282	2,466	152	794	441	6	295	409	1,281	4,681	1,621	1,129	945	621	57
Metropolitan counties	454	7,379	1,025	1,231	2,471	4,168	271	1,439	932	12	527	805	2,162	9,115	2,266	1,880	1,621	1,285	76
Urban places	268	4,436	622	708	1,533	2,316	163	857	623	8	300	483	1,220	5,629	1,113	1,056	900	793	41
Balance of area	186	2,943	403	523	938	1,852	108	582	309	4	227	323	942	3,486	1,153	824	721	492	35
Nonmetropolitan counties	81	1,311	182	232	397	687	52	240	151	2	77	104	370	1,399	512	349	255	161	26
Urban places	12	165	22	25	53	73	8	28	19	–	9	18	31	204	44	44	31	32	4
Balance of area	69	1,146	160	207	344	614	44	212	132	2	68	86	339	1,195	468	305	224	129	22
Alachua	8	105	18	13	26	42	4	12	11	–	9	17	28	131	27	30	14	15	2
Gainesville	5	65	9	6	12	18	1	6	5	–	6	13	19	74	15	17	9	8	2
Balance of county	3	40	9	7	14	24	3	6	6	–	3	4	9	57	12	13	5	9	–
Baker	–	8	2	2	1	5	1	2	1	–	1	4	5	12	4	4	2	–	1
Bay	4	60	7	12	19	43	2	15	13	–	7	6	50	86	32	35	21	16	–
Panama City	2	38	4	8	15	20	1	6	9	–	3	2	24	49	15	15	8	11	–
Balance of county	2	22	3	4	4	23	1	9	4	–	4	4	26	37	17	20	13	5	–
Bradford	–	22	2	2	8	4	1	5	7	–	2	1	–	10	5	2	5	6	–
Brevard	10	177	30	47	75	122	5	52	21	–	13	22	20	233	101	44	61	40	1
Cocoa	–	10	2	2	2	8	–	5	1	–	2	5	3	16	8	5	6	4	–
Cocoa Beach	1	15	3	2	2	4	–	6	2	–	–	–	–	11	1	2	6	1	–
Melbourne	2	32	2	8	17	24	–	8	5	–	1	3	3	42	20	4	7	7	–
Palm Bay	1	18	6	3	7	11	1	4	1	–	3	2	2	15	10	3	6	2	–
Rockledge	–	10	1	–	3	–	–	2	3	–	2	2	1	13	10	3	5	3	–
Titusville	3	26	1	10	10	16	1	5	2	–	2	3	1	41	9	10	7	7	–
Balance of county	3	66	15	22	34	59	3	22	7	–	3	7	10	95	43	17	24	16	1
Broward	52	791	82	153	265	486	38	169	160	2	58	109	98	1,151	194	194	228	140	–
Cooper City	1	6	–	–	2	1	1	–	1	–	–	2	–	6	3	1	2	–	–
Coral Springs	1	10	1	3	6	10	–	2	2	–	3	3	–	16	9	6	8	1	–
Dania	3	10	2	3	4	9	–	6	1	–	1	4	3	16	1	3	5	2	–
Davie	–	3	3	1	1	10	1	3	2	–	5	–	2	13	4	4	10	1	–
Deerfield Beach	3	48	2	13	8	27	1	11	6	–	4	5	6	50	13	7	7	8	–
Fort Lauderdale	14	160	20	24	54	87	6	40	35	1	9	30	24	229	35	49	45	43	–
Hallandale, part	1	57	6	8	11	25	3	6	9	–	3	2	1	55	9	5	6	1	–
Hallandale, total	1	57	6	8	11	25	3	6	9	–	3	2	1	55	9	5	6	1	–
Hollywood	3	92	9	17	34	58	6	21	24	–	8	11	14	165	22	23	27	16	–
Lauderdale Lakes	1	23	1	2	8	14	1	1	2	–	–	1	4	37	2	2	5	6	–
Lauderhill	1	29	3	3	7	13	–	2	6	–	1	5	4	51	4	7	3	1	–
Lighthouse Point	1	14	3	3	7	7	2	2	2	–	–	–	–	15	3	1	3	1	–
Margate	2	34	3	4	13	20	3	5	6	–	1	3	3	49	9	7	6	4	–
Miramar	2	15	–	2	5	7	–	4	4	–	2	4	2	19	1	3	6	4	–
North Lauderdale	–	7	–	1	1	2	–	3	1	–	–	4	–	3	4	1	4	3	–
Oakland Park	–	4	–	3	5	9	–	3	1	–	1	1	2	18	1	3	9	1	–
Pembroke Pines	1	12	4	11	11	11	–	6	4	–	2	1	–	35	7	3	11	2	–
Plantation	–	26	2	5	8	19	1	4	6	–	–	8	3	32	9	5	5	2	–
Pompano Beach	4	69	8	9	23	61	5	19	11	1	5	11	9	102	16	19	20	13	–
Sunrise	2	31	5	6	6	22	2	6	5	–	2	5	2	56	5	4	6	1	–
Tamarac	4	40	1	11	17	16	1	4	5	–	1	–	–	57	8	9	11	–	–
Wilton Manors	1	7	2	4	4	9	1	–	3	–	–	–	4	12	3	3	3	–	–
Balance of county	7	94	7	20	30	49	4	21	24	–	10	9	15	115	26	29	26	30	–
Calhoun	1	13	1	2	3	2	–	2	3	–	–	–	5	16	4	2	–	2	–
Charlotte	4	104	7	22	29	41	4	18	8	–	4	3	23	91	21	12	7	4	1
Citrus	3	104	20	18	12	53	3	13	7	–	3	3	8	96	42	14	21	4	–
Clay	3	32	8	4	16	9	2	9	4	–	7	7	9	41	18	16	12	6	2
Collier	3	102	12	22	34	52	5	25	7	–	2	9	5	101	29	29	31	11	2
Naples	2	37	4	9	13	12	2	4	3	–	1	2	1	40	4	7	5	1	1
Balance of county	1	65	8	13	21	40	3	21	4	–	1	7	4	61	25	22	26	10	1
Columbia	–	26	2	3	5	15	1	2	1	–	1	2	14	31	11	10	4	7	–
Dade	95	1,043	80	161	419	539	40	245	182	4	100	153	241	1,728	319	326	299	421	–
Coral Gables	1	18	1	2	8	18	1	4	3	–	2	1	2	35	6	9	10	2	–
Hallandale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hialeah	13	75	8	15	32	35	1	28	18	–	9	7	14	148	23	19	35	23	–
Homestead	1	10	–	3	3	10	–	6	1	–	3	1	9	19	10	5	4	6	–
Miami	31	286	22	46	134	140	11	93	62	1	24	54	85	540	99	97	83	160	–
Miami Beach	9	139	9	19	60	47	7	15	26	1	7	7	27	194	22	41	29	14	–
Miami Springs	–	8	1	1	3	8	1	3	1	–	–	–	–	14	1	1	3	–	–
North Miami	2	50	6	4	21	15	6	7	9	–	5	9	6	67	8	12	7	12	–
North Miami Beach	4	70	6	9	14	32	2	8	6	–	2	2	6	104	7	13	11	8	–
Opa-locka	–	7	–	3	6	5	–	4	2	–	1	3	4	18	2	2	1	10	–
South Miami	–	8	–	2	–	2	–	3	2	–	–	–	1	11	–	2	2	3	–
Balance of county	34	372	25	77	138	227	11	74	52	2	47	75	88	577	141	125	114	183	–
De Soto	1	16	2	2	7	5	–	3	3	–	–	–	4	12	18	6	4	6	–
Dixie	2	6	1	3	3	3	–	2	2	–	–	1	2	4	4	1	–	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	6,067	8	–	103	1,368	320	449	106	147	38	64	244	105	2,589	2,001	21	109	1,245	826
Jacksonville	5,734	8	–	101	1,277	300	419	99	139	36	55	229	99	2,475	1,915	19	101	1,200	595
Jacksonville Beach	188	–	–	1	53	14	19	5	3	2	3	7	5	66	46	2	3	25	16
Balance of county	145	–	–	1	38	6	11	2	5	–	6	8	1	48	40	–	5	20	15
Escambia	2,129	3	–	25	500	115	163	34	54	27	10	97	31	960	754	5	36	518	195
Pensacola	766	–	–	11	176	46	48	12	18	11	4	39	12	355	269	2	15	186	66
Balance of county	1,363	3	–	14	324	69	115	22	38	16	6	58	19	605	485	3	21	332	129
Flagler	213	–	–	2	63	24	13	4	6	3	3	10	5	95	76	1	2	52	21
Franklin	105	1	–	2	24	2	10	1	6	–	–	5	2	41	31	–	1	21	9
Gadsden	405	–	–	10	78	24	17	4	13	3	4	13	12	157	116	–	13	67	36
Gilchrist	79	–	–	2	16	2	4	2	–	1	1	6	2	40	32	–	–	29	3
Glades	62	–	–	1	14	3	6	2	1	–	–	2	1	27	22	–	2	13	7
Gulf	114	–	–	4	24	8	5	2	2	1	2	4	3	42	31	–	1	22	9
Hamilton	91	–	–	–	18	–	11	–	3	1	1	2	1	40	35	–	4	27	4
Hardee	189	–	–	2	36	10	11	2	4	3	1	5	3	98	79	–	2	64	13
Hendry	189	–	–	3	48	9	16	5	6	3	2	7	11	68	59	–	5	45	9
Hernando	977	–	–	8	258	61	85	16	28	9	4	55	18	431	322	5	11	234	72
Highlands	880	1	–	7	194	55	54	14	23	5	9	34	17	440	334	2	4	278	50
Hillsborough	6,633	6	1	92	1,454	325	482	108	147	52	43	297	118	2,896	2,235	20	95	1,357	763
Plant City	247	–	–	2	36	5	12	3	5	5	1	5	9	121	87	–	1	38	49
Tampa	3,483	3	–	56	738	182	233	53	78	25	21	146	67	1,524	1,166	10	57	702	397
Temple Terrace	67	–	–	–	16	4	3	1	3	1	–	4	1	34	26	–	–	15	11
Balance of county	2,836	3	1	34	664	134	234	51	61	21	21	142	41	1,217	956	10	37	602	307
Holmes	183	–	–	1	45	8	19	5	3	2	–	8	2	72	64	–	2	48	14
Indian River	967	1	–	5	273	73	86	19	33	13	10	39	10	417	312	9	9	216	78
Vero Beach	363	1	–	2	96	25	29	6	10	5	4	17	4	170	117	1	3	83	30
Balance of county	604	–	–	3	177	48	57	13	23	8	6	22	6	247	195	8	6	133	48
Jackson	406	–	–	3	76	16	29	5	8	1	2	15	6	177	128	2	2	85	39
Jefferson	115	–	–	2	27	7	10	2	2	1	1	4	3	47	35	1	4	21	9
Lafayette	55	–	–	–	10	2	1	–	2	1	1	3	2	24	19	–	–	16	3
Lake	1,802	2	–	12	438	109	131	31	54	18	19	76	33	681	683	2	12	481	186
Leesburg	249	1	–	2	48	11	14	3	5	1	4	10	4	135	106	1	4	83	18
Balance of county	1,553	1	–	10	390	98	117	28	49	17	15	66	29	746	577	1	8	398	170
Lee	3,322	2	–	34	849	206	252	78	97	47	21	148	48	1,576	1,286	30	42	911	303
Cape Coral	609	–	–	4	163	49	49	13	18	6	4	24	4	300	253	2	5	180	66
Fort Myers	570	–	–	9	119	30	31	14	14	3	5	22	10	258	209	6	8	143	52
Balance of county	2,143	2	–	21	567	127	172	51	65	38	12	102	34	1,018	824	22	29	588	185
Leon	943	2	–	20	227	60	62	14	28	9	13	41	18	367	271	3	20	160	88
Tallahassee	712	2	–	16	167	47	45	13	18	7	10	27	12	261	209	1	11	121	76
Balance of county	231	–	–	4	60	13	17	1	10	2	3	14	6	86	62	2	9	39	12
Levy	317	–	–	1	77	16	26	7	6	4	2	16	7	130	101	–	–	73	28
Liberty	54	1	–	–	7	2	–	1	2	2	–	–	3	23	17	–	3	12	2
Madison	179	–	–	2	30	7	7	1	2	3	1	9	7	77	68	1	4	34	29
Manatee	2,576	4	–	29	621	156	185	37	61	29	25	128	40	1,203	950	6	25	666	253
Bradenton	773	1	–	4	169	45	41	14	16	7	9	37	15	370	283	2	6	191	84
Balance of county	1,803	3	–	25	452	111	144	23	45	22	16	91	25	833	667	4	19	475	169
Marion	1,923	–	–	18	467	110	137	36	56	20	15	93	35	938	711	11	17	566	117
Ocala	609	–	–	6	151	38	45	12	15	4	2	35	12	295	215	2	7	159	47
Balance of county	1,314	–	–	13	316	72	92	24	41	16	13	58	23	643	496	9	10	407	70
Martin	1,095	–	–	6	304	74	91	23	40	9	10	57	12	496	348	8	9	249	82
Monroe	684	–	–	17	170	51	48	10	10	1	4	46	7	268	221	1	5	163	52
Key West	252	–	–	9	56	18	14	5	3	1	–	15	1	103	87	1	–	82	24
Balance of county	432	–	–	8	114	33	34	5	7	–	4	31	6	165	134	–	5	101	28
Nassau	275	–	–	3	76	12	32	6	4	3	–	19	7	104	75	3	3	39	30
Okaloosa	809	1	–	3	199	39	65	10	19	4	10	52	19	344	296	2	9	188	97
Fort Walton Beach	230	–	–	2	59	14	17	1	4	–	3	20	5	90	79	1	5	39	34
Balance of county	579	1	–	1	140	25	48	9	15	4	7	32	14	254	217	1	4	149	63
Okeechobee	287	–	–	4	79	15	30	2	8	4	2	16	4	114	88	3	3	63	19
Orange	4,593	3	–	63	1,065	246	291	109	107	51	33	228	74	2,047	1,621	14	80	1,031	516
Orlando	1,724	1	–	25	389	95	109	33	42	25	14	71	28	772	594	4	27	365	198
Winter Park	408	–	–	5	87	21	20	5	12	3	5	21	1	206	153	1	5	101	46
Balance of county	2,461	2	–	33	589	130	162	71	53	23	14	136	45	1,069	874	9	28	565	272
Osceola	710	–	–	13	163	38	46	11	18	6	7	37	10	336	287	1	5	208	73
Kissimmee	204	–	–	3	43	7	16	4	4	2	1	9	4	93	79	–	2	59	18
Balance of county	506	–	–	10	120	31	30	7	14	4	6	28	6	243	208	1	3	149	55
Palm Beach	8,962	12	–	113	2,219	562	660	177	236	95	74	415	121	4,358	3,477	37	107	2,436	897
Belle Glade	157	6	–	11	19	3	11	1	2	–	–	2	4	49	41	–	3	20	18
Boca Raton	864	–	–	6	229	54	74	15	25	6	8	47	14	413	326	6	4	229	87
Boynton Beach	607	–	–	5	167	45	50	18	11	4	8	31	7	307	245	–	7	174	64
Delray Beach	759	–	–	11	190	52	45	18	24	10	9	32	13	368	310	2	11	227	70
Lake Worth	602	–	–	8	121	29	33	8	10	7	5	29	6	332	257	3	4	178	72
North Palm Beach	142	–	–	–	39	14	9	1	3	–	2	10	–	79	59	–	4	38	17
Palm Beach Gardens	138	–	–	1	39	12	11	5	1	2	–	8	–	61	47	–	2	31	14
Riviera Beach	288	–	–	4	74	17	23	6	10	5	2	11	5	113	88	2	8	62	16
West Palm Beach	1,152	2	–	20	242	57	78	21	32	10	5	39	16	579	424	4	11	274	135
Balance of county	4,253	4	–	47	1,099	279	326	84	118	51	35	206	56	2,057	1,680	20	53	1,203	404
Pasco	3,814	2	–	38	992	263	322	80	96	33	37	161	58	1,786	1,386	20	32	1,014	320
New Port Richey	386	–	–	6	90	29	29	7	8	4	4	9	2	190	138	1	2	110	25
Balance of county	3,428	2	–	32	902	234	293	73	88	29	33	152	56	1,596	1,248	19	30	904	295

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	28	408	89	63	147	332	18	113	73	2	41	76	79	516	160	122	78	126	11
Jacksonville	28	388	83	61	142	315	17	98	71	2	39	68	77	485	150	110	73	118	10
Jacksonville Beach	-	12	6	2	5	15	1	8	1	-	1	6	1	16	2	2	4	1	-
Balance of county	-	8	-	-	-	2	-	7	1	-	2	2	1	15	8	10	1	7	1
Escambia	8	149	29	20	36	91	6	27	19	-	19	22	9	191	83	55	26	24	2
Pensacola	2	67	10	7	16	14	3	9	11	-	6	9	2	82	20	26	7	7	-
Balance of county	6	82	19	13	20	77	3	18	8	-	13	13	7	109	63	29	19	17	2
Flagler	1	8	2	8	7	5	1	4	1	-	-	1	-	17	1	3	6	2	-
Franklin	-	10	-	-	5	2	-	1	1	-	-	1	4	9	4	3	4	-	1
Gadsden	3	30	4	4	11	23	1	4	5	1	2	7	20	29	16	14	3	9	3
Gilchrist	1	4	2	1	3	3	1	-	2	-	2	-	-	7	1	-	-	-	-
Glades	1	2	1	1	1	2	-	2	-	-	-	1	2	1	7	2	1	-	-
Gulf	1	9	-	1	1	7	1	1	1	-	-	1	9	7	6	3	3	1	-
Hamilton	1	3	-	1	5	2	1	1	-	-	1	2	4	12	1	1	-	1	1
Hardee	1	14	1	3	5	3	-	3	-	-	3	3	3	14	8	3	4	1	-
Hendry	-	6	-	1	2	7	1	3	-	-	1	4	3	13	8	11	4	3	1
Hernando	5	72	17	15	17	42	3	11	8	1	5	2	27	85	30	13	13	4	1
Highlands	5	73	17	11	24	33	1	16	1	-	4	2	22	53	25	20	12	5	3
Hillsborough	33	486	69	73	199	313	21	102	47	-	35	71	130	604	192	119	119	110	4
Plant City	2	26	2	4	11	8	1	6	1	-	2	1	5	21	10	2	7	4	-
Tampa	16	264	34	44	110	158	12	55	29	-	17	39	79	347	84	63	59	62	1
Temple Terrace	-	6	1	1	2	3	-	-	-	-	1	1	-	4	-	1	3	-	1
Balance of county	15	190	32	24	76	144	8	41	17	-	15	30	46	232	118	53	50	44	2
Holmes	2	6	-	-	6	3	-	3	2	-	-	-	15	16	9	7	1	1	-
Indian River	4	77	10	14	18	39	1	8	8	-	6	9	15	82	18	26	17	11	3
Vero Beach	2	40	5	6	7	13	-	3	5	-	1	3	4	33	2	11	5	3	-
Balance of county	2	37	5	8	11	26	1	5	3	-	5	6	11	49	16	15	12	8	3
Jackson	7	32	4	6	16	14	-	1	7	-	4	-	43	34	7	10	4	4	-
Jefferson	1	8	-	3	5	2	2	-	1	-	1	3	1	13	2	2	1	2	1
Lafayette	-	4	-	1	3	2	-	-	-	-	1	-	-	3	5	3	-	2	-
Lake	5	139	26	28	42	69	12	23	13	-	9	6	13	160	37	24	22	5	1
Leesburg	1	22	3	3	5	9	3	2	1	-	1	-	2	25	3	5	2	1	-
Balance of county	4	117	23	25	37	60	9	21	12	-	8	6	11	135	34	19	20	4	1
Lee	11	213	24	42	77	104	4	43	17	1	15	17	33	269	88	69	55	15	6
Cape Coral	-	34	3	10	15	20	-	8	6	-	2	1	6	41	16	10	10	-	3
Fort Myers	-	40	4	5	22	16	-	8	5	-	4	8	8	63	11	13	8	10	-
Balance of county	11	139	17	27	40	68	4	27	6	1	9	8	21	165	61	46	37	5	3
Leon	8	73	10	5	19	37	3	6	9	-	4	10	24	101	35	28	21	9	3
Tallahassee	7	57	5	3	13	26	3	3	8	-	4	8	20	77	27	19	14	9	3
Balance of county	1	16	5	2	6	11	-	3	1	-	-	2	4	24	8	9	7	-	-
Levy	-	24	3	2	7	11	-	8	2	-	-	1	13	28	22	6	4	-	-
Liberty	1	5	-	-	1	6	-	1	-	-	-	-	2	4	3	2	-	1	-
Madison	1	6	-	2	5	5	1	2	3	-	2	3	6	21	6	4	2	3	-
Manatee	12	185	26	30	55	130	7	27	15	-	12	9	106	186	43	49	24	11	5
Bradenton	4	64	10	9	22	40	3	8	4	-	5	3	23	63	12	14	6	8	3
Balance of county	8	121	16	21	33	90	4	19	11	-	7	6	83	123	31	35	18	3	2
Marion	9	178	14	26	29	90	4	26	16	-	8	9	13	136	56	38	25	14	-
Ocala	4	65	3	8	15	24	1	9	8	-	4	3	3	46	15	7	6	4	-
Balance of county	5	113	11	18	14	66	3	17	8	-	4	6	10	90	41	31	19	10	-
Martin	5	108	14	21	21	52	3	13	15	-	5	2	13	91	25	21	9	6	1
Monroe	5	32	4	6	20	29	1	14	7	-	3	5	16	63	21	16	14	11	2
Key West	3	9	2	2	10	4	-	5	3	-	1	2	7	30	6	4	4	6	1
Balance of county	2	23	2	4	10	25	1	9	4	-	2	3	9	33	15	12	10	5	1
Nassau	-	22	2	5	8	9	-	7	2	-	1	4	3	20	12	9	6	4	-
Okaloosa	2	31	8	7	23	23	1	9	5	-	5	7	8	68	32	31	24	7	-
Fort Walton Beach	-	8	2	1	7	12	1	3	2	-	-	2	2	27	7	5	4	2	-
Balance of county	2	23	6	6	16	11	-	6	3	-	5	5	6	41	25	26	20	5	-
Okeechobee	-	22	2	2	7	12	-	2	5	-	4	5	1	23	14	3	2	8	-
Orange	18	302	50	56	113	192	13	62	33	-	35	51	74	436	114	102	73	42	1
Orlando	8	131	21	18	50	67	8	28	15	-	19	19	28	153	46	44	18	16	-
Winter Park	-	37	10	6	12	12	1	3	1	-	1	2	7	49	5	6	6	4	-
Balance of county	10	134	19	32	51	113	6	31	17	-	15	30	39	234	63	52	49	22	1
Osceola	-	43	1	5	15	26	2	7	7	-	4	5	11	58	28	5	14	5	-
Kissimmee	-	12	1	1	4	4	-	3	1	-	1	2	6	17	15	2	3	3	-
Balance of county	-	31	-	4	11	22	2	4	6	-	3	3	5	41	14	3	11	2	-
Palm Beach	23	671	74	113	176	320	21	122	56	-	28	63	99	717	197	155	106	74	5
Belle Glade	-	6	-	2	1	1	-	3	1	-	-	4	13	23	10	7	-	4	1
Boca Raton	2	67	10	8	18	22	2	18	7	-	2	5	4	80	14	10	18	2	-
Boynton Beach	-	46	2	14	8	33	1	8	1	-	1	4	8	39	3	8	4	3	-
Delray Beach	3	45	3	7	18	28	2	7	5	-	2	3	8	64	10	13	9	7	1
Lake Worth	2	57	9	7	21	18	5	5	6	-	1	4	4	39	7	16	5	4	-
North Palm Beach	-	16	1	3	4	5	-	2	-	-	-	-	1	7	2	1	1	1	-
Palm Beach Gardens	-	10	1	3	2	7	-	4	3	-	-	1	1	12	4	1	2	-	-
Riviera Beach	2	17	1	5	3	10	-	4	-	-	4	5	7	34	6	6	2	10	1
West Palm Beach	3	123	14	15	26	35	4	13	6	-	3	8	19	98	21	25	11	24	-
Balance of county	11	284	33	49	75	161	7	58	27	-	15	29	34	321	120	68	54	19	2
Pasco	9	276	71	44	72	184	8	40	23	1	14	14	146	276	65	39	34	20	2
New Port Richey	-	31	19	2	5	23	3	4	5	1	-	-	11	31	4	7	3	1	-
Balance of county	9	245	52	42	67	161	5	36	18	-	14	14	135	245	61	32	31	19	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	12,455	4	–	85	2,702	668	827	223	313	113	86	472	138	6,339	4,947	39	111	3,562	1,235
Clearwater	1,657	1	–	16	369	89	87	42	55	12	11	73	26	809	591	4	23	435	129
Dunedin	605	–	–	7	147	32	42	18	20	5	4	25	6	318	244	1	9	192	42
Gulfport	262	–	–	–	43	8	17	5	3	1	1	8	2	149	119	1	2	68	48
Largo	989	1	–	5	241	62	71	13	25	11	14	45	10	477	360	2	11	263	84
Pinellas Park	499	1	–	4	93	21	38	4	5	5	3	17	9	253	208	4	1	154	49
St. Petersburg	4,271	1	–	29	844	213	253	68	96	33	26	155	34	2,233	1,752	14	30	1,211	497
Tarpon Springs	227	–	–	6	46	11	20	4	7	1	2	1	6	116	92	1	–	65	26
Balance of county	3,945	–	–	28	919	232	299	69	102	45	25	147	45	1,984	1,581	12	35	1,174	360
Polk	3,730	2	–	41	766	173	231	56	84	36	23	163	68	1,670	1,250	2	39	946	283
Bartow	149	–	–	1	24	6	8	–	4	1	1	4	–	77	58	1	2	44	11
Haines City	128	–	–	3	28	6	9	–	4	2	–	7	3	57	42	–	3	26	13
Lakeland	820	1	–	16	153	40	40	11	17	7	6	32	15	354	256	–	5	190	61
Winter Haven	394	1	–	7	70	20	15	5	7	–	6	17	4	195	136	–	7	100	29
Balance of county	2,239	–	–	14	491	101	159	40	52	26	10	103	46	987	758	1	22	586	149
Putnam	644	2	–	5	155	41	56	10	18	3	7	20	14	278	215	4	8	161	42
Palatka	151	1	–	2	27	4	12	3	1	2	2	3	6	73	50	2	3	34	11
Balance of county	493	1	–	3	128	37	44	7	17	1	5	17	8	205	165	2	5	127	31
St. Johns	736	–	–	5	167	46	51	14	14	4	5	33	19	313	247	2	9	165	71
St. Augustine	209	–	–	1	43	13	15	2	2	1	1	9	5	95	77	1	3	51	22
Balance of county	527	–	–	4	124	33	36	12	12	3	4	24	14	218	170	1	6	114	49
St. Lucie	1,258	1	–	13	314	84	96	25	36	13	11	49	19	563	482	1	10	390	81
Fort Pierce	595	1	–	9	120	31	37	11	16	5	3	17	14	234	193	–	3	158	32
Port St. Lucie	268	–	–	1	87	20	22	10	15	2	5	13	1	128	118	–	2	96	20
Balance of county	435	–	–	3	107	33	37	4	5	6	3	19	4	201	171	1	5	136	29
Santa Rosa	435	1	–	2	91	21	37	6	6	1	3	17	8	205	182	–	7	114	61
Sarasota	3,677	1	–	38	981	277	288	77	116	30	33	160	49	1,655	1,254	17	17	916	304
Sarasota	932	1	–	17	230	69	65	14	24	7	11	40	14	416	306	4	6	216	80
Venice	399	–	–	–	104	32	28	12	13	1	2	16	7	196	158	4	3	122	29
Balance of county	2,346	–	–	21	647	176	195	51	79	22	20	104	28	1,043	790	9	8	578	195
Seminole	1,680	2	–	20	408	94	113	36	44	14	16	91	20	750	603	9	9	414	171
Altamonte Springs	252	–	–	4	65	12	21	5	8	–	2	17	3	103	90	1	–	60	29
Casselberry	192	1	–	1	43	9	13	5	2	–	3	11	–	52	45	–	2	26	17
Longwood	120	–	–	–	31	6	5	3	5	3	1	8	1	58	48	–	1	36	11
Sanford	342	1	–	3	66	13	13	6	9	4	2	19	2	160	121	2	1	84	34
Winter Springs	77	–	–	3	25	10	8	2	–	–	–	5	1	27	23	1	–	19	3
Balance of county	757	–	–	9	178	44	53	15	20	7	8	31	13	350	276	5	5	189	77
Sumter	324	–	–	3	85	18	32	8	6	1	3	17	4	152	119	1	1	96	21
Suwannee	333	2	–	1	73	20	22	10	6	1	4	10	4	172	127	1	5	91	30
Taylor	211	–	–	3	42	5	14	2	6	1	3	11	13	92	61	–	3	45	13
Union	74	–	–	3	21	5	8	–	1	–	1	6	–	21	17	–	–	14	3
Volusia	4,118	2	1	56	982	265	274	81	113	38	37	174	88	1,968	1,517	14	57	1,085	361
Daytona Beach	901	1	–	9	199	56	53	21	24	5	5	35	14	451	327	2	14	219	92
De Land	247	–	–	3	49	11	17	5	7	1	1	7	6	126	99	2	2	74	21
New Smyrna Beach	296	–	–	7	67	21	11	5	15	2	4	9	7	139	100	1	4	61	34
Ormond Beach	445	–	1	6	117	32	32	9	9	8	6	21	6	198	152	1	6	101	44
Port Orange	304	–	–	3	84	19	32	2	9	3	3	16	8	127	105	1	4	66	34
South Daytona	119	–	–	1	32	6	14	3	3	–	2	4	1	51	43	2	1	22	18
Balance of county	1,806	1	–	27	434	120	115	36	46	19	16	82	28	876	691	5	26	542	118
Wakulla	103	–	–	1	24	4	9	2	4	1	1	3	2	40	32	2	1	23	6
Walton	281	–	–	3	54	19	16	3	5	1	2	8	5	135	113	–	1	89	23
Washington	167	–	–	1	23	4	11	2	–	–	1	5	1	76	59	1	3	43	12
Georgia	49,347	71	1	748	10,284	2,270	3,089	846	1,144	400	368	2,167	857	21,963	16,780	105	663	10,344	5,668
Urban places	18,457	34	1	366	3,625	870	1,007	324	413	131	122	758	356	8,081	6,110	45	355	3,450	2,260
Balance of area	30,890	37	–	382	6,659	1,400	2,082	522	731	269	246	1,409	501	13,882	10,670	60	308	6,894	3,408
Metropolitan counties	27,020	35	1	486	5,840	1,296	1,726	517	634	216	207	1,244	458	11,421	8,696	64	422	5,268	2,942
Urban places	13,791	26	1	298	2,762	665	750	253	321	99	94	580	262	5,812	4,379	32	284	2,429	1,634
Balance of area	13,229	9	–	188	3,078	631	976	264	313	117	113	664	196	5,609	4,317	32	138	2,839	1,308
Nonmetropolitan counties	22,327	36	–	262	4,444	974	1,363	329	510	184	161	923	399	10,542	8,084	41	241	5,076	2,726
Urban places	4,666	8	–	68	863	205	257	71	92	32	28	178	94	2,269	1,731	13	71	1,021	626
Balance of area	17,661	28	–	194	3,581	769	1,106	258	418	152	133	745	305	8,273	6,353	28	170	4,055	2,100
Appling	157	–	–	1	26	4	7	2	4	4	2	3	5	70	59	–	3	36	20
Atkinson	61	–	–	1	8	–	2	–	2	–	1	3	2	27	24	–	1	18	5
Bacon	94	–	–	1	22	3	6	1	7	–	–	5	5	37	33	–	4	24	5
Baker	44	–	–	1	17	2	5	1	4	1	1	3	2	12	9	–	1	6	2
Baldwin	264	–	–	4	55	17	20	2	3	4	1	8	3	120	98	–	3	69	26
Milledgeville	128	–	–	2	28	8	9	1	1	2	1	5	3	58	44	–	2	29	13
Balance of county	136	–	–	2	27	8	11	1	2	2	–	3	–	62	54	–	1	40	13
Banks	59	–	–	–	14	3	4	1	1	1	2	2	–	28	25	–	–	18	7
Barrow	251	–	–	2	56	11	14	3	5	7	1	15	4	109	89	–	1	46	42
Bartow	412	–	–	7	95	18	35	9	6	4	3	20	6	178	139	1	3	81	54
Ben Hill	183	–	–	2	24	10	6	2	3	–	–	3	1	115	95	–	1	46	48
Fitzgerald, part	127	–	–	2	14	6	4	2	–	–	–	2	–	88	73	–	1	32	40
Fitzgerald, total	127	–	–	2	14	6	4	2	–	–	–	2	–	88	73	–	1	32	40
Balance of county	56	–	–	–	10	4	2	–	3	–	–	1	1	27	22	–	–	14	8
Berrien	131	–	–	1	24	2	8	3	2	1	4	4	1	59	43	–	1	30	12
Bibb	1,530	3	–	30	324	79	103	19	30	15	7	71	29	698	503	3	15	352	133
Macon, part	1,340	3	–	27	287	70	92	17	28	13	6	61	25	617	441	2	15	300	124
Macon, total	1,340	3	–	27	287	70	92	17	28	13	6	61	25	617	441	2	15	300	124
Balance of county	190	–	–	3	37	9	11	2	2	2	1	10	4	81	62	1	–	52	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Pinellas	50	1,007	183	152	337	440	30	147	102	–	45	40	607	964	124	155	124	53	9
Clearwater	11	163	28	16	35	81	3	16	10	–	5	6	66	162	14	23	26	7	2
Dunedin	6	50	10	8	9	23	2	6	9	–	–	1	20	41	4	5	6	1	–
Gulfport	1	16	11	2	11	5	–	1	–	–	1	–	13	33	1	1	2	–	–
Largo	4	82	16	15	16	39	1	9	17	–	4	5	38	88	12	13	12	2	1
Pinellas Park	–	30	5	10	23	18	2	7	8	–	1	1	24	38	5	5	7	2	–
St. Petersburg	10	364	55	52	140	139	8	50	34	–	23	18	264	302	42	51	30	27	2
Tarpon Springs	–	16	7	1	5	2	–	2	2	–	–	–	5	30	2	2	2	1	–
Balance of county	18	286	51	48	98	153	14	56	22	–	11	9	177	274	44	55	39	13	4
Polk	25	297	47	51	96	169	11	44	35	2	21	39	176	313	107	61	54	48	7
Bartow	2	14	2	1	7	8	–	3	2	–	–	3	2	16	2	–	–	4	–
Haines City	1	11	–	3	2	6	–	2	5	–	1	2	3	10	2	2	–	2	–
Lakeland	5	69	6	18	25	32	3	9	4	1	5	5	67	77	17	20	8	5	3
Winter Haven	4	37	14	4	13	15	2	6	4	–	4	6	5	41	8	2	5	6	–
Balance of county	13	166	25	25	49	108	6	24	20	1	11	23	99	169	78	37	41	31	4
Putnam	5	40	10	8	11	32	1	9	8	–	4	4	9	54	24	15	13	5	1
Palatka	3	12	4	4	2	6	1	1	3	–	1	1	1	11	3	3	5	4	–
Balance of county	2	28	6	4	9	26	–	8	5	–	3	3	8	43	21	12	8	1	1
St. Johns	3	53	1	8	13	39	6	15	8	–	1	4	13	65	23	20	14	10	1
St. Augustine	1	15	–	2	2	12	1	6	2	–	–	1	4	24	4	7	1	1	–
Balance of county	2	38	1	7	11	27	5	9	6	–	1	3	9	41	19	13	13	9	1
St. Lucie	2	70	6	3	23	48	4	18	15	–	5	11	22	98	37	24	18	22	3
Fort Pierce	1	37	2	1	11	20	2	9	2	–	2	7	13	43	17	11	4	14	2
Port St. Lucie	–	8	2	–	5	9	–	4	2	–	2	3	3	22	9	3	6	3	–
Balance of county	1	25	2	2	7	19	2	5	11	–	1	1	6	39	11	10	8	5	1
Santa Rosa	–	20	–	3	13	13	4	7	6	–	2	4	3	19	25	14	14	4	–
Sarasota	11	314	32	44	81	156	3	50	34	–	15	15	123	310	56	51	41	15	3
Sarasota	3	85	8	14	22	32	–	12	12	–	5	3	34	91	15	15	10	3	–
Venice	–	29	7	2	8	11	–	4	6	–	–	1	15	33	2	8	3	1	–
Balance of county	8	200	17	28	51	113	3	34	16	–	10	11	74	186	39	28	28	11	3
Seminole	10	107	13	17	38	58	4	22	12	–	13	14	12	164	42	42	37	19	3
Altamonte Springs	1	10	1	1	5	12	–	3	2	–	3	4	3	21	4	8	9	2	1
Casselberry	1	5	–	1	4	6	–	2	–	–	–	1	2	14	2	2	1	1	–
Longwood	–	5	4	1	1	3	–	1	1	–	1	–	–	17	2	1	2	1	–
Sanford	3	29	3	4	9	13	1	4	2	–	3	5	3	28	15	11	5	8	2
Winter Springs	–	3	–	1	2	3	1	–	1	–	–	–	–	9	3	–	1	1	–
Balance of county	5	55	5	9	17	21	2	12	6	–	6	4	4	74	16	20	19	6	–
Sumter	–	25	5	3	6	17	–	8	1	–	–	2	2	14	9	10	9	2	–
Suwannee	2	34	4	5	4	14	1	2	2	–	1	3	12	17	12	7	4	2	–
Taylor	2	24	2	3	4	14	–	3	2	–	1	1	4	23	3	3	1	2	–
Union	1	2	–	1	–	2	–	1	–	–	–	1	12	5	2	2	–	4	–
Volusia	21	322	54	54	102	193	12	58	19	–	13	14	37	313	86	63	86	37	8
Daytona Beach	6	90	16	12	27	52	2	13	5	–	2	3	6	63	13	14	15	10	2
De Land	1	21	4	1	6	9	2	4	–	–	–	1	3	17	5	1	7	8	–
New Smyrna Beach	1	33	3	2	5	7	–	2	2	–	1	3	5	28	9	5	6	3	–
Ormond Beach	2	31	6	7	9	28	2	8	1	–	1	–	2	42	6	8	9	1	–
Port Orange	1	11	3	7	7	11	–	5	2	–	2	–	4	25	9	7	9	2	1
South Daytona	1	6	–	1	4	3	–	4	1	–	–	–	2	16	–	2	–	1	1
Balance of county	9	130	22	24	44	83	6	22	8	–	7	7	15	122	44	26	40	12	4
Wakulla	1	6	1	–	1	3	1	1	2	–	1	–	5	7	2	4	9	–	–
Walton	1	18	–	3	9	4	2	4	2	–	1	4	2	27	9	9	8	2	1
Washington	4	11	1	1	7	8	–	4	1	–	–	1	14	15	6	6	4	–	–
Georgia	216	4,165	378	424	1,510	1,722	154	565	571	12	345	646	541	4,850	1,557	1,293	793	781	83
Urban places	98	1,570	138	165	575	632	58	221	242	5	138	271	240	2,030	398	474	258	422	30
Balance of area	118	2,595	240	259	935	1,090	96	344	329	7	207	375	301	2,820	1,159	819	535	359	53
Metropolitan counties	128	2,150	218	229	784	945	70	320	311	5	229	421	311	2,821	841	678	500	519	44
Urban places	79	1,117	113	124	412	462	37	168	185	3	110	222	203	1,588	307	350	203	356	24
Balance of area	49	1,033	105	105	352	483	33	152	126	2	119	199	108	1,233	534	328	297	163	20
Nonmetropolitan counties	88	2,015	160	195	746	777	84	245	260	7	116	225	230	2,029	716	615	293	262	39
Urban places	19	453	25	41	163	170	21	53	57	2	28	49	37	442	91	124	55	66	6
Balance of area	69	1,562	135	154	583	607	63	192	203	5	88	176	193	1,587	625	491	238	196	33
Appling	1	8	1	1	6	6	–	–	2	–	–	3	2	19	9	4	1	3	–
Atkinson	–	3	–	–	4	3	–	1	–	–	1	–	–	4	4	6	–	–	–
Bacon	–	4	–	–	5	3	1	–	2	–	2	–	–	7	1	7	–	1	–
Baker	–	2	–	1	–	1	–	–	–	–	1	–	–	7	1	2	–	–	–
Baldwin	–	16	–	4	10	3	1	4	6	–	2	6	–	23	9	9	5	4	–
Milledgeville	–	11	–	3	3	2	1	1	4	–	1	4	–	10	7	1	1	2	–
Balance of county	–	7	–	1	7	1	–	3	2	–	1	2	–	13	2	8	4	2	–
Banks	–	4	–	–	1	2	–	–	–	–	–	–	–	2	7	–	3	–	1
Barrow	–	18	–	2	13	5	2	4	5	–	–	2	2	19	11	8	6	2	1
Bartow	2	30	1	6	10	24	–	5	2	–	2	2	4	33	20	9	7	7	1
Ben Hill	–	15	1	4	4	6	2	2	1	–	1	–	3	13	2	3	3	1	–
Fitzgerald, part	–	13	1	1	3	4	–	2	–	–	1	–	3	6	–	1	2	1	–
Fitzgerald, total	–	13	1	1	3	4	–	2	–	–	1	–	3	8	–	1	2	1	–
Balance of county	–	2	–	3	1	2	2	–	1	–	–	–	–	7	2	2	1	–	–
Berrien	1	13	–	2	9	7	–	2	–	–	–	–	1	17	5	2	1	2	–
Bibb	16	148	18	13	45	45	2	14	26	1	6	25	7	149	40	37	24	23	2
Macon, part	15	135	16	10	42	37	2	12	22	1	5	22	7	132	26	31	19	22	1
Macon, total	15	135	16	10	42	37	2	12	22	1	5	22	7	132	26	31	19	22	1
Balance of county	1	13	2	3	3	8	–	2	4	–	1	3	–	17	14	6	5	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-398, 402,404-429)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	90	–	–	2	18	6	4	–	2	1	–	5	2	42	36	–	3	25	8
Brantley	78	–	–	1	14	3	3	1	1	1	2	3	2	34	26	–	2	15	9
Brooks	191	1	–	3	36	7	15	2	4	4	–	4	2	88	77	–	2	36	39
Bryan	91	–	–	–	25	7	10	–	1	2	1	4	–	32	26	–	–	19	7
Bulloch	321	–	–	1	56	11	20	5	4	2	2	12	9	142	97	–	3	52	42
Statesboro	179	–	–	1	28	6	8	2	3	2	1	6	5	91	65	–	3	32	30
Balance of county	142	–	–	–	28	5	12	3	1	–	1	6	4	51	32	–	–	20	12
Burke	201	–	–	1	30	4	15	2	4	1	–	4	1	113	76	–	–	42	34
Butts	140	–	–	1	27	8	5	2	3	1	1	7	4	62	47	–	3	28	16
Calhoun	64	–	–	1	17	4	5	1	1	1	–	5	–	33	20	–	1	17	2
Camden	118	–	–	–	23	6	11	2	1	1	–	2	1	44	37	–	–	23	14
Candler	87	–	–	–	19	–	6	3	5	–	1	4	2	47	27	–	–	14	13
Carroll	532	–	–	3	96	18	34	7	16	3	3	15	15	277	212	1	4	148	59
Carrollton	151	–	–	–	25	5	8	3	4	–	–	5	5	78	58	–	2	37	19
Balance of county	381	–	–	3	71	13	26	4	12	3	3	10	9	199	154	1	2	111	40
Catoosa	310	–	–	2	60	13	34	3	10	3	3	14	3	140	107	–	4	68	35
Charlton	71	–	–	–	22	7	4	1	2	–	1	7	1	26	19	–	1	9	9
Chatham	2,007	2	–	26	437	126	121	34	54	16	18	68	31	881	675	5	14	452	204
Savannah	1,629	2	–	25	346	95	89	28	47	13	16	58	26	719	556	4	11	369	172
Balance of county	378	–	–	1	91	31	32	6	7	3	2	10	5	162	119	1	3	83	32
Chattahoochee	22	–	–	1	4	1	–	2	–	–	–	1	–	5	5	–	–	2	3
Chattooga	239	–	–	3	60	10	17	6	10	2	–	15	1	115	67	–	1	65	21
Cherokee	409	–	–	5	95	13	42	6	5	6	3	20	5	177	133	2	1	81	49
Clarke	532	2	–	7	103	27	32	5	13	3	3	20	8	258	195	–	5	96	94
Athens	351	1	–	3	62	16	19	5	7	3	2	10	4	181	139	–	3	63	73
Balance of county	181	1	–	4	41	11	13	–	6	–	1	10	4	77	56	–	2	33	21
Clay	45	–	–	–	7	1	3	–	1	–	–	2	–	30	22	–	–	18	3
Clayton	887	–	–	13	197	36	68	20	19	12	6	36	12	385	312	5	4	225	78
College Park, part	22	–	–	–	3	–	1	–	–	–	1	1	1	8	7	–	–	6	1
Forest Park	140	–	–	4	31	3	14	5	1	2	–	6	2	66	59	2	–	40	17
Balance of county	725	–	–	9	163	33	53	15	18	10	5	29	9	311	246	3	4	179	60
Clinch	73	–	–	1	12	4	5	–	1	–	–	2	3	28	24	–	–	10	14
Cobb	1,901	1	–	29	459	97	141	52	44	20	15	90	26	783	593	5	26	301	201
Marietta	414	1	–	8	99	25	22	14	10	6	4	18	7	172	127	2	5	73	47
Smyrna	194	–	–	3	46	11	14	7	4	5	–	5	3	81	62	–	3	44	15
Balance of county	1,293	–	–	18	314	61	105	31	30	9	11	67	16	530	404	3	18	244	139
Colfee	224	–	–	4	43	10	15	3	6	1	1	7	5	101	79	2	1	55	21
Douglas	91	–	–	2	12	3	5	1	3	–	–	–	2	45	37	–	–	28	9
Balance of county	133	–	–	2	31	7	10	2	3	1	1	7	3	56	42	2	1	27	12
Colquitt	405	1	–	4	87	18	29	7	11	2	5	15	8	169	129	1	3	84	41
Moultrie	213	1	–	4	39	5	14	2	6	1	2	9	4	86	68	–	1	39	28
Balance of county	192	–	–	–	48	13	15	5	5	1	3	6	4	83	61	1	2	45	13
Columbia	284	1	–	1	68	13	15	1	7	2	2	28	3	108	83	1	3	58	21
Cook	147	–	–	1	33	8	14	2	4	–	–	7	1	77	67	–	–	42	25
Coweta	367	–	–	6	78	17	20	5	11	4	5	16	3	198	156	–	4	103	49
Newnan	151	–	–	5	27	5	8	2	4	3	1	4	1	88	63	–	2	40	21
Balance of county	236	–	–	1	51	12	12	3	7	1	4	12	2	112	93	–	2	63	28
Crawford	63	–	–	–	7	2	–	2	–	–	–	3	2	31	25	–	1	14	10
Crisp	239	–	–	3	55	6	21	6	8	1	2	11	4	101	77	–	1	57	19
Cordele	159	–	–	3	37	5	12	5	7	1	2	5	3	65	48	–	1	32	15
Balance of county	80	–	–	–	18	1	9	1	1	–	–	6	1	36	29	–	–	25	4
Dade	81	–	–	–	18	5	4	2	5	–	–	2	2	41	32	–	–	24	8
Dawson	53	–	–	1	8	2	1	1	1	–	–	3	1	17	15	–	–	12	3
Decatur	295	1	–	5	56	15	13	2	8	1	2	15	7	135	101	1	3	52	45
Bainbridge	158	1	–	4	29	7	8	2	4	–	–	8	4	76	51	1	3	28	19
Balance of county	137	–	–	1	27	8	5	–	4	1	2	7	3	59	50	–	–	24	26
De Kalb	3,297	1	–	77	724	156	214	74	83	22	32	143	49	1,401	1,082	6	72	548	456
Atlanta, part	577	1	–	23	103	25	22	13	18	2	1	22	8	244	187	1	21	57	108
Decatur	512	–	–	12	92	27	26	12	11	2	5	9	12	210	163	2	10	85	88
Balance of county	2,208	–	–	42	529	104	166	49	54	18	26	112	29	947	732	3	41	426	262
Dodge	196	–	–	2	38	8	14	1	6	–	–	9	1	85	65	1	1	44	19
Dooly	106	–	–	1	18	5	3	–	3	1	1	3	–	57	51	–	–	37	14
Dougherty	769	–	–	9	149	43	39	14	9	3	2	39	13	319	226	4	10	151	61
Albany	681	–	–	9	136	39	35	14	8	3	2	35	12	278	194	4	10	123	57
Balance of county	88	–	–	–	13	4	4	–	1	–	–	4	1	41	32	–	–	28	4
Douglas	367	–	–	4	72	12	27	7	6	2	3	15	8	170	127	–	1	102	24
Early	137	–	–	3	37	10	6	3	7	–	2	9	5	61	38	–	2	28	6
Echols	13	–	–	1	1	–	1	–	–	–	–	–	–	7	7	–	–	4	3
Effingham	153	–	–	3	30	6	11	3	3	–	1	6	3	66	49	–	–	37	12
Elbert	223	–	–	4	47	11	11	3	4	1	4	13	6	100	75	–	3	47	25
Emanuel	254	1	–	–	50	9	15	5	7	3	–	11	2	127	99	1	3	54	41
Evans	79	–	–	1	16	3	2	1	2	1	1	6	–	43	33	–	4	23	6
Fannin	186	–	–	1	44	6	11	7	5	5	2	8	1	94	73	–	2	37	34
Fayette	231	–	–	2	67	13	25	6	9	2	1	11	5	91	73	–	2	47	24
Floyd	824	1	–	16	184	43	53	19	15	6	6	40	13	388	304	3	5	239	57
Rome	442	1	–	8	90	19	27	8	9	2	3	22	8	212	164	2	4	126	32
Balance of county	382	–	–	8	94	24	26	11	6	6	3	18	5	176	140	1	1	113	25
Forsyth	232	–	–	3	42	12	11	3	6	–	2	8	4	96	68	1	1	42	24
Franklin	205	–	–	1	48	10	16	1	8	2	4	7	3	98	74	–	4	41	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	–	3	3	–	2	1	–	2	1	–	–	–	1	5	5	4	4	1	–
Brantley	–	4	2	2	2	4	–	–	1	–	–	–	–	9	7	4	–	–	–
Brooks	1	8	1	1	4	7	1	3	3	–	–	1	2	21	10	5	2	2	–
Bryan	–	5	–	1	–	1	–	1	1	–	1	1	4	10	6	6	1	2	–
Bulloch	4	35	4	2	8	11	1	3	1	–	5	3	7	38	15	13	5	2	1
Statesboro	2	22	2	–	6	7	–	2	–	–	2	1	4	24	3	3	1	1	–
Balance of county	2	13	2	2	2	4	1	1	1	–	3	2	3	14	12	10	4	1	1
Burke	3	28	2	4	3	6	–	5	1	–	–	7	–	17	7	5	3	2	–
Butts	2	11	1	1	2	6	–	1	1	–	3	2	1	20	3	3	4	–	–
Calhoun	–	11	1	1	2	–	1	2	–	–	–	1	–	3	1	2	–	1	–
Camden	–	6	1	–	3	5	1	2	2	–	5	5	1	15	1	4	4	2	–
Candler	1	17	–	2	1	2	–	–	–	–	–	–	–	10	4	1	–	–	1
Carroll	3	51	5	6	21	20	2	6	5	–	1	4	6	33	10	11	12	9	1
Carrollton	2	16	1	1	4	9	–	3	2	–	–	1	3	8	1	4	4	3	–
Balance of county	1	35	4	5	17	11	2	3	3	–	1	3	3	25	9	7	8	6	1
Catoosa	1	26	1	5	14	11	1	6	4	–	1	1	2	26	8	6	4	1	–
Charlton	2	5	–	–	3	3	–	–	–	–	1	–	–	5	3	4	–	3	–
Chatham	5	154	23	24	50	62	5	33	24	1	15	34	15	208	44	64	30	40	5
Savannah	4	123	18	18	41	53	5	26	18	1	13	28	13	172	29	51	22	35	4
Balance of county	1	31	5	6	9	9	–	7	6	–	2	6	2	36	15	13	8	5	1
Chattahoochee	–	–	–	–	2	–	–	–	–	–	1	1	1	–	5	1	–	–	1
Chattooga	3	21	2	2	6	10	–	5	3	–	2	2	1	17	2	7	4	–	1
Cherokee	1	38	3	2	10	14	2	3	3	–	8	5	7	36	25	5	7	2	–
Clarke	4	52	4	3	17	15	–	5	2	–	4	9	3	54	15	14	10	5	1
Athens	3	33	3	3	11	7	–	3	2	–	–	5	3	46	10	7	4	2	–
Balance of county	1	19	1	–	6	8	–	2	–	–	4	4	–	8	5	7	6	3	1
Clay	1	7	–	–	–	1	–	–	–	–	–	1	–	2	1	2	–	1	–
Clayton	4	58	6	5	13	37	1	16	8	–	12	19	11	69	30	22	23	16	3
College Park, part	–	1	–	–	–	1	–	–	–	–	–	2	1	4	1	–	–	1	–
Forest Park	–	6	1	–	1	5	1	4	2	–	2	2	2	9	3	3	1	1	1
Balance of county	4	51	5	5	12	31	–	12	6	–	10	15	8	56	26	19	22	14	2
Clinch	–	3	–	1	3	6	–	1	–	–	–	–	–	8	8	3	–	–	–
Cobb	7	157	13	13	52	71	3	22	18	–	23	31	9	179	58	58	51	23	5
Marietta	–	39	3	3	7	16	1	1	4	–	5	5	4	39	10	9	16	9	1
Smyrna	1	17	1	–	9	5	1	5	2	–	4	–	1	17	7	4	4	1	1
Balance of county	6	101	9	10	36	50	1	16	12	–	14	26	4	123	41	45	31	13	3
Coffee	1	18	2	1	7	4	1	1	3	–	6	3	4	21	6	6	4	3	–
Douglas	–	6	1	1	5	1	1	–	1	–	2	2	2	6	2	3	2	3	–
Balance of county	1	12	1	–	2	3	–	1	2	–	4	1	2	15	4	5	2	–	–
Colquitt	2	32	4	2	8	26	3	8	5	–	–	4	2	49	12	7	8	6	–
Moultrie	2	15	1	–	6	15	3	3	2	–	–	3	2	32	5	3	3	2	–
Balance of county	–	17	3	2	2	11	–	3	3	–	–	1	–	17	7	4	5	4	–
Columbia	–	21	1	3	13	9	1	3	3	–	2	7	–	22	19	12	7	3	2
Cook	–	9	–	1	5	5	–	1	3	–	1	1	–	10	3	2	–	3	1
Coweta	2	34	2	4	13	9	3	5	–	–	–	1	3	27	12	11	11	7	–
Newnan	–	18	1	4	6	1	2	2	–	–	–	–	2	12	2	4	1	–	–
Balance of county	2	16	1	–	7	8	1	3	–	–	–	1	1	15	10	7	10	7	–
Crawford	–	6	–	–	3	1	1	–	1	–	1	1	–	9	2	3	1	–	–
Crisp	1	22	–	1	6	7	2	2	7	–	2	1	1	27	9	6	2	3	1
Cordele	–	17	–	–	2	3	2	1	6	–	1	1	1	22	5	5	–	1	1
Balance of county	1	5	–	1	4	4	–	1	1	–	1	–	–	5	4	1	2	2	–
Dade	1	6	2	–	1	6	–	–	–	–	–	–	–	5	3	–	2	3	–
Dawson	–	2	–	–	4	4	–	1	–	–	–	1	1	4	8	1	–	1	1
Decatur	3	29	1	1	10	16	–	4	3	–	4	2	2	29	9	5	5	2	–
Bainbridge	1	22	1	1	4	10	–	1	1	–	3	1	2	13	2	1	4	2	–
Balance of county	2	7	–	–	6	6	–	3	2	–	1	1	–	16	7	4	1	–	–
De Kalb	4	272	21	22	85	113	13	32	38	–	23	51	34	337	93	84	65	73	4
Atlanta, part	2	50	2	3	13	13	4	11	10	–	4	9	11	57	13	20	8	23	2
Decatur	1	40	2	4	16	15	1	4	8	–	4	11	3	64	17	16	6	20	1
Balance of county	1	182	17	15	56	85	8	17	20	–	15	31	20	216	63	48	51	30	1
Dodge	2	11	1	6	8	7	–	5	2	–	–	2	6	24	7	7	1	1	–
Dooly	–	4	–	2	4	6	–	–	2	–	–	2	–	10	3	2	2	1	–
Dougherty	7	79	2	5	31	27	1	6	10	–	6	11	37	76	27	17	13	17	–
Albany	6	71	2	5	30	22	1	6	10	–	4	9	35	68	20	17	8	16	–
Balance of county	1	8	–	–	1	5	–	–	–	–	2	2	2	8	7	–	5	1	–
Douglas	1	26	9	5	3	8	–	6	1	–	4	3	4	41	19	13	9	2	–
Early	–	22	–	3	2	3	–	–	–	–	1	2	1	13	4	3	1	1	–
Echols	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Effingham	–	14	–	3	5	6	–	1	2	–	2	1	2	19	6	4	1	2	–
Elbert	1	21	1	2	10	9	–	–	3	–	1	2	1	18	6	5	7	3	1
Emanuel	1	22	3	2	10	9	–	4	4	–	1	2	1	23	6	9	2	3	–
Evans	–	10	–	–	–	3	–	–	2	1	–	–	–	9	3	–	1	–	–
Fannin	–	19	1	1	10	6	–	1	2	–	–	–	3	10	5	6	2	1	–
Fayette	–	14	1	3	3	11	–	–	3	–	2	7	2	14	13	7	2	2	–
Floyd	1	75	4	4	24	27	4	6	10	–	6	11	3	69	26	18	7	9	2
Rome	1	41	3	3	12	16	3	3	6	–	5	6	2	36	12	11	4	6	1
Balance of county	–	34	1	1	12	11	1	3	4	–	1	5	1	33	14	7	3	3	1
Forsyth	–	22	5	1	10	10	2	5	3	–	2	2	2	23	20	2	4	2	–
Franklin	1	19	2	2	2	9	3	–	–	–	2	1	–	23	4	7	3	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	6,112	14	1	152	1,223	286	317	112	145	35	45	273	120	2,425	1,831	9	180	928	716
Atlanta, part	4,419	12	1	121	833	196	226	77	101	18	27	186	91	1,715	1,300	7	150	580	563
Atlanta, total	4,996	13	1	144	936	221	250	90	119	20	28	208	99	1,959	1,487	8	171	637	671
College Park, part	206	–	–	3	44	11	7	7	6	2	2	9	3	85	67	–	7	35	25
College Park, total	228	–	–	3	47	11	8	7	6	2	3	10	4	93	74	–	7	41	26
East Point	357	1	–	5	85	24	16	3	15	6	6	15	7	156	115	–	7	64	44
Roswell	190	–	–	2	33	8	7	1	3	2	1	11	3	85	65	–	3	43	19
Balance of county	940	1	–	21	228	57	59	24	20	7	9	52	16	384	284	2	13	204	65
Gilmer	114	1	–	1	20	6	3	3	3	1	1	3	–	52	42	–	–	36	6
Glascock	37	–	–	–	3	1	–	1	–	–	–	1	–	22	20	–	–	13	7
Glynn	512	2	–	7	108	17	37	12	14	3	4	21	7	241	196	1	8	97	90
Brunswick	208	2	–	4	37	7	10	4	8	–	2	6	2	99	77	–	3	33	41
Balance of county	306	–	–	3	71	10	27	8	6	3	2	15	5	142	119	1	5	64	49
Gordon	249	1	–	3	57	14	20	2	4	3	1	13	1	122	91	1	4	54	32
Grady	209	–	–	3	38	9	13	4	2	2	–	6	3	110	84	2	2	61	19
Greene	142	–	–	–	28	9	8	3	3	–	1	4	9	64	48	–	1	29	18
Gwinnett	1,117	–	–	12	269	55	79	26	29	13	8	59	15	427	324	4	10	199	111
Habersham	216	1	–	4	42	10	15	5	4	–	–	8	3	89	70	1	2	55	12
Hall	670	2	–	4	135	24	39	16	17	6	6	27	18	323	264	2	8	172	82
Gainesville	201	1	–	2	36	6	9	4	4	3	1	9	8	88	68	–	3	45	20
Balance of county	469	1	–	2	99	18	30	12	13	3	5	18	10	235	196	2	5	127	62
Hancock	109	–	–	1	27	8	7	1	4	–	2	5	3	56	47	–	–	25	22
Haralson	218	–	–	2	43	9	16	2	4	1	2	9	10	101	69	–	1	47	21
Harris	126	–	–	1	27	6	8	–	6	2	–	7	2	59	47	–	4	16	25
Hart	220	–	–	4	48	10	12	2	6	3	1	14	1	113	96	–	1	59	36
Heard	59	–	–	1	11	1	6	–	1	–	1	2	1	28	17	–	–	9	8
Henry	393	–	–	7	95	20	35	9	7	4	3	17	8	185	147	3	6	104	34
Houston	505	1	–	5	117	26	35	11	11	5	3	26	7	210	154	–	5	85	64
Warner Robins	295	1	–	2	67	16	22	6	4	2	–	17	5	118	85	–	3	44	38
Balance of county	210	–	–	3	50	10	13	5	7	3	3	9	2	92	69	–	2	41	26
Irwin	106	–	–	2	21	5	8	1	2	2	2	1	3	51	39	–	–	20	19
Fitzgerald, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	106	–	–	2	21	5	8	1	2	2	2	1	3	51	39	–	–	20	19
Jackson	252	1	–	2	59	13	17	4	8	1	3	13	1	126	105	1	2	75	27
Jasper	95	–	–	–	14	1	1	–	3	2	1	6	1	50	39	–	2	26	11
Jeff Davis	111	–	–	1	22	6	4	2	2	1	2	5	2	59	49	–	–	34	15
Jefferson	205	–	–	3	33	6	11	3	3	2	–	8	4	86	66	1	1	38	26
Jenkins	127	1	–	1	25	10	9	1	3	–	1	1	4	55	39	–	1	31	7
Johnson	92	–	–	–	18	3	5	2	2	–	2	4	2	40	30	–	–	14	16
Jones	118	1	–	6	28	5	10	1	3	1	–	8	–	55	43	–	–	33	10
Macon, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	118	1	–	6	28	5	10	1	3	1	–	8	–	55	43	–	–	33	10
Lamar	135	–	–	1	33	7	8	2	1	2	2	11	1	64	48	–	1	36	9
Lanier	57	–	–	2	7	4	2	–	–	–	–	1	1	25	22	–	–	17	5
Laurens	399	–	–	5	72	17	21	2	3	6	1	20	8	192	159	3	5	80	70
Dublin	202	–	–	2	35	11	11	1	1	4	1	6	5	95	81	2	2	36	41
Balance of county	197	–	–	3	37	6	10	1	2	4	–	14	3	97	77	1	3	44	29
Lee	71	–	–	–	17	6	5	–	1	–	–	5	2	25	22	–	–	13	9
Liberty	162	1	–	1	31	12	3	3	4	1	3	5	2	84	51	–	1	28	22
Hinesville	59	–	–	–	14	8	1	–	2	1	2	–	1	24	21	–	–	14	7
Balance of county	103	1	–	1	17	4	2	3	2	–	1	5	1	40	30	–	1	14	15
Lincoln	82	–	–	2	15	5	3	2	3	–	–	2	1	35	28	–	2	16	10
Long	44	–	–	–	6	1	1	–	3	–	–	1	1	20	15	–	–	7	8
Lowndes	602	2	–	8	109	19	37	3	13	6	7	24	7	303	248	1	3	112	133
Valdosta	389	1	–	6	70	13	22	3	9	3	4	16	5	198	162	1	2	72	87
Balance of county	213	1	–	2	39	6	15	–	4	3	3	8	2	105	87	–	1	40	46
Lumpkin	111	–	–	2	18	1	6	1	–	2	1	5	–	54	39	–	1	25	13
McDuffie	189	–	–	7	32	8	9	1	4	–	2	8	2	61	51	1	2	29	19
McIntosh	73	–	–	–	16	2	4	–	3	1	–	6	1	33	29	–	–	11	18
Macon	149	–	–	1	34	9	7	4	4	–	–	10	3	59	45	–	3	24	18
Madison	155	–	–	2	47	8	15	6	5	3	6	4	4	57	53	–	2	40	11
Marion	65	2	–	–	7	1	3	1	–	–	–	2	3	31	24	–	–	17	7
Meriwether	261	1	–	3	55	11	21	4	6	–	1	12	5	119	89	–	1	62	26
Miller	83	–	–	–	19	5	6	1	–	–	–	7	4	38	26	–	2	16	8
Mitchell	203	–	–	3	37	11	9	1	7	1	–	8	1	100	64	–	1	48	15
Monroe	153	–	–	1	28	7	9	2	3	–	–	7	3	76	58	–	1	40	17
Montgomery	73	–	–	–	11	1	8	–	1	–	–	1	1	43	31	–	–	18	13
Vidalia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	73	–	–	–	11	1	8	–	1	–	–	1	1	43	31	–	–	18	13
Morgan	130	–	–	–	21	2	7	2	3	–	–	7	3	66	53	1	5	32	15
Murray	151	–	–	1	22	6	7	1	2	–	–	6	5	64	46	1	–	33	12
Muscogee	1,586	2	–	29	345	67	97	32	35	13	14	87	36	873	511	4	14	348	147
Columbus	1,552	2	–	29	336	66	96	32	32	12	13	85	36	862	503	4	13	342	144
Balance of county	34	–	–	–	9	1	1	–	3	1	1	2	–	11	8	–	1	4	3
Newton	321	–	–	5	63	13	20	5	8	–	3	14	4	147	105	2	3	65	35
Covington	150	–	–	3	23	5	9	2	1	–	2	4	2	79	58	1	1	36	20
Balance of county	171	–	–	2	40	8	11	3	7	–	1	10	2	88	47	1	2	29	15
Oconee	97	–	–	2	18	1	5	4	2	–	2	4	1	52	42	–	–	23	19
Oglethorpe	80	1	–	1	19	3	5	3	4	2	–	2	–	38	34	2	–	19	13
Paulding	219	–	–	3	47	6	20	6	3	2	3	7	4	113	92	–	1	59	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Georgia—Con.																			
Fulton	43	455	40	56	174	228	15	78	79	1	46	100	107	768	141	155	95	184	5
Atlanta, part	33	326	19	37	133	159	11	55	68	1	28	71	82	614	83	120	59	157	5
Atlanta, total	35	376	21	40	146	172	15	66	78	1	32	80	93	671	96	140	67	180	7
College Park, part	1	13	3	1	2	7	1	3	2	-	4	7	8	13	11	4	1	8	-
College Park, total	1	14	3	1	2	8	1	3	2	-	4	9	9	17	12	4	1	9	-
East Point	3	21	10	7	4	17	-	6	-	-	3	9	5	28	10	8	6	7	-
Roswell	-	15	2	3	7	10	1	3	1	-	4	2	1	18	10	3	5	2	-
Balance of county	6	80	6	8	28	35	3	11	8	-	7	11	11	95	27	20	24	10	-
Gilmer	-	10	-	-	7	4	-	3	1	-	1	-	2	11	4	5	2	-	-
Glascock	-	1	-	1	2	2	-	-	1	-	-	-	-	3	2	2	-	-	-
Glynn	-	38	4	3	15	18	1	6	2	-	1	5	4	56	13	8	6	7	5
Brunswick	-	18	2	2	8	3	1	2	1	-	-	3	1	23	6	7	3	2	2
Balance of county	-	20	2	1	7	15	-	4	1	-	1	2	3	33	7	1	3	5	3
Gordon	1	23	4	3	8	11	2	3	-	-	1	5	3	19	7	3	2	1	-
Grady	-	24	2	-	8	4	1	2	1	-	1	-	1	26	6	2	3	2	-
Greene	-	12	2	2	3	7	2	3	3	-	1	-	1	14	2	2	1	2	-
Gwinnett	3	85	8	7	32	42	5	15	5	2	10	24	6	98	72	28	37	16	2
Habersham	-	29	-	-	8	8	-	1	3	-	1	-	3	22	13	2	4	2	-
Hall	2	47	6	4	22	18	1	8	12	-	1	6	4	62	17	21	8	8	-
Gainesville	1	17	1	1	7	6	-	3	8	-	-	4	1	19	4	8	5	1	-
Balance of county	1	30	5	3	15	12	1	5	4	-	1	2	3	43	13	13	3	7	-
Hancock	3	6	-	-	2	4	1	-	-	-	-	1	1	9	4	-	-	-	-
Haralson	1	23	4	4	9	8	-	4	2	-	1	2	1	15	10	4	5	-	1
Harris	-	9	2	1	1	6	3	3	1	-	-	-	1	11	4	3	2	-	2
Hart	-	16	1	-	10	5	2	1	2	-	-	3	-	15	10	5	1	-	-
Heard	-	9	1	1	3	-	-	1	1	-	-	1	1	8	2	1	-	-	-
Henry	1	34	2	1	12	13	-	3	4	-	3	2	2	27	19	5	5	3	-
Houston	3	40	8	5	11	24	3	9	11	-	3	5	4	49	19	14	8	5	-
Warner Robins	3	25	4	1	8	15	2	5	4	-	3	3	3	37	6	8	5	3	-
Balance of county	-	15	4	4	3	9	1	4	7	-	2	1	1	12	13	6	3	2	-
Irwin	1	10	-	1	2	7	-	2	-	-	-	-	3	8	2	4	-	1	-
Fitzgerald, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	10	-	1	2	7	-	2	-	-	-	-	3	8	2	4	-	1	-
Jackson	-	20	1	-	5	6	2	-	4	-	1	2	1	24	5	4	4	4	1
Jasper	-	10	-	1	2	2	1	-	3	-	1	-	-	11	3	3	1	3	-
Jeff Davis	1	8	-	1	1	3	-	1	-	-	-	3	-	13	2	2	1	1	-
Jefferson	1	15	2	2	12	3	1	3	3	1	3	3	1	27	7	8	3	4	-
Jenkins	-	13	1	2	3	8	1	1	2	-	2	1	1	10	4	5	1	2	-
Johnson	-	9	-	1	6	6	-	2	-	-	1	-	-	8	2	5	1	1	-
Jones	2	5	3	2	2	1	1	-	2	-	-	3	1	9	2	4	1	2	-
Macon, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	5	3	2	2	1	1	-	2	-	-	3	1	9	2	4	1	2	-
Lamar	-	14	-	4	4	7	-	2	-	-	-	1	2	11	5	3	-	1	-
Lanier	-	3	-	-	5	4	-	-	1	-	-	3	1	5	-	3	-	-	-
Laurens	1	29	2	2	23	17	1	3	6	-	4	2	1	35	12	9	5	4	-
Dublin	1	12	-	1	15	8	1	3	2	-	2	2	-	22	2	3	1	4	-
Balance of county	-	17	2	1	8	9	-	-	4	-	2	-	1	13	10	6	4	-	-
Lee	-	3	-	-	4	2	-	-	-	-	1	2	3	8	4	1	2	-	-
Liberty	-	12	-	1	6	6	-	3	2	1	3	5	2	13	10	5	2	4	1
Hinesville	-	2	-	1	3	3	-	2	1	-	2	1	-	5	2	1	-	-	-
Balance of county	-	10	-	-	3	3	-	1	1	1	1	4	2	8	8	4	2	4	1
Lincoln	-	7	-	-	3	3	-	-	-	-	-	1	3	6	8	2	1	2	-
Long	-	5	-	-	2	2	-	-	-	-	-	1	3	1	2	5	1	-	-
Lowndes	3	46	3	2	10	19	1	8	9	-	1	8	2	47	14	29	7	18	-
Valdosta	2	31	1	2	7	11	1	5	7	-	-	4	2	31	5	20	4	12	-
Balance of county	1	15	2	-	3	8	-	3	2	-	1	4	-	16	9	9	3	6	-
Lumpkin	-	10	4	1	10	3	-	3	-	-	-	1	-	7	5	7	2	1	-
McDuffie	-	9	1	-	8	4	-	2	3	-	1	2	38	15	5	4	3	2	-
McIntosh	-	4	-	-	1	2	-	-	1	-	1	1	1	8	2	3	2	-	1
Macon	-	12	2	-	8	4	2	2	2	-	2	-	2	17	2	5	2	3	1
Madison	-	4	-	-	3	6	-	2	-	-	2	1	1	17	7	2	3	1	-
Marion	-	7	-	-	4	2	-	1	1	-	-	1	-	4	4	3	2	-	-
Meriwether	2	22	3	3	7	6	3	1	3	1	2	8	2	31	4	6	3	1	-
Miller	-	9	-	3	1	3	-	-	-	1	-	-	1	13	1	1	-	1	-
Mitchell	-	32	1	3	7	3	3	-	7	-	1	5	3	12	9	5	2	5	-
Monroe	4	14	-	-	3	2	-	-	2	-	-	1	-	21	6	6	3	1	-
Montgomery	-	12	-	-	1	3	-	1	-	-	-	-	-	4	5	4	-	-	-
Vidalia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	12	-	-	1	3	-	1	-	-	-	-	-	4	5	4	-	-	-
Morgan	1	12	-	-	4	6	-	1	4	-	-	1	1	15	3	1	1	2	1
Murray	1	16	-	1	7	9	-	3	2	-	1	3	2	18	9	2	2	1	-
Muscogee	5	119	19	19	53	54	4	20	21	-	21	28	15	157	34	28	29	32	5
Columbus	5	117	18	19	51	53	4	18	21	-	21	27	15	153	33	25	29	32	5
Balance of county	-	2	1	-	2	1	-	2	-	-	-	1	-	4	1	3	-	-	-
Newton	2	34	4	2	22	6	-	5	7	-	4	5	1	25	8	3	5	10	1
Covington	1	16	4	-	12	2	-	-	3	-	2	1	-	14	2	1	2	4	-
Balance of county	1	18	-	2	10	4	-	5	4	-	2	4	1	11	6	2	3	6	1
Oconee	1	8	1	-	-	4	-	2	1	-	3	-	-	7	4	1	2	-	-
Oglethorpe	-	4	-	-	2	-	-	-	1	-	-	1	1	8	3	2	3	-	-
Paulding	1	17	1	2	4	4	-	2	-	-	1	1	-	14	13	1	9	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	174	–	–	4	32	2	14	3	6	1	2	4	8	62	49	–	8	23	18
Pickens	147	1	–	–	34	7	12	1	1	2	3	8	4	65	53	–	–	37	16
Pierce	135	–	–	1	23	3	8	4	2	1	2	3	1	72	53	–	1	35	17
Pike	101	1	–	1	18	7	3	–	2	–	1	5	2	54	39	–	2	23	14
Polk	374	3	–	5	76	17	26	4	10	3	3	13	7	164	132	1	–	105	26
Pulaski	95	–	–	5	17	5	5	2	2	–	2	1	–	45	31	–	–	17	14
Putnam	93	–	–	1	20	6	3	–	5	2	–	4	1	43	39	–	2	27	10
Quitman	29	–	–	1	5	2	2	–	–	–	–	1	–	17	13	–	–	6	7
Rabun	125	–	–	4	21	5	5	2	2	1	1	5	8	55	46	–	–	28	18
Randolph	103	–	–	–	12	2	4	–	2	1	1	2	–	66	46	–	1	26	19
Richmond	1,608	3	–	37	341	67	98	30	41	20	11	74	26	658	516	4	30	316	166
Augusta	762	2	–	19	136	28	31	10	25	8	6	28	15	336	251	3	22	145	81
Balance of county	846	1	–	18	205	39	67	20	16	12	5	46	11	322	265	1	8	171	85
Rockdale	273	–	–	6	57	10	8	6	9	–	3	21	4	107	91	–	2	63	26
Schley	28	–	–	–	7	–	1	2	1	–	–	3	1	15	10	–	–	5	5
Screven	155	1	–	1	24	8	7	2	1	1	–	5	1	78	59	–	1	41	17
Seminole	103	–	–	1	13	2	7	–	–	–	–	4	2	62	47	–	2	30	15
Spalding	524	–	–	7	118	30	32	11	5	5	6	29	8	254	187	1	14	136	36
Griffin	330	–	–	6	61	15	18	9	1	2	1	15	7	168	125	–	10	86	19
Balance of county	194	–	–	1	57	15	14	2	4	3	5	14	1	86	62	1	4	40	17
Stephens	216	–	–	5	46	11	12	4	6	2	2	9	2	96	66	–	8	44	14
Stewart	70	1	–	1	16	5	1	–	2	1	1	6	3	31	19	–	–	9	10
Sumter	312	1	–	2	55	13	14	3	8	1	1	15	6	165	116	1	3	59	53
Americus	207	–	–	1	31	5	5	3	4	1	1	12	4	116	87	–	2	44	41
Balance of county	105	1	–	1	24	8	9	–	4	–	–	3	2	49	29	1	1	15	12
Talbot	51	–	–	–	18	5	5	2	1	1	–	4	2	20	14	–	–	5	9
Taliaferro	30	–	–	–	7	2	2	1	1	–	–	1	–	13	10	–	1	6	3
Tattnall	171	–	–	1	40	9	15	1	5	1	1	7	4	81	65	–	2	49	14
Taylor	82	–	–	–	15	2	4	3	2	2	–	2	3	41	33	–	–	27	6
Telfair	141	–	–	2	22	2	7	1	3	2	2	5	5	74	61	–	2	38	21
Terrell	111	–	–	1	21	7	6	1	4	1	–	2	3	53	31	–	–	19	12
Thomas	411	–	–	6	83	20	28	6	6	6	3	14	8	171	126	1	11	77	37
Thomasville	222	–	–	2	42	9	15	3	4	2	2	7	7	98	70	1	9	37	23
Balance of county	189	–	–	4	41	11	13	3	2	4	1	7	1	73	56	–	2	40	14
Tift	287	1	–	3	59	9	24	5	5	2	3	11	6	126	91	2	2	61	26
Tifton	157	–	–	2	30	4	14	1	4	–	–	7	4	74	52	2	1	32	17
Balance of county	130	1	–	1	29	5	10	4	1	2	3	4	2	52	39	–	1	29	9
Toombs	219	–	–	1	45	15	10	4	4	3	1	8	4	105	92	–	1	30	61
Vidalia, part	108	–	–	–	25	9	6	2	1	1	–	6	2	60	53	–	–	17	36
Vidalia, total	108	–	–	–	25	9	6	2	1	1	–	6	2	60	53	–	–	17	36
Balance of county	111	–	–	1	20	6	4	2	3	2	1	2	2	45	39	–	1	13	25
Towns	60	–	–	2	16	6	5	–	2	–	–	3	1	34	30	–	–	18	12
Treutlen	71	–	–	1	10	3	3	–	1	1	–	2	–	40	30	–	–	9	21
Troup	585	–	–	10	115	29	37	8	11	5	4	21	8	282	214	–	10	127	77
La Grange	322	–	–	4	52	17	17	2	2	3	1	10	5	157	117	–	9	65	43
Balance of county	263	–	–	6	63	12	20	6	9	2	3	11	3	125	97	–	1	62	34
Turner	94	–	–	2	16	1	5	2	2	–	–	6	2	57	38	–	1	25	10
Twiggs	107	–	–	–	16	3	4	4	–	1	–	4	2	60	37	1	–	29	7
Union	118	–	–	–	30	8	6	–	2	3	2	9	1	51	37	–	–	28	9
Upson	331	1	–	2	63	12	19	4	9	2	4	13	5	154	106	2	3	73	28
Walker	613	3	–	4	132	22	43	5	15	10	4	33	15	280	203	2	4	133	64
Walton	264	–	–	1	54	12	17	3	8	–	–	14	4	119	92	2	3	70	17
Ware	383	1	–	4	74	26	23	6	8	–	1	10	8	199	150	1	8	116	25
Waycross	240	1	–	3	43	16	11	4	6	–	–	6	5	124	87	1	6	66	14
Balance of county	143	–	–	1	31	10	12	2	2	–	1	4	3	75	63	–	2	50	11
Warren	84	–	–	1	25	4	10	4	1	–	–	6	–	32	22	–	1	12	9
Washington	231	1	–	3	40	9	11	1	5	2	1	11	8	118	85	–	3	51	31
Wayne	231	1	–	2	44	10	14	4	4	4	1	7	5	121	94	–	6	71	17
Webster	29	1	–	–	2	1	–	–	1	–	–	–	–	20	14	–	–	8	6
Wheeler	56	–	–	1	10	–	6	–	3	–	–	1	–	31	23	–	–	13	10
White	111	–	–	–	21	3	8	3	2	1	1	3	1	61	41	–	–	22	19
Whitfield	522	1	–	9	116	27	38	9	12	4	4	22	8	201	151	4	8	100	39
Dalton	224	–	–	5	58	15	15	7	5	1	3	12	3	83	60	3	5	41	11
Balance of county	298	1	–	4	58	12	23	2	7	3	1	10	5	118	91	1	3	59	28
Wilcox	92	1	–	1	17	3	5	2	1	–	1	5	1	48	33	–	–	25	8
Wilkes	124	–	–	3	30	11	7	3	3	1	3	2	1	53	40	–	–	33	7
Wilkinson	92	–	–	2	21	3	9	–	4	2	–	3	3	38	31	–	3	19	9
Worth	171	–	–	–	31	2	9	6	7	–	–	7	2	83	60	–	1	29	30
Hawaii	5,874	8	–	91	1,419	441	383	104	140	54	42	275	165	2,433	1,907	23	64	1,166	654
Urban places	4,279	5	–	74	1,066	347	272	76	107	35	35	194	117	1,770	1,378	21	41	840	476
Balance of area	1,595	3	–	17	353	94	91	28	33	19	7	81	48	663	529	2	23	326	178
Metropolitan counties	4,304	6	–	79	1,055	315	279	78	110	40	34	199	113	1,755	1,390	18	48	827	499
Urban places	3,797	5	–	70	947	292	248	69	101	30	32	175	100	1,556	1,221	15	40	727	438
Balance of area	507	1	–	9	108	23	31	9	9	10	2	24	13	199	169	2	6	100	61
Nonmetropolitan counties	1,570	2	–	12	364	126	84	26	30	14	8	76	52	678	517	5	18	339	155
Urban places	482	–	–	4	119	55	24	7	6	5	3	19	17	214	157	5	1	113	38
Balance of area	1,088	2	–	8	245	71	60	19	24	9	5	57	35	464	360	–	17	226	117

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	2	4	6	1	3	5	1	3	3	–	–	2	6	23	8	9	2	3	–
Pickens	–	11	1	–	7	1	1	2	1	–	2	3	2	7	8	3	5	1	–
Pierce	–	13	6	–	8	3	–	2	1	–	–	1	1	11	2	5	1	3	–
Pike	1	13	–	1	2	3	–	2	–	–	1	1	1	9	3	–	1	2	–
Polk	1	25	1	5	13	7	2	5	2	–	1	3	3	42	16	14	8	1	2
Pulaski	1	13	–	–	3	3	–	3	–	–	1	–	–	8	3	3	2	2	–
Putnam	1	3	–	–	4	1	1	2	1	–	1	1	–	6	3	3	5	–	–
Quitman	–	3	–	1	1	–	–	–	–	–	–	1	1	1	2	–	–	–	–
Rabun	–	7	–	2	1	5	–	1	1	–	–	2	3	10	8	3	2	1	–
Randolph	1	15	2	2	2	–	–	1	4	–	–	2	–	6	1	8	–	–	1
Richmond	4	120	5	13	49	56	2	22	19	–	12	25	20	201	35	47	22	27	6
Augusta	1	69	5	10	25	25	2	6	8	–	4	9	9	103	16	23	8	13	3
Balance of county	3	51	–	3	24	31	–	16	11	–	8	16	11	98	19	24	14	14	3
Rockdale	–	14	–	2	10	17	1	5	2	–	2	5	1	29	13	10	1	3	–
Schley	–	5	–	–	–	1	1	–	1	–	–	–	–	2	–	–	–	–	–
Screven	–	14	2	3	4	5	–	1	6	–	4	2	–	11	4	7	3	3	–
Seminole	–	14	1	–	2	4	–	1	2	–	–	1	3	6	1	3	–	1	1
Spalding	3	58	3	3	13	23	–	4	5	–	2	10	1	38	17	7	11	6	–
Griffin	3	40	–	–	9	17	–	2	4	–	2	6	–	25	8	3	6	6	–
Balance of county	–	18	3	3	4	6	–	2	1	–	–	4	1	13	9	4	5	–	–
Stephens	–	24	2	4	11	5	2	2	1	–	1	2	2	23	8	7	1	2	–
Stewart	1	10	–	1	4	1	–	–	2	–	–	1	1	4	1	2	1	–	1
Sumter	2	33	8	6	8	7	2	4	2	1	2	3	3	29	6	12	2	2	–
Americus	1	20	4	4	6	5	–	2	1	1	1	1	2	23	2	8	2	1	–
Balance of county	1	13	4	2	2	2	2	2	1	–	1	2	1	6	4	4	–	1	–
Talbot	–	5	1	–	–	1	–	–	2	–	–	–	–	5	2	–	1	–	–
Taliaferro	–	2	–	1	–	–	–	–	1	–	–	–	–	4	3	–	1	1	–
Tattnall	–	15	1	–	9	7	–	2	4	–	–	–	1	11	6	1	2	2	–
Taylor	–	6	2	–	2	5	–	1	1	–	1	2	3	4	1	2	–	1	–
Telfair	1	7	–	5	5	2	1	3	2	–	–	–	–	17	5	2	–	1	–
Terrell	–	20	1	1	3	3	2	–	1	–	–	2	3	12	2	3	–	2	–
Thomas	3	38	1	5	12	24	–	6	3	–	1	6	3	53	10	12	4	9	–
Thomasville	1	23	1	3	5	10	–	3	2	–	1	2	1	29	3	10	2	5	–
Balance of county	2	13	–	2	7	14	–	3	1	–	–	4	2	24	7	2	2	4	–
Tift	1	31	1	2	7	15	2	1	5	–	2	2	7	32	8	3	3	4	1
Tifton	1	19	1	1	5	7	2	1	4	–	–	–	5	13	5	2	1	1	1
Balance of county	–	12	–	1	2	8	–	–	1	–	2	2	2	19	3	1	2	3	–
Toombs	–	12	–	1	10	8	1	1	4	–	1	1	1	13	8	7	3	5	1
Vidalia, part	–	7	–	–	8	3	–	–	–	–	–	–	–	2	1	3	2	2	–
Vidalia, total	–	7	–	–	8	3	–	–	–	–	–	–	–	2	1	3	2	2	–
Balance of county	–	5	–	1	2	5	1	1	4	–	1	1	1	11	7	4	1	3	1
Towns	1	3	–	–	1	3	–	–	–	–	–	–	–	2	–	–	–	1	–
Treutlen	–	9	1	–	2	2	1	1	–	–	1	–	2	8	1	1	–	1	–
Troup	2	52	9	5	15	14	3	9	8	–	1	5	1	67	12	13	11	10	1
La Grange	1	31	4	4	13	7	3	3	4	–	1	2	1	45	4	10	4	6	1
Balance of county	1	21	5	1	2	7	–	6	4	–	–	3	–	22	8	3	7	4	–
Turner	–	20	1	–	2	1	–	1	4	–	–	–	2	1	4	2	–	–	–
Twiggs	5	12	5	1	5	1	1	–	2	–	2	2	–	4	5	1	5	1	–
Union	–	13	–	1	9	3	1	1	1	–	–	1	1	10	3	1	4	1	–
Upson	–	44	3	1	11	19	1	6	3	–	–	3	–	39	6	10	3	5	–
Walker	5	54	11	7	14	22	3	3	7	–	2	2	7	77	13	13	11	5	–
Walton	–	23	1	3	10	8	1	2	–	–	1	5	1	23	14	9	4	7	1
Ware	–	43	–	6	15	11	–	5	–	1	5	4	5	25	5	13	5	3	–
Waycross	–	33	–	4	8	8	–	5	–	1	4	3	1	18	3	9	3	1	–
Balance of county	–	10	–	2	7	3	–	–	–	–	1	1	4	7	2	4	2	2	–
Warren	1	8	–	1	4	–	1	1	2	–	–	1	2	8	2	3	–	2	–
Washington	2	20	7	4	8	4	1	–	5	–	2	2	2	20	8	4	–	5	–
Wayne	1	21	3	2	5	6	1	3	2	–	1	1	–	17	7	10	1	4	–
Webster	–	5	1	–	–	–	–	–	–	–	1	–	1	2	1	–	1	–	–
Wheeler	1	7	–	–	4	–	–	–	3	–	–	–	–	2	–	3	1	1	–
White	1	16	–	3	1	5	–	2	1	–	–	1	–	10	4	2	–	1	1
Whitfield	–	42	–	8	32	33	3	8	5	–	3	6	9	49	20	9	3	6	1
Dalton	–	19	–	4	18	14	1	4	1	–	–	2	2	18	7	4	–	4	–
Balance of county	–	23	–	4	14	19	2	4	4	–	3	4	7	31	13	5	3	2	1
Wilcox	–	13	2	–	–	3	–	–	–	–	1	–	1	9	4	5	–	1	–
Wilkes	–	13	–	–	5	4	–	1	5	–	–	1	2	12	2	1	1	1	2
Wilkinson	2	4	1	–	4	2	1	–	2	–	–	2	–	5	2	4	4	–	2
Worth	–	21	2	–	5	11	–	1	1	–	2	1	7	10	6	9	2	–	–
Hawaii	18	404	32	72	228	181	15	67	53	1	52	87	67	542	115	158	107	55	30
Urban places	15	289	28	60	162	130	12	49	35	–	41	67	55	385	82	101	82	45	21
Balance of area	3	115	4	12	66	51	3	18	18	1	11	20	12	157	53	57	25	10	9
Metropolitan counties	14	278	22	51	147	137	11	48	39	–	44	74	55	389	78	110	90	49	25
Urban places	13	253	21	48	138	121	10	43	29	–	39	66	50	341	55	89	76	43	21
Balance of area	1	25	1	3	11	16	1	5	10	–	5	8	5	48	23	21	14	6	4
Nonmetropolitan counties	4	128	10	21	81	44	4	19	14	1	8	13	12	153	37	48	17	6	5
Urban places	2	36	7	12	26	9	2	6	6	–	2	1	5	44	7	12	6	2	–
Balance of area	2	90	3	9	55	35	2	13	8	1	6	12	7	109	30	36	11	4	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	732	1	–	7	168	57	42	14	17	5	3	30	26	333	249	3	2	179	65
Hilo#	286	–	–	3	67	32	15	3	4	3	1	9	14	132	94	3	–	67	24
Balance of county	446	1	–	4	101	25	27	11	13	2	2	21	12	201	155	–	2	112	41
Honolulu	4,304	6	–	79	1,055	315	279	78	110	40	34	199	113	1,755	1,390	18	46	827	499
Aiea#	129	–	–	2	30	13	4	1	4	–	1	7	1	54	39	2	1	22	14
Ewa Beach#	111	–	–	2	23	7	7	1	1	–	1	6	5	51	39	–	3	21	15
Honolulu#	2,538	4	–	49	644	201	162	41	71	21	21	127	61	1,069	845	11	26	512	296
Kailua#	226	–	–	2	67	20	17	4	9	3	2	12	6	86	63	–	–	39	24
Kaneohe#	268	–	–	5	60	16	17	11	6	1	2	7	8	119	97	2	4	50	41
Mililani Town#	54	1	–	–	13	6	3	1	1	–	–	2	2	19	17	1	–	10	6
Mokapu#	11	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	1	1
Pearl City#	137	–	–	2	31	6	13	4	2	2	1	3	4	47	35	–	1	18	16
Schofield Barracks#	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
Wahiawa#	150	–	–	6	38	15	11	3	1	3	1	4	8	50	45	–	2	33	10
Waipahu#	163	–	–	2	40	8	14	3	6	–	3	6	5	57	38	–	3	20	15
Balance of county	507	1	–	9	108	23	31	9	9	10	2	24	13	199	169	2	6	100	61
Kalawao	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kauai	318	–	–	2	71	23	13	4	7	3	2	19	11	129	105	–	12	56	37
Maui	519	1	–	3	125	46	29	8	6	6	3	27	15	215	163	2	4	104	53
Kahului#	110	–	–	–	25	11	5	1	2	–	1	5	2	52	41	2	–	30	9
Wailuku#	86	–	–	1	27	12	4	3	–	2	1	5	1	30	22	–	1	16	5
Balance of county	323	1	–	2	73	23	20	4	4	4	1	17	12	133	100	–	3	58	39
Idaho	7,388	2	–	66	1,591	374	398	114	211	76	61	357	125	3,169	2,396	34	35	1,570	757
Urban places	3,161	1	–	29	640	143	175	49	91	26	26	130	52	1,452	1,074	16	20	722	316
Balance of area	4,227	1	–	37	951	231	223	65	120	50	35	227	73	1,737	1,322	18	15	848	441
Metropolitan counties	1,252	–	–	12	261	58	78	24	29	9	10	53	15	553	431	5	5	305	116
Urban places	934	–	–	8	187	40	57	19	20	7	7	37	11	430	335	4	4	240	87
Balance of area	318	–	–	4	74	18	21	5	9	2	3	16	4	123	96	1	1	65	29
Nonmetropolitan counties	6,136	2	–	54	1,330	316	320	90	182	67	51	304	110	2,636	1,965	29	30	1,265	641
Urban places	2,227	1	–	21	453	103	118	30	71	19	19	93	41	1,022	739	12	16	482	229
Balance of area	3,909	1	–	33	877	213	202	60	111	48	32	211	69	1,614	1,226	17	14	783	412
Ada	1,252	–	–	12	261	58	78	24	29	9	10	53	15	553	431	5	5	305	116
Boise City	934	–	–	8	187	40	57	19	20	7	7	37	11	430	335	4	4	240	87
Balance of county	318	–	–	4	74	18	21	5	9	2	3	16	4	123	96	1	1	65	29
Adams	18	–	–	–	5	–	2	–	2	–	–	1	–	8	8	–	–	7	1
Bannock	463	–	–	5	86	12	14	8	14	4	3	31	9	211	157	1	1	101	54
Pocatello	362	–	–	3	70	11	12	6	12	3	2	24	7	167	124	1	1	82	40
Balance of county	101	–	–	2	16	1	2	2	2	1	1	7	2	44	33	–	–	19	14
Bear Lake	57	–	–	–	9	2	2	2	–	–	1	2	2	29	20	–	–	11	9
Benewah	72	–	–	1	19	4	8	3	1	–	–	3	1	28	12	–	–	11	1
Bingham	245	–	–	1	46	10	10	3	6	2	1	14	7	102	81	1	–	58	22
Blackfoot	81	–	–	–	13	1	3	1	2	–	1	5	2	36	23	–	–	16	7
Balance of county	164	–	–	1	33	9	7	2	4	2	–	9	5	66	58	1	–	42	15
Blaine	58	–	–	–	17	5	3	2	2	–	–	5	–	17	13	–	–	8	5
Boise	28	–	–	–	10	2	2	1	2	2	–	1	–	12	9	–	–	2	7
Bonner	223	–	–	4	58	9	18	7	8	1	2	13	2	91	68	–	2	42	24
Bonneville	414	–	–	3	86	18	19	7	14	5	3	20	19	151	111	1	3	65	42
Idaho Falls	329	–	–	2	70	14	15	6	12	5	3	15	16	118	88	1	2	52	33
Balance of county	85	–	–	1	16	4	4	1	2	–	–	5	3	33	23	–	1	13	9
Boundary	58	–	–	2	11	2	4	–	–	–	–	5	–	27	22	–	1	13	8
Butte	21	–	–	–	5	3	1	–	–	–	–	1	3	4	4	–	–	4	–
Camas	6	–	–	–	2	–	1	–	–	–	1	–	–	2	1	–	–	–	1
Canyon	760	–	–	5	172	39	42	9	29	14	12	27	9	343	240	5	6	132	97
Caldwell	200	–	–	2	41	9	14	1	8	3	3	3	2	107	75	2	5	41	27
Nampa	298	–	–	3	61	16	15	4	12	–	2	12	2	129	90	2	1	59	28
Balance of county	262	–	–	–	70	14	13	4	9	11	7	12	5	107	75	1	–	32	42
Caribou	54	–	–	–	9	1	2	1	1	1	–	3	2	25	22	2	–	16	4
Cassia	132	–	–	2	36	11	5	2	3	2	2	11	3	43	34	–	1	19	14
Clark	7	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–	1	1
Clearwater	79	–	–	1	21	6	6	3	–	1	1	4	–	33	24	2	–	15	7
Custer	32	1	–	–	3	2	–	1	–	–	–	–	–	15	14	1	–	6	7
Elmore	121	–	–	1	26	10	5	3	3	1	1	3	–	54	45	–	1	17	27
Franklin	63	–	–	–	10	2	–	1	3	–	–	4	3	22	14	–	–	9	5
Fremont	95	–	–	–	16	7	3	–	–	1	–	5	2	44	35	–	1	22	12
Gem	133	–	–	2	29	4	9	1	5	–	3	7	4	58	46	–	–	34	12
Gooding	126	–	–	1	28	7	6	1	7	1	1	5	–	57	39	–	1	24	14
Idaho	123	–	–	2	21	12	3	2	1	–	–	3	2	53	45	–	–	35	10
Jefferson	107	–	–	–	12	2	2	2	–	3	–	3	6	39	28	–	–	16	12
Jerome	130	–	–	2	39	13	6	4	3	2	2	9	4	48	42	3	–	29	10
Kootenai	524	1	–	4	137	29	41	5	23	6	3	30	2	217	166	3	3	117	43
Coeur d'Alene	275	1	–	2	65	17	21	3	10	2	1	11	–	127	95	2	1	62	30
Balance of county	249	–	–	2	72	12	20	2	13	4	2	19	2	90	71	1	2	55	13
Latah	183	–	–	1	28	6	7	2	2	2	–	9	1	93	69	1	1	48	13
Moscow	84	–	–	1	13	3	3	1	1	–	–	5	–	50	31	1	1	25	4
Balance of county	99	–	–	–	15	3	4	1	1	2	–	4	1	43	32	–	–	23	9
Lemhi	59	–	–	1	20	5	8	–	1	1	–	5	–	20	17	–	–	9	8
Lewis	36	–	–	–	8	1	2	–	3	2	–	–	1	13	9	–	–	6	3
Lincoln	28	–	–	–	3	1	–	–	1	–	–	1	1	14	13	–	–	3	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Hawaii	3	65	7	9	31	15	2	9	7	1	1	7	6	64	22	15	10	4	3
Hilo#	2	24	6	6	12	5	1	3	3	–	–	–	5	25	6	5	4	1	–
Balance of county	1	41	1	3	19	10	1	6	4	1	1	7	1	39	16	10	6	3	3
Honolulu	14	278	22	51	147	137	11	48	39	–	44	74	55	389	78	110	90	49	25
Aiea#	–	12	1	2	5	5	1	2	2	–	1	4	2	8	1	6	3	2	–
Ewa Beach#	–	10	–	2	3	2	–	–	1	–	–	5	2	9	–	1	4	2	1
Honolulu#	8	168	16	32	95	81	9	29	16	–	16	27	27	231	31	52	53	28	15
Kailua#	2	19	–	2	9	8	–	3	1	–	3	11	3	18	2	3	3	1	–
Kaneohe#	–	15	4	3	10	8	–	1	4	–	4	1	5	25	4	6	4	1	3
Mililani Town#	1	1	–	–	1	1	–	2	–	–	1	3	2	3	–	3	2	1	–
Mokapu#	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	–	–	–
Pearl City#	1	8	–	3	2	4	–	–	1	–	4	4	1	25	5	1	3	2	1
Schofield Barracks#	–	1	–	–	–	–	–	–	–	–	1	–	2	–	1	3	1	–	–
Wahiawa#	1	3	–	1	5	3	–	3	3	–	3	6	2	12	6	5	–	–	–
Waipahu#	–	15	–	3	6	9	–	3	1	–	6	5	2	9	4	5	3	5	1
Balance of county	1	25	1	3	11	16	1	5	10	–	5	8	5	48	23	21	14	6	4
Kalawao	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kauai	–	20	–	4	21	10	1	5	3	–	1	2	2	37	8	9	4	1	1
Maui	1	40	3	8	29	19	1	5	4	–	6	4	4	52	7	24	3	1	1
Kahului#	–	6	1	4	10	1	–	1	3	–	2	–	–	8	–	4	1	1	–
Wailuku#	–	6	–	2	4	3	1	2	–	–	–	1	–	11	1	3	1	–	–
Balance of county	1	28	2	2	15	15	–	2	1	–	4	3	4	33	6	17	1	–	1
Idaho	26	594	81	92	209	373	32	66	61	1	53	69	105	695	271	257	177	37	9
Urban places	9	279	48	42	92	148	16	31	27	–	20	34	47	313	91	89	64	10	5
Balance of area	17	315	33	50	117	225	16	35	34	1	33	35	58	382	180	168	113	27	4
Metropolitan counties	9	90	10	13	51	57	5	13	7	–	13	11	19	114	43	39	32	7	–
Urban places	5	72	10	8	39	41	5	10	5	–	10	7	14	88	32	29	17	1	–
Balance of area	4	18	–	5	12	16	–	3	2	–	3	4	5	26	11	10	15	6	–
Nonmetropolitan counties	17	504	71	79	158	316	27	53	54	1	40	58	86	581	228	218	145	30	9
Urban places	4	207	38	34	53	107	11	21	22	–	10	27	33	225	59	60	47	9	5
Balance of area	13	297	33	45	105	209	16	32	32	1	30	31	53	356	169	158	98	21	4
Ada	9	90	10	13	51	57	5	13	7	–	13	11	19	114	43	39	32	7	–
Boise City	5	72	10	8	39	41	5	10	5	–	10	7	14	88	32	29	17	1	–
Balance of county	4	18	–	5	12	16	–	3	2	–	3	4	5	26	11	10	15	6	–
Adams	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	3	–	–	–
Bannock	1	42	5	6	13	21	–	6	3	–	5	8	3	45	8	21	9	4	6
Pocatello	–	33	5	5	11	18	–	3	2	–	5	7	3	33	4	15	7	4	3
Balance of county	1	9	–	1	2	3	–	3	1	–	–	1	–	12	4	6	2	–	3
Bear Lake	–	9	–	–	2	5	1	–	–	–	–	–	–	3	3	2	1	–	–
Benewah	–	14	2	–	1	5	–	–	–	–	1	–	–	5	5	5	1	–	–
Bingham	–	18	–	3	8	8	2	1	–	–	–	1	6	25	16	13	9	–	–
Blackfoot	–	12	–	1	5	5	1	1	–	–	–	–	2	11	3	1	1	–	–
Balance of county	–	6	–	2	3	3	1	–	–	–	–	1	4	14	13	12	8	–	–
Blaine	–	4	–	–	2	4	–	1	–	–	–	1	1	2	7	2	3	1	–
Boise	–	3	–	–	1	1	–	1	–	–	–	–	–	1	–	2	–	–	–
Bonner	2	11	5	5	5	19	–	2	1	–	1	2	2	17	11	5	3	–	–
Bonneville	–	31	7	2	6	20	1	3	5	–	–	5	25	40	22	13	14	1	–
Idaho Falls	–	24	4	2	6	16	1	3	4	–	–	5	19	35	15	7	11	1	–
Balance of county	–	7	3	–	–	4	–	–	1	–	–	–	6	5	7	6	3	–	–
Boundary	–	3	1	1	1	3	–	–	–	–	–	–	–	10	1	3	–	–	–
Butte	–	–	–	–	1	2	–	–	1	–	–	–	1	2	–	–	2	–	–
Camas	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Canyon	2	72	18	11	17	29	4	6	7	–	9	5	6	65	29	30	17	6	1
Caldwell	1	16	9	6	3	5	–	1	2	–	–	2	–	15	6	10	2	1	1
Nampa	–	33	3	3	9	15	3	4	2	–	2	1	3	34	13	10	6	1	–
Balance of county	1	23	6	2	5	9	1	1	3	–	7	2	3	16	10	10	9	4	–
Caribou	–	3	–	–	1	5	–	–	–	–	2	1	–	3	2	1	3	–	–
Cassia	–	8	–	1	3	10	–	3	–	1	1	–	2	16	2	8	1	1	–
Clark	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
Clearwater	–	7	–	2	1	4	1	–	1	–	–	1	2	9	2	–	3	–	–
Custer	–	1	–	–	1	2	–	–	–	–	1	–	2	1	4	–	2	–	–
Elmore	–	5	2	2	2	5	–	–	1	–	1	2	3	13	2	5	4	2	–
Franklin	–	4	2	2	1	2	–	–	2	–	1	2	–	11	3	3	2	1	–
Fremont	–	8	–	1	6	3	–	–	–	–	2	1	2	8	7	4	–	–	–
Gem	2	9	–	1	6	7	1	1	–	–	1	–	–	14	6	3	–	1	–
Gooding	–	17	1	–	6	12	–	–	–	–	1	1	–	10	4	6	–	–	–
Idaho	–	7	1	–	–	4	–	1	–	–	–	2	6	13	9	7	3	–	–
Jefferson	1	6	4	–	2	10	1	1	1	–	–	1	–	14	11	4	5	–	–
Jerome	–	5	–	1	2	5	–	1	3	–	1	1	3	11	3	5	1	–	1
Kootenai	1	39	2	9	15	25	3	8	5	–	2	6	4	39	23	13	18	2	–
Coeur d'Alene	–	26	1	5	7	12	2	4	3	–	–	2	2	29	6	5	8	–	–
Balance of county	1	13	1	4	8	13	1	4	2	–	2	4	2	10	17	8	10	2	–
Latah	3	23	–	4	3	13	1	1	2	–	1	2	3	17	1	7	8	1	–
Moscow	1	16	–	2	2	5	–	–	–	–	–	1	1	7	–	3	1	–	–
Balance of county	2	7	–	2	1	8	1	1	2	–	1	1	2	10	1	4	7	1	–
Lemhi	–	2	–	1	1	4	2	–	1	–	–	–	1	4	3	1	1	–	–
Lewis	–	4	–	–	2	–	3	1	1	–	–	–	1	4	1	1	–	–	–
Lincoln	–	1	–	–	–	–	–	–	–	–	1	–	2	5	–	1	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	73	–	–	–	13	3	1	1	4	–	–	4	1	32	23	1	–	11	11
Rexburg	43	–	–	–	7	1	1	1	2	–	–	2	–	21	17	1	–	9	7
Balance of county	30	–	–	–	6	2	–	–	2	–	–	2	1	11	6	–	–	2	4
Minidoka	137	–	–	1	32	10	4	–	5	3	–	10	1	58	48	–	1	34	13
Nez Perce	326	–	–	5	76	26	23	5	7	2	4	9	5	160	114	1	2	78	33
Lewiston	282	–	–	5	62	19	20	5	6	2	3	7	5	146	105	1	2	72	30
Balance of county	44	–	–	–	14	7	3	–	1	–	1	2	–	14	9	–	–	6	3
Oneida	31	–	–	–	7	–	1	–	2	–	1	3	–	13	9	–	–	3	6
Owyhee	66	–	–	1	10	1	4	–	–	1	–	4	1	25	20	–	–	13	7
Payette	135	–	–	–	28	3	8	3	2	2	1	9	2	63	38	1	1	18	18
Power	42	–	–	–	11	3	3	2	1	–	–	2	1	14	9	–	–	7	2
Shoshone	191	–	–	1	37	8	9	1	7	3	1	8	1	98	77	1	–	64	12
Teton	21	–	–	–	5	2	2	–	–	–	–	1	–	12	9	–	–	4	5
Twin Falls	512	–	–	6	109	28	27	6	11	5	7	25	12	222	165	5	4	114	42
Twin Falls	273	–	–	3	51	12	14	2	6	4	4	9	7	121	91	1	3	64	23
Balance of county	239	–	–	3	58	16	13	4	5	1	3	16	5	101	74	4	1	50	19
Valley	33	–	–	–	8	1	2	1	2	–	–	2	–	12	10	–	–	7	3
Washington	114	–	–	2	21	5	5	1	7	–	1	2	3	54	39	–	1	32	6
Illinois	103,371	71	4	1,350	23,019	6,023	6,272	2,114	2,451	975	886	4,318	1,722	49,668	40,100	280	1,374	27,407	11,039
Urban places	72,575	60	4	1,045	16,048	4,232	4,386	1,483	1,675	672	580	3,010	1,218	34,401	28,029	214	1,081	18,490	8,244
Balance of area	30,796	11	–	305	6,971	1,791	1,886	621	776	303	286	1,308	504	15,265	12,071	66	293	8,917	2,795
Metropolitan counties	80,638	61	2	1,133	18,278	4,818	5,014	1,715	1,901	763	653	3,414	1,350	37,900	30,866	232	1,177	20,460	8,997
Urban places	66,708	57	2	975	14,858	3,955	4,058	1,388	1,540	622	524	2,771	1,116	31,380	25,655	199	1,023	16,685	7,748
Balance of area	13,930	4	–	158	3,420	863	956	327	361	141	129	643	234	6,520	5,211	33	154	3,775	1,249
Nonmetropolitan counties	22,733	10	2	217	4,741	1,205	1,258	389	550	212	213	904	372	11,766	9,234	48	197	6,947	2,042
Urban places	5,867	3	2	70	1,190	277	328	105	135	50	56	239	102	3,021	2,374	15	58	1,805	496
Balance of area	16,866	7	–	147	3,551	928	930	294	415	162	157	665	270	8,745	6,860	33	139	5,142	1,546
Adams	793	1	–	12	151	37	43	12	17	6	7	29	17	374	305	2	5	228	70
Quincy	586	1	–	12	106	27	32	8	10	5	4	20	13	275	224	1	5	173	45
Balance of county	207	–	–	–	45	10	11	4	7	1	3	9	4	99	81	1	–	55	25
Alexander	161	1	–	–	40	10	12	1	3	1	1	12	–	78	63	–	–	49	14
Bond	199	–	–	2	43	11	15	5	3	3	1	5	3	115	91	–	7	51	33
Boone	231	–	–	1	50	12	13	5	8	–	2	10	5	108	85	2	1	68	14
Belvidere	144	–	–	–	33	9	7	4	6	–	1	6	2	69	54	2	1	43	8
Balance of county	87	–	–	1	17	3	6	1	2	–	1	4	3	39	31	–	–	25	6
Brown	54	–	–	–	12	6	3	1	–	–	–	2	–	32	27	–	1	17	9
Bureau	425	–	–	4	91	26	26	11	7	3	2	16	4	232	182	1	3	124	54
Calhoun	74	–	–	3	18	3	6	1	1	1	–	6	1	35	27	–	1	20	6
Carroll	224	1	–	–	52	12	12	6	8	5	1	8	5	108	79	–	–	65	14
Cass	177	–	–	–	38	8	12	2	7	1	1	7	3	85	80	–	4	48	30
Champaign	987	–	1	7	253	71	67	23	26	13	3	50	20	402	303	1	11	228	63
Champaign	347	–	1	3	92	24	24	10	13	5	–	16	7	138	102	–	3	76	23
Rantoul	70	–	–	1	21	7	4	1	1	2	–	6	2	24	18	–	1	13	4
Urbana	265	–	–	–	59	13	13	8	5	4	2	14	6	123	88	–	3	69	16
Balance of county	305	–	–	3	81	27	26	4	7	2	1	14	5	117	95	1	4	70	20
Christian	429	–	–	2	93	31	26	10	8	3	4	11	4	216	171	–	4	141	26
Taylorville	173	–	–	1	37	12	11	7	3	1	1	2	3	84	72	–	2	59	11
Balance of county	256	–	–	1	56	19	15	3	5	2	3	9	1	132	99	–	2	82	15
Clark	227	–	–	1	46	17	8	5	8	2	2	4	1	123	93	–	6	65	22
Clay	212	1	–	2	35	17	8	2	3	2	–	3	5	125	88	–	–	73	15
Clinton	229	–	–	2	51	11	19	4	1	4	2	10	4	111	89	1	3	67	18
Centralia, part	37	–	–	2	6	1	1	1	–	1	1	1	2	18	15	–	–	11	4
Balance of county	192	–	–	–	45	10	18	3	1	3	1	9	2	93	74	1	3	56	14
Coles	456	–	–	5	78	20	19	5	5	4	3	22	8	242	157	1	2	135	19
Charleston	120	–	–	1	18	3	3	2	2	1	1	6	2	71	47	1	1	40	5
Mattoon	247	–	–	4	40	10	11	2	2	2	2	11	4	136	84	–	1	73	10
Balance of county	89	–	–	–	20	7	5	1	1	1	–	5	2	35	26	–	–	22	4
Cook	49,151	51	1	773	10,818	2,941	2,917	1,029	1,113	446	364	2,008	826	23,197	19,389	154	889	11,956	6,388
Alsip	113	–	–	–	28	7	7	1	3	1	1	8	1	54	44	1	4	34	5
Arlington Heights, part	498	–	–	5	113	39	28	12	7	5	2	20	6	248	190	5	5	128	52
Arlington Heights, total	498	–	–	5	113	39	28	12	7	5	2	20	6	248	190	5	5	128	52
Bartlett, part	48	–	–	–	12	2	3	2	2	–	–	3	1	28	22	–	–	17	5
Bellwood	152	–	–	2	35	9	7	5	3	1	2	8	3	64	52	–	–	32	20
Bensenville, part	9	–	–	–	4	1	2	–	–	–	–	1	–	2	2	–	–	2	–
Berwyn	668	1	–	4	151	44	48	10	14	5	4	26	11	327	283	3	10	178	72
Blue Island	244	–	–	5	57	16	19	5	8	–	–	7	3	122	104	1	3	67	33
Bridgeview	160	–	–	3	34	9	12	2	6	1	–	4	7	73	63	–	1	43	19
Brookfield	180	–	–	2	48	14	13	7	2	3	2	7	2	91	68	–	1	50	17
Buffalo Grove, part	81	–	–	1	20	4	6	2	3	–	1	4	–	33	27	–	–	15	12
Buffalo Grove, total	112	–	–	1	29	7	10	3	4	–	1	4	–	39	28	–	–	15	13
Burbank	251	–	–	3	65	16	22	5	8	1	2	11	3	121	105	4	4	72	25
Calumet City	348	–	–	3	98	19	26	9	5	7	4	28	1	168	147	3	4	90	50
Chicago, part	29,522	40	1	517	6,216	1,732	1,697	552	664	238	211	1,122	508	13,654	11,529	99	635	6,594	4,201
Chicago, total	29,523	40	1	517	6,216	1,732	1,697	552	664	238	211	1,122	508	13,655	11,529	99	635	6,594	4,201
Chicago Heights	384	–	–	7	97	19	30	9	18	5	1	17	6	189	147	1	8	87	51
Chicago Ridge	100	1	–	2	15	4	3	2	2	–	1	3	–	48	42	–	4	27	11
Cicero	758	1	–	9	162	44	39	15	15	8	6	35	13	373	315	1	12	207	95
Country Club Hills	50	1	–	1	20	3	9	2	2	1	–	3	2	15	13	–	–	5	8
Crestwood	136	–	–	3	19	3	4	2	2	–	–	8	5	73	62	–	–	45	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	–	8	1	–	1	1	–	1	–	–	–	3	–	7	3	7	3	1	–
Rexburg	–	4	–	–	–	1	–	–	–	–	–	2	–	4	3	3	1	1	–
Balance of county	–	4	1	–	1	–	–	1	–	–	–	1	–	3	–	4	2	–	–
Minidoka	–	8	–	2	6	3	–	–	5	–	1	1	2	14	5	6	1	1	–
Nez Perce	1	27	14	4	10	13	1	4	3	–	2	3	1	29	5	3	4	2	–
Lewiston	1	22	14	4	6	11	1	3	3	–	2	3	1	27	3	1	2	1	–
Balance of county	–	5	–	–	4	2	–	1	–	–	–	–	–	2	2	2	2	1	–
Oneida	–	2	1	1	4	–	–	–	2	–	–	–	–	3	–	2	–	–	–
Owyhee	–	1	1	3	–	3	–	1	–	–	2	1	–	12	7	1	1	1	–
Payette	–	22	–	3	5	10	1	1	1	–	1	1	2	9	1	6	4	–	–
Power	–	4	–	1	–	5	–	–	–	–	1	–	–	2	1	5	–	2	–
Shoshone	–	16	1	2	3	11	1	3	1	–	–	1	1	21	5	6	3	–	–
Teton	–	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Twin Falls	3	42	2	10	15	35	3	2	7	–	2	6	4	54	10	10	14	–	1
Twin Falls	1	21	2	6	4	18	3	2	6	–	1	4	2	30	6	5	8	–	1
Balance of county	2	21	–	4	11	18	–	–	1	–	1	2	2	24	4	5	6	–	–
Valley	–	2	–	–	1	–	–	2	–	–	–	–	–	8	2	–	–	–	–
Washington	1	13	1	–	3	5	1	2	–	–	–	–	1	12	3	4	3	–	–
Illinois	442	7,094	982	1,048	3,689	3,415	311	1,334	1,146	18	592	1,102	890	8,529	1,759	2,202	1,275	1,148	129
Urban places	294	4,799	564	715	2,676	2,285	228	1,066	828	17	428	922	629	6,148	1,031	1,526	888	1,028	99
Balance of area	148	2,295	418	333	1,013	1,130	83	268	318	1	164	180	261	2,381	728	676	387	120	30
Metropolitan counties	338	5,277	633	786	2,858	2,588	240	1,139	920	17	495	984	685	6,745	1,280	1,721	1,041	1,094	107
Urban places	273	4,318	490	644	2,435	2,080	210	995	774	16	405	881	565	5,662	943	1,419	831	1,014	90
Balance of area	65	959	143	142	423	508	30	144	146	1	90	103	120	1,083	337	302	210	80	17
Nonmetropolitan counties	104	1,817	349	262	831	827	71	195	226	1	97	118	205	1,784	479	481	234	54	22
Urban places	21	481	74	71	241	205	18	71	54	1	23	41	64	486	88	107	57	14	9
Balance of area	83	1,336	275	191	590	622	53	124	172	–	74	77	141	1,298	391	374	177	40	13
Adams	4	51	7	7	51	29	4	7	10	–	1	–	12	66	17	27	10	–	2
Quincy	4	35	5	7	43	22	2	5	6	–	1	–	8	53	7	21	9	–	2
Balance of county	–	16	2	–	8	7	2	2	4	–	–	–	4	15	10	6	1	–	–
Alexander	–	11	2	2	5	12	1	1	–	–	1	1	6	7	3	4	–	1	–
Bond	–	15	8	1	4	3	–	1	2	–	1	–	–	11	4	6	3	1	–
Boone	–	18	2	3	5	13	–	–	2	–	1	1	2	21	11	6	4	–	1
Belvidere	–	11	2	2	4	8	–	–	–	–	–	1	2	10	8	4	3	–	–
Balance of county	–	7	–	1	1	5	–	–	2	–	1	–	–	11	3	2	1	–	1
Brown	–	2	3	–	4	–	–	–	–	–	–	–	–	6	–	–	–	–	–
Bureau	2	30	12	6	9	13	1	3	1	–	2	3	3	38	8	13	–	–	–
Calhoun	–	8	–	–	–	3	–	1	–	–	–	–	–	7	1	4	1	–	–
Carroll	2	17	7	3	8	6	–	2	1	–	–	4	1	20	6	6	4	–	–
Cass	–	10	3	2	5	7	1	1	2	–	1	2	3	8	4	5	2	–	–
Champaign	20	57	13	9	25	48	3	7	9	1	16	11	10	103	28	22	13	6	2
Champaign	8	21	5	2	10	16	2	4	6	–	5	2	5	39	3	6	2	4	2
Rantoul	2	3	1	–	1	3	–	–	1	–	1	1	–	5	7	1	1	1	–
Urbana	7	21	2	5	9	9	1	1	–	1	2	1	3	27	10	6	7	–	–
Balance of county	3	12	5	2	5	20	–	2	2	–	8	7	2	32	8	9	3	1	–
Christian	3	29	7	6	18	14	1	6	5	–	1	–	1	48	5	9	4	1	1
Taylorville	–	9	1	2	9	7	–	5	4	–	–	–	–	17	1	2	2	–	1
Balance of county	3	20	6	4	9	7	1	1	1	–	1	–	1	31	4	7	2	1	–
Clark	1	23	3	3	4	11	1	2	3	–	–	1	–	21	2	7	4	–	–
Clay	1	32	–	4	6	8	3	3	–	–	–	1	3	15	3	1	1	–	–
Clinton	–	16	1	5	11	8	1	2	2	–	1	2	1	23	3	3	4	–	–
Centralia, part	–	2	–	1	3	1	–	–	1	–	–	–	–	4	–	–	–	–	–
Balance of county	–	14	1	4	8	7	1	2	1	–	1	2	1	19	3	3	4	–	–
Coles	1	79	1	4	16	21	2	4	2	–	2	5	2	44	8	8	7	2	–
Charleston	–	21	1	2	4	3	–	1	1	–	–	–	–	13	2	3	1	–	–
Mattoon	1	50	–	1	8	11	2	1	1	–	1	5	2	19	3	4	4	2	–
Balance of county	–	8	–	1	4	7	–	2	–	–	1	–	–	12	3	1	2	–	–
Cook	192	2,881	294	441	1,799	1,392	145	828	575	13	267	631	407	4,144	643	1,074	592	892	83
Alsip	1	6	–	3	2	2	–	1	1	–	2	1	1	10	6	1	2	1	–
Arlington Heights, part	2	47	3	6	21	16	2	11	3	–	6	1	5	43	8	4	5	1	–
Arlington Heights, total	2	47	3	6	21	16	2	11	3	–	6	1	5	43	8	4	5	1	–
Bartlett, part	1	4	–	1	2	–	–	1	–	–	–	1	–	–	1	1	1	–	–
Bellwood	1	9	1	1	5	6	1	1	5	–	–	9	–	10	1	1	5	3	1
Bensenville, part	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
Berwyn	2	49	7	6	25	22	1	15	10	–	4	7	2	55	11	10	10	2	–
Blue Island	–	16	1	1	11	3	–	5	2	–	2	3	–	17	7	3	1	3	–
Bridgeview	–	10	–	–	8	2	–	2	3	–	2	1	2	19	2	1	1	–	–
Brookfield	–	18	2	3	3	6	–	4	3	–	1	2	–	11	1	4	1	1	–
Buffalo Grove, part	–	5	1	–	4	2	–	–	2	–	–	1	–	8	2	4	3	–	1
Buffalo Grove, total	1	9	1	–	4	2	–	2	2	–	3	2	1	12	4	5	4	1	1
Burbank	4	10	2	–	8	9	1	1	1	–	2	3	2	20	5	3	4	–	–
Calumet City	1	14	3	3	8	9	2	10	1	–	3	3	2	29	4	5	1	1	–
Chicago, part	117	1,638	133	237	1,075	804	90	562	368	9	169	468	294	2,511	349	721	331	778	57
Chicago, total	117	1,638	134	237	1,075	804	90	562	368	9	169	468	294	2,511	349	721	331	778	57
Chicago Heights	–	33	7	2	10	9	–	9	3	1	3	5	3	16	5	10	4	6	1
Chicago Ridge	–	5	–	1	2	6	–	2	1	–	1	2	–	12	2	4	1	–	1
Cicero	3	45	7	3	26	22	4	16	2	–	2	6	4	64	12	20	13	9	–
Country Club Hills	–	2	–	–	1	1	–	1	1	–	–	1	–	2	1	–	3	–	–
Crestwood	2	9	–	–	8	2	–	1	1	–	1	–	–	21	–	1	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (080-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Des Plaines	688	–	–	11	146	41	39	12	13	5	8	28	14	349	285	–	1	223	61
Dolton	217	–	–	1	52	13	14	3	2	4	–	16	5	107	92	–	2	71	19
Elgin, part	82	–	–	–	13	2	4	2	1	–	1	3	2	39	27	–	–	23	4
Elk Grove Village, part	135	–	–	4	36	8	11	2	7	1	1	6	4	52	42	1	3	29	9
Elk Grove Village, total	135	–	–	4	36	8	11	2	7	1	1	6	4	52	42	1	3	29	9
Elmwood Park	292	–	–	3	69	23	12	3	7	4	3	17	4	158	131	1	6	90	34
Evanston	694	–	–	11	134	50	29	10	15	4	5	21	12	335	273	2	12	179	80
Evergreen Park	314	–	–	5	74	22	21	10	5	3	1	12	4	159	136	1	1	95	39
Forest Park	191	–	–	3	38	8	5	9	2	3	2	9	6	95	72	1	2	53	16
Franklin Park	176	–	–	4	41	8	16	5	4	1	2	5	–	88	66	–	2	45	19
Glenview	311	–	–	2	94	29	17	17	7	4	2	18	6	142	114	1	–	91	22
Glenwood	108	–	–	2	18	5	1	1	5	1	2	3	4	59	53	–	4	38	11
Hanover Park, part	70	–	–	1	20	3	7	3	1	1	2	3	1	24	20	–	–	18	2
Hanover Park, total	94	–	–	1	25	5	8	4	1	1	2	4	1	33	27	–	–	22	5
Harvey	304	–	–	4	60	18	18	3	5	4	2	10	9	118	105	–	5	63	37
Hazel Crest	100	–	–	4	19	4	5	–	5	–	1	4	1	47	41	–	1	28	12
Hickory Hills	89	–	–	2	19	3	4	5	3	1	–	3	1	44	37	–	5	23	9
Hinsdale, part	15	–	–	–	7	2	1	2	1	–	–	1	–	8	6	–	–	5	1
Hoffman Estates	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Homewood	221	–	–	–	51	16	9	7	5	4	–	10	2	99	80	–	1	51	28
Justice	77	–	–	1	19	5	8	4	1	–	1	–	–	35	31	–	4	21	6
La Grange	162	–	–	2	47	13	6	4	6	5	1	12	2	68	49	2	1	35	11
La Grange Park	157	–	–	–	29	7	6	4	3	1	–	8	2	88	71	1	2	51	17
Lansing	242	–	–	1	55	15	15	8	5	2	3	7	6	123	102	1	2	67	32
Lincolnwood	101	–	–	2	26	7	5	3	4	1	3	3	2	49	40	–	1	29	10
Markham	107	–	–	4	21	4	10	1	2	–	–	4	2	54	47	–	3	28	16
Matteson	71	–	–	2	18	6	6	1	–	–	–	5	1	31	27	1	–	15	11
Maywood	228	1	–	5	39	10	10	2	6	1	–	10	6	100	89	–	6	56	27
Melrose Park	221	–	–	2	59	18	19	3	6	4	1	8	6	107	90	–	–	54	36
Midlothian	97	–	–	2	21	8	5	2	1	1	1	3	2	46	40	–	–	27	13
Morton Grove	220	–	–	–	60	19	14	4	4	1	3	15	4	115	92	3	2	61	26
Mount Prospect	345	–	–	3	94	17	32	10	10	7	6	12	4	164	138	1	1	102	34
Niles	428	–	–	6	86	21	19	9	10	12	1	14	2	224	178	–	4	129	45
Norridge	232	–	–	3	51	18	12	5	4	2	1	9	3	130	109	–	6	77	26
Northbrook	272	–	–	3	60	9	15	8	5	4	7	12	3	140	111	–	1	74	36
Northlake	156	–	–	4	25	5	7	5	2	3	1	2	1	80	72	1	3	36	30
Oak Forest	141	–	–	–	32	7	12	2	3	–	–	8	2	69	62	–	2	41	19
Oak Lawn	715	–	–	8	179	50	51	16	18	6	5	33	6	363	309	1	8	210	90
Oak Park	491	1	–	11	99	19	29	10	10	5	3	23	7	238	188	2	6	131	49
Orland Park	172	–	–	5	45	10	16	1	3	4	2	9	3	79	65	1	1	46	17
Palatine	257	–	–	2	66	12	20	14	6	3	1	10	3	111	86	–	3	58	25
Palos Heights	119	–	–	–	39	7	13	4	2	1	1	11	4	48	43	–	1	32	10
Palos Hills	134	–	–	1	27	4	8	2	2	3	4	4	4	70	56	1	1	42	12
Park Forest, part	149	–	–	4	26	9	6	3	2	2	–	4	2	76	65	–	2	43	20
Park Forest, total	159	–	–	4	28	9	6	3	2	3	–	5	2	81	70	–	4	46	20
Park Ridge	363	1	–	5	84	29	15	10	12	3	2	13	4	183	147	1	3	103	40
Prospect Heights	55	–	–	1	12	2	5	1	2	–	–	2	–	31	26	–	2	13	11
Riverdale	156	1	–	1	35	8	16	2	3	2	2	2	3	78	69	–	5	39	25
River Forest	125	–	–	1	32	9	7	5	2	4	2	3	2	56	43	–	2	30	11
River Grove	118	–	–	4	28	4	8	1	4	1	1	9	1	70	60	1	5	40	14
Rolling Meadows	103	–	–	2	29	12	7	4	2	2	–	2	1	50	44	1	3	29	11
Roselle, part	15	–	–	–	5	–	2	–	2	–	–	1	–	6	5	–	–	3	2
Sauk Village	41	–	–	–	8	3	4	–	1	–	–	–	–	21	16	–	–	11	5
Schaumburg, part	311	1	–	2	85	18	19	12	8	5	3	20	6	152	121	1	3	87	30
Schaumburg, total	314	1	–	2	85	18	19	12	8	5	3	20	6	154	122	1	3	87	31
Schiller Park	62	–	–	1	12	4	2	2	1	1	–	2	2	33	32	–	–	23	9
Skokie	651	1	–	6	141	35	31	23	12	4	6	30	12	353	292	6	12	207	67
South Holland	270	–	–	5	70	23	15	7	5	1	3	16	4	126	108	–	4	70	34
Streamwood	98	–	–	1	24	6	4	7	2	1	1	3	3	39	28	–	–	24	4
Summit	77	–	–	1	21	10	5	–	1	1	1	3	3	28	22	–	2	13	7
Tinley Park, part	209	–	–	2	55	12	18	5	4	2	2	12	5	90	79	1	3	54	21
Tinley Park, total	209	–	–	2	55	12	18	5	4	2	2	12	5	90	79	1	3	54	21
Westchester	215	–	–	2	60	10	17	5	5	2	5	18	1	108	87	–	1	67	19
Western Springs	93	–	–	1	22	7	6	2	4	1	–	2	2	37	30	–	–	18	12
Wheeling, part	145	–	–	2	36	13	10	3	4	1	–	5	4	70	55	–	2	38	17
Wheeling, total	146	–	–	2	37	13	11	3	4	1	–	5	4	70	55	–	2	38	17
Wilmette	224	–	–	3	63	18	12	15	3	3	1	11	2	108	86	–	4	65	17
Winnetka	89	–	–	1	25	6	5	3	3	–	1	7	1	33	25	–	1	18	8
Worth	110	–	–	–	36	10	10	1	2	1	–	12	3	41	40	1	2	29	8
Balance of county	2,605	1	–	37	627	160	167	60	66	27	20	127	43	1,270	1,039	2	39	696	302
Crawford	240	–	–	1	45	10	12	3	3	5	4	8	6	121	84	–	–	65	19
Cumberland	112	–	–	1	27	7	5	4	2	2	2	5	–	58	44	–	–	38	6
De Kalb	480	–	–	4	105	22	21	13	19	8	5	17	8	244	183	5	3	148	27
De Kalb	132	–	–	1	28	7	5	4	8	1	–	3	1	66	56	2	2	45	7
Balance of county	348	–	–	3	77	15	16	9	11	7	5	14	7	178	127	3	1	103	20
De Witt	184	–	–	2	31	8	9	1	4	–	3	6	–	103	78	1	–	55	22
Douglas	202	–	–	3	41	11	10	5	2	2	2	9	3	101	63	2	–	47	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Des Plaines	1	47	9	7	23	23	2	19	8	–	3	5	2	62	8	12	13	3	1
Dolton	1	11	–	3	5	11	–	2	5	–	2	2	1	9	3	5	5	2	–
Elgin, part	2	6	3	1	2	3	–	–	1	–	1	2	2	9	2	4	2	–	–
Elk Grove Village, part	–	8	–	2	5	3	–	2	–	–	1	4	1	10	4	5	2	–	2
Elk Grove Village, total	–	8	–	2	5	3	–	2	–	–	1	4	1	10	4	5	2	–	2
Elmwood Park	–	20	2	5	9	10	1	4	2	–	1	3	1	15	2	6	4	–	–
Evanston	2	48	7	5	38	22	4	6	6	–	2	4	5	85	2	16	6	6	–
Evergreen Park	3	17	2	1	12	20	–	5	2	–	2	2	–	22	1	3	1	–	2
Forest Park	2	13	6	2	8	3	–	3	1	–	–	1	1	25	1	4	2	–	–
Franklin Park	2	14	3	3	8	3	–	1	4	–	1	3	–	20	–	2	1	–	–
Glenview	1	15	5	7	11	8	1	4	3	–	1	2	2	26	3	3	2	–	1
Glenwood	–	6	–	–	6	2	–	–	4	–	–	–	–	8	1	1	–	1	–
Hanover Park, part	–	3	–	1	–	2	–	2	2	–	1	3	1	4	4	2	3	–	–
Hanover Park, total	–	3	2	1	1	3	–	2	2	–	1	3	1	8	6	2	4	1	–
Harvey	–	10	1	2	10	8	–	6	5	–	1	3	10	32	11	10	7	10	–
Hazel Crest	–	5	–	1	3	3	–	2	2	1	1	2	2	8	1	1	1	2	–
Hickory Hills	–	6	–	1	3	3	–	1	–	–	–	–	2	7	2	2	2	1	–
Hinsdale, part	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hoffman Estates	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Homewood	–	13	–	6	10	9	3	1	3	–	1	1	–	27	3	6	4	1	–
Justice	1	3	–	–	2	3	–	2	1	–	–	–	1	7	2	1	3	–	–
La Grange	1	14	1	3	3	6	–	–	4	–	–	2	1	19	3	2	1	1	1
La Grange Park	3	13	1	–	5	3	2	1	1	–	–	–	1	16	–	6	2	1	–
Lansing	–	17	1	3	6	9	1	6	1	–	2	–	–	18	3	5	6	–	–
Lincolnwood	–	6	1	2	8	–	–	1	–	–	–	2	–	7	2	1	1	–	–
Markham	–	5	–	2	5	3	–	2	1	–	–	1	–	3	6	1	3	1	–
Matteson	–	4	–	–	3	2	–	1	–	–	4	–	–	5	–	1	2	1	–
Maywood	–	9	–	2	7	2	1	1	3	–	2	9	1	21	2	13	5	8	2
Melrose Park	–	12	–	5	6	8	2	3	2	–	1	–	1	14	2	7	1	–	–
Midlothian	–	5	–	1	4	3	–	2	1	–	2	2	–	7	1	2	2	–	–
Morton Grove	–	20	1	2	7	6	1	–	1	1	1	1	2	9	3	3	4	–	2
Mount Prospect	1	20	2	3	13	8	2	3	4	–	1	3	4	25	9	5	2	1	–
Niles	5	32	5	4	36	20	1	3	2	–	–	2	1	37	2	4	2	–	–
Norridge	–	11	4	6	11	7	–	1	5	–	–	3	–	12	–	4	2	–	–
Northbrook	3	17	6	3	14	12	1	1	3	–	–	–	–	19	5	8	2	1	–
Northlake	–	5	2	1	4	6	–	1	3	–	–	1	1	17	7	4	1	1	–
Oak Forest	1	6	–	–	3	1	1	7	2	–	–	–	2	14	4	2	2	–	–
Oak Lawn	2	42	6	4	26	27	2	6	5	–	3	3	1	57	11	11	7	–	–
Oak Park	3	36	3	8	19	19	4	4	7	–	3	4	1	53	4	8	6	3	–
Orland Park	–	12	1	1	3	6	–	3	1	–	–	1	–	17	4	–	5	–	–
Palatine	–	20	2	3	13	5	1	2	3	–	3	6	1	19	5	6	10	1	–
Palos Heights	–	5	–	–	5	2	–	1	2	–	–	–	2	12	–	2	2	–	–
Palos Hills	1	12	–	1	3	5	–	2	2	–	1	1	–	11	4	1	1	1	–
Park Forest, part	–	8	–	3	5	7	1	2	1	–	2	1	1	14	3	1	1	2	–
Park Forest, total	–	8	–	3	5	7	1	3	1	–	2	1	1	16	3	1	1	2	–
Park Ridge	–	25	5	6	23	10	2	4	1	–	–	1	1	30	3	5	5	–	1
Prospect Heights	–	3	–	2	1	3	–	–	–	–	–	–	–	3	3	–	1	–	–
Riverdale	1	5	1	2	8	3	1	3	1	–	–	3	–	9	1	5	2	1	1
River Forest	3	9	1	–	3	4	1	2	–	–	–	1	2	18	1	1	1	–	–
River Grove	1	7	2	–	2	2	1	2	–	–	–	2	–	3	1	2	–	–	–
Rolling Meadows	–	6	–	–	4	1	–	–	1	–	–	–	2	7	2	3	–	1	–
Roselle, part	–	1	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
Sauk Village	–	4	1	–	–	2	–	1	–	–	–	–	1	1	3	1	2	1	–
Schaumburg, part	1	26	–	4	13	9	–	2	1	–	1	2	2	19	3	5	7	1	–
Schaumburg, total	1	26	1	4	13	9	–	2	1	–	1	2	2	19	3	6	7	1	–
Schiller Park	–	1	–	–	1	2	–	1	1	–	–	–	3	3	1	–	2	–	–
Skokie	–	42	8	11	28	11	1	4	13	–	2	3	2	55	8	9	2	–	–
South Holland	–	15	1	2	13	9	–	2	2	1	1	1	1	25	2	3	4	1	–
Streamwood	1	9	–	1	2	2	–	2	1	–	1	–	–	9	8	4	1	–	1
Summit	1	5	–	–	4	2	–	2	1	–	1	–	1	9	3	–	–	1	–
Tinley Park, part	–	8	–	3	9	7	–	4	3	–	1	–	2	15	2	5	4	2	3
Tinley Park, total	–	8	–	3	9	7	–	4	3	–	1	–	2	15	2	5	4	2	3
Westchester	–	16	1	4	8	5	1	6	2	–	1	1	1	14	–	2	2	1	–
Western Springs	1	4	1	1	6	4	–	3	2	–	2	–	–	8	–	2	4	–	–
Wheeling, part	–	11	1	3	5	1	–	2	–	–	–	4	1	9	5	3	3	–	–
Wheeling, total	–	11	1	3	5	1	–	2	–	–	–	4	1	9	5	3	3	–	–
Wilmette	1	15	1	5	6	8	1	2	1	–	–	–	–	21	2	3	2	2	–
Winnetka	–	6	1	1	5	2	1	1	1	–	2	–	1	9	–	5	2	–	–
Worth	–	–	1	–	3	2	–	1	1	–	2	–	–	9	5	4	3	–	–
Balance of county	13	165	28	25	70	78	4	35	32	–	12	20	19	213	43	39	31	27	4
Crawford	–	35	–	2	4	9	1	–	6	–	1	1	1	25	10	8	1	–	–
Cumberland	–	13	–	2	5	6	2	–	1	–	–	–	1	6	–	2	2	–	–
De Kalb	3	45	6	7	14	13	–	4	5	–	2	6	7	38	13	8	6	3	–
De Kalb	–	8	–	2	3	3	–	3	1	–	2	1	1	11	4	2	3	2	–
Balance of county	3	37	6	5	11	10	–	1	4	–	–	5	6	27	9	6	3	1	–
De Witt	2	18	3	2	6	7	2	–	–	–	–	1	1	14	10	5	2	–	–
Douglas	1	26	11	–	7	4	1	2	–	–	4	1	–	22	7	6	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	4,234	–	–	55	1,063	257	280	111	104	46	46	219	65	1,985	1,559	13	17	1,207	322
Addison	150	–	–	1	37	8	11	1	3	1	2	11	2	66	55	–	1	42	12
Aurora, part	10	–	–	–	1	1	–	–	–	–	–	–	–	2	1	1	–	–	–
Bartlett, part	17	–	–	–	7	1	4	–	–	–	–	2	–	7	6	–	2	2	2
Bartlett, total	65	–	–	–	19	3	7	2	2	–	–	5	1	35	28	–	2	19	7
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	158	–	–	3	26	8	7	–	2	2	1	6	4	90	73	–	1	64	8
Bensenville, total	167	–	–	3	30	9	9	–	2	2	1	7	4	92	75	–	1	66	8
Bloomingdale	106	–	–	3	24	5	4	5	3	–	2	5	2	41	36	–	–	30	6
Bolingbrook, part	8	–	–	–	3	–	–	1	1	–	–	1	–	4	3	–	–	3	–
Carol Stream	82	–	–	1	19	3	6	1	3	–	2	4	2	38	31	1	–	27	3
Chicago, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Darien	65	–	–	–	17	3	2	–	3	1	1	7	–	30	24	–	–	20	4
Downers Grove	372	–	–	6	63	23	30	5	11	4	7	13	5	166	123	1	–	98	24
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	378	–	–	6	94	29	19	9	14	3	3	17	3	188	148	1	1	111	35
Glendale Heights	79	–	–	3	24	8	5	3	1	1	1	5	3	25	22	1	–	19	2
Glen Ellyn	147	–	–	1	52	14	10	7	6	2	5	8	2	59	45	–	1	37	7
Hanover Park, part	24	–	–	–	5	2	1	1	–	–	–	1	–	9	7	–	–	4	3
Hinsdale, part	106	–	–	–	34	8	10	5	1	1	1	8	1	52	41	1	–	34	6
Hinsdale, total	121	–	–	–	41	10	11	7	2	1	1	9	1	60	47	1	–	39	7
Lisle	81	–	–	2	17	3	4	2	2	1	3	2	–	41	31	–	–	25	6
Lombard	286	–	–	3	73	20	20	4	12	4	2	11	9	133	103	–	1	78	24
Naperville, part	300	–	–	5	72	16	18	11	4	3	–	20	3	125	97	–	1	75	21
Naperville, total	305	–	–	5	73	17	18	11	4	3	–	20	3	127	99	–	1	76	22
Roselle, part	87	–	–	–	32	9	10	3	1	4	–	5	3	34	31	–	1	23	7
Roselle, total	102	–	–	–	37	9	12	3	3	4	–	6	3	40	36	–	1	26	9
St. Charles, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Villa Park	159	–	–	2	42	8	14	4	2	2	2	10	1	87	63	–	–	53	10
West Chicago	99	–	–	–	16	1	3	3	1	1	3	4	1	45	33	–	1	25	7
Westmont	169	–	–	1	33	12	6	3	3	–	1	8	4	89	70	2	–	51	17
Wheaton	302	–	–	6	68	12	18	7	8	3	2	18	6	161	117	2	2	83	30
Wood Dale	86	–	–	–	36	10	11	1	4	–	1	9	–	28	24	–	1	19	4
Woodridge	82	–	–	1	16	3	3	1	1	4	1	3	–	31	24	–	–	21	3
Balance of county	885	–	–	11	222	50	64	34	18	9	6	41	14	431	350	3	4	263	80
Edgar	290	–	–	2	54	16	14	6	5	2	3	8	2	169	113	–	–	87	26
Edwards	87	–	–	2	22	3	9	–	1	1	2	6	2	35	32	–	1	29	2
Effingham	297	–	–	2	52	13	14	2	8	1	3	11	10	160	125	–	3	98	26
Effingham	149	–	–	2	26	8	7	1	2	–	2	6	5	78	58	–	3	40	15
Balance of county	148	–	–	–	26	5	7	1	6	1	1	5	5	82	67	–	–	56	11
Fayette	263	–	–	1	52	12	15	7	5	1	3	9	8	140	114	–	1	98	15
Ford	183	–	–	1	38	8	7	3	4	4	4	8	4	93	71	2	–	47	22
Franklin	586	1	–	7	124	25	34	5	16	8	10	26	12	301	253	1	10	208	34
Fulton	439	1	–	4	97	20	17	10	9	6	4	31	11	224	180	1	4	146	29
Canton	155	1	–	2	33	5	5	4	3	1	3	12	2	77	64	1	–	55	8
Balance of county	284	–	–	2	64	15	12	6	6	5	1	19	9	147	116	–	4	91	21
Gallatin	103	–	–	–	23	2	6	3	2	1	3	6	2	46	38	–	–	27	11
Greene	199	–	–	–	31	4	9	2	6	1	1	8	2	106	89	–	10	54	25
Grundy	236	–	–	5	63	16	14	6	9	1	1	16	4	111	76	2	1	61	12
Hamilton	115	–	–	–	17	4	2	1	6	1	1	2	1	72	63	–	–	49	14
Hancock	285	–	–	–	57	9	16	10	5	3	3	11	4	138	106	–	2	83	21
Hardin	77	–	–	1	17	2	7	1	2	–	–	5	3	35	29	–	2	14	13
Henderson	81	–	–	1	20	6	4	–	3	1	1	5	–	35	30	–	–	25	5
Henry	528	–	–	5	119	24	28	4	18	3	7	35	9	257	205	1	10	134	60
Kewanee	186	–	–	1	41	10	8	1	4	2	2	14	8	92	75	–	5	43	27
Balance of county	342	–	–	4	78	14	20	3	14	1	5	21	3	165	130	1	5	91	33
Iroquois	337	–	–	4	70	15	21	3	6	5	4	16	6	173	141	1	1	111	28
Jackson	466	1	–	7	102	30	29	7	13	5	5	13	5	235	186	1	3	143	39
Carbondale	139	1	–	3	29	9	9	2	4	1	2	2	1	82	49	1	–	34	14
Balance of county	327	–	–	4	73	21	20	5	9	4	3	11	4	173	137	–	3	109	25
Jasper	100	–	–	1	23	5	4	–	6	–	3	5	1	53	42	–	–	30	12
Jefferson	410	–	–	6	108	25	35	8	14	4	4	18	7	170	131	4	1	101	25
Mount Vernon	243	–	–	3	59	12	18	4	8	3	2	12	4	99	78	1	–	61	16
Balance of county	167	–	–	3	49	13	17	4	6	1	2	6	3	71	53	3	1	40	9
Jersey	191	–	–	3	36	11	13	2	1	2	1	6	4	89	89	–	1	56	12
Jo Daviess	228	–	–	1	47	20	8	6	3	2	–	8	6	119	85	–	4	49	32
Johnson	111	–	–	–	24	12	7	2	1	1	1	–	2	58	45	1	–	37	7
Kane	2,192	–	–	20	495	145	117	53	50	20	24	66	31	1,018	798	5	26	626	139
Aurora, part	750	–	–	9	149	40	40	18	8	10	10	23	12	355	282	2	11	214	55
Aurora, total	760	–	–	9	150	41	40	18	8	10	10	23	12	357	283	3	11	214	55
Batavia, part	117	–	–	1	33	5	9	2	5	1	1	10	1	54	42	–	3	30	9
Batavia, total	117	–	–	1	33	5	9	2	5	1	1	10	1	54	42	–	3	30	9
Carpentersville	116	–	–	1	31	8	13	2	1	1	2	4	2	43	38	–	–	27	11
Elgin, part	542	–	–	3	124	48	28	11	19	5	1	12	7	263	203	–	1	175	27
Elgin, total	624	–	–	3	137	50	32	13	20	5	2	15	9	302	230	–	1	198	31
St. Charles, part	139	–	–	1	27	10	4	2	4	1	1	5	1	70	56	1	2	46	7
St. Charles, total	140	–	–	1	27	10	4	2	4	1	1	5	1	70	56	1	2	46	7
Balance of county	528	–	–	5	131	34	23	18	13	2	9	32	8	233	175	2	9	134	30
Kankakee	926	1	–	12	219	53	60	18	23	10	11	44	18	401	322	2	9	226	85
Bourbonnais	83	–	–	–	18	4	4	3	1	–	2	4	–	36	27	1	–	19	7
Bradley	95	–	–	2	22	3	7	1	3	2	1	5	–	45	35	–	1	29	5
Kankakee	375	1	–	4	83	19	22	8	7	6	5	16	8	164	137	1	2	93	41
Balance of county	373	–	–	6	96	27	27	6	12	2	3	19	10	156	123	–	6	85	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	20	313	47	46	155	132	12	46	39	1	34	44	28	345	69	80	66	16	1
Addison	2	7	–	2	6	3	1	1	1	–	–	6	–	12	8	4	2	2	–
Aurora, part	–	1	–	–	–	1	–	–	1	–	–	3	–	–	–	–	1	1	–
Bartlett, part	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Bartlett, total	1	5	–	1	2	2	–	1	–	–	–	1	–	1	1	1	1	–	–
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	–	8	4	5	5	9	–	2	1	–	–	1	1	9	1	3	3	–	–
Bensenville, total	–	8	4	5	5	9	–	2	1	–	–	1	2	10	1	3	3	1	–
Bloomingdale	1	4	–	–	8	5	–	1	1	–	1	1	1	12	2	3	1	–	–
Bolingbrook, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carol Stream	–	7	–	–	–	1	1	–	3	–	2	2	–	6	1	3	3	–	–
Chicago, part	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darien	–	4	1	1	3	2	–	2	1	–	–	–	–	8	1	1	–	–	–
Downers Grove	1	32	4	6	15	11	1	6	2	–	3	2	1	33	6	15	6	1	–
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	1	30	6	3	17	9	–	4	2	–	1	2	4	41	2	3	2	–	–
Glendale Heights	–	3	–	–	–	2	–	–	1	–	–	3	–	9	2	3	3	1	–
Glen Ellyn	4	6	2	2	5	9	1	1	–	–	1	–	1	7	4	–	4	–	–
Hanover Park, part	–	–	2	–	1	1	–	–	–	–	–	–	–	4	2	–	1	1	–
Hinsdale, part	–	8	2	1	3	2	–	1	1	–	1	1	–	6	2	1	1	–	–
Hinsdale, total	–	10	2	1	3	2	–	1	1	–	1	1	–	6	2	1	1	–	–
Lisle	–	9	1	–	1	3	–	–	1	–	1	1	2	6	2	–	3	1	–
Lombard	–	24	3	3	12	7	3	2	3	–	2	1	2	28	2	3	1	2	–
Naperville, part	–	22	1	5	18	13	1	1	5	–	5	9	4	26	3	4	6	–	–
Naperville, total	–	22	1	5	18	13	1	1	5	–	5	9	4	26	5	4	6	–	–
Roselle, part	–	3	–	–	1	1	–	–	1	–	1	–	–	10	1	1	1	1	–
Roselle, total	–	4	–	–	1	2	–	–	2	–	1	–	1	11	1	1	1	1	–
St. Charles, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Schaumburg, part	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Villa Park	2	17	1	4	5	2	1	2	1	–	1	–	–	10	2	2	1	–	–
West Chicago	–	12	–	–	1	3	–	–	1	–	2	2	1	9	6	1	2	–	–
Westmont	–	14	3	2	9	4	–	2	2	–	–	2	–	16	2	3	1	1	–
Wheaton	2	30	7	5	13	6	–	5	5	–	3	–	2	16	–	6	3	–	–
Wood Dale	–	3	–	1	4	2	1	1	2	–	3	–	1	6	–	1	1	–	–
Woodridge	–	6	–	1	4	3	–	2	–	–	1	1	2	7	5	4	5	–	–
Balance of county	7	61	8	5	24	31	2	13	4	1	6	7	4	60	17	18	15	4	1
Edgar	1	45	6	4	12	12	2	1	2	–	–	–	–	17	–	9	5	2	–
Edwards	–	2	–	1	2	1	–	1	1	–	–	2	–	12	3	3	1	–	–
Effingham	2	22	8	3	11	8	1	2	2	–	–	2	2	26	8	9	1	–	1
Effingham	1	12	5	2	5	5	–	2	1	–	–	2	2	15	1	5	–	–	–
Balance of county	1	10	3	1	6	3	1	–	1	–	–	–	–	11	7	4	1	–	1
Fayette	2	18	5	1	14	11	–	3	4	–	–	2	1	13	3	6	5	–	–
Ford	–	13	5	4	5	8	1	1	4	–	–	–	–	10	11	3	4	–	–
Franklin	2	34	6	6	22	26	2	5	6	–	1	2	2	35	14	12	5	8	1
Fulton	2	30	9	3	11	17	–	1	4	–	–	–	2	45	9	8	4	–	1
Canton	–	9	3	1	4	7	–	1	1	–	–	–	1	19	2	4	–	–	1
Balance of county	2	21	6	2	7	10	–	–	3	–	–	–	1	26	7	4	4	–	–
Gallatin	1	7	–	–	4	5	–	1	1	–	–	1	2	7	5	4	2	–	–
Greene	–	9	5	3	13	10	2	1	2	–	1	–	–	19	4	3	2	1	2
Grundy	3	29	2	1	5	6	–	5	1	–	1	–	–	22	6	4	2	–	1
Hamilton	–	8	–	1	5	3	–	1	1	–	1	1	–	7	4	2	–	–	–
Hancock	2	15	9	6	13	12	–	5	5	–	3	3	5	27	6	5	2	–	–
Hardin	–	4	1	1	1	6	–	1	3	–	1	–	–	6	–	2	–	1	–
Henderson	–	3	–	2	3	5	–	1	3	–	1	–	1	6	1	1	2	–	–
Henry	7	32	8	5	20	24	1	–	10	–	1	4	3	47	9	11	7	–	1
Kewanee	5	10	–	2	6	15	1	–	1	–	–	2	1	18	–	2	–	–	–
Balance of county	2	22	8	3	14	9	–	–	9	–	1	2	2	29	9	9	7	–	1
Iroquois	2	24	2	4	10	12	–	4	3	–	–	2	2	33	11	2	5	–	–
Jackson	2	37	6	4	16	22	2	5	6	–	4	3	3	37	7	6	5	–	–
Carbondale	–	10	1	2	5	8	2	4	3	–	2	2	–	11	4	1	1	–	–
Balance of county	2	27	5	2	11	14	–	1	3	–	2	1	3	26	3	5	4	–	–
Jasper	–	6	5	–	3	2	–	1	1	–	2	–	–	7	3	2	1	–	–
Jefferson	3	31	3	2	26	13	2	3	3	–	1	5	6	38	5	10	4	3	–
Mount Vernon	2	16	2	1	16	9	2	1	2	–	1	4	6	24	3	8	1	1	–
Balance of county	1	15	1	1	10	4	–	2	1	–	–	1	–	14	2	2	3	2	–
Jersey	–	13	4	3	7	12	–	7	3	–	1	–	7	15	5	1	–	–	1
Jo Daviess	1	27	3	3	4	6	–	2	4	–	4	3	1	14	6	7	4	–	–
Johnson	–	10	3	–	3	5	–	1	–	–	1	–	3	4	1	6	3	–	–
Kane	7	164	29	22	102	78	8	25	18	–	22	39	14	179	49	48	26	19	1
Aurora, part	3	55	7	8	39	26	–	5	4	–	13	16	5	64	12	23	10	8	–
Aurora, total	3	56	7	8	39	27	–	5	5	–	13	19	5	64	12	23	11	9	–
Batavia, part	–	8	3	1	5	2	–	–	2	–	2	–	–	10	3	4	–	–	–
Batavia, total	–	8	3	1	5	2	–	–	2	–	2	–	–	10	3	4	–	–	–
Carpentersville	–	4	–	1	4	4	–	4	2	–	2	2	2	10	4	3	2	–	–
Elgin, part	2	45	6	7	20	20	3	7	5	–	4	14	3	45	8	6	4	5	–
Elgin, total	4	51	9	8	22	23	3	7	6	–	5	16	5	55	10	10	6	5	–
St. Charles, part	–	10	3	1	6	6	2	2	1	–	–	5	–	13	2	2	1	–	–
St. Charles, total	–	10	3	1	6	6	2	2	1	–	–	5	–	13	2	2	1	1	–
Balance of county	2	42	10	4	28	20	3	7	4	–	1	2	4	36	20	10	9	6	1
Kankakee	4	63	6	6	45	39	3	8	10	–	9	13	3	69	17	20	10	7	1
Bourbonnais	–	8	1	–	11	6	1	–	–	–	–	–	1	5	2	2	1	–	–
Bradley	1	7	1	1	4	3	–	1	–	–	1	2	–	11	1	2	1	–	1
Kankakee	2	24	1	–	16	17	1	4	5	–	4	7	–	41	4	10	1	4	–
Balance of county	1	24	3	5	15	13	1	3	5	–	4	4	2	32	10	6	7	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	204	–	–	3	38	12	4	1	7	2	2	10	6	111	93	–	1	74	18
Knox	690	–	–	7	137	36	36	14	14	9	8	20	8	373	284	3	5	221	55
Galesburg	411	–	–	3	94	21	26	9	9	8	6	15	3	217	170	2	4	122	42
Balance of county	279	–	–	4	43	15	10	5	5	1	2	5	5	156	114	1	1	99	13
Lake	2,903	–	–	35	707	173	208	78	85	27	28	108	46	1,270	1,005	6	34	769	182
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	31	–	–	–	9	3	4	1	1	–	–	–	–	6	1	–	–	–	1
Deerfield, part	101	–	–	1	25	4	8	3	5	–	1	4	1	41	29	–	1	22	6
Deerfield, total	104	–	–	1	25	4	8	3	5	–	1	4	1	41	29	–	1	22	6
Highland Park	183	–	–	1	65	14	15	10	10	3	3	10	4	76	59	–	1	45	13
Lake Forest	113	–	–	3	29	5	5	5	6	–	1	7	–	47	36	–	2	27	7
Libertyville	124	–	–	3	23	5	8	–	2	–	–	8	4	55	50	–	2	34	14
Mundelein	104	–	–	1	32	8	8	3	2	3	1	7	1	43	33	–	–	30	3
North Chicago	132	–	–	4	29	6	10	1	5	2	–	5	3	49	43	1	–	31	11
Round Lake Beach	73	–	–	1	11	1	4	2	1	–	2	1	1	43	29	–	3	23	3
Waukegan	553	–	–	6	129	35	36	13	15	5	7	18	9	234	169	2	6	131	30
Wheeling, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Zion	189	–	–	2	32	8	10	2	3	–	1	8	1	87	64	1	2	54	7
Balance of county	1,299	–	–	13	322	84	99	38	35	14	12	40	22	589	492	2	17	386	87
La Salle	1,173	–	–	4	253	62	64	18	33	12	13	51	24	634	510	1	15	426	68
La Salle	143	–	–	1	26	8	5	–	4	–	2	7	5	78	68	–	2	59	7
Ottawa	234	–	–	–	53	16	14	3	3	3	3	11	5	123	103	1	2	90	10
Peru	105	–	–	–	27	6	5	2	5	2	3	4	2	59	44	–	–	41	3
Streator, part	201	–	–	1	39	6	9	4	8	1	3	8	2	120	99	–	4	82	13
Streator, total	201	–	–	1	39	6	9	4	8	1	3	8	2	120	99	–	4	82	13
Balance of county	490	–	–	2	108	26	31	9	13	6	2	21	10	254	196	–	7	154	35
Lawrence	226	–	–	5	37	10	17	2	2	1	2	3	1	120	94	–	–	76	18
Lee	335	–	–	2	87	20	23	7	10	2	7	18	4	169	124	–	3	87	34
Dixon	176	–	–	2	42	9	12	2	5	1	1	12	3	86	65	–	2	46	17
Balance of county	159	–	–	–	45	11	11	5	5	1	6	6	1	83	59	–	1	41	17
Livingston	418	1	–	5	88	20	22	9	10	5	10	12	5	225	187	1	5	115	66
Pontiac	128	–	–	4	26	7	3	2	3	2	4	5	–	70	57	–	2	35	20
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	290	1	–	1	62	13	19	7	7	3	6	7	5	155	130	1	3	80	46
Logan	356	–	–	3	66	16	23	8	4	1	3	11	7	208	156	1	5	93	57
Lincoln	207	–	–	1	34	9	13	6	3	1	1	1	3	127	98	–	3	60	33
Balance of county	149	–	–	2	32	7	10	2	1	–	2	10	4	81	60	1	2	33	24
McDonough	314	–	–	3	60	13	17	5	6	2	3	14	8	169	119	–	3	102	14
Macomb	166	–	–	2	31	5	10	4	5	–	1	6	3	96	65	–	2	56	7
Balance of county	148	–	–	1	29	8	7	1	1	2	2	8	5	73	54	–	1	46	7
McHenry	1,255	–	–	12	292	73	81	26	30	12	16	54	19	573	441	1	10	339	91
Crystal Lake	169	–	–	3	42	12	15	2	3	–	4	6	6	66	49	–	4	37	8
McHenry	219	–	–	4	52	15	18	4	6	1	2	6	2	101	73	–	–	54	19
Woodstock	139	–	–	2	30	8	9	2	3	1	2	5	2	77	60	–	–	52	8
Balance of county	728	–	–	3	168	38	39	18	18	10	8	37	9	329	259	1	6	196	56
McLean	882	–	–	11	218	57	64	15	26	6	7	43	13	436	336	1	8	255	72
Bloomington	446	–	–	5	102	30	37	9	8	4	1	13	8	230	177	1	5	140	31
Normal	155	–	–	3	39	12	7	1	8	1	2	8	2	71	52	–	2	30	20
Balance of county	281	–	–	3	77	15	20	5	10	1	4	22	3	135	107	–	1	85	21
Macon	1,204	1	–	10	260	50	81	28	26	11	7	57	19	608	471	3	11	313	144
Decatur	1,013	1	–	7	214	38	69	24	22	8	6	47	19	510	391	2	10	261	118
Balance of county	191	–	–	3	46	12	12	4	4	3	1	10	–	98	80	1	1	52	26
Macoupin	551	–	–	5	111	34	27	12	15	1	5	17	8	287	231	–	7	167	57
Madison	2,422	–	–	22	552	127	190	46	57	26	17	89	52	1,187	937	6	11	729	191
Alton	462	–	–	6	97	18	32	5	15	6	1	20	9	228	183	–	1	141	41
Collinsville, part	223	–	–	1	55	16	18	4	4	3	2	8	3	121	89	–	–	78	11
Collinsville, total	240	–	–	1	59	18	19	5	4	3	2	8	3	130	98	–	–	84	12
Edwardsville	177	–	–	1	41	10	12	7	5	–	2	5	1	90	60	–	2	46	12
Granite City	369	–	–	3	99	25	38	9	7	6	1	13	9	169	141	1	4	104	32
Wood River	107	–	–	–	24	2	13	2	2	–	1	4	4	55	45	–	–	38	7
Balance of county	1,084	–	–	11	236	56	77	19	24	11	10	39	26	524	419	5	4	322	88
Marion	487	–	–	11	106	24	33	13	16	2	3	15	10	255	215	–	2	186	27
Centralia, part	176	–	–	6	33	9	12	5	2	–	1	4	1	87	74	–	–	65	9
Centralia, total	213	–	–	8	39	10	13	6	2	1	2	5	3	105	89	–	–	76	13
Balance of county	311	–	–	5	73	15	21	8	14	2	2	11	9	168	141	–	2	121	18
Marshall	116	–	–	3	23	6	9	2	2	1	–	3	2	71	59	–	–	48	11
Mason	198	–	–	–	46	12	18	–	5	1	1	9	2	92	78	–	2	49	27
Massac	183	–	–	2	31	5	9	2	4	–	–	11	1	90	76	–	–	51	25
Menard	121	–	–	–	24	8	3	5	2	–	2	4	1	59	49	–	3	34	12
Mercer	149	–	–	2	28	10	5	2	2	–	–	9	1	75	62	–	–	36	26
Monroe	221	–	–	3	43	8	10	4	7	–	1	13	10	101	84	1	3	68	12
Montgomery	374	–	–	2	79	19	16	11	8	5	4	16	4	200	153	–	2	126	25
Morgan	430	–	–	3	96	23	31	12	15	4	2	9	3	215	172	–	1	126	45
Jacksonville	313	–	–	2	59	12	22	7	7	2	2	7	2	156	123	–	1	83	39
Balance of county	117	–	–	1	37	11	9	5	8	2	–	2	1	59	49	–	–	43	6
Moultrie	222	–	–	2	45	17	5	5	4	2	3	9	2	117	83	2	1	72	8
Ogle	391	–	–	6	92	17	24	7	16	7	4	17	4	196	150	–	1	124	25
Peoria	1,676	–	–	20	416	115	117	37	46	20	9	72	22	809	609	2	9	451	147
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	1,079	–	–	14	257	74	73	22	33	9	5	41	14	525	398	2	7	289	100
Balance of county	597	–	–	6	159	41	44	15	13	11	4	31	8	284	211	–	2	162	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	1	12	1	4	4	8	1	–	2	–	2	2	1	18	3	–	4	1	–
Knox	5	56	16	12	21	32	2	6	6	–	1	2	3	60	12	14	3	2	1
Galesburg	2	33	4	8	10	23	1	6	3	–	1	–	2	35	4	5	2	2	–
Balance of county	3	23	12	4	11	9	1	–	3	–	–	2	1	25	8	9	1	–	1
Lake	7	214	15	29	122	100	11	45	40	–	28	41	19	248	65	56	48	18	4
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	1	4	–	–	–	–	–	2	–	–	3	1	1	4	2	1	1	1	–
Deerfield, part	1	10	1	–	–	5	–	2	3	–	1	2	–	12	2	1	5	–	–
Deerfield, total	1	10	1	–	–	5	–	2	3	–	1	2	–	15	2	1	5	–	–
Highland Park	1	13	–	3	4	3	–	1	2	–	1	3	–	16	3	3	1	–	–
Lake Forest	–	9	–	2	2	3	–	3	1	–	1	2	–	17	1	2	2	–	–
Libertyville	1	2	1	1	10	9	–	2	2	–	–	–	–	11	2	1	2	–	–
Mundelein	–	9	–	1	2	2	1	1	1	–	1	3	–	9	4	1	2	–	–
North Chicago	–	4	1	1	3	6	–	2	2	–	–	5	2	12	2	8	2	3	–
Round Lake Beach	–	10	1	3	1	3	–	4	1	–	–	1	–	1	3	–	1	2	–
Waukegan	1	51	6	7	36	25	5	4	6	–	5	8	4	41	8	13	12	6	2
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	1	20	1	1	17	5	1	1	4	–	2	3	–	21	4	2	3	3	1
Balance of county	1	82	4	10	47	39	4	23	18	–	14	13	12	104	34	24	17	3	1
La Salle	6	95	14	9	52	31	1	12	9	–	3	8	7	73	31	21	8	2	–
La Salle	–	7	1	2	10	4	–	2	–	–	–	2	–	8	3	4	–	–	–
Ottawa	–	18	1	1	11	4	1	6	3	–	1	1	–	18	3	2	3	–	–
Peru	–	12	3	–	4	2	–	1	1	–	–	1	–	4	1	1	2	–	–
Streator, part	1	13	4	3	6	6	–	–	–	–	1	2	1	15	6	2	–	–	–
Streator, total	1	13	4	3	6	6	–	–	–	–	1	2	1	15	6	2	–	–	–
Balance of county	5	45	5	3	21	15	–	3	5	–	1	2	6	28	18	12	3	2	–
Lawrence	2	20	2	2	18	12	–	1	2	–	–	–	1	15	6	4	3	2	1
Lee	3	27	8	7	9	8	2	1	3	–	4	1	1	22	10	6	6	–	–
Dixon	–	13	5	3	4	4	2	1	1	–	–	1	1	18	5	5	1	–	–
Balance of county	3	14	3	4	5	4	–	–	2	–	4	–	–	4	5	1	5	–	–
Livingston	2	29	5	2	16	9	2	2	1	–	1	3	5	34	10	5	5	1	–
Pontiac	–	10	3	–	6	5	1	1	–	–	–	–	1	11	3	–	–	–	–
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	19	2	2	10	4	1	1	1	–	1	3	4	23	7	5	5	1	–
Logan	2	20	23	7	9	9	–	7	–	–	2	–	–	29	5	8	3	–	–
Lincoln	1	13	12	5	6	5	–	4	–	–	1	–	–	18	2	4	2	–	–
Balance of county	1	7	11	2	3	4	–	3	–	–	1	–	–	11	3	4	1	–	–
McDonough	–	37	8	4	12	15	1	1	3	–	1	–	3	23	7	3	3	2	–
Macomb	–	25	4	2	6	8	1	–	2	–	1	–	2	7	2	1	3	1	–
Balance of county	–	12	5	2	6	7	–	1	1	–	–	–	1	16	5	2	–	1	–
McHenry	10	84	19	19	42	35	6	20	13	–	8	18	6	108	45	32	24	1	1
Crystal Lake	2	7	6	2	5	5	2	4	4	–	–	4	1	15	7	1	3	1	–
McHenry	1	18	4	5	10	7	3	3	2	–	1	2	–	19	5	5	3	–	–
Woodstock	–	12	1	4	2	6	–	1	–	–	–	1	–	9	2	6	1	–	–
Balance of county	7	47	8	8	25	17	1	12	7	–	7	11	5	65	31	20	17	–	1
McLean	2	71	19	8	18	41	5	9	4	1	2	5	4	69	12	22	11	1	–
Bloomington	1	36	11	5	8	17	2	7	2	1	1	3	4	34	4	12	5	1	–
Normal	1	14	4	–	5	11	2	1	–	–	–	1	–	13	2	2	3	–	–
Balance of county	–	21	4	3	5	13	1	1	2	–	1	1	–	22	6	8	3	–	–
Macon	7	104	16	10	24	64	–	8	12	–	7	14	16	93	25	22	11	6	3
Decatur	7	90	13	9	19	58	–	8	11	–	5	14	15	81	19	15	11	5	1
Balance of county	–	14	3	1	5	6	–	–	1	–	2	–	1	12	7	7	–	1	2
Macoupin	–	37	10	9	13	22	4	3	9	–	1	3	6	41	13	15	8	1	1
Madison	10	188	27	25	68	90	9	17	22	–	7	24	32	189	47	43	36	21	4
Alton	1	31	8	5	13	15	2	4	2	–	2	9	4	40	11	7	6	7	–
Collinsville, part	2	27	–	3	3	8	1	2	3	–	1	3	1	17	–	3	1	–	–
Collinsville, total	2	29	–	3	3	9	1	2	3	–	1	3	2	18	–	4	1	–	–
Edwardsville	2	22	4	2	11	3	–	–	3	–	–	–	1	18	2	3	3	–	–
Granite City	1	23	–	4	6	14	3	3	1	–	2	4	9	26	4	2	9	5	1
Wood River	1	7	1	1	–	1	1	1	1	–	–	2	2	9	1	4	1	–	1
Balance of county	3	78	14	10	35	49	2	7	12	–	2	6	15	79	29	24	16	9	2
Marion	2	32	1	5	16	15	2	4	9	–	–	4	4	28	8	7	6	2	–
Centralia, part	–	10	–	3	8	7	–	3	6	–	–	1	2	14	3	1	4	–	–
Centralia, total	–	12	–	4	11	8	–	3	7	–	–	1	2	18	3	1	4	–	–
Balance of county	2	22	1	2	8	8	2	1	3	–	–	3	2	14	5	6	2	2	–
Marshall	3	7	–	2	4	3	–	–	2	–	2	1	–	4	–	–	1	–	–
Mason	1	10	2	1	11	10	1	2	1	–	2	2	1	14	7	5	2	–	–
Massac	–	13	–	1	8	6	–	3	4	–	–	–	5	25	2	4	2	–	–
Menard	–	8	1	1	8	1	–	–	–	–	1	3	1	14	5	4	–	–	–
Mercer	–	9	–	4	4	9	–	1	7	–	–	–	2	9	2	6	1	2	–
Monroe	2	5	9	1	6	12	1	3	2	–	1	–	3	20	6	6	3	1	–
Montgomery	2	38	5	2	8	17	–	2	5	–	1	2	8	31	6	7	2	–	–
Morgan	1	33	7	2	19	12	–	3	5	1	1	4	15	30	9	11	2	1	–
Jacksonville	1	26	4	2	16	8	–	2	5	1	1	4	14	25	8	7	2	1	–
Balance of county	–	7	3	–	3	4	–	1	–	–	–	–	1	5	1	4	–	–	–
Moultrie	2	27	5	–	11	12	2	–	1	–	–	–	1	17	3	7	2	–	–
Ogle	3	27	9	7	10	6	2	5	1	–	6	1	1	38	11	7	5	–	–
Peoria	4	161	14	21	50	62	5	10	27	1	10	20	16	120	22	32	28	5	1
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	1	104	10	12	35	40	4	8	20	1	7	13	11	78	15	15	15	5	1
Balance of county	3	57	4	9	15	22	1	2	7	–	3	7	5	41	7	17	13	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	248	1	–	–	46	13	15	2	5	3	4	4	7	132	108	–	3	82	23
Piatt	138	–	–	1	28	12	6	2	2	1	1	4	3	72	59	–	–	46	13
Pike	247	–	–	3	49	11	12	7	7	1	1	10	2	125	86	1	2	56	27
Pope	45	–	–	–	11	2	2	2	2	–	–	3	1	25	18	–	–	11	7
Pulaski	122	–	–	2	25	2	7	7	2	1	–	6	1	64	52	–	–	40	12
Putnam	33	–	–	1	8	2	5	–	–	–	–	1	–	16	13	–	–	10	3
Randolph	369	–	–	3	84	24	19	3	9	8	5	16	6	194	159	2	1	118	38
Richland	186	–	–	1	39	14	7	6	7	–	1	4	3	96	75	–	1	59	15
Rock Island	1,556	2	–	15	363	102	100	24	29	21	17	70	22	745	590	1	6	456	125
East Moline	210	–	–	4	54	19	13	–	4	2	5	11	2	85	74	–	2	61	11
Moline	429	1	–	1	101	34	22	10	12	4	2	17	5	213	166	–	2	132	32
Rock Island	596	1	–	7	122	26	39	10	6	12	4	25	10	255	203	1	1	154	47
Balance of county	381	–	–	3	86	23	26	4	7	3	6	17	5	192	147	–	1	111	35
St. Clair	2,673	3	–	35	595	159	172	45	68	20	21	112	53	1,229	932	5	27	619	281
Belleville	614	–	–	11	130	36	35	9	8	6	8	27	7	296	229	–	2	169	58
Cahokia	154	1	–	–	39	9	19	1	–	–	2	8	5	77	65	–	3	38	24
Collinsville, part	17	–	–	–	4	2	1	1	–	–	–	–	–	9	7	–	–	6	1
East St. Louis	640	1	–	9	114	27	29	9	19	4	2	24	17	266	190	–	8	98	84
Fairview Heights	106	–	–	1	32	8	13	3	2	1	2	3	2	43	28	–	1	24	3
O'Fallon	114	–	–	–	26	12	7	1	1	–	1	4	1	61	47	–	1	27	19
Balance of county	1,028	1	–	14	250	65	67	21	36	9	6	46	21	477	368	5	12	257	92
Saline	385	–	1	7	88	16	27	4	8	6	1	26	12	203	161	2	9	103	47
Harrisburg	155	–	1	4	29	4	12	1	1	1	–	10	5	91	69	2	7	42	18
Balance of county	230	–	–	3	59	12	15	3	7	5	1	16	7	112	92	–	2	61	29
Sangamon	1,849	–	–	18	381	104	110	31	42	18	14	72	31	818	625	8	25	430	162
Springfield	1,149	–	–	13	270	71	72	22	30	9	11	55	19	586	430	7	18	289	116
Balance of county	500	–	–	5	121	33	38	9	12	9	3	17	12	252	195	1	7	141	46
Schuyler	98	–	–	–	21	6	8	2	1	–	–	3	1	66	59	–	13	20	26
Scott	67	–	–	–	11	1	4	1	1	–	1	3	–	38	35	–	1	27	7
Shelby	248	–	–	2	64	15	18	9	5	2	4	10	3	129	88	–	–	63	25
Stark	76	–	–	1	12	2	4	1	–	–	–	5	–	37	32	–	3	26	3
Stephenson	476	–	1	4	108	26	17	10	18	6	7	24	16	240	194	1	4	129	60
Freeport	309	–	1	3	73	14	15	7	13	4	3	17	8	159	127	1	1	87	38
Balance of county	167	–	–	1	35	12	2	3	5	2	4	7	8	81	67	–	3	42	22
Tazewell	1,024	–	–	16	260	61	86	17	30	8	10	48	19	435	333	2	4	220	107
East Peoria	196	–	–	2	48	10	14	3	6	3	1	11	8	82	62	2	–	41	19
Morton	131	–	–	1	34	5	14	4	5	–	2	4	1	56	37	–	1	22	14
Pekin, part	332	–	–	9	76	17	26	5	8	4	2	14	7	139	106	–	1	65	40
Pekin, total	332	–	–	9	76	17	26	5	8	4	2	14	7	139	106	–	1	65	40
Washington	96	–	–	1	28	8	9	–	3	1	2	5	1	42	35	–	1	23	11
Balance of county	269	–	–	3	74	21	23	5	8	–	3	14	2	116	93	–	1	69	23
Union	232	–	–	5	39	14	7	3	5	1	3	6	2	125	95	1	–	74	20
Vermilion	988	–	–	13	223	55	63	15	28	9	6	47	14	486	386	1	4	317	64
Danville	480	–	–	3	106	24	30	9	11	6	2	24	8	236	186	1	3	148	34
Balance of county	508	–	–	10	117	31	33	6	17	3	4	23	6	250	200	–	1	169	30
Wabash	127	–	–	2	34	12	7	3	6	1	–	5	–	49	42	1	–	23	18
Warren	214	–	–	1	49	7	15	8	6	1	5	7	1	114	94	–	–	74	20
Monmouth	128	–	–	1	29	5	8	3	4	1	4	4	1	66	53	–	–	42	11
Balance of county	86	–	–	–	20	2	7	5	2	–	1	3	–	48	41	–	–	32	9
Washington	203	–	–	–	26	14	5	–	3	1	–	3	5	128	103	–	3	89	11
Wayne	194	–	–	–	35	8	8	1	6	1	2	9	–	113	97	4	–	69	24
White	258	–	–	1	40	9	14	2	6	3	1	5	2	144	123	–	3	95	25
Whiteside	601	1	–	7	125	33	33	5	10	10	5	29	14	298	236	2	2	156	76
Rock Falls	103	–	–	2	25	3	9	2	2	–	1	8	3	50	42	1	–	30	11
Sterling	160	–	–	2	30	11	8	1	1	2	1	6	5	78	64	–	–	43	21
Balance of county	338	1	–	3	70	19	16	2	7	8	3	15	6	170	130	1	2	83	44
Will	2,195	2	–	26	496	124	146	47	40	22	21	96	30	1,074	871	11	46	604	210
Bolingbrook, part	106	–	–	2	27	4	7	3	4	–	1	8	1	36	28	–	2	20	6
Bolingbrook, total	114	–	–	2	30	4	7	4	5	–	1	9	1	40	31	–	2	23	6
Joliet	918	1	–	10	159	37	49	13	11	6	5	38	12	500	402	3	22	296	81
Naperville, part	5	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–	1	1
Park Forest, part	10	–	–	–	2	–	–	–	–	1	–	1	–	5	5	–	2	3	–
Romeoville	55	–	–	1	19	6	5	2	2	1	1	2	1	20	16	1	1	8	6
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1,101	1	–	13	288	76	85	29	23	14	14	47	16	511	418	7	19	278	116
Williamson	628	–	–	5	130	37	38	5	15	2	1	32	15	300	240	–	15	163	62
Herrin	141	–	–	2	21	6	5	3	1	–	–	6	5	76	61	–	9	43	9
Marion	187	–	–	2	37	9	9	1	6	1	1	10	3	98	76	–	2	51	23
Balance of county	300	–	–	1	72	22	24	1	8	1	–	16	7	126	103	–	4	69	30
Winnebago	2,103	1	–	28	526	126	129	60	61	27	21	102	31	948	737	8	12	577	142
Loves Park	112	–	–	2	29	5	9	5	4	1	1	4	–	44	35	–	–	27	8
Rockford	1,455	–	–	22	335	80	74	38	39	19	14	71	24	684	526	6	7	420	93
Balance of county	536	1	–	4	162	41	46	17	18	7	6	27	7	220	176	–	5	130	41
Woodford	276	–	–	7	67	17	16	5	11	3	3	12	4	129	98	–	2	66	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	–	16	3	5	7	7	–	4	3	–	2	2	2	18	5	6	3	1	–
Piatt	1	11	1	–	5	5	–	–	1	–	3	–	1	13	4	1	–	–	1
Pike	1	14	22	2	7	8	1	–	6	–	1	5	6	19	5	9	1	–	–
Pope	–	7	–	–	2	2	–	–	–	–	–	–	–	3	1	–	–	–	–
Pulaski	1	10	1	–	3	3	–	–	2	–	1	3	2	8	2	5	–	1	–
Putnam	–	1	2	–	2	1	–	–	–	–	–	–	–	4	1	–	–	–	–
Randolph	3	26	2	4	8	15	–	–	3	–	3	1	4	27	6	7	7	1	–
Richland	–	12	5	4	8	7	–	1	3	–	1	1	1	15	1	6	3	–	–
Rock Island	2	115	21	17	58	78	7	17	31	–	8	16	12	106	19	34	19	4	–
East Moline	–	8	1	2	10	17	2	1	5	–	2	3	3	15	1	3	2	1	–
Moline	–	35	8	4	12	21	4	5	9	–	–	3	2	25	8	12	6	1	–
Rock Island	1	37	9	5	27	19	–	8	8	–	5	9	3	41	4	10	6	1	–
Balance of county	1	35	3	6	9	21	1	3	9	–	1	1	4	25	6	9	5	1	–
St. Clair	10	236	26	25	80	100	2	25	37	–	18	35	43	239	39	72	21	46	–
Belleville	1	53	7	6	22	19	1	4	8	–	4	4	3	72	9	15	7	2	–
Cahokia	–	8	1	3	3	6	–	1	–	–	1	3	1	9	4	2	2	–	–
Collinsville, part	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
East St. Louis	3	63	7	3	22	11	–	8	17	–	5	18	16	60	8	29	5	34	–
Fairview Heights	–	12	1	2	1	8	1	–	1	–	1	–	1	12	2	–	1	–	–
O'Fallon	–	12	1	1	3	3	–	1	1	–	–	3	3	9	1	2	1	–	–
Balance of county	6	86	9	10	29	52	–	11	10	–	7	8	18	77	15	23	5	10	–
Saline	3	29	7	3	13	22	–	2	5	–	1	1	3	22	1	2	1	1	–
Harrisburg	3	15	3	1	1	7	–	1	–	–	–	1	2	12	–	1	–	–	–
Balance of county	–	14	4	2	12	15	–	1	5	–	1	–	1	10	1	1	1	1	–
Sangamon	14	134	23	22	51	58	6	16	9	–	4	9	19	130	30	26	20	10	3
Springfield	9	92	18	17	36	43	3	14	6	–	3	9	16	98	16	15	13	8	1
Balance of county	5	42	5	5	15	15	3	2	3	–	1	–	3	32	14	11	7	2	2
Schuyler	–	6	–	1	1	1	–	–	1	–	–	–	–	3	2	–	2	–	–
Scott	–	2	–	1	3	3	2	–	1	–	–	–	–	8	1	–	–	–	–
Shelby	4	32	2	3	13	5	2	1	1	–	1	1	3	11	5	6	1	–	–
Stark	–	3	–	2	3	7	–	1	–	–	–	1	–	9	3	1	1	–	–
Stephenson	2	36	2	6	12	10	2	3	3	–	5	3	3	43	11	8	4	–	–
Freeport	2	24	2	4	9	8	1	2	2	–	2	3	3	24	4	4	3	–	–
Balance of county	–	12	–	2	3	2	1	1	1	–	3	–	–	19	7	4	1	–	–
Tazewell	1	83	5	13	40	59	3	8	20	–	7	6	8	87	24	16	16	–	–
East Peoria	1	17	1	1	7	12	–	1	3	–	–	–	1	21	3	5	3	–	–
Morton	–	17	1	1	2	9	–	–	6	–	1	–	2	11	5	1	2	–	–
Pekin, part	–	24	2	7	19	19	1	3	6	–	1	3	1	34	7	4	3	–	–
Pekin, total	–	24	2	7	19	19	1	3	6	–	1	3	1	34	7	4	3	–	–
Washington	–	7	–	–	2	5	2	2	4	–	1	2	–	2	3	–	1	–	–
Balance of county	–	18	1	4	10	14	–	2	1	–	4	1	4	19	6	8	7	–	1
Union	2	21	5	2	6	9	1	1	2	–	2	–	1	18	6	10	4	–	1
Vermilion	5	70	4	21	42	37	3	9	11	–	4	7	16	74	19	15	8	6	1
Danville	2	36	2	10	20	17	1	4	4	–	2	7	7	42	6	6	5	5	1
Balance of county	3	34	2	11	22	20	2	5	7	–	2	–	9	32	13	9	3	1	–
Wabash	1	6	–	–	5	5	–	3	1	–	–	1	–	14	4	6	1	2	–
Warren	–	15	3	2	8	4	1	2	4	–	–	1	3	17	4	2	1	–	2
Monmouth	–	9	2	2	3	4	–	2	4	–	–	1	2	10	3	1	–	–	1
Balance of county	–	6	1	–	5	–	1	–	–	–	–	–	1	7	1	1	1	–	1
Washington	–	21	–	4	15	9	2	3	–	–	1	–	–	8	2	2	2	–	–
Wayne	–	12	–	4	6	7	2	–	1	–	–	–	2	19	2	5	1	1	–
White	–	14	1	6	8	13	–	2	2	–	1	1	1	27	4	7	5	–	–
Whiteside	1	45	10	6	25	26	1	13	2	–	3	5	7	42	14	9	7	–	2
Rock Falls	–	7	1	–	3	1	–	5	–	–	1	2	1	3	4	–	2	–	1
Sterling	–	8	3	3	7	7	–	5	2	–	2	1	2	10	1	5	2	–	1
Balance of county	1	30	6	3	15	18	1	3	–	–	–	2	4	29	9	4	3	–	–
Will	9	150	16	28	57	68	6	28	19	–	23	21	23	160	52	53	38	20	1
Bolingbrook, part	–	7	–	1	5	2	–	1	1	–	6	1	2	6	3	6	6	1	–
Bolingbrook, total	–	8	–	1	5	2	–	1	1	–	6	1	2	7	3	6	6	1	–
Joliet	4	74	7	13	29	30	3	11	8	–	9	15	10	71	14	14	10	12	–
Naperville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Park Forest, part	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
Romeoville	–	2	–	2	–	2	–	3	–	–	1	–	1	3	1	2	1	–	–
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	5	67	9	12	23	32	3	12	10	–	7	5	10	78	32	31	21	7	1
Williamson	2	48	7	3	30	18	2	8	7	–	3	–	8	53	18	18	11	2	2
Herrin	1	13	1	–	6	4	–	2	1	–	1	–	1	12	2	5	3	–	–
Marion	–	19	1	2	8	6	2	1	–	–	2	–	3	18	1	3	2	–	1
Balance of county	1	16	5	1	16	6	–	5	6	–	–	–	4	23	15	10	6	2	1
Winnebago	6	159	20	26	62	77	5	17	18	–	19	23	16	190	51	32	39	20	–
Loves Park	–	8	–	1	3	4	–	1	1	–	1	3	–	16	4	1	3	–	–
Rockford	6	120	16	16	42	52	4	12	13	–	14	20	12	132	29	22	22	18	–
Balance of county	–	31	4	9	17	21	1	4	4	–	4	–	4	42	18	9	14	4	–
Woodford	4	21	2	4	9	11	1	–	1	–	1	3	1	21	8	7	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	49,366	30	2	615	11,144	2,698	3,236	950	1,185	494	417	2,164	980	23,578	18,305	159	460	13,050	4,637
Urban places	28,184	21	2	388	6,377	1,530	1,951	524	669	288	231	1,184	565	13,302	10,261	76	279	7,324	2,582
Balance of area	21,182	9	-	227	4,767	1,168	1,285	426	516	206	186	980	415	10,276	8,045	83	181	5,726	2,055
Metropolitan counties	33,625	19	-	446	7,755	1,852	2,292	670	820	345	275	1,501	662	15,743	12,184	103	311	8,850	3,120
Urban places	23,590	15	-	335	5,396	1,294	1,657	444	563	246	186	1,006	473	10,990	8,535	66	228	6,069	2,172
Balance of area	10,036	4	-	111	2,359	558	635	226	257	99	89	495	209	4,753	3,649	37	83	2,581	948
Nonmetropolitan counties	15,740	11	2	169	3,389	846	944	280	365	149	142	663	298	7,835	6,122	56	149	4,400	1,517
Urban places	4,594	6	2	53	981	236	294	80	106	42	45	178	92	2,312	1,726	10	51	1,255	410
Balance of area	11,146	5	-	116	2,408	610	650	200	259	107	97	485	206	5,523	4,396	46	98	3,145	1,107
Adams	245	-	-	-	55	12	9	7	9	5	3	10	6	115	82	1	2	59	20
Allen	2,514	1	-	29	576	136	174	58	76	21	22	89	44	1,256	932	8	18	694	212
Fort Wayne	2,057	1	-	23	463	111	146	42	61	17	16	70	42	1,023	774	5	12	570	167
Balance of county	457	-	-	6	113	25	28	16	15	4	6	19	2	233	158	3	6	124	25
Bartholomew	504	-	-	8	119	31	30	10	12	3	6	27	8	219	172	2	2	130	38
Columbus	309	-	-	7	62	16	14	5	6	-	6	15	5	146	107	-	2	78	27
Balance of county	195	-	-	1	57	15	16	5	6	3	-	12	3	79	65	2	-	52	11
Benton	109	-	-	1	31	11	10	5	3	-	2	-	-	51	38	-	1	27	10
Blackford	123	-	-	1	23	7	5	-	5	-	1	5	1	68	54	-	1	34	19
Boone	347	-	-	6	81	19	21	5	13	4	3	16	5	165	133	2	1	66	64
Lebanon	147	-	-	-	39	8	13	2	5	1	2	8	3	64	50	1	1	21	27
Balance of county	200	-	-	6	42	11	8	3	8	3	1	8	2	101	83	1	-	45	37
Brown	104	-	-	4	24	3	11	1	1	3	2	3	-	49	42	-	1	29	12
Carroll	176	-	-	2	35	8	9	2	2	1	2	11	3	97	82	2	2	60	18
Cass	434	-	-	6	90	24	24	8	6	5	3	20	6	227	178	3	5	133	37
Logansport	264	-	-	3	54	16	13	6	3	1	2	13	3	144	110	1	4	85	20
Balance of county	170	-	-	3	36	8	11	2	3	4	1	7	3	83	68	2	1	48	17
Clark	779	-	-	9	178	47	54	12	22	8	6	29	13	382	294	-	8	243	43
Clarksville	182	-	-	2	39	9	9	5	7	3	2	4	3	91	64	-	1	52	11
Jeffersonville	295	-	-	4	63	17	21	3	8	2	1	11	4	145	121	-	3	102	16
Balance of county	302	-	-	3	76	21	24	4	7	3	3	14	6	148	109	-	4	89	16
Clay	321	-	-	3	76	27	22	6	8	2	1	10	4	155	100	-	-	77	23
Clinton	347	-	-	5	72	12	27	5	10	1	4	13	7	166	127	-	-	101	26
Frankfort	198	-	-	3	51	5	21	3	9	-	4	9	4	87	66	-	-	55	11
Balance of county	149	-	-	2	21	7	6	2	1	1	-	4	3	79	61	-	-	46	15
Crawford	110	-	-	1	24	2	10	3	2	4	-	3	1	47	39	-	3	31	5
Daviess	304	3	-	8	53	9	18	7	4	1	4	10	5	181	123	3	1	80	39
Washington	162	2	-	4	31	5	11	2	2	1	3	7	4	93	62	1	-	43	18
Balance of county	142	1	-	4	22	4	7	5	2	-	1	3	1	88	61	2	1	37	21
Dearborn	337	-	-	4	76	17	26	6	12	3	3	9	7	157	118	2	4	76	36
Decatur	259	1	-	2	65	16	15	6	8	2	4	14	8	133	109	1	1	82	25
De Kalb	300	-	-	4	63	19	19	5	6	-	3	11	6	150	106	-	11	63	32
Delaware	1,058	1	-	16	235	56	69	22	24	15	6	43	11	517	405	3	14	315	73
Muncie	745	1	-	13	164	42	52	14	19	9	3	25	7	356	274	2	10	214	48
Balance of county	313	-	-	3	71	14	17	8	5	6	3	18	4	161	131	1	4	101	25
Dubois	255	-	-	1	55	12	8	5	9	2	4	15	4	135	105	4	1	58	42
Elkhart	1,126	-	-	15	238	72	58	21	26	11	8	42	25	561	461	4	10	318	129
Elkhart	440	-	-	9	81	22	25	8	9	3	3	11	6	223	186	3	6	134	43
Goshen	209	-	-	2	44	14	10	3	3	5	1	8	2	113	96	-	1	54	41
Balance of county	477	-	-	4	113	36	23	10	14	3	4	23	17	225	179	1	3	130	45
Fayette	244	-	-	6	44	10	16	4	4	2	3	5	6	143	111	2	1	91	17
Connersville	177	-	-	5	34	8	13	2	4	2	2	3	3	103	78	-	1	64	11
Balance of county	67	-	-	1	10	2	3	2	-	-	1	2	3	40	35	2	-	27	6
Floyd	568	-	-	2	141	29	47	12	10	4	3	36	7	277	221	2	3	133	83
New Albany	437	-	-	2	116	22	39	9	9	4	3	30	7	205	168	2	2	104	60
Balance of county	131	-	-	-	25	7	8	3	1	-	-	6	-	72	53	-	1	29	23
Fountain	189	-	-	1	40	13	12	2	1	2	-	10	1	97	72	3	2	51	16
Franklin	153	-	-	1	34	12	10	3	5	-	-	4	3	82	69	1	1	48	19
Fulton	207	-	-	2	41	14	7	5	7	2	1	5	5	107	77	1	-	58	20
Gibson	382	-	-	7	94	29	22	4	13	2	3	21	10	171	124	-	4	86	34
Grant	741	1	-	5	168	42	53	13	19	10	2	29	17	343	262	1	19	168	74
Marion	464	1	-	2	99	25	28	10	11	8	2	15	10	225	170	-	17	107	46
Balance of county	277	-	-	3	69	17	25	3	8	2	-	14	7	118	92	1	2	61	28
Greene	355	-	-	5	73	20	21	1	8	4	2	17	8	189	161	1	4	111	45
Hamilton	544	-	-	16	119	18	42	14	15	5	5	20	11	223	184	-	5	103	76
Carmel	167	-	-	9	42	5	17	6	6	2	2	4	4	66	56	-	1	35	20
Noblesville	115	-	-	2	25	3	8	2	2	-	2	8	3	54	48	-	1	21	26
Balance of county	262	-	-	5	52	10	17	6	7	3	1	8	4	103	80	-	3	47	30
Hancock	326	-	-	5	60	15	12	8	8	1	3	13	5	166	133	-	5	102	26
Greenfield	124	-	-	2	20	4	7	3	3	-	-	3	1	70	56	-	2	46	8
Balance of county	202	-	-	3	40	11	5	5	5	1	3	10	4	96	77	-	3	56	18
Harrison	214	-	-	1	56	16	15	5	3	1	3	13	5	90	67	-	5	42	20
Hendricks	520	-	-	7	129	28	38	9	13	7	9	25	12	213	166	1	3	127	35
Henry	524	2	-	4	100	28	25	6	10	3	3	25	14	282	211	1	3	159	48
New Castle	261	1	-	3	48	13	12	4	7	2	2	9	7	139	97	-	2	68	27
Balance of county	263	1	-	1	51	15	13	2	3	1	1	16	7	143	114	1	1	91	21
Howard	776	-	-	9	167	35	49	15	21	9	5	33	13	372	307	2	-	188	117
Kokomo	627	-	-	9	132	27	42	12	19	7	4	21	10	300	247	1	-	150	96
Balance of county	149	-	-	-	35	8	7	3	2	2	1	12	3	72	60	1	-	38	21
Huntington	382	-	-	3	88	26	16	6	11	3	3	23	13	178	123	-	3	89	31
Huntington	203	-	-	-	48	12	14	3	3	2	1	13	7	97	72	-	3	51	18
Balance of county	179	-	-	3	40	14	2	3	8	1	2	10	6	81	51	-	-	38	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Indiana	189	3,920	630	533	1,476	1,974	149	427	615	5	276	421	513	4,105	1,092	965	645	301	63
Urban places	124	2,244	379	294	805	1,148	81	290	376	2	147	270	314	2,475	461	512	373	227	48
Balance of area	65	1,676	251	239	671	826	68	137	239	3	129	151	199	1,630	631	453	272	74	15
Metropolitan counties	138	2,661	412	348	951	1,348	85	312	417	4	195	312	369	2,863	677	660	474	256	48
Urban places	104	1,803	313	235	679	956	64	251	306	2	123	241	271	2,094	382	428	330	211	43
Balance of area	34	858	99	113	272	392	31	61	111	2	72	71	98	769	295	232	144	45	5
Nonmetropolitan counties	51	1,259	218	185	525	626	54	115	188	1	81	109	144	1,242	405	305	171	45	15
Urban places	20	441	66	59	128	192	17	39	70	–	24	29	43	381	79	84	43	18	5
Balance of area	31	818	152	126	399	434	37	76	128	1	57	80	101	861	326	221	128	29	10
Adams	–	26	6	1	5	11	3	2	4	–	4	1	1	24	3	6	4	1	–
Allen	10	254	33	27	60	96	11	22	27	–	21	16	32	174	42	57	31	19	–
Fort Wayne	10	190	26	23	48	83	9	18	24	–	12	15	29	149	25	48	29	16	–
Balance of county	–	64	7	4	12	13	2	4	3	–	9	1	3	25	17	9	2	3	–
Bartholomew	3	32	7	5	17	25	2	4	7	–	4	4	9	43	13	11	9	2	–
Columbus	2	28	6	3	11	12	–	1	5	–	2	3	7	27	9	6	4	2	–
Balance of county	1	4	1	2	6	13	2	3	2	–	2	1	2	16	4	5	5	–	–
Benton	–	9	2	2	6	6	1	–	2	–	–	–	1	6	1	2	1	–	–
Blackford	1	10	1	2	1	10	1	2	1	–	2	–	–	9	–	3	1	–	–
Boone	–	25	–	7	15	7	1	4	5	–	4	2	4	30	8	7	2	1	–
Lebanon	–	9	–	5	9	4	–	1	4	–	1	–	3	13	4	1	1	–	–
Balance of county	–	16	–	2	6	3	1	3	1	–	3	2	1	17	4	6	1	1	–
Brown	–	7	–	–	5	5	2	–	–	–	1	–	–	7	1	1	3	2	–
Carroll	–	7	7	1	4	5	2	–	1	–	–	–	2	15	6	3	2	–	1
Cass	1	33	9	6	10	18	–	2	5	–	1	1	3	42	11	4	5	–	3
Logansport	1	25	5	3	8	8	–	1	3	–	–	1	1	27	5	3	1	–	2
Balance of county	–	8	4	3	2	10	–	1	2	–	1	–	2	15	6	1	4	–	1
Clark	2	73	8	5	26	27	2	11	7	–	5	2	9	56	14	21	12	5	–
Clarksville	–	20	5	2	7	9	–	2	1	–	–	1	1	15	4	5	–	2	–
Jeffersonville	–	20	3	1	11	11	–	4	3	–	4	–	3	27	4	7	4	1	–
Balance of county	2	33	–	2	8	7	2	5	3	–	1	1	5	14	6	9	8	2	–
Clay	1	44	2	8	15	11	1	3	4	–	1	–	3	28	7	7	1	2	–
Clinton	–	28	5	6	12	18	–	4	4	–	2	8	6	25	9	6	3	–	–
Frankfort	–	15	2	4	5	8	–	2	2	–	1	5	3	14	7	3	2	–	–
Balance of county	–	13	3	2	7	9	–	2	2	–	1	3	3	11	2	3	1	–	–
Crawford	–	5	1	2	10	6	2	–	2	–	–	1	1	8	2	3	2	–	–
Daviess	1	45	11	1	4	8	1	1	6	–	2	1	1	13	10	5	2	–	–
Washington	–	27	4	–	3	6	1	1	4	–	–	–	–	5	3	4	1	–	–
Balance of county	1	18	7	1	1	2	–	–	2	–	2	1	1	8	7	1	1	–	–
Dearborn	4	31	3	1	16	18	1	2	2	–	2	2	1	26	5	14	1	3	–
Decatur	2	17	4	1	3	7	–	–	–	–	2	5	4	17	5	4	2	1	–
De Kalb	–	34	3	7	4	12	–	2	4	–	1	5	3	23	14	5	4	–	–
Delaware	5	78	13	16	32	43	4	6	12	–	4	9	8	93	22	21	15	9	–
Muncie	4	56	9	13	26	25	3	4	8	–	2	9	6	72	17	14	10	8	–
Balance of county	1	22	4	3	6	18	1	2	4	–	2	–	2	21	5	7	5	1	–
Dubois	2	26	1	1	12	6	2	3	5	–	2	2	1	15	3	6	2	1	–
Elkhart	9	66	11	14	19	44	–	5	11	–	8	7	3	109	37	15	22	5	2
Elkhart	4	27	2	4	7	22	–	5	2	–	5	4	1	51	7	4	9	3	1
Goshen	–	8	6	3	6	8	–	–	2	–	1	1	–	17	8	3	4	–	–
Balance of county	5	31	3	7	6	14	–	–	7	–	2	2	2	41	24	8	9	2	1
Fayette	2	24	3	3	9	12	–	–	–	–	–	1	1	8	4	7	4	1	–
Connersville	2	19	3	3	6	9	–	–	–	–	–	–	–	6	3	5	3	–	–
Balance of county	–	5	–	–	3	3	–	–	–	–	–	1	1	–	1	2	1	1	–
Floyd	3	42	6	5	27	22	–	–	5	–	3	7	9	38	10	9	9	1	1
New Albany	2	25	6	4	23	15	–	–	4	–	3	4	8	29	6	6	7	1	1
Balance of county	1	17	–	1	4	7	–	–	1	–	–	3	1	9	4	3	2	–	–
Fountain	1	19	2	3	6	5	–	1	–	–	1	4	4	20	3	4	1	1	–
Franklin	–	9	3	1	2	8	1	–	2	–	1	1	1	11	1	2	1	1	1
Fulton	–	22	1	7	4	8	1	2	4	–	–	2	1	21	6	1	2	–	–
Gibson	1	36	4	6	12	12	3	1	10	–	1	1	4	20	3	8	2	3	–
Grant	3	64	5	9	20	41	2	12	10	–	4	5	4	62	23	13	8	3	–
Marion	3	40	5	7	7	25	1	7	7	–	3	4	4	42	11	10	3	3	–
Balance of county	–	24	–	2	13	16	1	5	3	–	1	1	–	20	12	3	5	–	–
Greene	–	21	3	4	7	11	1	3	2	–	2	1	1	31	11	4	5	1	–
Hamilton	–	29	5	5	15	28	1	4	13	2	4	8	7	52	11	13	15	2	–
Carmel	–	6	3	1	6	6	–	–	5	–	1	1	2	14	1	3	6	1	–
Noblesville	–	5	–	1	3	6	1	1	3	–	1	1	1	10	2	1	1	–	–
Balance of county	–	18	2	3	6	16	–	3	5	2	2	6	4	28	8	9	8	1	–
Hancock	7	18	4	4	6	19	1	3	2	–	–	2	5	34	5	7	5	1	–
Greenfield	4	5	3	2	4	8	–	1	1	–	–	–	–	13	1	2	1	–	–
Balance of county	3	13	1	2	2	11	1	2	1	–	–	2	5	21	4	5	4	1	–
Harrison	1	20	1	1	8	5	1	2	4	–	1	2	2	13	9	8	5	1	1
Hendricks	1	42	1	3	28	26	3	2	5	–	6	5	2	42	17	11	9	3	–
Henry	4	48	10	9	15	26	4	3	7	–	7	2	5	40	5	3	5	–	–
New Castle	1	29	7	5	8	9	3	2	4	–	4	2	2	22	2	1	3	–	–
Balance of county	3	19	3	4	7	17	1	1	3	–	3	–	3	18	3	2	2	–	–
Howard	2	47	9	7	16	35	1	7	6	–	2	4	35	60	21	6	17	3	2
Kokomo	2	39	6	6	14	29	1	7	6	–	2	4	30	49	12	4	13	3	2
Balance of county	–	8	3	1	2	6	–	–	–	–	–	–	5	11	9	2	4	–	–
Huntington	1	49	1	4	10	14	5	1	8	–	2	2	3	37	4	12	2	–	–
Huntington	–	21	1	3	3	5	5	1	4	–	1	–	3	22	2	4	1	–	–
Balance of county	1	28	–	1	7	9	–	–	4	–	1	2	–	15	2	8	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	349	-	-	5	68	14	20	7	10	5	-	12	9	180	146	-	1	120	25
Seymour	181	-	-	3	37	9	10	2	7	4	-	5	5	87	69	-	-	56	13
Balance of county	168	-	-	2	31	5	10	5	3	1	-	7	4	93	77	-	1	64	12
Jasper	198	-	-	3	37	9	4	1	5	6	4	8	3	93	78	-	-	67	9
Jay	217	-	-	2	46	9	14	5	9	1	2	6	4	121	86	-	2	69	15
Jefferson	287	-	-	1	50	10	18	6	3	3	3	7	4	141	122	-	4	80	38
Madison	164	-	-	1	30	5	12	3	3	2	2	3	3	81	71	-	2	48	21
Balance of county	123	-	-	-	20	5	6	3	-	1	1	4	1	60	51	-	2	32	17
Jennings	201	1	-	1	44	8	18	2	5	4	1	6	4	103	80	1	1	55	23
Johnson	686	-	-	11	159	25	65	17	10	4	8	30	14	309	240	2	8	181	49
Franklin	203	-	-	4	36	8	11	3	2	1	3	8	6	101	75	1	4	55	15
Greenwood	244	-	-	4	60	11	27	8	3	1	3	7	3	111	85	-	1	64	20
Balance of county	239	-	-	3	63	6	27	6	5	2	2	15	5	97	80	1	3	62	14
Knox	486	-	-	4	104	22	33	16	5	3	9	16	7	268	197	3	4	138	52
Vincennes	254	-	-	1	54	11	17	8	1	1	7	9	4	134	92	2	1	83	26
Balance of county	232	-	-	3	50	11	16	8	4	2	2	7	3	134	105	1	3	75	26
Kosciusko	488	-	-	1	117	24	34	13	15	4	5	22	11	236	180	1	-	126	53
Warsaw	101	-	-	-	31	8	12	3	2	1	-	5	1	48	34	-	-	23	11
Balance of county	387	-	-	1	86	16	22	10	13	3	5	17	10	188	146	1	-	103	42
Lagrange	209	-	-	1	43	18	9	4	4	3	-	5	5	102	91	2	-	65	24
Lake	4,363	5	-	54	990	224	288	86	93	45	41	213	134	2,082	1,861	15	55	1,225	386
Crown Point	217	-	-	6	40	9	8	3	5	4	2	9	4	121	90	-	1	73	16
East Chicago	359	3	-	1	77	18	28	6	3	2	3	17	14	166	132	1	7	100	24
Gary	1,303	1	-	25	278	67	74	27	34	16	10	50	50	601	475	5	12	346	112
Griffith	127	-	-	2	21	4	8	1	1	1	-	6	3	64	53	-	2	39	12
Hammond	818	-	-	8	195	47	56	17	15	10	9	41	16	392	326	2	17	241	66
Highland	180	-	-	2	49	13	11	2	4	3	2	14	5	86	62	-	-	51	11
Hobart	215	-	-	2	56	16	21	2	4	1	2	10	3	99	77	-	1	59	17
Lake Station	120	-	-	-	20	4	4	2	2	-	1	7	5	59	49	-	-	31	18
Merrillville	274	-	-	2	63	11	16	10	7	3	2	14	6	144	108	2	2	83	21
Munster	171	-	-	2	31	7	8	5	2	-	3	6	7	93	73	-	5	56	12
Schererville	56	-	-	-	18	3	6	2	1	-	-	6	1	23	20	-	2	13	5
Balance of county	523	1	-	4	142	25	48	9	15	5	7	33	20	234	196	5	6	133	52
La Porte	910	-	1	10	199	62	58	20	13	9	4	33	18	422	331	3	10	250	66
La Porte	254	-	-	3	57	18	18	5	4	3	2	7	5	124	95	-	1	79	15
Michigan City	363	-	1	4	76	24	19	8	3	4	1	17	7	165	127	2	7	81	37
Balance of county	293	-	-	3	86	20	21	7	6	2	1	9	6	133	109	1	2	90	16
Lawrence	459	1	-	4	117	28	25	10	17	2	6	28	9	201	137	2	2	99	34
Bedford	205	-	-	3	48	12	12	3	6	1	2	12	3	102	65	-	1	47	17
Balance of county	254	1	-	1	69	17	13	7	11	1	4	16	6	99	72	2	1	52	17
Madison	1,297	1	-	7	312	78	77	40	27	14	8	68	39	598	475	2	18	329	126
Anderson	711	1	-	5	171	46	40	13	19	8	6	39	15	337	269	-	12	190	67
Elwood, part	133	-	-	-	25	3	9	4	3	1	1	4	4	60	45	2	1	34	8
Elwood, total	134	-	-	-	25	3	9	4	3	1	1	4	4	61	45	2	1	34	8
Balance of county	453	-	-	2	116	29	28	23	5	5	1	25	20	201	161	-	5	105	51
Marion	7,055	5	-	130	1,681	407	551	139	186	68	47	283	136	2,992	2,337	22	68	1,641	606
Beech Grove	151	-	-	2	42	11	12	4	6	1	-	8	2	70	59	-	1	40	18
Indianapolis	6,680	5	-	126	1,584	384	522	129	173	66	47	263	132	2,832	2,209	21	65	1,549	574
Lawrence	49	-	-	-	15	2	5	2	1	1	-	4	-	16	15	-	2	7	6
Speedway	65	-	-	1	18	4	7	-	2	-	-	5	2	25	20	-	-	16	4
Balance of county	111	-	-	1	22	6	5	4	4	-	-	3	-	49	34	1	-	29	4
Marshall	365	-	-	4	81	13	16	6	15	5	8	18	10	182	126	-	-	94	32
Martin	113	-	-	1	27	11	6	4	1	-	1	4	2	58	50	-	1	35	14
Miami	341	-	-	2	70	17	22	7	7	-	3	14	5	177	145	-	4	103	38
Peru	180	-	-	-	38	8	14	2	5	-	1	8	2	95	80	-	2	52	26
Balance of county	161	-	-	2	32	9	8	5	2	-	2	6	3	82	65	-	2	51	12
Monroe	612	-	-	8	133	25	38	10	17	3	10	30	13	298	208	2	1	160	45
Bloomington	395	-	-	5	87	16	26	10	12	1	7	15	7	198	129	-	-	101	28
Balance of county	217	-	-	3	46	9	12	-	5	2	3	15	6	100	79	2	1	59	17
Montgomery	374	1	-	12	72	15	22	6	13	2	3	11	7	189	140	3	2	94	41
Crawfordsville	198	1	-	4	39	7	12	4	9	1	2	4	5	100	71	2	1	51	17
Balance of county	176	-	-	8	33	8	10	2	4	1	1	7	2	89	69	1	1	43	24
Morgan	416	-	-	8	94	23	28	6	6	3	5	23	5	181	143	1	1	105	36
Martinsville	148	-	-	2	30	11	9	-	3	1	2	4	3	68	55	-	-	41	14
Balance of county	268	-	-	6	64	12	19	6	3	2	3	19	2	113	88	1	1	64	22
Newton	128	-	-	2	24	8	5	2	1	3	2	3	6	57	46	-	-	33	13
Noble	308	-	-	1	76	19	25	3	7	1	2	19	4	160	128	1	1	89	37
Ohio	52	-	-	-	8	4	2	-	1	-	-	1	1	28	23	-	1	15	7
Orange	191	-	-	4	50	14	13	3	7	4	1	8	-	86	62	-	1	46	15
Owen	171	-	-	4	43	7	9	1	6	1	1	18	4	89	48	-	-	36	12
Parke	197	-	-	2	27	5	7	2	1	2	5	5	4	120	109	1	20	68	20
Perry	166	-	-	4	35	5	9	4	4	1	4	8	-	82	53	1	-	39	13
Pike	141	-	-	-	32	9	10	1	-	3	1	8	1	76	56	-	1	34	21
Porter	893	2	-	7	208	51	51	21	19	13	4	49	25	409	308	6	3	220	79
Portage	224	-	-	2	48	9	15	4	-	5	2	13	11	105	80	2	-	57	21
Valparaiso	268	1	-	3	54	17	8	5	6	1	1	16	3	124	83	-	1	63	19
Balance of county	401	1	-	2	106	25	28	12	13	7	1	20	11	180	145	4	2	100	39
Posey	190	-	-	6	51	8	12	10	6	2	2	11	1	88	69	1	-	42	26
Pulaski	147	-	-	-	28	5	10	1	6	1	1	4	2	88	71	1	1	42	27
Putnam	288	-	-	2	63	17	19	5	4	2	2	14	4	143	110	2	3	78	27
Randolph	257	-	-	4	52	16	15	2	5	5	-	9	10	119	102	-	7	79	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Jackson	–	30	2	2	7	15	–	1	9	–	1	2	–	27	11	12	1	–	–
Seymour	–	18	–	–	5	10	–	1	7	–	1	2	–	13	4	5	1	–	–
Balance of county	–	12	2	2	2	5	–	–	2	–	–	–	–	14	7	7	–	–	–
Jasper	–	14	3	–	4	12	–	2	3	–	2	–	1	16	10	5	4	1	–
Jay	1	18	13	3	5	7	–	2	4	–	1	2	2	10	7	2	2	–	–
Jefferson	1	14	2	2	16	10	–	3	2	–	–	1	1	40	7	10	1	–	–
Madison	1	6	1	2	5	5	–	2	1	–	–	–	1	28	1	8	–	–	–
Balance of county	–	8	1	–	11	5	–	1	1	–	–	1	–	14	6	2	1	–	–
Jennings	–	19	2	2	7	7	1	–	1	–	1	–	2	19	5	2	3	–	–
Johnson	7	43	16	3	28	25	1	3	6	–	1	9	9	69	20	8	12	2	–
Franklin	2	16	8	–	9	8	–	1	1	–	–	1	2	26	1	4	3	–	–
Greenwood	1	18	6	1	12	6	1	2	4	–	1	5	3	15	9	1	6	1	–
Balance of county	4	9	2	2	7	11	–	–	1	–	–	3	4	28	10	3	3	1	–
Knox	3	55	3	10	11	23	–	4	4	–	5	1	7	28	3	11	4	2	–
Vincennes	1	36	2	3	9	15	–	1	3	–	2	–	6	17	–	4	3	1	–
Balance of county	2	19	1	7	2	8	–	3	1	–	3	1	1	11	3	7	1	1	–
Kosciusko	–	46	5	5	13	17	3	3	7	–	1	5	5	34	21	7	7	–	–
Warsaw	–	11	3	–	2	4	2	–	1	–	–	–	1	6	1	1	3	–	–
Balance of county	–	35	2	5	11	13	1	3	6	–	1	5	4	28	20	6	4	–	–
Lagrange	–	8	2	1	–	7	1	–	2	–	3	3	1	23	9	6	2	1	–
Lake	12	332	38	39	80	137	10	53	53	–	26	47	76	356	61	84	50	62	3
Crown Point	–	25	2	4	5	6	–	4	2	–	1	2	3	19	4	–	–	–	–
East Chicago	2	25	4	3	8	5	–	7	8	–	2	4	5	33	6	10	1	8	1
Gary	5	105	6	10	16	31	4	10	18	–	7	24	29	105	9	33	13	47	2
Griffith	–	7	2	2	2	3	–	3	2	–	3	1	3	12	1	3	4	–	–
Hammond	–	48	8	10	17	29	3	11	13	–	4	7	11	74	12	12	10	4	–
Highland	1	18	3	2	4	5	–	4	1	–	1	–	2	13	1	3	3	1	–
Hobart	1	18	2	1	4	12	2	2	–	–	–	2	2	15	5	6	5	–	–
Lake Station	1	7	1	1	3	4	–	2	2	–	–	3	3	8	4	4	3	–	–
Merrillville	1	30	4	1	9	9	1	4	–	–	2	–	5	21	4	2	2	–	–
Munster	–	18	2	–	3	7	–	3	2	–	2	–	4	11	3	1	1	1	–
Schererville	1	2	–	–	2	3	–	2	–	–	–	–	1	5	–	1	–	–	–
Balance of county	–	29	4	5	7	23	–	1	5	–	4	4	8	40	12	9	8	1	–
La Porte	3	68	9	11	22	34	2	20	14	–	3	10	13	82	27	15	11	6	1
La Porte	2	20	2	5	8	7	–	3	3	–	2	2	4	19	7	5	4	1	–
Michigan City	1	31	4	2	6	16	–	11	6	–	–	6	6	35	7	7	5	4	1
Balance of county	–	17	3	4	8	11	2	6	5	–	1	2	3	28	13	3	2	1	–
Lawrence	1	47	3	13	17	21	2	–	10	–	4	2	2	44	16	3	4	1	1
Bedford	1	27	2	7	4	11	1	–	5	–	3	1	–	21	1	1	1	–	–
Balance of county	–	20	1	6	13	10	1	–	5	–	1	1	2	23	15	2	3	1	1
Madison	2	103	9	9	34	51	3	11	19	–	6	7	8	104	27	45	17	5	3
Anderson	1	56	4	7	21	31	1	8	9	–	–	4	3	65	8	19	9	3	1
Elwood, part	–	14	1	–	5	6	–	1	4	–	–	–	1	13	2	8	2	1	1
Elwood, total	–	15	1	–	5	6	–	1	4	–	–	–	1	13	2	8	2	1	1
Balance of county	1	33	4	2	8	14	2	2	6	–	6	3	4	26	17	18	6	1	1
Marion	35	464	89	67	230	315	24	94	110	2	49	102	57	659	142	110	102	83	32
Beech Grove	1	8	1	1	4	4	1	1	4	–	–	1	–	9	2	4	5	–	–
Indianapolis	33	440	85	65	216	301	22	89	103	2	47	99	56	626	132	103	92	82	31
Lawrence	–	1	–	–	3	–	–	1	1	–	–	–	1	5	4	–	2	–	–
Speedway	–	4	–	1	3	4	–	2	–	–	–	–	–	5	2	–	2	–	1
Balance of county	1	11	3	–	4	8	1	1	2	–	2	2	–	14	2	3	1	1	–
Marshall	–	39	7	10	16	11	1	1	2	–	2	2	2	26	12	6	3	4	–
Martin	–	7	–	1	8	2	–	–	–	–	–	1	1	6	1	4	2	–	–
Miami	2	16	8	6	12	12	1	4	5	–	1	–	4	25	10	4	8	1	–
Peru	2	8	3	2	7	8	1	2	5	–	1	–	2	13	–	1	5	–	–
Balance of county	–	8	5	4	5	4	–	2	–	–	–	–	2	12	10	3	3	1	–
Monroe	2	68	11	9	19	25	2	3	7	–	3	7	4	43	18	16	9	3	1
Bloomington	2	48	11	8	13	16	2	3	4	–	2	6	2	27	6	11	5	1	–
Balance of county	–	20	–	1	6	9	–	–	3	–	1	1	2	16	12	5	4	2	1
Montgomery	1	31	13	4	20	18	2	2	6	–	1	3	3	24	6	5	2	–	3
Crawfordsville	–	17	10	2	10	8	1	2	4	–	1	1	1	11	5	3	–	–	2
Balance of county	1	14	3	2	10	8	1	–	2	–	–	2	2	13	1	2	2	–	1
Morgan	1	27	8	4	22	20	2	4	6	–	2	4	6	26	16	9	7	2	2
Martinsville	1	10	–	2	8	8	–	1	3	–	–	1	2	12	4	4	2	–	–
Balance of county	–	17	8	2	14	12	2	3	3	–	2	3	4	14	12	5	5	2	2
Newton	–	9	–	2	4	7	–	1	3	–	–	–	4	10	5	4	–	1	–
Noble	1	22	2	7	6	5	1	4	2	–	3	2	2	20	11	5	5	1	–
Ohio	–	4	–	1	5	2	–	–	1	–	–	–	1	4	1	–	1	–	–
Orange	–	19	4	1	9	7	–	2	3	–	–	3	1	12	8	5	1	–	–
Owen	–	12	8	1	14	9	1	–	1	–	1	4	1	14	4	1	1	–	–
Parke	–	6	3	2	3	7	–	1	1	–	–	1	1	10	10	7	2	–	1
Perry	2	13	10	4	6	4	–	–	1	–	–	2	–	20	3	4	4	1	–
Pike	–	10	7	3	1	4	1	–	3	–	–	–	1	12	1	3	2	4	–
Porter	5	62	18	16	20	41	3	7	7	–	7	6	10	75	22	23	16	4	1
Portage	1	15	5	4	5	9	1	1	3	–	2	1	3	12	3	10	6	2	–
Valparaiso	3	21	9	8	6	14	1	2	2	–	2	2	3	36	3	5	6	–	1
Balance of county	1	26	4	4	9	18	1	4	2	–	3	3	4	27	16	8	4	2	–
Posey	1	17	–	1	2	5	–	1	1	–	1	3	3	16	5	6	1	–	–
Pulaski	–	16	–	1	2	3	1	–	1	–	2	–	2	9	4	1	3	1	–
Putnam	–	29	3	1	22	10	1	2	2	1	3	–	–	26	4	5	–	1	–
Randolph	1	10	5	1	6	14	1	2	2	–	1	3	9	18	8	2	5	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	228	–	–	3	64	11	18	5	9	3	–	18	4	101	78	1	–	53	25
Rush	205	–	–	2	36	10	7	2	5	1	2	9	5	102	84	1	–	75	8
St. Joseph	2,334	–	–	19	560	145	153	47	59	34	24	98	38	1,129	847	8	25	611	203
Mishawaka	419	–	–	3	97	27	29	6	11	2	3	19	5	209	152	2	1	119	30
South Bend	1,286	–	–	11	306	86	86	23	24	25	15	47	24	610	456	2	21	319	114
Balance of county	629	–	–	5	157	32	38	18	24	7	6	32	9	310	239	4	3	173	59
Scott	208	–	–	1	46	12	15	2	3	5	3	6	2	91	74	–	–	57	17
Shelby	349	1	–	2	77	18	21	7	4	6	3	18	5	160	119	2	5	83	29
Shelbyville	165	1	–	1	34	12	8	1	1	6	1	5	3	75	54	–	4	39	11
Balance of county	184	–	–	1	43	8	13	6	3	–	2	13	2	85	65	2	1	44	18
Spencer	163	–	–	2	36	11	11	4	2	1	1	6	–	88	66	1	–	45	20
Starke	243	–	–	1	52	10	17	4	3	2	4	12	3	123	107	1	–	85	41
Steuben	205	–	–	–	52	12	10	6	6	4	3	11	5	88	74	–	1	40	33
Sullivan	249	1	–	3	52	20	13	2	3	2	1	11	6	132	96	1	1	77	17
Switzerland	86	–	–	–	21	7	8	–	2	1	–	3	1	34	31	–	–	19	12
Tippecanoe	845	–	–	8	224	54	68	11	25	10	8	48	13	372	275	5	2	214	54
Lafayette	511	–	–	6	138	35	36	8	17	6	4	32	6	216	158	3	2	117	36
West Lafayette	130	–	–	2	25	4	7	–	5	1	2	6	2	69	48	1	–	39	8
Balance of county	204	–	–	–	61	15	25	3	3	3	2	10	5	87	69	1	–	58	10
Tipton	171	1	–	2	24	7	7	2	3	–	–	5	2	85	62	2	–	44	18
Elwood, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	170	1	–	2	24	7	7	2	3	–	–	5	2	84	62	2	–	44	18
Union	67	–	–	–	17	4	3	6	1	1	1	1	1	31	28	–	1	17	10
Vanderburgh	1,735	1	–	22	407	100	119	29	32	20	12	95	30	827	656	6	21	423	206
Evansville	1,611	1	–	22	376	91	109	26	29	20	12	89	29	773	614	6	20	398	190
Balance of county	124	–	–	–	31	9	10	3	3	–	–	6	1	54	42	–	1	25	16
Vermillion	217	–	–	2	53	11	14	4	6	2	1	15	5	114	98	–	3	68	27
Vigo	1,166	–	–	12	242	51	83	19	21	8	5	55	12	630	475	3	6	343	123
Terre Haute	812	–	–	9	174	34	62	12	17	6	4	39	10	432	324	2	4	226	92
Balance of county	354	–	–	3	68	17	21	7	4	2	1	16	2	198	151	1	2	117	31
Wabash	349	–	–	3	77	18	23	7	9	3	4	13	7	165	121	–	2	98	21
Wabash	125	–	–	1	33	5	12	4	6	–	2	4	1	56	36	–	–	28	8
Balance of county	218	–	–	2	44	13	11	3	3	3	2	9	6	109	85	–	2	70	13
Warren	73	–	–	1	12	1	2	4	2	1	–	2	3	42	30	–	–	20	10
Warrick	335	–	–	8	57	19	13	5	5	3	–	12	14	167	144	–	6	84	54
Washington	229	–	–	1	40	8	11	6	5	1	–	9	3	117	99	3	5	75	16
Wayne	774	1	1	11	166	45	40	9	20	9	10	33	16	397	323	3	13	247	60
Richmond	531	1	1	8	110	29	30	3	15	9	4	20	13	286	226	2	7	176	41
Balance of county	243	–	–	5	56	16	10	6	5	–	6	13	3	111	97	1	6	71	19
Wells	225	–	–	1	62	14	13	5	7	6	5	12	1	108	79	–	–	56	23
White	264	–	–	3	51	10	16	1	9	1	3	11	5	137	106	–	5	80	21
Whitley	239	–	–	4	52	14	14	2	10	2	2	8	4	116	89	–	–	69	20
Iowa	27,066	7	1	241	5,860	1,591	1,524	482	678	257	201	1,127	444	13,537	10,342	58	289	8,635	3,360
Urban places	11,013	4	1	103	2,404	601	682	208	276	96	64	477	194	5,288	4,072	33	139	2,411	1,489
Balance of area	16,053	3	–	138	3,456	990	842	274	402	161	137	650	250	8,249	6,270	25	150	4,224	1,871
Metropolitan counties	9,285	5	1	97	2,084	508	611	183	225	83	58	416	158	4,420	3,451	22	125	2,006	1,298
Urban places	7,651	4	1	81	1,683	412	495	146	180	64	44	342	131	3,654	2,862	21	108	1,646	1,087
Balance of area	1,634	1	–	16	401	96	116	37	45	19	14	74	27	766	589	1	17	360	211
Nonmetropolitan counties	17,781	2	–	144	3,776	1,083	913	299	453	174	143	711	286	9,117	6,891	36	164	4,629	2,062
Urban places	3,362	–	–	22	721	189	187	62	96	32	20	135	63	1,634	1,210	12	31	765	402
Balance of area	14,419	2	–	122	3,055	894	726	237	357	142	123	576	223	7,483	5,681	24	133	3,864	1,660
Adair	125	–	–	–	26	9	7	1	4	3	1	1	–	75	59	–	–	30	29
Adams	61	–	–	–	10	1	3	–	4	–	1	1	2	34	23	–	–	21	2
Allamakee	191	–	–	1	38	13	11	2	5	2	–	5	1	108	78	1	1	56	20
Appanoose	164	–	–	–	38	12	6	2	4	3	–	11	3	83	63	–	4	36	23
Audubon	84	–	–	–	18	6	3	1	2	1	–	5	1	40	29	–	3	14	12
Benton	211	–	–	2	49	13	9	3	6	4	3	11	5	109	82	–	4	58	20
Black Hawk	1,037	–	1	6	230	51	74	14	26	4	8	53	17	527	406	4	6	289	107
Cedar Falls	198	–	–	1	37	12	7	4	4	–	1	9	5	93	70	1	1	49	19
Waterloo	703	–	1	5	159	33	57	9	17	3	6	34	10	382	282	3	5	210	64
Balance of county	136	–	–	–	34	6	10	1	5	1	1	10	2	72	54	–	–	30	24
Boone	268	–	–	4	65	14	20	14	5	2	1	9	3	131	98	–	2	74	22
Boone	155	–	–	2	44	7	15	11	5	2	1	3	3	75	55	–	1	45	9
Balance of county	113	–	–	2	21	7	5	3	–	–	–	6	–	56	43	–	1	29	13
Bremer	223	–	–	1	48	15	13	5	6	2	1	6	3	118	91	–	1	65	25
Buchanan	190	–	–	1	41	17	8	3	5	2	1	5	8	94	75	–	3	48	24
Buena Vista	210	–	–	2	48	18	9	3	6	3	1	8	6	115	91	–	–	62	29
Butler	209	–	–	–	54	11	10	11	7	2	2	11	1	97	72	–	3	57	12
Calhoun	157	–	–	1	31	10	8	4	3	4	1	1	3	71	42	–	–	32	10
Carroll	192	–	–	–	39	17	9	5	–	1	1	6	8	108	86	–	9	57	20
Cass	222	–	–	1	48	15	11	1	2	2	4	12	5	133	79	–	–	71	8
Cedar	174	–	–	3	30	6	9	1	6	3	1	4	1	99	74	–	5	59	10
Cerro Gordo	470	–	–	1	93	18	20	5	15	9	6	20	6	244	196	3	2	117	74
Mason City	327	–	–	1	68	12	16	3	13	5	5	14	3	164	135	2	2	81	50
Balance of county	143	–	–	–	25	6	4	2	2	4	1	6	3	80	61	1	–	36	24
Cherokee	157	–	–	2	39	14	12	1	6	–	1	5	4	86	68	1	2	43	22
Chickasaw	148	–	–	3	40	12	3	4	4	1	3	13	3	68	56	–	–	46	10
Clarke	87	–	–	–	21	7	7	–	2	–	1	4	1	48	44	–	2	35	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Ripley	–	17	3	2	12	6	1	2	5	–	1	3	–	16	4	2	4	–	–
Rush	–	12	3	3	5	9	–	4	3	–	1	1	1	16	9	10	1	–	–
St. Joseph	13	217	32	20	64	81	4	26	27	–	8	25	17	190	44	52	26	24	–
Mishawaka	3	42	10	2	14	15	–	4	6	–	–	6	5	32	6	9	6	2	–
South Bend	9	120	16	9	34	53	3	14	12	–	4	16	7	111	25	27	10	19	–
Balance of county	1	55	6	9	16	13	1	8	9	–	4	3	5	47	13	16	10	3	–
Scott	–	13	1	3	16	12	–	3	5	–	–	2	6	9	2	9	2	2	–
Shelby	1	30	3	7	15	18	1	1	2	–	–	3	5	32	12	8	7	–	–
Shelbyville	–	14	3	4	8	11	–	–	–	–	–	1	1	18	4	5	2	–	–
Balance of county	1	16	–	3	7	7	1	1	2	–	–	2	4	13	8	3	5	–	–
Spencer	1	16	3	2	9	5	–	1	–	–	–	1	2	12	2	3	2	–	–
Starke	2	13	1	–	19	7	1	3	4	–	1	2	1	15	4	5	1	1	–
Steuben	1	11	1	1	7	14	–	1	2	–	1	1	1	19	8	3	3	–	–
Sullivan	–	28	4	4	7	9	1	–	3	–	–	–	1	21	6	6	1	–	–
Switzerland	–	2	1	–	7	4	–	1	3	–	–	1	1	8	1	3	1	–	–
Tippecanoe	3	61	6	7	18	42	1	3	12	–	3	9	9	90	14	11	16	–	–
Lafayette	3	47	4	4	14	25	1	3	11	–	1	5	2	59	9	6	9	–	–
West Lafayette	–	19	1	1	–	7	–	–	1	–	1	–	5	12	1	3	2	–	–
Balance of county	–	15	1	2	4	10	–	–	–	–	1	4	2	19	4	2	5	–	–
Tipton	1	19	–	3	6	5	1	–	6	–	2	1	–	26	1	4	5	–	–
Elwood, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	18	–	3	6	5	1	–	6	–	2	1	–	26	1	4	5	–	–
Union	1	2	–	–	1	–	–	–	–	–	1	1	1	9	2	2	–	1	–
Vanderburgh	4	129	24	14	45	72	7	18	22	–	10	8	19	177	19	23	24	3	1
Evansville	4	121	21	13	40	69	7	16	22	–	8	5	19	162	17	18	23	3	1
Balance of county	–	8	3	1	5	3	–	2	–	–	2	3	–	15	2	5	1	–	–
Vermillion	2	10	3	1	3	17	1	2	1	–	1	–	–	9	2	5	2	–	–
Vigo	2	107	34	12	28	43	–	9	9	–	4	8	8	97	22	22	16	4	–
Terre Haute	2	75	25	6	27	29	–	7	5	–	1	5	4	73	6	18	11	1	–
Balance of county	–	32	9	6	1	14	–	2	4	–	3	3	4	24	16	4	5	3	–
Wabash	–	37	3	4	16	11	2	1	7	–	4	–	6	30	7	4	2	–	1
Wabash	–	18	1	1	7	7	–	–	3	–	2	–	1	9	3	2	–	–	–
Balance of county	–	19	2	3	9	4	2	1	4	–	2	–	5	21	4	2	2	–	1
Warren	–	8	1	3	–	2	–	–	–	–	–	–	1	9	1	2	–	–	–
Warrick	1	16	3	3	8	13	–	1	3	–	2	–	7	26	10	9	9	1	–
Washington	2	13	–	3	13	6	1	1	2	–	–	–	1	23	7	9	4	1	–
Wayne	3	57	6	8	21	30	2	3	5	–	4	3	4	67	14	17	6	5	1
Richmond	3	45	5	7	12	18	2	2	3	–	1	2	1	46	8	11	3	5	–
Balance of county	–	12	1	1	9	12	–	1	2	–	3	1	3	21	6	6	3	–	1
Wells	1	24	1	3	10	7	1	1	4	–	2	–	2	12	5	6	2	1	–
White	1	23	4	3	8	12	1	1	1	–	–	3	4	18	13	4	3	–	–
Whitley	2	17	7	1	6	8	–	1	4	–	1	4	1	17	12	7	2	–	–
Iowa	98	2,230	509	358	1,088	1,048	83	189	233	2	128	142	158	2,395	482	587	368	64	29
Urban places	38	873	162	143	425	476	23	89	96	1	61	73	84	1,061	157	254	165	41	13
Balance of area	60	1,357	347	215	663	572	60	100	137	1	67	69	74	1,334	305	333	203	23	16
Metropolitan counties	33	693	124	119	320	401	20	71	76	1	52	69	69	854	155	237	150	35	10
Urban places	27	558	100	97	255	337	16	60	66	1	45	56	58	741	108	199	114	32	9
Balance of area	6	125	24	22	65	64	4	11	10	–	7	13	11	113	47	38	36	3	1
Nonmetropolitan counties	65	1,537	385	239	768	647	63	118	157	1	76	73	89	1,541	307	350	218	29	19
Urban places	11	305	62	46	170	139	7	29	30	–	16	17	26	320	49	55	51	9	4
Balance of area	54	1,232	323	193	598	508	56	89	127	1	60	56	63	1,221	258	295	167	20	15
Adair	1	10	2	3	11	–	1	1	1	–	–	–	1	2	2	2	3	–	–
Adams	–	9	2	–	2	2	1	1	1	–	1	–	–	6	–	1	–	–	–
Allamakee	1	21	7	1	7	6	–	3	3	–	–	–	1	8	3	8	4	–	–
Appanoose	1	13	4	2	6	6	1	–	2	–	–	–	–	10	4	9	2	–	–
Audubon	–	6	3	2	2	6	2	1	1	–	–	–	–	10	–	2	1	–	–
Benton	–	15	8	4	6	5	–	1	2	–	–	1	–	23	3	1	3	1	–
Black Hawk	6	86	17	12	28	50	2	3	10	–	5	5	7	90	13	24	15	1	3
Cedar Falls	–	17	2	4	6	13	2	1	2	–	1	1	2	18	1	7	6	–	2
Waterloo	6	55	12	7	18	32	–	2	8	–	–	4	5	64	9	16	6	1	1
Balance of county	–	14	3	1	4	5	–	–	–	–	4	–	–	8	3	1	3	–	–
Boone	1	21	6	3	9	7	2	1	5	–	1	1	2	24	1	9	3	–	–
Boone	–	14	4	2	4	4	–	1	4	–	–	–	1	11	1	2	3	–	–
Balance of county	1	7	4	1	5	3	2	–	1	–	1	1	1	13	–	7	–	–	–
Bremer	–	24	1	2	8	8	–	1	2	–	1	2	1	21	3	5	–	1	–
Buchanan	–	15	2	2	5	9	–	–	3	–	1	–	–	23	1	3	1	–	–
Buena Vista	–	17	2	5	8	7	2	1	2	–	–	1	–	11	3	–	2	1	1
Butler	1	17	4	3	6	6	1	1	3	–	2	–	–	24	5	7	3	–	–
Calhoun	1	18	7	3	12	8	–	–	2	–	1	2	–	20	2	4	–	–	–
Carroll	–	19	2	1	2	8	–	2	–	–	1	1	2	12	3	2	2	–	1
Cass	2	21	24	7	5	6	1	3	–	–	–	1	–	6	7	1	5	–	–
Cedar	1	18	5	1	6	7	1	1	–	–	–	–	–	19	2	1	4	–	–
Cerro Gordo	2	34	7	5	22	24	–	7	1	–	3	7	4	37	5	11	4	1	–
Mason City	1	21	6	1	17	19	–	5	1	–	2	5	4	25	4	6	2	1	–
Balance of county	1	13	1	4	5	5	–	2	–	–	1	2	–	12	1	5	2	–	–
Cherokee	–	10	7	1	7	5	–	–	1	–	–	–	–	9	–	2	2	–	–
Chickasaw	–	10	–	2	8	2	1	1	–	–	–	–	–	14	3	4	1	–	–
Clarke	–	4	–	–	3	6	–	–	–	–	–	–	1	3	4	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	201	-	-	2	50	15	17	1	4	-	4	9	3	100	71	1	-	53	17
Spencer	131	-	-	2	27	9	8	1	2	-	1	6	2	66	47	1	-	33	13
Balance of county	70	-	-	-	23	6	9	-	2	-	3	3	1	34	24	-	-	20	4
Clayton	236	-	-	6	47	18	12	4	2	1	1	9	4	118	88	1	2	56	27
Clinton	555	-	-	8	134	42	32	11	16	6	1	26	5	263	172	1	5	107	59
Clinton	357	-	-	3	90	29	20	8	12	3	1	17	5	173	109	1	5	69	40
Balance of county	198	-	-	5	44	13	12	3	4	3	-	9	-	90	63	-	-	44	19
Crawford	201	-	-	2	68	14	5	3	2	2	2	10	5	99	82	-	-	58	24
Dallas	267	-	-	1	47	17	13	3	4	1	4	5	8	125	92	-	1	58	35
Davis	96	-	-	-	20	5	4	3	3	-	2	3	1	44	36	-	3	14	19
Decatur	119	-	-	1	22	8	10	-	1	1	-	2	-	63	44	-	-	30	14
Delaware	178	-	-	3	39	15	6	4	5	1	3	5	3	92	57	-	1	43	13
Des Moines	494	-	-	4	102	28	30	4	12	5	1	22	13	237	187	-	4	127	38
Burlington	362	-	-	4	71	21	19	3	11	1	1	15	10	181	125	-	2	93	30
Balance of county	132	-	-	-	31	7	11	1	1	4	-	7	3	56	42	-	2	34	6
Dickinson	145	-	-	-	39	6	13	2	7	2	2	7	3	63	48	1	-	35	12
Dubuque	818	1	-	1	186	54	51	21	17	7	12	24	16	426	311	2	15	200	94
Dubuque	650	1	-	-	137	42	39	15	9	6	7	19	12	355	257	2	14	164	77
Balance of county	168	-	-	1	49	12	12	6	8	1	5	5	4	71	54	-	1	36	17
Emmet	124	-	-	-	29	3	9	3	10	-	2	2	3	65	55	-	2	34	19
Fayette	287	-	-	3	71	18	14	7	8	4	-	20	8	157	114	-	4	78	32
Floyd	212	-	-	1	52	13	12	2	4	4	1	16	4	117	89	1	-	75	13
Franklin	123	-	-	-	24	4	7	4	4	2	-	3	2	66	52	-	-	32	20
Fremont	125	-	-	-	12	5	3	-	3	-	1	-	1	66	76	-	7	44	25
Greene	137	-	-	2	30	7	9	3	3	-	4	4	3	78	55	1	-	42	12
Grundy	136	-	-	1	23	3	5	1	3	3	-	6	3	91	76	-	9	42	25
Guthrie	158	-	-	1	37	7	8	4	6	3	2	7	4	82	56	-	2	41	13
Hamilton	173	-	-	1	37	13	8	2	6	-	3	5	3	81	58	-	-	40	18
Hancock	125	-	-	-	25	10	3	1	5	-	-	6	2	68	59	-	-	48	11
Hardin	264	-	-	2	57	18	16	6	5	2	2	8	3	128	93	-	4	76	13
Harrison	174	-	-	2	32	2	11	5	4	3	1	6	2	96	81	-	-	54	27
Henry	185	-	-	4	41	13	8	3	8	1	2	6	1	107	90	-	2	65	23
Howard	130	-	-	2	23	7	4	2	3	1	1	5	1	76	61	-	2	48	11
Humboldt	126	1	-	1	26	7	8	1	1	2	1	6	1	71	57	-	1	36	20
Ida	109	-	-	2	17	7	4	2	2	-	-	2	1	63	48	-	-	42	6
Iowa	146	-	-	1	29	8	3	2	7	-	2	7	2	74	53	-	-	40	13
Jackson	221	-	-	1	45	13	14	3	1	3	1	10	1	124	91	-	5	66	20
Jasper	343	-	-	2	74	17	25	8	7	3	-	14	4	176	127	2	3	74	48
Newton	185	-	-	2	42	9	14	5	5	2	-	7	1	92	63	1	3	38	21
Balance of county	158	-	-	-	32	8	11	3	2	1	-	7	3	84	64	1	-	36	27
Jefferson	168	-	-	1	24	6	8	2	5	2	-	1	4	104	68	1	4	50	13
Johnson	445	-	-	2	101	28	21	10	16	3	1	22	3	212	152	-	4	106	42
Iowa City	285	-	-	2	60	18	13	6	10	2	-	11	2	145	100	-	1	69	30
Balance of county	160	-	-	-	41	10	8	4	6	1	1	11	1	67	52	-	3	37	12
Jones	203	-	-	2	41	11	9	4	4	3	-	10	2	106	78	-	-	53	25
Keokuk	147	-	-	4	32	10	8	2	4	1	4	3	2	63	53	1	1	35	16
Kossuth	208	-	-	1	51	14	12	2	9	2	2	10	3	98	75	1	1	54	19
Lee	447	-	-	2	102	27	25	9	15	5	4	17	8	225	174	5	6	89	74
Fort Madison	159	-	-	1	33	9	7	1	9	2	1	4	2	82	67	2	1	35	29
Keokuk	166	-	-	-	40	12	9	3	4	3	2	7	4	74	54	2	4	25	23
Balance of county	122	-	-	1	29	6	9	5	2	-	1	6	2	69	53	1	1	29	22
Linn	1,313	-	-	21	292	68	78	25	32	17	5	67	23	618	470	2	28	301	139
Cedar Rapids	987	-	-	15	215	47	63	20	23	11	5	46	15	458	345	2	25	217	101
Marion	144	-	-	3	26	9	4	2	4	1	-	6	3	74	60	-	1	38	21
Balance of county	202	-	-	3	51	12	11	3	5	5	-	15	5	86	65	-	2	46	17
Louisa	119	1	-	1	28	6	9	1	6	3	2	1	3	60	51	2	1	31	17
Lucas	114	-	-	1	20	3	5	2	4	1	-	5	1	60	52	-	-	42	10
Lyon	138	-	-	-	30	9	5	2	4	2	-	8	-	73	59	-	-	40	19
Madison	156	-	-	2	29	5	9	-	4	2	1	8	1	80	59	1	2	36	20
Mahaska	281	-	-	4	57	16	16	5	6	2	1	11	5	137	98	1	1	80	16
Oskaloosa	149	-	-	1	30	9	9	1	3	-	1	7	3	81	64	-	1	56	7
Balance of county	112	-	-	3	27	7	7	4	3	2	-	4	2	56	34	1	-	24	9
Marion	287	-	-	4	62	12	16	6	8	5	3	12	1	144	117	1	3	83	30
Marshall	392	-	-	3	84	20	24	6	14	4	3	13	8	175	126	-	7	68	51
Marshalltown	268	-	-	2	56	12	16	3	11	3	1	10	8	112	84	-	4	51	29
Balance of county	124	-	-	1	28	8	8	3	3	1	2	3	-	63	42	-	3	17	22
Mills	140	-	-	1	32	9	6	3	2	2	1	9	2	77	68	-	1	50	17
Mitchell	108	-	-	1	27	8	5	4	2	1	-	7	1	54	41	1	-	34	6
Monona	149	-	-	2	29	10	6	2	5	2	-	4	1	80	59	-	1	36	22
Monroe	126	-	-	-	27	9	4	-	2	-	3	9	8	55	43	-	1	30	12
Montgomery	177	-	-	4	37	9	13	3	4	1	2	5	2	82	46	-	-	39	7
Muscatine	341	-	-	2	69	14	17	8	5	7	2	16	7	166	127	1	4	73	49
Muscatine	211	-	-	-	37	7	7	6	2	3	1	11	4	109	85	1	2	53	29
Balance of county	130	-	-	2	32	7	10	2	3	4	1	5	3	57	42	-	2	20	20
O'Brien	159	-	-	3	40	8	11	2	9	2	3	5	6	70	58	1	-	39	18
Osceola	98	-	-	-	16	6	4	3	-	-	-	3	3	55	41	1	-	20	20
Page	239	-	-	1	55	10	18	5	3	-	3	16	4	115	91	-	1	55	35
Palo Alto	140	-	-	-	29	7	14	1	2	-	-	5	1	76	53	-	1	46	6
Plymouth	210	-	-	4	48	18	6	1	6	4	1	12	3	114	83	1	-	62	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	1	20	3	5	11	6	1	1	5	–	1	1	–	13	4	1	1	–	1
Spencer	–	13	2	4	10	4	–	1	5	–	1	–	–	8	3	1	1	–	–
Balance of county	1	7	1	1	1	2	1	–	–	–	–	1	–	5	1	–	–	–	1
Clayton	1	22	5	2	10	10	1	–	1	–	–	–	2	23	8	2	4	2	–
Clinton	–	72	6	13	23	23	5	2	3	–	2	2	1	50	10	9	11	4	–
Clinton	–	52	3	9	11	15	4	1	2	–	1	1	1	32	3	7	6	2	–
Balance of county	–	20	3	4	12	8	1	1	1	–	1	1	–	18	7	2	5	2	–
Crawford	–	12	2	3	9	6	1	–	5	–	1	3	–	20	4	5	1	2	–
Dallas	2	20	4	7	9	14	1	3	4	–	1	3	6	33	4	4	4	–	–
Davis	–	3	3	2	1	8	1	4	1	–	–	–	2	9	3	–	1	1	–
Decatur	–	14	3	2	11	4	1	–	1	–	–	–	–	11	1	3	1	–	–
Delaware	–	31	1	3	5	4	–	–	–	–	1	2	2	17	2	5	2	–	1
Des Moines	3	46	13	6	35	17	3	4	4	–	3	1	1	43	8	11	7	1	–
Burlington	2	38	11	5	26	10	–	4	3	–	2	1	1	30	6	7	5	1	–
Balance of county	1	10	2	1	9	7	3	–	1	–	1	–	–	13	2	4	2	–	–
Dickinson	1	10	1	3	9	6	1	–	2	–	2	–	–	10	–	3	7	–	–
Dubuque	3	91	7	14	20	32	–	8	4	–	5	7	3	66	14	23	6	–	–
Dubuque	3	75	6	14	15	27	–	8	3	–	5	5	1	53	9	15	4	–	–
Balance of county	–	16	1	–	5	5	–	–	1	–	–	2	2	13	5	8	2	–	–
Emmet	1	5	2	2	4	3	–	1	6	–	1	1	1	8	1	1	–	–	–
Fayette	1	28	11	3	3	7	1	2	1	–	1	2	2	21	3	3	2	–	–
Floyd	–	23	3	2	9	9	–	–	–	–	1	–	–	16	1	1	–	1	–
Franklin	–	11	3	–	9	3	1	–	–	–	–	1	–	9	1	6	1	–	–
Fremont	–	7	1	2	4	2	–	2	–	–	2	–	–	10	4	1	1	–	–
Greene	2	15	3	3	3	2	1	1	3	–	–	1	–	9	–	3	1	–	–
Grundy	–	12	1	2	3	3	–	1	–	–	–	–	–	6	1	2	2	–	–
Guthrie	–	12	14	–	3	6	–	1	–	–	–	1	–	16	1	3	3	–	–
Hamilton	–	13	4	6	10	8	1	2	2	–	–	2	–	15	2	5	3	–	1
Hancock	–	8	–	1	6	3	1	1	–	–	1	–	–	8	4	5	1	–	–
Hardin	–	28	1	6	12	9	–	2	6	–	1	2	1	31	3	4	1	–	2
Harrison	–	14	–	1	4	5	3	1	2	–	2	–	–	17	4	2	2	–	–
Henry	–	14	1	2	5	1	–	–	1	–	–	1	–	13	7	3	–	1	–
Howard	–	14	1	–	4	6	–	3	–	–	–	2	–	9	3	1	–	–	–
Humboldt	1	10	1	2	6	6	2	–	1	–	–	–	–	7	3	1	–	–	–
Ida	2	11	1	1	6	2	–	2	2	–	–	–	–	11	1	2	–	–	–
Iowa	2	9	5	5	9	4	2	1	–	–	1	–	1	14	2	2	3	–	1
Jackson	1	14	11	7	12	7	1	1	1	–	1	1	–	13	9	2	2	–	–
Jasper	5	33	7	4	10	14	–	1	–	–	–	2	3	28	7	12	6	3	1
Newton	3	19	5	2	4	8	–	1	–	–	–	1	2	16	3	7	4	1	1
Balance of county	2	14	2	2	6	6	–	–	–	–	–	1	1	12	4	5	2	2	–
Jefferson	1	29	4	2	4	4	–	1	1	1	–	–	–	17	2	3	2	–	–
Johnson	1	48	5	6	14	18	1	6	5	1	3	3	4	41	8	13	10	–	–
Iowa City	1	34	4	6	9	9	–	5	4	1	2	1	3	24	2	9	7	–	–
Balance of county	–	14	1	–	5	9	1	1	1	–	1	2	1	17	6	4	3	–	–
Jones	–	23	3	2	11	7	1	1	3	–	3	–	–	17	2	6	1	–	–
Keokuk	1	8	–	1	5	6	1	–	1	–	–	–	1	23	3	4	1	–	–
Kossuth	–	19	3	1	12	10	1	1	2	–	–	–	1	14	2	11	1	–	–
Lee	–	39	6	6	21	17	3	3	5	–	3	4	2	36	6	4	5	–	1
Fort Madison	–	11	4	–	5	5	–	2	4	–	2	3	–	17	–	–	2	–	1
Keokuk	–	16	2	2	9	11	1	1	–	–	1	1	2	14	4	3	1	–	–
Balance of county	–	12	–	4	7	1	2	–	1	–	–	–	–	5	2	1	2	–	–
Linn	5	105	20	18	50	40	6	12	11	–	6	12	10	136	17	26	27	3	1
Cedar Rapids	5	79	16	13	34	25	5	12	8	–	3	9	7	108	12	19	18	3	1
Marion	–	12	1	1	6	4	1	–	2	–	2	1	1	15	1	2	3	–	–
Balance of county	–	14	3	4	10	11	–	–	1	–	1	2	2	15	4	5	6	–	–
Louisa	1	7	1	–	2	3	–	1	1	–	1	–	2	10	3	2	1	–	–
Lucas	1	5	2	–	5	7	–	2	1	–	–	–	1	12	2	1	1	–	–
Lyon	–	12	1	1	6	6	–	1	3	–	–	1	–	9	5	2	2	–	–
Madison	–	14	3	4	15	2	1	1	–	–	–	1	–	14	1	5	2	1	1
Mahaska	–	31	6	2	2	10	–	3	5	–	1	–	1	24	3	4	5	–	–
Oskaloosa	–	16	–	1	1	5	–	1	1	–	1	–	1	17	2	1	4	–	–
Balance of county	–	15	6	1	1	5	–	2	4	–	–	–	–	7	1	3	1	–	–
Marion	1	20	4	2	17	10	1	1	–	–	3	3	2	24	4	14	6	1	–
Marshall	2	24	17	6	22	12	–	3	1	–	4	–	4	48	11	5	12	–	–
Marshalltown	1	12	11	4	14	9	–	1	1	–	3	–	4	36	10	3	9	–	–
Balance of county	1	12	6	2	8	3	–	2	–	–	1	–	–	12	1	2	3	–	–
Mills	–	8	1	–	4	1	1	2	1	–	–	1	1	9	5	2	–	–	1
Mitchell	–	11	–	2	6	3	1	–	–	–	2	–	–	10	1	2	–	–	–
Monona	–	19	–	2	9	7	–	4	–	–	–	1	–	2	5	5	4	–	–
Monroe	1	7	3	1	10	5	–	–	2	–	–	1	–	17	2	1	–	–	–
Montgomery	4	13	17	2	2	9	–	–	1	–	–	–	4	28	3	2	3	–	–
Muscatine	2	25	9	3	16	8	–	2	5	–	–	6	2	36	5	8	5	2	2
Muscatine	2	15	4	3	12	6	–	2	1	–	–	2	1	21	4	6	3	2	2
Balance of county	–	10	5	–	4	3	–	–	4	–	–	4	1	15	1	2	2	–	–
O'Brien	1	10	–	1	2	5	1	1	2	–	–	–	–	19	–	8	2	–	–
Osceola	–	8	5	1	5	2	–	1	–	–	–	–	–	6	6	1	3	–	–
Page	–	17	3	4	15	17	–	2	3	–	1	–	1	15	2	5	3	–	–
Palo Alto	1	11	10	1	10	7	–	–	–	–	1	1	–	10	2	1	2	–	–
Plymouth	–	25	3	3	6	10	–	1	–	–	1	–	2	13	4	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	114	–	–	–	25	8	6	4	2	1	1	3	–	56	43	–	4	30	9
Polk	2,505	2	–	30	608	154	169	44	62	19	13	127	35	1,101	914	4	40	321	549
Ankeny	62	–	–	2	18	4	5	–	1	1	–	7	1	18	15	–	–	5	10
Des Moines	1,871	1	–	22	467	121	149	34	47	14	8	94	29	810	677	4	27	229	417
Urbandale	71	–	–	–	14	4	2	2	4	–	1	1	–	31	28	–	–	13	15
West Des Moines	187	1	–	2	35	9	6	3	3	2	1	11	–	91	68	–	7	25	36
Balance of county	314	–	–	4	74	16	27	5	7	2	3	14	5	151	126	–	8	48	71
Pottawattamie	745	–	–	4	167	28	57	13	27	3	6	33	11	349	292	2	7	212	71
Council Bluffs	558	–	–	2	116	20	37	6	22	3	3	25	8	259	220	1	5	168	46
Balance of county	187	–	–	2	51	8	20	7	5	–	3	8	3	90	72	1	2	44	25
Poweshiek	200	–	–	2	50	20	12	3	8	–	3	4	3	102	76	–	2	35	39
Ringgold	80	–	–	–	9	4	–	–	2	–	–	3	1	53	50	1	–	20	29
Sac	172	–	–	1	33	10	7	6	–	–	1	9	1	94	66	–	2	54	10
Scott	1,235	2	–	18	261	69	69	26	17	14	10	56	25	574	438	3	13	239	183
Bettendorf	175	–	–	3	41	8	11	3	2	1	2	14	2	80	58	–	1	30	27
Davenport	905	1	–	11	184	43	51	18	14	10	8	40	20	425	332	3	10	185	134
Balance of county	155	1	–	4	36	18	7	5	1	3	–	2	3	69	48	–	2	24	22
Shelby	151	–	–	2	26	5	3	3	3	1	3	8	1	84	63	–	2	29	32
Sioux	235	–	–	2	59	19	8	7	7	3	1	14	4	110	89	–	–	66	23
Story	419	–	–	5	109	23	22	11	22	3	6	22	3	190	152	1	1	102	48
Ames	165	–	–	2	39	7	10	7	7	3	2	3	1	81	59	1	1	40	17
Balance of county	254	–	–	3	70	16	12	4	15	–	4	19	2	109	93	–	–	62	31
Tama	211	–	–	3	49	19	7	2	3	3	4	11	2	91	72	–	4	36	32
Taylor	122	–	–	–	22	6	3	1	5	1	1	5	1	73	36	–	–	23	13
Union	169	–	–	2	35	17	9	3	1	2	1	2	1	84	72	–	–	50	22
Van Buren	116	–	–	–	27	4	8	1	4	2	1	7	–	60	46	1	–	37	8
Wapello	506	–	–	1	108	32	31	6	11	8	2	18	12	232	181	1	8	120	52
Ottumwa	392	–	–	1	85	26	22	6	7	4	2	16	10	176	138	1	5	84	38
Balance of county	114	–	–	–	23	6	9	–	4	4	–	–	2	56	43	–	3	26	14
Warren	246	–	–	3	47	13	11	5	5	5	–	8	3	123	91	–	1	64	26
Indianola	100	–	–	1	15	6	2	3	2	1	–	1	1	56	42	–	1	25	16
Balance of county	146	–	–	2	32	7	9	2	3	4	–	7	2	67	49	–	–	39	10
Washington	208	–	–	2	33	15	8	3	3	1	2	1	5	121	100	–	4	42	54
Wayne	125	–	–	–	18	6	2	1	1	–	2	6	1	80	57	–	1	35	21
Webster	448	–	–	3	73	21	22	5	5	2	1	17	10	225	172	–	–	83	89
Fort Dodge	335	–	–	1	59	20	15	4	5	1	1	13	7	168	125	–	–	58	67
Balance of county	113	–	–	2	14	1	7	1	–	1	–	4	3	57	47	–	–	25	22
Winnebago	120	–	–	–	23	10	6	1	3	–	1	2	–	65	54	1	–	45	8
Winneshiek	220	–	–	1	50	20	9	5	3	1	3	9	4	106	77	–	–	58	19
Woodbury	941	–	–	12	192	43	61	25	23	11	3	26	25	490	377	5	11	274	67
Sioux City	775	–	–	12	159	36	49	21	18	9	2	24	23	397	308	5	10	219	74
Balance of county	166	–	–	–	33	7	12	4	5	2	1	2	2	93	69	–	1	55	13
Worth	108	–	–	2	21	10	3	1	3	1	2	1	–	63	44	–	1	34	9
Wright	185	–	–	–	39	15	8	3	8	–	1	8	3	90	69	–	2	48	19
Kansas	22,298	9	–	252	4,692	1,183	1,212	430	558	244	190	875	369	10,433	8,085	56	170	5,550	2,309
Urban places	11,337	9	–	141	2,488	595	671	218	282	135	106	481	186	5,073	3,981	29	105	2,719	1,128
Balance of area	10,961	–	–	111	2,204	588	541	212	276	109	84	394	183	5,360	4,104	27	65	2,831	1,161
Metropolitan counties	9,004	7	–	117	1,997	443	556	181	233	113	83	388	144	3,944	3,064	25	88	1,990	981
Urban places	7,250	7	–	94	1,608	358	453	132	189	90	71	315	117	3,165	2,466	21	75	1,601	769
Balance of area	1,754	–	–	23	389	85	103	49	44	23	12	73	27	779	598	4	13	389	192
Nonmetropolitan counties	13,294	2	–	135	2,695	740	656	249	325	131	107	487	225	6,489	5,021	31	82	3,560	1,348
Urban places	4,087	2	–	47	880	237	218	86	93	45	35	166	69	1,908	1,515	8	30	1,118	359
Balance of area	9,207	–	–	88	1,815	503	438	163	232	86	72	321	156	4,581	3,506	23	52	2,442	989
Allen	183	–	–	1	42	12	7	3	8	2	1	9	7	93	74	–	3	26	45
Anderson	98	–	–	–	21	6	5	3	2	2	1	2	4	50	41	1	1	23	16
Atchison	201	–	–	2	41	9	8	5	9	–	–	10	2	99	78	1	–	56	21
Atchison	133	–	–	1	28	5	4	5	5	–	–	9	2	64	51	–	–	36	15
Balance of county	68	–	–	1	13	4	4	–	4	–	–	1	–	35	27	1	–	20	6
Barber	98	–	–	–	23	6	11	1	4	–	–	1	6	38	28	–	–	24	4
Barton	302	1	–	3	75	15	23	5	9	3	5	15	3	149	124	–	3	100	21
Great Bend	157	1	–	2	38	6	13	1	4	3	2	9	2	74	61	–	–	49	12
Balance of county	145	–	–	1	37	9	10	4	5	–	3	6	1	75	63	–	3	51	9
Bourbon	195	–	–	3	46	13	10	5	7	2	2	7	–	110	89	1	–	65	23
Brown	178	–	–	–	35	13	4	2	9	5	1	7	3	98	75	–	–	59	16
Butler	383	–	–	3	87	21	27	8	10	4	2	15	8	178	135	–	2	84	49
El Dorado	150	–	–	1	28	6	13	–	3	2	–	4	3	77	55	–	1	36	18
Balance of county	233	–	–	2	59	15	14	8	7	2	2	11	5	101	80	–	1	48	31
Chase	54	–	–	1	12	4	1	2	–	–	2	3	1	32	26	–	–	15	11
Chautauqua	81	–	–	–	14	3	3	1	2	2	1	2	3	39	32	–	–	26	6
Cherokee	267	–	–	2	45	10	13	7	5	1	2	7	3	141	108	–	1	76	31
Cheyenne	49	–	–	–	2	–	–	1	1	–	–	–	1	28	18	–	1	14	3
Clark	27	–	–	–	4	1	2	–	–	–	1	–	–	14	11	–	2	4	5
Clay	142	–	–	1	26	6	6	3	3	1	2	5	3	68	55	1	–	30	24
Cloud	165	–	–	2	38	9	8	5	6	3	–	7	1	80	58	–	2	48	8
Coffey	108	–	–	2	27	8	5	2	5	1	–	6	1	50	37	–	–	19	18
Comanche	43	–	–	–	10	2	3	1	–	–	–	4	–	25	21	–	1	12	8
Cowley	420	–	–	5	95	20	22	10	11	6	6	20	10	180	130	1	2	91	36
Arkansas City	177	–	–	1	40	8	10	4	5	3	3	7	5	77	55	–	–	37	18
Winfield	143	–	–	2	32	5	7	5	5	2	2	6	4	59	40	–	1	29	10
Balance of county	100	–	–	2	23	7	5	1	1	1	1	7	1	44	35	1	1	25	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	1	10	2	–	8	3	2	–	–	–	–	–	–	11	7	2	–	–	–
Polk	1	133	21	32	94	94	7	23	21	–	19	17	24	242	43	80	42	21	2
Ankeny	–	2	–	1	1	4	–	–	1	–	1	2	2	3	2	4	2	–	1
Des Moines	1	95	15	22	62	74	6	16	16	–	17	10	18	187	34	57	25	19	1
Urbandale	–	3	–	–	5	3	–	–	–	–	1	1	3	7	1	3	2	–	–
West Des Moines	–	18	2	3	13	3	–	2	3	–	–	–	–	21	1	11	3	1	–
Balance of county	–	15	4	6	13	10	1	5	1	–	–	4	1	24	5	5	10	1	–
Pottawattamie	4	36	6	11	34	44	1	5	6	–	4	6	4	64	17	16	8	4	1
Council Bluffs	3	26	1	9	25	42	–	2	4	–	4	6	2	54	9	14	7	3	1
Balance of county	1	10	5	2	9	2	1	3	2	–	–	–	2	10	8	2	1	1	–
Poweshiek	–	20	4	2	4	9	1	2	–	–	1	1	4	12	5	3	–	–	1
Ringgold	–	2	–	1	–	6	–	–	–	–	–	–	–	8	–	2	1	–	–
Sac	–	19	7	2	9	10	–	1	–	–	2	–	–	14	1	3	3	–	–
Scott	5	95	23	13	38	77	2	6	9	–	7	12	10	113	23	27	27	2	2
Bettendorf	2	14	3	3	6	11	–	–	2	–	1	1	–	19	2	2	3	2	–
Davenport	1	69	17	6	27	57	1	5	6	–	6	10	8	86	14	23	19	–	2
Balance of county	2	12	3	4	5	9	1	1	1	–	–	1	2	8	7	2	5	–	–
Shelby	–	15	–	6	7	3	1	1	5	–	–	–	1	15	–	3	1	–	–
Sioux	–	18	1	2	10	5	–	–	3	–	3	–	1	20	9	6	2	1	–
Story	3	28	1	6	20	10	–	5	2	–	4	3	4	41	7	9	5	2	–
Ames	–	17	1	4	7	2	–	3	–	–	1	3	1	16	2	5	–	2	–
Balance of county	3	11	–	2	13	8	–	2	2	–	3	–	3	25	5	4	5	–	–
Tama	–	14	3	2	8	4	1	2	3	–	–	–	–	26	5	13	3	1	–
Taylor	3	16	15	1	1	5	–	–	1	–	1	–	–	12	4	1	1	–	–
Union	–	10	–	2	9	6	–	–	1	–	2	–	1	23	5	–	–	–	–
Van Buren	1	9	3	1	5	3	–	–	1	–	1	–	–	7	–	6	4	–	2
Wapello	3	41	2	5	29	31	2	4	6	–	2	1	4	52	8	7	7	–	–
Ottumwa	1	33	1	3	26	21	1	3	4	–	2	–	4	48	3	3	5	–	–
Balance of county	2	8	1	2	3	10	1	1	2	–	–	1	–	4	5	4	2	–	–
Warren	2	20	8	2	14	8	–	2	3	–	2	2	2	19	7	7	3	–	1
Indianola	1	9	4	–	5	3	–	2	2	–	1	–	1	7	3	3	–	–	–
Balance of county	1	11	4	2	9	5	–	–	1	–	1	2	1	12	4	4	3	–	1
Washington	1	12	7	1	7	6	–	2	2	–	1	1	2	16	5	3	1	–	1
Wayne	–	16	4	3	3	3	–	3	2	–	–	–	1	9	–	2	2	1	–
Webster	1	35	9	8	29	23	1	3	5	–	2	1	4	41	11	6	11	–	–
Fort Dodge	1	28	8	6	24	21	1	3	4	–	–	–	4	29	4	4	6	–	–
Balance of county	–	7	1	2	5	2	–	–	1	–	2	1	–	12	7	2	5	–	–
Winnebago	–	7	4	–	8	3	–	–	2	–	3	2	3	6	1	3	1	–	–
Winneshiek	2	14	9	4	14	9	–	1	3	–	1	–	4	18	3	2	3	–	1
Woodbury	6	79	17	11	28	38	1	6	7	–	1	5	5	61	13	21	12	4	–
Sioux City	4	60	17	8	23	30	1	5	5	–	1	5	5	75	8	14	9	3	–
Balance of county	2	19	–	3	5	8	–	1	2	–	–	–	–	6	5	7	3	1	–
Worth	–	15	2	2	2	6	1	–	–	–	–	–	–	9	1	2	1	–	–
Wright	–	14	5	2	9	7	2	2	4	–	–	–	2	15	4	5	2	1	–
Kansas	80	1,710	305	253	876	902	81	177	247	1	133	124	432	2,032	549	514	334	123	18
Urban places	40	796	141	115	395	482	33	119	132	–	85	78	298	1,065	209	266	180	88	10
Balance of area	40	914	164	138	481	420	48	58	115	1	48	46	134	967	340	248	154	35	8
Metropolitan counties	39	642	109	90	317	364	30	92	105	–	68	72	250	832	190	211	171	83	10
Urban places	30	508	87	74	244	296	19	81	90	–	54	58	222	685	133	162	132	75	8
Balance of area	9	134	22	16	73	68	11	11	15	–	14	14	28	147	57	49	39	8	2
Nonmetropolitan counties	41	1,068	196	163	559	538	51	85	142	1	65	52	182	1,200	359	303	163	40	8
Urban places	10	288	54	41	151	186	14	38	42	–	31	20	76	380	76	104	48	13	2
Balance of area	31	780	142	122	408	352	37	47	100	1	34	32	106	820	283	199	115	27	6
Allen	2	13	–	4	6	4	–	2	3	–	1	–	4	10	3	4	2	1	–
Anderson	–	7	1	1	1	1	1	–	6	–	–	1	2	6	2	1	1	1	–
Atchison	1	16	3	1	6	5	–	4	4	–	–	–	–	19	5	12	1	1	–
Atchison	1	10	2	–	3	5	–	2	3	–	–	–	–	13	2	9	–	1	–
Balance of county	–	6	1	1	3	–	–	2	1	–	–	–	–	6	3	3	1	–	–
Barber	–	8	–	2	4	4	1	1	1	–	1	2	1	11	3	2	1	–	–
Barton	1	20	1	3	7	12	3	–	2	–	1	1	3	19	9	11	2	1	–
Great Bend	1	11	–	1	4	6	–	–	1	–	–	–	1	11	7	7	2	1	–
Balance of county	–	9	1	2	3	6	3	–	1	–	1	1	2	8	2	4	–	–	–
Bourbon	–	16	2	3	1	2	2	1	4	–	–	–	9	12	2	3	–	–	–
Brown	–	12	11	–	8	9	1	–	1	–	3	–	1	13	2	4	–	–	–
Butler	1	35	4	3	3	15	2	3	4	–	4	2	3	38	12	13	6	2	–
El Dorado	1	19	1	1	–	8	–	1	3	–	–	–	1	15	4	7	2	–	–
Balance of county	–	16	3	2	3	7	2	2	1	–	4	2	2	23	8	6	4	2	–
Chase	1	5	–	–	2	1	–	–	–	–	–	–	–	3	–	1	1	–	–
Chautauqua	2	2	2	1	3	5	–	–	2	–	–	–	1	5	4	3	1	–	1
Cherokee	1	28	1	3	9	13	–	2	2	–	–	2	5	24	7	7	3	2	–
Cheyenne	–	7	2	1	1	1	1	–	1	–	–	–	1	8	3	1	–	1	–
Clark	–	1	–	2	1	–	–	–	–	–	–	–	–	3	2	3	–	–	–
Clay	–	10	2	1	18	6	–	–	1	–	–	–	–	11	2	6	–	–	–
Cloud	–	17	4	1	10	9	–	3	1	–	1	–	–	12	3	2	3	–	–
Coffey	–	9	3	1	9	7	–	1	–	–	–	–	–	4	6	1	–	–	–
Comanche	–	4	–	–	2	–	–	1	1	–	–	–	–	4	–	–	–	–	–
Cowley	2	38	8	4	26	21	6	8	3	–	3	1	8	37	7	7	5	–	–
Arkansas City	2	15	5	–	8	11	1	4	1	–	3	1	6	11	2	4	2	–	–
Winfield	–	12	3	4	11	7	4	1	1	–	–	–	–	16	2	3	1	–	–
Balance of county	–	9	–	–	7	3	1	1	1	–	–	–	2	10	3	–	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	468	–	–	3	67	23	24	4	13	2	5	16	7	248	204	1	1	158	44
Pittsburg	219	–	–	2	34	12	8	1	7	–	3	3	4	125	104	–	–	84	20
Balance of county	249	–	–	1	53	11	16	3	6	2	2	13	3	123	100	1	1	74	24
Decatur	59	–	–	1	11	1	2	1	1	1	1	4	2	30	24	1	–	19	4
Dickinson	234	–	–	3	54	15	7	6	7	5	6	8	1	103	76	–	–	55	21
Doniphan	100	–	–	3	29	6	7	3	5	1	1	6	3	44	31	–	1	20	10
Douglas	421	–	–	5	67	20	18	5	11	6	7	20	7	159	106	–	2	69	35
Lawrence	309	–	–	4	62	12	14	3	8	4	4	17	5	115	75	–	2	49	24
Balance of county	112	–	–	1	25	8	4	2	3	2	3	3	2	44	31	–	–	20	11
Edwards	54	–	–	2	9	3	2	2	–	–	–	2	3	25	23	–	–	17	6
Elk	66	–	–	–	15	–	4	2	4	2	–	3	1	33	22	–	1	18	3
Ellis	185	–	–	2	39	8	6	10	5	3	2	5	2	88	73	–	1	48	24
Hays	118	–	–	1	22	4	2	8	2	1	2	3	1	61	51	–	1	33	17
Balance of county	67	–	–	1	17	4	4	2	3	2	–	2	1	27	22	–	–	15	7
Ellsworth	109	–	–	1	15	6	3	1	1	–	–	4	–	67	44	1	–	32	11
Finney	164	–	–	2	38	16	9	–	4	1	2	6	1	57	53	1	–	45	7
Garden City	138	–	–	2	35	15	8	–	4	1	2	5	1	50	46	1	–	40	5
Balance of county	26	–	–	–	3	1	1	–	–	–	–	1	–	7	7	–	–	5	2
Ford	213	–	–	2	42	13	14	3	8	1	1	2	2	101	79	1	–	61	17
Dodge City	162	–	–	2	31	9	11	3	5	1	1	1	2	79	64	1	–	47	16
Balance of county	51	–	–	–	11	4	3	–	3	–	–	1	–	22	15	–	–	14	1
Franklin	224	–	–	2	48	12	12	2	3	3	1	13	4	91	68	–	1	52	15
Ottawa	136	–	–	2	30	9	6	1	2	3	1	8	2	53	41	–	1	31	9
Balance of county	88	–	–	–	16	3	6	1	1	–	–	5	2	38	27	–	–	21	6
Geary	194	–	–	5	43	14	7	5	2	1	4	10	8	69	59	–	1	35	14
Junction City	146	–	–	3	36	14	5	4	1	1	2	9	7	56	40	–	1	28	11
Balance of county	48	–	–	2	7	–	2	1	1	–	2	1	1	13	10	–	–	7	3
Gove	32	–	–	1	4	1	1	–	–	–	–	2	3	18	11	–	1	5	5
Graham	33	–	–	–	6	4	–	2	–	–	–	–	–	17	14	–	–	10	4
Grant	48	–	–	1	8	1	3	–	1	–	–	1	2	27	21	–	–	18	3
Gray	35	–	–	–	9	4	1	1	–	1	–	2	–	15	10	–	1	5	4
Greeley	18	–	–	–	3	–	1	–	–	–	1	1	1	12	12	–	–	10	2
Greenwood	135	–	–	1	19	6	3	3	2	1	–	4	2	75	62	1	1	49	11
Hamilton	32	–	–	–	10	1	3	–	2	–	1	3	–	15	12	–	–	9	3
Harper	112	–	–	1	13	2	3	–	3	1	1	3	–	58	48	–	–	23	25
Harvey	296	–	–	2	56	19	10	5	6	4	1	11	4	150	110	2	4	74	30
Newton	180	–	–	1	37	13	7	2	4	2	–	9	2	87	68	–	3	48	17
Balance of county	116	–	–	1	19	6	3	3	2	2	1	2	2	63	44	2	1	28	13
Haskell	32	–	–	–	6	–	2	1	–	1	1	1	1	13	9	–	–	6	1
Hodgeman	25	–	–	–	3	–	–	1	1	–	–	1	–	14	5	–	–	3	2
Jackson	148	–	–	1	25	9	6	1	1	3	–	5	2	76	58	1	1	45	11
Jefferson	134	–	–	2	24	5	7	1	3	1	–	7	2	55	30	–	1	21	8
Jewell	77	–	–	–	14	2	4	1	–	1	2	4	2	45	27	1	–	18	10
Johnson	1,744	1	–	24	463	99	127	49	56	17	18	97	16	735	587	4	7	396	180
Leawood	105	–	–	–	32	11	9	2	4	–	2	4	2	45	31	1	1	18	11
Lenexa	95	–	–	1	28	6	9	5	–	–	2	6	–	43	37	–	–	24	13
Merriam	71	–	–	–	20	1	8	1	7	–	1	2	–	30	23	1	–	18	4
Olathe	227	–	–	3	50	8	13	6	7	1	3	12	5	91	73	–	–	54	19
Overland Park	505	–	–	11	132	33	31	10	17	6	3	32	4	200	165	–	3	109	53
Prairie Village	178	1	–	3	56	10	13	11	9	2	2	9	–	75	56	1	2	39	14
Shawnee	165	–	–	2	40	7	12	4	5	3	2	7	1	82	69	1	–	48	20
Balance of county	398	–	–	4	105	23	32	10	7	5	3	25	4	169	133	–	1	66	46
Kearny	31	–	–	–	4	–	4	–	–	–	–	–	–	19	18	1	1	9	7
Kingman	93	–	–	–	19	5	3	4	1	3	1	2	2	39	27	–	–	23	4
Kiowa	50	–	–	–	5	3	–	–	1	–	–	1	–	33	19	1	–	13	5
Labette	284	–	–	2	71	18	19	5	8	2	5	14	1	133	114	–	1	76	37
Parsons	152	–	–	2	43	10	11	2	4	2	3	11	1	75	67	–	1	49	17
Balance of county	132	–	–	–	28	8	8	3	4	–	2	3	–	58	47	–	–	27	20
Lane	30	–	–	–	6	2	3	–	1	–	–	–	–	14	9	–	–	6	3
Leavenworth	394	–	–	5	95	28	29	8	9	4	6	11	9	172	135	–	1	91	43
Leavenworth	260	–	–	5	64	21	20	6	5	1	4	7	5	118	94	–	1	63	30
Balance of county	134	–	–	–	31	7	9	2	4	3	2	4	4	54	41	–	–	28	13
Lincoln	76	–	–	1	14	5	1	1	3	–	1	3	1	35	28	–	–	18	10
Linn	122	–	–	–	29	7	9	3	6	1	–	3	1	73	57	–	1	42	14
Logan	46	–	–	–	7	1	3	–	–	–	–	3	2	24	20	–	–	16	4
Lyon	299	–	–	3	48	13	10	8	6	5	–	6	8	156	125	1	4	86	34
Emporia	215	–	–	2	39	11	7	7	4	5	–	5	8	105	84	1	4	58	21
Balance of county	84	–	–	1	9	2	3	1	2	–	–	1	–	51	41	–	–	28	13
McPherson	269	–	–	6	53	14	7	9	8	2	–	13	4	127	86	1	1	62	22
McPherson	115	–	–	3	27	5	3	5	4	2	–	8	1	53	34	–	–	27	7
Balance of county	154	–	–	3	26	9	4	4	4	–	–	5	3	74	52	1	1	35	15
Marion	211	–	–	3	28	8	7	3	5	1	–	4	5	100	76	–	–	37	39
Marshall	181	–	–	2	29	8	8	1	2	1	1	8	2	92	74	1	–	55	18
Meade	52	–	–	–	11	3	3	–	2	–	–	3	2	26	20	–	–	14	6
Miami	230	–	–	1	40	12	9	7	4	1	1	6	4	111	88	–	–	77	11
Mitchell	103	–	–	1	21	4	4	4	5	1	2	1	3	61	37	–	–	27	10
Montgomery	496	–	–	5	106	20	28	8	21	8	6	15	7	220	171	2	7	128	38
Coffeyville	161	–	–	–	37	7	11	4	7	2	3	3	1	74	60	1	2	41	16
Independence	144	–	–	2	28	8	6	2	4	2	1	5	2	73	56	–	5	42	9
Balance of county	171	–	–	3	41	5	11	2	10	4	2	7	4	73	55	1	–	43	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	1	32	2	9	15	22	3	4	7	–	–	–	6	48	9	3	5	1	–
Pittsburg	–	17	–	4	6	12	–	4	2	–	–	–	4	19	5	–	2	–	–
Balance of county	1	15	2	5	9	10	3	–	5	–	–	–	2	29	4	3	3	1	–
Decatur	–	5	1	–	2	5	1	–	1	–	–	–	1	4	–	1	–	–	–
Dickinson	1	19	4	3	18	13	1	1	3	–	2	1	1	19	4	7	3	–	–
Doniphan	1	9	1	2	2	5	–	–	2	–	–	–	–	8	1	1	2	–	–
Douglas	2	40	9	2	28	18	3	4	4	–	5	4	18	41	16	14	4	4	–
Lawrence	2	29	7	2	17	14	3	4	3	–	5	4	17	33	10	8	2	3	–
Balance of county	–	11	2	–	11	4	–	–	1	–	–	–	1	8	6	6	2	1	–
Edwards	–	1	1	–	2	2	–	–	1	–	–	–	–	6	2	1	1	–	–
Elk	–	9	1	1	4	3	–	–	–	–	–	–	–	6	–	2	2	–	–
Ellis	–	9	3	3	7	7	–	2	2	–	2	1	1	18	5	5	3	1	–
Hays	–	6	2	2	4	4	–	2	–	–	1	1	–	13	2	3	2	1	–
Balance of county	–	3	1	1	3	3	–	–	2	–	1	–	1	5	3	2	1	–	–
Ellsworth	1	18	–	4	1	–	–	1	3	–	1	–	3	15	–	1	1	–	–
Finney	–	3	1	–	6	8	–	1	3	–	3	3	2	20	6	5	3	6	–
Garden City	–	3	1	–	6	7	–	1	2	–	2	2	1	15	4	4	3	3	–
Balance of county	–	–	–	–	–	1	–	–	1	–	1	1	1	5	2	1	–	3	–
Ford	1	17	2	2	7	7	1	1	1	–	3	5	1	16	11	5	5	3	–
Dodge City	1	11	2	1	5	5	–	1	1	–	3	3	–	11	6	5	5	3	–
Balance of county	–	6	–	1	2	2	1	–	–	–	–	2	1	5	5	–	–	–	–
Franklin	2	19	1	1	23	16	–	3	1	–	1	–	–	18	12	5	2	–	–
Ottawa	1	10	1	–	13	10	–	2	1	–	1	–	–	13	7	2	–	–	–
Balance of county	1	9	–	1	10	6	–	1	–	–	–	–	–	5	5	3	2	–	–
Geary	–	11	6	2	4	3	1	2	3	–	2	8	5	15	9	13	2	2	–
Junction City	–	9	6	1	4	1	1	1	2	–	1	4	3	13	1	10	1	2	–
Balance of county	–	2	–	1	–	2	–	1	1	–	1	4	2	2	8	3	1	–	–
Gove	1	2	–	2	3	–	–	–	–	–	1	–	–	2	1	–	1	–	–
Graham	–	3	–	–	–	3	–	–	–	–	–	–	–	7	–	–	–	–	–
Grant	–	3	1	2	–	3	–	–	1	–	–	1	–	2	–	2	1	–	–
Gray	–	4	–	1	1	1	–	–	–	–	–	–	–	5	3	–	1	–	–
Greeley	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Greenwood	–	13	–	–	10	4	–	2	1	–	1	1	–	12	3	3	1	–	–
Hamilton	–	3	–	–	2	1	–	–	–	–	–	–	–	2	1	1	–	–	–
Harper	–	5	2	3	4	2	3	–	2	–	–	–	2	19	2	3	2	–	1
Harvey	–	33	3	4	9	14	3	2	3	–	3	–	2	28	10	5	4	–	1
Newton	–	16	3	2	5	11	3	2	1	–	3	–	2	19	1	2	4	–	–
Balance of county	–	17	–	2	4	3	–	–	2	–	–	–	–	9	9	3	–	–	1
Haskell	1	2	–	1	1	3	1	1	1	–	–	–	1	1	1	1	1	–	–
Hodgeman	1	4	3	1	1	3	–	–	–	–	1	–	–	2	1	–	–	–	–
Jackson	1	16	1	–	3	4	–	1	1	–	–	–	2	14	11	–	4	3	1
Jefferson	4	15	6	–	6	7	2	–	2	–	2	1	4	11	5	7	4	–	–
Jewell	–	14	3	1	4	1	–	–	–	–	–	–	1	4	3	3	–	–	–
Johnson	10	108	17	13	59	72	3	18	17	–	17	6	16	160	47	40	39	10	1
Leawood	3	9	2	–	5	3	–	1	–	–	–	–	–	6	3	3	4	1	–
Lenexa	–	6	–	–	1	4	–	1	1	–	1	–	–	9	3	3	–	–	–
Merriam	–	6	1	–	5	2	1	1	2	–	2	–	–	7	–	1	–	–	–
Olathe	2	11	–	5	8	8	–	2	2	–	4	2	1	25	10	11	6	1	–
Overland Park	1	27	6	1	11	25	1	8	6	–	5	2	7	56	11	10	12	4	–
Prairie Village	1	13	4	1	4	9	–	3	1	–	1	–	2	10	5	1	6	1	–
Shawnee	2	9	1	1	4	5	–	1	4	–	2	1	2	10	3	3	3	2	–
Balance of county	1	27	3	5	21	18	1	1	1	–	2	1	4	37	12	8	8	1	1
Kearny	–	–	1	–	–	1	–	–	1	–	–	1	–	2	2	1	–	–	–
Kingman	–	10	–	2	6	5	–	–	–	–	–	–	2	11	5	1	3	–	–
Kiowa	1	8	3	2	–	–	–	–	–	–	–	–	–	9	3	–	–	–	–
Labette	–	13	3	3	16	13	2	3	1	–	1	1	1	25	8	5	1	–	–
Parsons	–	4	2	2	6	2	1	2	–	–	–	1	–	14	3	1	1	–	–
Balance of county	–	9	1	1	10	11	1	1	1	–	1	–	1	11	5	4	–	–	–
Lane	–	5	–	–	4	1	–	–	–	–	–	–	–	4	1	–	–	–	–
Leavenworth	1	20	11	5	14	20	–	5	6	–	1	1	8	33	6	9	10	–	–
Leavenworth	1	13	7	3	10	15	–	4	4	–	–	–	3	19	1	7	5	–	–
Balance of county	–	7	4	2	4	5	–	1	2	–	1	1	5	14	5	2	5	–	–
Lincoln	–	6	–	1	7	1	–	–	1	–	–	–	1	7	6	1	1	–	–
Linn	1	10	5	–	3	2	–	1	–	–	–	1	1	7	2	2	–	–	–
Logan	–	2	–	2	3	1	–	1	–	–	–	–	–	6	1	1	–	–	–
Lyon	1	23	2	5	14	17	–	3	3	–	1	2	4	21	12	5	1	–	1
Emporia	–	16	1	4	8	11	–	3	2	–	1	1	3	18	7	4	1	–	1
Balance of county	1	7	1	1	6	6	–	–	1	–	–	1	1	2	5	1	–	–	–
McPherson	2	28	2	9	14	18	1	1	2	–	3	–	2	28	4	5	1	–	–
McPherson	1	10	1	7	3	11	–	–	2	–	1	–	2	8	1	2	1	–	–
Balance of county	1	18	1	2	11	7	1	1	–	–	2	–	–	20	3	3	–	–	–
Marion	–	16	4	4	16	4	2	1	3	–	–	–	2	33	3	5	5	1	–
Marshall	–	14	3	1	13	8	2	1	4	–	–	1	2	14	1	5	5	–	–
Meade	–	4	1	1	2	3	–	1	1	–	–	–	–	3	–	1	–	2	–
Miami	2	15	1	5	13	5	–	–	2	–	1	1	2	24	10	10	4	2	–
Mitchell	1	11	11	1	7	1	–	–	–	–	–	–	1	6	1	1	–	–	–
Montgomery	2	39	6	2	10	16	–	3	10	1	4	2	42	47	8	11	4	–	–
Coffeyville	–	9	4	1	4	3	–	1	4	–	2	–	34	15	2	4	–	–	–
Independence	1	15	1	–	2	3	–	–	1	–	2	–	2	22	3	3	1	–	–
Balance of county	1	15	1	1	4	10	–	2	5	1	–	2	6	10	3	4	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	76	–	–	1	16	6	5	2	1	–	1	1	1	37	23	–	2	14	7
Morton	29	–	–	–	10	2	1	1	3	1	–	2	1	11	11	–	–	10	1
Nemaha	124	–	–	–	28	8	4	1	4	5	–	6	3	50	34	–	3	24	7
Neosho	233	–	–	4	50	11	15	8	2	1	1	12	3	118	96	–	1	73	22
Chanute	157	–	–	3	34	6	10	6	1	1	1	9	3	71	55	–	1	45	9
Balance of county	76	–	–	1	16	5	5	2	1	–	–	3	–	47	41	–	–	28	13
Ness	43	–	–	1	11	3	2	1	1	1	–	3	1	20	17	–	–	16	1
Norton	90	–	–	2	24	7	7	4	–	–	–	6	1	43	27	–	1	19	7
Osage	177	–	–	2	37	8	4	8	8	2	1	6	8	91	72	–	2	52	18
Osborne	87	–	–	–	15	4	–	2	4	2	–	3	–	53	48	–	–	17	31
Ottawa	76	–	–	–	13	3	2	–	2	–	1	5	1	38	26	–	–	11	15
Pawnee	86	–	–	–	16	4	3	1	5	–	–	3	3	50	42	–	–	35	7
Phillips	101	–	–	–	14	3	4	–	1	1	–	5	1	67	52	–	–	38	14
Pottawatomie	160	–	–	4	30	9	10	1	6	1	–	3	5	78	51	–	–	43	8
Manhattan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	160	–	–	4	30	9	10	1	6	1	–	3	5	78	51	–	–	43	8
Pratt	102	–	–	–	22	8	9	1	1	1	1	1	–	46	31	–	2	20	9
Rawlins	58	–	–	1	11	5	3	–	1	–	–	2	1	25	22	–	–	14	8
Reno	645	–	–	5	129	42	37	11	7	6	5	21	14	310	246	1	2	185	58
Hutchinson	436	–	–	3	90	29	23	9	5	6	2	16	9	201	162	1	2	120	39
Balance of county	209	–	–	2	39	13	14	2	2	–	3	5	5	109	84	–	–	65	19
Republic	105	–	–	2	19	7	4	–	5	–	–	3	2	56	34	–	–	31	3
Rice	141	–	–	2	29	11	5	6	1	3	–	3	–	66	53	–	–	41	12
Riley	262	–	–	3	55	16	16	5	3	1	4	10	2	131	110	1	–	92	17
Manhattan, part	190	–	–	2	39	10	13	5	2	1	–	8	2	93	76	1	–	64	11
Manhattan, total	190	–	–	2	39	10	13	5	2	1	–	8	2	93	76	1	–	64	11
Balance of county	72	–	–	1	16	6	3	–	1	–	4	2	–	38	34	–	–	28	6
Rooks	86	–	–	2	17	8	3	1	2	–	1	2	2	46	44	1	9	20	14
Rush	75	–	–	1	17	7	4	1	1	–	–	4	1	37	26	–	1	17	8
Russell	114	–	–	–	19	7	5	–	–	–	2	5	2	68	53	1	–	37	15
Saline	452	1	–	5	100	28	28	6	13	3	3	19	4	219	172	2	5	122	43
Salina	393	1	–	4	85	18	27	5	11	3	3	18	3	197	157	2	5	112	38
Balance of county	59	–	–	1	15	10	1	1	2	–	–	1	1	22	15	–	–	10	5
Scott	64	–	–	1	20	2	4	3	4	1	2	4	1	24	18	–	–	11	7
Sedgwick	2,982	3	–	37	653	140	191	56	70	39	31	126	47	1,377	1,054	9	25	695	325
Wichita	2,594	3	–	31	569	122	164	48	60	34	29	112	44	1,200	917	7	20	611	279
Balance of county	388	–	–	6	84	18	27	8	10	5	2	14	3	177	137	2	5	84	46
Seward	151	–	–	2	33	12	7	1	2	3	–	8	2	68	54	–	2	39	13
Liberal	135	–	–	2	31	12	6	1	2	3	–	7	2	63	51	–	2	37	12
Balance of county	16	–	–	–	2	–	1	–	–	–	–	1	–	5	3	–	–	2	1
Shawnee	1,397	1	–	19	284	73	76	19	33	20	13	50	19	641	507	4	33	331	139
Topeka	1,206	1	–	14	252	67	68	12	28	18	13	46	18	548	430	4	30	278	118
Balance of county	191	–	–	5	32	6	8	7	5	2	–	4	1	93	77	–	3	53	21
Sheridan	34	–	–	–	6	1	2	–	1	1	–	1	1	25	19	–	–	13	6
Sherman	87	–	–	–	19	5	4	4	3	1	1	1	1	39	33	–	–	20	13
Smith	82	–	–	2	15	4	4	–	2	1	1	3	–	48	38	–	–	21	17
Stafford	97	–	–	2	17	5	6	1	2	1	–	2	1	44	34	–	1	20	13
Stanton	15	–	–	–	4	1	2	–	–	–	–	1	1	3	3	–	–	3	–
Stevens	48	–	–	–	13	3	4	1	–	–	2	3	1	22	18	–	–	13	5
Sumner	286	–	–	1	51	13	16	5	5	3	2	7	12	141	108	–	4	81	23
Thomas	73	–	–	1	17	6	4	1	–	2	2	2	–	33	24	1	–	14	9
Trego	50	–	–	1	13	2	2	2	3	–	–	4	1	22	14	1	1	7	5
Wabaunsee	79	–	–	–	19	4	2	3	3	2	1	4	1	38	29	–	–	21	8
Wallace	19	–	–	–	6	2	3	–	–	1	–	–	–	8	6	–	–	5	1
Washington	127	–	–	5	22	5	3	1	7	–	–	6	3	62	48	–	–	35	13
Wichita	20	–	–	–	1	–	–	–	–	–	–	1	–	10	9	–	–	9	–
Wilson	182	–	–	3	34	16	7	3	3	–	–	5	3	82	65	1	2	51	11
Woodson	84	–	–	–	16	6	7	1	1	–	–	1	–	33	28	–	–	17	11
Wyandotte	1,788	2	–	25	362	77	106	35	42	24	11	67	37	708	573	6	18	342	207
Kansas City	1,645	2	–	24	339	75	99	30	41	20	10	64	35	659	535	6	16	317	196
Balance of county	121	–	–	1	23	2	7	5	1	4	1	3	2	49	38	2	–	25	11
Kentucky	34,818	32	–	466	7,556	1,733	2,489	591	801	321	247	1,374	618	16,269	12,803	91	258	8,513	3,941
Urban places	11,752	8	–	175	2,677	621	858	235	288	109	82	484	213	5,425	4,226	35	123	2,734	1,334
Balance of area	23,066	24	–	291	4,879	1,112	1,631	356	513	212	165	890	405	10,844	8,577	56	135	5,779	2,607
Metropolitan counties	14,546	11	–	212	3,397	780	1,112	293	365	140	100	607	294	6,561	5,165	38	133	3,373	1,621
Urban places	9,061	6	–	141	2,095	476	660	197	229	85	62	388	183	4,118	3,239	26	99	2,068	1,046
Balance of area	5,485	5	–	71	1,302	304	452	96	136	55	38	221	111	2,443	1,926	12	34	1,305	575
Nonmetropolitan counties	20,272	21	–	254	4,159	953	1,377	298	436	181	147	767	324	9,708	7,638	53	125	5,140	2,320
Urban places	2,691	2	–	34	582	145	188	38	59	24	20	98	30	1,307	987	9	24	668	288
Balance of area	17,581	19	–	220	3,577	808	1,179	260	377	157	127	669	294	8,401	6,651	44	101	4,474	2,032
Adair	168	1	–	5	27	4	10	3	3	–	1	6	3	73	64	1	2	43	18
Allen	185	1	–	1	32	8	10	3	3	2	1	5	1	87	65	–	–	36	29
Anderson	116	–	–	2	21	5	7	1	1	1	1	5	3	62	46	–	–	30	16
Ballard	91	–	–	3	14	6	3	1	1	1	–	2	–	51	38	–	–	30	6
Barren	394	1	–	3	95	27	28	6	8	–	6	19	8	193	118	1	7	70	40
Glasgow	179	–	–	1	48	16	14	2	7	–	–	7	3	94	63	1	5	40	17
Balance of county	215	1	–	2	49	11	15	4	1	–	6	12	5	99	55	–	2	30	23
Bath	106	–	–	3	18	8	3	–	1	1	–	5	1	45	39	1	–	12	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	1	10	–	3	2	1	–	–	–	–	–	–	1	15	3	–	1	–	–
Morton	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	1	–
Nemaha	–	15	1	–	9	4	–	1	–	–	2	–	1	11	8	5	2	–	–
Neosho	–	18	1	3	7	10	2	1	3	–	1	–	4	15	8	5	1	–	1
Chanute	–	13	1	2	5	7	2	1	3	–	1	–	4	14	5	3	1	–	–
Balance of county	–	5	–	1	2	3	–	–	–	–	–	–	–	1	3	2	–	–	1
Ness	2	–	–	1	–	1	–	–	–	–	–	–	–	7	1	1	–	–	–
Norton	–	8	6	2	6	4	–	1	–	–	–	1	1	4	–	2	1	–	–
Osage	2	14	2	1	5	3	2	2	3	–	1	1	3	6	7	3	3	–	–
Osborne	–	5	–	–	5	2	1	–	–	–	1	–	–	6	2	1	–	1	–
Ottawa	1	10	–	1	4	6	–	–	1	–	–	–	–	6	2	3	2	–	–
Pawnee	–	4	1	3	1	1	1	–	1	–	1	–	–	8	1	1	1	1	–
Phillips	–	5	9	1	3	1	–	–	4	–	–	–	1	5	2	2	1	–	–
Pottawatomie	–	18	9	–	3	7	1	1	1	–	2	2	3	9	6	5	2	1	–
Manhattan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	18	9	–	3	7	1	1	1	–	2	2	3	9	6	5	2	1	–
Pratt	1	9	3	2	2	5	–	–	1	–	–	1	6	9	6	1	2	–	1
Rawlins	–	2	–	1	6	3	–	–	1	–	–	–	–	8	–	2	–	–	–
Reno	–	59	2	3	30	31	2	8	8	–	4	3	5	61	13	17	6	1	–
Hutchinson	–	35	1	3	20	25	2	5	7	–	2	2	2	45	5	15	2	1	–
Balance of county	–	24	1	–	10	6	–	1	1	–	2	1	3	16	8	2	4	–	–
Republic	–	18	3	1	7	4	–	1	–	–	–	–	1	9	2	1	1	–	–
Rice	1	10	1	1	4	10	1	1	2	–	–	1	2	19	2	1	1	–	–
Riley	1	16	3	1	8	9	–	1	1	–	2	3	3	30	7	4	2	1	–
Manhattan, part	1	13	3	–	6	5	–	1	1	–	2	3	1	24	5	4	2	–	–
Manhattan, total	1	13	3	–	6	5	–	1	1	–	2	3	1	24	5	4	2	–	–
Balance of county	–	3	–	1	2	4	–	–	–	–	–	–	2	6	2	–	–	1	–
Rooks	–	1	–	1	7	2	1	–	–	–	–	–	1	4	3	1	–	–	–
Rush	1	6	–	4	–	5	–	–	–	–	–	–	1	12	–	1	–	–	–
Russell	–	13	1	1	1	6	–	–	2	–	–	–	2	9	2	3	–	–	–
Saline	–	38	6	3	16	21	–	–	4	–	6	2	3	40	9	11	9	1	1
Salina	–	31	6	3	15	20	–	–	3	–	6	2	3	34	3	9	7	–	1
Balance of county	–	7	–	–	1	1	–	–	1	–	–	–	–	6	6	2	2	1	–
Scott	–	6	–	–	1	2	1	–	1	–	–	–	–	8	4	1	–	–	–
Sedgwick	8	231	42	42	82	117	8	32	36	–	22	35	44	279	54	67	57	23	9
Wichita	7	204	38	34	73	103	6	28	31	–	20	29	41	239	39	57	51	22	8
Balance of county	1	27	4	8	9	14	2	4	5	–	2	6	3	40	15	10	6	1	1
Seward	–	9	4	1	3	6	1	1	–	–	–	–	5	14	5	4	5	2	–
Liberal	–	9	2	1	3	5	–	1	–	–	–	–	5	12	2	3	5	1	–
Balance of county	–	–	2	–	–	1	1	–	–	–	–	–	–	2	3	1	–	1	–
Shawnee	6	99	15	14	59	58	7	17	8	–	10	10	40	132	18	28	34	12	–
Topeka	6	84	14	14	48	48	7	16	7	–	8	9	36	118	14	24	26	11	–
Balance of county	–	15	1	–	10	10	–	1	1	–	2	1	4	14	4	4	8	1	–
Sheridan	–	5	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Sherman	–	5	1	–	3	2	1	–	–	–	–	–	–	6	7	4	5	–	–
Smith	–	6	2	2	3	–	–	1	–	–	–	–	1	8	2	2	–	–	–
Stafford	–	8	1	1	7	3	–	–	–	–	1	–	1	14	2	3	2	–	–
Stanton	–	–	–	–	1	1	1	1	–	–	1	–	–	1	–	1	–	–	–
Stevens	–	3	1	–	1	1	–	–	2	–	–	–	–	3	3	–	2	–	–
Sumner	–	25	4	4	7	9	–	2	2	–	2	1	6	24	12	8	6	2	–
Thomas	–	6	2	1	–	7	–	–	–	–	1	–	2	8	2	–	2	–	–
Trego	–	8	–	–	1	1	–	1	1	–	–	–	–	7	2	–	–	–	–
Wabaunsee	–	7	–	2	–	4	1	1	1	–	–	1	–	6	1	5	1	–	–
Wallace	1	–	–	1	–	1	–	–	–	–	–	–	–	1	1	1	1	–	–
Washington	–	10	1	3	12	7	1	–	2	–	–	–	–	7	4	1	1	–	–
Wichita	–	1	–	–	2	–	–	1	–	–	–	–	–	3	2	1	–	–	–
Wilson	–	11	4	2	9	11	–	2	2	–	–	–	–	23	3	5	5	–	–
Woodson	–	4	–	1	3	2	–	–	–	–	–	–	–	7	1	–	1	1	–
Wyandotte	6	100	14	15	75	74	3	16	31	–	7	13	122	165	31	39	24	32	–
Kansas City	5	91	13	15	67	69	1	15	30	–	6	11	115	157	31	34	20	30	–
Balance of county	1	9	1	–	8	5	2	1	1	–	1	2	7	8	–	5	4	2	–
Kentucky	101	2,632	354	379	1,242	1,546	88	306	383	2	210	205	231	3,128	849	861	528	265	35
Urban places	47	894	114	144	410	492	29	128	115	–	61	66	79	1,153	187	258	158	109	9
Balance of area	54	1,738	240	235	832	1,054	57	178	268	2	149	139	152	1,975	662	603	370	156	26
Metropolitan counties	54	1,040	130	172	486	643	29	162	135	1	87	92	106	1,366	283	311	231	131	8
Urban places	38	656	74	111	302	393	21	99	82	–	51	60	56	894	134	208	121	87	2
Balance of area	16	384	56	61	184	250	8	63	53	1	36	32	50	472	149	105	110	34	6
Nonmetropolitan counties	47	1,592	224	207	756	903	57	144	248	1	123	113	125	1,762	566	550	297	134	27
Urban places	9	238	40	33	108	99	8	29	33	–	10	6	23	259	53	52	37	12	7
Balance of area	38	1,354	184	174	648	804	49	115	215	1	113	107	102	1,503	513	498	260	122	20
Adair	1	6	1	1	11	9	–	1	4	–	1	–	–	24	2	2	4	1	–
Allen	–	21	1	–	12	5	2	–	5	–	–	1	3	19	8	5	3	–	–
Anderson	–	11	1	4	6	–	2	1	1	–	–	–	2	12	2	1	1	–	–
Ballard	1	11	3	–	7	3	–	–	1	–	–	–	–	8	1	3	–	–	–
Barren	1	35	36	3	5	14	3	1	5	–	–	–	–	35	18	8	3	1	1
Glasgow	–	17	12	2	1	6	2	–	4	–	–	–	–	11	4	4	1	1	1
Balance of county	1	18	24	1	4	8	1	1	1	–	–	–	–	24	14	4	2	–	–
Bath	–	4	1	1	4	3	1	1	3	–	–	1	–	11	6	8	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Bell	367	–	–	3	76	17	25	7	6	5	5	11	4	186	157	–	1	81	76
Middlesborough	168	–	–	2	43	11	15	4	3	2	2	6	4	77	62	–	–	36	26
Balance of county	199	–	–	1	33	6	10	3	3	3	3	5	–	109	95	–	1	45	49
Boone	327	1	–	4	82	17	32	6	8	5	3	11	11	141	119	–	7	94	18
Florence	153	–	–	4	34	9	16	3	1	1	1	3	7	73	59	–	5	42	12
Balance of county	174	1	–	–	48	8	16	3	7	4	2	8	4	68	60	–	2	52	6
Bourbon	195	–	–	1	42	11	15	2	6	3	–	5	4	80	62	–	1	48	13
Boyd	555	–	–	8	116	20	46	9	12	5	5	19	11	259	209	–	1	138	70
Ashland	338	–	–	6	76	11	33	5	8	5	2	12	5	156	125	–	1	77	47
Balance of county	219	–	–	2	40	9	13	4	4	–	3	7	6	103	84	–	–	61	23
Boyle	231	1	–	–	45	15	9	2	8	4	2	5	5	120	90	–	3	59	28
Danville	127	1	–	–	25	11	7	–	1	3	1	2	–	67	48	–	3	31	14
Balance of county	104	–	–	–	20	4	2	2	7	1	1	3	5	53	42	–	–	28	14
Bracken	102	1	–	1	13	–	2	5	1	–	–	5	3	54	49	1	–	39	9
Breathitt	166	–	–	3	27	7	12	1	2	1	–	4	3	92	71	–	2	45	24
Breckinridge	154	1	–	3	40	10	16	2	5	3	1	3	2	77	57	1	–	47	9
Bullitt	251	–	–	1	59	14	23	3	5	–	4	10	4	115	94	2	2	58	32
Butler	128	–	–	2	28	11	5	3	2	1	3	3	3	57	51	–	1	39	11
Caldwell	203	1	–	1	43	9	19	3	4	1	2	5	1	102	80	1	–	60	19
Calloway	298	1	–	4	44	10	8	5	10	2	1	8	1	168	116	–	2	47	67
Murray	124	–	–	2	17	3	2	2	4	1	1	4	–	72	50	–	1	19	30
Balance of county	174	1	–	2	27	7	6	3	6	1	–	4	1	96	66	–	1	28	37
Campbell	850	1	–	10	206	45	77	14	21	10	6	33	21	400	318	1	8	237	70
Fort Thomas	170	–	–	1	38	9	11	7	4	–	1	6	1	95	78	1	4	48	23
Newport	254	–	–	5	56	14	24	1	5	2	2	8	8	110	84	–	2	71	11
Balance of county	426	1	–	4	112	22	42	6	12	8	3	19	12	195	156	–	2	118	36
Carlisle	77	–	–	–	16	3	4	2	–	1	2	4	1	44	38	1	–	31	6
Carroll	119	–	–	–	18	3	5	1	2	1	–	6	1	62	48	–	–	31	17
Carter	233	–	–	2	51	8	16	2	5	4	1	15	4	112	88	1	–	52	35
Casey	149	1	–	–	28	4	14	1	3	–	1	5	7	52	31	–	2	12	17
Christian	548	1	–	8	99	24	28	11	13	5	3	15	10	254	206	1	4	148	55
Hopkinsville	349	1	–	6	68	19	18	7	6	3	1	12	7	168	137	1	2	98	38
Balance of county	199	–	–	2	33	5	10	4	7	2	2	3	3	86	71	–	2	52	17
Clark	248	–	–	2	47	12	15	5	6	1	–	8	3	147	124	1	2	82	39
Winchester	170	–	–	2	35	10	10	5	4	1	–	5	2	101	86	1	2	61	22
Balance of county	78	–	–	–	12	2	5	–	2	–	–	3	1	46	38	–	–	21	17
Clay	210	–	–	7	35	7	11	–	5	3	3	6	4	88	73	1	–	37	35
Clinton	113	–	–	1	28	8	11	1	2	4	–	2	–	55	45	–	1	29	15
Crittenden	118	–	–	2	16	4	5	1	1	1	–	4	5	52	38	–	–	32	4
Cumberland	104	–	–	–	21	5	7	1	1	1	–	6	–	44	37	–	–	31	6
Daviess	777	1	–	7	194	34	64	29	28	9	4	26	15	395	254	–	3	144	107
Owensboro	576	1	–	5	148	25	46	25	21	9	3	19	9	249	190	–	2	100	88
Balance of county	201	–	–	2	46	9	18	4	7	–	1	7	6	86	64	–	1	44	19
Edmonson	96	–	–	1	12	3	5	–	–	1	–	3	4	50	40	–	–	33	7
Elliott	54	–	–	1	11	2	2	1	1	–	–	5	2	20	13	–	–	4	9
Estill	166	–	–	5	23	3	9	3	3	–	1	4	2	80	60	–	1	43	16
Fayette, coext. with Lexington-Fayette	1,659	1	–	26	390	83	121	35	51	16	12	72	38	716	580	7	16	387	190
Fleming	133	–	–	1	26	7	10	1	3	2	–	3	–	70	58	–	–	46	12
Floyd	392	–	–	8	68	16	28	6	5	–	2	9	12	162	130	–	1	95	34
Franklin	368	–	–	4	78	17	32	6	9	–	2	12	4	180	154	1	3	101	49
Frankfort	269	–	–	2	61	14	23	3	6	–	2	11	3	133	113	–	2	78	33
Balance of county	99	–	–	2	17	3	9	3	3	–	–	1	1	47	41	1	1	23	16
Fulton	133	–	–	3	29	6	9	2	5	1	2	4	1	70	52	–	–	39	13
Gallatin	53	–	–	–	10	–	4	–	–	–	–	6	1	21	18	–	–	12	6
Garrard	129	–	–	–	33	7	8	4	3	–	1	10	5	52	41	–	–	24	17
Grant	143	–	–	1	36	10	12	2	5	3	–	4	4	68	56	–	2	39	15
Graves	469	–	–	2	104	21	43	7	8	6	6	13	2	228	180	2	3	120	55
Mayfield	213	–	–	2	44	7	17	4	2	4	4	6	1	106	79	1	2	49	27
Balance of county	256	–	–	–	60	14	26	3	6	2	2	7	1	122	101	1	1	71	28
Grayson	213	–	–	2	44	12	18	–	4	–	3	7	2	113	85	–	1	49	35
Green	109	1	–	–	18	6	4	1	–	–	–	7	–	60	44	–	2	33	9
Greenup	305	1	–	3	52	11	17	5	4	5	2	8	7	157	133	–	1	87	45
Hancock	73	–	–	1	15	3	4	1	3	–	1	3	–	31	24	–	–	15	9
Hardin	523	–	–	7	117	29	34	6	14	3	5	26	9	208	167	4	9	118	38
Elizabethtown	154	–	–	3	30	7	9	–	6	1	3	4	3	68	55	2	4	35	14
Radcliff	88	–	–	2	20	4	8	–	1	1	–	6	–	31	26	–	1	22	3
Balance of county	281	–	–	2	67	18	17	6	7	1	2	16	6	109	88	2	4	59	21
Harlan	418	–	–	1	93	21	27	10	8	6	3	18	9	172	144	1	2	111	30
Harrison	195	–	–	–	35	13	9	2	2	3	1	5	7	106	71	1	1	51	18
Hart	178	–	–	3	39	11	12	4	1	1	2	8	1	91	71	–	1	43	27
Henderson	379	–	–	8	83	18	35	5	4	2	1	18	4	165	129	–	3	106	20
Henderson	273	–	–	5	58	14	24	4	2	2	1	12	4	121	96	–	3	79	14
Balance of county	106	–	–	3	24	4	11	1	2	–	–	6	–	44	33	–	–	27	6
Henry	163	–	–	5	40	9	13	3	4	3	3	5	4	59	49	–	1	32	16
Hickman	100	–	–	1	16	1	3	1	3	1	1	6	2	51	42	–	2	35	5
Hopkins	498	–	–	2	107	17	30	9	15	8	5	23	7	240	179	4	5	118	52
Madisonville	219	–	–	1	47	7	13	5	6	4	4	8	5	109	82	2	4	52	24
Balance of county	279	–	–	1	60	10	17	4	9	4	1	15	2	131	97	2	1	68	28
Jackson	139	–	–	2	20	5	8	–	1	1	–	5	5	72	60	–	1	42	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	–	24	2	3	8	14	–	3	3	–	–	2	4	31	12	12	4	3	2
Middlesborough	–	12	2	1	3	8	–	2	2	–	–	–	2	13	4	5	2	2	1
Balance of county	–	12	–	2	5	8	–	1	1	–	–	2	2	18	8	7	2	1	1
Boone	–	20	–	2	11	14	–	3	2	–	4	1	3	28	8	7	3	4	–
Florence	–	13	–	1	4	5	–	2	–	–	3	1	1	10	2	2	3	2	–
Balance of county	–	7	–	1	7	9	–	1	2	–	1	–	2	18	6	5	–	2	–
Bourbon	2	9	6	1	10	7	–	5	6	–	–	1	5	18	7	4	4	1	–
Boyd	2	40	2	6	17	38	–	6	4	–	2	6	4	55	8	7	11	2	1
Ashland	2	24	–	5	7	20	–	4	1	–	2	3	3	34	4	6	8	1	–
Balance of county	–	16	2	1	10	18	–	2	3	–	–	3	1	21	4	1	3	1	1
Boyle	1	22	2	5	13	7	1	2	–	–	3	1	1	17	5	2	5	1	2
Danville	–	13	2	4	7	3	1	1	–	–	2	–	–	13	1	–	3	1	2
Balance of county	1	9	–	1	6	4	–	1	–	–	1	1	1	4	4	2	2	–	–
Bracken	–	4	1	–	2	5	–	1	1	–	–	–	–	13	2	3	2	1	–
Breathitt	1	14	4	2	2	11	–	–	1	–	1	–	1	10	4	6	3	2	–
Breckinridge	–	17	2	1	6	5	–	2	–	–	–	–	–	9	3	5	1	–	–
Bullitt	–	17	2	2	7	7	–	3	2	–	2	–	2	20	15	3	11	–	–
Butler	–	4	1	1	6	4	2	–	–	–	3	–	1	8	8	6	–	–	–
Caldwell	–	19	2	1	13	7	1	1	1	–	–	1	1	15	6	5	3	1	–
Calloway	–	47	3	2	13	16	–	2	3	–	3	1	1	25	6	4	6	–	–
Murray	–	21	–	1	8	8	–	1	2	–	–	–	1	9	–	3	1	–	–
Balance of county	–	26	3	1	5	8	–	1	1	–	3	1	–	16	6	1	5	–	–
Campbell	5	64	11	4	33	37	2	8	5	–	3	7	4	63	12	20	11	6	1
Fort Thomas	1	13	3	2	4	6	–	–	–	–	–	1	1	14	1	8	–	–	–
Newport	–	24	2	–	12	12	–	3	–	–	1	4	2	25	4	4	6	2	–
Balance of county	4	27	6	2	17	19	2	5	5	–	2	2	1	24	7	8	5	4	1
Carlisle	–	4	2	–	2	3	–	–	1	–	–	–	–	4	1	3	–	2	–
Carroll	–	13	–	1	9	9	–	–	–	–	2	–	1	6	3	3	4	1	–
Carter	1	21	1	1	5	12	1	–	–	–	2	2	3	19	8	8	1	2	1
Casey	–	17	2	2	7	14	3	1	2	–	2	2	2	11	7	2	2	5	1
Christian	1	31	4	10	24	17	4	7	7	1	4	3	1	60	16	14	8	10	–
Hopkinsville	1	23	2	5	13	13	4	6	4	–	3	1	–	40	6	7	2	2	–
Balance of county	–	8	2	5	11	4	–	1	3	1	1	2	1	20	10	7	6	8	–
Clark	2	9	4	8	2	7	–	2	3	–	–	–	3	16	6	3	6	1	–
Winchester	–	6	3	6	2	6	–	1	3	–	–	–	1	11	1	1	3	1	–
Balance of county	2	3	1	2	–	1	–	1	–	–	–	–	2	5	5	2	3	–	–
Clay	–	12	1	2	4	11	2	2	6	–	1	2	3	21	12	5	–	7	–
Clinton	–	7	1	2	1	7	–	2	3	–	–	–	–	11	2	1	2	–	–
Crittenden	–	15	1	–	8	3	–	1	2	–	1	2	–	18	1	4	2	–	1
Cumberland	–	7	–	–	5	5	1	2	3	–	1	1	–	5	5	8	2	–	1
Daviess	1	67	8	5	26	30	–	8	11	–	9	4	8	76	14	21	14	3	–
Owensboro	–	51	4	4	19	22	–	6	9	–	7	3	5	54	9	17	10	3	–
Balance of county	1	16	4	1	7	8	–	3	2	–	2	1	3	22	5	4	4	–	–
Edmonson	–	10	–	–	4	6	–	3	2	–	–	–	1	7	1	4	1	–	–
Elliott	–	4	1	2	2	6	1	–	–	–	–	–	–	5	–	4	1	1	–
Estill	–	17	1	2	9	7	–	1	5	–	1	–	–	17	6	7	–	3	–
Fayette, coext. with Lexington-Fayette	5	101	9	21	50	84	4	20	10	–	7	16	14	171	46	36	25	24	1
Fleming	–	11	–	1	5	4	–	2	1	–	3	–	–	11	6	4	–	–	–
Floyd	–	27	–	5	6	27	–	3	2	–	5	2	1	61	12	14	7	2	–
Franklin	–	23	1	2	18	8	–	6	4	–	1	1	2	40	7	5	6	2	2
Frankfort	–	18	1	1	12	7	–	5	1	–	1	1	2	30	4	3	2	–	2
Balance of county	–	5	–	1	6	1	–	1	3	–	–	–	–	10	3	2	4	2	–
Fulton	1	15	2	–	4	–	–	1	3	–	–	–	1	13	1	4	2	–	1
Gallatin	–	2	–	1	4	2	1	–	1	–	3	–	–	5	2	2	1	–	–
Garrard	–	11	–	–	7	7	–	2	4	–	–	1	–	11	2	4	1	–	–
Grant	–	10	1	1	3	3	–	–	2	–	2	–	–	12	–	8	3	1	–
Graves	–	36	4	8	11	27	1	1	10	–	1	5	3	49	8	9	8	–	–
Mayfield	–	21	2	4	6	15	1	1	6	–	–	1	2	23	1	1	3	–	–
Balance of county	–	15	2	4	5	12	–	–	4	–	1	4	1	26	7	8	5	–	–
Grayson	–	26	1	1	19	5	1	1	1	–	–	2	–	8	4	8	1	1	1
Green	–	14	2	–	6	7	–	–	1	–	1	–	–	8	1	4	1	1	–
Greenup	–	21	1	2	13	19	–	3	2	–	4	4	1	20	6	8	3	1	1
Hancock	–	5	1	1	2	3	1	–	4	–	–	–	1	10	–	3	1	1	–
Hardin	1	29	4	7	32	20	2	7	7	–	5	4	5	45	23	13	14	4	1
Elizabethtown	–	9	1	3	11	6	1	1	2	–	1	1	1	13	7	1	5	–	–
Radcliff	–	3	–	2	3	4	–	1	1	–	1	2	2	9	4	2	2	–	1
Balance of county	1	17	3	2	18	10	1	2	4	–	3	1	2	23	12	10	7	4	–
Harlan	–	17	1	10	19	31	1	3	9	–	1	4	2	37	6	20	4	4	2
Harrison	1	14	19	1	9	3	–	1	3	–	2	–	–	16	5	5	3	–	–
Hart	–	15	2	3	3	9	–	1	1	–	–	–	1	14	3	6	5	1	–
Henderson	–	28	7	1	17	18	1	5	3	–	3	3	2	35	15	11	4	2	–
Henderson	–	19	5	1	12	15	1	4	1	–	3	1	1	30	4	7	3	2	–
Balance of county	–	9	2	–	5	3	–	1	2	–	–	2	1	5	11	4	1	–	–
Henry	–	6	3	1	6	7	3	–	1	–	1	2	–	17	5	3	7	3	–
Hickman	–	6	2	1	3	3	–	–	1	–	1	2	1	12	3	2	2	–	–
Hopkins	1	49	8	3	14	24	1	1	4	–	3	2	2	53	14	14	4	6	–
Madisonville	1	21	4	1	7	5	–	–	1	–	–	–	2	23	7	8	2	2	–
Balance of county	–	28	4	2	7	19	1	1	3	–	3	2	–	30	7	6	2	4	–
Jackson	–	10	1	1	5	7	–	–	1	–	–	1	–	11	7	5	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,518	4	–	104	1,570	383	502	131	163	65	42	284	136	2,903	2,244	21	60	1,365	798
Jeffersontown	102	–	–	1	26	5	6	6	2	–	2	5	2	43	36	–	1	20	15
Louisville	3,788	3	–	60	880	214	262	66	97	38	28	175	83	1,713	1,324	12	47	789	476
St. Matthews	165	–	–	1	52	14	13	8	8	1	1	7	1	74	50	–	–	31	19
Shively	165	–	–	2	39	10	18	1	3	2	–	5	5	79	69	–	1	45	23
Balance of county	2,298	1	–	40	573	140	203	50	53	24	11	92	45	994	765	9	11	480	285
Jessamine	198	–	–	1	47	14	17	4	2	1	–	9	3	89	73	–	2	39	32
Nicholasville	93	–	–	–	16	6	4	3	1	–	–	4	1	41	32	–	1	20	11
Balance of county	106	–	–	1	29	8	13	1	1	1	–	5	2	48	41	–	1	19	21
Johnson	252	–	–	1	40	6	17	3	2	4	3	5	3	141	118	1	3	87	27
Kenton	1,237	1	–	18	293	73	81	23	32	9	12	63	17	583	465	4	17	360	84
Covington	589	–	–	11	129	22	41	15	14	3	6	28	7	283	221	3	10	173	35
Erlanger	92	–	–	2	20	6	6	1	–	–	1	6	2	41	35	1	1	25	8
Balance of county	556	1	–	5	144	45	34	7	18	6	5	29	8	259	209	–	6	162	41
Knott	137	–	–	4	32	7	9	5	3	2	1	5	2	62	52	–	–	38	14
Knox	310	–	–	8	68	16	16	8	8	3	2	15	9	143	122	3	4	75	40
Larue	118	1	–	2	21	6	5	1	5	–	–	4	–	61	47	1	1	23	22
Laurel	364	–	–	10	72	13	25	5	8	2	3	16	3	175	145	3	2	108	32
Lawrence	143	–	–	1	24	7	8	1	5	1	–	2	1	68	57	–	–	28	29
Lee	88	–	–	4	13	1	6	–	–	3	–	3	3	48	40	1	–	34	5
Leslie	107	–	–	3	30	6	11	2	2	–	2	7	3	38	32	–	1	16	15
Letcher	293	–	–	4	47	10	15	2	3	3	3	11	13	155	136	–	2	99	35
Lewis	134	1	–	–	29	8	8	1	2	1	–	9	2	62	49	–	2	33	14
Lincoln	212	1	–	6	41	12	9	3	4	1	–	12	3	89	69	–	–	50	19
Livingston	97	–	–	1	13	7	4	–	1	–	1	–	5	44	37	–	–	25	12
Logan	258	–	–	2	52	6	23	6	6	4	1	8	6	139	108	1	5	70	32
Lyon	91	–	–	1	19	7	4	2	2	–	1	3	–	49	42	2	–	22	18
McCracken	750	–	–	10	176	38	66	12	15	7	3	35	10	334	247	1	–	186	60
Paducah	467	–	–	9	110	27	42	9	7	4	–	21	5	206	153	–	–	123	30
Balance of county	283	–	–	1	66	11	24	3	8	3	3	14	5	128	94	1	–	63	30
McCreary	140	–	–	1	38	8	20	2	1	1	1	5	3	57	49	–	–	33	16
McLean	130	–	–	1	27	6	6	3	4	1	1	6	2	63	55	–	1	38	16
Madison	400	–	–	13	97	23	26	9	14	2	1	22	2	172	142	1	3	111	27
Richmond	168	–	–	5	28	9	7	2	6	–	–	4	2	86	73	1	1	55	16
Balance of county	232	–	–	8	69	14	19	7	8	2	1	18	–	86	69	–	2	56	11
Magoffin	134	–	–	3	25	6	8	1	2	1	1	6	1	65	54	–	–	27	27
Marion	176	–	–	3	34	7	9	5	4	3	2	4	4	88	70	–	1	51	18
Marshall	278	–	–	3	51	9	24	3	5	4	–	6	2	149	120	–	1	81	38
Martin	112	–	–	–	26	7	8	2	3	2	2	2	2	40	34	–	–	19	15
Mason	191	–	–	1	41	11	10	3	5	3	2	7	2	108	90	–	3	65	22
Meade	139	1	–	3	33	7	15	2	4	–	–	5	5	58	47	1	2	32	12
Menifee	52	–	–	1	12	2	6	–	1	–	1	2	1	27	22	–	–	10	12
Mercer	195	–	–	3	53	15	16	4	6	4	2	6	1	84	59	–	–	35	24
Metcalfe	95	–	–	–	18	4	8	–	2	1	–	3	1	53	43	–	1	28	14
Monroe	159	–	–	3	30	7	13	–	4	–	–	6	3	71	56	–	–	41	15
Montgomery	178	1	–	2	39	10	14	2	4	1	1	7	3	91	70	1	1	42	26
Morgan	123	1	–	2	23	2	9	3	3	–	2	4	3	60	45	–	1	36	8
Muhlenberg	362	–	–	1	80	19	29	4	5	3	7	13	6	195	152	–	4	106	42
Nelson	237	–	–	2	54	12	18	3	6	1	2	12	–	110	78	1	1	42	34
Nicholas	73	–	–	–	14	3	5	2	1	–	–	3	1	33	28	–	–	16	12
Ohio	255	–	–	1	62	11	18	3	5	6	3	18	4	127	106	1	5	87	13
Oldham	154	–	–	3	38	5	16	–	2	–	5	10	6	66	46	–	1	38	9
Owen	113	–	–	3	17	5	6	1	1	–	1	3	1	70	54	–	5	42	7
Owsley	65	–	–	–	10	4	1	1	1	–	–	3	1	30	26	–	–	16	10
Pendleton	118	–	–	2	28	9	7	2	4	–	–	6	3	50	38	–	–	23	15
Perry	299	–	–	3	66	12	34	7	4	1	2	6	1	138	116	–	–	42	74
Pike	684	–	–	8	157	36	51	13	19	9	5	24	13	341	281	3	3	213	82
Powell	106	–	–	–	28	4	13	2	3	1	–	5	1	39	36	–	–	25	11
Pulaski	492	1	–	2	96	31	24	5	9	4	–	23	4	267	176	2	4	145	25
Somerset	141	1	–	1	24	6	6	2	1	2	–	7	2	82	54	2	–	41	11
Balance of county	351	–	–	1	72	25	18	3	8	2	–	16	2	185	122	–	4	104	14
Robertson	26	–	–	1	6	3	–	–	1	–	–	2	1	9	6	–	–	4	2
Rockcastle	150	–	–	1	24	6	6	2	1	2	1	6	3	69	55	–	–	40	15
Rowan	166	–	–	4	32	5	9	3	6	–	2	7	7	79	52	–	2	41	9
Russell	140	–	–	1	25	8	7	1	6	1	–	2	2	60	47	–	–	29	18
Scott	216	–	–	7	50	10	12	8	5	2	1	12	2	103	73	–	2	43	28
Georgetown	127	–	–	4	29	5	7	5	2	2	1	7	1	55	39	–	1	24	14
Balance of county	89	–	–	3	21	5	5	3	3	–	–	5	1	48	34	–	1	19	14
Shelby	229	–	–	1	47	10	15	4	5	4	3	6	3	122	87	1	–	73	13
Simpson	148	1	–	3	22	4	6	2	4	2	–	4	–	79	61	–	1	33	27
Spencer	61	–	–	–	8	1	3	2	2	–	–	–	3	22	17	–	–	14	3
Taylor	193	–	–	4	43	6	11	4	11	1	–	10	3	93	62	–	–	44	18
Todd	128	–	–	1	23	9	7	1	2	–	–	4	3	65	58	–	2	39	21
Trigg	128	–	–	2	29	6	12	–	5	1	1	4	2	58	50	–	1	32	17
Trimble	59	–	–	–	12	6	2	–	1	2	1	–	–	30	20	–	–	12	8
Union	165	–	–	2	35	7	9	5	3	1	2	8	4	80	64	1	1	39	23
Warren	560	1	–	7	124	29	51	9	9	3	4	19	2	261	196	1	1	131	63
Bowling Green	374	–	–	4	87	23	35	5	7	2	3	12	2	176	129	–	1	85	43
Balance of county	186	1	–	3	37	6	16	4	2	1	1	7	–	85	67	1	–	46	20
Washington	120	–	–	2	20	6	8	2	2	–	–	2	1	53	42	1	1	25	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Kentucky—Con.																			
Jefferson	27	489	58	65	216	299	13	70	60	–	34	31	45	632	94	146	100	60	1
Jeffersontown	–	6	1	–	1	7	–	–	2	–	4	–	1	4	3	3	4	1	–
Louisville	22	288	31	48	141	185	9	38	33	–	15	21	22	379	38	99	46	43	–
St. Matthews	1	19	2	2	4	7	1	2	1	–	1	–	–	19	1	–	1	–	–
Shively	1	5	2	2	6	9	–	1	2	–	–	–	1	17	–	2	–	2	–
Balance of county	3	171	22	33	64	111	3	29	22	–	14	10	21	213	52	42	49	14	1
Jessamine	2	12	–	2	3	7	–	4	2	–	1	–	–	25	7	7	2	–	1
Nicholasville	2	7	–	–	1	5	–	4	2	–	–	–	–	13	3	4	1	–	–
Balance of county	–	5	–	2	2	2	–	–	–	–	1	–	–	12	4	3	1	–	1
Johnson	–	19	3	1	8	12	2	2	1	–	–	1	2	19	13	4	2	1	–
Kenton	4	83	16	15	41	55	3	14	13	–	8	11	8	109	16	13	20	13	1
Covington	3	41	8	10	21	25	1	6	10	–	4	5	1	54	7	8	6	11	–
Erlanger	–	3	1	2	1	4	1	1	–	–	1	2	1	9	2	1	2	1	1
Balance of county	1	39	7	3	19	26	1	7	3	–	3	4	6	46	7	4	12	1	–
Knott	1	9	–	–	5	5	–	1	1	–	–	3	–	9	7	5	1	–	–
Knox	1	17	2	1	7	17	2	1	2	–	–	3	3	26	6	6	6	1	2
Larue	–	11	1	2	10	1	1	1	–	–	1	–	1	11	2	1	3	1	–
Laurel	1	25	1	3	10	18	–	4	3	–	1	1	4	39	11	4	7	2	–
Lawrence	1	6	1	3	6	10	–	3	1	–	2	3	–	12	7	2	1	2	–
Lee	–	6	–	2	2	5	–	1	–	–	–	–	2	3	3	3	1	–	–
Leslie	–	4	1	1	4	8	–	1	1	–	–	2	1	6	5	3	2	–	–
Letcher	2	12	1	4	8	19	–	1	2	–	1	–	3	21	9	7	2	1	–
Lewis	–	11	1	1	6	10	–	1	2	–	1	1	2	12	1	3	1	–	–
Lincoln	1	16	–	3	15	8	–	–	1	–	–	2	3	24	9	6	3	1	–
Livingston	–	7	–	–	8	5	1	–	1	–	–	–	1	11	1	6	–	–	–
Logan	–	26	1	4	3	10	1	3	5	–	3	–	–	23	1	6	1	3	–
Lyon	–	6	–	1	4	4	–	1	–	–	–	–	–	6	–	4	2	1	–
McCracken	3	58	6	10	30	39	1	6	11	–	5	2	4	73	13	18	12	8	–
Paducah	1	43	5	4	21	21	1	6	7	–	2	1	4	46	6	12	6	4	–
Balance of county	2	25	1	6	9	18	–	–	4	–	3	1	–	27	7	6	6	2	–
McCreary	–	7	–	1	4	7	–	1	3	–	–	2	1	8	8	2	3	–	2
McLean	1	7	–	–	5	8	–	1	1	–	–	–	–	15	2	1	3	1	–
Madison	2	19	5	4	18	10	1	4	6	–	4	2	2	42	13	6	4	4	–
Richmond	1	8	2	2	9	3	–	3	4	–	1	–	1	18	4	3	–	1	–
Balance of county	1	11	3	2	9	7	1	1	2	–	3	2	1	24	9	3	4	3	–
Magoffin	–	9	1	1	5	5	–	–	1	–	–	–	4	11	4	6	2	1	1
Marion	1	14	3	–	6	7	–	–	2	–	1	–	–	16	6	4	4	1	–
Marshall	1	21	5	2	10	14	–	2	5	–	–	–	5	14	8	7	5	3	–
Martin	–	5	–	1	1	6	–	–	2	–	1	1	2	12	5	8	3	3	–
Mason	1	13	1	3	3	10	–	4	5	–	–	–	2	8	4	3	–	–	–
Meade	–	7	1	3	8	–	1	3	3	–	–	3	1	10	5	4	1	–	–
Menifee	–	4	–	1	–	2	–	–	1	–	–	2	–	1	4	1	–	–	–
Mercer	1	18	3	3	4	12	–	1	4	–	1	–	1	17	4	3	5	2	–
Metcalfe	–	8	2	–	1	10	3	–	–	–	1	1	–	5	1	1	–	–	–
Monroe	2	11	1	1	10	4	2	1	2	–	3	–	3	8	10	8	–	–	1
Montgomery	–	12	2	7	8	2	–	3	2	–	–	1	–	16	5	3	–	2	–
Morgan	–	13	2	–	2	7	1	2	3	–	2	1	–	9	2	4	1	–	–
Muhlenberg	–	35	5	3	17	11	1	–	–	–	6	3	1	23	6	6	5	1	–
Nelson	1	23	4	4	10	8	2	4	2	–	5	5	1	17	6	7	2	1	1
Nicholas	–	3	1	1	4	4	–	1	4	–	–	1	–	8	2	2	1	–	–
Ohio	–	16	1	4	16	8	–	1	3	–	2	–	–	18	4	4	4	1	–
Oldham	1	16	–	2	4	6	1	–	–	–	4	1	4	10	2	4	6	–	–
Owen	–	11	2	3	1	6	–	1	1	–	–	–	–	7	–	5	–	1	–
Owsley	–	4	–	–	5	3	–	–	1	–	–	–	–	6	3	1	2	3	–
Pendleton	–	6	3	3	1	9	–	–	3	–	3	–	2	9	2	5	1	–	–
Perry	1	16	2	3	7	11	–	2	3	–	2	2	2	25	8	16	9	4	–
Pike	–	51	4	5	20	27	–	4	6	–	5	5	4	37	15	17	16	7	2
Powell	–	3	–	–	5	9	–	–	2	–	–	–	1	14	4	2	1	–	–
Pulaski	1	67	12	11	13	23	–	–	6	–	1	2	4	36	17	10	10	–	–
Somerset	–	19	6	3	5	4	–	–	1	–	1	–	1	11	4	2	2	–	–
Balance of county	1	48	6	8	8	19	–	–	5	–	–	2	3	25	13	8	8	–	–
Robertson	–	2	–	1	–	–	–	–	–	–	–	–	–	5	–	3	1	–	–
Rockcastle	1	11	1	1	6	11	–	1	3	–	–	1	–	14	2	4	3	8	–
Rowan	1	22	1	3	3	10	–	–	1	–	1	4	2	15	3	2	1	1	1
Russell	–	11	–	2	8	6	1	1	1	–	1	–	2	19	3	6	4	–	–
Scott	2	23	2	3	5	11	1	1	5	–	1	3	2	15	5	1	1	2	1
Georgetown	–	13	1	2	4	8	–	1	4	–	–	2	2	10	3	1	1	2	–
Balance of county	2	10	1	1	1	3	1	–	1	–	1	1	–	5	2	–	–	–	1
Shelby	1	26	6	2	8	5	–	1	2	1	2	1	2	16	7	8	1	2	–
Simpson	1	12	2	3	4	4	–	2	7	–	3	2	–	12	4	4	1	–	–
Spencer	–	5	–	–	4	4	–	–	1	–	2	1	–	1	4	7	3	1	–
Taylor	1	27	1	2	6	8	–	2	2	–	1	1	1	15	5	6	2	1	–
Todd	–	9	–	–	4	6	–	1	1	–	–	2	–	14	4	2	2	–	–
Trigg	–	7	1	–	4	7	1	1	3	–	1	–	1	9	3	2	4	1	–
Trimble	–	7	1	2	5	5	–	1	–	–	–	–	–	4	–	1	1	–	–
Union	1	11	3	1	4	6	–	1	2	–	1	1	1	17	6	4	1	–	–
Warren	8	47	5	5	20	13	3	8	4	–	2	5	5	53	18	16	13	4	1
Bowling Green	6	33	3	5	15	11	2	5	2	–	1	–	5	40	7	8	8	1	–
Balance of county	2	14	2	–	5	2	1	3	2	–	1	5	–	13	11	8	5	3	1
Washington	–	10	–	1	10	6	–	–	2	–	2	–	1	15	6	2	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	181	–	–	3	49	12	15	3	3	4	1	11	3	76	68	–	–	44	24
Webster	169	–	–	1	37	7	11	2	8	1	5	3	4	81	62	–	1	42	19
Whitley	356	2	–	7	66	9	24	3	9	4	1	16	6	166	144	4	2	95	43
Wolfe	56	–	–	–	11	1	4	–	1	–	2	3	1	31	28	–	1	15	12
Woodford	128	–	–	1	29	6	11	3	3	2	–	4	2	49	36	1	3	21	11
Louisiana	36,373	39	6	651	8,056	1,947	2,472	566	823	292	264	1,692	827	16,253	12,743	72	610	7,844	4,217
Urban places	17,770	22	5	359	3,965	995	1,199	294	418	111	130	818	437	7,824	6,110	31	385	3,677	2,017
Balance of area	18,603	17	1	292	4,091	952	1,273	272	405	181	134	874	390	8,429	6,633	41	225	4,167	2,200
Metropolitan parishes [5]	22,422	24	4	447	5,087	1,262	1,577	357	516	174	158	1,043	516	9,783	7,774	46	461	4,710	2,557
Urban places	15,030	16	4	318	3,376	858	1,007	253	367	99	111	881	375	6,542	5,143	26	356	3,072	1,689
Balance of area	7,392	8	–	129	1,711	404	570	104	149	75	47	362	141	3,241	2,631	20	105	1,638	868
Nonmetropolitan parishes [5]	13,951	15	2	204	2,969	685	895	209	307	118	106	649	311	6,470	4,969	28	149	3,134	1,660
Urban places	2,740	6	1	41	589	137	192	41	51	12	19	137	62	1,282	967	5	29	605	328
Balance of area	11,211	9	1	163	2,380	548	703	168	256	106	87	512	249	5,188	4,002	21	120	2,529	1,332
Acadia	542	–	–	5	119	22	40	9	15	6	3	24	14	262	197	2	10	130	55
Crowley	171	–	–	1	38	9	12	4	4	–	–	9	9	84	60	2	4	39	15
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	371	–	–	4	81	13	28	5	11	6	3	15	5	178	137	–	6	91	40
Allen	221	–	–	6	41	10	13	1	3	2	–	12	6	113	87	–	–	67	20
Ascension	362	–	–	8	77	19	25	7	7	2	1	16	6	168	138	1	3	107	27
Assumption	168	–	–	3	33	4	9	2	6	4	2	6	–	87	67	–	3	48	16
Avoyelles	493	1	–	9	103	27	30	5	13	6	5	17	9	231	180	1	–	142	37
Beauregard	273	–	–	4	63	11	19	5	7	2	3	16	6	128	101	–	2	73	26
De Ridder, part	114	–	–	3	21	4	8	–	2	1	3	3	4	52	39	–	–	30	9
De Ridder, total	114	–	–	3	21	4	8	–	2	1	3	3	4	52	39	–	–	30	9
Balance of parish	159	–	–	1	42	7	11	5	5	1	–	13	2	76	62	–	2	43	17
Bienville	216	–	–	4	39	7	6	3	4	1	3	15	3	105	88	–	–	34	54
Bossier	549	–	–	11	127	35	47	6	12	1	1	25	11	241	199	1	–	156	42
Bossier City	334	–	–	8	77	19	31	4	8	1	–	14	7	151	125	1	–	104	20
Shreveport, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of parish	213	–	–	3	50	16	16	2	4	–	1	11	4	89	73	–	–	52	21
Caddo	2,582	3	1	64	597	148	180	40	69	18	28	114	28	1,126	918	4	11	556	347
Shreveport, part	2,228	2	1	55	507	122	149	38	59	15	25	99	28	883	803	3	8	491	301
Shreveport, total	2,230	2	1	55	507	122	149	38	59	15	25	99	28	884	804	3	8	491	302
Balance of parish	354	1	–	9	90	26	31	2	10	3	3	15	–	143	115	1	3	65	46
Calcasieu	1,358	–	–	20	318	67	108	24	31	6	14	68	23	611	486	3	20	309	154
Lake Charles	702	–	–	12	175	34	54	15	19	4	7	42	13	312	243	2	16	152	73
Sulphur	191	–	–	2	43	8	15	4	3	–	2	11	3	87	74	1	–	56	17
Balance of parish	465	–	–	6	100	25	39	5	9	2	5	15	7	212	169	–	4	101	64
Caldwell	110	–	–	7	22	9	4	1	3	1	–	4	–	54	43	–	2	28	13
Cameron	54	–	–	–	10	3	3	1	–	1	–	2	1	27	21	–	–	17	4
Catahoula	129	1	–	1	23	4	6	1	4	–	3	5	–	63	50	–	–	20	30
Claiborne	222	–	–	4	55	10	11	6	11	–	3	14	5	92	72	1	2	43	26
Concordia	218	–	1	2	51	12	18	2	9	2	1	7	4	95	74	–	3	47	24
De Soto	269	–	–	2	62	11	23	7	8	1	2	10	11	129	88	–	–	64	24
East Baton Rouge	2,475	1	–	47	596	158	168	55	60	25	23	107	54	1,057	781	5	74	489	213
Baker	85	–	–	2	21	2	5	2	3	2	–	7	2	34	29	–	3	18	8
Baton Rouge	2,025	1	–	38	485	137	133	47	51	16	20	81	43	877	645	4	69	401	171
Balance of parish	385	–	–	6	90	19	30	6	6	7	3	19	9	146	107	1	2	70	34
East Carroll	141	–	–	2	20	5	4	1	2	–	1	7	18	64	38	1	5	27	5
East Feliciana	159	–	–	2	26	7	5	3	2	1	2	6	5	81	64	–	2	41	21
Evangeline	332	–	–	7	71	17	29	2	2	2	1	18	4	150	116	–	4	66	46
Franklin	281	1	–	2	56	17	19	1	2	1	2	14	3	154	106	–	2	66	38
Grant	193	–	–	4	45	8	13	4	6	3	1	10	3	85	70	2	2	52	14
Iberia	527	–	–	5	129	28	47	9	10	4	2	29	14	252	171	3	12	80	76
New Iberia	266	–	–	2	71	18	27	4	4	3	–	15	7	120	83	1	4	39	39
Balance of parish	261	–	–	3	58	10	20	5	6	1	2	14	7	132	88	2	8	41	37
Iberville	269	–	–	4	59	16	19	8	4	2	1	9	3	121	97	2	9	62	24
Jackson	226	–	–	2	51	11	17	4	4	1	2	12	9	110	75	–	1	48	28
Jefferson	3,123	4	–	56	744	165	254	51	63	34	16	161	78	1,367	1,139	5	66	699	367
Gretna	321	–	–	6	92	30	27	3	7	2	3	20	13	114	99	–	4	65	30
Harahan	76	–	–	1	18	8	6	1	1	–	–	2	3	39	34	–	2	26	6
Kenner	372	2	–	8	89	9	32	8	9	6	–	25	8	152	129	1	8	83	39
Westwego	143	–	–	4	33	4	16	1	3	1	2	6	5	63	54	1	3	32	18
Balance of parish	2,211	2	–	37	512	114	173	38	43	25	11	108	49	999	823	3	53	493	274
Jefferson Davis	332	–	–	3	64	15	17	7	2	3	5	15	11	165	113	–	3	79	31
Jennings	146	–	–	3	28	5	8	2	1	–	2	10	3	67	47	–	–	30	17
Balance of parish	186	–	–	–	36	10	9	5	1	3	3	5	8	88	66	–	3	49	14
Lafayette	922	2	–	13	233	62	81	15	22	9	8	36	22	357	273	2	16	136	119
Lafayette	629	1	–	11	153	39	53	12	18	6	4	21	15	252	188	1	9	87	89
Balance of parish	293	1	–	2	80	23	28	3	4	3	4	15	7	105	87	1	7	49	30
Lafourche	555	1	–	5	125	22	39	10	13	6	4	31	10	232	180	2	2	104	72
Thibodaux	135	–	–	1	32	6	8	4	4	–	–	10	1	60	47	–	1	25	21
Balance of parish	420	1	–	4	93	16	31	6	9	6	4	21	9	172	133	2	1	79	51
La Salle	183	–	–	4	31	8	8	3	4	2	2	4	2	104	78	–	–	62	16
Lincoln	329	–	–	6	70	12	26	7	8	1	3	13	1	155	109	–	3	68	38
Ruston	147	–	–	1	33	4	11	4	5	–	3	6	–	76	55	–	2	38	15
Balance of parish	182	–	–	5	37	8	15	3	3	1	–	7	1	79	54	–	1	30	23
Livingston	433	–	–	7	99	28	31	4	9	4	2	21	8	176	146	2	1	89	54

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	–	7	1	–	4	7	–	1	1	–	–	1	2	16	5	7	5	1	–
Webster	1	18	–	–	4	7	–	–	2	–	1	–	1	20	8	1	2	–	–
Whitley	–	20	2	–	10	19	2	7	2	–	5	2	2	33	12	9	3	3	–
Wolfe	–	2	–	1	2	2	–	–	–	–	–	1	–	5	2	–	1	–	–
Woodford	–	10	–	3	7	7	–	2	–	–	1	1	–	13	6	6	2	2	–
Louisiana	151	2,560	435	344	921	1,014	81	378	508	5	268	472	380	3,219	983	1,034	640	621	17
Urban places	89	1,231	223	171	421	482	37	195	252	2	144	260	165	1,709	352	441	292	397	9
Balance of area	62	1,349	212	173	500	532	44	183	256	3	124	212	215	1,510	631	593	348	224	8
Metropolitan parishes [5]	112	1,451	228	218	524	652	48	266	275	2	182	332	215	2,052	550	578	404	470	9
Urban places	83	1,006	166	144	357	418	29	175	194	1	125	228	141	1,450	292	367	245	370	7
Balance of area	29	445	62	74	167	234	19	93	81	1	57	104	74	602	258	211	159	100	2
Nonmetropolitan parishes [5]	39	1,129	207	126	397	362	33	110	233	3	86	140	165	1,167	433	456	236	151	8
Urban places	6	225	57	27	64	64	8	20	58	1	19	32	24	259	60	74	47	27	2
Balance of area	33	904	150	99	333	298	25	90	175	2	67	108	141	908	373	382	189	124	6
Acadia	2	46	8	9	6	21	1	3	10	–	2	3	3	45	13	19	14	2	–
Crowley	1	12	5	6	2	9	–	–	5	–	1	1	1	10	2	3	4	1	–
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	1	34	3	3	4	12	1	3	5	–	1	2	2	35	11	16	10	1	–
Allen	1	19	2	4	9	8	–	5	–	–	3	2	1	18	1	4	2	2	–
Ascension	2	20	6	2	5	4	1	4	5	–	5	9	3	26	11	12	11	7	–
Assumption	1	14	4	1	4	1	–	–	4	–	–	3	4	16	4	7	2	–	–
Avoyelles	3	25	18	5	17	10	1	4	6	–	2	2	1	43	10	16	11	7	–
Beauregard	–	18	7	2	7	4	–	–	1	–	3	9	2	21	11	6	6	2	–
De Ridder, part	–	9	4	–	5	2	–	–	1	–	1	6	1	10	4	–	2	2	–
De Ridder, total	–	9	4	–	5	2	–	–	1	–	1	6	1	10	4	–	2	2	–
Balance of parish	–	9	3	2	2	2	–	–	–	–	2	3	1	11	7	6	4	–	–
Bienville	1	12	2	2	9	5	–	1	6	–	–	1	12	14	3	5	7	2	–
Bossier	1	32	3	6	10	25	–	7	8	–	4	7	6	38	19	15	12	8	–
Bossier City	1	17	3	5	7	16	–	3	1	–	3	2	4	26	8	9	8	4	–
Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of parish	–	15	–	1	3	9	–	4	7	–	1	5	2	12	10	6	4	4	–
Caddo	4	178	4	22	80	85	5	27	42	–	22	37	16	229	51	66	46	57	–
Shreveport, part	4	155	3	18	66	71	5	26	38	–	20	34	10	195	43	52	41	51	–
Shreveport, total	4	155	3	18	66	71	5	26	38	–	20	34	10	195	44	52	41	51	–
Balance of parish	–	23	1	4	14	14	–	1	4	–	2	3	6	34	8	14	5	6	–
Calcasieu	5	90	13	17	39	39	2	15	17	1	12	19	9	115	33	45	27	11	2
Lake Charles	1	55	8	5	26	17	–	7	7	–	5	7	6	61	12	19	15	6	2
Sulphur	2	9	–	2	3	7	–	1	4	–	1	4	1	21	4	7	2	1	–
Balance of parish	2	26	5	10	10	15	2	7	6	1	6	8	2	33	17	19	10	4	–
Caldwell	–	8	1	2	3	4	–	–	2	–	–	–	–	11	3	2	2	–	–
Cameron	–	4	1	1	3	1	–	1	1	–	1	–	2	3	–	–	1	3	–
Catahoula	–	10	–	3	4	3	–	1	1	–	1	–	1	11	3	11	2	3	–
Claiborne	–	15	2	3	12	5	–	–	5	–	1	1	2	19	7	8	4	2	–
Concordia	1	16	3	1	8	10	1	1	2	–	1	1	1	22	6	7	3	2	–
De Soto	1	29	10	1	6	7	1	1	7	–	1	2	2	19	5	9	2	3	–
East Baton Rouge	28	134	86	28	50	76	6	21	35	–	22	53	6	221	65	66	37	60	2
Baker	–	2	3	–	2	2	1	1	–	–	–	2	1	7	4	3	2	1	–
Baton Rouge	24	105	77	26	40	57	4	17	32	–	18	43	4	188	46	53	25	53	2
Balance of parish	4	27	6	2	8	17	1	3	3	–	4	8	1	28	15	10	10	6	–
East Carroll	2	12	12	–	3	3	–	–	1	–	–	4	2	8	5	5	1	5	–
East Feliciana	2	13	2	–	8	2	–	2	3	–	1	–	–	8	11	7	1	2	–
Evangeline	–	26	5	3	8	13	1	1	8	–	2	–	–	38	4	8	12	5	–
Franklin	1	41	3	3	7	7	1	1	4	–	–	6	3	23	7	5	–	1	–
Grant	1	10	2	2	7	9	–	1	1	–	–	2	2	22	1	8	1	2	–
Iberia	2	47	20	12	9	8	–	8	7	–	2	5	8	36	15	13	15	1	–
New Iberia	–	23	8	6	5	1	–	3	4	–	1	3	3	24	8	5	9	–	–
Balance of parish	2	24	12	6	4	7	–	5	3	–	1	2	5	12	7	8	6	1	–
Iberville	–	23	1	–	9	11	1	4	4	–	–	1	1	31	6	8	1	5	–
Jackson	2	30	–	3	8	9	–	–	1	–	1	1	–	20	6	7	–	1	–
Jefferson	13	166	22	27	49	95	10	49	29	–	27	35	35	265	63	76	63	55	3
Gretna	1	13	1	–	4	13	1	6	–	–	4	5	3	25	8	12	5	10	–
Harahan	–	3	1	1	1	4	1	–	–	–	–	–	1	4	1	2	1	–	–
Kenner	1	15	4	3	6	10	–	5	2	–	6	7	6	27	7	10	17	9	1
Westwego	–	4	1	4	–	4	1	–	4	–	1	2	–	17	1	2	3	3	–
Balance of parish	11	131	15	19	38	64	7	38	23	–	16	21	25	192	46	50	57	33	2
Jefferson Davis	2	29	6	5	12	14	–	2	8	–	3	1	5	30	15	5	2	2	–
Jennings	1	16	3	–	5	11	–	1	3	–	1	1	3	12	6	1	1	–	–
Balance of parish	1	13	3	5	7	3	–	1	5	–	2	–	2	18	9	4	1	2	–
Lafayette	7	58	9	10	35	31	1	11	11	–	8	28	6	73	28	21	22	20	–
Lafayette	6	47	5	8	23	19	1	4	10	–	6	18	4	51	18	14	14	15	–
Balance of parish	1	11	4	2	12	12	–	7	1	–	2	10	2	22	10	7	8	5	–
Lafourche	1	40	8	3	21	9	1	3	10	1	8	10	7	49	26	20	12	3	2
Thibodaux	–	9	3	1	7	2	–	–	3	–	–	1	3	17	2	4	1	–	1
Balance of parish	1	31	5	2	14	7	1	3	7	1	8	9	4	32	24	16	11	3	1
La Salle	–	24	2	–	8	7	1	1	3	–	–	1	–	10	4	6	–	1	–
Lincoln	–	43	1	2	12	8	2	4	6	–	4	2	3	33	3	12	5	3	–
Ruston	–	19	1	1	4	3	1	1	6	–	2	–	2	10	–	5	2	1	–
Balance of parish	–	24	–	1	8	5	1	3	–	–	2	2	1	23	3	7	3	2	–
Livingston	1	22	2	5	6	15	2	2	6	–	2	9	9	32	29	13	13	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	167	–	–	2	37	9	9	4	6	–	–	9	2	79	66	–	2	35	29
Tallulah	126	–	–	2	25	5	6	3	5	–	–	6	2	63	53	–	2	31	20
Balance of parish	41	–	–	–	12	4	3	1	1	–	–	3	–	16	13	–	–	4	9
Morehouse	333	1	–	7	78	22	19	1	12	3	4	17	9	148	108	–	7	59	40
Bastrop	185	–	–	4	36	9	11	–	4	2	1	9	5	87	61	–	4	29	28
Balance of parish	148	1	–	3	42	13	8	1	8	1	3	8	4	61	45	–	3	30	12
Natchitoches	400	1	–	4	65	20	13	5	6	2	2	17	11	212	154	–	3	124	27
Natchitoches	182	1	–	1	35	14	5	5	4	–	–	7	5	93	62	–	1	51	10
Balance of parish	218	–	–	3	30	6	8	–	2	2	2	10	6	119	92	–	2	73	17
Orleans, coext. with New Orleans city	5,857	9	3	128	1,276	349	367	83	147	33	31	266	184	2,497	1,930	10	203	1,131	586
Ouachita	1,225	1	–	21	250	56	72	21	24	11	8	58	21	615	497	2	7	199	289
Monroe	651	1	–	12	122	31	33	11	13	6	3	25	11	338	264	–	3	98	165
West Monroe	235	–	–	3	44	6	17	4	4	–	3	10	7	130	108	1	3	51	53
Balance of parish	339	–	–	6	84	19	22	6	7	5	2	23	3	147	125	1	1	52	71
Plaquemines	190	–	–	–	49	7	19	2	6	2	1	12	2	73	60	2	1	40	17
Pointe Coupee	203	–	–	5	34	9	7	3	5	4	–	6	6	96	74	1	2	51	20
Rapides	1,228	–	–	31	246	58	75	16	19	11	12	55	39	535	442	–	37	311	94
Alexandria	597	–	–	16	109	29	28	8	9	4	3	28	20	272	225	–	19	169	37
Pineville	150	–	–	5	34	5	11	3	3	1	3	8	5	60	55	–	5	40	10
Balance of parish	481	–	–	10	103	24	36	5	7	6	6	19	14	203	162	–	13	102	47
Red River	113	–	–	–	25	4	7	2	2	1	1	8	3	63	48	–	–	13	35
Richland	286	1	–	4	44	6	11	7	8	–	2	12	7	150	128	1	8	96	23
Sabine	285	–	–	6	52	13	8	2	5	1	3	20	5	153	132	–	3	51	78
St. Bernard	580	1	–	16	132	27	47	7	10	6	3	32	8	265	215	3	9	151	52
St. Charles	236	–	–	3	57	18	11	4	5	4	1	14	8	94	75	–	4	53	18
St. Helena	84	–	–	1	16	3	5	1	4	2	–	1	4	33	25	–	2	15	8
St. James	169	–	–	5	44	11	13	3	2	4	2	9	4	64	43	–	3	32	8
St. John the Baptist	242	1	–	3	40	10	11	2	2	6	1	8	–	116	99	–	3	35	61
St. Landry	803	2	–	8	197	46	65	15	20	4	7	40	23	367	294	3	10	173	108
Eunice, part	120	–	–	–	34	9	10	2	2	1	3	7	6	49	38	1	–	22	15
Eunice, total	120	–	–	–	34	9	10	2	2	1	3	7	6	49	38	1	–	22	15
Opelousas	229	1	–	3	48	13	17	4	3	–	–	11	6	117	93	–	4	49	40
Balance of parish	454	1	–	5	115	24	38	9	15	3	4	22	11	201	163	2	6	102	53
St. Martin	322	–	–	3	78	24	20	4	6	3	5	16	4	144	115	–	3	76	36
St. Mary	460	1	–	8	104	30	32	8	8	5	4	21	7	200	151	3	7	94	47
Morgan City	126	1	–	1	21	6	5	–	3	–	2	5	3	52	38	1	–	25	12
Balance of parish	334	–	–	7	83	24	27	6	3	5	2	16	4	148	113	2	7	69	35
St. Tammany	896	–	–	10	212	53	79	11	18	8	6	37	19	372	290	6	2	167	115
Slidell	232	–	–	3	50	19	20	2	3	1	1	4	4	87	68	1	1	37	29
Balance of parish	664	–	–	7	162	34	59	9	15	7	5	33	15	285	222	5	1	130	86
Tangipahoa	792	1	1	7	157	36	53	9	22	6	4	27	22	377	302	1	4	199	98
Hammond	153	1	1	1	24	5	10	2	–	–	1	6	2	76	63	–	2	40	21
Balance of parish	639	–	–	6	133	31	43	7	22	6	3	21	20	301	239	1	2	159	77
Tensas	88	–	–	1	14	3	7	1	3	–	–	–	3	48	39	–	–	20	19
Terrebonne	614	–	–	20	141	30	49	13	12	2	4	31	9	254	203	1	4	132	66
Houma	267	–	–	11	61	13	27	3	3	–	2	13	4	114	92	–	3	57	32
Balance of parish	347	–	–	9	80	17	22	10	9	2	2	18	5	140	111	1	1	75	34
Union	264	1	–	2	63	18	15	6	9	3	2	10	15	111	82	1	4	58	19
Vermilion	424	–	–	12	101	23	29	7	8	7	5	22	12	175	146	–	1	91	54
Abbeville	141	–	–	4	31	6	10	1	2	4	2	6	5	59	49	–	–	31	18
Balance of parish	283	–	–	8	70	17	19	6	6	3	3	16	7	116	97	–	1	60	36
Vernon	323	–	–	3	62	15	21	3	5	3	1	14	3	110	82	1	–	53	28
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	323	–	–	3	62	15	21	3	5	3	1	14	3	110	82	1	–	53	28
Washington	488	2	–	4	98	21	30	8	9	4	3	22	3	246	184	–	4	145	35
Bogalusa	232	2	–	3	51	11	17	3	5	1	–	14	–	113	87	–	2	69	16
Balance of parish	256	–	–	1	47	10	13	6	4	3	3	8	3	133	97	–	2	76	19
Webster	480	3	–	9	103	20	26	12	15	2	4	24	8	234	185	–	5	114	66
Minden	200	–	–	3	48	7	10	7	7	1	4	12	4	93	71	–	2	33	36
Balance of parish	280	3	–	6	55	13	16	5	8	1	–	12	4	141	114	–	3	81	30
West Baton Rouge	159	–	–	2	32	9	4	1	4	1	–	13	4	77	65	–	3	44	18
West Carroll	156	–	–	1	33	8	13	–	3	1	1	7	5	72	50	–	2	24	24
West Feliciana	70	–	–	3	19	3	4	–	5	1	–	6	–	24	20	–	2	14	4
Winn	200	–	–	3	38	8	12	2	2	1	3	10	5	97	76	–	5	37	34
Maine	11,237	3	–	118	2,657	672	729	211	269	141	102	533	182	5,346	4,200	22	87	3,045	1,046
Urban places	3,244	1	–	37	715	176	196	58	77	32	27	149	43	1,581	1,245	5	30	900	310
Balance of area	7,993	2	–	81	1,942	496	533	153	192	109	75	384	139	3,765	2,955	17	57	2,145	736
Metropolitan counties	5,986	2	–	63	1,368	332	369	128	136	67	59	277	91	2,918	2,280	13	56	1,572	639
Urban places	2,670	1	–	30	581	137	169	51	56	26	23	119	37	1,316	1,026	5	29	717	275
Balance of area	3,316	1	–	33	787	195	200	77	80	41	36	158	54	1,602	1,254	8	27	855	364
Nonmetropolitan counties	5,251	1	–	55	1,289	340	360	83	133	74	43	256	91	2,428	1,920	9	31	1,473	407
Urban places	574	–	–	7	134	39	27	7	21	6	4	30	6	265	219	–	1	183	35
Balance of area	4,677	1	–	48	1,155	301	333	76	112	68	39	226	85	2,163	1,701	9	30	1,290	372
Androscoggin	997	–	–	13	207	42	64	15	25	6	6	49	17	492	362	1	13	277	71
Auburn	282	–	–	2	49	12	13	2	4	2	1	15	7	134	102	–	5	77	20
Lewiston	452	–	–	6	101	23	33	7	13	3	5	17	4	236	169	–	5	132	32
Balance of county	263	–	–	5	57	7	18	6	8	1	–	17	8	122	91	1	3	68	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	1	10	–	2	4	3	2	–	2	–	2	3	1	16	5	3	3	3	–
Tallulah	1	8	–	1	4	3	2	–	1	–	1	3	1	13	2	2	1	1	–
Balance of parish	–	2	–	1	–	–	–	–	1	–	1	–	–	3	3	1	2	2	–
Morehouse	–	28	10	4	10	12	1	1	13	–	–	1	1	37	6	4	3	1	–
Bastrop	–	17	7	2	5	7	–	–	10	–	–	–	1	21	3	3	2	1	–
Balance of parish	–	11	3	2	5	5	1	1	3	–	–	1	–	16	3	1	1	–	–
Natchitoches	–	49	7	2	11	4	1	4	6	–	1	–	3	31	13	19	5	8	1
Natchitoches	–	26	5	–	4	1	–	2	2	–	1	–	2	14	5	11	1	4	–
Balance of parish	–	23	2	2	7	3	1	2	4	–	–	–	1	17	8	8	4	4	1
Orleans, coext. with New Orleans city	32	438	42	55	115	137	9	86	70	1	44	76	83	631	96	145	78	188	1
Ouachita	10	89	10	9	49	29	1	9	15	–	7	24	13	88	30	27	15	9	1
Monroe	7	58	3	6	25	16	1	3	9	–	6	16	5	51	13	14	5	2	1
West Monroe	1	16	5	–	11	6	–	2	6	–	–	–	2	13	1	4	5	1	–
Balance of parish	2	15	2	3	13	7	–	4	–	–	1	8	6	24	16	9	5	6	–
Plaquemines	–	9	1	3	3	4	–	4	4	–	1	5	2	12	11	12	2	4	2
Pointe Coupee	–	15	5	2	5	6	–	1	3	–	2	4	–	19	7	7	8	–	–
Rapides	2	73	6	12	27	50	3	17	12	–	11	11	7	131	39	24	19	26	–
Alexandria	–	39	1	7	11	18	2	8	7	–	5	7	2	66	18	7	11	18	–
Pineville	1	3	–	1	6	5	1	1	–	–	3	–	–	21	1	2	3	3	–
Balance of parish	1	31	5	4	10	27	–	8	5	–	3	4	5	44	20	15	5	5	–
Red River	–	12	2	1	–	1	1	–	2	–	2	–	–	7	4	3	1	1	–
Richland	–	18	1	3	16	11	–	1	4	–	3	1	2	24	6	5	4	3	–
Sabine	–	18	1	2	7	6	1	1	2	–	–	3	1	20	6	12	5	5	–
St. Bernard	1	39	3	7	14	12	3	4	5	–	3	4	2	57	26	15	10	3	–
St. Charles	–	14	1	4	5	9	–	3	8	–	–	2	4	16	8	9	4	6	–
St. Helena	1	7	–	–	2	1	–	–	1	–	2	–	5	10	4	3	2	–	–
St. James	–	16	4	1	8	5	1	1	4	–	1	6	1	17	4	5	1	–	–
St. John the Baptist	–	13	2	2	8	5	–	–	1	–	1	7	4	24	9	13	6	4	–
St. Landry	2	55	11	5	17	14	4	7	17	1	7	6	2	59	29	25	13	5	–
Eunice, part	–	5	4	2	–	–	–	1	4	–	–	2	–	10	7	3	2	2	–
Eunice, total	–	5	4	2	–	–	–	1	4	–	–	2	–	10	7	3	2	2	–
Opelousas	1	19	2	2	8	1	1	4	3	1	4	1	–	18	1	9	4	1	–
Balance of parish	1	31	5	1	11	13	3	2	10	–	3	3	2	31	21	13	7	2	–
St. Martin	1	22	4	2	7	7	–	3	6	–	2	7	5	15	8	21	8	4	–
St. Mary	–	40	5	4	10	8	2	4	4	–	3	5	3	41	17	25	12	6	–
Morgan City	–	11	2	1	–	5	1	1	1	–	–	2	2	17	2	9	5	3	–
Balance of parish	–	29	3	3	10	3	1	3	3	–	3	3	1	24	15	16	7	3	–
St. Tammany	2	58	14	8	14	24	4	15	10	–	13	10	13	71	40	32	24	13	–
Slidell	1	9	6	3	1	8	1	5	3	–	3	3	7	30	7	10	8	1	–
Balance of parish	1	49	8	5	13	15	3	10	7	–	10	7	6	41	33	22	16	12	–
Tangipahoa	4	62	1	8	24	13	1	8	12	1	6	9	4	66	22	29	14	16	1
Hammond	–	12	–	1	3	3	–	–	4	–	2	3	–	14	3	11	1	4	–
Balance of parish	4	50	1	7	21	10	1	8	8	1	4	6	4	52	19	18	13	12	1
Tensas	–	5	3	1	2	2	–	1	2	–	–	1	2	7	2	1	1	1	–
Terrebonne	2	39	8	2	8	21	3	8	8	–	5	9	2	63	27	18	8	9	–
Houma	1	14	5	2	5	7	3	3	3	–	2	3	–	32	8	3	4	4	–
Balance of parish	1	25	3	–	3	14	–	6	5	–	3	6	2	31	19	15	4	5	–
Union	1	25	–	3	7	10	1	–	4	–	1	1	2	29	4	5	3	4	1
Vermilion	2	21	2	4	18	8	2	2	10	–	5	6	9	37	11	7	6	3	–
Abbeville	–	9	2	–	5	1	–	1	4	–	2	3	5	13	4	–	2	2	–
Balance of parish	2	13	–	4	13	7	2	1	6	–	3	3	4	24	7	7	4	1	–
Vernon	–	21	5	2	11	6	–	3	1	–	2	1	47	18	30	13	6	7	–
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	21	5	2	11	6	–	3	1	–	2	1	47	18	30	13	6	7	–
Washington	3	45	12	2	11	16	1	7	10	–	3	4	3	39	16	10	12	2	1
Bogalusa	1	17	6	2	4	8	–	3	4	–	1	3	–	24	3	5	6	1	1
Balance of parish	2	28	6	–	7	8	1	4	6	–	2	1	3	15	13	5	6	1	–
Webster	1	39	3	6	21	16	1	–	6	–	1	4	4	39	14	7	5	5	–
Minden	1	18	3	–	10	7	1	–	1	–	–	2	2	18	3	2	2	4	–
Balance of parish	–	21	–	6	11	9	–	–	5	–	1	2	2	21	11	5	3	1	–
West Baton Rouge	2	5	3	2	3	5	–	–	3	–	1	4	1	14	5	6	1	1	–
West Carroll	–	19	3	–	5	14	–	1	–	–	–	1	2	12	3	5	2	–	–
West Feliciana	–	3	–	1	2	–	1	2	2	–	1	2	–	7	3	3	1	–	–
Winn	–	19	1	1	5	6	–	3	7	–	–	1	–	13	10	9	1	2	–
Maine	42	768	183	153	429	521	34	117	100	1	63	58	75	970	205	204	130	21	3
Urban places	13	207	66	50	119	149	9	41	28	–	19	24	30	304	46	51	38	7	2
Balance of area	29	561	117	103	310	372	25	76	72	1	44	34	45	666	159	153	92	14	1
Metropolitan counties	25	405	120	88	226	245	19	72	52	–	38	36	46	502	107	107	80	11	3
Urban places	11	174	60	45	97	106	9	36	23	–	17	18	24	249	39	46	31	7	2
Balance of area	14	231	60	43	129	139	10	36	29	–	21	17	22	253	68	61	49	4	1
Nonmetropolitan counties	17	363	63	65	203	276	15	45	48	1	25	22	29	468	98	97	50	10	–
Urban places	2	33	6	5	22	43	–	5	5	–	2	5	6	55	7	5	7	–	–
Balance of area	15	330	57	60	181	233	15	40	43	1	23	17	23	413	91	92	43	10	–
Androscoggin	4	83	42	21	37	42	4	13	7	–	11	4	5	98	20	13	12	2	–
Auburn	2	15	6	9	11	15	1	3	3	–	2	–	1	36	8	6	4	–	–
Lewiston	2	33	25	7	13	17	1	7	2	–	8	3	2	37	2	5	6	2	–
Balance of county	–	15	11	5	13	10	2	3	2	–	1	1	2	25	10	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	774	–	–	6	177	45	58	9	13	10	7	35	8	369	295	3	2	238	52
Presque Isle	105	–	–	1	29	5	10	2	4	2	1	5	1	39	32	–	–	27	5
Balance of county	669	–	–	5	148	40	48	7	9	8	6	30	7	330	263	3	2	211	47
Cumberland	2,112	1	–	23	499	120	145	52	49	22	24	87	33	995	780	8	22	556	194
Portland	765	–	–	12	177	41	56	19	14	6	9	32	11	353	283	4	8	204	67
South Portland	238	–	–	2	47	16	9	3	6	2	3	8	4	114	92	–	5	63	24
Westbrook	128	1	–	1	33	7	8	1	5	3	–	9	2	62	46	–	1	35	10
Balance of county	981	–	–	8	242	56	72	29	24	11	12	38	16	466	359	4	8	254	93
Franklin	234	–	–	4	60	14	17	3	7	4	4	11	2	105	75	1	–	60	14
Hancock	498	–	–	3	123	40	30	6	5	10	3	29	10	212	175	–	8	124	43
Kennebec	1,046	–	–	9	254	71	50	17	30	12	10	64	14	495	403	–	6	337	69
Augusta	259	–	–	2	57	19	12	3	6	1	2	14	4	116	95	–	1	81	13
Waterville	210	–	–	4	48	15	5	2	11	3	1	11	1	110	92	–	–	75	17
Balance of county	577	–	–	3	149	37	33	12	13	8	7	39	9	269	216	–	5	181	30
Knox	435	–	–	4	113	22	31	14	15	9	3	19	14	197	156	1	2	125	28
Lincoln	311	–	–	3	95	27	28	4	11	5	2	18	6	131	95	–	1	76	18
Oxford	539	–	–	5	137	40	43	7	10	9	5	23	8	235	180	2	2	134	42
Penobscot	1,211	1	–	14	275	73	72	24	23	18	11	54	21	566	459	2	5	288	164
Bangor	386	–	–	3	77	17	22	10	5	5	2	16	4	180	152	1	2	98	51
Balance of county	845	1	–	11	198	56	50	14	18	13	9	38	17	386	307	1	3	190	113
Piscataquis	217	1	–	2	40	12	8	3	6	1	1	9	4	102	79	–	4	41	34
Sagadahoc	244	–	–	2	58	11	21	6	4	2	1	13	3	123	100	–	–	79	21
Bath	112	–	–	2	24	2	10	3	2	1	–	6	–	58	45	–	–	38	7
Balance of county	132	–	–	–	34	9	11	3	2	1	1	7	3	65	55	–	–	41	14
Somerset	487	–	–	2	126	26	43	11	13	9	4	20	14	231	193	2	1	130	60
Waldo	311	–	–	4	67	17	21	6	10	2	1	10	5	157	115	–	1	94	20
Washington	405	–	–	13	97	26	31	3	13	3	3	18	6	194	154	–	4	114	36
York	1,422	–	–	11	329	86	67	31	35	19	17	74	17	742	579	2	18	372	189
Biddeford	212	–	–	–	49	12	15	3	4	4	3	8	3	114	81	–	1	41	39
Saco	115	–	–	2	24	7	3	3	3	–	–	8	2	65	56	–	2	29	25
Balance of county	1,095	–	–	9	256	67	49	25	28	15	14	58	12	563	442	2	13	302	125
Maryland	37,358	23	4	769	9,011	2,276	2,522	769	864	354	287	1,939	698	16,321	13,160	100	566	6,610	5,684
Urban places	14,110	10	1	335	3,246	885	915	273	286	126	92	669	266	6,052	4,901	32	279	2,256	2,334
Balance of area	23,248	13	3	434	5,765	1,391	1,607	496	578	228	195	1,270	432	10,269	8,259	68	287	4,354	3,550
Metropolitan counties	32,438	21	3	703	7,849	1,975	2,187	690	732	304	257	1,704	604	14,069	11,420	90	511	5,658	5,181
Urban places	13,256	10	1	324	3,044	829	861	265	257	117	88	627	245	5,648	4,600	32	265	2,091	2,212
Balance of area	19,182	11	2	379	4,805	1,146	1,326	425	475	187	169	1,077	359	8,421	6,820	58	246	3,567	2,949
Nonmetropolitan counties	4,920	2	1	66	1,162	301	335	79	132	50	30	235	94	2,252	1,740	10	55	952	723
Urban places	854	–	–	11	202	56	54	8	29	9	4	42	21	404	301	–	14	165	122
Balance of area	4,066	2	1	55	960	245	281	71	103	41	26	193	73	1,848	1,439	10	41	787	601
Allegany	960	–	–	21	204	64	51	13	24	4	7	41	17	483	393	2	9	260	122
Cumberland	435	–	–	11	83	27	25	5	6	2	4	14	9	225	183	1	4	126	52
Balance of county	525	–	–	10	121	37	26	8	18	2	3	27	8	258	210	1	5	134	70
Anne Arundel	2,688	–	–	40	738	157	231	67	69	34	22	158	44	1,093	880	7	21	440	412
Annapolis	377	–	–	4	103	26	28	9	7	3	3	27	6	154	113	2	3	62	46
Balance of county	2,311	–	–	36	635	131	203	58	62	31	19	131	38	939	767	5	18	378	366
Baltimore	6,005	3	1	151	1,540	384	450	136	135	65	46	324	109	2,744	2,287	25	72	1,183	1,007
Baltimore city	9,662	10	1	261	2,195	611	631	184	180	82	61	446	180	4,035	3,305	28	228	1,321	1,730
Calvert	288	–	–	4	45	7	18	7	5	1	2	5	6	140	100	–	9	43	54
Caroline	282	–	–	1	76	18	25	6	5	1	3	18	8	123	92	–	2	57	33
Carroll	855	–	–	17	195	47	53	20	17	10	7	41	17	389	314	1	16	164	133
Cecil	534	–	–	10	137	29	49	8	8	5	4	34	16	246	215	2	8	131	74
Charles	510	1	–	6	134	28	35	11	24	3	6	27	9	203	169	1	16	85	67
Dorchester	416	1	–	6	101	24	23	8	16	4	4	22	13	182	142	1	6	84	51
Cambridge	196	–	–	4	50	14	12	2	9	2	2	9	8	80	63	–	5	38	20
Balance of county	220	1	–	2	51	10	11	6	7	2	2	13	5	102	79	1	1	46	31
Frederick	942	–	1	13	239	64	68	11	26	16	8	46	20	414	319	4	8	170	137
Frederick	327	–	–	5	79	21	21	3	11	4	1	18	6	147	108	–	4	61	43
Balance of county	615	–	1	8	160	43	47	8	15	12	7	28	14	267	211	4	4	109	94
Garrett	279	–	–	6	54	12	10	10	8	4	3	7	5	140	111	1	1	68	41
Harford	874	–	–	14	245	60	80	16	25	7	8	49	20	461	391	5	14	240	132
Aberdeen	86	–	–	–	24	4	10	–	2	–	1	7	1	40	33	1	1	28	3
Balance of county	688	–	–	14	221	56	70	16	23	7	7	42	19	421	358	4	13	212	129
Howard	679	2	–	10	153	30	44	12	10	9	5	43	9	292	252	2	6	118	126
Kent	212	1	–	3	53	17	17	–	4	2	–	13	3	105	83	2	1	40	40
Montgomery	4,237	3	1	67	1,082	276	237	104	103	38	47	277	57	1,639	1,412	12	34	816	550
Gaithersburg	312	–	–	5	68	17	14	5	6	4	1	21	4	119	94	–	3	64	27
Rockville	638	–	–	11	160	49	40	17	11	3	7	33	16	273	220	1	7	139	73
Takoma Park, part	103	–	–	1	27	5	7	1	4	1	2	7	1	39	33	–	1	13	19
Takoma Park, total	140	–	–	1	37	8	9	4	6	1	2	9	1	50	40	–	2	13	25
Balance of county	3,184	3	1	50	827	205	176	81	82	30	37	216	36	1,408	1,065	11	23	600	431
Prince George's	4,275	2	–	96	998	225	271	105	110	35	35	217	105	1,753	1,376	5	76	614	681
Bowie	186	–	–	6	40	9	14	4	3	1	1	8	6	82	62	–	1	31	30
College Park	139	–	–	2	31	6	8	3	4	2	2	6	3	69	54	1	1	29	23
Greenbelt	115	–	–	4	29	4	8	4	3	–	1	9	2	48	38	–	1	14	23
Hyattsville	495	–	–	11	121	29	32	15	12	7	4	22	6	221	180	–	6	84	90
Laurel	104	–	–	3	27	3	9	5	2	3	–	5	2	43	39	–	1	19	19
New Carrollton	49	–	–	–	11	2	3	3	1	1	–	1	–	19	18	–	–	13	3
Takoma Park, part	37	–	–	–	10	1	2	3	2	–	–	2	–	11	7	–	1	–	6
Balance of county	3,150	2	–	70	729	171	195	68	83	21	27	164	86	1,260	980	4	65	424	487

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maine—Con.																			
Aroostook	2	62	1	9	30	34	1	6	2	–	9	6	7	79	12	21	9	2	–
Presque Isle	–	5	–	2	3	7	–	–	–	–	2	3	3	9	3	2	3	–	–
Balance of county	2	57	1	7	27	27	1	6	2	–	7	5	4	64	9	19	6	2	–
Cumberland	12	137	36	30	79	94	3	23	22	–	10	14	23	180	40	42	28	3	2
Portland	3	46	10	11	25	31	2	12	11	–	3	5	12	72	13	16	7	2	1
South Portland	–	15	2	5	16	10	1	5	1	–	–	2	1	22	5	5	1	1	1
Westbrook	1	9	4	2	3	4	–	–	2	–	–	2	3	7	3	2	3	–	–
Balance of county	8	67	20	12	35	49	–	6	8	–	7	5	7	79	19	19	15	–	–
Franklin	–	17	8	5	10	16	1	2	2	1	1	–	–	14	8	6	2	–	–
Hancock	–	27	–	10	31	33	1	1	5	–	2	2	1	50	11	8	4	1	–
Kennebec	6	70	10	6	39	68	3	12	11	–	3	4	6	85	14	17	8	3	–
Augusta	1	16	4	–	10	20	–	5	3	–	–	1	2	31	4	2	2	–	–
Waterville	1	12	2	3	9	16	–	–	2	–	–	1	1	15	–	1	2	–	–
Balance of county	4	42	4	3	20	33	3	7	6	–	3	2	3	39	10	14	4	3	–
Knox	–	32	3	6	20	21	–	4	2	–	4	2	3	36	9	4	2	–	–
Lincoln	–	28	4	4	13	14	2	2	2	–	1	1	–	31	2	5	2	1	–
Oxford	4	32	14	5	16	28	–	6	6	–	1	1	2	60	11	7	9	1	–
Penobscot	3	80	8	16	61	58	7	13	9	–	7	10	7	102	21	20	16	3	–
Bangor	1	23	–	4	16	17	3	4	2	–	2	5	1	39	3	5	4	1	–
Balance of county	2	57	8	12	45	41	4	9	7	–	5	5	6	63	18	15	12	2	–
Piscataquis	–	15	6	2	7	13	1	1	4	–	1	1	3	26	2	7	2	–	–
Sagadahoc	1	18	2	2	8	13	2	4	3	–	2	2	1	13	2	5	3	–	–
Bath	–	12	–	1	6	4	–	1	1	–	1	1	1	7	2	2	2	–	–
Balance of county	1	6	2	1	2	9	2	3	2	–	1	1	–	6	–	3	1	–	–
Somerset	–	28	6	4	12	19	1	8	9	–	2	–	2	38	13	7	4	1	–
Waldo	3	27	8	6	11	14	4	3	4	–	1	2	1	19	10	4	4	1	–
Washington	2	25	5	8	14	15	1	2	1	–	–	1	4	36	6	11	4	–	–
York	5	107	32	19	41	38	3	19	11	–	8	6	10	109	24	27	23	3	1
Biddeford	2	16	11	4	4	6	1	4	–	–	–	1	2	17	3	5	3	–	–
Saco	–	5	2	2	3	2	–	–	1	–	1	–	1	12	–	–	1	1	–
Balance of county	3	86	19	13	34	30	2	15	10	–	7	5	7	80	21	22	19	2	1
Maryland	170	2,313	267	411	1,061	1,200	107	391	479	6	237	446	310	3,708	794	717	545	422	111
Urban places	72	846	85	148	419	441	47	181	205	3	82	189	113	1,584	180	297	142	263	54
Balance of area	98	1,467	182	263	642	759	60	210	274	3	155	257	197	2,122	614	420	403	159	57
Metropolitan counties	150	1,940	197	362	920	1,023	94	341	431	6	211	395	274	3,262	641	619	473	398	101
Urban places	67	768	76	137	402	418	45	170	199	3	80	176	110	1,494	162	284	133	256	52
Balance of area	83	1,172	121	225	518	605	49	171	232	3	131	219	164	1,768	479	335	340	142	49
Nonmetropolitan counties	20	373	70	49	141	177	13	50	48	–	26	51	36	444	153	98	72	24	10
Urban places	5	78	9	11	17	23	2	11	6	–	2	13	3	90	18	13	9	7	2
Balance of area	15	295	61	38	124	154	11	39	42	–	24	38	33	354	135	85	63	17	8
Allegany	2	61	11	16	31	39	4	9	10	–	6	5	3	86	12	17	9	2	2
Cumberland	–	32	5	5	18	16	2	5	4	–	–	1	1	43	2	8	3	2	2
Balance of county	2	29	6	11	13	23	2	4	6	–	6	4	2	43	10	9	6	–	–
Anne Arundel	14	157	10	32	63	90	4	25	35	–	29	35	23	251	100	41	48	20	9
Annapolis	4	32	3	2	12	15	1	1	4	–	4	5	5	38	7	9	5	3	1
Balance of county	10	125	7	30	51	75	3	24	31	–	25	30	18	213	93	32	43	17	8
Baltimore	29	342	27	59	171	192	16	45	84	1	24	46	35	542	85	85	81	37	13
Baltimore city	51	546	44	89	290	290	32	136	161	2	49	126	78	1,127	95	215	94	239	45
Calvert	1	17	16	6	8	7	1	2	3	–	3	1	5	33	16	5	5	1	1
Caroline	1	20	5	5	15	11	–	5	2	–	–	1	2	20	10	5	1	1	1
Carroll	4	62	1	8	30	30	1	4	6	1	8	6	7	55	36	27	20	4	2
Cecil	2	25	3	1	15	14	2	6	7	–	1	6	3	31	24	8	4	2	2
Charles	2	26	1	5	14	15	2	2	3	–	5	11	3	49	28	9	14	2	–
Dorchester	3	31	4	2	12	17	1	3	2	–	–	4	1	45	10	14	2	2	–
Cambridge	1	13	2	1	2	8	–	2	1	–	–	2	–	28	1	7	1	2	–
Balance of county	2	18	2	1	10	9	1	1	1	–	–	2	1	17	9	7	1	–	–
Frederick	6	70	7	12	26	37	–	11	9	–	6	16	7	86	27	11	15	1	3
Frederick	2	29	2	6	10	10	–	5	4	–	–	6	2	35	9	3	4	1	1
Balance of county	4	41	5	6	16	27	–	6	5	–	6	10	5	51	18	8	11	–	2
Garrett	–	19	7	3	12	10	1	1	2	–	2	2	1	29	5	6	2	1	–
Harford	4	46	13	7	19	22	2	8	13	–	10	9	8	74	33	18	12	4	2
Aberdeen	–	5	1	1	3	3	–	1	3	–	2	2	–	4	2	1	–	–	–
Balance of county	4	41	12	6	16	19	2	7	10	–	8	7	8	70	31	17	12	4	2
Howard	1	30	–	9	26	25	2	8	5	–	3	11	4	66	25	13	17	4	4
Kent	1	19	–	2	5	7	1	–	4	–	1	–	1	19	2	3	3	1	–
Montgomery	20	300	47	60	132	153	14	38	50	–	37	52	41	427	64	77	78	15	10
Gaithersburg	2	19	1	3	16	13	2	6	5	–	5	10	2	36	6	4	9	2	–
Rockville	2	35	8	8	19	25	1	6	7	–	7	5	6	71	13	11	4	–	3
Takoma Park, part	–	5	1	–	3	4	2	1	1	–	2	8	2	10	–	2	–	–	–
Takoma Park, total	1	6	2	1	4	6	2	1	2	1	2	8	4	14	1	6	–	–	–
Balance of county	16	241	37	49	94	111	9	25	37	–	23	29	31	310	45	60	65	13	7
Prince George's	16	268	34	59	95	109	10	50	49	2	33	85	65	455	118	95	82	62	11
Bowie	3	13	–	4	2	6	1	3	3	–	1	3	1	19	5	3	5	–	–
College Park	–	11	1	3	3	5	–	1	–	–	2	–	–	13	3	4	2	–	1
Greenbelt	1	7	1	1	3	2	–	3	–	–	1	1	2	15	2	3	–	–	–
Hyattsville	1	27	5	8	13	11	3	4	4	–	4	7	8	50	9	12	5	6	–
Laurel	–	2	1	1	1	3	1	1	3	–	–	1	–	12	4	1	2	–	–
New Carrollton	–	2	–	1	–	1	–	1	2	–	–	5	–	5	3	–	1	1	–
Takoma Park, part	1	1	1	1	1	2	–	–	1	1	–	–	2	4	1	4	–	–	–
Balance of county	10	205	25	40	72	79	5	37	36	1	25	68	52	337	91	68	67	55	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (080-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	267	-	-	4	59	17	16	3	3	2	3	15	3	127	113	-	4	43	66
St. Mary's	482	-	-	9	100	26	28	4	13	6	-	23	7	198	147	-	3	94	50
Somerset	300	-	-	5	73	18	23	4	12	4	-	12	2	140	105	-	7	54	44
Talbot	349	-	-	4	91	23	26	7	9	1	3	22	3	154	125	-	5	85	35
Washington	1,059	-	-	10	228	64	55	14	27	12	9	47	21	531	426	2	11	286	127
Hagerstown	518	-	-	5	115	36	30	7	14	8	1	19	9	270	223	-	7	148	68
Balance of county	541	-	-	5	113	28	25	7	13	4	8	28	12	261	203	2	4	138	59
Wicomico	691	-	-	8	162	38	53	11	20	6	3	31	10	335	249	1	9	130	109
Salisbury	331	-	-	2	73	21	21	3	9	3	1	15	7	177	130	-	5	66	59
Balance of county	360	-	-	6	89	17	32	8	11	3	2	16	3	158	119	1	4	64	50
Worcester	412	-	-	3	109	37	28	8	11	3	1	21	12	194	154	1	6	84	63
Massachusetts	55,803	32	1	861	13,078	3,519	3,359	1,249	1,388	541	445	2,577	978	25,975	20,724	168	500	14,987	5,069
Urban places	41,940	28	1	679	9,611	2,581	2,444	933	1,008	404	316	1,925	743	19,672	15,767	120	375	11,489	3,783
Balance of area	13,863	4	-	182	3,467	938	915	316	380	137	129	652	235	6,303	4,957	48	125	3,498	1,286
Metropolitan counties	52,742	29	1	828	12,276	3,317	3,144	1,167	1,302	509	406	2,431	916	24,602	19,719	160	451	14,288	4,820
Urban places	41,457	27	1	674	9,472	2,553	2,409	920	994	400	303	1,893	728	19,466	15,622	120	367	11,376	3,759
Balance of area	11,285	2	-	154	2,804	764	735	247	308	109	103	538	188	5,136	4,097	40	84	2,912	1,061
Nonmetropolitan counties	3,061	3	-	33	802	202	215	82	86	32	39	146	62	1,373	1,005	8	49	699	249
Urban places	483	1	-	5	139	28	35	13	14	4	13	32	15	208	145	-	8	113	24
Balance of area	2,578	2	-	28	663	174	180	69	72	28	26	114	47	1,167	860	8	41	586	225
Barnstable	2,169	3	-	23	587	148	163	60	56	20	29	111	44	981	698	6	37	497	158
Barnstable town#	483	1	-	5	139	28	35	13	14	4	13	32	15	206	145	-	8	113	24
Balance of county	1,686	2	-	18	448	120	128	47	42	16	16	79	29	775	553	6	29	384	134
Berkshire	1,539	2	-	26	335	81	97	39	35	13	11	59	26	761	598	6	10	374	208
North Adams	223	-	-	1	44	10	15	3	4	3	2	7	4	126	98	2	1	66	29
Pittsfield	519	1	-	10	127	31	30	19	17	4	7	19	6	239	198	1	4	111	82
Balance of county	797	1	-	15	164	40	52	17	14	6	2	33	14	396	302	3	5	197	97
Bristol	4,552	1	-	61	995	287	259	98	102	34	28	187	85	2,396	1,773	19	35	1,461	258
Attleboro	305	-	-	3	73	17	17	13	8	4	2	12	4	136	93	2	-	71	20
Fairhaven town#	186	-	-	1	37	13	6	5	4	-	1	8	2	104	79	1	3	54	21
Fall River	1,108	-	-	15	243	71	65	16	32	4	7	48	19	616	459	5	9	404	41
New Bedford	1,126	1	-	15	227	70	54	20	19	7	6	51	30	599	460	5	13	377	65
North Attleborough town#	147	-	-	1	36	10	8	6	3	2	2	5	4	71	39	-	-	32	7
Somerset town#	183	-	-	-	41	7	19	5	5	2	-	3	3	108	83	1	2	65	15
Taunton	449	-	-	13	95	25	25	13	10	6	4	12	7	231	166	1	2	129	34
Balance of county	1,048	-	-	13	243	74	65	20	21	9	6	48	18	531	394	4	6	329	55
Dukes	125	-	-	1	37	10	8	5	6	-	2	6	2	54	44	-	2	32	10
Essex	6,429	4	-	77	1,453	398	354	141	169	66	41	284	103	3,142	2,532	14	35	1,924	559
Amesbury town#	170	-	-	2	31	7	9	2	5	1	1	6	3	88	72	-	-	59	13
Andover town#	215	2	-	3	51	16	7	4	3	4	-	17	3	113	90	-	1	77	12
Beverly	360	-	-	6	100	22	23	8	19	6	5	17	5	151	120	1	-	88	31
Danvers town#	286	1	-	1	56	13	10	11	4	3	1	14	3	155	121	-	1	83	37
Gloucester	276	-	-	3	67	18	18	7	9	4	2	9	5	134	101	1	-	71	29
Haverhill	574	-	-	5	127	31	32	9	17	7	4	27	8	278	217	5	6	174	32
Lawrence	735	-	-	9	130	42	29	15	11	4	1	28	13	385	322	1	2	262	57
Lynn	943	-	-	10	216	60	57	16	21	11	10	41	9	470	388	1	5	321	61
Lynnfield town#	104	-	-	2	32	8	6	5	5	-	2	6	-	49	40	-	-	29	11
Marblehead town#	163	-	-	1	42	17	11	2	2	1	3	6	2	75	60	-	1	47	12
Methuen town#	381	-	-	4	80	28	14	3	8	7	3	17	6	197	152	-	1	126	25
Newburyport	176	-	-	2	31	13	7	3	4	-	1	3	8	81	66	-	1	48	17
Peabody	382	-	-	4	94	21	26	9	13	3	1	21	6	203	157	1	3	92	61
Salem	375	1	-	8	77	25	23	10	9	2	1	7	6	195	155	1	7	113	34
Saugus town#	210	-	-	1	55	11	16	8	7	2	-	11	4	100	86	-	2	65	19
Swampscott town#	161	-	-	3	35	10	5	4	3	2	1	10	-	83	71	-	1	57	13
Balance of county	918	-	-	13	229	56	61	25	29	9	5	44	22	387	314	3	4	212	95
Franklin	699	-	-	8	164	42	40	17	20	11	7	27	10	308	240	2	9	154	75
Hampden	4,667	1	-	59	1,039	295	255	95	112	47	29	206	67	2,293	1,799	7	42	1,208	542
Agawam town#	260	-	-	1	50	6	12	4	10	4	2	12	2	130	93	-	4	57	32
Chicopee	665	1	-	8	164	44	40	19	14	5	3	39	14	338	275	2	8	179	86
Holyoke	625	-	-	5	123	38	28	12	18	5	3	21	8	325	256	1	5	173	77
Longmeadow town#	131	-	-	2	24	6	3	5	3	-	2	5	3	76	64	-	1	39	24
Springfield	1,620	-	-	31	345	99	87	30	31	16	10	72	23	756	590	2	14	395	179
Westfield	363	-	-	2	77	20	22	6	13	3	1	12	6	188	158	1	2	113	40
West Springfield town#	263	-	-	2	54	15	11	6	8	2	1	11	2	136	99	-	1	74	24
Balance of county	740	-	-	8	202	67	52	13	17	12	7	34	9	344	266	1	7	178	80
Hampshire	1,060	-	-	11	255	59	63	22	34	14	10	53	11	504	403	5	12	279	107
Amherst town#	96	-	-	-	26	5	5	3	5	3	-	5	1	48	33	-	3	18	12
Easthampton town#	148	-	-	-	26	4	10	4	3	1	-	4	4	69	58	2	1	45	10
Northampton	287	-	-	5	64	18	20	3	4	3	3	13	1	145	112	-	1	74	37
Balance of county	529	-	-	6	139	32	28	12	22	7	7	31	5	242	200	3	7	142	48
Middlesex	12,000	5	-	169	2,945	804	749	304	292	120	102	574	243	5,425	4,366	31	67	3,452	816
Arlington town#	512	-	-	4	144	52	28	11	17	5	5	26	13	224	178	1	8	142	28
Belmont town#	286	-	-	5	63	22	15	9	8	2	-	7	2	125	105	-	5	80	20
Billerica town#	208	-	-	1	64	19	15	6	11	2	2	9	2	83	73	2	-	62	9
Burlington town#	140	-	-	2	41	21	9	4	3	2	1	1	-	55	45	-	-	33	12
Cambridge	811	-	-	15	178	45	41	23	20	6	6	37	16	356	288	-	5	242	41
Chelmsford town#	230	1	-	4	62	18	13	10	4	4	-	13	10	108	82	-	1	64	17
Dracut town#	146	-	-	1	43	8	8	5	7	4	1	10	3	62	52	-	1	43	8
Everett	390	1	-	6	97	24	24	11	8	7	4	19	3	191	159	1	-	127	31
Framingham town#	586	-	-	8	132	31	38	18	9	3	3	30	12	271	210	4	5	166	35

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	2	10	–	2	6	4	–	3	7	–	1	2	1	24	11	4	9	2	–
St. Mary's	3	41	2	5	18	13	2	5	4	–	5	9	9	43	23	20	14	1	2
Somerset	1	27	4	3	4	16	–	3	1	–	3	1	1	27	5	13	4	2	–
Talbot	–	24	3	2	13	19	2	5	2	–	2	3	1	28	9	5	6	1	1
Washington	5	77	6	17	34	44	5	10	6	–	6	3	3	99	21	14	14	7	1
Hagerstown	2	31	4	10	18	22	–	1	1	–	3	2	2	47	10	7	3	3	–
Balance of county	3	46	2	7	16	22	5	9	7	–	3	1	1	52	11	7	11	4	1
Wicomico	2	64	14	6	12	23	3	10	3	–	3	7	3	61	21	9	9	10	2
Salisbury	2	36	5	4	5	5	2	4	1	–	2	5	1	27	8	3	4	4	1
Balance of county	–	28	9	2	7	18	1	6	2	–	1	2	2	34	13	6	5	6	1
Worcester	–	31	8	1	10	13	2	2	9	–	–	5	4	29	14	3	2	1	–
Massachusetts	189	3,764	578	710	2,487	1,927	145	751	634	–	253	358	364	5,202	811	1,023	539	222	162
Urban places	155	2,823	402	525	1,919	1,441	107	564	485	–	182	278	276	3,932	528	758	390	197	139
Balance of area	44	941	176	185	568	486	38	187	149	–	61	80	88	1,270	283	265	149	25	23
Metropolitan counties	181	3,516	508	668	2,362	1,821	142	719	606	–	244	342	351	4,878	769	968	515	217	158
Urban places	153	2,781	393	517	1,905	1,429	105	560	484	–	191	277	276	3,871	525	744	368	186	138
Balance of area	38	735	115	151	457	392	37	159	122	–	53	65	75	1,005	244	224	127	21	20
Nonmetropolitan counties	8	248	70	42	125	106	3	32	28	–	9	16	13	326	42	55	24	5	4
Urban places	2	42	9	6	14	12	2	4	1	–	1	1	–	61	3	14	2	1	1
Balance of area	6	206	61	34	111	94	1	28	27	–	8	15	13	265	39	41	22	4	3
Barnstable	5	182	61	35	85	60	3	20	20	–	5	9	8	226	27	44	16	4	4
Barnstable town#	2	42	9	8	14	12	2	4	1	–	1	1	–	61	3	14	2	1	1
Balance of county	3	140	52	27	71	48	1	16	19	–	4	8	8	165	24	30	14	3	3
Berkshire	6	101	31	25	71	53	4	17	20	–	5	3	9	133	23	23	23	2	3
North Adams	1	24	2	1	4	8	–	5	–	–	1	–	–	16	4	6	4	–	–
Pittsfield	–	31	4	6	28	14	2	2	10	–	2	1	4	48	7	3	8	2	3
Balance of county	5	46	25	18	39	31	2	10	10	–	2	2	5	69	12	14	11	–	–
Bristol	17	483	69	54	171	124	14	61	45	–	16	23	30	330	75	64	38	11	10
Attleboro	1	34	1	7	16	8	4	4	–	–	3	3	4	27	9	5	5	1	–
Fairhaven town#	–	23	1	1	6	7	–	2	3	–	–	–	1	15	4	1	1	1	1
Fall River	7	122	20	8	25	27	3	15	15	–	2	4	10	75	10	16	7	4	2
New Bedford	7	95	24	13	47	39	1	17	11	–	3	6	6	74	16	19	7	2	6
North Attleborough town#	–	29	1	2	9	2	1	–	1	–	2	1	1	11	6	1	–	–	–
Somerset town#	1	20	3	1	7	4	–	2	1	–	–	–	1	8	3	3	2	–	–
Taunton	–	57	2	6	23	10	–	6	3	–	3	5	2	38	4	4	3	1	1
Balance of county	1	103	17	16	38	27	5	15	11	–	5	4	5	82	23	15	13	2	–
Dukes	–	8	2	–	3	5	–	1	1	–	–	–	–	20	–	1	–	–	–
Essex	20	444	74	72	280	277	9	86	71	–	27	30	31	567	78	99	62	17	9
Amesbury town#	–	11	2	1	10	10	–	2	3	–	1	2	1	14	3	1	1	–	–
Andover town#	–	14	4	5	6	5	–	5	1	–	–	1	1	16	1	4	3	–	–
Beverly	–	22	5	4	24	17	–	4	5	–	1	2	3	30	3	6	3	–	–
Danvers town#	–	29	1	4	15	7	–	3	2	–	–	1	–	34	3	2	3	–	–
Gloucester	–	22	5	6	9	12	1	2	6	–	1	3	1	20	4	5	2	1	–
Haverhill	4	33	20	4	19	14	3	5	6	–	4	3	5	70	11	10	3	3	–
Lawrence	2	52	6	3	27	31	1	14	8	–	6	13	5	61	6	11	11	4	–
Lynn	2	61	9	10	40	47	1	18	7	–	6	6	7	70	9	19	4	2	2
Lynnfield town#	–	6	1	2	5	3	–	1	3	–	–	–	–	5	1	–	2	–	1
Marblehead town#	–	11	1	3	6	10	–	2	3	–	1	–	–	16	2	3	–	–	–
Methuen town#	2	34	4	5	20	20	1	3	2	–	–	–	3	30	3	3	8	–	1
Newburyport	–	13	2	–	9	13	–	2	6	–	–	–	–	19	2	3	–	–	–
Peabody	2	30	6	6	16	13	–	3	2	–	1	2	1	24	3	5	3	1	1
Salem	1	28	2	9	19	17	1	5	1	–	3	–	–	33	1	2	2	2	2
Saugus town#	1	11	–	2	9	12	–	2	4	–	2	–	2	12	2	2	2	–	1
Swampscott town#	–	11	–	1	9	5	–	1	1	–	–	1	–	19	3	–	1	–	–
Balance of county	6	56	4	7	37	41	–	14	11	–	1	5	2	94	21	23	14	4	–
Franklin	3	53	6	6	31	41	–	10	7	–	4	6	5	75	14	8	7	1	–
Hampden	22	328	78	66	185	192	18	49	54	–	24	34	41	378	76	84	37	16	20
Agawam town#	1	20	11	5	11	9	1	2	6	–	1	1	8	28	3	4	2	1	–
Chicopee	3	42	10	8	18	27	1	6	10	–	5	3	6	37	11	9	4	2	1
Holyoke	2	54	4	9	30	21	5	8	2	–	2	5	1	64	8	8	6	3	1
Longmeadow town#	–	11	–	1	5	2	–	1	–	–	–	–	1	11	3	1	2	–	–
Springfield	13	102	24	27	69	80	4	17	27	–	9	13	11	145	27	33	8	9	13
Westfield	1	23	6	2	15	13	2	3	3	–	2	4	3	23	9	8	4	–	1
West Springfield town#	2	22	8	5	11	10	–	4	2	–	3	3	3	24	1	3	3	–	2
Balance of county	–	54	15	9	26	30	5	8	4	–	2	5	8	46	14	16	8	1	2
Hampshire	4	70	9	18	51	30	5	12	13	–	4	9	7	91	20	21	10	3	3
Amherst town#	–	11	1	3	4	2	–	–	2	–	1	–	1	8	1	–	1	1	–
Easthampton town#	2	8	–	1	5	10	2	1	1	–	1	1	1	15	5	5	1	1	–
Northampton	2	24	2	5	17	5	1	6	2	–	1	1	–	22	4	9	4	–	–
Balance of county	–	27	6	9	25	13	2	5	8	–	1	7	5	46	10	7	4	1	3
Middlesex	31	792	83	153	544	410	25	175	127	–	64	64	72	1,192	154	206	126	34	20
Arlington town#	3	36	3	3	17	16	2	7	5	–	3	2	3	52	2	12	5	–	–
Belmont town#	2	13	2	3	14	16	1	4	3	–	1	–	–	41	4	3	3	–	1
Billerica town#	–	8	1	1	11	6	–	5	3	–	1	2	3	18	6	1	1	1	–
Burlington town#	–	6	2	2	11	4	–	4	1	–	–	–	1	14	1	2	3	1	–
Cambridge	1	55	2	10	38	23	1	8	11	–	6	6	7	100	10	22	8	4	4
Chelmsford town#	–	19	2	5	5	8	1	2	2	–	2	1	–	19	1	1	2	–	1
Dracut town#	–	8	1	1	3	6	–	4	4	–	1	2	–	9	5	2	–	–	1
Everett	1	25	2	4	14	11	2	4	8	–	1	–	2	40	3	3	3	1	–
Framingham town#	4	44	2	11	38	11	1	6	2	–	2	5	3	72	8	9	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	122	-	-	1	29	11	7	3	4	-	-	4	1	54	49	-	-	39	10
Lexington town#	244	-	-	4	49	14	6	5	7	4	2	11	3	112	88	2	1	69	16
Lowell	1,021	2	-	5	220	58	58	23	25	11	4	41	41	487	395	2	3	324	66
Malden	555	-	-	9	143	39	38	17	12	3	8	26	7	245	192	1	-	150	41
Marlborough	283	-	-	7	64	19	18	7	8	1	2	9	6	138	117	1	2	89	25
Medford	615	-	-	9	169	43	40	19	18	7	5	37	14	281	242	1	2	187	52
Melrose	344	-	-	5	71	20	18	6	5	1	2	19	1	178	138	-	1	115	20
Natick town#	284	-	-	3	65	15	14	4	8	2	4	18	8	115	92	1	1	70	20
Newton	684	-	-	11	164	48	35	16	18	12	7	28	8	316	260	1	3	210	46
Reading town#	172	-	-	4	48	10	16	4	4	2	2	10	2	68	56	-	1	47	8
Somerville	786	-	-	14	172	44	44	14	18	10	3	39	30	334	273	1	2	225	45
Stoneham town#	198	-	-	5	45	13	11	3	4	3	1	10	2	107	84	-	2	64	18
Tewksbury town#	169	-	-	3	49	12	15	5	4	-	1	12	4	71	59	-	-	49	10
Wakefield town#	235	-	-	2	63	21	11	5	6	3	3	14	3	111	93	1	1	77	14
Waltham	513	1	-	7	128	32	44	14	10	3	5	20	9	229	169	1	-	132	38
Watertown town#	378	-	-	9	85	26	26	6	4	6	4	13	5	177	143	-	1	113	29
Wilmington town#	100	-	-	2	28	6	10	2	-	-	1	9	1	41	32	-	2	27	3
Winchester town#	172	-	-	1	39	11	7	8	2	1	-	10	1	89	70	1	1	51	17
Woburn	304	-	-	4	82	21	20	7	7	7	5	15	4	130	103	1	-	83	19
Balance of county	1,532	-	-	18	408	101	120	39	41	9	21	77	32	667	520	9	19	372	120
Nantucket	68	-	-	1	14	2	4	-	4	1	1	2	6	30	23	-	1	16	6
Norfolk	5,789	5	-	81	1,462	388	389	140	136	52	49	308	82	2,668	2,145	19	57	1,575	494
Braintree town#	397	-	-	7	82	22	15	9	8	5	3	20	6	214	169	1	6	129	33
Brookline town#	596	2	-	12	143	42	35	12	17	7	4	26	6	275	224	4	5	157	56
Dedham town#	236	-	-	2	57	14	22	2	7	1	2	9	5	99	81	-	2	54	25
Holbrook town#	91	-	-	-	29	5	10	5	2	1	3	3	3	38	32	-	-	27	5
Milton town#	322	-	-	5	83	24	22	6	7	5	1	16	4	147	117	-	2	96	19
Needham town#	303	1	-	9	71	21	13	8	7	2	4	16	6	147	125	2	3	94	26
Norwood town#	305	-	-	6	73	21	21	5	5	3	1	17	3	150	109	1	-	83	25
Quincy	1,003	2	-	9	255	54	78	28	15	8	6	66	10	458	364	-	9	290	65
Randolph town#	302	-	-	5	83	30	16	8	5	3	2	19	5	140	120	2	7	88	23
Stoughton town#	227	-	-	2	66	21	16	10	7	1	2	9	2	96	82	1	1	64	16
Wellesley town#	219	-	-	2	52	13	15	8	6	2	1	7	4	99	78	1	4	52	21
Westwood town#	97	-	-	2	27	4	3	4	5	-	4	7	-	44	36	-	-	27	9
Weymouth town#	505	-	-	8	137	38	40	7	14	3	4	31	6	241	193	4	12	136	41
Balance of county	1,166	-	-	12	304	79	83	26	31	11	12	62	22	521	415	3	6	278	128
Plymouth	3,570	1	1	39	863	221	239	74	98	35	27	169	49	1,587	1,302	8	44	938	312
Abington town#	137	-	-	3	30	8	11	1	3	1	-	6	2	63	50	1	5	37	7
Brockton	950	1	-	13	220	53	57	21	28	7	6	48	10	408	320	3	12	261	44
Plymouth town#	381	-	1	4	90	29	22	9	5	4	2	19	6	184	161	-	3	109	49
Rockland town#	108	-	-	-	27	5	13	1	3	3	1	1	4	50	41	-	4	29	8
Scituate town#	102	-	-	1	17	1	7	2	2	-	1	4	3	50	42	-	3	26	13
Whitman town#	110	-	-	1	30	7	9	4	5	-	2	3	2	47	36	-	-	29	7
Balance of county	1,782	-	-	17	449	118	120	36	52	20	15	88	22	785	652	4	17	447	194
Suffolk	6,716	9	-	170	1,465	391	400	109	140	68	50	307	129	2,694	2,383	24	117	1,367	875
Boston	5,704	7	-	148	1,216	317	347	92	116	53	44	247	109	2,371	1,993	20	109	1,094	770
Chelsea	329	-	-	11	71	21	16	3	10	2	-	19	10	139	124	2	2	82	38
Revere	437	2	-	8	114	32	25	8	7	10	5	27	7	195	155	2	3	105	45
Winthrop town#	246	-	-	3	64	21	12	6	7	3	1	14	3	129	111	-	3	86	22
Worcester	6,420	1	-	135	1,464	393	339	145	184	60	59	284	121	2,991	2,418	27	32	1,710	649
Clinton town#	139	-	-	3	31	3	7	6	3	1	4	7	6	59	49	1	-	41	7
Fitchburg	425	-	-	6	87	17	18	4	11	11	3	23	8	220	182	3	4	120	55
Gardner	223	-	-	3	45	8	15	5	5	1	2	9	7	112	88	1	2	61	24
Leominster	321	-	-	7	81	30	16	7	9	2	3	14	6	160	120	1	3	86	30
Milford town#	185	-	-	6	48	11	9	10	8	1	2	7	3	89	70	1	-	47	22
Shrewsbury town#	206	-	-	3	53	13	11	6	10	3	3	7	3	94	72	1	-	48	23
Webster town#	205	-	-	3	49	9	13	5	10	2	1	9	3	100	83	-	-	58	25
Worcester	1,963	-	-	52	404	105	96	43	47	13	13	87	39	894	720	9	10	492	209
Balance of county	2,753	1	-	52	666	197	154	59	81	26	28	121	46	1,263	1,034	10	13	757	254
Michigan	80,222	44	2	921	17,324	4,192	4,756	1,556	1,914	766	671	3,469	1,495	39,040	31,302	220	717	21,887	8,478
Urban places	47,843	33	-	623	10,128	2,495	2,778	979	1,121	445	368	1,942	881	23,377	18,925	115	509	12,690	5,611
Balance of area	32,379	11	2	298	7,196	1,697	1,978	577	793	321	303	1,527	614	15,663	12,377	105	208	9,197	2,867
Metropolitan counties	64,579	40	1	787	13,937	3,401	3,788	1,304	1,529	608	524	2,783	1,195	31,305	25,272	181	636	17,334	7,121
Urban places	45,978	33	-	608	9,752	2,399	2,673	943	1,082	429	354	1,872	839	22,431	18,215	110	500	12,164	5,441
Balance of area	18,601	7	1	179	4,185	1,002	1,115	361	447	179	170	911	356	8,874	7,057	71	136	5,170	1,680
Nonmetropolitan counties	15,643	4	1	134	3,387	791	968	252	385	158	147	686	300	7,735	6,030	39	81	4,553	1,357
Urban places	1,865	-	-	15	376	96	105	36	39	16	14	70	42	946	710	5	9	526	170
Balance of area	13,778	4	1	119	3,011	695	863	216	346	142	133	616	258	6,789	5,320	34	72	4,027	1,187
Alcona	144	-	-	-	43	8	13	1	8	1	3	11	-	71	56	-	2	42	12
Alger	105	-	-	1	17	7	1	1	2	1	-	5	2	63	47	-	-	39	8
Allegan	613	-	-	7	135	29	34	8	15	11	5	33	11	298	221	3	2	154	62
Holland, part	44	-	-	-	11	1	2	2	2	-	-	4	-	22	15	-	1	11	3
Balance of county	569	-	-	7	124	28	32	6	13	11	5	29	11	276	206	3	1	143	59
Alpena	306	-	-	4	67	22	20	4	4	2	1	14	5	168	147	2	-	121	24
Alpena	140	-	-	1	32	9	13	1	2	1	-	6	2	76	66	2	-	56	8
Balance of county	166	-	-	3	35	13	7	3	2	1	1	8	3	92	81	-	-	65	16
Antrim	218	-	-	3	47	12	13	2	5	3	1	11	1	107	92	1	-	70	21
Arenac	155	-	-	2	31	4	15	3	1	2	-	6	1	77	63	-	-	53	10
Baraga	101	-	-	1	18	2	12	1	2	-	-	1	5	59	51	1	2	42	6
Barry	383	-	-	5	84	21	23	7	9	4	3	17	3	161	120	2	-	95	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Massachusetts—Con.																			
Hudson town#	–	3	2	–	3	7	–	3	–	–	–	4	1	11	1	1	6	–	–
Lexington town#	–	19	1	4	13	8	–	2	4	–	1	–	2	35	4	4	3	–	–
Lowell	2	71	8	11	33	47	2	17	8	–	6	5	4	89	16	19	15	3	2
Malden	1	37	7	8	21	26	–	5	6	–	2	3	12	53	6	7	5	2	3
Marlborough	–	19	–	2	7	7	2	5	5	–	–	1	4	23	4	8	1	1	–
Medford	6	25	3	5	20	19	2	4	9	–	2	–	2	58	5	14	3	4	–
Melrose	1	35	4	2	15	12	2	10	6	–	3	2	1	24	2	9	1	1	1
Natick town#	–	19	2	2	17	8	1	4	2	–	1	–	3	27	3	1	6	–	–
Newton	2	41	2	11	52	20	3	9	11	–	–	–	4	63	6	9	7	–	1
Reading town#	1	7	2	2	6	6	–	1	1	–	3	3	–	20	–	4	4	1	1
Somerville	1	47	5	8	44	27	1	13	12	–	6	4	4	66	7	12	6	6	2
Stoneham town#	–	17	2	4	10	2	–	5	–	–	–	1	–	14	2	4	1	–	–
Tewksbury town#	–	6	1	5	7	6	–	3	3	–	3	2	1	12	2	3	–	–	–
Wakefield town#	1	12	1	4	14	8	–	1	2	–	2	2	1	21	1	3	1	–	–
Waltham	–	42	11	7	26	16	1	11	5	–	–	3	1	52	5	12	4	2	1
Watertown town#	1	23	3	7	25	11	–	6	1	–	2	1	5	28	9	4	7	1	–
Wilmington town#	1	6	–	–	5	5	–	2	–	–	–	1	–	9	2	1	2	1	–
Winchester town#	–	18	–	1	8	5	–	2	2	–	1	–	–	15	3	3	3	–	–
Woburn	–	17	3	7	15	13	–	5	2	–	2	1	2	25	11	8	–	–	–
Balance of county	3	112	9	23	54	56	3	21	8	–	11	13	6	160	25	25	21	2	2
Nantucket	–	5	1	1	6	–	–	1	–	–	–	1	–	5	1	2	1	–	–
Norfolk	23	381	43	77	249	169	17	76	66	–	24	25	34	595	64	120	57	15	17
Braintree town#	3	30	6	6	12	13	–	7	3	–	1	1	2	35	7	5	1	–	1
Brookline town#	4	29	6	12	30	20	2	3	5	–	1	4	4	65	4	12	7	–	1
Dedham town#	1	11	4	2	15	13	2	4	2	–	1	1	3	23	3	3	3	–	–
Holbrook town#	–	6	–	–	5	2	1	–	–	–	–	–	–	8	2	1	1	–	1
Milton town#	–	22	–	8	14	12	1	1	5	–	3	–	2	33	1	8	2	–	1
Needham town#	1	16	1	2	10	10	–	4	1	–	–	1	–	33	2	5	2	1	–
Norwood town#	3	29	4	5	11	12	2	5	2	–	1	–	3	29	3	3	2	–	–
Quincy	3	66	6	19	38	41	1	13	13	–	3	3	6	91	9	29	15	4	5
Randolph town#	–	14	2	4	13	8	–	4	2	–	–	1	2	26	2	6	3	–	2
Stoughton town#	–	13	1	–	5	7	1	2	3	–	2	3	1	24	3	4	2	1	3
Wellesley town#	–	19	–	2	15	5	–	5	2	–	1	–	1	23	2	6	2	–	–
Westwood town#	–	3	3	2	5	4	–	–	2	–	–	–	–	8	1	3	1	–	–
Weymouth town#	2	44	1	1	22	13	–	10	5	–	3	3	2	32	5	10	4	3	1
Balance of county	6	77	9	14	56	29	7	20	21	–	8	8	8	105	20	25	12	6	2
Plymouth	11	207	24	43	178	137	15	65	46	–	15	25	33	317	73	75	26	11	14
Abington town#	2	3	1	7	2	10	1	4	–	–	–	–	1	15	2	3	1	–	–
Brockton	2	63	11	12	48	33	6	15	12	–	7	10	13	97	19	21	8	6	3
Plymouth town#	1	15	2	5	24	11	2	6	5	–	1	2	–	28	4	5	5	2	1
Rockland town#	–	8	1	–	10	6	–	2	–	–	–	–	1	5	2	–	–	–	1
Scituate town#	–	6	1	1	8	3	–	1	2	–	–	1	–	12	–	2	1	–	1
Whitman town#	–	7	–	4	4	6	–	1	5	–	–	2	–	11	1	–	–	–	–
Balance of county	6	105	8	14	82	68	6	36	22	–	7	10	18	149	45	44	11	3	8
Suffolk	19	330	28	74	343	201	20	112	95	–	35	84	47	726	73	158	69	97	49
Boston	16	276	25	59	302	168	20	101	78	–	31	79	44	632	63	140	59	91	45
Chelsea	2	10	–	3	18	15	–	3	4	–	1	2	1	32	6	9	2	3	2
Revere	–	32	2	6	13	10	–	6	9	–	2	2	2	43	3	7	8	2	2
Winthrop town#	1	10	1	6	10	8	–	–	4	–	1	1	–	19	1	2	–	1	–
Worcester	38	360	69	86	290	208	16	64	69	–	28	36	47	607	133	118	67	11	14
Clinton town#	1	7	–	2	10	2	–	1	2	–	2	1	2	10	4	3	2	1	–
Fitchburg	1	25	4	8	13	17	1	5	2	–	1	2	6	37	3	9	7	1	–
Gardner	6	11	–	7	9	5	–	2	1	–	–	1	–	24	6	6	1	–	1
Leominster	5	31	2	2	16	9	2	1	–	–	1	2	5	20	4	2	3	1	1
Milford town#	1	14	3	1	10	3	1	1	2	–	2	1	–	16	2	1	–	–	–
Shrewsbury town#	1	11	7	3	9	6	1	–	1	–	1	–	1	22	7	1	2	1	1
Webster town#	1	13	1	2	6	9	2	1	3	–	–	1	1	18	4	2	2	–	1
Worcester	11	113	30	20	117	60	2	23	31	–	5	17	14	206	29	41	17	5	7
Balance of county	11	155	22	41	100	97	7	30	27	–	16	11	18	254	74	53	33	2	3
Michigan	257	5,427	1,216	838	2,511	2,876	277	1,120	838	11	505	850	407	6,420	1,738	1,467	1,123	1,116	137
Urban places	162	3,215	631	444	1,467	1,566	153	784	523	10	297	594	238	3,867	765	792	636	990	119
Balance of area	95	2,212	585	394	1,044	1,310	124	336	315	1	208	256	169	2,553	973	675	487	126	18
Metropolitan counties	217	4,272	920	624	1,947	2,250	218	965	686	11	413	757	312	5,180	1,319	1,120	928	1,078	130
Urban places	157	3,050	582	427	1,385	1,489	147	767	501	10	289	569	231	3,690	726	764	623	987	117
Balance of area	60	1,222	338	197	562	761	71	198	185	1	124	188	81	1,490	593	356	305	91	13
Nonmetropolitan counties	40	1,155	296	214	564	626	59	155	152	–	92	93	95	1,240	419	347	185	38	7
Urban places	5	165	49	17	82	77	6	17	22	–	8	5	7	177	39	28	13	3	2
Balance of area	35	990	247	197	482	549	53	138	130	–	84	88	88	1,063	380	319	182	35	5
Alcona	–	9	3	3	2	8	1	–	1	–	1	–	–	13	3	1	–	–	–
Alger	–	12	1	3	5	3	–	–	–	–	1	–	–	6	4	2	1	–	–
Allegan	3	51	15	8	19	21	3	6	9	–	10	4	8	42	14	11	10	3	–
Holland, part	–	4	2	1	2	1	–	–	1	–	1	–	–	4	1	–	1	–	–
Balance of county	3	47	13	7	17	20	3	6	8	–	9	4	8	38	13	11	9	3	–
Alpena	1	16	1	3	6	4	–	4	2	–	1	3	–	24	9	6	3	–	–
Alpena	1	8	–	1	2	4	–	3	–	–	1	1	–	10	4	2	2	–	–
Balance of county	–	8	1	2	4	–	–	1	2	–	–	2	–	14	5	4	1	–	–
Antrim	1	10	3	1	17	7	–	–	2	–	3	–	–	13	6	9	3	–	–
Arenac	–	10	2	2	7	6	4	2	1	–	–	–	1	17	4	1	1	–	–
Baraga	–	8	–	–	4	3	–	2	1	–	–	1	1	5	–	1	–	–	–
Barry	3	28	4	6	19	18	1	2	3	–	3	7	–	41	21	7	5	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	983	–	–	5	212	51	55	15	25	13	5	48	17	544	387	1	3	339	44
Bangor township#	116	–	–	2	25	11	5	1	–	1	1	6	2	62	43	1	1	33	8
Bay City	449	–	–	2	93	17	29	8	12	5	1	21	9	261	194	–	2	169	23
Midland, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	417	–	–	1	94	23	21	6	13	7	3	21	6	221	150	–	–	137	13
Benzie	132	–	–	1	32	6	11	2	6	–	1	6	5	57	44	–	–	30	14
Berrien	1,587	2	–	16	357	93	99	23	41	18	9	74	34	755	575	10	18	414	133
Benton Harbor	128	1	–	1	29	12	7	4	3	–	–	3	5	52	36	1	2	24	9
Niles	206	–	–	2	46	11	12	2	6	4	2	9	1	106	84	–	4	59	21
Balance of county	1,253	1	–	13	282	70	80	17	32	14	7	62	28	597	455	9	12	331	103
Branch	379	1	–	1	65	12	19	5	9	2	5	14	9	187	157	1	1	126	29
Calhoun	1,323	1	1	12	291	90	75	21	36	11	11	47	29	621	491	6	11	369	105
Albion	99	–	–	–	23	11	6	1	1	2	–	2	3	41	28	–	–	21	7
Battle Creek	629	–	–	11	141	38	35	6	23	5	7	27	14	287	227	2	8	173	44
Balance of county	595	1	1	1	127	41	34	14	12	4	4	18	12	293	236	4	3	175	54
Cass	425	1	–	5	92	30	27	4	9	1	5	16	3	195	160	–	2	123	35
Charlevoix	199	–	–	2	51	10	17	5	2	4	3	10	1	101	90	–	3	67	20
Cheboygan	223	–	–	2	55	8	23	3	5	5	–	11	1	108	87	–	1	66	20
Chippewa	292	–	–	–	68	16	18	7	7	6	3	11	16	138	108	–	1	84	23
Sault Ste. Marie	176	–	–	–	40	9	11	2	6	2	2	8	10	79	62	–	–	46	16
Balance of county	116	–	–	–	28	7	7	5	1	4	1	3	6	59	46	–	1	38	7
Clare	277	–	–	5	64	16	26	5	3	1	2	11	6	155	140	–	3	111	26
Clinton	366	–	–	6	81	17	20	5	13	3	2	21	9	158	110	–	–	88	22
Lansing, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	364	–	–	6	81	17	20	5	13	3	2	21	9	158	110	–	–	88	22
Crawford	117	–	–	2	26	8	7	1	1	4	–	5	3	55	37	1	–	30	6
Delta	383	–	–	1	83	22	19	9	5	8	4	16	11	204	157	1	2	121	33
Escanaba	186	–	–	1	41	11	10	3	2	4	–	11	3	106	77	1	1	59	16
Balance of county	197	–	–	–	42	11	9	6	3	4	4	5	8	98	80	–	1	62	17
Dickinson	339	–	–	1	61	17	14	1	11	2	1	15	8	164	116	1	2	79	34
Eaton	591	1	–	10	121	26	36	8	13	3	5	30	9	305	239	2	6	171	60
Lansing, part	7	–	–	–	1	–	–	–	1	–	–	–	–	4	4	–	–	3	1
Balance of county	584	1	–	10	120	26	36	8	12	3	5	30	9	301	235	2	6	168	59
Emmet	229	–	–	–	53	14	14	5	4	1	1	14	1	116	95	1	1	82	11
Genesee	3,502	1	–	29	757	170	232	67	84	29	26	149	65	1,689	1,357	4	42	943	368
Burton	245	–	–	1	58	10	21	5	5	4	3	10	2	133	113	–	6	84	23
Flint	1,625	1	–	12	342	81	104	30	41	12	10	64	22	750	599	1	20	416	162
Flint township#	237	–	–	2	49	10	14	2	10	–	5	8	2	131	97	–	2	70	25
Genesee township#	120	–	–	–	26	6	10	3	1	2	1	3	3	64	51	–	2	36	13
Mount Morris township#	151	–	–	4	34	7	11	5	5	–	–	6	8	69	58	–	2	42	14
Balance of county	1,124	–	–	10	248	56	72	22	22	11	7	58	28	542	439	3	10	295	131
Gladwin	218	–	–	2	44	9	16	3	4	3	1	8	4	113	96	–	–	79	17
Gogebic	296	–	–	7	54	15	11	–	11	–	4	13	6	137	114	1	1	79	33
Grand Traverse	475	–	–	4	87	25	31	5	4	5	3	14	8	228	174	–	3	128	43
Traverse City	178	–	–	1	35	11	10	3	2	1	2	6	1	92	69	–	2	44	23
Balance of county	297	–	–	3	52	14	21	2	2	4	1	8	7	136	105	–	1	84	20
Gratiot	404	–	–	1	72	20	11	8	6	–	4	23	4	226	155	3	4	123	25
Hillsdale	382	–	–	5	76	15	24	5	4	5	2	21	9	189	156	1	5	111	39
Houghton	445	–	–	2	110	18	30	9	18	6	1	28	8	243	173	–	3	129	41
Huron	419	–	–	1	98	24	27	5	11	6	6	19	6	210	152	2	1	127	22
Ingham	1,754	1	–	35	413	81	100	52	45	18	16	99	39	786	602	3	16	402	161
East Lansing	141	–	–	1	37	10	7	7	7	1	–	5	2	69	52	–	–	32	20
Lansing, part	957	1	–	28	216	36	55	29	23	7	9	57	28	425	325	1	11	219	94
Lansing, total	966	1	–	28	217	36	55	29	24	7	9	57	26	429	329	1	11	222	95
Meridian township#	189	–	–	3	43	11	11	5	2	5	–	9	4	99	73	–	1	45	27
Balance of county	467	–	–	3	117	24	27	11	13	5	9	28	7	193	152	2	4	106	40
Ionia	417	–	–	3	87	25	18	4	7	4	8	21	12	186	143	4	2	102	35
Iosco	300	1	–	–	72	17	24	4	13	4	1	9	–	155	130	1	3	113	13
Iron	230	–	–	4	50	13	12	5	6	3	2	9	6	104	74	–	–	43	31
Isabella	340	–	–	2	67	20	17	8	6	1	1	14	7	166	133	1	–	103	29
Mount Pleasant	130	–	–	1	15	7	5	1	–	–	–	2	5	66	52	1	–	43	8
Balance of county	210	–	–	1	52	13	12	7	6	1	1	12	2	100	81	–	–	60	21
Jackson	1,319	–	–	14	269	63	68	23	42	13	8	52	20	624	503	2	10	356	135
Jackson	459	–	–	8	79	21	21	9	5	7	2	14	3	225	178	1	4	118	55
Balance of county	860	–	–	6	190	42	47	14	37	6	6	38	17	399	325	1	6	238	80
Kalamazoo	1,656	–	–	22	370	83	103	42	30	23	13	78	25	724	555	8	10	410	127
Kalamazoo	700	–	–	8	147	40	33	16	15	10	7	28	15	309	234	4	4	175	51
Kalamazoo township#	177	–	–	2	45	8	13	8	1	2	2	11	1	77	63	–	–	44	19
Portage	220	–	–	5	53	11	16	7	6	1	–	12	5	97	78	–	1	51	26
Balance of county	559	–	–	7	125	24	41	11	8	10	4	27	4	241	180	4	5	140	31
Kalkaska	118	–	–	1	24	2	5	1	4	–	6	6	3	52	36	–	–	28	8
Kent	3,637	1	–	37	821	193	190	96	93	38	31	180	66	1,694	1,267	8	58	789	412
East Grand Rapids	43	–	–	1	8	4	1	1	–	–	1	1	1	19	14	–	–	9	5
Grand Rapids	1,981	–	–	18	445	104	97	47	52	21	18	108	34	936	681	5	34	433	209
Grandville	88	–	–	2	19	4	7	3	1	1	2	1	2	42	27	–	1	17	9
Kentwood	125	–	–	–	33	10	8	5	4	1	2	3	4	44	33	–	–	20	13
Walker	113	–	–	2	19	6	3	4	1	1	–	4	2	49	33	–	3	22	8
Wyoming	329	1	–	5	68	18	15	7	7	5	2	14	6	155	121	1	5	78	37
Balance of county	948	–	–	11	229	47	59	29	28	9	6	51	17	449	358	2	15	210	131
Keweenaw	31	–	–	1	8	2	1	–	1	1	2	1	1	17	11	–	1	6	4
Lake	122	–	–	–	31	3	11	1	6	3	3	4	1	60	46	–	1	29	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	3	77	64	13	18	19	4	16	10	–	8	7	3	57	30	14	19	–	–
Bangor township#	1	10	6	2	1	1	1	2	1	–	2	1	–	6	5	4	1	–	–
Bay City	1	39	18	9	6	12	2	7	4	–	2	5	–	23	9	5	9	–	–
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	1	28	40	2	11	6	1	7	5	–	4	1	3	28	15	5	9	–	–
Benzie	1	7	4	1	1	10	–	1	1	–	–	1	–	15	1	6	1	–	–
Berrien	3	123	32	22	39	61	4	16	24	–	7	16	11	153	40	27	15	9	1
Benton Harbor	1	11	2	2	3	5	1	2	1	–	–	4	2	12	3	2	2	3	–
Niles	1	14	3	4	6	8	–	2	3	–	–	2	1	18	5	2	2	1	1
Balance of county	1	98	27	16	30	48	3	12	20	–	7	10	8	123	32	23	11	5	–
Branch	2	22	3	3	17	27	–	5	3	–	6	5	–	28	13	7	4	–	–
Calhoun	4	85	30	11	56	67	10	21	13	1	12	7	7	87	36	24	15	12	–
Albion	–	11	–	2	4	5	1	–	2	1	–	–	3	9	3	–	1	3	–
Battle Creek	3	37	19	1	25	31	5	13	8	–	6	6	2	37	15	12	9	7	–
Balance of county	1	37	11	8	27	31	4	8	3	–	6	1	2	41	18	12	5	2	–
Cass	2	21	2	10	6	21	2	5	5	–	4	2	9	42	13	11	5	4	–
Charlevoix	1	9	1	–	6	8	–	2	2	–	2	1	–	11	6	3	3	–	–
Cheboygan	–	12	1	6	10	9	–	4	2	–	–	1	2	15	9	2	5	–	–
Chippewa	1	20	3	6	6	15	3	2	3	–	1	–	–	25	3	7	3	2	–
Sault Ste. Marie	1	11	2	3	5	11	2	2	2	–	–	–	–	15	2	4	2	2	–
Balance of county	–	9	1	3	1	4	1	–	1	–	1	–	–	10	1	3	1	–	–
Clare	–	12	1	2	4	10	–	1	2	–	–	3	2	7	7	6	5	–	–
Clinton	2	34	8	4	9	11	2	6	4	–	4	3	1	30	18	12	11	2	–
Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Balance of county	2	34	8	4	9	11	2	6	4	–	4	3	1	29	18	11	11	2	–
Crawford	1	11	5	1	5	2	–	–	–	–	–	–	1	12	5	1	3	–	2
Delta	2	35	3	7	6	16	4	5	2	–	2	1	1	28	6	6	6	1	–
Escanaba	2	23	3	1	3	7	–	4	1	–	1	–	–	13	3	3	3	–	–
Balance of county	–	12	–	6	3	9	4	1	1	–	1	1	1	15	3	3	6	1	–
Dickinson	2	33	12	1	12	15	1	5	4	–	1	2	7	32	8	9	7	1	1
Eaton	3	46	11	6	16	20	3	4	4	–	4	4	–	51	14	16	6	3	–
Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Balance of county	3	46	11	6	16	20	3	4	4	–	4	4	–	51	13	16	5	3	–
Emmet	–	15	–	6	17	9	–	4	6	–	1	–	–	11	3	5	3	–	–
Genesee	11	236	57	28	75	115	10	40	35	–	26	81	17	258	117	75	52	74	6
Burton	–	12	2	6	2	3	–	3	4	–	4	–	–	15	11	2	4	2	1
Flint	7	113	20	11	38	56	3	22	12	–	10	42	12	124	48	41	23	64	3
Flint township#	–	20	12	2	3	9	3	3	5	–	–	4	–	17	4	2	2	–	1
Genesee township#	1	10	–	2	4	10	–	–	–	–	1	1	–	3	3	4	1	–	–
Mount Morris township#	–	10	1	–	2	3	–	1	1	–	–	6	2	10	4	2	2	2	1
Balance of county	3	71	22	7	26	34	4	11	13	–	11	8	3	89	47	24	20	6	–
Gladwin	1	7	6	3	6	11	1	5	1	–	–	1	–	14	9	4	3	–	–
Gogebic	–	21	1	1	10	11	2	4	2	–	2	2	2	33	4	14	6	–	–
Grand Traverse	1	36	14	3	26	14	3	7	3	–	3	3	6	49	9	16	7	1	1
Traverse City	–	16	6	1	8	6	2	1	3	–	2	–	1	17	3	4	–	1	1
Balance of county	1	20	8	2	18	8	1	6	–	–	1	3	5	32	6	12	7	–	–
Gratiot	–	60	7	4	16	19	2	2	5	–	1	2	1	33	6	10	4	–	–
Hillsdale	–	22	6	5	18	17	–	3	2	–	1	1	2	24	16	11	4	4	–
Houghton	1	52	11	6	12	10	1	4	7	–	2	1	2	30	5	4	4	–	–
Huron	–	50	5	3	19	10	1	8	2	–	3	4	1	30	5	18	3	–	–
Ingham	2	131	34	17	49	63	5	11	20	–	13	28	12	158	32	39	37	12	1
East Lansing	–	12	4	1	5	4	–	1	2	–	1	2	–	9	3	4	–	1	–
Lansing, part	1	76	12	11	30	27	2	8	11	–	5	14	10	91	11	21	23	7	1
Lansing, total	1	76	12	11	30	27	2	8	11	–	5	14	10	92	12	22	24	7	1
Meridian township#	–	13	9	4	3	5	1	2	2	–	1	4	–	14	2	3	3	–	–
Balance of county	1	30	9	1	11	27	2	–	5	–	6	8	2	44	16	11	11	4	–
Ionia	1	26	12	4	13	18	4	5	5	–	5	8	5	27	17	12	10	2	–
Iosco	1	12	7	5	7	9	–	3	2	–	1	5	6	26	8	2	2	1	–
Iron	–	20	2	8	13	12	–	1	1	–	–	–	1	30	3	3	2	–	–
Isabella	–	23	5	5	15	16	1	2	8	–	3	1	1	16	18	9	7	1	–
Mount Pleasant	–	13	1	–	7	6	–	1	7	–	–	1	–	13	3	4	1	–	–
Balance of county	–	10	4	5	8	10	1	1	1	–	3	–	1	3	15	5	6	1	–
Jackson	7	83	21	10	46	90	2	11	19	1	9	12	15	106	35	19	14	13	–
Jackson	4	34	7	2	20	38	1	4	8	–	4	2	7	42	3	7	3	5	–
Balance of county	3	49	14	8	26	52	1	7	11	1	5	10	8	64	32	12	11	8	–
Kalamazoo	6	121	21	21	90	76	12	12	13	1	12	27	7	155	39	43	21	7	–
Kalamazoo	3	55	10	7	45	30	6	7	8	–	5	14	2	56	13	22	9	4	–
Kalamazoo township#	1	8	3	2	11	10	1	1	1	–	1	1	–	20	1	4	1	–	–
Portage	–	12	4	3	8	9	1	1	–	1	2	5	2	17	4	3	5	2	–
Balance of county	2	46	4	9	26	27	4	3	4	–	4	7	3	82	21	14	6	1	–
Kalkaska	1	7	5	3	5	1	1	–	2	–	1	1	2	12	7	4	2	–	–
Kent	12	291	79	45	183	130	12	39	45	1	38	27	22	314	77	69	48	29	4
East Grand Rapids	–	5	–	–	1	3	–	–	–	–	–	–	–	8	–	2	–	–	–
Grand Rapids	7	178	47	23	104	69	9	20	29	1	22	16	15	166	27	40	17	23	2
Grandville	–	13	2	–	6	–	1	–	2	–	1	–	–	7	1	3	2	–	–
Kentwood	–	6	3	2	7	5	–	1	1	–	3	1	1	10	4	4	5	2	–
Walker	–	10	4	2	18	5	–	1	1	–	2	–	–	11	1	7	4	–	–
Wyoming	3	26	1	4	7	11	1	4	3	–	7	4	1	33	10	7	6	–	–
Balance of county	2	53	22	14	22	37	1	13	9	–	3	6	5	79	34	13	14	4	2
Keweenaw	–	5	1	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Lake	–	9	3	2	6	1	–	1	2	–	–	2	2	10	3	1	–	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	508	–	–	11	100	21	23	6	12	2	5	31	17	226	177	–	3	115	59
Leelanau	132	–	–	–	27	4	7	2	6	1	1	6	3	66	54	1	1	39	13
Lenawee	759	–	–	6	157	34	48	17	23	1	8	26	17	342	238	2	2	179	55
Adrian	263	–	–	3	46	10	13	8	4	1	4	6	5	132	90	–	–	60	30
Balance of county	496	–	–	3	111	24	35	9	19	–	4	20	12	210	148	2	2	119	25
Livingston	641	–	–	2	128	33	36	7	19	8	4	21	19	339	271	4	5	195	67
Luce	64	–	–	–	15	4	6	–	1	1	–	3	2	29	25	–	–	21	4
Mackinac	150	–	–	1	39	8	14	5	5	1	3	3	3	69	57	–	1	44	12
Macomb	5,688	4	–	61	1,261	298	354	121	114	59	54	261	97	2,949	2,427	14	29	1,906	478
Clinton township#	360	–	–	9	76	16	19	7	3	2	3	26	3	190	157	2	2	124	29
East Detroit	436	–	–	6	92	23	28	8	12	5	5	11	8	231	187	1	5	155	26
Fraser	129	–	–	1	35	11	9	1	3	2	–	9	–	67	47	–	–	38	9
Harrison township#	118	–	–	2	26	4	5	2	4	1	2	8	2	59	49	–	–	39	10
Mount Clemens	366	–	–	2	78	20	23	7	7	2	1	18	9	182	150	–	3	112	35
Roseville	497	–	–	5	113	26	37	8	8	7	4	23	8	255	205	–	4	160	41
St. Clair Shores	805	1	–	7	191	38	64	17	17	10	9	36	16	428	336	3	3	251	79
Shelby township#	165	–	–	–	37	5	11	4	2	–	3	12	1	84	72	–	3	53	16
Sterling Heights	609	1	–	9	132	37	40	10	13	3	5	24	10	309	261	3	1	195	62
Warren	1,479	2	–	14	331	81	84	47	27	18	14	60	26	763	642	4	4	525	109
Balance of county	724	–	–	6	150	37	34	10	18	9	6	34	14	381	321	1	4	254	62
Manistee	280	–	–	3	57	7	14	8	6	3	–	19	5	155	99	2	3	69	25
Marquette	538	–	–	6	117	29	38	11	16	6	2	15	7	283	228	1	4	181	42
Marquette	169	–	–	2	32	5	9	5	5	2	–	6	5	90	71	–	1	55	15
Balance of county	369	–	–	4	85	24	29	6	11	4	2	9	2	193	157	1	3	126	27
Mason	272	–	–	3	65	11	18	2	7	5	7	15	4	142	109	1	4	80	24
Mecosta	247	–	–	3	45	12	13	4	5	2	–	9	8	127	107	–	3	83	21
Big Rapids	61	–	–	2	12	3	2	–	2	1	–	4	1	30	26	–	2	21	3
Balance of county	186	–	–	1	33	9	11	4	3	1	–	5	7	97	81	–	1	62	18
Menominee	276	–	–	3	67	19	15	8	4	3	3	15	14	117	88	–	3	64	21
Menominee	109	–	–	1	27	6	8	5	1	2	–	5	5	48	39	–	1	28	12
Balance of county	167	–	–	2	40	13	7	3	3	1	3	10	9	69	49	–	2	36	9
Midland	469	–	–	3	120	37	28	7	13	6	7	22	7	213	160	2	1	122	35
Midland, part	271	–	–	3	68	21	17	3	8	1	5	11	5	130	97	1	–	74	22
Midland, total	272	–	–	3	66	21	17	3	8	1	5	11	5	130	97	1	–	74	22
Balance of county	198	–	–	–	54	16	11	4	5	5	2	11	2	83	63	1	1	48	13
Missaukee	111	–	–	–	19	5	6	1	–	3	–	4	–	61	45	1	–	40	4
Monroe	980	–	–	13	224	47	83	20	17	8	7	42	21	470	381	2	10	257	112
Monroe	279	–	–	7	60	9	26	6	7	2	1	9	5	150	121	1	2	86	32
Balance of county	701	–	–	6	164	38	57	14	10	6	6	33	16	320	260	1	8	171	80
Montcalm	487	–	–	7	111	27	28	9	8	5	3	31	10	218	165	–	2	111	52
Montmorency	115	–	–	1	24	6	10	–	3	–	1	4	2	60	51	–	–	43	8
Muskegon	1,383	1	–	17	289	69	78	33	40	14	9	46	20	697	548	2	9	448	89
Muskegon	477	–	–	6	96	28	23	13	11	3	3	15	10	246	185	1	1	145	38
Muskegon Heights	153	1	–	2	35	7	12	4	5	2	1	4	3	68	53	–	2	43	8
Norton Shores	157	–	–	3	35	8	7	4	5	1	1	9	3	77	59	–	–	46	13
Balance of county	596	–	–	6	123	26	36	12	19	8	4	18	4	306	251	1	6	214	30
Newaygo	346	–	–	4	74	18	21	4	13	2	4	12	3	165	137	1	2	92	42
Oakland	7,978	3	–	93	1,769	444	432	185	167	96	77	368	129	4,065	3,291	26	54	2,447	784
Avon township#	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Berkley	153	–	–	2	36	8	5	6	5	1	3	8	3	71	59	–	2	44	13
Beverly Hills	92	–	–	1	23	5	3	6	3	–	2	4	3	50	45	1	–	36	8
Birmingham	226	–	–	1	48	10	9	6	5	4	1	13	4	115	89	2	3	64	20
Bloomfield township#	253	–	–	3	72	18	15	14	4	6	4	11	7	125	98	1	1	73	23
Clawson	109	–	–	–	30	4	9	3	1	4	2	7	1	61	49	–	1	42	6
Farmington	180	1	–	–	35	9	4	2	6	3	2	9	1	110	90	1	4	66	17
Farmington Hills	447	–	–	8	94	25	22	10	7	6	1	23	4	230	189	1	5	129	54
Ferndale	306	–	–	7	55	15	15	5	9	4	4	3	5	174	133	1	3	97	32
Hazel Park	205	–	–	1	47	10	14	6	3	3	3	8	4	91	76	–	1	59	16
Madison Heights	269	–	–	3	50	17	15	3	2	2	1	10	6	144	117	–	1	91	25
Novi	136	–	–	3	30	7	7	2	4	4	2	4	1	76	56	–	–	39	17
Oak Park	259	–	–	2	54	15	11	6	8	3	7	4	2	139	111	1	4	85	21
Pontiac	742	–	–	8	131	32	43	7	11	6	4	28	14	375	304	1	4	219	80
Royal Oak	636	–	–	10	155	33	38	23	13	9	7	32	8	343	283	2	4	202	75
Southfield	813	1	–	15	195	59	39	20	24	8	8	37	16	429	316	3	5	238	70
Troy	392	–	–	2	84	21	18	6	13	6	2	18	4	205	166	–	–	127	39
West Bloomfield township#	206	–	–	1	58	12	14	5	7	3	3	14	5	104	89	2	2	66	19
Balance of county	2,554	1	–	26	572	144	151	55	42	24	21	135	41	1,223	1,021	10	14	768	229
Oceana	207	–	–	1	35	10	11	2	4	2	2	4	7	111	91	3	7	58	22
Ogemaw	203	–	–	1	43	9	13	2	7	1	3	8	6	108	80	1	2	61	16
Ontonagon	105	–	–	1	27	8	6	2	6	1	1	3	6	49	27	–	–	24	3
Osceola	221	–	–	1	52	15	12	3	7	1	3	11	2	98	73	–	–	55	18
Oscoda	98	–	–	4	25	4	8	2	3	1	2	5	–	53	39	–	1	30	8
Otsego	123	–	–	2	28	6	3	3	1	2	2	11	1	53	45	–	–	23	22
Ottawa	1,096	1	–	6	257	64	44	22	41	14	9	63	20	524	396	2	11	280	103
Georgetown township#	88	–	–	1	15	4	4	1	–	1	–	5	4	47	40	–	1	26	13
Grand Haven	163	–	–	–	42	13	6	6	3	3	2	9	2	71	53	–	1	30	22
Holland, part	222	–	–	1	50	14	5	6	10	2	2	11	6	114	88	–	2	66	21
Holland, total	266	–	–	1	61	15	7	8	12	2	2	15	6	136	104	–	3	77	24
Balance of county	623	1	–	4	150	33	29	9	28	8	5	38	8	282	214	2	7	158	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Lapeer	1	32	8	8	14	20	3	4	10	–	6	3	–	49	25	5	13	2	–
Leelanau	–	10	–	2	3	8	–	1	1	–	–	2	2	14	1	2	1	1	–
Lenawee	2	75	18	9	33	49	5	5	9	–	3	6	7	71	28	8	13	–	–
Adrian	1	31	9	1	16	14	2	2	2	–	–	1	3	29	6	1	1	–	–
Balance of county	1	44	9	8	17	35	3	3	7	–	3	5	4	42	22	7	12	–	–
Livingston	3	50	5	10	18	24	2	8	7	–	4	6	3	41	21	9	9	1	–
Luce	–	3	–	1	2	5	1	1	1	–	–	1	–	3	2	1	1	–	–
Mackinac	–	10	–	2	2	7	–	2	1	–	–	–	–	9	5	9	3	–	–
Macomb	12	357	97	56	175	186	14	85	46	–	35	42	17	395	106	89	97	27	2
Clinton township#	1	20	7	5	13	12	4	3	1	–	2	7	1	23	5	4	5	2	–
East Detroit	1	36	5	2	15	14	1	3	5	–	–	3	–	38	4	7	6	2	1
Fraser	–	13	4	3	3	5	–	1	–	–	1	2	–	9	2	2	1	–	–
Harrison township#	–	8	2	–	2	8	1	2	1	–	–	–	–	5	4	1	5	–	–
Mount Clemens	2	23	4	3	8	13	1	4	4	–	2	9	1	31	8	4	8	2	–
Roseville	1	35	8	6	14	15	2	10	5	–	3	4	1	41	4	6	11	–	–
St. Clair Shores	2	58	15	17	28	32	1	12	5	–	4	2	1	48	9	7	11	1	1
Shelby township#	1	9	1	1	5	7	–	3	1	–	2	1	–	10	6	3	1	4	–
Sterling Heights	1	32	5	10	23	17	–	11	4	–	6	4	2	39	20	8	12	2	–
Warren	–	92	23	6	45	39	2	29	10	–	12	3	8	110	23	26	25	11	–
Balance of county	3	31	23	3	19	24	2	7	10	–	3	7	3	41	21	21	12	3	–
Manistee	–	31	19	6	10	11	2	7	3	–	1	2	2	25	2	3	1	1	–
Marquette	1	38	11	5	18	15	1	3	2	–	2	4	1	50	7	14	6	1	1
Marquette	–	14	4	1	7	7	–	–	1	–	–	1	1	17	2	2	1	–	1
Balance of county	1	24	7	4	11	8	1	3	1	–	2	3	–	33	5	12	5	1	–
Mason	1	20	8	4	7	8	–	6	1	–	2	–	–	19	8	4	3	–	–
Mecosta	1	16	–	3	11	9	1	3	2	–	1	2	3	18	7	4	1	1	–
Big Rapids	–	3	–	1	3	2	–	–	1	–	–	–	–	6	2	2	–	–	–
Balance of county	1	13	–	2	8	7	1	3	1	–	1	2	3	13	5	2	1	1	–
Menominee	–	17	9	3	9	9	1	–	1	–	3	4	2	26	10	8	2	–	–
Menominee	–	5	3	1	8	6	–	–	–	–	1	–	–	10	2	2	1	–	–
Balance of county	–	12	6	2	3	3	1	–	1	–	2	4	2	16	8	6	1	–	–
Midland	1	36	10	6	12	13	1	2	3	–	1	1	3	53	21	6	10	–	–
Midland, part	–	24	5	4	10	4	–	1	2	–	–	1	2	36	7	1	3	–	–
Midland, total	–	24	5	4	10	4	–	1	2	–	–	1	2	36	8	1	3	–	–
Balance of county	1	12	5	2	2	9	1	1	1	–	1	–	1	17	14	5	7	–	–
Missaukee	4	9	2	1	2	2	1	–	1	–	2	–	2	11	2	5	2	–	1
Monroe	2	69	6	12	32	43	1	14	6	–	8	14	6	71	24	11	12	9	1
Monroe	–	25	2	2	12	10	–	1	2	–	1	1	2	21	3	1	1	2	–
Balance of county	2	44	4	10	20	33	1	13	4	–	7	13	4	50	21	10	11	7	1
Montcalm	2	34	7	10	23	15	1	3	5	–	1	4	3	45	16	19	3	2	1
Montmorency	–	6	–	3	1	5	–	3	1	–	1	1	–	9	2	5	–	–	–
Muskegon	10	108	20	11	45	50	5	14	13	1	14	13	6	123	26	26	16	7	–
Muskegon	3	42	11	5	15	10	–	5	7	1	6	8	1	41	6	11	5	3	–
Muskegon Heights	3	11	–	1	4	3	–	2	1	–	1	2	2	16	3	7	–	3	–
Norton Shores	2	12	3	1	4	9	1	1	1	–	3	–	–	15	3	1	1	–	–
Balance of county	2	43	6	4	22	28	4	6	4	–	4	3	3	51	14	7	10	1	–
Newaygo	1	17	8	2	12	17	1	–	4	–	2	1	3	29	21	6	4	–	–
Oakland	20	500	69	85	201	291	27	88	75	1	43	83	22	605	154	114	137	56	22
Avon township#	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Berkley	–	9	2	1	6	7	–	3	4	–	–	1	–	10	4	2	2	–	2
Beverly Hills	–	5	–	–	2	2	1	–	–	1	–	–	–	5	2	–	1	1	–
Birmingham	1	16	3	4	8	8	–	2	3	–	2	3	–	27	2	1	1	–	1
Bloomfield township#	1	23	1	2	8	7	1	4	2	–	–	1	–	18	1	1	1	1	1
Clawson	–	10	–	2	3	2	–	2	–	–	1	2	–	3	2	1	1	–	–
Farmington	–	19	–	1	3	5	1	1	3	–	2	–	–	13	3	1	–	–	1
Farmington Hills	1	27	6	7	11	14	1	3	2	–	2	3	1	48	8	6	9	2	3
Ferndale	1	27	6	7	9	8	1	6	1	–	1	–	2	20	4	4	5	3	1
Hazel Park	1	11	1	2	5	9	–	6	3	–	3	–	2	18	2	6	4	3	–
Madison Heights	–	22	1	4	13	7	–	6	–	–	1	3	1	18	6	4	2	4	1
Novi	1	12	6	1	1	4	1	2	2	–	–	1	–	7	4	2	–	1	1
Oak Park	2	19	3	4	3	10	–	1	2	–	3	4	1	19	4	5	6	4	–
Pontiac	2	56	7	6	15	28	2	8	12	–	1	22	2	56	15	17	17	16	3
Royal Oak	4	41	6	9	12	23	3	7	4	–	5	4	1	38	10	2	7	3	1
Southfield	1	82	21	9	29	28	2	3	7	–	1	1	4	56	6	9	5	8	–
Troy	–	33	2	4	4	14	–	3	8	–	6	8	–	26	5	8	13	2	–
West Bloomfield township#	–	13	–	2	2	6	1	–	1	–	–	2	2	18	–	2	6	–	–
Balance of county	5	153	24	20	67	111	13	31	21	–	15	28	6	208	76	43	57	8	7
Oceana	3	10	5	2	12	5	1	2	1	–	1	2	–	17	2	5	3	2	–
Ogemaw	1	11	13	3	9	10	–	1	3	–	–	–	–	10	4	3	5	–	–
Ontonagon	–	13	7	2	–	2	–	2	1	–	–	2	–	6	3	5	1	–	–
Osceola	–	17	3	5	16	7	3	1	2	–	3	3	–	19	6	6	2	–	–
Oscoda	–	9	2	3	1	5	2	3	1	–	–	–	–	1	–	–	2	1	–
Otsego	–	5	1	2	10	2	–	1	2	–	1	1	2	9	3	3	3	2	–
Ottawa	2	61	30	15	47	35	5	13	12	–	5	11	8	86	37	20	7	1	1
Georgetown township#	–	5	–	2	4	–	–	–	2	–	–	–	–	6	5	4	–	–	–
Grand Haven	–	10	7	1	8	5	1	3	1	–	–	2	1	22	1	2	1	1	–
Holland, part	1	14	8	2	9	6	2	–	2	–	3	5	–	18	2	2	2	–	–
Holland, total	1	18	10	3	11	7	2	–	3	–	4	5	–	22	3	2	3	–	–
Balance of county	1	52	15	10	26	24	2	10	7	–	2	4	7	40	29	12	4	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	149	–	–	1	25	1	6	2	3	2	2	7	2	90	76	–	1	59	16
Roscommon	266	–	–	2	74	17	22	6	11	2	6	10	5	131	113	–	–	82	31
Saginaw	1,838	–	–	16	413	91	118	38	54	18	13	81	29	874	664	2	12	497	153
Saginaw	827	–	–	7	169	38	49	14	27	8	5	28	13	390	297	1	7	219	70
Saginaw township#	257	–	–	2	52	10	18	5	8	4	2	15	5	126	87	–	1	72	14
Balance of county	754	–	–	7	182	43	51	19	19	6	6	38	11	358	280	1	4	206	69
St. Clair	1,287	2	–	13	322	73	97	23	31	14	19	65	33	601	483	7	15	361	100
Port Huron	408	1	–	2	104	18	37	7	10	3	5	24	17	187	147	2	9	105	31
Balance of county	879	1	–	11	218	55	60	16	21	11	14	41	16	414	336	5	6	256	69
St. Joseph	523	1	–	7	104	18	36	10	15	4	4	17	13	264	205	1	3	161	40
Sanilac	474	–	–	3	114	32	25	10	14	5	6	22	10	236	198	1	1	158	40
Schoolcraft	116	–	1	–	21	5	4	1	5	1	2	3	4	46	34	1	–	28	5
Shiawassee	569	–	–	2	133	24	30	22	9	5	8	35	13	273	192	3	5	144	40
Owosso	198	–	–	–	48	6	12	10	4	2	4	10	6	90	62	2	3	44	13
Balance of county	371	–	–	2	85	18	18	12	5	3	4	25	7	183	130	1	2	100	27
Tuscola	415	–	–	4	78	22	17	7	4	5	5	18	11	198	164	2	1	106	55
Van Buren	644	–	–	5	152	37	46	14	16	5	7	27	21	301	245	5	6	183	51
Washtenaw	1,553	1	–	22	378	106	86	42	41	11	20	72	28	640	494	2	6	364	122
Ann Arbor	534	1	–	10	149	47	36	14	15	6	8	23	6	207	155	1	3	111	40
Ypsilanti	217	–	–	3	38	13	10	2	6	–	1	6	12	88	78	–	2	63	11
Ypsilanti township#	210	–	–	2	51	10	9	6	5	2	2	17	4	85	77	–	1	55	21
Balance of county	592	–	–	7	140	36	31	20	15	3	9	26	6	260	186	1	–	135	50
Wayne	22,689	21	–	331	4,613	1,171	1,331	406	526	175	151	853	414	10,988	9,263	59	288	5,600	3,316
Allen Park	344	–	–	1	82	27	25	5	5	3	3	14	5	183	158	–	3	117	38
Canton township#	198	–	–	2	51	8	14	7	9	5	2	6	3	91	78	1	1	55	21
Dearborn	1,002	–	–	19	241	55	59	28	27	13	9	50	18	505	449	5	6	302	136
Dearborn Heights	614	–	–	10	130	36	38	7	19	3	2	25	8	314	275	3	6	184	82
Detroit	12,878	15	–	215	2,423	616	709	207	300	85	80	426	240	5,990	4,978	26	199	2,706	2,047
Ecorse	150	1	–	1	28	4	14	2	1	2	–	5	2	69	62	–	1	43	18
Garden City	250	–	–	2	64	16	25	5	5	1	–	12	2	130	112	1	6	68	37
Grosse Pointe Farms	101	–	–	–	24	8	5	2	3	1	1	4	–	49	41	–	1	28	11
Grosse Pointe Park	107	–	–	2	20	4	3	3	1	3	–	6	2	64	48	–	–	32	16
Grosse Pointe Woods	217	–	–	2	58	12	18	5	6	3	2	12	4	102	81	1	2	55	23
Hamtramck	283	–	–	3	37	10	11	2	1	1	–	12	10	177	144	–	3	89	52
Harper Woods	264	–	–	1	67	10	17	10	10	1	3	16	9	141	107	–	–	71	36
Highland Park	320	1	–	7	56	14	15	5	8	1	1	12	2	149	118	1	3	58	56
Inkster	327	1	–	4	64	11	18	8	8	3	3	12	12	152	129	2	5	68	54
Lincoln Park	484	–	–	2	123	35	38	12	14	3	3	18	7	242	211	1	10	141	59
Livonia	835	1	–	8	172	46	38	23	21	5	5	34	11	449	385	2	7	286	110
Melvindale	117	–	–	2	26	10	8	–	2	1	–	5	2	61	56	1	1	39	15
Plymouth township#	121	–	–	2	32	5	7	3	–	2	2	13	1	51	47	–	3	33	11
Redford township#	521	–	–	9	113	31	29	10	12	5	4	22	9	286	250	–	8	164	78
River Rouge	137	–	–	–	31	7	12	–	8	–	–	4	4	72	60	1	–	47	12
Riverview	125	–	–	2	31	6	11	–	2	1	2	9	3	61	47	1	1	37	8
Romulus	183	–	–	3	39	14	11	5	–	1	–	8	5	95	81	–	2	57	22
Southgate	239	–	–	1	69	23	15	7	4	7	1	12	4	112	99	1	–	72	26
Taylor	520	–	–	7	105	28	36	11	10	2	3	15	14	240	197	3	8	118	68
Trenton	197	–	–	1	49	13	11	4	3	4	4	10	2	96	77	1	–	52	24
Wayne	223	–	–	3	42	10	13	4	4	1	1	9	2	120	103	1	–	68	34
Westland	676	1	–	9	145	30	50	7	18	11	5	24	9	341	304	3	6	218	79
Woodhaven	54	–	–	1	10	5	3	–	1	–	–	1	1	26	23	1	2	13	7
Wyandotte	366	–	–	3	79	22	24	7	10	3	4	9	5	201	172	–	3	129	40
Balance of county	836	1	–	9	202	55	54	17	13	4	11	48	18	419	371	3	1	271	96
Wexford	277	–	–	–	57	7	25	5	8	3	1	8	3	141	95	1	2	62	30
Cadillac	138	–	–	–	19	3	5	3	5	1	1	1	–	75	46	–	1	31	14
Balance of county	139	–	–	–	38	4	20	2	3	2	–	7	3	66	49	1	1	31	16
Minnesota	35,082	9	2	352	7,673	2,035	1,726	693	953	369	344	1,553	613	16,380	12,132	117	204	8,455	3,356
Urban places	18,397	7	1	193	4,116	1,070	971	398	505	174	164	834	343	8,263	6,063	78	134	4,248	1,603
Balance of area	16,685	2	1	159	3,557	965	755	295	448	195	180	719	270	8,117	6,069	39	70	4,207	1,753
Metropolitan counties	20,365	7	2	219	4,641	1,203	1,087	433	558	205	209	946	385	9,038	6,673	74	144	4,634	1,821
Urban places	15,560	5	1	169	3,545	903	851	340	430	149	150	722	305	6,859	5,034	65	122	3,522	1,325
Balance of area	4,805	2	1	50	1,096	300	236	93	128	56	59	224	80	2,179	1,639	9	22	1,112	496
Nonmetropolitan counties	14,717	2	–	133	3,032	832	639	260	395	164	135	607	228	7,342	5,459	43	60	3,821	1,535
Urban places	2,837	2	–	24	571	167	120	58	75	25	14	112	38	1,404	1,029	13	12	726	278
Balance of area	11,880	–	–	109	2,461	665	519	202	320	139	121	495	190	5,938	4,430	30	48	3,095	1,257
Aitkin	164	–	–	–	34	9	11	–	4	3	–	7	2	90	67	–	–	59	9
Anoka	869	–	–	11	242	62	67	22	19	13	14	45	17	383	291	4	5	195	87
Anoka	132	–	–	2	34	6	7	5	3	1	–	12	–	65	52	2	1	31	18
Blaine, part	75	–	–	–	24	9	6	2	–	2	2	3	2	29	20	–	–	12	6
Blaine, total	75	–	–	–	24	9	6	2	–	2	2	3	2	29	20	–	–	12	6
Columbia Heights	176	–	–	2	35	12	6	3	3	3	4	4	3	82	61	1	–	36	24
Coon Rapids	158	–	–	2	44	12	14	3	4	2	2	7	4	73	56	1	1	39	15
Fridley	146	–	–	2	46	8	15	5	4	1	3	10	5	51	36	–	2	27	7
Ramsey	11	–	–	–	3	–	2	1	–	–	–	–	–	6	4	–	1	3	–
Balance of county	191	–	–	3	56	15	17	3	5	4	3	9	3	77	62	–	–	47	15
Becker	296	–	–	5	48	14	11	4	8	2	–	9	8	141	98	2	1	71	24
Beltrami	289	–	–	1	62	13	17	3	4	9	–	16	2	130	100	1	–	66	33
Bemidji	124	–	–	–	26	7	7	1	3	5	–	3	–	56	38	1	–	26	11
Balance of county	165	–	–	1	36	6	10	2	1	4	–	13	2	74	62	–	–	40	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	–	13	–	1	2	7	–	2	1	–	–	1	–	15	3	–	–	–	–
Roscommon	1	11	3	3	7	10	–	4	–	–	–	1	–	20	7	1	3	1	–
Saginaw	8	145	30	27	55	83	7	20	16	–	6	25	7	139	39	48	26	34	1
Saginaw	4	65	11	13	22	37	5	8	8	–	3	16	5	69	14	26	11	23	1
Saginaw township#	1	31	3	4	11	10	–	6	2	–	1	1	–	19	5	5	1	1	–
Balance of county	3	49	16	10	22	36	2	6	6	–	2	8	2	51	20	17	14	10	–
St. Clair	5	85	14	14	40	49	4	22	12	–	8	10	6	90	38	18	19	2	–
Port Huron	1	34	3	2	14	15	2	11	3	–	4	4	3	21	7	6	6	1	–
Balance of county	4	51	11	12	26	34	2	11	9	–	4	6	3	69	29	12	13	1	–
St. Joseph	–	31	17	11	18	25	3	–	5	–	6	3	2	41	14	9	4	4	–
Sanilac	2	30	–	6	15	14	3	6	6	–	7	2	1	28	10	9	6	3	–
Schoolcraft	1	7	1	3	7	5	1	–	2	–	–	1	2	15	1	6	3	1	–
Shiawassee	2	64	13	2	17	22	4	6	3	–	4	2	5	46	20	11	7	1	–
Owosso	1	20	7	–	8	6	2	4	2	–	2	–	–	16	7	4	3	–	–
Balance of county	1	44	6	2	9	16	2	2	1	–	2	2	5	30	13	7	4	1	–
Tuscola	–	26	8	–	12	27	2	3	8	–	3	3	2	21	23	15	5	–	–
Van Buren	5	32	10	9	16	25	2	4	11	–	4	9	1	48	16	17	6	7	1
Washtenaw	3	103	23	17	62	65	6	15	17	1	14	21	9	164	35	39	24	10	2
Ann Arbor	–	38	8	6	16	17	3	5	4	1	6	9	5	59	14	18	3	–	1
Ypsilanti	1	8	–	3	4	10	1	1	8	–	3	6	1	29	5	2	1	4	1
Ypsilanti township#	–	8	–	–	4	15	–	4	2	–	3	3	1	21	6	2	5	2	–
Balance of county	2	49	15	8	38	23	2	5	3	–	2	3	2	55	10	17	15	4	–
Wayne	84	1,275	197	169	620	664	68	487	262	4	120	311	122	1,871	302	351	289	753	88
Allen Park	3	16	2	4	13	16	2	7	3	–	–	1	–	19	2	4	6	–	–
Canton township#	1	11	–	1	5	6	–	3	2	–	–	8	1	11	7	3	2	1	2
Dearborn	4	39	2	11	24	30	3	10	17	–	5	6	4	80	14	11	9	6	–
Dearborn Heights	1	32	2	4	14	30	1	11	1	–	7	1	1	51	10	9	13	2	1
Detroit	56	751	126	79	374	329	35	340	168	4	64	227	96	1,112	154	218	145	670	59
Ecorse	–	5	2	–	1	5	–	5	4	–	3	1	–	18	–	5	4	3	–
Garden City	2	11	1	4	3	14	–	1	3	–	1	2	1	17	1	2	5	2	–
Grosse Pointe Farms	–	6	1	1	5	5	–	1	1	–	–	–	–	11	–	2	3	–	–
Grosse Pointe Park	–	14	–	2	4	3	–	1	–	–	–	1	–	2	–	2	3	1	2
Grosse Pointe Woods	–	16	4	1	4	4	1	6	–	–	1	2	1	21	–	4	6	1	–
Hamtramck	2	27	3	1	6	8	1	4	1	–	–	1	1	26	3	1	3	1	–
Harper Woods	1	25	5	3	4	9	2	2	2	–	1	1	–	19	3	2	–	1	–
Highland Park	3	25	1	2	13	2	1	8	6	–	1	6	–	32	6	4	–	22	4
Inkster	–	17	1	5	5	10	1	3	4	–	2	5	–	39	7	6	1	8	3
Lincoln Park	–	26	2	3	16	12	1	14	2	–	2	2	–	36	6	12	4	3	–
Livonia	2	47	2	13	31	26	2	10	4	–	6	7	–	69	12	7	15	1	4
Melvindale	–	5	–	–	4	2	2	2	2	–	–	1	–	4	3	2	2	2	–
Plymouth township#	–	4	–	–	4	3	1	–	3	–	1	1	–	14	2	2	2	1	1
Redford township#	–	23	6	7	12	17	–	11	4	–	2	–	3	30	11	7	6	1	–
River Rouge	–	8	3	1	1	2	1	1	–	–	–	5	1	6	2	3	3	4	1
Riverview	–	9	4	1	2	7	1	–	1	–	1	–	–	8	1	2	5	–	–
Romulus	1	10	1	2	3	4	1	1	1	–	3	2	1	11	6	3	3	2	–
Southgate	–	9	2	2	2	9	3	9	3	–	2	–	–	12	1	5	4	1	2
Taylor	3	31	5	4	18	28	2	8	7	–	4	7	6	36	14	3	12	6	3
Trenton	–	12	5	2	4	6	1	2	2	–	1	7	2	17	3	1	1	1	1
Wayne	2	10	2	3	3	12	1	1	4	–	–	2	1	23	–	3	3	3	–
Westland	–	25	7	5	17	25	1	8	8	–	4	5	1	58	17	6	13	5	3
Woodhaven	–	2	–	1	3	1	–	–	–	–	1	3	–	3	2	2	1	–	–
Wyandotte	1	23	2	3	8	10	1	7	4	–	2	4	–	22	3	6	9	1	1
Balance of county	2	36	6	4	17	29	3	11	5	–	6	3	2	64	12	14	16	4	1
Wexford	–	23	16	7	18	13	–	6	2	–	3	1	–	18	5	6	4	–	–
Cadillac	–	13	14	2	13	9	–	3	2	–	2	–	–	7	4	3	1	–	–
Balance of county	–	10	2	5	5	4	–	3	–	–	1	1	–	11	1	3	3	–	–
Minnesota	195	3,106	483	464	1,498	1,158	95	304	307	1	238	229	843	3,222	631	834	541	109	43
Urban places	125	1,588	234	253	767	649	47	188	141	1	139	138	482	1,825	230	433	337	75	22
Balance of area	70	1,518	249	211	731	509	48	116	166	–	99	91	361	1,397	401	401	204	34	21
Metropolitan counties	131	1,715	246	273	792	684	51	190	170	1	170	156	544	1,882	338	507	373	88	27
Urban places	116	1,315	184	210	634	530	40	156	117	1	127	124	424	1,556	185	380	300	73	19
Balance of area	15	400	62	63	158	154	11	34	53	–	43	32	120	426	143	127	73	15	8
Nonmetropolitan counties	64	1,391	237	191	706	474	44	114	137	–	68	73	299	1,240	293	327	168	21	16
Urban places	9	273	50	43	133	119	7	32	24	–	12	14	58	269	35	53	37	2	3
Balance of area	55	1,118	187	148	573	355	37	82	113	–	56	59	241	971	258	274	131	19	13
Aitkin	2	13	6	2	8	7	–	1	1	–	1	–	1	12	3	2	2	–	–
Anoka	3	61	16	12	30	25	2	12	2	–	6	11	12	62	25	19	26	3	1
Anoka	–	9	3	1	4	4	–	1	–	–	1	1	2	10	–	4	4	–	–
Blaine, part	1	8	–	–	1	3	–	2	–	–	2	2	1	4	2	1	2	–	–
Blaine, total	1	8	–	–	1	3	–	2	–	–	2	2	1	4	2	1	2	–	–
Columbia Heights	–	16	1	4	10	6	–	4	–	–	–	3	1	21	3	2	3	–	1
Coon Rapids	1	6	8	2	6	2	1	2	–	–	–	–	1	10	3	6	4	–	–
Fridley	1	10	2	2	8	4	1	3	1	–	–	2	2	11	4	–	5	1	–
Ramsey	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Balance of county	–	11	1	3	1	6	–	–	1	–	3	3	5	6	12	6	7	2	–
Becker	–	32	7	4	18	9	–	1	2	–	2	2	8	31	7	12	1	1	–
Beltrami	–	23	5	2	13	9	1	3	4	–	1	1	5	22	14	10	6	5	–
Bemidji	–	13	3	2	7	6	1	3	2	–	1	1	1	14	2	3	1	–	–
Balance of county	–	10	2	–	6	3	–	–	2	–	–	–	4	8	12	7	5	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	252	–	–	1	46	18	8	7	3	1	1	8	4	136	106	2	1	85	18
St. Cloud, part	41	–	–	–	8	2	1	4	–	–	–	1	1	26	21	2	1	14	4
Balance of county	211	–	–	1	38	16	7	3	3	1	1	7	3	110	85	–	–	71	14
Big Stone	83	–	–	1	18	4	2	2	2	1	3	4	4	40	35	–	–	25	10
Blue Earth	420	–	–	1	93	19	26	10	15	5	4	14	5	190	134	–	3	110	21
Mankato, part	232	–	–	1	48	7	12	6	9	5	2	7	3	111	76	–	2	65	9
Mankato, total	232	–	–	1	48	7	12	6	9	5	2	7	3	111	76	–	2	65	9
Balance of county	188	–	–	–	45	12	14	4	6	–	2	7	2	79	58	–	1	45	12
Brown	248	–	–	5	57	22	9	6	6	1	2	11	7	123	90	–	–	66	24
New Ulm	116	–	–	3	27	10	7	1	3	–	1	5	4	54	42	–	–	27	15
Balance of county	132	–	–	2	30	12	2	5	3	1	1	6	3	69	48	–	–	39	9
Carlton	295	–	–	–	58	12	18	3	7	4	1	13	4	152	108	3	1	79	23
Cloquet	131	–	–	–	32	8	9	1	2	3	1	8	1	70	41	2	–	31	8
Balance of county	164	–	–	–	26	4	9	2	5	1	–	5	3	82	65	1	1	48	15
Carver	254	–	–	2	47	10	9	3	9	1	5	10	6	122	91	3	1	68	19
Cass	307	–	–	5	70	22	22	7	7	3	1	8	6	137	95	2	–	62	31
Chippewa	169	–	–	3	33	11	5	6	3	1	1	6	2	86	65	–	3	46	16
Chisago	244	–	–	3	60	21	15	4	6	4	1	9	1	119	81	–	3	50	28
Clay	393	–	–	3	83	21	17	6	12	3	7	17	7	194	139	3	2	75	59
Moorhead	234	–	–	1	45	11	11	1	5	3	4	10	4	127	88	3	2	48	35
Balance of county	159	–	–	2	38	10	6	5	7	–	3	7	3	67	51	–	–	27	24
Clearwater	106	–	–	–	22	3	6	2	5	1	–	5	1	60	43	1	–	34	8
Cook	57	–	–	3	13	6	1	2	2	–	1	1	1	19	14	1	1	7	5
Cottonwood	164	–	–	2	33	7	4	3	7	3	4	5	1	68	73	–	3	49	21
Crow Wing	466	–	–	14	90	21	22	3	19	4	2	19	5	235	181	–	2	117	62
Brainerd	174	–	–	8	28	5	7	2	8	1	–	5	3	84	67	–	1	38	28
Balance of county	292	–	–	6	62	16	15	1	11	3	2	14	2	151	114	–	1	79	34
Dakota	1,051	–	–	7	259	65	58	31	23	15	9	58	21	437	316	2	7	223	84
Apple Valley	72	–	–	1	20	5	5	1	2	–	1	6	1	32	19	–	–	12	7
Burnsville	111	–	–	–	29	7	6	5	2	2	–	7	–	40	33	–	–	23	10
Eagan	60	–	–	1	15	1	4	2	1	2	–	5	–	18	14	–	–	9	5
Hastings, part	122	–	–	2	27	6	8	1	6	1	1	4	2	44	33	–	1	26	6
Hastings, total	123	–	–	2	27	6	8	1	6	1	1	4	2	45	34	–	1	27	6
Inver Grove Heights	80	–	–	1	14	5	4	4	–	–	–	1	3	32	22	–	1	15	6
Lakeville	47	–	–	–	17	4	4	1	2	2	–	4	–	13	8	–	1	8	2
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	178	–	–	–	37	12	10	2	4	1	1	7	4	87	67	1	3	52	11
West St. Paul	221	–	–	–	56	17	6	10	4	2	2	15	5	100	69	1	1	50	17
Balance of county	160	–	–	2	44	8	11	5	2	5	4	9	8	71	51	–	–	31	20
Dodge	131	–	–	1	35	8	3	3	6	2	2	11	7	50	33	1	–	15	17
Douglas	294	–	–	2	60	19	9	3	6	5	5	13	4	150	113	1	–	70	42
Faribault	204	–	–	4	52	16	11	8	4	4	1	8	2	95	76	1	2	52	21
Fillmore	293	–	–	–	65	22	13	3	7	5	3	12	2	152	121	–	1	99	21
Freeborn	336	–	–	2	68	13	13	6	8	3	5	20	3	178	138	4	7	91	36
Albert Lea	202	–	–	–	38	9	8	5	5	1	–	10	1	110	83	2	3	55	23
Balance of county	134	–	–	2	30	4	5	1	3	2	5	10	2	68	55	2	4	36	13
Goodhue	435	1	–	1	96	27	15	13	12	5	4	20	8	207	127	–	3	86	38
Red Wing	166	1	–	1	32	9	7	2	4	1	–	9	3	72	44	–	1	36	7
Balance of county	270	–	–	–	64	18	8	11	8	4	4	11	5	135	83	–	2	50	31
Grant	88	–	–	–	20	4	4	1	2	1	1	7	1	50	32	–	1	20	11
Hennepin	7,848	2	–	98	1,784	440	426	180	224	70	81	363	161	3,365	2,442	33	57	1,749	603
Bloomington	530	–	–	5	130	33	33	13	19	6	2	24	10	254	172	2	4	132	34
Brooklyn Center	201	–	–	2	52	11	15	4	9	3	1	9	5	78	62	1	3	46	12
Brooklyn Park	149	–	–	1	39	16	5	4	3	–	3	8	2	58	49	1	1	37	10
Crystal	172	–	–	1	46	10	9	6	7	1	4	9	3	90	69	1	4	46	18
Eden Prairie	74	–	–	–	19	7	3	3	–	–	1	5	2	35	27	–	–	24	3
Edina	407	–	–	2	111	25	26	10	14	2	8	26	12	173	116	1	5	86	24
Golden Valley	177	–	–	3	42	12	8	3	7	–	4	8	3	87	57	1	1	47	8
Hopkins	189	–	–	4	37	11	8	4	2	3	2	7	4	87	57	–	3	42	12
Maple Grove	61	–	–	1	17	5	5	2	–	–	2	3	–	24	16	–	–	14	2
Minneapolis	3,830	2	–	50	823	194	208	80	102	38	32	169	78	1,640	1,206	21	22	891	332
Minnetonka	199	–	–	3	53	11	11	11	9	2	2	7	1	78	59	–	3	35	21
New Hope	279	–	–	3	52	11	6	5	10	6	1	13	6	138	98	1	6	64	27
Plymouth	134	–	–	–	34	9	13	3	2	–	3	4	4	40	30	–	–	24	6
Richfield	272	–	–	6	70	18	17	5	5	1	5	19	7	118	80	–	1	60	19
Robbinsdale	172	–	–	4	52	11	15	4	10	3	2	7	3	70	53	–	2	41	10
St. Louis Park	422	–	–	5	99	30	21	10	16	1	3	18	10	209	156	2	2	124	28
Balance of county	480	–	–	8	108	26	23	13	9	4	6	27	11	185	135	2	–	96	37
Houston	162	–	–	4	42	16	9	1	4	4	2	6	1	73	55	–	1	35	19
Hubbard	163	–	–	2	34	9	5	1	8	4	1	6	3	65	47	1	1	34	11
Isanti	190	–	–	–	34	13	6	1	3	2	1	8	2	104	64	–	–	38	26
Itasca	407	–	–	8	88	22	26	3	14	6	2	25	3	175	127	1	–	99	27
Jackson	144	–	–	3	31	10	4	5	4	1	2	5	4	60	40	–	2	29	9
Kanabec	107	–	–	2	20	5	4	2	4	–	2	3	1	47	31	–	–	20	11
Kandiyohi	355	–	–	1	61	16	13	7	8	3	2	12	4	173	133	3	–	87	43
Willmar	175	–	–	–	30	10	7	3	3	1	–	6	3	77	55	3	–	39	13
Balance of county	180	–	–	1	31	6	6	4	5	2	2	6	1	96	78	–	–	48	30
Kittson	96	–	–	1	18	6	4	1	–	1	1	5	1	42	34	1	–	23	10
Koochiching	137	–	–	–	35	10	13	–	2	2	3	5	2	79	68	–	–	51	17
Lac qui Parle	137	–	–	3	27	10	5	1	5	–	1	5	2	62	48	1	–	36	11
Lake	111	–	–	2	22	6	6	1	–	1	2	6	1	47	30	–	–	23	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	–	26	2	2	15	5	2	–	2	–	1	1	3	26	6	1	2	–	1
St. Cloud, part	–	3	–	2	–	1	–	–	–	–	–	–	1	3	1	–	–	–	–
Balance of county	–	23	2	–	15	4	2	–	2	–	1	1	2	23	5	1	2	–	1
Big Stone	–	5	–	–	2	1	2	–	3	–	–	–	–	8	–	3	–	–	1
Blue Earth	4	37	6	7	29	23	–	7	1	–	5	3	6	31	6	7	9	1	3
Mankato, part	2	23	5	5	12	11	–	6	–	–	4	1	2	18	2	4	5	1	3
Mankato, total	2	23	5	5	12	11	–	6	–	–	4	1	2	18	2	4	5	1	3
Balance of county	2	14	3	2	17	12	–	1	1	–	1	2	4	13	4	3	4	–	–
Brown	1	21	8	3	7	8	1	3	6	–	–	2	1	23	2	2	1	–	–
New Ulm	–	9	2	1	3	7	1	2	3	–	–	2	1	8	1	–	–	–	–
Balance of county	1	12	6	2	4	1	–	1	3	–	–	–	–	15	1	2	1	–	–
Carlton	–	27	15	4	15	16	–	1	1	–	2	2	1	30	3	8	2	–	–
Cloquet	–	16	12	1	2	8	–	–	–	–	–	2	–	11	1	3	1	–	–
Balance of county	–	11	3	3	13	8	–	1	1	–	2	–	1	19	2	5	1	–	–
Carver	1	23	3	4	11	4	–	2	–	–	2	3	7	20	12	11	5	–	–
Cass	5	29	6	2	10	8	–	6	3	–	1	1	9	27	10	7	4	3	–
Chippewa	–	17	1	3	17	4	1	–	–	–	–	–	–	16	3	2	2	–	–
Chisago	1	31	4	2	5	7	1	4	4	–	3	–	2	23	3	8	–	1	–
Clay	1	36	13	5	17	11	1	1	4	–	4	5	4	33	7	11	7	–	1
Moorhead	1	25	10	3	8	6	1	–	2	–	1	3	4	18	3	6	5	–	–
Balance of county	–	11	3	2	9	5	–	1	2	–	3	2	–	15	4	5	2	–	1
Clearwater	–	15	2	–	6	4	1	1	1	–	–	1	–	5	–	2	2	–	–
Cook	–	5	–	–	2	1	–	–	–	–	1	–	3	8	3	2	1	–	–
Cottonwood	1	12	2	–	11	4	1	–	2	–	1	–	–	2	1	3	–	–	–
Crow Wing	1	45	4	4	15	21	1	4	1	–	2	1	9	15	1	3	–	–	–
Brainerd	–	16	1	–	8	8	–	3	–	–	1	–	7	36	6	15	11	–	–
Balance of county	1	29	3	4	7	13	1	1	1	–	1	1	2	16	3	3	2	–	–
Dakota	11	83	14	13	31	51	1	7	9	–	11	14	37	20	3	12	9	–	–
Apple Valley	3	6	2	2	2	2	–	–	–	–	–	2	1	93	26	17	26	2	2
Burnsville	1	3	2	1	6	3	–	–	–	–	2	5	4	6	2	1	2	–	–
Eagan	1	2	–	1	1	2	–	1	–	–	5	3	4	13	3	1	4	1	–
Hastings, part	–	7	1	3	1	5	–	–	1	–	1	1	9	3	2	3	1	–	1
Hastings, total	–	7	1	3	1	5	–	–	1	–	1	1	9	17	1	5	6	–	–
Inver Grove Heights	–	9	1	–	3	7	–	1	1	–	–	1	9	17	1	5	6	–	–
Lakeville	–	5	–	–	1	–	–	1	–	–	1	–	–	9	4	1	2	–	1
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	–	3	–	–
South St. Paul	1	15	3	1	6	12	–	1	2	–	1	–	–	–	–	–	–	–	–
West St. Paul	4	20	4	3	8	13	1	3	2	–	1	2	4	16	3	1	2	–	–
Balance of county	1	16	1	2	3	7	–	–	3	–	–	–	4	18	1	4	4	1	–
Dodge	–	11	3	3	1	3	–	–	–	–	1	1	7	9	1	2	1	–	–
Douglas	–	31	2	4	18	7	2	5	1	–	–	3	5	12	7	2	1	–	1
Faribault	1	18	–	–	14	3	1	3	5	–	–	1	1	21	7	7	1	1	–
Fillmore	1	18	10	2	14	16	–	1	4	–	–	4	7	16	4	1	2	–	–
Freeborn	2	27	6	5	13	16	2	3	5	–	–	1	2	15	7	4	2	–	–
Albert Lea	2	17	3	5	9	10	1	2	3	–	–	1	2	26	6	4	6	1	–
Balance of county	–	10	3	–	4	6	1	1	2	–	–	–	–	18	2	4	3	–	–
Goodhue	1	59	14	6	21	15	–	2	8	–	5	4	5	10	4	–	3	1	–
Red Wing	–	21	3	4	16	6	–	–	2	–	2	–	2	44	8	6	5	–	–
Balance of county	1	38	11	2	5	9	–	2	6	–	3	4	3	21	2	4	2	–	–
Grant	–	13	–	5	1	–	1	–	–	–	–	–	–	23	6	2	3	–	–
Hennepin	69	682	74	98	329	273	18	76	65	1	67	51	204	8	4	3	–	–	–
Bloomington	4	71	4	3	14	12	–	7	2	–	3	4	7	814	97	230	154	53	6
Brooklyn Center	1	10	1	4	3	8	–	2	3	–	3	2	7	51	6	13	11	1	–
Brooklyn Park	–	5	1	3	2	5	–	2	2	–	5	3	–	18	4	4	8	–	2
Crystal	3	15	1	2	6	3	–	1	–	–	–	–	2	9	10	5	6	–	–
Eden Prairie	–	4	–	4	2	3	–	2	–	1	1	–	–	12	3	1	4	–	–
Edina	3	48	2	4	19	15	1	–	2	–	1	1	5	4	1	2	2	–	–
Golden Valley	1	25	2	2	7	6	–	–	1	–	2	–	1	44	5	11	5	–	–
Hopkins	1	26	1	2	9	10	–	3	1	–	–	–	2	19	–	2	4	–	–
Maple Grove	–	8	–	–	1	1	–	–	–	–	3	–	2	25	–	4	3	–	–
Minneapolis	40	304	39	51	181	140	15	40	43	–	27	29	146	3	–	5	3	1	–
Minnetonka	3	10	2	5	10	6	–	3	1	–	2	–	3	429	35	131	75	43	3
New Hope	1	33	4	2	15	8	–	2	–	–	4	1	3	25	3	3	5	2	–
Plymouth	2	8	–	–	11	6	1	1	2	–	4	3	1	36	1	7	3	–	–
Richfield	2	24	6	6	9	9	1	3	1	–	2	–	1	11	6	7	3	–	–
Robbinsdale	2	15	–	–	7	8	–	1	2	–	2	2	2	28	2	6	5	–	–
St. Louis Park	5	40	8	–	16	12	–	7	4	–	2	2	9	11	1	3	3	1	–
Balance of county	1	36	3	10	17	21	–	2	1	–	6	4	9	30	3	9	4	1	–
Houston	–	14	2	2	8	4	–	–	1	–	2	1	1	59	17	17	10	4	1
Hubbard	2	11	2	3	17	4	–	4	4	–	1	–	9	19	1	3	2	–	–
Isanti	2	31	5	2	2	2	1	–	2	–	2	3	8	9	1	6	4	–	–
Itasca	–	34	8	6	27	14	4	2	1	–	3	2	8	19	6	4	1	–	–
Jackson	1	12	4	3	9	5	–	2	1	–	2	–	8	39	3	13	7	–	–
Kanabec	1	10	3	2	4	6	1	1	1	–	2	–	8	17	1	1	–	–	–
Kandiyohi	1	33	5	1	23	8	–	4	3	–	2	4	2	12	2	–	4	–	2
Willmar	–	21	1	–	15	5	–	2	2	–	–	2	14	37	4	12	5	–	–
Balance of county	1	12	4	1	8	3	–	2	1	–	2	2	8	20	1	7	3	–	–
Kittson	–	6	2	–	17	–	–	–	3	–	–	2	6	17	3	5	2	–	–
Koochiching	–	5	1	5	2	2	–	2	–	–	1	1	1	4	3	4	1	–	–
Lac qui Parle	–	12	2	–	14	3	–	1	2	–	2	1	1	8	–	2	3	–	–
Lake	–	14	2	1	8	2	2	3	–	–	–	1	4	6	2	6	2	–	–
													2	14	3	3	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	44	–	–	1	12	3	1	–	3	–	1	4	–	15	10	–	–	7	3
Le Sueur	226	–	–	2	41	11	9	5	8	4	1	3	6	129	104	1	2	76	25
Lincoln	83	–	–	1	16	5	2	1	5	–	–	3	3	39	30	–	–	22	8
Lyon	233	–	–	–	54	15	13	8	9	–	5	4	2	118	95	–	2	71	22
Marshall	78	–	–	–	21	8	5	4	3	–	1	–	–	41	31	–	–	29	2
Balance of county	155	–	–	–	33	7	8	4	6	–	4	4	2	77	64	–	2	42	20
McLeod	281	–	–	1	41	13	8	7	6	3	–	4	5	167	119	–	1	90	28
Mahnomen	61	–	–	–	6	3	1	1	–	1	–	–	1	38	32	–	–	24	8
Marshall	149	–	–	2	26	5	4	1	5	4	1	6	1	83	65	–	1	35	29
Martin	272	–	–	1	57	18	14	6	6	3	2	8	11	137	102	–	3	75	24
Fairmont	129	–	–	–	29	10	6	4	4	–	–	5	3	70	50	–	1	35	14
Balance of county	143	–	–	1	28	8	8	2	2	3	2	3	8	67	52	–	2	40	10
Meeker	210	–	–	5	39	13	4	4	7	9	1	7	7	117	78	1	–	55	22
Mille Lacs	197	–	–	1	47	13	18	1	2	2	3	10	–	91	73	1	1	61	10
Morrison	257	–	–	2	43	13	5	1	6	3	3	12	4	137	99	1	1	60	37
Mower	416	–	–	1	105	32	31	6	11	1	6	18	6	173	140	1	1	101	37
Austin	288	–	–	–	68	26	18	4	4	1	5	12	2	128	106	–	1	77	28
Balance of county	128	–	–	1	37	6	15	2	7	–	1	6	4	45	34	1	–	24	9
Murray	120	–	–	–	21	7	4	3	1	1	2	3	1	76	56	–	4	37	15
Nicollet	220	–	–	4	55	17	6	11	9	–	4	8	2	99	73	1	1	51	20
Mankato, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	220	–	–	4	55	17	6	11	9	–	4	8	2	99	73	1	1	51	20
Nobles	204	–	–	1	35	9	5	3	2	4	2	10	3	104	73	1	–	61	11
Worthington	102	–	–	1	15	5	–	1	1	2	1	5	1	48	36	1	–	30	5
Balance of county	102	–	–	–	20	4	5	2	1	2	1	5	2	56	37	–	–	31	6
Norman	131	–	–	1	22	6	4	2	2	1	5	2	4	75	52	–	–	41	11
Olmsted	580	–	–	7	135	32	30	15	21	7	9	21	17	255	201	4	4	155	38
Rochester	450	–	–	5	110	27	26	15	14	5	7	16	16	190	150	3	1	117	29
Balance of county	130	–	–	2	25	5	4	–	7	2	2	5	1	65	51	1	3	38	9
Otter Tail	641	–	–	2	134	33	22	13	21	7	6	32	8	343	282	1	3	183	75
Fergus Falls	187	–	–	–	36	8	7	4	5	1	2	9	3	97	88	–	1	51	16
Balance of county	454	–	–	2	98	25	15	9	16	6	4	23	5	246	194	1	2	132	59
Pennington	172	–	–	–	28	7	6	2	1	–	2	10	5	95	62	–	–	49	13
Pine	223	–	–	1	46	15	9	5	5	2	2	8	5	111	89	–	1	52	36
Pipestone	136	–	–	–	28	3	7	2	5	2	2	7	3	71	44	–	–	33	11
Polk	389	1	–	3	92	18	21	7	17	7	5	17	4	198	147	–	1	109	37
Pope	157	–	–	1	34	4	13	2	6	3	–	6	2	76	62	–	–	47	15
Ramsey	3,981	2	1	38	901	232	222	83	109	41	34	180	72	1,773	1,310	11	26	942	331
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	216	–	1	1	44	12	15	4	3	2	1	7	2	106	78	–	2	62	14
Mounds View	44	–	–	1	11	2	2	3	1	–	–	3	–	19	15	1	–	12	2
New Brighton	155	–	–	2	37	9	10	2	2	3	–	11	2	74	57	–	–	45	12
North St. Paul	82	–	–	1	20	8	5	–	1	2	1	3	1	42	35	–	1	22	12
Roseville	278	–	–	4	68	18	7	9	11	2	3	18	7	125	90	–	3	68	19
St. Paul	2,734	2	–	27	588	145	150	52	81	23	21	116	56	1,230	907	9	18	652	228
Shoreview	76	–	–	–	31	6	11	2	2	3	2	5	–	22	17	1	–	13	3
White Bear Lake, part	170	–	–	–	42	12	7	4	3	4	3	9	2	69	53	–	1	32	20
White Bear Lake, total	171	–	–	–	42	12	7	4	3	4	3	9	2	69	53	–	1	32	20
Balance of county	226	–	–	2	62	20	15	7	5	2	3	10	2	86	58	–	1	36	21
Red Lake	74	–	–	–	11	5	3	–	1	2	–	–	1	34	31	–	2	20	9
Redwood	229	–	–	–	39	11	6	1	6	2	1	12	2	138	86	–	–	59	27
Renville	209	–	–	3	41	14	5	1	9	3	2	7	3	106	80	1	–	60	19
Rice	371	–	–	6	79	21	20	10	13	4	–	11	8	198	149	–	–	95	54
Faribault	201	–	–	2	41	10	8	7	8	2	–	6	3	113	85	–	–	59	26
Northfield, part	99	–	–	3	21	7	5	3	3	1	–	2	3	51	36	–	–	21	15
Northfield, total	99	–	–	3	21	7	5	3	3	1	–	2	3	51	36	–	–	21	15
Balance of county	71	–	–	1	17	4	7	–	2	1	–	3	2	34	28	–	–	15	13
Rock	94	–	–	1	19	4	3	3	2	2	–	5	1	57	39	–	–	34	5
Roseau	135	–	–	–	26	6	7	1	1	2	3	6	1	60	50	–	–	26	24
St. Louis	2,248	1	–	20	492	154	112	34	54	19	24	95	41	1,064	800	7	27	470	296
Duluth	1,148	1	–	11	242	74	58	16	30	8	10	46	20	535	393	5	13	228	147
Hibbing	203	–	–	3	39	12	9	2	4	2	4	6	5	102	82	1	3	53	25
Virginia	161	–	–	2	34	13	11	2	2	1	–	5	2	80	60	–	4	27	29
Balance of county	736	–	–	4	177	55	34	14	18	8	10	38	14	347	265	1	7	162	95
Scott	257	–	–	1	57	13	13	4	5	5	4	13	5	113	87	–	–	71	18
Sherburne	253	–	–	3	43	11	6	3	6	2	1	14	5	116	80	1	1	47	31
St. Cloud, part	72	–	–	1	8	2	1	1	2	–	–	2	1	37	23	–	–	17	6
Balance of county	181	–	–	2	35	9	5	2	4	2	1	12	4	79	57	1	1	30	25
Sibley	163	–	–	1	34	8	6	5	3	2	1	9	2	71	56	–	–	34	22
Stearns	636	1	1	7	147	38	30	17	23	4	5	30	11	285	214	1	5	158	50
St. Cloud, part	210	–	–	2	55	11	9	6	11	2	3	13	2	83	63	–	2	51	10
St. Cloud, total	323	–	–	3	71	15	11	11	13	2	3	16	4	146	107	2	3	82	20
Balance of county	428	1	1	5	92	27	21	11	12	2	2	17	9	202	151	1	3	107	40
Steele	251	1	–	5	43	8	7	6	5	–	–	17	3	132	96	3	–	69	24
Owatonna	166	1	–	3	27	6	5	3	4	–	–	9	2	86	62	3	–	44	15
Balance of county	85	–	–	2	16	2	2	3	1	–	–	8	1	46	34	–	–	25	9
Stevens	109	–	–	1	13	4	5	1	–	2	1	–	4	61	46	–	–	32	14
Swift	156	–	–	2	26	4	9	3	1	–	2	7	1	86	70	1	–	38	31
Todd	218	–	–	2	54	13	12	3	7	4	3	12	4	83	70	1	–	50	19
Traverse	73	–	–	–	18	5	1	2	3	1	2	4	1	42	34	–	–	28	6
Wabasha	192	–	–	1	32	10	4	3	7	2	–	6	1	93	67	1	–	44	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	1	4	–	–	3	2	–	1	2	–	–	–	–	6	1	–	1	–	–
Le Sueur	2	18	3	2	6	3	1	1	4	–	1	1	5	17	3	4	2	–	–
Lincoln	–	9	–	–	4	3	1	–	–	–	1	–	–	9	1	5	–	–	–
Lyon	1	19	1	2	6	6	–	6	3	–	1	–	3	19	5	8	–	–	–
Marshall	–	8	1	1	1	3	–	1	–	–	1	–	–	7	2	1	–	–	–
Balance of county	1	11	–	1	7	3	–	5	3	–	–	–	3	12	3	7	–	–	–
McLeod	1	35	7	5	12	7	1	–	–	–	1	1	4	26	9	4	1	1	–
Mahnomen	1	2	1	2	1	2	–	2	1	–	–	–	4	4	–	2	–	–	–
Marshall	–	14	2	2	6	7	–	2	6	–	–	–	1	6	–	7	2	–	–
Martin	2	23	5	5	14	10	–	4	2	–	2	–	–	23	5	4	2	–	–
Fairmont	2	13	3	2	4	4	–	3	1	–	–	–	–	11	2	1	1	–	–
Balance of county	–	10	2	3	10	6	–	1	1	–	2	–	–	12	3	3	1	–	–
Meeker	3	25	5	6	5	3	1	2	1	–	2	1	2	12	3	6	4	–	–
Mille Lacs	1	17	–	–	12	5	1	2	2	–	–	3	1	20	8	2	2	–	–
Morrison	1	33	–	4	8	1	–	5	3	–	1	2	1	25	11	10	4	–	–
Mower	–	29	3	1	15	17	2	4	2	–	1	1	31	36	6	3	10	2	1
Austin	–	19	2	1	11	11	2	4	2	–	–	–	21	27	4	1	6	1	–
Balance of county	–	10	1	–	4	6	–	–	–	–	1	1	10	9	2	2	4	1	1
Murray	–	17	1	2	5	–	1	–	–	–	1	–	–	6	7	2	–	–	–
Nicollet	–	21	2	3	9	4	–	1	1	–	–	–	4	24	5	6	4	–	2
Mankato, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	21	2	3	9	4	–	1	1	–	–	–	4	24	5	6	4	–	2
Nobles	–	25	2	4	9	15	1	2	–	–	1	1	5	15	5	4	3	–	–
Worthington	–	9	–	3	7	8	1	1	–	–	–	–	5	10	1	1	3	–	–
Balance of county	–	16	2	1	2	7	–	1	–	–	1	1	–	5	4	3	–	–	–
Norman	1	18	4	–	4	1	–	1	3	–	–	1	–	14	1	1	3	–	–
Olmsted	2	44	5	3	17	19	3	6	4	–	5	5	5	61	12	20	7	1	1
Rochester	2	33	2	3	12	16	2	3	3	–	5	5	3	55	6	13	4	1	1
Balance of county	–	11	3	–	5	3	1	3	1	–	–	–	2	6	6	7	3	–	–
Otter Tail	5	51	13	12	34	22	–	1	7	–	1	2	6	49	13	14	2	1	–
Fergus Falls	–	21	5	3	12	7	–	1	1	–	–	2	4	16	4	4	–	–	–
Balance of county	5	30	8	9	22	15	–	–	6	–	1	–	4	33	9	10	2	1	–
Pennington	1	27	2	3	3	9	1	1	–	–	–	–	6	15	4	4	–	1	–
Pine	1	20	–	1	10	7	–	–	3	–	1	1	8	16	4	7	1	–	2
Pipestone	–	17	6	4	10	4	1	1	–	–	–	–	8	6	2	1	1	–	–
Polk	2	30	9	10	12	11	1	2	5	–	1	1	4	40	4	7	2	1	–
Pope	1	12	–	1	15	5	–	–	3	–	–	–	8	9	–	4	–	–	–
Ramsey	16	331	51	65	161	131	12	35	26	–	36	37	126	397	57	80	74	16	6
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	–	18	5	5	10	2	1	3	1	–	–	2	5	28	4	2	4	–	–
Mounds View	–	3	1	–	–	–	–	–	1	–	–	1	1	3	1	3	2	1	–
New Brighton	–	12	4	1	9	3	–	1	1	–	–	2	3	17	–	2	1	1	–
North St. Paul	–	6	–	1	5	–	–	–	–	–	–	–	2	6	2	1	2	–	–
Roseville	1	21	10	3	8	12	1	1	1	–	1	–	9	27	7	4	4	1	–
St. Paul	13	233	25	52	117	100	8	28	20	–	21	25	67	274	31	52	51	12	5
Shoreview	–	4	1	–	1	1	1	–	–	–	3	3	4	2	3	1	4	–	–
White Bear Lake, part	2	13	–	1	4	9	–	1	1	–	5	1	4	18	4	8	1	1	–
White Bear Lake, total	2	13	–	1	4	9	–	1	1	–	5	1	4	19	4	8	1	1	–
Balance of county	–	21	5	2	7	4	1	1	1	–	6	3	11	22	5	7	5	–	1
Red Lake	1	1	1	–	3	4	1	1	2	–	1	–	1	10	4	1	–	–	–
Redwood	2	36	8	6	8	9	2	–	–	–	–	4	3	13	5	6	–	–	–
Renville	–	25	1	–	10	12	–	2	1	–	–	–	1	15	5	6	3	1	–
Rice	5	33	6	5	10	12	–	2	3	–	3	1	3	24	8	7	7	–	–
Faribault	1	21	5	1	5	7	–	2	–	–	1	1	1	16	1	3	5	–	–
Northfield, part	2	8	1	4	4	3	–	–	3	–	1	–	1	4	2	3	–	–	–
Northfield, total	2	8	1	4	4	3	–	–	3	–	1	–	1	4	2	3	–	–	–
Balance of county	2	4	–	–	1	2	–	–	–	–	1	–	1	4	5	1	2	–	–
Rock	1	12	2	3	1	2	1	–	1	–	–	–	1	7	2	–	1	–	–
Roseau	–	8	–	2	8	6	2	1	3	–	2	–	2	14	5	4	1	–	–
St. Louis	14	197	23	30	91	80	6	24	21	–	11	7	79	200	29	36	34	6	6
Duluth	7	105	13	17	53	39	3	7	8	–	8	4	55	105	10	21	20	2	4
Hibbing	1	16	1	2	13	6	1	5	1	–	–	–	3	13	1	6	4	1	–
Virginia	3	13	–	4	5	4	1	4	1	–	1	–	3	19	3	1	–	–	1
Balance of county	3	63	9	7	20	31	1	8	11	–	2	3	18	63	15	8	10	3	1
Scott	3	21	1	1	10	6	–	4	2	–	2	2	6	26	9	10	4	–	–
Shorburne	1	26	5	4	6	10	1	5	3	–	4	1	6	27	15	4	4	–	–
St. Cloud, part	–	9	4	1	3	–	–	3	–	–	–	–	2	16	–	1	–	–	–
Balance of county	1	17	1	3	3	10	1	2	3	–	4	1	4	11	15	3	4	–	–
Sibley	–	10	2	3	12	2	–	–	–	–	3	–	17	6	6	6	1	–	2
Stearns	2	47	14	8	21	19	–	8	11	–	9	6	7	57	8	23	12	3	2
St. Cloud, part	1	15	2	2	6	8	–	4	4	–	3	4	1	21	2	8	6	1	–
St. Cloud, total	1	27	6	5	9	9	–	7	4	–	3	4	4	40	3	9	6	1	–
Balance of county	1	32	12	6	15	11	–	4	7	–	6	2	6	36	6	15	6	2	2
Steele	–	25	5	6	9	10	1	1	2	–	1	–	2	20	5	9	7	–	–
Owatonna	–	19	2	3	5	9	–	–	2	–	1	–	1	17	3	6	3	–	–
Balance of county	–	6	3	3	4	1	1	1	–	–	–	–	1	3	2	3	4	–	–
Stevens	1	13	–	1	8	5	–	1	–	–	–	2	6	7	–	–	1	–	–
Swift	1	11	2	2	3	7	–	–	2	–	–	–	6	17	3	2	1	–	–
Todd	2	18	2	1	5	9	–	3	1	–	–	1	16	18	4	5	3	–	–
Traverse	–	6	–	2	1	1	–	–	1	–	–	–	2	6	–	1	–	–	–
Wabasha	–	21	–	5	15	4	1	–	1	–	1	1	1	24	10	5	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	191	-	-	2	38	11	10	4	2	3	1	7	3	95	75	1	-	54	20
Waseca	192	-	-	1	58	19	12	3	5	2	4	13	4	88	63	1	-	43	19
Washington	622	-	-	11	164	38	37	10	18	8	6	47	10	272	206	3	2	139	62
Cottage Grove	49	-	-	2	15	1	7	-	-	-	-	7	-	20	19	1	-	13	5
Hastings, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Oakdale	43	-	-	-	16	1	4	1	1	1	-	8	-	12	11	-	-	9	2
Stillwater	152	-	-	-	38	13	4	3	3	3	-	12	4	75	50	2	-	32	16
White Bear Lake, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbury	83	-	-	3	19	6	3	1	4	-	-	5	1	32	20	-	2	13	5
Balance of county	293	-	-	6	76	17	19	5	10	4	6	15	5	132	105	-	-	71	34
Watonwan	142	-	-	2	30	5	9	1	7	-	3	5	4	72	57	1	1	43	12
Wilkin	67	-	-	-	15	1	1	3	3	1	-	6	-	39	29	-	-	20	9
Winona	391	-	-	3	80	31	9	8	9	1	4	18	3	191	149	1	3	90	55
Winona	267	-	-	2	52	22	4	7	6	1	1	11	3	136	109	1	2	63	43
Balance of county	124	-	-	1	28	9	5	1	3	-	3	7	-	55	40	-	1	27	12
Wright	466	-	-	4	89	30	16	7	9	5	3	19	3	206	162	-	2	98	62
Yellow Medicine	172	-	-	-	37	12	9	7	5	1	1	2	4	94	74	-	1	53	20
Mississippi	24,429	26	1	298	4,985	1,172	1,465	362	565	177	191	1,059	402	11,276	8,850	29	417	4,691	3,713
Urban places	8,263	13	-	105	1,740	419	507	145	194	59	61	355	140	3,973	3,131	13	196	1,552	1,370
Balance of area	16,166	13	1	193	3,245	753	958	217	371	118	130	698	262	7,303	5,719	16	221	3,139	2,343
Metropolitan counties	5,627	8	-	76	1,233	303	379	100	128	36	41	246	77	2,494	2,055	9	103	1,094	849
Urban places	3,278	5	-	45	747	178	238	70	85	20	19	137	45	1,489	1,213	5	73	621	514
Balance of area	2,349	3	-	31	486	125	141	30	43	16	22	109	32	1,005	842	4	30	473	335
Nonmetropolitan counties	18,802	18	1	222	3,752	869	1,086	262	437	141	150	807	325	8,782	6,795	20	314	3,597	2,864
Urban places	4,985	6	-	60	993	241	269	75	109	39	42	218	95	2,484	1,918	8	123	931	858
Balance of area	13,817	10	1	162	2,759	628	817	187	328	102	108	589	230	6,298	4,877	12	191	2,666	2,006
Adams	443	-	-	1	82	22	18	7	14	1	5	15	11	210	158	-	15	55	66
Natchez	320	-	-	1	62	14	15	6	11	1	4	11	11	167	118	-	13	38	67
Balance of county	123	-	-	-	20	8	3	1	3	-	1	4	-	43	38	-	2	17	19
Alcorn	299	-	-	6	54	17	8	4	4	4	3	14	3	148	119	1	3	56	59
Corinth	146	-	-	4	22	9	5	-	1	2	1	4	2	83	65	-	2	35	28
Balance of county	153	-	-	2	32	8	3	4	3	2	2	10	1	65	54	1	1	21	31
Amite	128	-	-	2	18	5	3	-	3	1	1	5	3	48	37	-	2	24	11
Attala	248	-	-	3	52	14	18	-	8	-	8	6	11	121	101	-	2	45	54
Benton	76	1	-	-	9	3	1	-	3	-	1	1	2	27	23	1	-	9	13
Bolivar	495	-	-	11	81	10	26	5	11	-	5	24	6	233	169	-	7	105	67
Cleveland	158	-	-	3	27	4	8	1	4	-	2	8	-	76	57	-	1	36	20
Balance of county	337	-	-	8	54	6	18	4	7	-	3	16	6	157	112	-	6	69	37
Calhoun	184	-	-	3	35	6	10	2	6	-	2	9	2	88	72	-	-	40	32
Carroll	98	-	-	1	19	1	9	1	1	2	2	3	3	52	46	-	1	28	17
Chickasaw	177	-	-	8	30	5	10	2	3	1	1	8	-	96	74	2	3	54	15
Choctaw	79	1	-	-	18	6	7	-	2	-	1	2	1	42	36	-	7	20	9
Claiborne	98	-	-	-	23	1	9	4	5	1	-	3	1	47	41	-	5	16	20
Clarke	189	-	-	2	34	5	10	1	6	-	1	11	1	98	81	-	12	24	45
Clay	197	-	-	1	46	10	11	4	7	3	-	11	8	95	81	-	1	42	38
Coahoma	405	1	-	8	88	18	28	7	8	3	4	20	5	199	148	1	12	104	29
Clarksdale	279	1	-	4	65	13	22	7	4	3	4	12	3	137	98	1	9	71	17
Balance of county	126	-	-	4	23	5	6	-	4	-	-	8	2	62	48	-	3	33	12
Copiah	304	-	-	1	48	12	12	5	4	1	1	13	8	141	111	1	9	64	37
Covington	154	-	-	2	32	7	10	1	5	-	2	7	4	71	55	-	11	28	16
De Soto	404	1	-	10	91	25	29	5	4	1	4	23	5	146	110	-	3	65	42
Forrest	734	3	-	6	154	40	47	11	17	4	5	30	23	346	254	-	8	139	109
Hattiesburg, part	531	3	-	5	106	26	32	8	14	4	4	18	19	254	186	-	6	96	84
Hattiesburg, total	534	3	-	6	107	26	33	8	14	4	4	18	19	255	187	-	6	97	84
Balance of county	203	-	-	1	48	14	15	3	3	-	1	12	4	92	68	-	-	43	25
Franklin	97	-	-	3	20	4	4	1	2	2	1	6	8	51	45	-	2	31	12
George	153	-	-	6	28	7	9	3	2	1	-	6	3	67	52	-	-	42	10
Greene	113	-	-	-	24	5	6	2	3	-	3	5	4	51	36	-	1	28	7
Grenada	238	-	-	2	47	9	13	5	6	2	2	10	4	112	88	-	5	52	29
Grenada	168	-	-	2	35	8	8	5	4	2	1	7	2	80	61	-	4	39	18
Balance of county	70	-	-	-	12	1	5	-	2	-	1	3	2	32	25	-	1	13	11
Hancock	269	-	-	1	65	12	30	4	6	3	4	8	6	112	94	-	2	63	29
Harrison	1,415	2	-	21	307	87	79	21	38	14	12	56	21	647	552	4	19	279	250
Biloxi	389	1	-	6	86	25	28	6	10	4	2	11	4	162	129	2	6	73	48
Gulfport	506	-	-	6	123	30	36	9	18	5	2	22	8	228	197	-	9	102	86
Balance of county	520	1	-	9	98	32	15	6	9	5	8	23	9	257	226	2	4	104	116
Hinds	2,068	4	-	28	451	112	142	43	53	11	9	81	27	929	762	2	45	375	340
Clinton	116	-	-	1	21	3	6	2	3	1	-	6	1	57	48	-	1	29	18
Jackson, part	1,669	4	-	24	382	92	126	38	43	8	9	66	24	748	601	2	37	286	276
Jackson, total	1,670	4	-	24	383	92	126	38	43	8	10	66	24	748	601	2	37	286	276
Balance of county	283	-	-	3	48	17	10	3	7	2	-	9	2	124	113	-	7	60	46
Holmes	220	-	-	5	35	6	9	2	8	2	1	7	4	72	54	-	2	39	13
Humphreys	147	-	-	2	27	7	8	1	7	1	1	2	1	81	57	-	1	30	28
Issaquena	22	-	-	-	4	1	1	-	-	1	1	-	1	6	6	-	-	5	1
Itawamba	231	-	-	3	49	9	14	6	7	2	2	9	3	111	74	-	-	37	37
Jackson	792	1	-	7	195	31	63	23	19	5	6	48	6	366	306	2	25	170	109
Moss Point	136	-	-	1	31	5	10	3	1	1	2	9	2	72	63	-	4	28	31
Ocean Springs	143	-	-	2	34	6	6	6	5	1	-	10	2	65	48	-	5	23	20
Pascagoula	223	-	-	2	51	11	20	6	4	-	1	9	1	117	95	1	11	54	29
Balance of county	290	1	-	2	79	9	27	8	9	3	3	20	1	112	100	1	5	65	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	–	16	4	–	15	8	–	2	1	–	2	2	2	13	3	4	–	1	–
Waseca	2	17	1	3	3	6	1	1	2	–	–	1	1	15	6	1	4	2	–
Washington	4	46	9	7	15	18	1	3	5	–	7	9	17	59	8	16	8	1	–
Cottage Grove	1	–	–	–	–	1	–	–	–	–	1	1	1	5	–	1	2	–	–
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	–	1	–	–	2	3	–	–	–	–	2	2	4	2	–	–	–	–	–
Stillwater	2	15	5	3	8	4	–	1	1	–	–	–	–	15	1	4	1	–	–
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Woodbury	1	7	2	2	1	–	–	2	1	–	1	2	–	13	2	4	2	–	–
Balance of county	–	23	2	2	4	8	1	–	3	–	3	4	12	23	5	7	3	1	–
Watonwan	–	11	2	2	8	6	–	–	–	–	–	1	–	13	1	2	3	–	–
Wilkin	–	8	2	–	3	2	1	–	1	–	–	–	–	3	1	1	1	–	–
Winona	1	30	4	7	14	11	1	2	4	–	2	6	3	53	4	10	4	–	–
Winona	–	19	1	7	12	6	1	2	3	–	–	2	2	37	2	5	2	–	–
Balance of county	1	11	3	–	2	5	–	–	1	–	2	4	1	16	2	5	2	–	–
Wright	1	31	3	9	21	16	2	1	7	–	1	3	25	44	20	14	8	1	1
Yellow Medicine	–	14	3	3	11	–	–	2	3	–	–	–	1	15	1	3	1	–	–
Mississippi	128	1,913	194	191	686	694	53	238	288	3	150	220	914	2,041	783	695	292	344	40
Urban places	52	645	81	64	242	221	11	90	106	–	44	79	186	726	149	219	89	124	6
Balance of area	76	1,268	113	127	444	473	42	148	182	3	106	141	728	1,315	634	476	203	220	34
Metropolitan counties	17	342	28	52	130	186	11	83	57	–	39	61	110	507	175	184	95	94	7
Urban places	15	213	17	31	77	106	4	48	33	–	22	40	43	291	73	108	40	60	2
Balance of area	2	129	11	21	53	80	7	35	24	–	17	21	67	216	102	76	55	34	5
Nonmetropolitan counties	111	1,571	166	139	556	508	42	155	231	3	111	159	804	1,534	608	511	197	250	33
Urban places	37	432	64	33	165	115	7	42	73	–	22	39	143	435	76	111	49	64	4
Balance of area	74	1,139	102	106	391	393	35	113	158	3	89	120	661	1,099	532	400	148	186	29
Adams	2	39	11	2	12	6	1	5	7	–	5	8	21	34	15	13	6	5	1
Natchez	2	34	11	2	8	3	1	3	6	–	2	5	17	22	3	7	1	1	–
Balance of county	–	5	–	–	4	3	–	2	1	–	3	3	4	12	12	6	5	4	1
Alcorn	1	26	2	–	11	11	–	4	1	–	1	1	8	29	8	8	4	2	–
Corinth	1	16	1	–	7	4	–	3	1	–	–	–	2	11	4	2	1	–	–
Balance of county	–	10	1	–	4	7	–	1	–	–	1	1	6	18	4	6	3	2	–
Amite	–	10	–	1	4	3	–	–	–	–	1	1	21	17	5	2	2	1	–
Attala	2	13	2	3	9	6	4	–	1	–	–	1	3	22	7	7	1	–	–
Benton	–	4	–	–	3	–	–	–	1	–	–	–	16	8	4	3	1	1	–
Bolivar	4	43	13	4	19	12	–	7	6	–	2	5	42	36	11	12	2	9	1
Cleveland	1	13	5	–	5	3	–	2	1	–	–	3	9	15	6	5	–	3	–
Balance of county	3	30	8	4	14	9	–	5	5	–	2	2	33	21	5	7	2	6	1
Calhoun	1	12	–	3	6	5	–	–	2	–	–	–	3	23	9	2	2	4	–
Carroll	–	5	–	1	2	2	–	–	1	–	–	–	1	7	3	1	1	3	2
Chickasaw	3	17	–	2	7	7	–	2	–	–	2	2	1	8	9	3	3	1	–
Choctaw	1	4	–	1	4	1	–	1	–	–	–	1	1	1	2	3	3	–	–
Claiborne	–	5	1	–	1	4	–	–	2	–	3	–	4	6	3	3	1	–	–
Clarke	1	13	2	1	5	8	1	–	1	–	2	2	15	8	8	1	–	3	–
Clay	1	8	1	4	1	5	–	2	2	–	2	2	3	16	4	6	1	2	1
Coahoma	2	45	5	1	8	7	2	3	2	–	2	3	21	33	4	7	4	8	–
Clarksdale	1	33	4	1	5	5	–	1	2	–	1	1	16	24	2	4	3	5	–
Balance of county	1	12	1	–	3	2	2	2	–	–	1	2	5	9	2	3	1	3	–
Copiah	–	27	–	3	5	9	2	1	6	–	1	8	12	30	10	12	3	7	–
Covington	5	9	2	–	6	5	–	–	–	–	1	1	2	11	12	2	3	2	–
De Soto	2	31	1	2	7	19	–	3	5	–	3	7	29	23	20	16	12	7	–
Forrest	8	62	15	7	39	25	1	1	8	–	4	2	16	67	12	11	7	7	2
Hattiesburg, part	6	46	12	4	34	15	1	–	4	–	3	1	10	54	7	6	3	5	1
Hattiesburg, total	6	46	12	4	34	15	1	–	4	–	3	1	10	54	7	6	3	5	1
Balance of county	2	16	3	3	5	10	–	1	4	–	1	1	6	13	5	5	4	2	1
Franklin	–	5	–	1	2	2	–	1	1	–	–	1	–	4	3	1	2	–	–
George	3	11	1	–	1	7	–	4	–	–	4	1	–	12	6	10	2	1	1
Greene	1	9	5	–	2	5	1	–	2	–	–	–	8	9	6	1	–	–	–
Grenada	4	21	1	–	9	1	2	3	9	–	–	3	8	14	8	11	4	1	–
Grenada	4	14	1	–	8	–	1	3	5	–	–	3	6	9	4	7	2	1	–
Balance of county	–	7	–	–	1	1	1	–	4	–	–	–	2	5	4	4	2	–	–
Hancock	–	12	1	5	8	7	1	10	6	–	4	3	–	17	11	11	3	4	–
Harrison	3	76	6	10	26	52	4	25	8	–	8	17	7	130	40	42	27	27	4
Biloxi	1	29	–	3	7	13	1	13	1	–	6	13	3	38	8	19	3	7	–
Gulfport	2	22	3	4	11	23	–	6	5	–	1	2	2	50	12	9	8	12	–
Balance of county	–	25	3	3	8	16	3	6	2	–	1	2	2	42	22	14	16	8	4
Hinds	10	126	11	20	42	60	2	25	30	–	15	20	34	203	55	75	29	37	2
Clinton	1	7	1	–	4	4	–	–	3	–	1	2	3	10	5	1	1	2	–
Jackson, part	9	111	9	18	37	47	1	21	22	–	11	16	24	162	32	60	21	31	2
Jackson, total	9	111	9	18	37	47	1	21	22	–	11	16	24	162	32	60	21	31	2
Balance of county	–	8	1	2	1	9	1	4	5	–	3	2	7	31	18	14	7	4	–
Holmes	1	15	1	1	1	6	–	2	3	–	2	4	36	24	8	7	1	10	–
Humphreys	–	22	1	1	4	2	–	1	2	–	–	4	2	8	4	6	2	1	–
Issaquena	–	–	–	–	–	–	–	–	–	–	–	–	8	–	1	1	–	1	–
Itawamba	–	32	2	3	12	7	1	1	1	–	1	4	1	13	10	7	3	4	–
Jackson	2	47	4	7	21	27	1	11	3	–	6	10	21	42	27	28	11	8	1
Moss Point	–	9	–	–	4	2	–	4	–	–	2	4	3	2	3	4	–	2	–
Ocean Springs	–	15	–	2	5	5	–	–	2	–	–	–	2	10	5	10	–	1	–
Pascagoula	2	15	3	2	7	8	1	2	–	–	1	3	6	11	3	5	3	2	–
Balance of county	–	8	1	3	5	12	–	5	1	–	3	3	10	19	16	9	8	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	174	–	–	2	39	7	12	4	3	2	4	7	3	81	59	1	3	28	27
Jefferson	96	–	–	–	16	6	4	1	1	1	–	3	1	36	29	–	2	20	7
Jefferson Davis	154	1	–	–	23	9	7	–	2	2	1	2	1	75	62	–	1	29	32
Jones	648	1	–	10	149	29	37	12	13	5	2	51	9	311	246	2	3	110	131
Laurel	295	–	–	5	70	17	18	6	7	2	1	21	5	132	106	2	2	46	56
Balance of county	353	1	–	5	79	12	21	6	6	3	1	30	4	179	140	–	1	64	75
Kemper	100	–	–	–	29	11	1	3	3	4	1	6	–	33	30	–	11	15	4
Lafayette	231	1	–	5	58	21	15	5	1	5	3	8	3	98	79	1	6	30	42
Lamar	193	–	–	4	46	11	16	5	2	–	2	10	4	80	65	–	2	43	20
Hattiesburg, part	3	–	–	1	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	190	–	–	3	45	11	15	5	2	–	2	10	4	79	64	–	2	42	20
Lauderdale	770	–	–	9	158	32	59	8	11	10	9	29	10	384	323	1	61	103	158
Meridian	500	–	–	6	93	18	30	5	6	7	7	20	8	261	224	1	46	68	109
Balance of county	270	–	–	3	65	14	29	3	5	3	2	9	2	123	99	–	15	35	49
Lawrence	138	–	–	2	22	7	3	2	1	1	1	7	1	61	46	–	3	22	21
Leake	246	1	–	4	44	9	9	3	7	2	2	12	3	111	91	–	1	21	69
Lee	527	–	–	9	108	25	34	12	6	4	3	24	5	261	218	2	3	85	128
Tupelo	251	–	–	4	57	16	14	8	3	4	3	11	3	118	102	–	1	35	66
Balance of county	276	–	–	5	51	9	20	6	3	–	–	13	2	143	116	2	2	50	62
Leflore	441	1	–	10	81	22	25	1	13	3	2	15	10	224	182	–	5	132	45
Greenwood	291	1	–	7	55	12	15	1	11	2	2	12	8	142	116	–	2	88	26
Balance of county	150	–	–	3	26	10	10	–	2	1	–	3	2	82	66	–	3	44	19
Lincoln	288	1	–	3	44	11	9	1	7	2	3	11	7	152	126	–	4	64	58
Brookhaven	158	1	–	1	18	5	3	–	4	1	2	4	5	90	77	–	2	40	35
Balance of county	130	–	–	2	26	6	6	1	3	1	1	7	2	62	49	–	2	24	23
Lowndes	462	–	–	6	105	24	36	9	11	1	5	19	7	215	171	3	4	110	54
Columbus	271	–	–	1	57	12	16	6	8	1	4	10	4	137	109	3	3	68	34
Balance of county	191	–	–	5	48	12	20	3	3	–	1	9	3	78	62	–	1	41	20
Madison	351	–	–	5	84	23	16	5	11	2	2	25	2	139	98	1	5	49	43
Canton	147	–	–	3	28	11	2	1	4	1	1	8	1	70	48	1	2	25	20
Balance of county	204	–	–	2	56	12	14	4	7	1	1	17	1	69	50	–	3	24	23
Marion	307	1	–	3	52	13	16	4	3	1	–	15	5	128	90	–	1	48	41
Marshall	283	1	–	1	58	10	20	3	9	2	4	10	4	100	77	1	5	44	27
Monroe	412	–	–	1	74	16	20	5	14	3	3	13	4	213	168	–	–	95	73
Montgomery	187	–	–	1	32	4	14	2	4	4	2	2	1	111	89	–	6	68	15
Neshoba	269	–	–	2	51	10	13	3	6	5	1	13	6	104	74	–	3	46	23
Newton	226	–	–	2	34	5	14	3	3	–	1	8	5	119	104	1	2	49	52
Noxubee	132	1	–	1	21	2	6	3	4	–	1	5	1	50	36	–	4	14	18
Oktibbeha	257	–	–	4	61	17	13	2	11	2	1	15	8	116	86	–	6	42	38
Starkville	135	–	–	2	29	7	5	1	8	2	1	5	6	60	42	–	4	20	18
Balance of county	122	–	–	2	32	10	8	1	3	–	–	10	2	56	44	–	2	22	20
Panola	300	–	–	2	70	17	25	3	11	3	–	11	6	136	97	–	2	57	38
Pearl River	366	1	–	6	82	17	34	4	6	2	1	18	4	175	148	–	1	101	46
Picayune	140	1	–	4	32	5	13	3	3	1	–	7	2	63	52	–	–	40	12
Balance of county	226	–	–	2	50	12	21	1	3	1	1	11	2	112	96	–	1	61	34
Perry	102	–	–	–	20	2	6	2	1	–	1	8	2	42	33	–	–	26	7
Pike	401	1	–	7	79	18	25	5	10	1	4	16	8	198	138	–	3	58	78
McComb	181	1	–	2	36	7	12	3	4	–	2	8	4	83	52	–	2	23	27
Balance of county	220	–	–	5	43	11	13	2	6	1	2	8	4	115	86	–	1	36	49
Pontotoc	227	–	–	3	47	13	18	3	4	3	2	4	3	122	89	–	2	52	35
Prentiss	249	–	–	3	43	13	11	–	8	1	2	8	3	97	65	1	1	33	30
Quitman	121	–	–	2	23	8	3	2	5	–	1	4	3	60	43	–	–	33	10
Rankin	570	–	–	8	104	30	31	3	5	2	5	28	12	239	189	1	9	108	71
Jackson, part	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pearl	95	–	–	3	18	6	6	–	–	–	2	4	3	40	32	–	–	26	8
Balance of county	474	–	–	5	85	24	25	3	5	2	2	24	9	199	157	1	9	82	65
Scott	268	–	–	3	48	13	17	1	5	1	2	9	2	117	91	–	3	44	44
Sharkey	103	–	–	1	29	7	11	1	1	3	1	5	1	41	30	–	–	6	24
Simpson	251	–	–	2	59	14	15	2	3	2	6	17	5	110	88	–	–	68	20
Smith	139	–	–	3	27	5	3	3	6	3	1	6	4	55	38	–	1	26	11
Stone	109	–	–	1	20	6	5	1	3	–	1	4	–	55	42	–	–	34	8
Sunflower	311	–	–	5	59	9	26	3	11	2	–	8	4	152	109	–	2	64	43
Tallahatchie	170	–	–	–	32	3	10	4	5	1	2	7	8	74	55	–	6	33	16
Tate	182	–	–	2	43	10	13	4	2	2	2	10	–	69	49	–	–	33	16
Tippah	211	–	–	1	32	10	16	4	1	1	1	5	3	84	58	–	1	41	16
Tishomingo	190	–	–	1	39	9	9	6	2	1	1	11	3	85	70	–	1	51	18
Tunica	100	–	–	1	22	10	6	2	–	–	1	3	–	42	33	–	2	23	8
Union	224	–	–	2	57	16	13	1	6	2	5	14	1	94	70	–	–	37	33
Walthall	148	–	–	4	28	5	8	3	5	–	2	5	2	71	51	–	2	13	36
Warren	506	–	–	4	107	29	31	4	13	5	3	22	8	255	187	–	11	99	77
Vicksburg	337	–	–	2	78	21	21	2	8	4	2	20	5	172	124	–	8	69	47
Balance of county	169	–	–	2	29	8	10	2	5	1	1	2	3	83	63	–	3	30	30
Washington	713	1	–	3	123	34	34	13	8	3	2	29	5	369	304	–	12	85	207
Greenville	502	–	–	2	88	27	22	10	3	2	1	23	2	264	217	–	9	61	147
Balance of county	211	1	–	1	35	7	12	3	5	1	1	6	3	105	87	–	3	24	60
Wayne	176	–	–	2	32	8	3	6	4	2	2	7	5	80	66	–	1	32	33
Webster	114	–	–	1	34	3	13	3	5	2	1	7	3	43	34	–	1	18	15
Wilkinson	136	–	1	2	22	4	5	3	7	–	–	3	5	65	47	–	1	33	13
Winston	202	–	–	1	41	13	9	2	6	3	1	7	7	98	71	–	–	51	20
Yalobusha	148	–	–	1	41	11	12	3	4	3	1	7	2	64	43	–	1	29	13
Yazoo	323	–	–	2	67	14	16	5	10	2	1	19	9	171	127	–	12	64	51
Yazoo City	172	–	–	1	33	9	9	4	2	–	–	9	5	94	63	–	7	31	25
Balance of county	151	–	–	1	34	5	7	1	8	2	1	10	4	77	64	–	5	33	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	–	19	1	2	5	6	–	–	1	–	2	2	3	15	5	5	1	3	1
Jefferson	–	5	1	1	4	–	–	–	–	–	2	1	14	11	5	4	1	–	1
Jefferson Davis	–	10	1	2	9	5	–	1	1	–	3	1	7	13	7	4	2	1	–
Jones	10	44	3	8	23	14	2	5	7	–	2	5	4	58	14	15	8	10	–
Laurel	4	19	1	2	11	9	–	4	4	–	1	3	3	26	4	10	4	4	–
Balance of county	6	25	2	6	12	5	2	1	3	–	1	2	1	33	10	5	4	6	–
Kemper	–	3	–	–	3	–	–	4	1	–	–	–	4	11	9	3	2	1	–
Lafayette	1	14	–	2	7	12	–	4	2	–	2	–	2	25	3	6	3	2	–
Lamar	–	15	–	–	7	5	1	1	–	–	–	–	10	18	6	9	–	–	2
Hattiesburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	15	–	–	7	5	1	1	–	–	–	–	10	18	6	9	–	–	2
Lauderdale	2	52	3	4	17	23	1	10	15	–	6	4	5	64	22	18	9	15	–
Meridian	1	32	1	3	11	14	1	6	13	–	3	2	2	40	8	14	6	12	–
Balance of county	1	20	2	1	6	9	–	4	2	–	3	2	3	24	14	4	3	3	–
Lawrence	2	9	1	3	4	6	1	2	2	–	1	2	1	14	6	5	2	6	–
Leake	–	17	2	1	6	8	1	1	8	–	1	1	19	17	3	11	3	4	2
Lee	2	33	4	4	21	24	1	3	1	–	5	5	6	41	13	8	9	6	1
Tupelo	1	11	2	2	11	9	1	–	1	–	3	1	3	27	3	2	3	5	–
Balance of county	1	22	2	2	10	15	–	3	–	–	2	4	3	14	10	6	6	1	1
Leflore	1	37	–	4	7	5	1	5	2	–	–	6	4	45	13	14	6	6	1
Greenwood	–	23	–	3	7	1	–	5	2	–	–	3	2	38	5	8	5	1	1
Balance of county	1	14	–	1	–	4	1	–	–	–	–	3	2	7	8	6	1	5	–
Lincoln	2	23	–	1	3	12	1	1	5	–	1	1	14	23	7	9	–	4	–
Brookhaven	1	12	–	–	3	5	–	–	5	–	–	–	8	13	3	4	–	1	–
Balance of county	1	11	–	1	–	7	1	1	–	–	1	1	6	10	4	5	–	3	–
Lowndes	6	32	3	3	12	17	–	4	3	–	2	5	5	49	12	10	5	5	–
Columbus	2	21	3	2	9	9	–	1	2	–	1	3	3	29	5	4	3	3	–
Balance of county	4	11	–	1	3	8	–	3	1	–	1	2	2	20	7	6	2	2	–
Madison	4	33	1	3	14	5	–	3	2	–	5	1	40	28	3	13	2	4	1
Canton	–	20	–	2	5	1	–	2	2	–	1	1	13	11	1	4	1	3	–
Balance of county	4	13	1	1	9	4	–	1	–	–	4	–	27	17	2	9	1	1	1
Marion	2	34	–	2	15	9	1	2	4	–	–	2	28	29	13	9	4	2	–
Marshall	1	20	–	2	9	6	–	2	4	–	1	1	28	26	20	10	2	8	2
Monroe	1	39	3	2	14	12	–	3	4	–	1	2	14	37	15	13	3	1	1
Montgomery	–	21	–	1	6	9	–	1	1	–	–	–	7	9	8	1	–	2	–
Neshoba	–	26	2	2	9	7	1	5	5	–	4	1	28	19	16	3	3	3	2
Newton	–	10	3	2	1	2	–	1	4	–	2	2	13	26	7	5	–	2	–
Noxubee	–	14	–	–	2	3	–	1	3	1	–	2	21	14	5	6	–	–	–
Oktibbeha	2	22	2	4	5	7	–	2	4	–	–	–	5	23	6	8	4	4	–
Starkville	2	10	2	4	4	4	–	–	3	–	–	–	1	14	2	4	3	3	–
Balance of county	–	12	–	–	1	3	–	2	1	–	–	–	4	9	4	4	1	1	–
Panola	1	33	–	5	12	9	–	1	7	–	3	1	6	22	11	7	1	3	3
Pearl River	1	21	2	3	8	11	1	2	7	–	1	4	3	29	17	8	5	2	–
Picayune	1	8	1	1	3	7	–	1	3	–	–	2	2	8	7	4	3	–	–
Balance of county	–	13	1	2	5	4	1	1	4	–	1	2	1	23	10	4	2	2	–
Perry	–	8	1	–	4	1	–	1	–	–	1	–	5	12	10	1	2	1	–
Pike	1	57	1	1	12	10	–	5	2	–	3	5	13	32	6	9	2	9	–
McComb	–	29	1	1	8	5	–	2	1	–	–	3	8	21	1	2	1	3	–
Balance of county	1	28	–	–	4	5	–	3	1	–	3	2	5	11	5	7	1	6	–
Pontotoc	–	26	5	2	12	8	–	–	1	–	2	–	1	11	7	6	5	1	–
Prentiss	6	20	2	4	5	10	1	2	2	–	–	3	38	20	12	6	2	2	–
Quitman	–	16	–	1	5	3	1	1	1	1	–	2	1	5	3	8	1	–	1
Rankin	–	39	5	6	24	17	3	6	3	–	2	3	17	82	18	12	12	8	–
Jackson, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl	–	5	1	2	2	4	1	2	–	–	–	–	–	8	7	–	4	3	–
Balance of county	–	34	4	4	22	13	2	4	3	–	2	3	17	74	11	12	8	5	–
Scott	1	17	6	2	6	8	–	2	3	–	4	2	11	23	13	10	7	7	2
Sharkey	–	9	–	2	5	2	–	–	3	–	1	5	6	4	–	3	–	2	–
Simpson	–	17	1	4	11	6	2	3	3	–	–	–	4	22	10	6	2	6	–
Smith	1	11	4	1	5	4	2	–	1	–	2	–	21	7	5	3	–	–	–
Stone	–	11	–	2	2	4	–	3	2	–	1	1	2	10	4	–	1	3	–
Sunflower	4	38	1	–	10	5	–	1	7	1	2	8	7	22	9	9	2	7	1
Tallahatchie	2	14	2	1	1	2	1	1	4	–	1	5	10	17	4	6	1	3	–
Tate	1	16	2	1	6	8	2	–	1	–	–	2	8	23	9	6	–	3	–
Tippah	–	23	3	–	3	1	1	–	5	–	1	3	41	9	8	10	8	1	–
Tishomingo	–	14	1	–	3	8	1	4	2	–	1	–	4	17	8	9	2	3	–
Tunica	–	9	–	–	5	4	–	–	3	–	–	1	7	3	2	4	4	2	–
Union	–	19	3	2	8	8	–	4	2	–	1	1	9	23	8	3	3	–	–
Walthall	2	10	4	4	1	4	–	3	–	–	–	1	7	14	1	7	2	2	1
Warren	4	55	5	4	9	5	1	1	7	–	3	6	13	47	12	15	6	7	–
Vicksburg	4	38	4	2	5	2	1	1	6	–	2	6	8	32	3	7	3	4	–
Balance of county	–	17	1	2	4	3	–	–	1	–	1	–	5	15	9	8	3	3	–
Washington	5	52	6	2	17	21	–	12	14	–	8	5	33	41	19	20	7	14	1
Greenville	5	37	3	2	13	17	–	8	10	–	5	1	26	32	8	13	4	8	1
Balance of county	–	15	3	–	4	4	–	4	4	–	3	4	7	9	11	7	3	6	–
Wayne	–	11	1	2	8	6	–	2	5	–	2	–	5	11	9	6	–	3	–
Webster	–	7	1	1	2	7	–	1	3	–	–	–	2	14	1	1	–	2	–
Wilkinson	1	12	3	2	2	5	–	3	1	–	–	1	6	12	6	3	–	2	–
Winston	3	23	1	–	7	6	1	3	4	–	1	1	3	13	8	4	2	2	–
Yalobusha	–	20	–	1	4	3	1	2	3	–	–	–	2	8	10	4	2	1	–
Yazoo	2	24	16	2	9	4	1	2	3	–	1	4	4	17	12	8	4	3	2
Yazoo City	1	16	12	2	8	2	1	–	2	–	–	1	4	11	–	4	3	2	1
Balance of county	1	8	4	–	1	2	–	2	1	–	1	3	–	6	12	4	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	50,180	39	3	629	10,822	2,520	3,228	885	1,187	425	387	2,210	860	22,990	18,161	134	456	12,792	4,779
Urban places	23,220	19	2	338	5,102	1,248	1,529	408	532	192	166	1,029	445	10,443	8,276	74	278	5,886	2,038
Balance of area	26,960	20	1	291	5,720	1,274	1,699	457	655	233	221	1,181	415	12,547	9,885	60	178	6,906	2,741
Metropolitan counties	30,337	25	3	414	6,810	1,618	2,064	553	719	252	230	1,376	569	13,608	10,843	98	334	7,756	2,655
Urban places	20,353	17	2	300	4,502	1,098	1,347	365	473	166	143	909	396	9,085	7,240	67	258	5,152	1,763
Balance of area	9,984	8	1	114	2,308	517	717	188	246	86	87	467	173	4,523	3,603	31	76	2,604	892
Nonmetropolitan counties	19,843	14	-	215	4,012	904	1,164	312	468	173	157	834	291	9,382	7,318	36	122	5,036	2,124
Urban places	2,867	2	-	38	600	147	182	43	59	26	23	120	49	1,358	1,036	7	20	734	275
Balance of area	16,976	12	-	177	3,412	757	982	269	409	147	134	714	242	8,024	6,282	29	102	4,302	1,849
Adair	196	-	-	2	34	10	9	1	3	-	1	10	2	102	82	1	-	57	24
Kirksville	144	-	-	2	23	7	6	1	-	-	1	8	1	73	54	1	-	38	15
Balance of county	52	-	-	-	11	3	3	-	3	-	-	2	1	29	28	-	-	19	9
Andrew	131	-	-	2	24	7	9	-	2	3	-	3	2	52	41	-	1	28	12
Atchison	113	-	-	1	20	7	6	2	-	-	1	4	2	75	58	1	-	43	14
Audrain	245	1	-	3	42	10	12	5	3	-	2	10	7	116	82	-	2	58	22
Mexico	140	-	-	3	22	8	5	2	3	-	1	5	4	63	44	-	1	32	11
Balance of county	105	1	-	-	20	4	7	3	-	-	1	5	3	53	38	-	1	26	11
Barry	348	-	-	1	74	19	16	7	5	7	4	16	3	178	133	2	1	95	35
Barton	161	-	-	2	22	2	4	2	6	2	-	6	5	90	69	-	4	54	11
Bates	219	-	-	2	38	10	15	2	3	1	1	6	3	105	83	-	1	64	18
Benton	206	-	-	4	43	11	15	2	3	-	-	12	1	95	80	-	-	39	41
Bollinger	133	-	-	1	33	5	15	1	4	-	2	8	2	62	48	1	1	37	9
Boone	596	-	-	8	134	34	36	10	16	5	8	25	6	219	171	6	3	119	43
Columbia	393	-	-	6	83	23	21	5	10	4	4	16	6	140	104	4	3	71	28
Balance of county	203	-	-	2	51	11	15	5	6	1	4	9	-	79	67	2	-	48	17
Buchanan	1,018	1	-	10	184	43	51	19	20	3	6	42	27	463	362	1	6	266	89
St. Joseph	929	1	-	10	169	42	48	15	20	2	5	37	25	421	328	1	6	243	78
Balance of county	89	-	-	-	15	1	3	4	-	1	1	5	2	42	34	-	-	23	11
Butler	474	1	-	11	101	23	37	8	6	2	4	21	4	188	140	-	-	89	41
Poplar Bluff	270	-	-	6	53	15	19	3	4	1	1	10	3	114	90	-	-	69	21
Balance of county	204	1	-	5	48	8	18	5	2	1	3	11	1	74	50	-	-	30	20
Caldwell	109	-	-	3	17	3	3	2	3	1	2	3	-	56	46	-	-	27	19
Callaway	274	-	-	1	61	16	19	4	5	2	3	12	4	122	85	-	4	51	30
Fulton	125	-	-	1	34	10	9	2	3	1	2	7	2	48	31	-	2	18	11
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	149	-	-	-	27	6	10	2	2	1	1	5	2	74	54	-	2	33	19
Camden	261	-	-	7	66	10	22	7	6	6	2	13	1	119	93	1	-	61	31
Cape Girardeau	530	-	-	8	119	31	38	9	16	7	3	15	5	272	202	2	1	137	82
Cape Girardeau	326	-	-	2	81	23	25	6	9	6	2	10	2	160	112	1	-	80	31
Balance of county	204	-	-	6	38	8	13	3	7	1	1	5	3	112	90	1	1	57	31
Carroll	165	-	-	1	26	7	8	1	3	1	2	4	-	90	76	1	1	35	39
Carter	75	-	-	-	12	4	5	-	1	-	-	2	-	15	13	-	1	8	6
Cass	431	-	-	5	93	19	35	5	12	2	3	17	4	199	154	4	1	110	39
Belton	94	-	-	3	23	7	9	-	2	1	-	4	2	39	32	1	-	27	4
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	337	-	-	2	70	12	26	5	10	1	3	13	2	160	122	3	1	83	35
Cedar	189	-	-	1	35	12	11	4	-	1	2	5	-	103	84	-	-	43	41
Chariton	135	1	-	2	21	6	4	1	5	1	1	3	2	58	40	-	-	31	9
Christian	206	-	-	3	45	11	10	3	3	1	1	16	2	93	69	-	1	38	30
Clark	88	-	-	1	8	-	3	-	1	-	2	2	-	42	29	-	1	18	10
Clay	1,008	2	-	10	209	51	66	17	17	6	3	49	27	457	359	4	9	261	85
Excelsior Springs, part	120	-	-	1	26	7	7	2	3	1	1	5	1	52	34	1	-	21	12
Excelsior Springs, total	121	-	-	1	27	7	8	2	3	1	1	5	1	52	34	1	-	21	12
Gladstone	150	-	-	-	34	9	10	7	2	-	-	6	1	74	61	-	2	45	14
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	402	-	-	7	83	18	22	6	8	3	1	25	17	163	127	2	3	91	31
Liberty	110	-	-	-	22	5	14	-	-	-	-	3	5	50	42	-	2	29	11
Balance of county	226	2	-	2	44	12	13	2	4	2	1	10	3	118	95	1	2	75	17
Clinton	173	-	-	2	33	12	5	-	3	2	1	10	5	83	59	-	-	42	17
Cole	512	1	-	7	106	21	29	14	13	6	4	19	9	246	195	1	9	151	34
Jefferson City, part	399	1	-	6	84	17	24	9	8	6	4	16	9	191	154	1	7	116	30
Jefferson City, total	399	1	-	6	84	17	24	9	8	6	4	16	9	191	154	1	7	116	30
Balance of county	113	-	-	1	22	4	5	5	5	-	-	3	-	55	41	-	2	35	4
Cooper	163	-	-	-	37	7	9	4	4	5	1	7	-	81	66	-	-	53	13
Crawford	215	1	-	2	50	12	15	3	7	2	1	10	5	88	75	-	2	61	12
Dade	108	-	-	-	19	3	6	-	2	-	1	7	1	53	40	-	-	26	14
Dallas	149	-	-	2	39	4	14	4	5	4	2	6	2	50	44	-	-	33	11
Daviess	104	-	-	3	29	7	4	5	4	1	3	5	2	50	32	-	1	24	7
De Kalb	106	-	-	1	18	2	6	1	2	1	1	5	3	51	41	-	-	27	14
Dent	155	-	-	2	28	8	4	5	3	1	-	7	2	79	64	-	-	38	26
Douglas	124	1	-	-	14	2	3	2	4	-	-	3	4	45	34	1	-	23	10
Dunklin	433	-	-	8	90	16	32	7	9	1	7	18	6	207	169	-	3	112	54
Kennett	122	-	-	2	28	5	8	2	5	-	2	7	3	57	45	-	1	28	16
Balance of county	311	-	-	6	61	11	24	5	4	1	5	11	3	150	124	-	2	84	38
Franklin	671	1	-	12	144	35	55	8	13	5	6	22	12	298	241	3	3	165	70
Gasconade	194	-	-	4	29	7	6	4	6	1	-	5	7	105	85	1	1	68	15
Gentry	102	-	-	1	18	3	3	-	2	2	3	5	-	56	43	-	-	31	12
Greene	1,771	1	-	25	388	79	99	33	37	12	17	91	34	764	565	4	8	390	163
Springfield	1,444	-	-	23	298	66	80	26	28	11	14	73	30	621	455	4	8	321	122
Balance of county	327	1	-	2	70	13	19	7	9	1	3	18	4	143	110	-	-	69	41
Grundy	177	-	-	-	35	13	5	3	6	2	-	6	2	92	68	-	-	49	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	180	3,610	492	547	1,730	1,892	156	398	596	6	276	375	1,543	4,223	1,159	1,208	720	497	58
Urban places	79	1,638	222	228	809	859	74	221	246	5	136	230	519	2,144	377	528	323	388	32
Balance of area	101	1,972	270	319	921	1,033	82	177	350	1	140	145	1,024	2,079	782	680	397	129	26
Metropolitan counties	111	2,049	274	331	976	1,109	96	282	347	4	196	288	620	2,728	628	700	467	426	41
Urban places	67	1,387	192	199	668	754	66	200	215	4	124	212	429	1,899	334	468	291	357	30
Balance of area	44	662	82	132	308	355	30	82	132	–	72	76	191	829	294	232	176	69	11
Nonmetropolitan counties	69	1,561	218	216	754	783	60	116	249	2	80	87	923	1,495	531	508	253	71	17
Urban places	12	251	30	29	141	105	8	21	31	1	12	18	90	245	43	60	32	11	2
Balance of area	57	1,310	188	187	613	678	52	95	218	1	68	69	833	1,250	488	448	221	60	15
Adair	–	15	3	2	10	7	1	–	4	–	1	1	3	20	3	5	1	–	–
Kirksville	–	15	2	2	8	5	1	–	3	–	1	1	2	17	2	4	1	–	–
Balance of county	–	–	1	–	2	2	–	–	1	–	–	–	1	3	1	1	–	–	–
Andrew	–	10	–	1	6	5	–	–	2	–	–	–	10	21	2	4	1	–	–
Atchison	2	10	3	2	2	8	–	–	–	–	–	–	–	3	1	1	–	–	–
Audrain	2	26	6	–	10	17	1	–	2	–	–	–	5	27	8	3	2	–	1
Mexico	1	16	2	–	7	11	1	–	1	–	–	–	1	18	4	3	1	–	1
Balance of county	1	10	4	–	3	6	–	–	1	–	–	–	4	9	4	–	1	–	–
Barry	–	31	5	7	7	18	2	3	1	–	2	2	14	21	6	13	3	1	1
Barton	1	16	–	4	3	7	2	–	2	–	1	–	5	12	7	3	–	–	–
Bates	1	13	6	2	6	5	–	1	3	–	–	4	20	11	10	5	5	1	–
Benton	–	13	–	2	8	7	1	1	4	–	1	1	6	20	7	6	1	–	–
Bollinger	3	9	–	2	5	5	–	1	1	–	–	1	7	8	4	1	1	1	–
Boone	3	35	4	6	22	24	1	4	6	–	7	7	12	87	25	17	12	5	–
Columbia	2	26	3	5	17	15	–	3	5	–	4	7	10	66	13	8	6	4	–
Balance of county	1	9	1	1	5	9	1	1	1	–	3	–	2	21	12	9	6	1	–
Buchanan	5	71	16	9	36	60	2	8	12	–	3	6	64	90	12	28	10	2	–
St. Joseph	5	64	15	9	36	50	2	7	10	–	3	6	61	86	7	25	8	2	–
Balance of county	–	7	1	–	–	10	–	1	2	–	–	–	3	4	5	3	2	–	–
Butler	1	43	2	2	19	16	1	6	6	–	–	1	42	42	12	14	6	2	–
Poplar Bluff	1	23	–	–	13	7	1	4	3	–	–	–	23	28	5	4	4	2	–
Balance of county	–	20	2	2	6	9	–	2	3	–	–	1	19	14	7	10	4	–	–
Caldwell	2	7	–	1	7	1	1	–	–	–	–	–	10	4	5	3	2	–	–
Callaway	1	29	2	5	18	10	1	1	2	–	–	2	7	28	4	5	7	1	–
Fulton	–	12	1	4	13	4	–	–	2	–	–	1	1	13	2	1	2	1	–
Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	17	1	1	5	6	1	1	–	–	–	–	6	15	2	4	5	–	–
Camden	5	14	3	4	7	11	–	3	3	–	–	–	–	16	12	7	7	2	–
Cape Girardeau	3	49	12	6	16	13	–	7	4	–	2	5	13	33	9	17	6	1	–
Cape Girardeau	2	33	10	3	11	10	–	7	2	–	2	3	6	21	3	10	5	1	–
Balance of county	1	16	2	3	5	3	–	–	2	–	–	2	7	12	6	7	1	–	–
Carroll	–	14	–	–	3	5	–	1	2	–	–	–	23	7	2	4	1	–	–
Carter	–	2	–	–	1	1	–	–	3	–	1	–	31	5	3	2	1	–	–
Cass	2	34	4	5	15	14	–	2	8	–	3	6	19	24	17	14	7	1	–
Belton	–	6	1	–	1	3	–	–	2	–	–	2	5	6	3	2	2	1	–
Lee's Summit, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	28	3	5	14	11	–	2	6	–	3	4	14	18	14	12	5	–	–
Cedar	1	17	1	–	11	8	–	–	5	–	2	–	5	10	4	–	4	1	–
Chariton	–	14	3	1	3	13	–	1	1	–	1	2	3	16	8	4	–	–	1
Christian	1	17	3	3	8	7	–	3	2	–	–	1	6	23	8	2	3	–	–
Clark	–	7	2	4	9	2	1	–	1	–	1	–	16	4	1	2	–	–	–
Clay	7	64	10	17	28	49	3	11	10	–	8	7	14	102	23	22	19	9	–
Excelsior Springs, part	2	12	1	3	6	9	–	1	–	–	–	–	2	14	2	4	1	1	–
Excelsior Springs, total	2	12	1	3	6	9	–	1	–	–	–	–	2	14	2	4	1	1	–
Gladstone	2	7	2	2	3	7	1	–	2	–	1	1	1	14	1	2	5	3	–
Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kansas City, part	1	22	4	9	8	20	1	6	4	–	4	5	7	44	11	10	9	3	–
Liberty	1	7	–	–	6	6	–	–	1	–	–	–	1	9	5	3	2	–	–
Balance of county	1	16	3	3	5	7	1	4	3	–	1	1	3	21	4	3	2	2	–
Clinton	1	12	7	4	5	6	1	1	3	–	1	–	9	14	3	2	2	3	–
Cole	2	44	2	3	14	17	2	4	3	–	–	–	10	44	17	15	14	3	–
Jefferson City, part	2	31	1	3	12	13	1	3	2	–	–	–	10	38	8	7	11	3	–
Jefferson City, total	2	31	1	3	12	13	1	3	2	–	–	–	10	38	8	7	11	3	–
Balance of county	–	13	1	–	2	4	1	1	1	–	–	–	–	6	9	8	3	–	–
Cooper	–	11	4	–	10	4	1	1	2	–	–	1	3	14	2	5	2	–	–
Crawford	–	11	–	2	5	11	1	2	6	–	1	–	8	17	8	7	2	1	–
Dade	–	10	1	2	2	8	–	–	1	–	–	–	7	11	4	2	–	–	–
Dallas	–	4	1	1	2	9	–	–	3	–	–	3	12	19	5	3	–	–	–
Daviess	–	15	2	1	3	4	1	–	–	–	–	–	4	4	1	3	–	–	–
De Kalb	–	9	1	–	7	4	–	–	1	–	1	–	3	8	2	5	1	–	–
Dent	2	12	1	–	3	6	–	3	–	–	–	–	10	10	6	4	1	1	–
Douglas	–	9	–	2	3	2	–	2	2	–	1	1	20	16	3	7	3	–	–
Dunklin	1	33	2	2	15	16	–	1	4	–	2	–	18	34	13	12	3	1	3
Kennett	–	11	–	1	5	5	–	–	1	–	1	–	3	11	1	4	–	–	–
Balance of county	1	22	2	1	10	11	–	1	3	–	1	–	15	23	12	8	3	1	3
Franklin	7	35	3	12	21	19	–	2	14	–	4	6	46	41	19	14	14	3	1
Gasconade	–	16	2	2	6	3	1	1	2	–	1	–	4	14	7	4	5	1	–
Gentry	–	11	2	–	7	4	–	–	–	–	–	–	1	9	2	3	1	–	–
Greene	8	158	21	12	64	76	2	8	7	–	7	16	123	167	42	32	23	8	4
Springfield	5	134	20	7	60	57	1	6	6	–	6	14	100	139	27	25	20	8	3
Balance of county	3	24	1	5	4	19	1	2	1	–	1	2	23	28	15	7	3	–	1
Grundy	1	22	–	1	7	8	1	1	3	–	–	–	4	16	3	2	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	146	–	–	2	24	5	6	–	5	2	–	6	1	80	59	–	–	43	16
Henry	294	–	–	3	53	18	13	6	7	–	–	9	3	152	118	1	–	86	31
Hickory	111	–	–	1	22	–	8	2	1	2	–	9	4	52	44	–	1	27	16
Holt	108	–	–	3	23	7	5	1	4	1	1	4	1	53	46	–	1	30	15
Howard	122	–	–	–	30	11	7	1	3	–	4	4	1	47	33	–	–	22	11
Howell	363	1	–	3	87	15	27	7	9	6	4	19	11	172	144	–	–	106	38
Iron	126	–	–	1	27	7	13	1	2	–	–	4	2	47	37	–	2	30	5
Jackson	6,073	5	–	84	1,361	280	424	121	138	57	52	289	92	2,604	2,096	21	56	1,321	698
Blue Springs	155	–	–	2	49	11	12	3	10	–	2	11	1	58	55	1	1	34	19
Grandview	131	–	–	–	30	6	8	1	6	2	1	6	2	53	38	–	–	29	9
Independence, part	913	–	–	13	216	54	73	26	13	7	5	38	15	413	344	7	14	196	127
Independence, total	913	–	–	13	216	54	73	26	13	7	5	38	15	413	344	7	14	196	127
Kansas City, part	4,041	3	–	62	874	180	274	70	86	40	36	168	58	1,713	1,372	12	41	862	457
Kansas City, total	4,549	3	–	72	984	204	306	78	96	44	37	219	78	1,918	1,534	15	44	976	499
Lee's Summit, part	322	1	–	3	67	9	16	11	7	5	2	17	7	150	120	1	–	79	40
Lee's Summit, total	322	1	–	3	67	9	16	11	7	5	2	17	7	150	120	1	–	79	40
Raytown	281	–	–	4	66	10	20	4	10	2	2	18	7	128	100	–	–	77	23
Balance of county	230	1	–	–	59	10	21	6	6	1	4	11	2	69	67	–	–	44	23
Jasper	1,043	–	–	6	247	55	85	14	22	13	8	50	16	488	371	4	10	246	111
Carthage	162	–	–	1	44	10	10	4	8	2	–	10	4	69	56	1	1	35	19
Joplin, part	510	–	–	4	122	31	41	6	13	8	2	21	6	232	177	3	5	118	51
Joplin, total	554	–	–	4	133	34	46	7	14	8	2	22	6	253	190	3	5	128	54
Balance of county	371	–	–	1	81	14	34	4	1	3	6	19	6	187	138	–	4	93	41
Jefferson	1,043	–	–	12	249	51	98	19	11	5	11	54	17	441	358	3	6	241	108
Arnold	131	–	–	2	38	9	13	3	–	–	2	11	2	50	42	–	–	32	10
Balance of county	912	–	–	10	211	42	85	16	11	5	9	43	15	391	316	3	6	209	98
Johnson	260	–	–	1	35	11	5	1	6	3	–	9	2	132	99	–	2	75	22
Warrensburg	110	–	–	–	16	4	4	1	3	2	–	2	2	68	49	–	2	35	11
Balance of county	150	–	–	1	19	7	1	–	3	1	–	7	–	64	51	–	–	40	11
Knox	72	–	–	1	10	1	4	–	1	–	1	3	–	41	26	1	1	13	11
Laclede	259	2	–	2	62	14	20	5	9	1	2	11	4	112	98	–	1	67	30
Lafayette	326	–	–	3	77	9	23	8	13	2	2	20	3	149	118	–	2	78	38
Lawrence	360	1	–	4	81	13	22	3	15	6	7	15	5	195	156	1	–	111	44
Lewis	138	–	–	–	18	5	3	1	3	–	2	4	1	71	61	–	4	24	33
Lincoln	256	–	–	1	53	6	18	2	7	1	5	14	2	94	65	–	1	49	15
Linn	234	–	–	4	42	13	9	3	5	2	2	8	4	130	103	1	2	75	25
Livingston	168	–	–	–	29	4	6	5	6	2	–	6	–	90	70	–	1	43	26
McDonald	194	–	–	2	43	12	14	2	4	2	–	9	–	89	72	–	–	52	20
Macon	245	–	–	3	42	9	7	6	9	1	2	8	10	122	108	1	6	70	31
Madison	133	–	–	–	23	4	8	2	2	1	1	7	7	58	48	–	1	30	17
Maries	93	–	–	2	21	9	6	1	2	1	–	2	–	38	31	–	–	18	13
Marion	362	1	–	3	64	18	12	6	11	2	3	12	7	175	139	3	4	79	53
Hannibal, part	255	1	–	2	47	14	10	4	7	1	2	9	5	124	96	2	3	62	29
Hannibal, total	260	1	–	2	48	14	11	4	7	1	2	9	5	126	98	2	3	64	29
Balance of county	107	–	–	1	17	4	2	2	4	1	1	3	2	51	43	1	1	17	24
Mercer	73	–	–	–	19	2	5	2	2	–	–	8	1	37	27	–	–	13	14
Miller	217	–	–	1	44	8	15	1	–	5	2	13	5	98	75	1	–	59	15
Mississippi	204	–	–	2	39	12	11	1	6	1	1	7	5	95	73	–	1	50	22
Moniteau	159	–	–	1	34	14	8	2	2	1	–	7	2	88	68	1	1	48	18
Monroe	114	–	–	2	23	7	5	2	4	–	1	4	2	55	41	–	1	26	14
Montgomery	164	1	–	1	30	12	7	3	1	1	–	6	3	70	43	–	–	36	7
Morgan	211	–	–	3	43	9	11	5	3	2	1	12	4	116	76	1	–	53	22
New Madrid	250	–	–	4	50	12	15	3	5	1	–	14	7	93	66	–	2	43	21
Sikeston, part	2	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	248	–	–	4	49	12	14	3	5	1	–	14	7	92	65	–	2	42	21
Newton	414	2	–	4	84	14	41	6	10	2	2	9	8	179	131	1	1	87	42
Joplin, part	44	–	–	–	11	3	5	1	1	–	–	1	–	21	13	–	–	10	3
Balance of county	370	2	–	4	73	11	36	5	9	2	2	8	8	158	118	1	1	77	39
Nodaway	209	–	–	2	46	14	13	3	3	2	2	9	4	109	85	–	1	62	22
Oregon	147	–	–	1	20	7	8	2	1	–	–	2	4	72	64	–	–	46	18
Osage	122	–	–	–	30	6	9	3	4	–	2	4	2	63	53	–	2	39	12
Ozark	96	–	–	2	22	1	4	3	2	2	1	9	–	43	32	–	–	21	11
Pemiscot	291	1	–	4	55	9	17	3	6	1	2	17	1	124	91	–	1	56	34
Perry	175	–	–	–	40	15	8	1	8	1	2	5	1	89	76	1	3	56	16
Pettis	453	–	–	7	97	16	27	7	11	3	6	27	7	206	142	1	1	86	44
Sedalia	327	–	–	6	75	13	24	4	7	1	5	21	5	147	101	1	1	68	31
Balance of county	126	–	–	1	22	3	3	3	4	2	1	6	2	59	41	–	–	28	13
Phelps	352	–	–	7	61	14	20	4	9	2	1	11	8	162	121	1	2	84	34
Rolla	121	–	–	2	20	8	5	1	2	1	–	3	4	55	38	1	–	28	9
Balance of county	231	–	–	5	41	6	15	3	7	1	1	8	4	107	83	–	2	56	25
Pike	228	–	–	3	55	11	15	6	9	2	–	12	2	95	69	–	–	48	21
Platte	260	–	–	5	62	14	21	4	4	2	1	16	6	111	96	1	–	63	32
Kansas City, part	106	–	–	3	27	6	10	2	2	1	–	6	3	42	35	1	–	23	11
Balance of county	154	–	–	2	35	8	11	2	2	1	1	10	3	69	61	–	–	40	21
Polk	250	–	–	1	52	11	10	6	12	3	–	10	6	128	99	–	–	72	27
Pulaski	245	–	–	4	40	9	16	2	2	1	–	10	1	101	88	–	4	49	35
Putnam	66	–	–	–	11	2	–	1	1	1	–	6	–	40	31	–	–	25	6
Ralls	85	–	–	–	11	1	4	2	–	1	1	2	2	48	39	–	–	27	12
Hannibal, part	5	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–	2	–
Balance of county	80	–	–	–	10	1	3	2	–	1	1	2	2	46	37	–	–	25	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E900-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	–	16	4	1	5	5	–	1	2	–	–	–	5	16	–	4	–	1	–
Henry	–	30	2	2	7	10	2	2	2	–	–	3	13	23	9	7	3	2	–
Hickory	–	8	–	–	3	4	2	1	3	–	–	–	6	6	3	3	1	–	–
Holt	–	6	1	–	4	7	–	1	3	–	–	1	1	7	–	2	2	–	–
Howard	–	6	6	–	12	9	1	–	3	–	–	1	3	10	3	2	–	–	–
Howell	3	20	2	3	3	14	–	–	8	–	3	3	9	25	8	9	4	1	2
Iron	–	8	–	2	2	6	–	5	1	–	1	1	12	14	4	3	–	–	–
Jackson	15	359	63	61	209	257	15	66	76	1	39	69	89	597	133	151	97	115	13
Blue Springs	–	1	–	2	7	6	–	3	–	–	2	2	1	11	6	2	2	1	2
Grandview	–	14	1	–	1	8	–	1	–	–	3	1	–	20	5	2	4	1	–
Independence, part	–	49	7	13	33	39	1	12	5	–	6	8	8	73	25	19	19	6	2
Independence, total	–	49	7	13	33	39	1	12	5	–	6	8	8	73	25	19	19	6	2
Kansas City, part	13	244	46	38	135	160	11	43	58	1	25	54	74	422	73	111	58	99	7
Kansas City, total	14	272	50	48	146	182	12	51	65	1	30	60	83	472	86	124	71	103	8
Lee's Summit, part	1	26	1	2	17	15	–	3	4	–	2	2	–	31	9	6	2	1	2
Lee's Summit, total	1	26	1	2	17	15	–	3	4	–	2	2	–	31	9	6	2	1	2
Raytown	1	20	5	2	9	12	1	–	5	–	1	–	2	25	5	5	9	2	–
Balance of county	–	15	3	4	7	17	2	4	4	–	–	2	4	15	10	6	3	5	–
Jasper	4	87	9	17	24	49	4	10	7	–	7	4	20	84	20	34	18	5	–
Carthage	1	7	1	4	5	9	–	2	–	–	–	1	3	13	1	8	2	–	–
Joplin, part	1	47	4	3	13	26	3	5	4	–	1	2	13	46	9	13	8	3	–
Joplin, total	2	53	5	3	13	27	3	6	4	–	1	2	15	51	10	14	9	3	–
Balance of county	2	33	4	10	6	14	1	3	3	–	6	1	4	25	10	13	8	2	–
Jefferson	2	67	5	9	26	36	4	9	11	–	12	11	5	88	62	29	23	8	–
Arnold	–	7	1	–	2	4	–	–	1	–	2	2	1	11	6	7	2	1	–
Balance of county	2	60	4	9	24	32	4	9	10	–	10	9	4	77	56	22	21	7	–
Johnson	1	23	8	1	13	12	2	1	4	1	5	1	11	21	6	5	6	2	–
Warrensburg	–	15	5	–	6	1	1	1	1	1	–	1	4	7	–	–	1	–	–
Balance of county	1	8	3	1	7	11	1	–	3	–	5	–	7	14	6	5	5	2	–
Knox	1	13	–	1	–	3	1	–	3	–	–	–	6	3	1	2	1	–	–
Laclede	–	12	1	1	7	9	1	1	4	1	1	3	17	19	5	2	5	1	1
Lafayette	–	20	5	6	21	14	–	2	–	–	1	2	4	24	5	10	8	2	1
Lawrence	2	23	3	11	12	13	2	1	4	–	2	2	5	33	6	4	8	1	1
Lewis	1	9	–	–	3	2	3	1	4	–	1	–	17	8	3	5	1	–	–
Lincoln	–	19	4	6	8	6	–	1	5	–	2	–	30	18	16	9	6	3	2
Linn	–	22	4	1	7	7	–	1	6	–	–	–	3	17	4	6	3	–	–
Livingston	–	19	–	1	11	6	–	1	2	–	–	1	5	16	2	3	2	–	–
McDonald	–	17	–	–	4	5	1	2	4	–	1	1	17	7	8	8	1	1	–
Macon	–	10	2	2	10	16	–	–	4	–	1	–	2	26	4	5	–	–	–
Madison	–	6	2	2	9	3	3	1	2	–	2	–	6	11	2	5	1	–	–
Maries	–	5	–	2	4	5	–	1	–	–	–	–	5	8	5	3	–	1	–
Marion	2	22	5	7	8	26	1	3	8	–	1	2	16	25	7	12	3	–	–
Hannibal, part	2	17	3	6	8	14	1	1	7	–	1	2	9	21	4	7	1	–	–
Hannibal, total	2	17	3	6	8	14	1	2	7	–	1	2	9	22	4	7	1	–	–
Balance of county	–	5	2	1	–	12	–	2	1	–	–	–	7	4	3	5	2	–	–
Mercer	–	7	2	1	4	2	–	–	2	–	–	–	2	4	–	1	1	–	–
Miller	–	12	4	7	5	8	–	1	5	–	3	–	7	18	13	5	4	–	–
Mississippi	2	18	1	1	10	3	–	2	2	–	2	–	14	13	3	9	4	1	–
Moniteau	1	12	3	4	4	5	–	2	3	–	1	1	1	13	2	1	1	–	–
Monroe	2	9	2	1	6	3	–	–	2	–	–	1	3	9	1	5	2	–	–
Montgomery	2	21	3	1	11	11	1	–	2	–	–	–	16	11	2	3	2	–	–
Morgan	1	29	6	4	6	7	2	4	2	–	–	–	–	15	4	4	1	–	–
New Madrid	1	22	1	3	8	5	–	3	3	–	1	2	37	18	7	8	2	1	1
Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	22	1	3	8	5	–	3	3	–	1	2	37	18	7	8	2	1	1
Newton	1	35	4	8	11	9	–	4	7	–	1	4	27	40	17	11	3	2	1
Joplin, part	1	6	1	–	–	1	–	1	–	–	–	–	2	5	1	1	1	–	–
Balance of county	–	29	3	8	11	8	–	3	7	–	1	4	25	35	16	10	2	2	1
Nodaway	2	18	1	3	5	9	1	2	1	–	–	1	2	17	–	6	4	–	–
Oregon	–	6	–	2	2	4	–	2	2	–	1	–	11	19	4	4	1	–	–
Osage	–	8	1	1	3	6	1	1	–	–	–	1	1	7	3	1	2	1	–
Ozark	–	8	2	1	3	4	–	–	1	–	1	–	7	6	4	1	2	–	–
Pemiscot	1	29	1	2	10	9	1	3	6	–	4	2	39	12	4	7	2	7	–
Perry	1	11	–	1	8	10	1	–	1	–	–	–	1	15	3	3	2	1	–
Pettis	2	53	5	4	24	18	1	3	4	–	3	4	11	36	9	15	4	3	1
Sedalia	1	39	3	3	20	13	–	2	4	–	3	3	8	26	4	6	1	3	1
Balance of county	1	14	2	1	4	5	1	1	–	–	–	1	3	10	5	9	3	–	–
Phelps	3	29	2	7	11	12	–	–	1	–	1	3	22	30	14	12	8	–	–
Rolla	2	12	–	3	5	4	–	–	–	–	1	1	9	13	3	3	1	–	–
Balance of county	1	17	2	4	6	8	–	–	1	–	–	2	13	17	11	9	7	–	–
Pike	1	16	7	2	11	8	1	1	5	–	–	2	10	15	6	11	3	–	–
Platte	–	13	1	1	6	8	–	4	7	–	4	2	3	18	7	7	8	1	1
Kansas City, part	–	6	–	1	3	2	–	2	3	–	1	1	2	6	2	3	4	1	1
Balance of county	–	7	1	–	3	6	–	2	4	–	3	1	1	12	5	4	4	–	–
Polk	1	23	1	4	4	12	–	–	2	–	1	2	11	13	6	9	3	–	–
Pulaski	–	11	–	2	9	14	–	2	5	–	3	2	16	18	10	11	6	3	–
Putnam	–	4	5	–	1	3	–	–	–	–	–	–	1	3	1	4	2	–	–
Ralls	–	7	1	1	4	3	1	1	2	–	–	–	2	5	2	1	2	1	–
Hannibal, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	7	1	1	4	3	1	–	2	–	–	–	2	4	2	1	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	253	–	–	3	47	12	18	3	2	3	–	9	3	119	97	–	2	68	29
Moberly	168	–	–	3	33	7	14	2	1	3	–	6	3	85	69	–	1	48	22
Balance of county	85	–	–	–	14	5	4	1	1	–	–	3	–	34	28	–	1	20	7
Ray	227	–	–	–	41	2	17	2	6	2	2	10	5	110	84	1	2	51	30
Excelsior Springs, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	226	–	–	–	40	2	16	2	6	2	2	10	5	110	84	1	2	51	30
Reynolds	74	–	–	2	12	2	3	1	3	–	–	3	–	29	19	–	–	16	3
Ripley	180	–	–	1	37	15	9	1	4	–	4	4	3	75	61	1	2	29	29
St. Charles	898	1	–	6	198	42	63	28	19	11	7	28	14	406	317	5	10	229	73
St. Charles	371	–	–	4	74	15	29	11	6	4	1	8	4	183	142	2	2	110	26
St. Peters	69	–	–	–	23	7	9	3	1	2	–	1	1	29	23	–	1	16	6
Balance of county	458	1	–	2	101	20	25	14	12	5	6	19	9	194	152	3	7	103	39
St. Clair	135	–	–	–	31	6	7	4	3	2	2	7	–	66	53	–	1	28	28
Ste. Genevieve	126	–	–	2	33	10	8	4	6	1	–	4	3	57	46	–	1	34	11
St. Francois	526	–	–	4	122	27	44	11	8	6	4	22	12	236	188	1	5	136	44
St. Louis	8,352	3	1	109	2,065	524	574	178	244	75	64	406	158	3,873	3,101	25	95	2,400	581
Ballwin	72	–	–	–	21	6	10	1	1	–	–	3	1	28	22	–	1	18	3
Bellefontaine Neighbors	150	–	–	2	30	4	16	–	2	1	1	6	3	85	77	2	4	57	14
Berkeley	109	1	–	–	25	5	9	3	5	2	–	1	3	45	38	–	1	30	7
Bridgeton	141	–	–	4	27	6	6	4	2	–	1	8	2	76	61	–	1	53	7
Clayton	103	–	–	1	30	9	4	2	1	2	2	10	1	50	36	–	–	31	5
Crestwood	121	–	–	–	44	12	16	3	3	2	1	7	2	55	42	–	2	34	6
Creve Coeur	140	–	–	2	31	9	3	3	3	–	2	11	2	68	55	–	2	38	15
Ferguson	242	–	–	4	59	20	16	6	12	1	1	3	6	109	91	–	5	69	17
Florissant	436	–	–	6	110	25	33	8	14	6	3	21	8	191	162	6	1	130	25
Hazelwood	87	–	–	2	23	6	9	–	3	1	–	4	–	35	27	–	2	20	5
Jennings	204	–	–	1	46	10	14	5	8	–	2	7	5	104	78	–	4	56	18
Kirkwood	272	1	–	3	67	16	18	9	7	1	2	14	1	132	102	1	3	84	14
Maplewood	105	–	–	–	30	6	9	5	5	–	–	5	2	39	29	–	–	23	6
Overland	182	–	–	2	52	15	20	6	3	1	1	6	3	87	71	–	5	54	12
Richmond Heights	132	–	–	–	35	11	8	4	4	1	3	4	6	58	48	1	3	39	5
St. Ann	141	–	–	4	33	7	9	3	2	–	1	11	3	66	53	–	1	40	12
University City	396	1	–	7	95	31	21	6	13	3	2	19	6	180	140	1	6	107	26
Webster Groves	246	–	–	1	62	18	14	5	4	2	4	15	6	125	81	–	6	59	16
Balance of county	5,073	–	1	70	1,245	308	339	105	152	52	38	251	98	2,340	1,888	14	48	1,458	388
St. Louis city	6,195	9	2	113	1,302	355	380	86	145	48	39	249	139	2,851	2,327	15	122	1,741	449
Saline	298	–	–	6	61	13	14	5	8	4	4	13	4	138	115	–	1	92	22
Marshall	138	–	–	3	29	7	7	2	1	2	2	8	2	67	58	–	–	47	11
Balance of county	160	–	–	3	32	6	7	3	7	2	2	5	2	71	57	–	1	45	11
Schuyler	66	1	–	–	10	6	2	–	–	–	–	2	1	38	28	–	1	16	11
Scotland	81	–	–	1	13	1	5	1	3	1	2	–	–	50	28	–	1	25	2
Scott	414	–	–	2	93	16	37	6	12	3	3	16	9	192	166	–	5	116	45
Sikeston, part	215	–	–	–	52	11	20	4	6	2	1	8	4	103	93	–	2	64	27
Sikeston, total	217	–	–	–	53	11	21	4	6	2	1	8	4	104	94	–	2	65	27
Balance of county	199	–	–	2	41	5	17	2	6	1	2	8	5	89	79	–	3	52	18
Shannon	79	–	–	–	20	6	6	1	1	–	–	6	–	39	32	–	–	24	8
Shelby	103	–	–	2	16	7	2	–	3	–	1	3	–	69	49	–	12	29	8
Stoddard	338	–	–	3	71	18	20	5	8	4	2	14	6	157	131	2	–	100	29
Stone	189	–	–	1	42	8	18	1	3	2	1	9	3	72	48	–	–	29	19
Sullivan	115	–	–	1	14	2	4	3	1	1	–	3	–	68	59	–	1	33	25
Taney	278	–	–	–	66	14	16	6	9	4	3	14	1	144	112	–	2	86	24
Texas	234	–	–	4	61	8	19	6	5	4	6	13	2	102	84	1	3	51	29
Vernon	260	–	–	2	63	13	16	3	8	3	4	18	3	112	86	2	–	62	22
Warren	168	–	–	4	33	6	10	1	4	3	2	7	2	70	56	–	2	37	17
Washington	176	–	–	2	31	5	11	4	4	–	2	5	4	80	68	1	1	58	8
Wayne	151	–	–	1	30	5	13	1	5	–	1	5	6	64	49	–	–	32	17
Webster	214	–	–	1	45	7	15	5	5	2	2	9	1	106	74	1	1	57	15
Worth	45	–	–	1	12	4	1	2	1	–	–	4	1	25	19	–	–	12	7
Wright	203	–	–	5	44	5	21	3	4	6	–	5	3	71	58	1	–	38	19
Montana	6,754	3	–	70	1,463	353	367	130	220	73	59	261	109	2,698	2,201	36	50	1,407	708
Urban places	2,719	2	–	28	602	151	155	50	83	35	27	101	37	1,180	904	15	21	572	296
Balance of area	4,035	1	–	42	861	202	212	80	137	38	32	160	72	1,716	1,297	21	29	835	412
Metropolitan counties	1,442	1	–	17	349	82	94	32	43	28	12	58	15	610	482	11	16	298	157
Urban places	1,137	1	–	12	281	64	78	24	35	24	10	46	11	482	377	7	13	236	121
Balance of area	305	–	–	5	68	18	16	8	8	4	2	12	4	128	105	4	3	62	36
Nonmetropolitan counties	5,312	2	–	53	1,114	271	273	98	177	45	47	203	94	2,286	1,719	25	34	1,109	551
Urban places	1,582	1	–	16	321	87	77	26	48	11	17	55	26	698	527	8	8	336	175
Balance of area	3,730	1	–	37	793	184	196	72	129	34	30	148	68	1,588	1,192	17	26	773	376
Beaverhead	60	–	–	1	13	2	4	1	1	1	1	3	1	29	19	–	–	5	14
Big Horn	61	–	–	4	11	2	2	1	1	1	–	4	2	25	18	–	–	8	10
Blaine	71	–	–	3	9	2	2	–	3	–	–	2	–	32	30	–	–	25	5
Broadwater	33	–	–	1	6	1	1	2	–	1	–	1	1	14	12	–	–	10	2
Carbon	108	–	–	1	25	1	7	4	3	–	3	7	1	43	35	–	1	23	11
Carter	14	–	–	–	6	4	1	–	1	–	–	–	–	6	4	–	–	2	2
Cascade	645	1	–	7	149	39	41	9	19	13	5	23	6	288	238	6	7	156	69
Great Falls	539	1	–	6	127	30	35	8	18	11	5	20	6	240	196	4	6	126	60
Balance of county	106	–	–	1	22	9	6	1	1	2	–	3	–	48	42	2	1	30	9
Chouteau	61	–	–	–	15	2	6	2	2	1	1	1	–	23	19	–	–	15	4
Custer	138	–	–	3	30	6	8	1	6	1	–	8	–	74	44	1	–	33	10
Daniels	26	–	–	1	6	3	1	–	1	–	–	1	–	13	10	–	1	5	4
Dawson	76	–	–	2	24	7	6	2	3	1	1	4	2	31	25	1	–	21	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	2	15	1	4	17	11	2	1	3	–	4	–	12	21	3	3	3	1	–
Moberly	1	11	1	3	10	7	1	–	1	–	2	–	6	14	2	1	–	–	–
Balance of county	1	4	–	1	7	4	1	1	2	–	2	–	6	7	1	2	3	1	–
Ray	1	17	3	5	4	11	–	–	7	–	1	1	10	20	5	6	6	–	–
Excelsior Springs, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	17	3	5	4	11	–	–	7	–	1	1	10	20	5	6	6	–	–
Reynolds	–	8	2	–	3	2	–	–	–	–	1	–	11	10	1	1	2	–	–
Ripley	–	11	1	2	8	12	–	1	1	–	1	1	18	18	1	3	–	–	–
St. Charles	9	59	10	11	35	32	3	8	10	–	8	16	10	60	39	18	27	6	1
St. Charles	3	31	3	4	19	8	1	4	4	–	4	6	4	26	12	8	8	2	–
St. Peters	1	1	3	1	2	3	–	–	2	–	–	1	–	2	3	1	1	1	–
Balance of county	5	27	4	6	14	21	2	4	4	–	4	9	6	32	24	9	18	3	1
St. Clair	–	10	–	3	4	3	–	–	–	–	2	1	2	10	7	6	3	–	–
Ste. Genevieve	–	11	–	–	5	4	–	2	–	–	–	–	1	11	5	2	–	–	1
St. Francois	1	24	14	9	26	18	1	4	13	–	–	2	12	43	13	12	5	2	1
St. Louis	31	559	78	104	289	272	38	64	93	1	50	60	66	726	129	163	123	75	14
Ballwin	–	5	–	1	3	2	–	–	1	–	–	2	1	6	3	–	3	1	–
Bellefontaine Neighbors	–	8	–	–	2	8	1	1	1	–	1	–	1	11	1	1	2	–	–
Berkeley	–	5	–	2	5	6	2	–	–	–	2	3	2	8	1	2	1	3	–
Bridgeton	1	8	1	5	1	4	–	–	1	–	–	1	–	14	2	4	3	1	1
Clayton	–	10	2	2	2	3	–	2	1	–	–	–	–	7	2	2	–	2	–
Crestwood	1	10	–	2	6	2	1	–	1	–	1	1	1	4	1	–	2	–	–
Creve Coeur	–	8	2	3	5	1	–	2	–	–	–	–	1	15	3	4	4	2	–
Ferguson	–	17	–	1	7	12	2	–	2	–	1	3	4	20	2	10	–	1	–
Florissant	–	25	2	2	21	16	2	3	8	–	2	2	5	41	7	2	8	2	2
Hazelwood	–	8	–	–	3	3	1	2	–	1	–	1	1	6	2	3	1	3	–
Jennings	2	18	1	5	3	6	4	1	2	–	1	2	2	18	1	2	2	4	–
Kirkwood	1	24	2	3	8	16	1	3	3	–	2	2	5	22	1	2	3	–	–
Maplewood	–	6	2	2	4	6	–	1	–	–	1	2	2	12	1	1	3	–	1
Overland	3	10	2	1	3	5	1	1	1	–	–	–	1	11	4	5	5	–	1
Richmond Heights	1	4	2	3	4	3	–	1	3	–	1	–	2	14	–	3	–	1	1
St. Ann	1	6	4	2	4	3	–	–	–	–	1	–	2	16	2	3	4	–	–
University City	1	28	7	4	8	9	1	2	7	–	2	5	4	47	2	8	2	10	–
Webster Groves	1	31	6	6	4	8	4	3	–	–	–	1	2	18	5	3	2	1	1
Balance of county	19	328	45	60	176	159	18	42	62	–	35	35	30	436	89	108	78	44	7
St. Louis city	15	419	40	50	192	181	24	79	68	2	44	72	96	540	68	148	73	186	6
Saline	1	18	2	2	21	8	1	1	1	–	–	5	8	17	8	10	8	1	–
Marshall	–	7	1	1	9	4	1	1	–	–	–	4	3	6	4	3	2	–	–
Balance of county	1	11	1	1	12	4	–	–	1	–	–	1	5	11	4	7	6	1	–
Schuyler	–	7	2	1	3	3	–	–	–	–	–	–	–	6	1	2	1	–	–
Scotland	–	15	4	3	3	1	–	–	2	–	–	2	1	4	2	1	1	–	–
Scott	–	18	4	4	24	19	1	1	7	–	1	3	7	27	6	15	5	2	–
Sikeston, part	–	9	1	–	14	7	–	1	4	–	1	2	5	11	1	7	2	1	–
Sikeston, total	–	9	1	–	14	7	–	1	4	–	1	2	5	11	1	7	2	1	–
Balance of county	–	9	3	4	10	12	1	–	3	–	–	1	2	16	5	8	3	1	–
Shannon	–	6	–	1	5	2	–	–	1	–	1	–	1	7	3	–	–	–	–
Shelby	1	14	4	1	3	3	–	–	1	–	–	–	3	3	1	1	1	–	–
Stoddard	–	20	1	5	9	10	1	2	3	–	1	2	19	26	17	6	3	2	–
Stone	–	21	–	3	8	6	1	3	2	–	–	–	21	16	8	4	–	2	–
Sullivan	–	8	–	1	5	6	–	–	2	–	–	–	3	10	–	5	–	1	–
Taney	1	23	3	5	10	8	–	2	3	–	1	–	3	18	12	3	7	–	–
Texas	1	15	1	1	3	17	2	–	1	–	–	–	7	16	13	2	2	2	–
Vernon	1	20	2	3	19	15	–	1	4	–	–	1	10	15	6	6	2	1	–
Warren	1	11	2	–	9	3	–	1	2	–	–	1	11	10	12	6	3	1	–
Washington	–	11	–	1	7	10	–	1	1	–	1	–	2	17	7	10	–	3	–
Wayne	–	15	–	–	5	6	3	–	–	–	–	–	18	9	9	2	–	–	–
Webster	1	25	5	1	11	10	–	1	1	–	3	2	6	9	8	7	3	–	–
Worth	–	5	–	1	–	–	–	1	1	–	–	–	–	3	1	–	–	–	–
Wright	–	13	–	–	10	12	–	–	3	–	3	1	19	17	8	2	5	–	–
Montana	30	494	88	83	233	347	25	77	44	–	38	46	99	660	228	183	177	41	15
Urban places	11	196	34	35	90	147	9	37	13	–	17	17	38	271	65	65	80	12	8
Balance of area	19	298	54	48	143	200	16	40	31	–	21	29	60	389	163	118	97	29	7
Metropolitan counties	5	90	21	12	35	83	3	18	6	–	9	9	22	137	40	31	48	7	2
Urban places	5	71	18	11	30	67	3	13	4	–	7	7	17	109	23	25	36	7	2
Balance of area	–	19	3	1	5	16	–	5	2	–	2	2	5	28	17	6	12	–	–
Nonmetropolitan counties	25	404	67	71	198	264	22	59	38	–	29	37	77	523	188	152	129	34	13
Urban places	6	125	16	24	60	80	6	24	9	–	10	10	22	162	42	40	44	5	6
Balance of area	19	279	51	47	138	184	16	35	29	–	19	27	55	361	146	112	85	29	7
Beaverhead	1	9	–	–	1	5	–	–	–	–	–	–	1	5	3	1	–	–	–
Big Horn	–	4	2	1	1	5	–	2	–	–	2	1	1	9	6	6	3	3	–
Blaine	–	1	1	–	5	5	–	2	1	–	–	–	1	5	3	3	1	1	–
Broadwater	1	1	–	–	3	2	–	–	–	–	–	–	1	4	1	–	–	–	–
Carbon	–	6	1	1	2	7	1	1	1	–	1	–	2	15	1	3	4	–	–
Carter	–	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cascade	3	31	13	3	12	38	1	9	4	–	4	4	14	58	12	13	23	1	1
Great Falls	3	25	13	3	10	30	1	6	3	–	4	4	11	48	9	12	19	1	1
Balance of county	–	6	–	–	2	8	–	3	1	–	–	–	3	10	3	1	4	–	–
Chouteau	1	2	–	1	6	2	1	–	–	–	–	–	3	6	1	1	3	–	–
Custer	1	21	3	5	5	1	–	–	–	–	–	–	–	13	5	2	5	–	–
Daniels	–	3	–	–	–	1	–	–	1	–	–	–	–	2	1	–	1	–	–
Dawson	–	5	–	1	4	1	–	–	1	–	1	–	–	5	1	2	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coextl. with Anaconda-Deer Lodge	142	-	-	2	24	7	5	3	1	-	2	6	1	75	57	-	-	33	24
Fallon	27	-	-	-	6	1	2	-	2	-	-	1	-	11	5	-	-	5	-
Fergus	136	-	-	-	23	8	4	4	1	2	-	4	1	67	42	-	1	23	18
Flathead	500	-	-	2	114	23	20	13	23	4	7	24	10	211	148	3	7	80	58
Kalispell	169	-	-	-	36	10	6	4	8	1	2	5	2	85	60	1	1	32	26
Balance of county	331	-	-	2	78	13	14	9	15	3	5	19	8	126	88	2	6	48	32
Gallatin	224	-	-	2	46	16	13	3	7	1	3	3	5	96	66	1	-	39	26
Bozeman	138	-	-	2	25	8	5	2	4	1	3	2	4	59	41	-	-	22	19
Balance of county	86	-	-	-	21	8	8	1	3	-	-	1	1	37	25	1	-	17	7
Garfield	16	-	-	-	4	1	-	-	1	-	1	1	-	8	6	-	-	5	1
Glacier	106	-	-	-	21	5	9	-	3	1	-	3	1	38	28	-	-	21	7
Golden Valley	11	-	-	-	4	2	1	-	-	-	-	1	-	6	3	-	-	2	1
Granite	31	-	-	-	6	-	2	-	1	1	-	2	2	12	7	-	-	4	3
Hill	153	-	-	4	26	2	5	4	5	2	2	6	2	63	50	1	-	38	11
Havre	112	-	-	4	21	2	4	3	3	1	2	6	2	45	38	-	-	28	8
Balance of county	41	-	-	-	5	-	1	1	2	1	-	-	-	18	14	1	-	10	3
Jefferson	66	-	-	-	20	6	5	1	3	1	1	3	-	26	21	1	-	10	10
Judith Basin	17	-	-	1	4	1	-	1	2	-	-	-	-	9	6	-	-	4	2
Lake	188	-	-	1	33	6	9	2	5	4	-	7	5	91	73	1	-	43	29
Lewis and Clark	318	-	-	2	70	12	21	7	10	4	1	15	6	114	84	-	-	53	31
Helena	217	-	-	1	48	9	12	4	9	4	1	9	2	74	51	-	-	33	18
Balance of county	101	-	-	1	22	3	9	3	1	-	-	6	4	40	33	-	-	20	13
Liberty	25	-	-	-	6	4	-	1	-	-	1	-	-	10	5	1	-	3	1
Lincoln	135	-	-	1	26	9	9	2	2	-	2	2	4	57	46	-	2	36	8
McCone	28	-	-	-	5	2	-	1	-	-	-	2	1	15	13	-	-	11	2
Madison	69	-	-	1	10	1	2	3	1	1	1	1	1	33	27	-	-	18	9
Meagher	22	-	-	-	6	3	-	-	1	-	-	2	1	6	3	-	-	-	3
Mineral	31	-	-	-	9	1	4	1	2	1	-	-	-	17	15	-	-	6	9
Missoula	531	-	-	3	134	33	40	8	22	4	5	22	12	197	151	3	6	97	45
Missoula	389	-	-	3	94	25	28	5	17	2	4	13	10	150	111	3	4	71	33
Balance of county	142	-	-	-	40	8	12	3	5	2	1	9	2	47	40	-	2	26	12
Musselshell	39	-	-	-	12	5	2	2	-	1	-	2	1	9	8	-	-	6	2
Park	152	-	-	3	39	11	9	4	8	1	-	6	5	66	58	-	1	37	20
Petroleum	4	-	-	-	1	-	1	-	-	-	-	-	-	3	1	-	-	1	-
Phillips	54	-	-	1	12	2	6	1	2	-	-	1	1	30	26	-	-	23	3
Pondera	69	-	-	-	12	4	2	2	1	-	1	2	2	34	22	-	-	10	12
Powder River	26	-	-	-	7	-	3	-	1	1	1	1	-	9	7	1	-	3	3
Powell	79	-	-	-	19	6	8	1	1	1	1	1	2	31	24	1	7	13	3
Prairie	16	-	-	1	4	1	1	2	-	-	-	-	-	8	7	-	-	7	-
Ravalli	227	-	-	1	49	14	9	5	11	2	3	5	4	91	62	1	-	37	24
Richland	102	-	-	-	18	3	2	-	4	2	-	7	3	53	44	-	2	33	9
Roosevelt	98	-	-	2	13	6	4	-	-	1	1	1	1	38	30	1	-	23	6
Rosebud	86	1	-	-	10	1	2	1	4	1	-	1	3	31	21	1	1	15	3
Sanders	96	-	-	1	19	4	2	1	6	-	-	6	3	46	39	-	-	19	20
Sheridan	54	-	-	-	13	2	3	2	3	-	1	2	-	20	16	-	-	12	4
Silver Bow	428	1	-	4	75	27	18	5	6	2	3	14	5	216	176	4	3	121	48
Butte-Silver Bow	415	1	-	4	73	26	17	5	6	2	3	14	5	210	171	4	3	117	47
Balance of county	13	-	-	-	2	1	1	-	-	-	-	-	-	6	5	-	-	4	1
Stillwater	60	-	-	2	10	2	1	2	1	-	-	4	2	22	18	1	-	13	2
Sweet Grass	33	-	-	1	9	-	1	-	4	-	2	2	-	15	11	-	-	6	6
Teton	56	-	-	-	13	2	3	1	3	-	1	3	-	24	20	1	-	9	10
Toole	59	-	-	-	8	1	2	-	3	-	-	2	-	26	16	-	-	8	8
Treasure	14	-	-	1	3	1	1	-	-	-	1	-	-	7	5	-	1	4	-
Valley	73	-	-	1	14	2	4	1	3	-	-	4	2	36	27	1	1	23	2
Wheatland	30	-	-	-	9	3	-	1	2	-	-	3	1	13	10	-	-	6	4
Wibaux	13	-	-	-	3	1	-	-	1	1	-	-	-	6	1	-	-	1	-
Yellowstone	797	-	-	10	200	43	53	23	24	15	7	35	9	322	244	5	9	142	88
Billings	598	-	-	6	154	34	43	18	17	13	5	26	5	242	181	3	7	110	61
Balance of county	199	-	-	4	46	9	10	7	7	2	2	9	4	80	63	2	2	32	27
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	14,678	7	-	119	3,146	619	818	269	329	133	137	641	286	6,998	5,332	31	104	3,644	1,553
Urban places	6,685	4	-	73	1,543	389	440	135	143	70	66	300	148	2,991	2,267	12	64	1,585	606
Balance of area	7,993	3	-	46	1,603	430	378	134	186	63	71	341	138	4,005	3,065	19	40	2,059	947
Metropolitan counties	5,224	3	-	62	1,254	314	370	102	111	58	47	252	113	2,241	1,711	13	59	1,202	437
Urban places	4,606	3	-	55	1,107	274	336	89	97	55	40	216	104	1,973	1,510	11	56	1,064	379
Balance of area	618	-	-	7	147	40	34	13	14	3	7	36	9	268	201	2	3	138	58
Nonmetropolitan counties	9,454	4	-	57	1,892	505	448	167	218	75	90	389	173	4,755	3,621	18	45	2,442	1,116
Urban places	2,079	1	-	18	436	115	104	46	46	15	26	84	44	1,018	757	1	8	521	227
Balance of area	7,375	3	-	39	1,456	390	344	121	172	60	64	305	129	3,737	2,864	17	37	1,921	889
Adams	326	-	-	3	69	14	16	9	4	1	5	20	4	174	139	-	-	110	29
Hastings	271	-	-	3	62	14	15	8	3	1	5	16	4	138	114	-	-	89	25
Balance of county	55	-	-	-	7	-	1	1	1	-	-	4	-	36	25	-	-	21	4
Antelope	100	-	-	1	20	7	5	-	2	2	1	3	-	55	38	-	-	25	13
Arthur	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banner	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blaine	3	-	-	-	-	-	-	-	-	-	-	-	-	5	5	1	-	3	1
Boone	85	-	-	-	15	4	2	-	3	1	-	5	-	40	30	-	-	21	9
Box Butte	140	-	-	-	29	7	5	5	5	3	2	2	1	67	56	-	1	30	25
Boyd	46	-	-	1	10	4	2	-	2	-	-	2	-	20	14	-	-	8	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	–	16	2	–	6	4	–	1	1	–	–	2	1	15	3	4	3	–	–
Fallon	–	5	1	–	1	1	–	–	2	–	1	–	–	2	2	1	–	–	–
Fergus	3	12	7	3	5	7	3	1	1	–	–	–	1	17	2	3	3	1	1
Flathead	2	42	9	10	14	23	1	8	4	–	5	2	5	60	16	12	7	5	1
Kalispell	–	13	6	6	6	7	–	3	–	–	–	1	1	17	3	3	4	–	1
Balance of county	2	29	3	4	8	16	1	5	4	–	5	1	4	43	13	9	3	5	–
Gallatin	1	25	2	2	13	11	3	2	–	–	3	1	3	25	2	7	4	1	–
Bozeman	1	14	1	2	8	6	3	2	–	–	2	1	2	17	1	4	2	–	–
Balance of county	–	11	1	–	5	5	–	–	–	–	1	–	1	8	1	3	2	1	–
Garfield	–	1	1	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–
Glacier	–	7	–	3	4	1	1	2	2	–	–	2	3	12	4	5	6	3	1
Golden Valley	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Granite	1	4	–	–	2	1	–	–	1	–	–	–	–	4	–	1	1	1	–
Hill	–	11	2	–	10	6	–	1	1	–	1	1	2	13	8	6	7	1	1
Havre	–	7	2	–	8	4	–	1	–	–	1	–	2	9	3	5	5	1	1
Balance of county	–	4	–	–	2	2	–	–	1	–	–	1	–	4	5	1	2	–	–
Jefferson	–	4	1	–	1	3	–	3	1	–	–	1	1	7	–	–	1	2	–
Judith Basin	1	2	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Lake	–	14	1	3	5	10	–	1	4	–	–	–	2	21	6	4	5	–	–
Lewis and Clark	3	18	3	6	10	18	–	5	1	–	3	4	10	40	12	14	5	3	1
Helena	2	14	2	5	10	13	–	3	1	–	2	3	6	30	8	10	5	1	–
Balance of county	1	4	1	1	–	5	–	2	–	–	1	1	4	10	4	4	–	2	1
Liberty	–	4	–	1	1	2	–	–	–	–	–	1	–	4	–	1	–	–	–
Lincoln	–	8	2	1	1	11	–	1	1	–	3	–	2	18	6	1	3	–	–
McCone	–	2	–	–	–	1	–	–	1	–	–	–	–	–	3	1	1	–	–
Madison	1	4	1	–	4	3	–	–	–	–	1	–	–	6	6	2	2	–	–
Meagher	–	1	2	–	–	1	–	–	1	–	–	–	2	4	–	–	1	–	–
Mineral	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–
Missoula	–	37	–	9	19	34	1	6	3	–	4	3	8	45	19	16	20	6	1
Missoula	–	32	–	7	11	24	1	5	3	–	4	1	7	37	12	10	15	2	–
Balance of county	–	5	–	2	8	10	–	1	–	–	–	2	1	8	7	6	5	4	1
Musselshell	–	–	1	–	–	3	–	–	–	–	–	–	–	5	5	2	2	–	–
Park	–	7	–	1	6	10	2	1	–	–	1	–	1	11	1	3	3	–	–
Petroleum	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phillips	–	2	–	2	3	2	1	–	–	–	–	–	–	2	1	–	1	–	–
Pondera	–	11	–	1	3	2	–	–	–	–	–	–	–	9	4	–	2	1	–
Powder River	–	–	1	1	–	3	–	–	–	–	–	–	–	4	1	–	2	–	–
Powell	–	4	1	2	3	4	–	1	–	–	–	–	–	9	4	3	3	–	–
Prairie	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
Ravalli	1	23	3	2	11	12	1	2	2	–	1	5	12	18	7	6	4	–	1
Richland	–	6	2	1	4	6	2	1	1	–	–	4	1	7	1	–	1	–	–
Roosevelt	–	7	–	1	5	3	–	3	–	–	–	4	1	7	11	8	1	–	1
Rosebud	3	4	2	1	9	2	1	–	–	–	–	2	1	5	8	5	5	3	–
Sanders	–	4	1	2	2	1	–	1	–	–	–	1	2	7	2	8	2	1	–
Sheridan	–	3	1	–	6	2	–	1	–	–	–	–	2	5	3	–	1	–	1
Silver Bow	3	30	3	4	12	23	2	9	4	–	1	2	3	40	12	4	10	1	4
Butte-Silver Bow	3	29	3	4	11	22	2	9	4	–	1	2	3	37	12	4	10	1	4
Balance of county	–	1	–	–	1	1	–	–	–	–	–	–	–	3	–	–	–	–	–
Stillwater	1	4	1	–	4	3	–	1	1	–	–	1	–	5	5	3	1	–	–
Sweet Grass	–	2	–	2	1	1	–	–	1	–	–	–	2	1	1	–	1	–	–
Teton	–	3	1	–	4	4	–	–	–	–	–	–	–	5	3	–	–	–	–
Toole	–	5	5	–	1	7	1	1	–	–	–	–	1	5	5	3	1	–	–
Treasure	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Valley	–	6	2	1	1	3	1	2	–	–	–	–	–	9	1	2	1	–	–
Wheatland	1	1	–	1	–	2	–	–	1	–	–	–	1	3	–	–	–	–	–
Wibaux	–	5	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–
Yellowstone	2	59	8	9	23	45	2	9	2	–	5	5	8	79	28	18	25	6	1
Billings	2	46	5	8	20	37	2	7	1	–	3	3	6	61	14	13	17	6	1
Balance of county	–	13	3	1	3	8	–	2	1	–	2	2	2	18	14	5	8	–	–
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	60	1,178	244	182	589	507	47	117	146	1	111	96	303	1,269	295	347	229	51	16
Urban places	25	510	106	83	270	266	16	52	66	1	55	59	121	590	110	154	115	42	7
Balance of area	35	668	138	99	319	241	31	65	78	–	56	37	182	679	185	193	114	9	9
Metropolitan counties	24	356	82	68	213	208	13	46	54	1	45	54	90	460	96	125	100	36	10
Urban places	19	307	80	57	191	188	9	41	49	1	41	40	78	416	76	110	82	35	7
Balance of area	5	49	2	11	22	20	4	5	5	–	4	14	12	44	20	15	18	1	3
Nonmetropolitan counties	36	822	162	114	376	299	34	71	92	–	66	42	213	809	199	222	129	15	6
Urban places	6	203	26	26	79	78	7	11	19	–	14	19	43	174	34	44	33	7	–
Balance of area	30	619	136	88	297	221	27	60	73	–	52	23	170	635	165	178	96	8	6
Adams	–	30	2	3	11	11	1	–	2	–	1	1	2	25	3	12	7	–	–
Hastings	–	22	–	2	11	8	1	–	2	–	1	1	2	22	1	9	6	–	–
Balance of county	–	8	2	1	–	3	–	–	–	–	–	–	–	3	2	3	1	–	–
Antelope	1	11	3	2	3	4	–	1	–	–	1	–	–	4	5	6	–	–	–
Arthur	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Banner	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Blaine	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Boone	–	9	–	1	5	8	–	2	2	–	–	3	–	5	4	1	–	–	–
Box Butte	–	7	3	1	9	5	–	–	2	–	2	–	3	13	2	4	2	1	–
Boyd	1	3	1	1	4	–	–	–	–	–	1	–	1	6	2	–	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-089, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Brown	58	–	–	–	12	4	–	1	1	1	–	5	–	30	20	–	–	14	6
Buffalo	311	1	–	2	62	14	16	6	4	8	4	10	3	162	120	1	1	85	33
Kearney	175	1	–	2	33	6	10	5	1	4	2	5	2	86	60	–	1	38	21
Balance of county	136	–	–	–	29	8	6	1	3	4	2	5	1	76	60	1	–	47	12
Burt	122	1	–	1	28	7	8	4	2	–	1	6	3	61	46	1	–	32	13
Butler	108	–	–	1	11	4	1	1	3	–	1	1	3	64	51	1	1	39	10
Cass	176	–	–	–	31	7	10	2	2	2	1	7	1	87	69	–	1	36	32
Cedar	158	–	–	1	26	7	7	3	4	–	1	4	4	81	61	–	2	50	9
Chase	48	–	–	2	10	3	1	1	1	–	–	4	3	20	17	–	1	11	5
Cherry	51	–	–	–	16	2	7	–	2	–	3	2	2	24	21	1	–	14	6
Cheyenne	120	–	–	1	23	5	7	1	2	4	–	4	–	63	52	–	3	43	6
Clay	79	–	–	1	21	3	8	2	3	–	–	5	1	32	26	–	–	20	6
Colfax	112	–	–	–	22	7	4	–	1	2	4	4	1	46	29	–	–	13	16
Cuming	111	–	–	1	30	7	9	3	3	2	1	5	1	53	44	1	1	32	10
Custer	201	1	–	–	34	12	7	1	1	1	1	11	–	106	81	–	1	64	15
Dakota	123	–	–	1	28	12	6	3	2	–	2	3	1	58	44	2	1	33	8
Dawes	101	–	–	–	18	3	7	2	2	1	–	3	6	52	41	–	1	30	10
Dawson	219	–	–	3	38	11	8	5	5	–	2	7	6	113	87	–	2	68	17
Deuel	32	–	–	–	6	1	2	–	–	–	–	3	–	15	10	1	1	4	4
Dixon	80	–	–	–	14	3	5	2	1	1	1	1	4	38	35	–	1	21	13
Dodge	358	–	–	5	72	18	16	9	10	3	2	14	7	178	129	1	2	101	25
Fremont	223	–	–	3	52	12	13	6	8	1	2	10	3	106	70	–	1	53	16
Balance of county	135	–	–	2	20	6	3	3	2	2	–	4	4	72	59	1	1	48	9
Douglas	3,353	3	–	39	811	201	261	81	69	32	34	153	73	1,451	1,111	8	31	830	242
Omaha	3,155	3	–	36	766	190	247	58	68	32	30	143	72	1,358	1,046	8	29	781	230
Balance of county	198	–	–	3	45	11	14	3	3	–	4	10	1	93	63	–	2	49	12
Dundy	40	–	–	2	5	3	2	–	–	–	–	–	3	18	15	–	–	9	6
Fillmore	101	–	–	1	13	5	2	1	2	–	1	2	2	57	47	–	–	36	11
Franklin	55	–	–	1	10	3	1	1	3	–	–	2	2	26	20	–	–	12	8
Frontier	32	–	–	1	4	2	–	1	1	–	–	–	–	22	13	–	1	12	–
Furnas	125	–	–	1	26	10	6	1	4	–	–	5	1	70	56	1	1	38	16
Gage	295	–	–	5	72	20	18	4	11	1	6	12	10	134	100	–	3	70	27
Beatrice	183	–	–	2	46	15	12	4	5	1	4	5	7	80	58	–	1	41	16
Balance of county	112	–	–	3	26	5	6	–	6	–	2	7	3	54	42	–	2	29	11
Garden	45	–	–	–	9	3	3	1	2	–	–	–	1	23	18	–	2	10	6
Garfield	45	–	–	–	8	–	6	1	–	–	–	1	1	29	22	–	–	19	3
Gosper	23	–	–	–	2	1	–	–	1	–	–	–	1	10	10	–	–	10	–
Grant	9	–	–	–	1	–	–	–	–	–	1	–	–	6	5	–	–	4	1
Greeley	62	–	–	–	10	3	2	1	–	–	–	4	–	33	18	–	–	10	8
Hall	459	–	–	5	95	23	23	7	10	2	5	25	13	217	170	–	1	108	61
Grand Island	383	–	–	4	79	18	20	4	9	2	4	22	10	181	142	–	1	91	50
Balance of county	76	–	–	1	16	5	3	3	1	–	1	3	3	36	28	–	–	17	11
Hamilton	87	–	–	–	12	5	3	1	2	–	–	1	1	47	38	–	–	22	16
Harlan	51	–	–	–	8	2	–	1	2	–	–	3	–	33	19	–	–	15	4
Hayes	7	–	–	–	3	3	–	–	–	–	–	–	–	3	2	–	–	2	–
Hitchcock	49	–	–	–	10	1	2	3	1	–	2	1	1	22	18	–	–	13	5
Holt	150	1	–	2	30	7	8	5	4	–	1	5	1	75	57	–	–	30	27
Hooker	11	–	–	–	1	1	–	–	–	–	–	–	–	7	7	–	–	2	5
Howard	75	–	–	1	10	2	2	2	1	–	2	1	–	47	32	–	–	20	12
Jefferson	134	–	–	–	39	13	7	3	5	2	1	8	1	64	55	–	1	28	26
Johnson	75	–	–	–	19	5	5	2	1	–	2	4	1	36	23	–	1	15	7
Kearney	61	–	–	1	12	3	1	2	3	1	–	2	1	31	26	–	–	19	7
Keith	92	–	–	–	22	7	6	1	1	1	2	4	2	40	28	–	1	19	8
Keya Paha	8	–	–	–	2	–	–	–	1	–	–	1	–	6	4	–	–	3	1
Kimball	50	–	–	–	7	3	–	–	–	1	–	3	1	28	19	–	–	16	3
Knox	135	–	–	–	26	6	7	2	1	2	1	7	3	80	68	–	–	61	7
Lancaster	1,418	–	–	19	342	87	85	33	33	22	10	72	31	600	447	3	27	272	145
Lincoln	1,302	–	–	17	310	78	81	30	30	21	9	61	29	557	411	3	27	248	133
Balance of county	116	–	–	2	32	9	4	3	3	1	1	11	2	43	36	–	–	24	12
Lincoln	302	–	–	2	55	18	12	3	10	1	4	7	7	157	118	–	2	75	41
North Platte	228	–	–	2	39	13	7	1	8	1	4	5	5	122	88	–	2	53	33
Balance of county	74	–	–	–	16	5	5	2	2	–	–	2	2	35	30	–	–	22	8
Logan	6	–	–	–	2	1	–	–	–	–	–	1	–	4	4	–	–	–	4
Loup	9	–	–	–	1	–	1	–	–	–	–	–	–	4	4	–	–	3	1
McPherson	4	–	–	–	1	–	–	–	–	1	–	–	–	2	2	–	–	–	2
Madison	358	–	–	–	65	25	12	10	5	–	3	10	8	194	138	1	–	110	27
Norfolk	233	–	–	–	40	14	8	7	3	–	2	6	7	123	83	–	–	71	12
Balance of county	125	–	–	–	25	11	4	3	2	–	1	4	1	71	55	1	–	39	15
Merrick	82	–	–	1	20	3	6	–	3	–	1	7	1	41	30	–	–	18	12
Morrill	60	–	–	–	7	–	1	–	1	–	1	4	2	35	28	–	–	15	13
Nance	48	–	–	–	10	1	3	–	2	–	–	4	1	21	13	–	–	8	5
Nemaha	115	–	–	–	19	5	4	–	–	–	–	10	3	59	44	–	–	20	24
Nuckolls	71	–	–	–	14	4	6	–	1	1	–	2	1	41	23	–	–	14	9
Otoe	187	–	–	1	37	14	5	1	4	2	3	8	3	78	58	–	–	44	14
Pawnee	47	–	–	–	12	4	2	2	1	1	–	2	1	19	11	–	–	6	5
Perkins	29	–	–	–	6	3	1	–	3	–	1	–	–	15	13	–	1	11	1
Phelps	131	–	–	1	25	6	4	3	2	4	1	5	4	69	57	2	1	31	23
Pierce	88	–	–	–	19	8	3	1	2	1	1	3	1	50	32	–	–	19	13
Platte	282	–	–	–	77	21	20	8	5	4	3	16	4	135	103	1	2	62	38
Columbus	208	–	–	–	53	14	11	8	4	3	3	10	2	107	82	1	2	49	30
Balance of county	74	–	–	–	24	7	9	–	1	1	–	6	2	28	21	–	–	13	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	–	8	1	1	3	2	–	1	1	–	1	–	2	5	1	–	–	–	–
Buffalo	1	34	4	3	15	6	1	–	3	–	1	2	3	29	8	6	6	1	–
Kearney	1	21	2	2	11	4	–	–	2	–	1	2	1	21	2	3	3	1	–
Balance of county	–	13	2	1	4	2	1	–	1	–	–	–	2	8	6	3	3	–	–
Burt	–	13	2	–	3	5	–	2	–	–	1	1	4	8	2	–	–	1	1
Butler	–	11	1	1	3	2	–	1	–	–	1	2	1	14	3	–	1	–	1
Cass	1	13	–	4	6	4	2	–	–	–	–	–	17	17	4	7	2	–	–
Cedar	–	12	6	2	9	5	1	1	2	–	3	–	8	10	4	2	1	–	–
Chase	–	3	–	–	–	1	–	–	–	–	–	–	–	6	2	2	2	–	–
Cherry	–	3	–	–	1	2	–	1	–	–	1	–	–	–	1	2	–	1	–
Cheyenne	–	9	–	2	3	5	1	1	–	–	1	–	2	9	1	6	4	–	–
Clay	–	3	2	1	5	–	1	2	1	–	2	–	1	8	–	2	2	–	–
Colfax	1	15	1	–	7	3	–	–	4	–	1	–	9	13	3	3	–	–	–
Cuming	–	9	–	–	5	2	–	2	–	–	1	–	3	8	2	2	1	–	–
Custer	1	22	1	1	8	9	1	3	1	–	–	–	1	27	5	4	1	–	–
Dakota	1	12	–	1	3	2	–	1	–	–	–	2	3	14	2	3	5	–	–
Dawes	–	5	5	1	2	8	–	–	1	–	1	2	1	7	1	1	1	–	–
Dawson	3	11	11	1	12	9	–	1	2	–	1	–	1	21	5	4	2	–	1
Deuel	–	3	1	1	1	2	–	2	–	–	–	1	–	4	–	1	–	–	–
Dixon	1	2	–	–	3	1	1	–	1	–	1	–	6	8	–	3	–	–	–
Dodge	3	33	10	3	13	17	–	3	4	–	3	5	4	24	7	8	7	1	–
Fremont	2	24	8	2	8	12	–	2	2	–	2	4	3	14	3	3	5	1	–
Balance of county	1	9	2	1	5	5	–	1	2	–	1	1	1	10	4	5	2	–	–
Douglas	14	228	52	46	139	141	9	29	31	–	28	31	49	280	56	86	52	32	3
Omaha	12	207	50	41	132	128	7	28	29	–	26	27	47	277	51	84	49	32	3
Balance of county	2	21	2	5	7	13	2	1	2	–	2	4	2	13	5	2	3	–	–
Dundy	–	2	–	1	4	1	–	1	1	–	–	–	–	4	–	–	1	–	–
Fillmore	–	10	–	–	6	1	–	–	–	–	1	–	1	14	2	2	1	–	–
Franklin	1	2	1	2	3	1	–	–	1	–	–	–	–	8	2	–	1	–	–
Frontier	–	4	5	–	–	1	–	–	–	–	1	–	–	2	1	–	–	–	–
Furnas	–	9	4	1	2	3	–	–	1	–	1	–	1	12	5	1	1	–	–
Gage	3	21	8	2	6	10	–	1	3	–	–	2	6	31	1	7	4	3	–
Beatrice	1	16	3	2	5	9	–	–	3	–	–	1	4	18	1	3	1	3	–
Balance of county	2	5	5	–	1	1	–	1	–	–	–	1	2	13	–	4	3	–	–
Garden	1	3	1	–	1	2	–	–	1	–	–	–	1	5	–	1	1	–	–
Garfield	–	7	–	–	–	1	–	1	–	–	2	–	–	2	–	1	–	–	–
Gosper	–	–	–	–	3	2	–	–	–	–	–	–	–	4	–	1	–	–	–
Grant	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Greeley	–	12	1	2	4	1	–	3	–	–	1	1	–	5	2	2	–	–	–
Hall	–	34	6	7	23	13	6	7	8	–	3	3	12	28	9	10	7	–	–
Grand Island	–	28	5	6	20	10	5	5	4	–	3	3	12	25	8	8	6	–	–
Balance of county	–	6	1	1	3	3	1	2	4	–	–	–	–	3	1	2	1	–	–
Hamilton	1	6	1	1	6	2	–	–	–	–	–	–	–	8	2	6	2	–	–
Harlan	1	10	1	2	1	1	–	2	–	–	–	–	1	5	–	–	–	–	–
Hayes	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hitchcock	–	1	1	2	3	5	–	–	–	–	–	–	–	5	–	2	1	–	–
Holt	–	17	–	1	3	4	–	–	3	–	2	–	5	11	3	6	4	–	–
Hooker	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
Howard	–	14	1	–	4	3	–	2	–	–	–	–	–	4	–	2	2	–	–
Jefferson	–	7	1	1	2	1	–	1	1	–	–	–	–	17	4	2	2	–	–
Johnson	–	9	4	–	1	3	–	1	–	–	–	–	1	4	4	3	2	–	–
Kearney	1	4	–	–	3	3	–	–	2	–	1	–	–	5	–	2	–	–	–
Keith	1	5	1	5	6	4	1	–	–	–	1	–	–	14	1	1	–	–	–
Keya Paha	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kimball	–	5	3	1	1	2	–	1	3	–	–	–	3	3	–	1	–	–	–
Knox	–	9	2	1	2	3	–	2	–	–	1	–	2	5	4	5	2	–	–
Lancaster	6	101	29	17	60	50	2	13	18	1	15	11	34	130	28	24	32	3	5
Lincoln	6	96	29	15	52	50	2	12	16	1	15	10	30	122	20	22	30	3	4
Balance of county	–	5	–	2	8	–	–	1	2	–	–	1	4	8	8	2	2	–	1
Lincoln	–	31	2	6	11	11	–	1	3	–	1	4	5	21	6	10	6	2	–
North Platte	–	27	2	5	9	7	–	1	2	–	–	3	3	18	5	7	4	1	–
Balance of county	–	4	–	1	2	4	–	–	1	–	1	1	2	3	1	3	2	1	–
Logan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Loup	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–
McPherson	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Madison	3	47	3	3	11	11	2	–	3	–	3	1	9	29	11	5	6	–	–
Norfolk	2	37	–	1	5	11	1	–	2	–	3	–	9	17	10	3	2	–	–
Balance of county	1	10	3	2	6	–	1	–	1	–	–	1	–	12	1	2	4	–	–
Merrick	–	9	–	2	4	1	–	–	1	–	–	–	2	6	1	1	3	–	–
Morrill	–	4	2	1	1	2	1	1	–	–	–	1	–	6	1	3	–	–	–
Nance	–	6	–	2	2	1	1	1	–	–	1	–	–	6	2	1	1	–	–
Nemaha	–	13	1	1	8	2	–	–	5	–	1	1	–	7	4	5	1	–	–
Nuckolls	–	15	–	3	2	–	2	–	1	–	–	–	1	7	1	1	–	–	–
Otoe	1	12	5	2	9	6	–	–	4	–	1	–	18	18	4	5	2	–	–
Pawnee	–	6	–	2	1	4	1	–	–	–	1	1	–	6	–	1	–	–	–
Perkins	–	2	–	–	1	–	1	–	–	–	1	–	–	1	–	1	–	1	–
Phelps	–	8	1	3	4	5	3	1	1	–	–	–	1	13	1	3	–	–	–
Pierce	1	13	4	–	3	3	–	–	1	–	2	–	–	4	4	2	1	–	–
Platte	–	24	3	5	10	8	–	3	1	–	3	1	–	20	6	7	7	–	–
Columbus	–	18	3	4	6	7	–	3	–	–	3	1	–	16	2	4	4	–	–
Balance of county	–	6	–	1	4	1	–	–	1	–	–	–	–	4	4	3	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-068, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	76	–	–	–	14	3	4	2	3	–	–	2	3	41	33	–	–	24	9
Red Willow	134	–	–	–	30	10	2	2	5	2	–	9	4	66	46	1	–	28	19
Richardson	201	–	–	–	32	12	9	4	1	1	2	3	1	110	93	1	1	61	30
Rock	31	–	–	1	7	3	1	–	1	–	1	1	3	18	14	–	–	9	5
Saline	187	–	–	–	37	5	11	4	6	1	1	9	4	87	64	1	1	40	22
Sarpy	330	–	–	3	73	14	18	5	7	4	1	24	8	132	109	–	–	67	42
Bellevue	149	–	–	2	31	6	8	1	1	2	1	12	3	58	51	–	–	35	16
Balance of county	181	–	–	1	42	8	10	4	6	2	–	12	5	74	58	–	–	32	26
Saunders	201	–	–	–	41	8	10	5	6	2	2	8	1	86	61	–	–	34	27
Scotts Bluff	384	–	–	3	74	18	16	5	12	6	2	15	10	159	123	1	2	69	51
Scottsbluff	175	–	–	2	32	9	8	3	5	2	–	5	4	75	60	–	–	36	24
Balance of county	209	–	–	1	42	9	8	2	7	4	2	10	6	84	63	1	2	33	27
Seward	137	–	–	–	29	5	4	3	6	–	2	9	3	76	62	–	1	38	23
Sheridan	79	–	–	1	19	7	3	1	3	–	2	3	1	34	27	–	1	17	9
Sherman	45	–	–	–	6	1	2	1	1	–	–	1	2	27	23	–	–	14	9
Sioux	12	–	–	–	3	–	1	1	–	1	–	–	–	5	4	–	1	3	–
Stanton	51	–	–	–	6	1	2	–	–	–	–	3	–	27	19	–	–	15	4
Thayer	94	–	–	1	23	4	8	1	4	1	1	4	2	49	39	–	–	25	14
Thomas	7	–	–	–	2	–	–	–	1	–	–	1	–	5	5	–	–	5	–
Thurston	85	–	–	–	17	2	5	2	2	2	1	3	–	33	23	–	–	15	8
Valley	73	–	–	–	20	3	8	2	3	–	1	3	–	37	26	–	1	13	12
Washington	141	–	–	1	31	6	10	2	3	1	–	9	2	75	61	–	–	44	17
Wayne	62	–	–	–	10	3	5	1	–	–	–	1	1	38	29	1	1	22	5
Webster	69	–	–	–	11	4	3	2	1	–	–	1	3	32	27	–	–	23	4
Wheeler	6	–	–	–	1	–	–	–	1	–	–	–	–	2	2	–	–	–	2
York	130	–	–	2	34	12	7	4	1	1	3	6	1	62	50	–	–	32	18
Nevada	7,410	5	–	95	1,776	385	606	136	148	70	59	374	89	3,014	2,460	27	200	1,240	993
Urban places	4,156	4	–	53	981	211	325	73	82	42	32	216	51	1,703	1,372	17	123	690	542
Balance of area	3,254	1	–	42	795	174	281	63	64	28	27	158	38	1,311	1,088	10	77	550	451
Metropolitan counties	6,015	5	–	78	1,443	305	497	108	122	65	46	300	69	2,469	2,039	24	196	980	839
Urban places	3,830	4	–	51	891	188	297	61	78	42	29	196	46	1,570	1,265	16	122	620	507
Balance of area	2,185	1	–	27	552	117	200	47	44	23	17	104	21	899	774	8	74	360	332
Nonmetropolitan counties	1,395	–	–	17	333	80	109	28	24	5	13	74	20	545	421	3	4	260	154
Urban places	326	–	–	2	90	23	28	12	4	–	3	20	3	133	107	1	1	70	35
Balance of area	1,069	–	–	15	243	57	81	16	20	5	10	54	17	412	314	2	3	190	119
Carson City city	326	–	–	2	90	23	28	12	4	–	3	20	3	133	107	1	1	70	35
Churchill	155	–	–	1	30	7	9	1	5	–	2	6	2	68	47	–	–	26	21
Clark	4,296	2	–	58	1,025	210	368	73	85	46	37	206	49	1,797	1,509	15	138	673	683
Henderson	243	–	–	1	66	15	22	5	5	1	2	16	5	96	84	–	6	52	26
Las Vegas	1,607	1	–	24	414	79	148	23	34	24	19	87	23	759	615	7	50	250	308
North Las Vegas	281	1	–	9	58	10	23	3	5	–	2	15	2	108	89	–	15	39	35
Balance of county	1,965	–	–	24	487	106	175	42	41	21	14	88	19	834	721	8	67	332	314
Douglas	156	–	–	3	38	8	14	3	1	–	1	11	2	64	43	1	–	29	13
Elko	125	–	–	2	22	5	6	3	2	2	–	4	2	45	34	1	1	20	12
Esmeralda	18	–	–	1	3	1	–	–	–	1	–	1	–	7	5	–	–	3	2
Eureka	9	–	–	–	2	1	1	–	–	–	–	–	–	4	3	–	–	3	–
Humboldt	84	–	–	2	18	5	4	1	2	1	–	5	2	34	26	–	–	20	6
Lander	28	–	–	–	3	1	1	1	–	–	–	–	–	10	9	–	–	5	4
Lincoln	36	–	–	–	6	–	3	1	–	–	–	2	–	17	15	–	1	7	7
Lyon	169	–	–	1	42	8	16	3	4	1	3	7	2	65	55	–	–	33	22
Mineral	63	–	–	1	14	2	5	2	1	–	1	3	1	26	18	–	1	10	7
Nye	105	–	–	2	30	8	11	–	4	–	2	5	1	37	31	–	–	18	13
Pershing	25	–	–	1	9	3	1	1	1	–	–	3	2	8	5	–	–	4	1
Storey	14	–	–	–	4	2	1	–	–	–	–	1	1	4	2	–	–	1	1
Washoe	1,719	3	–	20	418	95	129	35	37	19	9	94	20	672	530	9	58	307	156
Reno	1,141	2	–	15	255	65	73	20	28	14	4	51	15	461	359	7	41	207	104
Sparks	358	–	–	2	98	19	31	10	6	3	2	27	3	146	118	2	10	72	34
Balance of county	220	1	–	3	65	11	25	5	3	2	3	16	2	65	53	–	7	28	18
White Pine	82	–	–	1	22	6	9	–	–	–	1	6	2	25	21	–	–	11	10
New Hampshire	8,592	3	–	91	2,057	533	546	178	251	91	69	389	189	3,945	3,111	25	68	2,150	868
Urban places	3,623	–	–	37	834	224	215	84	90	34	20	167	83	1,716	1,333	9	28	913	383
Balance of area	4,969	3	–	54	1,223	309	331	94	161	57	49	222	106	2,229	1,778	16	40	1,237	485
Metropolitan counties	4,724	1	–	56	1,135	284	306	102	128	49	29	237	103	2,176	1,706	10	35	1,143	518
Urban places	2,399	–	–	29	555	148	140	49	59	23	13	123	55	1,139	889	6	20	590	273
Balance of area	2,325	1	–	27	580	136	166	53	69	26	16	114	48	1,037	817	4	15	553	245
Nonmetropolitan counties	3,868	2	–	35	922	249	240	76	123	42	40	152	86	1,769	1,405	15	33	1,007	350
Urban places	1,224	–	–	8	279	76	75	35	31	11	7	44	28	577	444	3	8	323	110
Balance of area	2,644	2	–	27	643	173	165	41	92	31	33	108	58	1,192	961	12	25	684	240
Belknap	498	–	–	3	108	31	28	17	11	3	3	15	10	234	180	3	4	124	49
Laconia	193	–	–	–	37	8	7	11	5	1	–	5	3	90	65	1	1	41	22
Balance of county	305	–	–	3	71	23	21	6	6	2	3	10	7	144	115	2	3	83	27
Carroll	369	–	–	1	106	25	26	7	23	4	1	20	5	171	138	–	1	91	44
Cheshire	586	–	–	5	134	40	32	6	11	6	9	30	12	285	227	4	15	148	60
Keene	218	–	–	–	47	15	14	4	3	1	2	8	3	118	99	2	6	64	27
Balance of county	368	–	–	5	87	25	18	2	8	5	7	22	9	167	128	2	9	84	33
Coos	408	–	–	1	103	25	31	7	14	7	4	15	8	190	142	–	1	107	34
Berlin	156	–	–	–	42	14	9	5	5	5	–	4	4	65	47	–	–	39	8
Balance of county	252	–	–	1	61	11	22	2	9	2	4	11	4	125	95	–	1	68	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Polk	–	6	1	1	4	–	1	1	–	–	–	–	2	8	–	–	2	–	–
Red Willow	–	7	11	2	3	6	–	–	2	–	2	–	3	12	2	1	2	–	1
Richardson	1	12	1	3	14	8	–	–	2	–	–	–	8	17	2	6	1	–	–
Rock	–	2	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Saline	–	10	10	3	3	5	1	3	3	–	–	–	9	20	1	9	5	–	–
Sarpy	3	15	1	4	11	15	2	3	5	–	2	10	4	26	10	12	11	1	2
Bellevue	1	4	1	1	7	10	–	1	4	–	–	3	1	17	5	4	3	–	–
Balance of county	2	11	–	3	4	5	2	2	1	–	2	7	3	9	5	8	8	1	2
Saunders	1	28	4	2	9	4	–	–	3	–	2	2	9	17	8	6	3	–	–
Scotts Bluff	2	23	7	4	21	17	2	–	3	–	3	5	20	34	12	10	8	2	1
Scottsbluff	–	10	3	2	4	10	–	–	2	–	1	4	9	23	2	4	2	1	–
Balance of county	2	13	4	2	17	7	2	–	1	–	2	1	11	11	10	6	6	1	1
Seward	1	8	3	2	8	1	1	–	1	–	1	2	1	11	3	–	–	–	–
Sheridan	–	4	3	–	3	3	–	2	–	–	1	–	–	10	2	1	1	1	–
Sherman	–	3	–	1	2	–	–	–	2	–	–	–	–	4	2	–	–	–	–
Sioux	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Stanton	2	6	–	–	1	2	–	–	–	–	–	–	6	7	–	2	–	–	–
Thayer	–	6	2	2	1	2	1	–	2	–	1	1	–	10	–	1	–	–	–
Thomas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thurston	–	8	–	2	2	1	–	7	1	–	2	–	6	10	4	1	1	–	–
Valley	–	10	1	–	4	–	1	1	–	–	–	–	1	4	3	1	1	–	–
Washington	1	12	–	1	6	3	–	3	1	–	–	–	3	10	4	1	1	–	–
Wayne	–	6	1	2	–	–	–	–	1	–	1	–	3	4	2	2	–	–	–
Webster	–	5	–	–	6	1	–	1	1	–	–	–	–	6	4	1	2	–	1
Wheeler	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–
York	1	10	1	–	7	7	–	–	–	–	1	–	3	6	3	2	2	–	–
Nevada	15	419	39	81	193	378	26	170	86	–	48	49	115	601	220	170	233	117	25
Urban places	6	260	21	44	97	204	16	110	39	–	30	25	57	365	108	95	129	78	11
Balance of area	9	159	18	37	96	174	10	60	47	–	18	24	58	236	112	75	104	39	14
Metropolitan counties	8	335	29	58	142	311	20	137	68	–	41	42	75	486	169	139	193	106	22
Urban places	5	243	20	37	86	193	16	99	36	–	28	25	54	338	98	92	117	73	11
Balance of area	3	92	9	21	56	118	4	38	32	–	13	17	21	148	71	47	76	33	11
Nonmetropolitan counties	7	84	10	23	51	67	6	33	18	–	7	7	40	115	51	31	40	11	3
Urban places	1	17	1	7	11	11	–	11	3	–	2	–	3	27	10	3	12	5	–
Balance of area	6	67	9	16	40	56	6	22	15	–	5	7	37	88	41	28	28	6	3
Carson City city	1	17	1	7	11	11	–	11	3	–	2	–	3	27	10	3	12	5	–
Churchill	–	12	4	5	8	8	2	4	2	–	–	–	7	10	5	4	3	1	–
Clark	6	217	22	43	93	203	11	91	60	–	29	31	56	335	121	95	130	93	17
Henderson	1	9	–	2	6	9	2	9	1	–	2	–	5	18	2	8	9	4	–
Las Vegas	2	108	13	21	36	77	6	43	19	–	15	11	28	159	55	33	49	48	7
North Las Vegas	–	18	–	1	4	11	–	6	10	–	–	6	5	22	8	10	7	13	1
Balance of county	3	82	9	19	47	106	3	33	30	–	12	14	18	136	56	44	65	28	9
Douglas	1	17	1	2	4	8	–	2	1	–	–	2	3	15	5	5	4	–	–
Elko	–	7	2	2	7	13	1	2	1	–	2	–	6	16	2	3	–	1	–
Esmeralda	–	2	–	–	1	1	–	1	–	–	–	2	–	–	–	1	–	–	1
Eureka	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Humboldt	1	6	–	1	3	5	1	3	–	–	1	1	3	2	3	3	2	–	1
Lander	–	1	–	–	2	–	1	–	1	–	–	–	2	3	3	–	2	1	–
Lincoln	–	2	–	–	2	–	–	–	2	–	–	1	–	3	4	–	–	–	1
Lyon	1	8	–	3	7	7	1	1	4	–	1	1	1	23	5	4	3	1	–
Mineral	–	6	1	1	3	6	–	2	2	–	–	–	1	3	2	–	2	–	–
Nye	2	3	–	1	2	6	–	3	1	–	1	–	1	3	7	4	6	1	–
Pershing	1	–	–	–	–	1	–	–	–	–	–	–	–	3	2	1	–	–	–
Storey	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–	2	–	–
Washoe	2	116	7	15	49	108	9	46	8	–	12	11	19	151	48	44	63	13	5
Reno	2	84	6	10	31	74	6	33	6	–	8	7	12	108	22	38	38	7	3
Sparks	–	24	1	3	9	22	2	8	–	–	3	1	4	31	11	3	14	1	–
Balance of county	–	10	–	2	9	12	1	5	2	–	1	3	3	12	15	3	11	5	2
White Pine	–	3	–	1	–	1	–	3	–	–	–	–	12	6	3	2	4	1	–
New Hampshire	31	587	120	96	281	332	44	102	96	2	51	62	61	787	167	159	133	23	7
Urban places	17	265	62	39	120	127	20	42	39	–	14	24	23	363	56	57	48	15	5
Balance of area	14	322	58	57	161	205	24	60	57	2	37	38	38	424	111	102	85	8	2
Metropolitan counties	8	336	68	58	149	162	23	44	55	2	29	40	27	452	105	80	65	15	5
Urban places	6	175	38	31	84	76	13	22	25	–	8	17	13	239	39	38	34	9	4
Balance of area	2	161	30	27	65	86	10	22	30	2	21	23	14	213	66	42	31	6	1
Nonmetropolitan counties	23	251	52	38	132	170	21	58	41	–	22	22	34	335	62	79	68	8	2
Urban places	11	90	24	8	36	51	7	20	14	–	6	7	10	124	17	19	14	6	1
Balance of area	12	161	28	30	96	119	14	38	27	–	16	15	24	211	45	60	54	2	1
Belknap	5	37	6	6	13	30	4	7	8	–	5	3	3	41	9	12	7	–	1
Laconia	4	17	3	1	6	14	3	4	4	–	2	1	–	15	4	4	5	–	1
Balance of county	1	20	3	5	7	16	1	3	4	–	3	2	3	26	5	8	2	–	–
Carroll	3	29	2	1	12	11	1	8	1	–	4	3	2	18	8	11	9	–	–
Cheshire	2	37	13	6	16	18	5	8	6	–	4	3	4	49	8	13	16	–	–
Keene	1	10	6	2	8	5	1	4	1	–	1	2	2	17	3	3	3	–	–
Balance of county	1	27	7	4	8	11	4	4	5	–	3	1	2	32	5	10	15	–	–
Coos	2	34	8	4	9	17	1	8	4	–	1	1	4	39	9	10	2	1	–
Berlin	1	11	5	1	2	4	–	4	1	–	1	–	1	23	3	5	–	1	–
Balance of county	1	23	3	3	7	13	1	4	3	–	–	1	3	16	6	5	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	604	–	–	9	144	40	36	14	20	10	6	18	10	243	202	6	4	129	63
Lebanon	108	–	–	2	20	4	5	2	3	1	1	4	3	48	40	–	–	22	18
Balance of county	498	–	–	7	124	36	31	12	17	9	5	14	7	195	162	6	4	107	45
Hillsborough	2,405	–	–	28	563	155	154	51	57	15	17	114	46	1,126	861	4	10	596	251
Manchester	1,072	–	–	12	250	75	65	20	28	7	6	49	20	527	399	2	5	267	125
Nashua	545	–	–	10	123	34	33	11	11	3	4	27	10	241	186	1	2	135	48
Balance of county	788	–	–	6	190	46	58	20	18	5	7	38	16	358	276	1	3	194	78
Merrimack	1,042	2	–	10	252	69	64	19	35	9	13	43	31	489	403	2	7	315	79
Concord	402	–	–	4	97	25	28	10	11	2	2	19	10	189	145	–	1	115	29
Balance of county	640	2	–	6	155	44	36	9	24	7	11	24	21	300	258	2	6	200	50
Rockingham	1,529	–	–	19	373	87	98	27	50	22	9	80	31	683	542	2	9	340	191
Portsmouth	209	–	–	2	44	6	9	1	7	4	2	15	4	94	76	–	1	34	41
Balance of county	1,320	–	–	17	329	81	89	26	43	18	7	65	27	589	466	2	8	306	150
Strafford	790	1	–	9	199	42	54	24	21	12	3	43	26	367	303	4	16	207	76
Dover	230	–	–	2	58	15	10	4	7	4	–	18	10	104	87	3	2	65	17
Rochester	254	–	–	2	59	14	18	9	5	2	1	10	7	127	104	–	10	60	34
Somersworth	89	–	–	1	21	4	5	4	1	3	–	4	4	46	37	–	–	29	8
Balance of county	217	1	–	4	61	9	21	7	8	3	2	11	5	90	75	1	4	53	17
Sullivan	361	–	–	6	75	19	23	6	9	3	4	11	10	157	115	–	1	83	21
Claremont	149	–	–	2	36	10	12	3	4	1	2	4	5	67	48	–	–	42	6
Balance of county	212	–	–	4	39	9	11	3	5	2	2	7	5	90	67	–	1	51	15
New Jersey	71,655	71	1	1,461	17,093	4,426	4,613	1,619	1,660	697	602	3,276	1,456	33,586	27,569	322	891	20,075	6,261
Urban places	51,741	59	1	1,119	12,122	3,197	3,214	1,165	1,347	476	423	2,300	1,099	24,183	19,889	222	676	14,451	4,540
Balance of area	19,914	12	–	342	4,971	1,229	1,399	454	513	221	179	976	357	9,423	7,680	100	215	5,624	1,741
Metropolitan counties	63,550	67	1	1,319	15,045	3,898	4,028	1,435	1,652	622	524	2,886	1,324	29,620	24,303	281	807	17,574	5,841
Urban places	48,064	58	1	1,057	11,189	2,951	2,966	1,072	1,251	448	392	2,109	1,038	22,284	18,337	206	635	13,218	4,278
Balance of area	15,486	9	–	262	3,856	947	1,062	363	401	174	132	777	286	7,336	5,966	75	172	4,356	1,563
Nonmetropolitan counties	8,105	4	–	142	2,048	528	585	184	208	75	78	390	132	3,966	3,266	41	84	2,501	640
Urban places	3,677	1	–	62	933	246	248	93	96	28	31	191	61	1,879	1,552	16	41	1,233	262
Balance of area	4,428	3	–	80	1,115	282	337	91	112	47	47	199	71	2,087	1,714	25	43	1,268	378
Atlantic	2,416	6	–	52	526	144	153	40	59	23	17	90	39	1,163	925	7	44	653	221
Atlantic City	698	4	–	12	141	44	48	7	16	5	6	15	15	344	271	3	11	187	70
Hammonton	156	–	–	4	39	6	11	3	3	4	2	10	2	68	59	–	–	36	23
Pleasantville	209	–	–	7	39	11	11	3	6	2	–	6	4	98	74	–	8	49	17
Somers Point	145	–	–	1	32	16	6	1	3	1	2	3	–	67	59	–	–	37	13
Ventnor City	167	–	–	1	41	10	10	4	3	2	2	10	–	91	75	–	6	59	10
Balance of county	1,041	2	–	27	234	57	67	22	28	9	5	46	18	495	398	4	19	285	88
Bergen	7,872	5	–	136	1,961	539	493	198	202	71	64	394	138	3,935	3,244	45	85	2,540	574
Bergenfield	244	–	–	3	72	19	26	6	4	2	3	12	3	106	88	3	–	73	12
Cliffside Park	250	–	–	2	63	21	20	4	4	5	–	9	5	127	112	2	4	81	25
Dumont	191	–	–	4	51	16	11	2	10	1	1	10	4	86	72	2	–	56	14
Elmwood Park	215	1	–	4	53	13	16	3	7	4	–	10	5	103	83	1	5	62	15
Englewood	234	–	–	5	67	17	14	8	11	5	3	9	5	99	81	–	3	64	14
Fair Lawn	350	–	–	9	94	28	22	14	4	4	2	20	2	182	153	5	5	113	30
Fairview	145	–	–	2	38	10	7	1	8	–	4	8	3	78	61	1	1	50	9
Fort Lee	319	–	–	3	88	19	21	7	12	6	4	19	4	156	124	2	4	103	15
Garfield	313	–	–	6	68	19	18	6	6	2	2	15	4	164	142	2	3	117	20
Glen Rock	95	–	–	2	24	5	5	6	3	–	1	4	1	48	35	–	–	27	8
Hackensack	382	1	–	10	70	21	22	4	8	2	2	11	11	195	161	1	4	123	33
Hasbrouck Heights	118	–	–	2	32	13	7	3	6	1	–	2	1	61	49	–	1	40	8
Hillsdale	73	–	–	1	20	3	5	1	3	–	2	6	–	34	27	2	1	19	5
Lodi	242	–	–	1	58	8	19	4	8	1	4	14	12	114	91	1	2	69	19
Lyndhurst township#	224	–	–	1	62	15	15	8	7	2	2	13	5	121	115	2	7	81	25
New Milford	202	–	–	1	59	19	13	5	8	1	2	11	–	101	84	2	1	68	13
North Arlington	166	–	–	4	41	15	9	3	7	1	–	6	6	89	73	1	4	53	15
Oakland	56	–	–	6	13	5	4	–	2	–	–	2	–	21	19	–	–	18	1
Palisades Park	133	–	–	2	32	10	9	4	1	1	–	7	–	71	56	1	–	43	12
Paramus	230	–	–	1	67	14	15	13	6	1	1	17	6	110	93	–	1	78	14
Ramsey	85	–	–	1	18	5	6	–	2	1	–	4	1	44	36	–	–	30	6
Ridgefield	126	–	–	4	24	8	4	4	2	–	–	6	4	74	65	1	–	55	8
Ridgefield Park	90	–	–	2	27	5	6	4	3	1	1	7	1	51	40	–	1	32	7
Ridgewood	208	–	–	4	38	14	8	4	2	1	–	9	2	121	96	1	2	74	19
River Edge	119	–	–	4	27	5	8	5	1	2	–	6	1	63	46	–	–	39	7
Rutherford	182	1	–	3	40	10	15	2	3	3	–	7	5	93	69	–	3	50	16
Saddle Brook township#	146	–	–	3	53	14	11	5	5	3	4	11	4	60	49	–	1	35	13
Teaneck township#	337	–	–	8	82	24	19	7	7	2	3	20	4	165	128	2	2	99	25
Tenafly	128	–	–	1	26	6	5	4	2	1	1	7	3	76	57	1	2	47	7
Waldwick	75	–	–	–	20	7	6	1	1	–	–	5	1	33	30	1	–	23	6
Wallington	124	–	–	3	23	6	8	4	2	–	1	2	1	75	63	–	4	48	11
Westwood	115	1	–	3	27	8	4	1	1	2	6	5	–	58	48	–	2	41	5
Wyckoff township#	128	–	–	2	21	9	1	4	1	2	1	3	2	70	56	–	1	45	10
Balance of county	1,827	1	–	29	463	128	114	51	45	14	14	97	32	892	742	11	21	584	126
Burlington	2,780	1	–	49	665	153	196	66	69	22	28	131	47	1,263	1,007	8	26	688	285
Burlington	162	–	–	2	37	5	10	9	5	3	1	4	3	72	57	–	–	37	20
Cinnaminson township#	112	–	–	–	26	7	8	4	3	–	–	4	3	54	42	1	2	26	13
Delran township#	69	–	–	1	20	6	3	5	2	1	1	2	2	29	25	–	2	20	3
Maple Shade township#	231	1	–	5	49	10	17	5	5	–	3	9	1	114	88	2	1	57	28
Moorestown township#	151	–	–	1	28	7	8	–	1	2	1	9	2	78	55	–	2	38	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	1	31	5	4	31	33	6	3	8	–	4	2	7	69	6	10	13	5	1
Lebanon	–	6	1	1	3	5	–	–	2	–	–	–	2	13	2	–	1	5	–
Balance of county	1	25	4	3	28	28	6	3	6	–	4	2	5	56	4	10	12	–	1
Hillsborough	6	182	49	28	70	81	12	25	27	1	16	25	15	250	36	34	37	8	3
Manchester	4	85	32	7	31	31	7	9	12	–	3	10	6	104	15	18	13	2	2
Nashua	2	39	3	11	19	22	3	9	3	–	3	6	3	65	5	7	11	5	–
Balance of county	–	58	14	10	20	28	2	7	12	1	10	9	6	81	18	9	13	1	1
Merrimack	7	53	14	12	33	36	9	19	11	–	3	8	9	89	18	18	10	1	–
Concord	4	32	8	–	11	13	2	7	4	–	1	3	3	46	4	6	2	–	–
Balance of county	3	21	6	12	22	23	1	12	7	–	2	5	6	43	14	12	8	1	–
Rockingham	2	105	17	17	51	59	7	14	21	1	8	14	6	143	49	29	16	5	–
Portsmouth	–	14	1	3	15	9	1	1	4	–	–	–	–	23	6	3	1	2	–
Balance of county	2	91	16	14	36	50	6	13	17	1	8	14	6	120	43	26	15	3	–
Strafford	–	49	2	13	28	22	4	5	7	–	5	1	6	59	18	17	12	2	2
Dover	–	13	1	3	6	4	1	–	1	–	1	–	1	28	5	6	3	–	–
Rochester	–	18	–	5	11	8	1	2	4	–	1	1	3	14	6	2	5	–	1
Somersworth	–	6	1	2	2	2	–	1	1	–	–	–	–	5	2	2	1	–	1
Balance of county	–	12	–	3	9	8	2	2	1	–	3	–	2	12	5	7	3	2	–
Sullivan	3	30	4	5	18	27	1	5	3	–	1	2	5	30	6	5	9	1	–
Claremont	1	14	1	3	6	10	1	1	2	–	1	1	2	10	1	1	3	–	–
Balance of county	2	16	3	2	12	17	–	4	1	–	–	1	3	20	5	4	6	1	–
New Jersey	217	4,427	640	733	2,181	2,155	215	1,047	879	5	377	542	910	6,370	1,090	1,184	581	407	44
Urban places	155	3,194	427	498	1,553	1,466	154	797	662	5	279	419	704	4,767	700	866	401	367	38
Balance of area	62	1,233	213	235	628	689	61	250	217	–	98	123	206	1,603	390	318	180	40	6
Metropolitan counties	192	3,893	577	655	1,983	1,862	188	937	774	5	345	505	834	5,728	959	1,085	527	399	43
Urban places	146	2,932	403	466	1,472	1,336	143	753	609	5	268	406	682	4,498	659	828	374	365	38
Balance of area	46	961	174	189	511	526	45	184	165	–	77	99	152	1,229	300	257	153	34	5
Nonmetropolitan counties	25	534	63	78	198	293	27	110	105	–	32	37	76	642	131	99	54	8	1
Urban places	9	262	24	32	81	130	11	44	53	–	11	13	22	288	41	38	27	2	–
Balance of area	16	272	39	46	117	163	16	66	52	–	21	24	54	374	90	61	27	6	1
Atlantic	5	165	47	21	71	94	6	34	38	–	14	19	49	184	49	34	22	14	2
Atlantic City	2	55	11	5	28	19	2	9	10	–	–	10	24	51	6	12	4	6	1
Hammonton	1	6	–	2	5	6	–	1	4	–	–	–	1	20	2	4	–	–	–
Pleasantville	–	16	8	–	5	10	1	1	2	–	3	2	5	12	11	3	2	3	1
Somers Point	–	10	5	2	2	12	2	3	1	–	2	1	2	12	4	–	4	–	–
Ventnor City	–	12	4	–	10	4	–	–	1	–	1	–	5	9	2	1	1	–	–
Balance of county	2	66	19	12	21	43	1	20	20	–	8	6	12	80	24	14	11	5	–
Bergen	24	514	58	95	212	210	27	93	73	–	34	32	150	827	69	91	58	13	8
Bergenfield	–	14	1	3	5	7	–	1	1	–	3	2	10	17	4	4	5	1	–
Cliffside Park	2	10	2	1	5	7	2	5	2	–	1	1	2	24	2	2	–	–	–
Dumont	–	12	1	1	6	5	1	3	2	–	2	1	8	16	1	3	–	–	–
Elmwood Park	–	16	1	3	7	2	–	–	1	–	2	–	1	28	4	2	2	–	–
Englewood	–	17	–	1	9	6	–	3	1	–	1	1	5	24	1	4	1	1	1
Fair Lawn	–	23	–	6	11	6	1	7	3	–	2	–	3	21	2	6	–	1	–
Fairview	–	10	3	4	2	3	1	2	1	–	–	–	3	10	–	1	1	–	–
Fort Lee	–	27	3	2	7	9	1	–	1	–	1	–	8	28	7	4	1	–	1
Garfield	1	20	–	1	11	8	1	6	2	–	–	1	6	26	3	4	3	–	–
Glen Rock	–	9	1	3	1	4	–	1	2	–	–	1	1	7	–	1	2	–	–
Hackensack	2	28	1	3	9	15	–	3	4	–	4	3	10	42	–	4	–	1	–
Hasbrouck Heights	2	8	–	2	3	4	1	–	2	–	1	–	1	8	–	2	–	–	–
Hillsdale	1	4	1	1	1	3	–	–	1	–	–	1	3	8	–	–	1	–	–
Lodi	1	16	4	2	4	7	1	–	4	–	–	1	8	24	1	3	2	2	–
Lyndhurst township#	–	5	1	–	4	6	1	3	–	–	1	–	4	9	2	2	2	–	1
New Milford	1	11	2	3	6	6	–	3	–	–	1	–	5	13	1	1	2	–	3
North Arlington	1	7	1	1	3	6	–	2	1	–	–	2	3	12	–	3	–	–	–
Oakland	–	1	1	–	3	–	–	2	–	–	3	–	1	4	1	–	2	–	–
Palisades Park	–	10	3	2	1	2	–	5	2	–	–	–	3	10	1	2	2	–	–
Paramus	–	11	1	5	7	5	1	4	1	–	–	1	6	16	2	–	3	–	–
Ramsey	–	4	2	2	1	4	–	1	2	–	–	2	–	8	2	1	–	–	–
Ridgefield	–	7	–	2	4	2	–	1	1	–	–	1	3	6	–	1	1	–	–
Ridgefield Park	1	8	1	1	1	1	–	2	–	–	–	–	–	3	–	2	–	–	–
Ridgewood	–	20	2	3	8	6	1	1	1	–	–	2	1	17	2	1	2	–	1
River Edge	1	14	1	1	1	1	1	2	2	–	–	–	6	10	–	1	–	–	–
Rutherford	2	16	2	4	6	6	1	3	3	–	–	1	3	14	–	2	1	–	–
Saddle Brook township#	–	10	–	1	4	3	1	–	3	–	–	–	2	8	1	1	3	–	–
Teaneck township#	1	27	1	8	7	6	2	5	4	–	3	1	7	27	8	3	5	–	–
Tenafly	3	14	2	–	9	2	1	1	1	–	–	1	1	5	–	1	–	–	–
Waldwick	–	–	1	2	3	3	–	–	–	–	1	–	2	9	1	1	1	–	–
Wallington	–	7	1	4	2	2	–	2	1	–	1	–	3	8	2	–	1	–	–
Westwood	–	9	–	1	2	3	–	–	2	–	–	1	2	10	–	5	–	1	–
Wyckoff township#	1	11	1	1	2	4	1	1	4	–	–	–	1	14	4	1	–	1	–
Balance of county	4	108	17	21	57	56	8	24	18	–	7	8	30	141	17	23	15	5	1
Burlington	10	196	24	26	89	98	10	38	39	–	23	27	25	242	77	63	20	2	2
Burlington	–	12	–	3	4	7	–	2	1	–	4	1	1	15	5	5	–	1	1
Cinnaminson township#	–	8	3	1	3	5	–	1	2	–	–	–	1	9	6	2	–	–	–
Delran township#	2	2	–	–	2	1	–	3	–	–	1	–	–	4	2	4	–	–	–
Maple Shade township#	–	24	–	2	10	13	1	2	3	–	1	1	3	19	5	2	1	–	–
Moorestown township#	1	18	3	1	8	4	1	3	4	–	1	–	5	10	2	3	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	155	–	–	5	34	7	9	3	6	–	1	8	4	68	56	1	1	34	20
Pemberton township#	164	–	–	3	36	8	9	4	5	1	1	8	–	65	52	–	–	40	12
Willingboro township#	213	–	–	5	60	19	21	3	4	1	2	10	6	83	69	–	1	57	11
Balance of county	1,523	–	–	27	375	84	111	33	38	14	18	77	26	700	563	4	17	381	161
Camden	4,558	1	–	92	1,068	250	318	111	105	38	33	213	111	2,108	1,742	16	72	1,107	547
Bellmawr	122	–	–	3	31	9	12	3	–	1	2	4	3	50	42	–	1	29	12
Camden	873	1	–	14	182	38	56	17	25	3	8	35	37	336	276	3	18	175	80
Cherry Hill township#	572	–	–	15	137	34	35	23	11	3	6	25	11	280	236	2	8	145	81
Collingswood	184	–	–	4	49	11	12	4	6	2	2	12	5	91	78	1	1	55	21
Gloucester township#	257	–	–	4	74	13	25	6	7	2	2	19	4	110	92	–	3	53	36
Gloucester City	187	–	–	2	43	13	12	3	4	1	–	10	2	86	84	–	–	47	37
Haddon township#	177	–	–	6	35	12	8	6	1	1	2	5	5	94	75	–	4	44	27
Haddonfield	94	–	–	1	20	5	3	–	3	2	1	6	1	52	44	–	2	29	14
Lindenwold	151	–	–	1	34	6	15	2	1	1	1	8	6	65	50	–	1	28	21
Pennsauken township#	392	–	–	10	84	27	28	8	7	3	1	12	6	202	169	–	9	100	60
Voorhees township#	108	–	–	3	27	5	9	5	1	–	1	6	2	52	41	2	3	27	9
Balance of county	1,441	–	–	29	352	77	105	34	39	19	7	71	29	680	555	8	22	376	149
Cape May	1,210	2	–	17	305	86	83	17	30	19	10	60	16	579	453	4	11	337	101
Ocean City	199	–	–	4	42	10	8	3	7	–	3	11	1	109	78	–	4	52	22
Balance of county	1,011	2	–	13	263	76	75	14	23	19	7	49	15	470	375	4	7	285	79
Cumberland	1,377	1	–	23	292	87	85	22	24	12	14	48	35	667	561	9	18	349	185
Bridgeton	288	–	–	7	67	22	18	4	7	4	1	11	6	126	109	3	3	74	29
Millville	319	–	–	5	74	16	28	7	5	3	3	12	9	141	118	2	4	61	51
Vineland	495	–	–	5	95	36	21	8	5	3	5	17	15	252	208	4	9	126	69
Balance of county	275	1	–	6	56	13	18	3	7	2	5	8	5	148	126	–	2	88	36
Essex	8,809	16	–	254	1,970	511	505	192	247	89	65	361	180	3,781	3,085	34	152	2,096	803
Belleville	359	–	–	7	103	24	19	10	23	5	4	18	10	163	133	1	4	107	21
Bloomfield	481	–	–	10	124	34	36	13	11	10	5	15	8	236	193	2	6	151	34
Cedar Grove township#	121	–	–	1	36	10	7	5	4	2	–	8	1	56	41	–	1	28	12
East Orange	816	2	–	36	150	38	38	13	18	7	5	31	19	340	273	2	23	174	74
Irvington	685	–	–	21	128	37	33	15	10	3	3	27	17	292	248	6	16	170	56
Livingston township#	204	–	–	7	52	15	12	7	5	3	2	8	1	92	72	1	4	53	14
Maplewood township#	243	–	–	4	53	17	12	4	10	1	2	7	3	123	101	1	1	73	26
Millburn township#	170	–	–	1	52	10	13	10	2	1	6	10	2	81	61	–	2	46	13
Montclair	425	1	–	8	107	31	28	13	14	1	3	17	6	211	162	2	2	115	43
Newark	3,487	12	–	125	710	176	182	56	90	36	23	147	83	1,315	1,108	8	75	647	376
Nutley	287	–	–	6	76	21	20	10	8	4	2	11	6	142	117	2	2	90	23
Orange	347	–	–	7	77	19	18	3	14	2	2	19	6	142	116	–	5	83	28
South Orange Village township#	140	–	–	2	30	10	7	4	5	1	1	2	4	71	58	1	1	45	11
Verona	131	–	–	2	42	5	15	6	8	3	–	5	1	50	42	–	2	29	11
West Caldwell	96	–	–	–	26	6	9	1	3	3	–	4	2	53	43	–	1	35	7
West Orange	488	1	–	10	111	34	30	9	11	3	5	19	5	251	199	4	7	161	27
Balance of county	349	–	–	7	93	24	26	13	11	4	2	13	6	163	120	4	–	89	27
Gloucester	1,714	–	–	27	406	89	130	43	39	23	12	70	30	833	649	10	24	402	213
Deptford township#	167	–	–	1	39	7	14	4	5	1	1	7	6	83	66	–	–	45	21
Glassboro	117	–	–	2	32	5	11	3	5	3	–	5	3	64	41	–	3	23	15
Washington township#	93	–	–	1	22	4	7	3	1	5	1	1	–	38	29	–	–	16	13
West Deptford township#	110	–	–	1	25	4	9	2	2	1	–	7	2	62	51	2	3	28	18
Woodbury	158	–	–	1	42	7	18	5	5	2	2	3	2	70	56	–	3	29	24
Balance of county	1,069	–	–	21	248	62	71	26	21	11	8	47	17	516	406	8	15	261	122
Hudson	5,731	13	–	162	1,268	325	351	126	131	41	42	252	121	2,583	2,129	31	64	1,500	534
Bayonne	852	–	–	16	215	60	62	18	21	5	12	37	16	396	325	7	11	215	82
Harrison	112	–	–	1	29	9	9	3	2	1	–	5	3	53	40	1	2	32	5
Hoboken	357	–	–	10	73	22	21	5	7	1	2	15	9	148	129	–	2	75	52
Jersey City	2,403	10	–	87	476	119	131	51	49	12	18	96	52	1,034	847	13	36	594	204
Kearny	380	–	–	4	98	26	26	8	10	4	1	21	7	172	148	1	8	105	34
North Bergen township#	502	2	–	13	110	33	34	10	9	3	3	18	11	237	199	4	2	147	46
Secaucus	155	–	–	3	38	5	12	5	4	3	–	9	7	77	61	1	–	48	12
Union City	430	–	–	16	76	17	14	7	11	3	3	21	5	199	151	1	1	110	39
Weehawken township#	124	–	–	1	33	5	12	3	4	6	–	3	1	62	55	–	–	38	17
West New York	346	1	–	10	98	22	23	14	10	3	3	23	8	164	137	3	1	108	25
Balance of county	90	–	–	1	24	7	7	2	4	–	–	4	2	43	37	–	1	28	8
Hunterdon	697	–	–	13	191	39	48	29	21	4	10	40	15	303	238	7	8	159	64
Mercer	2,950	–	–	37	674	189	174	51	70	22	27	141	65	1,393	1,189	4	67	766	332
East Windsor township#	101	–	–	4	21	5	6	1	2	–	1	6	3	53	46	1	2	33	10
Ewing township#	294	–	–	4	89	16	27	8	17	2	5	14	5	137	113	1	6	74	32
Hamilton township#	758	–	–	4	177	44	45	15	17	5	8	43	15	368	313	1	22	213	77
Princeton	137	–	–	3	28	9	3	6	6	2	1	1	1	76	63	–	3	38	22
Trenton	1,151	–	–	17	224	74	55	11	19	8	6	53	29	531	452	1	25	280	146
Balance of county	509	–	–	5	135	41	38	10	9	7	8	24	12	228	182	–	9	128	45
Middlesex	4,968	3	–	108	1,275	343	349	109	130	66	49	229	105	2,262	1,861	21	48	1,476	316
Carteret	226	–	–	4	60	20	16	7	6	2	2	7	7	108	95	2	4	75	14
East Brunswick township#	224	1	–	9	61	16	16	9	4	3	1	12	10	87	65	–	1	55	9
Edison township#	553	–	–	7	129	37	37	9	12	10	7	17	11	247	186	1	9	145	31
Highland Park	124	–	–	3	30	6	10	2	4	–	1	7	1	66	54	2	–	42	10
Metuchen	148	–	–	2	52	16	13	4	3	1	1	14	3	55	47	1	–	39	7
Middlesex	136	–	–	3	40	14	8	4	4	1	3	8	2	58	43	1	–	37	5
New Brunswick	362	–	–	9	66	15	18	4	12	4	3	10	7	161	137	1	2	105	29
North Brunswick township#	165	–	–	3	48	12	11	4	5	1	2	13	1	63	55	–	1	46	8
Old Bridge township#	295	–	–	3	71	22	11	8	10	4	4	12	5	154	124	–	3	102	19
Perth Amboy	423	1	–	15	79	22	20	6	10	6	3	12	8	207	172	1	4	145	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	1	9	2	–	4	2	–	4	2	–	2	–	–	17	5	7	1	–	–
Pemberton township#	1	10	1	1	2	7	2	3	3	–	3	4	2	17	8	4	4	1	–
Willingboro township#	–	10	1	3	3	5	–	2	4	–	5	6	4	19	4	6	–	–	1
Balance of county	5	103	14	15	53	54	6	18	20	–	6	15	9	131	40	30	13	–	–
Camden	17	274	34	41	148	130	7	62	56	–	33	41	62	389	85	76	50	36	3
Bellmawr	–	6	–	2	8	2	1	3	2	–	1	–	1	14	2	–	1	–	–
Camden	2	53	4	1	27	27	1	18	20	–	9	20	21	81	13	31	9	25	1
Cherry Hill township#	3	33	3	5	18	16	–	7	4	–	1	–	10	52	7	8	5	1	–
Collingswood	1	10	2	–	11	3	–	2	3	–	–	1	–	10	1	3	1	–	–
Gloucester township#	1	12	2	3	10	10	2	2	1	–	3	1	3	19	6	3	4	–	1
Gloucester City	1	10	1	–	5	7	–	2	3	–	1	1	2	13	3	3	4	–	–
Haddon township#	–	13	4	2	–	6	1	3	1	–	4	1	–	19	–	1	1	–	–
Haddonfield	1	7	–	–	–	3	1	–	3	–	–	–	1	8	–	2	1	1	–
Lindenwold	–	8	1	6	2	5	–	4	1	–	1	–	–	15	12	–	3	2	–
Pennsauken township#	1	26	2	4	12	7	–	2	3	–	4	3	7	35	6	5	5	–	1
Voorhees township#	–	6	1	2	3	4	–	2	–	–	–	–	1	10	1	2	–	1	–
Balance of county	7	88	14	16	52	40	1	17	15	–	9	14	16	113	34	18	16	6	–
Cape May	7	91	14	14	21	29	3	26	20	–	4	4	20	107	24	20	10	2	1
Ocean City	1	22	7	1	3	5	1	4	2	–	–	–	–	17	3	5	3	–	–
Balance of county	6	69	7	13	18	24	2	22	18	–	4	4	20	90	21	15	7	2	1
Cumberland	6	80	7	13	38	35	3	11	21	–	9	21	13	122	44	23	10	9	–
Bridgeton	–	15	2	–	5	4	1	2	5	–	2	9	4	28	11	5	2	4	–
Millville	2	18	2	1	11	10	–	4	5	–	4	1	4	30	11	6	3	1	–
Vineland	4	30	1	9	14	13	2	3	6	–	2	8	2	51	16	6	3	2	–
Balance of county	–	17	2	3	8	8	–	2	5	–	1	3	3	13	6	6	2	2	–
Essex	26	538	61	71	302	223	27	146	132	2	50	90	139	969	120	166	71	163	8
Belleville	2	21	3	4	10	7	1	4	5	–	–	–	7	30	4	5	1	2	–
Bloomfield	–	37	4	2	13	18	3	10	3	–	1	1	3	37	5	8	1	–	–
Cedar Grove township#	1	9	3	2	8	4	–	1	–	–	–	1	–	10	–	2	1	–	–
East Orange	3	51	6	7	30	20	4	15	17	–	7	11	17	108	4	12	7	17	–
Irvington	2	33	6	3	14	29	–	12	13	–	6	8	6	75	9	10	8	16	1
Livingston township#	–	14	4	2	6	9	–	3	1	–	–	1	–	22	4	3	3	–	–
Maplewood township#	3	18	–	1	15	5	1	1	2	1	–	2	–	24	3	3	2	1	–
Millburn township#	1	12	3	4	5	2	1	–	3	–	–	–	1	14	1	3	2	2	–
Montclair	2	40	3	4	9	12	1	6	3	–	2	1	5	38	1	7	1	5	1
Newark	4	172	12	21	125	64	13	74	53	1	22	54	69	449	72	89	24	109	4
Nutley	–	19	2	4	4	9	–	5	9	–	–	1	2	17	3	5	2	–	–
Orange	4	16	1	5	14	14	–	6	9	–	3	7	6	38	4	6	2	5	1
South Orange Village township#	–	13	–	–	9	3	–	1	3	–	–	–	–	11	1	2	2	–	1
Verona	2	3	3	–	1	5	–	2	2	–	1	–	–	20	1	1	3	–	–
West Caldwell	1	6	–	3	1	3	–	–	–	–	–	–	–	7	–	4	–	–	–
West Orange	–	41	6	5	17	7	1	5	9	–	7	1	2	37	6	5	10	3	–
Balance of county	1	33	5	4	21	12	2	1	–	–	1	2	1	32	2	1	2	3	–
Gloucester	5	98	52	29	45	53	1	16	17	–	8	16	12	140	38	39	27	4	2
Deptford township#	2	6	8	1	5	6	–	–	2	–	1	1	1	14	4	4	–	–	–
Glassboro	–	17	4	2	1	1	–	2	–	–	–	–	1	4	4	2	–	1	–
Washington township#	–	2	5	2	5	4	–	–	3	–	1	3	1	8	1	2	3	1	–
West Deptford township#	–	8	1	2	3	2	–	1	1	–	–	1	1	5	3	3	–	–	–
Woodbury	–	9	4	1	7	4	–	–	1	–	2	2	2	14	4	3	4	–	–
Balance of county	3	56	30	21	24	36	1	13	10	–	4	9	6	95	22	25	20	2	2
Hudson	11	368	20	55	168	165	22	115	100	1	28	54	56	605	68	110	38	46	8
Bayonne	2	56	4	9	26	22	2	16	20	–	6	3	6	78	7	16	5	2	–
Harrison	1	11	–	1	3	7	–	5	–	–	1	–	1	5	2	2	–	–	–
Hoboken	1	14	1	1	9	13	4	8	6	–	2	3	4	52	4	8	4	1	1
Jersey City	6	148	8	25	84	73	10	56	42	1	7	33	29	283	34	50	10	28	4
Kearny	1	18	1	4	5	10	2	1	6	–	1	3	5	27	5	9	5	2	–
North Bergen township#	–	32	2	4	14	22	1	6	8	–	1	2	5	47	10	9	2	2	–
Secaucus	–	13	1	2	7	4	–	1	2	–	–	1	–	10	–	3	2	–	–
Union City	–	41	3	4	11	9	1	12	12	–	7	6	3	49	5	7	5	5	2
Weehawken township#	–	6	–	1	1	3	–	2	1	–	–	–	–	16	–	2	1	1	–
West New York	–	24	–	3	8	2	–	7	3	–	2	3	1	27	1	2	4	4	1
Balance of county	–	5	–	1	–	–	2	1	–	–	1	–	2	11	–	2	–	1	–
Hunterdon	3	54	3	5	26	24	3	4	9	–	4	4	11	54	20	8	7	1	–
Mercer	11	160	20	33	103	104	10	40	28	–	11	25	38	265	41	71	26	17	2
East Windsor township#	–	4	2	1	1	6	–	–	–	–	1	–	2	6	2	–	2	–	–
Ewing township#	1	21	1	1	10	13	–	1	5	–	–	1	1	24	–	4	–	–	–
Hamilton township#	2	36	6	11	26	15	5	11	10	–	3	6	4	78	10	15	9	1	1
Princeton	–	9	1	3	5	3	–	2	–	–	–	–	2	8	3	4	1	–	1
Trenton	5	61	4	9	37	48	3	18	11	–	6	17	20	117	12	39	7	15	–
Balance of county	3	29	6	8	24	19	2	8	2	–	1	1	9	32	14	9	7	1	–
Middlesex	14	242	90	55	139	145	8	66	51	–	25	39	77	413	84	101	49	16	2
Carteret	–	8	4	1	8	7	–	2	–	–	–	1	3	16	2	8	–	–	–
East Brunswick township#	4	13	3	2	6	3	3	3	2	–	2	5	3	18	4	2	4	–	1
Edison township#	4	35	13	9	15	18	1	9	7	–	3	5	10	58	8	17	6	1	1
Highland Park	1	9	1	1	5	3	–	–	–	–	–	2	1	8	1	1	3	–	–
Metuchen	–	5	2	1	1	6	–	1	4	–	–	1	2	14	2	3	2	–	–
Middlesex	–	7	3	5	5	4	–	2	1	–	1	2	–	11	7	–	–	–	–
New Brunswick	1	16	4	3	20	12	–	7	6	–	2	3	12	35	5	11	3	3	–
North Brunswick township#	–	4	2	2	6	5	–	2	2	–	5	3	2	14	5	5	1	–	–
Old Bridge township#	1	18	5	6	5	10	–	3	1	–	2	–	1	21	9	4	6	–	–
Perth Amboy	1	21	6	7	11	11	1	6	3	–	4	4	9	38	7	11	2	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	208	–	–	6	51	9	8	7	9	3	2	13	6	90	78	–	–	57	21
Sayreville	298	–	–	3	82	27	26	2	8	4	4	11	10	130	106	2	1	85	16
South Plainfield	132	–	–	–	46	10	11	7	6	2	3	7	–	54	44	1	1	36	6
South River	156	–	–	5	34	10	13	3	2	–	–	6	5	74	64	–	2	49	13
Woodbridge township#	745	1	–	20	203	51	59	19	17	14	4	39	15	351	293	5	5	236	45
Balance of county	773	–	–	16	223	56	72	14	18	11	9	43	14	357	298	4	15	220	59
Monmouth	5,020	7	–	94	1,226	325	317	133	117	55	40	239	115	2,383	1,899	26	51	1,492	330
Aberdeen township#	88	–	–	–	18	5	6	2	2	–	–	2	3	41	30	–	–	26	4
Asbury Park	302	1	–	9	65	25	13	8	7	–	1	11	8	121	98	3	5	64	26
Eatontown	109	–	–	3	29	6	8	3	4	1	3	4	2	48	34	–	1	26	5
Freehold	94	–	–	–	17	6	4	1	1	–	1	4	2	48	42	–	–	33	9
Hazlet township#	182	1	–	2	42	16	8	4	4	2	1	7	6	87	70	3	2	52	13
Howell township#	206	1	–	9	55	11	16	8	6	3	2	9	4	87	75	1	3	59	12
Keansburg	174	–	–	2	46	12	13	4	7	–	1	8	1	86	71	–	2	63	6
Long Branch	333	–	–	9	83	14	22	10	9	4	4	20	7	148	124	3	7	96	18
Middletown township#	471	–	–	8	132	42	41	14	7	7	3	18	11	226	171	2	3	143	23
Neptune township#	450	3	–	11	94	24	29	10	14	1	3	13	11	237	190	4	6	144	36
Ocean township#	164	–	–	2	43	14	10	10	2	1	1	5	5	69	65	1	1	48	15
Red Bank	208	–	–	2	40	11	13	3	–	1	2	10	2	118	74	1	–	66	7
Balance of county	2,239	1	–	37	562	138	134	56	54	35	18	127	53	1,077	855	8	21	670	156
Morris	2,947	2	–	36	759	188	190	85	88	37	21	150	50	1,362	1,119	19	20	812	268
Denville township#	127	–	–	–	34	8	6	2	5	1	1	11	1	60	45	1	2	32	10
Dover	159	–	–	1	40	4	10	3	8	5	–	10	4	74	64	3	4	40	17
Hanover township#	70	–	–	1	20	7	5	2	2	1	–	3	1	37	29	–	–	24	5
Madison	124	–	–	3	39	6	11	6	4	2	1	9	2	51	41	–	1	27	13
Morris township#	95	–	–	2	24	6	7	3	2	1	4	1	1	50	47	–	1	34	12
Morristown	275	–	–	4	68	20	15	7	11	2	–	13	2	137	114	1	–	81	32
Parsippany-Troy Hills township#	274	–	–	8	55	17	10	9	5	2	1	11	3	139	120	2	1	85	32
Pequannock township#	120	–	–	–	30	11	6	3	2	3	1	4	4	53	40	–	–	36	4
Balance of county	1,703	2	–	17	449	109	120	50	49	20	13	88	32	761	619	12	11	453	143
Ocean	5,362	2	–	100	1,353	354	397	118	131	39	50	264	94	2,704	2,278	28	55	1,819	374
Brick township#	637	–	–	6	177	45	41	22	15	7	8	39	17	308	248	3	3	185	47
Dover township#	908	–	–	21	214	58	57	15	25	5	6	48	14	464	406	6	14	323	83
Jackson township#	254	1	–	4	77	22	27	5	6	1	–	16	2	116	92	–	1	69	22
Lakewood township#	673	–	–	13	165	39	46	20	16	3	6	35	11	351	298	4	4	253	37
Manchester township#	658	–	–	12	172	49	42	14	19	11	5	32	10	345	290	2	8	231	49
Point Pleasant	285	–	–	2	71	16	23	13	7	1	2	9	6	155	111	1	6	90	14
Balance of county	1,947	1	–	42	477	125	161	29	43	11	23	85	34	967	831	12	19	658	142
Passaic	4,266	4	1	74	932	239	261	82	113	33	36	168	132	2,030	1,716	21	29	1,390	276
Clifton	939	1	1	11	190	54	38	20	27	8	5	38	23	520	454	6	6	380	82
Hawthorne	205	–	–	2	43	10	9	3	6	3	1	11	5	99	81	–	2	67	12
Little Falls township#	105	–	–	3	32	6	12	5	3	1	1	4	1	53	38	1	–	33	4
Passaic	504	–	–	9	110	27	36	7	16	3	4	17	31	230	201	2	4	162	33
Paterson	1,316	3	–	33	273	62	82	24	39	8	11	47	40	542	448	6	7	338	97
Pompton Lakes	97	–	–	3	27	8	8	1	2	–	3	5	1	49	41	1	1	32	7
Ringwood	62	–	–	–	17	3	3	3	4	1	–	3	1	32	27	–	–	24	3
Totowa	97	–	–	1	20	7	5	–	2	2	1	3	1	48	42	1	4	28	9
Wanaque	82	–	–	1	24	2	12	–	1	1	2	6	4	30	25	–	–	23	2
Wayne township#	362	–	–	5	71	25	17	9	3	3	3	11	13	189	155	1	2	132	20
West Paterson	84	–	–	1	20	7	4	1	1	–	2	5	3	42	38	2	–	31	5
Balance of county	413	–	–	5	105	28	35	9	9	3	3	18	9	196	166	1	3	140	22
Salem	643	–	–	9	138	28	41	9	20	5	6	29	11	311	263	1	8	192	62
Somerset	1,592	2	–	31	417	95	114	35	58	22	20	73	26	753	625	10	10	481	124
Bridgewater township#	197	–	–	3	43	11	13	4	6	3	4	2	3	97	83	–	2	68	13
Franklin township#	232	–	–	8	44	13	12	2	8	1	3	5	6	120	97	1	2	65	29
Manville	113	–	–	1	33	9	9	3	4	3	1	4	1	51	43	1	1	38	3
North Plainfield	141	–	–	1	47	9	14	5	7	3	3	6	2	51	43	–	1	33	9
Somerville	182	–	–	6	53	14	12	4	6	1	2	14	3	79	62	1	1	48	14
Balance of county	727	2	–	12	197	39	54	17	27	11	7	42	11	355	297	7	3	231	56
Sussex	636	–	–	12	199	49	57	20	26	13	8	26	7	380	299	2	10	186	101
Hopatcong	63	–	–	–	15	7	4	1	1	–	1	1	–	33	29	–	1	20	8
Balance of county	773	–	–	12	184	42	53	19	25	13	7	25	7	347	270	2	9	166	93
Union	5,054	6	–	121	1,270	338	298	119	163	54	43	255	110	2,367	1,983	17	85	1,406	455
Berkeley Heights township#	89	–	–	1	28	5	6	2	2	3	2	8	–	40	36	–	2	18	16
Clark township#	130	–	–	–	40	8	13	4	7	3	2	3	1	57	49	–	1	37	11
Cranford township#	233	1	–	4	60	16	14	10	6	2	1	11	6	115	93	–	8	62	23
Elizabeth	1,127	–	–	40	234	76	54	18	33	5	5	43	27	514	416	2	22	282	110
Hillside township#	215	–	–	3	53	11	17	6	8	3	2	6	4	106	87	–	–	68	19
Linden	415	1	–	17	99	29	23	8	15	4	4	16	10	188	157	3	7	117	30
New Providence	73	–	–	2	22	8	3	5	2	–	–	4	1	28	22	1	–	14	7
Plainfield	436	–	–	10	105	31	24	13	13	3	2	19	10	191	158	–	7	109	42
Rahway	260	–	–	7	57	14	14	9	9	2	1	8	7	133	124	3	9	87	25
Roselle	229	1	–	9	58	17	10	4	4	3	1	19	10	100	76	2	6	55	13
Roselle Park	131	–	–	1	37	8	6	4	4	5	–	10	3	69	62	–	2	50	10
Scotch Plains township#	165	–	–	1	58	17	11	3	8	–	2	17	4	67	58	–	3	43	12
Springfield township#	183	1	–	3	53	17	15	4	2	3	3	9	5	83	67	1	2	52	12
Summit	182	–	–	1	44	14	7	5	7	2	1	8	2	91	72	1	5	51	15
Union township#	682	2	–	13	181	37	47	14	26	8	8	41	14	353	290	2	9	220	59
Westfield	241	–	–	5	66	11	16	5	7	4	4	19	3	108	93	1	–	66	26
Balance of county	263	–	–	4	75	19	18	5	10	4	5	14	3	124	103	1	2	75	25
Warren	859	–	–	14	198	55	53	14	17	9	7	43	9	416	346	2	4	224	116
Phillipsburg	252	–	–	4	69	18	22	5	5	4	1	14	3	126	108	–	1	69	38
Balance of county	601	–	–	10	129	37	31	9	12	5	6	29	6	290	238	2	3	155	78

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	–	8	3	1	6	6	–	2	1	–	–	3	2	26	3	3	3	–	–
Sayreville	–	20	3	1	8	4	1	4	2	–	–	5	6	29	5	6	1	2	–
South Plainfield	–	7	2	1	4	5	–	3	3	–	–	–	1	13	2	–	1	–	–
South River	–	4	3	3	7	5	2	2	1	–	–	–	4	11	–	5	1	–	–
Woodbridge township#	1	33	20	4	15	24	–	15	8	–	3	5	13	45	9	8	8	2	–
Balance of county	1	34	16	8	17	22	–	5	10	–	3	–	8	56	15	17	8	2	–
Monmouth	17	330	90	57	158	156	11	70	57	–	21	35	36	450	68	75	37	11	–
Aberdeen township#	–	6	4	1	3	4	–	–	1	–	2	4	–	8	4	–	–	–	–
Asbury Park	–	15	4	4	14	11	2	7	4	–	1	7	4	37	3	5	1	2	–
Eatontown	–	12	2	–	5	4	–	2	–	–	–	–	–	11	2	–	2	1	–
Freehold	–	4	2	–	6	3	1	–	2	–	–	–	–	10	3	–	1	1	–
Hazlet township#	1	11	2	3	4	5	–	4	–	–	1	–	1	22	4	3	–	–	–
Howell township#	–	9	–	3	3	8	–	2	2	–	1	1	3	19	6	2	2	1	–
Keansburg	–	5	7	3	5	4	1	3	1	–	–	2	4	15	2	2	–	–	–
Long Branch	3	16	2	3	17	6	2	5	4	–	1	5	–	28	5	7	4	2	–
Middletown township#	2	36	13	4	9	7	1	6	7	–	2	–	3	45	3	7	4	–	–
Neptune township#	4	31	8	4	15	12	1	10	5	–	1	4	3	26	4	8	3	2	–
Ocean township#	1	2	–	1	3	3	–	2	3	–	1	2	3	24	1	1	2	–	–
Red Bank	–	24	18	4	8	5	–	2	2	–	1	1	–	22	1	4	–	–	–
Balance of county	6	159	30	27	66	64	3	27	26	–	10	9	15	183	30	36	18	2	–
Morris	10	191	10	32	118	108	13	35	21	–	20	17	30	238	54	48	30	6	–
Denville township#	–	13	2	–	4	5	–	2	–	–	1	–	–	16	1	3	–	–	–
Dover	–	8	–	2	6	6	–	2	–	–	2	–	2	12	4	5	1	–	–
Hanover township#	–	7	1	–	2	1	1	–	2	–	–	–	–	3	2	–	–	–	–
Madison	1	9	–	–	3	5	1	2	–	–	–	1	–	14	1	1	1	–	–
Morris township#	–	3	–	–	4	–	–	1	–	–	2	–	2	6	–	2	1	–	–
Morristown	2	18	–	3	10	6	1	4	1	–	2	1	2	23	6	4	3	1	–
Parsippany-Troy Hills township#	–	16	1	2	11	6	–	5	2	–	3	3	1	24	6	4	3	1	–
Pequannock township#	–	13	–	–	6	11	2	2	1	–	–	–	–	3	3	3	2	–	–
Balance of county	7	104	6	25	72	68	8	17	15	–	10	12	23	137	31	26	19	4	–
Ocean	11	334	35	48	122	200	17	70	69	–	18	25	36	400	64	49	34	5	–
Brick township#	2	47	5	4	10	23	–	10	10	–	1	8	4	50	4	8	3	–	–
Dover township#	4	49	–	5	25	36	1	12	14	–	5	1	5	69	11	9	6	1	–
Jackson township#	–	17	1	6	3	9	–	4	5	–	–	1	4	13	6	4	5	–	–
Lakewood township#	–	46	2	5	16	22	3	8	10	–	2	2	6	45	8	3	6	–	–
Manchester township#	1	44	5	5	16	25	5	3	5	–	1	1	1	52	3	3	3	1	–
Point Pleasant	–	35	4	5	3	8	–	3	7	–	1	–	1	19	4	4	1	–	–
Balance of county	4	96	18	18	47	77	8	30	18	–	8	12	15	152	28	18	10	3	–
Passaic	15	240	26	33	159	115	19	88	63	–	23	37	62	373	48	50	28	28	–
Clifton	2	51	5	8	32	26	4	15	14	–	4	4	11	67	6	6	4	–	–
Hawthorne	1	14	1	2	13	14	1	3	1	–	1	2	2	15	1	1	1	1	–
Little Falls township#	1	8	4	2	5	1	–	–	2	–	–	–	1	6	1	–	–	–	–
Passaic	4	17	2	6	14	10	5	13	6	–	1	7	7	38	6	7	6	4	–
Paterson	5	78	3	8	43	40	3	41	24	–	10	17	32	147	12	26	8	22	–
Pompton Lakes	–	7	1	–	4	1	1	2	–	–	–	–	–	7	–	1	1	–	–
Ringwood	–	5	–	–	–	1	–	2	1	–	–	–	1	4	1	–	2	–	–
Totowa	1	4	1	–	2	3	–	2	2	–	1	–	1	14	1	–	1	–	–
Wanaque	–	3	1	1	2	4	–	2	1	–	–	–	–	8	3	2	1	–	–
Wayne township#	1	25	4	4	23	7	2	4	6	–	2	–	4	28	1	4	3	–	–
West Paterson	–	4	–	–	1	2	–	–	2	–	–	2	1	9	1	–	–	–	–
Balance of county	–	24	4	2	20	6	3	4	4	–	4	5	2	30	15	3	1	1	–
Salem	3	36	2	7	25	24	4	6	7	–	3	7	4	59	16	13	5	–	1
Somerset	1	103	10	14	43	35	4	22	14	1	12	11	12	124	32	34	15	2	2
Bridgewater township#	–	8	2	4	2	8	1	2	2	–	5	–	1	19	4	4	3	–	–
Franklin township#	–	17	1	5	2	4	–	4	1	1	2	3	3	18	9	8	–	–	1
Manville	–	7	1	–	5	5	–	6	1	–	–	1	1	7	–	1	–	–	–
North Plainfield	–	6	1	1	6	2	2	2	3	–	–	3	4	9	3	1	3	2	–
Somerville	–	16	–	1	6	3	–	–	4	–	–	3	1	15	4	2	2	–	1
Balance of county	1	49	5	3	22	13	1	8	3	–	5	1	2	58	12	18	7	–	–
Sussex	4	55	11	11	29	40	4	10	7	–	6	4	9	81	23	22	3	–	–
Hopatcong	1	2	–	1	3	2	1	–	–	–	1	–	1	3	2	2	–	–	–
Balance of county	3	53	11	10	26	38	3	10	7	–	5	4	8	78	21	20	3	–	–
Union	14	313	21	56	138	130	13	82	46	1	27	28	61	469	45	75	31	32	2
Berkeley Heights township#	–	2	–	2	3	2	–	–	2	–	–	–	–	12	1	–	–	–	–
Clark township#	–	6	–	2	4	6	–	2	5	–	1	–	2	9	–	2	1	–	–
Cranford township#	2	15	–	5	9	5	–	–	3	–	2	1	1	22	3	–	1	–	–
Elizabeth	1	78	6	13	36	26	4	22	10	–	10	6	16	120	16	24	6	14	–
Hillside township#	–	17	–	2	3	9	1	8	3	–	–	1	1	15	2	2	–	4	–
Linden	–	26	2	3	9	8	1	10	5	–	4	2	11	36	2	7	3	2	–
New Providence	–	6	–	–	5	3	1	–	–	–	–	–	2	6	–	2	1	–	–
Plainfield	2	24	–	7	14	3	1	10	4	–	2	8	12	45	3	7	3	7	1
Rahway	1	7	–	1	6	7	–	1	3	–	2	5	2	23	2	4	1	–	–
Roselle	2	18	1	2	6	5	–	4	–	–	–	–	–	28	2	2	–	4	–
Roselle Park	1	5	1	–	3	4	–	1	–	–	–	1	–	7	–	3	2	–	–
Scotch Plains township#	1	5	–	3	4	3	1	3	–	–	1	–	2	14	1	5	1	–	–
Springfield township#	–	12	1	3	3	5	1	–	1	–	1	–	–	22	1	2	2	–	–
Summit	–	18	1	–	5	6	1	2	2	–	2	1	1	17	2	3	1	–	1
Union township#	2	48	8	5	14	15	1	10	6	1	1	2	5	48	5	8	3	–	–
Westfield	1	9	1	4	7	11	–	6	–	–	–	–	1	29	2	1	1	1	–
Balance of county	1	16	–	4	7	12	1	3	2	–	1	1	5	16	3	3	3	–	–
Warren	3	45	5	17	27	37	3	13	11	–	4	8	8	59	21	16	10	–	1
Phillipsburg	1	11	1	5	5	8	1	3	3	–	1	–	3	17	2	3	4	–	–
Balance of county	2	34	4	12	22	29	2	10	8	–	3	6	5	42	19	13	6	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	10,114	10	-	123	2,081	555	485	183	255	74	84	445	241	3,648	2,861	40	93	1,476	1,252
Urban places	5,779	5	-	67	1,202	299	288	106	149	42	52	266	139	2,173	1,692	23	56	913	700
Balance of area	4,335	5	-	56	879	256	197	77	106	32	32	179	102	1,475	1,169	17	37	563	552
Metropolitan counties	4,184	2	-	59	876	225	210	74	100	32	42	195	98	1,490	1,146	15	46	581	504
Urban places	3,406	1	-	45	729	187	177	61	79	27	35	163	78	1,246	957	14	36	490	417
Balance of area	778	1	-	14	149	38	33	13	21	5	7	32	20	244	189	1	10	91	87
Nonmetropolitan counties	5,930	8	-	64	1,203	330	275	109	155	42	42	250	143	2,158	1,715	25	47	895	748
Urban places	2,373	4	-	22	473	112	111	45	70	15	17	103	61	927	735	9	20	423	283
Balance of area	3,557	4	-	42	730	218	164	64	85	27	25	147	82	1,231	980	16	27	472	465
Bernalillo	3,203	1	-	42	681	174	152	59	77	28	35	156	66	1,153	895	12	32	455	398
Albuquerque	2,972	-	-	39	644	166	143	57	71	26	31	150	64	1,075	832	12	31	422	367
Balance of county	231	1	-	3	37	8	9	2	6	2	4	6	2	78	63	-	1	33	29
Catron	22	-	-	-	6	-	1	1	1	1	-	2	-	11	7	-	-	3	4
Chaves	494	-	-	2	118	20	33	12	14	5	3	31	16	170	137	2	1	82	52
Roswell	419	-	-	2	93	16	24	9	14	5	2	23	16	148	117	2	1	68	46
Balance of county	75	-	-	-	25	4	9	3	-	-	1	8	-	22	20	-	-	14	6
Cibola	164	-	-	1	32	13	5	4	4	-	2	4	10	44	33	1	-	17	15
Colfax	121	-	-	1	25	12	4	-	2	-	1	6	1	52	38	-	-	19	19
Curry	298	-	-	4	61	18	14	3	8	2	3	13	5	138	104	1	-	69	34
Clovis	262	-	-	2	53	14	11	3	8	2	2	13	4	120	93	1	-	60	32
Balance of county	36	-	-	2	8	4	3	-	-	-	1	-	1	18	11	-	-	9	2
De Baca	28	-	-	-	12	3	2	-	4	-	-	3	-	8	5	-	-	4	1
Dona Ana	664	1	-	10	127	34	38	7	15	2	6	25	18	245	175	2	8	91	74
Las Cruces	494	1	-	6	85	21	34	4	8	1	4	13	14	171	125	2	5	68	50
Balance of county	230	-	-	4	42	13	4	3	7	1	2	12	4	74	50	-	3	23	24
Eddy	480	2	-	7	104	18	28	9	17	4	7	21	14	193	155	3	4	98	50
Artesia	109	-	-	2	24	4	6	3	3	1	2	5	5	30	26	1	-	19	8
Carlsbad	293	2	-	3	61	11	21	4	14	1	3	7	8	128	102	1	1	64	36
Balance of county	78	-	-	2	19	3	1	2	-	2	2	9	1	35	27	1	3	15	8
Grant	233	-	-	1	54	22	8	5	6	2	3	8	5	88	68	2	-	28	36
Guadalupe	36	-	-	-	4	-	3	-	-	-	-	1	1	19	18	-	1	5	12
Harding	6	-	-	-	2	2	-	-	-	-	-	-	-	2	2	-	-	1	1
Hidalgo	54	-	-	-	14	3	2	4	3	-	-	2	-	21	17	-	-	9	8
Lea	367	2	-	3	73	15	23	6	9	3	1	16	4	168	135	-	5	76	54
Hobbs	239	1	-	2	47	8	15	3	6	3	1	11	3	118	96	-	4	53	39
Balance of county	128	1	-	1	26	7	8	3	3	-	-	5	1	50	39	-	1	23	15
Lincoln	91	-	-	-	22	5	6	4	1	-	-	6	2	41	31	-	1	15	15
Los Alamos	60	-	-	-	19	7	3	3	1	1	-	4	-	17	15	-	1	7	7
Luna	228	-	-	1	52	12	19	3	6	1	2	9	8	104	75	-	1	37	37
McKinley	345	2	-	8	40	8	4	6	8	4	-	10	10	86	70	1	-	33	36
Gallup	121	-	-	1	16	2	1	3	4	1	-	5	1	44	36	-	-	25	11
Balance of county	224	2	-	7	24	6	3	3	4	3	-	5	9	42	34	1	-	8	25
Mora	47	-	-	2	11	3	1	-	1	-	1	5	-	10	7	-	1	4	2
Otero	284	-	-	2	46	17	11	3	3	2	3	7	3	114	89	3	4	48	34
Alamogordo	174	-	-	2	27	11	5	1	2	1	2	5	2	78	60	1	2	37	20
Balance of county	110	-	-	-	19	6	6	2	1	1	1	2	1	36	29	2	2	11	14
Quay	107	-	-	-	16	5	6	1	1	2	-	1	-	55	50	-	-	12	38
Rio Arriba	266	-	-	3	56	18	7	5	9	1	4	12	10	82	64	-	1	30	33
Roosevelt	136	-	-	-	27	8	5	2	6	1	-	4	4	53	48	-	2	33	13
Sandoval	317	-	-	7	70	17	20	8	8	2	1	14	14	92	76	1	6	35	34
San Juan	499	2	-	6	87	22	16	9	13	3	1	23	10	153	122	2	7	58	55
Farmington	182	1	-	2	33	5	9	4	4	1	-	9	5	63	54	-	3	28	23
Balance of county	317	1	-	4	54	16	7	5	9	2	1	14	5	90	68	2	4	30	32
San Miguel	219	-	-	1	41	13	4	4	9	1	3	7	7	74	58	2	1	25	30
Las Vegas	143	-	-	1	25	8	1	4	6	-	2	4	4	50	39	-	-	19	20
Balance of county	76	-	-	-	16	5	3	-	3	1	1	3	3	24	19	2	1	6	10
Santa Fe	530	-	-	5	115	37	23	12	11	2	5	25	17	175	136	4	11	61	60
Santa Fe	431	-	-	5	94	32	18	11	9	-	3	21	13	148	112	3	9	50	50
Balance of county	99	-	-	-	21	5	5	1	2	2	2	4	4	27	24	1	2	11	10
Sierra	162	-	-	5	22	4	9	-	5	2	-	2	1	70	59	-	1	32	26
Socorro	98	-	-	2	37	9	11	3	3	1	-	10	1	26	22	-	-	15	7
Taos	141	-	-	3	17	5	5	3	2	1	-	1	6	40	28	1	1	11	15
Torrance	75	-	-	-	15	4	3	1	2	-	-	5	1	26	19	1	-	8	10
Union	60	-	-	-	9	5	2	-	2	-	-	-	-	17	16	-	1	8	7
Valencia	278	-	-	7	66	21	17	6	4	3	3	12	7	103	87	2	3	47	35
New York	173,540	239	7	2,891	38,437	10,699	9,738	3,799	4,101	1,676	1,316	7,108	3,076	82,975	69,072	618	1,613	55,254	11,587
Urban places	113,647	217	4	2,257	23,789	6,810	5,836	2,310	2,512	971	812	4,538	2,027	54,192	45,722	380	991	36,956	7,395
Balance of area	59,893	22	3	734	14,648	3,889	3,902	1,489	1,589	705	504	2,570	1,049	28,793	23,350	238	622	18,298	4,192
Metropolitan counties	158,260	230	6	2,824	34,606	9,650	8,703	3,454	3,676	1,483	1,177	6,463	2,763	74,475	62,368	549	1,451	50,129	10,239
Urban places	109,660	215	4	2,229	22,938	6,570	5,606	2,230	2,435	933	783	4,381	1,960	52,066	44,093	355	936	35,753	7,049
Balance of area	48,600	15	2	595	11,668	3,080	3,097	1,224	1,241	550	394	2,082	803	22,409	18,275	194	515	14,376	3,190
Nonmetropolitan counties	17,280	9	1	167	3,831	1,049	1,035	345	425	193	139	645	313	8,500	6,704	69	162	5,125	1,348
Urban places	3,987	2	-	28	851	240	230	80	77	38	29	157	67	2,116	1,629	25	55	1,203	346
Balance of area	13,293	7	1	139	2,980	809	805	265	348	155	110	488	246	6,384	5,075	44	107	3,922	1,002
Albany	2,951	1	-	43	724	175	222	73	67	29	26	132	48	1,413	1,136	14	23	850	249
Albany	1,256	-	-	25	287	77	95	21	24	14	8	48	22	590	473	5	10	362	96
Cohoes	227	1	-	4	44	12	8	9	4	5	-	6	5	131	115	1	2	82	30
Watervliet	163	-	-	3	42	12	12	3	5	1	1	8	2	79	64	2	-	50	12
Balance of county	1,305	-	-	11	351	74	107	40	34	9	17	70	17	613	484	6	11	356	111
Allegany	456	1	-	4	97	19	29	9	11	5	5	19	8	206	155	2	2	113	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	41	566	95	85	344	511	27	219	95	3	87	104	146	1,110	506	316	287	201	55
Urban places	25	345	65	46	192	311	15	126	41	3	45	61	73	632	215	168	171	110	30
Balance of area	16	221	30	39	152	200	12	93	54	-	42	43	73	478	291	148	116	91	25
Metropolitan counties	18	241	54	31	128	218	12	98	36	3	33	52	59	470	191	113	132	92	20
Urban places	13	204	48	24	98	187	10	78	24	3	28	42	49	388	121	90	105	72	14
Balance of area	5	37	6	7	30	31	2	20	12	-	7	10	10	82	70	23	27	20	6
Nonmetropolitan counties	23	325	41	54	216	293	15	121	59	-	54	52	87	640	315	203	155	109	35
Urban places	12	141	17	22	84	124	5	48	17	-	19	19	24	244	94	78	66	38	16
Balance of area	11	184	24	32	122	169	10	73	42	-	35	33	63	396	221	125	89	71	19
Bernalillo	11	188	38	21	93	162	9	73	23	3	26	43	44	374	128	85	102	81	14
Albuquerque	10	176	37	20	88	155	9	69	22	3	24	39	42	345	105	75	94	68	12
Balance of county	1	12	1	1	5	7	-	4	1	-	2	4	2	29	23	10	8	13	2
Catron	-	4	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Chaves	3	25	1	4	28	36	2	7	2	-	1	4	12	50	9	13	10	10	4
Roswell	3	24	-	4	24	34	1	6	1	-	1	4	10	42	4	10	10	9	4
Balance of county	-	1	1	-	4	2	1	1	1	-	-	-	2	8	5	3	-	1	-
Cibola	-	10	-	1	6	5	-	5	4	-	1	2	3	21	9	9	6	5	1
Colfax	1	9	2	2	3	11	1	-	1	-	1	2	1	13	1	5	2	-	1
Curry	2	21	6	3	14	8	1	4	2	-	4	5	3	31	5	7	4	2	2
Clovis	1	18	5	3	12	6	1	4	2	-	4	5	3	28	4	6	4	2	2
Balance of county	1	3	1	-	2	2	-	-	-	-	-	-	-	3	1	1	-	-	-
De Baca	-	3	-	-	1	2	-	1	1	-	-	-	-	2	-	-	1	-	-
Dona Ana	6	43	15	6	20	42	3	16	5	-	3	5	7	69	37	23	23	8	2
Las Cruces	3	28	11	4	10	32	1	9	2	-	2	3	7	43	16	15	11	4	2
Balance of county	3	15	4	2	10	10	2	7	3	-	1	2	-	26	21	8	12	4	-
Eddy	3	28	2	5	14	20	-	9	5	-	4	3	5	45	17	20	13	4	1
Artesia	1	2	-	1	2	6	-	2	3	-	3	2	4	11	2	6	4	3	-
Carlsbad	1	20	1	4	12	10	-	7	2	-	1	1	1	29	9	10	8	1	-
Balance of county	1	6	1	-	-	4	-	-	-	-	-	-	-	5	6	4	1	-	1
Grant	-	14	1	5	10	13	-	6	4	-	1	2	4	22	1	9	9	3	1
Guadalupe	-	1	-	-	1	-	-	-	-	-	-	-	-	6	4	1	-	-	-
Harding	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Hidalgo	-	3	1	-	2	4	-	-	-	-	1	-	1	7	3	-	1	-	-
Lea	1	22	5	5	8	18	-	6	1	-	3	2	1	33	15	13	12	5	-
Hobbs	1	16	4	1	4	13	-	3	1	-	1	-	1	22	8	10	3	2	-
Balance of county	-	6	1	4	4	5	-	3	-	-	2	2	-	11	7	3	9	3	-
Lincoln	-	6	3	1	4	2	-	1	-	-	2	1	-	7	2	2	4	1	-
Los Alamos	-	1	1	-	1	1	-	1	-	-	-	2	-	13	5	1	-	-	-
Luna	-	26	3	-	5	15	-	4	2	-	2	-	3	15	5	7	4	2	-
McKinley	-	15	1	-	11	13	1	9	4	-	8	1	8	53	46	18	11	14	4
Gallup	-	8	-	-	4	7	1	1	1	-	-	-	3	10	16	7	4	4	1
Balance of county	-	7	1	-	7	6	-	8	3	-	8	1	5	43	30	9	7	10	3
Mora	1	-	1	1	3	4	-	2	-	-	2	-	1	2	8	-	2	-	-
Otero	-	20	1	4	10	19	1	14	1	-	3	3	3	28	16	8	8	3	2
Alamogordo	-	15	1	2	8	12	-	5	1	-	3	1	1	18	6	5	4	-	1
Balance of county	-	5	-	2	2	7	1	9	-	-	-	2	2	10	10	3	4	3	1
Quay	-	5	-	-	1	6	2	2	3	-	-	-	-	8	4	4	3	3	-
Rio Arriba	-	17	-	1	7	10	1	5	2	-	4	1	2	30	27	6	9	10	1
Roosevelt	-	1	2	2	5	5	1	2	2	-	-	2	3	24	2	1	1	4	-
Sandoval	1	10	1	4	15	14	-	8	8	-	4	4	8	27	26	5	7	3	4
San Juan	3	19	4	5	11	23	-	9	5	-	5	6	11	58	46	27	17	18	5
Farmington	-	8	-	1	3	9	-	6	2	-	1	3	-	19	12	6	8	6	3
Balance of county	3	11	4	4	8	14	-	3	3	-	4	3	11	38	34	21	9	12	2
San Miguel	3	10	-	3	14	6	-	4	1	-	2	-	3	18	20	15	7	4	2
Las Vegas	3	7	-	1	11	2	-	2	-	-	2	-	1	14	14	9	5	2	1
Balance of county	-	3	-	2	3	4	-	2	1	-	-	-	2	4	6	6	2	2	1
Santa Fe	2	26	6	5	15	32	2	16	6	-	5	6	1	60	32	12	17	10	4
Santa Fe	2	23	6	5	14	25	2	12	4	-	3	3	-	51	19	9	16	9	4
Balance of county	-	3	-	-	1	7	-	4	2	-	2	3	1	9	13	3	1	1	-
Sierra	2	7	1	1	12	11	2	3	2	-	1	2	3	17	3	4	4	-	-
Socorro	1	3	-	-	4	3	-	1	2	-	1	-	4	5	5	5	2	-	-
Taos	-	11	-	1	6	4	-	3	3	-	2	2	10	16	12	8	2	5	2
Torrance	-	5	-	2	3	3	-	-	1	-	-	1	3	16	1	3	-	2	-
Union	-	1	-	-	4	3	-	2	2	-	1	1	1	9	3	3	2	3	-
Valencia	1	12	-	3	12	16	1	5	3	-	-	4	1	28	12	3	4	1	5
New York	604	10,035	1,559	1,705	6,522	5,397	658	2,697	1,752	30	896	1,433	1,782	15,349	2,263	3,246	1,359	1,899	522
Urban places	418	6,078	985	979	4,523	3,078	426	2,023	1,152	24	567	1,054	1,512	10,731	999	2,275	637	1,728	442
Balance of area	186	3,957	574	726	1,999	2,319	232	674	600	6	329	379	270	4,618	1,264	971	722	171	80
Metropolitan counties	534	8,745	1,352	1,476	5,913	4,624	602	2,510	1,574	29	794	1,331	1,714	13,928	1,901	2,917	1,149	1,855	515
Urban places	398	5,727	917	931	4,411	2,906	412	1,973	1,118	24	548	1,035	1,502	10,407	963	2,198	593	1,717	441
Balance of area	136	3,018	435	545	1,502	1,718	190	537	456	5	246	296	212	3,521	938	719	556	138	74
Nonmetropolitan counties	70	1,290	207	229	609	773	66	187	178	1	102	102	68	1,421	362	329	210	44	7
Urban places	20	351	68	48	112	172	14	50	34	-	19	19	10	324	36	77	44	11	1
Balance of area	50	939	139	181	497	601	52	137	144	1	83	83	58	1,097	326	252	166	33	6
Albany	14	187	43	33	113	114	5	30	35	-	12	24	20	252	33	42	33	10	1
Albany	6	78	22	11	56	50	2	18	17	-	9	11	11	109	10	20	12	7	-
Cohoes	-	12	2	2	5	6	-	4	4	-	-	1	-	15	2	3	2	-	-
Watervliet	-	13	1	1	5	8	1	1	1	-	-	1	1	15	-	-	2	2	-
Balance of county	8	84	18	19	47	50	2	7	13	-	3	11	8	113	21	19	17	1	1
Allegany	2	36	6	7	14	24	2	3	5	-	4	3	5	46	17	8	7	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,222	–	–	15	479	146	123	45	46	24	17	78	59	1,106	863	8	22	695	138
Binghamton	814	–	–	4	155	42	38	18	16	6	4	31	22	409	312	4	7	263	38
Endicott	196	–	–	4	49	15	15	5	6	2	1	5	5	102	87	1	–	75	11
Johnson City	209	–	–	1	37	13	9	1	4	2	3	5	7	110	83	–	3	65	15
Vestal town#	206	–	–	1	44	19	9	6	4	1	2	3	5	100	70	–	2	56	12
Balance of county	797	–	–	5	194	57	52	15	16	13	7	34	20	385	311	3	10	236	62
Cattaraugus	842	–	–	12	169	47	45	21	13	5	8	30	20	425	340	3	7	264	66
Olean	209	–	–	4	35	8	10	5	2	1	1	8	9	113	95	–	3	72	20
Balance of county	633	–	–	8	134	39	35	16	11	4	7	22	12	312	245	3	4	192	46
Cayuga	814	1	–	9	172	56	47	12	15	9	5	28	13	404	305	4	8	232	61
Auburn	416	1	–	5	87	28	22	5	8	4	2	18	3	219	162	3	5	119	35
Balance of county	398	–	–	4	85	28	25	7	7	5	3	10	10	185	143	1	3	113	26
Chautauqua	1,578	–	–	15	319	84	80	28	43	10	17	57	35	812	655	6	19	524	106
Dunkirk	194	–	–	1	52	17	12	5	5	1	2	10	2	89	76	–	6	69	1
Fredonia	89	–	–	1	23	8	5	3	4	–	–	3	2	39	33	1	1	31	–
Jamestown	434	–	–	4	71	20	20	7	5	2	5	12	10	245	191	3	5	148	35
Balance of county	861	–	–	9	173	39	43	13	29	7	10	32	21	439	355	2	7	278	70
Chemung	946	1	–	5	193	55	52	19	12	10	11	34	27	487	376	5	11	291	69
Elmira	421	1	–	3	80	26	19	6	6	3	6	14	14	228	183	2	6	148	27
Balance of county	525	–	–	2	113	29	33	13	6	7	5	20	13	259	193	3	5	143	42
Chenango	482	1	–	5	107	26	33	9	10	5	2	22	9	239	199	–	7	165	27
Clinton	563	–	–	4	118	32	34	14	12	9	3	14	7	281	221	1	7	178	35
Plattsburgh	171	–	–	–	36	7	13	3	3	2	1	7	1	93	74	1	3	56	14
Balance of county	392	–	–	4	82	25	21	11	9	7	2	7	6	188	147	–	4	122	21
Columbia	670	–	–	5	161	42	41	10	20	13	5	30	10	328	269	2	3	229	35
Cortland	450	–	–	3	102	26	28	9	11	4	3	21	8	225	169	2	7	120	40
Cortland	215	–	–	1	46	10	14	6	1	2	1	12	4	119	84	1	4	61	18
Balance of county	235	–	–	2	56	16	14	3	10	2	2	9	4	106	85	1	3	59	22
Delaware	561	1	–	6	110	34	25	7	13	8	6	17	4	278	232	3	5	134	90
Dutchess	2,215	1	–	30	509	141	144	48	48	18	14	96	30	1,066	861	14	15	696	136
Beacon	143	–	–	2	38	15	16	–	1	1	–	5	3	64	54	–	–	47	7
Poughkeepsie	396	–	–	4	97	27	24	6	10	5	5	20	5	188	151	3	–	127	21
Balance of county	1,676	1	–	24	374	99	104	42	37	12	9	71	22	814	656	11	15	522	108
Erie	10,412	3	1	147	2,396	640	648	254	273	102	72	407	212	5,279	4,144	35	102	3,309	698
Buffalo	4,403	2	–	72	921	257	251	83	98	32	26	174	103	2,194	1,719	16	42	1,327	334
Depew	171	–	–	2	40	7	13	7	5	2	1	5	1	86	72	1	1	59	11
Hamburg	97	–	–	–	32	11	7	2	2	3	2	5	–	46	39	1	–	30	8
Kenmore	224	–	–	3	54	10	16	9	7	5	1	6	5	108	88	2	2	72	12
Lackawanna	267	–	–	4	70	19	19	9	4	3	3	13	8	130	100	–	5	86	9
Lancaster	128	–	–	–	23	6	6	2	2	3	1	3	2	77	59	–	1	48	10
Tonawanda	208	–	–	4	61	10	18	5	8	3	5	12	–	97	82	1	4	71	6
West Seneca town#	420	–	–	7	109	31	36	9	13	4	2	14	6	207	166	1	2	143	20
Balance of county	4,498	1	1	55	1,086	289	282	128	134	47	31	175	87	2,334	1,819	13	45	1,473	288
Essex	417	–	–	2	103	27	35	9	12	3	2	15	4	201	153	2	3	115	33
Franklin	512	–	–	7	106	24	36	8	6	9	3	20	12	260	197	4	1	161	31
Fulton	596	1	–	2	123	33	31	5	16	7	7	24	13	320	258	3	2	198	55
Gloversville	250	–	–	–	64	17	17	2	8	5	3	12	4	143	115	3	1	82	29
Balance of county	346	1	–	2	59	16	14	3	8	2	4	12	9	177	143	–	1	116	26
Genesee	554	–	–	7	112	42	25	13	12	5	1	14	7	277	217	5	4	164	44
Batavia	214	–	–	1	39	14	7	6	3	4	1	4	1	127	100	2	2	75	21
Balance of county	340	–	–	6	73	28	18	7	9	1	–	10	6	150	117	3	2	89	23
Greene	514	1	–	8	126	44	23	9	18	3	5	24	13	250	211	1	9	164	37
Hamilton	67	–	–	1	16	4	3	2	1	3	–	3	1	35	27	1	–	20	6
Herkimer	743	–	–	8	176	52	51	9	18	8	7	33	12	402	315	3	9	212	91
Jefferson	926	–	–	8	208	65	61	22	16	8	5	31	14	473	352	5	6	280	61
Watertown	365	–	–	4	75	27	23	7	5	4	–	9	4	214	157	2	2	122	31
Balance of county	561	–	–	4	133	38	38	15	11	4	5	22	10	259	195	3	4	158	30
Lewis	225	–	–	1	58	18	14	6	9	2	3	6	1	102	83	–	–	70	13
Livingston	481	–	–	6	135	35	44	11	19	3	4	19	10	213	163	–	4	131	28
Madison	566	1	–	5	145	32	55	10	14	4	7	23	11	268	203	2	6	147	48
Oneida	132	–	–	2	29	8	13	1	1	1	–	5	2	71	53	1	1	39	12
Balance of county	434	1	–	3	116	24	42	9	13	3	7	18	9	197	150	1	5	108	36
Monroe	6,058	4	–	108	1,370	335	359	141	143	58	54	280	99	2,715	2,120	28	43	1,516	533
Brighton town#	327	–	–	3	82	18	15	10	10	6	8	15	4	154	113	2	4	87	20
Gates town#	227	–	–	5	62	17	13	10	4	3	5	10	2	106	80	1	–	67	12
Greece town#	637	–	–	14	153	35	39	19	18	3	10	29	9	292	225	2	5	158	60
Henrietta town#	140	–	–	–	44	13	14	4	3	–	1	9	3	54	47	1	2	33	11
Irondequoit town#	578	–	–	10	120	40	26	8	12	6	2	26	11	318	241	6	3	188	64
Penfield town#	169	1	–	1	42	7	11	8	3	2	2	9	3	63	54	–	2	34	18
Rochester	2,693	3	–	57	565	143	166	46	62	22	11	115	53	1,169	925	14	20	645	246
Balance of county	1,287	–	–	18	302	62	75	36	31	16	15	67	14	559	435	2	7	324	102
Montgomery	629	1	–	3	137	38	38	6	10	9	5	31	7	329	271	–	5	231	35
Amsterdam	300	1	–	3	57	16	14	4	3	3	3	14	3	165	136	–	4	118	14
Balance of county	329	–	–	–	80	22	24	2	7	6	2	17	4	164	135	–	1	113	21
Nassau	11,770	5	–	200	3,032	858	720	327	292	149	115	571	196	5,681	4,868	47	125	3,908	788
East Rockaway	95	–	–	2	19	5	5	2	3	–	1	2	–	52	42	1	–	37	4
Floral Park	190	–	–	4	53	17	13	6	6	–	4	7	3	95	77	–	–	60	17
Freeport	348	–	–	13	94	27	25	15	7	4	1	15	7	148	128	–	2	99	25
Garden City	218	–	–	3	55	13	13	7	6	4	4	8	1	112	86	1	4	70	11
Glen Cove	255	–	–	3	62	18	15	2	7	6	4	10	6	128	102	2	2	85	13
Hempstead	427	–	–	13	102	27	20	9	17	7	–	22	8	163	142	1	2	105	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	5	180	25	33	93	110	6	23	22	-	14	21	13	165	31	35	23	5	2
Binghamton	1	70	14	12	27	50	4	13	9	-	6	11	8	61	6	17	8	3	1
Endicott	-	10	4	1	5	7	-	3	1	-	-	-	1	15	2	2	-	-	-
Johnson City	-	22	1	4	12	16	-	2	2	-	1	4	2	11	2	2	-	-	-
Vestal town#	2	21	2	5	16	5	1	-	3	-	1	-	-	15	4	4	7	-	-
Balance of county	2	57	4	11	33	32	1	5	7	-	6	6	2	63	17	10	8	2	1
Cattaraugus	5	64	9	7	37	28	2	10	11	-	3	3	5	72	16	16	9	2	2
Olean	1	15	1	1	12	11	1	1	4	-	1	-	-	14	2	-	2	-	1
Balance of county	4	49	8	6	25	17	1	9	7	-	2	3	5	58	14	16	7	2	1
Cayuga	1	68	20	10	29	46	4	9	6	1	1	2	5	73	15	8	15	1	-
Auburn	-	38	13	8	13	28	2	5	2	-	-	1	3	34	1	5	8	1	-
Balance of county	1	30	7	4	16	20	2	4	4	1	1	1	2	39	14	3	7	-	-
Chautauqua	6	122	10	19	45	58	12	21	18	-	15	13	3	128	28	31	22	3	-
Dunkirk	-	10	1	2	3	10	2	3	2	-	4	2	-	15	3	3	2	1	-
Fredonia	-	4	-	2	1	2	-	4	1	-	1	-	-	4	3	8	-	-	-
Jamestown	4	43	4	3	10	7	4	8	4	-	2	3	1	41	4	8	11	1	-
Balance of county	2	65	5	12	31	39	6	6	11	-	8	8	2	68	18	12	9	1	-
Chemung	6	83	12	10	25	49	2	6	12	-	5	2	8	84	12	12	14	2	-
Elmira	-	35	5	5	9	16	-	2	8	-	2	1	2	36	6	7	7	1	-
Balance of county	6	48	7	5	16	33	2	4	6	-	3	1	6	48	6	5	7	1	-
Chenango	5	27	2	6	13	19	3	3	9	-	-	4	1	46	10	7	6	-	-
Clinton	2	41	9	8	21	23	-	9	2	-	1	7	5	52	15	9	8	1	-
Plattsburgh	1	14	1	3	6	6	-	4	-	-	-	3	-	20	1	1	-	-	-
Balance of county	1	27	8	5	15	17	-	5	2	-	1	4	5	32	14	8	8	1	-
Columbia	3	43	1	12	21	22	3	8	3	-	3	3	2	50	22	15	9	5	-
Cortland	1	42	3	10	13	23	3	4	3	-	5	3	1	36	5	7	4	4	1
Cortland	1	25	2	7	4	11	1	3	1	-	1	-	-	21	-	2	-	1	-
Balance of county	-	17	1	3	9	12	2	1	2	-	4	3	1	15	5	5	4	3	1
Delaware	-	33	4	9	32	29	1	3	7	-	5	3	-	47	10	15	6	4	-
Dutchess	5	151	18	31	78	82	9	39	19	-	11	7	7	193	54	44	28	7	1
Beacon	-	7	1	2	4	5	-	2	3	-	-	1	-	13	-	6	1	1	-
Poughkeepsie	2	26	5	4	10	14	3	9	4	-	1	2	3	40	4	5	2	4	1
Balance of county	3	118	12	25	64	63	6	28	12	-	10	4	4	140	50	33	25	2	-
Erie	35	847	126	127	333	346	43	162	99	-	50	61	42	783	118	156	98	47	36
Buffalo	18	349	54	54	155	140	17	85	44	-	21	43	22	378	28	83	37	33	25
Depew	1	11	-	2	3	7	-	-	2	-	2	1	2	15	2	5	2	1	-
Hamburg	-	5	2	-	5	-	-	2	1	-	-	-	-	4	2	-	2	2	1
Kenmore	1	12	3	4	8	13	1	3	3	-	2	1	-	13	2	2	5	1	-
Lackawanna	-	25	3	2	6	6	1	7	2	-	1	-	3	18	5	4	-	-	2
Lancaster	-	16	1	1	7	3	-	2	-	-	-	1	-	8	2	1	-	-	-
Tonawanda	-	12	-	3	6	13	1	4	1	-	-	2	2	8	2	4	1	-	-
West Seneca town#	2	36	1	2	14	12	2	4	5	-	3	1	1	32	4	6	5	2	-
Balance of county	13	361	62	59	129	152	21	55	41	-	21	12	12	307	71	51	46	8	8
Essex	1	35	1	11	14	18	2	6	2	-	3	1	2	39	10	6	4	-	-
Franklin	2	40	12	9	14	24	2	3	3	-	3	3	2	47	11	11	4	-	-
Fulton	1	47	10	4	6	31	3	5	4	-	-	4	-	47	12	14	8	1	-
Gloversville	1	20	6	1	2	10	1	1	1	-	-	1	-	14	4	4	1	-	-
Balance of county	-	27	4	3	6	21	2	4	3	-	-	3	-	33	8	10	7	1	-
Genesee	2	45	6	7	14	26	2	7	7	-	3	2	1	53	18	9	8	1	-
Batavia	1	21	1	4	3	6	1	2	1	-	1	-	1	18	8	3	1	1	-
Balance of county	1	24	5	3	11	20	1	5	6	-	2	2	-	35	10	6	7	-	-
Greene	4	26	1	8	16	16	-	4	6	-	3	1	4	42	12	7	3	1	1
Hamilton	-	4	2	2	3	3	-	-	-	-	-	-	-	3	-	3	2	-	-
Herkimer	1	57	15	14	14	28	-	7	7	-	1	2	5	45	15	12	8	-	1
Jefferson	3	106	8	4	32	42	3	12	9	-	5	9	3	64	13	14	13	4	-
Watertown	3	48	5	1	14	14	-	2	3	-	3	2	1	22	-	3	1	3	-
Balance of county	-	58	3	3	18	28	3	10	6	-	2	7	2	42	13	11	12	1	-
Lewis	-	18	-	1	15	14	1	1	1	-	2	3	-	16	5	4	1	-	-
Livingston	2	34	6	8	16	18	5	4	11	-	4	2	-	33	12	4	6	2	-
Madison	1	52	-	12	11	31	3	3	6	-	2	4	3	42	14	7	8	2	-
Oneida	1	14	-	3	2	5	1	1	3	-	-	1	-	11	-	2	2	-	-
Balance of county	-	38	-	9	9	26	2	2	3	-	2	3	3	31	14	5	6	2	-
Monroe	26	440	68	61	232	250	29	51	75	-	42	57	45	648	91	101	94	43	4
Brighton town#	1	26	11	3	10	12	1	4	4	-	1	1	-	35	2	8	6	-	-
Gates town#	2	17	3	4	12	8	1	1	2	-	-	-	-	18	6	1	3	-	-
Greece town#	3	55	4	5	24	36	4	5	11	-	7	2	2	51	11	5	10	1	-
Henrietta town#	1	5	1	-	5	8	-	2	1	-	3	-	-	10	5	2	3	-	-
Irondequoit town#	4	61	7	5	15	20	2	-	7	-	2	1	2	47	7	6	8	1	1
Penfield town#	-	8	1	-	7	9	-	1	2	-	2	1	2	22	2	5	6	-	-
Rochester	8	186	23	27	111	98	11	28	37	-	16	38	29	328	30	48	35	35	2
Balance of county	7	82	18	17	48	59	10	10	11	-	11	14	10	137	28	26	23	6	1
Montgomery	1	49	3	5	25	24	3	4	5	-	5	2	3	51	9	14	5	1	1
Amsterdam	-	28	-	1	7	10	2	2	3	-	2	1	2	30	2	7	2	-	1
Balance of county	1	21	3	4	18	14	1	2	2	-	3	1	1	21	7	7	3	1	-
Nassau	20	603	70	120	394	321	41	145	145	2	53	101	37	889	149	164	113	60	42
East Rockaway	-	6	2	2	6	3	-	2	-	-	-	-	1	9	-	2	-	-	-
Floral Park	3	12	-	3	6	3	-	3	3	-	-	-	1	9	-	6	3	1	-
Freeport	2	16	3	1	8	10	-	3	4	-	3	10	-	26	7	7	1	4	3
Garden City	-	20	1	5	11	3	-	2	-	-	1	-	2	18	-	3	4	1	2
Glen Cove	2	18	2	4	10	10	-	7	2	-	1	1	-	14	2	4	5	-	-
Hempstead	-	20	-	1	19	10	3	6	5	2	5	11	4	43	9	7	3	9	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	503	–	–	6	98	25	18	5	8	7	7	28	8	287	255	–	3	222	30
Lynbrook	215	–	–	5	57	14	12	10	5	4	3	9	3	112	97	3	2	83	9
Massapequa Park	170	–	–	4	38	14	11	3	3	2	1	4	1	88	77	1	3	63	10
Mineola	202	–	–	1	52	11	16	5	4	5	3	8	2	100	84	–	–	67	17
Rockville Centre	331	–	–	4	87	30	12	14	6	3	6	16	8	173	144	3	5	117	19
Valley Stream	392	1	–	5	95	30	29	7	11	2	1	15	7	193	169	2	–	137	30
Westbury	159	–	–	3	35	8	3	5	5	–	4	10	1	66	53	1	2	41	9
Balance of county	8,265	4	–	134	2,186	619	528	237	204	105	76	417	141	3,984	3,414	32	100	2,722	560
New York city	75,694	194	3	1,717	15,097	4,368	3,521	1,479	1,619	584	492	3,034	1,335	35,596	30,942	210	600	25,511	4,621
Bronx bor., Bronx co	12,908	34	–	282	2,294	657	559	209	247	87	61	474	232	6,015	5,323	39	85	4,412	787
Brooklyn bor., Kings co	22,895	61	–	486	4,431	1,275	1,017	457	456	183	144	919	477	10,903	9,633	53	200	7,941	1,439
Manhattan bor., New York co	16,650	65	3	564	3,382	951	761	324	392	123	112	719	285	6,657	5,614	51	129	4,203	1,231
Queens bor., Queens co	19,918	30	–	335	4,242	1,278	974	427	464	182	152	765	276	10,404	8,932	58	175	7,735	964
Staten Island bor., Richmond co	3,323	4	–	50	748	207	210	62	60	29	23	157	65	1,617	1,440	9	11	1,220	200
Niagara	2,157	2	–	19	501	152	139	38	46	25	20	81	44	1,124	896	4	12	781	99
Lockport	290	–	–	5	53	14	13	1	10	4	3	8	5	157	130	–	1	115	14
Niagara Falls	818	1	–	7	203	54	60	15	19	10	8	37	15	407	317	2	7	269	39
North Tonawanda	333	1	–	2	80	26	21	9	7	2	2	13	6	184	154	2	1	133	18
Balance of county	716	–	–	5	165	58	45	13	10	9	7	23	18	376	295	–	3	264	28
Oneida	2,714	1	–	34	606	160	170	60	73	20	21	102	46	1,420	1,115	12	25	862	216
Rome	465	–	–	2	97	22	32	8	10	1	7	17	5	251	184	2	2	151	29
Utica	1,085	–	–	13	242	63	69	29	29	6	7	39	23	569	464	4	10	351	99
Balance of county	1,164	1	–	19	267	75	69	23	34	13	7	46	18	600	467	6	13	360	68
Onondaga	4,128	2	1	41	1,029	256	297	96	107	53	36	184	55	1,916	1,490	18	46	978	448
Syracuse	1,893	2	1	24	431	120	126	29	47	18	22	69	31	856	657	9	23	410	215
Balance of county	2,235	–	–	17	598	136	171	67	60	35	14	115	24	1,060	833	9	23	568	233
Ontario	750	–	–	4	169	52	49	17	16	11	5	28	14	340	275	3	8	200	64
Canandaigua	121	–	–	1	29	8	7	1	3	2	–	7	5	54	41	1	2	28	10
Geneva, part	160	–	–	1	32	11	6	3	3	4	1	4	3	84	71	–	1	47	23
Geneva, total	161	–	–	1	32	11	6	3	3	4	1	4	3	84	71	–	1	47	23
Balance of county	468	–	–	2	108	32	27	13	10	5	4	17	6	202	163	2	5	125	31
Orange	2,433	–	–	45	591	161	159	51	57	29	18	116	29	1,157	958	13	14	784	147
Middletown	241	–	–	7	49	16	9	6	4	5	–	9	5	113	90	1	3	71	15
Newburgh	274	–	–	6	53	17	11	3	8	1	2	11	2	136	107	–	–	91	16
Balance of county	1,918	–	–	32	489	128	139	42	45	23	16	96	22	908	761	12	11	622	116
Orleans	387	–	–	2	75	18	18	6	8	4	5	16	2	185	133	1	4	102	26
Oswego	967	–	–	3	239	55	77	23	18	17	12	37	24	447	344	2	7	251	84
Fulton	128	–	–	–	26	7	9	3	1	1	1	4	2	73	57	1	2	34	20
Oswego	224	–	–	1	55	13	12	3	5	7	2	13	9	111	79	1	2	64	12
Balance of county	615	–	–	2	158	35	56	17	12	9	9	20	13	263	208	–	3	153	52
Otsego	638	–	1	3	150	35	26	20	27	8	5	29	6	310	256	–	4	164	88
Oneonta	144	–	–	–	29	5	4	5	8	1	1	5	1	88	70	–	1	37	32
Balance of county	494	–	1	3	121	30	22	15	19	7	4	24	5	222	186	–	3	127	56
Putnam	562	–	–	2	148	28	41	15	17	10	5	32	10	269	224	5	3	176	40
Carmel town#	200	–	–	1	53	12	14	7	3	4	2	11	5	93	74	2	1	58	13
Balance of county	362	–	–	1	95	16	27	8	14	6	3	21	5	176	150	3	2	118	27
Rensselaer	1,505	–	–	19	388	111	120	44	39	16	7	51	20	704	587	8	5	475	99
Troy	674	–	–	8	180	57	52	22	15	7	4	23	8	311	259	3	2	219	35
Balance of county	831	–	–	11	208	54	68	22	24	9	3	28	12	393	328	5	3	256	64
Rockland	2,055	2	–	41	482	128	112	59	73	20	18	72	38	950	779	9	13	659	98
Spring Valley	171	2	–	5	44	13	7	8	4	–	2	10	5	74	55	1	2	46	6
Suffern	113	–	–	4	21	4	8	2	2	3	1	1	–	55	44	1	1	37	5
Balance of county	1,771	–	–	32	417	111	97	49	67	17	15	61	33	821	680	7	10	576	87
St. Lawrence	1,038	–	–	10	234	58	73	13	22	16	9	45	21	529	405	6	19	282	98
Massena	194	–	–	–	40	10	9	3	3	3	1	11	3	107	86	1	5	61	19
Ogdensburg	158	–	–	3	31	13	7	3	2	2	–	4	4	76	55	2	4	37	12
Potsdam	87	–	–	–	11	2	6	–	1	–	2	–	2	38	28	–	1	19	8
Balance of county	619	–	–	7	152	31	51	7	16	11	6	30	12	308	236	3	9	165	59
Saratoga	1,247	–	–	14	310	80	84	26	28	17	14	61	21	559	440	5	7	353	75
Saratoga Springs	264	–	–	4	67	14	20	6	8	3	5	11	4	115	80	–	3	59	16
Balance of county	983	–	–	10	243	66	64	20	20	14	9	50	17	444	360	5	4	294	57
Schenectady	1,727	–	–	20	415	111	113	50	50	21	12	58	28	858	728	8	19	556	145
Niskayuna town#	131	–	–	2	40	8	12	4	7	2	–	7	–	62	48	–	2	39	7
Rotterdam town#	261	–	–	1	81	25	16	12	8	4	6	10	4	135	112	–	5	87	20
Schenectady	964	–	–	11	221	64	62	24	27	13	4	27	20	471	404	7	10	308	79
Balance of county	351	–	–	6	73	14	23	10	8	2	2	14	4	190	164	1	2	122	39
Schoharie	326	–	–	4	70	19	24	10	3	4	1	9	1	143	118	2	3	87	26
Schuyler	180	–	–	1	55	16	18	7	4	3	–	7	1	74	57	–	4	34	19
Seneca	293	–	–	4	73	24	18	8	8	–	3	11	2	133	94	–	5	72	17
Geneva, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	292	–	–	4	73	24	18	8	8	–	3	11	2	133	94	–	5	72	17
Steuben	1,025	1	–	10	236	67	67	21	23	12	7	39	29	484	384	9	17	299	65
Corning	170	–	–	1	59	15	16	5	5	1	2	15	5	73	54	1	1	44	8
Hornell	138	1	–	1	30	9	10	4	1	–	–	6	3	64	52	–	7	34	11
Balance of county	717	–	–	8	147	43	41	12	17	11	5	18	21	347	278	2	9	221	46
Suffolk	10,471	5	–	146	2,673	717	720	276	288	134	85	453	217	5,011	4,158	53	174	3,297	634
Babylon	123	–	–	2	23	5	6	1	2	1	3	5	3	67	56	1	1	49	5
Lindenhurst	227	–	–	2	58	26	11	6	3	4	1	7	4	109	91	1	4	77	9
Patchogue	93	–	–	–	23	4	9	6	–	–	1	3	4	42	32	–	–	29	3
Balance of county	10,028	5	–	142	2,589	682	694	263	283	129	80	438	205	4,793	3,979	51	169	3,142	617

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	1	20	3	8	17	8	1	4	12	–	–	1	2	40	4	7	5	3	–
Lynbrook	–	10	–	5	10	4	2	1	2	–	–	–	–	12	–	3	4	–	–
Massapequa Park	–	8	2	1	4	4	2	5	2	–	2	1	–	13	6	–	–	–	–
Mineola	1	12	2	1	9	9	1	1	4	–	1	2	1	8	2	7	1	–	1
Rockville Centre	–	21	6	2	12	8	–	3	3	–	–	2	–	20	3	5	1	2	–
Valley Stream	–	18	1	5	15	12	2	10	10	–	–	2	1	21	3	6	4	1	4
Westbury	–	8	1	4	5	11	–	2	4	–	1	5	–	15	7	1	–	2	1
Balance of county	11	414	47	78	262	226	30	96	94	–	39	66	25	641	106	106	82	37	26
New York city	274	3,313	517	550	3,190	1,679	285	1,488	755	22	378	768	1,311	7,544	601	1,612	231	1,519	369
Bronx bor., Bronx co	30	507	64	91	608	325	55	257	124	4	77	152	261	1,314	91	278	30	398	77
Brooklyn bor., Kings co	94	923	92	161	895	484	82	464	241	7	124	291	410	2,290	184	466	33	484	82
Manhattan bor., New York co	67	772	97	107	785	335	66	397	160	6	83	148	388	2,260	113	428	46	360	119
Queens bor., Queens co	80	970	254	168	722	419	64	322	191	5	77	155	224	1,439	181	382	116	252	82
Staten Island bor., Richmond co	3	141	10	23	180	116	18	48	39	–	17	22	28	241	32	58	6	25	9
Niagara	5	183	17	23	65	67	9	37	22	–	8	10	3	130	29	33	32	11	11
Lockport	1	19	2	5	11	17	–	4	2	–	2	2	–	15	2	7	6	2	–
Niagara Falls	1	76	3	10	28	19	7	16	9	–	2	5	1	57	4	11	15	7	4
North Tonawanda	1	24	2	3	4	11	–	7	5	–	–	1	–	18	4	5	3	1	3
Balance of county	2	64	10	5	22	20	2	10	6	–	4	2	2	42	19	10	8	1	4
Oneida	11	222	39	33	79	105	12	28	30	–	16	11	16	203	31	39	27	8	2
Rome	1	50	7	9	11	26	2	3	8	–	3	3	4	31	6	6	5	2	–
Utica	5	78	11	11	40	37	4	9	8	–	7	4	8	88	3	17	10	2	1
Balance of county	5	94	21	13	28	42	6	16	14	–	6	4	4	84	22	16	12	4	1
Onondaga	18	311	53	44	150	187	21	42	42	–	23	30	36	361	54	72	46	12	8
Syracuse	7	150	22	20	82	98	7	19	21	–	7	16	21	195	18	30	19	12	3
Balance of county	11	161	31	24	68	89	14	23	21	–	16	14	15	166	36	42	27	–	5
Ontario	3	42	10	10	37	33	6	4	9	–	6	5	4	68	27	9	11	4	–
Canandaigua	–	8	1	4	10	3	1	–	2	–	1	2	1	8	3	1	2	–	–
Geneva, part	1	10	–	2	3	6	1	1	1	–	2	2	–	18	2	2	2	2	–
Geneva, total	1	10	–	2	4	6	1	1	1	–	2	2	–	16	2	2	2	2	–
Balance of county	2	24	9	4	24	24	4	3	6	–	3	1	3	46	22	6	7	2	–
Orange	7	142	15	35	67	95	6	37	24	1	11	16	14	183	60	51	32	11	3
Middletown	–	18	2	3	7	9	1	5	1	–	1	–	1	28	3	5	4	1	1
Newburgh	–	21	1	7	6	13	–	9	2	–	–	5	2	20	4	6	4	6	–
Balance of county	7	103	12	25	54	73	5	23	21	1	10	11	11	135	53	40	24	4	2
Orleans	2	44	4	2	14	13	2	2	8	–	1	3	3	25	13	7	8	2	2
Oswego	4	74	15	10	30	44	5	8	9	–	10	9	8	68	30	11	17	3	2
Fulton	1	11	–	4	6	5	–	–	2	–	1	2	1	7	1	2	–	–	–
Oswego	1	23	6	2	4	10	1	1	4	–	3	–	–	18	1	–	4	1	1
Balance of county	2	40	9	4	20	29	4	7	3	–	6	7	7	43	28	9	13	2	1
Otsego	4	37	5	8	28	38	3	4	7	–	3	2	1	49	9	11	12	1	–
Oneonta	1	12	4	1	5	8	1	1	1	–	–	–	–	7	–	1	2	–	–
Balance of county	3	25	1	7	23	30	2	3	6	–	3	2	1	42	9	10	10	1	–
Putnam	2	30	2	11	15	31	3	2	6	–	3	6	–	32	12	13	9	–	1
Carmel town#	–	15	1	3	8	10	1	–	–	–	1	4	–	8	6	8	2	–	–
Balance of county	2	15	1	8	7	21	2	2	6	–	2	2	–	24	6	5	7	–	1
Rensselaer	3	84	17	13	43	56	7	17	10	–	7	14	1	145	22	29	19	4	–
Troy	2	38	7	5	18	26	6	9	6	–	7	4	1	64	4	14	6	2	–
Balance of county	1	46	10	8	25	30	1	8	4	–	–	10	–	81	18	15	13	2	–
Rockland	3	130	12	26	108	74	7	27	27	1	16	11	14	182	43	27	19	3	3
Spring Valley	1	11	1	6	5	4	–	2	1	–	2	5	2	15	3	–	1	1	–
Suffern	–	9	1	1	6	6	1	2	–	–	–	–	1	9	6	1	1	–	–
Balance of county	2	110	10	19	97	64	6	23	26	1	14	6	11	138	34	26	17	2	3
St. Lawrence	4	86	24	10	30	54	4	9	10	–	8	4	4	76	13	24	7	1	–
Massena	–	19	2	–	3	10	–	2	3	–	–	2	1	12	3	4	3	1	–
Ogdensburg	–	13	7	1	4	6	–	2	2	–	2	–	1	14	–	10	1	–	–
Potsdam	–	5	1	4	2	4	1	–	1	–	–	–	–	8	–	–	–	–	–
Balance of county	4	49	14	5	21	32	3	5	4	–	6	2	2	42	10	10	3	–	–
Saratoga	2	93	7	17	68	60	3	8	9	2	11	12	5	104	28	23	9	1	–
Saratoga Springs	1	28	4	2	22	11	–	3	3	–	1	1	3	23	3	3	1	–	–
Balance of county	1	65	3	15	46	49	3	5	6	2	10	11	2	81	25	20	8	1	–
Schenectady	8	74	32	16	73	37	9	30	23	–	6	5	7	138	16	34	24	4	–
Niskayuna town#	2	9	3	–	4	2	–	1	–	–	1	1	–	12	3	2	1	–	–
Rotterdam town#	2	13	6	2	13	5	1	6	4	–	–	–	–	15	3	6	7	–	–
Schenectady	4	33	20	10	41	21	5	16	16	–	4	3	4	87	8	21	12	3	–
Balance of county	–	19	3	4	15	9	3	7	3	–	1	1	3	24	2	5	4	1	–
Schoharie	1	15	3	6	31	18	2	–	3	–	1	–	3	36	6	7	1	–	–
Schuyler	1	11	2	3	8	5	–	–	1	–	1	–	1	20	7	2	4	–	–
Seneca	2	28	6	5	9	12	–	3	5	–	3	3	3	26	9	3	4	–	1
Geneva, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	26	6	5	8	12	–	3	5	–	3	3	3	26	9	3	4	–	1
Steuben	6	72	9	13	27	45	3	15	9	–	6	7	4	92	22	21	13	1	–
Corning	3	11	2	3	3	7	–	3	1	–	–	–	–	12	1	4	1	–	–
Hornell	1	10	1	–	6	7	–	2	1	–	–	2	–	15	1	2	3	–	–
Balance of county	2	51	6	10	18	31	3	10	7	–	6	5	4	65	20	15	9	1	–
Suffolk	32	643	60	118	297	382	39	140	81	1	44	81	53	730	236	154	124	42	15
Babylon	2	6	3	–	5	6	1	1	–	–	1	1	–	7	1	1	4	–	–
Lindenhurst	–	15	–	3	5	8	1	6	4	–	–	–	–	19	5	3	3	–	–
Patchogue	1	8	–	1	6	1	3	1	–	–	1	2	2	5	2	–	–	–	1
Balance of county	29	614	57	114	281	367	34	132	77	1	42	78	51	699	228	150	117	42	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	749	1	–	8	153	48	42	13	15	6	5	24	8	400	336	1	1	284	50
Tioga	389	–	1	2	75	25	13	8	8	3	–	18	10	186	146	3	2	121	20
Tompkins	582	–	–	4	146	28	44	11	20	12	7	24	13	266	181	3	5	121	52
Ithaca	212	–	–	1	47	8	16	2	7	4	4	6	5	96	59	3	–	37	19
Balance of county	370	–	–	3	99	20	28	9	13	8	3	18	8	170	122	–	5	84	33
Ulster	1,611	–	–	14	369	101	99	36	41	16	15	61	37	764	622	7	11	499	105
Kingston	346	–	–	1	76	22	19	9	6	2	3	15	5	173	138	2	4	99	33
Balance of county	1,265	–	–	13	293	79	80	27	35	14	12	46	32	591	484	5	7	400	72
Warren	556	–	–	11	120	32	36	12	18	5	2	15	8	244	206	1	2	167	36
Glens Falls	186	–	–	3	36	14	7	4	5	3	–	3	4	75	59	–	1	47	11
Balance of county	370	–	–	8	84	18	29	8	13	2	2	12	4	169	147	1	1	120	25
Washington	555	–	–	2	116	23	34	11	15	5	8	20	9	268	215	1	6	175	33
Wayne	776	–	–	6	185	47	45	20	21	11	8	33	15	335	252	2	12	203	35
Newark	129	–	–	2	28	9	9	1	2	2	1	4	2	53	40	2	4	29	5
Balance of county	647	–	–	4	157	38	36	19	19	9	7	29	13	282	212	–	8	174	30
Westchester	8,214	7	–	126	2,091	619	508	220	235	84	77	348	129	3,947	3,160	35	127	2,492	506
Dobbs Ferry	89	–	–	2	24	10	3	3	4	1	–	3	–	45	35	2	–	29	4
Harrison	160	–	–	2	51	14	13	2	6	1	2	13	–	78	54	3	3	42	6
Mamaroneck	170	–	–	2	32	6	11	1	1	1	2	10	3	93	83	–	1	71	11
Mount Vernon	708	2	–	20	151	46	37	18	18	5	4	23	16	340	280	1	19	213	47
New Rochelle	770	1	–	11	190	56	52	13	23	8	7	31	11	385	296	3	12	241	40
Ossining	207	–	–	2	49	16	8	6	9	1	–	9	5	108	70	–	1	47	22
Peekskill	187	–	–	2	56	17	8	6	8	2	3	12	5	78	64	1	3	51	9
Port Chester	254	–	–	7	66	21	16	5	7	2	2	13	4	129	101	–	5	85	11
Rye	129	–	–	3	32	12	7	1	5	1	1	5	1	60	38	–	2	34	2
Scarsdale	156	–	–	2	46	10	5	10	7	3	4	7	2	73	55	1	2	45	7
Tarrytown	103	–	–	2	19	7	3	3	–	–	2	4	2	51	36	1	2	30	3
White Plains	528	–	–	13	141	33	50	12	16	6	6	18	6	238	197	2	4	159	32
Yonkers	2,043	2	–	24	517	163	138	47	50	23	20	76	31	979	811	6	39	633	133
Yorktown townit	221	–	–	2	59	19	12	10	7	3	1	7	5	101	81	2	–	68	11
Balance of county	2,489	2	–	32	658	189	145	83	74	27	23	117	38	1,189	959	13	34	744	166
Wyoming	371	1	–	7	72	17	18	9	13	5	4	6	9	185	143	3	–	108	32
Yates	240	–	–	3	66	15	16	4	10	3	3	15	7	96	65	–	3	44	18
North Carolina	54,609	60	–	885	11,595	2,755	3,340	1,044	1,367	442	425	2,222	946	25,270	19,988	156	757	13,246	5,229
Urban places	19,219	23	–	351	4,041	966	1,140	402	465	148	144	776	375	8,865	6,693	71	287	4,449	1,886
Balance of area	35,390	37	–	534	7,554	1,789	2,200	642	902	294	281	1,446	571	16,405	12,695	85	470	8,797	3,343
Metropolitan counties	26,419	16	–	430	5,778	1,385	1,658	545	620	232	200	1,138	452	11,960	9,147	89	326	6,318	2,414
Urban places	14,414	14	–	279	3,077	740	869	300	330	120	112	606	274	6,523	4,893	59	206	3,248	1,380
Balance of area	12,005	2	–	151	2,701	645	789	245	290	112	88	532	178	5,437	4,254	30	120	3,070	1,034
Nonmetropolitan counties	28,190	44	–	455	5,817	1,370	1,682	499	747	210	225	1,084	494	13,310	10,241	67	431	8,928	2,815
Urban places	4,805	9	–	72	964	226	271	102	135	28	32	170	101	2,342	1,800	12	81	1,201	506
Balance of area	23,385	35	–	383	4,853	1,144	1,411	397	612	182	193	914	393	10,968	8,441	55	350	5,727	2,309
Alamance	993	–	–	16	207	50	69	17	18	7	8	38	15	475	355	2	10	277	66
Burlington	418	–	–	9	84	23	29	6	7	2	2	15	9	200	142	1	7	100	34
Balance of county	575	–	–	7	123	27	40	11	11	5	6	23	6	275	213	1	3	177	32
Alexander	203	–	–	2	36	13	5	2	2	2	1	11	3	88	76	–	–	62	14
Alleghany	105	–	–	4	26	5	12	2	3	–	1	3	–	43	32	–	1	23	8
Anson	279	–	–	5	50	4	22	3	7	–	3	11	4	144	113	–	3	84	26
Ashe	234	1	–	4	40	10	12	3	8	1	–	6	6	109	84	–	6	50	28
Avery	125	–	–	3	27	5	10	1	3	4	1	3	1	57	48	–	–	33	15
Beaufort	473	1	–	7	107	27	39	9	9	3	3	17	12	226	172	2	9	94	67
Bertie	243	3	–	1	48	16	13	3	8	2	1	5	5	117	83	–	3	65	15
Bladen	306	–	–	8	56	13	15	4	4	2	4	14	8	134	96	–	1	62	33
Brunswick	382	–	–	7	95	16	35	2	9	4	3	26	4	152	123	2	2	83	36
Buncombe	1,744	1	–	29	360	87	92	26	35	12	14	94	25	827	617	5	15	450	147
Asheville	838	1	–	19	166	43	43	12	13	4	3	48	16	399	279	2	8	199	70
Balance of county	906	–	–	10	194	44	49	14	22	8	11	46	9	428	338	3	7	251	77
Burke	639	1	–	10	132	26	36	17	18	2	4	29	15	317	264	4	4	193	63
Hickory, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	206	1	–	1	42	11	12	6	2	1	2	8	7	105	87	2	3	56	26
Balance of county	431	–	–	9	90	15	24	11	16	1	2	21	8	212	177	2	1	137	37
Cabarrus	854	–	–	13	212	50	55	21	24	9	9	44	8	389	287	3	9	204	71
Concord	287	–	–	9	65	17	18	1	6	3	4	16	2	122	90	2	5	61	22
Balance of county	567	–	–	4	147	33	37	20	18	6	5	28	6	267	197	1	4	143	49
Caldwell	574	1	–	3	119	23	31	5	22	9	10	19	12	282	217	2	5	162	48
Lenoir	192	1	–	2	41	6	8	2	11	3	5	6	7	89	70	–	1	54	15
Balance of county	382	–	–	1	78	17	23	3	11	6	5	13	5	194	147	2	4	108	33
Camden	61	–	–	1	14	3	3	4	1	–	–	3	4	28	22	–	2	16	4
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	61	–	–	1	14	3	3	4	1	–	–	3	4	28	22	–	2	16	4
Carteret	454	–	–	4	97	24	30	10	13	3	4	13	13	230	192	–	7	131	54
Caswell	182	–	–	2	34	15	9	–	2	–	2	6	1	85	67	–	2	43	22
Catawba	929	–	–	11	193	41	58	18	21	7	9	39	15	446	379	4	5	240	130
Hickory, part	314	–	–	4	59	10	17	5	6	4	3	14	8	151	133	3	2	85	43
Hickory, total	316	–	–	4	59	10	17	5	6	4	3	14	8	151	133	3	2	85	43
Balance of county	615	–	–	7	134	31	41	13	15	3	6	25	7	295	246	1	3	155	87
Chatham	323	–	–	7	54	11	23	3	10	–	3	4	2	159	119	–	4	83	32
Cherokee	219	–	–	3	38	8	12	4	1	3	4	6	2	117	95	–	1	60	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*. *Urban places in metropolitan counties are those with* populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	1	54	3	6	28	27	5	9	8	–	4	7	3	44	14	19	9	4	–
Tioga	1	27	6	6	9	28	5	–	3	–	–	4	6	34	11	6	7	2	–
Tompkins	4	35	32	14	22	24	1	4	4	–	8	4	3	51	11	13	7	1	–
Ithaca	2	16	16	3	9	8	–	2	3	–	3	1	2	21	2	8	4	–	–
Balance of county	2	19	16	11	13	16	1	2	1	–	5	3	1	30	9	5	3	1	–
Ulster	8	103	11	20	53	72	4	28	25	–	8	9	6	126	38	35	18	7	–
Kingston	1	27	1	6	11	17	–	5	3	–	1	2	–	32	3	11	4	2	–
Balance of county	7	76	10	14	42	55	4	23	22	–	7	7	6	94	35	24	12	5	–
Warren	3	29	2	4	29	25	3	9	3	–	1	6	5	65	8	12	4	1	–
Glens Falls	1	10	1	4	13	7	1	4	–	–	1	2	4	29	3	3	–	1	–
Balance of county	2	19	1	–	16	18	2	5	3	–	–	6	1	36	5	9	4	–	–
Washington	2	34	12	5	24	26	4	4	13	–	7	–	6	43	10	14	8	1	–
Wayne	1	63	6	13	38	51	5	9	6	–	7	3	–	66	23	17	6	4	–
Newark	–	11	1	1	10	6	1	2	1	–	1	1	–	14	3	4	–	1	–
Balance of county	1	52	5	12	28	45	4	7	5	–	6	2	–	52	20	13	6	3	–
Westchester	37	524	140	86	243	258	25	144	58	–	40	52	39	642	109	163	86	44	11
Dobbs Ferry	–	7	1	2	2	–	1	1	1	–	–	–	–	10	–	2	1	–	–
Harrison	–	*15*	7	*2*	*2*	6	–	2	–	–	–	–	–	13	1	5	–	–	–
Mamaroneck	–	9	–	1	10	5	–	4	2	–	1	1	1	10	3	3	–	–	–
Mount Vernon	1	42	12	5	21	20	3	10	5	–	2	11	5	65	4	18	5	9	1
New Rochelle	5	55	14	15	34	14	3	15	4	–	5	3	1	61	7	14	7	3	1
Ossining	2	27	7	2	1	5	1	5	2	–	2	–	1	12	5	4	2	1	2
Peekskill	–	11	1	2	11	2	–	6	2	–	1	1	2	13	2	2	3	1	–
Port Chester	4	18	5	1	10	10	–	2	1	–	–	1	–	15	1	5	2	1	–
Rye	3	16	2	1	8	8	–	1	–	–	–	–	–	9	4	2	1	–	–
Scarsdale	1	17	–	–	3	8	–	2	–	–	–	–	2	12	2	2	2	–	–
Tarrytown	–	9	5	1	5	5	–	1	–	–	–	1	–	7	4	5	1	–	–
White Plains	2	24	12	3	16	19	1	8	2	–	3	1	3	53	8	14	2	–	–
Yonkers	7	110	30	21	49	79	6	43	13	–	8	21	12	154	26	34	20	21	4
Yorktown town#	2	11	5	2	3	7	1	4	2	–	3	–	1	19	3	5	5	1	–
Balance of county	10	153	39	28	68	70	9	40	24	–	15	12	11	189	39	48	35	7	3
Wyoming	1	30	6	5	16	19	–	5	5	–	3	2	1	22	14	4	4	1	1
Yates	–	24	2	5	18	13	1	2	5	–	1	–	–	18	–	6	4	–	–
North Carolina	268	4,487	562	565	1,799	1,826	171	632	543	6	342	524	302	5,123	1,712	1,468	770	587	48
Urban places	110	1,606	229	227	643	627	69	238	190	1	128	234	95	1,949	395	475	232	269	19
Balance of area	158	2,881	333	338	1,156	1,199	102	394	353	5	214	290	207	3,174	1,317	*993*	*538*	*318*	29
Metropolitan counties	121	2,107	298	287	870	857	83	315	238	–	184	318	155	2,571	793	689	378	307	25
Urban places	79	1,190	185	176	496	471	55	180	134	–	95	191	72	1,483	300	366	177	210	17
Balance of area	42	917	113	111	374	386	28	135	104	–	89	127	83	1,088	493	323	201	97	8
Nonmetropolitan counties	147	2,380	264	278	929	969	88	317	305	6	158	206	147	2,552	919	779	392	280	23
Urban places	31	416	44	51	147	156	14	58	56	1	33	43	23	466	95	109	55	59	2
Balance of area	116	1,964	220	227	782	813	74	259	249	5	125	163	124	2,086	824	670	337	221	21
Alamance	6	76	26	12	24	34	2	10	13	–	6	7	5	116	21	20	14	8	–
Burlington	3	31	16	8	12	13	2	3	4	–	2	4	2	47	10	8	6	3	–
Balance of county	3	45	10	4	12	21	–	7	9	–	4	3	3	69	11	12	8	5	–
Alexander	1	4	4	3	9	10	–	1	1	–	1	2	2	24	7	9	7	1	–
Alleghany	–	11	–	–	10	4	1	1	1	–	–	–	1	8	–	3	3	–	–
Anson	–	23	2	6	15	2	1	4	–	–	–	2	2	21	8	11	7	2	1
Ashe	–	21	1	3	10	11	2	2	3	–	–	–	6	26	5	3	6	–	–
Avery	–	7	–	2	6	4	–	2	1	–	1	–	–	15	5	2	–	1	–
Beaufort	1	49	1	3	17	16	–	7	7	1	1	–	1	37	14	16	–	3	–
Bertie	2	29	3	–	4	7	1	–	2	–	3	2	2	30	7	5	4	2	–
Bladen	3	28	3	4	12	13	1	1	5	–	3	3	1	32	11	10	5	3	–
Brunswick	1	21	1	6	19	13	–	9	1	–	–	4	3	34	24	7	5	4	1
Buncombe	10	154	29	17	68	69	5	22	11	–	6	11	4	174	38	52	27	14	1
Asheville	8	82	21	9	37	28	4	10	4	–	1	5	1	90	10	30	10	6	1
Balance of county	2	72	8	8	31	41	1	12	7	–	5	6	3	84	28	22	17	8	–
Burke	4	39	3	7	17	26	3	7	5	–	2	3	–	59	14	13	8	6	1
Hickory, part	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Morganton	1	14	1	2	6	9	2	1	2	–	1	–	–	19	3	2	3	2	–
Balance of county	3	25	2	5	10	17	1	6	2	–	1	3	–	40	11	11	5	4	1
Cabarrus	6	78	3	15	40	19	2	10	5	–	1	10	9	83	20	13	13	7	–
Concord	4	25	1	2	15	6	1	4	2	–	–	3	5	36	3	6	4	4	–
Balance of county	2	53	2	13	25	13	1	6	3	–	1	7	4	47	17	7	9	3	–
Caldwell	7	45	4	9	13	23	–	9	2	–	4	4	1	57	17	9	11	6	1
Lenoir	2	15	1	–	5	9	–	4	1	–	2	–	–	24	4	3	1	–	–
Balance of county	5	30	3	9	8	14	–	5	1	–	2	4	1	33	13	6	10	6	1
Camden	–	3	2	1	2	2	–	–	–	–	–	–	1	4	3	1	1	–	–
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	3	2	1	2	2	–	–	–	–	–	–	1	4	3	1	1	–	–
Carteret	–	32	3	3	6	14	3	8	1	–	5	1	2	38	12	9	7	4	–
Caswell	–	18	–	–	6	10	1	2	1	–	–	1	1	18	9	7	1	3	–
Catawba	4	48	3	12	33	27	3	12	11	–	5	6	4	78	35	31	11	7	1
Hickory, part	1	11	1	5	11	13	1	4	2	–	–	3	1	27	10	12	3	4	1
Hickory, total	1	11	1	5	12	13	1	4	3	–	–	3	1	27	10	12	3	4	1
Balance of county	3	37	2	7	22	14	2	8	9	–	5	3	3	51	25	19	8	3	–
Chatham	2	31	4	3	11	9	–	–	4	–	–	2	2	40	9	13	7	3	1
Cherokee	–	19	–	3	5	12	–	4	–	–	–	1	1	18	7	6	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	182	–	–	3	44	11	9	4	9	1	–	10	3	95	63	–	3	32	28
Clay	74	–	–	–	16	6	2	1	3	–	1	3	–	33	28	–	1	13	14
Cleveland	805	1	–	13	172	37	44	18	23	6	13	31	24	375	310	1	9	173	127
Shelby	231	–	–	4	40	6	10	4	8	1	–	9	7	122	96	–	2	50	44
Balance of county	574	1	–	9	132	29	34	14	15	5	13	22	17	253	214	1	7	123	83
Columbus	562	1	–	15	110	17	39	10	16	2	4	22	11	256	205	–	4	154	47
Craven	567	1	–	15	118	31	26	10	13	3	7	28	5	245	188	1	14	113	60
Havelock	43	–	–	1	6	2	–	1	1	–	–	2	1	12	10	–	1	4	5
New Bern	247	–	–	5	56	14	14	5	5	2	3	13	2	115	93	–	6	55	32
Balance of county	277	1	–	9	56	15	12	4	7	1	4	13	2	116	85	1	7	54	23
Cumberland	1,446	–	–	23	286	61	71	32	35	10	9	48	28	647	496	5	36	309	146
Fayetteville	705	–	–	13	127	27	29	13	19	4	6	29	17	330	248	3	21	142	82
Balance of county	741	–	–	10	159	34	42	19	16	6	3	19	11	317	248	2	15	167	64
Currituck	114	–	–	–	24	8	5	3	1	2	–	5	4	60	51	–	4	36	11
Dare	141	–	–	2	29	6	13	6	–	–	–	4	1	67	57	–	5	34	18
Davidson	961	1	–	16	209	43	56	19	24	7	10	50	13	449	343	2	11	247	83
High Point, part	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lexington	166	1	–	4	41	5	13	1	7	1	2	12	–	73	60	–	1	40	19
Thomasville	211	–	–	6	34	9	9	3	2	1	3	7	5	108	79	–	3	62	14
Balance of county	582	–	–	6	133	29	34	15	14	5	5	31	8	268	204	2	7	145	50
Davie	234	–	–	6	49	18	10	4	5	1	2	9	6	111	95	–	2	78	15
Duplin	416	2	–	8	88	16	23	6	16	5	2	20	5	201	137	2	6	107	22
Durham	1,386	1	–	33	292	64	67	32	32	14	13	50	16	595	438	8	9	262	159
Chapel Hill, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Durham	1,105	1	–	25	229	58	48	24	26	11	11	41	12	475	345	7	8	195	135
Balance of county	279	–	–	8	63	16	19	8	6	3	2	9	4	119	92	1	1	66	24
Edgecombe	590	1	–	8	120	25	42	9	15	3	2	24	9	275	202	5	11	134	52
Rocky Mount, part	199	–	–	2	36	8	13	3	5	1	–	6	1	92	69	1	1	49	18
Balance of county	391	1	–	6	84	17	29	6	10	2	2	18	8	183	133	4	10	85	34
Forsyth	2,331	3	–	48	515	135	144	41	61	23	21	90	48	1,012	802	7	25	560	210
Winston-Salem	1,575	3	–	34	339	98	85	28	40	14	18	56	34	682	532	5	20	355	152
Balance of county	756	–	–	14	176	37	59	13	21	9	3	34	14	330	270	2	5	205	58
Franklin	332	–	–	7	71	19	24	3	8	6	–	11	2	155	128	1	8	90	29
Gaston	1,623	–	–	18	315	67	120	12	30	18	12	56	27	823	659	2	20	495	142
Gastonia	671	–	–	8	110	26	40	2	10	10	6	16	13	355	275	–	13	209	53
Balance of county	952	–	–	10	205	41	80	10	20	8	6	40	14	468	384	2	7	286	89
Gates	108	–	–	1	28	1	12	–	3	2	1	9	3	46	34	–	1	18	15
Graham	66	–	–	1	15	3	6	1	–	1	–	4	–	26	22	1	1	9	11
Granville	404	1	–	11	72	22	19	3	9	3	6	10	8	182	134	–	7	89	38
Greene	121	–	–	2	28	9	11	2	–	1	–	5	3	54	44	–	2	34	8
Guilford	2,815	3	–	33	625	136	190	71	66	27	15	120	48	1,318	940	12	41	665	222
Greensboro	1,536	1	–	22	340	76	102	42	36	16	6	62	26	727	510	7	24	361	118
High Point, part	720	2	–	9	136	25	40	15	17	7	3	29	13	355	253	4	10	179	60
High Point, total	722	2	–	9	137	25	40	15	18	7	3	29	13	355	253	4	10	179	60
Balance of county	559	–	–	2	149	35	48	14	13	4	6	29	9	236	177	1	7	125	44
Halifax	595	3	–	8	113	21	30	11	20	3	5	23	11	304	229	2	23	155	49
Roanoke Rapids	165	–	–	1	28	3	11	2	5	–	2	5	4	98	76	–	6	53	17
Balance of county	430	3	–	7	85	18	19	9	15	3	3	18	7	206	153	2	17	102	32
Harnett	644	–	–	9	121	25	32	11	21	4	7	21	10	294	229	5	17	144	63
Haywood	487	–	–	6	109	30	34	7	13	4	3	18	7	222	186	2	–	143	41
Henderson	695	1	–	5	148	36	34	14	25	8	4	27	7	310	234	1	6	162	65
Hertford	286	1	–	5	60	21	15	6	8	2	3	5	3	130	100	–	11	64	25
Hoke	135	2	–	1	29	6	13	2	1	2	–	5	3	56	47	–	3	31	13
Hyde	80	–	–	1	22	3	5	1	4	2	–	7	–	40	31	1	–	20	10
Iredell	821	–	–	12	178	36	48	14	21	8	10	41	14	390	292	1	5	210	76
Statesville	242	–	–	5	49	12	15	2	7	2	2	9	3	120	83	1	1	53	28
Balance of county	579	–	–	7	129	24	33	12	14	6	8	32	11	270	209	–	4	157	48
Jackson	220	1	–	8	41	8	10	5	5	1	3	9	4	100	79	1	3	49	26
Johnston	729	1	–	13	143	28	49	14	12	2	5	33	12	363	280	–	20	162	98
Jones	86	–	–	2	17	4	2	2	2	–	–	7	–	42	25	–	2	16	7
Lee	355	–	–	7	62	17	18	4	4	6	–	13	5	174	141	–	12	87	42
Sanford	158	–	–	4	26	6	5	2	2	2	–	7	1	74	60	–	6	41	13
Balance of county	197	–	–	3	36	9	13	2	2	4	–	6	4	100	81	–	6	46	29
Lenoir	594	–	–	14	128	42	39	13	20	2	2	10	13	278	197	1	6	127	63
Kinston	346	–	–	6	77	28	20	9	15	1	–	4	8	172	126	–	4	82	40
Balance of county	248	–	–	8	51	14	19	4	5	1	2	6	5	106	71	1	2	45	23
Lincoln	341	2	–	1	72	23	19	7	6	4	–	13	3	178	139	–	3	99	37
McDowell	366	–	–	4	80	16	27	4	8	2	3	20	7	179	140	2	5	99	34
Macon	240	–	–	5	56	19	14	4	8	1	2	8	2	116	94	1	–	53	40
Madison	157	–	–	4	27	10	9	1	3	1	–	3	6	75	55	1	1	36	17
Martin	279	1	–	4	53	15	13	4	8	2	4	7	9	141	113	1	9	75	28
Mecklenburg	3,318	2	–	59	792	171	253	89	79	28	21	151	65	1,424	1,088	19	51	708	320
Charlotte	2,728	2	–	51	641	135	215	71	65	22	18	115	56	1,160	880	15	41	567	267
Balance of county	590	–	–	8	151	36	38	18	14	6	3	36	9	264	208	4	10	141	53
Mitchell	158	–	–	6	30	6	13	2	2	3	1	3	5	75	54	1	–	32	21
Montgomery	225	–	–	4	48	12	11	5	5	2	1	12	3	98	74	–	–	61	13
Moore	592	–	–	7	138	29	42	12	18	7	5	25	5	281	201	1	8	142	50
Nash	676	–	–	7	145	34	36	13	20	6	4	32	13	309	243	–	8	165	70
Rocky Mount, part	320	–	–	5	71	17	16	8	10	2	2	18	6	153	117	–	7	81	29
Rocky Mount, total	519	–	–	7	107	25	29	11	15	3	2	22	7	245	186	1	8	130	47
Balance of county	356	–	–	2	74	17	20	5	10	4	2	16	7	156	126	–	1	84	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	–	28	2	2	7	1	–	–	2	–	1	1	1	13	3	6	–	2	–
Clay	1	2	2	–	5	5	–	–	–	–	–	–	–	6	3	2	2	–	–
Cleveland	2	49	7	7	23	35	3	12	8	–	4	8	9	58	23	19	8	10	–
Shelby	2	19	4	1	7	5	1	3	1	–	2	2	4	18	2	7	3	3	–
Balance of county	–	30	3	6	16	30	2	9	7	–	2	6	5	40	21	12	5	7	–
Columbus	2	40	2	7	23	21	1	5	11	–	1	2	2	43	28	23	5	4	–
Craven	4	42	6	5	11	30	1	3	9	–	8	9	3	53	18	15	12	10	1
Havelock	–	2	–	–	–	–	–	–	2	–	4	4	1	4	3	–	3	2	–
New Bern	1	16	2	3	5	12	1	–	5	–	1	5	–	23	5	5	3	3	1
Balance of county	3	24	4	2	6	18	–	3	2	–	3	–	2	26	10	10	6	5	–
Cumberland	10	118	7	16	32	45	5	29	10	–	19	31	11	135	57	50	28	27	3
Fayetteville	6	61	6	9	20	21	3	13	6	–	7	14	2	71	10	25	11	14	1
Balance of county	4	57	1	7	12	24	2	16	4	–	12	17	9	64	47	25	17	13	2
Currituck	–	6	2	1	2	1	1	–	1	–	1	–	1	10	6	–	1	2	–
Dare	1	5	3	1	5	7	–	4	2	–	–	–	2	10	5	5	1	1	–
Davidson	2	82	13	9	33	32	1	9	8	–	7	8	4	95	31	26	10	9	–
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Lexington	–	12	–	1	1	8	1	3	3	–	–	1	–	19	3	4	1	3	–
Thomasville	–	21	5	3	10	5	–	2	1	–	2	2	1	19	5	6	2	3	–
Balance of county	2	49	8	5	22	19	–	4	4	–	5	5	3	57	23	16	7	2	–
Davie	–	13	1	2	8	6	–	1	5	–	2	1	–	19	9	7	3	–	–
Duplin	2	47	9	6	8	19	–	6	5	–	2	4	1	37	12	9	5	3	1
Durham	16	94	34	13	54	49	1	11	20	–	11	17	5	175	27	39	14	24	2
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Durham	14	76	28	11	42	39	1	9	18	–	10	14	2	142	24	28	11	21	2
Balance of county	2	18	5	2	12	10	–	2	2	–	1	3	3	32	3	11	3	3	–
Edgecombe	5	58	5	5	26	17	1	8	4	–	2	9	4	60	11	20	5	10	–
Rocky Mount, part	–	21	1	1	5	8	–	3	3	–	–	1	3	23	5	10	2	5	–
Balance of county	5	37	4	4	21	9	1	5	1	–	2	8	1	37	6	10	3	5	–
Forsyth	12	167	16	15	90	79	7	38	16	–	15	31	12	259	38	61	31	26	2
Winston-Salem	10	118	10	12	69	54	5	27	8	–	6	24	5	185	16	46	17	21	–
Balance of county	2	49	6	3	21	25	2	11	8	–	9	7	7	74	22	15	14	5	2
Franklin	1	24	–	2	8	9	–	3	7	–	4	5	1	29	10	5	4	11	1
Gaston	2	135	12	15	53	49	5	21	11	–	9	21	8	136	58	39	17	13	–
Gastonia	1	68	3	8	26	16	2	11	5	–	2	14	2	59	23	14	4	7	–
Balance of county	1	67	9	7	27	33	3	10	6	–	7	7	6	77	35	25	13	6	–
Gates	–	6	3	3	2	1	1	2	3	–	1	2	1	7	6	4	–	–	–
Graham	–	3	–	1	2	5	–	–	–	–	–	–	–	10	1	4	1	1	–
Granville	3	37	4	4	14	14	1	4	3	–	3	5	4	42	14	7	9	10	–
Greene	–	10	–	–	2	4	2	2	2	–	–	1	–	10	3	5	2	1	–
Guilford	11	292	37	38	85	107	13	35	23	–	19	35	14	230	78	62	47	36	4
Greensboro	6	162	26	23	40	52	7	18	14	–	11	23	12	125	31	40	25	21	1
High Point, part	2	84	5	11	30	24	5	13	5	–	4	5	2	61	17	15	9	12	3
High Point, total	2	84	5	11	30	24	5	13	5	–	4	5	2	61	17	15	9	13	3
Balance of county	3	46	6	4	15	31	1	4	4	–	4	7	–	44	30	7	13	3	–
Halifax	4	63	5	3	14	13	1	13	7	–	4	5	2	55	11	19	7	5	–
Roanoke Rapids	1	21	–	–	3	3	1	5	1	–	2	1	–	13	2	1	1	1	–
Balance of county	3	42	5	3	11	10	–	8	6	–	2	4	2	42	9	18	6	4	–
Harnett	5	52	4	4	18	24	3	4	6	–	4	8	8	65	25	21	13	11	–
Haywood	1	32	2	1	25	22	1	4	7	–	3	1	–	41	15	15	6	2	1
Henderson	4	59	5	8	33	38	4	6	12	–	1	5	1	78	17	13	9	7	–
Hertford	2	22	3	3	9	5	1	5	1	–	1	2	–	29	12	16	3	3	–
Hoke	1	6	1	1	5	7	3	3	1	–	2	2	–	14	3	3	1	–	–
Hyde	–	9	–	–	–	–	–	5	–	–	1	–	1	5	2	3	–	–	–
Iredell	6	73	10	9	30	14	5	8	9	1	5	4	7	75	20	23	14	10	2
Statesville	3	26	4	4	9	5	1	1	4	1	–	1	–	24	–	9	4	6	–
Balance of county	3	47	6	5	21	9	4	7	5	–	5	3	7	51	20	14	10	4	2
Jackson	1	13	5	2	8	6	–	5	3	–	2	3	–	19	6	3	7	2	2
Johnston	6	66	7	4	25	18	1	8	7	–	1	3	8	53	32	26	9	8	–
Jones	1	13	2	1	3	1	–	1	1	–	–	2	–	8	5	3	1	–	–
Lee	3	23	4	3	8	15	1	5	7	–	1	2	1	27	20	12	6	2	–
Sanford	1	10	1	2	4	8	–	5	3	–	1	1	1	13	10	3	3	1	–
Balance of county	2	13	3	1	4	7	1	–	4	–	–	1	–	14	10	9	3	1	–
Lenoir	5	58	11	7	13	11	2	8	16	–	3	4	1	53	17	16	13	4	–
Kinston	2	31	10	3	8	7	1	5	11	–	1	2	–	31	3	9	3	2	–
Balance of county	3	27	1	4	5	4	1	3	5	–	2	2	1	22	14	7	10	2	–
Lincoln	1	34	2	2	8	6	–	4	3	–	1	3	1	32	12	12	1	2	–
McDowell	2	33	2	2	8	19	2	2	5	–	1	5	2	23	11	8	6	4	–
Macon	2	15	2	3	4	10	–	1	2	–	3	1	1	26	4	3	5	1	–
Madison	1	16	2	1	9	5	2	2	–	–	1	1	–	16	3	4	2	–	–
Martin	1	22	2	3	7	11	3	2	1	–	4	2	1	21	6	8	2	3	–
Mecklenburg	16	227	30	53	93	105	16	35	36	–	32	39	16	331	84	83	46	56	4
Charlotte	13	182	27	48	82	87	15	31	27	–	25	32	14	279	63	65	40	55	3
Balance of county	3	45	3	5	11	18	1	4	9	–	7	7	2	52	21	18	6	1	1
Mitchell	–	16	3	2	9	6	–	2	2	–	1	–	–	14	3	3	2	–	–
Montgomery	2	15	1	6	11	10	1	3	4	–	–	1	2	24	8	6	2	–	–
Moore	4	60	13	3	14	20	1	9	7	–	5	3	6	42	20	18	10	4	–
Nash	1	54	2	9	22	25	3	13	1	–	6	8	1	58	24	25	7	9	–
Rocky Mount, part	–	27	2	7	12	8	1	5	1	–	3	4	1	30	1	11	4	4	–
Rocky Mount, total	–	48	3	8	17	16	1	8	4	–	3	5	4	53	6	21	6	9	–
Balance of county	1	27	–	2	10	17	2	8	–	–	3	4	–	28	23	14	3	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	945	1	–	16	222	59	56	23	29	10	7	38	23	422	310	1	6	204	99
Wilmington	649	1	–	13	148	39	38	14	18	5	6	28	14	293	225	1	4	141	79
Balance of county	296	–	–	3	74	20	18	9	11	5	1	10	9	129	85	–	2	63	20
Northampton	280	–	–	7	55	17	13	5	7	2	1	10	7	123	98	–	14	57	25
Onslow	542	1	–	8	119	25	44	6	15	4	3	22	11	186	141	3	7	105	26
Jacksonville	163	–	–	1	41	7	18	4	3	1	1	7	2	52	39	–	4	26	9
Balance of county	379	1	–	7	78	18	26	2	12	3	2	15	9	134	102	3	3	79	17
Orange	505	–	–	8	132	27	41	9	17	6	7	25	13	196	136	4	4	76	52
Chapel Hill, part	165	–	–	3	47	10	13	5	7	2	2	8	4	69	48	2	2	27	17
Chapel Hill, total	167	–	–	3	47	10	13	5	7	2	2	8	4	70	49	2	2	28	17
Balance of county	340	–	–	5	85	17	28	4	10	4	5	17	9	127	88	2	2	49	35
Pamlico	116	–	–	3	30	6	11	1	2	3	1	6	1	53	46	–	4	34	8
Pasquotank	318	–	–	3	77	24	24	5	10	3	4	7	3	155	140	–	13	96	31
Elizabeth City, part	190	–	–	2	39	12	14	2	5	1	3	2	2	100	89	–	9	62	18
Elizabeth City, total	190	–	–	2	39	12	14	2	5	1	3	2	2	100	89	–	9	62	18
Balance of county	128	–	–	1	38	12	10	3	5	2	1	5	1	55	51	–	4	34	13
Pender	249	–	–	3	58	12	20	7	6	1	3	9	3	110	81	–	1	64	16
Perquimans	109	–	–	2	24	9	6	1	2	–	–	6	–	60	40	–	1	31	8
Person	294	–	–	2	66	16	24	5	5	1	1	14	7	147	113	–	8	58	47
Pitt	765	4	–	13	150	37	39	17	18	5	6	28	17	345	251	5	23	158	85
Greenville	267	1	–	4	55	13	12	9	8	1	2	12	5	114	85	2	11	60	22
Balance of county	498	3	–	9	95	24	27	8	12	4	4	16	12	231	166	3	12	108	43
Polk	181	–	–	3	45	14	6	5	7	1	–	12	–	82	58	–	1	50	7
Randolph	763	1	–	14	164	40	51	18	14	5	7	29	9	382	301	–	15	231	55
Asheboro	206	1	–	6	40	9	11	5	3	1	3	8	4	107	77	–	4	57	16
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	557	–	–	8	124	31	40	13	11	4	4	21	5	275	224	–	11	174	39
Richmond	497	–	–	13	100	28	27	10	8	2	6	19	10	244	170	2	6	129	33
Robeson	968	1	–	16	174	43	45	9	26	3	8	40	29	439	348	6	7	250	86
Lumberton	242	1	–	2	46	7	16	2	9	1	1	10	9	122	93	2	1	68	22
Balance of county	726	–	–	14	128	36	29	7	17	2	7	30	20	317	255	4	6	182	63
Rockingham	940	–	–	12	203	50	46	18	35	10	8	36	14	436	341	3	7	247	84
Eden	231	–	–	5	53	10	13	4	10	2	3	11	3	110	90	1	1	63	25
Reidsville	211	–	–	3	36	12	11	5	1	2	1	4	3	108	79	–	3	58	18
Balance of county	498	–	–	4	114	28	22	9	24	6	4	21	8	218	172	2	3	126	41
Rowan	1,088	1	–	14	240	65	57	14	35	14	7	48	19	526	385	2	21	281	81
Salisbury	368	–	–	8	63	16	11	4	13	4	2	13	11	183	126	–	8	92	26
Balance of county	720	1	–	6	177	49	46	10	22	10	5	35	8	343	259	2	13	189	55
Rutherford	615	–	–	4	129	27	42	13	16	4	7	20	3	319	233	2	5	150	76
Sampson	512	2	–	9	87	19	27	8	10	5	3	15	11	248	189	1	9	138	43
Scotland	301	–	–	11	48	11	16	8	4	–	1	8	7	143	113	–	4	75	34
Laurinburg	147	–	–	2	24	3	8	5	4	–	1	3	5	73	59	–	4	40	15
Balance of county	154	–	–	9	24	8	8	3	–	–	–	5	2	70	54	–	–	35	19
Stanly	478	–	–	3	91	23	23	12	7	5	3	18	13	257	181	2	4	141	34
Albemarle	166	–	–	2	22	5	4	7	2	–	–	4	5	96	68	1	–	52	15
Balance of county	312	–	–	1	69	18	19	5	5	5	3	14	8	161	113	1	4	89	19
Stokes	287	–	–	2	56	17	12	7	8	2	2	8	5	121	97	–	3	75	19
Surry	599	–	–	13	121	22	42	10	19	3	4	21	9	287	212	1	2	173	36
Swain	127	–	–	1	28	6	8	1	2	–	3	8	3	56	48	–	4	25	19
Transylvania	224	–	–	4	56	11	19	6	6	2	1	11	3	89	67	–	3	41	23
Tyrrell	49	–	–	1	10	3	2	–	2	–	1	2	–	25	16	–	1	14	1
Union	573	–	–	5	147	48	26	19	19	5	4	26	9	274	222	–	10	154	58
Monroe	188	–	–	–	42	16	7	4	5	1	2	7	2	99	85	–	5	58	22
Balance of county	385	–	–	5	105	32	19	15	14	4	2	19	7	175	137	–	5	96	36
Vance	428	1	–	9	103	21	36	10	10	3	5	18	9	173	140	2	10	79	49
Henderson	238	–	–	7	58	12	21	7	3	1	1	13	6	100	84	1	4	49	30
Balance of county	188	1	–	2	45	9	15	3	7	2	4	5	3	73	56	1	6	30	19
Wake	2,138	1	–	46	471	116	128	55	38	14	16	104	37	822	710	7	21	464	218
Cary	108	–	–	2	39	9	7	4	3	3	3	10	1	38	30	2	1	20	7
Garner	54	–	–	2	11	3	4	2	–	–	–	2	2	22	18	–	1	11	6
Raleigh	1,235	1	–	31	274	69	72	35	23	4	8	63	23	522	408	5	14	260	129
Balance of county	741	–	–	11	147	35	45	14	12	7	5	29	11	340	254	–	5	173	76
Warren	206	–	–	2	44	10	13	5	3	2	2	9	1	102	83	–	2	56	25
Washington	152	–	–	1	49	11	12	1	4	2	3	10	2	54	45	–	4	22	19
Watauga	218	–	–	7	42	6	9	6	6	1	4	10	1	105	83	1	–	49	33
Boone	52	–	–	2	8	–	1	2	1	–	1	3	–	28	22	–	–	12	10
Balance of county	166	–	–	5	34	6	8	4	5	1	3	7	1	77	61	1	–	37	23
Wayne	836	7	–	15	171	43	49	12	31	8	5	23	12	410	315	–	16	208	91
Goldsboro	331	4	–	6	69	20	24	5	12	1	1	6	9	162	118	–	5	83	30
Balance of county	505	3	–	9	102	23	25	7	19	7	4	17	3	248	197	–	11	125	61
Wilkes	560	–	–	10	102	22	25	4	14	5	3	29	10	284	207	1	7	150	49
Wilson	619	3	–	3	124	24	33	16	22	4	2	23	13	281	207	1	10	142	54
Wilson	379	1	–	1	82	15	23	10	11	4	2	17	7	178	126	1	5	86	34
Balance of county	240	2	–	2	42	9	10	6	11	–	–	6	6	103	81	–	5	56	20
Yadkin	322	–	–	5	59	16	14	8	5	1	2	13	1	151	126	–	–	94	32
Yancey	148	–	–	2	39	11	14	4	5	1	–	4	5	54	39	1	2	20	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	5	90	13	4	23	31	2	14	9	-	5	8	8	81	31	23	10	13	3
Wilmington	3	55	7	3	17	23	2	7	8	-	2	7	5	59	20	11	7	10	2
Balance of county	2	35	6	1	6	8	-	7	1	-	3	1	3	22	11	12	3	3	1
Northampton	-	20	5	2	8	5	-	4	5	-	-	1	2	25	10	6	2	-	-
Onslow	3	33	5	4	12	22	3	8	5	-	7	25	6	52	36	25	8	8	-
Jacksonville	3	9	1	-	7	9	-	4	2	-	4	9	-	20	4	5	-	3	-
Balance of county	-	24	4	4	5	13	3	4	3	-	3	16	6	32	32	20	8	5	-
Orange	2	50	4	4	13	18	1	4	5	-	1	6	2	56	26	11	8	4	1
Chapel Hill, part	-	18	-	3	3	7	-	-	3	-	-	2	-	20	2	2	2	-	1
Chapel Hill, total	-	18	-	3	3	7	-	-	3	-	-	2	-	21	2	2	2	-	1
Balance of county	2	32	4	1	10	11	1	4	2	-	1	4	2	36	24	9	6	4	-
Pamlico	-	6	-	1	4	10	-	1	-	-	-	2	2	3	2	3	2	-	-
Pasquotank	1	9	2	3	13	3	-	3	6	-	3	5	-	32	7	4	1	3	-
Elizabeth City, part	1	6	2	2	8	-	-	2	5	-	-	2	-	23	3	2	-	2	-
Elizabeth City, total	1	6	2	2	8	-	-	2	5	-	-	2	-	23	3	2	-	2	-
Balance of county	-	3	-	1	5	3	-	1	1	-	3	3	-	9	4	2	1	1	-
Pender	2	25	2	-	4	14	-	2	2	-	3	1	-	21	8	11	4	5	-
Perquimans	1	15	4	-	2	4	-	-	2	-	1	-	-	9	1	4	-	-	-
Person	1	24	4	5	9	12	-	1	2	-	2	-	3	21	7	9	6	-	-
Pitt	8	75	3	8	27	27	-	10	8	-	6	8	5	92	19	22	7	4	1
Greenville	1	25	-	3	5	8	-	4	3	-	4	5	1	38	5	8	4	2	1
Balance of county	7	50	3	5	22	19	-	6	5	-	2	3	4	54	14	14	3	2	-
Polk	-	20	3	1	9	6	3	1	2	-	-	-	3	18	4	4	-	1	-
Randolph	2	82	7	10	18	15	1	5	7	-	6	4	3	65	31	11	15	11	1
Asheboro	1	24	3	2	5	3	-	1	1	-	-	1	1	18	6	4	5	2	1
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	38	4	8	13	12	1	4	6	-	6	3	2	47	25	7	10	9	-
Richmond	2	57	9	6	12	25	2	8	5	-	1	8	2	40	13	6	5	5	-
Robeson	6	69	8	8	23	29	1	8	9	-	11	12	11	81	51	36	11	24	2
Lumberton	4	22	1	2	9	10	-	1	1	-	2	3	3	12	7	2	5	7	-
Balance of county	2	47	7	6	14	19	1	7	8	-	9	9	8	69	44	34	6	17	2
Rockingham	4	71	10	10	38	36	2	13	8	-	2	7	5	85	40	21	11	7	-
Eden	-	15	3	2	8	6	-	4	3	-	1	4	1	17	8	5	1	2	-
Reidsville	2	22	3	2	9	14	-	3	2	-	1	1	1	22	3	4	1	-	-
Balance of county	2	34	4	6	21	16	2	6	3	-	-	2	3	46	29	12	9	5	-
Rowan	2	109	20	10	40	30	4	8	13	-	5	5	5	105	25	27	14	5	2
Salisbury	1	44	10	2	22	15	1	2	4	-	2	2	1	44	3	5	1	-	1
Balance of county	1	65	10	8	18	15	3	6	9	-	3	3	4	61	22	22	13	5	1
Rutherford	6	64	13	3	29	17	1	5	4	-	1	-	2	46	25	14	7	7	2
Sampson	1	49	3	6	18	11	2	4	4	-	4	3	1	61	25	12	4	4	2
Scotland	1	21	3	5	6	9	-	6	-	-	2	1	3	24	18	8	8	7	-
Laurinburg	-	10	1	3	1	8	-	3	-	-	1	-	2	11	9	2	3	3	-
Balance of county	1	11	2	2	5	1	-	3	-	-	1	1	1	13	9	6	5	4	-
Stanly	4	61	3	8	13	14	3	5	4	-	1	2	2	36	7	13	11	2	1
Albemarle	2	25	1	-	3	8	2	-	-	-	1	1	-	12	3	8	2	1	-
Balance of county	2	36	2	8	10	6	1	5	4	-	-	1	2	24	4	5	9	1	1
Stokes	-	17	4	3	25	11	-	5	1	-	1	1	1	25	12	12	6	3	-
Surry	3	58	6	8	14	25	4	7	8	1	6	3	1	58	17	13	10	2	-
Swain	-	5	-	3	4	3	1	4	3	-	1	-	-	14	4	3	2	-	-
Transylvania	2	18	1	1	14	8	1	3	1	-	3	1	-	20	10	4	7	-	-
Tyrrell	-	7	-	2	2	3	-	1	-	-	-	-	-	5	1	1	-	-	-
Union	2	41	4	5	14	10	1	4	1	-	3	7	6	45	23	9	10	5	-
Monroe	-	12	1	1	5	5	-	2	1	-	1	1	3	11	4	5	5	2	-
Balance of county	2	29	3	4	9	5	1	2	-	-	2	6	3	34	19	4	5	3	-
Vance	4	24	1	4	20	13	2	5	4	-	1	4	1	40	21	14	5	1	-
Henderson	4	10	-	2	14	5	1	3	2	-	-	3	-	22	10	5	1	-	-
Balance of county	-	14	1	2	6	7	1	2	2	-	1	1	1	18	11	9	4	1	-
Wake	5	166	20	21	59	64	7	21	25	-	22	38	23	209	78	62	29	24	-
Cary	-	5	2	1	1	2	-	-	1	-	3	4	1	7	5	2	2	-	-
Garner	-	3	-	1	4	1	-	1	1	-	1	2	-	1	5	1	-	-	-
Raleigh	3	87	11	13	37	40	5	15	14	-	12	19	12	142	26	32	12	18	-
Balance of county	2	71	7	6	17	21	2	5	9	-	6	13	10	59	42	27	15	6	-
Warren	1	16	-	2	12	1	2	1	8	-	-	2	2	13	7	7	2	-	-
Washington	2	4	2	1	8	8	3	-	3	-	1	3	-	13	11	2	-	2	-
Watauga	-	17	3	2	6	6	-	2	3	-	2	1	-	21	9	9	4	-	-
Boone	-	4	1	1	3	3	-	-	-	-	-	-	-	6	1	1	-	-	-
Balance of county	-	13	2	1	3	3	-	2	3	-	2	1	-	15	8	8	4	-	-
Wayne	2	73	12	8	22	26	1	3	6	3	6	4	9	81	22	19	12	5	2
Goldsboro	1	34	3	6	5	10	1	2	2	-	4	1	5	34	6	4	2	5	-
Balance of county	1	39	9	2	17	16	-	1	4	3	2	3	4	47	16	15	10	-	2
Wilkes	-	44	5	8	23	19	2	5	7	-	2	5	1	51	19	15	12	13	-
Wilson	3	60	5	6	27	20	3	7	5	-	2	3	-	66	18	20	12	12	-
Wilson	3	41	3	5	17	9	2	4	3	-	2	2	-	47	2	8	6	8	-
Balance of county	-	19	2	1	10	11	1	3	2	-	-	1	-	19	16	12	6	4	-
Yadkin	2	21	2	-	22	12	1	2	5	-	1	1	3	37	4	13	5	-	-
Yancey	1	11	1	2	9	9	-	-	1	-	1	2	-	14	3	4	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,289	2	-	49	1,204	337	269	99	162	59	72	206	88	2,475	1,891	19	30	1,314	528
Urban places	1,837	-	-	17	404	107	104	38	50	19	23	63	40	822	616	6	13	450	147
Balance of area	3,452	2	-	32	800	230	165	61	112	40	49	143	48	1,653	1,275	13	17	864	381
Metropolitan counties	1,506	-	-	14	336	93	90	28	37	19	15	54	32	678	526	5	11	381	129
Urban places	1,180	-	-	13	254	65	70	22	29	14	12	42	26	548	428	4	8	320	96
Balance of area	326	-	-	1	82	28	20	6	8	5	3	12	6	130	98	1	3	61	33
Nonmetropolitan counties	3,783	2	-	35	868	244	179	71	125	40	57	152	56	1,797	1,365	14	19	933	399
Urban places	657	-	-	4	150	42	34	16	21	5	11	21	14	274	188	2	5	130	51
Balance of area	3,126	2	-	31	718	202	145	55	104	35	46	131	42	1,523	1,177	12	14	803	348
Adams	47	-	-	-	9	2	2	1	-	-	-	4	-	27	23	-	-	17	6
Barnes	151	-	-	3	39	14	6	3	7	1	3	5	6	72	57	1	5	35	16
Benson	68	-	-	1	15	7	3	1	1	-	1	2	1	24	22	-	-	17	5
Billings	5	-	-	-	2	1	1	-	-	-	-	-	-	3	3	-	-	2	1
Bottineau	107	-	-	1	23	3	8	-	1	2	3	6	3	60	47	-	-	31	16
Bowman	44	-	-	1	12	4	1	2	1	2	1	1	-	18	10	2	-	6	2
Burke	40	-	-	-	10	2	4	-	4	-	-	-	1	17	13	1	-	9	3
Burleigh	348	-	-	4	84	22	21	14	9	2	6	10	7	149	116	2	3	81	30
Bismarck	300	-	-	4	67	13	19	11	8	2	5	9	7	133	102	2	2	74	24
Balance of county	48	-	-	-	17	9	2	3	1	-	1	1	-	16	14	-	1	7	6
Cass	568	-	-	5	136	42	34	8	15	9	2	26	13	269	203	1	4	151	47
Fargo	433	-	-	5	100	30	26	6	14	5	1	18	10	209	154	1	4	115	34
West Fargo	34	-	-	-	8	4	2	-	-	-	-	2	-	19	16	-	-	12	4
Balance of county	101	-	-	-	28	8	6	2	1	4	1	6	3	41	33	-	-	24	9
Cavalier	90	-	-	-	26	8	5	1	3	1	-	8	-	45	36	-	-	24	12
Dickey	82	-	-	3	23	9	3	1	2	-	3	5	2	40	32	-	-	22	10
Divide	32	-	-	-	13	2	4	-	3	-	1	3	-	9	6	-	-	6	-
Dunn	35	-	-	-	7	3	1	-	-	1	-	2	-	16	14	-	-	12	2
Eddy	57	-	-	-	12	3	4	-	4	-	-	1	-	27	22	-	-	13	9
Emmons	59	-	-	1	10	2	4	-	1	-	-	3	1	28	19	1	2	9	7
Foster	58	-	-	1	13	4	2	-	3	1	1	2	-	33	20	-	-	16	4
Golden Valley	15	-	-	-	5	1	1	2	-	1	-	-	1	9	8	-	-	6	2
Grand Forks	398	-	-	4	77	20	22	5	8	6	4	12	10	168	129	1	3	94	31
Grand Forks	291	-	-	3	56	15	16	4	5	5	3	8	7	127	103	-	1	80	22
Balance of county	107	-	-	1	21	5	6	1	3	1	1	4	3	41	26	1	2	14	9
Grant	48	-	-	-	10	4	1	3	-	-	1	1	-	25	16	-	1	9	6
Griggs	48	-	-	-	11	7	-	1	1	-	2	-	-	21	20	-	-	6	14
Hettinger	44	-	-	-	7	1	1	1	-	-	3	1	2	27	19	-	-	9	10
Kidder	31	-	-	1	12	3	3	-	3	-	1	2	1	15	11	1	-	4	6
La Moure	76	-	-	-	18	3	3	2	2	2	1	5	1	41	32	-	-	22	10
Logan	27	-	-	-	6	1	-	-	1	1	1	2	-	14	13	1	-	6	6
McHenry	85	-	-	1	21	3	4	1	6	2	1	4	2	40	37	-	1	26	10
McIntosh	59	-	-	-	23	7	4	1	2	2	2	5	-	26	21	-	-	14	7
McKenzie	43	-	-	-	10	1	2	2	3	-	1	1	1	20	16	-	-	13	3
McLean	100	-	-	3	27	9	2	3	7	-	1	5	1	48	37	-	-	34	3
Mercer	55	-	-	-	15	4	2	1	1	1	2	4	-	24	19	-	-	16	3
Morton	192	-	-	1	39	9	13	1	5	2	3	6	2	92	78	1	1	55	21
Mandan	122	-	-	1	23	3	7	1	2	2	3	5	2	60	53	1	1	39	12
Balance of county	70	-	-	-	16	6	6	-	3	-	-	1	-	32	25	-	-	16	9
Mountrail	78	-	-	2	12	2	3	1	1	1	1	3	1	40	27	-	-	18	9
Nelson	77	-	-	-	19	3	9	1	1	1	-	4	-	43	32	-	2	18	12
Oliver	6	-	-	-	1	-	-	-	1	-	-	-	-	4	4	-	-	2	2
Pembina	111	-	-	-	16	4	4	1	3	-	1	3	1	59	31	-	-	29	2
Pierce	77	-	-	3	14	7	1	2	1	2	-	1	4	34	24	-	-	16	8
Ramsey	131	-	-	3	32	11	9	4	4	1	1	2	1	73	59	-	-	40	19
Ransom	82	-	-	2	14	6	3	-	3	-	-	2	1	42	34	2	-	20	12
Renville	39	-	-	-	7	3	1	-	1	1	-	1	1	22	17	-	-	14	3
Richland	156	1	-	-	30	8	6	3	1	1	1	10	2	87	69	-	-	54	15
Rolette	98	1	-	1	18	7	1	1	3	-	3	3	2	40	28	1	-	15	12
Sargent	55	-	-	-	10	1	5	-	-	1	1	2	-	30	27	-	-	15	12
Sheridan	15	-	-	-	4	3	-	-	-	-	1	-	1	8	8	-	-	4	4
Sioux	36	-	-	-	9	1	3	2	2	-	-	1	2	8	7	-	-	5	2
Slope	7	-	-	-	1	-	-	1	-	-	-	-	-	3	2	1	-	1	-
Stark	155	-	-	1	38	12	10	1	6	-	5	4	3	72	55	-	1	45	9
Dickinson	119	-	-	-	26	6	7	1	5	-	4	3	3	56	43	-	1	34	8
Balance of county	36	-	-	1	12	6	3	-	1	-	1	1	-	16	12	-	-	11	1
Steele	22	-	-	-	4	-	-	-	3	-	-	1	-	13	11	-	-	6	5
Stutsman	192	-	-	-	38	14	6	4	5	2	-	7	5	94	64	1	2	43	18
Jamestown	160	-	-	-	31	12	5	3	4	2	-	5	5	79	52	1	2	35	14
Balance of county	32	-	-	-	7	2	1	1	1	-	-	2	-	15	12	-	-	8	4
Towner	45	-	-	-	7	1	3	-	-	2	-	1	-	28	22	-	1	4	17
Traill	117	-	-	1	24	8	6	-	2	-	2	6	2	61	48	-	1	39	8
Walsh	176	-	-	2	36	12	6	4	4	3	2	5	-	85	66	1	1	53	11
Ward	367	-	-	4	95	22	18	13	16	4	9	13	4	124	92	1	2	57	32
Minot	269	-	-	4	68	17	15	10	10	3	6	7	4	90	67	1	2	38	28
Balance of county	98	-	-	-	27	5	3	3	6	1	3	6	-	34	25	-	-	19	6
Wells	74	-	-	-	22	4	3	4	6	3	-	2	-	34	28	-	-	23	5
Williams	151	-	-	-	38	7	11	3	6	1	1	9	3	64	37	-	-	28	9
Williston	109	-	-	-	25	7	7	2	2	-	1	6	2	49	28	-	-	23	3
Balance of county	42	-	-	-	13	-	4	1	4	1	-	3	1	15	11	-	-	5	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	19	405	98	62	220	188	22	47	76	–	27	35	109	423	118	112	73	9	12
Urban places	8	132	45	21	63	78	9	20	17	–	14	9	64	185	32	31	27	3	2
Balance of area	11	273	53	41	157	110	13	27	59	–	13	26	45	238	86	81	46	6	10
Metropolitan counties	3	99	29	21	68	56	7	16	16	–	10	10	31	148	29	27	24	3	1
Urban places	3	79	24	14	43	47	6	12	11	–	8	6	24	124	16	19	19	3	1
Balance of area	–	20	5	7	25	9	1	4	5	–	2	4	7	24	13	8	5	–	–
Nonmetropolitan counties	16	306	69	41	152	132	15	31	60	–	17	25	78	275	89	85	49	6	11
Urban places	5	53	21	7	20	31	3	8	6	–	6	3	40	61	16	12	8	–	1
Balance of area	11	253	48	34	132	101	12	23	54	–	11	22	38	214	73	73	41	6	10
Adams	–	3	–	1	2	–	–	–	–	–	1	1	2	3	1	–	1	–	–
Barnes	–	12	1	2	7	2	–	1	2	–	–	–	–	15	2	2	–	–	–
Benson	–	2	–	–	2	2	–	4	–	–	–	1	–	10	2	4	1	–	1
Billings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bottineau	–	8	2	3	2	2	–	2	1	–	–	–	1	6	2	2	2	–	–
Bowman	–	3	5	–	4	2	–	–	–	–	–	–	–	3	1	2	1	–	–
Burke	–	3	1	–	3	3	–	–	1	–	–	–	–	1	1	1	1	–	1
Burleigh	2	20	7	4	10	9	2	3	2	–	4	–	7	47	7	7	6	–	–
Bismarck	2	19	6	4	9	8	2	1	2	–	3	–	6	41	4	7	6	–	–
Balance of county	–	1	1	–	1	1	–	2	–	–	1	–	1	6	3	–	–	–	–
Cass	1	44	14	7	28	20	1	6	8	–	–	5	10	38	9	9	8	2	1
Fargo	1	40	11	3	19	15	–	5	6	–	–	3	8	31	7	5	8	1	1
West Fargo	–	2	1	–	–	2	–	–	–	–	–	–	–	3	–	1	–	1	–
Balance of county	–	2	2	4	9	3	1	1	2	–	–	2	2	4	2	3	–	–	–
Cavalier	1	7	1	–	4	2	–	1	1	–	1	–	2	4	1	1	1	–	1
Dickey	–	4	2	2	6	4	1	1	1	–	1	–	1	3	1	4	1	–	–
Divide	–	3	–	–	4	2	–	–	1	–	–	–	1	2	–	–	–	–	–
Dunn	–	1	–	1	1	3	–	–	–	–	–	–	1	–	3	3	–	1	–
Eddy	–	5	–	–	9	–	1	–	–	–	–	1	–	4	–	2	1	–	–
Emmons	1	6	2	–	4	–	1	–	–	–	2	–	–	6	2	–	4	–	–
Foster	1	7	3	2	1	1	–	–	–	–	–	–	–	4	2	2	1	–	–
Golden Valley	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Grand Forks	–	24	7	8	26	13	3	5	3	–	2	5	13	48	8	5	7	1	–
Grand Forks	–	13	5	6	13	11	3	5	1	–	2	3	10	38	4	3	4	1	–
Balance of county	–	11	2	2	13	2	–	–	2	–	–	2	3	10	4	2	3	–	–
Grant	2	6	1	–	1	1	–	1	1	–	–	–	1	7	–	1	–	–	–
Griggs	–	–	1	–	3	1	–	1	3	–	–	1	–	3	1	3	–	–	–
Hettinger	–	5	2	1	1	1	–	–	–	–	–	–	–	4	1	1	–	–	–
Kidder	–	2	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
La Moure	–	7	1	1	2	1	1	–	2	–	–	3	1	4	1	1	–	–	–
Logan	–	1	–	–	–	–	–	1	–	–	–	–	2	3	–	1	–	–	–
McHenry	–	2	–	1	2	2	–	2	2	–	–	–	1	5	1	4	1	1	–
McIntosh	1	3	1	–	5	–	–	–	1	–	–	–	–	2	–	–	2	–	–
McKenzie	–	3	–	1	2	2	–	1	–	–	–	–	–	3	1	3	–	–	–
McLean	–	10	–	1	1	3	–	–	2	–	–	1	2	3	5	2	1	–	–
Mercer	–	5	–	–	–	4	–	–	1	–	1	1	1	4	2	2	–	–	–
Morton	–	11	1	2	4	14	1	2	3	–	4	–	1	15	5	6	3	–	–
Mandan	–	5	1	1	2	11	1	1	2	–	3	–	–	11	1	3	1	–	–
Balance of county	–	6	–	1	2	3	–	1	1	–	1	–	1	4	4	3	2	–	–
Mountrail	–	7	5	1	3	3	–	3	1	–	–	1	1	6	–	2	2	1	–
Nelson	–	10	1	–	–	2	–	–	2	–	–	1	1	6	–	2	1	–	–
Oliver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Pembina	2	19	5	2	2	7	–	–	8	–	–	2	1	10	–	1	3	1	–
Pierce	–	9	–	1	6	1	–	–	1	–	–	–	2	7	2	1	2	–	–
Ramsey	–	11	3	–	3	5	–	–	2	–	–	–	–	6	–	4	–	1	1
Ransom	–	8	–	–	5	2	1	–	1	–	1	1	1	5	3	2	1	–	–
Renville	–	5	–	–	2	2	–	–	–	–	–	1	1	1	1	1	–	–	–
Richland	1	12	1	4	8	5	1	1	4	–	–	–	–	14	2	–	1	–	–
Rolette	–	10	2	–	5	9	–	–	2	–	–	–	3	8	5	3	–	1	–
Sargent	–	1	1	1	2	2	–	–	1	–	1	–	–	3	1	3	2	–	–
Sheridan	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Sioux	–	–	–	1	–	–	–	–	1	–	1	–	2	4	6	1	1	–	1
Slope	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Stark	–	14	2	1	8	6	1	1	1	–	1	2	2	9	4	3	3	–	–
Dickinson	–	11	2	–	7	4	1	1	1	–	1	1	1	8	4	3	2	–	–
Balance of county	–	3	–	1	1	2	–	–	–	–	–	1	1	1	–	–	1	–	–
Steele	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Stutsman	4	11	11	4	2	14	2	3	3	–	1	2	6	14	3	3	2	–	–
Jamestown	3	11	10	3	2	11	1	3	2	–	1	1	5	12	3	3	1	–	–
Balance of county	1	–	1	1	–	3	1	–	1	–	–	1	1	2	–	–	1	–	–
Towner	1	4	–	1	7	1	–	–	–	–	–	1	–	–	–	–	1	–	–
Traill	–	10	1	2	6	5	2	–	3	–	–	–	–	6	4	1	2	–	–
Walsh	–	17	2	–	7	6	3	2	4	–	2	–	3	18	4	2	2	–	–
Ward	1	25	2	4	10	14	1	3	2	–	4	5	35	36	15	7	4	–	4
Minot	1	17	1	4	6	13	1	2	1	–	4	1	31	30	6	3	4	–	1
Balance of county	–	8	1	–	4	1	–	1	1	–	–	4	4	6	9	4	–	–	3
Wells	–	6	–	–	2	5	–	–	1	–	–	–	1	6	2	1	–	–	–
Williams	1	17	3	1	6	5	–	3	2	–	–	–	3	14	4	5	3	–	1
Williston	1	14	8	–	5	3	–	2	2	–	–	–	3	11	3	3	1	–	–
Balance of county	–	3	–	1	1	2	–	1	–	–	–	–	–	3	1	2	2	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	99,716	36	2	1,235	22,758	5,595	6,467	2,084	2,468	888	825	4,431	2,041	47,812	38,349	326	1,220	26,814	9,989
Urban places	59,459	27	1	812	13,581	3,342	3,884	1,255	1,508	506	468	2,608	1,226	28,283	22,673	212	822	15,739	5,900
Balance of area	40,257	9	1	423	9,177	2,253	2,573	829	960	382	357	1,823	815	19,529	15,676	114	398	11,075	4,089
Metropolitan counties	79,450	33	1	1,025	18,430	4,528	5,278	1,720	1,998	686	643	3,576	1,635	37,579	30,179	277	1,034	21,019	7,849
Urban places	52,996	26	1	745	12,204	3,028	3,484	1,131	1,372	446	404	2,339	1,112	24,924	20,032	197	754	13,886	5,195
Balance of area	26,454	7	-	280	6,226	1,500	1,794	589	627	240	239	1,237	523	12,655	10,147	80	280	7,133	2,654
Nonmetropolitan counties	20,266	3	1	210	4,328	1,067	1,189	364	469	202	182	855	406	10,233	8,170	49	186	5,795	2,140
Urban places	6,463	1	-	67	1,377	314	410	124	136	80	64	269	114	3,359	2,641	15	68	1,853	705
Balance of area	13,803	2	1	143	2,951	753	779	240	333	142	118	586	292	6,874	5,529	34	118	3,942	1,435
Adams	271	-	-	6	64	20	13	8	5	-	3	15	4	132	111	-	2	82	27
Allen	984	-	-	10	242	63	67	27	22	14	8	41	15	457	352	3	9	234	106
Lima	597	-	-	8	151	43	42	15	11	7	6	27	8	282	210	1	5	136	66
Balance of county	387	-	-	2	91	20	25	12	11	7	2	14	7	195	142	2	4	96	40
Ashland	412	-	-	1	88	22	21	10	10	3	2	20	12	189	147	-	7	85	55
Ashland	196	-	-	-	40	8	11	6	4	2	1	8	3	105	78	-	6	36	36
Balance of county	216	-	-	1	48	14	10	4	6	1	1	12	9	84	69	-	1	49	19
Ashtabula	1,003	1	-	10	204	57	50	23	23	11	6	34	30	474	405	4	4	306	91
Ashtabula	263	-	-	6	50	11	11	4	5	-	2	17	7	127	112	1	-	88	23
Conneaut	144	-	-	-	29	5	6	8	2	3	-	3	6	58	54	-	-	42	12
Balance of county	596	1	-	4	125	41	31	11	16	8	4	14	17	289	239	3	4	176	56
Athens	444	-	-	7	103	30	16	8	11	7	6	25	6	214	160	1	5	126	28
Athens	76	-	-	-	22	4	4	2	2	2	2	6	2	32	24	-	2	15	7
Balance of county	368	-	-	7	81	26	12	6	9	5	4	19	4	182	136	1	3	111	21
Auglaize	401	-	-	6	102	31	24	11	7	3	4	22	6	190	137	-	6	98	33
Belmont	845	-	-	9	188	32	54	24	23	6	5	44	11	433	365	5	3	266	71
Brown	291	-	-	4	62	14	24	4	9	-	3	8	5	150	124	-	5	76	43
Butler	2,183	-	-	28	528	110	172	46	61	13	14	112	43	964	758	7	44	499	206
Fairfield	201	-	-	5	54	9	16	3	8	2	1	15	6	80	55	-	4	44	7
Hamilton	713	-	-	8	157	27	50	21	18	6	3	32	23	320	252	1	17	173	61
Middletown	511	-	-	4	119	34	41	8	17	-	-	19	5	228	177	1	8	115	53
Oxford	74	-	-	-	15	4	4	2	2	1	-	2	1	37	30	1	3	11	15
Balance of county	684	-	-	11	183	36	61	12	16	4	10	44	8	299	242	4	12	156	70
Carroll	200	-	-	1	47	16	9	5	4	1	3	9	7	96	75	2	2	53	18
Champaign	312	-	-	5	61	14	20	3	10	3	-	11	11	168	142	1	3	114	24
Urbana	113	-	-	3	23	3	7	3	7	-	-	3	4	60	49	1	1	39	8
Balance of county	199	-	-	2	38	11	13	-	3	3	-	8	7	108	93	-	2	75	16
Clark	1,520	-	-	13	337	79	96	25	49	8	7	73	30	748	571	4	25	391	151
Springfield	921	-	-	5	205	50	56	13	30	5	6	45	19	450	348	3	15	254	76
Balance of county	599	-	-	8	132	29	40	12	19	3	1	28	11	298	223	1	10	137	75
Clermont	942	-	-	6	242	51	83	23	20	12	11	42	17	405	342	5	10	236	91
Clinton	341	-	-	5	73	21	19	5	5	3	1	19	2	176	135	4	3	80	48
Wilmington	130	-	-	1	30	10	8	1	1	-	1	8	1	66	55	2	-	29	24
Balance of county	211	-	-	4	43	11	10	4	4	3	-	11	1	110	80	2	3	51	24
Columbiana	1,132	-	-	10	238	58	70	21	24	11	5	49	22	615	484	2	18	385	79
East Liverpool	222	-	-	5	44	5	16	5	3	2	2	11	2	123	92	-	4	66	22
Salem	142	-	-	-	32	6	8	4	4	2	2	6	3	77	56	-	6	44	6
Balance of county	768	-	-	5	162	47	46	12	17	7	1	32	17	415	336	2	8	275	51
Coshocton	362	-	-	3	87	26	28	4	6	5	-	18	9	167	131	1	-	95	35
Coshocton	195	-	-	1	46	12	18	1	2	2	-	11	3	100	81	1	-	60	20
Balance of county	167	-	-	2	41	14	10	3	4	3	-	7	6	67	50	-	-	35	15
Crawford	503	-	-	3	102	22	30	9	12	5	4	20	15	281	210	1	6	145	58
Bucyrus	145	-	-	-	30	3	11	1	3	3	1	8	2	74	60	-	-	40	20
Galion	163	-	-	2	33	13	9	3	4	-	1	3	4	93	76	-	3	58	15
Balance of county	195	-	-	1	39	6	10	5	5	2	2	9	9	94	74	1	3	47	23
Cuyahoga	15,997	7	-	283	3,797	969	990	363	427	150	121	777	359	7,605	6,265	65	174	4,741	1,285
Bay Village	125	-	-	1	31	9	9	2	2	2	-	7	4	61	49	-	-	37	12
Bedford	163	-	-	3	43	8	14	4	3	2	2	10	9	75	62	-	5	42	15
Bedford Heights	111	-	-	3	20	7	3	3	3	-	-	4	2	55	45	-	1	41	3
Berea	148	-	-	2	33	7	8	2	4	1	2	9	3	75	56	-	2	43	11
Brecksville	91	-	-	1	31	10	8	3	3	-	1	6	-	40	31	-	-	23	8
Broadview Heights	87	-	-	1	23	7	7	2	3	-	-	4	2	44	36	-	1	27	8
Brooklyn	164	1	-	5	38	7	14	3	2	2	-	10	5	85	74	-	-	59	15
Brook Park	163	-	-	1	55	8	21	6	1	2	-	17	3	64	57	1	-	51	5
Cleveland	6,806	3	-	139	1,525	389	423	127	191	53	42	300	162	3,094	2,586	26	79	1,929	552
Cleveland Heights	530	-	-	17	115	35	20	10	15	3	3	29	6	261	206	-	10	158	38
East Cleveland	355	1	-	13	74	18	21	7	9	3	2	14	9	153	119	-	3	93	23
Euclid	704	-	-	9	171	45	47	12	19	8	3	37	10	370	306	1	7	216	82
Fairview Park	211	-	-	6	55	17	14	3	8	2	4	7	4	107	84	2	3	80	19
Garfield Heights	407	-	-	2	101	31	21	12	8	8	4	17	7	200	163	2	2	139	20
Lakewood	668	1	-	13	153	58	37	17	14	3	7	19	13	319	259	4	5	205	45
Lyndhurst	182	-	-	1	68	18	12	9	7	5	2	15	-	68	50	1	-	39	10
Maple Heights	311	-	-	3	83	30	29	7	4	5	2	16	7	149	123	1	5	86	21
Mayfield Heights	316	-	-	6	60	14	14	7	8	-	1	16	8	177	143	2	6	105	30
Middleburg Heights	120	-	-	1	26	6	8	2	1	-	5	4	6	62	54	-	1	41	12
North Olmsted	253	-	-	3	79	13	23	7	7	3	-	20	7	124	96	3	2	79	12
North Royalton	145	-	-	-	38	10	9	1	1	-	3	14	1	77	60	-	1	45	14
Parma	952	-	-	13	241	67	55	24	22	8	14	51	24	478	392	8	7	311	66
Parma Heights	324	-	-	3	62	11	21	8	5	7	-	10	8	177	145	3	3	102	37
Richmond Heights	77	-	-	-	17	6	3	3	1	-	-	4	1	41	36	1	-	25	10
Rocky River	261	-	-	1	81	12	20	15	9	4	6	16	4	120	99	-	3	75	21
Seven Hills	145	-	-	5	33	8	3	3	5	3	-	11	2	70	59	-	2	45	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio	377	6,886	1,127	1,073	3,012	3,763	264	1,011	1,104	11	539	805	1,759	8,231	1,649	1,792	1,246	561	85
Urban places	250	4,063	637	660	1,740	2,156	172	669	698	5	315	544	1,129	5,135	726	1,010	729	441	80
Balance of area	127	2,823	490	413	1,272	1,607	92	342	406	6	224	261	630	3,096	923	782	517	120	25
Metropolitan counties	323	5,367	842	868	2,370	2,942	221	864	879	9	413	673	1,503	6,711	1,159	1,409	1,005	511	78
Urban places	229	3,540	533	590	1,557	1,902	155	632	618	5	274	506	1,055	4,626	811	911	653	423	56
Balance of area	94	1,827	309	278	813	1,040	66	232	261	4	139	167	448	2,085	348	498	352	88	22
Nonmetropolitan counties	54	1,519	285	205	642	821	43	147	225	2	126	132	256	1,520	490	383	241	50	7
Urban places	21	523	104	70	183	254	17	37	80	–	41	38	74	509	115	99	76	18	4
Balance of area	33	996	181	135	459	567	26	110	145	2	85	94	182	1,011	375	284	165	32	3
Adams	–	17	1	3	11	14	–	–	2	–	2	3	2	16	8	3	2	2	–
Allen	2	72	19	12	25	48	2	13	9	–	3	6	8	87	24	18	12	4	–
Lima	2	33	10	7	17	26	1	9	7	–	2	6	5	57	16	13	5	4	–
Balance of county	–	39	9	5	8	23	1	4	2	–	1	–	3	30	8	5	7	–	–
Ashland	1	30	4	7	15	25	1	4	–	–	1	1	4	47	11	7	4	1	–
Ashland	1	20	3	3	5	12	–	2	–	–	–	–	1	24	1	2	1	–	–
Balance of county	–	10	1	4	10	14	1	2	–	–	1	1	3	23	10	5	3	1	–
Ashtabula	–	54	7	8	40	42	2	7	19	–	9	4	9	75	26	25	23	3	–
Ashtabula	–	12	1	2	9	14	1	3	4	–	4	1	1	18	5	2	8	3	–
Conneaut	–	4	–	–	7	3	–	1	3	–	2	1	2	21	4	4	3	–	–
Balance of county	–	38	6	6	24	25	1	3	12	–	3	2	6	36	17	19	12	–	–
Athens	–	36	16	2	15	19	1	3	9	–	2	–	13	32	7	8	5	–	–
Athens	–	5	3	–	3	3	–	–	1	–	1	–	3	6	2	–	1	–	–
Balance of county	–	31	13	2	12	16	1	3	8	–	1	–	10	26	5	8	4	–	–
Auglaize	–	39	10	4	10	15	–	3	4	–	3	4	5	34	7	8	4	–	–
Belmont	1	54	8	5	24	29	–	7	10	–	3	6	26	62	10	14	9	3	1
Brown	–	20	1	5	8	12	1	1	7	–	3	–	6	21	5	4	2	–	–
Butler	15	136	41	16	73	119	8	32	17	–	11	18	14	160	51	48	45	23	1
Fairfield	1	18	5	1	9	9	1	4	1	–	2	2	2	12	6	2	4	2	–
Hamilton	4	42	16	6	16	45	–	13	4	–	4	7	7	50	15	14	19	11	–
Middletown	8	30	10	3	21	32	1	4	8	–	4	2	3	47	7	11	10	5	–
Oxford	1	6	–	–	5	3	–	–	2	–	–	–	–	7	–	2	2	–	–
Balance of county	1	40	10	6	22	30	6	11	2	–	1	7	2	44	23	19	10	5	1
Carroll	2	12	4	3	4	7	–	–	2	–	2	2	4	19	4	4	1	–	–
Champaign	–	19	3	4	8	12	–	–	4	–	1	4	3	19	11	1	3	–	1
Urbana	–	7	3	1	–	5	–	–	1	–	1	3	2	6	3	–	2	–	–
Balance of county	–	12	–	3	8	7	–	–	3	–	–	1	1	13	8	1	1	–	1
Clark	8	137	15	17	47	64	5	18	18	–	3	13	20	132	26	25	14	5	2
Springfield	5	76	7	14	33	34	4	10	12	–	3	10	8	83	15	16	9	4	1
Balance of county	3	61	8	3	14	30	1	8	8	–	–	3	12	49	11	9	5	1	1
Clermont	–	49	3	11	38	34	1	11	11	3	10	7	5	69	16	38	22	5	2
Clinton	1	29	5	6	12	13	2	3	2	–	1	3	2	29	10	4	4	–	–
Wilmington	1	5	1	4	6	5	–	1	–	–	–	1	2	10	3	2	2	–	–
Balance of county	–	24	4	2	6	8	2	2	2	–	1	2	–	19	7	2	2	–	–
Columbiana	6	90	21	14	31	41	1	6	17	1	6	5	4	60	27	15	12	1	–
East Liverpool	–	20	7	4	11	10	–	2	4	–	1	–	–	11	3	3	3	–	–
Salem	–	15	3	3	3	5	–	–	1	–	2	–	–	13	3	3	–	–	–
Balance of county	6	55	11	7	17	26	1	4	12	1	3	5	4	56	21	9	9	1	–
Coshocton	1	24	4	7	8	13	1	2	5	–	3	3	5	33	11	8	1	2	1
Coshocton	–	16	–	3	–	6	1	–	4	–	3	–	4	16	6	4	1	–	–
Balance of county	1	8	4	4	8	7	–	2	1	–	–	3	1	17	5	4	–	2	1
Crawford	1	33	8	9	13	17	–	6	5	–	2	4	3	34	15	13	6	4	–
Bucyrus	–	12	1	1	5	5	–	–	2	–	–	–	1	16	2	3	3	2	–
Galion	1	6	5	3	3	4	–	1	1	–	2	4	–	7	5	3	1	–	–
Balance of county	–	13	2	5	5	8	–	5	2	–	–	–	2	11	8	7	2	2	–
Cuyahoga	56	985	114	185	461	472	41	203	217	4	70	123	86	1,411	169	312	179	167	31
Bay Village	–	7	3	2	5	1	–	–	–	–	2	–	–	14	2	2	2	–	–
Bedford	1	8	2	2	1	7	–	1	5	–	–	1	–	13	–	1	2	2	–
Bedford Heights	–	6	–	4	3	4	1	2	2	–	1	1	–	8	2	3	3	1	–
Berea	1	14	–	4	3	5	1	–	3	1	1	–	–	10	2	5	3	1	–
Brecksville	–	9	–	–	2	3	–	1	–	–	1	–	–	6	1	4	1	–	–
Broadview Heights	–	6	–	2	4	3	–	1	–	–	–	–	2	4	1	–	1	–	1
Brooklyn	–	7	2	2	2	7	1	1	4	–	2	1	1	6	1	1	2	1	–
Brook Park	–	5	1	1	4	5	–	3	1	–	–	1	–	17	5	2	2	–	–
Cleveland	27	376	39	66	198	199	22	117	85	2	38	75	42	637	84	163	73	126	24
Cleveland Heights	4	36	5	10	22	18	1	1	7	–	1	2	2	59	3	5	5	5	–
East Cleveland	5	23	6	–	13	13	2	2	10	–	2	4	3	28	10	6	1	9	2
Euclid	1	47	7	9	24	19	4	8	11	–	3	2	–	51	4	11	5	2	–
Fairview Park	–	19	2	2	2	7	–	3	3	–	–	–	2	13	3	3	3	–	–
Garfield Heights	3	29	2	3	13	7	1	9	6	–	1	2	2	37	3	8	5	2	1
Lakewood	1	45	5	9	24	21	1	8	6	–	2	4	3	64	8	16	8	1	1
Lyndhurst	1	11	3	3	4	10	–	4	3	–	1	1	1	15	–	2	3	1	–
Maple Heights	–	18	1	7	11	9	1	1	–	–	2	–	1	26	2	5	1	–	–
Mayfield Heights	2	26	2	4	9	3	–	3	8	–	1	–	2	31	1	4	3	–	–
Middleburg Heights	–	7	–	1	3	3	–	1	–	–	–	–	–	13	1	1	2	1	–
North Olmsted	–	21	1	6	5	11	2	2	2	–	1	–	–	16	1	2	2	1	1
North Royalton	–	14	3	–	1	1	–	4	1	–	–	1	1	12	1	4	3	–	–
Parma	1	62	11	12	20	31	–	5	20	1	4	1	3	84	6	10	10	–	1
Parma Heights	–	26	2	4	13	14	–	–	5	–	–	3	2	30	–	7	–	–	–
Richmond Heights	–	4	1	–	3	1	–	–	–	–	1	–	1	8	–	3	–	1	–
Rocky River	–	17	1	3	6	8	–	4	3	–	2	–	2	27	–	2	1	–	–
Seven Hills	1	8	1	1	5	4	1	1	–	–	–	–	1	14	1	3	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	259	–	–	5	73	14	15	10	12	2	4	16	7	119	95	1	6	66	22
Solon	103	–	–	4	27	5	8	4	5	3	–	2	5	53	43	–	–	37	6
South Euclid	275	1	–	6	73	18	20	9	8	4	1	13	8	131	107	2	1	85	19
Strongsville	159	–	–	3	47	4	11	8	7	2	–	15	5	62	54	1	1	39	13
University Heights	120	–	–	3	24	6	5	–	5	1	–	7	3	60	48	–	1	37	10
Warrensville Heights	133	–	–	2	34	9	6	1	8	1	–	9	3	61	57	–	3	39	15
Westlake	236	–	–	2	63	17	16	9	10	3	2	6	4	114	86	2	1	69	20
Balance of county	895	–	–	6	196	47	45	23	17	10	12	42	17	465	385	4	13	289	70
Darke	521	–	–	5	124	24	31	15	16	6	8	24	4	270	215	1	4	155	55
Greenville	177	–	–	1	42	8	8	4	6	3	3	10	1	98	75	–	2	48	25
Balance of county	344	–	–	4	82	16	23	11	10	3	5	14	3	172	140	1	2	107	30
Defiance	347	–	–	3	83	20	25	7	8	2	1	20	4	162	125	–	3	71	51
Defiance	179	–	–	3	44	11	16	6	3	–	1	7	2	86	64	–	2	35	27
Balance of county	168	–	–	–	39	9	9	1	5	2	–	13	2	76	61	–	1	36	24
Delaware	443	–	–	5	87	23	23	8	8	3	4	18	3	211	168	3	–	117	48
Delaware	190	–	–	2	39	11	8	3	5	2	3	7	–	89	74	1	–	51	22
Westerville, part	28	–	–	–	2	1	–	–	1	–	–	1	1	11	10	–	–	8	2
Balance of county	225	–	–	3	46	11	15	5	2	1	1	11	2	111	84	2	–	58	24
Erie	755	–	–	6	182	48	44	17	18	10	13	32	16	324	257	2	3	172	80
Sandusky	368	–	–	2	80	26	16	6	8	5	6	13	10	161	133	1	2	87	43
Vermilion, part	50	–	–	1	18	4	4	4	1	–	1	4	–	26	20	–	–	15	5
Vermilion, total	80	–	–	1	22	4	5	5	1	1	1	5	–	38	31	–	–	23	8
Balance of county	337	–	–	3	84	18	24	7	9	5	6	15	6	137	104	1	1	70	32
Fairfield	773	–	–	13	176	36	53	17	23	6	6	35	13	364	284	4	3	191	86
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	353	–	–	6	80	16	26	10	8	4	4	12	5	163	120	3	1	88	28
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	420	–	–	7	96	20	27	7	15	2	2	23	8	201	164	1	2	103	58
Fayette	297	–	–	5	61	11	24	7	4	4	2	9	8	164	124	–	5	107	12
Washington	186	–	–	4	35	5	15	6	1	1	1	6	6	106	79	–	3	70	6
Balance of county	111	–	–	1	26	6	9	1	3	3	1	3	2	58	45	–	2	37	6
Franklin	7,155	5	–	119	1,620	382	523	158	137	54	50	306	136	3,161	2,556	18	92	1,489	957
Bexley	116	–	–	2	28	9	8	2	2	1	–	6	1	56	42	–	–	24	18
Columbus, part	4,851	4	–	90	1,031	259	319	101	104	35	30	183	113	2,120	1,726	13	79	947	687
Columbus, total	4,851	4	–	90	1,031	259	319	101	104	35	30	183	113	2,120	1,726	13	79	947	687
Gahanna	98	–	–	4	21	6	5	4	2	1	–	3	1	47	39	–	2	25	12
Grove City	131	1	–	2	36	5	12	5	3	3	2	6	–	56	43	–	1	28	14
Reynoldsburg, part	116	–	–	2	50	9	16	5	3	3	4	10	–	40	36	1	–	21	14
Reynoldsburg, total	121	–	–	2	52	10	16	5	3	3	4	11	–	43	38	1	–	22	15
Upper Arlington	352	–	–	1	104	24	28	10	7	5	4	26	1	160	123	3	5	86	29
Westerville, part	164	–	–	1	30	6	10	5	1	1	1	6	1	74	55	1	–	43	11
Westerville, total	192	–	–	1	32	7	10	5	2	1	1	6	2	85	65	1	–	51	13
Whitehall	163	–	–	1	38	8	13	6	2	–	2	7	2	90	64	–	1	42	21
Worthington	145	–	–	2	29	7	11	5	–	–	1	5	2	72	51	–	–	32	19
Balance of county	1,019	–	–	11	253	59	101	15	13	5	6	54	15	456	377	–	4	241	132
Fulton	286	–	–	5	53	19	7	6	6	3	2	10	3	148	121	–	4	89	28
Gallia	269	–	–	4	68	20	17	5	9	3	1	13	4	122	103	–	1	73	29
Geauga	540	–	–	9	144	39	38	16	13	9	5	24	9	234	199	3	2	140	54
Greene	908	–	–	18	215	57	55	23	21	6	6	47	25	426	331	2	13	232	84
Beavercreek	166	–	–	4	51	11	14	2	6	2	1	15	7	66	54	–	1	39	14
Dayton, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Fairborn	180	–	–	4	43	10	12	7	2	1	–	11	4	70	53	–	4	36	13
Xenia	243	–	–	3	55	17	19	3	7	2	1	6	7	126	99	–	5	68	20
Balance of county	318	–	–	7	66	19	10	11	6	1	4	15	7	163	130	2	3	86	37
Guernsey	406	–	–	8	83	24	20	8	6	3	1	21	5	210	179	–	1	125	53
Cambridge	166	–	–	4	25	6	7	1	2	1	1	7	2	90	74	–	1	55	18
Balance of county	240	–	–	4	58	18	13	7	4	2	–	14	3	120	105	–	–	70	35
Hamilton	8,479	2	–	96	2,075	532	593	200	235	84	77	354	141	3,969	3,230	27	206	2,159	838
Cincinnati	4,446	1	–	50	1,022	282	298	90	117	36	36	163	72	2,068	1,700	16	124	1,091	489
Forest Park	94	–	–	–	26	2	12	1	4	2	1	4	2	29	21	–	–	17	4
Montgomery	71	–	–	–	16	5	6	2	1	–	–	2	6	29	21	1	1	13	6
North College Hill	154	–	–	3	36	9	12	4	4	1	1	7	3	79	63	1	3	40	19
Norwood	281	–	–	4	73	15	21	8	13	3	1	12	5	125	108	–	4	84	20
Reading	107	1	–	3	31	10	10	5	3	1	–	2	1	50	44	1	3	31	9
Sharonville	79	–	–	1	32	8	10	1	5	2	2	4	2	32	29	1	4	19	5
Springdale	86	–	–	–	22	9	4	–	3	3	1	2	–	43	34	1	–	24	9
Balance of county	3,161	–	–	35	815	192	220	89	85	36	35	158	50	1,514	1,210	8	67	840	297
Hancock	570	1	–	3	133	36	33	12	14	6	2	30	21	271	201	2	3	151	45
Findlay	356	1	–	2	85	21	22	8	12	4	2	16	7	183	130	2	3	97	28
Fostoria, part	38	–	–	–	9	2	2	–	1	1	–	3	3	13	13	–	–	11	2
Balance of county	176	–	–	1	39	13	9	4	1	1	–	11	11	75	58	–	–	43	15
Hardin	296	–	–	1	70	14	21	4	8	5	5	13	4	159	127	1	7	94	25
Harrison	207	–	–	2	52	12	16	7	2	5	4	6	4	94	65	1	3	42	19
Henry	262	–	–	3	54	11	17	3	6	–	6	11	7	135	95	–	1	71	23
Highland	373	–	–	7	70	18	19	8	9	4	3	9	4	209	170	1	4	124	41
Hocking	218	–	–	4	38	10	10	3	6	1	1	7	2	93	71	–	1	42	28
Holmes	219	–	–	1	46	13	9	4	7	4	3	6	9	114	93	1	4	54	34
Huron	516	–	–	4	98	28	33	9	10	9	3	14	13	291	235	–	12	163	60
Norwalk	157	–	–	1	33	7	6	3	5	4	1	7	5	85	64	–	1	55	8
Balance of county	359	–	–	3	65	13	27	6	5	5	2	7	8	206	171	–	11	108	52

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	1	14	1	2	4	4	–	2	7	–	–	3	1	29	2	3	3	3	–
Solon	–	8	1	1	2	2	–	1	–	–	–	–	–	5	1	3	–	–	–
South Euclid	–	17	–	7	4	9	1	5	6	–	2	3	2	18	2	3	1	–	–
Strongsville	1	3	2	2	2	5	–	–	1	–	1	5	2	14	4	2	5	1	–
University Heights	–	8	1	3	4	4	–	–	1	–	–	3	2	11	–	2	3	–	–
Warrensville Heights	–	2	–	2	4	4	1	2	2	–	1	5	–	9	1	2	–	2	–
Westlake	4	19	2	3	10	6	–	3	1	–	–	–	–	15	4	8	4	–	–
Balance of county	2	63	7	8	33	22	1	8	14	–	–	5	8	67	13	16	18	6	–
Darke	–	39	10	6	21	13	1	3	6	–	4	2	6	35	17	7	3	–	–
Greenville	–	16	3	4	9	5	–	1	2	–	2	–	1	8	3	4	–	–	–
Balance of county	–	23	7	2	12	8	1	2	4	–	2	2	5	27	14	3	3	–	–
Defiance	–	29	2	6	11	19	1	2	7	–	1	1	1	31	9	6	5	1	–
Defiance	–	16	1	5	6	5	–	1	4	–	1	1	1	14	5	3	2	1	–
Balance of county	–	13	1	1	5	14	1	1	3	–	–	–	–	17	4	3	3	–	–
Delaware	–	35	8	–	15	19	–	4	5	–	1	2	8	50	15	8	7	3	–
Delaware	–	10	5	–	9	7	–	3	4	–	–	–	1	21	3	6	4	2	–
Westerville, part	–	1	–	–	–	3	–	–	–	–	–	–	–	10	1	–	–	–	–
Balance of county	–	24	3	–	6	9	–	1	1	–	1	2	7	19	11	2	3	1	–
Erie	2	48	11	6	20	25	1	3	14	–	8	5	46	67	14	7	14	2	1
Sandusky	2	16	7	3	11	9	–	–	9	–	3	3	26	34	4	4	9	2	1
Vermilion, part	–	4	–	2	1	1	–	–	–	–	–	–	–	2	–	–	1	–	–
Vermilion, total	–	4	1	2	2	2	–	–	–	–	–	–	–	7	2	3	2	1	–
Balance of county	–	28	4	1	8	15	1	3	5	–	5	2	20	31	10	3	4	–	–
Fairfield	8	53	7	12	26	36	2	8	7	–	7	4	11	70	13	11	9	3	–
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	2	31	3	7	9	22	2	6	4	–	4	1	6	34	3	4	3	1	–
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	6	22	4	5	17	14	–	2	3	–	3	3	5	36	10	7	6	2	–
Fayette	4	32	3	1	4	11	2	–	–	–	3	5	6	19	2	3	4	–	–
Washington	3	21	3	–	1	7	2	–	–	–	2	2	5	11	2	1	2	–	–
Balance of county	1	11	–	1	3	4	–	–	–	–	1	3	1	8	–	2	2	–	–
Franklin	40	417	66	82	185	279	21	87	74	–	47	82	326	708	89	93	87	31	5
Bexley	2	9	2	1	2	1	–	2	1	–	1	2	2	13	1	–	4	–	–
Columbus, part	31	269	40	54	129	182	12	64	57	–	30	59	262	487	51	69	61	25	5
Columbus, total	31	269	40	54	129	182	12	64	57	–	30	59	262	487	51	69	61	25	5
Gahanna	1	6	1	–	3	2	–	–	–	–	4	1	3	9	2	1	–	–	–
Grove City	–	10	–	3	6	6	–	–	–	–	1	1	8	11	1	3	1	–	–
Reynoldsburg, part	–	3	1	–	2	5	2	1	–	–	2	–	3	2	2	2	3	–	–
Reynoldsburg, total	–	4	1	–	2	5	2	1	–	–	2	–	3	2	2	2	3	–	–
Upper Arlington	–	27	6	4	8	11	1	4	4	–	–	–	4	40	2	4	5	–	–
Westerville, part	2	12	2	3	10	7	2	–	1	–	2	2	3	26	3	1	1	–	–
Westerville, total	2	13	2	3	10	10	2	–	1	–	2	2	3	36	4	1	1	–	–
Whitehall	–	11	–	5	3	11	–	5	–	–	2	2	–	12	2	2	3	–	–
Worthington	–	17	–	4	7	8	–	1	1	–	–	1	4	15	2	–	1	2	–
Balance of county	4	53	14	8	15	48	4	10	10	–	5	14	39	93	23	11	8	4	–
Fulton	–	20	5	2	8	11	1	1	2	–	4	3	1	21	9	7	8	1	–
Gallia	–	17	1	1	6	19	–	4	3	–	1	3	2	18	5	6	2	1	1
Geauga	3	27	3	2	21	20	1	5	8	–	1	5	19	37	13	13	1	–	–
Greene	5	65	13	12	17	46	1	8	10	–	3	6	24	59	18	16	12	3	1
Beavercreek	–	7	2	3	4	4	–	1	3	–	–	–	5	10	4	3	4	–	–
Dayton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fairborn	2	9	2	4	3	13	–	3	3	–	–	–	–	–	–	–	–	–	–
Xenia	–	23	8	2	2	14	1	4	2	–	2	1	3	10	16	2	1	4	1
Balance of county	3	26	1	3	8	15	–	–	2	–	1	2	6	24	5	8	3	–	1
Guernsey	1	22	1	7	24	13	–	3	3	–	1	1	5	34	5	6	4	1	–
Cambridge	–	12	–	4	8	6	–	1	1	–	–	1	2	18	3	2	3	–	–
Balance of county	1	10	1	3	16	7	–	2	2	–	1	–	3	16	2	4	1	1	–
Hamilton	25	550	78	86	280	331	34	72	83	1	43	101	34	795	80	170	101	58	13
Cincinnati	10	266	38	34	164	180	19	40	48	1	20	79	24	432	32	95	47	44	8
Forest Park	–	7	1	–	3	4	1	1	1	–	1	5	–	10	2	3	5	–	1
Montgomery	1	5	2	–	2	2	–	–	–	–	1	–	–	13	1	–	1	–	–
North College Hill	1	9	4	2	4	6	–	–	1	–	1	1	–	13	–	2	1	2	–
Norwood	1	11	2	3	10	10	2	3	1	–	1	1	2	29	5	5	4	1	–
Reading	–	4	–	2	2	6	–	–	–	–	1	1	–	8	1	1	1	–	–
Sharonville	–	1	–	2	1	3	–	–	–	–	1	–	–	5	–	–	2	–	–
Springdale	–	6	2	1	–	5	1	–	1	–	–	–	–	10	1	1	2	–	–
Balance of county	12	221	29	42	94	115	11	28	31	–	17	14	8	275	38	63	38	11	4
Hancock	3	55	6	6	15	19	2	6	5	–	8	5	2	41	16	15	7	–	–
Findlay	2	40	5	6	9	13	2	3	5	–	6	5	1	21	4	7	2	–	–
Fostoria, part	–	–	–	–	1	2	–	3	–	–	–	–	–	3	2	–	2	–	–
Balance of county	1	15	1	–	5	4	–	–	–	–	2	–	1	17	10	8	3	–	–
Hardin	1	26	2	3	6	10	1	1	4	–	2	2	1	16	8	9	2	–	–
Harrison	1	22	5	1	2	8	1	2	2	–	2	–	3	19	9	3	4	–	–
Henry	2	27	8	3	8	11	–	1	–	–	3	2	2	21	9	5	1	–	–
Highland	3	29	6	1	14	13	4	4	2	–	–	2	2	19	10	11	2	–	–
Hocking	–	20	1	1	5	10	–	2	2	–	2	4	24	16	7	4	4	1	–
Holmes	1	13	5	2	7	7	–	3	3	–	4	3	–	12	5	2	2	1	–
Huron	2	38	9	7	21	14	–	1	3	–	9	1	6	25	11	8	9	2	–
Norwalk	2	13	5	1	5	4	–	–	1	–	1	1	4	11	2	2	2	–	–
Balance of county	–	25	4	6	16	10	–	1	2	–	8	–	2	14	9	6	7	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	296	-	-	4	55	12	15	1	10	3	2	12	8	153	113	-	1	99	13
Jefferson	972	-	-	7	240	69	72	25	22	3	9	40	22	483	381	2	6	259	114
Steubenville	356	-	-	3	90	27	24	10	9	1	4	15	4	182	140	1	-	91	48
Balance of county	616	-	-	4	150	42	48	15	13	2	5	25	18	301	241	1	6	168	66
Knox	459	-	-	5	81	17	23	7	11	6	2	15	11	260	201	2	4	149	46
Mount Vernon	203	-	-	-	33	3	14	2	4	3	2	5	4	125	95	-	3	67	25
Balance of county	256	-	-	5	48	14	9	5	7	3	-	10	7	135	106	2	1	82	21
Lake	1,604	-	-	24	373	97	114	30	36	14	14	68	38	806	648	7	13	433	195
Eastlake	168	-	-	4	34	7	13	5	1	1	1	6	6	96	79	1	-	49	29
Mentor	285	-	-	1	64	16	25	4	7	1	1	10	3	143	114	-	4	70	40
Painesville	183	-	-	2	39	14	10	4	6	1	-	4	7	91	81	2	1	57	21
Wickliffe	125	-	-	2	36	7	10	4	6	-	-	9	3	61	42	2	2	26	12
Willoughby	193	-	-	4	44	14	11	5	3	1	4	6	4	100	79	1	4	55	19
Willowick	138	-	-	4	43	12	15	2	4	2	2	6	2	54	42	-	-	29	13
Balance of county	512	-	-	7	113	27	30	6	9	8	6	27	13	261	211	1	2	147	61
Lawrence	597	-	-	7	107	23	33	8	12	6	3	22	8	312	262	2	10	183	87
Ironton	180	-	-	1	30	2	7	1	7	1	2	10	1	108	90	1	4	53	32
Balance of county	417	-	-	6	77	21	26	7	5	5	1	12	7	204	172	1	6	110	55
Licking	1,070	-	-	9	250	65	78	26	18	10	8	45	11	542	432	6	8	328	90
Newark	508	-	-	4	97	25	29	14	7	4	6	12	3	274	216	4	3	168	41
Reynoldsburg, part	5	-	-	-	2	1	-	-	-	-	-	1	-	3	2	-	-	1	1
Balance of county	557	-	-	5	151	39	49	12	11	6	2	32	8	265	214	2	5	159	48
Logan	386	-	-	6	91	21	25	1	14	4	5	21	4	190	143	2	3	108	30
Bellefontaine	106	-	-	1	20	5	4	-	4	-	1	6	-	59	43	1	1	30	11
Balance of county	280	-	-	5	71	16	21	1	10	4	4	15	4	131	100	1	2	78	19
Lorain	2,084	1	-	31	506	121	144	41	60	19	19	102	40	986	798	5	28	611	154
Amherst	107	-	-	1	22	5	7	2	1	-	1	6	1	49	42	-	-	32	10
Avon Lake	114	-	-	1	34	10	12	2	4	1	1	4	4	52	39	1	-	29	9
Elyria	510	-	-	9	122	29	31	6	17	6	5	28	16	247	205	1	9	161	34
Lorain	651	1	-	8	171	45	43	17	19	6	5	35	7	318	257	1	13	193	50
North Ridgeville	109	-	-	1	33	8	7	3	3	1	2	9	1	43	34	-	2	23	9
Sheffield Lake	64	-	-	4	13	-	8	-	2	1	-	2	-	28	22	-	-	17	5
Vermilion, part	30	-	-	-	4	-	1	1	-	1	-	1	-	12	11	-	-	8	3
Balance of county	499	-	-	7	107	23	35	10	14	3	5	17	11	237	188	2	4	148	34
Lucas	4,646	3	-	47	996	219	318	87	113	26	37	196	85	2,368	1,871	10	114	1,250	497
Maumee	122	-	-	1	29	6	9	2	6	-	-	6	5	52	40	1	1	23	15
Oregon	196	-	-	-	36	10	13	3	6	1	1	2	4	114	94	-	1	69	24
Sylvania	110	-	-	2	25	6	8	6	-	-	-	5	-	61	42	-	2	32	8
Toledo	3,689	3	-	39	791	170	244	66	92	23	32	164	68	1,877	1,493	9	105	982	397
Balance of county	529	-	-	5	115	27	44	10	9	2	4	19	8	264	202	-	5	144	53
Madison	274	-	-	3	58	15	12	5	4	4	1	17	4	125	105	-	3	78	26
Mahoning	3,080	4	-	40	702	194	209	54	67	24	27	127	69	1,567	1,194	9	25	843	317
Alliance, part	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	127	-	-	2	31	9	8	4	2	3	1	4	2	67	51	-	3	27	21
Struthers	141	-	-	4	34	11	7	1	6	2	-	7	1	74	55	-	-	41	14
Youngstown, part	1,392	3	-	15	293	80	94	23	28	6	11	51	37	691	523	5	10	382	126
Youngstown, total	1,392	3	-	15	293	80	94	23	28	6	11	51	37	691	523	5	10	382	126
Balance of county	1,419	1	-	19	343	94	99	26	31	13	15	65	29	735	565	4	12	393	156
Marion	651	1	-	6	145	28	51	9	13	7	9	28	11	330	247	1	8	183	55
Marion	406	-	-	5	86	18	30	7	8	5	5	13	8	210	149	1	6	114	28
Balance of county	245	1	-	1	59	10	21	2	5	2	4	15	3	120	98	-	2	69	27
Medina	805	1	-	8	173	49	32	25	16	11	8	32	19	404	332	2	7	208	115
Brunswick	129	-	-	2	25	8	4	3	1	4	1	4	3	50	41	2	1	32	6
Medina	150	-	-	-	31	11	4	5	2	2	2	5	6	79	64	-	2	29	33
Wadsworth	156	-	-	4	31	10	8	3	5	-	-	5	1	87	75	-	1	51	23
Balance of county	370	1	-	2	86	20	16	14	8	5	5	18	9	188	152	-	3	96	53
Meigs	276	-	1	2	54	14	16	2	5	3	2	12	6	134	103	2	4	73	24
Mercer	314	-	-	2	71	16	16	8	6	6	1	18	10	154	118	1	6	85	26
Miami	813	-	-	8	171	44	47	12	9	7	8	44	16	396	312	1	1	218	92
Piqua	226	-	-	3	35	12	6	2	4	-	3	8	7	120	98	-	-	72	26
Troy	193	-	-	2	42	10	14	3	-	3	1	11	4	88	65	-	-	42	23
Balance of county	394	-	-	3	94	22	27	7	5	4	4	25	5	188	149	1	1	104	43
Monroe	180	-	-	1	37	13	7	7	4	2	1	3	3	93	79	-	-	59	14
Montgomery	5,252	3	-	56	1,234	268	386	114	137	37	43	249	97	2,377	1,930	16	57	1,257	600
Centerville	156	-	-	2	34	5	10	3	5	1	1	9	2	76	60	1	1	37	21
Dayton, part	2,186	1	-	24	484	113	160	39	54	11	14	93	41	1,000	822	5	31	492	294
Dayton, total	2,187	1	-	24	484	113	160	39	54	11	14	93	41	1,001	823	5	31	493	294
Englewood	84	-	-	2	25	6	7	3	6	-	-	3	2	35	30	1	-	22	7
Huber Heights	202	1	-	3	50	9	14	6	5	3	2	11	2	81	63	-	-	47	16
Kettering	591	-	-	8	168	40	40	18	19	8	6	39	5	286	220	4	6	150	60
Miamisburg	166	-	-	1	33	9	11	1	4	-	1	7	4	75	61	2	2	43	14
Vandalia	87	-	-	1	17	4	6	1	-	1	2	3	2	32	25	-	-	20	5
West Carrollton	78	-	-	-	14	4	5	2	1	1	-	1	2	36	30	-	2	24	4
Balance of county	1,702	1	-	15	409	78	133	41	43	14	17	83	37	756	619	3	15	422	179
Morgan	165	-	-	3	34	8	12	-	3	1	2	8	6	86	61	1	-	41	19
Morrow	202	-	-	1	35	8	10	2	4	1	-	10	5	114	93	-	2	76	15
Muskingum	822	-	-	8	166	40	46	14	22	5	10	29	6	444	371	1	3	213	154
Zanesville	408	-	-	2	89	23	23	7	12	1	8	15	4	222	191	-	1	100	90
Balance of county	414	-	-	6	77	17	23	7	10	4	2	14	2	222	180	1	2	113	64
Noble	119	-	-	2	29	4	8	4	5	2	1	5	2	62	54	-	-	41	13
Ottawa	384	-	-	4	63	20	15	3	9	2	2	12	6	215	168	2	4	118	44
Paulding	181	-	-	6	41	10	13	6	4	2	2	4	2	69	56	-	1	43	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	-	31	5	4	5	19	-	4	1	-	2	1	2	23	7	7	5	-	-
Jefferson	5	85	4	8	31	40	-	10	15	-	5	5	4	60	9	23	14	2	2
Steubenville	2	36	1	3	13	9	-	5	6	-	4	1	3	21	3	8	3	1	-
Balance of county	3	49	3	5	18	31	-	5	9	-	1	4	1	39	6	15	11	1	2
Knox	3	39	13	4	16	16	-	3	3	-	2	3	2	32	13	6	6	-	-
Mount Vernon	1	22	6	1	4	8	-	2	2	-	-	2	-	15	5	1	2	-	-
Balance of county	2	17	7	3	12	8	-	1	1	-	2	1	2	17	8	5	4	-	-
Lake	4	118	10	26	37	64	3	16	16	-	12	12	9	120	24	31	16	2	1
Eastlake	1	11	1	4	-	4	-	4	2	-	-	1	-	10	4	2	1	-	-
Mentor	2	20	-	7	7	14	1	4	2	-	3	5	1	27	3	6	1	-	-
Painesville	-	8	1	1	9	11	-	1	1	-	2	-	2	10	2	5	1	-	-
Wickliffe	1	12	1	5	2	6	1	2	-	-	-	-	-	7	-	2	1	2	-
Willoughby	-	18	3	2	6	5	1	1	-	-	1	2	2	13	3	4	3	-	-
Willowick	-	12	-	-	2	6	-	-	3	-	1	2	-	14	-	2	5	-	-
Balance of county	-	39	4	7	11	18	-	4	8	-	5	2	4	39	12	10	4	-	1
Lawrence	3	35	7	5	23	33	3	6	4	-	2	7	5	50	10	10	7	3	-
Ironton	2	9	5	2	3	10	1	-	-	-	-	2	1	19	-	3	1	-	-
Balance of county	1	26	2	3	20	23	2	6	4	-	2	5	4	31	10	7	6	3	-
Licking	6	77	12	15	24	41	2	12	8	-	2	8	13	87	15	25	16	3	-
Newark	3	38	10	7	10	23	-	8	3	-	2	6	5	44	5	17	6	1	-
Reynoldsburg, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	38	2	8	14	18	2	4	5	-	-	2	8	43	10	8	12	2	-
Logan	1	36	4	6	13	22	-	5	1	-	3	-	4	26	6	7	4	4	-
Bellefontaine	-	14	1	1	3	7	-	-	-	-	1	-	1	9	2	3	-	-	-
Balance of county	1	22	3	5	10	15	-	5	1	-	2	-	3	17	4	4	4	4	-
Lorain	7	138	17	26	57	79	4	24	18	-	14	15	23	158	31	37	42	16	2
Amherst	-	6	-	1	5	1	-	3	-	-	1	2	1	13	3	1	3	1	-
Avon Lake	1	7	1	4	2	3	1	3	1	-	-	-	2	5	-	2	3	1	-
Elyria	3	27	5	7	13	19	1	2	6	-	5	4	5	29	5	9	13	5	-
Lorain	1	50	4	6	11	28	1	7	5	-	1	5	5	54	7	10	8	5	1
North Ridgeville	-	7	1	1	2	6	-	3	1	-	2	1	1	6	3	1	3	2	-
Sheffield Lake	-	3	1	2	1	4	-	-	-	-	-	1	-	6	1	-	3	1	1
Vermilion, part	-	-	1	-	1	1	-	-	-	-	-	-	-	5	2	3	1	1	-
Balance of county	2	38	4	5	22	19	1	5	5	-	5	2	9	40	10	11	8	-	-
Lucas	23	399	38	37	134	188	18	61	45	-	30	31	27	347	81	83	71	24	7
Maumee	1	10	-	1	5	7	-	2	-	-	3	2	-	6	4	3	3	-	-
Oregon	2	14	1	3	3	7	-	1	1	-	3	1	2	11	5	5	3	-	-
Sylvania	-	15	2	2	1	2	1	1	1	-	-	2	-	10	2	1	1	-	-
Toledo	17	312	28	27	103	142	15	53	40	-	23	25	21	283	53	69	56	21	7
Balance of county	3	48	7	4	22	30	2	4	3	-	1	1	4	37	17	5	8	3	-
Madison	-	17	1	2	6	10	1	2	4	-	1	1	12	25	8	7	6	1	-
Mahoning	20	250	69	34	78	74	14	38	34	-	14	22	29	222	45	51	39	37	1
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	-	13	3	-	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Struthers	2	10	3	4	5	2	-	2	2	-	-	1	1	7	1	2	3	2	-
Youngstown, part	10	111	30	17	37	34	7	22	21	-	7	14	1	11	-	2	2	1	-
Youngstown, total	10	111	30	17	37	34	7	22	21	-	7	14	19	103	16	27	18	28	-
Balance of county	8	116	33	13	31	37	7	14	9	-	7	7	8	101	28	27	18	28	-
Marion	2	65	7	9	12	28	-	4	9	-	3	5	2	61	18	20	16	6	1
Marion	2	49	3	7	9	14	-	1	6	-	3	3	2	35	9	8	5	1	1
Balance of county	-	16	4	2	3	9	-	3	3	-	-	2	-	26	9	3	3	-	-
Medina	1	61	5	5	26	24	3	3	14	1	3	3	9	71	20	11	9	2	1
Brunswick	1	7	-	1	10	4	1	-	3	-	-	1	-	17	5	3	4	1	-
Medina	-	12	1	2	2	4	1	1	8	-	1	1	-	11	3	-	2	-	-
Wadsworth	-	12	-	-	5	1	-	1	-	-	1	-	2	21	-	1	1	-	-
Balance of county	-	30	4	2	9	15	1	1	3	1	1	1	7	22	12	7	2	1	1
Meigs	-	26	2	3	7	15	1	1	2	-	-	3	2	29	7	9	3	-	-
Mercer	-	26	4	6	13	8	-	3	3	-	3	3	3	22	7	7	5	-	-
Miami	2	63	8	11	27	34	3	6	10	-	7	6	9	68	16	23	10	3	-
Piqua	-	20	1	1	8	5	-	2	5	-	1	2	2	23	6	4	1	2	-
Troy	1	18	2	2	6	12	1	-	3	-	3	1	2	16	4	6	2	1	-
Balance of county	1	25	5	8	13	17	2	4	2	-	3	3	5	29	6	13	7	-	-
Monroe	-	12	5	3	3	14	-	-	1	-	2	-	1	13	7	2	3	-	-
Montgomery	16	326	43	62	172	212	20	49	58	-	23	42	195	439	79	74	66	56	-
Centerville	1	11	2	2	7	12	3	-	1	-	-	1	3	11	1	2	1	-	-
Dayton, part	5	139	13	21	70	81	9	29	28	-	8	24	97	169	26	21	28	46	-
Dayton, total	5	139	13	21	70	81	9	29	28	-	8	24	97	169	26	21	28	46	-
Englewood	-	4	-	1	-	4	-	2	-	-	-	-	1	7	2	2	2	-	-
Huber Heights	1	13	1	3	9	7	-	4	3	-	3	2	13	13	7	1	3	-	-
Kettering	2	50	5	9	18	15	-	4	2	-	-	3	13	49	7	6	7	-	-
Miamisburg	2	7	2	3	11	6	1	1	3	-	-	3	7	14	3	1	3	-	-
Vandalia	-	4	1	2	5	4	-	-	3	-	1	-	3	12	-	2	3	2	-
West Carrollton	1	5	-	-	2	6	-	-	1	-	-	-	1	11	3	2	-	-	-
Balance of county	4	93	19	21	50	77	7	9	17	-	11	9	57	153	30	37	19	8	-
Morgan	-	20	2	3	6	5	1	4	-	-	2	4	3	8	-	2	1	-	-
Morrow	-	19	2	-	7	7	-	2	3	-	-	-	1	18	6	2	-	1	-
Muskingum	1	53	18	6	26	42	2	10	7	1	3	4	7	59	15	9	9	4	-
Zanesville	-	21	7	3	11	20	2	3	2	-	1	1	3	29	7	3	6	3	-
Balance of county	1	32	6	3	15	22	-	7	5	1	2	3	4	30	8	6	3	1	-
Noble	-	6	-	2	3	4	-	2	-	-	-	2	-	9	1	1	2	-	-
Ottawa	1	37	2	7	9	19	2	3	4	-	2	1	3	26	12	7	7	1	-
Paulding	-	11	1	1	9	12	-	1	2	-	1	2	2	16	6	10	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	304	–	–	4	67	10	25	2	12	3	1	14	10	151	131	–	5	84	42
Pickaway	396	–	–	7	86	24	24	6	16	4	1	11	12	180	129	1	2	73	53
Circleville	146	–	–	2	35	5	9	3	7	1	1	9	6	66	39	1	–	23	15
Balance of county	250	–	–	5	51	19	15	3	9	3	–	2	6	114	90	–	2	50	38
Pike	257	–	–	–	46	12	11	1	5	2	2	13	5	139	121	2	1	98	20
Portage	938	–	–	11	195	51	47	18	24	7	10	38	23	422	320	7	9	236	66
Kent	149	–	–	3	25	7	5	1	4	3	–	5	4	60	46	2	5	31	8
Ravenna	149	–	–	2	23	5	8	1	3	–	4	2	1	75	56	–	3	39	14
Balance of county	640	–	–	6	147	39	34	16	17	4	6	31	18	287	218	5	1	168	44
Preble	317	1	–	2	78	11	26	8	13	3	4	13	6	155	133	–	4	92	37
Putnam	251	–	–	1	47	8	16	3	7	5	2	6	5	131	107	–	3	76	28
Richland	1,140	1	–	9	280	71	81	24	30	9	7	58	30	562	424	5	8	334	77
Mansfield	654	–	–	3	162	40	48	13	20	2	5	34	20	332	243	3	6	196	38
Balance of county	486	1	–	6	118	31	33	11	10	7	2	24	10	230	181	2	2	138	39
Ross	573	–	–	11	114	36	27	9	9	4	5	24	10	302	244	–	4	171	69
Chillicothe	303	–	–	7	65	19	20	7	4	–	4	11	4	161	132	–	3	95	34
Balance of county	270	–	–	4	49	17	7	2	5	4	1	13	6	141	112	–	1	76	35
Sandusky	570	–	–	6	132	35	35	11	9	6	6	30	11	277	231	1	2	174	54
Fremont	192	–	–	2	38	7	13	3	2	1	2	10	5	90	77	1	–	59	17
Balance of county	378	–	–	4	94	28	22	8	7	5	4	20	6	187	154	–	2	115	37
Scioto	948	–	–	9	222	53	73	18	22	8	6	44	26	466	400	2	7	276	115
Portsmouth	388	–	–	5	88	17	35	8	6	3	2	17	9	195	156	–	2	112	42
Balance of county	560	–	–	4	134	36	38	10	16	3	4	27	17	271	244	2	5	164	73
Seneca	521	–	–	6	101	29	31	8	10	3	2	18	7	287	246	2	5	189	50
Fostoria, part	123	–	–	1	32	7	10	1	5	2	–	7	2	64	58	–	–	50	6
Fostoria, total	176	–	–	1	46	9	15	1	7	4	–	10	5	86	77	–	–	89	8
Tiffin	184	–	–	3	25	9	10	2	1	–	1	2	1	113	92	1	3	62	26
Balance of county	214	–	–	2	44	13	11	5	4	1	1	9	4	110	98	1	2	77	18
Shelby	374	–	–	2	89	23	21	6	14	5	5	15	4	188	133	1	2	100	30
Sidney	201	–	–	1	47	10	13	4	11	2	4	3	1	99	67	1	–	53	13
Balance of county	173	–	–	1	42	13	8	2	3	3	1	12	3	87	66	–	2	47	17
Stark	3,466	2	–	24	794	194	226	73	89	29	32	151	86	1,680	1,323	11	44	991	277
Alliance, part	302	–	–	5	73	16	17	4	8	9	5	14	9	142	102	–	3	79	20
Alliance, total	303	–	–	5	74	16	18	4	8	9	5	14	9	142	102	–	3	79	20
Canton	1,072	1	–	5	237	50	67	32	25	7	8	48	33	522	421	4	16	328	73
Massillon	341	–	–	–	76	17	29	5	5	2	3	15	8	162	126	–	4	86	36
North Canton	154	–	–	–	28	11	5	2	2	1	1	6	2	86	64	–	2	48	14
Balance of county	1,597	1	–	14	380	100	108	30	49	10	15	68	34	768	610	7	19	450	134
Summit	4,931	2	1	65	1,154	301	302	120	125	55	38	213	118	2,118	1,665	26	49	1,096	494
Akron	2,598	1	1	39	605	154	162	64	75	29	16	105	68	1,077	839	13	28	531	267
Barberton	345	–	–	5	67	10	25	8	8	4	4	8	7	171	144	–	1	93	50
Cuyahoga Falls	380	–	–	5	101	29	23	6	14	3	5	21	2	173	131	5	7	93	28
Norton	75	–	–	–	16	8	2	1	–	1	2	2	1	38	27	–	1	14	12
Stow	112	–	–	–	21	3	3	2	5	2	1	5	4	52	41	1	–	30	10
Tallmadge	98	–	–	1	27	6	9	–	4	2	1	5	–	40	31	2	1	22	6
Balance of county	1,323	1	–	15	317	91	78	39	19	14	9	67	36	567	452	5	11	313	123
Trumbull	2,117	–	–	24	509	122	148	41	62	14	18	104	57	1,025	869	14	26	663	166
Girard	115	–	–	1	33	8	8	3	4	2	1	7	3	45	34	–	1	19	14
Niles	252	–	–	8	61	14	26	5	6	–	–	10	8	119	100	4	2	75	19
Warren	644	–	–	2	154	37	45	12	18	7	4	31	21	316	277	4	8	222	43
Youngstown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1,106	–	–	13	261	63	69	21	34	5	13	56	25	545	458	6	15	347	90
Tuscarawas	892	–	–	8	183	49	50	13	16	12	11	32	12	448	355	2	15	253	85
Dover	158	–	–	5	36	9	8	2	1	3	1	12	1	75	55	–	8	31	16
New Philadelphia	199	–	–	1	47	10	17	3	5	2	4	6	1	105	79	1	2	59	17
Balance of county	535	–	–	2	100	30	25	8	10	7	6	14	10	268	221	1	5	183	52
Union	296	–	–	1	60	12	14	4	9	3	6	12	12	151	112	1	–	75	36
Van Wert	286	–	–	1	59	9	15	7	8	3	7	10	5	150	109	–	2	80	27
Van Wert	120	–	–	1	24	4	5	3	3	–	5	4	1	65	45	–	1	34	10
Balance of county	166	–	–	–	35	5	10	4	5	3	2	6	4	85	64	–	1	46	17
Vinton	120	–	–	2	19	6	7	1	1	–	1	3	2	54	46	1	–	32	13
Warren	725	1	–	2	154	29	41	10	30	9	8	27	21	334	259	2	7	164	86
Franklin	95	1	–	–	24	4	9	2	4	2	–	3	2	43	35	1	1	25	8
Balance of county	630	–	–	2	130	25	32	8	26	7	8	24	19	291	224	1	6	139	78
Washington	580	–	–	2	129	27	41	12	9	2	6	32	18	274	205	–	3	142	60
Marietta	207	–	–	–	39	5	9	2	3	1	3	16	7	103	71	–	1	50	20
Balance of county	373	–	–	2	90	22	32	10	6	1	3	16	9	171	134	–	2	92	40
Wayne	809	–	–	7	159	38	38	14	16	6	10	39	16	416	330	3	9	209	109
Wooster	239	–	–	1	44	10	12	5	4	3	2	8	5	138	109	2	4	70	33
Balance of county	570	–	–	6	115	28	26	9	12	3	8	31	11	278	221	1	5	139	76
Williams	316	–	–	2	74	18	14	10	10	2	6	14	5	145	114	–	1	82	31
Wood	754	–	–	7	158	34	44	13	17	8	8	34	12	388	309	–	5	237	67
Bowling Green	115	–	–	1	18	4	4	1	3	–	2	4	–	65	56	–	1	41	14
Fostoria, part	15	–	–	–	5	–	3	–	1	1	–	–	–	9	8	–	–	8	–
Perrysburg	103	–	–	–	21	4	2	3	2	3	1	6	1	58	44	–	–	38	8
Balance of county	521	–	–	6	114	26	35	9	11	4	5	24	11	256	201	–	4	152	45
Wyandot	220	–	–	1	40	6	11	5	7	1	1	9	2	126	107	2	1	58	46

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	–	12	3	5	6	13	1	1	2	–	2	4	3	18	9	9	2	2	–
Pickaway	4	36	7	4	11	17	1	5	4	–	1	6	10	32	10	10	4	–	–
Circleville	2	19	5	1	3	6	–	–	4	–	1	3	2	11	1	4	2	–	–
Balance of county	2	17	2	3	8	11	1	5	–	–	–	3	8	21	9	6	2	–	–
Pike	2	14	1	1	6	12	–	2	3	–	–	2	6	15	6	9	5	1	–
Portage	6	63	19	14	38	43	2	13	9	–	5	13	16	84	32	13	16	5	–
Kent	2	8	2	2	7	7	–	2	3	–	1	3	3	21	3	3	2	2	–
Ravenna	–	13	3	3	6	16	1	3	–	–	2	1	2	10	5	2	–	–	–
Balance of county	4	42	14	9	23	20	1	8	6	–	2	9	11	53	24	8	14	3	–
Preble	–	17	3	2	10	9	–	–	2	–	2	4	2	26	7	4	5	4	–
Putnam	–	20	2	2	16	9	–	3	1	–	4	–	2	13	9	3	6	–	1
Richland	1	98	21	18	29	51	2	12	11	–	7	8	7	73	14	29	13	2	–
Mansfield	1	64	14	10	13	29	1	7	3	–	2	4	4	45	4	16	8	1	–
Balance of county	–	34	7	8	16	22	1	5	8	–	5	4	3	28	10	13	5	1	–
Ross	2	42	12	2	15	22	2	5	4	–	1	5	12	38	11	13	6	2	–
Chillicothe	1	21	5	2	8	11	1	1	3	–	–	3	4	22	4	6	2	1	–
Balance of county	1	21	7	–	7	11	1	4	1	–	1	2	8	16	7	7	4	1	–
Sandusky	2	33	8	3	18	20	1	4	11	–	3	3	4	42	16	13	7	2	–
Fremont	1	8	3	1	9	6	–	1	6	–	2	2	1	21	4	2	2	1	–
Balance of county	1	25	5	2	9	14	1	3	5	–	1	1	3	21	12	11	5	1	–
Scioto	5	51	6	4	20	41	1	4	11	–	5	5	14	71	12	24	15	2	–
Portsmouth	3	31	4	1	6	18	1	2	5	–	2	1	2	38	3	7	5	–	–
Balance of county	2	20	2	3	14	22	–	2	6	–	3	4	12	33	9	17	10	2	–
Seneca	1	35	4	1	16	22	–	5	7	–	2	2	2	33	15	10	4	1	1
Fostoria, part	–	5	3	–	2	6	–	1	1	–	1	–	1	6	1	3	1	–	1
Fostoria, total	–	6	3	–	3	8	–	4	1	–	1	–	1	10	3	3	3	–	1
Tiffin	1	18	1	1	9	5	–	3	3	–	–	1	–	9	5	5	1	1	–
Balance of county	–	12	–	–	5	11	–	1	3	–	1	1	1	18	9	2	2	–	–
Shelby	1	28	19	5	6	14	2	1	7	–	1	7	5	26	10	9	3	2	–
Sidney	–	20	9	3	–	10	2	1	5	–	–	2	2	20	3	6	1	1	–
Balance of county	1	8	10	2	6	4	–	–	2	–	1	5	3	6	7	3	2	1	–
Stark	24	248	49	36	111	147	8	33	33	–	18	28	38	296	54	60	42	13	1
Alliance, part	4	19	14	3	14	13	2	3	4	–	–	2	2	26	–	5	2	–	–
Alliance, total	4	19	14	3	14	13	2	3	4	–	–	2	2	26	–	5	2	–	–
Canton	9	70	11	11	28	44	2	17	7	–	6	15	15	93	10	17	11	9	–
Massillon	3	28	2	3	10	17	1	1	8	–	2	3	7	29	4	4	6	3	–
North Canton	1	16	1	4	6	5	–	2	–	–	1	–	2	15	4	3	–	–	–
Balance of county	7	115	21	15	53	68	3	10	14	–	9	8	10	133	36	31	23	1	1
Summit	18	317	66	52	147	146	9	53	40	–	22	46	449	433	31	40	44	13	–
Akron	5	168	37	28	81	69	6	23	22	–	10	33	255	235	10	25	28	10	–
Barberton	1	24	–	2	10	11	–	8	7	–	1	3	25	20	3	6	1	–	–
Cuyahoga Falls	2	26	9	5	8	9	2	3	1	–	1	3	33	37	1	–	1	–	–
Norton	–	11	–	–	–	1	–	–	–	–	–	–	6	12	–	–	1	–	–
Stow	–	8	1	2	2	6	–	1	2	–	–	3	11	7	–	1	1	1	–
Tallmadge	1	8	–	–	2	3	–	–	3	–	–	–	9	11	–	–	2	–	–
Balance of county	9	72	18	15	44	47	1	18	5	–	10	4	110	111	17	8	10	2	–
Trumbull	9	106	24	17	54	69	5	28	41	–	11	16	26	153	32	37	21	9	–
Girard	–	7	4	–	4	8	–	3	3	–	1	1	–	8	2	1	2	–	–
Niles	1	13	4	1	10	5	1	2	6	–	–	2	6	16	2	5	1	–	–
Warren	4	25	5	5	14	18	1	10	12	–	4	4	8	46	10	12	7	5	–
Youngstown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	4	61	11	11	26	38	3	13	20	–	6	9	12	83	18	19	11	4	–
Tuscarawas	–	64	21	8	29	38	4	7	12	–	1	6	12	77	22	18	14	1	–
Dover	–	14	6	–	4	10	3	1	2	–	–	–	1	14	2	–	3	1	–
New Philadelphia	–	19	6	1	6	7	–	1	1	–	1	2	2	15	5	3	2	–	–
Balance of county	–	31	9	7	19	21	1	5	9	–	–	4	9	48	15	15	9	–	–
Union	1	23	10	5	11	7	–	1	3	–	4	1	5	25	7	4	4	–	–
Van Wert	1	25	9	6	9	13	–	2	5	–	–	1	–	25	4	8	4	–	–
Van Wert	–	11	5	4	2	4	–	1	–	–	–	1	–	14	3	2	2	–	–
Balance of county	1	14	4	2	7	9	–	1	5	–	–	–	–	11	1	6	2	–	–
Vinton	–	8	–	–	5	6	–	–	2	–	1	2	1	16	4	3	2	1	–
Warren	1	58	8	8	24	27	1	4	7	–	7	7	8	79	17	14	12	5	1
Franklin	–	5	2	1	3	2	–	–	–	–	2	1	1	10	1	2	3	–	–
Balance of county	1	53	6	7	21	25	1	4	7	–	5	6	7	69	16	12	9	5	1
Washington	2	46	10	11	35	21	2	5	9	–	3	–	6	38	18	9	9	2	2
Marietta	2	21	3	6	13	7	2	3	5	–	1	–	2	13	5	2	3	1	1
Balance of county	–	25	7	5	22	14	–	2	4	–	2	–	4	25	13	7	6	1	1
Wayne	2	75	5	4	40	32	5	4	5	–	5	4	8	56	27	12	9	2	2
Wooster	–	26	2	1	9	12	2	1	2	–	–	1	1	12	6	3	–	1	1
Balance of county	2	49	3	3	31	20	3	3	3	–	5	3	7	44	21	9	9	1	1
Williams	–	23	1	7	18	13	–	4	4	–	2	2	–	33	7	5	1	1	–
Wood	4	57	11	7	22	29	1	4	6	–	6	5	9	53	26	14	10	2	2
Bowling Green	–	9	–	–	6	2	–	1	1	–	2	–	2	8	4	4	1	–	–
Fostoria, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Perrysburg	1	8	2	3	4	2	–	–	–	–	1	1	1	9	4	1	–	–	–
Balance of county	3	39	9	4	12	25	1	3	5	–	3	4	6	35	18	9	9	2	2
Wyandot	1	17	–	1	15	5	1	3	2	–	1	3	1	14	4	2	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	29,950	18	–	373	6,387	1,503	1,984	491	687	242	273	1,207	503	14,219	10,957	59	169	7,662	3,067
Urban places	15,273	12	–	209	3,359	769	1,020	306	369	116	140	639	255	7,019	5,335	31	105	3,769	1,430
Balance of area	14,677	6	–	164	3,028	734	964	185	318	126	133	568	248	7,200	5,622	28	64	3,893	1,637
Metropolitan counties	15,333	8	–	210	3,399	777	1,042	303	354	127	146	650	240	6,923	5,351	35	87	3,781	1,448
Urban places	11,368	8	–	161	2,534	573	769	236	275	85	110	486	181	5,105	3,908	26	71	2,747	1,064
Balance of area	3,964	–	–	49	865	204	273	67	79	42	36	164	59	1,818	1,443	9	16	1,034	384
Nonmetropolitan counties	14,617	10	–	163	2,988	726	942	188	333	115	127	557	263	7,296	5,606	24	82	3,881	1,619
Urban places	3,904	4	–	48	825	196	251	70	94	31	30	153	74	1,914	1,427	5	34	1,022	386
Balance of area	10,713	6	–	115	2,163	530	691	118	239	84	97	404	189	5,382	4,179	19	48	2,859	1,253
Adair	229	–	–	1	51	13	15	1	9	4	1	8	6	108	81	1	–	49	31
Alfalfa	104	–	–	5	19	9	5	–	1	–	1	3	6	45	36	–	–	26	10
Atoka	127	–	–	1	23	5	5	–	3	–	2	8	–	68	53	–	–	36	17
Beaver	61	–	–	–	12	3	5	–	2	–	–	2	2	50	41	–	–	31	10
Beckham	255	–	–	3	39	9	17	1	5	1	1	5	6	133	104	–	4	65	35
Blaine	184	–	–	4	31	11	11	–	–	2	1	6	3	101	82	–	–	54	28
Bryan	399	–	–	–	82	16	29	6	7	5	1	18	11	200	145	1	1	111	32
Durant	185	–	–	–	30	7	7	2	4	2	–	8	7	99	74	1	1	58	14
Balance of county	214	–	–	–	52	9	22	4	3	3	1	10	4	101	71	–	–	53	18
Caddo	385	2	–	8	74	15	33	7	1	–	6	12	4	184	148	–	2	91	55
Canadian	398	–	–	6	99	23	28	11	9	1	3	24	5	179	139	–	–	93	46
El Reno	170	–	–	3	39	7	12	4	7	–	2	7	2	83	65	–	–	42	23
Oklahoma City, part	5	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–	3	–
Yukon	198	–	–	3	34	12	10	1	1	1	1	8	2	55	43	–	–	28	15
Balance of county	85	–	–	–	26	4	5	6	1	–	–	9	1	37	28	–	–	20	8
Carter	533	–	–	5	108	30	26	11	11	3	4	23	11	251	194	1	7	135	51
Ardmore	347	–	–	3	74	19	18	9	5	2	4	17	4	168	123	1	6	81	35
Balance of county	186	–	–	2	34	11	8	2	6	1	–	6	7	83	71	–	1	54	16
Cherokee	304	–	–	3	63	12	17	3	11	2	4	14	6	131	106	3	1	75	27
Choctaw	216	–	–	1	51	14	17	2	6	2	2	8	3	107	94	–	2	63	29
Cimarron	54	–	–	–	14	5	5	1	1	–	–	2	1	22	16	–	–	11	5
Cleveland	742	–	–	6	165	45	42	15	21	3	11	28	16	334	263	2	3	192	66
Moore	145	–	–	4	38	9	13	6	2	–	2	6	2	58	50	–	–	36	14
Norman	435	–	–	2	96	29	19	5	16	2	8	17	12	202	153	1	2	110	40
Oklahoma City, part	48	–	–	–	9	–	4	1	1	1	–	2	–	21	20	1	1	16	2
Balance of county	114	–	–	–	22	7	6	3	2	–	1	3	2	53	40	–	–	30	10
Coal	84	–	–	1	18	5	5	–	4	–	1	3	1	43	37	–	2	28	7
Comanche	661	–	–	5	135	32	43	13	14	4	5	24	5	284	223	2	2	163	56
Lawton	542	–	–	4	114	26	36	10	12	3	5	22	4	224	176	2	1	127	46
Balance of county	119	–	–	1	21	6	7	3	2	1	–	2	1	60	47	–	1	36	10
Cotton	98	–	–	1	25	7	4	2	2	2	1	7	1	46	30	–	–	12	18
Craig	246	–	–	1	51	10	18	4	3	1	2	13	6	126	87	–	–	71	16
Creek	568	–	–	7	113	25	38	4	14	7	4	21	8	296	219	1	5	164	49
Sapulpa	222	–	–	1	32	8	14	–	4	1	1	4	2	127	95	–	2	73	20
Balance of county	346	–	–	6	81	17	24	4	10	6	3	17	6	169	124	1	3	91	29
Custer	221	–	–	4	41	8	15	1	4	1	3	9	5	100	75	1	–	55	19
Delaware	336	–	–	3	69	15	20	6	11	3	2	12	5	158	118	–	1	73	44
Dewey	108	–	–	1	25	5	4	3	3	3	–	7	2	52	34	–	–	19	15
Ellis	64	–	–	1	12	5	3	–	–	–	2	2	–	35	26	–	–	10	16
Garfield	641	1	–	6	124	30	40	16	11	5	4	18	12	318	241	1	4	177	59
Enid	522	1	–	4	93	24	28	12	10	4	1	14	11	265	198	1	3	146	48
Balance of county	119	–	–	2	31	6	12	4	1	1	3	4	1	53	43	–	1	31	11
Garvin	378	–	–	2	88	21	24	7	7	4	4	21	5	190	151	–	–	92	59
Grady	395	1	–	2	82	27	25	6	11	–	1	12	11	188	124	–	1	99	24
Chickasha	194	–	–	–	44	12	17	3	5	–	1	6	9	85	52	–	1	49	2
Balance of county	201	1	–	2	38	15	8	3	6	–	–	6	2	103	72	–	–	50	22
Grant	89	–	–	–	15	6	4	–	1	1	1	2	1	61	45	1	–	27	17
Greer	101	–	–	2	13	2	3	2	–	1	–	5	3	52	37	–	–	23	14
Harmon	64	–	–	–	9	2	3	1	1	–	–	2	1	36	28	–	–	17	11
Harper	45	–	–	–	7	–	2	1	1	–	–	3	–	23	17	–	–	9	8
Haskell	152	–	–	–	31	9	12	–	5	–	–	5	3	69	54	–	–	44	10
Hughes	217	1	–	5	39	9	13	1	4	1	2	9	3	113	91	–	–	65	26
Jackson	202	–	–	4	51	16	12	1	9	1	–	12	5	127	85	–	3	52	30
Altus	202	–	–	2	38	14	10	1	5	–	–	8	4	99	67	–	3	40	24
Balance of county	60	–	–	2	13	2	2	–	4	1	–	4	1	28	18	–	–	12	6
Jefferson	108	–	–	1	16	2	4	1	3	1	–	5	1	71	53	–	2	35	16
Johnston	131	–	–	2	23	5	12	1	2	–	–	3	1	71	57	–	2	38	17
Kay	605	–	–	9	110	24	38	13	8	6	4	17	12	328	233	–	3	176	54
Ponca City	329	–	–	5	59	10	17	9	6	4	4	9	7	175	127	–	2	99	26
Balance of county	276	–	–	4	51	14	21	4	2	2	–	8	5	151	106	–	1	77	28
Kingfisher	141	–	–	–	32	6	9	2	6	–	3	6	2	65	46	–	1	35	10
Kiowa	170	–	–	1	40	15	13	2	4	1	3	2	3	89	69	–	2	55	12
Latimer	113	–	–	–	25	8	9	–	1	2	1	4	6	59	51	–	2	34	15
Le Flore	485	–	–	7	94	26	24	6	9	4	5	20	12	242	184	–	1	144	39
Lincoln	300	–	–	3	67	19	18	4	9	1	6	10	2	155	108	–	2	85	21
Logan	313	–	–	1	65	17	15	4	3	2	4	20	6	165	96	1	1	73	21
Guthrie	189	–	–	–	35	9	8	3	–	1	–	14	5	102	57	1	1	44	11
Balance of county	124	–	–	1	30	8	7	1	3	1	4	6	1	63	39	–	–	29	10
Love	107	–	–	1	23	5	9	–	3	1	1	4	–	52	40	1	–	28	11
McClain	184	–	–	1	33	8	9	3	3	–	1	9	2	93	78	–	1	59	18
Oklahoma City, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	183	–	–	1	32	8	9	2	3	–	1	9	2	93	78	–	1	59	18
McCurtain	397	–	–	4	79	19	33	5	6	4	5	7	7	190	147	1	2	109	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	98	2,460	389	317	1,064	1,042	80	281	403	1	155	224	402	2,529	737	728	482	302	20
Urban places	42	1,275	206	161	499	529	45	172	169	1	100	151	227	1,398	314	353	272	178	11
Balance of area	54	1,185	183	156	565	513	35	109	234	–	55	73	175	1,131	423	375	210	124	9
Metropolitan counties	46	1,170	175	181	511	550	43	173	178	–	100	150	217	1,356	395	383	262	202	13
Urban places	33	884	148	132	368	401	30	134	126	–	82	129	172	1,047	240	275	217	151	8
Balance of area	13	286	27	49	143	149	13	39	52	–	18	21	45	309	155	108	65	51	5
Nonmetropolitan counties	50	1,290	214	136	553	492	37	108	225	1	55	74	185	1,173	342	345	200	100	7
Urban places	9	391	58	29	131	126	15	38	43	1	18	22	55	351	74	78	55	27	3
Balance of area	41	899	156	107	422	364	22	70	182	–	37	52	130	822	268	267	145	73	4
Adair	–	23	2	2	10	6	1	3	6	–	3	–	2	21	3	5	3	–	–
Alfalfa	–	5	3	1	10	3	–	–	2	–	–	–	–	10	1	1	2	–	–
Atoka	–	12	2	1	2	7	–	–	1	–	–	1	5	13	2	2	1	1	–
Beaver	1	5	1	2	3	1	1	–	–	–	–	–	–	6	4	2	–	–	–
Beckham	2	21	5	1	16	6	–	3	1	–	1	1	16	14	3	4	6	3	–
Blaine	1	16	1	1	4	7	2	1	5	–	2	1	2	12	1	7	1	–	–
Bryan	2	34	14	5	10	16	1	4	2	–	3	1	10	31	8	9	5	5	1
Durant	1	17	6	1	7	7	–	2	–	–	2	1	3	18	3	2	3	–	1
Balance of county	1	17	8	4	3	9	1	2	2	–	1	–	7	13	5	7	2	5	–
Caddo	1	32	1	2	16	15	2	2	7	–	–	–	12	31	9	11	4	6	–
Canadian	–	27	5	8	16	11	–	8	1	–	3	3	5	25	9	11	11	6	–
El Reno	–	14	3	1	6	4	–	5	1	–	1	2	2	11	1	5	3	2	–
Oklahoma City, part	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Yukon	–	8	1	3	9	6	–	2	–	–	1	–	2	9	4	5	5	1	–
Balance of county	–	5	1	3	1	1	–	1	–	–	1	1	1	4	4	1	3	3	–
Carter	4	39	9	5	21	15	1	8	11	–	2	5	8	50	12	15	6	5	1
Ardmore	3	31	8	3	12	10	–	4	7	–	1	2	5	36	4	7	5	4	1
Balance of county	1	8	1	2	9	5	1	2	4	–	1	3	3	14	8	8	1	1	–
Cherokee	1	19	2	3	10	12	1	2	4	–	2	1	6	35	13	6	3	4	2
Choctaw	1	10	–	2	5	3	1	3	7	–	2	–	1	19	5	4	3	1	–
Cimarron	–	5	1	–	5	–	–	–	–	–	–	–	–	6	3	3	–	–	–
Cleveland	2	60	4	5	30	16	2	5	14	–	5	8	9	62	31	17	20	10	2
Moore	–	7	–	1	3	3	1	–	4	–	2	2	1	7	10	5	3	2	–
Norman	1	41	4	3	20	8	1	5	7	–	3	6	5	32	13	6	14	3	–
Oklahoma City, part	–	1	–	–	2	1	–	–	–	–	–	–	2	2	1	4	2	3	1
Balance of county	1	11	–	1	5	4	–	–	3	–	–	–	1	11	7	2	1	2	1
Coal	–	6	–	–	3	3	–	–	1	–	–	–	2	7	1	1	2	1	–
Comanche	4	50	2	5	25	30	2	11	2	–	3	12	4	61	26	24	22	9	1
Lawton	3	38	2	5	23	23	2	10	2	–	3	12	4	54	20	16	17	9	1
Balance of county	1	12	–	–	2	7	–	1	–	–	–	–	–	7	6	8	5	–	–
Cotton	1	13	–	2	7	3	–	1	–	–	1	–	2	7	–	3	1	–	–
Craig	–	32	3	4	12	7	–	–	5	–	1	1	1	16	5	6	7	1	–
Creek	2	66	2	7	14	20	6	3	4	–	5	4	7	44	11	11	7	7	1
Sapulpa	–	27	1	4	8	12	1	1	3	–	2	–	3	18	5	3	3	1	–
Balance of county	2	39	1	3	6	8	5	2	1	–	3	4	4	26	6	8	4	6	1
Custer	1	17	8	1	13	9	1	–	3	–	–	1	2	24	2	10	2	4	–
Delaware	3	28	5	4	19	11	1	2	5	–	–	–	5	26	15	10	6	1	–
Dewey	–	12	4	2	3	6	1	–	2	–	–	–	–	4	6	3	3	–	–
Ellis	–	7	–	2	6	3	–	–	–	–	–	–	–	3	3	1	–	–	–
Garfield	4	60	8	5	20	22	–	5	5	–	3	2	11	55	18	21	7	9	2
Enid	4	52	8	3	20	21	–	5	4	–	3	2	9	43	7	18	7	7	2
Balance of county	–	8	–	2	–	1	–	–	1	–	–	–	2	12	11	3	–	2	–
Garvin	–	22	14	3	14	11	–	–	7	–	1	2	7	28	7	6	8	2	–
Grady	1	49	12	2	11	11	–	5	5	–	2	3	5	35	14	8	7	5	–
Chickasha	–	25	6	2	6	5	–	4	2	–	1	1	3	23	3	4	1	3	–
Balance of county	1	24	6	–	5	6	–	1	3	–	1	2	2	12	11	4	6	2	–
Grant	2	10	2	2	1	2	–	–	1	–	–	–	–	6	1	1	–	–	–
Greer	–	8	5	2	2	7	–	1	5	–	–	–	2	9	2	2	1	–	–
Harmon	–	7	–	1	3	6	–	1	–	–	–	1	–	5	–	1	1	–	–
Harper	–	5	–	1	2	–	–	–	5	–	–	1	–	7	–	–	–	–	–
Haskell	–	11	2	2	15	5	–	1	4	–	–	–	2	12	–	9	1	–	–
Hughes	1	17	–	4	7	6	–	1	2	–	–	1	1	23	–	13	2	–	–
Jackson	–	39	1	2	7	14	2	2	1	1	2	2	3	26	6	2	4	3	–
Altus	–	29	1	2	3	12	2	2	1	1	2	2	2	22	5	1	1	3	–
Balance of county	–	10	–	–	4	2	–	–	–	–	–	–	1	4	1	1	3	–	–
Jefferson	1	11	5	1	2	1	–	–	–	–	–	–	1	6	2	4	1	2	–
Johnston	2	10	1	1	5	6	–	2	2	–	–	–	3	6	4	4	2	–	–
Kay	2	71	10	10	16	23	3	8	9	–	4	5	6	38	9	13	11	3	–
Ponca City	1	36	7	4	6	12	1	4	7	–	3	1	4	27	3	7	5	3	–
Balance of county	1	35	3	6	10	11	2	4	2	–	1	4	2	11	6	6	6	–	–
Kingfisher	2	7	10	–	4	3	–	–	4	–	1	1	2	16	6	3	2	–	–
Kiowa	–	17	2	1	6	6	–	–	3	–	–	–	–	15	2	3	1	1	–
Latimer	–	7	–	1	–	3	–	2	1	–	–	–	1	11	1	1	2	1	–
Le Flore	–	48	4	6	17	14	1	5	9	–	2	4	6	35	22	10	5	–	–
Lincoln	1	35	5	6	11	10	–	1	3	–	1	2	2	23	8	6	4	2	–
Logan	–	66	1	2	9	3	2	–	1	–	1	7	5	23	11	7	4	3	–
Guthrie	–	45	–	–	7	2	2	–	–	–	1	4	4	18	4	3	–	2	–
Balance of county	–	21	1	2	2	1	–	–	1	–	–	3	1	5	7	4	4	1	–
Love	–	11	1	–	7	3	–	–	1	–	–	–	2	8	1	4	3	2	–
McClain	1	7	–	7	8	5	1	4	2	–	2	–	1	13	10	5	2	2	–
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	7	–	7	8	5	1	4	2	–	2	–	1	13	10	5	2	2	–
McCurtain	3	34	4	2	18	14	1	5	7	–	2	3	2	34	12	8	8	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	220	–	–	–	45	11	18	2	4	1	2	7	8	115	91	–	1	50	40
Major	72	–	–	1	17	6	–	2	1	3	1	4	3	36	25	–	–	16	9
Marshall	163	–	–	3	28	7	5	1	5	–	3	7	3	91	73	2	1	51	19
Mayes	386	–	–	8	97	16	32	5	12	7	3	22	5	181	151	–	2	110	39
Murray	158	–	–	2	34	9	11	1	5	2	1	5	2	79	65	–	–	49	16
Muskogee	811	–	–	11	174	41	56	13	19	7	6	32	13	381	313	1	11	207	94
Muskogee	541	–	–	7	118	28	38	12	13	3	4	20	12	257	208	–	7	140	61
Balance of county	270	–	–	4	56	13	18	1	6	4	2	12	1	124	105	1	4	67	33
Noble	156	–	–	–	32	8	9	2	7	–	1	5	–	90	73	1	1	48	23
Nowata	133	–	–	1	31	6	8	3	5	–	1	6	2	71	51	1	–	37	13
Okfuskee	148	1	–	3	28	6	6	2	3	2	1	8	4	89	75	–	–	60	15
Oklahoma	5,170	3	–	93	1,130	250	345	97	119	44	56	219	97	2,256	1,701	9	34	1,109	549
Bethany	186	–	–	2	34	6	12	3	4	–	1	8	5	96	63	–	–	43	20
Del City	185	–	–	5	47	7	17	4	4	4	3	8	1	76	64	1	1	42	20
Edmond	260	–	–	3	48	13	14	1	6	1	3	10	7	119	91	2	–	50	39
Midwest City	368	–	–	4	104	18	33	9	10	2	3	29	8	153	121	–	3	79	39
Oklahoma City, part	3,802	3	–	74	826	191	246	72	92	34	40	151	66	1,661	1,239	3	26	810	400
Oklahoma City, total	3,856	3	–	74	836	191	250	74	93	35	40	153	66	1,686	1,282	4	27	829	402
The Village	8	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–	3	–
Balance of county	361	–	–	5	70	15	22	8	3	3	6	13	10	147	120	3	4	82	31
Okmulgee	506	1	–	6	104	28	27	5	19	6	3	18	4	276	230	1	2	189	38
Okmulgee	251	1	–	4	56	13	15	4	12	2	2	8	3	135	109	–	1	91	17
Balance of county	255	–	–	2	48	13	12	1	7	4	1	10	1	141	121	1	1	98	21
Osage	327	–	–	2	80	15	31	6	6	6	4	12	4	140	117	1	–	76	40
Bartlesville, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–
Sand Springs, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tulsa, part	14	–	–	–	4	–	1	1	–	–	–	2	–	5	4	–	–	4	–
Balance of county	310	–	–	2	76	15	30	5	6	6	4	10	4	133	111	1	–	70	40
Ottawa	390	–	–	3	96	16	41	6	11	5	2	15	6	192	151	–	5	104	42
Miami	200	–	–	2	56	9	18	6	5	4	1	13	2	97	78	–	4	51	23
Balance of county	190	–	–	1	40	7	23	–	6	1	1	2	4	95	73	–	1	53	19
Pawnee	167	–	–	4	32	6	3	6	6	1	4	6	3	68	60	–	1	37	22
Payne	435	–	–	8	89	17	33	3	12	4	5	15	10	224	166	3	2	126	35
Stillwater	214	–	–	4	42	8	15	–	8	2	2	7	4	112	77	2	2	57	16
Balance of county	221	–	–	4	47	9	18	3	4	2	3	8	6	112	89	1	–	69	19
Pittsburg	495	–	–	10	104	22	37	8	9	8	5	15	8	249	193	–	2	114	77
McAlester	251	–	–	7	48	8	17	4	3	4	3	7	3	131	105	–	1	65	39
Balance of county	244	–	–	3	58	14	20	4	6	4	2	8	5	118	88	–	1	49	38
Pontotoc	389	–	–	3	77	18	26	6	3	2	3	19	5	187	135	–	1	102	32
Ada	244	–	–	2	42	13	12	3	2	–	1	11	3	119	84	–	1	62	21
Balance of county	145	–	–	1	35	5	14	3	1	2	2	8	2	68	51	–	–	40	11
Pottawatomie	639	–	–	7	125	35	31	17	12	2	4	24	5	312	239	3	1	176	59
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	379	–	–	6	68	18	15	10	8	1	1	15	2	207	152	2	–	112	38
Balance of county	260	–	–	1	57	17	16	7	4	1	3	9	3	105	87	1	1	64	21
Pushmataha	134	–	–	1	30	3	13	1	5	1	2	5	3	66	54	1	–	37	16
Roger Mills	58	–	–	–	7	1	3	1	1	–	–	1	1	35	29	–	1	24	4
Rogers	405	–	–	7	82	18	24	4	8	3	4	21	5	188	144	2	1	107	34
Claremore	201	–	–	1	41	10	12	1	6	1	2	9	2	110	86	1	–	72	13
Balance of county	204	–	–	6	41	8	12	3	2	2	2	12	3	78	58	1	1	35	21
Seminole	372	1	–	4	70	21	24	3	6	2	3	11	9	195	166	–	3	109	54
Sequoyah	306	–	–	3	62	19	19	4	5	3	–	12	4	145	116	1	–	87	28
Stephens	449	1	–	2	103	21	41	3	12	4	4	18	7	207	157	1	5	104	47
Duncan	265	1	–	2	72	13	31	3	10	2	3	10	6	108	81	–	2	57	22
Balance of county	184	–	–	–	31	8	10	–	2	2	1	8	1	99	76	1	3	47	25
Texas	146	–	–	1	36	8	14	1	2	1	2	8	4	58	45	–	–	27	18
Tillman	144	–	–	2	31	9	7	3	6	–	–	6	2	83	67	–	1	54	12
Tulsa	4,136	4	–	47	988	216	312	98	99	34	40	189	59	1,830	1,440	12	32	1,054	342
Broken Arrow, part	268	–	–	2	57	15	15	6	5	5	5	6	2	137	107	1	–	89	17
Broken Arrow, total	279	–	–	2	60	15	17	7	5	5	5	6	2	142	112	1	–	94	17
Sand Springs, part	151	–	–	1	25	5	9	2	6	–	–	3	–	77	61	–	2	43	16
Sand Springs, total	152	–	–	1	25	5	9	2	6	–	–	3	–	77	61	–	2	43	16
Tulsa, part	3,305	4	–	42	820	175	256	86	81	25	32	165	53	1,414	1,107	11	30	812	254
Tulsa, total	3,319	4	–	42	824	175	257	87	81	25	32	167	53	1,419	1,111	11	30	816	254
Balance of county	412	–	–	2	86	21	32	4	7	4	3	15	4	202	185	–	–	110	55
Wagoner	285	–	–	5	72	19	24	4	12	4	2	7	1	125	96	1	1	70	24
Broken Arrow, part	11	–	–	–	3	–	2	1	–	–	–	–	–	5	5	–	–	5	–
Balance of county	274	–	–	5	69	19	22	3	12	4	2	7	1	120	91	1	1	65	24
Washington	494	2	–	12	107	26	29	7	14	6	4	21	7	226	175	1	4	123	47
Bartlesville, part	382	2	–	9	77	18	21	7	12	5	2	12	4	170	137	–	2	98	37
Bartlesville, total	384	2	–	9	77	18	21	7	12	5	2	12	4	172	139	–	2	100	37
Balance of county	132	–	–	3	30	8	8	–	2	1	2	9	3	56	38	1	2	25	10
Washita	143	–	–	3	25	6	4	2	2	3	2	6	1	76	50	1	–	33	16
Woods	149	–	–	4	24	5	7	2	3	2	–	5	6	68	56	–	–	32	24
Woodward	169	–	–	1	41	16	8	6	5	–	3	3	1	78	67	–	–	43	24
Woodward	130	–	–	1	36	15	7	4	4	–	3	3	1	57	48	–	–	30	18
Balance of county	39	–	–	–	5	1	1	2	1	–	–	–	–	21	19	–	–	13	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Oklahoma—Con.																			
McIntosh	2	18	3	1	7	8	-	2	9	-	-	-	4	15	1	3	1	2	-
Major	-	5	4	2	1	4	-	1	1	-	-	-	-	4	1	1	1	1	-
Marshall	1	10	5	2	6	6	-	1	2	-	-	-	1	13	2	3	2	1	1
Mayes	-	25	3	2	14	13	2	3	6	-	1	2	6	24	11	7	3	3	-
Murray	-	9	3	2	7	4	-	2	2	-	-	1	4	13	5	1	1	-	1
Muskogee	1	53	6	8	37	30	4	3	15	-	5	6	10	68	23	18	8	5	-
Muskogee	1	37	5	6	24	17	4	3	11	-	3	2	5	50	9	10	5	4	-
Balance of county	-	16	1	2	13	13	-	-	4	-	2	4	5	18	14	8	3	1	-
Noble	-	16	-	1	4	3	-	3	5	-	-	-	1	8	4	2	1	3	-
Nowata	-	16	3	1	2	5	-	2	2	-	1	-	-	10	1	5	-	-	-
Okfuskee	-	6	1	1	4	5	-	2	1	-	1	1	1	3	5	6	-	-	-
Oklahoma	14	390	91	60	151	192	20	72	63	-	47	66	81	485	106	127	95	83	3
Bethany	2	21	4	6	6	6	1	3	2	-	-	-	3	14	3	2	4	5	-
Del City	1	8	2	1	4	3	-	1	2	-	-	3	2	20	2	6	8	4	1
Edmond	1	19	3	5	6	11	-	1	3	-	1	4	7	23	11	5	4	7	-
Midwest City	-	23	4	5	8	16	1	6	5	-	2	3	5	28	6	7	7	5	-
Oklahoma City, part	9	299	74	40	116	139	17	56	49	-	40	52	58	363	67	93	70	51	1
Oklahoma City, total	9	300	74	41	118	140	17	56	49	-	40	52	60	368	68	97	72	54	2
The Village	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	19	4	3	11	15	1	4	2	-	4	4	6	37	17	14	2	11	1
Okmulgee	-	35	6	5	13	11	1	7	7	-	-	3	8	34	7	15	5	4	-
Okmulgee	-	22	2	2	4	6	-	3	3	-	-	2	4	17	1	9	3	-	-
Balance of county	-	13	4	3	9	5	1	4	4	-	-	1	4	17	6	6	2	4	-
Osage	1	13	4	5	11	19	-	3	8	-	-	2	4	29	11	8	5	1	-
Bartlesville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sand Springs, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tulsa, part	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-
Balance of county	1	13	3	5	11	19	-	3	7	-	-	2	3	28	11	6	4	1	-
Ottawa	-	39	-	2	16	15	1	1	5	-	-	-	4	28	10	8	4	2	1
Miami	-	19	-	-	9	6	1	1	1	-	-	-	3	12	3	3	2	1	1
Balance of county	-	20	-	2	7	9	-	-	4	-	-	-	1	14	7	5	2	1	-
Pawnee	1	5	2	-	10	7	-	2	7	-	1	3	1	20	5	2	2	-	-
Payne	1	46	5	6	13	9	1	3	5	-	6	1	-	37	9	9	10	1	-
Stillwater	1	28	3	3	5	5	1	2	2	-	2	-	-	19	5	4	7	-	-
Balance of county	-	18	2	3	8	4	-	1	3	-	4	1	-	18	4	5	3	1	-
Pittsburg	1	43	8	4	25	13	1	6	6	-	2	5	3	31	11	6	9	6	-
McAlester	-	19	5	2	16	5	1	4	1	-	2	1	2	15	9	4	2	2	-
Balance of county	1	24	3	2	9	8	-	2	5	-	-	4	1	16	2	2	7	4	-
Pontotoc	1	46	2	3	14	14	-	6	3	-	-	2	4	37	13	10	10	2	-
Ada	1	31	2	1	9	10	-	4	2	-	-	1	4	30	6	5	6	1	-
Balance of county	-	15	-	2	5	4	-	4	1	-	-	1	-	7	7	5	4	1	-
Pottawatomie	2	55	10	6	20	22	2	5	6	-	5	5	5	54	17	28	12	8	1
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	2	41	8	4	12	14	1	1	4	-	3	3	4	34	3	10	4	3	-
Balance of county	-	14	2	2	8	6	1	4	2	-	2	2	1	20	14	18	8	5	1
Pushmataha	-	9	3	-	5	7	-	-	4	-	-	-	-	7	4	4	2	1	-
Roger Mills	-	4	-	2	3	2	1	-	1	-	-	-	1	2	3	1	1	-	-
Rogers	2	34	2	6	16	15	1	5	4	-	3	3	6	32	15	9	10	4	-
Claremore	1	20	1	2	7	5	-	3	2	-	1	3	3	13	3	3	2	2	-
Balance of county	1	14	1	4	9	10	1	2	2	-	2	-	3	19	12	6	8	2	-
Seminole	3	19	3	4	12	14	-	1	10	-	3	3	3	25	9	13	-	-	-
Sequoyah	1	18	4	6	19	15	-	3	8	-	-	-	4	22	4	6	5	5	1
Stephens	1	36	12	1	21	17	2	3	6	-	-	1	8	42	9	16	1	3	-
Duncan	-	20	7	-	9	7	2	2	3	-	-	1	5	30	6	9	-	2	-
Balance of county	1	16	5	1	12	10	-	1	3	-	-	-	3	12	3	7	1	1	-
Texas	-	11	1	1	7	2	2	1	-	-	3	-	-	10	10	3	5	4	-
Tillman	1	11	2	2	3	2	-	-	1	-	-	-	1	17	-	1	-	1	-
Tulsa	10	296	35	49	135	142	5	38	42	-	20	39	65	405	98	96	72	49	2
Broken Arrow, part	-	22	2	6	6	12	-	2	1	-	4	4	5	22	8	2	4	-	-
Broken Arrow, total	-	22	2	6	6	12	-	3	1	-	5	4	5	22	8	2	4	1	-
Sand Springs, part	-	11	2	3	3	4	-	4	2	-	-	1	1	23	5	2	2	1	-
Sand Springs, total	-	11	2	3	3	4	-	4	2	-	-	1	1	24	5	2	2	1	-
Tulsa, part	9	231	28	39	109	111	5	27	34	-	15	32	55	329	71	81	57	44	2
Tulsa, total	9	231	29	39	109	111	5	27	35	-	15	32	56	329	71	83	58	44	2
Balance of county	1	32	3	1	17	15	-	5	5	-	1	2	4	31	14	11	9	4	-
Wagoner	3	21	1	4	15	14	1	3	4	-	1	-	3	20	6	3	6	6	-
Broken Arrow, part	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
Balance of county	3	21	1	4	15	14	1	2	4	-	-	-	3	20	6	3	6	5	-
Washington	1	41	6	3	16	25	-	4	3	-	1	4	9	37	15	8	16	2	-
Bartlesville, part	1	25	4	3	11	17	-	3	3	-	1	2	7	26	7	7	14	2	-
Bartlesville, total	1	25	4	3	11	17	-	3	3	-	1	2	7	26	7	7	14	2	-
Balance of county	-	16	2	-	5	8	-	1	-	-	-	2	2	11	8	1	2	-	-
Washita	3	19	3	1	1	4	2	-	3	-	-	2	-	15	2	6	-	3	-
Woods	-	12	-	-	8	7	-	-	3	-	-	-	-	22	3	2	2	-	-
Woodward	-	8	2	1	3	11	1	-	1	-	1	2	4	11	8	4	2	-	-
Woodward	-	7	2	-	3	7	1	-	-	-	-	2	4	8	6	3	1	-	-
Balance of county	-	1	-	1	-	4	-	-	1	-	1	-	-	3	2	1	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	23,381	7	-	185	5,280	1,234	1,628	440	596	196	200	966	331	10,560	7,854	102	199	5,831	1,722
Urban places	11,199	2	-	99	2,487	589	744	233	271	89	91	470	161	5,064	3,692	48	111	2,714	819
Balance of area	12,182	5	-	86	2,773	645	884	207	325	107	109	496	170	5,496	4,162	54	88	3,117	903
Metropolitan counties	15,003	5	-	128	3,385	783	1,026	305	378	137	131	625	198	6,841	5,043	68	134	3,757	1,084
Urban places	8,955	2	-	82	2,017	476	599	192	223	77	73	377	120	4,049	2,951	39	84	2,180	648
Balance of area	6,048	3	-	46	1,368	307	427	113	155	60	58	248	78	2,792	2,092	29	50	1,577	436
Nonmetropolitan counties	8,378	2	-	57	1,875	451	602	135	218	59	69	341	133	3,719	2,811	34	65	2,074	638
Urban places	2,244	-	-	17	470	113	145	41	48	12	16	93	41	1,015	741	9	27	534	171
Balance of area	6,134	2	-	40	1,405	338	457	94	170	47	51	248	92	2,704	2,070	25	38	1,540	467
Baker	184	1	-	1	42	13	10	1	9	2	-	7	3	68	52	1	2	42	7
Benton	367	-	-	2	91	16	27	12	13	1	3	19	5	172	127	4	7	80	36
Albany, part	3	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-
Corvallis	224	-	-	-	53	6	19	8	4	1	3	12	3	105	76	2	5	46	23
Balance of county	140	-	-	2	37	10	7	4	9	-	-	7	2	66	50	2	2	33	13
Clackamas	1,843	-	-	13	419	92	129	37	47	17	14	83	17	874	656	9	21	480	146
Lake Oswego, part	152	-	-	1	41	7	13	6	6	-	1	8	2	64	46	1	1	30	14
Lake Oswego, total	154	-	-	1	42	7	14	6	6	-	1	8	2	65	47	1	1	31	14
Milwaukie, part	243	-	-	2	56	14	18	5	2	3	-	14	3	118	83	2	1	62	18
Milwaukie, total	243	-	-	2	56	14	18	5	2	3	-	14	3	118	83	2	1	62	18
Oregon City	155	-	-	1	37	12	11	3	2	1	3	5	2	83	63	1	2	48	12
Portland, part	13	-	-	-	4	-	2	-	2	-	-	-	-	6	4	-	-	4	-
West Linn	68	-	-	-	19	2	8	-	2	-	2	5	-	23	20	-	-	15	5
Balance of county	1,212	-	-	9	262	57	77	23	33	13	8	51	10	580	440	5	17	321	97
Clatsop	327	-	-	-	77	21	25	7	7	-	3	14	1	144	118	1	2	93	22
Columbia	306	-	-	2	70	12	21	3	4	1	4	25	4	148	121	1	2	96	22
Coos	627	-	-	5	159	35	55	6	21	5	8	29	11	266	204	2	2	149	51
Coos Bay	183	-	-	3	44	14	15	2	4	1	1	7	2	71	53	1	-	38	14
Balance of county	444	-	-	2	115	21	40	4	17	4	7	22	9	195	151	1	2	111	37
Crook	132	-	-	3	32	11	9	1	4	3	1	3	1	57	30	-	-	18	12
Curry	198	-	-	1	46	10	20	4	5	1	2	4	4	92	72	1	-	40	31
Deschutes	537	-	-	9	114	23	46	8	13	1	1	20	6	225	155	3	2	105	45
Bend	161	-	-	1	34	9	11	4	4	-	-	6	2	82	58	1	1	36	20
Balance of county	376	-	-	2	80	14	37	4	9	1	1	14	4	143	97	2	1	69	25
Douglas	800	-	-	4	170	45	51	14	24	7	3	26	12	380	284	1	8	194	61
Roseburg	240	-	-	2	36	9	9	5	4	1	1	7	3	119	84	-	3	61	20
Balance of county	560	-	-	2	134	36	42	9	20	6	2	19	9	261	200	1	5	133	61
Gilliam	12	-	-	-	3	-	1	-	2	-	-	-	-	5	4	-	-	4	-
Grant	79	-	-	-	17	3	5	1	2	-	1	5	-	34	28	-	1	19	8
Harney	63	-	-	-	16	5	5	2	2	-	2	-	-	23	14	-	1	11	2
Hood River	163	-	-	3	40	10	16	2	5	1	2	4	3	70	47	1	2	26	18
Jackson	1,281	-	-	10	306	59	110	25	34	11	10	57	19	568	435	4	6	325	100
Ashland	112	-	-	-	35	3	10	7	9	-	-	6	1	43	29	-	-	17	12
Medford	449	-	-	5	93	20	34	5	8	4	1	21	8	195	140	2	4	102	32
Balance of county	720	-	-	5	178	36	66	13	17	7	9	30	10	330	266	2	2	206	56
Jefferson	88	-	-	1	12	3	2	1	3	-	-	3	-	35	23	-	1	17	5
Josephine	686	-	-	6	148	44	43	9	11	4	6	31	10	297	223	1	12	168	42
Grants Pass	227	-	-	-	49	13	13	3	4	-	2	14	1	102	75	-	6	53	16
Balance of county	459	-	-	6	99	31	30	6	7	4	4	17	9	195	148	1	6	115	26
Klamath	495	-	-	4	113	33	43	8	7	4	1	17	10	219	165	1	1	130	33
Klamath Falls	178	-	-	3	38	11	12	3	2	1	1	8	2	79	56	-	-	43	13
Balance of county	317	-	-	1	75	22	31	5	5	3	-	9	8	140	109	1	1	87	20
Lake	59	-	-	-	9	1	3	-	1	1	2	1	1	29	22	-	-	17	5
Lane	2,157	1	-	13	512	129	162	40	59	21	19	82	37	896	640	10	17	487	126
Eugene	649	-	-	6	188	43	58	17	23	11	7	29	16	360	256	3	10	189	54
Springfield	355	1	-	2	91	28	28	5	8	3	5	14	4	136	93	2	-	78	13
Balance of county	953	-	-	5	233	58	76	18	28	7	7	39	17	400	291	5	7	220	59
Lincoln	431	-	-	5	109	23	41	9	12	4	3	17	9	182	139	5	3	110	21
Linn	783	-	-	4	167	42	52	11	18	5	5	34	12	370	288	4	3	233	48
Albany, part	259	-	-	3	50	12	17	2	4	3	2	10	9	119	87	2	2	71	12
Albany, total	282	-	-	3	51	12	18	2	4	3	2	10	9	120	88	2	2	72	12
Lebanon	127	-	-	-	27	10	6	3	2	2	1	3	1	58	42	-	-	36	6
Balance of county	397	-	-	1	90	20	29	6	12	-	2	21	2	193	159	2	1	126	30
Malheur	259	-	-	1	62	10	16	5	7	7	4	13	6	126	96	2	1	74	19
Marion	1,900	1	-	11	398	107	113	32	46	16	15	69	32	912	687	8	18	500	161
Salem, part	938	-	-	8	202	62	56	11	19	4	9	41	18	443	341	5	11	252	73
Salem, total	1,055	-	-	9	228	69	63	13	25	4	9	45	19	506	389	5	11	287	86
Woodburn	193	-	-	-	48	14	16	3	8	1	1	5	2	103	79	2	4	49	24
Balance of county	769	1	-	3	148	31	41	18	19	11	5	23	12	366	267	1	3	199	64
Morrow	51	-	-	-	12	3	2	-	5	-	1	1	2	27	17	-	-	12	5
Multnomah	5,700	2	-	60	1,237	288	367	127	133	46	45	231	73	2,591	1,895	25	57	1,421	392
Gresham	313	-	-	3	57	13	19	7	6	1	2	9	3	151	109	-	3	73	33
Lake Oswego, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	4,141	1	-	44	929	209	267	103	106	38	34	174	53	1,858	1,353	19	44	1,009	281
Portland, total	4,153	1	-	44	934	209	270	103	108	38	34	174	53	1,867	1,358	19	44	1,014	281
Balance of county	1,245	1	-	13	251	66	81	17	21	9	9	48	17	581	432	6	10	338	78
Polk	371	1	-	3	83	18	24	4	21	2	1	13	5	191	143	2	2	110	29
Salem, part	117	-	-	1	26	7	7	2	6	-	-	4	1	63	48	-	-	35	13
Balance of county	254	1	-	2	57	11	17	2	15	2	1	9	4	128	95	2	2	75	16
Sherman	13	-	-	-	4	2	-	-	-	1	-	1	-	6	5	-	-	5	-
Tillamook	238	-	-	3	49	12	17	3	5	2	1	9	4	105	79	1	-	66	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	113	1,912	401	280	748	1,075	79	298	118	3	125	116	488	2,072	643	593	451	176	53
Urban places	48	992	209	123	381	488	32	159	62	2	60	64	243	1,062	261	259	206	80	27
Balance of area	65	920	192	157	367	587	47	139	56	1	65	52	245	1,010	382	334	245	96	26
Metropolitan counties	77	1,287	271	163	480	670	44	217	77	2	82	77	304	1,327	366	354	282	120	44
Urban places	39	791	168	100	281	371	26	140	50	2	49	53	199	834	205	212	169	68	26
Balance of area	38	496	103	63	199	299	18	77	27	-	33	24	105	493	161	142	113	52	18
Nonmetropolitan counties	36	625	130	117	268	405	35	81	41	1	43	39	184	745	277	239	169	56	9
Urban places	9	201	41	23	100	117	6	19	12	-	11	11	44	228	56	47	37	12	1
Balance of area	27	424	89	94	168	288	29	62	29	1	32	28	140	517	221	192	132	44	8
Baker	2	7	4	3	9	11	-	4	2	-	-	-	8	24	3	7	-	1	-
Benton	3	33	5	4	10	18	-	-	3	-	2	3	3	33	12	7	4	2	-
Albany, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Corvallis	2	23	1	3	8	13	-	-	3	-	1	2	1	22	5	5	2	1	-
Balance of county	1	10	4	1	2	5	-	-	-	-	1	1	2	11	7	2	1	1	-
Clackamas	12	156	32	18	62	82	3	15	14	1	13	9	21	155	54	42	31	14	4
Lake Oswego, part	-	17	1	-	4	8	-	2	3	-	1	-	2	12	4	7	1	-	-
Lake Oswego, total	-	17	1	-	4	8	-	2	3	-	1	-	2	12	4	7	1	-	-
Milwaukie, part	3	23	4	5	10	7	-	-	1	-	4	1	3	25	8	2	2	1	-
Milwaukie, total	3	23	4	5	10	7	-	-	1	-	4	1	3	25	8	2	2	1	-
Oregon City	-	11	7	2	6	4	-	1	1	1	-	1	3	7	2	4	1	1	-
Portland, part	-	1	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
West Linn	-	2	-	1	1	6	-	1	2	-	-	-	2	5	2	1	5	-	1
Balance of county	9	102	19	10	41	56	3	11	7	-	8	7	11	104	38	28	22	12	3
Clatsop	-	19	4	3	10	13	2	1	4	-	1	-	21	29	8	8	6	2	-
Columbia	2	20	1	4	5	17	3	2	2	-	2	2	2	20	14	3	9	1	-
Coos	2	41	7	12	12	24	4	9	2	-	4	3	19	42	24	23	15	4	1
Coos Bay	-	14	1	3	6	11	-	2	-	-	2	2	5	11	9	5	7	3	-
Balance of county	2	27	6	9	6	13	4	7	2	-	2	1	14	31	15	18	8	1	1
Crook	1	12	11	3	9	5	-	2	2	-	2	-	1	8	3	2	3	2	-
Curry	-	14	5	1	6	6	-	1	-	-	-	-	4	21	8	6	3	-	-
Deschutes	1	47	15	7	23	22	3	8	2	-	1	2	15	60	23	13	11	6	-
Bend	-	16	7	1	5	3	1	2	-	-	-	-	5	21	2	2	1	-	-
Balance of county	1	31	8	6	18	19	2	6	2	-	1	2	10	39	21	11	10	6	-
Douglas	6	64	14	12	26	53	3	1	-	1	3	5	13	75	24	14	12	4	-
Roseburg	2	25	5	3	15	13	-	1	-	-	-	2	3	33	7	2	3	1	-
Balance of county	4	39	9	9	11	40	3	-	-	1	3	3	10	42	17	12	9	3	-
Gilliam	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Grant	-	4	1	1	1	1	-	1	1	-	-	1	4	6	6	2	4	1	-
Harney	-	9	-	-	3	1	-	-	-	-	1	-	1	3	3	6	4	2	-
Hood River	1	17	1	4	3	5	1	1	-	-	-	-	8	18	3	3	2	2	-
Jackson	5	111	8	9	37	64	4	20	3	-	4	9	41	99	29	34	25	8	1
Ashland	-	12	1	1	5	3	-	1	1	-	-	-	1	15	2	4	1	-	-
Medford	3	44	4	4	14	27	3	5	-	-	2	7	18	40	10	12	6	3	1
Balance of county	2	55	3	4	18	34	1	14	2	-	2	2	22	44	17	18	18	5	-
Jefferson	-	9	2	1	3	5	-	2	-	-	2	-	3	9	7	6	2	-	1
Josephine	3	56	5	10	16	40	2	6	3	-	5	4	21	74	18	17	13	6	-
Grants Pass	1	19	4	3	10	9	1	4	1	-	3	2	9	24	2	8	1	1	-
Balance of county	2	37	1	7	6	31	1	2	2	-	2	2	12	50	16	9	12	5	-
Klamath	3	39	8	4	16	22	1	5	4	-	3	2	10	38	19	8	15	5	1
Klamath Falls	1	14	7	1	9	10	-	1	2	-	-	-	5	13	7	4	4	1	-
Balance of county	2	25	1	3	7	12	1	4	2	-	3	2	5	25	12	4	11	4	1
Lake	-	6	-	1	-	1	1	2	-	-	-	-	-	10	1	2	2	1	-
Lane	12	184	37	23	79	139	4	24	11	-	9	9	40	208	54	53	48	13	7
Eugene	2	80	15	7	33	46	4	9	3	-	1	6	14	95	20	18	23	4	3
Springfield	5	23	9	6	12	27	-	4	3	-	4	1	4	33	9	9	9	4	2
Balance of county	5	81	13	10	34	66	-	11	5	-	4	2	22	80	25	26	16	5	2
Lincoln	3	20	8	12	18	24	4	7	2	-	3	1	4	25	14	16	6	-	2
Linn	3	59	11	9	24	30	3	10	3	-	5	2	10	75	21	24	17	3	3
Albany, part	1	22	4	5	12	10	2	3	2	-	1	1	3	25	7	4	6	1	1
Albany, total	1	22	4	5	12	10	2	3	2	-	1	1	3	25	7	4	7	1	1
Lebanon	-	12	4	-	1	9	-	2	-	-	2	-	4	12	4	4	2	1	-
Balance of county	2	25	3	4	11	11	1	5	1	-	2	1	3	38	10	16	9	1	2
Malheur	1	19	6	4	5	6	2	3	-	-	2	4	-	22	8	8	2	2	-
Marion	11	158	24	32	64	82	7	17	8	-	12	9	39	167	48	42	30	19	2
Salem, part	3	72	12	15	30	38	3	10	3	-	8	7	18	83	25	16	16	9	1
Salem, total	4	81	16	16	33	42	3	12	3	-	8	7	20	95	26	18	16	9	1
Woodburn	1	17	2	4	6	5	1	-	-	-	-	-	4	14	3	2	5	-	-
Balance of county	7	69	10	13	28	39	3	7	5	-	4	2	17	70	20	24	9	10	1
Morrow	-	5	4	1	1	3	-	-	-	-	-	-	1	1	3	-	-	1	-
Multnomah	23	493	120	60	186	219	19	117	37	1	32	26	130	507	123	151	109	52	26
Gresham	1	33	7	1	13	13	-	1	2	-	2	-	8	35	8	11	3	1	2
Lake Oswego, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	15	361	86	43	124	151	12	93	30	1	21	19	104	373	84	112	78	40	14
Portland, total	15	364	87	43	124	152	12	94	30	1	22	19	104	377	84	112	78	40	14
Balance of county	7	99	27	16	51	55	7	23	5	-	9	7	18	99	31	28	28	11	10
Polk	2	31	12	3	10	14	1	3	-	-	1	-	3	40	4	6	4	2	-
Salem, part	1	9	4	1	3	4	-	2	-	-	-	-	2	12	1	2	-	-	-
Balance of county	1	22	8	2	7	10	1	1	-	-	1	-	1	28	3	4	4	2	-
Sherman	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Tillamook	1	17	4	4	3	13	-	3	1	-	1	2	6	21	7	9	5	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	524	1	–	5	109	29	29	8	9	3	7	24	11	209	171	–	–	139	32
Pendleton	126	–	–	2	29	8	9	1	2	1	2	6	3	48	38	–	–	33	6
Balance of county	398	1	–	3	80	21	20	7	7	2	5	18	8	161	132	–	–	106	26
Union	170	–	–	–	34	11	8	4	5	1	–	5	3	69	53	1	3	33	16
La Grande	99	–	–	–	15	3	3	2	3	1	–	3	3	44	34	1	1	21	11
Balance of county	71	–	–	–	19	8	5	2	2	–	–	2	–	25	19	–	2	12	5
Wallowa	78	–	–	–	11	2	1	1	2	–	1	4	1	40	35	–	–	22	13
Wasco	228	–	–	1	56	9	15	7	6	2	5	12	5	96	79	–	6	49	22
City of the Dalles	144	–	–	1	37	4	11	5	5	–	3	9	5	59	49	–	7	27	15
Balance of county	84	–	–	–	19	5	4	2	1	2	2	3	–	37	30	–	1	22	7
Washington	1,751	–	–	18	430	90	121	40	38	24	27	90	15	609	587	10	13	434	130
Beaverton	272	–	–	3	63	10	17	7	5	4	1	19	2	121	86	–	1	69	16
Forest Grove	137	–	–	–	14	3	2	1	1	2	–	5	2	83	64	–	1	51	12
Hillsboro	230	–	–	4	51	12	16	6	6	3	2	6	3	99	78	2	1	53	22
Lake Oswego, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	9	–	–	–	1	–	1	–	–	–	–	–	–	3	1	–	–	1	–
Tigard	207	–	–	2	61	17	15	4	4	4	5	12	–	86	57	–	1	42	14
Balance of county	895	–	–	9	239	48	69	22	22	11	19	48	8	407	301	8	9	218	66
Wheeler	12	–	–	–	3	–	–	–	2	–	–	1	–	5	4	–	–	4	–
Yamhill	470	–	–	3	100	23	37	8	14	3	3	12	9	220	156	4	4	116	32
McMinnville	153	–	–	2	29	7	12	1	3	–	1	5	4	77	46	1	1	34	10
Newberg	120	–	–	–	28	7	7	2	7	1	1	3	3	51	41	1	1	34	5
Balance of county	197	–	–	1	43	9	18	5	4	2	1	4	2	92	69	2	2	48	17
Pennsylvania	124,395	76	8	2,077	28,128	7,349	7,275	2,470	2,969	1,155	1,072	5,838	2,513	59,132	48,194	449	1,119	31,249	15,377
Urban places	64,163	43	6	1,330	14,753	3,864	3,974	1,290	1,497	592	518	3,018	1,147	29,402	23,853	226	608	14,982	8,037
Balance of area	60,232	33	2	747	13,375	3,485	3,301	1,180	1,472	563	554	2,820	1,366	29,730	24,341	223	511	16,267	7,340
Metropolitan counties	101,446	61	6	1,800	23,345	6,134	6,063	2,068	2,426	946	866	4,842	1,975	47,502	38,744	364	920	24,722	12,736
Urban places	60,737	41	5	1,290	14,044	3,690	3,790	1,234	1,424	553	486	2,867	1,085	27,624	22,412	211	572	13,986	7,643
Balance of area	40,709	20	1	510	9,301	2,444	2,273	834	1,002	393	380	1,975	890	19,878	16,332	153	348	10,736	5,095
Nonmetropolitan counties	22,949	15	2	277	4,783	1,215	1,212	402	543	209	206	996	538	11,630	9,450	85	199	6,527	2,639
Urban places	3,426	2	1	40	709	174	184	56	73	39	32	151	82	1,778	1,441	15	36	996	394
Balance of area	19,523	13	1	237	4,074	1,041	1,028	346	470	170	174	845	476	9,852	8,009	70	163	5,531	2,245
Adams	667	1	–	2	138	35	43	12	11	3	5	29	18	360	284	4	13	158	109
Allegheny	15,748	3	2	216	3,610	1,029	1,043	344	356	162	129	747	336	7,627	6,296	73	133	4,349	1,741
Baldwin	221	–	–	3	61	16	22	4	5	1	1	12	4	117	92	1	2	66	23
Bellevue	138	–	–	1	32	9	8	2	3	2	2	6	2	71	56	–	2	40	14
Bethel Park	255	–	–	6	70	21	18	4	4	3	5	15	4	124	97	3	1	74	19
Brentwood	154	–	–	2	31	11	4	3	4	–	2	7	3	81	66	–	–	49	17
Carnegie	163	–	–	1	36	10	3	5	3	–	1	14	–	83	71	1	3	51	16
Castle Shannon	96	–	–	1	21	5	9	3	1	–	–	3	3	42	36	–	1	28	7
Clairton	188	–	–	4	47	17	8	3	5	3	4	7	7	88	69	–	–	56	13
Dormont	97	–	–	–	23	8	3	2	1	2	–	7	1	49	42	–	–	33	9
Duquesne	134	–	–	2	35	10	7	6	2	1	1	8	3	61	52	–	2	39	11
Elizabeth township#	137	–	–	4	32	8	15	–	1	1	–	7	1	68	55	–	1	46	8
Harrison township#	158	–	–	–	35	10	11	2	1	2	3	6	1	86	75	1	–	66	8
McCandless township#	214	–	–	1	51	18	5	13	2	2	3	8	3	123	100	–	1	72	27
McKeesport	515	–	–	11	105	29	32	9	13	3	1	18	9	252	201	1	4	131	65
Monroeville	237	–	–	2	73	18	19	5	3	6	4	18	5	111	97	–	2	68	27
Mount Lebanon township#	331	–	–	4	75	16	15	7	13	5	3	16	8	171	125	1	3	100	21
Munhall	179	–	–	2	46	12	14	5	4	4	–	7	–	94	82	–	2	64	16
North Versailles township#	118	–	–	–	28	8	9	3	1	1	2	4	–	60	46	2	2	31	13
Penn Hills township#	478	–	–	7	117	36	36	8	12	2	4	19	8	242	198	4	6	139	55
Pittsburgh	5,304	3	2	96	1,277	332	348	116	138	49	36	258	122	2,441	2,024	29	46	1,291	658
Plum	139	–	–	1	38	6	10	7	1	3	1	10	3	82	51	1	–	39	11
Ross township#	378	–	–	5	91	27	32	5	6	4	5	12	4	188	144	1	2	98	43
Scott township#	188	–	–	5	58	12	15	4	8	1	3	15	2	84	73	1	–	57	15
Shaler township#	281	–	–	3	80	26	20	6	4	5	–	19	6	128	105	2	3	76	24
South Park township#	62	–	–	1	16	–	7	–	2	1	–	6	1	30	25	1	–	18	6
Swissvale	145	–	–	2	33	6	8	7	4	2	–	6	2	73	61	–	2	40	19
Upper St. Clair township#	111	–	–	2	18	3	7	1	3	1	–	3	2	57	45	1	1	35	8
West Mifflin	257	–	–	3	65	20	20	8	2	4	2	9	4	130	112	–	2	79	31
Whitehall	140	–	–	1	44	11	14	3	5	3	2	6	1	57	42	–	1	30	11
Wilkinsburg	310	–	–	6	67	19	15	7	8	4	1	13	8	161	133	–	4	82	47
Balance of county	4,620	–	–	40	1,105	305	309	96	97	47	43	208	121	2,293	1,919	23	40	1,357	499
Armstrong	908	1	–	8	205	51	64	8	29	12	10	31	27	471	399	3	6	341	49
Beaver	1,944	2	–	21	499	114	143	45	65	19	18	95	63	860	725	9	17	503	196
Aliquippa	217	–	–	1	58	18	14	2	7	4	1	12	9	100	81	1	2	57	21
Beaver Falls	170	–	–	1	54	10	17	4	10	3	3	7	7	69	64	1	3	43	17
Balance of county	1,557	2	–	19	387	86	112	39	48	12	14	76	47	691	580	7	12	403	158
Bedford	465	–	–	7	88	23	16	6	9	7	3	22	10	257	204	1	7	140	56
Berks	3,348	1	–	37	789	190	202	62	81	27	40	187	67	1,501	1,174	20	29	703	422
Muhlenberg township#	139	–	–	1	43	12	8	–	4	5	2	12	4	53	34	3	3	20	8
Reading	1,001	–	–	16	233	55	67	17	23	8	12	51	17	411	318	5	7	183	123
Balance of county	2,208	1	–	20	513	123	127	45	54	14	26	124	46	1,037	822	12	19	500	291
Blair	1,620	2	–	17	332	86	86	36	34	20	15	55	42	814	681	3	15	502	161
Altoona	748	2	–	10	154	43	39	14	11	9	9	29	17	360	302	–	9	218	75
Balance of county	872	–	–	7	178	43	47	22	23	11	6	26	25	454	379	3	6	284	86
Bradford	619	1	–	6	119	28	30	9	26	4	3	19	13	281	216	3	2	148	63

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Oregon—Con.																			
Umatilla	1	27	3	7	25	28	1	10	6	–	2	3	16	35	21	22	15	5	–
Pendleton	–	7	1	1	10	8	–	3	2	–	1	–	4	9	2	1	3	1	–
Balance of county	1	20	2	6	15	20	1	7	4	–	1	3	12	26	19	21	12	4	–
Union	–	12	2	2	8	14	3	1	1	–	1	1	6	18	1	5	4	1	–
La Grande	–	7	2	1	3	9	2	–	–	–	–	–	3	11	1	3	4	1	–
Balance of county	–	5	–	1	5	5	1	1	1	–	1	1	3	7	–	2	–	–	–
Wallowa	–	2	1	2	6	6	–	1	–	–	–	–	–	1	4	4	4	–	–
Wasco	–	13	2	2	11	11	2	1	1	–	1	–	1	20	8	13	1	–	–
City of the Dalles	–	7	2	1	10	7	–	1	1	–	–	–	–	13	4	5	1	–	–
Balance of county	–	6	–	1	1	4	2	–	–	–	1	–	1	7	4	8	–	–	–
Washington	12	154	36	18	40	70	6	21	4	–	11	15	30	151	54	26	35	12	4
Beaverton	–	28	4	3	6	11	1	7	1	–	2	5	6	24	8	3	7	1	1
Forest Grove	2	13	3	1	4	4	1	2	–	–	–	2	1	18	2	–	3	1	–
Hillsboro	1	14	1	5	7	9	–	–	–	–	2	3	6	20	12	5	5	3	1
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	2	–	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	–
Tigard	2	29	7	1	3	7	1	1	–	–	1	1	3	19	5	4	3	–	–
Balance of county	7	68	23	8	20	39	3	10	3	–	5	4	14	68	27	14	16	7	2
Wheeler	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–	–
Yamhill	3	52	5	4	15	23	–	–	2	–	2	4	6	52	13	10	9	1	1
McMinnville	2	27	2	–	8	10	–	–	1	–	1	–	1	17	1	1	–	1	–
Newberg	–	8	1	1	3	5	–	–	–	–	–	2	1	17	5	3	2	–	–
Balance of county	1	17	2	3	4	8	–	–	1	–	1	2	4	18	7	6	7	–	1
Pennsylvania	463	7,985	1,124	1,366	3,635	4,275	316	1,240	1,538	15	542	836	2,708	10,835	2,009	2,233	1,452	663	164
Urban places	265	4,089	475	720	1,866	2,107	173	688	862	12	276	528	2,038	5,694	688	1,186	727	532	105
Balance of area	198	3,896	649	646	1,769	2,168	143	552	676	3	266	308	670	5,141	1,321	1,047	725	131	59
Metropolitan counties	379	6,420	834	1,125	2,948	3,421	255	1,039	1,289	13	434	712	2,505	8,877	1,475	1,819	1,204	618	148
Urban places	255	3,849	433	675	1,766	1,960	161	647	821	12	264	506	2,013	5,386	655	1,137	692	524	104
Balance of area	124	2,571	401	450	1,182	1,461	94	392	468	1	170	206	492	3,491	820	682	512	94	44
Nonmetropolitan counties	84	1,565	290	241	687	854	61	201	249	2	108	124	203	1,958	534	414	248	45	16
Urban places	10	240	42	45	100	147	12	41	41	–	12	22	25	308	33	49	35	8	1
Balance of area	74	1,325	248	196	587	707	49	160	208	2	96	102	178	1,650	501	365	213	37	15
Adams	2	47	20	7	17	21	1	6	4	–	1	4	4	44	14	12	13	6	1
Allegheny	53	989	99	190	433	624	34	173	243	1	68	115	112	1,258	155	253	178	67	38
Baldwin	–	16	3	6	5	5	–	1	3	–	–	1	2	13	2	–	2	1	1
Bellevue	–	13	–	2	3	15	–	1	2	–	1	–	–	6	–	2	1	1	–
Bethel Park	–	21	2	4	7	7	–	2	2	–	3	–	–	17	6	3	4	–	–
Brentwood	–	13	1	1	5	6	–	3	2	–	1	3	3	8	1	3	2	–	–
Carnegie	1	6	3	2	5	7	1	3	2	–	1	1	2	12	–	6	3	–	–
Castle Shannon	–	3	2	1	2	2	–	3	1	–	–	–	–	13	4	2	1	–	1
Clairton	1	15	2	1	2	7	1	3	4	–	–	2	1	12	2	3	2	2	1
Dormont	–	4	2	1	2	4	–	3	–	–	1	1	–	6	1	3	2	–	1
Duquesne	–	8	1	–	2	6	–	5	2	–	1	2	1	9	1	2	1	–	1
Elizabeth township#	2	9	2	–	7	7	–	2	4	–	–	–	–	6	1	2	3	–	–
Harrison township#	1	7	1	2	9	5	1	2	1	–	–	–	–	13	1	2	2	–	–
McCandless township#	1	18	1	3	4	7	–	–	4	–	–	–	2	14	2	–	3	–	–
McKeesport	2	39	6	4	11	24	6	6	10	–	1	1	13	47	4	6	5	2	2
Monroeville	1	10	–	3	4	11	–	2	2	–	3	1	–	15	3	2	2	1	–
Mount Lebanon township#	1	35	3	7	12	15	1	1	3	–	2	1	1	26	2	3	4	–	2
Munhall	2	7	1	2	4	6	–	5	1	–	–	–	1	16	2	2	–	–	–
North Versailles township#	–	11	–	1	4	5	–	1	2	–	–	–	3	10	2	1	–	1	1
Penn Hills township#	3	33	2	5	9	21	1	9	3	–	1	5	2	28	5	13	4	2	1
Pittsburgh	21	309	23	64	158	198	13	55	85	1	23	54	39	480	48	95	55	44	15
Plum	–	8	–	3	4	10	1	–	4	–	3	1	1	4	3	2	–	1	1
Ross township#	2	30	7	5	11	18	–	–	10	–	2	3	1	29	3	1	11	1	–
Scott township#	1	9	–	1	6	6	–	1	–	–	–	1	1	22	–	1	1	–	–
Shaler township#	–	13	2	6	6	7	–	5	4	–	2	2	1	23	4	6	2	–	–
South Park township#	1	3	1	–	–	2	–	2	–	–	1	–	1	4	1	–	3	–	–
Swissvale	–	10	–	2	5	8	–	2	2	–	–	–	3	10	–	2	2	1	–
Upper St. Clair township#	–	7	–	5	7	4	–	1	1	–	–	–	–	13	3	1	2	–	–
West Mifflin	2	10	–	6	8	9	–	4	5	–	–	3	2	17	–	5	2	–	–
Whitehall	1	9	1	4	2	9	1	1	3	–	1	–	1	17	1	1	–	–	–
Wilkinsburg	1	23	–	4	8	13	1	4	6	–	4	1	–	21	1	3	4	2	–
Balance of county	9	290	33	42	119	160	7	46	75	–	17	32	31	347	52	61	55	8	11
Armstrong	2	58	9	3	20	29	–	7	9	–	2	9	13	71	18	8	6	2	2
Beaver	1	106	9	19	87	73	3	28	25	–	9	7	18	151	28	40	20	5	5
Aliquippa	–	15	1	3	6	8	1	5	–	–	–	4	–	14	2	7	2	–	–
Beaver Falls	–	4	1	–	5	6	1	3	2	–	1	–	2	10	1	4	2	–	2
Balance of county	1	87	7	16	76	59	1	20	23	–	8	3	16	127	25	29	16	5	3
Bedford	1	43	4	5	7	16	1	3	7	–	2	4	2	29	21	8	5	–	–
Berks	12	233	36	46	112	126	12	29	25	1	14	20	188	238	61	65	46	15	1
Muhlenberg township#	1	15	1	2	3	5	–	2	3	–	2	–	4	10	4	4	1	–	–
Reading	3	68	7	15	20	43	5	11	7	–	6	7	85	79	14	23	12	11	1
Balance of county	8	150	28	29	89	78	7	16	15	1	6	13	99	149	43	36	33	4	–
Blair	4	96	11	22	47	72	9	15	17	1	10	11	10	147	22	30	19	2	1
Altoona	2	49	2	5	20	36	4	10	12	1	6	4	5	80	6	13	8	–	–
Balance of county	2	47	9	17	27	36	5	5	5	–	4	7	5	67	16	17	11	2	1
Bradford	3	35	23	4	20	40	–	3	5	–	3	3	34	51	23	12	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	3,971	–	–	58	887	212	223	84	97	34	44	193	64	1,842	1,451	17	35	933	466
Bensalem township#	363	–	–	2	86	15	21	7	12	3	5	23	2	146	118	2	1	87	28
Bristol	136	–	–	1	21	3	6	2	2	–	–	8	3	85	70	2	3	53	12
Bristol township#	399	–	–	7	90	27	28	9	6	4	1	15	9	174	150	–	3	108	39
Falls township#	205	–	–	3	55	15	15	7	6	3	3	6	1	86	74	4	1	53	16
Lower Southampton township#	151	–	–	3	43	8	13	4	4	3	2	9	1	64	51	–	1	31	19
Middletown township#	248	–	–	2	57	12	16	9	6	1	3	10	1	125	101	1	1	64	35
Northampton township#	162	–	–	–	38	11	7	5	6	3	–	6	2	70	55	–	1	35	19
Upper Southampton township#	142	–	–	1	29	10	6	3	4	–	3	3	3	68	58	–	1	33	24
Warminster township#	282	–	–	6	63	11	18	6	8	–	2	18	7	126	93	–	1	52	40
Balance of county	1,881	–	–	33	405	100	93	32	43	17	25	95	35	898	681	8	22	417	234
Butler	1,402	–	1	20	331	85	80	24	36	10	17	79	19	702	568	3	5	425	135
Butler	222	–	–	2	57	12	17	3	5	6	4	10	–	109	88	–	–	73	15
Balance of county	1,180	–	1	18	274	73	63	21	31	4	13	69	19	593	480	3	5	352	120
Cambria	1,942	1	–	19	401	127	88	31	31	23	18	83	57	995	804	10	24	588	192
Johnstown	547	–	–	7	116	36	31	7	9	7	4	22	16	289	217	3	10	166	38
Balance of county	1,395	1	–	12	285	91	57	24	22	16	14	61	41	706	587	7	14	422	144
Cameron	64	–	–	1	12	5	3	1	2	–	–	1	4	35	21	–	2	11	8
Carbon	879	1	–	9	146	40	29	13	14	7	9	34	19	351	288	4	3	196	85
Centre	748	–	–	8	187	49	46	16	22	7	6	41	10	357	286	4	6	192	84
State College	118	–	–	1	29	7	4	5	4	1	–	8	–	54	42	–	1	22	19
Balance of county	630	–	–	7	158	42	42	11	18	6	6	33	10	303	244	4	5	170	65
Chester	2,625	1	–	54	606	162	143	51	62	20	25	143	30	1,237	994	3	25	610	356
Coatesville	168	–	–	6	29	7	6	3	6	1	2	4	–	91	75	–	2	51	22
Phoenixville	182	–	–	3	37	8	15	–	4	2	–	8	–	93	76	1	1	40	34
Tredyffrin township#	167	–	–	5	45	14	12	7	3	–	–	9	1	80	58	–	2	36	20
West Chester	223	–	–	3	41	13	13	1	2	2	1	9	1	130	109	1	3	65	40
West Goshen township#	96	1	–	2	24	6	4	–	1	1	3	9	1	42	33	–	–	25	8
Balance of county	1,789	–	–	35	430	114	93	40	46	14	19	104	27	801	643	1	17	393	232
Clarion	386	–	–	2	71	21	17	7	5	3	5	13	5	216	173	4	3	113	53
Clearfield	876	–	–	10	203	41	55	23	26	13	11	34	24	436	378	2	12	254	110
Clinton	379	–	–	2	80	23	20	6	9	1	2	19	8	201	154	–	3	105	46
Columbia	649	1	–	6	117	30	28	14	7	7	6	25	17	358	276	3	3	176	94
Berwick	161	1	–	1	29	6	6	4	3	2	1	7	5	89	66	1	2	34	29
Bloomsburg	144	–	–	2	26	6	6	4	–	2	1	7	–	83	65	1	1	42	21
Balance of county	344	–	–	3	62	18	16	6	4	3	4	11	12	186	145	1	–	100	44
Crawford	888	–	–	8	196	57	50	24	17	7	6	35	7	437	344	4	9	233	98
Meadville	198	–	–	2	40	17	8	3	3	–	4	5	2	94	78	2	5	57	14
Balance of county	700	–	–	6	156	40	42	21	14	7	2	30	5	343	266	2	4	176	84
Cumberland	1,556	1	–	33	355	84	87	34	46	16	17	71	25	783	606	3	18	425	180
Carlisle	236	–	–	4	40	8	10	8	4	1	3	6	5	127	95	–	4	71	20
East Pennsboro township#	149	–	–	5	29	10	11	2	1	1	–	4	2	78	61	–	2	40	19
Lower Allen township#	119	–	–	2	25	8	4	2	2	3	–	6	2	60	49	1	4	28	16
Balance of county	1,052	1	–	22	261	58	62	22	39	11	14	55	16	520	401	2	6	286	105
Dauphin	2,422	–	1	54	566	137	149	61	46	29	18	126	36	1,148	960	9	20	550	381
Harrisburg	730	–	1	18	171	39	48	16	10	11	7	40	9	322	259	3	6	139	111
Lower Paxton township#	324	–	–	10	81	20	22	12	5	3	5	14	2	154	123	–	5	77	41
Middletown	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Susquehanna township#	170	–	–	2	48	17	6	6	2	5	–	12	3	75	64	–	3	37	24
Swatara township#	202	–	–	7	46	11	10	4	5	2	1	13	7	99	88	1	–	50	37
Balance of county	993	–	–	17	220	50	63	23	24	8	5	47	15	497	425	5	6	246	168
Delaware	5,734	–	–	100	1,391	375	367	131	139	55	46	278	92	2,739	2,183	25	73	1,287	798
Aston township#	122	–	–	4	26	7	6	3	3	3	–	4	–	59	44	–	1	29	14
Chester	550	–	–	13	131	33	41	10	15	4	6	22	13	246	195	3	18	116	60
Darby	181	–	–	7	31	6	9	3	5	1	1	6	4	94	72	–	6	34	32
Darby township#	57	–	–	1	12	1	3	2	2	2	–	2	1	28	23	–	–	17	6
Haverford township#	482	–	–	7	123	39	38	11	3	2	4	26	4	240	191	2	7	119	63
Lansdowne	129	–	–	1	34	13	10	3	1	–	1	6	1	56	48	–	2	26	20
Marple township#	290	–	–	6	72	16	13	10	7	5	3	18	7	142	107	2	3	60	42
Middletown township#	191	–	–	4	17	4	2	3	3	2	–	3	2	122	88	–	3	44	41
Nether Providence township#	122	–	–	1	29	5	12	3	3	1	1	4	1	59	42	1	–	30	11
Newtown township#	138	–	–	2	36	10	10	5	2	1	2	6	–	71	60	–	2	35	23
Radnor township#	214	–	–	6	52	17	9	1	11	3	2	9	6	93	66	1	3	44	18
Ridley township#	250	–	–	2	62	11	19	4	6	4	–	18	8	115	95	1	2	67	25
Springfield township#	255	–	–	2	64	12	16	10	7	2	3	14	5	127	102	–	2	56	44
Upper Chichester township#	134	–	–	–	34	10	6	1	5	3	1	8	–	64	57	–	4	37	16
Upper Darby township#	915	–	–	17	262	81	58	21	28	4	5	65	15	418	350	8	6	200	136
Yeadon	127	–	–	2	31	8	7	5	3	3	2	3	2	64	50	–	1	29	20
Balance of county	1,577	–	–	25	375	102	108	36	35	15	15	64	23	741	593	7	15	344	227
Elk	374	–	–	4	90	27	23	8	10	2	2	18	9	192	153	–	3	107	43
Erie	2,584	1	1	33	552	141	144	45	54	23	19	126	76	1,309	1,022	2	23	744	253
Erie	1,295	–	1	17	285	68	75	22	28	10	9	75	41	669	528	1	18	371	138
Millcreek township#	309	–	–	3	68	15	26	6	4	2	2	13	9	150	116	1	3	82	30
Balance of county	980	1	–	13	199	60	43	17	22	11	8	38	26	490	378	–	2	291	85
Fayette	1,773	–	–	23	388	98	94	24	43	9	24	96	41	884	715	7	15	486	207
Connellsville	142	–	–	2	26	6	5	4	2	–	2	7	1	70	50	–	2	23	25
Uniontown	244	–	–	4	47	11	9	3	6	2	4	12	6	121	97	–	1	74	22
Balance of county	1,387	–	–	17	315	81	80	17	35	7	18	77	34	693	568	7	12	389	160
Forest	71	1	–	–	24	5	7	1	2	1	4	4	4	22	17	–	–	13	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	13	278	60	40	112	142	5	44	45	1	12	19	161	330	109	54	66	17	3
Bensalem township#	2	20	3	3	11	20	-	5	5	-	-	5	24	30	13	4	5	5	-
Bristol	1	12	1	1	4	6	-	1	1	-	-	2	5	5	3	1	-	-	-
Bristol township#	-	22	1	1	9	14	1	9	6	1	4	1	22	19	12	8	9	4	-
Falls township#	-	7	2	3	5	5	-	2	3	-	1	1	18	14	5	1	3	-	2
Lower Southampton township#	1	10	-	2	4	5	-	4	3	-	-	-	8	10	1	2	2	1	-
Middletown township#	-	19	2	3	7	8	-	2	3	-	-	1	9	20	3	5	5	-	-
Northampton township#	1	12	1	1	5	5	1	2	4	-	1	1	4	16	8	2	3	-	-
Upper Southampton township#	-	7	-	3	7	4	-	3	4	-	-	1	6	8	5	1	1	1	-
Warminster township#	1	21	10	1	9	9	-	3	2	-	-	1	11	27	10	3	5	-	-
Balance of county	7	148	40	22	51	66	3	13	14	-	6	6	54	181	49	27	33	6	1
Butler	4	96	20	14	52	62	3	11	14	-	9	9	1	96	25	22	21	3	1
Butler	-	12	4	5	6	12	-	3	5	-	-	3	-	19	1	2	3	-	-
Balance of county	4	84	16	9	46	50	3	8	9	-	9	6	1	77	24	20	18	3	1
Cambria	10	141	25	15	50	87	5	24	24	-	7	8	9	177	21	30	23	2	2
Johnstown	4	51	10	7	14	24	3	7	5	-	3	4	4	31	8	12	3	-	-
Balance of county	6	90	15	8	36	63	2	17	19	-	4	4	5	146	12	18	20	2	2
Cameron	1	11	2	-	2	1	-	1	1	-	-	-	-	2	3	1	-	-	1
Carbon	6	45	3	9	12	15	-	9	9	-	2	1	4	66	18	10	6	1	-
Centre	3	51	8	9	32	23	4	5	7	-	6	8	-	63	18	6	11	2	1
State College	-	8	2	2	4	6	1	2	1	-	-	1	-	14	2	-	3	-	-
Balance of county	3	43	6	7	28	17	3	3	6	-	6	7	-	49	16	6	8	2	1
Chester	9	172	18	44	80	84	5	33	32	1	15	18	56	198	72	46	28	13	6
Coatesville	-	15	-	1	3	7	1	4	1	1	-	1	2	12	4	2	1	2	1
Phoenixville	3	12	-	2	6	7	-	4	1	-	2	-	7	14	3	4	1	-	-
Tredyffrin township#	-	15	2	5	3	3	1	-	3	-	-	2	2	12	2	2	4	1	1
West Chester	1	11	4	5	5	8	-	1	1	-	1	3	9	11	6	2	-	1	-
West Goshen township#	1	7	-	1	3	6	-	1	2	-	1	3	2	7	1	-	-	-	-
Balance of county	4	112	12	30	60	83	3	23	24	-	11	9	34	142	56	38	22	9	4
Clarion	2	31	5	5	13	8	3	6	7	-	-	2	2	29	12	3	5	2	-
Clearfield	-	46	4	9	26	21	5	7	12	-	6	6	7	65	20	16	10	2	-
Clinton	4	33	6	4	5	19	3	4	5	-	3	2	-	25	9	8	3	2	-
Columbia	3	57	10	12	21	31	-	11	5	-	2	1	4	49	8	8	9	1	-
Berwick	1	13	7	2	-	12	-	4	2	-	1	-	3	11	-	1	2	-	-
Bloomsburg	1	16	-	1	5	6	-	4	2	-	-	-	-	12	3	1	-	-	-
Balance of county	1	28	3	9	16	13	-	3	1	-	1	1	1	28	5	6	7	1	-
Crawford	3	57	22	11	33	50	1	9	7	-	6	7	3	83	22	17	8	3	1
Meadville	1	11	1	3	9	12	-	1	2	-	1	5	-	23	3	2	2	-	-
Balance of county	2	46	21	8	24	38	1	8	5	-	5	2	3	60	19	15	6	3	1
Cumberland	6	135	18	18	41	75	3	14	14	-	5	6	27	110	23	21	19	1	-
Carlisle	4	22	6	-	9	9	1	7	3	-	-	-	7	20	2	2	-	-	-
East Pennsboro township#	-	11	1	3	5	8	-	1	1	-	1	1	1	13	-	3	2	1	-
Lower Allen township#	-	8	2	1	4	6	-	-	1	-	-	1	3	11	2	1	1	-	-
Balance of county	2	94	9	14	23	52	2	6	9	-	4	4	16	66	19	15	16	-	-
Dauphin	10	140	19	19	66	100	8	14	38	2	9	22	16	223	40	46	25	7	3
Harrisburg	5	44	7	7	22	27	4	5	14	2	3	11	6	68	10	20	10	6	1
Lower Paxton township#	3	23	4	1	12	11	-	1	2	-	-	3	2	32	3	9	2	-	-
Middletown	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Susquehanna township#	-	9	-	2	6	11	1	-	2	-	-	-	1	12	3	4	1	1	-
Swatara township#	-	8	2	1	8	6	1	-	5	-	1	1	-	17	1	2	1	-	-
Balance of county	2	56	6	8	17	45	2	8	13	-	5	7	6	94	23	11	11	-	2
Delaware	23	425	51	57	180	217	20	70	56	-	25	28	37	511	71	85	69	24	19
Aston township#	-	13	-	2	3	8	-	2	-	-	2	1	1	9	5	-	2	-	-
Chester	5	41	1	4	11	19	3	7	4	-	3	9	5	55	3	8	3	14	3
Darby	-	14	6	2	5	5	1	1	5	-	1	-	1	17	1	3	2	1	2
Darby township#	1	3	-	1	1	1	-	1	1	-	1	1	1	5	1	1	1	-	-
Haverford township#	3	39	4	3	14	23	1	3	6	-	1	1	5	41	-	7	6	-	-
Lansdowne	2	4	1	1	7	6	2	-	4	-	1	1	-	9	3	2	2	-	-
Marple township#	1	28	6	-	15	6	-	2	1	-	1	1	3	26	1	5	2	-	-
Middletown township#	1	29	4	-	12	7	-	2	2	-	2	-	-	17	2	2	-	-	-
Nether Providence township#	-	12	2	3	4	2	-	1	1	-	1	1	-	16	2	2	1	-	1
Newtown township#	-	10	-	1	6	4	-	3	-	-	1	-	-	11	2	2	-	-	-
Radnor township#	1	17	3	6	9	8	-	1	1	-	1	1	1	19	6	5	5	-	-
Ridley township#	-	18	1	1	6	12	1	6	2	-	1	1	-	21	3	6	4	-	-
Springfield township#	1	15	3	6	8	8	1	3	3	-	2	1	-	22	3	2	3	-	1
Upper Chichester township#	-	6	1	-	3	7	-	3	2	-	-	2	1	11	1	2	3	-	1
Upper Darby township#	2	53	8	5	21	31	4	11	9	-	3	2	11	76	8	11	9	4	3
Yeadon	-	12	-	2	5	4	-	1	1	-	-	1	1	8	1	3	1	2	-
Balance of county	6	111	11	20	50	66	7	23	14	-	4	5	7	148	29	24	25	3	8
Elk	-	30	5	4	5	9	2	6	3	-	7	-	1	19	9	9	6	2	1
Erie	8	238	15	26	86	75	4	27	25	-	6	11	25	223	47	49	26	8	-
Erie	3	123	6	9	35	33	1	14	10	-	2	7	18	103	24	20	10	5	-
Millcreek township#	2	26	3	3	9	13	2	2	5	-	-	-	-	29	7	5	6	1	-
Balance of county	3	89	6	14	42	29	1	11	10	-	4	4	7	91	16	24	10	2	-
Fayette	9	120	21	19	61	52	3	20	19	-	6	6	31	159	31	27	19	3	-
Connellsville	1	12	3	4	5	6	-	1	2	-	-	3	3	18	2	1	2	-	-
Uniontown	-	18	5	1	10	10	-	4	4	-	-	2	7	22	2	2	3	-	-
Balance of county	8	90	13	14	46	36	3	15	13	-	6	1	21	119	27	24	14	3	-
Forest	1	4	-	-	5	1	-	-	-	-	-	2	1	7	2	2	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	1,049	1	–	11	244	51	64	23	31	5	9	61	21	484	392	6	14	266	108
Chambersburg	275	–	–	4	60	9	22	4	6	–	2	17	4	144	121	3	2	88	28
Balance of county	774	1	–	7	184	42	42	19	25	5	7	44	17	340	271	3	12	178	78
Fulton	114	–	–	1	20	4	8	1	3	–	1	3	4	66	46	1	5	29	11
Greene	456	–	–	4	77	24	14	8	4	2	5	20	10	238	193	1	–	146	46
Huntingdon	410	–	–	4	101	25	24	7	4	2	5	34	13	193	154	1	3	98	52
Indiana	814	1	–	12	148	41	37	14	13	6	5	32	24	415	317	4	6	221	86
Indiana	92	–	–	–	12	5	1	–	3	–	–	3	4	47	37	–	3	24	10
Balance of county	722	1	–	12	136	36	36	14	10	6	5	29	20	368	280	4	3	197	76
Jefferson	559	–	–	12	122	32	30	6	14	7	5	28	7	270	230	1	3	169	57
Juniata	191	–	–	5	37	9	10	5	4	3	3	3	6	99	79	1	1	51	26
Lackawanna	2,635	2	–	37	623	178	147	48	73	27	23	127	65	1,524	1,297	14	40	769	474
Carbondale	176	–	–	6	40	11	14	2	4	2	3	4	6	91	81	–	3	49	29
Dunmore	197	–	–	4	48	12	9	6	6	2	1	12	9	101	90	2	2	68	18
Scranton	1,256	1	–	16	270	80	67	16	32	10	10	55	23	684	593	8	13	337	235
Balance of county	1,208	1	–	11	265	75	57	24	31	13	9	56	27	648	533	4	22	315	192
Lancaster	3,366	–	–	32	790	215	182	71	98	30	35	159	71	1,637	1,302	8	25	829	442
Columbia	154	–	–	–	37	14	8	3	4	1	1	6	5	81	64	–	–	54	10
Ephrata	95	–	–	1	29	9	9	2	5	–	–	4	1	44	31	–	1	16	14
Lancaster	648	–	–	5	135	34	43	7	18	5	5	23	16	316	255	1	6	161	87
Lancaster township#	193	–	–	–	41	7	10	6	2	4	2	10	6	107	85	–	1	43	41
Manheim township#	299	–	–	2	48	15	5	9	7	2	1	9	10	179	137	2	1	87	47
Balance of county	1,977	–	–	24	500	136	107	44	62	18	26	107	33	910	730	3	16	488	243
Lawrence	1,174	–	–	16	230	64	58	20	26	14	10	38	25	633	534	4	11	430	89
New Castle	516	–	–	5	94	25	22	11	7	8	3	18	10	286	238	3	6	193	36
Balance of county	658	–	–	11	136	39	36	9	19	6	7	20	15	347	296	1	5	237	53
Lebanon	1,211	–	1	12	265	58	73	26	35	13	11	49	37	630	536	7	8	316	205
Lebanon	362	–	1	4	80	19	24	6	14	6	2	19	12	172	144	1	3	83	57
Balance of county	849	–	–	8	175	39	49	20	21	7	9	30	25	458	392	6	5	233	148
Lehigh	2,805	–	1	41	648	163	151	51	71	32	24	156	60	1,370	1,134	11	28	660	435
Allentown	1,278	–	–	12	297	82	72	18	28	14	15	68	26	633	514	8	13	297	198
Bethlehem, part	261	–	–	4	49	11	14	3	5	2	2	12	2	139	112	1	2	64	45
Emmaus	111	–	–	4	34	8	7	5	6	2	1	5	4	44	36	–	2	19	15
Salisbury township#	69	–	–	2	21	4	6	–	6	–	1	4	–	34	25	1	–	13	11
Whitehall township#	187	–	–	2	49	12	12	4	5	5	–	11	4	94	81	–	3	49	29
Balance of county	899	–	1	17	198	46	40	21	21	9	5	56	24	426	366	1	8	218	139
Luzerne	4,233	5	–	42	888	247	190	94	83	41	34	199	68	2,191	1,877	16	38	1,107	716
Hazleton	411	1	–	2	93	30	15	18	9	3	3	15	14	214	177	–	2	120	55
Kingston	221	–	–	2	53	11	9	8	5	3	3	14	3	119	104	1	3	60	40
Nanticoke	213	–	–	1	45	13	11	4	6	1	–	10	1	111	99	–	2	57	40
Wilkes-Barre	753	–	–	9	147	40	41	12	12	8	6	28	14	411	355	2	12	214	127
Balance of county	2,635	4	–	28	550	153	114	52	51	26	22	132	56	1,336	1,142	13	19	656	454
Lycoming	1,146	–	–	9	256	53	64	19	36	15	8	61	40	566	453	6	11	273	163
Williamsport	305	–	–	5	83	17	25	2	9	5	1	24	6	136	107	–	3	86	38
Balance of county	841	–	–	4	173	36	39	17	27	10	7	37	34	430	346	6	8	207	125
McKean	578	–	–	4	104	18	37	5	10	7	6	21	11	330	291	–	6	138	147
Bradford	181	–	–	2	32	4	14	2	3	3	2	4	1	111	101	–	3	40	58
Balance of county	397	–	–	2	72	14	23	3	7	4	4	17	10	219	190	–	3	98	89
Mercer	1,324	–	–	19	287	83	68	27	36	18	10	45	23	665	545	3	13	417	112
Sharon	233	–	–	6	48	18	12	6	7	2	–	3	1	113	95	–	4	65	26
Balance of county	1,091	–	–	13	239	65	56	21	29	16	10	42	22	552	450	3	9	352	86
Mifflin	492	1	–	11	88	13	22	11	14	3	5	20	10	248	198	1	2	138	57
Monroe	743	–	–	12	169	38	35	21	18	9	10	38	13	349	305	2	1	147	155
Montgomery	6,213	4	–	106	1,464	349	386	143	155	52	58	321	94	2,945	2,365	26	74	1,472	793
Abington township#	541	1	–	8	113	33	32	10	8	4	4	22	6	270	200	2	4	128	66
Cheltenham township#	430	1	–	15	105	34	23	12	11	1	5	19	8	207	150	3	6	91	50
East Norriton township#	123	–	–	2	33	10	7	5	3	1	1	6	2	58	49	–	5	35	9
Hatfield township#	75	–	–	1	20	3	8	1	5	–	–	3	3	35	31	1	–	23	7
Lansdale	211	–	–	5	51	8	15	6	8	1	1	10	4	92	69	–	3	50	16
Lower Merion township#	621	1	–	15	144	21	37	18	17	8	8	35	6	300	248	3	8	151	86
Lower Moreland township#	91	–	–	2	24	7	4	3	2	1	2	5	–	45	37	–	1	22	14
Lower Providence township#	89	–	–	3	22	1	8	2	3	1	–	7	1	44	37	–	1	28	8
Norristown	470	–	–	6	80	27	28	6	5	3	1	20	8	209	174	4	6	91	73
Plymouth township#	143	–	–	2	33	7	12	2	1	2	2	7	5	72	60	–	3	35	22
Pottstown	304	–	–	3	66	15	18	6	7	3	2	15	6	156	131	2	6	77	46
Springfield township#	263	–	–	2	54	11	14	9	3	2	1	14	2	138	110	1	4	65	40
Towamencin township#	51	–	–	–	20	3	9	3	2	–	1	2	1	21	17	–	–	8	9
Upper Dublin township#	161	–	–	3	45	10	12	3	1	1	5	13	3	69	53	–	1	29	23
Upper Merion township#	162	–	–	–	49	8	16	1	3	–	2	19	2	72	61	1	2	44	14
Upper Moreland township#	249	1	–	5	62	15	18	9	8	2	4	6	3	109	84	1	1	46	36
West Norriton township#	98	–	–	–	34	5	9	5	6	1	2	6	2	37	29	1	–	18	10
Whitemarsh township#	154	–	–	3	30	7	7	3	1	4	1	7	2	78	61	–	1	37	23
Balance of county	1,977	–	–	31	469	124	109	37	61	17	16	105	30	933	764	7	22	494	241
Montour	214	–	–	2	40	9	6	4	9	2	1	9	8	107	81	–	–	54	27
Northampton	2,232	2	–	25	528	156	128	44	46	18	16	120	33	1,130	945	3	12	517	413
Bethlehem, part	574	1	–	7	140	39	29	12	16	5	4	35	6	284	230	2	5	135	88
Bethlehem, total	835	1	–	11	189	50	43	15	21	7	6	47	8	423	342	3	7	199	133
Easton	320	–	–	5	61	17	16	4	9	2	4	9	3	162	128	–	4	65	59
Palmer township#	101	–	–	–	33	11	4	5	4	2	1	6	4	53	48	–	–	29	19
Balance of county	1,237	1	–	13	294	89	79	23	17	9	7	70	20	631	539	1	3	288	247

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	12	82	9	9	41	43	4	7	11	–	7	7	3	86	30	28	12	1	–
Chambersburg	3	16	2	2	8	7	1	1	2	–	1	2	1	28	3	6	4	1	–
Balance of county	9	46	7	7	33	36	3	6	9	–	6	5	2	70	27	20	8	–	–
Fulton	2	5	10	3	1	7	–	2	–	–	–	–	1	6	3	2	1	–	–
Greene	–	36	4	5	24	17	2	2	7	–	2	3	3	47	9	4	7	–	–
Huntingdon	–	23	10	6	5	12	1	4	5	–	2	1	1	34	14	9	8	3	–
Indiana	2	61	29	6	24	27	2	7	6	–	7	11	6	71	20	20	11	2	–
Indiana	–	7	2	1	2	2	2	2	1	–	1	–	–	15	1	1	2	–	–
Balance of county	2	54	27	5	22	25	–	5	5	–	6	11	6	56	19	19	9	2	–
Jefferson	1	30	2	7	18	25	2	8	4	–	4	5	1	53	8	16	4	–	–
Juniata	–	10	9	1	2	6	–	–	6	–	1	1	2	16	7	1	2	–	–
Lackawanna	10	159	27	31	71	86	2	26	28	–	9	9	19	244	32	41	13	3	1
Carbondale	1	7	1	1	5	4	–	1	3	–	–	–	–	9	8	2	1	–	–
Dunmore	1	5	1	4	2	4	1	3	6	–	1	–	1	12	1	3	1	–	–
Scranton	5	64	8	14	38	43	1	9	10	–	3	4	10	108	12	17	4	2	1
Balance of county	3	83	17	12	26	35	–	13	9	–	5	5	8	115	11	19	7	1	–
Lancaster	14	229	54	38	101	115	13	24	59	–	24	29	27	280	73	47	38	6	–
Columbia	–	13	3	1	5	10	1	1	4	–	–	1	1	6	1	–	1	–	–
Ephrata	–	10	2	1	2	3	–	–	–	–	–	–	1	9	1	4	–	–	–
Lancaster	–	44	7	10	18	29	2	6	10	–	6	9	6	58	12	8	7	4	–
Lancaster township#	2	17	3	–	6	5	–	–	4	–	–	–	–	21	–	1	2	–	–
Manheim township#	2	29	7	4	6	7	–	1	2	–	4	–	3	26	1	5	4	1	–
Balance of county	10	118	32	22	64	61	10	16	39	–	14	19	16	159	59	29	24	1	–
Lawrence	5	81	8	7	37	41	5	11	14	–	6	7	7	88	23	20	4	6	1
New Castle	3	38	4	3	17	20	1	5	7	–	2	2	5	45	4	5	3	4	1
Balance of county	2	43	2	4	20	21	4	6	7	–	4	5	2	43	19	15	1	2	–
Lebanon	–	74	7	13	32	60	2	10	14	–	4	3	6	79	24	20	10	2	–
Lebanon	–	19	2	7	10	19	1	4	1	–	3	2	–	28	5	5	4	1	–
Balance of county	–	55	5	6	22	41	1	6	13	–	1	1	6	51	19	15	6	1	–
Lehigh	6	171	25	34	82	101	11	30	24	–	15	19	17	252	44	31	40	19	–
Allentown	4	88	8	19	44	44	5	14	12	–	8	14	7	108	14	12	19	9	–
Bethlehem, part	–	12	8	7	11	15	2	2	2	–	–	2	–	26	2	2	1	2	–
Emmaus	–	7	–	1	5	3	–	2	1	–	–	–	2	7	1	2	1	1	–
Salisbury township#	–	9	–	–	1	1	–	–	–	–	–	–	2	5	–	1	2	–	–
Whitehall township#	–	12	1	–	2	6	1	3	3	–	2	–	1	15	2	–	2	1	–
Balance of county	2	43	8	7	19	32	3	9	8	–	5	3	5	91	25	14	15	6	–
Luzerne	18	210	42	44	98	109	9	41	57	–	15	11	25	468	61	68	40	11	6
Hazleton	3	23	3	8	15	8	2	5	5	–	1	1	–	39	3	2	2	2	2
Kingston	1	11	1	2	3	5	3	1	4	–	1	1	–	18	1	1	5	1	–
Nanticoke	2	9	1	–	4	3	–	1	1	–	1	2	3	31	2	5	2	–	–
Wilkes-Barre	3	37	7	9	22	23	–	6	13	–	2	1	1	71	8	17	4	3	1
Balance of county	9	130	30	25	54	70	4	28	34	–	10	6	21	309	47	43	27	5	3
Lycoming	2	84	12	15	24	48	3	7	12	–	3	6	10	98	24	26	14	–	–
Williamsport	1	23	1	4	7	12	1	2	2	–	1	2	3	23	7	11	4	–	–
Balance of county	1	61	11	11	17	36	2	5	10	–	2	4	7	75	17	15	10	–	–
McKean	2	28	2	6	10	21	4	6	3	–	3	3	7	39	14	14	4	1	–
Bradford	–	9	1	–	2	5	2	2	1	–	1	1	4	11	2	3	–	1	–
Balance of county	2	20	1	6	8	16	2	4	2	–	2	2	3	28	12	11	4	–	–
Mercer	5	80	15	20	51	54	5	13	11	–	5	6	3	126	15	26	11	3	1
Sharon	2	10	3	3	9	10	–	5	2	–	–	1	1	24	3	4	3	2	1
Balance of county	3	70	12	17	42	44	5	8	9	–	5	5	2	102	12	22	8	1	–
Mifflin	4	37	2	7	14	22	2	1	4	–	–	2	11	47	11	11	7	1	1
Monroe	3	34	–	7	17	30	1	9	13	–	1	5	5	64	25	14	14	2	–
Montgomery	21	417	57	85	206	201	15	81	61	–	30	38	102	526	100	135	72	28	5
Abington township#	7	50	3	10	28	16	2	5	5	–	4	3	6	55	5	6	7	1	–
Cheltenham township#	–	43	8	6	12	9	–	3	4	–	–	3	7	33	3	10	6	2	2
East Norriton township#	–	8	1	–	6	2	–	1	–	–	–	–	2	11	2	4	–	–	–
Hatfield township#	–	4	–	–	–	2	–	2	–	–	1	–	1	9	1	–	–	–	–
Lansdale	1	13	4	5	7	7	–	2	4	–	1	3	2	25	1	3	3	1	–
Lower Merion township#	2	39	5	6	23	22	3	8	7	–	1	3	7	50	7	11	10	2	1
Lower Moreland township#	1	6	–	1	6	2	–	1	1	–	1	–	1	7	–	1	–	–	–
Lower Providence township#	–	6	1	–	1	3	–	2	–	–	–	–	–	8	2	2	–	–	1
Norristown	4	24	3	4	12	19	2	8	6	–	3	8	13	42	6	22	7	9	–
Plymouth township#	–	6	2	4	2	5	–	2	1	–	1	1	–	12	3	3	1	–	–
Pottstown	1	18	–	6	9	12	3	5	4	–	1	4	2	16	9	4	4	–	–
Springfield township#	1	18	4	5	12	6	–	5	4	–	–	1	1	24	4	6	3	1	–
Towamencin township#	–	2	1	1	–	1	–	2	–	–	–	–	2	3	–	1	–	–	–
Upper Dublin township#	–	9	2	5	3	3	–	2	3	–	1	–	1	18	2	3	5	–	–
Upper Merion township#	–	8	2	1	2	5	–	1	2	–	1	1	2	12	6	7	–	–	–
Upper Moreland township#	–	17	4	4	10	7	–	1	3	–	3	–	7	23	2	9	4	–	–
West Norriton township#	–	5	–	3	3	1	–	2	–	–	–	1	–	11	3	2	–	2	–
Whitemarsh township#	–	12	4	1	6	9	–	2	–	–	1	–	3	20	1	4	1	–	–
Balance of county	4	129	13	23	64	76	5	27	17	–	11	10	45	147	43	37	21	10	1
Montour	–	21	2	3	7	6	–	–	8	–	2	1	1	23	7	4	–	–	–
Northampton	12	133	19	21	73	77	3	18	23	–	10	11	29	174	38	31	23	4	–
Bethlehem, part	3	37	9	5	19	18	2	7	4	–	3	2	13	44	8	7	8	1	–
Bethlehem, total	3	49	17	12	30	33	4	9	8	–	3	4	13	70	10	9	9	3	–
Easton	2	26	1	5	16	16	–	2	4	–	2	2	2	27	6	8	4	–	–
Palmer township#	1	2	1	1	2	2	–	–	–	–	–	–	–	5	–	1	1	–	–
Balance of county	6	68	8	10	36	41	1	9	15	–	5	7	14	98	24	15	10	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,259	–	–	20	280	73	59	20	33	12	10	73	29	632	503	6	11	343	143
Shamokin	158	–	–	–	41	9	11	4	4	4	1	8	2	79	60	2	2	40	16
Sunbury	165	–	–	5	36	10	8	2	4	1	–	11	2	80	65	–	3	41	21
Balance of county	936	–	–	15	203	54	40	14	25	7	9	54	25	473	378	4	6	282	106
Perry	337	–	–	5	85	19	22	4	12	6	7	15	7	153	119	–	3	77	39
Philadelphia, coext. with Philadelphia city	20,298	26	1	672	4,611	1,247	1,294	367	486	156	145	916	336	7,972	6,450	56	166	3,728	2,500
Pike	247	–	–	4	55	12	17	9	4	4	–	9	4	120	103	1	5	70	27
Potter	170	–	–	2	34	3	6	2	9	2	1	11	–	81	69	1	10	30	28
Schuylkill	2,157	4	–	19	431	139	108	41	39	15	13	76	53	1,080	895	14	24	688	169
Pottsville	272	–	–	3	47	18	17	3	2	1	1	5	6	154	127	2	3	108	14
Balance of county	1,885	4	–	16	384	121	91	38	37	14	12	71	47	926	768	12	21	560	155
Snyder	328	2	–	5	55	10	17	5	5	1	3	14	4	172	147	–	3	105	39
Somerset	875	–	–	6	180	49	45	14	19	8	5	40	18	453	376	1	18	263	94
Sullivan	99	–	–	–	22	5	4	–	6	2	–	5	2	49	40	–	1	22	17
Susquehanna	385	–	–	4	86	27	12	2	8	4	2	31	10	194	167	1	7	117	42
Tioga	420	–	–	3	81	20	19	5	11	7	5	14	17	203	162	–	1	89	72
Union	306	–	–	8	35	12	4	2	4	3	2	8	13	175	145	–	–	89	56
Venango	639	1	–	10	144	29	40	10	16	11	7	31	24	296	241	3	4	179	55
Oil City	153	–	–	2	37	4	8	–	5	4	5	11	4	74	58	–	–	41	17
Balance of county	486	1	–	8	107	25	32	10	11	7	2	20	20	222	183	3	4	138	38
Warren	511	1	–	7	106	30	27	9	14	6	2	18	13	247	190	1	1	132	56
Warren	141	1	–	2	35	13	6	3	6	–	–	7	3	65	46	–	–	35	11
Balance of county	370	–	–	5	71	17	21	6	8	6	2	11	10	182	144	1	1	97	45
Washington	2,270	1	–	41	491	131	143	47	43	20	13	94	58	1,091	919	5	6	699	209
Canonsburg	120	–	–	2	34	10	11	4	1	1	–	7	2	53	46	1	–	31	14
Washington	274	–	–	5	57	12	23	4	5	–	3	10	4	129	107	–	–	83	24
Balance of county	1,876	1	–	34	400	109	109	39	37	19	10	77	52	909	766	4	6	585	171
Wayne	441	–	–	8	98	27	24	9	13	5	4	14	8	235	189	2	7	122	58
Westmoreland	4,002	5	–	54	930	216	249	88	103	39	44	191	74	2,015	1,668	18	15	1,206	429
Greensburg	274	1	–	4	61	10	17	6	8	3	5	12	2	159	119	1	1	88	29
Hempfield township#	385	–	–	3	85	21	22	8	4	5	3	22	8	209	175	2	2	120	51
Jeannette	168	–	–	3	39	7	12	5	3	–	2	10	1	91	73	–	2	48	23
Latrobe	149	–	–	3	38	7	10	2	6	–	2	11	4	63	45	1	–	29	15
Lower Burrell	148	–	–	5	28	7	10	1	1	2	–	7	2	73	63	–	1	46	16
Monessen	142	–	–	1	33	8	13	1	4	2	1	4	3	71	56	–	1	44	11
Municipality of Murrysville	118	–	–	1	44	11	9	7	4	–	2	11	2	48	39	–	–	28	11
New Kensington	232	–	–	2	49	13	12	3	5	3	5	8	2	116	100	1	3	75	21
North Huntingdon township#	276	–	–	4	69	15	24	7	8	3	3	9	5	135	123	2	–	83	38
Balance of county	2,116	4	–	28	484	117	120	48	60	21	21	97	45	1,050	875	11	5	645	214
Wyoming	246	–	–	–	46	13	17	5	1	1	–	9	7	135	97	–	3	50	44
York	2,784	2	–	34	650	182	154	63	81	26	23	121	48	1,324	1,068	10	29	701	328
Hanover	208	1	–	1	47	15	9	7	7	3	1	5	2	110	90	–	3	45	42
Springettsbury township#	273	–	–	3	51	13	11	4	6	3	4	10	1	126	91	–	1	48	42
Spring Garden township#	150	–	–	2	30	9	7	4	4	1	–	5	5	81	58	–	–	36	22
York	549	–	–	9	113	33	26	13	11	3	4	23	10	245	199	1	6	135	57
Balance of county	1,614	1	–	19	408	112	101	35	53	16	14	78	30	762	630	9	19	437	165
Rhode Island	9,718	5	–	154	2,331	620	609	230	269	100	68	435	169	4,686	3,813	27	85	3,064	637
Urban places	7,718	4	–	124	1,866	501	489	176	210	86	58	346	144	3,673	3,015	22	70	2,401	522
Balance of area	2,000	1	–	30	465	119	120	54	59	14	10	89	25	1,013	798	5	15	663	115
Metropolitan counties	9,021	5	–	146	2,152	576	567	210	246	94	63	394	158	4,328	3,546	25	78	2,849	594
Urban places	7,393	4	–	122	1,773	481	465	168	197	83	54	325	140	3,468	2,861	21	67	2,278	495
Balance of area	1,668	1	–	24	379	97	102	42	49	11	9	69	18	860	685	4	11	571	99
Nonmetropolitan counties	697	–	–	8	179	42	42	20	23	6	5	41	11	358	267	2	7	215	43
Urban places	385	–	–	2	93	20	24	8	13	3	4	21	4	205	154	1	3	123	27
Balance of area	312	–	–	6	86	22	18	12	10	3	1	20	7	153	113	1	4	92	16
Bristol	452	1	–	7	96	25	19	9	13	5	3	22	7	231	192	1	3	149	39
Barrington town#	118	–	–	3	31	6	7	3	4	1	–	10	2	53	45	–	1	37	7
Bristol town#	211	–	–	2	41	13	7	3	4	1	3	10	4	121	102	1	2	78	21
Warren town#	123	1	–	2	24	6	5	3	5	3	–	2	1	57	45	–	–	34	11
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	1,483	–	–	21	387	98	92	46	42	21	15	73	25	693	565	6	14	464	81
Coventry town#	221	–	–	4	63	15	21	12	3	5	–	7	6	97	76	–	2	64	10
Warwick	879	–	–	12	230	63	51	24	26	13	6	47	15	400	325	5	10	261	49
West Warwick town#	245	–	–	2	58	11	14	6	8	3	7	9	4	120	104	1	1	87	15
Balance of county	138	–	–	3	36	9	6	4	5	–	2	10	–	76	60	–	1	52	7
Newport	697	–	–	8	179	42	42	20	23	6	5	41	11	358	267	2	7	215	43
Middletown town#	113	–	–	1	26	4	9	4	4	–	–	5	1	55	44	–	–	36	8
Newport	272	–	–	1	67	16	15	4	9	3	4	16	3	150	110	1	3	87	19
Balance of county	312	–	–	6	86	22	18	12	10	3	1	20	7	153	113	1	4	92	16
Providence	6,260	3	–	106	1,491	408	402	135	172	62	42	270	115	2,987	2,463	18	58	1,951	436
Central Falls	239	–	–	4	53	11	13	4	9	2	2	12	4	114	92	1	–	81	10
Cranston	780	1	–	16	200	60	49	23	17	9	4	38	20	357	297	–	4	236	57
Cumberland town#	239	–	–	5	65	12	21	8	11	1	1	11	5	116	102	–	3	88	11
East Providence	616	–	–	12	159	45	45	14	22	6	4	23	7	287	232	2	3	183	44
Johnston town#	224	–	–	2	56	16	19	5	4	2	3	7	3	110	91	1	5	70	15
North Providence town#	329	–	–	7	88	22	28	5	11	6	2	15	4	167	128	3	5	91	29
Pawtucket	844	1	–	12	199	64	53	16	20	10	2	34	19	412	344	4	2	282	56
Providence	1,712	–	–	33	370	103	90	35	36	17	16	73	38	777	636	3	26	487	120
Woonsocket	553	1	–	6	135	34	42	7	17	4	4	27	8	280	242	–	3	199	40
Balance of county	724	–	–	9	165	41	42	18	25	5	4	30	7	387	299	4	7	234	54
Washington	826	1	–	12	178	47	54	20	19	6	3	29	11	417	326	–	3	265	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	3	106	10	10	36	36	3	3	19	1	2	–	15	133	19	14	14	2	1
Shamokin	–	15	2	2	4	6	–	–	3	–	1	–	–	14	2	3	3	–	–
Sunbury	–	12	1	2	8	4	1	–	2	–	1	–	2	18	–	3	2	1	–
Balance of county	3	79	7	6	24	26	2	3	14	1	–	–	13	101	17	8	9	1	1
Perry	2	28	2	2	6	14	1	3	6	–	2	2	2	33	8	5	5	–	–
Philadelphia, coext. with Philadelphia city	99	1,138	90	195	577	482	54	214	312	6	87	243	1,472	1,975	156	465	246	344	47
Pike	1	13	–	3	6	5	–	2	1	–	1	1	21	18	6	1	1	1	–
Potter	–	8	1	3	5	7	–	2	1	–	3	–	1	19	7	4	4	–	–
Schuylkill	11	134	6	34	56	68	5	26	24	–	7	5	7	257	40	41	32	1	1
Pottsville	–	20	2	5	4	14	2	7	6	–	–	–	–	20	–	7	2	–	–
Balance of county	11	114	4	29	52	54	3	19	18	–	7	5	7	237	40	34	30	1	1
Snyder	1	18	1	5	9	16	2	1	6	–	3	3	3	29	10	6	2	–	–
Somerset	5	46	19	8	24	31	4	4	4	–	2	2	2	100	17	19	9	–	–
Sullivan	1	7	–	1	6	3	–	2	–	–	1	–	–	9	4	–	–	–	1
Susquehanna	3	19	4	1	5	20	–	3	5	–	3	3	2	27	11	6	5	1	–
Tioga	1	32	6	2	9	19	–	4	2	–	2	2	2	40	17	13	6	–	–
Union	–	23	5	2	10	11	1	–	4	–	2	4	1	21	9	4	4	1	3
Venango	2	40	5	8	19	28	4	9	7	–	1	4	1	52	17	13	8	–	1
Oil City	–	12	2	2	4	7	1	3	1	–	–	2	–	11	2	3	2	–	–
Balance of county	2	28	3	6	15	21	3	6	6	–	1	2	1	41	15	10	6	–	1
Warren	–	40	9	8	26	18	1	5	3	–	2	3	2	42	13	15	5	2	–
Warren	–	10	4	5	6	5	1	–	–	–	–	–	–	15	3	4	1	–	–
Balance of county	–	30	5	3	20	13	–	5	3	–	2	3	2	27	10	11	4	2	–
Washington	3	132	17	20	64	92	4	33	30	–	7	14	7	203	37	32	34	10	1
Canonsburg	–	5	1	1	6	6	–	2	1	–	–	–	1	9	–	1	3	–	–
Washington	–	19	1	2	13	15	–	4	3	–	2	2	–	30	2	4	2	2	–
Balance of county	3	108	15	17	65	71	4	27	26	–	5	12	6	164	35	27	29	8	1
Wayne	3	35	6	2	16	9	–	1	5	1	–	5	–	36	8	8	4	1	–
Westmoreland	10	260	30	47	86	112	11	30	42	–	17	26	99	314	72	63	39	8	5
Greensburg	–	20	4	7	2	12	1	–	1	–	1	1	3	20	3	2	–	1	–
Hempfield township#	1	26	3	4	4	19	1	2	3	–	1	3	8	23	8	3	6	–	1
Jeannette	1	12	3	2	2	5	1	3	–	–	2	1	3	14	–	1	2	–	–
Latrobe	–	16	2	–	4	8	–	1	3	–	1	–	3	10	3	1	2	–	1
Lower Burrell	–	9	–	1	4	3	1	1	4	–	–	1	1	12	2	8	2	1	–
Monessen	2	9	3	1	5	1	–	1	1	–	–	3	3	13	2	5	–	–	–
Municipality of Murrysville	–	9	–	–	–	6	–	1	2	–	–	–	2	10	–	2	–	–	–
New Kensington	1	13	1	1	4	4	–	3	5	–	1	1	10	29	2	4	4	2	–
North Huntingdon township#	–	9	–	3	5	3	1	1	5	–	1	4	8	21	5	3	5	1	–
Balance of county	5	128	14	28	56	53	6	17	18	–	10	12	60	168	47	34	18	3	3
Wyoming	–	19	18	1	4	8	–	–	3	–	–	2	2	18	11	7	2	–	1
York	6	184	30	36	88	105	6	12	40	–	15	10	17	254	63	63	52	9	2
Hanover	–	11	5	4	10	8	–	–	4	–	–	–	–	17	3	2	3	–	–
Springettsbury township#	1	23	5	6	20	10	1	–	6	–	1	–	1	38	2	9	4	–	–
Spring Garden township#	–	21	–	2	4	3	–	2	2	–	–	–	1	17	–	2	1	–	–
York	1	30	8	7	14	27	1	2	11	–	6	5	6	60	6	15	13	6	–
Balance of county	4	99	12	17	40	57	4	8	17	–	8	5	9	122	52	35	31	3	2
Rhode Island	25	627	99	122	269	357	26	109	97	–	49	55	39	914	141	167	99	42	9
Urban places	19	467	81	91	219	285	22	81	81	–	39	40	35	750	90	136	82	40	7
Balance of area	6	160	18	31	50	72	4	28	16	–	10	15	4	164	51	31	17	2	2
Metropolitan counties	24	556	91	111	259	338	25	98	91	–	45	49	38	866	125	154	88	41	7
Urban places	18	427	75	87	212	276	22	76	78	–	35	35	33	722	84	127	81	39	6
Balance of area	6	129	16	24	47	62	3	22	13	–	10	14	3	144	41	27	17	2	1
Nonmetropolitan counties	1	71	8	11	10	19	1	11	6	–	4	6	3	48	16	13	1	1	2
Urban places	1	40	6	4	7	9	–	5	3	–	4	5	2	28	6	9	1	1	1
Balance of area	–	31	2	7	3	10	1	6	3	–	–	1	1	20	10	4	–	–	1
Bristol	1	27	5	6	10	21	1	4	4	–	3	1	1	44	6	6	7	1	1
Barrington town#	1	5	2	–	1	5	–	–	1	–	–	–	1	10	3	1	5	1	1
Bristol town#	–	15	1	3	6	10	–	1	2	–	–	–	–	16	3	4	1	–	–
Warren town#	–	7	2	3	3	6	1	3	1	–	3	1	–	18	–	1	1	–	–
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	3	93	12	20	41	60	4	8	14	–	6	5	6	139	21	29	16	6	–
Coventry town#	1	15	2	3	4	9	1	–	3	–	1	–	1	18	4	4	4	2	–
Warwick	1	57	7	10	23	37	3	6	8	–	4	3	3	86	13	23	13	–	–
West Warwick town#	–	14	1	1	12	11	–	2	2	–	1	1	2	21	4	–	1	4	–
Balance of county	1	7	2	6	2	3	–	–	1	–	–	1	–	14	–	2	–	–	–
Newport	1	71	8	11	10	19	1	11	6	–	4	6	3	48	16	13	1	1	2
Middletown town#	–	8	2	1	4	4	–	1	–	–	3	–	2	8	4	3	1	–	–
Newport	1	32	4	3	3	5	–	4	3	–	1	5	–	20	2	6	–	1	1
Balance of county	–	31	2	7	3	10	1	6	3	–	–	1	1	20	10	4	–	–	1
Providence	17	368	54	75	189	228	18	70	68	–	31	33	26	611	79	108	61	39	5
Central Falls	1	13	6	2	4	8	1	4	7	–	2	3	2	21	3	4	4	1	–
Cranston	2	46	5	7	23	24	2	8	7	–	3	4	2	80	8	11	13	1	–
Cumberland town#	–	10	2	2	5	3	2	2	–	–	3	–	–	26	1	3	2	–	1
East Providence	1	38	8	8	21	19	3	4	3	–	3	2	5	69	5	12	2	2	1
Johnston town#	1	13	3	2	7	4	–	–	3	–	–	1	1	27	3	4	–	2	1
North Providence town#	–	27	4	8	8	8	–	3	4	–	2	–	1	25	2	4	4	1	–
Pawtucket	5	40	10	13	23	34	4	9	10	–	3	3	3	86	8	11	3	4	–
Providence	4	98	19	20	58	75	3	23	24	–	9	13	12	179	23	36	18	21	2
Woonsocket	1	29	3	5	14	23	2	11	3	–	1	4	–	40	4	9	12	–	–
Balance of county	2	54	4	8	26	30	1	6	7	–	5	3	–	58	22	12	5	1	–
Washington	3	68	10	10	19	29	2	16	5	–	5	10	3	72	19	13	12	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	28,141	36	1	368	5,780	1,359	1,730	477	725	217	217	1,055	544	13,038	9,898	59	373	6,423	3,043
Urban places	7,918	10	1	108	1,602	402	479	145	177	56	57	286	151	3,691	2,716	18	115	1,766	817
Balance of area	20,223	26	–	260	4,178	957	1,251	332	548	161	160	769	393	9,347	7,180	41	258	4,655	2,226
Metropolitan counties	15,890	19	1	226	3,339	777	997	316	410	137	116	586	317	7,118	5,463	41	188	3,636	1,598
Urban places	6,151	9	1	91	1,286	322	388	115	138	45	46	232	116	2,788	2,088	17	87	1,347	637
Balance of area	9,739	10	–	135	2,053	455	609	201	272	92	70	354	201	4,330	3,375	24	101	2,289	961
Nonmetropolitan counties	12,251	17	–	142	2,441	582	733	161	315	80	101	469	227	5,920	4,435	18	185	2,787	1,445
Urban places	1,767	1	–	17	316	80	91	30	39	11	11	54	35	903	630	1	28	421	180
Balance of area	10,484	16	–	125	2,125	502	642	131	276	69	90	415	192	5,017	3,805	17	157	2,366	1,265
Abbeville	210	–	–	3	56	13	15	3	6	3	2	14	5	99	74	–	–	59	15
Aiken	1,024	4	–	12	218	55	87	14	18	10	10	44	15	454	332	2	10	208	112
Aiken	261	1	–	1	49	13	15	5	2	3	3	8	1	124	91	1	1	50	39
North Augusta	168	1	–	1	40	6	12	3	5	2	2	10	3	78	58	1	4	41	12
Balance of county	595	2	–	10	129	36	40	6	11	5	5	26	11	252	183	–	5	117	61
Allendale	115	2	–	–	20	3	7	1	4	1	–	4	1	56	47	–	2	25	20
Anderson	1,191	–	–	16	279	74	65	22	39	17	11	51	22	519	386	2	10	275	99
Anderson	432	–	–	7	90	26	21	9	8	5	5	16	5	195	146	–	5	101	40
Balance of county	759	–	–	11	189	48	44	13	31	12	6	35	17	324	240	2	5	174	59
Bamberg	191	1	–	1	36	10	13	4	4	–	–	5	2	113	90	–	10	50	30
Barnwell	215	–	–	8	36	8	11	2	4	2	3	6	3	111	85	–	4	51	30
Beaufort	469	–	–	8	122	21	45	9	18	3	7	19	12	194	131	–	4	100	27
Berkeley	608	2	–	7	142	33	47	9	26	5	1	21	14	238	188	1	3	141	43
Goose Creek	65	–	–	1	10	3	6	–	1	–	–	–	1	29	25	–	1	20	4
Hanahan	58	–	–	1	18	4	3	2	4	2	–	3	–	30	29	–	–	24	5
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	485	2	–	5	114	26	38	7	21	3	1	18	13	179	134	1	2	97	34
Calhoun	108	–	–	–	26	4	8	3	2	2	1	6	2	55	40	1	2	29	8
Charleston	2,227	6	1	45	449	107	148	41	47	17	17	72	41	960	750	5	25	519	201
Charleston	815	3	1	15	175	43	59	14	19	3	7	30	13	383	301	2	14	208	77
Mount Pleasant	191	–	–	2	48	16	12	3	4	2	2	9	6	80	62	–	1	36	25
North Charleston, part	335	–	–	10	64	19	24	4	2	2	3	10	4	128	98	3	4	73	18
North Charleston, total	335	–	–	10	64	19	24	4	2	2	3	10	4	128	98	3	4	73	18
Balance of county	886	3	–	18	162	29	53	20	22	10	5	23	18	369	289	–	8	202	81
Cherokee	387	–	–	3	85	25	21	9	13	3	3	11	13	174	141	–	1	98	42
Gaffney	192	–	–	2	38	9	10	6	7	2	1	3	7	86	70	–	–	44	26
Balance of county	195	–	–	1	47	16	11	3	6	1	2	8	6	88	71	–	1	54	16
Chester	349	1	–	6	66	22	15	5	6	2	–	16	6	185	135	1	3	74	57
Chesterfield	367	–	–	2	77	20	16	8	11	3	4	15	4	165	120	–	2	84	34
Clarendon	240	1	–	4	45	9	15	3	10	–	2	6	6	127	99	1	–	57	41
Colleton	326	1	–	2	66	15	26	1	6	3	2	13	16	157	111	–	2	91	18
Darlington	632	2	–	10	117	28	36	4	18	3	5	23	9	285	219	2	17	120	80
Dillon	319	–	–	4	59	13	19	–	3	2	7	15	10	157	106	2	5	50	51
Dorchester	464	–	–	8	86	24	29	8	8	2	1	14	17	220	174	2	6	111	55
Edgefield	153	–	–	1	34	8	10	–	1	1	4	10	1	75	60	–	3	38	19
Fairfield	261	–	–	6	51	12	15	5	7	1	2	9	1	132	101	1	6	44	50
Florence	1,058	–	–	12	193	41	55	19	34	7	9	26	20	553	432	2	20	220	190
Florence	364	–	–	4	71	14	19	9	11	3	3	12	11	192	140	1	9	67	63
Balance of county	694	–	–	8	122	27	36	10	23	4	6	18	9	361	292	1	11	153	127
Georgetown	399	–	–	8	87	28	29	6	8	2	3	13	13	174	125	1	7	70	47
Georgetown	116	–	–	2	23	5	6	2	2	1	1	6	4	83	41	–	3	19	19
Balance of county	283	–	–	6	64	23	23	4	4	1	2	7	9	111	84	1	4	51	28
Greenville	2,447	3	–	41	540	110	154	70	68	22	14	102	52	1,089	827	11	26	539	251
Greenville	704	1	–	13	168	38	49	21	20	6	2	32	14	312	231	3	9	132	87
Greer, part	152	–	–	2	13	4	2	1	4	–	–	2	4	85	53	1	1	39	12
Greer, total	183	–	–	2	21	5	4	3	5	–	1	3	5	99	65	1	1	47	15
Balance of county	1,591	2	–	26	359	68	103	48	44	16	12	68	34	682	543	7	16	368	152
Greenwood	573	–	–	3	110	22	29	11	14	4	3	27	6	272	196	1	12	132	51
Greenwood	288	–	–	–	47	14	15	5	5	2	–	6	2	141	99	–	7	66	26
Balance of county	285	–	–	3	63	8	14	6	9	2	3	21	4	131	97	1	5	66	25
Hampton	202	2	–	1	39	10	9	2	11	1	1	5	3	107	88	–	2	66	20
Horry	973	3	–	14	180	42	57	16	20	4	3	38	17	461	362	3	8	237	114
Conway	137	1	–	2	21	6	3	2	3	–	–	7	5	72	56	–	2	37	17
Myrtle Beach	141	–	–	–	33	6	9	5	6	–	1	6	4	63	49	–	1	31	17
Balance of county	695	2	–	12	126	30	45	9	11	4	2	25	8	326	257	3	5	169	80
Jasper	159	–	–	1	31	9	5	2	8	–	1	6	2	75	51	–	3	27	21
Kershaw	324	–	–	3	79	15	27	4	9	3	4	17	8	143	110	–	7	69	34
Lancaster	484	–	–	4	93	19	29	6	12	2	3	22	9	237	203	1	4	129	69
Laurens	571	1	–	4	121	31	42	6	11	6	9	16	12	292	222	–	11	151	60
Laurens	173	–	–	1	33	8	8	2	4	3	3	5	2	98	70	–	4	49	17
Balance of county	398	1	–	3	88	23	34	4	7	3	6	11	10	194	152	–	7	102	43
Lee	157	–	–	–	33	10	10	2	5	1	1	4	4	81	63	–	5	41	17
Lexington	1,029	–	–	13	232	54	69	34	25	3	5	42	27	445	344	3	7	259	75
Cayce	67	–	–	2	24	7	8	2	2	–	1	4	1	22	17	–	–	17	–
West Columbia	149	–	–	1	35	9	13	3	4	–	1	5	5	66	53	1	–	44	8
Balance of county	813	–	–	10	173	38	48	29	19	3	3	33	21	357	274	2	7	198	67
McCormick	76	–	–	2	18	1	9	2	2	–	–	4	1	34	31	–	1	12	18
Marion	354	–	–	2	65	13	19	3	8	5	2	15	10	170	124	–	3	90	31
Marlboro	293	–	–	5	55	12	14	8	8	3	3	7	5	142	97	–	–	72	25
Newberry	366	–	–	3	76	15	16	5	11	3	5	21	4	189	152	–	5	55	92
Oconee	488	–	–	6	100	28	25	4	12	3	6	22	4	234	175	1	10	101	63
Orangeburg	887	–	–	9	152	46	44	7	15	3	4	33	9	435	302	–	12	199	91
Orangeburg	211	–	–	3	27	10	5	2	3	1	1	5	3	115	67	–	2	47	18
Balance of county	676	–	–	6	125	36	39	5	12	2	3	28	6	320	235	–	10	152	73

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina	182	2,448	251	259	834	877	77	311	246	10	212	352	248	2,614	1,047	818	385	326	17
Urban places	45	782	64	82	257	264	22	89	71	2	52	111	58	831	178	207	104	105	4
Balance of area	137	1,666	187	177	577	613	55	222	175	8	160	241	190	1,783	869	611	281	221	13
Metropolitan counties	99	1,264	150	142	537	543	45	183	121	3	120	208	116	1,546	576	430	241	189	12
Urban places	34	547	53	66	216	221	19	79	50	2	46	90	46	622	136	154	89	86	4
Balance of area	65	717	97	76	321	322	26	104	71	1	74	118	70	924	440	276	152	103	8
Nonmetropolitan counties	83	1,184	101	117	297	334	32	128	125	7	92	144	132	1,068	471	388	144	137	5
Urban places	11	235	11	16	41	43	3	10	21	–	6	21	12	209	42	53	15	19	–
Balance of area	72	949	90	101	256	291	29	118	104	7	86	123	120	859	429	335	129	118	5
Abbeville	1	21	1	2	6	6	1	3	2	–	1	1	1	17	3	1	1	4	–
Aiken	3	99	15	5	21	27	3	9	8	–	8	9	3	119	44	40	20	9	1
Aiken	1	27	4	1	9	5	1	2	7	–	–	2	1	31	7	13	5	2	–
North Augusta	–	15	3	2	5	5	1	3	–	–	–	3	–	18	4	4	1	1	–
Balance of county	2	57	8	2	7	17	1	4	1	–	8	4	2	70	33	23	14	6	1
Allendale	1	7	–	1	3	3	1	3	1	1	–	3	–	10	4	3	1	3	–
Anderson	17	93	10	13	54	43	5	11	11	–	6	13	20	98	40	22	14	15	1
Anderson	4	36	5	4	15	14	2	5	4	–	3	7	10	53	8	3	4	7	–
Balance of county	13	57	5	9	39	29	3	6	7	–	3	6	10	45	32	19	10	8	1
Bamberg	2	21	–	–	2	4	1	1	–	–	–	2	1	7	4	11	2	3	–
Barnwell	1	22	2	1	8	5	–	2	3	–	2	3	2	15	6	8	2	2	1
Beaufort	6	43	9	5	13	14	–	9	2	–	4	8	4	34	17	17	11	2	–
Berkeley	4	33	12	1	16	18	1	8	1	–	10	10	8	54	43	21	9	6	–
Goose Creek	–	4	–	–	–	–	–	–	–	–	3	5	–	9	2	3	2	–	–
Hanahan	–	1	–	–	–	3	–	1	–	–	1	–	–	3	1	–	–	–	–
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	4	28	12	1	16	15	1	7	1	–	6	5	8	42	40	18	7	6	–
Calhoun	1	14	–	–	–	1	–	–	1	–	1	3	1	10	–	6	1	1	–
Charleston	13	161	14	22	74	79	4	21	15	2	24	36	22	228	71	69	40	39	1
Charleston	6	64	5	7	24	23	1	7	6	1	7	10	8	77	8	26	11	14	1
Mount Pleasant	–	9	3	6	6	7	–	2	–	–	3	1	1	16	3	7	5	4	–
North Charleston, part	2	23	2	3	17	16	1	6	1	–	5	8	7	23	16	12	11	6	–
North Charleston, total	2	23	2	3	17	16	1	6	1	–	5	8	7	23	16	12	11	6	–
Balance of county	5	65	4	6	27	33	2	6	8	1	9	17	6	112	43	24	13	15	–
Cherokee	1	24	3	5	14	20	–	1	5	–	1	5	2	35	12	10	4	3	–
Gaffney	–	14	2	2	7	11	–	–	2	–	1	2	2	23	1	6	1	1	–
Balance of county	1	10	1	3	7	9	–	1	3	–	–	3	–	12	11	4	3	2	–
Chester	2	31	13	4	15	8	3	3	–	1	1	4	3	16	17	9	2	3	–
Chesterfield	6	33	4	2	6	12	1	5	1	–	6	2	22	30	14	15	1	4	–
Clarendon	–	25	1	2	2	5	1	1	1	–	2	3	3	18	16	2	1	1	1
Colleton	2	41	1	2	5	10	–	2	2	–	4	2	–	32	14	9	–	4	–
Darlington	4	54	3	5	19	16	1	10	9	1	5	9	10	67	27	22	5	8	–
Dillon	6	36	1	6	8	7	1	4	13	–	–	1	5	26	9	9	1	5	–
Dorchester	4	31	8	3	7	14	2	1	5	–	6	6	–	45	23	12	9	3	–
Edgefield	–	13	–	2	2	7	1	2	3	–	1	1	1	10	9	1	3	1	–
Fairfield	3	24	–	4	8	8	–	4	1	–	1	4	1	17	14	7	1	5	–
Florence	6	101	6	8	27	26	1	16	9	–	11	14	4	85	42	24	13	8	–
Florence	–	50	1	1	6	8	–	5	3	–	7	7	–	29	11	3	3	4	–
Balance of county	6	51	5	7	21	18	1	11	6	–	4	7	4	56	31	21	10	4	–
Georgetown	2	42	2	3	11	8	–	3	4	–	6	5	2	32	22	14	5	4	1
Georgetown	1	19	1	1	1	1	–	1	1	–	–	1	–	11	5	2	–	1	–
Balance of county	1	23	1	2	10	7	–	2	3	–	6	4	2	21	17	12	5	3	1
Greenville	11	193	32	26	75	95	10	27	13	–	11	33	13	230	79	70	38	27	1
Greenville	5	58	6	12	16	25	5	9	3	–	2	15	3	70	14	16	8	10	–
Greer, part	–	24	7	1	7	11	1	1	–	–	–	–	2	20	3	1	2	–	–
Greer, total	–	26	7	1	9	11	1	2	–	–	–	–	2	22	4	1	3	1	–
Balance of county	6	111	19	13	52	59	4	17	10	–	9	18	8	140	62	53	28	17	1
Greenwood	4	52	5	5	17	18	1	5	3	–	8	5	6	74	20	14	5	6	–
Greenwood	2	36	2	2	7	10	1	1	3	–	2	2	4	48	7	8	2	3	–
Balance of county	2	26	3	3	10	8	–	4	–	–	6	3	2	26	13	6	3	3	–
Hampton	1	13	3	2	3	5	–	1	–	–	4	1	1	18	8	6	1	2	–
Horry	2	74	9	14	14	23	4	19	6	–	5	8	10	87	49	39	15	19	–
Conway	1	13	1	1	3	1	1	3	1	–	–	–	–	18	2	2	2	3	–
Myrtle Beach	–	12	–	2	2	4	–	2	–	–	1	–	–	15	6	7	2	2	–
Balance of county	1	49	8	11	9	18	3	14	5	–	4	8	10	54	41	30	11	14	–
Jasper	–	21	1	2	2	6	1	3	2	–	–	–	2	10	12	6	3	3	–
Kershaw	3	23	5	2	8	12	2	5	2	–	3	2	1	28	18	6	2	1	1
Lancaster	1	30	–	3	20	20	1	–	3	–	6	5	3	39	18	12	13	1	–
Laurens	1	59	6	4	14	18	–	3	6	–	4	6	7	46	7	17	7	6	–
Laurens	1	24	2	1	2	6	–	1	4	–	–	2	1	12	2	4	3	2	–
Balance of county	–	35	4	3	12	12	–	2	2	–	4	4	6	34	5	13	4	4	–
Lee	2	14	–	2	5	6	–	–	1	–	1	3	1	8	5	6	1	2	–
Lexington	3	81	5	12	31	39	5	11	9	–	5	19	7	91	40	26	17	8	4
Cayce	–	2	–	3	2	5	–	2	1	–	–	1	–	2	1	2	2	–	–
West Columbia	1	10	1	1	4	10	1	1	1	–	1	1	1	10	3	6	2	–	1
Balance of county	2	69	4	8	25	24	4	8	7	–	4	17	6	79	36	18	13	8	3
McCormick	–	3	–	–	–	1	–	–	–	–	–	–	2	7	5	5	1	–	–
Marion	6	38	–	2	11	7	1	6	5	1	3	6	11	27	12	9	5	3	–
Marlboro	2	36	2	5	6	6	1	6	4	–	2	1	4	25	7	13	7	4	–
Newberry	–	30	3	4	3	12	1	2	7	1	1	2	2	32	7	15	4	5	–
Oconee	1	50	5	3	15	10	2	7	7	–	2	4	1	52	19	10	10	5	–
Orangeburg	14	106	7	6	28	26	5	6	10	–	3	12	18	90	36	32	4	11	–
Orangeburg	2	45	1	–	10	2	–	–	3	–	–	3	3	27	6	7	–	2	–
Balance of county	12	61	6	6	18	24	5	6	7	–	3	9	16	63	30	25	4	9	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (080-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	648	–	–	8	115	26	45	7	12	6	1	18	3	310	230	1	7	167	55
Easley	174	–	–	3	31	7	12	3	2	1	–	6	1	85	57	–	1	45	11
Balance of county	474	–	–	5	84	19	33	4	10	5	1	12	2	225	173	1	6	122	44
Richland	2,304	3	–	32	464	109	135	32	51	18	24	95	53	934	706	6	32	452	216
Columbia	1,241	2	–	18	247	60	78	14	24	10	11	50	23	508	363	3	19	227	114
Balance of county	1,063	1	–	14	217	49	57	18	27	8	13	45	30	426	343	3	13	225	102
Saluda	172	1	–	–	34	5	12	2	5	1	–	9	1	88	53	–	1	42	10
Spartanburg	1,968	–	–	18	423	96	134	46	52	20	13	62	27	964	770	5	34	521	210
Greer, part	31	–	–	–	8	1	2	2	1	–	1	1	1	14	12	–	–	8	4
Spartanburg	577	–	–	5	121	28	37	16	16	3	3	18	11	292	235	–	13	138	84
Balance of county	1,360	–	–	13	294	67	95	28	35	17	9	43	15	658	523	5	21	375	122
Sumter	756	–	–	8	144	37	42	9	22	6	6	22	13	353	257	1	12	159	85
Sumter	358	–	–	3	69	14	27	6	6	1	3	12	5	177	116	1	4	75	36
Balance of county	398	–	–	5	75	23	15	3	16	5	3	10	8	176	141	–	8	84	49
Union	342	1	–	6	68	18	21	5	10	1	3	10	7	180	134	–	11	105	18
Union	151	–	–	4	25	8	8	–	3	1	1	4	3	86	62	–	5	53	4
Balance of county	191	1	–	2	43	10	13	5	7	–	2	6	4	94	72	–	6	52	14
Williamsburg	333	1	–	9	60	10	22	4	13	3	2	6	8	168	129	2	10	60	57
York	922	1	–	12	198	48	49	14	30	10	10	37	26	432	324	1	8	224	91
Rock Hill	367	1	–	5	74	24	16	4	9	3	2	16	12	165	117	1	6	77	34
Balance of county	555	–	–	7	124	24	33	10	21	7	8	21	14	267	207	–	3	147	57
South Dakota	6,579	5	–	63	1,439	370	358	134	175	66	60	276	105	3,227	2,502	20	29	1,737	718
Urban places	2,285	1	–	22	513	129	136	57	63	21	21	86	41	1,128	886	6	8	605	247
Balance of area	4,294	4	–	41	926	241	222	77	112	45	39	190	64	2,099	1,636	14	21	1,132	469
Metropolitan counties	866	–	–	11	210	60	54	22	24	11	5	34	13	411	327	2	1	238	86
Urban places	726	–	–	9	174	48	46	19	19	8	5	29	13	339	266	2	1	194	69
Balance of area	140	–	–	2	36	12	8	3	5	3	–	5	–	72	61	–	–	44	17
Nonmetropolitan counties	5,713	5	–	52	1,229	310	304	112	151	55	55	242	92	2,816	2,175	18	28	1,499	630
Urban places	1,559	1	–	13	339	81	90	38	44	13	16	57	28	789	600	4	7	411	178
Balance of area	4,154	4	–	39	890	229	214	74	107	42	39	185	64	2,027	1,575	14	21	1,088	452
Aurora	36	–	–	–	13	3	4	2	–	–	–	4	1	14	12	–	–	9	3
Beadle	198	1	–	1	40	9	12	3	3	3	5	5	1	98	69	1	2	36	30
Huron	156	1	–	1	35	7	11	3	2	3	4	5	1	77	56	–	2	28	28
Balance of county	42	–	–	–	5	2	1	–	1	–	1	–	–	21	13	1	–	8	4
Bennett	24	–	–	–	4	–	2	–	–	1	–	1	1	9	8	–	–	4	4
Bon Homme	93	–	–	–	19	4	5	–	1	1	1	7	1	56	35	–	–	27	8
Brookings	170	–	–	–	36	18	4	4	6	–	1	3	3	87	72	–	–	61	11
Brookings	94	–	–	–	17	9	1	1	3	–	–	3	2	54	44	–	–	37	7
Balance of county	76	–	–	–	19	9	3	3	3	–	1	–	1	33	28	–	–	24	4
Brown	301	–	–	1	64	19	12	7	4	6	5	11	4	180	137	–	–	115	22
Aberdeen	236	–	–	1	52	16	11	7	3	4	5	6	3	138	108	–	–	86	16
Balance of county	65	–	–	–	12	3	1	–	1	2	–	5	1	42	31	–	–	27	4
Brule	53	–	–	–	15	4	3	1	2	–	–	5	–	26	18	–	–	15	3
Buffalo	7	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Butte	91	–	–	–	21	3	10	–	2	–	2	4	1	50	40	1	–	35	4
Campbell	18	–	–	–	6	2	2	–	–	–	1	1	–	6	5	–	–	5	–
Charles Mix	110	–	–	3	26	5	10	–	6	3	1	1	2	47	41	–	–	23	18
Clark	65	–	–	–	18	4	5	1	3	2	–	3	–	29	25	–	–	21	4
Clay	89	–	–	5	13	1	4	2	–	–	1	5	2	48	38	–	–	22	16
Vermillion	44	–	–	4	4	–	1	1	–	–	1	1	2	25	20	–	–	11	9
Balance of county	45	–	–	1	9	1	3	1	–	–	–	4	–	23	18	–	–	11	7
Codington	216	–	–	–	38	7	8	5	7	2	–	9	2	112	84	1	2	57	24
Watertown	177	–	–	–	29	4	7	4	6	1	–	7	2	93	70	1	2	49	18
Balance of county	39	–	–	–	9	3	1	1	1	1	–	2	–	19	14	–	–	8	6
Corson	43	–	–	1	8	3	–	–	3	–	–	2	4	16	13	–	1	8	4
Custer	55	–	–	1	5	1	–	–	1	–	–	3	1	22	20	–	–	11	9
Davison	194	–	–	1	49	18	12	6	7	–	1	5	5	97	64	–	3	45	16
Mitchell	170	–	–	1	42	14	11	6	6	–	1	4	5	87	58	–	2	41	15
Balance of county	24	–	–	–	7	4	1	–	1	–	–	1	–	10	6	–	1	4	1
Day	107	–	–	1	22	6	8	3	–	–	2	3	4	53	39	–	1	31	7
Deuel	65	–	–	–	8	2	–	–	3	–	2	1	3	41	30	–	–	26	4
Dewey	43	–	–	–	4	1	1	–	–	1	–	1	–	17	14	–	–	11	3
Douglas	52	–	–	1	13	2	1	2	4	–	–	4	1	24	19	–	–	9	10
Edmunds	62	–	–	1	13	3	3	1	2	1	–	3	–	36	16	–	–	15	1
Fall River	143	–	–	–	30	8	9	1	5	–	–	8	3	70	58	–	–	51	7
Faulk	36	–	–	–	6	4	1	–	–	–	–	1	–	24	18	–	–	12	6
Grant	87	–	–	–	24	6	9	2	–	–	4	3	2	38	34	–	–	19	15
Gregory	82	–	–	–	16	7	3	–	–	1	2	3	–	46	38	1	–	22	15
Haakon	24	–	–	–	6	1	4	–	1	–	–	–	–	13	11	–	2	9	–
Hamlin	67	–	–	–	10	1	3	3	2	–	–	1	1	39	30	1	–	19	10
Hand	54	–	–	–	11	1	3	1	2	1	1	2	1	33	18	–	1	16	1
Hanson	25	–	–	–	3	–	2	–	–	–	–	1	–	17	15	–	1	7	7
Harding	9	–	–	–	1	–	1	–	–	–	–	–	1	3	2	–	–	1	1
Hughes	120	–	–	1	39	8	10	3	5	3	1	9	7	58	44	1	–	36	7
Pierre	95	–	–	1	27	4	7	2	5	–	1	8	6	51	38	1	–	31	6
Balance of county	25	–	–	–	12	4	3	1	–	3	–	1	1	7	6	–	–	5	1
Hutchinson	128	–	–	–	18	3	3	2	3	1	2	4	2	77	54	–	1	28	25
Hyde	14	–	–	–	4	–	–	1	1	–	–	2	–	6	3	–	–	1	2
Jackson	26	–	–	–	8	4	4	–	–	–	–	–	–	10	9	–	–	7	2
Jerauld	31	–	–	2	8	5	–	–	–	1	1	2	–	16	10	–	–	5	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	1	68	5	6	25	19	1	11	5	–	6	9	3	76	24	19	10	4	–
Easley	–	26	1	1	9	9	–	2	3	–	1	3	1	18	3	2	2	1	–
Balance of county	1	42	4	5	16	10	1	9	2	–	5	6	2	58	21	17	8	3	–
Richland	18	177	12	21	119	78	10	37	28	–	12	35	24	267	72	65	33	37	3
Columbia	9	115	6	15	64	47	4	23	14	–	8	17	9	151	27	35	19	23	2
Balance of county	9	62	6	6	55	31	6	14	12	–	4	18	15	116	45	30	14	14	1
Saluda	1	24	10	–	2	4	–	1	–	–	1	2	–	15	7	11	4	1	–
Spartanburg	15	151	14	14	68	71	–	22	16	1	13	18	8	169	59	42	24	24	1
Greer, part	–	2	–	–	2	–	–	1	–	–	–	–	–	2	1	–	1	1	–
Spartanburg	2	47	4	4	20	21	–	4	5	1	1	6	2	49	12	13	5	9	–
Balance of county	13	102	10	10	46	50	–	17	11	–	12	12	6	118	46	29	18	14	1
Sumter	5	73	3	15	12	11	2	10	6	–	10	19	2	77	37	31	10	11	–
Sumter	4	50	1	6	7	6	1	2	2	–	2	9	1	44	8	16	3	3	–
Balance of county	1	23	2	9	5	5	1	8	4	–	8	10	1	33	29	15	7	8	–
Union	1	40	1	4	9	8	–	–	8	–	1	6	2	22	9	4	8	3	–
Union	–	22	1	1	2	2	–	–	5	–	–	2	1	11	5	1	2	2	–
Balance of county	1	18	–	3	7	6	–	–	3	–	1	4	1	11	4	3	6	1	–
Williamsburg	1	37	1	–	6	7	–	1	7	2	3	6	–	35	7	8	3	1	1
York	4	76	17	11	20	34	3	9	3	–	6	6	4	84	30	20	14	9	–
Rock Hill	4	34	5	5	10	12	2	5	2	–	4	4	1	41	11	8	6	4	–
Balance of county	–	42	12	6	10	22	1	4	1	–	4	2	3	43	28	12	8	5	–
South Dakota	32	535	76	82	272	222	21	63	41	–	50	60	74	491	135	170	101	30	10
Urban places	15	186	27	34	85	89	8	22	7	–	17	28	24	164	35	48	43	7	3
Balance of area	17	349	49	48	187	133	13	41	34	–	33	32	50	327	100	122	58	23	7
Metropolitan counties	6	83	5	10	31	33	4	10	5	–	8	9	10	61	10	20	14	5	1
Urban places	6	53	4	10	27	25	4	9	4	–	5	8	10	57	7	17	13	4	1
Balance of area	–	10	1	–	4	8	–	1	1	–	3	1	–	4	3	3	1	1	–
Nonmetropolitan counties	26	472	71	72	241	189	17	53	36	–	42	51	64	430	125	150	87	25	9
Urban places	9	133	23	24	58	64	4	13	3	–	12	20	14	107	28	31	30	3	2
Balance of area	17	339	48	48	183	125	13	40	33	–	30	31	50	323	97	119	57	22	7
Aurora	–	2	–	–	1	3	1	–	–	–	–	–	–	1	1	–	1	–	–
Beadle	4	20	3	2	12	7	–	3	1	–	–	2	–	17	2	5	6	1	1
Huron	4	14	2	1	9	5	–	3	1	–	–	1	–	10	2	4	4	1	1
Balance of county	–	6	1	1	3	2	–	–	–	–	–	1	–	7	–	1	2	–	–
Bennett	–	1	–	–	1	1	–	–	–	–	1	1	2	1	–	1	1	1	–
Bon Homme	1	18	1	1	2	2	–	1	–	–	–	–	–	8	1	1	2	–	–
Brookings	2	9	1	3	8	6	1	2	–	–	–	1	–	15	5	5	1	–	–
Brookings	1	6	1	2	5	2	1	1	–	–	–	–	–	8	1	3	–	–	–
Balance of county	1	3	–	1	3	4	–	1	–	–	–	1	–	7	4	2	1	–	–
Brown	–	32	5	8	8	4	–	1	1	–	3	6	1	16	4	6	4	–	–
Aberdeen	–	23	5	4	4	4	–	1	–	–	3	6	1	12	3	4	4	–	–
Balance of county	–	9	–	2	2	–	–	–	1	–	–	–	–	4	1	2	–	–	–
Brule	–	7	1	–	1	2	–	–	1	–	–	–	1	5	2	–	–	–	–
Buffalo	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1
Butte	–	6	2	2	2	3	–	–	2	–	–	–	–	6	2	4	–	–	–
Campbell	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	2	1	–	–
Charles Mix	–	5	1	–	4	6	1	–	2	–	2	–	–	11	1	4	–	1	–
Clark	–	3	–	1	3	2	–	1	–	–	1	–	3	5	–	1	2	–	–
Clay	–	8	1	1	7	2	–	–	–	–	–	1	–	6	2	2	–	1	–
Vermillion	–	5	–	–	3	2	–	–	–	–	–	–	–	2	1	1	–	–	–
Balance of county	–	3	1	1	4	–	–	–	–	–	–	1	–	4	1	1	–	1	–
Codington	2	16	3	7	18	11	1	4	–	–	1	1	2	16	3	4	3	–	–
Watertown	2	12	3	6	14	11	1	3	–	–	–	1	1	13	3	3	3	–	–
Balance of county	–	4	–	1	4	–	–	1	–	–	1	–	1	3	–	1	–	–	–
Corson	–	2	1	–	–	–	–	–	–	–	–	–	–	2	3	8	–	1	–
Custer	–	1	1	–	4	2	1	–	1	–	3	1	–	11	1	2	–	–	–
Davison	1	24	8	–	5	11	–	1	–	–	2	1	2	11	1	3	5	–	–
Mitchell	1	22	6	–	5	9	–	1	–	–	2	–	1	9	1	2	5	–	–
Balance of county	–	2	2	–	–	2	–	–	–	–	–	1	1	2	–	1	–	–	–
Day	–	13	–	1	6	3	1	1	1	–	–	–	1	8	2	2	2	–	–
Deuel	–	8	1	2	1	1	–	1	–	–	–	1	–	2	4	2	1	–	–
Dewey	1	1	1	–	2	–	–	3	–	–	3	5	–	4	1	2	1	1	–
Douglas	–	5	–	–	5	1	–	–	3	–	–	1	–	3	–	–	–	–	–
Edmunds	1	18	–	1	3	3	–	–	–	–	–	1	–	3	–	1	–	–	1
Fall River	3	4	2	3	3	8	1	1	1	–	–	–	8	9	5	3	1	–	–
Faulk	–	6	–	–	–	2	1	–	–	–	–	–	–	3	–	–	–	–	–
Grant	–	4	–	–	8	–	–	2	–	–	–	1	3	4	2	2	1	–	–
Gregory	–	7	1	–	6	1	1	–	–	–	1	1	–	2	3	3	1	1	–
Haakon	–	2	–	–	1	–	–	–	–	–	1	–	–	2	–	1	–	–	–
Hamlin	1	5	2	1	3	2	–	–	–	–	1	–	–	7	1	3	–	–	–
Hand	1	8	4	2	3	1	–	–	–	–	–	–	–	3	1	1	–	–	–
Hanson	–	1	1	–	1	1	–	–	–	–	–	–	–	1	2	–	–	–	–
Harding	–	1	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Hughes	1	12	1	–	2	3	–	–	–	–	1	–	1	3	2	1	2	–	–
Pierre	1	11	1	–	1	3	–	–	–	–	–	–	1	3	–	1	1	–	–
Balance of county	–	1	–	–	1	–	–	–	–	–	1	–	–	–	2	–	1	–	–
Hutchinson	–	20	–	3	5	1	1	–	1	–	–	1	1	10	3	5	1	–	–
Hyde	–	1	2	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–
Jackson	–	–	1	–	1	–	–	1	–	–	–	1	1	1	1	1	–	1	–
Jerauld	–	5	–	1	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	16	–	–	–	–	–	–	–	–	–	–	–	1	14	14	–	1	6	7
Kingsbury	98	–	–	–	19	7	5	1	2	–	–	4	–	64	51	1	1	38	13
Lake	104	–	–	1	28	5	8	2	1	4	1	7	–	41	31	1	–	24	6
Lawrence	202	–	–	1	53	7	16	5	7	3	3	12	4	83	68	1	–	43	24
Lincoln	132	–	–	1	33	10	6	4	5	1	–	7	3	69	58	1	–	38	19
Sioux Falls, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of county	131	–	–	1	33	10	6	4	5	1	–	7	3	68	57	1	–	38	18
Lyman	20	–	–	–	6	1	4	–	–	–	1	–	–	9	8	–	–	7	1
McCook	69	–	–	1	21	5	3	4	2	–	–	7	1	37	28	–	–	19	9
McPherson	45	–	–	–	9	3	1	1	1	–	1	2	–	25	19	–	–	19	–
Marshall	66	–	–	–	15	2	3	1	2	–	2	5	1	33	26	–	–	17	9
Meade	115	–	–	–	29	10	10	1	2	1	2	3	4	44	27	–	–	21	6
Mellette	23	–	–	–	2	1	–	–	–	–	–	1	–	8	8	–	–	3	5
Miner	50	–	–	–	7	1	1	2	1	–	–	2	2	26	16	–	1	13	2
Minnehaha	866	–	–	11	210	60	54	22	24	11	5	34	13	411	327	2	1	238	86
Sioux Falls, part	726	–	–	9	174	48	46	19	19	8	5	29	13	339	266	2	1	194	69
Sioux Falls, total	727	–	–	9	174	48	46	19	19	8	5	29	13	340	267	2	1	194	70
Balance of county	140	–	–	2	36	12	8	3	5	3	–	5	–	72	61	–	–	44	17
Moody	77	–	–	–	20	7	6	3	2	–	–	2	–	45	40	1	2	14	23
Pennington	562	–	–	5	129	22	42	14	21	4	4	22	6	235	186	2	3	104	77
Rapid City	442	–	–	3	100	18	33	8	18	3	3	17	6	186	144	1	1	80	62
Balance of county	120	–	–	2	29	4	9	6	3	1	1	5	–	49	42	1	2	24	15
Perkins	45	–	–	5	14	–	3	–	2	2	–	7	1	17	10	–	–	7	3
Potter	42	–	–	2	9	3	1	1	1	2	–	1	2	17	14	–	–	6	6
Roberts	143	–	–	3	19	6	2	1	4	4	–	2	1	78	72	2	–	46	24
Sanborn	31	–	–	–	9	4	1	–	1	1	–	2	–	14	8	–	–	5	3
Shannon	101	4	–	–	6	2	–	1	1	–	1	1	3	32	29	–	1	22	6
Spink	101	–	–	1	22	5	7	3	3	–	–	4	3	53	36	–	–	31	5
Stanley	14	–	–	–	5	2	–	–	2	–	–	1	–	8	7	–	–	4	3
Sully	11	–	–	–	2	2	–	–	–	–	–	–	–	5	3	–	–	3	–
Todd	79	–	–	4	10	1	4	2	2	–	–	1	2	18	14	–	–	5	9
Tripp	83	–	–	–	16	4	–	2	3	–	1	6	3	31	23	–	–	14	9
Turner	123	–	–	2	38	9	6	5	6	–	4	8	1	60	44	–	–	27	17
Union	116	–	–	3	29	9	4	2	4	1	1	8	–	60	52	–	1	43	8
Walworth	101	–	–	1	19	9	5	1	1	1	–	2	–	56	43	2	3	29	9
Yankton	192	–	–	2	37	10	8	6	1	4	1	7	1	107	90	1	–	70	19
Yankton	144	–	–	2	33	9	8	6	1	2	1	6	1	77	63	1	–	46	16
Balance of county	48	–	–	–	4	1	–	–	–	2	–	1	–	30	27	–	–	24	3
Ziebach	16	–	–	–	2	–	1	–	–	–	–	1	–	8	7	–	1	4	2
Tennessee	44,250	57	2	526	9,489	2,153	2,977	705	980	376	384	1,914	668	20,373	15,887	80	599	10,282	4,896
Urban places	21,985	34	2	312	4,799	1,140	1,462	381	506	190	177	943	348	9,937	7,782	52	425	4,545	2,760
Balance of area	22,265	23	–	214	4,690	1,013	1,515	324	474	188	207	971	320	10,436	8,085	38	174	5,737	2,136
Metropolitan counties	26,522	35	1	367	5,825	1,337	1,784	463	589	225	228	1,199	414	11,830	9,253	61	462	5,501	3,229
Urban places	18,860	29	1	286	4,153	994	1,246	332	440	160	149	832	301	8,426	6,617	46	400	3,731	2,440
Balance of area	7,662	6	–	81	1,672	343	538	131	149	65	79	367	113	3,404	2,636	15	62	1,770	789
Nonmetropolitan counties	17,728	22	1	159	3,664	816	1,193	242	391	151	156	715	254	8,543	6,634	29	137	4,781	1,667
Urban places	3,125	5	1	26	646	146	216	49	66	30	28	111	47	1,511	1,165	6	25	814	320
Balance of area	14,603	17	–	133	3,018	670	977	193	325	121	128	604	207	7,032	5,469	23	112	3,967	1,347
Anderson	637	2	–	3	153	24	50	19	19	8	3	30	14	278	212	4	3	150	55
Oak Ridge, part	231	1	–	2	68	12	21	6	11	4	1	13	5	85	64	3	2	42	17
Oak Ridge, total	234	1	–	2	68	12	21	6	11	4	1	13	5	87	66	3	2	43	18
Balance of county	406	1	–	1	85	12	29	13	8	4	2	17	9	193	148	1	1	108	38
Bedford	298	–	–	2	70	17	28	8	6	2	–	9	2	135	97	–	2	62	33
Shelbyville	155	–	–	1	35	8	15	3	3	2	–	4	2	73	51	–	2	29	20
Balance of county	143	–	–	1	35	9	13	5	3	–	–	5	–	62	46	–	–	33	13
Benton	163	–	–	2	36	10	13	6	1	1	1	4	1	92	76	–	2	58	16
Bledsoe	93	–	–	–	15	3	2	1	2	–	1	6	3	46	40	–	1	30	9
Blount	740	–	–	7	167	39	50	9	12	3	8	46	8	330	233	1	9	176	47
Maryville	246	–	–	2	50	16	13	4	4	2	3	8	3	117	81	1	3	68	9
Balance of county	494	–	–	5	117	23	37	5	8	1	5	38	5	213	152	–	6	108	38
Bradley	532	1	–	3	117	27	37	10	12	3	2	26	6	249	180	–	2	123	55
Cleveland	288	1	–	1	61	15	21	5	6	2	1	11	5	136	101	–	1	70	30
Balance of county	244	–	–	2	56	12	16	5	6	1	1	15	1	113	79	–	1	53	25
Campbell	400	–	–	2	86	11	34	10	6	7	3	15	1	195	152	–	3	121	28
Cannon	105	–	–	–	18	6	3	1	2	1	–	5	2	59	43	–	2	23	18
Carroll	364	–	–	–	64	7	18	8	12	6	2	11	4	190	156	1	1	118	36
Carter	530	–	–	7	117	24	33	5	9	11	7	28	7	222	169	1	4	98	66
Elizabethton	167	–	–	2	38	8	11	–	4	3	1	11	5	76	62	–	1	37	24
Johnson City, part	4	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	1	1
Balance of county	359	–	–	5	78	16	22	5	5	8	6	16	2	144	105	1	3	60	41
Cheatham	179	–	–	1	42	6	15	4	4	4	2	7	4	75	63	–	1	50	12
Chester	122	–	–	–	25	6	4	2	6	1	1	5	5	62	50	–	1	41	8
Claiborne	259	1	–	–	64	16	22	2	8	3	1	12	5	124	105	–	1	79	25
Clay	91	–	–	1	23	7	6	2	1	–	–	7	3	33	28	–	–	20	8
Cocke	316	2	–	5	55	14	14	3	7	1	2	14	7	151	133	1	1	119	12
Coffee	341	1	–	3	73	8	24	7	7	3	6	18	7	158	128	–	3	92	33
Tullahoma, part	131	1	–	1	36	4	15	2	2	1	3	9	1	50	39	–	–	28	11
Tullahoma, total	132	1	–	1	36	4	15	2	2	1	3	9	1	51	40	–	–	29	11
Balance of county	210	–	–	2	37	4	9	5	5	2	3	9	6	108	89	–	3	64	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kingsbury	–	10	2	1	1	4	–	1	1	–	1	–	–	3	1	2	1	–	–
Lake	–	4	1	5	7	7	–	–	1	–	–	–	1	12	3	2	1	–	–
Lawrence	2	8	3	2	8	9	–	2	2	–	1	1	3	21	4	4	6	–	–
Lincoln	–	6	3	2	6	2	–	2	2	–	–	1	–	10	1	2	–	–	–
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	6	3	2	6	2	–	2	2	–	–	1	–	10	1	2	–	–	–
Lyman	–	1	–	–	–	2	–	–	1	–	–	–	–	1	–	–	1	–	–
McCook	1	8	–	–	1	1	–	–	–	–	1	–	–	4	1	–	–	1	–
McPherson	–	6	–	–	2	1	–	–	1	–	–	–	–	3	2	1	1	–	–
Marshall	–	5	–	2	1	2	–	–	1	–	–	1	–	7	2	2	1	–	–
Meade	1	9	5	2	10	4	–	2	3	–	1	–	–	12	1	4	1	–	–
Mellette	–	–	–	–	2	–	1	1	1	–	–	–	1	2	2	1	1	1	–
Miner	–	7	1	2	3	3	1	–	–	–	–	–	–	6	–	2	–	–	–
Minnehaha	6	63	5	10	31	33	4	10	5	–	8	9	10	61	10	20	14	5	1
Sioux Falls, part	6	53	4	10	27	25	4	9	4	–	5	8	10	57	7	17	13	4	1
Sioux Falls, total	6	53	4	10	27	25	4	9	4	–	5	8	10	57	7	17	13	4	1
Balance of county	–	10	1	–	4	8	–	1	1	–	3	1	–	4	3	3	1	1	–
Moody	–	3	–	2	3	3	–	–	1	–	–	–	–	3	–	1	1	–	–
Pennington	–	33	7	9	14	27	1	7	1	–	8	9	12	51	22	19	13	2	1
Rapid City	–	29	5	8	12	24	1	4	1	–	6	9	10	40	16	10	11	2	1
Balance of county	–	4	2	1	2	3	–	3	–	–	2	–	2	11	6	9	2	–	–
Perkins	–	6	–	1	1	1	–	–	–	–	–	–	–	3	1	1	–	–	1
Potter	–	3	–	–	3	9	–	–	–	–	–	–	–	3	–	3	–	–	–
Roberts	–	5	–	1	10	3	–	3	–	–	1	1	1	14	1	3	5	–	–
Sanborn	–	5	–	1	–	1	–	1	–	–	–	–	–	5	1	–	–	–	–
Shannon	–	3	–	–	5	3	–	6	1	–	3	4	4	11	6	7	2	3	1
Spink	1	16	–	–	1	1	–	1	–	–	–	–	2	11	1	3	1	1	–
Stanley	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Sully	–	1	1	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Todd	–	3	1	–	3	1	–	3	–	–	1	2	8	7	9	2	3	3	3
Tripp	–	6	1	1	7	2	–	1	2	–	1	–	–	6	6	5	3	–	–
Turner	1	14	1	–	7	6	–	1	1	–	–	–	–	5	–	2	–	–	–
Union	–	7	1	–	6	3	–	–	2	–	1	–	–	3	–	1	3	5	–
Walworth	1	11	–	1	5	3	1	–	–	–	–	–	2	9	1	3	–	1	–
Yankton	1	13	–	3	7	6	1	–	1	–	2	3	–	14	3	4	4	–	–
Yankton	–	11	–	3	5	4	1	–	1	–	1	3	–	10	1	3	2	–	–
Balance of county	1	2	–	–	2	2	–	–	–	–	1	–	–	4	2	1	2	–	–
Ziebach	–	1	–	–	–	–	1	–	–	–	1	1	–	–	1	1	1	–	–
Tennessee	142	3,593	408	363	1,449	1,659	140	378	451	3	246	330	1,117	3,712	1,268	1,164	618	516	84
Urban places	72	1,710	198	175	648	833	64	222	209	2	136	207	548	1,965	474	542	313	368	22
Balance of area	70	1,883	210	188	801	826	76	156	242	1	110	123	569	1,747	794	622	305	148	62
Metropolitan counties	85	2,033	231	228	818	992	76	248	227	2	181	241	682	2,299	742	699	387	404	42
Urban places	63	1,435	158	153	551	706	55	191	171	2	128	192	452	1,690	417	469	279	345	16
Balance of area	22	598	73	75	267	286	21	57	56	–	53	49	230	609	325	230	118	59	26
Nonmetropolitan counties	57	1,560	177	135	631	667	64	130	224	1	65	89	435	1,413	526	465	221	112	42
Urban places	9	275	40	22	97	127	9	31	38	–	8	15	96	275	57	73	34	23	6
Balance of area	48	1,285	137	113	534	540	55	99	186	1	57	74	339	1,138	469	392	187	89	36
Anderson	–	58	4	4	18	25	3	4	2	–	2	5	22	58	19	14	9	2	4
Oak Ridge, part	–	18	2	1	4	14	1	2	–	–	1	2	7	22	5	7	5	–	–
Oak Ridge, total	–	18	2	1	4	14	1	2	–	–	1	2	7	22	6	7	5	–	–
Balance of county	–	40	2	3	14	11	2	2	2	–	1	3	15	36	14	7	4	2	4
Bedford	1	35	1	1	13	12	–	2	5	–	–	1	6	18	5	13	6	3	1
Shelbyville	1	20	–	1	8	7	–	2	6	–	–	1	2	9	2	3	3	1	–
Balance of county	–	15	1	–	5	5	–	–	3	–	–	–	4	9	3	10	3	2	1
Benton	–	12	1	3	5	9	–	4	3	–	–	–	3	18	2	6	1	–	1
Bledsoe	1	5	–	–	3	2	–	–	4	–	–	–	–	7	6	7	–	–	–
Blount	1	69	17	10	23	26	5	2	3	–	6	2	22	83	20	18	11	5	2
Maryville	–	24	9	3	9	9	2	–	1	–	2	2	6	33	3	2	3	1	1
Balance of county	1	45	8	7	14	17	3	2	2	–	4	–	16	50	17	16	8	4	1
Bradley	1	58	4	6	14	19	2	1	4	–	3	5	10	51	15	10	15	6	1
Cleveland	1	29	3	2	10	14	2	1	2	–	2	2	5	28	5	3	4	5	1
Balance of county	–	29	1	4	4	5	–	–	2	–	1	3	5	23	10	7	11	1	–
Campbell	2	33	4	4	33	20	3	1	1	–	1	–	9	25	10	5	3	3	2
Cannon	–	15	1	–	7	2	1	1	3	–	–	–	1	6	–	2	2	1	–
Carroll	–	30	3	1	17	16	3	2	9	–	1	1	4	29	14	7	2	1	–
Carter	1	38	6	8	24	21	2	7	8	–	2	2	37	35	14	10	9	4	2
Elizabethton	–	11	–	3	8	7	1	2	2	–	1	–	6	11	3	1	3	1	–
Johnson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	1	27	6	5	16	14	1	5	6	–	1	2	31	24	10	9	6	3	2
Cheatham	–	10	1	1	6	7	–	–	1	–	–	1	4	15	12	6	3	1	1
Chester	1	9	–	2	2	4	2	1	1	–	1	1	3	5	5	3	–	2	–
Claiborne	1	16	1	1	11	8	–	1	1	–	1	3	1	20	8	4	5	2	–
Clay	1	3	1	–	4	3	–	3	1	–	–	–	2	8	2	4	2	2	–
Cocke	1	16	–	1	11	20	1	3	–	–	–	–	10	21	14	6	3	5	2
Coffee	–	27	2	1	9	22	1	1	4	–	–	2	6	31	8	9	4	1	1
Tullahoma, part	–	9	2	–	4	9	1	–	1	–	–	1	3	14	1	4	2	1	1
Tullahoma, total	–	9	2	–	4	9	1	–	1	–	–	1	3	14	1	4	2	1	1
Balance of county	–	18	–	1	5	13	–	1	3	–	–	1	3	17	7	5	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	159	-	-	2	32	7	13	1	2	-	2	7	3	91	80	-	1	47	12
Cumberland	294	-	-	1	50	9	14	7	4	1	2	13	3	147	119	-	4	78	37
Davidson	4,423	6	-	66	987	229	334	86	90	29	35	184	83	1,932	1,552	10	119	830	593
Nashville-Davidson	4,345	6	-	65	965	224	327	83	90	29	34	178	82	1,902	1,531	10	116	817	588
Balance of county	78	-	-	1	22	5	7	3	-	-	1	6	1	30	21	-	3	13	5
Decatur	111	-	-	3	18	4	4	1	3	-	2	4	2	55	42	-	-	28	14
De Kalb	153	-	-	-	30	8	10	-	5	1	2	4	2	81	67	-	1	52	14
Dickson	341	-	-	4	83	19	29	7	9	-	2	17	2	146	114	-	1	88	25
Dyer	351	-	-	2	72	15	29	6	8	5	1	8	5	145	115	1	6	90	18
Dyersburg	179	-	-	1	34	10	13	3	3	2	-	3	4	68	52	1	3	43	5
Balance of county	172	-	-	1	38	5	16	3	5	3	1	5	1	77	63	-	3	47	13
Fayette	249	-	-	5	50	14	12	2	6	5	1	10	6	101	81	1	2	51	27
Fentress	179	-	-	-	31	10	7	-	4	2	1	7	-	89	67	2	1	55	9
Franklin	308	-	-	5	72	19	20	5	7	4	4	13	4	140	114	1	5	71	37
Tullahoma, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	305	-	-	5	72	19	20	5	7	4	4	13	4	139	113	1	5	70	37
Gibson	644	1	-	7	122	27	37	13	14	6	8	17	1	322	234	-	3	184	47
Humboldt	127	1	-	-	24	8	11	-	2	1	2	-	-	67	48	-	-	37	11
Balance of county	517	-	-	7	98	19	26	13	12	5	6	17	1	255	186	-	3	147	36
Giles	275	-	-	4	49	11	20	2	6	-	3	7	5	127	91	-	2	66	23
Grainger	184	-	-	-	43	10	14	3	3	3	-	10	2	79	49	-	2	38	9
Greene	542	1	-	5	107	25	24	7	18	4	3	26	12	270	214	2	7	155	50
Greeneville	186	-	-	2	37	9	5	2	10	3	-	8	4	99	78	2	3	58	15
Balance of county	356	1	-	3	70	16	19	5	8	1	3	18	8	171	136	-	4	97	35
Grundy	153	-	-	1	29	7	13	2	3	1	1	2	3	67	53	-	1	35	17
Hamblen	404	-	1	5	91	22	34	4	6	2	2	21	5	211	165	1	-	149	15
Morristown	258	-	1	3	52	14	21	3	3	1	1	9	5	146	121	1	-	109	11
Balance of county	146	-	-	2	39	8	13	1	3	1	1	12	-	65	44	-	-	40	4
Hamilton	2,700	1	-	30	577	131	178	46	60	28	25	109	21	1,338	1,108	7	73	617	411
Chattanooga	1,780	1	-	25	371	90	108	33	36	18	11	75	12	877	733	4	62	407	260
East Ridge	185	-	-	-	40	8	15	4	3	2	2	6	2	104	84	-	3	43	38
Red Bank	102	-	-	1	25	5	8	-	5	4	-	3	3	52	44	-	2	24	18
Balance of county	633	-	-	4	141	28	47	9	16	4	12	25	4	305	247	3	6	143	95
Hancock	70	-	-	-	11	4	3	1	2	-	-	1	1	44	38	-	1	34	3
Hardeman	257	1	-	3	50	9	19	2	4	4	3	9	7	109	87	-	1	66	20
Hardin	256	-	-	2	45	8	15	5	3	2	1	11	2	129	103	1	2	69	31
Hawkins	377	-	-	3	68	15	16	5	7	2	4	19	3	191	146	2	3	109	32
Kingsport, part	17	-	-	-	2	1	-	-	-	1	-	-	-	9	5	-	1	2	2
Balance of county	360	-	-	3	66	14	16	5	7	1	4	19	3	182	141	2	2	107	30
Haywood	237	-	-	6	43	6	14	2	3	1	3	14	2	134	112	-	7	75	30
Henderson	248	-	-	-	41	6	20	3	4	1	2	5	3	139	96	-	-	74	22
Henry	373	-	-	3	81	23	22	8	12	4	3	9	8	192	150	-	7	96	47
Paris	172	-	-	2	40	11	11	4	6	1	2	5	4	82	59	-	2	38	19
Balance of county	201	-	-	1	41	12	11	4	6	3	1	4	4	110	91	-	5	58	28
Hickman	170	1	-	1	30	4	6	2	3	3	2	10	3	95	76	1	-	47	28
Houston	78	1	-	-	17	9	4	-	1	-	1	2	-	39	33	-	-	14	19
Humphreys	178	-	-	1	39	11	11	2	4	-	4	7	3	89	68	-	1	38	29
Jackson	104	-	-	3	23	4	6	-	-	-	4	9	1	52	39	-	2	31	6
Jefferson	284	1	-	7	62	9	18	4	7	6	2	16	2	137	101	2	2	74	23
Johnson	158	1	-	-	37	15	9	1	-	2	1	9	5	68	52	-	5	28	19
Knox	3,063	9	-	36	619	156	192	59	60	22	15	115	46	1,176	843	9	15	585	234
Knoxville	2,081	7	-	26	402	96	133	41	33	14	10	75	31	797	551	8	10	376	157
Balance of county	982	2	-	10	217	60	59	18	27	8	5	40	15	379	292	1	5	209	77
Lake	75	-	-	3	13	5	4	1	-	-	-	3	7	36	29	-	2	24	3
Lauderdale	289	-	-	3	60	10	22	-	6	2	5	15	3	140	109	-	5	83	21
Lawrence	348	-	-	2	81	16	32	5	6	1	4	17	6	173	144	-	-	116	28
Lawrenceburg	143	-	-	-	28	5	10	3	1	1	2	6	2	74	66	-	-	49	17
Balance of county	205	-	-	2	53	11	22	2	5	-	2	11	4	99	78	-	-	67	11
Lewis	92	-	-	-	13	5	5	1	1	-	-	1	2	48	35	-	-	30	5
Lincoln	267	1	-	5	54	17	16	3	6	1	1	10	1	139	110	1	2	77	30
Loudon	286	-	-	-	62	22	12	1	5	6	3	13	4	138	108	1	3	76	28
McMinn	407	2	-	2	98	24	33	10	9	2	2	18	7	191	160	-	3	118	39
Athens	134	1	-	1	26	7	11	5	-	-	-	3	3	69	59	-	-	46	13
Balance of county	273	1	-	1	72	17	22	5	9	2	2	15	4	122	101	-	3	72	26
McNairy	260	-	-	6	49	12	19	2	5	2	1	8	2	144	116	-	1	94	21
Macon	146	2	-	1	27	3	9	2	5	1	4	3	-	63	44	1	-	30	13
Madison	721	2	-	11	168	32	50	9	23	11	12	31	11	312	236	3	5	138	90
Jackson	544	1	-	7	116	23	31	7	14	9	9	23	7	245	180	2	4	101	73
Balance of county	177	1	-	4	52	9	19	2	9	2	3	8	4	67	56	1	1	37	17
Marion	242	1	-	2	48	6	14	6	5	1	3	13	3	121	99	1	1	58	39
Marshall	240	1	-	2	58	15	18	-	9	4	3	9	5	125	100	-	-	88	12
Maury	556	-	-	4	124	21	41	7	15	7	8	25	8	268	200	-	7	119	74
Columbia	316	-	-	2	65	12	21	4	7	3	2	16	5	157	120	-	7	71	42
Balance of county	240	-	-	2	59	9	20	3	8	4	6	9	3	111	80	-	-	48	32
Meigs	64	-	-	-	12	3	4	2	-	-	-	3	2	31	23	-	-	19	4
Monroe	280	-	-	2	58	10	24	-	5	1	1	17	5	130	95	-	-	74	21
Montgomery	622	3	-	7	131	30	38	10	13	6	5	29	8	251	182	1	4	123	54
Clarksville	391	3	-	5	81	19	24	7	11	2	4	14	5	154	114	1	3	74	36
Balance of county	231	-	-	2	50	11	14	3	2	4	1	15	3	97	68	-	1	49	18
Moore	39	-	-	1	7	-	4	-	-	1	-	2	1	23	19	-	-	15	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	–	24	7	–	3	3	–	–	–	–	–	–	–	13	6	4	1	–	1
Cumberland	–	23	2	3	11	26	–	5	1	–	–	1	4	25	8	8	4	–	–
Davidson	9	308	26	37	140	161	17	54	38	1	30	38	41	427	125	113	71	91	4
Nashville-Davidson	8	301	26	36	137	159	16	54	36	1	29	38	40	421	121	109	70	90	4
Balance of county	1	7	–	1	3	2	1	–	–	–	1	–	1	6	4	4	1	1	–
Decatur	–	11	1	1	5	2	1	–	2	–	–	1	–	11	5	3	1	1	1
De Kalb	–	11	3	–	5	2	–	2	1	–	–	2	–	10	10	6	–	2	–
Dickson	–	24	5	3	12	18	1	4	1	–	3	–	12	18	13	14	1	3	5
Dyer	1	24	3	2	13	12	–	3	3	–	1	1	35	35	9	10	1	4	–
Dyersburg	–	13	2	1	8	6	–	1	2	–	–	1	23	18	7	4	1	1	–
Balance of county	1	11	1	1	5	6	–	2	1	–	1	–	12	17	2	6	–	3	–
Fayette	–	20	–	–	8	4	–	2	5	–	1	1	21	18	6	15	4	2	–
Fentress	1	15	5	1	11	8	1	–	6	–	–	1	8	10	5	6	2	–	1
Franklin	2	20	3	1	13	10	–	2	5	1	2	2	6	22	9	10	2	1	–
Tullahoma, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	20	3	1	13	10	–	2	5	1	2	2	6	22	9	10	2	1	–
Gibson	3	72	9	4	23	22	2	3	17	–	1	3	7	58	21	20	9	4	1
Humboldt	–	14	2	3	4	3	2	–	6	–	–	1	3	8	2	6	–	–	–
Balance of county	3	58	7	1	18	19	–	3	11	–	1	2	4	50	19	14	9	4	1
Giles	3	29	1	3	5	12	–	1	4	–	2	3	4	29	11	11	6	1	1
Grainger	2	27	–	1	6	9	1	2	2	–	1	1	18	8	4	2	3	2	1
Greene	2	42	6	6	17	22	2	2	4	–	3	5	3	41	14	20	9	5	–
Greeneville	2	15	4	–	5	8	–	1	1	–	–	1	–	14	2	9	3	–	–
Balance of county	–	27	2	6	12	14	2	1	3	–	3	4	3	27	12	11	6	5	–
Grundy	–	13	1	–	8	3	4	2	–	–	–	–	9	13	6	7	1	–	–
Hamblen	–	42	1	3	14	7	2	2	4	–	1	3	6	23	7	6	8	4	4
Morristown	–	22	1	2	7	7	2	2	1	–	1	1	4	13	5	3	4	1	–
Balance of county	–	20	–	1	7	–	–	–	3	–	–	2	2	10	2	3	4	3	4
Hamilton	7	191	15	17	101	108	6	24	20	–	16	20	23	228	51	73	28	30	5
Chattanooga	4	122	10	8	70	69	4	16	15	–	9	15	16	157	28	46	20	26	3
East Ridge	2	15	3	–	4	11	1	–	1	–	–	–	2	13	2	1	3	1	–
Red Bank	–	7	–	1	4	3	1	–	–	–	–	–	–	8	3	2	–	–	–
Balance of county	1	47	2	8	23	25	–	8	4	–	7	5	5	50	18	24	5	3	2
Hancock	–	6	–	–	1	2	–	1	–	–	–	1	2	3	1	1	1	1	–
Hardeman	–	21	1	–	12	4	1	2	5	–	3	2	11	22	13	6	3	–	1
Hardin	–	22	2	2	11	9	2	3	5	–	–	3	1	16	14	9	4	–	1
Hawkins	1	35	6	3	11	17	2	1	1	–	–	2	2	43	14	11	5	1	2
Kingsport, part	–	3	–	1	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–
Balance of county	1	32	6	2	11	17	1	1	1	–	–	2	2	38	14	11	5	1	2
Haywood	1	19	1	1	4	8	2	–	5	–	2	1	2	17	3	5	–	3	–
Henderson	1	39	2	1	10	6	5	3	5	–	–	–	1	14	5	10	3	3	–
Henry	1	33	3	5	16	13	1	5	5	–	2	–	2	22	6	12	3	2	–
Paris	1	17	3	2	5	8	–	4	1	–	1	–	–	12	5	3	3	2	–
Balance of county	–	16	–	3	11	5	1	1	4	–	1	–	2	10	1	9	–	–	–
Hickman	–	16	1	2	3	7	–	–	2	–	–	–	5	8	2	7	4	1	1
Houston	–	6	–	–	5	1	–	–	1	–	–	–	–	3	5	3	2	1	–
Humphreys	–	20	–	1	5	5	2	1	1	–	–	2	3	15	4	4	4	–	–
Jackson	–	8	2	3	1	5	–	–	1	–	–	–	6	8	2	2	–	–	–
Jefferson	1	31	2	2	9	11	1	1	4	–	–	1	8	21	12	3	4	–	–
Johnson	1	12	1	2	7	7	–	2	2	–	2	2	–	15	5	3	2	–	–
Knox	12	262	28	31	87	109	8	30	19	–	19	19	331	283	97	79	47	44	5
Knoxville	10	192	20	24	53	84	6	20	16	–	10	13	248	198	47	56	31	34	2
Balance of county	2	70	8	7	34	25	2	10	3	–	9	6	83	85	50	23	16	10	3
Lake	–	4	3	–	–	1	1	1	–	–	–	–	–	11	–	1	–	1	–
Lauderdale	2	24	1	4	10	15	–	1	3	–	1	4	4	24	10	9	1	1	–
Lawrence	1	26	–	2	12	14	–	2	3	–	4	–	1	21	12	10	5	–	2
Lawrenceburg	–	8	–	–	7	6	–	1	1	–	–	–	–	10	5	7	1	–	1
Balance of county	1	18	–	2	5	8	–	1	2	–	4	–	1	11	7	3	4	–	1
Lewis	1	10	–	2	2	1	1	–	2	–	–	1	2	7	4	8	1	–	–
Lincoln	1	26	1	1	14	5	–	2	3	–	–	2	5	15	10	6	2	1	2
Loudon	–	28	–	2	8	12	–	3	3	–	1	–	4	29	12	3	6	1	–
McMinn	–	28	–	3	16	10	4	5	8	–	1	2	–	31	9	12	5	3	–
Athens	–	8	–	2	8	3	–	4	2	–	–	–	–	7	3	5	2	–	–
Balance of county	–	20	–	1	8	7	4	1	6	–	1	2	–	24	6	7	4	3	–
McNairy	1	25	1	1	3	7	1	2	3	–	–	1	1	20	11	5	4	1	–
Macon	3	13	2	1	8	5	1	1	6	–	1	2	7	13	2	5	2	–	–
Madison	4	62	7	3	11	29	2	9	9	–	5	4	29	73	12	18	8	7	1
Jackson	4	52	6	3	8	21	1	8	7	–	3	4	26	58	8	11	6	6	1
Balance of county	–	10	1	–	3	8	1	1	2	–	2	–	3	15	4	7	2	1	–
Marion	2	17	–	3	6	6	2	3	1	–	1	–	7	20	10	4	3	2	2
Marshall	2	16	1	4	7	5	1	2	3	–	3	1	1	11	3	6	3	1	2
Maury	3	61	2	2	18	16	1	7	6	–	1	–	15	49	14	14	5	4	2
Columbia	–	33	2	2	10	11	1	5	2	–	–	–	7	34	5	6	2	3	1
Balance of county	3	28	–	–	8	5	–	2	4	–	1	–	8	15	9	8	3	1	1
Meigs	–	6	1	1	1	4	–	1	–	–	–	1	2	5	3	1	1	–	–
Monroe	2	31	1	1	6	15	–	1	3	–	1	–	16	19	12	6	4	2	–
Montgomery	4	55	2	8	21	20	1	9	4	–	6	13	25	55	26	19	17	6	–
Clarksville	1	30	2	7	13	13	1	9	1	–	5	12	14	34	14	14	8	5	–
Balance of county	3	25	–	1	8	7	–	–	3	–	1	1	11	21	12	5	9	1	–
Moore	–	4	–	–	2	–	–	–	1	–	–	–	–	3	–	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	145	–	–	2	26	4	12	4	1	2	–	3	2	88	52	–	–	34	18
Obion	388	–	–	3	79	19	27	6	11	2	2	12	5	208	149	–	–	128	21
Union City	154	–	–	1	26	4	10	2	5	1	1	3	–	95	65	–	–	61	4
Balance of county	234	–	–	2	53	15	17	4	6	1	1	9	5	113	84	–	–	67	17
Overton	175	–	–	–	29	5	8	3	6	–	–	7	3	83	69	–	1	50	18
Perry	79	–	–	–	24	6	6	3	1	2	1	5	1	28	22	–	1	16	5
Pickett	52	–	–	1	8	2	4	–	–	–	–	2	1	28	22	–	–	12	10
Polk	137	–	–	2	28	6	10	2	2	2	2	4	1	84	53	–	–	44	9
Putnam	463	–	–	5	92	24	30	6	9	2	7	14	3	195	146	–	7	90	49
Cookeville	195	–	–	3	45	10	14	3	3	2	4	9	1	76	62	–	2	39	21
Balance of county	268	–	–	2	47	14	16	3	6	–	3	5	2	119	84	–	5	51	28
Rhea	255	–	–	3	53	19	17	1	4	2	3	7	5	129	105	–	–	78	27
Roane	426	–	–	2	94	18	37	5	6	5	4	19	8	208	160	3	–	114	43
Oak Ridge, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1
Balance of county	423	–	–	2	94	18	37	5	6	5	4	19	8	206	158	3	–	113	42
Robertson	396	–	–	5	89	23	26	5	8	4	7	16	7	197	154	1	4	113	36
Springfield	152	–	–	3	26	6	7	1	3	2	2	5	2	90	69	–	2	52	15
Balance of county	244	–	–	2	63	17	19	4	5	2	5	11	5	107	85	1	2	61	21
Rutherford	654	–	–	8	139	32	45	11	8	7	4	32	13	287	229	1	5	158	67
Murfreesboro	309	–	–	2	55	15	15	6	2	2	1	14	5	154	118	1	2	84	31
Balance of county	345	–	–	6	84	17	30	5	6	5	3	18	8	133	111	–	3	72	36
Scott	173	–	–	1	32	7	14	1	1	–	1	8	–	80	61	–	–	51	10
Sequatchie	71	–	–	4	11	1	5	–	1	–	–	4	1	38	33	–	1	21	11
Sevier	415	–	–	3	88	20	30	4	12	1	2	19	5	169	124	4	4	93	23
Shelby	7,157	9	1	138	1,617	399	436	117	191	61	67	346	113	3,252	2,567	13	173	1,343	1,038
Bartlett	51	1	–	–	13	4	3	1	2	1	–	2	–	22	19	–	–	12	7
Germantown	84	–	–	–	25	5	6	3	2	–	1	8	–	30	24	–	–	16	8
Memphis	6,668	8	1	132	1,505	374	407	104	180	59	63	318	107	3,051	2,402	12	167	1,244	979
Millington	73	–	–	1	17	3	4	1	3	1	1	4	–	31	25	1	2	15	7
Balance of county	281	–	–	5	57	13	16	8	4	–	2	14	6	118	97	–	4	56	37
Smith	152	1	–	–	32	5	12	1	3	2	1	8	2	70	48	–	–	34	14
Stewart	107	–	–	1	23	5	12	1	–	–	–	5	–	56	48	1	3	28	16
Sullivan	1,293	2	–	13	302	64	96	24	26	14	9	69	22	600	480	5	18	346	110
Bristol [6]	273	1	–	2	59	15	18	7	5	4	2	8	6	141	113	–	9	80	24
Kingsport, part	415	–	–	3	100	25	29	9	11	2	2	22	8	196	164	3	5	125	31
Kingsport, total	432	–	–	3	102	26	29	9	11	3	2	22	8	205	169	3	6	127	33
Balance of county	605	1	–	6	143	24	49	8	10	8	5	39	8	263	203	2	5	141	55
Sumner	688	–	–	9	174	35	60	10	19	4	8	38	8	296	246	3	10	118	115
Gallatin	201	–	–	3	49	14	17	1	6	–	1	10	2	82	70	1	2	22	45
Hendersonville	189	–	–	2	62	13	17	6	5	3	2	16	3	64	53	–	3	33	17
Balance of county	298	–	–	4	63	8	26	3	8	1	5	12	3	150	123	2	5	63	53
Tipton	321	–	–	3	68	23	19	3	8	4	1	8	9	166	126	–	4	99	23
Trousdale	65	–	–	1	18	4	4	4	1	–	1	4	–	21	16	–	–	10	6
Unicoi	170	–	–	2	33	5	9	6	1	2	3	7	–	74	60	–	–	42	18
Union	102	–	–	1	21	1	9	3	4	–	–	4	3	48	42	–	1	27	14
Van Buren	33	–	–	–	4	–	1	–	3	–	–	–	–	16	12	–	1	8	3
Warren	328	–	–	2	52	10	13	7	5	2	4	11	6	154	129	–	3	67	59
McMinnville	139	–	–	1	21	6	7	3	1	1	1	2	4	71	61	–	1	33	27
Balance of county	189	–	–	1	31	4	6	4	4	1	3	9	2	83	68	–	2	34	32
Washington	861	1	–	10	174	38	58	12	20	8	8	30	20	381	276	1	8	159	110
Johnson City, part	503	–	–	5	111	26	39	6	15	5	3	17	12	198	140	–	2	79	59
Johnson City, total	507	–	–	5	112	26	39	6	15	5	3	18	12	200	142	–	2	80	60
Balance of county	358	1	–	5	63	12	19	6	5	3	5	13	8	183	136	1	4	80	51
Wayne	159	–	–	2	40	5	12	2	4	1	4	12	2	66	53	–	–	39	14
Weakley	375	1	–	2	82	22	36	3	12	1	1	7	6	198	141	1	1	114	25
White	210	–	–	3	55	12	12	3	13	3	2	10	4	95	62	–	6	39	17
Williamson	447	–	–	5	98	20	28	6	5	4	7	26	14	198	145	–	4	79	62
Franklin	180	–	–	2	48	9	13	3	4	2	3	15	5	86	66	–	2	30	34
Balance of county	267	–	–	3	47	11	15	3	1	2	4	11	9	110	79	–	2	49	28
Wilson	508	1	–	3	111	17	44	10	10	3	5	22	5	235	174	1	2	114	57
Lebanon	203	1	–	3	39	6	11	6	5	–	2	9	3	106	83	1	1	48	33
Balance of county	305	–	–	–	72	11	33	4	5	3	3	13	2	129	91	–	1	66	24
Texas	118,747	136	4	1,879	24,613	5,494	7,106	2,022	2,474	966	982	5,589	1,959	50,812	40,021	217	1,288	23,145	15,371
Urban places	75,617	104	4	1,333	15,847	3,598	4,500	1,385	1,642	636	607	3,479	1,322	32,037	25,109	156	1,015	14,301	9,637
Balance of area	43,130	32	–	546	8,766	1,896	2,606	637	832	330	355	2,110	637	18,775	14,912	61	273	8,844	5,734
Metropolitan counties	87,111	116	4	1,484	18,569	4,099	5,369	1,611	1,876	730	716	4,168	1,493	36,562	28,852	181	1,124	16,411	11,136
Urban places	68,395	98	4	1,232	14,500	3,265	4,153	1,287	1,494	579	554	3,168	1,222	28,862	22,671	147	977	12,779	8,768
Balance of area	18,716	18	–	252	4,069	834	1,216	324	382	151	162	1,000	271	7,700	6,181	34	147	3,632	2,368
Nonmetropolitan counties	31,636	20	–	395	6,044	1,395	1,737	411	598	236	246	1,421	466	14,250	11,169	36	164	6,734	4,235
Urban places	7,222	6	–	101	1,347	333	347	98	148	57	53	311	100	3,175	2,438	9	38	1,522	859
Balance of area	24,414	14	–	294	4,697	1,062	1,390	313	450	179	193	1,110	366	11,075	8,731	27	126	5,212	3,366
Anderson	445	–	–	6	86	27	29	5	5	4	3	13	5	221	169	–	1	109	59
Palestine	248	–	–	5	49	20	11	4	4	2	2	6	1	122	97	–	1	59	37
Balance of county	197	–	–	1	37	7	18	1	1	2	1	7	4	99	72	–	–	50	22
Andrews	84	–	–	1	12	–	3	2	1	1	1	4	1	39	33	1	–	17	15
Andrews	66	–	–	–	10	–	2	2	1	1	1	3	1	28	24	–	–	14	10
Balance of county	18	–	–	1	2	–	1	–	–	–	–	1	–	11	9	1	–	3	5
Angelina	609	2	–	6	117	23	37	5	19	3	4	26	12	280	216	1	5	102	108
Lufkin	320	2	–	5	66	13	17	2	16	1	3	14	7	154	116	1	2	52	61
Balance of county	289	–	–	1	51	10	20	3	3	2	1	12	5	126	100	–	3	50	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Tennessee-Con.																			
Morgan	–	12	3	1	8	8	–	–	1	–	2	–	2	10	8	5	2	1	–
Obion	–	30	23	6	10	18	–	1	5	–	3	1	3	32	5	7	5	4	1
Union City	–	17	10	3	4	6	–	–	3	–	–	1	3	11	–	2	–	2	–
Balance of county	–	13	13	3	6	10	–	1	2	–	3	–	–	21	5	5	5	2	1
Overton	–	12	2	–	13	12	1	1	6	–	–	1	4	6	7	6	2	1	–
Perry	–	5	1	–	7	1	–	–	3	–	–	–	1	10	1	3	–	–	–
Pickett	–	5	1	–	1	–	–	–	2	–	–	–	1	2	1	6	–	1	–
Polk	–	9	1	1	6	3	1	–	2	–	1	2	–	17	7	2	–	1	–
Putnam	1	36	11	1	6	23	1	7	2	–	1	3	42	51	12	11	6	1	2
Cookeville	–	9	5	–	1	10	–	2	2	–	1	2	18	19	6	5	3	–	1
Balance of county	1	27	6	1	5	13	1	5	–	–	–	1	24	32	6	6	3	1	1
Rhea	2	17	3	2	6	14	1	2	2	–	–	3	4	16	10	4	–	2	1
Roane	2	38	2	6	11	18	2	2	4	–	4	3	2	39	16	5	4	4	–
Oak Ridge, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	2	38	2	6	11	18	2	2	4	–	4	3	2	39	15	5	4	4	–
Robertson	4	27	9	3	10	11	1	2	6	–	2	–	4	32	13	6	6	4	1
Springfield	2	14	4	1	4	2	–	1	1	–	1	–	2	12	3	1	2	1	1
Balance of county	2	13	5	2	6	9	1	1	5	–	1	–	2	20	10	5	4	3	–
Rutherford	2	46	5	5	21	28	1	2	3	–	9	9	9	63	27	18	11	4	2
Murfreesboro	1	29	3	3	9	13	–	2	1	–	3	1	4	36	9	5	5	3	2
Balance of county	1	17	2	2	12	15	1	–	2	–	6	8	5	27	18	13	6	1	–
Scott	–	14	1	4	13	12	1	1	–	–	3	–	7	9	8	4	1	1	–
Sequatchie	–	5	–	–	1	6	–	2	2	–	–	–	–	3	–	3	–	–	–
Sevier	–	34	6	5	13	14	–	6	2	–	–	3	39	46	10	4	11	2	–
Shelby	27	540	65	53	165	246	14	65	83	1	60	94	72	603	149	197	104	171	3
Bartlett	–	3	–	–	2	1	–	–	–	–	1	1	–	5	1	2	1	1	–
Germantown	–	5	–	1	3	7	–	1	–	–	2	1	–	6	3	3	1	2	–
Memphis	26	511	63	49	146	225	13	61	79	1	52	85	71	566	127	182	92	161	3
Millington	–	6	–	–	2	1	–	2	3	–	2	1	1	1	1	4	4	2	–
Balance of county	1	15	2	3	12	12	1	1	1	–	3	6	–	25	17	6	6	5	–
Smith	1	16	5	–	13	3	–	2	2	–	–	1	–	9	9	4	2	2	–
Stewart	–	5	1	2	2	1	–	–	1	–	–	–	4	14	4	–	–	–	1
Sullivan	5	94	6	15	51	65	3	13	10	–	5	9	5	97	46	21	20	6	3
Bristol [8]	–	25	1	2	13	9	1	5	2	–	–	3	2	13	3	7	4	2	–
Kingsport, part	3	21	2	6	11	24	1	1	4	–	2	2	1	38	15	3	5	1	–
Kingsport, total	3	24	2	7	11	24	2	1	4	–	2	2	1	43	15	3	5	1	–
Balance of county	2	48	3	7	27	32	1	7	4	–	3	4	2	46	28	11	11	3	3
Sumner	–	41	6	3	29	23	1	6	6	–	5	6	8	54	22	16	14	11	–
Gallatin	–	11	1	–	12	3	1	4	2	–	1	3	1	22	6	3	3	4	–
Hendersonville	–	9	1	1	4	10	–	2	–	–	4	1	3	13	5	5	6	5	–
Balance of county	–	21	4	2	13	10	–	–	4	–	–	2	4	19	11	8	5	2	–
Tipton	2	31	5	2	7	7	1	4	5	–	2	3	3	18	13	12	1	1	–
Trousdale	1	3	1	–	2	1	1	1	–	–	–	–	2	13	1	1	3	–	–
Unicoi	–	11	1	2	11	9	1	1	2	–	1	1	1	19	3	9	2	–	1
Union	1	5	–	–	5	1	–	–	1	–	–	–	3	5	5	2	5	2	–
Van Buren	–	4	–	–	2	–	–	1	–	–	–	–	1	2	1	5	1	–	–
Warren	–	19	–	6	18	20	1	–	3	–	1	2	8	38	11	8	1	3	–
McMinnville	–	9	–	1	8	8	–	–	1	–	–	–	2	20	–	2	–	1	–
Balance of county	–	10	–	5	10	12	1	–	2	–	1	2	6	18	11	6	1	2	–
Washington	5	71	17	12	42	34	5	8	3	–	5	7	43	70	21	22	10	5	–
Johnson City, part	5	41	9	3	29	26	5	7	2	–	1	5	25	48	10	11	8	–	–
Johnson City, total	5	41	9	3	29	26	5	7	2	–	1	5	25	48	11	11	8	–	–
Balance of county	–	30	8	9	13	8	–	1	1	–	4	2	18	22	11	11	2	5	–
Wayne	–	4	5	4	2	10	–	2	–	–	2	1	5	12	5	3	2	–	5
Weakley	–	39	13	5	18	8	1	2	4	–	1	2	4	22	8	5	8	3	–
White	2	27	3	1	7	7	2	1	2	–	1	–	2	15	6	6	1	1	2
Williamson	2	40	5	4	13	18	–	2	5	–	3	4	4	45	21	13	6	2	–
Franklin	1	16	1	2	6	6	–	1	2	–	1	4	1	19	3	1	2	2	–
Balance of county	1	24	4	2	7	12	–	1	3	–	2	–	3	26	18	12	4	–	–
Wilson	–	55	2	4	14	26	2	5	5	–	4	6	4	24	21	19	14	9	–
Lebanon	–	21	1	1	8	10	–	1	3	–	1	3	2	9	4	4	3	3	–
Balance of county	–	34	1	3	6	16	2	4	2	–	3	3	2	15	17	15	11	6	–
Texas	322	8,286	1,189	994	3,506	3,671	297	1,372	1,431	26	931	1,331	4,695	10,315	3,715	3,304	2,278	2,346	126
Urban places	226	5,306	785	611	2,218	2,397	202	964	906	21	632	1,014	2,104	6,923	2,107	2,063	1,481	1,855	83
Balance of area	96	2,980	404	383	1,288	1,274	95	408	525	5	299	317	2,591	3,392	1,608	1,241	797	491	43
Metropolitan counties	250	5,846	673	741	2,422	2,710	224	1,090	1,025	22	754	1,132	2,473	7,833	2,753	2,464	1,821	2,059	101
Urban places	211	4,696	712	572	1,935	2,152	185	887	832	18	583	955	1,539	6,333	1,939	1,869	1,385	1,789	76
Balance of area	39	1,150	161	169	487	558	39	203	193	4	171	177	934	1,500	814	595	436	270	25
Nonmetropolitan counties	72	2,440	316	253	1,084	961	73	282	408	4	177	199	2,222	2,482	962	840	457	287	25
Urban places	15	610	73	39	283	245	17	77	74	3	49	59	565	590	168	194	96	66	7
Balance of area	57	1,830	243	214	801	716	56	205	332	1	128	140	1,657	1,892	794	646	361	221	18
Anderson	3	31	13	5	18	17	2	–	4	–	5	2	5	33	13	11	7	10	–
Palestine	2	16	6	1	11	8	2	–	1	–	2	1	2	21	7	6	2	8	–
Balance of county	1	15	7	4	7	9	–	–	3	–	3	1	3	12	6	5	5	2	–
Andrews	–	5	–	1	6	2	–	1	1	–	4	4	2	4	3	1	1	–	2
Andrews	–	4	–	–	6	2	–	1	1	–	3	4	2	4	2	–	–	–	2
Balance of county	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–
Angelina	–	61	3	–	20	23	1	5	3	–	8	3	34	47	18	12	10	8	–
Lufkin	–	37	1	–	10	10	–	3	3	–	4	1	15	25	6	4	3	2	–
Balance of county	–	24	2	–	10	13	1	2	–	–	4	2	19	22	12	8	7	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	130	–	–	2	35	6	11	2	4	4	–	8	1	52	41	1	–	26	14
Archer	54	–	–	1	8	5	–	–	–	–	–	3	1	28	19	–	–	10	9
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	54	–	–	1	8	5	–	–	–	–	–	3	1	28	19	–	–	10	9
Armstrong	24	–	–	–	8	2	1	–	2	1	1	1	–	12	10	–	–	6	4
Atascosa	258	–	–	8	41	12	9	2	6	–	3	9	8	102	77	–	–	53	24
Austin	225	–	–	2	38	7	10	4	2	4	3	8	7	112	86	–	–	46	40
Bailey	53	–	–	–	5	1	2	–	1	1	–	–	1	24	18	–	–	5	13
Bandera	100	–	–	1	20	6	2	2	1	4	1	4	–	52	44	–	2	15	27
Bastrop	302	–	–	2	50	5	14	–	5	3	1	22	8	123	104	–	4	46	54
Baylor	78	–	–	–	15	6	6	–	–	1	–	2	1	42	32	–	–	25	7
Bee	219	–	–	4	51	11	19	–	5	1	5	10	6	85	64	–	–	37	27
Beeville	142	–	–	3	32	8	11	–	4	–	3	8	5	56	39	–	–	25	14
Balance of county	77	–	–	1	19	3	8	–	1	1	2	4	1	29	25	–	–	12	13
Bell	1,144	–	–	19	210	36	63	13	19	6	5	68	9	480	408	2	5	204	197
Belton	103	–	–	2	16	4	3	1	1	–	2	5	1	48	45	–	1	20	24
Killeen	229	–	–	4	38	7	14	1	2	2	–	12	2	108	92	–	–	60	32
Temple	478	–	–	8	102	13	29	6	10	3	2	39	2	209	176	1	3	85	87
Balance of county	334	–	–	5	54	12	17	5	6	1	1	12	4	115	95	1	1	39	54
Bexar	7,894	16	–	201	1,688	425	448	131	172	71	64	377	173	3,160	2,523	14	104	1,375	1,030
San Antonio	6,611	15	–	167	1,391	366	373	105	146	58	51	292	155	2,671	2,135	8	86	1,174	867
Universal City	76	–	–	2	24	5	3	4	1	3	2	6	1	25	22	1	1	12	8
Balance of county	1,207	1	–	32	273	54	72	22	25	10	11	79	17	467	366	5	17	189	155
Blanco	72	–	–	1	11	3	4	1	–	–	1	2	1	38	36	–	2	15	19
Borden	10	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	1
Bosque	208	–	–	3	48	8	14	4	6	1	2	13	8	84	60	–	–	43	26
Bowie	799	1	–	12	153	25	45	13	15	6	9	40	10	324	251	–	10	144	97
Texarkana	321	–	–	3	53	9	17	2	5	1	4	15	4	124	87	–	5	55	27
Balance of county	478	1	–	9	100	16	28	11	10	5	5	25	6	200	164	–	5	89	70
Brazoria	1,125	2	–	16	254	52	71	16	28	9	10	68	17	416	345	4	5	172	164
Alvin	135	–	–	2	27	4	8	2	4	3	1	5	–	54	46	–	–	30	16
Angleton	118	–	–	1	25	6	10	1	4	–	–	4	3	47	39	–	–	18	21
Freeport	96	–	–	3	26	4	9	1	–	1	2	9	1	35	29	1	1	15	12
Lake Jackson	101	–	–	2	23	4	5	2	–	1	–	11	4	37	31	–	–	17	14
Pearland, part	98	–	–	–	28	11	5	2	3	–	1	6	2	35	26	2	–	12	12
Pearland, total	101	–	–	–	29	12	5	2	3	–	1	6	2	37	28	2	–	13	13
Balance of county	577	2	–	8	125	23	34	8	17	4	6	33	7	208	174	1	4	80	89
Brazos	553	1	–	6	105	26	33	9	12	3	3	19	9	230	163	–	4	90	69
Bryan	392	1	–	4	80	18	29	7	5	2	3	16	6	164	113	–	4	63	46
College Station	94	–	–	1	13	6	1	1	4	–	–	1	2	37	31	–	–	16	15
Balance of county	67	–	–	1	12	2	3	1	3	1	–	2	1	29	19	–	–	11	8
Brewster	75	–	–	–	10	1	4	1	1	–	1	2	2	31	23	–	–	9	14
Briscoe	29	–	–	–	6	–	2	–	1	1	1	1	–	12	11	–	–	9	2
Brooks	67	–	–	1	15	5	4	–	3	1	–	2	2	29	24	–	1	11	12
Brown	400	–	–	5	86	22	32	2	10	3	7	10	6	161	120	–	1	52	67
Brownwood	244	–	–	4	47	12	16	1	6	1	6	5	5	97	73	–	1	33	39
Balance of county	156	–	–	1	39	10	16	1	4	2	1	5	1	64	47	–	–	19	28
Burleson	167	–	–	4	23	2	7	–	1	2	2	9	3	84	70	1	1	28	40
Burnet	302	1	–	6	55	11	22	4	8	–	1	9	4	112	84	–	–	57	27
Caldwell	256	2	–	2	53	13	12	2	7	2	3	14	7	123	103	1	2	65	35
Calhoun	154	–	–	1	33	8	10	3	1	1	1	9	2	58	49	–	1	30	18
Port Lavaca	100	–	–	1	26	7	7	3	1	1	1	6	1	37	31	–	1	21	9
Balance of county	54	–	–	–	7	1	3	–	–	–	–	3	1	21	18	–	–	9	9
Callahan	136	–	–	2	22	3	5	4	–	–	1	9	4	68	62	–	2	34	26
Cameron	1,536	3	–	22	309	68	86	20	43	12	9	71	41	570	435	2	8	266	157
Brownsville	575	–	–	8	110	28	28	7	19	1	4	23	17	193	134	2	1	86	43
Harlingen	372	2	–	7	84	16	24	7	15	5	2	15	11	159	132	–	5	75	52
San Benito	155	–	–	3	28	4	11	3	4	1	2	3	2	66	52	–	–	27	25
Balance of county	434	1	–	4	87	20	23	3	5	5	1	30	11	152	117	–	2	78	37
Camp	118	–	–	6	24	5	12	2	1	–	–	4	3	42	29	–	–	12	17
Carson	46	–	–	1	6	2	1	1	–	–	–	2	–	25	18	–	–	9	9
Cass	352	–	–	5	66	15	17	5	10	2	3	14	1	156	131	–	2	61	66
Castro	64	–	–	–	12	4	4	–	–	–	1	3	–	27	16	–	–	7	9
Chambers	156	–	–	1	41	5	16	3	5	2	3	7	2	84	52	–	1	27	24
Baytown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	156	–	–	1	41	5	16	3	5	2	3	7	2	84	52	–	1	27	24
Cherokee	458	–	–	3	94	19	29	11	7	2	3	23	3	191	123	–	5	82	36
Jacksonville	159	–	–	2	33	7	10	2	4	1	–	9	1	56	33	–	2	23	8
Balance of county	299	–	–	1	61	12	19	9	3	1	3	14	2	135	90	–	3	59	28
Childress	101	–	–	2	16	6	4	2	3	1	–	–	3	52	41	–	2	36	3
Clay	100	–	–	3	17	3	5	–	3	1	–	5	1	47	44	–	–	24	20
Cochran	34	–	–	1	5	–	1	2	–	–	–	2	–	14	12	–	–	6	6
Coke	45	–	–	–	11	–	1	2	3	–	1	4	1	18	13	–	–	7	6
Coleman	155	–	–	1	31	7	8	3	5	3	–	5	1	77	54	–	–	29	25
Collin	964	2	–	12	204	38	59	18	21	7	4	57	25	400	331	1	9	208	113
Carrollton, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Dallas, part	20	–	–	–	7	–	2	2	1	–	–	2	1	4	3	–	–	2	1
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	195	–	–	1	47	12	16	1	2	2	1	13	3	93	78	–	2	44	32
Plano, part	295	2	–	6	66	12	19	8	7	–	2	18	10	88	74	1	2	44	27
Plano, total	295	2	–	6	66	12	19	8	7	–	2	18	10	88	74	1	2	44	27
Richardson, part	17	–	–	–	3	1	–	1	–	–	–	1	1	8	6	–	1	2	3
Balance of county	436	–	–	5	81	13	22	6	11	5	1	23	10	206	169	–	4	116	50

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	–	9	–	2	4	5	–	1	2	–	1	3	2	11	2	4	2	2	1
Archer	–	5	4	–	2	2	1	1	–	–	–	–	–	7	–	1	2	–	–
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	5	4	–	2	2	1	1	–	–	–	–	–	7	–	1	2	–	–
Armstrong	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Atascosa	1	15	7	2	5	6	1	2	5	–	1	2	30	20	11	4	10	2	–
Austin	–	23	2	1	8	7	–	2	2	–	1	–	11	23	1	5	3	2	1
Bailey	–	5	1	–	3	1	–	–	1	–	–	–	10	2	2	2	–	2	–
Bandera	–	7	–	1	1	6	–	1	4	–	–	–	1	6	3	1	2	2	–
Bastrop	–	15	1	3	5	10	1	6	3	–	2	7	26	21	21	8	6	3	–
Baylor	1	8	1	–	4	1	–	–	4	–	–	–	5	3	2	–	1	–	–
Bee	–	15	2	4	7	7	–	2	1	–	–	1	9	22	9	8	5	2	–
Beeville	–	12	2	3	3	5	–	1	1	–	–	1	6	16	4	4	4	1	–
Balance of county	–	3	–	1	4	2	–	1	–	–	–	–	3	6	5	4	1	1	–
Bell	2	57	5	8	27	24	1	12	11	2	20	18	124	61	43	36	31	16	2
Belton	–	2	–	1	1	2	–	2	1	–	1	1	18	7	–	2	1	–	–
Killeen	1	10	4	1	2	6	1	3	3	1	5	7	4	15	5	12	7	4	2
Temple	1	28	–	4	13	10	–	4	4	1	5	–	61	23	10	9	11	6	–
Balance of county	–	17	1	2	11	6	–	3	3	–	9	6	41	16	28	13	12	6	–
Bexar	22	516	39	63	230	262	18	113	108	2	68	106	115	841	230	178	156	218	7
San Antonio	19	428	34	55	194	213	17	97	98	1	52	89	106	699	181	137	121	201	6
Universal City	–	3	–	–	2	2	–	–	–	–	1	1	2	6	1	7	2	–	–
Balance of county	3	85	5	8	34	47	1	16	10	1	15	16	8	136	48	34	33	17	1
Blanco	–	2	–	–	4	3	–	2	1	–	1	–	–	5	2	2	1	–	–
Borden	–	1	–	–	–	–	–	1	–	–	–	–	–	2	–	3	1	–	–
Bosque	–	12	–	3	3	6	–	1	3	–	1	1	3	23	9	9	3	1	–
Bowie	1	63	–	9	27	22	1	6	9	–	3	2	90	70	25	18	11	13	2
Texarkana [7]	–	32	–	5	11	2	–	3	4	–	–	–	49	29	10	11	9	9	–
Balance of county	1	31	–	4	16	20	1	3	5	–	3	2	41	41	15	7	2	4	2
Brazoria	1	60	3	7	29	16	3	10	14	1	11	13	54	122	54	35	30	23	5
Alvin	–	7	–	1	3	5	–	–	5	1	2	1	1	22	2	4	2	4	–
Angleton	–	6	–	–	2	2	1	1	1	–	2	1	1	20	8	2	–	–	1
Freeport	–	2	2	2	2	2	–	2	1	–	–	2	1	10	2	4	2	2	1
Lake Jackson	–	5	–	1	2	1	–	2	–	–	2	–	3	13	5	4	2	1	–
Pearland, part	–	6	–	1	3	–	1	1	3	–	1	6	2	11	3	2	–	–	–
Pearland, total	–	8	–	1	3	–	1	1	3	–	1	6	2	11	3	2	–	–	–
Balance of county	1	30	1	2	17	6	1	4	4	–	4	3	46	46	34	19	24	16	3
Brazos	2	50	8	7	14	13	3	3	4	–	3	8	60	48	19	17	6	3	1
Bryan	2	36	5	6	13	8	1	3	2	–	2	2	42	33	11	13	5	2	–
College Station	–	4	1	1	1	4	2	–	2	–	–	4	10	10	4	3	1	–	–
Balance of county	–	8	2	–	–	1	–	–	–	–	1	2	8	5	4	1	–	1	1
Brewster	1	7	–	–	5	1	1	1	1	–	1	1	3	5	3	6	3	1	–
Briscoe	–	1	–	–	1	1	–	–	–	–	–	–	7	–	–	2	–	–	–
Brooks	–	3	–	2	1	2	–	–	–	–	–	–	6	5	1	1	1	3	–
Brown	1	27	11	2	9	12	–	2	5	–	2	3	50	32	4	13	6	3	1
Brownwood	–	18	6	–	5	7	–	1	2	–	1	3	34	22	3	6	4	1	–
Balance of county	1	9	5	2	4	5	–	1	3	–	1	–	16	10	1	5	2	2	1
Burleson	–	13	–	1	5	1	–	3	4	–	1	1	13	11	6	4	3	1	–
Burnet	–	22	4	2	10	10	–	3	2	–	1	2	44	25	12	5	8	2	–
Caldwell	–	17	2	1	6	10	1	–	2	–	1	4	4	21	6	10	2	–	–
Calhoun	–	7	–	2	5	3	–	2	2	–	1	1	3	19	14	5	4	–	1
Port Lavaca	–	6	–	–	2	2	–	1	2	–	1	1	2	8	11	3	2	–	–
Balance of county	–	1	–	2	3	1	–	1	–	–	–	–	1	11	3	2	2	–	1
Callahan	–	4	–	2	6	6	–	2	2	–	1	2	8	7	2	–	4	–	–
Cameron	2	110	9	14	41	40	1	27	21	1	18	27	162	112	45	53	16	24	3
Brownsville	2	52	2	3	20	9	1	11	8	1	8	13	85	41	10	21	5	11	2
Harlingen	–	19	4	4	13	17	–	3	5	–	2	3	19	21	9	8	5	3	1
San Benito	–	10	1	3	1	7	–	4	5	–	1	4	8	15	3	6	–	2	–
Balance of county	–	29	2	4	7	7	–	9	3	–	6	7	50	35	23	18	6	8	–
Camp	1	7	4	1	5	2	–	–	4	–	4	1	4	12	5	4	–	2	–
Carson	1	5	1	–	1	2	–	–	–	–	–	–	6	3	1	1	–	–	–
Cass	–	20	3	2	16	8	–	1	5	–	–	3	35	20	13	15	7	1	–
Castro	–	9	1	1	3	2	–	–	–	–	–	1	8	3	4	2	2	–	–
Chambers	1	9	2	–	5	7	–	1	1	–	–	1	3	12	8	4	4	1	1
Baytown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	9	2	–	5	7	–	1	1	–	–	1	3	12	8	4	4	1	1
Cherokee	–	52	10	6	11	21	–	2	13	–	1	–	57	31	11	9	6	4	1
Jacksonville	–	18	3	2	3	13	–	1	5	–	–	–	25	8	3	5	3	–	1
Balance of county	–	34	7	4	8	8	–	1	8	–	1	–	32	23	8	4	3	4	–
Childress	–	9	–	2	4	5	–	–	5	–	1	–	–	8	1	3	–	1	–
Clay	–	3	–	–	3	2	2	–	3	–	–	–	8	7	4	1	1	1	–
Cochran	–	1	1	–	3	4	–	–	–	–	–	–	3	3	1	–	–	–	–
Coke	–	–	3	2	1	2	–	1	1	–	–	1	4	3	1	–	1	–	–
Coleman	–	18	1	4	12	4	1	2	4	–	–	–	2	13	3	1	1	2	–
Collin	4	48	13	4	36	30	1	7	15	–	6	12	9	83	44	29	24	22	3
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	–	1	–	–	–	–	–	–	1	–	–	1	–	1	3	–	2	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	–	11	4	–	7	6	–	1	7	–	–	1	–	11	5	5	5	2	1
Plano, part	1	8	4	1	14	15	–	3	4	–	4	7	1	32	15	4	12	12	–
Plano, total	1	8	4	1	14	15	–	3	4	–	4	7	1	32	15	4	12	12	–
Richardson, part	–	1	1	–	–	2	–	–	–	–	–	–	1	2	–	–	–	–	–
Balance of county	3	27	4	3	15	7	1	3	3	–	2	3	7	37	21	20	5	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	61	–	–	1	13	2	7	–	1	–	1	2	2	26	22	–	–	16	6
Colorado	221	–	–	6	40	7	11	4	6	–	1	11	1	108	80	–	–	43	37
Comal	440	–	–	5	96	21	26	9	6	3	4	27	10	173	141	1	–	72	68
New Braunfels, part	284	–	–	3	57	13	14	4	3	2	3	18	7	125	100	1	–	53	46
New Braunfels, total	288	–	–	3	57	13	14	4	3	2	3	18	7	127	101	1	–	53	47
Balance of county	156	–	–	2	39	8	12	5	3	1	1	9	3	48	41	–	–	19	22
Comanche	194	–	–	3	34	10	11	–	7	1	1	4	3	102	67	–	–	27	40
Concho	45	–	–	–	6	3	1	–	–	–	–	2	–	32	24	–	–	14	10
Cooke	303	–	–	–	56	8	20	3	9	2	2	12	3	135	104	1	2	84	17
Gainesville	194	–	–	–	34	6	12	2	6	2	1	5	2	94	69	–	1	58	10
Balance of county	109	–	–	–	22	2	8	1	3	–	1	7	1	41	35	1	1	26	7
Coryell	270	–	–	3	54	10	17	2	7	1	1	16	2	129	110	–	–	52	58
Copperas Cove	88	–	–	1	17	6	6	–	–	–	1	4	2	35	33	–	–	16	17
Balance of county	182	–	–	2	37	4	11	2	7	1	–	12	–	94	77	–	–	36	41
Cottle	43	–	–	–	8	3	2	1	2	–	–	–	–	22	19	–	1	14	4
Crane	35	–	–	–	5	–	2	–	1	–	1	1	–	16	7	–	–	6	1
Crockett	41	–	–	–	8	2	–	–	1	–	1	4	–	21	17	–	–	9	8
Crosby	78	–	–	2	11	3	3	2	1	–	–	2	–	40	33	–	2	14	17
Culberson	15	–	–	–	1	–	1	–	–	–	–	–	1	8	5	–	–	4	1
Dallam	57	–	–	–	6	1	2	1	1	–	–	1	–	35	33	–	–	22	11
Dallas	12,035	12	2	189	2,534	543	788	234	265	96	90	518	193	4,970	3,897	26	358	2,009	1,506
Balch Springs	89	–	–	1	10	4	1	–	1	2	1	1	2	41	33	–	3	16	14
Carrollton, part	171	–	–	3	39	6	15	5	3	2	–	8	3	64	52	–	5	30	17
Carrollton, total	214	–	–	3	52	7	21	5	3	3	–	13	4	76	61	–	6	37	18
Dallas, part	8,024	11	1	131	1,612	358	498	137	180	58	58	325	134	3,310	2,596	16	271	1,262	1,047
Dallas, total	8,048	11	1	131	1,620	358	501	139	181	58	58	327	135	3,315	2,600	16	271	1,264	1,049
De Soto	127	–	–	–	29	8	11	4	2	–	1	3	1	57	53	–	5	34	14
Duncanville	163	–	–	–	39	9	10	2	3	3	1	11	2	64	54	1	3	37	13
Farmers Branch	142	–	–	1	41	4	13	8	6	3	1	6	3	59	45	1	2	22	20
Garland, part	755	1	1	16	182	44	60	17	24	4	3	30	13	295	232	–	22	121	89
Garland, total	755	1	1	16	182	44	60	17	24	4	3	30	13	295	232	–	22	121	89
Grand Prairie, part	384	–	–	7	96	23	30	7	8	4	2	22	5	152	96	1	11	55	29
Grand Prairie, total	425	–	–	8	102	25	31	8	8	4	2	24	5	173	107	1	11	60	35
Grapevine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irving	668	–	–	13	143	25	49	14	7	5	8	35	11	268	220	2	11	139	88
Lancaster	181	–	–	2	36	9	14	1	3	–	3	6	5	90	70	–	1	40	29
Mesquite	427	–	–	5	105	24	32	12	8	5	3	21	4	152	121	3	7	73	38
Richardson, part	317	–	–	2	78	15	17	10	6	2	3	25	4	145	111	–	–	63	48
Richardson, total	334	–	–	2	81	16	17	11	6	2	3	26	5	153	117	–	1	65	51
University Park	141	–	–	–	33	3	8	8	5	1	2	6	2	77	59	1	2	33	23
Balance of county	446	–	–	8	91	13	30	9	9	7	4	19	4	196	155	1	13	84	57
Dawson	146	–	–	5	26	7	4	2	2	–	1	10	4	44	35	–	2	23	10
Lamesa	134	–	–	5	24	7	4	2	2	–	1	8	4	40	31	–	2	20	9
Balance of county	12	–	–	–	2	–	–	–	–	–	–	2	–	4	4	–	–	3	1
Deaf Smith	127	–	–	1	27	7	4	3	6	–	3	4	1	48	41	–	–	33	8
Hereford	104	–	–	1	20	6	2	2	3	–	3	4	–	40	33	–	–	27	6
Balance of county	23	–	–	–	7	1	2	1	3	–	–	–	1	8	8	–	–	6	2
Delta	85	–	–	–	14	3	2	–	2	2	–	5	1	44	33	1	–	18	14
Denton	952	1	–	10	211	24	58	13	13	6	8	89	16	378	291	3	6	174	108
Carrollton, part	42	–	–	–	13	1	6	–	–	1	–	5	1	11	8	–	1	6	1
Dallas, part	4	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	–	1
Denton	374	1	–	1	78	12	22	4	5	1	2	30	7	151	110	–	–	68	42
Lewisville	169	–	–	3	42	5	8	4	2	1	1	21	2	64	54	2	3	34	15
Plano, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	42	–	–	–	11	1	4	1	1	1	–	3	–	12	11	–	–	4	7
Balance of county	321	–	–	6	68	5	17	4	5	2	5	30	6	139	107	1	2	62	42
De Witt	241	–	–	4	46	12	14	4	4	2	1	9	6	134	102	–	1	65	36
Dickens	35	–	–	–	6	1	2	1	–	–	–	2	–	13	9	–	–	9	–
Dimmit	68	–	–	2	14	1	3	2	–	–	1	7	4	27	21	–	–	19	2
Donley	56	–	–	–	16	3	6	–	3	1	1	2	–	23	19	–	–	16	3
Duval	124	–	–	1	20	9	3	–	3	–	1	4	3	60	45	1	–	34	10
Eastland	269	–	–	5	42	8	16	5	3	–	1	9	4	148	119	–	2	74	43
Ector	828	1	–	11	176	39	54	14	17	7	12	33	10	240	197	4	2	123	68
Odessa	674	1	–	8	138	25	42	14	14	7	10	26	9	207	169	3	2	105	59
Balance of county	154	–	–	3	38	14	12	–	3	–	2	7	1	33	28	1	–	18	9
Edwards	24	–	–	–	4	2	–	–	1	–	–	1	1	11	7	–	–	4	3
Ellis	680	–	–	6	118	32	19	10	14	4	4	35	5	300	247	1	6	122	118
Ennis	159	–	–	–	26	8	4	3	3	–	–	8	–	74	67	–	2	35	30
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	203	–	–	5	36	13	4	2	4	1	1	11	1	88	67	–	–	28	41
Balance of county	318	–	–	1	56	11	11	5	7	3	3	16	4	138	113	1	4	61	47
El Paso	2,988	10	–	57	635	166	155	55	76	31	25	127	70	1,144	876	10	45	549	271
El Paso	2,842	10	–	57	603	153	149	52	71	31	25	122	66	1,065	835	10	45	527	253
Balance of county	146	–	–	–	32	13	6	3	5	–	–	5	4	59	40	–	–	22	18
Erath	307	1	–	2	60	10	18	1	5	3	5	18	3	144	115	–	1	86	26
Stephenville	168	–	–	1	33	5	7	1	3	3	1	13	1	73	53	–	–	44	9
Balance of county	139	1	–	1	27	5	11	–	2	–	4	5	2	71	62	–	1	44	17
Falls	270	–	–	1	46	13	17	4	2	–	2	8	6	145	115	–	2	73	40
Fannin	384	–	–	3	50	13	13	2	4	2	4	12	6	148	109	–	–	78	31
Fayette	284	–	–	5	51	12	13	3	6	4	1	12	3	150	121	–	–	63	58
Fisher	70	–	–	1	16	3	4	–	4	–	1	4	1	38	32	1	1	29	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	–	2	–	2	2	3	1	1	2	–	–	–	5	2	–	1	2	–	–
Colorado	–	24	2	2	5	5	1	2	2	–	–	1	10	23	8	4	2	3	–
Comal	–	25	7	–	14	9	2	5	6	–	2	4	35	38	14	11	9	7	–
New Braunfels, part	–	20	5	–	6	3	1	5	5	–	2	3	23	24	5	5	5	5	–
New Braunfels, total	–	21	5	–	6	3	1	5	5	–	2	4	23	24	6	5	5	5	–
Balance of county	–	5	2	–	8	6	1	–	1	–	–	1	12	14	9	6	4	2	–
Comanche	–	30	1	4	4	9	1	3	5	–	–	–	10	15	2	2	1	–	–
Concho	–	6	1	1	1	–	–	–	–	–	1	–	–	4	1	–	–	–	–
Cooke	1	25	2	3	11	11	–	2	1	–	5	2	20	26	12	4	11	4	–
Gainesville	1	20	2	2	8	6	–	2	1	–	4	2	15	16	2	3	4	1	–
Balance of county	–	5	–	1	3	5	–	–	–	–	1	–	5	10	10	1	7	3	–
Coryell	–	13	3	3	3	9	1	4	1	–	1	4	5	28	8	9	6	3	–
Copperas Cove	–	1	1	–	2	4	–	1	–	–	1	3	2	9	3	3	4	1	–
Balance of county	–	12	2	3	1	5	1	3	1	–	–	1	3	19	5	6	2	2	–
Cottle	–	2	–	1	3	2	–	–	–	–	–	–	4	3	–	–	1	–	–
Crane	–	8	–	1	–	1	–	2	–	–	–	1	3	3	3	–	1	–	–
Crockett	–	3	–	1	–	4	–	–	–	–	–	–	3	3	–	–	2	–	–
Crosby	–	6	–	1	1	2	–	2	3	–	–	2	–	7	2	3	2	1	–
Culberson	–	1	–	–	–	2	–	–	1	–	–	–	–	1	2	1	–	–	–
Dallam	–	2	–	–	–	–	–	–	–	–	–	2	–	6	5	3	–	–	–
Dallas	25	795	141	112	383	429	33	140	126	5	95	182	136	1,188	360	333	284	424	17
Balch Springs	–	7	–	1	4	8	–	1	–	2	1	1	2	4	3	4	4	1	–
Carrollton, part	–	8	2	2	7	11	–	1	2	–	2	2	2	11	6	5	6	7	–
Carrollton, total	–	11	2	2	8	11	–	3	3	–	2	5	3	12	9	6	7	10	–
Dallas, part	15	556	73	70	262	281	27	106	80	3	62	126	91	831	206	237	165	338	10
Dallas, total	15	557	73	70	262	281	27	107	81	3	62	127	91	832	209	237	168	338	10
De Soto	–	3	1	–	5	4	1	1	1	–	–	2	2	10	3	5	6	–	–
Duncanville	1	5	3	1	3	11	1	1	2	–	3	3	3	16	4	4	4	2	1
Farmers Branch	–	7	4	3	5	3	2	2	3	–	–	2	1	6	3	5	3	3	–
Garland, part	2	50	2	9	26	29	1	5	4	–	10	12	6	69	22	22	21	16	4
Garland, total	2	50	2	9	26	29	1	5	4	–	10	12	6	69	22	22	21	16	4
Grand Prairie, part	2	30	20	4	11	16	–	4	7	–	3	7	3	40	14	4	8	6	1
Grand Prairie, total	2	34	26	4	13	16	–	4	8	–	3	7	3	46	17	4	8	6	2
Grapevine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irving	1	26	14	7	16	18	–	7	8	–	5	16	13	54	36	16	21	23	–
Lancaster	–	17	1	2	5	2	1	–	2	–	–	1	–	14	4	6	5	8	–
Mesquite	1	20	7	3	19	15	–	6	4	–	5	3	5	44	26	10	14	10	–
Richardson, part	2	24	6	2	8	12	–	2	5	–	–	4	–	33	7	4	11	2	–
Richardson, total	2	25	7	2	8	14	–	2	5	–	–	4	1	35	7	4	11	2	–
University Park	1	14	2	1	3	3	–	–	2	–	–	–	1	15	1	3	1	–	–
Balance of county	–	28	6	7	9	16	–	4	6	–	4	3	7	41	25	8	15	8	1
Dawson	–	6	2	1	3	9	–	2	–	–	2	–	27	12	3	3	4	2	–
Lamesa	–	6	2	1	3	9	–	1	–	–	2	–	26	10	2	2	4	2	–
Balance of county	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–	–
Deaf Smith	–	7	–	–	7	7	1	1	2	–	–	5	1	10	2	9	1	4	–
Hereford	–	7	–	–	6	6	–	1	2	–	–	5	1	9	1	8	–	4	–
Balance of county	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	1	1	–	–
Delta	–	11	–	–	4	3	–	–	2	–	–	–	2	9	3	3	–	–	–
Denton	1	70	11	5	23	25	1	6	9	–	12	14	37	85	46	40	21	16	1
Carrollton, part	–	3	–	–	1	–	–	2	1	–	–	3	1	1	3	1	1	3	–
Dallas, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Denton	1	33	6	1	9	12	–	1	5	–	3	3	16	36	22	18	8	5	–
Lewisville	–	9	1	1	2	3	1	1	1	–	4	1	7	20	7	8	1	3	1
Plano, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	–	–	–	1	–	–	–	–	–	–	3	2	3	4	5	1	1	–	–
Balance of county	–	28	4	2	11	10	–	1	2	–	2	5	10	24	9	14	9	5	–
De Witt	1	22	7	2	5	3	1	1	1	–	–	4	5	18	2	8	2	1	–
Dickens	–	3	1	–	1	3	–	–	–	–	–	1	8	2	–	1	–	–	–
Dimmit	–	6	–	–	2	1	–	–	3	–	2	–	2	7	1	1	1	1	–
Donley	–	3	–	1	1	3	–	2	2	–	–	1	–	1	5	1	1	–	–
Duval	–	11	3	1	3	4	1	2	4	–	1	1	2	12	6	3	1	–	–
Eastland	–	25	2	2	9	10	1	–	4	–	2	1	15	16	3	7	1	1	–
Ector	3	30	2	8	24	32	1	17	14	1	5	11	98	82	41	25	19	19	1
Odessa	3	26	2	7	20	28	1	15	11	–	5	8	75	71	30	16	15	15	1
Balance of county	–	4	–	1	4	4	–	2	3	1	–	3	23	11	11	9	4	4	–
Edwards	–	2	–	2	2	2	–	1	–	–	–	–	1	1	–	1	–	–	–
Ellis	1	42	2	8	28	17	1	6	7	–	3	5	73	52	23	19	10	7	–
Ennis	1	5	–	1	8	3	–	1	4	–	1	2	17	18	–	3	–	2	–
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	–	18	–	3	10	8	–	1	2	–	1	1	19	14	7	4	4	2	–
Balance of county	–	19	2	4	10	6	1	4	1	–	1	2	37	20	16	12	6	3	–
El Paso	9	209	26	25	77	101	6	59	56	2	33	68	34	309	104	105	66	49	3
El Paso	8	195	25	22	69	99	5	58	54	2	30	65	33	294	93	103	64	49	3
Balance of county	1	14	1	3	8	2	1	1	2	–	3	3	1	15	11	2	2	–	–
Erath	2	25	–	2	7	9	2	1	3	–	1	1	31	24	8	6	3	1	–
Stephenville	1	18	–	1	5	3	1	1	2	–	–	–	20	20	3	3	2	–	–
Balance of county	1	7	–	1	2	6	1	–	1	–	1	1	11	4	5	3	1	1	–
Falls	–	27	3	–	5	3	–	1	6	–	4	–	7	27	6	7	4	2	–
Fannin	1	27	8	3	15	9	–	4	3	–	1	4	66	37	9	4	4	1	–
Fayette	–	22	5	2	13	2	–	2	5	–	2	1	16	16	6	7	4	1	–
Fisher	–	5	1	–	2	2	–	–	–	–	1	–	3	3	–	1	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	84	-	-	2	10	3	2	-	-	1	1	3	-	45	28	-	-	23	5
Foard	40	-	-	1	7	3	1	-	-	-	2	1	-	18	15	-	-	15	-
Fort Bend	752	4	-	10	183	39	50	13	21	2	17	41	15	295	233	3	3	124	103
Houston, part	11	-	-	1	4	-	-	1	-	-	1	2	-	4	4	-	-	2	2
Missouri City, part	104	1	-	1	29	7	6	5	3	1	2	5	-	26	19	-	1	12	6
Missouri City, total	110	1	-	1	30	7	7	5	3	1	2	5	-	29	20	-	1	13	6
Rosenberg	132	1	-	2	27	7	8	-	4	-	3	5	3	64	55	1	-	21	33
Balance of county	505	2	-	6	123	25	36	7	14	1	11	28	12	201	155	2	2	89	62
Franklin	80	-	-	-	14	7	2	-	2	-	-	3	2	47	32	-	-	25	7
Freestone	197	1	-	1	37	6	11	2	4	2	1	11	1	87	72	-	1	47	24
Frio	100	1	-	2	27	10	5	1	2	-	2	7	4	45	39	1	4	21	13
Gaines	98	-	-	1	17	5	5	1	2	-	-	4	-	33	28	-	-	22	7
Galveston	1,691	1	-	24	451	91	147	50	42	19	14	88	21	748	633	3	17	438	175
Friendswood, part	69	-	-	1	18	3	6	3	1	-	1	4	1	28	27	-	1	15	11
Friendswood, total	89	-	-	3	24	3	8	3	3	1	1	5	1	36	35	-	1	19	15
Galveston	658	-	-	13	154	35	48	17	13	6	7	28	9	311	269	-	6	201	62
La Marque	99	-	-	3	31	5	5	7	7	3	-	4	-	38	28	1	2	15	10
League City	95	-	-	1	39	10	11	5	4	-	1	8	1	33	27	2	-	18	7
Texas City	367	1	-	5	84	17	31	10	5	7	1	13	7	168	141	-	4	86	51
Balance of county	403	-	-	1	125	21	46	8	12	3	4	31	3	170	141	-	4	103	34
Garza	55	-	-	-	11	2	4	-	2	2	-	1	2	26	20	-	-	6	14
Gillespie	198	-	-	-	51	12	8	5	10	4	2	10	4	90	73	-	1	37	35
Glasscock	3	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-
Goliad	58	-	-	-	10	3	3	1	-	-	1	2	2	32	29	-	2	14	13
Gonzales	243	-	-	5	41	10	12	3	4	-	2	10	3	114	87	-	3	54	30
Gray	243	-	-	3	55	14	15	5	5	2	1	13	2	136	103	2	1	58	42
Pampa	205	-	-	3	44	13	10	3	4	2	1	11	-	119	90	1	1	52	36
Balance of county	38	-	-	-	11	1	5	2	1	-	-	2	2	17	13	1	-	6	6
Grayson	1,020	1	-	5	198	35	54	9	21	8	6	65	12	537	429	1	9	245	174
Denison	305	1	-	2	57	11	18	1	7	2	1	17	7	165	126	-	3	62	51
Sherman	289	-	-	-	59	6	14	5	6	2	-	26	1	165	134	1	-	83	50
Balance of county	416	-	-	3	82	18	22	3	8	4	5	22	4	207	169	-	6	100	83
Gregg	979	1	-	13	199	34	59	18	35	7	2	43	17	420	320	2	3	198	117
Kilgore, part	115	-	-	3	17	4	5	1	3	-	-	4	1	48	40	-	1	22	17
Kilgore, total	154	-	-	4	25	7	5	1	5	-	-	7	1	69	57	-	1	34	22
Longview, part	589	1	-	6	124	22	34	12	24	4	1	27	8	262	193	2	2	112	77
Longview, total	592	1	-	6	125	22	35	12	24	4	1	27	8	263	193	2	2	112	77
Balance of county	275	-	-	4	58	8	20	5	9	3	1	12	8	110	87	-	-	64	23
Grimes	206	-	-	1	43	9	10	5	2	1	1	15	3	94	78	-	-	32	46
Guadalupe	410	1	-	5	80	18	19	6	15	2	5	15	6	169	130	1	2	73	54
New Braunfels, part	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Seguin	171	1	-	4	34	8	6	4	9	1	3	3	3	71	56	-	1	36	19
Balance of county	235	-	-	1	46	10	13	2	6	1	2	12	3	96	73	1	1	37	34
Hale	281	-	-	5	38	10	6	2	6	3	2	10	1	127	87	1	2	53	31
Plainview	198	-	-	5	31	6	4	2	5	3	2	9	1	90	64	-	1	40	23
Balance of county	83	-	-	-	8	4	2	-	1	-	-	1	-	37	23	1	1	13	8
Hall	80	-	-	-	11	5	3	1	1	1	-	-	-	52	42	-	-	31	11
Hamilton	145	-	-	2	30	9	8	2	2	1	-	8	2	68	52	-	-	39	13
Hansford	54	-	-	-	14	3	4	2	1	-	-	4	2	16	14	-	-	10	4
Hardeman	100	-	-	1	19	4	6	2	4	-	2	1	1	48	35	-	-	23	12
Hardin	362	1	-	4	68	16	25	4	7	-	2	14	9	145	106	-	4	66	36
Harris	15,600	22	-	394	3,494	791	1,018	358	303	133	122	769	282	6,429	5,086	29	228	2,994	1,835
Baytown, part	436	1	-	5	89	21	28	7	5	4	5	19	9	193	153	-	2	112	39
Baytown, total	436	1	-	5	89	21	28	7	5	4	5	19	9	193	153	-	2	112	39
Bellaire	120	-	-	7	30	5	8	2	1	1	1	12	2	54	43	-	-	31	12
Deer Park	83	-	-	2	26	8	8	5	-	1	1	3	1	38	31	-	2	21	8
Friendswood, part	20	-	-	2	6	-	2	-	2	1	-	1	-	8	8	-	-	4	4
Houston, part	11,822	20	-	341	2,601	609	718	265	250	89	90	580	196	4,888	3,828	22	188	2,184	1,434
Houston, total	11,833	20	-	342	2,605	609	718	266	250	89	91	582	196	4,892	3,832	22	188	2,186	1,438
La Porte	137	-	-	1	38	13	12	2	2	3	2	4	-	53	44	1	1	33	9
Missouri City, part	6	-	-	-	1	-	1	-	-	-	-	-	-	3	1	-	-	1	-
Pasadena	630	-	-	7	152	29	59	15	8	7	4	30	15	263	214	1	9	134	70
Pearland, part	3	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	1	1
South Houston	91	-	-	-	30	5	11	2	2	3	1	8	1	35	29	-	2	17	10
West University Place	48	-	-	-	11	2	2	1	1	-	-	5	-	23	21	-	1	13	7
Balance of county	2,204	1	-	29	509	98	169	59	32	24	18	109	38	869	712	5	23	443	241
Harrison	574	1	-	8	124	27	28	12	18	6	5	28	10	223	161	-	7	106	48
Longview, part	3	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Marshall	345	1	-	8	77	19	17	5	12	5	5	14	7	140	102	-	4	66	32
Balance of county	226	-	-	-	46	8	10	7	6	1	-	14	3	82	59	-	3	40	16
Hartley	40	-	-	-	6	-	2	1	-	-	1	2	-	16	15	-	-	8	7
Haskell	100	-	-	-	24	5	5	2	4	2	1	5	2	51	32	-	1	17	14
Hays	323	-	-	12	76	25	17	7	7	3	2	15	12	127	100	1	2	61	36
San Marcos	172	-	-	9	32	7	6	5	3	2	-	9	9	74	52	-	1	38	13
Balance of county	151	-	-	3	44	18	11	2	4	1	2	6	3	53	48	1	1	23	23
Hemphill	31	-	-	-	3	-	3	-	-	-	-	-	1	21	19	-	1	10	8
Henderson	588	-	-	7	120	18	36	7	9	8	3	39	6	245	205	-	1	122	82
Athens	138	-	-	2	28	4	8	2	2	2	1	9	2	67	57	-	1	37	19
Balance of county	450	-	-	5	92	14	28	5	7	6	2	30	4	178	148	-	-	85	63

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	–	15	1	1	1	1	–	–	1	–	–	–	14	5	3	1	1	–	–
Foard	–	3	–	–	3	–	–	–	–	–	–	–	1	7	–	2	1	–	–
Fort Bend	3	45	5	9	26	10	2	11	9	–	14	8	17	60	30	20	20	17	1
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Missouri City, part	–	6	–	1	2	2	1	4	1	–	3	3	2	8	6	4	4	7	–
Missouri City, total	–	8	–	1	2	2	1	4	1	–	3	4	2	9	6	4	4	7	–
Rosenberg	–	6	2	1	4	4	–	1	1	–	1	–	4	9	2	4	4	1	–
Balance of county	3	33	3	7	20	4	1	6	7	–	10	5	11	43	21	12	11	9	1
Franklin	–	12	3	–	5	5	–	–	–	–	1	–	1	4	–	–	1	–	–
Freestone	–	15	–	–	8	5	1	4	1	–	1	–	24	13	4	4	4	1	–
Frio	–	6	–	–	2	1	–	1	5	–	–	2	–	3	2	2	3	–	–
Gaines	–	4	–	–	9	–	–	–	–	–	3	1	15	8	5	3	2	1	–
Galveston	3	91	10	11	46	35	7	18	12	–	10	11	15	137	49	45	29	28	4
Friendswood, part	–	–	1	–	5	1	–	2	–	–	1	–	1	5	4	1	1	–	–
Friendswood, total	–	–	1	–	6	2	–	2	–	–	1	–	1	6	4	2	1	–	–
Galveston	2	36	3	1	18	14	2	11	3	–	4	4	5	63	14	13	10	9	1
La Marque	1	7	–	2	4	3	1	–	–	–	–	–	1	6	5	1	3	3	–
League City	–	3	1	2	–	2	–	–	–	–	–	1	1	5	5	3	2	2	–
Texas City	–	24	–	3	14	8	2	1	5	–	2	–	3	25	15	12	7	7	1
Balance of county	–	21	5	3	5	7	2	4	4	–	3	6	4	33	6	15	6	7	2
Garza	–	5	–	1	1	–	–	–	2	–	–	2	1	7	–	3	–	–	–
Gillespie	–	15	1	1	3	3	–	2	–	–	–	–	16	19	2	6	1	1	–
Glasscock	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Goliad	–	3	–	–	–	5	–	1	2	–	–	–	–	2	1	2	1	–	–
Gonzales	–	25	2	–	6	6	–	1	2	–	3	2	26	15	7	6	3	3	–
Gray	1	22	6	4	6	7	–	2	1	–	2	2	1	19	5	2	–	–	–
Pampa	1	19	5	4	5	4	–	1	–	–	2	2	1	17	5	2	–	–	–
Balance of county	–	3	1	–	1	3	–	1	1	–	–	–	–	2	–	–	–	–	–
Grayson	1	84	11	12	24	46	5	6	10	–	4	2	23	68	29	25	15	10	–
Denison	–	30	5	4	4	13	2	2	5	–	–	1	4	19	8	7	3	5	–
Sherman	1	23	3	4	3	16	1	2	1	–	1	–	2	25	7	6	8	2	–
Balance of county	–	31	3	4	17	17	2	2	4	–	3	1	17	24	14	12	4	3	–
Gregg	3	82	7	8	14	39	1	5	10	–	3	5	70	91	27	27	16	21	–
Kilgore, part	–	8	–	–	1	7	–	1	2	–	–	–	10	10	5	6	1	3	–
Kilgore, total	–	11	1	–	3	8	–	1	2	–	1	–	10	14	6	6	1	3	–
Longview, part	3	54	5	7	11	25	–	3	5	–	3	4	32	58	10	15	9	13	–
Longview, total	3	55	5	7	11	25	–	3	5	–	3	4	32	59	10	15	9	13	–
Balance of county	–	20	2	1	2	7	1	1	3	–	–	1	28	23	12	6	6	5	–
Grimes	2	11	1	2	7	5	1	2	2	–	–	–	7	25	8	6	–	2	–
Guadalupe	1	33	1	4	18	12	1	5	1	–	–	3	25	36	18	16	7	6	1
New Braunfels, part	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Seguin	1	12	–	2	10	5	1	–	1	–	–	1	8	18	7	4	1	1	1
Balance of county	–	20	1	2	8	7	–	5	–	–	–	1	17	18	10	12	6	5	–
Hale	1	35	1	3	8	10	1	1	2	–	3	4	39	25	3	6	4	3	–
Plainview	–	24	–	2	7	8	1	–	2	–	2	3	22	13	3	5	3	2	–
Balance of county	1	11	1	1	1	2	–	1	–	–	1	1	17	12	–	1	1	1	–
Hall	1	8	–	1	5	2	–	1	1	–	1	–	–	4	–	3	–	–	–
Hamilton	1	12	2	1	8	3	–	–	2	–	–	2	2	16	7	–	2	1	–
Hansford	1	1	–	–	1	2	–	–	–	–	1	–	–	10	3	3	2	–	–
Hardeman	–	12	–	1	10	5	–	1	1	–	–	1	6	4	1	–	–	2	–
Hardin	4	22	6	7	10	14	–	4	2	–	1	1	53	27	5	10	6	2	–
Harris	46	1,054	112	131	428	414	36	208	186	4	167	249	165	1,323	433	453	401	514	18
Baytown, part	2	27	5	6	16	14	2	6	7	–	3	3	10	36	10	7	12	13	–
Baytown, total	2	27	5	6	16	14	2	6	7	–	3	3	10	36	10	7	12	13	–
Bellaire	1	7	2	1	2	5	–	–	1	–	–	–	–	11	3	3	2	–	–
Deer Park	–	5	1	1	2	1	–	1	1	–	1	1	–	6	1	–	–	–	–
Friendswood, part	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Houston, part	35	844	84	97	333	303	30	155	149	3	125	203	127	1,030	285	328	263	427	15
Houston, total	35	844	84	97	333	303	30	155	149	3	125	203	127	1,030	286	328	264	427	15
La Porte	–	9	–	–	4	4	–	2	2	–	1	2	6	7	6	4	6	1	–
Missouri City, part	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Pasadena	4	35	4	6	25	15	3	7	6	–	7	11	2	47	16	21	17	15	1
Pearland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South Houston	1	3	1	1	3	2	–	1	–	–	–	–	1	6	2	5	3	2	–
West University Place	–	1	1	–	–	4	–	1	–	–	–	1	–	4	1	1	2	–	–
Balance of county	3	121	14	19	42	65	1	35	20	1	30	27	19	172	109	83	96	56	2
Harrison	1	53	4	4	8	7	1	5	6	1	3	3	84	39	20	19	9	3	–
Longview, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Marshall	1	32	2	3	4	2	1	4	6	–	–	1	52	19	9	11	2	1	–
Balance of county	–	20	2	1	4	5	–	1	–	1	3	2	32	19	11	8	7	2	–
Hartley	–	1	–	–	1	2	–	–	4	–	–	–	–	3	6	2	–	–	–
Haskell	–	14	5	–	1	7	–	1	–	–	–	1	7	4	1	–	1	–	–
Hays	–	23	2	2	10	7	1	1	4	–	1	3	7	24	16	10	7	4	1
San Marcos	–	21	1	–	5	1	–	1	4	–	1	1	4	18	3	6	1	2	1
Balance of county	–	2	1	2	5	6	1	–	–	–	–	2	3	6	13	4	6	2	–
Hemphill	–	–	–	2	1	–	–	–	1	–	–	–	–	2	1	1	–	–	–
Henderson	1	30	5	4	17	14	3	6	4	–	5	1	84	35	13	6	16	6	–
Athens	–	6	2	2	4	3	–	1	1	–	2	–	13	7	3	1	2	2	–
Balance of county	1	24	3	2	13	11	3	5	3	–	3	1	71	28	10	5	14	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,798	5	–	26	312	82	73	28	36	16	9	68	48	660	535	4	9	335	187
Edinburg	173	–	–	–	34	12	10	3	2	2	–	5	5	70	53	–	2	25	26
McAllen	433	–	–	4	95	17	26	10	16	6	2	18	12	131	99	2	1	67	29
Mercedes	88	–	–	–	17	6	4	2	1	–	–	4	3	36	30	1	–	16	13
Mission	177	2	–	4	21	4	3	1	3	–	2	8	7	75	68	–	1	46	21
Pharr	123	1	–	3	17	4	6	2	–	1	–	4	3	44	35	–	–	26	9
Weslaco	174	1	–	3	28	9	5	–	4	2	–	8	3	71	57	–	1	35	21
Balance of county	690	1	–	12	100	30	19	10	10	5	5	21	15	233	193	1	4	120	68
Hill	358	1	–	4	67	15	21	6	8	4	3	10	2	199	156	–	2	101	53
Hockley	180	–	–	3	37	5	12	1	6	1	3	9	2	64	52	1	1	26	24
Levelland	113	–	–	3	22	5	6	1	2	1	2	5	2	38	32	–	1	16	15
Balance of county	67	–	–	–	15	–	6	–	4	–	1	4	–	26	20	1	–	10	9
Hood	237	–	–	2	55	9	22	4	8	–	2	10	1	112	94	–	3	59	32
Hopkins	294	–	–	3	74	24	17	5	4	4	5	15	4	128	99	1	3	51	44
Sulphur Springs	180	–	–	2	44	16	9	4	2	2	2	9	3	83	62	1	3	35	23
Balance of county	114	–	–	1	30	8	8	1	2	2	3	6	1	45	37	–	–	16	21
Houston	279	–	–	4	50	11	13	5	2	2	4	13	3	121	96	–	2	43	51
Howard	361	–	–	3	53	17	9	4	11	2	1	9	5	142	115	1	–	80	34
Big Spring	289	–	–	3	44	13	7	4	11	2	1	6	3	120	96	1	–	66	29
Balance of county	72	–	–	–	9	4	2	–	–	–	–	3	2	22	19	–	–	14	5
Hudspeth	13	–	–	–	1	–	–	–	–	–	1	–	2	2	2	–	–	1	1
Hunt	631	–	–	9	128	18	26	5	12	7	5	57	10	239	187	–	2	109	76
Greenville	276	–	–	3	49	7	9	4	6	2	1	20	5	93	73	–	–	41	32
Balance of county	355	–	–	6	79	9	17	1	6	5	4	37	5	146	114	–	2	68	44
Hutchinson	261	–	–	2	49	10	16	3	3	1	1	15	6	124	94	–	1	57	36
Borger	176	–	–	1	33	6	9	2	3	–	–	13	4	85	62	–	1	37	24
Balance of county	85	–	–	1	16	4	7	1	–	1	1	2	2	39	32	–	–	20	12
Irion	12	–	–	–	2	1	–	–	1	–	–	–	–	2	2	–	–	1	1
Jack	99	–	–	1	28	4	11	1	1	–	1	10	4	45	40	–	1	26	13
Jackson	140	–	–	3	30	8	10	4	1	3	–	4	1	75	61	–	–	40	21
Jasper	372	–	–	4	92	21	27	9	9	4	7	15	7	127	83	–	–	65	18
Jeff Davis	12	–	–	–	–	–	–	–	–	–	–	–	1	5	3	–	–	2	1
Jefferson	2,349	4	–	33	530	122	158	45	45	20	15	125	37	1,146	909	11	17	434	447
Beaumont	1,109	3	–	16	261	59	80	23	19	7	11	62	17	517	402	3	8	196	195
Groves	140	–	–	4	29	4	12	4	1	2	–	6	4	76	67	1	1	33	32
Nederland	124	–	–	1	37	9	10	4	–	–	2	12	1	58	44	–	–	26	18
Port Arthur	754	–	–	10	153	40	44	11	20	7	1	30	11	397	315	5	6	144	160
Port Neches	87	–	–	–	22	7	3	2	1	2	–	7	–	38	31	1	1	12	17
Balance of county	135	1	–	2	28	3	9	1	4	2	1	8	4	60	50	1	1	23	25
Jim Hogg	42	–	–	1	10	1	3	–	1	1	1	3	–	15	13	–	–	9	4
Jim Wells	284	–	–	3	58	13	19	2	7	–	1	16	4	141	112	1	1	70	40
Alice	168	–	–	1	27	7	9	1	3	–	–	7	4	92	68	–	–	45	24
Balance of county	116	–	–	2	31	6	10	1	4	–	1	9	–	49	43	1	1	25	16
Johnson	675	–	–	4	137	27	43	12	10	5	7	33	10	308	233	2	6	126	99
Burleson, part	106	–	–	–	18	4	5	1	–	1	2	5	1	51	38	–	1	21	16
Burleson, total	120	–	–	–	23	4	6	3	2	1	2	5	2	56	42	–	1	23	18
Cleburne	254	–	–	1	54	7	22	4	5	1	3	12	6	120	89	–	4	49	36
Balance of county	315	–	–	3	65	16	16	7	5	3	2	16	3	137	106	2	1	56	47
Jones	220	–	–	1	43	6	15	4	5	4	–	9	–	120	97	–	2	68	27
Abilene, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	219	–	–	1	43	6	15	4	5	4	–	9	–	119	96	–	2	67	27
Karnes	149	–	–	1	28	8	8	1	3	1	1	6	3	68	52	–	1	28	23
Kaufman	563	–	–	9	116	26	37	9	9	4	6	25	9	195	157	1	5	95	56
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	202	–	–	3	40	8	13	6	3	4	1	5	5	76	59	–	2	39	18
Balance of county	361	–	–	6	76	18	24	3	6	–	5	20	4	119	98	1	3	58	38
Kendall	151	–	–	2	37	8	7	6	3	1	2	10	–	66	53	–	1	35	17
Kenedy	6	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–	3	–
Kent	15	–	–	–	7	2	2	2	–	1	–	–	–	3	2	–	–	–	2
Kerr	464	–	–	7	111	26	30	13	11	7	5	19	6	207	164	2	4	108	50
Kerrville	298	–	–	4	71	17	15	10	9	7	4	9	2	141	110	1	3	70	36
Balance of county	166	–	–	3	40	9	15	3	2	–	1	10	4	66	54	1	1	38	14
Kimble	46	–	–	1	10	3	2	–	1	1	–	3	–	21	20	–	1	13	6
King	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kinney	31	–	–	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Kleberg	192	–	–	2	35	10	9	2	5	3	1	1	1	11	10	–	–	7	3
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	6	3	57	42	–	2	25	15
Kingsville	167	–	–	2	31	8	8	2	6	2	–	8	3	51	37	–	1	22	14
Balance of county	25	–	–	–	4	2	1	–	–	1	–	–	–	6	5	–	1	3	1
Knox	69	–	–	2	10	2	6	1	–	–	–	1	–	41	32	–	–	18	14
Lamar	503	–	–	9	86	24	38	5	10	1	2	16	5	181	133	–	4	89	40
Paris	348	–	–	7	64	19	24	4	6	–	2	9	3	127	91	–	4	59	26
Balance of county	155	–	–	2	32	5	14	1	4	1	–	7	2	54	42	–	–	30	12
Lamb	161	–	–	8	33	9	6	2	–	2	3	11	1	78	58	2	–	40	16
Lampasas	128	–	–	–	17	6	6	–	1	–	–	4	1	71	54	–	–	37	17
La Salle	48	–	–	1	10	3	–	1	2	–	2	2	–	21	16	–	–	8	8
Lavaca	260	–	–	5	56	11	20	4	6	2	1	12	3	148	116	–	3	57	56
Lee	137	–	–	6	27	10	6	2	2	–	1	6	3	57	50	–	3	24	23
Leon	162	–	–	–	31	10	7	3	3	1	2	5	3	67	54	–	1	27	26
Liberty	496	–	–	7	88	12	24	9	7	3	2	31	7	179	141	–	3	85	53
Limestone	300	–	–	3	50	15	18	1	6	1	–	9	2	153	110	–	2	75	33

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	6	99	12	8	51	56	4	29	35	-	19	23	212	145	58	62	22	30	1
Edinburg	-	13	3	1	5	6	1	2	4	-	1	3	13	15	3	9	1	1	-
McAllen	3	24	4	1	15	17	3	5	11	-	5	4	52	37	15	9	7	11	-
Mercedes	-	6	-	-	1	2	-	-	1	-	1	2	9	7	3	4	-	2	-
Mission	1	5	-	1	3	3	-	5	4	-	-	2	33	4	5	3	4	2	-
Pharr	-	7	1	1	5	4	-	1	4	-	2	2	16	12	2	4	1	1	1
Weslaco	-	12	-	2	6	6	-	2	2	-	1	1	14	21	2	9	2	2	-
Balance of county	2	32	4	2	16	16	-	14	9	-	9	9	75	49	28	24	7	11	-
Hill	2	25	11	5	8	8	2	4	5	-	1	2	9	17	15	9	4	-	1
Hockley	1	9	1	1	5	9	-	1	-	-	1	-	24	20	9	1	4	-	-
Levelland	-	5	1	-	3	7	-	1	-	-	1	-	16	14	2	1	3	-	-
Balance of county	1	4	-	1	2	2	-	-	-	-	-	-	8	6	7	-	1	-	-
Hood	-	15	1	2	10	6	-	3	4	-	-	6	7	17	3	6	2	2	1
Hopkins	2	27	-	-	5	9	3	5	1	-	-	3	20	18	9	5	6	1	-
Sulphur Springs	-	21	-	-	2	5	3	2	1	-	-	2	14	9	3	2	4	1	-
Balance of county	2	6	-	-	3	4	-	3	-	-	-	1	6	9	6	3	2	-	-
Houston	1	21	1	2	4	8	1	-	5	-	1	1	36	19	13	9	1	3	-
Howard	-	24	2	1	21	17	1	4	5	-	2	7	21	41	12	17	7	3	-
Big Spring	-	22	1	1	19	11	1	4	4	-	2	6	18	30	4	13	5	2	-
Balance of county	-	2	1	-	2	6	-	-	1	-	-	1	3	11	8	4	2	1	-
Hudspeth	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	1	2	-	-
Hunt	1	47	2	2	22	15	1	7	6	-	3	3	80	49	26	14	7	8	4
Greenville	1	19	-	-	9	7	-	4	3	-	2	3	55	21	7	6	4	2	3
Balance of county	-	28	2	2	13	8	1	3	3	-	1	-	25	28	19	8	3	6	1
Hutchinson	-	24	3	3	5	14	-	5	1	-	4	3	-	20	12	10	4	2	-
Borger	-	18	2	3	2	13	-	3	1	-	1	3	-	16	5	4	3	2	-
Balance of county	-	6	1	-	3	1	-	2	-	-	3	-	-	4	7	6	1	-	-
Irion	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	-	-
Jack	-	3	2	-	2	4	-	-	2	-	-	2	4	3	2	2	-	-	-
Jackson	-	13	-	1	6	2	1	1	-	-	1	1	4	7	3	5	-	-	-
Jasper	1	33	3	7	15	17	1	2	4	-	5	3	36	29	12	13	3	2	-
Jeff Davis	-	1	-	1	-	-	-	1	-	-	-	-	-	3	1	-	-	1	-
Jefferson	12	185	19	21	54	54	7	23	23	-	10	10	42	209	32	70	30	34	1
Beaumont	3	89	12	11	26	29	3	10	11	-	4	5	22	103	16	33	18	16	1
Groves	1	8	-	-	3	1	-	-	-	-	-	-	3	9	3	4	2	2	-
Nederland	1	11	-	2	-	1	-	1	1	-	1	-	-	10	4	7	1	1	-
Port Arthur	6	65	6	5	19	17	1	10	9	-	5	3	12	66	5	18	7	13	-
Port Neches	-	6	-	1	1	2	2	1	2	-	-	2	1	8	1	3	3	1	-
Balance of county	1	6	1	2	5	4	1	1	-	-	-	-	4	13	3	7	1	1	-
Jim Hogg	-	1	-	1	3	-	-	1	-	-	-	1	5	2	2	1	1	-	-
Jim Wells	1	18	8	2	3	4	-	5	4	-	1	2	9	20	16	4	4	6	-
Alice	1	13	8	1	2	3	-	3	2	-	1	1	4	12	7	2	3	4	-
Balance of county	-	5	-	1	1	1	-	2	2	-	-	1	5	8	9	2	1	2	-
Johnson	-	65	7	3	23	21	2	4	13	-	3	4	7	66	31	18	17	7	-
Burleson, part	-	12	-	1	2	4	-	1	5	-	-	1	1	9	5	4	1	3	-
Burleson, total	1	12	-	1	2	4	-	1	5	-	-	1	1	9	7	4	2	3	-
Cleburne	-	27	3	1	9	9	2	-	3	-	-	1	3	25	8	3	9	1	-
Balance of county	-	26	4	1	12	8	-	3	5	-	3	2	3	32	18	11	7	3	-
Jones	-	22	-	1	7	6	-	3	2	-	-	-	6	13	5	5	7	2	-
Abilene, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	22	-	1	7	6	-	3	2	-	-	-	6	13	5	5	7	2	-
Karnes	1	13	-	2	10	5	-	3	1	-	1	-	4	16	3	2	3	1	-
Kaufman	-	31	4	3	18	18	-	5	10	-	3	2	86	33	27	14	8	10	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	-	15	1	1	10	5	-	2	5	-	-	1	31	8	3	5	2	6	-
Balance of county	-	16	3	2	8	13	-	3	5	-	3	1	55	25	24	9	6	4	-
Kendall	-	10	3	-	2	6	-	5	2	-	2	-	5	13	5	1	2	3	-
Kenedy	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Kent	-	1	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-
Kerr	1	33	2	7	19	24	1	8	6	-	2	1	5	33	6	15	5	7	1
Kerrville	1	26	1	3	15	14	1	6	2	-	-	-	2	22	2	9	4	3	-
Balance of county	-	7	1	4	4	10	-	2	4	-	2	1	3	11	4	6	1	4	1
Kimble	-	-	-	1	4	2	-	-	-	-	-	-	2	4	-	1	1	-	-
King	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Kinney	-	1	-	-	1	1	-	-	-	-	-	-	6	4	1	1	-	-	-
Kleberg	-	13	2	-	5	10	-	6	3	-	1	-	33	17	8	8	3	1	-
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	-	12	2	-	5	10	-	4	3	-	1	-	28	16	6	5	1	1	-
Balance of county	-	1	-	-	-	-	-	2	-	-	-	-	5	1	2	3	2	-	-
Knox	-	9	-	-	3	3	-	-	1	-	-	-	3	4	1	1	-	-	-
Lamar	2	35	10	1	27	16	3	4	9	-	2	3	71	41	16	10	7	3	-
Paris	2	25	8	1	19	15	2	2	4	-	1	1	52	29	9	6	5	2	-
Balance of county	-	10	2	-	8	1	1	2	5	-	1	2	19	12	7	4	2	1	-
Lamb	-	18	1	1	4	1	-	1	3	-	-	2	10	7	2	8	2	1	-
Lampasas	-	14	1	2	2	3	-	3	4	-	-	1	9	11	2	2	1	1	-
La Salle	-	5	-	-	1	1	-	1	-	-	1	-	-	5	4	1	1	1	-
Lavaca	-	22	7	3	5	8	-	1	2	-	-	-	4	18	1	4	4	1	-
Lee	1	6	-	-	4	2	2	-	1	-	1	-	5	16	7	4	2	-	-
Leon	-	7	4	2	3	4	1	-	7	-	-	-	14	14	8	5	2	3	-
Liberty	1	28	8	6	14	8	3	7	11	-	2	7	66	36	27	14	12	8	-
Limestone	9	29	2	3	8	6	1	5	1	-	-	-	28	21	10	6	4	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	32	–	–	2	3	1	–	–	–	–	–	2	–	16	12	–	–	8	4
Live Oak	82	–	–	1	8	1	4	–	–	–	–	3	2	44	30	1	1	18	10
Llano	194	–	–	2	46	12	14	4	4	3	–	9	3	81	64	–	2	41	21
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lubbock	1,463	2	–	38	248	59	63	16	24	13	17	56	10	681	584	6	6	293	279
Lubbock	1,215	2	–	29	189	41	49	13	20	11	17	38	9	583	508	6	4	245	253
Balance of county	248	–	–	9	59	18	14	3	4	2	–	18	1	98	76	–	2	48	26
Lynn	68	–	–	2	9	1	2	2	–	1	–	3	1	30	19	–	–	9	10
McCulloch	135	–	–	2	28	9	8	1	4	2	–	4	3	67	51	1	–	35	15
McLennan	1,732	–	–	24	361	81	101	29	40	21	14	75	26	855	673	2	16	454	201
Waco	1,198	–	–	17	239	48	71	19	31	15	10	45	21	598	465	1	13	306	145
Balance of county	534	–	–	7	122	33	30	10	9	6	4	30	5	257	208	1	3	148	56
McMullen	10	–	–	–	2	–	1	–	–	–	1	–	–	4	2	–	–	1	1
Madison	122	–	–	1	20	4	4	4	3	2	–	3	2	53	43	–	–	25	18
Marion	137	–	–	4	32	5	15	1	3	1	2	5	1	57	38	–	–	24	14
Martin	33	–	–	–	5	–	1	–	2	–	–	2	2	16	16	–	–	13	3
Mason	49	–	–	–	10	1	4	–	1	–	1	3	–	17	12	–	–	4	8
Matagorda	314	–	–	2	66	10	22	3	6	4	1	20	4	157	136	–	1	55	82
Bay City	161	–	–	2	32	5	9	1	3	1	1	12	1	85	74	–	–	38	38
Balance of county	153	–	–	–	34	5	13	2	3	3	–	8	3	72	64	–	1	19	44
Maverick	147	–	–	3	25	4	9	2	1	3	–	6	4	58	50	–	1	39	10
Eagle Pass	107	–	–	3	16	3	4	1	1	3	–	4	1	52	44	–	1	34	9
Balance of county	40	–	–	–	9	1	5	1	–	–	–	2	3	6	6	–	–	5	1
Medina	248	1	–	5	54	17	11	6	4	2	2	12	5	106	84	1	2	49	32
Menard	46	–	–	1	9	2	1	–	2	–	1	3	–	19	16	–	1	11	4
Midland	604	1	–	3	139	24	43	18	14	6	7	27	6	246	203	2	1	149	51
Midland	542	1	–	3	119	22	37	15	13	6	7	19	6	228	186	2	–	135	49
Balance of county	62	–	–	–	20	2	6	3	1	–	–	8	–	18	17	–	1	14	2
Milam	288	–	–	7	56	10	11	5	8	2	1	19	1	141	116	1	–	51	64
Mills	76	–	–	1	13	5	4	1	–	1	1	1	1	36	24	–	–	17	7
Mitchell	101	–	–	–	13	4	3	–	1	–	1	4	–	43	31	–	–	17	14
Montague	302	–	–	2	55	9	17	3	8	1	2	15	3	159	129	–	–	105	24
Montgomery	1,042	–	–	14	246	46	86	14	23	6	12	59	15	410	342	–	6	168	168
Conroe	218	–	–	5	37	8	9	2	4	2	2	10	3	86	68	–	2	26	40
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	824	–	–	9	209	38	77	12	19	4	10	49	12	324	274	–	4	142	128
Moore	128	1	–	–	30	10	10	2	2	2	–	4	1	53	49	–	–	41	8
Dumas	85	1	–	–	19	8	5	2	1	1	–	2	–	39	35	–	–	29	6
Balance of county	41	–	–	–	11	2	5	–	1	1	–	2	1	14	14	–	–	12	2
Morris	165	–	–	6	35	9	9	–	1	–	1	15	1	77	56	–	2	32	22
Motley	25	–	–	–	4	–	1	1	–	1	–	1	–	10	5	–	–	3	2
Nacogdoches	442	–	–	3	81	24	22	8	3	5	4	15	4	195	153	1	1	96	55
Nacogdoches	231	–	–	2	48	14	14	5	1	3	1	10	3	99	79	1	–	49	29
Balance of county	211	–	–	1	33	10	8	3	2	2	3	5	1	96	74	–	1	47	26
Navarro	460	2	–	10	82	23	21	5	5	4	1	23	3	185	132	–	4	87	41
Corsicana	290	2	–	5	52	14	13	4	2	3	1	15	1	129	89	–	3	61	25
Balance of county	170	–	–	5	30	9	8	1	3	1	–	8	2	56	43	–	1	26	16
Newton	121	–	–	2	27	6	10	–	3	1	1	6	3	49	39	–	–	23	16
Nolan	181	–	–	–	31	6	10	3	6	–	–	6	4	88	68	–	–	44	24
Sweetwater	139	–	–	–	22	4	9	1	5	–	–	3	3	68	52	–	–	35	17
Balance of county	42	–	–	–	9	2	1	2	1	–	–	3	1	20	16	–	–	9	7
Nueces	1,923	2	–	21	447	98	150	32	42	19	17	89	49	801	626	1	26	317	282
Corpus Christi, part	1,667	1	–	19	389	86	134	24	35	18	14	78	46	683	539	1	24	272	242
Corpus Christi, total	1,667	1	–	19	389	86	134	24	35	18	14	78	46	683	539	1	24	272	242
Portland, part	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Robstown	115	1	–	1	26	4	8	5	4	–	1	4	3	50	36	–	1	16	19
Balance of county	138	–	–	–	31	7	8	3	3	1	2	7	–	68	51	–	1	29	21
Ochiltree	74	–	–	–	16	6	3	1	2	–	–	4	1	38	32	–	–	23	9
Oldham	18	–	–	–	4	–	2	–	–	–	–	2	–	12	8	–	–	4	4
Orange	658	1	–	6	142	35	44	8	17	4	4	30	11	256	217	1	3	126	87
Orange	236	–	–	2	53	15	15	4	7	2	1	9	3	88	71	–	1	42	26
Vidor	136	–	–	1	30	6	12	1	2	1	1	7	2	62	53	1	1	32	19
Balance of county	286	1	–	3	59	14	17	3	8	1	2	14	6	106	93	–	1	52	40
Palo Pinto	285	–	–	5	49	10	18	3	3	2	2	11	5	107	82	–	–	58	24
Mineral Wells, part	148	–	–	2	28	3	12	2	2	1	1	7	4	50	39	–	–	29	10
Mineral Wells, total	148	–	–	2	28	3	12	2	2	1	1	7	4	50	39	–	–	29	10
Balance of county	137	–	–	3	21	7	8	1	1	1	1	4	1	57	43	–	–	29	14
Panola	220	–	–	1	52	4	19	3	9	3	2	12	2	122	95	–	–	66	29
Parker	422	–	–	3	91	27	25	9	8	3	2	17	3	210	154	1	4	107	42
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	188	–	–	–	39	17	9	4	1	–	–	8	3	98	74	1	2	48	23
Balance of county	234	–	–	3	52	10	16	5	7	3	2	9	–	112	80	–	2	59	19
Parmer	86	–	–	–	12	1	3	2	1	2	–	3	2	31	25	–	–	16	9
Pecos	89	1	–	1	10	1	7	–	1	–	–	1	–	27	22	–	1	9	12
Polk	373	1	–	5	90	12	32	1	10	4	5	26	5	144	113	–	2	40	71
Potter	900	1	–	12	183	39	55	15	26	11	7	30	4	410	329	1	–	126	202
Amarillo, part	876	1	–	12	176	39	53	14	24	10	6	30	4	403	323	1	–	124	198
Amarillo, total	1,294	1	–	15	291	69	79	27	36	13	12	55	7	597	468	4	–	240	244
Balance of county	24	–	–	–	7	–	2	1	2	1	1	–	–	7	6	–	–	2	4
Presidio	51	1	–	–	9	4	2	2	–	–	–	1	1	21	15	–	–	7	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	–	3	–	1	–	–	–	–	–	–	1	–	3	–	4	1	2	–	–
Live Oak	–	11	3	–	1	3	1	–	–	–	1	1	6	5	2	2	3	2	–
Llano	–	15	–	2	8	3	1	–	–	–	1	1	22	20	–	4	2	–	–
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lubbock	4	70	11	12	49	53	2	15	11	–	10	27	45	147	39	34	23	27	2
Lubbock	3	57	6	9	40	45	2	12	9	–	8	27	31	124	31	28	19	26	1
Balance of county	1	13	5	3	9	8	–	3	2	–	2	–	14	23	8	6	4	1	1
Lynn	–	10	1	–	3	3	–	–	3	–	–	1	8	3	–	1	3	1	–
McCulloch	–	12	1	3	5	7	1	–	3	–	–	–	1	6	5	5	2	–	–
McLennan	5	144	12	21	49	46	5	14	32	–	7	21	33	138	44	37	20	19	1
Waco	4	113	8	8	35	30	3	11	26	–	5	16	13	111	25	19	11	18	–
Balance of county	1	31	4	13	14	16	2	3	6	–	2	5	20	27	19	18	9	1	1
McMullen	–	2	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–
Madison	–	8	1	1	5	2	–	1	1	–	1	–	21	3	7	3	–	2	–
Marion	–	17	1	1	2	5	–	–	4	–	–	–	5	14	4	4	2	3	–
Martin	–	–	2	–	2	–	–	–	–	–	–	–	–	5	1	–	–	–	–
Mason	–	3	1	1	7	–	1	–	1	–	–	–	3	5	1	3	1	–	–
Matagorda	–	19	–	–	12	11	–	6	3	–	2	1	4	14	11	8	7	6	–
Bay City	–	11	–	–	8	2	–	3	1	–	2	–	2	9	5	4	3	2	–
Balance of county	–	8	–	–	4	9	–	3	2	–	–	1	2	5	6	4	4	4	–
Maverick	1	7	–	–	3	2	–	3	2	–	1	2	13	11	7	13	–	–	–
Eagle Pass	1	7	–	–	2	2	–	1	1	–	–	1	11	8	4	5	–	–	–
Balance of county	–	–	–	–	1	–	–	2	1	–	1	1	2	3	3	8	–	–	–
Medina	–	19	1	2	7	6	1	3	6	–	3	–	5	27	10	4	1	3	1
Menard	–	3	–	–	5	1	–	1	–	–	1	–	1	4	1	2	–	1	–
Midland	2	22	14	5	10	24	5	7	5	–	11	7	8	60	25	23	19	3	2
Midland	2	22	13	5	10	23	4	6	5	–	11	6	6	55	19	21	15	2	2
Balance of county	–	–	1	–	–	1	1	1	–	–	–	1	2	5	6	2	4	1	–
Milam	–	22	1	2	14	6	1	2	5	–	1	1	11	28	6	6	1	1	–
Mills	2	4	6	–	3	–	–	1	–	–	–	1	2	8	5	1	4	1	–
Mitchell	1	10	–	1	2	2	–	2	1	–	–	1	23	9	2	1	1	1	–
Montague	–	25	3	2	14	16	–	1	5	–	–	1	9	24	5	4	3	1	–
Montgomery	2	42	13	11	26	36	2	7	9	–	9	9	57	75	52	37	22	15	1
Conroe	–	12	3	3	7	10	–	–	2	–	3	4	9	17	12	9	10	4	–
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	30	10	8	19	26	2	7	7	–	6	5	48	58	40	28	12	11	1
Moore	–	3	1	–	1	9	–	2	–	–	1	1	1	12	8	4	2	–	–
Dumas	–	3	1	–	1	5	–	2	–	–	–	1	–	10	4	2	1	–	–
Balance of county	–	–	–	–	–	4	–	–	–	–	1	–	1	2	4	2	1	–	–
Morris	2	16	1	2	1	3	–	2	1	–	–	–	8	19	5	3	2	2	–
Motley	–	5	–	–	–	2	–	–	–	–	–	–	5	2	1	–	–	–	–
Nacogdoches	–	33	6	3	22	14	3	1	13	–	1	5	34	38	17	11	2	5	1
Nacogdoches	–	17	2	1	11	9	3	1	5	–	1	1	12	17	7	6	2	4	–
Balance of county	–	16	4	2	11	5	–	–	8	–	–	4	22	13	10	5	–	1	1
Navarro	–	50	2	1	17	11	–	8	4	1	3	–	45	35	14	18	10	12	–
Corsicana	–	38	2	–	10	7	–	5	2	1	3	–	25	22	6	10	4	6	–
Balance of county	–	12	–	1	7	4	–	3	2	–	–	–	20	13	8	8	6	6	–
Newton	–	8	2	–	1	4	–	–	–	–	1	–	8	11	6	6	–	3	–
Nolan	1	14	3	2	10	5	–	1	2	–	–	1	9	21	3	5	–	–	1
Sweetwater	1	12	2	1	8	5	–	1	2	–	–	–	4	18	3	4	–	–	1
Balance of county	–	2	1	1	2	–	–	–	–	–	–	1	5	3	–	1	–	–	–
Nueces	7	146	9	13	46	58	4	33	19	–	20	25	17	208	61	39	33	38	1
Corpus Christi, part	7	123	4	10	40	55	4	31	14	–	19	21	10	186	51	33	28	36	1
Corpus Christi, total	7	123	4	10	40	55	4	31	14	–	19	21	10	186	51	33	28	36	1
Portland, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Robstown	–	9	3	2	3	1	–	2	3	–	–	–	3	1	12	3	2	2	–
Balance of county	–	14	2	1	2	2	–	–	2	–	1	1	6	10	7	4	3	1	–
Ochiltree	–	6	–	–	2	1	–	–	1	–	1	2	3	5	3	1	–	–	–
Oldham	–	2	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Orange	2	30	4	3	14	24	–	8	10	–	–	2	81	53	19	16	8	7	–
Orange	1	13	2	1	5	9	–	5	5	–	–	–	27	22	2	5	5	5	–
Vidor	–	7	1	1	3	5	–	–	1	–	–	1	13	10	7	1	–	–	–
Balance of county	1	10	1	1	6	10	–	3	4	–	–	1	41	21	10	10	3	2	–
Palo Pinto	–	20	2	3	19	14	–	1	4	–	–	1	44	17	6	12	6	1	–
Mineral Wells, part	–	9	1	1	10	8	–	–	1	–	–	–	23	10	–	8	3	1	–
Mineral Wells, total	–	9	1	1	10	8	–	–	1	–	–	–	23	10	–	8	3	1	–
Balance of county	–	11	1	2	3	6	–	1	3	–	–	1	21	7	6	4	3	–	–
Panola	–	23	3	1	6	4	–	1	3	–	–	1	–	16	6	3	–	3	–
Parker	3	36	8	9	12	18	1	7	7	1	1	–	6	32	17	6	4	3	–
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	–	17	3	4	10	4	–	4	5	1	–	–	2	15	5	1	–	1	–
Balance of county	3	19	5	5	2	14	1	3	2	–	1	–	4	17	12	5	4	2	–
Parmer	–	5	–	1	2	4	–	1	1	–	–	–	16	9	3	4	–	1	–
Pecos	–	4	1	–	1	5	–	1	1	–	3	3	8	10	7	5	5	1	–
Polk	–	24	–	7	12	5	–	–	2	–	2	–	8	53	23	12	5	11	3
Potter	1	45	25	10	31	43	2	16	10	–	10	9	9	77	20	22	22	19	–
Amarillo, part	1	44	25	10	31	43	2	16	10	–	9	8	6	73	20	21	22	19	–
Amarillo, total	3	60	30	16	44	59	3	21	12	–	12	11	9	89	31	32	31	19	–
Balance of county	–	1	–	–	–	–	–	–	–	–	1	1	3	4	–	1	–	–	–
Presidio	–	5	1	–	2	2	–	–	1	–	–	–	2	4	1	4	1	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	84	–	–	–	20	3	1	4	–	1	1	10	2	34	30	1	–	14	15
Randall	542	1	–	3	141	34	33	15	15	8	8	28	4	249	210	3	–	141	66
Amarillo, part	418	–	–	3	115	30	28	13	12	3	6	25	3	194	165	3	–	116	46
Canyon	70	1	–	–	13	2	4	–	2	3	–	2	–	35	27	–	–	14	13
Balance of county	54	–	–	–	13	2	3	2	1	2	2	1	1	20	18	–	–	11	7
Reagan	17	–	–	–	4	2	–	1	1	–	–	–	1	6	6	–	–	4	2
Real	34	–	–	1	7	5	1	–	–	–	–	1	–	23	20	–	–	5	15
Red River	216	–	–	5	37	11	10	3	4	2	1	6	1	97	77	–	5	54	10
Reeves	117	–	–	2	28	6	8	–	5	1	1	7	2	37	29	–	–	16	13
Pecos	94	–	–	2	24	4	8	–	5	1	1	5	2	28	18	–	–	8	10
Balance of county	23	–	–	–	4	2	–	–	–	–	–	2	–	11	11	–	–	8	3
Refugio	107	–	–	–	21	5	8	4	3	1	–	–	3	50	44	–	2	20	22
Roberts	7	–	–	–	2	–	1	–	–	–	1	–	–	5	4	–	–	1	3
Robertson	212	–	–	4	42	9	14	2	2	3	1	11	–	106	75	1	1	46	27
Rockwall	136	–	–	1	23	6	7	2	–	3	1	4	1	61	47	–	1	22	24
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	136	–	–	1	23	6	7	2	–	3	1	4	1	61	47	–	1	22	24
Runnels	162	–	–	2	33	6	12	2	1	2	2	8	2	72	56	–	–	39	17
Rusk	560	1	–	5	99	22	28	4	15	–	5	25	6	269	206	2	1	142	61
Henderson	178	–	–	2	22	3	9	1	3	–	3	3	2	101	74	2	1	55	16
Kilgore, part	39	–	–	1	8	3	–	–	2	–	–	3	–	21	17	–	–	12	5
Balance of county	343	1	–	2	69	16	19	3	10	–	2	19	6	147	115	–	–	75	40
Sabine	158	1	–	–	31	11	8	2	3	–	3	4	1	82	62	–	1	45	16
San Augustine	138	–	–	1	25	10	7	1	2	–	1	4	3	73	68	–	2	39	27
San Jacinto	162	–	–	1	43	11	13	2	1	4	1	11	2	60	49	–	–	29	20
San Patricio	421	–	–	6	85	18	27	4	11	1	8	16	7	159	136	–	2	83	51
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	54	–	–	1	16	3	3	1	2	1	3	3	1	15	14	–	–	11	3
Portland, total	57	–	–	2	17	4	3	1	2	1	3	3	1	15	14	–	–	11	3
Balance of county	367	–	–	5	69	15	24	3	9	–	5	13	6	144	122	–	2	72	48
San Saba	85	–	–	1	12	1	2	1	–	1	1	6	–	32	27	–	–	18	9
Schleicher	37	–	–	1	7	1	2	1	–	2	–	1	–	14	10	–	–	9	1
Scurry	149	–	–	3	26	5	6	3	2	2	1	7	1	58	39	–	1	27	11
Snyder	116	–	–	3	20	4	5	2	2	1	1	5	1	40	29	–	1	19	9
Balance of county	33	–	–	–	6	1	1	1	–	1	–	2	–	16	10	–	–	8	2
Shackelford	44	–	–	–	9	3	1	–	1	1	–	3	1	20	17	–	6	8	3
Shelby	308	–	–	2	52	14	13	5	2	–	3	15	11	130	99	1	2	70	26
Sherman	24	–	–	–	4	1	2	1	–	–	–	–	2	16	12	–	–	9	3
Smith	1,272	2	–	17	278	61	87	31	29	9	10	51	24	571	435	4	15	246	170
Tyler	717	1	–	7	149	31	40	21	20	6	8	23	17	322	251	2	12	146	91
Balance of county	555	1	–	10	129	30	47	10	9	3	2	28	7	249	184	2	3	100	79
Somervell	40	–	–	–	7	3	2	–	1	–	–	1	–	16	8	–	–	3	5
Starr	159	–	–	5	15	7	2	–	1	1	–	4	4	68	52	–	1	26	25
Stephens	164	–	–	1	36	7	14	4	1	2	1	7	4	80	63	–	1	52	10
Sterling	12	–	–	–	3	1	1	–	–	–	–	1	–	4	4	–	–	2	2
Stonewall	29	–	–	–	7	2	2	–	1	–	–	2	1	14	12	–	1	10	1
Sutton	43	–	–	–	11	4	3	1	1	–	–	2	–	22	19	–	–	11	8
Swisher	95	–	–	1	16	4	2	1	–	1	2	6	2	52	40	–	–	28	12
Tarrant	7,357	7	2	100	1,569	318	459	138	180	61	70	343	114	3,235	2,434	10	85	1,562	777
Arlington	942	2	1	9	212	41	48	20	20	9	19	55	16	395	313	–	7	214	92
Bedford	137	–	–	3	27	3	8	2	4	1	1	8	2	60	48	–	–	33	15
Benbrook	73	–	–	–	21	4	6	3	3	–	2	3	1	34	28	–	–	12	16
Burleson, part	14	–	–	–	5	–	1	2	2	–	–	–	1	5	4	–	–	2	2
Euless	122	–	–	1	27	8	9	3	1	3	1	2	–	53	50	–	1	31	18
Forest Hill	76	–	–	2	14	2	5	–	1	1	1	4	3	31	22	–	2	11	9
Fort Worth	4,110	3	1	60	844	177	266	66	105	31	30	169	60	1,833	1,346	8	63	816	459
Grand Prairie, part	41	–	–	1	6	2	1	1	–	–	–	2	–	21	11	–	–	5	6
Grapevine, part	125	–	–	2	15	5	4	–	–	–	–	6	1	55	45	–	1	33	11
Grapevine, total	125	–	–	2	15	5	4	–	–	–	–	6	1	55	45	–	1	33	11
Haltom City	263	–	–	4	58	13	17	5	9	3	1	10	8	124	89	–	3	62	24
Hurst	174	–	–	2	47	9	11	5	2	2	3	15	3	65	48	–	1	34	13
North Richland Hills	186	–	–	6	46	4	17	7	6	1	1	10	3	74	61	–	2	44	15
Watauga	46	–	–	1	9	–	1	–	2	–	2	4	1	13	11	–	1	8	4
White Settlement	139	–	–	–	26	6	3	3	3	3	1	7	2	68	54	–	2	40	12
Balance of county	909	2	–	9	212	44	62	21	22	7	8	48	13	404	304	2	2	219	81
Taylor	965	1	–	9	186	37	46	22	18	5	5	53	8	431	339	5	9	197	128
Abilene, part	837	1	–	6	163	34	36	22	17	4	5	45	7	377	294	4	9	175	106
Abilene, total	838	1	–	6	163	34	36	22	17	4	5	45	7	378	295	4	9	176	106
Balance of county	128	–	–	3	23	3	10	–	1	1	–	8	1	54	45	1	–	22	22
Terrell	14	–	–	–	4	2	–	–	2	–	–	–	1	8	8	–	–	4	4
Terry	116	–	–	1	17	3	4	–	2	1	1	6	2	58	47	1	2	31	13
Brownfield	101	–	–	1	14	3	3	–	2	1	1	4	2	50	40	1	2	27	10
Balance of county	15	–	–	–	3	–	1	–	–	–	–	2	–	8	7	–	–	4	3
Throckmorton	32	–	–	–	6	–	–	1	1	–	1	3	–	12	8	–	–	8	–
Titus	270	–	–	3	53	16	15	3	4	4	2	9	4	126	102	–	–	55	47
Mount Pleasant	156	–	–	3	30	9	6	3	3	3	–	6	1	73	57	–	–	28	29
Balance of county	114	–	–	–	23	7	9	–	1	1	2	3	3	53	45	–	–	27	18
Tom Green	820	3	–	16	167	30	38	12	15	7	6	59	10	404	277	4	5	128	140
San Angelo	735	2	–	16	151	27	36	11	14	3	6	54	10	363	243	4	5	117	117
Balance of county	85	1	–	–	16	3	2	1	1	4	–	5	–	41	34	–	–	11	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Reins	–	3	–	1	–	1	–	1	–	–	–	1	9	6	5	2	2	1	–
Randall	2	24	7	6	19	25	1	5	2	–	4	5	4	40	13	14	11	1	–
Amarillo, part	2	16	5	6	13	16	1	5	2	–	3	3	3	26	11	11	9	–	–
Canyon	–	7	1	–	3	5	–	–	–	–	1	1	1	5	2	2	1	–	–
Balance of county	–	1	1	–	3	4	–	–	–	–	–	1	–	9	–	1	1	1	–
Reagan	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	3	–	1	–
Real	–	2	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Red River	1	17	–	2	3	6	2	1	2	–	1	5	31	16	4	4	–	1	–
Reeves	–	6	2	–	11	4	1	4	2	–	1	2	5	7	5	4	1	1	–
Pecos	–	6	2	–	9	4	1	3	2	–	–	2	3	6	5	3	1	1	–
Balance of county	–	–	–	–	2	–	–	1	–	–	1	–	2	1	–	1	–	–	–
Refugio	–	5	1	–	1	3	–	1	1	–	–	–	10	10	4	3	–	–	–
Roberts	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Robertson	2	16	12	1	7	2	–	1	5	–	–	–	16	13	4	6	3	3	–
Rockwall	–	12	1	1	3	5	–	1	2	–	5	3	–	15	5	5	2	4	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	12	1	1	3	5	–	1	2	–	5	3	–	15	5	5	2	4	–
Runnels	–	14	2	–	7	4	1	–	6	–	1	–	2	20	5	4	2	1	–
Rusk	1	56	3	3	20	17	2	4	4	–	2	4	40	41	16	15	10	3	–
Henderson	–	25	1	1	5	4	1	1	2	–	–	1	12	12	6	5	1	1	–
Kilgore, part	–	3	1	–	2	1	–	–	–	–	1	–	–	4	1	–	–	–	–
Balance of county	1	28	1	2	13	12	1	3	2	–	1	3	28	25	9	10	9	2	–
Sabine	1	17	1	1	7	3	1	1	3	–	1	–	1	8	6	5	5	1	1
San Augustine	–	5	–	–	2	4	–	–	2	–	1	–	3	6	12	4	1	1	–
San Jacinto	–	10	–	1	4	10	1	1	3	–	2	–	7	11	1	12	1	2	1
San Patricio	–	17	1	5	9	9	4	7	6	–	4	5	24	42	16	20	11	5	2
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	1	–	–	–	2	1	2	–	–	–	2	4	1	2	3	2	2	–
Portland, total	–	1	–	–	1	2	1	2	–	–	–	2	4	1	2	3	2	2	–
Balance of county	–	16	1	5	9	7	3	5	6	–	4	3	20	41	14	17	9	3	2
San Saba	–	4	–	1	5	11	–	1	1	–	–	–	6	7	3	3	1	2	–
Schleicher	–	4	–	–	–	1	–	–	–	–	1	1	2	5	2	2	–	1	–
Scurry	1	15	–	1	6	5	–	–	1	–	2	4	24	13	1	4	1	2	–
Snyder	1	10	–	–	5	4	–	–	1	–	2	4	19	10	1	3	1	2	–
Balance of county	–	5	–	1	1	1	–	–	–	–	–	–	5	3	–	1	–	–	–
Shackelford	–	2	1	–	2	–	–	1	–	–	1	–	1	2	1	2	–	4	–
Shelby	–	25	1	5	8	10	–	3	–	–	3	2	36	27	10	8	4	2	–
Sherman	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Smith	3	115	8	10	35	48	2	11	19	–	3	10	34	97	36	41	25	17	2
Tyler	2	57	7	5	27	28	2	5	6	–	–	5	20	62	18	24	10	12	2
Balance of county	1	58	1	5	8	20	–	6	13	–	3	5	14	35	18	17	15	5	–
Somervell	–	6	1	1	2	2	1	–	–	–	–	–	1	6	3	2	–	–	–
Starr	–	10	3	1	4	3	1	2	3	–	4	4	6	19	8	7	5	3	–
Stephens	–	16	1	–	5	7	–	2	1	–	1	–	5	9	3	4	3	3	–
Sterling	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	2	–	–
Stonewall	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	–	–	–
Sutton	1	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–
Swisher	–	3	–	–	1	1	–	–	1	–	1	–	–	3	2	2	1	–	–
Tarrant	47	500	193	61	158	247	22	96	65	2	71	131	86	611	251	179	154	247	10
Arlington	7	53	18	4	19	24	2	6	8	–	9	24	9	88	40	27	29	21	1
Bedford	–	8	3	1	2	1	–	2	1	–	3	2	–	15	6	2	9	2	–
Benbrook	–	4	2	–	1	1	–	1	1	–	1	–	–	6	2	1	2	–	–
Burleson, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Euless	–	2	–	1	4	3	2	2	–	–	1	6	2	8	4	3	3	5	–
Forest Hill	–	8	1	–	–	2	1	1	1	–	1	4	1	5	1	1	3	5	–
Fort Worth	30	312	109	36	98	130	11	59	40	2	37	72	52	331	123	102	69	177	6
Grand Prairie, part	–	4	6	–	2	–	–	–	1	–	–	–	–	6	3	–	–	–	1
Grapevine, part	–	6	4	–	1	5	–	1	2	–	1	3	3	22	7	2	2	2	1
Grapevine, total	–	6	4	–	1	5	–	1	2	–	1	3	3	22	7	2	2	2	1
Haltom City	3	15	13	4	4	11	–	8	1	–	2	–	1	21	6	6	7	2	–
Hurst	2	8	4	3	3	8	2	4	3	–	2	2	2	13	6	6	3	3	–
North Richland Hills	–	8	3	2	2	6	–	3	1	–	3	3	5	13	5	6	7	3	–
Watauga	–	1	–	1	–	2	–	1	–	–	2	6	–	5	2	1	2	1	–
White Settlement	–	6	6	–	6	5	1	–	1	–	2	2	1	10	6	2	2	5	–
Balance of county	4	65	22	9	16	49	3	8	5	–	7	7	9	70	38	20	15	21	1
Taylor	7	68	10	7	27	36	7	13	16	–	8	7	30	99	26	30	15	14	2
Abilene, part	6	62	10	5	19	36	7	13	14	–	6	6	23	83	24	25	14	12	1
Abilene, total	6	62	10	5	19	36	7	13	14	–	6	6	23	83	24	25	14	12	1
Balance of county	1	6	–	2	8	–	–	–	2	–	2	1	7	16	2	5	1	2	1
Terrell	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Terry	1	9	–	1	5	5	–	3	2	1	1	1	1	13	1	4	1	–	–
Brownfield	1	9	–	–	5	4	–	3	1	1	1	1	1	11	1	4	1	–	–
Balance of county	–	–	–	1	–	1	–	–	1	–	–	–	–	2	–	–	–	–	–
Throckmorton	–	2	–	2	2	1	–	–	1	–	–	1	3	4	2	–	–	–	–
Titus	–	18	3	3	10	2	1	–	1	–	–	1	28	28	4	4	2	3	–
Mount Pleasant	–	11	3	2	7	–	1	–	–	–	–	1	18	16	2	1	–	3	–
Balance of county	–	7	–	1	3	2	–	–	1	–	–	–	10	12	2	3	2	–	–
Tom Green	2	101	17	7	16	36	3	10	3	–	4	7	7	75	30	17	9	2	1
San Angelo	1	96	16	7	12	33	2	9	3	–	3	6	7	64	28	15	9	2	–
Balance of county	1	5	1	–	4	3	1	1	–	–	1	1	–	11	2	2	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	2,917	2	–	47	599	137	181	50	50	31	26	124	42	1,156	911	11	33	445	422
Austin, part	2,576	2	–	43	514	118	150	41	45	26	23	111	39	1,038	816	11	32	402	371
Austin, total	2,579	2	–	43	515	118	150	42	45	26	23	111	39	1,039	816	11	32	402	371
Round Rock, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	340	–	–	4	85	19	31	9	5	5	3	13	3	118	95	–	1	43	51
Trinity	173	–	–	2	30	8	12	1	1	–	2	6	4	81	70	–	1	35	34
Tyler	186	–	–	3	38	5	10	3	3	1	1	15	3	80	59	–	1	30	28
Upshur	348	–	–	3	64	10	18	4	6	1	3	22	5	152	122	–	–	79	43
Upton	44	–	–	–	6	1	4	1	–	–	–	–	1	17	16	–	1	10	5
Uvalde	193	–	–	2	27	5	6	2	–	–	–	14	6	80	60	–	2	34	24
Uvalde	131	–	–	–	18	5	4	1	–	–	–	9	4	54	37	–	2	20	15
Balance of county	62	–	–	2	8	–	2	1	–	–	–	5	2	26	23	–	–	14	9
Val Verde	245	1	–	3	35	13	6	2	2	–	1	11	4	83	58	–	–	39	19
Del Rio	211	1	–	3	27	11	6	2	1	–	1	6	4	76	55	–	–	37	18
Balance of county	34	–	–	–	8	2	–	–	1	–	–	5	–	7	3	–	–	2	1
Van Zandt	455	–	–	5	92	22	23	11	6	3	1	26	4	217	182	1	3	102	78
Victoria	527	–	–	8	106	20	39	5	11	3	9	19	13	248	196	1	7	135	53
Victoria	411	–	–	5	79	14	28	4	8	3	7	15	11	198	160	–	4	110	46
Balance of county	116	–	–	3	27	6	11	1	3	–	2	4	2	50	36	1	3	25	7
Walker	260	–	–	4	48	15	15	3	6	–	–	9	6	126	110	–	4	42	64
Huntsville	117	–	–	2	23	7	7	2	4	–	–	3	2	57	51	–	1	19	31
Balance of county	143	–	–	2	25	8	8	1	2	–	–	6	4	69	59	–	3	23	33
Waller	156	1	–	3	32	7	12	1	3	1	1	7	1	72	58	–	1	19	38
Ward	121	–	–	2	25	6	10	2	2	1	1	3	1	52	40	2	2	15	21
Washington	315	–	–	5	63	15	14	5	11	2	5	11	6	163	140	–	1	76	63
Brenham	160	–	–	4	29	10	4	4	2	–	3	6	2	88	75	–	1	40	34
Balance of county	155	–	–	1	34	5	10	1	9	2	2	5	4	75	65	–	–	36	29
Webb	634	–	–	5	124	39	31	8	14	4	5	23	30	247	205	–	3	123	79
Laredo	605	–	–	5	121	37	31	8	14	3	5	23	29	233	191	–	3	117	71
Balance of county	29	–	–	–	3	2	–	–	–	1	–	–	1	14	14	–	–	6	8
Wharton	432	1	–	6	83	22	22	6	6	4	3	20	8	185	141	–	1	89	51
El Campo	128	–	–	1	26	6	4	4	–	3	1	8	3	60	45	–	–	28	17
Balance of county	304	1	–	5	57	16	18	2	6	1	2	12	5	125	96	–	1	61	34
Wheeler	85	–	–	1	14	4	3	1	4	–	–	2	–	49	44	–	1	30	13
Wichita	1,190	1	–	12	263	63	81	17	20	11	12	59	32	562	444	1	13	218	212
Burkburnett	88	1	–	1	16	3	5	1	1	1	1	3	3	39	32	–	–	15	17
Wichita Falls, part	943	–	–	7	211	51	64	14	16	10	7	49	27	446	350	1	11	171	167
Wichita Falls, total	943	–	–	7	211	51	64	14	16	10	7	49	27	446	350	1	11	171	167
Balance of county	159	–	–	4	36	9	11	2	3	–	4	7	2	77	62	–	2	32	28
Wilbarger	224	–	–	2	31	5	10	3	2	1	1	9	4	122	101	–	–	74	27
Vernon	195	–	–	2	26	5	8	3	1	1	–	8	4	104	86	–	–	60	26
Balance of county	29	–	–	–	5	–	2	–	1	–	1	1	–	18	15	–	–	14	1
Willacy	159	–	–	4	22	6	7	1	3	–	1	4	3	62	53	–	2	31	20
Williamson	680	–	–	2	144	35	31	13	9	4	4	48	11	335	253	1	3	162	87
Austin, part	3	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Round Rock, part	101	–	–	–	15	3	1	2	2	1	–	6	2	44	33	–	1	20	12
Round Rock, total	102	–	–	–	15	3	1	2	2	1	–	6	2	44	33	–	1	20	12
Taylor	163	–	–	1	29	10	2	4	3	2	–	8	1	93	57	–	2	41	14
Balance of county	413	–	–	1	99	22	28	6	4	1	4	34	8	197	163	1	–	101	61
Wilson	160	–	–	4	36	9	11	3	2	1	2	8	3	74	62	–	–	31	31
Winkler	82	–	–	–	12	4	4	1	1	–	–	2	1	35	29	–	–	19	10
Wise	257	1	–	3	55	14	9	3	6	4	6	13	1	118	95	1	3	63	28
Wood	442	–	–	2	83	20	26	5	8	3	5	16	4	206	172	1	2	118	51
Yoakum	47	–	–	–	10	1	2	3	1	1	2	–	1	19	15	–	1	10	4
Young	244	–	–	3	49	9	20	1	7	1	2	9	4	101	77	–	–	38	39
Zapata	58	–	–	–	9	3	1	1	–	–	2	2	1	21	18	–	–	9	9
Zavala	72	–	–	1	13	4	1	5	2	–	–	1	2	31	21	–	2	13	6
Utah	8,939	3	–	91	1,638	408	289	154	223	56	86	422	222	3,774	2,956	70	101	1,681	1,104
Urban places	4,862	2	–	40	856	214	159	75	118	32	47	211	113	2,106	1,646	41	69	934	602
Balance of area	4,077	1	–	51	782	194	130	79	105	24	39	211	109	1,668	1,310	29	32	747	502
Metropolitan counties	6,744	2	–	66	1,237	312	227	124	152	40	70	312	161	2,862	2,246	62	90	1,256	838
Urban places	4,338	2	–	37	774	201	145	70	99	29	43	187	100	1,869	1,479	39	67	834	539
Balance of area	2,406	–	–	29	463	111	82	54	53	11	27	125	61	993	767	23	23	422	299
Nonmetropolitan counties	2,195	1	–	25	401	96	62	30	71	16	16	110	61	912	710	8	11	425	266
Urban places	524	–	–	3	82	13	14	5	19	3	4	24	13	237	167	2	2	100	63
Balance of area	1,671	1	–	22	319	83	48	25	52	13	12	86	48	675	543	6	9	325	203
Beaver	44	–	–	2	9	3	–	–	1	–	1	4	3	22	15	–	1	8	6
Box Elder	229	–	–	2	35	11	9	2	8	3	1	1	8	93	69	1	1	38	29
Brigham City	112	–	–	–	13	–	4	2	5	1	1	–	5	47	32	1	1	16	14
Balance of county	117	–	–	2	22	11	5	–	3	2	–	1	3	46	37	–	–	22	15
Cache	304	–	–	1	56	9	7	4	13	–	3	20	7	142	100	2	1	70	27
Logan	167	–	–	1	25	5	2	–	5	–	2	11	4	77	50	1	1	30	18
Balance of county	137	–	–	–	31	4	5	4	8	–	1	9	3	65	50	1	–	40	9
Carbon	167	–	–	2	39	8	10	4	3	1	1	12	7	55	47	2	–	29	16
Daggett	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	2	1
Davis	664	1	–	5	128	32	21	17	10	2	8	38	13	279	225	5	6	130	84
Bountiful	202	–	–	1	41	9	7	7	6	–	3	9	5	90	70	3	3	43	21
Clearfield	86	–	–	1	14	6	2	2	–	1	–	3	2	31	27	–	–	14	13
Layton	125	1	–	1	24	4	5	2	1	1	2	9	1	56	48	–	2	23	23
Balance of county	251	–	–	2	49	13	7	6	3	–	3	17	5	102	80	2	1	50	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (74C-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	4	186	25	30	98	110	12	53	25	–	35	21	25	304	121	120	95	52	–
Austin, part	4	167	22	29	92	103	10	46	22	–	31	18	20	267	99	101	81	50	–
Austin, total	4	167	22	30	92	103	10	46	22	–	31	18	20	267	100	101	81	50	–
Round Rock, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	19	3	1	6	7	2	7	3	–	4	3	5	37	21	19	14	2	–
Trinity	–	9	–	2	4	3	–	3	4	–	–	–	7	24	5	5	1	–	–
Tyler	2	18	–	1	7	4	1	4	2	–	1	–	17	15	4	5	1	1	–
Upshur	1	26	2	1	14	14	1	4	4	–	3	3	12	31	16	13	6	3	–
Upton	–	1	–	–	1	2	–	1	2	–	–	–	1	6	1	4	2	–	–
Uvalde	–	14	2	4	10	9	–	7	–	–	1	2	17	24	2	2	3	1	–
Uvalde	–	12	2	3	8	5	–	4	–	–	1	2	11	16	2	2	3	–	–
Balance of county	–	2	–	1	2	4	–	3	–	–	–	–	6	8	–	–	–	1	–
Val Verde	1	22	–	2	9	3	–	2	7	1	4	4	38	15	8	19	5	4	–
Del Rio	1	18	–	2	8	2	–	2	8	1	4	4	35	12	4	15	3	4	–
Balance of county	–	4	–	–	1	1	–	–	1	–	–	–	3	3	4	4	2	–	–
Van Zandt	1	20	7	7	21	21	2	1	5	–	1	–	18	42	12	4	6	4	–
Victoria	2	37	10	3	17	16	2	3	8	–	7	8	3	39	21	11	13	3	1
Victoria	1	29	7	1	13	11	2	3	8	–	5	5	2	34	16	9	7	2	1
Balance of county	1	8	3	2	4	5	–	–	–	–	2	3	1	5	5	2	6	1	–
Walker	–	11	2	3	7	7	–	4	3	1	–	–	4	28	6	8	4	4	–
Huntsville	–	5	1	–	5	4	–	2	2	–	–	–	1	11	4	3	1	–	–
Balance of county	–	6	1	3	2	3	–	2	1	1	–	–	3	17	2	5	3	4	–
Waller	–	10	2	2	7	3	2	–	2	–	–	1	4	14	6	5	1	1	1
Ward	1	7	–	4	3	2	–	2	3	–	1	2	5	7	4	6	2	3	1
Washington	–	21	–	2	4	6	1	5	3	–	1	–	11	19	12	11	3	2	–
Brenham	–	13	–	–	3	2	–	2	1	–	1	–	4	10	6	6	2	–	–
Balance of county	–	8	–	2	1	4	1	3	2	–	–	–	7	9	6	5	1	2	–
Webb	2	35	2	3	16	14	1	9	13	–	3	9	34	61	19	27	5	16	1
Laredo	2	35	2	3	15	13	1	9	13	–	3	9	30	59	19	24	5	16	1
Balance of county	–	–	–	–	1	1	–	–	–	–	–	–	4	2	–	3	–	–	–
Wharton	–	39	3	2	16	6	1	5	4	–	4	4	30	33	15	21	5	4	1
El Campo	–	13	2	–	5	–	–	2	1	–	1	2	2	9	4	8	3	–	–
Balance of county	–	26	1	2	11	6	1	3	3	–	3	2	28	24	11	12	2	4	1
Wheeler	–	5	–	–	3	2	–	–	3	–	–	2	2	6	–	–	–	1	–
Wichita	1	86	12	9	29	32	1	11	5	–	8	10	6	121	31	35	12	16	1
Burkburnett	–	5	1	1	4	3	–	–	–	–	1	–	–	16	–	3	1	–	–
Wichita Falls, part	1	78	9	8	23	26	1	9	3	–	5	9	8	90	24	30	9	14	1
Wichita Falls, total	1	78	9	8	23	26	1	9	3	–	5	9	8	90	24	30	9	14	1
Balance of county	–	13	2	–	2	3	–	2	2	–	2	1	–	15	7	2	2	2	–
Wilbarger	1	17	2	1	18	6	–	1	3	–	–	–	11	15	3	3	3	2	–
Vernon	–	16	1	1	17	6	–	1	3	–	–	–	9	14	3	2	2	2	–
Balance of county	1	1	1	–	1	–	–	–	–	–	–	–	2	1	–	1	1	–	–
Willacy	–	9	–	–	4	3	1	1	4	–	–	1	19	13	9	6	3	3	1
Williamson	–	64	13	5	20	27	1	7	8	–	10	4	6	43	22	20	14	6	–
Austin, part	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Round Rock, part	–	9	2	–	2	5	–	2	–	–	3	1	1	12	6	5	3	–	–
Round Rock, total	–	9	2	–	2	5	–	2	–	–	3	1	1	12	7	5	3	–	–
Taylor	–	32	3	1	4	4	1	2	2	–	–	1	1	15	2	3	–	4	–
Balance of county	–	23	8	3	14	18	–	3	6	–	7	2	4	16	13	12	11	2	–
Wilson	–	11	1	–	7	4	–	–	2	–	–	–	–	9	11	4	4	2	–
Winkler	1	2	2	1	7	–	–	1	–	–	1	3	3	7	4	2	5	1	–
Wise	–	19	3	1	5	10	–	3	4	–	3	–	18	25	7	3	1	–	–
Wood	1	29	–	4	18	16	3	4	6	–	1	–	32	33	11	7	9	7	–
Yoakum	–	3	1	–	4	3	–	–	–	–	–	1	5	1	1	2	–	–	–
Young	2	13	6	3	17	5	1	3	1	–	1	–	29	13	6	5	2	4	–
Zapata	–	1	–	2	2	–	–	–	2	–	1	1	4	3	4	3	3	1	3
Zavala	–	6	3	1	6	–	–	–	–	–	1	2	6	4	2	–	–	3	–
Utah	18	650	76	74	356	382	33	89	84	2	100	126	166	958	328	276	245	55	31
Urban places	10	367	41	42	207	203	22	51	40	2	56	64	89	547	140	144	127	36	17
Balance of area	8	283	35	32	149	159	11	38	44	–	44	62	77	411	188	132	118	19	14
Metropolitan counties	16	486	62	52	251	270	24	71	60	2	79	98	127	733	232	198	198	48	25
Urban places	10	305	38	37	177	180	21	50	34	2	53	54	80	485	127	129	113	35	16
Balance of area	6	181	24	15	74	90	3	21	26	–	26	44	47	248	105	69	85	13	9
Nonmetropolitan counties	2	184	14	22	105	92	9	18	24	–	21	28	39	225	96	78	47	7	6
Urban places	–	62	3	5	30	23	1	1	6	–	3	10	9	62	13	15	14	1	1
Balance of area	2	102	11	17	75	69	8	17	18	–	18	18	30	163	83	63	33	6	5
Beaver	–	5	–	2	1	1	–	1	–	–	–	–	–	2	–	1	2	–	–
Box Elder	–	22	2	–	15	13	1	1	6	–	1	3	4	20	18	5	3	1	–
Brigham City	–	14	1	–	11	7	–	1	3	–	–	2	1	14	5	1	1	1	–
Balance of county	–	8	1	–	4	6	1	–	3	–	1	1	3	6	13	4	2	–	–
Cache	–	37	1	4	16	6	2	–	1	–	5	5	7	31	5	9	9	–	2
Logan	–	25	–	2	9	4	1	–	–	–	3	5	4	22	1	6	5	–	–
Balance of county	–	12	1	2	7	2	1	–	1	–	2	–	3	9	4	3	4	–	2
Carbon	1	7	–	–	9	7	1	1	4	–	–	3	3	23	5	4	3	1	–
Daggett	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Davis	–	43	7	4	26	29	3	3	7	–	9	17	15	68	21	18	24	3	3
Bountiful	–	17	3	–	12	7	2	–	–	–	2	2	4	25	5	6	–	–	–
Clearfield	–	4	–	–	5	2	–	–	–	–	1	2	4	9	3	1	9	2	–
Layton	–	5	–	3	5	7	1	1	1	–	–	3	4	6	7	2	4	1	–
Balance of county	–	17	4	1	4	13	–	2	6	–	8	10	3	20	6	9	11	–	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	73	–	–	–	17	4	3	1	3	–	1	5	2	30	23	1	–	7	15
Emery	66	–	–	–	10	1	–	1	4	2	–	2	–	30	26	–	2	7	17
Garfield	27	–	–	–	10	2	2	–	1	1	1	3	–	8	8	–	–	5	3
Grand	49	–	–	1	10	1	3	2	2	–	–	2	2	21	16	–	–	8	8
Iron	112	–	–	1	24	9	2	2	4	2	–	5	3	53	42	–	–	21	21
Cedar City	62	–	–	–	13	5	1	–	2	1	–	4	–	29	23	–	–	8	15
Balance of county	50	–	–	1	11	4	1	2	2	1	–	1	3	24	19	–	–	13	6
Juab	36	–	–	1	5	2	–	1	–	–	–	2	2	17	13	–	1	7	5
Kane	32	–	–	–	7	2	2	–	1	1	–	1	–	12	6	–	–	3	3
Millard	92	–	–	1	16	6	1	–	4	1	2	2	2	36	29	–	–	17	12
Morgan	17	–	–	–	3	2	–	–	–	1	–	–	–	11	10	–	–	8	2
Piute	18	–	–	1	6	–	2	–	1	–	1	2	–	9	8	–	–	4	4
Rich	15	–	–	–	2	1	–	–	–	–	–	1	1	7	5	–	1	2	2
Salt Lake	3,811	1	–	34	702	172	137	77	94	20	34	168	110	1,606	1,239	34	67	646	492
Midvale	67	–	–	–	8	2	–	2	–	–	2	2	6	28	20	1	–	8	11
Murray	195	–	–	1	39	7	7	7	8	1	–	9	2	90	77	1	5	44	27
Salt Lake City	1,671	1	–	13	277	79	54	26	38	6	12	62	52	758	580	11	38	318	213
Sandy City	133	–	–	–	31	7	10	–	3	1	3	7	2	42	30	2	1	13	14
South Salt Lake	93	–	–	2	17	5	4	1	1	1	1	4	3	38	33	1	3	15	14
West Jordan	82	–	–	1	14	2	4	1	4	–	–	3	2	24	20	–	–	8	12
Balance of county	1,570	–	–	17	316	70	58	40	40	11	16	81	43	628	479	18	20	240	201
San Juan	63	1	–	–	5	2	–	–	1	–	–	2	1	20	16	–	–	7	9
Sanpete	142	–	–	–	28	6	1	2	4	1	3	11	3	61	53	1	–	38	14
Sevier	115	–	–	5	21	8	–	3	4	–	1	5	–	59	51	–	1	25	25
Summit	54	–	–	–	7	–	2	1	1	–	–	3	2	23	20	–	1	11	8
Tooele	147	–	–	2	32	8	8	3	5	–	2	6	3	64	58	–	2	33	23
Tooele	104	–	–	–	25	6	6	3	4	–	1	5	3	42	37	–	1	21	15
Balance of county	43	–	–	2	7	2	2	–	1	–	1	1	–	22	21	–	1	12	8
Uintah	139	–	–	4	20	4	5	1	1	–	–	9	8	43	33	1	–	22	10
Utah	1,089	–	–	15	195	51	29	11	20	10	16	58	16	447	346	12	9	194	131
American Fork	84	–	–	–	17	3	2	1	4	–	1	6	1	31	27	1	–	15	11
Orem	229	–	–	4	49	12	10	1	4	5	4	13	6	83	61	6	3	34	18
Pleasant Grove	73	–	–	–	12	4	1	–	2	1	–	4	1	34	28	2	–	14	12
Provo	309	–	–	4	48	13	8	4	4	3	5	11	–	132	99	2	4	58	35
Springville	85	–	–	3	15	4	2	–	2	1	1	5	–	36	29	–	1	13	15
Balance of county	309	–	–	4	54	15	6	5	4	–	5	19	8	131	102	1	1	60	40
Wasatch	75	–	–	1	10	4	3	1	2	–	–	–	2	22	13	–	1	12	–
Washington	306	–	–	3	57	8	10	5	13	3	1	17	8	127	97	–	1	69	27
St. George	183	–	–	2	31	3	7	3	7	1	1	9	4	84	62	–	–	46	16
Balance of county	123	–	–	1	26	5	3	2	6	2	–	8	4	43	35	–	1	23	11
Wayne	16	–	–	–	4	3	–	–	–	–	–	1	–	8	7	–	–	5	2
Weber	1,033	–	–	10	180	49	32	16	23	8	10	42	19	466	378	11	6	253	108
Ogden	612	–	–	3	107	25	19	6	16	6	6	29	10	278	226	7	6	139	74
Roy	113	–	–	2	18	4	2	4	1	2	1	4	3	47	43	1	–	34	8
South Ogden	75	–	–	1	18	9	2	3	1	–	1	2	1	30	24	1	–	20	3
Balance of county	233	–	–	4	37	11	9	3	5	–	2	7	5	110	85	2	–	60	23
Vermont	4,760	1	–	56	1,086	262	288	103	125	54	48	186	76	2,197	1,742	18	64	1,074	586
Urban places	692	–	–	7	128	30	41	9	13	8	7	20	15	353	273	2	9	155	107
Balance of area	4,068	1	–	49	938	232	247	94	112	46	41	166	61	1,844	1,469	16	55	919	479
Metropolitan counties	788	–	–	7	187	48	58	17	14	9	9	32	17	351	285	1	5	159	120
Urban places	408	–	–	4	86	20	30	5	8	4	5	14	11	198	160	1	1	89	69
Balance of area	380	–	–	3	101	28	28	12	6	5	4	18	6	153	125	–	4	70	51
Nonmetropolitan counties	3,972	1	–	49	879	214	230	86	111	45	39	154	59	1,846	1,457	17	59	915	466
Urban places	284	–	–	3	42	10	11	4	5	4	2	6	4	155	113	1	8	66	38
Balance of area	3,688	1	–	46	837	204	219	82	106	41	37	148	55	1,691	1,344	16	51	849	428
Addison	228	–	–	1	61	12	19	6	8	2	2	12	3	98	79	1	3	53	22
Bennington	352	–	–	3	84	13	17	9	8	2	2	13	7	173	144	2	3	101	36
Caledonia	238	–	–	2	51	14	16	–	10	2	2	7	5	113	93	–	4	62	27
Chittenden	788	–	–	7	187	48	58	17	14	9	9	32	17	351	285	1	5	159	120
Burlington	335	–	–	4	64	14	24	3	7	1	4	11	10	166	131	–	1	71	59
South Burlington	73	–	–	–	22	6	6	2	1	3	1	3	1	32	29	1	–	18	10
Balance of county	380	–	–	3	101	28	28	12	6	5	4	18	6	153	125	–	4	70	51
Essex	70	–	–	–	18	7	4	–	1	1	–	5	2	34	30	1	1	23	5
Franklin	354	–	–	7	93	22	26	6	11	6	4	18	7	161	133	1	6	53	73
Grand Isle	43	–	–	–	11	2	3	3	1	2	–	–	1	20	16	–	1	10	5
Lamoille	150	–	–	3	36	7	7	6	7	2	1	6	1	61	50	–	2	32	16
Orange	178	–	–	1	32	12	6	2	2	3	1	6	4	84	69	1	2	42	14
Orleans	256	–	–	2	58	7	12	5	11	3	6	14	2	128	100	–	1	68	31
Rutland	643	–	–	10	117	31	33	12	16	7	6	12	12	329	251	4	16	145	88
Rutland	284	–	–	3	42	10	11	4	5	4	2	6	4	155	113	1	8	66	38
Balance of county	359	–	–	7	75	21	22	8	11	3	4	6	8	174	138	3	8	79	48
Washington	549	1	–	10	125	30	29	16	11	7	8	24	5	259	194	3	6	128	57
Windham	390	–	–	5	88	24	24	6	7	6	2	19	7	151	127	3	6	82	36
Windsor	521	–	–	5	125	33	34	15	18	2	5	18	3	237	181	1	8	116	56

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	–	6	–	1	1	2	–	1	1	–	2	2	–	5	5	3	1	–	1
Emery	–	4	–	–	–	3	–	1	1	–	–	1	1	8	6	2	2	1	–
Garfield	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	1	1	–	–
Grand	–	2	2	1	1	2	1	–	–	–	1	1	1	3	–	3	2	–	–
Iron	–	7	2	2	5	2	–	–	–	–	1	1	3	8	3	5	3	–	–
Cedar City	–	5	–	1	4	2	–	–	–	–	–	1	2	3	2	3	3	–	–
Balance of county	–	2	2	1	1	–	–	–	–	–	1	–	1	5	1	2	–	–	–
Juab	1	2	–	1	1	2	–	1	–	–	–	1	–	5	1	–	–	–	–
Kane	–	6	–	–	2	1	–	–	–	–	–	–	1	3	2	2	2	–	–
Millard	–	4	1	2	2	6	1	–	2	–	2	1	2	10	8	3	–	–	–
Morgan	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Piute	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Rich	–	2	–	–	1	–	–	–	–	–	–	1	–	3	–	–	–	–	–
Salt Lake	9	299	32	27	111	143	13	42	30	1	42	48	75	419	144	125	112	38	17
Midvale	–	6	–	–	–	4	2	–	1	–	3	–	4	8	–	2	2	1	–
Murray	–	10	1	2	8	7	–	2	2	–	2	1	1	20	9	4	5	2	–
Salt Lake City	5	143	15	15	50	69	5	22	13	1	14	11	25	194	40	59	37	20	10
Sandy City	–	12	–	–	5	4	1	–	–	–	3	5	3	11	6	7	8	1	2
South Salt Lake	–	5	–	–	5	3	3	2	1	–	2	3	–	8	3	2	1	–	–
West Jordan	–	4	–	–	–	3	–	–	–	–	4	4	7	5	6	7	5	–	–
Balance of county	4	119	16	10	43	53	2	16	13	–	14	24	35	173	78	44	54	12	5
San Juan	–	2	–	2	11	2	–	2	2	–	1	1	2	2	8	4	1	–	–
Sanpete	–	7	1	–	9	5	1	–	1	–	–	1	2	16	2	9	3	–	1
Sevier	–	7	–	1	6	7	1	–	–	–	3	1	–	8	2	2	–	–	–
Summit	–	3	–	–	2	1	–	2	–	–	–	–	2	8	3	3	–	1	–
Tooele	–	5	1	–	2	5	1	–	–	–	1	1	1	20	6	1	4	2	2
Tooele	–	5	–	–	2	2	1	–	–	–	1	–	1	17	4	1	3	1	1
Balance of county	–	–	1	–	–	3	–	–	–	–	–	1	–	3	2	–	1	1	1
Uintah	–	7	–	3	2	7	1	6	3	–	4	1	3	18	7	5	4	2	1
Utah	4	74	14	9	59	44	4	12	8	–	15	23	21	132	33	29	33	2	1
American Fork	–	2	2	–	4	4	–	2	–	–	3	1	2	12	4	1	2	–	–
Orem	–	14	6	2	8	7	1	3	1	–	4	9	4	27	7	6	8	2	–
Pleasant Grove	1	3	–	2	2	3	–	1	1	–	–	–	1	14	2	1	1	–	–
Provo	1	26	4	2	21	14	2	5	1	–	3	7	6	38	11	9	7	–	1
Springville	–	5	–	2	7	3	–	–	1	–	1	1	2	11	–	2	3	–	–
Balance of county	2	24	2	1	17	13	1	1	4	–	4	5	6	30	9	10	12	–	–
Wasatch	–	8	1	–	8	6	–	2	–	–	–	–	–	11	2	7	3	1	–
Washington	–	24	3	3	11	19	–	–	3	–	1	4	4	36	17	8	7	–	1
St. George	–	18	2	2	6	10	–	–	3	–	–	2	2	23	5	5	5	–	1
Balance of county	–	6	1	1	5	9	–	–	–	–	1	2	2	13	12	3	2	–	–
Wayne	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Weber	3	65	8	12	53	49	3	14	15	1	12	9	15	102	28	25	25	5	2
Ogden	3	34	7	9	32	31	3	7	12	–	6	5	8	59	16	16	12	4	2
Roy	–	4	–	–	8	6	–	3	–	1	2	–	3	10	2	2	5	1	–
South Ogden	–	6	–	–	3	4	–	2	–	–	2	–	1	11	–	1	1	–	–
Balance of county	–	21	1	3	10	8	–	2	3	–	2	4	3	22	10	6	7	–	–
Vermont	15	320	47	73	214	199	16	55	40	–	46	39	22	424	96	118	76	16	3
Urban places	–	70	2	8	35	27	3	8	4	–	8	9	–	56	12	13	11	3	–
Balance of area	15	250	45	65	179	172	13	47	36	–	38	30	22	368	84	105	65	13	3
Metropolitan counties	–	53	2	11	36	29	2	11	5	–	11	13	–	63	21	20	12	3	–
Urban places	–	34	–	4	22	15	1	5	1	–	5	5	–	26	10	9	8	2	–
Balance of area	–	19	2	7	14	14	1	6	4	–	6	8	–	37	11	11	4	1	–
Nonmetropolitan counties	15	267	45	62	178	170	14	44	35	–	35	26	22	361	75	98	64	13	3
Urban places	–	36	2	4	13	12	2	3	3	–	3	4	–	30	2	4	3	1	–
Balance of area	15	231	43	58	165	158	12	41	32	–	32	22	22	331	73	94	61	12	3
Addison	1	15	1	2	15	10	–	2	5	–	4	1	–	15	6	2	5	–	–
Bennington	1	18	3	7	18	15	–	5	4	–	2	2	2	30	13	5	8	1	–
Caledonia	2	14	2	2	5	11	2	3	2	–	–	2	1	20	9	5	6	1	–
Chittenden	–	53	2	11	36	29	2	11	5	–	11	13	–	63	21	20	12	3	–
Burlington	–	32	–	3	18	13	–	5	1	–	4	3	–	23	10	8	5	1	–
South Burlington	–	2	–	1	4	2	1	–	–	–	1	2	–	3	–	1	3	1	–
Balance of county	–	19	2	7	14	14	1	6	4	–	6	8	–	37	11	11	4	1	–
Essex	–	4	–	–	2	4	–	–	1	–	1	–	–	4	3	1	–	–	–
Franklin	1	11	7	9	7	16	1	1	2	–	3	2	–	30	10	11	3	–	–
Grand Isle	–	3	–	1	3	1	–	–	–	–	–	–	–	5	–	2	–	–	–
Lamoille	–	9	–	2	11	4	1	2	–	–	1	2	3	18	–	6	1	–	–
Orange	3	18	2	2	8	8	1	3	2	–	1	2	1	16	3	6	7	1	–
Orleans	–	18	2	6	10	10	–	3	2	–	4	–	–	25	2	10	2	–	–
Rutland	–	65	5	8	22	24	3	8	6	–	8	6	1	54	12	14	13	3	1
Rutland	–	36	2	4	13	12	2	3	3	–	3	4	–	30	2	4	3	1	–
Balance of county	–	29	3	4	9	12	1	5	3	–	5	2	1	24	10	10	10	2	1
Washington	6	42	8	9	31	22	2	3	5	–	5	3	–	49	5	13	8	2	1
Windham	–	14	2	8	20	20	3	6	4	–	3	3	8	43	6	12	6	4	1
Windsor	1	36	13	6	28	25	1	8	2	–	3	3	6	52	6	11	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	46,516	49	1	743	10,832	2,502	3,325	900	1,201	407	344	2,153	703	20,689	15,996	97	518	9,963	5,418
Urban places	20,072	22	–	342	4,722	1,106	1,464	386	540	174	130	912	302	8,843	6,880	45	251	4,199	2,385
Balance of area	26,444	27	1	401	6,110	1,396	1,861	514	661	233	214	1,241	401	11,846	9,116	52	267	5,764	3,033
Metropolitan counties	30,041	28	–	499	7,204	1,686	2,205	621	794	258	224	1,416	454	13,062	10,084	68	346	6,185	3,487
Urban places	18,189	21	–	321	4,293	1,018	1,319	364	492	154	117	829	278	7,952	6,178	39	234	3,783	2,142
Balance of area	11,852	7	–	178	2,911	668	886	257	302	104	107	587	176	5,110	3,906	27	112	2,422	1,345
Nonmetropolitan counties	16,475	21	1	244	3,628	816	1,120	279	407	149	120	737	249	7,627	5,912	31	172	3,778	1,931
Urban places	1,883	1	–	21	429	88	145	32	48	20	13	83	24	891	702	6	17	436	243
Balance of area	14,592	20	1	223	3,199	728	975	247	359	129	107	654	225	6,736	5,210	25	155	3,342	1,688
Accomack	432	2	–	7	98	24	21	12	14	3	4	20	16	196	156	2	38	84	52
Albemarle	367	–	–	8	97	21	33	8	8	3	6	18	9	157	117	4	3	75	35
Alexandria city	875	3	–	17	210	56	68	21	23	5	2	35	11	362	277	5	7	136	129
Alleghany	141	–	–	2	36	1	13	6	3	3	2	8	1	65	57	–	1	43	13
Amelia	91	–	–	1	18	7	4	1	3	1	–	2	–	52	41	–	–	24	17
Amherst	241	–	–	1	60	15	19	5	5	4	–	12	1	106	85	2	2	56	25
Appomattox	110	–	–	1	23	4	7	3	–	2	3	4	2	49	37	–	2	28	7
Arlington#	1,189	1	–	25	315	67	81	39	38	11	7	72	10	486	359	3	14	222	120
Augusta	441	–	–	1	88	16	28	8	2	2	1	33	3	217	160	2	1	106	51
Bath	61	–	–	–	15	2	3	2	3	–	–	5	–	30	23	–	–	13	10
Bedford	321	–	–	1	67	24	13	6	7	3	2	12	8	165	118	1	3	66	48
Bedford city *	93	–	–	1	19	4	6	4	2	1	–	2	2	46	32	–	1	20	11
Bland	59	1	–	–	13	3	3	–	2	–	1	4	–	30	28	–	–	20	6
Botetourt	198	–	–	3	46	15	10	–	5	2	1	13	1	95	78	–	1	54	23
Bristol city *	253	2	–	–	52	15	13	4	5	1	2	12	2	134	98	1	5	71	21
Brunswick	191	–	–	5	41	11	9	4	9	2	1	5	6	90	62	–	2	46	14
Buchanan	274	–	–	2	59	13	17	7	6	4	3	9	8	130	106	–	1	91	14
Buckingham	142	–	–	3	35	8	12	3	3	–	2	7	4	60	43	–	–	33	10
Buena Vista city *	66	–	–	2	15	1	3	4	2	2	–	3	–	29	22	–	–	13	9
Campbell	357	–	–	1	79	16	24	9	13	1	2	14	9	168	129	–	5	73	51
Caroline	173	1	–	5	49	12	18	–	6	2	2	9	4	67	55	–	1	38	16
Carroll	260	–	–	4	50	8	16	5	7	3	3	10	6	138	105	1	–	61	43
Charles City	65	–	–	3	10	4	2	1	–	–	–	3	4	23	17	–	1	11	5
Charlotte	138	–	–	4	32	12	7	1	5	–	2	5	3	59	39	–	1	26	12
Charlottesville city	411	–	–	12	92	17	27	6	10	2	2	28	5	184	121	2	–	80	39
Chesapeake city	892	–	–	19	239	68	74	22	22	7	4	44	15	439	365	1	14	256	94
Chesterfield	800	–	–	15	228	51	69	14	25	13	8	48	12	306	234	1	5	144	84
Clarke	115	–	–	1	30	9	9	2	3	1	1	5	2	53	47	–	1	22	24
Clifton Forge city *	98	–	–	–	18	6	5	1	2	–	1	3	3	57	52	–	2	35	15
Colonial Heights city	143	–	–	4	34	6	13	4	–	2	–	9	1	64	49	1	1	26	21
Covington city *	87	–	–	3	23	5	9	–	4	2	–	3	1	40	32	–	3	21	8
Craig	36	–	–	–	5	1	3	1	–	–	–	–	1	21	18	–	–	12	6
Culpeper	265	–	–	5	58	14	16	4	6	1	1	16	6	108	74	–	2	52	20
Cumberland	81	–	–	2	13	3	5	2	2	–	–	1	2	33	23	–	1	16	6
Danville city	592	1	–	8	131	41	33	12	22	7	1	15	11	286	225	–	5	135	85
Dickenson	154	–	–	3	38	3	20	1	2	–	3	9	1	67	58	–	1	44	13
Dinwiddie	188	1	–	1	43	10	17	7	1	1	1	6	8	86	68	–	4	48	16
Emporia city *	74	–	–	–	15	3	5	–	3	–	–	4	1	37	28	–	1	19	8
Essex	99	1	–	5	31	11	4	5	7	1	1	2	1	41	38	1	2	26	9
Fairfax	2,992	2	–	55	823	200	218	84	98	26	32	165	42	1,200	906	8	19	535	344
Herndon	46	–	–	3	14	2	6	1	2	–	–	3	2	11	8	–	–	5	3
Vienna	117	1	–	2	34	6	10	3	4	1	–	10	1	51	33	–	–	18	15
Balance of county	2,829	1	–	50	775	192	202	80	92	25	32	152	39	1,138	865	8	19	512	326
Fairfax city	164	–	–	7	36	11	8	3	5	1	1	7	4	67	48	–	4	28	18
Falls Church city *	72	–	–	–	24	8	4	2	2	–	1	7	–	28	18	–	–	11	7
Fauquier	300	–	–	4	60	9	18	7	7	1	1	17	9	123	100	1	–	59	40
Floyd	126	–	–	2	18	3	5	2	4	1	–	3	2	59	51	–	1	36	14
Fluvanna	92	–	–	2	14	2	4	3	3	–	–	2	–	50	32	–	–	23	9
Franklin	305	–	–	12	50	15	15	3	5	1	3	8	2	141	103	–	3	65	35
Franklin city *	97	–	–	2	21	2	8	1	6	1	1	2	–	51	35	–	–	19	16
Frederick	267	–	–	5	60	9	20	6	4	2	3	16	3	118	101	1	3	53	44
Fredericksburg city	186	–	–	5	42	12	13	3	9	1	–	4	3	82	62	1	2	28	31
Galax city *	95	–	–	–	20	7	4	1	4	–	2	2	1	47	35	–	–	18	17
Giles	177	1	–	1	43	11	11	4	5	2	2	8	4	69	54	–	–	30	24
Gloucester	232	–	–	3	54	13	20	4	5	1	2	9	3	116	87	–	2	45	40
Goochland	108	–	–	3	20	7	7	–	4	1	–	1	1	53	41	–	2	24	15
Grayson	175	–	–	–	42	6	19	1	6	–	–	10	2	75	59	–	1	38	20
Greene	58	–	–	–	12	4	5	1	–	–	–	2	–	28	15	–	–	10	5
Greensville	87	–	–	1	21	6	7	1	3	1	–	3	–	42	27	–	1	16	10
Halifax	326	1	–	7	79	21	28	4	7	3	1	15	–	144	117	–	7	69	41
Hampton city	929	1	–	15	236	52	84	20	26	7	6	39	14	379	287	1	9	184	93
Hanover	430	–	–	5	100	19	34	3	11	3	4	26	8	174	118	–	9	66	43
Harrisonburg city	210	1	–	3	55	17	10	2	10	1	1	14	4	87	71	–	1	41	29
Henrico	1,792	1	–	30	402	100	122	35	32	12	12	89	19	824	591	4	21	343	223
Henry	507	–	–	7	104	20	25	13	13	4	7	22	7	239	192	2	5	127	58
Highland	26	–	–	1	6	–	4	–	2	–	–	–	–	12	7	–	1	6	–
Hopewell city	264	2	–	5	55	14	19	3	5	1	3	10	1	118	89	–	1	57	31
Isle of Wight	191	1	–	3	44	7	19	3	3	1	1	10	4	79	65	–	2	47	16
James City	164	–	–	3	38	11	10	2	5	3	1	6	1	69	60	–	2	34	24
King and Queen	79	–	–	1	11	3	7	–	–	–	1	–	4	42	34	–	2	18	14
King George	99	–	–	3	21	7	7	4	1	–	–	2	3	35	30	–	1	19	10
King William	94	–	–	2	23	8	5	2	2	1	–	4	2	47	38	–	1	25	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	174	3,551	527	441	1,598	1,630	123	498	461	1	275	507	518	4,315	1,122	1,156	815	451	29
Urban places	84	1,470	213	196	673	703	51	225	213	1	114	279	190	1,940	324	499	331	278	20
Balance of area	90	2,081	314	245	925	927	72	273	248	–	161	228	328	2,375	798	657	484	173	9
Metropolitan counties	119	2,194	372	293	966	1,073	73	341	287	1	188	414	313	2,788	675	745	551	347	22
Urban places	79	1,322	197	176	592	639	45	207	195	1	100	274	170	1,763	299	464	293	265	17
Balance of area	40	872	175	117	374	434	28	134	102	–	88	140	143	1,025	376	281	258	82	5
Nonmetropolitan counties	55	1,357	155	148	632	557	50	157	184	–	87	93	205	1,527	447	411	264	104	7
Urban places	5	148	16	20	81	64	6	18	18	–	14	5	20	177	25	35	38	13	3
Balance of area	50	1,209	139	128	551	493	44	139	146	–	73	88	185	1,350	422	376	226	91	4
Accomack	5	30	1	4	8	18	2	5	2	–	2	6	3	42	9	10	4	2	–
Albemarle	1	29	8	2	12	10	1	1	4	–	2	1	3	29	11	7	12	3	–
Alexandria city	4	60	11	10	33	28	3	11	12	–	5	12	11	93	17	23	14	7	3
Alleghany	–	6	2	–	4	7	1	1	2	–	–	–	1	7	6	4	4	–	–
Amelia	–	11	–	–	1	2	2	–	2	–	1	1	–	6	2	1	1	1	–
Amherst	–	14	4	3	10	8	1	7	2	–	2	1	2	26	6	7	2	1	–
Appomattox	1	8	1	2	3	4	1	2	1	–	–	1	1	12	1	4	2	3	–
Arlington#	3	88	25	11	44	39	1	20	12	–	7	14	13	128	15	24	22	11	2
Augusta	1	38	11	7	24	19	–	3	4	–	2	5	1	38	16	15	4	1	–
Bath	1	5	1	–	4	3	–	1	–	–	–	–	–	4	2	1	1	–	–
Bedford	1	35	7	4	4	6	1	5	1	–	3	–	13	19	11	10	5	1	1
Bedford city ▪	–	12	–	2	–	3	–	–	1	–	–	–	3	14	1	3	–	–	–
Bland	1	3	–	–	1	2	–	2	–	–	–	–	1	6	2	–	–	1	–
Botetourt	1	14	–	2	6	6	–	2	–	–	–	1	2	18	6	8	1	1	–
Bristol city ▪	–	31	1	4	14	9	2	3	–	–	2	2	–	19	3	4	2	2	1
Brunswick	–	24	3	1	7	7	1	2	2	–	2	6	2	10	3	2	1	4	–
Buchanan	–	18	2	4	10	15	1	1	5	–	–	2	1	22	3	6	6	3	–
Buckingham	–	16	1	–	3	8	–	1	1	–	1	1	2	12	7	3	1	–	–
Buena Vista city ▪	–	6	1	–	4	2	1	–	–	–	1	–	–	10	1	1	–	–	–
Campbell	–	34	2	3	6	22	1	4	2	–	3	–	4	26	20	6	5	1	–
Caroline	–	10	1	1	5	5	–	1	1	–	1	1	4	12	12	4	–	1	–
Carroll	–	28	4	1	13	6	–	1	2	–	1	2	2	20	5	7	1	2	–
Charles City	–	6	–	–	2	1	–	1	1	–	1	3	1	4	4	6	1	–	–
Charlotte	–	15	3	2	8	6	–	1	1	–	–	–	1	16	1	5	–	1	–
Charlottesville city	5	38	15	5	22	17	2	5	4	–	–	1	1	40	12	7	4	3	–
Chesapeake city	3	61	6	4	35	36	–	6	13	–	2	13	8	95	22	29	9	12	–
Chesterfield	2	54	12	4	17	29	2	5	6	–	7	14	9	67	35	20	24	4	–
Clarke	–	4	1	1	4	6	–	2	–	–	–	–	–	11	5	–	–	1	–
Clifton Forge city ▪	1	4	–	–	3	3	1	1	–	–	–	–	–	9	2	–	–	1	–
Colonial Heights city	1	13	–	1	4	8	–	3	1	–	1	2	–	10	1	7	2	–	1
Covington city ▪	–	6	–	2	4	3	–	1	1	–	1	–	1	5	–	2	2	–	–
Craig	–	3	–	–	3	1	–	–	–	–	–	–	–	2	–	2	1	–	–
Culpeper	1	33	–	–	5	11	1	3	2	–	–	3	2	38	11	7	5	–	–
Cumberland	–	8	1	1	4	2	1	–	1	–	2	1	2	8	8	2	–	–	–
Danville city	2	57	2	–	30	22	1	9	6	–	–	4	2	54	4	12	6	5	–
Dickenson	–	6	–	3	5	11	–	1	3	–	3	–	–	11	5	2	4	–	–
Dinwiddie	1	13	–	4	3	8	–	3	1	–	–	3	–	19	5	4	1	2	–
Emporia city ▪	–	7	1	1	2	3	1	–	1	–	1	1	–	6	3	2	–	1	–
Essex	–	2	1	–	1	5	–	–	1	–	1	–	1	9	1	1	–	–	–
Fairfax	8	201	47	38	66	104	8	36	31	–	25	43	43	243	82	83	63	21	2
Herndon	–	2	–	1	1	1	–	–	–	–	–	1	3	3	–	2	4	1	–
Vienna	–	13	2	3	–	5	–	–	1	–	–	3	1	8	2	4	3	1	–
Balance of county	8	186	45	34	65	98	8	36	30	–	25	39	39	232	80	77	76	19	2
Fairfax city	–	12	4	3	5	7	2	–	1	–	–	1	–	18	7	4	4	1	–
Falls Church city ▪	1	7	1	1	3	2	–	–	2	–	–	1	1	6	1	2	–	2	–
Fauquier	–	18	1	4	10	9	1	3	1	–	2	5	3	37	7	12	11	3	–
Floyd	–	7	1	–	8	3	–	3	–	–	1	1	1	12	9	2	5	–	–
Fluvanna	–	15	3	–	4	2	–	1	–	–	–	1	–	11	1	2	4	–	–
Franklin	1	28	6	3	19	7	–	2	4	–	2	2	8	27	10	9	4	6	–
Franklin city ▪	1	11	2	2	4	2	–	2	2	–	1	2	1	6	1	2	–	–	–
Frederick	2	12	–	3	6	5	2	3	3	–	3	1	7	22	12	5	10	2	–
Fredericksburg city	–	13	2	5	9	7	1	–	2	–	2	1	1	21	4	–	3	3	–
Galax city ▪	1	7	3	1	10	1	–	1	1	–	1	1	5	4	1	–	2	–	–
Giles	1	11	1	2	9	11	–	1	1	–	1	–	3	22	2	7	2	–	–
Gloucester	3	21	1	4	10	3	–	7	–	–	–	1	1	12	11	5	4	1	1
Goochland	–	10	2	–	1	5	–	1	1	–	–	1	–	9	5	3	5	–	–
Grayson	–	14	–	2	5	4	1	2	3	–	1	3	1	22	9	3	2	–	–
Greene	–	12	1	–	3	3	–	–	–	–	1	–	2	2	4	1	1	1	–
Greensville	1	12	1	1	3	2	1	1	1	–	1	–	–	6	4	2	1	1	–
Halifax	1	23	2	1	12	7	1	2	3	–	–	1	10	29	14	11	1	4	–
Hampton city	4	67	13	8	21	45	3	9	10	–	6	19	8	95	16	25	18	9	–
Hanover	1	37	12	6	15	24	2	1	4	–	5	3	7	39	22	8	9	4	–
Harrisonburg city	–	14	2	–	15	8	–	2	1	–	1	1	5	14	1	4	6	2	–
Henrico	7	164	41	21	69	70	3	29	8	–	11	20	31	184	32	29	21	8	1
Henry	3	37	4	3	15	17	1	2	3	–	2	2	6	48	18	11	15	10	–
Highland	–	5	–	–	3	1	–	–	–	–	1	–	–	2	–	–	–	–	–
Hopewell city	2	20	1	6	8	11	2	2	6	–	3	8	2	25	4	2	6	4	–
Isle of Wight	–	11	3	–	8	6	1	1	–	–	1	2	3	25	5	5	2	–	1
James City	1	4	2	2	4	5	1	2	2	–	1	1	6	19	2	3	4	3	–
King and Queen	–	6	1	1	1	2	–	2	–	–	1	1	1	7	2	4	–	–	–
King George	1	2	1	1	6	5	1	1	1	–	–	–	2	8	6	2	2	3	–
King William	1	6	2	–	1	3	–	1	2	–	–	–	2	6	1	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	172	–	–	3	38	7	10	5	6	2	2	6	1	84	61	–	3	38	20
Lee	269	–	–	6	63	13	23	4	5	–	2	16	3	123	98	1	1	67	27
Lexington city [a]	59	–	–	–	11	4	4	1	–	–	–	2	–	27	17	–	–	14	3
Loudoun	402	–	–	1	109	30	40	9	11	2	1	16	5	170	137	1	2	100	34
Louisa	198	2	–	5	35	9	11	1	4	2	2	6	4	86	60	–	1	42	17
Lunenburg	148	–	–	2	23	9	6	1	1	1	–	5	2	87	66	–	1	45	20
Lynchburg city	762	–	–	10	168	38	55	13	19	8	6	29	7	369	275	1	14	182	78
Madison	96	–	–	–	26	4	9	3	2	–	1	7	–	38	30	1	–	24	5
Manassas city	105	–	–	–	25	6	6	4	1	3	1	4	3	39	26	–	–	17	9
Manassas Park city [a]	32	–	–	1	7	1	4	–	1	–	1	–	1	14	13	–	–	8	5
Martinsville city	222	–	–	4	51	9	17	6	3	6	3	7	3	91	75	–	4	46	25
Mathews	121	–	–	1	25	5	9	2	2	2	1	4	1	55	45	–	2	32	11
Mecklenburg	366	1	–	9	74	20	21	7	5	2	–	19	3	176	142	1	8	72	61
Middlesex	114	–	–	3	21	5	4	4	–	1	–	7	2	57	41	–	–	29	12
Montgomery	359	–	–	5	75	18	17	6	6	7	6	15	5	174	143	1	3	72	67
Blacksburg	84	–	–	–	24	6	3	2	–	3	2	8	–	40	32	–	1	11	20
Christiansburg	82	–	–	1	19	1	3	2	4	4	2	3	3	37	31	1	1	18	11
Balance of county	193	–	–	4	32	11	11	2	2	–	2	4	2	97	80	–	1	43	36
Nelson	139	–	–	2	31	7	8	–	3	3	–	10	1	61	62	2	–	41	19
New Kent	73	–	–	–	20	8	3	1	2	1	1	4	–	37	31	1	1	19	10
Newport News city	1,259	–	–	24	305	62	92	26	37	14	7	67	30	552	445	6	14	267	158
Norfolk city	2,315	3	–	39	508	136	147	33	62	15	19	92	41	1,029	832	4	46	469	313
Northampton	179	2	1	4	44	9	20	1	4	1	–	9	2	75	45	–	5	32	8
Northumberland	152	–	–	2	53	11	17	5	7	3	2	8	1	69	55	1	–	34	20
Norton city [a]	56	–	–	1	11	5	6	–	–	–	–	–	1	33	21	–	–	16	5
Nottoway	227	–	–	3	44	11	17	2	4	1	1	8	2	105	77	–	1	53	23
Orange	241	1	–	7	58	17	13	4	7	1	1	15	4	100	83	–	4	55	24
Page	201	1	–	3	40	5	16	1	5	1	3	9	3	90	75	–	1	54	20
Patrick	172	–	–	3	27	1	9	2	4	1	2	8	4	89	67	–	2	38	27
Petersburg city	440	1	–	8	117	33	31	6	17	7	3	20	12	184	138	5	10	95	28
Pittsylvania	620	1	–	3	133	18	46	7	17	7	8	29	14	308	250	1	9	155	85
Poquoson city [a]	60	–	–	–	15	2	8	1	2	–	1	1	–	23	19	–	1	13	5
Portsmouth city	1,104	1	–	21	266	57	74	35	35	12	6	47	20	495	407	–	11	248	148
Powhatan	93	–	–	4	20	5	5	4	1	–	–	5	–	30	22	–	1	13	6
Prince Edward	164	–	–	1	39	5	13	1	7	2	2	9	1	64	48	–	–	30	18
Prince George	140	1	–	3	36	7	15	2	4	1	1	6	1	56	46	–	2	28	16
Prince William	604	1	–	9	159	30	61	11	14	4	3	36	10	210	168	2	4	109	53
Pulaski	340	–	–	2	89	18	38	5	7	2	2	17	10	163	120	–	–	86	34
Pulaski	132	–	–	1	33	6	18	2	2	–	–	5	3	65	47	–	–	35	12
Balance of county	208	–	–	1	56	12	20	3	5	2	2	12	7	98	73	–	–	51	22
Radford city	100	–	–	–	21	4	8	2	2	1	–	4	–	49	39	–	1	26	12
Rappahannock	79	–	–	1	15	3	6	–	2	2	–	2	–	40	31	–	–	11	20
Richmond	83	–	–	2	15	4	2	1	4	–	2	2	2	41	34	–	3	24	7
Richmond city	2,614	1	–	56	592	132	188	45	74	20	17	116	35	1,150	859	4	34	473	348
Roanoke	689	–	–	10	145	29	48	15	14	6	4	29	7	338	264	2	4	159	99
Roanoke city	1,202	1	–	18	258	62	85	14	29	11	9	48	15	564	450	1	13	281	155
Rockbridge	151	–	–	2	37	10	7	2	7	3	1	7	1	67	53	–	2	30	21
Rockingham	479	–	–	6	94	20	26	9	14	4	1	20	4	226	164	1	4	109	50
Russell	278	–	–	5	53	7	20	2	7	2	1	14	1	130	103	–	1	69	33
Salem city	244	–	–	4	55	12	22	3	3	1	1	13	3	117	92	–	3	60	29
Scott	328	1	–	6	72	12	21	8	6	4	3	18	5	149	123	–	–	96	27
Shenandoah	369	–	–	1	83	23	23	7	5	4	4	17	7	183	139	2	2	77	58
Smyth	362	–	–	3	91	19	29	6	7	6	3	21	5	170	138	–	–	87	49
Southampton	218	–	–	3	44	10	13	4	8	–	2	7	5	107	86	–	4	55	27
South Boston city [a]	81	–	–	–	14	3	2	1	–	3	3	2	–	41	26	–	–	17	9
Spotsylvania	254	–	–	5	68	15	22	2	4	7	4	14	1	114	77	1	1	53	22
Stafford	255	1	–	6	71	14	22	3	6	5	–	21	2	99	64	–	2	40	22
Staunton city	274	–	–	2	64	12	21	3	10	1	3	14	3	132	96	–	1	65	30
Suffolk city	539	2	–	11	113	28	38	7	11	1	3	25	16	228	183	1	15	114	53
Surry	75	–	–	–	17	7	2	2	1	2	2	1	1	37	29	–	–	20	9
Sussex	127	2	–	2	29	6	9	4	5	2	1	2	–	57	45	–	2	28	15
Tazewell	473	1	–	5	108	31	36	5	13	5	3	15	10	215	173	1	6	118	48
Virginia Beach city	1,630	1	–	15	440	97	145	40	42	17	15	84	19	644	512	3	14	341	154
Warren	228	–	–	2	40	5	15	4	3	3	1	9	3	110	92	4	2	65	21
Front Royal	143	–	–	1	27	3	13	2	1	2	–	6	1	71	62	2	1	46	13
Balance of county	85	–	–	1	13	2	2	2	2	1	1	3	2	39	30	2	1	19	8
Washington	410	–	–	8	82	11	17	12	12	3	11	16	10	183	146	–	10	98	38
Waynesboro city	186	–	–	2	45	10	17	3	5	–	1	9	2	97	71	–	1	50	20
Westmoreland	171	–	–	3	47	13	15	1	5	1	1	11	2	70	59	–	3	38	18
Williamsburg city [a]	82	–	–	2	24	3	13	2	2	–	–	4	–	29	18	–	–	13	5
Winchester city	264	–	–	2	48	8	22	5	2	1	1	9	2	140	116	2	4	70	40
Wise	480	1	–	4	106	27	29	12	13	3	2	20	10	200	165	–	3	112	50
Wythe	290	–	–	6	59	11	17	5	8	5	1	12	7	133	107	1	1	81	24
York	180	–	–	2	59	18	13	7	5	5	–	11	5	72	59	1	–	42	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	–	20	2	1	2	5	–	1	3	–	–	–	–	21	2	7	3	2	–
Lee	1	21	4	1	16	12	1	1	–	–	1	2	2	19	5	7	6	1	1
Lexington city [8]	1	6	–	3	1	3	–	–	3	–	1	–	3	7	–	3	–	–	–
Loudoun	1	21	4	7	14	19	–	5	1	–	7	6	4	34	10	8	7	1	1
Louisa	3	19	4	–	6	4	2	1	1	–	1	3	1	25	11	6	4	1	–
Lunenburg	–	19	1	1	5	3	2	1	2	–	–	–	1	13	1	2	4	–	–
Lynchburg city	3	76	4	11	24	28	1	7	6	–	4	6	2	76	9	20	13	10	1
Madison	–	7	1	–	5	2	–	–	–	–	–	–	–	13	7	3	1	1	–
Manassas city	–	9	–	4	6	6	–	–	1	–	2	1	–	17	4	1	–	–	–
Manassas Park city [8]	–	1	–	–	1	–	–	–	–	–	–	–	–	1	1	3	3	–	–
Martinsville city	2	10	2	2	16	6	1	4	3	–	1	1	4	19	3	7	6	2	–
Mathews	3	2	2	3	6	3	–	3	–	–	–	–	–	13	9	4	1	–	–
Mecklenburg	–	29	1	4	17	7	–	4	6	–	–	2	4	35	6	12	6	4	–
Middlesex	–	12	1	3	3	2	1	–	1	–	–	–	1	12	6	4	1	–	–
Montgomery	1	26	2	2	12	9	–	3	5	–	2	–	4	36	10	8	9	1	1
Blacksburg	1	6	–	1	1	3	–	–	1	–	1	–	–	8	1	1	3	–	1
Christiansburg	–	6	–	–	2	2	–	3	1	–	–	–	1	6	1	3	2	1	–
Balance of county	–	14	2	1	9	4	–	–	3	–	1	–	3	22	8	4	4	–	–
Nelson	–	17	1	1	2	2	–	2	–	–	1	1	–	9	–	3	2	2	–
New Kent	1	4	1	–	2	3	–	–	1	–	1	–	–	2	2	1	2	2	–
Newport News city	5	83	8	11	36	31	3	7	15	–	7	28	10	129	18	27	20	15	2
Norfolk city	11	148	19	19	82	65	1	31	29	1	15	42	27	216	36	68	32	51	1
Northampton	1	26	1	2	7	9	–	–	–	–	–	4	4	18	5	3	2	1	–
Northumberland	–	11	1	2	2	3	–	2	1	–	–	–	3	9	2	2	3	–	–
Norton city [8]	–	9	–	3	3	1	–	–	1	–	–	–	–	5	–	–	–	–	–
Nottoway	1	22	2	3	8	5	1	2	2	–	–	1	7	34	8	4	2	1	–
Orange	–	15	–	2	11	6	1	2	3	–	1	3	1	27	8	6	2	–	–
Page	–	12	1	2	7	6	–	4	5	–	–	1	3	21	5	5	6	1	–
Patrick	–	18	3	1	6	4	2	3	–	–	1	–	2	13	3	6	6	3	–
Petersburg city	–	37	6	3	13	9	1	4	8	–	–	11	3	40	6	16	5	2	–
Pittsylvania	3	47	4	4	18	23	2	2	7	–	1	12	4	48	20	13	7	6	–
Poquoson city [8]	–	3	–	1	4	3	–	–	1	–	–	1	–	5	2	2	3	1	–
Portsmouth city	7	71	2	8	35	37	5	11	12	–	4	15	12	89	17	26	15	20	3
Powhatan	–	7	1	–	3	3	–	–	4	–	1	–	–	11	11	3	3	–	–
Prince Edward	1	13	1	1	10	4	–	1	4	–	2	3	2	19	5	6	1	2	–
Prince George	–	7	–	3	3	6	–	3	1	–	2	1	–	12	9	4	2	–	–
Prince William	2	32	6	2	16	19	–	9	6	–	7	20	11	45	30	22	23	7	–
Pulaski	–	42	1	–	9	6	–	2	1	–	3	1	4	26	8	7	7	1	1
Pulaski	–	18	–	–	2	4	–	–	–	–	1	1	1	15	–	1	3	1	1
Balance of county	–	24	1	–	7	2	–	2	1	–	2	–	3	11	8	6	4	–	–
Radford city	1	5	1	3	5	3	–	2	1	–	2	–	1	10	1	1	4	–	–
Rappahannock	–	7	1	1	5	2	–	1	2	–	–	–	–	5	5	2	–	1	–
Richmond	–	5	1	1	2	5	–	1	1	–	1	–	–	10	–	2	–	1	–
Richmond city	15	226	33	17	74	96	8	30	26	–	10	44	37	262	22	60	34	75	2
Roanoke	2	57	11	4	26	18	2	7	10	–	7	1	6	65	12	11	18	6	–
Roanoke city	4	78	16	16	49	47	5	20	5	–	5	8	9	136	11	34	16	9	–
Rockbridge	–	11	2	1	6	5	–	1	1	–	–	2	2	13	7	5	1	1	–
Rockingham	1	53	6	2	31	13	1	4	6	–	2	2	10	46	8	13	11	2	–
Russell	–	24	1	2	17	16	1	2	4	–	1	1	1	26	6	9	5	–	–
Salem city	–	21	1	3	5	11	3	3	1	–	1	2	3	25	4	6	1	–	–
Scott	3	18	2	3	20	13	–	2	1	–	–	1	5	28	9	8	7	1	–
Shenandoah	1	33	7	3	10	10	–	7	4	–	–	2	8	31	4	12	6	1	–
Smyth	1	29	–	4	12	14	4	1	3	–	1	–	5	26	10	11	6	–	–
Southampton	3	15	3	–	8	4	–	1	3	–	1	–	–	22	10	4	3	3	–
South Boston city [8]	–	10	2	3	6	2	–	–	–	–	–	–	2	10	2	4	–	–	–
Spotsylvania	–	28	3	6	9	7	–	1	5	–	6	–	1	18	8	6	5	–	–
Stafford	2	27	3	3	4	7	–	7	1	–	3	3	1	22	11	9	5	3	–
Staunton city	1	26	5	4	13	11	–	2	3	–	–	1	2	26	3	5	4	3	–
Suffolk city	1	27	10	7	12	18	–	11	9	–	3	5	4	60	18	18	6	5	–
Surry	1	6	–	1	2	3	–	1	1	–	–	1	–	5	1	2	4	–	–
Sussex	–	10	2	–	5	5	–	1	1	–	–	1	1	13	6	2	2	–	–
Tazewell	1	36	1	4	15	32	2	8	5	–	4	1	1	40	13	7	2	3	1
Virginia Beach city	9	84	18	21	45	62	2	15	17	–	23	32	14	125	51	45	57	22	1
Warren	–	14	1	3	6	5	2	3	1	–	2	1	2	31	4	11	2	2	1
Front Royal	–	8	–	1	4	4	1	2	1	–	1	–	1	18	2	6	2	–	1
Balance of county	–	6	1	2	2	1	1	1	–	–	1	1	1	13	2	5	–	2	–
Washington	1	25	8	3	31	22	2	1	4	–	3	5	1	32	9	7	7	3	–
Waynesboro city	–	23	2	1	3	6	2	–	1	–	2	–	–	18	2	2	3	1	–
Westmoreland	–	9	1	1	3	12	–	3	5	–	–	1	1	12	2	4	4	2	–
Williamsburg city [8]	–	10	1	–	1	2	1	1	1	–	–	1	2	13	1	3	1	–	–
Winchester city	–	19	2	3	11	10	1	3	4	–	3	–	4	22	7	5	2	–	–
Wise	1	30	3	1	28	23	1	3	4	–	2	–	6	80	5	15	10	2	–
Wythe	4	17	4	1	9	7	2	8	6	–	–	3	12	16	8	6	6	2	–
York	–	9	2	2	1	4	1	2	1	–	1	1	1	12	12	2	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	34,253	20	1	372	7,910	1,880	2,347	682	891	306	300	1,504	656	15,132	11,619	133	310	7,583	3,593
Urban places	17,415	13	–	210	3,818	930	1,117	333	450	143	142	703	353	7,843	5,959	61	162	3,832	1,884
Balance of area	16,838	7	1	162	4,092	950	1,230	349	441	163	158	801	303	7,289	5,660	72	128	3,751	1,709
Metropolitan counties	26,701	18	1	305	6,165	1,481	1,812	540	685	240	232	1,175	524	11,710	8,988	104	272	5,709	2,903
Urban places	15,417	13	–	196	3,385	826	997	289	393	129	126	635	300	6,920	5,250	54	172	3,300	1,724
Balance of area	11,284	5	1	109	2,770	655	815	251	292	111	106	540	224	4,790	3,738	50	100	2,409	1,179
Nonmetropolitan counties	7,552	2	–	67	1,745	399	535	142	206	66	68	329	132	3,422	2,631	28	38	1,874	690
Urban places	1,998	–	–	14	423	104	120	44	57	14	16	68	53	923	709	7	10	532	160
Balance of area	5,554	2	–	53	1,322	295	415	98	149	52	52	261	79	2,499	1,922	22	28	1,342	530
Adams	106	–	–	–	28	5	10	4	3	–	–	6	1	44	36	–	1	16	19
Asotin	184	–	–	2	37	10	6	3	1	2	1	14	4	90	67	2	4	40	21
Benton	619	–	–	5	141	32	41	9	18	6	8	27	12	253	190	3	5	132	50
Kennewick	274	–	–	2	57	11	20	3	9	2	2	10	7	113	78	–	3	52	24
Richland	192	–	–	3	55	6	15	4	7	4	6	11	1	76	65	1	2	44	18
Balance of county	153	–	–	–	29	13	6	2	2	–	–	6	4	64	48	2	–	36	8
Chelan	430	–	–	1	107	20	35	11	11	5	5	20	7	192	148	1	1	115	31
Wenatchee	233	–	–	1	48	11	16	7	4	2	1	7	6	99	77	1	–	63	13
Balance of county	197	–	–	–	59	9	19	4	7	3	4	13	1	93	71	–	1	52	18
Clallam	538	–	–	5	130	36	33	18	16	3	5	19	10	260	197	2	2	136	55
Port Angeles	196	–	–	1	53	15	11	6	8	–	4	9	7	86	63	–	1	45	17
Balance of county	342	–	–	4	77	21	22	12	8	3	1	10	3	174	134	2	1	93	38
Clark	1,457	–	–	10	377	81	128	39	41	15	10	63	32	613	478	4	29	346	99
Vancouver	641	–	–	5	151	32	53	13	20	6	6	21	18	277	202	–	9	146	47
Balance of county	816	–	–	5	226	49	75	26	21	9	4	42	14	336	276	4	20	200	52
Columbia	56	–	–	–	9	2	2	1	–	1	2	1	1	31	25	–	–	16	9
Cowlitz	537	–	–	7	139	28	42	11	21	6	7	24	17	317	258	2	4	211	41
Kelso	112	–	–	1	26	2	13	2	3	–	3	3	4	52	45	–	–	37	8
Longview	332	–	–	3	73	15	18	8	15	3	2	12	5	173	136	2	4	115	15
Balance of county	193	–	–	3	40	11	11	1	3	3	2	9	8	92	77	–	–	59	18
Douglas	165	–	–	1	43	13	12	3	6	–	2	7	4	62	48	–	–	42	6
Ferry	47	–	–	1	7	2	2	1	–	1	1	–	–	19	11	–	–	7	4
Franklin	250	–	–	2	55	13	15	4	4	3	–	16	6	94	75	1	2	48	24
Pasco	179	–	–	2	30	8	7	2	2	2	–	9	5	74	58	1	2	38	17
Balance of county	71	–	–	–	25	5	8	2	2	1	–	7	1	20	17	–	–	10	7
Garfield	32	–	–	–	9	1	3	1	1	–	1	2	1	13	7	–	–	5	2
Grant	387	1	–	2	99	13	41	3	8	4	4	26	8	153	127	5	9	93	20
Moses Lake	92	–	–	–	16	2	5	1	–	1	2	5	4	37	31	–	–	26	5
Balance of county	295	1	–	2	83	11	36	2	8	3	2	21	4	116	96	5	9	67	15
Grays Harbor	659	–	–	7	131	36	38	4	15	7	5	26	16	325	249	1	1	170	77
Aberdeen	200	–	–	2	36	10	9	2	7	–	1	7	9	109	87	1	1	59	26
Balance of county	459	–	–	5	95	26	29	2	8	7	4	19	7	216	162	–	–	111	51
Island	387	–	–	2	101	23	31	7	13	4	2	21	8	173	134	2	3	89	40
Oak Harbor	84	–	–	1	16	3	7	1	2	1	1	1	3	40	31	2	–	18	11
Balance of county	303	–	–	1	85	20	24	6	11	3	1	20	5	133	103	–	3	71	28
Jefferson	185	–	–	5	52	14	17	3	5	–	3	10	9	68	49	3	–	26	20
King	10,262	9	1	143	2,428	592	893	213	282	87	92	469	180	4,348	3,336	40	104	1,938	1,254
Auburn	269	–	–	2	60	13	17	5	9	3	2	11	4	119	89	4	2	44	39
Bellevue	511	1	–	5	135	30	28	9	19	7	5	37	6	216	166	2	2	121	41
Kent	179	–	–	3	40	9	13	6	1	1	–	10	3	79	63	3	1	38	21
Kirkland	186	–	–	2	41	14	10	6	6	2	–	3	2	86	69	–	4	42	23
Mercer Island	124	1	–	1	45	12	11	5	6	1	–	10	1	44	37	–	1	23	13
Redmond	123	–	–	1	30	7	10	4	3	1	1	4	1	52	42	–	1	28	13
Renton	282	–	–	2	65	17	24	4	5	3	2	10	3	126	103	–	3	64	35
Seattle	5,173	6	–	88	1,132	289	324	98	123	36	46	216	97	2,225	1,677	16	57	952	652
Balance of county	3,415	1	1	39	880	201	256	76	110	33	38	168	63	1,401	1,090	15	33	626	416
Kitsap	1,124	–	–	14	243	61	70	18	27	11	12	44	20	480	375	5	12	246	112
Bremerton	369	–	–	4	73	15	22	7	8	5	1	15	8	166	137	2	3	103	29
Balance of county	755	–	–	10	170	46	48	11	19	6	11	29	12	314	238	3	9	143	83
Kittitas	225	–	–	4	67	18	28	4	5	3	1	10	3	75	53	1	–	36	16
Ellensburg	98	–	–	–	18	6	5	2	1	2	–	2	2	36	28	–	–	21	7
Balance of county	127	–	–	4	49	12	21	2	4	1	1	8	1	39	25	1	–	15	9
Klickitat	149	–	–	–	40	5	17	4	7	1	–	6	2	59	50	1	–	35	14
Lewis	545	–	–	1	141	37	37	9	24	10	6	18	1	259	205	–	5	122	78
Centralia	157	–	–	–	39	12	10	3	6	1	1	6	1	75	53	–	1	32	20
Balance of county	388	–	–	1	102	25	27	6	18	9	5	12	–	184	152	–	4	90	58
Lincoln	114	–	–	1	21	5	4	2	4	3	1	2	–	60	49	1	–	35	13
Mason	348	–	–	6	89	17	31	8	12	5	2	14	–	145	123	1	1	106	15
Okanogan	314	–	–	1	64	16	12	5	7	2	7	15	5	160	123	1	1	84	37
Pacific	247	–	–	4	53	11	22	3	4	2	3	8	3	106	77	–	1	53	23
Pend Oreille	89	1	–	1	21	2	9	5	2	–	–	3	–	38	33	1	–	23	9
Pierce	3,876	3	–	36	834	197	256	78	89	34	22	158	84	1,824	1,412	12	65	877	458
Puyallup	224	–	–	2	40	5	14	1	7	2	3	8	7	126	90	1	4	58	27
Tacoma	1,799	1	–	18	366	88	116	31	42	16	7	56	34	883	690	6	44	418	222
Balance of county	1,853	2	–	16	428	104	126	46	40	16	12	84	43	815	632	5	17	401	209
San Juan	60	–	–	–	15	2	5	–	3	1	–	4	1	24	19	–	–	16	3
Skagit	698	–	–	7	144	36	47	11	17	1	2	30	12	335	254	2	1	182	69
Mount Vernon	136	–	–	2	28	11	7	3	4	–	–	3	5	66	50	–	–	39	11
Balance of county	562	–	–	5	116	25	40	8	13	1	2	27	7	269	204	2	1	143	58
Skamania	40	–	–	–	12	7	2	–	2	–	–	1	–	14	8	–	–	7	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Washington	109	2,562	457	385	1,106	1,688	105	415	224	3	223	256	318	3,201	810	840	662	230	61
Urban places	58	1,378	249	199	601	898	46	216	111	–	99	121	165	1,729	290	394	351	127	30
Balance of area	51	1,184	208	186	505	790	59	199	113	3	124	135	153	1,472	520	446	331	103	31
Metropolitan counties	85	1,975	364	298	863	1,326	75	348	165	1	175	222	251	2,501	593	621	580	203	54
Urban places	50	1,227	220	173	518	795	40	199	106	–	87	109	148	1,517	249	348	328	121	30
Balance of area	35	748	144	125	345	531	35	149	59	1	88	113	103	984	344	275	252	82	24
Nonmetropolitan counties	24	597	93	87	243	362	30	67	59	2	48	34	67	700	217	219	102	27	7
Urban places	8	151	29	26	83	103	6	17	5	–	12	12	17	212	41	48	23	6	–
Balance of area	16	436	64	61	160	259	24	50	54	2	36	22	50	488	176	171	79	21	7
Adams	1	6	1	–	2	3	–	2	3	–	2	–	1	4	–	7	2	–	–
Asotin	–	17	4	2	2	4	1	–	2	–	2	1	–	24	6	2	4	2	1
Benton	2	49	4	8	28	38	–	11	4	–	8	5	3	45	25	17	21	4	1
Kennewick	1	25	3	5	18	16	–	5	2	–	5	3	–	19	8	9	7	3	–
Richland	–	9	1	1	6	11	–	3	–	–	2	–	2	14	4	6	7	1	1
Balance of county	1	15	–	2	2	11	–	3	2	–	1	2	1	12	13	2	7	–	–
Chelan	1	34	2	7	9	25	4	6	1	1	2	2	4	52	4	9	3	1	–
Wenatchee	1	15	1	5	7	20	3	4	–	–	1	–	2	34	2	4	1	1	–
Balance of county	–	19	1	2	2	5	1	2	1	1	1	2	2	18	2	5	2	–	–
Clallam	2	42	13	6	21	21	2	2	–	–	1	1	3	45	13	17	6	1	–
Port Angeles	1	15	4	3	9	9	–	–	–	–	–	1	–	18	5	7	–	–	–
Balance of county	1	27	9	3	12	12	2	2	–	–	1	–	3	27	8	10	6	1	–
Clark	7	96	14	18	43	88	5	15	7	–	9	5	23	120	40	33	27	9	1
Vancouver	3	57	8	7	21	40	2	9	4	–	2	2	13	50	17	10	15	5	–
Balance of county	4	39	6	11	22	48	3	6	3	–	7	3	10	70	23	23	12	4	1
Columbia	–	4	1	1	–	3	–	–	3	–	–	–	–	7	–	2	–	–	–
Cowlitz	2	47	6	4	18	22	1	4	1	1	2	1	5	47	21	23	8	3	–
Kelso	–	5	2	–	7	2	–	1	1	–	1	–	1	9	1	5	–	1	–
Longview	1	30	4	2	6	13	–	–	–	–	–	–	2	27	13	10	5	2	–
Balance of county	1	12	–	2	5	7	1	3	–	1	1	1	2	11	7	8	3	–	–
Douglas	–	11	1	2	2	7	2	2	2	–	1	1	3	15	6	6	6	2	–
Ferry	–	6	1	1	1	3	–	–	2	–	–	–	1	8	1	1	–	1	2
Franklin	–	14	1	4	6	16	–	3	1	–	1	7	3	30	7	8	7	4	–
Pasco	–	12	1	3	5	14	–	3	1	–	1	3	2	24	3	4	4	4	–
Balance of county	–	2	–	1	1	2	–	–	–	–	–	4	1	6	4	4	3	–	–
Garfield	–	5	1	–	1	–	–	–	–	–	–	–	–	5	–	3	–	–	–
Grant	–	20	2	4	10	20	2	7	3	–	1	4	3	36	17	10	8	3	–
Moses Lake	–	4	1	1	2	5	1	4	–	–	1	2	1	12	2	3	1	1	–
Balance of county	–	16	1	3	8	15	1	3	3	–	–	2	2	24	15	7	7	2	–
Grays Harbor	2	49	12	13	17	23	1	6	5	–	2	4	7	60	19	19	14	1	2
Aberdeen	–	17	2	3	4	6	1	2	1	–	–	1	2	18	4	2	3	–	–
Balance of county	2	32	10	10	13	17	–	4	4	–	2	3	5	42	15	17	11	1	2
Island	3	23	8	5	10	21	1	1	1	–	5	5	5	29	6	13	6	–	–
Oak Harbor	1	6	–	2	4	3	–	–	–	–	3	2	2	5	–	4	1	–	–
Balance of county	2	17	8	3	6	18	1	1	1	–	2	3	3	24	6	9	5	–	–
Jefferson	–	18	1	–	5	13	–	–	–	–	–	–	–	19	4	7	3	–	–
King	35	757	123	97	350	457	29	154	80	–	50	77	92	1,083	200	235	237	86	23
Auburn	1	18	6	5	20	15	–	2	1	–	–	1	2	13	11	9	6	4	–
Bellevue	1	38	7	4	17	12	3	6	2	–	3	1	9	58	6	16	15	–	–
Kent	1	10	3	2	4	9	–	–	–	–	3	3	1	14	3	8	6	3	–
Kirkland	1	13	2	1	2	9	–	2	2	–	1	1	5	18	5	6	4	–	–
Mercer Island	–	7	–	–	3	5	–	4	1	–	1	1	1	10	1	2	3	–	–
Redmond	1	7	–	2	6	2	–	3	2	–	1	3	1	12	4	1	3	1	–
Renton	–	18	4	1	8	11	1	5	2	–	–	3	1	26	9	6	11	1	2
Seattle	18	419	56	55	186	240	14	81	46	–	18	35	39	608	61	121	110	52	14
Balance of county	12	227	45	27	104	154	11	51	24	–	23	29	33	324	100	68	79	25	7
Kitsap	2	82	8	13	43	63	5	15	5	–	11	13	15	116	27	25	22	6	1
Bremerton	2	19	3	5	10	25	2	6	3	–	3	5	5	38	7	6	5	3	–
Balance of county	–	63	5	8	33	38	3	9	2	–	8	8	10	78	20	19	17	3	1
Kittitas	1	17	1	3	7	20	–	3	2	–	3	–	3	19	5	6	7	1	–
Ellensburg	1	5	1	1	6	14	–	–	1	–	–	–	2	8	4	5	2	–	–
Balance of county	–	12	–	2	1	6	–	3	1	–	3	–	1	11	1	1	5	1	–
Klickitat	1	5	1	2	5	9	1	1	1	–	2	–	4	8	7	3	–	1	–
Lewis	–	45	6	3	17	20	1	9	5	–	8	3	4	40	14	15	4	3	–
Centralia	–	18	1	3	9	4	–	4	–	–	3	1	2	15	–	2	2	–	–
Balance of county	–	27	5	–	8	16	1	5	5	–	5	2	2	25	14	13	2	3	–
Lincoln	–	8	–	3	5	2	1	–	1	–	2	–	–	12	6	2	1	–	–
Mason	–	19	–	3	16	19	2	4	5	–	–	1	4	26	12	14	4	1	–
Okanogan	1	31	3	2	11	9	2	4	3	–	3	2	1	16	13	15	3	2	–
Pacific	2	20	1	6	4	16	1	4	3	–	2	1	6	29	5	6	1	1	2
Pend Oreille	–	3	2	–	1	7	2	–	1	–	–	–	3	6	5	1	2	–	–
Pierce	11	279	63	39	111	208	8	58	19	–	27	46	26	295	75	74	89	39	20
Puyallup	–	16	16	4	5	8	–	2	2	–	1	2	–	16	2	6	4	1	–
Tacoma	5	144	30	14	60	107	4	28	9	–	7	12	13	140	24	26	38	22	9
Balance of county	6	119	37	21	46	93	4	30	8	–	19	32	13	139	49	42	47	16	11
San Juan	1	3	–	1	4	4	1	2	–	–	–	1	1	4	–	3	–	–	–
Skagit	–	67	5	9	35	41	4	2	5	–	5	2	4	68	14	12	6	2	–
Mount Vernon	–	13	1	2	8	6	–	–	2	–	1	–	–	12	2	2	1	1	–
Balance of county	–	54	4	7	27	35	4	2	3	–	4	2	4	56	12	10	5	1	–
Skamania	–	6	–	–	2	1	–	–	2	–	–	–	–	7	2	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,496	2	–	27	610	170	171	44	57	25	27	116	58	1,053	837	9	14	549	265
Edmonds	267	–	–	5	62	18	21	3	5	4	2	9	5	118	99	2	–	54	43
Everett	668	–	–	13	151	49	43	9	13	4	8	25	18	276	209	1	6	149	53
Lynnwood	196	–	–	–	56	15	14	6	12	1	–	8	6	73	64	–	–	41	23
Mountlake Terrace	73	–	–	–	26	3	10	1	5	2	–	5	2	21	17	–	1	13	3
Balance of county	1,292	2	–	9	315	85	83	25	22	14	17	69	27	565	448	6	7	292	143
Spokane	3,159	1	–	27	700	146	204	69	96	30	29	126	50	1,447	1,071	12	20	704	335
Spokane	2,097	1	–	19	438	100	129	40	57	16	19	77	37	979	707	11	14	468	214
Balance of county	1,062	–	–	8	262	46	75	29	39	14	10	49	13	468	364	1	6	236	121
Stevens	220	–	–	1	40	9	15	3	2	–	–	11	4	97	68	1	–	52	15
Thurston	1,058	–	–	8	246	60	76	21	22	9	11	47	28	479	373	6	11	245	111
Lacey	190	–	–	1	43	10	16	2	4	1	1	9	4	94	72	–	4	42	26
Olympia	342	–	–	2	80	18	26	6	8	2	5	15	10	158	127	1	5	83	38
Balance of county	526	–	–	5	123	32	34	13	10	6	5	23	14	227	174	5	2	120	47
Wahkiakum	36	–	–	–	8	2	1	1	–	–	2	2	1	13	11	–	–	7	4
Walla Walla	462	–	–	5	91	18	25	12	14	4	4	14	11	205	143	1	4	100	38
Walla Walla	308	–	–	3	57	14	17	7	7	3	1	8	6	137	98	1	3	69	25
Balance of county	154	–	–	2	34	4	8	5	7	1	3	6	5	68	45	–	1	31	13
Whatcom	858	–	–	9	208	59	53	19	14	9	5	49	24	395	289	5	4	210	70
Bellingham	456	–	–	5	101	30	24	8	9	4	2	24	12	233	168	2	2	115	49
Balance of county	402	–	–	4	107	29	29	11	5	5	3	25	12	162	121	3	2	95	21
Whitman	198	–	–	3	47	11	10	5	3	1	2	15	3	85	59	1	–	48	10
Pullman	50	–	–	–	13	3	2	2	–	1	–	5	1	13	10	–	–	8	2
Balance of county	148	–	–	3	34	8	8	3	3	–	2	10	2	72	49	1	–	40	8
Yakima	1,542	3	–	24	323	70	105	28	35	11	16	60	30	724	552	7	8	414	125
Yakima	603	3	–	11	118	25	30	16	13	4	8	22	9	306	220	1	2	164	53
Balance of county	939	–	–	13	205	45	75	10	22	7	8	38	21	418	332	6	4	250	72
West Virginia	19,868	19	1	236	4,310	925	1,369	325	482	156	165	888	400	9,580	7,737	55	197	4,864	2,621
Urban places	5,587	3	–	78	1,243	269	359	115	137	40	43	260	100	2,776	2,202	14	68	1,390	730
Balance of area	14,281	16	1	158	3,067	656	1,010	210	345	116	122	628	300	6,814	5,535	41	129	3,474	1,891
Metropolitan counties	7,340	4	–	84	1,675	356	538	131	166	59	54	372	151	3,600	2,910	20	87	1,813	990
Urban places	3,775	2	–	48	892	204	268	74	100	24	28	194	68	1,853	1,467	11	43	941	472
Balance of area	3,565	2	–	36	783	151	270	57	66	35	26	178	83	1,747	1,443	9	44	872	518
Nonmetropolitan counties	12,528	15	1	152	2,635	570	831	194	316	97	111	516	249	5,990	4,827	35	110	3,051	1,631
Urban places	1,812	1	–	30	351	85	91	41	37	16	15	66	32	923	735	3	25	449	258
Balance of area	10,716	14	1	122	2,284	485	740	153	279	81	96	450	217	5,067	4,092	32	85	2,602	1,373
Barbour	161	–	–	3	38	8	14	1	6	2	3	4	–	80	58	1	1	32	24
Berkeley	501	1	–	7	100	18	24	10	15	3	8	22	7	273	238	1	2	88	147
Martinsburg	239	1	–	4	42	7	8	5	6	2	5	9	5	133	110	1	–	41	68
Balance of county	262	–	–	3	58	11	16	5	9	1	3	13	2	140	128	–	2	47	79
Boone	284	1	–	5	61	15	19	3	6	2	2	14	9	126	100	3	2	52	43
Braxton	163	–	–	–	38	9	11	1	5	3	2	7	3	81	64	4	4	37	19
Brooke	320	–	–	5	66	7	18	9	8	4	4	16	4	168	142	1	4	84	53
Weirton, part	56	–	–	1	16	2	3	2	1	–	2	6	1	26	21	–	–	16	5
Balance of county	264	–	–	4	50	5	15	7	7	4	2	10	3	142	121	1	4	68	48
Cabell	1,210	2	–	13	254	63	71	21	31	8	1	61	25	598	464	5	11	315	133
Huntington, part	827	2	–	8	182	44	50	17	25	4	1	41	16	408	311	3	9	215	84
Huntington, total	882	2	–	9	199	47	56	18	28	5	2	43	16	435	332	3	11	227	91
Balance of county	383	–	–	5	72	19	21	4	8	2	–	20	9	190	153	2	2	100	49
Calhoun	84	–	–	1	18	2	5	–	5	1	–	5	2	41	32	1	–	24	7
Clay	95	–	–	1	22	3	8	3	2	2	2	2	2	47	38	–	–	18	18
Doddridge	86	–	–	1	18	4	1	2	6	1	–	4	2	42	31	–	–	21	10
Fayette	693	2	–	2	146	25	50	15	17	4	6	29	18	321	260	1	8	175	76
Gilmer	63	–	–	1	17	5	6	1	2	1	–	2	1	30	21	–	–	15	6
Grant	95	–	–	1	13	1	7	–	1	–	–	4	2	47	39	–	–	27	12
Greenbrier	432	–	–	4	92	24	25	7	11	5	5	15	7	200	140	2	1	87	50
Hampshire	149	–	–	3	32	5	16	1	3	1	1	5	1	79	68	–	2	48	18
Hancock	382	–	–	5	95	21	32	3	8	2	9	20	6	169	135	1	3	94	37
Weirton, part	223	–	–	4	65	16	17	3	7	1	6	15	5	89	73	–	–	54	19
Weirton, total	279	–	–	5	81	18	20	5	8	1	8	21	6	115	94	–	–	70	24
Balance of county	159	–	–	1	30	5	15	–	1	1	3	5	1	80	62	1	3	40	18
Hardy	126	–	–	2	36	10	7	2	5	–	1	11	3	57	51	–	2	32	17
Harrison	891	1	–	10	196	51	59	19	13	9	8	37	20	437	336	1	12	216	107
Clarksburg	345	–	–	4	73	18	20	11	4	7	2	11	6	176	134	1	5	80	48
Balance of county	546	1	–	6	123	33	39	8	9	2	6	26	14	261	202	–	7	136	59
Jackson	213	–	–	1	49	7	18	–	8	1	3	12	2	111	83	–	3	55	25
Jefferson	296	–	–	5	69	11	31	5	8	–	2	12	1	135	117	–	1	68	48
Kanawha	2,415	1	–	30	561	104	183	34	52	25	18	135	54	1,150	944	6	38	504	396
Charleston	851	–	–	13	210	47	64	14	19	4	10	52	12	407	334	5	22	174	133
St. Albans	167	–	–	2	40	6	15	2	4	1	–	12	1	82	66	–	2	33	31
South Charleston	144	–	–	4	39	4	14	3	6	1	–	11	6	58	40	–	1	22	17
Balance of county	1,253	1	–	11	272	47	100	15	23	19	8	60	35	603	504	1	13	275	215
Lewis	229	–	–	3	53	12	18	5	5	4	4	5	4	100	78	1	1	48	28
Lincoln	188	1	–	1	38	5	12	–	7	1	2	11	4	94	78	–	2	49	33
Logan	482	1	–	8	122	26	53	6	9	6	5	17	9	194	165	2	1	110	52
McDowell	485	1	–	9	99	19	33	4	18	2	3	20	11	198	171	1	1	98	71
Marion	711	–	–	9	152	34	43	17	12	5	7	34	10	347	283	1	7	200	75
Fairmont	344	–	–	5	76	20	17	8	5	2	3	21	4	158	130	1	3	93	33
Balance of county	367	–	–	4	76	14	26	9	7	3	4	13	6	189	153	–	4	107	42

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Washington—Con.																			
Snohomish	9	146	29	32	78	126	9	22	11	–	17	22	21	229	55	80	65	10	1
Edmonds	–	13	1	5	9	17	1	1	1	–	1	1	2	23	5	11	4	1	–
Everett	3	47	10	7	18	39	5	3	4	–	3	6	8	67	11	21	21	4	–
Lynnwood	–	6	–	3	6	9	–	1	1	–	4	1	4	17	1	6	10	–	1
Mountlake Terrace	1	3	–	–	2	7	–	–	–	–	–	1	1	7	2	1	3	–	–
Balance of county	5	77	18	17	43	54	3	17	5	–	9	13	6	115	36	41	27	5	–
Spokane	12	263	56	45	103	181	5	36	20	–	26	24	31	281	81	73	56	14	3
Spokane	9	191	44	28	73	121	2	24	16	–	16	14	23	194	42	53	34	9	2
Balance of county	3	72	12	17	30	60	3	12	4	–	10	10	8	87	39	20	22	5	1
Stevens	–	21	3	5	4	17	–	1	2	–	2	–	2	18	15	12	5	–	–
Thurston	1	84	9	12	35	58	3	14	3	–	6	6	11	95	24	16	16	9	1
Lacey	–	18	1	3	7	9	–	1	1	–	3	1	1	19	3	–	3	–	–
Olympia	–	26	3	2	8	23	1	6	–	–	3	2	2	34	5	4	3	1	–
Balance of county	1	40	5	7	20	24	2	7	2	–	2	3	8	42	16	12	10	8	1
Wahkiakum	–	1	–	1	5	1	–	1	–	–	–	–	–	6	1	–	–	–	–
Walla Walla	4	38	16	4	22	25	1	3	4	–	2	2	3	63	12	6	5	2	–
Walla Walla	3	20	12	4	17	20	1	2	–	–	1	2	3	43	8	3	5	–	–
Balance of county	1	18	4	–	5	5	–	1	4	–	1	–	–	20	4	3	–	2	–
Whatcom	3	75	20	8	27	28	3	3	6	–	7	3	12	82	12	19	16	1	3
Bellingham	2	44	14	5	8	15	2	–	4	–	3	2	8	48	3	4	7	–	1
Balance of county	1	31	6	3	19	13	1	3	2	–	4	1	4	34	9	15	9	1	2
Whitman	3	21	2	–	7	6	–	3	2	–	1	3	–	27	2	5	4	–	–
Pullman	–	3	–	–	4	1	–	–	–	–	1	3	–	11	–	1	2	–	–
Balance of county	3	18	2	–	3	5	–	3	2	–	–	–	–	16	2	4	2	–	–
Yakima	3	130	17	22	41	65	8	17	9	1	11	14	14	125	47	41	24	21	–
Yakima	1	67	7	11	16	31	3	6	2	–	6	6	5	48	12	10	5	6	–
Balance of county	2	63	10	11	25	34	5	11	7	1	5	8	9	77	35	31	19	15	–
West Virginia	78	1,359	192	224	647	871	46	205	229	1	65	109	144	1,694	447	418	272	119	25
Urban places	25	410	62	77	165	220	15	60	54	1	17	33	33	495	72	111	69	27	5
Balance of area	53	949	130	147	462	651	31	145	175	–	68	76	111	1,209	375	307	203	92	20
Metropolitan counties	23	509	72	86	214	298	13	83	76	1	33	35	54	604	120	150	98	39	8
Urban places	14	261	42	49	122	140	10	39	40	1	14	25	27	310	41	71	48	20	4
Balance of area	9	228	30	37	92	158	3	44	36	–	19	10	27	294	79	79	50	19	4
Nonmetropolitan counties	55	950	120	138	433	573	33	122	153	–	52	74	80	1,090	327	268	174	80	17
Urban places	11	129	20	28	63	80	5	21	14	–	3	8	6	175	31	40	21	7	1
Balance of area	44	721	100	110	370	493	28	101	139	–	49	66	84	915	296	228	153	73	16
Barbour	–	18	–	4	5	10	–	4	–	–	–	–	–	12	3	2	2	1	1
Berkeley	2	22	6	5	15	8	1	12	4	–	–	2	3	27	22	7	7	4	1
Martinsburg	2	14	3	4	8	4	–	6	3	–	–	1	2	13	12	3	–	1	1
Balance of county	–	8	3	1	7	4	1	6	1	–	–	1	1	14	10	4	7	3	–
Boone	2	18	1	5	4	18	–	1	4	–	2	1	5	29	7	7	2	2	–
Braxton	–	15	2	–	2	8	1	2	1	–	1	–	–	13	6	4	3	–	–
Brooke	–	24	1	1	8	19	–	9	1	–	1	2	4	25	2	5	1	–	–
Weirton, part	–	5	–	–	2	3	–	2	–	–	–	1	1	3	–	–	–	–	–
Balance of county	–	19	1	1	6	16	–	7	1	–	1	1	3	22	2	5	1	–	–
Cabell	4	99	15	16	45	63	3	7	9	–	7	10	8	98	16	28	15	8	1
Huntington, part	2	74	10	11	33	38	3	4	4	–	4	8	4	69	7	21	10	6	–
Huntington, total	2	80	10	11	36	40	3	5	4	–	4	8	4	72	8	21	10	6	–
Balance of county	2	25	5	5	12	25	–	3	5	–	3	2	4	29	9	7	5	2	1
Calhoun	–	9	–	–	4	8	1	1	1	–	–	–	1	5	–	1	–	–	–
Clay	–	9	1	1	1	4	–	1	1	–	–	–	–	11	3	1	–	1	–
Doddridge	1	8	1	1	4	4	1	–	–	–	–	1	–	10	1	–	2	–	–
Fayette	3	48	3	7	20	31	7	10	7	–	2	2	2	74	11	20	12	6	–
Gilmer	1	7	–	1	1	3	1	–	1	–	–	–	1	4	1	1	1	–	–
Grant	1	5	2	–	4	3	1	1	1	–	1	1	–	13	4	3	–	–	–
Greenbrier	4	39	8	9	20	22	1	4	7	–	2	1	11	36	8	8	3	5	1
Hampshire	–	9	1	1	9	4	–	2	–	–	–	–	–	12	5	–	1	1	–
Hancock	1	28	3	2	10	10	1	9	11	–	1	1	6	36	7	8	6	1	–
Weirton, part	–	14	1	1	3	3	1	5	8	–	1	–	3	25	4	4	3	–	–
Weirton, total	–	19	1	1	5	6	1	7	8	–	1	1	4	28	4	4	3	–	–
Balance of county	1	14	2	1	7	7	–	4	3	–	–	1	3	11	3	4	3	1	–
Hardy	–	5	1	–	3	2	–	2	2	–	–	–	–	6	8	2	2	–	1
Harrison	8	72	12	9	25	41	2	6	9	–	3	12	3	88	15	13	8	3	1
Clarksburg	3	32	5	2	13	19	1	1	2	–	1	–	1	38	2	4	4	–	–
Balance of county	5	40	7	7	12	22	1	5	7	–	2	12	2	48	13	9	4	3	1
Jackson	2	18	5	3	3	6	1	1	16	–	1	1	–	8	6	7	–	–	–
Jefferson	1	14	1	2	14	7	2	1	4	–	3	5	–	21	13	8	4	3	1
Kanawha	12	154	14	26	61	85	4	27	27	–	11	9	13	221	43	56	39	19	4
Charleston	3	55	3	12	25	27	2	12	12	–	2	4	4	78	11	12	14	5	1
St. Albans	3	12	–	1	8	6	–	1	3	–	2	–	1	10	–	7	1	2	1
South Charleston	2	12	1	3	1	4	–	1	1	–	–	–	–	18	3	7	2	–	–
Balance of county	4	75	10	10	27	48	2	13	11	–	7	5	8	115	29	30	22	12	2
Lewis	–	19	–	3	6	11	1	1	4	–	3	1	2	23	7	7	3	–	–
Lincoln	1	10	4	1	7	9	–	1	1	–	–	–	–	17	7	1	6	1	–
Logan	–	24	–	5	15	23	–	9	8	–	–	2	4	39	19	15	4	9	–
McDowell	–	21	2	4	16	25	–	3	4	–	3	4	4	60	11	17	13	7	–
Marion	2	40	4	18	16	33	1	11	6	–	3	6	2	69	13	16	13	4	–
Fairmont	2	17	–	9	9	15	–	9	1	–	–	3	1	42	3	10	7	1	–
Balance of county	–	23	4	9	7	18	1	2	5	–	3	3	1	27	10	6	6	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 096-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	390	–	–	–	95	22	36	8	6	1	5	17	14	202	166	–	2	124	40
Moundsville	178	–	–	–	39	10	17	3	2	1	2	4	5	102	83	–	–	63	20
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	212	–	–	–	56	12	19	5	4	–	3	13	9	100	83	–	2	61	20
Mason	284	2	–	1	60	13	14	3	9	4	2	15	2	147	123	2	3	88	30
Mercer	778	1	–	9	165	33	49	9	14	7	11	42	19	360	297	2	11	183	101
Bluefield [10]	215	–	–	5	35	9	8	4	6	1	3	4	5	109	88	–	4	59	25
Balance of county	562	1	–	4	130	24	41	5	8	6	8	38	14	251	209	2	7	124	76
Mineral	267	–	–	3	60	10	19	8	5	2	1	15	10	146	125	1	3	81	40
Mingo	386	1	–	4	81	15	32	6	5	–	2	21	9	168	143	–	5	97	41
Monongalia	613	–	–	17	111	22	32	13	14	2	5	23	12	289	211	2	5	109	95
Morgantown	299	–	–	8	58	14	15	8	8	2	2	9	6	141	99	–	4	46	49
Balance of county	314	–	–	9	53	8	17	5	6	–	3	14	6	148	112	2	1	63	46
Monroe	147	–	–	1	31	8	9	4	3	1	2	4	5	64	51	–	1	37	13
Morgan	122	–	–	2	25	5	6	1	8	1	3	1	2	58	52	1	–	29	22
Nicholas	240	–	–	1	38	13	12	3	4	1	1	4	6	112	86	1	–	63	22
Ohio	705	–	–	11	158	43	40	17	20	7	8	23	7	374	299	3	8	212	76
Wheeling, part	594	–	–	10	135	38	38	13	17	6	5	20	7	319	255	3	7	179	66
Wheeling, total	594	–	–	10	135	36	38	13	17	6	5	20	7	319	255	3	7	179	66
Balance of county	111	–	–	1	23	7	2	4	3	1	3	3	–	55	44	–	1	33	10
Pendleton	71	–	–	–	12	2	2	2	2	1	1	2	2	38	34	–	–	25	9
Pleasants	70	–	–	–	12	2	3	3	2	1	–	1	–	35	23	–	2	16	5
Pocahontas	136	–	–	1	30	6	8	2	6	1	–	7	4	63	54	–	1	36	17
Preston	292	–	–	2	58	11	17	5	10	1	6	8	10	129	101	–	3	52	46
Putnam	267	–	–	8	62	18	21	4	2	2	1	14	4	122	99	1	6	47	45
Raleigh	928	3	–	12	163	44	62	11	19	5	1	21	23	470	395	2	14	281	98
Beckley	369	–	–	4	67	17	23	5	8	2	–	12	6	206	174	–	9	130	35
Balance of county	559	3	–	8	96	27	39	6	11	3	1	9	17	264	221	2	5	151	63
Randolph	293	–	–	6	51	14	15	2	6	3	4	7	7	155	119	1	3	79	38
Ritchie	136	–	–	4	32	10	5	4	4	2	1	6	2	69	57	1	2	44	10
Roane	166	–	–	3	30	8	5	–	3	–	2	12	3	91	63	–	1	49	13
Summers	181	–	–	1	41	11	8	4	4	–	1	13	6	80	67	–	–	44	23
Taylor	180	–	–	1	55	9	12	5	10	4	–	15	1	81	64	1	1	37	25
Tucker	91	–	–	–	21	6	3	2	3	1	–	6	1	41	28	1	–	14	13
Tyler	116	–	–	–	18	3	6	3	1	–	–	5	3	66	53	–	3	43	7
Upshur	226	–	1	3	58	11	24	–	6	1	–	16	4	111	93	2	3	43	45
Wayne	411	–	–	3	109	18	43	3	13	2	4	26	8	197	158	2	9	100	47
Huntington, part	55	–	–	1	17	3	6	1	3	1	1	2	–	27	21	–	2	12	7
Balance of county	356	–	–	2	92	15	37	2	10	1	3	24	6	170	137	2	7	88	40
Webster	128	–	–	–	25	5	7	2	4	2	1	4	3	64	51	–	1	31	19
Wetzel	222	–	–	4	41	7	15	4	5	3	2	5	3	114	91	–	–	64	27
Wirt	52	–	–	–	13	3	4	1	1	–	1	3	–	24	19	–	–	14	5
Wood	921	1	–	6	202	46	61	23	20	8	2	42	21	450	359	–	3	238	118
Parkersburg	572	–	–	4	123	25	38	15	13	4	1	27	15	277	219	–	–	142	77
Vienna	108	–	–	1	26	11	6	1	3	1	–	4	–	58	44	–	–	31	13
Balance of county	241	1	–	1	53	10	17	7	4	3	1	11	6	115	96	–	3	65	28
Wyoming	295	–	–	2	68	18	25	4	10	3	2	6	4	145	122	–	1	93	28
Wisconsin	42,114	17	2	430	9,410	2,456	2,187	861	1,076	472	394	1,984	707	20,703	16,083	126	273	12,023	3,661
Urban places	21,683	8	2	246	4,838	1,241	1,156	460	572	229	184	996	343	10,589	8,224	70	164	6,144	1,846
Balance of area	20,431	9	–	184	4,572	1,215	1,031	401	504	243	210	988	364	10,114	7,859	56	109	5,879	1,815
Metropolitan counties	26,321	12	1	279	5,973	1,535	1,433	589	687	286	232	1,211	431	12,777	9,964	78	197	7,463	2,226
Urban places	18,301	8	1	218	4,322	1,120	1,046	410	506	203	159	878	315	9,395	7,308	60	150	5,472	1,626
Balance of area	7,020	4	–	61	1,651	415	387	179	181	83	73	333	116	3,382	2,656	18	47	1,991	600
Nonmetropolitan counties	15,793	5	1	151	3,437	921	754	272	389	186	162	753	276	7,926	6,119	48	76	4,560	1,435
Urban places	2,382	–	1	28	516	121	110	50	86	26	25	118	28	1,194	916	10	14	672	220
Balance of area	13,411	5	–	123	2,921	800	644	222	323	160	137	635	248	6,732	5,203	38	62	3,888	1,215
Adams	165	–	–	–	39	11	12	2	3	2	2	7	4	95	89	1	2	59	7
Ashland	223	–	–	5	44	11	10	4	3	1	1	14	2	115	97	–	1	59	37
Barron	417	–	–	3	84	23	17	12	8	5	3	16	9	226	188	–	1	128	39
Bayfield	138	–	–	3	29	7	10	2	2	1	2	5	–	66	54	–	1	36	17
Brown	1,259	–	–	12	291	67	65	31	41	14	9	64	13	618	467	3	9	351	104
Allouez town#	93	–	–	–	24	4	6	4	1	1	3	5	1	48	26	–	1	18	7
Ashwaubenon	97	–	–	–	20	4	6	2	4	1	–	3	1	53	34	–	–	28	6
De Pere	99	–	–	1	20	5	1	1	3	2	2	6	–	52	37	–	2	32	3
Green Bay	780	–	–	8	188	42	42	21	29	8	3	43	9	362	291	3	3	210	75
Balance of county	190	–	–	3	39	12	10	3	4	2	1	7	2	103	79	–	3	83	13
Buffalo	161	–	–	4	38	12	4	4	6	1	5	6	5	70	56	3	–	32	21
Burnett	141	–	–	–	30	3	9	–	4	1	1	12	4	69	52	–	1	36	15
Calumet	210	–	–	–	54	15	11	3	8	3	3	11	9	98	73	–	2	60	11
Appleton, part	23	–	–	–	6	2	–	1	–	–	–	3	–	7	7	–	–	7	–
Balance of county	187	–	–	–	48	13	11	2	8	3	3	8	9	89	66	–	2	53	11
Chippewa	485	–	–	7	94	33	19	7	8	8	5	14	9	246	210	2	4	169	35
Chippewa Falls	153	–	–	–	28	7	4	4	2	4	2	5	2	80	70	1	1	59	9
Eau Claire, part	4	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Balance of county	328	–	–	7	64	25	15	3	6	4	3	8	7	166	140	1	3	110	26
Clark	341	–	–	1	84	24	17	5	10	3	8	17	13	157	125	–	–	95	30
Columbia	442	–	–	7	97	32	16	9	14	5	3	18	7	220	179	1	1	119	58
Crawford	169	–	–	1	28	9	6	–	5	2	–	6	2	88	70	–	–	51	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	-	25	6	5	10	19	-	3	4	-	2	1	-	24	3	3	5	5	-
Moundsville	-	12	4	3	5	5	-	1	2	-	2	-	-	9	1	-	2	5	-
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	13	2	2	5	14	-	2	2	-	-	1	-	15	2	3	3	-	-
Mason	1	20	2	1	13	11	-	1	3	-	-	1	2	28	8	4	2	1	-
Mercer	5	48	3	7	31	45	2	11	7	-	3	4	4	58	18	20	13	6	2
Bluefield [16]	1	15	1	4	8	16	-	1	-	-	1	1	1	20	5	8	2	1	-
Balance of county	4	33	2	3	23	29	2	10	7	-	2	3	3	38	13	14	11	5	2
Mineral	1	14	4	2	5	3	-	2	4	-	2	-	-	18	7	6	-	1	-
Mingo	3	19	1	2	10	40	-	2	6	-	4	1	5	25	13	7	5	4	1
Monongalia	2	46	19	11	24	25	2	5	8	-	3	6	4	59	17	18	9	1	3
Morgantown	1	25	9	7	13	10	2	2	4	-	1	1	-	35	6	9	3	-	-
Balance of county	1	21	10	4	11	15	-	3	4	-	2	5	4	24	11	9	6	1	3
Monroe	-	11	2	-	4	10	-	-	1	-	1	2	3	11	6	6	2	-	-
Morgan	1	4	-	1	8	2	-	-	4	-	-	-	1	12	5	-	2	1	-
Nicholas	-	21	3	2	13	9	-	1	5	-	1	2	6	20	12	6	8	-	-
Ohio	3	48	13	11	22	29	3	6	5	-	2	6	2	50	7	11	7	2	3
Wheeling, part	3	38	12	11	17	23	2	5	4	-	2	6	2	41	5	9	4	1	2
Wheeling, total	3	38	12	11	17	23	2	5	4	-	2	6	2	41	5	9	4	1	2
Balance of county	-	10	1	-	5	6	1	1	1	-	-	-	-	9	2	2	3	1	1
Pendleton	-	3	-	1	4	1	-	1	-	-	3	-	3	5	1	1	-	-	-
Pleasants	-	10	1	1	2	2	-	2	-	-	-	1	4	5	1	1	2	3	-
Pocahontas	1	5	1	2	8	6	-	-	3	-	-	1	2	12	2	3	1	-	-
Preston	1	15	6	4	16	15	-	3	7	-	1	3	1	29	9	5	1	3	-
Putnam	-	14	2	7	7	14	-	1	3	-	2	-	2	21	6	9	5	1	-
Raleigh	3	63	3	6	25	47	4	8	7	-	2	4	3	88	17	24	17	10	1
Beckley	2	26	2	2	12	16	2	2	4	-	-	2	1	27	3	8	5	4	-
Balance of county	1	37	1	4	13	31	2	6	3	-	2	2	2	61	14	16	12	6	1
Randolph	3	26	3	4	4	14	1	1	6	-	2	3	4	32	4	-	2	1	-
Ritchie	-	7	3	2	8	3	1	-	1	-	1	-	2	10	1	1	1	-	-
Roane	2	22	3	1	4	3	1	-	4	-	2	-	2	11	6	2	4	-	-
Summers	-	10	1	2	9	13	1	2	3	-	-	-	1	15	4	2	1	1	1
Taylor	-	12	3	2	2	6	-	2	1	-	1	2	2	14	5	4	3	-	-
Tucker	-	8	3	2	4	6	-	2	2	-	1	-	-	9	3	1	-	-	-
Tyler	-	11	-	2	5	4	-	1	1	-	1	-	1	7	3	5	1	-	-
Upshur	-	14	2	2	7	6	-	2	1	-	-	1	1	18	5	1	5	1	1
Wayne	1	30	3	5	11	16	-	5	3	-	2	-	3	33	14	6	2	1	-
Huntington, part	-	6	-	-	3	2	-	1	-	-	-	-	-	3	1	-	-	-	-
Balance of county	1	24	3	5	8	14	-	4	3	-	2	-	3	30	13	6	2	1	-
Webster	3	9	1	-	6	8	-	-	-	-	-	2	-	13	3	-	3	-	1
Wetzel	-	18	4	1	16	5	-	3	2	-	1	1	1	20	2	7	2	-	-
Wirt	-	4	-	1	1	3	-	2	-	-	-	-	2	6	1	-	-	-	-
Wood	1	69	11	10	34	37	2	12	9	1	3	6	14	72	14	18	19	1	-
Parkersburg	1	44	8	5	22	28	2	6	5	-	1	6	9	41	9	11	12	1	-
Vienna	-	9	3	2	3	1	-	1	1	1	-	-	3	13	-	-	-	-	-
Balance of county	-	16	-	3	9	8	-	5	3	-	2	-	2	18	5	7	6	-	-
Wyoming	2	18	-	3	16	12	-	2	-	-	1	1	-	14	14	10	4	1	1
Wisconsin	177	3,319	556	568	1,609	1,363	125	373	366	3	238	276	247	3,872	765	801	596	167	44
Urban places	90	1,739	245	291	854	685	65	223	180	1	124	159	144	2,061	299	368	332	131	31
Balance of area	87	1,580	311	277	755	678	60	150	186	2	114	117	103	1,811	466	433	264	36	13
Metropolitan counties	102	2,037	308	366	1,025	831	70	251	211	1	152	201	168	2,450	432	470	412	137	36
Urban places	79	1,529	215	264	763	602	54	199	153	-	113	152	129	1,828	262	330	303	125	29
Balance of area	23	508	93	102	262	229	16	52	58	1	39	49	40	622	170	140	109	12	7
Nonmetropolitan counties	75	1,282	248	202	584	532	55	122	155	2	86	75	78	1,422	333	331	184	30	8
Urban places	11	210	30	27	91	83	11	24	27	1	11	7	15	233	37	38	29	6	2
Balance of area	64	1,072	218	175	493	449	44	98	128	1	75	68	63	1,189	296	293	155	24	6
Adams	-	16	10	-	2	4	-	2	-	-	-	-	-	6	7	4	2	-	-
Ashland	4	13	1	-	9	8	-	-	1	-	1	1	4	19	3	8	2	1	-
Barron	2	32	19	5	13	11	1	3	2	-	2	1	2	37	3	14	5	1	-
Bayfield	3	8	1	-	9	9	1	1	3	-	-	-	1	11	-	3	2	-	-
Brown	7	116	11	17	44	47	4	10	11	-	10	12	7	110	18	24	19	4	5
Allouez town#	1	18	2	1	7	3	-	1	-	-	-	2	-	3	-	2	1	-	1
Ashwaubenon	-	16	3	-	4	2	-	-	-	-	1	-	1	11	2	2	-	-	-
De Pere	1	12	1	1	3	7	1	-	1	-	-	-	-	9	1	1	3	-	-
Green Bay	2	52	5	12	25	30	3	8	10	-	7	9	5	77	7	14	11	3	4
Balance of county	3	18	-	3	6	5	-	1	-	-	2	1	1	10	8	5	4	1	-
Buffalo	1	10	2	1	5	8	-	-	2	-	1	-	1	21	3	1	2	-	-
Burnett	-	10	4	3	6	6	-	1	1	-	-	2	1	10	3	7	-	1	-
Calumet	1	17	2	3	6	2	-	1	2	-	2	2	-	25	3	5	3	-	-
Appleton, part	-	-	-	-	2	1	-	1	-	-	-	-	-	3	1	1	1	-	-
Balance of county	1	17	2	3	4	1	-	-	2	-	2	2	-	22	2	4	2	-	-
Chippewa	1	25	3	7	21	23	2	4	5	-	1	1	1	52	4	9	5	1	-
Chippewa Falls	1	7	-	2	5	6	1	1	3	-	-	-	1	19	1	4	1	1	-
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Balance of county	-	18	3	5	16	17	1	3	2	-	1	1	-	31	3	5	4	-	-
Clark	-	25	4	3	5	14	-	-	3	-	3	1	2	39	8	5	6	-	-
Columbia	3	29	4	6	15	17	2	1	3	-	1	1	4	45	11	9	2	-	-
Crawford	1	11	1	5	11	2	-	-	5	-	1	-	1	20	3	5	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	2,099	3	–	13	461	100	117	50	65	22	17	90	25	992	781	1	9	578	173
Madison	1,212	–	–	7	243	52	65	21	30	8	13	54	12	598	435	–	7	337	91
Middleton	61	–	–	1	17	7	4	–	2	–	1	3	–	33	28	–	–	23	5
Sun Prairie	80	1	–	–	15	3	2	2	3	3	1	1	1	43	35	–	–	29	6
Balance of county	746	2	–	5	186	38	46	27	30	11	2	32	12	318	263	1	2	189	71
Dodge	704	–	–	6	144	34	29	16	13	8	1	43	15	381	300	3	5	225	67
Beaver Dam	170	–	–	–	42	8	10	8	2	1	–	13	2	87	63	1	1	44	17
Watertown, part	106	–	–	1	17	4	4	–	3	1	–	5	1	55	43	–	–	29	14
Balance of county	428	–	–	5	85	22	15	8	8	6	1	25	12	239	194	2	4	152	36
Door	251	–	–	2	54	9	16	3	3	3	4	16	4	137	95	–	–	70	25
Douglas	477	1	–	5	100	28	23	14	8	5	2	22	2	258	205	–	2	136	67
Superior	360	–	–	5	72	21	13	11	5	2	2	18	2	191	153	–	2	98	53
Balance of county	117	1	–	–	28	5	10	3	3	3	–	4	–	65	52	–	–	38	14
Dunn	282	–	–	1	69	20	15	4	8	3	4	15	8	136	111	2	–	88	21
Menomonie	111	–	–	1	31	6	5	2	4	1	2	11	4	49	40	2	–	32	6
Balance of county	171	–	–	–	38	14	10	2	4	2	2	4	4	87	71	–	–	56	15
Eau Claire	635	–	–	9	143	29	37	18	21	5	4	29	12	296	233	4	2	155	72
Eau Claire, part	438	–	–	8	93	17	26	10	16	4	2	18	7	206	157	3	1	100	53
Eau Claire, total	442	–	–	8	95	18	26	10	16	4	2	19	7	206	157	3	1	100	53
Balance of county	197	–	–	1	50	12	11	8	5	1	2	11	5	90	76	1	1	55	19
Florence	36	–	–	–	7	1	1	1	2	–	1	1	2	21	18	–	–	11	7
Fond du Lac	876	–	–	6	205	52	49	16	20	12	15	41	19	417	331	2	7	259	63
Fond du Lac	450	–	–	3	107	25	26	7	12	5	7	24	5	214	163	1	2	128	32
Balance of county	426	–	–	3	98	26	23	9	8	7	8	17	14	203	168	1	5	131	31
Forest	94	–	–	1	22	6	4	2	1	1	1	7	–	39	33	–	–	23	10
Grant	471	–	–	3	106	23	29	9	14	8	5	18	14	223	168	1	2	129	36
Green	325	–	–	2	70	19	11	8	15	4	2	11	9	153	122	1	2	79	40
Monroe	131	–	–	2	30	9	6	3	5	1	1	4	2	60	44	1	2	31	10
Balance of county	194	–	–	–	40	10	5	5	9	3	1	7	7	93	78	–	–	48	30
Green Lake	218	–	–	1	45	10	14	4	2	1	2	12	3	111	73	1	2	52	18
Iowa	195	–	–	–	44	10	17	3	3	–	3	8	3	80	77	1	–	63	13
Iron	85	–	–	2	21	7	6	1	2	1	–	4	1	41	34	–	–	21	13
Jackson	175	–	–	1	52	12	10	4	8	3	1	14	1	68	55	1	–	37	17
Jefferson	589	1	–	5	112	33	24	7	14	4	5	25	10	309	228	2	3	173	50
Watertown, part	125	–	–	1	22	4	4	3	5	–	1	5	2	66	47	1	–	33	13
Watertown, total	231	–	–	2	39	8	8	3	8	1	1	10	3	121	90	1	–	62	27
Whitewater, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	461	1	–	4	90	29	20	4	9	4	4	20	8	242	180	1	3	139	37
Juneau	215	–	–	5	54	13	15	5	5	4	3	9	3	107	81	–	–	68	13
Kenosha	1,051	–	–	4	242	60	71	26	29	8	6	42	18	527	424	4	8	335	77
Kenosha	728	–	–	2	149	39	45	14	20	8	3	20	9	381	299	3	8	232	56
Balance of county	323	–	–	2	93	21	26	12	9	–	3	22	9	146	125	1	–	103	21
Kewaunee	177	1	–	2	46	20	11	2	1	3	1	8	7	73	54	–	1	35	18
La Crosse	805	–	–	12	180	55	30	20	23	8	9	35	5	384	285	6	8	211	60
La Crosse	549	–	–	8	112	35	22	16	16	3	5	15	4	264	192	3	7	140	42
Balance of county	256	–	–	4	68	20	8	4	7	5	4	20	1	120	93	3	1	71	18
Lafayette	166	–	–	1	35	9	8	2	3	2	4	7	2	88	71	–	–	54	17
Langlade	220	–	–	4	52	16	10	5	3	2	3	13	1	116	99	–	–	78	21
Lincoln	289	–	–	4	63	20	13	4	13	4	–	9	5	139	109	–	–	85	24
Manitowoc	786	–	1	14	172	41	30	14	20	9	10	48	7	399	321	3	1	230	87
Manitowoc	429	–	1	8	93	22	21	7	9	4	6	24	2	217	168	–	1	116	51
Two Rivers	120	–	–	2	25	9	4	2	4	–	2	4	1	58	50	2	–	37	11
Balance of county	237	–	–	4	54	10	5	5	7	5	2	20	4	124	103	1	–	77	25
Marathon	905	–	–	8	196	62	30	19	19	11	14	41	11	454	352	3	7	264	78
Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wausau	436	–	–	5	86	29	7	12	8	6	7	17	7	227	175	2	6	130	37
Balance of county	469	–	–	3	110	33	23	7	11	5	7	24	4	227	177	1	1	134	41
Marinette	429	1	–	8	82	23	13	6	11	6	2	21	8	227	170	3	1	137	29
Marinette	143	–	–	5	25	6	5	1	5	1	1	6	4	73	54	–	1	44	9
Balance of county	288	1	–	3	57	17	8	5	6	5	1	15	4	154	116	3	–	93	20
Marquette	121	–	–	–	33	11	7	5	3	1	–	6	–	51	37	–	2	32	3
Menominee	30	–	–	–	2	1	–	–	–	–	–	1	–	12	9	–	–	8	1
Milwaukee	9,419	6	1	118	2,176	562	536	202	243	105	81	447	183	4,520	3,565	28	80	2,676	781
Brown Deer	85	–	–	–	28	8	4	5	4	1	1	5	2	36	29	1	–	22	6
Cudahy	171	1	–	4	35	9	13	1	3	1	–	8	8	86	69	–	2	57	10
Franklin	85	–	–	–	25	4	7	4	3	2	–	5	3	42	38	1	1	24	12
Glendale	269	–	–	4	44	11	10	8	3	3	–	9	6	151	119	3	3	73	40
Greendale	93	–	–	3	25	6	5	4	2	1	2	5	–	44	34	–	–	23	11
Greenfield	354	–	–	7	75	15	19	6	9	4	2	20	8	181	146	1	3	110	32
Milwaukee, part	6,084	3	1	79	1,378	366	355	119	147	62	56	273	118	2,824	2,220	16	52	1,656	496
Milwaukee, total	6,084	3	1	79	1,378	366	355	119	147	62	56	273	118	2,824	2,220	16	52	1,656	496
Oak Creek	99	–	–	1	21	5	7	1	3	–	–	5	3	50	43	–	1	36	6
St. Francis	76	–	–	1	16	2	7	–	1	1	1	4	2	42	38	1	–	32	5
Shorewood	187	–	–	3	47	12	9	4	5	3	1	13	2	82	62	1	2	47	12
South Milwaukee	186	1	–	1	53	13	16	7	7	4	–	7	3	93	78	2	3	64	9
Wauwatosa	622	–	–	7	155	36	36	12	16	12	9	34	10	317	247	1	3	181	62
West Allis	776	–	–	6	169	49	27	19	23	8	3	40	17	419	327	–	8	261	58
Whitefish Bay	121	1	–	–	39	8	8	7	7	2	–	7	–	60	40	1	1	32	6
Balance of county	211	–	–	2	66	18	14	5	10	1	6	12	1	93	75	–	1	58	16
Monroe	383	–	–	4	74	22	15	1	8	4	4	20	7	191	138	–	3	105	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	11	167	26	27	75	94	10	20	15	–	16	23	6	215	42	38	36	8	7
Madison	7	122	17	17	43	60	6	9	7	–	10	15	4	130	20	16	22	5	5
Middleton	–	3	1	1	–	3	–	3	–	–	–	–	–	3	–	1	–	–	–
Sun Prairie	–	6	1	1	2	3	–	1	1	–	1	–	–	7	2	–	2	–	1
Balance of county	4	36	7	8	30	28	4	7	7	–	5	8	2	75	20	21	12	3	1
Dodge	2	54	18	7	19	23	4	7	7	–	4	2	2	58	17	4	7	5	–
Beaver Dam	–	19	2	3	8	7	–	3	2	–	–	2	–	11	1	2	1	2	–
Watertown, part	2	5	3	2	7	2	2	–	1	–	–	–	–	17	–	–	1	2	–
Balance of county	–	30	13	2	3	14	2	4	4	–	4	–	2	30	16	2	5	1	–
Door	–	28	9	7	4	4	1	2	2	–	1	–	2	25	5	4	3	1	–
Douglas	1	40	4	6	12	16	1	6	1	–	4	1	4	38	11	10	7	1	1
Superior	1	30	2	5	11	12	1	6	1	–	1	–	3	27	11	9	6	1	1
Balance of county	–	10	2	1	1	4	–	–	–	–	3	1	1	11	–	1	1	–	–
Dunn	1	18	4	2	8	12	1	1	5	–	3	1	4	20	6	2	5	–	–
Menomonie	–	5	2	2	6	4	1	1	1	–	1	–	2	6	1	1	2	–	–
Balance of county	1	13	2	–	2	8	–	–	4	–	2	1	2	14	5	1	3	–	–
Eau Claire	1	45	12	5	38	29	1	4	3	–	3	1	4	54	11	12	11	4	–
Eau Claire, part	1	35	10	3	27	21	1	4	2	–	3	–	3	42	6	6	5	4	–
Eau Claire, total	1	35	10	3	27	21	1	4	2	–	3	–	3	44	6	6	5	4	–
Balance of county	–	10	2	2	11	8	–	–	1	–	–	1	1	12	5	6	6	–	–
Florence	–	1	1	1	1	1	–	1	–	–	–	–	1	1	–	–	1	–	–
Fond du Lac	3	66	8	9	32	30	2	8	3	–	8	8	5	90	21	11	11	–	–
Fond du Lac	1	38	7	5	15	18	1	6	1	–	4	2	5	50	8	5	6	–	–
Balance of county	2	28	1	4	17	12	1	2	2	–	4	6	–	40	13	6	5	–	–
Forest	–	2	1	3	6	2	–	2	1	–	2	1	–	13	2	1	2	–	–
Grant	–	41	7	7	19	15	2	4	7	–	5	5	–	42	8	12	6	–	–
Green	1	24	3	3	20	15	3	5	–	–	1	2	–	20	8	9	5	1	2
Monroe	–	12	2	2	7	6	1	2	–	–	1	–	–	9	3	4	2	1	1
Balance of county	1	12	1	1	13	9	2	3	–	–	–	2	–	11	5	5	3	–	1
Green Lake	1	26	5	6	7	13	–	1	3	–	3	–	–	25	3	2	1	–	–
Iowa	1	8	2	2	11	10	–	1	3	–	–	2	–	20	6	3	2	–	–
Iron	–	5	–	2	6	1	–	2	–	–	–	–	–	6	–	3	2	–	–
Jackson	–	11	1	1	7	9	2	–	2	–	3	–	2	18	4	3	2	1	–
Jefferson	2	62	11	6	22	11	2	4	8	–	4	4	4	62	13	12	6	–	–
Watertown, part	–	16	3	–	6	2	1	–	–	–	2	2	1	13	4	3	–	–	–
Watertown, total	2	21	6	2	13	4	3	–	1	–	2	2	1	30	4	3	1	2	–
Whitewater, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Balance of county	2	46	8	6	16	9	1	4	8	–	2	2	3	48	8	9	6	–	–
Juneau	1	17	5	3	6	4	1	1	2	–	–	–	2	20	3	4	2	–	1
Kenosha	2	80	8	13	39	34	3	9	11	–	7	8	4	79	24	19	17	5	1
Kenosha	2	65	4	11	31	24	2	7	9	–	6	5	2	59	13	13	12	4	–
Balance of county	–	15	4	2	8	10	1	2	2	–	1	3	2	20	11	6	5	1	1
Kewaunee	4	11	3	1	5	6	1	1	1	–	3	4	1	19	4	1	2	–	–
La Crosse	2	76	8	13	53	27	1	8	6	–	4	7	2	73	11	14	14	3	1
La Crosse	2	56	5	9	35	18	1	5	6	–	3	1	2	59	9	9	10	2	–
Balance of county	–	20	3	4	17	9	–	3	–	–	1	6	–	14	2	5	4	1	1
Lafayette	1	12	2	2	4	5	4	–	1	–	–	–	–	14	1	8	3	–	–
Langlade	–	11	1	5	6	6	1	–	2	1	1	1	3	19	1	3	3	–	–
Lincoln	–	21	5	4	9	12	–	4	3	–	1	2	1	23	10	4	8	1	–
Manitowoc	2	62	5	9	25	24	2	11	11	–	3	–	4	71	18	12	9	2	1
Manitowoc	1	40	3	5	18	15	1	3	6	–	2	–	1	43	5	6	6	1	1
Two Rivers	1	5	–	2	2	4	–	5	3	–	–	–	–	13	3	3	1	–	–
Balance of county	–	17	2	2	5	5	1	3	2	–	1	–	3	15	10	3	2	1	–
Marathon	7	67	13	15	29	27	2	6	6	–	4	4	6	99	15	22	16	–	–
Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wausau	5	38	6	3	18	11	2	–	4	–	3	2	3	51	5	9	3	–	–
Balance of county	2	29	7	12	11	16	–	6	2	–	1	2	3	48	10	13	13	–	–
Marinette	2	45	6	4	8	12	–	4	8	–	1	1	4	43	6	11	4	1	–
Marinette	–	16	1	2	–	5	–	–	2	–	–	–	3	18	2	5	1	–	–
Balance of county	2	29	5	2	8	7	–	4	6	–	1	1	1	25	4	6	3	1	–
Marquette	1	8	–	5	7	6	–	4	1	–	–	1	–	10	1	3	3	–	1
Menominee	–	2	–	1	1	1	–	3	–	–	3	1	–	1	1	3	1	1	–
Milwaukee	38	700	89	128	373	262	22	105	73	–	48	88	66	869	93	166	146	91	13
Brown Deer	1	6	–	–	3	3	1	–	–	–	–	–	1	7	2	2	–	–	–
Cudahy	1	14	–	2	4	10	1	2	–	–	–	–	2	13	–	2	2	1	–
Franklin	–	2	1	1	2	–	–	1	–	–	1	1	1	5	3	1	–	–	–
Glendale	2	22	5	3	24	4	–	1	3	–	–	–	–	28	2	2	–	–	–
Greendale	–	8	–	2	1	3	–	4	–	–	1	–	1	8	–	1	2	–	–
Greenfield	3	18	6	8	9	9	2	2	3	–	4	1	1	38	4	3	7	–	–
Milwaukee, part	19	459	57	69	238	176	14	76	56	–	34	75	55	571	64	126	99	86	10
Milwaukee, total	19	459	57	69	239	176	14	76	56	–	34	75	55	571	64	126	99	86	10
Oak Creek	1	4	1	1	3	1	1	1	–	–	1	–	1	8	4	1	3	–	–
St. Francis	–	4	–	–	4	2	–	2	–	–	–	–	–	4	–	1	1	–	1
Shorewood	1	16	1	2	15	10	–	1	–	–	1	–	–	18	1	4	2	–	1
South Milwaukee	3	4	4	4	6	5	–	1	–	–	–	–	–	10	2	3	7	1	–
Wauwatosa	–	51	5	14	22	13	2	6	7	–	1	3	1	58	4	9	6	1	–
West Allis	4	66	6	16	25	18	1	6	4	–	3	5	3	71	5	9	12	2	1
Whitefish Bay	2	12	2	4	3	1	–	–	–	–	–	2	–	11	1	1	2	–	–
Balance of county	1	14	1	2	13	7	–	2	–	–	2	1	–	19	1	1	3	–	–
Monroe	3	30	11	9	16	17	2	4	1	–	3	–	–	31	9	14	8	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (080-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	275	–	–	2	69	21	14	7	4	4	3	16	4	127	92	–	2	60	30
Oneida	370	–	–	1	88	23	22	4	13	6	2	18	2	186	150	–	1	126	23
Outagamie	969	–	–	10	243	63	59	20	23	13	11	54	15	446	355	2	1	274	78
Appleton, part	453	–	–	5	121	27	33	8	12	6	8	27	8	204	159	1	1	125	32
Appleton, total	461	–	–	5	128	30	33	9	12	6	8	30	8	214	169	2	1	133	33
Kaukauna	121	–	–	–	23	6	6	2	1	1	1	6	2	60	44	1	–	36	7
Balance of county	385	–	–	5	99	30	20	10	10	6	2	21	5	182	152	–	–	113	39
Ozaukee	437	–	–	2	121	31	30	18	10	5	6	21	6	226	169	–	4	115	50
Mequon	115	–	–	–	35	11	9	6	1	1	–	7	–	60	49	–	–	31	18
Balance of county	322	–	–	2	86	20	21	12	9	4	6	14	6	166	120	–	4	84	32
Pepin	81	–	–	–	16	4	3	3	3	2	1	–	–	37	22	–	–	19	3
Pierce	235	–	–	2	57	16	8	7	4	2	7	13	1	110	81	1	2	55	23
Polk	399	–	–	1	65	18	13	4	13	1	2	14	8	180	127	–	1	84	42
Portage	383	–	–	2	77	12	21	7	12	4	5	16	–	201	156	1	–	104	51
Stevens Point	179	–	–	1	35	4	10	3	7	2	3	6	–	94	75	–	–	54	21
Balance of county	204	–	–	1	42	8	11	4	5	2	2	10	–	107	81	1	–	50	30
Price	171	–	–	2	37	10	9	2	7	2	1	6	2	87	59	–	2	35	22
Racine	1,433	1	–	19	307	65	85	24	37	13	8	74	23	709	547	3	8	424	112
Racine	859	–	–	11	180	41	47	11	27	6	5	43	12	431	332	2	6	261	63
Balance of county	574	1	–	8	127	24	39	13	10	7	3	31	11	278	215	1	2	163	49
Richland	182	–	–	3	40	12	9	2	4	–	1	12	5	76	57	1	–	48	6
Rock	1,250	–	–	14	265	62	72	21	30	13	9	58	13	626	485	5	4	392	84
Beloit	336	–	–	5	61	16	14	2	10	3	–	16	2	177	137	2	–	113	22
Janesville	425	–	–	4	98	24	27	8	11	5	4	18	4	200	148	1	1	113	33
Balance of county	489	–	–	5	106	22	31	11	9	4	5	24	7	249	200	2	3	166	29
Rusk	172	–	–	2	36	12	10	1	2	2	1	8	2	82	62	2	1	46	13
St. Croix	379	–	–	1	75	29	12	7	10	4	2	11	5	197	151	–	3	103	45
Sauk	456	1	–	3	103	30	20	7	10	6	4	26	11	233	178	2	2	122	52
Sawyer	140	1	–	1	37	12	10	3	4	2	–	6	–	68	51	–	–	33	18
Shawano	411	–	–	3	70	16	12	9	9	6	3	15	7	240	172	2	5	142	23
Sheboygan	1,006	–	–	12	218	70	36	26	18	13	11	44	19	512	388	4	9	268	107
Sheboygan	639	–	–	9	142	51	26	14	13	9	5	24	13	320	255	3	6	168	80
Balance of county	367	–	–	3	76	19	10	12	5	4	6	20	6	192	133	1	3	102	27
Taylor	163	–	–	1	31	8	6	5	2	2	2	6	8	82	64	–	1	49	14
Trempealeau	303	–	–	4	66	19	9	4	8	3	4	19	7	152	123	2	4	87	30
Vernon	317	–	–	3	67	15	16	5	8	4	2	17	3	165	133	2	3	104	24
Vilas	210	–	–	3	54	13	14	6	3	2	4	12	2	99	75	1	1	60	13
Walworth	697	–	–	9	159	51	40	9	19	10	6	24	9	360	292	2	1	220	69
Whitewater, part	58	–	–	1	13	3	2	2	3	–	–	3	–	30	22	–	1	13	8
Whitewater, total	61	–	–	1	13	3	2	2	3	–	–	3	–	31	23	–	1	14	8
Balance of county	639	–	–	8	146	48	38	7	16	10	6	21	9	330	270	2	–	207	61
Washburn	162	–	–	3	34	11	9	1	6	1	1	5	5	80	54	–	–	44	10
Washington	566	–	–	1	129	35	29	17	16	5	3	24	14	277	216	3	6	160	47
Germantown	36	–	–	–	15	3	6	2	–	1	–	3	–	13	10	–	–	6	4
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	176	–	–	–	34	15	7	1	6	1	–	4	3	91	74	–	1	56	17
Balance of county	352	–	–	1	80	17	16	14	10	3	3	17	11	173	132	3	5	98	26
Waukesha	1,849	1	–	16	423	100	106	44	47	24	24	78	26	897	699	7	21	512	159
Brookfield	216	–	–	2	54	9	17	6	5	3	2	12	1	110	83	1	–	69	13
Menomonee Falls	170	1	–	1	39	13	13	1	4	2	1	5	4	86	73	2	–	55	16
Muskego	89	–	–	2	17	5	1	3	2	3	–	3	3	46	32	–	3	21	8
New Berlin	129	–	–	1	39	9	7	2	4	2	4	11	1	53	44	–	2	35	7
Waukesha	432	–	–	5	93	25	22	11	16	1	3	15	7	208	169	1	7	124	37
Balance of county	813	–	–	5	181	39	46	21	16	13	14	32	10	394	298	3	9	208	78
Waupaca	601	–	–	3	123	34	25	7	17	7	10	23	17	281	221	3	8	167	43
Waushara	208	–	–	3	57	13	13	6	4	3	1	17	4	101	85	–	–	72	13
Winnebago	1,087	–	–	16	255	71	64	22	31	7	8	52	23	498	379	3	10	280	86
Appleton, part	5	–	–	–	1	1	–	–	–	–	–	–	–	3	3	1	–	1	1
Menasha	131	–	–	5	33	11	10	4	1	1	1	5	2	55	41	1	1	30	9
Neenah	175	–	–	3	37	9	11	3	5	–	1	8	5	88	63	–	2	49	12
Oshkosh	471	–	–	4	115	32	25	10	16	3	5	24	11	218	163	1	3	120	39
Balance of county	305	–	–	4	69	18	18	5	9	3	1	15	5	134	109	–	4	80	25
Wood	611	–	–	4	114	27	23	13	10	13	8	22	6	344	261	4	8	206	45
Marshfield, part	166	–	–	2	36	11	5	7	3	2	1	7	2	81	69	–	5	53	11
Marshfield, total	166	–	–	2	36	11	5	7	3	2	1	7	2	81	69	–	5	53	11
Wisconsin Rapids	191	–	–	1	40	9	8	5	3	8	1	6	3	109	77	2	1	57	17
Balance of county	254	–	–	1	38	7	10	1	4	3	4	9	1	154	115	2	–	96	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	1	27	4	3	8	3	2	2	5	–	2	3	–	26	9	9	4	–	–
Oneida	–	25	2	9	18	6	–	5	2	–	2	1	3	37	8	7	4	–	–
Outagamie	7	59	6	19	41	30	3	9	8	1	9	7	8	67	17	21	14	–	–
Appleton, part	4	27	4	10	18	15	2	2	1	–	4	2	2	52	5	6	6	–	–
Appleton, total	4	27	4	10	20	16	2	3	1	–	4	2	2	56	6	7	7	–	–
Kaukauna	2	11	1	2	4	5	–	6	4	–	1	–	1	10	2	2	1	–	–
Balance of county	1	21	1	7	19	10	1	1	3	1	4	5	5	25	10	13	7	–	–
Ozaukee	3	29	16	9	15	14	–	4	3	–	2	1	1	18	10	3	11	–	–
Mequon	2	6	2	1	8	1	–	–	–	–	–	–	–	7	1	1	2	–	–
Balance of county	1	23	14	8	7	13	–	4	3	–	2	1	1	11	9	2	9	–	–
Pepin	–	11	2	2	4	7	3	–	1	–	–	–	–	10	1	2	–	–	–
Pierce	1	22	2	4	7	9	1	1	1	–	–	4	1	25	7	7	1	–	1
Polk	2	33	12	6	6	10	–	3	6	–	2	1	–	28	9	9	2	1	–
Portage	4	36	4	1	18	8	2	2	6	–	2	3	–	36	10	7	8	1	–
Stevens Point	2	15	2	–	8	4	2	1	3	–	1	–	–	18	6	2	4	–	–
Balance of county	2	21	2	1	10	4	–	1	3	–	1	3	–	18	4	5	4	1	–
Price	2	18	7	1	7	8	–	–	1	–	–	1	2	17	3	2	2	–	–
Racine	8	118	17	19	51	33	5	16	10	–	8	8	16	149	26	25	19	7	1
Racine	3	71	12	13	35	21	2	7	4	–	5	7	14	89	8	14	13	5	–
Balance of county	5	47	5	6	16	12	3	9	6	–	3	1	2	60	18	11	6	1	1
Richland	–	16	2	1	9	8	–	2	2	–	2	1	1	13	4	12	4	–	–
Rock	3	85	36	17	43	39	3	8	17	–	9	8	8	134	24	21	13	5	–
Beloit	1	22	10	7	11	9	–	1	6	–	2	3	5	36	4	6	6	2	–
Janesville	2	30	16	4	18	17	1	5	4	–	4	3	1	42	12	6	4	2	–
Balance of county	–	33	10	6	14	13	2	2	7	–	3	2	2	56	8	9	3	1	–
Rusk	–	15	1	4	6	6	–	1	–	–	–	2	2	18	10	4	1	–	–
St. Croix	2	43	1	–	21	13	–	–	6	–	–	4	7	30	8	11	1	–	–
Sauk	5	41	6	3	20	11	3	–	5	–	3	2	1	40	6	9	3	2	–
Sawyer	–	9	5	3	2	5	1	3	–	–	–	–	2	10	4	5	1	–	–
Shawano	4	46	16	2	13	15	1	3	3	–	1	3	3	28	9	5	4	3	–
Sheboygan	1	95	16	12	42	33	4	9	7	–	3	5	5	88	21	14	12	2	–
Sheboygan	1	54	7	3	34	21	3	7	3	–	3	2	2	50	9	11	9	1	–
Balance of county	–	41	9	9	8	12	1	2	4	–	–	3	3	38	12	3	3	1	–
Taylor	1	13	2	2	3	4	1	–	5	–	1	1	1	18	1	4	3	1	–
Trempealeau	3	22	3	1	14	11	–	1	1	–	1	–	1	27	6	9	2	–	1
Vernon	2	26	2	2	17	13	2	3	2	–	2	2	–	20	4	10	3	1	–
Vilas	–	19	1	4	10	8	–	3	–	–	2	–	–	13	4	10	–	2	–
Walworth	3	48	4	13	22	22	1	8	5	–	4	2	1	61	17	9	8	–	–
Whitewater, part	–	8	–	–	2	2	–	–	–	–	–	–	–	7	2	1	–	–	–
Whitewater, total	–	8	–	–	2	2	–	–	–	–	–	–	–	8	3	1	–	–	–
Balance of county	3	40	4	13	20	20	1	8	5	–	4	2	1	54	15	8	8	–	–
Washburn	–	18	3	5	4	2	1	–	1	–	1	3	2	12	6	5	2	1	–
Washington	1	43	9	8	7	16	2	6	4	–	7	3	5	54	24	12	4	1	–
Germantown	–	3	–	–	–	–	–	–	1	–	1	–	–	6	–	–	–	–	–
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	–	15	1	1	1	5	1	3	2	–	3	1	3	15	9	6	1	–	–
Balance of county	1	25	8	7	6	11	1	3	1	–	3	2	2	33	15	6	3	1	–
Waukesha	4	150	20	24	80	49	3	17	13	–	11	11	8	168	44	27	45	3	7
Brookfield	–	22	4	1	8	6	1	3	–	–	–	–	1	18	5	2	4	–	1
Menomonee Falls	1	10	–	2	4	4	–	4	2	–	–	–	–	14	4	3	4	–	–
Muskego	–	11	1	2	3	1	–	1	–	–	–	1	–	6	5	1	3	–	–
New Berlin	–	8	–	1	3	5	–	1	2	–	1	3	–	12	3	2	2	1	–
Waukesha	1	29	4	5	19	10	–	3	1	–	4	3	2	42	11	5	15	1	3
Balance of county	2	70	11	13	43	23	2	5	8	–	6	4	5	76	16	14	17	1	3
Waupaca	1	51	5	3	47	25	2	3	7	–	2	3	2	63	13	7	3	–	–
Waushara	1	10	2	3	5	9	1	–	1	–	–	–	1	13	6	2	2	–	1
Winnebago	2	82	11	24	35	43	4	9	10	–	4	7	11	108	26	17	19	2	–
Appleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Menasha	–	7	2	5	–	5	2	2	2	–	1	2	1	11	4	2	3	1	–
Neenah	–	15	1	9	4	5	–	3	1	–	–	2	1	16	5	2	3	–	–
Oshkosh	2	42	5	6	19	16	2	2	3	–	3	2	6	49	5	9	7	–	–
Balance of county	–	18	3	4	12	17	–	2	4	–	–	1	3	31	12	4	6	1	–
Wood	6	59	9	9	19	24	2	4	10	1	1	2	4	48	8	12	8	–	–
Marshfield, part	1	10	–	1	7	5	2	2	5	–	–	1	2	16	–	3	2	–	–
Marshfield, total	1	10	–	1	7	5	2	2	5	–	–	1	2	16	–	3	2	–	–
Wisconsin Rapids	3	21	5	3	5	9	–	1	3	1	–	–	1	11	1	3	3	–	–
Balance of county	2	28	4	5	7	10	–	1	2	–	1	1	1	21	7	6	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,218	2	-	40	645	139	164	63	78	31	35	137	59	1,267	990	11	8	627	344
Urban places	1,403	-	-	16	278	66	68	34	32	13	15	50	32	547	409	2	3	250	154
Balance of area	1,815	2	-	24	367	73	96	29	44	18	20	87	27	720	581	9	5	377	190
Metropolitan counties	403	-	-	6	94	19	28	12	8	4	3	20	12	146	115	-	2	69	44
Urban places	341	-	-	6	76	18	22	9	7	3	2	15	12	122	94	-	2	53	39
Balance of area	62	-	-	-	18	1	6	3	1	1	1	5	-	24	21	-	-	16	5
Nonmetropolitan counties	2,815	2	-	34	551	120	136	51	68	27	32	117	47	1,121	875	11	6	558	300
Urban places	1,062	-	-	10	202	48	46	25	25	10	13	35	20	425	315	2	1	197	115
Balance of area	1,753	2	-	24	349	72	90	26	43	17	19	82	27	696	560	9	5	361	185
Albany	149	-	-	-	36	10	8	4	5	1	2	6	1	60	50	-	1	31	18
Laramie	123	-	-	-	28	7	7	4	4	-	1	5	1	49	39	-	1	25	13
Balance of county	26	-	-	-	8	3	1	-	1	1	1	1	-	11	11	-	-	6	5
Big Horn	149	-	-	2	24	4	4	2	9	2	1	2	5	69	51	-	2	34	15
Campbell	121	-	-	1	20	3	9	-	3	-	3	2	5	55	41	-	-	28	13
Gillette	85	-	-	1	14	3	6	-	2	-	1	2	5	38	27	-	-	20	7
Balance of county	36	-	-	-	6	-	3	-	1	-	2	-	-	17	14	-	-	8	6
Carbon	122	-	-	2	25	6	5	4	4	1	-	5	1	42	30	1	-	16	13
Rawlins	72	-	-	2	14	3	3	3	1	1	-	3	1	27	18	-	-	9	9
Balance of county	50	-	-	-	11	3	2	1	3	-	-	2	-	15	12	1	-	7	4
Converse	89	-	-	2	14	4	3	-	2	1	-	4	1	35	29	-	-	20	9
Crook	38	-	-	-	7	2	-	1	-	-	1	3	-	19	18	-	-	10	8
Fremont	255	1	-	5	51	12	14	7	1	3	1	13	3	93	79	4	1	51	23
Goshen	139	-	-	1	19	6	5	-	3	-	-	5	2	67	55	1	-	34	20
Hot Springs	60	-	-	1	15	5	2	-	3	2	1	2	-	20	16	-	-	10	6
Johnson	77	-	-	2	20	3	3	1	2	-	1	4	1	25	21	-	-	17	4
Laramie	525	-	-	6	107	23	28	11	8	7	9	23	13	215	170	2	-	94	74
Cheyenne	432	-	-	4	89	20	23	10	8	6	7	15	11	175	134	1	-	72	61
Balance of county	93	-	-	2	18	3	3	1	-	1	2	8	2	40	36	1	-	22	13
Lincoln	93	-	-	1	17	3	-	1	5	-	1	7	1	43	35	-	-	23	12
Natrona	403	-	-	6	94	19	28	12	8	4	3	20	12	146	115	-	2	69	44
Casper	341	-	-	6	76	18	22	9	7	3	2	15	12	122	94	-	2	53	39
Balance of county	62	-	-	-	18	1	6	3	1	1	1	5	-	24	21	-	-	16	5
Niobrara	29	-	-	-	6	-	2	-	1	-	-	3	-	13	8	-	-	5	3
Park	161	-	-	1	43	8	15	3	5	3	3	6	1	87	47	1	-	35	11
Platte	89	-	-	-	21	6	6	2	-	1	1	5	3	40	33	-	-	25	8
Sheridan	217	-	-	-	43	7	8	5	8	3	2	10	-	84	62	-	-	46	16
Sheridan	179	-	-	-	34	5	6	5	7	3	2	6	-	73	52	-	-	38	14
Balance of county	38	-	-	-	9	2	2	-	1	-	-	4	-	11	10	-	-	8	2
Sublette	37	-	-	-	13	4	5	-	1	-	1	2	-	12	11	1	-	4	6
Sweetwater	203	-	-	3	28	11	1	5	3	-	3	5	2	74	53	1	-	39	19
Green River	50	-	-	1	9	2	-	2	3	-	1	1	-	14	9	-	-	6	3
Rock Springs	121	-	-	2	14	8	1	1	-	-	1	3	2	49	36	1	-	27	8
Balance of county	32	-	-	-	5	1	-	2	-	-	1	1	-	11	8	-	-	6	2
Teton	47	-	-	1	8	-	3	2	1	1	-	1	2	14	11	-	-	6	5
Uinta	85	1	-	2	6	-	1	1	1	-	-	3	1	28	22	-	-	8	14
Washakie	69	-	-	1	15	2	6	-	2	1	1	3	4	24	18	-	1	11	6
Weston	61	-	-	3	13	1	4	2	1	1	1	3	1	22	15	-	1	11	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wyoming	12	188	33	34	120	177	17	38	27	–	26	32	53	323	152	110	97	28	5
Urban places	7	102	16	13	55	74	10	17	14	–	13	14	20	162	62	37	37	13	2
Balance of area	5	86	17	21	65	103	7	21	13	–	13	18	33	161	90	73	60	15	3
Metropolitan counties	–	22	5	4	17	19	3	2	4	–	3	7	5	36	20	11	15	3	–
Urban places	–	21	4	3	15	16	3	2	4	–	3	5	3	32	18	9	14	1	–
Balance of area	–	1	1	1	2	3	–	–	–	–	–	2	2	4	2	2	1	2	–
Nonmetropolitan counties	12	176	28	30	103	158	14	36	23	–	23	25	48	287	132	99	82	25	5
Urban places	7	81	12	10	40	58	7	15	10	–	10	9	17	130	44	28	23	12	2
Balance of area	5	95	16	20	63	100	7	21	13	–	13	16	31	157	88	71	59	13	3
Albany	–	8	1	1	3	11	2	–	1	–	1	1	–	21	5	3	3	1	–
Laramie	–	8	1	1	3	9	2	–	1	–	–	1	–	20	4	2	2	1	–
Balance of county	–	–	–	–	–	2	–	–	–	–	1	–	–	1	1	1	1	–	–
Big Horn	1	14	–	3	8	4	1	3	–	–	–	1	4	14	4	6	3	1	–
Campbell	–	12	–	2	4	4	–	–	1	–	–	3	2	10	11	4	1	–	–
Gillette	–	10	–	1	4	4	–	–	1	–	–	2	2	6	6	2	–	–	–
Balance of county	–	2	–	1	–	–	–	–	–	–	–	1	–	4	5	2	1	–	–
Carbon	–	7	5	–	3	7	–	1	1	–	2	2	1	20	2	6	4	2	1
Rawlins	–	5	4	–	1	2	–	1	–	–	1	1	–	14	1	3	1	2	1
Balance of county	–	2	1	–	2	5	–	–	1	–	1	1	1	6	1	3	3	–	–
Converse	–	6	–	–	4	4	1	2	–	–	2	–	3	14	3	4	–	–	–
Crook	–	1	–	–	1	3	–	–	–	–	1	1	1	1	1	3	–	–	–
Fremont	1	8	3	2	10	14	1	5	3	–	4	1	4	26	14	9	9	2	–
Goshen	1	5	2	4	6	9	–	2	3	–	–	–	1	18	2	5	4	–	–
Hot Springs	–	3	–	1	6	6	1	1	–	–	–	–	1	5	1	1	2	–	–
Johnson	–	3	–	1	3	4	–	–	–	–	1	–	3	7	6	3	2	–	–
Laramie	5	32	2	6	12	27	4	10	4	–	7	2	10	53	13	17	15	9	1
Cheyenne	5	28	2	6	10	23	2	9	4	–	6	1	8	48	11	14	9	7	1
Balance of county	–	4	–	–	2	4	2	1	–	–	1	1	2	5	2	3	6	2	–
Lincoln	–	7	1	–	3	5	–	3	2	–	–	3	1	1	6	2	4	1	–
Natrona	–	22	5	4	17	19	3	2	4	–	3	7	5	36	20	11	15	3	–
Casper	–	21	4	3	15	16	3	2	4	–	3	5	3	32	18	9	14	1	–
Balance of county	–	1	1	1	2	3	–	–	–	–	–	2	2	4	2	2	1	2	–
Niobrara	–	2	3	–	2	2	–	1	–	–	–	–	–	2	1	–	1	–	1
Park	1	13	1	5	6	6	1	1	2	–	–	1	1	16	9	3	2	–	1
Platte	–	7	–	–	–	9	–	1	1	–	–	1	–	5	1	1	6	–	–
Sheridan	–	16	5	1	14	14	2	1	3	–	2	2	5	28	10	4	7	–	–
Sheridan	–	16	5	–	13	11	2	1	3	–	2	2	4	19	6	3	6	–	–
Balance of county	–	–	–	1	1	3	–	–	–	–	–	–	1	7	4	1	1	–	–
Sublette	–	1	–	–	–	2	–	–	1	–	–	–	–	2	3	2	1	1	–
Sweetwater	2	16	1	2	10	9	1	5	1	–	1	2	6	24	18	7	7	4	1
Green River	1	3	–	1	3	2	–	1	–	–	–	2	1	7	4	2	3	1	–
Rock Springs	1	11	–	1	6	7	1	3	1	–	1	–	2	16	12	2	2	1	–
Balance of county	–	2	1	–	1	–	–	1	–	–	–	–	3	1	2	3	2	2	1
Teton	–	3	–	–	–	5	–	–	–	–	1	1	–	4	4	5	1	1	–
Uinta	1	2	2	1	2	7	–	–	–	–	–	3	3	8	13	4	5	2	–
Washakie	–	3	2	1	2	2	–	–	–	–	1	–	–	5	3	6	4	–	–
Weston	–	7	–	–	4	4	–	–	–	–	–	1	2	5	2	2	1	1	–

1 Areas shown are census areas, the nearest equivalent of counties.
2 Includes data for La Paz which became a new county on January 1, 1983.
3 Includes data for Texarkana, Ark., only.
4 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
5 Areas shown are parishes, the equivalent of counties.
6 Includes data for Bristol, Tenn., only.
7 Includes data for Texarkana, Tex., only.
8 Independent city having population of less than 10,000 according to the 1980 census.
9 Includes data for Bristol, Va., only.
10 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–86	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1986	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1986	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1986	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1986	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1986	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1986	25
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1986	29

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1986*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-86

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1986	23,182	7.1	476	4.3	429	3.4
1985	23,071	7.0	506	4.6	415	3.4
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	23,182	2,138	1,876	1,903	1,913	1,961	1,787	1,937	1,883	1,855	2,012	1,885	2,032
Male	13,576	1,217	1,078	1,123	1,147	1,109	1,070	1,136	1,129	1,063	1,196	1,103	1,205
Female	9,606	921	798	780	766	852	717	801	754	792	816	782	827
Virgin Islands	476	47	39	41	32	45	43	35	32	48	46	30	38
Male	265	31	25	25	12	20	22	18	16	24	29	19	24
Female	211	16	14	16	20	25	21	17	16	24	17	11	14
White	131	12	12	14	10	10	15	7	9	11	11	8	12
Male	83	7	7	11	5	7	8	3	6	7	8	6	8
Female	48	5	5	3	5	3	7	4	3	4	3	2	4
All other	345	35	27	27	22	35	28	28	23	37	35	22	26
Male	182	24	18	14	7	13	14	15	10	17	21	13	16
Female	163	11	9	13	15	22	14	13	13	20	14	9	10
Black	342	35	27	27	22	35	27	28	23	36	35	21	26
Male	179	24	18	14	7	13	13	15	10	16	21	12	16
Female	163	11	9	13	15	22	14	13	13	20	14	9	10
Guam	429	20	24	48	31	38	33	31	37	40	42	30	55
Male	272	14	13	30	18	24	23	20	26	28	23	20	33
Female	157	6	11	18	13	14	10	11	11	12	19	10	22
White	38	1	2	3	5	4	–	3	4	1	6	5	4
Male	30	1	1	2	4	2	–	3	3	1	5	4	4
Female	8	–	1	1	1	2	–	–	1	–	1	1	–
All other	391	19	22	45	26	34	33	28	33	39	36	25	51
Male	242	13	12	28	14	22	23	17	23	27	18	16	29
Female	149	6	10	17	12	12	10	11	10	12	18	9	22
Guamanian	294	13	18	36	18	26	25	21	26	27	27	17	40
Male	167	7	9	21	9	17	16	11	18	18	11	10	20
Female	127	6	9	15	9	9	9	10	8	9	16	7	20

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1986

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	476	28	2	13	18	19	35	41	58	96	91	71	4
Male	265	11	1	11	13	13	21	23	39	59	45	26	3
Female	211	17	1	2	5	6	14	18	19	37	46	45	1
White	131	3	1	2	4	5	11	15	17	31	25	16	1
Male	83	2	–	1	3	3	9	10	13	22	12	7	1
Female	48	1	1	1	1	2	2	5	4	9	13	9	–
All other	345	25	1	11	14	14	24	26	41	65	66	55	3
Male	182	9	1	10	10	10	12	13	26	37	33	19	2
Female	163	16	–	1	4	4	12	13	15	28	33	36	1
Black	342	25	1	11	14	13	24	24	41	65	66	55	3
Male	179	9	1	10	10	9	12	11	26	37	33	19	2
Female	163	16	–	1	4	4	12	13	15	28	33	36	1
Guam	429	29	5	12	28	16	21	42	96	91	66	23	–
Male	272	16	2	8	22	14	15	31	60	55	41	8	–
Female	157	13	3	4	6	2	6	11	36	36	25	15	–
White	38	4	–	2	5	5	5	3	4	7	2	1	–
Male	30	1	–	1	5	5	3	3	3	6	2	1	–
Female	8	3	–	1	–	–	2	–	1	1	–	–	–
All other	391	25	5	10	23	11	16	39	92	84	64	22	–
Male	242	15	2	7	17	9	12	28	57	49	39	7	–
Female	149	10	3	3	6	2	4	11	35	35	25	15	–
Guamanian	294	17	3	6	15	10	9	29	63	72	51	19	–
Male	167	10	1	4	10	8	7	18	34	40	29	6	–
Female	127	7	2	2	5	2	2	11	29	32	22	13	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	23,182	869	136	144	629	919	1,174	1,627	2,993	4,860	5,557	4,203	71
Male	13,576	477	80	83	486	704	870	1,094	1,932	2,913	2,989	1,882	66
Female	9,606	392	56	61	143	215	304	533	1,061	1,947	2,568	2,321	5
Shigellosis and amebiasis (004,006)	1	–	1	–	–	–	–	–	–	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	1	–	–	–	–	–	–	–	–	–	–
Male	2	1	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	72	–	–	–	2	5	7	7	8	12	17	13	1
Male	42	–	–	–	1	4	6	5	5	7	8	5	1
Female	30	–	–	–	1	1	1	2	3	5	9	8	–
Tuberculosis of respiratory system (010-012)	60	–	–	–	–	3	6	6	6	11	15	12	1
Male	35	–	–	–	–	2	6	4	3	7	7	5	1
Female	25	–	–	–	–	1	–	2	3	4	8	7	–
Other tuberculosis (013-018)	12	–	–	–	2	2	1	1	2	1	2	1	–
Male	7	–	–	–	1	2	–	1	2	–	1	–	–
Female	5	–	–	–	1	–	1	–	–	1	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	360	17	2	5	3	9	15	13	34	76	97	89	–
Male	201	8	1	3	1	7	8	10	22	46	56	39	–
Female	159	9	1	2	2	2	7	3	12	30	41	50	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	13	–	–	–	2	3	3	1	1	1	1	1	–
Male	4	–	–	–	1	1	1	–	1	–	–	–	–
Female	9	–	–	–	1	2	2	1	–	1	1	1	–
Syphilis (090-097)	4	1	–	–	–	–	–	–	–	1	1	1	–
Male	3	–	–	–	–	–	–	–	–	1	1	1	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	81	4	2	–	4	16	12	11	10	8	10	4	–
Male	52	4	2	–	3	11	8	10	5	4	3	2	–
Female	29	–	–	–	1	5	4	1	5	4	7	2	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,684	1	6	18	34	58	162	358	718	1,009	914	406	–
Male	2,189	1	3	6	19	25	89	193	431	609	559	254	–
Female	1,495	–	3	12	15	33	73	165	287	400	355	152	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	171	–	–	–	–	3	11	23	41	52	31	10	–
Male	142	–	–	–	–	2	11	22	36	40	25	6	–
Female	29	–	–	–	–	1	–	1	5	12	6	4	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,265	–	–	–	1	12	42	98	255	358	344	155	–
Male	770	–	–	–	1	6	28	61	170	222	198	84	–
Female	495	–	–	–	–	6	14	37	85	136	146	71	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	560	–	–	–	1	1	18	45	117	190	140	48	–
Male	429	–	–	–	–	1	14	42	96	145	100	31	–
Female	131	–	–	–	1	–	4	3	21	45	40	17	–
Malignant neoplasm of breast (174-175)	219	–	–	–	–	6	19	54	54	50	29	7	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	217	–	–	–	–	6	19	54	54	49	28	7	–
Malignant neoplasms of genital organs (179-187)	552	–	–	–	5	9	26	38	79	116	179	100	–
Male	335	–	–	–	3	2	1	8	29	73	135	84	–
Female	217	–	–	–	2	7	25	30	50	43	44	16	–
Malignant neoplasms of urinary organs (188-189)	110	–	1	1	1	1	4	6	18	31	29	18	–
Male	65	–	–	–	1	–	3	4	13	14	20	10	–
Female	45	–	1	1	–	1	1	2	5	17	9	8	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	452	–	3	7	12	11	24	61	90	121	83	40	–
Male	257	–	2	2	6	4	17	42	52	67	42	23	–
Female	195	–	1	5	6	7	7	19	38	54	41	17	–
Leukemia (204-208)	147	–	2	7	7	6	8	17	18	39	31	12	–
Male	72	–	1	3	3	3	6	6	8	22	15	5	–
Female	75	–	1	4	4	3	2	11	10	17	16	7	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	208	1	–	3	7	9	10	16	46	52	48	16	–
Male	117	1	–	1	5	7	9	8	27	25	23	11	–
Female	91	–	–	2	2	2	1	8	19	27	25	5	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	88	-	-	2	6	3	5	7	11	22	26	6	-
Male	52	-	-	1	3	1	5	5	4	16	12	5	-
Female	36	-	-	1	3	2	-	2	7	6	14	1	-
Diabetes mellitus (250)	1,050	1	-	2	3	8	16	69	154	311	317	169	-
Male	446	-	-	-	1	4	9	39	83	138	122	50	-
Female	604	1	-	2	2	4	7	30	71	173	195	119	-
Nutritional deficiencies (260-269)	40	-	1	-	1	-	-	1	4	11	8	14	-
Male	27	-	-	-	1	-	-	-	4	10	6	6	-
Female	13	-	1	-	-	-	-	1	-	1	2	8	-
Anemias (280-285)	102	2	2	1	2	2	1	8	8	20	28	28	-
Male	62	2	1	1	2	2	1	6	3	10	16	18	-
Female	40	-	1	-	-	-	-	2	5	10	12	10	-
Meningitis (320-322)	35	16	5	1	2	2	1	2	2	-	4	-	-
Male	27	12	4	-	2	2	1	1	1	-	4	-	-
Female	8	4	1	1	-	-	-	1	1	-	-	-	-
Major cardiovascular diseases (390-448)	8,895	22	8	7	33	75	198	448	1,090	2,079	2,670	2,243	22
Male	4,732	10	5	4	20	44	129	283	674	1,222	1,375	944	22
Female	4,163	12	3	3	13	31	69	165	416	857	1,295	1,299	-
Diseases of heart (390-398,402,404-429)	6,692	16	7	2	25	56	154	362	881	1,612	1,957	1,598	22
Male	3,612	7	4	2	16	35	106	231	548	949	1,004	688	22
Female	3,080	9	3	-	9	21	48	131	333	663	953	910	-
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	-	3	3	5	8	7	4	3	1	-
Male	9	-	-	-	1	2	1	-	-	2	2	1	-
Female	25	-	-	-	2	1	4	8	7	2	1	-	-
Hypertensive heart disease (402)	202	-	-	-	-	2	3	4	25	39	79	50	-
Male	98	-	-	-	-	2	2	3	11	20	38	22	-
Female	104	-	-	-	-	-	1	1	14	19	41	28	-
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	1	2	2	4	4	2	-
Male	10	-	-	-	-	-	-	1	2	3	2	2	-
Female	5	-	-	-	-	-	1	1	-	1	2	-	-
Ischemic heart disease (410-414)	4,569	1	1	-	6	17	93	264	667	1,226	1,312	950	22
Male	2,554	1	1	-	5	11	70	184	431	740	673	416	22
Female	2,015	-	-	-	1	6	23	80	236	486	639	544	-
Acute myocardial infarction (410)	2,887	1	1	-	5	12	61	186	485	883	787	454	12
Male	1,643	1	1	-	4	6	50	131	318	538	406	176	12
Female	1,244	-	-	-	1	6	11	55	167	345	381	278	-
Other acute and subacute forms of ischemic heart disease (411)	56	-	-	-	-	-	2	2	3	11	19	17	2
Male	30	-	-	-	-	-	1	-	3	8	12	4	2
Female	26	-	-	-	-	-	1	2	-	3	7	13	-
Angina pectoris (413)	41	-	-	-	-	-	1	-	9	13	10	8	-
Male	21	-	-	-	-	-	-	-	6	5	5	5	-
Female	20	-	-	-	-	-	1	-	3	8	5	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,585	-	-	-	1	5	29	76	170	319	496	481	8
Male	860	-	-	-	1	5	19	53	104	189	250	231	8
Female	725	-	-	-	-	-	10	23	66	130	246	250	-
Other diseases of endocardium (424)	44	-	-	-	1	5	2	3	4	12	10	7	-
Male	19	-	-	-	-	2	1	1	3	5	6	1	-
Female	25	-	-	-	1	3	1	2	1	7	4	6	-
All other forms of heart disease (415-423,425-429)	1,828	15	6	2	15	29	50	81	176	327	549	578	-
Male	922	6	3	2	10	18	32	42	101	179	283	246	-
Female	906	9	3	-	5	11	18	39	75	148	266	332	-
Hypertension with or without renal disease (401,403)	149	-	-	-	-	-	4	13	22	34	37	39	-
Male	82	-	-	-	-	-	3	9	12	19	20	19	-
Female	67	-	-	-	-	-	1	4	10	15	17	20	-
Cerebrovascular diseases (430-438)	1,685	6	-	4	7	17	34	67	163	364	581	442	-
Male	846	3	-	2	3	9	19	39	99	202	301	169	-
Female	839	3	-	2	4	8	15	28	64	162	280	273	-
Intracerebral and other intracranial hemorrhage (431-432)	274	5	-	2	2	7	18	24	44	65	73	34	-
Male	144	2	-	1	-	4	11	16	29	37	34	10	-
Female	130	3	-	1	2	3	7	8	15	28	39	24	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	240	-	-	-	1	1	2	7	20	53	86	70	-
Male	122	-	-	-	1	-	2	2	12	26	52	27	-
Female	118	-	-	-	-	1	-	5	8	27	34	43	-
Cerebral embolism (434.1)	12	-	-	-	-	-	1	-	1	-	5	5	-
Male	3	-	-	-	-	-	-	-	1	-	2	-	-
Female	9	-	-	-	-	-	1	-	-	-	3	5	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,159	1	-	2	4	9	13	36	98	246	417	333	-
Male	577	1	-	1	2	5	6	21	57	139	213	132	-
Female	582	-	-	1	2	4	7	15	41	107	204	201	-
Atherosclerosis (440)	242	-	-	-	-	-	-	-	9	33	61	139	-
Male	108	-	-	-	-	-	-	-	4	25	25	54	-
Female	134	-	-	-	-	-	-	-	5	8	36	85	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	127	–	1	1	1	2	6	6	15	36	34	25	–
Male	84	–	1	–	1	–	1	4	11	27	25	14	–
Female	43	–	–	1	–	2	5	2	4	9	9	11	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	1	–	–	1	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia and influenza (480-487)	1,251	65	11	8	18	42	53	52	110	188	334	368	2
Male	714	41	5	5	12	29	42	37	69	128	181	164	1
Female	537	24	6	3	6	13	11	15	41	60	153	204	1
Pneumonia (480-486)	1,242	65	11	8	18	42	53	51	110	187	332	383	2
Male	712	41	5	5	12	29	42	37	69	127	181	163	1
Female	530	24	6	3	6	13	11	14	41	60	151	200	1
Influenza (487)	9	–	–	–	–	–	–	1	–	1	2	5	–
Male	2	–	–	–	–	–	–	–	–	1	–	1	–
Female	7	–	–	–	–	–	–	1	–	–	2	4	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	733	2	3	–	5	9	14	18	66	212	228	176	–
Male	421	1	2	–	3	5	9	7	44	129	134	87	–
Female	312	1	1	–	2	4	5	11	22	83	94	89	–
Bronchitis, chronic and unspecified (490-491)	35	–	1	–	–	–	–	–	2	9	11	12	–
Male	24	–	1	–	–	–	–	–	1	7	7	8	–
Female	11	–	–	–	–	–	–	–	1	2	4	4	–
Emphysema (492)	137	–	–	–	–	1	1	3	11	40	50	31	–
Male	80	–	–	–	–	–	1	2	8	29	23	17	–
Female	57	–	–	–	–	1	–	1	3	11	27	14	–
Asthma (493)	111	1	2	–	4	7	10	9	17	25	23	13	–
Male	62	1	1	–	2	5	6	2	9	14	15	7	–
Female	49	–	1	–	2	2	4	7	8	11	8	6	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	450	1	–	–	1	1	3	6	36	138	144	120	–
Male	255	–	–	–	1	–	2	3	26	79	89	55	–
Female	195	1	–	–	–	1	1	3	10	59	55	65	–
Ulcer of stomach and duodenum (531-533)	82	–	–	–	1	2	3	5	18	18	22	13	–
Male	49	–	–	–	1	2	2	1	13	11	14	5	–
Female	33	–	–	–	–	–	1	4	5	7	8	8	–
Appendicitis (540-543)	5	–	1	–	–	–	1	–	–	2	–	1	–
Male	3	–	–	–	–	–	1	–	–	2	–	–	–
Female	2	–	1	–	–	–	–	–	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	2	–	–	–	–	–	–	2	9	19	17	–
Male	26	–	–	–	–	–	–	–	2	6	9	9	–
Female	23	2	–	–	–	–	–	–	–	3	10	8	–
Chronic liver disease and cirrhosis (571)	774	–	–	–	3	32	119	152	200	166	74	18	10
Male	608	–	–	–	2	29	109	127	165	109	49	11	7
Female	166	–	–	–	1	3	10	25	35	57	25	7	3
Cholelithiasis and other disorders of gallbladder (574-575)	31	–	–	–	–	–	–	–	2	8	8	13	–
Male	13	–	–	–	–	–	–	–	–	2	4	7	–
Female	18	–	–	–	–	–	–	–	2	6	4	6	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	296	1	1	–	2	4	9	22	51	61	83	62	–
Male	164	–	1	–	2	3	7	12	31	30	46	32	–
Female	132	1	–	–	–	1	2	10	20	31	37	30	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	17	–	–	–	–	1	–	2	1	5	5	3	–
Male	9	–	–	–	–	1	–	2	1	4	1	–	–
Female	8	–	–	–	–	–	–	–	–	1	4	3	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	–	–	–	–	1	1	1	3	6	6	4	–
Male	8	–	–	–	–	1	–	–	2	1	2	2	–
Female	14	–	–	–	–	–	1	1	1	5	4	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	257	1	1	–	2	2	8	19	47	50	72	55	–
Male	147	–	1	–	2	1	7	10	28	25	43	30	–
Female	110	1	–	–	–	1	1	9	19	25	29	25	–
Infections of kidney (590)	36	–	1	–	2	1	4	–	5	4	11	8	–
Male	15	–	1	–	1	–	2	–	1	2	4	4	–
Female	21	–	–	–	1	1	2	–	4	2	7	4	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	3	2	2	–
Male	7	–	–	–	–	–	–	–	–	3	2	2	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	11	...	...	–	2	7	2	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	11	...	...	–	2	7	2	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	2	...	...	–	–	1	1	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	...	...	–	–	1	1	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	...	...	–	2	6	1	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	...	...	–	2	6	1	–	...	...	...	...	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	232	164	29	12	6	7	6	3	6	3	–	2	–
Male	111	75	11	5	4	5	2	1	3	3	–	2	–
Female	121	89	12	7	2	2	4	2	3	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	479	478	1	–	–	–	–	–	–	–	–	–	–
Male	276	276	–	–	–	–	–	–	–	–	–	–	–
Female	203	202	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	238	238	–	–	–	–	–	–	–	–	–	–	–
Male	143	143	–	–	–	–	–	–	–	–	–	–	–
Female	95	95	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	241	240	1	–	–	–	–	–	–	–	–	–	–
Male	133	133	–	–	–	–	–	–	–	–	–	–	–
Female	108	107	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	176	17	1	1	9	13	8	5	17	23	28	50	4
Male	94	10	1	1	8	9	5	4	12	16	13	11	4
Female	82	7	–	–	1	4	3	1	5	7	15	39	–
All other diseases (Residual)	2,409	58	29	24	81	182	192	205	287	427	506	408	10
Male	1,473	30	20	11	56	142	147	144	193	269	273	178	10
Female	936	28	9	13	25	40	45	61	94	158	233	230	–
Accidents and adverse effects (E800-E949)	1,260	16	37	54	201	186	161	144	115	134	109	84	19
Male	965	6	21	39	166	163	133	127	97	92	64	39	18
Female	295	10	16	15	35	23	28	17	18	42	45	45	1
Motor vehicle accidents (E810-E825)	567	2	12	28	124	123	90	57	49	49	27	2	4
Male	458	1	6	18	97	108	70	51	45	36	21	1	4
Female	109	1	6	10	27	15	20	6	4	13	6	1	–
All other accidents and adverse effects (E800-E807,E826-E949)	693	14	25	26	77	63	71	87	66	85	82	82	15
Male	507	5	15	21	69	55	63	76	52	56	43	38	14
Female	186	9	10	5	8	8	8	11	14	29	39	44	1
Suicide (E950-E959)	307	...	...	1	21	68	63	44	36	35	32	7	–
Male	267	...	...	1	17	60	54	37	32	32	27	7	–
Female	40	...	...	–	4	8	9	7	4	3	5	–	–
Homicide and legal intervention (E960-E978)	614	1	–	8	186	185	119	50	38	17	7	–	3
Male	528	–	–	6	160	156	100	43	37	16	7	–	3
Female	86	1	–	2	26	29	19	7	1	1	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	476	28	2	13	18	19	35	41	58	96	91	71	4
White, male	83	2	–	1	3	3	9	10	13	22	12	7	1
White, female	48	1	1	1	1	2	2	5	4	9	13	9	–
All other, male	182	9	1	10	10	10	12	13	26	37	33	19	2
All other, female	163	16	–	1	4	4	12	13	15	28	33	36	1
Black, male	179	9	1	10	10	9	12	11	26	37	33	19	2
Black, female	163	16	–	1	4	4	12	13	15	28	33	36	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	7	–	–	–	–	1	–	1	–	2	2	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	1	–	–	–	2	–	1	–
All other, female	3	–	–	–	–	–	–	1	–	–	2	–	–
Black, male	4	–	–	–	–	1	–	–	–	2	–	1	–
Black, female	3	–	–	–	–	–	–	1	–	–	2	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	82	–	–	–	3	1	2	13	17	21	18	6	1
White, male	16	–	–	–	–	–	1	2	6	5	2	–	–
White, female	8	–	–	–	1	–	–	2	1	2	1	1	–
All other, male	33	–	–	–	1	–	1	5	5	10	7	3	1
All other, female	25	–	–	–	1	1	–	4	5	4	8	2	–
Black, male	33	–	–	–	1	–	1	5	5	10	7	3	1
Black, female	25	–	–	–	1	1	–	4	5	4	8	2	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	–	–	–	1	–	–	1	1	–	2	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	1	–	–	1	–	–	2	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	–	–	–	1	–	–	1	–	–	2	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	23	–	–	–	–	–	–	3	6	8	6	–	–
White, male	4	–	–	–	–	–	–	1	1	1	1	–	–
White, female	3	–	–	–	–	–	–	–	–	2	1	–	–
All other, male	7	–	–	–	–	–	–	–	3	2	2	–	–
All other, female	9	–	–	–	–	–	–	2	2	3	2	–	–
Black, male	7	–	–	–	–	–	–	–	3	2	2	–	–
Black, female	9	–	–	–	–	–	–	2	2	3	2	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	13	–	–	–	–	–	–	1	4	6	2	1	–
White, male	5	–	–	–	–	–	–	–	3	1	1	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	5	–	–	–	–	–	–	1	–	4	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Black, male	5	–	–	–	–	–	–	1	–	4	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Malignant neoplasm of breast (174-175)	6	–	–	–	–	1	–	1	3	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	5	–	–	–	–	1	–	–	3	–	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	5	–	–	–	–	1	–	–	3	–	1	–	–
Malignant neoplasms of genital organs (179-187)	17	–	–	–	–	–	–	1	2	5	5	4	–
White, male	3	–	–	–	–	–	–	1	–	2	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	–	–	–	–	–	–	–	2	3	3	3	–
All other, female	3	–	–	–	–	–	–	–	–	–	2	1	–
Black, male	11	–	–	–	–	–	–	–	2	3	3	3	–
Black, female	3	–	–	–	–	–	–	–	–	–	2	1	–
Malignant neoplasms of urinary organs (188-189)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	10	–	–	–	1	–	1	5	–	1	2	–	–
White, male	1	–	–	–	–	–	1	–	–	–	–	–	–
White, female	2	–	–	–	1	–	–	1	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	2	–	–	–	–	–
All other, female	5	–	–	–	–	–	–	2	–	1	2	–	–
Black, male	2	–	–	–	–	–	–	2	–	–	–	–	–
Black, female	5	–	–	–	–	–	–	2	–	1	2	–	–
Leukemia (204-208)	3	–	–	–	1	–	–	–	–	1	–	1	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	–	–	–	–	–	1	1	–	1	–	–	1
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	1	1	–	1	–	–	1
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	–	–	–	–	–	1	1	–	1	–	–	1
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	–	–	–	1	–	1	1	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	1	–	–	1	–	–	–	–	–
All other, female	2	–	–	–	–	–	1	–	1	–	–	–	–
Black, male	2	–	–	–	1	–	–	1	–	–	–	–	–
Black, female	2	–	–	–	–	–	1	–	1	–	–	–	–
Diabetes mellitus (250)	18	–	–	–	–	–	–	1	2	5	6	4	–
White, male	2	–	–	–	–	–	–	–	–	1	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	4	–	–	–	–	–	–	–	1	–	2	1	–
All other, female	11	–	–	–	–	–	–	1	1	4	3	2	–
Black, male	4	–	–	–	–	–	–	–	1	–	2	1	–
Black, female	11	–	–	–	–	–	–	1	1	4	3	2	–
Nutritional deficiencies (260-269)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	4	–	1	–	2	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	1	–	2	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	–	1	–	2	–	–	–	–	–	1	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	–	1	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	1	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	197	1	–	1	2	2	12	13	20	45	49	52	–
White, male	36	–	–	–	1	1	3	4	4	10	7	6	–
White, female	28	–	–	–	–	–	1	3	1	6	11	6	–
All other, male	67	–	–	–	1	1	4	4	12	15	17	13	–
All other, female	66	1	–	1	–	–	4	2	3	14	14	27	–
Black, male	66	–	–	–	1	1	4	3	12	15	17	13	–
Black, female	66	1	–	1	–	–	4	2	3	14	14	27	–
Diseases of heart (390-398,402,404-429)	152	1	–	1	1	2	9	11	18	31	40	38	–
White, male	29	–	–	–	1	1	2	4	3	7	7	4	–
White, female	24	–	–	–	–	–	1	3	–	5	10	5	–
All other, male	55	–	–	–	–	1	4	3	12	10	14	11	–
All other, female	44	1	–	1	–	–	2	1	3	9	9	18	–
Black, male	54	–	–	–	–	1	4	2	12	10	14	11	–
Black, female	44	1	–	1	–	–	2	1	3	9	9	18	–
Rheumatic fever and rheumatic heart disease (390-398)	2	–	–	1	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	1	–	–	–	–	–	–	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	1	–	–	–	–	–	–	1	–	–
Hypertensive heart disease (402)	25	–	–	–	–	–	2	3	3	5	6	6	–
White, male	4	–	–	–	–	–	–	–	–	2	1	1	–
White, female	3	–	–	–	–	–	–	1	–	1	1	–	–
All other, male	9	–	–	–	–	–	1	2	2	–	1	3	–
All other, female	9	–	–	–	–	–	1	–	1	2	3	2	–
Black, male	9	–	–	–	–	–	1	2	2	–	1	3	–
Black, female	9	–	–	–	–	–	1	–	1	2	3	2	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	93	1	–	–	–	–	6	6	12	22	22	24	–
White, male	17	–	–	–	–	–	2	3	3	4	4	1	–
White, female	11	–	–	–	–	–	–	1	–	3	3	4	–
All other, male	39	–	–	–	–	–	3	1	9	9	12	5	–
All other, female	26	1	–	–	–	–	1	1	–	6	3	14	–
Black, male	38	–	–	–	–	–	3	–	9	9	12	5	–
Black, female	26	1	–	–	–	–	1	1	–	6	3	14	–
Acute myocardial infarction (410)	50	1	–	–	–	–	2	5	8	11	16	7	–
White, male	9	–	–	–	–	–	1	2	2	1	3	–	–
White, female	6	–	–	–	–	–	–	1	–	1	3	1	–
All other, male	26	–	–	–	–	–	–	1	6	8	9	2	–
All other, female	9	1	–	–	–	–	1	1	–	1	1	4	–
Black, male	25	–	–	–	–	–	–	–	6	8	9	2	–
Black, female	9	1	–	–	–	–	1	1	–	1	1	4	–
Other acute and subacute forms of ischemic heart disease (411)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	43	-	-	-	-	-	4	1	4	11	6	17	-
White, male	8	-	-	-	-	-	1	1	1	3	1	1	-
White, female	5	-	-	-	-	-	-	-	-	2	-	3	-
All other, male	13	-	-	-	-	-	3	-	3	1	3	3	-
All other, female	17	-	-	-	-	-	-	-	-	5	2	10	-
Black, male	13	-	-	-	-	-	3	-	3	1	3	3	-
Black, female	17	-	-	-	-	-	-	-	-	5	2	10	-
Other diseases of endocardium (424)	2	-	-	-	1	-	-	-	-	-	1	-	-
White, male	1	-	-	-	1	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	29	-	-	-	-	1	1	2	3	4	10	8	-
White, male	7	-	-	-	-	1	-	1	-	1	2	2	-
White, female	10	-	-	-	-	-	1	1	-	1	6	1	-
All other, male	6	-	-	-	-	-	-	-	1	1	1	3	-
All other, female	6	-	-	-	-	-	-	-	2	1	1	2	-
Black, male	6	-	-	-	-	-	-	-	1	1	1	3	-
Black, female	6	-	-	-	-	-	-	-	2	1	1	2	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	38	-	-	-	1	-	3	2	1	12	7	12	-
White, male	6	-	-	-	-	-	1	-	1	3	-	1	-
White, female	3	-	-	-	-	-	-	-	-	1	1	1	-
All other, male	10	-	-	-	1	-	-	1	-	4	2	2	-
All other, female	19	-	-	-	-	-	2	1	-	4	4	8	-
Black, male	10	-	-	-	1	-	-	1	-	4	2	2	-
Black, female	19	-	-	-	-	-	2	1	-	4	4	8	-
Intracerebral and other intracranial hemorrhage (431-432)	10	-	-	-	-	-	2	1	1	3	2	1	-
White, male	3	-	-	-	-	-	1	-	1	1	-	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	5	-	-	-	-	-	1	1	-	1	2	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	5	-	-	-	-	-	1	1	-	1	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	-	-	-	-	-	-	-	-	4	-	5	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	2	-	1	-
All other, female	5	-	-	-	-	-	-	-	-	2	-	3	-
Black, male	3	-	-	-	-	-	-	-	-	2	-	1	-
Black, female	5	-	-	-	-	-	-	-	-	2	-	3	-
Cerebral embolism (434.1)	1	-	-	-	1	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	18	-	-	-	-	-	1	1	-	5	5	6	-
White, male	2	-	-	-	-	-	-	-	-	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	6	-	-	-	-	-	-	1	-	2	2	1	-
All other, female	9	-	-	-	-	-	1	-	-	1	2	5	-
Black, male	6	-	-	-	-	-	-	1	-	2	2	1	-
Black, female	9	-	-	-	-	-	1	-	-	1	2	5	-
Atherosclerosis (440)	4	-	-	-	-	-	-	-	-	2	-	2	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	2	-	-	-	-	-	-	-	-	-	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	9	1	–	–	–	–	1	–	1	2	3	1	–
White, male	2	–	–	–	–	–	–	–	–	–	1	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	1	1	–	–
All other, female	4	1	–	–	–	–	1	–	–	1	1	–	–
Black, male	3	–	–	–	–	–	–	–	1	1	1	–	–
Black, female	4	1	–	–	–	–	1	–	–	1	1	–	–
Pneumonia (480-486)	9	1	–	–	–	–	1	–	1	2	3	1	–
White, male	2	–	–	–	–	–	–	–	–	–	1	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	1	1	–	–
All other, female	4	1	–	–	–	–	1	–	–	1	1	–	–
Black, male	3	–	–	–	–	–	–	–	1	1	1	–	–
Black, female	4	1	–	–	–	–	1	–	–	1	1	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	1	–	–	–	–	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	–	–	–	–	–	–	–	–	2	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	1	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic liver disease and cirrhosis (571)	16	–	–	–	–	–	–	5	4	5	2	–	–
White, male	5	–	–	–	–	–	–	2	–	3	–	–	–
White, female	2	–	–	–	–	–	–	–	1	1	–	–	–
All other, male	5	–	–	–	–	–	–	1	2	1	1	–	–
All other, female	4	–	–	–	–	–	–	2	1	–	1	–	–
Black, male	5	–	–	–	–	–	–	1	2	1	1	–	–
Black, female	4	–	–	–	–	–	–	2	1	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	–	–	–	–	–	–	–	–	3	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	2	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	2	–	–	–	–	–	–	–	–	2	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	–	–	–	–	–	–	–	–	3	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	2	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	2	–	–	–	–	–	–	–	–	2	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	1	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	2	–	–	–	–	–	–	–	1	–	1	–	–
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	2	–	–	–	–	–	–	–	1	–	1	–	–
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	...	...	–	1	2	1	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	1	...	...	–	–	1	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	3	...	...	–	1	1	1	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	3	...	...	–	1	1	1	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	...	...	–	1	2	1	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	1	...	...	–	–	1	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	3	...	...	–	1	1	1	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	3	...	...	–	1	1	1	–	...	...	...	...	–
Congenital anomalies (740-759)	7	4	–	2	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	2	–	1	–	–	–	–	–	–	–
All other, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Black, male	3	–	–	2	–	1	–	–	–	–	–	–	–
Black, female	4	4	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period (760-779)	22	21	–	–	1	–	–	–	–	–	–	–	–
White, male	3	2	–	–	1	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	9	9	–	–	–	–	–	–	–	–	–	–	–
All other, female	9	9	–	–	–	–	–	–	–	–	–	–	–
Black, male	9	9	–	–	–	–	–	–	–	–	–	–	–
Black, female	9	9	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	9	9	–	–	–	–	–	–	–	–	–	–	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	2	–	–	–	–	–	–	–	–	–	–	–
Black, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	13	12	–	–	1	–	–	–	–	–	–	–	–
White, male	1	–	–	–	1	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	7	7	–	–	–	–	–	–	–	–	–	–	–
All other, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Black, male	7	7	–	–	–	–	–	–	–	–	–	–	–
Black, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	3	–	–	–	–	–	–	–	–	–	1	1	1
White, male	1	–	–	–	–	–	–	–	–	–	–	–	1
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other diseases (Residual)	38	–	–	1	3	4	6	–	9	9	3	3	–
White, male	4	–	–	–	–	–	1	–	2	1	–	–	–
White, female	3	–	–	1	–	–	1	–	1	–	–	–	–
All other, male	16	–	–	–	1	3	3	–	2	5	2	–	–
All other, female	15	–	–	–	2	1	1	–	4	3	1	3	–
Black, male	16	–	–	–	1	3	3	–	2	5	2	–	–
Black, female	15	–	–	–	2	1	1	–	4	3	1	3	–
Accidents and adverse effects (E800-E949)	33	1	–	6	3	3	7	4	1	1	3	3	1
White, male	5	–	–	–	1	–	1	2	–	1	–	–	–
White, female	2	–	–	–	–	–	–	–	–	–	1	1	–
All other, male	19	–	–	6	2	3	3	2	1	–	–	1	1
All other, female	7	1	–	–	–	–	3	–	–	–	2	1	–
Black, male	17	–	–	6	2	2	3	1	1	–	–	1	1
Black, female	7	1	–	–	–	–	3	–	–	–	2	1	–
Motor vehicle accidents (E810-E825)	9	–	–	–	2	2	2	1	–	–	1	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	7	–	–	–	2	2	1	1	–	–	–	1	–
All other, female	2	–	–	–	–	–	1	–	–	–	1	–	–
Black, male	6	–	–	–	2	1	1	1	–	–	–	1	–
Black, female	2	–	–	–	–	–	1	–	–	–	1	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	24	1	–	6	1	1	5	3	1	1	2	2	1
White, male	5	–	–	–	1	–	1	2	–	1	–	–	–
White, female	2	–	–	–	–	–	–	–	–	–	1	1	–
All other, male	12	–	–	6	–	1	2	1	1	–	–	–	1
All other, female	5	1	–	–	–	–	2	–	–	–	1	1	–
Black, male	11	–	–	6	–	1	2	–	1	–	–	–	1
Black, female	5	1	–	–	–	–	2	–	–	–	1	1	–
Suicide (E950-E959)	2	...	...	1	–	–	1	–	–	–	–	–	–
White, male	2	...	...	1	–	–	1	–	–	–	–	–	–
White, female	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, male	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Black, male	–	...	...	–	–	–	–	–	–	–	–	–	–
Black, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	15	–	–	1	1	5	4	1	1	1	–	–	1
White, male	6	–	–	–	–	2	2	–	1	1	–	–	–
White, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, male	4	–	–	1	1	1	1	–	–	–	–	–	–
All other, female	4	–	–	–	–	1	1	1	–	–	–	–	1
Black, male	4	–	–	1	1	1	1	–	–	–	–	–	–
Black, female	4	–	–	–	–	1	1	1	–	–	–	–	1
All other external causes (E980-E999)	3	–	–	1	1	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	1	1	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Black, male	2	–	–	1	1	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	1	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	429	29	5	12	28	16	21	42	96	91	66	23	–
White, male	30	1	–	1	5	5	3	3	3	6	2	1	–
White, female	8	3	–	1	–	–	2	–	1	1	–	–	–
All other, male	242	15	2	7	17	9	12	28	57	49	39	7	–
All other, female	149	10	3	3	6	2	4	11	35	35	25	15	–
Guamanian, male	167	10	1	4	10	8	7	18	34	40	29	6	–
Guamanian, female	127	7	2	2	5	2	2	11	29	32	22	13	–
Shigellosis and amebiasis (004,006)	1	–	–	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	1	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	1	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	3	–	–	–	–	–	–	1	1	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	1	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	2	–	–	–	–	–	–	1	1	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	2	-	-	2	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	2	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	54	-	-	1	-	-	2	8	19	13	10	1	-
White, male	3	-	-	-	-	-	-	1	-	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	29	-	-	1	-	-	2	3	12	5	6	-	-
All other, female	21	-	-	-	-	-	-	4	7	5	4	1	-
Guamanian, male	21	-	-	1	-	-	1	2	7	5	5	-	-
Guamanian, female	17	-	-	-	-	-	-	4	5	4	4	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	-	-	-	-	-	-	1	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	14	-	-	-	-	-	1	1	5	2	4	1	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	1	-	3	1	4	-	-
All other, female	4	-	-	-	-	-	-	1	2	-	-	1	-
Guamanian, male	6	-	-	-	-	-	-	-	1	1	4	-	-
Guamanian, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	18	-	-	-	-	-	1	4	10	3	-	-	-
White, male	2	-	-	-	-	-	-	1	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	-	-	-	-	-	1	1	8	1	-	-	-
All other, female	5	-	-	-	-	-	-	2	2	1	-	-	-
Guamanian, male	8	-	-	-	-	-	1	1	5	1	-	-	-
Guamanian, female	5	-	-	-	-	-	-	2	2	1	-	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	1	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	-	1	1	2	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	3	-	-	-	-	-	-	1	-	2	-	-	-
Malignant neoplasms of genital organs (179-187)	7	-	-	-	-	-	-	-	-	5	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, female	4	-	-	-	-	-	-	-	-	2	2	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	2	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasms of urinary organs (188-189)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	-	-	-	-	-	-	1	1	1	4	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	1	1	1	2	-	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Guamanian, male	4	-	-	-	-	-	-	1	1	1	1	-	-
Guamanian, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Leukemia (204-208)	1	-	-	1	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	1	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Diabetes mellitus (250)	17	-	-	-	-	-	-	3	3	6	3	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	-	-	-	1	-	4	2	-	-
All other, female	10	-	-	-	-	-	-	2	3	2	1	2	-
Guamanian, male	4	-	-	-	-	-	-	1	-	3	-	-	-
Guamanian, female	10	-	-	-	-	-	-	2	3	2	1	2	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	1	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	1	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	171	-	-	-	1	1	7	17	50	49	36	10	-
White, male	6	-	-	-	-	1	1	-	2	1	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	105	-	-	-	-	-	4	15	31	29	23	3	-
All other, female	60	-	-	-	1	-	2	2	17	19	13	6	-
Guamanian, male	72	-	-	-	-	-	2	8	20	23	16	3	-
Guamanian, female	49	-	-	-	1	-	-	2	13	17	11	5	-
Diseases of heart (390-398,402,404-429)	134	-	-	-	1	-	5	13	38	40	28	9	-
White, male	5	-	-	-	-	-	1	-	2	1	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	84	-	-	-	-	-	3	12	24	22	20	3	-
All other, female	45	-	-	-	1	-	1	1	12	17	8	5	-
Guamanian, male	62	-	-	-	-	-	1	7	17	19	15	3	-
Guamanian, female	39	-	-	-	1	-	-	1	10	15	7	5	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	1	-	1	1	2	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	1	1	2	-	-	-	-
All other, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	6	-	-	-	-	-	-	1	1	2	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	1	-	1	2	-	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Guamanian, male	3	-	-	-	-	-	-	1	-	1	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	95	-	-	-	-	-	2	9	30	29	19	6	-
White, male	4	-	-	-	-	-	1	-	2	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	56	-	-	-	-	-	1	9	19	14	12	1	-
All other, female	35	-	-	-	-	-	-	9	15	7	4	-	-
Guamanian, male	41	-	-	-	-	-	-	5	14	12	9	1	-
Guamanian, female	31	-	-	-	-	-	-	-	8	13	6	4	-
Acute myocardial infarction (410)	31	-	-	-	-	-	1	5	10	9	4	2	-
White, male	2	-	-	-	-	-	1	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	20	-	-	-	-	-	-	5	7	4	4	-	-
All other, female	9	-	-	-	-	-	-	-	2	5	-	2	-
Guamanian, male	14	-	-	-	-	-	-	2	4	4	4	-	-
Guamanian, female	8	-	-	-	-	-	-	-	2	4	-	2	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	–	1	1	2	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	60	–	–	–	–	–	1	4	19	19	13	4	–
White, male	1	–	–	–	–	–	–	–	–	–	–	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	34	–	–	–	–	–	1	4	12	9	7	1	–
All other, female	25	–	–	–	–	–	–	–	7	10	6	2	–
Guamanian, male	25	–	–	–	–	–	–	3	10	7	4	1	–
Guamanian, female	22	–	–	–	–	–	–	–	6	9	5	2	–
Other diseases of endocardium (424)	1	–	–	–	–	–	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	1	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	27	–	–	–	–	–	1	2	5	9	7	3	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	20	–	–	–	–	–	1	1	3	7	6	2	–
All other, female	6	–	–	–	–	–	–	1	2	1	1	1	–
Guamanian, male	17	–	–	–	–	–	1	1	2	6	5	2	–
Guamanian, female	6	–	–	–	–	–	–	1	2	1	1	1	–
Hypertension with or without renal disease (401,403)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	29	–	–	–	–	1	2	2	11	5	8	–	–
White, male	1	–	–	–	–	1	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	15	–	–	–	–	–	1	2	6	3	3	–	–
All other, female	13	–	–	–	–	–	1	–	5	2	5	–	–
Guamanian, male	7	–	–	–	–	–	1	1	3	1	1	–	–
Guamanian, female	9	–	–	–	–	–	–	–	3	2	4	–	–
Intracerebral and other intracranial hemorrhage (431-432)	16	–	–	–	–	–	–	1	6	5	4	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	7	–	–	–	–	–	–	1	2	3	1	–	–
All other, female	9	–	–	–	–	–	–	–	4	2	3	–	–
Guamanian, male	2	–	–	–	–	–	–	1	–	1	–	–	–
Guamanian, female	8	–	–	–	–	–	–	–	3	2	3	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	–	–	–	–	–	–	–	–	–	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	2	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	11	–	–	–	–	1	2	1	5	–	2	–	–
White, male	1	–	–	–	–	1	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	8	–	–	–	–	–	1	1	4	–	2	–	–
All other, female	2	–	–	–	–	–	1	–	1	–	–	–	–
Guamanian, male	5	–	–	–	–	–	1	–	3	–	1	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	7	–	–	–	–	–	–	2	1	3	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	–	1	1	3	–	–	–
All other, female	2	–	–	–	–	–	–	1	–	–	–	1	–
Guamanian, male	2	–	–	–	–	–	–	–	–	2	–	–	–
Guamanian, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	25	2	–	–	–	–	–	2	3	8	5	5	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	1	–	–	–	–	–	1	1	4	3	1	–
All other, female	13	1	–	–	–	–	–	1	2	3	2	4	–
Guamanian, male	9	–	–	–	–	–	–	1	–	4	3	1	–
Guamanian, female	12	–	–	–	–	–	–	1	2	3	2	4	–
Pneumonia (480-486)	24	2	–	–	–	–	–	2	3	8	5	4	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	1	–	–	–	–	–	1	1	4	3	1	–
All other, female	12	1	–	–	–	–	–	1	2	3	2	3	–
Guamanian, male	9	–	–	–	–	–	–	1	–	4	3	1	–
Guamanian, female	11	–	–	–	–	–	–	1	2	3	2	3	–
Influenza (487)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	14	–	–	1	–	1	2	–	5	4	1	–	–
White, male	3	–	–	–	–	–	1	–	–	1	1	–	–
White, female	2	–	–	–	–	–	1	–	1	–	–	–	–
All other, male	7	–	–	–	–	1	–	–	4	2	–	–	–
All other, female	2	–	–	1	–	–	–	–	–	1	–	–	–
Guamanian, male	4	–	–	–	–	1	–	–	3	–	–	–	–
Guamanian, female	2	–	–	1	–	–	–	–	–	1	–	–	–
Bronchitis, chronic and unspecified (490-491)	1	–	–	–	–	–	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	6	–	–	1	–	–	1	–	1	3	–	–	–
White, male	2	–	–	–	–	–	1	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	2	–	–	1	–	–	–	–	–	1	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	1	–	–	–	–	–	1	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	6	–	–	–	–	1	–	–	4	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	–	1	–	–	4	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	4	–	–	–	–	1	–	–	3	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	4	–	–	–	–	–	–	–	1	1	1	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	–	1	1	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	6	–	–	–	–	1	–	3	2	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	1	–	3	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, male	3	–	–	–	–	1	–	2	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	–	–	1	–	–	–	1	2	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	1	–	–	–	1	–
All other, female	2	–	–	–	–	–	–	–	2	–	–	–	–
Guamanian, male	2	–	–	–	–	–	–	1	–	–	–	1	–
Guamanian, female	2	–	–	–	–	–	–	–	2	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	–	–	–	–	–	–	1	2	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	1	–	–	–	1	–
All other, female	2	–	–	–	–	–	–	–	2	–	–	–	–
Guamanian, male	2	–	–	–	–	–	–	1	–	–	–	1	–
Guamanian, female	2	–	–	–	–	–	–	–	2	–	–	–	–
Infections of kidney (590)	2	–	–	–	–	–	–	–	–	2	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	2	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	–	2	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	***	***	***	***	***	***	***	***	***	***	***	***	***
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	***	***	***	***	***	***	***	***	***	***	***	***	***
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	***	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	***	***	–	–	–	–	–	***	***	***	***	–
White, male	***	***	***	***	***	***	***	***	***	***	***	***	***
White, female	–	***	***	–	–	–	–	–	***	***	***	***	–
All other, male	***	***	***	***	***	***	***	***	***	***	***	***	***
All other, female	–	***	***	–	–	–	–	–	***	***	***	***	–
Guamanian, male	***	***	***	***	***	***	***	***	***	***	***	***	***
Guamanian, female	–	***	***	–	–	–	–	–	***	***	***	***	–
Pregnancy with abortive outcome (630-638)	–	***	***	–	–	–	–	–	***	***	***	***	–
White, male	***	***	***	***	***	***	***	***	***	***	***	***	***
White, female	–	***	***	–	–	–	–	–	***	***	***	***	–
All other, male	***	***	***	***	***	***	***	***	***	***	***	***	***
All other, female	–	***	***	–	–	–	–	–	***	***	***	***	–
Guamanian, male	***	***	***	***	***	***	***	***	***	***	***	***	***
Guamanian, female	–	***	***	–	–	–	–	–	***	***	***	***	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	***	***	–	–	–	–	–	***	***	***	***	–
White, male	***	***	***	***	***	***	***	***	***	***	***	***	***
White, female	–	***	***	–	–	–	–	–	***	***	***	***	–
All other, male	***	***	***	***	***	***	***	***	***	***	***	***	***
All other, female	–	***	***	–	–	–	–	–	***	***	***	***	–
Guamanian, male	***	***	***	***	***	***	***	***	***	***	***	***	***
Guamanian, female	–	***	***	–	–	–	–	–	***	***	***	***	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	3	2	–	–	–	–	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	1	–	–	–	–	1	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	1	–	–	–	–	1	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	20	19	1	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, male	12	11	1	–	–	–	–	–	–	–	–	–	–
All other, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	8	7	1	–	–	–	–	–	–	–	–	–	–
Guamanian, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	3	3	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	17	16	1	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	10	1	–	–	–	–	–	–	–	–	–	–
All other, female	4	4	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	7	6	1	–	–	–	–	–	–	–	–	–	–
Guamanian, female	3	3	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	3	3	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	3	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	27	1	1	–	1	1	3	3	7	4	4	2	–
White, male	3	–	–	–	–	–	1	–	1	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	12	–	1	–	–	–	1	1	4	3	1	1	–
All other, female	12	1	–	–	1	1	1	2	2	1	2	1	–
Guamanian, male	9	–	–	–	–	–	1	1	2	3	1	1	–
Guamanian, female	11	1	–	–	1	1	1	2	2	1	1	1	–
Accidents and adverse effects (E800-E949)	43	1	1	3	16	9	3	3	2	1	4	–	–
White, male	10	–	–	–	4	4	–	2	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	22	1	–	1	8	4	2	1	1	1	3	–	–
All other, female	11	–	1	2	4	1	1	–	1	–	1	–	–
Guamanian, male	15	1	–	1	4	3	–	1	1	1	3	–	–
Guamanian, female	9	–	1	1	3	1	1	–	1	–	1	–	–
Motor vehicle accidents (E810-E825)	30	–	1	3	13	7	1	2	2	1	–	–	–
White, male	7	–	–	–	3	3	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	13	–	–	1	6	3	–	1	1	1	–	–	–
All other, female	10	–	1	2	4	1	1	–	1	–	–	–	–
Guamanian, male	10	–	–	1	3	3	–	1	1	1	–	–	–
Guamanian, female	8	–	1	1	3	1	1	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	13	1	–	–	3	2	2	1	–	–	4	–	–
White, male	3	–	–	–	1	1	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	9	1	–	–	2	1	2	–	–	–	3	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	5	1	–	–	1	–	–	–	–	–	3	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Suicide (E950-E959)	10	...	...	1	5	3	1	–	–	–	–	–	–
White, male	1	...	...	1	–	–	–	–	–	–	–	–	–
White, female	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, male	9	...	...	–	5	3	1	–	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Guamanian, male	8	...	...	–	4	3	1	–	–	–	–	–	–
Guamanian, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	11	–	1	1	5	–	2	–	1	1	–	–	–
White, male	2	–	–	–	1	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	7	–	–	1	4	–	1	–	1	–	–	–	–
All other, female	1	–	1	–	–	–	–	–	–	–	–	–	–
Guamanian, male	3	–	–	–	2	–	1	–	–	–	–	–	–
Guamanian, female	1	–	1	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	567	170	96	25	4	-	-	7	204	1	60
Male	458	152	57	25	2	-	-	7	167	1	47
Female	109	18	39	-	2	-	-	-	37	-	13
Virgin Islands	9	-	-	-	-	-	-	-	5	-	4
White, male	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	-	-	-	-	4	-	3
All other, female	2	-	-	-	-	-	-	-	1	-	1
Black, male	6	-	-	-	-	-	-	-	4	-	2
Black, female	2	-	-	-	-	-	-	-	1	-	1
Guam	30	1	-	-	-	-	-	-	3	-	26
White, male	7	-	-	-	-	-	-	-	-	-	7
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	13	1	-	-	-	-	-	-	2	-	10
All other, female	10	-	-	-	-	-	-	-	1	-	9
Guamanian, male	10	1	-	-	-	-	-	-	1	-	8
Guamanian, female	8	-	-	-	-	-	-	-	1	-	7

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1] (0)	Farm [2] (1)	Mine and quarry (2)	Industrial place and premises (3)	Place for recreation and sport (4)	Street and highway (5)	Public building (6)	Residential institution (7)	Other specified places (8)	Unspecified place (9)
Puerto Rico	599	140	1	–	11	4	25	65	5	130	218
Male	437	95	1	–	11	3	23	47	5	121	131
Female	162	45	–	–	–	1	2	18	–	9	87
Virgin Islands	20	5	–	–	–	1	1	–	–	1	12
White, male	5	1	–	–	–	–	–	–	–	1	3
White, female	2	–	–	–	–	–	–	–	–	–	2
All other, male	11	3	–	–	–	1	1	–	–	–	6
All other, female	2	1	–	–	–	–	–	–	–	–	1
Black, male	10	3	–	–	–	1	–	–	–	–	6
Black, female	2	1	–	–	–	–	–	–	–	–	1
Guam	8	3	–	–	–	–	–	–	–	3	2
White, male	2	–	–	–	–	–	–	–	–	1	1
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	2	–	–	–	–	–	–	–	2	1
All other, female	1	1	–	–	–	–	–	–	–	–	–
Guamanian, male	4	2	–	–	–	–	–	–	–	1	1
Guamanian, female	1	1	–	–	–	–	–	–	–	–	–

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1986

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days				Total deaths	Under 1 year	Under 28 days	
Puerto Rico	23,387	23,182	869	664	632						
Adjuntas	62	127	4	2	4	Juncos	84	223	13	10	7
Aguada	82	183	5	4	8	Lajas	75	161	10	6	3
Aguadilla	469	439	15	13	15	Lares	116	175	7	6	5
Aguas Buenas	71	124	6	5	3	Las Marias	33	68	3	3	2
Aibonito	157	168	6	4	4	Las Piedras	52	148	6	4	3
Anasco	66	158	7	6	4	Loiza	56	129	8	7	8
Arecibo	1,116	784	37	34	15	Luquillo	54	132	8	7	2
Arroyo	68	154	6	3	5	Manati	397	260	13	9	2
Barceloneta	72	161	5	4	4	Maricao	19	33	2	2	5
Barranquitas	64	142	9	9	6	Maunabo	27	69	2	2	-
Bayamon	1,825	1,254	35	28	32	Mayaguez	1,508	766	14	11	4
Cabo Rojo	131	277	4	3	3	Moca	162	172	5	4	9
Caguas	1,172	864	25	16	27	Morovis	52	120	6	5	6
Camuy	81	168	5	2	2	Naguabo	79	168	6	4	3
Canovanas	95	219	9	7	7	Naranjito	54	133	7	5	7
Carolina	748	926	34	26	23	Orocovis	57	106	8	7	4
Catano	92	218	7	4	9	Patillas	65	145	6	6	3
Cayey	210	347	7	7	6	Penuelas	47	119	4	4	7
Ceiba	44	90	2	1	4	Ponce	2,204	1,374	68	45	43
Ciales	50	96	10	8	4	Quebradillas	73	147	2	2	3
Cidra	63	167	8	6	8	Rincon	55	80	4	2	2
Coamo	116	219	9	7	6	Rio Grande	104	207	11	7	6
Comerio	47	106	5	5	6	Sabana Grande	59	157	2	-	4
Corozal	70	151	4	2	10	Salinas	91	213	10	7	10
Culebra	4	5	1	1	-	San German	365	265	8	6	8
Dorado	83	159	4	3	6	San Juan	6,607	3,939	110	84	75
Fajardo	436	289	14	11	4	San Lorenzo	99	202	7	5	6
Florida	35	69	2	2	2	San Sebastian	146	282	12	7	4
Guanica	68	155	10	10	8	Santa Isabel	69	142	7	6	4
Guayama	426	302	14	12	12	Toa Alta	55	169	8	7	2
Guayanilla	84	163	7	4	7	Toa Baja	184	451	20	14	18
Guaynabo	154	459	18	16	9	Trujillo Alto	115	263	9	7	8
Gurabo	63	150	6	4	4	Utuado	125	241	11	7	5
Hatillo	102	239	6	3	4	Vega Alta	75	202	4	4	11
Hormigueros	54	98	2	1	2	Vega Baja	171	326	16	13	7
Humacao	618	351	17	14	6	Vieques	36	82	4	2	2
Isabela	148	303	12	10	10	Villalba	62	119	7	7	9
Jayuya	44	88	6	6	4	Yabucoa	99	219	7	5	10
Juana Diaz	122	301	12	9	10	Yauco	244	282	19	13	12

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1986

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	508	476	28	25	34
White	155	131	3	3	3
All other	353	345	25	22	31
Black	350	342	25	22	31
St. Croix Island	230	217	11	10	18
White	90	81	2	2	2
All other	140	136	9	8	16
Black	140	136	9	8	16
St. John Island	9	13	-	-	-
White	4	4	-	-	-
All other	5	9	-	-	-
Black	5	9	-	-	-
St. Thomas Island	269	246	17	15	16
White	61	46	1	1	1
All other	208	200	16	14	15
Black	205	197	16	14	15
Charlotte Amalie	---	165	15	13	2
White	---	24	1	1	-
All other	---	141	14	12	2
Black	---	139	14	12	2
Balance of area	---	81	2	2	14
White	---	22	-	-	1
All other	---	59	2	2	13
Black	---	58	2	2	13
Guam	449	429	29	23	23
White	40	38	4	4	3
All other	409	391	25	19	20
Guamanian	294	294	17	13	12

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	869	66	62	60	58	74	82	86	64	82	98	78	59
Under 28 days	664	42	46	44	42	52	65	77	50	68	76	57	45
VIRGIN ISLANDS													
Under 1 year	28	3	6	2	–	2	3	3	3	4	1	–	1
White	3	1	1	–	–	–	–	–	–	–	–	–	1
All other	25	2	5	2	–	2	3	3	3	4	1	–	–
Black	25	2	5	2	–	2	3	3	3	4	1	–	–
Under 28 days	25	3	4	2	–	2	3	3	3	3	1	–	1
White	3	1	1	–	–	–	–	–	–	–	–	–	1
All other	22	2	3	2	–	2	3	3	3	3	1	–	–
Black	22	2	3	2	–	2	3	3	3	3	1	–	–
GUAM													
Under 1 year	29	1	1	4	5	3	–	1	4	1	2	2	5
White	4	–	–	–	1	–	–	–	1	–	1	–	1
All other	25	1	1	4	4	3	–	1	3	1	1	2	4
Guamanian	17	–	–	4	4	1	–	1	2	1	1	2	1
Under 28 days	23	1	1	2	5	2	–	1	3	1	2	–	5
White	4	–	–	–	1	–	–	–	1	–	1	–	1
All other	19	1	1	2	4	2	–	1	2	1	1	–	4
Guamanian	13	–	–	2	4	1	–	1	2	1	1	–	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	869	477	392	28	11	17	3	2	1	25	9	16	25	9	16
Under 28 days	664	373	291	25	11	14	3	2	1	22	9	13	22	9	13
Under 7 days	533	291	242	24	10	14	3	2	1	21	8	13	21	8	13
Under 1 hour	90	48	42	9	2	7	2	1	1	7	1	6	7	1	6
1-23 hours	156	85	71	12	6	6	1	1	–	11	5	6	11	5	6
1 day	64	34	30	1	1	–	–	–	–	1	1	–	1	1	–
2 days	91	50	41	1	1	–	–	–	–	1	1	–	1	1	–
3 days	62	34	28	1	–	1	–	–	–	1	–	1	1	–	1
4 days	32	21	11	–	–	–	–	–	–	–	–	–	–	–	–
5 days	16	9	7	–	–	–	–	–	–	–	–	–	–	–	–
6 days	22	10	12	–	–	–	–	–	–	–	–	–	–	–	–
7-13 days	70	41	29	–	–	–	–	–	–	–	–	–	–	–	–
14-20 days	40	25	15	1	1	–	–	–	–	1	1	–	1	1	–
21-27 days	21	16	5	–	–	–	–	–	–	–	–	–	–	–	–
28-59 days	69	34	35	1	–	1	–	–	–	1	–	1	1	–	1
2 months	40	21	19	–	–	–	–	–	–	–	–	–	–	–	–
3 months	20	10	10	1	–	1	–	–	–	1	–	1	1	–	1
4 months	16	8	8	–	–	–	–	–	–	–	–	–	–	–	–
5 months	14	6	8	–	–	–	–	–	–	–	–	–	–	–	–
6 months	15	7	8	–	–	–	–	–	–	–	–	–	–	–	–
7 months	9	5	4	–	–	–	–	–	–	–	–	–	–	–	–
8 months	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–
9 months	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–
10 months	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
11 months	4	2	2	1	–	1	–	–	–	1	–	1	1	–	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	29	16	13	4	1	3	25	15	10	17	10	7
Under 28 days	23	15	8	4	1	3	19	14	5	13	9	4
Under 7 days	21	13	8	4	1	3	17	12	5	11	7	4
Under 1 hour	6	5	1	–	–	–	6	5	1	2	2	–
1-23 hours	10	5	5	3	1	2	7	4	3	6	3	3
1 day	2	1	1	1	–	1	1	1	–	1	1	–
2 days	1	1	–	–	–	–	1	1	–	1	1	–
3 days	1	–	1	–	–	–	1	–	1	1	–	1
4 days	–	–	–	–	–	–	–	–	–	–	–	–
5 days	1	1	–	–	–	–	1	1	–	–	–	–
6 days	–	–	–	–	–	–	–	–	–	–	–	–
7-13 days	1	1	–	–	–	–	1	1	–	1	1	–
14-20 days	1	1	–	–	–	–	1	1	–	1	1	–
21-27 days	–	–	–	–	–	–	–	–	–	–	–	–
28-59 days	1	–	1	–	–	–	1	–	1	–	–	–
2 months	1	–	1	–	–	–	1	–	1	1	–	1
3 months	–	–	–	–	–	–	–	–	–	–	–	–
4 months	3	–	3	–	–	–	3	–	3	2	–	2
5 months	1	1	–	–	–	–	1	1	–	1	1	–
6 months	–	–	–	–	–	–	–	–	–	–	–	–
7 months	–	–	–	–	–	–	–	–	–	–	–	–
8 months	–	–	–	–	–	–	–	–	–	–	–	–
9 months	–	–	–	–	–	–	–	–	–	–	–	–
10 months	–	–	–	–	–	–	–	–	–	–	–	–
11 months	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	869	664	205	28	3	22	22	–	3	3	29	4	19	13	–	6	4
Certain intestinal infections (008-009)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	17	. . .	17	–	. . .	. . .	. . .	–	–	–	–	. . .	. . .	. . .	–	–	–
Viral diseases (045-079)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital syphilis (090)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of thymus gland (254)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystic fibrosis (277.0)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs (280-289)	4	3	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Meningitis (320-322)	16	6	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system and sense organs (323-389)	6	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute upper respiratory infections (460-465)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis and bronchiolitis (466,490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	66	34	31	1	–	–	–	1	1	1	2	–	1	–	–	1	–
Pneumonia (480-486)	65	34	31	1	–	–	–	1	1	1	2	–	1	–	–	1	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of respiratory system (470-478,492-519)	21	7	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	9	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of digestive system (520-534,536-543,562-579)	7	4	3	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Congenital anomalies (740-759)	164	118	46	4	–	3	3	–	1	1	2	1	1	1	–	–	–
Anencephalus and similar anomalies (740)	17	16	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina bifida (741)	8	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital hydrocephalus (742.3)	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of heart (745-746)	44	22	22	2	–	1	1	–	1	1	2	1	1	1	–	–	–
Other congenital anomalies of circulatory system (747)	15	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of respiratory system (748)	16	15	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of digestive system (749-751)	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of genitourinary system (752-753)	13	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of musculoskeletal system (754-756)	10	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Down's syndrome (758.0)	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chromosomal anomalies (758.1-758.9)	7	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and unspecified congenital anomalies (744,757,759)	18	14	4	2	–	2	2	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	478	456	22	21	3	16	16	–	–	–	19	3	16	11	–	–	–
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	1	1	1	–	1	1	–	–	–	1	–	1	–	–	–	–
Newborn affected by maternal complications of pregnancy (761)	15	14	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes (762)	5	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Newborn affected by other complications of labor and delivery (763)	1	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Slow fetal growth and fetal malnutrition (764)	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight (765)	27	27	–	5	–	5	5	–	–	–	1	–	1	1	–	–	–
Disorders relating to long gestation and high birthweight (766)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma (767)	14	14	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Intrauterine hypoxia and birth asphyxia (768)	25	22	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Fetal distress in liveborn infant (768.2-768.4)	4	3	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Birth asphyxia (768.5-768.9)	21	19	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory distress syndrome (769)	199	190	9	9	3	6	6	–	–	–	1	–	1	1	–	–	–
Other respiratory conditions of newborn (770)	78	71	7	2	–	2	2	–	–	–	8	2	6	3	–	–	–
Infections specific to the perinatal period (771)	37	37	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Neonatal hemorrhage (772)	33	33	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn (776.0)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	38	37	1	3	–	3	3	–	–	–	2	–	2	2	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1986—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	17	10	7	–	–	–	–	–	–	–	3	–	–	–	–	3	2
Sudden infant death syndrome (798.0)	8	4	4	–	–	–	–	–	–	–	3	–	–	–	–	3	2
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	16	–	16	1	–	–	–	–	1	1	1	–	1	1	–	–	–
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	10	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidental mechanical suffocation (E913)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other accidental causes and adverse effects (E800-E910,E914-E949)	6	–	6	1	–	–	–	–	1	1	1	–	1	1	–	–	–
Homicide (E960-E969)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Child battering and other maltreatment (E967)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other homicide (E960-E966,E968-E969)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other causes (Residual)	37	17	20	1	–	1	1	–	–	–	–	–	–	–	–	–	–

☆ U.S. GOVERNMENT PRINTING OFFICE : 1988 0 - 216-006 QL 3