

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 1 of 2

CONTRACT N01-AG-7-2113

RATS Barrier 202B

ANIMAL FACILITY	STRAIN	NO./SEX	AGE	TESTING LABORATORY/DATES
Location: Indianapolis, IN Barrier/Building: 202B Ship Date: 7/22/07	F344/NHsd	2M/1F 1M/2F	5 months 10 months	University of Missouri MURADIL, Columbia, MO Receipt Date: 7/23/07 Report Date: 9/14/07

EVALUATION
NIA rats submitted for this health monitoring were obtained from NIA-NIH aging colonies maintained in barriers by Harlan. All rats examined were considered to be in a good state of health.

SEROLOGY			
Agent	Assay	No. Pos./ No. Tested	Comments
Sendai	MFI	0/6	
RCV/SDAV	MFI	0/6	
Parvoviruses	MFI	0/6	
KRV	MFI	0/6	
H-1	MFI	0/6	
PVM	MFI	0/6	
<i>M. pulmonis</i>	MFI	0/6	
Reo 3	MFI	0/1	
TMEV GDVII	MFI	0/1	
MAD	MFI	0/1	
LCM	MFI	0/1	
Hantaan	MFI	0/1	

BACTERIOLOGY		
Agent	No. Pos/No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/6	Nasopharynx lung/cecum/uterine cultures
<i>Salmonella spp.</i>	0/6	
<i>Pasteurella pneumotropica</i>	0/6	
<i>Pasteurella spp.</i>	0/6	
<i>Bordetella bronchiseptica</i>	0/6	
<i>Pseudomonas aeruginosa</i>	0/6	
<i>Citrobacter rodentium</i>	0/6	
<i>Corynebacterium kutscheri</i>	0/6	
<i>Klebsiella pneumoniae</i>	0/6	
<i>Klebsiella oxytoca</i>	0/6	
<i>Staphylococcus aureus</i>	0/6	
<i>Streptococcus pneumoniae</i>	0/6	The bacteria isolated from the nasopharynx and cecum are opportunistic or normal flora of the rat.
<i>Streptococcus sp. Group B beta</i>	0/6	

PCR	No. Pos./ No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/6	
<i>Helicobacter hepaticus</i>	0/6	

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 2 of 2

CONTRACT N01-AG-7-2113


RATS Barrier 202B

PARASITOLOGY		
Type and Test	No. Pos./No. Tested	Comments
Ectoparasites Test(s): Direct pelage	0/6	External parasites were not observed in any rat.
Endoparasites Test(s): Direct, Gross, and Microscopic (intestines & bladder)	0/6	Enteric and urinary bladder parasites were not observed in any rat.

PATHOLOGY	No. Pos./No. Tested	
Gross:	None Significant	Overall frequency of lesions in these rats is low.
Histologic:		Lesions are incidental and/or consistent with normal aging process and are not indicative of infection with murine adventitious pathogens.
Lymphoid infiltrate lung	6/6	
Harderian gland lymphoid infiltrate	2/6	
Nephrocalcinosis	3/6	
Interstitial pneumonia	1/6	
Myocardial degeneration	3/6	
A few other incidental lesions were also noted.		

AVAILABILITY	
Rats obtained from NIA-NIH aging colonies maintained in a maximum security barrier by Harlan in Indianapolis, Indiana. The combined census of these colonies, at the time of referenced monitoring, is tabulated below:	
Retired Breeder - Male (9 - 20 months of age)	177
Virgin - Male (1 - 31 months of age)	4,990
Virgin - Female (1 - 31 months of age)	2,709
Total Census:	7,876

For information, contact:
Dr. Karla A. Stevens
HARLAN SPRAGUE DAWLEY, INC.
8520 Allison Pointe, #400
Indianapolis, IN 46250
Phone: (317) 806-6060
Fax: (317) 806-6073


Karla A. Stevens, D.V.M.
Principal Investigator

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 1 of 2

CONTRACT N01-AG-7-2113

RATS Barrier 202C

ANIMAL FACILITY	STRAIN	NO./SEX	AGE	TESTING LABORATORY/DATES
Location: Indianapolis, IN Barrier/Building: 202C Ship Date: 7/22/07	F344/NHsd	1M/0F 0M/2F 2M/1F	5 months 7 months 10 months	University of Missouri MURADIL, Columbia, MO Receipt Date: 7/23/07 Report Date: 9/14/07

EVALUATION

NIA rats submitted for this health monitoring were obtained from NIA-NIH aging colonies maintained in barriers by Harlan. All rats examined were considered to be in a good state of health.

SEROLOGY

Agent	Assay	No. Pos./ No. Tested	Comments
Sendai	MFI	0/6	
RCV/SDAV	MFI	0/6	
Parvoviruses	MFI	0/6	
KRV	MFI	0/6	
H-1	MFI	0/6	
PVM	MFI	0/6	
<i>M. pulmonis</i>	MFI	0/6	
Reo 3	MFI	0/1	
TMEV GDVII	MFI	0/1	
MAD	MFI	0/1	
LCM	MFI	0/1	
Hantaan	MFI	0/1	

BACTERIOLOGY

Agent	No. Pos/No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/6	Nasopharynx lung/cecum/uterine cultures
<i>Salmonella spp.</i>	0/6	
<i>Pasteurella pneumotropica</i>	0/6	
<i>Pasteurella spp.</i>	0/6	
<i>Bordetella bronchiseptica</i>	0/6	
<i>Pseudomonas aeruginosa</i>	0/6	
<i>Citrobacter rodentium</i>	0/6	
<i>Corynebacterium kutscheri</i>	0/6	
<i>Klebsiella pneumoniae</i>	1/6	
<i>Klebsiella oxytoca</i>	0/6	
<i>Staphylococcus aureus</i>	0/6	
<i>Streptococcus pneumoniae</i>	0/6	The bacteria isolated from the nasopharynx and cecum are opportunistic or normal flora of the rat.
<i>Streptococcus sp. Group B beta</i>	0/6	

PCR

	No. Pos./ No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/6	
<i>Helicobacter hepaticus</i>	0/6*	*Previously Positive

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 2 of 2

CONTRACT N01-AG-7-2113


RATS Barrier 202C

PARASITOLOGY		
Type and Test	No. Pos./No. Tested	Comments
Ectoparasites Test(s): Direct pelage	0/6	External parasites were not observed in any rat.
Endoparasites Test(s): Direct, Gross, and Microscopic (intestines & bladder)	0/6	Enteric and urinary bladder parasites were not observed in any rat.

PATHOLOGY	No. Pos./No. Tested	
Gross:	None Significant	Overall frequency of lesions in these rats is low.
Histologic:		Lesions are incidental and/or consistent with normal aging process and are not indicative of infection with murine adventitious pathogens.
Lymphoid hyperplasia lung	5/6	
Harderian gland lymphoid infiltrate	4/6	
Retinal degeneration, moderate	2/6	
Myocardial degeneration	1/6	
Nephrocalcinosis	1/6	
Biliary hyperplasia, liver	1/6	
A few other incidental lesions were also noted.		

AVAILABILITY	
Rats obtained from NIA-NIH aging colonies maintained in a maximum security barrier by Harlan in Indianapolis, Indiana. The combined census of these colonies, at the time of referenced monitoring, is tabulated below:	
Retired Breeder - Male (9 - 27 months of age)	1,184
Virgin - Male (1 - 31 months of age)	4,854
Virgin - Female (7 - 30 months of age)	1,097
Total Census:	7,135

For information, contact:
Dr. Karla A. Stevens
HARLAN SPRAGUE DAWLEY, INC.
8520 Allison Pointe, #400
Indianapolis, IN 46250
Phone: (317) 806-6060
Fax: (317) 806-6073


Karla A. Stevens, D.V.M.
Principal Investigator

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 1 of 2

CONTRACT N01-AG-7-2113

RATS Barrier 217

ANIMAL FACILITY	STRAIN	NO./SEX	AGE	TESTING LABORATORY/DATES
Location: Indianapolis, IN Barrier/Building: 217 Ship Date: 7/22/07	F344/NHsd	2M/2F 2M/2F	5 months 10 months	University of Missouri MURADIL, Columbia, MO Receipt Date: 7/23/07 Report Date: 9/14/07

EVALUATION

NIA rats submitted for this health monitoring were obtained from NIA-NIH aging colonies maintained in barriers by Harlan. All rats examined were considered to be in a good state of health.

SEROLOGY

Agent	Assay	No. Pos./ No. Tested	Comments
Sendai	MFI	0/8	
RCV/SDAV	MFI	0/8	
Parvoviruses	MFI	0/8	
KRV	MFI	0/8	
H-1	MFI	0/8	
PVM	MFI	0/8	
<i>M. pulmonis</i>	MFI	0/8	
Reo 3	MFI	0/2	
TMEV GDVII	MFI	0/2	
MAD	MFI	0/2	
LCM	MFI	0/2	
Hantaan	MFI	0/2	

BACTERIOLOGY

Agent	No. Pos./No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/8	Nasopharynx lung/cecum/uterine cultures
<i>Salmonella</i> spp.	0/8	
<i>Pasteurella pneumotropica</i>	0/8	
<i>Pasteurella</i> spp.	0/8	
<i>Bordetella bronchiseptica</i>	0/8	
<i>Pseudomonas aeruginosa</i>	2/8	
<i>Citrobacter rodentium</i>	0/8	
<i>Corynebacterium kutscheri</i>	0/8	
<i>Klebsiella pneumoniae</i>	0/8	
<i>Klebsiella oxytoca</i>	0/8	
<i>Staphylococcus aureus</i>	0/8	
<i>Streptococcus pneumoniae</i>	0/8	The bacteria isolated from the nasopharynx and cecum are opportunistic or normal flora of the rat.
<i>Streptococcus</i> sp. Group B beta	0/8	

PCR	No. Pos./ No. Tested	Comments
<i>Mycoplasma pulmonis</i>	0/8	
<i>Helicobacter</i> sp.	0/8	

HARLAN ANIMAL COLONIES
HEALTH EVALUATION SUMMARY

Enclosure 2
September 24, 2007
Page 2 of 2

CONTRACT N01-AG-7-2113

RATS Barrier 217


PARASITOLOGY		
Type and Test	No. Pos./No. Tested	Comments
Ectoparasites Test(s): Direct pelage	0/8	External parasites were not observed in any rat.
Endoparasites Test(s): Direct, Gross, and Microscopic (intestines & bladder)	4/8*	Enteric and urinary bladder parasites were not observed in any rat. *Tested positive for <i>Chilomastix</i> spp. <i>Chilomastix</i> spp is a nonpathogenic commensal flagellate.

PATHOLOGY		No. Pos./No. Tested	Comments
Gross:	None significant		Overall frequency of lesions in these rats is low.
Histologic:			
Lymphoid hyperplasia lung	5/8		Lesions are incidental and / or consistent with the normal aging process and are not indicative of infection with murine adventitious agents.
Nephrocalcinosis	3/8		
Harderian gland lymphoid infiltrate	3/8		
Myocardial degeneration	3/8		
A few other incidental lesions were also noted.			

AVAILABILITY		
Rats obtained from NIA-NIH aging colonies maintained in a maximum security barrier by Harlan in Indianapolis, Indiana. The combined census of these colonies, at the time of referenced monitoring, is tabulated below:		
Retired Breeders - Male (9 - 27 months of age)		205
Virgin - Male (1 - 26 months of age)		8,231
Virgin - Female (1 - 32 months of age)		3,180
Total Census:		11,474

For information, contact:

Dr. Karla A. Stevens
HARLAN SPRAGUE DAWLEY, INC.
8520 Allison Pointe, #400
Indianapolis, IN 46229
Phone: (317) 806-6060
Fax: (317) 806-6073


Karla A. Stevens, D.V.M.
Principal Investigator