


WATER SUPPLY OUTLOOK
for the
EASTERN GREAT BASIN
COLORADO BASIN
RIVER FORECAST CENTER
NATIONAL WEATHER SERVICE, SALT LAKE CITY, UT




MARCH 1, 2003

SUMMARY

As of March 1 much below average April-July runoff is expected throughout the Eastern Great Basin. Forecasts are expected to range from 30 to 60 percent of the 1971-2000 average in the Great Salt Lake Basin and 35 to 60 percent in the Sevier Lake Basin. Near to below average February precipitation resulted in little change in the snowpack overall and in the spring runoff forecasts from last month. March 1 snowpack ranges mostly from 35 to 90 percent of average throughout the Great Basin.

APRIL - JULY VOLUME FORECASTS



INSIDE	
Summary	1
Great Salt Lake Basin	2
Sevier Basin	3
Specific Site Forecasts	4,5
EOM Reservoir Contents	6
Monthly Streamflows	7
Precipitation Maps	8,9
Additional Information	10

GREAT SALT LAKE BASIN

The March 1 water supply outlook is for much below average runoff in the Great Salt Lake Basin.


April-July streamflow forecasts for the Great Salt Lake Basin are as follows:

Bear River:
Much Below Average


Weber River:
Much Below Average

Utah Lake:
Much Below Average

Six Creeks:
Much Below Average



BASIN CONDITIONS - MARCH 1, 2003




* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 4.


SEVIER LAKE BASIN

The March 1 water supply outlook is for much below average April-July runoff volumes in the Sevier Lake Basin.

April-July streamflow forecasts for the Sevier Lake Basin are as follows:



BASIN CONDITIONS - March 1, 2003



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 5.

SPECIFIC SITE FORECASTS

Great Salt Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most	Percent	Reas.	Reas.
		Probable	Avg.	Max	Min
BEAR	UTAH-WYOMING STATE LINE, NR	70	60	94	52
	WOODRUFF NARROWS RES	53	39	90	26
	MONTPELIER, NR, STEWART DAM, B	96	33	198	62
BIG CK	RANDOLPH, NR	2.1	43	5.7	0.54
SMITHS FORK	BORDER, NR	60	58	86	42
LOGAN	LOGAN, NR, STATE DAM, ABV	69	57	93	51
BLACKSMITH FORK	HYRUM, NR, UP&L DAM, ABV	26	54	37	18.2
SMITH AND MOREHOUSE CK	OAKLEY, NR	20	59	28	12.2
WEBER	OAKLEY, NR	70	57	98	42
	ROCKPORT RES, WANSHIP, NR	72	54	112	32
	COALVILLE, NR	72	53	114	30
	ECHO RES, ECHO, AT	86	48	138	34
	GATEWAY	140	39	240	37
CHALK CK	COALVILLE	16	36	34	9.5
LOST CK	LOST CK RES, CROYDON, NR	5.3	30	10.8	1.7
EAST CANYON CK	EAST CANYON RES, MORGAN, NR	10.7	35	17.8	5.4
SF OGDEN	HUNTSVILLE, NR	27	42	48	18.4
OGDEN	PINEVIEW RES, OGDEN, NR	53	40	95	11
WHEELER CK	HUNTSVILLE, NR	3.4	54	5.3	1.5
SPANISH FORK	CASTILLA, NR	35	45	78	8
PROVO	WOODLAND, NR	53	51	82	24
	HAILSTONE, NR	49	45	87	11.1
	DEER CK RES	65	52	119	11.5
AMERICAN FORK	AMERICAN FORK, NR, UP PWRPLNT,	12	38	22	2.5
JORDAN	UTAH LAKE, PROVO, NR	145	45	295	40
LITTLE COTTONWOOD CK	SALT LAKE CITY, NR	22	55	31	13.2
BIG COTTONWOOD CK	SALT LAKE CITY, NR	18	47	28	8.3
CITY CK	SALT LAKE CITY, NR	3.2	37	7.1	1.2
EMIGRATION CK	SALT LAKE CITY, NR	1.4	31	4.6	0
MILL CK	SALT LAKE CITY, NR	2.5	36	5.2	1.2
DELL FK	LITTLE DELL RES	2.7	40	6.6	0.8
PARLEYS CK	SALT LAKE CITY, NR	6.1	37	14	1.1
VERNON CK	VERNON, NR	0.6	41	1.09	0.33
S WILLOW CK	GRANTSVILLE, NR	1.6	50	3.8	0.49
SETTLEMENT CK	TOOELE, NR	0.8	41	2.4	0.27

Sevier Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
SEVIER	HATCH	30	55	56	4.3
	KINGSTON, NR	46	52	83	8.8
	PIUTE RES, MARYSVALE, NR	60	48	128	5.9
	VERMILLION DAM	86	50	153	19.3
	SIGURD, NR	90	48	189	28
	GUNNISON, NR, SAN PITCH, BLO	130	46	350	55
EF SEVIER	KINGSTON, NR	20	53	44	2.2
CLEAR CK	SEVIER, NR, DIV, ABV	12	55	25	4.1
SALINA CK	* SALINA	MB	0	0	0
CHICKEN CK	LEVAN, NR	1.6	36	3.5	0.73
OAK CK	OAK CITY, NR, LITTLE CK, ABV	0.7	43	1.16	0.42
BEAVER	BEAVER, NR	16	62	22	11.4
	MINERSVILLE RES, MINERSVILLE,	7.8	47	13.5	4.5
COAL CK	CEDAR CITY, NR	9.5	49	18	4

* Categorical Forecast - Current regulations allow for discontinuance of a streamflow volume forecast when observations at the point have not been taken or recorded for 5 years or longer. Recognizing the importance to the user, the NWS and NRCS have often continued to provide forecasts long after observations have ceased. Forecasters will now have the option to express these forecasts categorically (e.g. instead of issuing a forecast of 77 percent of average, the forecast would simply be “below average”). Specifically, the categories are:

MA - much above normal (greater than 130 percent of normal)

AN - above normal (111- 130 percent of normal)


NN - near normal (90-110 percent of normal)

BN - below normal (70-89 percent of normal)

MB - much below normal (less than 70 percent of normal)

END OF MONTH RESERVOIR CONTENTS


Percent of Usable Capacity




RESERVOIR (vol. in 1000 ac-ft)	Usable Capacity	EOM Usable Contents	Percent Usable Capacity (%)
Bear Lake	1421	missing	missing
Causey	7.1	2.1	29
Jordanelle	311	228	73
Deer Creek	149.7	83.4	56
East Canyon	49.5	30.1	61
Echo	73.9	31.4	42
Gunnison	20.3	2.4	12
Hyrum	15.3	14.2	93
Lost Creek	22.5	6.8	30
Minersville	23.3	5.7	24
Otter Creek	52.5	27.6	53
Pine View	110.1	47.5	43
Piute	71.8	2.5	3
Rockport	60.9	35.6	58
Sevier bridge	236	87	37
* Utah Lake	870.9	513.8	59
Willard	215	107.4	50
Woodruff Narrows	55.8	8	14
TOTAL	2345.6	1233.4	53
Flaming Gorge	3749	2609.3	70
Lake Powell	24322	12833.2	53
Moon Lake	36	20.4	57
Red Fleet	25.7	11.4	44
Scofield	65.8	16.1	24
Starvation	165.3	138.8	84
Steinaker	34.4	9.5	28
Strawberry	1105.9	807.9	73
Upper Stillwater	32.5	9.2	28

* Usable capacity taken at compromise Total does not include missing site usable capacities


MONTHLY STREAMFLOWS




Weber Oakley, nr:



Logan - Logan, nr, State Dam, abv:



Sevier - Hatch:





* observed data unavailable

Monthly Precipitation for February 2003

(Averaged by Hydrologic Unit)

% Average





Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbrfc.noaa.gov

Seasonal Precipitation, October 2002 - February 2003

(Averaged by Hydrologic Unit)

% Average



Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbrfc.noaa.gov

ADDITIONAL INFORMATION

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through May by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet).

Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above Average	Above Average	Near Average	Below Average	Much Below Average
Greater than 130%	111-130%	90-110%	70-89%	Less than 70%

Forecast Period:

The period from April 1 through July 31.

Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season.

Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded.

Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded.

Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact:
Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · <http://www.cbrfc.gov>