


WATER SUPPLY OUTLOOK

for the
UPPER COLORADO

COLORADO BASIN
RIVER FORECAST CENTER


NATIONAL WEATHER SERVICE, SALT LAKE CITY, UT



JUNE 1, 2007

Precipitation in May varied across the basin, with near to below average over most of the basin but much above average over the San Juan Basin. Most runoff peaks came early again this year, but the pattern of temperatures, a mix of above average temperatures interspersed with below average temperatures, did not allow peaks to get quite as high as expected. Overall, forecasts changed little from those issued last month, except for increases in the San Juan basin.

APRIL - JULY VOLUME FORECASTS




INSIDE	
Summary	1
Upper Colorado Mainstem	2
Gunnison and Dolores Rivers	3
Green River	4
San Juan River	5
Specific Site Forecasts	6
Flood Control Forecasts	11
Res. Monthly Infl. Forecasts	12
EOM Reservoir Contents	13
Monthly Streamflows	14
Precipitation Maps	16,17
Additional Information	18


UPPER COLORADO MAINSTEM

May precipitation was much below average over most of the Upper Colorado. However, flows have been high enough thus far in the season so that April through July forecasts, overall, were changed little from those issued last month.

April-July streamflow forecasts for the Upper Colorado Mainstem are as follows:



BASIN CONDITIONS - JUNE 1, 2007




* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 6.


GUNNISON AND DOLORES RIVERS

Precipitation and temperatures were near average in the Gunnison and Dolores basins for the second month in a row. There were some small increases in the April through July runoff forecasts mostly due to observed flow volumes to date.

April-July streamflow forecasts for the Gunnison and Dolores Rivers are as follows:



BASIN CONDITIONS - JUNE 1, 2007



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 7.

GREEN RIVER


The Yampa/White basins are showing about 20% of average snow water equivalent as of June 1st, with most other Green River Basin snotel sites showing little to no snow. Forecasts are exceptionally low throughout the basin, with the worst conditions in the western portions of the Duchesne Basin and along the Wasatch Plateau.

April-July streamflow forecasts for the Green River are as follows:


Upper Green River:
Much Below Average

Yampa/White Rivers:
Much Below Average

Lower Green River
(below Flaming Gorge):
Much Below Average



BASIN CONDITIONS - JUNE 1, 2007




* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 8.


SAN JUAN RIVER

May precipitation was much above average basinwide. Continued periods of above normal temperatures dropped basin snow water equivalents to 40% of average as of June 1st. April through July runoff forecasts improved a bit over those issued last month and now range from a low of 8% of average on Recapture Creek to a high of 82% of average on the Rio Blanco.

April-July streamflow forecasts for the San Juan Basin are as follows:



BASIN CONDITIONS - JUNE 1, 2007



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 10.

SPECIFIC SITE FORECASTS

Upper Colorado Mainstem: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
COLORADO	LAKE GRANBY, GRANBY, NR	180	80	215	149
	DOTSERO, NR	1150	80	1350	980
	GLENWOOD SPRINGS, BLO	1700	79	2070	1330
	CAMEO, NR	1800	74	2090	1500
	CISCO, NR	3100	67	3490	2760
WILLOW CK	WILLOW CK RES, GRANBY, NR	40	78	49	34
FRASER	WINTER PARK	18	90	22	14.4
WILLIAMS FORK	WILLIAMS FORK RES, PARSHALL, N	90	95	103	79
MUDDY CK	WOLFORD MTN RES, BLO	30	50	36	28
BLUE	DILLON RES	165	99	184	148
	GREEN MTN RES	270	96	305	240
EAGLE	GYPSUM, BLO	270	81	315	230
FRYING PAN	RUEDI RES, BASALT, NR	115	82	137	96
ROARING FORK	GLENWOOD SPRINGS	525	74	615	445
PLATEAU CK	CAMEO, NR	65	57	78	60
MILL CK	MOAB, NR, SHELEY TUN, AT	2.8	56	3.3	2.4

For more detailed information about each forecast, visit www.wrh.noaa.gov/cbrfc/westernwater

SPECIFIC SITE FORECASTS

Gunnison and Dolores Basins: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
TAYLOR	TAYLOR PARK RES	68	66	82	56
	ALMONT	100	61	118	82
EAST	ALMONT	120	62	137	105
GUNNISON	GUNNISON, NR	220	56	265	182
TOMICHI CK	GUNNISON	43	53	55	35
LAKE FORK	GATEVIEW	129	102	147	113
GUNNISON	MORROW POINT RES	495	63	585	425
	CRYSTAL RES	555	61	655	470
MUDDY CK	* PAONIA RES, BARDINE, NR	68	68	74	64
NF GUNNISON	SOMERSET, NR	185	61	210	168
SURFACE CK	CEDAREEDGE	10	58	11.6	8.8
UNCOMPAHGRE	RIDGWAY RES	85	83	102	71
	COLONA	110	79	137	90
	DELTA	68	58	89	54
GUNNISON	GRAND JUNCTION, NR	965	62	1200	735
DOLORES	DOLORES	174	66	196	157
	MCPHEE RES	191	60	215	173
	CISCO, NR	320	52	390	290
SAN MIGUEL	PLACERVILLE, NR	109	83	131	92

* = March - June forecast period.

For more detailed information about each forecast, visit www.wrh.noaa.gov/cbrfc/westernwater

Green River Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
GREEN	DANIEL, NR, WARREN BRIDGE, AT	153	58	183	128
	GREEN RIVER, WY, NR	320	37	430	260
	GREEN RIVER, UT	1360	43	1760	1290
PINE CK	FREMONT LK, ABV	64	62	77	59
NEW FORK	BIG PINEY, NR	182	46	235	142
BIG SANDY	FARSON, NR	29	50	37	24
BLACKS FORK	ROBERTSON, NR	60	63	82	45
EF SMITHS FORK	ROBERTSON, NR	15.2	49	23	12.2
HAMS FORK	FRONTIER, NR, POLE CK, BLO	28	43	36	23
	VIVA NAUGHTON RES	34	38	45	27
YAMPA	STAGECOACH RSVR, ABV	15.2	52	21	12.6
	STEAMBOAT SPRINGS	165	59	191	155
	MAYBELL, NR	520	53	590	505
ELK	MILNER, NR	210	65	245	205
ELKHEAD CK	ELKHEAD, NR	22	56	25	20
	MAYNARD GULCH, BLO	32	54	38	30
FORTIFICATION CK	★ FORTIFICATION, NR	4.6	61	9.9	1.63
LITTLE SNAKE	SLATER, NR	90	57	105	83
	DIXON, NR	155	47	184	143
	LILY, NR	178	49	210	160

★= March - June forecast period.

For more detailed information about each forecast, visit www.wrh.noaa.gov/cbrfc/westernwater

Green River Basin continued: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
BIG BRUSH CK	VERNAL, NR, RED FLEET RES, ABV	17.9	85	21	15.8
ASHLEY CK	VERNAL, NR	29	56	38	23
WF DUCHESNE	HANNA, NR	12.8	53	17.1	10.9
ROCK CK	UPPER STILLWATER RES	43	52	53	35
	MOUNTAIN HOME, NR	66	74	79	59
DUCHESNE	TABIONA, NR	52	50	74	46
	DUCHESNE, NR, KNIGHT DIV, ABV	111	59	137	99
	MYTON	105	40	133	100
	RANDLETT, NR	115	35	160	105
STRAWBERRY	SOLDIER SPRINGS, NR	12	20	17	10.6
	DUCHESNE, NR	29	24	42	23
CURRENT CK	CURRENT CK RES	10.8	43	15.2	9.2
LAKE FORK	MOON LAKE RES, MTN HOME, NR	33	49	40	27
YELLOWSTONE	ALTONAH, NR	35	56	44	28
WHITEROCKS	WHITEROCKS, NR	31	55	41	26
WHITE	MEEKER, NR	169	58	199	159
	WATSON, NR	185	61	210	140
GOOSEBERRY CK	SCOFIELD, NR	3.3	28	5.1	2.6
PRICE	SCOFIELD RES, SCOFIELD, NR	14.1	31	31	12.1
WHITE	BLO TABBYUNE CK, SOLDIER SUMMI	3.6	21	4.6	3.2
HUNTINGTON CK	ELECTRIC LAKE	5.2	33	7	4.3
	HUNTINGTON, NR	12.7	26	32	11.4
SEELEY CK	JOES VLY RES, ORANGEVILLE, NR	28	48	37	25
FERRON CK	FERRON, NR	24	62	28	21
SEVEN MILE CK	FISH LAKE, NR	3.4	49	4.3	3.3
MUDDY CK	EMERY, NR	9.7	49	11.6	8

For more detailed information about each forecast, visit www.wrh.noaa.gov/cbrfc/westernwater

San Juan River Basin: April through July volume (kaf) forecasts (except where noted).


Stream	Station	Most Probable	Percent Avg.	Reas. Max	Reas. Min
SAN JUAN	PAGOSA SPRINGS	190	84	220	162
	CARRACAS, NR	300	74	345	265
	FARMINGTON	840	69	1000	675
	BLUFF, NR	795	65	990	600
RIO BLANCO	PAGOSA SPRINGS, NR, BLANCO DAM	45	85	51	40
NAVAJO	CHROMO, NR, OSO DIV DAM, BLO	52	75	60	45
PIEDRA	ARBOLES, NR	160	70	182	142
LOS PINOS	VALLECITO RES, BAYFIELD, NR	160	78	182	142
ANIMAS	DURANGO	360	82	425	310
FLORIDA	LEMON RES, DURANGO, NR	41	71	50	34
LA PLATA	HESPERUS	14	56	16.7	12.1
MANCOS	MANCOS, NR	15.8	40	30	12
SOUTH CK	★ LLOYD'S RSVR NR MONTICELLO, AB	0.17	13	0.51	0.03
RECAPTURE CK	★ BLANDING, NR, JOHNSON CK, BLO	0.5	8	1.62	0.07

★ = March - July forecast period.

For more detailed information about each forecast, visit www.wrh.noaa.gov/cbrfc/westernwater

FLOOD CONTROL FORECASTS

MOST PROBABLE FORECASTS
2007 APRIL - JULY INFLOW VOLUMES
 (% OF '71 - '00 AVERAGE)




NOTE: Colorado River flood control forecasts account for a smaller set of upstream adjustments than water supply forecast points.


RESERVOIR MONTHLY INFLOW FORECASTS




Blue Mesa Reservoir Inflow




Flaming Gorge Reservoir Inflow




Vallecito Reservoir Inflow




Navajo Reservoir Inflow



Fontenelle Reservoir Inflow





Lake Powell Inflow





END OF MONTH RESERVOIR CONTENTS

Percent of Usable Capacity



Green
 Combined
 Upper Colorado, Gunnison, and Dolores
 San Juan




RESERVOIR	Reservoir	Usable	EOM Usable	Percent Usable
(vol. in 1000 ac-ft)	status	Capacity	Contents	Capacity
Fontenelle	1,4	344.8	188.5	55
Flaming Gorge	1,4	3749	3148	84
Strawberry	1,4	1105.9	956.1	86
Starvation	1,4	165.3	156.8	95
Lake Granby	2,4	490.3	319.5	65
Dillon	2,4	254	251	99
Green Mountain	2,4	146.9	116.3	79
Taylor Park	2,4	106.2	98.1	92
Blue Mesa	2,4	829.5	664.8	80
Ridgway	2,4	83.2	75.4	91
McPhee	2,4	381.1	381	100
Vallecito	3,4	125.4	124.9	100
Navajo	3,4	1696	1580.8	93
Lake Powell	4	24322	12691.1	52

- 1 = Green River reservoir status
- 2 = Upper Colorado River reservoir status
- 3 = San Juan River reservoir status
- 4 = Combined reservoir status


MONTHLY STREAMFLOWS




Colorado - Dotsero, nr:




Roaring Fork - Glenwood Springs:




Gunnison - Grand Junction, nr:




* Data Not Available




Colorado - Cisco, nr:



Green - Green River, UT:





San Juan - Bluff, nr:



Monthly Precipitation for May 2007

(Averaged by Hydrologic Unit)

% Average





Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbrfc.noaa.gov

Seasonal Precipitation, October 2006 - May 2007

(Averaged by Hydrologic Unit)

% Average



Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbrfc.noaa.gov

ADDITIONAL INFORMATION

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through May by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet).

Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above Average Greater than 130%	Above Average 111-130%	Near Average 90-110%	Below Average 70-89%	Much Below Average- Less than 70%
---	---------------------------	-------------------------	-------------------------	--------------------------------------

Forecast Period:

The period from April 1 through July 31.

Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season.

Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded.

Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded.

Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact:

Colorado Basin River Forecast Center, National Weather Service
2442 West North Temple, Salt Lake City, UT 84116