
Groundwater Background Investigation Report, Revision 2





Groundwater Background Investigation Report, Revision 2

February 2007

	·			
Ardyth Simmons	arthadi	Program Manager	Environmental Programs-LWSP	2-1-07
Printed Name	Signature	Title	Organization	Date
		,		
Responsible LANS	S representative:			
Trooperionale Er inte				
Andrew Phelps	(IM)	Associate Director	Environmental Programs	2/5/07
Printed Name	Signature	Title		
T THROU TYCHIC	Olgi latigi e	Title	Organization	Date
	•			
Responsible DOE	representative:			
		Federal Project	x t	
David Gregory	Denge Carl	Director	DOE-LASO	2/5/07
Printed Name	S/gnature	Title	Organization	Date

Responsible program manager:

EXECUTIVE SUMMARY

The March 1, 2005, Compliance Order on Consent (the Consent Order) signed by the New Mexico Environment Department (NMED), the Department of Energy, the Regents of the University of California, and the State of New Mexico Attorney General requires Los Alamos National Laboratory (the Laboratory) to prepare and submit a groundwater background investigation report. The Consent Order was issued pursuant to the New Mexico Hazardous Waste Act, New Mexico Statutes Annotated (NMSA) 1978, § 74-4-10, and the New Mexico Solid Waste Act, NMSA 1978, § 74-9-36(D). This report describes work completed to satisfy the Consent Order requirement.

This report presents background concentrations for naturally occurring metals and general chemistry parameters in groundwater and provides the bases for these concentrations. It provides a validated database of inorganic and radionuclide analyses of groundwater samples collected from 30 background springs and wells located in and around the Laboratory. Background values were determined for the three groundwater types—alluvial, perched intermediate, and the regional aquifer occurring beneath the Pajarito Plateau and the Laboratory.

This background investigation report is an evaluation of the applicability of background sampling locations, the quality of background data from those locations, and the distinguishing characteristics of the aquifer types sampled. Results of this investigation, including hydrostratigraphic descriptions, multiple chemical analyses, and statistical evaluations of multiyear data sets, provide a technically defensible background database for candidate groundwater sampling locations for the Pajarito Plateau and Sierra de los Valles. These locations were selected to be free of Laboratory and other anthropogenic influences and are considered to be valid background locations with respect to the Laboratory. The aquifers studied exhibit specific chemical characteristics that will be used for future data screening and comparisons.

The number of locations has been expanded from the 15 locations in the original report (Groundwater Background Investigation Report, Rev. 0, LANL, 2005, 090580). Some of the original locations were eliminated because of anthropogenic influences; other locations were added to describe more completely the statistical variations found in the regional aquifer in and around the Laboratory.

A principal component analysis (PCA) and cluster statistical analysis was performed prior to the final selection of background locations to group different regional water types statistically. An additional Student's t-test indicated differences between facies or locations based on sample variances. In particular, because of long residence times (longer evolution time), some regional sampling locations tend to have higher total dissolved solids and other solute concentrations than locations with shorter residence times (less evolution). Waters nearer the Sierra de los Valles tend to be less evolved than waters discharging to wells and springs near the Rio Grande. This observation follows tritium dating indicating that these are older water facies that have occupied flow paths for much longer residence times.

The PCA delineated similarities in regional groundwater chemistry among locations on the Pajarito Plateau. The PCA also distinguished several locations that sample different, and likely more evolved, hydrochemical facies in locations near the plateau (e.g., wells near San Ildefonso Pueblo or the Rio Grande). These locations were eliminated from further consideration in the final background data set per NMED. Further discussion with NMED eliminated other locations that may exhibit anthropogenic contamination. The remaining locations were combined to create the final set of regional locations, which blends the different chemistries beneath the plateau.

A set of location-screening parameters and data-quality criteria were developed for this revision of the report. In addition, the data used for this revision were selected from data sets measured largely after January 2000. These data are derived from documented sampling and analytical methods. The expanded

number of background locations provide a better basis for statistical analysis and a more accurate picture of the range of natural inorganic chemical and radionuclide values within the different groundwater facies near the Laboratory than in Revision 0.

In this final selection of locations, the alluvial groundwater is represented by well LAO-B and Pine Spring. The perched intermediate groundwater is represented by Seven Springs, Water Canyon Gallery, Cañon de Valle-5.0 Spring, Barbara Spring, Campsite Springs, and well LAOI(A)-1.1. The regional aquifer is represented by Springs 1, 5B, 6, 6A, 8A, 9, 9A, 9B, Sacred Spring, Ancho Spring; and wells G-1A, G-2A, G-3A, G-4A, and G-5A, PM-2, PM-4, PM-5, R-1, R-13, R-18, and R-21.

The term "background" is used in this report to refer to natural groundwaters that have not been contaminated by the Laboratory or other municipal or industrial sources; that occur at springs or are penetrated by wells; and that are representative of groundwater discharging from their respective host rocks or aquifer material. The locations were sampled for chemical and radiochemical analyses. As a group, groundwater samples from alluvial or perched intermediate sources sampled as part of this investigation have low dissolved concentrations of major ions and trace elements (for example, chloride, nitrate, sulfate, boron, and natural uranium). In the regional aquifer, total dissolved solids and, thus, metals and major ions varied systematically and geographically, with the highest concentrations in the most evolved water discharging nearest the river and the lowest concentrations in younger waters that are the least evolved geochemically. Spring sites are located around the periphery of the Laboratory. One spring site (Seven Springs) was chosen because it occurs roughly 30 km west of the Laboratory and discharges from the Bandelier Tuff (the most common rock type within Laboratory boundaries). Seven Springs water contains low concentrations of chemical solutes and anthropogenic tritium at levels approximately equal to that of precipitation in this region.

There are differences in the hydrochemistries of background alluvial; perched intermediate groundwaters; and the regional aquifer groupings. Variations in natural groundwater compositions within the three aquifer types are controlled by adsorption/desorption and precipitation/dissolution reactions, aquifer composition of reactive minerals and amorphous solids, types of microbial populations, and the residence time along groundwater flow paths. Groundwater compositions include calcium-bicarbonate type water for alluvial and perched intermediate locations. The regional aquifer ranges from a calcium-sodium-bicarbonate to a sodium-calcium-bicarbonate type of water. Alluvial and perched-intermediate groundwaters occur within the vadose zone above the regional water table.

Native alluvial groundwater contains calcium, sodium, silica, and bicarbonate as the dominant solutes. Background activities of tritium exceed 30 pCi/L within alluvial groundwater.

Background perched intermediate groundwater stations within the Sierra de los Valles sampled during this investigation contain tritium derived from the atmosphere (cosmogenic and residual bomb pulse). Perched intermediate groundwater beneath the Pajarito Plateau, however, contains background activities of tritium less than 2 pCi/L. Native groundwater within the regional aquifer most commonly contains less than 1 pCi/L of tritium.

The natural aqueous geochemistry of the regional aquifer is characterized by residence times exceeding 10,000 years. The regional aquifer generally contains the highest natural concentrations of calcium, sodium, barium, boron, and uranium in comparison to alluvial or perched intermediate groundwater.

The statistical analyses of the background data included the evaluation of normal quantile plots, box plots, time series analysis, and statistical data summaries. The evaluation identified data not representative of background, relationships between analytes, sample distributions (normal, lognormal, or bimodal), relationships between sampling locations, relationships between aquifer types, parametric and

nonparametric statistical modeling options, and the frequency of nondetected values by analyte and by potential data subpopulations. No outlier identification was performed for this analysis, and outlier data were retained with each data set.

While some specific trends were noted, the typical general chemistry and metals values reported here for data from 2000 through 2006 did not tend to be significantly different than was reported in Revision 1 of this report (data from 1997 through 2000). The expanded list of locations for the perched-intermediate and regional aquifers generally did not have different typical median values.

When distinct regional geochemical populations are combined, as in Revision 2, higher screening values are derived for some constituents than if the populations had been separated.

The values illustrated in Figures ES-1a and b are maximum screening values that represent uncontaminated groundwater across the Pajarito Plateau. These are conservative values in that at least 95% of detections are below these values (upper tolerance limits or maximum values). They illustrate the summation of water quality, including general chemistry and metals analyses and parameters from a large data set. They are derived from a large geographical area beneath the Pajarito Plateau, from recharge and discharge zones, and across the three groundwater types including the regional aquifer, which is most strongly represented.




Figure ES-1a. Screening values for selected major chemical constituents for regional, perched intermediate, and alluvial groundwaters




Figure ES-1b. Screening values for selected metals for regional, perched intermediate, and alluvial groundwaters

CONTENTS

1.0	INTRODUCTION1				
	1.1	Rationa	le for Investigation	1	
	1.2	Scope o	of Report	1	
	1.3	Objectiv	/es	2	
	1.4	Approac	ch	2	
	1.5	Change	s in Revision 1	4	
	1.6	Change	s in Revision 2	4	
2.0	BAC	KGROUNI	D	5	
	2.1	Regiona	al Geologic Framework and Conceptual Hydrogeologic Framework	5	
		2.1.1	Previous Work, Regional Geology	5	
		2.1.2	Regional Tectonic Setting		
		2.1.3	Regional Volcanism	6	
		2.1.4	Pajarito Plateau Stratigraphy	7	
		2.1.5	Conceptual Hydrogeologic Model		
	2.2	Concept	tual Hydrogeochemical Model		
		2.2.1	Previous Work		
		2.2.2	Elements of the Conceptual Hydrogeochemical Model	12	
3.0	sco	PE OF AC	CTIVITIES AND METHODS	20	
	3.1		uality Objectives		
		3.1.1	Problem Definition		
		3.1.2	Data Evaluation Criteria		
		3.1.3	Data Inputs		
		3.1.4	Spatial and Temporal Boundaries		
		3.1.5	Data Assessment		
		3.1.6	Design Optimization		
	3.2	Field an	nd Laboratory Analytical Methods		
		3.2.1	Field Methods		
		3.2.2	Analytical Methods		
		3.2.3	Analytes of Interest		
	3.3	Scope o	of Groundwater Background Investigations in Time and Space		
		3.3.1	Springs within the Recharge Zone		
		3.3.2	Sampling Stations on the Pajarito Plateau		
		3.3.3	Sampling Stations within the Discharge Zone		
	3.4	Descriptive Statistics			
	3.5	Data Plots			
	3.6	PCA and CA Statistical Methods			
		3.6.1	PCA and CA Method Description		
		3.6.2	Data Set Used in the Analysis		
		3.6.3	Data Editing Procedures		
		3.6.4	Upper Tolerance Limit Calculation Methods		
4.0	RES	JLTS		31	
-	4.1		of Data Validation		
	4.2		ion of Analytes		
			Analyte Groupe	32	

	4.3	Results of Descriptive Statistics	. 35
		4.3.1 UTL Results and Recommended Background Screening Values	. 36
	4.4	Results of Data Plots	. 37
		4.4.1 Spatial Trends in Water Chemistry Results	
		4.4.2 Temporal Trends in Water Chemistry Results (2000–2006)	
	4.5	Results of PCA and CA analysis	
		4.5.1 Statistical Analysis	
		4.5.2 Key Analytes Identified through the Analysis	
	4.0	4.5.3 Groundwater Groups Identified	. 4′
	4.6	Chemical Effects of the Cerro Grande Fire on Laboratory Background Sampling Stations	42
		4.6.1 Analytical Results for Selected Springs and Well LAO-B	
5.0	SUMM	ARY AND CONCLUSIONS	. 44
	5.1	Summary	. 44
	5.2	Geochemical Variations among Groundwater Types	. 44
	5.3	Uncertainties	
	5.4	Conclusions	. 46
6.0	REFE	RENCES	. 47
Figure			
Figure	: ES-1a.	Screening values for selected major chemical constituents for regional, perched intermediate, and alluvial groundwaters	. vii
Figure	ES-1b.	Screening values for selected metals for regional, perched intermediate, and alluvial groundwaters	. vii
Figure	1.2-1.	Location of 30 groundwater background sites in the Jemez Mountains and near Los Alamos National Laboratory, New Mexico	. 59
Figure	2.1-1.	Regional and tectonic setting of the Jemez Mountains, Valles Caldera, and Pajarito Plateau in relation to the Rio Grande rift, Española Basin, Colorado Plateau, and the Sangre de Cristo Mountains, New Mexico (LANL 1998, 059599, Figure 2.3)	. 60
Figure	2.1-2.	Generalized geologic relations beneath the Pajarito Plateau	.61
Figure	2.1-3.	Regional geologic map (Broxton and Vaniman 2005, 088707)	. 62
Figure	2.1-4.	Revised stratigraphy of the Pajarito Plateau (Broxton and Vaniman 2005, 088707)	. 63
Figure	2.1-5.	Hydrologic conceptual model for the canyons of the Pajarito Plateau (LANL 1998, 059599)	. 64
Figure	ure 2.1-6. Regional water-level map in the vicinity of the Pajarito Plateau (Collins et al. 200 088767)		
Figure	re 2.2-1a. Average concentrations for pH and selected major ions for intermediate bac		. 67
Figure	2.2-1b.	Average concentrations for selected metals for intermediate background locations	. 68
Figure	2.2-1c.	Average concentrations for major ions for regional background locations	
•	2.2-1d.		
•	2.2-3.	Results of uranium(VI) speciation calculations for Spring 9B, White Rock Canyon using the computer program MINTEQA2	

Figure 2.2-4.	Saturation indices for calcite versus calcium and bicarbonate concentrations in selected Laboratory springs and wells	72
Figure 2.2-5.	Activity diagram of log[H ₄ SiO ₄] versus log activity (Ca ² +/[H+] ²) at 25°C for wells Otowi-4, R-9, R-12 (screen #3), LAOI(A)-1.1, and La Mesita Spring	72
Figure 4.3-1a.	Screening values for selected major chemical constituents for regional, perched intermediate, and alluvial groundwaters	73
Figure 4.3-1b.	Screening values for selected metals for regional, perched intermediate, and alluvial groundwaters	73
Figure 4.5-1.	Groundwater groupings determined by PCA and CA	74
Figure 4.5-2.	Principal component factor scores of groundwaters from locations on and near the Pajarito Plateau	74
Figure 4.6-1.	Concentrations of total dissolved solids and major ions at Pine Spring, Garcia Canyor (alluvium, Puye Formation, and lavas of the Polvadera Group)	
Figure 4.6-2.	Concentrations of dissolved aluminum, iron, manganese, and strontium at Pine Spring, Garcia Canyon (Puye Formation and lavas of the Polvadera Group)	76
Tables		
Table 2.1-1.	Summary of Important Lithologic Units in the Pajarito Plateau Region, New Mexico	77
Table 3.1-1.	Conditions Used to Query Data from the Water Quality Database and the Environmental Remediation Database	78
Table 3.1-2.	Sample Location Information	79
Table 3.2-2.	Chemical Constituents Included in Data Presented	80
Table 4.1-1.	Analytical Methods Used by Contract Laboratories	80
Table 4.2-1.	Statistical Data for Alluvial Groundwater	81
Table 4.2-2.	Statistical Data for Intermediate Groundwater	86
Table 4.2-3.	Statistical Data for Regional Aquifer	91
Table 4.2-4.	Summary of Detection Limits Listed by Groundwater Type	96
Table 4.2-5.	Standards Applicable to Background Groundwater Analytes	. 100
Table 4.3-1.	Student's T-test Comparison of Means of Selected Analytes between Aquifer Types .	.102
Table 4.3-3a.	UTLs, Maximum Values, and Screening Values for Alluvial Groundwater	. 103
Table 4.3-3b.	UTLs, Maximum Values, and Screening Values for Perched-Intermediate Groundwater	. 105
Table 4.3-3c.	UTLs, Maximum Values, and Screening Values for Regional Groundwater	
Table 4.5-1.	Correlation Coefficients for Major Anions, Major Cations, and Trace Elements	
Table 4.5-2.	Principal Component Loadings	
Table 4.6-1.	Analytical Results (ppm) for Selected Springs and Wells within the	
	Sierra de los Valles	.112

Appendixes

Appendix A Samples Taken and Field Measurements

Appendix B Comprehensive Data Tables

Appendix C Statistical Plots

Appendix D Statistical Analyses of Pre-1997 Hydrogeochemical Data

Appendix E Descriptions of Wells and Springs

Appendix F Data Collection, Analysis, and Interlaboratory Comparison Data in Rev. 0 and Rev. 1

List of Acronyms and Abbreviations

AA atomic absorption
ANOVA analysis of variance
CA cluster analysis
CL contract laboratory
CV coefficient of variation

CVAA cold vapor atomic absorption

DO dissolved oxygen

DOC dissolved organic carbon
DOE Department of Energy
DQO data-quality objective
EDA exploratory data analysis

EES-6 Earth and Environmental Science Division (Hydrology, Geochemistry, and Geology group)

EP-ERSS Environmental Programs—Environmental Remediation and Surveillance Program

EP-WSP Environmental Programs—Water Stewardship Program

EPA (U.S.) Environmental Protection Agency
ER Environmental Restoration (Project)
ERDB Environmental Remediation Data Base
ESP Environmental Surveillance Program

ET evapotranspiration

FIMAD Facility for Information Management, Analysis, and Display

GEL/GELC) General Engineering Laboratories
GFAA graphite furnace atomic absorption

GPS global positioning system

HAA hydride atomic absorption

HCA hierarchical cluster analysis

HE high explosives
HFO hydrous ferric oxide
IC ion chromatography

ICPAES inductively coupled plasma atomic (optical) emission spectroscopy

ICPMS inductively coupled plasma mass spectroscopy

IDL instrument detection limit

IRMS isotope ratio mass spectrometry

JMWL Jemez Mountains (meteoric) water line

KMC K-means clustering

Laboratory Los Alamos National Laboratory
LANL Los Alamos National Laboratory

LC-MS/MS liquid chromatography/mass spectrometry/mass spectrometry

LCS laboratory control samples

LIKPA laser-induced kinetic phosphorimetric analysis

Ma million years ago

MCL maximum contaminant level

μg/L micrograms per liter

 μ S/cm microsieverts per centimeter MRGB Middle Rio Grande Basin

NATU natural uranium
NC not calculated

NMED New Mexico Environment Department
NMSA New Mexico Statutes Annotated

NMTI New Mexico Technical Institution

NURE Natural Uranium Resource Evaluation

NTU nephelometric turbidity unit

OB (New Mexico) Oversight Bureau

PC principal component

PCA principal component analysis
PCBs polychlorinated biphenyls

ppb parts per billion
QA quality assurance
QC quality control

RCRA Resource Conservation and Recovery Act

RDX research department explosive
RPD relative percent differences
RPF Records Processing Facility

SI saturation index
SOW Statement of Work
TA technical area

TDS total dissolved solids

TNT trinitrotoluene

TOC total organic carbon
TSS total suspended solids

TU tritium unit

TUICPMS total uranium inductively coupled plasma mass spectrometry TULIKPA total uranium laser-induced kinetic phosphorimetric analysis

UMTL University of Miami Tritium Laboratory

UNM University of New Mexico
USGS U.S. Geological Survey
UTL upper tolerance limit

UWM University of Western Michigan

WQDB Water Quality Database
WSP Water Stewardship Program
WMWL worldwide meteoric water line

Metric to U.S. Customary Unit Conversions

Multiply SI (Metric) Unit	by	To Obtain U.S. Customary Unit
kilometers (km)	0.622	miles (mi)
kilometers (km)	3281	feet (ft)
meters (m)	3.281	feet (ft)
meters (m)	39.37	inches (in.)
centimeters (cm)	0.03281	feet (ft)
centimeters (cm)	0.394	inches (in.)
millimeters (mm)	0.0394	inches (in.)
micrometers or microns (μm)	0.0000394	inches (in.)
square kilometers (km²)	0.3861	square miles (mi ²)
hectares (ha)	2.5	acres
square meters (m ²)	10.764	square feet (ft ²)
cubic meters (m³)	35.31	cubic feet (ft ³)
kilograms (kg)	2.2046	pounds (lb)
grams (g)	0.0353	ounces (oz)
grams per cubic centimeter (g/cm³)	62.422	pounds per cubic foot (lb/ft ³)
milligrams per kilogram (mg/kg)	1	parts per million (ppm)
micrograms per gram (μg/g)	1	parts per million (ppm)
liters (L)	0.26	gallons (gal.)
milligrams per liter (mg/L)	1	parts per million (ppm)
degrees Celsius (°C)	9/5 + 32	degrees Fahrenheit (°F)

1.0 INTRODUCTION

1.1 Rationale for Investigation

The March 1, 2005, Compliance Order on Consent (the Consent Order) signed by NMED, the U.S. Department of Energy (DOE), the Regents of the University of California, and the State of New Mexico Attorney General requires Los Alamos National Laboratory (LANL or the Laboratory) to prepare and submit a groundwater background investigation report. The Consent Order was issued pursuant to the New Mexico Hazardous Waste Act, NMSA 1978, § 74-4-10, and the New Mexico Solid Waste Act, NMSA 1978, § 74-9-36(D). This report describes work completed to satisfy the Consent Order requirement. Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to NMED in accordance with DOE policy.

This report presents background concentrations for naturally occurring metals and general chemistry parameters in multiple groundwater facies in and near the Laboratory and provides the sampling, analytical, and statistical basis for these concentrations. Background hydrogeochemical data requirements are also addressed in the "Hydrogeologic Workplan," Sections 1.0 and 4.0 (LANL 1998, 059599), and within individual work plans prepared by the Environmental Programs–Water Stewardship Program (EP-WSP). This background investigation is further addressed in the Groundwater Protection Management Program Plan, Section 4.0, Groundwater Protection Efforts at the Laboratory, and Section 5.0, Issues and Solutions (LANL 1996, 070215).

Background hydrogeochemical data with corresponding statistical information are required to distinguish between contaminated and uncontaminated waters for environmental investigations conducted at the Laboratory. Background hydrogeochemical data also provide information for environmental risk assessments; for Resource Conservation and Recovery Act (RCRA) site investigations; for evaluating hydrogeochemical processes occurring along groundwater flow paths; for defining recharge and discharge zones and hydrological pathways; and for establishing cleanup levels during the remediation of contaminated waters at the Laboratory.

1.2 Scope of Report

This report provides background hydrogeochemical data for the alluvial, perched intermediate, and regional groundwater systems beneath the Pajarito Plateau and the Laboratory. It includes a validated database of major, minor, and trace elements, metals, and radionuclide analyses of groundwater samples collected from 30 background locations including 16 springs and 14 wells. The term "background" as used here refers to natural waters that have not been contaminated by Laboratory effluent or other municipal or industrial activities, that are discharged by springs or penetrated by wells, and that are representative of groundwater discharging from its respective aquifer material.

The region considered in this investigation extends from the western edge of the Jemez Mountains eastward to the Rio Grande and from Frijoles Canyon northward to Garcia Canyon. Figure 1.2-1 shows the stations sampled for this investigation. The choice of sampling sites was made using previously published knowledge of the Jemez Mountains/Pajarito Plateau region (Vuataz and Goff 1986, 073687; Shevenell et al. 1987, 006673; Shevenell and Goff 1995, 073689; Adams et al. 1995, 047192; and Blake et al. 1995, 049931). The locations of sampling sites were discussed with NMED in 2005 (Dale 2005, 088774) and approved in 2006 (NMED 2006, 094447). Based on these discussions, 16 springs and 14 wells were chosen, and the sites were separated into three aquifer material types: alluvium, perched intermediate-depth volcanic rocks, and the regional aquifer units.

The sampling stations and associated aquifer types are listed in Table 3.1-2, and are briefly discussed below. Revision 2 of this report includes a larger and somewhat different set of locations than Revision 1.

Alluvium

Well LAO-B and Pine Spring were selected as being representative of alluvial groundwater. Although a portion of groundwater that discharges at Pine Spring flows through the Puye Formation and lavas of the Keres Group, water samples were collected from the alluvium at the point of discharge.

Perched Intermediate Volcanic Rocks

Five springs or groups of springs (e.g., the Water Canyon Gallery) and one well were selected as being representative of groundwaters in the perched intermediate system. These locations primarily sample waters originating in the Bandelier Tuff or Tschicoma Formation and include the Water Canyon Gallery (Bandelier Tuff), Seven Springs (Bandelier Tuff), Campsite and Barbara Springs (Tschicoma Formation and Tschicoma and Bandelier contact), Cañon de Valle-5.0 Spring (Bandelier Tuff near the contact with the Tschicoma Formation) (previously described as Upper Cañon de Valle Spring), and well LAOI(A)-1.1 (Bandelier Tuff).

Regional Aquifer

Ten springs and 12 wells were selected as being representative of groundwaters in the regional aquifer. They include Springs 1, 5B, 6, 6A, 8A, 9, 9A, 9B, Sacred Spring, and Ancho Spring; and wells G-1A, G-2A, G-3A, G-4A, G-5A, PM-2, PM-4, PM-5, R-1, R-13, R-18, and R-21. The corresponding geologic units are shown in Table 3.1-2.

1.3 Objectives

The primary objective of Revision 2 of this report is to provide background hydrogeochemical concentrations for naturally occurring metals and general chemistry analytes for the three groundwater systems beneath the Pajarito Plateau and the Laboratory. Secondary objectives of this investigation include the following:

- compiling groundwater data from background stations (springs and wells) sampled primarily from 2000 to 2006 for alluvial and perched intermediate groundwater and the regional aquifer; and
- providing statistical distributions and analyses for the different analytes occurring within alluvial, perched intermediate, and regional aquifer groundwater facies.

1.4 Approach

Field and analytical methods are discussed in detail in Section 3.0. For most data collected between 2000 and 2006, filtered and nonfiltered water samples were collected and analyzed for chemical constituents and parameters. Additional data collected during or prior to 1997-2000 also were used when later data were not available (Pine Spring and Spring 9B). Inorganic compounds analyzed included major ions, minor elements, and trace elements; and natural and fallout-derived radionuclides. The analytes fall into one or more of the following three categories: RCRA metal or other target metal analytes; general chemical indicators of hydrochemical facies relevant to a geochemical conceptual model; and other analytes that are not RCRA metals. These three categories are based on regulatory and scientific perspectives that support decisions regarding the nature and extent of contamination and provide an

understanding of geochemical reactions occurring along flowpaths within alluvial and perched intermediate groundwater and within the regional aquifer.

For each sample station, results of statistical analyses are provided in this report for 18 major ion species; 30 metals including uranium; tritium; 6 radionuclides; gross-alpha, -beta, and -gamma radiological measurements; and two field parameters. Anthropogenic organic compounds such as trichloroethane, high-explosives (HE) compounds, polychlorinated biphenyls (PCBs), and other volatile and semivolatile chemicals were not included as part of this investigation because they were deemed to be introduced and are not indicative of background or natural values. Because technetium-99 is synthetically prepared, it also was not included in this investigation. The presence of these anthropogenic constituents was used as part of the initial screening to remove potentially impacted locations from the candidate location list.

A two-step screening was performed to select the best locations to represent background for this report. Locations included in the original Groundwater Background Investigation report, Revision 0 (LANL 2005, 090580) were included for evaluation, along with additional possible locations for all three aquifer types. Locations that were clearly impacted by Laboratory-sourced constituents or other anthropogenic activities such as road-salt contamination, were excluded from this listing. Locations with data obtained between 2000 and 2006 were included in the listing. Older data (1997 to 2000 or earlier if necessary) were used only if no data were available for 2000 to 2006. Locations were then screened for criteria such as age, location up- or down-gradient in unimpacted areas, mode of occurrence, availability of data, length of sampling record, data quality, consistency of sampling location for springs, and the ability to meet well-screen criteria for wells (Section 3.1.2).

The resulting list of 30 locations was then screened for evidence of corrosion in wells. Levels of iron, chromium, nickel, manganese, and copper were evaluated. For example, wells LA-5 and LA-3 were subsequently eliminated because of high levels of copper (greater than three standard deviations from the mean of other well values and at least three to 10 times the concentration in other evaluated wells).

In addition, classification of groundwater with respect to the aquifer unit was based on well depth, hydrogeologic units penetrated, depth to the zone of saturation sampled and observed, or the projected position of the regional water table at that location.

Various statistical methods were used for the assessment of the background data. Section 4 of this report provides details and results of statistical analyses of groundwater samples used. Graphs presented in Appendix C provide an overview of the data set for each constituent. These graphs compare filtration type, groundwater group, location, and trend over time. Methodology and results of cluster analysis (CA) and principal component analysis (PCA) are discussed in Section 4. The assessment also includes data to meet certain U.S. Environmental Protection Agency (EPA) and NMED regulations that require a statement of the locations, frequency of sampling, and laboratory analytical methods for groundwater monitoring.

Interlaboratory comparisons of data collected between 1997 and 2000 for a subset of the current reported locations are included in Appendix F. These comparisons were made to support the use of Earth and Environmental Sciences-6 (EES-6) analyzed data instead of data analyzed under contract with analytical laboratories. As a quality measure for the investigation, the differences between field duplicate measurements for all water-chemistry analytes were assessed by comparing concentrations of samples and their duplicates. The laboratories used different analytical methods for some analytes (e.g., uranium, tritium, and trace metals). Contract and EES-6 analytical laboratory sample results for seven inorganic chemicals and four water-quality parameters (anions, cations, silica, and TDS) were compared and are presented in the Appendix.

The Cerro Grande fire burned several major watersheds west of and within the Laboratory in May 2000. These watersheds included Guaje Canyon, Pueblo Canyon, Los Alamos Canyon, Sandia Canyon, Mortandad Canyon, Pajarito Canyon, and Cañon de Valle. Section 2.2.2.4 discusses the short-term impact of the fire on springs and wells in those canyons. Sampling of springs, surface water, and alluvial groundwater from 2001 to 2003 showed that most analytes had decreased to concentration levels measured before the fire (Gallaher and Koch 2004, 088747). Data from more recent sampling events (included in this report) also show concentrations near pre-fire levels.

1.5 Changes in Revision 1

The original version (Revision 0) of this report was submitted to NMED on June 30, 2005 (LANL 2005, 090580). Revision 1 of this report incorporated changes made in response to NMED comments in a notice of deficiency (NOD) dated July 3, 2006 (NMED 2006, 092742). Revision 1 was submitted to NMED on September 1, 2006 (LANL 2006, 094637). The interpretations of results and conclusions were revised to reflect data reported in tables and depicted in Appendix C of Revision 1. The hydrogeochemical model was expanded to acknowledge additional processes and influences on groundwater chemistry. The most significant change was the reduction from 15 to 12 background locations, with the deletion of Sacred Spring, Pajarito Spring, and La Mesita Spring. Sacred Spring was deleted because of potential source contamination in pre-2000 data. Pajarito Spring showed anthropogenic contamination, and La Mesita Spring was located east of the Rio Grande.

1.6 Changes in Revision 2

Revision 2 of this report replaces the previous data set in Revision 1 with a more recent, larger data set that incorporates the newest sampling and analytical methods, and, in some cases, lowered detection limits. Older data (1997-2000) were retained only if newer data (2000-2006) were not available for a particular location. Locations were added to improve the description of the regional and perched-intermediate groundwaters. The total number of locations increased from 12 to 30; Apache Spring was deleted because of road-salt contamination; well Otowi-4 was deleted at NMED's request (NMED 2006, 094447); well Guaje-5 was replaced by the newer Guaje-5A; and Sacred Spring was reinstated from Revision 0 after data were verified to match the precise source at the spring. A larger data set is not proposed for the alluvial groundwater because data indicate that individual recharge areas, such as specific canyons or watersheds, yield variable constituent results that tend to be more dependent upon geographic locale, and less dependent upon aquifer geology or flowpath evolution (NMED 2006, 094447).

The previous data set was very small and generally insufficient for robust statistical analysis. Comments on Revision 0 indicated a need for better statistical descriptions of the background results. In response, expanded and improved statistical analysis methods appropriate to large areas and large regional data sets (PCA and CA) were added to distinguish more closely the statistical similarities between regional aquifer locations. As a result, three statistically different location groupings, reflecting different facies within the regional aquifer, are discussed in Section 4.0. However, in response to comments by NMED (NMED 2006, 094447), one location grouping was dropped and the other two groupings were combined to yield one final regional data set.

The hydrogeochemical conceptual model was streamlined. The report was reorganized to emphasize the characterization of metals and inorganic constituents per the Consent Order, while retaining in the appendices discussions of secondary topics such as interlaboratory comparisons and other historical data.

2.0 BACKGROUND

2.1 Regional Geologic Framework and Conceptual Hydrogeologic Framework

A technically defensible conceptual hydrogeologic model is essential for characterizing background hydrochemistry, selecting suitable sampling sites, and correctly ascribing the sites to various parts of the hydrologic system. To develop the conceptual hydrogeologic model presented in Section 2.1.5, it is necessary to understand the geologic framework of the region and how it controls the occurrence and movement of groundwater. This geologic framework is presented below in Sections 2.1.1 through 2.1.4. The hydrogeologic setting of springs and wells and controls on the mode of groundwater occurrence (alluvial, perched intermediate, and regional aquifer) place constraints on groundwater residence times (more rapid fracture versus slower porous media flow). The chemical composition of groundwater is controlled by recharge and precipitation inputs, equilibration and partial equilibration with different rock formations, climate, topography, and time. Near the Laboratory, complex topography, variation in rock types, distinct recharge and discharge zones, and evapotranspirative effects of a dry climate on recharge are factors defining the different hydrologic facies that occur beneath and near the Pajarito Plateau. Climate differences (near alpine to high desert), hydrologic regimes (porous flow to fractured rock), different geologic environments (alluvial valley fill, fractured volcanic, mineralized zones, and sedimentary rocks) vary widely within the region, leading to a variety of groundwater facies that reflect changes in geochemical composition along flow paths.

2.1.1 Previous Work, Regional Geology

The Pajarito Plateau lies on the east flank of the Jemez Mountains and on the western margin of the Española Basin (Figure 2.1-1). For the hydrogeologic discussions that follow, the Pajarito Plateau and underlying rock units are considered as a geologic feature of the Española Basin segment of the Rio Grande rift (Manley 1979, 011714). The upper surface of the Pajarito Plateau, however, is composed primarily of the eroded top of the Tshirege Member of the Bandelier Tuff, a large-volume rhyolitic ash-flow tuff (ignimbrite) erupted from the Valles Caldera of the Jemez volcanic field (Smith and Bailey 1966, 021584).

Regional geologic maps that cover all or part of the Pajarito Plateau include those of Griggs (1964, 008795) for hydrogeologic investigations centered on Los Alamos; Smith et al. (1970, 009752) for volcanologic investigations of the Jemez Mountains; Kelley (1978, 011659) for tectonic investigations associated with the Rio Grande rift; and Rogers (1995, 054419) for Laboratory waste management studies. Several geologic maps of nearby areas focus on a variety of subjects in the Española Basin/Pajarito Plateau region. They include those of Galusha and Blick (1971, 021526); Aubele (1978, 086539); Dethier and Manley (1985, 021506); Goff et al. (1990, 021574; 2002, 088776); and Dethier (1997, 049843).

Detailed geologic studies of the Bandelier Tuff are found in Broxton and Eller (1995, 058207). Syntheses of geology and tectonics on the Pajarito Plateau have been published by Dransfield and Gardner (1985, 006612) and Gardner and House (1987, 006682) as part of Laboratory investigations of the seismic hazard potential. Gardner et al. (1993, 012582; 1998, 063496) described drilling results around the Laboratory and high-precision mapping along the Pajarito fault zone. Collections of papers discussing geologic, geochemical, geophysical, and environmental aspects of the Jemez Mountains, Pajarito Plateau, and Rio Grande rift are found in Riecker (1979, 021502); Baldridge et al. (1984, 088745); Keller (1986, 088740); and Goff et al. (1996, 056025). Geology and cross sections of the Frijoles 7.5-min quadrangle, on which most of the Laboratory is found, was published by Goff et al. (2002, 088776).

2.1.2 Regional Tectonic Setting

The Pajarito Plateau lies on the west side of the Española Basin, one of several late Tertiary basins of the Rio Grande rift (Chapin 1979, 093650). Figure 2.1-2 shows generalized geologic relations beneath the Pajarito Plateau. As a generalized cross section, this does not refer to a specific geologic map. Specific, related cross sections and the associated maps can be found in Collins et al. (2005, 088767) and the Hydrogeologic Site Atlas (LANL 2006, 093196). The rift is a major tectonic feature stretching from Colorado to northern Mexico and first developed about 25 to 30 million years ago (Ma). The Rio Grande rift is characterized by crustal extension with predominantly normal faults, elevated seismicity along faults within and along margins of the basins, large negative gravity anomalies indicating thick basin fill, high conductive heat flow (to 120 megawatts/meter² [MW/m²]), and localized basaltic volcanism. Within the Pajarito Plateau region, the rift is bounded on the west by the Colorado Plateau and on the east by the Sangre de Cristo range, part of the southern Rocky Mountains (Aldrich 1986, 021497) (Figure 2.1-1). Because of similarities in age and tectonic style, the rift is considered by some to be a part of the southern Basin and Range tectonic province (Kelley 1978, 011659).

The transverse structural zone separating the Española Basin from the southern end of the San Luis Basin (Figure 2.1-3) (Broxton and Vaniman 2005, 088707) is called the Embudo fault zone. This fault is but one structural element of a major northeast-trending crustal discontinuity called the Jemez Lineament. As originally defined, the Jemez Lineament consists of an alignment of Miocene to Quaternary volcanic centers stretching from western Arizona to southeastern Colorado (Mayo 1958, 021573). No systematic trends in eruption ages or magma compositions are apparent among the various volcanic centers. By far the largest collection of volcanic centers is the Jemez volcanic field, which has formed at the intersection of the Jemez Lineament and the Rio Grande rift.

The transverse structural zone separating the Española Basin from the northern Albuquerque-Belen Basin (sometimes called the Santo Domingo Basin) is the northwest-trending La Bajada fault zone (CCFZ in Figure 2.1-3). The largest zone of rift-related basaltic volcanism occurs in the Cerros del Rio volcanic field located primarily north of and along the La Bajada fault zone (Figure 2.1-3). The Cerros del Rio field, referred to in some reports as "Basalt of Chino Mesa," is considered by some to be a peripheral part of the greater Jemez volcanic field (Smith et al. 1970, 009752). Volcanic rocks from both the Cerros del Rio and Jemez volcanic centers interfinger with sedimentary rocks filling the Española Basin beneath the Pajarito Plateau.

2.1.3 Regional Volcanism

The evolution of the Jemez and Cerros del Rio volcanic fields (Figure 2.1-1) has been outlined by Gardner and Goff (1984, 044021); Gardner et al. (1986, 021527); Self et al. (1986, 021579); Goff and Sayer (1980, 054783.29); Dunker et al. (1991, 088739); and WoldeGabriel et al. (1996, 054427). Volcanic rocks of the Jemez Mountains can be subdivided into three major groups named from the oldest to the youngest: the Keres, Polvadera, and Tewa Groups (Figure 2.1-4) (Broxton and Vaniman 2005, 088707). Volcanic rocks of the Keres Group consist of mafic basalt through silicic rhyolite in composition, although the unit is dominated volumetrically by intermediate-composition andesite. Published ages for the Keres Group range from about 13 to 6 Ma (Gardner et al.1986, 021527). Rocks of the Polvadera Group also consist of basalt through rhyolite, but the dominant rock type is dacite and the published ages range from about 14 to 2 Ma (Gardner et al. 1986, 021527). Rocks of the Tewa Group consist almost exclusively of rhyolite, and they range in age from 1.75 to 0.06 Ma (Gardner et al. 1986, 021527; Goff and Sayer 1980, 054783.29). In general, a progression can be seen from mostly mafic to exclusively rhyolitic compositions with time in the main (or central) Jemez volcanic field.

Rocks of the Cerros del Rio field are not formally included within the three major groups of Jemez volcanic rocks. Cerros del Rio rocks compositionally consist of basalt and subordinate evolved rocks (hawaiite, mugearite, benmoreite, and dacite) ranging in age from 4.6 to less than 1.2 Ma (Bachman and Mehnert 1978, 088741; Dunker et al. 1991, 088739; WoldeGabriel et al. 1996, 054427). The most comprehensive study to date has focused on White Rock Canyon, where the ages range from 2.8 to 2.3 Ma (WoldeGabriel et al. 1996, 054427). These authors have also dated a single lava flow at the bottom of the canyon just south of the mouth of Ancho Canyon at 9.3 Ma, a date consistent with ages of the Santa Fe Group.

Volcanism began in the Pajarito Plateau region about 16.5 to 14 Ma as small-volume eruptions of basalt that can be observed interbedded with older sedimentary rocks of the Española Basin both southwest and north of the plateau (Dethier and Manley 1985, 021506; Gardner et al. 1986, 021527; Goff et al. 1990, 021574; Aldrich and Dethier 1990, 049681). During the period from 10 to 7 Ma, the major volume of Jemez volcanic rocks was erupted, mostly as andesite domes and flows in the central and southern Jemez Mountains (estimated volume 1000 km³). Smaller volumes, predominantly dacite (about 500 km³), were vented during the period 7 to 2.5 Ma (Gardner et al. 1986, 021527; Goff and Sayer 1980, 054783.29). The Sierra de los Valles west of Los Alamos consists of these dacitic domes and flows. During these voluminous andesitic and dacitic phases, large debris aprons of volcaniclastic rocks (Cochiti and Puye Formations) were shed eastward into the Española Basin. These deposits interfinger with axial sediments of the basin. Lavas within the entire compositional range of the Cerros del Rio were erupted primarily from 4 to 2 Ma and formed cinder cones, shield lavas, intercanyon flows, and maar deposits. The latter interfinger with dacitic rocks, fan deposits, and fluvial sediments in the basin fill beneath the Pajarito Plateau.

2.1.4 Pajarito Plateau Stratigraphy

Figure 2.1-4 (Broxton and Vaniman 2005, 088707) shows the most recent representation of the stratigraphy of the Pajarito Plateau. Stratigraphic nomenclature on the Pajarito Plateau has been refined many times during the last 50 years (Denny 1940, 088738; Spiegel and Baldwin 1963, 054259; Griggs 1964, 008795; Baltz et al. 1963, 008402; Bailey et al. 1969, 008406; Galusha and Blick 1971, 021526; Manley 1979, 011714; Purtymun 1995, 045344). Griggs's nomenclature was based on mapping and lithologic descriptions of water well cuttings on Laboratory property. Griggs's nomenclature has continued to be used in later hydrogeologic investigations conducted by the Laboratory as additional water wells were drilled (Dransfield and Gardner 1985, 006612). These authors combined well data with geophysical investigations and surface mapping to produce a structure contour map of the top of the pre-Bandelier Tuff surface (ca 1.6 Ma). Dransfield and Gardner (1985, 006612) provide information that the pre-Bandelier topography beneath the Pajarito Plateau is dominated by dacitic rocks of the Polvadera Group in the west, fanglomerates of the Puye Formation in the northeast, and mafic shield volcanoes and flows of the Cerros del Rio volcanic field in the southeast.

The stratigraphy of three deep (more than 600 m) wells on the Pajarito Plateau was compiled by Goff (1995, 049682), based on lithologic descriptions of Stoker et al. (1992, 012017) and Purtymun et al. (1993, 015371). Detailed stratigraphy of several recent characterization wells has been documented in a series of Laboratory reports (i.e., Broxton et al. 2001, 071251; Broxton et al. 2001, 071252; Bull et al. 2002, 071471).

Generalized cross sections of Pajarito Plateau stratigraphy may be found in Turbeville et al. (1989, 021587), Purtymun (1995, 045344), and Collins et al. (2005, 088767). Four detailed cross sections projected through different sectors of the Pajarito Plateau are shown in Goff (1995, 049682). These

sections use stratigraphic data from many of the observation wells. Goff (1995, 049682) also provides detailed lithologic descriptions of the primary rock units in the region (Table 2.1-1).

2.1.5 Conceptual Hydrogeologic Model

The current conceptual hydrogeologic model for the Pajarito Plateau is a synthesis of much previous hydrologic work spanning many years. The growth of the Laboratory, as well as Los Alamos townsite, led to various investigations that characterized general hydrology of the Pajarito Plateau and water chemistry of springs discharging within White Rock Canyon (Purtymun et al. 1980, 006048.2; Purtymun and Johansen 1974, 011835); the hydrogeology of the Bandelier Tuff and other rock units (Rogers and Gallaher 1995, 055334; Abeele et al. 1981, 006273) and water supply wells (Theis and Conover 1962, 011878; Griggs 1964, 008795; Cushman 1965, 008584; Purtymun 1975, 011787; Purtymun 1984, 006513; Purtymun and Cooper 1969, 011831). Concerns over the potential for groundwater contamination by waste-disposal practices at the Laboratory prompted additional hydrogeologic studies (Baltz et al. 1963, 008402; Purtymun et al. 1966, 009653; DeVaurs and Purtymun 1985, 007415; Stoker et al. 1991, 007530). Pathway analysis (Geologic, Inc. 1989, 031492) and numerical modeling studies have further contributed to understanding both shallow and deep, local and regional, unsaturated and saturated groundwater systems at Los Alamos (Hearne 1985, 088749; McAda and Wasiolek 1988, 088737; Umari and Szeliga 1989, 088735; Koenig and McLin 1992, 056029; Geddis 1992, 031592; Frenzel 1995, 056028; Stone 1995, 056043; Birdsell et al. 1995, 070012; Gray 1997, 058208; Dander 1998, 088743; Keating et al. 1999, 088746).

The conceptual hydrogeologic model for the Pajarito Plateau and the Laboratory is continuously being refined (Stone 1996, 063989; Collins et al. 2005, 088767). The 25 deep (regional aquifer) wells installed under the "Hydrogeologic Workplan" (LANL 1998, 059599) have contributed much-needed information (Collins et al. 2005, 088767). The next subsections provide an overview of the conceptual hydrogeologic model, including groundwater occurrence and movement, and serve as the framework for the conceptual hydrogeochemical model discussed in Section 2.2.

2.1.5.1 Overview

The simplest conceptual hydrogeologic model for the Pajarito Plateau is of saturated porous media in which the surface of the saturated zone(s) roughly mimics topography. For example, the regional water table slopes eastward from a recharge zone in the Sierra de los Valles west of the Laboratory toward the Rio Grande groundwater discharge zone. Complicating this simple model, however, are zones of saturation perched above the regional water table in shallow alluvium and perched intermediate-depth volcanic rocks (Purtymun 1995, 045344).

2.1.5.2 Groundwater Occurrence

Groundwater occurrence is commonly described in terms of stratigraphy (the saturated hydrogeologic unit), hydrologic condition (unconfined or confined), and scale (local perched or regional saturation). At the Laboratory, groundwater has been observed to occur in three modes, depending on the location:

- perched at shallow depth (alluvium in canyon bottoms);
- perched at intermediate depth (the Guaje Pumice Bed, Bandelier Tuff, Cerros del Rio basalt, Tschicoma Formation, and Puye Formation); and

• mostly unconfined, but occasionally under confined conditions at greater depth within various units that make up the regional aquifer (Tschicoma Formation, Cerros del Rio basalt, Puye Formation, and Santa Fe Group).

The zone of saturation is more accessible in canyons than on mesas. Figure 2.1-5 depicts a conceptual hydrogeologic model for canyon settings, which includes alluvial and perched intermediate groundwater and the regional aquifer. Groundwater in the perched zones is generally unconfined. Groundwater in the regional zone of saturation is also generally unconfined, but confined conditions have been documented in older supply wells in lower Los Alamos Canyon (Purtymun 1995, 045344). Some springs discharging in and near lower Los Alamos Canyon (e.g., Spring 1) are also probably artesian.

Perching of groundwater in the shallow and intermediate-depth zones occurs in different ways. The occurrence of perched water in the alluvium is restricted to canyon floors, and saturation does not appear to extend beneath the adjacent mesas. In alluvial environments, infiltration and percolation of stream flow readily recharge the zone of perched saturation. Ephemeral streams, such as those occurring in canyons at the Laboratory, lose much water along their courses (transmission loss). The weathered Bandelier Tuff underlying the alluvium is less permeable and provides a perching layer or aquitard.

The occurrence of intermediate-depth perched groundwater in the Cerros del Rio basalt and other hydrostratigraphic units requires the downward percolation of groundwater through the alluvium and the Bandelier Tuff, a fact that suggests that the Bandelier Tuff is capable of transmitting groundwater. In places where the Bandelier Tuff is absent, having been scoured out by stream flow, no low-permeability barrier exists between the alluvium and underlying units. This is the case in Los Alamos Canyon east of the confluence with DP Canyon, where the Bandelier Tuff is missing and where alluvium rests directly on the permeable deposits of the Puye Formation (LANL 2004, 087390). Perching of intermediate-depth groundwater is caused by the local presence of less permeable material, including massive basalt and basaltic tephra, as observed at well R-9 (Broxton et al. 2001, 071250); clay-rich lake beds encountered at R-12 (Broxton et al. 2001, 071252); or clay-rich rock observed at R-15 (Longmire et al. 2001, 070103).

Although groundwater occurrence and productivity in supply wells vary with the hydrogeologic unit making up the regional aquifer, the depth to the water table is primarily the result of topography. The regional water table occurs within the Puye Formation and Santa Fe Group beneath the Pajarito Plateau. The slope of the regional water table decreases to the east (Figure 2.1-6) and is influenced by pumping wells. Groundwater in the regional aquifer discharges as springs in White Rock Canyon. The hydraulic gradient within the regional aquifer east of the Sierra de los Valles is downward, and overlying alluvial and perched intermediate groundwater systems provide recharge to the regional aquifer (Broxton et al. 2002, 076006). Groundwater flow rates within the regional aquifer vary, depending on the grain size of the aquifer material, hydraulic conductivity, and hydraulic gradient. Flow within the regional aquifer occurs under porous (wells R-25, R-19, R-15, R-13, R-14) and fracture (R-26, R-9, R-12) conditions (Collins et al. 2005, 088767).

2.1.5.3 Groundwater Movement

Several studies have dealt with groundwater movement beneath and around the Pajarito Plateau. In particular, Collins et al. (2005, 088767) gives a detailed summary of groundwater recharge, flow and discharge, anisotropic effects, conceptual models, and perched water occurrence. The following is a brief summary of some relevant ground water flow characteristics.

2.1.5.3.1 Recharge

Groundwater flows from areas of higher-pressure potentials (west) to areas of lower potentials (east) (Figure 2.1-6), indicating that recharge occurs in the higher elevations (Sierra de los Valles) west of the Laboratory, probably in response to the higher amounts of precipitation at these elevations. Recharge processes include the infiltration of rainfall, snowmelt, or runoff and then deep percolation of any moisture that escapes evapotranspiration. Recharge is especially effective along stream channels, where larger volumes of water occur at any given place and time. Recharge of the shallow, intermediate, and deep groundwater systems probably occurs at different rates (Kwicklis et al. 2005, 090069).

2.1.5.3.2 Flow

From limited hydrologic data and information, groundwater flow direction seems to be the same for the shallow, intermediate, and deep systems. In canyons where numerous wells have been drilled (such as in Mortandad Canyon), the water table for the shallow groundwater perched in the alluvium slopes toward the east as does the canyon floor (Stone 1995, 056043). The intermediate-depth perched groundwater zones are still too poorly bounded to characterize flow direction with any certainty. As shown by Figure 2.1-6, groundwater flow in the regional aquifer generally is to the east and southeast toward the Rio Grande.

The rate of groundwater flow depends on the hydraulic properties of the various saturated materials beneath the Pajarito Plateau. The actual flow rate or groundwater velocity (v) at a given point of interest depends on the saturated hydraulic conductivity (K) for the material, effective porosity (n_e), and the slope of the water table or hydraulic gradient (i), according to Darcy's law (Freeze and Cherry 1979, 088742):

$$v = Ki/n_e$$
. (1)

Hydraulic conductivity values, however, are a proxy for at least the potential rate of groundwater flow. Sparse data for K are available from hydrologic testing of observation, water supply, test, and regional characterization wells in the area. The mean K value for the alluvium in Los Alamos Canyon, based on slug tests in nine observation wells, is 9.6×10^{-3} cm/s with an error of $\pm 10\%$ (Gallaher 1995, 049679). Laboratory testing of cores from two wells in Mortandad Canyon yielded saturated K values of 5 x 10⁻⁵ to 1×10^{-3} cm/s for the Tshirege Member (unit 1A) of the Bandelier Tuff and 7×10^{-5} to 1×10^{-3} cm/s for the Tsankawi Pumice Bed (Stoker et al. 1991, 007530). Aquifer performance data for deeper units are available from pumping tests conducted on water supply and test wells in a detailed report by McLin (2006, 092218.1). Some of the wells are screened across more than one stratum, and K values for specific geologic units at these locations are not always available. Hydraulic conductivity values obtained from pumping tests conducted on water supply and test wells screened in a single unit vary by one to two orders of magnitude: 4 to 241 gal./day/ft² for the Puye Formation and 3 to 50 gal./day/ft² for the Santa Fe Group (Purtymun 1995, 045344; McLin 2006, 092218.1). These are typical ranges of variation for K values in individual aquifers. Other testing in characterization wells installed under the "Hydrogeologic Workplan" (LANL 1998, 059599) has provided K values of 2.79 x 10⁻³ to 1.31 x 10⁻² cm/s for intervals of the Cerros del Rio basalt at well R-9i (Broxton et al. 2001, 071251); 7.27 x 10⁻⁴ cm/s for the Puye Formation at well R-15 (Longmire et al. 2001, 070103); 6.17×10^{-3} and 6.91×10^{-3} cm/s for the Santa Fe Group at well R-19 (Broxton et al. 2001, 071254); 2.32 x 10⁻³ and 1.28 x 10⁻³ cm/s for the Cerros del Rio basalt at well R-31 (Vaniman et al. 2002, 072615); and 8.21 x 10⁻³ cm/s for the Puye Formation at well R-31 (Vaniman et al. 2002, 072615).

Radiocarbon dating of groundwater is another method of calculating flow rates, although it is difficult to collect groundwater samples not impacted by atmospheric carbon dioxide. Such dating of regional aquifer groundwater at the Laboratory suggests preliminary flow rates ranging from a minimum of 1.93×10^{-5}

cm/s for the Tesuque Formation in lower Los Alamos Canyon to a maximum of 3.33 x 10⁻⁴ cm/s for the Puye Formation, in the area between Water Canyon and upper Ancho Canyon (Purtymun 1984, 006513).

2.1.5.3.3 Discharge

Alluvial, intermediate, and regional aquifer groundwaters discharge in different ways, depending on hydrogeologic conditions. Alluvial groundwater is either forced to the surface by bedrock highs where it supports stream flow for some distance downcanyon, or it seeps into the underlying hydrogeologic unit. Intermediate-depth perched groundwater either discharges eventually at downgradient springs along canyon walls or continues to percolate downward toward the regional water table. Regional groundwater discharges at springs within White Rock Canyon and may contribute to base flow within the Rio Grande or, possibly, continue beneath the river (Figure 2-11 in LANL 1998, 059599).

2.2 Conceptual Hydrogeochemical Model

This section presents a conceptual hydrogeochemical model for the Pajarito Plateau, which focuses on natural distributions of inorganic and organic solutes as dissolved species. This model is based on geochemical data collected to date and includes both water chemistry and mineralogy of aquifer materials. The contribution of biological and microbial effects to speciation and reactive transport is implicit in the chemical data and is discussed below.

The chemical composition of groundwater is controlled by many factors including precipitation chemistry and quantity, evapotranspirative effects, redox conditions, aquifer mineralogy, and residence time (Güler et al., 2002, 094417). Reactive constituents, such as CaCO₃ (calcite), Fe(OH)₃, clay minerals, and SiO₂ glass, and ion exchange-adsorption reactions are particularly important in controlling groundwater composition for major solutes and some trace elements. Interactions of groundwater with reactive minerals in different rock types, over space and time, lead to the development of different hydrochemical facies. These facies are expressed at discharge locations (springs or wells) and can then be correlated with locations along flow paths and with the history (aquifer rock type, residence time) of the facies (Güler et al. 2002, 094417). Analytical results for different locations are compared statistically in Section 4.0 to distinguish the different facies for the Pajarito Plateau region based upon the chemical data.

2.2.1 Previous Work

The current conceptual hydrogeochemical model for the Pajarito Plateau is a synthesis of previous geochemical investigations conducted over the past several years and is summarized in Collins et al. (2005, 088767). Characterization of site geochemistry has taken place over the past decade with investigations conducted on mesa tops and within canyon bottoms surrounding the Laboratory (Gallaher and Koch 2004, 088747; Adams et al. 1995, 047192; Blake et al. 1995, 049931; Broxton and Eller 1995, 058207; Longmire et al. 1996, 054168; Longmire and Goff 2002, 075905). Concerns about the potential for groundwater contamination by waste-disposal practices at the Laboratory have prompted annual monitoring (annual Laboratory Environmental Surveillance Program [ESP] reports) since the 1950s and additional hydrogeochemical studies (Longmire 2002, 072614; 2002, 072713; 2002, 072800; 2002, 073282; 2002, 073676; and 2005, 088510). Geochemical modeling studies have further contributed to an understanding of geochemical processes occurring in shallow and deep, local and regional, unsaturated and saturated groundwater systems (Broxton et al. 2002, 076006; Keating et al. 1999, 088746).

2.2.2 Elements of the Conceptual Hydrogeochemical Model

This subsection summarizes different elements contributing to the conceptual hydrogeochemical model. The seven elements that follow represent conceptual hydrogeochemical processes. Geochemical processes occurring over time and space are implicit in this conceptual model. The elements include initial natural chemical compositions of groundwater, residence times, oxidation-reduction and microbially mediated conditions, reactive aquifer minerals, adsorption and precipitation reactions, radioactive decay, and colloid transport. Reactive minerals and adsorption-desorption processes are considered to be most important for controlling groundwater composition and solute mobility.

Geochemistry Element 1: **Initial composition** of water infiltrating into each aquifer unit. For example, water enters the alluvial groundwater via recharge from precipitation or outfalls from anthropogenic activities. This water interacts with the alluvium (alluvial facies) and then infiltrates into the perched intermediate zone, where it again interacts with the volcanic rock in that zone to produce a new facies composition characteristic of that zone.

Geochemistry Element 2: Residence times of groundwater and chemical solutes (mass of water or solute/flux of water or solute) increase with depth and from west to east across the Pajarito Plateau based on delta deuterium (δD) and delta oxygen-18 ($\delta^{18}O$) ratios, and tritium (^{3}H) decay (Collins et al. 2005, 088767). The initial cosmogenic baseline for tritium is approximately 17 pCi/L (Clark and Fritz 1997, 059168); however, cosmogenic tritium has decayed to less than 1 pCi/L as water moved from the surface to the regional water table over several decades, with the exception of tritium release sites in Pueblo Canyon, Los Alamos Canyon, Sandia Canyon, Mortandad Canyon, Pajarito Canyon, and Cañon de Valle (LANL 2001, 071301; Longmire 2002, 073282; Longmire 2002, 72800; Longmire 2002, 073676; Longmire 2002, 072614; Longmire 2005, 088510). Accordingly, changes in concentrations of major ions and trace elements are observed along the flow paths from the alluvial to perched intermediate systems to the regional aquifer and within the regional aquifer as a result of reactions along flow paths. Calcium, sodium, and bicarbonate are major ion solutes that tend to vary with groundwater zone and along flow paths from west to east. For example, sodium tends to increase relative to calcium in spring discharges versus alluvial wells. One regional aquifer facies discussed in Section 4.0 has characteristic higher TDS, indicative of older water and longer residence time.

In contrast, younger ages are indicated in a facies of groundwater within perched zones in the Sierra de los Valles. Here, the regional aquifer is less than 60 yr old. This observation is based on measurable natural tritium considerably above 1 pCi/L (Broxton et al. 2001, 071252; Broxton et al. 2002, 076006; Longmire et al. 2001, 70103). Perched intermediate waters from this area thus tend to be lower in TDS.

Groundwater within a discharge zone, at the end of groundwater flow paths, generally has the highest mineral or solute content and also represents the oldest water, provided that mixing with younger groundwater has not taken place. The main groundwater discharge zone for the Sierra de los Valles occurs as springs and gaining reaches along the Rio Grande. Older groundwater within the regional aquifer tends to have higher concentrations of trace elements due to a combination of mineral dissolution and desorption processes (Collins et al. 2005, 088767). Many trace elements, including arsenic(III, V) and uranium(VI), form complexes and tend to desorb from mineral surfaces under basic pH conditions (Langmuir 1997, 056037). Water quality/geochemical data collected by NMED and by LANL indicate that dissolved concentrations of major cations and anions, arsenic, uranium, and other trace elements are higher in groundwater east of the Rio Grande. Collins et al. (2005, 088767) report values of natural uranium in groundwater up to 0.2 mg/L along the Rio Grande and eastward toward the Sangre de Cristo Mountains. In contrast, uranium concentrations in the regional aquifer beneath the Pajarito Plateau rarely exceed 0.1 mg/L.

Geochemistry Element 3: Oxidation-reduction reactions and other microbially mediated reactions are important in determining the speciation and subsequent reactivity, sorptivity, and solution concentration of solutes. Solutes such as uranium(VI), sulfate, nitrate, and chromate are mobile under oxidizing conditions but can precipitate or adsorb under reducing conditions. In addition, nutrients such as nitrate and other potentially metabolically active constituents such as perchlorate can cycle as part of microbial metabolism. Analytical data for the three aquifer types indicate that all are typically under oxidizing conditions. Special conditions, such as the presence of drilling fluids and bacteria in well bores, may alter these conditions locally.

Geochemistry Element 4: Reactive constituents, consisting of CaCO₃, Ca-smectite, Na-feldspar, amorphous SiO₂, and Fe(OH)₃, frequently control groundwater composition for the major solutes and selected trace elements, including iron and aluminum. Some of these constituents are undersaturated in particular locations (such as calcite in the alluvium), or will precipitate as minerals (such as calcite in the Santa Fe Group portion of the regional aquifer where higher concentrations of bicarbonate are found) (Collins et al. 2005, 088767). Adsorption processes generally dominate over mineral precipitation for removing metals and radionuclides from alluvial groundwater. However, in isolated cases where effluent discharges have changed major ion chemistry and pH, trace solutes such as strontium and barium may precipitate as SrCO₃ and BaSO₄ or coprecipitate as (Sr-Ba)SO₄ in alluvial sediments. Precipitation is also important in older waters with elevated levels of carbonate or sulfate and metals such as iron. Encrustation of well screens may result from these waters.

Geochemistry Element 5: Adsorption capacities of sediments and aquifer material affect concentrations of dissolved constituents over time and along flow paths. Adsorption is dependent upon solute speciation, aquifer mineralogy, and grain size. In general, adsorption of radionuclides and organic and inorganic species in the Bandelier Tuff decreases as follows: cesium-137 (highest sorption) = americium-241 > plutonium-238 = plutonium-239/240 > strontium-90 > uranium > nitrate = sulfate > chloride = perchlorate = trinitrotoluene (TNT) = research department explosive (RDX) > tritium (lowest sorption). Adsorption affinities are measured by experimental (Longmire et al. 1996, 056030) and field data collection and analysis (LANL 2000, 068661; LANL 2001, 071301). Non- and weakly adsorbing constituents (tritium, perchlorate, nitrate, chloride, fluoride, and uranium) can migrate from alluvial groundwater to perched intermediate zones and to the regional water table. These constituents can be used as nonreactive tracers in some cases.

Alluvial groundwater in some locations acts as a reservoir for effluent-discharged constituents due to sorption and subsequent desorption. These constituents include strontium-90, cesium-137, plutonium-238, plutonium-239/240, and americium-24. These constituents adsorb onto clay and silt-sized particles coated with clay minerals, manganese hydroxides, and ferric (oxy)hydroxides, forming a sorbent sink.

Geochemistry Element 6: Activities of naturally occurring, sorbing radionuclides in groundwater are controlled by desorption and dissolution reactions, while they are concurrently reduced by decay processes. Nonsorbing tritium, which can be sourced from natural precipitation or Laboratory-related releases, also decays during its residence time. Suspended nuclides (in solution or colloidal transport) such as uranium-238 and strontium-90 are reduced by decay processes downgradient along the groundwater flow path.

Geochemistry Element 7: **Colloid Transport.** Some constituents in groundwater occur as both dissolved solutes and as colloids. For example, transport of plutonium in groundwater is sometimes connected with colloid transport rather than involving a dissolved species. Colloids may include natural material (silica, clay minerals, organic matter, manganese hydroxides, and ferric (oxy)hydroxides) and possibly solid phases associated with treated Laboratory discharges. Most colloids greater than 0.45 microns in size are removed during filtration in the sampling process, but smaller colloids may pass through filters and

contribute to dissolved solution concentrations after acidification, particularly with respect to metal constituents.

2.2.2.1 Natural Distribution of Solutes, Initial Conditions, Oxidation Conditions, and Residence Times (Elements 1, 2, and 3)

This section describes physical and chemical characteristics of recharge and subsurface zones and related groundwater chemistry characteristics.

Figures 2.2-1a through d show the average concentrations of several analytes at the stations sampled from 2000 to 2006. Figures 2.2-2a and b show comparisons of average concentrations of major constituents and metals among the regional, intermediate, and alluvial groundwater samples. A recharge zone occurs within the Sierra de Los Valles, and a discharge zone occurs in White Rock Canyon. Groundwater in the recharge zone is characterized by a calcium-sodium-bicarbonate ionic composition with a mean specific conductance of 138 μ S/cm. Concentrations of barium, calcium, sodium, uranium, and strontium increase in groundwater from the Sierra de los Valles eastward toward the Rio Grande (Figures 2.2-1b and d). Figures 2.2-1a and c show concurrent increases in silica, bicarbonate, boron, and fluoride. Specific conductance and TDS also increase as noted in Sections 4.2.2 and 4.3. Data from 1997 through 2000 (Appendix F) also show similar trends, and Figure D-1.4 (in Appendix D) shows the relationship between TDS and bicarbonate for pre-1997 baseline groundwater samples. These data indicate a clearly increasing trend from alluvium through the perched intermediate to the regional aquifer for several major ions, TDS and bicarbonate, and some metals. It should be noted that some metals and solutes show variable or decreasing trends between the perched intermediate and regional aquifer facies, including potassium, magnesium, chloride, and sulfate.

Background concentrations of dissolved uranium are typically less than 1 part per billion (ppb) in groundwater within volcanic rocks, sediments, and alluvium west of the Rio Grande. Variations in trace-element concentration depend on solute residence time and the extent of water-rock interactions. Older groundwater within the regional aquifer tends to have higher concentrations of trace elements as a result of desorption processes.

Some variation in silica can be found along projected flow paths, although generally, silica is high throughout the region, precluding a consistent trend. This ubiquity contributes to a flattening of the bicarbonate-TDS relationship, indicating the importance of bicarbonate. Silica tends to be lower in Santa Fe Group sediments than in the volcanic source rocks.

Revisions 0 and 1 of this report indicated that the Cerro Grande fire temporarily increased some constituents in the alluvium (e.g., well LAO-B), such as calcium, sodium, magnesium, and bicarbonate (Appendix F). This change was temporary and is not apparent in the current data for the perched intermediate locations.

Mean concentrations of dissolved iron and manganese are less than 0.12 and 0.007 mg/L, respectively, in the perched intermediate locations, a fact that suggests overall oxidizing conditions within the recharge zone. Revision 1 of this report (see Appendix F) noted that groundwater discharging from springs in this region is generally oxidizing because concentrations of chemical reductants, including hydrogen sulfide, methane, and ammonium, are less than detection. Not all of these constituents were analyzed for the current data set.

Revision 1 of this report included a more comprehensive set of tritium analyses for the alluvium. Concentrations of tritium are expected to vary in recharge water because of local and seasonal variations. Recharge water derived from precipitation near the Sierra de los Valles was noted to contain tritium (from

5 to 71 pCi/L in Pine Spring, for example). Current values for results from well LAOI(A)-1.1 are up to 7.5 pCi/L, similar to previous values. Values in the regional discharge zone springs also are still similar, with values of less than 3 pCi/L noted (Section 4.3). Concentrations of tritium at Spring 9B, discharging from the Cerros del Rio basalt in White Rock Canyon, are now less than 0.32 pCi/L. (Revision 1 showed 0.40 pCi/L in Appendix F.) These figures suggest that the age of this groundwater is greater than 60 yr. Values of tritium thus are still quite low, indicating that tritium contamination or dilution with younger water is not occurring for the locations in this report.

Groundwater under the Pajarito Plateau within perched intermediate zones and the regional aquifer is oxidizing. This fact is also generally true for alluvial groundwater, although dissolved organic carbon (DOC) may enhance localized reducing conditions within wetlands occupying some canyon reaches. Revision 1 of this report indicated that naturally occurring concentrations of dissolved oxygen (DO) were about 1 to 9 mg/L. Sulfate and nitrate are also indicative of oxidizing conditions (Collins et al. 2005, 088767). Current data show sulfate up to 30 mg/L in two perched intermediate locations, but much lower in most regional locations—except Sacred Spring (7 mg/L). Nitrate is typically less than 0.5 mg/L in most locations, with the exception of Cañon de Valle-5.0 Spring at 1 mg/L. Low inputs of nitrate in upgradient or recharge locations due to a lack of anthropogenic inputs or metabolic cycling of nitrogen are possible reasons for the lower values (Canter 1997, 093257).

Oxidation-reduction (redox) reactions and the microbial mediation of those reactions are very important in groundwater systems for controlling distributions of major constituents and trace elements. The main thrust of this report is to present geochemical trends in background locations. These trends should reflect biological and microbial influences in the subsurface, shown in the distribution and concentration of redox-sensitive solutes such as iron and manganese, mineralogy of aquifer material, presence or absence of DO, knowledge of microbial populations, and presence of electron donors (reducing agents, reductants), and electron acceptors (oxidizing agents, oxidants). Some couples are electrochemically reversible, including the iron(III)/iron(II) and hydrous ferric oxide/iron(II) pairs. However, most pairs are not reversible under normal groundwater conditions in the absence of microbes. These pairs include: dissolved oxygen/water, nitrogen(V)/nitrogen(0), nitrogen(V)/nitrogen(III), uranium(VI)/uranium(IV), sulfur(-II), and carbon(IV)/carbon(0, -IV) (Collins et al. 2005, 088767).

Concentrations of trace elements within the three aquifer types are controlled by speciation (the form and structure of solute), oxidation state, and their affinity to adsorb onto aquifer material. Figure 2.2-3 shows calculated speciation of dissolved uranium(VI) at Spring 9B, in which uranyl dicarbonate dominates between pH values 6.6 and 8.4. Barium and strontium are predicted to occur as Ba^{2+} and Sr^{2+} and undergo cation exchange reactions. Boron is stable as the hydrolysis species $B(OH)_3^0$, and this neutrally charged solute does not adsorb onto aquifer material, making it an excellent tracer or nonreactive species. Fluoride and bromide are stable as F^- and Br^- , respectively, and these two anions are also excellent tracers. Other trace elements, including copper (II), form complexes with carbonate and sulfate, making them less adsorptive than the noncomplexed forms.

Trace-element concentrations and major ion ratios in the regional aquifer beneath the Pajarito Plateau are dramatically different from waters sampled in the western Valles Caldera region (Shevenell et al. 1987, 006673; Blake et al. 1995, 049931). Therefore, it can be concluded that the western half of the Valles Caldera is not a plausible recharge area for the regional aquifer beneath the Pajarito Plateau. Water samples collected in the western portion of the Sierra de los Valles, although sparse, are geochemically similar to Pajarito Plateau perched groundwater and the regional aquifer (Collins et al. 2005, 088767); thus, this region cannot be excluded from the potential recharge area based on geochemical evidence alone.

The temperature of the recharge water is generally less than 15°C, but with increasing depth, groundwaters in the perched intermediate zones within the Cerros del Rio basalt and Puye Formation and regional aquifer are generally greater than 15°C, reflecting the geothermal gradient associated with heat flow beneath the Jemez Mountains (see Appendix F).

Isotopic data (δ^{18} O and δ D ratios) from cold springs discharging from the regional aquifer (Vuataz and Goff 1986, 073687; Blake et al. 1995, 049931; Longmire 2002, 072614; 2002, 072713; 2005, 088510) may be used to distinguish between recharge in the Valles Caldera, Sierra de los Valles, and possibly the Sangre de Cristo Mountains (for well samples near the Rio Grande). Paleotemperatures of colder climate indicative of the Pleistocene produce lighter δ D and δ^{18} O values (Clark and Fritz 1997, 059168); isotopic temperature effects need to be considered in evaluating samples collected from deep wells in lower Los Alamos Canyon and on San Ildefonso Pueblo land. Available isotopic data do not support a hydrologic connection between the regional aquifer beneath the Pajarito Plateau and the Valles Caldera. (See Appendix F.)

The most likely source of recharge for the western part of the Pajarito Plateau occurs within the Sierra de los Valles. Major ion compositions of Apache Spring, Cañon de Valle-5.0 Spring, surface water in both upper Cañon de Valle and Water Canyon, and the perched intermediate zone observed at wells R-18, R-25, and R-26 are very similar (calcium-sodium-bicarbonate ionic composition), suggesting common host rocks and a common recharge zone.

Residence times of groundwater and chemical solutes increase both with depth and from west to east across the Pajarito Plateau (Collins et al. 2005, 088767, Figure 3-1). Tritium derived from atmospheric deposition is one indicator of residence time. Waters near the Sierra de los Valles exhibit ages younger than 61 years based on ³H activity, and waters in the regional aquifer normally show no tritium activity and thus much older ages. A recent component of groundwater, based on tritium observed within the perched zones and/or at the regional water table is observed at wells R-4, R-5, R-6, R-6i, R-8, R-9, R-9i, R-11, R-12, R-15, R-22, R-23, R-25, R-28, and MCOBT-4.4 (Collins et al. 2005, 088767). Tritium has been measured at these wells at concentrations above the initial cosmogenic baseline. Accordingly, increasing concentrations of major ions and trace elements are observed along the flow paths, but concentrations of tritium tend to decrease with depth (Appendix B). Residence times of the recharge groundwater may be short, based on the open fracture flow within the Bandelier Tuff, Tschicoma Formation, and Cerros del Rio basalt and within porous media flow in the coarse-grained alluvium in upper Los Alamos Canyon and other canyons. Increasing residence times occur within perched intermediate zones and in the regional aquifer.

2.2.2.2 Reactive Minerals and Mineral Precipitation (Element 4)

Geochemically reactive minerals and amorphous solids react with groundwater along flow paths to varying degrees. These solids approach equilibrium with groundwater when the residence time exceeds the reaction half time. These reactive constituents, consisting of calcite (CaCO₃), Na-feldspar, Ca-smectite, amorphous SiO₂, and Fe(OH)₃, may control groundwater composition for the major ions and selected trace elements, including iron and aluminum. Reactive minerals have varying adsorption capacities for trace elements, including arsenic, chromium, nickel, lead, selenium, and uranium. Each of the major reactive constituents along flow paths beneath the Pajarito Plateau is discussed below.

Calcite: Concentrations of dissolved calcium and bicarbonate increase in depth within perched intermediate zones and the regional aquifer, reflecting the increase in residence times within the deeper saturated zones. Figure 2.2-4 shows saturation indices for calcite versus calcium and bicarbonate concentrations (millimoles/liter) at selected Laboratory springs and wells (Longmire 2002, 072713; 2002,

072800; 2002, 073282; LANL 2000, 068661; LANL 2001, 071301). The saturation index (SI) is defined as the \log_{10} (activity product/solubility product). The computer program MINTEQA2 (Allison et al. 1991, 049930) was used to perform SI calculations. For a given solid phase at equilibrium, saturation is equal to 0 ± 0.05 . Oversaturation (positive SI) implies precipitation, but undersaturation (negative SI) implies dissolution. Alluvial and perched intermediate groundwaters are calculated to be undersaturated with respect to calcite, and dissolution of this mineral takes place. This calculation is consistent with the absence of calcite within the saturated alluvium upgradient of the Laboratory. Calcite is an important reactive mineral controlling dissolved concentrations of calcium and bicarbonate in the regional aquifer. The regional aquifer (Santa Fe Group sediments and basalt) is calculated to be in close equilibrium with respect to calcite. For example, groundwater samples collected at wells R-9, R-12, and Otowi-4 and La Mesita Spring generally have been saturated with respect to calcite, whereas the perched intermediate well LAOI(A)-1.1 has not been. Activities of dissolved calcium and bicarbonate at well LAOI(A)-1.1 have not been sufficient to allow for calcite precipitation.

Smectite: Extensive zones of smectite were encountered in the Puye Formation in core and cutting samples collected from wells R-9 and R-12 (Broxton et al. 2001, 071250; 2001, 071252). Smectite has also been observed in rock samples collected from the Santa Fe Group sediments in lower Los Alamos Canyon. Figure 2.2-5 shows log activity H₄SiO₄ (silicic acid) versus log activity Ca²⁺/[H⁺]² at 25°C for wells R-9, Otowi-4, R-12 (screen #3), and LAOI(A)-1.1 and La Mesita Spring. Groundwater samples collected from these stations predominantly plot within the stability field of calcium smectite, suggesting that most groundwater is oversaturated with respect to this mineral. One sample collected from La Mesita Spring, however, plots within the stability field for kaolinite because of the more acidic pH measured during the sampling round. Smectite increases the adsorption capacity of the aquifer material for cations (metals and radionuclides) under circumneutral pH conditions.

Silica: Silica glass derived from volcanic rocks is an important component of the Bandelier Tuff, pumicerich zones of the Puye Formation, and Cerros del Rio basalt. Groundwater (alluvial, perched intermediate, and regional aquifer) reacting with silica glass produces dissolved silica in the form of silicic acid [Si(OH)₄]. Concentrations of dissolved silica vary as a function of the solubility of silica glass containing sodium, potassium, and calcium (Lindsay 1979, 071512). Groundwaters collected from selected wells and springs are oversaturated with respect to silica-rich soil and undersaturated with respect to SiO₂ glass (Figure 2.2-5). These groundwaters are also oversaturated with respect to quartz, cristobalite, and tridymite based on thermochemical data provided by Lindsay (1979, 071512). These SiO₂ phases are present within the Guaje Pumice Bed, as identified in core collected from borehole LAOI(A)-1.1. La Mesita Spring is undersaturated with respect to silica-rich soil and silica glass because of lower concentrations of silica relative to those measured in groundwater samples collected at wells R-9, Otowi-4, R-12, and LAOI(A)-1.1.

Na-Feldspar. Sodium-rich feldspar (albite) is present in the Santa Fe Group sediments, and over thousands of years, this phase has reacted with groundwater, releasing sodium and silica to solution under basic pH conditions. The mineral chemically alters to form clay minerals, including kaolinite and sodium-rich smectite (Langmuir 1997, 056037), although volcanic-derived silica glass is more reactive.

*Fe(OH)*₃: Hydrous ferric oxide (HFO) is ubiquitously found in hydrogeologic environments and is an important adsorbent for many trace elements, including arsenic, chromium, lead, and uranium. This phase has a specific surface area of 600 m²/g (Langmuir 1997, 056037), which contributes to its high adsorptive capacity. HFO has been observed as a component of fracture-fill material at borehole R-9 within the Cerros del Rio basalt (Broxton et al. 2001, 071250). Chemical and mineralogical data collected from the borehole indicate that uranium is associated with HFO and smectite within the fracture-filling material. Oxidation-reduction reactions are also controlled by HFO and dissolved ferrous iron (Langmuir

1997, 056037) under acidic to neutral pH conditions. In addition to HFO, hydrous manganese oxide is an important adsorbent within volcanic and sedimentary rocks. Elemental analysis of core samples and nonfiltered water samples containing suspended particles has shown that this phase is found at lower concentrations than HFO.

2.2.2.3 Contaminant Distributions, Activities, and Transport (Elements 5 through 7)

Background distributions of chemicals in groundwater have direct relevance to defining the nature and extent of contamination. Geochemical processes controlling distributions of background solutes also occur in contaminated groundwater.

The largest mass distribution of adsorbing contaminants in Los Alamos Canyon and Mortandad Canyon occurs within the alluvium (Laboratory Environmental Surveillance Program [ESP] reports). Alluvial groundwater in both Los Alamos Canyon and Mortandad Canyon contains elevated concentrations of strontium-90, plutonium-238, plutonium-239/240, and americium-241 (LANL 2004, 087390 and LANL 2006, 094161). Most of these radionuclides, except uranium, tend to adsorb significantly onto aquifer material. Concentrations of adsorbing radionuclides and cationic metals generally decrease downgradient along the groundwater flow path. Concentrations of one or more of the nonadsorbing or weakly adsorbing constituents (e.g., tritium, perchlorate, chloride, nitrate, and uranium) have been measured at many wells, such as MCOBT-4.4, R-4, R-5, R-6, R-6i, R-8, R-9, R-9i, R-11, R-12, R-15, R-25, and R-28 (LANL 2005, 091121).

The presence of colloids may enhance the movement of contaminants, especially those that are adsorbed onto fine-grained particles in the shallow subsurface. Colloid transport in alluvial groundwater was proposed as a transport mechanism in Mortandad Canyon (Penrose et al. 1990, 011770); however, alternate reasons for this transport were proposed by Marty et al., 1997, 094765. Sources of colloids typically include natural materials (clay minerals, silica glass, manganese hydroxides, ferric (oxy)hydroxides, and solid organic matter) and possibly solid phases (silica glass and calcium carbonate). These colloids may partly influence the distribution of suspended radionuclides within alluvial groundwater in groundwater because constituents adsorbed onto colloids are transported more rapidly, with less retardation, than they would be transported as dissolved solutes.

2.2.2.4 Cerro Grande Fire

The Cerro Grande fire of May 2000 perturbed surface water and alluvial groundwater chemistry (Gallaher and Koch 2004, 088747; LANL 2001, 069055; Longmire et al. 2001, 070103). Ash produced from the fire has been transported within canyon systems reacting with rain and surface water. Increasing concentrations of total organic carbon (TOC) and DOC, carbonate alkalinity, calcium, potassium, iron, manganese, and other solutes occurred in surface water and alluvial groundwater for a few years (2000 to 2003) after the Cerro Grande fire (Gallaher and Koch 2004, 088747). In most canyons, carbonate alkalinity in surface water increased by factors of three to six after the fire. Surface water and alluvial groundwater showed increases in turbidity from ash and enhanced erosion.

Storm events remobilized contaminated sediments, and desorption of contaminants took place, resulting in a redistribution of contaminants for several years (Gallaher and Koch 2004, 088747). Cation exchange reactions involving strontium-90 and calcium and complexation reactions of uranium and bicarbonate are examples of hypothesized geochemical processes occurring in surface water and alluvial groundwater since the fire. On the whole, metal, radionuclide, and anion concentrations have decreased and are approaching pre-Cerro Grande fire concentrations in alluvial groundwater (Gallaher and Koch 2004, 088747).

Oxidation and reduction reactions occurring between organic-rich ash and metals and radionuclides influence aqueous speciation of solutes and adsorption processes. It is hypothesized that DOC produced from the fire serves as an electron donor (reducing agent) during complete oxidation to bicarbonate and carbonic acid. Concurrently, iron(III) and manganese(IV) solids become electron acceptors (oxidizing agents) and are reduced to more soluble aqueous species. Geochemical data collected in Pueblo Canyon, Los Alamos Canyon, and Pajarito Canyon support the occurrence of these oxidation-reduction reactions with respect to DOC and dissolved iron and manganese (Gallaher and Koch 2004, 088747).

2.2.2.5 Summary of Conceptual Hydrogeochemical Model

The preceding conceptual hydrogeochemical model applies to both background and Laboratory-induced conditions. This model addresses initial composition, residence times, recharge and discharge zones, geochemical reactions, reaction half times, and temporal and spatial relationships.

Stable isotope ratios (δD and $\delta^{18}O$) (Appendix F of this report; Collins et al. 2005, 088767) strongly suggest that the Sierra de los Valles provides most of the recharge to groundwater beneath the Pajarito Plateau. This finding is based on similarities in isotopic ratios between springs discharging within the Sierra de los Valles and perched intermediate groundwater and the regional aquifer beneath the Pajarito Plateau. Recharge from the Valles Caldera to deep groundwater beneath the Pajarito Plateau is not significant. Additional recharge to the regional aquifer occurs along wet canyon bottoms on the Pajarito Plateau.

According to Revisions 0 and 1 of this report and consistent with this Revision 2, measurable activities of tritium observed in springs discharging within the Sierra de los Valles (>10 pCi/L) suggest that a component of groundwater is less than 60 years old within this recharge zone. This report shows low or nondetectable levels of tritium in White Rock Canyon springs. (See Table 4.2-3 and Appendix B.) The age of groundwater probably ranges between 3000 and 10,000 years (Vuataz and Goff 1986, 073687; and Appendix F of this report).

Major ion chemistry of the regional aquifer varies from west to east across the Pajarito Plateau, from a calcium-sodium-bicarbonate to a sodium-calcium-bicarbonate ionic composition. Higher carbonate and bicarbonate concentrations in groundwaters at the eastern part of the Laboratory enhance the precipitation of calcite (Figures 2.2-1a and c).

Concentrations of trace elements generally increase from west to east within the regional aquifer as a result of increasing solute residence times and water/rock interactions. Concentrations of natural dissolved uranium are the highest within the regional aquifer, ranging from 0.5 μ g/L at the Laboratory to more than 1800 μ g/L east of the Rio Grande (Collins et al. 2005, 088767, Figure 3-11).

2.2.2.6 Limitations of the Conceptual Hydrogeochemical Model

Recent improvements in the sampling network, the addition of analytical data over time, better detection limits for some analytes, and improved hydrogeological knowledge from ongoing well drilling and sampling programs have served to improve the geochemical knowledge of the aquifer systems below the Pajarito Plateau and surrounding area. However, as with any model, there are limitations, such as the following.

The number and distribution of background sampling points are limited as a result of natural
occurrences of springs, topography, land use, and the stage of development of the monitoring
network. An example is the limitation on determining the influence of Los Alamos Reservoir on
well LAO-B. A better determination will be possible as the monitoring network is further improved.

- Development of patterns of geochemical changes between aquifer types is based on hypotheses
 of flow paths and data from available, nonideal sampling point locations. While these hypotheses
 are improving with time, the model must continue to evolve.
- The extent of influences of non-Laboratory, anthropogenic, and natural effects is imperfectly known. Examples include the variability of nitrate detections or regionwide perchlorate detections.
 The understanding of these external effects is improving with continued sampling and analysis.

3.0 SCOPE OF ACTIVITIES AND METHODS

This section discusses formulation of the investigation to collect groundwater background data, field and analytical laboratory methods, spatial and temporal parameters, descriptive statistics, data plots, and PCA/CA statistical methods.

3.1 Data-Quality Objectives

Before conducting this investigation, the Laboratory used the EPA data-quality objective (DQO) process (EPA 1987, 057589; 1992, 054947; and 1994, 050288), a strategic planning approach for data collection. By using the DQO process, the Laboratory has ensured that the type, quantity, and quality of background hydrogeochemical data and information used in the decision-making process are appropriate to meet the objective of determining natural background concentrations of inorganic solutes and radionuclides in groundwater.

The DQO process used in this investigation consisted of seven steps, which are described below. The output from each step influences the choices made in the next steps of the DQO process. This process is iterative; therefore, the outputs from one step may lead to reconsideration of previous steps. The DQO process consists of the following: (1) problem definition, (2) data evaluation or decision criteria, (3) data input for the different aquifer types, (4) spatial and temporal boundaries for sample stations, (5) decision rules, (6) uncertainty (statistical testing), and (7) design optimization. Of these seven steps, all except the decision rules (number 5 above) changed for Revision 2 and are described in the following subsections.

3.1.1 Problem Definition

The ability to distinguish between natural, general anthropogenic, and Laboratory-impacted conditions is essential for assessing data collected during site investigations, establishing cleanup levels, and understanding hydrologic and geochemical processes. Adequate data to capture the systematic natural variations in water quality were generally lacking before 1997.

Although the Laboratory, U.S. Geological Survey (USGS), DOE, the University of New Mexico, and consulting companies had published hydrogeochemical data collected before 1997, there were problems with using these data to represent background groundwater conditions because of issues with consistency. For example, many of the groundwater samples collected by the Laboratory were not filtered before analyses. Subsequently, analytical accuracy and precision varied from sample to sample, depending on the amount of suspended solids.

In 1997, groundwater-quality databases were reviewed in terms of sample collection and preservation, chemistry, hydrogeology, time of sample collection, and completeness and accuracy of reported analytical results. Appendix D provides additional information on geochemical and statistical analyses using the pre-1997 hydrogeochemical data. The results of the review of data collected between 1997 and early 2000 are discussed in detail in Appendix F.

Since 1997, sample collection and analytical techniques have resulted in larger numbers of analytes per sampling event and more consistent analytical quality. For example, filtered and nonfiltered metals analyses are more routinely paired. The current data set from early 2000 to 2006 was used here to provide the most recent data collected from up-to-date sampling and analytical techniques.

3.1.2 Data Evaluation Criteria

For each sample station, results of statistical analyses are provided in this report for analytes listed in Table 4.2-1, -2, and -3, which include 18 major ion species; 30 metals; tritium; 6 radionuclides; gross-alpha, -beta, and -gamma radiological measurements; and two field parameters. Anthropogenic organic compounds such as trichloroethene, HE compounds, PCBs, and other volatile and semivolatile chemicals were not included as part of this investigation because they were deemed to be introduced and are not indicative of background or natural values. Because technetium-99 is synthetically prepared, it was not included in this investigation either. The presence of these anthropogenic constituents was used as part of the initial screening to remove potentially impacted locations from the candidate location list.

A two-step screening was performed to select the best candidate background locations for this report. Locations included in Revision 1 of this report were considered, along with additional probable locations for all three aquifer types. Locations that were clearly impacted by Laboratory-sourced constituents or constituents from other anthropogenic activities such as road-salt contamination were excluded from this listing. Locations at which data was obtained between 2000 and 2006 were included in the listing. Older data (1997 to 2000, or earlier if necessary) were used only if no data were available for the years between 2000 and 2006. Locations were then screened for the following criteria:

- the presence of groundwater greater than 60 years old (measured by the activity of tritium), except for alluvial groundwater upgradient of the Laboratory and springs discharging within Sierra de los Valles or within other recharge zones;
- a location hydrologically upgradient of the Laboratory or downgradient in areas not impacted by Laboratory-derived contaminants (including nitrate at less than 2 mg/L);
- a generally known mode of groundwater occurrence (alluvial groundwater, perched intermediate zones, and regional aquifer);
- the availability of data for the years between early 2000 and 2006, with minor exceptions;
- length of sampling record (at least three sampling events recorded during the time interval);
- quality of data (determined by inclusion in the WQDB, with the exception of Spring 9B and Pine Spring, for which additional data were added from the ER Database);
- consistency of sampling location for springs; and
- meeting of well-screen quality criteria (evaluated using Well Screen Analysis Report criteria [LANL 2005, 091121]).

Two exceptions were made with respect to data availability. Spring 9B is the only spring sampled that discharges from the Cerros del Rio basalts. For this case, data collected between 1997 and 2000 were used. Data for Pine Spring, one of two alluvial locations, were also available only for the years between 1997 and 2000.

The resulting list of locations was then screened for evidence of corrosion in the candidate wells. Levels of iron, chromium, nickel, manganese, and copper were evaluated. For example, wells LA-5 and LA-3 were eliminated because of high levels of copper (greater than three standard deviations from the mean

of other well values and at least three to 10 times the concentration in other evaluated wells). The final list of locations then totaled 30.

3.1.3 Data Inputs

Data inputs for each aquifer type are provided in Table 3.1-1. Names and locations of background stations are provided in Table 3.1-2. Data for the alluvial, perched intermediate, and regional aquifer locations are presented in Section 4.

The majority of the data was obtained from the WQDB. The search was limited to data from 2000 and later. Two locations selected, Pine Spring and Spring 9B, had only one or two samples within the WQDB. To augment this data set, data were obtained from the ERDB. This search was initiated using sample IDs from Revision 0 of this report. No condition was set for start date.

3.1.4 Spatial and Temporal Boundaries

The region considered in this investigation extends from the western edge of the Jemez Mountains eastward to the Rio Grande, and from Frijoles Canyon northward to Garcia Canyon. Sampling locations were selected from these pools of potential locations:

- those used in the previous report version, including Seven Springs, which is located west of the Laboratory; and
- Pajarito Plateau locations west of the river that did not exhibit anthropogenic effects.

Data used were collected between early 2000 and 2006, as discussed above, with the exceptions of Spring 9B and Pine Spring, for which recent data were not available. This more recent data set was used because many new sampling locations have been added since 1997, because up-to-date and more consistent sampling and analysis techniques were used, and because the larger data set provides a better basis for the statistical analysis of the regional aquifer beneath and around the Pajarito Plateau.

3.1.5 Data Assessment

For this study, all analytical results in the data set were used to calculate statistical results presented in Section 4 and to develop box plots (Appendix C). No data were excluded from statistics as being outliers. The data were assessed using the criteria below.

If analytical results for groundwater samples collected from a single mode of groundwater occurrence met the data-assessment criteria, then these data were included in statistical analyses to establish background distributions for each analyte for that mode of groundwater occurrence.

Steps in the data assessment were as follows:

- Evaluate the sample analytical results for each analyte to determine the overall variability and to verify the hypothesized differences between water sources (alluvial, perched intermediate, and regional aquifer) (Appendix C).
- Assess variability. Variability from Laboratory analyses should be small compared with temporal/spatial variability of groundwater samples; a target value should have less than 25% relative standard deviations from Laboratory duplicates.

3.1.6 Design Optimization

Because groundwater sample locations for background must be defined (i.e., locations must be credible upgradient or in unimpacted areas) and ideally would be taken from a random grid, a statistical-design optimization is not practical for the study area. Rather, the available locations were evaluated and selected using specific criteria to encompass geographic and hydrological variation (Section 3.1.2).

Classification of groundwater with respect to the aquifer unit was based on (1) well depth, (2) hydrogeologic units penetrated, (3) depth to the zone of saturation sampled and observed, or (4) the projected position of the regional water table at that location. Groundwater collected from well LAO-B was considered to be perched in the alluvium because it was the only well penetrating the alluvium upgradient of the Laboratory boundary. Water from well LAOI(A)-1.1 (Guaje Pumice Bed) was assigned to the intermediate-depth perched system because the saturated zone from which it came lies above the projected position of the regional water table. Groundwater samples collected from supply wells such as PM-4 were classified as regional groundwater because those wells are only screened in the deep groundwater system.

Classification of spring waters is more difficult because of a lack of subsurface data and information. Several criteria were applied in classification: position relative to the regional water table, geologic material at the spring outlet, hydrologic conditions in the area, elevation relative to the Rio Grande, and water chemistry. Several springs are within recharge boundaries in the Sierra de los Valles (Water Canyon Gallery, Pine Spring [alluvium], and Cañon de Valle-5.0 Spring). This hydrologic setting indicates that these groundwaters had relatively short travel or residence times within the volcanic rocks and alluvium. Several springs in White Rock Canyon discharge from the Cerros del Rio basalt (e.g., Spring 9B) and from hydromagmatic deposits and were assigned to the regional aquifer. Some spring waters discharging from elevations slightly above that of the Rio Grande were also assigned to the regional groundwater system. These springs occur in an area of known artesian conditions and had low tritium activity, suggesting that they have had a decades-long travel time (e.g., Spring 1).

Although the position of the groundwater divide west of the Laboratory is uncertain, Seven Springs clearly lies west of the divide. Nonetheless, it is included as one of the perched intermediate sampling locations because it discharges from the Bandelier Tuff and its major ion chemistry is similar to that of well LAOI(A)-1.1.

The sampling design included an analysis of groundwater samples to characterize both inorganic constituents and radionuclides. A full table of analytes is presented in Table 3.2-2. Background level distributions of these anions and radionuclides were determined by sampling:

- springs that discharge east, west, north, and south of the Laboratory boundary;
- a range of characterization, monitoring, and supply wells across the Pajarito Plateau and surrounding areas;
- supply wells, characterization wells, and springs that contain concentrations of anions less than those observed in contaminated groundwater; and
- supply wells, characterization wells, and springs downgradient of Laboratory releases that contain concentrations of tritium less than 1 pCi/L and/or activities of fallout-derived radionuclides (strontium-90, cesium-137, plutonium-238, plutonium-239/240, and americium-241) with greater than 90% of analyses less than detection.

Initial statistical analyses include mean, maximum, minimum, standard deviation, Student's t-tests, normal quantile plots, and box plots (Section 4.2 and Appendix C). A secondary, multivariate statistical analysis

(Sections 3.6.1 and 4.5.1, below) used the regional aquifer data in both hierarchical CA and PCA to determine appropriate groupings of similar water types. Geochemical evaluation of the background data included comparing cation-anion distributions; observing trends in metals occurrence; determining the presence or absence of tritium in relation to recharge and discharge zones; and evaluating trace-element geochemistry.

3.2 Field and Laboratory Analytical Methods

Results of field measurements taken at the sampling stations are provided in Appendix B. The following laboratories were used for analysis of groundwater samples for organic, inorganic, and radiochemical analyses:

- General Engineering Laboratories (GEL, also known as GELC) for selected trace elements, metals, and general agueous geochemistry;
- The Laboratory's EES-6 geochemistry laboratory for general aqueous geochemistry;
- University of Miami Tritium Laboratory (UMTL) for low-level tritium analyses.

3.2.1 Field Methods

A bladder pump sampling system was used to collect groundwater from alluvial well LAO-B and intermediate well LAOI(A)-1.1. Submersible pump sampling systems were used to collect groundwater from single-screen regional wells R-1, R-13, R-18, and R-21. Three bore volumes were purged and field parameters, measured in a flow-through cell, were allowed to stabilize from these wells before samples were collected. Groundwater samples from supply wells PM-2, PM-4, PM-5, G-1A, G-2A, G-3A, G-4A, and G-5A were collected from a spigot or from tubing connected in line with the pump. Samples were obtained after running the water for a minimum of 5 min. Field parameters were measured in an open container.

Water samples at springs were collected by dipping a beaker or sample bottle into the surface expression or by transferring the water directly from the spring to the sample container using a peristaltic pump. Field parameters were measured by placing the individual meters directly into the pool of spring water. Samples collected for turbidity measurements were dipped from the pool of water and were placed into a sample measurement cell.

Groundwater samples for metals and general chemistry analyses were collected in precleaned plastic bottles. Filtered samples were processed on-site immediately after collection, using $0.45\mu m$ acetate filter membranes. Duplicate samples were collected in the field for every 10 primary samples. The field duplicate samples were separate aliquots collected during the same sampling event for a location. Total carbonate alkalinity was determined in the laboratory using standard titration techniques within 48 h of sample collection.

Groundwater samples were preserved as required, including the use of ice at 4° C or by using concentrated HNO₃ or concentrated H₂SO₄. The pH of acidified samples (metals, nitrate plus nitrite, and radionuclides excluding tritium) was lowered by the dropwise addition of acid to a pH of <2.

The field parameters recorded for each of the 30 sampling stations included pH, temperature ($^{\circ}$ C), specific conductance (μ S/cm), and nephelometric turbidity units (NTU). Appendix B provides the field-measured values for pH, specific conductance, temperature, and turbidity taken at each sampling station and the sampling dates.

An Orion temperature-compensated pH meter was used for temperature and pH. The meter was calibrated daily using three buffer solutions (pH = 4.01, 7.00, and 10.01). Specific conductance was measured with two Hanna temperature-compensated conductivity meters. The meters were calibrated at the beginning of each day of use. Turbidity was measured with a Hach turbidmeter calibrated at the beginning of the field season.

The Orion meter had a resolution of 0.01, and accuracy was reported as ± 0.01 for pH. Temperature resolution and accuracy were 0.1°C and ± 1.0 °C, respectively. The Hanna conductivity meters had a resolution of 10 μ S/cm, and accuracy was reported as ± 40 μ S/cm. The Hach turbidmeter had a resolution of 0.1 NTU below 100 NTU and an accuracy of $\leq 5\%$ of the reading or ± 0.1 NTU.

3.2.2 Analytical Methods

A list of constituents analyzed is shown in Table 3.2-2. Analytical methods and the analytical laboratories using the methods are shown in Table 3.2-3. The external analytical laboratories followed the Environmental Restoration (ER) Project statement of work (SOW) (LANL 1995, 049738 and/or subsequent revisions) for quality control (QC) of sample analyses for holding time and sample preservation, storage, preparation and chain of custody procedures.

GEL/GELC analyzed groundwater samples for metals and uranium using inductively coupled plasma mass spectroscopy (ICPMS). Detection limits for these analytes generally ranged from 0.1 to 0.5 μ g/L. Samples were also analyzed for inorganics as specified in EPA SW-846 (EPA 1987, 057589 and subsequent revisions).

At **EES-6**, groundwater samples were analyzed for inorganics using additional techniques specified in EPA SW-846 (EPA 1987, 057589 and subsequent revisions). EES-6 instrumentation and instrument detection limits are presented in Appendix F, Table F-2.2-2.

UMTL performed tritium analyses using direct counting for tritium and electrolytic enrichment for low-level tritium (less than 100 pCi/L).

3.2.3 Analytes of Interest

Tables in Section 4 provide field parameters, major ions, neutral species, trace elements, and radionuclides measured or analyzed as part of this investigation.

3.3 Scope of Groundwater Background Investigations in Time and Space

This subsection presents an overview of the sampling stations selected for Revision 2 of this groundwater background investigation from 2000 to 2006. More detailed information is provided in Appendix E, including the sampling station name, location, land ownership, geologic setting, and a brief description for each site. The sampled locations included 14 wells and 16 springs. Sample locations are shown in Figure 1.2-1.

Seven Springs is included as part of this investigation although it is separated from the Pajarito Plateau. This spring is located west of the recharge area for the Pajarito Plateau, but its major ion chemistry is similar to well LAOI(A)-1.1. Seven Springs and well LAOI(A)-1.1 discharge and are completed, respectively, within the Otowi Member of the Bandelier Tuff and the Guaje Pumice Bed. Seven Springs discharges from the west side of Calaveras Canyon, about 400 m upstream of State Highway 126 and west of the Valles Caldera on the Jemez Plateau. Several springs are in the immediate vicinity of one

another; some of the springs discharge from alluvium, and others discharge from outcrops of densely welded rhyolite tuff. Samples were taken from the spring that issued the largest volume of water.

3.3.1 Springs within the Recharge Zone

Springs in the recharge area west of and upgradient of the Laboratory include Cañon de Valle-5.0 Spring, Pine Spring, Barbara Spring, Campsite Springs, and the Water Canyon Gallery. Cañon de Valle-5.0 Spring issues about 2.4 km west of State Highway 501 at an elevation of 2569 m. The spring is situated about 20 m above the bottom of upper Cañon de Valle. The spring may discharge from the Tshirege Member of the Bandelier Tuff or the Tschicoma Formation. At this location, it appears that the Tshirege Member fills pre-existing topography in the vicinity of the spring, because downstream there are major outcrops of pre-existing Tschicoma Formation dacite.

Water Canyon Gallery (elevation 2439 m) is an improved spring occurring in the north branch of uppermost Water Canyon, about 1.3 km west of State Highway 501 and just west of the Pajarito Plateau. The spring issues from a tunnel that extends into a cliff of densely welded ignimbrite of the Tshirege Member of the Bandelier Tuff.

Barbara Spring is located in Frijoles Canyon about 5.5 km west-southwest of the Laboratory boundary. It discharges from a location near the contact of the Bandelier Tuff and Tschicoma Formation (Smith et al, 1970, 009752). It has a southwest-sloping discharge at three discharge points at an elevation of 2357 m.

The Campsite Springs are located in Guaje Canyon about 8.5 km northwest of the Laboratory boundary. They discharge from the Tschicoma Formation. (Smith et al, 1970, 009752). They have a southward-sloping discharge with three discharge points about 6 m above a channel at an elevation of 2622 m.

3.3.2 Sampling Stations on the Pajarito Plateau

Figure 1.2-1 shows the locations of wells completed in the regional aquifer that are positioned along regional flow paths downgradient of the recharge zone for the Pajarito Plateau.

Well LAOI(a)-1.1 is an observation well that was drilled in upper Los Alamos Canyon in 1994. It is screened within a perched zone in the Guaje Pumice Bed at the base of the Otowi Member of the Bandelier Tuff. Perched intermediate groundwater at the well occurs at a depth of 94.5 m.

Well LAO-B is an observation well drilled into valley-fill alluvium in upper Los Alamos Canyon west of the Laboratory boundary. The groundwater occurs within alluvium.

Pine Spring is located in upper Garcia Canyon about 6 km north of Los Alamos. Pine Spring discharges within the alluvium on the downthrown side of a north-south-trending fault juxtaposing boulder-bearing sediments of the Puye Formation (to the west) against mafic-to-intermediate composition lavas and overlying Puye deposits (to the east) (Smith et al. 1970, 009752; Kempter and Kelley 2002, 088777).

Well R-1 is a characterization well of the regional aquifer located in upper Mortandad Canyon near TA-5. It has a total depth of 355 m below ground surface (bgs) and is screened from 314 to 322 m bgs into the lower Puye Formation. (Collins et al. 2005, 088767).

Well R-13 is a characterization well of the regional aquifer located in Mortandad Canyon, in the east-central portion of the Laboratory, near the boundary with the San Ildefonso Pueblo. The well was installed as a monitoring well for potential effluents in the Mortandad Canyon watershed. It was drilled to a depth of 345 m bgs with a single screen in the regional aquifer. Water was encountered at about 254 m bgs, in the

Puye Formation and the Cerros del Rio basalts. No perched water was encountered at this location. (Thompson 2003, 076060).

Well R-18 is a characterization well of the regional aquifer located on the mesa above Pajarito Canyon, north of well R-25 and drilled to a total depth of 439 m bgs. It is screened from 414 to 421 m bgs and filter packed from 411 to 423 m bgs (Collins et al. 2005, 088767).

Well R-21 is a characterization well of the regional aquifer located north of TA-54 in Cañada del Buey. It has a total depth of 303 m bgs and is screened from 271 to 276 m bgs into the Puye Formation (Collins et al. 2005, 088767).

Wells G-1A, G-2A, G-3A, G-4A, and G-5A are water supply wells located in the Guaje Well Field north of the Laboratory in Guaje Canyon. All of the wells are completed in the Santa Fe Group, Tesuque Formation, basalt, and basalt breccias. Well G-1A was drilled to a total depth of 463 m bgs and screened from 83 to 461 m bgs in the regional aquifer (Purtymun 1995, 045344; McLin 2006, 093672). Well G-2A was drilled to a depth of 619 m bgs and is screened from 172 to 604 m bgs. Well G-3A was drilled to a depth of 619 m bgs and is screened from 180 to 604 m bgs. Well G-4A was drilled to a depth of 619 m bgs and is screened from 200 to 604 m bgs. Well G-5A was drilled to a depth of 619 m bgs and is screened from 233 to 604 m bgs (Collins et al. 2005, 088767; McLin 2006, 093672).

Wells PM-2, PM-4, and PM-5 are supply wells located in the Pajarito Well Field in the central part of the Laboratory north of Threemile Canyon and Pajarito Canyon (Pajarito Plateau). Well PM-2 is completed to a depth of 792 m bgs and screened from 306 to 695 m bgs. It is completed in the Puye Formation, Totavi Lentil, Chaquehui Formation, basalt, basalt breccias, and the Tesuque Formation in the regional aquifer (Santa Fe Group) (Purtymun 1995, 045344).

Well PM-4 is completed to a depth of 890 m bgs and screened from 384 to 870 m bgs in the Puye Formation, Totavi Lentil, Chaquehui Formation, basalt, basalt breccias, and the Tesuque Formation In the regional aquifer (Santa Fe Group) (Purtymun 1995, 045344).

Well PM-5 is completed to a depth of 948 m bgs and screened from 439 to 936 m bgs in the Puye Formation, Totavi Lentil, Chaquehui Formation, basalt, basalt breccias, Chamita Formation, and the Tesuque Formation in the regional aquifer (Santa Fe Group) (Purtymun 1995, 045344).

3.3.3 Sampling Stations within the Discharge Zone

Ten springs are located within the discharge zone for the regional aquifer. These include Springs 1, 5B, 6, 6A, 8A, 9, 9A, 9B, Sacred Spring, and Ancho Spring (Figure 1.2-1). Information about the springs is located in Purtymun et al. (1980, 006048.2) and in Appendix E.

Spring 1 issues from a small bench about 40 m above the northeast side of the Rio Grande at elevation 1702 m and about 1.5 km downstream of the Otowi Bridge. The bench occurs within a landslide complex made up of a variety of sediment types within the Santa Fe Group (Totavi Lentil) and is a calcium-bicarbonate water type, according to Purtymun et al. (1980, 006048.2).

Spring 5B is located approximately 800 m northwest of the mouth of Ancho Canyon above the Rio Grande at elevation 1644 m. It issues from coarse-grained sediments of the Tesuque Formation.

Spring 6 also issues from the Tesuque Formation, just southwest (200 m) of the mouth of Ancho Canyon, at elevation 1640 m. Springs 5B and 6 are in Purtymun's Group II (sodium bicarbonate-1640 waters) and are located at the edge of the Rio Grande channel (Purtymun et al. 1980, 006048.2).

Spring 6A is located southwest of Spring 6, downstream, and issues from the same formation as Spring 6 and Spring 5B. It is located at elevation 1637 m, above the river.

Springs 8A, 9, and 9A are located in a cluster upstream and immediately north of Chaquehui Canyon. All issue from the Tesuque Formation about 40 to 60 m above the river. The elevation of Spring 8A is 1668 m. The elevation of Spring 9 is 1669 m, and the elevation of Spring 9A is 1695 m. Spring 8A is located east of springs 9 and 9A. Purtymun characterized these springs in his Group II sodium and bicarbonate waters (Purtymun et al. 1980, 006048.2).

Spring 9B issues from the bottom of a basaltic lava flow on the northwest side of White Rock Canyon, roughly 200 m downstream of the mouth of Chaquehui Canyon. It is located in hydromagmatic deposits and flows out of the Cerros del Rio volcanic field. The spring is about 25 m above the Rio Grande at elevation 1674 m (Purtymun et al. 1980, 006048.2).

Sacred Spring issues into a pool about 10 m in diameter located about 0.5 km north of the junction of State Highways 4 and 30 and about 100 m east of State Highway 30. Sacred Spring issues from unconsolidated sedimentary rocks of the Santa Fe Group at elevation 2029 m.

Ancho Spring is located within the mouth of Ancho Canyon and issues from basaltic rock of Chino Mesa (Totavi Lentil) at elevation 1737 m (Purtymun et al. 1980, 006048.2).

3.4 Descriptive Statistics

Statistical parameters for groundwater facies were calculated for both filtered and nonfiltered datasets. Parameters calculated or identified were the number of analyses, number of nondetects, percent nondetects, median, mean, maximum, minimum, standard deviation, percentiles (5th, 10th, 25th, 75th, 90th, 95th), geometric mean, skew, and upper tolerance limit (UTL). With the exception of the UTL, (see Section 3.6.4) all parameters were calculated using Microsoft Excel basic statistics functions. In the case of fewer than eight analyses or greater than 50% nondetects, only median, mean, maximum, and minimum are presented to avoid presenting values not indicative of background. Otherwise, nondetects were incorporated as one-half of the detection limit.

A Student's t-test of means was performed between more frequently detected analyte data sets. This test was performed to distinguish when mean values of constituents from alluvial groundwater, perched intermediate groundwater, and the regional aquifer are from different populations. A heteroscedastic test assumes that the means of the populations are equal but that the variances of both ranges may be unequal. Results are presented in Table 4.3-1 and discussed below in Section 4.3. The Student's t-test is used to determine if there is a real difference between two independent sets of results or if they are a part of the same population. Mean values of sets of data for each major analyte (e.g., sodium, chloride, TDS) were compared between each aquifer type. Test statistics were evaluated against 95% and 99% critical values in a two-tailed test. For test statistics less than the critical value, the null hypothesis (that the data sets are not different) is true. The table shows the probabilities (p-value) that indicate whether the null hypothesis is true (that the data sets are the same), as well as the probabilities that a significant or very significant difference exists between compared data sets.

3.5 Data Plots

Analytical suites and sampling dates for the background stations are provided in Appendix A. All data with qualifiers are presented in Appendix B.

In order to examine the data, several types of data plots were prepared using Sigma Plot and are presented in Appendix C. For each constituent, a time series is presented along with two types of box plots; one showing variation by location and the other showing variation by aquifer types and locations. While box plots can be used to identify outliers, no outlier identification was performed for this analysis, and no data were excluded from the data set.

Time series analysis: A time versus concentration scatter plot is provided for each constituent measured (Appendix C). Time is plotted along the x-axis, and the constituent concentration is plotted along the y-axis. Nondetects are given a different symbol to show number of nondetects and the impact of detection limits. Nondetected values are plotted as one-half of the detection limit. Any long-term trends can be deduced from these plots.

Box plots: Box plots are used to show differences between two or more sample locations or other data groupings. Box plots summarize information about the shape and spread of the distribution of concentrations for an analyte. Box plots consist of a box, a (median) line across the box, and a mean line. The *y*-axis displays the observed concentrations in the reported units. The area enclosed by the box shows the concentration range containing the middle half of the data; that is, the lower box edge is at the 25th percentile, and the upper box edge is at the 75th percentile. The length of the box is a measure of the spread of the range of concentrations. The black horizontal line across the box represents the median (50th percentile) of the data, a measure of the center of the concentration distribution. If the median line divides the box into two approximately equal parts, the shape of the distribution of concentrations is symmetrical; if not, the distribution is skewed or nonsymmetrical. The red horizontal line across the box represents the mean of the data, a measure influenced by exceptionally low or high values. The top and bottom horizontal lines represent the 5th and 95th percentiles. Concentrations outside the 25th to 75th percentiles are plotted as points outside the box.

3.6 PCA and CA Statistical Methods

3.6.1 PCA and CA Method Description

This study employed multivariate statistical analyses to determine if water quality patterns exist within the regional aquifer that could lead to development of area-specific background water quality levels. The multivariate statistical techniques were used to reduce the large amounts of geochemical data to decipher patterns within the data that might not otherwise be observed. Ultimately, this approach allows for partitioning water chemistry samples into like groups. The general procedures recommended by Güler et al. (2002, 094417) for classification of water chemistry data were followed in this study.

3.6.2 Data Set Used in the Analysis

Selected regional aquifer groundwater quality data from 2000 through 2006 were pulled from the WQDB. Data were pulled for 35 initial candidate sample locations that included White Rock Canyon Springs, municipal supply wells, and groundwater monitoring wells. Results for a minimum of three sampling rounds were available for each of the stations. From this data set, the median value was identified from the various sampling rounds as a robust description of the typical analyte concentration present in the aquifer at a given station. Use of the median reduces the possibility of the statistical analyses being overly influenced by a single out-of-the-ordinary result.

Of the 37 water-quality parameters (consisting of major ions, metals, and pH), 17 parameters occur most often and were used in the statistical analysis. The parameters used were: bicarbonate alkalinity (HCO₃₎), boron (B), barium (Ba), calcium (Ca), chloride (Cl), chromium (Cr), fluoride (F), potassium (K),

magnesium (Mg), sodium (Na), nitrate (NO $_3$ +NO $_2$ as N), silica (Si as SiO $_2$), sulfate (SO $_4$), strontium (Sr), uranium (U), vanadium (V), and pH. Only data from filtered samples of the White Rock Canyon springs and monitoring wells were used. Both filtered and nonfiltered sample results from the water supply wells were used because of the low turbidity and developed nature of the wells.

3.6.3 Data Editing Procedures

First, analytes with below-instrument-detection-limit concentrations values in more than half the samples (nondetects) were removed from statistical analyses. Below-detection-limit concentration values were replaced with values equal to half the instrument detection limit (Farnham et al. 2002, 094420).

The statistical analyses performed on the data included PCA, hierarchical cluster analysis (HCA), and K-means clustering. The data are not required to be normally distributed for the PCA, but the assumptions of CA techniques include equal variance and normal distribution of the variables (Güler et al. [2002, 094417]). Therefore, the data were transformed to approximate a normal distribution to allow for cluster analyses. Probability plots and box plots were used to evaluate the distribution characteristics of the median values for each variable in the dataset. Based on these graphics, decisions were made concerning the need for natural logarithmic transformations to achieve a better approximation of the normal distribution. The review showed that most of the variables skewed positively, containing a small number of high values. All but five (Cr, NO₃ + NO₂ as N; Mg, Si as SiO₂, pH) of the parameters were log-transformed so that they more closely corresponded to normally distributed data.

The last step in the data editing involved standardization of the data. All 17 parameters were standardized by calculating their standard scores (z-scores), as follows:

$$z_i = \frac{x_i - x}{s} \tag{2}$$

where z_i = standard score of the sample I; x_i = value of sample I; x= mean; s =standard deviation.

The concentrations of the analytes used in this study vary by several orders of magnitude. Some trace elements concentrations are measured in μ g/L levels and others in ng/L levels. Standardization allows each analyte, regardless of concentration magnitude, to be compared equally. Standardization scales the data to a range of approximately -3 to +3 standard deviations, centered about a mean of zero. Each variable thus has equal weight in the statistical analyses. The standardized scores were input into the statistical analysis software "Statistica for Windows 7.1."

3.6.4 Upper Tolerance Limit Calculation Methods

UTL values were calculated for constituents that were detected at a rate greater than 50% and with a number of detections greater than or equal to 8 using statistical methods (described in LANL 1998, 059730.2). If these statistical criteria were not met, the maximum typical detection limit was used. Results are shown in Table 4.2-1, -2, and -3.

Measured results were square-root transformed and natural logarithm transformed. Normal probability plots were produced from these data using the Statistica Software package. The plots were reviewed, and the best approximation to a normal distribution was selected. Three parameters were found not to approximate a normal distribution in the regional aquifer data set, even with transformation: Na, Sr, and SiO₂. These parameters appeared to be bimodal in form.

UTLs were calculated following EPA guidance and previous LANL background reports (LANL1998, 059730.2). For log-transformed data, a formula from Gilbert (1987, 056179) was used.

$$\mu = \exp(y + \frac{S_y^2}{2}) \tag{3}$$

$$\sigma^2 = \mu^2(\exp(S_v^2) - 1) \tag{4}$$

Where:

 $\mu = mean$

y = arithmetic mean

 S_v = variance of sample

 σ = variance of population

For Na, Sr, and SiO₂, the same nonparametric formula was used (as referenced in LANL 1998, 059730.2).

$$RANK(UTL) = 0.95 \times (n+1) + 0.427 \times n^{0.5}$$
 (5)

The mean and the square root of the variance (standard deviation) are then used as described in LANL, 1998 (059730.2). For constituents that did not meet the UTL calculation criteria, maximum values were calculated. Results are discussed in Section 4.3.1.

4.0 RESULTS

4.1 Results of Data Validation

Revision 0 and Revision 1 of this report contained a detailed analysis of data validation for comparisons between EES-6 and other analytical laboratories and for the validation of all data used for background studies between 1997 and 2000. The prior discussion of the EES-6 data-validation process and other contract-laboratory data-validation and quality-assurance (QA) processes is presented in Appendix F. The data-validation and QA processes have remained the same for this revision of the report, so no further discussion is necessary.

A detailed discussion of data-quality criteria, data-quality issues and their resolution, and the risk-based approach to environmental QA activities can be found in the Laboratory's Environmental Surveillance reports for each year. Environmental sampling personnel conduct QA activities in accordance with DOE Order 414.1A, which prescribes a risk-based, graded approach to QA. The WQDB (http://www.lanl.gov/community/environment/h2o/) contains all the surface water, groundwater, and sediment analytical data received from contract analytical laboratories. None of the data are censored or removed. The primary documentation of analytical issues for data for any given year is provided in these reports. This process promotes the selective application of QA and management controls based on the risk associated with each activity to maximize effective resource use. The most recent report is "Environmental Surveillance at LANL during 2005, LA-14304-ENV, September 2006" (LANL 2006, 093925), which can be found at: http://www.lanl.gov/community/environment/docs/reports/esr.shtml.

4.2 Evaluation of Analytes

4.2.1 Analyte Groups

The entire list of analytes from the contract analytical laboratories and the EES-6 analytical laboratory was reduced to those most applicable to the objectives of this report (Section 1.3), particularly major ions and field parameters, metals, tritium, selected radionuclides, and radioanalytical measurements. Table 4.2-5 lists the analytes and the applicable regulatory agency (NMED, EPA, and DOE). Statistical plots for these analytes are provided in Appendix C, and a brief narrative is provided below for each analyte by type. The statistical plots provide a visual summary of the results from all analytical laboratories. Both filtered and nonfiltered data were reviewed for this section of the report. Differences between filtered and nonfiltered data sets are noted where applicable. Nondetects are plotted in Appendix C as one-half of the detection limit.

Field Measurements: Specific conductance (conductivity), pH, temperature, and turbidity were measured on nonfiltered samples. Specific conductance was highest in the alluvial groundwater with comparable levels in intermediate and regional systems. The highest mean values were at PM-4, Sacred Spring, and Spring 1. The greatest variance was at PM-4 (Figure C-20).

The pH in most locations tended to be near neutral to slightly alkaline, and its greatest variation was in the perched intermediate groundwater (Figure C-19). The highest pH values were noted in Guaje wells 1-A, 2-A, 3-A, 5-A, and in R-13. A trend in well LAOI-1.1(A) was noted, with pH and specific conductance in the values from 2004 to 2006 decreasing from levels much greater than those measured in the 1997 to 2000 time frame (Appendix F). The cause of this trend is unknown and should be noted by data users. No concomitant trends were noted in the metals analyses for this well.

Temperature was observed to increase with depth and was greatest in the regional aquifer sampling locations (Appendix B). This trend was consistent with temperature data in Revision 1 (Appendix F).

Turbidity measurements are generally low. This finding is indicative of a well that is sufficiently developed and indicates proper sampling technique in springs (Appendix B).

Major Cations: The major cations *calcium* (Figure C-28), *magnesium* (Figure C-35), *potassium* (Figure C-40), and *sodium* (Figure C-43) were detected in nearly all samples (98% detection of magnesium in the regional aquifer). Within the regional aquifer, more nonfiltered samples were collected than filtered samples. Median values of calcium potassium and magnesium were similar in nonfiltered samples. Sodium was higher in regional filtered samples than in nonfiltered samples. In particular, wells G-1A, G-2A, and G-5A; and Sacred Spring, Spring 1, and Spring 9B tended to have higher sodium or calcium levels than in other nonfiltered samples from other locations. Sacred Spring exhibits markedly higher concentrations of calcium and Spring 1 exhibited higher levels of sodium than other locations in both filtered and nonfiltered samples. Well G-1A showed higher filtered levels of sodium for two data points. The remaining locations tended to have similar ranges of both filtered and nonfiltered values for all four major cations. These results have implications for the statistical PCA and CA analysis groupings, discussed below.

All but two samples of intermediate locations were nonfiltered. Ranges of all major cations in these nonfiltered samples fell within the same ranges as for filtered samples in the regional aquifer. All alluvial major cation samples were filtered. Median values and ranges for calcium, magnesium, and potassium were slightly higher in the alluvial samples than in intermediate and regional median values, while the sodium median value was lower.

Ammonium (Figure C-3) was detected infrequently and was highest in alluvial samples.

Major Anions: Major anions were generally detected at a high frequency, with some exceptions, particularly bromide and ammonia in the regional and alluvial data sets. The regional aquifer has slightly elevated levels of *alkalinity* (Figure C-1), *bicarbonate* (Figure C-2), and elevated levels of *fluoride* (Figure C-7) when compared with the other aquifer types. Filtered and nonfiltered alkalinity results within the regional aquifer were similar, except for Sacred Spring, Spring 1, and well G-5A, which had higher bicarbonate alkalinities than other regional locations. Fluoride in the regional aquifer (filtered and nonfiltered data) tended to be higher in well G-1A and Springs 1 and 9B. Median and ranges of fluoride values were lower than the regional results in both the intermediate and alluvial groundwater samples.

Chloride (Figure C-6) in the alluvium was much higher than intermediate or regional values. Well G-1A, as well as Sacred Spring and Spring 1, had higher levels of chloride within the regional (filtered samples).

Other major anions such as *bromide* (Figure C-4), and *sulfate* (Figure C-13) do not show significant variation among groundwater types. *Nitrate* ($N0_3 + NO_2$ as N) (Figure C-9) concentrations are lowest in the alluvial groundwater and show the highest variance in the regional aquifer. This is probably a result of biogeochemical cycling in the shallow subsurface or low anthropogenic inputs (e.g., agricultural or septic). In the shallow subsurface, microsites of anoxia can develop in otherwise oxic environments, which lead to reduction of nitrate to nitrogen gas (Koba et al. 1997, 093667).

Trace Metals: The detection rate of trace metals varied greatly, with some constituents rarely detected or not detected at all, including *silver*, *beryllium*, *cadmium*, *cobalt*, *copper*, *mercury*, *nickel*, *lead*, *antimony*, *selenium*, *tin*, *thallium*, and *titanium*. These metals were each detected in a few samples (fewer than 24%) and showed no appreciable trends or elevated levels in either filtered or nonfiltered samples across all aquifer types.

For constituents detected at low frequency, box plots must be evaluated with care. *Aluminum, arsenic, boron, copper, iron, and lithium* were detected more frequently in the alluvial and intermediate samples (Figures C-21, -23, -26, -31, -32, and -34), possibly because EES-6 analyzed a higher proportionate number of these samples with a lower detection limit.

Pine Spring aluminum results were 10 to 100 times greater than results from other sampling locations, including the highest nonfiltered results from the regional or intermediate locations. No trends were otherwise noted for aluminum.

Arsenic (Figure C-23) results were typically consistent across all sample locations, with most detected results within the perched intermediate groundwater, which also had slightly higher concentrations than the other groundwater facies. More variance was found in the regional aquifer.

Boron (Figure C-26) was not detected in the alluvium but was detected at high frequency (96%) in intermediate groundwater. PM-2, Sacred Spring, and Spring 1 showed higher levels of boron. The most variance was found in the regional aguifer.

Copper (Figure C-31), manganese (Figure C-36), molybdenum (Figure C-38), and strontium (Figure C-44) results were generally consistent by sample location with no significant differences among groundwater types.

Chromium (Figure C-29) was detected most frequently in the regional aquifer, not at all in the alluvial, and showed higher concentrations and variance in the regional than the intermediate locations.

Trace metal constituents most frequently detected included *barium* (Figure C-24), *iron, strontium, uranium*, and *vanadium*. The latter two were more frequently detected in the regional locations than in intermediate or alluvial locations.

Barium (Figure C-24) results showed some higher values in the regional aquifer, but median values were similar across aquifer types. Barium was detected in all regional and intermediate locations but not at all in the alluvial locations, and it was at Sacred Spring and Spring 1.

Iron (Figure C-32) was detected more frequently in intermediate and alluvial groundwaters. Results tended to be variable for both location and aquifer type. Pine Spring iron results are 10 to 100 times larger than results from other sample locations. A nonfiltered result from Spring 1 was similarly higher than other samples, while nonfiltered results from intermediate samples tended to be up to 10 times higher than regional data. Pine Spring also exhibited higher nickel and manganese concentrations than other locations.

Strontium (Figure C-44) was detected at all sampling locations, with no appreciable differences between aquifer types or filtered and nonfiltered samples. Sacred Spring and Spring 1 showed the highest concentrations.

Uranium (Figure C-48) was detected most frequently in the regional aquifer, with little difference between filtered and nonfiltered results. There was little variation from location to location and among groundwater types. Uranium in Spring 1 and Sacred Spring appears elevated (2 to 10 times concentration levels) compared with other sample locations.

Vanadium (Figure C-49) concentrations were higher in the regional aquifer than in the intermediate and were not detected at the alluvial locations.

Zinc (Figure C-50) concentrations are greatest at LAOI-1.1(A), skewing the median value and range higher for the intermediate locations. Otherwise values were consistent with the regional aquifer locations.

Radionuclides: Several radionuclides and radiologic measurements exhibited very low rates of detection. Because of the high percentage of nondetects (83% to 100% across all groundwater types), americium-241, cesium-137, plutonium-238 and strontium-90 statistical plots (Figures C-52, C-53, C-57, and C-58) represent instrument noise rather than representative values.

Gross-alpha radioactivity was detected in 17% of regional and 20% of perched intermediate samples, while gross beta radioactivity was detected in 47% of regional aquifer samples, 80% of perched-intermediate, and 100% of alluvial samples. Gross-gamma radiation was detected in 40% of the alluvial samples. Other detection percentages for radioactivity were less than 1%. Overall variability was low but mean values were skewed high by individual sample measurements.

Tritium was characterized using UMTL results. Well LAO-B contained tritium at 30 pCi/L in 2006. This was the highest concentration found, as expected for modern waters. Perched-intermediate locations such as LAOI(A)-1.1 well samples contained tritium at 5.7 and 7.5 pCi/L in older samples, although a recent sample from 2006 was much lower (0.13 pCi/L). Tritium in regional groundwater was not detected in 95% of samples, and most results were low (median value of 0.05 pCi/L). These data are consistent with tritium results in the previous report versions 0 and 1, and corroborate the relative groundwater age differences noted between alluvial, perched-intermediate, and regional locations in previous data and in the conceptual geochemical model.

The statistical plots for isotopic uranium are provided as Figures C-59 and C-60. The percentage of nondetects in regional locations was 2% to 4%, 17% to 33% in the perched-intermediate groundwaters,

and 71% to 57% in the alluvial waters. Median values for each isotope rose from alluvial through perchedintermediate to regional groundwaters, with low variability within each water type. This finding is consistent with conclusions of the conceptual geochemical model. These results also are consistent with previous report versions. Revision 1 of this report (Appendix F; Hakam et al. 2000, 070168) contains a brief discussion regarding isotope disequilibrium; these data also tend to corroborate that conclusion. Note that one anomalous detection-limit value of 15.6 μ g/L was found for Spring 6. This value tended to skew the statistics for the regional aquifer anomalously high. The value is not a normal detection limit and therefore was deleted from the statistical calculations, even though it is still included in Appendix B.

Other Constituents: TOC (Figure C-16) was detected in low numbers of samples. The regional aquifer exhibits the lowest mean value and the least variation; little difference was found between the alluvial and intermediate groundwater.

Nitrite was detected infrequently and thus exhibited no clear trends (Figure C-10).

Silica (99% detection) varies by location and was slightly higher in the regional aquifer (Figure C-12). Intermediate and regional locations showed wide variances in silica concentrations.

TDS (Figure C-14) was measured for all locations in the regional aquifer for both filtered and nonfiltered samples. Filtered data are discussed here. Sacred Spring consistently had higher filtered TDS values than other regional locations. Intermediate groundwater locations had TDS values that were closer to those measured at Sacred Spring and Spring 1 than most other regional locations, while alluvial filtered TDS data were also within the range of most regional locations.

Perchlorate: In the regional aquifer, perchlorate values varied little between filtered and nonfiltered samples (median value filtered 0.28 μ g/L, median nonfiltered 0.315 μ g/L), and exhibited low variance. The lowest values were noted at Sacred Spring. A similar result was noted for the intermediate samples. These values are consistent with the data discussion in Appendix F regarding atmospheric sources of perchlorate and low levels of detected perchlorate in a variety of groundwater samples sitewide. In the alluvium, Pine Spring perchlorate levels were noted to be anomalously high (up to 14.2 μ g/L). This is perhaps a result of having only a pre-2000 data set for Pine Spring, for which a less sensitive analytical method was used to detect perchlorate.

4.3 Results of Descriptive Statistics

The results of all statistics calculated using the methods described in Section 3.4 are presented in Tables 4.2-1, 4.2-2, and 4.2-3. Statistical values were not calculated for certain constituents because they did not meet the minimum criteria of greater than 50% detects and more than eight values per analyte. For the analytes with fewer than eight values, median, mean, maximum, and minimum are shown. For analytes with greater than 50% nondetects, the number of analyses at each detection limit is shown. When available, both filtered and nonfiltered results are shown.

Similarity of means testing was conducted using a heteroscedastic Student's t-test to determine if the mean values of selected constituents in different aquifer types were from the same population. Results are shown in Table 4.3-1. Alluvial groundwater versus perched intermediate water, perched intermediate versus regional groundwater, and alluvial versus regional groundwater were compared for major cations and anions from the current data set in this revised report. A previous, similar test, based on 1997 to 2000 data, is discussed in Appendix F. Based on the probability that data sets are significantly different, each constituent comparison is assigned to one of three groups: significant (probability \leq 0.05), very significant (probability \leq 0.01), and null (probability > 0.05, not equal to 0, null hypothesis is confirmed that populations are not significantly different). Because some constituents did not have enough values

analyzed, they are noted as "not calculated". It is important to note that these comparisons are between means, and they do not necessarily reflect changes along specific flow paths or between sampling points. Results from a similar population do not necessarily share the same geochemical origin or evolution. PCA and CA analysis can be used for better comparisons between individual locations, although differences between populations noted here may assist in the explanation of the groupings shown in the PCA and CA analyses discussed in Section 4.5, below.

The alluvial-intermediate groundwater comparisons showed the greatest number of constituent mean values that appear to be from the same population (15 out of 19 calculated tests). Alkalinity, ammonium, bicarbonate, and nitrate were not calculated. Aluminum, boron, bromide, calcium, chromium, chloride, fluoride, nickel, potassium, silica, sodium, sulfate, uranium, TDS, and pH are included in this related group. Only arsenic, barium, and magnesium showed a significant difference between the groups, and strontium showed a very significant difference between groups. This is a similar result to the previous analysis from Revision 1, except that even fewer differences between populations were found in this revision. The similarity may result from the fact that the alluvium was characterized by data from just two locations and data from Pine Spring were older (collected before 2000) and exhibited fairly high concentrations. As a result, these data appear to be similar to results from more evolved groundwater facies such as in the perched intermediate groundwater.

The alluvial-regional aquifer comparison showed that 13 out of 18 constituents are from the same population: aluminum, arsenic, ammonium, barium, boron, bromide, calcium, chromium, chloride, magnesium, nickel, silica, and strontium. The remaining constituents—fluoride, potassium, sodium, sulfate, and uranium—were significantly or very significantly different. TDS, pH, nitrate, bicarbonate, and alkalinity were not calculated. Again, the Pine Spring data may appear to be similar to more evolved regional water facies.

All constituents were compared between the intermediate and regional aquifers, and the test showed that only 8 of 23 constituents were from the same population. Ammonium, bicarbonate, chloride, magnesium, nickel, potassium, TDS, and pH were from similar populations. This number of constituents is more than found in the original tests in Revision 1, in which only magnesium and nickel cations were from the same population, along with anions ammonium, chloride, and sulfate. The remaining constituents showed either very significant or significant differences between populations. This finding may be an indication of more extensive evolutionary changes between intermediate and regional aquifer facies; however, specific locational comparisons are not possible when means are used.

4.3.1 UTL Results and Recommended Background Screening Values

The proposed inorganic chemical background screening values for groundwater are summarized in Tables 4.3-3a, 3b, and 3c and Figures 4.3-1a and b. Where available, the calculated UTL (Tables 4.2-1, -2, and -3) was used as the recommended screening value. UTLs could not be calculated for certain constituents because they did not meet the minimum criteria of greater than 50% detects and more than eight values per analyte. With a few exceptions, only filtered samples were used for UTL calculations. Samples taken from municipal supply wells were treated as filtered. This decision was made because of the active use of these wells and the number of analyses added to the dataset. Also, in the case of specific conductance and pH, nonfiltered results were used due to the nature of the analyses.

If a UTL was not calculated, the maximum typical detection limit was used as the screening value. Usually, this approach was applied to constituents that are rarely detected in groundwater samples. Exceptions to using the detection limit as the alternative screening value were made for those constituents that are found in groundwater in abundant concentrations, but, because of the small number

of samples, a UTL was not calculated. This approach was applied to total alkalinity, bicarbonate, TDS, and elemental strontium. For these abundant constituents, the maximum measured value for that particular groundwater zone was selected as the screening value.

For several metals, the typical analytical detection limits and recommended screening values are close to a regulatory standard, as shown in Tables 4.3-3a, -3b, and -3c. This observation is particularly true for antimony, arsenic, mercury, selenium, and thallium. It is recommended that the screening values for these metals be adjusted if lower detection methods are utilized. Simply put, if these latter metals are detected in groundwater, the results should be flagged for more detailed evaluation. The user should recognize the dependence upon detection limits. For fallout-associated radionuclides, the screening value is the typical minimum detectable activity. In practice, any detection of radionuclides in groundwater should result in further evaluation of the result.

The values illustrated in Figures 4.3-1a and b are maximum screening values that represent uncontaminated groundwater across the Pajarito Plateau. These are conservative values in that 95% of detections are below these values. They illustrate the summation of water quality, general chemistry, and metals analyses and parameters from a large data set. They are derived from a large geographical area beneath the Pajarito Plateau from recharge and discharge zones and across the three groundwater types including the regional aquifer, which is most strongly represented.

4.4 Results of Data Plots

4.4.1 Spatial Trends in Water Chemistry Results

Spatial trends are discussed here with respect to the conceptual hydrogeochemical model (Section 2.2.2) and the various statistical values and analyses presented. Implicit in this discussion is the location of the recharge zone in the Sierra de los Valles west of the laboratory, the evolution of groundwater facies in the regional aquifer along various flow pathways as water moves through the various rock units of the Pajarito Plateau, the chemistry of these facies which are sampled by various wells on and near the Plateau, and then discharge of the regional groundwater at various springs in White Rock Canyon. This section discusses only the current data set obtained between 2000 and 2006.

Figures 2.2-1 a-d show many of the constituents of interest. Statistical data and data distributions are shown in Tables 4.2-1, 4.2-2, and 4.2-3, while Appendix B lists all raw data used in this report and Appendix C contains statistical plots.

The statistical relationships discussed in Sections 4.3 and 4.5 provide input to the development of spatial trends in water chemistry. The Student's t-test indicates that the intermediate-regional aquifer means comparisons were mostly from different populations. Only ammonium, bicarbonate, chloride, magnesium, nickel, potassium, TDS, and pH were from similar populations. More constituents were found to be from the same populations for the alluvial-intermediate comparisons and the alluvial-regional comparisons, although these results may be biased by the limited number and high mean values of alluvial data points.

Figures 2.2-1a and 2.2-1c show general constituent concentrations including bicarbonate, sulfate, silica, chloride, pH, and nitrate for the intermediate and regional sampling stations. Note that bicarbonate values are divided by 10 to allow all constituents to be shown clearly within the target diagram scales.

For intermediate locations, general constituents bicarbonate and silica were highest in well LAOI-1.1(A) and lowest in Cañon de Valle-5.0 spring, where sulfate and chloride were highest. Seven Springs also had low silica but high bicarbonate. All the intermediate locations had low to moderate concentrations of other general constituents (sulfate, chloride, nitrate, and fluoride) and near neutral pH values, as would be

expected in a recharge zone. In the regional locations, silica and bicarbonate are higher than in intermediate locations, with the exception of Spring 9B which is notably lower in bicarbonate. Regional locations also have higher pH values. All locations showed low values for nitrate, fluoride, chloride, and sulfate, indicating that they are not impacted by anthropogenic sources of these constituents.

Figures 2.2-1b and 2.2-1d show target diagrams for metals concentrations at the intermediate and regional locations. Cañon de Valle-5.0 Spring showed the highest level of barium, while Seven Springs showed higher levels of boron than the other intermediate locations. Potassium and sodium were highest in well LAOI-1.1(A). Metals concentrations for the perched-intermediate locations tended to be low overall. In the regional locations, barium is highest at well G-1A and Sacred Spring, while boron is highest at Spring 1 and wells PM-2, PM-6 and Sacred Spring. Springs 9A, 9B, 9, 8A, and 6A showed low concentrations of all the mapped metals, as did well R-21. Ancho Spring, Spring 6, and Spring 5B showed slightly higher levels of calcium and barium. Guaje wells 3A, 4A and 5A showed very similar metals chemistry along with wells R-1 and R-18. Barium, boron, and sodium all appear to show the trend of higher mean concentrations in wells and springs northwest of the laboratory. Correlation tables in Section 4.5, indicate strong correlations between boron, TDS, bicarbonate, and sodium.

Constituents of interest with respect to both potential contamination and redox conditions include chromium and nitrate, while manganese and iron are of interest with respect to redox conditions. A discussion on speciation of the latter two is given in Section 2.2.2. Mean nitrate concentrations are shown in Figures 2.2-1a and 2.2-1c.

Chromium and nitrate are from significantly different populations when t-test comparisons of the regional and intermediate means values are made (Table 4.3-1). Nitrate values in the intermediate locations are all less than 0.5 mg/L, with Water Canyon Gallery the lowest at 0.07 mg/L. Mean nitrate in filtered regional samples is 0.34 mg/L, with the maximum value of 1.05 mg/L at Spring 5B in 2000 (later data shows a decrease).

Chromium is rarely detected in the intermediate locations (73% non-detects) but Campsite Springs and well LAOI(A)-1.1 showed detections near 1 mg/L. Chromium is detected more frequently (32% non-detect) in the regional locations, with a higher mean value of 2.89 mg/L. Highest concentrations were found in wells R-1, PM-4, G-2A, and PM-5.

Arsenic, uranium, and strontium are naturally occurring but also of interest with respect to water quality. All are higher in the regional aquifer locations than at intermediate locations. Uranium is a significant factor in factor 1 of the PCA, discussed below in Section 4.5, and is known to be higher in Santa Fe Group sediments than in other aquifer materials (Appendix F).

Strontium is highest in Cañon de Valle-5.0 Spring and in well LAOI(a)-1.1 in the intermediate aquifer (Appendix B). In the regional aquifer, overall filtered values of strontium are near 50 μ g/L, with the exception of Sacred Spring that has values about 10 times higher, and at Springs 1 and 5B, which show values twice as high. This skews the mean for the regional aquifer high. The PCA discussion (Section 4.5) mentions the difference in groupings between springs 1, 5B, and Sacred Spring and the rest of the regional locations, and higher strontium concentrations appear to contribute to these differences.

Most concentrations of arsenic lie between 2 and 6 μ g/L in the regional aquifer, with one exceptional value of 12 μ g/L, at Spring 6, in 2006. In the intermediate locations, arsenic is typically not detected or is detected at less than 1 μ g/L.

Tritium variation is discussed in detail in Section 2.2.2. Generally tritium is low in most regional and intermediate locations, less than 3 pCi/L, indicating older waters and less likelihood of mixing with

younger waters along flow paths. Insufficient detail is available for the alluvial locations, however, previous work (Appendix F) discusses higher concentrations found previously in alluvial locations and the young relative ages of those waters.

4.4.2 Temporal Trends in Water Chemistry Results (2000–2006)

Some specific locations and overall regional groundwater data were examined for temporal trends in general chemistry and some constituents of interest. Data from the previous report revisions and from pre-1997 data were also examined. The data set from the current report has excluded wells and springs that showed upward trends in potential contaminants, such as nitrate, chromate, or well corrosion indicators (e.g., iron or manganese). This approach reduces the potential for finding upward temporal trends in the data set. Some nonfiltered data for production wells were included with filtered data for other locations because of low suspended solids. Some locations such as the R-wells, well G-1A, PM-2, and several springs had more complete data sets over time. Alluvial locations were mostly not evaluated because limited data were available. Section 4.6 also discusses some temporal data.

TDS and bicarbonate concentrations for the alluvial, intermediate, and regional locations were plotted and compared with data from Appendix D, Figure D.1-4, which show the relationship between TDS and bicarbonate for pre-1997 baseline groundwater samples. Results fell well within the regions defined in D.1-4, although they showed more overlap of the combined alluvial and intermediate locations with the Santa Fe Group regional locations. This finding indicates that these constituents are not changing regionally over time. The current data did not show the high concentrations of TDS and bicarbonate found in well Otowi-4. Several higher concentration valley wells and discharge springs were eliminated from the current data set because the PCA and CA analysis (Section 4.5) grouped those locations (along with well Otowi-4) in regional group I.

Regional locations were examined for trends over time with respect to constituents of interest including arsenic, boron, chromium, nitrate, strontium, and uranium. In many cases, only one perchlorate data point was available per sampling location, precluding a trend analysis. In addition, most locations showed variability around a median value but no clear trends. Ancho Spring showed slight increasing trends in arsenic and nitrate; however, other constituents such as strontium and uranium were stable, while chromium decreased. Only one data point for perchlorate was available. Well G-1A showed a higher concentration of strontium in August 2005, which has since decreased. Well R-13 showed an increasing trend in arsenic; however, decreasing trends in boron, nitrate, strontium, and uranium (late decrease in 2006) also were noted. Well R-18 had clearly increasing nitrate concentrations, while R-21 showed decreases in nitrate. Springs 6A and 8A showed increasing boron concentrations, while 8A also showed a slight increase in arsenic, and 6A showed decreasing nitrate. Spring 9 showed an increasing trend in uranium. Spring 9A showed increasing arsenic and boron values, but decreasing uranium may be occurring as noted by a late (2006) decrease in uranium concentration. Sacred Spring showed clearly decreasing nitrate, possibly because of improved sampling at the source since 2000.

Data for general constituents—including bicarbonate, chloride, fluoride, sulfate, specific conductance, silica, and TDS—were examined for temporal trends. Many locations showed variable constituent concentrations that varied relatively consistently around a mean value with no trend evident over the time frame examined. (See statistical Tables 4.2-1, -2, and -3 for more information.) Most trends were slight—such as a decrease in bicarbonate in G-3A and a decrease in nitrate in well G-4A. PM-2 showed decreasing specific conductance and silica. One spring that exhibited higher overall constituent concentrations was Sacred Spring, where chloride, specific conductance and TDS increased and nitrate decreased. Spring 6 showed increases in TDS and specific conductance. In Ancho Spring, boron, nitrate, and chloride increased, although other constituents of interest decreased. (See above.)

While some specific trends were noted, the typical general chemistry and metals values did not tend to be significantly different than reported in Revision 1 for data from 1997 through 2000. The expanded list of locations for the perched-intermediate and regional aquifers was not found to have different typical median values.

4.5 Results of PCA and CA analysis

4.5.1 Statistical Analysis

Principal components analysis is a multivariate statistical technique for data reduction and for deciphering patterns with large sets of data (Stetzenbach et al. 2001, 090565). This method was selected to assist understanding of patterns within the regional aquifer chemistry, which can be highly variable over the large region of the Pajarito Plateau and surrounding recharge and discharge areas. In using PCA, a large data matrix can be reduced to two smaller matrices, one consisting of principal component (PC) scores and the other containing the loadings. The scores help define the chemical signatures for each sample in the data set. The loadings identify the analytes with concentrations that vary the most in the data set. In this study, the PCA reduced the 17 analytes to 3 PCs.

Two separate CAs were used to evaluate the PCA scores and group the stations according to similar chemical signatures. The HCA results are presented as a dendrogram, or "tree diagram" (Figure 4.5-1). The number of groups is based on visual inspection of the dendrogram. Clusters were determined using the Ward's amalgamation method and Euclidean distance linkage. The second CA method, K-means clustering (KMC), is different from HCA because the number of clusters is preselected at the start of the analysis, and results are presented in a table showing members of each cluster. In this study, HCA was run to select a reasonable number of clusters, and that number then was used in KMC.

4.5.2 Key Analytes Identified through the Analysis

A correlation analysis was performed on the original data. Results are presented in Table 4.5-1. The correlation matrix shows substantial correlation between many of the analytes, providing justification for proceeding with the PCA.

PCs are calculated so that they take into account the correlations present in the original data, but they are uncorrelated (orthogonal) to one another (Farnham et al. 2003, 094423). The factor loadings determine the elements that are most correlated within each PC.

The factor loadings identified through the PCA are provided in Table 4.5-2. Factor loadings identify which analytes "trend together"—in other words, which analytes contribute the most variance within the data set. The key analytes are identified in Table 4.5-2 along with the proportional amount of variation in the data set that is explained. The 17 metals/major ions were reduced to 3 PCs (groups of analytes). The 3 components explain 78% of the variation in the data set.

Typically, with PCA, the first PC describes the overall difference in the TDS between samples (Farnham et al. 2003, 094423). This situation becomes apparent when one views the loadings, which are mostly all either negative or positive. This fact indicates that all elements tend to be higher in the high TDS samples and lower in the lower TDS samples. In this study, 9 analytes (a large number) are significant contributors to the first PC, explaining 40% of the variance. They include bicarbonate, boron, chloride, fluoride, sodium, sulfate, strontium, and uranium in the positive sense, and silica in the negative sense.

The second PC is related to the aquifer materials through which the water flowed (Farnham et al. 2003, 094423). In this study, barium, calcium, potassium, and magnesium dominate PC2 in the positive sense and pH in the negative sense. PC2 explains 23% of the variance.

The third PC often explained differences in the oxidation/reduction characteristics of the waters. PC3 is dominated by chromium and nitrate in the positive sense. It explains 15% of the variance. While a full analysis of oxidation and reduction processes would include identification of redox pairs, this PC simply indicates an effect that may be attributed to these constituents.

4.5.3 Groundwater Groups Identified

The number of groundwater groups was selected based on visual examination of the HCA tree diagram (Figure 4.5-1). The diagram was interpreted to have classified water quality samples from the 35 candidate stations into three major groups (I-III). A separate CA (not shown) using a K-means method corroborated the HCA groupings; KMC produced similar groupings of stations for three clusters. The differences among the major groups defined by HCA were determined to be statistically significant (p<0.001) using multivariate analysis of variance (ANOVA). Factor scores are plotted in Figure 4.5-2 by group.

Group II samples all have significantly higher TDS than group I or III samples. They also have a wider range of factor scores (Figure 4.5-2). All of the high-TDS waters are located in the Rio Grande Valley near the river, mostly in proximity to San IIdefonso Pueblo. This general location has been shown to be a regional groundwater discharge area. Groundwater within a discharge zone, at the end of groundwater flow paths, generally has the highest mineral or solute content and also represents the oldest water, provided that mixing with younger groundwater has not taken place. As a result of this analysis, this group was not chosen for background locations.

Group I waters have moderate TDS concentrations, between Groups II and III. They generally are located within Los Alamos Canyon and Sandia Canyon. Factor scores for this group range between those of Group II and Group III. This group includes some Pajarito Plateau locations from Revision 1 of this report, as well as other proposed locations. While some of these locations were screened out because of other factors, it is significant that the analysis indicates consistency within the grouping.

Group III waters show the lowest and most consistent TDS concentrations and a narrower range of factor scores (Figure 4.5-2). This group includes most of the final locations chosen. Former background locations and newly included locations fall within the group. Based on comments from NMED (NMED 2006, 094447), and on the potential for contamination of some locations in Group I from anthropogenic sources or disturbance of the well chemistry due to corrosion, many of the locations from Group I were eliminated, and the remaining locations were combined with Group III to produce the final list of regional background locations.

In summary, the analytes that contribute to the first PC are significant major cations and anions indicative of TDS trends, as well as a trace constituent of interest, uranium. The analytes that contribute to this PC are indicators of facies evolution within the groundwaters and follow the geochemical model for the site. The analytes contributing to the second PC can be indicative of the rock type within the aquifer. The constituents that contribute to the third PC are of interest because they can be naturally occurring as well as from contamination. This component is important in that it explains variance in redox-sensitive constituents in and around the Pajarito Plateau. The PCA and CA analysis validates the geochemical model by grouping the locations that indicate evolved regional groundwater facies chemistry (Group III). The analysis also addresses the request for a more robust statistical analysis of background by utilizing a much larger data set with more locations, and it shows that the geochemistry at the newer locations is

similar to the original locations. The geographical context of background is thus broader than indicated in the original report.

4.6 Chemical Effects of the Cerro Grande Fire on Laboratory Background Sampling Stations

The Cerro Grande fire significantly impacted several major watersheds that drain into and north of the Laboratory (Gallaher and Koch 2004, 088747). These included Pueblo, Sandia, Mortandad, Pajarito, Water, Guaje, Rendija, Garcia, and Los Alamos Canyons. The Laboratory has conducted sampling and analyses of surface water and groundwater to assess this impact within Pueblo, Mortandad, Water, Pajarito, and Los Alamos Canyons, and Cañon de Valle watersheds (Gallaher and Koch 2004, 088747). Analytical results collected in June 2000 and May 2002 show that concentrations of major ions and trace elements have returned to prefire values.

A summary of a geochemical conceptual model of the impact of the Cerro Grande fire on surface water and groundwater chemistry developed by Longmire et al. (2001, 071362) is presented in this section. Ash and charcoal produced from the Cerro Grande fire consisted of complex mixtures of inorganic and organic compounds. Calcium, magnesium, silica, potassium, sodium, carbonate, manganese, iron, and other trace elements were concentrated in the ash and charcoal (Longmire et al. 2001, 071362). Longchain aliphatic, paraffin, aromatic, and polycyclic aromatic compounds were hypothesized to be concentrated in the ash and charcoal contributing to the hydrophobic nature of the residual soil. During the fire, organic carbon oxidized to form bicarbonate and carbonate, causing precipitation of CaCO₃ (calcite) (Longmire et al. 2001, 071362). Calcite has been observed within ash samples of ponderosa pine, aspen, and scrub oak collected on the south rim of upper Los Alamos Canyon (Longmire et al. 2001, 071362). This precipitation process resulted in higher concentrations of dissolved calcium and bicarbonate in storm runoff and base flow.

During storm events, ash and charcoal were washed into canyons, carried downstream, and redeposited. After the fire, TOC and DOC concentrations in surface water were elevated because of the redistribution of ash, charcoal, soot, and other forms of organic carbon concentrated in surface water (Longmire et al. 2001, 071362). Storm runoff, consisting of a mixture of rainwater, ash, charcoal, and sediment, was characterized by a calcium-potassium-bicarbonate solution having a TDS content greater than 100 mg/L (Longmire et al. 2001, 071362; Gallaher and Koch 2004, 088747). The TDS content of the ash-rich water was higher than prefire storm runoff and base flow. By 2002, the TDS content of base flow had returned to concentrations observed during prefire conditions in several major watersheds (Gallaher and Koch 2004, 088747).

4.6.1 Analytical Results for Selected Springs and Well LAO-B

Results of analyses of Apache Spring, Water Canyon Gallery, Pine Spring, and Cañon de Valle-5.0 Spring from June 2000 are provided in Table 4.6-1. Additional data for Water Canyon Gallery and Cañon de Valle-5.0 Spring from this report collected in 2005 also are included. The June 2000 analytical results for Apache Spring, Water Canyon Gallery, Cañon de Valle-5.0 Spring, and Pine Spring were not included in the statistical analysis for the background data set in Revision 1 because impacts from the Cerro Grande fire were observed. No new data were available for Pine Spring for this report revision. Apache Spring was not evaluated for this report revision because of road-salt contamination.

Data from Revision 1 of this report (LANL 2006, 094637) indicated that Water Canyon Gallery and Cañon de Valle-5.0 Spring were not impacted by the Cerro Grande fire—as shown by similarities in water chemistry (major ion and trace element) before and after the fire.

Pine Spring, however, may have been impacted by ash-rich runoff, which resulted in elevated concentrations of major ions, most notably calcium, sulfate, carbonate alkalinity, and TDS (Figure 4.6-1), and some trace elements, including manganese (Figure 4.6-2). Concentrations of manganese increased at Pine Spring immediately after the fire in response to increasing DOC.

Organic carbon, when used by heterotrophic microbes, is a strong reducing agent (electron donor) that has the capacity to reduce many solutes, including manganese, iron, nitrate, sulfate, and uranium (Langmuir 1997, 056037). This change in redox chemistry resulting from the fire increased the solubility of manganese oxides and (oxy)hydroxides. Under oxidizing conditions, manganese(III, IV) is stable as MnOOH and manganese oxide, but under reducing conditions, these solids dissolve to form soluble Mn²⁺. The aqueous chemistry observed at Pine Spring during June 2000 was expected to return to prefire conditions over time, depending on the residual amount of ash, charcoal, and other organic material derived from the Cerro Grande fire. Elevated concentrations of dissolved manganese in surface water (base flow) were observed elsewhere upstream of the Laboratory (in Los Alamos Canyon and Pajarito Canyon) after the fire (Gallaher and Koch 2004, 088747).

Sampling of Water Canyon Gallery by the Laboratory since the fire, however, showed that this sampling station had returned to pre-Cerro Grande fire conditions by 2002 with respect to major ions and trace elements. This observation is supported by the more recent data from this Revision 2 of the report, collected between 2001 and 2005. Data from the sampling in July 2005 is shown in Table 4.6-1. Although data from 2001 to 2005 for sulfate, chloride, and aluminum show variable (increasing then decreasing) trends during that time frame. Other indicators such as TDS, calcium, and other metals and anions, show decreasing trends or stable concentrations.

Cañon de Valle-5.0 Spring shows concentrations of chloride and sulfate that are slightly higher than the June 2000 data; however, decreasing trends were noted between March 3, 2005, and July 11, 2005, for both metals and anions.

Well LAO-B was not strongly affected by the Cerro Grande fire. However, upper Los Alamos Canyon west of the well was severely impacted. Ash present in runoff recharged alluvial groundwater in the canyon that resulted in iron and manganese reduction, elevated concentrations of major cations and anions, and trace elements in several watersheds (Gallaher and Koch 2004, 088747). Prefire conditions have been restored at the well, however, based on the analytical results for major ions (excluding calcium and magnesium), and trace anions (fluoride), excluding trace elements largely collected from June 2000 through May 2002 (LANL 2004, 087390). The latest data (Table 4.6-1) from this well indicate that no further changes have occurred at the well outside of normal low fluctuations in constituent concentrations.

Well LAO-B represents baseline data that are unimpacted by the Laboratory. While LAO-B has shown some postfire effects and a return to prefire conditions, it is not possible to resolve the effect of the Los Alamos reservoir beyond that of the Cerro Grande fire. Addition of background wells in the future may provide data that clarify the effect of the reservoir on the alluvial groundwater. Potential impacts may be associated with anoxia of reservoir sediments, the distance from the reservoir, and underflow of alluvial groundwater below the reservoir but cannot be clearly discerned at this time. Well LAO-B is intended to provide a baseline for the wells downcanyon and for other alluvial locations.

5.0 SUMMARY AND CONCLUSIONS

5.1 Summary

A revised hydrogeochemical background investigation of groundwaters was conducted for the Laboratory in 2006 and 2007. This data set provides the most recent set of background groundwater chemistry analyses conducted for the Laboratory. This study included a comprehensive field, chemical, radiochemical, and statistical investigation of 30 sampling stations within the Pajarito Plateau/Jemez Mountains region from 2000 to 2006. Groundwaters from alluvium, Bandelier Tuff (Otowi Member and Guaje Pumice Bed), Tschicoma Formation, Cerros del Rio basalt, hydromagmatic deposits, Totavi gravels, and Santa Fe Group sediments were sampled, analyzed, and evaluated as part of this investigation. The sampling sites for this investigation were chosen to provide background data for groundwater occurring in shallow alluvium (well LAO-B and Pine Spring), perched intermediate groundwater within volcanic rocks (Seven Springs, Water Canyon Gallery, upper Cañon de Valle Spring [CdV-5.0], Campsite Springs, Barbara Spring, and well LAOI(A)-1.1), and the regional aquifer (Spring 5B, Sacred Spring, Spring 6, PM-2, PM-4, PM-5, Spring 9, Ancho Spring, Spring 6A, Spring 8A, Guaje wells 1A, 2A, 3A, 4A, 5A, wells R-1, R-13, R-18, R-21, Spring 9B, and Spring 1).

The overall objectives of Revision 2 of this report were fulfilled and included the following:

- analyzing additional more recent groundwater samples from background stations (springs and wells) for alluvial, perched intermediate groundwater, and the regional aquifer between 2000 and 2006; and
- providing validated analytical results and statistical distributions for the different analytes occurring within alluvial, perched intermediate groundwaters, and the regional aquifer.

General tables of analytical data are presented in Appendix B. Results of statistical analyses, including minimum, mean, median, maximum, one standard deviation, 5th, 10th, 25th, 75th, 90th, and 95th percentiles, geometric mean, skew, percent nondetects, and UTLs are provided for the alluvial groundwater (Table 4.2-1), perched intermediate zones (Table 4.2-2), and the regional aquifer (Table 4.2-3). The tables containing results of statistical analyses are grouped by filtered and nonfiltered samples for each aquifer type. Other parameters, including the number of samples and number of detects and nondetects, are also provided in Table 4.2-4. Table 4.3-1 shows results of a Student's t-test of means between different aquifer types for selected analytes. Table 4.5-1 provides correlation coefficients, and Table 4.5-2 provides PCA and CA results on relationships within the regional aquifer. Tables 4.3-3a, b, and c provide screening values for the analyzed constituents.

Hydrogeochemical data and hydrogeologic information collected during the background investigation satisfy the Consent Order requirement, Section IV.A.3.d, which stipulates that the respondents shall determine the background concentrations for naturally occurring metals and general chemistry parameters in alluvial, intermediate, and regional groundwater. This revised background investigation report lists the background concentration for each metal and the general chemistry parameters and states the bases for selecting each such concentration. Background distributions of solutes presented in this revised report are applicable to Laboratory site evaluation.

5.2 Geochemical Variations among Groundwater Types

Important physical, geochemical, and statistical attributes of alluvial and perched intermediate groundwater and the regional aquifer are summarized in this subsection.

- Groundwater temperature increases with depth from the alluvium to the regional aquifer in response to ambient and Jemez Mountains geothermal gradients. Temperature measurements of groundwater are very useful in differentiating perched intermediate systems from the regional aquifer (LANL 2006, 094637).
- The three aquifer types are characterized by a pH range of 6.0 to 9.2, with the greatest variation
 within perched intermediate groundwaters. The most basic pH measurements were associated
 with the perched intermediate groundwaters. Most regional results are near neutral pH.
- Concentrations of calcium, magnesium, sodium, and potassium are generally lowest within the alluvial groundwater (as represented by well LAO-B) and highest in the regional aquifer, when the short-term effects of the Cerro Grande fire are discounted. The range of major cation concentrations is generally the lowest for the alluvial system and the highest in the regional aquifer. The same compositional trend is generally observed for the major anion bicarbonate between the three aquifer types. Mean value comparisons of chloride and sulfate among the three aquifers, however, indicate significant differences between aquifer types, according to the Student's t-test (Table 4.3-1).
- Concentrations of nitrate (as nitrogen) are the lowest within the alluvial system compared with the
 perched intermediate system and the regional aquifer. Concentrations of nitrate (as nitrogen) are
 typically <0.6 mg/L in groundwater beneath the Pajarito Plateau and are greater than 1 mg/L at
 Spring 1 in White Rock Canyon near the confluence with lower Los Alamos Canyon.
- Concentrations of fluoride are similar in the alluvial and perched intermediate waters and increase in the regional aquifer. The greatest range of results is found in the regional aquifer.
- Background concentrations of arsenic, barium, boron, bromide, strontium, and uranium were lowest within alluvial groundwater and highest within the regional aquifer. The highest concentrations of dissolved arsenic (3.7 to 4.4 μg/L) were measured at Spring 1. Mean concentrations of these trace elements within the perched intermediate groundwater tended to be similar to the alluvial groundwater mean concentrations and lower than the regional aquifer mean concentration.
- Background concentrations of uranium are remarkably uniform (<0.6 μg/L) in the regional aquifer beneath the Pajarito Plateau and substantially increase at Spring 1 east of the plateau.
- Background/fallout activities of tritium are the highest for the Sierra de los Valles springs and alluvial groundwater (well LAO-B and Pine Spring) and the lowest within the regional aquifer (less than 3 pCi/L). This finding indicates the age of groundwater is generally increasing with depth.

5.3 Uncertainties

A revised investigation of groundwater chemistry, hydrostratigraphy for background locations, and detailed statistical analyses was conducted in 2006 and 2007. A high degree of confidence lies within the background water chemistry data as a result of this investigation because of the increase from 12 to 30 sampling stations and because of additional analyses performed on the data in comparison to what was done in earlier revisions of the report. However, several uncertainties should be taken into consideration in light of the conclusions of this study.

1. The detailed lithology, the criteria for stratigraphic divisions, and the nomenclature of sedimentary units beneath the Pajarito Plateau retain many uncertainties (i.e., compare the highly contrasting stratigraphy of Purtymun [1995, 045344], with that of Goff et al. [2002, 088776]). Because units such as the Puye Formation, Totavi Lentil, and various subunits within the Santa Fe Group host

- or partially host the regional aquifer, an improved geologic framework is needed to reduce uncertainty in the hydrostratigraphy of the Santa Fe Group.
- 2. As the geochemical and geohydrologic conceptual models continue to evolve, uncertainty is likely to decrease in groundwater flow paths, solute and groundwater residence times, age(s) of deep groundwater, and hydrogeochemical processes that control groundwater composition.
- 3. Uncertainties exist about the complete representative nature of groundwater chemistry within the alluvium; currently, there are only two background sampling stations.
- 4. The data collected from wells and springs during this investigation reflect background. However, the long-term (50 yr and more) chemical composition of background sampling sites within and downgradient of the Laboratory is likely to evolve over many decades.

5.4 Conclusions

This background investigation report is an evaluation of the applicability of background sampling locations, the quality of background data from those locations, and the distinguishing characteristics of the aquifer types sampled. Results of this investigation, including hydrostratigraphic descriptions, multiple chemical analyses, and statistical evaluations of multiyear data sets, provide a technically defensible background database for subsurface water sampling locations for the Pajarito Plateau and Sierra de los Valles. These locations are shown to be free of Laboratory anthropogenic influences and are considered to be valid background locations with respect to the Laboratory. The aquifers studied exhibit specific chemical characteristics that will be used for future data screening and comparisons.

- The addition of 20 new intermediate and regional aquifer stations has not changed the conceptual model. Instead, it has provided data that fits well within the model.
- The short-term effects of the Cerro Grande fire on several of the background sampling sites
 within the Sierra de los Valles (Apache Spring, Water Canyon Gallery, upper Cañon de Valle-5.0
 Spring, and Pine Spring) and upper Los Alamos Canyon (well LAO-B) have been assessed.
 Groundwater chemistry has returned to prefire conditions at the two most impacted background
 sampling stations (well LAO-B and Pine Spring).
- Natural variability exists in regional background groundwater chemistry within the Pajarito
 Plateau. According to the PCA, Spring 1, Spring 5B, and Sacred Spring belong to a different
 geochemical facies than other sampling stations within the regional aquifer on the Pajarito
 Plateau. This finding is verified by the other statistical comparisons.
- Statistical parameters describing distributions of trace elements, such as antimony, beryllium, cadmium, lead, and thallium, are complex because of the high percentage of nondetects.
 Statistical relationships among trace elements with a higher detection rate, such as iron, were less complex and indicated similarity between alluvial and perched intermediate groundwaters.
- In Revision 2 of this study, perchlorate values were consistent with previously measured data.
 The median values within the regional aquifer were slightly higher (0.314 μg/L) than the perchedintermediate median value of 0.159 μg/L. The previous median value in Revision 1 was 0.27 μg/L. All results had low variances.
- Statistical analyses of the groundwater samples have advanced the understanding of solute
 distributions within the three aquifer types. Many of the major ions are log-normally distributed,
 which is a direct function of mineralogy of aquifer material, groundwater chemistry, microbial
 populations, and solute and groundwater residence times. Statistical comparisons for significance

- between means indicated that some constituents are from different populations between different aquifer types. PCA and CA comparisons showed that the regional aquifer can exhibit different chemical facies with location.
- While some specific trends were noted, the typical general chemistry and metals values reported here for data from 2000 through 2006 did not tend to be significantly different than was reported in Revision 1 of this report (data from 1997 through 2000). The expanded list of locations for the perched-intermediate and regional aquifers generally did not have different typical median values.
- When distinct regional geochemical populations are combined, as in Revision 2, higher screening values are derived for some constituents than if the populations had been separated.
- Screening values presented in this report represent uncontaminated groundwater across the
 Pajarito Plateau. These are conservative values in that 95% of detections are below these values
 (UTLs). They illustrate the summation of water quality, including general chemistry, and metals
 analyses and parameters from a large data set over a large geographical area and within three
 groundwater types.

6.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs-Environmental Remediation and Surveillance Program (EP-ERSS) Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the EP-ERSS master reference set.

Copies of the master reference set are maintained at NMED's Hazardous Waste Bureau; the DOE–Los Alamos Site Office; EPA, Region 6; and EP-ERSS. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

- Abeele, M., M. Wheeler, and B. Barton, October 1981. "Geohydrology of Bandelier Tuff, Los Alamos," Los Alamos National Laboratory report LA-8962-MS, Los Alamos, New Mexico. (Abeele et al. 1981, 006273)
- Adams, A.I., F. Goff, and D. Counce, February 1995. "Chemical and Isotopic Variations in Precipitation in the Los Alamos Region, New Mexico," Los Alamos National Laboratory report LA-12895-MS, Los Alamos, New Mexico. (Adams et al. 1995, 047192)
- Aldrich, M.J., February 10, 1986. "Tectonics of the Jemez Lineament in the Jemez Mountains and Rio Grande Rift," *Journal of Geophysical Research*, Vol. 91, pp. 1753–1762. (Aldrich 1986, 021497)
- Aldrich, M.J., and D. Dethier, December 1, 1990. "Stratigraphic and Tectonic Evolution of the Northern Española Basin, Rio Grande Rift, New Mexico," *Geological Society of America Bulletin*, Vol. 102, p. 1695–1705. (Aldrich and Dethier 1990, 049681)
- Allison, J.D., D.S. Brown, and K.J. Novo-Gradac., March 1991. "MINTEQA2/PRODEFA2, A Geochemical Assessment Model for Environmental Systems: Version 3.0 User's Manual." (Allison et al. 1991, 049930)

- American Public Health Association, January 1985. "Standard Methods for the Examination of Water and Wastewater," *American Public Health Association*, 16th ed., Washington, D.C. (American Public Health Association 1985, 088769)
- Aubele, J., May 1978. "Geology of the Cerros del Rio Volcanic Field, New Mexico," M. S. Thesis, University of New Mexico, Albuquerque, New Mexico, 136 pp. (Aubele 1978, 086539)
- Bachman, G., and H. Mehnert, February 1, 1978. "New K-Ar Dates and the Late Pliocene to Holocene Geomorphic History of the Central Rio Grande Region, New Mexico," *Geological Society of America Bulletin*, Vol. 89, pp. 283–292. (Bachman and Mehnert 1978, 088741)
- Bailey, R.A., R.L. Smith, and C.S. Ross, January 1, 1969. "Stratigraphic Nomenclature of Volcanic Rocks in the Jemez Mountains, New Mexico," *U.S. Geological Survey, Bulletin* 1274-P. (Bailey et al. 1969, 008406)
- Baldridge, W., K. Olsen, and J.E. Gallegos, January 1984. "Rio Grande Rift: Problems and Perspectives," *New Mexico Geological Society*, 35th Annual Field Conference, October 11–13, 1984. (Baldridge et al. 1984, 088745)
- Baltz, E.H., J.H. Abrahams, Jr., and W.D. Purtymun, March 1963. "Preliminary Report on the Geology and Hydrology of Mortandad Canyon near Los Alamos, New Mexico, with Reference to Disposal of Liquid, Low-Level Radioactive Waste," U.S. Geological Survey, Open-File Report 63-6. (Baltz et al. 1963, 008402)
- Birdsell, K.H., W.E. Soll, N.D. Rosenberg, and B.A. Collins, September 1995. "Numerical Modeling of Unsaturated Groundwater Flow and Radionuclide Transport at MDA-G," Los Alamos National Laboratory document LA-UR-95-2735, Los Alamos, New Mexico. (Birdsell et al. 1995, 070012)
- Blake, W.D., F. Goff, A. Adams, and D. Counce, May 1995. "Environmental Geochemistry for Surface and Subsurface Waters in the Pajarito Plateau and Outlying Areas, New Mexico," Los Alamos National Laboratory report LA-12912-MS, Los Alamos, New Mexico. (Blake et al. 1995, 049931)
- Galusha, T., and J.C. Blick, April 5, 1971. "Stratigraphy of the Santa Fe Group, New Mexico" in *Bulletin of the American Museum of Natural History*, Vol. 11, Article 1. (Galusha and Blick 1971, 021526)
- Broxton, D., and P. Eller, June 1995. "Earth Science Investigations for Environmental Restoration, Los Alamos National Laboratory Technical Area 21," Los Alamos National Laboratory report LA-12934-MS, Los Alamos, New Mexico. (Broxton and Eller 1995, 058207)
- Broxton, D., and D.T. Vaniman, June 1, 2005. "Geologic Framework of a Groundwater System on the Margin of a Rift Basin, Pajarito Plateau, North-Central New Mexico," *Vadose Zone Journal* (in press). (Broxton and Vaniman 2005, 088707)
- Broxton, D., R. Gilkeson, P. Longmire, J. Marin, R. Warren, D. Vaniman, A. Crowder, B. Newman, B. Lowry, D. Rogers, W. Stone, S. McLin, G. WoldeGabriel, D. Daymon, and D. Wycoff, May 2001. "Characterization Well R-9 Completion Report," Los Alamos National Laboratory report LA-13742-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071250)
- Broxton, D., D. Vaniman, W. Stone, S. McLin, M. Everett, and A. Crowder, May 2001. "Characterization Well R-91 Completion Report," Los Alamos National Laboratory report LA-13821-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071251)

- Broxton, D., R. Warren, A. Crowder, M. Everett, R. Gilkeson, P. Longmire, and J. Marin, May 2001. "Characterization Well R-12 Completion Report," Los Alamos National Laboratory report LA-13822-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071252)
- Broxton, D., D. Vaniman, W. Stone, S. McLin, J. Marin, R. Koch, R. Warren, P. Longmire, D. Rogers, and N. Tapia, May 2001. "Characterization Well R-19 Completion Report," Los Alamos National Laboratory report LA-13823-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071254)
- Broxton D., D. Vaniman, P. Longmire, B. Newman, W. Stone, A. Crowder, P. Schuh, R. Lawrence, E. Tow, M. Everett, R. Warren, N. Clayton, D. Counce, E. Kluk, and D. Bergfeld, December 2002. "Characterization Well MCOBT-4.4 and Borehole MCOBT-8.5 Completion Report," Los Alamos National Laboratory report LA-13993-MS 80, Los Alamos, New Mexico. (Broxton et al. 2002, 076006)
- Bull, T., M. Everett, P. Longmire, D. Vaniman, W. Stone, D. Larssen, K. Greene, N. Clayton, and S. McLin, February 2002. "Characterization Well R-22 Completion Report," Los Alamos National Laboratory report LA-13893-MS, Los Alamos, New Mexico. (Bull et al. 2002, 071471)
- Canter, L., 1997. *Nitrates in Ground Water*. Lewis Publishers, New York, New York. (Canter 1997, 093257)
- Chapin, C., 1979. "Evolution of the Rio Grande Rift: A Summary," in *Rio Grande Rift: Tectonics and Magmatism,* American Geophysical Union, Washington, D.C., pp. 1–5. (Chapin 1979, 093650)
- Clark, I.D., and P. Fritz, January 1997. *Environmental Isotopes in Hydrogeology,* Lewis Publishers, New York, New York. (Clark and Fritz 1997, 059168).
- Collins, K., A. Simmons, and B.A. Robinson, June 2005. "Hydrogeologic Synthesis Report," Los Alamos National Laboratory document LA-UR-05-2814, Los Alamos, New Mexico. (Collins et al. 2005, 088767)
- Craig, H., May 26, 1961. "Isotopic Variations in Meteoric Waters," *Science*, Vol. 133, pp. 1702–1703. (Craig 1961, 088748)
- Cushman, R.L., January 1965. "An Evaluation of Aquifer and Well Characteristics of Municipal Well Fields in Los Alamos and Guaje Canyons near Los Alamos, New Mexico," U.S. Geological Survey Water-Supply Paper 1809-D. (Cushman 1965, 008584)
- Dale, M., May 23, 2005. "LANL's background groundwater report/project per the Consent Order," e-mail correspondence to S. Yanicak (NMED) from M. Dale (LANL), Los Alamos, New Mexico. (Dale 2005, 088774)
- Dale, M., S.M. Yanicak, and S.P. Anderson, December 1996. "Ground-Water Oversight at Los Alamos National Laboratory and Surrounding Areas, 1994 through 1995," New Mexico Environment Department document NMED-HRMB-96/1, Hazardous and Radioactive Materials Bureau, Santa Fe, New Mexico. (Dale et al. 1996, 057014)
- Dander, D.C., October 1998. "Unsaturated Groundwater Flow beneath Upper Mortandad Canyon, Los Alamos, New Mexico," Los Alamos National Laboratory document LA-UR-98-4759, Los Alamos, New Mexico. (Dander 1998, 088743)
- Denny, C.S., May 1, 1940. "Santa Fe Formation in the Española Valley, New Mexico," *Geological Society of America Bulletin*, Vol. 51, pp. 677–694. (Denny 1940, 088738)

- Dethier, D., 1997. "Geology of White Rock Quadrangle, Los Alamos and Santa Fe Counties, New Mexico," New Mexico Bureau of Mines and Mineral Resources Map 73, 1 sheet. (Dethier 1997, 049843)
- Dethier, D., and K. Manley, January 1985. "Geologic Map of the Chile Quadrangle, Santa Fe and Los Alamos Counties, New Mexico," New Mexico Bureau of Mines and Mineral Resources Map, 1 sheet. (Dethier and Manley 1985, 021506)
- Devaurs, M., and W.D. Purtymun, 1985. "Hydrologic Characteristics of the Alluvial Aquifers in Mortandad, Cañada del Buey and Pajarito Canyons," Los Alamos National Laboratory document LA-UR-85-4002, Los Alamos, New Mexico. (Devaurs and Purtymun 1985, 007415)
- Dransfield, B., and J.N. Gardner, May 1985. "Subsurface Geology of the Pajarito Plateau, Española Basin, New Mexico," Los Alamos National Laboratory report LA-10455-MS, Los Alamos, New Mexico. (Dransfield and Gardner 1985, 006612)
- Dunker, K., J. Wolff, R. Harmon, P. Leat, A. Dicken, and R. Thompson, January 1, 1991. "Diverse Mantle and Crustal Components in Lavas of the NW Cerros del Rio Volcanic Field, Rio Grande Rift, New Mexico," *Contributions to Mineralogy and Petrology*, Vol. 108, pp. 331–345. (Dunker et al. 1991, 088739)
- EPA (U.S. Environmental Protection Agency), 1987. "Test Methods for Evaluating Solid Waste, Laboratory Manual, Physical/Chemical Methods," U.S. Environmental Protection Agency document SW-846, 3rd ed., Update III, Washington, D.C. (EPA 1987, 057589)
- EPA (U.S. Environmental Protection Agency), March 1, 1987. "Data Quality Objectives for Remedial Response Activities, Developmental Process," Environmental Protection Agency document, Washington, D.C. (EPA 1992, 012544)
- EPA (U.S. Environmental Protection Agency), April 1, 1992. "Guidance for Data Usability in Risk Assessment (Part A)," Publication 9285.7-09A, Office of Emergency Remedial Response, Washington, D.C. (EPA 1992, 054947
- EPA (U.S. Environmental Protection Agency), September 1994. "Guidance for the Data Quality Objectives Process (G-4).EPA/600/R-96/055," Environmental Protection Agency document, Washington, D.C. (EPA 1994, 050288)
- EPA (U.S. Environmental Protection Agency), 1994. "U.S. EPA Contract Laboratory Program National Functional Guidelines for Organic Data Review Multi-Media, Multi-Concentrations (LMO 1.0) and Low Concentration Water (OLCO 1.0)," Environmental Protection Agency document, Washington, D.C. (EPA 1994, 048640)
- Farnham, I.M., A.K. Singh, K.J. Stetzenbach, and K.H. Johannesson, 2002. "Treatment of nondetects in multivariate analysis of groundwater geochemistry data," *Chemometrics and Intelligent Laboratory Systems*, Vol. 60, pp. 265–281. (Farnham et al. 2002, 094420)
- Farnham, I.M., K.H. Johannesson, A.K. Singh, V.F. Hodge, and K.J. Stetzenbach, 2003. "Factor analytical approaches for evaluating groundwater trace element chemistry data," *Analytica Chimica Acta*, Vol. 490 (2003), pp. 123–138. (Farnham et al. 2003, 094423)
- Fisher, R.V., and Schminke, H.-U., July 1984. *Pyroclastic Rocks*, Springer-Verlag, Berlin, Germany. (Fisher and Schminke 1984, 088744)

- Freeze, R.A., and J.A. Cherry, January 1979. *Groundwater*, Prentice Hall, Inc., Englewood Cliffs, New Jersey. (Freeze and Cherry 1979, 088742)
- Frenzel, P.F., December 1995. "Geohydrology and Simulation of Ground-Water Flow near Los Alamos, North-Central New Mexico," U.S. Geological Survey, Water-Resources Investigations report 95-4091. (Frenzel 1995, 056028)
- Gallaher, B., September 11, 1995. "Groundwater Velocities in Los Alamos Canyon," Los Alamos National Laboratory, Memorandum ESH-18/WQ&H-95-409 to ESH-18 Reading File. (Gallaher 1995, 049679)
- Gallaher, B.M., and R.J. Koch, September 2004, "Cerro Grande Fire Impacts to Water Quality and Stream Flow near Los Alamos National Laboratory: Results of Four Years of Monitoring" (Gallaher and Koch 2004, 088747)
- Galusha, T., and J. Blick, April 5, 1971. "Stratigraphy of the Santa Fe Group, New Mexico," *American Museum of Natural History*, Bulletin 144. (Galusha and Blick 1971, 021526)
- Gardner, J.N., and F. Goff, 1984. "Potassium-Argon Dates from the Jemez Volcanic Field: Implications of Tectonic Activity in the North-Central Rio Grande Rift," in *Rio Grande Rift: Northern New Mexico*, New Mexico Geological Society, 35th Annual Field Conference, October 11–13, 1984, pp. 75–81. (Gardner and Goff 1984, 044021)
- Gardner, J.N., and L. House, October 1987. "Seismic Hazards Investigations at Los Alamos National Laboratory, 1984 to 1985," Los Alamos National Laboratory report LA-11072-MS, Los Alamos, New Mexico. (Gardner and House 1987, 006682)
- Gardner, J.N., F. Goff, S. Garcia, and R. Hagan, February 10, 1986. "Stratigraphic Relations and Lithologic Variations in the Jemez Volcanic Field, New Mexico," *Journal of Geophysical Research*, Vol. 91, pp. 1763–1778. (Gardner et al. 1986, 021527)
- Gardner, J.N., T. Kolbe, and S. Chang, January 1993. "Geology, Drilling and Some Hydrologic Aspects of Seismic Hazards Program Core Holes, Los Alamos National Laboratory," Los Alamos National Laboratory report LA-12460-MS, Los Alamos, New Mexico. (Gardner et al. 1993, 012582)
- Gardner, J.N., A. Lavine, D. Vaniman, and G. WoldeGabriel, June 1998. "High-Precision Geologic Mapping to Evaluate the Potential for Seismic Surface Rupture at TA-55, Los Alamos National Laboratory," Los Alamos National Laboratory report LA-13456-MS, Los Alamos, New Mexico. (Gardner et al. 1998, 063496)
- Geddis, A.M., August 1992. "Preliminary Modeling of Moisture Movement in the Tuff beneath Mortandad Canyon, Los Alamos National Laboratory," Los Alamos National Laboratory document LA-UR-92-2577, Los Alamos, New Mexico. (Geddis 1992, 031592)
- Geologic, Inc., September 1989. "Pathways Analysis at Material Disposal Area T, Los Alamos National Laboratory (LANL), Los Alamos, New Mexico," prepared for Los Alamos National Laboratory by Geologic, Inc., Herdon, Virginia. (Geologic, Inc. 1989, 031492)
- Gilbert, R.O., 1987. Statistical Methods for Environmental Pollution Monitoring, Van Nostrand Reinhold, New York, New York. (Gilbert 1987, 056179)

- Goff, F., June 1995. "Geologic Map of Technical Area 21," in "Earth Science Investigations for Environmental Restoration, Los Alamos National Laboratory Technical Area 21," D.E. Broxton and P.G. Eller, eds., Los Alamos National Laboratory report LA-12934-MS, pp. 7–18, Los Alamos, New Mexico. (Goff 1995, 049682)
- Goff, F., and S. Sayer, April 1980. "A Geothermal Investigation of Spring and Well Waters of the Los Alamos Region, New Mexico," Los Alamos National Laboratory report LA-8326-MS, Los Alamos, New Mexico. (Goff and Sayer 1980, 054783.29)
- Goff, F., J.N. Gardner, W. Baldridge, J. Hulen, D. Nielson, D. Vaniman, G. Heiken, M. Dungan, and D. Broxton, 1989. "Excursion 17B: Volcanic and Hydrothermal Evolution of the Valles Caldera and Jemez Volcanic Field," New Mexico Bureau of Mines and Mineral Resources, Memoir 46, pp. 381– 434. (Goff et al. 1989, 054783.32)
- Goff, F., J.N. Gardner, and G. Valentine, January 1990. "Geologic Map of the St. Peter's Dome Area, Jemez Mountains, New Mexico," New Mexico Bureau of Mines and Mineral Resources, Open-File, Geologic Map OF-GM 42, scale 1:24,000. (Goff et al. 1990, 021574)
- Goff, F., B. Kues, M. Rogers, L. McFadden, and J.N. Gardner, September 1996. "The Jemez Mountains Region," New Mexico Geological Society, 47th Annual Field Conference, September 25–28, 1996, 484 pp. (Goff et al. 1996, 056025)
- Goff, F., J.N. Gardner, and S. Reneau, June 2002. "Preliminary Geologic -Map of the Frijoles, 7.5-Minute Quadrangle," *New Mexico Bureau of Geology*, Map NMBGMR OF-GM, available at (http://geoinfo.nmt.edu). (Goff et al. 2002, 088776)
- Goff, F., D. Bergfeld, C.J. Janik, D. Counce, and M. Murrell, 2002. "Geochemical Data on Waters, Gases, Scales, and Rocks, from the Dixie Valley Region, Nevada (1996–1999)," Los Alamos National Laboratory report LA-13972-MS, Los Alamos, New Mexico. (Goff et al. 2002, 088766)
- Gray, R.N., May 1997. "Hydrologic Budget Analysis and Numerical Simulations of Groundwater Flow in Los Alamos Canyon near Los Alamos, New Mexico," M.S. Thesis, University of New Mexico, Albuquerque, New Mexico, 202 pp. (Gray 1997, 058208)
- Griggs, R.L., January 1964. "Geology and Ground-Water Resources of the Los Alamos Area, New Mexico," U.S. Geological Survey, Water-Supply Paper 1753, 107 pp. (Griggs 1964, 008795)
- Güler, C., G.D. Thyne, J.E. McCray, and A.K. Turner, May 9, 2002. "Evaluation of graphical and multivariate statistical methods for classification of water chemistry data," *Hydrogeology Journal* (2002), Vol. 10, pp. 455–474. (Güler et al. 2002, 094417)
- Hakam, O.K., A. Choukri, J.L. Reyss, and M. Lferde, 2000. "Activities and Activity Ratios of U and Ra Radioisotopes in Drinking Wells, Springs and Tap Water Samples in Morocco," *Radiochimica Acta*, Vol. 88, pp. 55–60. (Hakam et al. 2000, 070168)
- Hearne, G.A., January 1985. "Mathematical Model of the Tesuque Aquifer System near Pojoaque, New Mexico," U.S. Geological Survey, Water-Supply Paper 2205, 75 pp. (Hearne 1985, 088749)
- Heiken, G., K. Wohletz, R. Fisher, and D. Dethier, 1996. "Field Guide to the Maar Volcanoes of White Rock Canyon, Part II: Field Excursions to the Jemez Mountains, New Mexico," in New Mexico Bureau of Mines and Mineral Resources Bulletin 134, pp. 56-72. (Heiken et al. 1996, 054425)

- Keating, E., E. Kwicklis, M. Witkowski, and T. Ballantine, September 1999. "A Simulation Model for the Regional Aquifer beneath the Pajarito Plateau," Los Alamos National Laboratory document LA-UR-00-1029, Los Alamos, New Mexico. (Keating et al. 1999, 088746)
- Keller, G., May 10, 1986. "Introduction to Special Section on the Rio Grande Rift," *Journal of Geophysical Research*, Vol. 91, p. 6142. (Keller 1986, 088740)
- Kelley, V., January 1978. "Geology of the Española Basin, New Mexico," New *Mexico Bureau of Mines and Mineral Resources*, Map 48, 1 sheet. (Kelley 1978, 011659)
- Kempter, K.A., and S. Kelley, June 2002. "Geology of the Guaje Mountain, 7.5-min. Quadrangle, Los Alamos and Sandoval Counties, New Mexico," New Mexico Bureau of Geology and Mineral Resources, Open-File Geologic Map OF-GM 55, (http://geoinfo.nmt.edu). (Kempter and Kelley 2002, 088777)
- Koba, K., Tokuchi, N., Wada, E., Nakajima, T., and Iwatsubo, G. August 1997. "Intermittent Denitrification: The Application of a ¹⁵N Natural Abundance Method to a Forested Ecosystem," *Geochimica et Cosmochimica Acta*. 61(23), pp. 5043–5050. (Koba et al. 1997, 093667)
- Koenig, E.D., and S.G. McLin, June 1991. "Application of a Lumped-Parameter Model toward Understanding the Behavior of the Mortandad Canyon Perched Alluvial Aquifer System, Los Alamos, New Mexico," Los Alamos National Laboratory report, Los Alamos, New Mexico. (Koenig and McLin 1992, 056029)
- Kwicklis, E., M. Witkowski, K. Birdsell, B. Newman, and D. Walther, August 2005. "Development of an Infiltration Map for the Los Alamos Area. New Mexico," Vadose Zone Journal, Vol. 4, pp. 672–693. (Kwicklis et al. 2005, 090069.
- Langmuir, D., 1997. *Aqueous Environmental Geochemistry*, Prentice Hall, Inc., Upper Saddle River, New Jersey. (Langmuir 1997, 056037)
- LANL (Los Alamos National Laboratory), July 1995. "Statement of Work—Analytical Support, Revision 2," Los Alamos National Laboratory document, Los Alamos, New Mexico. (LANL 1995, 049738)
- LANL (Los Alamos National Laboratory), January 1996. "Groundwater Protection Management Program Plan, Rev. 2.0," Los Alamos National Laboratory document, Los Alamos, New Mexico. (LANL 1996, 070215)
- LANL (Los Alamos National Laboratory), September 1997. "Work Plan for Mortandad Canyon," Los Alamos National Laboratory document LA-UR-97-3291, Los Alamos, New Mexico. (LANL 1997, 056835)
- LANL (Los Alamos National Laboratory), May 1998. "Hydrogeologic Workplan, Los Alamos National Laboratory," Los Alamos National Laboratory document, Los Alamos, New Mexico. (LANL 1998, 059599)
- LANL (Los Alamos National Laboratory), December 2000. "Environmental Surveillance at Los Alamos during 1999," Los Alamos National Laboratory report LA-13775-ENV, Los Alamos, New Mexico. (LANL 2000, 068661)
- LANL (Los Alamos National Laboratory), January 2001, "Post-Cerro Grande Fire Environmental Sampling Data: Pajarito Canyon Alluvial Groundwater Samples Collected in June 2000," Los Alamos National Laboratory document LA-UR-00-5491, Los Alamos, New Mexico. (LANL 2001, 069055)

- LANL (Los Alamos National Laboratory), October 2001. "Environmental Surveillance at Los Alamos during 2000," Los Alamos National Laboratory report LA-13861-ENV, Los Alamos, New Mexico. (LANL 2001, 071301)
- LANL (Los Alamos National Laboratory), April 2004. "Los Alamos and Pueblo Canyons Investigation Report," Los Alamos National Laboratory document LA-UR-04-2714, Los Alamos, New Mexico. (LANL 2004, 087390)
- LANL (Los Alamos National Laboratory), June 2005. "Groundwater Background Investigation Report," Los Alamos National Laboratory document LA-UR-05-2295, Los Alamos, New Mexico. (LANL 2005, 090580)
- LANL (Los Alamos National Laboratory), November 1, 2005. "Well Screen Analysis Report," Los Alamos National Laboratory document LA-UR-05-8615, Los Alamos, New Mexico. (LANL 2005, 091121)
- LANL (Los Alamos National Laboratory), March 2006, "2006 General Facility Information," Los Alamos National Laboratory document LA-UR-06-1934, Los Alamos New Mexico. (LANL 2006, 093570)
- LANL (Los Alamos National Laboratory), June 30, 2006. "Hydrogeologic Site Atlas," Los Alamos National Laboratory document LA-UR-06-3058, Los Alamos, New Mexico. (LANL 2006, 093196)
- LANL (Los Alamos National Laboratory), August 2006. "Groundwater Background Investigation Report, Revision 1" Los Alamos National Laboratory document LA-UR-06-5973, Los Alamos, New Mexico. (LANL 2006, 094637)
- LANL (Los Alamos National Laboratory), September 1, 2006. "Environmental Surveillance at Los Alamos National Laboratory during 2005," Los Alamos National Laboratory report LA-14304-ENV, Los Alamos, New Mexico. (LANL 2006, 093925)
- LANL (Los Alamos National Laboratory), 2006. "Mortandad Canyon Investigation Report," Los Alamos National Laboratory document LA-UR-06-6752, Los Alamos, New Mexico. (LANL 2006, 094161)
- Lindsay, W.L., 1979. *Chemical Equilibria in Soils*, John Wiley and Sons, New York, New York. (Lindsay 1979, 071512)
- Longmire, P., March 2002. "Characterization Well R-15 Geochemistry Report," Los Alamos National Laboratory report LA-13896-MS, Los Alamos, New Mexico. (Longmire 2002, 072614)
- Longmire, P., April 2002. "Characterization Wells R-9 and R-9i Geochemistry Report," Los Alamos National Laboratory report LA-13927-MS, Los Alamos, New Mexico. (Longmire 2002, 072713)
- Longmire, P., July 2002. "Characterization Well R-19 Geochemistry Report," Los Alamos National Laboratory report LA-13964-MS, Los Alamos, New Mexico. (Longmire 2002, 073282).
- Longmire, P., June 2002. "Characterization Well R-12 Geochemistry Report," Los Alamos National Laboratory report LA-13952-MS, Los Alamos, New Mexico. (Longmire 2002, 072800)
- Longmire, P., September 2002. "Characterization Well R-22 Geochemistry Report," Los Alamos National Laboratory report LA-13986-MS, Los Alamos, New Mexico. (Longmire 2002, 073676)
- Longmire, P., May 2005. "Characterization Well R-25 Geochemistry Report," Los Alamos National Laboratory report LA-14198-MS, Los Alamos, New Mexico. (Longmire 2005, 088510)

- Longmire, P., and F. Goff, December 2002. "Characterization Well R-7 Geochemistry Report," Los Alamos National Laboratory report LA-14004-MS, Los Alamos, New Mexico. (Longmire and Goff 2002, 075905)
- Longmire, P.A., S. Kung, J.M. Boak, A.I. Adams, F. Caporuscio, and R.N. Gray, 1996. "Aqueous Geochemistry of Upper Los Alamos Canyon, Los Alamos, New Mexico," *The Jemez Mountains Region,* New Mexico Geological Society Guidebook, 47th Field Conference, New Mexico, pp. 473–480. (Longmire et al. 1996, 054168)
- Longmire, P., C.R. Cotter, I.R. Triay, J.J. Kitten, C. Hall, J. Bentley, D.J. Hollis, and Andrew I. Adams. 1996. "Batch Sorption Results for Americium, Neptunium, Plutonium, Technetium, and Uranium Transport through the Bandelier Tuff, Los Alamos, New Mexico," Los Alamos National Laboratory document LA-UR-96-4716, Los Alamos, New Mexico. (Longmire et al. 1996, 056030)
- Longmire, P., D. Broxton, W. Stone, R. Gilkeson, J. Marin, D. Rogers, R. Hull, S. McLin, B. Newman, and R. Warren, 2001. "Characterization Well R-15 Completion Report," Los Alamos National Laboratory report LA-13749-MS, Los Alamos, New Mexico. (Longmire et al. 2001, 070103)
- Longmire, P., D. Counce, M. Dale, S. Chipera, and M. Snow, 2001. "Conceptual Model for Mineralogical and Hydrogeochemical Impacts of the Cerro Grande Fire, Los Alamos, New Mexico," Abstract, Geological Society of America, Rocky Mountain and South-Central Sections, GSA Joint Annual Meeting, April 29-May 2, 2001, Albuquerque, New Mexico. (Longmire et al. 2001, 071362)
- Manley, K., 1979. "Stratigraphy and Structure of the Española Basin, Rio Grande Rift, New Mexico," in *Rio Grande Rift: Tectonics and Magmatism,* American Geophysical Union, Washington, D.C., pp. 71–86. (Manley 1979, 011714)
- Marty, R.C., D. Bennett, and P. Thullen, 1997. "Mechanism of Plutonium Transport in a Shallow Aquifer in Mortandad Canyon, Los Alamos National Laboratory, New Mexico," Environmental Science and Technology, Vol. 31, No. 7, pp. 2020-2027. (Marty et al. 1997, 094765).
- Mayo, E., November 1958. "Lineament Tectonics and Some Ore Districts of the Southwest," *Mining Engineering*, Vol. 10, pp. 1169–175. (Mayo 1958, 021573)
- McAda, D.P., and M. Wasiolek, January 1988. "Simulation of the Regional Geohydrology of the Tesuque Aquifer System near Santa Fe, New Mexico," U.S. Geological Survey Water-Resources Investigation report 87-4056. (McAda and Wasiolek 1988, 088737)
- McLin, S., January 2006. "Analyses of the PM-4 Aquifer Test Using Multiple Observation Wells," Los Alamos National Laboratory report LA-14252-MS, Los Alamos, New Mexico. (McLin 2006, 092218.1)
- McLin, S.G., April 2006. "Analyses of Sequential Aquifer Tests from the Guaje Well Field," Los Alamos National Laboratory document LA-UR-06-2494, Los Alamos, New Mexico. (McLin 2006, 093672)
- Meeker, K., F. Goff, J.N. Gardner, L. Trujillo, and D. Counce, March 1990. "Environmental Sampling and Mud Sampling Program of CSP Core Hole VC-2B Valles Caldera, New Mexico." (Meeker et al. 1990, 054783.34)
- NMED (New Mexico Environment Department), January 2004, "Table 1—Background Perchlorate Concentrations in Pajarito Plateau Groundwaters, Los Alamos, New Mexico," New Mexico Environment Department document, Santa Fe, New Mexico. (NMED 2004, 088768)

- NMED (New Mexico Environment Department), July 3, 2006. "Notice of Disapproval for the Groundwater Background Investigation Report, EPA ID#NM0890010515, HWB-LANL-05-21," New Mexico Environment Department letter from J.P. Bearzi (NMED-HWB) to M. Johansen (DOE) and D. McInroy (LANL), Santa Fe, New Mexico. (NMED 2006, 092742)
- NMED (New Mexico Environment Department), December 14, 2006. "Email Background Groupings between John Young and Ardyth Simmons," email correspondence to A. Simmons (ENV-ERSS) from J. Young (NMED-HWB), Santa Fe, New Mexico. (NMED 2006, 094447)
- Penrose, W.R., W.L., Polzer, E. Hessington, D.M. Nelson, and K.A. Orlandini, August 1, 1989. "Mobility of Plutonium and Americium through a Shallow Aquifer in a Semi-Arid Region," *Environmental Science and Technology*, Vol. 24, No. 2, pp. 228–234. (Penrose et al. 1990, 011770)
- Plummer, L.N., J.K. Böhlke, and M.W. Doughten, 2006. "Perchlorate in Pleistocene and Holocene Groundwater in North-Central New Mexico," *Environmental Science and Technology*, Vol. 40, pp. 1757–1763. (Plummer et al. 2006, 093669)
- Purtymun, W.D., December 1975. "Geohydrology of the Pajarito Plateau with Reference to Quality of Water, 1949–1972," Los Alamos National Laboratory report LA-5744, Los Alamos, New Mexico. (Purtymun 1975, 011787)
- Purtymun, W.D., January 1984. "Hydrologic Characteristics of the Main Aquifer in the Los Alamos Area-Development of Ground Water Supplies," Los Alamos National Laboratory report LA-9957-MS, Los Alamos, New Mexico. (Purtymun 1984, 006513)
- Purtymun, W.D., January 1995. "Geologic and Hydrologic Records of Observation Wells, Test Holes, Test Wells, Supply Wells, Springs, and Surface Water Stations in the Los Alamos Area," Los Alamos National Laboratory report LA-12883-MS, Los Alamos, New Mexico. (Purtymun 1995, 045344)
- Purtymun, W.D., and J.B. Cooper, January 1969. "Development of Ground-Water Supplies on the Pajarito Plateau, Los Alamos County, New Mexico," U.S. Geological Survey Professional Paper 650-B, pp. 49–153. (Purtymun and Cooper 1969, 011831)
- Purtymun, W.D., and S. Johansen, January 1974. "General Geohydrology of the Pajarito Plateau," in *Ghost Ranch, Central-Northern New Mexico*. New Mexico Geological Society, 25th Field Conference, October 10–12, 1974, pp. 347–349. (Purtymun and Johansen 1974, 011835)
- Purtymun, W.D., G.L. Johnson, and E.C. John, January 1966. "Distribution of Radioactivity in Alluvium of a Disposal Area at Los Alamos, New Mexico," U.S. Geological Survey Professional Paper 550-D. (Purtymun et al. 1966, 009653)
- Purtymun, W.D., R.J. Peters, and J.W. Owens, December 1980. "Geohydrology of White Rock Canyon of the Rio Grande from Otowi to Frijoles Canyon," Los Alamos National Laboratory report LA-8635-MS, Los Alamos, New Mexico. (Purtymun et al. 1980, 006048.2).
- Purtymun, W.D., S. McLin, A. Stoker, M. Maes, and B. Hammock, February 1, 1993, "Water Supply at Los Alamos during 1990," Los Alamos National Laboratory report LA-12471-PR, Los Alamos, New Mexico. (Purtymun et al. 1993, 015371)
- Riecker, R., Ed., January 1979. "Rio Grande Rift: Tectonics and Magmatism," American Geophysical Union, Washington, D.C., 438 pp. (Riecker 1979, 021502)

- Rogers, M., 1995. "Geologic Map of Los Alamos National Laboratory Reservation," New Mexico Environment Department document, Santa Fe, New Mexico. (Rogers 1995, 054419)
- Rogers, D.B., and B.M. Gallaher, 1995. "The Unsaturated Hydraulic Characteristics of the Bandelier Tuff," Los Alamos National Laboratory report LA-12968-MS, Los Alamos, New Mexico. (Rogers and Gallaher 1995, 055334)
- Ryti, R.T, P.A. Longmire, D.E. Broxton, S.L. Reneau, and E.V. McDonald, September 22, 1998. "Inorganic and Radionuclide Background Data for Soils, Canyon Sediments, and Bandelier Tuff at Los Alamos National Laboratory," draft, Los Alamos National Laboratory document LA-UR-98-4847, Los Alamos, New Mexico. (Ryti et al. 1998, 059730.2)
- Self, S., F. Goff, J.N. Gardner, J. Wright, and W. Kite, February 10, 1986. "Explosive Rhyolitic Volcanism in the Jemez Mountains: Vent Locations, Caldera Development, and Relation to Regional Structure," *Journal of Geophysical Research*, Vol. 91, pp. 1779–1798. (Self et al. 1986, 021579)
- Shevenell, L., and F. Goff, January 1, 1995. "The Use of Tritium in Groundwater to Determine Fluid Mean Residence Times of Valles Caldera Hydrothermal Fluids, New Mexico," *Journal of Volcanology and Geothermal Research*, Vol. 67, pp. 187–205. (Shevenell and Goff 1995, 073689)
- Shevenell, L., F. Goff, F.-D. Vuataz, P. Trujillo, D. Counce, B. Evans, and C. Janik, March 1987. "Hydrogeochemical Data for Thermal and Nonthermal Waters and Gases of the Valles Caldera-Southern Jemez Mountains Region, New Mexico," Los Alamos National Laboratory report LA-10923-OBES, Los Alamos, New Mexico. (Shevenell et al. 1987, 006673)
- Smith, R.L., and R.A. Bailey, January 1, 1966. "The Bandelier Tuff: A Study of Ash-Flow Eruption Cycles from Zoned Magma Chambers," *Bulletin of Volcanology*, Vol. 29, pp. 83–104. (Smith and Bailey 1966, 021584)
- Smith, R.L., R.A. Bailey, and C.S. Ross, 1970. "Geologic Map of the Jemez Mountains, New Mexico," U.S. Geological Survey Map I-571, 1 sheet. (Smith et al. 1970, 009752)
- Spiegel, Z., and B. Baldwin, 1963. *Geology and Water Resources of the Santa Fe Area, New Mexico*, prepared by the U.S. Geological Survey, New Mexico Bureau of Mines and Mineral Resources, and Geophysics Laboratory of the New Mexico Institute of Mining and Technology, in cooperation with the state engineer of New Mexico. (Spiegel and Baldwin 1963, 054259)
- Stetzenbach, K.J., V.F. Hodge, C. Guo, I.M. Farnham, and K.H. Johannesson, 2001. "Geochemical and statistical evidence of deep carbonate groundwater within overlying volcanic rock aquifers/aquitards of southern Nevada, USA," *Journal of Hydrology*, Vol. 243 (2001), pp. 254–271. (Stetzenbach et al. 2001, 090565)
- Stoker, A.K., W.D. Purtymun, S.G. McLin, and M.M. Maes, May 1991. "Extent of Saturation in Mortandad Canyon," Los Alamos National Laboratory document LA-UR-91-1660, Los Alamos, New Mexico. (Stoker et al. 1991, 007530)
- Stoker, A., S. McLin, W. Purtymun, M. Maes, and B. Hammock, May 1992. "Water Supply at Los Alamos during 1989," Los Alamos National Laboratory report LA-12276-PR, Los Alamos, New Mexico. (Stoker et al. 1992, 012017)
- Stone, W.J., 1995. "Preliminary Results of Modeling the Shallow Aquifer, Mortandad Canyon, Los Alamos National Laboratory, New Mexico," New Mexico Environment Department report NMED/DOE/AIP-95-1, Santa Fe, New Mexico. (Stone 1995, 056043)

- Stone, W.J., January 1996. "Some Fundamental Hydrologic Issues Pertinent to Environmental Activities at Los Alamos National Laboratory, New Mexico," *New Mexico Geological Society Guidebook*, 47th Field Conference, pp. 449–453. (Stone 1996, 063989)
- Theis, C.V., and C.S. Conover, January 1962. "Pumping Tests in the Los Alamos Canyon Well Field near Los Alamos, New Mexico," U.S. Geological Survey, Water-Supply Paper 1809-D, 50 pp. (Theis and Conover 1962, 011878)
- Thompson, D., C. Schultz, P. Schuh, E. Tow, and R. Lawrence, March 2003. "Characterization Well R-13 Completion Report," Los Alamos National Laboratory document LA-UR-03-1373, Los Alamos, New Mexico. (Thompson et al. 2003, 076060)
- Turbeville, B., D. Waresback, and S. Self, January 1, 1989. "Lava-Dome Growth and Explosive Volcanism in the Jemez Mountains, New Mexico: Evidence from the Plio-Pleistocene Puye Alluvial Fans," *Journal of Volcanology and Geothermal Research*, Vol. 36, pp. 267–291. (Turbeville et al. 1989, 021587)
- Umari, A.M.J., and T.L. Szeliga, January 1989. "Conversion and Comparison of the Mathematical Three-Dimensional, Finite-Difference, Ground-Water Flow Model to the Modular, Three-Dimensional, Finite-Difference, Ground-Water Flow Model for the Tesuque Aquifer System in Northern New Mexico," U.S. Geological Survey Open-File Report 89-26, 39 pp. (Umari and Szeliga 1989, 088735)
- USGS (U.S. Geological Survey), 1989. "Methods for Determination of Inorganic Substances in Water and Fluvial Sediments," Chapter A1 of *Techniques of Water-Resources Investigation of the United States Geological Survey*, 3rd ed., M.J. Fishman and L.C. Friedman, eds. United States Government Printing Office, Washington, D.C. pp.1–545. (USGS 1989, 088750)
- Vaniman, D., J. Marin, W. Stone, B. Newman, P. Longmire, N. Clayton, R. Lewis, R. Koch, S. McLin, G. WoldeGabriel, D. Counce, D. Rogers, R. Warren, E. Kluk, S. Chipera, D. Larssen, and W. Kopp, March 2002. "Characterization Well R-31 Completion Report," Los Alamos National Laboratory report LA-13910-MS, Los Alamos, New Mexico. (Vaniman et al. 2002, 072615)
- Vuataz, F.D., and F. Goff, February 10, 1986. "Isotope Geochemistry of Thermal and Nonthermal Waters in the Valles Caldera, Jemez Mountains, Northern New Mexico," *Journal of Geophysical Research*, Vol. 91, No. B2, pp. 1835–1853. (Vuataz and Goff 1986, 073687)
- WoldeGabriel, G., A. W. Laughlin, D. P. Dethier, and M. Heizler, 1996. "Temporal and Geochemical Trends of Lavas in White Rock Canyon and the Pajarito Plateau, Jemez Volcanic Field, New Mexico, USA," in *New Mexico Geological Society Guidebook*, 47th Field Conference, pp. 251–261, Los Alamos National Laboratory document LA-UR-96-583, Los Alamos, New Mexico. (WoldeGabriel et al. 1996, 054427)
- Yanicak, S., February 1998. "Release of Ground and Surface Water Data Related to Split Sampling and Independent Sampling at Los Alamos National Laboratory and Surrounding Areas during 1996 and 1997," New Mexico Environment Department letter to M. Johansen (DOE-LAAO) from S. Yanicak (NMED), Santa Fe, New Mexico. (Yanicak 1998, 057583)




Figure 1.2-1. Location of 30 groundwater background sites in the Jemez Mountains and near Los Alamos National Laboratory, New Mexico






Figure 2.1-1. Regional and tectonic setting of the Jemez Mountains, Valles Caldera, and Pajarito Plateau in relation to the Rio Grande rift, Española Basin, Colorado Plateau, and the Sangre de Cristo Mountains, New Mexico (LANL 1998, 059599, Figure 2.3)



(Note: O-1 is well Otowi-1, O-4 is well Otowi-4, and R-31 refers to well R-31. Ma refers to millions of years before the present.)

Figure 2.1-2. Generalized geologic relations beneath the Pajarito Plateau



Note: Major fault systems are shown with ball on downthrown side. VC stands for Valles Caldera complex, EFZ is the Embudo fault zone; NFZ is the Nacimiento fault zone; CCFZ is the Cañada del Cochiti fault zone; PFZ is the Pajarito fault zone; and PPFZ is the Picuris-Pecos fault zone.

Figure 2.1-3. Regional geologic map (Broxton and Vaniman 2005, 088707)






Figure 2.1-4. Revised stratigraphy of the Pajarito Plateau (Broxton and Vaniman 2005, 088707)



- Wet canyons:
 - Source of recharge to intermediate groundwater and main aquifer
- Intermediate groundwater:
 - Significant contaminant transport path
 - Source of recharge to main aquifer
 - Occurs in larger canyon systems
 - Exists beneath canyons, not mesas?
 - Laterally extensive near Jemez Mountains?
 - Controlled by subsurface lithology

Figure 2.1-5. Hydrologic conceptual model for the canyons of the Pajarito Plateau (LANL 1998, 059599)



Note: This figure references the same data set used in Collins et al. from the "2006 General Facility Information Report, Appendix F2," (LANL 2006, 093570).

Figure 2.1-6. Regional water-level map in the vicinity of the Pajarito Plateau (Collins et al. 2005, 088767)

Groundwater Background Investi	igation Report, Rev. 2	
	This page intentionally left blank.	
	, 5	





Figure 2.2-1a. Average concentrations for pH and selected major ions for intermediate background locations (Note: All values represent nonfiltered averages, except where noted with an 'F' for filtered. The exact value is listed for concentrations off-scale. Some constituent values are divided by 10 as noted to fit the target scale.)

EP2007-1078 67 February 2007






Figure 2.2-1b. Average concentrations for selected metals for intermediate background locations (Note: All values represent nonfiltered averages, except where noted with an 'F' for filtered. The exact value is listed for off-scale concentrations.)

February 2007 68 EP2007-1078




Figure 2.2-1c. Average concentrations for major ions for regional background locations (Note: All values nonfiltered except where noted with an 'F' for filtered. Exact values are given for off-scale concentrations. Some constituent values are divided by 10 as noted to fit the target scale.)

EP2007-1078 69 February 2007





Figure 2.2-1d. Average concentration for selected metals for regional background locations (Note: All values represent nonfiltered averages, except where noted with an 'F' for filtered. Exact values are given for off-scale concentrations.)



Note: Log U(VI) = -9.26 molal (m), log F = -4.69 m, log H_4SiO_4 = -2.92 m, and log CO_3^{2-} = -3.07 m at 20.5°C. See Appendix F for source data.

Figure 2.2-3. Results of uranium(VI) speciation calculations for Spring 9B, White Rock Canyon using the computer program MINTEQA2




Figure 2.2-4. Saturation indices for calcite versus calcium and bicarbonate concentrations in selected Laboratory springs and wells




Figure 2.2-5. Activity diagram of log[H₄SiO₄] versus log activity (Ca²+/[H+]²) at 25°C for wells Otowi-4, R-9, R-12 (screen #3), LAOI(A)-1.1, and La Mesita Spring




Figure 4.3-1a. Screening values for selected major chemical constituents for regional, perched intermediate, and alluvial groundwaters




Figure 4.3-1b. Screening values for selected metals for regional, perched intermediate, and alluvial groundwaters




Figure 4.5-1. Groundwater groupings determined by PCA and CA




Figure 4.5-2. Principal component factor scores of groundwaters from locations on and near the Pajarito Plateau




Figure 4.6-1. Concentrations of total dissolved solids and major ions at Pine Spring,
Garcia Canyon (alluvium, Puye Formation, and lavas of the Polvadera Group)




Figure 4.6-2. Concentrations of dissolved aluminum, iron, manganese, and strontium at Pine Spring, Garcia Canyon (Puye Formation and lavas of the Polvadera Group)

Table 2.1-1
Summary of Important Lithologic Units in the Pajarito Plateau Region, New Mexico

Unit	Age	Thickness (m)	Major Lithologic Types
Galisteo Formation	Eocene	200	Indurated sandstone, siltstone, mudstone, conglomerate
Santa Fe Group	Middle to Late Miocene	>2000	Nonindurated mudstone, siltstone, sandstone, gravel, conglomerate
Mafic flows in Santa Fe Group	Miocene	3 to 10	Lava flows, minor scoria, and pillow- palagonite tuff; basalt to basanite
Keres Group	Miocene	≤150 per unit	Flows, domes, tuffs, and volcaniclastic sediments; basalt to rhyolite
Volcaniclastic deposits, Keres Group	Miocene	≤ 450	Lahars, block and ash flows, and debris flows (Cochiti Formation)
Polvadera Group	Miocene to Pliocene	≥ 200 per unit	Flows, domes, tuffs and volcaniclastic sediments; basalt to rhyolite
Tschicoma Formation, Polvadera Group	Miocene to Pliocene	≥ 200 per unit	Mostly flows, domes, and minor tuffs; dacite to rhyodacite
Puye Formation, Polvadera Group	Late Miocene to Pliocene	≤ 660	Volcanic gravel, debris flows, sandstone, siltstone, interbedded tephra
Totavi Lentil, Puye Formation	Pliocene	≤ 100	Pebble-to-cobble gravel rich in Precambrian lithologies
Cerros del Rio volcanic field	Pliocene	≤ 70 per unit	Flows, plugs, scoria, pillows, hydromagmatic deposits; basalt to dacite
Lower Bandelier Tuff, Tewa Group	Quaternary	≤ 75	Ash-flow tuff (ignimbrite); minor surge and fall deposits; high-silica rhyolite
Cerro Toledo interval	Quaternary	≤ 30	Fall deposits (rhyolite) interbedded with volcanic sand and gravel
Upper Bandelier Tuff, Tewa Group	Quaternary	≤ 260	Ash-flow tuff (ignimbrite); minor surge and fall deposits; high-silica rhyolite
El Cajete Pumice, Valles Rhyolite, Tewa Group	Late Quaternary	≤ 10	Fall deposits of rhyolitic pumice
Other post-Bandelier deposits	Mostly Late Quaternary	≤ 50	Alluvium, colluvium, fanglomerate, landslides, and terrace deposits

Source: Goff et al. 2002, 049682.

Table 3.1-1
Conditions Used to Query Data from the Water Quality Database and the Environmental Remediation Database

Water Quality Da	tabase Conditions
Condition	Reason
Lab Sample Type Code = 'CS'	Eliminate analytical laboratory duplicates or blanks
Lab Code NOT IN 'CST'	Eliminate results from contract laboratory CST
Start Date > '1-1-2000'	Eliminate older results
Lab Qual Code NOT IN 'R', 'X'	Eliminate results rejected by either laboratory or secondary validation
Lab Code LIKE 'UMTL' for 'H3'	Limit tritium results to lower detection limit method
Well Class NOT IN 'Borehole'	Eliminate borehole samples
Anyl Meth Code NOT IN 'EPA:901.1' for 'Cs-137'	Limit Cesium-137 results to lower detection limit method
Anyl Meth Code IN 'SW-846:8321A(M)' or 'SW846 6850 Modified' for 'CIO4'	Limits perchlorate results to lower detection limit method
Field QC Type Code IS 'NULL'	Eliminate field duplicates or blanks
Environmental Remedia	tion Database Conditions
Condition	Reason
Location in Pine Spring or Spring 9B	Limits locations to Pine Spring and Spring 9B
Analyte Description listed in Table 3.1-1b	Limits data to analytes pulled from WQDB
Start Date listed	Eliminates data without a start date
FLD_QC_TYPE_CODE either 'NULL' or 'NA'	Eliminates field duplicates or blanks

CS = Customer Sample

CST = Chemical Science and Technology Group, LANL Lab Qual Code = Laboratory Qualifier Code

UMTL = University of Miami Tritium Laboratory

Anyl Meth Code = Analytical Method Code

Field QC = Field Quality Control

FLd QC TYPE CODE = Field Quality Control Type Code

Table 3.1-2 Sample Location Information

Station Name	Easting	Northing	Source	Elevation (m)	Location Notes
Alluvial		_ ······		()	
LAO-B Well	1615149	1775170	FIMAD	2233	Volcanic-rich alluvium
Pine Spring	1630151	1803290	Blake	2234	Puye Fm., lavas of Keres Group, and alluvium
Perched Intermediate	1	1	1	II.	
Barbara Spring	1593101	1754219	GIS	2357	Tschicoma Fm.
Campsite Springs	1603674	1796417	GIS	2622	Tschicoma Fm.
CdV-5.0 Spring	1601806	1767986	GIS	2569	Bandelier Tuff/Tschicoma Fm.
LAOI-1.1 Well	1629427	1773925	FIMAD	2084	Bandelier Tuff
Seven Springs	1505978	1798869	Blake	2482	Bandelier Tuff
Water Canyon Gallery	1604088	1762656	GPS	2439	Upper Bandelier Tuff
Regional Aquifer					
Ancho Spring	1647208	1737200	GIS	1737	Totavi Lentil
G-1A Water Supply Well	1655241	1784353	GIS	1833	Tesuque Fm., Santa Fe Group
G-2A Water Supply Well	1651974	1786166	GIS	1869	Tesuque Fm., Santa Fe Group
G-3A Water Supply Well	1649662	1786585	GIS	1893	Tesuque Fm., Santa Fe Group
G-4A Water Supply Well	1647318	1787113	GIS	1920	Tesuque Fm., Santa Fe Group
G-5A Water Supply Well	1644877	1789636	GIS	1955	Tesuque Fm., Santa Fe Group
PM-2 Water Supply Well	1636698	1760406	GIS	2047	Totavi Lentil, Puye Fm., older Santa Fe Group with Miocene basalts
PM-4 Water Supply Well	1635717	1764674	GIS	2109	Totavi Lentil, Puye Fm., older Santa Fe Group with Miocene basalts
PM-5 Water Supply Well	1632110	1767790	GIS	2163	Older Santa Fe Group
R-1 Well	1632355	1769599	GIS	2097	Lower Puye Fanglomerate
R-13 Well	1640988	1766988	GIS	2034	Puye Formation/pumiceous unit
R-18 Well	1617255	1765544	GIS	2257	Puye Formation/pumiceous unit
R-21 Well	1641286	1759143	GIS	2029	Puye Formation/pumiceous unit, Cerros del Rio basalt
Sacred Spring	1641286	1759143	GIS	2029	Totavi Lentil
Spring 1	1667883	1768364	GPS	1702	Landslide blocks in Cerros del Rio basalt, Santa Fe Group sediments
Spring 5B	1651803	1738173	GIS	1644	Tesuque Fm., coarse grained
Spring 6	1648882	1735517	GIS	1640	Tesuque Fm., coarse grained
Spring 6A	1647047	1734368	GIS	1637	Tesuque Fm., coarse grained
Spring 8A	1643802	1734005	GIS	1668	Tesuque Fm., coarse grained
Spring 9	1643135	1733631	GIS	1669	Tesuque Fm., coarse grained
Spring 9A	1642543	1733606	GIS	1695	Tesuque Fm., coarse grained
Spring 9B	1641613	1732525	GPS	1674	Cerros del Rio basalt and hydromagmatic deposits

Table 3.2-2 Chemical Constituents Included in Data Presented

Field Parameters

pH, Specific Conductance, temperature, turbidity

Major Chemistry

Alkalinity (HCO3 + CO3), Ammonia as N, Bicarbonate, Bromide, Carbonate, Chloride, Fluoride, Nitrate as N, Nitrate + Nitrite as N, Nitrite as N, Perchlorate, Silicon Dioxide, Sulfate, Total Dissolved Solids, Total Kjeldahl Nitrogen, Total Organic Carbon, Total Phosphate as P, and Total Suspended Solids

Metals

Aluminium, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Lithium, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Uranium, Vanadium, Zinc

Radionuclides

Americium-241, Cesium-137, Gross Alpha Radiation, Gross Beta Radiation, Gross Gamma Radiation, Plutonium-238, Strontium-90, Tritium, Uranium-234, Uranium-238

Table 4.1-1
Analytical Methods Used by Contract Laboratories

Analytical Method	Analyte Suite	Analytical Laboratory
ICPES (USEPA 6010B, USEPA 6020) and CVAA (USEPA 7470)	Trace metals	GEL
ICPES (USEPA 6010B, USEPA 6020) and CVAA (USEPA 7470)	Trace Metals	NMSSL
Ion chromatography (USEPA 300.0)	Anions	GEL
Titrimetric (USEPA 310.1)	Bicarbonate	GEL
ICPES (SW846:6010B)	Dissolved silica	GEL
ICPMS (SW846:6020)	Total uranium	GEL
Oxidation/Combustion (SW-415.1)	Total organic carbon	GEL
Proportional Counting (EPA:900 and 901.1)	Gross alpha, beta, gamma	GEL
Gamma Spectrometry (EPA:901.1)	¹³⁷ Cs	GEL
Alpha spectrometry (HASL-300:ISOU and HASL-300:ISOPU)	²⁴¹ Am, ²³⁸ Pu, ²³⁴ U, ²³⁵ U, ²³⁸ U	GEL
Electrolytic enrichment/Direct counting	Tritium (low-level)	UMTL
Gamma proportional counting (EPA:905.0)	⁹⁰ Sr	GEL
Gamma proportional counting (EPA:905.0)	⁹⁰ Sr	Paragon Laboratories, Inc.
LC-TS/MS (EPA 6850 Modified)	Perchlorate	GEL

GEL = General Engineering Laboratories

ICPAES = Inductively coupled plasma atomic (optical) emission spectroscopy

LC/TS-MS = Liquid chromatography, thermospray, mass TS mass spectroscopy

ICPES = Inductively coupled emission spectroscopy

CVAA = Cold vapor atomic absorption

ICPMS = Inductively coupled plasma mass spectroscopy

LSC = Liquid scintillation counting

NMSSL = New Mexico Soil Science Laboratory

UMTL = University of Miami Tritium Laboratory

Table 4.2-1
Statistical Data for Alluvial Groundwater

						%														
Group	Constituent	Units	Prep	n	ND	ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Field	рН	SU	UF	3	0	0	7.23	7.30	7.48	7.20										
Field	Conductance	uS/cm	UF	3	0	0	179.60	180.30	184.20	177.10										
General	Alkalinity	mg/L	F	5	0	0	50.70	54.88	76.00	38.60										
General	Alkalinity	mg/L	UF	1	0	0	76.00	76.00	76.00	76.00										
General	Ammonia	mg/L	F	4	4	100	0.25	0.20	0.25	0.03										
General	Ammonia	mg/L	UF	1	1	100	0.06	0.06	0.06	0.06										
General	Bicarbonate	mg/L	F	1	0	0	38.60	38.60	38.60	38.60										
General	Bicarbonate	mg/L	UF	2	0	0	35.50	35.50	36.00	35.00										
General	Bromide	mg/L	F	8	7	88	0.02	0.03	0.10	0.01										
General	Bromide	mg/L	UF	2	2	100	0.04	0.04	0.05	0.03										
General	Carbonate	mg/L	F	3	3	100	0.50	0.50	0.50	0.50										
General	Chloride	mg/L	F	8	0	0	11.03	9.25	16.20	1.50	6.93	1.51	1.52	1.68	15.19	14.74	14.81	5.99	-0.21	69.76
General	Chloride	mg/L	UF	2	0	0	4.71	4.71	7.42	2.00										
General	Fluoride	mg/L	F	8	2	25	0.10	0.10	0.17	0.02	0.05	0.03	0.04	0.07	0.14	0.11	0.12	0.08	-0.29	0.27
General	Fluoride	mg/L	UF	2	1	50	0.08	0.08	0.14	0.03										
General	Nitrate*	mg/L	F	4	1	25	0.28	0.31	0.57	0.10										
General	Nitrate*	mg/L	UF	1	0	0	0.10	0.10	0.10	0.10										
General	Nitrate+Nitrite*	mg/L	F	5	0	0	0.10	0.17	0.45	0.08										
General	Nitrate+Nitrite*	mg/L	UF	1	1	100	0.05	0.05	0.05	0.05										
General	Nitrite*	mg/L	F	4	4	100	0.00	0.01	0.05	0.00										
General	Nitrite*	mg/L	UF	1	1	100	0.05	0.05	0.05	0.05										
General	Perchlorate	μg/L	F	4	1	25	5.65	6.38	14.20	0.03										
General	Silicon Dioxide	mg/L	F	8	0	0	24.00	25.20	44.00	12.90	11.06	13.15	13.39	16.00	32.13	27.02	28.81	23.10	0.54	64.21

Table 4.2-1 (continued)

						%														
Group	Constituent	Units	Prep	n	ND	ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
General	Silicon Dioxide	mg/L	UF	3	0	0	45.60	42.30	45.90	35.40										
General	Sulfate	mg/L	F	8	0	0	8.05	9.91	15.80	5.55	4.40	5.78	6.01	6.29	14.43	10.22	11.96	9.09	0.48	24.83
General	Sulfate	mg/L	UF	2	0	0	5.99	5.99	6.40	5.58										
General	TDS	mg/L	F	2	0	0	127.00	127.00	139.00	115.00										
General	TDS	mg/L	UF	3	0	0	190.00	183.33	220.00	140.00										
General	TKN	mg/L	F	5	2	40	0.14	0.19	0.46	0.05										
General	TKN	mg/L	UF	1	1	100	0.03	0.03	0.03	0.03										
General	TOC	mg/L	F	1	0	0	4.99	4.99	4.99	4.99										
General	TOC	mg/L	UF	1	0	0	2.28	2.28	2.28	2.28										
General	TP	mg/L	F	5	2	40	0.02	0.03	0.04	0.02										
General	TP	mg/L	UF	2	2	100	0.06	0.06	0.10	0.02										
General	TSS	mg/L	UF	1	1	100	0.95	0.95	0.95	0.95										
Metals	Aluminum	μg/L	F	9	2	22	100.00	1492.48	8700.00	2.30	2916.64	7.78	13.26	22.00	870.00	4460.00	6580.00	139.80	2.36	18100.00
Metals	Aluminum	μg/L	UF	6	2	33	2099.50	4649.49	14900.00	3.95										
Metals	Antimony	μg/L	F	12	12	100	0.50	1.46	10.00	0.25										
Metals	Antimony	μg/L	UF	3	3	100	0.25	0.58	1.25	0.25										
Metals	Arsenic	μg/L	F	9	7	78	1.15	1.72	5.00	0.10										
Metals	Arsenic	μg/L	UF	6	5	83	1.98	2.06	3.00	1.20										
Metals	Barium	μg/L	F	9	4	44	33.80	30.99	50.00	13.00	12.40	13.60	14.20	21.00	38.60	42.00	46.00	28.37	-0.26	68.57
Metals	Barium	μg/L	UF	6	2	33	36.40	40.91	69.00	22.60										
Metals	Beryllium	μg/L	F	12	11	92	0.48	0.49	2.50	0.01										
Metals	Beryllium	μg/L	UF	6	4	67	0.30	0.49	1.20	0.05										
Metals	Boron	μg/L	F	9	4	44	14.60	17.61	50.00	7.50	13.07	7.90	8.30	8.50	17.40	27.60	38.80	14.77	2.26	51.89
Metals	Boron	μg/L	UF	4	0	0	12.30	12.00	13.60	9.80										
Metals	Cadmium	μg/L	F	12	12	100	0.09	0.38	2.50	0.05										
Metals	Cadmium	μg/L	UF	6	5	83	0.13	0.17	0.45	0.05										

Table 4.2-1 (continued)

						%														
Group	Constituent	Units	Prep	n	ND	ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Calcium	mg/L	F	10	0	0	14.70	13.23	18.20	6.80	4.51	7.03	7.25	8.90	17.10	17.66	17.93	12.43	-0.44	26.36
Metals	Calcium	mg/L	UF	6	0	0	12.50	12.58	17.30	8.27										
Metals	Chromium	μg/L	F	9	9	100	0.50	1.27	5.00	0.19										
Metals	Chromium	μg/L	UF	6	3	50	0.98	1.61	4.80	0.15										
Metals	Cobalt	μg/L	F	9	9	100	0.50	0.97	5.00	0.26										
Metals	Cobalt	μg/L	UF	6	4	67	0.50	0.70	1.70	0.25										
Metals	Copper	μg/L	F	9	8	89	1.30	1.43	5.00	0.39										
Metals	Copper	μg/L	UF	6	4	67	1.50	1.42	2.40	0.41										
Metals	Iron	μg/L	F	9	4	44	50.00	822.89	4600.00	5.00	1571.28	5.00	5.00	10.00	510.00	2600.00	3600.00	76.57	2.19	9050.00
Metals	Iron	μg/L	UF	6	2	33	829.00	2038.98	6660.00	4.40										
Metals	Lead	μg/L	F	12	11	92	0.25	0.56	1.88	0.01										
Metals	Lead	μg/L	UF	6	6	100	0.55	0.50	0.70	0.25										
Metals	Lithium	μg/L	F	4	1	25	4.30	4.30	5.00	3.60										
Metals	Magnesium	mg/L	F	10	0	0	3.88	3.95	5.50	2.20	1.18	2.38	2.56	3.00	5.01	5.25	5.37	3.77	-0.09	7.78
Metals	Magnesium	mg/L	UF	6	2	33	3.45	3.49	4.98	1.99										
Metals	Manganese	mg/L	F	9	7	78	1.00	4.53	21.00	0.50										
Metals	Manganese	mg/L	UF	6	1	17	6.50	9.65	27.10	1.00										
Metals	Mercury	μg/L	F	9	9	100	0.03	0.03	0.10	0.01										
Metals	Mercury	μg/L	UF	6	4	67	0.02	0.02	0.03	0.01										
Metals	Molybdenum	μg/L	F	6	5	83	0.64	1.38	5.00	0.50										
Metals	Molybdenum	μg/L	UF	4	3	75	1.23	1.16	1.45	0.75										
Metals	Nickel	μg/L	F	9	9	100	0.50	1.88	10.00	0.38										
Metals	Nickel	μg/L	UF	6	4	67	1.20	2.44	6.20	0.35										
Metals	Potassium	mg/L	F	10	0	0	3.10	3.24	4.00	2.33	0.65	2.41	2.48	2.75	3.93	4.00	4.00	3.18	0.04	5.21
Metals	Potassium	mg/L	UF	6	0	0	3.74	3.65	3.98	3.15										
Metals	Selenium	μg/L	F	9	9	100	1.75	1.53	3.00	0.50										

Table 4.2-1 (continued)

	1	1			1			1	1	`			1		1	1	1			
Group	Constituent	Units	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Selenium	μg/L	UF	6	6	100	1.50	1.71	3.00	1.25										
Metals	Silver	μg/L	F	9	9	100	0.50	0.91	5.00	0.10										
Metals	Sodium	mg/L	F	10	0	0	7.71	7.63	11.60	4.30	2.72	4.35	4.39	5.03	9.13	11.33	11.47	7.16	0.10	15.54
Metals	Sodium	mg/L	UF	6	0	0	5.92	7.06	11.80	4.70										
Metals	Strontium	μg/L	F	6	0	0	106.50	107.00	120.00	98.00										
Metals	Strontium	μg/L	UF	4	0	0	84.25	85.45	111.00	62.30										
Metals	Thallium	μg/L	F	12	12	100	0.50	1.02	5.00	0.01										
Metals	Thallium	μg/L	UF	6	6	100	1.90	1.98	4.95	0.20										
Metals	Tin	μg/L	F	6	6	100	0.88	1.84	5.00	0.50										
Metals	Tin	μg/L	UF	4	4	100	4.68	4.41	7.05	1.25										
Metals	Titanium	μg/L	F	3	2	67	0.50	0.67	1.00	0.50										
Metals	Titanium	μg/L	UF	2	0	0	186.50	186.50	230.00	143.00										
Metals	Uranium	μg/L	F	10	4	40	0.10	0.23	0.96	0.03	0.27	0.05	0.07	0.09	0.26	0.38	0.67	0.15	2.50	1.03
Metals	Uranium	μg/L	UF	3	0	0	0.25	0.25	0.41	0.08										
Metals	Vanadium	μg/L	F	9	7	78	1.00	1.88	5.00	0.50										
Metals	Vanadium	μg/L	UF	6	3	50	1.93	4.14	12.00	0.50										
Metals	Zinc	μg/L	F	9	6	67	2.75	4.61	10.00	0.95										
Metals	Zinc	μg/L	UF	6	3	50	2.75	5.70	15.30	0.90										
RAD	Americium- 241	pCi/L	F	2	2	100	0.00	0.00	0.01	0.00										
RAD	Americium- 241	pCi/L	UF	9	7	78	0.01	0.59	4.50	0.00										
RAD	Cesium-137	pCi/L	F	2	2	100	0.23	0.23	0.34	0.12										
RAD	Cesium-137	pCi/L	UF	5	5	100	0.09	0.09	0.26	0.00										
RAD	Gross Alpha	pCi/L	F	2	2	100	0.26	0.26	0.39	0.12										
RAD	Gross Alpha	pCi/L	UF	5	5	100	0.61	0.53	0.90	0.10										
RAD	Gross Beta	pCi/L	F	3	0	0	4.71	4.59	4.80	4.27										

Group	Constituent	Units	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
RAD	Gross Beta	pCi/L	UF	3	0	0	3.80	4.36	5.50	3.78										
RAD	Gross Gamma	pCi/L	F	2	2	100	601.40	601.40	1170.00	32.80										
RAD	Gross Gamma	pCi/L	UF	3	1	33	161.00	143.00	220.00	48.00										
RAD	Plutonium- 238	pCi/L	F	1	1	100	0.00	0.00	0.00	0.00										
RAD	Plutonium- 238	pCi/L	UF	5	5	100	0.00	0.00	0.00	0.00										
RAD	Strontium-90	pCi/L	F	2	2	100	0.03	0.03	0.04	0.02										
RAD	Strontium-90	pCi/L	UF	5	5	100	0.00	0.02	0.06	0.00										
RAD	Tritium	pCi/L	UF	3	0	0	30.97	31.32	57.28	5.70										
RAD	Uranium-234	pCi/L	F	2	2	100	0.02	0.02	0.03	0.02										
RAD	Uranium-234	pCi/L	UF	5	3	60	0.03	0.05	0.16	0.01										
RAD	Uranium-238	pCi/L	F	2	2	100	0.02	0.02	0.03	0.01										
RAD	Uranium-238	pCi/L	UF	5	2	40	0.04	0.06	0.12	0.01										

Note: An upper Threshold Tolerance was not calculated for nonfiltered samples. Statistics were not calculated for constituents with fewer than 8 samples or greater than 50% nondetects.

Groundwater Background Investigation Report, Rev. 2

* reported as Nitrogen

µg/L = micrograms per liter

mg/L = milligrams per liter

SU = standard units

uS/cm = microsiemens per centimeter

pCi/L = picocuries per liter

F = filtered

UF= nonfiltered

n = number of analyses

ND = number of nondetects

% ND = percent nondetects

max = maximum

min = minimum

std dev = standard deviation

geomean = geometric mean UTL = upper tolerance threshold TDS = total dissolved solids
TKN = total Kjeldahl Nitrogen
TOC = total organic carbon
TP = total phosphate as phosphorus

TSS = total suspended solids

Table 4.2-2
Statistical Data for Intermediate Groundwater

Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Field	рН	SU	UF	29	0	0	7.39	7.62	10.14	6.73	0.76	6.83	6.97	7.18	7.85	8.43	9.18	7.59	1.84	6.10 / 8.80 [†]
Field	Conductance	uS/cm	UF	27	0	0	107.80	137.85	908.00	12.82	159.83	45.04	73.14	82.40	127.00	174.76	212.12	105.28	4.61	276.03
General	Alkalinity	mg/L	F	22	0	0	38.45	38.58	51.20	25.70	5.55	33.80	33.88	34.83	34.75	38.72	40.04	38.19	0.15	52.00
General	Alkalinity	mg/L	UF	5	0	0	44.60	56.96	89.70	39.70										
General	Ammonia	mg/L	F	1	0	0	0.07	0.07	0.07	0.07										
General	Ammonia	mg/L	UF	1	0	0	0.06	0.06	0.06	0.06										
General	Bicarbonate	mg/L	F	1	0	0	43.20	43.20	43.20	43.20										
General	Bicarbonate	mg/L	UF	4	0	0	55.70	58.43	79.60	42.70										
General	Bromide	mg/L	F	21	2	10	0.02	0.02	0.03	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.22	0.03
General	Bromide	mg/L	UF	2	2	100	0.03	0.03	0.03	0.02										
General	Carbonate	mg/L	F	20	20	100	0.50	0.50	0.50	0.50										
General	Chloride	mg/L	F	22	0	0	1.37	2.07	6.43	0.98	1.50	0.99	1.05	1.13	1.12	1.50	1.75	1.73	1.83	8.37
General	Chloride	mg/L	UF	5	0	0	1.22	1.07	1.37	0.62										
General	Fluoride	mg/L	F	22	0	0	0.12	0.11	0.20	0.04	0.05	0.04	0.05	0.06	0.06	0.12	0.13	0.10	0.21	0.23
General	Fluoride	mg/L	UF	5	0	0	0.15	0.16	0.24	0.12										
General	Nitrate*	mg/L	F	20	0	0	0.34	0.49	1.78	0.18	0.41	0.22	0.22	0.26	0.25	0.35	0.39	0.39	2.22	2.65
General	Nitrate+Nitrite*	mg/L	F	3	0	0	0.29	0.30	0.33	0.29										
General	Nitrate+Nitrite*	mg/L	UF	4	0	0	0.19	0.22	0.43	0.07										
General	Nitrite*	mg/L	F	20	20	100	0.00	0.00	0.00	0.00										
General	Perchlorate	μg/L	F	1	0	0	0.18	0.18	0.18	0.18										
General	Perchlorate	μg/L	UF	2	0	0	0.16	0.16	0.17	0.15										
General	Silicon Dioxide	mg/L	F	22	0	0	24.35	25.66	65.70	13.60	11.76	13.63	14.21	18.03	17.12	25.76	26.53	23.64	1.92	50.72
General	Silicon Dioxide	mg/L	UF	3	0	0	70.40	71.20	73.90	69.30										
General	Sulfate	mg/L	F	22	0	0	4.08	8.30	34.80	1.07	9.82	1.14	1.16	1.74	1.61	4.26	4.48	4.50	1.65	40.03
General	Sulfate	mg/L	UF	5	0	0	3.24	2.53	3.72	1.09										

Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
General	TDS	mg/L	F	2	0	0	113.50	113.50	127.00	100.00										
General	TDS	mg/L	UF	5	0	0	138.00	127.40	160.00	97.00										
General	TKN	mg/L	F	2	0	0	0.17	0.17	0.20	0.15										
General	TKN	mg/L	UF	1	0	0	0.02	0.02	0.02	0.02										
General	TOC	mg/L	F	1	1	100	0.30	0.30	0.30	0.30										
General	TOC	mg/L	UF	1	0	0	0.45	0.45	0.45	0.45										
General	TP	mg/L	F	22	3	14	0.02	0.03	0.07	0.00	0.02	0.01	0.01	0.01	0.01	0.03	0.03	0.02	0.63	0.08
General	TP	mg/L	UF	1	1	100	0.06	0.06	0.06	0.06										
General	TSS	mg/L	UF	4	1	25	37.40	36.37	70.30	0.38										
Metals	Aluminium	μg/L	F	22	0	0	30.50	105.23	820.00	2.10	186.27	3.48	5.10	11.00	9.38	302.70	358.00	34.76	3.10	1065.84
Metals	Aluminium	μg/L	UF	3	0	0	1220.00	1210.00	1240.00	1170.00										
Metals	Antimony	μg/L	F	22	22	100	0.50	0.47	0.50	0.05										
Metals	Antimony	μg/L	UF	3	3	100	0.25	0.23	0.25	0.20										
Metals	Arsenic	μg/L	F	22	2	9	0.50	0.66	3.00	0.30	0.66	0.30	0.30	0.40	0.30	0.70	2.21	0.52	3.03	4.32
Metals	Arsenic	μg/L	UF	3	3	100	3.00	2.37	3.00	1.12										
Metals	Barium	μg/L	F	22	0	0	15.50	17.51	58.00	1.30	16.56	1.40	1.42	2.13	1.80	34.70	53.05	9.41	1.12	71.83
Metals	Barium	μg/L	UF	3	0	0	12.60	16.63	26.10	11.20										
Metals	Beryllium	μg/L	F	22	22	100	0.50	0.48	0.50	0.10										
Metals	Beryllium	μg/L	UF	3	2	67	0.20	0.27	0.50	0.12										
Metals	Boron	μg/L	F	22	0	0	8.25	8.98	18.00	5.60	2.87	6.00	6.03	7.58	6.50	12.00	12.86	8.62	1.62	15.12
Metals	Boron	μg/L	UF	3	1	33	10.70	10.47	15.70	5.00										
Metals	Cadmium	μg/L	F	22	22	100	0.50	0.46	0.50	0.03										
Metals	Cadmium	μg/L	UF	3	2	67	0.05	0.07	0.12	0.05										
Metals	Calcium	mg/L	F	22	0	0	7.56	8.37	16.50	4.39	3.68	4.60	4.66	5.01	4.84	11.95	15.42	7.65	0.73	17.31
Metals	Calcium	mg/L	UF	5	0	0	6.39	6.74	7.71	6.07										
Metals	Chromium	μg/L	F	22	17	77	0.50	0.86	2.40	0.50										
Metals	Chromium	μg/L	UF	3	0	0	1.89	1.66	2.00	1.10										

1					1				I	1			I		1			1	1	
Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Cobalt	μg/L	F	22	21	95	0.50	0.52	1.20	0.15										
Metals	Cobalt	μg/L	UF	3	3	100	0.50	0.42	0.50	0.27										
Metals	Copper	μg/L	F	22	7	32	1.37	1.77	3.80	0.50	1.15	0.50	0.50	1.00	0.50	3.50	3.69	1.41	0.66	5.32
Metals	Copper	μg/L	UF	3	2	67	1.50	2.24	3.71	1.50										
Metals	Iron	μg/L	F	22	10	45	20.00	83.83	480.00	5.00	140.69	5.00	5.00	5.00	5.00	284.10	413.45	23.50	2.01	839.99
Metals	Iron	μg/L	UF	3	0	0	467.00	451.33	471.00	416.00										
Metals	Lead	μg/L	F	22	19	86	0.10	0.12	0.30	0.04										
Metals	Lead	μg/L	UF	3	0	0	1.80	1.85	2.55	1.20										
Metals	Lithium	μg/L	F	20	0	0	7.90	15.55	40.00	2.30	13.58	2.59	3.23	6.60	4.85	37.20	39.05	10.50	0.86	61.25
Metals	Magnesium	mg/L	F	22	0	0	1.65	2.35	5.86	0.74	1.42	0.78	0.90	1.50	1.14	4.20	4.44	1.98	0.89	6.12
Metals	Magnesium	mg/L	UF	5	0	0	1.94	2.38	3.53	1.23										
Metals	Manganese	μg/L	F	22	17	77	0.50	0.91	3.63	0.50										
Metals	Manganese	μg/L	UF	3	0	0	5.10	4.46	5.47	2.80										
Metals	Mercury	μg/L	F	21	21	100	0.03	0.03	0.03	0.03										
Metals	Mercury	μg/L	UF	4	4	100	0.03	0.03	0.04	0.02										
Metals	Molybdenum	μg/L	F	22	12	55	0.50	1.09	4.30	0.50										
Metals	Molybdenum	μg/L	UF	3	0	0	2.80	2.70	3.19	2.10										
Metals	Nickel	μg/L	F	22	19	86	0.50	3.04	29.00	0.37										
Metals	Nickel	μg/L	UF	3	2	67	0.59	0.56	0.60	0.48										
Metals	Potassium	mg/L	F	22	0	0	1.82	2.21	10.00	0.19	2.09	0.21	0.29	1.30	0.92	3.61	4.67	1.49	2.66	10.03
Metals	Potassium	mg/L	UF	5	0	0	4.83	8.91	27.70	1.47										
Metals	Selenium	μg/L	F	21	21	100	0.50	0.54	1.25	0.50										
Metals	Selenium	μg/L	UF	4	3	75	1.64	3.26	8.50	1.25										
Metals	Silver	μg/L	F	22	22	100	0.50	0.46	0.50	0.10										
Metals	Silver	μg/L	UF	3	3	100	0.42	0.34	0.50	0.10										
Metals	Sodium	mg/L	F	22	0	0	7.23	7.48	11.10	4.87	1.96	5.17	5.22	5.83	5.62	9.95	10.09	7.24	0.31	12.19
Metals	Sodium	mg/L	UF	5	0	0	8.31	10.63	22.60	5.59										

							_													
Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Strontium	μg/L	F	22	0	0	55.00	55.58	140.00	19.00	34.23	19.05	20.00	21.25	20.68	88.80	120.35	45.89	0.89	154.76
Metals	Strontium	μg/L	UF	3	0	0	51.60	71.67	126.00	37.40										
Metals	Thallium	μg/L	F	22	22	100	0.50	0.46	0.50	0.01										
Metals	Thallium	μg/L	UF	3	3	100	0.20	0.14	0.20	0.01										
Metals	Tin	μg/L	F	22	22	100	0.50	0.57	1.25	0.50										
Metals	Tin	μg/L	UF	3	3	100	1.63	1.74	2.35	1.25										
Metals	Titanium	μg/L	F	20	10	50	0.75	2.15	9.00	0.50	2.77	0.50	0.50	0.50	0.50	8.00	8.05	1.18	1.85	8.96
Metals	Uranium	μg/L	F	21	9	43	0.30	0.28	0.60	0.10	0.18	0.10	0.10	0.10	0.10	0.50	0.50	0.22	0.28	0.72
Metals	Uranium	μg/L	UF	2	0	0	0.80	0.80	0.81	0.79										
Metals	Vanadium	μg/L	F	22	5	23	2.40	2.17	4.00	0.50	1.16	0.50	0.50	1.13	0.50	3.00	3.95	1.75	-0.28	4.91
Metals	Vanadium	μg/L	UF	3	1	33	0.85	0.82	1.10	0.50										
Metals	Zinc	μg/L	F	22	13	59	0.75	3.21	19.00	0.50										
Metals	Zinc	μg/L	UF	3	1	33	8.90	35.80	91.60	6.90										
RAD	Americium- 241	pCi/L	F	2	2	100	0.01	0.01	0.01	0.00										
RAD	Americium- 241	pCi/L	UF	4	3	75	0.01	0.03	0.11	0.00										
RAD	Cesium-137	pCi/L	F	2	2	100	0.21	0.21	0.41	0.00										
RAD	Cesium-137	pCi/L	UF	4	4	100	0.23	0.30	0.76	0.00										
RAD	Gross Alpha	pCi/L	F	2	2	100	0.21	0.21	0.42	0.00										
RAD	Gross Alpha	pCi/L	UF	3	2	67	0.40	0.85	2.14	0.00										
RAD	Gross Beta	pCi/L	F	2	0	0	2.77	2.77	4.05	1.49										
RAD	Gross Beta	pCi/L	UF	3	1	33	3.86	10.08	23.90	2.49										
RAD	Gross Gamma	pCi/L	F	2	2	100	54.50	54.50	64.00	45.00										
RAD	Gross Gamma	pCi/L	UF	4	4	100	56.25	53.89	73.00	30.05										
RAD	Plutonium-238	pCi/L	F	2	2	100	0.00	0.00	0.00	0.00										
RAD	Plutonium-238	pCi/L	UF	4	4	100	0.00	0.00	0.01	0.00										
RAD	Strontium-90	pCi/L	F	2	2	100	0.00	0.00	0.00	0.00										

Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
RAD	Strontium-90	pCi/L	UF	4	4	100	0.05	0.04	0.05	0.00										
RAD	Tritium	pCi/L	UF	3	1	33	5.75	4.45	7.54	0.06										
RAD	Uranium-234	pCi/L	F	2	0	0	0.09	0.09	0.09	0.09										
RAD	Uranium-234	pCi/L	UF	4	1	25	0.21	0.18	0.26	0.02										
RAD	Uranium-238	pCi/L	F	2	1	50	0.03	0.03	0.04	0.03										
RAD	Uranium-238	pCi/L	UF	4	1	25	0.18	0.14	0.20	0.01										

Note: An upper Threshold Tolerance was not calculated for nonfiltered samples. Statistics were not calculated for constituents with fewer than 8 samples or greater than 50% nondetects.

†Both an upper and lower tolerance interval of pH.

* reported as Nitrogen

μg/L = micrograms per liter

mg/L = milligrams per liter

SU = standard units

uS/cm = microsiemens per centimeter

pCi/L = picocuries per liter

F = filtered

UF= nonfiltered

n = number of analyses

ND = number of nondetects

% ND = percent nondetects

max = maximum

min = minimum

std dev = standard deviation

geomean = geometric mean

UTL = upper tolerance threshold

TDS = total dissolved solids

TKN = total Kjeldahl Nitrogen

TOC = total organic carbon

TP -= total phosphate as phosphorous

TSS = total suspended solids

Table 4.2-3
Statistical Data for Regional Aquifer

						%					std									
Group	Constituent	unit	Prep	n	ND	ND	median	mean	max	min	dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Field	рН	SU	UF	218	0	0	7.82	7.83	8.96	6.43	0.44	6.94	7.19	7.61	8.20	8.31	8.45	7.82	-0.48	7.00 / 8.65 [†]
Field	Conductance	uS/cm	UF	173	0	0	142.30	152.41	532.00	15.04	49.68	111.40	120.66	127.10	164.60	183.82	226.40	N/A	4.02	237.50
General	Alkalinity	mg/L	F	119	0	0	65.80	70.70	152.00	26.40	20.09	50.68	53.50	57.90	74.75	96.50	117.10	68.34	1.70	105.14
General	Alkalinity	mg/L	UF	39	1	3	60.50	64.67	153.00	51.00	19.81	51.20	55.36	57.55	61.90	67.02	99.28	62.82	3.62	
General	Ammonia	mg/L	F	43	40	93	0.01	0.02	0.25	0.01										
General	Ammonia	mg/L	UF	28	26	93	0.01	0.01	0.05	0.01										
General	Bicarbonate	mg/L	F	73	0	0	68.80	71.94	132.00	26.20	19.39	53.14	55.72	58.70	74.90	95.98	116.80	69.63	1.30	108.85
General	Bicarbonate	mg/L	UF	2	0	0	59.25	59.25	60.30	58.20										
General	Bromide	mg/L	F	53	45	85	0.03	0.05	0.18	0.02										
General	Bromide	mg/L	UF	38	18	47	0.03	0.05	0.22	0.01	0.05	0.02	0.02	0.02	0.03	0.10	0.14	0.03	2.44	
General	Carbonate	mg/L	F	2	0	0	7.15	7.15	7.20	7.10										
General	Carbonate	mg/L	UF	20	18	90	0.50	1.12	6.40	0.50										
General	Chloride	mg/L	F	121	0	0	2.22	2.36	7.56	1.20	0.77	1.66	1.76	1.94	2.60	3.03	3.23	2.27	3.54	3.75
General	Chloride	mg/L	UF	40	1	3	2.08	2.27	6.45	1.27	0.85	1.65	1.78	1.90	2.29	2.72	3.61	2.17	3.56	
General	Fluoride	mg/L	F	158	15	9	0.32	0.32	0.63	0.07	0.12	0.17	0.19	0.25	0.39	0.49	0.53	0.30	0.27	0.53
General	Fluoride	mg/L	UF	40	7	18	0.27	0.29	0.65	0.06	0.13	0.11	0.15	0.21	0.34	0.46	0.48	0.26	0.67	
General	Nitrate*	mg/L	F	2	0	0	0.54	0.54	0.54	0.53										
General	Nitrate*	mg/L	UF	21	1	5	0.38	0.43	0.75	0.22	0.15	0.28	0.31	0.35	0.54	0.66	0.71	0.41	0.95	
General	Nitrate+Nitrite*	mg/L	F	156	14	9	0.33	0.36	1.05	0.01	0.17	0.09	0.15	0.27	0.44	0.58	0.70	0.31	0.82	0.75
General	Nitrate+Nitrite*	mg/L	UF	26	4	15	0.30	0.34	0.79	0.04	0.22	0.06	0.07	0.22	0.44	0.71	0.75	0.26	0.66	
General	Nitrite*	mg/L	F	2	2	100	0.00	0.00	0.00	0.00										
General	Nitrite*	mg/L	UF	21	21	100	0.00	0.00	0.05	0.00										
General	Perchlorate	μg/L	F	74	1	1	0.31	0.32	0.44	0.09	0.07	0.22	0.25	0.29	0.35	0.40	0.42	0.31	-0.92	0.44
General	Perchlorate	μg/L	UF	26	0	0	0.28	0.29	0.44	0.14	0.07	0.17	0.23	0.25	0.32	0.35	0.39	0.28	0.05	

											`									
Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
General	Silicon Dioxide	mg/L	F	102	2	2	69.55	61.99	94.10	6.20	19.18	31.92	33.02	48.83	74.60	85.26	87.39	58.08	-0.52	98.98
General	Silicon Dioxide	mg/L	UF	59	3	5	41.30	50.95	79.20	21.95	19.60	27.70	31.48	33.35	71.55	74.42	75.06	47.15	0.12	
General	Sulfate	mg/L	F	121	2	2	2.90	3.28	8.63	0.80	1.69	1.72	1.89	2.14	3.51	6.32	7.17	2.95	1.60	6.22
General	Sulfate	mg/L	UF	40	1	3	2.55	2.97	7.03	1.71	1.28	1.97	2.04	2.15	3.14	4.14	6.09	2.77	2.02	
General	TDS	mg/L	F	104	0	0	145.50	148.28	225.00	115.00	19.38	124.15	127.30	135.00	159.50	173.70	182.40	147.11	1.16	182.54
General	TDS	mg/L	UF	19	0	0	144.00	150.89	230.00	121.00	24.04	122.80	135.80	141.50	153.50	164.00	195.80	149.36	2.28	
General	TKN	mg/L	F	47	27	57	0.04	0.11	1.00	0.01										
General	TKN	mg/L	UF	33	22	67	0.02	0.08	0.50	0.01										
General	TOC	mg/L	F	3	0	0	0.26	0.31	0.46	0.21										
General	TOC	mg/L	UF	31	16	52	0.34	0.43	1.37	0.11										
General	TP	mg/L	F	121	84	69	0.02	0.03	0.34	0.01										
General	TP	mg/L	UF	47	23	49	0.02	0.03	0.17	0.00	0.03	0.01	0.01	0.01	0.03	0.04	0.09	0.02	3.20	
General	TSS	mg/L	F	27	26	96	0.38	0.45	1.60	0.18										
General	TSS	mg/L	UF	31	6	19	10.00	38.30	260.00	0.36	60.71	0.37	0.64	2.37	49.95	110.00	142.50	9.05	2.19	
Metals	Aluminium	μg/L	F	102	87	85	34.00	23.33	73.50	1.00										
Metals	Aluminium	μg/L	UF	57	42	74	34.00	57.07	1640.00	1.00										
Metals	Antimony	μg/L	F	112	110	98	0.25	0.27	1.00	0.03										
Metals	Antimony	μg/L	UF	54	54	100	0.25	0.38	2.00	0.13										
Metals	Arsenic	μg/L	F	115	88	77	3.00	2.84	16.30	0.27										
Metals	Arsenic	μg/L	UF	57	44	77	3.00	2.41	12.00	0.50										
Metals	Barium	μg/L	F	112	6	5	20.80	25.53	115.00	1.50	19.70	4.68	7.27	14.70	29.08	49.49	60.35	19.82	2.21	69.20
Metals	Barium	μg/L	UF	57	4	7	20.00	29.54	310.00	1.75	43.64	8.91	13.84	15.00	26.10	32.00	101.84	20.15	5.25	
Metals	Beryllium	μg/L	F	112	112	100	0.24	0.28	0.50	0.04										
Metals	Beryllium	μg/L	UF	59	59	100	0.50	0.38	2.00	0.01										
Metals	Boron	μg/L	F	102	30	29	13.65	16.32	86.10	2.37	12.76	4.51	5.00	8.14	19.33	31.07	38.01	12.89	2.63	41.23
Metals	Boron	μg/L	UF	56	16	29	13.05	15.31	63.00	4.00	11.71	5.00	5.00	8.38	15.25	25.00	38.75	12.44	2.38	
											•	•		•				•		

Table 4.2-3 (continued)

						%					std									
Group	Constituent	unit	Prep	n	ND	ND	median	mean	max	min	dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Cadmium	μg/L	F	115	112	97	0.05	0.14	0.50	0.02										
Metals	Cadmium	μg/L	UF	59	58	98	0.05	0.21	2.00	0.02										
Metals	Calcium	mg/L	F	127	0	0	11.70	13.17	41.70	0.61	5.68	9.39	9.86	10.55	14.10	16.34	18.44	12.23	3.03	24.12
Metals	Calcium	mg/L	UF	57	1	2	11.50	12.77	42.50	8.66	5.57	9.07	9.45	10.70	13.20	14.14	18.26	12.14	4.17	
Metals	Chromium	μg/L	F	129	26	20	3.47	3.44	7.31	0.39	1.68	0.50	0.88	2.20	4.76	5.62	6.00	2.87	-0.05	6.62
Metals	Chromium	μg/L	UF	59	17	29	3.00	3.26	9.80	0.50	1.99	0.50	0.94	1.80	4.59	5.82	6.95	2.59	0.83	
Metals	Cobalt	μg/L	F	102	91	89	0.50	0.75	7.00	0.02										
Metals	Cobalt	μg/L	UF	57	56	98	0.50	0.66	2.70	0.20										
Metals	Copper	μg/L	F	102	89	87	1.50	2.20	62.20	0.50										
Metals	Copper	μg/L	UF	57	43	75	1.50	1.87	13.10	0.21										
Metals	Iron	μg/L	F	99	70	71	9.00	30.17	915.00	5.00										
Metals	Iron	μg/L	UF	64	24	38	21.43	71.61	1270.00	3.65	191.25	5.00	5.00	9.00	53.30	102.28	155.20	22.84	5.06	
Metals	Lead	μg/L	F	102	84	82	0.25	0.38	4.60	0.03										
Metals	Lead	μg/L	UF	59	52	88	0.25	0.25	1.00	0.01										
Metals	Lithium	μg/L	F	9	0	0	23.00	22.44	25.00	17.00	3.21	17.00	17.00	23.00	25.00	23.00	23.00	22.22	-1.31	32.16
Metals	Lithium	μg/L	UF	13	1	8	24.00	24.92	47.00	14.00	9.02	14.60	15.00	23.00	25.00	35.40	41.00	23.58	1.25	
Metals	Magnesium	mg/L	F	127	0	0	2.96	2.71	4.87	0.20	1.11	0.53	0.96	2.28	3.43	4.00	4.24	2.35	-0.62	4.81
Metals	Magnesium	mg/L	UF	57	2	4	3.13	3.16	7.64	0.22	0.91	1.73	2.61	2.92	3.43	4.00	4.06	2.97	1.26	
Metals	Manganese	μg/L	F	99	66	67	1.00	8.01	220.00	0.15										
Metals	Manganese	μg/L	UF	57	35	61	1.00	7.02	132.00	0.04										
Metals	Mercury	μg/L	F	90	87	97	0.03	0.04	0.26	0.02										
Metals	Mercury	μg/L	UF	77	77	100	0.03	0.03	0.10	0.01										
Metals	Molybdenum	μg/L	F	99	49	49	1.09	1.62	5.80	0.25	1.10	0.52	0.72	1.00	2.20	3.05	3.63	1.33	1.56	3.82
Metals	Molybdenum	μg/L	UF	54	25	46	1.08	1.58	3.80	0.24	0.93	0.50	0.72	1.00	2.18	2.87	3.72	1.34	0.96	
Metals	Nickel	μg/L	F	112	87	78	0.50	1.71	50.00	0.18										
Metals	Nickel	μg/L	UF	57	41	72	0.50	0.84	2.50	0.25										

Groundwater Background Investigation Report, Rev. 2

Table 4.2-3 (continued)

		1	1	1	ı	1	Γ	ı	1	1	ı		ı	1		ı	ı	1	ı	ı
Group	Constituent	unit	Prep	n	ND	% ND	median	mean	max	min	std dev	5th	10th	25th	75th	90th	95th	geomean	skew	UTL
Metals	Potassium	mg/L	F	127	0	0	1.89	1.91	3.11	0.15	0.46	1.19	1.33	1.67	2.14	2.63	2.75	1.83		3.14
Metals	Potassium	mg/L	UF	57	2	4	1.64	1.60	3.43	0.82	0.44	1.11	1.15	1.31	1.73	1.98	2.46	1.55	1.66	
Metals	Selenium	μg/L	F	98	97	99	1.25	1.53	4.60	0.25										
Metals	Selenium	μg/L	UF	77	73	95	1.41	1.55	4.99	0.50										
Metals	Silver	μg/L	F	99	99	100	0.42	0.38	2.50	0.10										
Metals	Silver	μg/L	UF	57	56	98	0.32	0.48	2.50	0.10										
Metals	Sodium	mg/L	F	127	0	0	12.50	14.98	33.20	0.91	6.53	9.10	9.97	10.80	18.65	25.38	28.32	13.70	1.20	28.55
Metals	Sodium	mg/L	UF	57	1	2	10.40	11.57	31.10	4.20	4.32	8.45	8.66	9.77	11.70	13.66	21.70	11.02	2.80	
Metals	Strontium	μg/L	F	96	0	0	55.55	81.72	477.00	2.80	90.21	44.88	45.90	49.08	64.40	99.25	252.25	63.53	3.61	179.84
Metals	Strontium	μg/L	UF	54	1	2	50.70	72.63	480.00	42.00	84.92	43.00	44.65	46.10	52.88	73.49	196.30	58.08	4.27	
Metals	Thallium	μg/L	F	112	92	82	0.20	0.23	0.83	0.01										
Metals	Thallium	μg/L	UF	59	56	95	0.20	0.34	2.00	0.01										
Metals	Tin	μg/L	F	86	85	99	1.25	1.31	3.60	0.50										
Metals	Tin	μg/L	UF	41	41	100	1.25	1.17	5.90	0.50										
Metals	Titanium	μg/L	F	9	9	100	0.50	0.61	1.00	0.50										
Metals	Titanium	μg/L	UF	14	14	100	0.50	0.69	2.00	0.16										
Metals	Uranium	μg/L	F	77	2	3	0.45	0.60	2.5	0.06	0.50	0.16	0.24	0.34	0.72	0.93	1.80	0.47	2.42	1.52
Metals	Uranium	μg/L	UF	58	3	5	0.41	0.58	2.90	0.10	0.51	0.21	0.24	0.33	0.65	0.96	1.70	0.46	2.84	
Metals	Vanadium	μg/L	F	102	6	6	7.90	10.40	62.70	0.50	8.96	2.72	3.87	5.98	10.45	17.69	28.00	8.20	3.15	25.58
Metals	Vanadium	μg/L	UF	57	7	12	5.80	6.26	20.30	1.60	3.43	2.44	2.80	4.70	7.00	10.54	11.60	5.53	1.93	
Metals	Zinc	μg/L	F	102	62	61	1.92	3.99	41.10	0.40										
Metals	Zinc	μg/L	UF	56	34	61	2.15	4.83	51.00	0.36										
RAD	Americium- 241	pCi/L	F	98	86	88	0.00	0.01	0.16	0.00										
RAD	Americium- 241	pCi/L	UF	39	39	100	0.00	0.00	0.01	0.00										
RAD	Cesium-137	pCi/L	F	100	99	99	0.13	0.48	7.60	0.00										

Table 4.2-3 (continued)

Croup	Constituent	unit	Dron		ND	% ND	modian	moon	may	min	std	Eth	10+h	2E+b	7E+h	00+6	0E+b	goomoon	akow	UTI
Group	Constituent	unit	Prep	n	ND	ND	median	mean	max	min	dev	5th	10th	25th	75th	90th	95th	geomean	Skew	UTL
RAD	Cesium-137	pCi/L	UF	38	38	100	0.09	0.42	8.00	0.00										
RAD	Gross Alpha	pCi/L	F	93	79	85	0.25	0.48	2.54	0.00										
RAD	Gross Alpha	pCi/L	UF	22	16	73	0.25	1.21	14.50	0.00										
RAD	Gross Beta	pCi/L	F	100	52	52	1.30	1.97	14.10	0.00										
RAD	Gross Beta	pCi/L	UF	31	18	58	1.16	1.66	8.20	0.00										
RAD	Gross Gamma	pCi/L	F	73	72	99	45.15	51.05	140.50	7.05										
RAD	Gross Gamma	pCi/L	UF	32	32	100	39.73	49.01	219.50	23.75										
RAD	Plutonium-238	pCi/L	F	98	92	94	0.00	0.00	0.03	0.00										
RAD	Plutonium-238	pCi/L	UF	38	38	100	0.00	0.00	0.02	0.00										
RAD	Strontium-90	pCi/L	F	208	198	95	0.01	0.05	4.49	0.00										
RAD	Strontium-90	pCi/L	UF	37	37	100	0.01	0.03	0.10	0.00										
RAD	Tritium	pCi/L	UF	105	100	95	0.05	0.44	11.43	0.00										
RAD	Uranium-234	pCi/L	F	98	2	2	0.33	0.48	3.40	0.02	0.46	0.13	0.17	0.24	0.53	1.09	1.34	0.36	3.34	1.34
RAD	Uranium-234	pCi/L	UF	38	0	0	0.30	0.43	1.55	0.07	0.35	0.15	0.22	0.24	0.56	0.80	1.22	0.34	2.07	
RAD	Uranium-238	pCi/L	F	98	4	4	0.18	0.25	2.14	0.02	0.27	0.05	0.08	0.10	0.27	0.57	0.71	0.18	4.10	0.74
RAD	Uranium-238	pCi/L	UF	37	1	3	0.15	0.22	0.81	0.01	0.19	0.06	0.09	0.11	0.26	0.42	0.68	0.16	2.11	

Note: An upper Threshold Tolerance was not calculated for nonfiltered samples. Statistics were not calculated for constituents with fewer than 8 samples or greater than 50% nondetects. †Both an upper and lower tolerance interval of pH.

* reported as Nitrogen

μg/L = micrograms per liter mg/L = milligrams per liter SU = standard units

uS/cm = microsiemens per centimeter

pCi/L = picocuries per liter

F = filtered

UF= nonfiltered

n = number of analyses

ND = number of nondetects

% ND = percent nondetects

max = maximum

min = minimum

std dev = standard deviation geomean = geometric mean

UTL = upper tolerance threshold

TDS = total dissolved solids

TKN = total Kjeldahl Nitrogen

TOC = total organic carbon

TP = total phosphate as phosphorus

TSS = total suspended solids

Table 4.2-4
Summary of Detection Limits Listed by Groundwater Type

Aquifer	Group	Constituent	Unit	Prep	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL
Alluvial	General	Bromide	mg/L	F	3	0.01	1	0.04	1	0.07										
Intermediate	General	Carbonate	mg/L	F	20	1														
Intermediate	General	Nitrite*	mg/L	F	20	0.003														
Regional	General	Ammonia	mg/L	F	30	0.01	4	0.02	4	0.04	1	0.05	2	0.1						
Regional	General	Ammonia	mg/L	UF	18	0.01	4	0.02	3	0.04	2	0.05	1	0.1						
Regional	General	Bromide	mg/L	F	2	0.01	1	0.02	19	0.04	21	0.07	4	0.09	4	0.1				
Regional	General	Carbonate	mg/L	UF	19	1	1	2												
Regional	General	Nitrite*	mg/L	UF	2	0.002	17	0.003	1	0.006										
Regional	General	TKN*	mg/L	F	25	0.01	1	0.02	2	0.03	13	0.04	1	0.05	3	0.1				
Regional	General	TKN*	mg/L	UF	18	0.01	1	0.02	3	0.03	8	0.04	3	0.1						
Regional	General	TOC	mg/L	UF	4	0.02	5	0.03	1	0.04	7	0.07	14	0.3						
Regional	General	TP	mg/L	F	2	0.003	78	0.01	30	0.02	5	0.05	4	0.2						
Alluvial	Metal	Antimony	μg/L	F	2	0.5	3	1												
Alluvial	Metal	Arsenic	μg/L	F	3	0.2	2	6												
Alluvial	Metal	Beryllium	μg/L	F	1	0.1	4	1												
Alluvial	Metal	Cadmium	μg/L	F	2	0.1	3	1												
Alluvial	Metal	Chromium	μg/L	F	5	1														
Alluvial	Metal	Cobalt	μg/L	F	5	1														
Alluvial	Metal	Copper	μg/L	F	3	1	2	3												
Alluvial	Metal	Lead	μg/L	F	3	0.2	2	0.5												
Alluvial	Metal	Manganese	mg/L	F	4	1	1	2												
Alluvial	Metal	Mercury	μg/L	F	4	0.05	1	0.06												
Alluvial	Metal	Nickel	μg/L	F	1	0.5	4	1												
Alluvial	Metal	Selenium	μg/L	F	3	1	1	3	1	6										
Alluvial	Metal	Silver	μg/L	F	4	1	1	0.2												

Table 4.2-4 (continued)

Aquifer	Group	Constituent	Unit	Prep	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL
Alluvial	Metal	Thallium	μg/L	F	3	1	2	0.4												
Alluvial	Metal	Vanadium	μg/L	F	5	1														
Alluvial	Metal	Zinc	μg/L	F	3	1	2	2												
Intermediate	Metal	Antimony	μg/L	F	1	0.1	1	0.5	20	1										
Intermediate	Metal	Beryllium	μg/L	F	1	0.2	21	1												
Intermediate	Metal	Cadmium	μg/L	F	1	0.1	1	0.05	20	1										
Intermediate	Metal	Chromium	μg/L	F	1	0.8	21	1												
Intermediate	Metal	Cobalt	μg/L	F	1	0.3	21	1												
Intermediate	Metal	Lead	μg/L	F	1	0.1	20	0.2	1	0.5										
Intermediate	Metal	Manganese	μg/L	F	20	1	1	2	1	3										
Intermediate	Metal	Mercury	μg/L	F	20	0.05	1	0.06												
Intermediate	Metal	Molybdenum	μg/L	F	1	0.6	20	1	1	2										
Intermediate	Metal	Nickel	μg/L	F	1	0.4	1	0.6	20	1										
Intermediate	Metal	Selenium	μg/L	F	20	1	1	2.5												
Intermediate	Metal	Silver	μg/L	F	2	0.2	20	1												
Intermediate	Metal	Thallium	μg/L	F	1	0.01	1	0.4	20	1										
Intermediate	Metal	Tin	μg/L	F	20	1	1	2	1	3										
Intermediate	Metal	Zinc	μg/L	F	20	1	1	2	1	3										
Regional	Metal	Aluminium	μg/L	F	9	2	3	5	35	20	7	30	48	70						
Regional	Metal	Aluminium	μg/L	UF	12	2	1	4	10	20	1	30	30	70						
Regional	Metal	Antimony	μg/L	F	12	1	7	0.2	30	0.3	48	0.5	15	1						
Regional	Metal	Antimony	μg/L	UF	1	0.1	10	0.3	30	0.5	12	1	1	2						
Regional	Metal	Arsenic	μg/L	F	9	0.2	10	0.5	5	1	30	2	5	3	8	5	47	6	1	10
Regional	Metal	Arsenic	μg/L	UF	12	0.2	1	0.4	10	2	1	5	29	6	2	10				
Regional	Metal	Beryllium	μg/L	F	1	0.03	7	0.07	8	0.08	11	0.1	28	0.2	5	0.5	52	1		
Regional	Metal	Beryllium	μg/L	UF	1	0.03	8	0.08	4	0.1	2	0.2	38	1	1	2				
Regional	Metal	Cadmium	μg/L	F	30	0.04	4	0.05	10	0.07	48	0.1	3	0.4	5	0.6	15	1		

Groundwater Background Investigation Report, Rev. 2

February 2007

Table 4.2-4 (continued)

								(•										
Aquifer	Group	Constituent	Unit	Prep	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL
Regional	Metal	Cadmium	μg/L	UF	10	0.04	1	0.05	30	0.1	12	1	1	2						
Regional	Metal	Cobalt	μg/L	F	3	0.04	7	0.3	29	0.5	5	0.6	57	1						
Regional	Metal	Cobalt	μg/L	UF	1	0.3	10	0.5	42	1	1	2								
Regional	Metal	Copper	μg/L	F	3	0.3	39	1	5	2	55	3								
Regional	Metal	Copper	μg/L	UF	22	1	1	2	31	3										
Regional	Metal	Iron	μg/L	F	39	10	53	20	7	21										
Regional	Metal	Lead	μg/L	F	33	0.05	1	0.07	6	0.08	9	0.2	48	0.5	5	2				
Regional	Metal	Lead	μg/L	UF	10	0.05	1	0.07	12	0.2	1	0.4	30	0.5						
Regional	Metal	Manganese	μg/L	F	22	0.3	1	0.7	25	1	45	2	6	3						
Regional	Metal	Manganese	μg/L	UF	2	0.3	1	0.7	16	1	35	2								
Regional	Metal	Mercury	μg/L	F	4	0.04	53	0.05	26	0.06	1	0.07	6	0.2						
Regional	Metal	Mercury	μg/L	UF	4	0.04	47	0.05	15	0.06	7	0.7	1	0.1						
Regional	Metal	Nickel	μg/L	F	7	0.07	36	0.5	37	0.7	30	1	6	3	6	10				
Regional	Metal	Nickel	μg/L	UF	25	0.5	11	0.7	16	1	1	2	1	3						
Regional	Metal	Selenium	μg/L	F	1	0.1	19	1	5	2	56	3	6	5	11	6				
Regional	Metal	Selenium	μg/L	UF	12	1	1	2	57	3	4	6								
Regional	Metal	Silver	μg/L	F	44	0.2	5	0.5	30	0.8	30	1								
Regional	Metal	Silver	μg/L	UF	28	0.2	10	0.8	15	1	1	2								
Regional	Metal	Thallium	μg/L	F	12	0.01	37	0.02	48	0.4	15	1								
Regional	Metal	Thallium	μg/L	UF	1	0.01	10	0.02	30	0.4	12	1	1	2						
Regional	Metal	Tin	μg/L	F	9	1	11	2	66	3										
Regional	Metal	Tin	μg/L	UF	12	1	1	2	28	3										
Regional	Metal	Titanium	μg/L	F	9	1														
Regional	Metal	Titanium	μg/L	UF	1	0.3	10	1	3	2										
Regional	Metal	Zinc	μg/L	F	30	0.9	9	1	3	2	48	2	7	3	5	4				
Regional	Metal	Zinc	μg/L	UF	10	0.9	12	1	31	2	1	3								
Aquifer	Group	Constituent	Unit	Prep	#	MDA	#	MDA	#	MDA	#	MDA	#	MDA	#	MDA	#	MDA	#	MDA

Aquifer	Group	Constituent	Unit	Prep	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL	#	MDL
Alluvial	RAD	Americium-241	pCi/L	UF	1	0.03	1	0.04	2	0.005	1	0.08	4	10						
Regional	RAD	Americium-241	pCi/L	F	1	0.005	2	0.008	2	0.009	6	0.01	11	0.02	44	0.03	21	0.04	10	0.05
Regional	RAD	Americium-241	pCi/L	UF	1	0.01	4	0.02	12	0.03	14	0.04	6	0.05	1	10				
Regional	RAD	Cesium-137	pCi/L	F	10	2	47	3	25	4	9	5	2	6	2	7	3	8	2	9
Regional	RAD	Cesium-137	pCi/L	UF	4	2	17	3	12	4	3	5	1	6						
Regional	RAD	Gross Alpha	pCi/L	F	1	0.6	3	0.8	4	0.9	37	1	41	2	7	3				
Regional	RAD	Gross Alpha	pCi/L	UF	1	0.6	0	0.8	3	0.9	5	1	6	2	6	3				
Regional	RAD	Gross Beta	pCi/L	F	22	1	47	2	30	3	1	4								
Regional	RAD	Gross Beta	pCi/L	UF	2	0.8	5	1	12	2	10	3	2	4						
Regional	RAD	Gross Gamma	pCi/L	F	17	200	30	300	17	400	3	500	1	600	1	800	1	1000		
Regional	RAD	Gross Gamma	pCi/L	UF	7	200	19	300	5	400	1	1000								
Regional	RAD	Plutonium-238	pCi/L	F	2	0.005	3	0.008	4	0.01	15	0.02	38	0.03	16	0.04	13	0.05	7	0.06
Regional	RAD	Plutonium-238	pCi/L	UF	9	0.02	12	0.03	4	0.04	7	0.05	3	0.06	1	0.07	3	0.08		
Regional	RAD	Strontium-90	pCi/L	F	7	<0.07	13	0.08	11	0.09	51	0.1	53	0.2	45	0.3	12	0.4	6	0.5
Regional	RAD	Strontium-90	pCi/L	UF	3	0.1	8	0.2	16	0.3	8	0.4	1	0.5						
Regional	RAD	Tritium	pCi/L	UF	1	0.06	37	0.3												

Groundwater Background Investigation Report, Rev. 2

Note: Detection limits shown are for each constituent with greater than 8 analyses and fewer than 50% detected results.

MDL - Method Detection Limit

MDA - Minimum Detected Activity

TKN - Total Kjeldahl Nitrogen

TOC - Total Organic Carbon

TP - Total Phosphate as Phosphorous

mg/L - milligrams per Liter

μg/L - micrograms per Liter

pCi/L - picocuries per Liter

F - Filtered

UF - Unfiltered

^{*} reported as Nitrogen

Table 4.2-5
Standards Applicable to Background Groundwater Analytes

		Regu	ulatory Stai	ndard
Group	Analyte	NMED	EPA	DOE
Field	Specific conductance (conductivity)	_	_	_
Field	pН	х	х	_
Metals	Aluminum	х	х	_
Metals	Antimony	_	х	_
Metals	Arsenic	х	х	_
Metals	Barium	х	х	_
Metals	Beryllium	_	х	<u> </u>
Metals	Boron	х	_	_
Metals	Cadmium	х	х	_
Metals	Calcium	_	_	_
Metals	Chromium, total	х	х	_
Metals	Cobalt	х	х	_
Metals	Copper	х	х	_
Metals	Iron	х	х	_
Metals	Lead	х	х	_
Metals	Lithium	_	_	_
Metals	Magnesium	_	_	_
Metals	Manganese	х	х	_
Metals	Mercury	х	х	_
Metals	Molybdenum	х	х	_
Metals	Nickel	х	х	_
Metals	Potassium	_	_	_
Metals	Selenium	х	х	
Metals	Silver	_	х	_
Metals	Sodium	_	_	_
Metals	Strontium	_	_	_
Metals	Thallium	_	х	_
Metals	Tin	_	_	_
Metals	Titanium	_		
Metals	Uranium	х	х	
Metals	Vanadium			
Metals	Zinc	х	х	
General	Alkalinity (HCO ₃ +CO ₃)	_	_	
General	Ammonia [as N]	_	_	
General	Bicarbonate			
General	Bromide	_	_	_

Table 4.2-5 (continued)

		Regu	latory Stan	dard
Group	Analyte	NMED	EPA	DOE
General	Fluoride	х	х	_
General	Nitrate [as N]	х	х	_
General	Nitrate + Nitrite [as N]	_	_	_
General	Nitrite [as N]	_	х	_
General	Low-level perchlorate	_	_	_
General	Silicon Dioxide	_	_	_
General	Sulfate	_	_	_
General	Total dissolved solids	х	х	_
General	Total Kjeldahl Nitrogen	_	_	_
General	Total Organic Carbon	_	_	_
General	Total Phosphate as Phosphorus	_	_	_
General	Total Suspended Solids	_	_	_
Rads	Gross-alpha radiation	х	х	х
Rads	Gross-beta radiation	х	х	х
Rads	Gross-gamma radiation	х	х	х
Rads	Americium-241	_	_	х
Rads	Cesium-137	_	_	х
Rads	Plutonium-238	_	_	х
Rads	Strontium-90	х	х	х
Rads	Tritium			х
Rads	Uranium-234		_	х
Rads	Uranium-235			х
Rads	Uranium-238	_	_	х

x = standard exists

^{— =} no standard

Table 4.3-1
Student's T-test Comparison of Means of Selected Analytes between Aquifer Types

	А	lluvial-Inter	mediate	Inte	rmediate-	Regional	А	ılluvial-Reç	gional
Constituent	T value	P value	Comparison	T value	P value	Comparison	T value	P value	Comparison
Alkalinity	NC	NC		8.17	0.00	VS	NC	NC	
Aluminum	-1.43	0.21	Null	-2.64	0.014	S	-1.59	0.17	Null
Arsenic	-2.50	0.047	S	6.70	0.00	VS	-0.16	0.88	Null
Ammonium	NC	NC		-3.14	0.052	Null	-3.14	0.052	Null
Barium	-2.36	0.043	S	2.42	0.02	S	0.77	0.46	Null
Bicarbonate	NC	NC		2.33	0.06	Null	NC	NC	
Boron	-1.29	0.25	Null	3.96	0.00	VS	0.46	0.66	Null
Bromide	-1.46	0.38	Null	5.38	0.00	VS	0.44	0.74	Null
Calcium	-1.42	0.20	Null	5.47	0.00	VS	-1.71	0.13	Null
Chromium	-0.93	0.40	Null	8.27	0.00	VS	-1.67	0.15	Null
Chloride	-0.76	0.50	Null	-0.51	0.65	Null	-0.51	0.65	Null
Fluoride	0.80	0.46	Null	13.33	0.00	VS	-8.15	0.00	VS
Magnesium	-2.44	0.03	S	1.61	0.12	Null	1.74	0.13	Null
Nickel	0.08	0.94	Null	0.12	0.90	Null	-0.24	0.82	Null
Nitrate	NC	NC		14.35	0.00	VS	NC	NC	
Potassium	0.14	0.89	Null	-1.55	0.13	Null	5.91	0.00	VS
Silica	-1.74	0.18	Null	7.31	0.00	VS	4.25	0.051	Null
Sodium	0.97	0.35	Null	5.99	0.00	VS	-5.61	0.00	VS
Strontium	-6.06	0.000	VS	2.31	0.02	S	0.85	0.40	Null
Sulfate	0.62	0.54	Null	-2.13	0.04	S	7.71	0.00	VS
Uranium	-0.86	0.42	Null	3.90	0.00	S	-2.55	0.02	S
Total Dissolved Solids	NC	NC	Null	2.27	0.06	Null	NC	NC	
рН	NC	NC	Null	1.60	0.12	Null	NC	NC	

S P<= 0.05 Significant difference between populations

VS P<= 0.01 Very significant difference between populations

 $Null\ \ P=0;\ P>0.05\ therefore\ null\ hypothesis\ is\ confirmed,\ probability\ that\ populations\ are\ the\ same\ is\ >0.05$

Table 4.3-3a
UTLs, Maximum Values, and Screening Values for Alluvial Groundwater

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Field	pН	SU	UF		7.48	n/a ^a			6.0/9.0
Field	Specific Conductance	uS/cm	UF		184.20	n/a			184.00
General	Alkalinity - HCO3+CO3	mg/L	F		76.00	1.50			76.00
General	Ammonia as N	mg/L	F		0.25	0.04			0.04
General	Bicarbonate	mg/L	F		38.60	1.50			76.00
General	Bromide	mg/L	F		0.10	0.066			0.07
General	Carbonate	mg/L	F		0.50	1.00			1.00
General	Chloride	mg/L	F	69.76	16.20	0.066	250	NM GW Std	69.76
General	Fluoride	mg/L	F	0.27	0.17	0.0553	1.6	NM GW Std	0.27
General	Nitrate+Nitrite as N	mg/L	F		0.57	0.017	10	NM GW Std	0.57
General	Nitrite as N	mg/L	F		0.05	0.002	10	NM GW Std	0.002
General	Perchlorate	μg/L	F		14.20	0.05	4	NM Consent Order Screening Value	0.05
General	Silicon Dioxide	mg/L	F	64.21	44.00	0.032	250	EPA Secondary MCL	64.21
General	Sulfate	mg/L	F	24.83	15.80	0.193	500	EPA Secondary MCL	24.83
General	Total Dissolved Solids	mg/L	F		139.00	6.29			139.00
General	Total Kjeldahl Nitrogen	mg/L	F		0.46	0.04			0.04
General	Total Organic Carbon	mg/L	F		4.99	0.46			0.46
General	Total Phosphate as P	mg/L	F		0.04	0.048			0.05
Metals	Aluminum	μg/L	F	18100	8700.00	68	500	EPA Secondary MCL	18100
Metals	Antimony	μg/L	F		10.00	0.5	6	EPA Primary MCL	0.50
Metals	Arsenic	μg/L	F		5.00	6	10	EPA Primary MCL	6.00
Metals	Barium	μg/L	F	68.57	50.00	1	1000	NM GW Std	68.57
Metals	Beryllium	μg/L	F		2.50	1	4	EPA Primary MCL	1.00
Metals	Boron	μg/L	F	51.89	50.00	10	750	NM GW Std	51.89
Metals	Cadmium	μg/L	F		2.50	1	5	EPA Primary MCL	1.00
Metals	Calcium	mg/L	F	26.36	18.20	0.01			26.36
Metals	Chromium	μg/L	F		5.00	1	50	NM GW Std	1.00
Metals	Cobalt	μg/L	F		5.00	0.5	50	NM GW Std	0.50
Metals	Copper	μg/L	F		5.00	3	1000	NM GW Std	3.00
Metals	Iron	μg/L	F	9050.00	4600.00	20.6	300	EPA Secondary MCL	9050

Table 4.3-3a (continued)

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Metals	Lead	μg/L	F		1.88	0.5	15	EPA Screening Level	0.50
Metals	Lithium	μg/L	F		5.00	1			1.00
Metals	Magnesium	mg/L	F	7.78	5.50	0.01			7.78
Metals	Manganese	mg/L	F		21.00	2	50	EPA Secondary MCL	2.00
Metals	Mercury	μg/L	F		0.10	0.06	2	EPA Primary MCL	0.06
Metals	Mercury	μg/L	UF		0.03	0.06	2	EPA Primary MCL	0.06
Metals	Molybdenum	μg/L	F		5.00	2	1000	NM GW Std	2.00
Metals	Nickel	μg/L	F		10.00	1	100	EPA Primary MCL	1.00
Metals	Potassium	mg/L	F	5.21	4.00	0.05			5.21
Metals	Selenium	μg/L	F		3.00	6	50	NM GW Std	6.00
Metals	Selenium	μg/L	UF		3.00	6	50	NM GW Std	6.00
Metals	Silver	μg/L	F		5.00	1	50	NM GW Std	1.00
Metals	Sodium	mg/L	F	15.54	11.60	0.045			15.54
Metals	Strontium	μg/L	F		120.00	1	25000	EPA Secondary MCL	120.00
Metals	Thallium	μg/L	F		5.00	1	2	EPA Primary MCL	1.00
Metals	Tin	μg/L	F		5.00	3.26			3.26
Metals	Titanium	μg/L	F		1.00	1			1.00
Metals	Uranium	μg/L	F	1.03	0.96	0.2	30	NM GW Std	1.03
Metals	Vanadium	μg/L	F		5.00	1	80	EPA Secondary MCL	1.00
Metals	Zinc	μg/L	F		10.00	2	5000	EPA Secondary MCL	2.00
RAD	Americium-241	pCi/L	F		0.75	0.044	1.2	DOE 4 mrem DCG	0.04
RAD	Cesium-137	pCi/L	F		0.34	5.8	120	DOE 4 mrem DCG	5.80
RAD	Plutonium-238	pCi/L	F		0.00	0.06	1.6	DOE 4 mrem DCG	0.06
RAD	Strontium-90	pCi/L	F		0.06	0.48	8	EPA Primary MCL	0.48
RAD	Tritium	pCi/L	UF		57.28	0.861	20000	EPA Primary MCL	57
RAD	Uranium-234	pCi/L	F		0.16	0.178	20	DOE 4 mrem DCG	0.18
RAD	Uranium-238	pCi/L	F		0.12	0.19	24	DOE 4 mrem DCG	0.19

a n/a = not applicable

NM GW Std = New Mexico Water Quality Control Commission Standards for Ground Water, 20.6.2.3103 NMAC

EPA Primary MCL = National Primary Drinking Water Regulations, 40CFR120, Part 141

EPA Secondary MCL = National Secondary Drinking Water Regulations, 40CFR120, Part 143

DOE 4 mrem DCG = Department of Energy Derived Concentration Guides for Drinking Water (1990), DOE Order 5400.5

Table 4.3-3b
UTLs, Maximum Values, and Screening Values for Perched-Intermediate Groundwater

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Field	рН	SU	UF	6.10 / 8.80	10.14	n/a ^a			6.10 / 8.80
Field	Specific Conductance	uS/cm	UF	276.03	908.00	n/a			276.03
General	Alkalinity- HCO3+CO3	mg/L	F	52.00	51.20	1.50			52.00
General	Ammonia as N	mg/L	F		0.07	1.50			1.50
General	Bicarbonate	mg/L	F		43.20	0.066			52.00
General	Bromide	mg/L	F	0.03	0.03	0.07			0.03
General	Carbonate	mg/L	F		0.50	1			1.00
General	Chloride	mg/L	F	8.37	6.43	0.066	250	NM GW Std	8.37
General	Fluoride	mg/L	F	0.23	0.20	0.017	1.6	NM GW Std	0.23
General	Nitrate+Nitrite as N	mg/L	F	2.65	1.78	0.017	10	NM GW Std	2.65
General	Nitrite as N	mg/L	F		0.00	0.002	10	NM GW Std	0.00
General	Perchlorate	μg/L	F		0.18	0.05	10	NM GW Std	0.05
General	Perchlorate	μg/L	UF		0.17	0.05	4	NM Consent Order Screening Value	0.05
General	Silicon Dioxide	mg/L	F	50.72	65.70	0.032			50.72
General	Sulfate	mg/L	F	40.03	34.80	0.193	250	EPA Secondary MCL	40.03
General	Total Dissolved Solids	mg/L	F		127.00	6.29	500	EPA Secondary MCL	127.00
General	Total Kjeldahl Nitrogen	mg/L	F		0.20	0.04			0.04
General	Total Organic Carbon	mg/L	F		0.30	0.46			0.46
General	Total Phosphate as P	mg/L	F	0.08	0.07	0.048			0.08
Metals	Aluminium	μg/L	F	1065.84	820.00	68	500	EPA Secondary MCL	1065.84
Metals	Antimony	μg/L	F		0.50	0.5	6	EPA Primary MCL	0.50
Metals	Arsenic	μg/L	F	4.32	3.00	6	10	EPA Primary MCL	4.32
Metals	Barium	μg/L	F	71.83	58.00	1	1000	NM GW Std	71.83
Metals	Beryllium	μg/L	F		0.50	1	4	EPA Primary MCL	1.00
Metals	Boron	μg/L	F	15.12	18.00	10	750	NM GW Std	15.12
Metals	Cadmium	μg/L	F		0.50	1	5	EPA Primary MCL	1.00

Table 4.3-3b (continued)

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Metals	Calcium	mg/L	F	17.31	16.50	0.01			17.31
Metals	Chromium	μg/L	F		2.40	1	50	NM GW Std	1.00
Metals	Cobalt	μg/L	F		1.20	0.5	50	NM GW Std	0.50
Metals	Copper	μg/L	F	5.32	3.80	3	1000	NM GW Std	5.32
Metals	Iron	μg/L	F	839.99	480.00	20.6	300	EPA Secondary MCL	839.99
Metals	Lead	μg/L	F		0.30	0.5	15	EPA Screening Level	0.50
Metals	Lithium	μg/L	F	61.25	40.00	1			61.25
Metals	Magnesium	mg/L	F	6.12	5.86	0.01			6.12
Metals	Manganese	μg/L	F		3.63	2	50	EPA Secondary MCL	2.00
Metals	Mercury	μg/L	F		0.03	0.06	2	EPA Primary MCL	0.06
Metals	Mercury	μg/L	UF		0.04	0.06	2	EPA Primary MCL	0.06
Metals	Molybdenum	μg/L	F		4.30	2	1000	NM GW Std	2.00
Metals	Nickel	μg/L	F		29.00	1	100	EPA Primary MCL	1.00
Metals	Potassium	mg/L	F	10.03	10.00	0.05			10.03
Metals	Selenium	μg/L	F		1.25	6	50	NM GW Std	6.00
Metals	Selenium	μg/L	UF		8.50	6	50	NM GW Std	6.00
Metals	Silver	μg/L	F		0.50	1	50	NM GW Std	1.00
Metals	Silver	μg/L	UF		0.50	1			1.00
Metals	Sodium	mg/L	F	12.19	11.10	0.045			12.19
Metals	Strontium	μg/L	F	154.76	140.00	1	25000	EPA Secondary MCL	154.76
Metals	Thallium	μg/L	F		0.50	1	2	EPA Primary MCL	1.00
Metals	Tin	μg/L	F		1.25	3.26			3.26
Metals	Titanium	μg/L	F	8.96	9.00	1			8.96
Metals	Uranium	μg/L	F	0.72	0.60	0.2	30	NM GW Std	0.72
Metals	Vanadium	μg/L	F	4.91	4.00	1	80	EPA Secondary MCL	4.91
Metals	Zinc	μg/L	F		19.00	2	5000	EPA Secondary MCL	2.00

Table 4.3-3b (continued)

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
RAD	Americium-241	pCi/L	UF/F		0.11	0.044	1.2	DOE 4 mrem DCG	0.04
RAD	Cesium-137	pCi/L	UF/F		0.76	5.8	120	DOE 4 mrem DCG	5.80
RAD	Plutonium-238	pCi/L	UF/F		0.01	0.06	1.6	DOE 4 mrem DCG	0.06
RAD	Strontium-90	pCi/L	UF/F		0.05	0.287	8	EPA Primary MCL	0.29
RAD	Tritium	pCi/L	UF		7.54	0.861	20000	EPA Primary MCL	7.54
RAD	Uranium-234	pCi/L	UF/F		0.26	0.178	20	DOE 4 mrem DCG	0.18
RAD	Uranium-238	pCi/L	UF/F		0.20	0.19	24	DOE 4 mrem DCG	0.19

a n/a = not applicable

NM GW Std = New Mexico Water Quality Control Commission Standards for Ground Water, 20.6.2.3103 NMAC

EPA Primary MCL = National Primary Drinking Water Regulations, 40CFR120, Part 141

EPA Secondary MCL = National Secondary Drinking Water Regulations, 40CFR120, Part 143

DOE 4 mrem DCG = Department of Energy Derived Concentration Guides for Drinking Water (1990), DOE Order 5400.5

Table 4.3-3c
UTLs, Maximum Values, and Screening Values for Regional Groundwater

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Field	pH	SU	UF	7.00 / 8.65	8.96	n/a ^a			7.00 / 8.65
Field	Specific Conductance	uS/cm	UF	237.50	532.00	n/a			237.50
General	Alkalinity- HCO3+CO3	mg/L	F	105.14	152.00	1.50			105.14
General	Ammonia as N	mg/L	F		0.25	0.04			0.04
General	Bicarbonate	mg/L	F	108.85	132.00	1.50			108.85
General	Bromide	mg/L	F		0.18	0.066			0.07
General	Carbonate	mg/L	F		7.20	1.00			1.00
General	Chloride	mg/L	F	3.75	7.56	0.066	250	NM GW Std	3.75
General	Fluoride	mg/L	F	0.53	0.63	0.0553	1.6	NM GW Std	0.53
General	Nitrate as N	mg/L	F		0.54	0.017	10	NM GW Std	0.02
General	Nitrate+Nitrite as N	mg/L	F	0.75	1.05	0.017	10	NM GW Std	0.75
General	Nitrite as N	mg/L	F		0.00	0.002	10	NM GW Std	0.00
General	Perchlorate	μg/L	F	0.44	0.44	0.05	4	NM Consent Order Screening Value	0.44
General	Perchlorate	μg/L	UF		0.44	0.05	4	NM Consent Order Screening Value	0.05
General	Silicon Dioxide	mg/L	F	98.98	94.10	0.032			98.98
General	Sulfate	mg/L	F	6.22	8.63	0.193	250	EPA Secondary MCL	6.22
General	Total Dissolved Solids	mg/L	F	182.54	225.00	6.29	500	EPA Secondary MCL	182.54
General	Total Kjeldahl Nitrogen	mg/L	F		1.00	0.04			0.04
General	Total Organic Carbon	mg/L	F		0.46	0.46			0.46
General	Total Organic Carbon	mg/L	UF		1.37	0.46			0.46
General	Total Phosphate as P	mg/L	F		0.34	0.048			0.05
Metals	Aluminium	μg/L	F		73.50	68	500	EPA Secondary MCL	68.00
Metals	Antimony	μg/L	F		1.00	0.5	6	EPA Primary MCL	0.50
Metals	Arsenic	μg/L	F		16.30	6	10	EPA Primary MCL	6.00
Metals	Barium	μg/L	F	69.20	115.00	1	1000	NM GW Std	69.20
Metals	Beryllium	μg/L	F		0.50	1	4	EPA Primary MCL	1.00
Metals	Boron	μg/L	F	41.23	86.10	10	750	NM GW Std	41.23
Metals	Cadmium	μg/L	F		0.50	1	5	EPA Primary MCL	1.00
Metals	Calcium	mg/L	F	24.12	41.70	0.01			24.12
Metals	Chromium	μg/L	F	6.62	7.31	1	50	NM GW Std	6.62
Metals	Cobalt	μg/L	F		7.00	0.5	50	NM GW Std	0.50
Metals	Copper	μg/L	F		62.20	3	1000	NM GW Std	3.00
Metals	Iron	μg/L	F		915.00	20.6	300	EPA Secondary MCL	20.60

Table 4.3-3c (continued)

Group	Constituent	Unit	Filtration	UTL	Maximum Value	Maximum Detection Limit	Standard	Standard Type	Screening Value
Metals	Lead	μg/L	F		4.60	0.5	15	EPA Screening Level	0.50
Metals	Lithium	μg/L	F	32.16	25.00	1			32.16
Metals	Magnesium	mg/L	F	4.81	4.87	0.01			4.81
Metals	Manganese	μg/L	F		220.00	2	50	EPA Secondary MCL	2.00
Metals	Mercury	μg/L	F		0.26	0.06	2	EPA Primary MCL	0.06
Metals	Mercury	μg/L	UF		0.10	0.06	2	EPA Primary MCL	0.06
Metals	Molybdenum	μg/L	F	3.82	5.80	2	1000	NM GW Std	3.82
Metals	Nickel	μg/L	F		50.00	1	100	EPA Primary MCL	1.00
Metals	Potassium	mg/L	F	3.14	3.11	0.05			3.14
Metals	Selenium	μg/L	F		4.60	6	50	NM GW Std	6.00
Metals	Selenium	μg/L	UF		4.99	6	50	NM GW Std	6.00
Metals	Silver	μg/L	F		2.50	1	50	NM GW Std	1.00
Metals	Silver	μg/L	UF		2.50	1			1.00
Metals	Sodium	mg/L	F	28.55	33.20	0.045			28.55
Metals	Strontium	μg/L	F	179.84	477.00	1	25000	EPA Secondary MCL	179.84
Metals	Thallium	μg/L	F		0.83	1	2	EPA Primary MCL	1.00
Metals	Tin	μg/L	F		3.60	3.26			3.26
Metals	Titanium	μg/L	F		1.00	1			1.00
Metals	Uranium	μg/L	F	1.52	7.80	0.2	30	NM GW Std	1.52
Metals	Vanadium	μg/L	F	25.58	62.70	1	80	EPA Secondary MCL	25.58
Metals	Zinc	μg/L	F		41.10	2	5000	EPA Secondary MCL	2.00
RAD	Americium-241	pCi/L	UF/F		0.16	0.044	1.2	DOE 4 mrem DCG	0.04
RAD	Cesium-137	pCi/L	UF/F		8.00	5.8	120	DOE 4 mrem DCG	5.80
RAD	Gross-Alpha Radiation	pCi/L	UF/F		14.50	2.98	15	EPA Screening Level	2.98
RAD	Gross-Beta Radiation	pCi/L	UF/F		14.10	3.3	50	EPA Screening Level	3.30
RAD	Gross-Gamma Radiation	pCi/L	UF/F		219.50	481			481.00
RAD	Plutonium-238	pCi/L	UF/F		0.03	0.06	1.6	DOE 4 mrem DCG	0.06
RAD	Strontium-90	pCi/L	UF/F		4.49	0.48	8	EPA Primary MCL	0.48
RAD	Tritium	pCi/L	UF		11.43	0.861	20000	EPA Primary MCL	0.86
RAD	Uranium-234	pCi/L	UF/F	1.34	3.40	0.178	20	DOE 4 mrem DCG	1.34
RAD	Uranium-238	pCi/L	UF/F	0.74	2.14	0.19	24	DOE 4 mrem DCG	0.74

a n/a = not applicable

NM GW Std = New Mexico Water Quality Control Commission Standards for Ground Water, 20.6.2.3103 NMAC

EPA Primary MCL = National Primary Drinking Water Regulations, 40CFR120, Part 141

EPA Secondary MCL = National Secondary Drinking Water Regulations, 40CFR120, Part 143

DOE 4 mrem DCG = Department of Energy Derived Concentration Guides for Drinking Water (1990), DOE Order 5400.5

Table 4.5-1
Correlation Coefficients for Major Anions, Major Cations, and Trace Elements

Variable	HCO3	В	Ba	Ca	CI	Cr	F	K	Mg	Na	NO3	pН	Si	SO4	Sr	U	V	TDS
HCO3	1.00	0.88	0.32	0.29	0.65	0.10	0.58	0.21	-0.30	0.94	0.27	0.20	-0.66	0.91	0.81	0.72	0.15	0.91
В	0.88	1.00	0.25	0.14	0.81	0.07	0.66	0.11	-0.38	0.91	0.16	0.33	-0.60	0.88	0.63	0.65	0.04	0.88
Ва	0.32	0.25	1.00	0.58	0.23	0.22	0.16	0.70	0.46	0.16	0.05	-0.41	0.31	0.17	0.57	0.33	0.40	0.33
Ca	0.29	0.14	0.58	1.00	0.23	0.07	-0.03	0.59	0.57	0.06	0.15	-0.47	0.14	0.23	0.72	0.46	0.48	0.25
CI	0.65	0.81	0.23	0.23	1.00	-0.17	0.69	0.04	-0.16	0.71	-0.01	0.18	-0.33	0.77	0.49	0.54	-0.08	0.84
Cr	0.10	0.07	0.22	0.07	-0.17	1.00	-0.15	0.30	0.12	0.07	0.64	-0.08	0.16	0.04	0.06	0.41	0.62	0.02
F	0.58	0.66	0.16	-0.03	0.69	-0.15	1.00	0.03	-0.44	0.66	-0.25	0.14	-0.46	0.58	0.41	0.31	-0.03	0.67
K	0.21	0.11	0.70	0.59	0.04	0.30	0.03	1.00	0.56	-0.01	-0.07	-0.50	0.40	-0.07	0.47	0.10	0.54	0.20
Mg	-0.30	-0.38	0.46	0.57	-0.16	0.12	-0.44	0.56	1.00	-0.50	-0.01	-0.67	0.75	-0.42	0.03	-0.09	0.23	-0.20
Na	0.94	0.91	0.16	0.06	0.71	0.07	0.66	-0.01	-0.50	1.00	0.25	0.38	-0.73	0.93	0.65	0.69	0.08	0.90
NO3+NO2-N	0.27	0.16	0.05	0.15	-0.01	0.64	-0.25	-0.07	-0.01	0.25	1.00	0.11	-0.20	0.34	0.18	0.60	0.39	0.16
pН	0.20	0.33	-0.41	-0.47	0.18	-0.08	0.14	-0.50	-0.67	0.38	0.11	1.00	-0.51	0.34	-0.18	0.03	-0.15	0.10
Si as SiO2	-0.66	-0.60	0.31	0.14	-0.33	0.16	-0.46	0.40	0.75	-0.73	-0.20	-0.51	1.00	-0.72	-0.43	-0.44	0.19	-0.49
SO4	0.91	0.88	0.17	0.23	0.77	0.04	0.58	-0.07	-0.42	0.93	0.34	0.34	-0.72	1.00	0.71	0.77	0.02	0.88
Sr	0.81	0.63	0.57	0.72	0.49	0.06	0.41	0.47	0.03	0.65	0.18	-0.18	-0.43	0.71	1.00	0.71	0.33	0.71
U	0.72	0.65	0.33	0.46	0.54	0.41	0.31	0.10	-0.09	0.69	0.60	0.03	-0.44	0.77	0.71	1.00	0.46	0.68
٧	0.15	0.04	0.40	0.48	-0.08	0.62	-0.03	0.54	0.23	0.08	0.39	-0.15	0.19	0.02	0.33	0.46	1.00	0.05
TDS	0.91	0.88	0.33	0.25	0.84	0.02	0.67	0.20	-0.20	0.90	0.16	0.10	-0.49	0.88	0.71	0.68	0.05	1.00

Note: Italicized correlations are significant at p < .05000; N=34

Table 4.5-2 Principal Component Loadings

	PC 1	PC2	PC3
Bicarbonate (HCO ₃ -)	0.93	0.08	0.19
Boron (B)	0.93	-0.03	0.06
Barium (Ba)	0.25	0.80	0.11
Calcium (Ca)	0.24	0.80	0.20
Chloride (CI)	0.82	0.10	-0.19
Chromium (Cr)	-0.07	0.13	0.85
Fluoride (F)	0.75	-0.02	-0.31
Potassium (K)	0.06	0.85	0.11
Magnesium (Mg)	-0.42	0.78	0.04
Sodium (Na)	0.95	-0.15	0.16
Nitrate (NO ₃ +NO ₂₋ N)	0.13	-0.11	0.88
рН	0.27	-0.73	0.07
Silica (Si as SiO ₂)	-0.71	0.54	-0.06
Sulfate (SO ₄)	0.95	-0.10	0.18
Strontium (Sr)	0.76	0.50	0.16
Uranium (U)	0.70	0.17	0.58
Vanadium(V)	0.04	0.45	0.67
Eigenvalues	6.7	3.982726	2.619209
Percentage of Total Variance Explained by PC	39.6%	23.4%	15.4%

Note: Factor loadings from Varimax normalized rotation.

Note: Numbers italicized and in bold are loadings that are >0.70

Table 4.6-1
Analytical Results (ppm) for Selected Springs and Wells within the Sierra de los Valles

Date	Spring or Well	Al	Alkalinity (mg CaCO ₃ /L)	Ва	Ca	CI	F	Fe	K	Mg	Mn	Na	NH ₄	NO ₃ (N)	PO ₄ (P)	SO ₄	Sr	TDS
June 2000	Water Canyon Gallery	0.012	41.1	0.009	7.04	0.91	0.07	0.03	1.58	3.13	[0.001]	5.6	[0.02]	0.36	[0.02]	1.14	0.049	113 ^a
	Cañon de Valle-5.0	0.042	51.6	0.028	12.2	1.24	0.06	0.07	2.86	3.31	0.015	4.9	0.03	0.35	0.14	3.36	0.088	134 ^a
	Pine Spring	0.12	64.2	0.059	18.3	2.98	0.10	0.16	5.55	4.15	0.32	6.4	0.12	0.27	0.33	16.5	0.12	181 ^a
	Apache Spring	0.045	55.0	0.072	13.2	16.9	0.05	0.08	4.56	5.02	0.009	10.4	[0.02]	0.26	0.03	5.26	0.11	178 ^a
7/11/05 (UF)	Water Canyon Gallery	0.0034	40.7	0.0016	7.08	0.99	0.04	0.001	1.65	3.47	[0.001]	5.82	N/A	0.26	0.019	2.96	0.055	97 ^b
7/11/05 (UF)	Cañon de Valle-5.0	0.021	34.7	0.035	9.86	3.2	0.05	0.001	3.62	3.79	[0.001]	5.93	N/A	0.76	0.055	14.2	0.089	N/A
8/03/06 (F)	LAOB	0.068	76	0.0386	17.3	7.36	0.143	0.026	3.82	4.96	[0.002]	11.6	0.067	0.102	0.04	5.55	0.111	139

Note: [0.001] means less than detection with the method detection limit given in brackets. UF= unfiltered. F=Filtered

^a Concentrations of total dissolved solids (TDS) were calculated from the summation of solutes.

^b Data from 8/26/03.




Table A-1
Post-1997 Samples and Types of Analyses

							. cot ico. campios	and Types of Analyses											
Location	Prep	Type	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	Н	Turbidity (NTU)
Apache Spring	filtered	sample	5/7/1997	1	PP97-07	PP97-7	PP97-7 filtered	naª	O _p	x ^b	0	Х	0	0	х	8.3	199	7.27	0
Apache Spring	filtered	original	8/6/1997	2	PP97-29	0816-97-1043	0816-97-1043 filtered	3513R, 3514R	О	Х	х	0	0	Х	Х	8.6	d	7.26	_
Apache Spring	filtered		8/6/1997	2	PP97-30	0816-97-1044	0816-97-1044 filtered	3513R, 3514R	О	Х	х	0	0	Х	Х	8.6	_	7.26	_
Apache Spring	filtered	sample	8/6/1997	2	PP97-30	PP97-30	PP97-30 filtered	(lab sample #0816-97-1044)	0	Х	0	Х	0	0	Х	8.6	_	7.26	_
Apache Spring	filtered	sample	2/9/1998	3	PP98-05	0816-98-0009	0816-98-0009 filtered	4094R, 4095R, 4097R	х	Х	х	0	Х	Х	х	6.5	165	7.96	5
Apache Spring	filtered	sample	7/1/1998	5	PP98-20	RE16-98-9025	RE16-98-9025 filtered	4384, 4385R, 4387R	х	Х	х	0	Х	Х	х	9.1	130	7.32	23.8
Apache Spring	filtered	duplicate	1/5/2000	7	PP00-1	CABG-00-0012	CABG-00-0012 filtered	6303R, 6304R, 6302R	х	Х	0	0	0	0	х	6	135	9.15	3.1
Apache Spring	filtered	original	1/5/2000	7	PP00-2	CABG-00-0013	CABG-00-0013 filtered	6303R, 6304R, 6302R	х	Х	0	0	0	0	х	6	135	9.15	3.1
Apache Spring	filtered	sample	3/29/2000	8	PP00-16	CABG-00-0047	CABG-00-0047 filtered	6635R, 6634R, 6637R, 6636R	х	0	0	0	0	0	Х	7.6	280	7.33	7.3
Doe Spring	filtered	sample	4/22/1997	1	PP97-01	PP97-1	PP97-1 filtered	_	0	Х	0	Х	0	0	х	17.5	_	8.19	_
Doe Spring	filtered	sample	8/18/1997	2	PP97-36	0816-97-1051	0816-97-1051 filtered	3586R	0	Х	Х	0	0	Х	х	20.2	51	8.27	0
Doe Spring	filtered	sample	2/3/1998	3	PP98-01	0816-98-0002	0816-98-0002 filtered	4079R,4082R	х	Х	х	0	Х	Х	х	13.8	120	8.12	15.3
Doe Spring	filtered	sample	9/23/1998	6	PP98-31	RE16-98-9006	RE16-98-9006 filtered	4695R, 4696R	х	Х	х	0	Х	Х	Х	21	167	7.71	_
Doe Spring	filtered	duplicate	1/7/2000	7	PP00-7	CABG-00-0018	CABG-00-0018 filtered	6320R, 6319R, 6321R	х	Х	0	0	0	0	х	12.2	135	8.54	3.5
Doe Spring	filtered	original	1/7/2000	7	PP00-8	CABG-00-0019	CABG-00-0019 filtered	6320R, 6319R, 6321R	х	Х	0	0	0	0	х	12.2	135	8.54	3.5
Doe Spring	filtered	sample	4/6/2000	8	PP00-36	CABG-00-0059	CABG-00-0059 filtered	6700R, 6699R, 6698R, 6701R	х	0	0	0	0	0	х	15.7	80	6.89	7.4
Guaje #5	filtered	original	5/29/1997	1	PP97-18	PP97-18	PP97-18 filtered	_	0	Х	0	Х	0	0	х	26.8	186	7.86	_
Guaje #5	filtered	duplicate	5/29/1997	1	PP97-19	PP97-19	PP97-19 filtered	_	О	Х	0	Х	0	0	Х	26.8	186	7.86	_
Guaje #5	filtered	sample	8/19/1997	2	PP97-37	0816-97-1100	0816-97-1100 filtered	3603R	0	Х	х	0	0	Х	х	26.4	216	6.81	0
Guaje #5	filtered	sample	9/28/1998	6	PP98-34	RE16-98-9010	RE16-98-9010 filtered	4714R, 4715R, 4716R	х	Х	Х	0	Х	Х	х	24.2	190	8.11	0.55
LAO-B	filtered	sample	5/14/1997	1	PP97-13	PP97-13	PP97-13 filtered	_	0	Х	0	Х	0	0	х	4.8	105	6.64	0
LAO-B	filtered	original	8/1/1997	2	PP97-21	0816-97-1029	0816-97-1029 filtered	3481R, 3482R	0	Х	Х	0	0	Х	х	9.6	98	6.79	1
LAO-B	filtered	duplicate	8/1/1997	2	PP97-22	0816-97-1030	0816-97-1030 filtered	3481R, 3482R	0	х	х	0	0	Х	Х	9.6	98	6.79	1
LAO-B	filtered	sample	8/1/1997	2	PP97-22	PP97-22	PP97-22 filtered	(lab sample #0816-97-1030 filtered)	0	0	0	Х	0	0	х	9.6	98	6.79	1
LAO-B	filtered	sample	2/24/1998	3	PP98-11	0816-98-0049	0816-98-0049 filtered	4131R, 4132R, 4134R	х	Х	х	0	Х	Х	х	4.4	90	6.91	4.1
LAO-B	filtered	sample	10/2/1998	6	PP98-35	RE16-98-9023	RE16-98-9023 filtered	4817R, 4818R	х	Х	х	0	Х	Х	х	9.8	140	6.83	0.6
LAO-B	filtered	original	1/10/2000	7	PP00-10	CABG-00-0021	CABG-00-0021 filtered	6326R, 6325R, 6327R	х	Х	0	0	0	0	х	5.7	105	7.59	4.8
LAO-B	filtered	duplicate	1/10/2000	7	PP00-11	CABG-00-0022	CABG-00-0022 filtered	6326R, 6325R, 6327R	х	0	0	0	0	0	Х	5.7	105	7.59	4.8
LAO-B	filtered	sample	3/24/2000	8	PP00-14	CABG-00-0046	CABG-00-0046 filtered	6607R, 6609R, 6608R, 6606R	х	0	0	0	0	0	Х	3.5	79	6.93	3
LAOI-1.1(A)	filtered		5/9/1997	1	PP97-10	PP97-10	PP97-10 filtered	_	0	х	0	Х	0	0	Х	9.7	114	6.82	0
LAOI-1.1(A)	filtered	original	5/9/1997	1	PP97-09	PP97-9	PP97-9 filtered	_	О	Х	0	Х	0	0	Х	9.7	114	6.82	0
LAOI-1.1(A)	filtered	sample	9/5/1997	2	PP97-39	0816-97-1096	0816-97-1096 filtered	3699R, 3700R	О	х	х	0	0	Х	Х	10.3	109	7.01	4
LAOI-1.1(A)	filtered	sample	2/25/1998	3	PP98-12	0816-98-0051	0816-98-0051 filtered	4136R, 4137R, 4139R	х	х	х	0	х	Х	Х	8.7	100	6.68	27.2

EP2006-1078 A-1 August 2006

								(commusu)											
Location	Prep	Туре	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	Hd	Turbidity (NTU)
LAOI-1.1(A)	filtered	sample	10/14/1998	6	PP98-37	PP98-37	PP98-37 filtered	(lab sample #RE16-98-9021 filtered)	0	0	0	Х	0	0	х	12.8	95	7.3	>30
LAOI-1.1(A)	filtered	original	10/14/1998	6	PP98-36	RE16-98-9020	RE16-98-9020 filtered	4886R, 4887R, 4888R	Х	Х	х	0	х	Х	х	12.8	95	7.3	>30
LAOI-1.1(A)	filtered	duplicate	10/14/1998	6	PP98-37	RE16-98-9021	RE16-98-9021 filtered	4886R, 4887R, 4888R	Х	Х	Х	0	Х	Х	Х	12.8	95	7.3	>30
LAOI-1.1(A)	filtered	sample	1/20/2000	7	PP00-12	CABG-00-0025	CABG-00-0025 filtered	6368R, 6370R	Х	Х	0	0	0	0	Х	9	120	7.4	19.6
LAOI-1.1(A)	filtered	sample	4/13/2000	8	PP00-44	CABG-00-0061	CABG-00-0061 filtered	6744R, 6743R, 6745R, 6742R	Х	0	0	0	0	0	Х	11.9	70	6.85	12.8
Otowi #4	filtered	original	5/29/1997	1	PP97-16	PP97-16	PP97-16 filtered	_	0	х	0	Х	0	0	х	27.9	306	6.92	_
Otowi #4	filtered	duplicate	5/29/1997	1	PP97-17	PP97-17	PP97-17 filtered	_	0	Х	0	Х	0	0	х	27.9	306	6.92	_
Otowi #4	filtered	sample	8/19/1997	2	PP97-38	0816-97-1098	0816-97-1098 filtered	3603R	0	х	х	0	0	Х	х	27.9	219	7.4	0
Otowi #4	filtered	sample	2/26/1998	3	PP98-13	0816-98-0041	0816-98-0041 filtered	4140R, 4143R	Х	х	х	0	х	Х	х	26.1	290	7.58	1.4
Otowi #4	filtered	sample	9/28/1998	6	PP98-33	RE16-98-9012	RE16-98-9012 filtered	4714R, 4715R, 4716R	Х	х	х	0	Х	Х	х	27.5	285	7.45	0.6
Pine Spring	filtered	sample	5/7/1997	1	PP97-06	PP97-6	PP97-6 filtered	_	0	х	0	Х	0	0	х	6.8	100	5.81	0
Pine Spring	filtered	original	8/4/1997	2	PP97-24	0816-97-1034	0816-97-1034 filtered	3484R, 3485R	0	х	х	0	0	Х	х	12.5	146	6.46	0
Pine Spring	filtered	duplicate	8/4/1997	2	PP97-25	PP97-25	PP97-25 filtered	(lab sample #0816-97-1034)	О	х	0	Х	0	0	х	12.5	146	6.46	0
Pine Spring	filtered	sample	2/10/1998	3	PP98-06	0816-98-0039	0816-98-0039 filtered	4102R, 4103R, 4105R	х	х	х	0	х	Х	х	3.6	70	6.78	41.7
Pine Spring	filtered	sample	7/14/1998	5	PP98-29	RE16-98-9033	RE16-98-9033 filtered	4435R, 4436R, 4437R	Х	х	х	0	Х	Х	х	12.7	80	6.34	17.8
Pine Spring	filtered	sample	1/6/2000	7	PP00-6	CABG-00-0017	CABG-00-0017 filtered	6313R, 6312R, 6314R	Х	х	0	0	0	0	х	4.8	60	8.44	43.2
Pine Spring	filtered	sample	3/30/2000	8	PP00-23	CABG-00-0051	CABG-00-0051 filtered	6642R, 6641R, 6644R, 6643R	х	0	0	0	0	0	х	6.8	70	6.69	44.9
Pine Spring	filtered	sample	3/30/2000	8	PP00-26	CABG-00-0052	CABG-00-0052 filtered	6649R, 6648R, 6651R	Х	0	0	0	0	0	х	6.8	70	6.69	44.9
Pine Spring NMED	filtered	NMED	7/14/1998	5	PP98-30	PP98-30	PP98-30 filtered	_	0	0	0	Х	0	0	х	9.8	_	7.14	_
Rio Grande	filtered	sample	4/22/1997	1	PP97-03	PP97-3	PP97-3 filtered	_	0	х	0	Х	0	0	х	12.6	_	8.34	_
Seven Springs	filtered	sample	4/27/1997	1	PP97-05	PP97-5	PP97-5 filtered	_	0	х	0	Χ	0	0	х	12.4	83	7.49	0
Seven Springs	filtered	original	8/7/1997	2	PP97-32	0816-97-1048	0816-97-1048 filtered	3536R, 3537R	0	х	х	0	0	Х	х	11.7	_	7.33	_
Seven Springs	filtered	duplicate	8/7/1997	2	PP97-33	0816-97-1049	0816-97-1049 filtered	3536R, 3537R	0	х	х	0	0	Х	х	11.7	_	7.33	_
Seven Springs	filtered	sample	8/7/1997	2	PP97-33	PP97-33	PP97-33 filtered	(lab sample #0816-97-1049)	0	0	0	Х	0	0	х	11.7	_	7.33	_
Seven Springs	filtered	sample	2/10/1998	3	PP98-07	0816-98-0037	0816-98-0037 filtered	4102R, 4105R	х	х	х	0	х	Х	х	10.5	120	7.5	1.1
Seven Springs	filtered	sample	7/6/1998	5	PP98-22	RE16-98-9037	RE16-98-9037 filtered	4395R, 4396R, 4397R	Х	х	х	0	Х	Х	х	10.7	100	7.51	2.7
Seven Springs	filtered	sample	12/20/1999	7	PP99-6	CABG-99-0008	CABG-99-0008 filtered	6288R, 6287R, 6289R	Х	х	0	0	0	0	х	11.1	105	8.39	1.4
Seven Springs	filtered	sample	3/29/2000	8	PP00-18	CABG-00-0048	CABG-00-0048 filtered	6635R, 6634R, 6637R, 6636R	х	0	0	0	0	0	х	10.8	110	7.22	3
Spring 1	filtered	sample	5/21/1997	1	PP97-14	PP97-14	PP97-14 filtered	_	О	х	0	Х	0	0	х	16.8	218	7.43	0
Spring 1	filtered	sample	8/5/1997	2	PP97-26	0816-97-1037	0816-97-1037 filtered	3489R, 3490R	0	х	х	0	0	Х	x	17.3	_	6.5	_
Spring 1	filtered	sample	4/7/1998	4	PP98-14	0816-98-0045	0816-98-0045 filtered	4204R, 4207R	Х	х	х	0	Х	Х	x	15.6	215	7.99	5.4
Spring 1	filtered	sample	7/7/1998	5	PP98-24	PP98-24	PP98-24 filtered	(lab sample #RE16-98-9018 filtered)	0	0	0	Х	0	0	x	17.6	190	7.81	2.6
Spring 1	filtered	original	7/7/1998	5	PP98-23	RE16-98-9017	RE16-98-9017 filtered	4403R, 4405R	Х	Х	Х	0	Х	Х	Х	17.6	190	7.81	2.6
Spring 1	filtered	duplicate	7/7/1998	5	PP98-24	RE16-98-9018	RE16-98-9018 filtered	4403R, 4405R	Х	Х	Х	0	Х	Х	Х	17.6	190	7.81	2.6
Spring 1	filtered	sample	12/16/1999	7	PP99-3	CABG-99-0005	CABG-99-0005 filtered	6266R, 6265R, 6267R	Х	Х	0	0	0	0	Х	15.2	220	8.23	4.6
Spring 1	filtered	sample	4/4/2000	8	PP00-32	CABG-00-0055	CABG-00-0055 filtered	6678R, 6676R, 6677R, 6679R	Х	0	0	0	0	0	Х	18.5	150	7.26	10.3
Spring 9B	filtered	sample	4/22/1997	1	PP97-02	PP97-2	PP97-2 filtered	_	0	Х	0	Х	0	0	Х	20.1	_	7.82	_
Spring 9B	filtered	sample	8/18/1997	2	PP97-35	0816-97-1053	0816-97-1053 filtered	3586R	0	Х	Х	0	0	Х	Х	20.5	225	7.85	_
Spring 9B	filtered	sample	2/3/1998	3	PP98-02	0816-98-0004	0816-98-0004 filtered	4079R, 4080R, 4082R	х	х	х	0	Χ	Х	Х	19.4	130	7.73	0.5

							Table A-1	(continued)											
Location	Prep	Туре	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	pH	Turbidity (NTU)
Spring 9B	filtered	sample	9/23/1998	6	PP98-32	RE16-98-9008	RE16-98-9008 filtered	4695R, 4696R	х	х	х	0	Х	х	х	20.5	111	7.26	_
Spring 9B	filtered	sample	1/7/2000	7	PP00-9	CABG-00-0020	CABG-00-0020 filtered	6320R, 6319R, 6321R	х	Х	0	0	0	0	х	18.5	145	8.54	1.6
Spring 9B	filtered	sample	4/6/2000	8	PP00-38	CABG-00-0060	CABG-00-0060 filtered	6700R, 6699R, 6698R, 6701R	Х	0	0	0	0	0	Х	20	100	6.44	0.7
Upper Cañon de Valle																			
Spring	filtered	original	5/13/1997	1	PP97-11	PP97-11	PP97-11 filtered	_	0	Х	0	Х	0	0	Х	8.9	70	7.33	0
Upper Cañon de Valle	CII I	J P (.	5/40/4007		DD07.40	DD07.40	DD07.40.50									0.0	70	7.00	
Spring Upper Cañon de Valle	filtered	auplicate	5/13/1997	1	PP97-12	PP97-12	PP97-12 filtered	_	0	Х	0	Х	0	0	Х	8.9	70	7.33	0
Spring	filtered	sample	8/4/1997	2	PP97-23	0816-97-1032	0816-97-1032 filtered	3484R, 3485R	0	х	х	0	0	х	х	8.2	94	7.3	0
Upper Cañon de Valle		·																	
Spring	filtered	sample	2/23/1998	3	PP98-10	0816-98-0035	0816-98-0035 filtered	3979R, 4127R, 4128R, 4130R	Х	Х	х	0	Χ	Х	Х	6.7	80	8.04	1.4
Upper Cañon de Valle Spring	filtered	sample	7/1/1998	5	PP98-19	RE16-98-9029	RE16-98-9029 filtered	4384R, 4385R, 4387R	х	х	х	0	х	х	х	7.3	65	7.76	4.6
Upper Cañon de Valle Spring	filtered	sample	1/5/2000	7	PP00-4	CABG-00-0015	CABG-00-0015 filtered	6309R, 6308R, 6310R	х	х	0	0	0	0	х	6.8	90	8.74	2.2
Upper Cañon de Valle Spring	filtered	sample	4/5/2000	8	PP00-34	CABG-00-0058	CABG-00-0058 filtered	6694R, 6693R, 6692R, 6695R	х	0	0	0	0	0	х	7.2	70	6.41	4.8
Water Canyon Gallery	filtered	sample	5/7/1997	1	PP97-08	PP97-8	PP97-8 filtered	_	0	х	0	Х	0	0	х	11.3	104	7.42	0
Water Canyon Gallery	filtered	sample	8/6/1997	2	PP97-28	0816-97-1041	0816-97-1041 filtered	3513R, 3514R	0	х	х	0	0	Х	х	11.2	_	7.21	_
Water Canyon Gallery	filtered	original	2/9/1998	3	PP98-03	0816-98-0006	0816-98-0006 filtered	4094R, 4095R, 4097R	х	х	х	0	Х	Х	х	11.1	90	7.74	1.8
Water Canyon Gallery	filtered	duplicate	2/9/1998	3	PP98-04	0816-98-0007	0816-98-0007 filtered	4094R, 4095R, 4097R	х	х	х	0	Х	Х	х	11.1	90	7.74	1.8
Water Canyon Gallery	filtered	sample	2/9/1998	3	PP98-04	PP98-4	PP98-4 filtered	(lab sample #0816-98-0007 and -0054 filtered)	0	0	0	х	0	0	х	11.1	90	7.74	1.8
Water Canyon Gallery	filtered	sample	7/8/1998	5	PP98-28	RE16-98-9027	RE16-98-9027 filtered	4411R, 4412R, 4413R	х	х	х	0	х	х	х	10.8	65	7.23	1.7
Water Canyon Gallery	filtered	sample	1/5/2000	7	PP00-3	CABG-00-0014	CABG-00-0014 filtered	6309R, 6308R, 6310R	х	х	0	0	0	0	х	11.7	90	8.53	1.9
Water Canyon Gallery	filtered	original	3/30/2000	8	PP00-21	CABG-00-0049	CABG-00-0049 filtered	6642R, 6641R, 6644R, 6643R	х	0	0	0	0	0	х	11.3	70	7.4	1.2
Water Canyon Gallery	filtered	duplicate	3/30/2000	8	PP00-22	CABG-00-0050	CABG-00-0050 filtered	6642R, 6641R, 6644R, 6643R	х	0	0	0	0	0	х	11.3	70	7.4	1.2
Apache Spring	nonfiltered	sample	5/7/1997	1	PP97-07	PP97-7	PP97-7 nonfiltered	_	0	х	0	0	0	0	х	8.3	199	7.27	0
Apache Spring	nonfiltered	sample	8/6/1997	2	PP97-29	0816-97-1042	0816-97-1042 nonfiltered	3514R	0	Х	Х	0	0	Х	Х	8.6	_	7.26	_
Apache Spring	nonfiltered	sample	8/6/1997	2	PP97-29	PP97-29	PP97-29 nonfiltered	(lab sample #0816-97-1042 raw, -1043 filtered)	0	0	0	х	0	0	х	8.6	_	7.26	_
Apache Spring	nonfiltered	sample	2/9/1998	3	PP98-05	0816-98-0008	0816-98-0008 nonfiltered	4094R, 4096R, 4097R	Х	Х	Х	Х	Х	Х	Х	6.5	165	7.96	5
								(lab sample #0816-98-0008 raw,											
Apache Spring	nonfiltered	sample	2/9/1998	3	PP98-05	PP98-5	PP98-5 nonfiltered	-0009 filtered)	0	0	0	Х	0	0	Х	6.5	165	7.96	5
Apache Spring	nonfiltered	sample	7/1/1998	5	PP98-20	PP98-20	PP98-20 nonfiltered	(lab sample #RE16-98-9024 raw and 9025 filtered)	0	0	0	х	0	0	х	9.1	130	7.32	23.8
Apache Spring	nonfiltered	sample	7/1/1998	5	PP98-20	RE16-98-9024	RE16-98-9024 nonfiltered		Х	Х	Х	0	Х	Х	Х	9.1	130	7.32	23.8
Apache Spring	nonfiltered	original	1/5/2000	7	PP00-1	CABG-00-0001	CABG-00-0001 nonfiltered	, ,	0	0	0	Х	0	0	Х	6	135	9.15	3.1
Apache Spring	nonfiltered	duplicate	1/5/2000	7	PP00-2	CABG-00-0002	CABG-00-0002 nonfiltered		0	0	0	Х	0	0	Х	6	135	9.15	3.1
Apache Spring	nonfiltered	sample	3/29/2000	8	PP00-15	CABG-00-0029	CABG-00-0029 nonfiltered	6638R, 6640R	0	0	0	Х	0	0	Х	7.6	280	7.33	7.3
Doe Spring	nonfiltered	sample	4/22/1997	1	PP97-01	PP97-1	PP97-1 nonfiltered	_	0	Х	0	0	0	0	Х	17.5	_	8.19	_

EP2006-1078 A-3 February 2007

							1000711	(continued)											
Location	Prep	Туре	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	Hd	Turbidity (NTU)
Doe Spring	nonfiltered	sample	8/18/1997	2	PP97-36	0816-97-1050	0816-97-1050 nonfiltered	3586R	0	х	х	0	0	Х	х	20.2	51	8.27	0
Doe Spring Doe Spring	nonfiltered	sample sample	8/18/1997 2/3/1998	2	PP97-36 PP98-01	PP97-36 0816-98-0001	PP97-36 nonfiltered 0816-98-0001 nonfiltered	(lab sample #0816-97-1050 raw, -1051 filtered) 4079R,4081R, 4082R	0 X	o X	o x	x x	o X	o x	x x	20.2	51 120	8.27 8.12	0 15.3
Doe Spring	nonfiltered	sample	2/3/1998	3	PP98-01	PP98-1	PP98-1 nonfiltered	(lab sample #0816-98-0001 raw, -0002 filtered)	0	0	0	х	0	0	х	13.8	120	8.12	15.3
Doc oping	Hormitered	Sample	2/3/1990	3	1130-01	1130-1	11 30-1 Hornintered	(lab sample #RE16-98-9005 raw and			U	^	0	U	^	10.0	120	0.12	10.0
Doe Spring	nonfiltered	sample	9/23/1998	6	PP98-31	PP98-31	PP98-31 nonfiltered	-9006 filtered)	0	0	0	Х	0	0	Х	21	167	7.71	_
Doe Spring	nonfiltered	sample	9/23/1998	6	PP98-31	RE16-98-9005	RE16-98-9005 nonfiltered	4695R	Х	Х	Х	Х	Х	Х	Х	21	167	7.71	_
Doe Spring	nonfiltered	original	1/7/2000	7	PP00-7	CABG-00-0008	CABG-00-0008 nonfiltered	6324R, 6322R, 6323R	0	0	0	Х	0	0	Х	12.2	135	8.54	3.5
Doe Spring	nonfiltered	duplicate	1/7/2000	7	PP00-8	CABG-00-0009	CABG-00-0009 nonfiltered	6324R, 6322R, 6323R	0	0	0	Х	0	0	Х	12.2	135	8.54	3.5
Doe Spring	nonfiltered	sample	1/11/2000	7	PP99-2	CABG-00-0026	CABG-00-0026 nonfiltered	6337R, 6336R	0	0	0	Х	0	0	Х	_	_	6.5	_
Doe Spring	nonfiltered	sample	4/6/2000	8	PP00-35	CABG-00-0041	CABG-00-0041 nonfiltered	6702R, 6732R	0	0	0	Х	0	0	Х	15.7	80	6.89	7.4
Guaje #5	nonfiltered	sample	5/29/1997	1	PP97-18	PP97-18	PP97-18 nonfiltered	_	0	Χ	0	0	0	0	Х	26.8	186	7.86	_
Guaje #5	nonfiltered	sample	8/19/1997	2	PP97-37	0816-97-1099	0816-97-1099 nonfiltered	3603R	0	Χ	х	0	0	Х	Х	26.4	216	6.81	0
Guaje #5	nonfiltered	sample	8/19/1997	2	PP97-37	PP97-37	PP97-37 nonfiltered	(lab sample #0816-97-1099 raw, - 1100 filtered)	0	0	0	х	0	0	х	26.4	216	6.81	0
Guaje #5	nonfiltered	sample	9/28/1998	6	PP98-34	PP98-34	PP98-34 nonfiltered	(lab sample #RE16-98-9009 raw and -9010 filtered)	0	0	0	Х	0	О	х	24.2	190	8.11	0.55
Guaje #5	nonfiltered	sample	9/28/1998	6	PP98-34	RE16-98-9009	RE16-98-9009 nonfiltered	4714R, 4715R, 4717R, 4718R	Х	Х	х	Х	Х	Х	Х	24.2	190	8.11	0.55
LAO-B	nonfiltered	sample	5/14/1997	1	PP97-13	PP97-13	PP97-13 nonfiltered	_	0	Х	0	0	0	0	Х	4.8	105	6.64	0
LAO-B	nonfiltered	sample	8/1/1997	2	PP97-21	0816-97-1028	0816-97-1028 nonfiltered	3482R	0	Х	Х	0	0	Х	Х	9.6	98	6.79	1
LAO-B	nonfiltered	sample	8/1/1997	2	PP97-21	PP97-21	PP97-21 nonfiltered	(lab sample #0816-97-1028 raw, -1029 filtered)	0	0	0	х	0	0	х	9.6	98	6.79	1
LAO-B	nonfiltered	sample	2/24/1998	3	PP98-11	0816-98-0048	0816-98-0048 nonfiltered	4131R, 4133R, 4134R	Х	Х	Х	Х	Х	Х	Х	4.4	90	6.91	4.1
LAO-B	nonfiltered	sample	2/24/1998	3	PP98-11	PP98-11	PP98-11 nonfiltered	(lab sample #0816-98-0048 raw, -0049 filtered)	0	0	0	х	0	0	х	4.4	90	6.91	4.1
LAO-B	nonfiltered	sample	10/2/1998	6	PP98-35	PP98-35	PP98-35 nonfiltered	(lab sample #RE16-98-9022 raw and -9023 filtered)	0	0	0	х	0	0	х	9.8	140	6.83	0.6
LAO-B	nonfiltered	sample	10/2/1998	6	PP98-35	RE16-98-9022	RE16-98-9022 nonfiltered	4815R, 4816R, 4817R	Х	Х	Х	Х	Х	Х	Х	9.8	140	6.83	0.6
LAO-B	nonfiltered	sample	1/10/2000	7	PP00-10	CABG-00-0011	CABG-00-0011 nonfiltered	6330R, 6328R	0	0	0	Х	0	0	Х	5.7	105	7.59	4.8
LAO-B	nonfiltered	sample	1/10/2000	7	PP00-11	CABG-00-0022	CABG-00-0022 nonfiltered	_	0	Х	0	0	0	0	Х	5.7	105	7.59	4.8
LAO-B	nonfiltered	sample	1/10/2000	7	PP00-11	CABG-00-0023	CABG-00-0023 nonfiltered	,	0	0	0	Х	0	0	Х	5.7	105	7.59	4.8
LAO-B	nonfiltered	sample	3/24/2000	8	PP00-13	CABG-00-0028	CABG-00-0028 nonfiltered	6610R, 6612R	0	0	0	Х	0	0	Х	3.5	79	6.93	3
LAOI-1.1(A)		sample	5/9/1997	1	PP97-09	PP97-9	PP97-9 nonfiltered	_	0	Х	0	0	0	0	Х	9.7	114	6.82	0
LAOI-1.1(A)	nonfiltered	sample	9/5/1997	2	PP97-39	0816-97-1095	0816-97-1095 nonfiltered	3700R	0	Х	Х	0	0	Х	Х	10.3	109	7.01	4
LAOI-1.1(A)	nonfiltered	sample	9/5/1997	2	PP97-39	PP97-39	PP97-39 nonfiltered	(lab sample #0816-97-1095 raw, -1096 filtered)	0	0	0	Х	0	0	х	10.3	109	7.01	4
LAOI-1.1(A)	nonfiltered	sample	2/25/1998	3	PP98-12	0816-98-0050	0816-98-0050 nonfiltered	4136R, 4138R, 4139R	Х	Х	Х	Х	Х	Х	Х	8.7	100	6.68	27.2
LAOI-1.1(A)	nonfiltered	sample	2/25/1998	3	PP98-12	PP98-12	PP98-12 nonfiltered	(lab sample #0816-98-0050 raw, -0051 filtered)	0	0	0	х	0	0	х	8.7	100	6.68	27.2

								,											
Location	Prep	Туре	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	Hd	Turbidity (NTU)
LAOI-1.1(A)	nonfiltered	sample	10/14/1998	6	PP98-36	PP98-36	PP98-36 nonfiltered	(lab sample #RE16-98-9019 raw and -9020 filtered)	0	o	o	х	0	0	х	12.8	95	7.3	>30
LAOI-1.1(A)	nonfiltered	sample	10/14/1998	6	PP98-36	RE16-98-9019		4885R, 4886R, 4887R, 4889R, 4890R	X	х	х	X	х	х	X	12.8	95	7.3	>30
LAOI-1.1(A)	nonfiltered	sample	1/20/2000	7	PP00-12	CABG-00-0024	CABG-00-0024 nonfiltered		0	0	0	X	0	0	X	9	120	7.4	19.6
LAOI-1.1(A)	nonfiltered	sample	4/13/2000	8	PP00-43	CABG-00-0043	CABG-00-0043 nonfiltered	,	0	0	0	X	0	0	X	11.9	70	6.85	12.8
Otowi #4	nonfiltered	sample	5/29/1997	1	PP97-16	PP97-16	PP97-16 nonfiltered	<u> </u>	0	Х	0	0	0	0	X	27.9	306	6.92	_
Otowi #4	nonfiltered	sample	8/19/1997	2	PP97-38	0816-97-1097		3603R	0	Х	Х	0	0	Х	Х	27.9	219	7.4	0
Otom # 1	Tiorinitor ou	campio	0, 10, 100 1	_		0010071007	COTO OT TOOT HOMMESTON	(lab sample #0816-97-1097 raw,								27.0	2.0		
Otowi #4	nonfiltered	sample	8/19/1997	2	PP97-38	PP97-38	PP97-38 nonfiltered	-1098 filtered)	0	0	О	х	0	0	x	27.9	219	7.4	0
Otowi #4	nonfiltered	sample	2/26/1998	3	PP98-13	0816-98-0040	0816-98-0040 nonfiltered	4140R,4142R, 4143R	Х	х	Х	Х	Х	Х	х	26.1	290	7.58	1.4
Otowi #4	nonfiltered	sample	2/26/1998	3	PP98-13	PP98-13	PP98-13 nonfiltered	(lab sample #0816-98-0040 raw, -0041 filtered)	0	0	0	х	0	0	х	26.1	290	7.58	1.4
Otowi #4	nonfiltered	sample	9/28/1998	6	PP98-33	PP98-33	PP98-33 nonfiltered	(lab sample #RE16-98-9011 raw and -9012 filtered)	o	o	o	х	0	o	х	27.5	285	7.45	0.6
Otowi #4	nonfiltered	sample	9/28/1998	6	PP98-33	RE16-98-9011	RE16-98-9011 nonfiltered	4714R, 4715R, 4717R, 4718R	Х	x	x	х	Х	Х	х	27.5	285	7.45	0.6
Pine Spring	nonfiltered	sample	5/7/1997	1	PP97-06	PP97-6	PP97-6 nonfiltered	_	0	х	О	0	0	0	х	6.8	100	5.81	0
Pine Spring	nonfiltered	sample	8/4/1997	2	PP97-24	0816-97-1033	0816-97-1033 nonfiltered	3485R	0	х	Х	0	0	Х	х	12.5	146	6.46	0
Pine Spring	nonfiltered	sample	8/4/1997	2	PP97-24	PP97-24	PP97-24 nonfiltered	(lab sample #0816-97-1033)	0	0	0	Х	0	0	х	12.5	146	6.46	0
Pine Spring	nonfiltered	sample	2/10/1998	3	PP98-06	0816-98-0038	0816-98-0038 nonfiltered	4102R, 4104R, 4105R	Х	х	Х	Х	Х	Х	х	3.6	70	6.78	41.7
Pine Spring	nonfiltered	sample	2/10/1998	3	PP98-06	PP98-6	PP98-6 nonfiltered	(lab sample #0816-98-0038 raw, -0039 filtered) (lab sample #RE16-98-9032 raw and	0	0	0	х	0	0	х	3.6	70	6.78	41.7
Pine Spring	nonfiltered	sample	7/14/1998	5	PP98-29	PP98-29	PP98-29 nonfiltered	-9033 filtered)	0	0	0	х	0	0	х	12.7	80	6.34	17.8
Pine Spring	nonfiltered	sample	7/14/1998	5	PP98-29	RE16-98-9032	RE16-98-9032 nonfiltered	4435R, 4437R	Х	х	Х	0	Х	Х	х	12.7	80	6.34	17.8
Pine Spring	nonfiltered	sample	1/6/2000	7	PP00-6	CABG-00-0006	CABG-00-0006 nonfiltered	6317R, 6315R, 6316R	0	0	0	Х	0	0	х	4.8	60	8.44	43.2
Pine Spring	nonfiltered	sample	3/30/2000	8	PP00-24	CABG-00-0033	CABG-00-0033 nonfiltered	6645R, 6647R	0	0	0	Х	0	0	х	6.8	70	6.69	44.9
Pine Spring	nonfiltered	sample	3/30/2000	8	PP00-25	CABG-00-0034	CABG-00-0034 nonfiltered	6652R, 6654R	0	0	0	Х	0	0	х	6.8	70	6.69	44.9
Seven Springs	nonfiltered	sample	4/27/1997	1	PP97-05	PP97-5	PP97-5 nonfiltered	_	0	х	0	0	0	0	х	12.4	83	7.49	0
Seven Springs	nonfiltered	sample	8/7/1997	2	PP97-32	0816-97-1047	0816-97-1047 nonfiltered	3537R	0	х	Х	0	0	Х	х	11.7		7.33	_
Seven Springs	nonfiltered	sample	8/7/1997	2	PP97-32	PP97-32	PP97-32 nonfiltered	(lab sample #0816-97-1047 raw, -1048 filtered)	0	0	0	х	0	0	х	11.7	_	7.33	_
Seven Springs	nonfiltered	sample	2/10/1998	3	PP98-07	0816-98-0036	0816-98-0036 nonfiltered	4102R, 4105R	Χ	х	х	х	Х	Х	х	10.5	120	7.5	1.1
Seven Springs	nonfiltered	sample	2/10/1998	3	PP98-07	PP98-7	PP98-7 nonfiltered	(lab sample #0816-98-0036 raw, -0037 filtered)	0	0	0	х	0	0	х	10.5	120	7.5	1.1
Seven Springs	nonfiltered	sample	7/6/1998	5	PP98-22	PP98-22	PP98-22 nonfiltered	(lab sample #RE16-98-9036 raw and -9037 filtered)	0	0	0	х	0	0	х	10.7	100	7.51	2.7
Seven Springs	nonfiltered	sample	7/6/1998	5	PP98-22	RE16-98-9036	RE16-98-9036 nonfiltered	4395R, 4397R	Χ	Х	Х	0	Х	Х	Х	10.7	100	7.51	2.7
Seven Springs	nonfiltered	sample	12/20/1999	7	PP99-6	CABG-99-0004	CABG-99-0004 nonfiltered	6292R, 6290R	0	0	0	Х	0	0	Х	11.1	105	8.39	1.4
Seven Springs	nonfiltered	sample	3/29/2000	8	PP00-17	CABG-00-0030	CABG-00-0030 nonfiltered	6638R, 6640R	0	0	0	х	0	0	Х	10.8	110	7.22	3
Spring 1	nonfiltered	sample	5/21/1997	1	PP97-14	PP97-14	PP97-14 nonfiltered	_	0	Х	0	0	0	0	Х	16.8	218	7.43	0
Spring 1	nonfiltered	sample	8/5/1997	2	PP97-26	0816-97-1036	0816-97-1036 nonfiltered	3490R	0	Х	Х	0	0	Х	Х	17.3		6.5	_

EP2006-1078 A-5 February 2007

								(
Location	Prep	Туре	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	рН	Turbidity (NTU)
On sin s. 4	•	7.	0/5/4007	0	•	•	DD07.00	(lab sample #0816-97-1036 raw,	_	_	_					47.0		0.5	
Spring 1	nonfiltered	sample .	8/5/1997	2	PP97-26	PP97-26	PP97-26 nonfiltered	-1037 filtered)	0	0	0	Х	0	0	Х	17.3		6.5	_
Spring 1	nonfiltered	sample	4/7/1998	4	PP98-14	0816-98-0044	0816-98-0044 nonfiltered	4204R, 4206R, 4207R	Х	Х	Х	Х	Х	Х	Х	15.6	215	7.99	5.4
Spring 1	nonfiltered	sample	4/7/1998	4	PP98-14	PP98-14	PP98-14 nonfiltered	(lab sample #0816-98-0044 raw, -0045 filtered)	О	О	0	х	0	0	х	15.6	215	7.99	5.4
Spring 1	nonfiltered	sample	7/7/1998	5	PP98-23	PP98-23	PP98-23 nonfiltered	(lab sample #RE16-98-9016 raw and -9017 filtered)	0	0	0	х	0	0	х	17.6	190	7.81	2.6
Spring 1	nonfiltered	sample	7/7/1998	5	PP98-23	RE16-98-9016	RE16-98-9016 nonfiltered	4403R, 4405R	х	х	Х	0	Х	х	х	17.6	190	7.81	2.6
Spring 1	nonfiltered	sample	12/16/1999	7	PP99-3	CABG-99-0001	CABG-99-0001 nonfiltered	6270R, 6268R, 6269R	0	0	0	Х	0	0	Х	15.2	220	8.23	4.6
Spring 1	nonfiltered	sample	4/4/2000	8	PP00-31	CABG-00-0037	CABG-00-0037 nonfiltered	6680R, 6730R	0	0	0	Х	0	0	х	18.5	150	7.26	10.3
Spring 9B	nonfiltered	sample	4/22/1997	1	PP97-02	PP97-2	PP97-2 nonfiltered	_	0	х	О	0	0	0	х	20.1	_	7.82	_
Spring 9B	nonfiltered	sample	8/18/1997	2	PP97-35	0816-97-1052		3586R	0	Х	х	0	0	х	Х	20.5	225	7.85	0
Spring 9B	nonfiltered	sample	8/18/1997	2	PP97-35	PP97-35	PP97-35 nonfiltered	(lab sample #0816-97-1052 raw, -1053 filtered)	0	0	0	x	0	0	х	20.5	225	7.85	0
Spring 9B	nonfiltered	sample	2/3/1998	3	PP98-02	0816-98-0003	0816-98-0003 nonfiltered	4079R,4081R, 4082R	х	х	х	Х	х	Х	х	19.4	130	7.73	0.5
Spring 9B	nonfiltered	sample	2/3/1998	3	PP98-02	PP98-2	PP98-2 nonfiltered	(lab sample #0816-98-0003 raw, -0004 filtered)	0	0	0	x	0	o	х	19.4	130	7.73	0.5
Spring 9B	nonfiltered	sample	9/23/1998	6	PP98-32	PP98-32	PP98-32 nonfiltered	(lab sample #RE16-98-9007 raw and -9008 filtered)	0	0	0	х	0	0	х	20.5	111	7.26	_
Spring 9B	nonfiltered	sample	9/23/1998	6	PP98-32	RE16-98-9007	RE16-98-9007 nonfiltered	4697R	0	Х	0	0	0	0	Х	20.5	111	7.26	_
Spring 9B	nonfiltered	sample	1/7/2000	7	PP00-9	CABG-00-0010	CABG-00-0010 nonfiltered	6324R, 6322R, 6323R	0	0	0	Х	0	0	Х	18.5	145	8.54	1.6
Spring 9B	nonfiltered	sample	1/11/2000	7	PP99-1	CABG-00-0027	CABG-00-0027 nonfiltered	6337R, 6336R	0	0	0	Х	0	0	х	_		6	_
Spring 9B	nonfiltered	sample	4/6/2000	8	PP00-37	CABG-00-0042	CABG-00-0042 nonfiltered	6702R, 6732R	0	0	0	Х	0	0	х	20	100	6.44	0.7
Upper Cañon de Valle Spring	nonfiltered	sample	5/13/1997	1	PP97-12	PP97-12	PP97-12 nonfiltered	_	0	x	0	0	0	0	х	8.9	70	7.33	0
Upper Cañon de Valle Spring	nonfiltered	sample	8/4/1997	2	PP97-23	0816-97-1031	0816-97-1031 nonfiltered	3485R	0	х	х	0	0	х	х	8.2	94	7.3	0
Upper Cañon de Valle Spring	nonfiltered	sample	8/4/1997	2	PP97-23	PP97-23	PP97-23 nonfiltered	(lab sample #0816-97-1031 raw, -1032 filtered)	0	0	0	х	0	0	х	8.2	94	7.3	0
Upper Cañon de Valle Spring	nonfiltered	sample	2/23/1998	3	PP98-10	0816-98-0034	0816-98-0034 nonfiltered	4127R, 4129R, 4130R	х	Х	х	х	х	х	х	6.7	80	8.04	1.4
Upper Cañon de Valle Spring	nonfiltered	sample	2/23/1998	3	PP98-10	PP98-10	PP98-10 nonfiltered	(lab sample #0816-98-0034 raw, -0035 filtered)	0	0	0	х	0	0	х	6.7	80	8.04	1.4
Upper Cañon de Valle Spring	nonfiltered	sample	7/1/1998	5	PP98-19	PP98-19	PP98-19 nonfiltered	(lab sample #RE16-98-9028 raw and -9029 filtered)	0	0	0	х	0	0	х	7.3	65	7.76	4.6
Upper Cañon de Valle Spring	nonfiltered	sample	7/1/1998	5	PP98-19	RE16-98-9028	RE16-98-9028 nonfiltered	4384R, 4387R	х	х	х	0	х	х	х	7.3	65	7.76	4.6
Upper Cañon de Valle Spring Upper Cañon de Valle	nonfiltered	sample	1/5/2000	7	PP00-4	CABG-00-0004	CABG-00-0004 nonfiltered	6307R, 6305R, 6306R	0	0	0	х	0	0	х	6.8	90	8.74	2.2
Spring	nonfiltered	sample	4/5/2000	8	PP00-33	CABG-00-0040	CABG-00-0040 nonfiltered	6696R, 6731R	0	0	0	х	0	О	х	7.2	70	6.41	4.8
Water Canyon Gallery	nonfiltered	sample	5/7/1997	1	PP97-08	PP97-8	PP97-8 nonfiltered	_	0	Х	0	0	0	0	х	11.3	104	7.42	0

Location	Prep	Type	Date MM/DD/YY	Event	Groundwater Sample ID	Sample ID	Sample ID and Method	Request Numbers	Inorganics	Inorganics EES	Rads	Tritium	Gross a, b, g	G-Scan Rads	Other	Temp (°C)	Average Specific Conductance (µS/cm)	pH	Turbidity (NTU)
Water Canyon Gallery	nonfiltered	sample	8/6/1997	2	PP97-28	0816-97-1040	0816-97-1040 nonfiltered	3514R	0	Х	Х	0	0	Х	Х	11.2	_	7.21	_
Water Canyon Gallery	nonfiltered	sample	8/6/1997	2	PP97-28	PP97-28	PP97-28 nonfiltered	(lab sample #0816-97-1040 raw, -1041 filtered)	0	0	0	х	0	0	х	11.2	_	7.21	_
Water Canyon Gallery	nonfiltered	sample	2/9/1998	3	PP98-03	0816-98-0005	0816-98-0005 nonfiltered	4094R, 4096R, 4097R	Х	Х	Х	Х	Χ	Х	Х	11.1	90	7.74	1.8
Water Canyon Gallery	nonfiltered	sample	2/9/1998	3	PP98-03	PP98-3	PP98-3 nonfiltered	(lab sample #0816-98-0005 and -0052 raw, -0006 and -0053 filtered)	0	0	0	х	0	0	х	11.1	90	7.74	1.8
Water Canyon Gallery	nonfiltered	sample	7/8/1998	5	PP98-28	PP98-28	PP98-28 nonfiltered	(lab sample #RE16-98-9026 raw and -9027 filtered)	0	0	0	х	0	0	Х	10.8	65	7.23	1.7
Water Canyon Gallery	nonfiltered	sample	7/8/1998	5	PP98-28	RE16-98-9026	RE16-98-9026 nonfiltered	4411R, 4413R	Х	Х	х	0	Х	х	Х	10.8	65	7.23	1.7
Water Canyon Gallery	nonfiltered	sample	1/5/2000	7	PP00-3	CABG-00-0003	CABG-00-0003 nonfiltered	6307R, 6305R, 6306R	0	0	0	Х	0	0	Х	11.7	90	8.53	1.9
Water Canyon Gallery	nonfiltered	sample	3/30/2000	8	PP00-19	CABG-00-0031	CABG-00-0031 nonfiltered	6645R, 6647R	0	0	0	x	0	0	х	11.3	70	7.4	1.2
Water Canyon Gallery	nonfiltered	sample	3/30/2000	8	PP00-20	CABG-00-0032	CABG-00-0032 nonfiltered	1 6645R, 6647R	0	0	0	х	0	0	х	11.3	70	7.4	1.2

Note: The LAO-B post Cerro Grande fire samples are not included in this table.

^a na = Not available.

b x = Analyzed; o = not analyzed.

^c Duplicate = Field duplicate of the original sample; sample = sample not paired with another sample ID.

d — = Not measured.

Table A-2
Post-2000 Samples and Types of Analyses

	, , , , , , , , , , , , , , , , , , , 		<u> </u>	<u> </u>				-,	1
Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Ancho Spring	F	GELC	09/26/00	х	х	х			
Ancho Spring	UF	GELC	09/26/00					х	
Ancho Spring	F	GELC	10/24/01	х	Х	х			
Ancho Spring	UF	GELC	10/24/01					х	
Ancho Spring	F	GELC	02/02/05	х	х	х			
Ancho Spring	UF	GELC	02/02/05				Х	х	
Ancho Spring	F	GELC	09/19/06	х	х	х			
Ancho Spring	UF	GELC	09/19/06	х	х	х		х	
Barbara Spring	F	EES 6	03/29/05	х	Х	х		х	rads are uranium (U) only
Barbara Spring	F	EES 6	05/12/05	х	Х	х		х	field parameters are pH, alkalinity, specific conductance, total sulfide, iron
Barbara Spring	F	EES 6	06/15/05	х	Х	х		х	
Barbara Spring	F	EES 6	07/13/05	х	Х	х		х	
Campsite Spring	F	EES 6	05/17/05	х	Х	х		х	rads are U only
Campsite Spring	F	EES 6	06/08/05	х	Х	х		х	field parameters are pH, alkalinity, specific conductance, total sulfide, iron
Campsite Spring	F	EES 6	07/14/05	х	Х	х		х	
CDV-5.0 Spring	F	EES 6	03/03/05	х	Х	х		х	rads are U only
CDV-5.0 Spring	F	EES 6	04/18/05	х	Х	х		х	field parameters are pH, alkalinity, specific conductance, total sulfide, iron
CDV-5.0 Spring	F	EES 6	05/27/05	х	Х	х		х	
CDV-5.0 Spring	F	EES 6	07/11/05	х	Х	х		х	
Guaje-1A	SW	GELC/PARA/UMTL	03/07/00			х	х	х	pH is the only field parameter
Guaje-1A	SW	GELC/PARA	08/14/00			х			
Guaje-1A	SW	NMSSL	09/27/00	х	Х				
Guaje-1A	SW	GELC	11/15/00			х		х	pH is the only field parameter
Guaje-1A	SW	GELC	11/15/00			х		х	
Guaje-1A	SW	GELC/UMTL	02/14/01			х	Х		
Guaje-1A	SW	GELC	05/09/01	Х		х		х	
Guaje-1A	SW	GELC	08/08/01			х			
Guaje-1A	SW	GELC	11/28/01			х			
Guaje-1A	SW	GELC/UMTL	02/23/02			х	х		
Guaje-1A	SW	GELC	05/18/02			х		х	
Guaje-1A	SW	GELC/UMTL	08/24/02	х		х	х		
Guaje-1A	SW	GELC	11/16/02			х		х	pH is the only field parameter
Guaje-1A	SW	GELC	02/08/03			х			
Guaje-1A	SW	GELC/UMTL	05/14/03			х	х		
Guaje-1A	SW	GELC	08/21/03	х		х		х	
Guaje-1A	SW	GELC	08/21/03			х			
			•			•	•	•	

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Guaje-1A	SW	GELC	11/24/03	Х	Х	х			
Guaje-1A	SW	GELC	02/09/04	Х		х		х	perchlorate only general
Guaje-1A	SW	GELC	05/19/04	Х	х	х	х		
Guaje-1A	SW	GELC	05/18/05	Х	х	х	х	х	pH only field parameter
Guaje-1A	SW	GELC	02/22/06	х	х	х			
Guaje-1A	SW	n.a.	02/22/06	Х	х	х		х	pH only field parameter
Guaje-2A	SW	PARA/UMTL	03/07/00			х	х	х	
Guaje-2A	SW	PARA/UMTL	06/20/00			х		х	
Guaje-2A	SW	GELC/EES6	08/14/00			х		х	
Guaje-2A	SW	NMSSL	09/27/00	Х	х				
Guaje-2A	SW	GELC/EES6/UMTL	11/15/00			х		х	
Guaje-2A	SW	GELC/EES6/UMTL	05/09/01	Х		х	х	х	
Guaje-2A	SW	GELC/EES6	08/08/01			х			
Guaje-2A	SW	GELC/EES6	11/28/01			х			
Guaje-2A	SW	GELC/EES6/UMTL	02/23/02			х	х		
Guaje-2A	SW	GELC/EES6	05/18/02			х		х	
Guaje-2A	SW	GELC/EES6/UMTL	08/24/02	Х		х	х	x	
Guaje-2A	SW	GELC/EES6	11/16/02			х		х	
Guaje-2A	SW	GELC/EES6	02/08/03			х			
Guaje-2A	SW	GELC/EES6	08/21/03	Х		х		х	
Guaje-2A	SW	GELC/EES6	11/24/03	Х	Х	х			
Guaje-2A	SW	GELC/EES6	02/09/04	Х		х		х	perchlorate only general
Guaje-2A	SW	GELC/EES6	05/19/04	X	х	Х		Х	
Guaje-2A	SW	GELC/EES6/UMTL	05/18/05	X	х	Х	х	Х	
Guaje-2A	SW	GELC/EES6	05/17/06		Х				
Guaje-2A	SW	GELC/EES6/UMTL	05/17/06	Х	Х	х	х	x	
Guaje-3A	SW	PARA/UMTL	03/06/00			Х	х	Х	pH only general
Guaje-3A	SW	PARA	06/20/00			х		Х	pH only general
Guaje-3A	SW	GELC	08/03/00			х		x	pH only general
Guaje-3A	SW	PARA/GELC	08/14/00			Х		X	pH only general
Guaje-3A	SW	NMSSL	09/27/00	Х	Х				
Guaje-3A	SW	GELC	11/15/00			х		х	pH only general
Guaje-3A	SW	GELC/UMTL	02/14/01			х	х		
Guaje-3A	SW	GELC	05/09/01	Х		х		х	
Guaje-3A	SW	GELC	08/08/01			х			
Guaje-3A	SW	GELC	11/28/01			х			
Guaje-3A	SW	GELC/UMTL	02/23/02			х	х		
Guaje-3A	SW	GELC	05/18/02			х		х	

EP2006-1078 A-9 February 2007

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Guaje-3A	SW	GELC/UMTL	08/24/02	X		х	Х	х	
Guaje-3A	SW	GELC	12/18/02			Х		х	
Guaje-3A	SW	GELC	02/08/03			х			
Guaje-3A	SW	GELC/UMTL	05/20/03			Х	Х		
Guaje-3A	SW	GELC	08/21/03	х				х	
Guaje-3A	SW	GELC	11/24/03	х	х	х			
Guaje-3A	SW	GELC	02/09/04	х		х		х	perchlorate only
Guaje-3A	SW	GELC	05/19/04		х	х		х	
Guaje-3A	SW	GELC/UMTL	05/18/05	х	Х	х	Х	х	
Guaje-3A	SW	GELC	05/17/06	х	х				chromium (Cr) only
Guaje-3A	SW	GELC/UMTL	05/17/06	х	х	х	Х	х	
Guaje-4A	SW	PARA/UMTL	3/6/00			х	Х		
Guaje-4A	SW	PARA	06/20/00			х		х	
Guaje-4A	SW	GELC	08/14/00			х		х	
Guaje-4A	SW	PARA	08/15/00			х		х	
Guaje-4A	SW	NMSSL	09/27/00	Х	Х	x			
Guaje-4A	SW	GELC	11/15/00			х		х	
Guaje-4A	SW	GELC	11/15/00			х		х	
Guaje-4A	SW	GELC/UMTL	02/14/01			x	Х		
Guaje-4A	SW	GELC	05/09/01	х		х		х	
Guaje-4A	SW	GELC	08/08/01			х			
Guaje-4A	SW	GELC	11/28/01			х			
Guaje-4A	SW	GELC/UMTL	02/23/02			х	Х		
Guaje-4A	SW	GELC	08/24/02	Х				х	
Guaje-4A	SW	GELC	11/16/02			х		х	
Guaje-4A	SW	GELC	02/08/03			х			
Guaje-4A	SW	GELC/UMTL	05/20/03			Х	х		
Guaje-4A	SW	GELC	08/21/03	X		х		Х	
Guaje-4A	SW	GELC	11/24/03	X	х	х			
Guaje-4A	SW	GELC	02/09/04	X		Х		х	perchlorate only general
Guaje-4A	SW	GELC/UMTL	05/19/04	Х	Х	х	х	х	
Guaje-4A	SW	GELC/UMTL	05/18/05	Х	х	х	Х	х	
Guaje-4A	SW	GELC	05/17/06		Х				Cr only
Guaje-4A	SW	GELC/UMTL	05/17/06	Х	Х	х	х	х	
Guaje-5A	SW	GELC/UMTL	08/08/01			х	Х		
Guaje-5A	SW	GELC	11/28/01			х			
Guaje-5A	SW	GELC/UMTL	02/23/02			х	х		
Guaje-5A	SW	GELC/UMTL	08/24/02	Х		х	х	х	

			Date	Conoral				Field	
Location	Prep	Lab Code	MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Parameters	Comments
Guaje-5A	SW	GELC	11/16/02			x			
Guaje-5A	SW	GELC	02/08/03			х			
Guaje-5A	SW	GELC/UMTL	05/20/03			х	Х		
Guaje-5A	SW	GELC	08/21/03	Х		х		х	
Guaje-5A	SW	GELC	08/21/03					Х	
Guaje-5A	SW	GELC	11/24/03	Х	Х	х			
Guaje-5A	SW	GELC	02/09/04	Х		х		Х	perchlorate only general
Guaje-5A	SW	GELC/UMTL	05/19/04	Х	х	х	Х	Х	
Guaje-5A	SW	GELC/UMTL	05/18/05	Х	Х	х	Х	Х	
Guaje-5A	SW	GELC	05/17/06		х				Cr only metals
Guaje-5A	SW	GELC/UMTL	05/17/06	Х	х	х	Х	х	
LAO-B	SW	EES 6	03/03/05	Х		х		х	
LAO-B	SW	EES 6/GELC	05/10/05	Х	х	х		х	
LAO-B	SW	EES 6/GE:C	05/10/05	Х	х			х	
LAO-B	SW	EES6	08/17/05	Х	х	х		х	
LAO-B	SW	GELC	08/03/06	Х	х	Х		х	
LAO-B	SW	GELC/UMTL	08/03/06	Х	х	х	Х	х	
LAOI-1.1(a)	SW	GELC/UMTL	06/03/04	Х	х	х	Х	х	
LAOI-1.1(a)	SW	EES6	03/04/05	Х	х	х		х	U only rad
LAOI-1.1(a)	SW	n.a.	03/07/05					х	
LAOI-1.1(a)	SW	GELC	05/07/05	х					nitrate only general
LAOI-1.1(a)	SW	GELC/UMTL	05/07/05	х	х	х	х	х	
LAOI-1.1(a)	SW	GELC	08/04/06	х	х	х			
LAOI-1.1(a)	SW	GELC/UMTL	08/04/06	х	х	х	х	х	
PM-2	SW	PARA/UMTL	02/14/00			х	х	х	strontium (Sr) only rad
PM-2	SW	n.a.	02/15/00					х	
PM-2	SW	PARA	06/20/00			х		х	Sr only rad
PM-2	SW	GELC/PARA	08/14/00			х		х	Sr only rad
PM-2	SW	NMSSL	09/27/00	х	Х				
PM-2	SW	GELC	11/15/00	Х		х		х	Sr only rad
PM-2	SW	GELC/UMTL	02/14/01			х	Х		Sr only rad
PM-2	SW	GELC	05/09/01	х		х		х	
PM-2	SW	GELC	08/08/01			х			Sr only rad
PM-2	SW	n.a.	09/05/01	Х					
PM-2	SW	GELC	11/28/01	Х		х			Sr only rad
PM-2	SW	GELC/UMTL	02/23/02	Х		х	Х		Sr only rad
PM-2	SW	GELC/UMTL	05/18/02	Х		х	Х	х	
PM-2	SW	GELC	08/24/02	Х		х		х	Sr only rad

EP2006-1078 A-11 February 2007

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
PM-2	SW	GELC	10/09/02	Х	х			х	
PM-2	SW	GELC	11/16/02	х		х			Sr only rad
PM-2	SW	GELC	02/08/03	х		х			Sr only rad
PM-2	SW	GELC/UMTL	05/20/03	х		х	Х		Sr only rad
PM-2	SW	GELC	08/04/03	Х		х		х	Sr only rad
PM-2	SW	GELC	08/21/03	Х		х		x	
PM-2	SW	n.a.	09/24/03					X	
PM-2	SW	n.a.	10/29/03					x	
PM-2	SW	GELC	11/24/03	Х	х	х			
PM-2	SW	GELC	12/17/03	Х		х		x	Sr only rad
PM-2	SW	GELC	02/09/04	Х		х		x	Sr only rad
PM-2	SW	n.a.	03/24/04	Х					perchlorate only general
PM-2	SW	GELC/UMTL	05/20/04	х	Х	х	Х	х	
PM-2	SW	GELC	08/31/04	х				х	perchlorate only general
PM-2	SW	GELC	11/16/04	х				х	perchlorate only general
PM-2	SW	n.a.	03/23/05	х				х	perchlorate only general
PM-2	SW	GELC/UMTL	05/18/05	х	х	х	х	х	
PM-2	SW	GELC	08/17/05	х				х	perchlorate only general
PM-2	SW	UMTL	11/16/05	х			х	х	perchlorate only general
PM-2	SW	GELC	01/19/06	х				х	perchlorate only general
PM-2	SW	GELC	05/24/06		Х				Cr only metal
PM-2	SW	GELC/UMTL	05/24/06	х		х	х	х	
PM-2	SW	GELC	08/24/06		Х				Cr only metal
PM-2	SW	GELC	08/24/06	х	Х			х	perchlorate only general, chromium only metal
PM-4	SW	PARA	06/21/00			х			Sr only rad
PM-4	SW	UMTL	07/07/00				х		
PM-4	SW	PARA/GELC	08/03/00			х		х	Sr only rad
PM-4	SW	PARA/GELC	08/14/00			х		х	Sr only rad
PM-4	SW	GELC	11/15/00			х		х	Sr only rad
PM-4	SW	GELC/UMTL	02/14/01			х	Х		Sr only rad
PM-4	SW	GELC	05/09/01	х		х		х	
PM-4	SW	GELC	08/08/01			х			Sr only rad
PM-4	SW	GELC	09/05/01	х					
PM-4	SW	GELC	11/28/01	х		х			Sr only rad
PM-4	SW	GELC/UMTL	02/23/02	х		х	х		Sr only rad
PM-4	SW	GELC	10/09/02		х				
PM-4	SW	GELC/UMTL	06/18/03	х			х		
PM-4	SW	GELC	08/21/03	х		х			

Pote Community Field									
Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
PM-4	SW	n.a.	06/07/04	e. gaee	otalo	Tradicasti (C		X	Commonia.
PM-4	SW	GELC/UMTL	02/15/05	Х	х	х	Х	х	
PM-4	SW	GELC/UMTL	02/22/06	Х	Х	х	Х	Х	
PM-4	SW	GELC	05/09/06	Х	х				perchlorate only general, chromium only metal
PM-5	SW	PARA/UMTL	02/14/00			х	Х	Х	Sr only rad
PM-5	SW	n.a.	02/15/00					Х	
PM-5	SW	PARA	06/20/00			х		Х	Sr only rad
PM-5	SW	GELC/PARA	08/14/00			х		Х	Sr only rad
PM-5	SW	NMSSL	09/27/00	Х	Х				
PM-5	SW	GELC	11/15/00			х		Х	Sr only rad
PM-5	SW	GELC	02/14/01			х			Sr only rad
PM-5	SW	UMTL	02/14/01				Х		
PM-5	SW	GELC	05/09/01	Х		х		х	
PM-5	SW	n.a.	07/11/01					х	
PM-5	SW	GELC	08/08/01			х			Sr only rad
PM-5	SW	GELC	09/05/01	Х					
PM-5	SW	GELC	11/28/01	Х		х			Sr only rad
PM-5	SW	GELC/UMTL	02/23/02	Х		х	Х		Sr only rad
PM-5	SW	GELC	05/18/02	Х		х		х	Sr only rad
PM-5	SW	n.a.	06/26/02					х	
PM-5	SW	GELC	08/24/02	х		х		х	Sr only rad
PM-5	SW	n.a.	09/25/02					х	
PM-5	SW	GELC	10/09/02		х			х	
PM-5	SW	GELC	11/16/02	х		х		х	Sr only rad
PM-5	SW	GELC/UMTL	05/14/03	х		х	Х		Sr only rad
PM-5	SW	GELC	08/21/03	х		х		х	
PM-5	SW	n.a.	09/24/03					х	
PM-5	SW	GELC/UMTL	10/29/03	Х		х	Х	х	Sr only rad
PM-5	SW	GELC	11/24/03	Х	х	x			
PM-5	SW	n.a.	12/17/03					x	
PM-5	SW	GELC	01/28/04	Х				х	perchlorate only general
PM-5	SW	GELC	02/09/04	Х		х		х	Sr only rad
PM-5	SW	GELC	03/24/04	Х				х	perchlorate only general
PM-5	SW	GELC/UMTL	05/20/04	Х	Х	х	Х	х	
PM-5	SW	GELC	08/31/04	Х				х	perchlorate only general
PM-5	SW	GELC/UMTL	11/16/04	Х		х		х	perchlorate only general
PM-5	SW	GELC	03/23/05	Х				х	perchlorate only general
PM-5	SW	GELC/UMTL	05/18/05	Х	х	х	Х	x	

EP2006-1078 A-13 February 2007

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
PM-5	SW	GELC	08/17/05	X				х	perchlorate only general
PM-5	SW	GELCU	11/16/05	Х		х		х	perchlorate only general
PM-5	SW	GELC	01/19/06	Х	х				
PM-5	SW	GELC	01/19/06	Х	х	х		х	U only rad
PM-5	SW	GELC	05/24/06		х				Cr only metal
PM-5	SW	GELC	05/24/06	х	х	х	х	х	
PM-5	SW	GELC	08/24/06	х	х			х	perchlorate only general, chromium only metal
PM-5	SW	GELC	08/24/06		х				Cr only metal
R-1	F	GELC	05/19/05	х	Х			х	
R-1	UF	GELC/EES6/UMTL	05/19/05	х	х	х	х		
R-1	F	GELC	09/12/05	х	х	х			U only rad
R-1	UF	GELC/EES6/UMTL	09/12/05	х	х	х	х	х	
R-1	F	GELC	11/28/05	х	х	х			U only rad
R-1	UF	GELC/EES/UMTL	11/28/05	х	х	x	х	х	
R-1	F	GELC	01/25/06	Х	х	х			U only rad
R-1	UF	GELC/EES/UMTL	01/25/06	х	Х	х	х	х	
R-1	F	EES6	04/19/06		х			х	Cr only metal
R-1	UF	GELC/EES6	04/19/06		х				Cr only metal
R-1	F	GELC	07/06/06	х	х	х			
R-1	UF	GELC/UMTL	07/06/06	х	х	х	х		
R-1	UF	n.a.	10/26/06					x	
R-13	F	GEL	04/18/02	Х	Х	х			
R-13	UF	GEL/UMTL	04/18/02	X	х	х	х		
R-13	UF	GEL/UMTL	07/03/02	Х	х	х	х		
R-13	F	GEL	07/03/02	Х	х	х			
R-13	F	GEL	10/28/02	Х	х	х			
R-13	UF	GEL/UMTL	10/28/02	X	х	х	х		
R-13	F	GEL	01/27/03	X	х	х			
R-13	UF	GEL/UMTL	01/27/03	X	х	x	х		
R-13	F	GEL	05/22/03	X	х	х			
R-13	UF	GEL/UMTL	05/22/03	Х	Х	х	х		
R-13	UF	GELC/UMTL	12/09/03	Х	х	х	х		
R-13	UF	GELC/UMTL	06/11/04	Х	х	х		х	
R-13	UF	EES6	03/10/05	Х	Х	х		х	U only rad
R-13	F	GELC	05/26/05	х					
R-13	UF	GELC/UMTL	05/26/05	х			Х	х	
R-13	F	GELC	09/01/05	х					
R-13	UF	GELC/EES6	09/01/05	Х	Х	х	х	х	U only rad

			5.				-		
Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
R-13	F	GELC	02/02/06	×	Х	×	minam	1 drameters	U only rad
R-13	UF	GELC	02/02/06	X	X	x	х	х	U only rad
R-13	F	GELC	07/03/06	X	х	x			
R-13	UF	GELC/UMTL	07/03/06	X	х	x	Х	х	
R-13	UF	n.a.	10/25/06					x	
R-18	F	GELC	08/25/05	Х	Х	х			U only rad
R-18	UF	GELC/EES6/UMTL	08/25/05	Х	х	х	х	х	
R-18	F	GELC	12/01/05	Х	Х	х			U only rad
R-18	UF	GELC/EES6/UMTL	12/01/05	Х	х	х	Х	х	
R-18	F	GELC	03/07/06	Х	Х	x			U only rad
R-18	UF	GELC/EES6/UMTL	03/07/06	Х	Х	х	Х	х	, and the second
R-18	F	GELC	05/16/06	Х	х	х			U only rad
R-18	UF	GELC	05/16/06	Х	х	х	Х	х	
R-18	F	GELC	08/15/06	Х	Х	х			
R-18	UF	GELC	08/15/06	Х	Х	х		х	
R-18	UF	GELC/UMTL	08/16/06				Х		
R-21	F	GELC	03/31/04	Х	х	х			U only rad
R-21	UF	GELC/EES6/UMTL	03/31/04	Х	Х	х	Х	х	
R-21	F	GELC	06/30/04	Х	х	х			U only rad
R-21	UF	GELC/EES6/UMTL	06/30/04	Х	Х	х	Х		
R-21	F	GELC	09/23/04	Х	Х	х			U only rad
R-21	UF	GELC/EES6/UMTL	09/23/04	Х	Х	х	Х	Х	
R-21	F	GELC	12/14/04	Х	х	х			U only rad
R-21	UF	GELC/EES6/UMTL	12/14/04	Х	х	х	Х		
R-21	F	GELC	06/06/05	Х	х	х			
R-21	UF	GELC	06/06/05	х	х	х		х	
R-21	F	GELC	07/07/06						
R-21	UF	GELC	07/07/06	х	х	х	х	х	
R-21	UF	n.a.	11/06/06					х	
Sacred Spring	F	GELC	10/19/00	х		х			
Sacred Spring	UF	n.a.	10/19/00					х	
Sacred Spring	F	GELC	10/23/01	Х	Х	х			
Sacred Spring	UF	GELC	10/23/01		х			х	mercury (Hg) and selenium (Se) only metals
Sacred Spring	F	GELC	10/23/01	х	х	х			
Sacred Spring	UF	GELC	10/23/01		х			х	Hg and Se only metals
Sacred Spring	F	GELC	06/25/02	х		х			
Sacred Spring	UF	UMTL	06/25/02				Х	х	
Sacred Spring	F	GELC	07/23/03	Х		х			

EP2006-1078 A-15 February 2007

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Sacred Spring	UF	n.a.	07/23/03					х	
Sacred Spring	F	GELC	08/24/04	Х	х	х			
Sacred Spring	UF	GELC	08/24/04	Х	Х			х	perchlorate only general, Hg and Se only metals
Sacred Spring	F	GELC	07/13/05	Х	Х	х			
Sacred Spring	UF	GELC	07/13/05	Х	х	х		х	
Sacred Spring	F	GELC	09/14/06	х	х	х			
Sacred Spring	UF	GELC/UMTL	09/14/06	Х	х	х	х	х	
Seven Springs	F	EES6	03/10/05	х	х	х		х	U only rad
Seven Springs	F	EES6	05/09/05	х	х	х		х	U only rad
Seven Springs	F	EES6	06/23/05	х	х	х		х	U only rad
Seven Springs	F	EES6	07/15/05	х	х	х		х	U only rad
Spring 1	F	GELC	09/25/00	х		х			
Spring 1	UF	n.a.	09/25/00					х	
Spring 1	UF	GELC	09/24/01		х			х	Hg and Se only metals
Spring 1	F	GELC	09/24/01	х	х	х			
Spring 1	F	GELC	11/06/02	х		х			
Spring 1	UF	UMTL	11/06/02				х	х	
Spring 1	F	GELC	10/06/03	х		х			
Spring 1	UF	n.a.	10/06/03					х	
Spring 1	F	GELC	09/13/04	х	х	х			
Spring 1	UF	GELC/UMTL	09/13/04	х	Х		х	х	perchlorate only general, Hg and Se only metals
Spring 1	F	GELC	09/26/05	х	х	х			
Spring 1	UF	GELC	09/26/05	х	Х	х		х	
Spring 1	F	GELC	09/18/06	Х	Х	х			
Spring 1	UF	GELC/UMTL	09/18/06	х	Х	х	х	х	
Spring 5B	F	GELC	07/26/00	х	х	х			
Spring 5B	UF	n.a.	07/26/00					х	
Spring 5B	F	GELC	10/07/03	Х	Х	х			
Spring 5B	UF	GELC/UMTL	10/07/03		Х		х	х	Hg and Se only metals
Spring 6	F	GELC	09/26/00	Х	Х	х			
Spring 6	UF	n.a.	09/26/00					х	
Spring 6	F	GELC	09/24/02	х	Х	х			
Spring 6	UF	GELC/UMTL	09/24/02		Х		х	х	Hg and Se only metals
Spring 6	UF	GELC	03/12/04	х				х	perchlorate only general
Spring 6	F	GELC	09/14/04	х	Х	х			
Spring 6	UF	GELC/UMTL	09/14/04	х	х		х	х	perchlorate only general, Hg and Se only metals
Spring 6	F	EES6	03/24/05	х	Х	х		х	U only rad
Spring 6	F	EES6	04/29/05	Х	Х	х		х	U only rad

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Spring 6	F	EES6	07/25/05	×	X	X	man	×	U only rad
Spring 6	F	GELC	09/27/05	X	х	x			
Spring 6	UF	GELC	09/27/05	Х	х	x		х	
Spring 6	F	GELC	09/19/06	Х	х	х			
Spring 6	UF	GELC	09/19/06	Х	х			х	
Spring 6A	UF	GELC	09/25/01		х			х	Hg and Se only metals
Spring 6A	F	GELC	09/25/01	Х	х	х			
Spring 6A	F	GELC	10/07/03	Х	Х	х			
Spring 6A	UF	GELC/UMTL	10/07/03		Х		Х	х	Hg and Se only metals
Spring 6A	UF	GELC	03/12/04	Х				х	perchlorate only general
Spring 6A	F	GELC	09/14/04	Х	х	х			
Spring 6A	UF	GELC/UMTL	09/14/04	Х	х		х	х	perchlorate only general, Hg and Se only metals
Spring 6A	F	GELC	09/27/05	Х	Х	х			
Spring 6A	UF	GELC	09/27/05	Х	х	х		х	
Spring 6A	F	GELC	09/19/06	Х	х	х			
Spring 6A	UF	GELC	09/19/06	Х	х	х		х	
Spring 8A	F	GELC	09/26/00	Х	х	х			
Spring 8A	UF	GELC	09/26/00	Х					total suspended solids (TSS) only general
Spring 8A	F	GELC	10/07/03	х	х	х			
Spring 8A	UF	GELC/UMTL	10/07/03		х		х	х	Hg and Se only metals
Spring 8A	UF	GELC	03/18/04	х				х	perchlorate only general
Spring 8A	F	GELC	01/26/05	х	х	х			
Spring 8A	UF	GELC/UMTL	01/26/05	Х	Х		х	х	perchlorate only general, Hg and Se only metals
Spring 8A	F	GELC	09/19/06	Х	х	х			
Spring 8A	UF	GELC	09/19/06	х	Х	х		х	
Spring 9	UF	GELC	09/25/01		х			х	Hg and Se only metals
Spring 9	F	GELC	09/26/01	Х	х	х			
Spring 9	F	GELC	10/08/03	X	х	х			
Spring 9	UF	GELC/UMTL	10/08/03		х		х	x	Hg and Se only metals
Spring 9	UF	GELC	03/18/04	X				x	perchlorate only general
Spring 9	F	GELC	09/14/04	X	х	х			
Spring 9	UF	GELC/UMTL	09/14/04	X	х		х	x	perchlorate only general, Hg and Se only metals
Spring 9	F	GELC	09/28/05	Х	х	х			
Spring 9	UF	GELC	09/28/05	Х	х	х		х	
Spring 9	F	GELC	09/19/06	Х	х				
Spring 9	UF	GELC	09/19/06	Х	х			х	
Spring 9A	F	GELC	09/27/00	Х	х	х			
Spring 9A	UF	n.a.	09/27/00					x	

Location	Prep	Lab Code	Date MM/DD/YY	General Inorganics	Metals	Radioactives	Tritium	Field Parameters	Comments
Spring 9A	F	GELC	10/08/03	х	X	X		· arameters	
Spring 9A	UF	GELC/UMTL	10/08/03		х		Х	х	Hg and Se only metals
Spring 9A	UF	GELC	03/18/04	Х				х	perchlorate only general
Spring 9A	F	GELC	09/14/04	Х	х	х			
Spring 9A	UF	GELC/UMTL	09/14/04	Х	х		Х	х	perchlorate only general, Hg and Se only metals
Spring 9A	F	EES6	03/08/05	Х	х	х		х	U only rad
Spring 9A	F	EES6	04/29/05	Х	х	х		х	U only rad
Spring 9A	F	EES6	05/18/05	х	х	х		х	U only rad
Spring 9A	F	EES6	07/20/05	х	х	х		х	U only rad
Spring 9A	F	GELC	09/28/05	х	х	х			
Spring 9A	UF	GELC	09/28/05	Х	х	х		х	
Spring 9A	F	GELC	09/20/06	Х	х	х			
Spring 9A	UF	GELC	09/20/06	Х	х	х		х	
Pine Spring	UF	PARA/HUFF/GELC	02/10/98	Х	х	х		х	
Pine Spring	UF	PARA/HUFF/GELC	02/10/98	Х	х	х		х	
Pine Spring	UF	PARA/HUFF/GELC/UMTL	07/14/98	Х	х	х	Х		
Pine Spring	F	PARA/HUFF/GELC	01/06/00	X	х	х			
Pine Spring	F	PARA/HUFF/GELC	03/30/00	Х	х	х			
Spring 9B	UF	PARA/HUFF/GELC	09/23/98	Х	х	х			
Spring 9B	F	PARA/HUFF/GELC	01/07/00	X	х				
Spring 9B	F	PARA/HUFF/GELC	04/06/2000	X	х				
Water Canyon Gallery	UF	n.a.	08/15/00					х	pH only field param
Water Canyon Gallery	F	GELC	11/29/01	Х	х			х	
Water Canyon Gallery	UF	GELC	11/29/01	Х		х		х	TSS only general
Water Canyon Gallery	UF	GELC	09/09/02	Х				х	
Water Canyon Gallery	UF	GELC	08/26/03	х		х		х	
Water Canyon Gallery	F	EES-6	03/04/05	Х	х	х		х	U only rad
Water Canyon Gallery	F	EES-6	04/18/05	Х	х	х		х	U only rad
Water Canyon Gallery	F	EES-6	05/27/05	х	х	x		х	U only rad
Water Canyon Gallery	F	EES-6	07/11/05	Х	х	x		x	U only rad

x = analyzed

GEL or GELC = General Engineering Laboratories

PARA = Paragon Laboratory

UMTL = University of Miami Tritium Laboratory

HUFF = Huffman Laboratories

EES6 = Los Alamos National Laboratory, Earth and Environmental Science Group 6 Laboratory

n.a. = not available

UF = unfiltered

F = filtered

SW = supply well. Unfiltered data from supply wells were used as filtered data when notation says "SW."

Blank fields indicate no applicable information or no analysis performed

Table A-3
Data Transformations Selected for UTL Calculations

Analyte	Regional Aquifer	Intermediate GW Zone	Alluvial GW Zone
Al	n.c.	Natural Log	Nonparametric
As	n.c.	Nonparametric	n.c.
В	Natural Log	Natural Log	Natural Log
Ва	Natural Log	Square Root	None
Br	n.c.	Nonparametric	n.c.
Ca	Natural Log	Natural Log	None
CI	Square Root	Nonparametric	Natural Log
CIO4	None	n.c.	Square Root
Cr	None	n.c.	n.c.
Cu	n.c.	Natural Log	n.c.
F	None	None	None
Fe	n.c.	Natural Log	Nonparametric
Field Conductivity	Natural Log	Natural Log	n.c.
Field pH	None	None	n.c.
HCO3	Natural Log	n.c.	n.c.
K	Natural Log	Natural Log	Natural Log
Lab Conductivity	Natural Log	n.c.	n.c.
Lab pH	None	Square Root	None
Li	None	Natural Log	None
Mg	None	Natural Log	Natural Log
Мо	Natural Log	n.c.	n.c.
Na	Natural Log	Natural Log	None
NO3+NO2-N	Square Root	Nonparametric	Nonparametric
PO4-N	n.c.	Square Root	n.c.
SiO2	None	Natural Log	Natural Log
SO4	Natural Log	Natural Log	Natural Log
Sr	Natural Log	Square Root	None
TDS	Natural Log	n.c.	n.c.
Ti	n.c.	Natural Log	n.c.
Total Alkalinity	Natural Log	Natural Log	Natural Log
U	Natural Log	None	Natural Log
U234	Natural Log	n.c.	n.c.
U238	Natural Log	n.c.	n.c.
V	Natural Log	None	n.c.

n.c. = Not calculated because either number of results was less than 8 or the frequency of nondetections was greater than 50%.

EP2006-1078 A-19 February 2007

Alluvial and intermediate groundwater zone UTLs were calculated using analytical results from filtered samples.

Regional aquifer groundwater UTLs were calculated using filtered sample results plus nonfiltered results from municipal water supply wells.

Groundwater Background Investigation Report, Rev. 2

February 2007 A-20 EP2006-1078

Appendix B

Comprehensive Data Tables (Background Locations, Years 2000 to 2006)

February 2007

Contents

Table B-1.1.	LAO-B1
Table B-1.2.	Pine Spring3
Table B-1.3.	Barbara Spring5
Table B-1.4.	Campsite Spring6
Table B-1.5.	CdV-5.0 Spring
Table B-1.6.	LAO1-1.1(a)
Table B-1.7.	Seven Spring10
Table B-1.8.	Water Canyon Gallery11
Table B-1.9.	Ancho Spring17
Table B-1.10.	G-1A
Table B-1.11.	G-2A
Table B-1.12.	G-3A
Table B-1.13.	G-4A
Table B-1.14.	G-5A
Table B-1.15.	PM-2
Table B-1.16.	PM-453
Table B-1.17.	PM-560
Table B-1.18.	R-1
Table B-1.19.	R-1383
Table B-1.20.	R-18
Table B-1.21.	R-21
Table B-1.22.	Sacred Spring
Table B-1.23.	Spring 1
Table B-1.24.	Spring 5B
Table B-1.25.	Spring 6
Table B-1.26.	Spring 6A
Table B-1.27.	Spring 8A
Table B-1.28.	Spring 9
Table B-1.29.	Spring 9A
Table B-1.30.	Spring 9B
Table B-1.31.	Turbidity and Temperature Data for Nonfiltered Alluvial Groundwater Samples
Table B-1.32.	Turbidity and Temperature Data for Nonfiltered Intermediate Groundwater
1 dolo D-1.02.	Samples
Table B-1.33.	Turbidity and Temperature Data for Nonfiltered Regional Groundwater
	Samples

Tablenotes

GEL or GELC = General Engineering Laboratories

PARA = Paragon Laboratory

UMTL = University of Miami Tritium Laboratory

HUFF = Huffman Laboratories

EES6 = LANL, Earth and Environmental Science Group 6 Laboratory

NMSSL = New Mexico Soil Science Laboratory

CST = LANL Chemical Sciences and Technology Group

ATICO = Analytical Technologies, Inc.

UF = unfiltered

F = filtered

MDL = Method Detection Limit

MDA = Minimum Detected Activity (applicable to radioactive constituents only)

Note: Italicized and underlined values are MDA

Sym = "<" indicates result is less than the method detection limit

C = Celsius

NTU = nephelometric turbidity unit

Blank fields indicate no applicable information or no analysis performed

Groundwater Background Investigation Report, Rev. 2

August 2006 B-iv EP2006-0775

Table B-1.1 LAO-B

			Start Date Time	I	0′	3/03/05				05/10/05			05/10/05		Ī		08/17/05				8/03/06			0	8/03/06	
			Fld Prep Code		0.	3/03/05 F				J3/10/03 F			05/10/05 F				U8/17/U3 E			U	8/U3/U6 E			U	UF	
		Lab	Fiu Fiep Code			<u>r</u>				Г			Г				F				Г				UF	
Anyl Suite Code	Analyte Desc	Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Resul	t MDL/I	/IDA Ur	cert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert S	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L					<	1.45	1.45									<	0.725	0.725		<	0.725	0.725	ļ
	Alkalinity-CO3+HCO3	EES6	mg/L		50.7	1						41.2	1			67.9	1									
-	Alkalinity-CO3+HCO3	GELC	mg/L						38.6	1.45										76	0.725			76	0.725	
}	Alkalinity-HCO3	GELC	mg/L						38.6	1.45			+				+			0.067	0.01		<	0.119	0.01	
}	Ammonia as Nitrogen Bromide	GELC EES6	mg/L mg/L	<	0.01	0.01						< 0.01	0.0	1		0.02	0.01		<	0.067	0.01		`	0.119	0.01	-
 	Bromide	GELC	mg/L		0.01	0.01		<	0.041	0.041		0.01	0.0	<u>'</u>		0.02	0.01		<	0.066	0.066		<	0.066	0.066	+
-	Calcium	EES6	mg/L		17.6	0.01	0.1		0.041	0.041		15.4	0.0	1 ().1	18.2	0.01	0.1		0.000	0.000		-	0.000	0.000	
ľ	Calcium	GELC	mg/L			0.01			16.5	0.036		16.3					0.0.	-		17.3	0.036			17.3	0.036	1
	Chloride	EES6	mg/L		14.9	0.01						16.2				16.04	0.01									
	Chloride	GELC	mg/L						14.7	0.053										7.36	0.066			7.42	0.066	1
	Fluoride	EES6	mg/L		0.09	0.01						0.15	0.0	1		0.08	0.01									
	Fluoride	GELC	mg/L					<	0.03	0.03										0.143	0.033			0.135	0.033	
	Magnesium	EES6	mg/L		5.22	0.01	0.03				ļ	3.75			.02	5.5	0.01	0.06								ļ
<u> </u>	Magnesium	GELC	mg/L						5.02	0.085		4.94								4.96	0.085			4.98	0.085	
<u> </u>	Nitrate as Nitrogen	EES6	mg/L		0.45	0.003	1				1	0.57	0.00	03		0.1	0.003									
ဗိုင္မ	Nitrate-Nitrite as N	GELC	mg/L	ļ					0.451	0.003	1		_				2			0.102	0.014		<	0.0907	0.014	<u> </u>
GENINORG	Nitrite as Nitrogen	EES6	mg/L	<	0.003	0.003	+		0.00	0.05	1	< 0.003	3 0.00)3		< 0.003	0.003		-	0.05	0.05					
	Perchlorate	GELC	μg/L		2.00	0.04	0.00		0.39	0.05		0.00	0.0	4 0	0.4	2.00	0.04	0.04	<	0.05	0.05					
35	Potassium	EES6 GELC	mg/L		3.02	0.01	0.03		3.17	0.05		2.33 3.15	_		.04	3.96	0.01	0.01		3.82	0.05			3.82	0.05	-
}	Potassium Silicon Dioxide	EES6	mg/L mg/L		12.9	10	0		3.17	0.05		13.6).1	16.8	10	0.1		3.82	0.05			3.82	0.05	+
 	Silicon Dioxide	GELC	mg/L		12.5	10	0		31.1	0.032		13.0	10	,	7. 1	10.0	10	0.1		35.2	0.032			35.4	0.032	+
	Sodium	EES6	mg/L		8.65	0.01	0.08		31.1	0.002		8.41	0.0	1 0	.05	11.3	0.01	0.1		33.2	0.002			33.4	0.002	1
}	Sodium	GELC	mg/L		0.00	0.01	0.00		9.29	0.045		9.26			.00	11.0	0.01	0.1		11.6	0.045			11.8	0.045	
	Specific Conductance	FLD	uS/cm		184.2				0.20	0.0.0		179.6									0.0.0			177.1	0.0.0	
	Sulfate	EES6	mg/L		15.1	0.01						15.8		1		9.22	0.01									
	Sulfate	GELC	mg/L						14.2	0.057										5.55	0.1			5.58	0.1	
	Total Dissolved Solids	GELC	mg/L						115	2.38										139	2.38			140	2.38	
<u> </u>	Total Kjeldahl Nitrogen	GELC	mg/L						0.141	0.01									<	0.191	0.01		<	0.064	0.01	
	Total Organic Carbon	GELC	mg/L						4.99	0.074														2.28	0.33	
	Total Phosphate as																									
}	Phosphorus	EES6	mg/L		0.02282	0.003						0.032	6 0.00)3		0.03586	0.003									
	Total Phosphate as Phosphorus	GELC	mg/L					<	0.044	0.01									<	0.04	0.01		<	0.035	0.01	
}	Total Suspended Solids	GELC	mg/L						0.011	0.01										0.01	0.01	t	<	1.9	1.9	
	рН	FLD	SU		7.48							7.2												7.23	1.0	1
	Aluminum	EES6	μg/L		22	2	1					16	2			2.3	2							-		
	Aluminum	GELC	μg/L						288	68		359	68	3					<	68	68		<	68	68	
[Antimony	EES6	μg/L	<	1	1						< 1	1			< 1	1									
[Antimony	GELC	μg/L					<	0.5	0.5		< 0.5	0.	5					<	0.5	0.5		<	0.5	0.5	
[Arsenic	EES6	μg/L	<	0.2	0.2					ļ	0.2				0.4	0.2									<u> </u>
<u> </u>	Arsenic	GELC	μg/L				1	<	6	6	1	< 6	6						<	6	6		<	6	6	↓
	Barium	EES6	μg/L	<u> </u>	36	1	1					13				40	1	<u> </u>	-					05 =		<u> </u>
S	Barium	GELC	μg/L	<u> </u>	4		+		33.8	1	1	34.1								38.6	1			38.7	1	
METALS	Beryllium	EES6	μg/L	<	1	1	1		0.4	0.4	1	< 1	1			< 1	1			4	4		_			-
ME	Beryllium	GELC EES6	μg/L	 	10	1	+	<	0.1	0.1	-	< 0.1			1	47	1	+	<	1	1	 	<	1	1	
}	Boron Boron	GELC	μg/L μg/L		13	1 1	+		17.4	10	1	13	_		1	17	1			14.6	10			13.6	10	
}	Cadmium	EES6	μg/L μg/L	<	1	1	+		17.4	10	1	< 1	1			< 1	1			14.0	10			13.0	10	
}	Cadmium	GELC	μg/L μg/L		'	 '	+	<	0.1	0.1	1	0.45				`	'	1	<	0.1	0.1		<	0.1	0.1	<u> </u>
}	Chromium	EES6	μg/L	<	1	1	1	<u> </u>	J.1	J.1	1	< 1	1			< 1	1		<u> </u>	J. 1	V. 1	 	-	V. 1	<u> </u>	
}	Chromium	GELC	μg/L		<u> </u>	<u> </u>	1	<	1	1	1	1.3	'						<	1.7	1		<	1.3	1	
	Cobalt	EES6	μg/L	<	1	1	1					< 1	1			< 1	1									
ļ-	Cobalt	GELC	μg/L					<	1	1		< 1	1						<	1	1		<	1	1	

EP2006-1078 B-1 February 2007

			Start Date Time		03	3/03/05			05	5/10/05				05/10/05			0	08/17/05			08	8/03/06			(08/03/06	
			Fld Prep Code			F				F				F				F				F				UF	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Svm	Result	MDL/MDA	Uncert
Arryr Suite Code	Copper	EES6	µg/L	Sylli	1	1	Uncert	Jyiii	Rosuit	WIDE/WIDA	Uncert	- Sylli - <	1	1	Uncert	- Sylli - <	1	1	Uncert	Sym	Result	WIDE/WIDA	Officert	Jyiii	Nosuit	WIDE/WIDA	Uncert
	Copper	GELC	μg/L	1				<	3	3		<	3	3		,				<	3	3		<	3	3	+
	Iron	EES6	μg/L		10	10						<	10	10		<	10	10		-	Ŭ					<u> </u>	1
	Iron	GELC	μg/L						113	18			148	18						<	26	18		<	22.9	18	
	Lead	EES6	μg/L	<	0.2	0.2						<	0.2	0.2		<	0.2	0.2									
	Lead	GELC	μg/L		-	_		<	0.5	0.5		<	0.5	0.5						<	0.5	0.5		<	0.5	0.5	
	Manganese	EES6	μg/L	<	1	1						<	1	1		<	1	1									
	Manganese	GELC	μg/L					<	1	1			1.4	1						<	2	2		<	2	2	
	Mercury	EES6	μg/L	<	0.05	0.05						<	0.05	0.05		<	0.05	0.05									
l e	Mercury	GELC	μg/L					<	0.05	0.05		<	0.05	0.05						<	0.06	0.06		<	0.06	0.06	
(continued)	Nickel	EES6	μg/L	<	1	1						<	1	1		<	1	1									
	Nickel	GELC	μg/L					<	1	1		<	1	1						<	0.75	0.5		<	0.69	0.5	
S C	Selenium	EES6	μg/L	<	1	1						<	1	1		<	1	1									
<u> </u>	Selenium	GELC	μg/L					<	6	6		<	6	6						<	2.5	2.5		<	2.5	2.5	
Ē	Silver	EES6	μg/L	<	1	1						<	1	1		<	1	1									
2	Silver	GELC	μg/L					<	1	1		<	1	1						<	0.2	0.2		<	0.2	0.2	
	Thallium	EES6	μg/L	<	1	1						<	1	1		<	1	1									
	Thallium	GELC	μg/L					<	0.4	0.4		<	0.4	0.4						<	0.4	0.4		<	0.4	0.4	
	Tin	EES6	μg/L	<	1	1						<	1	1		<	1	1									
	Tin	GELC	μg/L					<	6.6	2.5		<	4.6	2.5						<	2.5	2.5		<	2.5	2.5	
	Vanadium	EES6	μg/L	<	1	1							1	1		<	1	1									
	Vanadium	GELC	μg/L						1	1			1.2	1						<	1	1		<	1	1	
	Zinc	EES6	μg/L		7	1							2	1			8	1									
	Zinc	GELC	μg/L					<	2	2			2.9	2						<	5.5	2		<	5.2	2	
<u> </u>	Americium-241	GELC	pCi/L						0.00194	<u>0.034</u>	0.00204										0.0106	<u>0.0254</u>	0.00805		0.026	0.0269	0.011
<u> </u>	Cesium-137	GELC	pCi/L						0.238	<u>2.36</u>	0.662										0.688	<u>3.98</u>	1.04		0.176	<u>4.75</u>	1.29
	Gross alpha	GELC	pCi/L						0.246	<u>1.23</u>	0.298										0.781	<u>1.14</u>	0.37		0.209	<u>1.26</u>	0.338
	Gross beta	GELC	pCi/L						4.27	<u>2.33</u>	0.701										4.71	<u>2.26</u>	0.774		3.78	2.38	0.786
	Gross gamma	GELC	pCi/L						2340	<u>1400</u>	2600										65.6	<u>207</u>	203		96	<u>353</u>	94
RAD	Plutonium-238	GELC	pCi/L						0.0515	0.043	0.0148										- 0.00318	0.0306	0.00842		0.00876	0.0281	0.00507
≥ –	Strontium-90	GELC	pCi/L						0.0315	0.234	0.0146										0.00318	0.457	0.00642		-0.104	0.391	0.00307
	Tritium	UMTL							0.0361	0.234	0.000										0.0042	0.437	0.133		30.9721	0.28737	0.112
	Uranium	EES6	pCi/L μg/L	<	0.2	0.2						<	0.2	0.2		<	0.2	0.2	 						30.8121	0.20131	0.8378
	Uranium	GELC	μg/L μg/L	+	0.2	0.2							0.2	U.Z			0.2	0.2			0.076	0.05			0.078	0.05	+
	Uranium-234	GELC	μg/L pCi/L	1					0.0501	0.08	0.0134										0.076	0.05	0.0235		0.078	0.05	0.014
	Uranium-238	GELC	pCi/L	+					0.0301	0.057	0.00794								-		0.0343	0.126	0.0233		0.0404	0.0603	0.014
	Uranium-238	GELU	pCI/L						0.0132	<u>0.057</u>	0.00794										0.0082	<u>U. 134</u>	0.0249		0.0322	0.0003	0.0104

Table B-1.2 Pine Spring

		[Start Date Time			2/10/1998				2/10/1998				7/14/1998				1/6/2000				3/30/2000	
ľ			Fld Prep Code		ı	UF	T			UF	T			UF			1	F	T			F	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert S	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
_	Alkalinity-HCO3	PARA	mg/L		36				35											1			
-	Ammonia as Nitrogen	PARA	mg/L	-												<	0.5			<	0.5		
-	Bromide	PARA	mg/L	<	0.1			<	0.1				10.5			<	0.2				7.0		
-	Calcium	PARA	mg/L		8.58		+		8.27				12.5		+		8.2			1	7.3		+
-	Chloride Chloride	PARA GELC	mg/L		2				2							1	1.5				1.53		+
-	Dissolved Organic Carbon	HUFFMAN	mg/L mg/L		5.4							1	4.7								1.53		+
-	Fluoride	PARA	mg/L	<	0.05		+	<	0.05				4.1			<	0.1						+
-	Fluoride	GELC	mg/L	+	0.03		+		0.03							<u> </u>	0.1				0.101		+
-	Nitrate as N	PARA	mg/L		0.1				0.1			1				<	0.2				0.101		1
-	Nitrite as N	PARA	mg/L	<	0.1			<	0.1							<	0.1						1
-	Nitrate-Nitrite as N	PARA	mg/L		0.1				0.1							<	0.1				0.095		
-	Potassium	PARA	mg/L		3.92				3.4				3.98				2.9				2.7		
•	Silicon Dioxide	PARA	mg/L		45.9				45.6				0.00				44				26		1
-	Sodium	PARA	mg/L		4.7				4.79				6.03				4.4				4.3	-	1
ŀ	Specific Conductance	HUFFMAN	uS/cm				1				1		115		1		···						1
ŀ	Sulfate	PARA	mg/L		6.4				6.4						1	1	6.2			1		-	1
-	Sulfate	GELC	mg/L																		6.32		
ŀ	Total Dissolved Solids	PARA	mg/L		220				190						1	1				1		-	
-	Total Kjeldahl Nitrogen	RECRAP	mg/L														0.46						
•	Total Kjeldahl Nitrogen	CST	mg/L																	<	0.1		
-	Total Phosphate as Phosphorus	PARA	mg/L														8.7				0.12		
-	Hq	HUFFMAN	SU										6.4										
	Aluminum	PARA	μg/L		14900				8760				3840				8700				3400		
-	Antimony	GELC	μg/L													<	0.683			<	0.683		
-	Antimony	PARA	μg/L	<	3.4			<	3.4			<	2.5			<	2.8			<	2.8		1
-	Arsenic	PARA	μg/L		2.7			<	2.5			<	2.4			<	2.3			<	2.3		
	Barium	PARA	μg/L		69				51.6			<	58.9			<	64			<	42		1
	Beryllium	PARA	μg/L		1.2				0.98			<	0.2			<	1.3			<	0.18		
	Beryllium	GELC	μg/L													<	0.01				0.466		
	Boron	PARA	μg/L		9.8				11.6							<	17			<	17		
	Cadmium	PARA	μg/L	<	0.3			<	0.3			<	0.2			<	0.17			<	0.17		
	Cadmium	GELC	μg/L													<	0.13			<	0.13		
	Chromium	PARA	μg/L		4.8				2.4			<	0.75			<	5			<	1.8		
_	Cobalt	PARA	μg/L		1.7				1			<	0.5			<	1.4			<	0.51		
_	Copper	PARA	μg/L		2.4				1.6			<	2.2			<	2.6				1.7		
	Iron	PARA	μg/L		6.66				3.9				1510				4600				2100		
ø,	Lead	PARA	μg/L	<	1.4			<	1.4			<	1.1			<	2			<	2		
JA.	Lead	GELC	μg/L													<	0.01				1.88		
ME	Magnesium	PARA	mg/L		3.71				3.19			<	4.3				2.9				2.6		
2	Manganese	PARA	μg/L		27.1				15.4				9.9				21				10		
-	Mercury	PARA	μg/L		0.02				0.03			<	0.02			<	0.013			<	0.011		
-	Molybdenum	PARA	μg/L	<	2.9			<	2.9														
_	Nickel	PARA	μg/L		6.2				5.2			<	3.4		-	<	5.6		1	<	1.8		4
_	Selenium	PARA	μg/L	<	3.1			<	3.1			<	2.9		1	<	3.8			<	3.8		4
	Silver	PARA	μg/L	<	0.9			<	0.9		1				1	<	0.64			<	0.64		
	Strontium	PARA	μg/L 		66.5		 		62.3		1				1								
	Thallium	PARA	μg/L 	<	3.8			<	3.8		1	<	9.9			<	3.2			<	3.2		
-	Thallium	GELC	μg/L "	1	4		 				-			1		<	0.026	1	+	<	0.335		
	Tin	PARA	μg/L	<	14.1		 	<	14.1		-	├		1				1	+				+
-	Titanium	PARA	μg/L "	1	230				143		1			-		-		-			0.55		
-	Uranium	PARA	μg/L "	1	0.41				0.25		1			-		-	0.32	-			0.26		
-	Uranium	GELC	μg/L "	1	4-						1			-		-	0.957	-			0.251		
	Vanadium	PARA	μg/L "	1	12		 		7.3		-	<	5.3	1		<	9.4	1	+	<	5		
	Zinc	PARA	μg/L		15.3				10			<	5	<u> </u>		<	14	<u> </u>		<	5.5		

EP2006-1078 B-3 February 2007

			Start Date Time			2/10/1998				2/10/1998			7	//14/1998			1/6/2000				3/30/2000	
			Fld Prep Code			UF				UF				UF			F				F	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Res	It MDL/MD	Uncer	Sym	Result	MDL/MDA	Uncert
	Americium-241	PARA	pCi/L	<	-0.003	0.077		<	0.02	0.052		<	0.031	0.036								
	Americium-241	ATICO	pCi/L									<	1.5	10								
	Cesium-137	PARA	pCi/L	<	0.225	2.11		<	0.529	2.03												
	Cesium-137	ATICO	pCi/L									<	-0.9	1.7								
	Gross alpha	PARA	pCi/L	<	1.8	1.2		<	1.22	0.79		<	1.28	1.4								
	Gross beta	PARA	pCi/L										5.5	2.33								
	Gross gamma	PARA	pCi/L										161	12								
	Plutonium-238	PARA	pCi/L	<	-0.004	0.094		<	-0	0.081		<	0	0.047								
<u> </u>	Plutonium-239	PARA	pCi/L	<	0.014	0.065						<	0.0079	0.029								
	Strontium-90	PARA	pCi/L	<	0.12	0.39		<	0.08	0.42		<	-0.28	1.12								
	Tritium	UMTL	pCi/L										5.7	3		57.2	8 0					
	Uranium-235	PARA	pCi/L	<	0.0061	0.041		<	0.013	0.037		<	0.0025	0.025								
	Uranium-235	ATICO	pCi/L									<	-3.7	3.7								
	Uranium-234	PARA	pCi/L		0.16	0.045		<	0.069	0.079			0.048	0.03								
	Uranium-238	PARA	pCi/L		0.102	0.037			0.124	0.042		<	0.037	0.034								

Table B-1.3 Barbara Spring

			Start Date Time			03/29/05				05/12/05				06/15/05			(07/13/05	
			Fld Prep Code			F				F				F				F	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert												
	Alkalinity-CO3+HCO3	FLD	mg/L	- j				-J								- j	33		1
	Alkalinity-CO3+HCO3	EES6	mg/L		35.7	1			34.8	1			35.2	1			34.6	1	
	Bromide	EES6	mg/L		0.01	0.01			0.02	0.01			0.02	0.01			0.01	0.01	
	Calcium	EES6	mg/L		4.86	0.01	0.04		4.6	0.01	0.01		4.64	0.01	0.05		4.81	0.01	0.06
	Chloride	EES6	mg/L		1.21	0.01			1.15	0.01			1.15	0.01			1.11	0.01	
	Fluoride	EES6	mg/L		0.12	0.01			0.12	0.01			0.12	0.01			0.12	0.01	
()	Magnesium	EES6	mg/L		0.74	0.01			0.77	0.01			0.9	0.01	0.01		0.91	0.01	0.01
GENINORG	Nitrate as Nitrogen	EES6	mg/L		0.27	0.003			0.28	0.003			0.25	0.003			0.28	0.003	
Ĭ	Nitrite as Nitrogen	EES6	mg/L	<	0.003	0.003		<	0.003	0.003		<	0.003	0.003		<	0.003	0.003	
Z Z	Potassium	EES6	mg/L		0.19	0.01			0.21	0.01			0.29	0.01			0.32	0.01	0.01
o [Silicon Dioxide	EES6	mg/L		34.2	10	0.4		33.6	10	0.1		34.9	10	0.2		34.6	10	0.6
	Sodium	EES6	mg/L		9.75	0.01	0.16		9.43	0.01	0.06		9.97	0.01	0.09		10.1	0.01	0.1
	Specific Conductance	FLD	uS/cm		73.3				73.4				74.9				72.9		
	Sulfate	EES6	mg/L		1.22	0.01			1.14	0.01			1.15	0.01			1.07	0.01	
	Sulfide, Total	FLD	mg/L																
	Total Phosphate as Phosphorus	EES6	mg/L		0.05216	0.003			0.03912	0.003			0.02608	0.003			0.03912	0.003	
	рН	FLD	SU		7.76				7.39				7.06				7.22		
	Aluminum	EES6	μg/L		15	2			11	2			5	2			6	2	
	Antimony	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Arsenic	EES6	μg/L		0.5	0.2			0.6	0.2			0.7	0.2			0.5	0.2	
	Barium	EES6	μg/L		1.4	11			1.4	1			1.3	1			1.6	1	
	Beryllium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Boron	EES6	μg/L		7.5	11			6.6	1	1		6.3	1			6	1	
	Cadmium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Chromium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Cobalt	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
ού	Copper	EES6	μg/L	<	1	1			1.8	1		<	1	1			1.3	1	
METALS	Iron	FLD	μg/L																
L L	Iron	EES6	μg/L		20	10		<	10	10		<	10	10		<	10	10	
_	Lead	EES6	μg/L	<	0.2	0.2		<	0.2	0.2		<	0.2	0.2		<	0.2	0.2	
	Manganese	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Mercury	EES6	μg/L	<	0.05	0.05		<	0.05	0.05		<	0.05	0.05		<	0.05	0.05	
	Nickel	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Selenium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Silver	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Thallium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Tin	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Vanadium	EES6	μg/L		2	1			2	1			2	1			1	1	
	Zinc	EES6	μg/L	<	1	1		<	1	1			2	1		<	1	1	
RAD	Uranium	EES6	μg/L		0.3	0.2			0.3	0.2			0.3	0.2		<	0.2	0.2	

Table B-1.4
Campsite Spring

			Start Date Time)5/17/05				06/08/05				07/14/05	
		T	Fld Prep Code			F			T	F	1		ı	F	1
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3+HCO3	FLD	mg/L												
	Alkalinity-CO3+HCO3	EES6	mg/L		38.5	1			38.6	1			38.8	1	
	Bromide	EES6	mg/L		0.02	0.01			0.02	0.01			0.01	0.01	
	Calcium	EES6	mg/L		5.35	0.01	0.03		4.39	0.01	0.01		4.9	0.01	0.02
	Chloride	EES6	mg/L		1.12	0.01			1.08	0.01			1.05	0.01	
	Fluoride	EES6	mg/L		0.13	0.01			0.14	0.01			0.14	0.01	
Ō	Magnesium	EES6	mg/L		1.63	0.01			1.6	0.01	0.01		1.74	0.01	0.01
GENINORG	Nitrate as Nitrogen	EES6	mg/L		0.33	0.003			0.35	0.003			0.34	0.003	
Ž	Nitrite as Nitrogen	EES6	mg/L	<	0.003	0.003		<	0.003	0.003		<	0.003	0.003	
l ji	Potassium	EES6	mg/L		1.21	0.01			1.27	0.01	0.01		1.45	0.01	0.01
	Silicon Dioxide	EES6	mg/L		26.2	10	0		25.1	10	0.1		26.7	10	0.1
	Sodium	EES6	mg/L		8.95	0.01	0.07		8.97	0.01	0.02		9.6	0.01	0.03
	Specific Conductance	FLD	uS/cm		75								33.1		
	Sulfate	EES6	mg/L		2.46	0.01			1.93	0.01			1.54	0.01	
	Sulfide, Total	FLD	mg/L												
	Total Phosphate as Phosphorus	EES6	mg/L		0.02608	0.003			0.02608	0.003			0.02282	0.003	
	рН	FLD	SU		7.86				7.73				7.85		
	Aluminum	EES6	μg/L		36	2			11	2			2.1	2	
	Antimony	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Arsenic	EES6	μg/L		0.5	0.2			0.6	0.2			0.5	0.2	
	Barium	EES6	μg/L		2.2	1			1.9	1			2.1	1	
	Beryllium	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Boron	EES6	μg/L		8.8	1			7.9	1			7.8	1	
	Cadmium	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Chromium	EES6	μg/L		2.2	1	0.1		2.4	1			2.4	1	
	Cobalt	EES6	μg/L	<	1	1		<	1	1		<	1	1	
σ	Copper	EES6	μg/L		3.5	1	0.1		2.9	1		<	1	1	
METALS	Iron	FLD	μg/L												
<u> </u>	Iron	EES6	μg/L		20	10		<	10	10		<	10	10	
≥	Lead	EES6	μg/L	<	0.2	0.2		<	0.2	0.2		<	0.2	0.2	
	Manganese	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Mercury	EES6	μg/L	<	0.05	0.05		<	0.05	0.05		<	0.05	0.05	
	Nickel	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Selenium	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Silver	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Thallium	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Tin	EES6	μg/L	<	1	1		<	1	1		<	1	1	
	Vanadium	EES6	μg/L		3	1			3	1			3	1	
	Zinc	EES6	μg/L	<	1	1			5	1		<	1	1	
RAD	Uranium	EES6	μg/L		0.5	0.2			0.4	0.2			0.4	0.2	

Table B-1.5 CdV-5.0 Spring

			Start Date Time			03/03/05				04/18/05				05/27/05)7/11/05	
			Fld Prep Code			F				F				F				F	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3+HCO3	FLD	mg/L																
	Alkalinity-CO3+HCO3	EES6	mg/L		33.8	1			33.8	1			25.7	1			34.7	1	
Ī	Bromide	EES6	mg/L		0.02	0.01			0.03	0.01			0.02	0.01			0.02	0.01	
	Calcium	EES6	mg/L		16.5	0.01			15.6	0.01	0.1		8.2	0.01	0.05		9.86	0.01	0.06
Ī	Chloride	EES6	mg/L		6.43	0.01			5.38	0.01			2.79	0.01			3.2	0.01	
	Fluoride	EES6	mg/L		0.07	0.01			0.09	0.01			0.06	0.01			0.05	0.01	
O	Magnesium	EES6	mg/L		5.86	0.01	0.05		4.45	0.01	0.01		3.14	0.01	0.01		3.79	0.01	0.03
GENINORG	Nitrate as Nitrogen	EES6	mg/L		1.31	0.003			1.78	0.003			0.9	0.003			0.76	0.003	
ž	Nitrite as Nitrogen	EES6	mg/L	<	0.003	0.003		<	0.003	0.003		<	0.003	0.003		<	0.003	0.003	
Ä –	Potassium	EES6	mg/L		3.54	0.01	0.01		2.62	0.01	0.01		2.41	0.01	0.03		3.62	0.01	0.02
O L	Silicon Dioxide	EES6	mg/L		24.5	10	0		24.2	10	0		19	10	0.1		19.9	10	0.1
	Sodium	EES6	mg/L		7.49	0.01	0.03		7.52	0.01	0.08		5.2	0.01	0.02		5.93	0.01	0.05
L	Specific Conductance	FLD	uS/cm		173				177.4				114.6				119.6		
L	Sulfate	EES6	mg/L		34.8	0.01			30.92	0.01			17.5	0.01			14.2	0.01	
L	Sulfide, Total	FLD	mg/L																
	Total Phosphate as Phosphorus	EES6	mg/L		0.0489	0.003			0.0652	0.003			0.0489	0.003			0.05542	0.003	
	рН	FLD	SU		7.86				7.02				7.35				6.97		
L	Aluminum	EES6	μg/L		820	2	70		75	2			85	2	1		21	2	
L	Antimony	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
L	Arsenic	EES6	μg/L		0.5	0.2	0.1		0.5	0.2			0.4	0.2	0.1		0.3	0.2	
L	Barium	EES6	μg/L		58	1			54	1	1		30	1			35	1	
	Beryllium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
	Boron	EES6	μg/L		7.9	1			8.6	1			6	1			7.9	1	
	Cadmium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
L	Chromium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
L	Cobalt	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
Ø	Copper	EES6	μg/L		2.1	1	0.1		3.3	1			3.8	1	0.1		1.4	1	
	Iron	FLD	μg/L																
METALS	Iron	EES6	μg/L		480	10			40	10			30	10		<	10	10	
	Lead	EES6	μg/L		0.3	0.2		<	0.2	0.2		<	0.2	0.2		<	0.2	0.2	
	Manganese	EES6	μg/L		1.6	1	0.1	<	1	1		<	1	1		<	1	1	
	Mercury	EES6	μg/L	<	0.05	0.05		<	0.05	0.05		<	0.05	0.05		<	0.05	0.05	
<u> </u>	Nickel	EES6	μg/L	<	1	1			29	1		<	11	1		<	1	1	
	Selenium	EES6	μg/L	<	1	1		<	1	1		<	11	1		<	1	1	
<u> </u>	Silver	EES6	μg/L	<	1	1		<	11	1		<	11	1		<	1	1	
<u> </u>	Thallium	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
<u> </u>	Tin	EES6	μg/L	<	1	1		<	1	1		<	1	1		<	1	1	
<u> </u>	Vanadium	EES6	μg/L		4	1			4	1			3	1			3	1	
	Zinc	EES6	μg/L	<	1	1			19	1			2	1		<	1	1	
RAD	Uranium	EES6	μg/L	<	0.2	0.2		<	0.2	0.2		<	0.2	0.2		<	0.2	0.2	

Table B-1.6 LAO1-1.1(a)

			Start Date Time		(06/03/04			03	3/04/05			03/07/05		0	5/07/05			05/07/05			(08/04/06			08/	3/04/06	
			Fld Prep Code			UF				F			UF			F			UF				F				UF	
Anyl Suite		Lab	•																									
Code	Analyte Desc	Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result MDL/MDA Uncert	Sym	Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L		9.43	1.45												< 1.45	1.45		<	0.725	0.725		<	0.725	0.725	
	Alkalinity-																											
-	CO3+HCO3	EES6	mg/L						51.2	1																		
	Alkalinity-	051.0				1.45																						
-	CO3+HCO3	GELC	mg/L		89.7							1						68	1.45			41.9	0.725			39.7	0.725	\vdash
-	Alkalinity-HCO3	GELC	mg/L		79.6	1.45						1						66.9	1.45								\vdash	\vdash
	Ammonia as	GELC	mg/L																			0.074	0.01			0.063	0.01	
-	Nitrogen Bromide	EES6							0.01	0.01		1										0.074	0.01			0.003	0.01	\vdash
-	Bromide	GELC	mg/L	+					0.01	0.01		1			1			< 0.041	0.041		<	0.066	0.066		<	0.066	0.066	\vdash
-	Calcium		mg/L	+					5.78	0.01	0.05	1			1			< 0.041	0.041		_	0.000	0.000		,	0.000	0.000	\vdash
-		GELC	mg/L	+	6.4	0.00554			5.70	0.01	0.03	-			+		-	6.00	0.036			E 04	0.036			6.07	0.036	\vdash
	Calcium Chloride	EES6	mg/L	+	6.1	0.00554			1.29	0.01	-				1		-	6.39	0.036		-	5.64	0.036			6.07	0.036	\vdash
-	Chloride		mg/L		4.07	0.0000			1.29	0.01								4.00	0.050		1	4.00	0.000			4.07	0.000	\vdash
-		GELC	mg/L		1.37	0.0322			0.4	0.04				1	1		-	1.22	0.053		-	1.28	0.066			1.27	0.066	\vdash
-	Fluoride	EES6	mg/L	+	0.04	0.0550			0.1	0.01				1	1			0.445	0.00		+	0.474	0.000			0.400	0.000	\vdash
-	Fluoride	GELC	mg/L	+	0.24	0.0553			4.57	0.04	0.00			1	1			0.145	0.03		+	0.171	0.033			0.168	0.033	\vdash
-	Magnesium	EES6	mg/L		4.00	0.00=10			1.57	0.01	0.02							1.01	2 22 =			4.00				4.0=		\vdash
-	Magnesium	GELC	mg/L		1.23	0.00518			0.47	0.000								1.94	0.085			1.66	0.085			1.87	0.085	\vdash
-	Nitrate as Nitrogen	EES6	mg/L						0.47	0.003		ļ															 	\longmapsto
	Nitrate-Nitrite as N	GELC	mg/L		0.43	0.01						ļ			0.291	0.003						0.289	0.014			0.232	0.014	\longmapsto
GENINORG	Nitrite as Nitrogen	EES6	mg/L		2.151			<	0.003	0.003								0.400			1	0.4==	2.25				<u> </u>	
9	Perchlorate	GELC	μg/L		0.151	0.05			- 10									0.168	0.05		1	0.175	0.05				<u> </u>	
	Potassium	EES6	mg/L	+ -					10	0.01	0.1										1							
99	Potassium	GELC	mg/L	+ -	27.7	0.0165												8.83	0.05		1	4.73	0.05			4.83	0.05	<u> </u>
	Silicon Dioxide	EES6	mg/L						31.6	10	0.3										1							↓
	Silicon Dioxide	GELC	mg/L		73.9	0.0212												70.4	0.032		1	65.7	0.032			69.3	0.032	↓
-	Sodium	EES6	mg/L						11.1	0.01	0.1																↓	
-	Sodium	GELC	mg/L		22.6	0.0144												10.4	0.045			8.27	0.045			8.31	0.045	
	Specific		0.4						4.4= 0									4400								a		
-	Conductance	FLD	uS/cm		227				147.9	0.04			128.5					119.9								91.7	\vdash	
-	Sulfate	EES6	mg/L			0.400			4.58	0.01												0.00						
-	Sulfate	GELC	mg/L		3.72	0.193												3.39	0.057			3.28	0.1			3.24	0.1	
	Total Dissolved Solids	GELC	ma/l		160	3.07												142	2.38			127	2.38			138	2.38	
-		GELC	mg/L		160	3.07						1						142	2.30		1	127	2.30			130	2.30	\vdash
	Total Kjeldahl Nitrogen	GELC	mg/L												0.196	0.01						0.145	0.01			0.015	0.01	
}	Total Organic	OLLO	mg/L	+ +								 			0.100	0.01			1			0.170	0.01			0.010	0.01	\vdash
	Carbon	GELC	mg/L											<	0.599	0.074										0.446	0.33	
	Total Phosphate as		··· ·												1											*****		
	Phosphorus	EES6	mg/L						0.01304	0.003																		
	Total Phosphate as																											
	Phosphorus	GELC	mg/L											<	0.031	0.01					<	0.02	0.01		<	0.12	0.01	
	Total Suspended																											
]]	Solids	GELC	mg/L		70.3	2.06																				58.8	2.28	igspace
	рН	FLD	SU		10.14				9.26				8.27					7.46								9.06		

		[Start Date Time		06/03/04			0:	3/04/05		03/07/05	0.5	5/07/05			0	5/07/05			0	8/04/06			08/	04/06	
			Fld Prep Code		UF				F		UF		F				UF				F				UF	
Anyl Suite		Lab	Tiu Tiep coue						1								01				<u> </u>				<u> </u>	
Code	Analyte Desc	Code	Std Uom	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert Sym	Result MDL/MDA Uncert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Aluminum	EES6	μg/L					70	2	21																
	Aluminum	GELC	μg/L	1220	14.7											1240	68			85.6	68			1170	68	
	Antimony	EES6 GELC	μg/L	1 0 400	0.00		<	1	1						_	0.5	0.5			0.5	0.5		_	0.5	0.5	\vdash
 	Antimony Arsenic	EES6	μg/L μg/L	< 0.409	0.28			0.4	0.2						<	0.5	0.5		<	0.5	0.5		<	0.5	0.5	\vdash
 	Arsenic	GELC	μg/L	< 2.24	2.24			0.4	0.2						<	6	6		<	6	6		<	6	6	
	Barium	EES6	μg/L					9.3	1												-			-		
	Barium	GELC	μg/L	26.1	0.222											11.2	1			7.1	1			12.6	1	
	Beryllium	EES6	μg/L				<	1	1																	
	Beryllium	GELC	μg/L	< 0.233	0.158											0.2	0.1		<	11	1		<	1	1	
	Boron	EES6	μg/L	45.7	4.00			8.6	1						_	10	10			10.0	10			10.7	10	\vdash
	Boron Cadmium	GELC EES6	μg/L μg/L	15.7	4.88		<	1	1						<	10	10			10.8	10			10.7	10	
	Cadmium	GELC	μg/L μg/L	0.123	0.04				'						<	0.1	0.1		<	0.1	0.1		<	0.1	0.1	
	Chromium	EES6	μg/L	0.120	0.01		<	1	1							0.1	0.1			0.1	0.1			0.1	0.1	
	Chromium	GELC	μg/L	1.89	0.503											1.1	1			2.1	1			2	1	
	Cobalt	EES6	μg/L				<	1	1																	
	Cobalt	GELC	μg/L	< 0.541	0.541										<	1	1			1.2	1		<	1	1	
	Copper	EES6	μg/L					1.3	1																	
rs	Copper	GELC	μg/L	3.71	1.39			440	40						<	3	3		<	3	3		<	3	3	
METALS	Iron	EES6	μg/L	474	10.0			110	10							446	40			00.0	40			467	10	
WE H	Iron Lead	GELC EES6	μg/L μg/L	471	12.6			0.2	0.2							416	18		<	80.6	18			467	18	
 	Lead	GELC	μg/L μg/L	2.55	0.05			0.2	0.2							1.2	0.5		<	0.5	0.5			1.8	0.5	
 	Manganese	EES6	μg/L	2.00	0.00		<	1	1							1.2	0.0			0.0	0.0			1.0	0.0	
	Manganese	GELC	μg/L	5.47	0.296			·								2.8	1			3.4	2			5.1	2	
Ī	Mercury	EES6	μg/L				<	0.05	0.05																	
	Mercury	GELC	μg/L	< 0.0472	0.0472										<	0.05	0.05		<	0.06	0.06		<	0.06	0.06	
	Nickel	EES6	μg/L				<	1	1																	
	Nickel	GELC	μg/L	< 0.953	0.69										<	1.2	1			0.55	0.5			0.59	0.5	
	Selenium	EES6	μg/L	1 2 12	2.24		<	1	1							0 =										
 	Selenium	GELC EES6	μg/L	< 3.48	2.81		<	1	1							8.5	6		<	2.5	2.5		<	2.5	2.5	
 	Silver Silver	GELC	μg/L μg/L	< 0.835	0.835		_	I I	-						<	1	1		<	0.2	0.2		<	0.2	0.2	
 	Thallium	EES6	μg/L μg/L	0.033	0.000		<	1	1						,					0.2	0.2			0.2	0.2	
	Thallium	GELC	μg/L	< 0.02	0.02			·	·						<	0.4	0.4		<	0.4	0.4		<	0.4	0.4	
	Tin	EES6	μg/L				<	1	1							-	-			-	-			-	-	
	Tin	GELC	μg/L	< 3.26	3.26										<	4.7	2.5		<	2.5	2.5		<	2.5	2.5	
	Vanadium	EES6	μg/L				<	1	1																	
	Vanadium	GELC	μg/L	0.852	0.606										<	1	1		\vdash	1.5	1			1.1	1	
	Zinc	EES6	μg/L	010	0.000	1		3	1							0.0	_			7.0	_			10.0	0	\vdash
	Zinc Americium-241	GELC GELC	μg/L pCi/l	91.6 0.00193	0.883 <u>0.034</u>	0.0135			1							8.9 0.0217	2 <u>0.034</u>	0.0127		7.9 0.00106	2 <u>0.0319</u>	0.0104	<	13.8 0.107	2 0.0315	0.0209
	Cesium-137	GELC	pCi/L pCi/L	-0.711	6.43	1.82				 						-0.288	<u>0.034</u> <u>2.83</u>	0.0127		0.824	<u>0.0319</u> <u>4.79</u>	1.3	-	0.107	<u>0.0315</u> <u>4.26</u>	1.36
	Gross alpha	GELC	pCi/L	0.803	1.55	0.541										1.04		0.378		-0.34	<u>0.712</u>	0.183		2.14	0.855	
	Gross beta	GELC	pCi/L	23.9	<u>1.5</u>	0.972										9.67	2.38	0.856		4.05	1.33	0.508		3.86	1.06	0.446
	Gross gamma	GELC	pCi/L	146	508	199										124	<u>355</u>	129		90	293	73		60.1	232	41.1
																								-		
RAD	Plutonium-238	GELC	pCi/L	0.0125	0.032	0.00725										0.0206		0.0083	\vdash	0		0.00391		0.00347	0.0334	
	Strontium-90	GELC	pCi/L	0.091	0.121	0.0396			1							0.0945		0.0679		-0.321	<u>0.512</u>	0.146		-0.0258	0.41	0.12
	Tritium	UMTL EES6	pCi/L	7.53548	0.28737	0.28/3/		0.5	0.2	 						5./4/4	0.28737	U.∠8/3/	\vdash					0.12//2	<u>0.28737</u>	0.28/3/
	Uranium Uranium	GELC	μg/L μg/L	0.785	0.02			0.5	0.2										 	0.25	0.05			0.81	0.05	
	Uranium-234	GELC	μg/L pCi/L	0.783	0.02 0.054	0.0243			1							0.191	<u>0.076</u>	0.0254		0.0932	<u>0.0611</u>	0.0196		0.236	0.03 0.0772	0.0356
	Uranium-238	GELC	pCi/L	0.186	0.034	0.0204										0.176					0.0649			0.195		0.0335
		,	F = :: =	303							L	1														

February 2007 EP2006-1078 B-9

Table B-1.7 Seven Spring

						Start Date Time	03/10/05	03/10/05	03/10/05	03/10/05	03/10/05	05/09/05	05/09/05	05/09/05	05/09/05	05/09/05	06/23/05	06/23/05	06/23/05	06/23/05	06/23/05	07/15/05	07/15/05	07/15/05	07/15/05	07/15/05
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
						Lab Sample Type Code	CS	cs	CS	CS	CS	cs	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						1 31	0	0	0.5		0	0	0		0	0	0.0	0	0	0	0	0		0	0	03
						Port Depth	U	U	U	0	U	U	U	0	U	U	U	U	U	U	U	U	0	U		+ 0
						Fld Qc Type Code																			 	+
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	
							Sym	Result	Ctd Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab	Std		Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Resuit	Stu Mui	Stu iviua	Stu Officert	Sylli	Resuit	Stu Mui	Stu iviua	Uncert
Code	Analyte Desc	Analyte	(Decoded)	Code	Uom																				1	
	Alkalinity-CO3+HCO3	ALK-		EES6	mg/L			43.9	1				43	1				45.1	1				46.4	1		
		CO3+HCO3						2.24	2.24										2.24					2.21		
	Bromide Calcium	Br(-1) Ca		EES6 EES6	mg/L			0.01 11.2	0.01		0.1		0.02 10.9	0.01		0.1		0.02 11.5	0.01		0.1		0.02 12	0.01		0.1
	Calcium	CI(-1)		EES6	mg/L mg/L			1.88	0.01		0.1		1.52	0.01		0.1		1.45	0.01		0.1		1.47	0.01	 	0.1
	Fluoride	F(-1)		EES6	mg/L			0.2	0.01				0.2	0.01				0.17	0.01				0.17	0.01		+ -
ניי	Magnesium	Mg		EES6	mg/L			1.5	0.01		0.02		1.25	0.01				1.51	0.01				1.56	0.01		0.01
SENINORG	Nitrate as Nitrogen	NO3-N		EES6	mg/L			0.25	0.003				0.22	0.003				0.18	0.003				0.22	0.003		
Ž	Nitrite as Nitrogen	NO2-N		EES6	mg/L		<	0.003	0.003			<	0.003	0.003			<	0.003	0.003			<	0.003	0.003		
SEN	Potassium	K		EES6	mg/L			1.9	0.01		0.02		1.47	0.01				1.82	0.01		0.01		1.83	0.01		
O	Silicon Dioxide	SiO2		EES6	mg/L			15.2	10		0.1		13.6	10		0		14.1	10		0.1		13.6	10		0
	Sodium	Na	F: 11	EES6	mg/L			6.97	0.01		0.07		5.84	0.01		0.02		6.16	0.01		0.02		6.24	0.01		0.01
	Specific Conductance Sulfate	SPEC_CONDC SO4(-2)	Field	FLD EES6	uS/cm			100.2 4.04	0.01				102.8 4.22	0.01				106.9 4.28	0.01				107.8 4.12	0.01	 	+
	Total Phosphate as	904(-2) PO4-P		EES6	mg/L mg/L			0.00978	0.003				0.00978	0.003			<	0.00326	0.003				0.00978	0.003		+
	Phosphorus	1 0 4 1		LLOO	mg/L			0.00070	0.000				0.00070	0.000				0.00020	0.000				0.00010	0.000	1	
	pН	рН	Field	FLD	SU			7.3					7.37					6.73					7.3			
	Aluminum	Al		EES6	μg/L			360	2		90		69	2				24	2				11	2		
	Antimony	Sb		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		
	Arsenic	As		EES6	μg/L			0.7	0.2		0.3		0.4	0.2				0.5	0.2				0.4	0.2	 	+
	Barium	Ba Be		EES6	μg/L		<	24 1	1			<	15 1	1				17 1	1				18 1	1	 	+
	Beryllium Boron	В		EES6	μg/L μg/L		_	18	1		4	`	12	1			<	12	1			<	11	1	—	+
	Cadmium	Cd		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		+
	Chromium	Cr		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		+
	Cobalt	Со		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		
ILS	Copper	Cu		EES6	μg/L		<	1	1				3.7	1			<	1	1				1	1		
METALS	Iron	Fe		EES6	μg/L			240	10				50	10				10	10			<	10	10	<u> </u>	
Ψ	Lead	Pb		EES6	μg/L		<	0.2	0.2			<	0.2	0.2			<	0.2	0.2			<	0.2	0.2		
	Manganese	Mn		EES6	μg/L			1.8	1		0.7	<	11	1			<	1	1			<	1	1		
	Mercury	Hg		EES6	μg/L		<	0.05	0.05			<	0.05	0.05			<	0.05	0.05			<	0.05	0.05	 	+
	Nickel Selenium	Ni Se		EES6 EES6	μg/L		<	1	1			< <	<u>1</u> 1	1			<	1	1			<	1 1	1	—	+
	Silver	Ag		EES6	μg/L μg/L		<	1	1			<	1	1			<	1	1			<	1	1		+
	Thallium	TI		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		+ -
	Tin	Sn		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1	i	† 1
	Vanadium	V		EES6	μg/L		<	1	1			<	1	1			<	1	1			<	1	1		
	Zinc	Zn	_	EES6	μg/L		<	1	1		_	<	1	1		_		5	1			<	1	1		
RAD	Uranium	U		EES6	μg/L			0.5	0.2				0.5	0.2				0.5	0.2				0.6	0.2		

Table B-1.8 Water Canyon Gallery

						Start Date Time	08/15/00	08/15/00	08/15/00	08/15/00	08/15/00	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01
																11/29/01							
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code																	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result
Anyl Suite			Lab Code	Lab	Std																		1
Code	Analyte Desc	Analyte	(Decoded)	Code	Uom																		
	Alkalinity-CO3	ALK-CO3		GELC	mg/L							<	0.725	0.725									
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6																			
		ALK-CO3+HCO3		GELC	mg/L								43.4	0.725									
	Alkalinity-HCO3 Bromide	ALK-HCO3 Br(-1)		GELC EES6	mg/L								43.2	0.725									
	Calcium	Ca		EES6	mg/L mg/L																		
	Calcium	Ca		GELC	mg/L								6	0.0375									
	Chloride	CI(-1)		EES6	mg/L									0.0070		+							
	Chloride	CI(-1)		GELC									0.977	0.025									
	Fluoride	F(-1)		EES6	mg/L																		
	Fluoride	F(-1)		GELC									0.0797	0.006									
	Magnesium	Mg		EES6	mg/L																		
S G	Magnesium	Mg		GELC	mg/L								2.4	0.00449									
GENINORG	Nitrate as Nitrogen	NO3-N		EES6	mg/L																		
	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								0.33	0.0069									
直	Nitrite as Nitrogen	NO2-N		EES6	mg/L																		
	Potassium Potassium	K K		EES6 GELC	mg/L mg/L								1.39	0.00707		-							
	Silicon Dioxide	SiO2		EES6	mg/L								1.39	0.00707									
	Silicon Dioxide	SiO2		GELC	mg/L								36	0.0284									
	Sodium	Na		EES6	mg/L								- 00	0.0204									
	Sodium	Na		GELC	mg/L								4.87	0.00813									
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm													127					127
	Sulfate	SO4(-2)		EES6	mg/L																		
	Sulfate	SO4(-2)		GELC	mg/L								1.68	0.062									
	Total Dissolved Solids	TDS		GELC	mg/L								100	5.09									
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																		10
	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU			6.96								-		7.69					16 7.69
	Aluminum	ρ η Al	rieiu	EES6	μg/L			0.90										7.09					7.09
	Aluminum	Al		GELC	μg/L								147	34.3		+							
	Antimony	Sb		EES6	μg/L									01.0									
	Antimony	Sb		GELC	μg/L							<	0.09	0.111									
	Arsenic	As		EES6	μg/L																		
	Arsenic	As		GELC								<	4.57	4.57									
	Barium	Ва		EES6																			
	Barium	Ba		GELC	μg/L								12	0.206									\vdash
	Beryllium	Be		EES6					1		1		0.000	0.000	1								\vdash
	Beryllium Boron	Be B		GELC EES6	μg/L μg/L				1		1	<	0.203	0.203	1	1							\vdash
1	Boron	В			μg/L μg/L								12.9	2.95									
ALS	Cadmium	Cd		EES6	μg/L								12.0	2.00									
METALS	Cadmium	Cd		GELC								<	0.05	0.05									
Σ	Chromium	Cr			μg/L																		
	Chromium	Cr		GELC									1.28	0.781									
	Cobalt	Со		EES6																			
	Cobalt	Co		GELC	μg/L						ļ	<	0.295	0.295									
	Copper	Cu			μg/L								0.07	0.07									\vdash
	Copper	Cu		GELC	μg/L			ļ				<	2.67	2.67									\vdash
	Iron Iron	Fe Fe	-		μg/L μg/L			-					289	20.6		-							
	Lead	Pb		FFS6	μg/L μg/L								209	20.0									
	Lead	Pb		GELC								<	0.077	0.077									
	Manganese	Mn		EES6							1	<u> </u>	0.011	0.077			<u> </u>	<u> </u>		<u> </u>			
	Manganese	Mn		GELC							1		3.63	2.94	1								
-			•	•		•		•	•	•					•	•			•		•		

EP2006-1078 B-11 February 2007

						Start Date Time	08/15/00	08/15/00	08/15/00	08/15/00	08/15/00	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01	11/29/01
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	·	·					- ŭ			·		J			Ť		
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Glass	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl		Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result
Anyl Cuito			Lab Code	Lab	C+4		Sylli	Resuit	Stu iviui	Stu iviua	Stu Uncert	Sylli	Result	Stu Mui	Stu iviua	Stu Unicert	Jylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result
Anyl Suite Code	Amaluta Daga	Amoluto	(Decoded)	Lab Code	Std Uom																		ı l
Code	Analyte Desc Mercury	Analyte Hg	(Decoded)	EES6																			
-	Mercury	Hq		GELC	μg/L μg/L																	<	0.073
•	Nickel	Ni		EES6	μg/L μg/L																		0.073
•	Nickel	Ni		GELC	μg/L							<	0.743	0.743									
-	Selenium	Se		EES6	μg/L								0.743	0.743									
a i	Selenium	Se		GELC	μg/L																	<	3.09
(cont.)	Silver	Aq		EES6	µg/L																		
0)	Silver	Aq		GELC	µg/L							<	0.197	0.197									
LS.	Thallium	TI		EES6	µg/L																		
METAL	Thallium	TI		GELC	μg/L							<	0.014	0.014									
ME	Tin	Sn		EES6	μg/L																		
	Tin	Sn		GELC	μg/L							<	2.4	2.4									
	Vanadium	V		EES6	μg/L																		
	Vanadium	V		GELC	μg/L								2.79	1.09									
	Zinc	Zn		EES6	μg/L																		1
	Zinc	Zn		GELC	μg/L							<	2.49	2.81									
	Americium-241	Am-241			pCi/L								0.0192		0.0301	0.00984							
	Cesium-137	Cs-137			pCi/L								-0.881		2.76	0.806							
	Gross alpha	GROSSA		GELC	pCi/L								0.849		1.4	0.403							
_	Gross beta	GROSSB			pCi/L								1.49		1.41	0.39							
RAD	Gross gamma	GROSSG		GELC	pCi/L								128		363	137							
~	Plutonium-238	Pu-238		GELC	pCi/L								0.00689		0.0169	0.00515							
	Strontium-90	Sr-90		GELC	pCi/L								-0.0043		0.171	0.0628							
	Uranium	U		EES6	μg/L								0.0070		0.0004	0.0457							
	Uranium-234	U-234		GELC	pCi/L								0.0876		0.0224	0.0157							
	Uranium-238	U-238		GELC	pCi/L								0.0417		0.00565	0.00976							1

						Start Date Time	11/29/01	11/29/01	11/29/01	09/09/02	09/09/02	09/09/02	09/09/02	09/09/02	08/26/03	08/26/03	08/26/03	08/26/03	08/26/03	03/04/05	03/04/05	03/04/05	03/04/05
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code																	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
		T		ı	1		Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda
Anyl Suite Code	Amelyte Deep	Amaluta	Lab Code (Decoded)	Lab Code	Std																		1
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoueu)	GELC	Uom mg/L					<	1.45	1.45			<	1.45	1.45						
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L																34.9	1	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L						44.6	1.45				42.8	1.45						
	Alkalinity-HCO3 Bromide	ALK-HCO3 Br(-1)		GELC EES6	mg/L mg/L						44.5	1.45				42.7	1.45			<	0.01	0.01	\vdash
	Calcium	Ca		EES6	mg/L																11.1	0.01	
	Calcium	Ca		GELC	mg/L						7.71	0.00554				7.43	0.00554						
	Chloride	CI(-1)		EES6	mg/L						0.000	0.0000				0.040	0.0000				3.6	0.01	\vdash
	Chloride Fluoride	CI(-1) F(-1)		GELC EES6	mg/L mg/L						0.622	0.0322				0.843	0.0322				0.05	0.01	\vdash
	Fluoride	F(-1)		GELC	mg/L						0.119	0.0553				0.121	0.0553				0.00	0.01	
	Magnesium	Mg		EES6	mg/L																4.25	0.01	
RG	Magnesium	Mg		GELC	mg/L						3.33	0.00518				3.53	0.00518				0.25	0.000	
GENINORG	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3-N NO3+NO2-N		GELC	mg/L mg/L						0.07	0.01				0.15	0.01				0.35	0.003	
N N	Nitrite as Nitrogen	NO2-N		EES6	mg/L						0.07	0.01				0.10	0.01			<	0.003	0.003	
5	Potassium	K		EES6	mg/L																2.89	0.01	
	Potassium Silicon Dioxide	K SiO2		GELC	mg/L						1.74	0.0165				1.47	0.0165				40.4	10	
	Silicon Dioxide Silicon Dioxide	SiO2		GELC	mg/L mg/L																18.4	10	\vdash
	Sodium	Na		EES6	mg/L																5.7	0.01	
	Sodium	Na		GELC	mg/L						6.27	0.0144				5.59	0.0144						
	Specific Conductance Sulfate	SPEC_CONDC	Field	FLD EES6	uS/cm						90.6					908					121.7	0.01	
	Sulfate	SO4(-2) SO4(-2)		GELC	mg/L mg/L						1.2	0.193				1.09	0.193				18.3	0.01	
	Total Dissolved Solids	TDS		GELC	mg/L						100	3.07				97	3.07						
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																0.01956	0.003	
	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU		1.4				7.18				<	0.764 7.43	0.764				7.95		\vdash
	Aluminum	Al	Field	EES6	μg/L						7.10					7.43					320	2	
	Aluminum	Al		GELC	μg/L																		
	Antimony	Sb		EES6	μg/L															<	1	1	
	Antimony Arsenic	Sb As		GELC EES6	μg/L μg/L																0.3	0.2	
	Arsenic	As		GELC	μg/L																0.0	0.2	
	Barium	Ва		EES6	μg/L																32	1	
	Barium	Ba		GELC	μg/L																4	4	
	Beryllium Beryllium	Be Be		GELC																<	1	I	
	Boron	В		EES6																	8.1	1	
	Boron	В		GELC	μg/L															•			
METALS	Cadmium Cadmium	Cd Cd		GELC								1								<	1	1	
T A	Chromium	Cr		EES6	μg/L μg/L															<	1	1	
×	Chromium	Cr		GELC	μg/L																		
	Cobalt	Co		EES6	μg/L															<	1	1	\Box
	Cobalt Copper	Co Cu		GELC EES6	μg/L μg/L																1	1	
	Copper	Cu		GELC	μg/L																'	'	
	Iron	Fe		EES6	μg/L																420	10	
	Iron	Fe		GELC	μg/L																0.0	0.0	
	Lead Lead	Pb Pb		GELC																	0.2	0.2	
	Manganese	Mn		EES6	μg/L																1.1	1	
	Manganese	Mn		GELC	μg/L		<u> </u>														0.05		
	Mercury Mercury	Hg Hg		GELC			0.073													<	0.05	0.05	
	wiercury	П	I	GELU	μg/L	1	0.073	I	1		l .	i	l	ı	l	l	l	l	1		l .		

					Start Date Time	11/29/01	11/29/01	11/29/01	09/09/02	09/09/02	09/09/02	09/09/02	09/09/02	08/26/03	08/26/03	08/26/03	08/26/03	08/26/03	03/04/05	03/04/05	03/04/05	03/04/05
					Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	į F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code		-		-				-	-	-						i	
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
					Well Class	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl		Std Uncert	Sym	Result	Std Mdl	Std Mda
Anyl Suite			Lab Code	Lab	Std	Stu Wui	Stu iviua	Std Officert	Jylli	Nesuit	Stu Wui	Stu iviua	Stu Officert	Зуп	Nesuit	Stu Mui	Stu iviua	Sid Officer	Sylli	Nesuit	Stu Wiui	Stu iviua
Code	Analyte Desc	Analyte	(Decoded)	Code	Uom																, l	1
Code	Nickel	Ni	(Decoded)	EES6	µg/L														<	1	1	
<u> </u>	Nickel	Ni		GELC	µg/L								+								, 	
	Selenium	Se		EES6	µg/L														<	1	1	
	Selenium	Se		GELC	µg/L	3.09															,	
t	Silver	Ag		EES6	μg/L														<	1	1	
l ö	Silver	Ag		GELC	μg/L																	
S (C	Thallium	TI		EES6	μg/L														V	1	1	
l H	Thallium	TI		GELC	μg/L																ı	
	Tin	Sn		EES6	μg/L														<	1	1	1
ME	Tin	Sn		GELC	μg/L																	
	Vanadium	V		EES6	μg/L															3	1	
	Vanadium	V		GELC	μg/L																ļ	
	Zinc	Zn		EES6	μg/L														<	1	1	
	Zinc	Zn		GELC	μg/L																ı———	
	Americium-241	Am-241			pCi/L										0.0203		0.029	0.00765			<u> </u>	
_	Cesium-137	Cs-137		GELC	pCi/L										1.51		6.64	1.81				
_	Gross alpha	GROSSA		GELC											-0.233		1.25	0.274				├
	Gross beta	GROSSB			pCi/L										2.49		2.43	0.674				
RAD —	Gross gamma Plutonium-238	GROSSG Pu-238		GELC GELC	pCi/L pCi/L										101 -1E-09		451 0.03	100 0.0068				
<u> </u>	Strontium-238	Sr-90	-		pCi/L								+		0.109		0.03	0.0068				
	Uranium	U SI-90		EES6	µg/L										0.109		0.321	0.0707	<	0.2	0.2	
	Uranium-234	U-234	<u> </u>		pCi/L								1		0.0498		0.058	0.014	,	0.2	0.2	
-	Uranium-238	U-238	<u> </u>	GELC	pCi/L								1		0.0496		0.037	0.00976				
	Uranium-238	U-238		GELU	pc//L							1			0.0224		0.037	0.00976				<u>. </u>

								, D-1.0 (C	011111111111111111111111111111111111111	,											
					Start Date Time	03/04/05	04/18/05	04/18/05	04/18/05	04/18/05	04/18/05	05/27/05	05/27/05	05/27/05	05/27/05	05/27/05	07/11/05	07/11/05	07/11/05	07/11/05	07/11/05
					Fld Prep Code	F	F	F	F	E	F	F	F	F	E .	F	E .	F	E .	F	E
					-	<u>'</u>	•	'	•	<u>г</u>	<u> </u>	•	· -	'	Г			•	Г		F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code																
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
4 10 11			1 1 0 1			Std Officert	Sylli	Result	Stu iviui	Stu iviua	Std Officert	Sylli	Result	Stu iviui	Stu Mua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Officert
Anyl Suite	4 4 5		Lab Code	Lab Std																	
Code	Analyte Desc	Analyte	(Decoded)	Code Uom							1										
	Alkalinity-CO3	ALK-CO3		GELC mg/L				05.7					20.4	4				40.7	4		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6 mg/L				35.7	1		1		38.4	1				40.7	1		
	Alkalinity-CO3+HCO3 Alkalinity-HCO3			GELC mg/L																	
		ALK-HCO3		GELC mg/L				0.00	0.01		-		0.00	0.01				0.01	0.01		
	Bromide Calcium	Br(-1)	+	EES6 mg/L				0.02 11.2	0.01 0.01		-		0.02 8.04	0.01 0.01		0.07		0.01 7.08	0.01 0.01		0.06
	Calcium	<u>Ca</u> Ca						11.2	0.01		-		0.04	0.01		0.07		7.00	0.01		0.06
	Calcium							2.40	0.01		-		1.96	0.01				0.99	0.01		+
	Chloride	CI(-1) CI(-1)		EES6 mg/L GELC mg/L		1		3.49	0.01		1		1.90	0.01				0.99	0.01		+
	Fluoride	F(-1)		EES6 mg/L	+	1		0.05	0.01		+		0.04	0.01				0.04	0.01		+
	Fluoride	F(-1)		GELC mg/L		1		0.05	0.01		+		0.04	0.01				0.04	0.01		+
	Magnesium	F(-1) Mg		EES6 mg/L		0.01		3.43	0.01		0.02		3.61	0.01		0.01		3.47	0.01		0.01
(D	Magnesium	ivig Mq		GELC mg/L	+	0.01		3.43	0.01		0.02		3.01	0.01		0.01		3.41	0.01		0.01
GENINORG	Nitrate as Nitrogen	NO3-N		EES6 mg/L		1		0.45	0.003		1		0.54	0.003				0.26	0.003		+
9	Nitrate as Nitrogen	NO3+NO2-N		GELC mg/L		1		0.70	0.000		1		0.04	0.000				0.20	0.000		
Ē	Nitrite as Nitrogen	NO2-N		EES6 mg/L			<	0.003	0.003			<	0.003	0.003			<	0.003	0.003		+
В	Potassium	K		EES6 mg/L		0.03		1.96	0.003		0.01		1.82	0.003		0.02		1.65	0.003		+
	Potassium	K		GELC mg/L		0.00		1.50	0.01		0.01		1.02	0.01		0.02		1.00	0.01		
	Silicon Dioxide	SiO2		EES6 mg/L		0.1		17.9	10		0.1		16.3	10		0.1		19.2	10		0
	Silicon Dioxide	SiO2		GELC mg/L		0.1		17.0			0.1		10.0			0.1		10.2			
	Sodium	Na		EES6 mg/L		0.04		5.44	0.01		0.01		5.17	0.01		0.03		5.82	0.01		0.03
	Sodium	Na		GELC mg/L		0.0.		0	0.0.		0.01		0	0.01		0.00		0.02	0.0.		0.00
	Specific Conductance	SPEC_CONDC		FLD uS/cr	1			125.1					12.82					89.8			
	Sulfate	SO4(-2)		EES6 mg/L				17.63	0.01				9.58	0.01				2.96	0.01		
	Sulfate	SO4(-2)		GELC mg/L					0.0.					0.0.							
	Total Dissolved Solids	TDS		GELC mg/L																	
	Total Phosphate as Phosphorus	PO4-P		EES6 mg/L				0.01956	0.003				0.02934	0.003				0.01956	0.003		
	Total Suspended Solids	TSS		GELC mg/L																	
	рН	рН		FLD SU				6.75					7.21					7.15			
	Aluminum	Al		EES6 μg/L		20		113	2		7		25	2		3		3.4	2		
	Aluminum	Al		GELC µg/L																	
	Antimony	Sb		EES6 μg/L			<	1	1			<	1	1			<	1	1		
	Antimony	Sb		GELC μg/L																	
	Arsenic	As		EES6 μg/L				0.3	0.2				0.3	0.2				0.3	0.2		
	Arsenic	As		GELC μg/L																	
	Barium	Ва		EES6 μg/L				28	1				18	1				16	1		
	Barium	Ba		GELC µg/L		ļ					1							ļ			
	Beryllium	Be	<u> </u>	EES6 μg/L		1	<	1	1		ļ	<	1	1			<	1	1		
	Beryllium	Be	ļļ	GELC µg/L		<u> </u>															
	Boron	<u>B</u>		EES6 μg/L		ļ		8.4	1		 		8.9	1		1		5.6	1		
	Boron	B		GELC µg/L		1		4	4		1								4		
METALS	Cadmium	Cd	1	EES6 μg/L		<u> </u>	<	1	1		-	<	1	1			<	1	1		
¥	Cadmium	Cd	1	GELC µg/L		1		4	1		1		1					1	A		
₩ ₩	Chromium	<u>Cr</u>		EES6 μg/L			<	1	1			<	1	1			<	1	1		
_	Chromium Cobalt	Cr Co	+	GELC μg/L EES6 μg/L		1	<	1	1		+	<	1	1			<	1	1		+
	Cobalt	Co	+ +	GELC µg/L	+	1	`		1		+	`		I			`		I		+
	Copper	<u>Co</u> Cu		EES6 µg/L		1		1.7	1		+		3.5	1				1.3	1		+
	Copper	Cu Cu	+	GELC µg/L	+	1		1.7	'		1		ა.ა	1				1.0	- 1		+
	Iron	Cu Fe	+	EES6 µg/L	+	1		50	10		+	<	10	10			<	10	10		+
	Iron	Fe Fe	+	GELC µg/L		1		30	10		+	_ `	10	10			_ `	10	10		+
	Lead	Pb		EES6 µg/L		1	<	0.2	0.2			<	0.2	0.2			<	0.2	0.2		+
	Lead	Pb		GELC µg/L		1		0.2	0.2		+		0.2	V.Z				0.2	0.2		
	Manganese	Mn		EES6 μg/L		0.1	<	1	1			<	1	1			<	1	1		+
	Manganese	Mn		GELC µg/L		j.,		† ·	,		1			,				<u> </u>	<u> </u>		
	Mercury	Hg		EES6 μg/L			<	0.05	0.05			<	0.05	0.05			<	0.05	0.05		
	Mercury	Hg	1	GELC µg/L		İ					İ										
				1 1 3 -	•	1		•			1		•								

EP2006-1078 B-15 February 2007

									•		•											
						Start Date Time	03/04/05	04/18/05	04/18/05	04/18/05	04/18/05	04/18/05	05/27/05	05/27/05	05/27/05	05/27/05	05/27/05	07/11/05	07/11/05	07/11/05	07/11/05	07/11/05
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F I	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code		-	-		-	-	-								(
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Oluss	Std Uncert	Svm	Result	Std MdI	Std Mda	Std Uncert	Svm	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI		Std Uncert
Amud Cuita			Lab Code	Lab	Std		Std Officert	Jylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu ivida	Stu Unicert	Зуп	Nesuit	<u> </u>	Stu iviua	Stu Officert
	Analyte Desc	Analyte	(Decoded)		Uom															, '	į	i l
Code	Nickel	Ni	(Decoded)	EES6	µg/L				28	1			<	1	1		+	<	1			
F	Nickel	Ni		GELC	μg/L				20	'			`					,				
<u> </u>	Selenium	Se		EES6	μg/L			<	1	1			<	1	1			<	1	1		1
F	Selenium	Se		GELC	μg/L					-				-	-				-			1
t.)	Silver	Ag		EES6	μg/L			<	1	1			<	1	1			<	1	1	(T	1
no –	Silver	Ag		GELC	μg/L																	1
9)	Thallium	TI		EES6	μg/L			<	1	1			<	1	1			<	1	1		1
Anyl Suite Code WETALS (cont.)	Thallium	TI		GELC	μg/L																	1
	Tin	Sn		EES6	μg/L			<	1	1			<	1	1			<	1	1		
M	Tin	Sn		GELC	μg/L																	i
	Vanadium	V		EES6	μg/L				2	1				3	1				3	1		
	Vanadium	V		GELC	μg/L															ļ		
	Zinc	Zn		EES6					19	1				1	1				4	1		
	Zinc	Zn		GELC																<u> </u>	igsquare	
<u>_</u>	Americium-241	Am-241		GELC	pCi/L																	
	Cesium-137	Cs-137		GELC																<u> </u>	igsquare	
	Gross alpha	GROSSA		GELC	pCi/L															<u> </u>	igsquare	
	Gross beta	GROSSB		GELC	pCi/L															ļ		
RAD	Gross gamma	GROSSG		GELC																ļ		
≥ _	Plutonium-238	Pu-238		GELC																ļ		
	Strontium-90	Sr-90		GELC																		i
	Uranium	U		EES6	μg/L			<	0.2	0.2			<	0.2	0.2	·		<	0.2	0.2		
L	Uranium-234	U-234																		ļ		
	Uranium-238	U-238		GELC	pCi/L															, '	, ,	i l

Table B-1.9 Ancho Spring

		ſ	Start Date Time		09/26/00	no	9/26/00	1	0/24/01		10	24/01	I		ກາ	2/02/05			n'	2/02/05	J		09/19/06	I	UO	19/06	\neg
			Fld Prep Code	1	F	1	UF	'	F			UF			02	F			02	UF			F			UF	\dashv
A 1 C 14		1.4	Flu Flep Code	1	<u> </u>		Ur I		<u> </u>		1	UF				<u>г</u>						1	I MDL/	1		1	\dashv
Anyl Suite	Analista Dana	Lab	Ct-l II	C D It	MDI MDA Harrant	C Dt	MDI MADA	Line and Come Descrip	MDI MDA III.	C	D IA	MDI MADA		C	D It	MDI MADA	11	C	D II	MDL/MD	Unana	C	MDL/			MDL/	
Code	Analyte Desc	Code GELC	Std Uom	Sym Result	MDL/MDA Uncert	Sym Result	MDL/MDA			Sym	Result	MDL/MDA	Uncert			MDL/MDA	Uncert	Sym	Result	А	Uncert	Sym <	Result MDA 0.725 0.725	Uncert Syr	_	MDA Unce	3TE
	Alkalinity-CO3 Alkalinity-CO3+HCO3	GELC	mg/L mg/L	< 1 57.1	1			< 0.725 71.4	0.725 0.725					<	1.45 57.1	1.45 1.45						`	0.725 0.725 53.9 0.725	_	0.725 60.6	0.725 0.725	_
	Alkalinity-HCO3	GELC	mg/L	56.9	1			71.4	0.725						56.9	1.45							33.9 0.723		00.0	0.725	_
	Ammonia as Nitrogen	GELC	mg/L	00.0	'			71.2	0.720						00.0	1.40						<	0.01 0.01	<	0.01	0.01	_
	Bromide	GELC	mg/L	1 1																		<	0.066 0.066	<	0.066	0.066	
	Calcium	GELC	mg/L	13	0.0355			12.1	0.0375						13.1	0.00554							12.7 0.036		12.7	0.036	$\overline{}$
	Chloride	GELC	mg/L	1.92	0.026			1.89	0.025						2.16	0.0322							2.24 0.066		2.21	0.066	
	Fluoride	GELC	mg/L	0.355	0.007			0.315	0.006						0.307	0.0553						<	0.384 0.033	<	0.411	0.033	
	Magnesium	GELC	mg/L	3.02	0.00354			2.96	0.00449						3.11	0.00518							2.98 0.085		3	0.085	
စ္တ	Nitrate-Nitrite as N	GELC	mg/L	0.37	0.009			0.34	0.0069						0.491	0.003							0.424 0.014		0.371	0.014	
P P	Perchlorate	GELC	μg/L																0.439	0.05			0.3 0.05				
=	Potassium	GELC	mg/L	1.86	0.0164			1.84	0.00707						1.72	0.0165							1.75 0.05		1.73	0.05	
GENINORG	Silicon Dioxide	GELC	mg/L	81.1	0.0186			74.6	0.0568						71.2	0.0212							72 0.032		73.1	0.032	
	Sodium Specific Conductores	GELC FLD	mg/L	11.1	0.013			10.4	0.00813						10.4	0.0144			124.0				10.1 0.045		10.2	0.045	
	Specific Conductance Sulfate	GELC	uS/cm mg/L	2.22	0.079			2.21	0.062						2.61	0.193		1	134.9				2.59 0.1		135.2 2.56	0.1	
	Total Dissolved Solids	GELC	mg/L	148	6.29			144	5.09						131	3.07							151 2.38		155	2.38	-
	Total Kieldahl Nitrogen	GELC	mg/L	140	0.20			177	0.00						101	0.07							0.036 0.01		0.064	0.01	-
	Total Organic Carbon	GELC	mg/L	1 1																			0.000	<		0.33	-
	Total Phosphate as		g-=																							1.00	\neg
	Phosphorus	GELC	mg/L	< 0.02	0.02																	<	0.01 0.01	<	0.01	0.01	
	Total Suspended Solids	GELC	mg/L			10	1.4				8.2	0.699															
	pН	FLD	SU			7.16													8.01						7.87		
	Aluminum	GELC	μg/L	< 9.73	23.4			< 34.3	34.3					<	14.7	14.7						<	68 68	<		68	
	Antimony	GELC	μg/L	< 0.111	0.111			< 0.35	0.111					<	0.28	0.28						<	0.5 0.5	<		0.5	
	Arsenic	GELC	μg/L	< 2.57	2.57			< 3.05	4.57						2.6	2.24		1				<	6 6	<		6	_
	Barium Beryllium	GELC GELC	μg/L	28.1 < 0.474	0.748 0.474			25.7 < 0.203	0.206 0.203					<	24.7 0.158	0.222 0.158						<	25.6 1	<	25.7	1	_
	Boron	GELC	μg/L μg/L	< 4.74	4.74			< 22.8	2.95						14.1	4.88							13.9 10		13.9	10	_
	Cadmium	GELC	μg/L	< 0.631	0.631			< 0.19	0.05					<	0.04	0.04						<	0.1 0.1	<		0.1	$\overline{}$
	Chromium	GELC	μg/L	3.41	1.06			3.47	0.781					<	3.8	0.503						-	2.8 1		3.4	1	_
	Cobalt	GELC	μg/L	1.23	0.627			< 0.295	0.295					<	0.541	0.541						<	1 1	<		1	
F	Copper	GELC	μg/L	< 1.84	1.84			< 2.67	2.67					<	1.39	1.39						<	3 3	<	3	3	
METALS	Iron	GELC	μg/L	< 19.9	19.9			< 20.6	20.6					<	12.6	12.6						<	18 18	<	18	18	
\mathbb{H}	Lead	GELC	μg/L	< 1.83	1.83			< 0.18	0.077					<	0.05	0.05						<	0.5 0.5	<	0.5	0.5	
	Manganese	GELC	μg/L	< 2.69	1.15			3.46	2.94					<	0.296	0.296						<	2 2	<		2	
	Mercury	GELC	μg/L	< 0.06	0.06					<	0.073	0.073						<	0.0472	0.0472		<	0.06 0.06	<		0.06	
	Nickel	GELC	μg/L	< 1.62	3.09		-	< 0.743	0.743		2.00	2.00		<	0.69	0.69			6.4	2.04		<	0.5 0.5	<		0.5	\dashv
	Selenium Silver	GELC GELC	μg/L μg/l	< 2.36 < 0.529	2.36 0.529		-	< 0.197	0.197	<	3.09	3.09	+	<	0.835	0.835		<	6.1	2.81		<	2.5 2.5 0.2 0.2	<	2.5 0.2	2.5 0.2	\dashv
	Thallium	GELC	μg/L μg/L	< 0.529	0.529		 	< 0.197	0.197	1	 		ŀ	<	0.635	0.035						<	0.2 0.2	<	0.2	0.2	\dashv
	Tin	GELC	μg/L μg/L	< 1.98	1.98		<u> </u>	< 2.19	2.4		1		+	<	3.26	3.26						<	2.5 2.5	<	2.5	2.5	\dashv
	Vanadium	GELC	μg/L	6.77	0.89			6.72	1.09	1				<	7.6	0.606							6.2 1		6.2	1	\dashv
	Zinc	GELC	μg/L	< 2.26	3.89			< 1.51	2.81					<	1.2	0.883						<	3.2 2	<		2	\dashv
	Americium-241	GELC	pCi/L	0.0298	<u>0.0313</u> 0.0129			0.00586	<u>0.0216</u> 0.00587						0.00972	0.031	0.00803							0.0051	0.00992	<u>0.0443</u> 0.01	14
	Cesium-137	GELC	pCi/L	3.24	<u>3.08</u> 1.64			0.314	<u>4.75</u> 1.21						-1.37	3.29	1.15							1.14	-0.335	<u>4.3</u> 1.2	
	Gross alpha	GELC	pCi/L	-0.0922				0.9	<u>1.45</u> 0.4							2.98	0.736						0.363 <u>2.17</u>		_	<u>2.5</u> 0.66	_
	Gross beta	GELC	pCi/L	3.95	<u>2.22</u> 0.775			2.87	<u>2.8</u> 0.711						1.83	2.09	0.516						0.974 <u>2.74</u>		3.52		
	Gross gamma	GELC	pCi/L	\bot							ļ				246	<u>447</u>	127						64.5 <u>230</u>	122	56.3	<u>291</u> 74.	7
RAD	Distanti :: 000	051.0	- C''	0.00001	0.0000				0.0007						0.011	0.000	0.00540							0.0038	0.0005-	0.0047	
<u>~</u>	Plutonium-238	GELC	pCi/L	0.00821				0.0114							-0.011	0.028	0.00519						0 0.0184			<u>0.0247</u> 0.01	
	Strontium-90 Tritium	GELC UMTL	pCi/L pCi/L	0.0342	<u>0.328</u> 0.0948		 	0.3	<u>0.221</u> 0.0865	1	 				0.0201	<u>0.339</u>	0.0823		0.15065	0.28737	0.28727		0.047 <u>0.258</u>	0.0705	-0.0495	<u>0.277</u> 0.06	5/
	Uranium	GELC	μg/L	+ + -		+ +	-		 	1	1								-0.10905	0.20131	0.20/3/		0.24 0.05		0.25	0.05	\dashv
	Uranium-234	GELC	μg/L pCi/L	0.218	<u>0.134</u> 0.0514		 	0 101	<u>0.016</u> 0.0245	1	 		ŀ		0.253	0.071	0.0272						0.24 0.05 0.215 <u>0.0478</u>	0.0273		0.05 0.0442 0.02	53
	Uranium-238	GELC	pCi/L		<u>0.0827</u> 0.0264		 	0.191	<u>0.0201</u> 0.015	1	 				0.233	0.05	0.0272						0.0962 <u>0.0508</u>	0.0275	0.214	<u>0.0442</u> 0.02 <u>0.047</u> 0.01	49
<u> </u>	Graniani-200	OLLO	POIL	0.0023	<u> </u>	<u> </u>	1	0.0002	<u> </u>	·	1				0.102	0.00	0.0103				L		J.0002 0.0000	3.0100	0.0008	<u>0.077</u> 0.01	.0

EP2006-1078 B-17 February 2007

Table B-1.10 G-1A

			Start Date Time			07/00			08/14/00			09	/27/00				/15/00			1	1/15/00	
_	<u>, </u>		Fld Prep Code			<u>S</u> W	T	1	SW				SW				SW	,			SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result MDL/MD	Uncert	Sym	Result	MDL/MDA	A Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L																			<u> </u>
	Alkalinity-CO3+HCO3	EES6	mg/L																			<u> </u>
	Alkalinity-CO3+HCO3	GELC	mg/L																			 '
	Alkalinity-HCO3	GELC	mg/L																			 '
	Ammonia as Nitrogen	GELC	mg/L																			 '
	Bromide	EES6	mg/L									1	1									
	Bromide	GELC	mg/L									1	1									
	Calcium Calcium	EES6 GELC	mg/L									1	1									<u> </u>
	Calcium	EES6	mg/L mg/L																			
	Chloride	GELC	mg/L								1		+									
	Fluoride	EES6	mg/L									+	1									
	Fluoride	GELC	mg/L																			
	Fluoride	NMSSL	mg/L									0.541	0.1									
	Magnesium	EES6	mg/L							-		0.541	0.1									
	Magnesium	GELC	mg/L									1	1									(
36	Nitrate as Nitrogen	EES6	mg/L			1		<u> </u>		+		1	1				1					ſ
Ö	Nitrate-Nitrite as N	GELC	mg/L					†		1	1	<u>† </u>	1									i
GENINORG	Nitrate-Nitrite as N	NMSSL	mg/L					1		1	İ	0.441	0.1									1
Į įį	Nitrite as Nitrogen	EES6	mg/L					1		1	İ	1	1									1
	Perchlorate	GELC	μg/L																			<u> </u>
	Potassium	EES6	mg/L																			[
	Potassium	GELC	mg/L																			1
	Silicon Dioxide	EES6	mg/L																			
	Silicon Dioxide	GELC	mg/L																			
	Sodium	EES6	mg/L																			
	Sodium	GELC	mg/L																			<u> </u>
	Specific Conductance	FLD	uS/cm																			<u> </u>
	Sulfate	EES6	mg/L																			<u> </u>
	Sulfate	GELC	mg/L										1									 '
	Total Dissolved Solids	GELC	mg/L										1									 '
	Total Kjeldahl Nitrogen	GELC	mg/L																			 '
	Total Phosphate as Phosphorus	EES6	mg/L									1	1									
	Total Phosphate as Phosphorus	GELC	mg/L									1	1									
	Total Suspended Solids	GELC FLD	mg/L SU		7.69				7.16			1	1			7.61				7.61		<u> </u>
	pH Aluminum	EES6	μg/L		7.09				7.10		1		+			7.01				7.01		
	Aluminum	GELC	μg/L									+	1									
	Antimony	EES6	μg/L									1										
	Antimony	GELC	μg/L							+	1	1	+									
	Antimony	NMSSL	μg/L							+	<	1	1									
	Arsenic	EES6	μg/L									† 	<u> </u>									(
	Arsenic	GELC	μg/L					1		1	1	1	1									 [
	Arsenic	NMSSL	μg/L					1				10	5									i
	Barium	EES6	μg/L																			(
	Barium	GELC	μg/L																			1
	Barium	NMSSL	μg/L								<	100	100									
οί	Beryllium	EES6	μg/L													-						
JA.	Beryllium	GELC	μg/L																			
METALS	Beryllium	NMSSL	μg/L								<	1	1									<u> </u>
≥	Boron	EES6	μg/L					<u> </u>									ļ					 '
	Boron	GELC	μg/L					1		1	1	1	1				1					 '
	Cadmium	EES6	μg/L					1				1	1				1					
	Cadmium	GELC	μg/L					 			<u> </u>											
	Cadmium	NMSSL	μg/L					<u> </u>			<	1	1				1					
	Chromium	EES6	μg/L					+		+	1	1	1				1					
	Chromium	GELC	μg/L					+		+	1		4				1					
	Cohalt	NMSSL EES6	µg/L					+		+	 	6	1				+	 				
	Cobalt Cobalt	GELC	μg/L μg/L					+		+	1	1	1		+		1					
	Copper	EES6	μg/L μg/L			1		+		+	1	+	1				1					
	Copper	GELC	μg/L μg/L					+		+	 	+	+				1					
	Ooppei	OLLO	µy/∟	l l		1	l .	1		_1	1	1	1				1			l		

			Start Date Time		03/	07/00			08	3/14/00			09	0/27/00			11	/15/00			1	1/15/00	
			Fld Prep Code		9	SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Iron	EES6	μg/L																				
	Iron	GELC	μg/L																				
	Lead	EES6	μg/L																				
	Lead	GELC	μg/L																				
	Manganese	EES6	μg/L																				
	Manganese	GELC	μg/L																				
	Mercury	EES6	μg/L																				
	Mercury	GELC	μg/L																				
	Mercury	NMSSL	μg/L									<	0.2	0.2									
	Nickel	EES6	μg/L																				
f	Nickel	GELC	μq/L																				
(cont.)	Nickel	NMSSL	μg/L									<	10	10									
S (c	Selenium	EES6	μg/L										_										
	Selenium	GELC	μg/L																				
	Selenium	NMSSL	μg/L									<	5	5									
METAL	Silver	EES6	μg/L																				
	Silver	GELC	μg/L																				
	Thallium	EES6	μg/L																				
	Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L									<	1	1									
	Tin	EES6	μg/L																				
	Tin	GELC	μg/L																				
	Vanadium	EES6	μg/L																				
	Vanadium	GELC	μg/L																				
	Zinc	EES6	μg/L																				
	Zinc	GELC	μg/L																				
	Americium-241	GELC	pCi/L																				
	Cesium-137	GELC	pCi/L																				
	Gross alpha	GELC	pCi/L																				
	Gross beta	GELC	pCi/L																				
	Gross gamma	GELC	pCi/L																				
	Plutonium-238	GELC	pCi/L																				
RAD	Strontium-90	GELC	pCi/L						-0.0189	0.258	0.151										0.14	0.234	0.0705
_ ~ ⊢	Strontium-90	PARA	pCi/L		0.019	<u>0.13</u>	0.0375	1	0.025		0.044				<u> </u>								
	Tritium	UMTL	pCi/L		0.12772	0.28737	0.41509	1		1					<u> </u>								
	Uranium	EES6	μg/L		****=*** =	1	1	1		1					<u> </u>								
	Uranium	GELC	μg/L			1	1	†		1				1	†			1					
	Uranium-234	GELC	pCi/L					1		1					1								
	Uranium-238	GELC	pCi/L			1	1			İ				1									

			Start Date Time		02/14/01			05/	/09/01			30	3/08/01			11/2	28/01			02/	23/02	
			Fld Prep Code		SW				SW				SW				W				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L				•	1.71	0.725										,			
	Alkalinity-CO3+HCO3	EES6	mg/L																			
	Alkalinity-CO3+HCO3	GELC	mg/L					82.9	0.725													
	Alkalinity-HCO3	GELC	mg/L					81.1	0.725													
	Ammonia as Nitrogen Bromide	GELC EES6	mg/L mg/L																			-
	Bromide	GELC	mg/L																			
	Calcium	EES6	mg/L										1									
	Calcium	GELC	mg/L					10	0.0375													
	Chloride	EES6	mg/L																			
	Chloride	GELC	mg/L					2.9	0.025													
	Fluoride	EES6	mg/L																			
	Fluoride	GELC	mg/L					0.629	0.006													
	Fluoride Magnesium	NMSSL EES6	mg/L		-																	
	Magnesium	GELC	mg/L mg/L		+			0.467	0.00449				+									
SG	Nitrate as Nitrogen	EES6	mg/L					0.407	0.00449													
IOF.	Nitrate-Nitrite as N	GELC	mg/L					0.42	0.0069													
	Nitrate-Nitrite as N	NMSSL	mg/L																			
GENINORG	Nitrite as Nitrogen	EES6	mg/L																			
	Perchlorate	GELC	μg/L																			
	Potassium	EES6	mg/L																			
	Potassium	GELC	mg/L					2.63	0.00707													
	Silicon Dioxide Silicon Dioxide	EES6	mg/L					74.4														
	Sodium	GELC EES6	mg/L mg/L					74.1														-
	Sodium	GELC	mg/L		+			33.2	0.0163													+
	Specific Conductance	FLD	uS/cm					188.4	0.0100				1									
	Sulfate	EES6	mg/L																			
	Sulfate	GELC	mg/L					3.86	0.062													
	Total Dissolved Solids	GELC	mg/L					177	5.09													
	Total Kjeldahl Nitrogen	GELC	mg/L																			
	Total Phosphate as Phosphorus	EES6	mg/L					1														
	Total Phosphate as Phosphorus Total Suspended Solids	GELC GELC	mg/L mg/L				<	0.699	0.699													-
	pH	FLD	SU		+			8.3	0.099													+
	Aluminum	EES6	μg/L					0.0														
	Aluminum	GELC	μg/L																			
	Antimony	EES6	μg/L																			
	Antimony	GELC	μg/L																			
	Antimony	NMSSL	μg/L																			
	Arsenic	EES6	μg/L					1														
	Arsenic Arsenic	GELC NMSSL	μg/L μg/L																			
	Barium	EES6	μg/L																			
	Barium	GELC	μg/L										1									
	Barium	NMSSL	μg/L																			
	Beryllium	EES6	μg/L																			
တု	Beryllium	GELC	μg/L																			
METALS	Beryllium	NMSSL	μg/L																			
JE.	Boron	EES6	μg/L									1										_
_	Boron Cadmium	GELC EES6	μg/L μg/L	 				-			-										-	
	Cadmium	GELC	μg/L																			
	Cadmium	NMSSL	μg/L																			
	Chromium	EES6	μg/L																			
	Chromium	GELC	μg/L																			
	Chromium	NMSSL	μg/L																			
	Cobalt	EES6	μg/L																			
	Cobalt	GELC	μg/L								1	1									ļ	
	Copper	EES6	μg/L					-			-											ļ
	Copper Iron	GELC EES6	μg/L	+				-			-										-	
-	Iron	GELC	μg/L μg/L																			
	I IIOII	OLLO	ı μy/∟	<u>i </u>	LL		i	L	1		L	1			I	i	l			i	I	

			Start Date Time		(02/14/01			05/	09/01			80	3/08/01			11/2	28/01			02/2	3/02	
			Fld Prep Code			SW			(SW				SW			S	W			S	W	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Lead	EES6	μg/L	- J				- J								j				- J			
	Lead	GELC	μg/L																				
	Manganese	EES6	μg/L																				
Ī	Manganese	GELC	μg/L																				
	Mercury	EES6	μg/L																				
	Mercury	GELC	μg/L																				
	Mercury	NMSSL	μg/L																				
	Nickel	EES6	μg/L																				
	Nickel	GELC	μg/L																				
it.	Nickel	NMSSL	μg/L																				
Cor	Selenium	EES6	μg/L																				
) o	Selenium	GELC	μg/L																				
AL.	Selenium	NMSSL	μg/L																				
	Silver	EES6	μg/L																				
Σ	Silver	GELC	μg/L																				
	Thallium	EES6	μg/L																				
	Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L																				
	Tin	EES6	μg/L																				
	Tin	GELC	μg/L																				
	Vanadium	EES6	μg/L																				
	Vanadium	GELC	μg/L																				
	Zinc	EES6	μg/L																				
	Zinc	GELC	μg/L																				
	Americium-241	GELC	pCi/L						0.0152	<u>0.0103</u>	0.00767												
_	Cesium-137	GELC	pCi/L						-0.0712	<u>2.58</u>	0.724												
<u> </u>	Gross alpha	GELC	pCi/L						0.667	<u>2.53</u>	0.706												
_	Gross beta	GELC	pCi/L						6.25	<u>2.16</u>	0.819												
<u> </u>	Gross gamma	GELC	pCi/L																				
P	Plutonium-238	GELC	pCi/L						0.008	<u>0.0181</u>	0.00527												
_ ₹	Strontium-90	GELC	pCi/L		-0.0156	<u>0.325</u>	0.0939		0.0665	<u>0.201</u>	0.0614		0.0326	<u>0.136</u>	0.0502		-0.0059	<u>0.0793</u>	0.029		-0.011	<u>0.128</u>	0.0468
	Strontium-90	PARA	pCi/L																				
	Tritium	UMTL	pCi/L		1.56457	0.28737	0.25544														-0.15965	0.28737	0.15965
	Uranium	EES6	μg/L																				
	Uranium	GELC	μg/L							0.0405	2 2225												
	Uranium-234	GELC	pCi/L						0.27	<u>0.0196</u>	0.0308												
	Uranium-238	GELC	pCi/L						0.135	<u>0.00572</u>	0.0194												

			Start Date Time	02/14/01		05	5/18/02			(08/24/02			11	/16/02			02	2/08/03			05/	14/03	
			Fld Prep Code	SW			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	_					<	1.45	1.45													
	Alkalinity-CO3+HCO3	EES6	mg/L																					
	Alkalinity-CO3+HCO3	GELC	mg/L							77.3	1.45													
	Alkalinity-HCO3 Ammonia as Nitrogen	GELC GELC	mg/L mg/L							76.3	1.45													
	Bromide	EES6	mg/L																					
 	Bromide	GELC	mg/L																					
	Calcium	EES6	mg/L																					
	Calcium	GELC	mg/L							10.7	0.00554													
	Chloride	EES6	mg/L							0.04	0.0000													
	Chloride Fluoride	GELC EES6	mg/L							2.61	0.0322													
	Fluoride	GELC	mg/L mg/L							0.5	0.0553													
	Fluoride	NMSSL	mg/L							0.0	0.0000													
	Magnesium	EES6	mg/L																					
(D	Magnesium	GELC	mg/L							0.503	0.00518													
) N	Nitrate as Nitrogen	EES6	mg/L																					
N N	Nitrate-Nitrite as N	GELC	mg/L							0.34	0.01													
GENINORG	Nitrate-Nitrite as N Nitrite as Nitrogen	NMSSL EES6	mg/L mg/L		+				-		+		 											
Ō	Perchlorate	GELC	μg/L		+			1	+		+						 						+	
}	Potassium	EES6	mg/L		+ +						1													
	Potassium	GELC	mg/L							2.67	0.0165													
ſ	Silicon Dioxide	EES6	mg/L																					
	Silicon Dioxide	GELC	mg/L																					
	Sodium	EES6	mg/L							25.2	0.0144													
	Sodium Specific Conductance	GELC FLD	mg/L uS/cm			190.2				25.3 179.5	0.0144			183.9										
	Sulfate	EES6	mg/L			190.2				179.5				103.9										
	Sulfate	GELC	mg/L							4.12	0.193													
ļ	Total Dissolved Solids	GELC	mg/L							163	3.07													
ſ	Total Kjeldahl Nitrogen	GELC	mg/L																					
	Total Phosphate as Phosphorus	EES6	mg/L																					
	Total Phosphate as Phosphorus	GELC	mg/L																					
	Total Suspended Solids pH	GELC FLD	mg/L SU			8.21				8.33				8.5									-	
	Aluminum	EES6	μg/L			0.21				0.00				0.0										
	Aluminum	GELC	μg/L																					
	Antimony	EES6	μg/L																					
	Antimony	GELC	μg/L																					
	Antimony	NMSSL	μg/L		+								<u> </u>											
	Arsenic	EES6 GELC	μg/L		+ +			1																
	Arsenic Arsenic	NMSSL	μg/L μg/L		+ +			1			+						 						+	
1	Barium	EES6	μg/L		+ +						1													
	Barium	GELC	μg/L																					
	Barium	NMSSL	μg/L																					
	Beryllium	EES6	μg/L								1													
METALS	Beryllium	GELC	μg/L		+																		-	
Y.	Beryllium Boron	NMSSL EES6	μg/L μg/L		+				+ +		+ +		 				+						+	
ME	Boron	GELC	μg/L μg/L		+ +				 		+		1	<u> </u>										
	Cadmium	EES6	μg/L						1		+ +													
	Cadmium	GELC	μg/L																			_		
	Cadmium	NMSSL	μg/L																					
	Chromium	EES6	μg/L		$\downarrow \downarrow \downarrow$																			
	Chromium	GELC	μg/L		+-+						1													
	Chromium Cobalt	NMSSL EES6	μg/L μg/L		+ +		-	1			+		-											
	Cobalt	GELC	μg/L μg/L		+ +				+		+													
}	Copper	EES6	μg/L		1						+													
	Copper	GELC	μg/L								1													
	Iron	EES6	μg/L																					_
1	Iron	GELC	μg/L													-								

			Start Date Time	02/14/01		05	5/18/02			0	8/24/02			11.	/16/02			02/0	08/03			05/14	/03	
			Fld Prep Code	SW			SW				SW				SW			S	W			SV	I	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym F	esult	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Lead	EES6	μq/L	1																				
	Lead	GELC	μg/L																					i l
	Manganese	EES6	μg/L																					1
Ī	Manganese	GELC	μg/L																					1
	Mercury	EES6	μg/L																					1
	Mercury	GELC	μg/L																					1
ſ	Mercury	NMSSL	μg/L																					i
	Nickel	EES6	μg/L																					i
l	Nickel	GELC	μg/L																					1
if.	Nickel	NMSSL	μg/L																					1
l Ö [Selenium	EES6	μg/L																					i
	Selenium	GELC	μg/L																					i
	Selenium	NMSSL	μg/L																					1
I È [Silver	EES6	μg/L																					i
M	Silver	GELC	μg/L																					1
Ī	Thallium	EES6	μg/L																					1
	Thallium	GELC	μg/L																					i
	Thallium	NMSSL	μg/L																					i
	Tin	EES6	μg/L																					i
	Tin	GELC	μg/L																					i
	Vanadium	EES6	μg/L																					i l
	Vanadium	GELC	μg/L																					ĺ
	Zinc	EES6	μg/L																					i
	Zinc	GELC	μg/L																					i
	Americium-241	GELC	pCi/L							0.0048	<u>0.029</u>	0.00588												i
	Cesium-137	GELC	pCi/L							0.259	<u>3.47</u>	0.93												í
	Gross alpha	GELC	pCi/L							1.48	<u>0.624</u>	0.269												1
	Gross beta	GELC	pCi/L							5.14	2.02	0.655												i
	Gross gamma	GELC	pCi/L							61.2	<u>201</u>	55.5												ı
	Plutonium-238	GELC	pCi/L							-0.00263	<u>0.034</u>	0.00372												ı
SAD	Strontium-90	GELC	pCi/L			-0.0131	<u>0.156</u>	0.0409		-0.0265	<u>0.101</u>	0.0289		-0.0094	<u>0.125</u>	0.0305	0.	0114	<u>0.0878</u>	0.0225		-0.005	<u>0.126</u>	0.0367
"	Strontium-90	PARA	pCi/L																					
<u> </u>	Tritium	UMTL	pCi/L							-0.38316	0.28737	0.28737										0	0.28737	0.28737
	Uranium	EES6	μg/L																					\Box
	Uranium	GELC	μg/L																					
<u> </u>	Uranium-234	GELC	pCi/L							0.314	<u>0.028</u>	0.043												
	Uranium-238	GELC	pCi/L							0.22	<u>0.029</u>	0.0344												1

			Start Date Time	02/14/01	05/18/02		(18/21/03			(18/21/03			1	1/24/03			02/	09/04			(05/19/04	
			Fld Prep Code	SW	SW			SW				SW				SW			9	SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Sym	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MD	A Uncert	Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L	1	,	<	1.45	1.45		1				,				1				<	1.45	1.45	
	Alkalinity-CO3+HCO3	EES6	mg/L																						
	Alkalinity-CO3+HCO3	GELC	mg/L				72.3	1.45															65.4	1.45	
	Alkalinity-HCO3	GELC	mg/L				71.5	1.45															64.8	1.45	
	Ammonia as Nitrogen	GELC	mg/L																						
	Bromide	EES6	mg/L																						
	Bromide Calcium	GELC EES6	mg/L mg/L																						
}	Calcium	GELC	mg/L				10.6	0.00554															10.4	0.00554	
	Chloride	EES6	mg/L				10.0	0.00354															10.4	0.00334	
	Chloride	GELC	mg/L				2.55	0.0322															3.18	0.0322	
	Fluoride	EES6	mg/L																						
	Fluoride	GELC	mg/L				0.523	0.0553							0.333	0.0553							0.416	0.0553	
	Fluoride	NMSSL	mg/L																						
	Magnesium	EES6	mg/L																						
C	Magnesium	GELC	mg/L				0.521	0.00518															0.495	0.00518	
) K	Nitrate as Nitrogen	EES6	mg/L				0.45	0.04							0.44	0.04							0.54	0.04	
GENINORG	Nitrate-Nitrite as N	GELC	mg/L				0.45	0.01							0.44	0.01							0.51	0.01	
\overline{Z}	Nitrate-Nitrite as N Nitrite as Nitrogen	NMSSL	mg/L																			1			
15	Perchlorate	EES6 GELC	mg/L μg/L																0.271				0.285	0.05	
}	Potassium	EES6	mg/L																0.271				0.200	0.05	
	Potassium	GELC	mg/L				2.66	0.0165															2.76	0.0165	
	Silicon Dioxide	EES6	mg/L				2.00	0.0100															2.70	0.0100	
	Silicon Dioxide	GELC	mg/L																				69.7	0.0212	
	Sodium	EES6	mg/L																						
	Sodium	GELC	mg/L				24.5	0.0144															27.9	0.0144	
	Specific Conductance	FLD	uS/cm				170.4				170.4								155				102		
	Sulfate	EES6	mg/L																						
	Sulfate	GELC	mg/L				4.01	0.193															4.18	0.193	
	Total Dissolved Solids	GELC	mg/L				171	3.07															169	3.07	
	Total Kjeldahl Nitrogen	GELC	mg/L																						
}	Total Phosphate as Phosphorus Total Phosphate as Phosphorus	EES6 GELC	mg/L						-				-							+		1			
	Total Suspended Solids	GELC	mg/L mg/L			<	0.796	0.796														<	0.764	0.764	
	pH	FLD	SU SU				8.8	0.730			8.8								8.22				8.43	0.704	
	Aluminum	EES6	μg/L				0.0				0.0								0.22				0.10		
	Aluminum	GELC	μg/L																				21.7	14.7	
	Antimony	EES6	μg/L																						
	Antimony	GELC	μg/L											<	0.264	0.2						<	0.28	0.28	
	Antimony	NMSSL	μg/L																						
	Arsenic	EES6	μg/L																						
	Arsenic	GELC	μg/L												6.84	0.53						<	9.39	2.24	
	Arsenic	NMSSL	μg/L																						
	Barium	EES6	μg/L						-	-	1				20.0	0.05			1	1			26.0	0.000	
	Barium Barium	GELC NMSSL	μg/L μg/L	<u> </u>		+ +			-	-					38.2	0.25				-			36.8	0.222	
	Beryllium	EES6	μg/L μg/L			+ +			 								1	1		1			 		
(n	Beryllium	GELC	μg/L			1			<u> </u>					<	0.07	0.07						<	0.158	0.158	
METALS	Beryllium	NMSSL	μg/L			† †		1	†	<u> </u>	<u> </u>		1		3.57	3.07						<u> </u>	3.150	5.100	
T T	Boron	EES6	μg/L																						
Σ	Boron	GELC	μg/L						1											İ			32.7	4.88	
	Cadmium	EES6	μg/L																						
	Cadmium	GELC	μg/L											<	0.07	0.07						<	0.04	0.04	
[Cadmium	NMSSL	μg/L																						
	Chromium	EES6	μg/L					ļ		ļ	ļ													0.555	
	Chromium	GELC	μg/L						ļ	ļ	ļ				5.59	0.3		ļ		1			7.31	0.503	
	Chromium	NMSSL	μg/L	-						ļ	ļ											ļ			
	Cobalt	EES6 GELC	μg/L			 			 	-						1	1	1		1			0.544	0.541	
	Cobalt Copper	EES6	μg/L	<u> </u>		+ +		1	-	1	1		 							-	-	<	0.541	0.541	
	Copper	GELC	μg/L μg/L			+ +			 								1	1		1			2.4	1.39	
	Iron	EES6	μg/L			1		1	†	1	1									1	+			1.00	
	Iron	GELC	μg/L			 			İ		1									1		<	12.6	12.6	
	11011	OLLO	P9′∟	1	<u> </u>	<u> </u>		1	I	<u> </u>	1	l			L	I	<u> </u>	<u> </u>	I			<u> </u>	12.0	12.0	l

			Start Date Time	02/14/01	05/18/02		30	3/21/03			0	8/21/03			11	1/24/03			02/	09/04			0	05/19/04	
			Fld Prep Code	SW	SW			SW				SW				SW			9	SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Svm	Svm	Svm	Result	MDL/MDA	Uncert	Svm	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Svm	Result	MDL/MDA	Uncert	Svm	Result	MDL/MDA	Uncert
,	Lead	EES6	μg/L	,								-												ĺ	
	Lead	GELC	μg/L																			<	0.246	0.05	
	Manganese	EES6	μg/L																					i	
	Manganese	GELC	μg/L																				0.382	0.296	
	Mercury	EES6	μg/L																					<u> </u>	
	Mercury	GELC	μg/L											<	0.0472	0.0472						<	0.0472	0.0472	
	Mercury	NMSSL	μg/L																					<u> </u>	
	Nickel	EES6	μg/L																					<u> </u>	
	Nickel	GELC	μg/L												0.229	0.07						<	0.69	0.69	
jt.	Nickel	NMSSL	μg/L																					<u> </u>	
9	Selenium	EES6	μg/L																					<u> </u>	
S	Selenium	GELC	μg/L											<	1	1						<	2.81	2.81	
P. F.	Selenium	NMSSL	μg/L																					<u> </u>	
I 🗎	Silver	EES6	μg/L																					<u> </u>	
Ξ	Silver	GELC	μg/L																			<	0.835	0.835	
	Thallium	EES6	μg/L																					<u> </u>	
	Thallium	GELC	μg/L												0.544	0.02						<	0.073	0.02	
	Thallium	NMSSL	μg/L																					1	
	Tin	EES6	μg/L																					<u> </u>	
	Tin	GELC	μg/L																			<	3.26	3.26	
	Vanadium	EES6	μg/L																					1	
	Vanadium	GELC	μg/L																				37.6	0.606	
	Zinc	EES6	μg/L																					<u> </u>	
	Zinc	GELC	μg/L																				7.27	0.883	
																							2.64E-	i	
	Americium-241	GELC	pCi/L				-1E-09	0.03	0.00516														10	<u>0.039</u>	0.00443
	Cesium-137	GELC	pCi/L				-1.05	<u>3.28</u>	0.998														-0.841	<u>3.47</u>	1.03
	Gross alpha	GELC	pCi/L				0.159	<u>1.63</u>	0.402						0.336	<u>1.24</u>	0.315						-0.305	<u>2.5</u>	0.56
	Gross beta	GELC	pCi/L				1.93	2.24	0.574						2.4	<u>2.05</u>	0.595						2.67	<u>2.49</u>	0.686
	Gross gamma	GELC	pCi/L				86.2	<u>359</u>	101														101	<u>412</u>	84.4
SAD	Plutonium-238	GELC	pCi/L				4.56E-09	<u>0.033</u>	0.0143														0	<u>0.031</u>	0.00562
≥	Strontium-90	GELC	pCi/L				0.071	<u>0.0755</u>	0.0255		0.0451	<u>0.0657</u>	0.0211		0.004	<u>0.134</u>	0.0396		0.0063	0.0937	0.0276		-0.444	<u>0.418</u>	0.102
	Strontium-90	PARA	pCi/L																						
	Tritium	UMTL	pCi/L																				0.09579	0.28737	0.28737
	Uranium	EES6	μg/L																						
	Uranium	GELC	μg/L																				0.478	0.02	
	Uranium-234	GELC	pCi/L				0.258	<u>0.055</u>	0.0299														0.274	<u>0.063</u>	0.0313
	Uranium-238	GELC	pCi/L				0.146	0.035	0.0211														0.167	0.044	0.0221

Table B-1.10 (continued)

			Start Date Time			05/18/05				02/22/06				02/22/06	
			Fld Prep Code			SW				F				SW	_
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	<	1.45	1.45			1.2	0.725					
_	Alkalinity-CO3+HCO3	EES6	mg/L		70.0	4.45			85.3	0.705			84.2		
_	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC GELC	mg/L		70.8 70.7	1.45 1.45			76.3	0.725					
-	Ammonia as Nitrogen	GELC	mg/L mg/L		70.7	1.45		<	0.01	0.01					
	Bromide	EES6	mg/L						0.01	0.01			0.04	0.01	
_	Bromide	GELC	mg/L					<	0.041	0.041					
	Calcium	EES6	mg/L						10.6	0.01	0.1		11.3	0.01	
	Calcium	GELC	mg/L		16.4	0.036			11.2	0.036			11.3	0.036	
_	Chloride	EES6	mg/L		7.50	0.050			3.9	0.01			3.88	0.01	
	Chloride	GELC EES6	mg/L		7.56	0.053			2.79 0.57	0.053 0.01			0.55	0.01	
_	Fluoride Fluoride	GELC	mg/L mg/L		0.433	0.03			0.57	0.01			0.55	0.01	
_	Fluoride	NMSSL	mg/L		0.433	0.03			0.555	0.03					
	Magnesium	EES6	mg/L						0.48	0.01	0.01		0.51	0.01	0.01
	Magnesium	GELC	mg/L		0.592	0.085			0.538	0.085			0.543	0.085	
RG	Nitrate as Nitrogen	EES6	mg/L						0.53	0.003			0.54	0.003	
GENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.216	0.003			0.375	0.017					
Ī.	Nitrate-Nitrite as N	NMSSL	mg/L												
- GE	Nitrite as Nitrogen	EES6	mg/L		0.05	0.05		<	0.002	0.002		<	0.002	0.002	+
-	Perchlorate Potassium	GELC EES6	μg/L mg/L		0.25	0.05			0.314 2.71	0.05 0.01	0.05		2.87	0.01	0.04
-	Potassium	GELC	mg/L		2.83	0.05			2.71	0.05	0.05		2.82	0.01	0.04
_	Silicon Dioxide	EES6	mg/L		2.00	0.03			31.9	10	0.4		33.8	10	0.1
	Silicon Dioxide	GELC	mg/L		55.7	0.032			74.6	0.032	0.1		00.0	10	0.1
	Sodium	EES6	mg/L						23.7	0.01	0.6		25.5	0.01	0.5
	Sodium	GELC	mg/L		23.2	0.045			26.8	0.045			26.8	0.045	
	Specific Conductance	FLD	uS/cm		192.6								173.4		
	Sulfate	EES6	mg/L						5.54	0.01			5.47	0.01	
_	Sulfate	GELC	mg/L		3.93	0.057			3.95	0.057					_
_	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC GELC	mg/L		136	2.38		<	179 0.025	2.38 0.01					+
	Total Phosphate as Phosphorus	EES6	mg/L mg/L						0.025	0.003			0.047	0.003	
	Total Phosphate as Phosphorus	GELC	mg/L		0.299	0.01			0.052	0.01			0.047	0.000	
	Total Suspended Solids	GELC	mg/L		0.200	0.0.			0.002	0.0.		<	1.27	1.27	
	pH	FLD	SU		7.3								8.01		
	Aluminum	EES6	μg/L					<	2	2			3.2	2	0.1
	Aluminum	GELC	μg/L	<	68	68		<	68	68		<	68	68	
_	Antimony	EES6	μg/L	.	0.5	0.5		<	1	1		<	1	1	_
	Antimony	GELC NMSSL	μg/L	<	0.5	0.5		<	0.5	0.5		<	0.5	0.5	+
	Antimony Arsenic	EES6	μg/L μg/L						6.2	0.2	0.1		6.2	0.2	0.2
_	Arsenic	GELC	μg/L		6.1	6		<	6	6	0.1		8.3	6	0.2
	Arsenic	NMSSL	μg/L		U								0.0		
	Barium	EES6	μg/L						41	1	1		44	1	
	Barium	GELC	μg/L		73	1			44.9	1			42.1	1	
	Barium	NMSSL	μg/L												
<u> </u>	Beryllium	EES6	μg/L		0.1	0.1		<	1	1		<	1	1	1
LS	Beryllium	GELC NMSSL	μg/L	<	0.1	0.1		<	1	1		<	1	1	+
¥. ⊢	Beryllium Boron	EES6	μg/L μg/L			+		1	29	1	1		30	1	1
METALS	Boron	GELC	μg/L		22.2	10		1	30.3	10	'		30.5	10	+ '-
<u> </u>	Cadmium	EES6	μg/L	1		10		<	1	1		<	1	1	†
	Cadmium	GELC	μg/L	<	0.1	0.1		<	0.1	0.1		<	0.1	0.1	İ
	Cadmium	NMSSL	μg/L												
	Chromium	EES6	μg/L						5	1			6.2	1	
<u> </u>	Chromium	GELC	μg/L		3.5	1			5.5	1			6.1	1	1
<u> </u>	Chromium	NMSSL	μg/L												1
-	Cobalt	EES6	μg/L		4	4		<	1	1		<	1	1	+
_	Copper	GELC EES6	μg/L	<	1	1		<	1 3.5	<u> </u>	0.2	<	1 17	1	+
-	Copper Copper	GELC	μg/L μg/L	<	3	3		 	5.5	3	0.2		62.2	3	+
-	Iron	EES6	μg/L	<u> </u>	<u> </u>	,		† †	20	10			40	10	+
	Iron	GELC	μg/L	+	915	18		<	21.5	18	+	<	77.1	18	+

Table B-1.10 (continued)

			Start Date Time			05/18/05				02/22/06				02/22/06	
			Fld Prep Code			SW				F				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
7 myr dane ddae	Lead	EES6	μg/L	- Ojiii	Rosun	WIDEWIDIT	Gildert	- Ojiii	2	0.2	Gliocit	- Ojiii	2.8	0.2	0.1
	Lead	GELC	μg/L		0.75	0.5			2.9	0.5			4.6	0.5	1
	Manganese	EES6	μg/L						13	1			14	1	-
	Manganese	GELC	μg/L		220	1			13.7	2			16	2	-
	Mercury	EES6	μg/L		-				0.26	0.05			0.24	0.05	
	Mercury	GELC	μg/L	<	0.05	0.05		<	0.05	0.05		<	0.05	0.05	
	Mercury	NMSSL	μg/L												
	Nickel	EES6	μg/L					<	1	1		<	1	1	
	Nickel	GELC	μg/L	<	1	1		<	0.5	0.5			0.77	0.5	Ī
t.)	Nickel	NMSSL	μg/L												1
no:	Selenium	EES6	μg/L					<	1	1		<	1	1	Ī
METALS (cont.)	Selenium	GELC	μg/L	<	6	6		<	2.5	2.5		<	2.5	2.5	Ī
Fig. 1	Selenium	NMSSL	μg/L												Ī
	Silver	EES6	μg/L					<	1	1		<	1	1	Ī
N N	Silver	GELC	μg/L	<	1	1		<	0.2	0.2		<	0.2	0.2	
	Thallium	EES6	μg/L					<	1	1		<	1	1	
	Thallium	GELC	μg/L	<	0.4	0.4		<	0.4	0.4		<	0.4	0.4	
	Thallium	NMSSL	μg/L												
	Tin	EES6	μg/L					<	1	1		<	1	1	
	Tin	GELC	μg/L	<	2.5	2.5		<	2.5	2.5		<	2.5	2.5	
	Vanadium	EES6	μg/L						28	1	1		28	1	
	Vanadium	GELC	μg/L		14.6	1			29.7	1			30.6	1	
	Zinc	EES6	μg/L						2	1			3	1	
	Zinc	GELC	μg/L	<	5.8	2			5	2			6.1	2	
	Americium-241	GELC	pCi/L		-0.00465	<u>0.031</u>	0.00964								
	Cesium-137	GELC	pCi/L		0.234	<u>2.35</u>	0.677								
	Gross alpha	GELC	pCi/L		1.09	<u>1.41</u>	0.439								
	Gross beta	GELC	pCi/L		1.6	<u>1.38</u>	0.404								
	Gross gamma	GELC	pCi/L		70.7	<u>255</u>	145								
	Plutonium-238	GELC	pCi/L		0.0134	<u>0.056</u>	0.00968								<u> </u>
RAD	Strontium-90	GELC	pCi/L		0.17	<u>0.438</u>	0.111								
	Strontium-90	PARA	pCi/L												
	Tritium	UMTL	pCi/L		0.09579	<u>0.28737</u>	0.28737								
	Uranium	EES6	μg/L						0.4	0.2			0.4	0.2	_
	Uranium	GELC	μg/L						0.46	0.05			0.42	0.05	
	Uranium-234	GELC	pCi/L		0.464	<u>0.091</u>	0.0419								
	Uranium-238	GELC	pCi/L		0.244	<u>0.064</u>	0.0291								

EP2006-1078 B-27 February 2007

Table B-1.11 G-2A

		Г														1				1			
		}	Start Date Time			03/07/00				06/20/00				8/14/00				09/27/00				11/15/00	
A I C C I.	Arrabata Dana	Lab Cada	Fld Prep Code	C	Decell	SW MADA	Unacat	C	Decet	SW MADA	Unana	C D		SW MDI MDA	Unand	C	14	SW MADA	Unana	C	Decell	SW NADA (NADA	Unanat
Anyl Suite Code	Analyte Desc Alkalinity-CO3	Lab Code GELC	Std Uom mg/L	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Res	JIL	MDL/MDA	Uncert	Sym F	esult	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3+HCO3	GELC	mg/L																				+
	Alkalinity-HCO3	GELC	mg/L																				
	Ammonia as Nitrogen	GELC	mg/L																				<u> </u>
_	Bromide Calcium	GELC GELC	mg/L mg/L					-															+
	Chloride	GELC	mg/L																				+
	Fluoride	GELC	mg/L																				
	Fluoride	NMSSL	mg/L													(.354	0.1					<u> </u>
ORG	Magnesium Nitrate-Nitrite as N	GELC GELC	mg/L mg/L				1	-															
9 -	Nitrate-Nitrite as N	NMSSL	mg/L					+									.425	0.1					+
GENING	Perchlorate	GELC	μg/L														0	<u> </u>					†
99	Potassium	GELC	mg/L																				
	Silicon Dioxide	GELC	mg/L																				
	Sodium Specific Conductance	GELC FLD	mg/L uS/cm				-									\vdash							+
	Sulfate	GELC	mg/L					+															+
	Total Dissolved Solids	GELC	mg/L																				+
	Total Kjeldahl Nitrogen	GELC	mg/L																				
	Total Phosphate as Phosphorus	GELC	mg/L																				<u> </u>
	Total Suspended Solids pH	GELC FLD	mg/L SU		8.29			-	7.17			6.8	2								8.21		+
	Aluminum	GELC	μg/L		0.29				7.17			0.0	,								0.21		+
	Antimony	GELC	μg/L																				1
	Antimony	NMSSL	μg/L													<	1	1					
	Arsenic	GELC	μg/L													\vdash	^						 '
	Arsenic Barium	NMSSL GELC	μg/L μg/L					-									9	1					+
	Barium	NMSSL	μg/L													<	100	100					+
	Beryllium	GELC	μg/L																				
	Beryllium	NMSSL	μg/L													<	1	1					
	Boron	GELC	μg/L				1																 '
	Cadmium Cadmium	GELC NMSSL	μg/L μg/L													<	1	1					+
	Chromium	GELC	μg/L																				†
	Chromium	NMSSL	μg/L														4	1					
ALS	Cobalt	GELC	μg/L				1																<u> </u>
METAL	Copper Iron	GELC GELC	μg/L				-									\vdash							+
Σ _	Lead	GELC	μg/L μg/L					+															+
	Manganese	GELC	μg/L																				+
	Mercury	GELC	μg/L																				
	Mercury	NMSSL	μg/L													<	0.2	0.2					
	Nickel Nickel	GELC NMSSL	μg/L μg/L					-								<	10	10					+
	Selenium	GELC	μg/L													- 	10	10					+
	Selenium	NMSSL	μg/L													<	5	5					
	Silver	GELC	μg/L																				
	Thallium	GELC	μg/L	_			1				1					 		4					
	Thallium Tin	NMSSL GELC	μg/L μg/L				-	+	 		-		-+			<	1	1	1				+
	Vanadium	GELC	μg/L				+	+	 		+					 							+
	Zinc	GELC	μg/L																				
	Americium-241	GELC	pCi/L											-									
<u> </u>	Cesium-137	GELC	pCi/L				1				+		_			\vdash				<u> </u>			
 	Gross alpha Gross beta	GELC GELC	pCi/L pCi/L	+			+	+			+		-+			 							+
	Gross gamma	GELC	pCi/L				†				†					 							+
9	Plutonium-238	GELC	pCi/L																				<u> </u>
RAD	Strontium-90	GELC	pCi/L									0.05		<u>0.28</u>	0.165						-0.0001	<u>0.235</u>	0.0686
	Strontium-90	PARA	pCi/L	_	0.028	0.13	0.0375		0.046	<u>0.13</u>	0.0385	-0.0	44		0.0435	\vdash							
	Tritium Uranium	UMTL GELC	pCi/L µg/L		0.44702	0.28737	0.44702	+	 		-		-+			\vdash			1				+
	Uranium-234	GELC	μg/L pCi/L				<u> </u>	1			1					 							+
	Uranium-238	GELC	pCi/L				1	+	1		1					 			1	1		i	+

		Γ	Start Date Time			05/09/01				08/08/01				11/28/01				02/23/02				05/18/02	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
7 m.j. Guno Gouc	Alkalinity-CO3	GELC	mg/L	- J	0.776	0.725	0110011	- J	rtooun		0	<u> </u>	rtooun		Gillouit	- cj	1100411		0.1001.	- J	rtoount		0.10011
	Alkalinity-CO3+HCO3	GELC	mg/L		77.9	0.725																	
	Alkalinity-HCO3	GELC	mg/L		77.1	0.725																	
-	Ammonia as Nitrogen	GELC	mg/L																				
-	Bromide	GELC GELC	mg/L		11	0.0375									1					1			+
-	Calcium Chloride	GELC	mg/L mg/L		11 2.01	0.0375																	+
-	Fluoride	GELC	mg/L		0.433	0.006																	+
-	Fluoride	NMSSL	mg/L			0.000																	1
O ₂	Magnesium	GELC	mg/L		0.912	0.00449																	
S. S.	Nitrate-Nitrite as N	GELC	mg/L		0.41	0.0069																	
SENINORG	Nitrate-Nitrite as N	NMSSL	mg/L	-			-									-							+
J GE	Perchlorate Potassium	GELC GELC	μg/L mg/L	-	2.09	0.00707									-	-							-
-	Silicon Dioxide	GELC	mg/L		59.6	0.00707									-								+
-	Sodium	GELC	mg/L		25.7	0.0163									1								1
-	Specific Conductance	FLD	uS/cm		169.9																193.1		
	Sulfate	GELC	mg/L		3.19	0.062												-					
	Total Dissolved Solids	GELC	mg/L	1	148	5.09																	\bot
	Total Kjeldahl Nitrogen	GELC	mg/L												1					<u> </u>			+
	Total Phosphate as Phosphorus Total Suspended Solids	GELC GELC	mg/L mg/L	<	0.699	0.699	1				+								1				+
	pH	FLD	mg/L SU	+ `	8.28	0.099	 									1			1		8.62		+
	Aluminum	GELC	μg/L		0.20																0.02		1
•	Antimony	GELC	μg/L																				1
	Antimony	NMSSL	μg/L																				
-	Arsenic	GELC	μg/L																				
-	Arsenic	NMSSL	μg/L	-			-									-							+
-	Barium Barium	GELC NMSSL	μg/L μg/L																				+
-	Beryllium	GELC	μg/L	+												1							+
-	Beryllium	NMSSL	μg/L																				+
•	Boron	GELC	μg/L																				1
	Cadmium	GELC	μg/L																				
-	Cadmium	NMSSL	μg/L																				
-	Chromium	GELC NMSSL	μg/L																				+
ο	Chromium Cobalt	GELC	μg/L μg/L				+																+
METAL	Copper	GELC	μg/L																				+
WE	Iron	GELC	μg/L																				†
_	Lead	GELC	μg/L																				
	Manganese	GELC	μg/L																				
_	Mercury	GELC	μg/L												1					1			
-	Mercury Nickel	NMSSL GELC	μg/L												1					1			+
-	Nickel	NMSSL	μg/L ua/L												1								+
-	Selenium	GELC	μg/L												†								+
	Selenium	NMSSL	μg/L																				
	Silver	GELC	μg/L																				
	Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L												1					<u> </u>			
	Tin Vanadium	GELC GELC	μg/L μg/L	+			-								1	<u> </u>			-				+
}	vanadum Zinc	GELC	μg/L μg/L	+			 								1	-			 				+
	Americium-241	GELC	pCi/L	1	0.00609	0.00825	0.00432								1	 							+
	Cesium-137	GELC	pCi/L	1	0.931	3.03	0.842									1							
	Gross alpha	GELC	pCi/L		0.116	<u>1.57</u>	0.406																
	Gross beta	GELC	pCi/L		1.32	<u>2.62</u>	0.785																
	Gross gamma	GELC	pCi/L	1	0.00101	0.00=11	0.00001								1	1							
RAD	Plutonium-238	GELC	pCi/L	+	0.00401	<u>0.00544</u>	0.00284		0.0000	0.404	0.0470		0.044	0.007	0.0240	1	0.0007	0.475	0.0404	<u> </u>	0.0400	0.44	0.0202
"	Strontium-90 Strontium-90	GELC PARA	pCi/L pCi/L	+	0.0065	<u>0.178</u>	0.0527		0.0909	<u>0.124</u>	0.0478		-0.011	<u>0.087</u>	0.0318	-	-0.0007	<u>0.175</u>	0.0461		0.0402	<u>0.14</u>	0.0383
	Tritium	UMTL	pCi/L	+	0.06386	0.28737	0.25544								 		0	0.28737	0.12772				+
	Uranium	GELC	μg/L	1	2.00000	5.20707	J.20077									<u> </u>		0.20101	J. 12.12				
ļ	Uranium-234	GELC	pCi/L		0.286	<u>0.0325</u>	0.0364																
	Uranium-238	GELC	pCi/L		0.161	<u>0.028</u>	0.0254																
		•	-																				

EP2006-1078 B-29 February 2007

			Start Date Time			08/24/02				11/16/02				02/08/03				08/21/03				11/24/03	
			Fld Prep Code			SW				SW				SW				SW				SW	-
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
ing. cancer	Alkalinity-CO3	GELC	mg/L	<	1.45	1.45										<	1.45	1.45		- J			
	Alkalinity-CO3+HCO3	GELC	mg/L		82.3	1.45											74.4	1.45				<u> </u>	
	Alkalinity-HCO3	GELC	mg/L		81.6	1.45											73.5	1.45					
	Ammonia as Nitrogen	GELC	mg/L												-								
	Bromide Calcium	GELC GELC	mg/L mg/L		12.4	0.00554											12.2	0.00554					+
	Chloride	GELC	mg/L		2.39	0.00334											2.39	0.00334					+
	Fluoride	GELC	mg/L		0.385	0.0553											0.37	0.0553			0.284	0.0553	
	Fluoride	NMSSL	mg/L																			 I	
O ₂	Magnesium	GELC	mg/L		1.06	0.00518											1.05	0.00518				1	
3ENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.35	0.01											0.45	0.01			0.44	0.01	
	Nitrate-Nitrite as N	NMSSL	mg/L					-															
GE	Perchlorate Potassium	GELC GELC	μg/L mg/L	-	2.02	0.0165		-				-			-		1.92	0.0165					+
	Silicon Dioxide	GELC	mg/L	+ +	2.02	0.0105		-									1.92	0.0105				 I	+
	Sodium	GELC	mg/L		23.4	0.0144											21	0.0144				 I	+
	Specific Conductance	FLD	uS/cm		174.3				175.5								165.3					<u> </u>	
	Sulfate	GELC	mg/L		3.42	0.193											3.51	0.193					
	Total Dissolved Solids	GELC	mg/L		169	3.07											164	3.07				·	\bot
	Total Kjeldahl Nitrogen	GELC	mg/L	+		-									1								
	Total Phosphate as Phosphorus	GELC GELC	mg/L	+		 			1		-				1		0.796	0.796	1				+
	Total Suspended Solids pH	FLD	mg/L SU	+ +	8.29	1		-	8.3						+	<	8.4	0.790	 				+
	Aluminum	GELC	μg/L		0.23				0.0								0.4					 I	+
	Antimony	GELC	μg/L																	<	0.2	0.2	†
	Antimony	NMSSL	μg/L																			1	
	Arsenic	GELC	μg/L																		9.27	0.53	
	Arsenic	NMSSL	μg/L																				
	Barium	GELC	μg/L																		13.4	0.25	\vdash
-	Barium Beryllium	NMSSL GELC	μg/L μg/L																	<	0.07	0.07	\vdash
	Beryllium	NMSSL	μg/L																		0.07	0.07	+
	Boron	GELC	μg/L																			 I	
	Cadmium	GELC	μg/L																	<	0.07	0.07	
	Cadmium	NMSSL	μg/L																			<u> </u>	
	Chromium	GELC	μg/L																		5.19	0.3	
σ	Chromium Cobalt	NMSSL GELC	μg/L																				
_₹	Copper	GELC	μg/L μg/L																			i	+
METAL	Iron	GELC	μg/L																			 I	+
_	Lead	GELC	μg/L																				
	Manganese	GELC	μg/L																			1	
	Mercury	GELC	μg/L																	<	0.0472	0.0472	
	Mercury	NMSSL	μg/L																				1
	Nickel Nickel	GELC NMSSL	μg/L	+ +		-		1	1		1				1				1		0.223	0.07	+
	NICKEI Selenium	GELC	μg/L μg/L	+ +		1			 						+				1	<	1	1	+
	Selenium	NMSSL	μg/L μg/L	+ +					1						†						'		+
	Silver	GELC	μg/L												1							 I	
	Thallium	GELC	μg/L																	<	0.027	0.02	
	Thallium	NMSSL	μg/L																				$oxed{oxed}$
	Tin	GELC	μg/L												1								
	Vanadium	GELC GELC	μg/L	+ +		 			1						+				1				+
	Zinc Americium-241	GELC	μg/L pCi/L	+ +	0.00408	0.025	0.00815		 						+		0.0103	0.029	0.00464			<u> </u>	+
	Cesium-137	GELC	pCi/L	+ +	-1.05	<u>0.025</u> 3.14	0.00813								†		0.556	<u>3.68</u>	1.06				+
	Gross alpha	GELC	pCi/L		1.04	<u>1.38</u>	0.429								1		0.439	<u>1.09</u>	0.297		0.446	<u>1.07</u>	0.289
	Gross beta	GELC	pCi/L		2.92	<u>2.46</u>	0.669										1.46	<u>2.26</u>	0.569		1.99	<u>2.37</u>	0.651
	Gross gamma	GELC	pCi/L		62	<u>246</u>	53.3										60.7	<u>308</u>	71.7				$\perp = \equiv$
RAD	Plutonium-238	GELC	pCi/L		-2.57E-10	0.028	0.00305								1		0.0187	<u>0.043</u>	0.0197				
α .	Strontium-90	GELC	pCi/L	+	0.0369	<u>0.147</u>	0.054	-	0.0721	<u>0.11</u>	0.0312	-	0.0369	<u>0.0888</u>	0.024		0.0201	<u>0.0878</u>	0.0262		0.0201	<u>0.153</u>	0.0457
	Strontium-90 Tritium	PARA UMTL	pCi/L pCi/L	+	-0.09579	0.28737	0.28737	-	-		-	-			1				-				+
	Uranium	GELC	pCl/L μg/L	+ +	-0.09379	0.20131	0.20/3/		<u> </u>		1				+								+
	Uranium-234	GELC	μg/L pCi/L	+ +	0.294	0.032	0.043		1						†		0.299	0.051	0.0327				+
	Uranium-238	GELC	pCi/L		0.239	<u>0.033</u>	0.0383										0.165	<u>0.032</u>	0.0221			 I	+
		1	r		.										•								

			Start Date Time			02/09/04				05/19/04				05/18/05				05/17/06			05/17/06	
			Fld Prep Code			SW				SW				SW				F			SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L	1				<	1.45	1.45		<	1.45	1.45						2.39	0.725	
	Alkalinity-CO3+HCO3	GELC	mg/L						69.5	1.45			75	1.45						79.4	0.725	
<u> </u>	Alkalinity-HCO3	GELC	mg/L						68.8	1.45			74.6	1.45								
	Ammonia as Nitrogen	GELC	mg/L																<	0.1	0.1	
-	Bromide Calcium	GELC GELC	mg/L mg/L						11.6	0.00554			12.2	0.036					<	0.066 10	0.066 0.036	1
	Chloride	GELC	mg/L	1					2.25	0.0332			2.09	0.053						2.3	0.066	
	Fluoride	GELC	mg/L						0.283	0.0553			0.315	0.03						0.498	0.033	
	Fluoride	NMSSL	mg/L																			
	Magnesium	GELC	mg/L						1.01	0.00518			0.997	0.085						0.801	0.085	
P P	Nitrate-Nitrite as N	GELC	mg/L						0.42	0.01			0.36	0.003						0.397	0.014	
SENINORG	Nitrate-Nitrite as N	NMSSL	mg/L		0.045				0.007	0.05			0.07	0.05						0.000	0.05	<u> </u>
l GE	Perchlorate Potassium	GELC GELC	μg/L mg/L		0.315				0.337	0.05 0.0165			0.37 2.08	0.05 0.05						0.323 1.73	0.05 0.05	1
	Silicon Dioxide	GELC	mg/L						60.2	0.0103			60.9	0.032						56.6	0.032	+
	Sodium	GELC	mg/L						22.8	0.0144			24.1	0.045						27.9	0.045	
	Specific Conductance	FLD	uS/cm		152.6				171.9				167.2	010.10						178.6	2.2.2	
	Sulfate	GELC	mg/L						3.27	0.193			2.96	0.057						3.51	0.1	
	Total Dissolved Solids	GELC	mg/L						128	4.44			134	2.38						161	2.38	
<u> </u>	Total Kjeldahl Nitrogen	GELC	mg/L	1				\vdash											<	0.1	0.1	<u> </u>
_	Total Phosphate as Phosphorus	GELC	mg/L						4.07	4.07		<	0.04	0.01					<	0.024	0.01	_
	Total Suspended Solids pH	GELC FLD	mg/L SU	1	8.2			<	1.27 8.33	1.27			8.1			-				8.47		1
	μπ Aluminum	GELC	μg/L		0.2				16	14.7		<	68	68					<	68	68	+
	Antimony	GELC	μg/L					<	0.28	0.28		<	0.5	0.5					<	0.5	0.5	
	Antimony	NMSSL	μg/L							0.00												
	Arsenic	GELC	μg/L					<	9.97	2.24			6.4	6						16.3	6	
	Arsenic	NMSSL	μg/L																			
	Barium	GELC	μg/L						13.7	0.222			14.7	1						15	1	
	Barium	NMSSL	μg/L						0.450	0.450			0.4	0.4						4	4	
-	Beryllium Beryllium	GELC NMSSL	μg/L μg/L	1				<	0.158	0.158		<	0.1	0.1					<	1	1	1
	Boron	GELC	μg/L	1				<	15.9	4.88			22.9	10						24.3	10	1
	Cadmium	GELC	μg/L					<	0.04	0.04		<	0.1	0.1					<	0.1	0.1	
	Cadmium	NMSSL	μg/L																			
	Chromium	GELC	μg/L						4.65	0.503			4.7	1			6	1		5.9	1	
ω -	Chromium	NMSSL	μg/L																			
	Cobalt	GELC	μg/L					<	0.541	0.541		<	1	1					<	1	1	
METAL	Copper Iron	GELC GELC	μg/L μg/L	1				<	1.39 12.6	1.39 12.6		<	3 216	3 18					<	3 18	3 18	1
2	Lead	GELC	μg/L					<	0.088	0.05		<	0.5	0.5					<	0.5	0.5	1
i i	Manganese	GELC	μg/L					<	0.296	0.296		<	1	1					<	2	2	
	Mercury	GELC	μg/L					<	0.0472	0.0472		<	0.05	0.05					<	0.06	0.06	
	Mercury	NMSSL	μg/L																			
	Nickel	GELC	μg/L					<	0.69	0.69		<	1	1					<	0.5	0.5	
	Nickel	NMSSL	μg/L	1				 _ 	2.00	2.04				6						2.5	2.5	
	Selenium Selenium	GELC NMSSL	μg/L μg/L	1			1	<	3.99	2.81		<	6	6					<	2.5	2.5	
	Silver	GELC	μg/L	1				<	0.835	0.835		<	1	1		1			<	0.2	0.2	
	Thallium	GELC	μg/L						0.323	0.02		<	0.4	0.4						0.6	0.4	
	Thallium	NMSSL	μg/L																			
	Tin	GELC	μg/L					<	3.26	3.26		<	2.5	2.5					<	2.5	2.5	
	Vanadium	GELC	μg/L						39.7	0.606			38.5	1					 	62.7	1	
	Zinc	GELC	μg/L	-				\vdash	7.17	0.883	0.00400	<	2	2	0.00040	-			<	2	2	0.0101
	Americium-241 Cesium-137	GELC GELC	pCi/L pCi/L	-				-	-0.0038 -2.2	<u>0.034</u> 3.11	0.00466 1.01	<u> </u>	-0.00463 -0.0175	<u>0.032</u> <u>2.76</u>	0.00842 0.779				 	0.0302 0.519	<u>0.0368</u> <u>2.85</u>	0.0124 1.09
	Gross alpha	GELC	pCi/L pCi/L	+				 	0.428	3.11 1.1	0.292		-0.0175	<u>2.76</u> <u>1.25</u>	0.779	+				0.519	<u>2.85</u> <u>1.82</u>	0.386
	Gross aipria Gross beta	GELC	pCi/L	1					2.27	<u>1.1</u> <u>1.85</u>	0.292		1.52	<u>1.23</u> <u>1.58</u>	0.446				 	2.48	2.69	0.360
	Gross gamma	GELC	pCi/L	1					109	<u>7.00</u> 288	105		116	<u>7.00</u> 387	126					57.6	<u>255</u>	110
RAD	Plutonium-238	GELC	pCi/L						0.0103	0.032	0.00848		0.00204	<u>0.042</u>	0.00354					-0.00252	<u>0.0302</u>	0.0126
2	Strontium-90	GELC	pCi/L		0.0098	<u>0.0781</u>	0.023		0.0918	0.268	0.0685		0.177	<u>0.332</u>	0.085					0.0246	<u>0.184</u>	0.0472
	Strontium-90	PARA	pCi/L																\bot			
	Tritium	UMTL	pCi/L	1				-	0.500	0.00			0.38316	<u>0.28737</u>	0.28737	-				0.12772	<u>0.28737</u>	0.28737
	Uranium	GELC	μg/L	-			1	+ +	0.598	0.02	0.0240		0.220	0.07	0.0242				 	0.53	0.05	0.0444
	Uranium-234 Uranium-238	GELC GELC	pCi/L pCi/L	1				+	0.263 0.211	<u>0.068</u> <u>0.048</u>	0.0312 0.0263		0.338 0.225	<u>0.07</u> <u>0.05</u>	0.0313 0.0246	-				0.334 0.192	<u>0.116</u> <u>0.0648</u>	0.0414 0.0307
L	UtatiiuIII-230	GELU	μCI/L						U.ZII	<u>0.046</u>	0.0203		0.225	<u>0.05</u>	0.0246		L			0.192	<u>U.U046</u>	0.0307

EP2006-1078 B-31 February 2007

Table B-1.12 G-3A

		ı							O-3A											•			
			Start Date Time			03/06/00				06/20/00				08/03/00				08/14/00				09/27/00	
		,	Fld Prep Code			SW			1	SW				SW	1			SW	ı		1	SW	1
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
-	Alkalinity-CO3 Alkalinity-CO3+HCO3	GELC GELC	mg/L mg/L																				
-	Alkalinity-HCO3	GELC	mg/L																				
	Ammonia as Nitrogen	GELC	mg/L																				
_	Bromide	GELC	mg/L																				
_	Calcium Chloride	GELC GELC	mg/L mg/L	-																			
-	Fluoride	GELC	mg/L																				
	Fluoride	NMSSL	mg/L																		0.326	0.1	
S	Magnesium	GELC	mg/L																				
NO R	Nitrate-Nitrite as N Nitrate-Nitrite as N	GELC NMSSL	mg/L																		0.55	0.1	
SE NIN	Perchlorate	GELC	mg/L μg/L																		0.55	0.1	
35	Potassium	GELC	mg/L																				
	Silicon Dioxide	GELC	mg/L																				
	Sodium	GELC	mg/L								-				1			-		1			
	Specific Conductance Sulfate	FLD GELC	uS/cm mg/L								1				+			1					
	Total Dissolved Solids	GELC	mg/L												1					1			
	Total Kjeldahl Nitrogen	GELC	mg/L																				
	Total Phosphate as Phosphorus	GELC	mg/L																				
	Total Suspended Solids pH	GELC FLD	mg/L SU		8.28				7.31		+		8.2		+		6.94			+			
	рп Aluminum	GELC	μg/L		0.20				1.01				0.2		+		0.34						
	Antimony	GELC	μg/L																				
	Antimony	NMSSL	μg/L																	<	1	1	
_	Arsenic	GELC	μg/L																		-	4	
-	Arsenic Barium	NMSSL GELC	μg/L μg/L																		4	1	
	Barium	NMSSL	μg/L																	<	100	100	
	Beryllium	GELC	μg/L																				
	Beryllium	NMSSL	μg/L																	<	1	1	
	Boron Cadmium	GELC GELC	μg/L μg/L																				
	Cadmium	NMSSL	μg/L																	<	1	1	
	Chromium	GELC	μg/L																				
ω	Chromium	NMSSL	μg/L																		3	1	
TAL	Cobalt	GELC GELC	μg/L																				
l f	Copper Iron	GELC	μg/L μg/L																				
2	Lead	GELC	μg/L																				
	Manganese	GELC	μg/L																				
	Mercury	GELC	μg/L	+															<u> </u>		0.0	0.0	
	Mercury Nickel	NMSSL GELC	μg/L μg/L	+							+							+	1	<	0.2	0.2	-
	Nickel	NMSSL	μg/L												1					<	10	10	
	Selenium	GELC	μg/L																				
	Selenium	NMSSL	μg/L	\bot															ļ	<	5	5	
	Silver Thallium	GELC GELC	μg/L μg/L	+							1				1				 	1	 		
	Thallium	NMSSL	μg/L μg/L	+ +							1								1	<	1	1	<u> </u>
	Tin	GELC	μg/L																				
	Vanadium	GELC	μg/L														-						
	Zinc Americium-241	GELC GELC	μg/L pCi/L								1				+			 		1	-		1
	Cesium-137	GELC	pCi/L	+							+				+			 		1		1	
	Gross alpha	GELC	pCi/L												1								
	Gross beta	GELC	pCi/L																				
	Gross gamma	GELC	pCi/L								-				1			-		1			
RAD	Plutonium-238 Strontium-90	GELC GELC	pCi/L pCi/L								+		0.0683	0.558	0.326		-0.0415	0.259	0.151	+			
-	Strontium-90	PARA	pCi/L		0.014	0.12	0.0365		0.171	0.13	0.0445		0.0003	0.336	0.0405		0.0415	0.2.03	0.131	1	1		†
	Tritium	UMTL	pCi/L		-0.6386	0.28737	0.38316																
	Uranium	GELC	µg/L																				
	Uranium-234	GELC	pCi/L												+			-		-			
	Uranium-238	GELC	pCi/L					1							_1				1	1	1		L

			Start Date Time			11/15/00				02/14/01				05/09/01				08/08/01				11/28/01	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L										0.907	0.725		1				1			
	Alkalinity-CO3+HCO3	GELC	mg/L										75.9	0.725									
	Alkalinity-HCO3	GELC	mg/L										74.9	0.725									
	Ammonia as Nitrogen	GELC	mg/L									1											
	Bromide	GELC	mg/L									+	16.2	0.0275									+
-	Calcium Chloride	GELC GELC	mg/L mg/L									1	16.3 2.29	0.0375 0.025									+
	Fluoride	GELC	mg/L									1	0.344	0.006									+
	Fluoride	NMSSL	mg/L										0.011	0.000									+
_O	Magnesium	GELC	mg/L										3.02	0.00449									
SENINORG	Nitrate-Nitrite as N	GELC	mg/L										0.58	0.0069									
Ž	Nitrate-Nitrite as N	NMSSL	mg/L																				
JE J	Perchlorate	GELC	μg/L																				
	Potassium	GELC	mg/L										1.88	0.00707									
	Silicon Dioxide Sodium	GELC GELC	mg/L mg/L									1	52.6 14.9	0.00813									+
	Specific Conductance	FLD	uS/cm										164	0.00613									+
	Sulfate	GELC	mg/L				1					1	3.13	0.062		+							+
	Total Dissolved Solids	GELC	mg/L										136	5.09									†
	Total Kjeldahl Nitrogen	GELC	mg/L																				
	Total Phosphate as Phosphorus	GELC	mg/L																				
	Total Suspended Solids	GELC	mg/L									<	0.699	0.699									
	pH	FLD	SU		8.1								8.21										
	Aluminum	GELC	μg/L									1											
	Antimony	GELC NMSSL	μg/L									+											+
	Antimony Arsenic	GELC	μg/L μg/L									1	1										+
	Arsenic	NMSSL	μg/L									1											+
	Barium	GELC	μg/L																				+
	Barium	NMSSL	μg/L																				
	Beryllium	GELC	μg/L																				
	Beryllium	NMSSL	μg/L																				
	Boron	GELC	μg/L																				
	Cadmium	GELC	μg/L									1											
	Cadmium	NMSSL	μg/L									1											
	Chromium Chromium	GELC NMSSL	μg/L μg/L																				+
ν	Cobalt	GELC	μg/L		†						-												+
METAL	Copper	GELC	μg/L																				+
M	Iron	GELC	μg/L																				
_	Lead	GELC	μg/L																				
	Manganese	GELC	μg/L																				
	Mercury	GELC	μg/L																				
	Mercury	NMSSL	μg/L									1	1										_
	Nickel Nickel	GELC NMSSL	μg/L									+											+
	Selenium	GELC	μg/L μg/L									1	1										-
	Selenium	NMSSL	μg/L μg/L												1	+							+
	Silver	GELC	μg/L									1				1							+
	Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L																				
	Tin	GELC	μg/L																				
	Vanadium	GELC	μg/L												ļ								
	Zinc	GELC	μg/L									1	0.004=	0.6.400	0.0105								+
	Americium-241	GELC	pCi/L									-	0.0317	<u>0.0123</u>	0.0122								+
	Cesium-137 Gross alpha	GELC GELC	pCi/L pCi/L	-								+	0.403 0.639	<u>2.64</u> <u>1.27</u>	0.83 0.406	-			-				+
	Gross aipna Gross beta	GELC	pCi/L pCi/L										-1.33	<u>1.27</u> 2.86	0.406								+
	Gross gamma	GELC	pCi/L										1.00	2.00	0.701								+
Q	Plutonium-238	GELC	pCi/L									1	0.00868	0.00784	0.00503	1							+
RAD	Strontium-90	GELC	pCi/L		-0.0909	<u>0.187</u>	0.0533		0.0625	<u>0.229</u>	0.0671		-0.002	<u>0.201</u>	0.0595	_	0.0026	<u>0.12</u>	0.0438		0.0113	<u>0.0544</u>	0.0201
	Strontium-90	PARA	pCi/L																				
	Tritium	UMTL	pCi/L			· · · · · · · · · · · · · · · · · · ·			0.3193	0.28737	0.19158							· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	
	Uranium	GELC	μg/L												<u> </u>								
	Uranium-234	GELC	pCi/L				1					1	0.535	<u>0.0181</u>	0.0497	1							
	Uranium-238	GELC	pCi/L		L	<u> </u>	1	<u> </u>			ļ		0.268	<u>0.0181</u>	0.0298				1	<u> </u>	l		

EP2006-1078 B-33 February 2007

		[Start Date Time			02/23/02				05/18/02	-			08/24/02				12/18/02			02	2/08/03	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	1								<	1.45	1.45									
_	Alkalinity-CO3+HCO3	GELC	mg/L										74.4	1.45									
_	Alkalinity-HCO3	GELC	mg/L										73.5	1.45									
	Ammonia as Nitrogen Bromide	GELC GELC	mg/L mg/L																				+
<u> </u>	Calcium	GELC	mg/L										15.4	0.00554									
	Chloride	GELC	mg/L								1		2.61	0.0322									
	Fluoride	GELC	mg/L										0.345	0.0553									
	Fluoride	NMSSL	mg/L																				
RG	Magnesium Nitrate-Nitrite as N	GELC GELC	mg/L										2.54 0.46	0.00518 0.01									
3ENINORG	Nitrate-Nitrite as N	NMSSL	mg/L mg/L								1		0.46	0.01									+
Ī ⊢	Perchlorate	GELC	μg/L																				†
55	Potassium	GELC	mg/L										1.82	0.0165									
	Silicon Dioxide	GELC	mg/L																				
_	Sodium	GELC	mg/L										15.4	0.0144									
L	Specific Conductance	FLD	uS/cm	-			-		167.3		<u> </u>	1	168.9	0.400		-	167.7			 			4
_	Sulfate Total Dissolved Solids	GELC GELC	mg/L mg/L	-			1			-	1		3.37 136	0.193 3.07	+	+			<u> </u>	+ +			+
F	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC	mg/L			1	+				+	1	130	3.07	+	+			 	+ +			+
	Total Phosphate as Phosphorus	GELC	mg/L							1	1			1									†
	Total Suspended Solids	GELC	mg/L																				1
	рН	FLD	SU						8.35				8.17				8.6						
<u> </u>	Aluminum	GELC	μg/L																				
F	Antimony Antimony	GELC NMSSL	μg/L								-												
<u> </u>	Arsenic	GELC	μg/L μg/L																				+
<u> </u>	Arsenic	NMSSL	μg/L											1									<u> </u>
	Barium	GELC	μg/L																				
	Barium	NMSSL	μg/L																				
	Beryllium	GELC	μg/L																				
-	Beryllium Boron	NMSSL GELC	μg/L											1									
-	Cadmium	GELC	μg/L μg/L								1												+
-	Cadmium	NMSSL	μg/L																				
	Chromium	GELC	μg/L																				
S	Chromium	NMSSL	μg/L																				
- ALS	Cobalt	GELC	μg/L																				
METAL	Copper Iron	GELC GELC	μg/L								-												+
≥ _	Lead	GELC	μg/L μg/L																				+
	Manganese	GELC	μg/L																				
	Mercury	GELC	μg/L																				
_	Mercury	NMSSL	μg/L																				
_	Nickel	GELC	μg/L																				
-	Nickel Selenium	NMSSL GELC	μg/L μg/L																				+
-	Selenium	NMSSL	μg/L μg/L				1				1									 			
	Silver	GELC	μg/L																				
	Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L	-							1				1				1	 			1
<u> </u>	Tin Vanadium	GELC GELC	μg/L μg/L								+	1				+ -				 			+
-	Zinc	GELC	μg/L μg/L								+					+ -				+ +			+
	Americium-241	GELC	pCi/L							1	1		1.36E-09	0.028	0.00456								
	Cesium-137	GELC	pCi/L										0.956	<u>3.71</u>	0.976								
	Gross alpha	GELC	pCi/L										1.38	<u>1.31</u>	0.455								
<u> </u>	Gross beta	GELC	pCi/L	-			-				<u> </u>	1	3.64	<u>1.95</u>	0.643	-				 			4
_	Gross gamma Plutonium-238	GELC GELC	pCi/L pCi/L	-							1		77.7 -0.00239	<u>210</u> <u>0.031</u>	87.8 0.00633	+				+			-
RAD	Strontium-90	GELC	pCi/L		-0.0307	<u>0.175</u>	0.0455		-0.0241	<u>0.154</u>	0.04	1	0.0131	<u>0.031</u> <u>0.0794</u>	0.00633	+	-0.0031	0.107	0.0272	 	-0.0244	<u>0.0804</u>	0.0197
_	Strontium-90	PARA	pCi/L		0.0007	<u>5.175</u>	3.3100		J.JE 11	<u>5.101</u>	J.01		0.0101	<u> </u>	5.0200		0.0001	<u>5.707</u>	J.J.L.		U.U. 11	<u> </u>	0.0107
	Tritium	UMTL	pCi/L		0.03193	0.28737	0.09579						-0.15965	0.28737	0.28737								
	Uranium	GELC	μg/L		_												-						
<u> </u>	Uranium-234	GELC	pCi/L								1		0.446	<u>0.032</u>	0.0567	-				 			
	Uranium-238	GELC	pCi/L							<u> </u>			0.263	<u>0.033</u>	0.0394								

			Start Date Time			05/20/03				08/21/03				11/24/03				02/09/04			0	05/19/04	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L					<	1.45	1.45										<	1.45	1.45	
	Alkalinity-CO3+HCO3	GELC	mg/L	+					71.3	1.45						-					66.4	1.45	
	Alkalinity-HCO3 Ammonia as Nitrogen	GELC GELC	mg/L	+					70.5	1.45											65.9	1.45	+
	Bromide	GELC	mg/L mg/L																			+	+
	Calcium	GELC	mg/L						15.6	0.00554											14.4	0.00554	+
	Chloride	GELC	mg/L						2.58	0.0322											2.39	0.0322	1
	Fluoride	GELC	mg/L						0.338	0.0553			0.251	0.0553							0.225	0.0553	
	Fluoride	NMSSL	mg/L																				
26	Magnesium	GELC	mg/L						2.63	0.00518			0.0	0.04		-					2.43	0.00518	+
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	GELC NMSSL	mg/L mg/L	+			-		0.57	0.01	-		0.6	0.01							0.58	0.01	+
Ē	Perchlorate	GELC	μg/L														0.377				0.434	0.05	+
GE	Potassium	GELC	mg/L						1.69	0.0165							0.011				1.8	0.0165	+
	Silicon Dioxide	GELC	mg/L																		48.8	0.0212	
	Sodium	GELC	mg/L						13.8	0.0144											15.6	0.0144	
	Specific Conductance	FLD	uS/cm						163.1								125.9				171.9		
	Sulfate	GELC	mg/L	+-					3.34	0.193		1									3.13	0.193	4
	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC GELC	mg/L	+ -		+			145	3.07	+	1	1		-	1			-		125	3.07	+
	Total Phosphate as Phosphorus	GELC	mg/L mg/L	+ +								+	 			+						+	+
	Total Suspended Solids	GELC	mg/L					<	0.779	0.779										<	0.764	0.764	+
	pH	FLD	ŠŬ						8.2								8.14				8.24		
	Aluminum	GELC	μg/L																	<	14.7	14.7	
	Antimony	GELC	μg/L									<	0.2	0.2						<	0.28	0.28	\bot
	Antimony	NMSSL	μg/L	+										0.50		-					2.2		
	Arsenic	GELC NMSSL	μg/L									<	4.8	0.53						<	3.8	2.24	+
	Arsenic Barium	GELC	μg/L μg/L										3.81	0.25							3.77	0.222	+
	Barium	NMSSL	μg/L										0.01	0.20							0.11	0.222	+
	Beryllium	GELC	μg/L									<	0.07	0.07						<	0.158	0.158	
	Beryllium	NMSSL	μg/L																				
	Boron	GELC	μg/L																	<	16.2	4.88	
	Cadmium	GELC	μg/L									<	0.07	0.07						<	0.04	0.04	
	Cadmium Chromium	NMSSL GELC	μg/L	+									3.47	0.3							3.41	0.503	+
	Chromium	NMSSL	μg/L μg/L										3.41	0.3							3.41	0.503	+
S	Cobalt	GELC	μg/L																	<	0.541	0.541	+
METAL	Copper	GELC	μg/L																	<	1.39	1.39	
ME	Iron	GELC	μg/L																	<	12.6	12.6	
	Lead	GELC	μg/L																	<	0.05	0.05	
	Manganese	GELC	μg/L										0.0470	0.0470						<	0.296	0.296	
	Mercury Mercury	GELC NMSSL	μg/L μg/L								-	<	0.0472	0.0472		1				<	0.0472	0.0472	+
	Nickel	GELC	μg/L										0.238	0.07		1				<	0.69	0.69	+
1	Nickel	NMSSL	μg/L							1			3.200	0.0.								1	†
	Selenium	GELC	μg/L									<	1	1						<	2.81	2.81	
[Selenium	NMSSL	μg/L	$\perp \Box$																		$\perp =$	
	Silver	GELC	μg/L	+						-		1	0.001	0.00	ļ	1			ļ	<	0.835	0.835	
	Thallium	GELC NMSSL	μg/L	+ -		 						<	0.021	0.02						<	0.028	0.02	+
	Thallium Tin	GELC	μg/L μg/L	+		1							1							<	3.26	3.26	+
	Vanadium	GELC	μg/L	1 1						1		1				1					17.6	0.606	+
<u> </u>	Zinc	GELC	μg/L																		7.15	0.883	
	Americium-241	GELC	pCi/L		_				0.00567	<u>0.027</u>	0.00329										0.00213	<u>0.038</u>	0.00476
	Cesium-137	GELC	pCi/L	\bot					-0.932	<u>7.19</u>	2										0.406	<u>4.03</u>	1.1
	Gross alpha	GELC	pCi/L	+		-			0.707	<u>1.62</u>	0.437	-	0.639	<u>1.28</u>	0.356	-					0.651	<u>0.898</u>	0.282
	Gross beta	GELC GELC	pCi/L pCi/L	+					2.94 185	<u>2.2</u> 760	0.593 169	1	3.32	<u>2.58</u>	0.734	1			 		1.37 123	<u>2.54</u>	0.654 249
	Gross gamma Plutonium-238	GELC	pCi/L	+ +					-0.0287	<u>760</u> <u>0.033</u>	0.0173	+	 			+					0.00626	<u>429</u> <u>0.032</u>	0.00626
RAD	Strontium-90	GELC	pCi/L	1 1	0.0172	0.121	0.0313		0.0838	0.0848	0.0173	1	-0.0133	<u>0.133</u>	0.0392	1	0.0643	0.0772	0.0257		0.00020	<u>0.032</u> <u>0.288</u>	0.0868
	Strontium-90	PARA	pCi/L					1 1								1				1 1		T	1
	Tritium	UMTL	pCi/L		-0.28737	0.28737	0.28737														0.03193	0.28737	0.28737
	Uranium	GELC	μg/L	\bot																	0.858	0.02	
	Uranium-234	GELC	pCi/L	+					0.532	<u>0.051</u>	0.0483	1			1	1			1		0.49	<u>0.063</u>	0.0444
	Uranium-238	GELC	pCi/L				1		0.302	<u>0.032</u>	0.0326	1	<u> </u>			1					0.258	<u>0.045</u>	0.0285

EP2006-1078 B-35 February 2007

Table B-1.12 (continued)

			Start Date Time			05/18/05				05/17/06				05/17/06	
			Fld Prep Code			SW				F				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Std Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	<	1.45	1.45							1.55	0.725	
	Alkalinity-CO3+HCO3	GELC	mg/L		67.5	1.45							70.4	0.725	
_	Alkalinity-HCO3	GELC	mg/L		67.2	1.45							0.4	0.4	
_	Ammonia as Nitrogen	GELC GELC	mg/L									<	0.1 0.066	0.1 0.066	
_	Bromide Calcium	GELC	mg/L mg/L		15.5	0.036							14.1	0.086	
	Chloride	GELC	mg/L		2.21	0.053							2.32	0.066	
	Fluoride	GELC	mg/L		0.181	0.03							0.366	0.033	
	Fluoride	NMSSL	mg/L												
9	Magnesium	GELC	mg/L		2.54	0.085							2.31	0.085	
GENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.437	0.003							0.477	0.014	
Ĭ	Nitrate-Nitrite as N	NMSSL	mg/L												
Ę L	Perchlorate	GELC	μg/L		0.438	0.05							0.414	0.05	
	Potassium	GELC	mg/L		1.91	0.05							1.7	0.05	
	Silicon Dioxide	GELC	mg/L		49.8	0.032							47.5	0.032	
	Sodium	GELC	mg/L		15.2	0.045							15	0.045	
	Specific Conductance	FLD GELC	uS/cm		162.3 2.86	0.057							163.5 3.35	0.1	
	Sulfate Total Dissolved Solids	GELC	mg/L mg/L		123	0.057 2.38		 				1	3.35 140	2.38	
	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC	mg/L	+ -	123	2.30						1	0.057	0.01	
	Total Phosphate as Phosphorus	GELC	mg/L	<	0.016	0.01						<	0.011	0.01	
	Total Suspended Solids	GELC	mg/L		2.2.0	2.0.		1						2.0.	
	pH	FLD	SŬ		8.1								8.14		
	Aluminum	GELC	μg/L	<	68	68						<	68	68	
	Antimony	GELC	μg/L	<	0.5	0.5						<	0.5	0.5	
	Antimony	NMSSL	μg/L												
	Arsenic	GELC	μg/L	<	6	6						<	6	6	
	Arsenic	NMSSL	μg/L												
	Barium	GELC	μg/L		4.2	1							4	1	
_	Barium	NMSSL GELC	μg/L		0.4	0.4							4	4	
_	Beryllium Beryllium	NMSSL	μg/L μg/L	<	0.1	0.1						<	1	1	
	Boron	GELC	μg/L		16.4	10							18.8	10	
	Cadmium	GELC	μg/L	<	0.1	0.1						<	0.1	0.1	
	Cadmium	NMSSL	μg/L	,	0.1	0.1							0.1	0.1	
	Chromium	GELC	μg/L		3.2	1			4.4	1			4.3	1	
	Chromium	NMSSL	μg/L		-								-		
METALS	Cobalt	GELC	μg/L	<	1	1						<	1	1	
T	Copper	GELC	μg/L	<	3	3						<	3	3	
M	Iron	GELC	μg/L	<	18	18						<	18	18	
	Lead	GELC	μg/L	<	0.5	0.5						<	0.5	0.5	
	Manganese	GELC	μg/L	<	1	1						<	2	2	
	Mercury	GELC NMSSL	μg/L	<	0.05	0.05						<	0.06	0.06	
	Mercury Nickel	GELC	μg/L	<	1	1						<	0.5	0.5	
	Nickel	NMSSL	μg/L μg/L	+ `	ı	1							ບ.ט	0.5	
	Selenium	GELC	μg/L	<	6	6						<	2.5	2.5	
	Selenium	NMSSL	μg/L			, , ,							0		
	Silver	GELC	μg/L	<	1	1						<	0.2	0.2	
	Thallium	GELC	μg/L	<	0.4	0.4						<	0.4	0.4	
	Thallium	NMSSL	μg/L											-	
	Tin	GELC	μg/L	<	2.5	2.5						<	2.5	2.5	
	Vanadium	GELC	μg/L		15.8	1							20.2	1	
	Zinc	GELC	μg/L	<	5.8	2	0.05===	<u> </u>				<	2	2	0.000.00
	Americium-241	GELC	pCi/L		-0.00458	<u>0.032</u>	0.00758	<u> </u>				-	-0.00574	<u>0.0281</u>	0.00946
	Cesium-137	GELC GELC	pCi/L pCi/L	1	1.07 1.84	<u>3.06</u>	0.826 0.648	<u> </u>				-	-0.324 0.393	<u>4.08</u>	1.17 0.376
	Gross alpha Gross beta	GELC	pCi/L pCi/L	1	1.84	<u>2.26</u> <u>1.57</u>	0.648	1				 	0.393	<u>1.64</u> 2.82	0.376
	Gross gamma	GELC	pCi/L pCi/L	+ -	118	331	108					1	68.7	<u>2.82</u> <u>312</u>	89.6
	Plutonium-238	GELC	pCi/L		0.00418	<u>0.043</u>	0.00591						0.02	<u>0.0399</u>	0.0156
- RAD	Strontium-90	GELC	pCi/L		-0.0798	0.324	0.0698	<u> </u>					0.0261	<u>0.0399</u> <u>0.194</u>	0.0497
	Strontium-90	PARA	pCi/L			<u> </u>	2.2000	1						2	2.3.0.
	Tritium	UMTL	pCi/L		-0.09579	<u>0.28737</u>	0.28737	İ					0.22351	<u>0.28737</u>	0.28737
	Uranium	GELC	μg/L										0.79	0.05	
	Uranium-234	GELC	pCi/L		0.528	<u>0.074</u>	0.0449						0.469	<u>0.0686</u>	0.0428
	Uranium-238	GELC	pCi/L		0.288	<u>0.052</u>	0.0303						0.26	<u>0.0385</u>	0.03

Table B-1.13 G-4A

		Г	Start Date Time			03/06/00			06/20/00			08/14/00				08/15/00				09/27/00	
			Fld Prep Code			SW			SW			SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Svm	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L																	-	
	Alkalinity-CO3+HCO3	GELC	mg/L																		
	Alkalinity-HCO3	GELC	mg/L																		
	Ammonia as Nitrogen	GELC	mg/L																		
	Bromide	GELC	mg/L																		
<u> </u>	Calcium	GELC	mg/L																		
	Chloride	GELC	mg/L																		
 -	Fluoride	GELC	mg/L																0.000	0.4	
	Fluoride	NMSSL GELC	mg/L					+		-	-								0.263	0.1	-
ORG	Magnesium Nitrate-Nitrite as N	GELC	mg/L mg/L							 	-										
9 -	Nitrate-Nitrite as N	NMSSL	mg/L								 								0.513	0.1	
GENING	Perchlorate	GELC	μg/L																0.515	0.1	
8	Potassium	GELC	mg/L							1											
	Silicon Dioxide	GELC	mg/L																		1
	Sodium	GELC	mg/L																		
	Specific Conductance	FLD	uS/cm																		
	Sulfate	GELC	mg/L																		
	Total Dissolved Solids	GELC	mg/L																		
	Total Kjeldahl Nitrogen	GELC	mg/L																		
	Total Phosphate as Phosphorus	GELC	mg/L																		
	Total Suspended Solids	GELC	mg/L																		
	рН	FLD	SU		7.99			7.02			6.83				6.83						
	Aluminum	GELC	μg/L																		
<u> </u>	Antimony	GELC	μg/L																		
	Antimony	NMSSL	μg/L															<	1	1	
_	Arsenic	GELC	μg/L																		
<u> </u>	Arsenic	NMSSL	μg/L																2	1	
	Barium	GELC	μg/L																400	400	
	Barium	NMSSL GELC	μg/L															<	100	100	-
	Beryllium Beryllium	NMSSL	μg/L							 	-							<	1	1	-
	Boron	GELC	μg/L μg/L																	1	
 	Cadmium	GELC	μg/L																		+
	Cadmium	NMSSL	μg/L															<	1	1	
	Chromium	GELC	μg/L																·		
	Chromium	NMSSL	μg/L																2	1	
l S	Cobalt	GELC	μg/L																		
METAI	Copper	GELC	μg/L																		
l	Iron	GELC	μg/L																		
	Lead	GELC	μg/L																		
	Manganese	GELC	μg/L																		
	Mercury	GELC	μg/L																		
	Mercury	NMSSL	μg/L															<	0.2	0.2	
<u> </u>	Nickel	GELC	μg/L			ļ		 				ļ									
	Nickel	NMSSL	μg/L									ļ	1					<	10	10	1
<u> </u>	Selenium	GELC	μg/L	-		1		+ +		<u> </u>	 	1	-	+				<u> </u>			
<u> </u>	Selenium	NMSSL	μg/L			1		+ +				1	+	+ +				<	5	5	1
	Silver Thallium	GELC GELC	μg/L					+ +			 	 	+	 				1			+
 	Thallium	NMSSL	μg/L			-		+			 	 	+	 				<	1	1	
 	Tinallium Tin	GELC	μg/L μg/l			+		+ +			 	+	+	+ +				+	'	1	+
 	Vanadium	GELC	μg/L μg/L			 		+ +			 	 	+								+
	Zinc	GELC	μg/L			+		+ +			 	 	+	+ +				1			
	Americium-241	GELC	μg/L pCi/L										+								†
	Cesium-137	GELC	pCi/L			İ		1 1			1 1	İ	1								†
	Gross alpha	GELC	pCi/L			İ						İ	1								†
	Gross beta	GELC	pCi/L										1	1 1							1
	Gross gamma	GELC	pCi/L										1	1 1							1
ا و ا	Plutonium-238	GELC	pCi/L																		
RAD	Strontium-90	GELC	pCi/L								0.0289	<u>0.208</u>	0.122								
	Strontium-90	PARA	pCi/L		0.009	<u>0.13</u>	0.0375	0.004	<u>0.13</u>	0.0405					-0.047		0.044				
	Tritium	UMTL	pCi/L		-0.35123	0.28737	0.41509														
	Uranium	GELC	μg/L																		
	Uranium-234	GELC	pCi/L									ļ									
	Uranium-238	GELC	pCi/L			<u> </u>						<u> </u>									

EP2006-1078 B-37 February 2007

			Start Date Time		11/15/00				11/15/00				02/14/01			05/09/01				08/08/01	
			Fld Prep Code		SW				SW				SW			SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Res	ult MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L												0.7						
	Alkalinity-CO3+HCO3	GELC	mg/L												73						
	Alkalinity-HCO3	GELC GELC	mg/L												73	0.725		-			
}	Ammonia as Nitrogen Bromide	GELC	mg/L mg/L	+ +										+				+			
<u> </u>	Calcium	GELC	mg/L												16	0.0375					
Ť	Chloride	GELC	mg/L												2.1						
	Fluoride	GELC	mg/L												0.3	0.006					
	Fluoride	NMSSL	mg/L																		
RG	Magnesium Nitrate-Nitrite as N	GELC GELC	mg/L mg/L												3.1 0.5			+			1
GENINOR	Nitrate-Nitrite as N	NMSSL	mg/L												0.0	0.0009					
	Perchlorate	GELC	μg/L																		
35	Potassium	GELC	mg/L												1.9	6 0.00707					
[Silicon Dioxide	GELC	mg/L												53						
	Sodium	GELC	mg/L												13			+			
 	Specific Conductance Sulfate	FLD GELC	uS/cm mg/L				1				 			-	161 2.8		-	+			-
	Total Dissolved Solids	GELC	mg/L	+ +							 				13			+			1
 	Total Kjeldahl Nitrogen	GELC	mg/L	1 1							1				'	0.00		†			†
	Total Phosphate as Phosphorus	GELC	mg/L																		
	Total Suspended Solids	GELC	mg/L												< 0.6						
	pH	FLD	SU	8.17				8.17							8.2	6					
 -	Aluminum	GELC GELC	μg/L																		
}	Antimony Antimony	NMSSL	μg/L μg/L								-							+			
	Arsenic	GELC	μg/L																		
	Arsenic	NMSSL	μg/L																		
	Barium	GELC	μg/L																		
[Barium	NMSSL	μg/L																		
	Beryllium	GELC	μg/L																		
}	Beryllium Boron	NMSSL GELC	μg/L μg/L								-						_	-			-
	Cadmium	GELC	μg/L																		
	Cadmium	NMSSL	μg/L																		
	Chromium	GELC	μg/L																		
_ω	Chromium	NMSSL	μg/L																		
	Cobalt	GELC	μg/L																		
METAL	Copper Iron	GELC GELC	μg/L															+			1
Σ	Lead	GELC	μg/L μg/L								-							+			-
	Manganese	GELC	μg/L																		
ľ	Mercury	GELC	μg/L																		
<u> </u>	Mercury	NMSSL	μg/L																		
	Nickel	GELC	μg/L																		
 	Nickel Selenium	NMSSL GELC	μg/L μg/L				1				 			-	 		-	+			-
}	Selenium	NMSSL	μg/L μg/L	+ +							 							+			1
	Silver	GELC	μg/L	1 1							1							†			†
	Thallium	GELC	μg/L																		
[Thallium	NMSSL	μg/L										<u> </u>							<u> </u>	1
<u> </u>	Tin	GELC	μg/L								1			ļ				1			1
	Vanadium Zinc	GELC GELC	μg/L	+ + -		1					1							+			1
	Zinc Americium-241	GELC	μg/L pCi/L	+ +							1				0.01	03 <u>0.0269</u>	0.00715	+			+
	Cesium-137	GELC	pCi/L	1 1							1				-0.5		0.836	†			†
	Gross alpha	GELC	pCi/L												0.6		0.356				
[Gross beta	GELC	pCi/L										· · · · · · · · · · · · · · · · · · ·		1.4	7 <u>2.13</u>	0.652			· · · · · · · · · · · · · · · · · · ·	
[Gross gamma	GELC	pCi/L								1						0.000	1			1
RAD	Plutonium-238	GELC	pCi/L	0.0444	0.400	0.054		0.0704	0.005	0.0670	1	0.400	0.000	0.0000	0.00		0.00379	+	0.0044	0.400	0.0504
<u> </u>	Strontium-90 Strontium-90	GELC PARA	pCi/L pCi/L	-0.0114	<u>0.186</u>	0.054		-0.0721	<u>0.235</u>	0.0678	1	-0.128	<u>0.293</u>	0.0829	0.04	46 <u>0.189</u>	0.0572	+	-0.0241	<u>0.138</u>	0.0504
 	Tritium	UMTL	pCi/L pCi/L	+ +						 	 	0	0.28737	0.12772	 			+			
	Uranium	GELC	μg/L	1 1							†		0.20101	V,,,_				+			
ļ	Uranium-234	GELC	pCi/L												0.5	36 <u>0.0489</u>	0.058	1			
Ī	Uranium-238	GELC	pCi/L												0.2		0.0364				

Anyl Suite Code	Analyte Desc Alkalinity-CO3 Alkalinity-CO3+HCO3 Alkalinity-HCO3	Lab Code GELC	Fld Prep Code Std Uom		SW				CIM				SW									
Anyl Suite Code	Alkalinity-CO3 Alkalinity-CO3+HCO3 Alkalinity-HCO3		Std Uom				 		SW	1	ļ .		3W	1			SW	1			SW	
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC		Sym Resi	It MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-HCO3		mg/L								<	1.45	1.45									
 - - -	,	GELC GELC	mg/L mg/L									76.3 75.5	1.45 1.45									+
	Ammonia as Nitrogen	GELC	mg/L									75.5	1.45		1							+
' <u>-</u>	Bromide	GELC	mg/L																			+
<u> </u>	Calcium	GELC	mg/L									16.1	0.00554									
	Chloride	GELC	mg/L									2.65	0.0322									
,	Fluoride	GELC	mg/L									0.25	0.0553		-				-			
	Fluoride Magnesium	NMSSL GELC	mg/L mg/L	 							+	3.11	0.00518		-							
GENINORG	Nitrate-Nitrite as N	GELC	mg/L									0.41	0.00318									+
	Nitrate-Nitrite as N	NMSSL	mg/L									0	0.0.									+
	Perchlorate	GELC	μg/L																			
. º	Potassium	GELC	mg/L									1.87	0.0165									
,	Silicon Dioxide	GELC	mg/L							1		12.0	0.0144									
, <u> </u>	Sodium Specific Conductance	GELC FLD	mg/L uS/cm									12.9 166.3	0.0144			164.6						+
, ⊢	Sulfate	GELC	mg/L	+ +		+	1			 	1	3.22	0.193	<u> </u>	1	10-1.0		<u> </u>	+ +			+
, <u> </u>	Total Dissolved Solids	GELC	mg/L			1						149	3.07						† †			†
,	Total Kjeldahl Nitrogen	GELC	mg/L																			
	Total Phosphate as Phosphorus	GELC	mg/L																			
, ⊢	Total Suspended Solids	GELC	mg/L			1	1				1	0.0	1		1	0.0			-			
	pH Aluminum	FLD GELC	SU µg/L									8.2			-	8.2						
, <u> </u>	Antimony	GELC	μg/L μg/L																			+
, –	Antimony	NMSSL	μg/L																			+ +
i —	Arsenic	GELC	μg/L																			1
	Arsenic	NMSSL	μg/L																			
<u> </u>	Barium	GELC	μg/L																			
. –	Barium	NMSSL	μg/L																			
, <u> </u>	Beryllium Beryllium	GELC NMSSL	μg/L μg/L												-							
, <u> </u>	Boron	GELC	μg/L μg/L																			+
, –	Cadmium	GELC	μg/L																			+ +
i —	Cadmium	NMSSL	μg/L																			+
	Chromium	GELC	μg/L																			
σ	Chromium	NMSSL	μg/L																			
	Cobalt	GELC	μg/L												-							
METAL	Copper Iron	GELC GELC	μg/L												-							
_ ≥ _	Lead	GELC	μg/L μg/L																			+
, –	Manganese	GELC	μg/L																			+
,	Mercury	GELC	μg/L																			1
	Mercury	NMSSL	μg/L																			
,	Nickel	GELC	μg/L	<u> </u>															$oxed{oxed}$			
, ⊢	Nickel Solonium	NMSSL	μg/L	+		1					1		1		-				+			+
, ⊢	Selenium Selenium	GELC NMSSL	μg/L μg/L	+ +		+	1				1		 		1				+ +			+
, ⊢	Silver	GELC	μg/L μg/L	+ +		+	1 1				1		1	<u> </u>	1			<u> </u>	 			+
, <u> </u>	Thallium	GELC	μg/L																			
	Thallium	NMSSL	μg/L						-			-									-	
,	Tin	GELC	μg/L																			\perp
,	Vanadium	GELC	μg/L			1									<u> </u>				├			
,	Zinc Americium-241	GELC GELC	μg/L pCi/L	+ +		1	+			-	+	0.00965	<u>0.023</u>	0.00514	-				++			+
, ⊢	Cesium-137	GELC	pCi/L pCi/L			+	1				+	-2.23	<u>0.023</u> 2.87	0.00514	1				+ +			+
, ⊢	Gross alpha	GELC	pCi/L	1 1		+	1 1				1	1.31	1.65	0.509	1			1	† †			+
, –	Gross beta	GELC	pCi/L									3.45	2.24	0.666								
,	Gross gamma	GELC	pCi/L									119	312	87.3								
RAD	Plutonium-238	GELC	pCi/L									-2.82E-10	<u>0.031</u>	0.00335								1
<u> </u>	Strontium-90	GELC	pCi/L	-0.00	38 <u>0.0712</u>	0.026		-0.0227	<u>0.171</u>	0.0444		0.0139	<u>0.0852</u>	0.0252	ļ	-0.0024	<u>0.0972</u>	0.0237	 	-0.003	<u>0.092</u>	0.0231
, <u> </u>	Strontium-90 Tritium	PARA UMTL	pCi/L	+ +		+	-	0 10150	0.28737	0.10150	+ -	0.67052	0.29727	0.20727	-			1	+			+
, <u> </u>	Uranium	GELC	pCi/L μg/L	+ +		+	1	0.19158	0.20/3/	0.19158	+ +	0.67053	0.28737	0.28737	1				+ +			+
, 	Uranium-234	GELC	μg/L pCi/L	+ +		+	1			-	1 1	0.463	0.028	0.0549	1				+ +			+
, <u> </u>	Uranium-238	GELC	pCi/L	1		1						0.181	<u>0.029</u>	0.0343	1							+

EP2006-1078 B-39 February 2007

Table B-1.13 (continued)

		[Start Date Time			05/20/03				08/21/03				11/24/03				02/09/04				05/19/04	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym F	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L					<	1.45	1.45										<	1.45	1.45	
ı	Alkalinity-CO3+HCO3	GELC	mg/L						71.3	1.45											66.4	1.45	
ı	Alkalinity-HCO3	GELC	mg/L						70.6	1.45											65.9	1.45	
ı	Ammonia as Nitrogen Bromide	GELC GELC	mg/L	+																	 		+
,	Calcium	GELC	mg/L mg/L	+ +					16.3	0.00554											15.3	0.00554	+
, <u> </u>	Chloride	GELC	mg/L						2.55	0.0322											2.37	0.0322	+
ı – – – – – – – – – – – – – – – – – – –	Fluoride	GELC	mg/L						0.307	0.0553		(0.196	0.0553							0.193	0.0553	1
ı	Fluoride	NMSSL	mg/L																				
ပ္ 🗀	Magnesium	GELC	mg/L						3.16	0.00518											2.88	0.00518	
GENINOR	Nitrate-Nitrite as N	GELC	mg/L						0.48	0.01			0.51	0.01							0.46	0.01	
	Nitrate-Nitrite as N	NMSSL	mg/L														0.004						
i ii -	Perchlorate	GELC	μg/L						4.70	0.0405							0.364				0.417	0.05	+
ı "	Potassium Silican Diavida	GELC GELC	mg/L	+					1.78	0.0165											1.93 51.8	0.0165 0.0212	+
ı	Silicon Dioxide Sodium	GELC	mg/L mg/L	+					12.4	0.0144			-								13.3	0.0212	+
, <u> </u>	Specific Conductance	FLD	uS/cm						162	0.0144							153.1				164.6	0.0144	+
, <u>†</u>	Sulfate	GELC	mg/L	+ +					3.27	0.193							100.1				3.05	0.193	+
i F	Total Dissolved Solids	GELC	mg/L	+					148	3.07									1	1	131	3.07	†
ı F	Total Kjeldahl Nitrogen	GELC	mg/L																				
ı E	Total Phosphate as Phosphorus	GELC	mg/L																				
ı	Total Suspended Solids	GELC	mg/L					<	0.779	0.779										<	0.764	0.764	
	pH	FLD	SU						8.1								8.1				8.23		
ı	Aluminum	GELC	μg/L										2.2							<	14.7	14.7	
ı	Antimony	GELC	μg/L									<	0.2	0.2						<	0.28	0.28	
ı F	Antimony Arsenic	NMSSL GELC	μg/L	+							-	<	3.14	0.53	-					<	3.87	2.24	+
,	Arsenic	NMSSL	μg/L μg/L	+ +								_	3.14	0.55						_ `	3.07	2.24	+
ı F	Barium	GELC	μg/L	+ +									7.85	0.25							6.17	0.222	+
, <u> </u>	Barium	NMSSL	μg/L	+ +									7.00	0.20							0.17	0.222	+
ı	Beryllium	GELC	μg/L									<	0.07	0.07						<	0.158	0.158	1
ı T	Beryllium	NMSSL	μg/L																				
ı	Boron	GELC	μg/L																	<	18.5	4.88	
ı L	Cadmium	GELC	μg/L									<	0.07	0.07						<	0.04	0.04	
ı	Cadmium	NMSSL	μg/L	\perp									0.4									2.500	
ı	Chromium	GELC	μg/L										3.1	0.3							3.77	0.503	+
ı s	Chromium Cobalt	NMSSL	μg/L																	<	0.541	0.541	
ı .₹ ⊦	Copper	GELC GELC	μg/L μg/L	+									-							<	1.39	1.39	+
METAL	Iron	GELC	μg/L μg/L	+																_ `	152	12.6	+
, ≥ ⊢	Lead	GELC	μg/L	+ +																<		0.05	+
ı – – – – – – – – – – – – – – – – – – –	Manganese	GELC	µg/L																		1.87	0.296	+
ı T	Mercury	GELC	μg/L									< 0	0.0472	0.0472						<	0.0472	0.0472	
ı	Mercury	NMSSL	μg/L																				
ı [Nickel	GELC	μg/L									(0.254	0.07						<	0.69	0.69	
, <u> </u>	Nickel	NMSSL	μg/L					1					4.07							1	<u> </u>		
, <u> </u>	Selenium	GELC	μg/L	+			-	1		1			1.27	1	1				1	<	2.81	2.81	
i	Selenium Silver	NMSSL GELC	μg/L	+				1				-			1				1	<	0.835	0.835	+
, <u> </u>	Thallium	GELC	μg/L μg/L	+ +								<	0.02	0.02						<	0.02	0.835	+
,	Thallium	NMSSL	μg/L μg/L	+ +								- 	0.02	0.02						★	0.02	0.02	+
, <u> </u>	Tin	GELC	μg/L	+						İ										<	3.26	3.26	1
, F	Vanadium	GELC	μg/L																	1	14.9	0.606	1
	Zinc	GELC	μg/L																		8.99	0.883	
	Americium-241	GELC	pCi/L						0.0075	<u>0.027</u>	0.0046			-				-			0.00618	<u>0.037</u>	0.00546
, <u> </u>	Cesium-137	GELC	pCi/L	\bot					-2.8	<u>8.4</u>	2.48										-0.272	3.09	0.88
<u> </u>	Gross alpha	GELC	pCi/L	\perp					0.0779	1.04	0.287		0.0449	1.49	0.351				1	1	0.578	<u>1.66</u>	0.426
,	Gross beta	GELC	pCi/L	+				1	2.32	2.35	0.609		2.42	<u>2.65</u>	0.73				-	1	2.05	2.37	0.637
<u>_</u>	Gross gamma Plutonium-238	GELC	pCi/L	+		1		1	237	<u>1170</u>	287		-		1				1	1	102	292	44.5
RAD	Strontium-90	GELC GELC	pCi/L pCi/L	+ +	-0.0126	0.149	0.0378	1	0.0046 0.0665	<u>0.032</u> 0.0784	0.0046 0.026	0	0.0869	0.132	0.0422		0.0367	0.086	0.0264	1	-0.00756 0.249	<u>0.039</u> 0.262	0.011 0.0805
, "	Strontium-90	PARA	pCi/L	+	-0.0120	<u>0.149</u>	0.0010	1	0.0000	<u>0.0704</u>	0.020	H 1	5.0008	<u>U. 132</u>	0.0422		0.0307	<u>0.000</u>	0.0204	1	0.243	0.202	0.0003
,	Tritium	UMTL	pCi/L	+	0.60667	0.28737	0.28737													1	0.25544	0.28737	0.28737
' <u> </u>			F					_		1	+								+	+			1
' F		GELC	μα/L																		0.72	0.02	
[-	Uranium Uranium-234	GELC GELC	μg/L pCi/L						0.459	<u>0.053</u>	0.0438										0.72 0.456	0.02 <u>0.059</u>	0.0417

Table B-1.13 (continued)

			Start Date Time			05/18/05				05/17/06				05/17/06	
			Fld Prep Code	<u> </u>		SW				F				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	<	1.45	1.45							1.39	0.725	
_	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC GELC	mg/L mg/L	1	68.6 68.2	1.45 1.45							67.4	0.725	+
	Ammonia as Nitrogen	GELC	mg/L		00.2	1.45						<	0.01	0.01	+
	Bromide	GELC	mg/L									<	0.066	0.066	
	Calcium	GELC	mg/L		15.9	0.036							14.8	0.036	
	Chloride	GELC	mg/L		2.2	0.053							2.29	0.066	
	Fluoride	GELC	mg/L		0.17	0.03							0.326	0.033	
. –	Fluoride Magnesium	NMSSL GELC	mg/L mg/L	1	2.82	0.085							2.42	0.085	
GENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.404	0.003							0.431	0.083	+
<u> </u>	Nitrate-Nitrite as N	NMSSL	mg/L		0.404	0.000							0.401	0.014	+
Z –	Perchlorate	GELC	μg/L		0.422	0.05							0.404	0.05	
Ō	Potassium	GELC	mg/L		1.98	0.05							1.77	0.05	
	Silicon Dioxide	GELC	mg/L		52	0.032							48.9	0.032	
	Sodium	GELC	mg/L	-	13.8	0.045							12.9	0.045	-
	Specific Conductance Sulfate	FLD GELC	uS/cm mg/L	-	161.2 2.76	0.057							159 3.1	0.1	+
	Total Dissolved Solids	GELC	mg/L		130	2.38							133	2.38	+
	Total Kjeldahl Nitrogen	GELC	mg/L		100	2.00							0.041	0.01	+
	Total Phosphate as Phosphorus	GELC	mg/L	<	0.023	0.01						<	0.01	0.01	
	Total Suspended Solids	GELC	mg/L												
	pН	FLD	SU		8.2								8.23		
	Aluminum	GELC	μg/L	<	68	68						<	68	68	-
_	Antimony Antimony	GELC NMSSL	μg/L μg/L	<	0.5	0.5						<	0.5	0.5	-
	Artimony	GELC	μg/L μg/L	<	6	6						<	6	6	+
	Arsenic	NMSSL	μg/L			Ů							<u> </u>	, ,	+
	Barium	GELC	μg/L		6.2	1							5.4	1	
	Barium	NMSSL	μg/L												
	Beryllium	GELC	μg/L	<	0.1	0.1						<	1	1	
	Beryllium	NMSSL	μg/L											10	
	Boron Cadmium	GELC GELC	μg/L	<	18 0.1	10 0.1						<	17.4 0.1	10 0.1	-
	Cadmium	NMSSL	μg/L μg/L		0.1	0.1						_	0.1	0.1	+
	Chromium	GELC	μg/L		2.7	1			3.2	1			3	1	+
	Chromium	NMSSL	μg/L										-		
METALS	Cobalt	GELC	μg/L	<	1	1						<	1	1	
<u> </u>	Copper	GELC	μg/L	<	3	3						<	3	3	
<u> </u>	Iron	GELC	μg/L	<	18	18						<	18	18	-
	Lead Manganese	GELC GELC	μg/L μg/L	< <	0.5 1	0.5						<	0.5 2	0.5	+
	Mercury	GELC	μg/L μg/L	_	0.16	0.05						<	0.06	0.06	+
	Mercury	NMSSL	μg/L		0.10	0.00							0.00	0.00	+
	Nickel	GELC	μg/L		1.1	1						<	0.5	0.5	
	Nickel	NMSSL	μg/L												
	Selenium	GELC	μg/L	<	6	6						<	2.5	2.5	
	Selenium	NMSSL	μg/L		1	1							0.0	0.2	
	Silver Thallium	GELC GELC	μg/L μg/L	< <	0.4	0.4						<	0.2	0.2	+
	Thallium	NMSSL	μg/L	<u> </u>	0.4	0.4							0.4	0.4	†
	Tin	GELC	μg/L	<	2.5	2.5		1				<	2.5	2.5	
	Vanadium	GELC	μg/L		16	1							14.7	1	
	Zinc	GELC	μg/L	<	2.4	2						<	2	2	
<u> </u>	Americium-241	GELC	pCi/L		-0.00855	<u>0.03</u>	0.0105	-			-		-0.0106	<u>0.0252</u>	0.00435
<u> </u>	Cesium-137 Gross alpha	GELC GELC	pCi/L pCi/L	+-+	-0.259 0.149	<u>3.33</u> <u>1.46</u>	0.927 0.353	+			-		0.944 1.13	3.38 1.38	2.15 0.407
 	Gross aipna Gross beta	GELC	pCi/L pCi/L	+ +	3.06	<u>1.46</u> <u>1.81</u>	0.353	+					2.33	<u>1.38</u> <u>3.29</u>	0.407
 	Gross gamma	GELC	pCi/L	† †	64.2	<u>1.01</u> 274	88.3	1					99.1	<u>321</u>	75.5
RAD	Plutonium-238	GELC	pCi/L	1 1	0.00221	0.046	0.00383	1					-0.00684	0.0274	0.00685
2	Strontium-90	GELC	pCi/L		0.0755	<u>0.3</u>	0.0724						0.0253	<u>0.254</u>	0.065
	Strontium-90	PARA	pCi/L	$oxed{oxed}$											
<u> </u>	Tritium	UMTL	pCi/L		0.79825	<u>0.28737</u>	0.28737	-			-		0.12772	<u>0.28737</u>	0.28737
<u> </u>	Uranium Uranium-234	GELC GELC	μg/L pCi/L		0.494	<u>0.074</u>	0.0431	1			1		0.68 0.478	0.05 <u>0.074</u>	0.0448
	Uranium-238	GELC	pCi/L	1	0.494	<u>0.074</u> <u>0.053</u>	0.0431	1			-		0.476	<u>0.074</u> <u>0.0415</u>	0.0446

EP2006-1078 B-41 February 2007

Table B-1.14 G-5A

			Start Date Time		08/	08/01				11/28/01			02/23/	1/02				08/24/02			11/16/0	
			Fld Prep Code			SW				SW			SW					SW			SW	
Anyl Suite Code	Analyta Dana	Lab Code		C		MDL/MDA	11	Sym	Decell	MDL/MDA	Uncert	C D			Harant	Sym	Result	MDL/MDA	Unana	Sym		L/MDA Uncert
Anyi Suite Code	Analyte Desc	GELC	Std Uom	Sym	Result	WIDL/WIDA	Uncert	Sym	Result	WDL/WDA	Uncert	Sym Result	IVIL	JL/IVIDA	Uncert	Sym	2.78		Uncert	Sym	Result MDI	L/MDA Uncert
	Alkalinity-CO3 Alkalinity-CO3+HCO3	GELC	mg/L	-			-				-						135	1.45 1.45	+	-		\longrightarrow
,	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC	mg/L mg/L					-					-				132	1.45		-		
,	Ammonia as Nitrogen	GELC	mg/L				+										132	1.45	1			-+-
•	Bromide	GELC	mg/L																	-		
ł	Calcium	GELC	mg/L					-					-	-			13.2	0.00554	-			-+
ŀ	Chloride	GELC	mg/L	1			†										2.98	0.0322	1			
ŀ	Fluoride	GELC	mg/L	1			†										0.347	0.0553	1			
()	Magnesium	GELC	mg/L														2.71	0.00518				
GENINORG	Nitrate-Nitrite as N	GELC	mg/L														0.4	0.01				-
<u> </u>	Perchlorate	GELC	μg/L														-					-
Į Ž	Potassium	GELC	mg/L														1.66	0.0165				
35	Silicon Dioxide	GELC	mg/L																			
ļ	Sodium	GELC	mg/L														19.4	0.0144				
Ī	Specific Conductance	FLD	uS/cm	İ													177.6				174.7	
Ī	Sulfate	GELC	mg/L	İ													4.08	0.193				
Ī	Total Dissolved Solids	GELC	mg/L														143	3.07				
Ī	Total Kjeldahl Nitrogen	GELC	mg/L																			
Ţ	Total Phosphate as Phosphorus	GELC	mg/L																			
	Total Suspended Solids	GELC	mg/L																			
	рН	FLD	SU														8.61				8.5	
	Aluminum	GELC	μg/L																			
	Antimony	GELC	μg/L																			
	Arsenic	GELC	μg/L																			
	Barium	GELC	μg/L																			
	Beryllium	GELC	μg/L																			
	Boron	GELC	μg/L																			
	Cadmium	GELC	μg/L																			
	Chromium	GELC	μg/L				1															
ο	Cobalt	GELC	μg/L				1															
FLS	Copper	GELC	μg/L				1															
METAL	Iron	GELC	μg/L																			
≅	Lead	GELC	μg/L																			
	Manganese	GELC	μg/L																			
	Mercury	GELC	μg/L																			-
	Nickel	GELC	μg/L																			-
	Selenium	GELC	μg/L			1	+	-			1		_						1	1		
	Silver	GELC	μg/L			1	+												1			
	Thallium	GELC GELC	μg/L			-	 												+			
,	Tin		μg/L			1	+				1								+	1		
	Vanadium	GELC GELC	μg/L			-	+												 	1		
	Zinc Americium-241	GELC	μg/L pCi/L			-	+	1					-				0.0209	0.025	0.00842	1		+
}	Cesium-137	GELC	pCi/L			-	+	1					-				1.26	3.6	0.00842	1		+
,		GELC						-					-							-		
}	Gross alpha Gross beta	GELC	pCi/L pCi/L			 	+										1.13 3.4	2.14 2.22	0.573 0.64			
	Gross gamma	GELC	pCi/L			1	+	+ +						-			110	<u>2.22</u> 456	95.9			
RAD	Plutonium-238	GELC	pCi/L			 	+										-0.0173	0.028	0.00814			
⋧	Strontium-90	GELC	pCi/L		0.0484	0.113	0.0423		-0.0134	0.0841	0.0307	0.0397		0.181	0.0523		-0.0173	0.028	0.00814	1	0.0649 0.	111 0.0309
}	Tritium	UMTL	pCi/L		-0.28737	0.57474	0.0423	+ +	-U.U I J4	<u>0.0041</u>	0.0001	-0.3193			0.0323		-0.0177	0.28737	0.0272	1	0.00+3 <u>0.</u>	0.0309
}	Uranium	GELC	μg/L		-0.20131	0.01414	0.74102	1				-0.519	, 0.4	20101	V. 14114		0.00100	0.20131	0.20131	1		
}	Uranium-234	GELC	pCi/L				<u> </u>										0.594	0.031	0.0684			
Į J	Uranium-238	GELC	pCi/L	1		+	+										0.346	0.032	0.0064			

			Start Date Time		02/08/03				05/20/03				08/21/03				08/21/03				11/24/03	
			Fld Prep Code		SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym Res	ult MDL/MD	A Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L						•		<	1.45	1.45									
	Alkalinity-CO3+HCO3	GELC	mg/L									73.3	1.45									
	Alkalinity-HCO3	GELC	mg/L									72.6	1.45									
	Ammonia as Nitrogen	GELC	mg/L																			
	Bromide	GELC	mg/L																			
	Calcium	GELC	mg/L									15.1	0.00554									ļ ļ
	Chloride	GELC	mg/L									2.89	0.0322									
	Fluoride	GELC	mg/L									0.331	0.0553							0.227	0.0553	'
SG.	Magnesium	GELC	mg/L									3.15	0.00518									
GENINORG	Nitrate-Nitrite as N	GELC	mg/L									0.55	0.01							0.57	0.01	
<u> </u>	Perchlorate	GELC	μg/L																			
Į,	Potassium	GELC	mg/L									1.7	0.0165									
o o	Silicon Dioxide	GELC	mg/L									44.0	2 2 4 4 4									
	Sodium	GELC	mg/L				-					14.9	0.0144			470.0						+
	Specific Conductance	FLD	uS/cm									172.6	0.400			172.6						
	Sulfate	GELC	mg/L	+			+				-	3.93	0.193					<u> </u>				
	Total Dissolved Solids	GELC	mg/L	+ + -			+				+	159	3.07	-				1	1			
	Total Kjeldahl Nitrogen	GELC	mg/L				-															+
	Total Phosphate as Phosphorus	GELC	mg/L	+			+ +				_	0.040	0.040									+
	Total Suspended Solids	GELC	mg/L				1				<	0.813	0.813			0.0						+
	pH	FLD	SU	+			+ +				-	8.2				8.2						+
	Aluminum	GELC	μg/L				1													0.0	0.0	+
	Antimony	GELC	µg/L	+			+-+			<u> </u>	-							-	<	0.2	0.2	+
	Arsenic	GELC GELC	μg/L	+			+-+			<u> </u>	-							-	<	2.97 10.1	0.53	+
	Barium	GELC	μg/L				+ +				+								<	0.07	0.25	+
	Beryllium Boron	GELC	μg/L μg/L				+ +				+								_ `	0.07	0.07	+
	Cadmium	GELC	μg/L	+ +															<	0.07	0.07	+
	Chromium	GELC	μg/L	+ +																2.83	0.3	+
	Cobalt	GELC	μg/L	+			1			-	+									2.00	0.0	+
METALS	Copper	GELC	μg/L	+			1			-	+											+
Ι	Iron	GELC	μg/L																			+
Щ	Lead	GELC	μg/L	+																		+
2	Manganese	GELC	μg/L																			+
	Mercury	GELC	μg/L	1															<	0.0472	0.0472	+
	Nickel	GELC	μg/L																	0.305	0.07	+
	Selenium	GELC	μg/L	1 1			1 1												<	1	1	†
	Silver	GELC	μg/L	1 1			1 1				1							1	1		-	
	Thallium	GELC	μg/L															1	<	0.02	0.02	
	Tin	GELC	μg/L	1 1														İ	İ			Ī
	Vanadium	GELC	μg/L	1 1																		1
	Zinc	GELC	μg/L																			
	Americium-241	GELC	pCi/L									0.0143	<u>0.029</u>	0.00618								
	Cesium-137	GELC	pCi/L									3.18	7.98	2.11								T
	Gross alpha	GELC	pCi/L									0.372	<u>1.11</u>	0.308						0.743	<u>1.55</u>	0.415
	Gross beta	GELC	pCi/L									2.85	2.29	0.61						0.826	2.3	0.606
	Gross gamma	GELC	pCi/L									88.6	<u>395</u>	117								
RAD	Plutonium-238	GELC	pCi/L									0	<u>0.036</u>	0.0026			<u> </u>					
<u>"</u>	Strontium-90	GELC	pCi/L	0.04	75 <u>0.0876</u>	0.0241		0.0457	<u>0.123</u>	0.0331		0.001	<u>0.0848</u>	0.0247		-0.003	<u>0.0718</u>	0.0209		0.0712	<u>0.168</u>	0.0518
	Tritium	UMTL	pCi/L					0.06386	0.28737	0.28737												
	Uranium	GELC	μg/L																			
	Uranium-234	GELC	pCi/L									0.533	<u>0.048</u>	0.0499								
	Uranium-238	GELC	pCi/L									0.346	<u>0.03</u>	0.036			·				·	

Table B-1.14 (continued)

			Start Date Time			02/09/04				05/19/04			(05/18/05				05/17/06				05/17/06	
			Fld Prep Code			SW				SW				SW				F				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L					<	1.45	1.45		<	1.45	1.45							2.28	0.725	
	Alkalinity-CO3+HCO3	GELC	mg/L						70.5	1.45			71.8	1.45							70.9	0.725	
	Alkalinity-HCO3	GELC	mg/L						69.5	1.45			71	1.45								ļ ļ	
	Ammonia as Nitrogen	GELC	mg/L																	<	0.01	0.01	
	Bromide	GELC	mg/L																	<	0.066	0.066	
	Calcium	GELC	mg/L						12.4	0.00554			15.1	0.036							12.9	0.036	
	Chloride	GELC	mg/L						2.3	0.0322			2.43	0.053							2.32	0.066	
	Fluoride	GELC	mg/L						0.226	0.0553			0.214	0.03							0.36	0.033	
ပ္ထ	Magnesium	GELC	mg/L						2.21	0.00518			2.96	0.085							2.24	0.085	
GENINORG	Nitrate-Nitrite as N	GELC	mg/L						0.41	0.01			0.49	0.003							0.418	0.014	
	Perchlorate	GELC	μg/L		0.355				0.346	0.05			0.438	0.05							0.38	0.05	
氫	Potassium	GELC	mg/L						1.73	0.0165			1.97	0.05							1.76	0.05	
O	Silicon Dioxide	GELC	mg/L						50.8	0.0212			52.5	0.032							51.1	0.032	
	Sodium	GELC	mg/L		1=c :			+	18.9	0.0144	ļ		18.9	0.045	1				1		18.4	0.045	
	Specific Conductance	FLD	uS/cm		159.4				170.6				170.6								163.9	<u> </u>	
	Sulfate	GELC	mg/L						3.27	0.193			3.16	0.057							3.3	0.1	
	Total Dissolved Solids	GELC	mg/L						129	3.07			134	2.38							141	2.38	
	Total Kjeldahl Nitrogen	GELC	mg/L																		0.035	0.01	
	Total Phosphate as Phosphorus	GELC	mg/L						0 =0.4			<	0.035	0.01						<	0.01	0.01	
	Total Suspended Solids	GELC	mg/L					<	0.764	0.764			2.1									<u> </u>	
	pH	FLD	SU		8.26				8.51				8.4								8.45	<u> </u>	
	Aluminum	GELC	μg/L						21.1	14.7		<	68	68						<	68	68	
	Antimony	GELC	μg/L	-	1			<	0.28	0.28		<	0.5	0.5		ļ				<	0.5	0.5	
	Arsenic	GELC	μg/L	-	1			<	3.5	2.24		<	6	6		ļ				<	6	6	
	Barium	GELC	μg/L		.				5.94	0.222			7.9	1							7.2	1	
	Beryllium	GELC GELC	μg/L	-	-			<	0.158	0.158 4.88	-	<	0.1 22.4	0.1 10					-	<	20.8	1 10	
	Boron Cadmium	GELC	μg/L	-	-			< <	16.5	0.04	-	<	0.1	0.1	 	-			-	<		0.1	
	Chromium	GELC	μg/L	+				_	0.04 3.57	0.503		_ `	1.7	1		 	3.2	1			0.1 3.4	1	
	Cobalt	GELC	μg/L		+			<	0.541	0.541	+	<	1.7	1			3.2	1	+	<	1	1	
တု	Copper	GELC	μg/L	+				<	1.39	1.39		<	3	3		 				,	5.1	3	
METALS	Iron	GELC	μg/L μg/L		+ +			<	12.6	12.6		<	32.5	18						<	18	18	
	Lead	GELC	μg/L	-	+ +			<	0.485	0.05	1		1.3	0.5					+		2.3	0.5	
Σ	Manganese	GELC	μg/L		+ +				0.465	0.296			2.3	1						<	2.3	2	
	Mercury	GELC	μg/L	+	+ +			<	0.039	0.0472		<	0.05	0.05						<	0.06	0.06	
	Nickel	GELC	μg/L	+	+			<	0.69	0.69		<	1	1	+					<	0.5	0.5	
	Selenium	GELC	μg/L				+	<	2.81	2.81	+	<	6	6	+				+	·	2.5	2.5	
	Silver	GELC	μg/L					<	0.835	0.835	1	<	1	1						<	0.2	0.2	
	Thallium	GELC	μg/L	1	 			<	0.00	0.02	1	<	0.4	0.4	1				†	<	0.4	0.4	
	Tin	GELC	μg/L	1	 			<	3.26	3.26	1	<	2.5	2.5					†	<	2.5	2.5	
	Vanadium	GELC	μg/L	1	 			+ +	18.7	0.606	1		17.7	1					†		19.1	1	
	Zinc	GELC	μg/L					1 1	7.83	0.883	İ		15.1	2							12.7	2	
	Americium-241	GELC	pCi/L					1 1	0.0126	0.037	0.00596		-0.0148	0.032	0.0113						-0.00574	0.0256	0.00487
	Cesium-137	GELC	pCi/L					1 1	3.97	3.34	1.69		2.83	2.92	0.757						0.18	3.4	1.04
	Gross alpha	GELC	pCi/L					1 1	0.528	1.02	0.285		0.35	1.65	0.397						0.545	0.865	0.28
	Gross beta	GELC	pCi/L				1	1 1	2.09	1.54	0.49		0.369	1.91	0.485				1		1.66	1.42	0.446
	Gross gamma	GELC	pCi/L						167	398	109		89.8	191	66.3						3.99E+11	3.12E+11	2.54E+11
RAD	Plutonium-238	GELC	pCi/L						0.0172	0.046	0.0107		-0.0045	0.047	0.00637						0.00235	0.0282	0.0118
<u>~</u>	Strontium-90	GELC	pCi/L		0.0353	0.0807	0.0248		0.108	0.292	0.0751		0.0382	0.294	0.0691						0.107	0.231	0.0562
	Tritium	UMTL	pCi/L						0	0.28737	0.28737		-0.12772	0.28737	0.28737						0.03193	0.28737	0.28737
	Uranium	GELC	μg/L						0.832	0.02											0.81	0.05	
	Uranium-234	GELC	pCi/L						0.525	0.067	0.0504		0.627	<u>0.081</u>	0.0529						0.456	<u>0.0821</u>	0.0449
	Uranium-238	GELC	pCi/L						0.274	0.047	0.0314		0.347	0.058	0.0363						0.255	0.046	0.0318

Table B-1.15 PM-2

			Start Date Time		02/14/00				02/15/00				06/20/00			08/14/00				09/27/00	
			Fld Prep Code		SW		ļ.,		SW	1		,	SW	1		SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L																		
<u> </u>	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC GELC	mg/L mg/L				+ +														+
	Ammonia as Nitrogen	GELC	mg/L																		+
	Bromide	GELC	mg/L																		1
	Calcium	GELC	mg/L																		
	Chloride	GELC	mg/L																		
	Fluoride	GELC	mg/L																0.005	0.4	
	Fluoride Magnesium	NMSSL GELC	mg/L				+ +												0.265	0.1	+
8 –	Nitrate-Nitrite as N	GELC	mg/L mg/L				+										+				+
GENINORG	Nitrate-Nitrite as N	NMSSL	mg/L																0.322	0.1	1
ā 🗀	Perchlorate	GELC	μg/L																	-	
<u></u>	Potassium	GELC	mg/L																		
	Silicon Dioxide	GELC	mg/L																		
	Sodium	GELC	mg/L																		-
_	Specific Conductance Sulfate	FLD GELC	uS/cm mg/L																		+
	Total Dissolved Solids	GELC	mg/L																		+
	Total Kjeldahl Nitrogen	GELC	mg/L																		1
	Total Phosphate as Phosphorus	GELC	mg/L																		
	Total Suspended Solids	GELC	mg/L																		
	pH ·	FLD	SU	7.58				7.38				7.43			6.91						
	Aluminum Antimony	GELC GELC	μg/L														+				+
	Antimony	NMSSL	μg/L μg/L				+										+	<	1	1	+
	Arteriory	GELC	μg/L				+ +											`	-		+
	Arsenic	NMSSL	μg/L																1	1	1
	Barium	GELC	μg/L																		
	Barium	NMSSL	μg/L															<	100	100	
	Beryllium	GELC	μg/L																		
	Beryllium Boron	NMSSL GELC	μg/L														+	<	1	1	+
	Cadmium	GELC	μg/L μg/L																		+
	Cadmium	NMSSL	μg/L															<	1	1	
	Chromium	GELC	μg/L																		
σ =	Chromium	NMSSL	μg/L																4	1	
AL9	Cobalt	GELC	μg/L																		_
METAL	Copper	GELC GELC	μg/L														+				+
Σ	Iron Lead	GELC	μg/L μg/L				+														+
	Manganese	GELC	μg/L																		1
	Mercury	GELC	μg/L																		
	Mercury	NMSSL	μg/L															<	0.2	0.2	
	Nickel	GELC	μg/L																		
	Nickel Salanium	NMSSL	μg/L														+	<	10	10	+
	Selenium Selenium	GELC NMSSL	μg/L μg/L				+										+	<	5	5	+
	Silver	GELC	μg/L																<u> </u>	<u> </u>	1
	Thallium	GELC	μg/L																		1
	Thallium	NMSSL	μg/L															<	1	1	
	Tin	GELC	μg/L																		
	Vanadium	GELC	μg/L																		
	Zinc Americium-241	GELC GELC	μg/L pCi/L	+ + -		+	+							1			-	1			+
-	Cesium-137	GELC	pCi/L	+ + -			+ +							1				1			+
	Gross alpha	GELC	pCi/L	1 1											1						1
	Gross beta	GELC	pCi/L																		
	Gross gamma	GELC	pCi/L						· · · · · ·				· · · · · · · · · · · · · · · · · · ·							· · · · · · · · · · · · · · · · · · ·	
RAD	Plutonium-238	GELC	pCi/L																		
<u>~</u>	Strontium-90	GELC	pCi/L	1 .	0.40000000	0.005	+					0.10	0.10	0.05	0.109	<u>0.243</u>	0.145				-
_	Strontium-90 Tritium	PARA UMTL	pCi/L pCi/L	-0.12772	0.109999999 0.28737	0.035 0.41509	+ +					0.13	<u>0.16</u>	0.05	0.027		0.046				+
-	Uranium	GELC	μg/L	-0.12112	0.20131	0.41509	+														+
	Uranium-234	GELC	pCi/L	1 1			+ +								1						†
<u> </u>	Uranium-238	GELC	pCi/L									1									1

			Start Date Time			11/15/00				02/14/01				05/09/01				08/08/01				09/05/01	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L									<	0.725	0.725									
	Alkalinity-CO3+HCO3	GELC	mg/L										58.8	0.725									
	Alkalinity-HCO3 Ammonia as Nitrogen	GELC GELC	mg/L mg/L										58.3	0.725							-		
	Bromide	GELC	mg/L																				+
}	Calcium	GELC	mg/L										10.7	0.0375									
	Chloride	GELC	mg/L										1.95	0.025									
	Fluoride	GELC	mg/L										0.326	0.006							0.246	0.006	
	Fluoride	NMSSL	mg/L																				
RG	Magnesium Nitrate-Nitrite as N	GELC GELC	mg/L mg/L										3.88 0.29	0.00449 0.0069						<	0.33	0.0069	
GENINORG	Nitrate-Nitrite as N	NMSSL	mg/L										0.29	0.0069							0.33	0.0009	+
Ī	Perchlorate	GELC	μg/L																				
Ö	Potassium	GELC	mg/L										2.25	0.0707									
	Silicon Dioxide	GELC	mg/L										93.5										
	Sodium	GELC	mg/L										12.1	0.00813									
-	Specific Conductance	FLD GELC	uS/cm										130.6	0.062									+
}	Sulfate Total Dissolved Solids	GELC	mg/L mg/L										1.96 143	0.062 5.09									+
}	Total Kjeldahl Nitrogen	GELC	mg/L										140	0.00									
	Total Phosphate as Phosphorus	GELC	mg/L	L																			
	Total Suspended Solids	GELC	mg/L										1.6	0.699									
	pН	FLD	SU		7.95								7.93										
	Aluminum	GELC	μg/L																				
	Antimony Antimony	GELC NMSSL	μg/L μg/L																		-		
	Arsenic	GELC	μg/L μg/L																				+
	Arsenic	NMSSL	μg/L																				
	Barium	GELC	μg/L																				
	Barium	NMSSL	μg/L																				
	Beryllium	GELC	μg/L																				
-	Beryllium	NMSSL GELC	μg/L																				
}	Boron Cadmium	GELC	μg/L μg/L																				+
}	Cadmium	NMSSL	μg/L																				
	Chromium	GELC	μg/L																				
1	Chromium	NMSSL	μg/L																				
ALS	Cobalt	GELC	μg/L												ļ								
METAL	Copper Iron	GELC GELC	μg/L																		-		
≥	Lead	GELC	μg/L μg/L																				+
	Manganese	GELC	μg/L																				
	Mercury	GELC	μg/L																				
	Mercury	NMSSL	μg/L																				
	Nickel Nickel	GELC	μg/L	-										-						-	-		
}	Nickel Selenium	NMSSL GELC	μg/L μg/L	-																+ +	+		++
 	Selenium	NMSSL	μg/L	1																	+		+
	Silver	GELC	μg/L	L																			
[Thallium	GELC	μg/L																				
	Thallium	NMSSL	μg/L	1																			\perp
	Tin	GELC GELC	μg/L	1	-											-					-		+
}	Vanadium Zinc	GELC	μg/L μg/L	-	<u> </u>		1							1		1			1	+ +	+		++
	Americium-241	GELC	μg/L pCi/L	+									0.0256	<u>0.0116</u>	0.0106	1				 			\vdash
	Cesium-137	GELC	pCi/L										0.164	<u>2.5</u>	0.688								
[Gross alpha	GELC	pCi/L										1.03	2.7	0.851								
[Gross beta	GELC	pCi/L	_			1						3.55	2.22	0.746	$\downarrow \qquad \downarrow$							
	Gross gamma	GELC	pCi/L	1	-								0.00070	0.0250	0.00000	1					+		++
RAD	Plutonium-238 Strontium-90	GELC GELC	pCi/L pCi/L	-	-0.0511	<u>0.198</u>	0.057		-0.0317	<u>0.368</u>	0.104		0.00978 -0.0019	<u>0.0259</u> <u>0.235</u>	0.00692 0.0694		-0.031	<u>0.125</u>	0.0455	+ +	+		+
	Strontium-90	PARA	pCi/L		0.0011	<u>5. 130</u>	0.001		0.0011	0.000	0.104		0.0018	0.230	J.UUJ4		0.001	0.120	0.0-00		+		+
	Tritium	UMTL	pCi/L						-0.12772	0.28737	0.09579												
ļ	Uranium	GELC	μg/L																				
	Uranium-234	GELC	pCi/L										0.257	<u>0.029</u>	0.0307		-						
	Uranium-238	GELC	pCi/L		<u> </u>								0.106	<u>0.0163</u>	0.0173			<u>l</u>					

			Start Date Time			11/28/01			(02/23/02				05/18/02				08/24/02				10/09/02	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L									<	0.725	0.725		1							
	Alkalinity-CO3+HCO3	GELC	mg/L										26.4	0.725									
	Alkalinity-HCO3	GELC	mg/L										26.2	0.725									
	Ammonia as Nitrogen	GELC	mg/L																				
-	Bromide	GELC	mg/L	-								1	0.00	0.00554									
}	Calcium Chloride	GELC GELC	mg/L mg/L	1								-	9.98 2.27	0.00554 0.0322									+
}	Fluoride	GELC	mg/L		0.274	0.006			0.193	0.014		1 1	0.219	0.0553			0.289	0.0553					+
1	Fluoride	NMSSL	mg/L		0.271	0.000			0.100	0.011		1 1	0.210	0.0000			0.200	0.0000					
ڻ ا	Magnesium	GELC	mg/L										3.53	0.00518									
GENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.32	0.0069			0.28	0.0069			0.31	0.01			0.32	0.01					
Ĭ	Nitrate-Nitrite as N	NMSSL	mg/L																				
ļ,	Perchlorate	GELC	μg/L																				
	Potassium	GELC	mg/L										2.22	0.0165									
	Silicon Dioxide	GELC	mg/L										10.1	2 2 4 4 4									
-	Sodium	GELC	mg/L									1	12.1	0.0144			405.5						+
	Specific Conductance Sulfate	FLD GELC	uS/cm mg/L	+					+			+ +	126.9 2.27	0.193			135.5		-				+
}	Total Dissolved Solids	GELC	mg/L	+				 				+ +	153	5.09					 				+
	Total Kjeldahl Nitrogen	GELC	mg/L	1								+ +	100	0.00									+
	Total Phosphate as Phosphorus	GELC	mg/L	1											1								
	Total Suspended Solids	GELC	mg/L	İ								<	0.35	0.35					İ				
	pH	FLD	SU										7.87										
	Aluminum	GELC	μg/L																		73.5	5.31	
	Antimony	GELC	μg/L																				
	Antimony	NMSSL	μg/L																				
	Arsenic	GELC	μg/L																	<	0.53	0.53	
-	Arsenic	NMSSL	μg/L	-								1											
}	Barium Barium	GELC NMSSL	μg/L μg/L									1											
1	Beryllium	GELC	μg/L μg/L																				+
}	Beryllium	NMSSL	μg/L									1 1											
1	Boron	GELC	μg/L																		86.1	0.19	
	Cadmium	GELC	μg/L																	<	0.07	0.07	
	Cadmium	NMSSL	μg/L																				
	Chromium	GELC	μg/L																		3.08	0.3	
(0	Chromium	NMSSL	μg/L																				
METALS	Cobalt	GELC	μg/L																		0.23	0.04	
H H	Copper	GELC	μg/L									1									3.41	0.25	
Σ	Iron Lead	GELC GELC	μg/L μg/L								-	1									0.679	0.05	+
}	Manganese	GELC	μg/L μg/L	1								+ +									0.079	0.05	+
}	Mercury	GELC	μg/L									1 1											
	Mercury	NMSSL	μg/L																				
Ì	Nickel	GELC	μg/L																				
	Nickel	NMSSL	μg/L																				
[Selenium	GELC	μg/L									\perp								<	1	1	
	Selenium	NMSSL	μg/L	1								+			1								
	Silver	GELC	μg/L	1								+		-									+
	Thallium Thallium	GELC NMSSL	μg/L μg/L	-					-			+-+											+
	Tin	GELC	μg/L μg/L	+				+ +				+ +		1									+
	Vanadium	GELC	μg/L	1					+			+ +									6.46	0.81	\vdash
	Zinc	GELC	μg/L	1								1 1									3.99	1.54	
	Americium-241	GELC	pCi/L																				
	Cesium-137	GELC	pCi/L										1.53	<u>2.41</u>	1.13								
[Gross alpha	GELC	pCi/L									$\perp \perp \downarrow$											
	Gross beta	GELC	pCi/L	1								\perp											
	Gross gamma	GELC	pCi/L	1								1											
RAD	Plutonium-238	GELC	pCi/L	1	0.0004	0.0705	0.0070		0.0000	0.400	0.0405	+	0.0040	0.0754	0.0040		0.0004	0.440	0.0004				4
<u>r</u>	Strontium-90 Strontium-90	GELC PARA	pCi/L pCi/L	1	0.0301	<u>0.0725</u>	0.0273	 	-0.0268	<u>0.133</u>	0.0485	+	0.0049	<u>0.0751</u>	0.0218		0.0221	<u>0.112</u>	0.0334				+
}	Strontium-90 Tritium	UMTL	pCi/L pCi/L	+				1	0.09579	0.28737	0.12772	+ +	-0.03193	0.28737	0.12772								+
	Uranium	GELC	μg/L	1					0.00010	0.20101	0.12112	+ +	0.00100	0.20101	0.12112								+
	Uranium-234	GELC	pCi/L	1																			
	Uranium-238	GELC	pCi/L	1								1 1											
			r - ==											1									

EP2006-1078 B-47 February 2007

		[Start Date Time			11/16/02				02/08/03				05/20/03			08/04/03				08/21/03	
			Fld Prep Code			SW				SW				SW			SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L																<	1.45	1.45	
	Alkalinity-CO3+HCO3	GELC	mg/L																	57	1.45	
	Alkalinity-HCO3	GELC	mg/L																	56.8	1.45	
}	Ammonia as Nitrogen Bromide	GELC GELC	mg/L mg/L	-																		+
}	Calcium	GELC	mg/L																1	9.73	0.00554	+
1	Chloride	GELC	mg/L																	2.09	0.0322	+
į	Fluoride	GELC	mg/L		0.302	0.0553			0.304	0.0553			0.269	0.0553		0.186	0.0553			0.17	0.0553	
	Fluoride	NMSSL	mg/L																			
SG.	Magnesium	GELC	mg/L																	3.43	0.00518	
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	GELC NMSSL	mg/L mg/L	-	0.33	0.01			0.33	0.01			0.31	0.01		0.28	0.01		1	0.3	0.01	+
	Perchlorate	GELC	μg/L	-				+														+
Ğ.	Potassium	GELC	mg/L																	2.21	0.0165	+
Ì	Silicon Dioxide	GELC	mg/L																			
[Sodium	GELC	mg/L																	12	0.0144	
	Specific Conductance	FLD	uS/cm		120.6											128.2				128.2		
	Sulfate Tatal Disaglyad Salida	GELC	mg/L	+			+		-	1	1			-	+	1 1		+	-	1.89	0.193	
}	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC GELC	mg/L mg/L	+			+	-	-		+				 	+ + -		+	-	128	3.07	+
}	Total Rjeldani Nitrogen Total Phosphate as Phosphorus	GELC	mg/L mg/L	+			+	1		1	+				+	+ + -		+	1		 	+
}	Total Suspended Solids	GELC	mg/L																<	0.813	0.813	+
	рН	FLD	SU		7.9											7.8				7.8		
	Aluminum	GELC	μg/L																			
	Antimony	GELC	μg/L																			
	Antimony	NMSSL	μg/L																			
}	Arsenic Arsenic	GELC NMSSL	μg/L μg/L													+ +						+
}	Barium	GELC	μg/L														-					-
Ì	Barium	NMSSL	μg/L																			
į	Beryllium	GELC	μg/L																			
	Beryllium	NMSSL	μg/L																			
	Boron	GELC	μg/L																			
}	Cadmium Cadmium	GELC NMSSL	μg/L																			
}	Chromium	GELC	μg/L μg/L				1												1			+
}	Chromium	NMSSL	μg/L																			+
LS.	Cobalt	GELC	μg/L																			
METALS	Copper	GELC	μg/L																			
Σ	Iron	GELC	μg/L																			
	Lead	GELC	μg/L																			
}	Manganese Mercury	GELC GELC	μg/L μg/L	-																		+
}	Mercury	NMSSL	μg/L																1			+
Ì	Nickel	GELC	μg/L																			+
į	Nickel	NMSSL	μg/L																			
	Selenium	GELC	μg/L																			
	Selenium	NMSSL	μg/L							-					1	1 1			<u> </u>		1	+
	Silver Thallium	GELC GELC	μg/L	+			+	-	-		+				 	+ + -		+	-			+
}	Thallium	NMSSL	μg/L μg/L	+			+	-	1	1	+				+	+ + -		+	1		1	+
	Tin	GELC	μg/L	1			1			1	<u> </u>					1 1		+	1		1	+
	Vanadium	GELC	μg/L																			
	Zinc	GELC	μg/L																			\bot
	Americium-241	GELC	pCi/L	1				1			1				1			+	1	0.0588	<u>0.031</u>	0.0124
	Cesium-137	GELC	pCi/L	+			+	1	1	 	1			-	1	+		+	-	-0.347 -0.227	3.55 1.17	1.02 0.25
}	Gross alpha Gross beta	GELC GELC	pCi/L pCi/L				+		1	1	+			1	+	+ + -		+	-	1.06	<u>1.17</u> 2.68	0.25
	Gross gamma	GELC	pCi/L				+				+				†	+ + -		+	1	84.7	<u>2.06</u> <u>275</u>	83.3
Ō	Plutonium-238	GELC	pCi/L				1				1				1			1	1	0.00948	<u>0.033</u>	0.0146
RAD	Strontium-90	GELC	pCi/L		0.0467	<u>0.117</u>	0.0314		0.0897	<u>0.107</u>	0.0318		0.0366	<u>0.126</u>	0.0336	0.11	<u>0.166</u>	0.047		0.0031	<u>0.166</u>	0.0368
]	Strontium-90	PARA	pCi/L			<u></u>															L	
	Tritium	UMTL	pCi/L	1				1			1		0.35123	0.28737	0.28737			+	1			\bot
	Uranium	GELC	μg/L	+			+	1	1	 	1			-	1	+		+	-	0.000	0.06	0.0005
}	Uranium-234 Uranium-238	GELC GELC	pCi/L pCi/L	+			+		-	-	+				+	+ +		+	1	0.222 0.0992	<u>0.06</u> <u>0.038</u>	0.0285 0.0173
	Utatiiuiti-230	GELU	po//L		-		_1	Ь		l	 	لــــــا		<u> </u>	1				1	0.0992	<u>0.038</u>	0.01/3

			Start Date Time			09/24/03				10/29/03				11/24/03				12/17/03			-	02/09/04	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
,	Alkalinity-CO3	GELC	mg/L					1												1			
	Alkalinity-CO3+HCO3	GELC	mg/L																				
	Alkalinity-HCO3	GELC	mg/L																				
	Ammonia as Nitrogen	GELC	mg/L																				
	Bromide Calcium	GELC GELC	mg/L	 															+				+
	Chloride	GELC	mg/L mg/L	+ +																			+
	Fluoride	GELC	mg/L									<	0.193	0.0553			0.26	0.0553			0.294	0.0553	+
	Fluoride	NMSSL	mg/L																				
ڻ و	Magnesium	GELC	mg/L																				
GENINORG	Nitrate-Nitrite as N	GELC	mg/L										0.3	0.01			0.35	0.01			0.29	0.01	
Z	Nitrate-Nitrite as N	NMSSL	mg/L																				
JE JE	Perchlorate	GELC GELC	μg/L	+ +															1		0.293		
	Potassium Silicon Dioxide	GELC	mg/L mg/L	+ +																			+
-	Sodium	GELC	mg/L	+ +																			+
-	Specific Conductance	FLD	uS/cm		133.2				126.4								126				120.9		+
	Sulfate	GELC	mg/L																				
	Total Dissolved Solids	GELC	mg/L																				
	Total Kjeldahl Nitrogen	GELC	mg/L	$\bot J$																			$oxed{oxed}$
	Total Phosphate as Phosphorus	GELC	mg/L	+ +															<u> </u>				
	Total Suspended Solids	GELC FLD	mg/L SU	+ +	7.87		 		7.79								7.76				7.70		+
	pH Aluminum	GELC	SU μg/L	+	1.01				1.19								7.76				7.72		+
	Antimony	GELC	μg/L									<	0.2	0.2									+
-	Antimony	NMSSL	μg/L										0.2	0.2									+
	Arsenic	GELC	μg/L										0.622	0.53									
	Arsenic	NMSSL	μg/L																				
	Barium	GELC	μg/L										26.4	0.25									
-	Barium	NMSSL	μg/L											2.27									
-	Beryllium	GELC NMSSL	μg/L	1								<	0.07	0.07									+
-	Beryllium Boron	GELC	μg/L μg/L	+ +																			+
	Cadmium	GELC	μg/L									<	0.07	0.07									+
	Cadmium	NMSSL	μg/L																				
	Chromium	GELC	μg/L										4.93	0.3									
.	Chromium	NMSSL	μg/L																				
ALS I	Cobalt	GELC	μg/L																				
Ε	Copper Iron	GELC GELC	μg/L	 															+				+
≥	Lead	GELC	μg/L μg/L	1															+				+
	Manganese	GELC	μg/L																				+
	Mercury	GELC	μg/L									<	0.0472	0.0472									†
	Mercury	NMSSL	μg/L																				
	Nickel	GELC	μg/L										0.182	0.07									
	Nickel	NMSSL	μg/L																				
	Selenium Solonium	GELC NMSSL	μg/L	+ +			1		1			<	1	1	1								+
	Selenium Silver	GELC	μg/L μg/L	+ +			 		 						1						-		+
	Thallium	GELC	μg/L	† †					<u> </u>			<	0.021	0.02	1								+
	Thallium	NMSSL	μg/L	1 1															†				
	Tin	GELC	μg/L																				
	Vanadium	GELC	μg/L	\bot																			
	Zinc	GELC	μg/L	+-+											ļ				ļ				4
	Americium-241 Cesium-137	GELC GELC	pCi/L pCi/L	+ +			 		 														+
	Gross alpha	GELC	pCi/L pCi/L	+ +			 		 				0.277	<u>0.957</u>	0.245						-		+
	Gross beta	GELC	pCi/L	+ +					†				2.44	<u>0.957</u> <u>2.15</u>	0.245				+	 			+ -
	Gross gamma	GELC	pCi/L	+ +										<u> </u>	0.01								
RAD	Plutonium-238	GELC	pCi/L																				
2	Strontium-90	GELC	pCi/L														0.0729	<u>0.152</u>	0.0472		0.105	<u>0.203</u>	0.0545
	Strontium-90	PARA	pCi/L	1											ļ								
	Tritium	UMTL	pCi/L	+-+											ļ				ļ				
	Uranium	GELC	μg/L	+ +			 		 														+
	Uranium-234 Uranium-238	GELC GELC	pCi/L pCi/L	+					-						1				+		+		+
	Granium-230	OLLO	poi/L				1	L		l			l	·		<u> </u>	L	l .		L			

EP2006-1078 B-49 February 2007

		[Start Date Time			03/24/04				05/20/04				08/31/04				11/16/04				03/23/05	
			Fld Prep Code			SW				SW				SW				SW				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L					<	1.45	1.45													
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	GELC GELC	mg/L						56.2 56	1.45 1.45													
	Ammonia as Nitrogen	GELC	mg/L mg/L						56	1.45													+
	Bromide	GELC	mg/L																				
	Calcium	GELC	mg/L						8.62	0.00554													
	Chloride	GELC	mg/L						1.66	0.0322													
	Fluoride Fluoride	GELC NMSSL	mg/L mg/L					 	0.211	0.0553													+
(0	Magnesium	GELC	mg/L						3	0.00518													+
ORG	Nitrate-Nitrite as N	GELC	mg/L						0.29	0.01													+
3E NINC	Nitrate-Nitrite as N	NMSSL	mg/L																				
JE JE JE JE JE JE JE JE JE JE JE JE JE J	Perchlorate	GELC	μg/L		0.296				0.258	0.05			0.332	0.05			0.296	0.05			0.296	0.05	
	Potassium	GELC	mg/L						1.88	0.0165													
•	Silicon Dioxide Sodium	GELC GELC	mg/L mg/L						85.3 10.9	0.0212 0.0144													+
	Specific Conductance	FLD	uS/cm		137.4				106.1	0.0144			130.3				124.7				106.5		
	Sulfate	GELC	mg/L						1.55	0.193													
[Total Dissolved Solids	GELC	mg/L						141	3.07													
	Total Kjeldahl Nitrogen	GELC	mg/L	-																<u> </u>			+
•	Total Phosphate as Phosphorus Total Suspended Solids	GELC GELC	mg/L mg/L					<	0.764	0.764													+
	pH	FLD	SU		7.85			<u> </u>	7.77	0.704			7.88				7.67				7.46		$\overline{}$
	Aluminum	GELC	μg/L					<	14.7	14.7							-				-		
	Antimony	GELC	μg/L					<	0.28	0.28													
	Antimony	NMSSL	μg/L							0.04													
	Arsenic Arsenic	GELC NMSSL	μg/L μg/L					<	2.24	2.24													
	Barium	GELC	μg/L μg/L						24	0.222													+
	Barium	NMSSL	μg/L							0.222													
	Beryllium	GELC	μg/L					<	0.158	0.158													
	Beryllium	NMSSL	μg/L																				
	Boron	GELC GELC	μg/L					<	12.3	4.88													\vdash
	Cadmium Cadmium	NMSSL	μg/L μg/L					<	0.04	0.04													+
	Chromium	GELC	μg/L						4.61	0.503													+
	Chromium	NMSSL	μg/L																				
ALS	Cobalt	GELC	μg/L					<	0.541	0.541													
	Copper	GELC	μg/L					<	1.39	1.39													
Σ	Iron Lead	GELC GELC	μg/L μg/L					<	12.6 0.364	12.6 0.05													+
	Manganese	GELC	μg/L					<	0.296	0.296													
	Mercury	GELC	μg/L					<	0.0472	0.0472													
	Mercury	NMSSL	μg/L																				
	Nickel	GELC	μg/L	-				<	0.69	0.69		1											4
	Nickel Selenium	NMSSL GELC	μg/L μg/L					<	2.81	2.81		1	+ +						1				+
	Selenium	NMSSL	μg/L						2.01	2.01		+											+
	Silver	GELC	μg/L					<	0.835	0.835													
	Thallium	GELC	μg/L					<	0.02	0.02													
	Thallium	NMSSL	μg/L	-				\vdash	0.00	0.00										ļ			1
	Tin Vanadium	GELC GELC	μg/L μg/l	-				<	3.26 9.7	3.26 0.606		1	-		1					<u> </u>			+
	Vanadium Zinc	GELC	μg/L μg/L				<u> </u>		7.61	0.883		+											+
	Americium-241	GELC	pCi/L						-0.00194	<u>0.034</u>	0.00644												
	Cesium-137	GELC	pCi/L						1.88	3.38	1.88												
	Gross alpha	GELC	pCi/L						-0.218	2.18	0.323												
	Gross beta	GELC	pCi/L	-					1.47	<u>2.41</u>	0.637	1			1								+
	Gross gamma Plutonium-238	GELC GELC	pCi/L pCi/L						281 0.00721	<u>427</u> 0.037	99.8 0.00722	1	+ +		1								+
RAD	Strontium-90	GELC	pCi/L						0.00721	0.287	0.00722	+											+
	Strontium-90	PARA	pCi/L																				
	Tritium	UMTL	pCi/L						-0.28737	0.28737	0.28737						0.25544	0.28737	0.28737				
	Uranium	GELC	μg/L						0.236	0.02	0.000-	1											
	Uranium-234 Uranium-238	GELC GELC	pCi/L pCi/L						0.13 0.0882	<u>0.067</u>	0.0265 0.0165	1			1								+
	Uranilum-230	GELU	μοι/L		<u> </u>	L	<u> </u>		0.0002	<u>0.048</u>	0.0105	Ь			<u> </u>	ш				ь	L		

			Start Date Time	03/24/04			05/18/05				08/17/05			11/16/05			01/19/06			05/24/06	
			Fld Prep Code	SW			SW				SW			SW			SW			F	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert Sym	Result	MDL/MDA	Uncert	Sym Result	MDL/MDA	Uncert Sym	Result	MDL/MDA	Uncert
· · · · · · · · · · · · · · · · · · ·	Alkalinity-CO3	GELC	mg/L		<	1.45	1.45					- January - January									
	Alkalinity-CO3+HCO3	GELC	mg/L			70.8	1.45														
	Alkalinity-HCO3	GELC	mg/L			70.6	1.45														
	Ammonia as Nitrogen	GELC GELC	mg/L																-		
<u> </u>	Bromide Calcium	GELC	mg/L mg/L			10.2	0.036					+									
	Chloride	GELC	mg/L			1.9	0.053														
	Fluoride	GELC	mg/L			0.166	0.03														
	Fluoride	NMSSL	mg/L																		
92	Magnesium	GELC	mg/L			3.48	0.085														
9 –	Nitrate-Nitrite as N	GELC NMSSL	mg/L			0.283	0.003												-		
GENINORG	Nitrate-Nitrite as N Perchlorate	GELC	mg/L μg/L			0.308	0.05			0.311	0.05		0.31	0.05		0.312	0.05		+ +		
- B	Potassium	GELC	mg/L			2.2	0.05			0.511	0.00		0.01	0.03		0.512	0.03				
	Silicon Dioxide	GELC	mg/L			91.4	0.032														
	Sodium	GELC	mg/L			12.7	0.045														
	Specific Conductance	FLD	uS/cm			133.3				131.8			132.3			126.1					
_	Sulfate	GELC	mg/L			1.71	0.057												-		<u> </u>
	Total Dissolved Solids Total Kjeldahl Nitrogen	GELC GELC	mg/L mg/L			141	2.38												\vdash		-
<u> </u>	Total Phosphate as Phosphorus	GELC	mg/L		<	0.038	0.01												+ +		
	Total Suspended Solids	GELC	mg/L		,	0.000	0.01					1									
	pH	FLD	SU			7.8				7.82			7.75			7.75					
	Aluminum	GELC	μg/L		<	68	68														
	Antimony	GELC	μg/L		<	0.5	0.5														
_	Antimony	NMSSL	μg/L		_																-
_	Arsenic Arsenic	GELC NMSSL	μg/L μg/L		<	6	6														-
	Barium	GELC	μg/L			26.9	1												+ +		
	Barium	NMSSL	μg/L			20.0															
	Beryllium	GELC	μg/L		<	0.1	0.1														
	Beryllium	NMSSL	μg/L																		
	Boron	GELC	μg/L			19.4	10														<u> </u>
	Cadmium	GELC NMSSL	μg/L		<	0.1	0.1												-		
	Cadmium Chromium	GELC	μg/L μg/L			4.3	1												4.2	1	
	Chromium	NMSSL	μg/L			4.0						1							7.2		
ALS	Cobalt	GELC	μg/L		<	1	1														
META	Copper	GELC	μg/L		<	3	3														
_ ≅	Iron	GELC	μg/L		<	18	18														
_	Lead	GELC	μg/L		<	0.5	0.5														<u> </u>
<u> </u>	Manganese Mercury	GELC GELC	μg/L μg/L		<	0.05	0.05														
	Mercury	NMSSL	μg/L		,	0.00	0.00					1									
	Nickel	GELC	μg/L		<	1	1														
	Nickel	NMSSL	μg/L																		
	Selenium	GELC	μg/L		<	6	6														
_	Selenium	NMSSL	μg/L				4														<u> </u>
<u> </u>	Silver Thallium	GELC GELC	μg/L μg/L		<	0.4	0.4					+									
	Thallium	NMSSL	μg/L			0.4	0.4														
	Tin	GELC	μg/L		<	2.5	2.5														
	Vanadium	GELC	μg/L			11.7	1														
	Zinc	GELC	μg/L		<	3.9	2														
_	Americium-241	GELC	pCi/L			0.000715	<u>0.039</u>	0.0105													-
	Cesium-137 Gross alpha	GELC GELC	pCi/L pCi/L			0.145 0.386	<u>3.59</u> <u>1.31</u>	1.04 0.342	+			+ +		+		 		+ +	+		++
	Gross beta	GELC	pCi/L pCi/L			0.872	<u>1.31</u> <u>1.39</u>	0.342	1			+ +						 	+		
	Gross gamma	GELC	pCi/L			142	<u>368</u>	94.3										 			
RAD	Plutonium-238	GELC	pCi/L			-0.00422	<u>0.044</u>	0.00731													
≥ □	Strontium-90	GELC	pCi/L			0.0694	<u>0.251</u>	0.0626													
	Strontium-90	PARA	pCi/L			0.00==0	0.00707	0.00707	1				0.00100	0.00=0=	0.00=0=			 			
	Tritium	UMTL	pCi/L			0.09579	0.28737	0.28737	1				0.03193	<u>0.28737</u>	0.28737						
	Uranium Uranium-234	GELC GELC	μg/L pCi/L			0.194	0.07	0.0225	+			+ +		+		+ + -		+ +	+		++
-	Uranium-238	GELC	pCi/L	 		0.194	<u>0.07</u> <u>0.05</u>	0.0225		 		+ + +		 		 		+ + + -			
L	J.Gdill 200	<u> </u>	P 2" L			0.0001	<u> </u>	0.5100	1			1									

EP2006-1078 B-51 February 2007

Table B-1.15 (continued)

			Start Date Time			05/24/06				08/24/06				08/24/06	-
			Fld Prep Code			SW				F				SW	
Anyl Suite Code	Analyte Desc	Lab Code	Std Uom	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert	Sym	Result	MDL/MDA	Uncert
	Alkalinity-CO3	GELC	mg/L	<	0.725	0.725									
	Alkalinity-CO3+HCO3	GELC GELC	mg/L		52.7	0.725									
	Alkalinity-HCO3 Ammonia as Nitrogen	GELC	mg/L mg/L	<	0.01	0.01									+
	Bromide	GELC	mg/L	<	0.066	0.066									+
	Calcium	GELC	mg/L		0.61	0.036									+
	Chloride	GELC	mg/L		1.72	0.066									
	Fluoride	GELC	mg/L		0.28	0.033									1
	Fluoride	NMSSL	mg/L												
5	Magnesium	GELC	mg/L		0.196	0.085									
GENINORG	Nitrate-Nitrite as N	GELC	mg/L		0.305	0.014									
₹ -	Nitrate-Nitrite as N	NMSSL GELC	mg/L		0.204	0.05							0.311	0.05	
38	Perchlorate Potassium	GELC	μg/L mg/L	-	0.294 0.148	0.05							0.311	0.05	+
_	Silicon Dioxide	GELC	mg/L		6.2	0.032									
	Sodium	GELC	mg/L		0.911	0.045									+
	Specific Conductance	FLD	uS/cm		113.2								115.3		
	Sulfate	GELC	mg/L		1.84	0.1									
	Total Dissolved Solids	GELC	mg/L		151	2.38									
	Total Kjeldahl Nitrogen	GELC	mg/L	<	0.1	0.1									
	Total Phosphate as Phosphorus	GELC	mg/L	<	0.044	0.01		ļ				ļ			<u> </u>
	Total Suspended Solids	GELC	mg/L	-	7.50								0.0		
	pH Aluminum	FLD GELC	SU µg/L	<	7.59 68	68		 				 	8.2		-
	Antimony	GELC	μg/L	<	0.5	0.5									
	Antimony	NMSSL	μg/L		0.0	0.5									+
	Arsenic	GELC	μg/L	<	6	6									†
	Arsenic	NMSSL	μg/L			-									
	Barium	GELC	μg/L		1.5	1									
	Barium	NMSSL	μg/L												
	Beryllium	GELC	μg/L	<	11	1									
	Beryllium	NMSSL	μg/L		40	40									
	Boron Cadmium	GELC GELC	μg/L	<	10 0.1	10 0.1									-
	Cadmium	NMSSL	μg/L μg/L		0.1	0.1									
	Chromium	GELC	μg/L	<	1	1			4.4	1			5.3	1	+
	Chromium	NMSSL	μg/L		-	·									
METALS	Cobalt	GELC	μg/L	<	1	1									
□	Copper	GELC	μg/L	<	3	3									
₩	Iron	GELC	μg/L	<	18	18									
	Lead	GELC	μg/L	<	0.5	0.5									
	Manganese	GELC	μg/L	<	2	2									
	Mercury Mercury	GELC NMSSL	μg/L	<	0.06	0.06									-
	Nickel	GELC	μg/L μg/L	<	0.5	0.5									
_	Nickel	NMSSL	μg/L μg/L		0.0	0.0									
	Selenium	GELC	μg/L	<	2.5	2.5									
	Selenium	NMSSL	μg/L												
	Silver	GELC	μg/L	<	0.2	0.2								· · · · · · · · · · · · · · · · · · ·	
	Thallium	GELC	μg/L	<	0.4	0.4									
	Thallium	NMSSL	μg/L		2.5	2.5		ļ				ļ			<u> </u>
	Tin	GELC	μg/L	<	2.5	2.5		}							+
	Vanadium Zinc	GELC GELC	μg/L μg/L	<	<u>1</u> 2	2		}							+
	Americium-241	GELC	μg/L pCi/L		-0.0199	<u>0.0436</u>	0.0229	1							
	Cesium-137	GELC	pCi/L		2.53	5.26	1.38	1							
	Gross alpha	GELC	pCi/L		0.426	1.31	0.327								<u>† </u>
	Gross beta	GELC	pCi/L		3.09	2.81	0.77	İ			Ì	İ			1
	Gross gamma	GELC	pCi/L		57.4	245	696								
RAD	Plutonium-238	GELC	pCi/L		-0.0045	<u>0.054</u>	0.0045							-	
₹	Strontium-90	GELC	pCi/L		0.0386	<u>0.319</u>	0.0734	1							
<u> </u>	Strontium-90	PARA	pCi/L		0.000==	0.00===	0.00===								
<u> </u>	Tritium	UMTL	pCi/L		0.06386	0.28737	0.28737					<u> </u>			
<u> </u>	Uranium Uranium-234	GELC	μg/L		0.25	0.05	0.0224				 		-		+
	Uranium-234 Uranium-238	GELC GELC	pCi/L pCi/L		0.214 0.0877	<u>0.122</u> 0.0681	0.0324 0.0225	1							+
	Gramani-200	JLLU	PO//L	1	0.0011	0.0001	0.0220	1	l	l	1	L	1		

Table B-1.16 PM-4

Second Part	SW SW CS CS 1260 1260 SINGLE SINGLE Std Mda Std Uncert
Port Depth 1240 1240 1240 1240 1240 1240 1250 1	1260 1260 SINGLE SINGLE
Fig Corp. Fig	SINGLE SINGLE
Fig C Type Code Vision V	SINGLE SINGLE
Agriculte Code	
Agriculte Code	
Anyl Sulte Code	
Anyly Code Analyte Cod	
Alaininy-CO3 HCO3 ALK-CO3+CO3 GELC mgt	
Aklainty-HCO3	
Ammonia as Nitrogen	
Bromide Br(-1) GELC mg/L	
Calcium Ca GELC mg/L	
Fluoride F(-1) GELC mg/L	
Magnesium Mg	
Nitrate-Nitrite as N NO3+NO2-N GELC mg/L	
Sodium Na GELC mg/L	
Sodium Na GELC mg/L	
Sodium Na GELC mg/L	
Specific Conductance SPEC_CONDC Field FLD Us/cm	
Sulfate SO4(-2) GELC mg/L	
Total Dissolved Solids TDS GELC mg/L	
Total Kjeldah Nitrogen	
Total Suspended Solids TSS	
PH	
Aluminum	
Antimony Sb GELC µg/L	
Arsenic As GELC μg/L	
Beryllium Be GELC µg/L	
Boron B GELC μg/L	
Cadmium Cd GELC μg/L	
Chromium Cr GELC μg/L Cobalt Co GELC μg/L Copper Cu GELC μg/L Iron Fe GELC μg/L Lead Pb GELC μg/L	-
Cobalt Co GELC μg/L	
Iron Fe GELC μg/L Lead Pb GELC μg/L	
Iron Fe GELC μg/L	
□ Lead P0 GELC μg/L	
Mercury Hg GELC µg/L	
Nickel Ni GELC µg/L	
Selenium Se GELC µg/L	
Selenium Se SwRI µg/L Silver Ag CELC µg/l	
Silver Ag GELC μg/L	
Tin Sn GELC μg/L	
Vanadium V GELC µg/L I	
Zinc Zn GELC μg/L	
Americium-241 Am-241 GELC pCi/L Image: Control of the point of the poi	
Gross alpha GROSSA GELC pCi/L	
Gross beta GROSSB GELC pCi/L	
Gross gamma GROSSG GELC pCi/L	
Q Plutonium-238 Pu-238 GELC pCi/L Image: Continum of the properties of the properti	
№ Strontium-90 Sr-90 GELC pCi/L 0.091 0.13 0.0405 0.0405 0.0107	0.16 0.0485
Strontium H-3 UMTL pCi/L 0.091 0.13 0.0405 -0.22351 0.28737	0.10 0.0405
Uranium U GELC µg/L	
Uranium-234 U-234 GELC pCi/L IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Uranium-238 U-238 GELC pCi/L	

EP2006-1078 B-53 February 2007

						Start Date Time	08/03/00	08/03/00	08/03/00	08/03/00	08/03/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code														•				
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L																
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L																+
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																-
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L																
	Chloride	CI(-1)	1	GELC	mg/L																<u> </u>
(D	Fluoride Magnesium	F(-1) Mg	1	GELC GELC	mg/L mg/L																+
)R(Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L																
N	Perchlorate	CIO4		GELC	μg/L																
GENINORG	Potassium	K		GELC	mg/L																1
9	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L				-				1								
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																+
	Sulfate	SO4(-2)	1 1010	GELC	mg/L																
	Total Dissolved Solids	TDS		GELC	mg/L																
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Phosphate as Phosphorus Total Suspended Solids	PO4-P TSS		GELC GELC	mg/L mg/L																-
	pH	pH	Field	FLD	SU			7.6					6.86					6.86			+
	Aluminum	Al	1 1010	GELC	μg/L													0.00			
	Antimony	Sb		GELC	μg/L																
	Arsenic	As		GELC	μg/L																
	Barium Beryllium	Ba Be		GELC GELC	μg/L μg/L																+
	Boron	B		GELC	μg/L																
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		GELC	μg/L																
	Cobalt	Co	1	GELC	μg/L																
ALS	Copper Iron	Cu Fe		GELC GELC	μg/L μg/L																+
METALS	Lead	Pb		GELC	μg/L																
≥	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		GELC	μg/L																
	Nickel Selenium	Ni Se		GELC GELC	μg/L μg/L								-								+
	Selenium	Se Se		SwRI	μg/L μg/L				1												
	Silver	Ag		GELC	μg/L																
	Thallium	TI		GELC	μg/L												· · · · · ·				
	Tin Vanadium	Sn V		GELC GELC	μg/L μg/L								1								+
	Variadium Zinc	v Zn		GELC	μg/L μg/L																+
	Americium-241	Am-241		GELC	pCi/L																
	Cesium-137	Cs-137		GELC	pCi/L																
	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L								-								+
Q	Plutonium-238	Pu-238		GELC	pCi/L								1								
RAD	Strontium-90	Sr-90		GELC	pCi/L			0.224		0.68	0.402							-0.165		0.284	0.164
	Strontium-90	Sr-90		PARA	pCi/L													-0.02			0.044
	Tritium	H-3		UMTL	pCi/L								ļ								
	Uranium Uranium-234	<u>U</u> U-234		GELC GELC	μg/L pCi/L								1								+
	Uranium-238	U-238		GELC	pCi/L																
	- · ··· - • •		•			•		1	•			1			1						

						Start Date Time	11/15/00	11/15/00	11/15/00	11/15/00	11/15/00	02/14/01	02/14/01	02/14/01	02/14/01	02/14/01	05/09/01	05/09/01	05/09/01	05/09/01	05/09/01
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					ŀ	Port Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
							1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
					ŀ	Fld Qc Type Code	001015	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5		
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		T	1	1			Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																	1 '	
Code	Analyte Desc	Analyte	(Decoded)		Std Uom													0.705	0.705	 '	
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3	-	GELC GELC	mg/L mg/L												<	0.725 56.3	0.725 0.725	 '	+
	Alkalinity-CO3+11CO3 Alkalinity-HCO3	ALK-CO3+HCO3	1	GELC	mg/L													55.8	0.725		
	Ammonia as Nitrogen	NH3-N	1	GELC	mg/L													00.0	0.720		
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L													10.3	0.0375		
	Chloride	CI(-1)		GELC	mg/L													1.73	0.025		
	Fluoride	F(-1)		GELC	mg/L													0.312	0.006	 '	
GENINORG	Magnesium	Mg		GELC	mg/L													3.76	0.00449	<u> </u>	
ğ	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		GELC GELC	mg/L													0.28	0.0069	 '	
Ź	Potassium	K	1	GELC	μg/L mg/L													2.1	0.0707	 '	
쁑	Silicon Dioxide	SiO2		GELC	mg/L						1							91.9	0.0101		+
	Sodium	Na		GELC	mg/L													11.4	0.00813		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm													126.8			
	Sulfate	SO4(-2)		GELC	mg/L													2	0.062		
	Total Dissolved Solids	TDS		GELC	mg/L													141	5.09	<u> </u>	
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L															 '	
	Total Phosphate as Phosphorus	PO4-P	1	GELC	mg/L													0.000	0.000	 	
	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU			7.76									<	0.699 7.84	0.699	 '	+
	Aluminum	Al	rieiu	GELC	μg/L			7.70										7.04		 '	
	Antimony	Sb	1	GELC	μg/L																
	Arsenic	As		GELC	μg/L																
	Barium	Ва		GELC	μg/L																
	Beryllium	Be		GELC	μg/L																
	Boron	В		GELC	μg/L															 '	
	Cadmium	Cd	1	GELC	μg/L													1		 '	
	Chromium Cobalt	Cr Co		GELC GELC	μg/L μg/L															 '	+
(0	Copper	Cu	+	GELC	μg/L																+
METALS	Iron	Fe		GELC	μg/L																
ET.	Lead	Pb		GELC	μg/L																
Σ	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		GELC	μg/L																
	Nickel	Ni		GELC	μg/L															 '	
	Selenium	Se	1	GELC	μg/L													1		 '	
	Selenium Silver	Se Ag		SwRI GELC	μg/L μg/L						-							-		 	
}	Thallium	TI	+	GELC	μg/L																
	Tin	Sn		GELC	μg/L						1										
	Vanadium	V		GELC	μg/L																
Ì	Zinc	Zn		GELC	μg/L																
	Americium-241	Am-241		GELC	pCi/L													0.00534		0.0318	0.00688
	Cesium-137	Cs-137		GELC	pCi/L						1							0.0205		2.28	1.41
	Gross alpha	GROSSA		GELC	pCi/L		1						ļ					0.721		2.33	0.691
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L		-						1					6.03		2.27	0.836
	Plutonium-238	Pu-238		GELC	pCi/L													0.0168		0.0076	0.00693
RAD	Strontium-90	Sr-90		GELC	pCi/L			-0.0306		0.208	0.0601		0.0159		0.415	0.119		0.0108		0.0076	0.0938
-	Strontium-90	Sr-90		PARA	pCi/L			0.000		5.200	0.0001		3.5100		0.110	5.710		V		<u> </u>	3.5555
	Tritium	H-3		UMTL	pCi/L								0	0.28737		0.09579				i i	
	Uranium	U		GELC	μg/L																
	Uranium-234	U-234		GELC	pCi/L													0.275		0.0143	0.0302
	Uranium-238	U-238		GELC	pCi/L													0.136		0.00525	0.0188

EP2006-1078 B-55 February 2007

									(001111111												
						Start Date Time	08/08/01	08/08/01	08/08/01	08/08/01	08/08/01	09/05/01	09/05/01	09/05/01	09/05/01	09/05/01	11/28/01	11/28/01	11/28/01	11/28/01	11/28/01
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
								1												1	
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			1		1		Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Unicert	Sylli	Result	Stu Mui	Stu iviua	Stu Unicert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L																
	Chloride	CI(-1)		GELC	mg/L																
	Fluoride	F(-1)		GELC	mg/L								0.266	0.006				0.251	0.006		
, s	Magnesium	Mg	<u> </u>	GELC	mg/L			1		ļ	1		1			ļ	ļ			1	1
l b	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			1		ļ	1	<	0.3	0.0069		ļ	ļ	0.33	0.0069	1	1
GENINORG	Perchlorate	CIO4		GELC	μg/L			1		ļ	1		1			ļ	ļ			1	1
	Potassium	K		GELC	mg/L																
g	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium	Na		GELC	mg/L																
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																
	Sulfate	SO4(-2)		GELC	mg/L																
	Total Dissolved Solids	TDS		GELC	mg/L																
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L																
	рН	pН	Field	FLD	SU																
	Aluminum	Al		GELC	μg/L																
	Antimony	Sb		GELC	μg/L																
	Arsenic	As		GELC	μg/L																
	Barium	Ва		GELC	μg/L																
	Beryllium	Be		GELC	μg/L																
	Boron	В		GELC	μg/L																
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		GELC	μg/L																
	Cobalt	Со		GELC	μg/L																
· γ	Copper	Cu		GELC	μg/L																
Į Į	Iron	Fe		GELC	μg/L																
METALS	Lead	Pb		GELC	μg/L																
Σ	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		GELC	μg/L																
l L	Nickel	Ni		GELC	μg/L																
l L	Selenium	Se		GELC	μg/L																
l L	Selenium	Se		SwRI	μg/L																
j F	Silver	Ag		GELC	μg/L																
l t	Thallium	ΤΪ	1	GELC	μg/L																
l t	Tin	Sn	1	GELC	μg/L																
j t	Vanadium	V	1	GELC	μg/L																
l t	Zinc	Zn	1	GELC	μg/L																
	Americium-241	Am-241		GELC	pCi/L																
<u> </u>	Cesium-137	Cs-137	1	GELC	pCi/L																
	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta	GROSSB		GELC	pCi/L																
	Gross gamma	GROSSG		GELC	pCi/L																
	Plutonium-238	Pu-238		GELC	pCi/L																
RAD	Strontium-90	Sr-90	† †	GELC	pCi/L			0.081		0.118	0.0455		†			1	1	0.134		0.0741	0.0373
-	Strontium-90	Sr-90	† †	PARA	pCi/L			3.301		5.110	5.5 100		1			1		0.101		3.37 11	
	Tritium	H-3	† †	UMTL	pCi/L			1		1	1		1			1					1
	Uranium	U	† †	GELC	μg/L			1		1	1		1			1					1
	Uranium-234	U-234	†	GELC	pCi/L					İ						1					
<u> </u>	Uranium-238	U-238	†	GELC	pCi/L					İ						1					
	- · · · · · · · · · · · ·					1		•				•	•		•			•			

						Start Date Time	08/08/01	02/23/02	02/23/02	02/23/02	02/23/02	02/23/02	10/09/02	10/09/02	10/09/02	10/09/02	10/09/02	06/18/03	06/18/03	06/18/03	06/18/03	06/18/03
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
						Fld Qc Type Code																
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																			1
Code	Analyte Desc	Analyte	(Decoded)		Std Uom																	
-	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3		GELC GELC	mg/L																	
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L mg/L																	\leftarrow
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																	
	Bromide	Br(-1)		GELC	mg/L																	
	Calcium	Ca		GELC	mg/L																	
	Chloride Fluoride	CI(-1) F(-1)		GELC GELC	mg/L mg/L				0.395	0.028												
ניז	Magnesium	Mq		GELC	mg/L				0.393	0.020												
l K	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L				0.57	0.0138												
l ĕ	Perchlorate	CIO4		GELC	μg/L																	
GENINORG	Potassium	K		GELC	mg/L																	
	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L																	
-	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																	
	Sulfate	SO4(-2)	1 10.0	GELC	mg/L																	
	Total Dissolved Solids	TDS		GELC	mg/L																	
-	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																	
-	Total Phosphate as Phosphorus Total Suspended Solids	PO4-P TSS		GELC GELC	mg/L mg/L																	
-	pH	pH	Field	FLD	SU																	
	Aluminum	Al	1.0.0	GELC	μg/L									7.91	5.31							
	Antimony	Sb		GELC	μg/L																	
-	Arsenic	As		GELC	μg/L								<	0.53	0.53							
-	Barium Beryllium	Ba Be		GELC GELC	μg/L μg/L																	
-	Boron	В		GELC	μg/L μg/L									34.4	0.19							
-	Cadmium	Cd		GELC	μg/L								<	0.07	0.07							
	Chromium	Cr		GELC	μg/L									4.71	0.3							
-	Cobalt	Co		GELC	μg/L								<	0.04	0.04							
METALS	Copper Iron	<u>Cu</u> Fe		GELC GELC	μg/L μg/L								<	1.5	0.25							
T≣	Lead	Pb		GELC	μg/L									0.083	0.05							
Σ	Manganese	Mn		GELC	μg/L																	
	Mercury	Hg		GELC	μg/L																	
	Nickel	Ni O-		GELC	μg/L									4	4							
	Selenium Selenium	Se Se		GELC SwRI	μg/L μg/L								<	1	1							
	Silver	Ag		GELC	μg/L																	
	Thallium	Tİ		GELC	μg/L																	
	Tin	Sn		GELC	μg/L																	
	Vanadium Zinc	V Zn		GELC GELC	μg/L									9.54 2.77	0.81 1.54							\vdash
	Zinc Americium-241	Zn Am-241		GELC	μg/L pCi/L									2.11	1.54							\vdash
	Cesium-137	Cs-137		GELC	pCi/L																	
]	Gross alpha	GROSSA		GELC	pCi/L																	
[Gross beta	GROSSB		GELC	pCi/L																	
_ }	Gross gamma Plutonium-238	GROSSG Pu-238		GELC GELC	pCi/L pCi/L																	
RAD	Strontium-90	Sr-90		GELC	pCi/L pCi/L				0.047		0.291	0.0917										
-	Strontium-90	Sr-90		PARA	pCi/L				0.011		0.201	0.0011										
]	Tritium	H-3		UMTL	pCi/L				-0.35123	0.28737		0.12772							-0.19158	0.28737		0.28737
<u> </u>	Uranium Uranium 224	U		GELC	μg/L																	
	Uranium-234 Uranium-238	U-234 U-238		GELC GELC	pCi/L pCi/L																	
	Graffium-230	U-230	l	JELU	pO//L		l .			I				l .	l .	<u>I</u>	<u> </u>					

									3 1.10 (00													
						Start Date Time	08/08/01	06/18/03	06/18/03	06/18/03	06/18/03	06/18/03	08/21/03	08/21/03	08/21/03	08/21/03	08/21/03	06/07/04	06/07/04	06/07/04	06/07/04	06/07/04
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
							1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
						Fld Qc Type Code																
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code																			
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L								<	1.45	1.45							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L									66.2	1.45							
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L									65.8	1.45							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																	
	Bromide	Br(-1)		GELC	mg/L										0.00==1						_	
	Calcium	Ca		GELC	mg/L									11.2	0.00554							
_	Chloride	CI(-1)		GELC	mg/L				0.246	0.0552				2.44	0.0322							+
	Fluoride	F(-1)	-	GELC	mg/L				0.316	0.0553				0.387 4.17	0.1106 0.00518							+
ا چو ا	Magnesium Nitrate-Nitrite as N	Mg NO3+NO2-N		GELC GELC	mg/L mg/L				0.31	0.01				0.62	0.00518						+	+
2 -	Perchlorate	CIO4		GELC	µg/L				0.31	0.01				0.02	0.02						+	+
GENINORG	Potassium	K		GELC	mg/L									2.56	0.0165						 	+
B	Silicon Dioxide	SiO2		GELC	mg/L									2.00	0.0100						 	
	Sodium	Na		GELC	mg/L									13.1	0.0144							1
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm									149.6					532			
Ī	Sulfate	SO4(-2)		GELC	mg/L									2.29	0.193						1	
	Total Dissolved Solids	TDS		GELC	mg/L									172	3.07						1	
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																	
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																	
	Total Suspended Solids	TSS		GELC	mg/L								<	0.796	0.796							
	pН	pН	Field	FLD	SU									8					7.13			
	Aluminum	Al		GELC	μg/L																	
_	Antimony	Sb		GELC	μg/L																	
	Arsenic	As		GELC	μg/L																	
<u> </u>	Barium Beryllium	Ba Be		GELC GELC	μg/L																 	+
<u> </u>	Boron	В		GELC	μg/L μg/L																+	+
 	Cadmium	Cd		GELC	μg/L																+	+
	Chromium	Cr		GELC	μg/L																 	
	Cobalt	Co		GELC	μg/L																	
S	Copper	Cu		GELC	μg/L																	
AF.	Iron	Fe		GELC	μg/L																1	
METALS	Lead	Pb		GELC	μg/L																	
Σ	Manganese	Mn		GELC	μg/L																	
	Mercury	Hg		GELC	μg/L																	
<u> </u>	Nickel	Ni		GELC	μg/L																<u> </u>	
<u> </u>	Selenium	Se		GELC	μg/L																	
<u> </u>	Selenium	Se		SwRI	μg/L	1			<u> </u>													+
	Silver	Ag	1	GELC	μg/L																	+
	<u>Thallium</u> Tin	TI Sn		GELC GELC	μg/L μg/L																+	+
	Vanadium	V		GELC	μg/L μg/L																+	+
 	Zinc	Zn		GELC	μg/L μg/L																+	+
	Americium-241	Am-241		GELC	pCi/L									0.00836		0.04	0.00837				 	+
	Cesium-137	Cs-137		GELC	pCi/L									2.05		3.28	1.56				<u> </u>	
-	Gross alpha	GROSSA		GELC	pCi/L									0.36		0.962	0.272				†	
	Gross beta	GROSSB		GELC	pCi/L									2.83		2	0.553					†
	Gross gamma	GROSSG		GELC	pCi/L					İ				90.5		214	141		İ			
RAD	Plutonium-238	Pu-238		GELC	pCi/L									0.0143		0.04	0.0125					
%	Strontium-90	Sr-90		GELC	pCi/L									0.0881		0.297	0.0734					
	Strontium-90	Sr-90		PARA	pCi/L																	
	Tritium	H-3		UMTL	pCi/L																<u> </u>	
<u> </u>	Uranium	U		GELC	μg/L									0.5:-		0.6==	0.00				<u> </u>	
<u> </u>	Uranium-234	U-234	1	GELC	pCi/L				1					0.213		0.057	0.0278					
	Uranium-238	U-238		GELC	pCi/L]			<u> </u>					0.119		0.036	0.0197				<u></u>	

								D 1.10 (00		,																
					Start Da	ate Time	02/15/05	02/15/05	02/15/05	02/15/05	02/15/05	02/22/06	02/22/06	02/22/06	02/22/06 02	22/06	05/09/06	05/09/06	05/09/06	05/09/06	05/09/06	05/09/06	05/09/06	05/09/06 (J5/09/06	05/09/06
					Fld Pre	p Code	SW	SW	SW	SW	SW	SW	SW	SW		SW	F	F	F	F	F	SW	SW		SW	SW
																					-			1		
					<u> </u>	Type Code	CS	CS	CS	CS	CS	CS	CS	CS		CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Depth	1260	1260	1260	1260	1260	1260	1260	1260	1260	260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
					Fld Qc T	ype Code																				
					Well	Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE SI	IGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE 5	SINGLE	SINGLE
					1100		Sym	Result			Std Uncert				Std Mda Std											
A J C- ita Ca da	Augusta Dana	A I A	1 - b O - d - /D	401	Ctd.U		Sym	Result	Jtu Mui	Sta ivida	Jiu Unicert	Jyiii	Nosun	Stu Mui	Sta ivida Sta	Officert	Jylli	Result	Jiu Mui	Jta ivida	Jiu Onceri	Jyiii	Result	Stu Mui S	na ivida s	Jid Officert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Deco					4.45	4.45			_	0.705	0.705										++		
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCC	22	GELC			<	1.45 56.5	1.45			<	0.725 57.1	0.725								1		++	\longrightarrow	
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCC)3	GELC				56.3	1.45 1.45				57.1	0.725								-		+-+	\rightarrow	
	,			GELC				50.3	1.45				0.01	0.01								-		+-+	\rightarrow	
	Ammonia as Nitrogen	NH3-N		GELC								<	0.01									1		++	\longrightarrow	
	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L			10.5	0.00554			`	0.041 9.78	0.041								-		+-+	\rightarrow	
	Chloride	CI(-1)		GELC					0.00334				1.75	0.053										++	\longrightarrow	
	Fluoride	F(-1)		GELC	mg/L				0.0553				0.343	0.033										++	\longrightarrow	
	Magnesium	Mg		GELC	mg/L				0.00518					0.03	+									+-+	\longrightarrow	
B	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.289	0.00318					0.003	+									+-+	\longrightarrow	
1 9 F	Perchlorate	CIO4		GELC				0.238	0.003				0.237	0.05	+								0.344	0.05	\longrightarrow	
GENINORG	Potassium	K		GELC					0.03				1.95	0.05	+								0.344	0.03	+	
H H	Silicon Dioxide	SiO2		GELC					0.0103				82.5	0.032	+							-		+-+	-	
	Sodium	Na		GELC	mg/L			12	0.0212				11.5	0.032	+									+-+	+	
 	Specific Conductance	SPEC_CONDO	C Field		uS/cm			123.8	0.0144				134.2	0.043								1		++	+	
	Sulfate	SO4(-2)	O Heiu		mg/L			1.79	0.193				1.92	0.057								1		++	+	
 	Total Dissolved Solids	TDS		GELC				149	3.07				162	2.38	+									+-+	+	
 	Total Kjeldahl Nitrogen	TKN		GELC				143	3.07			<	0.01	0.01	+							-		+-+	-	
	Total Phosphate as Phosphorus	PO4-P										`	0.039	0.01	+							-		+-+	-	
l F	Total Suspended Solids	TSS		GELC			<	1.53	1.53			<	1.27	1.27								1		++	+	
	pH	pH	Field	FLD	SU			8.35	1.55			`	7.76	1.21	+							-		+-+	-	
	Aluminum	Al	i iciu				<	14.7	14.7			<	68	68	-					\longrightarrow		1		+-+	+	
	Antimony	Sb		GELC	ug/L		<	0.28	0.28			<	0.5	0.5	+							-		+-+	-	
 	Arsenic	As		GELC			<	2.24	2.24			<	6	6										+	$\overline{}$	
	Barium	Ва		GELC	ug/L			25.2	0.222				25.2	1						-				+	-	
	Beryllium	Be		GELC	μg/L		<	0.158	0.158			<	1	1										+-+		
	Boron	В		GELC	μg/L			14.4	4.88				13.4	10										† †	+	
	Cadmium	Cd		GELC	μg/L		<	0.04	0.04			<	0.1	0.1										1	$\overline{}$	
	Chromium	Cr			μg/L			5.4	0.503				5.5	1				6.1	1				6	1	+	
	Cobalt	Co		GELC	μg/L		<	0.541	0.541			<	1	1											$\overline{}$	
σ	Copper	Cu			μg/L			1.7	1.39			<	3	3												
METALS	Iron	Fe		GELC				15	12.6				22.6	18												
	Lead	Pb		GELC				0.1	0.05			<	0.5	0.5												
Σ	Manganese	Mn		GELC			<	0.36	0.296			<	2	2												
	Mercury	Hg		GELC			<	0.0472	0.0472			<	0.05	0.05												
	Nickel	Ni		GELC			<	0.69	0.69			<	0.5	0.5												
i l	Selenium	Se		GELC	μg/L		<	9.2	2.81		_	<	2.5	2.5												
ſ	Selenium	Se		SwRI	μg/L		<	0.5	0.138																	
	Silver	Ag		GELC	μg/L		<	0.835	0.835			<	0.2	0.2												
Γ	Thallium	TI		GELC	μg/L			0.29	0.02			<	0.4	0.4												
	Tin	Sn		GELC			<	3.26	3.26			<	2.5	2.5												
	Vanadium	V		GELC				8	0.606				7.5	1										$\perp \perp \perp$		
	Zinc	Zn		GELC				41.1	0.883			<	2	2										<u> </u>		
L	Americium-241	Am-241		GELC				0.00886			0.0142		0.0112		0.0327 0.0									$\perp \perp \perp$		
L	Cesium-137	Cs-137		GELC				0.548		2.07	0.568		-0.0591			1.1								igspace		
L	Gross alpha	GROSSA		GELC				1.94		1.86	0.62		0.199		1.33 0									igspace		
	Gross beta	GROSSB		GELC				1.14		1.28	0.354		3.24			775								igspace		
	Gross gamma	GROSSG		GELC				54.1		196	90.2		105			85								+		
RAD	Plutonium-238	Pu-238		GELC				0.00219		0.034	0.01		0.0268		0.0321 0.									$\perp \perp \perp$		
<u> </u>	Strontium-90	Sr-90		GELC				0.0492		0.341	0.0759		-0.00626		0.184 0.)379								igspace		
	Strontium-90	Sr-90		PARA																						
	Tritium	H-3		UMTL				-0.3193	0.28737		0.28737		0.09579		0.28737 0.2	8737								$\perp \perp \downarrow$		
	Uranium	U		GELC									0.38											+		
L	Uranium-234	U-234		GELC				0.253			0.0267		0.238		0.0774 0.							ļ		igspace		
	Uranium-238	U-238		GELC	pCi/L			0.144		0.046	0.0188		0.109		0.0434 0.)279								\perp		
							·																			

EP2006-1078 B-59 February 2007

Table B-1.17 PM-5

						Start Date Time	02/14/00	02/14/00	02/14/00	02/14/00	02/14/00	02/15/00	02/15/00	02/15/00	02/15/00	02/15/00	06/20/00	06/20/00	06/20/00	06/20/00	06/20/00
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
A 1 C		1	1 1 -1 0 - 1 -	ı	1		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																
Couc	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L															-	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
-	Ammonia as Nitrogen Bromide	NH3-N Br(-1)		GELC GELC	mg/L mg/L																-
	Calcium	Ca		GELC	mg/L																+
	Chloride	CI(-1)		GELC	mg/L																
	Fluoride	F(-1)		GELC	mg/L																
(D	Fluoride Magnesium	F(-1)		NMSSL GELC	mg/L mg/L			-												-	-
X	Nitrate-Nitrite as N	NO3+NO2-N	1	GELC	mg/L																
ĕ	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L																
GENINORG	Perchlorate	CIO4	1	GELC	μg/L																
	Potassium Silicon Dioxide	K SiO2	+	GELC GELC	mg/L mg/L																+
-	Sodium	Na		GELC	mg/L																
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																
	Sulfate Tatal Disabled Solida	SO4(-2)	1	GELC	mg/L			1	1		1				1				1		
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L																
	pH	pH	Field	FLD	SU			7.58					7.58					7.47			
	Aluminum Antimony	Al Sb		GELC GELC	μg/L μg/L																
-	Antimony	Sb		NMSSL	μg/L																
	Arsenic	As		GELC	μg/L																
	Arsenic	As		NMSSL	μg/L																
	Barium Barium	Ba Ba	1	GELC NMSSL	μg/L μg/L			1													
	Beryllium	Be		GELC	µg/L																
	Beryllium	Be		NMSSL	μg/L																
	Boron Cadmium	B Cd		GELC GELC	µg/L																
	Cadmium	Cd	1	NMSSL	μg/L μg/L			1													-
	Chromium	Cr		GELC	µg/L																
v _o	Chromium	Cr		NMSSL	μg/L																
METALS	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L																
TE I	Iron	Fe		GELC	μg/L																
_	Lead	Pb		GELC	μg/L																
	Manganese	Mn		GELC	μg/L																
	Mercury Mercury	Hg Hg		GELC NMSSL	μg/L μg/L																
	Nickel	Ni	1	GELC	μg/L																
	Nickel	Ni		NMSSL	μg/L																
	Selenium	Se	1	GELC	μg/L			1	1		1				1				1		
-	Selenium Silver	Se Ag	1	NMSSL GELC	μg/L μg/L			1													-
	Thallium	TI		GELC	µg/L																
	Thallium	TI		NMSSL	μg/L																
-	Tin Vanadium	Sn V		GELC GELC	μg/L μg/L			-												-	-
-	Zinc	Zn		GELC	μg/L															-	
	Americium-241	Am-241		GELC	pCi/L																
[Cesium-137	Cs-137		GELC	pCi/L												ļ				
	Gross alpha Gross beta	GROSSA GROSSB	 	GELC GELC	pCi/L pCi/L												1				
	Gross gamma	GROSSG	†	GELC	pCi/L				<u> </u>		<u> </u>				<u> </u>				 		
RAD	Plutonium-238	Pu-238		GELC	pCi/L																
₹ 2	Strontium-90	Sr-90	1	GELC	pCi/L			0.00	0.40		0.005										
	Strontium-90 Tritium	Sr-90 H-3	+	PARA UMTL	pCi/L pCi/L			0.03 -0.38316	0.12 0.28737		0.035 0.38316				-				-		
	Uranium	U II-3	†	GELC	µg/L			-0.30310	0.20131		0.30310										
	Uranium-234	U-234		GELC	pCi/L																
	Uranium-238	U-238		GELC	pCi/L																

						Start Date Time	06/20/00	06/20/00	06/20/00	06/20/00	06/20/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00	08/14/00
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Anyl Suite	1		Lab Code				Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L																
}	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L																+
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
}	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L mg/L																<u> </u>
	Chloride	CI(-1)		GELC	mg/L																
[Fluoride Fluoride	F(-1) F(-1)		GELC NMSSL	mg/L																
O	Magnesium	Mg		GELC	mg/L mg/L																-
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L																
	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		NMSSL GELC	mg/L μg/L																
95	Potassium	K		GELC	mg/L																
	Silicon Dioxide Sodium	SiO2 Na	-	GELC GELC	mg/L mg/L																
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																
}	Sulfate Total Dissolved Solids	SO4(-2) TDS		GELC GELC	mg/L mg/L																<u> </u>
}	Total Bissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
}	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU			7.47					7.2					6.83			
	Aluminum	Al		GELC	μg/L																
}	Antimony Antimony	Sb Sb		GELC NMSSL	μg/L μg/L																+
	Arsenic	As		GELC	μg/L																
	Arsenic Barium	As Ba		NMSSL GELC	μg/L μg/L																+
1	Barium	Ba		NMSSL	μg/L																
	Beryllium Beryllium	Be Be		GELC NMSSL	μg/L μg/L																<u> </u>
1	Boron	В		GELC	μg/L μg/L																
[Cadmium Cadmium	Cd Cd		GELC NMSSL	μg/L																
}	Chromium	Cr		GELC	μg/L μg/L																-
S	Chromium	Cr		NMSSL	μg/L																
METAL	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L																
M	Iron	Fe		GELC	μg/L																
}	Lead Manganese	Pb Mn		GELC GELC	μg/L μg/L																
	Mercury	Hg		GELC	μg/L																
}	Mercury Nickel	Hg Ni		NMSSL GELC	μg/L μg/L																+
	Nickel	Ni		NMSSL	μg/L																
}	Selenium Selenium	Se Se		GELC NMSSL	μg/L																<u> </u>
}	Silver	Ag		GELC	μg/L μg/L																
	Thallium	TI		GELC	μg/L																
}	Thallium Tin	TI Sn		NMSSL GELC	μg/L μg/L																+
	Vanadium	V		GELC	μg/L																
	Zinc Americium-241	Zn Am-241		GELC GELC	μg/L pCi/L																
	Cesium-137	Cs-137		GELC	pCi/L																
	Gross alpha Gross beta	GROSSA GROSSB	-	GELC GELC	pCi/L pCi/L																
	Gross gamma	GROSSG		GELC	pCi/L																
RAD	Plutonium-238 Strontium-90	Pu-238 Sr-90	1	GELC GELC	pCi/L pCi/L					-								-1.22		0.213	0.141
"	Strontium-90	Sr-90		PARA	pCi/L			0.062		0.13	0.041							-0.016		0.210	0.046
	Tritium Uranium	H-3 U		UMTL GELC	pCi/L																
	Uranium 234	U-234		GELC	μg/L pCi/L																+
	Uranium-238	U-238		GELC	pCi/L																

EP2006-1078 B-61 February 2007

									7 (COIIIII												
						Start Date Time	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	11/15/00	11/15/00	11/15/00	11/15/00	11/15/00	02/14/01	02/14/01	02/14/01	02/14/01	02/14/01
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code							ļ	1					1		
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																	
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																
	Alkalinity-CO3	ALK-CO3	(, , , , , , , , , , , , , , , , , , ,	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
-	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
-	Bromide Calcium	Br(-1) Ca	1	GELC GELC	mg/L mg/L																
-	Chloride	CI(-1)		GELC	mg/L																
-	Fluoride	F(-1)		GELC	mg/L																
	Fluoride	F(-1)		NMSSL	mg/L			0.281	0.1												
26	Magnesium	Mg		GELC	mg/L																
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	NO3+NO2-N NO3+NO2-N		GELC NMSSL	mg/L			0.3	0.1												
Ę -	Perchlorate	CIO4	1	GELC	mg/L μg/L			0.3	0.1												
GE	Potassium	K		GELC	μg/L mg/L								1	1					1		
•	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium	Na		GELC	mg/L									1							
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm								 	1					1		
	Sulfate Total Dissolved Solids	SO4(-2) TDS	+	GELC GELC	mg/L mg/L								 	+				-	1		
=	Total Bissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
-	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
=	Total Suspended Solids	TSS		GELC	mg/L																
	рН	pН	Field	FLD	SU								7.73								
	Aluminum	Al		GELC	μg/L																
_	Antimony	Sb		GELC	μg/L																
-	Antimony Arsenic	Sb As		NMSSL GELC	μg/L		<	1	1												
=	Arsenic	As		NMSSL	μg/L μg/L			1	1												
-	Barium	Ba		GELC	μg/L			'													
-	Barium	Ba		NMSSL	μg/L		<	100	100												
	Beryllium	Ве		GELC	μg/L																
-	Beryllium	Be		NMSSL	μg/L		<	1	1												
-	Boron Cadmium	B Cd		GELC GELC	µg/L																
-	Cadmium	Cd	1	NMSSL	μg/L μg/L		<	1	1												
-	Chromium	Cr		GELC	μg/L		-														
	Chromium	Cr		NMSSL	μg/L			4	1												
⊩S FI	Cobalt	Со		GELC	μg/L																
METALS	Copper	Cu		GELC	μg/L																
Σ	Iron Lead	Fe Pb		GELC	μg/L																
=	Manganese	Mn		GELC GELC	μg/L μg/L																
	Mercury	Hq	1	GELC	μg/L								1	1					1		
	Mercury	Hg		NMSSL	μg/L		<	0.2	0.2												
	Nickel	Ni		GELC	μg/L																
	Nickel	Ni O-		NMSSL	μg/L		<	10	10										ļ		
	Selenium Selenium	Se Se	+	GELC NMSSL	μg/L ug/l		<	5	5				 	 				-	1		
	Silver	Ag	+	GELC	μg/L μg/L			5	υ				 	 					1		
	Thallium	TI		GELC	μg/L								1	1					1		
	Thallium	TI		NMSSL	μg/L		<	1	1												
	Tin	Sn		GELC	μg/L																
	Vanadium	V 70	1	GELC	μg/L								 	1					1		
	Zinc Americium-241	Zn Am-241	+ -	GELC GELC	μg/L pCi/L								 	-					1		
	Cesium-137	Cs-137		GELC	pCi/L			†					 	 					1		
	Gross alpha	GROSSA	1	GELC	pCi/L								1	†				1	1		
ļ	Gross beta	GROSSB		GELC	pCi/L																
	Gross gamma	GROSSG		GELC	pCi/L																
RAD	Plutonium-238	Pu-238		GELC	pCi/L								2.2.		6.00:	0.055		0.04::	ļ	0.00-	0.111
<u>«</u>	Strontium-90	Sr-90		GELC	pCi/L			-					0.04	1	0.201	0.059		0.0441	1	0.386	0.111
	Strontium-90 Tritium	Sr-90 H-3	1	PARA UMTL	pCi/L pCi/L			1					 	+				0	0.28737		0.12772
	Uranium	U	1	GELC	μg/L													, , , , , , , , , , , , , , , , , , ,	0.20131		0.12112
	Uranium-234	U-234		GELC	pCi/L					İ			İ						İ		
	Uranium-238	U-238	<u> </u>	GELC	pCi/L														<u> </u>		
						-															

						Start Date Time	05/09/01	05/09/01	05/09/01	05/09/01	05/09/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	08/08/01	08/08/01	08/08/01	08/08/01	08/08/01
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	cs	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code											11.0		· · · · · ·	1110	
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class															+
4 10 "							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite	4 11 5		Lab Code		61.111														í	1	
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Lab Code GELC	Std Uom mg/L		<	0.725	0.725											<u>-</u>	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			65.3	0.725												
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			64.8	0.725												
	Ammonia as Nitrogen	NH3-N		GELC	mg/L															<u> </u>	
	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L mg/L			10.8	0.0375											 	-
<u> </u>	Chloride	CI(-1)		GELC	mg/L			1.97	0.025										[
	Fluoride	F(-1)		GELC	mg/L		<	0.303	0.006												
	Fluoride	F(-1) Ma	1	NMSSL	mg/L			4.25	0.00449											<u> </u>	
GENINORG	Magnesium Nitrate-Nitrite as N	NO3+NO2-N		GELC GELC	mg/L mg/L		<	0.27	0.00449												+
N N	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L			0.27	0.0000												
Z Z	Perchlorate	CIO4		GELC	μg/L																
l ⁶	Potassium	K	1	GELC	mg/L			2.09	0.0707											<u> </u>	<u> </u>
-	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L	1		94.1 12.5	0.00813											 	+
-	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			137.8	0.00010				135.4						<u> </u>		
	Sulfate	SO4(-2)		GELC	mg/L			2.21	0.062												
<u> </u>	Total Dissolved Solids	TDS TKN		GELC	mg/L			147	5.09											<u> </u>	
⊢	Total Kjeldahl Nitrogen Total Phosphate as Phosphorus	PO4-P		GELC GELC	mg/L mg/L															-	
	Total Suspended Solids	TSS		GELC	mg/L		<	0.699	0.699										ĺ .		
	рН	рН	Field	FLD	SÜ			7.92					7.9								
l -	Aluminum	Al	1	GELC	μg/L															<u> </u>	
	Antimony Antimony	Sb Sb		GELC NMSSL	μg/L μg/L																+
	Arsenic	As		GELC	μg/L														<u> </u>		
	Arsenic	As		NMSSL	μg/L																
l -	Barium Barium	Ba Ba		GELC NMSSL	μg/L															<u> </u>	<u> </u>
	Beryllium	Be		GELC	μg/L μg/L																+
	Beryllium	Be		NMSSL	μg/L														ĺ .		
	Boron	В		GELC	μg/L																
	Cadmium Cadmium	Cd Cd		GELC NMSSL	μg/L μg/L															<u> </u>	<u> </u>
	Chromium	Cr		GELC	μg/L μg/L															 	
	Chromium	Cr		NMSSL	μg/L														ĺ		
METALS	Cobalt	Co		GELC	μg/L																
<u> </u>	Copper Iron	Cu Fe		GELC GELC	μg/L															<u> </u>	
Σ	Lead	Pb		GELC	μg/L μg/L															 	
	Manganese	Mn		GELC	μg/L														i		
	Mercury	Hg		GELC	μg/L																
	Mercury Nickel	Hg Ni	-	NMSSL GELC	μg/L μα/l															 	+
	Nickel	Ni	 	NMSSL	μg/L μg/L															 	+
	Selenium	Se		GELC	μg/L				_												
	Selenium	Se	ļ	NMSSL	μg/L																
	Silver Thallium	Ag TI	-	GELC GELC	μg/L μg/L															 	+
-	Thallium	TI		NMSSL	μg/L μg/L														<u> </u>	<u> </u>	†
	Tin	Sn		GELC	μg/L																
	Vanadium	V 7-		GELC	μg/L															<u> </u>	
	Zinc Americium-241	Zn Am-241		GELC GELC	μg/L pCi/L			0.012		0.0081	0.00602									 	+
	Cesium-137	Cs-137		GELC	pCi/L pCi/L			0.012		3.25	0.00602								<u> </u>	<u> </u>	†
	Gross alpha	GROSSA		GELC	pCi/L			0.553	_	2.08	0.597										
	Gross beta	GROSSB		GELC	pCi/L			4.01		2.3	0.777										
_	Gross gamma Plutonium-238	GROSSG Pu-238	-	GELC GELC	pCi/L pCi/L			0.000766		0.0223	0.00378									 	+
RAD	Strontium-90	Sr-90		GELC	pCi/L pCi/L			0.000766		0.0223	0.00378							-0.0765	<u> </u>	0.25	0.0562
·	Strontium-90	Sr-90		PARA	pCi/L																
	Tritium	H-3		UMTL	pCi/L															 	
-	Uranium Uranium-234	U U-234		GELC GELC	μg/L pCi/L			0.323		0.0254	0.0335									 	+
	Uranium-238	U-238		GELC	pCi/L pCi/L			0.323		0.0254	0.0335								<u> </u>	<u> </u>	+
			•													1				•	

EP2006-1078 B-63 February 2007

								140	ic B-1.17	(oonana	ou,											
						Start Date Time	05/09/01	09/05/01	09/05/01	09/05/01	09/05/01	09/05/01	11/28/01	11/28/01	11/28/01	11/28/01	11/28/01	02/23/02	02/23/02	02/23/02	02/23/02	02/23/02
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
																						•
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															1	
							SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class																
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																	1	
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																1	
	Alkalinity-CO3	ALK-CO3	(,	GELC	mg/L		<														ī —	†
l	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																i	
[Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																·	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																<u> </u>	
	Bromide	Br(-1)		GELC	mg/L																	
	Calcium	Ca		GELC	mg/L																	
}	Chloride	CI(-1) F(-1)		GELC	mg/L				0.050	0.000				0.050	0.000				0.004	0.014		+
	Fluoride Fluoride	F(-1)		GELC NMSSL	mg/L		<		0.252	0.006				0.258	0.006				0.224	0.014		
(0)	Magnesium	Mg		GELC	mg/L mg/L				1													+
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N	1	GELC	mg/L		<	<	0.31	0.0069				0.3	0.0069		<u> </u>		0.27	0.0069		+
N N	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L			1	1								1		T	2.2000	í	
	Perchlorate	CIO4		GELC	μg/L																i	
5 5	Potassium	K		GELC	mg/L																	
[Silicon Dioxide	SiO2		GELC	mg/L																	
	Sodium	Na		GELC	mg/L				1								<u> </u>		<u> </u>			
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				1								 		 		t	
	Sulfate Total Dissolved Solids	SO4(-2) TDS	+	GELC GELC	mg/L				1			 					_		_			+
	Total Dissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L mg/L																	+
1	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L				1													+
1	Total Suspended Solids	TSS		GELC	mg/L		<															+
1	рН	pН	Field	FLD	SU																ſ	+
	Aluminum	Al		GELC	μg/L																ĺ	
[Antimony	Sb		GELC	μg/L																	
	Antimony	Sb		NMSSL	μg/L																	
	Arsenic	As		GELC	μg/L																	
1	Arsenic Barium	As Ba		NMSSL GELC	μg/L				-													
}	Barium	Ba Ba		NMSSL	μg/L μg/L				+													+
1	Beryllium	Be		GELC	μg/L μg/L																	+
Ì	Beryllium	Be		NMSSL	μg/L																	1
l	Boron	В		GELC	μg/L																ĺ	
	Cadmium	Cd		GELC	μg/L																i	
	Cadmium	Cd		NMSSL	μg/L																	
	Chromium	Cr		GELC	μg/L																	
S	Chromium	Cr		NMSSL	μg/L				1													
METALS	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L				-													
<u> </u>	Iron	Fe Fe		GELC	μg/L μg/L				1								1		1			+
≥	Lead	Pb		GELC	μg/L μg/L																	+
1	Manganese	Mn		GELC	μg/L																í –	+
	Mercury	Hg		GELC	μg/L												<u></u>		<u></u>			
[Mercury	Hg		NMSSL	μg/L																	
	Nickel	Ni		GELC	μg/L				<u> </u>			ļ										
	Nickel	Ni O-		NMSSL	μg/L				 			ļ					ļ	ļ	ļ		t	
	Selenium	Se	+	GELC	μg/L				+			 					 		 			+
}	Selenium Silver	Se Ag	+	NMSSL GELC	μg/L μg/L				+		1				1	1	 		 			+
	Thallium	TI	+	GELC	μg/L μg/L				1			 					+		+			+
	Thallium	TI	1	NMSSL	μg/L				1		1				1		†		1		í	
	Tin	Sn		GELC	μg/L																i	
	Vanadium	V		GELC	μg/L																	
	Zinc	Zn		GELC	μg/L																	
	Americium-241	Am-241		GELC	pCi/L				ļ			ļ										
	Cesium-137	Cs-137		GELC	pCi/L				+								 		 		t	
	Gross alpha	GROSSA	+	GELC	pCi/L				1			 					_		_			+
	Gross beta Gross gamma	GROSSB GROSSG	+ -	GELC GELC	pCi/L pCi/L				1	1	1	 			1	1	+		+			+
	Plutonium-238	Pu-238	+	GELC	pCi/L				1			 					+		+			+
RAD	Strontium-90	Sr-90		GELC	pCi/L				1	İ	İ			0.0141	İ	0.089	0.0328		0.011		0.166	0.0471
	Strontium-90	Sr-90		PARA	pCi/L				<u> </u>												i	
	Tritium	H-3		UMTL	pCi/L														0.25544	0.28737		0.15965
[Uranium	U		GELC	μg/L																	
	Uranium-234	U-234		GELC	pCi/L				1			ļ					ļ		ļ		 	
	Uranium-238	U-238		GELC	pCi/L			l	1		l	l		l	l	l	L		L			

						Start Date Time	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	05/18/02	06/26/02	06/26/02	06/26/02	06/26/02	06/26/02
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		Т	1	1	1		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite	4 1 1 5		Lab Code	Lab	61.111																
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Code GELC								<	0.725	0.725							-
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L								49	0.725							
	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L								48.7	0.725							
	Bromide	Br(-1)		GELC	mg/L																
-	Calcium Chloride	Ca Cl(-1)		GELC GELC	mg/L mg/L								12.3 2.85	0.00554 0.0322							
	Fluoride	F(-1)		GELC	mg/L			0.339	0.006				0.244	0.0553							
	Fluoride	F(-1)		NMSSL	mg/L								4.07	0.00540							
GENINORG	Magnesium Nitrate-Nitrite as N	Mg NO3+NO2-N		GELC GELC	mg/L mg/L			0.3	0.01				4.87 0.29	0.00518 0.01							
N N	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L																
GEN	Perchlorate Potassium	CIO4 K		GELC GELC	μg/L mg/L								2.3	0.0165							
	Silicon Dioxide	SiO2		GELC	mg/L																
-	Sodium Specific Conductance	Na SPEC CONDC	Field	GELC FLD	mg/L uS/cm			150					13.4 150.1	0.0144				159.4			
	Sulfate	SO4(-2)	i ieiu	GELC	mg/L			130					2.76	0.193				100.4			
_	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L								166	5.09							
-	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L mg/L																
	Total Suspended Solids	TSS	F:	GELC	mg/L							<	0.35	0.35				7.00			
+	pH Aluminum	pH Al	Field	FLD GELC	SU µg/L			8.02					8.02					7.62			
	Antimony	Sb		GELC	μg/L																
	Antimony Arsenic	Sb As		NMSSL GELC	μg/L μg/L																
	Arsenic	As		NMSSL	μg/L																
	Barium Barium	Ba Ba		GELC NMSSL																	
-	Beryllium	Be		GELC	μg/L μg/L																
_	Beryllium	Be		NMSSL	μg/L																
-	Boron Cadmium	B Cd		GELC GELC	μg/L μg/L																
	Cadmium	Cd		NMSSL	μg/L																
	Chromium Chromium	Cr Cr		GELC NMSSL	μg/L μg/L																
NLS	Cobalt	Co		GELC	μg/L																
METAL	Copper Iron	Cu Fe		GELC GELC	μg/L μg/L																
≥ _	Lead	Pb		GELC	μg/L																
	Manganese Mercury	Mn Hg		GELC GELC	μg/L																
 	Mercury	Hg Hg		NMSSL	μg/L μg/L																
	Nickel Nickel	Ni Ni		GELC	μg/L																
	Selenium	Se		NMSSL GELC																	
	Selenium	Se		NMSSL	μg/L																
	Silver Thallium	Ag TI		GELC GELC	μg/L μg/L						1		1			1					\vdash
	Thallium	TI		NMSSL	μg/L																
-	Tin Vanadium	Sn V		GELC GELC	μg/L μg/L																
	Zinc	Zn		GELC	μg/L																
F	Americium-241 Cesium-137	Am-241 Cs-137		GELC GELC	pCi/L pCi/L								-0.451		2.46	0.833					
	Gross alpha	GROSSA		GELC	pCi/L								-0.401		2.40	0.000					
F	Gross beta	GROSSB		GELC		<u> </u>									-		-				
9	Gross gamma Plutonium-238	GROSSG Pu-238		GELC GELC	pCi/L pCi/L																
RAD	Strontium-90	Sr-90		GELC		<u> </u>		0.0085		0.0821	0.0241				-		-	_	-		
	Strontium-90 Tritium	Sr-90 H-3		PARA UMTL	pCi/L pCi/L								-0.06386	0.28737		0.12772					
	Uranium	U		GELC	μg/L																
	Uranium-234 Uranium-238	U-234 U-238		GELC GELC	pCi/L pCi/L																
	Graniulli-230	U-230	1	GELU	poi/L			<u> </u>	1	<u>I</u>	1	l .	1	l .	<u> </u>	1	1				

EP2006-1078 B-65 February 2007

Part										11.17 (0011												
Part							Start Date Time	08/24/02	08/24/02	08/24/02	08/24/02	08/24/02	09/25/02	09/25/02	09/25/02	09/25/02	09/25/02	10/09/02	10/09/02	10/09/02	10/09/02	10/09/02
Part																						_
Part														1					1			1
Part								CS	CS	CS	CS	CS	CS				CS	CS	CS	CS	CS	CS
Part							Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
Part							Fld Oc Type Code															
Part Part								CINICI E	CINICI E	CINICI E	CINICI E	CINCLE	CINCLE	CINICIE	CINCLE	CINICI E	CINICIE	CINICI E	CINCLE	CINCLE	CINICIE	CINCLE
Margin M							Well Class		1										1			
April Color April Apri			1					Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Authority	Anyl Suite			Lab Code	Lab																	
Astronomy Astr	Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																
Assertion Asse		Alkalinity-CO3		Ì	GELC																	
Manual School Manual Schoo		Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC																	
Page Page																						
California																						
Cheerer Crit																						
Part Part				1																		
Page									0.272	0.0552												
Montain				+					0.273	0.0555						†						
Name Name and No. 100,000.00.00.00.00.00.00.00.00.00.00.00.	(J																					
Sixt Sixt	 X			1					0.31	0.01	İ		1			1	1			1		
Sicor Pictors Sicol Sico	ĭ										1											
Sicor Pictors Sicol Sico	Z W		CIO4		GELC																	
Select No. Color	Ō					mg/L					ļ											
Society Control Sept. Control 190				1							<u> </u>	1				ļ						
Substant Substant				F				ļ	400.4		 			450 1		ļ	 		407.5			ļ
Top Decent State TUS				Field					163.1					153.4					137.5			
Total policies introgene 10x																						
Total Processes as Processes Color				1																		
Table September Spirits TSS																						
Proceedings																						
According Acco				Field					7.65					7.79					7.98			
Anterior					GELC																	
Areasic As						μg/L																
Agency A		,																				
Barlum Bo																						
Berlin				1																		
Beryllium Be				+																		
Berline																	+					
Boon B GELC pgl,																						
Cadmin																						
Chromium Cr GELC µgl						μg/L																
Chromium Cr																						
Cobat Co GELC IPI																						
Lead	S																					
Lead	Α̈́																-					
Lead	<u> </u>			+												†						
Manganese Min GELC pg/L	2																					
Mercury Hg											1											
Mercury			Hg		GELC																	
Nicke																						
Selenium Se				1							<u> </u>	1				ļ	1					
Selenium Se				+ +					1	1	1	+	 	1		1	1		1	 	1	
Silver Ag GELC pg/L				+				 	 	 	 	 	 			 	 		-	 		
Thallium Ti				+ +					+	+	 	+	 			 	+ -			 		+
Thatlium Ti				+ +							1	+	+			 	+			+		+
Tin Sn GELC µg/L				1							İ		1			1	1			1		
Vanadium V GELC µg/L	[
Americium-241 Am-241 GELC pCi/L	[V		GELC	μg/L																
Cesium-137 Cs-137 GELC pCi/L											ļ											oxdot
Gross alpha GROSSA GELC pCi/L]										ļ	<u> </u>	ļ									
Gross beta GROSSB GELC pCi/L				1					1	1	1	1	 			 	1			 		
Gross gamma GROSSG GELC pCi/L		·		 							1	1	 			 	+			 		
Plutonium-238				+							1	+	+			+	+			+	1	+ -
Strontium-90 Sr-90 GELC pCi/L -0.0054 0.104 0.03 Strontium-90 Sr-90 PARA pCi/L -0.0054 0.104 0.03 Strontium-90 Sr-90 PARA pCi/L -0.0054 DIAMETER PARA PCI/L -0.0054 DIAMET	۵			+ +							1	+	+			 	+			+		+
Strontium-90 Sr-90 PARA pCi/L Difference of the point of the	RA			1					-0.0054		0.104	0.03	1			1	1			1	İ	
Tritium H-3 UMTL pCi/L											1											
Uranium-234 U-234 GELC pČi/L IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	j	Tritium	H-3		UMTL																	
Uranium-238				1							<u> </u>	<u> </u>								<u> </u>		<u> </u>
		Uranium-238	U-238		GELC	pCi/L		l			I	I	1		l	1	1			1	l	

									11.17 (001												
						Start Date Time	10/09/02	10/09/02	10/09/02	10/09/02	10/09/02	11/16/02	11/16/02	11/16/02	11/16/02	11/16/02	05/14/03	05/14/03	05/14/03	05/14/03	05/14/03
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code		CS		CS	CS		CS	CS	CS	CS	CS	CS	CS	CS	CS
						- ' '	CS		CS			CS									+
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code					rtooun	Ota mai	Ota maa	014 0110011		1100411	ota mai	ota maa	014 0110011		rioduri	Ota mai	Ota maa	010 0110011
Code	Analyte Desc	Analyte		Lab Code	Std Uom																
Couc	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L																+
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium Chloride	<u>Ca</u> Cl(-1)		GELC GELC	mg/L mg/L						<u> </u>										+
	Fluoride	F(-1)		GELC	mg/L						-		0.291	0.0553				0.26	0.0553		+
	Fluoride	F(-1)		NMSSL	mg/L								0.20	0.0000				0.20	0.0000		
g	Magnesium	Mg		GELC	mg/L																
OR O	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L					ļ			0.33	0.01				0.3	0.01		\bot
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L			+		1						1		1			
GE!	Perchlorate Potassium	CIO4 K		GELC GELC	μg/L mg/L			+		 	1					 		 			+
-	Silicon Dioxide	SiO2		GELC	mg/L			1		1								1			
	Sodium	Na		GELC	mg/L			<u> </u>		<u> </u>								<u> </u>			
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm								154.6								
	Sulfate	SO4(-2)		GELC	mg/L																
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																+
	Total Suspended Solids	TSS		GELC	mg/L																
	рН	pН	Field	FLD	รับ								7.9								
	Aluminum	Al		GELC	μg/L			44.7	5.31												
	Antimony	Sb		GELC	μg/L																
	Antimony Arsenic	Sb As		NMSSL GELC	μg/L μg/L		<	0.53	0.53		<u> </u>										+
	Arsenic	As		NMSSL	μg/L			0.55	0.55												
	Barium	Ва		GELC	μg/L																
	Barium	Ва		NMSSL	μg/L																
	Beryllium	Be		GELC	μg/L																
	Beryllium Boron	Be B		NMSSL GELC	μg/L			67	0.19												
	Cadmium	Cd		GELC	μg/L μg/L		<	0.07	0.19		-										+
	Cadmium	Cd		NMSSL	μg/L																
	Chromium	Cr		GELC	μg/L			4.76	0.3												
w	Chromium	Cr		NMSSL	μg/L																
METALS	Cobalt	Co Cu		GELC GELC	μg/L		< <	0.04 1.11	0.04 0.25												
<u> </u>	Copper Iron	Fe		GELC	μg/L μg/L		_ `	1.11	0.25												+
≥	Lead	Pb		GELC	μg/L			0.355	0.05												
	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		GELC	μg/L																
	Mercury	Hg		NMSSL	μg/L			1		1						 		1			
	Nickel Nickel	Ni Ni		GELC NMSSL	μg/L μg/L			+								 		 			+
	Selenium	Se		GELC	μg/L		<	1	1												
	Selenium	Se		NMSSL	μg/L																
	Silver	Ag		GELC	μg/L					ļ								ļ			\perp
	Thallium	TI		GELC	μg/L			1		1						 		-			
	Thallium Tin	TI Sn	-	NMSSL GELC	μg/L μg/L			+		1						 		 			+
	Vanadium	V		GELC	μg/L μg/L			7.74	0.81	1								1			
	Zinc	Zn		GELC	μg/L			4.57	1.54	İ						1		İ			
	Americium-241	Am-241		GELC	pCi/L																
	Cesium-137	Cs-137		GELC	pCi/L					ļ								ļ			\perp
	Gross alpha	GROSSA		GELC	pCi/L			1		1						 		-			
	Gross beta Gross gamma	GROSSB GROSSG	-	GELC GELC	pCi/L pCi/L			+		1						 		 			+
۵	Plutonium-238	Pu-238		GELC	pCi/L pCi/L			 		<u> </u>						 		1			
RAD	Strontium-90	Sr-90		GELC	pCi/L								-0.017		0.137	0.0331		-0.0337		0.121	0.0346
	Strontium-90	Sr-90		PARA	pCi/L																
	Tritium	H-3		UMTL	pCi/L													-0.09579	0.28737		0.28737
	Uranium	U		GELC	μg/L			1		-						 		1			
	Uranium-234 Uranium-238	U-234 U-238		GELC GELC	pCi/L pCi/L			+								 		 			+
	Gramulli-230	0-230	1	GELU	PO//L	1	I	1	l .	Ī	I	l .	l .		I	1		I	l .	l .	

EP2006-1078 B-67 February 2007

						Start Date Time	10/09/02	08/21/03	08/21/03	08/21/03	08/21/03	08/21/03	09/24/03	09/24/03	09/24/03	09/24/03	09/24/03	10/29/03	10/29/03	10/29/03	10/29/03	10/29/03
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code																
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code										•					,				
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L			<	1.45	1.45												
│	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L				61.1 60.9	1.45 1.45												+
	Ammonia as Nitrogen	NH3-N		GELC	mg/L				00.9	1.43												
	Bromide	Br(-1)		GELC	mg/L																	
	Calcium Chloride	Ca Cl(-1)		GELC GELC	mg/L mg/L				9.47 1.9	0.00554 0.0322												
-	Fluoride	F(-1)		GELC	mg/L				0.356	0.0322								<	0.179	0.0553		+
	Fluoride	F(-1)		NMSSL	mg/L																	
l &	Magnesium	Mg NO3+NO2-N		GELC	mg/L			1	3.57	0.00518									0.00	0.04		
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	NO3+NO2-N NO3+NO2-N		GELC NMSSL	mg/L mg/L				0.58	0.02									0.28	0.01		+
	Perchlorate	CIO4		GELC	μg/L																	
) b	Potassium	K		GELC	mg/L				2.22	0.0165												
├-	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L			1	13.5	0.0144												
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				133.9					154.3					149.9			
l	Sulfate	SO4(-2)		GELC	mg/L				1.95	0.193												4
-	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L				168	3.07												+
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																	
-	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU			<	0.796 7.9	0.796				7.75					7.76			
	ргі Aluminum	Αl	rieiu	GELC	μg/L				7.9					1.15					7.70			
] [Antimony	Sb		GELC	μg/L																	
<u> </u>	Antimony Arsenic	Sb As		NMSSL GELC	μg/L μg/L		<															
	Arsenic	As		NMSSL	μg/L																	1
	Barium	Ва		GELC	μg/L																	
	Barium Beryllium	Ba Be		NMSSL GELC	μg/L μg/L																	
	Beryllium	Be		NMSSL	μg/L																	
<u> </u>	Boron	В		GELC	μg/L																	
	Cadmium Cadmium	Cd Cd		GELC NMSSL	μg/L μg/L		<															-
	Chromium	Cr		GELC	μg/L																	
ω	Chromium	Cr		NMSSL	μg/L																	
	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L		< <															+
METALS	Iron	Fe		GELC	μg/L																	
-	Lead Manganese	Pb Mn		GELC GELC	μg/L																	
	Mercury	Hg		GELC	μg/L μg/L																	+
	Mercury	Hg		NMSSL	μg/L																	
-	Nickel Nickel	Ni Ni		GELC NMSSL	μg/L μg/L																	
<u> </u>	Selenium	Se		GELC	μg/L		<															
	Selenium	Se		NMSSL	μg/L																	
	Silver Thallium	Ag TI		GELC GELC	μg/L μg/L																	-
	Thallium	TI		NMSSL	μg/L																	
l	Tin	Sn		GELC	μg/L																	
 	Vanadium Zinc	V Zn		GELC GELC	μg/L μg/L																	+
	Americium-241	Am-241		GELC	pCi/L				0.157		0.039	0.0225										
	Cesium-137 Gross alpha	Cs-137 GROSSA		GELC GELC	pCi/L pCi/L				-0.281 0.118		3.33 1.12	0.931 0.276										
<u> </u>	Gross alpha Gross beta	GROSSB		GELC	pCi/L			 	1.9		2.09	0.276										
_ [Gross gamma	GROSSG		GELC	pCi/L				95.5		325	99.3										
RAD	Plutonium-238 Strontium-90	Pu-238 Sr-90		GELC GELC	pCi/L pCi/L			-	-0.027 0.0049		0.054 0.342	0.0229 0.0766							0.0185		0.128	0.0309
"	Strontium-90	Sr-90		PARA	pCi/L				0.00 1 8		J.J T Z	0.0700							0.0100		V. 120	0.0009
	Tritium	H-3		UMTL	pCi/L														1.2772	0.57474		0.6386
	Uranium Uranium-234	U U-234		GELC GELC	μg/L pCi/L			-	0.228		0.063	0.0307										
 	Uranium-238	U-238		GELC	pCi/L				0.228		0.003	0.0307										<u> </u>
<u> </u>					•				L. Carlotte and Carlotte and Carlotte and Carlotte and Carlotte and Carlotte and Carlotte and Carlotte and Car			L.										

						Start Date Time	11/24/03	11/24/03	11/24/03	11/24/03	11/24/03	12/17/03	12/17/03	12/17/03	12/17/03	12/17/03	01/28/04	01/28/04	01/28/04	01/28/04	01/28/04
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3		GELC GELC	mg/L mg/L																-
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
-	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L mg/L																
	Chloride	CI(-1)		GELC	mg/L																
<u> </u>	Fluoride Fluoride	F(-1) F(-1)		GELC NMSSL	mg/L mg/L		<	0.18	0.0553												<u> </u>
U U	Magnesium	Mg		GELC	mg/L																
l R	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.27	0.01												
GENINORG	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		NMSSL GELC	mg/L μg/L								1					0.347			
5	Potassium	K		GELC	mg/L													2.31,			
	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L																
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm								147.1					147.2			
<u> </u>	Sulfate	SO4(-2)		GELC	mg/L																
-	Total Dissolved Solids Total Kieldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU								7.73					7.73			
	Aluminum	Al	riola	GELC	μg/L								7.70					7.70			
	Antimony Antimony	Sb Sb		GELC NMSSL	μg/L		<	0.2	0.2												
-	Artimony	As		GELC	μg/L μg/L			0.625	0.53												
	Arsenic	As		NMSSL	μg/L			22.2	2.25												
	Barium Barium	Ba Ba		GELC NMSSL	μg/L μg/L			29.9	0.25												
	Beryllium	Be		GELC	μg/L		<	0.07	0.07												
	Beryllium Boron	Be B		NMSSL GELC	μg/L μg/L																
	Cadmium	Cd		GELC	μg/L		<	0.07	0.07												
	Cadmium Chromium	Cd Cr		NMSSL GELC	μg/L μg/L			4.94	0.3												
	Chromium	Cr		NMSSL	μg/L			4.54	0.3												
METALS	Cobalt	Co Cu		GELC	μg/L																
AET	Copper Iron	Fe		GELC GELC	μg/L μg/L																
	Lead	Pb		GELC	μg/L																
-	Manganese Mercury	Mn Hg		GELC GELC	μg/L μg/L		<	0.0472	0.0472												
	Mercury	Hg		NMSSL	μg/L																
	Nickel Nickel	Ni Ni		GELC NMSSL	μg/L μg/L			0.237	0.07							1					
	Selenium	Se		GELC	μg/L		<	1	1												
	Selenium Silver	Se		NMSSL GELC	μg/L																\Box
	Thallium	Ag TI		GELC	μg/L μg/L		<	0.02	0.02				1								
	Thallium	TI C-		NMSSL	μg/L																
	Tin Vanadium	Sn V		GELC GELC	μg/L μg/L											 					+
	Zinc	Zn		GELC	μg/L																
	Americium-241 Cesium-137	Am-241 Cs-137		GELC GELC	pCi/L pCi/L								-								
	Gross alpha	GROSSA		GELC	pCi/L			0.665		0.812	0.26										
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L			2.95		2.16	0.643										\Box
∣ _₽ ├	Plutonium-238	Pu-238		GELC	pCi/L																
RAD	Strontium-90	Sr-90		GELC	pCi/L								1								
	Strontium-90 Tritium	Sr-90 H-3		PARA UMTL	pCi/L pCi/L											 					+
	Uranium	U		GELC	μg/L																
	Uranium-234 Uranium-238	U-234 U-238		GELC GELC	pCi/L pCi/L											1					
	Graniu/II-230	0-230	l l	GELU	po//L	1	<u> </u>	1		l .	<u>I</u>	<u>I</u>	1	<u>I</u>	1	I	l .	l .	1		

EP2006-1078 B-69 February 2007

									(00110	aoa,											
						Start Date Time	02/09/04	02/09/04	02/09/04	02/09/04	02/09/04	03/24/04	03/24/04	03/24/04	03/24/04	03/24/04	05/20/04	05/20/04	05/20/04	05/20/04	05/20/04
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
							1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	0441
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
	T			1			Sylli	Result	Stu Mui	Stu iviua	Stu Uncert	Sylli	Result	Stu Mui	Stu iviua	Stu Uncert	Sylli	Resuit	Stu iviui	Stu iviua	Stu Officert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded) La	ab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3	i i	GELC	mg/L												<	1.45	1.45		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L													60.3	1.45		
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L													60	1.45		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
Ì	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L													11.9	0.00554		
	Chloride	CI(-1)		GELC	mg/L													2.56	0.0322		
	Fluoride	F(-1)		GELC	mg/L			0.289	0.0553									0.205	0.0553		
j	Fluoride	F(-1)	l N	NMSSL	mg/L																
၂ ပွ	Magnesium	Mg		GELC	mg/L													4.77	0.00518		
l R	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.26	0.01									0.25	0.01		
<u>≨</u>	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L																
GENINORG	Perchlorate	CIO4		GELC	μg/L			0.301					0.356					0.314	0.05		
Ō	Potassium	K		GELC	mg/L												·	2.31	0.0165		
[Silicon Dioxide	SiO2		GELC	mg/L												·	87.9	0.0212		
] [Sodium	Na		GELC	mg/L													13.2	0.0144		
[Specific Conductance	SPEC_CONDC		FLD	uS/cm			147.2	ļ	1	1	1	161.3			1		142.9			
ļ	Sulfate	SO4(-2)		GELC	mg/L													2.38	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L													149	3.07		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
,	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
,	Total Suspended Solids	TSS		GELC	mg/L			7.04									<	0.764	0.764		
	pH	pH		FLD	SU			7.64					7.75					7.73			
	Aluminum	Al		GELC	μg/L											1	<	14.7	14.7		
}	Antimony	Sb		GELC NMSSL	μg/L												<	0.28	0.28		
}	Antimony Arsenic	Sb As		GELC	µg/L								-			+	<	2.24	2.24		
}	Arsenic	As		NMSSL	μg/L μg/L													2.24	2.24		
}	Barium	Ba		GELC	μg/L μg/L											1		32.5	0.222		
ł	Barium	Ba		NMSSL	μg/L													32.3	0.222		
†	Beryllium	Be		GELC	μg/L												<	0.158	0.158		
}	Beryllium	Be		NMSSL	μg/L													0.100	0.100		
Ì	Boron	В		GELC	μg/L											1	<	15.8	4.88		
Ì	Cadmium	Cd		GELC	μg/L												<	0.04	0.04		
Ì	Cadmium	Cd		NMSSL	μg/L																
Ì	Chromium	Cr		GELC	μg/L													5.9	0.503		
[Chromium	Cr	N	NMSSL	μg/L																
[2	Cobalt	Со		GELC	μg/L												<	0.541	0.541		
METALS	Copper	Cu		GELC	μg/L												<	1.39	1.39		
WE	Iron	Fe		GELC	μg/L												<	12.6	12.6		
	Lead	Pb		GELC	μg/L													0.283	0.05		
[Manganese	Mn		GELC	μg/L				ļ	1	1	1				1		1.81	0.296		
] .	Mercury	Hg		GELC	μg/L					ļ	ļ	ļ	ļ			1	<	0.0472	0.0472		
	Mercury	Hg		NMSSL	μg/L								 						0.55		
	Nickel	Ni Ni		GELC	μg/L		ļ		-	-	-	-				1	<	0.69	0.69		
 	Nickel	Ni Ca		NMSSL	μg/L				 	1	1	1	1			1		2.55	0.04		
	Selenium	Se		GELC	µg/L				 	1	 	 				+	<	3.55	2.81		
	Selenium	Se		NMSSL	µg/L				1	+	+	+				1		0.005	0.005		
}	Silver Thallium	Ag TI		GELC GELC	μg/L μg/L		-		 	 	 	 	 			+	< <	0.835 0.02	0.835 0.02		
}	Thallium			NMSSL					 	+	+	+	1			+		0.02	0.02		
 	Tin	Sn		GELC	μg/L μg/L				 	1	1	1	1			1	<	3.26	3.26		
	Vanadium	V		GELC	μg/L μg/L	<u> </u>			†	1	1	1	<u> </u>			+		10.5	0.606		
	Zinc	Zn		GELC	μg/L					 	 	 	†			 		12.2	0.883		
	Americium-241	Am-241		GELC	pCi/L					1	1	<u> </u>				†		0.0089	0.000	0.032	0.0069
	Cesium-137	Cs-137		GELC	pCi/L				<u> </u>	1	1	1				†		15.2		5.37	1.55
	Gross alpha	GROSSA		GELC	pCi/L					1	1	<u> </u>				†		0.463		1.65	0.414
	Gross beta	GROSSB		GELC	pCi/L				1	1	1	1	1			1		2.6		2.95	0.794
	Gross gamma	GROSSG		GELC	pCi/L				1	1	1	1				1		150		347	92.1
Q	Plutonium-238	Pu-238		GELC	pCi/L			İ	1							†		-0.00225		0.035	0.00595
RAD	Strontium-90	Sr-90		GELC	pCi/L			0.115		0.234	0.0605					1		0.194		0.28	0.0791
	Strontium-90	Sr-90		PARA	pCi/L			<u></u>								<u> </u>					
]	Tritium	H-3		UMTL	pCi/L											<u> </u>		2.36282	0.28737		0.3193
	Uranium	U		GELC	μg/L											<u> </u>		0.553	0.02		
]	Uranium-234	U-234		GELC	pCi/L													0.387		0.078	0.0433
<u> </u>	Uranium-238	U-238		GELC	pCi/L												·	0.169		0.055	0.0269

						Start Date Time	08/31/04	08/31/04	08/31/04	08/31/04	08/31/04	11/16/04	11/16/04	11/16/04	11/16/04	11/16/04	03/23/05	03/23/05	03/23/05	03/23/05	03/23/05
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Tron Glaco	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code				- Syiii	Result	Jtu Mui	Sta Waa	Std Officert	Sym	Result	Sta Wai	Jtu Muu	Std Officert	- Sym	Rosuit	Sta Wai	Jtu Muu	Std Officert
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
0000	Alkalinity-CO3	ALK-CO3	(Decouded)	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L																
 	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L																
	Chloride Fluoride	CI(-1) F(-1)		GELC GELC	mg/L																
	Fluoride	F(-1)		NMSSL	mg/L mg/L																+
O.	Magnesium	Mg		GELC	mg/L																
lo _R	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L																
GENINORG	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		NMSSL GELC	mg/L μg/L			0.376	0.05				0.361	0.05				0.36	0.05		+
GE	Potassium	K		GELC	mg/L			0.070	0.00				0.001	0.00				0.00	0.00		
	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium Specific Conductance	Na SPEC CONDC	Field	GELC FLD	mg/L uS/cm			140					124.2					123.8			+
	Specific Conductance Sulfate	SO4(-2)	rieid	GELC	mg/L			140					124.2					123.8			+
	Total Dissolved Solids	TDS		GELC	mg/L																
<u> </u>	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
 	Total Phosphate as Phosphorus Total Suspended Solids	PO4-P TSS		GELC GELC	mg/L mg/L																+
	pH	pH	Field	FLD	SU			7.81					7.64					7.37			
	Aluminum	Al		GELC	μg/L																
	Antimony Antimony	Sb Sb		GELC NMSSL	μg/L μg/L																
	Arsenic	As		GELC	μg/L μg/L																+
	Arsenic	As		NMSSL	μg/L																
	Barium	Ba		GELC	μg/L																
 	Barium Beryllium	Ba Be		NMSSL GELC	μg/L μg/L																+
	Beryllium	Be		NMSSL	μg/L																
<u> </u>	Boron	В		GELC	μg/L																
 	Cadmium Cadmium	Cd Cd		GELC NMSSL	μg/L μg/L																+
	Chromium	Cr		GELC	μg/L																
S	Chromium	Cr		NMSSL	μg/L																
METAL	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L																
le de la company	Iron	Fe		GELC	μg/L																
	Lead	Pb		GELC	μg/L																
-	Manganese Mercury	Mn		GELC GELC	μg/L																
-	Mercury	Hg Hg		NMSSL	μg/L μg/L																+
	Nickel	Ni		GELC	μg/L																
	Nickel Selenium	Ni Se		NMSSL GELC	μg/L								1								+
	Selenium Selenium	Se Se		NMSSL	μg/L μg/L																+
	Silver	Ag		GELC	μg/L																
	Thallium	TI		GELC	μg/L																+
	Thallium Tin	TI Sn		NMSSL GELC	μg/L μg/L																+
	Vanadium	V		GELC	μg/L																
	Zinc	Zn		GELC	μg/L																
	Americium-241 Cesium-137	Am-241 Cs-137		GELC GELC	pCi/L pCi/L								1								+
	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta	GROSSB		GELC	pCi/L																
_ 	Gross gamma Plutonium-238	GROSSG Pu-238		GELC GELC	pCi/L pCi/L																+
RAD	Strontium-90	Sr-90		GELC	pCi/L																
	Strontium-90	Sr-90		PARA	pCi/L																
	Tritium Uranium	H-3 U		UMTL GELC	pCi/L								-0.9579	0.28737		0.28737					+
	Uranium Uranium-234	U-234		GELC	μg/L pCi/L																+
	Uranium-238	U-238		GELC	pCi/L																
																					

						Start Date Time	05/18/05	05/18/05	05/18/05	05/18/05	05/18/05	08/17/05	08/17/05	08/17/05	08/17/05	08/17/05	11/16/05	11/16/05	11/16/05	11/16/05	11/16/05
						Fld Prep Code	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom															 	
}	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3	+	GELC GELC	mg/L mg/L		<	1.45 75	1.45 1.45											\vdash	+
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			74.9	1.45												
	Ammonia as Nitrogen	NH3-N		GELC	mg/L															 '	
}	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L mg/L			11.8	0.036											\vdash	
	Chloride	CI(-1)		GELC	mg/L			2.27	0.053												
	Fluoride	F(-1) F(-1)		GELC NMSSL	mg/L			0.26	0.03											 '	<u> </u>
O	Fluoride Magnesium	Mq		GELC	mg/L mg/L			4.5	0.085											 	
O. O.	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.278	0.003												
GENINORG	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		NMSSL GELC	mg/L			0.326	0.05				0.323	0.05				0.344	0.05	 	
B.	Potassium	K		GELC	μg/L mg/L			2.23	0.05				0.323	0.05				0.344	0.05		
] [Silicon Dioxide	SiO2		GELC	mg/L			85.7	0.032												
	Sodium Specific Conductance	Na SPEC CONDC	Field	GELC FLD	mg/L uS/cm			13.3 153.5	0.045				149.1					144.7		 '	
	Sulfate	SO4(-2)	i iciu	GELC	mg/L			2.07	0.057				173.1					174.1			
[Total Dissolved Solids	TDS		GELC	mg/L			152	2.38												
}	Total Kjeldahl Nitrogen Total Phosphate as Phosphorus	TKN PO4-P		GELC GELC	mg/L mg/L		<	0.046	0.01											\vdash	
	Total Suspended Solids	TSS		GELC	mg/L			0.040	0.01												
	pH	pH	Field	FLD	SU			7.8					7.86					7.41		[
}	Aluminum Antimony	Al Sb		GELC GELC	μg/L μg/L		< <	68 0.5	68 0.5											\vdash	
	Antimony	Sb		NMSSL	μg/L			0.0	0.0												
Ţ	Arsenic	As		GELC	μg/L		<	6	6												
}	Arsenic Barium	As Ba		NMSSL GELC	μg/L μg/L			30.4	1											\vdash	
	Barium	Ba		NMSSL	μg/L			30.4													
]	Beryllium	Be		GELC	μg/L		<	0.1	0.1											[
}	Beryllium Boron	Be B	1	NMSSL GELC	μg/L μg/L			15.5	10											\vdash	
	Cadmium	Cd		GELC	μg/L		<	0.1	0.1												
	Cadmium	Cd Cr		NMSSL	μg/L			4.0	4											 '	<u> </u>
	Chromium Chromium	Cr		GELC NMSSL	μg/L μg/L			4.8	1											 	
YL S	Cobalt	Co		GELC	μg/L		<	1	1												
METAL	Copper Iron	Cu Fe		GELC GELC	μg/L μg/L		<	3 18	3 18											 	
Σ	Lead	Pb		GELC	μg/L μg/L		<	0.5	0.5												
	Manganese	Mn		GELC	μg/L		<	1	1												
}	Mercury Mercury	Hg Hg		GELC NMSSL	μg/L μg/L		<	0.05	0.05											 '	
	Nickel	Ni		GELC	μg/L		<	1	1												
] [Nickel	Ni Ca		NMSSL	μg/L			_													
}	Selenium Selenium	Se Se	1	GELC NMSSL	μg/L μg/L		<	6	6											\vdash	
l t	Silver	Ag		GELC	μg/L		<	1	1												
	Thallium	TI TI		GELC	μg/L		<	0.4	0.4											<u> </u>	
}	Thallium Tin	TI Sn		NMSSL GELC	μg/L μg/L		<	2.5	2.5											 	
]	Vanadium	V		GELC	μg/L			11	1												
	Zinc	Zn Am-241		GELC GELC	μg/L pCi/L		<	3.8	2	0.044	0.0147									 '	\vdash
	Americium-241 Cesium-137	Cs-137		GELC	pCi/L pCi/L			-0.0178 -0.711		2.71	0.0147										
ļ	Gross alpha	GROSSA		GELC	pCi/L			-0.17		1.81	0.413										
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L			1.71 159		1.26 427	0.385 108									 	
	Plutonium-238	Pu-238		GELC	pCi/L pCi/L			5.77E-10		0.05	0.00685										\vdash
RAD	Strontium-90	Sr-90		GELC	pCi/L			0.0416		0.268	0.0654			_							
	Strontium-90 Tritium	Sr-90 H-3		PARA UMTL	pCi/L pCi/L			1.18141	0.28737		0.28737							-0.06386		0.28737	0.28737
	Uranium	U		GELC	μg/L			1.10141	5.20101		0.20101							0.00000		5. <u>2</u> 0101	0.20101
	Uranium-234	U-234		GELC	pCi/L			0.391		0.091	0.0388										
	Uranium-238	U-238		GELC	pCi/L			0.218	<u> </u>	0.064	0.0277										

					[Start Date Time	05/18/05	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	01/19/06	05/24/06	05/24/06	05/24/06	05/24/06	05/24/06
						Fld Prep Code	SW	F	F	F	F	F	SW	SW	SW	SW	SW	F	F	F	F	F
					Ì	Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Ì	Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
					Ì	Fld Qc Type Code																
					Ì	Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code																			
Code	Analyte Desc	Analyte	(Decoded)	Lab Code																		
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3		GELC GELC	mg/L mg/L		<															-
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																	
	Ammonia as Nitrogen Bromide	NH3-N Br(-1)		GELC GELC	mg/L																	<u> </u>
	Calcium	Ca		GELC	mg/L mg/L				11.2	0.036				11.4	0.036							
	Chloride	CI(-1)		GELC	mg/L																	
	Fluoride Fluoride	F(-1) F(-1)		GELC NMSSL	mg/L mg/L																	-
Ö	Magnesium	Mg		GELC	mg/L				4.4	0.085				4.46	0.085							
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	NO3+NO2-N NO3+NO2-N		GELC NMSSL	mg/L																	
E E	Perchlorate	CIO4		GELC	mg/L μg/L									0.305	0.05							
99	Potassium	K		GELC	mg/L				2.12	0.05				2.18	0.05							
	Silicon Dioxide Sodium	SiO2 Na		GELC GELC	mg/L mg/L				86.4 12.6	0.032 0.045				87.4 12.5	0.032 0.045							+
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				12.0	0.040				145.6	0.040							
	Sulfate	SO4(-2)		GELC	mg/L																	
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L																	+
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L		<															
	Total Suspended Solids	TSS	E: 11	GELC	mg/L									7.00								
	pH Aluminum	pH Al	Field	FLD GELC	SU µg/L		<	<	68	68			<	7.93 68	68							+
	Antimony	Sb		GELC	μg/L		<	<	0.5	0.5			<	0.5	0.5							
	Antimony	Sb		NMSSL	μg/L				•	^					•							
	Arsenic Arsenic	As As		GELC NMSSL	μg/L μg/L		<	<	6	6			<	6	6							+
	Barium	Ba		GELC	μg/L				31.1	1				31.6	1							
	Barium	Ba		NMSSL	μg/L			<	1	1			<	1	1							
	Beryllium Beryllium	Be Be		GELC NMSSL	μg/L μg/L		<	_	1	1			`	I	I							+
	Boron	В		GELC	μg/L				18.2	10				17.8	10							
	Cadmium Cadmium	Cd Cd		GELC NMSSL	μg/L μg/L		<	<	0.1	0.1			<	0.1	0.1							
	Chromium	Cr		GELC	μg/L μg/L				5.5	1				5.7	1				4.8	1		
Ø	Chromium	Cr		NMSSL	μg/L																	
, F	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L		<	<	3	3			<	3	3							-
METAL	Iron	Fe		GELC	μg/L		<	<	18	18			,	31.1	18							
_	Lead	Pb		GELC	μg/L		<	<	0.5	0.5			<	0.5	0.5							
	Manganese Mercury	Mn Hg		GELC GELC	μg/L μg/L		< <	<	2	2			<	2	2							+
	Mercury	Hg		NMSSL	μg/L μg/L																	
	Nickel Nickel	Ni Ni		GELC	μg/L		<	<	0.5	0.5			<	0.5	0.5							
	Nickel Selenium	Ni Se		NMSSL GELC	μg/L μg/L		<	<	2.5	2.5			<	2.5	2.5							+
	Selenium	Se		NMSSL	μg/L																	
	Silver	Ag		GELC	μg/L		<	<	0.2	0.2			< 1	0.2	0.2							
	Thallium Thallium	TI TI		GELC NMSSL	μg/L μg/L		<	<	0.4	0.4			<	0.4	0.4							+
	Tin	Sn		GELC	μg/L		<	<	2.5	2.5			<	2.5	2.5							
	Vanadium Zinc	V Zn		GELC GELC	μg/L μg/L		<	1	9.8 4.6	2	1			9.8 6.4	2	1	1					
	Americium-241	Am-241		GELC	μg/L pCi/L				7.0					U. 4								
	Cesium-137	Cs-137		GELC	pCi/L																	
	Gross alpha Gross beta	GROSSA GROSSB		GELC GELC	pCi/L pCi/L						1					1	1					+
	Gross gamma	GROSSG		GELC	pCi/L																	
RAD	Plutonium-238	Pu-238		GELC	pCi/L																	
<u>~</u>	Strontium-90 Strontium-90	Sr-90 Sr-90		GELC PARA	pCi/L pCi/L			1		-	1					1	1					
	Tritium	H-3		UMTL	pCi/L pCi/L																	
	Uranium	U		GELC	μg/L				0.5	0.05				0.5	0.05							
	Uranium-234	U-234		GELC	pCi/L			-		-							1					
	Uranium-238	U-238		GELC	pCi/L		l	I		I	<u> </u>			l	L	<u> </u>	<u> </u>		<u> </u>	1	<u> </u>	

EP2006-1078 B-73 February 2007

						Start Date Time	05/24/06	05/24/06	05/24/06	05/24/06	05/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06	08/24/06
						Fld Prep Code	SW	SW	SW	SW	SW	F	F	F	F	F	SW	SW	SW	SW	SW
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	0.725	0.725												
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L			70.1	0.725												
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.01	0.01												
	Bromide	Br(-1)		GELC GELC	mg/L		<	0.066	0.066 0.036												
 	Calcium Chloride	Ca Cl(-1)		GELC	mg/L mg/L			11.5 2.62	0.036												
	Fluoride	F(-1)		GELC	mg/L			0.315	0.033												
	Fluoride Magnesium	F(-1) Ma		NMSSL GELC	mg/L			4.41	0.085												
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L mg/L			0.304	0.005												
Ĭ	Nitrate-Nitrite as N	NO3+NO2-N		NMSSL	mg/L																
E E	Perchlorate Potassium	CIO4 K		GELC GELC	μg/L mg/L			0.336 2.14	0.05 0.05									0.34	0.05		
	Silicon Dioxide	SiO2		GELC	mg/L			85.5	0.032												
	Sodium	Na		GELC	mg/L			12.7	0.045												
	Specific Conductance Sulfate	SPEC_CONDC SO4(-2)	Field	FLD GELC	uS/cm mg/L			151.7 2.63	0.1									149.9			
	Total Dissolved Solids	TDS		GELC	mg/L			167	2.38												
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L		<	0.01	0.01												
	Total Phosphate as Phosphorus Total Suspended Solids	PO4-P TSS		GELC GELC	mg/L mg/L		<	0.038	0.01												
	рН	pH	Field	FLD	SU			7.68										8			
	Aluminum	Al		GELC GELC	μg/L		<	68	68 0.5												
 	Antimony Antimony	Sb Sb		NMSSL	μg/L μg/L		<	0.5	0.5												
	Arsenic	As		GELC	μg/L		<	6	6												
	Arsenic Barium	As Ba		NMSSL GELC	μg/L μg/L			29.8	1												
	Barium	Ba		NMSSL	μg/L			29.0	'												
	Beryllium	Be		GELC	μg/L		<	1	1												
	Beryllium Boron	Be B		NMSSL GELC	μg/L μg/L			15.6	10												
	Cadmium	Cd		GELC	μg/L		<	0.1	0.1												
-	Cadmium Chromium	Cd Cr		NMSSL GELC	μg/L			4.8	1				5.8	1				6	1		
-	Chromium	Cr		NMSSL	μg/L μg/L			4.0	'				5.6					b			
ALS	Cobalt	Co		GELC	μg/L		<	1	1												
METAL	Copper Iron	Cu Fe		GELC GELC	μg/L μg/L		<	3 18	3 18												
Σ	Lead	Pb		GELC	μg/L μg/L		<	0.5	0.5												
	Manganese	Mn		GELC	μg/L		<	2	2												
	Mercury Mercury	Hg Hg		GELC NMSSL	μg/L μg/L		<	0.06	0.06	1		1									
	Nickel	Ni		GELC	μg/L		<	0.5	0.5												
	Nickel	Ni Se		NMSSL GELC	μg/L			2.5	2 =												
	Selenium Selenium	Se Se		NMSSL	μg/L μg/L		<	2.5	2.5												
į į	Silver	Ag		GELC	μg/L		<	0.2	0.2												
	Thallium Thallium	TI TI		GELC NMSSL	μg/L		<	0.4	0.4												
	Tin	Sn		GELC	μg/L μg/L		<	2.5	2.5												
	Vanadium	V		GELC	μg/L			9.9	1												
	Zinc Americium-241	Zn Am-241		GELC GELC	μg/L pCi/L		<	5.9 -0.0123	2	0.0338	0.0174										
	Cesium-137	Cs-137		GELC	pCi/L			1.86		3.99	1.01										
	Gross alpha	GROSSA		GELC	pCi/L			0.787	1	2.32	0.574										
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L			1.36 74.7	1	2.94 281	0.736 75	1									
RAD	Plutonium-238	Pu-238		GELC	pCi/L			-0.0103		0.0619	0.00731										
8	Strontium-90	Sr-90		GELC PARA	pCi/L			-0.0116		0.458	0.101										
	Strontium-90 Tritium	Sr-90 H-3		UMTL	pCi/L pCi/L			-0.03193		0.28737	0.28737										
	Uranium	U		GELC	μg/L			0.57	0.05												
	Uranium-234	U-234 U-238		GELC GELC	pCi/L			0.405 0.187		0.129 0.0725	0.0481										<u> </u>
	Uranium-238	U-230	1	GELU	pCi/L	1		U.101	<u> </u>	0.0725	0.0311	I	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>			l	

Table B-1.18 R-1

						Start Date Time	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	09/12/05	09/12/05	09/12/05	09/12/05	09/12/05
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
						Fld Qc Type Code	100111	100111				100111			100111						100111
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						well class							1								
		ı	1	1			Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																	
Code	Analyte Desc	Analyte	(Decoded)		Std Uom																
-	Alkalinity-CO3	ALK-CO3-LICO3	Field	GELC	mg/L		<	1.45	1.45								<	1.45	1.45		
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3	Field	FLD EES6	mg/L mg/L								68.7	1							
-	Alkalinity-C03+HC03 Alkalinity-C03+HC03	ALK-CO3+HCO3		GELC	mg/L			62.2	1.45				00.7					60.1	1.45		
	Alkalinity-HCO3	ALK-COSTTICOS ALK-HCO3		GELC	mg/L			62	1.45									00.1	1.43		
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.01	0.01			<	0.01	0.01			<	0.04	0.04		
	Bromide	Br(-1)		EES6	mg/L								0.17	0.01							
	Bromide	Br(-1)		GELC	mg/L			0.179	0.041									0.149	0.041		
	Calcium	Ca		EES6	mg/L								10.6	0.01		0.1					
	Calcium	Ca		GELC	mg/L			12.2	0.036				11.7	0.036				11.4	0.036		
	Chloride	CI(-1)		EES6	mg/L				0.6				1.89	0.01				1.55	0.0		
	Chloride	CI(-1)		GELC	mg/L			1.84	0.053		-		0.15	0.01				1.96	0.053		
	Fluoride	F(-1)		EES6	mg/L			0.064	0.00				0.15	0.01				0.000	0.00		
	Fluoride Magnesium	F(-1) Mg		GELC EES6	mg/L mg/L			0.261	0.03				3.34	0.01		0.02		0.203	0.03		
	Magnesium	Mg	1	GELC	mg/L			4.22	0.085				4.06	0.01		0.02		4	0.085		
()	Nitrate as Nitrogen	NO3-N		EES6	mg/L			4.22	0.003				0.311742	0.003				7	0.003		
l %	Nitrate-Nitrite as N	NO3+NO2-N	1	GELC	mg/L			0.251	0.003				0.244	0.003				0.253	0.017		
GENINORG	Nitrite as Nitrogen	NO2-N		EES6	mg/L			0.00				<	0.003	0.003					0.0.1		
	Perchlorate	CIO4		GELC	μg/L								0.314	0.05				0.33	0.05		
15	Potassium	K		EES6	mg/L								1.37	0.01							
	Potassium	K		GELC	mg/L			1.79	0.05				1.71	0.05				1.65	0.05		
	Silicon Dioxide	SiO2		EES6	mg/L								33.1	10		0.2					
	Silicon Dioxide	SiO2		GELC	mg/L			75.9	0.032				74.8	0.032		9.4	<	74	0.032		
	Sodium	Na	1	EES6	mg/L			40.0	0.045				11.4	0.01		0.1		40.5	0.045		
-	Sodium Specific Conductance	Na SPEC_CONDC	Field	GELC FLD	mg/L uS/cm			12.9	0.045				12.6 157.7	0.045				12.5	0.045		
-	Specific Conductance Sulfate	SO4(-2)	rieiu	EES6	mg/L								3.7	0.01				1			
	Sulfate	SO4(-2)		GELC	mg/L			3.65	0.057				5.7	0.01				3.27	0.057		
	Sulfide. Total	S(-2)	Field	FLD	mg/L			0.00	0.007									0.27	0.007		
	Total Dissolved Solids	TDS	1.0.0	GELC	mg/L													140	2.38		
•	Total Kjeldahl Nitrogen	TKN		GELC	mg/L		<	0.01	0.01			<	0.01	0.01			<	0.536	0.04		
	Total Organic Carbon	TOC		GELC	mg/L							<	0.215	0.074							
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L								0.0326	0.003							
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L		<	0.038	0.038									0.11	0.048		
	Total Suspended Solids	TSS	F:-! '	GELC	mg/L								7.00								
	pH Aluminum	pH Al	Field	FLD EES6	SU						1		7.63	2							
	Aluminum Aluminum	Al		GELC	µg/L		<	68	68			<	23 68	2 68			<	68	68		
	Antimony	Sb		EES6	μg/L μg/L			00	00		1	<	1	1				00	00		
	Antimony	Sb		GELC	μg/L		<	0.5	0.5		1	<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		EES6	μg/L								0.9	0.2							
	Arsenic	As		GELC	μg/L		<	6	6			<	6	6			<	6	6		
	Barium	Ва		EES6	μg/L								17	1							
တ္	Barium	Ba		GELC	μg/L			17.9	1				17.3	11		<u> </u>		15.8	1		
METAL	Beryllium	Be		EES6	μg/L						<u> </u>	<	1	1				 			
Æ	Beryllium	Be		GELC	μg/L		<	0.1	0.1			<	0.1	0.1			<	1	1		
_	Boron Boron	<u>В</u> В		EES6 GELC	µg/L			13.9	10				12 13.3	1 10		2		12.4	10		<u> </u>
-	Cadmium	Cd		EES6	μg/L μg/L			13.8	10			<	13.3	10				12.4	10		
}	Cadmium	Cd		GELC	μg/L μg/L			0.11	0.1			_ `	0.14	0.1			<	0.1	0.1		
	Chromium	Cr		EES6	μg/L			0.11	V. I				4.2	1		0.1	•	0.1	0.1		
	Chromium	Cr		GELC	μg/L		<	4.5	1			<	4.6	1				5.6	1		
	Cobalt	Co		EES6	μg/L							<	1	1							
	Cobalt	Co		GELC	μg/L		<	1	1			<	1	1			<	1	1		
· · · · · · · · · · · · · · · · · · ·																					

EP2006-1078 B-75 February 2007

								T	(**************************************		1			1		•			1		
						Start Date Time	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	05/19/05	09/12/05	09/12/05	09/12/05	09/12/05	09/12/05
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class													Std Mdl		
			1	т			Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Sta Mai	Std Mda	Std Uncert
Anyl Suite			Lab Code		01.111																
Code	Analyte Desc	Analyte	(Decoded)		Std Uom								4.0	1							
	Copper Copper	Cu Cu	-	GELC	μg/L		<	3	3			<	4.8	3			<	3	3		
	Iron	Fe	Field	FLD	μg/L μg/L		`	3	3			_ `	3	3				3	3		
	Iron	Fe	Fleiu	EES6									60	10							
	Iron	Fe		GELC	μg/L μg/L			78.8	18	1	1		74.5	18			<	18	18		
	Lead	Pb		EES6	μg/L μg/L			70.0	10				0.3	0.2			`	10	10		
	Lead	Pb		GELC	μg/L μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn	1	EES6	μg/L		1	0.0	0.0			<	1	1			7	0.0	0.0		
	Manganese	Mn		GELC	μg/L		<	1	1			<	1	1			<	2	2		
	Mercury	Hq		EES6	μg/L		•	· ·				<	0.05	0.05				_			
(cont.)	Mercury	Hg		GELC	μg/L		<	0.05	0.05			<	0.05	0.05			<	0.05	0.05		
8)	Nickel	Ni		EES6	μg/L							<	1	1							
Ŋ	Nickel	Ni		GELC	μg/L		<	2	1			<	1	1				0.68	0.5		
METALS (Selenium	Se		EES6	μg/L							<	1	1							
Ē	Selenium	Se		GELC	μg/L		<	6	6			<	6	6			<	2.5	2.5		
≥	Silver	Ag		EES6	μg/L							<	1	1							
	Silver	Ag		GELC	μg/L		<	1	1			<	1	1			~	0.2	0.2		
	Thallium	TI		EES6	μg/L							<	1	1							
	Thallium	TI		GELC	μg/L		<	0.4	0.4			<	0.4	0.4			'	0.4	0.4		
	Tin	Sn		EES6	μg/L							<	1	1							
	Tin	Sn		GELC	μg/L												<	2.5	2.5		
	Vanadium	V		EES6	μg/L								7	1							
	Vanadium	V		GELC	μg/L			8.4	1				8.7	1				6.6	1		
	Zinc	Zn		EES6	μg/L								8	1							
	Zinc	Zn		GELC	μg/L			7.6	2				7.3	2				2.7	2		
	Americium-241	Am-241	1	GELC	pCi/L			1					0.00304		0.031	0.00366		0.0185		0.0361	0.00861
	Cesium-137	Cs-137	1	GELC	pCi/L			1					-1.92		3.38	1.05		1.03		3.47	0.9
	Gross alpha	GROSSA	1	GELC	pCi/L			ļ					ļ					0.577		1.53	0.396
	Gross beta	GROSSB	1	GELC	pCi/L			1		 	 	1	1	 	-	1		3.63	 	2.57	0.733
	Gross gamma	GROSSG	1	GELC	pCi/L			1		 	 	1	0.00545	 	0.050	0.00000		14.1	 	348	14.2
RAD	Plutonium-238	Pu-238 Sr-90		GELC	pCi/L pCi/L			+	-	 	 	1	0.00515 -0.229	 	0.053 0.415	0.00893 0.0844		-0.00516 0.054	 	0.0536	0.0132
Ľ	Strontium-90 Tritium	Sr-90 H-3		UMTL	pCi/L pCi/L			+		 	 	 	0.22351	 	0.415	0.0844		0.054	 	0.198	0.0478
	Uranium	H-3 U		EES6				+		 	 	+	0.22351	0.2	0.28/3/	0.28/3/		+	 		
	Uranium	U	-	GELC	μg/L			0.78	0.05				0.79	0.2	-	-		0.84	0.05		
	Uranium Uranium-234	U-234	1	GELC	μg/L pCi/L			0.78	0.05	 	 	-	0.79	0.05	0.068	0.0498		0.84	0.05	0.0689	0.0456
	Uranium-238	U-238	-	GELC	pCi/L pCi/L			-					0.052		0.068	0.0498		0.032		0.0689	0.0456
	Uranium-238	U-238	1	GELU	pCI/L			1		L	L		0.∠80	L	0.048	0.0294		0.23	L	0.0488	0.0251

						Start Date Time	09/12/05	09/12/05	09/12/05	09/12/05	09/12/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3	_	GELC	mg/L		<	1.45	1.45												<u> </u>
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3	Field	FLD EES6	mg/L mg/L			60 132.4	2									54 66.6	1		
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			60.1	1.45				131	2.9				0.00	ı		
	Alkalinity-HC03	ALK-HCO3		GELC	mg/L			00.1	1.10				101	2.0							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.01	0.01			'	0.01	0.01			<	0.04	0.04		
	Bromide	Br(-1)		EES6	mg/L			0.22	0.02									0.1	0.01		
	Bromide	Br(-1)	-	GELC	mg/L			0.132	0.041		0.0		0.157	0.041				44	0.04		1
-	Calcium Calcium	Ca Ca		EES6 GELC	mg/L mg/L			21.7 10.8	0.02 0.036		0.2		10.9	0.036				11 11.3	0.01 0.036		
	Chloride	CI(-1)		EES6	mg/L			4.36	0.030				10.5	0.030				2.01	0.030		
	Chloride	CI(-1)		GELC	mg/L			1.98	0.053				1.97	0.053							
	Fluoride	F(-1)		EES6	mg/L			0.28	0.02									0.14	0.01		
	Fluoride	F(-1)		GELC	mg/L			0.188	0.03				0.195	0.03							
	Magnesium	Mg		EES6	mg/L		1	7.64	0.02		0.07		2.05	0.005				3.83	0.01 0.085		0.03
(D	Magnesium Nitrate as Nitrogen	Mg NO3-N		GELC EES6	mg/L mg/L			3.77 0.659814	0.085 0.013				3.85	0.085				4.02 0.33	0.085		
) SR	Nitrate as Nitrogen	NO3+NO2-N		GELC	mg/L			0.039014	0.013				0.242	0.017				0.224	0.003		
l §	Nitrite as Nitrogen	NO2-N		EES6	mg/L			0.006	0.006				0.2.2	0.0			<	0.003	0.003		
GENINORG	Perchlorate	CIO4		GELC	μg/L			0.34	0.05									0.334	0.05		
Ō	Potassium	K		EES6	mg/L			3.43	0.02		0.02							1.84	0.01		0.01
	Potassium	K		GELC	mg/L			1.55	0.05		0.0		1.63	0.05				1.7	0.05		
-	Silicon Dioxide Silicon Dioxide	SiO2 SiO2		EES6 GELC	mg/L mg/L		<	68.7 70	20 0.032		0.3		72.4	0.032				35.6 74.9	10 0.032		0.4
	Sodium	Na		EES6	mg/L			24.5	0.032		0.3		12.4	0.032				12.2	0.032		0.1
	Sodium	Na		GELC	mg/L			11.9	0.045		0.0		11.4	0.045				12	0.045		0.1
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			142.5										142.7			
	Sulfate	SO4(-2)		EES6	mg/L			6.67	0.02									3.34	0.01		
-	Sulfate	SO4(-2)	Field	GELC	mg/L			3.36	0.057				3.22	0.057				0			
-	Sulfide, Total Total Dissolved Solids	S(-2) TDS	Field	FLD GELC	mg/L mg/L			0.002 143	2.38									0			
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L		<	0.616	0.04				0.524	0.04				0.452	0.04		
	Total Organic Carbon	TOC		GELC	mg/L		<	0.852	0.074								<	0.801	0.074		
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L			0.07172	0.006									0.0326	0.003		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L		<	0.07	0.01				0.084	0.048			<	0.04	0.01		
-	Total Suspended Solids	TSS	Field	GELC	mg/L			7.70										7 71			
	pH Aluminum	pH Al	Field	FLD EES6	SU µg/L			7.78 9	4									7.71 2.6	2		0.1
	Aluminum	Al		GELC	μg/L		<	68	68			<	68	68			<	68	68		<u> </u>
	Antimony	Sb		EES6	μg/L			2	2								<	1	11		
	Antimony	Sb		GELC	μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		EES6	μg/L			1.9	0.4				^					1	0.2		0.1
	Arsenic Barium	As Ba		GELC EES6	μg/L μg/L		<	6 32	6 2			<	6	6			<	6 15	6		
	Barium	Ва		GELC	μg/L μg/L			15.3	1				15.4	1				16.1	1		
	Beryllium	Be		EES6	μg/L			2	2								<	1	1		
METALS	Beryllium	Be		GELC	μg/L		<	1	1			<	0.1	0.1			<	0.1	0.1		
T∃	Boron	В		EES6	μg/L			24	2									14	1		
ME	Boron	B Cd		GELC	μg/L		<	10	10				11.7	10				10.7	10		
	Cadmium Cadmium	Cd		EES6 GELC	μg/L μg/L		<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		EES6	μg/L μg/L			9.8	2		0.1	`	0.1	U. I			`	5.9	1		0.2
	Chromium	Cr		GELC	μg/L			4.8	1		Ų. I		4.9	1				5.2	1		<u> </u>
	Cobalt	Co		EES6	μg/L			2	2								<	1	11		
	Cobalt	Со		GELC	μg/L		<	1	1				1.6	1			<	1	1		
	Copper	Cu		EES6	μg/L			2.6	2				2	2				1.1	1		0.1
	Copper Iron	Cu Fe	Field	GELC FLD	μg/L μg/L		<	3 40	3			<	3	3			<	3 10	3		
	IIOH	I LE	Fielu	LLD	μg/L		1	40		<u> </u>	l .				l	1		10	<u> </u>	<u> </u>	

EP2006-1078 B-77 February 2007

								- '	•	,											
						Start Date Time	09/12/05	09/12/05	09/12/05	09/12/05	09/12/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05	11/28/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code				Sym	Result	Sta iviai	Sta Maa	Std Officert	Sylli	Result	Stu ividi	Sta ivida	Std Officert	Sylli	Result	Stu iviui	Stu Mua	Std Officert
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
0000	Iron	Fe	(Decouded)	EES6	μg/L			30	20								<	10	10	—	
	Iron	Fe		GELC	μg/L			54.4	18			<	23.1	18			<	58.6	18		
 	Lead	Pb		EES6	μg/L			0.4	0.4								<	0.2	0.2		
ļ į	Lead	Pb		GELC	µg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		EES6	μq/L			2	2								<	1	1		
1	Manganese	Mn		GELC	μg/L		<	2	2				4.2	1			<	1	1		
Ì	Mercury	Hg		EES6	μg/L			0.1	0.1								<	0.05	0.05		
	Mercury	Hg		GELC	μg/L		<	0.05	0.05			<	0.05	0.05			<	0.05	0.05		
(cont.)	Nickel	Ni		EES6	μg/L			2	2								<	1	1		
l ö	Nickel	Ni		GELC	μg/L			1	0.5				1.1	1			<	1	1		
) (Selenium	Se		EES6	μg/L			2	2								~	1	1		
METALS (Selenium	Se		GELC	μg/L		<	2.5	2.5			<	6	6			٧	6	6		
<u> </u>	Silver	Ag		EES6	μg/L			2	2								'	1	1		
ME	Silver	Ag		GELC	μg/L		<	0.2	0.2			<	1	1			'	1	1		
	Thallium	TI		EES6	μg/L			2	2								<	1	1		
	Thallium	TI		GELC	μg/L		<	0.4	0.4				0.64	0.4			<	0.4	0.4		
	Tin	Sn		EES6	μg/L			2	2								<	1	1		
<u> </u>	Tin	Sn		GELC	μg/L		<	2.5	2.5												
	Vanadium	V		EES6	μg/L			14	2									7	1		
	Vanadium	V		GELC	μg/L			6.2	1				5.9	1				6.7	1	<u> </u>	
<u> </u>	Zinc	Zn		EES6	μg/L			3	2									11	1	<u> </u>	
	Zinc	Zn		GELC	μg/L			3.1	2			<	2	2			<	2	2		
_	Americium-241	Am-241		GELC	pCi/L			-0.00433		0.0362	0.00324							0.0135		0.0339	0.0126
<u> </u>	Cesium-137	Cs-137		GELC	pCi/L			-1.06		2.6	0.79							0.285		2.92	0.799
	Gross alpha	GROSSA		GELC	pCi/L			14.5		2.64	1.39										
	Gross beta	GROSSB		GELC	pCi/L			3.75		2.43	0.71										
_	Gross gamma	GROSSG		GELC	pCi/L			78.8		277	97.9										
RAD	Plutonium-238	Pu-238	-	GELC	pCi/L		-	0.022		0.0458	0.0104							0.0232		0.0526	0.00992
<u> </u>	Strontium-90	Sr-90	-	GELC	pCi/L		-	0.0537		0.234	0.0559							0.199		0.448	0.112
]	Tritium	H-3		UMTL	pCi/L			-0.15965	<u> </u>	0.28737	0.28737							0.06386		0.28737	0.28737
	Uranium	U	-	EES6	μg/L		-	1.4	0.4				0.0	0.05				0.7	0.2	 	
	Uranium	U		GELC	μg/L		1	0.83	0.05	0.070-	0.0404		0.8	0.05				0.79	0.05	0.007	0.0504
	Uranium-234	U-234	-	GELC	pCi/L		-	0.673		0.0725	0.0481							0.602		0.087	0.0521
	Uranium-238	U-238		GELC	pCi/L			0.288		0.0513	0.0291							0.26		0.0616	0.0309

									o (contin	uou,											
						Start Date Time	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	04/19/06	04/19/06	04/19/06	04/19/06	04/19/06
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
							00	-	•	•	'		-				1	00	00		· ·
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
1.10.11				T			Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu Mua	Stu Officert
Anyl Suite			Lab Code	Lab	61.111																
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom			4.45	4.45												
	Alkalinity-CO3	ALK-CO3	Field	GELC FLD	mg/L		<	1.45	1.45				40.0								
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field		mg/L								49.8	4							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6	mg/L			61.3	4.45				66.1	1							
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L			01.3	1.45										-		+
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.05	0.05			<	0.05	0.05							-
	Bromide	Br(-1)		EES6	mg/L			0.05	0.03				0.03	0.03							-
	Bromide	Br(-1)		GELC	mg/L		<	0.041	0.041				0.11	0.01							
	Calcium	Ca	+	EES6	mg/L mg/L		_ `	0.041	0.041	 			11.4	0.01		0.1		1	1		+
	Calcium	Ca	+	GELC	mg/L			11.7	0.036	 			11.4	0.01		U. I		1	1		+
	Calcium	CI(-1)	 	EES6	mg/L			11.7	0.030	 			2.71	0.036				1			+
	Chloride	CI(-1)	<u> </u>	GELC	mg/L			2.23	0.053	 			2.11	0.01				1			+
	Fluoride	F(-1)	<u> </u>	EES6	mg/L			2.20	0.000	 			0.18	0.01				1			+
	Fluoride	F(-1)	<u> </u>	GELC	mg/L			0.228	0.03	†			0.10	0.01				1	†		
	Magnesium	Mg		EES6	mg/L			J.220	3.00				3.99	0.01		0.03					
	Magnesium	Mg		GELC	mg/L			4.11	0.085				4.13	0.085		0.00					
C	Nitrate as Nitrogen	NO3-N		EES6	mg/L				0.000				0.28	0.003							
)X(Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.266	0.017												
Š	Nitrite as Nitrogen	NO2-N		EES6	mg/L							<	0.002	0.002							
GENINORG	Perchlorate	CIO4		GELC	μg/L			0.304	0.05				0.314	0.05							
GE	Potassium	K		EES6	mg/L								1.64	0.01		0.01					
	Potassium	K		GELC	mg/L			1.75	0.05				1.75	0.05							
	Silicon Dioxide	SiO2		EES6	mg/L								34	10		0.2					
	Silicon Dioxide	SiO2		GELC	mg/L			78.2	0.032				78.6	0.032							
	Sodium	Na		EES6	mg/L								14.2	0.01		0.1					
	Sodium	Na		GELC	mg/L			12.3	0.045				12.5	0.045							
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm								133.1								
	Sulfate	SO4(-2)		EES6	mg/L								3.96	0.01							
	Sulfate	SO4(-2)	F: 11	GELC	mg/L			3.37	0.057				0.000								
	Sulfide, Total	S(-2)	Field	FLD	mg/L			440	0.00				0.003								
	Total Dissolved Solids	TDS TKN		GELC GELC	mg/L			149 0.085	2.38				0.012	0.01							
	Total Kjeldahl Nitrogen Total Organic Carbon	TOC		GELC	mg/L		<	0.085	0.01			<	0.013	0.01					-		+
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L								0.031993	0.01					-		+
	Total Phosphate as Phosphorus Total Phosphate as Phosphorus	P04-P P04-P	+	GELC	mg/L mg/L			0.096	0.01	 			0.031993	0.01				1	+		+
	Total Suspended Solids	TSS	<u> </u>	GELC	mg/L			0.090	0.01	 								1			+
	pH	pH	Field	FLD	SU								7.82					1			
	Aluminum	Al		EES6				<u> </u>	<u> </u>	<u> </u>			5	2				1			
	Aluminum	Al		GELC	µg/L		<	68	68			<	68	68				1			
	Antimony	Sb		EES6	μg/L							<	1	1							
	Antimony	Sb		GELC	μg/L		<	0.5	0.5			<	0.5	0.5							
	Arsenic	As		EES6	μg/L								1	0.2							
	Arsenic	As		GELC	μg/L		<	6	6			<	6	6							
	Barium	Ва		EES6	μg/L								15	1							
	Barium	Ва		GELC	μg/L			16.7	1				16.6	1							
တု	Beryllium	Be	<u> </u>	EES6	μg/L							<	1	1							
<u>I</u>	Beryllium	Be		GELC	μg/L		<	1	1			<	1 1	1							<u> </u>
METALS	Boron	В		EES6	μg/L			1-	1-	ļ			57	1				ļ			
2	Boron	В	_	GELC	μg/L		<	10	10			<	10	10							
	Cadmium	Cd	-	EES6	μg/L							<	1	1							<u> </u>
	Chromium	Cd	1	GELC	μg/L		<	0.1	0.1			<	0.1	0.1		0.4					- 0.4
	Chromium	Cr Cr	 	EES6	µg/L			4.5	4				6.9	1		0.1		5.2	1		0.1
	Chromium	Cr Co	-	GELC EES6	µg/L			4.5	1			<	4.6	1				4.5	1		+
	Cobalt Cobalt	Co	-	GELC	µg/L		<	1	1			<	1	1				-			+
	Copper	Cu	1	EES6	μg/L μg/L			'	'	1			1.1	1							+
	Copper Copper	Cu	<u> </u>	GELC			<	3	3	 		<	3	3				1			+
	Оорры		L	OLLO	1 49'L	1	`			ı	l				1	l .		1	I .		

							T		,			T	T	T		T		1	T	т
					Start Date Time	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	01/25/06	04/19/06	04/19/06	04/19/06	04/19/06	04/19/06
					Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
					Fld Qc Type Code															
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Well Glass	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
A d Cth-			1-1-0-1- 1-1-			Sylli	Resuit	Stu Mui	Stu iviua	Stu Unicert	Sylli	Resuit	Sta iviai	Stu iviua	Std Uncert	Sylli	Resuit	Sta iviai	Stu iviua	Std Officert
Anyl Suite Code	Analyta Daga	Amaluta	Lab Code Lab																	
Code	Analyte Desc	Analyte	(Decoded) Code									50								
 -	Iron	Fe									_		40							
l –	Iron	Fe	EES				40	40		1	<	10	10							
i –	Iron	Fe	GEL			<	18	18		1		18.2	18							
⊢	Lead	Pb	EES								<	0.2	0.2							
⊢	Lead	Pb	GEL			<	0.5	0.5	ļ		<	0.5	0.5	ļ						
	Manganese	Mn	EES								<	1	1							
	Manganese	Mn	GEL			<	2	2			<	2	2							
<u> </u>	Mercury	Hg	EES								<	0.05	0.05							<u> </u>
a L	Mercury	Hg	GEL			<	0.05	0.05			<	0.05	0.05							
(cont.)	Nickel	Ni	EES								<	1	1							
<u> </u>	Nickel	Ni	GEL	r J			0.68	0.5				0.66	0.5							
LS	Selenium	Se	EES								<	1	1							
METALS	Selenium	Se	GEL			<	2.5	2.5			<	2.5	2.5							
ių L	Silver	Ag	EES								<	1	1							
_	Silver	Ag	GEL			<	0.2	0.2			<	0.2	0.2							
L	Thallium	TI	EES								<	1	1							
	Thallium	TI	GEL			'	0.4	0.4			~	0.4	0.4							
L	Tin	Sn	EES								<	1	1							
	Tin	Sn	GEL			'	2.5	2.5			~	2.5	2.5							
	Vanadium	V	EES									7	1							
	Vanadium	V	GEL	C μg/L			6.7	1				6.8	1							
	Zinc	Zn	EES	β μg/L								51	1		1					
	Zinc	Zn	GEL	C μg/L		<	2	2			<	2	2							
	Americium-241	Am-241	GEL	C pCi/L								0.00135		0.0273	0.00295					
	Cesium-137	Cs-137	GEL	C pCi/L								-0.53		3.65	1.02					
	Gross alpha	GROSSA	GEL	C pCi/L								0.968		0.81	0.332					
	Gross beta	GROSSB	GEL	C pCi/L								1.9		1.56	0.494					
	Gross gamma	GROSSG	GEL	D pCi/L								121		396	83.9					
Q	Plutonium-238	Pu-238	GEL									0.00936		0.0281	0.0105					
RAD _	Strontium-90	Sr-90	GEL									0.0673		0.324	0.0725					
	Tritium	H-3	UMT									0.44702		0.28737	0.28737			1		
	Uranium	U	EES									0.7	0.2							
	Uranium	Ü	GEL				0.93	0.05				0.95	0.05							
	Uranium-234	U-234	GEL									0.611		0.0764	0.0531					
	Uranium-238	U-238	GEL									0.247		0.0428	0.0291					

										Table	D 1.10	(COIILIIIC	icu,													
					S	Start Date Time	04/19/06	04/19/06	04/19/06	04/19/06	04/19/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	10/26/06	10/26/06	10/26/06	10/26/06	10/26/06
					F	Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
					Lab S	Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					200	Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
					Ele	ld Qc Type Code	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
							CINICLE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICIE	CINICLE	CINICIE	CINCLE	CINICLE	CINICIE	CINICIE	CINICIE	CINICIE	CINCLE
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	T		1				Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																						
Code	Analyte Desc	Analyte		Code Std																						
	Alkalinity-CO3	ALK-CO3		GELC m				04				<	0.725	0.725			<	0.725	0.725							
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3		Field	FLD m	g/L			61								1		-			-					
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3			GELC m									64.8	0.725		-		63.2	0.725							
	Alkalinity-HCO3	ALK-CO3+HCO3		GELC m	g/L n/l								04.0	0.725				03.2	0.725							
	Ammonia as Nitrogen	NH3-N		GELC m	g/∟ n/l							<	0.02	0.01			<	0.011	0.01							
	Bromide	Br(-1)		EES6 mg									0.02	0.01		1		0.011	0.01							
	Bromide	Br(-1)		GELC m	g/L							<	0.066	0.066			<	0.066	0.066							
	Calcium	Ca	E	EES6 m	g/L																					
	Calcium	Ca		GELC m	g/L								11.6	0.036				11.5	0.036							
	Chloride	CI(-1)	E	EES6 m	g/L							_											_			
	Chloride	CI(-1)		GELC m	g/L								1.9	0.066		<u> </u>		1.9	0.066							
	Fluoride	F(-1)	E	EES6 m	g/L																					
	Fluoride	F(-1)		GELC m	g/L								0.226	0.033				0.228	0.033							
	Magnesium	Mg	l lt	EES6 m	g/L								4.04	0.005				4.04	0.005							
	Magnesium Nitrate as Nitrogen	Mg NO3-N		GELC m	J/L								4.04	0.085				4.01	0.085							
(1)	Nitrate as Nitrogen	NO3+NO2-N		GELC m	g/∟ n/l								0.259	0.014		1		0.251	0.014							
) N	Nitrite as Nitrogen	NO2-N		EES6 mg	g/∟ n/l								0.233	0.014				0.231	0.014							
GENINORG	Perchlorate	CIO4	1	GELC µg	1/1								0.317	0.05		1										
<u> </u>	Potassium	K	E	EES6 m	a/L								-													
95	Potassium	K		GELC m	g/L								1.72	0.05				1.73	0.05							
	Silicon Dioxide	SiO2	E	EES6 m	g/L																					
	Silicon Dioxide	SiO2		GELC m	g/L								77.9	0.032				76.5	0.032							
	Sodium	Na	E	EES6 m	g/L																					
	Sodium	Na		GELC m									12.6	0.045				12.4	0.045							
	Specific Conductance	SPEC_CONDC		FLD uS				140.7										138.1					132.7			
	Sulfate	SO4(-2)		EES6 m									0.0	0.4				0.00	0.4							
	Sulfate Sulfide, Total	SO4(-2) S(-2)	Field	FLD m	g/L								2.9	0.1				3.09	0.1							
	Total Dissolved Solids	TDS	rieiu	SELC m	J/L ¬/I								149	2.38		-		154	2.38							
	Total Kjeldahl Nitrogen	TKN		GELC m	g/∟ n/l							<	0.01	0.01			<	0.01	0.01							
	Total Organic Carbon	TOC		GELC m	g/∟ g/l							,	0.01	0.01			<	0.33	0.33							
	Total Phosphate as			<u> </u>	g· =													0.00	0.00							
	Phosphorus	PO4-P	E	EES6 mg	g/L																					
	Total Phosphate as																									
	Phosphorus	PO4-P		GELC m	g/L								0.01	0.01				0.016	0.01							
	Total Suspended Solids			GELC m													<	0.713	0.713							
	pH	pН	Field	FLD S	U			7.71															7.63			
	Aluminum	Al		EES6 μς]/L								60	60				60	60							
	Aluminum	Al Sb		GELC μο								<	68	68			<	68	68		-					
	Antimony Antimony	Sb		EES6 μς GELC μς	y/∟ 1/I							<	0.5	0.5		+	<	0.5	0.5							
	Arsenic	As		EES6 μ	y/∟ 1/I								0.5	0.5				0.5	0.5							
	Arsenic	As		GELC μ								<	6	6		1	<	6	6							
	Barium	Ba		EES6 µg									-			1		<u> </u>								
တ	Barium	Ba		GELC µg	j/L								16	1				16.5	1							
ALS	Beryllium	Be	E	EES6 μο	J/L																					
MET,	Beryllium	Be		GELC μο	g/L							<	1	1			<	1	1							
Σ	Boron	В	E	ES6 μο	J/L																					
	Boron	В		GELC μο	J/L								14.4	10				16	10							
	Cadmium	Cd	Į E	EES6 μο	g/L								0.1	0.1				0.1	0.4		ļ					
	Cadmium	Cd		GELC µg]/L			F 0			0.4	<	0.1	0.1		1	<	0.1	0.1							
	Chromium	Cr Cr		EES6 µg	J/L			5.8	1		0.1		7.0	F				7 4	E		 					
	Chromium Cobalt	Cr		GELC μο EES6 μο	J/∟ 1/I			5.3	1				7.2	5		+		7.4	5							
	Cobalt	Co		GELC μς	y, ⊑ 1/I							<	1	1		 	<	1	1							
L	Cobait		1	νειση μί	j, ⊑				l	ı	l		1		I	1 1		<u> </u>	<u> </u>		1	ı		1		

EP2006-1078 B-81 February 2007

				[Start Date Time	04/19/06	04/19/06	04/19/06	04/19/06	04/19/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	07/06/06	10/26/06	10/26/06	10/26/06	10/26/06	10/26/06
					Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
					Fld Qc Type Code	1031.1	1031.1	1031.1	1001.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1	1031.1
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
				ŀ	Well Class																				-
	1		1			Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite	4 1 1 5		Lab Code	Lab																				İ	
Code	Analyte Desc	Analyte Cu	(Decoded)	Code Std Uom EES6 µg/L																					+
-	Copper Copper	Cu		GELC µg/L							<	3	3				3.5	3							+
	Iron	Fe Fe	Field	FLD µg/L								3	J				5.5	J							+
-	Iron	Fe	1 1010	EES6 µg/L																					+
	Iron	Fe		GELC µg/L							<	19	18				525	18							1
	Lead	Pb		EES6 µg/L																					1
	Lead	Pb		GELC µg/L							<	0.5	0.5			<	0.5	0.5							
	Manganese	Mn		EES6 µg/L																					1
	Manganese	Mn		GELC µg/L							<	2	2			<	2	2							
· ·	Mercury	Hg		EES6 μg/L																					
(cont.)	Mercury	Hg		GELC μg/L							<	0.06	0.06			<	0.06	0.06							
ؿ	Nickel	Ni		EES6 μg/L																					
ST	Nickel	Ni		GELC μg/L							<	2.5	2.5			<	2.5	2.5							
ĕ	Selenium	Se		EES6 μg/L																					
METALS	Selenium	Se		GELC μg/L							<	2.5	2.5			<	2.5	2.5							
_	Silver Silver	Ag		EES6 µg/L								0.0	0.0				0.0	0.0							+
_	Thallium	Ag Ti		GELC µg/L EES6 µg/L							<	0.2	0.2			<	0.2	0.2						 	+
-	Thallium	TI		GELC µg/L							<	0.4	0.4			<	0.4	0.4							+
	Tin	Sn		EES6 µg/L								0.4	0.4			`	0.4	0.4							+
	Tin	Sn		GELC µg/L							<	2.5	2.5			<	2.5	2.5							
	Vanadium	V		EES6 µg/L																					1
	Vanadium	V		GELC µg/L								7.3	1				8	1							1
	Zinc	Zn		EES6 µg/L																				i	
	Zinc	Zn		GELC µg/L								5.1	2				4	2						<u> </u>	
	Americium-241	Am-241		GELC pCi/L								-0.00978		0.0265	0.0115		-0.00944		0.0227	0.0101					
	Cesium-137	Cs-137		GELC pCi/L								8.9		4.74	6.25		1.5		4.24	1.07					
	Gross alpha	GROSSA		GELC pCi/L								-0.0488		0.783	0.233		0.383		1.41	0.362					
	Gross beta	GROSSB		GELC pCi/L								2.19		1.46	0.47		2.23		1.66	0.536					
_	Gross gamma	GROSSG		GELC pCi/L								99.8		252	104		80.6		275	111					
RAD	Plutonium-238	Pu-238		GELC pCi/L								-0.0405		0.03	0.0169		0.00289		0.0278	0.0119				 	1
<u> </u>	Strontium-90	Sr-90 H-3		GELC pCi/L		_						-0.0462		0.48	0.0979		0.0595		0.257	0.0619				 	+
	Tritium	H-3 U		UMTL pCi/L EES6 µg/L		 						—		 			0.54281		0.28737	0.28737				 	+
	Uranium Uranium	U		EES6 µg/L GELC µg/L								0.95	0.05				0.88	0.05							+
	Uranium-234	U-234		GELC pCi/L		 						0.95	0.00	0.178	0.0763		0.554	0.00	0.222	0.0913					+
	Uranium-238	U-238		GELC pCi/L		 						0.41		0.178	0.0763		0.354		0.222	0.0584					+

Table B-1.19 R-13

						Start Date Time	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02
						Fld Prep Code	F	F	F F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	750.5	750.5	750.5	700.0	750.5	750.5	750.5	730.3	730.3	750.5	730.3	750.5	750.5	750.5	730.3
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code				Jylli	Result	Stu iviui	Stu iviua	Stu Unicert	Sylli	Result	Stu iviui	Stu iviua	Std Officert	Sylli	Result	Stu Mui	Stu iviua	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
7411yi Suite Gode	Alkalinity-CO3	ALK-CO3	(Deceded)	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GEL	mg/L			65.3	1.5												
-	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L																+
-	Ammonia	NH3		GEL	mg/L		<	0.05	0.02												+
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L		·	0.00	0.02												
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)		GEL	mg/L		<	0.2	0.02												
	Bromide	Br(-1)		GELC	mg/L																
-	Calcium	Ca		EES6	mg/L			40.0	0.000				40.0	0.000				40.0	0.0055		
-	Calcium Calcium	<u>Ca</u> Ca		GEL GELC	mg/L mg/L			13.9	0.038				13.9	0.038				13.6	0.0055		
-	Chloride	Cl(-1)		EES6	mg/L																+
-	Chloride	CI(-1)		GEL	mg/L			5.95	0.02												
	Chloride	CI(-1)		GELC	mg/L																
	Fluoride	F(-1)		EES6	mg/L																
	Fluoride	F(-1)		GEL	mg/L			0.48	0.01												
-	Fluoride	F(-1)		GELC	mg/L																
-	Magnesium Magnesium	Mg Mg	+	EES6 GEL	mg/L mg/L			3.45	0.0045				3.44	0.0045				3.27	0.0052		+
-	Magnesium	Mg		GELC	mg/L			3.43	0.0043				3.44	0.0043				5.21	0.0032		
	Nitrate as Nitrogen	NO3-N		EES6	mg/L																
ပ္က	Nitrate-Nitrite as N	NO3+NO2-N		GEL	mg/L			0.81	0.0069												
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L																
	Nitrite as Nitrogen	NO2-N		EES6	mg/L																
E E	Perchlorate Potassium	CIO4 K		GELC EES6	μg/L mg/L																+
	Potassium	K		GEL	mg/L			1.37	0.0071				1.39	0.0071				1.29	0.017		
-	Potassium	K		GELC	mg/L			1.07	0.0071				1.00	0.0071				1.20	0.017		
	Silicon Dioxide	SiO2		EES6	mg/L																
	Silicon Dioxide	SiO2		GEL	mg/L													33.5	0.0098		
	Silicon Dioxide	SiO2		GELC	mg/L																
_	Sodium	Na Na		EES6	mg/L			0.05	0.0081				0.04	0.0081				0.42	0.014		
	Sodium Sodium	Na Na		GEL GELC	mg/L mg/L			9.95	0.0081				9.94	0.0081				9.42	0.014		
<u> </u>	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm																
	Sulfate	SO4(-2)		EES6	mg/L																
	Sulfate	SO4(-2)		GEL	mg/L			3.13	0.06								_				
<u> </u>	Sulfate	SO4(-2)		GELC	mg/L																
Ļ	Total Dissolved Solids	TDS	 	GELC	mg/L			0.40	0.05									0.4	0.00		
	Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen	TKN TKN	+	GEL GELC	mg/L mg/L			0.12	0.05									0.1	0.03		+
<u> </u>	Total Organic Carbon	TOC		GEL	mg/L								0.3	0.04				0.35	0.02		
<u> </u>	Total Organic Carbon	TOC		GELC	mg/L								U.U	0.01				0.00	J.JL		
	Total Organic Carbon	TOC		HUFFMAN	mg/L												_				
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L																
	рН	pН	Field	FLD	SU																

							-	abic B-1.	(
						Start Date Time	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02
							F	F		F											
						Fld Prep Code	•	F	F		F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						· · · · · · · · · · · · · · · · · · ·	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
			Lab Code				٠,	11004.11	Ota mai	Ota maa	014 0110011	٠,	rtoount	Ota mai	Ota maa	014 0110011	oj	resum	Ota mai	Ota maa	014 0110011
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Aluminum	Al		EES6	μg/L																
	Aluminum	Al		GEL	μg/L		<	50	34			<	50	34			<	19	15		
	Aluminum	Al		GELC	μg/L																
	Antimony	Sb		EES6	μg/L																
	Antimony	Sb		GEL	μg/L		<	0.12	0.11			<	0.25	0.11			<	2	0.28		
	Antimony	Sb		GELC	μg/L																
	Arsenic	As		EES6	μg/L																
	Arsenic	As		GEL	μg/L		<	5	4.6			<	5	4.6			<	5	2.2		
	Arsenic	As		GELC	μg/L					1			1					1	† -: -		
	Barium	Ba	+	EES6	μg/L								1					<u> </u>		<u> </u>	-
-	Barium	Ba	+	GEL	μg/L μg/L			29.3	0.21	†			29.3	0.21				28.3	0.22	1	1
	Barium	Ва		GELC				23.3	0.21	 			29.0	0.21				20.0	0.22	+	1
		Ba Be		EES6	μg/L					1	 		1					 	1	 	+
_	Beryllium				μg/L			0.0	0.00			_	0.0	0.00				0.0	0.00		
	Beryllium	Be		GEL	μg/L		<	0.2	0.03	 	1	<	0.2	0.03			<	0.2	0.08	1	1
	Beryllium	Be		GELC	μg/L								<u> </u>					1		1	
	Boron	В		EES6	μg/L																
	Boron	В		GEL	μg/L		<	50	3			<	50	3			<	50	4.9		
	Boron	В		GELC	μg/L																
	Cadmium	Cd		EES6	μg/L																
	Cadmium	Cd		GEL	μg/L		<	1	0.05			<	1	0.05			<	1	0.04		
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		EES6	μg/L																
	Chromium	Cr		GEL	μg/L		<	2.47	0.78			<	2.73	0.78			<	4.28	0.5		
	Chromium	Cr		GELC	μg/L			2.71	0.70			`	2.75	0.70				7.20	0.5		
	Cobalt	Co		EES6	μg/L			_	0.0			_	-	0.0				0.00	0.54		
	Cobalt	Co		GEL	μg/L		<	5	0.3			<	5	0.3			<	0.62	0.54		
σ	Cobalt	Co		GELC	μg/L																
	Copper	Cu		EES6	μg/L									_							
METALS	Copper	Cu		GEL	μg/L		<	5	2.7			<	3.59	2.7			<	5	1.4		
M	Copper	Cu		GELC	μg/L																
	Iron	Fe		EES6	μg/L																
	Iron	Fe		GEL	μg/L			72.8	21				77.2	21				86.8	13		
	Iron	Fe		GELC	μg/L																
	Lead	Pb		EES6	μg/L																
	Lead	Pb		GEL	μg/L		<	0.11	0.07			<	0.25	0.07			<	0.09	0.05		
	Lead	Pb		GELC	μg/L									-							
	Manganese	Mn		EES6	μg/L					1			İ						1		
	Manganese	Mn		GEL	μg/L			7.55	0.66	1			7.66	0.66				6.59	1.6		
	Manganese	Mn		GELC	μg/L				5.00	1			1.00	0.00				3.00	1	1	
-	Mercury	Hg		EES6	μg/L μg/L		-	-		 			 					1	 	1	1
	Mercury	Hq	+	GEL	μg/L μg/L		<	0.2	0.07	 	1	<	0.2	0.07			<	0.2	0.04	 	
	,	Hg		GELC			_ `	0.2	0.07	 	+	`	U.Z	0.07				0.2	0.04	+	+
	Mercury				μg/L					1	 		1					 	1	 	+
	Nickel	Ni Ni		EES6	μg/L			_	0.74	 	-		-	0.74				-	0.00	1	1
	Nickel	Ni Ni		GEL	μg/L		<	5	0.74	 	1	<	5	0.74			<	5	0.69	1	1
	Nickel	Ni		GELC	μg/L						ļ		ļ					<u> </u>		<u> </u>	
	Selenium	Se		EES6	μg/L						ļ		<u> </u>						 _	ļ	1
<u> </u>	Selenium	Se		GEL	μg/L		<	5	3.1		ļ	<	5	3.1			<	5	2.8	ļ	1
	Selenium	Se		GELC	μg/L					ļ			1					1	ļ	1	1
	Silver	Ag		EES6	μg/L																
	Silver	Ag		GEL	μg/L		<	5	0.2			<	5	0.2			<	2.43	0.84		
	Silver	Ag		GELC	μg/L																
	Thallium	ΤĬ		EES6	μg/L																
	Thallium	TI		GEL	μg/L		<	0.09	0.01			<	0.25	0.01			<	0.34	0.02		
	Thallium	TI		GELC	μg/L					1			1	2.0.				1			
	Tin	Sn	+	EES6	μg/L								1					<u> </u>		<u> </u>	-
-	Tin	Sn		GELC	μg/L μg/L		-	-		 			 					1	 	1	1
			+	GEL				0.5	0.01	1	1		0.49	0.01				0.46	0.02	1	
1	Uranium	U		GEL	μg/L			0.5	U.U I	1			0.49	U.U I				0.40	0.02	1	1

								`	,											
					Start Date Time	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	04/18/02	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02
					Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
					Fld Qc Type Code															
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Well Class			Std Mdl	Std Mda		Svm			Std Mda		Svm		Std Mdl		
1			T	1		Sym	Result	Sta Mai	Sta Maa	Std Uncert	Sym	Result	Std Mdl	Sta Maa	Std Uncert	Sym	Result	Sta Mai	Std Mda	Std Unce
			Lab Code													1				
Anyl Suite Code	Analyte Desc	Analyte	(Decoded) Lab Code	Std Uom																
_	Vanadium	V	EES6	μg/L			4.54	4.4				4.40	4.4				0.00	0.04		
METALS (cont.)	Vanadium	V	GEL	μg/L	+	<	4.54	1.1			<	4.43	1.1			<	6.38	0.61	 	_
T but ⊢	Vanadium	•	GELC	μg/L															+	
₩ Ö -	Zinc	Zn	EES6	μg/L			5 50	0.0				0.00	0.0				0.47	0.00	+	
_	Zinc	Zn	GEL	μg/L			5.53	2.8				6.69	2.8			<	3.17	0.88		4
	Zinc	Zn	GELC	μg/L			0.04		0.04	0.0000							0.00070		0.04	0.0050
	Americium-241	Am-241	GEL	pCi/L	+	<	0.01		0.01	0.0063						<	0.00876	 	0.01	0.0053
	Americium-241	Am-241	GELC	pCi/L			-0.64		4.5	0.47							4.44		3.6	4.4
<u> </u>	Cesium-137 Cesium-137	Cs-137 Cs-137	GEL GELC	pCi/L pCi/L		<	-0.64		1.5	0.47					<u> </u>	<	-1.14		3.0	1.1
	Gross alpha	GROSSA	GELC	pCi/L											ļ			 	+	+
	Gross beta	GROSSB	GEL	pCi/L			+				<	2.34		3.5	0.88	<	2.32		3.3	0.86
 	Gross beta	GROSSB	GELC	pCi/L			+	+			`	2.34	+	3.5	0.00		2.32	 	3.3	0.00
	Gross gamma	GROSSG	GEL	pCi/L							<	47.5		160	0.96	<	84.1		250	82
	Gross gamma	GROSSG	GELC	pCi/L								47.5		100	0.30		04.1		250	- 02
RAD	Plutonium-238	Pu-238	GEL	pCi/L		<	-0.00733		0.02	0.0043						<	-0.01	<u> </u>	0.03	0.0079
α² <u> </u>	Plutonium-238	Pu-238	GELC	pCi/L		-	0.00700		0.02	0.0010							0.01		0.00	0.0070
	Strontium-90	Sr-90	GEL	pCi/L		<	-0.02		0.14	0.03						<	0.03		0.12	0.03
	Strontium-90	Sr-90	GELC	pCi/L			0.02		0111	0.00							0.00			0.00
	Tritium	H-3	UMTL	pCi/L								-0.06	0	0.32	0.32		0.06	0	0.06	0.32
	Uranium	U	EES6	µg/L																T
	Uranium	Ü	GELC	μg/L						1									+	1
	Uranium-234	U-234	GEL	pCi/L			0.25		0.02	0.03							0.3		0.0057	0.03
	Uranium-234	U-234	GELC	pCi/L																
	Uranium-238	U-238	GEL	pCi/L			0.14		0.01	0.02							0.15		0.0057	0.02

									1113 (0011												
						Start Date Time	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	730.3	730.3	730.3	730.3	730.3	730.3	730.3	730.3	750.5	730.3	730.3	730.3	730.3	730.3	730.3
							011101 5	0111015	011101.5	011101 5	011101 5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101.5	011101 5	
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
r	T	1			1		Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3	Field	GELC	mg/L																+
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3	rieia	FLD EES6	mg/L mg/L																+
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GEL	mg/L			69	1.5				72.3	1.5							+
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			- 00	1.0				72.0	1.0							+
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia	NH3		GEL	mg/L		<	0.05	0.02				0.04	0.02							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)		GEL	mg/L		<	0.2	0.09			<	0.2	0.09							
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		EES6	mg/L			40.0	0.0055				4.4	0.0055				111	0.0055		
	Calcium Calcium	Ca Ca		GEL GELC	mg/L			13.6	0.0055				14	0.0055				14.1	0.0055		+
	Chloride	Cl(-1)		EES6	mg/L mg/L																+
	Chloride	CI(-1)		GEL	mg/L			2.22	0.03				2.35	0.03							+
	Chloride	CI(-1)		GELC	mg/L			2.22	0.00				2.00	0.00							+ -
	Fluoride	F(-1)		EES6	mg/L																
	Fluoride	F(-1)		GEL	mg/L			0.32	0.05				0.34	0.05							
	Fluoride	F(-1)		GELC	mg/L																
	Magnesium	Mg		EES6	mg/L																
	Magnesium	Mg		GEL	mg/L			3.26	0.0052				3.41	0.0052				3.43	0.0052		
	Magnesium	Mg		GELC	mg/L																
GENINORG	Nitrate as Nitrogen	NO3-N		EES6	mg/L			0.74	0.04				0.70	0.04							
ğ	Nitrate-Nitrite as N Nitrate-Nitrite as N	NO3+NO2-N NO3+NO2-N		GEL GELC	mg/L mg/L			0.74	0.01				0.76	0.01							+
Ē	Nitrite as Nitrogen	NO2-N		EES6	mg/L																+
GE	Perchlorate	CIO4		GELC	μg/L																+
	Potassium	K		EES6	mg/L																+
	Potassium	K		GEL	mg/L			1.29	0.017				1.32	0.017				1.31	0.017		
	Potassium	K		GELC	mg/L																
	Silicon Dioxide	SiO2		EES6	mg/L																
	Silicon Dioxide	SiO2		GEL	mg/L			33.5	0.0098				34.6	0.0098				34.1	0.0098		
	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium	Na		EES6	mg/L			0.00	0.044				40.0	0.044				40.0	0.044		
	Sodium Sodium	Na Na		GEL GELC	mg/L			9.38	0.014				10.6	0.014				10.6	0.014		+
	Specific Conductance	SPEC_CONDC	Field	FLD	mg/L uS/cm								1	1					1		+
	Sulfate	SO4(-2)	i iciu	EES6	mg/L																+
	Sulfate	SO4(-2)		GEL	mg/L			2.79	0.19				2.99	0.19							
	Sulfate	SO4(-2)		GELC	mg/L								1	1							†
	Total Dissolved Solids	TDS		GELC	mg/L																
	Total Kjeldahl Nitrogen	TKN		GEL	mg/L			0.03	0.03									0.14	0.03		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Organic Carbon	TOC		GEL	mg/L													0.24	0.02		
	Total Organic Carbon	TOC		GELC	mg/L								0.00	0.00							
	Total Organic Carbon	TOC PO4-P		HUFFMAN	mg/L								0.26	0.26							
	Total Phosphate as Phosphorus Total Phosphate as Phosphorus	PO4-P PO4-P		GELC	mg/L				1							+					+
	Total Suspended Solids	TSS		GELC	mg/L mg/L											+					+
	pH	pH	Field	FLD	SU																+
	Aluminum	Al	510	EES6	μg/L									1							
METALS								04.4	45				10.0	1-				100	45		+
∀	Aluminum	Al		GEL	μg/L		<	21.1	15				16.3	15		-	<	100	15		+
ME	Aluminum	Al		GELC	μg/L				1												
	Antimony	Sb		EES6	μg/L								1						1		

						Start Date Time	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		T			ı		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code GEL	Std Uom			2	0.00				2	0.00			-	2	0.00		
-	Antimony Antimony	Sb Sb	+	GELC	μg/L μg/L		<	2	0.28			<	2	0.28			<	2	0.28		
	Arsenic	As	1	EES6	μg/L																
	Arsenic	As		GEL	μg/L		<	5	2.2			<	5	2.2			<	5	2.2		
	Arsenic	As		GELC	μg/L																
	Barium	Ba		EES6	μg/L			00.4	0.00				07.4	0.00				07.5	0.00		
-	Barium Barium	Ba Ba		GEL GELC	μg/L μg/L			28.4	0.22				27.4	0.22				27.5	0.22		
}	Beryllium	Be		EES6	μg/L μg/L																
	Beryllium	Be	<u> </u>	GEL	μg/L		<	0.2	0.08			<	0.2	0.08			<	0.2	0.08		
	Beryllium	Be		GELC	μg/L																
	Boron	В	 	EES6	μg/L			F.	4.5				5 0	4.0				50	4.0		
	Boron Boron	В В	1	GEL GELC	μg/L		<	50	4.9			<	50	4.9			<	50	4.9		
	Cadmium	Cd	+	EES6	μg/L μg/L			 	 												
}	Cadmium	Cd		GEL	μg/L		<	1	0.04			<	1	0.04			<	1	0.04		
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		EES6	μg/L																
	Chromium	Cr		GEL	μg/L		<	4.18	0.5				2.72	0.5				2.99	0.5		
-	Chromium Cobalt	Cr Co		GELC EES6	μg/L μg/L																
}	Cobalt	Co	+	GEL	μg/L μg/L		<	5	0.54			<	5	0.54			<	5	0.54		
	Cobalt	Co		GELC	μg/L		-		0.01					0.01					0.01		
	Copper	Cu		EES6	μg/L																
	Copper	Cu		GEL	μg/L		<	1.76	1.4			<	5	1.4			<	5	1.4		
f.)	Copper	Cu Fe	+ +	GELC EES6	μg/L				-												
COU	Iron Iron	Fe Fe	+	GEL	μg/L μg/L			91.2	13				147	13				140	13		
S	Iron	Fe		GELC	μg/L			31.2	13				177	10				140	10		
METALS (cont.)	Lead	Pb		EES6	μg/L																
A A	Lead	Pb		GEL	μg/L		<	0.06	0.05			<	0.05	0.05			<	0.05	0.05		
_	Lead	Pb		GELC	μg/L																
}	Manganese Manganese	Mn Mn		EES6 GEL	μg/L μg/L			6.5	1.6				3.86	1.6				3.71	1.6		
	Manganese	Mn		GELC	μg/L μg/L			0.5	1.0				3.00	1.0				3.71	1.0		
	Mercury	Hg		EES6	μg/L																
	Mercury	Hg		GEL	μg/L		<	0.2	0.04			<	0.06	0.04			<	0.05	0.04		
	Mercury	Hg	+	GELC	μg/L																
	Nickel Nickel	Ni Ni	+	EES6 GEL	μg/L μg/L		<	5	0.69			<	5	0.69			<	5	0.69		
	Nickel	Ni Ni	+	GELC	μg/L μg/L				0.08			`	J	0.03			`	J	0.08		
	Selenium	Se		EES6	μg/L																
	Selenium	Se		GEL	μg/L		<	5	2.8			<	5	2.8			<	5	2.8		
	Selenium	Se	 	GELC	μg/L			ļ													
	Silver Silver	Ag Ag	+	EES6 GEL	μg/L		<	2.12	0.84			<	5	0.84			<	5	0.84		
	Silver	Ag Ag	+	GELC	μg/L μg/L			4.14	0.04			`	J	0.04			`	J	0.04		
	Thallium	TI	<u> </u>	EES6	μg/L																
[Thallium	TI		GEL	μg/L		<	0.05	0.02				0.03	0.02				0.27	0.02		
[Thallium	TI	 	GELC	μg/L																
	Tin Tin	Sn Sn	1	EES6	μg/L																
	Uranium	Sn U	+	GELC GEL	μg/L μg/L			0.46	0.02				0.45	0.02				0.44	0.02		
	Vanadium	V	†	EES6	μg/L μg/L			0.70	0.02				0.40	0.02				0.44	0.02		
	Vanadium	V		GEL	μg/L		<	6.57	0.61				4.81	0.61				4.85	0.61		
	Vanadium	V		GELC	μg/L																
	Zinc	Zn		EES6	μg/L																

EP2006-1078 B-87 February 2007

						Start Date Time	07/03/02	07/03/02	07/03/02	07/03/02	07/03/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02	10/28/02
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	755.5
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert
	T		1	Π	1		Sym	Result	Sta Mai	Sta ivida	Sta Unicert	Sym	Result	Sta iviai	Sta ivida	Sta Unicert	Sym	Result	Sta iviai	Sta ivida	Std Uncert
Anyl Suite			Lab Code																1		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom		1	1		1	1								 		<u> </u>
σ, _	Zinc	Zn		GEL	μg/L			5.78	0.88			<	3.49	0.88			<	2.98	0.88		
METALS (cont.)																			 '		
<u>`</u> ₩	Zinc	Zn		GELC	μg/L														1		
~	Zinc	211		OLLO	µg/L														1		
	Americium-241	Am-241		GEL	pCi/L			0.01		0.0054	0.006		0.01		0.05	0.0058		0.00766		0.05	0.0044
	Americium-241	Am-241		GELC	pCi/L																
	Cesium-137	Cs-137		GEL	pCi/L		<	0.6		3.8	1		-0.47		2.9	0.88		-0.55	1	3	0.88
ſ	Cesium-137	Cs-137		GELC	pCi/L																
	Gross alpha	GROSSA		GELC	pCi/L														1		
	Gross beta	GROSSB		GEL	pCi/L													1.92		1.3	0.43
ĺ	Gross beta	GROSSB		GELC	pCi/L																
	Gross gamma	GROSSG		GEL	pCi/L													68.5		260	2
	Gross gamma	GROSSG		GELC	pCi/L																
9	Plutonium-238	Pu-238		GEL	pCi/L		<	-0.00425		0.02	0.0043		0.00238		0.06	0.0041		-3E-10		0.06	0.0036
RAD	Plutonium-238	Pu-238		GELC	pCi/L																
	Strontium-90	Sr-90		GEL	pCi/L		<	-0.04		0.14	0.03		0.0068		0.13	0.04		0.01		0.14	0.04
Ì	Strontium-90	Sr-90		GELC	pCi/L																
	Tritium	H-3		UMTL	pCi/L													-0.06	0	-0.06386	0.32
	Uranium	U		EES6	µg/L																
Ì	Uranium	U		GELC	µg/L																
	Uranium-234	U-234		GEL	pCi/L			0.33		0.03	0.03		0.31		0.03	0.03		0.3		0.03	0.03
	Uranium-234	U-234		GELC	pCi/L													-			
İ	Uranium-238	U-238		GEL	pCi/L			0.14		0.04	0.02		0.14		0.04	0.02		0.15		0.04	0.02
	Uranium-238	U-238		GELC	pCi/L																

									-1.13 (661												
						Start Date Time	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	05/22/03	05/22/03	05/22/03	05/22/03	05/22/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
			Lab Code		Std		-														
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Uom																
,	Alkalinity-CO3	ALK-CO3	` ′	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GEL	mg/L			60.6	1.5									61.2	1.5		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia	NH3		GEL	mg/L		<	0.05	0.02								<	0.05	0.02		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)	ļ	GEL	mg/L		<	0.2	0.09				ļ			_	<	0.2	0.09		<u> </u>
	Bromide	Br(-1)	+ +	GELC	mg/L								 			1	 		1		
	Calcium	Ca	+ +	EES6	mg/L			14.4	0.0055				40.0	0.0055		1	 	447	0.0055		
	Calcium Calcium	Ca	 	GEL GELC	mg/L			14.1	0.0055				13.9	0.0055		+	 	14.7	0.0055		+
	Calcium Chloride	Ca Cl(-1)		EES6	mg/L				 				-			-	-		-		+
	Chloride	CI(-1)		GEL	mg/L			0.47	0.00							+		2.2	0.02		
	Chloride	CI(-1)		GELC	mg/L			2.47	0.03							+		2.3	0.03		-
	Fluoride	F(-1)		EES6	mg/L mg/L											+					
	Fluoride	F(-1)		GEL	mg/L			0.29	0.05							1		0.35	0.05		
-	Fluoride	F(-1)		GELC	mg/L			0.29	0.03									0.55	0.03		+
-	Magnesium	Mg		EES6	mg/L																+
-	Magnesium	Mg		GEL	mg/L			3.5	0.0052				3.44	0.0052				3.71	0.0052		+
	Magnesium	Mg		GELC	mg/L			0.0	0.0002				0.44	0.0002				0.71	0.0002		
	Nitrate as Nitrogen	NO3-N		EES6	mg/L																
l o	Nitrate-Nitrite as N	NO3+NO2-N		GEL	mg/L			0.73	0.01									0.71	0.01		
l Ř	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			00	0.01									· · · ·	0.0.		
l <u>ž</u>	Nitrite as Nitrogen	NO2-N		EES6	mg/L																
GENINORG	Perchlorate	CIO4		GELC	μg/L																
55	Potassium	K		EES6	mg/L																
	Potassium	K		GEL	mg/L			1.44	0.017				1.38	0.017				1.44	0.017		
	Potassium	K		GELC	mg/L																
	Silicon Dioxide	SiO2		EES6	mg/L																
	Silicon Dioxide	SiO2		GEL	mg/L			33.2	0.0098				33.3	0.0098				35.3	0.0098		
	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium	Na		EES6	mg/L																
	Sodium	Na		GEL	mg/L			10.3	0.014				10.2	0.014				11.1	0.014		
-	Sodium	Na		GELC	mg/L																
	Specific Conductance		Field		uS/cm				ļ				ļ			 	ļ				
	Sulfate	SO4(-2)	+ +	EES6	mg/L			0.07	0.10				 			+	1	0.00	0.40		
	Sulfate	SO4(-2)	+	GEL	mg/L			3.07	0.19				 			+	 	3.06	0.19		
}	Sulfate Total Dissolved Solids	SO4(-2) TDS	+	GELC GELC	mg/L				 				 			+	 		 		
}	Total Dissolved Solids Total Kjeldahl Nitrogen	TKN	+	GEL	mg/L mg/L			0.12	0.03				0.17	0.03		+	 	0.14	0.04		
}	Total Kjeldahl Nitrogen	TKN	+	GELC	mg/L mg/L			∪.1∠	0.03				0.17	0.03		+	 	0.14	0.04		
}	Total Organic Carbon	TOC	+ +	GEL	mg/L				 				0.34	0.02		+	 		1		+
}	Total Organic Carbon	TOC	+	GELC	mg/L				<u> </u>				0.04	0.02		+	 		 		
	Total Organic Carbon	TOC	+	HUFFMAN	mg/L			0.21	0.21							+		0.46	0.46		
	Total Phosphate as	1.55	† †		g/L			U.Z.1	Ų. <u>Z</u> 1				1			†	1	0.70	0.40		
	Phosphorus	PO4-P		EES6	mg/L								1			1	1				
	Total Phosphate as				3				İ				1			1	1				
	Phosphorus	PO4-P		GELC	mg/L								1								
	Total Suspended Solids	TSS		GELC	mg/L																
	рН	pН	Field	FLD	SŬ																
(2)	Aluminum	Al		EES6	μg/L		_								_						
METALS	Aluminum	Al	† †	GEL	μg/L		<	100	15			<	100	15		1	1	40.5	15		
Y			+					100	10				100	10		+	 	40.0	10		+
ME	Aluminum	Al	 	GELC	μg/L				1				 			+	 		1		+
	Antimony	Sb		EES6	μg/L								<u> </u>			1	<u> </u>				

EP2006-1078 B-89 February 2007

01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 01/27/03 05/22/03 05/22/03 05/22/03 05/22/03 05/22/03

Table B-1.19 (continued)

Start Date Time

						Start Date Time	01/2//03	01/2//03	1		01/27/03	01/2//03	01/27/03	01/27/03	01/2//03		05/22/03	05/22/03	05/22/03	05/22/03	05/22/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						11011 01400	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code		Std		Sylli	Result	Sta Mai	Stu ivida	Std Officert	Sym	Result	Sta Mai	Sta Maa	Stu Officert	Jyiii	Result	Stu Iviui	Sta ivida	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Uom																
Arryr Suite Code	Antimony	Sb	(Decoded)	GEL	µg/L		<	2	0.28			<	2	0.28			<	2	0.28		+
	Antimony	Sb		GELC	μg/L				0.20			<u> </u>		0.20					0.20		+
	Arsenic	As		EES6	μg/L																
	Arsenic	As		GEL	µg/L		<	5	2.2			<	5	2.2			<	5	2.2		
	Arsenic	As		GELC	μg/L																
	Barium	Ва		EES6	μg/L																
	Barium	Ва		GEL	μg/L			28	0.22				27	0.22				28.5	0.22		
	Barium	Ва		GELC	μg/L																
	Beryllium	Be		EES6	μg/L																
	Beryllium	Be		GEL	μg/L		<	0.2	0.08			<	0.2	0.08			<	0.2	0.08		
_	Beryllium	Be		GELC	μg/L																+
-	Boron	<u>В</u> В		EES6 GEL	μg/L			10.7	4.9				10.6	4.9				21.5	4.9		+
	Boron Boron	В	+	GELC	μg/L μg/L			10.7	4.9		1	1	10.0	4.8				21.0	4.8		+
	Cadmium	Cd		EES6	μg/L																+
	Cadmium	Cd		GEL	μg/L		<	1	0.04			<	1	0.04			<	1	0.04		1
	Cadmium	Cd		GELC	µg/L				0.0.					0.01					0.0.		
	Chromium	Cr		EES6	µg/L																
	Chromium	Cr		GEL	μg/L			3.76	0.5				4.02	0.5				3.73	0.5		
	Chromium	Cr		GELC	μg/L																
	Cobalt	Со		EES6	μg/L																
	Cobalt	Со		GEL	μg/L		<	5	0.54			<	5	0.54				1.6	0.54		
	Cobalt	Co		GELC	μg/L																
	Copper	Cu		EES6	μg/L									4.4				_	4.4		
-	Copper	Cu Cu		GEL GELC	μg/L		<	5	1.4			<	5	1.4			<	5	1.4		+
i j	Copper Iron	Fe		EES6	μg/L μg/L																+
(cont.)	Iron	Fe		GEL	μg/L			74.3	13				75.7	13				15.9	13		+
S	Iron	Fe		GELC	μg/L			74.5	10				75.7	10				10.0	10		+
METALS	Lead	Pb		EES6	µg/L																†
	Lead	Pb		GEL	μg/L		<	2	0.05			<	2	0.05			<	2	0.05		
≥	Lead	Pb		GELC	μg/L																
	Manganese	Mn		EES6	μg/L																
	Manganese	Mn		GEL	μg/L			3.26	1.6				3.35	1.6			<	5	1.6		
	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		EES6	μg/L														0.01		
	Mercury	Hg		GEL	µg/L		<	0.2	0.04			<	0.2	0.04			<	0.2	0.04		
	Mercury Nickel	Hg Ni		GELC EES6	μg/L μg/L				-	-	-	-		-							+
	Nickel	Ni		GEL	μg/L μg/L		<	5	0.69			<	1.38	0.69			<	5	0.69		+
	Nickel	Ni	1	GELC	μg/L				0.03	<u> </u>	<u> </u>	 	1.50	0.08			`		0.08		+
	Selenium	Se	1	EES6	μg/L						1			1							\vdash
	Selenium	Se		GEL	µg/L		<	5	2.8			<	5	2.8			<	5	2.8		
	Selenium	Se		GELC	μg/L																
	Silver	Ag		EES6	μg/L																
	Silver	Ag		GEL	μg/L		<	5	0.84			<	5	0.84			<	5	0.84		
<u> </u>	Silver	Ag	1	GELC	μg/L						ļ			ļ							
	Thallium	TI		EES6	μg/L				0.00					0.00				0.00	0.00		
	Thallium	TI TI	+	GEL	µg/L		<	0.5	0.02	ļ	1	<	0.5	0.02				0.03	0.02		
	Thallium Tin	TI Sn	+	GELC EES6	μg/L				-	-	-		-	-							+
	Tin	Sn	+	GELC	μg/L μg/L				-	-	-		1	-							+
	Uranium	U		GEL	μg/L μg/L			0.45	0.02		 	1	0.47	0.02				0.47	0.02		+
	Vanadium	V	+	EES6	μg/L			0.40	0.02	 	 		0.47	0.02				0.47	0.02		+
	Vanadium	V	+	GEL	μg/L			4.62	0.61				5.05	0.61			<	7.11	0.61		+
	Vanadium	V		GELC	μg/L				0.01				5.00	0.01					J.01		\vdash
	Zinc	Zn		EES6	μg/L																
<u> </u>		•					·						1		L		·			·	

Statistic File Stat																						
Main Substitute							Start Date Time	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	01/27/03	05/22/03	05/22/03	05/22/03	05/22/03	05/22/03
Pri Popin 983 983 983 983 983 983 983 983 983 983							Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
Fig. Fig.							Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
Fig. Fig.							Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
Well Class							· · · · · · · · · · · · · · · · · · ·	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0
Sym								SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINCLE	SINGLE	SINGLE	SINGLE	SINCLE
Anyl Suite Code Anyl S							Well Class															
Anylyte Code			1	1	I			Sym	Result	Sta iviai	Sta ivida	Std Uncert	Sym	Resuit	Sta iviai	Sta Maa	Std Uncert	Sym	Result	Sta Mai	Sta ivida	Std Uncert
Procession Pro																						
Americium-241	Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Uom			1													
Americium-241	9,	Zinc	Zn		GEL	μg/L		<	5	0.88			<	5	0.88			<	5	0.88		
Americium-241	TAIL T					. •																
Americium-241	E ⊗	Zinc	7n		GELC	ua/l																
Americium-241	_	2.110			OLLO	M9/L																
Cesium-137		Americium-241							0.01		0.04	0.006		0.00895		0.04	0.0064		0.00803		0.02	0.0049
Cesium-137		Americium-241																				
Gross alpha GROSSA GELC pCi/L		Cesium-137							0.34		2	0.55		0.17		2.2	0.64		-0.78		1.8	0.57
Gross beta GROSSB GEL pCi/L		Cesium-137			GELC	pCi/L																
Gross beta GROSSB GEL pCi/L		Gross alpha	GROSSA		GELC	pCi/L																
Gross gamma GROSSG GEL pCi/L		Gross beta	GROSSB		GEL	pCi/L								1.61		3	0.75					
Gross gamma GROSSG GELC pCi/L -0.0024 0.05 0.0039 0.00254 0.06 0.0044 0.00477 0.04 0.01 Plutonium-238 Pu-238 GEL pCi/L -0.0024 0.05 0.0039 0.00254 0.06 0.0044 0.00477 0.04 0.01 0.01 0.02 0.0039 0.0054 0.06 0.0044 0.00477 0.04 0.01 0.02 0.005 0.0054 0.06 0.0054 0.06 0.0044 0.00477 0.04 0.01 0.05 0.0054 0.05 0.00554 0.06 0.05 0.00554 0.06 0.0057 0.0057 0.005 0.00554 0.06 0.0057 0.0057 0.005 0.00554 0.06 0.00554 0.06 0.0057 0.0057 0.005 0.00554 0.06 0.00554 0.06 0.0057 0.00555		Gross beta	GROSSB		GELC	pCi/L																
Plutonium-238 Pu-238 GEL pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 Pu-238 Pu-238 Pu-238 GELC pCi/L Plutonium-238 Pu-238 Pu-238 GELC pCi/L Plutonium-234 Pu-238 Pu-238		Gross gamma	GROSSG		GEL	pCi/L								54.8		210	93					
Plutonium-238		Gross gamma	GROSSG		GELC	pCi/L																
Strontium-90 Sr-90 GEL pCi/L 0.0099 0.21 0.06 -0.01 0.3 0.08 0.06 0.11 0.02 Strontium-90 Sr-90 GELC pCi/L 3.2 0 0 9.6 0 0 0 0 9.6 0 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 9.6 0 0 0 9.6 0 0 9.6 0 <td< td=""><td>9</td><td>Plutonium-238</td><td>Pu-238</td><td></td><td>GEL</td><td>pCi/L</td><td></td><td></td><td>-0.00224</td><td></td><td>0.05</td><td>0.0039</td><td></td><td>0.00254</td><td></td><td>0.06</td><td>0.0044</td><td></td><td>0.00477</td><td></td><td>0.04</td><td>0.01</td></td<>	9	Plutonium-238	Pu-238		GEL	pCi/L			-0.00224		0.05	0.0039		0.00254		0.06	0.0044		0.00477		0.04	0.01
Strontium-90 Sr-90 GEL pCi/L 0.0099 0.21 0.06 -0.01 0.3 0.08 0.06 0.11 0.02	\$ □	Plutonium-238	Pu-238		GELC	pCi/L																
Strontium-90 Sr-90 GELC pCi/L 3.2 0 0 9.6 9.6 Tritium H-3 UMTL pCi/L 3.2 0 0 9.6 9.0 9.6 9.0		Strontium-90	Sr-90		GEL	pCi/L			0.0099		0.21	0.06		-0.01		0.3	0.08		0.06		0.11	0.02
Tritium H-3 UMTL pCi/L 3.2 0 9.6 9.		Strontium-90	Sr-90																		-	1
Uranium U EES6 μg/L μg/L <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3.2</td> <td>0</td> <td>0</td> <td>9.6</td> <td></td> <td></td> <td></td> <td></td> <td>+</td>														3.2	0	0	9.6					+
Uranium U GELC µg/L Second		Uranium												V	-	-						+
Uranium-234 U-234 GEL pCi/L 0.25 0.03 0.02 0.31 0.03 0.03 0.26 0.07 0.03 Uranium-234 U-234 GELC pCi/L 0.04 0.01 0.15 0.04 0.02 0.1 0.03 0.01 Uranium-238 U-238 GEL pCi/L 0.13 0.04 0.01 0.15 0.04 0.02 0.1 0.03 0.01														İ						1		1
Uranium-234 U-234 GELC pCi/L 0.04 0.01 0.15 0.04 0.02 0.1 0.03 0.01 Uranium-238 U-238 GEL pCi/L 0.13 0.04 0.01 0.15 0.04 0.02 0.1 0.03 0.01									0.25		0.03	0.02		0.31		0.03	0.03		0.26	1	0.07	0.03
Uranium-238 U-238 GEL pCi/L 0.13 0.04 0.01 0.15 0.04 0.02 0.1 0.03 0.01									3.20		5.00	5.02		3.01		5.00	5.00		5.20		3.07	1 3.30
									0.13		0.04	0.01		0.15		0.04	0.02		0.1	1	0.03	0.01
	—	Uranium-238	U-238		GELC	pCi/L			0.10		0.01	0.01		0.10		0.01	0.02		V.1		0.00	1.01

						Start Date Time	01/27/03	05/22/03	05/22/03	05/22/03	05/22/03	05/22/03	12/09/03	12/09/03	12/09/03	12/09/03	12/09/03	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04
					L	Fld Prep Code	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
					<u>_</u>	Fld Qc Type Code																
					<u> </u>	Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		I	1				Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																			ı l
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Lab Code GELC	Std Uom mg/L								<	1.45	1.45			<	1.45	1.45		
	Alkalinity-CO3 Alkalinity-CO3	ALK-CO3+HCO3	Field	FLD	mg/L									1.45	1.40				1.40	1.40		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	1 .0.0	EES6	mg/L																	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GEL	mg/L																	
-	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L									60.8	1.45				58.5	1.45		
-	Alkalinity-HCO3 Ammonia	ALK-HCO3 NH3		GELC GEL	mg/L mg/L		<							60.3	1.45				58.2	1.45		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L								<	0.024	0.024							
	Bromide	Br(-1)		EES6	mg/L																	
	Bromide	Br(-1)		GEL	mg/L		<															
-	Bromide Calcium	Br(-1) Ca		GELC EES6	mg/L mg/L																	
-	Calcium	Ca		GEL	mg/L				13.8	0.0055												
	Calcium	Ca		GELC	mg/L					0.000				14.2	0.00554				13.4	0.00554		
	Chloride	CI(-1)		EES6	mg/L																	
	Chloride	CI(-1)		GEL	mg/L									0.00	0.0000				0.50	0.0000		
-	Chloride Fluoride	CI(-1) F(-1)		GELC EES6	mg/L mg/L									2.22	0.0322				2.52	0.0322		
-	Fluoride	F(-1)		GEL	mg/L																	
	Fluoride	F(-1)		GELC	mg/L									0.297	0.0553				0.451	0.0553		
	Magnesium	Mg		EES6	mg/L																	
-	Magnesium Magnesium	Mg Mg		GEL GELC	mg/L mg/L				3.49	0.0052				3.52	0.00518				3.23	0.00518		
	Nitrate as Nitrogen	NO3-N		EES6	mg/L									3.32	0.00516				3.23	0.00316		
g.	Nitrate-Nitrite as N	NO3+NO2-N		GEL	mg/L																	
<u>&</u>	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L									0.79	0.01				0.76	0.01		
GENINORG	Nitrite as Nitrogen	NO2-N		EES6	mg/L														0.404	0.05		
GE	Perchlorate Potassium	CIO4 K		GELC EES6	μg/L mg/L														0.404	0.05		
	Potassium	K		GEL	mg/L				1.35	0.017												
	Potassium	K		GELC	mg/L									1.4	0.0165				1.26	0.0165		
	Silicon Dioxide	SiO2		EES6	mg/L				00.4	0.0000												
-	Silicon Dioxide Silicon Dioxide	SiO2 SiO2		GEL GELC	mg/L mg/L				33.1	0.0098				73.3	0.0212				66.6	0.0212		
-	Sodium	Na		EES6	mg/L									75.5	0.0212				00.0	0.0212		
	Sodium	Na		GEL	mg/L				10.5	0.014												
	Sodium	Na		GELC	mg/L									10.6	0.0144				10	0.0144		
	Specific Conductance	SPEC_CONDC	Field	FLD EES6	uS/cm									142.3								
	Sulfate Sulfate	SO4(-2) SO4(-2)		GEL	mg/L mg/L																	
	Sulfate	SO4(-2)		GELC	mg/L									2.81	0.193				3.36	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L		-				-		-	141	3.07	-			143	3.07		
	Total Kjeldahl Nitrogen	TKN		GEL	mg/L				0.14	0.04												
-	Total Kjeldahl Nitrogen Total Organic Carbon	TKN TOC		GELC GEL	mg/L mg/L				0.33	0.02												
	Total Organic Carbon	TOC		GELC	mg/L				0.00	0.02				0.202	0.025							
	Total Organic Carbon	TOC		HUFFMAN											-							
	Total Phosphate as	DO4 D		FFCC																		1
	Phosphorus Total Phosphate as	PO4-P		EES6	mg/L																	
	Phosphorus	PO4-P		GELC	mg/L																	
	Total Suspended Solids	TSS		GELC	mg/L								<	0.764	0.764			<	1.27	1.27		
	рН	pН	Field	FLD	SU									8.2								
ο	Aluminum	Al		EES6	μg/L																	
METALS	Aluminum	Al		GEL	μg/L		<	<	100	15												
ME	Aluminum	Al		GELC	μg/L								<	14.7	14.7			<	14.7	14.7		
	Antimony	Sb		EES6	μg/L																	

Property Property							Start Date Time	01/27/03	05/22/03	05/22/03	05/22/03	05/22/03	05/22/03	12/09/03	12/09/03	12/09/03	12/09/03	12/09/03	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04
Political Poli																							
Property Property							Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
Property Property									958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
Marie Mari							Fld Qc Type Code																
Marie Mari							Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
March Marc																							
Dept. Dept	Anyl Suite			Lab Code															- 1				
Section Sect		Analyte Desc	Analyte		Lab Code	Std Uom																	1
Argentic Ag	_	,						<	<	2	0.28												
Appell A	-	,												<	0.28	0.28			<	0.28	0.28		
Manual Act Copin	-			-						5	2.2												
Section Res	-								<u> </u>	3	2.2			<	2.24	2.24				3.56	2.24		
Saster Be	-																						
Reynlant Se		Barium								26.7	0.22												
Beyllum Be	-														26.9	0.222				27.1	0.222		
Reyllum Re	-									0.2	0.00												
Second S		,								0.2	0.00			<	0.158	0.158			<	0 158	0 158		
Boson 3		•													0.100	0.100				0.100	0.100		
Cadmium Cd EES8 uglt		Boron	В		GEL	μg/L				21.5	4.9												
Cadmium Cd GEL ppt															7.94	4.88				15	4.88		
Cambrish Cd CEIC 1911										1	0.04		1										
Chromism Cr EESS 1gd	}			1				۲	_	<u> </u>	0.04		1	<	0.04	0.04			<	0.04	0.04		
Chroman Cr														,	0.04	0.04			`	0.04	0.04		
Colate Co	-									3.08	0.5												
Cobalt Co															4.58	0.503				3.49	0.503		
Coolat Co											0.71												
Copper Cu	-							<	<	5	0.54				0.541	0.541				0.541	0.541		
Copper Cu GEL upl. < < 6 1.4															0.541	0.541				0.541	0.541		
Copper								<	<	5	1.4												
Lead Po	$\overline{}$													<	1.39	1.39				2.34	1.39		
Lead Po	out																						
Lead Po) (c		_	1						14.5	13				10.6	40.6				24.6	40.6		
Lead Po	AL8														12.0	12.0				31.0	12.0		
Lead Po	l E							<	<	2	0.05												
Manganese Mn	≥					μg/L									0.073	0.05				0.105	0.05		
Manganese Mn GELC µg/L																							
Mercury Hg				1					<	5	1.6				4 75	0.000				4.05	0.000		
Mercury High GEL µg/L	-			+										<	1.75	0.296			<	1.25	0.296		
Mercury Hig GELC pg/L		· · · · · · · · · · · · · · · · · · ·						<	<	0.2	0.04												
Nickel Ni GEL µg/L														<	0.0472	0.0472			<	0.0472	0.0472		
Nickel Ni GELC µg/L																							\vdash
Selenium Se EES6 µg/L								<	<	5	0.69				1.00	0.60				2.40	0.60		
Selenium Se GEL µg/L	}											-		<	1.29	0.69			<	2.42	0.69		
Selenium Se GELC μg/L	 							<	<u> </u>	2.98	2.8		<u> </u>										
Silver Ag GEL µg/L		Selenium			GELC						<u> </u>			<	2.81	2.81			<	2.81	2.81		
Silver Ag GELC µg/L																							
Thallium Ti								<	<	5	0.84		<u> </u>		0.005	0.005				0.005	0.005		
Thallium TI GEL μg/L < 0.04 0.02	}									-	-	-		<	0.835	0.835			<	0.835	0.835		
Thallium TI	 							<	<u> </u>	0.04	0.02		<u> </u>										
Tin Sn EES6 μg/L 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26 3.26								· · · · · · · · · · · · · · · · · · ·		0.07	0.02			<	0.067	0.02			<	0.053	0.02		
Uranium U GEL µg/L 0.47 0.02 Image: Control of the property of th		Tin	Sn		EES6	μg/L																	
Vanadium V EES6 µg/L Section 1 Part of the part of the	[2 :-	2.22			<	11.8	3.26			<	3.26	3.26		\Box
Vanadium V GEL μg/L < 6.58 0.61 <th< td=""><td> </td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.47</td><td>0.02</td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>\leftarrow</td></th<>			_							0.47	0.02	-											\leftarrow
Vanadium V GELC µg/L 5.9 0.606 4.98 0.606	}								<	6 58	0.61	-											
									<u> </u>	0.00	0.01		1		5.9	0.606				4.98	0.606		

EP2006-1078 B-93 February 2007

						Start Date Time	01/27/03	05/22/03	05/22/03	05/22/03	05/22/03	05/22/03	12/09/03	12/09/03	12/09/03	12/09/03	12/09/03	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04
						Fld Prep Code	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	730.3	750.5	750.5	750.5	730.3	750.5	750.5	750.5	730.3	730.3	750.5	730.3	750.5	730.3	750.5	750.5
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class																+
		1	T				Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																			
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																	
8, (
METALS (cont.)	Zinc	Zn		GEL	μg/L		<	<	5	0.88											<u> </u>	
⊟ (S)																						
~	Zinc	Zn		GELC	μg/L								<	1.46	0.883				7.69	0.883		
	Americium-241	Am-241		GEL	pCi/L				0.00787		0.02	0.0048										
	Americium-241	Am-241		GELC	pCi/L									0.00325		0.03	0.00716		-0.00238		0.042	0.00629
	Cesium-137	Cs-137		GEL	pCi/L				0.31		1.8	0.51										
	Cesium-137	Cs-137		GELC	pCi/L									-3		6.03	1.8		-0.00249		3.44	0.958
	Gross alpha	GROSSA		GELC	pCi/L									0.647		0.587	0.203		0.241		1.38	0.322
	Gross beta	GROSSB		GEL	pCi/L				2.58		2.2	0.65										
	Gross beta	GROSSB		GELC	pCi/L									0.504		0.815	0.222		0.579		1.48	0.377
	Gross gamma	GROSSG		GEL	pCi/L				55.4		190	51										
	Gross gamma	GROSSG		GELC	pCi/L									203		437	109		122		287	98.1
RAD	Plutonium-238	Pu-238		GEL	pCi/L				2.07E-09		0.03	0.0097										
₹ [Plutonium-238	Pu-238		GELC	pCi/L									-0.0218		0.027	0.0107		0.00218		0.034	0.00218
	Strontium-90	Sr-90		GEL	pCi/L				0.01		0.14	0.03										
	Strontium-90	Sr-90		GELC	pCi/L									0.115		0.515	0.12		0.163		0.3	0.0752
	Tritium	H-3		UMTL	pCi/L				0	0	0	9.6		-0.28737			0.28737					
	Uranium	U		EES6	μg/L																	
	Uranium	U		GELC	μg/L						_			0.463	0.02				0.44	0.02		
	Uranium-234	U-234		GEL	pCi/L				0.31		0.07	0.03										
	Uranium-234	U-234		GELC	pCi/L			-						0.299		0.047	0.032		0.243		0.069	0.0274
	Uranium-238	U-238		GEL	pCi/L				0.11		0.03	0.01						<u> </u>				
	Uranium-238	U-238		GELC	pCi/L									0.135		0.03	0.0194		0.145	1	0.049	0.0201

						Start Date Time	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04	03/10/05	03/10/05	03/10/05	03/10/05	03/10/05	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Amul Cuite		<u> </u>	1 -1- 0 - 1-				Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																1
0000	Alkalinity-CO3	ALK-CO3	(Decouded)	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L																
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6 GEL	mg/L								61.6	1							
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L mg/L													57.9	1.45		
-	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L													01.0			
	Ammonia	NH3		GEL	mg/L																
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L								0.00	0.01							
-	Bromide Bromide	Br(-1) Br(-1)		EES6 GEL	mg/L mg/L								0.02	0.01							\leftarrow
-	Bromide	Br(-1)		GELC	mg/L												<	0.041	0.041		
	Calcium	Ca		EES6	mg/L								13.2	0.01		0.1					
	Calcium Calcium	Ca Ca		GEL GELC	mg/L																\vdash
-	Chloride	CI(-1)		EES6	mg/L mg/L								2.41	0.01							\leftarrow
-	Chloride	CI(-1)		GEL	mg/L								2.11	0.01							
	Chloride	CI(-1)		GELC	mg/L													2.14	0.053		
-	Fluoride	F(-1)		EES6 GEL	mg/L								0.29	0.01							
-	Fluoride Fluoride	F(-1) F(-1)		GELC	mg/L mg/L													0.343	0.03		
-	Magnesium	Mg		EES6	mg/L								3.36	0.01		0.02		0.040	0.00		
	Magnesium	Mg		GEL	mg/L																
_	Magnesium	Mg		GELC	mg/L								0.75	0.000							
ניז	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3-N NO3+NO2-N		EES6 GEL	mg/L mg/L								0.75	0.003							\vdash
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L													0.61	0.003		
Ĭ	Nitrite as Nitrogen	NO2-N		EES6	mg/L							<	0.003	0.003							
E E	Perchlorate	CIO4		GELC	μg/L								4.07	0.04				0.414	0.05		
	Potassium Potassium	K K		EES6 GEL	mg/L mg/L								1.37	0.01							
-	Potassium	K		GELC	mg/L																
	Silicon Dioxide	SiO2		EES6	mg/L								32	10		0.2					
-	Silicon Dioxide Silicon Dioxide	SiO2 SiO2		GEL GELC	mg/L													60.4	0.000		
-	Sodium	Na		EES6	mg/L mg/L								9.83	0.01		0.04		69.4	0.032		
	Sodium	Na		GEL	mg/L								0.00	0.01		0.01					
	Sodium	Na		GELC	mg/L																
-	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			141.4					136.6	0.01							
<u> </u>	Sulfate Sulfate	SO4(-2) SO4(-2)		GEL	mg/L mg/L								3.19	0.01							
	Sulfate	SO4(-2)		GELC	mg/L													3.14	0.057		
[Total Dissolved Solids	TDS	-	GELC	mg/L				-					-				147	2.38		
	Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen	TKN TKN		GEL GELC	mg/L mg/L			1													\vdash
-	Total Organic Carbon	TOC		GEL	mg/L																
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Organic Carbon	TOC		HUFFMAN	mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L								0.0163	0.003							
	Total Phosphate as	1 0 1-1			mg/L			1					0.0100	0.000							
	Phosphorus	PO4-P		GELC	mg/L												<	0.031	0.01		
	Total Suspended Solids	TSS	Field	GELC	mg/L			0.0					0.00								
	pH Aluminum	pH	Field	FLD	SU ug/l			8.2					8.32	•							\vdash
METALS	Aluminum	Al		EES6	μg/L			1				<	2	2							
T. A	Aluminum	Al		GEL	μg/L																
ME	Aluminum	Al		GELC	μg/L								4	4							
	Antimony	Sb		EES6	μg/L			1				<	1	1		<u> </u>					

EP2006-1078 B-95 February 2007

									11.13 (001												
						Start Date Time	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04	03/10/05	03/10/05	03/10/05	03/10/05	03/10/05	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
							958.3	938.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	938.3	958.3	938.3	958.3	958.3
						Fld Qc Type Code		1	1		_								1	_	
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Antimony	Sb		GEL	μg/L																
	Antimony	Sb		GELC	μg/L																
	Arsenic	As		EES6	μg/L								0.7	0.2							
	Arsenic	As		GEL	μg/L																
	Arsenic	As		GELC	μg/L								20	4				1		1	
	Barium	Ba		EES6	μg/L								32	1							
	Barium Barium	Ba Ba		GEL GELC	μg/L μg/L																
	Beryllium	Be		EES6	μg/L							<	1	1							
	Beryllium	Be		GEL	μg/L								-								
	Beryllium	Be		GELC	μg/L																
	Boron	В		EES6	μg/L								14	1							
	Boron	В		GEL	μg/L																
	Boron	В		GELC	μg/L									_							
	Cadmium	Cd		EES6	μg/L							<	1	1							
	Cadmium	Cd		GEL	μg/L														1		
	Cadmium	Cd		GELC	μg/L											0.0					
	Chromium	Cr		EES6	μg/L								4.4	1		0.3					
	Chromium Chromium	Cr Cr		GEL GELC	μg/L μg/L																
	Cobalt	Co		EES6	μg/L μg/L							<	1	1							
	Cobalt	Co		GEL	μg/L							,		· ·							
	Cobalt	Co		GELC	μg/L																
	Copper	Cu		EES6	μg/L								1.2	1							
	Copper	Cu		GEL	μg/L																
<u></u>	Copper	Cu		GELC	μg/L																
METALS (cont.)	Iron	Fe		EES6	μg/L							<	10	10							
0) (0	Iron	Fe		GEL	μg/L													1		1	
AL9	Iron Lead	Fe Pb		GELC EES6	μg/L μg/L							<	0.2	0.2							
L L	Lead	Pb		GEL	μg/L μg/L								0.2	0.2							
Σ	Lead	Pb		GELC	μg/L																
	Manganese	Mn		EES6	μg/L							<	1	1							
	Manganese	Mn		GEL	μg/L																
	Manganese	Mn		GELC	μg/L																
[Mercury	Hg		EES6	μg/L							<	0.05	0.05							
	Mercury	Hg		GEL	μg/L								ļ			1		ļ		ļ	
	Mercury	Hg		GELC	μg/L								4	4							
	Nickel Nickel	Ni Ni		EES6 GEL	μg/L μg/L							<	1	1				-		-	
	Nickel	Ni Ni	+	GELC	μg/L μg/L						1								1		
	Selenium	Se		EES6	μg/L							<	1	1							
	Selenium	Se		GEL	μg/L								· ·	•							
	Selenium	Se		GELC	μg/L						<u> </u>										
	Silver	Ag		EES6	μg/L							<	1	1							
[Silver	Ag		GEL	μg/L																
	Silver	Ag		GELC	μg/L											1		ļ		ļ	
	Thallium	TI		EES6	μg/L							<	1	1							
	Thallium	TI TI		GEL	μg/L								-			1				-	
	<u>Thallium</u> Tin	Sn		GELC EES6	μg/L μg/L				1		1	<	1	1					1	-	
	Tin	Sn		GELC	μg/L μg/L						1	_ `	<u>'</u>	I		1					
	Uranium	U		GEL	μg/L μg/L								<u> </u>					<u> </u>		<u> </u>	
	Vanadium	V		EES6	μg/L								5	1							
	Vanadium	V		GEL	μg/L									•							
]	Vanadium	V		GELC	μg/L																
	Zinc	Zn		EES6	μg/L								4	1							
						-															

								•												
					Start Date Time	06/11/04	06/11/04	06/11/04	06/11/04	06/11/04	03/10/05	03/10/05	03/10/05	03/10/05	03/10/05	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05
					Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
					Fld Qc Type Code															
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Wolf Glass	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code			Jym	Result	Sta Wai	Sta Maa	Sta Officert	Sym	Result	Sta Mai	Sta Maa	Sta Officert	- Jyiii	Result	Sta Mai	Sta Maa	Stu Officert
Code	Analyte Desc	Analyte		_ab Code Std I	lom															
	Analyte Desc	Analyte	(Decoded) L	Lab Couc Stur	John															
METALS (cont.)	→.	-		051	a															
out T	Zinc	Zn	1	GEL µg	/L															
) WE																				
_	Zinc	Zn		GELC μg																
_	Americium-241	Am-241		GEL pC																
L	Americium-241	Am-241		GELC pC																
	Cesium-137	Cs-137		GEL pC																
	Cesium-137	Cs-137		GELC pC																
	Gross alpha	GROSSA		GELC pC																
	Gross beta	GROSSB		GEL pC	/L															
	Gross beta	GROSSB		GELC pC	/L															
	Gross gamma	GROSSG		GEL pC	/L															
Ī	Gross gamma	GROSSG		GELC pC	/L															
Q	Plutonium-238	Pu-238		GEL pC																
RAD	Plutonium-238	Pu-238		GELC pC																
_	Strontium-90	Sr-90		GEL pC																
i i	Strontium-90	Sr-90		GELC pC																
-	Tritium	H-3		UMTL pC			0.03193	0.28737		0.28737										
-	Uranium	U		EES6 µg			0.00100	0.20707		0.20707		0.3	0.2							
ŀ	Uranium	Ü		GELC µg								0.0	U.Z							+
	Uranium-234	U-234		GEL pC								+								+
F	Uranium-234	U-234		GELC pC								+								+
-	Uranium-238	U-238	+	GEL pC																+
}		U-238				+	+													┼──┤
	Uranium-238	U-238	1	GELC pC	/L	1	1	1	l	1	1	1	1							1

Table B-1.19 (continued)

							1 4510 5	-1.13 (66												
					Start Date Time	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05
					Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
					Fld Qc Type Code			10010		10010	7,7,7,7	10.010			10.010					1000
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Amul Cuita		Lab Cada		1		Sylli	Resuit	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert
Anyl Suite Code	Analyte Desc	Lab Code Analyte (Decoded)	Lab Code	Std Uom																
Code	Alkalinity-CO3	Alk-CO3	GELC	mg/L							<	1.45	1.45			<	1.45	1.45		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3 Field	FLD	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	EES6	mg/L													61.6	1		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	GEL	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	GELC	mg/L			57.9	1.45				55.1	1.45				56.1	1.45		
	Alkalinity-HCO3	ALK-HCO3	GELC	mg/L																
	Ammonia Ammonia as Nitrogen	NH3 NH3-N	GEL GELC	mg/L mg/L																-
	Bromide	Br(-1)	EES6	mg/L													0.02	0.01		+
	Bromide	Br(-1)	GEL	mg/L													5.02	0.01		
	Bromide	Br(-1)	GELC	mg/L		<	0.041	0.041			<	0.041	0.041			<	0.041	0.041		
	Calcium	Ca	EES6	mg/L													12.9	0.01		0.2
	Calcium	Ca	GEL	mg/L																
	Calcium	Ca	GELC	mg/L													0.04	0.04		
	Chloride	CI(-1)	EES6	mg/L			1	1									2.34	0.01		
	Chloride Chloride	CI(-1) CI(-1)	GEL GELC	mg/L mg/L			2.15	0.053				2.27	0.053				2.31	0.053		+
	Fluoride	F(-1)	EES6	mg/L			2.13	0.000				2.21	0.000				0.28	0.033		-
	Fluoride	F(-1)	GEL	mg/L													0.20	0.01		
	Fluoride	F(-1)	GELC	mg/L			0.332	0.03				0.327	0.03				0.329	0.03		
	Magnesium	Mg	EES6	mg/L													3.31	0.01		0.04
	Magnesium	Mg	GEL	mg/L																
	Magnesium	Mg	GELC	mg/L														2 2 2 2		
(D	Nitrate as Nitrogen	NO3-N	EES6 GEL	mg/L													0.71	0.003		
GENINORG	Nitrate-Nitrite as N Nitrate-Nitrite as N	NO3+NO2-N NO3+NO2-N	GELC	mg/L mg/L			0.604	0.003				0.624	0.017							
O _N	Nitrite as Nitrogen	NO2-N	EES6	mg/L			0.004	0.003				0.024	0.017			<	0.003	0.003		
I I	Perchlorate	CIO4	GELC	μg/L							<	0.408	0.05							
95	Potassium	K	EES6	mg/L													1.21	0.01		0.01
	Potassium	К	GEL	mg/L																
	Potassium	K	GELC	mg/L													22.2	- 10		
	Silicon Dioxide	SiO2 SiO2	EES6	mg/L													33.6	10		0.3
	Silicon Dioxide Silicon Dioxide	SiO2	GEL GELC	mg/L mg/L			69.9	0.032												
	Sodium	Na	EES6	mg/L			09.9	0.032									11.7	0.01		0.2
	Sodium	Na	GEL	mg/L														0.0.		
	Sodium	Na	GELC	mg/L																
	Specific Conductance	SPEC_CONDC Field	FLD	uS/cm		_	151.4										137.3			
	Sulfate	SO4(-2)	EES6	mg/L													3.04	0.01		
	Sulfate Sulfate	SO4(-2) SO4(-2)	GEL GELC	mg/L mg/L			3.12	0.057				3.07	0.057				3.1	0.057		
	Total Dissolved Solids	TDS	GELC	mg/L			192	2.38				137	2.38				143	2.38		+
	Total Kjeldahl Nitrogen	TKN	GEL	mg/L			102	2.00				101	2.50				. 70	2.00		
	Total Kjeldahl Nitrogen	TKN	GELC	mg/L		<	0.01	0.01								<	0.058	0.01		
	Total Organic Carbon	TOC	GEL	mg/L																
	Total Organic Carbon	TOC	GELC	mg/L			0.243	0.074								<	0.835	0.074		
	Total Organic Carbon	TOC	HUFFMAN	mg/L																
	Total Phosphate as Phosphorus	PO4-P	EES6	mg/L													0.01304	0.003		
	Total Phosphate as	1 07-1	LLGU	my/L													0.01004	0.003		+
	Phosphorus	PO4-P	GELC	mg/L		<	0.039	0.01				0.095	0.01							
	Total Suspended Solids	TSS	GELC	mg/L																
	pН	pH Field	FLD	SU			8.96										8.06			
S	Aluminum	Al	EES6	μg/L													7	2		<u> </u>
METALS	Aluminum	Al	GEL	μg/L]												
<u> </u>	Aluminum	Al	GELC	μg/L																
Σ	Antimony	Sb	EES6	μg/L												<	1	1		
				rg' =	1	l .	1	1	1					l .		·	•		·	

							1 4510 2	-1.13 (66	minaday											
					Start Date Time	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05
					Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
									_	+										_
					Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
					Fld Qc Type Code															
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite		Lab Code									-									
Code	Analyte Desc	Analyte (Decoded)	Lab Code	Std Uom																
	Antimony	Sb	GEL	μg/L																1
	Antimony	Sb	GELC	μg/L																1
	Arsenic	As	EES6	μg/L													0.6	0.2		
	Arsenic	As	GEL	μg/L																
	Arsenic	As	GELC	μg/L																
	Barium	Ва	EES6	μg/L													310	1		
	Barium	Ва	GEL	μg/L																
<u> </u>	Barium	Ва	GELC	μg/L			ļ					ļ						ļ		
	Beryllium	Be	EES6	μg/L						<u> </u>		ļ				<	1	1		
	Beryllium	Be	GEL	μg/L					 			ļ							ļ	
	Beryllium	Be	GELC	μg/L			1		1			 						-	 	+
-	Boron	В	EES6	μg/L			 					 					63	1		1
-	Boron Boron	B B	GEL GELC	μg/L			-			-		-						-		+
-	Cadmium	Cd	EES6	μg/L μg/L			+		1			 				<	1	1	-	+
 	Cadmium	Cd	GEL	μg/L μg/L						+						+ `	1			+
	Cadmium	Cd	GELC	μg/L μg/L			 					 						 		+
 	Chromium	Cr	EES6	μg/L													5.9	1		+
 	Chromium	Cr	GEL	μg/L													0.0			+
	Chromium	Cr	GELC	μg/L																+
	Cobalt	Co	EES6	μg/L												<	1	1		1
	Cobalt	Co	GEL	μg/L																
	Cobalt	Co	GELC	μg/L																1
	Copper	Cu	EES6	μg/L													1.1	1		
	Copper	Cu	GEL	μg/L																
· ·	Copper	Cu	GELC	μg/L																
METALS (cont.)	Iron	Fe	EES6	μg/L												<	10	10		
) Ö	Iron	Fe	GEL	μg/L																
LS	Iron	Fe	GELC	μg/L																
<u> </u>	Lead	Pb	EES6	μg/L												<	0.2	0.2		
	Lead	Pb	GEL	μg/L																
I − ⊢	Lead	Pb	GELC	μg/L													4			
⊢	Manganese	Mn	EES6	μg/L			1									<	1	1		
<u> </u>	Manganese	Mn Mn	GEL GELC	μg/L																+
<u> </u>	Manganese Mercury		EES6	μg/L												<	0.05	0.05		+
 	Mercury	Hg Hg	GEL	μg/L μg/L			 			 		 				 	0.00	0.00	1	+
	Mercury	Hg		μg/L μg/L			 			<u> </u>		 						 		+
	Nickel	Ni Ni	EES6	μg/L			1					1				<	1	1	1	†
	Nickel	Ni Ni	GEL	μg/L			1					1					,	† · ·	1	†
	Nickel	Ni Ni	GELC	μg/L					1											1
	Selenium	Se	EES6	μg/L												<	1	1		1
	Selenium	Se	GEL	μg/L															İ	1
	Selenium	Se	GELC	μg/L																
	Silver	Ag	EES6	μg/L												<	1	1		
	Silver	Ag	GEL	μg/L																
	Silver	Ag	GELC	μg/L																
	Thallium	TI	EES6	μg/L			ļ					ļ				<	1	1		
<u> </u>	Thallium	TI	GEL	μg/L			1		<u> </u>									1		
	Thallium	TI	GELC	μg/L						<u> </u>		ļ						<u> </u>		
	Tin	Sn	EES6	μg/L												<	1	1		
	<u>Tin</u>	Sn	GELC	μg/L								ļ							ļ	
	Uranium	U	GEL	μg/L					 			ļ							ļ	
	Vanadium	V	EES6	μg/L			-			ļ		ļ					6	1		+
	Vanadium	V	GEL	μg/L			 					 						 		+
	Vanadium Zinc	V 7n	GELC	μg/L			1	-	+			 		-			20	4	 	+
	Z IDC	Zn	EES6	μg/L	1	l	Ì			1		1	I	l	l	l	38	1		1

EP2006-1078 B-99 February 2007

						Start Date Time	05/26/05	05/26/05	05/26/05	05/26/05	05/26/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05	09/01/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0	700.0
							CINICIE	CINICIE	CINICIE	CINCLE	CINCLE	CINICIE	CINICIE	CINICIE	CINCLE	CINICIE	CINCLE	CINICIE	CINICIE	CINCLE	CINICIE
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
				ı			Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code																		i
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																ļ
ω_																					i
.j 7	Zinc	Zn		GEL	μg/L																i l
METALS (cont.)																					1
≥ -	Zinc	Zn		GELC	μg/L																i
	Americium-241	Am-241		GEL	pCi/L																
F	Americium-241	Am-241		GELC	pCi/L																i
 	Cesium-137	Cs-137		GEL	pCi/L																
 	Cesium-137	Cs-137		GELC	pCi/L																
Ī	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta	GROSSB		GEL	pCi/L																i
	Gross beta	GROSSB		GELC	pCi/L																i
	Gross gamma	GROSSG		GEL	pCi/L																
	Gross gamma	GROSSG		GELC	pCi/L																i
RAD	Plutonium-238	Pu-238		GEL	pCi/L																i
₹	Plutonium-238	Pu-238		GELC	pCi/L																
_	Strontium-90	Sr-90		GEL	pCi/L																i
_	Strontium-90	Sr-90		GELC	pCi/L																
<u> </u>	Tritium	H-3		UMTL	pCi/L			0.60667	0.28737		0.28737							0.19158		0.28737	0.28737
<u> </u>	Uranium	U		EES6	μg/L													0.4	0.2		
_	Uranium	U		GELC	μg/L																1
	Uranium-234	U-234		GEL	pCi/L																<u> </u>
<u> </u>	Uranium-234	U-234		GELC	pCi/L			ļ	ļ												
<u> </u>	Uranium-238	U-238		GEL	pCi/L																<u> </u>
	Uranium-238	U-238		GELC	pCi/L		l														i

				Start Date Time	05/26/05	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06
				Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
				Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
				Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
				Fld Qc Type Code																
				Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		T	T		Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite		Lab Code																		
Code	Analyte Desc Alkalinity-CO3	Analyte (Decoded) ALK-CO3		td Uom mg/L		<	1.45	1.45								<	0.725	0.725		
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 Field		mg/L			1.45	1.45				63.4					0.725	0.725		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		mg/L																-
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		mg/L																
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		mg/L			59.2	1.45									60.6	0.725		
	Alkalifility-ncos Ammonia	NH3		mg/L mg/L																-
	Ammonia as Nitrogen	NH3-N		mg/L							<	0.05	0.05				0.028	0.01		
	Bromide	Br(-1)		mg/L																
	Bromide	Br(-1)		mg/L			0.044	0.044									0.000	0.000		
	Bromide Calcium	Br(-1) Ca		mg/L mg/L	<	<	0.041	0.041								<	0.066	0.066		
	Calcium	Ca		mg/L																
	Calcium	Ca	GELC	mg/L			13.3	0.036				13.1	0.036				13.5	0.036		
	Chloride	CI(-1)		mg/L																
	Chloride Chloride	CI(-1) CI(-1)		mg/L mg/L			2.22	0.053									2.24	0.066		
	Fluoride	F(-1)		mg/L			2.22	0.055									2.24	0.000		
	Fluoride	F(-1)		mg/L																
	Fluoride	F(-1)		mg/L			0.332	0.03									0.354	0.033		
	Magnesium	Mg		mg/L																
	Magnesium Magnesium	Mg Mg		mg/L mg/L			3.36	0.085				3.29	0.085				3.31	0.085		
	Nitrate as Nitrogen	NO3-N		mg/L			3.30	0.003				3.23	0.003				3.31	0.000		
g	Nitrate-Nitrite as N	NO3+NO2-N	GEL	mg/L																
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		mg/L			0.594	0.017									0.724	0.014		
É	Nitrite as Nitrogen Perchlorate	NO2-N CIO4		mg/L			0.341	0.05									0.394	0.05		
GE	Potassium	K		μg/L mg/L			0.341	0.05									0.394	0.05		
	Potassium	K		mg/L																
	Potassium	К		mg/L			1.29	0.05				1.25	0.05				1.34	0.05		
	Silicon Dioxide Silicon Dioxide	SiO2 SiO2		mg/L																
	Silicon Dioxide	SiO2		mg/L mg/L			69.9	0.032				69.2	0.032				70.4	0.032		-
	Sodium	Na		mg/L			00.0	0.002				00.2	0.002				70.1	0.002		
	Sodium	Na		mg/L																
	Sodium	Na SPEC CONTROL FIELD		mg/L			9.78	0.045				9.66	0.045				10.1	0.045		
	Specific Conductance Sulfate	SPEC_CONDC Field SO4(-2)		ng/L								133								
	Sulfate	SO4(-2)		mg/L																
	Sulfate	SO4(-2)	GELC	mg/L			3	0.057									2.93	0.1		
	Total Dissolved Solids	TDS		mg/L			153	2.38									137	2.38		
	Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen	TKN TKN		mg/L mg/L	<						<	0.01	0.01				0.066	0.01		
	Total Organic Carbon	TOC		mg/L								0.01	0.01				0.000	0.01		
	Total Organic Carbon	TOC	GELC	mg/L																
	Total Organic Carbon	TOC	HUFFMAN	mg/L																
	Total Phosphate as Phosphorus	PO4-P	EES6	mg/L																
	Total Phosphate as	1 07-1	LLGO	mg/L																
	Phosphorus	PO4-P		mg/L	<	<	0.1	0.01								<	0.039	0.01		
	Total Suspended Solids	TSS		mg/L								0.0								
	pH	pH Field		SU	1	1						8.3								
l S	Aluminum	Al		µg/L																
METALS	Aluminum	Al		µg/L		-														
ME	Aluminum	Al		µg/L		<	68	68			<	68	68			<	68	68		
	Antimony	Sb	EES6	μg/L	j	j]			<u> </u>							

EP2006-1078 B-101 February 2007

									J		,								1			
						Start Date Time	05/26/05	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06
						Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
							930.3	930.3	930.3	936.3	930.3	930.3	930.3	936.3	930.3	930.3	930.3	930.3	936.3	936.3	930.3	930.3
						Fld Qc Type Code																
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																			
Code	Analyte Desc	Analyte		Lab Code	Std Uom																	
	Antimony	Sb		GEL	μg/L																	
	Antimony	Sb		GELC	μg/L			<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		EES6	μg/L																	
	Arsenic	As		GEL	μg/L																	
	Arsenic	As		GELC	μg/L			<	6	6			<	6	6			<	6	6		
	Barium	Ва		EES6	μg/L																	
	Barium	Ba		GEL	μg/L																	
	Barium	Ba		GELC	μg/L				25.7	1				25.1	1				25.9	1		
	Beryllium	Be		EES6	μg/L																	
	Beryllium	Be	+ +	GEL	μg/L										<u> </u>				4	4		
	Beryllium	Be	+	GELC	μg/L		 	<	1	1			<	1	1			<	1	1		+
	Boron Boron	B B	+	EES6 GEL	µg/L		 	-							 				-			+
	Boron	В	+ +	GELC	μg/L μg/L			-	14.6	10				12.8	10				14.3	10		+
	Cadmium	Cd	+	EES6	μg/L μg/L		1		14.0	10				12.0	10				14.3	10		+
	Cadmium	Cd		GEL	μg/L μg/L																	+
	Cadmium	Cd	+	GELC	μg/L			<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		+
	Chromium	Cr		EES6	µg/L			,	0.1	0.1				0.1	0.1			-	0.1	0.1		
	Chromium	Cr		GEL	μg/L																	
	Chromium	Cr		GELC	μg/L			<	4.6	1			<	4.2	1				5.1	1		
	Cobalt	Co		EES6	μg/L				-													
	Cobalt	Co		GEL	μg/L																	
	Cobalt	Co		GELC	μg/L			<	1	1			<	1	1			<	1	1		
	Copper	Cu		EES6	μg/L																	
	Copper	Cu		GEL	μg/L																	
<u> </u>	Copper	Cu		GELC	μg/L			<	3	3			<	3	3			<	3	3		
METALS (cont.)	Iron	Fe		EES6	μg/L																	
0)	Iron	Fe		GEL	μg/L																	
LS LS	Iron	Fe		GELC	μg/L			<	18	18			<	18	18			<	18	18		
L Ž	Lead	Pb		EES6	μg/L										1							
ME	Lead	Pb Pb		GEL GELC	μg/L				0.5	0.5				0.5	0.5				0.5	0.5		
	Lead Manganese	Mn		EES6	µg/L			<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		GEL	μg/L μg/L																	
	Manganese	Mn		GELC	μg/L μg/L			<	2	2			<	2	2			<	2	2		+
	Mercury	Hg		EES6	μg/L																	+
	Mercury	Hg	+ +	GEL	μg/L																	
	Mercury	Hg		GELC	μg/L			<	0.05	0.05			<	0.05	0.05			<	0.06	0.06		
	Nickel	Ni		EES6	μg/L																	
	Nickel	Ni		GEL	μg/L		İ															
	Nickel	Ni		GELC	μg/L				0.56	0.5				0.51	0.5			<	0.5	0.5		
	Selenium	Se		EES6	μg/L																	
	Selenium	Se		GEL	μg/L																	
	Selenium	Se		GELC	μg/L			<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
	Silver	Ag		EES6	μg/L																	<u> </u>
	Silver	Ag		GEL	μg/L				0.0	0.0				0.0	0.0				0.0	0.0		
	Silver	Ag	+ +	GELC	μg/L			<	0.2	0.2			<	0.2	0.2			<	0.2	0.2		
	Thallium	TI TI		EES6	μg/L																	
	Thallium	TI TI		GEL	μg/L			 	0.54	0.4				0.4	0.4				0.4	0.4		
	Thallium	TI	+	GELC	µg/L		 	-	0.54	0.4			<	0.4	0.4			<	0.4	0.4		+
	Tin	Sn Sn	+	GELC	µg/L			<	2.5	2.5			<	2 =	2.5			<	2 5	2.5		+
	Tin Uranium	U	+ +	GEL	µg/L			_ `	2.5	2.5			`	2.5	2.5				2.5	2.5		+
	Vanadium	V	+	EES6	μg/L μg/L		<u> </u>															+
	Vanadium	V	+	GEL	μg/L μg/L		1															+
	Vanadium	V	+ +	GELC	μg/L μg/L			<	5.3	1			<	5	1				5.8	1		+
	Zinc	Zn		EES6	μg/L			<u> </u>	0.0	<u>'</u>					 '				0.0	 		
	2010	211			M3′ L	l	1	1		L	i	1		i	L		<u> </u>		I	1	I	

									(/											
						Start Date Time	05/26/05	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	02/02/06	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06
						Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code	750.5	730.3	730.3	730.3	730.3	730.3	730.3	730.3	730.3	750.5	750.5	750.5	730.3	730.3	730.3	730.3
							011101.5	011101.5	0111015	011101.5	011101.5	011101.5	011101.5	0111015	011101.5	011015	011015	011101 5	011101.5		00000	011101.5
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		1	-	1			Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		1	1
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom															ļ'	<u> </u>	
S																					1	
AL nt.)	Zinc	Zn		GEL	μg/L																1	
METALS (cont.)																						
≥ -	Zinc	Zn		GELC	μg/L			<	2	2			<	2	2			<	3	2	1	1
	Americium-241	Am-241		GEL	pCi/L				_	_				_	_				- J			
-	Americium-241	Am-241		GELC	pCi/L														-0.0164		0.0504	0.0202
Ī	Cesium-137	Cs-137		GEL	pCi/L																	
•	Cesium-137	Cs-137		GELC	pCi/L														1.84		3.79	0.968
	Gross alpha	GROSSA		GELC	pCi/L														-0.0336		2.17	0.417
	Gross beta	GROSSB		GEL	pCi/L																	
	Gross beta	GROSSB		GELC	pCi/L														0.109		2.05	0.461
	Gross gamma	GROSSG		GEL	pCi/L																	
_	Gross gamma	GROSSG		GELC	pCi/L														93	<u> </u>	263	78.4
RAD	Plutonium-238	Pu-238		GEL	pCi/L															<u> </u>	<u> </u>	<u> </u>
3	Plutonium-238	Pu-238		GELC	pCi/L														0.0024	<u> </u>	0.023	0.0024
_	Strontium-90	Sr-90		GEL	pCi/L															<u> </u>	<u> </u>	<u> </u>
_	Strontium-90	Sr-90		GELC	pCi/L														-0.0411	<u> </u>	0.311	0.0664
_	Tritium	H-3		UMTL	pCi/L									-0.03193		0.28737	0.28737			<u> </u>	<u> </u>	<u> </u>
_	Uranium	U		EES6	μg/L															<u> </u>	<u> </u>	
	Uranium	U		GELC	μg/L				0.53	0.05				0.48	0.05				0.39	0.05	<u> </u>	<u> </u>
	Uranium-234	U-234		GEL	pCi/L															<u> </u>	<u> </u>	<u></u>
	Uranium-234	U-234		GELC	pCi/L														0.255	<u> </u>	0.0437	0.0279
<u>_</u>	Uranium-238	U-238		GEL	pCi/L															<u> </u>	<u> </u>	<u> </u>
	Uranium-238	U-238		GELC	pCi/L										1				0.134		0.0464	0.0187

Table B-1.19 (continued)

								J-1.13 (COI	itiiiaoa,							
						Start Date Time	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06	10/25/06	10/25/06	10/25/06	10/25/06	10/25/06
							UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Fld Prep Code										+
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code										
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class										
		1	1		1		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code													
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom											
•	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	0.725	0.725							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L											
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L											
Ī	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GEL	mg/L											
1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			60.6	0.725							
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L											
İ	Ammonia	NH3		GEL	mg/L											
	Ammonia as Nitrogen	NH3-N		GELC	mg/L			0.011	0.01							
	Bromide	Br(-1)		EES6	mg/L											+
	Bromide	Br(-1)		GEL	mg/L								1	İ	1	
	Bromide	Br(-1)		GELC	mg/L		<	0.066	0.066				1	İ	1	
	Calcium	Ca		EES6	mg/L			0.000	0.000				1	1	†	+
	Calcium	Ca		GEL	mg/L								 		†	+
	Calcium	Ca		GELC	mg/L			13.4	0.036							+
	Chloride	CI(-1)		EES6	mg/L			10.4	0.000				 	+	+	+
}	Chloride	CI(-1)		GEL											+	+
				GELC	mg/L			2.24	0.066							+
	Chloride	CI(-1)		EES6	mg/L			2.24	0.000						-	
}	Fluoride	F(-1)			mg/L										1	
	Fluoride	F(-1)		GEL	mg/L				2 222							
	Fluoride	F(-1)		GELC	mg/L			0.358	0.033							
<u> </u>	Magnesium	Mg		EES6	mg/L											
	Magnesium	Mg		GEL	mg/L											
	Magnesium	Mg		GELC	mg/L			3.28	0.085							
<u> </u>	Nitrate as Nitrogen	NO3-N		EES6	mg/L											
5	Nitrate-Nitrite as N	NO3+NO2-N		GEL	mg/L											
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.716	0.014							
≧	Nitrite as Nitrogen	NO2-N		EES6	mg/L											
	Perchlorate	CIO4		GELC	μg/L											
O	Potassium	K		EES6	mg/L											
	Potassium	K		GEL	mg/L											
	Potassium	K		GELC	mg/L			1.3	0.05							
	Silicon Dioxide	SiO2		EES6	mg/L											
Ī	Silicon Dioxide	SiO2		GEL	mg/L											
1	Silicon Dioxide	SiO2		GELC	mg/L			69.5	0.032							
	Sodium	Na		EES6	mg/L											+
	Sodium	Na		GEL	mg/L								1	İ	1	
	Sodium	Na		GELC	mg/L			10	0.045					 	<u> </u>	
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			134.8	3.0.0				129.3		†	
	Sulfate	SO4(-2)	. 1010	EES6	mg/L			.01.0					120.0		†	
	Sulfate	SO4(-2)		GEL	mg/L								+	+	†	+
	Sulfate	SO4(-2)		GELC	mg/L			2.95	0.1				 	+	+	+
j	Total Dissolved Solids	TDS		GELC	mg/L			139	2.38				 	 	+	+
}	Total Kjeldahl Nitrogen	TKN		GEL	mg/L			133	2.50				 	 	+	+
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			0.018	0.01				 	 	+	+
	Total Organic Carbon	TOC		GEL				0.010	0.01				+	1	+	+
}		TOC		GELC	mg/L			0.33	0.22				1	-	+	+
	Total Organic Carbon	100			mg/L		<	0.33	0.33				 	1	+	
	Total Organic Carbon	TOC		HUFFMAN	mg/L								 	1	+	
	Total Phosphate as	DO4 D		FF06												
	Phosphorus Tatal Phosphoto as	PO4-P		EES6	mg/L								 	1	+	
	Total Phosphate as	DO4 D		051.0	w D		_	0.000	0.04				1	1	1	1
	Phosphorus	PO4-P		GELC	mg/L		<	0.036	0.01				-	-	+	
	Total Suspended Solids	TSS	F	GELC	mg/L			6.1=						 	 	
	рН	pН	Field	FLD	SU			8.17					8.2	ļ	1	
S	Aluminum	Al		EES6	μg/L									<u> </u>	<u> </u>	<u> </u>
4L;	Aluminum	Al		GEL	μg/L				-							
METALS	Aluminum	Al		GELC	μg/L		<	68	68				1	İ	1	
ĭ ₩							_ `	00	00				+	+	+	+
	Antimony	Sb		EES6	μg/L								<u> </u>		1	

Table B-1.19 (continued)

						Start Date Time	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06	10/25/06	10/25/06	10/25/06	10/25/06	10/25/06
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code										
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					1		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code													
Anyl Suite Code	Analyte Desc Antimony	Analyte Sb	(Decoded)	Lab Code GEL	Std Uom µg/L											
-	Antimony	Sb		GELC	μg/L μg/L		<	0.5	0.5							+
	Arsenic	As		EES6	μg/L											
	Arsenic	As		GEL	μg/L											
-	Arsenic Barium	As Ba		GELC EES6	μg/L μg/L		<	6	6							
}	Barium	Ва		GEL	μg/L μg/L											+
	Barium	Ba		GELC	μg/L			26.1	1							
	Beryllium	Be		EES6	μg/L											
-	Beryllium	Be Be		GEL GELC	μg/L		<	1	1							<u> </u>
-	Beryllium Boron	В		EES6	μg/L μg/L			I	1							+
1	Boron	В		GEL	μg/L											
	Boron	В		GELC	μg/L			13.1	10							
	Cadmium	Cd		EES6	μg/L											
-	Cadmium Cadmium	Cd Cd		GEL GELC	μg/L μg/L		<	0.1	0.1							1
-	Chromium	Cr		EES6	μg/L			0.1	0.1							1
	Chromium	Cr		GEL	μg/L											
	Chromium	Cr		GELC	μg/L			4.6	1							
-	Cobalt	Co		EES6 GEL	μg/L											
-	Cobalt Cobalt	Co Co		GELC	μg/L μg/L		<	1	1							1
	Copper	Cu		EES6	μg/L		-	•								
	Copper	Cu		GEL	μg/L											
(;	Copper	Cu		GELC	μg/L		<	3	3							
METALS (cont.)	Iron Iron	Fe Fe		EES6 GEL	μg/L μg/L											-
S.	Iron	Fe		GELC	μg/L		<	18	18							1
I I	Lead	Pb		EES6	μg/L											
ME	Lead	Pb		GEL	μg/L											
_	Lead Manganese	Pb Mn		GELC EES6	μg/L μg/L		<	0.5	0.5							-
}	Manganese	Mn		GEL	μg/L μg/L											+
	Manganese	Mn		GELC	μg/L		<	2	2							
	Mercury	Hg		EES6	μg/L											
-	Mercury Mercury	Hg Hg		GEL GELC	µg/L		<	0.06	0.06							<u> </u>
-	Nickel	пу Ni		EES6	μg/L μg/L			0.06	0.06							+
	Nickel	Ni		GEL	μg/L											
	Nickel	Ni		GELC	μg/L		<	0.5	0.5			•				
	Selenium	Se		EES6	μg/L											
	Selenium Selenium	Se Se		GEL GELC	μg/L μg/L		<	2.5	2.5							1
	Silver	Ag		EES6	μg/L		-	2.0	2.0							
	Silver	Ag		GEL	μg/L											
-	Silver	Ag		GELC	μg/L		<	0.2	0.2							
}	Thallium Thallium	TI TI	+	EES6 GEL	μg/L μg/L											+
	Thallium	Ti	1	GELC	μg/L μg/L		<	0.4	0.4							+
	Tin	Sn		EES6	μg/L											
	Tin	Sn		GELC	μg/L		<	2.5	2.5			•				
	Uranium	U V	1	GEL EES6	μg/L											
}	Vanadium Vanadium	V	1	GEL	μg/L μg/L											+
	Vanadium	V		GELC	μg/L			5.3	1							
	Zinc	Zn		EES6	μg/L							_				

EP2006-1078 B-105 February 2007

						Start Date Time	07/03/06	07/03/06	07/03/06	07/03/06	07/03/06	10/25/06	10/25/06	10/25/06	10/25/06	10/25/06
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3	958.3
						Fld Qc Type Code										
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom							-				
METALS (cont.)	Zinc	Zn		GEL	μg/L											
MET (co	Zinc	Zn		GELC	μg/L		<	2.4	2							
	Americium-241	Am-241		GEL	pCi/L											
	Americium-241	Am-241		GELC	pCi/L			0.0111		0.0522	0.0134					
	Cesium-137	Cs-137		GEL	pCi/L											
Ī	Cesium-137	Cs-137		GELC	pCi/L			0.347		3.39	0.926					
	Gross alpha	GROSSA		GELC	pCi/L			0.0249		2.72	0.532					
	Gross beta	GROSSB		GEL	pCi/L											
	Gross beta	GROSSB		GELC	pCi/L			-0.177		2.1	0.456					
	Gross gamma	GROSSG		GEL	pCi/L											
	Gross gamma	GROSSG		GELC	pCi/L			72		258	72.2					
RAD	Plutonium-238	Pu-238		GEL	pCi/L											
Ž	Plutonium-238	Pu-238		GELC	pCi/L			-0.0082		0.016	0.00369					
	Strontium-90	Sr-90		GEL	pCi/L											
Ī	Strontium-90	Sr-90		GELC	pCi/L			-0.184		0.299	0.055					
	Tritium	H-3		UMTL	pCi/L			0.22351		0.28737	0.28737					
	Uranium	U		EES6	μg/L											
Ī	Uranium	U		GELC	μg/L			0.37	0.05							
	Uranium-234	U-234		GEL	pCi/L											
	Uranium-234	U-234		GELC	pCi/L			0.259		0.0557	0.0311					
Ī	Uranium-238	U-238		GEL	pCi/L											
	Uranium-238	U-238		GELC	pCi/L			0.131		0.0592	0.0232					

Table B-1.20 R-18

					Start Date Time	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	12/01/05	12/01/05	12/01/05	12/01/05	12/01/05
					Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
					Fld Qc Type Code															
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Well Class			Std Mdl	Std Mda	Std Uncert			Std Mdl	Std Mda	Std Uncert			Std Mdl	Std Mda	Std Uncert
		1				Sym	Result	Sta iviai	Sta ivida	Std Uncert	Sym	Result	Sta Mai	Sta ivida	Std Uncert	Sym	Result	Sta Mai	Sta ivida	Sta uncert
Anyl Suite	Assaluta Daga	A b . d .	Lab Code Lab	Ctd II																1
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded) Code GELC																	\vdash
	Alkalinity-C03 Alkalinity-C03+HC03	ALK-CO3+HCO3	Field FLD									46.5								
	Alkalinity-C03+HC03	ALK-CO3+HCO3	EES6									51.2	1							
	Alkalinity-C03+HC03	ALK-CO3+HCO3	GELC				47	1.45				01.2	·				48.7	1.45		
	Ammonia as Nitrogen	NH3-N	GELC			<	0.04	0.04			<	0.04	0.04			<	0.01	0.01		
	Bromide	Br(-1)	EES6									0.03	0.01							
	Bromide	Br(-1)	GELC	: mg/L			0.068	0.041									0.068	0.041		
	Calcium	Ca	EES6									8.75	0.01		0.03					
	Calcium	Ca	GELC				9.56	0.036				9.44	0.036				9.35	0.036		
	Chloride	CI(-1)	EES6				101	0.0=0	ļ			1.52	0.01				4.00	0.050		
	Chloride	CI(-1)	GELC				1.21	0.053				0.00	0.04				1.29	0.053		+
	Fluoride Fluoride	F(-1) F(-1)	EES6		+	-	0.467	0.02				0.06	0.01				0.462	0.02		
	Fluoride Magnesium	F(-1) Mg	GELC EES6			-	0.167	0.03				2.96	0.01		0.01		0.163	0.03		
	Magnesium	Mg	GELC				3.19	0.085		 		3.16	0.01		0.01		3.13	0.085		
	Nitrate as Nitrogen	NO3-N	EES6				0.10	0.000				0.54	0.003				0.10	0.000		
3G	Nitrate do Nitrogen	NO3+NO2-N	GELC			<	0.391	0.017			<	0.382	0.017				0.397	0.017		
GENINORG	Nitrite as Nitrogen	NO2-N	EES6								<	0.003	0.003				0.000			
\ \{\bar{\pm}\}	Perchlorate	CIO4	GELC									0.268	0.05							
3El	Potassium	K	EES6	mg/L								1.1	0.01							
	Potassium	K	GELC				1.14	0.05				1.13	0.05				1.14	0.05		
	Silicon Dioxide	SiO2	EES6									27.8	10		0.1					
	Silicon Dioxide	SiO2	GELC				58.6	0.032				57.6	0.032				58.5	0.032		
	Sodium	Na	EES6				0.50	0.045				8.53	0.01		0.06		0.4	0.045		
	Sodium Specific Conductance	Na SPEC CONDC	GELC Field FLD				8.58	0.045				8.39 109.6	0.045				8.4	0.045		
	Sulfate	SO4(-2)	EES6									1.72	0.01							
	Sulfate	SO4(-2)	GELC			<	1.73	0.057				1.72	0.01				1.74	0.057		
	Sulfide. Total	S(-2)	Field FLD			1	1.70	0.007				0.005					1.7 -	0.001		
	Total Dissolved Solids	TDS	GELC									0.000								
	Total Kjeldahl Nitrogen	TKN	GELC			<	0.02	0.02			<	0.02	0.02				0.488	0.04		
	Total Organic Carbon	TOC	GELC								'	0.6	0.074							
	Total Phosphate as Phosphorus	PO4-P	EES6									0.02608	0.003							
	Total Phosphate as Phosphorus	PO4-P	GELC				0.085	0.048				0.168	0.01				0.06	0.048		
	Total Suspended Solids	TSS	GELC																	
	pH Aluminum	pH	Field FLD	SU								7.63	2							
	Aluminum Aluminum	Al Al	EES6		+	<	68	68			<	2.5 68	2 68			<	68	68		
	Antimony	Sb	EES6				00	00	1		<	1	1			_ `	00	UO		
	Antimony	Sb	GELC			<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Arsenic	As	EES6									0.5	0.2							
	Arsenic	As	GELC			<	6	6			<	6	6			<	6	6		
	Barium	Ва	EES6	μg/L								20	1							
	Barium	Ва	GELC				19.6	1				19.4	1				19.5	1		
METALS	Beryllium	Be	EES6								<	1	1							
	Beryllium	Be	GELC			<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
Σ	Boron	В	EES6				40	40		-		7.1	1		-		40	40		
	Boron	B Cd	GELC EES6			<	10	10	1		<	10	10		-	<	10	10		
1	Cadmium Cadmium	Cd	GELC		+	<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
	Cadmium	Cr	EES6				0.1	U. I	1			1.2	1			_ `	0.1	U. I		
	Chromium	Cr	GELC		+		1.5	1				1.9	1			<	1	1		
	Cobalt	Co	EES6								<	1.0	1		1		'			
	Cobalt	Co	GELC			<	1	1			<	1	1			<	1	1		
	Copper	Cu	EES6									1	1							
	•	•			•	•									•					

EP2006-1078 B-107 February 2007

						Start Date Time	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	08/25/05	12/01/05	12/01/05	12/01/05	12/01/05	12/01/05
							06/25/05 F	06/25/05 F		06/25/05 F	06/25/05 F		UF	UF	UF	UF	12/01/05 F	12/01/05 F	12/01/05 F	12/01/05 F	F
						Fld Prep Code	'	•	F			UF						•	•	•	+
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab								-									
Code	Analyte Desc	Analyte	(Decoded)		Std Uom																
	Copper	Cu	` ′	GELC	μg/L		<	3	3			<	3	3			<	3	3		
	Iron	Fe	Field	FLD	μg/L								0								
	Iron	Fe		EES6	μg/L							<	10	10							
	Iron	Fe		GELC	μg/L		<	18	18			<	18	18			<	18	18		
	Lead	Pb		EES6	μg/L							<	0.2	0.2							
	Lead	Pb		GELC	μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		EES6	μg/L							<	1	1							
	Manganese	Mn		GELC	μg/L		<	1	1			<	1	1			<	1	1		
_	Mercury	Hg		EES6	μg/L							<	0.05	0.05							
(cont.)	Mercury	Hg		GELC	μg/L		<	0.05	0.05			<	0.05	0.05			<	0.05	0.05		
<u> </u>	Nickel	Ni		EES6	μg/L							<	1	1							
S	Nickel	Ni		GELC	μg/L		<	1	1			<	1	1			<	1	1		
<u> </u>	Selenium	Se		EES6	μg/L							<	1	1							
METALS (Selenium	Se		GELC	μg/L		<	6	6			<	6	6			<	6	6		
∑	Silver	Ag		EES6	μg/L							<	1	1							
	Silver	Ag		GELC	μg/L		<	1	1			<	1	1			<	1	1		
	Thallium	TI		EES6	μg/L							<	1	1							
	Thallium	TI		GELC	μg/L			0.41	0.4			<	0.4	0.4				0.54	0.4		
	Tin	Sn		EES6	μg/L							<	1	1							
	Tin	Sn		GELC	μg/L																
	Vanadium	V		EES6	μg/L								3	1							
	Vanadium	V		GELC	μg/L			3	1				3.2	1				2.7	1		
	Zinc	Zn		EES6	μg/L								3	1							
	Zinc	Zn	1	GELC	μg/L		<	5.4	2			<	5.8	2			<	2	2		
	Americium-241	Am-241		GELC	pCi/L								-0.0147		0.032	0.0088					
	Cesium-137	Cs-137		GELC	pCi/L								0.439		2.56	0.723					
	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta	GROSSB		GELC	pCi/L			-													
	Gross gamma	GROSSG	+	GELC	pCi/L			-					0.00000		0.040	0.0000=					
RAD	Plutonium-238	Pu-238		GELC	pCi/L			-					0.00222		0.046	0.00665					
₾	Strontium-90	Sr-90	+	GELC	pCi/L			-					0.0206		0.309	0.0673					
_	Tritium	H-3	+	UMTL	pCi/L			-					5.36424	0.0	0.28737	0.3193					
	Uranium	U		EES6	μg/L			0.10	0.0-				0.3	0.2				0.00	0.05		\vdash
	Uranium	U	+	GELC	μg/L			0.42	0.05				0.41	0.05	0.0500	0.0076		0.38	0.05	ļ	\vdash
	Uranium-234	U-234	+	GELC	pCi/L			1					0.297		0.0563	0.0279		1		-	
	Uranium-238	U-238		GELC	pCi/L								0.151		0.0399	0.0185					

						Start Date Time	12/01/05	12/01/05	12/01/05	12/01/05	12/01/05	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Codo				Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Unicert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																
Arryr Suite Code	Alkalinity-CO3	ALK-CO3	(Decoded)	GELC	mg/L							<	0.725	0.725							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L			22					0.720	0.720				45			
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L			51.2	1									52.4			
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L								50.7	0.725							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.01	0.01			<	0.01	0.01			<	0.01	0.01		
	Bromide	Br(-1)		EES6	mg/L			0.08	0.01				0.044	0.044				0.04	0.01		
	Bromide Calcium	Br(-1) Ca		GELC EES6	mg/L mg/L			8.66	0.01		0.08	<	0.041	0.041				8.96	0.01		0.02
	Calcium	Ca		GELC	mg/L			9.49	0.036		0.00		9.82	0.036				9.81	0.036		0.02
	Chloride	CI(-1)		EES6	mg/L			6.45	0.01				0.02	0.000				1.92	0.030		
	Chloride	CI(-1)		GELC	mg/L								1.2	0.053							
	Fluoride	F(-1)		EES6	mg/L			0.65	0.01									0.08	0.01		
	Fluoride	F(-1)		GELC	mg/L			6.15	0.07		2.22	<	0.142	0.03					0.04		
	Magnesium	Mg Mg		EES6 GELC	mg/L			3.13 3.19	0.01 0.085		0.02		2.00	0.085				2.93	0.01 0.085		0.01
	Magnesium Nitrate as Nitrogen	NO3-N		EES6	mg/L mg/L			0.54	0.003				3.28	0.085				3.28 0.63	0.085		
Ş	Nitrate as Nitrogen	NO3+NO2-N	+	GELC	mg/L			0.463	0.003				0.491	0.017				0.03	0.003		
GENINORG	Nitrite as Nitrogen	NO2-N	1	EES6	mg/L		<	0.003	0.003				0.101	0.017			<	0.002	0.002		
\leq	Perchlorate	CIO4		GELC	μg/L			0.218	0.05									0.243	0.05		
3EI	Potassium	K		EES6	mg/L			1.1	0.01		0.01							1.16	0.01		0.01
	Potassium	K		GELC	mg/L			1.17	0.05				1.22	0.05				1.21	0.05		
	Silicon Dioxide	SiO2		EES6	mg/L			29.1	10		0.2		05.0	0.000				24.9	10		0
	Silicon Dioxide Sodium	SiO2 Na		GELC EES6	mg/L mg/L			59.3 9.03	0.032 0.01		0.06		65.8	0.032				8.46	0.01		0.01
	Sodium	Na Na		GELC	mg/L			8.51	0.045		0.00		8.98	0.045				8.96	0.01		0.01
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			105.4	0.010				0.00	0.010				107	0.010		
	Sulfate	SO4(-2)		EES6	mg/L			5.73	0.01									2.32	0.01		
	Sulfate	SO4(-2)		GELC	mg/L							<	1.6	0.057							
	Sulfide, Total	S(-2)	Field	FLD	mg/L			0					400	0.00				0			
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L			0.496	0.04				122 0.996	2.38 0.01			<	0.01	0.01		
	Total Organic Carbon	TOC		GELC	mg/L		<	1.03	0.074				0.990	0.01				0.01	0.01		
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L		<	0.00326	0.003									0.019	0.003		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			0.035	0.01			<	0.055	0.01							
	Total Suspended Solids	TSS		GELC	mg/L																
	pH	pH	Field	FLD	SU			7.67										7.62			
	Aluminum	Al Al		EES6 GELC	μg/L		<	9.1 68	2 68		0.5		68	68			<	2 68	2 68		
	Aluminum Antimony	Sb	1	EES6	μg/L ug/l		<	1	1			<	00	00			<	1	1		
	Antimony	Sb		GELC	μg/L μg/L		<	0.5	0.5			<	0.55	0.5			·	0.5	0.5		
	Arsenic	As		EES6	μg/L			0.5	0.2				0.00					0.5	0.2		
	Arsenic	As		GELC	μg/L		<	6	6			<	6	6			<	6	6		
	Barium	Ва		EES6	μg/L			110	1									19	1		
	Barium	Ba		GELC	μg/L			19.8	1				20.6	1				20.3	1		
ο.	Beryllium Beryllium	Be Be		EES6 GELC	μg/L		<	0.1	0.1		1	<	1	1			<	1 1	1		
METALS	Beryllium	Be B		EES6	μg/L μg/L			25	1			_ `					`	8	1		\vdash
I	Boron	В		GELC	μg/L		<	10	10			<	10	10			<	10	10		
_	Cadmium	Cd		EES6	μg/L		<	1	1								<	1	1		
	Cadmium	Cd		GELC	μg/L		<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		EES6	μg/L		<	1	1									1.3	1		
	Chromium Cobalt	Cr Co		GELC EES6	μg/L		<	1.3 1	1			<	1	1			< <	<u>1</u> 1	1		
	Cobalt	Co		GELC	μg/L μg/L		<	1	1		<u> </u>	<	1	1			<	1	1		
	Copper	Cu		EES6	μg/L		<	1	1			,	'	<u>'</u>			,	1.2	1		0.1
	Copper	Cu		GELC	μg/L		<	3	3			<	3	3			<	3	3		
	Iron	Fe	Field	FLD	μg/L			10										10			

EP2006-1078 B-109 February 2007

								1		,	1		ı	1	1			1	1	ı	
						Start Date Time	12/01/05	12/01/05	12/01/05	12/01/05	12/01/05	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06	03/07/06
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Well Old33	Sym	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code				Jyiii	Result	Stu Mui	Stu iviua	Stu Officert	Jyiii	Result	Stu Wui	Stu iviua	Std Officert	Jylli	Result	Stu iviui	Stu iviua	Stu Officert
Anul Cuito Codo	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																1
Anyl Suite Code	Iron	Fe Analyte	(Decoded)	EES6	µg/L		<	10	10								<	10	10		
	Iron	Fe Fe		GELC	μg/L μg/L			18	18			<	18	18				18	18		\vdash
	Lead	Pb	+	EES6	μg/L μg/L		<	0.2	0.2				10	10			<	0.2	0.2		
	Lead	Pb	+	GELC	μg/L			0.2	0.5			<	0.5	0.5				0.5	0.5		\vdash
	Manganese	Mn		EES6	μg/L		~	1	1				0.5	0.5			`	1	1		
	Manganese	Mn		GELC	μg/L		<	1	1			<	2	2			<	2	2		
	Mercury	Hq		EES6	μg/L		<	0.05	0.05				_				<	0.05	0.05		
	Mercury	Hq		GELC	μg/L		<	0.05	0.05			<	0.05	0.05			<	0.05	0.05		
£ —	Nickel	Ni		EES6	ua/L		<	1	1				0.00				<	1	1		
(cont.)	Nickel	Ni		GELC	µg/L			1.1	1			<	0.5	0.5				0.57	0.5		
) S	Selenium	Se		EES6	μg/L		<	1	1								<	1	1		
L _S	Selenium	Se		GELC	μg/L		<	6	6			<	2.5	2.5			<	2.5	2.5		
METAL:	Silver	Ag		EES6	μg/L		<	1	1								<	1	1		
ME	Silver	Ag		GELC	μg/L		<	1	1			<	0.2	0.2			<	0.2	0.2		
	Thallium	TI		EES6	μg/L		<	1	1								<	1	1		
	Thallium	TI		GELC	μg/L		<	0.4	0.4			<	0.77	0.4			<	0.4	0.4		
	Tin	Sn		EES6	μg/L		<	1	1								<	1	1		
	Tin	Sn		GELC	μg/L							<	2.5	2.5			<	2.5	2.5		
	Vanadium	V		EES6	μg/L			3	1									4	1		
	Vanadium	V		GELC	μg/L			2.8	1				2.1	1				1.6	1		
	Zinc	Zn		EES6	μg/L			30	1		1							1	1		
	Zinc	Zn		GELC	μg/L		<	2	2				12.3	2				2.2	2		
	Americium-241	Am-241		GELC	pCi/L			0.00687		0.0285	0.00436							0.0122		0.0306	0.0123
	Cesium-137	Cs-137		GELC	pCi/L			-1.39		2.98	0.909							-0.527		3.54	1.01
	Gross alpha	GROSSA	1	GELC	pCi/L													-0.0426		2.51	0.474
	Gross beta	GROSSB GROSSG		GELC GELC	pCi/L													1.6 89.6		2.78 293	0.743 83.8
	Gross gamma Plutonium-238	Pu-238		GELC	pCi/L			0		0.0396	0.00191							-0.00215		0.0258	0.00304
RAD —	Strontium-90	Sr-90		GELC	pCi/L pCi/L			0.209		0.0396	0.00191							0.0123		0.0258	0.00304
<u> </u>	Tritium	H-3		UMTL	pCi/L			-0.12772		0.457	0.113							7.3439		0.330	0.35123
<u> </u>	Uranium	U	+	EES6	μg/L			0.12772	0.2	0.20131	0.20131							0.4	0.2	0.20131	0.33123
 	Uranium	U	+	GELC	μg/L μg/L			0.37	0.2				0.41	0.05				0.42	0.2		
	Uranium-234	U-234	+	GELC	μg/L pCi/L			0.245	0.00	0.0666	0.0255		0.41	0.03				0.42	0.00	0.0817	0.0293
	Uranium-238	U-238	+	GELC	pCi/L			0.243		0.0000	0.0233			 				0.179		0.0458	0.0293
	Uranium-238	U-Z38		GELU	pci/L			0.14		0.0472	0.019		l	<u> </u>				0.179		U.U408	0.025

						Start Date Time	12/01/05	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	08/15/06	08/15/06	08/15/06	08/15/06	08/15/06
						Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code															<u> </u>	\vdash
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																, 	1
Oode	Alkalinity-CO3	ALK-CO3		GELC	mg/L			<	0.725	0.725								<	0.725	0.725		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Field	FLD	mg/L									50								
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L				50.4	0.705									F0 F	0.705	·	
-	Alkalinity-CO3+HCO3 Ammonia as Nitrogen	ALK-CO3+HCO3 NH3-N		GELC GELC	mg/L mg/L		<	<	50.4 0.01	0.725 0.01			<	0.1	0.1				50.5 0.047	0.725 0.01		
	Bromide	Br(-1)		EES6	mg/L				0.01	0.01				0.1	0.1				0.047	0.01		
	Bromide	Br(-1)		GELC	mg/L			<	0.066	0.066								<	0.066	0.066		
	Calcium	Ca		EES6	mg/L																	
	Calcium	<u>Ca</u> Cl(-1)		GELC	mg/L				9.34	0.036				9.22	0.036				9.61	0.036	· · · · · · · · · · · · · · · · · · ·	
}	Chloride Chloride	CI(-1)		EES6 GELC	mg/L mg/L				1.22	0.066				1					1.27	0.066		
	Fluoride	F(-1)		EES6	mg/L				1.22	0.000									1.21	0.000	 	
	Fluoride	F(-1)		GELC	mg/L			<	0.149	0.033									0.104	0.033		
	Magnesium	Mg		EES6	mg/L				0.00	0.005				0.04	0.005				0.40	0.005		
-	Magnesium	Mg NO3-N		GELC EES6	mg/L mg/L				3.03	0.085				3.01	0.085				3.12	0.085		\vdash
ဗွ	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L				0.542	0.014									0.568	0.014		
Q	Nitrite as Nitrogen	NO2-N		EES6	mg/L		<		0.012	0.011									0.000	0.011		
GENINORG	Perchlorate	CIO4		GELC	μg/L									0.242	0.05				0.243	0.05		
GE	Potassium	K		EES6	mg/L				4 4 4	0.05				4.44	0.05				4.40	0.05	·	
-	Potassium Silicon Dioxide	K SiO2		GELC EES6	mg/L mg/L				1.11	0.05				1.11	0.05				1.13	0.05		
	Silicon Dioxide	SiO2		GELC	mg/L				55.2	0.032									60.1	0.032		
	Sodium	Na Na		EES6	mg/L				00.2	0.002									00	0.002		
	Sodium	Na		GELC	mg/L				8.43	0.045				8.24	0.045				8.88	0.045		
_	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm									108							<u> </u>	\vdash
-	Sulfate Sulfate	SO4(-2) SO4(-2)		EES6 GELC	mg/L mg/L				1.67	0.1									1.72	0.1		
	Sulfide, Total	S(-2)	Field	FLD	mg/L				1.01	0.1				0.002					1.72	0.1		
	Total Dissolved Solids	TDS		GELC	mg/L				125	2.38									123	2.38		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			<	0.01	0.01			<	0.01	0.01			<	0.1	0.1	·	
-	Total Organic Carbon Total Phosphate as Phosphorus	TOC PO4-P		GELC EES6	mg/L mg/L		<															
<u> </u>	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L				0.019	0.01								<	0.034	0.01		
	Total Suspended Solids	TSS		GELC	mg/L				0.0.0	0.01									0.00	0.01		
	рН	рН	Field	FLD	SU									7.22								
-	Aluminum	Al Al		EES6 GELC	μg/L				60	60				60	60				60	60	·	
 	Aluminum Antimony	Sb		EES6	μg/L μg/L		< <	<	68	68			<	68	68			<	68	68		
	Antimony	Sb		GELC	μg/L		<	<	0.5	0.5			<	0.5	0.5			<	0.5	0.5	 	
	Arsenic	As		EES6	μg/L																	
	Arsenic	As		GELC	μg/L		<	<	6	6			<	6	6			<	6	6	ļ——— [!]	
	Barium Barium	Ba Ba		EES6 GELC	μg/L μg/L				20.6	1				20.2	1				20.7	1	<u> </u>	
	Beryllium	Be		EES6	μg/L μg/L		<		20.0	<u>'</u>				20.2	<u>'</u>				20.1	'		
METALS	Beryllium	Ве		GELC	μg/L		<	<	1	1			<	1	1			<	1	1		
	Boron	В		EES6	μg/L				46.0	4.0				44.4	40				40	40		
M F	Boron	B		GELC EES6	μg/L		<		12.6	10				11.1	10			<	10	10		
	Cadmium Cadmium	Cd Cd		GELC	μg/L μg/L		< <	<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		\vdash
	Chromium	Cr		EES6	μg/L		<		Ü.,	Ţ.,				<u> </u>	Ţ.,				Ų.,	Ų. I		
	Chromium	Cr		GELC	μg/L				1.1	1				4.6	1				2.5	1		
	Cobalt	Co		EES6	μg/L		<							4							<u> </u>	
	Cobalt Copper	Co Cu		GELC EES6	μg/L μg/L		< <	<	1	1			<	1	1			<	1	1		\vdash
	Copper	<u>Cu</u> Cu		GELC	μg/L μg/L		<	<	4.1	3			<	5.4	3			<	3	3	J	
	Iron	Fe	Field	FLD	μg/L									0								

EP2006-1078 B-111 February 2007

						C D . T	40/04/05	05/4//0/	05/4//07	05/4//07	05/4//07	05/4//07	05/4//0/	05/4//0/	05/4//07	05/4//0/	05/4//07	00/45/0/	00/45/0/	00/45/0/	00/45/0/	00/45/07
						Start Date Time	12/01/05	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	05/16/06	08/15/06	08/15/06	08/15/06	08/15/06	08/15/06
						Fld Prep Code	UF	F	F	ŀ	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code																1
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Svm	Result	Std MdI	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab				1					•					1				
Code	Analyte Desc	Analyte	(Decoded)		Std Uom																	ı
	Iron	Fe	<u> </u>	EES6	μg/L		<															
	Iron	Fe		GELC	μg/L		<		18.9	18				56.7	18				33.7	18		
	Lead	Pb		EES6	μg/L		<															
	Lead	Pb		GELC	μg/L		<	<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		EES6	μg/L		<															
L	Manganese	Mn		GELC	μg/L		<	<	2	2			<	2	2			<	2	2		
_	Mercury	Hg	1	EES6	μg/L		<															
	Mercury	Hg		GELC	μg/L		<	<	0.06	0.06			<	0.06	0.06			<	0.06	0.06		
(cont.)	Nickel	Ni		EES6	μg/L		<															
8	Nickel	Ni		GELC	μg/L			<	0.5	0.5				2.4	0.5				0.75	0.5		
S.	Selenium	Se		EES6	μg/L		<															
. F	Selenium	Se		GELC	μg/L		<	<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
METALS	Silver Silver	Ag	1	GELC	μg/L		<		0.2	0.2				0.0	0.2				0.2	0.2		
≥	Thallium	Ag TI	-	EES6	μg/L		< <	<	0.2	0.2			<	0.2	0.2			<	0.2	0.2		
-	Thallium	TI		GELC	μg/L μg/L				0.56	0.4			<	0.4	0.4				0.59	0.4		
	Tin	Sn	+	EES6	μg/L μg/L				0.50	0.4				0.4	0.4				0.59	0.4		
	Tin	Sn	1	GELC	μg/L μg/L			<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
}	Vanadium	V	+	EES6	μg/L			,	2.0	2.0				2.0	2.0				2.0	2.0		
	Vanadium	V		GELC	μg/L				2.7	1				2.8	1				3.2	1		i
	Zinc	Zn		EES6	μg/L																	
ř	Zinc	Zn	1	GELC	μg/L		<		2.5	2				20.7	2			<	4	2		
	Americium-241	Am-241		GELC	pCi/L									-0.00082		0.0253	0.00164		-0.00124		0.0233	0.00244
	Cesium-137	Cs-137		GELC	pCi/L									-2.4		3.34	1.24		0.985		4.18	1.1
Ī	Gross alpha	GROSSA		GELC	pCi/L									0.00119		2.32	0.422		0.00419		1.5	0.376
	Gross beta	GROSSB		GELC	pCi/L									2.35		2.67	0.701		0.981		1.26	0.395
	Gross gamma	GROSSG		GELC	pCi/L									69.7		298	98.2		85.7		284	76.2
RAD	Plutonium-238	Pu-238		GELC	pCi/L									0.0164		0.0329	0.0219		0.00187		0.018	0.00188
ď	Strontium-90	Sr-90		GELC	pCi/L			ļ				ļ		0.103		0.232	0.0616		0.378		0.313	0.112
<u> </u>	Tritium	H-3		UMTL	pCi/L			ļ				ļ		2.26703		0.28737	0.28737					
	Uranium	U		EES6	μg/L			ļ				ļ					ļ					
L	Uranium	U	1	GELC	μg/L			<	0.47	0.05		ļ	<	0.43	0.05	0.0016	0.000		0.51	0.05		
ļ	Uranium-234	U-234	1	GELC	pCi/L			ļ				ļ		0.262		0.0843	0.0327		0.266		0.05	0.0296
	Uranium-238	U-238		GELC	pCi/L									0.151		0.0472	0.0231		0.137		0.0532	0.0206

						Start Date Time	12/01/05	08/15/06	08/15/06	08/15/06	08/15/06	08/15/06	08/16/06	08/16/06	08/16/06	08/16/06	08/16/06
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
						Fld Qc Type Code											
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
T							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
			Lab Code	Lab													
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom				0.705	0.705							
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3	Field	GELC FLD	mg/L mg/L			<	0.725	0.725							
	Alkalinity-C03+HC03	ALK-CO3+HCO3	1 ICIG	EES6	mg/L												
	Alkalinity-C03+HC03	ALK-CO3+HCO3		GELC	mg/L				51	0.725							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<		0.029	0.01							
	Bromide	Br(-1)		EES6	mg/L												
	Bromide	Br(-1)		GELC	mg/L			<	0.066	0.066							
	Calcium Calcium	Ca Ca		EES6 GELC	mg/L mg/L				9.45	0.036							
	Caldum	CI(-1)		EES6	mg/L				9.45	0.036							
	Chloride	CI(-1)		GELC	mg/L				1.27	0.066							
	Fluoride	F(-1)		EES6	mg/L												
	Fluoride	F(-1)		GELC	mg/L				0.11	0.033							
	Magnesium	Mg		EES6	mg/L												
_	Magnesium	Mg		GELC	mg/L				3.07	0.085							
_ ღ	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3-N NO3+NO2-N		EES6 GELC	mg/L mg/L				0.579	0.014							
GENINORG	Nitrate-Nitrite as N	NO2-N		EES6	mg/L		<		0.579	0.014							
<u> </u>	Perchlorate	CIO4		GELC	μg/L		`										
Į į	Potassium	K		EES6	mg/L												
	Potassium	K		GELC	mg/L				1.12	0.05							
	Silicon Dioxide	SiO2		EES6	mg/L												
_	Silicon Dioxide	SiO2		GELC	mg/L				59.2	0.032							
_	Sodium Sodium	Na Na		EES6 GELC	mg/L mg/L				8.75	0.045							
-	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm				68.2	0.043							
	Sulfate	SO4(-2)		EES6	mg/L												
	Sulfate	SO4(-2)		GELC	mg/L				1.71	0.1							
	Sulfide, Total	S(-2)	Field	FLD	mg/L												
	Total Dissolved Solids	TDS		GELC	mg/L				121	2.38							
	Total Kjeldahl Nitrogen Total Organic Carbon	TKN TOC		GELC GELC	mg/L mg/L		<	<	0.1 0.783	0.1 0.33							
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L		<		0.765	0.55							
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			<	0.04	0.01							
	Total Suspended Solids	TSS		GELC	mg/L			<	0.713	0.713							
	рН	pН	Field	FLD	SU				7.72								
	Aluminum	Al		EES6	μg/L				00	00							
	Aluminum Antimony	Al Sb	1	GELC EES6	μg/L ug/l		<	<	68	68					1	1	
	Antimony Antimony	Sb		GELC	μg/L μg/L		<	<	0.5	0.5					 	 	
	Arsenic	As		EES6	μg/L				5.5	5.5							
	Arsenic	As		GELC	μg/L		<	<	6	6							
[Barium	Ba		EES6	μg/L												
_	Barium	Ba		GELC	μg/L				20.2	1							
v,	Beryllium	Be Be		GELC	μg/L μg/L		<	<	1	1							
METALS	Beryllium Boron	В		EES6	μg/L μg/L					I I							
	Boron	В		GELC	μg/L		<	<	10	10							
	Cadmium	Cd		EES6	μg/L		<		-	-							
	Cadmium	Cd		GELC	μg/L		<	<	0.1	0.1							
	Chromium	Cr		EES6	μg/L		<										
	Chromium	Cr		GELC	μg/L		-		4.6	1							
	Cobalt Cobalt	Co Co	-	EES6 GELC	μg/L μg/L		<	<	1	1					 	 	
	Copper	Cu	1	EES6	μg/L μg/L		<		1	1					1	1	
	Copper	Cu		GELC	μg/L μg/L		<	<	3	3							
	Iron	Fe	Field	FLD	μg/L												
	<u>-</u>	•					ı	ı			ı						

EP2006-1078 B-113 February 2007

						Start Date Time	12/01/05	08/15/06	08/15/06	08/15/06	08/15/06	08/15/06	08/16/06	08/16/06	08/16/06	08/16/06	08/16/06
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358	1358
							1330	1330	1330	1330	1330	1330	1330	1330	1330	1330	1330
						Fld Qc Type Code											
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
T		T	1	1	1		Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code	Lab													
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom												
	Iron	Fe		EES6	μg/L		<										
	Iron	Fe		GELC	μg/L		<		46	18							
	Lead	Pb		EES6	μg/L		<										
	Lead	Pb		GELC	μg/L		<		0.59	0.5							
	Manganese	Mn		EES6	μg/L		<										
	Manganese	Mn		GELC	μg/L		<	<	2	2							
	Mercury	Hg		EES6	μg/L		<		0.00	0.00							
	Mercury	Hg		GELC	μg/L		<	<	0.06	0.06							
(cont.)	Nickel	Ni		EES6	μg/L		<										<u> </u>
8	Nickel	Ni		GELC	μg/L				1.9	0.5							<u> </u>
ν,	Selenium	Se		EES6	μg/L		<										<u> </u>
₹	Selenium	Se		GELC	μg/L		<	<	2.5	2.5							
ш —	Silver	Ag		EES6	μg/L		<										<u> </u>
Σ	Silver	Ag		GELC	μg/L		<	<	0.2	0.2							
	Thallium	TI TI		EES6	μg/L		<		0.4	0.4							
	Thallium	TI		GELC	μg/L		<	<	0.4	0.4							
	Tin	Sn		EES6	μg/L		<	_	0.5	0.5							
	Tin	Sn		GELC	μg/L			<	2.5	2.5							1
	Vanadium	V		EES6	μg/L				0.0								1
	Vanadium Zinc	V 7-		GELC EES6	μg/L				2.8	1							
	Zinc	Zn Zn			μg/L		<	<	4.9	2							
	Americium-241	Am-241		GELC GELC	μg/L pCi/L				0.00794		0.0217	0.0055					
	Cesium-137	Cs-137		GELC	pCi/L pCi/L				0.00794		3.59	1.07					
	Gross alpha	GROSSA		GELC	pCi/L				-0.288		2.04	0.399					
	Gross apria Gross beta	GROSSB		GELC	pCi/L				0.292		1.4	0.399					
	Gross gamma	GROSSG		GELC	pCi/L				70.3		237	45.5					
_	Plutonium-238	Pu-238		GELC	pCi/L				0.00639		0.0204	0.00564					
RAD	Strontium-90	Sr-90		GELC	pCi/L				-0.0662	1	0.0204	0.00304			1		\vdash
ш	Tritium	H-3	+	UMTL	pCi/L		 		-0.0002	+	0.024	0.0113		0.03193	+	0.28737	0.28737
	Uranium	U		EES6	μg/L				1	1				0.00100	1	0.20131	5.20131
	Uranium	U		GELC	μg/L μg/L				0.46	0.05							
	Uranium-234	U-234	+	GELC	pCi/L				0.319	0.00	0.052	0.034					
	Uranium-238	U-238		GELC	pCi/L				0.155		0.0553	0.0219					
	Oranium-230	U-230	1	OLLO	POI/L		I		0.100	1	0.0000	0.0218		I	1	I .	

Table B-1.21 R-21

					ĺ	Start Date Time	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	06/30/04	06/30/04	06/30/04	06/30/04	06/30/04
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	8.888	888.8	8.888	888.8	888.8	8.888	888.8	8.888	888.8	888.8	888.8	888.8	888.8	888.8	888.8
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																
0000	Alkalinity-CO3	ALK-CO3	(Doodaca)	GELC	mg/L		<	1.45	1.45								<	1.45	1.45		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L								58.2	1							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			57	1.45									85.8	1.45		
-	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			56.5	1.45				0.0040	0.0040				85.3	1.45		
	Ammonia as Nitrogen Bromide	NH3-N Br(-1)		GELC EES6	mg/L mg/L		<	0.0159	0.0159			<	0.0318	0.0318 0.01			<	0.0159	0.0159		
	Bromide	Br(-1)		GELC	mg/L		<	0.0978	0.0978				0.02	0.01			<	0.0978	0.0978		
	Calcium	Ca		EES6	mg/L			0.0070	0.0070				11.2	0.01		0.1		0.0070	0.0070		
	Calcium	Ca		GELC	mg/L			11.4	0.00554				10.9	0.00554				11.7	0.00554		
	Chloride	CI(-1)		EES6	mg/L								1.76	0.01							
	Chloride	CI(-1)		GELC	mg/L	<u> </u>		1.98	0.0322	-								1.92	0.0322		
	Fluoride	F(-1)		EES6	mg/L								0.24	0.01				0.5:-			
	Fluoride	F(-1)		GELC	mg/L			0.348	0.0553		-		0.00	0.04		0.05		0.347	0.0553		_
	Magnesium	Mg Mg		EES6 GELC	mg/L mg/L			2.95	0.00518				2.83	0.01 0.00518		0.05		3.12	0.00518		
(D	Magnesium Nitrate as Nitrogen	NO3-N		EES6	mg/L			2.95	0.00516				0.35	0.00318				3.12	0.00516		1
GENINORG	Nitrate as Nitrogen	NO3+NO2-N		GELC	mg/L			0.32	0.01				0.32	0.003				0.31	0.01		+
N	Nitrite as Nitrogen	NO2-N		EES6	mg/L			0.02	0.01			<	0.003	0.003				0.01	0.01		
I Z	Perchlorate	CIO4		GELC	μg/L								0.299								
G.	Potassium	K		EES6	mg/L								1.7	0.01		0.03					
	Potassium	K		GELC	mg/L			1.74	0.0165				1.69	0.0165				1.7	0.0165		
	Silicon Dioxide	SiO2		EES6	mg/L								34.9	10		0.2					
	Silicon Dioxide	SiO2		GELC	mg/L			71.7	0.0212				68.3	0.0212		0.0		32.2	0.00983		<u> </u>
	Sodium Sodium	Na Na		GELC	mg/L mg/L			10.6	0.0144				10.3 10.1	0.01 0.0144		0.2		10.6	0.0144		+
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			10.0	0.0144				127.1	0.0144				10.0	0.0144		
	Sulfate	SO4(-2)	1 1014	EES6	mg/L								2.19	0.01							
	Sulfate	SO4(-2)		GELC	mg/L			2.32	0.193									2.26	0.193		
	Sulfide, Total	S(-2)	Field	FLD	mg/L																
	Total Dissolved Solids	TDS		GELC	mg/L																
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			0.344	0.044				0.425	0.044				0.054	0.044		<u> </u>
	Total Organic Carbon Total Phosphate as Phosphorus	TOC PO4-P		GELC EES6	mg/L								0.366	0.025							<u> </u>
	Total Phosphate as Phosphorus Total Phosphate as Phosphorus	PO4-P PO4-P		GELC	mg/L mg/L		<	0.151	0.151				0.02282	0.003			<	0.19	0.151		
	рН	pH	Field	FLD	SU			0.131	0.131				8.3					0.19	0.131		+
	Aluminum	Al		EES6	μg/L								5	2							
	Aluminum	Al		GELC	μg/L		<	14.7	14.7			<	14.7	14.7			<	14.7	14.7		
	Antimony	Sb		EES6	μg/L							<	1	1							
	Antimony	Sb		GELC	μg/L		<	0.28	0.28			<	0.28	0.28			<	0.28	0.28		
	Arsenic	As		EES6	μg/L			0.00	0.04				1.2	0.2				0.04	0.04		
	Arsenic Barium	As Ba		GELC EES6	μg/L			2.26	2.24			<	2.24 16	2.24			<	2.24	2.24		
	Barium Barium	Ва		GELC	μg/L μg/L			15.6	0.222				14.8	0.222				15	0.222		+
(0	Beryllium	Ве	<u> </u>	EES6	μg/L μg/L			10.0	J.222			<	14.0	1				10	V.LLL		
METALS	Beryllium	Be		GELC	μg/L		<	0.08	0.08			<	0.08	0.08			<	0.08	0.08		
ET,	Boron	В		EES6	μg/L								14	1							
Σ	Boron	В		GELC	μg/L	·		10.1	4.88				7.77	4.88			<	17.9	4.9		
	Cadmium	Cd		EES6	μg/L							<	1	1					•		
	Cadmium	Cd		GELC	μg/L		<	0.04	0.04			<	0.04	0.04		0.1	<	0.04	0.04		1
	Chromium	Cr Cr		EES6 GELC	μg/L			1 70	0.503				2.5	0.503		0.1		2.26	0.503		
	Chromium Cobalt	Cr		EES6	μg/L μg/L			1.78	0.003			<	1.05	0.503				2.36	0.503		+
	Cobalt	Co		GELC	μg/L μg/L		<	0.791	0.541			<	0.541	0.541			<	0.541	0.541		
	Copper	Cu		EES6	μg/L		,	5.701	0.041			,	1.9	1			•	5.571	0.071		
	Copper	Cu		GELC	μg/L		<	1.39	1.39			<	1.39	1.39			<	1.39	1.39		
-	• • • • • • • • • • • • • • • • • • • •	•	•				•					•				·					

EP2006-1078 B-115 February 2007

						Start Date Time	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	03/31/04	06/30/04	06/30/04	06/30/04	06/30/04	06/30/04
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	8.888	888.8	8.888	888.8	8.888	8.888	888.8	888.8	888.8	888.8	888.8	8.888	8.888	888.8	888.8
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab			Sym	Result	Sta Wai	Sta Maa	Std Officert	Sym	Result	Sta Wai	Sta Maa	Stu Oncert	- Jyiii	Result	Sta Wai	Jtu Wuu	Stu Officert
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																1
Oouc	Iron	Fe	(Decoueu)	EES6	μg/L								10	10							
	Iron	Fe		GELC	μg/L			23.1	12.6				20.5	12.6				14.9	12.6		
	Lead	Pb		EES6	μg/L							<	0.2	0.2							
ĺ	Lead	Pb		GELC	μg/L			0.123	0.05				0.137	0.05				0.09	0.05		
	Manganese	Mn		EES6	μg/L								8.3	1		0.2					
	Manganese	Mn		GELC	μg/L			8.73	1.61				8.47	1.61				7.29	1.61		
[Mercury	Hg		EES6	μg/L							<	0.05	0.05							
[Mercury	Hg		GELC	μg/L		<	0.0472	0.0472			<	0.0472	0.0472			<	0.0472	0.0472		
(cont.)	Nickel	Ni		EES6	μg/L							<	1	1							
9	Nickel	Ni		GELC	μg/L		<	0.69	0.69			<	0.69	0.69			<	0.69	0.69		
S	Selenium	Se		EES6	μg/L							<	1	1							
Ä	Selenium	Se		GELC	μg/L		<	7.86	2.81			<	2.81	2.81			<	2.81	2.81		
METALS	Silver	Ag		EES6	μg/L							<	0.2	0.2							
Σ	Silver	Ag		GELC	μg/L		<	0.835	0.835			<	0.835	0.835			<	0.835	0.835		
	Thallium	TI		EES6	μg/L							<	1	1							
	Thallium	TI		GELC	μg/L			0.297	0.02			<	0.078	0.02			<	0.084	0.02		
	Tin	Sn		EES6	μg/L							<	1	1							
	Tin	Sn		GELC	μg/L																
	Vanadium	V		EES6	μg/L			5.00	0.000				6	1				5 00	0.000		\vdash
	Vanadium	V 7-	1	GELC	μg/L			5.28	0.606				5.52	0.606				5.03	0.606		
	Zinc Zinc	Zn	1	EES6	μg/L			7.50	0.000				4	1				7.04	0.000		
	Americium-241	Zn Am-241	-	GELC GELC	μg/L pCi/L			7.58	0.883				5.81 0.00652	0.883	0.039	0.00897		7.81	0.883		
	Cesium-137	Cs-137	+	GELC	pCi/L pCi/L								0.00652		3.49	0.00897					
}	Gross alpha	GROSSA	1	GELC	pCi/L								0.140		3.49	0.976					
ŀ	Gross beta	GROSSB		GELC	pCi/L																
	Gross gamma	GROSSG		GELC	pCi/L								79		249	165					
	Plutonium-238	Pu-238		GELC	pCi/L								0.0139		0.032	0.00659					
RAD	Strontium-90	Sr-90		GELC	pCi/L								-0.0166		0.217	0.053					
-	Tritium	H-3		UMTL	pCi/L								0.06386	0.28737		0.28737					
	Uranium	U		EES6	μg/L								0.4	0.2							
	Uranium	U		GELC	μg/L			0.401	0.02				0.415	0.02				0.398	0.02		
	Uranium-234	U-234		GELC	pCi/L								0.253		0.055	0.0303					
	Uranium-238	U-238		GELC	pCi/L								0.102		0.035	0.0171					

							Start Date Time	06/30/04	06/30/04	06/30/04	06/30/04	06/30/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04
Part															F	F	F					
Part											<u> </u>		CS	CS	CS	CS.	CS					
							1 /1															
Part Part							· · · · · · · · · · · · · · · · · · ·	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0	000.0
Months M								SINICI E	SINICIE	SINCI E	SINCLE	SINCI E	SINCI E	SINCI E	SINCI E	CINICI E	SINCI E	SINCI E	SINCI E	SINCI E	SINCLE	SINCLE
Page Page							Well Class															
Ambie 102-	Amul Cuita			Lab Cada	Lab			Sylli	Resuit	Sta iviai	Stu iviua	Sta Unicert	Sylli	Result	Stu iviui	Stu iviua	Std Officert	Sylli	Resuit	Stu iviui	Stu iviua	Sta officert
Mathem COLL March College		Analyto Doco	Analyto			Ctd Hom																1
### AFFORD ACCOUNTS OF THE PROPERTY OF THE PRO	Code			(Decoded)									<	1 45	1 45							
Materials Mate						,			57.4	1				1.10	1.10				56.7	1		
American in National No. Co.		Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC									53.6	1.45							
Summer Delivity CESS right CESS right CESS right CESS		,																				
Provide Birt Calcin Calc		ŭ						<					<	0.0159	0.0159			<				1
Cathorn Cath									0.01	0.01				0.0070	0.0070				0.02	0.01		
Calcum									12	0.01			`	0.0978	0.0978				11.5	0.01		0.2
Chorder														12 1	0.00554							0.2
Crescribe														12.1	0.00001							
Priority Priority		Chloride	CI(-1)		GELC									1.75	0.0322							
Magnetium Mig CESS mg/L 2.53 0.01 0.02 0.003 1.00 0.02 0.003 0		Fluoride			EES6	mg/L			0.23	0.01									0.24	0.01		
Marginstum Mg						,								0.338	0.0553							
Nitrola is Nirogen NOSAN FESS rngl 0.35 0.003 0.												0.02		0.07	0.00540							0.02
Norte New North North Color Color	(5)	<u> </u>												3.07	0.00518							
Probassium K	A G	Ü				,								0.350	0.003							
Principal Control Co	9					,		<						0.559	0.003			<				
Principal Control Co	Ē	<u> </u>						,														
Probassium K	GE					_						0.02										0.02
Silcon Disorde Silc						,								1.81	0.0165							
Sodium No		Silicon Dioxide			EES6	mg/L			33.9	10		0.2							31.5	10		0.2
Solium														27	0.0491							
Specific Conductance												0.1			22111							0.07
Sulfate SO4(-2) EES8 mgt				Field					10.4	0.0144				11	0.0144					0.0144		
Sulfate SQ4(2) GELC mg/L				Field					2 11	0.01										0.01		
Suffie, Total S(2) Field FLD mg/L			. ,						2.11	0.01				2 04	0.193				2.10	0.01		
Total Dissolved Solids TOS GELC mgl.				Field											0.100				0.003			
Total Organic Carbon TOC GELC mg/L		Total Dissolved Solids	TDS			,																
Total Phosphate as Phosphorus PO4-P EES6 mg/L														0.05	0.044			<				
Total Phosphate as Phosphorus PO4-P GELC mg/L								<										<				
PH			-			,			0.02934	0.003				0.10	0.454				0.02282	0.003		<u> </u>
Aluminum				Field										0.16	0.151				0.12			1
Aluminum				rielu					3	2									7	2		
Antimony Sb EES8 µg/L				1				<					<	24.6	14.7			<	24.6			
Antimony Sb GELC µg/L																				1		
Ase GELC lg/L		Antimony				μg/L		<					<	0.28	0.28			<				
Barium Ba EES6 µg/L 15 1																						
Barium Ba GELC pg/L								<			ļ		<	3.5	2.24			<				
Beryllium Be EES6 µg/L							1							14.0	0.000							
Beryllium Be GELC µg/L								_						14.9	U.ZZZ			~				\vdash
Boron B EES6 µg/L 12 1	(0	•											<	0.08	0.08							
Cadmium Cd GELC μg/L 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.05 0.02 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	AL\$	·												0.00	5.00							
Cadmium Cd GELC μg/L 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.05 0.02 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	ET,							<						12.4	4.88					4.88		
Chromium Cr EES6 µg/L 1.9 1 0.2 Chromium Cr GELC µg/L 2.42 0.503 < 3.9 0.503 < 2.8 0.503 Cobalt Co EES6 µg/L < 1 1 2.3 1 0.2 Cobalt Co EES6 µg/L < 1 1 2.8 0.503 2.8 0.503 2.8 0.503 2.8 0.503 2.8 0.503 2.8 0.503 <td>Σ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><</td> <td></td> <td></td> <td></td> <td></td>	Σ							<		1								<				
Chromium Cr GELC μg/L 2.42 0.503 < 3.9 0.503 < 2.8 0.503 Cobalt Co EES6 μg/L <								<					<	0.04	0.04			<				
Cobalt Co EES6 µg/L 1 1 1 1 Cobalt Co GELC µg/L 0.541 0.541 0.541 0.541 Copper Cu EES6 µg/L 1.3 1 1.39 1.39 1.39 1.39 1.39 1.39 1.39 1.39											ļ			0.0	0.500							0.2
Cobalt Co GELC µg/L 0.541 0.541 0.541							-						<	3.9	0.503							\vdash
Copper Cu EES6 µg/L 1.3 1				+							-		_	1 /	0.541							
Copper Cu GELC μg/L 13.1 1.39 1.39 1.39 1.39 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>`</td> <td>1.4</td> <td>0.541</td> <td></td> <td></td> <td>`</td> <td></td> <td></td> <td></td> <td></td>													`	1.4	0.541			`				
Iron Fe ΕΕS6 μg/L < 10 10 10 30 10							<u> </u>			· -			<	1.39	1.39			<		•		
								<														
													<	21.7	12.6			<				

EP2006-1078 B-117 February 2007

						Start Date Time	06/30/04	06/30/04	06/30/04	06/30/04	06/30/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04	09/23/04
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	888.8	888.8	8.888	888.8	888.8	8.888	888.8	8.888	888.8	888.8	888.8	8.888	8.888	888.8	888.8
						Fld Qc Type Code															
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab								-J					- J				
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																ı l
	Lead	Pb	(======,	EES6	µg/L		<	0.2	0.2								<	0.2	0.2		
•	Lead	Pb		GELC	μg/L			0.097	0.05			<	0.05	0.05			<	0.05	0.05		
	Manganese	Mn		EES6	μg/L			7.6	1		0.1							8.3	1		0.1
Ì	Manganese	Mn		GELC	μg/L			7.22	1.61				8.3	1.61				6.9	1.61		
	Mercury	Hg		EES6	μg/L		<	0.05	0.05								<	0.05	0.05		
	Mercury	Hg		GELC	μg/L		<	0.0472	0.0472			<	0.0472	0.0472			<	0.0472	0.0472		
	Nickel	Ni		EES6	μg/L			1.3	1								~	1	1		ı
(cont.)	Nickel	Ni		GELC	μg/L		v	0.69	0.69			<	1.8	0.69			v	2.1	0.69		
l SS [Selenium	Se		EES6	μg/L		~	1	1								<	1	1		1
8)	Selenium	Se		GELC	μg/L		v	4.3	2.81			<	2.81	2.81			v	2.81	2.81		
AL,	Silver	Ag		EES6	μg/L			1.1	1								'	1	1		
METAL	Silver	Ag		GELC	μg/L		<	0.835	0.835			<	0.835	0.835			<	0.835	0.835		ı
Ĭ	Thallium	TI		EES6	μg/L		Y	1	1								'	1	1		
	Thallium	TI		GELC	μg/L		<	0.033	0.02				0.11	0.02				0.095	0.02		
	Tin	Sn		EES6	μg/L		<	1	1								<	1	1		
	Tin	Sn		GELC	μg/L																
	Vanadium	V		EES6	μg/L			5	1									5	1		
	Vanadium	V		GELC	μg/L			5.1	0.606				4.5	0.606				4.7	0.606		
	Zinc	Zn		EES6	μg/L			4	1								<	1	1		
	Zinc	Zn		GELC	μg/L			16	0.883			<	2.8	0.883			<	3.5	0.883		
	Americium-241	Am-241		GELC	pCi/L			0.0103		0.037	0.00623							0.00991		0.039	0.0111
	Cesium-137	Cs-137		GELC	pCi/L			1.93		4.23	1.11							16		4.54	1.41
	Gross alpha	GROSSA		GELC	pCi/L																
	Gross beta	GROSSB		GELC	pCi/L																
_	Gross gamma	GROSSG		GELC	pCi/L			121		298	122										
RAD	Plutonium-238	Pu-238		GELC	pCi/L			0.00462		0.036	0.00328							1.05E-09		0.034	0.00695
₽	Strontium-90	Sr-90		GELC	pCi/L			0.0445		0.343	0.0835							0.117		0.199	0.0525
	Tritium	H-3		UMTL	pCi/L			0.41509	0.28737		0.28737							0.15965	0.28737		0.28737
	Uranium	U		EES6	μg/L			0.4	0.2									0.6	0.2		
]	Uranium	U		GELC	μg/L			0.386	0.02				0.36	0.02				0.36	0.02		
	Uranium-234	U-234		GELC	pCi/L			0.294		0.058	0.0319							0.277		0.062	0.0271
	Uranium-238	U-238		GELC	pCi/L			0.122		0.051	0.0227							0.141		0.044	0.0181

					Start Date Time	06/30/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	06/06/05	06/06/05	06/06/05	06/06/05	06/06/05
					Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	888.8	888.8	888.8	8.888	888.8	888.8	888.8	8.888	8.888	888.8	888.8	888.8	888.8	888.8	888.8	888.8
					Fld Qc Type Code																
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		_				Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code Lab																		
Code	Analyte Desc	Analyte ALK-CO3	(Decoded) Code GELC	Std Uom				4.45	4.45												
-	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3	EES6	mg/L mg/L			<	1.45	1.45				58.7	1							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	GELC	mg/L				58.3	1.45				00.7	·				57.9	1.45		
	Alkalinity-HCO3	ALK-HCO3	GELC	mg/L				57.6	1.45												
	Ammonia as Nitrogen	NH3-N	GELC	mg/L		<	<	0.0159	0.0159			<	0.0159	0.0159			<	0.01	0.01		
}	Bromide Bromide	Br(-1) Br(-1)	EES6 GELC	mg/L mg/L			<	0.0978	0.0978				0.03	0.01			<	0.041	0.041		\vdash
•	Calcium	Ca	EES6	mg/L				0.0070	0.0010				11.9	0.01		0.1		0.041	0.041		
	Calcium	Ca	GELC	mg/L				11.4	0.00554				11.4	0.00554				11.5	0.036		
	Chloride	CI(-1)	EES6	mg/L	-			1.00	0.0000				1.83	0.01				1.70	0.052		+
	Chloride Fluoride	CI(-1) F(-1)	GELC EES6	mg/L mg/L	-			1.88	0.0322				0.23	0.01				1.76	0.053		
	Fluoride	F(-1)	GELC	mg/L				0.279	0.0553				0.23	0.01				0.193	0.03		
	Magnesium	Mg´	EES6	mg/L									2.95	0.01		0.06					
	Magnesium	Mg	GELC	mg/L				3.06	0.00518				3.05	0.00518				2.85	0.085		
RG	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3-N NO3+NO2-N	EES6 GELC	mg/L mg/L				0.305	0.003				0.38	0.003				0.25	0.003		
8	Nitrite as Nitrogen	NO2-N	EES6	mg/L		<		0.303	0.003			<	0.003	0.003				0.25	0.003		
GENINORG	Perchlorate	CIO4	GELC	μg/L									0.26	0.05				0.288	0.05		
ß	Potassium	K	EES6	mg/L									1.73	0.01		0.01					
}	Potassium	K	GELC	mg/L				1.67	0.0165				1.65	0.0165		0.4		1.71	0.05		
-	Silicon Dioxide Silicon Dioxide	SiO2 SiO2	EES6 GELC	mg/L mg/L				32.6	0.00983				34.1 32.3	10 0.00983		0.4		70.4	0.032		\vdash
	Sodium	Na	EES6	mg/L				02.0	0.00000				10.7	0.00		0.3		70.4	0.002		
	Sodium	Na	GELC	mg/L				10.2	0.0144				10.2	0.0144				10.8	0.045		
	Specific Conductance	SPEC_CONDC	Field FLD	uS/cm									0.0	0.04							
}	Sulfate Sulfate	SO4(-2) SO4(-2)	EES6 GELC	mg/L mg/L				2.29	0.193				2.2	0.01				1.96	0.057		
-	Sulfide, Total	S(-2)	Field FLD	mg/L				2.20	0.100									1.50	0.007		
	Total Dissolved Solids	TDS	GELC	mg/L														127	2.38		
	Total Kjeldahl Nitrogen	TKN	GELC	mg/L		<	<	0.044	0.044			<	0.044	0.044			<	0.01	0.01		
-	Total Organic Carbon Total Phosphate as Phosphorus	TOC PO4-P	GELC EES6	mg/L mg/L		<						<	0.384 0.02282	0.025 0.003							
}	Total Phosphate as Phosphorus	PO4-P	GELC	mg/L				0.21	0.151				0.02202	0.000			<	0.046	0.01		
	рН	рН	Field FLD	SU				-													
	Aluminum	Al	EES6	μg/L									2	2							
-	Aluminum Antimony	Al Sb	GELC EES6	μg/L μg/L		< <	<	14.7	14.7			<	14.7	14.7			<	68	68		-
-	Antimony	Sb	GELC	μg/L		<	<	0.28	0.28			<	0.28	0.28			<	0.5	0.5		
	Arsenic	As	EES6	μg/L									0.9	0.2							
	Arsenic	As	GELC	μg/L		<	<	2.24	2.24			<	2.24	2.24			<	6	6		
}	Barium Barium	Ba Ba	EES6 GELC	μg/L μg/L				14.1	0.222				15 14.2	0.222				14.7	1		-
-	Beryllium	Be	EES6	μg/L μg/L		<		14.1	0.222			<	1	1				14.7			
တ္	Beryllium	Be	GELC	μg/L		<	<	0.08	0.08			<	0.08	0.08			<	1	1		
METALS	Boron	В	EES6	μg/L				00.0	4.00				11	1				45.0	10		
ME.	Boron Cadmium	B Cd	GELC EES6	μg/L μg/L		< <	<	20.8	4.88			<	18 1	4.88				15.9	10		
-	Cadmium	Cd	GELC	μg/L μg/L		<	<	0.04	0.04			·	0.04	0.04			<	0.1	0.1		
	Chromium	Cr	EES6	μg/L									2.2	1							
[Chromium	Cr	GELC	μg/L				3	0.503				2.8	0.503				2.4	1		
	Cobalt Cobalt	Co Co	EES6 GELC	μg/L μg/L	 	< <	<	0.541	0.541			< <	1 0.541	0.541			<	1	1		
	Copper	Cu	EES6	μg/L μg/L		<u> </u>		0.041	0.041			<	1	1				ı	ı		
	Copper	Cu	GELC	μg/L			<	1.39	1.39			<	1.39	1.39			<	3	3		
	Iron	Fe	EES6	μg/L		<							20	10							
	Iron	Fe	GELC	μg/L]	<	12.6	12.6			<	12.6	12.6				24.8	18		

EP2006-1078 B-119 February 2007

								1		· 		1		1	1	1	1	1	1	I		
						Start Date Time	06/30/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	12/14/04	06/06/05	06/06/05	06/06/05	06/06/05	06/06/05
						Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8	8.888	888.8	888.8	888.8	888.8	888.8	888.8
						Fld Qc Type Code																
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
						Woll Oldss	Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab			Jyiii	Jyiii	Result	Stu Mui	Stu ivida	Std Officert	Sylli	Result	Stu Mui	Sta Maa	Stu Officert	Sylli	Result	Sta iviai	Sta ivida	Sta Officert
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																1	
Oouc	Lead	Pb	(Decoueu)	EES6	µg/L		<	†					<	0.2	0.2		<u> </u>	<u> </u>			—	+
	Lead	Pb		GELC	µg/L			<	0.05	0.05			<	0.05	0.05			<	0.5	0.5		1
	Manganese	Mn		EES6	µg/L				0.00	0.00				6.7	1		0.1		0.0	0.0		
	Manganese	Mn		GELC	µg/L				8	1.61				7.5	1.61				10.6	2		
	Mercury	Hg		EES6	μg/L		<		_				<	0.05	0.05							
	Mercury	Hg		GELC	μg/L		<	<	0.0472	0.0472			<	0.0472	0.0472			<	0.05	0.05		
	Nickel	Ni		EES6	μg/L								<	1	1							
(cont.)	Nickel	Ni		GELC	μg/L		<	<	0.69	0.69			<	0.69	0.69				0.57	0.5		
ģ 🗆	Selenium	Se		EES6	μg/L		<						<	1	1							
S	Selenium	Se		GELC	μg/L		<	<	2.81	2.81			<	2.81	2.81			<	2.5	2.5		
	Silver	Ag		EES6	μg/L								<	1	1							
METAL	Silver	Ag		GELC	μg/L		<	<	0.835	0.835			<	0.835	0.835			<	0.2	0.2		
∑ _	Thallium	TI		EES6	μg/L		<						<	1	1						L	
	Thallium	TI		GELC	μg/L		<		0.83	0.02			<	0.29	0.02			<	0.4	0.4		
_	Tin	Sn		EES6	μg/L		<						<	1	1					_		
	Tin	Sn		GELC	μg/L													<	2.5	2.5		
	Vanadium	V		EES6	μg/L									4	1						├	
_	Vanadium	V		GELC	μg/L				5	0.606				5.1	0.606				5.3	1	├	
	Zinc	Zn		EES6	μg/L				7.4	0.000			<	1	1				0.0			
	Zinc Americium-241	Zn Am-241		GELC	μg/L pCi/L				7.4	0.883				7.8 0.0117	0.883	0.046	0.0117	<	2.9 0.00764	2	0.032	0.00951
<u> </u>	Cesium-137	Cs-137		GELC	pCi/L			-						-0.578		3.26	0.0117	<u> </u>	1.02		2.54	0.00951
	Gross alpha	GROSSA		GELC	pCi/L									-0.576		3.20	0.977		-0.221		1.9	0.000
	Gross beta	GROSSB		GELC	pCi/L														0.714		1.88	0.478
	Gross gamma	GROSSG		GELC	pCi/L														64		227	80.6
	Plutonium-238	Pu-238		GELC	pCi/L									-0.00478		0.037	0.00956		-0.0234		0.049	0.0137
RAD	Strontium-90	Sr-90		GELC	pCi/L					<u> </u>	1			0.0729		0.266	0.0628		0.0874		0.285	0.0742
	Tritium	H-3		UMTL	pCi/L									0.19158	0.28737	0.200	0.28737		0.00.1		0.200	
	Uranium	U		EES6	µg/L									0.3	0.2		3.20.01					\dagger
	Uranium	Ü		GELC	μg/L				0.36	0.02				0.36	0.02				0.34	0.05		
<u> </u>	Uranium-234	U-234		GELC	pCi/L									0.241		0.084	0.0297		0.239		0.061	0.0244
	Uranium-238	U-238		GELC	pCi/L									0.0997		0.06	0.0191		0.129		0.043	0.0172

February 2007 B-120 EP2006-1078

						Start Date Time	06/06/05	06/06/05	06/06/05	06/06/05	06/06/05	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	11/06/06	11/06/06	11/06/06	11/06/06	11/06/06
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	888.8	888.8	888.8	888.8	888.8	8.888	888.8	888.8	888.8	888.8	8.888	888.8	888.8	888.8	888.8	888.8	888.8	8.888	888.8	888.8
						Fld Qc Type Code																				
						Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	,		I	1			Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab	Std																				1	
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Code GELC	Uom mg/L							<	0.725	0.725			<	0.725	0.725							
	Alkalinity-CO3+HCO3			EES6	mg/L								0.720	0.720				0.720	0.720							
		ALK-CO3+HCO3		GELC	mg/L								58.5	0.725				58.5	0.725							
	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L							<	0.047	0.01			<	0.051	0.01						<u> </u>	
	Bromide	Br(-1)		EES6	mg/L								0.047	0.01			,	0.031	0.01							
	Bromide	Br(-1)		GELC	mg/L							<	0.066	0.066			<	0.066	0.066							
	Calcium	Ca		EES6	mg/L			44.4					44.0												ļ	
	Calcium Chloride	Ca Cl(-1)		GELC EES6	mg/L mg/L			11.4	0.036				11.2	0.036				11.4	0.036							
	Chloride	CI(-1)		GELC	mg/L								1.86	0.066				1.88	0.066							
	Fluoride	F(-1)		EES6	mg/L																					
	Fluoride	F(-1)		GELC	mg/L								0.284	0.033				0.264	0.033						<u> </u>	
	Magnesium Magnesium	Mg Mg		EES6 GELC	mg/L mg/L			2.83	0.085				2.79	0.085				2.81	0.085							
	Nitrate as Nitrogen	NO3-N		EES6	mg/L			2.00	0.000					0.000					0.000							
Ş	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								0.284	0.014				0.277	0.014							
GENINORG	Nitrite as Nitrogen Perchlorate	NO2-N CIO4		EES6 GELC	mg/L								0.269	0.05											 '	<u> </u>
	Perchiorate	K		EES6	μg/L mg/L								0.269	0.05												
85	Potassium	K		GELC	mg/L			1.58	0.05				1.67	0.05				1.69	0.05							
	Silicon Dioxide	SiO2		EES6	mg/L																					
	Silicon Dioxide	SiO2		GELC EES6	mg/L			68.2	0.032				67.7	0.032				68	0.032						 '	<u> </u>
	Sodium Sodium	Na Na		GELC	mg/L mg/L			9.59	0.045				10.4	0.045				10.5	0.045							
		SPEC_CONDC	Field	FLD	uS/cm			126.1	0.010				10.1	0.010				126.6	0.010				15.04			
	Sulfate	SO4(-2)		EES6	mg/L																					
	Sulfate Sulfide, Total	SO4(-2) S(-2)	Field	GELC FLD	mg/L mg/L								2.1	0.1				2.18	0.1						<u> </u>	
	Total Dissolved Solids	TDS	rieiu	GELC	mg/L								144	2.38				147	2.38							
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L							<	0.01	0.01			<	0.01	0.01							
	Total Organic Carbon	TOC		GELC	mg/L													0.63	0.33						<u> </u>	
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																				1	
	Total Phosphate as	1 041		LLOO	mg/L																					
	Phosphorus	PO4-P		GELC	mg/L							<	0.012	0.01			<	0.01	0.01						<u> </u>	
	pH Aluminum	pH Al	Field	FLD EES6	SU µg/L			8.06										8.03					7.8		<u> </u>	
	Aluminum	Al		GELC			<	68	68			<	68	68			<	68	68							
	Antimony	Sb		EES6	μg/L																					
	Antimony	Sb		GELC	μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5							
	Arsenic Arsenic	As As		EES6 GELC	μg/L μg/L		<	6	6			<	6	6			<	6	6							
	Barium	Ba		EES6	μg/L			0	0				0	0				- 0	0						$\overline{}$	
	Barium	Ва		GELC	μg/L			13.6	1				14.1	1				14.1	1							
rs	Beryllium	Be		EES6	μg/L			4	4				4	4				4	4						<u> </u>	
METAL:	Beryllium Boron	Be B		GELC EES6	μg/L μg/L		<	1	1	-		<	1	1	-		<	1	1		-					
ME	Boron	В			μg/L			13.1	10				15.3	10				14.2	10							
	Cadmium	Cd		EES6	μg/L																					
	Cadmium	Cd			μg/L		<	0.1	0.1			<	0.1	0.1			<	0.1	0.1							
	Chromium Chromium	Cr Cr		EES6 GELC	μg/L μg/L		<	3.2	1	-			3.1	1	-			3	1		-					
	Cobalt	Co		EES6	μg/L			0.2	'				0.1	<u> </u>				<u> </u>	'							
	Cobalt	Со		GELC	μg/L		<	1	1			<	1	1			<	1	1							
	Copper	Cu		EES6	μg/L					ļ					ļ				_		-				<u> </u>	
	Copper	Cu		GELC	μg/L		<	3	3	I	1	<	3	3	I		<	3	3		1		l			

EP2006-1078 B-121 February 2007

										•															
					Start Date Time	06/06/05	06/06/05	06/06/05	06/06/05	06/06/05	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	07/07/06	11/06/06	11/06/06	11/06/06	11/06/06	11/06/06
					Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	888.8	888.8	888.8	888.8	888.8	888.8	888.8	8.888	8.888	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8	888.8
					Fld Qc Type Code																				
					Well Class	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
					Well Class	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl		Std Uncert
Amud Cuita			Lab Cada	Lab	Std	Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Resuit	Stu Mui	Stu iviua	3tu oncert	Sylli	Resuit	Stu iviui	Stu iviua	Std Officert
Anyl Suite Code	Analyta Daga	Analyte	Lab Code (Decoded)	Code	Uom																			1	ı l
Code	Analyte Desc Iron	Fe	(Decoded)	EES6	μα/L																				$\overline{}$
-	Iron	Fe	+	GELC	μg/L μg/L		19.5	18				29.6	18				33.4	18							
•	Lead	Pb		EES6	μg/L		13.3	10				29.0	10				33.4	10							$\overline{}$
	Lead	Pb		GELC	µg/L	<	0.5	0.5			<	0.5	0.5			<	0.5	0.5							$\overline{}$
•	Manganese	Mn		EES6	µg/L	,	0.0	0.0			,	0.0	0.0			,	0.0	0.0							
-	Manganese	Mn		GELC	μg/L		8.5	2				11.2	2				11.7	2						$\overline{}$	
•	Mercury	Ha		EES6	μg/L		0.0																		
•	Mercury	Ha		GELC	μg/L	<	0.05	0.05			<	0.06	0.06			<	0.06	0.06						ſ ,	
£	Nickel	Ni		EES6	μg/L																			·	
(cont.)	Nickel	Ni		GELC	µg/L		0.59	0.5				0.59	0.5				0.57	0.5						·	
	Selenium	Se		EES6	μg/L																			i '	
ALS	Selenium	Se		GELC	μg/L	<	2.5	2.5			<	2.5	2.5			<	2.5	2.5						i ,	
	Silver	Ag		EES6	μg/L																			i ,	
MET	Silver	Ag		GELC	μg/L	<	0.2	0.2			<	0.2	0.2			<	0.2	0.2							
	Thallium	TI		EES6	μg/L																				1
	Thallium	TI		GELC	μg/L	<	0.4	0.4				0.77	0.4			<	0.4	0.4							
	Tin	Sn		EES6	μg/L																				
	Tin	Sn		GELC	μg/L	<	2.5	2.5			<	2.5	2.5			<	2.5	2.5						<u> </u>	ı
	Vanadium	V		EES6	μg/L																			<u> </u>	
	Vanadium	V		GELC	μg/L	<	4.1	1				5.3	1				5.3	1						<u> </u>	
	Zinc	Zn		EES6	μg/L																			└── '	
	Zinc	Zn		GELC	μg/L	<	3	2			<	3	2			<	3.6	2						 '	
	Americium-241	Am-241		GELC	pCi/L		-0.0118		0.041	0.0071		-0.00334			0.00315		0.0109		0.0258	0.00501				└──	
	Cesium-137	Cs-137		GELC	pCi/L		0.727		3.08	0.874		-1.91		2.99	0.951		-0.719		3.49	1.03				├ ───	
	Gross alpha	GROSSA		GELC	pCi/L		0.19		1.96	0.47		0.229		2.16	0.529		1.2		2.84	0.75				├ ───	
	Gross beta	GROSSB		GELC	pCi/L		-0.836		1.98	0.437		1.26		1.84	0.485		1.15		1.82	0.475				├ ───	\vdash
	Gross gamma	GROSSG		GELC	pCi/L		147		405	124		94.9		285	77.8		76.6		236	64.2					
RAD	Plutonium-238	Pu-238 Sr-90	+	GELC GELC	pCi/L pCi/L	1	0.0376		0.078	0.025 0.0644		0.00871		0.0209	0.00689 0.0564		0 -0.0237		0.0206	0.00214 0.0776				 	
Ľ.	Strontium-90 Tritium	Sr-90 H-3	+	UMTL	pCi/L	-	0.124		0.271	0.0044		-0.0465		0.272	0.0004		0.15965		0.353 0.28737	0.0776					
-	Uranium	U II-3	+	EES6	µg/L	-											0.10905		0.20131	0.20131					
}	Uranium Uranium	U	+	GELC	μg/L μg/L	+	0.34	0.05				0.4	0.05				0.39	0.05							
-	Uranium-234	U-234	+	GELC	μg/L pCi/L	+	0.34	0.00	0.066	0.0257		0.224	0.00	0.0531	0.0278		0.39	0.05	0.0495	0.0263					
-	Uranium-238	U-238	+	GELC	pCi/L	+	0.244		0.000	0.0237		0.224		0.0565	0.0278		0.210		0.0493	0.0203					
	Jiailiuili-230	0-230		GLLU	POIL	1	U. 14/	<u> </u>	0.047	0.0131		0.102		0.0000	0.0178		0.0323		0.0020	0.0104					

Table B-1.22 Sacred Spring

						Start Date Time	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/19/00	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																	
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L			1.68	1									0.775	0.725	<u> </u>	
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L			126 124	1									117 116	0.725 0.725	 	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L mg/L			124										110	0.725	 	+
	Bromide	Br(-1)		GELC	mg/L															<u> </u>	
	Calcium	Ca		GELC	mg/L			37.7	0.0355									31.3	0.0375		
	Chloride	CI(-1)		GELC	mg/L			2.92	0.026									2.6	0.025		
	Fluoride	F(-1)		GELC	mg/L			0.468	0.007									0.436	0.006		
Ŋ	Magnesium	Mg		GELC GELC	mg/L			1.64	0.00354 0.009									1.39 0.2	0.00449 0.0069	 	+
GENINORG	Nitrate-Nitrite as N Perchlorate	NO3+NO2-N CIO4		GELC	mg/L μg/L		-	0.16	0.009					1		1		U.Z	0.0009		+
=	Potassium	K		GELC	mg/L			2.58	0.0164					1		1		2.76	0.00707		1
戶	Silicon Dioxide	SiO2		GELC	mg/L			44.1	0.0186							1		45	0.0284		
	Sodium	Na		GELC	mg/L			22.2	0.013									21.7	0.00813		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm															<u> </u>	
	Sulfate Total Dissolved Solids	SO4(-2)		GELC	mg/L			7.83	0.079									7.32	0.062		
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L			196	6.29									177	5.09		+
	Total Organic Carbon	TOC		GELC	mg/L															<u> </u>	
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L		<	0.03	0.02												
	Total Suspended Solids	TSS		GELC	mg/L								39	0.874							
	pH	pH	Field	FLD	SU								7.63								
	Aluminum	Al Sb		GELC GELC	μg/L												<	34.3	34.3		
	Antimony Arsenic	As		GELC	μg/L μg/L								+				< <	0.05 3.68	0.111 4.57	 	+
	Barium	Ba		GELC	μg/L												,	81.1	0.206	<u> </u>	
	Beryllium	Be		GELC	μg/L												<	0.203	0.203		
	Boron	В		GELC	μg/L													27.4	2.95		
	Cadmium	Cd		GELC	μg/L												<	0.28	0.05		
	Chromium Cobalt	Cr Co		GELC GELC	μg/L μg/L												<	1.96 0.295	0.781 0.295		
ဟု	Copper	Cu		GELC	μg/L μg/L												<	2.67	2.67	 	+
METALS	Iron	Fe		GELC	μg/L												<	20.6	20.6		1
ME.	Lead	Pb		GELC	μg/L												<	0.16	0.077		
_	Manganese	Mn		GELC	μg/L												<	2.29	2.94		
	Mercury	Hg		GELC	μg/L											1		0.740	0.740		
	Nickel Selenium	Ni Se		GELC GELC	μg/L μg/L		1						1	1			<	0.743	0.743		+
	Silver	Ag		GELC	μg/L μg/L												<	0.197	0.197	\vdash	+
	Thallium	TI		GELC	μg/L												<	0.12	0.014		
	Tin	Sn		GELC	μg/L												<	2.4	2.4		
	Vanadium	V		GELC	μg/L													8.87	1.09		
	Zinc	Zn		GELC	μg/L			0.00404		0.0405	0.00400					1	<	1.43	2.81	0.0510	0.0100
	Americium-241 Cesium-137	Am-241 Cs-137		GELC GELC	pCi/L pCi/L		-	0.00461 -0.554		0.0125 3.13	0.00462 0.887		-	1				-0.00342 0	-	0.0513 3.48	0.0123 1.63
	Gross alpha	GROSSA		GELC	pCi/L			0.927		0.941	0.867		 					2.24		1.65	0.604
	Gross beta	GROSSB		GELC	pCi/L			2.55		1.52	0.507							4.3		2.34	0.691
	Gross gamma	GROSSG		GELC	pCi/L																
RAD	Plutonium-238	Pu-238		GELC	pCi/L			0.00685		0.00928	0.00494							0.00771		0.0337	0.00928
	Strontium-90	Sr-90		GELC	pCi/L			0.0937		0.118	0.0358							0.144		0.363	0.0982
	Tritium Uranium	H-3 U		UMTL GELC	pCi/L µg/L																+
	Uranium-234	U-234		GELC	μg/L pCi/L			3.4		0.0574	0.284							0.927		0.0435	0.0811
	Uranium-238	U-238		GELC	pCi/L			2.14		0.0374	0.193							0.528		0.0339	0.0521
1						•						i			·						

EP2006-1078 B-123 February 2007

						Start Date Time	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01	10/23/01
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab			- j									010 0110011					
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																
	Alkalinity-CO3	ALK-CO3	(,	GELC	mg/L								0.741	0.725							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L								110	0.725							
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L								109	0.725							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
-	Bromide	Br(-1)		GELC	mg/L								20.0	0.0075							
}	Calcium Chloride	Ca Cl(-1)		GELC GELC	mg/L								30.8 2.51	0.0375 0.025							
-	Fluoride	F(-1)		GELC	mg/L mg/L								0.446	0.025							
}	Magnesium	Ma		GELC	mg/L								1.37	0.00449							
9g	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								0.19	0.0069							
GENINORG	Perchlorate	CIO4		GELC	μg/L																
= [Potassium	K		GELC	mg/L								2.65	0.00707							
GE	Silicon Dioxide	SiO2		GELC	mg/L								44.2	0.0284							
	Sodium	Na	<u> </u>	GELC	mg/L			0.1=					21.3	0.00813							
}	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			247					7.47	0.000				247			
-	Sulfate Total Dissolved Solids	SO4(-2) TDS		GELC GELC	mg/L mg/L								7.17 177	0.062 5.09							
	Total Kieldahl Nitrogen	TKN		GELC	mg/L								177	5.09							
}	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
•	Total Suspended Solids	TSS		GELC	mg/L			260	2.33									3.2	0.699		
	рН	pН	Field	FLD	SU			7.66										7.66			
	Aluminum	Al		GELC	μg/L							<	34.3	34.3							
}	Antimony	Sb		GELC	μg/L							<	0.111	0.111							
-	Arsenic Barium	As Ba		GELC GELC	μg/L μg/L							<	4.57 81.2	4.57 0.206							
	Beryllium	Be		GELC	μg/L μg/L							<	0.203	0.200							
}	Boron	B		GELC	µg/L								28.7	2.95							
	Cadmium	Cd		GELC	μg/L							<	0.24	0.05							
	Chromium	Cr		GELC	μg/L								1.61	0.781							
(0	Cobalt	Co		GELC	μg/L								0.81	0.295							
ALS	Copper	Cu		GELC	μg/L							<	2.67	2.67							
METAL	Iron	Fe		GELC	μg/L							<	20.6	20.6							
⋝	Lead Manganese	Pb Mn		GELC GELC	μg/L μg/L							<	0.14 2.29	0.077 2.94							
-	Mercury	Hg		GELC	μg/L μg/L		<	0.073	0.073				2.29	2.94			<	0.073	0.073		
}	Nickel	Ni		GELC	μg/L		-	0.070	0.070			<	0.743	0.743				0.070	0.070		
	Selenium	Se		GELC	μg/L		<	3.09	3.09								<	3.09	3.09		
	Silver	Ag		GELC	μg/L							<	0.197	0.197							
	Thallium	TI		GELC	μg/L							<	0.17	0.014							
	Tin	Sn		GELC								<	2.4	2.4							
}	Vanadium	V 75		GELC	μg/L								9.15	1.09							
	Zinc Americium-241	Zn Am-241		GELC GELC	μg/L pCi/L							<	1.46 -0.00272	2.81	0.0453	0.0112					
	Cesium-137	Cs-137	1	GELC	pCi/L								-0.00272		4.67	1.47					
}	Gross alpha	GROSSA		GELC	pCi/L								2.17		1.7	0.577					
	Gross beta	GROSSB	<u> </u>	GELC	pCi/L								4.97		2.84	0.786					
	Gross gamma	GROSSG		GELC	pCi/L																
RAD	Plutonium-238	Pu-238		GELC	pCi/L								0.00715		0.0312	0.0086					
-	Strontium-90	Sr-90		GELC	pCi/L								0.0657	1	0.25	0.0656					
	Tritium	H-3		UMTL	pCi/L																
	Uranium Uranium-234	U U-234		GELC GELC	μg/L pCi/L								0.984		0.0101	0.0848					
}	Uranium-234 Uranium-238	U-234 U-238		GELC	pCi/L pCi/L								0.984		0.0181 0.0264	0.0848					
	Granium-200	0-200	1	JLLO	POIL					I	l .	I	J.713	i .	0.0204	U.U T					1

					[Start Date Time	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	06/25/02	07/23/03	07/23/03	07/23/03	07/23/03	07/23/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	U	•	Ü	U	·	U	Ü	Ů	<u> </u>	· ·	•	U	Ů	<u> </u>	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class															
4 10 11			1.10.1				Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyta Daca	Analyta	Lab Code (Decoded)	Lab Code	Std Uom																
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	GELC	mg/L		<	1.45	1.45								<	1.45	1.45		+
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L		,	96.5	1.45								,	118	1.45		
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			95.9	1.45									118	1.45		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L			30.3	0.00554									31	0.00554		
	Chloride	CI(-1)		GELC	mg/L			2.65	0.0322					1				3.03	0.0322		
-	Fluoride Magnesium	F(-1) Mg		GELC GELC	mg/L mg/L			0.447 1.39	0.0553 0.00518									0.489 1.38	0.0553 0.00518		+
ာ ၁၃	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.17	0.00516									0.14	0.00318		+
GENINORG	Perchlorate	CIO4		GELC	μg/L			0.17	0.01									0.11	0.01		+
	Potassium	K		GELC	mg/L			2.57	0.0165									2.48	0.0165		
3EI	Silicon Dioxide	SiO2		GELC	mg/L																
	Sodium	Na		GELC	mg/L			22.3	0.0144									21.5	0.0144		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				0.100				235						0.400		
-	Sulfate Total Dissolved Solids	SO4(-2)		GELC	mg/L			8.57 174	0.193 3.07									8.63 183	0.193 3.07		
 	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L			174	3.07					+				183	3.07		+
	Total Organic Carbon	TOC		GELC	mg/L																+
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L								1.6	1.53							
	рН	pН	Field	FLD	SU								8.07								
	Aluminum	Al		GELC	μg/L																
	Antimony	Sb		GELC	μg/L									1							
-	Arsenic Barium	As Ba		GELC GELC	μg/L μg/L																+
-	Beryllium	Be		GELC	μg/L μg/L																+
	Boron	В		GELC	μg/L																+
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		GELC	μg/L																
ο	Cobalt	Co		GELC	μg/L																
AL,	Copper	Cu Fe		GELC GELC	μg/L																+
METAL	Iron Lead	Pb		GELC	μg/L μg/L																+
2	Manganese	Mn		GELC	μg/L																+
	Mercury	Hg		GELC	μg/L																
	Nickel	Ni		GELC	μg/L																
	Selenium	Se		GELC	μg/L																
	Silver	Ag		GELC	μg/L																
	Thallium Tin	TI Sn		GELC GELC	μg/L μg/L									-							+
	Vanadium	V		GELC	μg/L μg/L																+
	Zinc	Zn		GELC																	
	Americium-241	Am-241		GELC	pCi/L			0.0184		0.0359	0.00865							0.00795		0.028	0.00488
	Cesium-137	Cs-137		GELC	pCi/L			-1.26		2.95	1.04							0.964		6.92	1.93
	Gross alpha	GROSSA		GELC	pCi/L			1.27		2.22	0.63							1.47		1.15	0.398
	Gross beta	GROSSB		GELC	pCi/L			14.1 67.5		236	1.46							2.4		2.41 648	0.624
RAD	Gross gamma Plutonium-238	GROSSG Pu-238		GELC GELC	pCi/L pCi/L			0.000777		0.033	65.5 0.00342			1				183 -0.00389		0.035	4.67 0.00615
& 	Strontium-90	Sr-90		GELC	pCi/L			0.000111		0.000	0.00042							0.0056		0.033	0.0329
į t	Tritium	H-3		UMTL	pCi/L								0.86211	0.28737		0.12772				<u>-</u>	
	Uranium	U		GELC	μg/L																
	Uranium-234	U-234		GELC	pCi/L			0.854		0.051	0.0837							1.07		0.092	0.0941
	Uranium-238	U-238		GELC	pCi/L			0.422		0.0286	0.0504							0.488		0.059	0.0545

EP2006-1078 B-125 February 2007

						Start Date Time	06/25/02	07/23/03	07/23/03	07/23/03	07/23/03	07/23/03	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04	08/24/04
						Fld Prep Code	F	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code																
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																		
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<						<	1.45	1.45							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L									126	1.45							
	Alkalinity-HCO3	ALK-HCO3 NH3-N		GELC GELC	mg/L									126	1.45							<u> </u>
-	Ammonia as Nitrogen Bromide	Br(-1)		GELC	mg/L mg/L																	
	Calcium	Ca		GELC	mg/L									35.7	0.00554							
	Chloride	CI(-1)		GELC	mg/L									3.08	0.0322							
	Fluoride	F(-1)		GELC	mg/L									0.468	0.0553							
(D	Magnesium	Mg		GELC	mg/L									2.45	0.00518							
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L									0.125	0.003				0.454			
≧	Perchlorate	CIO4		GELC	μg/L									2.44	0.0465				0.154	0.05		
	Potassium Silicon Dioxide	K SiO2		GELC GELC	mg/L mg/L									3.11 42.7	0.0165 0.0212							+
o -	Sodium	Na		GELC	mg/L									19.6	0.0212							+
	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm				250					10.0	0.0				289			
	Sulfate	SO4(-2)		GELC	mg/L									8	0.193							
	Total Dissolved Solids	TDS		GELC	mg/L									190	3.07							
<u> </u>	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																	
_	Total Organic Carbon	TOC		GELC	mg/L																	
	Total Phosphate as Phosphorus Total Suspended Solids	PO4-P TSS		GELC GELC	mg/L mg/L				17.8	0.764									103	1.53		+
	pH	pH	Field	FLD	SU				7.75	0.704									8.07	1.55		
	Aluminum	Al	1 IOIG	GELC	μg/L				7.70				<	14.7	14.7				0.01			
	Antimony	Sb		GELC	μg/L								<	0.28	0.28							
	Arsenic	As		GELC	μg/L									3.2	2.24							
	Barium	Ва		GELC	μg/L									94.6	0.222							
	Beryllium	Be		GELC	μg/L								<	0.158	0.158							
	Boron Cadmium	B Cd		GELC GELC	μg/L								<	31.3 0.04	4.88 0.04							
	Chromium	Cr		GELC	μg/L μg/L								<	1.5	0.503							+
	Cobalt	Co		GELC	μg/L								<	0.541	0.541							
METALS	Copper	Cu		GELC	μg/L								<	1.39	1.39							
<u> </u>	Iron	Fe		GELC	μg/L									36.3	12.6							
ME	Lead	Pb		GELC	μg/L								<	0.05	0.05							
	Manganese	Mn		GELC	μg/L									32.8	0.296				0.0470	0.0470		
	Mercury Nickel	Hg Ni		GELC GELC	μg/L								<	0.8	0.69			<	0.0472	0.0472		
	Selenium	Se		GELC	μg/L μg/L									0.0	0.09			<	5	2.81		+
	Silver	Ag		GELC	μg/L μg/L								<	0.835	0.835			•		2.01		
	Thallium	ΤΪ		GELC	μg/L								<	0.046	0.02							
	Tin	Sn		GELC	μg/L								<	3.26	3.26							
[Vanadium	V		GELC	μg/L									7.1	0.606							
	Zinc	Zn		GELC	μg/L								<	1.8	0.883	2 222	2 22 2 2 2					
	Americium-241 Cesium-137	Am-241 Cs-137		GELC GELC	pCi/L									0.00797 -0.752		0.032 3.39	0.00566					+
	Gross alpha	GROSSA	+	GELC	pCi/L pCi/L									1.8		1.32	0.974 0.463					+
	Gross beta	GROSSB		GELC	pCi/L									5.17		2.23	0.463					
_	Gross gamma	GROSSG		GELC	pCi/L									73.2		254	10.8					
RAD	Plutonium-238	Pu-238		GELC	pCi/L									-0.0127		0.033	0.0131					
"	Strontium-90	Sr-90		GELC	pCi/L									0.145		0.261	0.0836	-			-	
<u> </u>	Tritium	H-3		UMTL	pCi/L										0.00							
	Uranium	U	-	GELC	μg/L									2.3	0.02	0.064	0.0700					
	Uranium-234 Uranium-238	U-234 U-238	 	GELC GELC	pCi/L pCi/L									1.37 0.709		0.061 0.043	0.0732 0.0461					+
	Granium-230	0-230		OLLO	POIL	l				<u> </u>		I		0.708	<u> </u>	0.040	0.0401			I		1

						Start Date Time	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	07/13/05	09/14/06	09/14/06	09/14/06	09/14/06	09/14/06
										07/13/05	07/13/05	1									
						Fld Prep Code	F	F	F	F '	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	1	i '	i	'				i	1						
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class															+
						+	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab	1		1	1 '	ı l	i I		, ,		1	1	1	1 '			1 '	
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom			<u> </u>		·	1	ļ			<u> </u>		 '	<u> </u>		 '	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	1.45	1.45			<u> </u>			 '		├ ──	1.36	0.725	├ ──	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			110	1.45						 '		├──	152	0.725	├──	
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L		\vdash	<u> </u>							 '	\vdash	 '			 '	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L		<	0.01	0.01	·	<u> </u>		 	 	 		<	0.01	0.01	├──	
-	Bromide	Br(-1)		GELC	mg/L	-	<	0.041	0.041		 		26	0.006			<	0.066	0.066	 '	
	Calcium	Ca		GELC	mg/L			35.9	0.036	·	<u> </u>		36	0.036	 		├──	41.7	0.036	├──	
	Chloride	Cl(-1) F(-1)		GELC GELC	mg/L		 	3 0.321	0.053 0.03	<u> </u>	 			 	 		 '	3.6 0.463	0.066 0.033	 '	+
	Fluoride			GELC	mg/L		 		0.03	<u> </u>	 		4.70	0.005	 		 '	2.23	0.033	 '	+
ဗ္ဗ	Magnesium Nitrate-Nitrite as N	Mg NO3+NO2-N	+	GELC	mg/L mg/L	+	$\overline{}$	1.76 0.0513	0.085	[_]	1		1.78	0.085		\vdash		0.0964	0.085		+
GENINORG	Perchlorate	CIO4	+	GELC	μg/L	+	$\overline{}$	0.0513	0.017		+		 	 			 '	0.0964	0.014	 '	+
🛓 📙	Potassium	K	+	GELC	mg/L		\longrightarrow	2.66	0.05		+	,	2.56	0.05				2.64	0.05		+
	Silicon Dioxide	SiO2	+	GELC	mg/L		<	44.8	0.032		+	<	43.9	0.032				46.6	0.032		+
ا ق	Sodium	Na	+	GELC	mg/L	+		22.2	0.032	'	 	,—— <u> </u>	21	0.045	 			24.4	0.045		+
	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm		$\overline{}$		0.040			,	226	0.040				27.7	0.040		
	Sulfate	SO4(-2)	1.0.0	GELC	mg/L	+		7.77	0.057					$\overline{}$			$\overline{}$	7.03	0.1	$\overline{}$	1
	Total Dissolved Solids	TDS	 	GELC	mg/L	+		204	2.38			,		$\overline{}$			$\overline{}$	225	2.38	$\overline{}$	+
	Total Kjeldahl Nitrogen	TKN	 	GELC	mg/L	†		0.011	0.01	· !		, 			í		<	0.01	0.01		
	Total Organic Carbon	TOC	+	GELC	mg/L		, ——	(,				((
	Total Phosphate as Phosphorus	PO4-P	1	GELC	mg/L		<	0.03	0.01	·		,		1	·		<	0.063	0.01		
	Total Suspended Solids	TSS	1	GELC	mg/L			i '	í I	·				1	1						
	pH	pН	Field	FLD	SU			1	i	·			8.2	i i	1		<u> </u>			<u> </u>	
	Aluminum	Al		GELC	μg/L		<	68	68	·		<	68	68	1		<	68	68		
	Antimony	Sb		GELC	μg/L		<	0.5	0.5	i		<	0.5	0.5	1		<	0.5	0.5	<u>'</u>	
	Arsenic	As		GELC	μg/L		<	6	6			<	6	6			<	6	6	<u> </u>	
	Barium	Ва		GELC	μg/L			99.2	1	·			99.8	1	<u> </u>		'	115	1	'	
	Beryllium	Be		GELC	μg/L		<	1	1	<u> </u>		<	1	1	<u> </u>		<	1	1	<u> </u>	
L	Boron	В		GELC	μg/L			30.6	10	·	1	ļ	30	10	<u> </u>		 '	31.4	10	 '	
	Cadmium	Cd		GELC	μg/L		<	0.1	0.1			<	0.1	0.1	 '	<u> </u>	<	0.1	0.1	├ ──	
	Chromium	Cr		GELC	μg/L			2	1			<u> </u>	2.2	1	 '	<u> </u>	<	1	1	├ ──	
ω -	Cobalt	Co		GELC	μg/L		<	1	1		<u> </u>	<	1	1	'	\vdash	<	1	1	⊢'	
METALS	Copper	Cu		GELC	μg/L		<	3	3	·	<u> </u>	<	3	3	<u>_</u>	\vdash	<	3	3	⊢'	
	Iron	Fe		GELC	μg/L			37.8	18	·	<u> </u>		58.7	18	 		 '	71.3	18	├ ──'	
≥ _	Lead	Pb		GELC	μg/L	-	<	0.5	0.5		 	<	0.5	0.5			<	0.5	0.5	 '	
1 ⊢	Manganese Mercury	Mn Hg	+	GELC GELC	μg/L μg/L	+	<	64.6 0.05	0.05	[_]	1	<	70.3 0.05	2 0.05		\vdash	<	124 0.14	0.06		+
1 -	Nickel	Ni	+	GELC	μg/L μg/L	+		1	0.05		+		1.2	0.05				0.14	0.06	 '	+
[Selenium	Se	+	GELC	μg/L μg/L		<	2.5	2.5		+	<	2.5	2.5			<	2.5	2.5		+
[Silver	Ag	+ +	GELC	μg/L		<	0.2	0.2		†	<	0.2	0.2			<	0.2	0.2		
	Thallium	TI	+	GELC	μg/L	+	<	0.4	0.4	i	†	<	0.4	0.4			<	0.4	0.4		
 	Tin	Sn	 	GELC	μg/L	1	<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
	Vanadium	V	1	GELC	μg/L		i	6.4	1	·		,	6.1	1	,			5.5	1		
	Zinc	Zn	<u> </u>	GELC	μg/L	<u> </u>	<	8	2	·		<	6.4	2	<u> </u>		<	4	2		
	Americium-241	Am-241		GELC	pCi/L			-0.00325	1	0.044	0.00395		0.00699		0.05	0.00472		-0.00095		0.0243	0.00216
[Cesium-137	Cs-137		GELC	pCi/L			0.471		4.17	1.12		0.814		4.86	1.3		0.433		2.9	0.772
	Gross alpha	GROSSA		GELC	pCi/L			2.1		1.17	0.473		2.43		1.61	0.563		2.23		0.77	0.377
1 [Gross beta	GROSSB		GELC	pCi/L			7.04		2.52	0.813		8.2		2.78	0.893		4.17		2.84	0.989
	Gross gamma	GROSSG		GELC	pCi/L			102	$ldsymbol{\Box}$	348	67.5	, <u>_</u>	79		291	67.5		94.2		292	69.2
RAD	Plutonium-238	Pu-238		GELC	pCi/L			7.12E-10	igcup	0.062	0.00731	ļ!	-0.00742		0.077	0.0272	<u> </u>	-0.00659		0.0211	0.0175
-	Strontium-90	Sr-90		GELC	pCi/L			-0.0434		0.162	0.0396	ļ!	-0.0299		0.2	0.0501	 '	0.133		0.276	0.0832
1 L	Tritium	H-3		UMTL	pCi/L			<u></u> '		· · · · · · · · · · · · · · · · · · ·	<u> </u>	ļ!			└── '		 '	<u> </u>		 '	
1	Uranium	U		GELC	μg/L			1.7	0.05			,	1.7	0.05	 '		├	1.6	0.05	 '	1 0 0 - 5 -
1																				0.0406	0.0728
ļ -	Uranium-234 Uranium-238	U-234 U-238	+	GELC GELC	pCi/L pCi/L	+	<u> </u>	1.15 0.641	<u> </u>	0.103 0.073	0.0844 0.0569	<u>'</u>	1.17 0.571	L	0.107 0.076	0.0866 0.0528	<u> </u>	0.95 0.561	 	0.0486 0.0517	0.0728

EP2006-1078 B-127 February 2007

09/14/06

UF

09/14/06

UF

09/14/06

UF

09/14/06

UF

Table B-1.22 (continued)

07/13/05

09/14/06

UF

Start Date Time

Fld Prep Code

Amrian A						ħ	Lab Carrala Tarra Carda		00	00	00	00	00
### Analys Date						}							
Any Sum Code						}		0	0	0	0	0	0
Main Sale													
Analyte Dec							Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
Analyte Dec								Sym	Sym	Result	Std MdI	Std Mda	Std Uncert
Alsonith-CO3	Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom			-				
Allaminy-CO3 ALK-CO3+CO3 GELC mg/L 153 0.725	rangi cunto couto			200 0000 (2000000)				<		2 14	0.725		
Annona se Nitopen MEN					GFLC								
Ammorial as Nitrogen MH-SN GELC mg/L 4					GELC					.00	020		
Brondes								<	<	0.01	0.01		
Calcum C													
Chicorde C -1 CELC mg/L													
Fivenite		Chloride	CI(-1)		GELC	mg/L				3.57	0.066		
Magnesium Mig GELC mg/L		Fluoride								0.465	0.033		
Mitrate-Namica as N NO34-NO2-N GELC mg/L 200538 0.014					GELC	mg/L				2.28	0.085		
Sodium SPEC CONDC Field Fild User 173 0.45	l RG					mg/L				0.0638	0.014		
Sodium SPEC CONDC Field Fild User 173 0.45	Q		CIO4		GELC	μg/L							
Sodium SPEC CONDC Field Fild User 173 0.45	\(\frac{1}{2}\)	Potassium	K			mg/L							
Sodium SPEC CONDC Field Fild User 173 0.45	JE J	Silicon Dioxide	SiO2		GELC	mg/L		<		47.9	0.032		
Sulfate SO4(-2) GELC mg/L 7.03 0.1		Sodium			GELC	mg/L				24.5	0.045		
Total Dissolved Solids TOS GELC mg/L		Specific Conductance		Field		uS/cm							
Total (Feldan Nitrogen TKN GELC mg/L			SO4(-2)		GELC						0.1		
Total Organic Carbon TOC GELC mg/L			TDS										
Total Phosphate as Phosphorus PO4-P GELC mg/L											0.1		
Total Suspended Solids TSS									<				
PH								<	<	0.047	0.01		
Aluminum AI GELC μg/L < 1118 68 Antimony Sb GELC μg/L < < 0.5 0.5		Total Suspended Solids											
Antimory Sb GELC µg/L < < 0.5 0.5		рН		Field									
As GELC													
Barlum Ba GELC Jg/L					GELC								
Beryllium Be GELC µg/L			ļ					<	<				
Boron B GELC µg/L					GELC								
Cadmium								<	<				
Chromium													
Cobalt Co								<					
Copper													
Manganese Mn GELC μg/L 132 2	· γ									-			
Manganese Mn GELC μg/L 132 2	l E							_ `					
Manganese Mn GELC μg/L 132 2	<u> </u>				GELC								
Mercury	Σ -												
Nickel Ni GELC µg/L								-	-				
Selenium Se GELC µg/L								+ -	`				
Silver					GELC			<	<	2.5	2.5		
Thallium Ti					GELC GELC								
Tin Sn GELC µg/L					GELC						0.4		
Vanadium V GELC µg/L 6 1										2.5			
Zinc Zn GELC µg/L C C C C C C C C C					GELC								
Americium-241			Zn			µg/L		<	<	2.1	2		
Cesium-137 Cs-137 GELC pCi/L 1.41 4 0.999												0.0366	0.0162
Gross alpha GROSSA GELC pCi/L 1.5 2.38 0.806		Cesium-137								1.41			0.999
Gross beta GROSSB GELC pCi/L 1.39 1.13 0.36 Gross gamma GROSSG GELC pCi/L 79.9 223 56.4 Plutonium-238 Pu-238 GELC pCi/L -0.0165 0.0226 0.0139 Strontium-90 Sr-90 GELC pCi/L -0.0223 0.233 0.0582 Tritium H-3 UMTL pCi/L 11.43094 0.28737 0.38316 Uranium U GELC µg/L 1.7 0.05 Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11										1.5		2.38	
Gross gamma GROSSG GELC pCi/L 79.9 223 56.4 Plutonium-238 Pu-238 GELC pCi/L -0.0165 0.0226 0.0139 Strontium-90 Sr-90 GELC pCi/L -0.0223 0.233 0.0582 Tritium H-3 UMTL pCi/L 11.43094 0.28737 0.38316 Uranium U GELC µg/L 1.7 0.05 Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11			GROSSB		GELC	pCi/L			_	1.39		1.13	
Strontium-90 SF-90 GELC pC//L -0.0223 0.233 0.0582 Tritium H-3 UMTL pCi/L 11.43094 0.28737 0.38316 Uranium U GELC µg/L 1.7 0.05 Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11		Gross gamma	GROSSG		GELC	pCi/L				79.9		223	56.4
Strontium-90 SF-90 GELC pC//L -0.0223 0.233 0.0582 Tritium H-3 UMTL pCi/L 11.43094 0.28737 0.38316 Uranium U GELC µg/L 1.7 0.05 Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11	SAE	Plutonium-238	Pu-238		GELC	pCi/L				-0.0165			
Uranium U GELC μg/L 1.7 0.05 Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11		Strontium-90											
Uranium-234 U-234 GELC pCi/L 1.09 0.119 0.11				<u> </u>								0.28737	0.38316
											0.05		
Uranium-238 U-238 GELC pCi/L 0.67 0.126 0.077						pCi/L				1.09			
		Uranium-238	U-238		GELC	pCi/L				0.67		0.126	0.077

February 2007 B-128 EP2006-1078

Table B-1.23 Spring 1

						Start Date Time	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/25/00	09/24/01	09/24/01	09/24/01	09/24/01	09/24/01
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code	Lab								,									
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	1	1												
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			96.9	1												
-	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L			96	1												
 	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L			16.8	0.0355												
	Chloride	CI(-1)		GELC	mg/L			2.97	0.026												
	Fluoride	F(-1)		GELC	mg/L			0.516	0.007												
U U	Magnesium	Mg NO3+NO2-N		GELC	mg/L			1.03	0.00354 0.009												
GENINORG	Nitrate-Nitrite as N Perchlorate	CIO4		GELC GELC	mg/L μg/L			0.37	0.009												
	Potassium	K		GELC	mg/L			2.14	0.0164												
	Silicon Dioxide	SiO2		GELC	mg/L			35.1	0.0186												
	Sodium	Na		GELC	mg/L			28.5	0.013												
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm													227			
	Sulfate	SO4(-2)		GELC	mg/L			6.45	0.079												
	Total Dissolved Solids	TDS TKN		GELC GELC	mg/L mg/L			152	6.29												
-	Total Kjeldahl Nitrogen Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			0.08	0.02												
	Total Suspended Solids	TSS		GELC	mg/L								8.75	1.46				60.9	1.09		
	рН	pН	Field	FLD	SU								7.92					7.17			
	Aluminum	Al		GELC	μg/L																
	Antimony Arsenic	Sb As		GELC GELC	μg/L																
	Barium	Ba		GELC	μg/L μg/L																
	Beryllium	Be		GELC	μg/L																
	Boron	В		GELC	μg/L																
	Cadmium	Cd		GELC	μg/L																
	Chromium	Cr		GELC	μg/L																
ν,	Cobalt	Co Cu		GELC GELC	μg/L																
METALS	Copper Iron	Fe		GELC	μg/L μg/L																
	Lead	Pb		GELC	μg/L																
_	Manganese	Mn		GELC	μg/L																
	Mercury	Hg		GELC	μg/L												<	0.073	0.073		
	Nickel	Ni		GELC	μg/L														0.00		
	Selenium Silver	Se		GELC GELC	μg/L													4.99	3.09		
-	Thallium	Ag TI		GELC	μg/L μg/L																
	Tin	Sn		GELC	μg/L																
	Vanadium	V		GELC	μg/L																
	Zinc	Zn		GELC	μg/L	·															
	Americium-241	Am-241		GELC	pCi/L			0.0169		0.00914	0.0076										
	Cesium-137 Gross alpha	Cs-137 GROSSA	 	GELC GELC	pCi/L pCi/L			-1.15 2.08		4.78 1.85	1.43 0.713										
	Gross alpha Gross beta	GROSSA		GELC	pCi/L		1	3.12		3.11	0.713										
_	Gross gamma	GROSSG		GELC	pCi/L			0.12		0.11	0.000										
RAD	Plutonium-238	Pu-238		GELC	pCi/L			0.012		0.0108	0.0071										
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L			0.0348		0.423	0.122										
	Tritium	H-3		UMTL	pCi/L																
	Uranium	U		GELC	μg/L		-	4.05		0.447	0.444										
	Uranium-234 Uranium-238	U-234 U-238	-	GELC GELC	pCi/L pCi/L		-	1.25 0.617		0.147 0.106	0.144 0.0889										
	Graniulli-250	U-230	1	OLLO	POI/L		L	0.017		0.100	0.0008			l .			I				

EP2006-1078 B-129 February 2007

						Start Date Time	09/24/01	09/24/01	09/24/01	09/24/01	09/24/01	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02	11/06/02
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code					-									i	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Old33	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code	Lab			Syiii	Nosuit	Sta Mai	Sta ivida	Stu Officert	Sylli	Result	Stu Mui	Sta Maa	Stu Officert	Jyiii	IXCSUIT	Sta Mai	Sta ivida	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom															ı l	
Anyr Saite Gode	Alkalinity-CO3	ALK-CO3	(Decouded)	GELC	mg/L			0.835	0.725			<	1.45	1.45	†						
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			110	0.725				72.3	1.45							
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			109	0.725				72.2	1.45						i	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		GELC	mg/L			40.0	0.0075			1	10	0.00554							
	Calcium Chloride	Ca Cl(-1)		GELC GELC	mg/L			18.8 2.7	0.0375 0.025				16 3.04	0.00554 0.0322							
-	Fluoride	F(-1)	+	GELC	mg/L mg/L			0.565	0.025				0.515	0.0322							
	Magnesium	Mg		GELC	mg/L			1.21	0.00449				1.03	0.00518							
RG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.23	0.0069				0.35	0.01						i	
Į Ģ	Perchlorate	CIO4		GELC	μg/L																
GENINORG	Potassium	K		GELC	mg/L			2.29	0.00707				2.11	0.0165							
GE	Silicon Dioxide	SiO2		GELC	mg/L			36.1	0.284				0.1.0	2 24 4 4							
	Sodium Specific Conductores	Na CDEC CONDC	Field	GELC	mg/L			32	0.00813				31.3	0.0144				245		, 	
-	Specific Conductance Sulfate	SPEC_CONDC SO4(-2)	Field	FLD GELC	uS/cm mg/L			6.18	0.062				6.52	0.193				215			
	Total Dissolved Solids	TDS		GELC	mg/L			167	5.09				163	3.07							
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			107	0.00				100	0.07							
	Total Organic Carbon	TOC		GELC	mg/L															i	
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L																
	pH	pH	Field	FLD	SU			0.4 =	212									8.14			
	Aluminum	Al		GELC	μg/L		<	21.7	34.3												
•	Antimony Arsenic	Sb As	+	GELC GELC	μg/L μg/L		< <	0.111 4.29	0.111 4.57												
	Barium	Ba		GELC	μg/L			42	0.206												
	Beryllium	Be		GELC	μg/L		<	0.203	0.203											i	
	Boron	В		GELC	μg/L			51.6	2.95												
	Cadmium	Cd		GELC	μg/L			0.301	0.301												
	Chromium	Cr		GELC	μg/L		<	4.19	0.781												
σ	Cobalt	Co		GELC	μg/L		<	0.295	0.295											, 	
METALS	Copper Iron	<u>Cu</u> Fe		GELC GELC	μg/L μg/L		< <	2.67 16.1	2.67 20.6						1						
l A	Lead	Pb		GELC	μg/L		<	0.077	0.077											, 	
2	Manganese	Mn		GELC	µg/L		<	1.79	2.94											i	
	Mercury	Hg		GELC	μg/L																
	Nickel	Ni		GELC	μg/L		<	0.743	0.743											<u>_</u>	
	Selenium	Se		GELC	μg/L			0.407	0.407			1									
	Silver Thallium	Ag TI		GELC GELC			<	0.197 0.014	0.197 0.014												
	Tin	Sn		GELC	μg/L μg/L		<	2.4	2.4												
	Vanadium	V		GELC	μg/L			16.4	1.09												
	Zinc	Zn		GELC	μg/L		<	1.53	2.81												
	Americium-241	Am-241		GELC	pCi/L			0.00881		0.0284	0.00727		0.00783		0.042	0.00621					
	Cesium-137	Cs-137		GELC	pCi/L			0.0445		2.18	0.609		1.44		4.42	1.22					
	Gross alpha	GROSSA		GELC	pCi/L		-	1.59		2.16	0.626	+	1.53		1.21	0.43	+				
	Gross beta Gross gamma	GROSSB GROSSG	-	GELC GELC	pCi/L pCi/L		-	2.3		1.44	0.432	+	3.09 117		2.27 481	0.65 1.92	+				
RAD	Plutonium-238	Pu-238	1	GELC	pCi/L			0.0053		0.00718	0.00376		-0.00207		0.052	0.0115	+			 	
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L			-0.0624		0.00710	0.00370	† †	-0.00207		0.032	0.0792	† †			, 	
	Tritium	H-3		UMTL	pCi/L													0.28737	0.28737		0.19158
	Uranium	U		GELC	μg/L																
	Uranium-234	U-234		GELC	pCi/L			1.28		0.0984	0.128		1.47		0.088	0.135				<u>_</u>	
	Uranium-238	U-238		GELC	pCi/L			0.584		0.0936	0.0738		0.901		0.098	0.0915					

Fisher Force: Fisher Force							Start Date Time	09/24/01	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	09/13/04	09/13/04	09/13/04	09/13/04	09/13/04
Protection Pro									F	F									F		F		F
Part Depth Par							Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
Professional Color Profess							·																0
March Marc												-				-							
Page Page								SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
April Analytic Analytic Code Analytic Decoudy Lab Code Code Analytic Decoudy Code							Woll Oldss	-															Std Uncert
Color	Anyl Suite			Lab Code	Lah					rtoount	ota mai	Ota maa	014 0110011	- J	rtoount	Ota mai	Ota maa	014 0110011	- J	rtooun	ota mai	Ota maa	Otto Oniosit
Allaminy-CO3		Analyte Desc	Analyte			Std Uom																	1
All-alminy-HCO3 ALK-HCO3 CELC mg/L			ALK-CO3	, ,					<	1.45	1.45								<	1.45	1.45		
Ammonia de Nirogen NH-3N GELC mg/L																							
Brunide Br(-1) GELC mgl, 15.8 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00564 17.0 0.00565 1		,								95.6	1.45									93.3	1.45		
Calcium Ca																							1
Chloride Ci(-1) GELC mg/L 3.13 0.0322										15.8	0.00554									17	0.00554		
Magnesium Mg GELC mgl,	l																					_	
Note Note																							
Sodium	U U	Ü																					
Sodium) N									0.4	0.01									0.256	0.003		
Sodium	Ĭ									2 28	0.0165									2 15	0.0165		
Sodium	l É									2.20	0.0100												
Sulfate SO4(-2) GELC mg/L 6.84 0.193 6.32 0.193 132 3.07 3.07 3.			Na							32.9	0.0144												
Total Dissolved Solids TDS GELC mg/L				Field											444								
Total Kjeldah Nitrogen TKN																							
Total Organic Carbon TCC GELC mg/L										140	3.07									132	3.07		
Total Phosphate as Phosphorus PO4-P GELC mg/L	}																						
Total Suspended Solids TSS			PO4-P																				
Alminum		Total Suspended Solids	TSS		GELC										10.2	0.764							
Arsenic As GELC µg/L <		l'		Field											8.42								
Arsenic As GELC µg/L								-															
Barium Ba GELC µg/L	}	,																					
Beryllium Be GELC µg/L																			-				
Cadmium		Beryllium			GELC			<											<	0.158	0.158		
Chromium Cr GELC µg/L <																							
Cobalt Co GELC µg/L <																			<				+
Copper	}																		-				1
Manganese Mn GELC µg/L Mercury Hg GELC µg/L Nickel Ni GELC µg/L Selenium Se GELC µg/L	r _S																						
Manganese Mn GELC µg/L 1.9 0.296 Mercury Hg GELC µg/L <t< td=""><td>₹</td><td></td><td></td><td></td><td></td><td></td><td></td><td><</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td></t<>	₹							<														_	
Manganese Mn GELC µg/L Mercury Hg GELC µg/L Nickel Ni GELC µg/L Selenium Se GELC µg/L	ME							<											<				
Nickel Ni GELC µg/L < 2.5 0.69 Selenium Se GELC µg/L								<												1.9	0.296		\vdash
Selenium Se GELC µg/L		,				<u> </u>			-								-		_	2.5	0.60		
	1							 												2.0	0.08		
		Silver	Ag		GELC	μg/L		<											<	0.835	0.835		
Thallium TI GELC µg/L <		Thallium			GELC			<											<	0.02	0.02		
Tin Sn GELC µg/L < 3.26 3.26	[<											<				
Vanadium V GELC µg/L Included </td <td> </td> <td></td> <td></td> <td></td> <td></td> <td><u> </u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>\vdash</td>						<u> </u>											-						\vdash
								_	1	0.0058		0.028	0.00433				 		_		0.003	0.028	0.00472
																							0.924
Gross alpha GROSSA GELC pCi/L 1.92 1.22 0.48 1.84 1.84 1.55 0.4						pCi/L							0.48							1.84			0.483
	[· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·								0.675
Gross gamma GROSSG GELC pCi/L 78.6 225 74.8 67.9 201 67.9 201 67.9 201 67.9 201 67.9 201 67.9 201 67.9 201 67.9 201 67.9 201 201 67.9 201	ي ا							+										-					67.5
	₽							+										-					0.00508 0.0662
Tritium H-3 UMTL pCi/L 0.0302 0.141 0.0431 0.141 0.0431								1		0.0002		0.141	0.0401							0.109		U.L#L	0.0002
Uranium U GELC µg/L L 2.2 0.02			U			_														2.2	0.02		
Uranium-234 U-234 GELC pCi/L 1.34 0.048 0.108 0.108 1.29 0.072 0.0		Uranium-234	U-234		GELC	pCi/L														1.29			0.0827
Uranium-238 U-238 GELC pCi/L 0.732 0.03 0.0643 0.662 0.051 0.0		Uranium-238	U-238		GELC	pCi/L				0.732		0.03	0.0643							0.662		0.051	0.0509

EP2006-1078 B-131 February 2007

								(itiliaca,				•								1
						Start Date Time	09/13/04	09/13/04	09/13/04	09/13/04	09/13/04	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05	09/26/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	cs	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						•	0	U	U	U	U	U	U	U	U	U	U	U	U	 	
						Fld Qc Type Code														+	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
			Lab Code	Lab																	1
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																1
	Alkalinity-CO3	ALK-CO3		GELC	mg/L							<	1.45	1.45							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L								94.2	1.45							
_	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L															\perp	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L							<	0.04	0.04							
_	Bromide	Br(-1)		GELC	mg/L							<	0.041	0.041				47.4	0.000	++	
	Calcium	Ca		GELC	mg/L								16.6	0.036				17.4	0.036	++	+
	Chloride Fluoride	CI(-1) F(-1)		GELC GELC	mg/L mg/L		-						3.23 0.552	0.053						+	
	Magnesium	Ma		GELC	mg/L								1.06	0.03				1.55	0.085	+	
၂ စ္က	Nitrate-Nitrite as N	NO3+NO2-N	 	GELC	mg/L		+	 	1	1	 	1	0.195	0.085			 	1.00	0.000	+	
GENINORG	Perchlorate	CIO4	<u> </u>	GELC	μg/L		+	0.288	0.05	-	<u> </u>	-	0.195	0.017						+	
	Potassium	K		GELC	mg/L		1	3.200	3.00		1		2.14	0.05				2.44	0.05	+	
Į ģ	Silicon Dioxide	SiO2		GELC	mg/L		1	<u> </u>					31.6	0.032			<u> </u>	41.3	0.032	+	
0	Sodium	Na		GELC	mg/L								30.6	0.045				31.1	0.045	 	
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			183.5										219		† †	
	Sulfate	SO4(-2)		GELC	mg/L								6.8	0.057							
	Total Dissolved Solids	TDS		GELC	mg/L								166	2.38							
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L								0.372	0.04							1
	Total Organic Carbon	TOC		GELC	mg/L																i
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L								0.1	0.01							
	Total Suspended Solids	TSS		GELC	mg/L			110	1.53												1
	pН	pН	Field	FLD	SU			7.74										8.18			
	Aluminum	Al		GELC	μg/L							<	68	68				1640	68	\perp	
	Antimony	Sb		GELC	μg/L							<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		GELC	μg/L							<	6	6			<	6	6	++	
	Barium	Ba Be		GELC	μg/L								29	1				43	11	+	
	Beryllium Boron	В		GELC GELC	μg/L		+					<	39.3	10			<	1 39.8	1 10	+	
	Cadmium	Cd		GELC	μg/L μg/L							<	0.1	0.1			<	0.1	0.1	+	
	Chromium	Cr		GELC	μg/L μg/L							_ `	4.6	1				7.5	1	+	
	Cobalt	Co		GELC	μg/L							<	1	1			<	1	<u>;</u>	+	
ဟု	Copper	Cu		GELC	μg/L							<	3	3			<	3	3	 	
METALS	Iron	Fe		GELC	μg/L							<	18	18				1270	18	 	
l le	Lead	Pb		GELC	μg/L							<	0.5	0.5				0.63	0.5	 	
_	Manganese	Mn		GELC	μg/L							<	2	2				23.2	2	† †	
	Mercury	Hg		GELC	μg/L		<	0.087	0.0472			<	0.05	0.05			<	0.05	0.05		
	Nickel	Ni		GELC	μg/L							<	0.5	0.5				1.4	0.5		
[Selenium	Se		GELC	μg/L		<	2.81	2.81			<	2.5	2.5			<	2.5	2.5		1
[Silver	Ag		GELC	μg/L		1					<	0.2	0.2			<	0.2	0.2	<u> </u>	
<u> </u>	Thallium	TI		GELC									0.71	0.4			<	0.4	0.4	<u> </u>	
	Tin	Sn		GELC	μg/L		1	ļ				<	2.5	2.5			<	2.5	2.5	\downarrow	
	Vanadium	V 7-		GELC	μg/L								15	1				20.3	1		
	Zinc	Zn		GELC	μg/L		1		-			<	2	2	0.0044	0.00407		4.7	2	0.0040	0.0070
	Americium-241	Am-241	+	GELC	pCi/L		+	 		1	+	-	-0.011	1	0.0344	0.00487	 	0.00325		0.0312	0.0073
	Cesium-137	Cs-137 GROSSA	+	GELC	pCi/L		+	 		1	+	-	2.75	1	2.92	0.797	 	0.00835		2.49	0.697
	Gross alpha Gross beta	GROSSB	-	GELC GELC	pCi/L pCi/L		+	-	-		+		3.41	1	1.56 3.06	0.539 0.861	-	3.53		0.974 2.33	0.441 0.683
	Gross gamma	GROSSG	 	GELC	pCi/L		+	 	1	1	 	1	79	1	172	0.001	 	84		308	0.003
RAD	Plutonium-238	Pu-238		GELC	pCi/L		+	 					0.0183		0.0543	0.0114	 	0.0209		0.0543	0.0111
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L		+		-		<u> </u>		-0.146	1	0.0343	0.0744		-0.0285		0.0343	0.0526
 	Tritium	H-3		UMTL	pCi/L		†	0	0.28737		0.28737		0.170		0.200	0.07 77		0.0200		0.2	0.0020
 	Uranium	U		GELC	μg/L		1	⊢ Ť	5.25.01		5.25.07		2.5	0.05				2.9	0.05	+	
	Uranium-234	U-234		GELC	pCi/L		<u> </u>				İ		1.42	5.00	0.0641	0.0869		1.55	0.00	0.065	0.0935
	Uranium-238	U-238		GELC	pCi/L		†						0.727	1	0.0454	0.0542		0.812		0.046	0.0569
<u> </u>					, <u>-</u>	1	1							1							

09/13/04 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06 09/18/06

Table B-1.23 (continued)

Start Date Time

						Fld Prep Code	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code		-	-	-	-	-		-			
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom												
,	Alkalinity-CO3	ALK-CO3		GELC	mg/L				1.51	0.725				0.974	0.725		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L				96.1	0.725				95.6	0.725	†	-
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L												-
	Ammonia as Nitrogen	NH3-N		GELC	mg/L			<	0.01	0.01			<	0.01	0.01		
	Bromide	Br(-1)		GELC	mg/L			<	0.066	0.066			<	0.066	0.066		
	Calcium	Ca		GELC	mg/L				14.5	0.036				14.9	0.036		
	Chloride	CI(-1)		GELC	mg/L				2.91	0.066				2.83	0.066		
	Fluoride	F(-1)		GELC	mg/L				0.521	0.033				0.497	0.033		
	Magnesium	Mg		GELC	mg/L				0.912	0.085				1.04	0.085		
R _G	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L				0.292	0.014				0.29	0.014		
GENINORG	Perchlorate	CIO4		GELC	μg/L				0.309	0.05							
	Potassium	K		GELC	mg/L				1.98	0.05				2.09	0.05		
JE JE	Silicon Dioxide	SiO2		GELC	mg/L				31.2	0.032				33.4	0.032		
	Sodium	Na		GELC	mg/L				29.6	0.045				30.2	0.045		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm									198			
	Sulfate	SO4(-2)		GELC	mg/L				6.22	0.1				6.06	0.1		
	Total Dissolved Solids	TDS		GELC	mg/L				148	2.38				149	2.38		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			<	0.01	0.01			<	0.01	0.01		
	Total Organic Carbon	TOC		GELC	mg/L									0.586	0.33		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			<	0.042	0.01			<	0.043	0.01		
	Total Suspended Solids	TSS		GELC	mg/L												
	рН	рН	Field	FLD	SU									7.94			
	Aluminum	Al		GELC	μg/L			'	68	68				307	68		
	Antimony	Sb		GELC	μg/L			<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		GELC	μg/L			<	6	6			<	6	6		
	Barium	Ва		GELC	μg/L				20.9	1				24.7	1		
	Beryllium	Be		GELC	μg/L			<	1	1			<	1	1		
	Boron	В		GELC	μg/L				38.2	10				38.4	10		
	Cadmium	Cd		GELC	μg/L			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		GELC	μg/L			<	6.3	1			<	6.7	1	 	
· · ·	Cobalt	Co		GELC	μg/L			<	1	1			<	1	1		
۲,	Copper	Cu		GELC	μg/L				3.2	3				8.4	3	 	
T	Iron	Fe		GELC	μg/L				25.3	18				728	18	 	
METALS	Lead	Pb		GELC	μg/L			<	0.5	0.5			<	0.5	0.5	 	
	Manganese	Mn		GELC	μg/L			<	2	2				6.1	2	 	
	Mercury	Hg		GELC	μg/L		<	<	0.06	0.06			<	0.06	0.06	++	
	Nickel	Ni O-		GELC	μg/L				1.6	0.5				2.5	0.5	 	
	Selenium	Se		GELC	μg/L		<	<	2.5	2.5			<	2.5	2.5	 	
	Silver	Ag		GELC	µg/L			<	0.2	0.2			<	0.2	0.2	 	
	Thallium	TI		GELC	µg/L			<	1.4	0.4			<	0.51	0.4	 	
	Tin Vanadium	Sn V		GELC GELC	μg/L μg/L			<	2.5 15.6	2.5	-	 	<	2.5 16.8	2.5 1	+	
	Zinc	Zn		GELC				<		2			<		2	+	
	Americium-241	Am-241		GELC	μg/L pCi/L			`	3.3 -0.00498		0.0275	0.00597		4.2 0.00164		0.0204	0.00402
	Cesium-137	Cs-137		GELC	pCi/L pCi/L				-0.00498		4.03	1.15		-0.484		3.68	1.04
	Gross alpha	GROSSA		GELC	pCi/L				2.54		2.2	0.937		2.5		1.44	0.75
	Gross beta	GROSSA		GELC	pCi/L				0.921		3.3	0.979		1.53		0.843	0.285
	Gross gamma	GROSSG		GELC	pCi/L				85		219	84		64		252	66.6
RAD	Plutonium-238	Pu-238		GELC	pCi/L				0.00446		0.0214	0.00316		-2.7E-10		0.0219	0.00323
_	Strontium-90	Sr-90		GELC	pCi/L				-0.0446		0.0214	0.00310		0.134		0.0219	0.00323
	Tritium	H-3		UMTL	pCi/L				-0.0407		0.471	0.124		0.134		0.293	0.28737
	Uranium	U		GELC	µg/L				2.3	0.05				2.3	0.05	0.20131	0.20131
	Uranium-234	U-234		GELC	μg/L pCi/L				1.5	0.00	0.0544	0.109		1.53	0.00	0.0481	0.107
	Uranium-238	U-238		GELC	pCi/L				0.826		0.0578	0.109		0.732		0.0461	0.0596
1	J. Granium 200	0 200		JLLU	P0"L		1		0.020	l	0.0070	0.000		0.702	l .	0.0012	0.0000

EP2006-1078 B-133 February 2007

Table B-1.24 Spring 5B

					Start Date Time	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	07/26/00	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03
					Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code		-											-							
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
					Tron class	0	0	0	0	Std	0	0	0	0	Std	0	0	0	0	Std	0	0	0	0.1	Std
						Sym	Result	Std Mdl	Std Mda	Uncert	Sym	Result	Std MdI	Std Mda	Uncert	Sym	Result	Std Mdl	Std Mda	Uncert	Sym	Result	Std Mdl	Std Mda	
			Lab Code																						
Anyl Suite Code	Analyte Desc	Analyte	(Decoded) Lab Cod	e Std Uon	n																				1
	Alkalinity-CO3	ALK-CO3	GELC			<	1	1								<	1.45	1.45							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	GELC				71.4	1									69.1	1.45						igsquare	₩
-	Alkalinity-HCO3 Calcium	ALK-HCO3 Ca	GELC GELC				70.5 17.6	0.0355									68.5 16.7	1.45 0.00554						\longmapsto	\vdash
 	Chloride	CI(-1)	GELC				3.08	0.0355		1							3.25	0.00334						+	
	Fluoride	F(-1)	GELC				0.485	0.020									0.367	0.0553							
O	Magnesium	Mg	GELC				4.01	0.00354									3.87	0.00518							
NO [Nitrate-Nitrite as N	NO3+NO2-N	GELC	mg/L			1.05	0.009									0.91	0.01							
Ž	Potassium	K	GELC				2.05	0.0164									2.11	0.0165						igsquare	
GENINORG	Silicon Dioxide	SiO2	GELC				66	0.0186									63.2	0.0212						 	←
	Sodium Specific Conductance	Na SPEC CONDC	GELC Field FLD	mg/L uS/cm			13.2	0.013									12.8	0.0144				154.4		\vdash	\vdash
 	Sulfate	SO4(-2)	GELC				3.8	0.079									3.98	0.193				134.4		 	
	Total Dissolved Solids	TDS	GELC				151	6.29									115	3.07							
	Total Phosphate as Phosphorus	PO4-P	GELC			<	0.02	0.02																	
	Total Suspended Solids	TSS	GELC									11.6	1.4									168	0.688		
	pH	pН	Field FLD	SU								8.26										8.22		<u> </u>	
	Aluminum	Al	GELC			<	9.11	23.4								<	14.7	14.7						\longmapsto	+
-	Antimony Arsenic	Sb As	GELC GELC			< <	0.111 2.57	0.111 2.57								< <	0.28 2.24	0.28 2.24						+	\vdash
 	Barium	Ba	GELC				33.2	0.748								<u> </u>	38.4	0.222						++	
l l	Beryllium	Be	GELC			<	0.474	0.474								<	0.158	0.158							
	Boron	В	GELC				14.3	4.74								<	14.5	4.88							
	Cadmium	Cd	GELC			<	0.631	0.631									0.084	0.04							
	Chromium	Cr	GELC				4.8	1.06								<	4.69	0.503						igsquare	₩
ο	Cobalt Copper	Co Cu	GELC GELC			<	3.03 1.84	0.627 1.84		 						< <	1.17 2.75	0.541 1.39						\vdash	
ETALS	Iron	Fe	GELC			<	19.9	19.9								<	24.8	12.6						++	
MET	Lead	Pb	GELC			<	1.83	1.83								`	0.066	0.05							
_	Manganese	Mn	GELC			<	0.503	1.15									66.1	0.296							
	Mercury	Hg	GELC	μg/L		<	0.06	0.06													<	0.0472	0.0472		
1	Nickel	Ni	GELC			<	3.09	3.09								<	0.69	0.69				0.40	0.04	igsquare	₩
	Selenium Silver	Se	GELC			<	2.36	2.36									0.005	0.005			<	3.13	2.81	\longmapsto	+
	Thallium	Ag TI	GELC GELC			<	0.529 0.525	0.529 0.014								< <	0.835	0.835						\vdash	
	Tin	Sn	GELC	μg/L		<	1.98	1.98								<	3.26	3.26							
	Vanadium	V	GELC				8.96	0.89									9.01	0.606							
	Zinc	Zn	GELC			<	1.95	3.89								<		0.883							
	Americium-241	Am-241	GELC				0.0236										-3E-10			0.00351					
1	Cesium-137	Cs-137	GELC				0.256		4.18	1.69							3.88		5.18					igsquare	₩
	Gross alpha	GROSSA	GELC				0.106		1.63	0.412							0.969		0.858					\longmapsto	+
	Gross beta Gross gamma	GROSSB GROSSG	GELC GELC			1	1.15		2.79	0.827		-			-		1.18 122		1.18 346	0.344 152	-	-		\vdash	
RAD	Plutonium-238	Pu-238	GELC				4.37E-10		0.0341	0.00734							0.0023		0.032					\vdash	
<u></u>	Strontium-90	Sr-90	GELC				0.0817		0.372								0.0023		0.124					\vdash	
	Tritium	H-3	UMTL												1						İ	2.17124	0.28737		0.28737
	Uranium	U	GELC														0.811	0.02							
[Uranium-234	U-234	GELC				0.474			0.0767							0.529			0.0475				igsquare	
	Uranium-238	U-238	GELC	pCi/L			0.231		0.13	0.0529	<u> </u>		<u> </u>		<u> </u>	1	0.261		0.031	0.0285	<u> </u>			<u> </u>	

Table B-1.25 Spring 6

						Start Date Time	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/24/02	09/24/02	09/24/02	09/24/02	09/24/02
						Fld Prep Code	F	F	67/26/00 F	F	6 7/20/00 F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	0	0	0	U	0	0	0	U	0	U	U	U	0	0	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Cada	Lab			Sym	Result	Sta iviai	Sta Maa	Std Uncert	Sym	Result	Sta Mai	Sta ivida	Std Uncert	Sym	Result	Sta Mai	Sta ivida	Sta uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom																1
Allyl Suite Gode	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L		<	1	1								<	0.725	0.725		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			60.2	1									61	0.725		
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			59.9	1									60.6	0.725		
	Ammonia as Nitrogen Bromide	NH3-N Br(-1)		GELC EES6	mg/L mg/L																
	Bromide	Br(-1)		GELC	mg/L																
•	Calcium	Ca		EES6	mg/L																
	Calcium	Ca		GELC	mg/L			12.5	0.0355									12.5	0.00554		
	Chloride	CI(-1)		EES6	mg/L																
	Chloride	CI(-1)		GELC	mg/L			2.07	0.026									2.17	0.0322		
	Fluoride	F(-1)		GELC	mg/L			0.201	0.007									0.226	0.0553		
-	Fluoride Magnesium	F(-1) Ma		EES6	mg/L mg/L			0.361	0.007									0.326	0.0553		
	Magnesium	Mg		GELC	mg/L			3.53	0.00354									3.72	0.00518		
ပ	Nitrate as Nitrogen	NO3-N		EES6	mg/L													¥11.=			
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.39	0.009									0.34	0.01		
Ž	Nitrite as Nitrogen	NO2-N		EES6	mg/L																
Ä	Perchlorate	CIO4		GELC	μg/L																
	Potassium	K		EES6	mg/L			1.00	0.0164									1.00	0.0165		
	Potassium Silicon Dioxide	K SiO2		GELC EES6	mg/L mg/L			1.92	0.0164									1.99	0.0165		\vdash
•	Silicon Dioxide	SiO2		GELC	mg/L			78.1	0.0186									63.5	0.0212		
-	Sodium	Na		EES6	mg/L			70.1	0.0100									00.0	0.0212		
	Sodium	Na		GELC	mg/L			11.2	0.013									11.1	0.0144		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm																
	Sulfate	SO4(-2)		EES6	mg/L																
	Sulfate	SO4(-2)		GELC	mg/L			2.27	0.079									2.46	0.193		
-	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L mg/L			126	6.29									136	3.07		
•	Total Organic Carbon	TOC		GELC	mg/L																
-	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L		<	0.02	0.02												
	Total Suspended Solids	TSS		GELC	mg/L								2.8	1.4							
	pH	pH	Field	FLD	SU								7.54								
	Aluminum Aluminum	Al Al		GELC	μg/L		<	15.4	23.4									33.6	14.7		
-	Antimony	Sb		EES6	μg/L μg/L		_ `	13.4	23.4									33.0	14.7		
	Antimony	Sb		GELC	μg/L μg/L		<	0.111	0.111								<	0.28	0.28		
	Arsenic	As		EES6	μg/L			0	<u> </u>									0.20	0.20		
	Arsenic	As		GELC	μg/L		<	2.57	2.57								<	2.24	2.24		
	Barium	Ва		EES6	μg/L																
	Barium	Ba		GELC	μg/L			25.3	0.748									25.4	0.222		
LS	Beryllium	Be		EES6	μg/L			0.474	0.474									0.450	0.450		
METALS	Beryllium Boron	Be B		GELC EES6	μg/L μg/L		<	0.474	0.474				1				<	0.158	0.158		
ME	Boron	В	+	GELC	μg/L μg/L		1	6.28	4.74									19.1	4.88		
	Cadmium	Cd		EES6	μg/L			J.20													
	Cadmium	Cd		GELC	μg/L		<	0.631	0.631								<	0.04	0.04		
	Chromium	Cr		EES6	μg/L																
	Chromium	Cr		GELC	μg/L		1	3.35	1.06	<u> </u>			1					3.58	0.503		
	Cobalt	Co	1	EES6	μg/L			7	0.607			1						0.544	0.544		
	Cobalt Copper	Co Cu	1	GELC EES6	μg/L μg/L		-	/	0.627								<	0.541	0.541		
	Copper	Cu	+	GELC	μg/L μg/L		<	1.84	1.84	1							<	1.39	1.39		
	Phoi				r3′ -	1				1		1	1	<u> </u>	1				50	L	

														•			1			
					Start Date Time	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/24/02	09/24/02	09/24/02	09/24/02	09/24/02
					Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code													-		
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
					Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			T T			Sym	Result	Sta iviai	Sta ivida	Sta Unicert	Sym	Result	Sta Mai	Sta ivida	Sta Uncert	Sym	Result	Sta iviai	Sta ivida	Std Uncert
	A 11 B		Lab Code	Lab																
Anyl Suite Code	Analyte Desc	Analyte			Uom															
<u> </u>	Iron Iron	Fe Fe			g/L g/L	<	19.9	19.9								<	12.6	12.6	 	
<u>-</u>	Lead	Pb			g/L g/L	_ `	19.9	19.9	-		-	-					12.0	12.0	├──	-
<u> </u>	Lead	Pb			g/L	<	1.83	1.83								<	0.05	0.05	 	-
<u> </u>	Manganese	Mn			g/L	+ `	1.03	1.03									0.05	0.05		+
	Manganese	Mn			g/L	<	1.15	1.15								<	0.296	0.296	 	
	Mercury	Ha			g/L		1.15	1.10								`	0.230	0.230	 	
<u>-</u>	Mercury	Ha			g/L g/L	<	0.06	0.06											†	
<u> </u>	Nickel	Ni Ni			g/L		0.00	0.00												
(cont.)	Nickel	Ni			g/L	<	1.49	3.09								<	0.69	0.69		
	Selenium	Se			g/L			0.00									0.00	0.00		
L S –	Selenium	Se			g/L	<	3.65	2.36												
METALS	Silver	Ag			g/L															
M M	Silver	Ag			g/L	<	0.529	0.529								<	0.835	0.835		
	Thallium	TĬ		EES6 µ	g/L															
	Thallium	TI	1	GELC µ	g/L	<	0.019	0.014									0.246	0.02		
	Tin	Sn		EES6 μ	g/L															
	Tin	Sn			g/L	<	1.98	1.98								<	3.26	3.26		
	Vanadium	V			g/L															
	Vanadium	V			g/L		7.17	0.89									7.47	0.606		
	Zinc	Zn			g/L															
	Zinc	Zn			g/L	<	1.86	3.89								<	0.883	0.883	<u> </u>	
<u> </u>	Americium-241	Am-241			Ci/L		0.0197		0.00892	0.00814							0.0165		0.045	0.00719
<u> </u>	Cesium-137	Cs-137			Ci/L		0.346		3.47	1							1.63		4.21	1.12
	Gross alpha	GROSSA			Ci/L		0.289		1.07	0.293							0.125		2.97	0.695
_	Gross beta	GROSSB			Ci/L		1.47		2.54	0.769							3.84		2.13	0.695
	Gross gamma	GROSSG			Ci/L		0.0000		0.0400								88.4		297	80.2
RAD	Plutonium-238	Pu-238			Ci/L		0.00382		0.0103	0.00386							0.00234		0.06	0.00406
_ <u>~</u>	Strontium-90	Sr-90			Ci/L	+	0.261		0.32	0.0986							-0.0611		0.309	0.0716
	Tritium	H-3			Ci/L	+			1		1	1							 	
⊢	<u>Uranium</u> Uranium	U			g/L	+	1		1		-	1				<	15.6	15.6	 	
<u> </u>	Uranium Uranium-234	U-234			g/L Ci/L	+	0.267		0.134	0.0579	-					`	0.261	15.0	0.042	0.033
<u> </u>	Uranium-238	U-234 U-238			Di/L	+	0.267		0.134	0.0379	-						0.261		0.042	0.033
	Uranium-238	U-238	1	GELC PO	J/L		0.0998		0.0699	0.0327							0.0976		0.047	0.0179

						Start Date Time	09/24/02	09/24/02	09/24/02	09/24/02	09/24/02	03/12/04	03/12/04	03/12/04	03/12/04	03/12/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L												<	1.45	1.45		
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6 GELC	mg/L mg/L													65	1.45		
	Alkalinity-HCO3	ALK-CO3+HCO3		GELC	mg/L													64.7	1.45		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L													U			
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		EES6	mg/L													44.0	0.00554		
	Calcium Chloride	<u>Ca</u> Cl(-1)		GELC EES6	mg/L mg/L													11.3	0.00554		
	Chloride	CI(-1)		GELC	mg/L													2.17	0.0322		
	Fluoride	F(-1)		EES6	mg/L																
	Fluoride	F(-1)		GELC	mg/L													0.371	0.0553		
	Magnesium	Mg		EES6	mg/L													0.50	0.00=10		
(5)	Magnesium	Mg NO3-N		GELC	mg/L													3.58	0.00518		
J S	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3+NO2-N		EES6 GELC	mg/L mg/L													0.385	0.003		
GENINORG	Nitrite as Nitrogen	NO2-N		EES6	mg/L													0.000	0.000		
富	Perchlorate	CIO4		GELC	μg/L								0.352								
15	Potassium	K		EES6	mg/L																
	Potassium	K		GELC	mg/L													1.86	0.0165		
	Silicon Dioxide	SiO2		EES6	mg/L													00.0	0.0040		
	Silicon Dioxide Sodium	SiO2 Na		GELC EES6	mg/L mg/L													69.9	0.0212		
	Sodium	Na Na		GELC	mg/L													9.98	0.0144		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			125.8					133.8					0.00			
	Sulfate	SO4(-2)		EES6	mg/L																
	Sulfate	SO4(-2)		GELC	mg/L													2.61	0.193		
	Total Dissolved Solids	TDS TKN		GELC GELC	mg/L													133	3.07		
	Total Kjeldahl Nitrogen Total Organic Carbon	TOC		GELC	mg/L mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L																
	pH	pH	Field	FLD	SU			7.58					8.1								
	Aluminum Aluminum	Al Al		EES6 GELC	μg/L μg/L												<	14.7	14.7		
	Antimony	Sb		EES6	μg/L													14.7	14.7		
	Antimony	Sb		GELC	μg/L												<	0.28	0.28		
	Arsenic	As		EES6	μg/L																
	Arsenic	As		GELC	μg/L												<	2.24	2.24		
	Barium	Ba		EES6	μg/L													23.9	0.222		
	Barium Beryllium	Ba Be		GELC EES6	μg/L μg/L													23.9	0.222		
Ø	Beryllium	Be		GELC	μg/L												<	0.158	0.158		
METALS	Boron	В		EES6	μg/L																
let	Boron	В		GELC	μg/L			<u> </u>									<	18.1	4.88		
2	Cadmium	Cd	1	EES6	μg/L													0.04	0.04		
	Cadmium Chromium	Cd Cr		GELC EES6	μg/L μg/L												<	0.04	0.04		
	Chromium	Cr		GELC	μg/L μg/L													4.4	0.503		
	Cobalt	Co		EES6	μg/L																
	Cobalt	Со		GELC	μg/L												<	0.541	0.541		
	Copper	Cu		EES6	μg/L														,		
	Copper	Cu	1	GELC	μg/L												<	1.39	1.39		
	Iron Iron	Fe Fe		EES6 GELC	μg/L μg/L												<	12.6	12.6		
	11011	16	1	GELU	µg/L						l .	l	i			l	` `	12.0	12.0		

EP2006-1078 B-137 February 2007

								1	`	,		1					ı	1			
						Start Date Time	09/24/02	09/24/02	09/24/02	09/24/02	09/24/02	03/12/04	03/12/04	03/12/04	03/12/04	03/12/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Oluss	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Amud Cuita			Lab Code				Зуп	Result	Stu Mui	Stu iviua	Stu Officert	Jylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Sid Officert
Anyl Suite Code	Analyta Daga	Amaluta	(Decoded)	Lab Code	Std Uom																i I
Code	Analyte Desc Lead	Analyte Pb	(Decoded)	EES6	µg/L																
	Lead	Pb		GELC	μg/L μg/L												<	0.05	0.05		
-	Manganese	Mn		EES6	μg/L													0.03	0.03		
-	Manganese	Mn		GELC	µg/L												<	0.296	0.296		
-	Mercury	Hq		EES6	μg/L													0.230	0.230		i
 	Mercury	Hq		GELC	μg/L		<	0.0472	0.0472												
 	Nickel	Ni Ni		EES6	μg/L			0.0172	0.0172												
£	Nickel	Ni		GELC	µg/L												<	0.69	0.69		
(cont.)	Selenium	Se		EES6	μg/L																·
S (c	Selenium	Se		GELC	μg/L			2.87	2.81												·
L S	Silver	Ag		EES6	µg/L			_													
METAL	Silver	Ag		GELC	μg/L												<	0.835	0.835		
ME	Thallium	TĬ		EES6	μg/L																
	Thallium	TI		GELC	μg/L												<	0.026	0.02		i
	Tin	Sn		EES6	μg/L																i
	Tin	Sn		GELC	μg/L												<	3.26	3.26		
	Vanadium	V		EES6	μg/L																
	Vanadium	V		GELC	μg/L													7.3	0.606		
	Zinc	Zn		EES6	μg/L																
	Zinc	Zn		GELC	μg/L													5.5	0.883		
_	Americium-241	Am-241		GELC	pCi/L													0.00364		0.029	0.00364
	Cesium-137	Cs-137		GELC	pCi/L													-0.699		2.38	0.704
_	Gross alpha	GROSSA		GELC	pCi/L													1.37		2.59	0.694
	Gross beta	GROSSB		GELC	pCi/L													0.423		1.23	0.323
	Gross gamma	GROSSG		GELC	pCi/L													85.9		232	89.7
RAD	Plutonium-238	Pu-238		GELC	pCi/L													0.0048		0.037	0.00589
<u>~</u>	Strontium-90	Sr-90		GELC	pCi/L			4.00476	0.00707		0.00707							0.0344		0.232	0.0518
	Tritium Uranium	H-3 U		UMTL EES6	pCi/L			1.02176	0.28737		0.28737	 									
	Uranium	U		GELC	μg/L μg/L													0.36	0.02		
	Uranium-234	U-234		GELC	μg/L pCi/L													0.36	0.0∠	0.082	0.0361
	Uranium-238	U-238		GELC	pCi/L pCi/L													0.256		0.082	0.0361
	Uranium-238	U-238		GELU	pCI/L													0.151		U.U08	0.0207

									(COIIIIII												
					Start Date Time	09/24/02	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	03/24/05	03/24/05	03/24/05	03/24/05	03/24/05	04/29/05	04/29/05	04/29/05	04/29/05	04/29/05
					Fld Prep Code	UF	UF	UF	UF	UF	UF	F	F	F	F	F	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
									+							1					
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code			<u> </u>		1			<u> </u>	<u> </u>			·'		<u> </u>	ļ	
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code Lab			- J	- ,						1								1
Code	Analyte Desc	Analyte	(Decoded) Code	Std Uom				1	1				1	'	'	1	'	1		'	
Couc	Alkalinity-CO3	ALK-CO3	GELC	mg/L				 	-	 			+	-		 			-	-	+
-	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	EES6	mg/L				 	 	+			60.5	1	 	\vdash		61	1	 	+
-	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	GELC	mg/L				 	 	 			00.5	 ' '	 	 			 '	 	+
-	Alkalinity-HC03	ALK-HCO3	GELC	mg/L				 	 	 			+	 	 	 			 	 	+
-	Ammonia as Nitrogen	NH3-N	GELC	mg/L									+			—			-		+
	Bromide	Br(-1)	EES6	mg/L									0.02	0.01	<u> </u>	 		0.03	0.01	<u> </u>	+
	Bromide	Br(-1)	GELC	mg/L									0.02	0.01	<u> </u>	 			0.0.	<u> </u>	+
	Calcium	Ca	EES6	mg/L									11.9	0.01		0.1		12	0.01	 	0.1
j	Calcium	Ca	GELC	mg/L									,	3.01					7.01		T
	Chloride	CI(-1)	EES6	mg/L									2.23	0.01				2.29	0.01		<u> </u>
	Chloride	CI(-1)	GELC	mg/L																	<u> </u>
	Fluoride	F(-1)	EES6	mg/L									0.32	0.01				0.31	0.01		1
	Fluoride	F(-1)	GELC	mg/L																	<u> </u>
	Magnesium	Mg	EES6	mg/L			İ						2.79	0.01				2.9	0.01		0.01
	Magnesium	Mg	GELC	mg/L												1	- 	ſ			1
U U	Nitrate as Nitrogen	NO3-N	EES6	mg/L									0.39	0.003		1	- 	0.43	0.003		1
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N	GELC	mg/L																	
Ž	Nitrite as Nitrogen	NO2-N	EES6	mg/L								<	0.003	0.003			<	0.003	0.003		
Z	Perchlorate	CIO4	GELC	μg/L				0.349	0.05									ĺ .			
Ō	Potassium	K	EES6	mg/L									1.53	0.01				1.54	0.01		0.01
	Potassium	K	GELC	mg/L					'				'				<u> </u>	1			
	Silicon Dioxide	SiO2	EES6	mg/L									33	10		0.1		34	10		0.1
	Silicon Dioxide	SiO2	GELC	mg/L										<u> </u>	<u> </u>		<u> </u>			<u> </u>	
	Sodium	Na	EES6	mg/L									9.37	0.01	<u> </u>	0.09	<u> </u>	9.98	0.01	<u> </u>	0.02
	Sodium	Na	GELC	mg/L				<u> </u>		1			<u> </u>	<u> </u>			·'		<u> </u>	ļ	
-	Specific Conductance	SPEC_CONDC	Field FLD	uS/cm				133	<u> </u>				128.8	<u> </u>	<u> </u>		 '	133.7		ļ	
	Sulfate	SO4(-2)	EES6	mg/L				 '	 '				2.53	0.01	 '		<u>'</u>	2.47	0.01	 '	
-	Sulfate	SO4(-2)	GELC	mg/L				 	<u> </u>	+			 	<u> </u>	<u> </u>	\vdash	<u>'</u>			<u> </u>	
-	Total Dissolved Solids	TDS TKN	GELC	mg/L				<u> </u>	<u> </u>	1			 	<u> </u>		\vdash	'			<u> </u>	
-	Total Kjeldahl Nitrogen	TOC	GELC	mg/L				 	<u> </u>	 			 	<u> </u>	<u> </u>	\vdash				<u> </u>	
-	Total Organic Carbon Total Phosphate as Phosphorus	PO4-P	GELC EES6	mg/L				 	 '	\vdash			0.03912	0.003	 '	\vdash		0.01956	0.003	 '	+
-	Total Phosphate as Phosphorus	PO4-P PO4-P	GELC	mg/L mg/L				 		\vdash			0.03912	0.003		\vdash		0.01956	0.003		+
-	Total Suspended Solids	TSS	GELC				<	1.53	1.53	\vdash			+			\vdash			 		+
	pH	pH	Field FLD	mg/L SU			<u> </u>	7.68	1.00	\vdash			6.43	 	 	+		7.74	 	 	+
	рп Aluminum	Αl	EES6	μg/L				1.00	 	 		<	2	2	 	 		7.14	2	 	+
	Aluminum	Al	GELC	μg/L				 	 			,	 '		 	 				 	+
	Antimony	Sb	FFS6	μg/L μg/L					 	\vdash		<	1	1	 		<	1	1	 	+
	Antimony	Sb	GELC	μg/L								-	_	 '		 			 	<u> </u>	1
	Arsenic	As	EES6	μg/L									0.8	0.2				0.8	0.2		1
	Arsenic	As	GELC	μg/L																	<u> </u>
	Barium	Ва	EES6	μg/L			İ						24	1				18	1		1
	Barium	Ва	GELC	μg/L																	1
	Beryllium	Ве	EES6	μg/L								<	1	1		1	<	1	1		1
ν	Beryllium	Be	GELC	μg/L													_ 				
METALS	Boron	В	EES6	μg/L									15	1		1		34	1		1
	Boron	В	GELC	μg/L																	
Σ	Cadmium	Cd	EES6	μg/L					<u> </u>			<	1	1	<u> </u>	↓	<	1	1	<u> </u>	 _
	Cadmium	Cd	GELC	μg/L				<u> </u>	<u> </u>				 '	<u> </u>	 '		·	4	<u> </u>	<u> </u>	
	Chromium	Cr	EES6	μg/L				<u> </u>	 '				4.7	1	 '	0.2	·	4	1	 '	0.1
	Chromium	Cr	GELC	μg/L				<u> </u>	 '				 '	 '	 '		·			 '	
	Cobalt	Co	EES6	μg/L				 '	 '			<	1	1	 '	ullet	<	1	1	 '	
	Cobalt	Co	GELC	μg/L				<u> </u>	<u> </u>				 	 	↓ '		'			<u> </u>	_
	Copper	Cu	EES6	μg/L				<u> </u>	 '				1.1	1	 		'	2.1	1	 '	
	Copper	Cu	GELC	μg/L				<u> </u>	 '	\vdash			10	<u> </u>	 		<u> </u>		10	 '	
		Fe	EES6	μg/L			1	1	1	1		<	10	10	1	1	<	10	10	1	1
	Iron Iron	Fe	GELC	μg/L				T .		1 1						† 1	<u>'</u>				_

						Start Date Time	09/24/02	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	03/24/05	03/24/05	03/24/05	03/24/05	03/24/05	04/29/05	04/29/05	04/29/05	04/29/05	04/29/05
														03/24/05 F	03/24/05 F	03/24/05 F	03/24/05 F	04/29/05		04/29/05 F	04/29/05	
						Fld Prep Code	UF	UF	UF	UF	UF	UF	F	•			•	F	F	•	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															↓	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code	Lab																	1	i
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom																1	i
	Lead	Pb		EES6	μg/L								<	0.2	0.2			<	0.2	0.2		
	Lead	Pb		GELC	μg/L																	1
_	Manganese	Mn		EES6	μg/L								<	1	1			<	1	1	$oxed{oxed}$	
	Manganese	Mn		GELC	μg/L																↓	
	Mercury	Hg		EES6	μg/L				0.04=0	0.01=0			<	0.05	0.05			<	0.05	0.05	↓	
	Mercury	Hg		GELC	μg/L		<	<	0.0472	0.0472											↓	
_	Nickel	Ni Ni		EES6	μg/L								<	1	1				50	1	\vdash	1
(cont.)	Nickel	Ni	1	GELC	μg/L															4	\longmapsto	
8	Selenium	Se	1	EES6	μg/L				0.04	0.04			<	1	11			<	1	1	\longmapsto	
S	Selenium	Se	1	GELC	μg/L			<	2.81	2.81				4					1	4	\longmapsto	
₹	Silver Silver	Ag	-	EES6	μg/L								<	l l				<		1	┼──┤	
METAL	Thallium	Ag TI		GELC EES6	μg/L μg/L								<	1	1			<	1	1	\vdash	
_	Thallium	TI	+	GELC	μg/L μg/L									'	- 1			,		1	\vdash	
	Tin	Sn		EES6	μg/L μg/L								<	1	1			<	1	1	 	
	Tin	Sn		GELC	μg/L									'					· · · · · · · · · · · · · · · · · · ·		 	
F	Vanadium	V		EES6	μg/L									9	1				8	1	 	
	Vanadium	V	1	GELC	μg/L										•							
	Zinc	Zn		EES6	μg/L								<	1	1				32	1	 	1
Ī	Zinc	Zn		GELC	μg/L														-			
	Americium-241	Am-241		GELC	pCi/L																	
	Cesium-137	Cs-137		GELC	pCi/L																	
	Gross alpha	GROSSA		GELC	pCi/L																	
	Gross beta	GROSSB		GELC	pCi/L																	i
	Gross gamma	GROSSG		GELC	pCi/L																	
RAD	Plutonium-238	Pu-238		GELC	pCi/L																	
₽ [Strontium-90	Sr-90		GELC	pCi/L																	
<u> </u>	Tritium	H-3		UMTL	pCi/L				0.86211	0.28737		0.28737					ļ				igspace	
<u> </u>	Uranium	U		EES6	μg/L									0.4	0.2				0.4	0.2	\vdash	
<u> </u>	Uranium	U		GELC	μg/L																↓	
<u> </u>	Uranium-234	U-234		GELC	pCi/L																\vdash	
	Uranium-238	U-238	1	GELC	pCi/L			l									l					,

						Start Date Time	07/25/05	07/25/05	07/25/05	07/25/05	07/25/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code																		
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L							<	1.45	1.45							
-	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6 GELC	mg/L mg/L			62.2	1				55.1	1.45							
-	Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC	mg/L								33.1	1.43							
	Ammonia as Nitrogen	NH3-N		GELC	mg/L							<	0.04	0.04							
	Bromide	Br(-1)		EES6	mg/L			0.03	0.01												
	Bromide	Br(-1)		GELC	mg/L							<	0.041	0.041							
	Calcium	Ca		EES6	mg/L			11.4	0.01		0.2		44.0	0.000				44.5	0.000		
	Calcium Chloride	Ca Cl(-1)		GELC EES6	mg/L mg/L			2.14	0.01				11.8	0.036				11.5	0.036		
•	Chloride	CI(-1)		GELC	mg/L			2.17	0.01				2.14	0.053							
	Fluoride	F(-1)		EES6	mg/L			0.3	0.01												
	Fluoride	F(-1)		GELC	mg/L								0.343	0.03							
	Magnesium	Mg		EES6	mg/L			3.48	0.01		0.04		0.55	0.005				0.40	0.005		
(D	Magnesium Nitrate as Nitrogen	Mg NO3-N		GELC EES6	mg/L mg/L			0.42	0.003				3.55	0.085				3.43	0.085		
GENINORG	Nitrate as Nitrogen Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L			0.42	0.003				0.34	0.017							
N N	Nitrite as Nitrogen	NO2-N		EES6	mg/L		<	0.003	0.003				0.0.	0.0							
N N	Perchlorate	CIO4		GELC	μg/L								0.311	0.05							
Q	Potassium	K		EES6	mg/L			2.01	0.01		0.01										
	Potassium	K		GELC	mg/L			00.7	40		0.0		1.88	0.05				1.79	0.05		
-	Silicon Dioxide Silicon Dioxide	SiO2 SiO2		EES6 GELC	mg/L mg/L			33.7	10		0.3		73.8	0.032				72.4	0.032		
-	Sodium	Na		EES6	mg/L			10.2	0.01		0.2		70.0	0.002				72.4	0.032		
	Sodium	Na		GELC	mg/L								10.7	0.045				10.4	0.045		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm													131.3			
	Sulfate	SO4(-2)		EES6	mg/L			2.49	0.01				0.50	0.057							
-	Sulfate Total Dissolved Solids	SO4(-2) TDS		GELC GELC	mg/L mg/L								2.56 141	0.057 2.38							
-	Total Kjeldahl Nitrogen	TKN		GELC	mg/L							<	0.244	0.04							
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L			0.01956	0.003												
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L							<	0.183	0.01							
-	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU													7.41			
	Aluminum	Αl	Fleiu	EES6	μg/L		<	2	2									7.41			
	Aluminum	Al		GELC	μg/L				-			<	68	68			<	68	68		
	Antimony	Sb		EES6	μg/L		<	1	1												
	Antimony	Sb		GELC	μg/L							<	0.5	0.5			<	0.5	0.5		
-	Arsenic Arsenic	As As		EES6 GELC	μg/L			0.9	0.2			<	6	6			<	6	6		
•	Barium	Ba		EES6	μg/L μg/L			23	1				O	0				0	0		
•	Barium	Ba		GELC	μg/L								24.6	1				23.9	1		
	Beryllium	Ве		EES6	μg/L		<	1	1												
တ္	Beryllium	Be		GELC	μg/L							<	1	1			<	1	1		
METALS	Boron	В		EES6	μg/L			13	1				14.0	10				10.0	10		
ME	Boron Cadmium	B Cd	1	GELC EES6	μg/L μg/L		<	1	1			<u> </u>	14.2	10				12.9	10		
	Cadmium	Cd		GELC	μg/L			'	<u> </u>			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		EES6	μg/L			3.5	1												
[Chromium	Cr		GELC	μg/L								4.1	1	_			4.1	1		
	Cobalt	Co		EES6	μg/L		<	1	1												
	Cobalt Copper	Co Cu	1	GELC EES6	μg/L μg/L		<	1	1			<	1	1			<	1	1		
	Copper	Cu		GELC	μg/L μg/L			'	 '			<	3	3			<	3	3		
	Iron	Fe		EES6	μg/L		<	10	10												
	Iron	Fe		GELC	μg/L							<	18	18			<	18	18		
	·						-														

EP2006-1078 B-141 February 2007

						Start Date Time	07/25/05	07/25/05	07/25/05	07/25/05	07/25/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05
						Fld Prep Code	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code		-			-		-	-							
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						WCII Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			Lab Code				Sylli	Result	Stu iviui	Stu iviua	Stu Unicert	Sylli	Resuit	Stu Wui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
Arryr Suite Code	Lead	Pb	(Decoueu)	EES6	µg/L		<	0.2	0.2												
	Lead	Pb		GELC	μg/L		,	0.2	0.2			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		EES6	μg/L		<	1	1				0.0	0.0				0.0	0.0		
	Manganese	Mn		GELC	μg/L							<	2	2			<	2	2		
	Mercury	Hg		EES6	μg/L		<	0.05	0.05												
	Mercury	Hg		GELC	μg/L							<	0.05	0.05			<	0.05	0.05		
	Nickel	Ni		EES6	μg/L		<	1	1												
it.)	Nickel	Ni		GELC	μg/L							<	0.5	0.5			'	0.5	0.5		i
(cont.)	Selenium	Se		EES6	μg/L		<	1	1												i
S	Selenium	Se		GELC	μg/L							<	2.5	2.5			<	2.5	2.5		
Ĭ L	Silver	Ag		EES6	μg/L		<	1	1												
METALS	Silver	Ag		GELC	μg/L							<	0.2	0.2			<	0.2	0.2		
Σ	Thallium	TI		EES6	μg/L		<	1	1												
	Thallium	TI		GELC	μg/L							<	0.4	0.4			<	0.4	0.4		
	Tin	Sn		EES6	μg/L		<	1	1												
	Tin	Sn		GELC	μg/L							<	2.5	2.5			<	2.5	2.5		,
_	Vanadium	V		EES6	μg/L			7	1												,
_	Vanadium	V		GELC	μg/L								7.3	1				6.9	1		,
_	Zinc	Zn		EES6	μg/L			1	1												,
	Zinc	Zn		GELC	μg/L							<	2	2			<	2	2		
_	Americium-241	Am-241		GELC	pCi/L								0.00814		0.0467	0.0158		-0.0174		0.0427	0.012
_	Cesium-137	Cs-137		GELC	pCi/L								-0.602		3.45	0.988		1.05		4.41	1.2
	Gross alpha	GROSSA		GELC	pCi/L								0.337		1.31	0.317		0.576		3	0.661
	Gross beta	GROSSB		GELC	pCi/L								1.6		1.38	0.451		1.76		1.74	0.542
	Gross gamma	GROSSG		GELC	pCi/L								76.2		285	286		92.8		378	90.2
RAD	Plutonium-238	Pu-238		GELC	pCi/L								-0.0025		0.0519	0.0135		-0.00771		0.0534	0.00681
_ ~ _	Strontium-90	Sr-90		GELC	pCi/L								-0.0222		0.387	0.077		0.0435		0.375	0.0801
<u> </u>	Tritium	H-3		UMTL	pCi/L			0.4	0.0												
<u> </u>	Uranium	U		EES6	μg/L			0.4	0.2				0.00	0.05				0.00	0.05		
	Uranium	U		GELC	μg/L								0.33	0.05	0.0747	0.0075		0.33	0.05	0.0005	0.0007
	Uranium-234	U-234		GELC	pCi/L								0.237		0.0744	0.0275		0.261		0.0885	0.0307
	Uranium-238	U-238		GELC	pCi/L								0.0903		0.0527	0.0166		0.11		0.0627	0.0204

February 2007 B-142 EP2006-1078

Table B-1.25 (continued)

						•			1	ı	1				ı		
						Start Date Time	07/25/05	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06
						Fld Prep Code	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code							-				
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class	Sym	Sym		Std Mdl	Std Mda	Std Uncert	Sym		Std Mdl	Std Mda	
4 10 11 0 1	4 1 1 5		1 1 0 1 /0 1 /		0.111		Sym	Sym	Result	Sta iviai	Sta Maa	Sta Uncert	Sym	Result	Sta iviai	Sta ivida	Std Uncert
Anyl Suite Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	Lab Code (Decoded)	Lab Code	Std Uom				0.725	0.725				0.725	0.725		
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC EES6	mg/L mg/L			<	0.725	0.725			<	0.725	0.725		
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L				61.1	0.725				61.1	0.725	+	+
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L				01.1	0.720				01.1	0.720		+
Ì	Ammonia as Nitrogen	NH3-N		GELC	mg/L			<	0.01	0.01			<	0.01	0.01		†
	Bromide	Br(-1)		EES6	mg/L												
	Bromide	Br(-1)		GELC	mg/L			<	0.066	0.066			<	0.066	0.066		
	Calcium	Ca		EES6	mg/L												
	Calcium	Ca		GELC	mg/L				11.7	0.036				11.9	0.036		<u> </u>
}	Chloride	CI(-1)		EES6	mg/L				0.40	0.000				0.07	0.000	 	
	Chloride Fluoride	Cl(-1) F(-1)		GELC EES6	mg/L				2.12	0.066				2.07	0.066		
}	Fluoride	F(-1)		GELC	mg/L mg/L			<	0.376	0.033			<	0.418	0.033		
	Magnesium	Mg		EES6	mg/L			,	0.370	0.033				0.410	0.033		+
	Magnesium	Ma		GELC	mg/L				3.43	0.085				3.5	0.085		
O	Nitrate as Nitrogen	NO3-N		EES6	mg/L				0.10	0.000				0.0	0.000	<u> </u>	†
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L				0.367	0.014				0.359	0.014		
Ĭ Ĭ	Nitrite as Nitrogen	NO2-N		EES6	mg/L		<										
Z U	Perchlorate	CIO4		GELC	μg/L				0.277	0.05							
Ō	Potassium	K		EES6	mg/L												
	Potassium	K		GELC	mg/L				1.96	0.05				1.96	0.05		
	Silicon Dioxide	SiO2		EES6	mg/L					2 222					2.222		
	Silicon Dioxide	SiO2		GELC EES6	mg/L				71.9	0.032				74.5	0.032		
	Sodium Sodium	Na Na		GELC	mg/L mg/L				10.1	0.045				10.2	0.045		+
}	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				10.1	0.045				130.9	0.045		+
	Sulfate	SO4(-2)	1 ICIU	EES6	mg/L									130.3			
	Sulfate	SO4(-2)		GELC	mg/L				2.39	0.1				2.34	0.1		
Ì	Total Dissolved Solids	TDS		GELC	mg/L				146	2.38				152	2.38		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L			'	0.01	0.01			<	0.01	0.01		
	Total Organic Carbon	TOC		GELC	mg/L								<	0.609	0.33		
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L												
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			<	0.01	0.01			<	0.01	0.01		
}	Total Suspended Solids	TSS	Et-14	GELC	mg/L									7.00			
	pH Aluminum	pH Al	Field	FLD EES6	SU									7.68			
	Aluminum	Al		GELC	μg/L μg/L		<	<	68	68			<	68	68		
}	Antimony	Sb		EES6	μg/L		<	`	00	00				00	00		+
	Antimony	Sb		GELC	µg/L		,	<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		EES6	μg/L												†
	Arsenic	As		GELC	μg/L			<	6	6			<	6	6		
	Barium	Ва		EES6	μg/L												
	Barium	Ва		GELC	μg/L				24.9	1				25.7	1		
	Beryllium	Be		EES6	μg/L		<										
ω	Beryllium	Be		GELC	μg/L		-	<	1	1			<	1	1	 	
J AL	Boron	В		EES6	μg/L		-		45.0	40		-		14.0	10	 	
METALS	Boron	B Cd		GELC EES6	μg/L		<		15.2	10				14.2	10	 	+
Σ	Cadmium Cadmium	Cd		GELC	μg/L μg/L		+ `	<	0.1	0.1		+	<	0.1	0.1	 	+
}	Chromium	Cr		EES6	μg/L μg/L		-	`	0.1	0.1		+		0.1	0.1	 	+
	Chromium	Cr		GELC	μg/L μg/L		1		3.1	1				3.8	1	 	+
	Cobalt	Co		EES6	μg/L		<		Ü. i					0.0	'		
1	Cobalt	Co		GELC	μg/L			<	1	1			<	1	1		
	Copper	Cu		EES6	μg/L		<										
	Copper	Cu		GELC	μg/L			<	3	3			<	3	3		
	Iron	Fe		EES6	μg/L		<										
[Iron	Fe		GELC	μg/L			<	18	18			<	18	18	ļ	
	Lead	Pb		EES6	μg/L		<		1					I		<u> </u>	
						<u>-</u>											

EP2006-1078 B-143 February 2007

09/19/06

09/19/06

09/19/06

09/19/06

09/19/06

09/19/06

09/19/06

09/19/06

09/19/06

Table B-1.25 (continued)

07/25/05

09/19/06

Start Date Time

						Fld Prep Code	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code											
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Tron Glado	Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code (Decoded)	Lab Code	Std Uom		- Jyiii	Sym	Result	Sta Mai	Stu Muu	Std Officert	- Jyiii	Result	Sta Mai	Sta Waa	Std Officert
7 myr ounce oode	Lead	Pb	Eub couc (Ecocucu)	GELC	µg/L			<	0.5	0.5			<	0.5	0.5		
•	Manganese	Mn		EES6	μg/L		<		0.0	0.0				0.0	0.0		
-	Manganese	Mn		GELC	μg/L			<	2	2			<	2	2		
•	Mercury	Hg		EES6	μg/L		<										
Ì	Mercury	Hg		GELC	μg/L			<	0.06	0.06			<	0.06	0.06		
	Nickel	Ni		EES6	μg/L		<										
_	Nickel	Ni		GELC	μg/L			<	0.5	0.5			<	0.5	0.5		
ont.)	Selenium	Se		EES6	μg/L		<										
8	Selenium	Se		GELC	μg/L			<	2.5	2.5			<	2.5	2.5		
oμ	Silver	Ag		EES6	μg/L		<										
[Silver	Ag		GELC	μg/L			<	0.2	0.2			<	0.2	0.2		
Ę.	Thallium	TI		EES6	μg/L		<										
2	Thallium	TI		GELC	μg/L			<	0.4	0.4			<	0.4	0.4	[
	Tin	Sn		EES6	μg/L		<										
_	Tin	Sn		GELC	μg/L			<	2.5	2.5			<	2.5	2.5		1
	Vanadium	V		EES6	μg/L												1
	Vanadium	V		GELC	μg/L				6.7	1				6.5	11	<u> </u>	
	Zinc	Zn		EES6	μg/L											<u> </u>	
	Zinc	Zn		GELC	μg/L			<	3.7	2			<	8.1	2	<u> </u>	
	Americium-241	Am-241		GELC	pCi/L				0.0075		0.0433	0.00679		-0.00785		0.0472	0.0161
	Cesium-137	Cs-137		GELC	pCi/L				-0.558		4.12	1.15		1.7		4.74	1.23
	Gross alpha	GROSSA		GELC	pCi/L				0.403		2.53	0.687		-0.527		1.85	0.337
	Gross beta	GROSSB		GELC	pCi/L				0.601		3.14	0.906		2.13		2.5	0.79
	Gross gamma	GROSSG		GELC	pCi/L				90.3		377	89.6		101		378	78.3
RAD	Plutonium-238	Pu-238		GELC	pCi/L				-0.00265		0.0255	0.0046		0.00533		0.0256	0.0119
~	Strontium-90	Sr-90		GELC	pCi/L				0.00494		0.377	0.0987		-0.0485		0.307	0.0731
	Tritium	H-3		UMTL	pCi/L											 '	
	Uranium	U		EES6	μg/L											 '	
	Uranium	U		GELC	μg/L				0.27	0.05				0.28	0.05	<u> </u>	
	Uranium-234	U-234		GELC	pCi/L				0.22		0.0478	0.0284		0.246		0.0504	0.0291
	Uranium-238	U-238		GELC	pCi/L				0.0871		0.0508	0.0173		0.106		0.0536	0.0188

February 2007 B-144 EP2006-1078

Table B-1.26 Spring 6A

							T			T	T		1	I		1		1			
						Start Date Time	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code			-						-		-				
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class															
	T			I I			Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
Anyl Suite	4 4 5		Lab Code	Lab	0.111															'	1
Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom						1		0.705	0.705				4.45	4.45	 	
	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3 ALK-CO3+HCO3		GELC GELC	mg/L		-				-	<	0.725	0.725 0.725			<	1.45 53.1	1.45 1.45	 	
	Alkalinity-CO3+ACO3 Alkalinity-HCO3	ALK-HCO3		GELC	mg/L mg/L						+		81.2 81	0.725				52.9	1.45	\vdash	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L						+		01	0.723				32.9	1.40	 	
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		GELC	mg/L								11.7	0.0375				11.6	0.00554		
	Chloride	CI(-1)		GELC	mg/L								2.15	0.025				2.1	0.0322		
	Fluoride	F(-1)		GELC	mg/L								0.39	0.006				0.259	0.0553		
(0)	Magnesium	Mg		GELC	mg/L								2.58	0.00449				2.68	0.00518		
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								0.38	0.0069				0.37	0.01		1
9	Perchlorate	CIO4		GELC	μg/L															<u> </u>	
<u> </u>	Potassium	K		GELC	mg/L								1.89	0.00707				1.93	0.0165	<u> </u>	
8	Silicon Dioxide	SiO2		GELC	mg/L								78.9	0.284				76.9	0.0212	 '	1
	Sodium Specific Conductores	Na SPEC CONDC	Field	GELC	mg/L			100.7			+		11.4	0.00813				11.8	0.0144	 	
	Specific Conductance Sulfate	SO4(-2)	Field	FLD GELC	uS/cm			132.7					2.72	0.062				2.47	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L mg/L						+		149	5.09				123	3.07	\vdash	
	Total Dissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L								149	5.09				123	3.07	 	
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L						1										
	Total Suspended Solids	TSS		GELC	mg/L			117	0.659												
	pH	pН	Field	FLD	SU			6.89													
	Aluminum	Al		GELC	μg/L							<	34.3	34.3			<	14.7	14.7		
	Antimony	Sb		GELC	μg/L							<	0.06	0.111			<	0.28	0.28		
	Arsenic	As		GELC	μg/L							<	4.57	4.57			<	2.24	2.24		1
	Barium	Ba		GELC	μg/L						1		20.3	0.206				17.4	0.222	<u> </u>	
	Beryllium	Be		GELC	μg/L							<	0.203	0.203			<	0.158	0.158	 '	1
	Boron	В		GELC	μg/L						1		13	2.95			<	14.4	4.88	 	
	Cadmium Chromium	Cd Cr		GELC	μg/L		-				-	<	0.281 3.73	0.301 0.781			< <	0.04 2.68	0.04 0.503	 	
	Cobalt	Co		GELC	μg/L μg/L						+	<	0.295	0.761			<	1.03	0.503	\vdash	
ဟု	Copper	Cu		GELC	μg/L						+	<	2.67	2.67			<	2.79	1.39	 	
METALS	Iron	Fe		GELC	μg/L							<	20.6	20.6			<	12.6	12.6		
l le	Lead	Pb		GELC	μg/L							<	0.077	0.077			<	0.05	0.05		
_	Manganese	Mn		GELC	μg/L							<	2.94	2.94				2.73	0.296		
	Mercury	Hg		GELC	μg/L		<	0.073	0.073												
	Nickel	Ni		GELC	μg/L							<	0.743	0.743			<	1.04	0.69		
	Selenium	Se		GELC	μg/L		<	3.09	3.09												
	Silver	Ag		GELC	μg/L						_	<	0.197	0.197			<	0.835	0.835	 '	
	Thallium	TI	ļ	GELC	μg/L		ļ				_	<	0.014	0.014			<	0.02	0.02	<u> </u>	
	Tin	Sn		GELC	μg/L					1	1	<	4.5	2.4		-	<	3.26	3.26	 	
	Vanadium Zinc	V Zn		GELC GELC	µg/L					-	+	<	10.3 0.798	1.09 2.81			<	11.1 0.883	0.606 0.883		
	Americium-241	Am-241	-	GELC	μg/L pCi/L		-			+	+	_ `	0.798	2.01	0.00838	0.00827	_ `	0.883	0.003	0.029	0.00544
	Cesium-137	Cs-137		GELC	pCi/L		<u> </u>			 	+		1.14		3.23	0.00827		4.13		9.29	2.38
	Gross alpha	GROSSA		GELC	pCi/L						1		0.491		1.68	0.44		0.738		1.09	0.326
	Gross beta	GROSSB		GELC	pCi/L		<u> </u>			1	†		2.86		1.21	0.423		2.25		1.23	0.395
	Gross gamma	GROSSG		GELC	pCi/L					1						320		112		444	410
RAD	Plutonium-238	Pu-238		GELC	pCi/L								0.00803		0.0197	0.006		-0.00798		0.037	0.00462
<u>~</u>	Strontium-90	Sr-90		GELC	pCi/L								0.0883		0.297	0.0789		0.0011		0.271	0.0585
	Tritium	H-3		UMTL	pCi/L																
	Uranium	U		GELC	μg/L													0.855	0.02		
	Uranium-234	U-234		GELC	pCi/L					ļ			0.592		0.0733	0.0747		0.413		0.05	0.0403
	Uranium-238	U-238	L	GELC	pCi/L						1		0.284		0.0449	0.0467		0.241		0.032	0.0277

EP2006-1078 B-145 February 2007

								i abic B	0 (00.												
						Start Date Time	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03	03/12/04	03/12/04	03/12/04	03/12/04	03/12/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
																			•		<u> </u>
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code														'	
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Trem endee	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
				1			Sylli	Resuit	Stu iviui	Stu iviua	Sid Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Unicert	Sylli	Result	Stu iviui	Stu iviua	Sid Officert
			Lab Code		Std															'	
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code																 '	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L												<	1.45	1.45	 '	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L													62.9	1.45	ļ	
<u> </u>	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L													62.8	1.45	<u> </u>	
	Ammonia as Nitrogen	NH3-N		GELC	mg/L															ļ	
	Bromide	Br(-1)		GELC	mg/L															ļ	
<u> </u>	Calcium	Ca		GELC	mg/L													10	0.00554	<u> </u>	
	Chloride	CI(-1)		GELC	mg/L													2.1	0.0322	ļ	
<u> </u>	Fluoride	F(-1)		GELC	mg/L													0.364	0.0553	ļ	
(D	Magnesium	Mg		GELC	mg/L													2.61	0.00518	<u> </u>	
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L		1		1									0.407	0.003	 '	
2	Perchlorate	CIO4		GELC	μg/L								0.293							 '	
	Potassium	K		GELC	mg/L											ļ		1.68	0.0165	 '	
GE	Silicon Dioxide	SiO2		GELC	mg/L		ļ									ļ	ļ	69.7	0.0212	 '	
	Sodium	Na		GELC	mg/L													9.57	0.0144	<u> </u>	
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			129.3					136.8								
	Sulfate	SO4(-2)		GELC	mg/L													2.54	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L													134	3.07		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L			80.2	0.688												
	рН	pН	Field	FLD	SU			7.35					7.6								
	Aluminum	Al		GELC	μg/L												<	14.7	14.7		
	Antimony	Sb		GELC	μg/L												<	0.28	0.28	T T	
	Arsenic	As		GELC	μg/L												<	2.24	2.24		
	Barium	Ва		GELC	μg/L													15.6	0.222		
	Beryllium	Be		GELC	μg/L												<	0.158	0.158	T T	
	Boron	В		GELC	μg/L												<	16.1	4.88	1	
	Cadmium	Cd		GELC	μg/L												<	0.04	0.04	1	
	Chromium	Cr		GELC	μg/L													3.8	0.503		
	Cobalt	Co		GELC	μg/L												<	0.541	0.541		
rs	Copper	Cu		GELC	μg/L												<	1.39	1.39		
	Iron	Fe		GELC	μg/L												<	12.6	12.6		
METALS	Lead	Pb		GELC	μg/L												<	0.05	0.05		
	Manganese	Mn		GELC	μg/L													0.77	0.296		
	Mercury	Hg		GELC	μg/L		<	0.0472	0.0472												
j F	Nickel	Ni		GELC	μg/L												<	0.69	0.69		
	Selenium	Se		GELC			<	2.81	2.81												
	Silver	Ag		GELC	μg/L												<	0.835	0.835		
	Thallium	ΤĬ		GELC	μg/L												<	0.02	0.02		
	Tin	Sn		GELC	μg/L												<	3.26	3.26		
	Vanadium	V		GELC	μg/L													8.2	0.606		
F	Zinc	Zn		GELC	μg/L							1						4.3	0.883		
	Americium-241	Am-241			pCi/L													0.00356		0.056	0.0128
l F	Cesium-137	Cs-137		GELC	pCi/L													-0.768		2.85	0.827
	Gross alpha	GROSSA		GELC	pCi/L			1				1						0.78		1.92	0.514
	Gross beta	GROSSB		GELC	pCi/L							İ						1.08		1.32	0.372
_	Gross gamma	GROSSG		GELC	pCi/L													67.4		219	39.5
RAD	Plutonium-238	Pu-238		GELC	pCi/L							İ						-0.0091		0.035	0.00509
~	Strontium-90	Sr-90		GELC	pCi/L				1			1						-0.0047		0.16	0.0404
	Tritium	H-3		UMTL	pCi/L			-0.12772	0.28737		0.28737	1						1			
 	Uranium	U		GELC	µg/L		1		1			1				1	1	0.71	0.02		
F	Uranium-234	U-234		GELC	pCi/L		1					1				1	1	0.484		0.069	0.0434
	Uranium-238	U-238		GELC	pCi/L		1					1				1	1	0.228		0.049	0.0264
			1			ı	1	1	1	·					1	1			1		

						Start Date Time	10/07/03	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05	09/27/05
						Fld Prep Code	UF	UF	UF	UF	UF	UF	F	F	F	F	6 <i>71211</i> 03	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0.5	0	0	0	00	0	0
						Fld Qc Type Code				· ·		Ü	Ü	ŭ	Ů	Ü	, i	Ü		
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class	Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl
Anul Cuito			Lab Code	Lab			Sylli	Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu iviui
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom															
Couc	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L								<	1.45	1.45					
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L									68.2	1.45					
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L															
	Ammonia as Nitrogen	NH3-N		GELC	mg/L								<	0.01	0.01					
	Bromide	Br(-1)		GELC	mg/L								<	0.041	0.041				10.1	
	Calcium	Ca		GELC	mg/L						1			13	0.036				13.1	0.036
	Chloride Fluoride	Cl(-1) F(-1)		GELC GELC	mg/L mg/L						-			2.62 0.416	0.053 0.03					
ŀ	Magnesium	Mg		GELC	mg/L									2.8	0.085				2.8	0.085
26	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L									0.307	0.017				2.0	0.000
) j	Perchlorate	CIO4		GELC	μg/L				0.323	0.05				0.306	0.05					
GENINORG	Potassium	K		GELC	mg/L									1.98	0.05				2.02	0.05
GE	Silicon Dioxide	SiO2		GELC	mg/L		1				1			71	0.032		ļ		70.7	0.032
	Sodium	Na SPEC CONDC	Field	GELC	mg/L				110.0		1			17.8	0.045				17.9	0.045
	Specific Conductance Sulfate	SO4(-2)	Fleid	FLD GELC	uS/cm mg/L				118.2		-			4.02	0.057				155	
•	Total Dissolved Solids	TDS		GELC	mg/L									173	2.38					
-	Total Kjeldahl Nitrogen	TKN		GELC	mg/L								<	0.288	0.04					
•	Total Organic Carbon	TOC		GELC	mg/L															
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L								<	0.126	0.01					
	Total Suspended Solids	TSS		GELC	mg/L				6	1.53										
	pH	pH	Field	FLD	SU				7.49		1			00	00				6.58	- 00
	Aluminum Antimony	Al Sb		GELC GELC	μg/L						-		<	68 0.5	68 0.5			<	68 0.5	68 0.5
•	Artimony	As		GELC	μg/L μg/L						+		<	6	6			<	6	6
•	Barium	Ba		GELC	μg/L						1		,	21.9	1			,	22.4	1
•	Beryllium	Be		GELC	μg/L								<	1	1			<	1	1
	Boron	В		GELC	μg/L									19.8	10				19.4	10
	Cadmium	Cd		GELC	μg/L								<	0.1	0.1			<	0.1	0.1
	Chromium	Cr		GELC	μg/L									3.6	1				4	1
ο	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L						+		<	3	3			<	3	3
JA I	Iron	Fe		GELC	μg/L								<	18	18				23.2	18
METALS	Lead	Pb		GELC	µg/L						1		<	0.5	0.5			<	0.5	0.5
_	Manganese	Mn		GELC	μg/L								<	2	2			<	2	2
	Mercury	Hg		GELC	μg/L		<	<	0.0472	0.0472			<	0.05	0.05			<	0.05	0.05
]	Nickel	Ni		GELC	μg/L		1		0.04	0.01	1		<	0.5	0.5			<	0.5	0.5
	Selenium	Se		GELC	μg/L		<	<	2.81	2.81	1		<	2.5	2.5			<	2.5	2.5
	Silver Thallium	Ag TI		GELC	μg/L μg/L						+		<	0.2	0.2			<	0.2 0.4	0.2
}	Tin	Sn		GELC			1			1	+		<	2.5	2.5	 	 	<	2.5	2.5
}	Vanadium	V		GELC	μg/L								•	10.3	1	1			10.3	1
	Zinc	Zn		GELC	μg/L								<	2	2			<	2	2
	Americium-241	Am-241		GELC	pCi/L								_	0.00893		0.041	0.0126		0.00534	
]	Cesium-137	Cs-137		GELC	pCi/L		1				1			-0.0787		3.93	1.25		-0.0447	
]	Gross alpha	GROSSA		GELC	pCi/L		1				1			0.267	1	2.28	0.494		-0.148	\vdash
}	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L						-			1.79 103	-	1.5 443	0.474 97		1.35 81.9	\vdash
RAD	Plutonium-238	Pu-238		GELC	pCi/L		1				†			-0.00798		0.0552	0.0122		0.0145	
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L									0.0322	1	0.372	0.0786		0.177	
]	Tritium	H-3		UMTL	pCi/L				-0.09579	0.28737		0.28737								
Ţ	Uranium	U		GELC	μg/L					-				0.93	0.05				0.98	0.05
Ţ	Uranium-234	U-234		GELC	pCi/L									0.669		0.0861	0.0555		0.581	
1	Uranium-238	U-238		GELC	pCi/L			l			<u> </u>			0.33	I	0.0609	0.0358		0.321	

EP2006-1078 B-147 February 2007

Table B-1.26 (continued)

					Ī	Start Date Time	09/27/05	09/27/05	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06
					İ	Fld Prep Code	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
					İ	Lab Sample Type Code	CS	CS	CS	CS	CS	CS	cs	CS	CS	CS	CS	CS
					ł	1 /1												
					+	Port Depth	0	0	0	0	0	0	0	0	0	0	0	0
					ļ	Fld Qc Type Code												<u> </u>
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert
			Lab Code											-				
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom													
,	Alkalinity-CO3	ALK-CO3	` ′	GELC	mg/L				<	0.725	0.725			<	0.725	0.725		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L					64.2	0.725				63.2	0.725		1
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L													
1	Ammonia as Nitrogen	NH3-N		GELC	mg/L				<	0.01	0.01			<	0.01	0.01		
	Bromide	Br(-1)		GELC	mg/L				<	0.066	0.066			<	0.066	0.066		
	Calcium	Ca		GELC	mg/L					11.9	0.036				11.8	0.036		
_	Chloride	CI(-1)		GELC	mg/L					2.2	0.066				2.16	0.066		
_	Fluoride	F(-1)		GELC	mg/L				<	0.436	0.033			<	0.457	0.033		<u> </u>
l o L	Magnesium	Mg	 	GELC	mg/L					2.41	0.085				2.37	0.085		
J. P.	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L				<	0.151	0.014			<	0.144	0.014		
GENINORG	Perchlorate	CIO4	1	GELC	μg/L					0.283	0.05	1			4.05	0.05		
<u> </u>	Potassium	K		GELC	mg/L					1.93	0.05				1.85	0.05		
- G	Silicon Dioxide Sodium	SiO2	+	GELC GELC	mg/L				 	73.5 13.2	0.032 0.045	1			73.3 13.3	0.032 0.045		+
<u> </u>	Specific Conductance	Na SPEC_CONDC	Field	FLD	mg/L		-		-	13.2	0.045				133.8	0.045		
<u> </u>	Sulfate	SO4(-2)	Fleid	GELC	uS/cm					2.83	0.1				2.75	0.1		
-	Total Dissolved Solids	TDS		GELC	mg/L mg/L					147	2.38				157	2.38		
-	Total Dissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L				<	0.01	0.01			<	0.01	0.01		+
-	Total Organic Carbon	TOC		GELC	mg/L					0.01	0.01			<	0.478	0.33		+
-	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L				<	0.01	0.01			<	0.478	0.01		+
=	Total Suspended Solids	TSS		GELC	mg/L					0.01	0.01				0.01	0.01		+
=	pH	pH	Field	FLD	SU										7.1			+
	Aluminum	Al	ricia	GELC	μg/L				<	68	68			<	68	68		
	Antimony	Sb		GELC	μg/L				<	0.5	0.5			<	0.5	0.5		+
	Arsenic	As		GELC	μg/L				<	6	6			<	6	6		
	Barium	Ва		GELC	μg/L					19.5	1				20.4	1		
	Beryllium	Be		GELC	μg/L				<	1	1			<	1	1		1
	Boron	В		GELC	μg/L					18.9	10				16.6	10		1
	Cadmium	Cd		GELC	μg/L				<	0.1	0.1			<	0.1	0.1		1
	Chromium	Cr		GELC	μg/L					2	1				3.2	1		
. <u>. </u>	Cobalt	Co		GELC	μg/L				<	1	1			<	1	1		
LS L	Copper	Cu		GELC	μg/L				<	3	3			<	3	3		
<u> </u>	Iron	Fe		GELC	μg/L				<	18	18				29.6	18		
METALS	Lead	Pb		GELC	μg/L				<	0.5	0.5			<	0.5	0.5		
L	Manganese	Mn		GELC	μg/L				<	2	2			<	2	2		
	Mercury	Hg	1	GELC	μg/L				<	0.06	0.06	ļ		<	0.06	0.06		
	Nickel	Ni O	 	GELC	μg/L				<	0.5	0.5	ļ		<	0.5	0.5		
	Selenium	Se	-	GELC	μg/L				<	2.5	2.5	 		<	2.5	2.5		
L	Silver	Ag		GELC	μg/L				<	0.2	0.2			<	0.2	0.2		
-	Thallium	TI	<u> </u>	GELC	μg/L				<	0.55	0.4	 		<	0.4	0.4		
-	<u>Tin</u> Vanadium	Sn V	+	GELC GELC	μg/L				<	2.5 10.9	2.5	 		<	2.5 10.9	2.5		+
F	Vanadium Zinc	Zn	+	GELC	μg/L				<	7.3	2	-		<	4.2	1 2		+
-	Americium-241	Am-241	+	GELC	μg/L pCi/L		0.0378	0.0173	_ `	-0.00743		0.0539	0.00676		-0.0182		0.0524	0.0165
F	Cesium-137	Cs-137	1	GELC	pCi/L pCi/L		3.54	0.0173		-0.00743	1	3.86	1.12		-0.0162		3.32	1.1
=	Gross alpha	GROSSA		GELC	pCi/L		3.08	0.638		0.984		2.44	0.719		1.62		2.6	0.82
F	Gross beta	GROSSB	+	GELC	pCi/L		1.63	0.503		1.76		2.51	0.788		3.1		2.81	0.02
_	Gross gamma	GROSSG	1	GELC	pCi/L		321	72.9		99.9		336	96.6		95.3		318	66.5
RAD	Plutonium-238	Pu-238	1	GELC	pCi/L		0.0501	0.0118		-0.00677		0.0325	0.0239		0.00498		0.0239	0.0137
₽ –	Strontium-90	Sr-90		GELC	pCi/L		0.38	0.0925		-0.105		0.286	0.0618		0.101		0.302	0.087
F	Tritium	H-3		UMTL	pCi/L					200	İ	1.200	212010		2			1.00.
F	Uranium	U		GELC	μg/L					0.58	0.05	İ			0.65	0.05		
		U-234	1	GELC	pCi/L		0.0741	0.0482	1	0.395		0.0502	0.042		0.467		0.0516	0.044
ļ Ē	Uranium-234	0-234		OLLO	PO"L 1		0.07 7 1	0.0-02		0.000		0.0002	0.072		0.707		0.0010	

Table B-1.27 Spring 8A

																	1.				
						Start Date Time	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	09/26/00	10/07/03	10/07/03	10/07/03	10/07/03	10/07/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						-		•	CC	CC	CC		CS	CS	CS	CS	CS	CS	CS	CS	CS
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS									
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
			1 -1- 0 - 1-	1 - 6			Jyiii	Result	Stu Wui	Sta Maa	Std Officert	Jyiii	Result	Jiu Mui	Sta ivida	Std Officert	Jyiii	Result	Stu Wui	Stu ivida	Stu Officert
A C	Analista Dana	A L	Lab Code	Lab	C4-111																
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Code	Std Uom			4	4				+					4.45	4.45	 	
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	1 74.5	1				1				<	1.45	1.45	 	
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L			74.5	1				1					60.1	1.45	 	
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L			74.3	1				+					59.6	1.45	 	
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L			-					1							 	
	Bromide	Br(-1)		GELC	mg/L			44.0	0.0055			+						10.0	0.00554	 	
	Calcium Chloride	Ca Cl(-1)		GELC GELC	mg/L			14.8 2.05	0.0355 0.026			-			-			10.3 1.89	0.00554 0.0322	├──	
-					mg/L							+								 	
	Fluoride	F(-1) Mg		GELC GELC	mg/L			0.448 3.31	0.007 0.00354			 	 				 	0.274 3.23	0.0553 0.00518	+	
9	Magnesium Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L							+					<			+	
GENINORG	Perchlorate				mg/L		<	0.14	0.009			 	 					0.01	0.01	+	
<u> </u>	Percniorate Potassium	CIO4 K		GELC GELC	μg/L mg/l			1.94	0.0164			+	 		-		-	2.2	0.0165	+	
	Silicon Dioxide	SiO2		GELC	mg/L mg/L			87.2	0.0186			+	+				+	82.1	0.0165	+	
<u>o</u>	Sodium	Na		GELC	mg/L mg/L			13.2	0.0186			+	 		-		-	13.3	0.0212	+	
_	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm		 	13.2	0.013				-					13.3	0.0144	++	
_	Sulfate	SO4(-2)	rieiu	GELC				2.27	0.079			1	+					1.72	0.193	 	
	Total Dissolved Solids	TDS		GELC	mg/L		 	187	6.29				-					128	3.07	++	
_	Total Dissolved Solids Total Kjeldahl Nitrogen	TKN		GELC	mg/L		 	107	0.29				-					120	3.07	++	
_	Total Organic Carbon	TOC		GELC	mg/L							1	+							 	
<u> </u>	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			0.02	0.02			-			-			-		├──	
_	Total Suspended Solids	TSS		GELC	mg/L mg/L		<	0.02	0.02			<	1.4	1.4						++	
_	pH	pH	Field	FLD	SU							_ `	1.4	1.4						 	
	Aluminum	Αl	Field	GELC	μg/L		<	8.67	23.4			1	+				<	14.7	14.7	 	
-	Antimony	Sb		GELC	μg/L μg/L		_ `	0.784	0.111			1					<	0.28	0.28	+	
-	Artimony	As		GELC	μg/L μg/L		<	2.57	2.57				+				<	2.26	2.24	 	
-	Barium	Ba		GELC	μg/L μg/L			33.7	0.748			1					_ `	21.8	0.222	+	
-	Beryllium	Ве		GELC	μg/L μg/L		<	0.474	0.746				+				<	0.158	0.222	 	
-	Boron	В		GELC	μg/L μg/L		<	4.74	4.74			+	1				<	10.1	4.88	+	
-	Cadmium	Cd		GELC	μg/L μg/L		<	0.631	0.631				+				<	0.04	0.04	 	
-	Chromium	Cr		GELC	μg/L μg/L		<	1.06	1.06			+	1				<	1.76	0.503	+	
-	Cobalt	Co		GELC	μg/L μg/L			1.16	0.627			+	1				<	1.02	0.541	+	
တ	Copper	Cu		GELC	μg/L		<	1.84	1.84			+	1				<	3.28	1.39	+	
METALS	Iron	Fe		GELC	μg/L μg/L		<	34.1	19.9			+	1				<	12.6	12.6	+	
	Lead	Pb		GELC	μg/L μg/L		<	1.83	1.83			-	+				<	0.05	0.05	+	
≥	Manganese	Mn		GELC	μg/L μg/L			62.2	1.15			+					<	0.622	0.03	+	
	Mercury	Hg		GELC	μg/L μg/L		<	0.06	0.06			+					 	0.022	0.230	+	
	Nickel	Ni		GELC	μg/L μg/L		<	3.09	3.09			†					<	1.74	0.69	 	
<u> </u>	Selenium	Se		GELC	μg/L μg/L		<	2.36	2.36			+					<u>, </u>	1.1-7	5.05	 	
	Silver	Ag		GELC	μg/L μg/L		<	0.529	0.529			†					<	0.835	0.835	 	
	Thallium	TI		GELC	μg/L μg/L		<	0.019	0.014			†					<	0.02	0.033	 	
	Tin	Sn		GELC	μg/L		<	1.98	1.98			1					<	3.26	3.26		
	Vanadium	V		GELC	μg/L		<u> </u>	9.24	0.89			1					1	7.38	0.606	†	
	Zinc	Zn		GELC	μg/L		<	2.07	3.89			†					<	0.883	0.883	 	
	Americium-241	Am-241		GELC	pCi/L		1	0.0128	0.00	0.0116	0.00744	1					1	0.0131	0.500	0.027	0.00936
	Cesium-137	Cs-137		GELC	pCi/L			1.43		4.06	1.04	1					1	-1.25		5.57	1.64
	Gross alpha	GROSSA		GELC	pCi/L			-0.255		1.94	0.449	†					†	0.206		1.05	0.263
	Gross beta	GROSSB		GELC	pCi/L			1.43		3.3	0.981	1						0.649		1.33	0.355
	Gross gamma	GROSSG		GELC	pCi/L			1.40		0.0	0.001	1					1	91		355	122
RAD	Plutonium-238	Pu-238		GELC	pCi/L			0.025		0.00966	0.0101	†					†	-0.00776		0.027	0.00476
~	Strontium-90	Sr-90		GELC	pCi/L			-0.0291		0.365	0.105	1					1	0.00770		0.294	0.0716
	Tritium	H-3		UMTL	pCi/L			0.0201		0.000	3.100	1						Ü.,		5.254	3.37 13
	Uranium	U		GELC	μg/L							†					1	0.058	0.02	 	
	Uranium-234	U-234		GELC	pCi/L			0.0578		0.117	0.0285	†						0.0441		0.049	0.0127
	Uranium-238	U-238		GELC	pCi/L			0.0455		0.061	0.021	†					†	0.0399		0.031	0.0104
	Gramam 200	0 200	1		P 2" L	1		0.0700		0.001	0.021	1	1		I.	1	I.	0.0000		0.001	0.0107

See Debt Tree 1997(2) 1997(3) 1997(3) 1997(3) 1997(4)			
Page Page	5 01/26/05	01/26/05	01/26/05
Page Page	F	F	F
Performance Performance			
Part Part	CS		CS
Mary Sale Mary Care Mary	0	0	0
Part Color			
Part Color	G SPRING	SPRING	SPRING
Page Page			Std Mda
Code	Stu iviui	Stu Mui	Stu iviua
Application Autocolor Au			
### Ashamo-October Ash. (ACCOS+HCOS) GESC mgl.			
Albality-HCOS			
American as Nincogen MiCN GELC right			
Brownie Birt GELC mg/L	1.45	1.45	
Calcium Calc			
Chloride Cit-1) CELC mgl,	0.00554	0.00554	
Plustree F(-1)			
Migrae-Numin	0.0322		
Nittle-Nitrice as N NO3+NO2-N CSEL C mg/L			
Solution She Specific Conductance SPEC_CONDC Field			
Solution Name Self-Cornect Specific Conductations Specific Co	0.003	0.003	
Solution Name Self-Cornect Specific Conductations Specific Co	0.010=	0.0407	
Solution Name Self-Cornect Specific Conductations Specific Co			
Specific Conductance			
Sulfate	0.0144	0.0144	
Total Ryleidn Nirogen			
Total (Jecketh Nitrogen TKN GELC mg/L			
Total Organic Catroon TOC GELC mg/L	3.07	3.07	
Total Prospherus PO4-P GELC mg/L 13.9 0.727			
Total Suspended Solids TSS GELC mg/L 13.9 0.727			
PH			
Aluminum Al GELC µg/L			
Antimony Sb GELC µg/L			
Arsenic As GELC µg/L			
Barium Ba GELC µg/L			
Beryllium Be GELC µg/L	2.24		
Boron B GELC µg/L			
Cadmium Cd GELC µg/L			
Chromium Cr GELC µg/L			
Cobat Co GELC µg/L			
Copper Cu GELC	0.503		
Manganese Mn GELC µg/L			
Manganese Mn GELC µg/L			
Manganese Mn GELC µg/L			
Mercury Hg GELC µg/L			
Nickel Ni GELC µg/L	0.296	0.296	
Selenium Se GELC μg/L		0.00	
Silver Ag GELC µg/L	0.69	0.69	
Thallium Ti	0.005	0.005	
Tin Sn GELC μg/L 3.26 Vanadium V GELC μg/L 8.1 Zinc Zn GELC μg/L < 1.3			
Vanadium V GELC μg/L 8.1 Zinc Zn GELC μg/L 1.3 Americium-241 Am-241 GELC pCi/L -0.00205 Cesium-137 Cs-137 GELC pCi/L -1.78 Gross alpha GROSSA GELC pCi/L 0.261 Gross beta GROSSB GELC pCi/L 0.934			
Zinc Zn GELC μg/L			
Americium-241	0.606		
Cesium-137 Cs-137 GELC pCi/L -1.78 Gross alpha GROSSA GELC pCi/L 0.261 Gross beta GROSSB GELC pCi/L 0.934		0.883	0.000
Gross alpha GROSSA GELC pCi/L 0.261 Gross beta GROSSB GELC pCi/L 0.934			0.032
Gross beta GROSSB GELC pCi/L 0.934			3.72
			1.72
1 000000 1 00000 1 0000 1 0000			1.98
Gross gamma GROSSG GELC pCi/L 148			336
Class gamina Choose Class Clas			0.033
Strontlum-90 St-90 GELC PC//L	<u>'</u>		0.296
Tritium H-3 UMTL pCi/L 1.14948 0.28737 0.3193			
Uranium U GELC μg/L			0.070
Uranium-234 U-234 GELC pCi/L 0.142 Harrium 200 H 200 OFFIG. 1904 0.0725			0.076
Uranium-238 U-238 GELC pCi/L 0.0795	<u>, </u>		0.054

						Start Date Time	01/26/05	01/26/05	01/26/05	01/26/05	01/26/05	01/26/05	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06
						Fld Prep Code	F	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	Ü				ŭ	Ů	-				Ů				Ů	
						1.	CDDING	CDDING	SPRING	CDDING	SPRING	CDDING	CDDING	CDDING	CDDING	SPRING	CDDING	SPRING	SPRING	SPRING	CDDING	SPRING
						Well Class	SPRING	SPRING		SPRING		SPRING	SPRING	SPRING	SPRING		SPRING				SPRING	
		1	T	T			Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
	4 1 1 5		Lab Code	Lab	01111																	
Anyl Suite Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Code GELC	Std Uom								<	0.705	0.705				0.705	0.725		
-	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L mg/L									0.725 62.2	0.725 0.725			<	0.725 61.6	0.725		
	Alkalinity-003	ALK-CO3111CO3		GELC	mg/L									02.2	0.723				01.0	0.723		
}	Ammonia as Nitrogen	NH3-N		GELC	mg/L								<	0.01	0.01			<	0.01	0.01		
	Bromide	Br(-1)		GELC	mg/L								<	0.066	0.066			<	0.066	0.066		
	Calcium	Ca		GELC	mg/L									10.8	0.036				10.7	0.036		
	Chloride	CI(-1)		GELC	mg/L									1.78	0.066				1.78	0.066		
	Fluoride	F(-1)		GELC	mg/L								<	0.409	0.033			<	0.413	0.033		
(n	Magnesium	Mg		GELC	mg/L									3.19	0.085				3.17	0.085		
) X	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								<	0.0782	0.014			<	0.0737	0.014		
N N	Perchlorate	CIO4		GELC	μg/L				0.237	0.05				0.123	0.05				4.00			
GENINORG	Potassium Siliana Diavida	K SiO2	1	GELC	mg/L									1.91	0.05	1			1.96	0.05 0.032		
5	Silicon Dioxide Sodium	Na		GELC	mg/L						-			79.4 11.1	0.032 0.045			-	79.2 11.6	0.032		
-	Specific Conductance	SPEC_CONDC	Field	FLD	mg/L uS/cm				112.6					11.1	0.045				132.7	0.045		-
}	Sulfate	SO4(-2)	i ieiu	GELC	mg/L				112.0					2.14	0.1				2.15	0.1		
	Total Dissolved Solids	TDS		GELC	mg/L									152	2.38				153	2.38		
•	Total Kjeldahl Nitrogen	TKN		GELC	mg/L								<	0.01	0.01			<	0.1	0.1		
Ì	Total Organic Carbon	TOC		GELC	mg/L														1.37	0.33		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L								<	0.01	0.01			<	0.01	0.01		
	Total Suspended Solids	TSS		GELC	mg/L																	
	рН	pН	Field	FLD	SU				7.44										7.25			
	Aluminum	Al		GELC	μg/L								<	68	68			<	68	68		
	Antimony	Sb		GELC	μg/L								<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		GELC	μg/L								<	6	6			<	6	6		
-	Barium Beryllium	Ba Be		GELC GELC	μg/L								<	25.5	1 1			<	26.1	1		
}	Boron	В		GELC	μg/L μg/L									13.1	10			_ `	13.6	10		
	Cadmium	Cd		GELC	μg/L μg/L								<	0.1	0.1			<	0.1	0.1		
•	Chromium	Cr		GELC	μg/L								<	1	1			<	1	1		
Ì	Cobalt	Co		GELC	μg/L								<	1	1			<	1	1		
LS	Copper	Cu		GELC	μg/L								<	3	3			<	3	3		
METALS	Iron	Fe		GELC	μg/L									43.2	18				104	18		
ME	Lead	Pb		GELC	μg/L								<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		GELC	μg/L									19.1	2				28.8	2		
	Mercury	Hg		GELC	μg/L			<	0.0472	0.0472			<	0.06	0.06	1		<	0.06	0.06		
	Nickel	Ni So	1	GELC	μg/L				2.0	2.04				0.64	0.5	1			0.74	0.5		
	Selenium Silver	Se Ag	 	GELC GELC	μg/L				3.9	2.81			<	2.5 0.2	2.5 0.2	+		< <	2.5 0.2	2.5 0.2	-	
}	Thallium	Ag TI	 	GELC	μg/L μg/L								<	0.2	0.2	+		<	0.2	0.4		
	Tin	Sn		GELC	μg/L μg/L								<	2.5	2.5	+		<	2.5	2.5		
	Vanadium	V	1	GELC	μg/L									5.9	1				5.8	1		
	Zinc	Zn		GELC	μg/L								<	3.4	2			<	3.5	2		
	Americium-241	Am-241		GELC	pCi/L		0.00982							-0.00166		0.0217	0.00641		-0.0108		0.0384	0.0101
[Cesium-137	Cs-137		GELC	pCi/L		1.11							2.25		4.97	1.72		0.439		5.08	1.38
[Gross alpha	GROSSA		GELC	pCi/L		0.384							0.309		1.08	0.325		0.101		1.15	0.312
	Gross beta	GROSSB		GELC	pCi/L		0.48							2.59		3.28	1.05		5.17		3.93	1.35
Q	Gross gamma	GROSSG		GELC	pCi/L		68.9							74.2		255	80.4		439		1040	433
RAD	Plutonium-238	Pu-238	-	GELC	pCi/L		0.0077							-0.00432		0.0208	0.00433		0		0.0209	0.00218
	Strontium-90	Sr-90	 	GELC	pCi/L pCi/L		0.0735		0.12772	0.28737		0.28737		0.00826		0.178	0.0528	 	0.0505		0.288	0.0825
}	Tritium Uranium	H-3 U	+	UMTL GELC	μg/L				U. 12/12	0.20131		0.20131		0.085	0.05	+		1	0.1	0.05		
	Uranium-234	U-234	 	GELC	μg/L pCi/L		0.0231							0.085	0.00	0.0394	0.0174		0.0747	0.00	0.052	0.0166
	Uranium-238	U-238	1	GELC	pCi/L		0.0231							0.0903		0.0394	0.0174		0.0747		0.052	
	C.GGIII 200	2 200	I			<u> </u>	0.010		L		1	l .	1	0.0020		1 0.0110	0.0120	1	V.V 1	<u> </u>	0.0000	3.00012

EP2006-1078 B-151 February 2007

Table B-1.28 Spring 9

						Start Date Time	09/25/01	09/25/01	09/25/01	09/25/01	09/25/01	09/26/01	09/26/01	09/26/01	09/26/01	09/26/01	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type			-												-					
						Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code																				
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																							
Code	Analyte Desc	Analyte	(Decoded)																							
	Alkalinity-CO3	ALK-CO3		GELC	mg/L							<	0.725	0.725			<	1.45	1.45							
	Alkalinity-CO3+HCO3 Alkalinity-HCO3	ALK-CO3+HCO3 ALK-HCO3		GELC GELC	mg/L mg/L								59.2 58.7	0.725 0.725				56.1 55.7	1.45 1.45							\vdash
	Ammonia as Nitrogen	NH3-N		GELC	mg/L								30.7	0.723				33.7	1.40							\vdash
	Bromide	Br(-1)		GELC	mg/L																					
	Calcium	Ca		GELC	mg/L								11	0.0375				10.3	0.00554							
	Chloride	CI(-1)		GELC	mg/L								1.91	0.025				1.93	0.0322							
	Fluoride Magnesium	F(-1) Ma		GELC GELC	mg/L mg/L				-				0.425 3.09	0.006 0.00449			1	0.295 2.94	0.0553 0.00518							\vdash
92	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L							<	0.15	0.00449				0.11	0.00516							\vdash
GENINORG	Perchlorate	CIO4		GELC	μg/L								0.10	0.0000				0.11	0.01							
l \(\frac{\pm}{2}\)	Potassium	K		GELC	mg/L								1.6	0.00707				1.75	0.0165							
GE	Silicon Dioxide	SiO2		GELC	mg/L								77.9	0.284				72.5	0.0212							
	Sodium	Na ODEO CONDO	F:-1-1	GELC	mg/L			405.4					11.4	0.00813				11.9	0.0144				4444			\vdash
-	Specific Conductance Sulfate	SPEC_CONDC SO4(-2)	Field	FLD GELC	uS/cm mg/L			125.4					2.14	0.062				1.9	0.193	-			114.1			\vdash
	Total Dissolved Solids	TDS		GELC	mg/L								147	5.09				139	3.07							\vdash
=	Total Kjeldahl Nitrogen	TKN		GELC	mg/L									0.00					0.01							
	Total Organic Carbon	TOC		GELC	mg/L																					
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																					igwdown
	Total Suspended Solids	TSS	Field	GELC	mg/L			11.7	0.659														26.6	0.682		\vdash
	pH Aluminum	pH Al	Field	FLD GELC	SU µg/L			7.5				<	34.3	34.3			<	14.7	14.7				7.81			\vdash
	Antimony	Sb		GELC	μg/L							<	0.111	0.111			<	0.28	0.28							
	Arsenic	As		GELC	μg/L							<	4.57	4.57				3.02	2.24							
	Barium	Ва		GELC	μg/L								18.6	0.206				17.1	0.222							
	Beryllium	Be		GELC	μg/L							<	0.203	0.203			<	0.158	0.158							\vdash
	Boron Cadmium	B Cd		GELC GELC	μg/L μg/L								12.7 0.291	2.95 0.301			<	7.6 0.04	4.88 0.04							\vdash
 	Chromium	Cr		GELC	μg/L							<	1.74	0.781			<	1	0.503							
	Cobalt	Со		GELC	μg/L								5.36	0.295			<	0.541	0.541							
NLS	Copper	Cu		GELC	μg/L							<	2.67	2.67			<	1.39	1.39							
METAL	Iron	Fe		GELC	μg/L							<	20.6	20.6			<	12.6	12.6							igwdot
Σ	Lead Manganese	Pb Mn		GELC GELC	μg/L μg/L							< <	0.077 2.94	0.077 2.94			<	0.05 0.296	0.05 0.296							\vdash
	Mercury	Hq		GELC	μg/L μg/L		<	0.073	0.073				2.94	2.94				0.290	0.290			<	0.0472	0.0472		\vdash
	Nickel	Ni		GELC	μg/L		-	0.010	0.070			<	0.743	0.743			<	1.28	0.69				0.0172	0.0172		
	Selenium	Se		GELC			<	3.09	3.09								<	2.81	2.81			<	2.81	2.81		
	Silver	Ag		GELC	μg/L							<	0.197	0.197			<	0.835	0.835							
	Thallium	TI		GELC		-		1				<	0.014	0.014	<u> </u>		<	0.02	0.02	1						
-	Tin Vanadium	Sn V		GELC GELC								<	4.57 8.35	2.4 1.09			<	3.26 5.88	3.26 0.606							\vdash
	Zinc	Zn		GELC	μg/L							<	1.54	2.81			<	0.883	0.883							\vdash
	Americium-241	Am-241		GELC	pCi/L								0.0316		0.0226	0.0102		-0.0158		0.028	0.00742					
	Cesium-137	Cs-137		GELC	pCi/L								0.47		2.77	0.744		-2.58		9.78	2.82					
	Gross alpha	GROSSA		GELC	pCi/L				ļ				0.0913		1.64	0.347	ļ	0.411	1	1.74	0.448					
	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L	1		1	1	1		1	0.445		1.06	0.26	 	1.49 120	1	1.2 428	0.36 133					\vdash
RAD	Plutonium-238	Pu-238		GELC	pCi/L			1					0.00226		0.0167	0.00392		-0.00467			0.00661					\vdash
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L	1			1			1	-0.0454		0.0107	0.00558		0.201			0.0713					
	Tritium	H-3		UMTL	pCi/L																		0.35123	0.28737		0.28737
	Uranium	U		GELC	μg/L													0.303	0.02							
	Uranium-234	U-234		GELC	pCi/L	-		1					0.135		0.0502	0.0295		0.158		0.052						
	Uranium-238	U-238		GELC	pCi/L				L		1		0.0867		0.0502	0.0234		0.0992	<u> </u>	0.033	0.0168					

						Start Date Time	09/25/01	03/18/04	03/18/04	03/18/04	03/18/04	03/18/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	09/28/05	09/28/05	09/28/05
						Fld Prep Code	UF	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code			Ť									Ť		Ť		·	Ů		
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class													+						-
							Sym	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl
Anyl Suite Code	A 11 B		Lab Code		01111																				
Code	Analyte Desc Alkalinity-CO3	Analyte ALK-CO3	(Decoded)	Lab Code GELC	Std Uom mg/L								<	1.45	1.45								<	1.45	1.45
-	Alkalinity-CO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L									62.9	1.45								`	53.1	1.45
-	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L									62.7	1.45									00.1	1.10
-	Ammonia as Nitrogen	NH3-N		GELC	mg/L																		<	0.01	0.01
	Bromide	Br(-1)		GELC	mg/L																		<	0.041	0.041
	Calcium	Ca		GELC	mg/L									10.3	0.00554									10.2	0.036
-	Chloride	CI(-1)		GELC	mg/L									1.91	0.0322									1.91	0.053
-	Fluoride	F(-1)		GELC	mg/L									0.477	0.0553									0.425	0.03
ပ္ပ	Magnesium Nitrate-Nitrite as N	Mg NO3+NO2-N		GELC GELC	mg/L mg/L			-	-					2.99 0.0148	0.00518	-	-	-	1					2.87 0.183	0.085 0.017
l o _R	Perchlorate	CIO4		GELC	μg/L				0.281					0.0140	0.003		-		0.143	0.05				0.163	0.017
	Potassium	K		GELC	mg/L				0.201					1.56	0.0165	1			0.170	0.00				1.43	0.05
GENINORG	Silicon Dioxide	SiO2		GELC	mg/L									73.8	0.0212									72.8	0.032
	Sodium	Na		GELC	mg/L									11	0.0144									11	0.045
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm				129.1										123.3						
	Sulfate	SO4(-2)		GELC	mg/L									1.87	0.193									2.07	0.057
_	Total Dissolved Solids	TDS		GELC	mg/L									142	3.07									149	2.38
-	Total Kjeldahl Nitrogen	TKN TOC		GELC	mg/L																		<	0.284	0.04
-	Total Organic Carbon Total Phosphate as Phosphorus	PO4-P		GELC GELC	mg/L mg/L																		<	0.096	0.01
-	Total Suspended Solids	TSS		GELC	mg/L														101	1.53				0.090	0.01
-	pH	pH	Field	FLD	SU				7.8										7.74	1.00					
	Aluminum	Al		GELC	μg/L									16.4	14.7								<	68	68
	Antimony	Sb		GELC	μg/L								<	0.28	0.28								<	0.5	0.5
	Arsenic	As		GELC	μg/L								<	2.24	2.24								<	6	6
	Barium	Ba		GELC	μg/L									15.8	0.222									17.5	1
_	Beryllium	Be		GELC	μg/L								<	0.158	0.158								<	1	1
-	Boron Cadmium	B Cd		GELC GELC	μg/L								<	16.5 0.04	4.88 0.04								<	10.2 0.1	10 0.1
-	Chromium	Cr		GELC	μg/L μg/L								<	1.3	0.503								_	2.2	1
-	Cobalt	Co		GELC	μg/L								<	0.541	0.541								<	1	1
LS .	Copper	Cu		GELC	μg/L								<	1.39	1.39								<	3	3
METAL:	Iron	Fe		GELC	μg/L									32.5	12.6								<	18	18
ME	Lead	Pb		GELC	μg/L								<	0.05	0.05								<	0.5	0.5
	Manganese	Mn		GELC	μg/L									0.76	0.296								<	2	2
-	Mercury	Hg		GELC	μg/L		<								2.22			<	0.0472	0.0472			<	0.05	0.05
-	Nickel	Ni Co		GELC	µg/L								<	0.69	0.69				2.04	0.04			< <	0.5	0.5
-	Selenium Silver	Se Ag		GELC GELC	μg/L ug/l		<						<	0.835	0.835			<	2.81	2.81			<	2.5 0.2	2.5 0.2
-	Thallium	Ag TI		GELC	μg/L μg/L								<	0.033	0.033								<	0.4	0.2
-	Tin	Sn		GELC	μg/L								<	3.26	3.26								<	3.3	2.5
	Vanadium	V		GELC	μg/L									6.8	0.606									7.3	1
	Zinc	Zn		GELC	μg/L									4.5	0.883								<	2	2
	Americium-241	Am-241		GELC	pCi/L									-0.00665		0.053	0.0163							-0.00945	
	Cesium-137	Cs-137		GELC	pCi/L									0.128		2.9	0.802							2.3	
	Gross alpha	GROSSA		GELC	pCi/L				ļ					-0.207		2.09	0.435		ļ					0.206	\perp
	Gross beta	GROSSB GROSSG		GELC GELC	pCi/L pCi/L				1					0.205 86.7		1.65 252	0.419 76.4		-					1.1 85.6	++
RAD	Gross gamma Plutonium-238	Pu-238		GELC	pCi/L pCi/L				-					-0.00185		0.029	0.00488		1					-0.00549	++
<u> </u>	Strontium-90	Sr-90		GELC	pCi/L									0.0638		0.029	0.00466		1					-0.00549	+
	Tritium	H-3		UMTL	pCi/L				t					0.0000		0.100	U.UTLL		0.35123	0.28737		0.28737		0.0000	+
	Uranium	U		GELC	μg/L				1					0.25	0.02									0.2	0.05
	Uranium-234	U-234		GELC	pCi/L									0.356		0.062	0.0361							0.144	
	Uranium-238	U-238		GELC	pCi/L									0.287		0.044	0.0287							0.0708	
							_																		

EP2006-1078 B-153 February 2007

						Start Date Time	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06	09/19/06
						Fld Prep Code	F	F	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code				1													
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
							Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std MdI	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code							1111111													
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom] ,												
	Alkalinity-CO3	ALK-CO3		GELC	mg/L						†			<	0.725	0.725			<	0.725	0.725		
ļ	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L										59.6	0.725				59.6	0.725		
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L					<u> </u>													
ļ	Ammonia as Nitrogen	NH3-N		GELC	mg/L		-			 	 			<	0.01	0.01			<	0.01	0.01	<u> </u>	
	Bromide Calcium	Br(-1) Ca		GELC GELC	mg/L mg/L					10.4	0.036			<	0.066 10.9	0.066			<	0.066 10.9	0.066 0.036	\vdash	
	Chloride	Cl(-1)		GELC	mg/L					10.4	0.030				1.94	0.036				1.93	0.036	\vdash	1
	Fluoride	F(-1)		GELC	mg/L						 			<	0.438	0.033			<	0.437	0.033		
'	Magnesium	Mg		GELC	mg/L		1			2.92	0.085				3.05	0.085				3.06	0.085		
RG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L									<	0.136	0.014			<	0.128	0.014		
2	Perchlorate	CIO4		GELC	μg/L								_		0.241	0.05							
GENINORG	Potassium	K		GELC	mg/L					1.46	0.05				1.49	0.05				1.54	0.05	igwdard	ļl
GE	Silicon Dioxide	SiO2		GELC	mg/L		-			73.9	0.032				74	0.032				73.4	0.032		
'	Sodium Specific Conductance	Na SPEC_CONDC	Field	GELC FLD	mg/L uS/cm		+			11.1 124.1	0.045			1	11.4	0.045	-			11.3 121.3	0.045	\vdash	
	Sulfate	SO4(-2)	i iciu	GELC	mg/L					124.1	\vdash				2.03	0.1				2.01	0.1	\vdash	
	Total Dissolved Solids	TDS		GELC	mg/L						 				138	2.38				123	2.38		
'	Total Kjeldahl Nitrogen	TKN		GELC	mg/L									<	0.01	0.01			<	0.01	0.01		
	Total Órganic Carbon	TOC		GELC	mg/L															1.05	0.33		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L										0.068	0.01			<	0.01	0.01		
	Total Suspended Solids	TSS		GELC	mg/L					<u> </u>	ļ										<u> </u>		
	pH	pH	Field	FLD	SU					8.46	60				60	60				7.26	68	<u> </u>	
	Aluminum Antimony	Al Sb	-	GELC GELC	μg/L μg/L				<	140 0.5	68 0.5			< <	68 0.5	68 0.5			<	0.5	0.5		-
ļ	Arsenic	As		GELC	μg/L μg/L				<	6	6			<	6	6			<	6	6		
	Barium	Ba		GELC	μg/L					19.2	1				19.3	1				20.1	1		
	Beryllium	Ве		GELC	μg/L				<	1	1			<	1	1			<	1	1		
ļ	Boron	В		GELC	μg/L				<	10	10				14.5	10				13.7	10		
	Cadmium	Cd		GELC	μg/L				<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		GELC	μg/L				<u> </u>	3	1			<	1	1			<	1	1		
ο	Cobalt Copper	Co Cu		GELC GELC	μg/L μg/L				< <	3	3			< <	<u>1</u> 3	3			< <	<u>1</u> 3	3	 	
METALS	Iron	Fe		GELC	μg/L μg/L					104	18			<	18	18				44.1	18		
E I	Lead	Pb		GELC	μg/L				<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		GELC	μg/L					3.6	2			<	2	2				2.8	2		
'	Mercury	Hg		GELC	μg/L	-			<	0.05	0.05			<	0.06	0.06			<	0.06	0.06		
	Nickel	Ni		GELC	μg/L				<	0.5	0.5			<	0.5	0.5			<	0.5	0.5	igsquare	$oxed{oxed}$
'	Selenium	Se		GELC	μg/L		1		<	2.5	2.5			<	2.5	2.5	-		<	2.5	2.5	\vdash	
'	Silver Thallium	Ag Ti	-	GELC GELC	μg/L μg/L		1		<	0.2 0.4	0.2			<	0.2 0.54	0.2			<	0.2	0.2	\vdash	
'	Tin	Sn		GELC	μg/L μg/L		+		<	2.5	2.5			<	2.5	2.5	+		<	2.5	2.5	\vdash	\vdash
'	Vanadium	V	1	GELC	μg/L		1			7.2	1				7.5	1			,	7.2	1		
<u> </u>	Zinc	Zn		GELC	μg/L				<	2	2			<	5.3	2			<	4.6	2		
	Americium-241	Am-241		GELC	pCi/L		0.0447	0.0122		0.00982		0.0371	0.0149		-0.00743		0.0232	0.00782		-0.00743		0.0271	0.011
'	Cesium-137	Cs-137		GELC	pCi/L		2.63	1.2		0.607	<u> </u>	3.32	0.91		0.69		4.83	1.29		1.1		3.78	1.16
'	Gross alpha	GROSSA		GELC	pCi/L		1.62	0.346		0.598	\vdash	2.38	0.573		0.145		0.81	0.237		0.852		0.887	0.317
'	Gross beta Gross gamma	GROSSB GROSSG		GELC GELC	pCi/L pCi/L		1.41 305	0.437 97	-	1.24 75.9	\vdash	1.59 253	0.49 75.3		1.66 78.7	-	2.89 293	0.885 131	-	2.02 69.4	+	3.34 327	1.03 68.1
RAD	Plutonium-238	Pu-238		GELC	pCi/L		0.057	0.0055	 	0.0111	\vdash	0.0576	0.0111		-0.002	<u> </u>	0.0192	0.00346		0	+	0.0244	0.00254
<u>&</u>	Strontium-90	Sr-90		GELC	pCi/L		0.348	0.0623	<u> </u>	-0.0252		0.353	0.0684		0.057	1	0.0192	0.0424		-0.0166	+ +	0.0244	0.0439
'	Tritium	H-3		UMTL	pCi/L		1.5.0					3.300						· - ·		2.2.00			111.00
'	Uranium	U		GELC	μg/L					0.47	0.05				0.14	0.05				0.32	0.05		
	Uranium-234	U-234		GELC	pCi/L		0.0771	0.0224		0.558	$ldsymbol{f eta}$	0.0859	0.049		0.0796		0.0573	0.023		0.218		0.0478	0.028
	Uranium-238	U-238	1	GELC	pCi/L	İ	0.0546	0.0164	1	0.27	1 1	0.0608	0.0314	1	0.0357	1	0.0609	0.0189		0.0664	1 ,	0.0508	0.0152

Table B-1.29 Spring 9A

					ĺ	Start Date Time	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						· · · · · · · · · · · · · · · · · · ·	U	U	U	U	U	U	U	0	U	U	U	U	U	U	
						Fld Qc Type Code	000000	000000	000000	000000	000000	000000	000000	000000	0001110	000000	0001110	000000	000000	0001110	000000
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
			1		1		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		1
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
	Alkalinity-CO3	ALK-CO3		GELC	mg/L		<	1	1								<	1.45	1.45		
	Alkalinity-CO3+HCO3 Alkalinity-CO3+HCO3	ALK-CO3+HCO3 ALK-CO3+HCO3		EES6	mg/L			55.4	1									50.4	1.45		
	Alkalinity-HCO3	ALK-CO3+RCO3		GELC GELC	mg/L mg/L			55.1 54.9	1		+			+				56.1 55.7	1.45		
	Ammonia as Nitrogen	NH3-N		GELC	mg/L			34.5	ı									33.7	1.43		
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		EES6	mg/L																
	Calcium	Ca		GELC	mg/L	<u> </u>		11.6	0.0355						_			10.1	0.00554		
	Chloride	CI(-1)		EES6	mg/L																
	Chloride	CI(-1)	1	GELC	mg/L			1.96	0.026									2.24	0.0322		
	Fluoride	F(-1)		EES6	mg/L			0.470	0.007									0.000	0.0550		
	Fluoride Magnesium	F(-1) Mg		GELC EES6	mg/L mg/L			0.479	0.007		1							0.383	0.0553		\vdash
	Magnesium	Mg		GELC	mg/L			3.18	0.00354									2.96	0.00518		
(D	Nitrate as Nitrogen	NO3-N		EES6	mg/L			3.10	0.00354									2.90	0.00516		\vdash
) N	Nitrate as Nitrogen	NO3+NO2-N		GELC	mg/L			0.32	0.009									0.15	0.01		
N N	Nitrite as Nitrogen	NO2-N		EES6	mg/L			0.02	0.000									0.10	0.01		
GENINORG	Perchlorate	CIO4		GELC	μg/L																
G.	Potassium	K		EES6	mg/L																
	Potassium	K		GELC	mg/L			1.44	0.0164									1.65	0.0165		
	Silicon Dioxide	SiO2		EES6	mg/L																
	Silicon Dioxide	SiO2		GELC	mg/L			72.5	0.0186									69.9	0.0212		
	Sodium Sodium	Na Na		EES6 GELC	mg/L mg/L			11.4	0.013									11.7	0.0144		
	Specific Conductance	SPEC CONDC	Field	FLD	uS/cm			11.4	0.013									11.7	0.0144		
	Sulfate	SO4(-2)	1 ICIG	EES6	mg/L																
	Sulfate	SO4(-2)		GELC	mg/L			1.94	0.079									2.06	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L			127	6.29									141	3.07		
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L																
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L																
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L			0.02	0.02		1		0	4.4							\vdash
	Total Suspended Solids	TSS	Field	GELC	mg/L SU								8 7.24	1.4							
-	pH Aluminum	pH Al	Field	FLD EES6	μg/L								7.24								
	Aluminum	Al		GELC	μg/L μg/L		<	23.4	23.4								<	14.7	14.7		
	Antimony	Sb		EES6	μg/L														· · · · ·		
	Antimony	Sb	<u> </u>	GELC	μg/L		<	0.683	0.111								<	0.28	0.28		
	Arsenic	As		EES6	μg/L	<u> </u>															
	Arsenic	As		GELC	μg/L		<	2.57	2.57								<	2.24	2.24		
	Barium	Ba		EES6	μg/L			40.4	0.740									40.0	0.000		\vdash
	Barium Beryllium	Ba Be		GELC EES6	μg/L			10.1	0.748		-		1	-				10.2	0.222		
METALS	Beryllium Beryllium	Be Be	+ -	GELC	μg/L μg/L		<	0.474	0.474								<	0.158	0.158		
T ₹T	Boron	В		EES6	μg/L μg/L		`	0.7/7	U.7/7		<u> </u>			<u> </u>			<u> </u>	0.100	0.100		
ME	Boron	В	†	GELC	μg/L		<	4.74	4.74				1					6.06	4.88		
	Cadmium	Cd		EES6	μg/L														1		
	Cadmium	Cd		GELC	μg/L		<	0.631	0.631								<	0.04	0.04		
	Chromium	Cr		EES6	μg/L	<u> </u>									_						
	Chromium	Cr		GELC	μg/L			2.74	1.06								<	0.771	0.503		
	Cobalt	Co		EES6	μg/L			4.00	0.607		-		1					0.544	0.544		
	Cobalt Copper	Co Cu		GELC EES6	μg/L μg/L			4.23	0.627		-		-	-			<	0.541	0.541		
	Copper	Cu		GELC	μg/L μg/L		<	1.84	1.84		 			 			<	1.39	1.39		\vdash
	Оорры	Ou	<u> </u>	OLLO	⊬9′∟		`	1.07	1.07	l	I .	l	1	1		l		1.00	1.00	l	

EP2006-1078 B-155 February 2007

						Start Date Time	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	09/27/00	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03
						Fld Prep Code	F	F	F	F	F	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Woll Oldss	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Amul Cuita			Lab Cada				Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Зуп	Result	Stu Mui	Stu iviua	Std Officert	Sylli	Result	Stu iviui	Stu ivida	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	Lab Code	Lab Code	Std Uom																
Code	Iron	Fe	(Decoded)	EES6	µg/L																
	Iron	Fe		GELC	μg/L μg/L		<	19.9	19.9								<	12.6	12.6		
	Lead	Pb		EES6	μg/L			13.3	13.3									12.0	12.0		
	Lead	Pb		GELC	µg/L		<	1.83	1.83									0.058	0.05		
	Manganese	Mn		EES6	μg/L			1.00	1.00									0.000	0.00		
	Manganese	Mn		GELC	μg/L		<	1.15	1.15								<	0.296	0.296		
	Mercury	Hg		EES6	µg/L			_	-												
	Mercury	Hg		GELC	μg/L		<	0.06	0.06												
t t	Nickel	Ni		EES6	μq/L																
(cont.)	Nickel	Ni		GELC	μg/L		<	1.34	3.09								<	1.53	0.69		
) 0	Selenium	Se		EES6	μg/L																
METALS	Selenium	Se		GELC	μg/L		<	2.36	2.36								<	2.81	2.81		
<u> </u>	Silver	Ag		EES6	μg/L																
M	Silver	Ag		GELC	μg/L		<	0.529	0.529								<	0.835	0.835		
	Thallium	TI		EES6	μg/L																
	Thallium	TI		GELC	μg/L			0.349	0.014								<	0.02	0.02		
	Tin	Sn		EES6	μg/L																
	Tin	Sn		GELC	μg/L		<	1.98	1.98								<	3.26	3.26		
	Vanadium	V		EES6	μg/L																
	Vanadium	V		GELC	μg/L			8.05	0.89									7	0.606		
	Zinc	Zn		EES6	μg/L																
	Zinc	Zn		GELC	μg/L		<	3.89	3.89		0.0110						<	0.883	0.883	2 2 2 2	2 22222
_	Americium-241	Am-241		GELC	pCi/L			0.0249		0.0305	0.0118							0.0023		0.033	0.00399
_	Cesium-137	Cs-137		GELC	pCi/L			-0.199		2.59	0.734							2.48		7.75	1.98
_	Gross alpha	GROSSA		GELC GELC	pCi/L			0.417		1.31 2.46	0.379 0.769							0.339		1.23 1.15	0.319
	Gross beta	GROSSB GROSSG		GELC	pCi/L pCi/L			1.97		2.46	0.769							1.33 120		479	0.342 127
_	Gross gamma Plutonium-238	Pu-238		GELC				0.0061		0.0449	0.0106							-0.0125		0.029	
RAD	Strontium-90	Sr-90		GELC	pCi/L pCi/L			4.49		0.0449	0.0106							0.121		0.029	0.00592 0.0619
" -	Tritium	H-3		UMTL	pCi/L			4.43		0.470	0.311							0.121		U.242	0.0018
-	Uranium	U		EES6	μg/L																
	Uranium	U		GELC	μg/L μg/L													0.223	0.02		
-	Uranium-234	U-234		GELC	pCi/L			0.229		0.0836	0.0471							0.223	0.02	0.051	0.0208
	Uranium-238	U-238		GELC	pCi/L			0.0349		0.0572	0.018							0.0622		0.033	0.0129
	Oranium-230	0-230		GLLU	L PO//L			0.0043		0.0012	0.010		l	l				0.0022	l	0.000	0.0128

					Γ	Start Date Time	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	03/18/04	03/18/04	03/18/04	03/18/04	03/18/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04
						Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Ì	Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Ī	Fld Qc Type Code															
					Ī	Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
					Ī		Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code																		
Code	Analyte Desc	Analyte		ab Code	Std Uom																1
	Alkalinity-CO3	ALK-CO3		GELC	mg/L												<	1.45	1.45		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L													56.6	1.45		\vdash
	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L													56.3	1.45		\vdash
	Bromide	Br(-1)		EES6	mg/L																
	Bromide	Br(-1)		GELC	mg/L																
	Calcium	Ca		EES6	mg/L																
	Calcium	Ca		GELC	mg/L													10	0.00554		\vdash
	Chloride Chloride	CI(-1) CI(-1)		EES6 GELC	mg/L mg/l													1.98	0.0322		
	Fluoride	F(-1)		EES6	mg/L mg/L													1.90	0.0322		—
	Fluoride	F(-1)		GELC	mg/L													0.483	0.0553		
	Magnesium	Mg		EES6	mg/L																
	Magnesium	Mg		GELC	mg/L													3.03	0.00518	· · · · · · · · · · · · · · · · · · ·	
GENINORG	Nitrate as Nitrogen	NO3-N		EES6	mg/L													0.400	0.000		
Ö	Nitrate-Nitrite as N Nitrite as Nitrogen	NO3+NO2-N NO2-N		GELC EES6	mg/L mg/L													0.183	0.003		
Ē	Perchlorate	CIO4		GELC	μg/L								0.293								\vdash
GE	Potassium	K		EES6	mg/L								0.200								
	Potassium	K		GELC	mg/L													1.37	0.0165		
	Silicon Dioxide	SiO2		EES6	mg/L																
	Silicon Dioxide	SiO2		GELC	mg/L													70	0.0212		\vdash
	Sodium Sodium	Na Na		EES6 GELC	mg/L mg/L													10.7	0.0144		
	Specific Conductance	SPEC_CONDC		FLD	uS/cm			146.1					137.4					10.7	0.0144		
	Sulfate	SO4(-2)		EES6	mg/L																
	Sulfate	SO4(-2)		GELC	mg/L													2.09	0.193		
	Total Dissolved Solids	TDS		GELC	mg/L													124	3.07		
	Total Kjeldahl Nitrogen Total Organic Carbon	TKN TOC		GELC GELC	mg/L																+
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L mg/L																\vdash
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS	(GELC	mg/L			2.73	0.694												
	pH	pН		FLD	SU			7.34					8								
	Aluminum	Al		EES6	μg/L													44.7	44.7		\vdash
	Aluminum Antimony	Al Sb		GELC EES6	μg/L μg/L												<	14.7	14.7		\vdash
	Antimony	Sb		GELC	μg/L μg/L												<	0.28	0.28		
	Arsenic	As		EES6	μg/L																
	Arsenic	As		GELC	μg/L												<	2.24	2.24		
	Barium	Ba		EES6	μg/L													0.0	0.000		
	Barium Beryllium	Ba Be		GELC EES6	μg/L μg/L													9.9	0.222		
S	Beryllium	Be		GELC	μg/L μg/L												<	0.158	0.158		
AL(Boron	В		EES6	μg/L													00	350		
METAL!	Boron	В	(GELC	μg/L												<	15.2	4.88		
Σ	Cadmium	Cd		EES6	μg/L																\Box
	Cadmium	Cd		GELC	μg/L												<	0.04	0.04		\vdash
	Chromium Chromium	Cr Cr		EES6 GELC	μg/L μg/L												<	2.6	0.503		
	Cobalt	Co		EES6	μg/L μg/L												`	2.0	0.000		
	Cobalt	Co		GELC	μg/L												<	0.541	0.541		
	Copper	Cu		EES6	μg/L																
	Copper	Cu		GELC	μg/L												<	1.39	1.39		\Box
	Iron	Fe		EES6	μg/L													10	10.6		
	Iron	Fe		GELC	μg/L													16	12.6		

EP2006-1078 B-157 February 2007

					Start Date Time	10/08/03	10/08/03	10/08/03	10/08/03	10/08/03	03/18/04	03/18/04	03/18/04	03/18/04	03/18/04	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04
					Fld Prep Code	UF	UF	UF	UF	UF	UF	UF	UF	UF	UF	F	F	F	F	F
					Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					Fld Qc Type Code															
					Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
					WCII Olass	Sym	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code			Sylli	Nesuit	Stu Wui	Stu iviua	Std Officert	Sylli	Nesuit	Stu Mui	Stu iviua	Sid Officert	Sylli	Nesuit	Stu Wui	Stu iviua	Stu Officert
Code	Analyte Desc	Analyte	(Decoded) Lab Code	Std Uom																
Couc	Lead	Pb	EES6	µg/L																+
	Lead	Pb	GELC	µg/L												<	0.073	0.05		
	Manganese	Mn	EES6	µg/L													0.0.0	0.00		
	Manganese	Mn	GELC	μg/L													0.86	0.296		
ļ	Mercury	Hg	EES6	μg/L																
Ţ	Mercury	Hg	GELC	μg/L		<	0.0472	0.0472												
ſ	Nickel	Ni	EES6	μg/L																
(cont.)	Nickel	Ni	GELC	μg/L												<	0.69	0.69		
Sor	Selenium	Se	EES6	μg/L																
8	Selenium	Se	GELC	μg/L		<	2.81	2.81												
Ä	Silver	Ag	EES6	μg/L																
METAL	Silver	Ag	GELC	μg/L												<	0.835	0.835		
Σ	Thallium	TI	EES6	μg/L																
	Thallium	TI	GELC	μg/L												<	0.02	0.02		
	Tin	Sn	EES6	μg/L																
	Tin	Sn	GELC	μg/L												<	3.26	3.26		
	Vanadium	V	EES6	μg/L																
	Vanadium	V	GELC	μg/L													7.5	0.606		
	Zinc	Zn	EES6	μg/L														2 222		
	Zinc	Zn	GELC	μg/L													5.7	0.883	0.00	0.00000
	Americium-241	Am-241	GELC	pCi/L													0.0076		0.03	0.00602
	Cesium-137	Cs-137	GELC	pCi/L													0.0416		2.62	0.742
	Gross alpha	GROSSA	GELC GELC	pCi/L													-0.816		2.35	0.427
	Gross beta	GROSSB GROSSG	GELC	pCi/L pCi/L													1.19 76.9		1.28 197	0.367 169
	Gross gamma Plutonium-238	Pu-238	GELC	pCi/L													0.00427		0.033	0.00604
RAD	Strontium-90	Sr-90	GELC	pCi/L pCi/L					-								-0.0932		0.033	0.00604
<u> </u>	Tritium	H-3	UMTL	pCi/L			0.89404	0.28737	-	0.28737							-0.0932		0.184	0.0404
	Uranium	U II-3	EES6	μg/L		 	0.09404	0.20131	 	0.20131							 			
	Uranium	U	GELC	μg/L μg/L		 			 	 							0.73	0.02		
	Uranium-234	U-234	GELC	pCi/L		 			 	 							0.174	0.02	0.071	0.0219
	Uranium-238	U-238	GELC	pCi/L													0.0673		0.07	0.0129

February 2007 B-158 EP2006-1078

						Start Date Time	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	03/08/05	03/08/05	03/08/05	03/08/05	03/08/05	04/29/05	04/29/05	04/29/05	04/29/05	04/29/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	·	,	•	•			<u> </u>	0	<u> </u>	Ü	<u> </u>	Ů	Ů	•	—
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Cuito			Lab Code				Sylli	Result	Stu Mui	Stu iviua	Std Officert	Sylli	Result	Sta iviai	Stu iviua	Std Officert	Sylli	Result	Stu Mui	Stu iviua	Std Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
Couc	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L																
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L								57	1				57.7	1		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L																
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia as Nitrogen	NH3-N		GELC	mg/L																
	Bromide	Br(-1)		EES6	mg/L								0.01	0.01				0.03	0.01		
	Bromide Calcium	Br(-1) Ca	-	GELC EES6	mg/L mg/L								10.2	0.01		0.1		10.1	0.01		-
	Calcium	Ca		GELC	mg/L						+		10.2	0.01		0.1		10.1	0.01		
	Chloride	CI(-1)		EES6	mg/L								2.05	0.01				1.95	0.01		
	Chloride	CI(-1)		GELC	mg/L																
	Fluoride	F(-1)		EES6	mg/L								0.44	0.01				0.46	0.01		
	Fluoride	F(-1)		GELC	mg/L			1					0.01	0.64		0.61		0.50	0.04		
	Magnesium Magnesium	Mg Mg		EES6 GELC	mg/L								2.94	0.01		0.04		2.59	0.01		0.01
(5)	Nitrate as Nitrogen	NO3-N	+	EES6	mg/L mg/L								0.37	0.003				0.31	0.003		
GENINORG	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L								0.07	0.000				0.01	0.000		
N N	Nitrite as Nitrogen	NO2-N		EES6	mg/L							<	0.003	0.003			<	0.003	0.003		
Z Z	Perchlorate	CIO4		GELC	μg/L			0.26	0.05												
g	Potassium	K		EES6	mg/L								1.48	0.01		0.02		1.1	0.01		0.01
	Potassium	K SiO2		GELC	mg/L								22.6	10		0		33.2	10		
	Silicon Dioxide Silicon Dioxide	SiO2	+	EES6 GELC	mg/L mg/L								32.6	10		0		33.2	10		0
	Sodium	Na		EES6	mg/L								10.6	0.01				10.6	0.01		
	Sodium	Na		GELC	mg/L								10.0	0.01					0.0.		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			122.1					122.3					124.6			
	Sulfate	SO4(-2)		EES6	mg/L								2.13	0.01				2.08	0.01		<u> </u>
	Sulfate Total Dissolved Solids	SO4(-2)		GELC	mg/L																<u> </u>
	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN	+	GELC GELC	mg/L mg/L																
	Total Organic Carbon	TOC	-	GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L								0.02282	0.003				0.01304	0.003		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L																
	Total Suspended Solids	TSS		GELC	mg/L			2	1.53												<u> </u>
	pH	pH	Field	FLD	SU			8					7.74	2				7.47	2		
	Aluminum Aluminum	Al Al		EES6 GELC	μg/L μg/L							<	2	2			<	2	2		
	Antimony	Sb		EES6	μg/L μg/L							<	1	1			<	1	1		
	Antimony	Sb		GELC	μg/L																
	Arsenic	As		EES6	μg/L								1	0.2				0.9	0.2		
	Arsenic	As		GELC	μg/L								4.4						4		
	Barium Barium	Ba Ba		EES6 GELC	μg/L								14	1				9	1		+
	Barium Beryllium	Be Be		EES6	μg/L μg/L							<	1	1			<	1	1		+
ဟ	Beryllium	Be		GELC	μg/L							,	<u> </u>	'				<u> </u>	'		
METALS	Boron	В		EES6	μg/L								13	1				12	1		
let	Boron	В		GELC	μg/L															· · ·	
2	Cadmium	Cd		EES6	μg/L							<	1	1			<	1	1		
	Cadmium Chromium	Cd Cr		GELC EES6	μg/L μg/L					-			2.9	1				2.5	1		0.1
	Chromium	Cr		GELC	μg/L μg/L								2.3	1				2.0	1		0.1
	Cobalt	Co		EES6	μg/L							<	1	1			<	1	1		
	Cobalt	Со		GELC	μg/L																
	Copper	Cu		EES6	μg/L							<	1	1				4.7	1		0.1
	Copper	Cu		GELC	μg/L								10	10				10	10		
	Iron Iron	Fe Fe		EES6 GELC	μg/L μg/L							<	10	10			<	10	10		+
	IIOII	Γ C	<u> </u>	GELU	µg/∟	l	1	ı		ı	1	I	ı					ı	1		

EP2006-1078 B-159 February 2007

						Start Date Time	09/14/04	09/14/04	09/14/04	09/14/04	09/14/04	03/08/05	03/08/05	03/08/05	03/08/05	03/08/05	04/29/05	04/29/05	04/29/05	04/29/05	04/29/05
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	F	F	F	F	F
						Lab Sample Type Code	CS	CS	CS	CS	cs	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Oldss	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code				Sym	Result	Sta Mai	Sta ivida	Stu Officert	- Syiii	Result	Sta Mai	Sta ivida	Sta Officert	Sym	Result	Stu Mui	Sta ivida	Stu Officert
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																
Oode	Lead	Pb	(Decoueu)	EES6	μg/L							<	0.2	0.2			<	0.2	0.2		
l	Lead	Pb		GELC	μg/L								0.2	0.2			-	0.2	U. <u>L</u>		
	Manganese	Mn		EES6	µg/L							<	1	1			<	1	1		
Ī	Manganese	Mn		GELC	μg/L																
Ī	Mercury	Hg		EES6	μg/L							<	0.05	0.05			<	0.05	0.05		
	Mercury	Hg		GELC	μg/L		<	0.0472	0.0472												
Ī	Nickel	Ni		EES6	μg/L							<	1	1				1	1		
S (cont.)	Nickel	Ni		GELC	μg/L																
l So [Selenium	Se		EES6	μg/L							<	1	1			<	1	1		
9)	Selenium	Se		GELC	μg/L		<	2.81	2.81												
AL,	Silver	Ag		EES6	μg/L							<	1	1			<	1	1		
METAL	Silver	Ag		GELC	μg/L																
Ĭ	Thallium	TI		EES6	μg/L							<	1	1			<	1	1		
	Thallium	TI		GELC	μg/L																
	Tin	Sn		EES6	μg/L							<	1	1			<	1	1		
	Tin	Sn		GELC	μg/L																
	Vanadium	V		EES6	μg/L								9	1				8	1		
	Vanadium	V		GELC	μg/L																
	Zinc	Zn		EES6	μg/L							<	1	1				4	1		
	Zinc	Zn		GELC	μg/L																
<u> </u>	Americium-241	Am-241		GELC	pCi/L																
	Cesium-137	Cs-137		GELC	pCi/L																
	Gross alpha	GROSSA		GELC	pCi/L		ļ	ļ		ļ	<u> </u>										
<u> </u>	Gross beta	GROSSB		GELC	pCi/L		ļ	ļ		ļ	<u> </u>										
_	Gross gamma	GROSSG		GELC	pCi/L						1										
RAD	Plutonium-238	Pu-238		GELC	pCi/L						ļ										
L &	Strontium-90	Sr-90		GELC	pCi/L			0.00===	0.00=0=		0.00=0=										
	Tritium	H-3		UMTL	pCi/L			0.09579	0.28737		0.28737		0.0	0.0							
	Uranium	U		EES6	μg/L		-	-		-			0.3	0.2				0.3	0.2		
	Uranium	U		GELC	μg/L		-	-		-											
	Uranium-234	U-234		GELC	pCi/L		-	-		-											
	Uranium-238	U-238		GELC	pCi/L		1	1		l											<u>1</u>

					ſ	Start Date Time	05/18/05	05/18/05	05/18/05	05/18/05	05/18/05	07/20/05	07/20/05	07/20/05	07/20/05	07/20/05	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05
					-	Fld Prep Code	F	F	F	65/10/05 F	63/10/63 F	67/20/03 F	F	F	F	F	F	67/20/03 F	67/20/03 F	F	6 // 20/03
					-	Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
					-	Port Depth	0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0.5	0
					-	Fld Qc Type Code		U	0			0					U		0	<u> </u>	
					F	Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Class	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Cuito			Lab Code		I		Sylli	Result	Stu iviui	Stu iviua	Stu Officert	Sylli	Result	Stu Wui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Uncert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lah Codo	Std Uom																
Oouc	Alkalinity-CO3	ALK-CO3	(Decoueu)	GELC	mg/L												<	1.45	1.45		
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L			56.6	1				56.9	1							
	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L													51.1	1.45		
	Alkalinity-HCO3	ALK-HCO3		GELC	mg/L																
	Ammonia as Nitrogen	NH3-N		GELC	mg/L			0.00	0.04				0.00	0.04			<	0.01	0.01		
	Bromide Bromide	Br(-1) Br(-1)		GELC	mg/L mg/L			0.02	0.01				0.02	0.01				0.053	0.041		
	Calcium	Ca		EES6	mg/L			10.8	0.01		0.1		9.89	0.01		0.28		0.000	0.041		+
	Calcium	Ca		GELC	mg/L			. 3.0										10.2	0.036		
	Chloride	CI(-1)		EES6	mg/L			2.08	0.01				2	0.01							
	Chloride	CI(-1)		GELC	mg/L													1.95	0.053		
	Fluoride	F(-1)	-	EES6	mg/L			0.48	0.01				0.46	0.01				0.464	0.00		
	Fluoride Magnesium	F(-1) Mg		GELC EES6	mg/L mg/L			2.49	0.01				2.93	0.01		0.06		0.464	0.03		+
	Magnesium	Mg		GELC	mg/L			۷.٠٠٥	0.01				2.33	0.01		0.00		2.91	0.085		
O	Nitrate as Nitrogen	NO3-N		EES6	mg/L			0.39	0.003				0.22	0.003							
R	Nitrate-Nitrite as N	NO3+NO2-N		GELC	mg/L													0.296	0.017		
Ž	Nitrite as Nitrogen	NO2-N		EES6	mg/L		<	0.003	0.003			<	0.003	0.003							
GENINORG	Perchlorate	CIO4		GELC	μg/L			4.40	0.04		0.04		4.00	0.04		0.00		0.27	0.05		-
O	Potassium Potassium	K K		EES6 GELC	mg/L mg/L			1.18	0.01		0.01		1.38	0.01		0.03		1.37	0.05		
	Silicon Dioxide	SiO2		EES6	mg/L			33.9	10		0.1		35.6	10		1		1.57	0.03		+
	Silicon Dioxide	SiO2		GELC	mg/L			00.0	10		0.1		00.0	10				72.5	0.032		
	Sodium	Na		EES6	mg/L			10.8	0.01				11.7	0.01		0.2					
	Sodium	Na		GELC	mg/L													11.1	0.045		
	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			123.5	0.04				122.8	0.04							
	Sulfate Sulfate	SO4(-2) SO4(-2)		EES6 GELC	mg/L mg/L			2.04	0.01				2.09	0.01				2.09	0.057		+
	Total Dissolved Solids	TDS		GELC	mg/L													147	2.38		+
	Total Kjeldahl Nitrogen	TKN		GELC	mg/L												<	0.208	0.04		
	Total Organic Carbon	TOC		GELC	mg/L																
	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L			0.0163	0.003				0.00978	0.003							
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L												<	0.211	0.01		
	Total Suspended Solids pH	TSS pH	Field	GELC FLD	mg/L SU			7.85					7.79								+
-	рн Aluminum	Al	i-ieiu	EES6	μg/L			22	2				3.7	2							+
	Aluminum	Al		GELC	μg/L								J.,				<	68	68		
	Antimony	Sb		EES6	μg/L		<	1	1			<	1	1							
	Antimony	Sb		GELC	μg/L												<	0.5	0.5		<u> </u>
	Arsenic	As	-	EES6	μg/L			0.9	0.2				1	0.2			-	6	6		
	Arsenic Barium	As Ba		GELC EES6	μg/L μg/L			17	1				11	1			<	6	6		+
	Barium	Ва		GELC	μg/L μg/L			17	'				11	<u>'</u>				10	1		+
	Beryllium	Be		EES6	μg/L		<	1	1			<	1	1					'		
တု	Beryllium	Be		GELC	μg/L												<	11	1		
METAL!	Boron	В		EES6	μg/L			25	1				12	1							
ME.	Boron	В	-	GELC	μg/L			4	4				1	4				11.4	10		
_	Cadmium Cadmium	Cd Cd		EES6 GELC	μg/L μg/L		<	1	1			<	1	1			<	0.1	0.1		+
	Chromium	Cr	 	EES6	μg/L μg/L			2.9	1		0.1		2.4	1			`	U. I	U. I		
	Chromium	Cr		GELC	μg/L				<u>'</u>		Ü.,			<u>'</u>				2.5	1		
	Cobalt	Co		EES6	μg/L		<	1	1			<	1	1							
	Cobalt	Co		GELC	μg/L	<u> </u>											<	1	1		
	Copper	Cu		EES6	μg/L		<	1	1				1	1				_			
	Copper	Cu Fe	1	GELC EES6	μg/L			20	10				10	10			<	3	3		
	lron Iron	Fe Fe	1	GELC	μg/L μg/L			20	10			<	10	10			<	18	18		+
<u> </u>	IIOII	1.0	l	OLLO	µg/∟		1	<u> </u>	<u> </u>	<u> </u>	<u> </u>		1	<u> </u>	<u> </u>			10	10		

EP2006-1078 B-161 February 2007

Start Date Time OS/18/05 OS/18/05 OS/18/05 OS/18/05 OS/18/05 OS/18/05 O7/20/05 O7	F CS 0	09/28/05 F CS 0 SPRING
Lab Sample Type Code CS CS CS CS CS CS CS C	CS (0 O SPRING SP	CS 0 SPRING
Port Depth Do Do Do Do Do Do Do D	0 SPRING SP	0 SPRING
Fid Octype Code	SPRING SP	SPRING
Well Class SPRING		
Well Class SPRING		
Sym Result Std Mdl Std Mda Std Uncert Sym Result Std Mdl Std Uncert Sym Result Std M		
Analystate Code	Stu wua Stu	ita oncert
Code Analyte Desc Analyte (Decoded) Lab Code Std Uom		
Lead		
Lead Pb GELC μg/L Image: Get of the control of th		
Manganese Mn		
Manganese Mn GELC µg/L		
Mercury Hg EES6 µg/L		-
Mercury Hg GELC µg/L		
Nickel Ni EES6 µg/L 49 1 1 < 1 1		
Figure 1 Nickel Ni GELC µg/L Image: Control of the property of the		
Selenium Se EES6 µg/L < 1 1 1 < 1 1 1		
Selenium Se GELC µg/L		
Selenium Se GELC µg/L		
Silver Ag GELC µg/L		
Σ Thallium TI EES6 μg/L < 1 1 1 < 1 1 1 Line Ti ΕΕΝΕ ΕΕΝΕ ΕΕΝΕ ΕΕΝΕ ΕΕΝΕ ΕΕΝΕ ΕΕΝΕ Ε		
Thallium TI GELC µg/L		
Tin Sn EES6 µg/L < 1 1 1 < 1 1		
Tin Sn GELC µg/L		
Vanadium V EES6 μg/L 8 1 8 1		
Vanadium V GELC μg/L 7.8 1		
Zinc Zn ΕΕS6 μg/L 31 1 1 1		
Zinc Zn GELC µg/L	1 2 2 1 2	0.0101
Americium-241 Am-241 GELC pCi/L 0.0143		0.0121
Cesium-137 Cs-137 GELC pCi/L 0.577		0.969
Gross alpha GROSSA GELC pCi/L		0.647
		0.46
		64.1 0.0173
Q Plutonium-238 Pu-238 GELC pCi/L		0.0173
Tritium H-3 UMTL pCi/L	0.545 0.0	0.0001
Uranium U EES6 µg/L 0.3 0.2 < 0.2 0.2	+	
Uranium U GELC µg/L 0.3 0.2 0.2 0.2 0.2 0.2 0.27 0.05	+	$\overline{}$
Uranium-234 U-234 GELC pCi/L 0.05	0.0749 0.0	0.0275
Uranium-238 U-238 GELC pCi/L 0.0933		

						Start Date Time	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code	•												- J		
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Wolf Oldss	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert
Anyl Suite			Lab Code					rtooun	Ota mai	Ota maa	Ota Ottoort		rtooun	Ota mai	Ota maa	014 0110011	- J	rtoount	Ota mai	ota maa	Ota Gridert
Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																1
	Alkalinity-CO3	ALK-CO3		GELC	mg/L							<	0.725	0.725				0.927	0.725		
-	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		EES6	mg/L									0.707					2 - 2 - 2		
}	Alkalinity-CO3+HCO3	ALK-CO3+HCO3		GELC	mg/L								57.5	0.725				59.1	0.725		├
-	Alkalinity-HCO3 Ammonia as Nitrogen	ALK-HCO3 NH3-N		GELC GELC	mg/L mg/L							<	0.01	0.01			<	0.01	0.01		
-	Bromide	Br(-1)		EES6	mg/L								0.01	0.01				0.01	0.01		
	Bromide	Br(-1)		GELC	mg/L							<	0.066	0.066			<	0.066	0.066		
[Calcium	Ca		EES6	mg/L																
-	Calcium	Ca		GELC	mg/L			10.2	0.036				10.3	0.036				10.8	0.036		
-	Chloride Chloride	CI(-1) CI(-1)		EES6 GELC	mg/L mg/L								1.91	0.066				1.9	0.066		
	Fluoride	F(-1)		EES6	mg/L								1.31	0.000				1.5	0.000		
	Fluoride	F(-1)		GELC	mg/L							<	0.477	0.033			<	0.478	0.033		
	Magnesium	Mg		EES6	mg/L																
	Magnesium	Mg		GELC	mg/L			2.9	0.085				2.93	0.085				3.05	0.085		
GENINORG	Nitrate as Nitrogen	NO3-N		EES6	mg/L								0.0077	0.014				0.400	0.014		+
9	Nitrate-Nitrite as N Nitrite as Nitrogen	NO3+NO2-N NO2-N		GELC EES6	mg/L mg/L								0.0977	0.014				0.102	0.014		
	Perchlorate	CIO4		GELC	μg/L								0.226	0.05							
GE	Potassium	K		EES6	mg/L								0.220	0.00							
	Potassium	K		GELC	mg/L			1.38	0.05				1.31	0.05				1.42	0.05		
-	Silicon Dioxide	SiO2		EES6	mg/L																
-	Silicon Dioxide Sodium	SiO2 Na		GELC EES6	mg/L			72.5	0.032				70.6	0.032				72.8	0.032		
}	Sodium	Na Na		GELC	mg/L mg/L			11.1	0.045				11.2	0.045				11.6	0.045		
-	Specific Conductance	SPEC_CONDC	Field	FLD	uS/cm			124.1	0.040				111.2	0.040				119.8	0.040		
	Sulfate	SO4(-2)		EES6	mg/L																
	Sulfate	SO4(-2)		GELC	mg/L								1.99	0.1				1.98	0.1		
-	Total Dissolved Solids Total Kjeldahl Nitrogen	TDS TKN		GELC GELC	mg/L							<	135 0.042	2.38 0.01			<	142 0.052	2.38 0.01		
}	Total Organic Carbon	TOC		GELC	mg/L mg/L							_ `	0.042	0.01				1.09	0.01		
-	Total Phosphate as Phosphorus	PO4-P		EES6	mg/L													1.00	0.00		
	Total Phosphate as Phosphorus	PO4-P		GELC	mg/L							<	0.014	0.01			<	0.016	0.01		
	Total Suspended Solids	TSS		GELC	mg/L																
	pH	pH	Field	FLD EES6	SU			7.16										7.77			
}	Aluminum Aluminum	Al Al		GELC	μg/L μg/L			107	68			<	68	68			<	68	68		
-	Antimony	Sb		EES6	μg/L			107	- 00				- 00	- 00				00	00		
-	Antimony	Sb		GELC	μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Arsenic	As		EES6	μg/L																
	Arsenic	As		GELC	μg/L		<	6	6			<	6	6			<	6	6		\vdash
}	Barium Barium	Ba Ba		EES6 GELC	μg/L μg/L			11	1				10.1	1				10.6	1		
-	Beryllium	Be		EES6	μg/L μg/L			11	<u> </u>				10.1	<u> </u>				10.0			
S	Beryllium	Be		GELC	μg/L		<	1	1			<	1	1			<	1	1		
METALS	Boron	В		EES6	μg/L																
l l	Boron	В		GELC	μg/L			10.5	10				13.3	10				12.6	10		
2	Cadmium	Cd Cd		EES6	μg/L			0.1	0.1				0.1	0.1				0.1	0.4		
	Cadmium Chromium	Ca Cr		GELC EES6	μg/L μg/L		<	0.1	0.1			<	0.1	0.1			<	0.1	0.1		
	Chromium	Cr		GELC	μg/L μg/L			3.4	1			<	1	1			<	1	1		
	Cobalt	Co		EES6	μg/L																
	Cobalt	Co		GELC	μg/L		<	1	1			<	1	1			<	1	1	· · · · · · · · · · · · · · · · · · ·	
	Copper	Cu		EES6	μg/L													_	_		
	Copper Iron	Cu Fe	-	GELC EES6	μg/L μg/L		<	3	3			<	3	3			<	3	3		
	Iron	Fe Fe		GELC	μg/L μg/L			59.4	18			<	18	18				25.6	18		
			ı		r3	1				<u> </u>	1				L	ı					

EP2006-1078 B-163 February 2007

														Т	1	1					
						Start Date Time	09/28/05	09/28/05	09/28/05	09/28/05	09/28/05	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06	09/20/06
						Fld Prep Code	UF	UF	UF	UF	UF	F	F	F	F	F	UF	UF	UF	UF	UF
						Lab Sample Type Code	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS	CS
						Port Depth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						Fld Qc Type Code															
						Well Class	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
						Well Oluss	Sym	Result	Std Mdl	Std Mda	Std Uncert	Sym	Result	Std Mdl	Std Mda	Std Uncert	Svm	Result	Std Mdl	Std Mda	Std Uncert
Amud Cuita			Lab Code				Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert	Sylli	Result	Stu Mui	Stu iviua	Stu Officert
Anyl Suite Code	Analyte Desc	Analyte	(Decoded)	Lab Code	Std Uom																i
Code	Lead	Pb	(Decoded)	EES6	µg/L																
-	Lead	Pb	+	GELC	μg/L μg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		
	Manganese	Mn		EES6	μg/L			0.0	0.5				0.5	0.5				0.0	0.0		
<u> </u>	Manganese	Mn		GELC	µg/L		<	2	2			<	2	2			<	2	2		
	Mercury	Hq		EES6	μg/L		,										,				
	Mercury	Hg		GELC	µg/L		<	0.05	0.05			<	0.06	0.06			<	0.06	0.06		
	Nickel	Ni		EES6	µg/L																
t t	Nickel	Ni		GELC	µg/L		<	0.5	0.5			<	0.5	0.5			<	0.5	0.5		-
l g	Selenium	Se		EES6	µg/L																
)	Selenium	Se		GELC	μg/L		<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
F8	Silver	Ag		EES6	μg/L																
METALS (cont.)	Silver	Ag		GELC	μg/L		~	0.2	0.2			<	0.2	0.2			<	0.2	0.2		
_ ₩	Thallium	TI		EES6	μg/L																
	Thallium	TI		GELC	μg/L		<	0.4	0.4			<	0.4	0.4			<	0.4	0.4		
<u> </u>	Tin	Sn		EES6	μg/L																
	Tin	Sn		GELC	μg/L		<	2.5	2.5			<	2.5	2.5			<	2.5	2.5		
	Vanadium	V		EES6	μg/L																
<u> </u>	Vanadium	V		GELC	μg/L			7.6	1				6.7	1				7	1		
	Zinc	Zn		EES6	μg/L																
	Zinc	Zn		GELC	μg/L		<	2	2			<	2.2	2	2 222 1	0.0400	<	4.2	2		
	Americium-241	Am-241		GELC	pCi/L			-0.00202		0.0364	0.00767		-0.0114		0.0224	0.0109		0.00341		0.0305	0.0049
	Cesium-137	Cs-137	1	GELC	pCi/L			1.66		3.3	1.94		0.607		3.95	1.07		0.362		3.06	0.791
	Gross alpha	GROSSA	1	GELC	pCi/L			0.322 0.896		2.22	0.479		0.515		1.16	0.357		0.415		1.06	0.321
	Gross beta	GROSSB GROSSG	1	GELC GELC	pCi/L			71.5		1.59 253	0.487 79.5		0.0902 78.6		3.29 334	0.896 125		0.716		2.52 323	0.731 84.4
l -	Gross gamma Plutonium-238	Pu-238		GELC	pCi/L pCi/L			-0.0282		0.0651	0.0181		0.00667		0.0213	0.00386		106 -0.00672		0.0323	0.00673
RAD	Strontium-90	Sr-90	+	GELC	pCi/L			-0.0262		0.0031	0.0161		-0.00789		0.0213	0.00366		-0.00672		0.0323	0.00673
	Tritium	H-3		UMTL	pCi/L			-0.13		0.401	0.0031		-0.00709		0.120	0.0374		-0.0200		0.304	0.0032
	Uranium	U	1	EES6	μg/L																
	Uranium	Ü	1	GELC	μg/L			0.39	0.05				0.17	0.05				0.19	0.05		
<u> </u>	Uranium-234	U-234	1	GELC	pCi/L			0.295	0.00	0.0726	0.0307		0.169	0.00	0.0431	0.0217		0.157	0.00	0.0474	0.022
	Uranium-238	U-238		GELC	pCi/L			0.181		0.0514	0.0228		0.0557		0.0458	0.0119		0.0887		0.0504	0.0155

Table B-1.30 Spring 9B

Anyl Suite Code	Analyte Desc Ammonia as Nitrogen Bromide Calcium Chloride Chloride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony Antimony	Lab Code PARA PARA PARA PARA PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	Start Date Time Fld Prep Code Std Uom mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/	Sym <	0.2 9.74 2.3 0.41 0.36 0.1 1.64	9/23/1998 UF MDL/MDA	l		1/7/2000 F Result MDL/MDA 0.5 0.2 9.5 2.2 0.51 0.34 1.7 33	Uncert	Sym <	Result 0.5 9.1 2.06 0.454 0.4 1.7 33	4/6/2000 F MDL/MDA	Uncert
Anyl Suite Code	Ammonia as Nitrogen Bromide Calcium Chloride Chloride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	Std Uom mg/L	<	0.2 9.74 2.3 0.41 0.36 0.1 1.64	1			0.5 0.2 9.5 2.2 0.51	Uncert		0.5 9.1 2.06 0.454 0.4 1.7		Uncert
Anyl Suite Code	Ammonia as Nitrogen Bromide Calcium Chloride Chloride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	<	0.2 9.74 2.3 0.41 0.36 0.1 1.64	MDL/MDA			0.5 0.2 9.5 2.2 0.51	Uncert		0.5 9.1 2.06 0.454 0.4 1.7	MDL/MDA	Uncert
	Bromide Calcium Chloride Chloride Fluoride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	<	9.74 2.3 0.41 0.36 0.1 1.64		l		0.2 9.5 2.2 0.51 0.34 1.7		<	9.1 2.06 0.454 0.4 1.7		
	Calcium Chloride Chloride Fluoride Fluoride Nitrate as N Nitrate as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	<	9.74 2.3 0.41 0.36 0.1 1.64				9.5 2.2 0.51 0.34 1.7			2.06 0.454 0.4 1.7		
	Chloride Chloride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		2.3 0.41 0.36 0.1 1.64 9.4				0.51 0.34 1.7			2.06 0.454 0.4 1.7		
	Chloride Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	GELC PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		0.41 0.36 0.1 1.64				0.51 0.34 1.7			0.454 0.4 1.7		
	Fluoride Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		0.36 0.1 1.64				0.34			0.454 0.4 1.7		
	Fluoride Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	GELC PARA PARA PARA PARA PARA PARA PARA PAR	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		0.36 0.1 1.64				0.34			0.4		
	Nitrate as N Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA PARA PARA PARA PARA	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		0.1 1.64 9.4				0.34			0.4		
	Nitrite as N Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA PARA PARA PARA PARA	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L		0.1 1.64 9.4				1.7			1.7		
	Nitrate-Nitrite as N Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA PARA PARA GELC RECRAP	mg/L mg/L mg/L mg/L mg/L mg/L mg/L		1.64 9.4				1.7			1.7		
	Potassium Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA PARA GELC RECRAP	mg/L mg/L mg/L mg/L mg/L mg/L	<	9.4				1.7			1.7		
	Silicon Dioxide Sodium Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA PARA GELC RECRAP	mg/L mg/L mg/L mg/L mg/L	<	9.4									
	Sodium Sulfate Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA PARA GELC RECRAP	mg/L mg/L mg/L mg/L						33			33		
	Sulfate Sulfate Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	PARA GELC RECRAP	mg/L mg/L mg/L											
	Sulfate Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	GELC RECRAP	mg/L mg/L		2.1				9.7	-		10		
	Total Kjeldahl Nitrogen Total Phosphate as Phosphorus Aluminum Antimony	RECRAP	mg/L						2.2					
	Total Phosphate as Phosphorus Aluminum Antimony											2.03		
	Aluminum Antimony	PARA	ma /I						0.34			0.19		
	Antimony	PARA	mg/L					:	50		<	0.05		
			μg/L	<	16.8			<	61		<	3.2		
	Antimony	PARA	μg/L	<	2.5			<	2.8		<	3.5		
		GELC	μg/L					(0.683		<	0.683		
	Arsenic	PARA	μg/L	<	2.4			<	2.3		<	3		
	Barium	PARA	μg/L	<	3.8			<	4.3		<	3.5		
	Beryllium	PARA	μg/L	<	0.2			<	0.8		>	0.18		
	Beryllium	GELC	μg/L					<	0.01		>	0.01		
	Boron	PARA	μg/L					<	17		>	12		
	Cadmium	GELC	μg/L					<	0.13		<	0.13		
	Cadmium	PARA	μg/L					<	0.17		<	0.18		
	Chromium	PARA	μg/L	<	3			<	3.9		<	3.4		
	Cobalt	PARA	μg/L	<	0.5			<	0.39		<	0.58		
S	Copper	PARA	μg/L	<	0.86			<	0.42		<	0.56		
METALS	Iron	PARA	μg/L	<	44.7			<	7.3		<	50		
	Lead	PARA	μg/L	<	1.1			<	2		<	0.95		
≥	Lead	GELC	μg/L					:	0.01		<	0.01		
	Magnesium	PARA	mg/L	<	3.04				3			2.8		
	Manganese	PARA	μg/L	<	0.44			:	0.07		<	0.1		
	Mercury	PARA	μg/L	<	0.02			(0.013		<	0.011		
	Nickel	PARA	μg/L	<	1.7			:	1.2		<	0.52		
	Selenium	PARA	μg/L	<	2.9			:	3.8		<	3.5		
	Silver	PARA	μg/L	<	0.6			:	0.64		<	0.87		
	Thallium	PARA	μg/L	<	2.6			:	3.2		<	3.4		
	Thallium	GELC	μg/L					((0.026		<	0.183		
	Uranium	GELC	μg/L						0.222		<	0.195		
	Uranium	PARA	μg/L						0.28			0.23		
	Vanadium	PARA	μg/L	<	10.8				11			11		
	Zinc	PARA	μg/L	<	0.72			<	1		<	1.5		
	Americium-241	PARA	pCi/L	<	-1	9.9	5.5							
	Cesium-137	PARA	pCi/L	<	0.2	1.7								
	Gross alpha	PARA	pCi/L	<	0.17	0.85								
	Gross beta	PARA	pCi/L	<	0.7	1.3								
RAD	Plutonium-238	PARA	pCi/L	<	-0.0011	0.043								
۳ ا	plutonium-239	PARA	pCi/L	<	0.0084	0.031								1
	Uranium-234	PARA	pCi/L	1 1	0.0004	0.027				1				1
	Uranium-235	PARA	pCi/L	<	0.0129	0.037								
	Uranium-238	PARA	pCi/L	1 1	0.055	0.037								

EP2006-1078 B-165 February 2007



Groundwater Background Investigation Report, Rev. 2

Table B-1.31
Turbidity and Temperature Data for Nonfiltered Alluvial Groundwater Samples

Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
LAO-B	3/3/2005	5	
LAO-B	5/10/2005	6.8	2.48
LAO-B	8/3/2006	12.6	1.08

Table B-1.32
Turbidity and Temperature Data for Nonfiltered Intermediate Groundwater Samples

Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
Barbara Spring	3/29/2005	13.8	
Barbara Spring	5/12/2005	15.2	
Barbara Spring	6/15/2005	15.4	
Barbara Spring	7/13/2005	15.5	2.08
CDV-5.0 SPRING	3/3/2005	8.7	
CDV-5.0 SPRING	4/18/2005	9	
CDV-5.0 SPRING	5/27/2005	8.6	
CDV-5.0 SPRING	7/11/2005	8.9	4.9
Campsite Spring	5/17/2005	14.4	
Campsite Spring	6/8/2005	14.9	
Campsite Spring	7/14/2005	15	0.53
LAOI(a)-1.1	6/3/2004	12.3	19.8
LAOI(a)-1.1	3/4/2005	9.5	
LAOI(a)-1.1	3/7/2005	9.5	
LAOI(a)-1.1	5/7/2005	9.3	15.6
LAOI(a)-1.1	8/4/2006	11.1	18.8
Seven Springs	3/10/2005	10.7	
Seven Springs	5/9/2005	11.8	
Seven Springs	6/23/2005	12.2	
Seven Springs	7/15/2005	11.1	3.21
Water Canyon Gallery	11/29/2001	12.1	1.46
Water Canyon Gallery	11/29/2001	12.1	1.46
Water Canyon Gallery	9/9/2002	14.1	1.07
Water Canyon Gallery	8/26/2003	13.2	3.37
Water Canyon Gallery	3/4/2005	9.9	
Water Canyon Gallery	4/18/2005	10.7	
Water Canyon Gallery	5/27/2005	11.3	
Water Canyon Gallery	7/11/2005	12.1	3.1

February 2007 B-166 EP2006-1078

Table B-1.33
Turbidity and Temperature Data for Nonfiltered Regional Groundwater Samples

	-		1
Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
Ancho Spring	2/2/2005	19.1	4.79
Ancho Spring	9/19/2006	20.7	0.38
G-1A	5/9/2001	27.7	0.19
G-1A	5/18/2002	28.3	0.25
G-1A	8/24/2002	27	0.94
G-1A	11/16/2002	27.1	0.12
G-1A	8/21/2003	28.4	0.33
G-1A	8/21/2003	28.4	0.33
G-1A	2/9/2004	24.7	1.03
G-1A	5/19/2004	21.8	0.28
G-1A	5/18/2005	26.6	0.32
G-1A	2/22/2006	25.6	1.33
G-2A	5/9/2001	28.8	0.23
G-2A	5/18/2002	29.9	0.23
G-2A	8/24/2002	28.8	0.22
G-2A	11/16/2002	27.8	0.1
G-2A	8/21/2003	27.8	0.1
G-2A	8/21/2003	27.8	0.1
G-2A G-2A	2/9/2004	27.1	0.29
G-2A G-2A	5/19/2004	28.5	0.13
G-2A G-2A	5/18/2005	29.3	0.13
G-2A G-2A	5/17/2006	29.1	0.17
G-3A	5/9/2001	26.9	0.32
G-3A	5/18/2002	26.3	0.31
G-3A	8/24/2002	27.2	0.26
G-3A		26.6	
G-3A G-3A	12/18/2002 8/21/2003	27.3	0.08 0.35
G-3A G-3A			
	8/21/2003	27.3	0.35
<u>G-3A</u> G-3A	2/9/2004	26.1	0.25
	5/19/2004	26.9	0.17
G-3A	5/18/2005	27.3	0.34
G-3A	5/17/2006	26.2	0.14
G-4A	5/9/2001	25.9	0.25
G-4A	8/24/2002	25.5	0.11
G-4A	11/16/2002	24.7	0.12
G-4A	8/21/2003	26.3	0.13
G-4A	8/21/2003	26.3	0.13
G-4A	2/9/2004	25.7	0.16
G-4A	5/19/2004	26.7	0.11
G-4A	5/18/2005	26.5	0.07
G-4A	5/17/2006	25.5	0.11
G-5A	8/24/2002	29.1	0.62
G-5A	11/16/2002	26.6	1.38
G-5A	8/21/2003	28.2	0.58
G-5A	8/21/2003	28.2	0.58
G-5A	2/9/2004	27.8	1.33
G-5A	5/19/2004	29.9	0.54
G-5A	5/18/2005	29.5	0.6
G-5A	5/17/2006	28.4	1.47

EP2006-1078 B-167 February 2007

Groundwater Background Investigation Report, Rev. 2

Table B-1.33 (continued)

Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
PM-2	5/9/2001	25.2	0.62
PM-2	5/18/2002	25.4	0.3
PM-2	5/18/2002	25.4	0.3
PM-2	8/24/2002	24.9	0.19
PM-2	11/16/2002	22.1	0.09
PM-2	8/4/2003	22.8	0.15
PM-2	8/21/2003	22.8	0.15
PM-2	9/24/2003	24.8	0.22
PM-2	10/29/2003	24.1	0.19
PM-2	12/17/2003	24.9	0.1
PM-2	2/9/2004	24.8	0.19
PM-2	3/24/2004	24.5	0.2
PM-2	5/20/2004	24.4	0.2
PM-2	8/31/2004	25.3	0.13
PM-2	11/16/2004	24.5	0.15
PM-2	3/23/2005	22	0.25
PM-2	5/18/2005	24.8	0.15
PM-2	8/17/2005	24.6	0.12
PM-2	11/16/2005	25.4	0.13
PM-2	1/19/2006	24.2	0.15
PM-2	5/24/2006	24.1	0.11
PM-2	8/24/2006	23.7	0.21
PM-2	12/7/2006	23.3	0.27
PM-4	5/9/2001	25.4	0.3
PM-4	8/21/2003	25.2	0.1
PM-4	6/7/2004	10.3	7.91
PM-4	2/15/2005	25.8	0.24
PM-4	2/22/2006	22	0.79
PM-5	5/9/2001	24.5	0.31
PM-5	7/11/2001	252	0.4
PM-5	5/18/2002	25	0.14
PM-5	5/18/2002	25	0.14
PM-5	6/26/2002	25.8	0.07
PM-5	8/24/2002	26.2	0.17
PM-5	9/25/2002	27.6	0.22
PM-5	10/9/2002	23.3	0.14
PM-5	11/16/2002	23.5	23.5
PM-5	8/21/2003	23.1	0.14
PM-5	9/24/2003	24.2	0.13
PM-5	10/29/2003	24.4	0.11
PM-5	12/17/2003	19.6	0.17
PM-5	1/28/2004	23.6	0.19
PM-5	2/9/2004	24.4	0.19
PM-5		24.4	
PM-5	3/24/2004 5/20/2004	25.4	0.15
PM-5	8/31/2004		0.15
		24.3	
PM-5	11/16/2004	22.1	0.13
PM-5	3/23/2005	23.2	0.24
PM-5	5/18/2005	24.8	0.12
PM-5	8/17/2005	23.8	0.17
PM-5	11/16/2005	24	0.3

February 2007 B-168 EP2006-1078

Table B-1.33 (continued)

	, , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , ,	T 11111 (11711)
Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
PM-5	1/19/2006	24	0.09
PM-5	5/24/2006	25.2	0.06
PM-5	8/24/2006	24.1	0.17
PM-5	12/7/2006	24	0.15
R-1	5/19/2005	22.42	0.41
R-1	9/12/2005	21.7	0.57
R-1	11/28/2005	21.3	0.37
R-1	1/25/2006	21.3	0.65
R-1	4/19/2006	19.9	0.58
R-1	7/6/2006	21.3	0.7
R-1	10/26/2006	20.8	0.74
R-13	12/9/2003	21	0.16
R-13	6/11/2004	21.6	0.34
R-13	6/11/2004	21.6	0.44
R-13	3/10/2005	21.1	
R-13	5/26/2005	21.7	0.16
R-13	9/1/2005	21.6	0.28
R-13	2/2/2006	21.1	0.36
R-13	7/3/2006	21.9	0.9
R-13	10/25/2006	20.9	4.24
R-18	8/25/2005	17.1	0.54
R-18	12/1/2005	16	0.2
R-18	3/7/2006	16	1.1
R-18	5/16/2006	15.5	0.96
R-18	8/15/2006	16.3	0.99
R-18	12/18/2006	13.7	1.37
R-21	3/31/2004	21.5	0.27
R-21	9/23/2004	21.7	0.63
R-21	6/6/2005	21.5	0.21
R-21	7/7/2006	21.9	0.43
R-21	11/6/2006	21.5	0.44
Sacred Spring	10/23/2001	15.3	2.7
Sacred Spring	10/23/2001	15.3	
Sacred Spring	6/25/2002	11.7	2.2
Sacred Spring	7/23/2003	17.4	2.35
Sacred Spring	8/24/2004	17.7	42.3
Sacred Spring	7/13/2005	18.4	-35.6
Sacred Spring	9/14/2006	25	0.53
Spring 1	9/24/2001	18.6	21.2
Spring 1	11/6/2002	16.3	1.56
Spring 1	10/6/2003	12	3.61
Spring 1	9/13/2004	16.9	36.8
Spring 1	9/26/2005	14.7	8.18
Spring 1	9/18/2006	17.9	0.86
Spring 5B	10/7/2003	16.5	6.67
Spring 6	9/24/2002	20.8	0.13
Spring 6	3/12/2004	20.6	0.13
		21	
Spring 6	9/14/2004		0.28
Spring 6	3/24/2005	20.5	
Spring 6	4/29/2005	21	0.2
Spring 6	9/27/2005	21	0.2

EP2006-1078 B-169 February 2007



Groundwater Background Investigation Report, Rev. 2

Table B-1.33 (continued)

Location Name	Start Date Time	Temperature (C)	Turbidity (NTU)
Spring 6	9/19/2006	21	6.73
Spring 6A	9/25/2001	22.2	13.1
Spring 6A	10/7/2003	20.3	3.18
Spring 6A	3/12/2004	20.4	0.27
Spring 6A	9/14/2004	23.5	1.85
Spring 6A	9/27/2005	21.2	1.56
Spring 6A	9/19/2006	20.9	3.01
Spring 8A	10/7/2003	12.8	0.34
Spring 8A	3/18/2004	21.1	0.26
Spring 8A	1/26/2005	19.3	1.31
Spring 8A	9/19/2006	19.1	2.18
Spring 9	9/25/2001	21.5	9.95
Spring 9	10/8/2003	19.1	9.86
Spring 9	3/18/2004	20.9	2.19
Spring 9	9/14/2004	22.3	22.4
Spring 9	9/28/2005	20.5	2.41
Spring 9	9/19/2006	20.4	0.25
Spring 9A	10/8/2003	16.8	0.66
Spring 9A	3/18/2004	19.2	2.05
Spring 9A	9/14/2004	20	0.6
Spring 9A	3/8/2005	20.1	
Spring 9A	4/29/2005	19.3	
Spring 9A	5/18/2005	20.5	
Spring 9A	7/20/2005	20.6	2.4
Spring 9A	9/28/2005	21.1	0.34
Spring 9A	9/20/2006	18	0.91

February 2007 B-170 EP2006-1078

Appendix C

Statistical Plots

Figures

Figure C-1.	Alkalinity CO3+HCO3	2
Figure C-2.	Alkalinity HCO3	3
Figure C-3.	Ammonia	4
Figure C-4.	Bromide	5
Figure C-5.	Carbonate	6
Figure C-6.	Chloride	7
Figure C-7.	Fluoride	8
Figure C-8.	Nitrate	9
Figure C-9.	Nitrate + Nitrite	10
Figure C-10.	Nitrite	11
Figure C-11.	Perchlorate	12
Figure C-12.	Silicon Dioxide	13
Figure C-13.	Sulfate	14
Figure C-14.	Total Dissolved Solids	15
Figure C-15.	Total Kjeldahl Nitrogen	16
Figure C-16.	Total Organic Carbon	17
Figure C-17.	Total Phosphate as Phosphorus	18
Figure C-18.	Total Suspended Solids	19
Figure C-19.	pH	20
Figure C-20.	Specific Conductance	21
Figure C-21.	Aluminium	22
Figure C-22.	Antimony	23
Figure C-23.	Arsenic	24
Figure C-24.	Barium	25
Figure C-25.	Beryllium	26
Figure C-26.	Boron	27
Figure C-27.	Cadmium	28
Figure C-28.	Calcium	29
Figure C-29.	Chromium	30
Figure C-30.	Cobalt	31
Figure C-31.	Copper	32
Figure C-32.	Iron	33
Figure C-33.	Lead	34
Figure C-34.	Lithium	35
Figure C-35.	Magnesium	36
Figure C-36.	Manganese	37
Figure C-37.	Mercury	38
Figure C-38.	Molybdenum	39
Figure C-39.	Nickel	40
Figure C-40.	Potassium	41
Figure C-41	Selenium	42

Figure C-42.	Silver	43
Figure C-43.	Sodium	44
Figure C-44.	Strontium	45
Figure C-45.	Thallium	46
Figure C-46.	Tin	47
Figure C-47.	Titanium	48
Figure C-48.	Uranium	49
Figure C-49.	Vanadium	50
Figure C-50.	Zinc	51
Figure C-51.	Tritium	52
Figure C-52.	Americium-241	53
Figure C-53.	Cesium-137	54
Figure C-54.	Gross Alpha	55
Figure C-55.	Gross Beta	56
Figure C-56.	Gross Gamma	57
Figure C-57.	Plutonium-238	58
Figure C-58.	Strontium-90	59
Figure C-59.	Uranium-234	60
Figure C-60.	Uranium-238	61

The figures presented here in Appendix C are based on the raw data presented in Appendix B-2. Sigma Plot was used to create the figures. The data is presented in the form found in Appendix B-2 with some minor exceptions. Water supply well data (G-1A, G-2A, G-3A, G-4A, G-5A, PM-2, PM-4, PM-5) that was unfiltered was treated as filtered, except in the case of pH, specific conductance, total suspended solids, and tritium. For each constituent, there are three figures—a box plot representing variation by location, a box plot representing variation between filtration type and mode of groundwater, and a time series also showing occurrence of nondetects.

Box plots: Box plots are used to show differences between two or more sample locations or other data groupings. Box plots summarize information about the shape and spread of the distribution of concentrations for an analyte. Box plots consist of a box, a (median) line across the box, and a mean line. The *y*-axis displays the observed concentrations in the reported units. The area enclosed by the box shows the concentration range containing the middle half of the data; that is, the lower box edge is at the 25th percentile, and the upper box edge is at the 75th percentile. The length of the box is a measure of the spread of the range of concentrations. The black horizontal line across the box represents the median (50th percentile) of the data, a measure of the center of the concentration distribution. If the median line divides the box into two approximately equal parts, the shape of the distribution of concentrations is symmetric; if not, the distribution is skewed or nonsymmetrical. The red horizontal line across the box represents the mean of the data, a measure influenced by exceptionally low or high values. The top and bottom horizontal lines represent the 5th and 95th percentiles. Concentrations outside the 25th to 75th percentiles are plotted as points outside the box.

Time series analysis: A time versus concentration scatter plot is provided for each constituent measured. Time is plotted along the *x*-axis, and the constituent concentration is plotted along the *y*-axis. Any long-term trends can be deduced from these plots. Nondetects are shown in blue open circles and plotted as one-half the detection limit. Figures show both the impact of the number of nondetects and the detection limit to the total dataset.




Figure C-1. Alkalinity CO3+HCO3




Figure C-2. Alkalinity HCO3






Figure C-3. Ammonia








Figure C-4. Bromide







Figure C-5. Carbonate











Figure C-6. Chloride






Figure C-7. Fluoride






Figure C-8. Nitrate



Nitrate plus Nitrite by Aquifer






Figure C-9. Nitrate + Nitrite




Figure C-10. Nitrite




Figure C-11. Perchlorate




Figure C-12. Silicon Dioxide




Figure C-13. Sulfate






Figure C-14. Total Dissolved Solids



Total Kjeldahl Nitrogen by Aquifer






Figure C-15. Total Kjeldahl Nitrogen




Figure C-16. Total Organic Carbon






Figure C-17. Total Phosphate as Phosphorus




Note: All water supply samples were treated as unfiltered for this plot because of the nature of the analytical technique.


Figure C-18. Total Suspended Solids




Note: All water supply samples were treated as unfiltered for this plot because of the nature of the analytical technique.

Figure C-19. pH







Note: All water supply samples were treated as unfiltered for this plot because of the nature of the analytical technique.

Figure C-20. Specific Conductance




Figure C-21. Aluminium




Figure C-22. Antimony






Figure C-23. Arsenic











Figure C-24. Barium



Beryllium by Aquifer








Figure C-25. Beryllium




Figure C-26. Boron

0

Filtered Nondetects






Figure C-27. Cadmium

Filtered Detects

Filtered Nondetects

0








Figure C-28. Calcium




Figure C-29. Chromium




Figure C-30. Cobalt




Figure C-31. Copper




Figure C-32. Iron

Filtered Nondetects






Figure C-33. Lead








Figure C-34. Lithium




Figure C-35. Magnesium




Figure C-36. Manganese







Figure C-37. Mercury



Molybdenum by Aquifer








Figure C-38. Molybdenum






Figure C-39. Nickel








Figure C-40. Potassium




Figure C-41. Selenium




Figure C-42. Silver






Figure C-43. Sodium










Figure C-44. Strontium



Thallium by Aquifer







Figure C-45. Thallium






Figure C-46. Tin




Figure C-47. Titanium






Figure C-48. Uranium










Figure C-49. Vanadium









Figure C-50. Zinc



Note: All water supply samples were treated as unfiltered for this plot because of the nature of the analytical technique.

Figure C-51. Tritium




Figure C-52. Americium-241

Filtered Detects
Filtered Nondetects

Year






Figure C-53. Cesium-137










Figure C-54. Gross Alpha








Figure C-55. Gross Beta






Figure C-56. Gross Gamma



Plutonium-238 by Aquifer



Plutonium-238 Time Series




Figure C-57. Plutonium-238




Figure C-58. Strontium-90






Figure C-59. Uranium-234



Uranium-238 by Aquifer



Uranium-238 Time Series





Figure C-60. Uranium-238



Figures

Figure D-1.1.	Evaluation of charge balance for background water samples (filtered)	D-5
Figure D-1.2.	Summary of variability from laboratory duplicate analyses	D-6
Figure D-1.3.	Correlation matrix of major solutes, anion sum, and cation sum	D-7
Figure D-1.4.	Relationship between TDS and bicarbonate for pre-1997 baseline groundwater samples	D-8
Figure D-1.5.	Histogram and normal probability plots for a) bicarbonate (HCO ₃) and b) TDS for pre-1997 baseline groundwater samples (filtered)	D-9
Figure D-1.6.	Box plots showing a) bicarbonate and b) TDS by aquifer material for pre-1997 baseline groundwater samples	. D-10
Tables		
Table D-1.1 Table D-2.1 Table D-2.2	Summary of re-1997 Filtered Groundwater Samples Collected by Location	

D-1 STATISTICAL ANALYSES OF PRE-1997 HYDROGEOCHEMICAL DATA

This section presents results of statistical analyses performed on pre-1997 groundwater-quality data collected within and surrounding the Los Alamos national Laboratory (the Laboratory). This statistical analysis was performed as a basis of comparison to the data collected in 1997 and later years. Sources of groundwater-quality data are defined, and the accuracy and precision of the data are evaluated. Analytical precision for nonfiltered water samples is usually poor because of the presence of suspended solids, which when partially or completely digested with nitric acid at pH 2 or less introduces false positives for metals and trace elements. Therefore, groundwater data were screened to evaluate analytical results mainly for those samples that were filtered before analyses.

D-1.1 Methodology

D-1.1.1 Data Adequacy of Water Samples

Data adequacy of the pre-1997 groundwater background data was evaluated by both qualitative and quantitative methods. Analytical results for filtered groundwater samples from different data sources were evaluated. Removal of suspended solids in filtered samples was essential to evaluate baseline or background hydrochemistry. The presence of suspended solids positively biases concentrations of analytes because of partial or complete dissolution of the solids during acidification of the water samples. Digestion of suspended solids in water samples also results in poor charge balances ($> \pm 10\%$), and the charge balance relationship is one quantitative metric of data quality.

The overall adequacy of the data was assessed by evaluating the standardized residuals from the regression analysis of total dissolved anions versus total dissolved cations. One metric is based on the frequency of standardized residuals with an absolute value greater than 1.96. The expected value of residuals with this magnitude is 5%, and the data set would be judged to be in charge balance if the frequency of residuals is not statistically different from 5%.

Charge-balance errors for the pre-1997 analytical results were calculated for major and trace ions as follows:

```
(100)[(\Sigma milliequivalents cations – \Sigma milliequivalents anions) divided by (\Sigma milliequivalents cations + \Sigma milliequivalents anions)]
```

Other quantitative metrics of data quality employed the calculation of variability resulting from replicate laboratory analyses of the same sample. This value provided a baseline for temporal variation in samples collected from a given location, as well as differences in concentration between sampling locations.

D-1.1.2 Exploratory Data Analyses

Statistical analyses of the selected pre-1997 background data involve several exploratory data analysis (EDA) tools. The purpose of EDA is to identify possible outliers in the data, understand relationships between analytes, evaluate parametric and nonparametric statistical modeling options, and determine the frequency of nondetect values by analyte and by potential data subpopulations.

One of these methods involves bivariate plots. A bivariate plot of anion sum versus cation sum is shown in Figure D-1.1. A bivariate plot of laboratory duplicates (mean values) versus relative standard deviation is shown in Figure D-1.2. A correlation matrix for major ions, cation sum, and anion sum is provided in Figure D-1.3. Figure D-1.4 consists of total dissolved solids (TDS) versus bicarbonate concentrations for

different aquifer material made up of alluvial and perched intermediate groundwater and the regional aquifer.

The first step for EDA is to assemble the data set under evaluation, which includes a summary of the number of samples collected from each location (Table D-1.1). Other tools include normal quantile plots of untransformed and transformed data (Figure D-1.5), box plots to compare possible data groups (Figure D-1.6), and statistical data summaries (Tables D-1.2 and D-1.3). Based on these sample data, the concentration range of nondetect and detect data can be summarized.

Box plots: Box plots are used to show differences between two or more sample collection areas or depths. This type of plot is shown as Figures D-1.5 and D-1.6. Box plots summarize information about the shape and spread of the distribution of concentrations for an analyte. They consist of a box and a (median) line across the box. The y-axis shows the observed concentrations in the reported units. The area enclosed by the box shows the concentration range containing the middle half of the data; that is, the lower box edge is at the 25th percentile, and the upper box edge is at the 75th percentile. The height of the box is a measure of the spread of the concentrations. The horizontal line across the box represents the median (50th percentile) of the data, which is a measure of the center of the concentration distribution. If the median line divides the box into two approximately equal parts, the shape of the distribution of concentrations is symmetric; if not, the distribution is skewed or nonsymmetrical. All concentrations are plotted as points overlying the box plot.

Normal quantile plots: As a companion plot to some box plots, the normal quantile plots for the data groups are also depicted in Figures D-1.5 and D-1.6. Normal quantile plots (also known as a normal quantile-quantile or q-q plot) are a particular type of quantile plot. The data set concentrations is plotted in increasing order and spread out to allow for comparison of its distribution to that of a theoretical distribution, the standard normal distribution. The quantiles of the data set (y-axis) are plotted against the quantiles for a standard normal (x-axis). The quantiles of a standard normal, that is normal with mean = 0 and standard deviation = 1, are those for the theoretical distribution and can be found in published tables of the cumulative normal distribution. For example, the 50th quantile is 0, the 90th quantile is approximately 1.282, the 95th quantile is about 1.645, etc. If data are derived from a normal statistical distribution, the points in the plot will lie close to the diagonal straight line overlying the data points. The subsets of the data set that differ the most from those expected from a normal distribution are seen as points straying from the line. Multiple data groups can be compared with each other and woth a normal distribution by plotting a separate line for each data set in the same display. The observer can see where, if anywhere, the two plots follow the same line, overlap or intersect, indicating that they have equal concentrations at that (those) associated quantile(s).

Regression analysis and scatter plots: Regression analysis provides a measure of the association between pairs of variables. An *x-y* scatter plot is used to graphically depict this relationship. Regression analysis provides a correlation coefficient and an associated measure of statistical significance (or p-value). The correlation coefficients can potentially range between –1 and +1. A correlation coefficient of zero indicates no correlation between the two measurements. A correlation coefficient of +1 indicates a perfect positive relationship between the measurements. A correlation coefficient of –1 indicates a perfect negative relationship (no correlation) between the measurements.

D-2 STATISTICAL AND GEOCHEMICAL ANALYSES OF PRE-1997 WATER-QUALITY DATA SETS

D-2.1 Data Evaluation

Table D-1.1 presents a summary of the analytes included in the available background hydrogeochemical data and the range of nondetect and detected values. The pre-1997 data were derived from seven data sources and were collected at irregular intervals from June 1978 to July 1996. Most of the major elements were always detected, but many of the trace elements have low detection rates. A low detection rate limits the utility of many statistical analyses. Varying analytical methods greatly influence analytical method detection limits (MDLs) for the analytes. Chemical results for water samples reported by the Laboratory's Earth and Environmental Sciences group, EES-6, Shevenell et al. (1987, 06673), Vuataz and Goff (1986, 73686), Dale et al. (1996, 57014), and Yanicak (1998, 57583) were analyzed by either AA (metals), ICPAES (metals), ion chromatography (anions), and/or ICPMS (metals). Water samples collected under the National Uranium Resource Evaluation Project were analyzed by neutron activation analysis (NAA) and delayed neutron activation analysis. Analytical results for nitrogen species were reported as nitrogen compounds (nitrate and nitrite) and not as nitrogen. The same reporting procedure applies to phosphorus (phosphate).

The analysis of the charge balance for 55 water samples showed good agreement between the cation sum and the anion sum (Figure D-1.1 and Table D-2.2). In five values out of 55, the absolute value of the standardized residual exceeded 1.96 (mean plus 2 σ), which represents 9% rather than the expected 5%. This outcome is not improbable under the assumption that the statistical problem represents a binomial experiment of 55 trials with a probability of success of 5% per trial.

There were 10 laboratory duplicates for the groundwater samples. Because many of the trace element results (e.g., beryllium, antimony, cadmium) were nondetects, the agreement between the laboratory duplicates could not be calculated for many analytes. Figures D-1.2a and 2b show the laboratory duplicate variation as a function of the mean concentration of the laboratory duplicate results. The data show, excluding sample AAB1336 (Figure D-1.2b), that with the exception of two values with mean analyte concentrations near zero, laboratory variation is less than a 20% relative standard deviation.

The interrelationship of five major solutes (silica, calcium, sodium, bicarbonate, and chloride) with TDS, anion sum, and cation sum is shown in Figure D-1.3. This correlation matrix suggests significant correlations between sodium, bicarbonate, TDS, and anion/cation sums. This correlation implies that there are geochemical interactions between sodium and bicarbonate and that these two solutes contribute to TDS and anion/cation sums. These geochemical distinctions were used to separate different aquifers (e.g., alluvial, intermediate, and regional). For example, La Mesita spring is a sodium-bicarbonate-type water. However, silica correlates poorly with sodium and bicarbonate, and this demonstrates that silica does not form complexes with sodium and bicarbonate in this groundwater. The correlation matrix also shows an apparent outlier value for calcium.

A more detailed correlation plot shows the relationship between bicarbonate and TDS (Figure D-1.4). This plot shows that groundwater samples collected from the Santa Fe Group (regional aquifer) have the highest concentrations of both bicarbonate and TDS and exhibit the greatest variation.

To evaluate the appropriate parametric distribution for statistically modeling the groundwater background data, two types of graphical displays are used to interpret the data. Figure D-1.5 shows histograms and probability plots for bicarbonate and TDS for all data combined over aquifers. Bicarbonate was selected because it is the dominant anion contributing to TDS. Figure D-1.6 shows box plots and probability plots by aquifer group for bicarbonate and TDS. These plots suggest that the combined data represent a

mixture distribution based on differences in aqueous geochemistry between aquifers, where the major difference is between the Santa Fe Group/Puye Formation versus the alluvial/Bandelier Tuff/Cerros del Rio basalt/Tschicoma Formation.

D-3 CONCLUSIONS

Adequacy of the pre-1997 groundwater baseline data was evaluated by both qualitative and quantitative methods. Analytical results for filtered groundwater samples from different data sources were evaluated. The removal of suspended solids by filtration of samples was essential for evaluating background hydrochemistry.

The analysis of the charge balance for 55 water samples showed good agreement between the cation sum and the anion sum. There were five values out of 55 where the absolute value of the standardized residual exceeded 1.96, which represents 9% rather than the expected 5%.

There were 10 laboratory duplicates for the 55 groundwater samples. Because many of the results were nondetect, the agreement between the laboratory duplicates could not be calculated for many analytes.

The interrelationships of five major solutes (silica, calcium, sodium, bicarbonate, and chloride) with TDS, anion sum, and cation sum were evaluated. This correlation matrix suggests significant correlations between sodium, bicarbonate, TDS, and anion sum and cation sum.

Groundwater samples collected from the Santa Fe Group (regional aquifer) have the highest concentrations of bicarbonate and TDS. The regional aquifer also shows the greatest variation in TDS and individual solutes.

To evaluate the appropriate parametric distribution to statistically model the groundwater background data, two types of graphical displays are used to interpret the data. Histograms and probability plots for bicarbonate and TDS for all data were combined for the three aquifer types: alluvial, volcanic (perched intermediate), and the regional aquifer. Box plots and probability plots by aquifer group for bicarbonate and TDS suggest that the combined data represent a mixture distribution based on differences in aqueous geochemistry between aquifers. The major difference is between the Santa Fe Group/Puye Formation versus the alluvial/Bandelier Tuff/Cerros del Rio basalt/Tschicoma Formation.





Figure D-1.1. Evaluation of charge balance for background water samples (filtered) (cation sum = 0.04429 + 1.00292 anion sum, $r^2 = 0.982$, n = 55 samples)






Figure D-1.2. Summary of variability from Laboratory duplicate analyses. (a) Samples AAB1336, AAB8498, AAB8512, and 0441-95-0013. (b) Samples AAB8498, AAB8512, and 0441-95-0013. Excluding sample AAB1336 in plot (b) results in a laboratory variation of less than 20% of the relative standard deviation, with the exception of two samples with mean analyte concentrations near zero. See Figure D-1-1 for symbols representing sample sites.




Figure D-1.3. Correlation matrix of major solutes, anion sum, and cation sum. See Figure D-1.1 for symbols representing sample sites.




Figure D-1.4. Relationship between TDS and bicarbonate for pre-1997 baseline groundwater samples. See Figure D-1.1 for symbols representing sample sites.





Figure D-1.5. Histogram and normal probability plots for a) bicarbonate (HCO₃) and b) TDS for pre-1997 baseline groundwater samples (filtered). See text for statistical nomenclature and Figure D-1.1 for symbols representing sample sites.






Figure D-1.6. Box plots showing a) bicarbonate and b) TDS by aquifer material for pre-1997 baseline groundwater samples. See text for statistical nomenclature and Figure D-1.1 for symbols representing sample sites.

Table D-1.1 Summary of pre-1997 Filtered Groundwater Samples Collected by Location

		Data Sources							
Group	Location	Blake et al. (1995, 49931)	EES-6 (1994-1995)	ER Project (1994-1995)	Meeker et al. (1990, 54783)	Dale et al. (1996, 57014); Yanicak (1998, 7583)	Shevenell et al. (1987, 06673)	NURE	Total
(1) Alluvial	LAO-B	0	4	7 (3)	0	0	0	0	11 (3)
	Pine Spring	1	1	0	0	5	0	1	8
(2) Volcanic rocks	Apache Spring	1	2	0	0	0	1	0	4
	LAOI(A)-1.1	0	3	1 (4)	0	0	0	0	4 (4)
	Seven Springs	1	1	0	1	0	3	1	7
	Upper Cañon de Valle	0	0	0	0	1	0	0	1
	Water Canyon Gallery	2	1	0	0	0	1	0	4
(3) Regional aquifer	Doe Spring	1	5	0	0	2	0	0	8
	Guaje Canyon Well #5	2	0	0	0	0	0	0	2
	Otowi #4	2	0	0	0	0	0	0	2
	Pajarito Spring	2	4	0	0	2	1	0	9
	Sacred Spring	1	1	0	0	0	1	0	3
	Spring 1	0	2	0	0	3	0	0	5
	Spring 9B	0	1	0	0	1	0	0	2
Total		13	25	8 (7)	1	14	7	2	70 (7)

Groundwater Background Investigation Report, Rev. 2

Note: Values in parentheses represent Laboratory duplicate results.

NURE = National uranium resource evaluation.

Table D-2.1
Summary of pre-1997 Groundwater Data for Background Locations
(Concentration Units in mg/L or ppm)

		Nondetects			Detects			
Analyte	Count	Min	Max	Count	Min	Max	Rate	
Anion Sum	0	n/a*	n/a	46	0.832	2.85	100%	
Balance	4	0.0026	0.012	34	0.0046	0.2757	89%	
Cation Sum	0	n/a	n/a	46	0.865	3.298	100%	
DOC	0	n/a	n/a	3	2.4	5.8	100%	
TDS	0	n/a	n/a	58	102.4	308.2	100%	
В	30	0.003	0.1	38	0.003	0.73	56%	
Br	22	0.00001	0.001	23	0.00001	0.00027	51%	
Ca	0	0	0	72	1.63	67	100%	
CI	10	0.001	0.005	55	0.00064	0.00985	85%	
CO ₃	43	0	0.005	4	0.0059	0.008	9%	
F	10	0.00001	0.0005	57	0.00003	0.00098	85%	
HCO ₃	0	0	0	58	0.0335	0.137	100%	
K	2	2.2	2.6	68	1.4	21	97%	
Li	22	0.004	0.02	40	0.005	0.08	65%	
Mg	3	1	3.08	69	0.29	16	96%	
Na	0	0	0	70	4.9	58	100%	
SiO ₂	0	0	0	68	0.014	0.105	100%	
SO ₄	7	1	50	60	1.05	66	90%	
Sr	2	0.1	0.1	66	0.02	3.5	97%	
Ag	66	0.0002	0.1	1	0.014	0.014	1%	
Al	16	0.1	0.2	42	0.03	2.71	72%	
As	37	0.0002	0.1	23	0.0002	0.013	38%	
Ва	19	0.01	0.12	50	0.01	0.35	72%	
Ве	34	0.001	0.1	2	0.009	0.01	6%	
Cd	63	0	0.03	6	0.001	0.03	9%	
Со	65	0	0.06	4	0.003	0.081	6%	
Cr	40	0	0.03	29	0.001	0.066	42%	
Cs	35	0	0.01	4	0.002	0.008	10%	
Cu	36	0	0.04	33	0.002	0.06	48%	
Fe	27	0.01	0.1	44	0.01	4.17	62%	
Hg	51	0.0002	0.2	5	0.0004	0.2	9%	
I	38	0	0	0	0	0	0%	
Mn	54	0.002	0.05	15	0.001	8.8	22%	

Table D-2.1 (continued)

	Nondetects				Detection		
Analyte	Count	Min	Max	Count	Min	Max	Rate
Мо	46	0	0.1	14	0.001	0.027	23%
Ni	45	0	0.1	6	0.002	0.16	12%
Pb	32	0	0.15	19	0.002	0.46	37%
Ru	30	0.0001	0.1	17	0.0004	0.01	36%
S ₂ O ₃	22	0	0.1	5	0.02	0.03	19%
Sb	50	2e-05	0.1	3	0.00003	0.012	6%
Se	41	2e-05	0.1	0	0	0	0%
Sn	6	0	0.1	3	0.005	0.02	33%
Ti	13	0	0.01	1	0.014	0.014	7%
TI	18	0.001	0.1	1	0.001	0.001	5%
U	20	0.001	1.2	8	0.003	0.04	29%
V	33	0.002	0.1	24	0.001	0.25	42%
Zn	27	0.01	0.5	9	0.01	1.4	25%
NH ₄	34	0	0.1	22	0.002	0.18	39%
NO ₂	20	0.01	0.04	25	0.02	4.32	56%
NO ₃	39	0	0.2	23	0.002	2.76	37%
PO ₄	15	0.02	0.2	29	0.002	0.13	66%

^{*}n/a = Not applicable.

Table D-2.2 Summary of pre-1977 Samples Where Anions Do Not Balance Cations

Data Source	Rock Unit	Location	Sample ID	Standardized Residual
Blake et al. (1995, 49931)	Santa Fe	Guaje Canyon Well #1	G-1	-2.30
EES-6	Bandelier Tuff	LAOI(A)-1.1 @ 322 ft	PP94-113	+3.73
EES-6	Santa Fe	Otowi #1	OT-1	-2.14
Blake et al. (1995, 49931)	Bandelier Tuff	Pine Spring	VA-356	+3.14
Meeker et al. (1990, 54783)	Bandelier Tuff	Seven Springs	VC2B-28	-2.08



Descriptions of Wells and Springs

Figures

Figure E-1.1.	Photograph looking toward the northwest wall of White Rock Canyon showing the location of Spring 9B relative to the local geology.	9
Figure E-1.2.	Photograph of Spring 9B taken May 5, 2000; the temperature is 15°C, and the flow rat is <0.3 L/min	
Figure E-1.3.	Closeup photograph of hydromagmatic (maar) deposits about 5 m below and north of Spring 9B.	11
Figure E-2.1.	Photograph of Pine Spring taken May 4, 2000; the temperature is 21°C, and the spring is not flowing	
Figure E-2.2.	Photograph of weathered, fractured andesite lava exposed in bluff downstream and east of Pine Spring.	13
Figure E-3.1.	Photograph of the largest discharge point at Seven Springs taken April 27, 2000; the temperature is 15°C, and the flow rate is 6 L/min (±10%)	14
Figure E-4.1.	Photograph of Spring 1 taken May 4, 2000; the temperature is 10°C, and the flow rate is approximately 20 L/min.	
Figure E-4.2.	Photograph of bedded sandstone and siltstone in the Santa Fe Group about 20 m above Spring 1. The sediments and overlying rubble of basalt are part of a landslide block from which the spring issues.	16
Figure E-5.1.	Photograph of Upper Cañon de Valle Spring taken on April 29, 2000; the temperature is 15°C, and the flow rate is 0.8 L/min.	17
Figure E-6.1.	Photograph of the entrance to Water Canyon Gallery taken on April 27, 2000	. 18
Figure E-6.2.	Photograph of disconnected discharge pipe from Water Canyon Gallery taken April 27, 2000; the temperature is 14°C, and the flow rate is 120 L/min (±25%)	. 19
Figure E-6.3.	Photograph of vesicular cavities in a flow unit of densely welded Tshirege Member, Bandelier Tuff, about 10 m above the entrance to Water Canyon Gallery	. 20
Figure E-7.1.	Stratigraphy and completion diagram of LAOI(A)-1.1 well	21
Figure E-8.1.	Completion diagram of LAO-B well	. 22
Figure E-12.1.	Photograph of sampling at Spring 6A, taken September 14, 2004.	23
Figure E-13.1.	Photograph of discharge area of Spring 8A, taken April 14, 2004.	. 24
Figure E-14.1.	Photograph of Spring 9 sampling location, taken September 28, 2005.	. 25
Figure E-15.1.	Photograph of Spring 9A sampling location, taken September 28, 2005.	. 26
Figure E-16.1.	Stratigraphy at well PM-2	. 27
Figure E-16.2.	Stratigraphy at well PM-4	. 28

Figure E-16.3.	Stratigraphy at well PM-5	29
Figure E-16.4.	Completion information and stratigraphy for well R-1	30
Figure E-16.5.	Completion information and stratigraphy for well R-13	31
Figure E-16.6.	Completion diagram of well R-18	32
Figure E-16.7.	Completion diagram of well R-21	33
Figure E-16.8.	Stratigraphy at well G-1A	34
Figure E-16.9.	Completion diagram and stratigraphy of well G-2A	35
Figure E-16.10.	Completion diagram and stratigraphy of well G-3A	36
Figure E-16.11.	Completion diagram and stratigraphy of well G-4A	37
Figure E-16.12.	Completion diagram and stratigraphy of well G-5A	38

E-1 SPRING 9B (LAVA AND HYDROMAGMATIC DEPOSITS IN CERROS DEL RIO VOLCANIC FIELD)

Location: White Rock 7.5 min USGS topo quad (latitude N35°45'40.46", longitude W106°14'36.88", elevation 1674 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 9B issues from a small cave eroded into the intersection of a cooling joint and basal scoria at the bottom of a lava flow (Figure E-1.2). The spring occurs on the northwest side of White Rock Canyon, roughly 200 m downstream of the mouth of Chaquehui Canyon. The spring is about 25 m above the Rio Grande. The flow rate is ≤3 L/min. The spring water supports the growth of a wedge of trees and shrubs that fills a shallow ravine descending toward the river (Figure E-1.1).

The geology of White Rock Canyon at this location has been described by Heiken et al. (1996, 054425). From bottom to top, the stratigraphy consists of hydromagmatic (maar) deposits, a sequence of interbedded basalt flows and hydromagmatic deposits, a thick lava flow of benmoreite (a type of chemically evolved basalt), and the Tshirege Member of the Bandelier Tuff (Figures E-1.1 and E-1.3). The mafic deposits beneath the tuff are part of the Cerros del Rio volcanic field.

The lava flow hosting Spring 9B is the lowest exposed lava in this sector of the canyon wall and is a tholeiite dated at 2.78 ± 0.04 Ma. The benmoreite is dated at 2.75 ± 0.08 Ma (WoldeGabriel et al. 1996, 054427) and is an important stratigraphic marker. It consists of at least two flow units of highly foliated lava, locally exceeds 100 m in thickness, and extends into Frijoles Canyon. It is the highest lava flow in the sequence at Upper Falls in Frijoles Canyon. The dates indicate that roughly 215 m of Cerros del Rio deposits was emplaced in <100 ka.

The hydromagmatic beds beneath Spring 9B display classic characteristics of such deposits (Fisher and Schminke 1984, 088744; Heiken et al. 1996, 054425; Figure E-1.3). They consist of massive to cross-bedded sandstone, siltstone, and mudstone composed of basalt and basaltic glass with subordinate quartz, microcline, and crystalline rock grains. The basaltic glass has been altered to a pale-brown-to-yellow palagonite clay. Accretionary lapilli up to 0.5 cm in diameter are found in some of the muddy layers. Basalt bomb sags deform the beds, particularly the mudstone layers. Lithic fragments consist of angular basalt and rounded-to-subrounded cobbles and pebbles of quartzite, microcline, granite, gneiss, and intermediate-composition volcanic rocks. Occasional coarse-grained lenses of the latter rocks are scattered throughout the beds. These lithologies originate from beds in the Santa Fe Group underlying Cerros del Rio deposits.

E-2 PINE SPRING (PUYE FORMATION AND LAVAS OF THE KERES GROUP)

Location: Guaje Mountain 7.5 min USGS topo quad (latitude N35°57'21.95", longitude W106°17'04.52", elevation 2206 m)

Ownership: U.S. Forest Service

Geologic Map: Smith et al. 1970, 009752; Kempter and Kelley 2002, 088777

Description: Pine Spring is located in upper Garcia Canyon on the east side of Forest Service Road 445 at Bench Mark 7216, about 6 km north of Los Alamos. The foundation of a burned log cabin stands in a small clearing on a rise west of the road. The spring is surrounded by a circular crib of cemented stone,

which is breached on the south side and from which grows a ponderosa pine tree (Figure E-2.1). The water is generally murky, and the flow rate rarely exceeds 2 L/min. Other springs occur in the gullies 0.2 to 0.5 km west of the road. The springs are used by livestock and game but are not considered potable for humans.

Pine Spring lies on the down-thrown side of a north-south-trending fault juxtaposing alluvium consisting of boulder-bearing sediments of the Puye Formation (to the west) against mafic-to-intermediate composition lavas and overlying Puye deposits (to the east) (Smith et al. 1970, 009752; Kempter and Kelley 2002, 088777). The Tshirege Member of the Bandelier Tuff covers the mesa tops. Poorly exposed fall deposits of the Cerro Toledo Rhyolite occur between the Puye sediments and the Bandelier Tuff in a gully on the bluff east of the spring.

The lowermost lava in the bluff east of the fault is exposed about 150 m downstream of the spring (Figure E-2.2). It is highly fractured and weathered, and appears to be an olivine andesite. It contains rare phenocrysts of plagioclase and microphenocrysts of iddingsite-bearing olivine in a sugary groundmass of plagioclase, orthopyroxene, and clinopyroxene. Smith et al. (1970, 009752) assigned the andesite to the Lobato Basalt.

E-3 SEVEN SPRINGS (OTOWI MEMBER, BANDELIER TUFF)

Location: Seven Springs 7.5 min USGS topo quad (latitude N35°48'14.05", longitude W106°42'14.0", elevation 2482 m)

Ownership: U.S. Forest Service

Geologic Map: Smith et al. 1970, 009752

Description: Seven Springs discharges from the west side of a narrow valley in Calaveras Canyon, about 400 m upstream of State Highway 126, west of the Valles Caldera on the Jemez Plateau. There are several springs in the immediate vicinity, some discharging from valley alluvium, some from outcrops of densely welded rhyolite tuff. University of New Mexico researchers (C. Dahm, L. Crossey, and M. Campana) have been conducting long-term hydrologic and geochemical measurements nearby. Water from the springs is collected into a 10-in.-diameter pipeline that heads downstream toward the Fish Hatchery on the Rio Cebolla and the small community of Seven Springs.

The Laboratory took samples from the largest spring, which issues from an open crack in a low cliff of welded tuff about 2 m above the valley floor (Figure E-3.1). Flow rates over the past 20 years have varied considerably. On some occasions, spring water literally forms a 1-m-high fountain or "rooster tail" at the crack. Shevenell et al. (1987, 006673) report a flow rate of 60 L/min. During dry periods, the flow is much less. Immediately below the spring, the water flows through a small pool filled with watercress.

The tuff, which is the Otowi Member of the Bandelier Tuff, is quite different in appearance at Seven Springs than on the Pajarito Plateau east of Valles Caldera. At Seven Springs, it is a gray, densely welded, lithic rich, and devitrified ignimbrite, with pale gray fiamme. The tuff has a pronounced horizontal foliation and erodes into hackly plates about 3- to 10-cm wide. Phenocrysts consist of clear quartz, clear sanidine, and tiny dark-green-to-black clinopyroxene. Lithic fragments consist primarily of black andesitic rocks.

The Otowi Member forms a steep slope that rises about 50 m to a cliff formed of the Tshirege Member of the Bandelier Tuff (Smith et al. 1970, 009752). There is no Tsankawi pumice fall deposit at the contact immediately above the springs. Rather, the contact is undulating, suggesting that there was too much relief for fall deposits to remain in place. The basal part of the Tshirege is composed of nonwelded tuff with occasional large pumice fragments (≤20 cm). Lithic fragments consist primarily of black andesitic rocks.

E-4 SPRING 1 (LANDSLIDE BLOCK IN CERROS DEL RIO VOLCANIC FIELD, TOTAVI LENTIL, AND SANTA FE GROUP)

Location: White Rock 7.5 min USGS topo quad (latitude N35°51'32.55", longitude W106°08'34.08",

elevation 1702 m)

Ownership: San Ildefonso Pueblo

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 1 issues from a small bench covered with trees and vegetation about 40 m above the northeast side of the Rio Grande and about 1.5 km downstream of Otowi Bridge. Water flows from several discharge points, creating a marshy area with abundant grasses, and the combined total flow is ≤30 L/m (Figure E-4.1).

The bench from which the spring issues occurs within a landslide complex made up primarily of pale-pink-to-tan bedded pebble conglomerate, sandstone, siltstone, and mudstone of the Santa Fe Group (Figure E-4.2). Lithic fragments consist of quartz, microcline, gneiss, schist, granite, quartzite, and rare volcanics. About 20 m above the spring, the beds dip about 5° to the WNW. At the top of the complex and roughly 100 m to the west is another landslide block in which highly tilted columnar basalt overlies coarse boulder conglomerate of mostly quartzite and crystalline rocks. These lithologies belong to the Cerros del Rio volcanic field and Totavi Lentil.

E-5 UPPER CAÑON DE VALLE SPRING (TSHIREGE MEMBER, BANDELIER TUFF)

Location: Bland 7.5 min USGS topo quad (latitude N35°51'32.38", longitude W106°22'47.09", elevation 2569 m)

Ownership: U.S. Forest Service

Geologic Map: Smith et al. 1970, 009752

Description: Upper Cañon de Valle spring issues about 6 m in front of a collapsed, wood-framed tunnel entrance (Figure E-5.1), about 2.4 km west of State Highway 501. The spring and tunnel are situated on a tiny bench on the north canyon wall, about 20 m above the bottom of upper Cañon de Valle. Measured flow rates of the spring are generally small (≤5 L/m). The horizontal penetration distance of the tunnel into the bedrock is not known.

The tunnel is constructed into pale-tan-to-gray, devitrified, densely welded Tshirege Member of the Bandelier Tuff. At this location, open horizontal and vertical joints break the tuff, forming slabs about 0.2 m thick. Some zones in the tuff contain cream-to-white lithophysal cavities up to 4 cm wide. The tuff is relatively crystal-rich with phenocrysts of clear quartz, chatoyant sanidine, and tiny black clinopyroxene. Lithic fragments are rare. Fiamme appear as white devitrified streaks.

About 50 m downstream of the spring, an outcrop of flow-banded porphyritic dacite (Tschicoma Formation) occurs along the north side of the canyon drainage. Another 200 m downstream is a 50-m-tall spire and an underlying talus pile of similar dacite. Thus, it appears that the Tshirege Member fills preexisting topography near the spring and that the thickness of tuff is not uniform.

E-6 WATER CANYON GALLERY (TSHIREGE MEMBER, BANDELIER TUFF)

Location: Frijoles 7.5 min USGS topo quad (latitude N35°50'39", longitude W106°22'19", elevation 2439 m)

Ownership: The U.S. Forest Service with water rights granted to the U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Goff et al. 2002, 088776

Description: Water Canyon Gallery is an improved spring occurring in the north branch of uppermost Water Canyon, about 1.3 km west of State Highway 501 and just west of the Pajarito Plateau. The spring issues from a horizontal tunnel about 1.3 m high and roughly 35 m long extending into a cliff of densely welded rhyolite tuff. Stone blocks flank the mouth of the tunnel, and the tunnel entrance is built at the top of a talus pile of tuff (Figure E-6.1). Water is collected in a 10-in.-diameter pipe inside the tunnel, and the pipe follows the canyon downhill. About 200 m southeast of the gallery, the pipe is disconnected, and spring water empties into the canyon bottom drainage (Figure E-6.2). The Laboratory's TA-16 used the water previously. Flow rates during the last 20 yr have varied from 50 to at least 200 L/min. (The 1989 annual average was 166 L/min [Stoker et al. 1992, 012017]; the annual average was 65 L/min [Purtymun et al. 1993, 015371]).

The tuff at the gallery consists of dark gray, densely welded, devitrified ignimbrite of the Tshirege Member of the Bandelier Tuff. The tuff at the gallery mouth is massive, with broadly spaced vertical cooling joints and other open cracks. About 10 m above the spring is a discontinuous, up to 1-m-wide zone of open, horizontally flattened cavities resembling large vesicles (Figure E-6.3). These cavities may mark a flow unit boundary within Qbt4. No surge beds were found in the tuff immediately near the gallery. Above the zone of cavities, the tuff displays horizontal jointing.

Phenocrysts in the tuff consist of clear quartz and sanidine, the latter displaying chatoyancy. Tiny clinopyroxene phenocrysts are oxidized to orange iron (oxy)hydroxides. The tuff contains conspicuous fiamme but extremely rare lithic fragments.

E-7 LAOI(A)-1.1 WELL (GUAJE PUMICE BED, OTOWI MEMBER, BANDELIER TUFF)

Location: Guaje Mountain 7.5 min USGS topo quad (latitude N35° 52' 31.6", longitude W106°17' 13.5", elevation 2084 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Kempter and Kelley 2002, 088777

Total Drilled Depth: 98.5 m

Description: Well LAOI(A)-1.1 is an observation well that was drilled in upper Los Alamos Canyon in 1994. It contains a 3-in.-diameter, schedule-80 PVC casing and is screened to accept water from a perched zone in the Guaje Pumice Bed at the base of the Otowi Member of the Bandelier Tuff (Figure E-7.1). The Guaje Pumice Bed is about 6.7 m thick at this location. The well actually penetrated the top of the Puye Formation at 96-m depth, but the hole in the Puye section collapsed. Three wellbore volumes, or about 55 gal. of water, are withdrawn before each sampling round, using nitrogen gas and a bladder pump. Most water originates from an approximate depth of 94.5 m.

E-8 LAO-B WELL (VALLEY-FILL ALLUVIUM OF TSCHICOMA FORMATION AND TSHIREGE MEMBER, BANDELIER TUFF)

Location: Guaje Mountain 7.5 min USGS topo quad (latitude N35°52' 43.8", longitude W106°20' 7.1", elevation 2233 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Kempter and Kelley 2002, 088777

Total Drilled Depth: 5.61 m

Description: Well LAO-B is an observation well drilled into valley-fill alluvium in upper Los Alamos Canyon. The casing diameter is about 4 in. (Figure E-8.1). Rocks penetrated consist of boulders, cobbles, and pebbles of porphyritic dacitic rocks of the Tschicoma Formation and nonwelded-to-welded rhyolitic tuff of the Tshirege Member of the Bandelier Tuff in a volcanic sand-to-silt matrix. Three wellbore volumes, or about 40 gal. of water, are withdrawn before each sampling round, using an air compressor and bladder pump. The groundwater originates from the bottom of the well.

E.9 ANCHO SPRING (TOTAVI LENTIL)

Location: White Rock 7.5 min USGS topo quad (latitude N35°46'41", longitude W106°14'26", elevation 1737 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843)

Description: Ancho Spring is located approximately 400 m above the mouth of Ancho Canyon, within that canyon. It occurs within gravels below basalt in the canyon channel at elevation 1737 m, and it discharges at approximately 8 L/m from the Totavi Lentil. No photograph was available for this spring.

E.10 SPRING 5B (TESUQUE FORMATION, COARSE GRAINED)

Location: White Rock 7.5 min USGS topo quad (latitude N35°46'35", longitude W106°12'52", elevation 1646 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 5B is located approximately 800 m north of the mouth of Ancho Canyon, on the north side of White Rock Canyon between Ancho and Water Canyons. The spring occurs on a steep slope at the edge of the river, at elevation 1646 m, and it discharges at approximately 15 L/m from the Tesuque Formation. No photograph was available for this spring.

E.11 SPRING 6 (TESUQUE FORMATION, COARSE GRAINED)

Location: White Rock 7.5 min USGS topo quad (latitude N35°46'02", longitude W106°13'36", elevation 1640 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 6 is located approximately 200 m south of the mouth of Ancho Canyon, on the north side of White Rock Canyon, above the river. The spring occurs in fractures in the basalt at the edge of the river, at elevation 1640 m, and discharges at approximately 20 L/m from the Tesuque Formation. No photograph was available for Spring 6.

E.12 SPRING 6A (TESUQUE FORMATION, COARSE GRAINED)

Location: White Rock 7.5 min USGS topo quad (latitude N35°46'01", longitude W106°13'41", elevation 1638 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 6A (Figure E-12.1) is located between Ancho and Chaquehui Canyons, on the north side of White Rock Canyon, above the river. It is located approximately 1 km WSW of Ancho Canyon. The spring occurs in fractures in the basalt at river level, at elevation 1638 m, and it discharges at approximately 18 L/m from the Tesuque Formation.

E.13 SPRING 8A (LAVA AND HYDROMAGMATIC DEPOSITS IN CERROS DEL RIO VOLCANIC FIELD-QLS LANDSLIDE DEPOSITS)

Location: White Rock 7.5 min USGS topo quad (latitude N35°45'59", longitude W106°13'55", elevation 1682 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 8A (Figure E-13.1) is located northeast of Spring 9. The spring occurs on the northwest side of White Rock Canyon as a seep area on the canyon wall above the river, approximately 800 m northeast of the mouth of Chaquehui Canyon, at elevation 1682 m, and it discharges at approximately 4 L/m.

E.14 SPRING 9 (TESUQUE FORMATION)

Location: White Rock 7.5 min USGS topo quad (latitude N35°45'53", longitude W106°14'21", elevation 1674 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 9 (Figure E-14.1) is located northeast of Spring 9A. The spring occurs on the northwest side of White Rock Canyon as a large seep area above the river, approximately 400 m northeast of the mouth of Chaquehui Canyon, at elevation 1674 m, and it discharges at approximately 8 L/m.

E.15 SPRING 9A (TESUQUE FORMATION)

Location: White Rock 7.5 min USGS topo quad (latitude N35°45'51", longitude W106°14'27", elevation 1674 m)

Ownership: U.S. Department of Energy

Geologic Map: Smith et al. 1970, 009752; Dethier 1997, 049843

Description: Spring 9A (Figure E-15.1) is located southwest of Spring 9. The spring occurs on the northwest side of White Rock Canyon as a seep area on the canyon wall above the river, approximately 160 m northeast of the mouth of Chaquehui Canyon, at elevation 1674 m. The spring discharges at approximately 12 L/m.

E.16 BARBARA SPRING (TSCHICOMA FORMATION CONTACT WITH BANDELIER TUFF)

Location: Frijoles 7.5 min USGS topo quad (latitude N35°49'36", longitude W106°21'21", Elevation 2357m)

Ownership: U.S. Department of Interior

Geologic Map: Smith et al. 1970, 009752

Description: Barbara Spring is a newly-identified spring located in Frijoles Canyon about 3.4 miles west-southwest of the Laboratory boundary. It discharges from a location near the contact of the Bandelier Tuff and Tschicoma Formation (Smith et al. 1970, 009752). It has three southwest-sloping discharge points at an elevation of 2357 m, and it discharges from a perched-intermediate groundwater zone. No photograph of this spring was available.

E.17 CAMPSITE SPRING (TSCHICOMA FORMATION)

Location: Valle Toledo 7.5 min USGS topo quad (latitude N35°56'17", longitude W106°22'55", elevation 2622 m)

Ownership: U.S. Forest Service

Geologic Map: Smith et al. 1970, 009752

Description: Campsite Spring is a newly-identified spring located in Guaje Canyon about 5.3 miles northwest of the Laboratory boundary. It discharges from the Tschicoma Formation (perched-intermediate groundwater zone) (Smith et al. 1970, 009752). It has a southward-sloping discharge with three discharge points about 20 ft above a channel at an elevation of 2622 m. No photograph of this spring was available.




Figure E-1.1. Photograph looking toward the northwest wall of White Rock Canyon showing the location of Spring 9B relative to the local geology. The spring issues from the approximate contact of basaltic hydromagmatic (maar) deposits and an overlying basalt flow. At least two more basalt lavas are interbedded with thin intervals of maar deposits (symbol B/M, located on uppermost basalt). The lava sequence is capped by a thick benmoreite flow (Ben).



Figure E-1.2. Photograph of Spring 9B taken May 5, 2000; the temperature is 15°C, and the flow rate is <0.3 L/min. A hammer straddles the contact between the basal lava breccia and the underlying hydromagmatic deposits.



Figure E-1.3. Closeup photograph of hydromagmatic (maar) deposits about 5 m below and north of Spring 9B. Note large bomb sag (to the left of the hammer) in cross-bedded sandstone to mudstone, caused by the impact of the basalt bomb.



Figure E-2.1. Photograph of Pine Spring taken May 4, 2000; the temperature is 21°C, and the spring is not flowing



Figure E-2.2. Photograph of weathered, fractured andesite lava exposed in bluff downstream and east of Pine Spring.



Figure E-3.1. Photograph of the largest discharge point at Seven Springs taken April 27, 2000; the temperature is 15°C, and the flow rate is 6 L/min (±10%). The water issues from a vertical crack in a horizontally foliated and welded Otowi Member of the Bandelier Tuff.



Figure E-4.1. Photograph of Spring 1 taken May 4, 2000; the temperature is 10°C, and the flow rate is approximately 20 L/min.



Figure E-4.2. Photograph of bedded sandstone and siltstone in the Santa Fe Group about 20 m above Spring 1. The sediments and overlying rubble of basalt are part of a landslide block from which the spring issues.




Figure E-5.1. Photograph of Upper Cañon de Valle Spring taken on April 29, 2000; the temperature is 15°C, and the flow rate is 0.8 L/min.




Figure E-6.1. Photograph of the entrance to Water Canyon Gallery taken on April 27, 2000.



Figure E-6.2. Photograph of disconnected discharge pipe from Water Canyon Gallery taken April 27, 2000; the temperature is 14°C, and the flow rate is 120 L/min (±25%).



Figure E-6.3. Photograph of vesicular cavities in a flow unit of densely welded Tshirege Member, Bandelier Tuff, about 10 m above the entrance to Water Canyon Gallery.




Figure E-7.1. Stratigraphy and completion diagram of LAOI(A)-1.1 well




Figure E-8.1. Completion diagram of LAO-B well



Figure E-12.1. Photograph of sampling at Spring 6A, taken September 14, 2004.




Figure E-13.1. Photograph of discharge area of Spring 8A, taken April 14, 2004.



Figure E-14.1. Photograph of Spring 9 sampling location, taken September 28, 2005.



Figure E-15.1. Photograph of Spring 9A sampling location, taken September 28, 2005.

The following section shows figures that illustrate the stratigraphy for wells PM-2, PM-4, PM-5, G-1A, G-2A, G-3A, G-4A, G-5A, R-1, R-13, R-18, and R-21. Brief well descriptions are included in Section 3.3.2, and elevation and location data are provided in Table 3.1-2 of this report. The reader also is referred to Collins et al. (2005, 088767) for further information in the R series wells.




Figure E-16.1. Stratigraphy at well PM-2




Figure E-16.2. Stratigraphy at well PM-4




Figure E-16.3. Stratigraphy at well PM-5




Figure E-16.4. Completion information and stratigraphy for well R-1




Figure E-16.5. Completion information and stratigraphy for well R-13





Figure E-16.6. Completion diagram of well R-18



- 8. Pump discharge connection consists of 1-in stainless steel female pipe thread fitting
- 9 Drawing is not to scale
- 10 Lost tremie pipe lengths and locations are interpreted based on video log and field observations Lengths are dashed where inferred

Figure E-16.7. Completion diagram of well R-21




Figure E-16.8. Stratigraphy at well G-1A




Figure E-16.9. Completion diagram and stratigraphy of well G-2A




Figure E-16.10. Completion diagram and stratigraphy of well G-3A




Figure E-16.11. Completion diagram and stratigraphy of well G-4A




Figure E-16.12. Completion diagram and stratigraphy of well G-5A



Data Collection, Analysis, and Interlaboratory Comparison Data in Rev. 0 and Rev. 1

CONTENTS

F-1	SCOP	E OF ACTIV	TITIES AND METHODS	1	
	F-1.1	Data-Qualit	y Objectives	1	
		F-1.1.1 Pro	oblem Definition	1	
		F-1.1.2 Da	ıta Evaluation Criteria	2	
		F-1.1.3 Da	ita Inputs	2	
		F-1.1.4 Sp	atial and Temporal Boundaries	3	
		F-1.1.5 Da	ıta Assessment	3	
		F-1.1.6 De	sign Optimization	4	
	F-1.2	2 Field and Laboratory Analytical Methods			
			eld Methods		
		F-1.2.2 An	alytical Methods	6	
		F-1.2.3 An	alytes of Interest	7	
	F-1.3	Scope of G	roundwater Background Investigations in Time and Space	8	
		F-1.3.1 Sp	rings within the Recharge Zone	8	
		F-1.3.2 Sa	mpling Stations on the Pajarito Plateau	8	
		F-1.3.3 Sa	mpling Stations within the Discharge Zone	9	
F-2	RESU	LTS		9	
	F-2.1				
		F-2.1.1 Re	esults of Data Validation	10	
	F-2.2		nalyses of 1997 to 2000 Groundwater Data		
			atistical Methods and Results		
	F-2.3	Summary o	f Interlaboratory Comparison of Stable Isotopes, Tritium, and Uranium	21	
		F-2.3.1 An	alytical Comparisons, Stable Isotopes	21	
			alytical Comparisons: Tritium Analyses Performed by the University of Mia d Teledyne		
		F-2.3.3 An	alytical Comparisons: Uranium Analyses Performed by Paragon Analytics, d General Engineering Laboratories	, Inc.,	
			S-6 Screening Analyses for Inorganic Analytes		
			mmary for Stable Isotopes and Tritium		
F-3	STAN	DARD OPER	RATING PROCEDURES	25	
. •			y ICP Atomic Emission Spectroscopy		
		2 Elements by Graphite Furnace Atomic Absorption Spectroscopy			
			ements by Gaseous Hydride Atomic Absorption Spectroscopy		
	F-3.4		Atomic Absorption Spectroscopy		
	F-3.5				
		-	nductance		
	F-3.7	•	itography		
	F-3.8		re Electrode Measurements		
E_1	EEG /		ON ANALYTICS INC COMPARISONS	20	

Figures

Figure F-2.2-1.	Comparison of field replicate (dup.) samples ("plus" symbols are nonfiltered samples, and squares are filtered samples)	32
Figure F-2.2-2.	Comparison of water chemistry results for analytical laboratories and methods ("plus" symbols are nonfiltered samples, and squares are filtered samples)	
Figure F-2.3-1.	Comparison of archived stable isotope data with University of Western Michigan 1997 data	
Figure F-2.3-2.	Laboratory comparison of sample splits from Dixie Valley, Nevada (Goff et al. 2002, 88776)	39
Figure F-2.3-3.	Comparative stable isotope results from Los Alamos National Laboratory internal standard	40
Figure F-2.3-4.	Comparison of primary and duplicate water samples analyzed for tritium by the University of Miami, Los Alamos National Laboratory background sites, 1997–1998	40
Figure F-2.3-5.	Comparison of tritium results reported by the University of Miami and Teledyne for Los Alamos National Laboratory background groundwater samples collected from April through October, 1998	41
Figure F-2.3-6.	Comparison of tritium results reported by the University of Miami and Teledyne for Apache Spring; (left to right) groundwater samples were collected during May 7, 1997; August 6, 1997; August 6, 1997 (dup.); February 9, 1998; and July 1, 1998	41
Figure F-2.3-7.	Comparison of tritium results reported by the University of Miami and Teledyne for LAO-B well; (left to right) groundwater samples collected during May 14, 1997; August 1, 1997 (dup.); February 24, 1998; and October 2, 1998	42
Figure F-2.3-8.	Comparison of tritium results reported by the University of Miami and Teledyne for Spring 9B; (left to right) groundwater samples collected during April 22, 1997; August 18, 1997; February 3, 1998; and September 23, 1998; and January 7, 2000	42
Figure F-2.3-9.	Comparison of dissolved uranium analyzed by laser-induced kinetic phosphorimetric analysis and inductively coupled plasma mass spectrometry for Laboratory background sampling stations, December 1999 and January 2000	43
Figure F-4-1.	Comparison of trace element chemistries reported by EES-6 and NMED for Apache Spring (Tschicoma Formation) sampled in February 1998	44
Figure F-4-2.	Comparison of major ion chemistries reported by EES-6 and Paragon Analytics, Inc., for well LAO-B (alluvium) in February and October 1998	44
Figure F-4-3.	Comparison of major ion chemistries and total dissolved solids reported by EES-6 and NMED for Apache Spring (Tschicoma Formation) sampled in February 1998	45
Figure F-4-4.	Comparison of major ion chemistry (dissolved) reported by EES-6 and Paragon Analytics, Inc., for Doe Spring (basalt) sampled in February and September 1998	

Tables

Data Input Requirements for Laboratory Background Hydrogeochemistry	
Investigation	. 47
Names and General Locations of Background Sample Stations	. 47
Field Parameters and Analytes for LANL Background Hydrogeochemistry	
Investigation	. 52
Analytical Methods Used by Contract Laboratories	. 52
	. 54
Student's T-test Comparison of Means of Selected Analytes between Aquifer Types	. 55
Reporting Limits Provided by EES-6 and Paragon Analytics, Inc.	. 56
Alluvial Groundwater Filtered Samples at Half-Detection Limit, Post-1997,	
R-Qualifiers Not Included	. 58
Alluvial Groundwater Nonfiltered Samples at Half-Detection Limit, Post-1997,	
R-Qualifiers Not Included	. 62
Perched Intermediate Groundwater Filtered Samples at One-Half Detection Limit,	
Post-1997, R-Qualifiers Not Included	. 66
Perched Intermediate Groundwater Nonfiltered Samples at One-Half Detection Limit	
	. 70
Regional Aquifer Filtered Samples at One-Half Detection Limit, Post-1997,	
R-Qualifiers Not Included	. 74
Regional Aquifer Nonfiltered Samples at One-Half Detection Limit, Post-1997,	
R-Qualifiers Not Included	. 78
Background Perchlorate Concentration in the Pajarito Plateau Groundwaters	
(NMED 2004, 88768)	. 82
	Investigation

F-1 SCOPE OF ACTIVITIES AND METHODS

The following text is a direct quote of revision 1 of this report, Section 3.0, with the exception that sections, figures, and tables have been renumbered to fit the appendix format and Section 4.4 (original), "Chemical Effects of the Cerro Grande fire," was retained and updated in the main body of this report (Section 4.5).

F-1.1 Data-Quality Objectives

Before conducting this investigation, the Laboratory used EPA data-quality objective (DQO) process (EPA 1987, 57589; 1992, 54947; and 1994, 48639), a strategic planning approach for a data collection activity. By using the DQO process, the Laboratory has ensured that the type, quantity, and quality of background hydrogeochemical data and information used in the decision-making process will be appropriate to meet the objective of determining natural background concentrations of inorganic and organic solutes and radionuclides in groundwater.

The DQO process used in this investigation consisted of seven steps, which are described below. The output from each step influences the choices that will be made in the next steps of the DQO process. This process is iterative; therefore, the outputs from one step may lead to reconsideration of previous steps. The DQO process consists of the following: (1) problem definition, (2) data evaluation or decision criteria, (3) data input for the different aquifer types, (4) spatial and temporal boundaries for sample stations, (5) decision rules, (6) uncertainty (statistical testing), and (7) design optimization.

F-1.1.1 Problem Definition

Adequate data to represent the distribution of solutes and total (suspended and dissolved fractions) concentrations in groundwater that represent background (or pre-Laboratory-induced) conditions are generally lacking before 1997. The ability to distinguish between natural and Laboratory-impacted conditions is essential for assessing data collected during site investigations, establishing cleanup levels, and understanding hydrologic and geochemical processes.

Although the Laboratory, U.S. Geological Survey (USGS), DOE, University of New Mexico, and consulting companies have published hydrogeochemical data collected before 1997, there are problems with using these data to represent background groundwater conditions because of issues with consistency. For example, many of the groundwater samples collected by the Laboratory were not filtered before analyses. Subsequently, analytical accuracy and precision vary from sample to sample, depending on the amount of suspended solids.

In 1997, groundwater-quality databases were reviewed in terms of sample collection and preservation, chemistry, hydrogeology, time of sample collection, and completeness and accuracy of reported analytical results. From this evaluation, both analytical and data gaps were identified. Different sample preparation and analytical techniques had been used. Thus, groundwater-quality data collected under different Laboratory programs generally were not directly comparable. Background subsurface databases provided for the former Environmental Restoration (ER) Project before 1997 were generally internally consistent in terms of sample collection, filtering, field preservation, selection of analytes, analytical methods, and precision and accuracy.

Analyses of the pre-1997 groundwater background data considered issues relating to data quality and exploratory data analysis of various sample locations. Only filtered data were evaluated because nonfiltered samples are known to have a positive bias for inorganic chemicals typically found in

suspended sediments. High-quality data for major ions are evidenced in the pre-1997 data by the close agreement in the calculated charge balance of anions and cations. In addition, variability of the measurement process through laboratory duplicate samples was measured at $\pm 20\%$, excluding one measurement. The analysis of the pre-1997 samples showed variability between aquifer types (alluvial, perched intermediate, and the regional aquifer) with concentrations of bicarbonate and TDS being greatest in groundwater samples collected from the regional aquifer (Santa Fe Group and Puye Formation). However, the nonuniform sample intervals and timing of sampling events between locations hinder the use of the pre-1997 data as possible background sample locations. Appendix D provides additional information on geochemical and statistical analyses using the pre-1997 hydrogeochemical data.

Numerous nonfiltered groundwater samples have been collected and analyzed for inorganic chemicals and radionuclides. Analytical results for these samples are not useful because the nonfiltered samples contained suspended particles. When the turbid water samples are acidified with nitric acid at a pH of 2, suspended particles consisting of clay minerals, ferric (oxy)hydroxide, manganese oxide, calcium carbonate, and feldspar partially or completely dissolve. This dissolution results in elevated concentrations of major ions (calcium, magnesium, potassium, and sodium) and trace elements (aluminum, iron, barium, beryllium, manganese, and uranium), which produce false positives in analytical results.

Because of the limited number of background wells completed in the alluvium, Bandelier Tuff, Cerros del Rio basalt, and Puye Formation, background hydrogeochemical data available up to 1997 do not include the full range of natural concentrations for all analytes of environmental concern. Before 1994, very limited background hydrogeochemical data were available for alluvial (well LAO-B) and perched intermediate aquifers (well LAOI(A)-1.1 and well R-7 [screen #1]). Limited hydrogeochemical data (filtered samples) were collected from selected springs that discharge from the Cerros del Rio basalt (Spring 9B) and hydro (phreatic)-magmatic deposits (Doe Spring) within White Rock Canyon.

For the above reasons, the decision was made in 1997 to establish new background hydrogeochemical data sets using wells and springs that are representative of various groundwater bodies along flow paths beneath the Pajarito Plateau.

F-1.1.2 Data Evaluation Criteria

If analytical results for both filtered and nonfiltered groundwater samples, with turbidity values of less than five nephalometric turbidity units (NTUs), are considered to be free from the influence of well installation and meet data assessment criteria, then those groundwater data obtained from specified background locations will be considered representative of background conditions. The Laboratory uses quantitative and qualitative approaches to data evaluation, which are supported by statistical analyses and geochemical evaluation. Statistical analyses include mean, maximum, minimum, standard deviation, Student's T-tests normal quantile plots, and box plots. Geochemical evaluation of the background data includes comparing cation-anion distributions; determining the presence or absence of tritium in relation to recharge and discharge zones; observing the absence of specific Laboratory-derived contaminants, including chlorate, perchlorate, and nitrate; evaluating trace-element geochemistry; and measuring stable isotope ratios of hydrogen, nitrogen, and oxygen.

F-1.1.3 Data Inputs

The hydrogeologic conceptual model for groundwater beneath the Pajarito Plateau (see Section 2.1.5) indicates that groundwater occurs in three modes: alluvial, perched intermediate, and the regional aquifer.

The groundwater chemistry within each mode varies because of differences in aquifer mineralogy (reactive phases controlling water composition), hydrogeochemical processes, including adsorption/desorption and mineral precipitation/dissolution reactions, source(s) of water, and residence time of groundwater and solutes (Section 2.2). Variations in groundwater temperature are also observed among the three aquifer types, where increasing temperature is observed with depth. Therefore, establishing background conditions requires the data inputs for each mode of groundwater provided in Table F-1.1-1. Names and locations of background stations are provided in Table F-1.1-2.

F-1.1.4 Spatial and Temporal Boundaries

Available groundwater-quality data were compiled, and the following specific criteria were applied to identify groundwater beneath the Pajarito Plateau that is not affected by Laboratory operations:

- Greater than 60 yr old, based on the activity of tritium, except for alluvial groundwater upgradient
 of the Laboratory and springs discharging within Sierra de los Valles or within other recharge
 zones
- Located hydrologically upgradient of the Laboratory or downgradient in areas not containing Laboratory-derived contaminants
- Generally known mode of groundwater occurrence (alluvial groundwater, perched intermediate zones, and regional aquifer)

Groundwater quality at two alluvial sampling stations (Pine Spring and well LAO-B) may vary seasonally, particularly during seasons with greater precipitation that provide input to the hydrologic system. Hydrogeochemical data consist of verified analytical results from both filtered and nonfiltered samples collected quarterly over a period of 1 to 1.5 yr (six rounds of sampling). Evaluation of the historical water-quality data suggests that the variability of major ions and trace solutes was greatest in alluvial groundwater because of chemical variability over time with recent recharge from surface water.

F-1.1.5 Data Assessment

For this study, all analytical results in the data set were used to calculate statistical results and develop box plots. (In other words, no data were excluded from statistics as being outliers.) The data were assessed using the criteria below.

If analytical results for groundwater samples collected from a single mode of groundwater occurrence meet the data assessment criteria, then these data were included in statistical analyses to establish background distributions for each analyte for that mode of groundwater occurrence.

Steps in the data assessment are as follows.

- Evaluate the sample analytical results for each analyte to determine the overall variability and to verify the hypothesized differences between water sources (alluvial, perched intermediate, and regional aquifer) (Appendix C).
- Assess variability. Variability from laboratory analyses should be small compared with temporal/spatial variability of groundwater samples; a target value should have less than 25% relative standard deviations from laboratory duplicates.

F-1.1.6 Design Optimization

Because groundwater sample locations for background must be defined (i.e., locations must be credible upgradient or in unimpacted areas), a statistical design optimization is not practical. Rather, the available locations were evaluated and selected using expert judgment to encompass geographic and hydrological variation.

Based on the spatial boundary criteria listed in Section 3.1.4, the 12 sampling stations represent locations whose groundwater is hypothesized to be unaffected by Laboratory operations (Table F-1.1-2). Information on the geologic and hydrologic system at the Laboratory (see Section 2.0) was used to categorize background sampling sites as part of an alluvial system, an intermediate-depth perched system, or a deep regional system (Table F-1.1-2). Different criteria were used for the assignment of waters from these sites, depending on whether they came from wells or springs.

Classification of groundwater was based on (1) well depth, (2) hydrogeologic units penetrated, (3) depth to the zone of saturation sampled and observed, or (4) the projected position of the regional water table at that location. Groundwater collected from well LAO-B was considered to be perched in the alluvium because it was the only well penetrating the alluvium upgradient of the Laboratory boundary. Water from well LAOI(A)-1.1 (Guaje Pumice Bed) was assigned to the intermediate-depth perched system because the saturated zone from which it came lies above the projected position of the regional water table. Groundwater samples collected from supply wells Otowi-4 and Guaje-5 were classified as regional groundwater because those wells are only screened in the deep groundwater system.

Classification of spring waters is more difficult because of a lack of subsurface data and information. Several criteria were applied in classification: position relative to the regional water table, geologic material at the spring outlet, hydrologic conditions in the area, height relative to the Rio Grande, and water chemistry. Several springs are within recharge boundaries in the Sierra de los Valles (Water Canyon Gallery, Pine Spring [alluvium], Apache Spring, and upper Cañon de Valle Spring). This hydrologic setting indicates that these groundwaters had relatively short travel or residence times within the volcanic rocks and alluvium. Several springs in White Rock Canyon discharge from the Cerros del Rio basalt (Spring 9B) and from hydromagmatic deposits (Doe Spring) and were assigned to the regional aquifer. Some spring waters discharging from elevations slightly above that of the Rio Grande were also assigned to the regional groundwater system. These springs occur in an area of known artesian conditions and had low tritium activity, suggesting that they have had a long travel time (e.g., Spring 1).

Although the position of the groundwater divide west of the Laboratory is uncertain, Seven Springs clearly lies west of the divide. Nonetheless, it is included here because it discharges from the Bandelier Tuff and its major ion chemistry is similar to that of well LAOI(A)-1.1.

The sampling design included an analysis of groundwater samples to characterize both inorganic constituents and radionuclides. Primary inorganic constituents of concern (anions) found in groundwater at the Laboratory include nitrate, chloride, perchlorate, sulfate, and fluoride. Radionuclides observed in groundwater at the Laboratory consist mainly of tritium, strontium-90, cesium-137, uranium-234, uranium-235, uranium-238, plutonium-238, plutonium-239/240, and americium-241. Background level distributions of these anions and radionuclides were determined by sampling:

- Springs that discharge east, west, and north of the Laboratory boundary and east of the Rio Grande
- Upgradient characterization/monitoring wells installed by the former ER Project

- Supply wells, characterization wells, and springs that contain concentrations of anions less than those observed in contaminated groundwater
- Supply wells, characterization wells, and springs downgradient of Laboratory releases that
 contain concentrations of tritium less than 1 pCi/L and/or activities of fallout-derived radionuclides
 (strontium-90, cesium-137, plutonium-238, plutonium-239/240, and americium-241) less than
 detection, except for naturally occurring uranium isotopes.

F-1.2 Field and Laboratory Analytical Methods

Over the course of this investigation, both the field instrumentation used and the types of groundwater samples collected for chemical analyses varied. From 1997 to 2000, six sampling rounds were completed. Results of field measurements taken at the sampling stations are provided in Table F-1.2-1. Most of the groundwater samples were collected in 1997, 1998, and 2000; only a few additional samples were collected in late 1999. During 1998 and early 2000, supply well Guaje-5 was not available for sampling because the well was taken off-line for pump repair; in 2000, supply well Otowi-4 was not available for sampling for the same reason. The following laboratories collected groundwater samples for chemical and radiochemical analyses:

- Los Alamos National Laboratory's Earth and Environmental Sciences-6 (EES-6) geochemistry laboratory for general aqueous geochemistry (1997 through early 2000, five sampling rounds)
- University of Miami (UM) for low-level tritium analyses (1997 through 2000, six sampling rounds)
- Teledyne for tritium analyses (1998, two sampling rounds)
- Paragon Analytics, Inc., for radionuclides using both different analytes and different methods (1997 through 1998, three sampling rounds) and general aqueous geochemistry analyses (1998 through 2000, four sampling rounds)
- Huffman Laboratory for DOC fractionation analyses (1997 through 1998, three sampling rounds)
- Western Michigan University (WMU) for stable isotope analyses of δD and $\delta^{18}O$ (1997 through 1998, four sampling rounds)
- Geochron Laboratory for stable isotope analyses of δD and $\delta^{18}O$ (1999 through 2000, two sampling rounds)
- General Engineering Laboratories (GEL) for selected trace elements (1999 through 2000, two sampling rounds)
- Coastal Sciences Laboratory for δ¹⁵N isotopes (late 1998 to 2000, two sampling rounds)

F-1.2.1 Field Methods

In general, most groundwater samples were collected in plastic bottles. Samples collected for stable isotope and DOC fractionation analyses were collected in clear and brown glass bottles, respectively. Samples for DOC fractionation were filtered through 0.45-µm silver filters to inhibit microbial degradation of organic carbon. Other filtered samples were processed using 0.45µm acetate filter membranes. Before 1998, a hand-operated vacuum pump was used to filter groundwater samples. The samples were filtered on-site immediately following collection or within 6 h of the collection time. In 1998 and subsequent sampling rounds, the field team used a battery-operated vacuum pump to filter the water. A sample duplicate was collected in the field for every five primary samples. The field duplicate samples were separate aliquots collected during the same sampling event for a location. Total carbonate alkalinity was determined in the laboratory using standard titration techniques within 48 h of sample collection.

Groundwater samples were preserved either with ice at 4° C or by using concentrated HNO₃ or concentrated H₂SO₄. The pH of acidified samples (metals, nitrogen isotopes, nitrate plus nitrite, and radionuclides excluding tritium) was lowered by the dropwise addition of acid to a pH of <2. Care was taken to avoid the trapping of air in the nonacidified samples.

The field parameters recorded for each of the 15 sampling stations included pH, temperature (°C), specific conductance (μ S/cm), and NTU. Appendix A provides the field-measured parameters taken at each sampling station and the sampling dates. In 1997, a Horiba meter was used to determine pH, conductivity, and turbidity. The meter was calibrated daily, according to manufacturer specifications, using Autocal solution. Temperatures were measured using a Fluke 52 K/J thermometer and probe.

After 1997 the field instrumentation changed. For the remainder of the investigation, an Orion temperature-compensated pH meter was used for temperature and pH. The meter was calibrated daily using three buffer solutions (pH = 4.01, 7.00, and 10.01). Specific conductance was measured with two Hanna temperature-compensated conductivity meters. The meters were calibrated at the beginning of the field season. The calibration was rechecked, and if necessary, corrected during the field season if discrepancies between the two meters occurred. Turbidity was measured with a Hach turbidmeter calibrated at the beginning of the field season. Over the course of the study, pH for a few samples was measured using limited-range pH indicator strips.

The Orion meter had a resolution of 0.01, and accuracy was reported as ± 0.01 for pH. Temperature resolution and accuracy were 0.1°C and ± 1.0 °C, respectively. The Hanna conductivity meters had a resolution of 10 μ S/cm, and accuracy was reported as ± 40 μ S/cm. The Hach turbidmeter had a resolution of 0.1 NTU below 100 NTU and an accuracy of $\leq 5\%$ of the reading or ± 0.1 NTU, whichever was greater.

Water samples at springs were generally collected through a funnel-tubing system that allowed for minimal disturbance of the bottom sediments. The funnel was placed in the spring, and the tubing was extended downhill. Sufficient time was allotted to allow the bottom sediments in the spring to settle and for the apparatus to be rinsed. The sample water was then collected from the end of the tubing. In some locations the spring consists of a deep basin with a seep-like outflow. These waters were collected by dipping a beaker into the pool, or in later samples, by pumping the water directly from the spring to the sample container. Except for turbidity measurements with the Hach meter, field parameters were collected by placing the individual meters directly into the pool of spring water. Samples collected for turbidity measurements using the Hach meter were dipped from the pool of water and were placed into a sample measurement cell.

Groundwater samples collected from supply wells Guaje-5 and Otowi-4 were collected from a spigot or from tubing connected in line with the pump. Groundwater pumped from the supply wells was collected after running the water for 5 min. Groundwater from wells LAO-B and LAOI(A)-1.1 was collected after removing at least three well volumes of groundwater to determine the field parameters had stabilized. At these wells, the field parameters were measured at 5-gal. intervals. Field parameters for all the wells were measured in a bucket filled with the well water.

F-1.2.2 Analytical Methods

Paragon Analytics, **Inc.**, also analyzed groundwater samples collected as part of this investigation. Paragon used standard techniques specified by USGS (USGS 1989, 88750), the American Public Health Association (American Public Health Association 1985, 88769), the Annual Book of ASTM Standards (ASTM 1988, 68413), and EPA method SW-846 (EPA 1987, 31732). Paragon Analytics, Inc., used ion chromatography (IC) to determine concentrations of bromide, chloride, fluoride, oxalate, nitrate, phosphate, and sulfate in the water samples. Concentrations of aluminum, antimony, arsenic, barium,

beryllium, boron, cadmium, calcium, chromium, cobalt, copper, iron, lead, magnesium, manganese, molybdenum, nickel, potassium, selenium, silicon, silver, sodium, strontium, thallium, vanadium, and zinc were determined by inductively coupled plasma atomic (optical) emission spectroscopy (ICPAES). Colorimetry was used to analyze for total cyanide. Cold-vapor atomic absorption (CVAA) was used to analyze for mercury. Inductively coupled plasma mass spectrometry (ICPMS) was used to analyze for antimony, beryllium, cadmium, lead, thallium, and uranium for two sampling rounds (December 1999 and January 2000, and March and April 2000).

Paragon Analytics, Inc., performed radiochemical analyses on water samples. The methods used included laser-induced kinetic phosphorimetric analysis (LIKPA) for uranium; alpha spectrometry for americium-241, plutonium-238, plutonium-239/240, uranium-234, uranium-235, and uranium-238; gamma spectrometry for cesium-137, and other gamma-emitting isotopes; and gas proportional counting for strontium-90.

GEL analyzed groundwater samples collected in late 1999 and 2000 for antimony, beryllium, cadmium, lead, thallium, and uranium using ICPMS. Detection limits for these analytes generally ranged from 0.1 to $0.5 \mu g/L$.

Huffman Laboratories performed DOC fractionation analyses using an in-house, EPA-modified method based on physical separation. This method consisted of separating hydrophilic (acid, base, and neutral groups) from hydrophobic functional groups (acid, base, and neutral groups). This analysis method provided information on the distribution of naturally occurring organic compounds, including fulvic and humic acids (hydrophobic groups) and small molecular-weight organic compounds (hydrophilic groups).

Groundwater samples were also analyzed for inorganic chemicals at EES-6 using additional techniques specified in EPA SW-846 (EPA 1987, 31732). Ion chromatography was used for determining concentrations of bromide, chloride, fluoride, nitrate, nitrite, oxalate, phosphate, and sulfate. EES-6 used graphite furnace atomic absorption (GFAA) in determining concentrations of cadmium, cesium, chromium, cobalt, copper, lead, molybdenum, nickel, rubidium, silver, thallium, and tin in the groundwater samples. Hydride atomic absorption (HAA) was used for measuring arsenic, antimony, and selenium concentrations in the samples. Mercury analysis was done by the CVAA method. ICPAES was the method used for determining concentrations of aluminum, barium, beryllium, boron, calcium, iron, lithium, magnesium, manganese, potassium, silicon, sodium, strontium, titanium, vanadium, and zinc in the groundwater samples. An ion-specific electrode was used to measure ammonium concentrations in the samples.

The University of Miami performed tritium analyses using direct counting for tritium and electrolytic enrichment for low-level tritium (less than 3.2 pCi/L). Teledyne performed tritium analyses using direct counting and/or liquid scintillation (300 pCi/L).

Stable isotopes of oxygen (oxygen-18 and oxygen-16, δ^{18} O) and hydrogen (deuterium and hydrogen, δ D) were analyzed by **Western Michigan University** and Geochron Laboratories, Cambridge, Massachusetts, using isotope ratio mass spectrometry (IRMS). Stable isotopes of nitrogen (nitrogen-15 and nitrogen-14, δ^{15} N) were analyzed at Coastal Sciences Laboratories, Inc., Austin, Texas.

F-1.2.3 Analytes of Interest

Table F-1.2-2 provides field parameters, major ions, neutral species, trace elements, DOC fractionation, stable isotopes, and radionuclides measured or analyzed as part of this investigation.

F-1.3 Scope of Groundwater Background Investigations in Time and Space

This subsection presents an overview of the sampling stations selected for the groundwater background investigations from 1997 to 2000. More detailed information is provided in Appendix E, including the sampling station name, location, land ownership, geologic setting, and a brief site description for each site. The sampled locations included 4 wells and 8 springs. Sample locations are shown in Figure F-1.3-1, which also shows three sample locations that were not part of this investigation (Pajarito Spring, La Mesita Spring, and Sacred Spring).

Seven Springs is included as part of this investigation although it is separated from the Pajarito Plateau. This spring is located west of the recharge area for the Pajarito Plateau, but its major ion chemistry is similar to well LAOI(A)-1.1. Seven Springs and LAOI(A)-1.1 discharge and are completed, respectively, within the Otowi Member of the Bandelier Tuff and the Guaje Pumice Bed. Seven Springs discharges from the west side of Calaveras Canyon, about 400 m upstream of State Highway 126 and west of the Valles Caldera on the Jemez Plateau. Several springs are in the immediate vicinity; some discharge from alluvium and others from outcrops of densely welded rhyolite tuff. Samples were taken from the largest spring.

F-1.3.1 Springs within the Recharge Zone

Springs in the recharge area west of and upgradient of the Laboratory include Apache Spring, upper Cañon de Valle Spring, Pine Spring, and the Water Canyon Gallery. Apache Spring issues in the southern Sierra del los Valles (Figure F-1.3-1). The spring discharges from colluvium consisting of blocks of the Tshirege Member of the Bandelier Tuff and Tschicoma Formation dacite in a matrix of volcanic sand and soil.

Apache Spring impacts from road salt will preclude the use of sodium, calcium, and chloride data from this spring for comparative purposes with other anthropogenic impacts. Influences of the higher ionic data on other solutes should also be considered before these data are used for modeling or other purposes. It is useful, however, to have a sampling point that reflects anthropogenic impacts other than Laboratory contributions to aquifer chemistry.

Upper Cañon de Valle Spring issues about 2.4 km west of State Highway 501. The spring is situated about 20 m above the bottom of upper Cañon de Valle in the Tshirege Member of the Bandelier Tuff. At this location, it appears that the Tshirege Member fills preexisting topography in the vicinity of the spring because downstream are major outcrops of preexisting Tschicoma Formation dacite.

Water Canyon Gallery is an improved spring occurring in the north branch of uppermost Water Canyon, about 1.3 km west of State Highway 501 and just west of the Pajarito Plateau. The spring issues from a tunnel that extends into a cliff of densely welded ignimbrite of the Tshirege Member of the Bandelier Tuff.

Pine Spring is located in upper Garcia Canyon about 6 km north of Los Alamos. Pine Spring discharges within the alluvium on the downthrown side of a north-south-trending fault juxtaposing boulder-bearing sediments of the Puye Formation (to the west) against mafic-to-intermediate composition lavas and overlying Puye deposits (to the east) (Smith et al. 1970, 09752; Kempter and Kelley 2002, 88777).

F-1.3.2 Sampling Stations on the Pajarito Plateau

Wells LAOI(a)-1.1 (intermediate-perched system), LAO-B (the only background well completed in the alluvium), Otowi-4 (regional aquifer), and Guaje-5 (regional aquifer) are positioned along the regional flow path downgradient of the recharge zone for the Pajarito Plateau (Figure F-1.3-1).

Well LAOI(a)-1.1 is an observation well that was drilled in upper Los Alamos Canyon in 1994. It is screened within a perched zone in the Guaje Pumice Bed at the base of the Otowi Member of the Bandelier Tuff. Perched intermediate groundwater at the well occurs at a depth of 94.5 m.

Well LAO-B is an observation well drilled into valley-fill alluvium in upper Los Alamos Canyon west of the Laboratory boundary. The groundwater occurs within alluvium.

Guaje Canyon Well G-5 was completed in May 1951 to a depth of 608.8 m (Purtymun 1995, 45344) and was reliably used as a water supply well until it was plugged and abandoned in 1998. The initial static water level was 125 m below surface, but through time the water level has descended as a result of production and drawdown (148 m in 1991). The production rate was about 1960 L/min. The screened interval and production horizon of the well were entirely within the Santa Fe Group.

Otowi-4 is a water supply well in Los Alamos Canyon that was completed to a final depth of 788.1 m in March 1990 (Stoker et al. 1992, 12017). Aside from a section of Miocene basalts, the screened interval at Otowi-4 is entirely within older fanglomerates from 340m- to 785-m-depth.

F-1.3.3 Sampling Stations within the Discharge Zone

Three springs are located within the discharge zone for the regional system. These include Spring 9B, Doe Spring, and Spring 1 (Figure F-1.3-1).

Spring 9B issues from the bottom of a basaltic lava flow on the northwest side of White Rock Canyon, roughly 200 m downstream of the mouth of Chaquehui Canyon. It is located in hydromagmatic deposits and flows of the Cerros del Rio volcanic field. The spring is about 25 m above the Rio Grande.

Doe Spring is located in these same hydromagmatic deposits. It flows from lower Chaquehui Canyon, about 30 m above the canyon floor. Both springs discharge from the regional aquifer.

Spring 1 issues from a small bench about 40 m above the northeast side of the Rio Grande and about 1.5 km downstream of the Otowi Bridge. The bench occurs within a landslide complex made up of a variety of sediment types within the Santa Fe Group.

F-2 RESULTS

F-2.1 Sample Collection, Preparation, and Evaluation

This section describes methods of data validation conducted on groundwater samples collected during the investigations that took place for Rev. 0, Rev. 1, and this Rev. 2. Data validation considered holding times, experimental bias, and accuracy and precision of data.

The collection process consisted of taking filtered and nonfiltered groundwater samples at each of the stations in up to 6 sampling rounds. One duplicate sample (filtered) was also collected per five groundwater samples for each sampling event. Groundwater samples analyzed for major cations, trace elements, metals, and radionuclides were either filtered through a 0.45-µm membrane or not filtered before sample preservation with concentrated nitric acid. Anion analyses, including sulfate, chloride, bromide, and fluoride, were performed on nonpreserved filtered and nonfiltered groundwater samples. Filtered samples were analyzed for DOC and DOC fractionation.

Chemical and radiochemical analyses performed by external contract laboratories (Paragon Analytics, Inc., Huffman Laboratories, and the University of Miami) are listed in Table F-2.1-1. Paragon Analytics,

Inc., also performed analyses for bicarbonate and anions using EPA methods (EPA 1987, 31732). In addition, Paragon Analytics, Inc., sent samples to a subcontractor laboratory, Huffman Laboratories, for DOC, DOC fractionation (humic acids), and dissolved silica analyses. These analyses were conducted using methods specific to the type of analysis. The external laboratory followed the ER Project statement of work (SOW) (LANL 1995, 49738) for quality control (QC) of sample analyses for holding time and sample preservation, storage, and preparation.

Additional chemical analyses were provided by EES-6. Table F-2.1-2 provides information on analytes, analytical instruments, EPA method numbers, and instrument detection limits (IDLs).

Analytical results of inorganic analytes were evaluated using the Laboratory QC data reported for laboratory blanks, laboratory duplicates, laboratory spike samples, laboratory control samples (LCSs), and calibration samples.

The data-validation process consisted of conducting a systematic baseline review followed by a more focused validation. Analytical results for trace metals and uranium (analyzed by LIKPA) were evaluated by following procedures identified in the ER Project baseline data validation standard operating procedure. This procedure applies a subset of the National Functional Guidelines for data review (EPA 1994, 48639; EPA 1994, 48640). The EPA National Functional Guidelines were also used to define the review conducted for the focused validation described in this section. The baseline validation used only the data reported by the laboratory on the forms provided as part of the deliverable, but the focused validation used the much more detailed information of the raw data provided by the laboratory. The focused validation included checks for sample-specific QC results, but the baseline validation applied QC results on a more global basis. The National Functional Guidelines (EPA 1994, 48639; EPA 1994, 48640) were applied as closely as possible to the anion, bicarbonate, dissolved silica, and total uranium analyses although these methods are not specifically covered by the guidelines.

F-2.1.1 Results of Data Validation

The results for all analyses were accepted as qualified. Analytical results for specific metals were rejected because of interferences indicated in the preparation blank analyses, (discussed further in this section). The results for several anions were rejected because the samples were analyzed after the 48-h holding time for nitrate, nitrite, and orthophosphate. The holding time problems are discussed further in Section F-2.1.1-2.

F-2.1.1.1 Trace Element Analyses

Groundwater samples were all prepared and analyzed following EPA Contract Laboratory Program SOW ILM 03.0 (EPA 1994, 48640). Technical holding times were met for all trace metal analyses. Analytes and IDLs for the trace elements and metals provided by Paragon Analytics, Inc., are given in Table F-2.1-3.

The bias of the trace-element measurements was evaluated by the concurrent analysis of preparation and calibration blanks. There were several analytes detected above the instrument detection limit (IDL) in several of the blanks reported by Paragon Analytics, Inc., in February 1998. Following the criteria given in the National Functional Guidelines for data review (EPA 1994, 48639), the results for these analytes were qualified as nondetected (U) because the reported sample results were less than five times the greatest amount found in an associated blank. In addition, several analytes were detected at a negative amount in the preparation blanks analyzed. Selected trace elements were detected in the blanks at levels that were negative (relative to the initial calibration) and greater in absolute value than the amounts detected in

samples in the same batch. Following the criteria given in the National Functional Guidelines for Data Review (EPA 1994, 48639), the results for these analytes were qualified in one of two ways:

- The results were rejected (qualified with an R) when the reported sample results were less than the estimated detection limit or less than the absolute value of the amount found in the blank, or
- The results were qualified as estimated with a potential low bias (qualified with a J) when the
 reported sample results were greater than the absolute value of the amount found in the
 preparation blank, but less than five times the absolute value of the amount found in the
 preparation blank.

Rejected analytical results occurred for 32 groundwater samples, consisting of 74 analyses of aluminum (5 analyses), beryllium (1 analysis), copper (7 analyses), lead (1 analysis), manganese (6 analyses), mercury (18 analyses), nitrate (17 analyses), nitrite (17 analyses), and zinc (2 analyses), collected during February, July, September, and October 1998 (Paragon Analytics, Inc.).

The bias of the trace-element measurements was also assessed by analysis of matrix spike samples. All spike recoveries were acceptable with no apparent bias for all trace-metal analytes that were spiked into the water matrices.

The accuracy of the trace-element measurements was checked by the concurrent analysis of aqueous LCSs. Results for individual samples were qualified on the basis of the LCS analyzed in the same batch according to the criteria given in the National Functional Guidelines (EPA 1994, 48639). No data qualifiers were added to the sample results on the basis of the LCS recoveries.

The precision of the inorganic measurements was assessed by the analysis of laboratory duplicate samples. The results for one laboratory duplicate sample were reported for each batch in the data set. The relative percent differences (RPDs) for duplicate measurements of the target analytes were acceptable, and no results were qualified with deficiencies of laboratory-induced errors based on the duplicate sample analyses. The analytical data are useable as qualified by this process.

F-2.1.1.2 Anion and Bicarbonate Analyses

Groundwater samples were prepared and analyzed following EPA Method 310.0 for bicarbonate using titration and EPA Method 300.0 for anions using ion chromatography. Technical holding times were met for all analyses except nitrite, nitrate, and orthophosphate collected during February 1998, which were analyzed by Paragon Analytics, Inc., outside the 48-h holding time. The results for these analytes were rejected for use (qualified R) because of the missed holding time and because the concentrations of nitrite, nitrate, and orthophosphate are affected by the length of holding times. Sample duplicates were collected and analyzed within appropriate holding times by EES-6 in February 1998, and these results were used for data analysis and interpretation.

The bias of the anion measurements was evaluated by the concurrent analysis of blanks. Interference for orthophosphate was detected above the MDL in some of the blanks associated with several water samples collected in February 1998. The laboratory raised the detection limit for the affected samples to 0.2 mg/L so the interference would not be detected in the blank. The results were not qualified for blank contamination because orthophosphate was then not detected in the affected samples.

The accuracy of the anion and bicarbonate measurements was monitored by the concurrent analysis of aqueous LCSs. Results for individual samples were evaluated on the basis of the LCS analyzed in the same batch, according to the criteria given in the National Functional Guidelines (EPA 1994, 48639). No data qualifiers were added to the sample results on the basis of the LCS recoveries.

The precision of the anion and bicarbonate measurements was assessed by the analysis of laboratory duplicate samples. The results for one laboratory duplicate sample were reported for each batch in the data set. The RPDs for duplicate measurements of the target analytes were acceptable, and no results were qualified based on the duplicate sample analyses. The analytical data are useable as qualified by this process unless the results were rejected as described above.

F-2.1.1.3 Dissolved Silica Analyses

Groundwater samples were prepared and analyzed following EPA Method 370.1 for silica analyses. The analyses were conducted using colorimetry. Technical holding times were met for all analyses. The bias of the dissolved silica measurements was monitored by the concurrent analysis of blanks. No problems were noted with the blanks.

The accuracy of the dissolved silica measurements was assessed by the concurrent analysis of aqueous LCSs. Results for individual samples were qualified on the basis of the LCS that was analyzed in the same batch, according to the criteria given in the National Functional Guidelines (EPA 1994, 48639). No data qualifiers were added to the sample results on the basis of the LCS recoveries.

The precision of the dissolved silica measurements was assessed by the analysis of laboratory duplicate samples. The results for one laboratory duplicate sample were reported for each batch in the data set. The RPDs for duplicate measurements of the target analytes were acceptable, and no results were qualified based on the duplicate sample analyses. The analytical data are useable as qualified by this process.

F-2.1.1.4 Uranium Analyses

Groundwater samples were prepared and analyzed for uranium following an external laboratory procedure (Paragon Analytics, Inc.). The analyses were conducted using LIKPA methods. Technical holding times were met for all analyses. The bias of the total uranium concentration measurements was monitored by the concurrent analysis of blanks. No problems were noted with the blanks.

The accuracy of the total uranium measurements was assessed by the concurrent analysis of aqueous LCSs. Results for individual samples were evaluated on the basis of the LCS that was analyzed in the same batch, according to the criteria given in the National Functional Guidelines for data review (EPA 1994, 48639). No data qualifiers were added to the sample results on the basis of the LCS recoveries.

The precision of the total uranium measurements was assessed by the analysis of laboratory duplicate samples. The results for one laboratory duplicate sample were reported for each batch in the data set. The RPDs for duplicate measurements of the target analytes were acceptable, and no data qualifiers were added to the results, based on the duplicate sample analyses. The analytical data are useable as qualified by this process.

F-2.2 Statistical Analyses of 1997 to 2000 Groundwater Data

This section provides results of statistical analyses of a comprehensive database of organic and inorganic chemical, stable isotope, and radionuclide analyses of groundwater analyses from 208 samples collected from 12 springs and wells located in and around the Laboratory. The region considered in this investigation extends from the western edge of the Jemez Mountains eastward to the Rio Grande and from Frijoles Canyon northward to Garcia Canyon.

F-2.2.1 Statistical Methods and Results

F-2.2.1.1 Statistical Methods

Several data-preparation steps were needed before statistical analyses could be performed on the water chemistry data. First, the data were subjected to a data validation (see Section F-2.1.1). Second, the data were inspected for suspect values that were exceptionally high or low relative to the rest of the data. All analytical data, excluding low-level tritium and DOC fractionation, were the subject of focused data validation (also reported in Section F-2.1.1). Third, the data qualifiers were reviewed, and any data identified as R-qualified were not used in statistical analyses. Fourth, nondetected sample results were noted. Nondetected sample results were typically reported as less than (<) the IDL for that chemical. Values reported as nondetected by the analytical laboratory were replaced by one-half of the detection-limit value for statistical analyses. This replacement method is recommended by the EPA when the frequency of nondetected values is relatively low (EPA 1992, 12544).

Analytical suites, field parameters, and sampling dates for the background stations are provided in Appendix A of Rev. 0 and Rev. 1 of this report. Sample results and data qualifiers based on validation for inorganic analytes, radionuclides, and other analytes (water-quality parameters and stable isotopes) are provided in Appendix B of Rev. 0 and Rev. 1. Because of space limitations and to avoid confusion with the Rev. 2 background data set, this information is not repeated in Rev. 2.

The data were reviewed to identify laboratory-reporting or analysis errors. During this review process, two uranium results for samples collected on December 16, 1999, were found to be inconsistent between methods and with other uranium results for the locations sampled.

A Student's T-test of means was performed between more frequently detected analyte data sets. Results are presented in Table F-2.2-1 and discussed below in Section F-2.2.1.2.3. The T-test is used to determine if there is a real difference between two independent sets of results or if they are a part of the same population. Mean values of sets of data for each major analyte (e.g., sodium, chloride, TDS) were compared between each aquifer type. Test statistics were evaluated against 95% and 99% critical values in a two-tailed test. For test statistics less than the critical value, the null hypothesis (that the data sets are not different) is true. The table shows the probabilities (p-value) that indicate whether the null hypothesis is true (that the data sets are the same), as well as the probabilities that a significant or very significant difference exists between compared data sets.

The statistical analysis of the background data involves several exploratory data analysis (EDA) tools, including normal quantile plots, box plots, time series, and statistical data summaries. The purpose of EDA is to understand relationships between analytes, understand relationships between sampling locations, understand relationships between aquifer types, evaluate parametric and nonparametric statistical modeling options, and determine the frequency of nondetect values by analyte and by potential data subpopulations. While EDA can be used to identify outliers, no outlier identification was performed for this analysis, and no data were excluded from this data set. Three types of data plots were made, as explained below.

Normal quantile plots: The quantiles of the data set (y-axis) are sorted in ascending order and plotted against the quantiles for a standard normal data set (x-axis). The quantiles of a standard normal data set (i.e., a normal with a mean = 0 and a standard deviation = 1) are those for the theoretical distribution and can be found in published tables of the cumulative normal distribution. For example, the 50th quantile is 0, the 90th quantile is approximately 1.282, the 95th quantile is about 1.645, etc. If the data are derived from a normal statistical distribution, the points will plot in a linear trend. The subsets of the data set that differ the most from those expected from a normal distribution are seen as points straying from the linear trend.

Box plots: Box plots are used to show differences between two or more sample locations or other data groupings. Box plots summarize information about the shape and spread of the distribution of concentrations for an analyte. Box plots consist of a box, a (median) line across the box, and a mean line. The *y*-axis displays the observed concentrations in the reported units. The area enclosed by the box shows the concentration range containing the middle half of the data; that is, the lower box edge is at the 25th percentile and the upper box edge is at the 75th percentile. The length of the box is a measure of the spread of the range of concentrations. The black horizontal line across the box represents the median (50th percentile) of the data, a measure of the center of the concentration distribution. If the median line divides the box into two approximately equal parts, the shape of the distribution of concentrations is symmetric; if not, the distribution is skewed or nonsymmetrical. The red horizontal line across the box represents the mean of the data, a measure influenced by exceptionally low or high values. The top and bottom horizontal lines represent the 5th and 95th percentile. Concentrations outside the 25th to 75th percentile are plotted as points outside the box.

Time series analysis: A time versus concentration scatter plot was provided for each constituent measured. Time is plotted along the x-axis, and the constituent concentration is plotted along the y-axis. Long-term trends can be deduced from these plots. These plots appeared in Appendix C of Rev. 0 and Rev. 1 of this report and are not repeated here.

F-2.2.1.2 Statistical Results

Results of statistical analyses of all post-1997 data, including minimum, mean, median, maximum, one sigma (standard deviation) error, and percent coefficient of variation, number of samples, number of rejected samples, and number of nondetected values for filtered and nonfiltered samples of alluvial groundwater, volcanic perched intermediate groundwater, and the regional aquifer were provided in Appendix B tables of Rev. 0 and Rev. 1 of this report and are not repeated here. These tables include pre-1997 and 1997 to 2000 analytical results (combined and separate) using 0.5 and 1.0 detection limits. Several analytes, including antimony, beryllium, cadmium, lead, thallium, and uranium had high IDLs, which increase the mean, median, maximum, standard deviation, and coefficient of variation for the pre-1997 data. For these reasons, the post-1997 data were also included separately because the IDLs for several analytes are lower using more advanced instrumentation.

During the period from 1997 to 2000, the background locations were sampled during six sampling events to provide equal information over time at each location. The intended goal was to characterize background concentrations; therefore, analytical methods with low IDLs were specified. Appendix B figures in Rev. 0 and Rev. 1 of this report present the concentration results over time for all analytes. The plots illustrate the improvement of detection limits for analytes with large pre-1997 IDLs and show the relative consistency attained, beginning in 1997. The post-1997 analytical results are more representative of background concentrations within the three aquifer types. They also provide a more conservative approach for establishing background concentrations in groundwater.

Analytical results for major ions and trace elements reported by EES-6 and Paragon Analytics, Inc., were combined for each analyte. The data summary in Appendix B of Rev. 0 and Rev. 1 of this report includes the field duplicate samples collected during the investigation and the three samples collected by NMED, with summaries for 111 analytes. The detection frequency for water chemistry analytes varied greatly from 0% to 100%. The background concentrations of antimony and cadmium with <20% detection rate were evaluated by considering minimum values, including the detection limit and half the detection limit. Beryllium, cadmium, cobalt, lead, selenium, silver, and thallium were typically not detected in the background water samples.

F-2.2.1.2.1 Evaluation of Field Duplicate Samples

As a quality assessment measure for the investigation, field duplicate samples were collected and submitted for analysis to contract analytical laboratories or the EES-6 analytical laboratory. Field duplicate samples provide a measure of the variability within a sampling event (sample collection and preparation) and analytical laboratory measurement variability.

The differences between field duplicate measurements for all water-chemistry analytes were assessed by comparing concentrations for samples noted as "duplicate" and "sample" in Appendix B of Rev. 0 and Rev. 1 of this report. Fifteen analytes were selected as representatives of the more frequently detected analytes. A comparison of field duplicates to the original sample for these analytes is provided in Figure F-2.2-1.

The scatter plots in Figure F-2.2-1 illustrate that field duplicate sample results are identical, or nearly identical, to the original sample result for most of these analytes. The field duplicate sample results were also unbiased, as shown by the linear regression slope being close to or equal to 1.0 and the intercept being close to 0.0. The coefficient of determination (r²) also illustrates the strong agreement of field duplicate results to original sample results.

Ammonium provides an example of the variability observed for less frequently detected analytes. Although a strong relationship occurs between the field duplicate results and the original sample results, more variation is evident on the ammonium scatter plot (Figure F-2.2-1). Infrequently detected analytes tend to have more sample results near the IDL, which is a concentration range associated with greater variability in the laboratory measurement process. Thus, reported values for infrequently detected analytes need to be evaluated more carefully for use as background (no Laboratory impact) concentrations.

F-2.2.1.2.2 Comparison of Results by Analytical Laboratory and Method

For the investigation conducted for Rev. 0 and Rev. 1 of this report, sample results from the contract analytical laboratories were compared with the EES-6 analytical laboratory as another quality-assurance (QA) measure. The laboratories used different analytical methods for some analytes (e.g., uranium, tritium, and trace metals).

Contract and EES-6 analytical laboratory sample results for seven inorganic chemicals and six water-quality parameters (anions, cations, silica, and TDS) were compared. These analytes were selected based on the number of samples submitted to each laboratory and the detection frequency. Selection preference was given to analytes detected by both EES-6 and the contract laboratory so that measured values were compared rather than IDLs.

Charge balance errors calculated from groundwater samples analyzed at the EES analytical laboratory ranged from -3% to +61%. About 87% of the charge balance errors were within the EPA-recommended value of $\pm 10\%$. The anomalous charge balance error of +61% occurred for a filtered water sample collected from the upper Cañon de Valle Spring.

Reporting limits and analytical methods provided by EES and Paragon Analytics, Inc., are shown in Table F-2.2-2. The EES-6 laboratory generally provides additional analytes with lower reporting limits using atomic absorption (AA) methods (including GFAA and HAA) as compared with Paragon Analytics, Inc., using ICPAES. Paragon Analytics, Inc., generally reports concentrations of calcium, iron, and strontium above reporting limits, but concentrations of antimony, arsenic, beryllium, boron, cadmium, chromium, lead, mercury, molybdenum, selenium, silver, and tin are less than detection.

Concentrations of aluminum, barium, copper, manganese, nickel, thallium, titanium, vanadium, and zinc were generally detected, but sometimes they were below the limits of quantification or reporting limits (J-qualified sample results). Concentrations of chloride, sulfate, bicarbonate, calcium, magnesium, sodium, and potassium reported by EES-6 and Paragon Analytics, Inc., were in good agreement and were also within experimental error. The reporting limits are sample specific, depending on matrix interferences and the general nature of the groundwater sample.

The results of this comparison indicated that the analytical results from the EES-6 analytical laboratory are comparable to the values reported by the contract analytical laboratories (Figure F-2.2-2). Results for barium, calcium, magnesium, potassium, and chloride are nearly identical between the EES-6 and contract analytical laboratories, as illustrated by the scatter plots for these analytes (Figure F-2.2-2). The linear regression statistics for barium, calcium, potassium, magnesium, chloride, and nitrate were close to the ideal slope of 1.0, intercept of 0.0, and coefficient of determination of 1.0. Greater variability is seen for the between-laboratory comparisons (EES-6 and Paragon Analytics, Inc.) for selected analytes (e.g., barium, tritium, manganese) and TDS, as shown in Figure F-2.2-2).

For other analytes, the sample results from the EES-6 analytical laboratory correlate to the contract analytical laboratory, but positive or negative bias between the laboratories can be found. The EES-6 analytical laboratory sample results for manganese, sodium, bicarbonate, and TDS are greater than the comparable contract analytical laboratory sample results (the slope is greater than 1.0 for these analytes; see Figure F-2.2-2). The EES-6 analytical laboratory sample results for silica and fluoride are less than the comparable contract analytical laboratory sample results (the slope is less than 1.0 for these analytes; see Figure F-2.2-2).

Two methods, ICPMS and LIKPA, were used to determine uranium concentrations in groundwater. These methods were used for 27 samples. The concentrations reported for ICPMS and LIKPA agree reasonably well, as noted in Section F-2.2.1.1.

Tritium was determined at two contract laboratories: Teledyne and the University of Miami. The University of Miami's method is designed for low-level tritium detection, while Teledyne uses the more standard method that has a nominal IDL of 300 pCi/L. The results from these analytical methods correlate weakly (Figure F-2.2-2). The University of Miami data are preferred for resolving differences in low levels of tritium.

Trace metals were analyzed by ICPMS in the last sampling round in 2000 to supplement previous inorganic chemical ICPAES results. The ICPMS method was needed to obtain IDLs at concentrations less than EPA MCLs for antimony, beryllium, cadmium, lead, thallium, and uranium. Antimony was detected above the IDL of 0.1 μ g/L in <3% of the samples.

F-2.2.1.2.3 Spatial Trends in Water Chemistry Results

Spatial trends for average dissolved concentrations of selected analytes are shown in Figure F-2.2-3, which illustrates the distribution of the background sampling stations for the three identified aquifer types: alluvium, perched intermediate, and the regional aquifer. Five of the original regional aquifer stations are located northeast of the Laboratory boundary. The perched intermediate stations are in the Jemez Mountains and Sierra de los Valles. The two alluvial background sampling stations are located northwest and west of the Laboratory.

The average tritium concentrations for sampling stations located near recharge areas (Water Canyon Gallery, Apache Spring, Upper Cañon de Valle, and Pine Spring) in the Sierra de los Valles are greater than from springs that discharge to the Rio Grande. In general, concentrations of other analytes (specific

conductance, barium, calicium, sodium, and bicarbonate s) follow an inverse pattern between specific end members, such as LAO-B versus Spring 1, where higher concentrations (increasing residence times) are reported for locations with low tritium (smaller amounts of recent recharge). This trend is more pronounced from the east than from the northwest-southeast. Some sample locations are spaced closely together, and the pair of locations most closely spaced also emerging from the same aquifer type (Doe Spring and Spring 9B) tend to have similar average concentrations for the analytes illustrated in Figure F-2.2-3. Mean concentrations of dissolved uranium range from 0.1 to 0.8 µg/L in the Sierra de los Valles and beneath the Pajarito Plateau. Somewhat higher mean concentrations of natural dissolved uranium occur along the Rio Grande northeast of the Laboratory boundary (Spring 1 [0.8 to 2.6 µg/L]).

Similarity of means testing was conducted using a Student's T-test to determine if the mean values of selected constituents in different aquifer types were from the same population. Results are shown in Table F-2.2-1. Alluvial groundwater versus perched intermediate water, perched intermediate versus regional groundwater, and alluvial versus regional groundwater were compared with filtered samples, major cations and anions. Based on the probability that data sets are significantly different, each constituent comparison is assigned to one of three groups; significant (probability \leq 0.05), very significant (probability \leq 0.01), and null (probability > 0.05, not equal to 0).

The alluvial-intermediate aquifer comparisons showed the greatest number of constituent mean values that appear to be from the same population. TDS, arsenic, barium, potassium, sodium, strontium, alkalinity, ammonium, bicarbonate, bromide, chloride, and fluoride are included in this group. Major ions calcium, magnesium, nitrate, and sulfate were judged to have a very significant difference in population, along with the constituents pH, chromium, and nickel, while aluminium, boron, and uranium showed a significant difference. Between the intermediate and regional aquifers, only magnesium and nickel cations were from the same population, along with anions ammonium, chloride, and sulfate. The remaining constituents showed either very significant or significant differences between populations. Finally, the alluvial-regional aquifer comparison showed only calcium, magnesium, nickel, strontium, ammonium, and bromide as being from the same population. The remaining constituents were significantly or very significantly different. It is important to note that these comparisons are between means, and they do not necessarily reflect changes along specific flow paths or between sampling points. In some cases for the alluvial aquifer data, they include Cerro Grande fire-impacted results. Results from a similar population do not necessarily share the same geochemical origin or evolution.

F-2.2.1.2.4 Evaluation of Analytes

In Rev. 0 and Rev. 1 of this report, the entire list of analytes from the contract analytical laboratories and the EES-6 analytical laboratory was trimmed to those that are most important, based on regulatory needs and conceptual geochemical and hydrogeologic framework understanding. Statistical plots for these analytes are provided in Appendix C of Rev. 0 and Rev. 1, but are not repeated here, although a brief narrative is provided below for each analyte. The statistical plots provide a visual summary of 1997 to 2000 data from the combined results from all laboratories. See tables F-2.2-3a through F-2.2-3f for 1997–2000 statistical data discussed in the following section.

Field Measurements: Temperature, turbidity, specific conductance (conductivity), and pH were measured for nearly all sampling events at each location. Temperature increases with depth in a geothermal gradient from the alluvial stations to the perched intermediate stations and is greatest in the regional aquifer sampling locations. Specific conductance is greatest in the regional aquifer, with greatest variance in the perched intermediate aquifer. The pH in background locations tends to be slightly alkaline, and its greatest variation is in the perched intermediate aquifer.

Major Cations: The major cations calcium, magnesium, potassium, and sodium were detected in nearly all samples (98% detection in magnesium). There is no significant difference between water types, except for sodium where the regional aquifer has the highest concentrations. Some trends can be distinguished from specific data based on flow path and location along the path. LAOI-1.1(A) exhibits the highest potassium concentration, and Otowi 4 exhibits the highest magnesium and calcium concentrations. Apache Spring water contains a component of road salt runoff, based on measured concentrations of sodium and chloride. With the exception of the noted elevated sodium concentration, major cation concentrations are generally consistent within each location.

Major Anions: The regional aquifer has elevated levels of alkalinity, bicarbonate, and fluoride when compared with the other aquifer types. Other potential major anions such as ammonium, bromide, chloride, and sulfate do not show significant variation between aquifer type. Nitrate concentrations are lowest in the alluvial aquifer, which is likely a result of biogeochemical cycling in the shallow subsurface or low anthropogenic inputs (e.g., agricultural or septic). In the shallow subsurface microsites of anoxia in otherwise oxic environments can develop that lead to reduction of nitrate to nitrogen gas (Koba et al., 1997, 93667). Anion values tend to be consistent at each location, with the exception of chloride at Apache Spring (see discussion above). The range of fluoride concentrations in springs is much greater than in wells. Ammonium concentrations were greatest at LAOI-1.1(A). Major anions were detected as a high frequency (100% detection exceptions noted: fluoride 94%; nitrate 87%; sulfate 93%, and bromide 60%).

Trace Metals: The detection rate of trace metals varied greatly (aluminum 62%; antimony 5%; arsenic 5%; barium 99%; beryllium 8%; boron 77%; cadmium 3%; chromium 48%; cobalt 8%; copper 49%; iron 55%; lead 15%; manganese 57%; mercury 29%; molybdenum 27%; nickel 18%; selenium 11%; strontium 99%; silver 5%; thallium 7%; uranium 100%; zinc 44%). Nondetects are plotted in Appendix C of Rev. 0 and Rev. 1 as one-half of the detection limit. For constituents detected at low frequency, box plots must be evaluated with care. Antimony, beryllium, and nickel were detected more frequently in the final sampling rounds as improved analytical techniques were used but still generally were not detected. Cadmium, cobalt, lead, mercury, molybdenum, selenium, silver, and thallium were each detected in few samples (fewer than 29%) and showed no appreciable trends or elevated levels. Barium, copper, manganese, and strontium results were generally consistent by sample location with no significant difference between aquifer types. Aluminum sample results showed little variation by sample type or aquifer type; however, Pine Spring aluminum results were 10 to 100 times greater than results from other sampling locations. Arsenic results were typically consistent for sample location, with most detected results within the regional aquifer. Boron concentrations were greatest in the regional aquifer. Chromium results typically were not variable between aquifer type and location.

One anomalous chromium result was noted: the filtered result for sample RE-16-98-9012 was 44.7 μ g/L, about 10 times larger than other total chromium results. The nonfiltered, paired result was 3.2 μ g/L, suggesting the filtered result for total chromium is not representative. The presence of colloids that were not removed by a 0.45- μ filter can contribute to variability of this type, as can analytical error. The mean concentration within the regional aquifer is skewed as a result of the anomalous chromium result discussed above. Without this result, the regional aquifer has only a slightly higher mean concentration. Iron results tend to be variable for both location and aquifer type. Pine Spring iron results are 10 to 100 times larger than results from other sample locations.

Two anomalous results were noted for nickel; the filtered result for sample RE16-98-9012 was 19.8 μ g/L or about two times larger than other nickel results. The nonfiltered paired result was 0.9 μ g/L, suggesting that this filtered sample result for nickel is not representative. The nickel filtered result for sample CABG-00-0057 may also be anomalous, but it has no paired nonfiltered result for comparison. Again, nonfiltering

colloids or analytical error can produce such a result. Nickel concentrations from Pine Spring are greater than for other locations (except for the two anomalous results discussed above). Uranium results typically show little variance from location to location and between aquifer type. Uranium in Spring 1 appears significantly elevated compared with other sample locations. Zinc concentrations are greatest at Otowi-4 and vary more by location than between aquifer types.

Radionuclides: Radionuclides typically did not exhibit a high rate of detection (*americium-241* 16%; *plutonium-238* 5%; *plutonium 239/240* 5%; *strontium-90* 0%). Americium-241 detected results were most probably from a single sampling event in 1997, which raises questions regarding possible analytical laboratory problems with the values from this date. Because of the high percentage of nondetects, plutonium-238, plutonium 239/240, and strontium-90 statistical plots represent instrument noise rather than representative values. Gross-alpha radioactivity was detected in about 76% of the samples with little variation between sample locations. Tritium was characterized using University of Miami results. It was detected in 100% of the samples. Tritium varies by location and exhibits a decreasing trend from the alluvial to the perched intermediate and from there to the regional aquifer. Uranium sample results show disequilibrium between isotope ratios compared with natural uranium isotope ratios in solid media. This phenomenon has been noted in water samples collected in other parts of the world, and the ratios of natural uranium (and uranium daughters) have been shown to vary based on the temperature and mineral content of groundwater (Hakam et al. 2000, 70168).

Other Constituents: Dissolved organic carbon was detected in 100% of the samples. The regional aquifer exhibits the lowest mean value and the least variation; little difference was found between the alluvial and intermediate aquifers. Nitrite was detected in 14% of the samples. Silica (99% detection) varies by location but does not vary notably by aquifer type. TDS did not vary notably between alluvial and intermediate aquifers. The regional aquifer does exhibit the highest TDS concentrations. Variation between location types appears to be dictated by the overlying aquifer relationships. Deuterium and oxygen isotopes show that Seven Springs differs from other sample locations because of its elevation and location west of the Laboratory.

Perchlorate: See Section F-2.2.1.2.5.

In summary, major cations (calcium, magnesium, sodium, and potassium), major anions (bicarbonate, chloride, fluoride, and sulfate) and silica were measured in all background water samples. Nitrate, nitrite, and uranium had variable detections for the 1997 to 2000 analytical results. Other trace elements showed considerable ranges in which beryllium, cadmium, cobalt, copper, iron, lead, mercury, molybdenum, selenium, silver, and thallium were detected is less than 30% of the 1997 to 2000 sampling rounds.

The IDLs for antimony, arsenic, barium, beryllium cadmium, chromium, copper, lead, mercury, nickel, and selenium using ICPAES were below the respective IDLs promulgated by EPA. The MDLs using ICPAES for other constituents, including aluminum, chloride, fluoride, iron, manganese, silver, sulfate, and zinc, are below their respective secondary levels. Radionuclides derived from fallout, including americium-241, plutonium-238, and plutonium 239/240 were generally not detected, except during one sampling round conducted in August 1997. On the whole, analytical results for background inorganic species and radionuclides are of high quality and may be applied to Laboratory sites.

Data for the other analytes (major ions, stable isotopes, DOC fractionation, and a majority of trace elements) are acceptable as background within their detectable ranges.

F-2.2.1.2.5 Low-Level Perchlorate

The ubiquitous nature of trace levels of perchlorate ($<1 \mu g/L$) in groundwater near the Laboratory and elsewhere in northern New Mexico was determined by both NMED and the Laboratory (NMED 2004, 88768). Widespread and consistent low-level detection of the chemical in nonimpacted (no industrial source) groundwater samples collected from local springs and wells are the basis for this interpretation. The concentration and persistence of perchlorate in both spatial and temporal dimensions, however, are not yet fully understood.

NMED and the Laboratory undertook a preliminary investigation to determine the concentration of perchlorate in selected waters within the northern Rio Grande Basin. Sampling sites for low-level perchlorate included Sandia Spring, Spring 1, Spring 2, Springs 5, 5A, 5B, Springs 6, 6A, Spring 8A, and Springs 9, 9A, 9B, 9C for the regional aquifer. Perched intermediate sites included Alamo Canyon 10.3 Spring, Barbara's Spring, Campsite Spring, CdV-5.0 Spring, PC Spring, Colonel Spring, Water Canyon Gallery, Yak Spring, Young Spring, Pajarito Ski Well #2, and well LAOI(A)-1.1.

NMED compiled 76 low-level perchlorate results from 47 groundwater wells and springs within the northern Rio Grande Basin, with 56 of these samples collected around the Pajarito Plateau (NMED 2004, 88768; Dale, 2005, 88774). All water samples were selected based on technical considerations such as aquifer location, age, and water quality. Six different groundwater zones were sampled, with about half representing the regional aquifer beneath the Laboratory.

NMED-selected sample stations were verified as background candidates through the analysis of major ions, including chloride and nitrate. These supplemental water-quality parameters showed sample results indicative of natural levels of nitrate (as N) at less than 0.5 mg/L. Additionally, tritium was measured because it can be found as a naturally occurring radioactive isotope of hydrogen that is commonly used for groundwater dating and to provide estimates on residence times and flow paths. Tritium results, coupled with local hydrogeologic relationships, show that springs located on the east-facing slope of Sierra de Los Valles represent young water (<60 yr) in the early stage of the local hydrologic cycle. Most springs within White Rock Canyon illustrate old water (>60 yr) discharging at the end of the hydrologic cycle.

The NMED and Laboratory studies used a liquid chromatography-mass spectrometry/mass spectrometry (LC-MS/MS) method (EPA SW846 8321MA) that is able to detect perchlorate at $0.05~\mu g/L$ or ppb. The conventional EPA method (SW846 314.0) is less sensitive and can only detect perchlorate at 4 ppb.

The 56 analytical results for groundwater show an average Laboratory background perchlorate concentration of 0.27 \pm 0.08 (1 σ) ppb or $\mu g/L$ (Table F-2.2-4). The minimum and maximum concentrations of perchlorate were 0.05 and 0.46 $\mu g/L$, respectively (Table F-2.2-4). Only one water sample collected near the Pajarito Plateau had a perchlorate concentration of less than 0.05 $\mu g/L$ (Table F-2.2-4), the IDL for LC-MS/MS.

Seven precipitation samples were collected and analyzed using the LC-MS/MS method to rule out the presence of trace levels in precipitation as a source for the perchlorate in groundwater. Perchlorate was not detected in these samples above the IDL of $0.05~\mu g/L$. In late August 2004, two additional rain samples were collected and analyzed by NMED using a method similar to LC-MS/MS but with an IDL of $0.0012~\mu g/L$ or about 40 times lower than that of the LC-MS/MS method. Although preliminary and not yet validated, the results show that perchlorate may be present in these precipitation samples at 0.006 and $0.017~\mu g/L$.

Plummer et al. (2006, 93669) measured perchlorate, bromide, chloride, and sulfate concentrations in groundwater in the Middle Rio Grande Basin (MRGB), south of Los Alamos County. The samples were free of anthropogenic perchlorate because of either age or location. Samples with near atmospheric nitrate over chloride ratios showed relatively high perchlorate concentrations (1.0-1.8 μ g/L) that predict an average perchlorate concentration of 0.093 \pm 0.005 μ g/L in atmospheric deposition during late Holocene dry conditions. Their interpretations suggest that evapotranspiration (ET) and other processes such as leaching of accumulated salts are significant in producing high perchlorate concentrations in groundwater from atmospherically sourced perchlorate, even when atmospheric deposition concentrations are much lower. Lower values of perchlorate in groundwater may indicate depletion by microbial soil processes. Plummer et al. (2006, 93669) calculate a value as high as 4 μ g/L as a maximum potential value for preanthropogenic groundwater where ET approaches a factor of 40.

Water from the three locales at the Laboratory—alluvium, perched-intermediate, and regional aquifers—all had approximately the same level of perchlorate (0.26 μ g/L) (Table F-2.2-4). This falls in the low range of the concentrations in waters tested by Plummer et al. (2006, 93669). Their inferred ClO_4^-/Cl^- ratio in bulk atmospheric deposition is $\geq 3.8 \times 10^{-4}$ (weight ratio), which is indicative of the level of ET influence when compared with the ClO_4^-/Cl^- ratios of groundwater samples. A rough calculation of the Laboratory ClO_4^-/Cl^- ratio in groundwater is 9×10^{-5} (weight ratio), within a reasonable range of the Plummer et al. (2006, 93669) value. ET values for Los Alamos are expected to be less than or similar to those in the MRGB, based on altitude and regional weather patterns.

Values for perchlorate in precipitation samples taken by the Laboratory were nondetectable or quite low (see above). Because of this, a definitive statement about perchlorate source is difficult, but Plummer et al. (2006, 93669) hypothesized the processes. They showed perchlorate concentrations of up to 0.3 µg/L in groundwater up to 30,000 years old, indicating that perchlorate appears to come from a long-term atmospheric deposition source. They reported ET-adjusted bulk-atmospheric deposition concentrations of between 0.08 and 0.10 µg/L, somewhat higher than the detected samples for precipitation from the Laboratory (0.006 and 0.017 µg/L), but they also showed ET-adjusted groundwater samples within the range of 0.01 to 0.06 µg/L of perchlorate in groundwater, indicating that the precipitation values available for the Laboratory are hypothesized to compare reasonably with their data. Further, they described a value of 0.025 \pm 0.011µg/L as possible for ClO4 $^{-}$ concentration in Pleistocene-Holocene bulk atmospheric deposition in New Mexico.

F-2.3 Summary of Interlaboratory Comparison of Stable Isotopes, Tritium, and Uranium

This section summarizes interlaboratory comparisons of analytical data for stable isotopes of hydrogen and oxygen, tritium, and uranium. The analyses for stable isotopes are performed for nonregulatory purposes, including determining the origin, recharge elevation, and relative age of the groundwater sample; however, uranium is measured for both regulatory and hydrogeochemical purposes. For this investigation, four separate university laboratories, one commercial laboratory, and a government laboratory performed stable isotope analyses. One university analytical laboratory and a commercial laboratory provided analytical results for tritium. Two commercial laboratories performed uranium analyses using LIKPA and ICPMS. Analytical results varied with each laboratory, depending on the precision, accuracy, and method of analysis.

F-2.3.1 Analytical Comparisons, Stable Isotopes

At the beginning of this investigation, EES-6 personnel used the University of Western Michigan (UWM) to provide analyses of stable isotopes (hydrogen and oxygen, δD , and $\delta^{18}O$) for background waters sampled as part of this investigation. Within a year, EES-6 personnel noticed that UWM's analytical

results were shifted to slightly higher (heavier) isotope values compared with data received in the past from sites previously sampled. Figure F-2.3-1 compares δD versus $\delta^{18}O$ same-site data reported by UWM and previous laboratories. The UWM data from 1997 are systematically displaced roughly +5‰ in δD and about -0.5% to -1.5% in $\delta^{18}O$ compared with previous stable isotope data collected from 1978 to 1993.

Coincidentally, EES-6 personnel used UWM during 1996 and 1997 for stable isotope analyses of geothermal fluids for a project in Dixie Valley, Nevada (Goff et al. 2002, 88766). Figure F-2.3-2 shows a comparison of same-site data analyzed by UWM and USGS in Reston, Virginia. In this case, these data are generated from splits of the same water samples. Repeatedly, the UWM data are skewed roughly by the same amount as in Figure F-2.3-1. However, the UWM data in both cases appear to be internally consistent, which are precise but not accurate. The trends and general characteristics of the data are similar, but because they are skewed, the data are not comparable with data reported by other analytical laboratories.

Because of this problem, EES Division personnel decided to compare the results of numerous external laboratories performing stable isotope analyses on water samples. A large quantity of cold meteoric water was collected from S-Site (TA-16) and placed in a Teflon-lined, sealed, 55-gal. drum. Double or triple aliquots of this water were then sent to the following laboratories for analysis: Global, Geochron, New Mexico Technical Institute (NMTI), USGS, University of Miami, University of New Mexico (UNM), and UWM. Three laboratories (Geochron, USGS, and University of Miami) produced results that straddle the worldwide meteoric water line (WMWL) and the Jemez Mountains meteoric water line (JMWL) (Figure F-2.3-3) (Craig 1961, 88748; Vuataz and Goff 1986, 73687). These data provide the most reasonable results, considering previous analytical results for the springs (Figure F-2.3-1). Because these were cold meteoric waters, it was impossible to evaluate which of these three laboratories was the most precise and accurate without performing additional analyses and thoroughly evaluating each laboratory's analytical procedures and methods. Stable isotope analyses are now performed by EES-6, producing appropriate QA, as required by EP-WSP.

In contrast, UWM data are considerably different than analytical data from the other laboratories, having higher δD values and lower $\delta^{18}O$ values. Analytical results provided by the University of New Mexico (UNM) are slightly skewed to higher δD values, but stable isotope data reported by Global and NMTI are skewed to lower δD and higher $\delta^{18}O$ values, respectively. It appears that each of the laboratories produces internally consistent data; however, the data do not compare well with analytical results provided by the other laboratories.

Stable isotope data reported from Geochron, USGS, and University of Miami are most representative of the Pajarito Plateau and Sierra de los Valles. Stable isotope analyses for geochemical and hydrologic evaluation of groundwater for Laboratory sites may be compared with background and water derived from meteoric sources during environmental investigations.

F-2.3.2 Analytical Comparisons: Tritium Analyses Performed by the University of Miami and Teledyne

Hydrologic and geochemical information regarding groundwater residence times and flow paths are obtained by performing tritium analyses on water samples. The half-life for tritium is 12.33 yr, and this isotope decays by emission of a β particle (electron) to helium (3 He). The source and age of a particular water sample may be inferred by its tritium activity. Groundwater samples with less than 1 to 2 pCi/L generally are greater than 60 yr old (Shevenell and Goff 1995, 73689) and have been isolated from recent sources of tritium, including treated Laboratory discharges and local precipitation.

The University of Miami performed tritium analyses on water samples using liquid scintillation, direct counting, and electrolytic enrichment, depending on the activity of tritium in a given sample. Electrolytic enrichment is the most sensitive method, providing an IDL of 0.5 pCi/L. Liquid scintillation is an appropriate method for water samples containing 300 pCi/L or greater of tritium. Direct counting is an appropriate method when activities of tritium range between 3.2 and 300 pCi/L.

F-2.3.2.1 Quality Assurance and Quality Control

The quality of analytical results reported by the University of Miami was evaluated through primary and duplicate water samples, analytical method(s), analytical consistency, and data-trend analysis. Analytical results of tritium, reported by the University of Miami and Teledyne, are discussed in this section. The groundwater samples were analyzed by Teledyne during 1997 and 1998.

The primary and duplicate water samples analyzed by the University of Miami show strong agreement, characterized by an r² value equal to 0.998, as shown in Figure F-2.3-4. Figure F-2.3-5 shows tritium activities reported by the University of Miami and Teledyne for the 15 background stations sampled in 1997 and 1998. The two analytical laboratories show poor agreement. Only samples that contain activities of tritium near or at the IDL (0.5 pCi/L) compare reasonably well. Both laboratories used direct counting methods for groundwater samples containing activities of tritium greater than 3.2 pCi/L. Activities of tritium reported by the University of Miami generally are greater than those reported by Teledyne.

Reasonable consistency in tritium activities was reported by the University of Miami for several background sampling stations, as shown in Figures F-2.3-6 (Apache Spring), F-2.3-7 (well LAO-B), and F-2.3-8 (Spring 9B). Variation in tritium activity at some sampling stations is expected because of varying tritium activities in precipitation that provide recharge to several springs within the Sierra de Los Valles (Apache Spring, Water Canyon Gallery, and upper Cañon de Valle Spring). The interlaboratory comparison also included well LAO-B (alluvial groundwater, upper Los Alamos Canyon), Pine Spring, Seven Springs, Spring 9B, and Water Canyon Gallery. Water samples analyzed by Teledyne do not compare well with analytical results reported by the University of Miami. Tritium results provided by the University of Miami are more consistent for all of the springs sampled as part of this investigation.

Water samples collected during this investigation were submitted to the University of Miami for analysis and underwent QA/QC analysis. The tritium analytical results reported by the University of Miami are of high quality, and they are consistent over time for each background sampling station. These factors help make the University of Miami data technically defensible. Reasonable decisions regarding groundwater flow paths, residence times, and the presence or absence of tritium can be made using these University of Miami data.

F-2.3.3 Analytical Comparisons: Uranium Analyses Performed by Paragon Analytics, Inc., and General Engineering Laboratories

An analytical method for aqueous uranium requires a low IDL of less than 1 μ g/L because dissolved background concentrations of this analyte typically are lower than this level in groundwater at the Laboratory. Paragon Analytics, Inc., performed uranium analyses on groundwater samples using LIKPA, which has an IDL of 0.1 μ g/L. GEL analyzes uranium by using the ICPMS method, which provides a similar IDL. The LIKPA method was available before the use of ICPMS during this investigation. LIKPA is a viable analytical method if the ionic strength of the solution is less than 0.7 molal and if dissolved concentrations of chloride are less than 1000 mg/L. However, elevated concentrations of chloride, especially in solid samples, produce interference that biases the results. Groundwater samples collected

during this investigation and analyzed for uranium using the LIKPA method have chloride concentrations of less than 20 mg/L.

Figure F-2.3-9 shows distributions of dissolved uranium within background spring and well samples analyzed by both LIKPA and ICPMS for the late 1999 and early 2000 sampling round. The correlation is excellent with an $\rm r^2$ value equal to 1.0, suggesting that for the Laboratory background water samples both methods produce high-precision and accurate analytical results. Concentrations of dissolved uranium analyzed by ICPMS at most background-sampling stations are less than 1 μ g/L. This result is consistent with the other sampling rounds conducted in 1997 and 1998. In summary, both LIKPA and ICPMS provided consistent analytical results for uranium, and results for all analyses are suitable for use to determine statistical distributions of this analyte. Based on these comparisons, it was determined that both GEL and Paragon Analytics, Inc., provided acceptable results; these data have been incorporated into the data set.

F-2.3.4 EES-6 Screening Analyses for Inorganic Analytes

This section and Section F-3 present a summary of the procedures, methods, and equipment used by EES-6 for analyzing groundwater samples collected as part of this investigation. Analyses of major cations and anions and trace elements were performed by EES-6. A summary of interlaboratory comparisons of chemical data for inorganic analytes performed by EES-6, Paragon Analytics, Inc., and other contract laboratories for the NMED Oversight Bureau (OB) is also presented. The EES-6 aqueous chemistry laboratory provided analytical results for groundwater and surface water samples, which are used for screening purposes to make decisions in the field. These screening data are supported by validated laboratory analytical results external to the Laboratory.

The EES-6 analytical laboratory uses methods developed from EPA, SW 846 (EPA 1987, 31732) for analyzing inorganic chemicals in aqueous solutions. Laboratory standards, blanks, duplicates, blind samples, and National Institute of Standards and Technology reference waters are run as part of the QA and QC programs. Analytical results from EES-6 compare very well with those provided by Paragon Analytics, Inc. EP-WSP has approved the EES-6 laboratory for providing high-precision data for anions and metals and fully validated QA/QC stable isotopes.

F-2.3.4.1 Analytical Comparisons

Splits of groundwater samples were collected by NMED-OB during this investigation and were analyzed at external laboratories. Shortly after sampling, Laboratory personnel delivered groundwater samples to EES-6 for chemical analyses and also shipped samples to Paragon Analytics, Inc., and other EP-ERSS laboratories. Paragon Analytics, Inc., performed chemical and radiochemical analyses on the groundwater samples collected as part of this investigation. Paragon Analytics, Inc., uses the ICPAES method for metal and trace-element analyses, including aluminum, antimony, arsenic, barium, beryllium, boron, calcium, cadmium, cobalt, chromium, copper, iron, lead, magnesium, manganese, molybdenum, nickel, potassium, selenium, silicon, silver, sodium, strontium, thallium, vanadium, and zinc. The EES-6 laboratory used AA methods for specific trace analytes, including arsenic, antimony, cadmium, cesium, chromium, cobalt, copper, lead, molybdenum, nickel, potassium, rubidium, selenium, silver, sodium, thallium, and tin. EE-6 also used the ICPAES method to analyze for aluminum, barium, beryllium, boron, calcium, iron, magnesium, manganese, potassium, sodium, silicon, strontium, titanium, vanadium, and zinc. Both laboratories used the CVAA method for mercury analysis. AA provides lower detection limits than ICPAES for many trace analytes and better precision for low-level sodium and potassium. The ICPMS method provides even better sensitivity for most analytes, including important analytes not normally included, such as uranium and thorium. GEL analyzed the groundwater samples collected in late 1999 and in 2000 for antimony, beryllium, cadmium, lead, thallium, and uranium, using the ICPMS method.

Section F-3 provides a comparison of analytical results reported by EES-6 and Paragon Analytics, Inc., for several selected springs and alluvial well LAO-B. Apache Spring and Doe Spring are representative of groundwater within perched intermediate zones and the regional aquifer.

F-2.3.4.2 Summary for Inorganic Analytes

Analytical results provided by EES-6 compare very favorably with Paragon Analytics, Inc., for major ions and most trace elements. The EES-6 screening analytical methods include ICPAES, AA, IC, and ISE. The AA method, however, provides lower IDLs for many trace elements in aqueous solution than does the ICPAES method used by Paragon Analytics, Inc. Instrument detection limits associated with ICPAES vary between laboratories, depending on the specific instrument and the configuration being used (axial vs radial view). Analytical results provided by NMED-OB and Paragon Analytics, Inc., showed some inconsistencies in IDLs inherent from the ICPAES method. Because of the favorable comparison, EES-6 data have been combined with the rest of the data since they are suitable and representative of the background geochemistry.

F-2.3.5 Summary for Stable Isotopes and Tritium

Stable isotope data reported by Geochron, USGS, and the University of Miami are most representative of the Pajarito Plateau and surrounding areas. These data, in conjunction with Laboratory site data, are used to evaluate the source and elevation of recharge water. Tritium results provided by the University of Miami are the most accurate for the background stations sampled during this investigation. These analytical results can be compared with Laboratory site data to quantitatively place a general age on water. Deep groundwaters with an activity of tritium of <1 pCi/L are greater than 60 yr old. Analytical results provided by EES-6, Paragon Analytics, Inc., and GEL compare very well, and data from these analytical laboratories have been combined for alluvial groundwater, perched intermediate groundwater, and the regional aquifer.

F-3 STANDARD OPERATING PROCEDURES

This section contains the original Appendix F text from revision 1 of this report. This section presents a summary of the standard operating procedures (SOPs) used by Earth and Environmental Science Division (EES-6). Analytical instruments and their application for sample characterization are listed to provide the basis of selecting EES-6 for screening analyses during this investigation. Analytical methods used during this investigation included inductively coupled plasma atomic (optical) emission spectroscopy (ICPAES), graphite furnace atomic absorption (GFAA), cold vapor atomic absorption (CVAA), ion chromatography IC, ion-specific electrode ISE, alkalinity titration, and gaseous hydride generation atomic absorption (GHAA) spectroscopy.

F-3.1 Elements by ICP Atomic Emission Spectroscopy

Los Alamos National Laboratory SOP-01.1, R0 describes the procedure used in determining the following elements by ICPAES: aluminum, boron, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, lithium, magnesium, manganese, molybdenum, sodium, nickel, lead, silicon, silver, strontium, titanium, vanadium, and zinc. This method is comparable to SW-846 Method 6010A and Environmental Protection Agency (EPA) Method 200.7 (EPA 1987, 31732).

The following equipment may be used and will be controlled in accordance with LANL-EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- ICPAES: Leeman's Model PS1000UV inductively coupled plasma ICP emission spectrophotometer (PN 738144) and the following accessories
 - Autosampler
 - Integrated software for system control and data management
 - Questron Qwave 3000 microwave (PN 971309)
 - Mettler PE 1600 balance (PN 624733)
 - Mettler AE 240 balance (PN 656788)
 - Pipettes and appropriate labware

This SOP applies to samples requiring ICPAES for work under the EES quality management plan (QMP) by EES-6 personnel. Any sample that can be put into a solution and for which the element concentrations are within the instrument's detection range can be analyzed by ICPAES. Elements that have detection limits insufficient for the samples being analyzed must be determined using alternative methods, such as GFAA or gaseous hydride atomic absorption spectroscopy (GHAA).

F-3.2 Elements by Graphite Furnace Atomic Absorption Spectroscopy

EES-1-SOP-01.2, R0 describes the procedure used for analyzing the following trace elements by GFAA spectroscopy: antimony, arsenic, cadmium, cobalt, chromium, cesium, copper, molybdenum, nickel, lead, rubidium, selenium, silver, tin, and thallium. This SOP is comparable to EPA Method 200.9 (EPA 1987, 31732).

The following equipment may be used and will be controlled in accordance with AP-01.11, Control of Measuring and Test Equipment and Standards:

- Perkin Elmer Model 5500 Atomic Absorption Spectrophotometer with continuum background corrector (PN 487640) and the following accessories
 - Model HGA 500 furnace accessory (PN 487638)
 - AS40 autosampler (PN 733079)
 - Single or multielement hollow cathode lamps, or electrode discharge lamps (EDLs)
 (PN 834654) with Perkin Elmer system two- power supply
 - Perkin Elmer 7700 computer system (PN 656260) with HGA Graphics II data software
 - Questron Qwave 3000 microwave (PN 971309)
 - Mettler PE 1600 Balance (PN 624733)
 - Mettler AE 240 Balance (PN 656788)
 - Pipettes and appropriate labware

This SOP applies to samples, with low-level concentrations of dissolved elements, requiring GFAA for work under the EES-QMP. Any sample that can be put into a solution and for which the sample matrix does not create an interference that cannot be compensated for by background correction or matrix modification can be analyzed by GFAA.

F-3.3 Elements by Gaseous Hydride Atomic Absorption Spectroscopy

LANL-EES-1-SOP-01.3, R0 describes the procedure used for analyzing the following elements by GHAA: antimony, arsenic, and selenium. This SOP is comparable to SW-846 Methods 7062 and 7742 (EPA 1986, 31732).

The following equipment may be used in this SOP and will be controlled in accordance with EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Perkin Elmer Model 5500 Atomic Absorption Spectrophotometer (PN 487640) and the following accessories:
 - Single or multielement hollow cathode lamps, or estimated detection limit (EDL) (PN 834654)
 with Perkin Elmer System two- power supply
 - Perkin Elmer 7700 computer system (PN 656260) with HGA Graphics II data software
 - Cold-vapor/hydride generator, Perkin Elmer Model MHS-10 (PN 838904)
 - Argon, acetylene, and compressed air
 - Questron Qwave 3000 microwave (PN 971309)
 - Mettler PE 1600 balance (PN 624733)
 - Mettler AE 240 balance (PN 656788)
 - pipettes and appropriate lab ware

This SOP applies to liquid, solid, and slurry samples requiring GHAA for work under the EES-QMP.

F-3.4 Cold Vapor Atomic Absorption Spectroscopy

EES-1-SOP-01.4, R0 describes the equipment used for CVAA analysis of the organic and inorganic mercury in aqueous, solid, and semisolid samples. This SOP is comparable to SW-846 Methods 7470A and 7471A and EPA Method 245.1 (EPA 1987, 31732).

The following equipment may be used in this SOP and will be controlled in accordance with LANL-EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Perkin Elmer Model 5500 Atomic Absorption Spectrophotometer (PN 487640) and the following accessories
 - Single or multielement hollow cathode lamps, or EDLs (PN 834654) with Perkin Elmer System 2 power supply.
 - Perkin Elmer 7700 computer system (PN 656260) with HGA Graphics II data software
 - Cold-vapor/hydride generator, Perkin Elmer Model MHS-10 (PN 838904)
 - Questron Qwave 3000 microwave (PN 971309)
 - Mettler PE 1600 balance (PN 624733)
 - Mettler AE 240 balance (PN 656788)
 - Pipettes and appropriate labware
 - Argon gas

This SOP applies to liquid, solid, and slurry samples to be analyzed under the EES-QMP.

F-3.5 Alkalinity Titration

EES-1-SOP-01.8, R0 describes the procedure used for determining alkalinity in water samples and reporting this alkalinity as bicarbonate, carbonate, and hydroxide, or as total alkalinity, as applicable.

The following equipment may be used in this SOP and will be controlled in accordance with EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Mettler DL25 Titrator (PN 843449) and the following accessories
 - Mettler ST20 sample changer
 - Printer
 - Combination pH electrode
 - Automatic temperature compensator probe
 - Mettler PE 1600 balance (PN 624733)
 - Pipettes and appropriate labware

This SOP applies to aqueous solutions with a pH above the bicarbonate endpoint to be analyzed under the EES QMP.

F-3.6 Specific Conductance

EES-1-SOP-01.7, R0 describes the procedure used to determine the specific conductance of a solution using an Orion Model 160 Conductivity meter and an Orion Model 016010 Electrode conductivity cell.

The following equipment may be used in this SOP and will be controlled in accordance with EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Conductivity meter, Orion Model 160 (S/N 23637032)
- Four-electrode conductivity cell, Orion Model 016010

This SOP applies to aqueous samples requiring a conductivity measurement for work under the EES-QMP.

F-3.7 Ion Chromatography

EES-1-SOP-01.5, R0 describes the procedure used for preparing and analyzing the following analytes for IC, including: fluoride, chloride, nitrite, bromide, nitrate, phosphate, sulfate, iodide, chlorate, perchlorate, thiosulfate, and thiocyanate. Other analytes may be included if their characteristics make them amenable to this SOP. This SOP is comparable to SW-846 Method 9056 and EPA Method 300.0 (EPA 1987, 31732).

The following equipment may be used in this SOP and will be controlled in accordance with EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Ion Chromatograph, Dionex Model 4000 and 4500i with conductivity and ultraviolet/visible (UV/Vis) detectors and the following accessories:
 - Dionex Autolon 450 data system
 - automated sampler
 - suppressor system

- ion exchange columns
- pipettes and appropriate labware

This SOP applies to aqueous samples, or samples that through pretreatment can be made aqueous, requiring IC for work under the EES-QMP.

F-3.8 Ion-Selective Electrode Measurements

LANL-EES-1-SOP-01.10, R0 describes the procedure used for measuring the concentration of the following ions in solution using electrochemical sensors: ammonium, fluoride, and sulfide. The potential for the electrochemical sensors varies with the logarithm of the ion's activity in solution.

The following equipment may be used in this SOP and will be controlled in accordance with EES-6-AP-01.11, Control of Measuring and Test Equipment and Standards:

- Orion combination fluoride electrode, model 96-09
- Orion ammonium electrode, model 95-12
- Orion silver/sulfide electrode, model 94-16
- Orion double junction reference electrode, model 90-02
- Magnetic stirrer

This SOP applies to solutions requiring ammonium, fluoride, and sulfide measurements for work under the EES-QMP.

F-4 EES AND PARAGON ANALYTICS, INC. COMPARISONS

Apache Spring was sampled six times during the course of the investigation conducted for Rev. 0 and Rev. 1 of this report. Analytical results (trace elements) for duplicate samples analyzed by both EES-6 and Paragon Analytics, Inc., during February 1998 are provided in Figure F-4-1. Method-detection limits are lower for those trace elements (arsenic, cadmium, cobalt, and nickel) analyzed by AA methods compared to the same elements analyzed by the ICPAES method, as shown in Figure F-4-1. The units of mg/L and ppm are equivalent in these low-ionic-strength waters. Sample results reported by Paragon Analytics, Inc., showed some inconsistencies in detection limits inherent from the ICPAES method (Figure F-4-1). Paragon Analytics, Inc., reported higher concentrations of aluminum, iron, manganese, and vanadium compared to EES-6 results for this sampling event, but there is good agreement between the two laboratories for barium, lead, and strontium.

Figure F-4-2 shows an excellent comparison between analytical results for major cations reported by EES-6 and Paragon Analytics, Inc., for alluvial well LAO-B sampled in February and October 1998. Concentrations of calcium, potassium, magnesium, and generally sodium are within analytical uncertainties measured by each laboratory and data plot on or close to the line characterized by a 1:1 slope (exact agreement). Both laboratories used the ICPAES method for the major ion analysis. There is some variation in solute concentrations for well LAO-B, reflecting both short residence time within alluvial groundwater and variation in surface water chemistry. During 1998, concentrations of calcium, magnesium, potassium, and sodium were lower in February than those reported for the October samples.

Figure F-4-3 is a plot of analytical results for major ions and TDS reported by both EES-6 and Paragon Analytics, Inc., for duplicate groundwater samples collected at Apache Spring during February 1998. For

most of the major ions, there is an excellent agreement in analytical results reported by the two laboratories. The EES-6 analytical laboratory, however, reported a bicarbonate concentration of 65 ppm, but Paragon Analytics, Inc., reported a value of 54 mg/L for this sampling event. Discrepancy in the reported bicarbonate concentrations could be caused by carbon dioxide gas diffusion from the sample bottle sent to Paragon Analytics, Inc. (analyzed one to two weeks later than EES-6), resulting in a lower bicarbonate concentration. The EES-6 laboratory also reported higher TDS of 175 ppm (or mg/L) as compared with Paragon's reported value of 160 mg/L, which is reflected by the higher bicarbonate concentration.

Figure F-4-4 shows an excellent comparison of analytical results between Paragon Analytics, Inc., and EES-6 for major ion concentrations at Doe Spring sampled in February and September 1998. Concentrations of calcium and sodium show some variation within 1 to 2 mg/L or ppm. Calcium concentrations were slightly higher in February 1998, but sodium concentrations were higher in September 1998. There is very little variation in analyte concentrations for chloride, magnesium, potassium, and sulfate measured during the two sampling events, suggesting a longer residence time for intermediate perched groundwater discharging at Doe Spring as compared with alluvial groundwater (LAO-B).




Figure F-1.3-1. Location of 15 sampling sites in the Jemez Mountains and near Los Alamos National Laboratory, New Mexico

(Note: Sites 5, 12, and 14 are not background locations.)




Figure F-2.2-1. Comparison of field replicate (dup.) samples ("plus" symbols are nonfiltered samples, and squares are filtered samples)




Figure F-2.2-1 (continued)




Figure F-2.2-1. (continued)




Figure F-2.2-2. Comparison of water chemistry results for analytical laboratories and methods ("plus" symbols are nonfiltered samples, and squares are filtered samples)






Figure F-2.2-2. (continued)



 NO_3 EES = -0.06 + 0.96* NO_3 , r^2 = 0.98, n = 31

EES = Earth and Environmental Sciences
CL = contract laboratory
LIKPA= laser-induced kinetic phosphorometric analysis
ICPMS = inductively coupled plasma mass spectrometry
UM = University of Miami

Figure F-2.2-2. (continued)



Average spatial distributions (n = 6) for key analytes at Laboratory background wells and springs Figure F-2.2-3.




Figure F-2.3-1. Comparison of archived stable isotope data with University of Western Michigan 1997 data




Figure F-2.3-2. Laboratory comparison of sample splits from Dixie Valley, Nevada (Goff et al. 2002, 88776)




Figure F-2.3-3. Comparative stable isotope results from Los Alamos National Laboratory internal standard




Figure F-2.3-4. Comparison of primary and duplicate water samples analyzed for tritium by the University of Miami, Los Alamos National Laboratory background sites, 1997–1998




Figure F-2.3-5. Comparison of tritium results reported by the University of Miami and Teledyne for Los Alamos National Laboratory background groundwater samples collected from April through October, 1998




Figure F-2.3-6. Comparison of tritium results reported by the University of Miami and Teledyne for Apache Spring; (left to right) groundwater samples were collected during May 7, 1997; August 6, 1997; August 6, 1997 (dup.); February 9, 1998; and July 1, 1998




Figure F-2.3-7. Comparison of tritium results reported by the University of Miami and Teledyne for LAO-B well; (left to right) groundwater samples collected during May 14, 1997; August 1, 1997 (dup.); February 24, 1998; and October 2, 1998




Figure F-2.3-8. Comparison of tritium results reported by the University of Miami and Teledyne for Spring 9B; (left to right) groundwater samples collected during April 22, 1997; August 18, 1997; February 3, 1998; and September 23, 1998; and January 7, 2000




Figure F-2.3-9. Comparison of dissolved uranium analyzed by laser-induced kinetic phosphorimetric analysis and inductively coupled plasma mass spectrometry for Laboratory background sampling stations, December 1999 and January 2000




Figure F-4-1. Comparison of trace element chemistries reported by EES-6 and NMED for Apache Spring (Tschicoma Formation) sampled in February 1998




Figure F-4-2. Comparison of major ion chemistries reported by EES-6 and Paragon Analytics, Inc., for well LAO-B (alluvium) in February and October 1998




Figure F-4-3. Comparison of major ion chemistries and total dissolved solids reported by EES-6 and NMED for Apache Spring (Tschicoma Formation) sampled in February 1998




Figure F-4-4. Comparison of major ion chemistry (dissolved) reported by EES-6 and Paragon Analytics, Inc., for Doe Spring (basalt) sampled in February and September 1998

Table F-1.1-1

Data Input Requirements for Laboratory Background Hydrogeochemistry Investigation

Water Quality Database Conditions					
Condition	Reason				
Lab Sample Type Code = 'CS'	Eliminate analytical laboratory duplicates or blanks				
Lab Code NOT IN 'CST'	Eliminate results from contract laboratory CST				
Start Date > '1-1-2000'	Eliminate older results				
Lab Qual Code NOT IN 'R', 'X'	Eliminate results rejected by either laboratory or secondary validation				
Lab Code LIKE 'UMTL' for 'H3'	Limit tritium results to lower detection limit method				
Well Class NOT IN 'Borehole'	Eliminate borehole samples				
Anyl Meth Code NOT IN 'EPA:901.1' for 'Cs-137'	Limit Cesium-137 results to lower detection limit method				
Anyl Meth Code IN 'SW-846:8321A(M)' or 'SW846 6850 Modified' for 'CIO4'	Limits perchlorate results to lower detection limit method				
Field QC Type Code IS 'NULL'	Eliminate field duplicates or blanks				
Environmental Remediation Database Conditions					
Condition	Reason				
Location in Pine Spring or Spring 9B	Limits locations to Pine Spring and Spring 9B				
Analyte Description listed in table 3.1-1b	Limits data to analytes pulled from WQDB				
Start Date listed	Eliminates data without a start date				
FLD_QC_TYPE_CODE either 'NULL' or 'NA'	Eliminates field duplicates or blanks				

Table F-1.1-2
Names and General Locations of Background Sample Stations

Station Name	Location	Latitude and Longitude	Groundwater Category	
Apache Spring	Sierra de los Valles, west of LANL	N35°49'28.3"; W106°23'23.38"	Perched Intermediate	
Doe Spring	White Rock Canyon	N35°45'53.51"; W106°14'34.55"	Perched Intermediate	
Pine Spring	Pajarito Plateau, north of Laboratory	N35°57'21.95"; W106°17'04.52"	Alluvial	
Seven Springs	West Jemez Mountains	N35°48'14.05"; W106°42'14.0"	Perched Intermediate	
Spring 1	White Rock Canyon, San Ildefonso Pueblo	N35°51'32.55"; W106°08'34.08"	Regional Aquifer	
Spring 9B	White Rock Canyon	N35°45'40.46"; W106°14'36.88"	Perched Intermediate	
Upper Cañon de Valle Spring	West of Laboratory	N35°51'32.38"; W106°22'47.09"	Perched Intermediate	
Water Canyon Gallery	West of Laboratory	N35°50'39"; W106°22'19"	Perched Intermediate	
Water Supply Well O-4	Middle Los Alamos Canyon	N35°52'22"; W106°15'35"	Regional Aquifer	
Water Supply Well G-5	Guaje Canyon, north of Laboratory	N35°54'51"; W106°13'37"	Regional Aquifer	
Well LAOI-1.1	Upper Los Alamos Canyon	N35°52'31.6"; W106°17'13.5"	Perched Intermediate	
Well LAO-B	Upper Los Alamos Canyon	N35°52'43.8"; W106°20'7.1"	Alluvial	

Table F-1.2-1
Summary of Field Parameters Measured at LANL Background Sampling Stations, 1997–2000

Sample Station	Date MM/DD/YY	Temperature (°C)	Specific Conductance (µS/cm)	pHa	Turbidity ^b (NTU)
Doe Spring, filtered	04/22/97	17.5	125L ^c	8.19	d
Doe Spring, nonfiltered	04/22/97	17.5	124L	8.19	_
Spring 9B, filtered	04/22/97	20.1	122L	7.82	_
Spring 9B, nonfiltered	04/22/97	20.1	122L	7.82	_
Seven Springs, filtered	04/27/97	12.4	83	7.49	0
Seven Springs, nonfiltered	04/27/97	12.4	83	7.49	0
Pine Spring, filtered	05/07/97	6.8	100	5.81	0
Pine Spring, nonfiltered	05/07/97	6.8	100	5.81	0
Apache Spring, filtered	05/07/97	8.3	199	7.27	0
Apache Spring, nonfiltered	05/07/97	8.3	199	7.27	0
Water Canyon Gallery, filtered	05/07/97	11.3	104	7.42	0
Water Canyon Gallery, nonfiltered	05/07/97	11.3	104	7.42	0
LAOI(A)-1.1, filtered	05/09/97	9.7	114	6.82	0
LAOI(A)-1.1, nonfiltered	05/09/97	9.7	114	6.82	0
LAOI(A)-1.1, filtered, duplicate	05/09/97	9.7	114	6.82	0
Upper Cañon de Valle, filtered, duplicate	05/13/97	8.9	70	7.33	0
Upper Cañon de Valle, filtered	05/13/97	8.9	70	7.33	0
Upper Cañon de Valle, nonfiltered	05/13/97	8.9	70	7.33	0
LAO-B, filtered	05/14/97	4.8	105	6.64	0
LAO-B, nonfiltered	05/14/97	4.8	105	6.64	0
Spring 1, filtered	05/21/97	16.8	218	7.43	0
Spring 1, nonfiltered	05/21/97	16.8	218	7.43	0
Otowi 4, filtered	05/29/97	27.9	306	6.92	_
Otowi 4, nonfiltered	05/29/97	27.9	306	6.92	_
Otowi 4, filtered, duplicate	05/29/97	27.9	306	6.92	_
Guaje 5, filtered	05/29/97	26.8	186	7.86	_
Guaje 5, nonfiltered	05/29/97	26.8	186	7.86	_
Guaje 5, filtered, duplicate	05/29/97	26.8	186	7.86	_
LAO-B, filtered	08/01/97	9.6	98	6.79	1
LAO-B nonfiltered	08/01/97	9.6	98	6.79	1
LAO-B, filtered, duplicate	08/01/97	9.6	98	6.79	1
Upper Cañon de Valle, filtered	08/04/97	8.2	94	7.30	0
Upper Cañon de Valle, nonfiltered	08/04/97	8.2	94	7.30	0
Pine Spring, filtered	08/04/97	12.5	146	6.46	0
Pine Spring, nonfiltered	08/04/97	12.5	146	6.46	0
Pine Spring, filtered, duplicate	08/04/97	12.5	146	6.46	0
Spring 1, filtered	08/05/97	17.3	231L	6.5	
Spring 1, nonfiltered	08/05/97	17.3	234L	6.5	_

Table F-1.2-1 (continued)

Sample Station	Date MM/DD/YY	Temperature (°C)	Specific Conductance (µS/cm)	рН	Turbidity (NTU)
Water Canyon Gallery, filtered	08/06/97	11.2	78.7L	7.21	
Water Canyon Gallery, nonfiltered	08/06/97	11.2	79.3L	7.21	_
Apache Spring, filtered	08/06/97	8.6	330L	7.26	_
Apache Spring, nonfiltered	08/06/97	8.6	334L	7.26	_
Apache Spring, filtered, duplicate	08/06/97	8.6	337L	7.26	_
Seven Springs, filtered	08/07/97	11.7	112L	7.33	_
Seven Springs, nonfiltered	08/07/97	11.7	113L	7.33	_
Seven Springs, filtered, duplicate	08/07/97	11.7	114L	7.33	_
Spring 9B, filtered	08/18/97	20.5	225	7.85	_
Spring 9B, nonfiltered	08/18/97	20.5	225	7.85	0
Doe Spring, filtered	08/18/97	20.2	51	8.27	0
Doe Spring, nonfiltered	08/18/97	20.2	51	8.27	0
Guaje 5, filtered	08/19/97	26.4	216	6.81	0
Guaje 5, nonfiltered	08/19/97	26.4	216	6.81	0
Otowi 4, filtered	08/19/97	27.9	219	7.40	0
Otowi 4, nonfiltered	08/19/97	27.9	219	7.40	0
LAOI-1.1, filtered	09/05/97	10.3	109	7.10	4
LAOI-1.1, nonfiltered	09/05/97	10.3	109	7.01	4
Doe Spring, filtered	02/03/98	13.8	120	8.12	15.3
Doe Spring, nonfiltered	02/03/98	13.8	120	8.12	15.3
Spring 9B, filtered	02/03/98	19.4	130	7.73	0.5
Spring 9B, nonfiltered	02/03/98	19.4	130	7.73	0.5
Water Canyon Gallery, filtered	02/09/98	11.1	90	7.74	1.8
Water Canyon Gallery, nonfiltered	02/09/98	11.1	90	7.74	1.8
Water Canyon Gallery, filtered, duplicate	02/09/98	11.1	90	7.74	1.8
Apache Spring, filtered	02/09/98	6.5	165	7.96	5.0
Apache Spring, monfiltered	02/09/98	6.5	165	7.96	5.0
Pine Spring, filtered	02/10/98	3.6	70	6.78	41.7
Pine Spring, nonfiltered	02/10/98	3.6	70	6.78	41.7
Seven Springs, filtered	02/10/98	10.5	120	7.50	2.2
Seven Springs, nonfiltered	02/10/98	10.5	120	7.50	2.2
Upper Cañon de Valle, filtered	02/10/98	6.7	80	8.04	1.4
Upper Cañon de Valle, nonfiltered	02/23/98	6.7	80	8.04	1.4
LAO-B, filtered	02/23/98	4.4	90	6.91	4.1
LAO-B, nonfiltered	02/24/98	4.4	90	6.91	4.1
LAOI(A)-1.1, filtered	02/25/98	8.7	100	6.68	27.2
LAOI(A)-1.1, intered	02/25/98	8.7	100	6.68	27.2
Guaje 5, filtered (not sampled)	- OZIZOI30			<u> </u>	
Guaje 5, intered (not sampled) Guaje 5, nonfiltered (not sampled)					
Otowi 4, filtered	02/26/98	26.1	290		1.4

Table F-1.2-1 (continued)

	Date	Temperature	Specific Conductance		Turbidity
Sample Station	MM/DD/YY	(°C)	(µS/cm)	рН	(NTU)
Otowi 4, nonfiltered	02/26/98	26.1	290	7.58	1.4
Spring 1, filtered	04/07/98	15.6	215	7.99	5.4
Spring 1, nonfiltered	04/07/98	15.6	215	7.99	5.4
Upper Cañon de Valle, filtered	07/01/98	7.3	65	7.76	4.6
Upper Cañon de Valle, nonfiltered	07/01/98	7.3	65	7.76	4.6
Apache Spring, filtered	07/01/98	9.1	130	7.32	23.8
Apache Spring, nonfiltered	07/01/98	9.1	130	7.32	23.8
Seven Springs, filtered	07/06/98	10.7	100	7.51	2.7
Seven Springs, nonfiltered	07/06/98	10.7	100	7.51	2.7
Spring 1, filtered	07/07/98	17.6	190	7.81	2.6
Spring 1, nonfiltered	07/07/98	17.6	190	7.81	2.6
Spring 1, filtered, duplicate	07/07/98	17.6	190	7.81	2.6
Water Canyon Gallery, filtered	07/08/98	10.8	65	7.23	1.7
Water Canyon Gallery, nonfiltered	07/08/98	10.8	65	7.23	1.7
Pine Spring, filtered	07/14/98	12.7	80	6.34	17.8
Pine Spring, nonfiltered	07/14/98	12.7	80	6.34	17.8
Pine Spring at source, filtered	07/14/98	9.8	_	7.14	_
Doe Spring, filtered	09/23/98	21.0	167	7.71	_
Doe Spring, nonfiltered	09/23/98	21.0	167	7.71	_
Spring 9B, filtered	09/23/98	20.5	111	7.26	_
Spring 9B, nonfiltered	09/23/98	20.5	111	7.26	_
Otowi 4, filtered	09/28/98	27.5	285	7.45	0.6
Otowi 4, nonfiltered	09/28/98	27.5	285	7.45	0.6
Guaje 5, filtered	09/28/98	24.2	190	8.11	1.1
Guaje 5, nonfiltered	09/28/98	24.2	190	8.11	1.1
LAO-B, filtered	10/02/98	9.8	140	6.83	0.6
LAO-B, nonfiltered	10/02/98	9.8	140	6.83	0.6
LAOI(A)-1.1 , filtered	10/14/98	12.8	95	7.3	>30
LAOI(A)-1.1, nonfiltered	10/14/98	12.8	95	7.3	>30
LAOI(A)-1-1, filtered, duplicate	10/14/98	12.8	95	7.3	>30
Spring 1, filtered	12/16/99	15.2	220	8.23	4.6
Seven Springs, filtered	12/20/99	11.1	105	8.39	1.4
Apache Spring, filtered	01/05/00	6.0	135	9.15	3.1
Apache Spring, filtered, duplicate	01/05/00	6.0	135	9.15	3.1
Water Canyon Gallery, filtered	01/05/00	11.7	90	8.53	1.9
Upper Cañon de Valle, filtered	01/05/00	6.8	90	8.74	2.2
Pine Spring, filtered	01/06/00	4.8	60	8.44	43.2
Doe Spring, filtered	01/07/00	12.2	135	8.54	3.5
Doe Spring, filtered, duplicate	01/07/00	12.2	135	8.54	3.5
Spring 9B, filtered	01/07/00	18.5	145	8.54	1.6

Table F-1.2-1 (continued)

Sample Station	Date MM/DD/YY	Temperature (°C)	Specific Conductance (µS/cm)	рН	Turbidity (NTU)
LAO-B, filtered	01/10/00	5.7	105	7.59	4.8
LAO-B, filtered, duplicate	01/10/00	5.7	105	7.59	4.8
LAOI(A)-1.1, filtered	01/20/00	9.0	120	7.40	19.6
Doe Spring, nonfiltered	04/06/00	15.7	80	6.89	7.4
Doe Spring, filtered	04/06/00	15.7	80	6.89	7.4
Guaje 5, filtered (not sampled)	_	_	_	_	_
Guaje 5, nonfiltered (not sampled)	_	_	_	_	_
Otowi 4, filtered (not sampled)	_	_	_	_	_
Otowi 4, nonfiltered (not sampled)	_	_	_	_	_
LAOI(A)-1.1, filtered	04/13/00	11.9	70	6.85	12.8
LAOI(A)-1.1, nonfiltered	04/13/00	11.9	70	6.85	12.8
Spring 9B, filtered	04/06/00	20.0	100	6.44	0.7
Spring 9B, nonfiltered	04/06/00	20.0	100	6.44	0.7
Water Canyon Gallery, filtered	03/30/00	11.3	70	7.4	1.2
Water Canyon Gallery, nonfiltered	03/30/00	11.3	70	7.4	1.2
Water Canyon Gallery, duplicate	03/30/00	11.3	70	7.4	1.2
Water Canyon Gallery, nonfiltered	03/30/00	11.3	70	7.4	1.2
Apache Spring, filtered	03/29/00	7.6	270, 290 ^e	7.33	7.3
Apache Spring, nonfiltered	03/29/00	7.6	270, 290 ^e	7.33	7.3
Pine Spring, filtered	03/30/00	6.8	70, 70 ^e	6.69	44.9
Pine Spring, nonfiltered	03/30/00	6.8	70, 70 ^e	6.69	44.9
Pine Spring, filtered	03/30/00	6.8	70, 70 ^e	6.69	44.9
Pine Spring, nonfiltered	03/30/00	6.8	70, 70 ^e	6.69	44.9
Seven Springs, filtered	03/29/00	10.8	110, 110 ^e	7.22	3
Seven Springs, nonfiltered	03/29/00	10.8	110, 110 ^e	7.22	3
Upper Cañon de Valle, filtered	04/05/00	7.2	70	6.41	4.8
Upper Cañon de Valle, nonfiltered	04/05/00	7.2	70	6.41	4.8
LAO-B, filtered	03/24/00	3.5	78, 80 ^e	6.93	3
LAO-B, nonfiltered	03/24/00	3.5	78, 80 ^e	6.93	3
Spring 1, filtered	04/04/00	18.5	150, 150 ^e	7.26	10.3
Spring 1, nonfiltered	04/04/00	18.5	150, 150 ^e	7.26	10.3

a pH is in standard units.
 b NTU = nephelometric turbidity unit.
 c L denotes that specific conductance was measured in the EES-6 analytical laboratory.

d — = Not analyzed.
 e Specific conductance measurements were recorded with two instruments.

pH, Specific Conductance

Table F-1.2-2
Field Parameters and Analytes for LANL Background Hydrogeochemistry Investigation

Field Parameters

Major Chemistry

Alkalinity (HCO3 + CO3), Ammonia as N, Bicarbonate, Bromide, Carbonate, Fluoride, Nitrate as N, Nitrate + Nitrite as N, Nitrite as N, Perchlorate, Silicon Dioxide, Sulfate, Total Dissolved Solids, Total Kjeldahl Nitrogen, Total Organic Carbon, Total Phosphate as P, and Total Suspended Solids

Metals

Aluminium, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Lithium, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Uranium, Vanadium, Zinc

Radionuclides

Americium-241, Cesium-137, Gross Alpha Radiation, Gross Beta Radiation, Gross Gamma Radiation, Plutonium-238, Strontium-90, Tritium, Uranium-234, Uranium-238

Table F-2.1-1
Analytical Methods Used by Contract Laboratories

Analytical Method	Analyte Suite	Analytical Laboratory
ICPAES (USEPA 6010) and CVAA (USEPA 7470)	Trace metals	Paragon Analytics, Inc.
Ion chromatography (USEPA 300.0)	Anions	Paragon Analytics, Inc.
Titrimetric (USEPA 310.1)	Bicarbonate	Paragon Analytics, Inc.
Colorimetric (USEPA 370.1)	Dissolved silica	Huffman
Laser-induced kinetic phosphorimetry	Total uranium	Paragon Analytics, Inc.
Oxidation/Combustion (SW-415.1)	Dissolved organic carbon	Huffman
(USGS/WRI 79-4)	Dissolved organic carbon fractionation	Huffman
Alpha spectrometry	²⁴¹ Am	Paragon Analytics, Inc.
Alpha spectrometry	²³⁸ Pu, ^{239,240} Pu	Paragon Analytics, Inc.
Alpha spectrometry	²³⁴ U, ²³⁵ U, ²³⁸ U	Paragon Analytics, Inc.
Gamma spectrometry	Gamma spectrometry analytes	Paragon Analytics, Inc.
Electrolytic enrichment/Direct counting	Tritium (low-level)	University of Miami
Gas proportional counting	⁹⁰ Sr	Paragon Analytics, Inc.

ICPAES = Inductively coupled plasma atomic emission spectrometry.

CVAA = Cold vapor atomic adsorption.

Table F-2.1-2 EES-6 Analytical Instrumentation and Instrument-Detection Limits

Analyte	Instrument	EPA Method Number	Instrument Detection Limit (ppm)
Ag	GFAA	200.9	0.0005
Ag	ICPAES	6010	0.0003
Λ1			
Al	GFAA	200.9	0.002
Α	ICPAES	6010	0.01
As	Hydride-AA	7062	0.0002
	GFAA	200.9	0.002
	ICPAES	6010	0.05
В	ICPAES	6010	0.002
Ва	ICPAES	6010	0.002
Be	ICPAES	6010	0.002
Br	IC	300	0.005
Ca	ICPAES	6010	0.002
Cd	GFAA	200.9	0.0002
	ICPAES	6010	0.005
CI	IC	300	0.01
CIO ₃	IC	300	0.02
Co	GFAA	200.9	0.002
	ICPAES	6010	0.01
CO ₃ /HCO ₃ /OH	Titration	310.0	0.5
Conductivity	Electrode	_	0.5
Cr	GFAA	200.9	0.002
	ICPAES	6010	0.01
Cs	GFAA	200.9	0.002
	AA	_	0.02
Cu	GFAA	200.9	0.002
.	ICPAES	6010	0.01
F	IC	300	0.01
•	Electrode	_	0.01
Fe	ICPAES	6010	0.01
Hg	Cold Vapor AA	7470A	0.00002
l l	IC	—	0.000
K	AA	7610	0.01
K	ICPAES	6010	0.01
Li	ICPAES	6010	0.005
	ICPAES		0.003
Mg		6010	0.00=
Mn	ICPAES	6010	0.002
Мо	GFAA	200.9	0.002
	ICPAES	6010	0.02
Na	AA	7770	0.01
	ICPAES	6010	0.05
NH ₄	Electrode		0.02
Ni	GFAA	200.9	0.002
	ICPAES	6010	0.01
NO ₂	IC	300	0.01
NO ₃	IC	300	0.01
Oxalate	IC	300	0.02
Pb	GFAA	200.9	0.002
pН	Electrode	_	0.01

Table F-2.1-2 (continued)

Analyte	Instrument	EPA Method Number	Instrument Detection Limit (ppm)
PO ₄	IC	300	0.02
Rb	GFAA	200.9	0.002
	AA	_	0.01
Sb	Hydride AA	7062	0.0002
	GFAA	200.9	0.002
	ICPAES	6010	0.05
Se	Hydride AA	7742	0.0002
	GFAA	200.9	0.002
	ICPAES	6010	0.1
Si	ICPAES	6010	0.02
Sn	GFAA	200.9	0.005
SO ₃	IC	300	0.01
SO ₄	IC	300	0.02
S_2O_3	IC	_	0.01
Sr	ICPAES	6010	0.005
Ti	ICPAES	6010	0.002
TI	GFAA	200.9	0.002
V	ICPAES	6010	0.002
Zn	ICPAES	6010	0.005

AA= Atomic absorption spectrometry.

GFAA =Graphite furnace atomic absorption.

IC =lon chromatography.

ICPAES =Inductively coupled plasma atomic emission spectrometry.

Table F-2.1-3
Inorganic Target Analytes and Instrument Detection Limits for Water Samples Provided by Paragon Analytics, Inc.

Analyte	IDL (μg/L)
Ag	0.9
Al	10.2
As	2.5
В	7.9
Ва	0.1
Ве	0.2
Ca	1.8
Cd	0.3
Co	0.8
Cr	0.9

Analyte	IDL (μg/L)
Cu	0.6
Fe	15.9
Hg	0.02
K	46.9
Mg	7.7
Mn	0.2
Мо	2.9
Na	2.1
Ni	0.7
Pb	1.4

Analyte	IDL (µg/L)
Sb	3.4
Se	3.1
Sn	14.1
Sr	0.5
Ti	1.3
TI	3.8
Total U	0.1
V	0.8
Zn	0.8

Table F-2.2-1
Student's T-test Comparison of Means of Selected Analytes between Aquifer Types

	All	uvial-Intermed	diate	Intermediate-Regional			Alluvial-Regional		
Constituent	T value	P value	Comparison	T value	P value	Comparison	T value	P value	Comparison
рH	-6.16	0.000	VS	-2.07	0.044	S	-5.98	0.000	VS
Total dissolved solids	-0.15	0.881	Null	-6.44	0.000	VS	-5.20	0.000	VS
Aluminium	2.05	0.043	S	2.96	0.004	Vs	3.27	0.002	VS
Arsenic	1.46	0.148	Null	-7.18	0.000	VS	-4.60	0.000	VS
Barium	1.08	0.284	Null	3.09	0.003	VS	6.33	0.000	VS
Boron	2.43	0.018	S	-6.37	0.000	VS	-3.72	0.000	VS
Calcium	3.81	0.000	VS	-6.18	0.000	VS	-1.10	0.274	Null
Chromium	2.99	0.004	VS	-4.85	0.000	VS	-3.22	0.002	VS
Magnesium	3.71	0.000	VS	-1.30	0.198	Null	1.44	0.155	Null
Nickel	3.45	0.001	VS	-1.13	0.262	Null	0.43	0.669	Null
Potassium	-1.33	0.187	Null	4.48	0.000	Vs	-5.47	0.000	VS
Sodium	-1.60	0.113	Null	-5.15	0.000	VS	-7.07	0.000	VS
Strontium	0.11	0.914	Null	-2.77	0.007	S	-1.79	0.081	Null
Uranium	-2.03	0.046	S	-4.46	0.000	Vs	-4.14	0.000	VS
Alkalinity	-0.69	0.493	Null	-7.72	0.000	VS	-5.21	0.000	VS
Ammonium	-1.24	0.221	Null	1.63	0.108	Null	-0.03	0.978	Null
Bicarbonate	0.07	0.941	Null	-7.69	0.000	VS	-5.04	0.000	VS
Bromide	0.60	0.552	Null	-2.06	0.042	S	-1.12	0.267	Null
Chloride	-0.49	0.628	Null	1.30	0.196	Null	2.98	0.004	VS
Fluoride	-0.57	0.571	Null	-18.03	0.000	VS	-14.64	0.000	VS
Nitrate	-5.52	0.000	VS	-2.52	0.015	S	-6.48	0.000	VS
Sulfate	4.11	0.000	VS	0.94	0.351	Null	4.48	0.000	VS

S P<= 0.05 Significant difference between populations

VS P<= 0.01 Very significant difference between populations

Null P≠0; P>0.05 therefore null hypothesis is confirmed, probability that populations are the same is >0.05

Table F-2.2-2
Reporting Limits Provided by EES-6 and Paragon Analytics, Inc.

	Analy	tical Method ^a	Reporting I	_imit (ppm or mg/L)
Analyte	EES-6	Paragon	EES-6	Paragon
Ag	GFAA	ICPAES	0.001	0.01
Al	ICPAES	ICPAES	0.02	0.2
Alkalinity	Titration	Titration	1	1
As	Hydride-AA	ICPAES	0.0001	0.01
В	ICPAES	ICPAES	0.002	N/A
Ва	ICPAES	ICPAES	0.002	0.1
Ве	ICPAES	ICPAES	0.002	0.005
Br	IC	IC	0.01	0.01
Са	ICPAES	ICPAES	0.02	1
Cd ^b	GFAA	GFAA	0.001	0.005
CI	IC	IC	0.01	0.01
CIO ₃	IC	IC	0.02	N/A
Co	GFAA	ICPAES	0.002	0.01
CO ₃ /HCO ₃ /OH	Titration	Titration	0.5	0.5
Conductivity	Electrode	Electrode	0.5	0.5
Cr	GFAA	ICPAES	0.002	0.01
Cs	GFAA	GFAA	0.002	N/A
Cu	GFAA	GFAA	0.002	0.01
F	IC	IC	0.01	0.01
Fe	ICPAES	ICPAES	0.01	0.1
Hardness	Calculated	Calculated	Calculated	Calculated
HCO ₃	Titration	Titration	0.5	0.5
Hg	Cold Vapor AA	Cold Vapor AA	0.0002	0.0002
1	IC	IC	0.01	N/A
K	AA	ICPAES	0.01	1
Li	ICPAES	ICPAES	0.01	N/A
Mg	ICPAES	ICPAES	0.01	1
Mn	ICPAES	ICPAES	0.002	0.01
Мо	GFAA	ICPAES	0.002	0.01
Na	AA	ICPAES	0.01	1
NH ₄	Electrode	Electrode	0.02	0.5
Ni	GFAA	ICPAES	0.002	0.02
NO ₂	IC	IC	0.01	0.05
NO ₃	IC	IC	0.01	0.05
ОН	Titration	Titration	0.5	N/A
Pb ^b	GFAA	ICPAES	0.002	0.003
pН	Electrode	Electrode	0.05	0.05

Table F-2.2-2 (continued)

	Analy	Analytical Method ^a		Limit (ppm or mg/L)
Analyte	EES-6	Paragon	EES-6	Paragon
PO ₄	IC	IC	0.02	0.05
Rb	GFAA	ICPAES	0.002	N/A
Sb ^b	Hydride AA	ICPAES	0.0001	0.02
Se	Hydride AA	ICPAES	0.0001	0.005
Si	ICPAES	ICPAES	0.02	0.02
SO ₄	IC	IC	0.02	0.02
S ₂ O ₃	IC	IC	0.01	N/A
Sn	GFAA	ICPAES	0.005	0.02
Sr	ICPAES	ICPAES	0.002	0.02
Ti	ICPAES	ICPAES	0.002	0.002
TI ^b	GFAA	ICPAES	0.002	0.01
TSS	Filtration 1L	Filtration 1L	0.1	N/A
U ^b	ICPMS	LIKPA	N/A	0.0002
V	ICPAES	ICPAES	0.002	0.01
Zn	ICPAES	ICPAES	0.01	0.02
TDS	Calculated	Calculated	Calculated	Calculated

AA = Atomic absorption spectroscopy.

GFAA = Graphite furnace atomic absorption.

IC = Ion chromatography.

ICPES = Inductively coupled plasma atomic emission spectroscopy.

ICPMS = Inductively coupled plasma mass spectroscopy.

LIKPA = Laser-induced kinetic phosphorimetric analysis.

ICP-MS was used for Sb, Cd, Pb, Tl, and U by the General Engineering Laboratories (GEL) for samples collected in December 1999/January 2000, and March/April 2000.N/A = Not analyzed

Table F-2.2-3a
Alluvial Groundwater Filtered Samples at Half-Detection Limit, Post-1997, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV c	Rejected	Nondetects
Metals	Aluminum	μg/L	42	10.1	60.0	19.1	15.36	0.80	0	24	33
Metals	Antimony	μg/L	43	0.1	2.6	0.5	0.67	1.35	0	40	51
Metals	Arsenic	μg/L	43	1.5	5.5	2.1	1.19	0.56	0	12	13
Metals	Barium	μg/L	43	11.9	51.0	18.1	14.22	0.78	0	1	1
Metals	Beryllium	μg/L	43	1.0	1.0	0.6	0.44	0.73	0	42	52
Metals	Boron	μg/L	37	13.0	51.0	21.0	14.73	0.70	0	7	9
Metals	Cadmium	μg/L	43	0.5	0.5	0.4	0.19	0.54	0	41	53
Metals	Calcium	μg/L	43	14100.0	21500.0	13942.7	4254.10	0.31	0	0	0
Metals	Cesium	μg/L	26	1.0	1.0	0.9	0.18	0.20	0	26	33
Metals	Chromium	μg/L	43	4.0	44.7	4.9	6.47	1.31	0	4	14
Metals	Cobalt	μg/L	43	1.0	1.0	0.7	0.35	0.52	0	42	54
Metals	Copper	μg/L	43	1.0	5.0	1.5	1.36	0.92	0	25	31
Metals	Iron	μg/L	43	12.6	120.0	18.4	22.65	1.23	0	33	39
Metals	Lead	μg/L	43	1.0	2.0	0.7	0.41	0.57	0	40	52
Metals	Lithium	μg/L	26	30.0	40.0	29.3	8.01	0.27	0	0	0
Metals	Magnesium	μg/L	43	2830.0	8430.0	3329.9	2334.29	0.70	0	1	4
Metals	Manganese	μg/L	43	1.0	15.0	1.3	2.34	1.76	0	32	33
Metals	Mercury	μg/L	40	0.0	0.1	0.0	0.02	0.85	0	35	44
Metals	Molybdenum	μg/L	29	1.0	3.0	1.3	0.69	0.53	0	22	30
Metals	Nickel	μg/L	43	1.0	19.8	1.3	2.90	2.19	0	36	44
Metals	Potassium	μg/L	43	2010.0	3920.0	2135.3	729.06	0.34	0	0	0
Metals	Rubidium	μg/L	26	3.0	8.0	3.8	1.91	0.50	0	0	1
Metals	Selenium	μg/L	43	0.1	3.6	0.7	0.88	1.23	0	41	53
Metals	Silver	μg/L	43	0.5	1.0	0.5	0.13	0.27	0	42	54
Metals	Sodium	μg/L	43	12100.0	30900.0	17057.7	8022.56	0.47	0	0	0
Metals	Strontium	μg/L	29	100.0	237.1	106.5	60.26	0.57	0	0	0
Metals	Thallium	μg/L	43	1.0	3.9	1.0	0.64	0.61	0	39	49
Metals	Thorium	μg/L	4	0.5	0.5	0.5	0.00	0.00	0	4	5
Metals	Tin	μg/L	29	2.5	9.8	2.8	1.97	0.70	0	29	38
Metals	Titanium	μg/L	29	1.0	5.9	1.4	1.31	0.92	0	25	33
Metals	Uranium	μg/L	15	0.5	2.8	1.0	1.00	1.01	0	0	0
Metals	Uranium by NATU	μg/L	0	_d	_	_	_	_	_	_	_
Metals	Uranium by TUICPMS	μg/L	7	0.5	2.6	0.9	1.01	1.07	0	0	0
Metals	Vanadium	μg/L	43	12.0	17.1	12.2	2.94	0.24	0	0	4
Metals	Zinc	μ g /L	39	5.0	80.0	15.8	25.21	1.59	0	26	35

Table F-2.2-3a (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Vanadium	μg/L	34	0.165	1	9.4	2.187	2.439	1.115	0	12
Metals	Zinc	μg/L	31	0.155	2.5	21	4.636	4.83	1.0418	0	19
Other	Ammonia	μg/L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μg/L	1	95000.0	95000.0	95000.0	0.00	0.00	0	0	0
Other	Bicarbonate as Calcium Carbonate	μg/L	1	120000.0	120000.0	120000.0	0.00	0.00	0	0	0
Other	Bromide	μg/L	37	40.0	100.0	44.7	30.19	0.67	0	11	16
Other	Chloride	μg/L	37	2760.0	9140.0	3417.8	2324.33	0.68	0	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	0	_	_	_	_	_	_	_	_
Other	Fluoride	μg/L	37	450.0	580.0	420.1	111.03	0.26	0	0	0
Other	Nitrogen Ammonia (as N)	μg/L	7	250.0	1100.0	372.1	320.96	0.86	0	6	8
Other	Nitrogen Nitrate + Nitrite (as N)	μg/L	7	340.0	910.0	410.0	226.27	0.55	0	0	2
Other	Nitrogen Nitrate (as NO ₃)	μg/L	3	360.0	400.0	323.3	100.17	0.31	0	0	3
Other	Nitrogen Nitrite (as NO ₂)	μg/L	3	50.0	50.0	50.0	0.00	0.00	0	3	6
Other	Nitrogen Total Kjeldahl (as N)	μg/L	7	190.0	340.0	174.3	104.22	0.60	0	2	2
Other	Oxalate	μg/L	12	10.0	10.0	9.2	2.80	0.30	0	12	17
Other	Phosphorus Orthophosphate (as PO ₄)	μg/L	11	25.0	240.0	71.8	66.79	0.93	0	10	13
Other	Silica	μg/L	33	70620.0	100152.0	65489.6	21203.27	0.32	0	0	0
Other	Sulfate	μg/L	37	3670.0	7060.0	3973.2	2127.34	0.54	0	0	0
Other	Total Dissolved Solids	μg/L	28	198096.5	322445.8	211422.9	49435.55	0.23	0	0	0
Other	Carbon Dissolved Organic	μg/L	4	765.0	1500.0	830.0	569.62	0.69	0	0	0
Other	Carbon Total Organic	μg/L	5	370.0	600.0	416.0	155.34	0.37	0	0	0
Other	Conductivity	μS/cm	27	169.0	268.0	178.2	54.01	0.30	0	0	0
Other	Humic Substances Hydrophilic Acids	μg/L	2	500.0	500.0	500.0	0.00	0.00	0	0	0
Other	Humic Substances Hydrophilic Bases	μg/L	2	100.0	100.0	100.0	0.00	0.00	0	0	0
Other	Humic Substances Hydrophilic Neutrals	μg/L	1	200.0	200.0	200.0	_	_	0	0	0
Other	Humic Substances Hydrophilic Total	μg/L	2	700.0	800.0	700.0	141.42	0.20	0	0	0
Other	Humic Substances Hydrophobic Acids	μg/L	2	350.0	600.0	350.0	353.55	1.01	0	0	0
Other	Humic Substances Hydrophobic Neutrals	μg/L	2	300.0	300.0	300.0	_	_	0	0	0
Other	Humic Substances Hydrophobic Total	μg/L	2	650.0	900.0	650.0	353.55	0.54	0	0	0
Other	pH	SU	23	7.9	8.2	7.9	0.27	0.03	0	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	1	0.0	0.0	0.0	0.00	0.00	0	0	0
Other-iso	Deuterium Hydrogen Ratio	ratio	8	-72.0	-70.0	-72.5	2.14	-0.03	0	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	8	-11.3	-11.2	-11.4	0.27	-0.02	0	0	0
Other	Cyanide Reactive	μg/L	0	_	_	_	_	_	_	_	_

Table F-2.2-3a (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other	Sulfide Reactive	μg/L	0	_	_	_	_	_	_	_	_
Other	Anion Sum	μg/L	22	1754.4	2879.7	1910.4	610.22	0.32	0	0	0
Other	Cation Sum	μg/L	22	1805.8	2820.3	1923.7	582.19	0.30	0	0	0
Other	Balance	μg/L	22	11.4	66.1	12.4	29.36	2.38	0	0	0
Other	Alkalinity(Lab) CaCO ₃	μ g /L	26	75655.7	122950.8	80555.0	25286.81	0.31	0	0	0
Other	Ammonium	μg/L	26	30.0	74.0	28.8	17.75	0.62	0	9	13
Other	Ammonium [as N]	μg/L	26	23.3	57.6	22.4	13.81	0.62	0	9	13
Other	Bicarbonate	μ g /L	26	92300.0	150000.0	97565.4	30446.49	0.31	0	0	0
Other	Carbonate	μ g /L	22	1805.8	2820.3	1923.7	582.19	0.30	0	0	0
Other	Chlorate (ClO ₃)	μg/L	26	10.0	10.0	9.4	1.63	0.17	0	26	33
Other	Conductivity (Field)	μS/cm	12	202.5	290.0	195.8	66.12	0.34	0	0	0
Other	Dissolved Oxygen (Field)	μ g /L	0	_	_	_	_	_	_	_	_
Other	Hardness	μg/L	22	41470.1	86827.5	53615.0	19162.29	0.36	0	0	0
Other	lodide	μ g /L	26	5.0	5.0	5.0	0.00	0.00	0	26	33
Other	Nitrate	μ g /L	26	1625.0	3250.0	1575.9	768.03	0.49	0	0	2
Other	Nitrate [as N]	μg/L	26	366.9	733.9	355.8	173.43	0.49	0	0	2
Other	Nitrite	μ g /L	26	5.0	30.0	7.9	6.19	0.79	0	22	28
Other	Nitrite [as N]	μg/L	26	0.9	5.4	1.4	1.11	0.79	0	22	28
Other	pH (Field)	SU	22	7.8	8.3	7.6	0.48	0.06	0	0	0
Other	Phosphate	μg/L	26	25.0	80.0	22.3	18.02	0.81	0	19	26
Other	Silicon	μ g /L	22	33772.4	46800.0	31558.5	10470.78	0.33	0	0	0
Other	Sulfite	μ g /L	26	5.0	5.0	5.0	0.00	0.00	0	26	33
Other	Total Suspended Solids	μg/L	9	196.1	82600.0	14238.7	29405.44	2.07	0	2	2
Other	Turbidity (Field)	NTU	9	1.1	5.4	1.5	1.78	1.17	0	0	0
Other-ratio	Br/Cl by wt	ratio	22	0.0	0.0	0.0	0.00	0.41	0	0	0
Other-ratio	B/Cl by wt	ratio	22	0.0	0.0	0.0	0.00	0.46	0	0	0
Other-ratio	Cs/Cl by wt	ratio	22	0.0	0.0	0.0	0.00	0.00	0	0	0
Other-ratio	F/Cl by wt	ratio	22	0.2	0.3	0.1	0.08	0.56	0	0	0
Other-ratio	HCO₃/CL by wt	ratio	22	32.7	44.2	31.0	8.66	0.28	0	0	0
Other-ratio	K/Cl by wt	ratio	22	0.7	0.9	0.7	0.15	0.23	0	0	0
Other-ratio	Li/Cl by wt	ratio	22	0.0	0.0	0.0	0.00	0.41	0	0	0
Other-ratio	Na/Cl by wt	ratio	22	5.5	10.3	5.7	2.66	0.47	0	0	0
Other-ratio	SO ₄ /Cl by wt	ratio	22	1.1	2.3	1.3	0.59	0.46	0	0	0
Rad-iso	Americium-241	pCi/L	28	0.0	0.2	0.0	0.06	2.02	0	25	17
Rad-iso	Plutonium-238	pCi/L	28	0.0	0.0	0.0	0.01	1.96	0	28	18
Rad-iso	Plutonium-239	pCi/L	28	0.0	0.0	0.0	0.01	1.78	0	27	17
Rad-iso	Strontium-90	pCi/L	28	0.0	0.2	0.0	0.08	-69.54	0	28	19

Table F-2.2-3a (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Tritium	pCi/L	38	0.3	48.0	1.7	7.76	4.60	0	0	0
Rad-iso	Tritium	TU	25	0.1	0.7	0.1	0.21	1.74	0	0	0
Rad-iso	Uranium-234	pCi/L	28	0.6	1.6	0.6	0.45	0.69	0	0	0
Rad-iso	Uranium-235	pCi/L	28	0.0	0.1	0.0	0.02	1.00	0	18	16
Rad-iso	Uranium-238	pCi/L	28	0.3	0.8	0.3	0.22	0.70	0	0	0
Rad-gross	Gross Alpha Radiation	pCi/L	18	0.0	1.8	0.3	0.79	2.45	0	4	4
Rad-gross	Gross Beta Radiation	pCi/L	18	1.1	4.0	1.5	1.30	0.88	0	6	8
Rad-gross	Gross Gamma Radiation	pCi/L	18	212.5	397.0	209.6	74.38	0.35	0	4	2
Rad-gscan ⁹	Cesium-137	pCi/L	28	-0.2	1.1	-0.1	0.62	-5.02	0	28	19

^a The mean is calculated as the arithmetic average.

NATU = Natural uranium.
TUICPMS = Total uranium inductively coupled plasma mass spectrometry.
TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = std. dev./mean.

^d — = No summary information, no samples analyzed.

^e n/a = Not applicable.

f TU = tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = gamma spectroscopy.

Table F-2.2-3b
Alluvial Groundwater Nonfiltered Samples at Half-Detection Limit, Post-1997, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV ^c	Rejected	Nondetects
Metals	Aluminum	μg/L	26	55.0	3695.6	306.8	728.78	2.38	0	9	11
Metals	Antimony	μg/L	27	0.1	2.6	0.5	0.75	1.42	0	25	30
Metals	Arsenic	μg/L	27	1.9	6.7	2.4	1.40	0.59	0	4	4
Metals	Barium	μg/L	27	15.0	53.0	22.4	16.37	0.73	0	0	0
Metals	Beryllium	μg/L	27	1.0	1.0	0.8	0.39	0.51	0	27	34
Metals	Boron	μg/L	23	15.0	52.0	22.0	15.64	0.71	0	4	5
Metals	Cadmium	μg/L	27	0.5	0.5	0.4	0.18	0.45	0	27	34
Metals	Calcium	μg/L	27	15200.0	21700.0	14818.5	4466.12	0.30	0	0	0
Metals	Cesium	μg/L	19	1.0	1.0	1.0	0.00	0.00	0	19	24
Metals	Chromium	μg/L	27	4.0	16.0	5.5	3.22	0.58	0	2	6
Metals	Cobalt	μg/L	27	1.0	1.0	0.8	0.29	0.35	0	25	32
Metals	Copper	μg/L	27	3.0	23.0	4.0	4.75	1.18	0	7	10
Metals	Iron	μg/L	27	30.0	2024.0	202.7	416.21	2.05	0	10	11
Metals	Lead	μg/L	27	1.0	4.0	1.1	0.87	0.76	0	24	31
Metals	Lithium	μg/L	19	30.0	50.0	28.4	10.15	0.36	0	0	0
Metals	Magnesium	μg/L	27	2983.0	8430.0	3803.0	2491.39	0.66	0	0	1
Metals	Manganese	μg/L	27	1.0	142.8	12.1	28.59	2.36	0	16	17
Metals	Mercury	μg/L	24	0.0	0.1	0.0	0.03	1.14	0	15	20
Metals	Molybdenum	μg/L	22	1.2	8.0	1.9	1.64	0.85	0	13	17
Metals	Nickel	μg/L	27	1.0	17.0	1.6	3.09	1.92	0	22	29
Metals	Potassium	μg/L	27	1980.0	3930.0	2190.3	779.75	0.36	0	0	0
Metals	Rubidium	μg/L	19	3.0	9.0	4.1	2.11	0.51	0	0	0
Metals	Selenium	μg/L	27	0.1	3.3	0.6	0.81	1.26	0	20	25
Metals	Silver	μg/L	27	0.5	1.0	0.5	0.12	0.24	0	26	33
Metals	Sodium	μg/L	27	12000.0	30300.0	16970.3	7535.15	0.44	0	0	0
Metals	Strontium	μg/L	22	92.5	246.7	107.1	60.40	0.56	0	0	0
Metals	Thallium	μg/L	27	1.0	4.3	1.3	0.71	0.54	0	26	33
Metals	Thorium	μg/L	0	_ ^d	_	_	_	_	_	_	_
Metals	Tin	μg/L	22	2.5	14.6	3.5	2.82	0.82	0	21	27
Metals	Titanium	μg/L	22	2.0	78.9	9.7	17.78	1.83	0	11	11
Metals	Uranium	μg/L	5	0.7	2.9	1.0	1.07	1.03	0	0	0
Metals	Uranium by NATU	μg/L	0	_	_	_	_	_	_	_	_
Metals	Uranium by TUICPMS	μg/L	0	_	_	_	_	_	_	_	_
Metals	Uranium by TULIKPA	μg/L	0	_	-	_	_	_		_	_

Table F-2.2-3b (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Vanadium	μg/L	27	12.0	19.0	12.1	3.62	0.30	0	0	1
Metals	Zinc	μg/L	27	5.0	70.0	15.9	21.95	1.38	0	19	25
Other	Ammonia	μg/L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μg/L	1	97700.0	97700.0	97700.0	0.00	0.00	0	0	0
Other	Bicarbonate as Calcium Carbonate	μg/L	1	120000.0	120000.0	120000.0	0.00	0.00	0	0	0
Other	Bromide	μg/L	22	40.0	100.0	41.9	21.59	0.51	0	3	5
Other	Chloride	μg/L	22	3010.3	9050.0	3774.0	2559.86	0.68	0	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	9	-80.0	-78.0	-80.6	1.88	-0.02	0	0	0
Other	Fluoride	μg/L	22	420.0	550.0	381.1	106.64	0.28	0	0	0
Other	Nitrogen Ammonia (as N)	μg/L	0	_	_	_	_	_	_	_	_
Other	Nitrogen Nitrate + Nitrite (as N)	μg/L	0	_	_	_	_	_		_	_
Other	Nitrogen Nitrate (as NO ₃)	μg/L	2	250.0	400.0	250.0	212.13	0.85	0	1	2
Other	Nitrogen Nitrite (as NO ₂)	μg/L	2	50.0	50.0	50.0	0.00	0.00	0	2	3
Other	Nitrogen Total Kjeldahl (as N)	μg/L	0	_	_	_	_	_	_	_	_
Other	Oxalate	μg/L	6	10.0	10.0	10.0	0.00	0.00	0	6	9
Other	Phosphorus Orthophosphate (as PO ₄)	μg/L	3	100.0	100.0	100.0	0.00	0.00	0	3	4
Other	Silica	μg/L	19	72879.7	99724.0	69274.3	20168.69	0.29	0	0	0
Other	Sulfate	μg/L	22	4207.7	7110.0	4213.1	2114.69	0.50	0	0	0
Other	Total Dissolved Solids	μg/L	21	198739.8	318410.2	213029.5	49814.11	0.23	0	0	0
Other	Carbon Dissolved Organic	μg/L	0	_	_	_	_	_	_	_	_
Other	Carbon Total Organic	μg/L	0	_	_	_	_	_	_	_	_
Other	Conductivity	μS/cm	19	170.0	266.0	179.4	56.88	0.32	0	0	0
Other	Humic Substances Hydrophilic Acids	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Bases	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Neutrals	μ g /L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Total	μ g /L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Acids	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Neutrals	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Total	μg/L	0	_	_		_	_	_	_	_
Other	pH	SU	19	7.8	8.2	7.8	0.30	0.04	0	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	8	-0.6	2.6	-1.3	3.67	-2.75	0	0	0
Other-iso	Deuterium Hydrogen Ratio	ratio	14	-73.0	-68.0	-72.6	2.59	-0.04	0	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	23	-11.2	-10.7	-11.2	0.35	-0.03	0	0	0
Other	Cyanide Reactive	μg/L	0	_	_	_	_	_	_	_	_
Other	Sulfide Reactive	μg/L	0	_	_	_	_	_	_	_	_

Groundwater Background Investigation Report, Rev. 2

Table F-2.2-3b (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other	Anion Sum	μg/L	19	1750.0	2828.4	1859.0	611.84	0.33	0	0	0
Other	Cation Sum	μg/L	19	1748.3	2783.4	1865.1	594.15	0.32	0	0	0
Other	Balance	μg/L	19	1.9	68.3	6.7	25.93	3.84	0	0	0
Other	Alkalinity(Lab) CaCO ₃	μg/L	19	76147.5	120491.8	81060.3	25578.24	0.32	0	0	0
Other	Ammonium	μg/L	19	30.0	56.8	29.1	15.11	0.52	0	5	6
Other	Ammonium [as N]	μg/L	19	23.3	44.2	22.7	11.75	0.52	0	5	6
Other	Bicarbonate	μg/L	19	91500.0	147000.0	98326.3	31406.67	0.32	0	0	0
Other	Carbonate	μg/L	19	0.0	5300.0	278.9	1215.90	4.36	0	0	0
Other	Chlorate (CIO ₃)	μg/L	19	10.0	10.0	9.2	1.87	0.20	0	19	24
Other	Conductivity (Field)	μS/cm	11	215.0	290.0	196.3	69.32	0.35	0	0	0
Other	Dissolved Oxygen (Field)	μg/L	0	_	_	_	_	_	_	_	_
Other	Hardness	μg/L	19	42278.3	88487.8	52335.0	18899.53	0.36	0	0	0
Other	lodide	μg/L	19	5.0	5.0	5.0	0.00	0.00	0	19	24
Other	Nitrate	μg/L	19	1450.0	3220.0	1532.9	769.40	0.50	0	0	3
Other	Nitrate [as N]	μg/L	19	327.4	727.1	346.1	173.74	0.50	0	0	3
Other	Nitrite	μg/L	19	5.0	10.0	5.5	1.58	0.29	0	19	24
Other	Nitrite [as N]	μg/L	19	0.9	1.8	1.0	0.28	0.29	0	19	24
Other	pH (Field)	SU	19	7.7	8.3	7.6	0.48	0.06	0	0	0
Other	Phosphate	μg/L	19	10.0	80.0	21.3	18.99	0.89	0	16	21
Other	Silicon	μg/L	19	34055.9	46600.0	32371.2	9424.62	0.29	0	0	0
Other	Sulfite	μg/L	19	5.0	5.0	5.0	0.00	0.00	0	19	24
Other	Total Suspended Solids	μg/L	17	865.4	82600.0	12049.6	22724.03	1.89	0	4	4
Other	Turbidity (Field)	NTU	9	0.6	5.4	1.2	1.79	1.45	0	0	0
Other-ratio	Br/Cl by wt	ratio	19	0.0	0.0	0.0	0.01	0.50	0	0	0
Other-ratio	B/Cl by wt	ratio	19	0.0	0.0	0.0	0.00	0.47	0	0	0
Other-ratio	Cs/Cl by wt	ratio	19	0.0	0.0	0.0	0.00	#DIV/0!	0	0	0
Other-ratio	F/Cl by wt	ratio	19	0.2	0.3	0.2	0.08	0.54	0	0	0
Other-ratio	HCO₃/CL by wt	ratio	19	33.6	45.1	32.0	8.96	0.28	0	0	0
Other-ratio	K/Cl by wt	ratio	19	0.7	0.9	0.7	0.16	0.24	0	0	0
Other-ratio	Li/Cl by wt	ratio	19	0.0	0.0	0.0	0.00	0.43	0	0	0
Other-ratio	Na/Cl by wt	ratio	19	5.6	9.9	5.6	2.50	0.45	0	0	0
Other-ratio	SO ₄ /Cl by wt	ratio	19	1.0	2.3	1.3	0.55	0.44	0	0	0
Rad-iso	Americium-241	pCi/L	0	_	_	_	_	_	_	_	_
Rad-iso	Plutonium-238	pCi/L	0	_	_	_	_	_	_	_	_
Rad-iso	Plutonium-239	pCi/L	0	_	_	_	_	_	_	_	_
Rad-iso	Strontium-90	pCi/L	0	_	_	_	_	_	_	_	_

Table F-2.2-3b (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Tritium	TU ^f	0	_	_	_		_	_	_	_
Rad-iso	Uranium-234	pCi/L	0	_	_	_		_	_	_	_
Rad-iso	Uranium-235	pCi/L	0	_	_	_	_	_	_	_	_
Rad-iso	Uranium-238	pCi/L	0	_	_	_	_	_	_	_	_
Rad-gross	Gross Alpha Radiation	pCi/L	0	_	_	_		_	_	_	_
Rad-gross	Gross Beta Radiation	pCi/L	0	_	_	_	_	_	_	_	_
Rad-gross	Gross Gamma Radiation	pCi/L	0	_	_	_	_	_	_	_	_
Rad-gscan ⁹	Cesium-137	pCi/L	0	_	_	_	_	_	_	_	_

^a The mean is calculated as the arithmetic average.

NATU = Natural uranium.

TUICPMS = Total uranium inductively coupled plasma mass spectrometry. TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = std. dev./mean.

^d n/a = Not applicable.

 $^{^{\}rm e}$ — = No summary information, no samples analyzed.

^f TU = tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = gamma spectroscopy.

Table F-2.2-3c
Perched Intermediate Groundwater Filtered Samples at One-Half Detection Limit, Post-1997, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV ^c	Rejected	Nondetects
Metals	Aluminum	μg/L	55	3.95	85	4580	446.8	935.3	2.0935	0	15
Metals	Antimony	μg/L	56	0.05	0.25	1.7	0.4639	0.5868	1.2651	0	54
Metals	Arsenic	μg/L	56	0.1	0.5	3.9	0.7929	0.6203	0.7824	0	24
Metals	Barium	μg/L	56	5	19	110	29.38	27.19	0.9256	0	1
Metals	Beryllium	μg/L	55	0.005	0.5	1	0.5754	0.4273	0.7427	0	49
Metals	Boron	μg/L	49	1	8	13	7.39	2.511	0.3398	0	17
Metals	Cadmium	μg/L	56	0.065	0.5	1.99	0.37	0.3101	0.8381	0	54
Metals	Calcium	μg/L	56	5800	8085	16000	9357	3135	0.335	0	0
Metals	Cesium	μg/L	32	0.5	1	2	0.9688	0.3345	0.3453	0	30
Metals	Chromium	μg/L	56	0.15	0.995	2	0.735	0.4177	0.5683	0	48
Metals	Cobalt	μ g /L	56	0.19	0.645	1	0.6616	0.3354	0.5069	0	52
Metals	Copper	μg/L	52	0.14	1	6	1.628	1.476	0.907	0	25
Metals	Iron	μg/L	56	3.65	41.75	1560	170	336.1	1.9766	0	22
Metals	Lead	μ g /L	56	0.005	0.7	2.81	0.7577	0.5545	0.7318	0	49
Metals	Lithium	μg/L	32	2	5	10	5.406	1.794	0.3318	0	23
Metals	Magnesium	μg/L	56	1180	2945	6100	2847	1334	0.4684	0	0
Metals	Manganese	μg/L	53	0.05	2	9	2.439	2.306	0.9454	0	18
Metals	Mercury	μg/L	51	0.005	0.025	0.17	0.03721	0.03848	1.0341	0	41
Metals	Molybdenum	μg/L	36	0.5	1	4	1.433	0.9241	0.6447	0	27
Metals	Nickel	μg/L	56	0.255	1	2.6	0.8795	0.3939	0.4478	0	47
Metals	Potassium	μg/L	56	1500	2485	7470	3518	1916	0.5446	0	0
Metals	Rubidium	μg/L	32	3	8.5	40	13.72	11.53	0.8408	0	0
Metals	Selenium	μg/L	56	0.05	0.25	1.9	0.7652	0.7922	1.0353	0	54
Metals	Silver	μg/L	56	0.12	0.5	1.1	0.4791	0.1549	0.3234	0	52
Metals	Sodium	μg/L	56	4110	6575	36000	9153	7202	0.7869	0	0
Metals	Strontium	μg/L	38	42	69	163.5	75.93	27.6	0.3635	0	0
Metals	Thallium	μg/L	56	0.013	1	4.9	0.9928	0.7507	0.7562	0	52
Metals	Thorium	μg/L	6	0.5	0.5	0.5	0.5	0	0	0	6
Metals	Tin	μg/L	38	0.5	2.5	15	3.112	2.699	0.8673	0	37
Metals	Titanium	μg/L	37	0.65	3	96	10.86	21.93	2.019	0	15

Table F-2.2-3c (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Uranium	μg/L	18	0.108	0.2075	0.843	0.3061	0.2393	0.7819	0	0
Metals	Uranium by NATU	μ g /L	0	_ ^d	_	_	_	_	_	_	_
Metals	Uranium by TUICPMS	μg/L	12	0.108	0.2025	0.843	0.3049	0.2433	0.798	0	0
Metals	Uranium by TULIKPA	μg/L	12	0.14	0.215	0.92	0.3333	0.2574	0.7721	0	0
Metals	Vanadium	μg/L	56	0.215	3	6	2.493	1.58	0.6339	0	20
Metals	Zinc	μg/L	50	0.255	5	33	5.28	6.066	1.1489	0	28
Other	Ammonia	μg/L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μ g /L	0	_	_	_	_	_	_	_	_
Other	Bicarbonate as Calcium Carbonate	μg/L	6	3.80E+04	4.30E+04	5.60E+04	4.53E+04	6501	0.1434	0	0
Other	Bromide	μ g /L	49	0.025	12.38	100	29.77	35.49	1.1924	0	24
Other	Chloride	μg/L	49	530	1397	7.13E+04	6932	1.63E+04	2.3455	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	0	_	_	_	_	_	_	_	_
Other	Fluoride	μg/L	49	25	90	210	103.5	46.08	0.4451	0	5
Other	Nitrogen Ammonia (as N)	μg/L	12	250	250	265	251.7	4.438	0.0176	0	12
Other	Nitrogen Nitrate + Nitrite (as N)	μg/L	11	200	320	400	314.5	71.74	0.2281	0	0
Other	Nitrogen Nitrate (as NO ₃)	μg/L	0	_	_	<u> </u>	_	_	_	<u> </u>	_
Other	Nitrogen Nitrite (as NO ₂)	μg/L	0	_	_	_	_	_	_	_	_
Other	Nitrogen Total Kjeldahl (as N)	μg/L	12	50	155	430	181.7	131.8	0.7253	0	4
Other	Oxalate	μ g /L	13	0.3	10	5571	437.1	1543	3.5297	0	12
Other	Phosphorus Orthophosphate (as PO ₄)	μg/L	18	25	66.5	200	81.67	60.2	0.7372	0	8
Other	Silica	μg/L	44	3.00E+04	4.88E+04	7.26E+04	5.02E+04	1.28E+04	0.254	0	0
Other	Sulfate	μg/L	49	950	4200	1.13E+04	4437	2372	0.5346	0	0
Other	Total Dissolved Solids	μg/L	37	8.20E+04	1.23E+05	2.56E+05	1.41E+05	3.90E+04	0.2767	0	0
Other	Carbon Dissolved Organic	μ g /L	15	600	2500	8700	3353	2686	0.801	0	0
Other	Carbon Total Organic	μg/L	4	470	515	690	547.5	101.4	0.1853	0	0
Other	Conductivity	μS/cm	42	71	109	337	131.8	71.14	0.5395	0	0
Other	Humic Substances Hydrophilic Acids	μg/L	14	200	850	3100	1200	906.4	0.7553	0	0
Other	Humic Substances Hydrophilic Bases	μ g /L	11	100	200	400	200	89.44	0.4472	0	0
Other	Humic Substances Hydrophilic Neutrals	μg/L	10	100	200	300	230	67.49	0.2935	0	0
Other	Humic Substances Hydrophilic Total	μg/L	14	300	1050	3700	1500	1075	0.7166	0	0
Other	Humic Substances Hydrophobic Acids	μ g/L	13	100	1300	4600	1569	1542	0.9826	0	0
Other	Humic Substances Hydrophobic Neutrals	μg/L	14	100	500	3100	742.9	792	1.0661	0	0
Other	Humic Substances Hydrophobic Total	μ g/L	14	500	1450	5000	2043	1643	0.8043	0	0
Other	рН	SU	34	6.6	7.4	7.71	7.402	0.2511	0.0339	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	0	_	_	_	_	_	_	_	_

Table F-2.2-3c (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other-iso	Deuterium Hydrogen Ratio	ratio	11	-91	-79	-71	-79	6.197	-0.078	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	11	-13.9	-12.5	-11.3	-12.45	0.8153	-0.066	0	0
Other	Cyanide Reactive	μg/L	1	250	250	250	250	0	0	0	1
Other	Sulfide Reactive	μg/L	1	2.01E+04	2.01E+04	2.01E+04	2.01E+04	0	0	0	1
Other	Anion Sum	μg/L	26	732	1087	3012	1226	595.2	0.4856	0	0
Other	Cation Sum	μg/L	26	855.5	1150	2973	1322	555	0.4199	0	0
Other	Balance	μg/L	26	-24.22	41.41	651.3	91.27	172.9	1.8941	0	0
Other	Alkalinity(Lab) CaCO₃	μg/L	31	2.77E+04	4.45E+04	5.31E+04	4.40E+04	6975	0.1585	0	0
Other	Ammonium	μg/L	31	10	40	160	40.14	31.35	0.7812	0	8
Other	Ammonium [as N]	μg/L	31	7.778	31.11	124.4	31.22	24.39	0.7812	0	8
Other	Bicarbonate	μg/L	31	3.38E+04	5.43E+04	6.48E+04	5.37E+04	8509	0.1585	0	0
Other	Carbonate	μg/L	31	0	0	0	0	0	_	0	0
Other	Chlorate (ClO ₃)	μg/L	32	5	10	10	9.063	1.983	0.2188	0	32
Other	Conductivity (Field)	μS/cm	14	65	94.5	165	98	26.16	0.2669	0	0
Other	Dissolved Oxygen (Field)	μg/L	3	1.07E+04	1.38E+04	1.38E+04	1.28E+04	1824	0.143	0	0
Other	Hardness	μg/L	26	1.93E+04	3.11E+04	6.23E+04	3.49E+04	1.20E+04	0.3446	0	0
Other	lodide	μg/L	31	5	5	5	5	0	0	0	31
Other	Nitrate	μg/L	31	5	1190	2400	1116	607.5	0.5442	0	1
Other	Nitrate [as N]	μg/L	31	1.129	268.7	541.9	252.1	137.2	0.5442	0	1
Other	Nitrite	μg/L	31	5	5	90	11.61	16.2	1.3947	0	23
Other	Nitrite [as N]	μg/L	31	0.8974	0.8974	16.15	2.084	2.907	1.3947	0	23
Other	pH (Field)	SU	25	6.68	7.33	8.04	7.37	0.3202	0.0434	0	0
Other	Phosphate	μg/L	31	3.26	25	142.9	37.18	37.92	1.0199	0	17
Other	Silicon	μg/L	26	1.41E+04	2.33E+04	3.24E+04	2.35E+04	6086	0.2588	0	0
Other	Sulfite	μg/L	31	5	5	25	6.29	4.995	0.794	0	31
Other	Total Suspended Solids	μg/L	11	50	3679	6.30E+04	2.30E+04	2.65E+04	1.1493	0	1
Other	Turbidity (Field)	NTU	14	0	2.45	27.2	7.3	9.114	1.2485	0	2
Other-ratio	Br/Cl by wt	ratio	26	0	0.003752	0.03774	0.008489	0.01094	1.2891	0	0
Other-ratio	B/Cl by wt	ratio	26	0	0.006723	0.01381	0.005884	0.003603	0.6124	0	0
Other-ratio	Cs/Cl by wt	ratio	26	0	0	0.001961	1.49E-04	5.25E-04	3.5331	0	0
Other-ratio	F/CI by wt	ratio	26	0.00121	0.09217	0.1373	0.07945	0.0439	0.5526	0	0
Other-ratio	HCO₃/CL by wt	ratio	26	0.9399	40.91	93.02	41.72	25.15	0.6028	0	0
Other-ratio	K/Cl by wt	ratio	26	0.07925	2.438	6.696	2.682	2.012	0.7502	0	0
Other-ratio	Li/Cl by wt	ratio	26	0	0	0.01887	0.001241	0.004031	3.2472	0	0
Other-ratio	Na/Cl by wt	ratio	26	0.5463	4.607	11.09	6.087	3.767	0.6189	0	0
Other-ratio	SO ₄ /Cl by wt	ratio	26	0.1138	3.238	7.793	3.511	2.27	0.6467	0	0
Rad-iso	Americium-241	pCi/L	19	0	0.011	0.192	0.02306	0.0432	1.8738	0	16

Table F-2.2-3c (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Plutonium-238	pCi/L	19	-0.004	0.007	0.109	0.01823	0.0292	1.6016	0	16
Rad-iso	Plutonium-239	pCi/L	19	-0.0045	0.0055	0.041	0.006	0.009669	1.6114	0	18
Rad-iso	Strontium-90	pCi/L	19	-0.115	0	0.275	0.007105	0.09271	13.048	0	19
Rad-iso	Tritium	pCi/L	11	1.053	22.47	60.33	26.84	22.77	0.8484	0	0
Rad-iso	Tritium	TU	11	0.33	7.04	18.9	8.407	7.133	0.8484	0	0
Rad-iso	Uranium-234	pCi/L	19	0.029	0.182	0.601	0.241	0.1856	0.7702	0	2
Rad-iso	Uranium-235	pCi/L	19	-0.00245	0.0055	0.046	0.01051	0.01322	1.2577	0	16
Rad-iso	Uranium-238	pCi/L	19	0.008	0.101	0.595	0.1398	0.1364	0.9757	0	1
Rad-gross	Gross Alpha Radiation	pCi/L	12	-0.23	0.155	0.97	0.2508	0.4053	1.6159	0	0
Rad-gross	Gross Beta Radiation	pCi/L	12	0.45	2.175	5.9	2.604	2.054	0.7886	0	3
Rad-gross	Gross Gamma Radiation	pCi/L	10	139	163.5	311	179.4	50.8	0.2832	0	3
Rad-gscan ⁹	Cesium-137	pCi/L	19	-1.135	-0.085	0.55	-0.1232	0.3995	-3.243	0	19

^a The mean is calculated as the arithmetic average.

^c CV = Coefficient of variation = std. dev./mean. NATU = Natural uranium. TUICPMS = Total uranium inductively coupled plasma mass spectrometry. TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^d n/a = Not applicable.

^e — = No summary information, no samples analyzed.

f TU = tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = gamma spectroscopy.

Table F-2.2-3d
Perched Intermediate Groundwater Nonfiltered Samples at One-Half Detection Limit for All Years, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean ^a	Std. Dev.b	CVc	Rejected	Nondetects
Metals	Aluminum	μ g /L	30	49.35	1088	4953	1439	1361	0.946	0	4
Metals	Antimony	μ g /L	30	0.05	0.075	1.7	0.5567	0.6829	1.2267	0	30
Metals	Arsenic	μ g /L	30	0.1	0.65	4.7	0.92	0.9307	1.0116	0	9
Metals	Barium	μ g/L	30	13	21.7	124.8	33.02	26.68	0.8079	0	0
Metals	Beryllium	μ g /L	30	0.1	1	1	0.7463	0.3702	0.496	0	30
Metals	Boron	μ g /L	24	1	8	12	7.631	2.952	0.3869	0	5
Metals	Cadmium	μ g /L	30	0.1	0.5	0.5	0.375	0.1804	0.4811	0	30
Metals	Calcium	μ g /L	30	6240	8175	15150	9548	2998	0.314	0	0
Metals	Cesium	μg/L	20	1	1	2	1.05	0.2236	0.213	0	19
Metals	Chromium	μg/L	30	0.15	1	5	1.436	1.303	0.9072	0	20
Metals	Cobalt	μ g /L	30	0.25	1	1	0.777	0.3235	0.4163	0	30
Metals	Copper	μ g /L	27	0.15	3	10	3.778	3.113	0.824	0	11
Metals	Iron	μ g /L	30	33.25	427.3	2052	565.1	536.9	0.9502	0	5
Metals	Lead	μ g /L	29	0.5	1	4	1.328	0.8724	0.6571	0	20
Metals	Lithium	μ g /L	20	5	5	10	5.25	1.118	0.213	0	19
Metals	Magnesium	μ g/L	30	1540	2950	5906	2914	1253	0.43	0	0
Metals	Manganese	μ g /L	28	0.44	4.7	15.25	5.116	3.728	0.7288	0	6
Metals	Mercury	μg/L	25	0.005	0.01	0.13	0.032	0.03657	1.1429	0	13
Metals	Molybdenum	μ g /L	24	1	1	13	2.34	2.746	1.1735	0	16
Metals	Nickel	μg/L	30	0.55	1	3	1.03	0.4085	0.3967	0	26
Metals	Potassium	μ g/L	30	1420	2460	7280	3503	1978	0.5647	0	0
Metals	Rubidium	μ g /L	20	4	9.5	42	14.1	11.14	0.7904	0	0
Metals	Selenium	μ g /L	30	0.05	0.25	1.55	0.64	0.6553	1.0239	0	24
Metals	Silver	μ g /L	30	0.3	0.5	4	0.645	0.7023	1.0888	0	27
Metals	Sodium	μ g /L	30	4130	6575	34940	8719	6311	0.7238	0	0
Metals	Strontium	μ g/L	25	47.6	71	168.6	78.12	25.38	0.3249	0	0
Metals	Thallium	μ g /L	30	1.	1	4.5	1.333	0.7151	0.5364	0	30
Metals	Thorium	μ g /L	0	d	_	_	_	_	_	_	_
Metals	Tin	μg/L	25	2.5	2.5	14	3.872	2.807	0.7251	0	24
Metals	Titanium	μg/L	24	2.2	16.73	82.65	24.59	23.06	0.9378	0	0
Metals	Uranium	μg/L	5	0.15	0.25	0.82	0.422	0.3018	0.7151	0	0
Metals	Uranium by NATU	μg/L	0	_	_	_	_	_	_	_	_
Metals	Uranium by TUICPMS	μ g/L	0	_	_	_		_	_	_	_
Metals	Uranium by TULIKPA	μg/L	0	_	_	_		_	_	_	_

Table F-2.2-3d (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Vanadium	μ g /L	30	0.25	2.5	6	2.646	1.736	0.6561	0	10
Metals	Zinc	μ g /L	30	0.3	5	20	6.831	6.341	0.9282	0	19
Other	Ammonia	μ g /L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μ g /L	0	_		_	_	_	_	_	_
Other	Bicarbonate as Calcium Carbonate	μ g /L	5	3.56E+04	4.30E+04	5.60E+04	4.51E+04	7973	0.1767	0	0
Other	Bromide	μ g /L	25	5	10.63	100	24.11	26.49	1.0985	0	10
Other	Chloride	μ g /L	25	540	1370	6.43E+04	5974	1.37E+04	2.2936	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	12	-99	-88	-81	-88.17	4.988	-0.057	0	0
Other	Fluoride	μg/L	25	25	90	210	102.4	46.62	0.4555	0	1
Other	Nitrogen Ammonia (as N)	μg/L	0	_	_	_	_	_	_	_	_
Other	Nitrogen Nitrate + Nitrite (as N)	μg/L	0	_	_	_	_	_	_	_	_
Other	Nitrogen Nitrate (as NO ₃)	μg/L	0	_	_	_	_	_	_	_	_
Other	Nitrogen Nitrite (as NO ₂)	μg/L	0		_				_	_	
Other	Nitrogen Total Kjeldahl (as N)	μg/L	0	_	_			_	_	_	_
Other	Oxalate	μg/L	5	10	10	10	10	0	0	0	5
Other	Phosphorus Orthophosphate (as PO ₄)	μg/L	5	100	100	200	140	54.77	0.3912	0	3
Other	Silica	μ g /L	20	3.19E+04	4.86E+04	8.37E+04	5.37E+04	1.62E+04	0.3015	0	0
Other	Sulfate	μ g /L	25	960	4530	1.03E+04	4842	2278	0.4704	0	0
Other	Total Dissolved Solids	μ g /L	25	8.60E+04	1.24E+05	2.68E+05	1.45E+05	4.11E+04	0.2845	0	0
Other	Carbon Dissolved Organic	μ g /L	0	_	_		_	_	_	_	_
Other	Carbon Total Organic	μ g /L	1	3000	3000	3000	3000	0	0	0	0
Other	Conductivity	μS/cm	20	79.3	111.5	334	123.7	60.06	0.4855	0	0
Other	Humic Substances Hydrophilic Acids	μ g /L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Bases	μ g /L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Neutrals	μ g /L	0	_	_		_	_			_
Other	Humic Substances Hydrophilic Total	μ g/L	0		_		_	_	_	_	_
Other	Humic Substances Hydrophobic Acids	μ g/L	0	_	_			_	_	_	
Other	Humic Substances Hydrophobic Neutrals	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Total	μg/L	0		_	_	_	_	_	_	_
Other	pH	SU	20	6.91	7.35	7.58	7.318	0.1534	0.021	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	5	-6	-1.4	0.2	-2.46	2.443	-0.993	0	0
Other-iso	Deuterium Hydrogen Ratio	ratio	15	-95	-76	-67	-78.4	7.385	-0.094	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	27	-13.8	-12	-10.5	-12.19	0.756	-0.062	0	0
Other	Cyanide Reactive	μg/L	0	_	_		_	_	_	_	_
Other	Sulfide Reactive	μg/L	0	_	_	_	_	_	_	_	_

Groundwater Background Investigation Report, Rev. 2

Table F-2.2-3d (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other	Anion Sum	μg/L	20	730.1	1091	2996	1191	527.3	0.4426	0	0
Other	Cation Sum	μg/L	20	875.5	1190	3017	1342	533.2	0.3974	0	0
Other	Balance	μg/L	20	-26.36	67.03	670.4	126.1	175.1	1.3885	0	0
Other	Alkalinity(Lab) CaCO ₃	μg/L	20	2.77E+04	4.45E+04	5.34E+04	4.39E+04	7168	0.1634	0	0
Other	Ammonium	μg/L	20	10	33.2	48.58	31.07	10.94	0.3521	0	2
Other	Ammonium [as N]	μ g/L	20	7.778	25.82	37.78	24.16	8.507	0.3521	0	2
Other	Bicarbonate	μg/L	20	3.38E+04	5.43E+04	6.52E+04	5.35E+04	8745	0.1634	0	0
Other	Carbonate	μg/L	20	0	0	0	0	0	_	0	0
Other	Chlorate (ClO ₃)	μg/L	20	5	10	10	8.75	2.221	0.2539	0	20
Other	Conductivity (Field)	μS/cm	12	65	94.5	165	98.92	28.3	0.2861	0	0
Other	Dissolved Oxygen (Field)	μg/L	2	1.07E+04	1.22E+04	1.38E+04	1.22E+04	2234	0.1827	0	0
Other	Hardness	μg/L	20	2.28E+04	3.34E+04	6.22E+04	3.62E+04	1.07E+04	0.2956	0	0
Other	Iodide	μg/L	20	5	5	5	5	0	0	0	20
Other	Nitrate	μg/L	20	10	835.4	1940	899.8	466.3	0.5182	0	1
Other	Nitrate [as N]	μg/L	20	2.258	188.6	438.1	203.2	105.3	0.5182	0	1
Other	Nitrite	μg/L	20	5	5	30	8.75	6.859	0.7838	0	17
Other	Nitrite [as N]	μg/L	20	0.8974	0.8974	5.385	1.571	1.231	0.7838	0	17
Other	pH (Field)	SU	19	6.68	7.33	8.04	7.393	0.3325	0.045	0	0
Other	Phosphate	μg/L	20	10	25	120	43.05	35.9	0.8341	0	12
Other	Silicon	μg/L	20	1.49E+04	2.27E+04	3.91E+04	2.51E+04	7563	0.3015	0	0
Other	Sulfite	μg/L	20	5	5	5	5	0	0	0	20
Other	Total Suspended Solids	μg/L	16	50	5538	7.55E+04	1.95E+04	2.54E+04	1.3018	0	1
Other	Turbidity (Field)	NTU	12	0	2.45	27.2	7.117	9.486	1.333	0	1
Other-ratio	Br/Cl by wt	ratio	20	0	0.004023	0.02142	0.007288	0.008059	1.1057	0	0
Other-ratio	B/Cl by wt	ratio	20	0	0.007168	0.01462	0.006245	0.003992	0.6393	0	0
Other-ratio	Cs/Cl by wt	ratio	20	0	0	0.001961	9.80E-05	4.38E-04	4.4721	0	0
Other-ratio	F/Cl by wt	ratio	20	0.001259	0.09209	0.1373	0.08337	0.0446	0.5349	0	0
Other-ratio	HCO₃/CL by wt	ratio	20	0.9518	42.05	91.85	42.84	25.15	0.5871	0	0
Other-ratio	K/Cl by wt	ratio	20	0.08305	2.3	6.781	2.628	2.095	0.797	0	0
Other-ratio	Li/Cl by wt	ratio	20	0	0	0.01686	8.43E-04	0.003771	4.4721	0	0
Other-ratio	Na/Cl by wt	ratio	20	0.5434	4.67	12.09	5.9	3.834	0.6498	0	0
Other-ratio	SO₄/Cl by wt	ratio	20	0.114	3.331	8.127	3.517	2.314	0.6581	0	0
Rad-iso	Americium-241	pCi/L	15	0	0.016	0.136	0.02467	0.03321	1.3458	0	11
Rad-iso	Plutonium-238	pCi/L	15	-0.0065	0.0045	0.057	0.009867	0.01689	1.712	0	13
Rad-iso	Plutonium-239	pCi/L	15	-0.0055	0.00475	0.041	0.006563	0.01074	1.6366	0	14
Rad-iso	Strontium-90	pCi/L	15	-0.38	0.005	0.18	-0.02767	0.1286	-4.647	0	15
Rad-iso	Tritium	pCi/L	33	-3	20.59	50.43	20.67	17.17	0.831	0	0

Table F-2.2-3d (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Tritium	TU ^f	16	0.24	6.75	15.8	7.393	5.891	0.7969	0	0
Rad-iso	Uranium-234	pCi/L	15	0.049	0.209	0.655	0.2947	0.2099	0.7125	0	2
Rad-iso	Uranium-235	pCi/L	15	-4.50E-04	0.0075	0.039	0.01138	0.01045	0.918	0	12
Rad-iso	Uranium-238	pCi/L	15	0.019	0.099	0.465	0.1646	0.1305	0.7926	0	1
Rad-gross	Gross Alpha Radiation	pCi/L	10	-0.1	0.3475	0.7	0.375	0.2359	0.629	0	4
Rad-gross	Gross Beta Radiation	pCi/L	10	-0.02	2.4	7.5	3.019	2.841	0.9412	0	1
Rad-gross	Gross Gamma Radiation	pCi/L	9	103	164.5	313	172.6	62.97	0.3649	0	2
Rad-gscan ⁹	Cesium-137	pCi/L	15	-1.35	0.157	0.7	0.02633	0.6289	23.881	0	15

^a The mean is calculated as the arithmetic average.

NATU = Natural uranium.

TUICPMS = Total uranium inductively coupled plasma mass spectrometry. TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = std. dev./mean.

^d n/a = Not applicable.

 $^{^{\}rm e}$ — = No summary information, no samples analyzed.

^f TU = tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = gamma spectroscopy.

Table F-2.2-3e
Regional Aquifer Filtered Samples at One-Half Detection Limit, Post-1997, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV c	Rejected	Nondetects
Metals	Aluminum	μg/L	54	1.6	10	115.1	20	20.12	1.0064	0	33
Metals	Antimony	μg/L	55	0.05	0.1	2.6	0.5289	0.7371	1.3938	0	51
Metals	Arsenic	μg/L	55	1	1.7	5.5	2.191	1.128	0.5148	0	13
Metals	Barium	μg/L	55	1.9	20.8	110	36.3	37.03	1.02	0	1
Metals	Beryllium	μg/L	55	0.005	1	1	0.6009	0.4297	0.7151	0	52
Metals	Boron	μ g /L	48	4.6	18.2	51	23.16	13.93	0.6015	0	9
Metals	Cadmium	μg/L	55	0.065	0.5	0.5	0.3523	0.1923	0.5458	0	53
Metals	Calcium	μg/L	55	9090	15000	38100	15980	5850	0.366	0	0
Metals	Cesium	μ g /L	33	0.5	1	1	0.9242	0.1821	0.197	0	33
Metals	Chromium	μg/L	55	0.15	3	44.7	4.083	5.948	1.457	0	14
Metals	Cobalt	μg/L	55	0.19	1	1	0.6686	0.3489	0.5218	0	54
Metals	Copper	μ g /L	55	0.14	1	9	1.537	1.613	1.0492	0	31
Metals	Iron	μg/L	55	3.65	18.7	131.1	27.09	31.15	1.1501	0	39
Metals	Lead	μg/L	55	0.005	1	2	0.7172	0.4018	0.5603	0	52
Metals	Lithium	μg/L	33	20	30	40	29.97	7.808	0.2605	0	0
Metals	Magnesium	μg/L	55	230	2770	8430	2718	2378	0.8749	0	4
Metals	Manganese	μ g/L	55	0.025	1	57.43	4.675	9.462	2.024	0	33
Metals	Mercury	μg/L	51	0.005	0.025	0.24	0.03107	0.03751	1.2074	0	44
Metals	Molybdenum	μg/L	38	1	1	3	1.334	0.6773	0.5077	0	30
Metals	Nickel	μg/L	55	0.25	1	19.8	1.426	2.736	1.9189	0	44
Metals	Potassium	μg/L	55	1370	2110	5070	2351	831	0.3534	0	0
Metals	Rubidium	μg/L	33	1	3	8	3.424	1.888	0.5514	0	1
Metals	Selenium	μg/L	55	0.05	0.1	3.6	0.7082	0.8498	1.1999	0	53
Metals	Silver	μg/L	55	0.12	0.5	1	0.4614	0.121	0.2622	0	54
Metals	Sodium	μg/L	55	9400	19300	30900	18080	7393	0.4089	0	0
Metals	Strontium	μg/L	38	42	114.7	510	192.5	165.2	0.8586	0	0
Metals	Thallium	μg/L	55	0.013	1	3.9	1.1	0.6445	0.586	0	49
Metals	Thorium	μ g/L	5	0.5	0.5	0.5	0.5	0	0	0	5
Metals	Tin	μg/L	38	0.5	2.5	9.8	2.874	1.944	0.6764	0	38
Metals	Titanium	μg/L	38	0.65	1	5.874	1.439	1.332	0.9254	0	33
Metals	Uranium	μg/L	15	0.195	0.555	2.83	0.8827	0.8869	1.0047	0	0
Metals	Uranium by NATU	μg/L	0	_d	_	_	_	_	_	_	
Metals	Uranium by TUICPMS	μg/L	9	0.195	0.519	2.61	0.8646	0.8971	1.0377	0	0
Metals	Uranium by TULIKPA	μg/L	9	0.23	0.47	2.56	0.8778	0.9284	1.0576	0	0

Table F-2.2-3e (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Vanadium	μg/L	55	1	11	17.1	10.47	4.681	0.4472	0	4
Metals	Zinc	μg/L	50	0.255	5	80	13.26	22.77	1.7176	0	35
Other	Ammonia	μg/L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μg/L	3	9.40E+04	9.50E+04	9.90E+04	9.60E+04	2646	0.0276	0	0
Other	Bicarbonate as Calcium Carbonate	μg/L	1	1.20E+05	1.20E+05	1.20E+05	1.20E+05	0	0	0	0
Other	Bromide	μ g /L	48	0.025	37.21	100	44.27	31.85	0.7196	0	16
Other	Chloride	μ g /L	48	1740	2300	9140	3195	2095	0.6559	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	0	_	_	_	_	_	_	_	_
Other	Fluoride	μ g /L	48	200	465	580	432.7	103.8	0.2398	0	0
Other	Nitrogen Ammonia (as N)	μ g /L	9	250	250	1100	345.6	282.9	0.8188	0	8
Other	Nitrogen Nitrate + Nitrite (as N)	μ g /L	9	25	300	910	324.4	259.3	0.7991	0	2
Other	Nitrogen Nitrate (as NO ₃)	μ g /L	6	100	155	400	211.7	137.8	0.6508	0	3
Other	Nitrogen Nitrite (as NO ₂)	μ g /L	6	50	50	50	50	0	0	0	6
Other	Nitrogen Total Kjeldahl (as N)	μ g /L	9	50	190	350	195.6	107.4	0.549	0	2
Other	Oxalate	μ g /L	17	0.3	10	10	9.429	2.353	0.2495	0	17
Other	Phosphorus Orthophosphate (as PO ₄)	μ g /L	15	25	25	250	79.33	75.92	0.957	0	13
Other	Silica	μ g /L	42	1.86E+04	6.78E+04	1.00E+05	5.81E+04	2.38E+04	0.4095	0	0
Other	Sulfate	μ g /L	48	1770	4973	1.72E+04	4659	2781	0.5968	0	0
Other	Total Dissolved Solids	μ g /L	37	1.40E+05	2.04E+05	3.22E+05	2.09E+05	4.76E+04	0.2278	0	0
Other	Carbon Dissolved Organic	μ g /L	8	290	1300	8100	2278	2554	1.1214	0	0
Other	Carbon Total Organic	μ g /L	5	270	370	600	416	155.3	0.3734	0	0
Other	Conductivity	μS/cm	37	100	196	292	185.9	53.18	0.2861	0	0
Other	Humic Substances Hydrophilic Acids	μ g /L	6	300	900	4300	1400	1501	1.0719	0	0
Other	Humic Substances Hydrophilic Bases	μg/L	5	100	100	400	180	130.4	0.7244	0	0
Other	Humic Substances Hydrophilic Neutrals	μg/L	4	200	200	500	275	150	0.5455	0	0
Other	Humic Substances Hydrophilic Total	μg/L	6	400	1200	5200	1717	1787	1.041	0	0
Other	Humic Substances Hydrophobic Acids	μg/L	6	100	350	1500	516.7	511.5	0.9901	0	0
Other	Humic Substances Hydrophobic Neutrals	μg/L	6	300	600	1300	666.7	403.3	0.605	0	0
Other	Humic Substances Hydrophobic Total	μg/L	6	400	1050	2900	1217	879.6	0.7229	0	0
Other	рН	SU	33	6.8	7.85	8.17	7.735	0.3463	0.0448	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	1	0	0	0	0	0	0	0	0
Other-iso	Deuterium Hydrogen Ratio	ratio	10	-80	-72	-70	-73.5	3.064	-0.042	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	10	-11.9	-11.3	-11.2	-11.39	0.2378	-0.021	0	0
Other	Cyanide Reactive	μg/L	0		_						
Other	Sulfide Reactive	μg/L	0	_	_	_	_	_	_		
Other	Anion Sum	μ g /L	28	1198	2162	3220	2010	602.2	0.2996	0	0

Groundwater Background Investigation Report, Rev. 2

Table F-2.2-3e (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other	Cation Sum	μg/L	28	1245	2184	3101	2017	568.3	0.2817	0	0
Other	Balance	μ g /L	28	-55.67	11.41	66.09	9.211	30.94	3.3594	0	0
Other	Alkalinity(Lab) CaCO₃	μg/L	33	5.37E+04	9.59E+04	1.28E+05	8.55E+04	2.49E+04	0.2915	0	0
Other	Ammonium	μ g /L	33	10	30	74.04	28.95	19.01	0.6565	0	13
Other	Ammonium [as N]	μg/L	33	7.778	23.33	57.59	22.52	14.78	0.6565	0	13
Other	Bicarbonate	μg/L	33	6.55E+04	1.10E+05	1.50E+05	1.03E+05	2.93E+04	0.2845	0	0
Other	Carbonate	μ g /L	33	0	0	7100	590.9	1688	2.8567	0	0
Other	Chlorate (CIO ₃)	μ g /L	33	5	10	10	9.545	1.46	0.1529	0	33
Other	Conductivity (Field)	μS/cm	16	51	190	290	196.8	58.62	0.2978	0	0
Other	Dissolved Oxygen (Field)	μ g /L	0	_	_	_	_	_	_	_	_
Other	Hardness	μg/L	28	3.55E+04	5.54E+04	1.04E+05	5.61E+04	1.94E+04	0.3459	0	0
Other	lodide	μg/L	33	5	5	5	5	0	0	0	33
Other	Nitrate	μ g /L	33	5	1470	3250	1298	876.3	0.675	0	2
Other	Nitrate [as N]	μg/L	33	1.129	331.9	733.9	293.2	197.9	0.675	0	2
Other	Nitrite	μg/L	33	5	5	30	8.333	5.951	0.7141	0	28
Other	Nitrite [as N]	μ g /L	33	0.8974	0.8974	5.385	1.496	1.068	0.7141	0	28
Other	pH (Field)	SU	28	6.5	7.645	8.27	7.571	0.4449	0.0588	0	0
Other	Phosphate	μg/L	33	3.26	25	80	21.79	16.45	0.7547	0	26
Other	Silicon	μg/L	28	8700	3.01E+04	4.68E+04	2.77E+04	1.20E+04	0.4333	0	0
Other	Sulfite	μg/L	33	5	5	5	5	0	0	0	33
Other	Total Suspended Solids	μg/L	10	50	223	8.26E+04	1.31E+04	2.79E+04	2.1282	0	2
Other	Turbidity (Field)	NTU	13	0	2.2	5.4	2.046	1.821	0.89	0	0
Other-ratio	Br/Cl by wt	ratio	28	0	0.009741	0.02151	0.01066	0.005016	0.4704	0	0
Other-ratio	B/Cl by wt	ratio	28	0.001091	0.005868	0.01844	0.008365	0.004693	0.5611	0	0
Other-ratio	Cs/Cl by wt	ratio	28	0	0	0	0	0	_	0	0
Other-ratio	F/CI by wt	ratio	28	0.02845	0.173	0.2905	0.156	0.07999	0.5128	0	0
Other-ratio	HCO ₃ /CL by wt	ratio	28	15.75	35.24	69.83	35.98	13.32	0.3702	0	0
Other-ratio	K/Cl by wt	ratio	28	0.406	0.7119	2.355	0.8173	0.4064	0.4973	0	0
Other-ratio	Li/Cl by wt	ratio	28	0.004091	0.01055	0.01786	0.01048	0.004196	0.4004	0	0
Other-ratio	Na/Cl by wt	ratio	28	2.436	5.884	12.79	6.574	3.148	0.4789	0	0
Other-ratio	SO ₄ /Cl by wt	ratio	28	0.6357	1.183	4.226	1.637	0.9223	0.5635	0	0
Rad-iso	Americium-241	pCi/L	19	-0.00235	0.011	0.24	0.0243	0.05347	2.2005	0	17
Rad-iso	Plutonium-238	pCi/L	19	-0.0203	0.003	0.049	0.00545	0.01352	2.4813	0	18
Rad-iso	Plutonium-239	pCi/L	19	-0.0056	0.0042	0.048	0.008461	0.0139	1.6429	0	17
Rad-iso	Strontium-90	pCi/L	19	-0.15	0.005	0.23	0.02679	0.09705	3.6226	0	19
Rad-iso	Tritium	pCi/L	10	0.1277	0.5107	3.798	0.8906	1.128	1.2666	0	0

Table F-2.2-3e (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Tritium	TU	10	0.04	0.16	1.19	0.279	0.3534	1.2666	0	0
Rad-iso	Uranium-234	pCi/L	19	0.1	0.475	1.56	0.5773	0.4417	0.765	0	0
Rad-iso	Uranium-235	pCi/L	19	0.00275	0.01	0.065	0.0138	0.0166	1.2034	0	16
Rad-iso	Uranium-238	pCi/L	19	0.055	0.216	0.822	0.2852	0.2348	0.8235	0	0
Rad-gross	Gross Alpha Radiation	pCi/L	13	-0.53	0.085	1.75	0.2921	0.6996	2.3948	0	4
Rad-gross	Gross Beta Radiation	pCi/L	13	0.18	0.99	2.5	1.079	0.7223	0.6693	0	8
Rad-gross	Gross Gamma Radiation	pCi/L	13	117	177	318	196.9	61	0.3098	0	2
Rad-gscan ⁹	Cesium-137	pCi/L	19	-1.25	-0.125	1.1	-0.156	0.6153	-3.945	0	19

^a The mean is calculated as the arithmetic average.

NATU = Natural uranium.
TUICPMS = Total uranium inductively coupled plasma mass spectrometry.
TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = std. dev./mean.

^d n/a = Not applicable.

^e — = No summary information, no samples analyzed.

^f TU = Tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = Gamma spectroscopy.

Table F-2.2-3f
Regional Aquifer Nonfiltered Samples at One-Half Detection Limit, Post-1997, R-Qualifiers Not Included

Group	Analyte	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV c	Rejected	Nondetects
Metals	Aluminum	μg/L	33	5.5	60	3696	370.1	742.1	2.0051	0	11
Metals	Antimony	μg/L	34	0.05	0.1	2.6	0.5574	0.7837	1.406	0	30
Metals	Arsenic	μg/L	34	1	2.2	6.7	2.496	1.32	0.5291	0	4
Metals	Barium	μg/L	34	3.6	24.6	112	39.33	36.98	0.9401	0	0
Metals	Beryllium	μg/L	34	0.1	1	1	0.7571	0.3846	0.5081	0	34
Metals	Boron	μg/L	29	5.2	20	52	23.61	14.42	0.611	0	5
Metals	Cadmium	μg/L	34	0.1	0.5	0.5	0.3897	0.174	0.4464	0	34
Metals	Calcium	μg/L	34	9050	17070	37300	16850	6205	0.3683	0	0
Metals	Cesium	μg/L	24	1	1	1	1	0	0	0	24
Metals	Chromium	μg/L	34	0.15	4	16	4.737	3.311	0.6991	0	6
Metals	Cobalt	μg/L	34	0.25	1	1	0.8268	0.2929	0.3542	0	32
Metals	Copper	μg/L	34	0.44	2	23	3.815	4.642	1.2167	0	10
Metals	Iron	μg/L	34	5	41.68	2024	270	454.7	1.6843	0	11
Metals	Lead	μg/L	34	0.5	1	4	1.09	0.7853	0.7206	0	31
Metals	Lithium	μg/L	24	10	30	50	28.33	9.168	0.3236	0	0
Metals	Magnesium	μg/L	34	246	2886	8430	3187	2542	0.7977	0	1
Metals	Manganese	μg/L	34	0.1	2.1	142.8	14.2	27.02	1.9022	0	17
Metals	Mercury	μg/L	31	0.005	0.01	0.12	0.0229	0.02479	1.0825	0	20
Metals	Molybdenum	μg/L	28	1	1.225	8	1.895	1.5	0.7919	0	17
Metals	Nickel	μg/L	34	0.46	1	17	1.453	2.758	1.8978	0	29
Metals	Potassium	μ g /L	34	1470	2155	5010	2374	879.9	0.3706	0	0
Metals	Rubidium	μg/L	24	2	3	9	3.875	2.05	0.5289	0	0
Metals	Selenium	μg/L	34	0.05	0.1	3.3	0.6162	0.7797	1.2654	0	25
Metals	Silver	μg/L	34	0.3	0.5	1	0.4926	0.1122	0.2278	0	33
Metals	Sodium	μg/L	34	9500	19300	30300	17810	6925	0.3889	0	0
Metals	Strontium	μg/L	28	47.8	111.5	500	185	161.1	0.8709	0	0
Metals	Thallium	μ g /L	34	1.	1	4.3	1.306	0.683	0.523	0	33
Metals	Thorium	μg/L	0	d	_	_	_	_	_	_	_
Metals	Tin	μg/L	28	2.5	2.5	14.6	3.396	2.586	0.7613	0	27
Metals	Titanium	μg/L	28	0.65	4.216	78.94	11.28	18.15	1.6086	0	11
Metals	Uranium	μg/L	6	0.25	0.63	2.92	0.955	0.9786	1.0247	0	0
Metals	Uranium by NATU	μg/L	0	_	_	_	_	_	_	_	_
Metals	Uranium by TUICPMS	μg/L	0	_	_	_		_	_	_	_
Metals	Uranium by TULIKPA	μg/L	0		_	_		_	_	_	_

Table F-2.2-3f (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Metals	Vanadium	μg/L	34	2	11	19	10.82	4.596	0.4247	0	1
Metals	Zinc	μg/L	34	0.3	5	70	13.47	20.11	1.4938	0	25
Other	Ammonia	μg/L	0	_	_	_	_	_	_	_	_
Other	Alkalinity Total	μ g /L	2	9.77E+04	9.89E+04	1.00E+05	9.89E+04	1626	0.0165	0	0
Other	Bicarbonate as Calcium Carbonate	μg/L	1	1.20E+05	1.20E+05	1.20E+05	1.20E+05	0	0	0	0
Other	Bromide	μg/L	28	10	40	100	41.83	23.84	0.5699	0	5
Other	Chloride	μ g /L	28	1700	2574	9050	3482	2354	0.6761	0	0
Other-iso	Delta deuterium versus Std. Mean Ocean Water	n/a ^e	11	-87	-80	-78	-81.09	2.587	-0.0319	0	0
Other	Fluoride	μg/L	28	200	430	550	395.4	101.2	0.256	0	0
Other	Nitrogen Ammonia (as N)	μg/L	0	<u> </u>	_	_	_	_	_	_	_
Other	Nitrogen Nitrate + Nitrite (as N)	μg/L	0	<u> </u>	_	_	_	_	_	_	_
Other	Nitrogen Nitrate (as NO ₃)	μg/L	3	100	100	400	200	173.2	0.866	0	2
Other	Nitrogen Nitrite (as NO ₂)	μg/L	3	50	50	50	50	0	0	0	3
Other	Nitrogen Total Kjeldahl (as N)	μg/L	0	<u> </u>	_	_	_	_	_	_	_
Other	Oxalate	μg/L	9	10	10	10	10	0	0	0	9
Other	Phosphorus Orthophosphate (as PO ₄)	μg/L	4	100	100	100	100	0	0	0	4
Other	Silica	μg/L	24	2.65E+04	6.90E+04	9.97E+04	6.22E+04	2.30E+04	0.3697	0	0
Other	Sulfate	μg/L	28	1700	5559	1.74E+04	4954	3147	0.6353	0	0
Other	Total Dissolved Solids	μ g /L	27	1.27E+05	2.01E+05	3.18E+05	2.12E+05	4.92E+04	0.232	0	0
Other	Carbon Dissolved Organic	μg/L	0	_	_	_	_	_	_	_	_
Other	Carbon Total Organic	μg/L	0	_	_	_	_	_	_	_	_
Other	Conductivity	μS/cm	24	120	201	296	189	56.45	0.2986	0	0
Other	Humic Substances Hydrophilic Acids	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Bases	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Neutrals	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophilic Total	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Acids	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Neutrals	μg/L	0	_	_	_	_	_	_	_	_
Other	Humic Substances Hydrophobic Total	μg/L	0	_	_	_	_	_	_	_	_
Other	рН	SU	24	7.17	7.77	8.17	7.703	0.3251	0.0422	0	0
Other-iso	Nitrogen-15/Nitrogen-14 Ratio	ratio	8	-7.6	-0.55	2.6	-1.337	3.672	-2.7453	0	0
Other-iso	Deuterium Hydrogen Ratio	ratio	18	-77	-73	-67	-72.78	2.962	-0.0407	0	0
Other-iso	Oxygen-18/Oxygen-16 Ratio	ratio	29	-11.9	-11.2	-10.1	-11.19	0.4232	-0.0378	0	0
Other	Cyanide Reactive	μg/L	0	_	_	_	_	_	_	_	_
Other	Sulfide Reactive	μg/L	0	_	_	_	_	_	_	_	_
Other	Anion Sum	μg/L	24	1227	2077	3085	1960	604.9	0.3086	0	0

Table F-2.2-3f (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Other	Cation Sum	μg/L	24	1238	2144	3015	1978	591.5	0.299	0	0
Other	Balance	μg/L	24	-33.56	4.13	87.33	11.5	32.71	2.8442	0	0
Other	Alkalinity(Lab) CaCO ₃	μg/L	24	5.40E+04	9.22E+04	1.29E+05	8.59E+04	2.54E+04	0.2954	0	0
Other	Ammonium	μg/L	24	10	30	68.03	30.53	16.47	0.5396	0	6
Other	Ammonium [as N]	μg/L	24	7.778	23.33	52.91	23.74	12.81	0.5396	0	6
Other	Bicarbonate	μ g/L	24	6.59E+04	1.13E+05	1.57E+05	1.04E+05	3.12E+04	0.2991	0	0
Other	Carbonate	μg/L	24	0	0	5300	220.8	1082	4.899	0	0
Other	Chlorate (CIO ₃)	μg/L	24	5	10	10	9.375	1.689	0.1802	0	24
Other	Conductivity (Field)	μS/cm	14	51	202.5	290	198.5	62.74	0.3161	0	0
Other	Dissolved Oxygen (Field)	μg/L	0	_	_	_	_	_	_	_	_
Other	Hardness	μg/L	24	3.56E+04	5.31E+04	1.02E+05	5.55E+04	1.96E+04	0.3538	0	0
Other	lodide	μ g/L	24	5	5	5	5	0	0	0	24
Other	Nitrate	μg/L	24	5	1310	3220	1234	907.9	0.7356	0	3
Other	Nitrate [as N]	μg/L	24	1.129	295.8	727.1	278.7	205	0.7356	0	3
Other	Nitrite	μg/L	24	5	5	10	6.042	2.074	0.3433	0	24
Other	Nitrite [as N]	μg/L	24	0.8974	0.8974	1.795	1.084	0.3723	0.3433	0	24
Other	pH (Field)	SU	24	6.5	7.645	8.27	7.585	0.4535	0.0598	0	0
Other	Phosphate	μg/L	24	10	17.5	80	21.46	17.03	0.7938	0	21
Other	Silicon	μg/L	24	1.24E+04	3.23E+04	4.66E+04	2.91E+04	1.07E+04	0.3697	0	0
Other	Sulfite	μg/L	24	5	5	5	5	0	0	0	24
Other	Total Suspended Solids	μg/L	22	50	2140	8.26E+04	1.26E+04	2.09E+04	1.6607	0	4
Other	Turbidity (Field)	NTU	12	0	1.25	5.4	1.817	1.978	1.0885	0	0
Other-ratio	Br/Cl by wt	ratio	24	0	0.009952	0.02311	0.0121	0.006505	0.5376	0	0
Other-ratio	B/CI by wt	ratio	24	0.001126	0.00652	0.01923	0.008441	0.004621	0.5475	0	0
Other-ratio	Cs/Cl by wt	ratio	24	0	0	0	0	0		0	0
Other-ratio	F/CI by wt	ratio	24	0.02873	0.1756	0.2802	0.1606	0.07997	0.4978	0	0
Other-ratio	HCO ₃ /CL by wt	ratio	24	15.8	36.24	71.43	36.83	13.48	0.3661	0	0
Other-ratio	K/CI by wt	ratio	24	0.3912	0.7468	2.343	0.8163	0.4245	0.52	0	0
Other-ratio	Li/Cl by wt	ratio	24	0.00351	0.01013	0.01765	0.01019	0.004199	0.4118	0	0
Other-ratio	Na/Cl by wt	ratio	24	2.381	5.7	12.47	6.43	2.998	0.4662	0	0
Other-ratio	SO₄/Cl by wt	ratio	24	0.6276	1.18	4.307	1.64	0.9466	0.5773	0	0
Rad-iso	Americium-241	pCi/L	16	5.00E-04	0.00665	0.193	0.02583	0.05007	1.9386	0	14
Rad-iso	Plutonium-238	pCi/L	16	-0.001	0.006	0.0225	0.006656	0.007043	1.0581	0	16
Rad-iso	Plutonium-239	pCi/L	16	-0.0022	0.0039	0.024	0.005069	0.006245	1.2321	0	16
Rad-iso	Strontium-90	pCi/L	16	-0.125	-0.0075	0.185	-0.00726	0.08091	-11.1463	0	16
Rad-iso	Tritium	pCi/L	37	-2.4	0.4789	48	2.589	8.142	3.1444	0	0

Table F-2.2-3f (continued)

Group	Analyte	Units	Count	Minimum	Median	Maximum	Mean	Std. Dev.	CV	Rejected	Nondetects
Rad-iso	Tritium	TU	21	-0.08	0.08	4.04	0.4276	0.923	2.1586	0	0
Rad-iso	Uranium-234	pCi/L	16	0.152	0.5	1.64	0.5846	0.4171	0.7136	0	0
Rad-iso	Uranium-235	pCi/L	16	-9.50E-04	0.0244	0.063	0.02616	0.0202	0.7723	0	7
Rad-iso	Uranium-238	pCi/L	16	0.096	0.264	0.814	0.2913	0.1899	0.6519	0	0
Rad-gross	Gross Alpha Radiation	pCi/L	10	-0.5	0.2671	1.6	0.3709	0.7305	1.9693	0	3
Rad-gross	Gross Beta Radiation	pCi/L	10	-0.16	1.555	4	1.781	1.518	0.8525	0	3
Rad-gross	Gross Gamma Radiation	pCi/L	10	105	199.3	397	209.8	77.64	0.37	0	2
Rad-gscan ⁹	Cesium-137	pCi/L	16	-1.045	-0.3053	1.05	-0.128	0.6428	-5.023	0	16

^a The mean is calculated as the arithmetic average.

NATU = Natural uranium.
TUICPMS = Total uranium inductively coupled plasma mass spectrometry.
TULIKPA = Total uranium kinetic phosphorimetric analysis.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = std. dev./mean.

^d n/a = Not applicable.

^e — = No summary information, no samples analyzed.

^f TU = Tritium unit, 1 TU=3.193 pCi/kg or 3.193 pCi/L tritium.

^g Rad-gscan = Gamma spectroscopy.

Table F-2.2-4
Background Perchlorate Concentration in the Pajarito Plateau Groundwaters
(NMED 2004, 88768)

Aquifer-prep	Units	Count	Minimum	Median	Maximum	Meana	Std. Dev.b	CV ^c	Rejected	Nondetects
Regional-filtered	μg/L	36	0.025	0.26	0.46	0.2735	0.09198	0.3363	0	1
Volcanic-filtered	μg/L	20	0.17	0.2615	0.45	0.272	0.06831	0.2511	0	0
Combined	μ g /L	56	0.025	0.26	0.46	0.2729	0.08364	0.3064	0	1

^a The mean is calculated as the arithmetic average.

^b Std. Dev. = Standard deviation.

^c CV = Coefficient of variation = Std. Dev /Mean.