

Combined IR/ER/LER Report
Docket: 50-413 CATAWBA 1

Total Number of Hits in Date Range: 33
From 01/01/2003 to 01/01/2004
2x National Average: 85

| Details | Department | Work Type | Docket/Report |
|---|------------------|------------------|------------------|
| Communications IR | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Communications ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Communications LER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Human-System Interface and Environm IR | | | |
| Number of items: 1 | | | |
| Percent of total: 3.03 | | | |
| 76-Postings LTA | H-Health Physics | H-Health Physics | 50-413/2003003 |
| Human-System Interface and Environm ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Human-System Interface and Environm LER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Management and Supervision IR | | | |
| Number of items: 2 | | | |
| Percent of total: 6.06 | | | |
| 40-Individual Corre G-Engineering | | F-Modification | 50-413/2002008 |
| 42-No action planne G-Engineering | | M-Maint / Repair | 50-413/2003003 |
| Management and Supervision ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Management and Supervision LER | | | |
| Number of items: 4 | | | |
| Percent of total: 12.12 | | | |
| 36-Scheduling and p I-Instrumentation & | | M-Maint / Repair | 50-413/200300100 |
| 40-Individual Corre M-Mechanical | | M-Maint / Repair | 50-413/200300400 |
| 47-Root Cause LTA M-Mechanical | | M-Maint / Repair | 50-413/200300400 |
| 42-No action planne M-Mechanical | | M-Maint / Repair | 50-413/200300600 |
| Organizational Issues IR | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Organizational Issues ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Organizational Issues LER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Procedures and Reference Document IR | | | |
| Number of items: 3 | | | |
| Percent of total: 9.09 | | | |
| 12-Procedure techni H-Health Physics | H-Health Physics | | 50-413/2003002 |
| Page: 1 | Date: 05/24/2004 | | |

Combined IR/ER/LER Report
Docket: 50-413 CATAWBA 1

Total Number of Hits in Date Range: 33
 From 01/01/2003 to 01/01/2004
 2x National Average: 85

| Details | Department | Work Type | Docket/Report |
|---------------------------------------|---------------------|--------------------|------------------|
| Procedures and Reference Document IR | | | |
| Number of items: 3 | | | |
| Percent of Total: 9.09 | | | |
| 12-Procedure techni | P-Procedure Writers | P-Procedure Dev | 50-413/2003003 |
| 12-Procedure techni | H-Health Physics | H-Health Physics | 50-413/2003003 |
| Procedures and Reference Document ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Procedures and Reference Document LER | | | |
| Number of items: 2 | | | |
| Percent of total: 6.06 | | | |
| 12-Procedure techni | M-Mechanical | M-Maint / Repair | 50-413/200300400 |
| 12-Procedure techni | M-Mechanical | M-Maint / Repair | 50-413/200300600 |
| Training IR | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Training ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Training LER | | | |
| Number of items: 4 | | | |
| Percent of total: 12.12 | | | |
| 05-Individual knowl | I-Instrumentation & | M-Maint / Repair | 50-413/200300100 |
| 05-Individual knowl | B-Plant Management | M-Maint / Repair | 50-413/200300100 |
| 02-Training LTA | O-Operations | O-Control Room Ops | 50-413/200300100 |
| 02-Training LTA | O-Operations | O-Control Room Ops | 50-413/200300500 |
| Work Factors IR | | | |
| Number of items: 16 | | | |
| Percent of total: 48.48 | | | |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | F-Modification | 50-413/2002008 |
| 83-Work practice or | G-Engineering | G-Design | 50-413/2002008 |
| 83-Work practice or | G-Engineering | G-Design | 50-413/2002008 |
| 83-Work practice or | G-Engineering | G-Design | 50-413/2002008 |
| 83-Work practice or | Z-Other | Z-Other | 50-413/2002009 |
| 87-Non-conservative | H-Health Physics | H-Health Physics | 50-413/2003002 |
| 87-Non-conservative | H-Health Physics | H-Health Physics | 50-413/2003002 |
| 87-Non-conservative | H-Health Physics | H-Health Physics | 50-413/2003002 |
| 84-Non-conserv. dec | G-Engineering | Q-Fire Protection | 50-413/2003002 |
| Work Factors ER | | | |
| Number of items: 0 | | | |
| Percent of total: 0 | | | |
| Work Factors LER | | | |
| Number of items: 1 | | | |
| Percent of total: 3.03 | | | |
| 92-Self check LTA | G-Engineering | F-Modification | 50-413/200300400 |

Page: 2

Date:05/24/2004