

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 52

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 52

---

**Facility Name: Point Beach 1 Docket (050- 00266)**

Details	Department	Work Type	Docket/Report
<b>Communication / IR</b>			
160 - No communication / information not communicated	L - Licensing / regulatory affairs	A - Administrative	050-00266/2006-009
160 - No communication / information not communicated	O - Operations	O - Control Room Ops	050-00266/2005-013
160 - No communication / information not communicated	O - Operations	O - Control Room Ops	050-00266/2005-013
160 - No communication / information not communicated	O - Operations	O - Control Room Ops	050-00266/2005-013
<b>Number of Items for this Docket: 4</b>			
<b>Percent of Total for this Docket: 8</b>			
<b>Oversight / IR</b>			
131 - Management expectations or directions LTA	O - Operations	O - Control Room Ops	050-00266/2005-013
<b>Number of Items for this Docket: 1</b>			
<b>Percent of Total for this Docket: 2</b>			
<b>Procedures &amp; Reference Document / IR</b>			
110 - No procedure / reference documents	O - Operations	O - Control Room Ops	050-00266/2006-004
111 - Procedure / reference document technical content	C - Chemistry	G - Design	050-00266/2006-005
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00266/2006-002
113 - Procedure / reference document development and maintenance L	A - Administrative Support	A - Administrative	050-00266/2006-011
113 - Procedure / reference document development and maintenance L	A - Administrative Support	A - Administrative	050-00266/2006-011
113 - Procedure / reference document development and maintenance L	G - Engineering	G - Design	050-00266/2006-005
113 - Procedure / reference document development and maintenance L	L - Licensing / regulatory affairs	A - Administrative	050-00266/2006-009
<b>Number of Items for this Docket: 7</b>			
<b>Percent of Total for this Docket: 13</b>			
<b>Problem Identification &amp; Resolution / IR</b>			
140 - Problem not completely or accurately identified	G - Engineering	G - Design	050-00266/2006-009
142 - Operating experience (OE) review LTA	C - Chemistry	M - Maintenance / Repair	050-00266/2005-013
142 - Operating experience (OE) review LTA	E - Electrical	M - Maintenance / Repair	050-00266/2006-004
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
142 - Operating experience (OE) review LTA	O - Operations	O - Control Room Ops	050-00266/2005-013
143 - Tracking / trending LTA	C - Chemistry	S - Surveillance	050-00266/2006-005
144 - Audit / self-assessment / effectiveness review LTA	C - Chemistry	M - Maintenance / Repair	050-00266/2005-013
144 - Audit / self-assessment / effectiveness review LTA	G - Engineering	G - Design	050-00266/2005-018
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
145 - Causal development LTA	S - Specialized task force	W - Assessment	050-00266/2006-004
146 - Evaluation LTA	E - Electrical	M - Maintenance / Repair	050-00266/2006-004

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 52

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 52

---

**Facility Name: Point Beach 1 Docket (050- 00266)**

Details	Department	Work Type	Docket/Report
<b>Problem Identification &amp; Resolution / IR</b>			
146 - Evaluation LTA	G - Engineering	G - Design	050-00266/2006-009
146 - Evaluation LTA	G - Engineering	G - Design	050-00266/2006-011
147 - Individual corrective action LTA	S - Specialized task force	W - Assessment	050-00266/2006-009
148 - Action not yet started or untimely	O - Operations	O - Control Room Ops	050-00266/2005-013
<b>Number of Items for this Docket:</b> 15			
<b>Percent of Total for this Docket:</b> 29			
<hr/>			
<b>Training / IR</b>			
102 - Individual knowledge LTA	X - Site-wide	X - Site-wide	050-00266/2006-009
<b>Number of Items for this Docket:</b> 1			
<b>Percent of Total for this Docket:</b> 2			
<hr/>			
<b>Work Planning &amp; Practices / IR</b>			
185 - Procedural adherence LTA	G - Engineering	G - Design	050-00266/2006-009
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00266/2006-004
186 - Failure to take action / meet requirements	G - Engineering	G - Design	050-00266/2006-002
186 - Failure to take action / meet requirements	G - Engineering	G - Design	050-00266/2006-002
186 - Failure to take action / meet requirements	L - Licensing / regulatory affairs	A - Administrative	050-00266/2006-009
187 - Action implementation LTA	G - Engineering	G - Design	050-00266/2006-005
188 - Work practice or craft skill LTA	F - Fuel Handling	R - Refueling	050-00266/2006-002
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00266/2005-013
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00266/2005-013
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00266/2005-018
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00266/2006-005
188 - Work practice or craft skill LTA	I - Instrumentation & Control	T - Testing	050-00266/2005-013
188 - Work practice or craft skill LTA	M - Mechanical	T - Testing	050-00266/2005-013
188 - Work practice or craft skill LTA	M - Mechanical	T - Testing	050-00266/2005-013
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00266/2005-018
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00266/2005-018
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00266/2006-005
193 - Non-conservative action	E - Electrical	G - Design	050-00266/2006-009
194 - Housekeeping LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
194 - Housekeeping LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
194 - Housekeeping LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 52

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 52

---

**Facility Name: Point Beach 1 Docket (050- 00266)**

Details	Department	Work Type	Docket/Report
<b>Work Planning &amp; Practices / IR</b>			
196 - Independent verification / plant tours LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
196 - Independent verification / plant tours LTA	M - Mechanical	M - Maintenance / Repair	050-00266/2005-013
<b>Number of Items for this Docket: 23</b>			
<b>Percent of Total for this Docket: 44</b>			
<hr/>			
<b>Work Planning &amp; Practices / LER</b>			
189 - Recognition of adverse condition / questioning attitude LTA	L - Licensing / regulatory affairs	A - Administrative	050-00266/2006-002-00
<b>Number of Items for this Docket: 1</b>			
<b>Percent of Total for this Docket: 2</b>			
<hr/>			
<b>Total Items for this Docket: 52</b>			

---