

Revised, July 2005

**Division of HIV/AIDS Prevention – Surveillance and Epidemiology
2003**

Names in bold are those of staff or contractors in DHAP-SE.

Abrams EJ, **Wiener J**, Carter R, Kuhn L, Palumbo P, Nesheim S, Lee F, Vink P, **Bulterys M**, for the Perinatal AIDS Collaborative Transmission (PACTS) Group. Maternal health factors and early pediatric antiretroviral therapy influence the rate of perinatal HIV-1 disease progression in children. *AIDS* 2003; 19:867-877.

Ackers M-L, Parekh B, Evans TG, Berman P, Phillips S, Allen M, McDougal JS. Human immunodeficiency virus (HIV) seropositivity among uninfected HIV vaccine recipients. *Journal of Infectious Diseases* 2003; 187:879-886.

Adjé-Touré CA, Cheingsong R, Garcia-Lerma JG, Eholié S, Borget M-Y, Bouchez J-M, Otten RA, Maurice C, Sassan-Morokro M, Ekpini RE, **Nolan M**, Chorba T, Heneine W, **Nkengasong JN**. Antiretroviral therapy in HIV-2-infected patients: changes in plasma viral load, CD4+ cell counts, and drug resistance profiles of patients treated in Abidjan, Côte d'Ivoire. *AIDS* 2003; 17(suppl 3):S49–S54.

Adjé-Touré C, Celestin B, **Hanson D**, **Roels TH**, Hertogs K, Larder B, Diomande F, Peeters M, Eholié S, **Lackritz E**, **Chorba T**, **Nkengasong JN**. Prevalence of genotypic and phenotypic HIV-1 drug-resistance strains among patients who have rebound in viral load while receiving antiretroviral therapy in the UNAIDS–Drug Access Initiative in Abidjan, Côte d'Ivoire. *AIDS* 2003; 17(suppl 3):S23–S29.

Allen DR, Carey JW, Manopaiboon C, Jenkins RA, Uthairavit W, Kilmarx PH, **van Griensven F**. Sexual health risks among young Thai women: implications for HIV/STD prevention and contraception. *AIDS and Behavior* 2003; 7:9-21.

Amornkul PN, **Hu DJ**, Tansuphasawadikul S, Lee S, Eampokalap B, Likanonsakul S, **Nelson R**, **Young NL**, Hajjeh RA, Limpakarnjanarat K, **Mastro TD**. Human immunodeficiency virus type 1 subtype and other factors associated with extrapulmonary cryptococcosis among patients in Thailand with AIDS. *AIDS Research and Human Retroviruses* 2003; 19:85-90.

Bailey SL, Huo D, **Garfein RS**, **Ouellet LJ**. The use of needle exchange by young injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2003; 34:67-70.

Bertolli J, **Hu DJ**, Nieberg P, **Macalalad A**, **Simonds RJ**. Decision analysis to guide choice of interventions to reduce mother-to-child transmission of HIV. *AIDS* 2003; 17:2089-2098.

Bingham TA, Harawa NT, Johnson DF, **Secura GM**, **MacKellar DA**, **Valleroy LA**. The effect of partner characteristics on HIV infection among African American men who have sex with men in the Young Men's Survey, Los Angeles, 1999–2000. *AIDS Education and Prevention*

2003; 15(suppl A):39-52.

Bolu OO, Kamb ML. HIV counseling and testing among racial and ethnic minority populations. In: Erwin J, **Smith D**, Peters BS, eds. *Ethnicity and HIV: Prevention and Care in Europe and the USA*. London: International Medical Press; 2003:165-185.

Branson BM. Point-of-care rapid tests for HIV antibodies [invited review]. *Journal of Laboratory Medicine* 2003; 27:288-295.

Burstein GR, Lowry R, Klein JD, Santelli JS. Missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits. *Pediatrics* 2003; 111:996-1001.

Burstein GR, Murray PJ. Diagnosis and management of sexually transmitted disease pathogens among adolescents. *Pediatrics in Review* 2003; 24:75-82.

Burstein GR, Murray PJ. Diagnosis and management of sexually transmitted diseases among adolescents. *Pediatrics in Review* 2003; 24:119-127.

Campsmith ML, Nakashima AK, Davidson AJ. Self-reported health-related quality of life in persons with HIV infection: results from a multi-site interview project. *Health and Quality of Life Outcomes* 2003; 1:12. Available at BioMed Central Web site, <http://www.hqlo.com/content/1/1/12>.

Centers for Disease Control and Prevention [**Janssen RS, Onorato IM**]. Advancing HIV Prevention: new strategies for a changing epidemic—United States, 2003. *MMWR* 2003; 52:329-332.

Centers for Disease Control and Prevention [**Sharpe TT, Lee LM, McKenna M**]. HIV diagnoses among injection-drug users in states with HIV surveillance—25 states, 1994–2000. *MMWR* 2003; 52:634-636.

Centers for Disease Control and Prevention [**MacKellar DA, Secura GM, Behel S, Valleroy LA,** Roberts GW]. HIV/STD risks in young men who have sex with men who do not disclose their sexual orientation—six U.S. cities, 1994–2000. *MMWR* 2003; 52:81-85.

Centers for Disease Control and Prevention [**Dooley SW, Kamb ML, Kaplan J,** Neumann MS, **Onorato IM, Peterman TA, Rauch KJ, Ridzon R,** Senterfitt JW]. Incorporating HIV prevention into the medical care of persons living with HIV. *MMWR* 2003; 52(No. RR-12):1-24. [See 2004 pubs list for this document in *Clinical Infectious Diseases*.]

Centers for Disease Control and Prevention [**Hall HI, Song R, McKenna MT**]. Increases in HIV diagnoses—29 states, 1999–2002. *MMWR* 2003; 52:1145-1148.

Centers for Disease Control and Prevention [**Nakashima AN, Campsmith, ML, Wolfe MI, Nakamura G, Begley EB, Teshale EH**]. Late versus early testing of HIV—16 sites, United States, 2000–2003. *MMWR* 1993; 52:581-586.

Centers for Disease Control and Prevention [Burstein GR, Kim HY, **Dooley S**]. Partner counseling and referral services to identify persons with undiagnosed HIV—North Carolina, 2001. *MMWR* 2003; 52:1181-1184.

Centers for Disease Control and Prevention [**McConnell M, Dominguez K, Fowler MG, Greenberg AG**]. Pregnancy in perinatally HIV-infected adolescents and young adults—Puerto Rico, 2002. *MMWR* 2003; 52:149-151.

Centers for Disease Control and Prevention [**Hader SL, Garfein R, Paxton L**]. Rapid increase in HIV rates—Orel Oblast, Russian Federation, 1999–2001. *MMWR* 2003; 52:657-660.

Centers for Disease Control and Prevention [**Branson BM, Jamieson DJ, Bulterys M**]. Rapid point-of-care testing for HIV-1 during labor and delivery—Chicago, Illinois, 2002. *MMWR* 2003; 52:866-868.

Cohen MH, Olszewski Y, **Branson B**, Robey M, Love F, **Jamieson DJ, Bulterys M**, for the Mother Infant Rapid Intervention at Delivery Study. Using point-of-care testing to make rapid HIV-1 tests in labor really rapid [research letter]. *Lancet* 2003; 2121-2124.

Crepaz N, Marks G. Serostatus disclosure, sexual communication, and safer sex in HIV-positive men. *AIDS Care* 2003; 15:379-387.

Dean HD, Fleming PL. Epidemiology of HIV/AIDS in minority populations in the USA. In: Erwin JT, **Smith DK**, Peters BS, eds. *Ethnicity and HIV: Prevention and Care in Europe and the USA*. London: International Medical Press; 2003:1-19.

Des Jarlais DC, Diaz T, Perlis T, Vlahov D, Maslow C, Latka M, Rockwell R, Edwards V, Friedman SR, **Monterroso E**, Williams I, **Garfein RS**. Variability in the incidence of human immunodeficiency virus, hepatitis B virus, and hepatitis C virus infection among young injecting drug users in New York City. *American Journal of Epidemiology* 2003; 157:467-471.

Diamond C, Thiede H, Perdue T, **Secura GM, Valleroy L, MacKellar D**, Corey L, and the Seattle Young Men's Survey Team. Viral hepatitis among young men who have sex with men: prevalence of infection, risk behaviors, and vaccination. *Sexually Transmitted Diseases* 2003; 30:425-432.

Diamondé FVK, Bissagnéné E, **Nkengasong JN**, Maurice C, **Monga B**, Laga M, **Nolan ML**. The most efficient use of resources to identify those in need of antiretroviral treatment in Africa: empirical data from Côte d'Ivoire's drug access initiative. *AIDS* 2003; 17(suppl 3):S87-S93.

Djomand G, **Roels T**, Ellerbrock T, **Hanson D**, Diomandé F, Monga B, Maurice C, **Nkengasong J**, Konan-Koko R, Kadio A, Wiktor S, Lackritz E, Saba J, Chorba T. Virologic and immunologic outcomes and programmatic challenges of an antiretroviral treatment pilot project in Abidjan, Côte d'Ivoire. *AIDS* 2003; 17(suppl 3):S5-S15.

Do AN, Ciesielski CA, Metler RP, **Hammett T, Li J, Fleming PL**. Occupationally acquired

human immunodeficiency virus (HIV) infection: national case surveillance data during 20 years of the HIV epidemic in the United States. *Infection Control and Hospital Epidemiology* 2003; 24:86-96.

Dominguez KL, Lindegren ML, d'Almada PJ, Peters VB, Frederick T, Rakusan TA, Ortiz IR, Hsu H-W, Melville SK, **Sadek R, Fowler MG,** for the Pediatric Spectrum of HIV Disease Consortium. Increasing trend of cesarean deliveries in HIV-infected women in the United States from 1994 to 2000. *Journal of Acquired Immune Deficiency Syndromes* 2003; 33:232-238.

Duffus WA, Barragan M, Metsch L, **Krawczyk CS,** Loughlin AM, **Gardner LI,** Anderson-Mahoney P, Dickinson G, del Rio C, for the Antiretroviral Treatment and Access Studies Study Group. Effects of physician specialty on counseling practices and medical referral patterns among physicians caring for disadvantaged human immunodeficiency virus-infected populations *Clinical Infectious Diseases* 2003; 36:1577-1584.

Ebrahim SH, Gfroerer J. Pregnancy-related substance use in the United States during 1996–1998. *Obstetrics and Gynecology* 2003; 101:274-379.

Ekwueme DU, Pinkerton, SD, Holtgrave DR, **Branson BM.** Cost comparison of three HIV counseling and testing technologies. *American Journal of Preventive Medicine* 2003; 25(2):112-121.

Elam-Evans LD, Harris NS, Dean HD. The epidemiology of HIV and AIDS in the United States. In: Wallace HM, Green G, Jaros KJ, eds. *Health and Welfare for Families in the 21st Century*. 2nd ed. Sudbury, Massachusetts: Jones and Bartlett; 2003:422-443.

Fleming P. Human immunodeficiency virus and the acquired immunodeficiency syndrome: epidemiology. In: Morse SA, Ballard RC, Holmes KK, Moreland AA, eds. *Atlas of Sexually Transmitted Diseases and AIDS*. 3rd ed. New York: Mosby; 2003:195-206.

Fowler MG, Mofenson L, **McConnell M.** The interface of perinatal HIV prevention, antiretroviral drug resistance, and antiretroviral treatment: what do we really know? [editorial]. *Journal of Acquired Immune Deficiency Syndromes* 2003; 34:308-311.

Fowler MG, Moorman A, Tong T, Holmberg S, Greenberg AE. Does prior short-course nevirapine reduce the effectiveness of subsequent combination treatment with efavirenz? [letter]. *Journal of Acquired Immune Deficiency Syndromes* 2003; 34:348-350.

Friedman SR, Ompad DC, Maslow C, Young R, Case P, Hudson SM, Diaz T, Morse E, Bailey S, Des Jarlais DC, Perlis T, Hollibaugh A, **Garfein RS.** HIV prevalence, risk behaviors, and high-risk sexual and injection networks among young women injectors who have sex with women. *American Journal of Public Health* 2003; 93:902-906.

Gardner LI, Holmberg SD, Williamson JM, Szczech LA, Carpenter CCJ, Rompalo AM, Schuman P, Klein RS, for the HIV Epidemiology Research Study Group. Development of proteinuria or elevated serum creatinine and mortality in HIV-infected women. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:203-209.

Greensides DR, Berkelman R, **Lansky A, Sullivan PS**. Alternative HIV testing methods among populations at high risk for HIV infection. *Public Health Reports* 2003; 118:531-539.

Guest G, McLellan E. Distinguishing the trees from the forest: applying cluster analysis to thematic qualitative data. *Field Methods* 2003; 15(2):186-201.

HIV Paediatric Prognostic Markers Collaborative Study Group [**Bulterys M**]. Short-term risk of disease progression in HIV-1-infected children receiving no antiretroviral therapy or zidovudine monotherapy: a meta-analysis. *Lancet* 2003; 362:1605-1611.

Hladik W, Dollard SC, Downing RG, Kataaha P, Pellett PE, **Karon JM**, Mermin J, Lackritz EM. Kaposi's sarcoma in Uganda: risk factors for human herpesvirus 8 infection among blood donors. *Journal of Acquired Immune Deficiency Syndromes* 2003; 33:206-210.

Holmberg SD, Hamburger ME, Moorman AC, Wood KC, Palella FJ Jr, for the HIV Outpatient Study Investigators. Factors associated with maintenance of long-term plasma human immunodeficiency virus RNA suppression. *Clinical Infectious Diseases* 2003; 37:702-707.

Hoxworth T, Spencer N, **Peterman TA**, Craig T, Johnson S, Maher JE. Changes in partnerships and HIV risk behaviors after partner notification. *Sexually Transmitted Diseases* 2003; 30:83-88.

Hu DJ, Vanichseni S, Mock PA, Young NL, Dobbs T, **Byers RH Jr**, Choopanya K, **van Griensven F**, Kitayaporn D, McDougal JS, **Tappero JW, Mastro TD**, Parekh BS. HIV type 1 incidence estimates by detection of recent infection from a cross-sectional sampling of injection drug users in Bangkok: use of the IgG capture BED enzyme immunoassay. *AIDS Research and Human Retroviruses* 2003; 19:727-730.

Hu DJ, Vitek CR, Bartholow B, Mastro TD. Key issues for a potential human immunodeficiency virus vaccine [invited article]. *Clinical Infectious Diseases* 2003; 36:638-644.

Jamieson DJ, O'Sullivan MJ, Maupin R, Cohen M, Webber MP, Nesheim S, **Lampe M**, Garcia P, Lindsay M, **Bulterys M**. The challenges of informed consent for rapid HIV testing in labor. *Journal of Women's Health* 2003; 12:889-895.

Jamieson DJ, Sibailly TS, **Sadek R**, Roels TH, Ekpini ER, Boni-Ouattara E, **Karon JM**, Nkengasong J, **Greenberg AE, Wiktor SZ**. HIV-1 viral load and other risk factors for mother-to-child transmission of HIV-1 in a breast-feeding population in Cote d'Ivoire. *Journal of Acquired Immune Deficiency Syndromes* 2003; 34:430-436.

Jennes W, Sawadogo S, Koblavi-Dème S, Vuylsteke B, Maurice C, **Roels TH, Chorba T, Nkengasong JN**, Kestens L. Cellular human immunodeficiency virus (HIV) – protective factors: a comparison of HIV-exposed female sex workers and female blood donors in Abidjan, Côte d'Ivoire. *Journal of Infectious Diseases* 2003; 187:206-214.

Kaplan JE, Hanson DL, Cohn DL, **Karon J**, Buskin S, Thompson M, **Fleming P, Dworkin MS**, and the Adult and Adolescent Spectrum of HIV Disease Project Investigators. When to

begin highly active antiretroviral therapy? Evidence supporting initiation of therapy at CD4+ lymphocyte counts <350 cells/ μ L. *Clinical Infectious Diseases* 2003; 37:951-958.

Kellerman SE, Hanson DL, McNaghten AD, Fleming PL. Prevalence of chronic hepatitis B and incidence of acute hepatitis B infection in human immunodeficiency virus–infected subjects. *Journal of Infectious Diseases* 2003; 188:571-577.

Kilmarx PH, **Paxton L.** Need for a true placebo for vaginal microbicide efficacy trials [letter]. *Lancet* 2003; 361:785.

Kissinger PJ, Niccolai LM, Mangus M, Farley TA, Maher JE, Richardson-Alston G, Dorst D, Myers L, **Peterman TA.** Partner notification for HIV and syphilis: effects on sexual behaviors and relationship stability. *Sexually Transmitted Diseases* 2003; 30:75-82.

Koblavi-Dème S, Maran M, Kabran N, Borget MY, Kalou M, Kestens L, Maurice C, Sassan-Morokro M, Ekpini ER, **Roels TH, Chorba T, Nkengasong JN.** Changes in levels of immune activation and reconstitution markers among HIV-1-infected Africans receiving antiretroviral therapy. *AIDS* 2003; 17(suppl 3):S17–S22.

Koblin BA, Perdue T, Ren L, Thiede H, Guilin V, **MacKellar DA, Valleroy LA, Torian LV.** Attitudes about combination HIV therapies: the next generation of gay men at risk. *Journal of Urban Health* 2003; 80:510-519.

Kothe D, **Byers RH, Caudill SP, Satten GA, Janssen RS, Hannon WH, Mei JV.** Performance characteristics of a new less sensitive HIV-1 enzyme immunoassay for use in estimating HIV seroincidence. *Journal of Acquired Immune Deficiency Syndromes* 2003; 33:625-634.

Krawczyk CS, Gardner LI, Wang J, Sadek R, Loughlin AM, Anderson-Mahoney P, Metsch L, Green S, for the Antiretroviral Treatment and Access Study Group. Test-retest reliability of a complex human immunodeficiency virus research questionnaire administered by an audio computer-assisted self-interviewing system. *Medical Care* 2003; 41:853-858.

Lambert JS, Harris R, Stiehm R, Moyer J Jr, **Fowler MG, Meyer WA III, Bethel J, Mofenson LM.** Performance characteristics of HIV-1 culture and HIV-1 DNA and RNA amplification assays for early diagnosis of perinatal HIV-1 infection. *Journal of Acquired Immune Deficiency Syndromes* 2003; 34:512-519.

Lichtenstein KA, Delaney KM, Armon C, Ward DJ, **Moorman AC, Wood KC, Holmberg SD,** and the HIV Outpatient Study Investigators. Incidence of and risk factors for lipodystrophy (abnormal fat loss) in ambulatory HIV-1–infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:48-56.

Lyss SB, Kamb ML, Peterman TA, Moran JS, Newman DR, Bolan G, Douglas JM Jr, Iatesta M, Malotte CK, Zenilman JM, Ehret J, Gaydos C, Newhall WJ, for the Project RESPECT Study Group. *Chlamydia trachomatis* among patients infected with and treated for *Neisseria gonorrhoeae* in sexually transmitted disease clinics in the United States. *Annals of Internal Medicine* 2003; 139:178-185.

Macharia DK, Chang LW, Lule G, Owili DM, Tesfaledet G, Patel S, Silverstein DM, Ng'ang'a L, **Bush T**, De Cock KM, **Weidle PJ**. Antiretroviral therapy in the private sector of Nairobi, Kenya: a review of the experience of five physicians [letter]. *AIDS* 2003; 17:938-940.

Maher JE, Peterman TA, Osewe PL, Odusanya S, Scerba JR. Evaluation of a community-based organization's intervention to reduce the incidence of sexually transmitted diseases: a randomized, controlled trial. *Southern Medical Journal* 2003; 96:248-253.

Manopaiboon C, **Bunnell RE**, Kilmarx PH, Chaikummao S, Limpakarnjanarat K, Supawitkul S, St Louis M, **Mastro TD**. Leaving sex work: barriers, facilitating factors and consequences for female sex workers in northern Thailand. *AIDS Care* 2003; 15:39-52.

Manopaiboon C, Kilmarx PH, Limpakarnjanarat K, Jenkins RA, Chaikummao S, Supawitkul S, **van Griensven F**. Sexual coercion among adolescents in northern Thailand: prevalence and associated factors. *South East Asian Journal of Tropical Medicine and Public Health* 2003; 34:447-457.

Manopaiboon C, Kilmarx PH, **van Griensven F**, Chaikummao S, Jeeyapant S, Limpakarnjanarat K, Uthaiworavit W. High rates of pregnancy among vocational school students: results of audio computer-assisted self-interview survey in Chiang Rai, Thailand. *Journal of Adolescence* 2003; 26:517-530. Also available at <http://www.sciencedirect.com>.

Mansergh G, Marks G, Rader M, Colfax GN, Buchbinder S. Rectal use of nonoxynol-9 among men who have sex with men. *AIDS* 2003; 17:905-909.

McLellan E, MacQueen KM, Neidig JL. Beyond the qualitative interview: data preparation and transcription. *Field Methods* 2003; 15(1):63-84.

McNaghten AD, Hanson DL, Dworkin MS, Jones JL, and the Adult/Adolescent Spectrum of HIV Disease Group. Differences in prescription of antiretroviral therapy in a large cohort of HIV-infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:499-505.

Montgomery JP, Mokotoff ED, Gentry AC, **Blair JM**. The extent of bisexual behaviour in HIV-infected men and implications for transmission to their female sex partners. [addendum in: *AIDS Care* 2004;16:406]. *AIDS Care* 2003; 15:829-837.

Nakashima AK, Fleming PL. HIV/AIDS surveillance in the United States, 1981–1999 [invited review]. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:68-85.

Nesheim S, Palumbo P, Sullivan K, Lee F, Vink P, Abrams E, **Bulterys M**. Quantitative RNA testing for diagnosis of HIV-infected infants. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:192-195.

Neumann MS, **Marks G**, Purcell DW. Delivering HIV transmission prevention services to HIV-seropositive persons in clinical care. In: Erwin JT, **Smith DK**, Peters BS, eds. *Ethnicity and HIV: Prevention and Care in Europe and the USA*. London: International Medical Press; 2003:141-

O'Connell RJ, Merritt TM, Malia JA, VanCott TC, Dolan MJ, Zahwa H, Bradley WP, **Branson BM**, Michael NL, De Witt CC. Performance of the OraQuick rapid antibody test for diagnosis of human immunodeficiency virus type 1 infection in patients with various levels of exposure to highly active antiretroviral therapy. *Journal of Clinical Microbiology* 2003; 41:2153-2155.

Palella F, Deloria-Knoll M, Chmiel JS, **Moorman AC**, Wood KW, **Greenberg AE**, **Holmberg SD**. Survival benefits of initiating antiretroviral therapy in HIV-infected persons in different CD4+ cell strata. *Annals of Internal Medicine* 2003;138:620-626.

Paz-Bailey G, Kilmarx PH, Supawitkul S, Chaowanachan T, Jeeyapant S, Sternberg M, Markowitz L, **Mastro TD**, Van Griensven F. Risk factors for sexually transmitted diseases in northern Thai adolescents. *Sexually Transmitted Diseases* 2003; 30:320-326.

Peeters M, Toure-Kane C, **Nkengasong JN**. Genetic diversity of HIV in Africa: impact on diagnosis, treatment, vaccine development and trials. *AIDS* 2003; 17:2547-2560.

Perdue T, Hagan H, Thiede H, **Valleroy L**. Depression and HIV risk behavior among Seattle-area injection drug users and young men who have sex with men. *AIDS Education and Prevention* 2003; 15:81-92.

Peters V, Liu K-L, **Dominguez K**, Frederick T, Melville S, Ho-Wen H, Ortiz I, Rakusan T, Gill B, Thomas P, and the PSD Consortium. Missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, pediatric spectrum of HIV disease cohort. *Pediatrics* 2003; 111:1186-1191.

Ramos A, Nguyen L, **Hu DJ**, Vanichseni S, Choopanya K, **Young NL**, Tappero JW, **Mastro TD**, Folks TM, Subbarao S. New HIV type 1 CRF01_AE/B recombinants displaying unique distribution of breakpoints from incident infections among injecting drug users in Thailand. *AIDS Research and Human Retroviruses* 2003; 19:667-674.

Sansom S, **Jamieson D**, Farnham PG, **Bulterys M**, **Fowler MG**. Human immunodeficiency virus retesting during pregnancy: costs and effectiveness in preventing perinatal transmission. *Obstetrics and Gynecology* 2003; 102:782-790.

Sawadogo S, Adjé-Touré C, Bilé C, Ekpini REA, **Chorba T**, **Nkengasong JN**. Field evaluation of the *gag*-based heteroduplex mobility assay for genetic subtyping of circulating recombinant forms of human immunodeficiency virus type 1 in Abidjan, Côte d'Ivoire. *Journal of Clinical Microbiology* 2003; 41:3056-3059.

Schuman P, Ohmit SE, Klein RS, Duerr A, Cu-Uvin S, **Jamieson DJ**, Anderson J, Shah KV, for the HIV Epidemiology Research Study (HERS) Group. Longitudinal study of cervical squamous intraepithelial lesions in human immunodeficiency virus (HIV)–seropositive and at-risk HIV-seronegative women. *Journal of Infectious Diseases* 2003; 188:128-136.

Selik RM, Anderson RN, **McKenna MT**, Rosenberg HM. Increase in deaths caused by HIV

infection due to changes in rules for selecting underlying cause of death. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:62-69.

Selik RM, Lindegren ML. Changes in deaths reported with human immunodeficiency virus infection among United States children less than thirteen years old, 1987 through 1999. *Pediatric Infectious Disease Journal* 2003; 22:635-641.

Spielberg F, **Branson BM**, Goldbaum GM, Lockhart D, Kurth A, Celum CL, Rossini A, Critchlow CW, Wood RW. Overcoming barriers to HIV testing: preferences for new strategies among clients of a needle exchange, an STD clinic, and sex venues for MSM. *Journal of Acquired Immune Deficiency Syndromes* 2003; 32:318-328.

Spielberg F, **Branson BM**, Goldbaum GM, Kurth A, Wood RW. Designing an HIV counseling and testing program for bathhouses: the Seattle experience with strategies to improve acceptability. *Journal of Homosexuality* 2003; 44:203-220.

Stover CT, **Smith DK**, Schmid DS, Pellett PE, Klein RS, Mayer K, Vlahov D, Schuman P, Cannon MJ, for the HIV Epidemiology Work Group. Prevalence of and risk factors for viral infections among human immunodeficiency virus (HIV)-infected and high-risk HIV-uninfected women. *Journal of Infectious Diseases* 2003; 187:1388-1396.

Stratford D, Chamblee S, **Ellerbrock TV**, Johnson JW, Abbott D, von Reyn CF, Horsburgh CR Jr. Integration of a participatory research strategy into a rural health survey. *Journal of General Internal Medicine* 2003; 18:586-588.

Tao G, **Branson BM**, Anderson LA, Irwin, KL. Do physicians provide counseling with HIV and STD testing at physician offices or hospital outpatient departments? *AIDS* 2003; 17:1243-1247.

Tedaldi EM, Baker RK, **Moorman AC**, Alzola CF, Furrer J, McCabe RE, Wood KC, **Holmberg SD**, and the HIV Outpatient Study (HOPS) Investigators. Influence of coinfection with hepatitis C virus on morbidity and mortality due to human immunodeficiency virus infection in the era of highly active antiretroviral therapy. *Clinical Infectious Diseases* 2003; 36:363-367.

Thiede H, **Valleroy LA**, **MacKellar DA**, Celentano DD, Ford WL, Hagan H, Koblin BA, LaLota M, McFarland W, Shehan DA, Torian LV, for the Young Men's Survey Group. Regional patterns and correlates of substance use among young men who have sex with men in 7 US urban areas. *American Journal of Public Health* 2003; 93:1915-1921.

Thorpe LE, Ouellet LJ, Hershov R, Bailey SL, Williams IT, **Williamson J**, **Garfein RS**. Reply to letter re "Risk of hepatitis C virus among young adult injection drug users who share injection equipment" [letter]. *American Journal of Epidemiology* 2003; 157:376-378.

Vuylsteke B, Ettiègne-Traore V, Anoma C, Bandama C, Ghys PD, Maurice C, Van Dyck E, **Wiktor SZ**, Laga M. Assessment of the validity of and adherence to sexually transmitted infection algorithms in a female sex worker clinic in Abidjan, Côte d'Ivoire. *Sexually Transmitted Diseases* 2003; 30:284-291.

Weidle PJ, Downing R, Sozi C, Mwebaze R, Rukundo G, Malamba S, **Respass R**, Hertogs K, Larder B, Ochola D, Mermin J, Samb B, Lackritz E. Development of phenotypic and genotypic resistance to antiretroviral therapy in the UNAIDS HIV drug access—Uganda. *AIDS* 2003; 17(suppl 3):S39–S48.

Wilson TE, **Koenig L**, Ickovics J, Walter E, Suss A, Fernandez MI, for the Perinatal Guidelines Evaluation Project. Contraception use, family planning, and unprotected sex: few differences among HIV-infected and uninfected postpartum women in four US states. *Journal of Acquired Immune Deficiency Syndromes* 2003; 33:608-613.

Wilson TE, **Koenig L**, Walter E, Fernandez I, Ethier K, for the Perinatal Guidelines Evaluation Project. Dual contraceptive method use for pregnancy and disease prevention among HIV-infected and HIV-uninfected women: the importance of an event-level focus for promoting safer sexual behaviors. *Sexually Transmitted Diseases* 2003; 30:809-812.

Young CL, **Hu DJ**, **Byers R**, Vanichseni S, **Young NL**, Nelson R, Mock PA, Choopanya K, **Janssen R**, **Mastro TD**, Mei JV. Evaluation of a sensitive/less sensitive testing algorithm using the bioMérieux Vironostika-LS assay for detecting recent HIV-1 subtype B' or E infection in Thailand. *AIDS Research and Human Retroviruses* 2003; 19:481-486.